

# Mathematics | Grade 1

The descriptions below provide an overview of the mathematical concepts and skills that students explore throughout the 1<sup>st</sup> grade.

## Operations and Algebraic Thinking

Students extend previous understanding of addition and subtraction to solve contextual problems within 20, add three addends, and recognize subtraction as an unknown addend problem. Students solve a variety of problem types, with unknowns in all positions, in order to make connections among contexts, equations, and strategies (See Table 1 - Addition and Subtraction Situations). Students should apply properties of operations as strategies to add and subtract when needed (See Table 3 - Properties of Operations). By the end of 1<sup>st</sup> grade, students should know from memory sums of 10 and fluently add and subtract within 20.

Students demonstrate their understanding of the equal sign (=) by determining if addition/subtraction equations are true or false and writing equations to represent a given situation.

## Numbers and Operations in Base Ten

Students read, write, and represent a given number of objects numerically and extend the counting sequence to 120. They demonstrate the ability to count from any number up to 120 and count backward from 20. Students understand that two-digit numbers represent groups of tens and ones and each two-digit number can be composed and decomposed in a variety of ways. Using place value understanding, students compare two-digit numbers based on the number of tens and ones represented in the given numbers using symbols for comparison.

Students build number sense and use increasingly sophisticated strategies based on place value and properties of operations to add and subtract.

## Measurement and Data

This is the first time students develop an understanding of the meaning and processes of measurement including iteration of non-standard equal-sized units. Students compare two objects using a third object as a benchmark and also order objects by length. Students are introduced to writing and telling time to the nearest hour and half-hour. Students build on their previous work in kindergarten and count the value of like coins using the ¢ symbol. Students interpret data to answer questions such as how many more or less.

## Geometry

Students build on previous knowledge to explore attributes of shapes and to build, draw, and identify two-dimensional shapes. Two and three-dimensional shapes are used to create composite shapes. This is the first time students partition circles and rectangles to create halves and fourths/quarters.

## Standards for Mathematical Practice

Being successful in mathematics requires the development of approaches, practices, and habits of mind that need to be in place as one strives to develop mathematical fluency, procedural skills, and conceptual understanding. The Standards for Mathematical Practice are meant to address these areas of expertise that teachers should seek to develop in their students. These approaches, practices, and habits of mind can be summarized as “processes and proficiencies” that successful mathematicians have as a part of their work in mathematics. Additional explanations are included in the main introduction of these standards.

| <b>Standards for Mathematical Practice</b>  |
|---|
| <ol style="list-style-type: none"><li>1. Make sense of problems and persevere in solving them.</li><li>2. Reason abstractly and quantitatively.</li><li>3. Construct viable arguments and critique the reasoning of others.</li><li>4. Model with mathematics.</li><li>5. Use appropriate tools strategically.</li><li>6. Attend to precision.</li><li>7. Look for and make use of structure.</li><li>8. Look for and express regularity in repeated reasoning.</li></ol> |

## Literacy Standards for Mathematics

Communication in mathematics employs literacy skills in reading, vocabulary, speaking and listening, and writing. Mathematically proficient students communicate using precise terminology and multiple representations including graphs, tables, charts, and diagrams. By describing and contextualizing mathematics, students create arguments and support conclusions. They evaluate and critique the reasoning of others, analyze, and reflect on their own thought processes. Mathematically proficient students have the capacity to engage fully with mathematics in context by posing questions, choosing appropriate problem-solving approaches, and justifying solutions. Further explanations are included in the main introduction.

| <b>Literacy Skills for Mathematical Proficiency</b>   |
|---|
| <ol style="list-style-type: none"><li>1. Use multiple reading strategies.</li><li>2. Understand and use correct mathematical vocabulary.</li><li>3. Discuss and articulate mathematical ideas.</li><li>4. Write mathematical arguments.</li></ol> |

## Operations and Algebraic Thinking (OA)

| Cluster Headings  | Content Standards   |
|---|---|
| <p><b>A. Represent and solve problems involving addition and subtraction.</b></p>   | <p><b>1.OA.A.1</b> Add and subtract within 20 to solve contextual problems, with unknowns in all positions, involving situations of <i>add to</i>, <i>take from</i>, <i>put together/take apart</i>, and <i>compare</i>. Use objects, drawings, and equations with a symbol for the unknown number to represent the problem. (See Table 1 - Addition and Subtraction Situations)</p> <p><b>1.OA.A.2</b> Add three whole numbers whose sum is within 20 to solve contextual problems using objects, drawings, and equations with a symbol for the unknown number to represent the problem.</p> |
| <p><b>B. Understand and apply properties of operations and the relationship between addition and subtraction.</b></p> <p>(See Table 3 - Properties of Operations)</p> | <p><b>1.OA.B.3</b> Apply properties of operations (additive identity, commutative, and associative) as strategies to add and subtract. (Students need not use formal terms for these properties.)</p> <p><b>1.OA.B.4</b> Understand subtraction as an unknown-addend problem. <i>For example, to solve <math>10 - 8 = \underline{\quad}</math>, a student can use <math>8 + \underline{\quad} = 10</math>.</i></p>  |
| <p><b>C. Add and subtract within 20.</b></p>  | <p><b>1.OA.C.5</b> Add and subtract within 20 using strategies such as counting on, counting back, making 10, using fact families and related known facts, and composing/ decomposing numbers with an emphasis on making ten (e.g., <math>13 - 4 = 13 - 3 - 1 = 10 - 1 = 9</math> or adding <math>6 + 7</math> by creating the known equivalent <math>6 + 4 + 3 = 10 + 3 = 13</math>).</p> <p><b>1.OA.C.6</b> Fluently add and subtract within 20 using mental strategies. By the end of 1<sup>st</sup> grade, know from memory all sums up to 10.</p>  |
| <p><b>D. Work with addition and subtraction equations.</b></p>  | <p><b>1.OA.D.7</b> Understand the meaning of the equal sign (e.g., <math>6 = 6</math>; <math>5 + 2 = 4 + 3</math>; <math>7 = 8 - 1</math>). Determine if equations involving addition and subtraction are true or false.</p> <p><b>1.OA.D.8</b> Determine the unknown whole number in an addition or subtraction equation, with the unknown in any position (e.g., <math>8 + ? = 11</math>, <math>5 = ? - 3</math>, <math>6 + 6 = ?</math>).</p>  |

## Number and Operations in Base Ten (NBT)

| Cluster Headings                               | Content Standards   |
|--|---|
| <p><b>A. Extend the counting sequence.</b></p> | <p><b>1.NBT.A.1</b> Count to 120, starting at any number. Read and write numerals to 120 and represent a number of objects with a written numeral. Count backward from 20.</p>  |
| <p><b>B. Understand place value.</b></p>       | <p><b>1.NBT.B.2</b> Know that the digits of a two-digit number represent groups of tens and ones (e.g., 39 can be represented as 39 ones, 2 tens and 19 ones, or 3 tens and 9 ones).</p> <p><b>1.NBT.B.3</b> Compare two two-digit numbers based on the meanings of the digits in each place and use the symbols <math>&gt;</math>, <math>=</math>, and <math>&lt;</math> to show the relationship.</p> |

**Cluster Headings**

**Content Standards**

|  |  |
|--|--|
| <p><b>C. Use place value understanding and properties of operations to add and subtract.</b></p> | <p><b>1.NBT.C.4</b> Add a two-digit number to a one-digit number and a two-digit number to a multiple of ten (within 100). Use concrete models, drawings, strategies based on place value, properties of operations, and/or the relationship between addition and subtraction to explain the reasoning used.</p> <p><b>1.NBT.C.5</b> Mentally find 10 more or 10 less than a given two-digit number without having to count by ones and explain the reasoning used.</p> <p><b>1.NBT.C.6</b> Subtract multiples of 10 from multiples of 10 in the range 10-90 using concrete models, drawings, strategies based on place value, properties of operations, and/or the relationship between addition and subtraction.</p> |
|--|--|

**Measurement and Data (MD)**

**Cluster Headings**

**Content Standards**

|  |  |
|--|--|
| <p><b>A. Measure lengths indirectly and by iterating length units.</b></p> | <p><b>1.MD.A.1</b> Order three objects by length. Compare the lengths of two objects indirectly by using a third object. <i>For example, to compare indirectly the heights of Bill and Susan: if Bill is taller than mother and mother is taller than Susan, then Bill is taller than Susan.</i></p> <p><b>1.MD.A.2</b> Measure the length of an object using non-standard units and express this length as a whole number of units.</p> |
| <p><b>B. Work with time and money.</b></p>                                 | <p><b>1.MD.B.3</b> Tell and write time in hours and half-hours using analog and digital clocks.</p> <p><b>1.MD.B.4</b> Count the value of a set of like coins less than one dollar using the ¢ symbol only.</p>  |
| <p><b>C. Represent and interpret data.</b></p>                             | <p><b>1.MD.C.5</b> Organize, represent, and interpret data with up to three categories. Ask and answer questions about the total number of data points, how many in each category, and how many more or less are in one category than in another.</p>  |

## Geometry (G)

### Cluster Headings

### Content Standards

|   |   |
|---|---|
| <b>A. Reason about shapes and their attributes.</b> | <p><b>1.G.A.1</b> Distinguish between attributes that define a shape (e.g., number of sides and vertices) versus attributes that do not define the shape (e.g., color, orientation, overall size); build and draw two-dimensional shapes to possess defining attributes.</p> <p><b>1.G.A.2</b> Create a composite shape and use the composite shape to make new shapes by using two-dimensional shapes (rectangles, squares, trapezoids, triangles, half-circles, and quarter-circles) or three-dimensional shapes (cubes, rectangular prisms, cones, and cylinders).</p> <p><b>1.G.A.3</b> Partition circles and rectangles into two and four equal shares, describe the shares using the words <i>halves</i>, <i>fourths</i>, and <i>quarters</i>, and use the phrases <i>half of</i>, <i>fourth of</i>, and <i>quarter of</i>. Describe the whole as <i>two of</i>, or <i>four of</i> the shares. Understand for these examples that partitioning into more equal shares creates smaller shares.</p> |
|---|---|

Major content of the grade is indicated by the light green shading of the cluster heading and standard's coding.

|  |                      |  |                           |
|--|----------------------|--|---------------------------|
|  | <b>Major Content</b> |  | <b>Supporting Content</b> |
|--|----------------------|--|---------------------------|

**Table 1 Common addition and subtraction situations**

|   | <b>Result Unknown</b>  | <b>Change Unknown</b>  | <b>Start Unknown</b>   |
|---|--|--|--|
| <b>Add to</b>                                   | Two bunnies sat on the grass. Three more bunnies hopped there. How many bunnies are on the grass now?<br>$2 + 3 = ?$<br><br>(K)  | Two bunnies were sitting on the grass. Some more bunnies hopped there. Then there were five bunnies. How many bunnies hopped over to the first two?<br>$2 + ? = 5$<br><br>(1 <sup>st</sup> )     | Some bunnies were sitting on the grass. Three more bunnies hopped there. Then there were five bunnies. How many bunnies were on the grass before?<br>$? + 3 = 5$<br><br><b>One-Step Problem</b> (2 <sup>nd</sup> ) |
| <b>Take from</b>                                | Five apples were on the table. I ate two apples. How many apples are on the table now?<br>$5 - 2 = ?$<br><br>(K)   | Five apples were on the table. I ate some apples. Then there were three apples. How many apples did I eat?<br>$5 - ? = 3$<br><br>(1 <sup>st</sup> )  | Some apples were on the table. I ate two apples. Then there were three apples. How many apples were on the table before? $? - 2 = 3$<br><br><b>One-Step Problem</b> (2 <sup>nd</sup> )                             |
|   | <b>Total Unknown</b>   | <b>Addend Unknown</b>  | <b>Both Addends Unknown<sup>2</sup></b>  |
| <b>Put Together/<br/>Take Apart<sup>3</sup></b> | Three red apples and two green apples are on the table. How many apples are on the table?<br>$3 + 2 = ?$<br><br>(K)  | Five apples are on the table. Three are red and the rest are green. How many apples are green?<br>$3 + ? = 5, 5 - 3 = ?$<br><br>(K)  | Grandma has five flowers. How many can she put in her red vase and how many in her blue vase?<br>$5 = 0 + 5, 5 = 5 + 0$<br>$5 = 1 + 4, 5 = 4 + 1$<br>$5 = 2 + 3, 5 = 3 + 2$<br><br>(1 <sup>st</sup> )              |
|   | <b>Difference Unknown</b>  | <b>Bigger Unknown</b>  | <b>Smaller Unknown</b>   |
| <b>Compare<sup>4</sup></b>                      | ("How many more?" version):<br>Lucy has two apples. Julie has five apples. How many more apples does Julie have than Lucy?<br><br>(1 <sup>st</sup> )                             | (Version with "more"):<br>Julie has three more apples than Lucy. Lucy has two apples. How many apples does Julie have?<br><br><b>One-Step Problem</b> (1 <sup>st</sup> )                         | (Version with "more"):<br>Julie has 3 more apples than Lucy. Julie has five apples. How many apples does Lucy have?<br><br>$5 - 3 = ? \quad ? + 3 = 5$<br><b>One-Step Problem</b> (2 <sup>nd</sup> )               |
|   | ("How many fewer?" version):<br>Lucy has two apples. Julie has five apples. How many fewer apples does Lucy have than Julie?<br>$2 + ? = 5, 5 - 2 = ?$<br><br>(1 <sup>st</sup> ) | (Version with "fewer"):<br>Lucy has 3 fewer apples than Julie. Lucy has two apples. How many apples does Julie have?<br>$2 + 3 = ?, 3 + 2 = ?$<br><br><b>One-Step Problem</b> (2 <sup>nd</sup> ) | (Version with "fewer"):<br>Lucy has three fewer apples than Julie. Julie has five apples. How many apples does Lucy have?<br><br><b>One-Step Problem</b> (1 <sup>st</sup> )  |

**K:** Problem types to be mastered by the end of the Kindergarten year.

**1st:** Problem types to be mastered by the end of the First Grade year, including problem types from the previous year. However, First Grade students should have experiences with all 12 problem types.

**2nd:** Problem types to be mastered by the end of the Second Grade year, including problem types from the previous years.

### Table 3 The properties of operations

Here  $a$ ,  $b$  and  $c$  stand for arbitrary numbers in a given number system. The properties of operations apply to the rational number system, the real number system, and the complex number system.

|  |   |
|--|---|
| <i>Associative property of addition</i>                      | $(a + b) + c = a + (b + c)$                     |
| <i>Commutative property of addition</i>                      | $a + b = b + a$                                 |
| <i>Additive identity property of 0</i>                       | $a + 0 = 0 + a = a$                             |
| <i>Associative property of multiplication</i>                | $(a \times b) \times c = a \times (b \times c)$ |
| <i>Commutative property of multiplication</i>                | $a \times b = b \times a$                       |
| <i>Multiplicative identity property of 1</i>                 | $a \times 1 = 1 \times a = a$                   |
| <i>Distributive property of multiplication over addition</i> | $a \times (b + c) = a \times b + a \times c$    |