



JOHN DEERE

Current Date 13Apr2016

60G COMPACT EXCAVATOR

ENGINE:

Yanmar 4TNV98
(3.3 l)
53 SAE Net HP
Certified to EPA Final
Tier 4 Emissions
Antifreeze
Single Dry-Type Air Filter
Electric Fuel Shutoff
Fan Guard
Full Flow Oil Filter
Low Maintenance Battery
Fuel Filter & Water Separator
Isolation Mounted
Under Hood Muffler
55 Amp Alternator - 12 Volt
HYDRAULICS:
Closed-Center, Load-Sensing
with One Variable Displace-
ment Pump and One Fixed
Gear Pump
Hydraulic Pilot Controls for
Boom, Arm, Bucket, Swing,
Boom Swing, Blade, and
Auxiliary
Excavator to Backhoe
Control
Pattern Change Valve
Auxiliary Function Control
and Right Hand Pilot Lever
Boom Swing Foot Control
Axial Piston Swing Motor
Wet Disk Swing Brake
Auxiliary Valve Section
Auxiliary Hydraulic Lines
with

Release Under Pressure
Hydraulic Quick Couplers to
End of Boom
UNDERCARRIAGE:
16 in. (400 mm) Rubber
Track
6 ft. 7 in. (2.0 m) Backfill
Blade
Propel Motor Shield
Planetary Final Drive
Two Speed Propel With Auto-
matic Shifting
Axial Piston Propel Motor
UPPERSTRUCTURE:
Reduced Tail Swing
Configuration
360 Degree Upper Structure
Rotation
Independent Boom Swing
(80 degree left and
60 degree right rotation)
ROPS/FOPS/TOPS Cab
Toolbox
Vandal Locks for:
Service Doors
Work lights:
One Mounted on Canopy
(Cab)
One Mounted on Boom
Counterweight 1642 lb.
(745 kg.)
FRONT ATTACHMENTS:
Boom 9 ft. 9 in. (3.0 m)
Arm 4 ft. 11 in. (1.5 m)
Mechanical Quick Coupler
OPERATOR'S STATION:
Air Conditioning and Heat

Electronic Throttle Control
with Auto Idle
Efficiency/Productivity Modes
Cloth Suspension Seat with
Fore/Aft Adjustment
2 in. Retractable Seat Belt
Horn
Hour Meter
Instrumentation Lights
Monitor System with:
Engine Preheat Indicator
Engine Oil Pressure
Indicator
Alternator Voltage
Indicator
Fuel Gauge and
Level Indicator
Engine Coolant
Temperature Gauge
and Indicator
Hour Meter
Operating Lights Switch
Operating Lights
Indicator
Foldable Propel Pedals and
Levers
Two Travel Modes with
Automatic Shifting And
Speed
Selection Switch
Motion Alarm with Cancel
Switch
Cupholder
12 Volt Cell Phone Outlet

Required - You must select one from each category



BASE MACHINE

F.O.B. Davenport, IA

Description

Code

Price

60G COMPACT EXCAVATOR

0070FF

\$82,108.00

TRACK

Description	Code	Price
16 in. (400 mm) Rubber Track	3125	In Base Price
16 in. (400 mm) Steel Track with Triple Semi-Grouser Shoes	3128	\$1,985.00

Long lead-time item; contact Order Fulfillment for availability.

Rubber Crawler Pads	3130	\$5,873.00
---------------------	------	------------

Shipped from the nearest port.
 Factory Hydraulic Clamp installation is not available; dealer-installed only.
 Steel track shoes with vulcanized rubber pads bonded to top of shoes.
 Long lead-time item; contact Order Fulfillment for availability.

ARM

Description	Code	Price
Standard Arm 4 ft. 11 in. (1.50 m)	7110	In Base Price
Long Arm 6 ft. 1 in. (1.85 m) and Extra Counterweight 573 lbs (260 kg)	7120	\$1,748.00

Extra counterweight extends 5 in. (115 mm) beyond width of tracks when upper structure is rotated to the side.

Optional - *Select as desired*

OPTIONAL EQUIPMENT--ORDER AS DESIRED

Description	Code	Price
Angle Blade	9555	\$4,602.00

DEALER-INSTALLED KITS

Description	Code	Price
<u>Buckets:</u>		
13 In. (330 mm) Heavy Duty 3 Tooth GREY Bucket; 3.3 Cu. Ft. (0.09 Cu. M)	AT461521G	\$999.00
Bucket is narrower than the thumb pin if equipped.		
13 In. (330 mm) Heavy Duty Bucket; 3.3 Cu. Ft. (0.09 Cu. M) (3 TK Teeth Included)	AT460874	\$999.00
Bucket is narrower than the thumb pin if equipped.		
18 in. (457 mm) Heavy Duty 4 Tooth GREY Bucket; 5.1 cu. ft.	AT460878G	\$1,091.00
18 in. (457 mm) Heavy Duty Bucket; 5.1 Cu. Ft. (0.14 Cu. M) (4 TK Teeth Included)	AT460879	\$1,091.00
24 in. (610 mm) Heavy Duty 5 Tooth GREY Bucket; 7.5 cu. ft.	AT460880G	\$1,228.00

24 in. (610 mm) Heavy Duty Bucket; 7.5 Cu. Ft. (0.21 Cu. M) (5 TK Teeth Included)	AT460881	\$1,228.00
30 in. (762 mm) Heavy Duty 5 Tooth GREY Bucket; 10.0 cu. ft	AT460882G	\$1,366.00
30 in. (762 mm) Heavy Duty Bucket; 10.0 Cu. Ft. (0.28 Cu. M) (5 TK Teeth Included)	AT460887	\$1,366.00
36 in. (914 mm) Heavy Duty 6 Tooth GREY Bucket; 12.5 cu. ft.	AT460888G	\$1,422.00
36 in. (914 mm) Heavy Duty Bucket; 12.5 Cu. Ft. (0.35 Cu. M) (6 TK Teeth Included)	AT460889	\$1,422.00
42 in. (946 mm) Ditch Cleaning Bucket; 9.6 cu. ft. (0.26 cu. m) (No Teeth)	AT408385	\$1,327.00
42 in. (946 mm) Ditch Cleaning Bucket; 9.6 cu. ft. (0.26 cu. m) (No Teeth)(Grey Paint)	AT408385G	\$1,327.00
<u>Clamps:</u>		
Hydraulic Clamp, Long Arm - Factory Installation Fee	AT349585	\$629.00
* Must also order Hydraulic Clamp * Cannot be ordered with Rubber Crawler Pads, 3130		
Hydraulic Clamp, Short Arm - Factory Installation Fee	AT349584	\$513.00
* Must also order Hydraulic Clamp * Cannot be ordered with Rubber Crawler Pads, 3130		
Hydraulic GREY Clamp Bundle	AT340081G	\$6,757.00
* Bundle includes a quantity of 4 of the same size Hydraulic Clamp * Price includes a 5% discount from individual clamps' prices * Works with Quick Coupler Buckets except 12" Heavy Duty * If equipped with Long Arm (7120), also requires 2 hydraulic hoses from Parts: AT321206 and AT324558 for the 50G, ZX50U-5 AT451847 and AT324558 for the 60G, ZX60U-5		
Hydraulic GREY Clamp for (Model 50 SN 275467 above) and (Model 60 SN 280529 above)	AT397391	\$1,781.00
Works with Quick Coupler Buckets except 12" Heavy Duty If equipped with Long Arm (7120), also requires 2 hydraulic hoses from Parts: AT321206 and AT324558 for the 50G, ZX50U-5 AT451847 and AT324558 for the 60G, ZX60U-5 WHEN AT397391 IS ORDERED FOR SERVICE FOR THE 50D, ZX50U2 OR ZX50U3 UNITS PRIOR TO SERIAL NUMBER 275466 ALSO ORDER AT317647(1) AND T213185 (1). WHEN AT397391 IS ORDERED FOR SERVICE FOR THE 60D OR ZX60USB3 UNITS PRIOR TO SERIAL NUMBER 280529 ALSO ORDER AT317647 (1) AND T213185 (1).		
<u>Engine:</u>		
Engine Coolant Heater (110 Volt)	AT358708	View Price

Recommended for use in temperatures 32 degrees F / 0 degrees C, and below.
For model 17, also order Adapter Kit (Part AM882530)

Hydraulic Couplers:

Hydraulic Quick Coupler - Factory Installation Fee	AT461031	\$1,579.00
--	----------	------------

Labor for installation of Deere/Hitachi Hydraulic Quick Coupler at Paladin Customworks, Davenport, Iowa.
Must also order Hydraulic Quick Coupler.

INTERFACE ADAPTERS:

Interface Adapter for 50-60 CE	AT306177	\$616.00
--------------------------------	----------	----------

Kits and Accessories:

3 in. Retractable Seat Belt	AT171619	View Price
-----------------------------	----------	------------

Cab Tilt Tool	FYD00000525	View Price
---------------	-------------	------------

Heavy Duty Battery	TY25879	View Price
--------------------	---------	------------

Recommended for Cold Start climates

Radio	4647737	View Price
-------	---------	------------

AM, FM, Clock, and Set-able station buttons

REFERRAL ATTACHMENTS

Description	Code	Price
-------------	------	-------

G.R. Mfg.:

G.R. Manufacturing, Inc.

* Kits listed below must be ordered through John Deere.

* F.O.B. Trussville, Alabama

* All kits include installation instructions

* All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.

G.R. Manufacturing, Inc.
4800 Commerce Drive
Trussville, Alabama 35173
Phone: (800)841-8001
Fax: (205)655-8005

Front Screen, Cab (GR#705577) (60 CE)	ETN112936	\$582.00
---------------------------------------	-----------	----------

*Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.