

**2016 STATE OF TENNESSEE**  
**LIST PRICE**



**WIRTGEN AMERICA**

<b>Customer</b>			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc  
 Date  
 Attn  
 Rep  
 FOB

05/16/2016

Model	Description	List Price
GRW 280i-25T	<b>Eight wheel pneumatic rubber tired compactor.</b>	\$213,857
GRW 280i-30T	<b>ENGINE:</b> Model: Deutz TCD 3.6 L4, turbo-charged, water-cooled, 4 cylinder, Tier 4i, diesel, 113.9 HP at 2,300 RPM. Hydraulics package, standard Rear and front axle brake 1 set of tires with smooth tires Brush scraper, foldable Seat-operating unit, adjustable standard color (RAL 2004 + RAL 7015) ROPS, rigid Version with CE conformity Warning labels according to ANSI Dashboard cover, lockable Driver seat, black imitation leather Lighting package as per road traffic regulations Hydraulic oil Technical documentation - North America country version (US) English spare parts and application documentation (EN)	\$228,143
<b>Options</b>		
ROPS Cab with heater and AC		\$23,528
Thermal Aprons		\$7,186
Tire inflation system		\$5,957
ROPS/canopy mounted beacon		\$571
<b>TOTAL</b>		

**NOTES:**

Wirtgen America, Inc.  
 6030 Dana Way  
 Antioch, TN 37013  
 Phone 615-501-0600/Fax 615-501-0607

**2016 STATE OF TENNESSEE**  
**LIST PRICE**



**WIRTGEN AMERICA**

<b>Customer</b>			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc  
 Date  
 Attn  
 Rep  
 FOB

05/16/2016

Model	Description	List Price
GRW 180i-10	<b>Eight wheel pneumatic rubber tired compactor.</b>	\$142,143
GRW 180i-15	<b>ENGINE:</b> Model: Deutz TCD 3.6 L4, turbo-charged, water-cooled,	\$153,714
GRW 180i-20	4 cylinder, Tier 4i, diesel, 75.3 HP at 2,300 RPM.	\$165,143
	Hydraulics package, standard	
	Rear axle brake	
	1 set of tires with smooth tires	
	Brush scraper, foldable	
	Seat-operating unit, adjustable	
	standard color (RAL 2004 + RAL 7015)	
	Version with CE conformity	
	Warning labels according to ANSI	
	Displayed unit of speed is mph	
	Displayed unit of temperature is °F	
	Displayed unit of pressure is psi	
	ROPS, rigid	
	Dashboard cover, lockable	
	Driver seat, black imitation leather	
	Lighting package as per road traffic regulations	
	Hydraulic oil	
	Technical documentation - North America country version (US)	
	English spare parts and application documentation (EN)	
<b>Options</b>		
	ROPS Cab with heater and AC	\$18,029
	Thermal Aprons	\$7,286
	Tire inflation system	\$5,371
	ROPS/canopy mounted beacon	\$571
<b>TOTAL</b>		

**NOTES:**

Wirtgen America, Inc.  
 6030 Dana Way  
 Antioch, TN 37013  
 Phone 615-501-0600/Fax 615-501-0607

**2016 STATE OF TENNESSEE**  
**LIST PRICE**



**WIRTGEN AMERICA**

<b>Customer</b>			
Name	_____		
Address	_____		
City	State	_____	ZIP
Phone	_____		

Misc  
 Date  
 Attn  
 Rep  
 FOB

05/16/2016

Model	Description	List Price
H 5i	<b>Smooth drum with drum drive and Hammtronic.</b>	\$91,143
H 5i P	<b>Pad foot drum with drum drive and Hammtronic.</b>	\$97,857
	<b>ENGINE:</b> Model: Kubota V3307-CR-T4 4 cylinder, Tier 4i, diesel, 73.2 HP at 2,200 RPM. 1 set of tires with tractors tires standard color (RAL 2004 + RAL 7015) Version with CE conformity Warning labels according to ANSI Plastic scraper, for smooth drum Drive lever ROPS, rigid Steering column, rigid Driver seat, black imitation leather Hydraulic oil English spare parts and application documentation (EN) Technical documentation - North America country version (US)	
<b>Options</b>		
	Cab with Heating & Air Conditioning	\$12,843
	Rotating Beacon on ROPS	\$500
	Rotating Beacon on Cab	\$500
	Padfoot Shell with Scraper Blade	\$9,657
<b>TOTAL</b>		

**NOTES:**

Wirtgen America, Inc.  
 6030 Dana Way  
 Antioch, TN 37013  
 Phone 615-501-0600/Fax 615-501-0607

**2016 STATE OF TENNESSEE**  
**LIST PRICE**



**WIRTGEN AMERICA**

<b>Customer</b>			
Name	_____		
Address	_____		
City	State	_____	ZIP
Phone	_____		

<b>Misc</b>	
Date	05/16/2016
Attn	_____
Rep	_____
FOB	_____

Model	Description	List Price
H 7i	<b>Compactor with vibratory smooth roller drum</b>	\$117,571
H 7i P	<b>Compactor with vibratory padfoot drum</b>	\$127,429
	<b>ENGINE:</b> Model: Kubota V3307-CR-T4 4 cylinder, Tier 4i, diesel, 73.2 HP at 2,200 RPM. 1 set of tires with multi-purpose tires standard color (RAL 2004 + RAL 7015) Version with CE conformity Warning labels according to ANSI Plastic scraper, for smooth drum Drive lever ROPS, rigid Steering column, rigid Driver seat, black imitation leather Hydraulic oil English spare parts and application documentation (EN) Technical documentation - North America country version (US)	
<b>Options</b>		
	Cab with Heating & Air Conditioning	\$13,871
	Rotating Beacon on ROPS	\$500
	Rotating Beacon on Cab	\$500
	Padfoot Shell with Scraper Blade	\$12,600
<b>TOTAL</b>		

**NOTES:**

Wirtgen America, Inc.  
 6030 Dana Way  
 Antioch, TN 37013  
 Phone 615-501-0600/Fax 615-501-0607

**2016 STATE OF TENNESSEE  
LIST PRICE**



**WIRTGEN AMERICA**

<b>Customer</b>			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc  
Date  
Attn  
Rep  
FOB

05/16/2016

Model	Description	List Price
H 7i VIO	<b>Smooth drum with drum drive, vibration or oscillation and Hammtronic.</b> <b>ENGINE:</b> Model: Kubota V3307-CR-T4 4 cylinder, Tier 4i, diesel, 73.2 HP at 2,200 RPM. 1 set of tires with multi-purpose tires standard color (RAL 2004 + RAL 7015) Version with CE conformity Warning labels according to ANSI Plastic scraper, for smooth drum Drive lever ROPS, rigid Steering column, rigid Driver seat, black imitation leather Hydraulic oil English spare parts and application documentation (EN) Technical documentation - North America country version (US)	\$138,286
<b>Options</b>		
	Cab with Heating & Air Conditioning	\$13,871
	Rotating Beacon on ROPS	\$500
	Rotating Beacon on Cab	\$500
	Padfoot Shell with Scraper Blade	\$12,600
<b>TOTAL</b>		

**NOTES:**

Wirtgen America, Inc.  
6030 Dana Way  
Antioch, TN 37013  
Phone 615-501-0600/Fax 615-501-0607

**2016 STATE OF TENNESSEE  
LIST PRICE**



**WIRTGEN AMERICA**

<b>Customer</b>			
Name	_____		
Address	_____		
City	State	_____	ZIP
Phone	_____		

Misc  
Date  
Attn  
Rep  
FOB

05/16/2016

Model	Description	List Price
H 11ix	<b>Smooth drum with drum drive and Hammtronic.</b>	\$132,714
H 11ix P	<b>Pad foot drum with drum drive and Hammtronic.</b>	\$145,571
	<b>ENGINE:</b> Model: Deutz TCD 3.6 L4, turbo-charged, water-cooled, 4 cylinder, Tier 4i, diesel, 113.9 HP at 2300 rpm 1 set of tires with multi-purpose tires standard color (RAL 2004 + RAL 7015) Version with CE conformity Warning labels according to ANSI Plastic scraper, for smooth drum ROPS, rigid Driver seat, black imitation leather Hydraulic oil English spare parts and application documentation (EN) Technical documentation - North America country version (US)	
<b>Options</b>		
	Cab with Heating & Air Conditioning	\$15,529
	Rotating Beacon on ROPS	\$514
	Rotating Beacon on Cab	\$514
	Padfoot Shell with Scraper Blade	\$20,400
<b>TOTAL</b>		

**NOTES:**

Wirtgen America, Inc.  
6030 Dana Way  
Antioch, TN 37013  
Phone 615-501-0600/Fax 615-501-0607

**2016 STATE OF TENNESSEE**  
**LIST PRICE**



**WIRTGEN AMERICA**

<b>Customer</b>			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

<b>Misc</b>	
Date	05/16/2016
Attn	_____
Rep	_____
FOB	_____

Model	Description	List Price
H 13i	<b>Smooth drum with drum drive and Hammtronic.</b>	\$163,714
H 13i P	<b>Pad foot drum with drum drive and Hammtronic.</b>	\$176,429
	<b>ENGINE:</b> Model: Deutz TCD 4.1 L4, turbo-charged, water-cooled, 4 cylinder, Tier 4i, diesel, 140.7 HP at 2,300 RPM.	
	1 set of tires with multi-purpose tires	
	standard color (RAL 2004 + RAL 7015)	
	Version with CE conformity	
	Warning labels according to ANSI	
	Plastic scraper, for smooth drum	
	ROPS, rigid	
	Driver seat, black imitation leather	
	Hydraulic oil	
	Technical documentation - North America country version (US)	
	English spare parts and application documentation (EN)	
<b>Options</b>		
	Cab with Heating & Air Conditioning	\$15,171
	Rotating Beacon on ROPS	\$500
	Rotating Beacon on Cab	\$500
	Padfoot Shell with Scraper Blade	\$20,071
<b>TOTAL</b>		

**NOTES:**

Wirtgen America, Inc.  
 6030 Dana Way  
 Antioch, TN 37013  
 Phone 615-501-0600/Fax 615-501-0607

**2016 STATE OF TENNESSEE  
LIST PRICE**



**WIRTGEN AMERICA**

<b>Customer</b>			
Name	_____		
Address	_____		
City	State	_____	ZIP
Phone	_____		

<b>Misc</b>	
Date	05/16/2016
Attn	_____
Rep	_____
FOB	_____

Model	Description	List Price
H 13i VIO	<b>Smooth drum with drum drive, vibration or oscillation and Hammtronic.</b> <b>ENGINE:</b> Model: Deutz TCD 4.1 L4, turbo-charged, water-cooled, 4 cylinder, Tier 4i, diesel, 140.7 HP at 2,300 RPM. 1 set of tires with multi-purpose tires standard color (RAL 2004 + RAL 7015) Version with CE conformity Warning labels according to ANSI Plastic scraper, for smooth drum ROPS, rigid Driver seat, black imitation leather Hydraulic oil Technical documentation - North America country version (US) English spare parts and application documentation (EN)	\$195,429
<b>Options</b>		
Cab with Heating & Air Conditioning		\$16,157
Rotating Beacon on ROPS		\$529
Rotating Beacon on Cab		\$529
<b>TOTAL</b>		

**NOTES:**

Wirtgen America, Inc.  
 6030 Dana Way  
 Antioch, TN 37013  
 Phone 615-501-0600/Fax 615-501-0607

**2016 STATE OF TENNESSEE**  
**LIST PRICE**



**WIRTGEN AMERICA**

<b>Customer</b>			
Name	_____		
Address	_____		
City	State	_____	ZIP _____
Phone	_____		

<b>Misc</b>	
Date	05/16/2016
Attn	_____
Rep	_____
FOB	_____

Model	Description	List Price
H 16i	<b>Smooth drum with drum drive and Hammtronic.</b>	\$195,429
H 16i P	<b>Pad foot drum with drum drive and Hammtronic.</b>	\$208,286
	<b>ENGINE:</b> Model: Deutz TCD 4.1 L4, turbo-charged, water-cooled, 4 cylinder, Tier 4i, diesel, 140.7 HP at 2,300 RPM. 1 set of tires with multi-purpose tires standard color (RAL 2004 + RAL 7015) Version with CE conformity Warning labels according to ANSI Plastic scraper, for smooth drum ROPS, rigid Driver seat, black imitation leather Hydraulic oil Technical documentation - North America country version (US) English spare parts and application documentation (EN)	
<b>Options</b>		
	Cab with Heating & Air Conditioning	\$15,471
	Rotating Beacon on ROPS	\$514
	Rotating Beacon on Cab	\$514
	Padfoot Shell with Scraper Blade	\$20,486
<b>TOTAL</b>		

**NOTES:**

Wirtgen America, Inc.  
 6030 Dana Way  
 Antioch, TN 37013  
 Phone 615-501-0600/Fax 615-501-0607

**2016 STATE OF TENNESSEE**  
**LIST PRICE**



**WIRTGEN AMERICA**

<b>Customer</b>			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc  
 Date  
 Attn  
 Rep  
 FOB

05/16/2016

Model	Description	List Price
HD 8 VV	<b>Drums - 31.5" wide X 24.4" diameter. Fixed 2.2" offset. Front only / rear only / both drums vibrate.</b>	\$39,714
HD 10C VV	<b>Drums - 39.4" wide X 24.4" diameter. Fixed 2.2" offset. Front only / rear only / both drums vibrate.</b> <b>ENGINE:</b> Model: Kubota D1005-E3B, water-cooled, 3 cylinder, Tier 4i, diesel, 19.8 HP at 2,700 RPM. standard color (RAL 2004 + RAL 7015) Version with CE conformity Warning labels according to ANSI ROPS foldable Plastic construction wiper, folding Driver seat, black imitation leather Lighting package as per road traffic regulations Hydraulic oil English spare parts and application documentation (EN) Technical documentation - North America country version (US)	\$41,714
<b>Options</b>		
Working Lights 2-Fold Halogen		\$829
Rotating Beacon on ROPS		\$557
Anti-Freeze Injection		\$186
<b>TOTAL</b>		

**NOTES:**

Wirtgen America, Inc.  
 6030 Dana Way  
 Antioch, TN 37013  
 Phone 615-501-0600/Fax 615-501-0607

**2016 STATE OF TENNESSEE**  
**LIST PRICE**



**WIRTGEN AMERICA**

<b>Customer</b>			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

<b>Misc</b>	
Date	05/16/2016
Attn	_____
Rep	_____
FOB	_____

Model	Description	List Price
HD 10C VT	<b>Front drum - 39.4" wide X 24.4" diameter.</b> <b>4 pneumatic rubber tires in rear. 2" offset capability.</b> <b>ENGINE:</b> Model: Kubota D1005, water-cooled, 3 cylinder, Tier 4i, diesel, 19.8 HP at 2,700 RPM. standard color (RAL 2004 + RAL 7015) Version with CE conformity Warning labels according to ANSI ROPS foldable Plastic construction wiper, folding Driver seat, black imitation leather Lighting package as per road traffic regulations Hydraulic oil English spare parts and application documentation (EN) Technical documentation - North America country version (US)	\$47,571
<b>Options</b>		
Working Lights 2 Fold Halogen		\$843
Working Lights 4 Fold Halogen		\$986
Rotating Beacon on ROPS		\$557
Anti-Freeze Injection		\$200
<b>TOTAL</b>		

**NOTES:**

Wirtgen America, Inc.  
 6030 Dana Way  
 Antioch, TN 37013  
 Phone 615-501-0600/Fax 615-501-0607

**2016 STATE OF TENNESSEE  
LIST PRICE**



**WIRTGEN AMERICA**

<b>Customer</b>			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc  
Date  
Attn  
Rep  
FOB

05/16/2016

Model	Description	List Price
HD 10 VV	<b>Drums - 39.4" wide X 28.3" diameter. 2" drum offset. Front only / rear only / both drums vibrate.</b>	\$49,000
HD 12 VV	<b>Drums - 47.2" wide X 28.3" diameter. 2" drum offset. Front only / rear only / both drums vibrate.</b> <b>ENGINE:</b> Model: Kubota D1503-M-E3B, water-cooled, 3 cylinder, Tier 4i, diesel, 30.7 HP at 2,700 RPM. standard color (RAL 2004 + RAL 7015) Version with CE conformity Warning labels according to ANSI Plastic construction wiper, folding ROPS foldable Driver seat, black imitation leather Lighting package as per road traffic regulations Hydraulic oil English spare parts and application documentation (EN) Technical documentation - North America country version (US)	\$51,000
<b>Options</b>		
Working Lights 2 Fold Halogen		\$843
Working Lights 4 Fold Halogen		\$986
Rotating Beacon on ROPS		\$557
Anti-Freeze Injection		\$200
<b>TOTAL</b>		

**NOTES:**

Wirtgen America, Inc.  
6030 Dana Way  
Antioch, TN 37013  
Phone 615-501-0600/Fax 615-501-0607

**2016 STATE OF TENNESSEE**  
**LIST PRICE**



**WIRTGEN AMERICA**

<b>Customer</b>			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

<b>Misc</b>	
Date	05/16/2016
Attn	_____
Rep	_____
FOB	_____

Model	Description	List Price
HD 10 VO	Drums - 39.4" wide X 28.3" diameter. 2" drum offset. Front vibratory drum / rear oscillatory drum.	\$59,286
HD 12 VO	Drums - 47.2" wide X 28.3" diameter. 2" drum offset. Front vibratory drum / rear oscillatory drum. <b>ENGINE:</b> Model: Kubota D1503-M-E3B, water-cooled, 3 cylinder, Tier 4i, diesel, 30.7 HP at 2,700 RPM. standard color (RAL 2004 + RAL 7015) Version with CE conformity Warning labels according to ANSI Plastic construction wiper, folding ROPS foldable Driver seat, black imitation leather Lighting package as per road traffic regulations Hydraulic oil English spare parts and application documentation (EN) Technical documentation - North America country version (US)	\$61,429
<b>Options</b>		
	Working Lights 2 Fold Halogen	\$843
	Working Lights 4 Fold Halogen	\$986
	Rotating Beacon on ROPS	\$557
	Anti-Freeze Injection	\$200
<b>TOTAL</b>		

**NOTES:**

Wirtgen America, Inc.  
 6030 Dana Way  
 Antioch, TN 37013  
 Phone 615-501-0600/Fax 615-501-0607

**2016 STATE OF TENNESSEE  
LIST PRICE**



**WIRTGEN AMERICA**

<b>Customer</b>			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

<b>Misc</b>	
Date	05/16/2016
Attn	_____
Rep	_____
FOB	_____

Model	Description	List Price
HD 10 VT	Front drum - 39.4" wide X 28.3" diameter. 4 pneumatic rubber tires in rear. 2" offset capability.	\$52,857
HD 12 VT	Front drum - 47.2" wide X 28.3" diameter. 4 pneumatic rubber tires in rear. 2" offset capability. <b>ENGINE:</b> Model: Kubota D1503, water-cooled, 3 cylinder, diesel, 30.7 HP at 2,700 RPM. standard color (RAL 2004 + RAL 7015) Version with CE conformity Warning labels according to ANSI ROPS foldable Plastic construction wiper, folding Driver seat, black imitation leather Lighting package as per road traffic regulations Hydraulic oil English spare parts and application documentation (EN) Technical documentation - North America country version (US)	\$55,000
<b>Options</b>		
Working Lights 2 Fold Halogen		\$843
Working Lights 4 Fold Halogen		\$986
Rotating Beacon on ROPS		\$557
Anti-Freeze Injection		\$200
<b>TOTAL</b>		

**NOTES:**

Wirtgen America, Inc.  
6030 Dana Way  
Antioch, TN 37013  
Phone 615-501-0600/Fax 615-501-0607

**2016 STATE OF TENNESSEE**  
**LIST PRICE**



**WIRTGEN AMERICA**

<b>Customer</b>			
Name	_____		
Address	_____		
City	State	_____	ZIP
Phone	_____		

Misc  
 Date  
 Attn  
 Rep  
 FOB

05/16/2016

Model	Description	List Price
HD 13i VV	<b>Drums - 51.2" wide X 35.4" diameter. 2" drum offset. Front only / rear only / both drums vibrate.</b>	\$75,000
HD 14i VV	<b>Drums - 54.3" wide X 35.4" diameter. 2" drum offset. Front only / rear only / both drums vibrate.</b> <b>ENGINE:</b> Model: Kubota V2203-M-E3B, water-cooled, 4 cylinder, Tier 4i, diesel, 46.4 HP at 2,700 RPM. standard color (RAL 2004 + RAL 7015) Version with CE conformity Warning labels according to ANSI ROPS foldable Driver seat, black imitation leather; comfort version Lighting package as per road traffic regulations Hydraulic Oil English spare parts and application documentations Technical documentation - North America country version (US)	\$79,143
<b>Options</b>		
Working Lights 2 Fold Halogen		\$886
Working Lights 4 Fold Halogen		\$1,029
Rotating Beacon on ROPS		\$586
Anti-Freeze Injection		\$200
<b>TOTAL</b>		

**NOTES:**

Wirtgen America, Inc.  
 6030 Dana Way  
 Antioch, TN 37013  
 Phone 615-501-0600/Fax 615-501-0607

**2016 STATE OF TENNESSEE**  
**LIST PRICE**



**WIRTGEN AMERICA**

<b>Customer</b>			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc  
 Date  
 Attn  
 Rep  
 FOB

05/16/2016

Model	Description	List Price
HD 13i VO	<b>Drums - 51.2" wide X 35.4" diameter. 2" drum offset.</b> <b>Front vibratory drum / rear oscillatory drum.</b>	\$88,571
HD 14i VO	<b>Drums - 54.3" wide X 35.4" diameter. 2" drum offset.</b> <b>Front vibratory drum / rear oscillatory drum.</b> <b>ENGINE:</b> Model: Kubota V2203-M-E3B, water-cooled, 4 cylinder, Tier 4i, diesel, 46.4 HP at 2,700 RPM. standard color (RAL 2004 + RAL 7015) Version with CE conformity Warning labels according to ANSI Plastic construction wiper, folding ROPS foldable Driver seat, black imitation leather; comfort version Lighting package as per road traffic regulations Hydraulic oil English spare parts and application documentation (EN) Technical documentation - North America country version (US)	\$93,000
<b>Options</b>		
Working Lights 2 Fold Halogen		\$886
Working Lights 4 Fold Halogen		\$1,029
Rotating Beacon on ROPS		\$586
Anti-Freeze Injection		\$200
<b>TOTAL</b>		

**NOTES:**

Wirtgen America, Inc.  
 6030 Dana Way  
 Antioch, TN 37013  
 Phone 615-501-0600/Fax 615-501-0607

**2016 STATE OF TENNESSEE**  
**LIST PRICE**



**WIRTGEN AMERICA**

<b>Customer</b>			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

<b>Misc</b>	
Date	05/16/2016
Attn	_____
Rep	_____
FOB	_____

Model	Description	List Price
HD 13i VT	Front drum - 51.2" wide X 35.4" diameter. 4 pneumatic rubber tires in rear. 2" offset capability.	\$80,000
HD 14i VT	Front drum - 54.3" wide X 35.4" diameter. 4 pneumatic rubber tires in rear. 2" offset capability. <b>ENGINE:</b> Model: Kubota V2203-M-E3B, water-cooled, 4 cylinder, diesel, 46.4 HP at 2,700 RPM. standard color (RAL 2004 + RAL 7015) Version with CE conformity Warning labels according to ANSI ROPS foldable Driver seat, black imitation leather; comfort version Lighting package as per road traffic regulations Hydraulic oil English spare parts and application documentation (EN) Technical Documentation - North America country version (US)	\$84,429
<b>Options</b>		
Working Lights 2 Fold Halogen		\$886
Working Lights 4 Fold Halogen		\$1,029
Rotating Beacon on ROPS		\$586
Anti-Freeze Injection		\$200
<b>TOTAL</b>		

**NOTES:**

Wirtgen America, Inc.  
6030 Dana Way  
Antioch, TN 37013  
Phone 615-501-0600/Fax 615-501-0607

**2016 STATE OF TENNESSEE**  
**LIST PRICE**



**WIRTGEN AMERICA**

<b>Customer</b>			
Name	_____		
Address	_____		
City	State	_____	ZIP
Phone	_____		

<b>Misc</b>	
Date	05/16/2016
Attn	_____
Rep	_____
FOB	_____

Model	Description	List Price
HD+ 70i VV	Drums - 59" wide X 45" diameter. 5.3" hydraulic offset. Front only / rear only / both drums vibrate.	\$141,429
HD+ 70i VV HF	Drums - 59" wide X 45" diameter. 5.3" hydraulic offset. Front only / rear only / both drums vibrate. <b>ENGINE:</b> Model: Deutz TCD 2.9 L4, turbo-charged, water-cooled, 4 cylinder, 74.2 HP at 2,500 RPM. Version with track offset Version with CE conformity ROPS, rigid standard color (RAL 2004 + RAL 7015) Warning labels according to ANSI Dashboard cover, lockable Driver seat, black imitation leather Lighting package as per road traffic regulations Hydraulic oil Hydraulics package for hydraulically-driven options Steering unit, standard Technical documentation - North America county version (US) English spare parts and application documentation (EN)	\$145,286
<b>Options</b>		
	Cab with Split Doors and Heating & Air Conditioning	\$22,929
	Rotating Beacon on ROPS	\$657
	Rotating Beacon on Cab	\$657
	Anti-Freeze Injection	\$343
<b>TOTAL</b>		

**NOTES:**

Wirtgen America, Inc.  
 6030 Dana Way  
 Antioch, TN 37013  
 Phone 615-501-0600/Fax 615-501-0607

**2016 STATE OF TENNESSEE**  
**LIST PRICE**



**WIRTGEN AMERICA**

<b>Customer</b>			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc  
 Date  
 Attn  
 Rep  
 FOB

05/16/2016

Model	Description	List Price
HD+ 70i VO	<b>Drums - 59" wide X 45" diameter. 5.3" hydraulic offset.</b> <b>Front only / rear only / both drums vibrate.</b> <b>ENGINE:</b> Model: Deutz TCD 2.9 L4, turbo-charged, water-cooled, 4 cylinder, 74.2 HP at 2,500 RPM. Version with track offset Version with CE conformity ROPS, rigid standard color (RAL 2004 + RAL 7015) warning labels according to ANSI Driver seat, black imitation leather Lighting package as per road traffic regulations Hydraulic Oil Hydraulics package for hydraulically-driven options Steering unit, standard Technical doumentation - North America county version (US) English spare parts and application documentation (EN)	\$164,286
<b>Options</b>		
Cab with Split Doors and Heating & Air Conditioning		\$22,929
Rotating Beacon on ROPS		\$657
Rotating Beacon on Cab		\$657
Anti-Freeze Injection		\$343
<b>TOTAL</b>		

**NOTES:**

Wirtgen America, Inc.  
 6030 Dana Way  
 Antioch, TN 37013  
 Phone 615-501-0600/Fax 615-501-0607

**2016 STATE OF TENNESSEE**  
**LIST PRICE**



**WIRTGEN AMERICA**

<b>Customer</b>			
Name	_____		
Address	_____		
City	State	ZIP	_____
Phone	_____		

**Misc**  
 Date  
 Attn  
 Rep  
 FOB

05/16/2016

Model	Description	List Price
HD+ 70i VT	Front drum - 59" wide X 45" diameter. 4 pneumatic rubber tires in rear. 5.3" offset capability.	\$151,714
HD+ 80i VT	Front drum - 66" wide X 45" diameter. 4 pneumatic rubber tires in rear. 5.3" offset capability. <b>ENGINE:</b> Model: Deutz TCD 2.9 L4, turbo-charged, water-cooled, 4 cylinder, 74.2 HP at 2,500 RPM. Version with track offset Version with CE conformity ROPS, rigid 1 set of tires with smooth tires, Dunlop standard color (RAL 2004 + RAL 7015) Warning labels according to ANSI Dashboard cover, lockable Driver seat, black imitation leather Lighting package as per road traffic regulations Hydraulic Oil Hydraulics package for hydraulically-driven options Steering unit, standard Technical documentation - North America county version (US) English spare parts and application documentation (EN)	\$164,286
<b>Options</b>		
	Cab with Split Doors and Heating & Air Conditioning	\$22,929
	Rotating Beacon on ROPS	\$657
	Rotating Beacon on Cab	\$657
	Anti-Freeze Injection	\$343
<b>TOTAL</b>		

**NOTES:**

Wirtgen America, Inc.  
 6030 Dana Way  
 Antioch, TN 37013  
 Phone 615-501-0600/Fax 615-501-0607

**2016 STATE OF TENNESSEE  
LIST PRICE**



**WIRTGEN AMERICA**

<b>Customer</b>			
Name	_____		
Address	_____		
City	State	ZIP	_____
Phone	_____		

<b>Misc</b>	
Date	05/16/2016
Attn	_____
Rep	_____
FOB	_____

Model	Description	List Price
HD+ 80i VV	Drums - 66" wide X 45" diameter. 5.3" hydraulic offset. Front only / rear only / both drums vibrate.	\$150,857
HD+ 80i VV-S	Drums - 66" wide X 45" diameter. 5.3" hydraulic offset. Front only / rear only / both drums vibrate. Front and rear drums split.	\$183,714
HD+ 80i VV HF	Drums - 66" wide X 45" diameter. 5.3" hydraulic offset. Front only / rear only / both drums vibrate. <b>ENGINE:</b> Model: Deutz TCD 2.9 L4, turbo-charged, water-cooled, 4 cylinder, 74.2 HP at 2,500 RPM. Version with track offset Version with CE conformity ROPS, rigid standard color (RAL 2004 + RAL 7015) Warning labels according to ANSI Dashboard cover, lockable Driver seat, black imitation leather Lighting package as per road traffic regulations Hydraulic oil Hydraulics package for hydraulically-driven options Steering unit, standard Technical documentation - North America country version (US) English spare parts and application documentation (EN)	\$154,857
<b>Options</b>		
Cab with Split Doors and Heating & Air Conditioning		\$22,929
Rotating Beacon on ROPS		\$657
Rotating Beacon on Cab		\$657
Anti-Freeze Injection		\$343
<b>TOTAL</b>		

**NOTES:**

Wirtgen America, Inc.  
6030 Dana Way  
Antioch, TN 37013  
Phone 615-501-0600/Fax 615-501-0607

**2016 STATE OF TENNESSEE**  
**LIST PRICE**



**WIRTGEN AMERICA**

<b>Customer</b>			
Name	_____		
Address	_____		
City	State	_____	ZIP
Phone	_____		

Misc  
 Date  
 Attn  
 Rep  
 FOB

05/16/2016

Model	Description	List Price
HD+ 80i VO	Drums - 66" wide X 45" diameter. 5.3" hydraulic offset. Front vibratory drum / rear oscillatory drum.	\$177,000
HD+ 80i VO-S	Drums - 66" wide X 45" diameter. 5.3" hydraulic offset. Front vibratory drum / rear oscillatory drum. Front, vibratory drum, split. ENGINE: Model: Deutz TCD 2.9 L4, turbo-charged, water-cooled, 4 cylinder, 74.2 HP at 2,500 RPM. Version with track offset Version with CE conformity ROPS, rigid standard color (RAL 2004 + RAL 7015) Warning labels according to ANSI Dashboard cover, lockable Driver seat, black imitation leather Lighting package as per road traffic regulations Hydraulic Oil Hydraulics package for hydraulically-driven options Steering unit, standard Technical doumentation - North America county version (US) English spare parts and application documentation (EN)	\$197,714
<b>Options</b>		
	Cab with Split Doors and Heating & Air Conditioning	\$22,929
	Rotating Beacon on ROPS	\$657
	Rotating Beacon on Cab	\$657
	Anti-Freeze Injection	\$343
<b>TOTAL</b>		

**NOTES:**

Wirtgen America, Inc.  
 6030 Dana Way  
 Antioch, TN 37013  
 Phone 615-501-0600/Fax 615-501-0607

**2016 STATE OF TENNESSEE**  
**LIST PRICE**



**WIRTGEN AMERICA**

<b>Customer</b>			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

**Misc**  
 Date  
 Attn  
 Rep  
 FOB

05/16/2016

Model	Description	List Price
HD+ 90i VV	Drums - 66" wide X 48" diameter. 6.7" hydraulic offset. Front only / rear only / both drums vibrate.	\$159,571
HD+ 90i VV-S	Drums - 66" wide X 48" diameter. 6.7" hydraulic offset. Front only / rear only / both drums vibrate. Front and rear drums split.	\$204,143
HD+ 90i VV HF	Drums - 66" wide X 48" diameter. 6.7" hydraulic offset. Front only / rear only / both drums vibrate. <b>ENGINE:</b> Model: Deutz TCD 3.6 L4, turbo-charged, water-cooled, 4 cylinder, 113.9 HP at 2,300 RPM. Hydraulics package for hydraulically-driven options Version with track offset Steering unit, standard standard color (color RAL 2004 + RAL 7015) Version with CE conformity Warning labels according to ANSI Vibration parameters, individual, front/rear ROPS, rigid Dashboard cover, lockable Driver seat, black imitation leather Lighting package as per road traffic regulations Hydraulic oil Displayed unit of speed is mph Displayed unit of temperature is °F Displayed unit of frequency is rpm Technical documentation - North America country version (US) English spare parts and application documentation (EN)	\$164,286
<b>Options</b>		
	Cab with Split Doors and Heating & Air Conditioning	\$23,929
	Rotating Beacon on ROPS	\$657
	Rotating Beacon on Cab	\$657
	Anti-Freeze Injection	\$357
<b>TOTAL</b>		

**NOTES:**

Wirtgen America, Inc.  
 6030 Dana Way  
 Antioch, TN 37013  
 Phone 615-501-0600/Fax 615-501-0607

**2016 STATE OF TENNESSEE**  
**LIST PRICE**



**WIRTGEN AMERICA**

<b>Customer</b>			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc  
 Date  
 Attn  
 Rep  
 FOB

05/16/2016

Model	Description	List Price
HD+ 90i VO	Drums - 66" wide X 48" diameter. 6.7" hydraulic offset. Front vibratory drum / rear oscillatory drum.	\$191,286
HD+ 90i VO-S	Drums - 66" wide X 48" diameter. 6.7" hydraulic offset. Front vibratory drum / rear oscillatory drum. Front, vibratory drum, split. ENGINE: Model: Deutz TCD 3.6 L4, turbo-charged, water-cooled, 4 cylinder, 113.9 HP at 2,300 RPM. Hydraulics package for hydraulically-driven options Version with track offset Steering unit, standard standard color (RAL 2004 + RAL 7015) Version with CE conformity Warning labels according to ANSI Vibration parameters, individual, front/rear ROPS, rigid Dashboard cover, lockable Driver seat, black imitation leather Lighting package as per road traffic regulations Hydraulic Oil Displayed unit of speed is mph Displayed unit of temperature is °F Displayed unit of frequency is rpm Technical doumentation - North America county version (US) English spare parts and application documentation (EN)	\$231,286
<b>Options</b>		
	Cab with Split Doors and Heating & Air Conditioning	\$23,929
	Rotating Beacon on ROPS	\$657
	Rotating Beacon on Cab	\$657
	Anti-Freeze Injection	\$357
<b>TOTAL</b>		

**NOTES:**

Wirtgen America, Inc.  
 6030 Dana Way  
 Antioch, TN 37013  
 Phone 615-501-0600/Fax 615-501-0607

**2016 STATE OF TENNESSEE**  
**LIST PRICE**



**WIRTGEN AMERICA**

<b>Customer</b>			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc  
 Date  
 Attn  
 Rep  
 FOB

05/16/2016

Model	Description	List Price
HD+ 90i VT	Front drum - 66" wide X 48" diameter. 4 pneumatic rubber tires in rear. 6.7" offset capability.	\$177,000
HD+ 90i VT-S	Front drum - 66" wide X 48" diameter. 4 pneumatic rubber tires in rear. 6.7" offset capability.	\$192,429
HD+ 110i VT	Front drum split. Front drum - 66" wide X 48" diameter. 4 pneumatic rubber tires in rear. 6.7" offset capability. <b>ENGINE:</b> Model: Deutz TCD 4.1 L4, turbo-charged, water-cooled, 4 cylinder, 113.9 HP at 2,500 RPM. Hydraulics package for hydraulically-driven options Version with track offset 1 set of tires with smooth tires, Dunlop Steering unit, standard standard color (RAL 2004 + RAL 7015) Version with CE conformity Warning labels according to ANSI Vibration parameters, synchronous, front/rear ROPS, rigid Dashboard cover, lockable Driver seat, black imitation leather Lighting package as per road traffic regulations Hydraulic oil Displayed unit for speed is mph Displayed unit of temperature is °F Displayed unit of frequency is rpm Technical documentation - North America country version (US) English spare parts and application documentation (EN)	\$186,429
<b>Options</b>		
	Cab with Split Doors and Heating & Air Conditioning	\$23,929
	Rotating Beacon on ROPS	\$657
	Rotating Beacon on Cab	\$657
	Anti-Freeze Injection	\$357
<b>TOTAL</b>		

**NOTES:**

Wirtgen America, Inc.  
 6030 Dana Way  
 Antioch, TN 37013  
 Phone 615-501-0600/Fax 615-501-0607

**2016 STATE OF TENNESSEE  
LIST PRICE**



**WIRTGEN AMERICA**

<b>Customer</b>			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc  
Date  
Attn  
Rep  
FOB

05/16/2016

Model	Description	List Price
HD+ 110i VV	<b>Drums - 66" wide X 48" diameter. 6.7" hydraulic offset. Front only / rear only / both drums vibrate.</b>	\$167,429
HD+ 110i VV HF	<b>Drums - 66" wide X 48" diameter. 6.7" hydraulic offset. Front only / rear only / both drums vibrate.</b> <b>ENGINE:</b> Model: Deutz TCD 3.6 L4, turbo-charged, water-cooled, 4 cylinder, 113.9 HP at 2,300 RPM. Hydraulics package for hydraulically-driven options Version with track offset Steering unit, standard standard color (RAL 2004 + RAL 7015) Version with CE conformity Warning labels according to ANSI Vibration parameters, individual, front/rear ROPS, rigid Dashboard cover, lockable Driver seat, black imitation leather Lighting package as per road traffic regulations Hydraulic oil Displayed unit of speed is mph Displayed unit of temperature is °F Displayed unit of frequency is rpm Technical documentation - North America country version (US) English spare parts and application documentation (EN)	\$172,286
<b>Options</b>		
	Cab with Split Doors and Heating & Air Conditioning	\$21,557
	Rotating Beacon on ROPS	\$614
	Rotating Beacon on Cab	\$614
	Anti-Freeze Injection	\$357
<b>TOTAL</b>		

**NOTES:**

Wirtgen America, Inc.  
 6030 Dana Way  
 Antioch, TN 37013  
 Phone 615-501-0600/Fax 615-501-0607

**2016 STATE OF TENNESSEE**  
**LIST PRICE**



**WIRTGEN AMERICA**

<b>Customer</b>			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

<b>Misc</b>	
Date	05/16/2016
Attn	_____
Rep	_____
FOB	_____

Model	Description	List Price
HD+ 110i VO	<b>Drums - 66" wide X 48" diameter. 6.7" hydraulic offset.</b> <b>Front vibratory drum / rear oscillatory drum.</b> <b>ENGINE:</b> Model: Deutz TCD 3.6 L4, turbo-charged, water-cooled, 4 cylinder, 113.9 HP at 2,300 RPM. Hydraulics package for hydraulically-driven options Version with track offset Steering unit, standard standard color (RAL 2004 + RAL 7015) Version with CE conformity Warning labels according to ANSI Vibration parameters, individual, front/rear ROPS, rigid Dashboard cover, lockable Driver seat, black imitation leather Lighting package as per road traffic regulations Hydraulic oil Displayed unit of speed is mph Displayed unit of temperature is °F Displayed unit of frequency is rpm Technical documentation - North America country version (US) English spare parts and application documentation (EN)	\$199,143
<b>Options</b>		
	Cab with Split Doors and Heating & Air Conditioning	\$21,557
	Rotating Beacon on ROPS	\$614
	Rotating Beacon on Cab	\$614
	Anti-Freeze Injection	\$357
<b>TOTAL</b>		

**NOTES:**

Wirtgen America, Inc.  
 6030 Dana Way  
 Antioch, TN 37013  
 Phone 615-501-0600/Fax 615-501-0607

**2016 STATE OF TENNESSEE**  
**LIST PRICE**



**WIRTGEN AMERICA**

<b>Customer</b>			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc  
 Date  
 Attn  
 Rep  
 FOB

05/16/2016

Model	Description	List Price
HD+ 120i VV	Drums - 78" wide X 55" diameter. 6.7" hydraulic offset. Front only / rear only / both drums vibrate.	\$191,286
HD+ 120i VV HF	Drums - 78" wide X 55" diameter. 6.7" hydraulic offset. Front only / rear only / both drums vibrate. <b>ENGINE:</b> Model: Deutz TCD 4.1 L4, turbo-charged, water-cooled, 4 cylinder, 154.1 HP at 2,300 RPM. Hydraulics package for hydraulically-driven options Version with track offset Steering unit, standard standard color (RAL 2004 + RAL 7015) Version with CE conformity Warning labels according to ANSI ROPS, rigid Dashboard cover, lockable Driver seat, black imitation leather Lighting package as per road traffic regulations Hydraulic oil Displayed unit of speed is mph Displayed unit of temperature is °F Displayed unit of frequency is rpm Technical documentation - North America country version (US) English spare parts and application documentation (EN)	\$197,571
<b>Options</b>		
	Cab with Split Doors and Heating & Air Conditioning	\$22,100
	Rotating Beacon on ROPS	\$614
	Rotating Beacon on Cab	\$614
	Anti-Freeze Injection	\$357
<b>TOTAL</b>		

**NOTES:**

Wirtgen America, Inc.  
 6030 Dana Way  
 Antioch, TN 37013  
 Phone 615-501-0600/Fax 615-501-0607

**2016 STATE OF TENNESSEE**  
**LIST PRICE**



**WIRTGEN AMERICA**

<b>Customer</b>			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

<b>Misc</b>	
Date	05/16/2016
Attn	_____
Rep	_____
FOB	_____

Model	Description	List Price
HD+ 120i VO	<b>Drums - 78" wide X 55" diameter. 6.7" hydraulic offset.</b> <b>Front vibratory drum / rear oscillatory drum.</b> <b>ENGINE:</b> Model: Deutz TCD 4.1 L4, turbo-charged, water-cooled, 4 cylinder, 154 HP at 2,300 RPM. Hydraulics package for hydraulically-driven options Version with track offset Steering unit, standard standard color (RAL 2004 + RAL 7015) Version with CE conformity Warning labels according to ANSI ROPS, rigid Dashboard cover, lockable Driver seat, black imitation leather Lighting package as per road traffic regulations Hydraulic oil Displayed unit of speed is mph Displayed unit of temperature is °F Displayed unit of frequency is rpm Technical documentation - North America country version (US) English spare parts and application documentation (EN)	\$222,714
<b>Options</b>		
	Cab with Split Doors and Heating & Air Conditioning	\$22,100
	Rotating Beacon on ROPS	\$614
	Rotating Beacon on Cab	\$614
	Anti-Freeze Injection	\$357
<b>TOTAL</b>		

**NOTES:**

Wirtgen America, Inc.  
 6030 Dana Way  
 Antioch, TN 37013  
 Phone 615-501-0600/Fax 615-501-0607

**2016 STATE OF TENNESSEE**  
**LIST PRICE**



**WIRTGEN AMERICA**

<b>Customer</b>			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

<b>Misc</b>	
Date	05/16/2016
Attn	_____
Rep	_____
FOB	_____

Model	Description	List Price
HD+ 140i VV	<b>Drums - 84" wide X 55" diameter. 6.7" hydraulic offset. Front only / rear only / both drums vibrate.</b>	\$214,857
HD+ 140i VV HF	<b>Drums - 84" wide X 55" diameter. 6.7" hydraulic offset. Front only / rear only / both drums vibrate.</b> <b>ENGINE:</b> Model: Deutz TCD 4.1 L4, turbo-charged, water-cooled, 4 cylinder, 154.1 HP at 2,300 RPM. Hydraulics package for hydraulically-driven options Version with track offset Steering unit, standard standard color (RAL 2004 + RAL 7015) Version with CE conformity Warning labels according to ANSI ROPS, rigid Dashboard cover, lockable Driver seat, black imitation leather Lighting package as per road traffic regulations Hydraulic oil Displayed unit of speed is mph Displayed unit of temperature is °F Displayed unit of frequency is rpm Technical documentation - North America country version (US) English spare parts and application documentation (EN)	\$221,143
<b>Options</b>		
	Cab with Split Doors and Heating & Air Conditioning	\$22,100
	Rotating Beacon on ROPS	\$614
	Rotating Beacon on Cab	\$614
	Anti-Freeze Injection	\$357
<b>TOTAL</b>		

**NOTES:**

Wirtgen America, Inc.  
 6030 Dana Way  
 Antioch, TN 37013  
 Phone 615-501-0600/Fax 615-501-0607

**2016 STATE OF TENNESSEE**  
**LIST PRICE**



**WIRTGEN AMERICA**

<b>Customer</b>			
Name	_____		
Address	_____		
City	State	ZIP	
Phone	_____		

Misc  
 Date  
 Attn  
 Rep  
 FOB

05/16/2016

Model	Description	List Price
HD+ 140i VO	<b>Drums - 84" wide X 55" diameter. 6.7" hydraulic offset.</b> <b>Front vibratory drum / rear oscillatory drum.</b> <b>ENGINE:</b> Model: Deutz TCD 4.1 L4, turbo-charged, water-cooled, 4 cylinder, 154 HP at 2,300 RPM. Hydraulics package for hydraulically-driven options Version with track offset Steering unit, standard standard color (RAL 2004 + RAL 7015) Version with CE conformity Warning labels according to ANSI ROPS, rigid Dashboard cover, lockable Driver seat, black imitation leather Lighting package as per road traffic regulations Hydraulic oil Displayed unit of speed is mph Displayed unit of temperature is °F Displayed unit of frequency is rpm Technical documentation - North America country version (US) English spare parts and application documentation (EN)	\$251,143
<b>Options</b>		
	Cab with Split Doors and Heating & Air Conditioning	\$22,100
	Rotating Beacon on ROPS	\$614
	Rotating Beacon on Cab	\$614
	Anti-Freeze Injection	\$357
<b>TOTAL</b>		

**NOTES:**

Wirtgen America, Inc.  
 6030 Dana Way  
 Antioch, TN 37013  
 Phone 615-501-0600/Fax 615-501-0607