

## 2023 PCMH Quality Metrics and Thresholds – Pediatric Practice

	Core metric	Definition	Threshold
1.	Asthma Medication	The percentage of members 5–64 years of age who were identified	≥ 81.00%
	Ratio	as having persistent asthma and had a ratio of controller	
		medications to total asthma medications of 0.50 or greater during	
		the measurement year.	
2.	Childhood	The percentage of children 2 years of age who had four diphtheria,	≥ 42.00%
	Immunizations	tetanus and acellular pertussis (DTaP); three polio (IPV); one	
	Status -	measles, mumps and rubella (MMR); three haemophilus influenza	
	Combination 10	type B	
		(HiB); three hepatitis B (HepB), one chicken pox (VZV); four	
		pneumococcal conjugate (PCV); one	
		hepatitis A (HepA); two or three rotavirus (RV); and two influenza	
		(flu) vaccines by their second birthday.	
		The measure calculates a rate for each vaccine and three	
		combination rates.	
3.	Child and		
	Adolescent Well-		
	Care Visits		
	<ul> <li>Child and</li> </ul>	The percentage of members aged 3–11 years of age who had at	≥ 65.00%
	Adolescent	least one comprehensive well-care visit with a PCP or an OB/GYN	
	Well-Care	practitioner during the measurement year.	
	Visits, Ages		
	3 -11 Years		
	<ul> <li>Child and</li> </ul>	The percentage of members aged 12-17 years of age who had at	≥ 57.00%
	Adolescent	least one comprehensive well-care visit with a PCP or an OB/GYN	
	Well-Care	practitioner during the measurement year.	
	Visits, Ages		
	12 – 17		
	Years		
	<ul> <li>Child and</li> </ul>	The percentage of members aged 18–21 years of age who had at	≥ 39.00%
	Adolescent	least one comprehensive well-care visit with a PCP or an OB/GYN	
	Well-Care	practitioner during the measurement year.	
	Visits, Ages		
	18 – 21		
	Years		
4.	Well-Child Visits in		
	the First 30 Months		
	of Life		
	Well-Child	The percentage of members who had the following number of well-	≥ 61.00%
	Visits in the	child visits with a PCP during the last 15 months.	
	First 15	Children who turned 15 months old during the	
	Months	measurement year: Six or more well-child visits.	



	Well-Child	The percentage of members who had the following number of well-	≥ 71.00%
	Visits for	child visits with a PCP during the last 15 months.	
	Age 15	<ul> <li>Children who turned 30 months old during the</li> </ul>	
	Months – 30	measurement year: Two or more well-child visits.	
	Months		
5.	Immunizations for	The percentage of adolescents 13 years of age who had one dose of	≥ 26.00%
	Adolescents, Total	meningococcal vaccine, one tetanus, diphtheria toxoids and	
	Rate – Combination	acellular pertussis (Tdap) vaccine, and have completed the human	
	2	papillomavirus (HPV) vaccine series by their 13th birthday. The	
		measure calculates a rate for each	
		vaccine and two combination rates.	