

2024 PCMH
Quality Metrics and Thresholds – Adult Practice

Core Metric	Definition	Threshold
1. Antidepressant Medication Management (adults only) – Effective Continuation Phase	The percentage of members 18 years of age and older who were treated with antidepressant medication, had a diagnosis of major depression and who remained on an antidepressant medication for at least 180 days (6 months).	≥ 40.00%
2. Blood Pressure Control for Patients with Diabetes	The percentage of members 18–75 years of age with diabetes (types 1 and 2) whose blood pressure (BP) was adequately controlled (<140/90 mm Hg).	≥ 62.00%
3. Eye Exam for Patients with Diabetes	The percentage of members 18–75 years of age with diabetes (types 1 and 2) who had a retinal eye exam.	≥ 51.00%
4. Glycemic Status Assessment for Patients with Diabetes <ul style="list-style-type: none"> • Glycemic Status <8.0% 	The percentage of members 18–75 years of age with diabetes (types 1 and 2) whose most recent glycemic status (hemoglobin A1c [HbA1c] or glucose management indicator [GMI] was at the following levels during the measurement year: Glycemic Status <8.0%	≥ 47.00%
5. Child and Adolescent Well-Care Visits 12 – 21 years		
<ul style="list-style-type: none"> • Child and Adolescent Well-Care Visits, Ages 12 – 17 years 	The percentage of members aged 12-17 years of age who had at least one comprehensive well-care visit with a PCP or an OB/GYN practitioner during the measurement year.	≥ 57.00%
<ul style="list-style-type: none"> • Child and Adolescent Well-Care Visits, Ages 18 – 21 years 	The percentage of members aged 18-21 years of age who had at least one comprehensive well-care visit with a PCP or an OB/GYN practitioner during the measurement year.	≥ 39.00%