

TNReady Geometry Blueprint

Clusters on Part I	# of Items	% of Part I	Additional Clusters on Part II (All Part I Clusters will also be assessed on Part II)	# of Items	% of Part II	% of Test
Congruence <ul style="list-style-type: none"> • Experiment with transformations in the plane • Understand congruence in terms of rigid motions • Prove geometric theorems • Make geometric constructions 	7–8	29–35%	No additional clusters	11–12	32–35%	32–34%
Similarity, Right Triangles, and Trigonometry <ul style="list-style-type: none"> • Understand similarity in terms of similarity transformations • Prove theorems involving similarity • Define trigonometric ratios and solve problems involving right triangles 	6–8	26–34%	No additional clusters	5–6	14–18%	20–22%
No content from this cluster will be assessed on Part I	0	0%	Circles <ul style="list-style-type: none"> • Understand and apply theorems about circles • Find arc lengths and areas of sectors of circles 	4–6	12–15%	7–10%
Geometry: Properties, Dimension, and Modeling <ul style="list-style-type: none"> • Use coordinates to prove simple geometric theorems algebraically • Explain volume formulas and use them to solve problems • Apply geometric concepts in modeling situations 	8–10	35–42%	Geometry: Properties, Dimension, and Modeling <ul style="list-style-type: none"> • Translate between the geometric description and the equation for a conic section • Visualize relationships between two-dimensional and three-dimensional objects 	12–13	35–38%	37–39%
Total	23–25	100%	Total	34–36	100%	100%

Reading the Revisions: The totals on the blueprints released in Spring 2015 were estimated totals of the test forms. The revised blueprints reflect actual totals for the test forms. The Form Summaries line provides the range of actual totals.

Part I – Calculator Allowed

Cluster	Standards	# of Items	
Congruence	G-CO.A – Experiment with transformations in the plane	Know precise definitions of angle, circle, perpendicular line, parallel line, and line segment, based on the undefined notions of point, line, distance along a line, and distance around a circular arc.	7–9
		Represent transformations in the plane using, e.g., transparencies and geometry software; describe transformations as functions that take points in the plane as inputs and give other points as outputs. Compare transformations that preserve distance and angle to those that do not (e.g., translation versus horizontal stretch).	
		Given a rectangle, parallelogram, trapezoid, or regular polygon, describe the rotations and reflections that carry it onto itself.	
		Develop definitions of rotations, reflections, and translations in terms of angles, circles, perpendicular lines, parallel lines, and line segments.	
		Given a geometric figure and a rotation, reflection, or translation, draw the transformed figure using, e.g., graph paper, tracing paper, or geometry software. Specify a sequence of transformations that will carry a given figure onto another.	
	G-CO.B – Understand congruence in terms of rigid motions	Use geometric descriptions of rigid motions to transform figures and to predict the effect of a given rigid motion on a given figure; given two figures, use the definition of congruence in terms of rigid motions to decide if they are congruent.	
		Use the definition of congruence in terms of rigid motions to show that two triangles are congruent if and only if corresponding pairs of sides and corresponding pairs of angles are congruent.	
		Explain how the criteria for triangle congruence (ASA, SAS, and SSS) follow from the definition of congruence in terms of rigid motions.	
	G-CO.C – Prove geometric theorems	Prove theorems about lines and angles. Theorems include: vertical angles are congruent; when a transversal crosses parallel lines, alternate interior angles are congruent and corresponding angles are congruent; points on a perpendicular bisector of a line segment are exactly those equidistant from the segment's endpoints.	
		Prove theorems about triangles. Theorems include: measures of interior angles of a triangle sum to 180° ; base angles of isosceles triangles are congruent; the segment joining midpoints of two sides of a triangle is parallel to the third side and half the length; the medians of a triangle meet at a point.	
		Prove theorems about parallelograms. Theorems include: opposite sides are congruent, opposite angles are congruent, the diagonals of a parallelogram bisect each other, and conversely, rectangles are parallelograms with congruent diagonals.	
	G-CO.D – Make geometric constructions	Make formal geometric constructions with a variety of tools and methods (compass and straightedge, string, reflective devices, paper folding, dynamic geometric software, etc.). Copying a segment; copying an angle; bisecting a segment; bisecting an angle; constructing perpendicular lines, including the perpendicular bisector of a line segment; and constructing a line parallel to a given line through a point not on the line.	
		Construct an equilateral triangle, a square, and a regular hexagon inscribed in a circle.	

Cluster	Standards		# of Items
Similarity, Right Triangles, and Trigonometry	G-SRT.A – Understand similarity in terms of similarity transformations	Verify experimentally the properties of dilations given by a center and a scale factor: a. A dilation takes a line not passing through the center of the dilation to a parallel line, and leaves a line passing through the center unchanged. b. The dilation of a line segment is longer or shorter in the ratio given by the scale factor.	6–8
		Given two figures, use the definition of similarity in terms of similarity transformations to decide if they are similar; explain using similarity transformations the meaning of similarity for triangles as the equality of all corresponding pairs of angles and the proportionality of all corresponding pairs of sides.	
		Use the properties of similarity transformations to establish the AA criterion for two triangles to be similar.	
	G-SRT.B – Prove theorems involving similarity	Prove theorems about triangles. Theorems include: a line parallel to one side of a triangle divides the other two proportionally, and conversely; the Pythagorean theorem proved using triangle similarity.	
		Use congruence and similarity criteria for triangles to solve problems and to prove relationships in geometric figures.	
	G-SRT.C – Define trigonometric ratios and solve problems involving right triangles	Understand that by similarity, side ratios in right triangles are properties of the angles in the triangle, leading to definitions of trigonometric ratios for acute angles.	
		Explain and use the relationship between the sine and cosine of complementary angles.	
		Use trigonometric ratios and the Pythagorean theorem to solve right triangles in applied problems.	
	Geometry: Properties, Dimension, and Modeling	G-GPE.B – Use coordinates to prove simple geometric theorems algebraically	
Prove the slope criteria for parallel and perpendicular lines and use them to solve geometric problems (e.g., find the equation of a line parallel or perpendicular to a given line that passes through a given point).			
Find the point on a directed line segment between two given points that partitions the segment in a given ratio.			
Use coordinates to compute perimeters of polygons and areas of triangles and rectangles, e.g., using the distance formula.			
G-GMD.A – Explain volume formulas and use them to solve problems		Give an informal argument for the formulas for the circumference of a circle, area of a circle, volume of a cylinder, pyramid, and cone.	
		Use volume formulas for cylinders, pyramids, cones, and spheres to solve problems.	
G-MG.A – Apply geometric concepts in		Use geometric shapes, their measures, and their properties to describe objects. (e.g., modeling a tree trunk or a human torso as a cylinder).	
		Apply concepts of density based on area and volume in modeling situations. (e.g., persons per square mile, BTUs per cubic foot).	

modeling
situations

Apply geometric methods to solve design problems. (e.g., designing an object or structure to satisfy physical constraints or minimize cost; working with typographic grid systems based on ratios).

Part II – Calculator and Non-Calculator Portions

Cluster	Standards	# of Items	
Congruence	G-CO.A – Experiment with transformations in the plane	Know precise definitions of angle, circle, perpendicular line, parallel line, and line segment, based on the undefined notions of point, line, distance along a line, and distance around a circular arc.	11–12
		Represent transformations in the plane using, e.g., transparencies and geometry software; describe transformations as functions that take points in the plane as inputs and give other points as outputs. Compare transformations that preserve distance and angle to those that do not (e.g., translation versus horizontal stretch).	
		Given a rectangle, parallelogram, trapezoid, or regular polygon, describe the rotations and reflections that carry it onto itself.	
		Develop definitions of rotations, reflections, and translations in terms of angles, circles, perpendicular lines, parallel lines, and line segments.	
		Given a geometric figure and a rotation, reflection, or translation, draw the transformed figure using, e.g., graph paper, tracing paper, or geometry software. Specify a sequence of transformations that will carry a given figure onto another.	
	G-CO.B – Understand congruence in terms of rigid motions	Use geometric descriptions of rigid motions to transform figures and to predict the effect of a given rigid motion on a given figure; given two figures, use the definition of congruence in terms of rigid motions to decide if they are congruent.	
		Use the definition of congruence in terms of rigid motions to show that two triangles are congruent if and only if corresponding pairs of sides and corresponding pairs of angles are congruent.	
		Explain how the criteria for triangle congruence (ASA, SAS, and SSS) follow from the definition of congruence in terms of rigid motions.	
	G-CO.C – Prove geometric theorems	Prove theorems about lines and angles. Theorems include: vertical angles are congruent; when a transversal crosses parallel lines, alternate interior angles are congruent and corresponding angles are congruent; points on a perpendicular bisector of a line segment are exactly those equidistant from the segment's endpoints.	
		Prove theorems about triangles. Theorems include: measures of interior angles of a triangle sum to 180° ; base angles of isosceles triangles are congruent; the segment joining midpoints of two sides of a triangle is parallel to the third side and half the length; the medians of a triangle meet at a point.	
		Prove theorems about parallelograms. Theorems include: opposite sides are congruent, opposite angles are congruent, the diagonals of a parallelogram bisect each other, and conversely, rectangles are parallelograms with congruent diagonals.	
	G-CO.D – Make geometric constructions	Make formal geometric constructions with a variety of tools and methods (compass and straightedge, string, reflective devices, paper folding, dynamic geometric software, etc.). Copying a segment; copying an angle; bisecting a segment; bisecting an angle; constructing perpendicular lines, including the perpendicular bisector of a line segment; and constructing a line parallel to a given line through a point not on the line.	
		Construct an equilateral triangle, a square, and a regular hexagon inscribed in a circle.	

Cluster	Standards	# of Items	
Similarity, Right Triangles, and Trigonometry	G-SRT.A – Understand similarity in terms of similarity transformations	Verify experimentally the properties of dilations given by a center and a scale factor: a. A dilation takes a line not passing through the center of the dilation to a parallel line, and leaves a line passing through the center unchanged. b. The dilation of a line segment is longer or shorter in the ratio given by the scale factor.	5–6
		Given two figures, use the definition of similarity in terms of similarity transformations to decide if they are similar; explain using similarity transformations the meaning of similarity for triangles as the equality of all corresponding pairs of angles and the proportionality of all corresponding pairs of sides.	
		Use the properties of similarity transformations to establish the AA criterion for two triangles to be similar.	
	G-SRT.B – Prove theorems involving similarity	Prove theorems about triangles. Theorems include: a line parallel to one side of a triangle divides the other two proportionally, and conversely; the Pythagorean theorem proved using triangle similarity.	
		Use congruence and similarity criteria for triangles to solve problems and to prove relationships in geometric figures.	
	G-SRT.C – Define trigonometric ratios and solve problems involving right triangles	Understand that by similarity, side ratios in right triangles are properties of the angles in the triangle, leading to definitions of trigonometric ratios for acute angles.	
		Explain and use the relationship between the sine and cosine of complementary angles.	
		Use trigonometric ratios and the Pythagorean theorem to solve right triangles in applied problems.	
	Circles	G-C.A – Understand and apply theorems about circles	
Identify and describe relationships among inscribed angles, radii, and chords.			
Construct the inscribed and circumscribed circles of a triangle, and prove properties of angles for a quadrilateral inscribed in a circle.			
G-C.B – Find arc lengths and areas of sectors of circles		Derive using similarity the fact that the length of the arc intercepted by an angle is proportional to the radius, and define the radian measure of the angle as the constant of proportionality; derive the formula for the area of a sector.	
Geometry: Properties, Dimension, and Modeling	G-GPE.B – Use coordinates to prove simple geometric theorems algebraically	Use coordinates to prove simple geometric theorems algebraically.	12–13
		Prove the slope criteria for parallel and perpendicular lines and use them to solve geometric problems (e.g., find the equation of a line parallel or perpendicular to a given line that passes through a given point).	
		Find the point on a directed line segment between two given points that partitions the segment in a given ratio.	
		Use coordinates to compute perimeters of polygons and areas of triangles and rectangles, e.g., using the distance formula.	
	G-GMD.A – Explain volume formulas and	Give an informal argument for the formulas for the circumference of a circle, area of a circle, volume of a cylinder, pyramid, and cone.	

Cluster	Standards		# of Items	
	use them to solve problems	Use volume formulas for cylinders, pyramids, cones, and spheres to solve problems.		
	G-MG.A – Apply geometric concepts in modeling situations	Use geometric shapes, their measures, and their properties to describe objects (e.g., modeling a tree trunk or a human torso as a cylinder).		
		Apply concepts of density based on area and volume in modeling situations (e.g., persons per square mile, BTUs per cubic foot).		
		Apply geometric methods to solve design problems (e.g., designing an object or structure to satisfy physical constraints or minimize cost; working with typographic grid systems based on ratios).		
	G-GPE.A – Translate between the geometric description and the equation for a conic section	Derive the equation of a circle of given center and radius using the Pythagorean theorem; complete the square to find the center and radius of a circle given by an equation.		
G-GMD.B – Visualize relationships between two-dimensional and three-dimensional objects	Identify the shapes of two-dimensional cross-sections of three dimensional objects, and identify three-dimensional objects generated by rotations of two-dimensional objects.			

Overall Blueprint (Includes Part I and Part II)

Cluster	Standards	# of Items	
Congruence	G-CO.A – Experiment with transformations in the plane	Know precise definitions of angle, circle, perpendicular line, parallel line, and line segment, based on the undefined notions of point, line, distance along a line, and distance around a circular arc.	17–21
		Represent transformations in the plane using, e.g., transparencies and geometry software; describe transformations as functions that take points in the plane as inputs and give other points as outputs. Compare transformations that preserve distance and angle to those that do not (e.g., translation versus horizontal stretch).	
		Given a rectangle, parallelogram, trapezoid, or regular polygon, describe the rotations and reflections that carry it onto itself.	
		Develop definitions of rotations, reflections, and translations in terms of angles, circles, perpendicular lines, parallel lines, and line segments.	
		Given a geometric figure and a rotation, reflection, or translation, draw the transformed figure using, e.g., graph paper, tracing paper, or geometry software. Specify a sequence of transformations that will carry a given figure onto another.	
	G-CO.B – Understand congruence in terms of rigid motions	Use geometric descriptions of rigid motions to transform figures and to predict the effect of a given rigid motion on a given figure; given two figures, use the definition of congruence in terms of rigid motions to decide if they are congruent.	
		Use the definition of congruence in terms of rigid motions to show that two triangles are congruent if and only if corresponding pairs of sides and corresponding pairs of angles are congruent.	
		Explain how the criteria for triangle congruence (ASA, SAS, and SSS) follow from the definition of congruence in terms of rigid motions.	
	G-CO.C – Prove geometric theorems	Prove theorems about lines and angles. Theorems include: vertical angles are congruent; when a transversal crosses parallel lines, alternate interior angles are congruent and corresponding angles are congruent; points on a perpendicular bisector of a line segment are exactly those equidistant from the segment’s endpoints.	
		Prove theorems about triangles. Theorems include: measures of interior angles of a triangle sum to 180°; base angles of isosceles triangles are congruent; the segment joining midpoints of two sides of a triangle is parallel to the third side and half the length; the medians of a triangle meet at a point.	
		Prove theorems about parallelograms. Theorems include: opposite sides are congruent, opposite angles are congruent, the diagonals of a parallelogram bisect each other, and conversely, rectangles are parallelograms with congruent diagonals.	
	G-CO.D – Make geometric constructions	Make formal geometric constructions with a variety of tools and methods (compass and straightedge, string, reflective devices, paper folding, dynamic geometric software, etc.). Copying a segment; copying an angle; bisecting a segment; bisecting an angle; constructing perpendicular lines, including the perpendicular bisector of a line segment; and constructing a line parallel to a given line through a point not on the line.	
		Construct an equilateral triangle, a square, and a regular hexagon inscribed in a circle.	

Cluster	Standards	# of Items	
Similarity, Right Triangles, and Trigonometry	G-SRT.A – Understand similarity in terms of similarity transformations	Verify experimentally the properties of dilations given by a center and a scale factor: a. A dilation takes a line not passing through the center of the dilation to a parallel line, and leaves a line passing through the center unchanged. b. The dilation of a line segment is longer or shorter in the ratio given by the scale factor.	12–14
		Given two figures, use the definition of similarity in terms of similarity transformations to decide if they are similar; explain using similarity transformations the meaning of similarity for triangles as the equality of all corresponding pairs of angles and the proportionality of all corresponding pairs of sides.	
		Use the properties of similarity transformations to establish the AA criterion for two triangles to be similar.	
	G-SRT.B – Prove theorems involving similarity	Prove theorems about triangles. Theorems include: a line parallel to one side of a triangle divides the other two proportionally, and conversely; the Pythagorean theorem proved using triangle similarity.	
		Use congruence and similarity criteria for triangles to solve problems and to prove relationships in geometric figures.	
	G-SRT.C – Define trigonometric ratios and solve problems involving right triangles	Understand that by similarity, side ratios in right triangles are properties of the angles in the triangle, leading to definitions of trigonometric ratios for acute angles.	
		Explain and use the relationship between the sine and cosine of complementary angles.	
		Use trigonometric ratios and the Pythagorean theorem to solve right triangles in applied problems.	
	Circles	G-C.A – Understand and apply theorems about circles	
Identify and describe relationships among inscribed angles, radii, and chords.			
Construct the inscribed and circumscribed circles of a triangle, and prove properties of angles for a quadrilateral inscribed in a circle.			
G-C.B – Find arc lengths and areas of sectors of circles		Derive using similarity the fact that the length of the arc intercepted by an angle is proportional to the radius, and define the radian measure of the angle as the constant of proportionality; derive the formula for the area of a sector.	
Geometry: Properties, Dimension, and Modeling	G-GPE.B – Use coordinates to prove simple geometric theorems algebraically	Use coordinates to prove simple geometric theorems algebraically.	21–23
		Prove the slope criteria for parallel and perpendicular lines and use them to solve geometric problems (e.g., find the equation of a line parallel or perpendicular to a given line that passes through a given point).	
		Find the point on a directed line segment between two given points that partitions the segment in a given ratio.	
		Use coordinates to compute perimeters of polygons and areas of triangles and rectangles, e.g., using the distance formula.	

Cluster	Standards		# of Items			
	G-GMD.A – Explain volume formulas and use them to solve problems	Give an informal argument for the formulas for the circumference of a circle, area of a circle, volume of a cylinder, pyramid, and cone.				
		Use volume formulas for cylinders, pyramids, cones, and spheres to solve problems.				
	G-MG.A – Apply geometric concepts in modeling situations	Use geometric shapes, their measures, and their properties to describe objects (e.g., modeling a tree trunk or a human torso as a cylinder).				
		Apply concepts of density based on area and volume in modeling situations (e.g., persons per square mile, BTUs per cubic foot).				
		Apply geometric methods to solve design problems (e.g., designing an object or structure to satisfy physical constraints or minimize cost; working with typographic grid systems based on ratios).				
	G-GPE.A – Translate between the geometric description and the equation for a conic section	Derive the equation of a circle of given center and radius using the Pythagorean theorem; complete the square to find the center and radius of a circle given by an equation.				
	G-GMD.B – Visualize relationships between two-dimensional and three-dimensional objects	Identify the shapes of two-dimensional cross-sections of three dimensional objects, and identify three-dimensional objects generated by rotations of two-dimensional objects.				