



## **Get Alarmed, Tennessee! Smoke Alarm Program Saves**

*Dual Sensor 9 volt battery alarms purchased with 2009 FEMA FP&S Grant Funds  
Distributed 2010-2011*

- **Milan, TN (April 17, 2012)**

**Occupants: 1**

Cooking fire that began when homeowner was making tea, left the room to watch TV and forgot the stove was on. The smoke alarm alerted her to the fire. There were no injuries. The only damage from the fire was a melted pot handle. Milan Fire Department installed 3 smoke alarms in the home on 12/16/2011.

- **Alcoa, TN (May 5, 2012)**

**Occupants: 8**

Fire began when a portable heater ignited a mattress. According to the TFIRS report, children were sleeping on the bed where the mattress had caught fire. The homeowner was awoken by the smoke alarm at 5am, found the mattress burning and extinguished the fire. After that, the batteries were removed from the smoke alarm. The children were moved to another room, and the family went back to sleep. The fire rekindled a few hours later at 7:45am, at which point Alcoa Fire Department responded. There were no injuries to the 8 occupants. There was \$40,000 of damage to the \$83,200 home. Alcoa Fire Department installed a smoke alarm in the home on 12/18/2011.

## **Get Alarmed, Tennessee! Smoke Alarm Program Saves**

*10-year battery alarms purchased in part with FEMA FP&S Grant Funds*

- **Afton, TN (January 24, 2013)**

**Occupants: at least 2**

Smoke alarm alerts to a fire on the exterior chimney of a wood burning stove being used for heat. Occupants investigate outside and find chimney and roof burning. Fire department is called and fire is extinguished. The Newmansville Fire Department installed 2 smoke alarms in the home on 1/5/2013.

- **Cleveland, TN (January 26, 2013)**

**Occupants: 1**

Bradley Co. Fire & Rescue installed 2 smoke alarms at the address on 12/21/2012. Cleveland Fire Department responded to a fire at this residence a month later. The structure was an older mobile home that had been altered by an addition (wood frame). The fire originated in the ceiling in a small dining area that shared the same space with the entrance on one side and a kitchen on the other side. 50% of the structure received damage from direct flame contact and 100% received significant smoke and water damage. The home was not repairable. The occupant was asleep in an adjoining room (the wood frame addition) in a reclining chair. The smoke alarms alerted him to the presence of smoke and shortly after exiting the structure the fire broke through the ceiling

near where he exited (front door). The cause of the fire appears to be some type of electrical failure with the wiring near a ceiling light in that room.

- **Belvidere, TN (March 2013)**

**Occupants: 1**

Alarm installed by Keith Springs Vol. Fire Department. Several weeks after installation, the elderly resident fell asleep while food was cooking on the stove. She was alerted by the smoke alarm.

- **Columbia, TN (April 19, 2013)**

**Occupants: 1**

The Columbia Fire Department responded to a reported smoke alarm going off at a residence. Dispatch advised the occupant was blind and could have problems getting out of the house. The occupant was on the front porch upon fire department arrival. He didn't know why his smoke alarms were going off. Crew investigated to find the home full of smoke. Crew removed a cooking pot with a box and bag of burned crackers in it from the stove, carried it outside and ventilated the structure. The occupant said that he had not been cooking and did not know how it had happened. A few weeks prior, the Columbia Fire Department had installed the smoke alarms via the smoke alarm program launched by the State Fire Marshal's Office.

- **Memphis, TN (May 28, 2013)**

**Occupants: 19**

The Memphis Fire Department installed smoke alarms in this multi-family home on 2/22/2013. The installation report indicates that the home is heated by space and wall heaters. A fire took place at the residence on 5/28/13. The following is the Battalion Chief's account of the incident:

*Today (5/28/13) at 1322 hrs, we received a report of a dwelling fire located at 1163 James. Myself, B-3 was first to arrive on the scene. I reported "smoke showing" in the Bravo Division on the second floor and established James command. Responding companies, Engines 14, 8, 29, and 16, along with Trucks 5, and 19 Rescue -2, EU-12, 202, Battalions 3 and 6, and 1st Division arrived @ 1326. I notified the Officer on E-14 on the talk group of the situation, and Lt Gilbert, E-14-B, (on OT this C shift day), sized up the situation and chose to make an interior attack using a 1.75 pre-connect off E-14. The fire was knocked down in timely manner and Primary and Secondary searches were all clear.*

*As the incident became under control and we were in the process of downsizing, I began speaking with the occupants of this rooming house to determine the cause and origin of the fire. I was speaking with one of the 19 occupants of this dwelling that included 5 young children. She told me that she was unsure of how the fire started. Upon speaking with her further I asked how all of you got out of the building. She explained to me how the smoke detectors that we fireman had just hung went off and all 19 people heard them and EVERYONE got out before the fire got going too big. She then stated to me "had it not been for those smoke detectors going off, I don't know what would have happened. None of us may have gotten out alive." After speaking with Lieutenant Gilbert, he told me that his company, E-14-B had hung 10 year smoke detectors in that very house a couple of months ago during our smoke detectors blitz.*

*Seldom do we get a chance to see firsthand how "just doing our job" turns out. In this particular case we were able to absolutely prevent a tragedy from occurring by being pro-active and diligent in our quest to hang smoke detectors and save lives.*

- **Memphis, TN (June 6, 2013)**

**Occupants: At least 2**

The Memphis Fire Department responded to a fire in a single family dwelling with a wood framed vehicle parking garage. The occupants were able to self-evacuate the home. A male resident stated the fire started from an automobile that was under repair. Fire companies contained the spread of the fire to the attached garage and the adjoining areas inside the structure. The TFIRS report indicated that a smoke alarm was installed and it alerted occupants. The Memphis Fire Department installed that smoke alarm in the home on 2/23/2013.

- **Savannah, TN (June 30, 2013)**

**Occupants: At least 1**

Hardin County Fire Department crews arrived on the scene to a reported fire and discovered the home owner had the fire out. The TFIRS report indicated that a smoke alarm was present in the home and that it alerted occupants. The Hardin County Fire Department installed that smoke alarm in the home on 2/28/2013.

- **Cookeville, TN (July 11, 2013)**

**Occupants: 1**

Smoke alarm alerted occupant to a fire on the stove top caused by unattended cooking. Occupant was able to extinguish the fire, but fire department checked for extension with thermal imaging and ventilated the smoke. The Putnam County Fire Department installed smoke alarms in this home 4 months prior to the fire on 4/17/2013.

- **Pigeon Forge, TN (July 31, 2013)**

**Occupants: 2**

Pigeon Forge Fire Department was called to a residence for a grease fire. Crews arrived on scene and found all occupants out of the house, no visible fire but light smoke inside the residence. Owner explained she was trying to fry some chicken for supper and then the oil she was using caught fire. She said while she was on the phone, the dispatcher advised her how to extinguish the fire. The TFIRS report indicated that smoke alarms were present and alerted occupants. The Pigeon Forge Fire Department installed alarms in this home on 11/02/2012.

- **Bruceton, TN (November 26, 2013)**

**Occupants: 9**

Electrical fire at 1:30 a.m. caused smoke alarms to alert in a manufactured home with 9 people sleeping inside. All 9 people were able to escape the burning home without injury. The Hollow Rock Vol. Fire Department installed smoke alarms in this home just weeks earlier.

- **Elizabethton, TN (November 29, 2013)**

**Occupants: 1**

Occupant had been smoking and fell asleep on the couch in the living room. The fire originated in that area and began spreading through the rest of the room. The smoke alarm alerted the occupant who exited the home. The fire department arrived and stopped the spread of the fire, but the living room sustained significant fire damage. The Elizabethton Fire Department installed smoke alarms in this home on 12/07/2012.

- **Ashland City, TN (December 24, 2013)**

**Occupants: 1**

Smoke alarms alerted to a fire in a manufactured home shortly before 2 a.m. The resident inside was able to escape with help from her grandson who lived next door. The Ashland City Fire Department installed alarms at this residence on 10/29/2013.

- **Dowelltown, TN (February 3, 2014)**

**Occupants: 1**

Smoke alarms alerted to a grease fire caused by unattended cooking. The occupant was able to evacuate without injury. The DeKalb County Fire Department installed smoke alarms at this residence on 8/13/2013. The following is an account of the incident from the DeKalb County Fire Chief:

*We were called to West Main Street in Dowelltown this morning to a structure fire. When we got there and upon speaking with the occupant, she advised us that she had been in the kitchen cooking some breakfast and apparently had left the stove eye on and it had caught fire in her kitchen. She safely evacuated out of the house. At the time of her discovering the fire, she was in another room when the smoke alarms activated in the home and alerted her. When she opened the door into the kitchen, she noticed that the back wall was on fire behind the stove and the curtains were on fire. She evacuated the house and called 911.*

- **Jackson, TN (February 12, 2014)**

**Occupants: 2**

Fire incident in home with 2 occupants, one elderly. Smoke alarm alerts one of the residents who was showering while food was cooking in the kitchen. That resident is able to take the burning food outside and call fire department to have smoke cleared. The Jackson Fire Department installed 3 smoke alarms in this home on 8/22/2013.

- **Mount Pleasant, TN (February 20, 2014)**

**Occupants: 1**

A smoke alarm alerts to a kitchen fire at a multi-family dwelling around 9:00 p.m. The occupant escapes and notifies 911. A man with disabilities in a neighboring unit is evacuated with assistance from first responders. The Mount Pleasant Fire Department installed smoke alarms at this address on 7/24/2013.

- **Gates, TN (February 20, 2014)**

**Occupants: 1**

From the Lauderdale County Fire Chief:

*Thought you would be happy to know one of your smoke alarms installed last week by the Gates Fire Department alerted a lady early this morning (3:05 a.m.) to a fire in her stove/oven. FD responded quickly. Only smoke damage and stove damage. Lady OK and thankful for the smoke alarm.*

- **Columbia, TN (March 30, 2014)**

**Occupants: 2**

The Columbia Fire Department responded to a call of a stove fire. Occupants were outside when crews arrived. Occupants were alerted by the smoke alarm and subsequently evacuated the structure and initiated the emergency call. The Columbia Fire Department installed a smoke alarm at this address on 2/21/2014.

- **Johnson City, TN (April 27, 2014)**

**Occupants: 1**

Smoke alarm activates to a cigarette fire in the bedroom and alerts the occupant who was in another room in the home. The resident exits safely and contacts fire department to extinguish fire. An estimated dollar loss of \$3,000 was reported. Johnson City Fire Department installed a smoke alarm in this home on 2/25/2013.

- **Humboldt, TN (May 15, 2014)**

**Occupants: 5**

Smoke alarm activates to a home fire at 10:00 p.m. The 5 residents inside the home were able to escape and were outside upon fire department arrival. Humboldt Fire Department installed a smoke alarm in this home on 2/19/2014.

- **Martin, TN (May 20, 2014)**

**Occupants: 2**

Smoke alarms alert 2 people to an arson fire that has spread from a neighboring housing unit. Those 2 occupants are able to escape the burning structure. The Martin Fire Department installed smoke alarms in the home on 3/30/2014.

- **Memphis, TN (May 25, 2014)**

**Occupants: 9**

Smoke alarm alerts to an electrical fire inside a home housing 9 people. Occupants are able to escape the burning structure and call the fire department to extinguish. The fire caused \$20,000 worth of damage to the home. The Memphis Fire Department installed a smoke alarm in the home on 3/1/2014.

- **Eads, TN (November 11, 2014)**

**Occupants: 2**

Kitchen fire breaks out in a home housing two people; one outside and the other in another room. Smoke alarm activates alerting occupants who investigate and are able to extinguish the blaze. The Fayette County Fire Department installed 3 smoke alarms at the address on 2/18/2013.

- **Bristol, TN (December 5, 2014)**

**Occupants: 2**

Occupants were in another area of the home and had left cooking oil on active stove burner. Smoke alarm alerts to the fire. Occupants investigate and then evacuate the home to call 911. Property and contents lost estimated at \$35,000. 421 Area Emergency Services installed 2 smoke alarms at this address on 8/29/2013.

- **Cookeville, TN (December 19, 2014)**

**Occupants: 3**

Grease fire breaks out at midnight due to unattended cooking. Three residents are inside the home; two of which are sleeping. Smoke alarms alert and one resident attempts to remove pot from structure, burning hands in the process. All residents are able to escape; two are transported to the hospital for injuries and breathing problems and later released. Cookeville Fire Department installed 3 smoke alarms at this address on 6/7/2014.

- **White Bluff, TN (December 24, 2014)**

**Occupants: 4**

Smoke alarms activate to a chimney fire in a manufactured home, alerting occupants who are in another room. All 4 occupants are able to escape without injury and call 911. Claylick Volunteer Fire Department installed 2 smoke alarms in this home on 3/9/2013.

- **Arlington, TN (January 7, 2015)**

**Occupants: 2**

Companies from Arlington, Shelby County, and Memphis Fire Departments respond to a midnight house fire. Immediate fire attack and search procedures were initiated and the fire was knocked down and extinguished. During the salvage and overhaul operations, the homeowner was asked what happened. They advised they were sleeping in another room and were alerted by the smoke alarm. The initial reaction of the homeowner was to try and fight the fire, but due to the size of the fire and rapid growth, they decided to evacuate the structure. Preliminary investigation indicates that there was a space heater in the bathroom next to some floor mats that ignited and caused the fire. There were no injuries to the homeowner or to any firefighters on the scene. Arlington Fire Department installed a smoke alarm in the home on 2/5/2013.

- **Cottage Grove, TN (January 7, 2015)**

**Occupants: 1**

The Paris Fire Department installed 2 alarms in this home on 3/28/2014. Less than a year later, Cottage Grove Fire Department responded to a chimney fire at this address. The occupant was alerted to the fire by the alarms and was able to safely evacuate the structure.

- **Bolivar, TN (January 9, 2015)**

**Occupants: 1**

Smoke alarm alerts to a fire within the home prompting the resident to exit and call 911. The fire resulted in an estimated \$4,000 of property/contents loss. The Bolivar Fire Department installed a smoke alarm in this home on 3/20/2013.

- **Mt. Pleasant, TN (January 9, 2015)**

**Occupants: 3**

Smoke alarm alerts to an unattended cooking fire at 10:30 p.m. The resident is able to return to the kitchen and cover the flaming pot and smother the fire. The Mt. Pleasant Fire Department installed 2 smoke alarms in this home on 5/31/2014.

- **Manchester, TN (January 12, 2015)**

**Occupants: 1**

Smoke alarm alerts occupant to a fire that appears to have started in a window air condition unit. Occupant attempted to extinguish the fire and then evacuated the house. Occupant was taken to the hospital, monitored, and released. Manchester Fire & Rescue installed smoke alarms in this home on 6/11/2014.

- **Humboldt, TN (February 20, 2015)**

**Occupants: 4**

An extension cord in a kitchen shorts out and causes a fire in a home around 8 p.m. The family (2 adults/2 children) is in the living room and hears the alarms sound. They evacuate and call the fire department from their neighbor's home. The Humboldt Fire Department installed 2 smoke alarms in this home on 10/14/2014.

- **Gainesboro, TN (February 24, 2015)**

**Occupants: 2**

An electrical fire breaks out in a manufactured home around midnight with 2 people sleeping inside. The residents evacuate the structure and call 911. No injuries were sustained, but the home was a total loss. The Gainesboro Fire Department installed 3 smoke alarms in this home on 12/29/2013.

- **Paris, TN (April 22, 2015)**

**Occupants: 1**

Smoke alarm alerts occupant to an unattended cooking fire. The Paris Fire Department installed smoke alarms in this home on 11/7/14.

- **Arlington, TN (April 27, 2015)**

**Occupants: 2**

On October 27, 2014 the Arlington Fire Dept. B-shift personnel installed two working smoke alarms, the 10-year kind provided by the State of Tennessee, on Galloway Levee in Arlington. On Monday April 27, 2015 at 14:34 hours the Arlington Fire Dept. along with the Shelby County Fire Dept. and two tankers from the Fayette County Fire Dept. responded to a working structure fire at this address. After the fire was extinguished, the occupant advised that one of the two previously mentioned installed smoke alarms is what alerted her to the fire allowing her and a small child to escape uninjured. When AFD Engine 71 arrived on the scene and began an interior attack the smoke alarm could still be heard sounding and was found during overhaul operations.

- **Sardis, TN (July 2015)**

**Occupants: 1**

From the Henderson County Fire Chief:

*We learned this morning that some alarms that were installed in a home a few months ago have in fact saved the home. We were inspecting the Sardis Senior Center and a lady came up to us and stated the alarms that were installed in her home a few months ago saved her home. She went outside leaving cooking unattended and heard the alarms going off. She returned back inside the house and was able to remove the pan from the stove just before it caught fire.*

- **Millington, TN (July 18, 2015)**

**Occupants: 1**

A smoke alarm alerts causing resident to investigate and discover the attached garage is on fire. Resident safely evacuates and calls 911. The fire resulted in \$25,000 in property/contents loss. The Millington Fire Department installed the smoke alarm in the home on 6/30/14.

- **Kingston, TN (August 15, 2015)**

**Occupants: 2**

Fire starts in a bathroom where a clothes hamper was in front of an electric wall heater. A curling iron had fallen behind the hamper, hitting the switch and turning the heater on. The adult occupant hears the smoke alarm go off, calls 911, picks up granddaughter and safely exits the home. The Kingston Fire Department installed 3 alarms in this home on 11/29/14.

- **Clarksville, TN (September 20, 2015)**

**Occupants: 1**

Early morning cooking fire breaks out in a home where the resident had started cooking breakfast and then fallen back asleep. The resident was awakened by newly installed smoke alarms and was able to exit safely and call 911. Extensive damage was done to the home. Clarksville Fire Rescue installed smoke alarms in this home the day before the fire on 9/19/15.

- **Tullahoma, TN (September 25, 2015)**

**Occupants: 1**

Smoke alarm alerts to an oven fire caused by a pizza box accidentally left inside an oven. Resident returns to the kitchen to investigate and is able to extinguish fire. Hickerson Station Fire Department installed 2 smoke alarms in this home the on 7/23/13.

- **Bolivar, TN (October 3, 2015)**

**Occupants: 1**

The Bolivar Fire Department installed 2 smoke alarms in a residence on 11/4/14, provided by the State Fire Marshal's Office. At 6:03 p.m. one of the smoke alarms installed alerted the occupant to a fire that started while cooking. The fire had "smoked up the house" and the resident was made aware of the fire via the smoke alarm detection. The FD responded and the occupant was able to extinguish the fire before the FD arrived.

- **Memphis, TN (November 3, 2015)**

**Occupants: 7**

Burning incense left unattended in a bedroom causes a fire to break out in a home around 6 p.m. The smoke alarm activates, alerting the seven residents inside. They dialed 911 and safely evacuated the structure. The Memphis Fire Department installed the alarm on 10/10/15.

- **Sneedville, TN (November 23, 2015)**

**Occupants: 3**

A fire breaks out in a home at 1:26 a.m. A smoke alarm activates and alerts the residents. The male resident investigates to discover the wall behind the washing machine on fire. He assists his pregnant wife with evacuating the structure and they call 911. The fire resulted in an estimated \$65,000 of property/contents loss. The Panther Creek Fire Department installed smoke alarms in this home on 10/11/14.

- **Bolivar, TN (November 26, 2015)**

**Occupants: At least 1**

A fire breaks out in the home as a result of unattended cooking. A smoke alarm alerts, prompting the resident to safely evacuate the structure and call 911. The Bolivar Fire Department installed the alarm in this home on 3/16/13.

- **Maryville, TN (November 28, 2015)**

**Occupants: 2**

A space heater causes a fire in a home with 2 people sleeping inside. A smoke alarm activates, waking one resident who then yells to alert the second resident in another room. Both are able to safely escape the structure and call 911. The Blount County Fire Department installed two smoke alarms in this home on 12/19/12.

- **Columbia, TN (December 17, 2015)**

**Occupants: 2**

Two occupants return home from the grocery store. One occupant places some groceries on the stovetop, accidentally turning on one of the burners. While both residents are changing clothes on opposite sides of the manufactured home, the smoke alarm alerts. The first resident is able to assist the other resident, who is blind, in evacuating the structure to call 911. The fire department is able to extinguish the fire before major damage occurs. The Columbia Fire Department installed a smoke alarm in this home on 2/23/14.



- **Trenton, TN (December 29, 2015)**

**Occupants: 4**

An unattended cooking fire breaks out in a residence with 4 occupants inside. Smoke alarms alert, prompting one of the residents to return to the kitchen, discover the fire, and extinguish it before major damage could occur. The Trenton Fire Department installed smoke alarms in this home on 2/10/15.

- **Hickory Valley, TN (January 21, 2016)**

**Occupants: 1**

A smoke alarm installed by Hickory Valley VFD alerted residents to a house fire of unknown cause and origin. The responding fire departments were able to extinguish the fire, though there was damage to the residence.

- **Smithville, TN (February 5<sup>th</sup>, 2016)**

**Occupants: 1**

Dekalb County FD responded to a house fire started by a chimney. The smoke alarm installed by Dekalb County FD in November 2013 alerted the resident to the fire, who called 911. The FD was able to extinguish the fire and clear out smoke from the residence.

- **Lewisburg, TN (February 11<sup>th</sup>, 2016)**

**Occupants: 1**

An unattended cooking fire breaks out in a residence with 1 occupant inside. Smoke alarms installed on December 19<sup>th</sup> by Lewisburg FD and Red Cross begin to sound. The resident was alerted to the smoke alarms by his service dog. The dog, alerted by the smoke alarms, alerted the resident, who then got out of the residence and called 911.

- **Portland, TN (February 26<sup>th</sup>, 2016)**

**Occupants: 1**

A fire broke out in the living room of a Portland residence, ignited a cloth chair in the living room. A smoke alarm installed by Orinda FD on February 16<sup>th</sup>, 2016 alerted the resident, who called 911. The responding fire department was able to extinguish the fire and limit damage to the residence.

- **Memphis, TN (March 10<sup>th</sup>, 2016)**

**Occupants: 1**

A cooking fire broke out at a Memphis residence due to unattended cooking. The resident was alerted to the fire by a smoke alarm installed by Memphis FD on April 9<sup>th</sup>, 2015. Memphis FD responded to the fire after the resident called 911. The fire was extinguished with minimal damage to the residence.

- **Trenton, TN (March 25<sup>th</sup>, 2016)**

**Occupants: 1**

A resident was alerted by a smoke alarm to a cooking fire confined to the container. The smoke alarm was installed by Trenton FD on October 14<sup>th</sup>, 2014. Trenton FD responded to the cooking fire, which was out on arrival.

- **Columbia, TN (March 27<sup>th</sup>, 2016)**

**Occupants: 1**

A cooking fire broke out at a residence due to unattended cooking. The resident was alerted to the fire by a smoke alarm installed by Columbia FD in April 2013. Columbia FD responded to the fire, which was out on arrival.

- **Lexington, TN (May 11<sup>th</sup>, 2016)**

**Occupants: 1**

A resident began cooking on a stove when a fire broke out and spread to the cabinets. The smoke alarm alerted the resident to the fire, who then called 911. The fire department arrived and extinguished the fire with a dry chemical extinguisher.

- **Somerville, TN (May 12<sup>th</sup>, 2016)**

**Occupants: 1**

Fayette County Fire Department was dispatched to a kitchen fire at 5:40 PM. They arrived and were able to extinguish the fire, which was confined to a container. The resident was alerted to the fire by a smoke alarm which was installed in March 2013 by Fayette County FD.

- **Cookeville, TN (May 15<sup>th</sup>, 2016)**

**Occupants: 1**

A resident was alerted to smoke in a mobile home coming from a kitchen window. The resident attempted to put the fire out with a bowl of water, but then exited and called 911. Putnam County FD, who installed a smoke alarm in the residence in June 2013, responded and extinguished the fire, which was determined to be from a discarded cigarette.

- **Red Bank, TN (June 24<sup>th</sup>, 2016)**

**Occupants: 2**

Two homeowners were alerted to a fire in their home by a smoke alarm installed by Red Bank Fire Department in December of 2015. The fire was set intentionally by a renting occupant in the basement of the home, who ended his own life simultaneous to starting the fire. As the fire spread from the basement, the smoke alarms installed in the main floor of the home alerted, waking up the homeowners, who escaped and called 911.

- **Etowah, TN (July 13<sup>th</sup>, 2016)**

**Occupants: 5**

Five residents were alerted to a house fire in Etowah by a smoke alarm installed by Etowah City Fire Department in May 2013. The fire was started by a match in the upstairs bathroom, where an adolescent was reportedly playing with matches. All 5 residents were able to escape when the smoke alarm sounded, with one resident able to escape while still connected to an oxygen tank. The FD responded after a 9-1-1 call was made and they were able to extinguish the fire on arrival.

- **Bolivar, TN (August 8<sup>th</sup>, 2016)**

**Occupants: 5**

Bolivar FD responded to a house fire on Locust Street that started in the garage. When they arrived, the structure was 50% involved and they were able to extinguish the fire. Five occupants were able to escape because they were alerted to the fire by a smoke alarm installed in October 2015. The cause of the fire was unknown and over \$50K damage was reported.

- **Trenton, TN (August 15<sup>th</sup>, 2016)**

**Occupants: 1**

A fire that started from powered equipment in a home in Trenton, TN set off a smoke alarm that was installed in 2014 by the Gibson County FD. The alarm alerted the occupant who then called 911. Gibson County FD arrived and was able to extinguish the fire. The reported loss was \$500 in damage.

- **Martin, TN (August 18<sup>th</sup>, 2016)**

**Occupants: 1**

A cooking fire confined to a container set off the smoke alarm at a residence in Martin, TN. The resident was alerted to the fire and called Martin FD, who responded to the fire and extinguished the small fire. Martin FD installed the smoke alarm on October 21<sup>st</sup>, 2015.

- **Hendersonville, TN (August 26<sup>th</sup>, 2016)**

**Occupants: 3**

A house fire broke out at 7:48 AM in a Hendersonville residence. Three residents were alerted by the smoke alarms, which were installed by Hendersonville FD on July 25<sup>th</sup>, 2015. After a 9-1-1 call was made, the FD arrived to smoke and heavy flame, which they were then able to extinguish. All three residents were able to escape the residence in time, with one being treated for light smoke inhalation. The fire was deemed to be electrical in nature, while hoarding contributed to the spread of the fire.

- **Arlington, TN (September 2<sup>nd</sup>, 2016)**

**Occupants: 1**

A cooking fire confined to a container broke out at a home in Arlington at approximately 8:00 PM. The resident was alerted to the fire by a smoke alarm that was installed in March 2013. Memphis FD arrived to find the fire already extinguished, but did have to ventilate for smoke. There was \$1000 in contents reported damaged in the incident.

- **Memphis, TN (September 13<sup>th</sup>, 2016)**

**Occupants: 1**

A cooking fire confined to a container broke out at a home in Memphis at approximately 2:40 PM. The resident was alerted to the fire by a smoke alarm that was installed in September 2015. Memphis FD arrived to find the fire already extinguished. Less than \$500 was reported damaged in the incident.

- **Ripley, TN (September 24<sup>th</sup>, 2016)**

**Occupants: 1**

A cooking fire started at a single family home at 5:40 PM. The resident was alerted by a smoke alarm installed in November 2014. Once alerted, the resident called 911 and Ripley FD responded. They were able to extinguish the fire with dry powder extinguisher. There was minimal damage to the home, but the resident was unharmed.

- **Memphis, TN (October 17<sup>th</sup>, 2016)**

**Occupants: 7**

Memphis Fire Department responded to a house fire at 5:47 PM, arriving to a small fire in the attic of a one/two family home. The FD was able to extinguish the fire, which was caused by arcing in an attic furnace. The residents were alerted to the fire by a smoke alarm installed by Memphis FD in February 2013. All seven

residents, including four children, were able to escape the house. There was \$3000 damage to the structure and contents reported.

- **Bolivar, TN (November 3<sup>rd</sup>, 2016)**

**Occupants: 1**

Bolivar Fire Department was dispatched to a structure fire at 2:00 PM. They responded to the fire which was already extinguished by the resident. The resident was alerted to the fire by a smoke alarm installed by Bolivar FD in May 2016. The fire started due to a candle that was placed too close to the curtains. Approximately \$2000 of damage to contents was reported and only minor injuries were reported.

- **Gatlinburg, TN (November 5<sup>th</sup>, 2016)**

**Occupants: 1**

A resident was alerted by a smoke alarm to smoke coming from the chimney (not the flue) and called Gatlinburg FD. The FD arrived and investigated the fire, which was out on arrival. The smoke alarm was installed by Gatlinburg FD in November 2014.

- **Jackson, TN (November 5<sup>th</sup>, 2016)**

**Occupants: 1**

Jackson FD responded to a house fire at 12:30 PM. Upon arrival, an elderly resident was outside and reported a fire on her carpet inside. Upon further investigation, the responding unit found another fire burning in the laundry simultaneous to (or related to) the carpet fire. They also noticed unattended cooking on the stove, which they extinguished. The elderly resident was alerted to the fire by a smoke installed by Jackson FD in September 2015. Approximately \$2,000 of damage was reported in the fire incident.

- **Ripley, TN (November 27<sup>th</sup>, 2016)**

**Occupants: 2\***

Ripley Fire Department dispatched to a house fire at 8:00 PM. Upon arrival, smoke is seen emitting from the roof and all occupants are outside the house. Two apparatus with crews extinguished the fire, which caused approximately \$13,500 damage to the house. The cause was determined to be heating related. The residents were alerted to the fire by a smoke alarm installed in May 2015 by Ripley FD.

- **Memphis, TN (December 30<sup>th</sup>, 2016)**

**Occupants: 4**

Memphis FD responded to a single family house fire at 4:51 AM on Friday morning. The responding units reported smoke visible from the structure upon arrival and were able to extinguish the fire by 5:08 AM. Four residents, including three adults and one child, were alerted to the fire by a smoke alarm installed by Memphis FD in February 2013. All four residents were able to escape the home safely. The cause of the fire was determined to be a space heater that was positioned too close to combustible material in the family room/den. Total damage to the structure was approximately \$30,000.

- **Ripley, TN (January 7<sup>th</sup>, 2017)**

**Occupants: 1**

Ripley FD responded to a single family house fire at 2:37 AM on a Saturday morning. The resident was alerted to a small fire by a smoke alarm that was installed by Ripley FD in October 2015. The responding FD was able to extinguish the fire with minimal damage and no injuries occurred.

- **Memphis, TN (January 12<sup>th</sup>, 2017)**

**Occupants: 1**

Memphis FD responded to a single family house fire at 4:21 on a Thursday afternoon. They arrived to a cooking fire that had been extinguished by the resident. The resident was alerted to the fire by a smoke alarm that had been installed by Memphis FD in September 2015.

- **Cookeville, TN (January 16<sup>th</sup>, 2017)**

**Occupants: 1**

Cookeville FD responded to a cooking fire at a single family house at 5:15 PM. The resident directed the responding personnel to the rear kitchen, where the stove was on fire. The FD was able to extinguish the fire with minimal damage to the home. The resident was alerted to the fire by a smoke alarm installed by Cookeville FD in March 2013.

- **Atoka, TN (March 12<sup>th</sup>, 2017)**

**Occupants: 2**

A home fire broke out at 1:19 PM when a fryer had been left on after cooking. Atoka FD responded and was able to extinguish the fire. The resident reported using the oven to cook earlier and then fell asleep without turning it off. The resident was alerted to the fire by a smoke alarm that was installed by Atoka FD in July 2015. Approximately \$5,000 damage was reported in the fire.

- **Dyersburg, TN (March 21<sup>st</sup>, 2017)**

**Occupants: 1**

Dyersburg FD responded to a house fire at a single family resident at 1:50 PM. They arrived to light smoke coming from the house and were able to extinguish the fire that had started in the kitchen. The fire started on the electric range stove and had spread to the cabinets. Unattended cooking contributed to the start of the fire. Approximately \$6,000 damage was reported in the fire. The resident was alerted to the fire by a smoke alarm that was installed by Dyersburg FD in July 2013.

- **Jackson, TN (March 8<sup>th</sup>, 2017)**

**Occupants: 1**

Jackson FD responded to a cooking fire at a single family home at 4:08 PM. On arrival, the FD found the occupant standing in her front yard. She stated that the stove was on fire and had spread to the upper cabinets. She was alerted to the fire by the smoke alarm and then she escaped and called fire department. The smoke alarm was installed by Jackson FD in January 2017. The fire department was able to extinguish the fire. There was approximately \$6,000 worth of damage.

- **Memphis, TN (April 3<sup>rd</sup>, 2017)**

**Occupants: 6**

A fire due to unattended cooking broke out at a residence in Memphis, TN at approximately 9:30 PM. The resident was alerted to the fire by a smoke alarm and called 9-1-1. Memphis FD responded and was able to extinguish the fire. Approximately \$30,000 of damage was reported. Two adults and four children were able to escape the house because of the smoke alarm. Memphis FD installed the smoke alarm on October 25<sup>th</sup>, 2016.

- **Chattanooga, TN (May 21<sup>st</sup>, 2017)**

**Occupants: 2**

A fire started at a single story, wood frame house in Chattanooga around 11:52 AM on a Sunday morning. When the FD arrived, they reported that the occupants of the house were already out of the structure and that the fire was extinguished. One occupant reported that they were alerted to a fire in the kitchen by a smoke alarm. He then extinguished the fire and all occupants escaped the home. The fire was ruled to have started from cooking oil on the eye of the stove that the occupants thought had been turned off. The smoke alarm was installed by Chattanooga FD in May 2013.

- **Dyersburg, TN (May 23<sup>rd</sup>, 2017)**

**Occupants: 1**

A fire broke out in an old dryer at a single family home at 9:45 PM on a Tuesday. The resident was alerted to the fire by a smoke alarm that was installed by Dyersburg FD in February of 2014. The fire department arrived and was able to extinguish the fire. The fire caused a total of \$300 of damage to the home.

- **Lexington, TN (June 8<sup>th</sup>, 2017)**

**Occupants: 2**

A cooking fire started at a duplex in Lexington around 7:45 PM on a Thursday evening. Two residents were able to escape the residence and call the fire department, having been alerted to the fire by a smoke alarm that was installed in the same apartment by Lexington FD in September 2016. The residents reported that they had been cooking and left the stove unattended. The FD arrived and extinguished the fire. They reported that the fire was on the stove and had spread to the cabinets above the stove, resulting in \$5,000 of damage to the unit.

- **Memphis, TN (June 30<sup>th</sup>, 2017)**

**Occupants: 1**

A fire started from a burning candle around 1:30 AM on a Friday morning. The fire department responded to the fire and extinguished the fire, but not before over \$35,000 of damage was done to the single family home. The resident was alerted by smoke alarm that was installed by Memphis FD in February 2013. The resident stated he/she was using a candle because the electricity had been turned off at the residence.

- **Memphis, TN (July 14<sup>th</sup>, 2017)**

**Occupants: 1**

A fire started on a cooking stove at 12:33 PM. The resident was alerted to the fire by a smoke alarm installed by Memphis FD in November 2016. The fire department arrived to the house, but the fire was out on arrival. There was no damage to the home.

- **Louisville, TN (August 20<sup>th</sup>, 2017)**

**Occupants: 1**

Blount County FD responded to a fire at a manufactured home at 7:44 AM. On arrival, the resident was outside of the home, with the home fully involved. Once the fire department extinguished the fire, the resident reported being alerted to the fire by a smoke alarm that was installed by the fire department in November 2015. The home was a total loss, with \$30,000 of damage reported. The cause of the fire was undetermined.

- **Memphis, TN (October 6<sup>th</sup>, 2017)**

**Occupants: 1**

A fire started on a cooking stove at 1:40 PM. The resident was alerted to the fire by a smoke alarm installed by Memphis FD in February 2015. The fire department arrived to the house with light smoke showing. They were able to extinguish the fire. There was approximately \$1,500 of damage to the two-story residence.

- **Jackson, TN (October 28<sup>th</sup>, 2017)**

**Occupants: 1**

Jackson FD responded to a cooking fire at a single family home at 1:22 AM. On arrival, the FD found the occupant standing in his front yard. The kitchen was on fire and spread to the upper cabinets. Resident was alerted to the fire by a smoke alarm that was installed by Jackson FD in April 2016. The fire department was able to extinguish the fire.

- **Memphis, TN (November 23<sup>rd</sup>, 2017)**

**Occupants: 1**

A fire started in the chimney of a single family home at 1:18 AM. Three residents were alerted to the fire by a smoke alarm installed by Memphis FD in February 2015. The fire department arrived to the house the fire contained to the chimney and attic areas. They were able to extinguish the fire. There was approximately \$17,000 of damage to the residence and no injuries were reported.

- **Dickson, TN (December 5<sup>th</sup>, 2017)**

**Occupants: 4**

Dickson FD responded to a fire at a single family residence at 4:11 a.m. They arrived to a house fire, with four residents having already escaped the home (two adults and their two children). The fire was started by a electrical wiring issue that ignited an interior wall. There was \$30,000 of damage to the home and contents. The residents were alerted to the fire by a smoke alarm installed by Dickson County EMA in December 2015.

- **Memphis, TN (December 21<sup>st</sup>, 2017)**

**Occupants: 1**

Memphis FD responded to a fire started by an electrical outlet at a single family home at 12:40 AM. The resident was alerted to the fire by a smoke alarm installed by Memphis FD in February 2013. Approximately \$23,000 of damage was reported in the fire.

- **Lafayette, TN (December 31<sup>st</sup>, 2017)**

**Occupants: 1**

Lafayette FD responded to a fire started by a wall heater at a single family home at 6:09 PM. The resident was alerted to the fire by a smoke alarm installed by Lafayette FD in September 2016. Approximately \$11,500 of damage was reported in the fire.

- **Huntland, TN (January 2<sup>nd</sup>, 2018)**

**Occupants: 3**

Huntland VFD responded to a fire at a single family home at 12:49 AM. Three residents were asleep in the home when the smoke alarms alerted them to the fire. The daughter ran to a neighbor's house to call 911. The FD arrived to a fire fully involved, including the back porch. The house was a total loss, but no injuries were reported. The alarms were installed by Huntland VFD in August 2015.

- **Tullahoma, TN (January 4<sup>th</sup>, 2018)**

**Occupants: 1**

Tullahoma FD responded to a fire started by an electrical malfunction at a single family home at 6:37 AM. The resident was alerted to the fire by a smoke alarm installed by Tullahoma FD in January 2017. Approximately \$20,000 of damage was reported in the fire.

- **Atoka, TN (January 18<sup>th</sup>, 2018)**

**Occupants: 1**

Atoka FD responded to a fire started by a dishwasher at a single family home at 8:27 PM. The resident was alerted to the fire by a smoke alarm installed by Munford FD in March 2015. Approximately \$3000 of damage was reported in the fire.

- **Maryville, TN (January 18<sup>th</sup>, 2018)**

**Occupants: 1**

Maryville FD responded to a fire started by an electrical malfunction at a single family home at 12:28 AM. The resident was alerted to the fire by a smoke alarm installed by Maryville FD in December 2014. The resident had escaped the home by the time the FD arrived. There was \$21,100 damage reported in the home and it was considered a total loss. The resident did have injuries sustained in the fire, but survived.

- **Ashland City, TN (January 29<sup>th</sup>, 2018)**

**Occupants: 5**

A resident woke up to their smoke alarms going off and smelled smoke. After the FD arrived, they were able to extinguish the fire. The alarm that woke up the resident was installed by Pleasant View VFD in September 2015. Two adults and three children were at home at the time of the fire and all five were able to escape.

- **Lexington, TN (February 4<sup>th</sup>, 2018)**

**Occupants: 5**

Henderson County FD responded to a fire at a single family residence at 6:11 p.m. They arrived to a house fire, with five residents having already escaped the home. The fire was started by a cooking stove that ignited nearby cooking materials. There was \$75,000 of damage to the home and contents. The residents were alerted to the fire by a smoke alarm installed by Henderson County FD in April 2017.

- **Winchester, TN (February 5<sup>th</sup>, 2018)**

**Occupants: 1**

Winchester FD and Fourth District VFD responded to a mobile home fire at 12:59 a.m. The fire was out upon arrival, as the resident had been alerted to a fire coming from the chimney by a smoke alarm. The FD investigated, ensuring the fire was out, and reported no further damage to the home. The resident was alerted to the fire by a smoke installed by Fourth District VFD in September 2014.

- **Dyer, TN (February 21<sup>st</sup>, 2018)**

**Occupants: 1**

Dyer Fire Department responded to a cooking fire at a single family home at 8:17 PM. Upon arrival, the FD was able to extinguish the fire, reporting \$4,000 worth of damage. The resident reported she had been cooking earlier, but had left the kitchen. A rag that was left near the eye of the stove caught fire, then fell to the floor, igniting a rug. She was alerted to the fire by a SafeAwake alarm (a deaf/hard-of-hearing alarm) that had been installed by Jackson Center for the Deaf in August 2015. The resident could not hear or smell the fire; the



SafeAwake was the only way for her to be alerted to the fire. She left the residence and called 911 at a neighbor's house.

- **Jackson, TN (February 27<sup>th</sup>, 2018)**

**Occupants: 1**

Jackson FD responded to a fire at a single family residence at 5:08 p.m. They arrived to a house with the fire already extinguished, but which had reached above the cabinets of the stove. The fire was started by a cooking stove that ignited nearby cooking materials and spread above the stove. The resident reported being alerted to the fire by the smoke alarm. There was \$500 of damage to the home and contents. The resident was alerted to the fire by a smoke alarm installed by Jackson FD in July 2016.

- **Sardis, TN (March 1<sup>st</sup>, 2018)**

**Occupants: 1**

Henderson County FD responded to a house fire at 6:07 p.m. in the evening. The fire started in the kitchen when an electric range stove ignited nearby cooking materials and spread to the surrounding cabinetry. A total of \$1500 of damage was reported in the fire. The resident was alerted to the fire was a smoke alarm installed by Henderson County FD in December 2015.

- **Manchester, TN (March 1<sup>st</sup>, 2018)**

**Occupants: 1**

Hickerson Station Volunteer Fire Department responded to a house fire at 10:39 p.m. The fire was out on arrival as the resident was able to extinguish the fire with a garden hose. The fire began on the outside wall of the home by the front door, and the cause was likely discarded smoking material. The resident was alerted to the fire by a smoke alarm that was installed by Hickerson Station VFD in September 2014.

- **McMinnville, TN (March 8<sup>th</sup>, 2018)**

**Occupants: 1**

McMinnville FD responded to a fully involved house fire at 1:34 a.m. The resident had escaped the home and was outside when the FD arrived. The fire cause was undetermined. Over \$170,000 of damage was reported and the home was a total loss. The resident was alerted to the fire by smoke alarms installed by McMinnville FD in March 2015.

- **Harriman, TN (March 16<sup>th</sup>, 2018)**

**Occupants: 1**

Harriman FD responded to a fully involved house fire at 10:29 p.m. The fire started due to a cook stove ignited nearby cooking materials and spreading to the rest of the home. The occupant was alerted to the fire by a smoke alarm that was installed in October 2016 as part of a Get Alarmed canvass. The home was a total loss, with the fire causing \$96,000 of damage.

- **Harriman, TN (March 23<sup>rd</sup>, 2018)**

**Occupants: 5**

Harriman FD responded to a house fire at 8:27 p.m. in which a freezer on the back porch of the home caught fire. Smoke alarms were going off when the FD arrived. The FD was able to extinguish the fire. A total of 5 residents (two adults and three kids) were home at the time of the fire and all 5 escaped the residence. The smoke alarms were installed in October 2016.

- **Chattanooga, TN (March 28<sup>th</sup>, 2018)**

**Occupants: 1**

Chattanooga FD responded to a house fire at a single family residence at 8:20 p.m. They arrived to a fire in the kitchen of the home, which they were able to extinguish. The resident reported that he was cooking Ramen Noodles and left the food unattended, creating a fire that spread to the cabinetry. He was alerted to the fire by a smoke alarm that was installed in April 2013. There was a total of \$17,500 of damage to the home and contents, but the resident and his two dogs safely escaped the home due to the smoke alarm.

- **Medon, TN (April 4<sup>th</sup>, 2018)**

**Occupants: 5**

The Madison County Fire Department responded to a house fire about 6 a.m. Wednesday. Upon investigation, firefighters learned that the family of five was alerted to the fire by a smoke alarm that had been installed by the department a few months earlier, on Dec. 22. The smoke alarm activation quickly notified the home occupants of the rapidly developing fire in the rear unoccupied bedroom of the house. Family members escaped while the owner extinguished the blaze prior to fire department arrival. The smoke alarm was provided to the Madison County Fire Department through a program known as the "Get Alarmed TN."

- **Harriman, TN (April 5<sup>th</sup>, 2018)**

**Occupants: 2**

Harriman Fire Department responded to a house fire at 6:48 PM. The fire started as a grease fire on the cooking stove, but was contained to the stove. The two residents were outside the structure when the FD arrived. The residents reported a smoke alarm installed by Harriman FD in September 2016 is what alerted them to the fire.

- **Rockwood, TN (April 18<sup>th</sup>, 2018)**

**Occupants: 1**

West Roane County VFD responded to a house fire at 2:57 AM. The fire began on the back porch of the residence and was contained to the deck, rail, wall, and guttering of the home. The cause was unknown. The resident was alerted to the fire by a smoke alarm installed by West Roane VFD in January 2017. The FD reported \$18,000 of damage to the home.

- **Memphis, TN (April 28<sup>th</sup>, 2018)**

**Occupants: 1**

Memphis Fire Department responded to a house fire about 8:27 a.m. The fire was out on arrival, originating from a pizza box left in the oven. The resident was alerted to the fire by a smoke alarm installed by Memphis FD in April 2015.

- **Milan, TN (May 11<sup>th</sup>, 2018)**

**Occupants: 1**

Milan Fire Department responded to a house fire at 9:00 a.m. They arrived to light smoke coming from the home and one resident inside calling for help. The FD kicked the door in, helped the resident out of the home, then investigated the fire which had extinguished itself. The resident was alerted to the fire by a smoke alarm installed in March 2017

- **Michie, TN (June 2<sup>nd</sup>, 2018)**

**Occupants: 2**

Michie VFD responded to a house fire in Michie, TN at 2:26 PM. The residents were alerted to a fire in the laundry room by a smoke alarm installed by Selmer FD in July 2017. The fire was contained to the drying chamber inside the dryer, but the smoke set off the smoke alarm, alerting the residents to the fire.

- **Jackson, TN (July 5<sup>th</sup>, 2018)**

**Occupants: 1**

Madison County FD responded to a house fire in Jackson, TN at 9:38 PM. The resident was alerted to a fire in the utility room by a smoke alarm installed by Madison County FD in November 2014. The fire started due to a lightning strike, which ignited plastic electrical wiring. The FD reported \$12,500 of damage to the home and its contents, but the resident escaped safely.

- **Counce, TN (July 21<sup>st</sup>, 2018)**

**Occupants: 4**

Hardin County FD responded to a house fire in Counce, TN. Four family members (2 adults, 2 children) escaped the home which was on fire. They were alerted to the fire by a smoke alarm installed by Hardin County FD in March 2018.

- **Union City, TN (September 10<sup>th</sup>, 2018)**

**Occupants: 1**

Union City FD responded to a house fire at 6:32 AM. They arrived on scene to smoke showing from the single story residence. The fire originated in the kitchen from the cooking stove. The resident reported that she had turned on the stove to melt grease in a pan and then left the kitchen. She was alerted to the fire by smoke alarms installed by Union City FD in June 2016.

- **Rives, TN (September 29<sup>th</sup>, 2018)**

**Occupants: 1**

Rives VFD responded to a house fire at 5:45 PM. A resident escaped his home and ran across the street to alert the FD of his home being on fire. Fire was exiting through the roof gables by the time units responded. The fire started in the kitchen but the heat source was undetermined. Rives VFD reported \$80,000 of damage to the home. The resident was alerted to the fire by a smoke alarm installed by Rives VFD in May 2017.

- **Lexington, TN (October 23<sup>rd</sup>, 2018)**

**Occupants: 1**

Lexington FD responded to a house fire at 5:42 PM. The resident reported being alerted to a fire by a smoke alarm and the house filling up with smoke. The fire started in the laundry room when a clothes dryer caught fire. The fire department was able to extinguish the fire and reported \$600 of damage to the home. The smoke alarm was installed by Lexington FD in November 2014.

- **Bolivar, TN (November 12<sup>th</sup>, 2018)**

**Occupants: 1**

Bolivar FD responded to a house fire at 1:35 PM. The fire started in the laundry room due to electrical arcing in a Whirlpool dryer. Bolivar FD reported \$500 of damage to the home. The resident was alerted to the fire by a smoke alarm installed by Bolivar FD in August 2017.

- **Bolivar, TN (December 2<sup>nd</sup>, 2018)**

**Occupants: 2**

Bolivar FD responded to a house fire at 3:50 AM. The fire started when a space heater was placed too close to a sofa. The two occupants of the home were wakened by the smoke alarm and able to escape the fire. They also had their bedroom doors closed, preventing the fire from spreading into the bedroom. Bolivar FD installed four smoke alarms in the home on March 17<sup>th</sup>, 2018 as part of a Get Alarmed, TN canvass effort with the State Fire Marshal's Office and Red Cross.

- **Jackson, TN (December 7<sup>th</sup>, 2018)**

**Occupants: 1**

Jackson FD responded to a house fire at 11:39 AM. The fire started in the laundry and began spreading to the rest of the home. The resident was alerted to the fire by a smoke alarm installed by Madison County FD in April 2016. A total of \$125,000 of loss was reported in the structure fire.

- **Germantown, TN (January 3<sup>rd</sup>, 2019)**

**Occupants: 1**

Germantown FD responded to a house fire at 7:44 PM. Upon arrival, fire and smoke was visible from the home and the homeowner was outside the residence with her dog. The fire began in the bedroom on the bed, but the heat source was not determined. There was presence of hoarding. Total damage reported in the incident was over \$130,000. The resident was alerted to the fire by a smoke alarm installed by Germantown FD in April 2013.

- **Tullahoma, TN (January 19<sup>th</sup>, 2019)**

**Occupants: 3**

Tullahoma FD responded to a house fire at around midnight. They arrived on scene to no fire but heavy smoke, with three residents having escaped the residence safely. After investigation and an interview with the resident, the cause of the fire was careless smoking on medical oxygen. A resident in the home reported that she fell asleep while smoking in bed and while on medical oxygen. She awoke to the sound of the smoke alarm and discovered a lit cigarette had burned a hole in the oxygen tubing. The fire had spread to the bed, but she was able to extinguish the fire with moist wipes nearby. She then woke up the rest of the home and called 9-1-1 after everyone escaped safely. The smoke alarm that alerted the resident was installed by Tullahoma FD in October 2017.

- **Morrison, TN (January 19<sup>th</sup>, 2019)**

**Occupants: 1**

Morrison FD responded to a house fire at 4:46 AM. The fire began in the kitchen, but the heat source was not determined. The FD reported \$5,000 worth of damage to the home. The resident was asleep at the time of the fire and was alerted to the fire by a smoke alarm installed by Summitville FD in April 2016.

- **Memphis, TN (January 30<sup>th</sup>, 2019)**

**Occupants: 1**

Memphis FD responded to a house fire at 2:31 PM. The fire began in the kitchen when the resident left food unattended. The resident was alerted to the fire by a smoke alarm installed by Memphis FD in March 2014.

- **Humboldt, TN (February 1<sup>st</sup>, 2019)**

**Occupants: 1**

Humboldt FD responded to a house fire at 11:13 AM. The fire began in the kitchen due to food left inside a toaster oven. The resident was unaware the oven was left on and was alerted by a smoke alarm installed by Humboldt FD in July 2016.

- **Savannah, TN (February 20<sup>th</sup>, 2019)**

**Occupants: 1**

Hardin County FD responded to a house fire that started due to a malfunctioning central heating unit. The unit began to emit smoke, setting off the smoke alarm. The resident in the home at the time was alerted to the fire and called 9-1-1. The smoke alarm was installed by Hardin County in January 2018.

- **Michie, TN (March 5<sup>th</sup>, 2019)**

**Occupants: 2**

Hardin County FD responded to a house fire started by a heating unit. An old wall heater that was supposed to have been disconnected switched on and ignited a nearby piece of furniture. Both residents were alerted to the fire by a smoke alarm installed by Hardin County in January 2014. The residents were able to contain the fire and contact the fire department.

- **Lexington, TN (March 6<sup>th</sup>, 2019)**

**Occupants: 4**

Henderson County FD was dispatched to a reported mobile home fire. They arrived at 4:21 AM. The fire was out with some smoke in the home. The occupants were awakened by smoke alarms activated by smoke coming from an electrical fire started within an interior central heating unit. The fire self-extinguished as a result of the occupant turning off the power to the unit. Two adults, one child and an infant were saved as a result of the working smoke alarms. The smoke alarms in the unit were installed by Henderson County FD in January 2017.

- **Savannah, TN (March 24<sup>th</sup>, 2019)**

**Occupants: 1**

Hardin County FD responded to a house fire started by a grease fire on a stove. When firefighters arrived seven minutes later they found that one occupant had been alerted to the fire by the three smoke alarms that Hardin County had installed in November 2018. The resident was able to get out without injury and the fire was contained to the kitchen.

- **White Pine, TN (May 28<sup>th</sup>, 2019)**

**Occupants: 4**

White Pine VFD was dispatched for a residential structure fire that started in the basement from possible electrical failure. The family of four was alerted to the fire and escaped the home. 3 smoke alarms were installed by White Pine VFD in March 2018.

- **Savannah, TN (September 12<sup>th</sup>, 2019)**

**Occupants: 1**

Hardin County FD responded to a fully involved house fire, believed to be the cause of smoking. The occupant uses a wheelchair and lives alone. He was found at the end of his wheelchair ramp outside the home by neighbors who reported the fire. 3 smoke alarms were installed by Hardin County in May 2019.

- **Memphis, TN (October 16<sup>th</sup>, 2019)**

**Occupants: 1**

Memphis Fire Department responded to a possible structure fire and arrived to find a home full of smoke. A space heater had started to catch fire and activated the smoke alarms, but the fire was out on arrival. The resident was able to safely evacuate the home. One smoke alarm was installed by Memphis Fire Department in October of 2018.

- **Memphis, TN (October 18<sup>th</sup>, 2019)**

**Occupants: 1**

Memphis Fire Department responded to a possible structure fire and arrived to find a home with smoke coming from the front door. Memphis Police Department was on scene and attempting to remove an elderly, wheelchair bound male from the residence who had been alerted by the smoke alarm when his HVAC unit overheated in the attic. One smoke alarm was installed by Memphis Fire Department in February of 2019.

- **Murfreesboro, TN (October 30<sup>th</sup>, 2019)**

**Occupants: 3**

Murfreesboro Fire Department responded to a possible apartment fire and arrived to find a unit with smoke in the residence. The resident reported that a towel had been laid over a lamp to serve as a nightlight for a child and the lamp had caused the towel and shade to melt. This caused smoke in the bedroom and the alarm alerted the resident who was able to safely remove the child from the room and get all of the occupants out of the residence. One smoke alarm was installed by Murfreesboro Fire Department in March of 2018.

- **Hollow Rock, TN (November 15<sup>th</sup>, 2019)**

**Occupants: 2**

Hollow Rock Fire Department responded to a structure fire caused by clothing in front of a bathroom wall heater. The heater was no longer used but was unknowingly turned on by the homeowner while resetting a breaker for their hot water heater. The heater ignited clothing sitting in front of the heater and the smoke set off the smoke alarm – alerting the residents. The residents were able to safely exit the home and call 911. The fire department arrived, and the fire was mostly contained to the bathroom. Five smoke alarms were installed by Hollow Rock FD in August 2017.

- **Jackson, TN (December 22<sup>nd</sup>, 2019)**

**Occupants: 1**

One resident of a single-family home was alerted to a fire while napping. The homeowner fell asleep while a pizza was cooking in the oven and woke to his smoke alarms. Jackson Fire Department had just installed 2 smoke alarms the same year, May 2019.

- **Johnson City, TN (January 5<sup>th</sup>, 2020)**

**Occupants: 1**

One occupant in an apartment unit was able to call 911 when her smoke alarms alerted her to a potential fire. When Johnson City Fire Department arrived on scene, smoke was seen coming from the roof. The fire was quickly put out and it was determined to have started in the HVAC. The Red Cross arrived to assist the occupant and the scene was cleared. Johnson City Fire Department had installed two alarms in the unit on December 12, 2015.

- **Yuma, TN (January 14<sup>th</sup>, 2020)**

**Occupants: 4**

Henderson County Fire Department responded to a reported kitchen fire caused by unattended cooking. Upon arrival the fire department found the home full of smoke. Upon investigation it was determined that one of four occupants began cooking on the stove but went into another portion of the home leaving the cooking unattended. It's believed the occupant fell asleep as were the other occupants at the time. The sound from two smoke alarms alerted the occupants to the fire allowing time for one occupant to extinguish the fire while the remaining occupants got outside the home to safety. Two smoke alarms were installed by Henderson County Fire Department in May 2016

- **Cleveland, TN (January 27<sup>th</sup>, 2020)**

**Occupants: 1**

Resident of a single-family home in Cleveland reported noticing a burning smell for a few days prior to a fire occurring to the duct work of the home's heating and AC unit. He was alerted by his smoke alarms and was aided by Cleveland Fire Department and the Red Cross. Although no damage was done to the main floor living area, the home was deemed uninhabitable. Cleveland Fire Department had installed 2 alarms in the home in December 2012.

- **Savannah, TN (February 2<sup>nd</sup>, 2020)**

**Occupants: 1**

Hardin County Fire Department responded to a reported mobile home fire. An outlet where a space heater was plugged into overheated in the hallway. The occupant was in the living room and was alerted by the smoke alarm. Two smoke alarms had been installed by Hardin County Fire Department in April 2016.

- **Parrottsville, TN (February 8<sup>th</sup>, 2020)**

**Occupants: 1**

Parrottsville Volunteer Fire Department, aided by St. James Volunteer Fire Department, Long Creek Volunteer Fire Department, Cocke County Fire Department and Caney Branch Volunteer Fire Department, responded to a reported single-family structure fire. A relative of the homeowner was at the barn on the property and saw smoke from the chimney. When she went to investigate, smoke alarms had already alerted the resident to the fire. No significant damage was done to the home. One smoke alarm was installed by St. James Volunteer Fire Department at the beginning of the GAT program in December 2012.

- **Smithville, TN (March 22<sup>nd</sup>, 2020)**

**Occupants: 5**

DeKalb County Fire Department responded to a chimney fire in Smithville. A family of five, that included four adults and one minor, had just sat down for Sunday brunch when the fire occurred. They were able to call for assistance after being alerted by their smoke alarms. DeKalb County Fire Department was able to determine that the fire originated in the chimney pipes of a wood stove from the buildup of creosote. DeKalb County Fire installed 2 alarms in January 2019.

- **Crossville, TN (April 15<sup>th</sup>, 2020)**

**Occupants: 1**

Unattended cooking sparked a mobile home fire in Crossville on April 15, 2020. The resident was in his bedroom when smoke alarms alerted him to the kitchen fire. Although the home was a total loss, the resident managed to escape in time and call 911. The American Red Cross was called for assistance. Cumberland County Fire Department installed 2 alarms in the home in January 2017.

- **Alcoa, TN (June 21<sup>st</sup>, 2020)**

**Occupants: 6**

Alcoa Fire Department responded to a house fire on June 21<sup>st</sup>, 2020. A resident reported that he smelled something burning an hour prior to the fire starting. It was not until the smoke alarms went off that he investigated and then evacuated with his girlfriend and four children. It was determined that the fire began in the back bedroom due to an overloaded circuit where two window A/C units were plugged in. Alcoa Fire Department installed 4 alarms in the home in April 2016.

- **Savannah, TN (October 28<sup>th</sup>, 2020)**

**Occupants: 2**

Savannah Fire Department, with mutual aid Hardin County Fire Department, responded to the report of heavy smoke coming from the master bedroom of a single-family home on October 28<sup>th</sup>, 2020. An adult female was alerted to the fire by smoke alarms and was able to evacuate with her grandson and dog. The fire was caused by a pillow leaning against an electric wall heater. Savannah Fire Department had installed 5 smoke alarms in the home in November 2017.

- **Lexington, TN (November 5<sup>th</sup>, 2020)**

**Occupants: 2**

On November 5<sup>th</sup>, 2020, Henderson County Fire Department responded to a house fire. Two residents were alerted to a fire by smoke alarms. The fire started in the bedroom as a result of cigarette ashes being discarded in a trash can. Henderson County Fire Department installed 2 smoke alarms in the home in December 2014.

- **Springville, TN (November 27<sup>th</sup>, 2020)**

**Occupants: 3**

Paris Landing Volunteer Fire Department responded to a mobile home fire on November 27<sup>th</sup>, 2020. Residents were asleep when the smoke alarms alerted them, and they were able to escape through the back door with their baby. The exact cause of the fire was undetermined; however, the fire appears to have originated in the living room or kitchen area. Paris Landing Volunteer Fire Department installed 2 smoke alarms in the home in April 2015.

- **Camden, TN (December 25<sup>th</sup>, 2020)**

**Occupants: 2**

Chalk-Level Volunteer Fire Department responded to a two-story house fire on December 25<sup>th</sup>, 2020. The resident and his son were in the living room when smoke alarms alerted them that there was a fire, and they were able to escape. It was determined that the fire originated in the chimney but soon spread to the second floor, causing damage to three rooms. Chalk-Level Volunteer Fire Department installed 2 smoke alarms in March 2013.



- **Crossville, TN (January 11<sup>th</sup>, 2021)**

**Occupants: 2**

On January 11<sup>th</sup>, 2021, Cumberland County Fire Department responded to a reported basement fire. The two residents were upstairs, on their way to bed, when the basement smoke alarm alerted them. They were able to escape and call 911. A dehumidifier was determined to be the cause of the fire. Cumberland County Fire Department installed 4 smoke alarms in the home in October 2016.

- **Kingsport, TN (April 8<sup>th</sup>, 2021)**

**Occupants: 1**

On April 8<sup>th</sup>, 2021, the Kingsport Fire Department responded to a smoke investigation in the bathroom of a local home. The resident was awakened by the activated smoke alarm and was able to escape the residence, closing the front door behind her. She went next door to call 911. Kingsport Fire Department arrived and extinguished the fire with an interior fire attack. Investigation of the fire indicated that it was started from placing combustibles too close to the wall heater. Kingsport Fire Department installed smoke alarms in the home in November 2015.

- **Bolivar, TN (April 23<sup>rd</sup>, 2021)**

**Occupants: 1**

On April 23<sup>rd</sup>, 2021, the Bolivar Fire Department responded to a report of a refrigerator fire. The resident was alerted by the activated smoke alarms, called 911 and then left the residence safely. The fire was caused by the refrigerator control panel and was out prior to the arrival of the responding crews. Bolivar Fire Department installed 6 smoke alarms in the home in July 2020.

- **Memphis, TN (May 16<sup>th</sup>, 2021)**

**Occupants: 1**

On May 16<sup>th</sup>, 2021, the Shelby County Fire Department responded to a report of a kitchen fire. The resident stated that he was cooking, fell asleep, and was awakened by the activated smoke alarm. Damage was isolated to the appliances, adjacent cabinetry, and stove vent hood. Unattended cooking was determined to be the cause of the fire. Shelby County Fire Department installed 1 smoke alarm in the home in July 2016.

- **Counce, TN (June 29<sup>th</sup>, 2021)**

**Occupants: 2**

Hardin County Fire Department responded to a residential structure fire on June 29<sup>th</sup>, 2021. One adult and one child were able to escape after a plugged-in three-way adapter had malfunctioned and caught fire. Occupants were alerted to the fire by smoke alarms that had been installed by Hardin County Fire Department in June 2021.

- **Dickson, TN (August 9<sup>th</sup>, 2021)**

**Occupants: 1**

Homeowner reported that on August 9 his smoke alarm alerted him to a small kitchen fire while he was in the bedroom. The fire was caused from placing the microwave on top of the stove against its dials, which accidentally turned the stove on and burned the microwave. The homeowner was able to remove the microwave out of the house prior to any damage. Dickson Fire Department installed 4 smoke alarms in the home in August 2021.

- **Murfreesboro, TN (October 4<sup>th</sup>, 2021)**

**Occupants: 1**

On October 4th, 2021, Murfreesboro Fire Rescue Department responded to a dryer fire in a single-family residential home. It was determined that the fire originated in the lint trap in the dryer. The resident was alerted to the fire by a smoke alarm that was installed by Murfreesboro Fire Rescue Department in February 2018.

- **Humboldt, TN (November 21<sup>st</sup>, 2021)**

**Occupants: 1**

Humboldt Fire Department responded to a cooking fire on November 21st, 2021. The homeowner was able to extinguish the gas oven fire with a fire extinguisher before the fire department arrived because of the early detection the smoke alarm provided. Humboldt Fire Department installed 2 smoke alarms in the home in June 2018.

- **Savannah, TN (January 22<sup>nd</sup>, 2022)**

**Occupants: 1**

On January 22, 2022, Hardin County Fire Department responded to a fire in Savannah. The resident was in the kitchen when a smoke alarm in the hallway activated and alerted him to a fire behind his wood stove. The cause of fire was determined to be an overheated flue pipe from the wood heater. Minor damage occurred where the flue pipe went through the wall and into the attic. Hardin County Fire Department installed 2 smoke alarms in the home in March 2018.

- **Memphis, TN (February 9<sup>th</sup>, 2022)**

**Occupants: 1**

Memphis Fire Department responded to a report of a house fire on February 9<sup>th</sup>, 2022. An elderly woman was watching television in the back bedroom of her house when she heard her smoke alarm. The woman, who uses a wheelchair, was able to escape her home without injury. A candle in the front room had burned through and caught a table on fire. No other damage was done. Memphis Fire Department installed 1 smoke alarm in the home in October 2017.

- **Manchester, TN (July 7<sup>th</sup>, 2022)**

**Occupants: 7**

On July 7, 2022, Manchester Fire Department responded to a house fire. The homeowner reported that her son had gotten ahold of a lighter. Curious as to how it worked, he started playing with the lighter in the closet, accidentally setting fire to some clothing and paper. Smoke alarms activated and alerted the rest of the family to the issue. The mother, grandmother and all 5 children were able to escape safely from the home as a result. Manchester Fire Department installed 6 smoke alarms in the home in April 2020.

- **Pigeon Forge, TN (November 13<sup>th</sup>, 2022)**

**Occupants: 7**

Pigeon Forge Fire Department responded to a mobile home fire on November 13, 2022. Although the exact cause of fire is unknown, it is believed to have started in an outdoor structure attached to the home. The exterior fire made entry to the home through the insulated area between the ceiling and the roof. Due to smoke alarms providing early detection, the family of seven, two adults and 5 children, were able to escape safely. The fire department was also able to arrive in time to save the majority of the family's belongings. Pigeon Forge Fire Department installed 4 smoke alarms during a canvass in the home in November 2021.

- **Lexington, TN (November 13<sup>th</sup>, 2022)**

**Occupants: 2**

Sunday evening, Henderson County Fire Department along with Lexington Fire Department responded to a kitchen fire. Cooking oil was left unattended on a heated stove. One resident admitted to falling asleep, while the other was at the opposite end of the home when the fire started. Both occupants were alerted to the fire by a smoke alarm that was near the kitchen and were able to call 9-1-1. Henderson County Fire Department installed 3 smoke alarms in November 2014.

- **Wildersville, TN (November 14<sup>th</sup>, 2022)**

**Occupants: 1**

Monday morning, Henderson Fire Department was called to investigate an extinguished fire within a resident's laundry room. An overheated electrical cord involving a space heater had been the cause. While in another room, the occupant was alerted to the fire and was able to unplug the cord and call 9-1-1. Henderson County Fire Department installed 3 smoke alarms in July 2021.

- **Chattanooga, TN (February 19<sup>th</sup>, 2022)**

**Occupants: 3**

Chattanooga Fire Department was called to a residential house fire on February 19<sup>th</sup>. Two adults and one child were alerted to the fire by their smoke alarms. The fire was the result of unattended cooking. Chattanooga Fire Department installed 2 smoke alarms in November 2014.

- **Bolivar, TN (February 23<sup>rd</sup>, 2022)**

**Occupants: 1**

Bolivar Fire Department responded to a home fire on February 23<sup>rd</sup>. Three teenagers were able to escape their house fire when awakened by smoke alarms. One of the children stated they had started cooking food on the stove and then fell asleep. Bolivar Fire Department installed 3 smoke alarms in February 2019.

- **Jackson, TN (February 27<sup>th</sup>, 2022)**

**Occupants: 3**

On February 27<sup>th</sup> Madison County Fire Department responded to a multi-family home fire. Materials too close to a space heater left unattended was the cause. Smoke alarms alerted the residents in time for the family of three, including two disabled elderly parents and their daughter, to escape and call 9-1-1. Madison County Fire Department installed 6 smoke alarms in May 2017.

- **Lawrenceburg, TN (April 1<sup>st</sup>, 2022)**

**Occupants: 4**

Lawrenceburg Fire Department responded to a report of a clothes dryer on fire, April 1<sup>st</sup>. Smoke alarms alerted the family of 4, 2 adults and 2 children. The homeowner was able to extinguish the fire with a fire extinguisher and call the fire department. Lawrenceburg Fire Department installed 4 smoke alarms in September 2018.

- **Bolivar, TN (April 28<sup>th</sup>, 2022)**

**Occupants: 1**

On April 28<sup>th</sup>, Bolivar Fire Department responded to a house fire. The homeowner was alerted to an issue by her smoke alarms. The cause of fire was determined to be an electrical issue with the stove. She was not cooking at the time. Bolivar Fire Department installed 5 smoke alarms in March 2018.

- **Alcoa, TN (May 3<sup>rd</sup>, 2022)**

**Occupants: 2**

May 3<sup>rd</sup>, Alcoa Fire Department responded to a residential structure fire. One resident fell asleep while smoking. The cigarette dropped and ignited materials around the bed, setting off the smoke alarms. All 3 residents awakened up to the sound of the alarms and able to escape. 2 Smoke alarms were installed at the residence by Alcoa Fire Department in September 2020.

- **Lexington, TN (May 29<sup>th</sup>, 2022)**

**Occupants: 1**

Henderson Fire Department responded to a mobile home fire on May 29<sup>th</sup>. The resident had fallen asleep on the couch while smoking and woke to smoke alarms. The cigarette had fallen and caught materials on fire. The resident was able to escape and call 9-1-1. Henderson County Fire Department installed 2 smoke alarms in January 2019.

- **Humboldt, TN (June 19<sup>th</sup>, 2022)**

**Occupants: 6**

June 19<sup>th</sup> Humboldt Fire Department responded to a fully engulfed residential home fire. A family of 6 was alerted to the fire by working smoke alarms. The fire started when the stove was turned on and left unattended. Grease had been left on the stove from cooking the previous evening and ignited. Humboldt Fire Department installed 2 smoke alarms in August 2019.

- **Jackson, TN (July 26<sup>th</sup>, 2022)**

**Occupants: 6**

Madison County Fire Department responded to a cooking grease fire, July 26<sup>th</sup>. Smoke alarms alerted the family of 6, 2 adults and 4 children, as the stove was left unattended. Madison County Fire Department installed 3 smoke alarms in March 2016.

- **Savannah, TN (October 11<sup>th</sup>, 2022)**

**Occupants: 5**

Hardin County Fire Department responded to a home fire on October 11<sup>th</sup>. A family of 5 escaped their early morning home fire when alerted by their smoke alarms. The cause was undetermined but appeared to have started in the kitchen. The home was a total loss. Hardin County Fire Department installed 3 smoke alarms in October 2016.

- **Covington, TN (October 12<sup>th</sup>, 2022)**

**Occupants: 1**

October 12<sup>th</sup> Covington Fire Department responded to a residential home fire. A grease fire on top of a glass cook-top stove set smoke alarms off and alerted the resident who had momentarily stepped away. The fire had ignited the vent hood and cabinets above. Covington Fire Department installed 3 smoke alarms in September 2020.

- **Alcoa, TN (December 8<sup>th</sup>, 2022)**

**Occupants: 2**

Alcoa Fire Department responded to a house fire the morning of December 8<sup>th</sup>. Two elderly residents were awakened by their smoke alarms and escaped the fire that started in the kitchen. It was determined that the wrong stove eye was accidentally ignited, and then left unattended. Combustible material left on the stove had then caught fire. The Red Cross was called to help assist with the displaced couple. Alcoa Fire Department installed 2 smoke alarms in July 2021.