



Tennessee Public Schools:

A Summary of Student Body Mass Index Data 2024-25

Tennessee Department of Health

Created in partnership with the

Tennessee Department of Education

The Tennessee Public Schools Summary of Weight Status Report 2024-25

Prepared by the Tennessee Department of Health

Division of Population Health Assessment

Acknowledgements and Citations

The following agencies collaborated to compile this summary:

- [Tennessee Department of Education, Coordinated School Health](#)
- [Tennessee Department of Health, Division of Population Health Assessment](#)

Special thanks to the following individuals:

Hopelyn Mooney, DrPH(c), MPH, Epidemiologist
Shannon Railling, PhD, MPH, Senior Data Manager
William Grib, MS, Statistician
Shalini Parekh, MPH, Assistant Commissioner

For more information:

Shannon Railling, PhD, MPH
Senior Data Manager
Division of Coordinated School Health
Tennessee Department of Education
Shannon.Railling@tn.gov
(615) 806-0217

Suggested Citation:

Tennessee Public Schools: A summary of weight status data, 2024-25. Nashville, TN: Tennessee Department of Education, Coordinated School Health, 2026.

Table of Contents

Introduction 5

Executive Summary 6

Student Characteristics 7

Weight Status Distribution by Gender 8

Prevalence of Overweight or Obese Students by Grade: 2018-19 vs 2024-25 9

 Table 1 12

Prevalence of Overweight or Obese Students by Gender and Grade 11

Prevalence of Overweight or Obese Students by School District 13

 Table 2 12

Appendix A: Tennessee’s CORE Regions 17

Appendix B: Tennessee Counties and Health Department Regions 18

Introduction


This summary presents weight status results from 68,134 assessed students enrolled in Tennessee public schools during the 2024-25 school year in grades kindergarten, 2, 4, 6, 8, and any one year of high school. This report includes measurements submitted by 92 public school districts in Tennessee ([see Appendix A](#)); a total of 29.8% percent of Tennessee school children in the aforementioned grades were assessed. **Please note:** a valid BMI screening report for the 2020-21 school year could not be generated due to absences incurred by the COVID-19 pandemic. In addition, participation levels for 2024-2025 have declined from 2023-24.

The data used in this report were collected by Coordinated School Health (CSH) coordinators, school nurses and physical education teachers. CSH was established by the Tennessee Department of Education in February 2001 to improve student health outcomes and support the connection between good health practices, academic achievement, and lifetime wellness. CSH was expanded to all school districts in 2006, and the first year that all districts collected Body Mass Index (BMI) data was the 2007-08 school year.

Body Mass Index (BMI) is calculated based on the height and weight measurements collected during school screenings in the current school year and is age- and gender-specific for children and teens. Please note that some counties and school districts require an active opt-in informed consent for BMI data collection, which can decrease the number of students screened.

The prevalence of overweight or obese students in this report refers to the proportion of public-school students found to be overweight or obese during the school year. **Overweight** is defined as having a BMI in the 85th to less than the 95th percentile for children of the same age and gender. **Obese** is defined as having a BMI in the 95th percentile or greater.

**Figure 1. Body Weight Status
Assessed Students, Tennessee Public Schools, 2024-25**




Executive Summary:

- Overall, 57.1% of assessed students had BMI measurements in the normal range, 16.4% were overweight, 23.5% of students were obese, and the remaining 3% were underweight ([see Figure 1](#)).
- There was a statistically significant difference in the prevalence of overweight or obese students between boys (40.5%) and girls (39.2%).
- Among assessed students classified as overweight or obese, the prevalence increased with each grade level from kindergarten to 6th grade (kindergarten: 31.1%; 2nd grade: 34.1%; 4th grade: 41.5%; 6th grade: 47.0%; 8th grade: 47.0%; high school: 41.3%).
- There was a slight decrease in the prevalence of assessed students who were classified as overweight or obese in Tennessee public schools between the 2023-24 (39.9%) and 2024-25 (39.8%) school years ([see Figure 2](#)).

*Throughout this report, “statistically significant” corresponds to a 95% confidence level.

Figure 2. Prevalence Trend of Overweight or Obesity, Assessed Students, Tennessee Public Schools, 2015-16 to 2024-25 School Year




Data Source: Body Mass Index Data, 2014-15 to 2024-25, Tennessee Department of Education, Nashville, Tennessee.

Student Characteristics

A smaller percentage of students were assessed for the 2024-25 school year (15.5%) compared with the 2023-24 school year (36.1%). Of them, 15.5% were kindergarteners, 21.9% were 2nd graders, 24.3% were 4th graders, 18.4% were 6th graders, 9.8% were 8th graders, and 10.2% were high schoolers (see Figure 3).

Figure 3. Percentage of Assessed Students by Grade Level, Tennessee Public School Students, 2024-25




Data Source: Body Mass Index Data, 2024-25, Tennessee Department of Education, Nashville, Tennessee.

Weight Status Distribution by Gender (of assessed students)

- Of all screened students, 39.8% were either overweight or obese.
- Overall, there were significantly more girls with normal weight (58.1%; 95% CI: 57.6-58.6) compared with boys (56.2%; 95% CI: 55.7-56.7) ([see Figure 4](#)).
- The overweight or obesity prevalence among boys (40.5%; 95% CI: 40.0-41.0) was significantly higher than that of girls (39.2%; 95% CI: 38.7-39.7) ([see Figure 4](#)).
- Boys were more likely to be obese (25.0%) than girls (21.8%) (*statistically significant*). However, girls were more likely to be overweight (17.4%) than boys (15.4%) (*statistically significant*).
- Boys were more likely to be underweight (3.3%) than girls (2.7%) (*statistically significant*).

Figure 4. Weight Status Distribution by Gender, Assessed Students, Tennessee Public Schools, 2024-25




Data Source: Body Mass Index Data, 2024-25, Tennessee Department of Education, Nashville, Tennessee.

Prevalence of Overweight or Obese Students by Grade: 2018-19 vs 2024-25

- **Since the 2018-19 school year**, there has been a statistically significant increase in the prevalence of overweight or obesity among students in kindergarten, grades 2, 4, and 6. ([see Table 1](#))
- There has been a significant decrease in the prevalence of overweight or obesity among grades 8 and high schoolers.
- Although there was an increase in prevalence of **6th grade boys** who were overweight or obese from 2018-19 (44.9%) to 2024-25 (46.9%), it was not statistically significant.
- Although there was a decrease in prevalence of **8th grade boys** who were overweight or obese from 2018-19 (43.4%) to 2024-25 (41.4%), it was not statistically significant.

Figure 5. Prevalence of Overweight or Obese by Grade, Assessed Students, Tennessee Public Schools, 2021-22, 2022-23, 2023-24, and 2024-25




Data Source: Body Mass Index Data, 2021-22 to 2024-25, Tennessee Department of Education, Nashville, Tennessee.

Prevalence of Overweight or Obese Students by Gender and Grade

Of screened boys, the percentage who were overweight or obese was 40% or higher in grade 4, grade 6, grade 8, and high school. Of screened girls, the percentage who were overweight or obese was 40% or higher in grade 6, grade 8, and high school ([see Figure 6](#)).

- Boys had the highest percentage of overweight or obese students overall (40.5%).
- Eighth grade boys, specifically, had the highest prevalence of overweight or obese students (46.9%).
- Among girls, the highest percentage of overweight or obese students was in grade 8 (47.2%).

Figure 6. Prevalence of Overweight or Obese by Gender and Grade, Assessed Students, Tennessee Public Schools, 2024-25



Data Source: Body Mass Index Data, 2024-25 Tennessee Department of Education, Nashville, Tennessee.

Table 1. Prevalence of Overweight or Obese* Assessed Students in Tennessee Public Schools, by Grade, 2018-19, 2019-20, 2021-22, 2022-23, 2023-24, and 2024-25^ School Years

Grade	Gender	2018-19		2019-20		2021-22		2022-23		2023-24		2024-25		Change from 2018-19 to 2024-25
		Percent overweight or obese	95% confidence interval	Percent overweight or obese	95% confidence interval	Percent overweight or obese	95% confidence interval	Percent overweight or obese	95% confidence interval	Percent overweight or obese	95% confidence interval	Percent overweight or obese	95% confidence interval	
All Grades	Boys	39.6	39.3 - 39.8	39.8	39.6 - 40.1	43.4	43.1 - 43.7	40.4	40.1 - 40.7	40.0	39.6 - 40.3	31.2	30.0 - 32.5	Decrease
	Girls	39.5	39.2 - 39.7	39.5	39.3 - 39.8	42.1	41.8 - 42.4	40.0	39.8 - 40.3	39.7	39.4 - 40.1	31.0	29.7 - 32.2	Decrease
	Both	39.5	39.4 - 39.7	39.7	39.5 - 39.9	42.8	42.6 - 43.0	40.2	40.0 - 40.4	39.8	39.6 - 40.1	31.1	30.2 - 32.0	Decrease
K	Boys	29.2	28.6 - 29.7	30.4	29.9 - 31.0	34.4	33.7 - 35.0	30.7	30.1 - 31.3	30.9	30.2 - 31.6	34.4	33.3 - 35.5	Increase
	Girls	30.0	29.4 - 30.5	30.9	30.3 - 31.5	34.5	33.9 - 35.2	31.5	30.9 - 32.1	32.2	31.4 - 32.9	33.7	32.6 - 34.8	Increase
	Both	29.6	29.2 - 29.9	30.7	30.3 - 31.1	34.4	34.0 - 34.9	31.1	30.7 - 31.5	31.5	31.0 - 32.0	34.1	33.3 - 34.8	Increase
2nd	Boys	34.6	34.0 - 35.1	35.2	34.7 - 35.8	40.4	39.7 - 41.0	36.6	36.0 - 37.2	36.4	35.7 - 37.1	43.1	42.0 - 44.1	Increase
	Girls	34.1	33.5 - 34.7	35.3	34.7 - 35.9	39.1	38.4 - 39.8	36.2	35.6 - 36.9	36.4	35.7 - 37.1	39.8	38.7 - 40.9	Increase
	Both	34.3	33.9 - 34.7	35.3	34.9 - 35.7	39.7	39.3 - 40.2	36.4	36.0 - 36.9	36.4	35.9 - 36.9	41.5	40.7 - 42.2	Increase
4th	Boys	42.0	41.4 - 42.5	42.7	42.1 - 43.2	47.8	47.1 - 48.5	44.0	43.4 - 44.6	43.2	42.5 - 43.9	47.7	46.5 - 48.9	Increase
	Girls	40.7	40.1 - 41.2	40.5	39.9 - 41.1	44.7	44.1 - 45.4	42.1	41.4 - 42.7	41.6	40.9 - 42.4	46.3	45.0 - 47.5	Increase
	Both	41.3	41.0 - 41.7	41.6	41.2 - 42.0	46.3	45.8 - 46.8	43.0	42.6 - 43.5	42.4	41.9 - 42.9	47.0	46.1 - 47.9	Increase
6th	Boys	44.9	44.4 - 45.5	45.7	45.1 - 46.3	48.5	47.7 - 49.2	46.1	45.5 - 46.8	46.9	46.2 - 47.7	46.9	45.2 - 48.6	No Difference
	Girls	43.6	43.0 - 44.2	44.2	43.6 - 44.9	46.3	45.5 - 47.1	45.0	44.3 - 45.7	45.8	45.0 - 46.7	47.2	45.4 - 48.9	Increase
	Both	44.3	43.9 - 44.7	45.0	44.6 - 45.4	47.4	46.9 - 47.9	45.6	45.1 - 46.0	46.4	45.9 - 47.0	47.0	45.8 - 48.2	Increase
8th	Boys	43.4	42.8 - 44.0	43.9	43.2 - 44.5	46.1	45.4 - 46.9	44.1	43.4 - 44.8	44.1	43.2 - 44.9	41.4	39.8 - 43.1	No Difference
	Girls	45.6	45.0 - 46.2	45.7	45.0 - 46.4	46.7	45.9 - 47.4	45.5	44.7 - 46.2	45.1	44.2 - 46.0	41.2	39.5 - 42.9	Decrease
	Both	44.4	44.0 - 44.9	44.7	44.3 - 45.2	46.4	45.9 - 46.9	44.8	44.2 - 45.3	44.5	43.9 - 45.2	41.3	40.1 - 42.5	Decrease
High School	Boys	42.9	42.3 - 43.0	42.5	41.7 - 43.2	44.6	43.9 - 45.4	42.0	41.3 - 42.7	47.7	40.6 - 54.8	40.5	40.0 - 41.0	Decrease
	Girls	43.5	42.8 - 44.1	42.8	42.0 - 43.5	43.0	42.2 - 43.8	41.6	40.9 - 42.3	39.4	32.8 - 46.1	39.2	38.7 - 39.7	Decrease
	Both	43.2	42.7 - 43.7	42.6	42.1 - 43.1	43.8	43.3 - 44.4	41.8	41.3 - 42.3	43.4	38.6 - 48.2	39.8	39.5 - 40.2	Decrease

^Please note: a report was not generated for the 2020-21 school year due to low screening numbers as a result of the COVID-19 pandemic

*Overweight/obese was defined as body mass index (BMI) greater than or equal to the 85th percentile for children of the same age and sex.

***"Decrease" or "Increase" indicates a statistically significant change from 2018-19 to 2024-25. "No difference" indicates that confidence intervals overlap and a significant difference is uncertain.

Data source: Body Mass Index Data, 2018-19 to 2024-25, Tennessee Department of Education, Nashville Tennessee

Prevalence of Overweight or Obese Students by School District

The prevalence of overweight or obese students screened for BMI varied by school district, ranging from Maryville City Schools (lowest; 34.6%) to Monroe County Schools (48.9%) for the 2024-25 school year* ([see Table 2](#)).

- The **school districts with the highest percentage of overweight or obese students** among those screened for the 2024-25 school year were Monroe County (48.9%), Lenoir City (47.4%), Brenton County (46.3%), Jefferson County (44.8%), and Cleveland (43.5%)*.
- The **five school districts with the lowest percentage of overweight or obese students** among those screened for the 2024-25 school year were Maryville (34.6%), Oak Ridge (35.5%), Roane County (39.4%), McMinn County (41.2%), and Murfreesboro (42.1%)*.

* Only districts with at least 50% participation are ranked (n=12 school districts)

Table 2. Prevalence of Overweight or Obese* Assessed Students in Tennessee Public Schools, by School District, 2018-19 to 2024-25^A School Years

District	2018-19		2019-20		2021-22		2022-23		2023-24		2024-25		Percent of Population Assessed 2024-25
	Percent overweight or obese	95% confidence interval	Percent overweight or obese	95% confidence interval	Percent overweight or obese	95% confidence interval	Percent overweight or obese	95% confidence interval	Percent overweight or obese	95% confidence interval	Percent overweight or obese	95% confidence interval	
Tennessee	39.5	39.3 - 39.7	39.7	39.5 - 39.9	42.8	42.6 - 43.0	40.2	40.0 - 40.4	39.8	39.6 - 40.1	39.8	39.5 - 40.2	15.5
Alamo	42.8	37.3 - 48.3	45.2	39.6 - 50.7	40.1	34.4 - 45.7	43.0	37.1 - 48.9	No Data	-	44.9	34.3 - 55.9	25.8
Alcoa City	38.3	34.1 - 42.4	37.0	32.3 - 41.7	34.2	23.7 - 44.6	37.8	33.9 - 41.6	33.6	29.8 - 37.6	No Data	-	0.0
Alvin York	44.3	35.3 - 53.4	38.8	29.1 - 48.4	50.0	41.1 - 58.9	56.9	47.6 - 66.2	No Data	-	50.0	37.3 - 62.7	38.6
Anderson County	43.1	41.0 - 45.2	44.2	42.0 - 46.4	44.7	41.9 - 47.5	45.0	42.8 - 47.2	No Data	-	No Data	-	0.0
Arlington Community	33.1	31.0 - 35.3	30.6	28.6 - 32.7	33.8	31.0 - 36.7	33.7	31.4 - 36.0	No Data	-	31.2	28.3 - 34.3	48.2
Athens City	39.6	36.0 - 43.1	37.2	33.8 - 40.6	44.4	41.0 - 47.9	44.9	41.4 - 48.4	39.1	35.7 - 42.7	43.5	38.9 - 48.1	51.3
Bartlett City Schools	33.8	32.2 - 35.4	33.4	31.8 - 35.0	No Data	-	36.8	35.0 - 38.5	38.1	36.2 - 40.0	34.6	29.1 - 40.6	6.6
Bedford County	48.5	46.7 - 50.3	43.5	41.0 - 46.0	No Data	-	45.7	42.8 - 48.5	43.1	40.9 - 45.3	42.1	38.4 - 45.9	16.3
Bells City	36.1	28.3 - 44.0	38.7	31.3 - 46.1	52.7	44.6 - 60.8	46.9	39.2 - 54.6	43.2	35.7 - 51.1	No Data	-	0.0
Benton County	46.6	43.1 - 50.1	48.5	44.7 - 52.2	47.7	44.1 - 51.3	46.1	42.7 - 49.5	48.8	44.8 - 52.7	46.3	42.1 - 50.6	54.3
Bledsoe County	41.5	36.8 - 46.3	39.8	35.0 - 44.7	40.6	35.6 - 45.6	47.8	42.9 - 52.6	No Data	-	No Data	-	0.0
Blount County	41.1	39.6 - 42.6	41.4	39.9 - 43.0	43.1	41.4 - 44.8	41.0	39.5 - 42.5	39.9	38.2 - 41.5	No Data	-	0.0
Bradford SSD	43.8	37.4 - 50.1	41.0	34.7 - 47.4	44.4	34.2 - 54.7	40.6	34.2 - 47.1	No Data	-	34.9	25.7 - 45.4	31.7
Bradley County	40.5	38.9 - 42.1	41.2	39.6 - 42.9	40.9	39.3 - 42.5	39.7	38.1 - 41.3	41.0	39.2 - 42.8	39.0	36.3 - 41.8	26.7
Bristol City	35.3	32.9 - 37.6	33.0	30.6 - 35.4	No Data	-	37.1	34.3 - 39.9	No Data	-	No Data	-	0.0
Campbell County	45.6	42.3 - 48.9	48.6	46.2 - 51.0	45.1	42.4 - 47.9	42.5	39.9 - 45.1	41.2	36.7 - 45.9	37.8	31.2 - 45.0	8.3
Cannon County	40.3	36.7 - 43.8	43.6	40.0 - 47.2	42.6	38.2 - 47.0	43.7	39.8 - 47.6	40.7	36.3 - 45.3	40.2	33.2 - 47.7	22.6
Carter County	46.1	43.6 - 48.6	43.9	41.4 - 46.3	47.7	44.5 - 50.8	41.5	38.7 - 44.3	42.1	39.3 - 45.0	No Data	-	0.0
Cheatham County	32.2	30.0 - 34.5	No Data	-	0.0								
Chester County	41.3	38.1 - 44.5	41.4	38.2 - 44.6	No Data	-	35.8	33.1 - 38.6	33.6	30.4 - 36.9	26.3	19.6 - 34.2	10.9
Claiborne County	47.7	44.8 - 50.6	47.1	44.2 - 50.0	44.6	41.7 - 47.4	43.3	40.4 - 46.2	42.4	39.6 - 45.3	No Data	-	0.0
Clay County	41.5	37.0 - 46.1	39.8	35.0 - 44.6	43.2	38.6 - 47.7	45.5	40.7 - 50.3	37.6	32.5 - 43.0	51.1	42.8 - 59.3	28.8
Cleveland	39.8	37.8 - 41.7	40.0	38.0 - 42.0	43.9	41.7 - 46.2	42.9	40.9 - 45.0	33.0	29.5 - 36.8	43.5	41.1 - 46.0	61.2
Clinton City	36.9	32.4 - 41.4	35.1	30.6 - 39.6	53.2	47.2 - 59.1	45.4	40.0 - 50.7	31.1	26.0 - 36.7	53.4	46.8 - 59.9	41.4
Cocke County	48.2	46.1 - 50.3	46.2	43.8 - 48.5	49.4	47.0 - 51.7	48.5	46.1 - 50.8	43.8	40.9 - 46.9	No Data	-	0.0
Coffee County	44.1	41.5 - 46.6	43.9	41.4 - 46.4	42.5	38.0 - 47.1	40.1	37.3 - 42.8	44.9	41.7 - 48.1	45.3	41.5 - 49.2	37.0
Collierville	22.9	21.5 - 24.2	25.8	23.5 - 28.1	No Data	-	22.9	21.6 - 24.2	No Data	-	25.5	22.9 - 28.4	23.4
Crockett County	49.3	45.3 - 53.2	48.3	44.6 - 51.9	48.0	44.1 - 51.8	48.3	44.0 - 52.5	51.9	34.0 - 69.3	No Data	-	0.0
Cumberland County	46.9	45.2 - 48.6	43.9	42.0 - 45.7	43.5	41.6 - 45.5	44.7	42.7 - 46.6	40.7	37.7 - 43.9	44.3	41.6 - 47.0	40.4
Davidson-Metro Nash	37.1	36.5 - 37.7	35.9	35.3 - 36.5	41.7	41.0 - 42.3	38.7	38.1 - 39.4	36.5	35.7 - 37.4	36.9	36.2 - 37.7	48.3
Dayton City	39.9	35.0 - 44.8	41.5	36.6 - 46.4	48.4	43.6 - 53.3	46.0	41.1 - 50.9	48.7	44.1 - 53.4	48.5	40.1 - 56.9	28.8
Decatur County	46.2	43.3 - 49.1	47.8	44.0 - 51.6	48.8	44.5 - 53.1	47.9	43.9 - 51.9	50.5	46.1 - 55.0	41.3	35.5 - 47.3	39.6
DeKalb County	45.1	41.2 - 48.9	46.9	44.0 - 49.8	48.8	45.9 - 51.8	45.6	42.7 - 48.6	53.8	50.6 - 56.9	51.7	47.7 - 55.7	43.4
Dickson County	41.3	39.5 - 43.1	38.1	35.9 - 40.4	43.6	41.5 - 45.6	41.2	39.1 - 43.2	38.9	36.6 - 41.1	No Data	-	0.0
Dyer County	38.4	36.0 - 40.7	40.3	37.8 - 42.9	42.7	40.2 - 45.2	37.7	35.1 - 40.3	40.8	38.1 - 43.5	29.6	26.1 - 33.3	39.0
Dyersburg City	40.0	37.0 - 43.0	49.7	44.3 - 55.1	43.4	38.8 - 48.0	39.2	36.2 - 42.2	41.8	38.7 - 45.0	31.9	27.6 - 36.5	35.4
Elizabethhton	41.2	37.9 - 44.6	43.1	39.8 - 46.5	47.3	43.7 - 51.0	42.8	38.9 - 46.7	40.4	36.5 - 44.5	No Data	-	0.0
Etowah City	32.3	25.0 - 39.6	42.9	35.2 - 50.7	42.9	34.9 - 50.9	46.6	38.6 - 54.7	No Data	-	32.3	22.0 - 44.6	35.2
Fayette County	46.0	43.2 - 48.8	42.0	39.3 - 44.8	No Data	-	42.4	39.6 - 45.3	No Data	-	37.6	32.7 - 42.7	29.2
Fayetteville City	34.3	30.2 - 38.4	44.8	40.5 - 49.1	38.6	33.9 - 43.2	41.3	36.2 - 46.3	50.4	45.3 - 55.5	25.2	18.2 - 33.9	24.9
Fentress County	50.1	46.8 - 53.4	46.3	42.8 - 49.7	42.9	39.6 - 46.2	43.4	40.2 - 46.6	42.7	37.9 - 47.7	No Data	-	0.0
Franklin County	66.0	62.7 - 69.2	40.9	38.4 - 43.4	36.3	31.2 - 41.3	40.7	38.4 - 43.0	39.0	36.0 - 42.1	33.9	30.2 - 37.9	26.3
Franklin SSD	30.8	28.5 - 33.0	No Data	-	36.4	33.7 - 39.1	29.8	27.4 - 32.2	29.2	26.9 - 31.6	No Data	-	0.0
Germantown	21.7	20.0 - 23.5	21.8	20.0 - 23.5	No Data	-	23.6	21.1 - 26.2	No Data	-	No Data	-	0.0
Gibson County SSD	38.8	36.2 - 41.4	42.0	39.3 - 44.7	42.6	39.7 - 45.4	44.1	41.7 - 46.5	40.5	37.9 - 43.1	No Data	-	0.0
Giles County	45.7	43.2 - 48.2	40.8	38.1 - 43.5	42.1	39.5 - 44.6	44.5	41.9 - 47.1	39.4	35.2 - 43.8	42.0	36.4 - 47.9	17.9
Grainger County	52.8	50.1 - 55.5	50.4	47.7 - 53.1	No Data	-	54.5	50.4 - 58.5	49.1	41.6 - 56.7	No Data	-	0.0
Greene County	43.3	41.3 - 45.3	42.3	40.1 - 44.4	44.8	42.8 - 46.9	39.0	37.0 - 41.1	41.6	39.3 - 43.8	44.2	38.4 - 50.2	10.5
Greeneville City	41.4	38.5 - 44.2	41.0	38.2 - 43.8	No Data	-	44.3	41.3 - 47.3	43.9	39.9 - 48.0	No Data	-	0.0
Grundy County	39.6	35.4 - 43.8	39.2	35.3 - 43.2	41.1	36.8 - 45.4	38.0	33.7 - 42.2	28.7	23.8 - 34.2	No Data	-	0.0
Hamblen County	47.0	45.5 - 48.5	47.6	46.0 - 49.1	46.9	45.1 - 48.7	45.3	43.6 - 46.9	46.5	44.7 - 48.3	No Data	-	0.0
Hamilton County	36.0	35.3 - 36.7	41.2	40.4 - 41.9	38.6	37.9 - 39.4	No Data	-	No Data	-	No Data	-	0.0
Hancock County	51.2	46.2 - 56.1	45.1	37.2 - 53.0	47.5	41.9 - 53.1	41.1	35.3 - 46.8	No Data	-	36.4	29.4 - 44.1	41.9

^APlease note: a report was not generated for the 2020-21 school year due to low screening numbers as a result of the COVID-19 pandemic
 *Overweight/obese was defined as body mass index (BMI) greater than or equal to the 85th percentile for children of the same age and sex.
 No data indicates data was not submitted for the school year.
 Data source: Body Mass Index Data, 2018-19 to 2024-25, Tennessee Department of Education, Nashville Tennessee
 ** Results for districts with less than a 50% response rate should be interpreted with caution.
 ***Data provided was biologically implausible, indicating an error in data collection.
 9 districts are missing data due to the COVID-19 pandemic.

Table 2. Prevalence of Overweight or Obese* Assessed Students in Tennessee Public Schools, by School District, 2018-19 to 2024-25^ School Years

District	2018-19		2019-20		2021-22		2022-23		2023-24		2024-25		Percent of Population Assessed 2024-25
	Percent overweight or obese	95% confidence interval	Percent overweight or obese	95% confidence interval	Percent overweight or obese	95% confidence interval	Percent overweight or obese	95% confidence interval	Percent overweight or obese	95% confidence interval	Percent overweight or obese	95% confidence interval	
Hardeman County	42.2	38.9 - 45.5	47.9	44.6 - 51.2	No Data	-	43.8	40.3 - 47.3	44.0	40.0 - 48.1	44.4	40.0 - 48.8	35.3
Hardin County	47.2	44.7 - 49.6	47.0	44.5 - 49.5	48.8	46.2 - 51.4	45.1	42.5 - 47.7	44.9	42.1 - 47.6	47.6	43.5 - 51.7	40.8
Hawkins County	46.0	44.0 - 48.1	44.4	42.2 - 46.5	No Data	-	0.0						
Haywood County	42.8	39.9 - 45.7	43.8	40.8 - 46.8	51.4	48.0 - 54.8	46.5	43.3 - 49.8	43.3	38.4 - 48.2	50.0	43.5 - 56.5	22.3
Henderson County	44.8	42.2 - 47.4	43.9	40.6 - 47.2	No Data	-	45.4	42.3 - 48.5	44.6	41.3 - 48.0	46.4	42.2 - 50.7	33.0
Henry County	42.6	39.8 - 45.4	44.7	42.0 - 47.5	46.4	43.4 - 49.4	44.1	40.6 - 47.5	41.6	38.3 - 45.0	39.4	34.6 - 44.4	34.9
Hickman County	43.0	40.2 - 45.8	45.6	42.7 - 48.4	48.2	45.3 - 51.2	43.8	40.8 - 46.8	50.5	47.4 - 53.6	40.3	35.3 - 45.5	26.4
Hollow Rock-Bruceston	45.9	39.2 - 52.7	33.3	22.0 - 44.7	42.6	34.1 - 51.2	41.1	32.5 - 49.8	No Data	-	No Data	-	0.0
Houston County	32.8	29.0 - 36.7	35.5	31.2 - 39.7	44.4	37.7 - 51.2	42.5	37.8 - 47.3	No Data	-	No Data	-	0.0
Humboldt City	50.9	46.3 - 55.5	53.1	48.3 - 57.9	53.2	48.3 - 58.0	51.0	45.7 - 56.4	59.7	47.3 - 71.0	No Data	-	0.0
Humphreys County	39.5	36.7 - 42.3	42.0	38.9 - 45.2	No Data	-	No Data	-	39.7	35.4 - 44.2	No Data	-	0.0
Huntingdon SSD	41.5	37.4 - 45.7	50.3	46.1 - 54.5	43.6	39.3 - 47.9	39.4	35.3 - 43.5	34.3	29.6 - 39.4	No Data	-	0.0
Jackson County	38.4	33.4 - 43.5	54.5	48.4 - 60.6	No Data	-	37.6	29.4 - 45.8	35.5	31.5 - 39.7	37.6	31.5 - 44.0	37.4
Jefferson County	41.8	39.2 - 44.3	39.0	36.5 - 41.6	43.7	41.0 - 46.3	44.8	42.3 - 47.3	43.8	41.3 - 46.3	44.8	42.4 - 47.2	52.2
Johnson City	36.3	34.5 - 38.1	36.5	34.8 - 38.3	40.1	38.3 - 41.8	38.6	36.7 - 40.4	No Data	-	No Data	-	0.0
Johnson County	41.4	37.7 - 45.1	39.9	36.4 - 43.4	42.0	38.4 - 45.7	38.0	34.5 - 41.6	No Data	-	40.1	39.1 - 41.2	24.5
Kingsport City	33.7	31.8 - 35.6	34.4	32.0 - 36.7	No Data	-	0.0						
Knox County	37.6	36.8 - 38.3	34.3	33.5 - 35.1	No Data	-	36.3	35.6 - 37.0	No Data	-	No Data	-	0.0
Lake County	50.3	42.9 - 57.6	49.5	43.8 - 55.2	53.9	48.3 - 59.5	51.0	45.7 - 56.3	50.0	43.6 - 56.4	54.6	46.0 - 62.9	37.9
Lakeland	22.4	19.3 - 25.4	29.5	25.6 - 33.4	29.3	26.0 - 32.6	26.1	23.2 - 28.9	30.2	26.6 - 34.0	22.5	17.4 - 28.6	16.8
Lauderdale County	47.9	45.1 - 50.6	45.4	42.7 - 48.1	No Data	-	49.7	46.8 - 52.6	46.7	43.5 - 50.0	No Data	-	0.0
Lawrence County	42.1	40.1 - 44.1	43.0	41.0 - 45.1	42.7	40.6 - 44.8	40.7	38.8 - 42.6	35.8	32.8 - 38.9	39.1	33.9 - 44.6	10.5
Lebanon SSD	43.9	41.3 - 46.6	43.3	40.8 - 45.8	No Data	-	40.8	37.9 - 43.7	39.7	36.9 - 42.7	No Data	-	0.0
Lenoir City	48.2	43.2 - 53.2	49.0	44.9 - 53.0	46.8	42.4 - 51.1	44.3	39.9 - 48.6	45.5	40.4 - 50.7	47.4	43.5 - 51.4	61.6
Lewis County	51.0	47.2 - 54.7	48.4	44.2 - 52.6	No Data	-	45.1	41.0 - 49.3	46.7	42.5 - 51.0	39.7	29.3 - 51.2	4.6
Lexington City	42.9	38.2 - 47.6	44.8	40.2 - 49.4	52.5	47.9 - 57.1	48.4	43.7 - 53.2	No Data	-	47.1	39.7 - 54.5	39.8
Lincoln County	40.4	37.8 - 43.1	40.2	37.5 - 43.0	42.3	39.7 - 44.9	37.1	34.5 - 39.7	39.1	36.2 - 42.0	37.9	34.4 - 41.5	42.4
Loudon County	42.6	40.4 - 44.8	40.7	38.5 - 42.9	43.0	40.9 - 45.1	39.9	37.8 - 41.9	40.4	38.2 - 42.6	No Data	-	0.0
Macon County	45.5	43.0 - 48.0	44.5	42.2 - 46.9	34.4	28.0 - 40.9	40.2	37.8 - 42.5	44.3	41.3 - 47.4	No Data	-	0.0
Madison County	42.5	41.2 - 43.9	40.8	39.4 - 42.2	48.6	44.5 - 52.7	45.0	43.5 - 46.4	42.3	40.8 - 43.8	No Data	-	0.0
Manchester City	37.5	32.6 - 42.4	39.5	34.8 - 44.2	49.7	44.5 - 55.0	35.5	31.0 - 40.0	42.0	36.9 - 47.2	37.0	29.6 - 45.1	17.2
Marion County	42.3	39.7 - 45.0	39.8	37.1 - 42.5	36.0	33.2 - 38.8	34.9	32.2 - 37.5	39.4	36.3 - 42.6	41.9	37.4 - 46.5	26.7
Marshall County	41.2	39.2 - 43.3	43.1	41.0 - 45.3	39.0	36.7 - 41.2	38.8	36.6 - 41.0	42.2	39.8 - 44.5	37.8	28.8 - 47.6	4.0
Maryville City	33.7	31.7 - 35.6	33.0	31.1 - 34.9	34.9	33.0 - 36.8	37.1	34.8 - 39.5	32.9	30.9 - 35.0	34.6	32.1 - 37.1	52.6
Maury County	38.0	36.8 - 39.2	39.6	38.2 - 41.0	41.2	39.8 - 42.6	38.7	37.4 - 40.0	38.5	37.0 - 40.0	40.3	38.1 - 42.6	29.4
McKenzie SSD	50.8	46.4 - 55.2	37.1	32.7 - 41.4	40.2	36.0 - 44.4	43.1	38.9 - 47.2	38.1	33.7 - 42.8	44.1	35.4 - 53.1	19.9
McMinn County	43.1	40.8 - 45.3	45.1	42.9 - 47.4	41.5	38.9 - 44.1	41.5	39.2 - 43.8	39.3	36.2 - 42.4	41.2	38.3 - 44.2	50.5
McNairy County	43.6	41.3 - 45.9	43.3	40.9 - 45.7	No Data	-	41.1	38.6 - 43.6	41.4	38.7 - 44.2	No Data	-	0.0
Meigs County	44.7	41.0 - 48.4	42.7	38.8 - 46.7	46.6	42.8 - 50.3	45.5	41.7 - 49.3	39.4	35.7 - 43.4	42.9	31.4 - 55.1	7.7
Memphis-Shelby^^	45.1	44.4 - 45.7	42.7	42.1 - 43.4	51.4	50.8 - 52.0	44.6	44.1 - 45.1	41.3	40.5 - 42.1	49.6	45.6 - 53.6	1.2
Milan SSD	43.2	39.9 - 46.6	42.8	39.5 - 46.2	46.4	42.9 - 49.8	41.9	38.4 - 45.3	50.1	45.2 - 55.0	No Data	-	0.0
Millington	44.0	40.7 - 47.3	42.7	37.3 - 48.2	41.0	35.1 - 46.9	45.1	41.2 - 49.0	48.4	42.3 - 54.6	20.8	14.5 - 28.9	10.6
Monroe County	45.2	43.0 - 47.4	39.4	37.2 - 41.6	No Data	-	50.1	47.8 - 52.4	48.7	46.1 - 51.3	48.9	45.9 - 51.9	50.1
Montgomery County	34.0	33.2 - 34.9	29.8	28.9 - 30.7	37.4	36.5 - 38.4	38.4	36.6 - 40.1	37.4	35.6 - 39.3	No Data	-	0.0
Moore County	39.4	34.3 - 44.5	40.1	33.5 - 46.7	23.9	19.8 - 28.0	28.8	24.0 - 33.6	18.8	13.9 - 25.0	39.1	22.2 - 59.2	6.3
Morgan County	40.4	37.6 - 43.3	38.0	34.7 - 41.3	43.3	40.1 - 46.5	41.7	38.8 - 44.6	39.5	36.2 - 42.9	44.2	39.7 - 48.7	36.7
Murfreesboro City	35.8	34.2 - 37.3	37.1	35.5 - 38.6	43.1	41.4 - 44.7	38.4	36.8 - 39.9	38.3	36.8 - 39.9	42.1	40.2 - 44.0	56.7
Newport City	48.8	43.7 - 53.9	46.2	40.9 - 51.6	No Data	-	42.9	37.7 - 48.1	No Data	-	43.3	36.7 - 50.2	51.3
Oak Ridge City	30.9	27.7 - 34.2	36.5	34.2 - 38.7	36.7	34.4 - 38.9	33.6	31.4 - 35.7	35.9	33.5 - 38.3	35.5	33.0 - 38.0	65.1
Obion County	45.3	42.7 - 47.9	46.2	43.4 - 48.9	46.1	43.2 - 48.9	43.6	40.8 - 46.3	41.6	38.0 - 45.3	44.6	39.1 - 50.2	22.8
Oneida SSD	43.5	39.2 - 47.8	42.1	37.9 - 46.2	42.5	38.6 - 46.5	38.5	34.0 - 42.9	33.5	26.8 - 41.1	45.7	39.0 - 52.7	34.7
Overton County	41.7	38.5 - 44.9	45.0	41.8 - 48.3	39.0	35.6 - 42.3	31.0	25.1 - 36.8	39.9	36.4 - 43.5	No Data	-	0.0
Paris SSD	41.6	37.8 - 45.4	39.9	36.3 - 43.4	No Data	-	43.6	39.8 - 47.3	No Data	-	No Data	-	0.0
Perry County	37.6	29.8 - 45.4	35.5	29.7 - 41.2	36.7	31.6 - 41.9	38.5	32.8 - 44.2	30.4	22.8 - 39.4	No Data	-	0.0

^Please note: a report was not generated for the 2020-21 school year due to low screening numbers as a result of the COVID-19 pandemic.
^^Memphis and Shelby County school values were separated in the 2023-24 BMI report but have been combined in the current report.
*Overweight/obese was defined as body mass index (BMI) greater than or equal to the 85th percentile for children of the same age and sex.
No data indicates data was not submitted for the school year.
Data source: Body Mass Index Data, 2018-19 to 2024-25, Tennessee Department of Education, Nashville Tennessee
** Results for districts with less than a 50% response rate should be interpreted with caution.
***Data provided was biologically implausible, indicating an error in data collection.
9 districts are missing data due to the COVID-19 pandemic.

Table 2. Prevalence of Overweight or Obese* Assessed Students in Tennessee Public Schools, by School District, 2018-19 to 2024-25^A School Years

District	2018-19			2019-20			2021-22			2022-23			2023-24			2024-25			Percent of Population Assessed 2024-25
	Percent overweight or obese	95% confidence interval		Percent overweight or obese	95% confidence interval		Percent overweight or obese	95% confidence interval		Percent overweight or obese	95% confidence interval		Percent overweight or obese	95% confidence interval		Percent overweight or obese	95% confidence interval		
Pickett County	44.2	38.5	- 49.9	No Data	-	-	55.5	49.0	- 62.0	47.5	41.0	- 54.1	No Data	-	-	52.5	43.6	- 61.3	42.1
Polk County	37.6	34.3	- 41.0	41.9	38.3	- 45.5	37.5	33.8	- 41.2	35.9	32.2	- 39.5	35.3	31.4	- 39.5	39.7	33.5	- 46.3	23.5
Putnam County	39.6	37.9	- 41.3	38.9	37.2	- 40.6	42.7	40.0	- 45.4	No Data	-	-	37.6	35.7	- 39.5	38.2	33.5	- 43.2	7.6
Rhea County	45.6	43.1	- 48.1	46.4	43.9	- 48.8	48.1	45.5	- 50.6	46.2	43.7	- 48.7	44.6	41.7	- 47.6	48.4	44.9	- 51.9	44.0
Richard City	50.5	40.5	- 60.6	No Data	-	-	49.4	38.2	- 60.5	39.1	27.6	- 50.6	33.8	24.2	- 44.9	52.5	37.5	- 67.1	46.5
Roane County	41.0	38.5	- 43.4	41.3	39.4	- 43.3	42.3	40.4	- 44.2	42.7	40.7	- 44.6	40.3	38.4	- 42.3	39.4	37.1	- 41.8	61.2
Robertson County	44.0	42.1	- 45.9	44.2	42.1	- 46.2	45.2	43.4	- 46.9	No Data	-	-	41.9	39.9	- 44.0	41.7	37.0	- 46.6	8.2
Rogersville City	41.5	35.6	- 47.4	38.7	32.3	- 45.1	No Data	-	-	No Data	-	-	33.3	21.7	- 47.5	41.4	33.2	- 50.1	35.5
Rutherford County	35.9	35.1	- 36.7	38.3	37.5	- 39.2	42.6	41.7	- 43.6	41.7	40.8	- 42.6	38.9	38.0	- 39.8	40.0	37.5	- 42.5	6.5
Scott County	47.2	44.2	- 50.3	46.2	43.2	- 49.2	No Data	-	-	46.4	43.0	- 49.8	44.5	40.7	- 48.3	48.0	41.6	- 54.5	21.1
Sequatchie County	44.2	40.9	- 47.6	54.1	49.9	- 58.3	41.0	37.4	- 44.6	39.6	35.3	- 44.0	31.2	25.4	- 37.6	43.3	38.1	- 48.7	38.0
Sevier County	36.6	35.2	- 37.9	38.2	36.9	- 39.5	41.7	40.3	- 43.1	39.4	38.0	- 40.7	42.1	40.6	- 43.6	44.5	42.3	- 46.8	29.3
Smith County	42.4	39.5	- 45.3	45.0	42.3	- 47.8	48.7	45.6	- 51.7	43.9	40.9	- 46.9	43.8	40.6	- 47.0	41.7	37.3	- 46.2	33.8
South Carroll Co SSD	48.1	40.2	- 55.9	51.1	42.8	- 59.4	51.6	42.9	- 60.2	45.5	37.6	- 53.3	45.1	36.3	- 54.3	No Data	-	-	0.0
Stewart County	40.6	37.1	- 44.1	40.7	37.4	- 43.9	40.8	37.4	- 44.1	39.1	35.5	- 42.8	33.2	28.4	- 38.5	29.0	21.9	- 37.3	14.8
Sullivan County	41.8	40.1	- 43.5	44.6	42.9	- 46.3	No Data	-	-	40.2	38.4	- 42.0	No Data	-	-	No Data	-	-	0.0
Sumner County	35.8	35.0	- 36.7	36.7	35.8	- 37.6	35.7	34.8	- 36.6	34.9	34.0	- 35.8	No Data	-	-	No Data	-	-	0.0
Sweetwater City	42.8	38.8	- 46.7	44.3	39.2	- 49.4	48.2	44.5	- 51.9	43.6	39.9	- 47.3	No Data	-	-	54.2	47.1	- 61.1	23.7
Tipton County	37.9	36.2	- 39.5	37.4	35.7	- 39.1	37.4	35.4	- 39.3	34.5	32.6	- 36.4	35.6	33.7	- 37.6	No Data	-	-	0.0
Trenton SSD	45.5	41.3	- 49.7	44.5	40.4	- 48.7	48.2	44.1	- 52.3	47.4	43.3	- 51.5	39.8	35.5	- 44.4	No Data	-	-	0.0
Trousdale County	43.4	39.3	- 47.5	42.9	39.0	- 46.8	41.0	37.2	- 44.8	40.8	36.9	- 44.7	39.5	35.4	- 43.8	26.7	20.2	- 34.3	22.5
Tullahoma City	39.8	37.2	- 42.4	42.7	40.2	- 45.3	44.8	42.0	- 47.5	42.9	40.2	- 45.5	39.7	36.9	- 42.6	No Data	-	-	0.0
Unicoi County	44.5	41.1	- 47.9	45.4	41.4	- 49.4	42.7	39.0	- 46.4	No Data	-	-	43.8	39.5	- 48.2	No Data	-	-	0.0
Union City	40.8	37.2	- 44.5	46.5	42.6	- 50.5	45.3	41.2	- 49.4	43.5	39.7	- 47.3	No Data	-	-	40.5	33.4	- 47.9	24.2
Union County	40.9	37.4	- 44.3	42.9	39.2	- 46.6	No Data	-	-	37.7	33.9	- 41.4	No Data	-	-	No Data	-	-	0.0
Van Buren County	38.7	32.9	- 44.5	43.1	37.1	- 49.0	42.6	36.7	- 48.5	41.5	36.0	- 47.1	39.9	33.8	- 46.4	40.7	31.1	- 50.9	26.5
Warren County	44.7	42.8	- 46.6	43.0	41.1	- 44.9	46.1	44.1	- 48.1	42.5	40.6	- 44.5	43.4	41.2	- 45.6	No Data	-	-	0.0
Washington County	37.6	35.4	- 39.7	34.5	32.4	- 36.5	38.5	36.3	- 40.8	34.2	32.0	- 36.4	No Data	-	-	No Data	-	-	0.0
Wayne County	37.5	33.8	- 41.1	46.4	43.0	- 49.8	No Data	-	-	42.4	38.5	- 46.3	44.3	40.1	- 48.7	31.7	25.4	- 38.8	20.6
Weakley County	45.1	42.8	- 47.5	52.6	45.2	- 60.0	44.1	41.7	- 46.5	42.0	39.5	- 44.4	39.0	32.3	- 46.2	No Data	-	-	0.1
West Carroll Co SSD	50.0	44.9	- 55.1	50.9	45.9	- 56.0	48.7	43.2	- 54.2	52.2	47.1	- 57.4	42.9	36.8	- 49.1	66.7	20.8	- 93.9	0.9
White County	46.7	44.1	- 49.4	45.7	42.9	- 48.6	39.8	35.6	- 44.0	38.6	34.8	- 42.3	39.5	36.3	- 42.7	36.4	32.7	- 40.2	38.0
Williamson County	22.0	20.6	- 23.3	24.0	22.3	- 25.7	No Data	-	-	21.3	19.6	- 23.0	No Data	-	-	No Data	-	-	0.0
Wilson County	35.1	34.0	- 36.2	35.7	34.6	- 36.8	37.1	35.9	- 38.3	35.7	34.5	- 36.8	No Data	-	-	No Data	-	-	0.0

^APlease note: a report was not generated for the 2020-21 school year due to low screening numbers as a result of the COVID-19 pandemic
 *Overweight/obese was defined as body mass index (BMI) greater than or equal to the 85th percentile for children of the same age and sex.
 No data indicates data was not submitted for the school year.

Data source: Body Mass Index Data, 2018-19 to 2024-25, Tennessee Department of Education, Nashville Tennessee


** Results for districts with less than a 50% response rate should be interpreted with caution.

***Data provided was biologically implausible, indicating an error in data collection.

9 districts are missing data due to the COVID-19 pandemic.


Appendix A

Tennessee's CORE Regions



Appendix B

Tennessee Counties and Health Department Regions



West	Mid-Cumberland	South Central	Metros	Southeast	Upper Cumberland	East	Northeast

03 Benton	38 Haywood	11 Cheatham	02 Bedford	19 Davidson	04 Bledsoe	08 Cannon	01 Anderson	10 Carter
09 Carroll	39 Henderson	22 Dickson	16 Coffee	33 Hamilton	06 Bradley	14 Clay	05 Blount	30 Greene
12 Chester	40 Henry	42 Houston	28 Giles	47 Knox	26 Franklin	18 Cumberland	07 Campbell	34 Hancock
17 Crockett	48 Lake	43 Humphreys	41 Hickman	57 Madison	31 Grundy	21 DeKalb	13 Claiborne	37 Hawkins
20 Decatur	49 Lauderdale	63 Montgomery	50 Lawrence	79 Shelby	54 McMinn	25 Fentress	15 Cocke	46 Johnson
23 Dyer	55 McNairy	74 Robertson	51 Lewis	82 Sullivan	58 Marion	44 Jackson	29 Grainger	86 Unicoi
24 Fayette	66 Obion	75 Rutherford	52 Lincoln	89 Warren	61 Meigs	56 Macon	32 Hamblen	90 Washington
27 Gibson	84 Tipton	81 Stewart	59 Marshall	70 Polk	72 Rhea	67 Overton	45 Jefferson	
35 Hardeman	92 Weakley	83 Sumner	60 Maury	77 Sequatchie	69 Pickett	53 Loudon	53 Loudon	
36 Hardin		85 Trousdale	64 Moore		71 Putnam	62 Monroe	62 Monroe	
		94 Williamson	68 Perry		80 Smith	65 Morgan	65 Morgan	
		95 Wilson	91 Wayne		88 Van Buren	73 Roane	73 Roane	
					89 Warren	76 Scott	76 Scott	
					93 White	78 Sevier	78 Sevier	
						87 Union	87 Union	