



Introduction:

The following Instructional Materials Scoring Rubric for Mathematics is designed to score materials in the following categories:

- Instructional Focus
- Math Practices
- Aspects of Rigor
- Accessibility Features

Scoring:

Each section is to be scored using a 0, 1, or 2. For all sections, except for Rigor, use the following rubric when deciding on the appropriate rating:

- 0: The metric is not present within the material.
- 1: The metric is present within the material. The intent and/or frequency component of the metric is not fully met.
- 2: A rating of 2 indicates the metric is present and all aspects of the metric are fully met.

For Rigor:

- 0: The standard is not instructionally present within the material.
- 1: The standard is instructionally present but does not have an instructional focus on the indicated type of rigor.
- 2: The standard is instructionally present and has a clear instructional focus on the indicated type of rigor.

Note: Some standards appear under multiple aspects of rigor (i.e., Conceptual Understanding, Procedural Fluency, or Application). When scoring these standards, only score the part of the standard relevant to that aspect of rigor, which is identified by a bold, italics, larger font.



Gateway: The publisher must provide a Tennessee standards alignment guide as a part of the scope and sequence for the material. If this gateway is not met, the materials will not be scored.

Instructional Focus				
	0	1	2	Evidence
Connections to content from prior grades are clearly identified and explicitly related to grade-level work.				
Materials embed a minimum of 3 tasks in every unit. Each task has multiple entry-points and can be solved using a minimum of 2 solution strategies and/or representations.				
Materials give students opportunities to work problems within each lesson. Each problem set: <ul style="list-style-type: none"> Covers the full breadth of the standard(s) covered in the lesson Is aligned to on grade level expectations as identified in the standard(s) 				
Teacher resources indicate common student misconceptions in every unit and provide guidance on how to instructionally address the identified misconceptions.				
Materials provide educative supports (e.g., adult level explanations of the standards and strategies) in every lesson for teachers to ensure standards are taught accurately and to the appropriate level of rigor (i.e., conceptual understanding, procedural fluency, and application) as indicated by the standards.				
Materials develop student understanding of multiple representations (i.e., concrete, representational, abstract) for relevant standards which are identified in the state's Instructional Focus Documents.				
Materials include problems and activities in every unit that connect two or more grade level standards in a domain (e.g., 2.MD.A.1 and 2.MD.A.2).				
Materials include problems and activities in every unit that connect two or more grade level domains. (e.g., 2.MD.B.6 and 2.OA.A.1)				
Materials provide opportunities for students to participate in a spiraled review in every unit.				
Total				



Gateway: The publisher must provide a Tennessee standards alignment guide as a part of the scope and sequence for the material. If this gateway is not met, the materials will not be scored.

Mathematical Practices				
Math Practices/Literacy Skills for Math Proficiency	0	1	2	Evidence
Materials embed the eight math practice standards in every unit.				
Math practice standards are clearly identified in both teacher and student materials.				
Materials use appropriate math vocabulary which is aligned to the grade level standards.				
Materials support students in discussing and articulating mathematical ideas. Within each lesson students either write or verbally justify their thoughts.				
Total				

Accessibility Features				
Digital Materials	0	1	2	Evidence
All lessons within the materials are available in digital form and include a printable option.				
In every lesson, materials include recommended supports, accommodations, and modifications for Students with Disabilities and English Language Learners that will support their regular and active participation in accessing on grade level material (e.g., modifying vocabulary words within word problems, sentence starters, etc.).				
Total				

Aspects of Rigor				
Conceptual Understanding: The materials support the intentional development of students' conceptual understanding of key mathematical concepts, especially where called for in specific content standards or clusters.	0	1	2	Evidence
M1.N.Q.A.1 Use units as a way to <i>understand real-world problems</i> . ★				
M1.N.Q.A.1.a Choose and interpret the scale and the origin in graphs and data displays. ★				
M1.N.Q.A.1.b Use appropriate quantities in formulas, converting units as necessary. ★				
M1.N.Q.A.1.c <i>Define and justify appropriate quantities</i> within a context for the purpose of modeling. ★				
M1.N.Q.A.1.d Choose an appropriate level of accuracy when reporting quantities. ★				
M1.N.M.A.1 <i>Use matrices to represent data</i> in a real-world context. <i>Interpret rows, columns, and dimensions of matrices</i> in terms of the context ★				
M1.N.M.A.2d Describe the roles that zero matrices and identity matrices play in matrix addition and multiplication, recognizing that they are similar to the roles of 0 and 1 in the real number system.				
M1.N.M.A.3 <i>Create and use augmented matrices to solve systems of linear equations in</i> real-world contexts, <i>by hand and using technology</i> . ★				
M1.A.SSE.A.1 <i>Interpret expressions that represent a quantity</i> in terms of its context. ★				
M1.A.SSE.A.1.a Interpret parts of an expression, such as terms, factors, and coefficients.				
M1.A.SSE.A.1.b Interpret complicated expressions by viewing one or more of their parts as a single entity.				
M1.A.CED.A.1 <i>Create equations and inequalities in one variable</i> and use them to solve problems in a real-world context. ★				
M1.A.CED.A.2 <i>Create equations and inequalities in two variables to represent relationships between quantities</i> and use them to solve problems in a real-world context. Graph equations with two variables on coordinate axes with labels and scales, and <i>use the graphs to make predictions</i> . ★				

<p>M1.A.CED.A.3 Create <i>individual and systems of equations and/or inequalities to represent constraints</i> in a contextual situation, and <i>interpret solutions as viable or non-viable</i>. ★</p>				
<p>M1.A.CED.A.4 Rearrange formulas to isolate a quantity of interest <i>using algebraic reasoning</i>. ★</p>				
<p>M1.A.REI.A.1 Understand solving equations as a process of reasoning and explain the reasoning. Construct a viable argument to justify a solution method.</p>				
<p>M1.A.REI.B.2a Solve linear equations and inequalities, including compound inequalities, in one variable. <i>Represent solutions algebraically and graphically</i>.</p>				
<p>M1.A.REI.B.2b Solve absolute value equations and inequalities in one variable. <i>Represent solutions algebraically and graphically</i>.</p>				
<p>M1.A.REI.C.3 Write and solve <i>a system of linear equations in</i> real-world context. ★</p>				
<p>M1.A.REI.D.4 Understand that the graph of an equation in two variables is the set of all its solutions plotted in the coordinate plane, often forming a curve (which could be a line).</p>				
<p>M1.A.REI.D.5 Explain why the <i>x-coordinates of the points where the graphs of the equations $y = f(x)$ and $y = g(x)$ intersect are the solutions of the equation $f(x) = g(x)$</i>. Find approximate solutions by graphing the functions or making a table of values, using technology when appropriate. ★</p>				
<p>M1.F.IF.A.1 Understand that a function from one set (called the domain) to another set (called the range) assigns to each element of the domain exactly one element of the range. If f is a function and x is an element of its domain, then $f(x)$ denotes the output of f corresponding to the input x. The graph of f is the graph of the equation $y = f(x)$.</p>				
<p>M1.F.IF.A.2 Use function notation. ★</p>				
<p>M1.F.IF.A.2a Use <i>function notation</i> to evaluate functions for inputs in their domains, including functions of two variables.</p>				
<p>M1.F.IF.A.2b Interpret statements that use <i>function notation</i> in terms of a context.</p>				
<p>M1.F.IF.A.3 Understand geometric formulas as functions. ★</p>				

M1.F.IF.B.4 For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. ★				
M1.F.IF.B.5 Relate the domain of a function to its graph and, where applicable, to the context of the function it models. ★				
M1.F.IF.C.6 Compare properties of functions represented algebraically, graphically, numerically in tables, or by verbal descriptions. ★				
M1.F.IF.C.6a Compare properties of two different functions. Functions may be of different types and/or represented in different ways.				
M1.F.IF.C.6b Compare properties of the same function on two different intervals or represented in two different ways.				
M1.F.BF.A.1 Build a function that <i>describes a relationship between two quantities</i> . ★				
M1.F.BF.A.1a Determine steps for calculation, a recursive process, or an explicit expression from a context.				
M1.F.BF.A.2 Define sequences as functions, including recursive definitions, whose domain is a subset of the integers. Write explicit and recursive formulas for arithmetic and geometric sequences in context and connect them to linear and exponential functions. ★				
M1.F.LE.A.1 Distinguish between situations that can be modeled with linear functions and with exponential functions. ★				
M1.F.LE.A.1a Know that linear functions grow by equal differences over equal intervals and that exponential functions grow by equal factors over equal intervals.				
M1.F.LE.A.1b Recognize situations in which one quantity changes at a constant rate per unit interval relative to another.				
M1.F.LE.A.1c Recognize situations in which a quantity grows or decays by a constant factor per unit interval relative to another.				
M1.F.LE.A.2 Construct linear and exponential functions, including arithmetic and geometric sequences, given a graph, a table, a description of a relationship, or input-output pairs. ★				
M1.F.LE.B.3 Interpret the parameters in a linear or exponential function in terms of a context. ★				
M1.G.CO.A.1 Describe transformations as functions that take points in the plane (pre-image) as inputs and give other points (image) as outputs. Compare				



transformations that preserve distance and angle measure to those that do not, by hand for basic transformations and using technology for more complex cases.				
M1.G.CO.A.2 Given a rectangle, parallelogram, trapezoid, or regular polygon, determine the transformations that carry the shape onto itself and describe them in terms of the symmetry of the figure.				
M1.G.CO.B.3 Use definitions and theorems about lines and angles to solve problems and to justify relationships in geometric figures.				
M1.G.CO.B.4 Use definitions and theorems about triangles to solve problems and to justify relationships in geometric figures.				
M1.G.CO.C.6 <i>Use geometric constructions to solve geometric problems</i> in context, <i>by hand and using technology.</i> ★				
M1.G.GPE.A.1 Use coordinates to solve problems and justify geometric relationships algebraically.				
M1.G.GPE.A.2 Use the slope criteria for parallel and perpendicular lines to solve problems and to justify relationships in geometric figures.				
M1.G.GPE.A.3 <i>Understand the relationship between the Pythagorean Theorem and the distance formula</i> and use an efficient method to solve problems on the coordinate plane.				
M1.S.ID.A.1 <i>Represent data from two quantitative variables on a scatter plot, and describe how the variables are related.</i> <u>Fit a function</u> to the data; <u>use functions</u> fitted to data to solve problems in the context of the data.★				
M1.S.ID.B.2 Interpret the rate of change and the constant term of a linear model in the context of data.★				
M1.S.ID.B.3 <u>Use technology</u> to compute the correlation coefficient of a linear model; <i>interpret the correlation coefficient in the context of the data.</i> ★				
M1.S.ID.B.4 Explain the differences between correlation and causation. Recognize situations where an additional factor may be impacting correlated data.★				
Procedural Skill and Fluency: The materials provide intentional opportunities for students to develop procedural skills and fluencies, especially where called for in specific content standards or clusters	0	1	2	Evidence
M1.N.Q.A.1.b Use appropriate quantities in formulas, converting units as necessary.★				
M1.N.M.A.2 <i>Perform operations on matrices</i> in a real-world context.★				
M1.N.M.A.2a Multiply a matrix by a scalar to produce a new matrix.				



M1.N.M.A.2b Add and/or subtract matrices by hand and using technology.				
M1.N.M.A.2c Multiply matrices of appropriate dimensions, by hand in simple cases and using technology for more complicated cases.				
M1.A.CED.A.1 Create equations and inequalities in one variable and use them to solve problems in a real-world context. ★				
M1.A.CED.A.2 Create equations and inequalities in two variables to represent relationships between quantities and use them to solve problems in a real-world context. Graph equations with two variables on coordinate axes with labels and scales , and use the graphs to make predictions. ★				
M1.A.CED.A.4 Rearrange formulas to isolate a quantity of interest using algebraic reasoning. ★				
M1.A.REI.B.2 Solve linear and absolute value equations and inequalities in one variable.				
M1.A.REI.B.2a Solve linear equations and inequalities, including compound inequalities, in one variable. Represent solutions algebraically and graphically.				
M1.A.REI.B.2b Solve absolute value equations and inequalities in one variable. Represent solutions algebraically and graphically.				
M1.A.REI.C.3 Write and solve a system of linear equations in real-world context. ★				
M1.A.REI.D.5 Explain why the x-coordinates of the points where the graphs of the equations $y = f(x)$ and $y = g(x)$ intersect are the solutions of the equation $f(x) = g(x)$. Find approximate solutions by graphing the functions or making a table of values, using technology when appropriate. ★				
M1.A.REI.D.6 Graph the solution set to a system of linear inequalities in two variables as the intersection of the corresponding half-planes.				
M1.F.IF.A.2a Use function notation to evaluate functions for inputs in their domains, including functions of two variables.				
M1.F.IF.B.4 For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. ★				
M1.F.BF.A.1 Build a function that describes a relationship between two quantities. ★				
M1.F.BF.A.1a Determine steps for calculation, a recursive process, or an explicit expression from a context.				



M1.F.LE.A.2 Construct linear and exponential functions, including arithmetic and geometric sequences, given a graph, a table, a description of a relationship, or input-output pairs.★				
M1.G.CO.C.5 Perform formal geometric constructions with a variety of tools and methods (compass and straightedge, string, reflective devices, paper folding, dynamic geometric software, etc.).				
M1.G.GPE.A.3 Understand the relationship between the Pythagorean Theorem and the distance formula and <i>use an efficient method to solve problems on the coordinate plane.</i>				
M1.S.ID.A.1 Represent data from two quantitative variables on a scatter plot, and describe how the variables are related. <i>Fit a function to the data; use functions fitted to data to solve problems</i> in the context of the data.★				
M1.S.ID.B.3 <i>Use technology to compute the correlation coefficient of a linear model;</i> interpret the correlation coefficient in the context of the data.★				
Applications: The materials support the intentional development of students' ability to utilize mathematical concepts and skills in engaging applications, especially where called for in specific content standards or clusters.	0	1	2	Evidence
M1.N.Q.A.1 Use units as a way to understand real-world problems.★				
M1.N.Q.A.1.a Choose and interpret the scale and the origin in graphs and data displays.★				
M1.N.Q.A.1.b Use appropriate quantities in formulas, converting units as necessary.★				
M1.N.Q.A.1.c Define and justify appropriate quantities within a context for the purpose of modeling.★				
M1.N.Q.A.1.d Choose an appropriate level of accuracy when reporting quantities.★				
M1.N.M.A.1 Use matrices to represent data in a real-world context. Interpret rows, columns, and dimensions of matrices in terms of the context★				
M1.N.M.A.2 Perform operations on matrices in a real-world context.★				
M1.N.M.A.3 Create and use augmented matrices to solve systems of linear equations in real-world contexts, by hand and using technology.★				
M1.A.SSE.A.1 Interpret expressions that represent a quantity in terms of its context.★				



M1.A.CED.A.1 Create equations and inequalities in one variable and use them to solve problems in a real-world context. ★				
M1.A.CED.A.2 Create equations and inequalities in two variables to represent relationships between quantities and use them to solve problems in a real-world context. Graph equations with two variables on coordinate axes with labels and scales, and use the graphs to make predictions. ★				
M1.A.CED.A.3 Create individual and systems of equations and/or inequalities to represent constraints in a contextual situation, and interpret solutions as viable or non-viable. ★				
M1.A.CED.A.4 Rearrange formulas to isolate a quantity of interest using algebraic reasoning. ★				
M1.A.REI.C.3 Write and solve a system of linear equations in real-world context. ★				
M1.A.REI.D.5 Explain why the x-coordinates of the points where the graphs of the equations $y = f(x)$ and $y = g(x)$ intersect are the solutions of the equation $f(x) = g(x)$. Find approximate solutions by graphing the functions or making a table of values, using technology when appropriate. ★				
M1.F.IF.A.2 Use function notation. ★				
M1.F.IF.A.2b Interpret statements that use function notation <i>in terms of a context</i> .				
M1.F.IF.A.3 Understand geometric formulas as functions. ★				
M1.F.IF.B.4 For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. ★				
M1.F.IF.B.5 Relate the domain of a function to its graph and, where applicable, to the context of the function it models. ★				
M1.F.IF.C.6 Compare properties of functions represented algebraically, graphically, numerically in tables, or by verbal descriptions. ★				
M1.F.BF.A.1 Build a function that describes a relationship between two quantities. ★				
M1.F.BF.A.1a Determine steps for calculation, a recursive process, or an explicit expression <i>from a context</i> .				
M1.F.BF.A.2 Define sequences as functions, including recursive definitions, whose domain is a subset of the integers. Write explicit and recursive formulas for				



arithmetic and geometric sequences in context and connect them to linear and exponential functions.★				
M1.F.LE.B.3 Interpret the parameters in a linear or exponential function in terms of a context.★				
M1.G.CO.C.6 Use geometric constructions to solve geometric problems in context, by hand and using technology.★				
M1.S.ID.A.1 Represent data from two quantitative variables on a scatter plot, and describe how the variables are related. Fit a function to the data; use functions fitted to data to solve problems in the context of the data.★				
M1.S.ID.B.2 Interpret the rate of change and the constant term of a linear model in the context of data.★				
M1.S.ID.B.3 Use technology to compute the correlation coefficient of a linear model; interpret the correlation coefficient in the context of the data.★				
M1.S.ID.B.4 Explain the differences between correlation and causation. Recognize situations where an additional factor may be impacting correlated data.★				
Total				