2024 Ambient Air Monitoring Plan

Shelby County Health Department Air Pollution Control Program Including the Metropolitan Statistical Area (Memphis, TN-MS-AR)



May 13, 2024

Table of Contents

I.	Introduction to the 2024 Ambient Air Monitoring Plan
II.	Shelby County's Interpretation of Air Monitoring Requirements
III.	Map of Shelby County Site Locations5
IV.	Shelby County Air Monitoring Sites (Background, Discussion & Site Evaluation Form and Site Pictures)
	A. Frayser
	B. Alabama11
	C. Shelby Farms NCore
	D. Shelby Farms-PAMS
	E. Southwest Tennessee Community College Near Road
	F. Edmund Orgill Park41
V.	Shelby County Climatology and Geography45
VI.	Local Programs Submittals of Ambient Air Monitoring Plan
	A. Memphis Air Monitoring Plan 49
	B. 2024 Shelby County Active Sites
VII.	Appendix
	A. Cover Letter for Memorandum of Agreement for Memphis, TN-MS-AR 53
	B. Memorandum of Agreement for Memphis, TN-MS-AR

I. Introduction to the 2024 Ambient Air Monitoring Plan Shelby County Health Department Pollution Control Section

Air Monitoring Branch

The Shelby County Health Department (SCHD) Air Monitoring Branch (AMB) is required to evaluate the ambient air monitoring network each year in accordance with the requirements specified in 40 CFR Part 58, Subpart B § 58.10. An overview of the geography, general climate, wind direction and population trends are included to provide background information that will assist in understanding the current air monitoring network and reasons for placement of the existing monitoring sites.

The principal areas in Shelby County with air monitoring sites are depicted showing the location for each of the monitoring sites. The sites are identified by a site number, site name, site address, an air quality site identification number and the types of pollutants monitored at each location. Tables containing relevant information are also included. A Network Review that requests for changes or provides updates is included along with the Memorandum of Agreement between Crittenden County, AR and Desoto County, MS.

This Network Plan submitted by Shelby County will be incorporated with the other local programs from the State of Tennessee and included in the 2024 Annual Network Plan provided by the State of Tennessee Department of Environment and Conservation Division of Air Pollution Control and submitted to the Region 4 offices of the Environmental Protection Agency by July 1 of each calendar year.

II. Shelby County's Interpretation of Ambient Air Monitors Needed to Meet the 40CFR, Part 58 Requirements

Census Area Identification and Population Data		141 Le	129 ad	421 C	01 O	42 S	401 8O2	42 T	2602 NO ₂		44201 Ozone		811 PI	102 M ₁₀		88101	PM _{2.5}		88: PN Spe tie	502 A _{2.5} ecia- on	88 PN Cor uc	101 VI _{2.5} ntin- Dus	
CBSA Code	Census 2010 /Est. 2019	CBSA Title (MS Areas)	Operating	Required	Operating	Required	Operating	Required	Operating	Required	Operating	2021-2023 8 Hr. DV	Required	Operating	Required	Operating	2021 -2023 Annual DV μg/m ³	2021 -2023 24 Hr. DV μg/m ³	Required	Operating	Required	Operating	Required
32820	1316100/ 1346045	Memphis, TN-MS- AR	0	0	2 ²	1	12	1	2 ^{1,2}	2	3	0.072 Shelby Farms NCore	2	11,3	2 - 4	3 ^{1,3}	TBD	TBD	2	1	1	13	1 - 2

¹The Shelby County Health Department and the states of Arkansas and Mississippi have implemented a joint MOA that provides for meeting the MSA monitoring requirements for the combined MSA area. See pages 49-50.

² Includes trace level analyzer at Shelby Farms NCore Air Monitoring Station

³ These numbers are subject to change later in the year as monitors are added and/or replaced. See changes/future plans later in the document.

Discussions of any proposals to re-locate monitors in the next 18 months and suitability of PM_{2.5} sites for use in comparisons to the annual PM_{2.5} standard:

• The Teledyne API T640x PM_{2.5} particulate sampler will be replacing and/or added later in the 2024-2025 season.

III. Map of Shelby County Site Locations



IV. Shelby County Air Monitoring Sites

(Background, Discussion, Site Evaluation Form and Site Pictures)

- A. Frayser
- B. Alabama
- C. Shelby Farms NCore
- D. Southwest Tennessee Community College Near Road
- E. Edmund Orgill Park

All SCHD AMB sites meet the siting criteria as found in 40 CFR Part 58, Appendix E for probe and monitoring path for particulate matter (PM₁₀ and PM_{2.5}), ozone (O₃), carbon monoxide (CO), nitrogen oxides (NO/NO₂/NO_y), and sulfur dioxide (SO₂). These sites will be reevaluated annually for compliance with this criterion. These sites are part of the SCHD ambient air monitoring network and operated to ensure continued compliance to 40 CFR Part 58, Appendix D network design requirements. These sites are summarized in Section II. Current site evaluations with site pictures and distance measurements are provided in Section IV.

A. Frayser, Shelby County, TN



Reporting Org. Name	Memphis/Shelby County Health Dept.
PQAO	673
Address	1330 Frayser Blvd.
AQS ID	47-157-0021
County Name	Shelby
CBSA	32820
Latitude	35.217501
Longitude	-90.019707
Parameter Code	44201
Parameter Name	Ozone
Monitor Type	SLAMS
POC	1
Interval	1
Year	2024
Collection Frequency	Hourly
Method	087
FRM/FEM Monitoring Instrument	Teledyne Advanced Pollution Instrumentation, Inc. Model T400
Analysis	Ultraviolet Absorption
Ref. Method ID	EQOA-0992-087
Monitor Objective Type	Population Exposure
Dominant Source	Area
Measurement Scale	Neighborhood
Land Use Type	Residential
Location Setting	Suburban
Date Site Established	19720901



Site Background and Discussion

This site is located on Frayser Blvd. in Shelby County, Tennessee and currently supports monitoring for ozone. This site was originally established in 1972 and is expected to operate during CY's 2024 and 2025.

This site is located downwind of the Metro-Memphis area in a heavily populated area. There are railroad tracks and an overpass that are approximately 250 meters west of the site.

Site Evaluation Field Form

SITE NAME: FRAYSER

AQS Site ID: 47-157-0021 Location: 1330 Frayser Blvd. Date: 04/26/24 Evaluator: MJ

Site Coordinates: LATITUDE 35.217501 LONGITUDE -90.019707

Monitoring Scale: Neighborhood

Pollutant	Sampler/Probe Inlet Height (IH in m)	Inlet Location	Horizontal Distance (m)	Vertical Distance (m)	Pass/ Fail
O ₃	4.3 m	Roof			Pass

Object	Object Height (OH)	Object Distance (OD)	2(OH-IH)	Obstruction?
Tree east of site	22.1 m	27.1 m	35.6 m	Yes
Tree north of site	22.9 m	22.2 m	37.2 m	Yes

Dripline should be >20 m from the dripline of tree(s) and must be 10 m from the dripline when the tree(s) act as an obstruction. For Horizontal and Vertical Distances: Separation Distance = $(1 \text{ meter for } O_3, CO, SO_2, NO_2)$ and (2 meters for PM, Pb)When probe is located on a rooftop, this separation distance is in reference to walls, parapets, or penthouses located on roof.

Are all probes at least 1 meter apart? N/A

Are all collocated low volume samplers between 1 to 4 meters apart? N/A

Are all collocated high volume samplers between 2 to 4 meters apart? N/A

Are all probes located in an area that is paved or has vegetative ground cover? Yes

Are all rooftop samplers located at least 2 meters away from any structure? Yes

Is there unrestricted air flow 270 degrees around the probe or sampler? Yes

Comments: Although both trees are closer than 2(OH-IH), they are greater than 20m away.

Frayser (North)

Frayser (Northeast)





Frayser (East)



Frayser (Southeast)



Frayser (South)

Frayser (Southwest)





Frayser (West)



Frayser (Northwest)



B. Alabama Ave., Shelby County, TN



Reporting Org. Name	Memphis/Shelby County Health Dept.					
PQAO			673			
Address			416 Alabama Ave.			
AQS ID			47-157-0024			
County Name			Shelby			
CBSA			32820			
Latitude			35.151194			
Longitude			-90.041559			
Parameter Code	88101	88101	81102			
Parameter Name	PM 2.5	PM 2.5	PM 10			
Monitor Type	SLAMS	SLAMS	SLAMS			
POC	1	2	1			
Interval	7	7	1			
Year	2024	2024	2024			
Collection Frequency	1 in 3	1 in 12	Hourly			
Method	145	145	079			
FRM/FEM Monitoring Instrument	Thermo 2025I PM 2.5 Sequential Sampler	Thermo 2025 PM 2.5 Sequential Sampler	Thermo Scientific TEOM 1405 Ambient Particulate Monitor			
Analysis	Gravimetric	Gravimetric	Gravimetric			
Ref. Method ID	RFPS-0498-118	RFPS-0498-118	EQPM-1090-079			
Monitor Objective Type	Population Exposure	Population Exposure	Population Exposure			
Dominant Source	Area	Area	Area			
Measurement Scale	Neighborhood	Neighborhood	Neighborhood			
Land Use Type	Residential	Residential	Residential			
Location Setting	Suburban	Suburban	Suburban			
Date Site Established	20170101	20210101	20160403			

Site Evaluation Field Form

SITE NAME: ALABAMA

AQS Site ID: 47-157-0024 Location: 416 Alabama Ave. Date: 04/25/24 Evaluator: MJ

Site Coordinates: LATITUDE 35.151194 LONGITUDE: -90.041559

Monitoring Scale: Neighborhood

Pollutant	Sampler/Probe Inlet Height (IH in m)	Inlet Location	Horizontal Distance (m)	Vertical Distance (m)	Pass/ Fail
PM _{2.5} (POC 1)	2.1 m	Slab Behind Building	3.3 m		Pass
PM _{2.5} (POC 2)	2.1 m	Slab Behind Building	3.3 m		Pass
PM ₁₀ (TEOM) (continuous)	4.7 m	Roof			Pass

Object	Object Height (OH)	Object Distance (OD)	2(OH-IH)	Obstruction?
Site Building	3.1 m	5.8 m	2.0 m	No
Treeline (NW)	4.6 m	12.8 m	5.0 m	No
Tree (NE)	9.1 m	17.1 m	14.0 m	No
Tree (E)	4.7 m	11.4 m	5.2 m	No

Dripline should be >20 m from the dripline of tree(s) and must be 10 m from the dripline when the tree(s) act as an obstruction. For Horizontal and Vertical Distances: Separation Distance = $(1 \text{ meter for } O_3, CO, SO_2, NO_2)$ and (2 meters for PM, Pb)When probe is located on a rooftop, this separation distance is in reference to walls, parapets, or penthouses located on roof.

Are all probes at least 1 meter apart? Yes

Are all collocated low volume samplers between 1 to 4 meters apart? N/A

Are all collocated high volume samplers between 2 to 4 meters apart? N/A

Are all probes located in an area that is paved or has vegetative ground cover? Yes

Are all rooftop samplers located at least 2 meters away from any structure? Yes

Is there unrestricted air flow 270 degrees around the probe or sampler? Yes

Site Pictures for Alabama

Alabama (North)



Alabama (Northeast)



Alabama (East)







Site Pictures for Alabama

Alabama (South)



Alabama (West)





Alabama (Southwest)

Site Background and Discussion

The Alabama Ave. site is located in Shelby County, Tennessee and currently supports monitoring for $PM_{2.5}$, PM_{10} (TEOM) and the Radnet program. A collocated $PM_{2.5}$ sampler was added to the site at the beginning of 2021 to meet collocation requirements for $PM_{2.5}$ FRM sampling. This site is approximately 25 meters south of Interstate 40 and 50 meters north of apartment complexes. The site will continue to operate in CY's 2024 and 2025, but there are expected changes to occur later in the year. See Section A.





Reporting	Org. Name	Memphis/Shelby County Health Dept.				
PQAO		673				
Address		6388 Haley Rd.				
AQS ID			47-157-0075			
County Name			Shelby			
CBSA			32820			
Latitude			35.151699			
Longitude			-89.850249			
Parameter Code	42101	42401	42600			
Parameter Name	CO (trace)	SO ₂ (trace)	NOy			
Monitor Type	NCore (SLAMS)	NCore (SLAMS)	NCore (SLAMS)			
POC	1	1	1			
Interval	1	1	1			
Year	2024	2024	2024			
Collection Frequency	Hourly	Hourly	Hourly			
Method	593	600	699			
FRM/FEM Monitoring Instrument	Teledyne Advanced Pollution Instrumentation, Inc. Model T300U	Teledyne Advanced Pollution Instrumentation, Inc. Model T100U	Teledyne Advanced Pollution Instrumentation, Inc. Models T200U/T200EU/			
Analysis	Gas Filter Correlation	Ultraviolet Fluorescence	Chemiluminescence			
Ref. Method ID	RFCA-1093-093	EQSA-0495-100	RFNA-1194-699			
Monitor Objective Type	Population Exposure	Population Exposure	Population Exposure			
Dominant Source	Area	Area	Area			
Measurement Scale	Neighborhood and Urban Scale	Neighborhood and Urban Scale	Neighborhood and Urban Scale			
Land Use Type	Industrial	Industrial	Industrial			
Location Setting	Urban	Urban	Urban			
Date Site Established	20110401	20110621	20110617			





Reporting	Org. Name	Memphis/Shelby County Health Dept.				
PQAO		673				
Address		6388 Haley Rd.				
AQS ID			47-157-0075			
County Name			Shelby			
CBSA			32820			
Latitude			35.151699			
Longitude			-89.850249			
Parameter Code	44201	61103	61104			
Parameter Name	O ₃	Wind Speed-Resultant	Wind Direction - Resultant			
Monitor Type	NCore (SLAMS)	NCore (SLAMS)	NCore (SLAMS)			
POC	1	1	1			
Interval	1	1	1			
Year	2024	2024	2024			
Collection Frequency	Hourly	Hourly	Hourly			
Method	087	065	065			
FRM/FEM Monitoring Instrument	Teledyne Advanced Pollution Instrumentation, Inc. Model T400	RM Young Model 05305	RM Young Model 05305			
Analysis	Ultraviolet Absorption	miles per hour	Degrees compass			
Ref. Method ID	EQOA-0992-087	N/A	N/A			
Monitor Objective Type	Population Exposure	Population Exposure	Population Exposure			
Dominant Source	Area	Area	Area			
Measurement Scale	Neighborhood and Urban Scale	Neighborhood and Urban Scale	Neighborhood and Urban Scale			
Land Use Type	Industrial	Industrial	Industrial			
Location Setting	Urban	Urban	Urban			
Date Site Established	20110311	20120701	20120701			





Reporting	Org. Name	Memphis/Shelby County Health Dept.			
PQAO		673			
Address			6388 Haley Rd.		
AQS ID			47-157-0075		
County Name			Shelby		
CBSA			32820		
Latitude			35.151699		
Longitude			-89.850249		
Parameter Code	62101	62201	64101		
Parameter Name	Outdoor Temperature	Relative Humidity	Barometric Pressure		
Monitor Type	NCore (SLAMS)	NCore (SLAMS)	NCore (SLAMS)		
POC	1	1	1		
Interval	1	1	1		
Year	2024	2024	2024		
Collection Frequency	Hourly	Hourly	Hourly		
Method	060	060	014		
FRM/FEM Monitoring Instrument	RM Young 41382VC	RM Young 41382VC	Barometric Sensor		
Analysis	Degrees-Fahrenheit	Percent-Relative Humidity	Millibars		
Ref. Method ID	N/A	N/A	N/A		
Monitor Objective Type	Population Exposure	Population Exposure	Population Exposure		
Dominant Source	Area	Area	Area		
Measurement Scale	Neighborhood and Urban Scale	Neighborhood and Urban Scale	Neighborhood and Urban Scale		
Land Use Type	Industrial	Industrial	Industrial		
Location Setting	Urban	Urban	Urban		
Date Site Established	20120701	20120701	20120701		





Reporting Org. Name	Memphis/Shelby County Health Dept.				
PQAO			673		
Address		6388 Haley Rd.			
AQS ID			47-157-0075		
County Name			Shelby		
CBSA			32820		
Latitude			35.151699		
Longitude	1		-89.850249		
Parameter Code	81102 (STP)	85101 (LC)	88101		
Parameter Name	PM ₁₀	PM ₁₀	PM _{2.5}		
Monitor Type	NCore (SLAMS)	NCore (SLAMS)	NCore (SLAMS)		
POC	3	4	3		
Interval	1	1	1		
Year	2024	2024	2024		
Collection Frequency	Hourly	Hourly	Hourly		
Method	639	639	638		
FRM/FEM Monitoring Instrument	Teledyne Model T640 PM Mass Monitor with 640x option-firmware update	Teledyne Model T640 PM Mass Monitor with 640x option-firmware update	Teledyne Model T640 PM Mass Monitor with 640x option-firmware update		
Analysis	Light Scattering	Light Scattering	Light Scattering		
Ref. Method ID	EQPM-0516-239	EQPM-0516-239	EQPM-0516-238		
Monitor Objective Type	Population Exposure	Population Exposure	Population Exposure		
Dominant Source	Area	Area	Area		
Measurement Scale	Neighborhood and Urban Scale	Neighborhood and Urban Scale	Neighborhood and Urban Scale		
Land Use Type	Industrial	Industrial	Industrial		
Location Setting	Urban	Urban	Urban		
Date Site Established	20210101	20210101	20210101		





Reporting Org. Name	Memphis/Shelby	County Health Dept.	
PQAO	673		
Address			6388 Haley Rd.
AQS ID			47-157-0075
County Name			Shelby
CBSA			32820
Latitude			35.151699
Longitude			-89.850249
Parameter Code	86101	88101	88502
Parameter Name	PM _{10-2.5} (coarse)	PM _{2.5}	PM _{2.5} Speciation
Monitor Type	NCore (SLAMS)	NCore (SLAMS)	NCore (SLAMS)
POC	3	2	6
Interval	1	7	7
Year	2024	2024	2024
Collection Frequency	Hourly	1 in 3	1 in 3
Method	640	145	N/A
FRM/FEM Monitoring Instrument	Teledyne Model T640 PM Mass Monitor with 640x option-firmware update	Thermo Partisol Plus 2025i PM 2.5 Sequential Sampler	Met One SuperSASS 810/ URG 3000N
Analysis	Light Scattering	Gravimetric	Speciation Analysis
Ref. Method ID	EQPM-0516-240	RFPS-0498-118	N/A
Monitor Objective Type	Population Exposure	Population Exposure	Population Exposure
Dominant Source	Area	Area	Area
Measurement Scale	Neighborhood and Urban Scale	Neighborhood and Urban Scale	Neighborhood and Urban Scale
Land Use Type	Industrial	Industrial	Industrial
Location Setting	Urban	Urban	Urban
Date Site Established	20210101	20160101	20110208

Site Evaluation Field Form

SITE NAME: SHELBY FARMS NCore

AQS Site ID: 47-157-0075 Location: 6388 Haley Rd. Date: 04/23/24 Evaluator:MJ MJ Site Coordinates: LATITUDE 35.151699 LONGITUDE -89.850249

Monitoring Scale: Neighborhood and Urban Scale

Pollutant	Sampler/Probe Inlet Height (IH in m)	Inlet Location	Horizontal Distance (m)	Vertical Distance (m)	Pass/ Fail
PM _{2.5} FRM (collocated)	4.1 m	On scaffolding	1.9 m		Pass
PM _{2.5} , PM ₁₀ , PM _{10-2.5} (T640x)	4.1 m	Roof	1.9 m		Pass
СО	3.7 m	Side of shelter	1.1 m		Pass
NO _y , NO	8.6 m	Met tower			Pass
O3	3.6 m	Side of shelter	1.4 m		Pass
SO ₂	3.5 m	Side of shelter	1.1 m		Pass

Object	Object Height (OH)	Object Distance (OD)	2(OH-IH)	Obstruction?
PAMS shelter north of NCore shelter (PM _{2.5})	3.3 m	13.2 m	2.6 m	No
PAMS shelter north of NCore shelter (T640x)	3.3 m	13.2 m	2.6 m	No
PAMS shelter north of NCore shelter (CO)	3.3 m	13.2 m	2.6 m	No
PAMS shelter north of NCore shelter (NO, NO _y)	3.3 m	13.2 m	2.6 m	No
PAMS shelter north of NCore shelter (SO ₂)	3.3 m	13.2 m	2.6 m	No
Tree north of NCore shelter (T640x)	25.1 m	79.3 m	46.6 m	No
Tree north of NCORE Shelter (CO)	25.1 m	79.3 m	46.6 m	No
Tree north of NCore shelter (NO, NO _y)	25.1 m	79.3 m	46.6 m	No
Tree north of NCore shelter (SO ₂)	25.1 m	79.3 m	46.6 m	No

Object	Object Height (OH)	Object Distance (OD)	2(OH-IH)	Obstruction?
Tree east of NCore shelter (T640x)	21.7 m	73.6 m	39.9 m	No
Tree east of NCORE Shelter (CO)	21.7 m	73.6 m	39.9 m	No
Tree east of NCore shelter (NO, NO _y)	21.7 m	73.6 m	39.9 m	No
Tree east of NCore shelter (SO ₂)	21.7 m	73.6 m	39.9 m	No

Dripline should be >20 m from the dripline of tree(s) and must be 10 m from the dripline when the tree(s) act as an obstruction. For Horizontal and Vertical Distances: Separation Distance = $(1 \text{ meter for O}_3, \text{ CO}, \text{ SO}_2, \text{ NO}_2)$ and (2 meters for PM, Pb) When probe is located on a rooftop, this separation distance is in reference to walls, parapets, or penthouses located on roof.

Are all probes at least 1 meter apart? Yes

Are all collocated low volume samplers between 1 to 4 meters apart? Yes

Are all collocated high volume samplers between 2 to 4 meters apart? N/A

Are all probes located in an area that is paved or has vegetative ground cover? Yes

Are all rooftop samplers located at least 2 meters away from any structure? Yes

Is there unrestricted air flow 270 degrees around the probe or sampler? Yes

Site Pictures for Shelby Farms NCore

Shelby Farms NCore (North)





Shelby Farms NCore (East)

Shelby Farms NCore (Southeast)



Site Pictures for Shelby Farms NCore

Shelby Farms NCore (South)

Shelby Farms NCore (Southwest)



Shelby Farms NCore (West)

Shelby Farms NCore (Northwest)





Site Background and Discussion for Shelby Farms NCore

The Shelby Farms NCore site is located in Shelby County Tennessee and currently supports monitoring for carbon monoxide (trace), ozone, total reactive nitrogen (trace), sulfur dioxide (trace), particulate matter (PM_{2.5}; PM_{10-2.5} and PM₁₀), and meteorological data (ambient temperature, barometric pressure, relative humidity, wind direction and wind speed).

This site was established in 2011 and will continue to operate in CY's 2024 and 2025.

The placement of the NCore site is east of the urban core and provides the best location for measuring transport and secondary pollutant formation from that area. The site is located downwind of most of the industrialized areas and major transportation arteries.

The SCHD AMB began PAMS monitoring on June 1, 2021. The updated regulations in 40 CFR Part 58 Appendix D Section 5.0 promulgated in October 2015 prescribed the updates to the required PAMS monitoring. This was associated with the revision to the 8-hour ozone NAAQS. These revised regulations standardized the operation of the PAMS network at approximately 43 geographically separated PAMS required sites and required the measurement of a common list of pollutants and meteorological parameters. The updated regulations required PAMS monitoring at each NCore site within a CBSA having a population of 1,000,000 persons or more. To meet the requirements in the regulations promulgated in October 2015, all PAMS Required Sites were to be operational and reporting quality assured and validated data for the required parameters to the EPA's Air Quality System by June 1, 2019. Due to a number of issues related to the startup of PAMS, the new start date was postponed to June 1, 2021. The SCHD Air Monitoring Branch is currently analyzing for the pollutants listed in the tables above. In addition to the parameters mentioned, the following descriptions and the table below of new pollutants and parameters are measured at the NCore station to meet PAMS requirements in addition to solar radiation, UV radiation and precipitation. These three (3) meteorological parameters may begin operation by the start of PAMS season if the delivery of the items and installation are performed in time.

• The priority speciated VOCs (classified as olefin, aromatic, paraffin, halogenated, monoterpene olefin, alkyne, or alcohol) as well as the total non-methane organic carbon (TNMOC) are analyzed using the airmoVOC C6-C12 with the Lead Technical Specialist, airmoCAL, airmoVOC C2-C6, and Hydroxychrom – hydrogen generator manufactured by Chromatotec and provided by Consolidated Analytical Systems (CAS). Hourly averaged concentration of each priority speciated VOC are collected and reported. Samples are collected from June 1 through August 31. The inlet height is 4.1 m from the ground. The sample tubing is made of stainless steel and is attached to the side of the building. The stainless steel tubing is inside of conduit that is bent and 1 meter away from the side of the building. The instrument began operation by June 1 and through the PAMS season. The instrument will continue to operate for the 2024 PAMS season.

C. Shelby Farms PAMS, Shelby County, TN





Reporting Org. Name	Memphis/Shelby C	ounty Health Dept.
PQAO		673
Address		6388 Haley Rd.
AQS ID		47-157-0075
County Name		Shelby
CBSA		32820
Latitude		35.1518599
Longitude		-89.8503803
Parameter Code	42602	61301
Parameter Name	NO ₂	Mixing Height
Monitor Type	NCore (PAMS)	NCore (PAMS)
POC	1	1
Interval	1	1
Year	2024	2024
Collection Frequency	Hourly	Hourly
Method	212	128
FRM/FEM Monitoring Instrument	Teledyne Advanced Pollution Instrumentation T500U Nitrogen Dioxide Analyzer	Vaisala CL-51
Analysis	Chemiluminescence	Pulsed Diode LIDAR
Ref. Method ID	EQNA-0514-212	N/A
Monitor Objective Type	Population Exposure	Population Exposure
Dominant Source	Area	Area
Measurement Scale	Neighborhood and Urban Scale	Neighborhood and Urban Scale
Land Use Type	Industrial	Industrial
Location Setting	Urban	Urban
Date Site Established	20210601	20210601

C. Shelby Farms PAMS Shelby County, TN





Reporting Org. Name	Memphis/Shelby	County Health Dept.	
PQAO			673
Address			6388 Haley Rd.
AQS ID			47-157-0075
County Name			Shelby
CBSA			32820
Latitude			35.1518599
Longitude	-		-89.8503803
Parameter Code	Mult.Parameters-see pg 30	43500	63301
Parameter Name	Multiple VOC Chemicals	Carbonyls	Solar Radiation
Monitor Type	NCore (PAMS)	NCore (PAMS)	NCore (PAMS)
POC	1	1	1
Interval	1	7	1
Year	2024	2024	2024
Collection Frequency	Hourly	1 in 3	hourly
Method	N/A	N/A	011
FRM/FEM Monitoring Instrument	Chromatotec GC866 auto GC Analyzer	ATEC 8000 Cartridge Sampler	Eppley Precision Spectral Pyranometer (PSP)
Analysis	Gas Chromatography	Liquid Chromatography	Photovoltaic
Ref. Method ID	N/A	N/A	N/A
Monitor Objective Type	Population Exposure	Population Exposure	Population Exposure
Dominant Source	Area	Area	Area
Measurement Scale	Neighborhood and Urban Scale	Neighborhood and Urban Scale	Neighborhood and Urban Scale
Land Use Type	Industrial	Industrial	Industrial
Location Setting	Urban	Urban	Urban
Date Site Established	20210601	20210601	20210601

C. Shelby Farms PAMS, Shelby County, TN





Reporting Org. Name	Memphis/Shelby County Health Dept.		
PQAO		673	
Address		6388 Haley Rd.	
AQS ID		47-157-0075	
County Name		Shelby	
CBSA		32820	
Latitude		35.1518599	
Longitude		-89.8503803	
Parameter Code	63302	65102	
Parameter Name	UV Radiation	Rain/melt precipitation	
Monitor Type	NCore (PAMS)	NCore (PAMS)	
POC	1	1	
Interval	1	1	
Year	2024	2024	
Collection Frequency	Hourly	Hourly	
Method	011	014	
FRM/FEM Monitoring Instrument	The Epply Laboratory Total Ultraviolet Radiometer	R.M Young Model 52202 Tipping Bucket Rain Gauge 0.1mm	
Analysis	Radiospectrometry	Hourly Accumulation	
Ref. Method ID	N/A	N/A	
Monitor Objective Type	Population Exposure	Population Exposure	
Dominant Source	Area	Area	
Measurement Scale	Neighborhood and Urban Scale	Neighborhood and Urban Scale	
Land Use Type	Industrial	Industrial	
Location Setting	Urban	Urban	
Date Site Established	20210601	20210601	

Priority and Optional PAMS Chemical Parameters

Priority Chemical Parameters (Required)	AQS Parameter Code	Compound Class	Optional Chemical Parameters	AQS Parameter Code	Compound Class
1,2,3- trimethylbenzene	45225	aromatic	1,3,5- trimethylbenzene	45207	aromatic
1,2,4- trimethylbenzene	45208	aromatic	1-pentene	43224	olefin
1-butene	43280	olefin	2,2-dimethylbutane	43244	paraffin
2,2,4- trimethylpentane	43250	paraffin	2,3,4- trimethylpentane	43252	paraffin
^a acetaldehyde	43503	carbonyl	2,3-dimethylbutane	43284	paraffin
benzene	45201	aromatic	2,3-dimethylpentane	43291	paraffin
cis-2-butene	43217	olefin	2,4-dimethylpentane	43247	paraffin
ethane	43202	paraffin	2-methylheptane	43960	paraffin
ethylbenzene	45203	aromatic	2-methylhexane	43263	paraffin
ethylene	43203	olefin	2-methylpentane	43285	paraffin
^a formaldehyde	43502	carbonyl	3-methylheptane	43253	paraffin
isobutane	43214	paraffin	3-methylhexane	43249	paraffin
isopentane	43221	paraffin	3-methylpentane	43230	paraffin
isoprene	43243	olefin	acetone	43551	carbonyl
m&p-xylenes	45109	aromatic	acetylene	43206	alkyne
m-ethyltoluene	45212	aromatic	cis-2-pentene	43227	olefin
n-butane	43212	paraffin	cyclohexane	43248	paraffin
n-hexane	43231	paraffin	cyclopentane	43242	paraffin
n-pentane	43220	paraffin	isopropylbenzene	45210	aromatic
o-ethyltoluene	45211	aromatic	m-diethlybenzene	45218	aromatic
o-xylene	45204	aromatic	methylcyclohexane	43261	paraffin
p-ethyltoluene	45213	aromatic	methylcyclopentane	43262	paraffin
propane	43204	paraffin	n-decane	43238	paraffin
propylene	43205	olefin	n-heptane	43232	paraffin
styrene	45220	aromatic	n-nonane	43235	paraffin
toluene	45202	aromatic	n-octane	43233	paraffin
trans-2-butene	43216	olefin	n-propylbenzene	45209	aromatic
total non-methane organic carbon	43102	total VOCs, non- methane	n-undecane	43954	paraffin
			p-diethylbenzene	45219	aromatic
			trans-2-pentene	43226	olefin
			α-pinene	43256	monoterpene olefin
			β-pinene	43257	monoterpene olefin
			1,3 butadiene	43218	olefin
			^a benzaldehyde	45501	carbonyl
			carbon tetrachloride	43804	halogenated
			ethanol	43302	alcohol
			tetrachloroethylene	43817	halogenated

^acarbonyl sampler measurements

Site Evaluation Field Form

SITE NAME: SHELBY FARMS-PAMS

AQS Site ID: 47-157-0075 Location: 6388 Haley Rd. Date: 04/25/24 Evaluator: MJ

Ave. Site Coordinates: LATITUDE 35.1518599 LONGITUDE: -89.8503803

Monitoring Scale: Neighborhood

Pollutant	Sampler/Probe Inlet Height (IH in m)	Inlet Location	Horizontal Distance (m)	Vertical Distance (m)	Pass/ Fail
PAMS Chemical Parameters (GC)	3.9 m	Back of Shelter	4.0 m		Pass
True NO2	3.8 m	Back of Shelter	1.2 m		Pass
Carbonyl	3.8 m	Back of Shelter	1.2 m		Pass

Object	Object Height (OH)	Object Distance (OD)	2(OH-IH)	Obstruction?
Tree (N)	25.1 m	58.9 m	42.6 m	No
Tree (E)	21.7 m	73.6 m	35.8 m	No

Dripline should be >20 m from the dripline of tree(s) and must be 10 m from the dripline when the tree(s) act as an obstruction. For Horizontal and Vertical Distances: Separation Distance = $(1 \text{ meter for } O_3, CO, SO_2, NO_2)$ and (2 meters for PM, Pb)When probe is located on a rooftop, this separation distance is in reference to walls, parapets, or penthouses located on roof.

Are all probes at least 1 meter apart? Yes

Are all collocated low volume samplers between 1 to 4 meters apart? N/A

Are all collocated high volume samplers between 2 to 4 meters apart? N/A

Are all probes located in an area that is paved or has vegetative ground cover? Yes

Are all rooftop samplers located at least 2 meters away from any structure? Yes

Is there unrestricted air flow 270 degrees around the probe or sampler? Yes

Note: Shelby Farms-NCORE shelter height is lower than all PAMS inlets. All driplines are >20m away.

- Carbonyl sampling is conducted on a frequency of three sequential 8-hour samples on a one-in- threeday sample schedule (3x~30= ~90 samples) per PAMS sampling season (June 1-August 31). The TO-11A method provided by ATEC is used to collect the samples. Samples were collected for the 2021-2023 PAMS seasons and will be collected for the 2024 PAMS season. The sample inlet probe height is 4 meters above ground level.
- The PAMS Shelter shares the same address as the NCore site building, but stands adjacent to the NCore building (less than 8 meters edge to edge, but not inlet to inlet).







Shelby Farms-PAMS (North)

Shelby Farms-PAMS (Northeast)





Shelby Farms-PAMS (East)

Shelby Farms-PAMS (Southeast)





Shelby Farms-PAMS (South)

Shelby Farms-PAMS (Southwest)



Shelby Farms-PAMS (West)

Shelby Farms-PAMS (Northwest)



D. Macon Cove-SWTCC,

Near Road Monitoring Station, Shelby County, TN





Reporting Org. Name	Memphis/Shelby County Health Dept.			
PQAO		673		
Address	5767 Macon Cove			
AQS ID		47-157-0100		
County Name		Shelby		
CBSA		32820		
Latitude		35.161264		
Longitude		-89.870646		
Parameter Code	42101	42602		
Parameter Name	CO	NO ₂		
Monitor Type	Near Road (SLAMS)	Near Road (SLAMS)		
POC	1	1		
Interval	1	1		
Year	2024	2024		
Collection Frequency	hourly	hourly		
Method	093	099		
FRM/FEM Monitoring Instrument	Teledyne Advanced Pollution Instrumentation, Inc. Model T300	Teledyne Advanced Pollution Instrumentation, Inc. Model T200		
Analysis	Gas Filter Correlation	Chemiluminescence		
Ref. Method ID	RFCA-1093-093	RFNA-1194-099		
Monitor Objective Type	Highest Concentration	Highest Concentration		
Dominant Source	Mobile	Mobile		
Measurement Scale	Neighborhood and Urban Scale Neighborhood and Urban Scale			
Land Use Type	Residential	Residential		
Location Setting	Urban	Urban		
Date Site Established	20140715	20140701		

D. Southwest Tennessee Community College, Near Road Monitoring Station, Shelby County, TN





Reporting Org. Name	Memphis/Shelby County Health Dept.
PQAO	673
Address	5767 Macon Cove
AQS ID	47-157-0100
County Name	Shelby
CBSA	32820
Latitude	35.161264
Longitude	-89.870646
Parameter Code	88101
Parameter Name	PM _{2.5}
Monitor Type	Near Road (SLAMS)
POC	1
Interval	7
Year	2024
Collection Frequency	1 in 3
Method	118
FRM/FEM Monitoring Instrument	Thermo 2025I PM 2.5 Sequential Sampler
Analysis	Gravimetric
Ref. Method ID	RFPS-0498-118
Monitor Objective Type	Highest Concentration
Dominant Source	Mobile
Measurement Scale	Neighborhood and Urban Scale
Land Use Type	Residential
Location Setting	Urban
Date Site Established	20170101

Site Evaluation Field Form

SITE NAME: SOUTHWEST TENNESSEE COMMUNITY COLLEGE (Near Road)

AQS Site ID: 47-157-0100 Location: 5787 Macon Cv. Date: 05/09/24 Evaluator: MJ

Site Coordinates: LATITUDE 35.161264 LONGITUDE: -89.870646 Monitoring Scale: Neighborhood and Urban Scale

Pollutant	Sampler/Probe Inlet Height (IH in m)	Inlet Location	Horizontal Distance (m)	Vertical Distance (m)	Pass/ Fail
СО	4.3 m	roof	1.1 m		Pass
NO ₂	4.3 m	roof	1.1 m		Pass
PM _{2.5}	4.7 m	roof	2.1 m		Pass

Object	Object Height (OH)	Object Distance (OD)	2(OH-IH)	Obstruction?
Large Tree-South	20.8 m	12.2 m	33.0	Yes
Treeline (To be cut)-N of shelter	4.5 m	10.2 m	0.4	No
Treeline (untouched)- NW of shelter	7.4 m	15.6 m	5.4	No

Dripline should be >20 m from the dripline of tree(s) and must be 10 m from the dripline when the tree(s) act as an obstruction. For Horizontal and Vertical Distances: Separation Distance = $(1 \text{ meter for } O_3, CO, SO_2, NO_2)$ and (2 meters for PM, Pb)When probe is located on a rooftop, this separation distance is in reference to walls, parapets, or penthouses located on roof.

Are all probes at least 1 meter apart? Yes

Are all collocated low volume samplers between 1 to 4 meters apart? Yes

Are all collocated high volume samplers between 2 to 4 meters apart? N/A

Are all probes located in an area that is paved or has vegetative ground cover? Yes

Are all rooftop samplers located at least 2 meters away from any structure? Yes

Is there unrestricted air flow 270 degrees around the probe or sampler? Yes

Site Background and Discussion for Southwest TN Community College Near Road

The SWTCC Near Road site is located in Shelby County Tennessee and currently supports monitoring for carbon monoxide, nitrogen dioxide and particulate matter (PM_{2.5})

This site was established in 2014 and is expected to operate in CY's 2024 and 2025, but there are expected changes later in the year. See Appendix A.

The placement of the Near Road site is along Interstate 40 between Interstate 240/40 and Sycamore View. The exact location is on the south side of Interstate 40 on the northeast corner of Southwest Tennessee Community College's campus parking lot. This site was selected based on the six factors the EPA determined were necessary to capture short-term nitrogen dioxide (NO₂) concentrations near heavily trafficked roads, to assess area-wide (or community-wide) NO₂ concentrations, and to assess NO₂ concentrations for vulnerable and susceptible populations.

Site Pictures for Macon Cove (SWTCC) Near Road



Near Road (North)



Near Road (Northeast)

Near Road (East)

Near Road Southeast)





Site Pictures for Macon Cove (SWTCC) Near Road

Near Road (South)





Near Road (West)

Near Road (Northwest)



E. Edmund Orgill Park, Shelby County, TN



Reporting Org. Name	Memphis/Shelby County Health Dept.
PQAO	673
Address	6855 Mudville Rd.
AQS ID	47-157-1004
County Name	Shelby
CBSA	32820
Latitude	35.378065
Longitude	-89.834368
Parameter Code	44201
Parameter Name	Ozone
Monitor Type	SLAMS
POC	1
Interval	1
Year	2024
Collection Frequency	Hourly
Method	087
FRM/FEM Monitoring Instrument	Teledyne Advanced Pollution Instrumentation, Inc. Model T400
Analysis	Ultraviolet Absorption
Ref. Method ID	EQOA-0992-087
Monitor Objective Type	Population Exposure
Dominant Source	Area
Measurement Scale	Urban
Land Use Type	Agricultural
Location Setting	Rural
Date Site Established	19800201



Site Background and Discussion
The Edmund Orgill
Park site is located
in the City of
Millington in

Shelby County, Tennessee and currently supports monitoring for ozone.

This site was established in 1980 and is expected to operate during CY's 2024 and 2025.

Site Evaluation Field Form

Site Name: Edmund Orgill Park

AQS Site ID: 47-157-1004 Location: 6855 Mudville Rd. Date: 04/26/24 Evaluator: MJ

Site Coordinates: Latitude 35.378065 Longitude -89.834368

Monitoring Scale: Agricultural

Pollutant	Sampler/Probe Inlet Height (IH in m)	Inlet Location	Horizontal Distance (m)	Vertical Distance (m)	Pass/ Fail
O ₃	3.3 m	Back of building			Pass

Object	Object Height (OH)	Object Distance (OD)	2(OH-IH)	Obstruction?
Tree north of site	11.4 m	28.3 m	16.2	No
Tree east of site	20.1 m	39.2 m	33.6	No
Tree south of site	23.1 m	86.6 m	39.6	No
Tree west of site	11.6 m	17.9 m	16.6	No

Dripline should be >20 m from the dripline of tree(s and must be 10 m from the dripline when the tree(s act as an obstruction. For Horizontal and Vertical Distances: Separation Distance = (1 meter for O_3 , CO, SO_2 , NO_2 and (2 meters for PM, Pb When probe is located on a rooftop, this separation distance is in reference to walls, parapets, or penthouses located on roof.

Are all probes at least 1 meter apart? Yes

Are all collocated low volume samplers between 1 to 4 meters apart? N/A

Are all collocated high volume samplers between 2 to 4 meters apart? N/A

Are all probes located in an area that is paved or has vegetative ground cover? Yes

Are all rooftop samplers located at least 2 meters away from any structure? Yes

Is there unrestricted air flow 270 degrees around the probe or sampler? Yes

Site Pictures for Edmund Orgill Park

Edmund Orgill Park (North)

Edmund Orgill Park (Northeast)



Edmund Orgill Park (East)

Edmund Orgill Park (Southeast)



Edmund Orgill Park (South)

Edmund Orgill Park (Southwest)



Edmund Orgill Park (West)

Edmund Orgill Park (Northwest)





WRPLOT View - Lakes Environmental Software

Shelby County Geography and Climatology

Shelby County Geography

Shelby County, the largest county in area in Tennessee covers an area of 760.55 square miles or 486,752 acres (https://www.census.gov/quickfacts/fact/table/shelbycountytennessee,US/PST045222). The 2023 population estimate (July 1, 2023) from the U.S. Census for Shelby County is 910, 042 (https://www.census.gov/quickfacts/fact/table/shelbycountytennessee,US/PST045223). The estimated population density of Shelby County is 1196.6 people per square mile. The elevation ranges from 185 above mean sea level (MSL) along the islands in the Mississippi River in the southern portion of the county to about 416 feet above MSL in the rolling hills of the southeastern area of Shelby County. Bluffs that are located in the western area of the county near the Mississippi River are derived from the wind-driven buildup of silt, sand, and clay known as loess, and are approximately 250 feet above MSL. The central region of the county is located on an ancient alluvial plain, a mostly flat area consisting of several layers of silt, sand, gravel, and clay, approximately 340-400 feet above MSL. The largest city within Shelby County is Memphis with a population of 621,056 and a population density of 1916.8 per square mile. Other cities and towns within Shelby County include Millington (10,442); Bartlett (56,798); Lakeland (13,772); Arlington (14,396); Collierville (51,594); and Germantown (40,816).

All city populations and population density estimates were official U.S. Census estimates from 2022 and were obtained using the QuickFacts Table from

https://www.census.gov/quickfacts/fact/table/shelbycountytennessee/PST045223. The 2023 estimates were unavailable at the time of this report.

Shelby County Climatology

Like most of the Southeast U.S. and southern Mid-Atlantic states, Shelby County, TN falls within the humid subtropical climate zone (Cfa on the Köppen Climate Classification). This can be described as hot, humid summers with mild to cool winters. Using the latest 30-year climate data set (1991-2020) obtained by the National Climatic Data Center (**Note:** The new 1991-2020 climate data set showed warming temperatures and more precipitation (more rainfall, but less snowfall) when compared to the 1981-2010 climate data set), the normal conditions are as follows:

Coldest Month: January (avg max temp=50.9 degrees F; avg min temp=33.3 degrees F)

Warmest Month: July (avg max temp=91.9 degrees F; avg min temp=73.6 degrees F)

Yearly Precipitation Normal: 54.94 inches (52.24 inches of rainfall and 2.7 inches of snowfall)

Wettest Months: December and March-May (avg of 5.49, 5.74, 5.87 and 5.27, respectively)

Driest Months: August-September (avg of 3.37 and 3.03 inches, respectively)

Wind direction is most prevalent from the south to southwest (see wind rose data)

Most frontal activity occurs in the Spring and Autumn. Summer experiences lower humidity at the start of the season with higher humidity levels starting by early to mid-July as the Bermuda High pressure system pulls warm, moist air into the lower Mississippi Valley from the Gulf of Mexico. Localized thunderstorms are common in the afternoon. By September, the humidity begins to lower as the Bermuda high breaks down. Winters are usually mostly mild with periods of very cold air. Severe weather is most common in the Spring, but can occur any time of year.

VI. Local Programs Submittals of Ambient Monitoring Plan

Memphis Air Monitoring Plan

These documents are provided as submitted by the respective monitoring agency for use by the state in updating the overall ambient monitoring plan document.

- A. Memphis Air Monitoring Plan (with expected changes)
 - 1. PM_{2.5} Collocation at Shelby Farms NCore site
 - 2. PM_{2.5} Collocation at Alabama Ave. site
 - 3. Continuous PM_{2.5} FEM sampling
 - 4. PAMS at Shelby Farms NCore site
 - 5. Monitors/pollutants reporting to the EPA AirNOW Program (Forecasting Program)
- B. Shelby County Air Pollution Active Sites 2024

A. Memphis Air Monitoring Plan

Shelby County Health Department Air Pollution Control Program

Network Review

2024

An assessment of the Shelby County Health Department's (SCHD) ambient air monitoring network has been conducted. The SCHD Air Monitoring Branch has evaluated each air monitoring site according to the requirements and provisions as required by the Code of Federal Regulations 40, Parts 50, 53, and 58 and have concluded that the number and locations of the monitors in our network comply with the CFR provisions. In some areas of the network, more monitors are operating than required. Therefore, the SCHD is forwarding the enclosed documents with the pertinent air monitoring site information so that the contents may be incorporated into the State of Tennessee's Monitoring Network plan to EPA.

Changes to our air monitoring network include the following:

1. PM_{2.5} Collocation at the Shelby Farms NCore station

40 CFR 58.12 (d) (2) states that all FRMs at the NCore sites must minimally operate on a 1-in-3 day sampling frequency. This includes the collocated samplers. The SCHD AMB began the operation of a Teledyne T640x FEM sampler on January 1, 2021 at the Shelby Farms NCore station. A Thermo 2025i FRM sampler has operated on a 1-in 3-day sampling schedule on January 1, 2021 to meet collocation requirements.

2. PM_{2.5} Collocation at the Alabama Ave. station

The SCHD AMB operates 2 FRM $PM_{2.5}$ Thermo 2025i samplers. The POC 1 sampler operates on a 1in 3- day schedule and the POC 2 sampler operates on a 1- in 12- day schedule to meet collocation requirements. The POC 1 sampler began operating on January 1, 2017. The POC 2 collocated sampler began operating on January 1, 2021 when the collocated FRM sampler at Shelby Farms was replaced with a T640x. When funding becomes available, a T640x will be purchased and will replace the 2 $PM_{2.5}$ FRMs and the PM_{10} FEM (TEOM) sampler. This is expected to occur in the 2024-2025 season.

3. Continuous PM_{2.5} FEM sampling

The SCHD AMB continues to operate 3 FRM samplers in the network. The goal for the 2024-2025 season is to add a Teledyne-API T640x FEM sampler at the Near Road site while keeping the filterbased 2025i as a non-FRM filter-based co-located PM 2.5 sampler. Also, the 2 FRM samplers and 1 FEM PM_{10} will be replaced with a Teledyne T640x sampler at the Alabama Ave. station. This will leave the 1 FRM PM 2.5 sampler at NCore running at a 1-in-3 schedule co-located adjacent to the T640x sampler.

4. PAMS at the Shelby Farms NCore site

Based on 40 CFR Part 58, Appendix D, State air monitoring agencies are required to begin making PAMS measurements at their NCore location(s) by June 1, 2019. An extension was granted and was effective on February 7, 2020 delaying the start date for PAMS monitoring to June 1, 2021. The SCHD has been collecting PAMS-related data since June 1, 2021 on a seasonal basis (PAMS season runs from June 1-August 31). The pollutants measured are True NO₂, carbonyl, VOCs, cloud mixing height (using a ceilometer) and the meteorological data ambient temperature, barometric pressure, relative humidity, wind direction, and wind speed which were previously measured at the Shelby Farms NCore station prior to 2021. In addition, SCHD AMB began measuring solar radiation, UV radiation and precipitation prior to the start of the 2022 PAMS season.

5. Monitors/pollutants reporting to the EPA AirNOW Program (Forecasting Program)

The following Shelby County ambient air monitoring sites (with the participating air pollutants) are included in the EPA AirNOW Program and the Shelby County Health Department AirNOW Forecasting Program:

Edmund Orgill Park-Ozone Frayser-Ozone Shelby Farms (NCore)-Ozone, PM 2.5 (T640x)

The planned changes to Alabama Ave. and Macon Cove-SWTCC (Near Road) in the 2024-2025 season will allow these sites to be added to the AirNOW/Forecasting Programs for PM 2.5. The SCHD will notify our EPA Region 4 representative and these sites will be updated on the AirNOWTech website to reflect the changes when the instruments have been installed, quality-checked, and determined to be operating properly.

Shelby County Health Department Active Sites	Pollutant	Monitor	AQS ID	
416 Alabama	PM _{2.5} (1 in 3 day) PM _{2.5} (1 in 12 day)	Thermo Environmental 2025 and 2025I Sequential PM 2.5	47-157-0024	
	PM ₁₀ continuous	Thermo TEOM 1405- PM10		
6855 Mudville (Edmund Orgill Park)	O3 continuous	Teledyne API T400	47-157-1004	
1330 Frayser	O ₃ continuous	Teledyne API T400	47-157-0021	
1330 FrayserO3 continuous6388 Haley Rd.CO (trace) continuous SO2 (trace) continuous NOy (trace) continuous O3 continuous PM2.5 (1 in 3 day) PM2.5, PM10, PM10-2.5 continuous PM2.5 Speciation (1 in 3 day) Carbon (1 in 3 day) Wind Speed Wind Direction Ambient Temperature Relative Humidity Barometric Pressure NO2 continuous Carbonyl (1 in 3) autoGC (continuous) Solar Radiation Ultraviolet Radiation Rainfall		Teledyne T300U Teledyne T100U Teledyne T200U Teledyne T400 Thermo 2025i PM 2.5 Teledyne T640x Met One Super SASS URG 3000 RM Young RM Young RM Young RM Young RM Young Climatronics Teledyne API T500U ATEC 8000 Chromatotec (CAS) CG-866 Epply Laboratory RM Young	47-157-0075	
5767 Macon Cv. CO Continuous NO ₂ Continuous PM _{2.5} (1 in 3 day)		Teledyne API T300 Teledyne API T200 Thermo Environmental 2025I Sequential	47-157-0100	

B. 2023 Shelby County Active Sites

VII. Appendix

Cover Letter for Memorandum of Agreement for Memphis, TN-MS-AR

Memorandum of Agreement for Memphis, TN-MS-AR



SHELBY COUNTY HEALTH DEPARTMENT



MICHELLE A. TAYLOR, MD DRPH, MPA

HEALTH DIRECTOR & OFFICER

May 9, 2024

Ms. Michelle Walker Owenby, Air Director Tennessee Department of Environment and Conservation Air Pollution Control Division Davy Crockett Tower 500 James Robertson Parkway, 7th Floor Nashville, Tennessee 37243

Mr. Jaricus Whitlock, P.E., Chief, Air Division Mississippi Department of Environmental Quality Office of Pollution Control P.O. Box 2261 Jackson, Mississippi 39225

Demetria Kimbrough, Associate Director, Office of Air Quality Division of Environmental Quality Arkansas Department of Energy and Environment 5301 Northshore Drive North Little Rock, AR 72118

Dear All,

In accordance with the provisions of the Memorandum of Agreement (MOA) signed in May and June of between the Shelby County Health Department (SCHD), Mississippi Department of Environmental Quality (MDEQ), and the Arkansas Department of Energy and Environment-Division of Environmental Quality (DEQ), this letter serves as a notification that each respective agency in the MOA have been contacted by the SCHD. Although no changes have occurred, there are a few planned changes later in the year (see chart below) within the SCHD and DEQ portions of the network. With this MOA, all agencies are meeting EPA monitoring requirements.

If you have any questions, please call me at (901) 222-9193.

Sincerely,

alexander

Kasia Smith Alexander Bureau Director, Environmental Health and Sustainability Bureau Shelby County Health Department

Mission

To promote, protect and improve the health of ALL in Shelby County. 814 Jefferson Avenue
Memphis, TN 38105
901 222-9000
www.shelbytnhealth.com

MEMORANDUM OF AGREEMENT ON AIR QUALITY MONITORING FOR CRITERIA POLLUTANTS FOR THE MEMPHIS, TN- MS- AR METROPOLITAN STATISTICAL AREA (MSA)

Participating Agencies:

Shelby County Health Department (SCHD) Air Pollution Control Program

Mississippi Department of Environmental Quality (MDEQ) Office of Pollution Control, Air Division

Arkansas Department of Energy and Environment Division of Environmental Quality (DEQ)

PURPOSE / OBJECTIVE / GOALS

The purpose of this Memorandum of Agreement (MOA) is to inform the entities of the Memphis, Tennessee-Mississippi-Arkansas Metropolitan Statistical Area of monitoring network changes. The MOA between SCHD, MDEQ, and DEQ is to collectively meet United States Environmental Protection Agency (EPA) minimum monitoring requirements for particles of an aerodynamic diameter of 10 micrometers and less (PM_{2.5}), and ozone; as well as other criteria pollutants air quality monitoring deemed necessary to meet the needs of the MSA as determined reasonable by all parties. This MOA will formalize and reaffirm the collective agreement in order to provide adequate criteria pollutant monitoring for the Memphis, TN-MS-AR MSA as required by 40 CFR 58 Appendix D, Section 2, (e).

PM_{2.5} MSA monitoring network include:

County	Federal Referenced Method PM _{2.5}	<u>Federal</u> Equivalent <u>Method</u> <u>PM_{2.5}</u>	Continuous PM _{2.5}	Speciation PM _{2.5}	Collocated PM _{2.5}
Shelby County, TN SCHD	4 (includes 2 at Alabama, 1 at NCore, and 1 at the Near Road station*)	3.		1	2
Crittenden County, AR DEQ	1	1**	1		
DeSoto County, MS MDEQ		1			

*The SCHD plans to replace two FRM PM2.5 samplers with a T640x at Alabama Ave, later this year. Plans also include adding a T640x at Near Rd site. **The DEQ has added a T640 at the Marion, AR site.

Criteria Air Pollutant MSA monitoring network include:

County	PM ₁₀	PM 10-2.5	<u>O</u> ₃	NO _x /NOy/NO/NO ₂	<u>co</u>	SO2
Shelby County, TN SCHD	4 (1 TEOM at Alabama Ave, 3-T640x at NCore, Near Rd, & Alabama Ave***	1	3	3 (includes 1 NO/ NO ₂ /NO _x at Near Road Station, 1 NO/NO _y (trace) at NCore/, 1 True NO ₂ (trace) at NCore-PAMS)	2 (includes 1 trace at NCore and 1 at the Near Road Station)	1 (trace at NCore)
Crittenden County, AR DEQ			1	1		
DeSoto County, MS MDEQ			1			

***The SCHD plans to replace the continuous PM10 TEOM with a T640x at Alabama Ave, and add PM10 at the Near Rd, site with a new T640x later this year. After the replacement, there will be three PM 10 samplers (all T640x), two FRM PM25 samplers, and three FEM PM25 (same T640x) samplers operating in Shelby County.

RESPONSIBILITIES / ACTIONS

Each of the parties to this Agreement is responsible for ensuring that its obligations under the MOA are met. As conditions warrant, the affected agencies may conduct telephone conference calls, meetings, or other communications to discuss monitoring activities for the MSA. Each affected agency shall inform the other affected agencies via telephone or email of any monitoring changes occurring within its jurisdiction of the MSA at its earliest convenience, after learning of the need for the change or making the changes. Such unforeseen changes may include evictions from monitoring sites, destruction of monitoring sites due to natural disasters, or any occurrences that result in an extended (greater than one quarter) or permanent change in the monitoring network.

LIMITATIONS

- All commitments made in this MOA are subject to the availability of appropriated funds and each agency's budget priorities. Nothing in this MOA obligates SCHD, MDEQ, or DEQ to expend appropriations or to enter into any contract, assistance agreement, interagency agreement or other financial obligation.
- This MOA is neither a fiscal nor a funds obligation document. Any endeavor involving reimbursement or contribution of funds between parties to this agreement will be handled in accordance with applicable laws, regulations, and procedures, and will be subject to separate agreements that will be affected in writing by representatives of the parties.
- This MOA does not create any right or benefit enforceable by law or equity against SCHD, MDEQ, or DEQ, their officers or employees, or any other person. This MOA does not apply to any entity outside SCHD, MDEQ, or DEQ.
- No proprietary information or intellectual property is anticipated to arise out of this MOA.

TERMINATION

This Memorandum of Agreement may be revised upon the mutual consent of SCHD, MDEQ and DEQ. Each party reserves the right to terminate this MOA. A thirty (30) day written notice must be given prior to the date of termination.