Redesignation Request and Maintenance Plan for the Sullivan County, Tennessee One-Hour Sulfur Dioxide Nonattainment Area (2010 SO_2 NAAQS)

June 11, 2025

Prepared by:

Tennessee Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243

TABLE OF CONTENTS

	Page
LIST OF TABLES	i
LIST OF FIGURES	ii
LIST OF ATTACHMENTS	ii
LIST OF ACRONYMS AND ABBREVIATIONS	ii
EXECUTIVE SUMMARY	iv

1.0 INTRODUCTION.....1
2.0 AIR QUALITY.....3
3.0 APPROVED IMPLEMENTATION PLAN 18
4.0 PERMANENT AND ENFORCEABLE REDUCITONS 19
5.0 APPLICABLE REQUIREMENTS UNDER SECTION 110 AND PART D.....26
6.0 MAINTENANCE PLAN REQUIREMENTS.....40

LIST OF TABLES

Table 2-1	Ross N. Robinson Ambient Data, 2009-2011
Table 2-2	Ambient Data from Active Monitors
Table 2-3	Three-Year Design Values at Active Monitors
Table 2-4	Data Completeness
Table 2-5	Boiler Model Runs
Table 2-6	Other Modeled SO_2 Emission Sources
Table 2-7	Summary of Model Results
Table 4-1	Eastman Chemical Company Actual Emissions – Coal-Fired Boilers
Table 4-2	Startup Dates of Modified B-253 Boilers
Table 4-3	Calculation of 30-Day Rolling Average Emission Limit, Coal Gasification Flare
Table 4-4	Other Emission Limits Included in the SIP
Table 5-1	2022 Point Source Inventory – Eastman Chemical Company
Table 5-2	Summary of Historical SO_2 Emissions
Table 5-3	2037 Point Source Inventory – Eastman Chemical Company
Table 5-4	Domtar Paper Company and Holston Army Ammunition Plant
Table 5-5	Area Source SO_2 Emissions – Sullivan County Nonattainment Area
Table 5-6	Projection of Attainment Year and Maintenance Year, SO_2 Emissions from Onroad Mobile Sources
Table 5-7	Nonattainment Area Nonroad SO_2 Emissions (Excluding Locomotive/Rail)
Table 5-8	Locomotive SO_2 Emissions – Sullivan County Nonattainment Area
Table 5-9	Summary of 2022 and 2037 Emissions Inventories

LIST OF FIGURES

Figure 1-1 Kingsport SO_2 Nonattainment Area
Figure 2-1 SO_2 Trends, 2009-2023
Figure 2-2 Locations of Maximum Modeled Impacts
Figure 4-1 Eastman Chemical Company Powerhouses
Figure 5-1 Projection of Area Source Emissions from Open Burning of Land Clearing Debris
Figure 5-2 Projection of Area Source Emissions from Open Burning of Yard Waste/Brush
Figure 5-3 Projection of Onroad Mobile Source Emissions

LIST OF ATTACHMENTS

Attachment A SO_2 Point Source Emissions Inventory
Attachment B SO_2 Area Source Emissions Inventory
Attachment C SO_2 Onroad Mobile Source Emissions Inventory
Attachment D SO_2 Nonroad Mobile Source Emissions Inventory
Attachment E SO_2 Emissions from B-83 and B-325 Boilers
Attachment F SO_2 Emissions from Hazardous Waste Combustors
Attachment G SO_2 Emissions from B-351-5 Flare
Attachment H Modeled Attainment Demonstration
Attachment I Modeling of Flare Actual Emissions
Attachment J Permits
Attachment K Documentation of Design Heat Input and Maximum Uncontrolled Hourly Emissions
Attachment L Public Participation
Attachment M Response to Comments
Attachment N Board Order

LIST OF ACRONYMS AND ABBREVIATIONS

AERMET	A meteorological data preprocessor for AERMOD
AERMOD	AMS/EPA Regulatory Model.
AQS	Air Quality System. AQS is EPA's repository of ambient air quality data.
BACT	Best Available Control Technology
BART	Best Available Retrofit Technology
CAA	Clean Air Act
CFR	Code of Federal Regulations
DSI	Duct sorbent injection, or dry sorbent injection
EPA	Environmental Protection Agency
ESP	Electrostatic Precipitator
FR	Federal Register

LIST OF ACRONYMS AND ABBREVIATIONS

HWC	Hazardous Waste Combustor
µg/m^3	Micrograms per Cubic Meter
lb/hr	Pounds per hour
lb/MMBtu	Pounds per million Btu of heat input
MPO	Metropolitan Planning Organization
MOVES	Motor Vehicle Emissions Simulator
MSOP	Major source operating permit
N	North
NAA	Nonattainment area
NAAQS	National Ambient Air Quality Standards
NCD	NMIM County Database
NEI	National Emissions Inventory
NMIM	National Mobile Inventory Model
NSR	New Source Review
$PM_{2.5}$	Particulate matter less than 2.5 micrometers in diameter
ppb	Parts per billion
PSD	Prevention of Significant Deterioration
Q	Calendar quarter (e. g., Q1 = January 1 through March 31, etc.)
RACM	Reasonably Available Control Measures
RACT	Reasonably Available Control Technology
RCRA	Resource Conservation and Recovery Act
RFP	Reasonable Further Progress
SCC	Source Classification Code
SDA	Spray dryer absorber
SIP	State Implementation Plan
SO_2	Sulfur dioxide
SODAR	Sonic detection and ranging
TAPCR	Tennessee Air Pollution Control Regulations
TCA	Tennessee Code Annotated
TDEC	Tennessee Department of Environment and Conservation
TDOT	Tennessee Department of Transportation
TN	Tennessee
TNO	Tennessee Operations (a division of Eastman Chemical Company)
tpy (or TPY)	Tons per year
UTM	Universal Transverse Mercator
VMT	Vehicle miles traveled
W	West

EXECUTIVE SUMMARY

The Kingsport, Tennessee SO_2 nonattainment area includes the portion of Sullivan County encompassing a circle having its center at coordinates 36.5186 N; 82.5350 W (B-253 powerhouse, Eastman Chemical Company), and having a three-kilometer radius. Between 2008 and 2010, air quality monitoring at one monitor within this region indicated that the ambient SO_2 concentrations exceeded the 75 ppb one-hour SO_2 National Ambient Air Quality Standard (NAAQS) promulgated in 2010, and EPA designated the area as nonattainment for the one-hour SO_2 NAAQS, effective October 4, 2013.

Tennessee submitted attainment demonstrations on May 11, 2017, and February 9, 2023, and projected that the area would attain the NAAQS based on SO_2 emission reductions achieved by: (1) Eastman's conversion of the B-253 powerhouse (Boilers 25-29) from coal to natural gas operation; and (2) installation of dry sorbent injection (DSI) controls on Boilers 23 and 24 of Eastman's B-83 powerhouse; and (3) adoption of revised emission limits for Eastman's B-83 and B-325 powerhouses. Air quality monitoring data for 2020 through 2022 indicates declining sulfur dioxide concentrations within the nonattainment area, and the design value of each monitor in the nonattainment area shows attainment of the NAAQS.

Tennessee is petitioning EPA for redesignation of the Sullivan County one-hour sulfur dioxide nonattainment area to attainment for the 2010 one-hour SO_2 NAAQS, based on an attaining three-year design value for the period 2020-2022 and upon air dispersion modeling that demonstrates future maintenance of the NAAQS. This petition is submitted pursuant to §107(d)(3) of the Clean Air Act, which specifies the requirements for redesignation of nonattainment areas. This petition will show that the nonattainment area has attained the NAAQS and that the observed reduction in SO_2 levels is due to permanent and enforceable emission reductions. In addition, an emissions inventory is included, which indicates declining SO_2 emissions between 2017 and 2022. As SO_2 emissions continue to decline, the region is likely to remain in attainment of the NAAQS in the future. However, this petition includes contingency measures that may be put into place, if necessary, to correct NAAQS exceedances that may occur after redesignation of the area to attainment.

1.0 INTRODUCTION

This petition is submitted to the United States Environmental Protection Agency (EPA) to request redesignation of the Sullivan County, Tennessee sulfur dioxide nonattainment area from nonattainment to attainment for the one–hour SO_2 National Ambient Air Quality Standard (NAAQS), pursuant to §107(d)(3) of the Clean Air Act (CAA). The Act specifies the following requirements for redesignation of nonattainment areas:

1. The Administrator determines that the area has attained the national ambient air quality standard;

2. The Administrator has fully approved the applicable implementation plan for the area under section 110(k);

3. The Administrator determines that the improvement in air quality is due to permanent and enforceable reductions in emissions resulting from implementation of the applicable implementation plan and applicable Federal air pollutant control regulations and other permanent and enforceable reductions;

4. The State containing such area has met all requirements applicable to the area under section 110 and part D.

5. The Administrator has fully approved a maintenance plan for the area as meeting the requirements of section 175A; and

EPA enumerates specific requirements for each of these criteria in the Agency's September 4, 1992 memorandum, *Procedures for Processing Requests to Redesignate Areas to Attainment* (Calcagni memo)[1]. The Agency provided additional pollutant-specific guidance for SO_2 nonattainment areas in the April 23, 2014, memorandum, *Guidance for 1-Hour SO_2 Nonattainment Area SIP Submissions* (Page memo)[2]. Tennessee is petitioning EPA for redesignation of the nonattainment area to attainment based on an attaining three-year design value for the period 2020-2022 and upon air dispersion modeling that projects attainment of the NAAQS based on permitted allowable emissions and/or the maximum uncontrolled hourly emission rates[3] for small fuel-burning sources. This document demonstrates that the Sullivan County area meets the above requirements and can petition the EPA for redesignation in lieu of an attainment demonstration. Submission of an attainment demonstration in place of this redesignation request would not necessarily result in additional controls, since ambient air quality data indicates that the area is attaining the NAAQS, and since attainment has been achieved using existing controls (see Section 2.0 for additional information).

[1] Available online at https://www.epa.gov/sites/default/files/2016-03/documents/calcagni_memo_-_procedures_for_processing_requests_to_redesignate_areas_to_attainment_090492.pdf.

[2] Available online at https://www.epa.gov/sites/default/files/2016-06/documents/20140423guidance_nonattainment_sip.pdf

[3] For modeling purposes, "permitted allowable" means the hourly emission rate in pounds per hour listed in the emission source's construction or operating permit, and "maximum uncontrolled hourly emission rate" means the unrestricted maximum physical and operational capacity to emit sulfur dioxide, without restriction by any permit term or limit. Modeling of the maximum uncontrolled hourly emission rate is used as applicable to determine whether, even without enforceable restrictions on some sources, the area can attain the NAAQS if the respective emission sources emit at maximum possible uncontrolled hourly levels. The maximum uncontrolled hourly emission rate includes no assumptions beyond the design capacity of the unit and the fuel(s) burned. Calculation and documentation of maximum uncontrolled hourly emissions for fuel burning and process emission sources are included in Attachment K.

Sulfur dioxide (SO_2) is a highly reactive gas emitted from fossil fuel combustion at power plants and other industrial facilities and from industrial processes (e. g., the extraction of metal from ore)[4]. In June 2010, EPA promulgated a new one-hour primary SO_2 NAAQS of 75 parts per billion (ppb). This one-hour primary standard is met when the three-year average of the annual (99th percentile) of the daily maximum one-hour average concentrations is less than or equal to 75 ppb, as determined in accordance with Appendix T of 40 CFR 50[5]. EPA revised the air quality standard for SO_2 based on an integrative synthesis of the entire body of evidence on human health effects associated with ambient SO_2 and upon the results of quantitative exposure and risk assessments reflecting this evidence. In considering the entire body of evidence, EPA chose to focus primarily on respiratory morbidity following short-term exposure to SO_2 (5 minutes to 24 hours), for which the Agency's Integrated Science Assessment[6] found a causal relationship[7].

The Kingsport, Tennessee SO_2 nonattainment area includes the portion of Sullivan County encompassing a circle having its center at coordinates 36.5186 N; 82.5350 W (B-253 powerhouse, Eastman Chemical Company), and having a three-kilometer radius (**Figure 1-1**). Between 2008 and 2010, air quality monitoring at one monitor within this region indicated that the one-hour average SO_2 concentrations exceeded the 75 ppb NAAQS, and EPA designated the area as nonattainment for the one-hour SO_2 NAAQS, effective October 4, 2013[8].



Figure 1-1: Kingsport SO_2 Nonattainment Area

[4] *Id*. Unless otherwise noted, the general information in this section was taken from EPA's 2013 *Federal Register* notice and from the 1992 Calcagni memo.
[5] 40 CFR §50.17.
[6] National Center for Environmental Assessment (NCEA), *Integrated Science Assessment for Sulfur Oxides-Health Criteria,* September 12, 2008.
[7] Federal Register June 22, 2010, page 35524.
[8] See 78 FR 47191-47205 (August 5, 2013) and 40 CFR §81.343.

2.0 AIR QUALITY

A redesignation request must demonstrate that the area is attaining the applicable NAAQS, and there are two components to this demonstration, which should be considered interdependently: ambient monitoring and air quality modeling. Each component of this demonstration is discussed separately below.

2.1 Ambient Monitoring Data

For redesignation of SO_2 nonattainment areas, any available monitoring data must indicate that all monitors in the affected area are meeting the standard as stated in 40 CFR §50.17 using data analysis procedures specified in 40 CFR part 50, Appendix T.

Ambient monitoring data used for redesignation purposes must meet several criteria: (1) ambient monitoring data should be representative of the area of highest concentration[9]; (2) ambient monitors should remain at the same location for the duration of the monitoring period required for demonstrating attainment; (3) data should be collected and quality-assured in accordance with 40 CFR 58 and recorded to be available for the public to review; and (4) the Regional office should verify that the integrity of the air quality monitoring network has been preserved.

Following promulgation of a new or revised NAAQS, EPA is generally required to designate areas as nonattainment, attainment, or unclassifiable, pursuant to CAA §107(d)(1) within two years[10]. EPA used existing ambient monitoring data from 2009 through 2011 to identify violations of the 2010 one-hour SO_2 NAAQS in its first round of designations and deferred other areas with insufficient or missing data.

No later than one year after the promulgation of a new or revised NAAQS, CAA §107(d)(1)(A) requires each state governor to recommend air quality designations to EPA, and EPA must review the state's recommendations for adequacy. Tennessee made initial recommendations to EPA on May 26, 2011, and revised its recommendations on June 3, 2011, and January 28, 2013. Following the submittal of Tennessee's recommendation and consultation with the governor's designee, EPA designated a portion of Sullivan County as nonattainment for the one-hour SO_2 NAAQS. EPA's designation was based on data from an ambient monitor operated by Eastman Chemical Company at Ross N. Robinson Middle School in Kingsport (**Table 2-1**)[11].

[9] In cases where air quality monitors for the affected area are located in the area of maximum concentration, the EPA may be able to use the data from the monitors alone to make the attainment determination for the affected area without need for additional air quality modeling beyond what the previously approved attainment demonstration has provided.

[10] EPA is generally required to designate areas as nonattainment, attainment, or unclassifiable, pursuant to CAA §107(d)(1) within two years, but if the Administrator has insufficient information to make those designations within two years, EPA has the authority to extend the deadline for completing designations by up to one year. On July 27, 2012, EPA extended the deadline for SO_2 designations to June 3, 2013.

[11] Prior to 2016, the Ross N. Robinson monitoring site was owned and operated by Eastman Chemical Company, and EPA includes Eastman's historical data on its air quality monitoring site. In 2016, the Tennessee Department of Environment and Conservation co-located a monitor at the same site, and that site has been used since 2016 for compliance purposes. Eastman's historical data are available on AQS because the old data from this site were used for designation purposes.

Table 2-1: Ross N. Robinson Ambient Data, 2009-2011					
Monitor Name	AQS ID	Highest-Fourth-High (H4H) SO_2 Concentration (ppb)			Three-Year Design Value (2009-2011)
		2009	2010	2011	
Ross N. Robinson	47-163-6001	158.5	231.5	198.8	196.3

CAA §107(d)(3)(E)(i) states that the Administrator may not promulgate a redesignation of a nonattainment area (or portion thereof) to attainment unless the Administrator determines that the area has attained the national ambient air quality standard.

Following designation of the area to nonattainment, Eastman implemented a number of control strategies, as discussed in Section 4.0, and installed a second monitor at Skyland Drive for planning purposes[12]. Tennessee installed its own monitor at Skyland Drive in 2016 and two additional monitors at Andrew Johnson Elementary School and Happy Hill, and those monitors began operation in 2019 (see **Figure 1-1** for active monitor locations). Following the implementation of Eastman's control strategy between 2013 and 2021, declining ambient concentrations were observed at all monitors (**Table 2-2**). In 2022, the three-year design values (three-year average of 2020, 2021, and 2022) were below the NAAQS at all monitoring locations (**Table 2-3**). Tennessee's redesignation request is based on the most recent three years of data, which show no violations of the SO_2 NAAQS for the three-year average of 2020 through 2022. These data are represented graphically in **Figure 2-1**.



Figure 2-1: SO_2 Trends, 2009-2023[13]

[12] Industry-generated data do not, in general, meet EPA's quality assurance requirements, and Eastman's data for this site are not uploaded to AQS. Ambient data for Happy Hill are available for 2016 and later, when Tennessee began operating its own monitor at the site.

[13] 2023 data are preliminary.

Table 2-2: Ambient Data from Active Monitors									
Monitor Name	**AQS ID**	**99th Percentile Daily Maximum One-Hour SO_2 concentration (ppb)**							
		2017	**2018**	**2019**	**2020**	**2021**	**2022**	**2023**	**2024**
Ross N. Robinson	47-163-6001	92	86	59	45	42	36	37	40
Skyland Drive	47-163-6002	78	57	30	27	24	29	28	30
Andrew Johnson	47-163-6003			104	73	84	55	61	56
Happy Hill[14]	47-163-6004			52	46	61	45	51	50

Table 2-3: Three-Year Design Values at Active Monitors							
Monitor Name	**AQS ID**	**Three-Year Average of 99th Percentile Daily Maximum One-Hour SO_2 concentration (ppb)**					
		2017-2019	**2018-2020**	**2019-2021**	**2020-2022**	**2021-2023**	**2022-2024**
Ross N. Robinson	47-163-6001	79	63	49	41	38	38
Skyland Drive	47-163-6002	55	38	27	27	27	29
Andrew Johnson	47-163-6003			87	71	67	57
Happy Hill	47-163-6004			53	50	52	49

[14] Data from 2018 are not included because the Happy Hill monitor operated for only 21 days in 2018.

Ambient SO_2 concentrations within the nonattainment area vary with the distance of each monitor from the primary SO_2 source[15], and the four monitors within the nonattainment area vary by distance and spatial location relative to the emission source. Tennessee's ambient monitoring data demonstrate that the area has attained the NAAQS, and Tennessee has met EPA's ambient monitoring requirements outlined in the 1992 Calcagni memo as follows:

Location and Representativeness: The ambient monitors have remained at the same location for the duration of the monitoring period required for demonstrating attainment. The Ross N. Robinson monitoring site is located northeast of Eastman Chemical Company's Tennessee Operations, approximately 2 km from the centroid of the nonattainment area[16]. Skyland Drive is located at the eastern edge of the nonattainment area, approximately 3 km from the centroid. Notwithstanding the relatively longer distance from the nonattainment area, Skyland Drive has been important because of the monitor's elevation relative to the remainder of the nonattainment area (approximately 1,700 feet above mean sea level, compared to an elevation of 1,200 feet above mean sea level in the vicinity of the Holston River). Historically, the Skyland Drive monitor was able to detect elevated SO_2 concentrations not observed at Ross N. Robinson, presumably due to plume rise from Eastman's B-83 and B-253 powerhouses.

Andrew Johnson and Happy Hill are newer monitors and were installed specifically to capture ambient data closer to the facility. Andrew Johnson is 1 km northeast of the centroid and is roughly in a direct line between the B-83 stacks and the Ross N. Robinson monitor. Happy Hill is 2 km west-southwest of the centroid and is intended to capture ambient data during periods when the wind direction is opposite of the prevailing winds (typically from the SW). The Happy Hill site is also relatively near to Eastman's B-325 powerhouse and coal gasification operations and may be better suited to detect ambient concentrations affected by those sources.

Following implementation of Eastman's initial control strategy between 2013 and 2018 (repowering of B-253 boilers from coal to natural gas), ambient data from RNR and Skyland Drive declined such that those monitors indicated no exceedances of the NAAQS for 2018 and afterward. Similarly, the H4H concentrations at Happy Hill have not exceeded 75 ppb for all five years of the monitor's operation. However, the Andrew Johnson monitor continued to indicate NAAQS exceedances after beginning operation in 2019, and Eastman began

[15] As discussed in Section 5.2.1, Eastman Chemical Company's Tennessee Operations is the only significant source of SO_2 affecting the nonattainment area.

[16] All distances were calculated as follows: the latitude and longitude of the centroid of the nonattainment area are defined in EPA's designation of the area, and the latitude and longitude of each monitor were obtained from EPA's interactive map of air quality monitors (https://www.epa.gov/outdoor-air-quality-data/interactive-map-air-quality-monitors). NOAA's latitude/longitude distance calculator (https://www.nhc.noaa.gov/gccalc.shtml) was used to calculate the distance of each monitor from the centroid..

Location	Latitude	Longitude
Centroid of Nonattainment Area (B-253 Powerhouse)	36.5186° N	82.5350° W
Andrew Johnson Monitor	36.5264° N	82.5287° W
Happy Hill Monitor	36.5130° N	82.5505° W
Ross N. Robinson Monitor	36.5326° N	82.5163° W
Skyland Drive Monitor	36.5211° N	82.5024° W

Location	Distance from Centroid (km)
Andrew Johnson Monitor	1
Happy Hill Monitor	2
Ross N. Robinson Monitor	2
Skyland Drive Monitor	3

the implementation of both a provisional control strategy in 2019 (portable DSI) and initiated work on a permanent control strategy (permanent DSI), which was completed in 2021. Following implementation of the permanent control strategy in 2021, there were no further exceedances of the NAAQS in 2022 and 2023, the design value indicated attainment of the NAAQS. As discussed in Section 2.2 (Air Quality Modeling), Tennessee modeled the SO_2 emissions from nearby sources, and the model outputs indicated that the areas of highest modeled concentration were located in the vicinity of the Andrew Johnson monitor for four model runs, and the highest concentrations for the remaining two runs were located in the vicinity of the Happy Hill site.

As discussed in Section 2.2, ambient monitoring data collected at the Andrew Johnson monitor (47-163-6003) are representative of the area of highest concentration.

Quality Assurance and Data Completeness: Ambient data are collected and quality-assured in accordance with 40 CFR Part 58 and are recorded to be available for public review. Section 3(b) of Appendix T to 40 CFR Part 50 states that a one-hour SO_2 design value is valid if it encompasses three consecutive calendar years of complete data, a year meets data completeness requirements when all four quarters are complete, a quarter is complete when at least 75% of the sampling days for each quarter have complete data, and a sampling day has complete data if 75% of the hourly concentration values, including State-flagged data affected by exceptional events which have been approved for exclusion by the Administrator, are reported. **Table 2-4** summarizes the data completeness for the Sullivan County monitors from 2019 through 2023.

Table 2-4: Data Completeness

Monitor ID	Local Site Name	Year	Number of Complete Hours	Observation Percent
47-163-6003	Andrew Johnson School	2019	8,141	93%
		2020	8,170	93%
		2021	8,284	95%
		2022	8,308	95%
		2023	8,262	94%
		2024	8,277	94%
47-163-6003	Happy Hill	2019	8,172	93%
		2020	8,279	94%
		2021	8,256	94%
		2022	8,274	94%
		2023	8,081	92%
		2024	8,169	93%
47-163-6001	Ross N. Robinson	2019	8,252	94%
		2020	8,040	92%
		2021	8,251	94%
		2022	8,288	95%
		2023	8,142	93%
		2024	8,143	93%
47-163-6002	Skyland Drive	2019	8,250	94%

Table 2-4: Data Completeness				
Monitor ID	**Local Site Name**	**Year**	**Number of Complete Hours**	**Observation Percent**
		2020	8,068	92%
		2021	8,189	93%
		2022	8,171	93%
		2023	8,282	95%
		2024	7,967	91%
Data source: https://www.epa.gov/outdoor-air-quality-data/interactive-map-air-quality-monitors				

Monitoring Network Integrity: EPA's Region 4 office periodically verifies that the integrity of the air quality monitoring network has been preserved through Technical Systems Audits (TSAs). EPA performed a TSA for the SO_2 monitors in 2019 and found that the ambient air monitoring program was maintained in accordance with State quality system documents and that data collected within the State's ambient air monitoring network were of sufficient quality for regulatory decisionmaking purposes. Issues identified during the TSA were resolved with the development and implementation of a corrective action plan, and on October 22, 2020, EPA found that all findings and concerns identified in the 2019 TSA were successfully resolved.

2.2 Air Quality Modeling

The second component of Tennessee's analysis relies upon air quality modeling of SO_2 emitting sources in the nonattainment area, including enforceable control measures, to demonstrate that the area has attained the NAAQS pursuant to CAA §107(d). Although supplemental modeling is not required for regional pollutants such as ozone or fine particulate matter, a monitoring network may not be sufficient to represent the air quality throughout the nonattainment area for directly-emitted pollutants such as sulfur dioxide. If there are no air quality monitors located in the affected area, or if analyses indicate that none of the monitors is located in the area of maximum concentration, then air quality dispersion modeling will generally be needed to estimate SO_2 concentrations throughout the area and to demonstrate that emission sources are not causing or contributing to violations of the NAAQS.

Tennessee modeled the portion of Sullivan County encompassing a circle centered at coordinates 36.5186 N; 82.5350 W (Eastman Chemical Company's B-253 powerhouse) and having a three-kilometer radius (i. e., the portion of Sullivan County designated as nonattainment) as the modeling domain. Model receptors were placed at 50-meter intervals along the Eastman fenceline, public access roads, and riverbanks and at 100-meter intervals throughout the remainder of the nonattainment area. Terrain elevations were developed from the National Elevation Dataset (NED) acquired from USGS, using EPA's terrain processor (AERMAP version 18081). Receptors were not placed in the interior of Eastman's facility, since access to the property is controlled via fences, gates, and other restrictions to limit public access to the site. Tennessee used onsite meteorological data developed by Eastman and updated/supplemented Eastman's data with the 2011 NLCD and with the application of the latest version of AERMET (version 22112). To determine background SO_2 concentrations, Tennessee used data from a monitor located at Mammoth Cave National Park in Kentucky (AQS ID 21-061-0501) that was deemed representative based on the terrain similarity, the monitor location relative to nearby sources, and the completeness of the monitoring record, to develop "seasonal by hour of the day" background concentrations.

EPA's Guideline on Air Quality Models (Appendix W to 40 CFR Part 51) states that all sources expected to cause a significant concentration gradient in the vicinity of the source of interest should be explicitly modeled and that the number of such sources is expected to be small except in unusual cases. Other sources, which do not cause significant concentration gradients in the vicinity of the primary source, should be included in the modeling via monitored background concentrations. Model runs were performed for all Eastman sources except for one batch chemical manufacturing operation[17] and for all nearby sources affecting the nonattainment area. Sources were modeled either at the allowable emission rate for sources where Tennessee requested the adoption of emission limits into the SIP and at the maximum uncontrolled hourly emission rate for other sources. Model inputs for Eastman's coal-fired boilers are shown in **Table 2-5**, and model inputs for other sources (Eastman and Domtar Paper Company) are shown in **Table 2-6**.

The results of the model runs are shown in **Table 2-7.** Table 2-7 shows the maximum overall impact for each run (modeled highest-fourth-high concentration) and demonstrates that at the critical emission value of 1,600 lb/hr[18], there are no violations of the SO_2 NAAQS within the nonattainment area. The worst-case model run is 2022-0928-1 (Boilers 23, 24, 30 and 31 down; Boilers 18 through 24 operating at 1,600 lb/hr).

[17] Eastman's specialty organic chemicals production (MSOP-25, PES OC-BATCH) was excluded using the criteria enumerated in EPA's March 1, 2011, modeling guidance for the one-hour NO_2 NAAQS.

[18] The *critical emission value* is the hourly emission rate that the model predicts would result in the annual 99th percentile of daily maximum hourly SO_2 concentrations at or below the level of the one-hour NAAQS at all receptors, given representative meteorological data for the area. The critical emission value is based on an apportionment of SO_2 emission rates between B-83 boilers 18-22 and B-325 30-31 at different operating rates.

Table 2-5: Boiler Model Runs										
		Boilers 18-24				Boilers 30-31				
Run	Boiler(s)	SO_2 Emission Rate (lb/hr)	SO_2 Emission Rate (g/s)	Stack Velocity (m/s)	Stack Temperature (K)	SO_2 Emission Rate (lb/hr)	SO_2 Emission Rate (g/s)	Stack Velocity (m/s)	Stack Temperature (K)	Total SO_2 Emission Rate (lb/hr)
2023-0120-1[19]	18, 19, 20, 21, 22	1,600.0	201.60	16.48	447.92					1,600
2023-0120-5	20, 21, 22, 23, 24, 30	1,283.0	161.65	22.63	439.34	317	39.94	18.97	383.50	1,600
2023-0120-6	20, 21, 22, 23, 24, 30	1,233.6	155.43	22.42	438.80	366.4	46.17	18.97	383.50	1,600
2023-0120-7	21, 22, 23, 24, 31	1,102.0	138.85	19.96	438.21	497.6	62.70	18.22	397.28	1,600
2023-0120-9	18, 19, 20, 21, 22, 30, 31	1,014.2	127.79	14.01	441.90	585.8	73.81	37.19	390.25	1,600
2023-0120-12	18, 19, 20, 21, 22, 30, 31	846.0	127.79	14.01	441.90	754	95.00	37.19	390.25	1,600

Table 2-6: Other Modeled SO_2 Emission Sources					
ID	Description	Stack Velocity (m/s)	Stack Temperature (K)	Modeled SO_2 Emission Rate (g/s)	Basis
DOMTR_BB	Domtar Biomass Boiler	15.39	449.70	1.44	Allowable emissions from PSD permit 978656 (11.43 lb/hr, daily average). The maximum uncontrolled hourly emission rate is 6.13 lb/hr (i. e., the modeled emission rate is higher than the maximum uncontrolled hourly emission rate).
TAIL_GAS	Tail Gas Incinerator	21.34	644.26	2.75	Allowable emission rate (21.8 lb/hr).
FUGITIVE	Fugitive			1.72E-08[20]	SO_2 emissions from equipment leaks are estimated from equipment counts (i. e., number of pumps, valves, flanges, connectors, etc.) and emission factors plus nontraditional fugitive emissions[21] (estimated as 10% of equipment leaks). There are no numeric emission limits for equipment leaks, and compliance is based on work practice standards (quarterly or annual inspection using audible, visual, or olfactory methods).

[19] Model run ID numbers are not sequential because Tennessee developed multiple runs but later eliminated some runs as redundant. Model run IDs were updated to reflect the most recent runs performed in response to EPA comments.

[20] Fugitive emissions are modeled in g/s*m^2, where the fugitive area is 2,425,384 m^2 (1353.3 m x 1792.2 m).

[21] Fugitive emissions from equipment closures including manways, body flanges, and blind flanges.

Table 2-6: Other Modeled SO_2 Emission Sources					
ID	Description	Stack Velocity (m/s)	Stack Temperature (K)	Modeled SO_2 Emission Rate (g/s)	Basis
253_25	B-253 Powerhouse Boiler 25	25.3	434	0.058	Maximum uncontrolled hourly emission rate at the design heat input.
253_26	B-253 Powerhouse Boiler 26	25.3	434	0.058	Maximum uncontrolled hourly emission rate at the design heat input.
253_27	B-253 Powerhouse Boiler 27	25.3	434	0.058	Maximum uncontrolled hourly emission rate at the design heat input.
253_28	B-253 Powerhouse Boiler 28	25.3	434	0.058	Maximum uncontrolled hourly emission rate at the design heat input.
253_29	B-253 Powerhouse Boiler 29	25.3	434	0.058	Maximum uncontrolled hourly emission rate at the design heat input.
H2_2_6	H2 Plants (Hydrogen Plant #3)	15.54	533.00	3.78E-03	Maximum uncontrolled hourly emission rate at the design heat input[22].
H24A	H2 Plants (Hydrogen Plant #4)	15.54	533.00	4.31E-03	Maximum uncontrolled hourly emission rate at the design heat input[23].
H25A	H2 Plants (Hydrogen Plant #5)	26.52	494.67	9.49E-03	Maximum uncontrolled hourly emission rate at the design heat input.
H26A	H2 Plants (Hydrogen Plant #6)	26.52	494.67	9.49E-03	Maximum uncontrolled hourly emission rate at the design heat input[24].
B4231A	NG-Fired Boiler, 226 MMBtu/hr	15.15	471.89	1.68E-02	Maximum uncontrolled hourly emission rate at the design heat input.
B4231B	NG-Fired Boiler, 226 MMBtu/hr	15.15	471.89	1.68E-02	
B4231C	NG-Fired Boiler, 226 MMBtu/hr	15.15	471.89	1.68E-02	
B1901F	NG-Fired Parts Cleaning Oven	2.23	386.33	1.44E-03	Maximum uncontrolled hourly emission rate at the design heat input.
B1901L	NG-Fired Parts Cleaning Oven	7.62	302.44	1.44E-03	
RICE1A	Diesel-Fired Emergency Engine	78.9432	750.77778	7.47E-04	Maximum uncontrolled hourly emission rate at the design heat input.
RICE1H	Diesel-Fired Emergency Engine	21.0312	745.22222	2.33E-04	Maximum uncontrolled hourly emission rate at the design heat input.
RICE1I	Diesel-Fired Emergency Engine	71.628	785.77778	1.77E-05	Maximum uncontrolled hourly emission rate at the design heat input.
RICE1K	Diesel-Fired Emergency Engine	61.2648	658	4.36E-04	Maximum uncontrolled hourly emission rate at the design heat input.

[22] Tennessee identified a small discrepancy between the modeled emission rate (0.03 lb/hr) and the calculated maximum uncontrolled hourly emission rate (0.034 lb/hr). We believe that this difference is a rounding error with no significance to the model output.

[23] Tennessee identified a small discrepancy between the modeled emission rate (0.0342 lb/hr) and the calculated maximum uncontrolled hourly emission rate (0.034 lb/hr). We believe that this difference is a rounding error with no significance to the model output.

[24] Tennessee identified a small discrepancy between the modeled emission rate (0.075 lb/hr) and the calculated maximum uncontrolled hourly emission rate (0.076 lb/hr). We believe that this difference is a rounding error with no significance to the model output.

Table 2-6: Other Modeled SO_2 Emission Sources					
ID	Description	Stack Velocity (m/s)	Stack Temperature (K)	Modeled SO_2 Emission Rate (g/s)	Basis
RICE1P	Diesel-Fired Emergency Engine	99.6696	710.22222	1.08E-04	Maximum uncontrolled hourly emission rate at the design heat input.
B265B1A	NG-Fired Heat Transfer Furnace	5.79	605.22	2.88E-04	Maximum uncontrolled hourly emission rates at the design heat input are 3.63 x 10^{-4} g/s for B265B1A (Furnace SM-01) and 4.60E x 10^{-4} g/s for B265B1C (Furnace SM-02). The modeled emission rate (combined total for both furnaces) was 8.63 x 10^{-4} g/s, compared to a maximum uncontrolled hourly emission rate (combined total for both furnaces) of 8.23 x 10^{-4}. Stacks are co-located (same UTM coordinates).
B265B1C	NG-Fired Heat Transfer Furnace	2.74	616.33	5.75E-04	
RK	Solid/Liquid Chemical Incinerators, B-248-1 Vents D and E	17.07	319.11	2.52E+00	CEV of 20 lb/hr
LCD	Liquid Chemical Incinerator B-248-2, Vent A	15.85	319.11	1.26E+00	CEV of 10 lb/hr
RICE3A	Diesel-Fired Emergency Engine	41.7576	713.55556	5.50E-04	Maximum uncontrolled hourly emission rate at the design heat input.
RICE2B63	B-63 Emergency Fire Pump Engine (Vent A)	53.64	727.4	3.51E-04	Maximum uncontrolled hourly emission rate at the design heat input.
RIC2B269	B-269 Emergency Fire Pump Engine (Vent B)	45.72	788	2.56E-04	Maximum uncontrolled hourly emission rate at the design heat input.
DOMTR_SR	Domtar No. 2 Power Boiler	14.54	429.26	1.70E-01	1.33 lb/hr allowable (daily average) from PSD permit 978656. Maximum uncontrolled hourly emission rate is 1.33 lb/hr.
DOMTR_LK	Domtar Lime Kiln	6.46	516.48	4.91E-01	3.9 lb/hr allowable (daily average) from Title V permit 573622. Emissions will be zero following startup of the modified source (the facility will no longer produce soda pulp, and the lime kiln will not be needed). The allowable emission rate was retained in the model because there is no enforceable shutdown requirement for the lime kiln.
PRMSTER	Cellulose Acetate Process	3.63	306.48	3.15E-02	Controlled emission rate (0.25 lb/hr).
B6551	Methanolysis Plant (Furnace FR-01)	4.88	449.70	1.26E-02	Maximum uncontrolled hourly emission rate at the design heat input.
B8311_32	New Gas Boiler 32	17.07	455.20	1.89E-02	Maximum uncontrolled hourly emission rate at the design heat input.
B8311_33	New Gas Boiler 33	17.07	455.20	1.89E-02	
B8311_34	New Gas Boiler 34	17.07	455.20	1.89E-02	
B338_3	Catalyst Recovery	21.95	310.80	1.26E-02	Maximum uncontrolled hourly emission rate at the design heat input.
B90_7_1	TBHQ Production	43.28	298.00	1.15E-03	Maximum uncontrolled hourly emission rate (0.01 lb/hr). Vent E is an uncontrolled process vent, and SO_2 is used as a reagent in the process. Emissions

Table 2-6: Other Modeled SO_2 Emission Sources					
ID	Description	Stack Velocity (m/s)	Stack Temperature (K)	Modeled SO_2 Emission Rate (g/s)	Basis
					from this vent are negligible because SO_2 is added below its solubility limit of in water.
B90_7_2	TBHQ Production	0.09	298.00	2.59E-03	Maximum uncontrolled hourly emission rate (0.02 lb/hr). Vent C is an uncontrolled process vent, and SO_2 is used as a reagent in the process. Emissions from this vent are negligible because SO_2 is added below its solubility limit of in water. The application also states that there is adequate mixing and reaction time such that no excess SO_2 remains in solution.
B90B_1	BHA Production	6.10	294.10	4.03E-02	Maximum uncontrolled hourly emission rate (0.31 lb/hr).
B22723_1	HTM Furnace #3 (Vent A)	2.01	449.70	9.58E-03	Allowable emission rate of 0.19 lb/hr allocated to each furnace by heat input (0.08 lb/hr to Vent A and 0.11 lb/hr to Vent B). The modeled emission rates are greater than the maximum uncontrolled hourly emission rates at the design heat inputs (1.04×10^{-3} g/s for Vent A and 1.59×10^{-3} g/s for Vent B).
B22723_2	HTM Furnace #4 (Vent B)	4.02	449.70	1.44E-02	
B6C1_27	Cracking Furnace 27	12.10	644.10	1.89E-03	Maximum uncontrolled hourly emission rate at the design heat input.
B6C1_28	Cracking Furnace 28	12.10	644.10	1.89E-03	
B7R_1	Crack Furnace 5-16 and 9-24	6.68	644.10	7.56E-03	Maximum uncontrolled hourly emission rate at the design heat input.
B7R_2	Crack Furnace 5-16 and 9-24	6.68	644.10	7.56E-03	
B7RC_1	Cracking Furnace 25	5.46	644.10	1.26E-03	Maximum uncontrolled hourly emission rate at the design heat input.
B7RC_2	Cracking Furnace 26	5.46	644.10	1.26E-03	
AB7_1	Acetic Anhydride Manufacturing (Ketene Furnaces)	1.58	505.20	3.02E-03	Maximum uncontrolled hourly emission rate at the design heat input.
AB7_2	Acetic Anhydride Manufacturing (Thermal Oxidizer)	3.14	1,144.10	7.56E-04	
B351_5	Cold and Warm Flares	20	1273	2.0513	Modeled at 2020 99^{th} percentile emission rate of 16.28 lb/hr.
B545_1	Copolyester Monomer Manufacturing (Process Heater FA-F-01)	17.22	681.90	1.76E-03	Maximum uncontrolled hourly emission rate at the design heat input.
B545_2	Copolyester Monomer Manufacturing (Process Heater FB-F-01)	2.36	1,088.60	1.76E-03	
B545_3	Copolyester Monomer Manufacturing (Vapor Incinerator)	10.00	681.30	1.76E-03	Maximum uncontrolled hourly emission rate at the design heat input.
B55_1B	Organic Acids & Anhydrides Manufacturing	2.66	294.6	0.672	Uncontrolled emission rate of 5.33 lb/hr.

Table 2-6: Other Modeled SO_2 Emission Sources					
ID	Description	Stack Velocity (m/s)	Stack Temperature (K)	Modeled SO_2 Emission Rate (g/s)	Basis
B55_1C	Organic Acids & Anhydrides Manufacturing	17.70	299.7	0.0857	Uncontrolled emission rate of 0.68 lb/hr. Emissions for this vent were previously believed to be zero, but bag sampling confirmed the presence of small amounts of SO_2.
B55_1E	Organic Acids & Anhydrides Manufacturing	0.12	299.7	0	Emissions for this vent were confirmed to be zero.
B55_1I	Organic Acids & Anhydrides Manufacturing	2.99	299.7	0.0744	Uncontrolled emission rate of 0.59 lb/hr. Emissions for this vent were previously believed to be zero, but bag sampling confirmed the presence of small amounts of SO_2.
B55_1K	Organic Acids & Anhydrides Manufacturing	3.33	307.2	0.0176	Uncontrolled emission rate of 0.14 lb/hr.
B238_1	HTM Furnaces (MF-01 Furnace)	3.81	477.40	1.26E-03	Maximum uncontrolled hourly emission rate at the design heat input [25].
B238_2	HTM Furnaces (MG-01 Furnace)	3.81	477.40	1.26E-03	Maximum uncontrolled hourly emission rate at the design heat input [26].
B238_3	HTM Furnaces (MK-01 Furnace)	9.81	471.90	5.04E-03	Maximum uncontrolled hourly emission rate at the design heat input [27].
B238_4	HTM Furnaces (ML-01 Furnace)	6.10	258.30	7.56E-03	Maximum uncontrolled hourly emission rate at the design heat input [28].
B232_1	Aromatic Acid Manufacturing (Vent UA Catalytic Oxidizer)	7.32	323.00	2.88E-04	Maximum uncontrolled hourly emission rate at the design heat input.
B232_2	Aromatic Acid Manufacturing (Vent UB Regenerative Thermal Oxidizer)	32.93	336.90	1.15E-03	Maximum uncontrolled hourly emission rate at the design heat input.
B232_3	Aromatic Acid Manufacturing (Vent UC Catalytic Oxidizer)	7.01	323.00	2.88E-04	Maximum uncontrolled hourly emission rate at the design heat input.
B256_5	HTM Furnace 5	4.02	449.70	1.68E-03	The maximum uncontrolled hourly emission rate of each furnace at the design heat input is 1.48×10^{-3} g/s.
B256_6	HTM Furnace 6	4.02	449.70	1.68E-03	
B256_8	HTM Furnace 8	4.02	449.70	1.68E-03	

[25] Tennessee identified a small discrepancy between the modeled emission rate (0.010 lb/hr) and the calculated maximum uncontrolled hourly emission rate (0.012 lb/hr) for Furnace MF-01. We believe that this difference is a rounding error with no significance to the model output.

[26] Tennessee identified a small discrepancy between the modeled emission rate (0.010 lb/hr) and the calculated maximum uncontrolled hourly emission rate (0.012 lb/hr) for Furnace MG-01. We believe that this difference is a rounding error with no significance to the model output.

[27] Tennessee identified a small discrepancy between the modeled emission rate (0.040 lb/hr) and the calculated maximum uncontrolled hourly emission rate (0.044 lb/hr) for Furnace MK-01. We believe that this difference is a rounding error with no significance to the model output.

[28] Tennessee identified a small discrepancy between the modeled emission rate (0.060 lb/hr) and the calculated maximum uncontrolled hourly emission rate (0.058 lb/hr) for Furnace ML-01. We believe that this difference is a rounding error with no significance to the model output.

Table 2-6: Other Modeled SO_2 Emission Sources					
ID	**Description**	**Stack Velocity (m/s)**	**Stack Temperature (K)**	**Modeled SO_2 Emission Rate (g/s)**	**Basis**
B272_7	HTM Furnace 7	4.02	449.70	1.68E-03	Permitted allowable for furnaces 5, 6, and 8 (0.04 lb/hr) were divided evenly among all three furnaces (0.0133 lb/hr). The modeled emission rates are greater than the maximum uncontrolled hourly emission rate at the design heat inputs (1.48×10^{-3} g/s for each furnace).
B272_9	HTM Furnace 9	4.02	449.70	1.68E-03	
B272_10	HTM Furnace 10	4.02	449.70	1.68E-03	
CARGLAS1	Cardinal Flat Glass Gas Melting Furnace 1	9.58	574.82	0.41	3.25 lb/hr[29]
CARGLAS2	Cardinal Flat Glass Gas Melting Furnace 2	16.53	517.59	11.97	Allowable emission rate of 95 lb/hr

[29] There appears to be an error in the model input for this run, because the allowable emission rate for this furnace is 32.5 lb/hr.

Table 2-7: Summary of Model Results					
Model Run	Receptor Coordinates		Maximum Impact (ppb)	Nearest Monitor	Distance to Nearest Monitor (km)
	Latitude	Longitude			
2023-0120-1	36.5230	-82.5171	74.82	Ross N. Robinson	1.08
2023-0120-5	36.5073	-82.5525	66.45	Happy Hill	0.65
2023-0120-6	36.5073	-82.5525	67.17	Happy Hill	0.65
2023-0120-7	36.5248	-82.5193	72.36	Andrew Johnson	0.85
2023-0120-9	36.5221	-82.5204	69.97	Andrew Johnson	0.88
2023-0120-12	36.5229	-82.5294	68.98	Andrew Johnson	0.39

The location of each maximum modeled impact relative to the existing monitoring network is shown in **Figure 2-2**. Four of the six maximum modeled impacts, including the overall maximum of 74.82 ppb are located south and southeast of the Andrew Johnson monitor[30], with the remaining highest impacts in the vicinity of the Happy Hill site. When the modeled outputs are considered along with the history of monitored exceedances at Andrew Johnson, Tennessee believes that it is located in the vicinity of the area of highest concentration. All models involve a degree of uncertainty in both the value and location of the modeled concentration, and if the model results alone were considered, it might be arguable that the area of maximum impact is equally near to the Ross N. Robinson monitor rather than the Andrew Johnson site. However, the model outputs cannot be assessed without considering both the proximity of the monitors to the emission source and the monitoring history of the nonattainment area. The Andrew Johnson monitor is nearer to Eastman's B-83 powerhouse, and that monitor indicated NAAQS exceedances that were never observed at the Ross N. Robinson monitoring site. Based on all of these factors, Tennessee believes that the Andrew Johnson monitor is more representative of the maximum impact.



Figure 2-2: Locations of Maximum Modeled Impacts

[30] The highest overall impact is roughly equidistant from the Ross N. Robinson and Andrew Johnson sites.

3.0 Approved Implementation Plan

EPA's 2014 SO_2 SIP guidance states that the SIP for the affected area would need to be fully approved under CAA §110(k) and satisfy all applicable requirements for the area. An area cannot be redesignated to attainment if a required element of its plan is the subject of a disapproval; a finding of failure to submit, or failure to implement the SIP; or a partial, conditional, or limited approval. However, the approval action on both SIP elements and the redesignation request may occur simultaneously.

On February 9, 2023, the Tennessee Department of Environment and Conservation's Division of Air Pollution Control submitted an Attainment Demonstration showing that the area would attain the NAAQS by the attainment date of April 5, 2027. The Attainment Demonstration also met the other requirements of CAA §110(a), 172, 191, and 192. Specifically, the Attainment Demonstration contained a base year inventory for 2017, a projected attainment year inventory for 2027, a modeled attainment demonstration, provisions for RACT/RACM, NSR, RFP, and contingency measures. Tennessee's Attainment Demonstration is not subject to a disapproval, limited, or conditional approval or a finding of failure to submit.

4.0 Permanent and Enforceable Reductions

A redesignation request must demonstrate that the improvement in air quality is due to permanent and enforceable reductions in emissions resulting from implementation of the applicable implementation plan and applicable Federal air pollutant control regulations and other permanent and enforceable reductions. Permanent and enforceable emission reductions should be a result of emission limitations in the SIP for sources in the nonattainment area or at outside sources contributing to violations in the nonattainment area. Attainment resulting from temporary reductions, such as reduced production rates, shutdowns due to adverse economic conditions, or favorable meteorology, would not qualify as permanent and enforceable with respect to air quality improvements. In making this demonstration, EPA recommends that states provide sufficient quantitative information about emission reductions achieved by relevant controls to demonstrate that the improvement in air quality is attributed to permanent and enforceable measures.

Table 4-1 shows the change in SO_2 emissions from Eastman's coal-fired boilers (**Figure 4-1**) between 2011 and 2022. This table shows historic emission rates from a base year (2011) used to determine the original design value for designation, an interim year (2017) that reflects partial implementation of the control strategy (repowering of three of Eastman's B-253 boilers from coal to natural gas operation), and a final year (2022) showing full implementation of the control strategy (conversion of all five B-253 boilers from coal to natural gas operation and installation of dry sorbent injection on B-83 boilers 23 and 24).

Table 4-1: Eastman Chemical Company Actual Emissions – Coal-Fired Boilers

Release Point ID	Description	SO_2 Emissions (tons)			% Change, 2011-2022
		2011	2017	2022	
B-253-1	B-253 Coal-Fired Boilers	14,897	4,779	7.37	(99.95%)
B-83-1	B-83 Coal-Fired Boilers	5,686	4,447	2,227	(60.8%)
B-325-1	B-325 Coal-Fired Boilers	1,276	1,340	1,100	(13.8%)
Totals:		**21,859**	**10,566**	**3,334**	**(84.7%)**

Overall, boiler emissions decreased by 84.7% between 2011 and 2022 as a result of Eastman's control strategy, which consisted of the following permanent and enforceable measures.

Figure 4-1: Eastman Chemical Company Powerhouses

4.1 Control Measures for Point Sources

Repowering of Boilers 25-29: Tennessee adopted Regional Haze SIPs on March 31, 2008, and May 9, 2012, to establish Best Available Retrofit Technology (BART) requirements for SO_2 emissions from Boilers 25-29 at Eastman Chemical Company's B-253 Powerhouse. The Regional Haze SIP required these boilers to comply with an SO_2 limit of 0.20 lb/MMBtu or to reduce uncontrolled SO_2 emissions by 92%, and an Alternative BART option allowed Eastman to repower these boilers from coal to natural gas operation as an alternative to add-on controls. A PSD construction permit (966859F), which authorized construction for the boiler repowering, was issued June 5, 2013, and Condition 6 of that permit states that on and after the startup date of each modified boiler in the B-253 fuel-burning installation, only natural gas shall be used as fuel. The repowered boilers began operation on the dates shown in **Table 4-2**, and conversion of the five B-253 boilers from coal to natural gas operation reduced SO_2 emissions from B-253 by >99.9% (from 14,897 tons/year to 10 tons/year). Tennessee requests that EPA approve a fuel usage restriction for Boilers 25 through 29 (only natural gas may be used as fuel for this source) into the SIP[31] as a permanent and enforceable control measure for Boilers 25-29.

[31] See Condition 6 of PSD Construction Permit 966859F. Compliance with this restriction is based on design and construction of the modified source (i. e., separate natural gas lines and burners have been installed in the boilers, and the associated coal handling equipment has been removed or abandoned in place). The separate natural gas lines and burners physically restrict the boilers' ability to combust other fuels, including coal and fuel oil.

Table 4-2: Startup Dates of Modified B-253 Boilers	
Boiler	**Startup Date**
25	April 23, 2014
27	April 23, 2016
28	October 2, 2016
29	March 30, 2018
26	October 4, 2018

Dry Sorbent Injection for B-83 Boilers 23 and 24: The initial failure to attain the NAAQS in 2019 triggered the contingency plan requirements of the 2017 attainment demonstration, including the requirement to develop and implement operational changes as necessary to prevent future monitored violations of the standard. In response to the monitored exceedances, Eastman installed a portable dry sorbent injection (DSI) system on B-83 Boilers 23 and 24 and began the development of a plan to install a permanent DSI system. Eastman selected this provisional emission control strategy because the B-83 Boilers 18 through 24 were uncontrolled[32] and because Boilers 23 and 24 are high pressure baseload boilers that are operated preferentially over pressure Boilers 18 through 22, which are smaller and operate at lower pressure. Eastman designed the permanent DSI system to use sodium bicarbonate as the sorbent and to operate with a nominal control efficiency of 60%[33]. Installation and startup of the permanent DSI were completed in 2021, and these measures were made permanent and enforceable with the issuance of SIP permit 080222 on March 1, 2023[34].

Combined Emission Limits for B-83 Powerhouse (Boilers 18-24) and B-325 Powerhouse (Boilers 30-31): To assure that emissions from the B-83 and B-325 boilers do not endanger future attainment, air quality modeling was used to establish an emission limit of 1,248 lb/hr for all coal-fired boilers at Eastman's Kingsport facility. The modeled values were converted to a single 30-day rolling average emission limit (combined total for all coal boilers) using the procedure discussed in EPA's SO_2 SIP guidance, and compliance with this limit is demonstrated through the use of continuous emissions monitoring systems (CEMS) on all boilers[35]. Compliance with these limits is based upon the operation of existing controls for B-325 (spray dryer absorbers with PM control devices) and dry sorbent injection controls for B-83 Boilers 23 and 24. All 30-day rolling averages must be calculated as specified in 40 CFR §63.10021(b) (**Equation 4-1**), where Her_i is the hourly emissions rate for hour i (combined total emissions for all boilers) and n is the number of hourly emissions rate values collected over 30 boiler operating days[36].

[32] Eastman also considered that the coal boilers Eastman's B-325 powerhouse are already well-controlled: Boiler 30 uses a spray dryer absorber and electrostatic precipitator (ESP) that reduce SO_2 by about 65%, and Boiler 31 uses a highly efficient spray dryer absorber and fabric filter system to reduce SO_2 emissions by 90-95%.

[33] The nominal control efficiency of the permanent DSI is higher than the efficiency of the portable system that was operated between 2019 and 2021. The portable system consisted of a single train serving two boilers, whereas the permanent system consists of one train for each boiler plus a spare train. The permanent DSI includes a dehumidifier to reduce plugging incidents on each train.

[34] SIP permit 082237, which is included with this redesignation request, incorporates the emission limits and monitoring requirements of permit 080222 for most sources and adds periodic reporting requirements.

[35] All boilers are equipped with CEMS, but emissions from the larger boilers (23, 24, 30, and 31) are calculated differently from Boilers 18 through 22. Boilers 23, 24, 30, and 31 are subject to the NO_X SIP Call and are required by 40 CFR 75 to install and operate in-stack flow monitors. Because Boilers 18 through 22 are not equipped with flow monitors, SO_2 emissions are calculated in lb/MMBtu using 40 CFR 60 Appendix A, Method 19 and the heat input is calculated from the energy rise of steam across the boiler.

[36] "Boiler operating day" means a 24-hour period that begins at midnight and ends the following midnight during which any fuel is combusted at any time in any of the boilers. It is not necessary for the fuel to be combusted the entire 24-hour period.

$$Boiler\ operating\ day\ average = \frac{\sum_{i=1}^{n} Her_i}{n}$$ **Equation 4-1**

Permit 082237 requires each CEMS to be fully operational for at least 95% of the operational time of the monitored boiler during any calendar quarter, and missing data must be addressed by substituting the higher value of: (1) the last valid hourly emission rate before, or (2) the first valid hourly emission rate after, the period of missing data.

4.3 Other Controls

Tennessee is requesting that EPA adopt into the SIP the limits and associated compliance parameters listed in **Table 4-4,** established in the enforceable permits referenced in the table, and provided in Attachment J. These measures have resulted in permanent reductions in SO_2 emissions from Eastman's boilers and hazardous waste incinerators, as follows:

- B-253 boiler emissions decreased from 14,897 tons/year in 2011 (all boilers burning coal) to 4,779 tons/year in 2017 (includes both coal and gas boilers) and 7.37 tons/year in 2022 (all boilers converted to gas operation).

- B-83 Boiler decreased from 5,686 tons/year in 2011 to 4,447 tons/year in 2017 and 2,227 tons/year in 2022.

- SO_2 emissions from the solid/liquid chemical waste incinerators (PES B-248-1) decreased from 6.5 tons/year in 2011 and 11.7 tons/year in 2017 to 3.44 tons/year in 2022.

- SO_2 emissions from the liquid chemical waste incinerator (PES B-248-2) decreased from 0.8 tons/year in 2011 and 2.96 tons/year in 2017 to 0.46 tons/year in 2022. The decreased in emissions from Eastman's incinerators were primarily the result of the sale of Eastman's adhesive resins business (the source of sulfur-containing waste in the incinerator feed) in 2022, and the emissions limits will ensure that SO_2 emissions from the incinerators do not interfere with the attainment or maintenance of the SO_2 NAAQS in the future.

SIP permit 079592 was issued on February 9, 2022 to address the reasonable progress requirements for the second planning period of Tennessee's long-term strategy for Regional Haze. Condition 1 of this permit limits combined SO_2 emissions from Boilers 23 and 24 to 1,396 tons during any period of 12 consecutive months, beginning on March 1, 2022. Tennessee is noting these controls in the request as additional weight of evidence, but attainment of the NAAQS does not depend upon these controls, and we are not requesting adoption of these limits into the SIP for purposes of redesignation.

4.4 Future Controls

SIP permit 079592 requires the shutdown of B-83 Boilers 18, 19, and 20 no later than December 31, 2028. This change will help to ensure continued attainment of the NAAQS in the future, but Tennessee's air quality modeling did not include the B-83 shutdowns, and Tennessee is not relying upon these reductions for current or future attainment.

4.5 Recordkeeping and Reporting

SIP permit 082237 establishes general recordkeeping for all emission sources included in the permit. The permit also requires each source to submit periodic reports of SO_2 emissions, including reporting of all instances of deviations from the permit requirements[37]. For Primester, Condition E5-1 of permit 574994 includes the following monitoring requirements:

> *A minimum scrubber flow rate of 1.0 gallons per minute (3-hour moving average) and a minimum scrubber pH of 6.0 (24-hour block average) shall be maintained for Scrubber SRC-23. The scrubber flow rate and pH shall be continuously monitored and recorded.*

Primester's general recordkeeping requirements are included in Tennessee's Title V regulations (TAPCR 1200-03-09-.02(11)(e)1(iii)(II)II) and Condition B2 of permit 574994, which require the permittee to retain records of all required monitoring data and support information[38] for a period of at least five years from the date of the monitoring sample, measurement, report, or application. Primester is also required to submit periodic (i. e., semiannual) reports pursuant to Tennessee's Title V regulations (TAPCR 1200-03-09-.02(11)(e)1.(iii)) and Condition E2-1 of permit 574994. This condition requires Primester to submit reports of the monitoring and recordkeeping requirements included in the permit, including the requirements established by Condition E5-1, and a report of all deviations identified during the reporting period.

For Eastman's sludge recovery operations (B-55-1), permit 082237 establishes additional monitoring requirements, as follows:

- Vent B represents the vent stack associated with four batch reactors that react sludge (distillation column bottoms and off-quality product) with sulfuric acid to liberate organic acids for downstream reuse. SO_2 emissions are generated as a by-product of the reaction and are variable over time during the batch cycle. Eastman reported that the typical shape of the emissions curve is a period of negligible SO_2 emissions at the start of each batch cycle followed by a period of linear SO_2 generation from an inflection point to the end of the batch cycle. A water scrubber is used to control organic acid emissions from the batch reactors, but no SO_2 control is assumed from the scrubber, and post-control SO_2 emissions are assumed to be identical to pre-control emissions. Eastman proposes to add stack testing ports to one reactor[39] and to collect reference method test data every 15 minutes over the entire batch cycle. The test data will be used to generate an emissions curve that will be used to estimate the SO_2 emission rate in pounds per hour for subsequent batch cycles.

- Vent C represents the vent stack associated with the vacuum system (pump) that is used to remove liquids from the material on the sludge handling belt. SO_2 emissions are generated as a by-product of continuing reactions occurring in the liquid material or by liberation of SO_2 that is entrained in the liquid as vacuum is applied to the system. A water scrubber is used in the system to control acid emissions, but no control of SO_2 is expected from the water scrubber. Eastman proposes to collect grab samples at varying belt processing rates to determine the value of testing over multiple belt processing rates compared to a single test at the maximum belt processing rate. If the emissions rate

[37] Deviation reports shall include a description of the deviation; the duration of the event; the explanation or probable cause; and identification of corrective actions or preventative measures undertaken to correct the deviation.
[38] Support information includes all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit.
[39] The reactors are identical in size and operation, so a single reactor is representative of the larger process. The location of the stack test ports will be in the reactor vent header system prior to the inlet of the water scrubber.

is not highly variable with belt processing rate, a single test at the maximum belt processing rate will be performed. Once the specific feed rate level(s) are determined, reference method test data collected over three one-hour runs at each belt processing rate will be used to generate a maximum SO_2 emissions rate (lb/hr) that will be used during all periods of sludge handling belt operation. Stack test ports will be installed in the vent piping following the vacuum pump that is located on the outlet vent of the water scrubber.

- Vent E represents the vent stack associated with the vacuum system (steam jet) that is used to reduce the pressure in an evaporator and a flash chamber. No emissions control system is associated with this equipment. The evaporator is fed liquid material from the underflow of the first sections of the sludge handling belt, and recovered sulfuric acid is returned to the batch reactors as raw material. The flash chamber receives and returns (circulation loop) material to/from the hold-up tank that precedes the sludge handling belt. This operation is periodically performed to reduce liquids in processed sludge material and perform cooling of the sludge prior to being fed to the sludge handling belt. SO_2 emissions are generated as a by-product of continuing reactions occurring in the liquid material or liberation of entrained SO_2 in the liquid as vacuum is applied to the system. The equipment associated with Vent E is currently out of service and requires capital expenditure to return the process to operation, but Eastman wants to reserve the ability to operate the equipment in the future. If this equipment is restored to working order, Eastman will revaluate the emissions from Vent E via reference method testing within 180 days of startup. SO_2 emissions from this source are estimated at 0.0003 lb/hr based on bag sampling, and if this source resumes operation, Eastman will use the current estimate of 0.0003 lb/hr prior to completion of a performance test.

- Vent I represents the vent stack associated with a water scrubber that is used to control organic acid emissions from the sludge handling belt. Processed material from the batch reactors is transferred to a hold-up tank (Vent K) prior to being continuously fed to a porous, rotating belt that separates desired liquid material from unreacted solid waste. A hood and blower system is located over the belt and pulls vapors into the scrubber vent header system continuously. SO_2 emissions are generated as a by-product of continuing reactions occurring in the material on the belt and liberation of SO_2 entrained in the material from the reactors. No control of SO_2 is assumed from the water scrubber and emissions of SO_2 evaluated before the scrubber are assumed to be the emissions after the scrubber. Grab samples at varying belt processing rates will be used to determine the value of emissions testing over multiple belt processing rates vs. a singular maximum belt processing rate. If the emissions rate is not highly variable with belt processing rate, a single test at the maximum belt processing rate will be performed. Once the specific feed rate level(s) are determined, reference method test data collected over three one-hour runs at each belt processing rate will be used to generate a maximum lb/hr SO_2 emissions rate that will be used during all periods of sludge handling belt operation. Location of the stack test ports will be in the outlet vent piping of the of the water scrubber.

- Vent K represents the vent stack associated with a water scrubber that is used to control acid emissions from 20 process tanks and storage tanks in the B-55 operating area, including four tanks associated with sludge recovery operations. No control of SO_2 is assumed from the water scrubber and SO_2 emissions evaluated before the scrubber are assumed to be the emissions after the scrubber. Reference method test data collected over three one-hour runs will be used to generate a maximum emission rate that will be used during all periods of operation (i.e., when material is stored in any tank associated with sludge recovery).

For all B-55 vents, data will be evaluated, and an emissions curve will be generated. The batch emissions curve will be re-evaluated within 180 days after any process change that would increase SO_2 emissions or at least once every 60-months.

All periodic reports are available online and are accessible for public viewing at the TDEC Division of Air Pollution Control's Permits and Inspections Data Viewer (see https://www.tn.gov/environment/about-tdec/tdec-dataviewers.html).

Table 4-4: Other Emission Limits Included in the SIP				
Permit	**Condition(s)**	**Affected Source**	**Limit/Control Measure**	**Associated Monitoring**
PSD Construction Permit 966859F	6	PES B-253-1 Boilers 25 through 29 (82-0003-01, MSOP-02)	Only natural gas shall be used as fuel	None specified. Compliance with the fuel usage restriction is based on the design and construction of the boiler (natural gas feed lines and burners physically restrict the source's ability to burn other fuels).
SIP Operating Permit 082237	S1-1 through S1-3	PES B-83 Boilers 18 through 24 (82-0003-01, MSOP-02) and PES B-325 Boilers 30 and 31 (82-0003-131, MSOP-26)	1,248 lb/hr (30-day average, combined limit for all boilers) and associated monitoring	Operate, maintain, and repair a dry sorbent injection (DSI) system to reduce SO_2 emissions from B-83 Boilers 23 and 24 as required to maintain and assure compliance with the specified emission limits. Calculate hourly emissions SO_2 emissions from CEMS data and flow monitoring (B-83 Boilers 23 and 24 and B-325 Boilers 30 and 31) or from CEMS data and calculated heat input (B-83 Boilers 18 through 22).
	S5-1 and S5-2	B-248-1 Solid/Liquid Chemical Waste Incinerators (82-0003-282, MSOP-32)	15.2 lb/hr (30-day average, combined limit for both rotary kilns) and associated monitoring	Calculate hourly emissions from sulfur feed rate and scrubber pH using established algorithm. Continuously monitor scrubber pH and determine the waste stream sulfur concentrations from analysis or process knowledge.
	S6-1 and S6-2	B-248-2 Liquid Chemical Waste Incinerator (82-0003-283, MSOP-32)	2.0 lb/hr (30-day average) and associated monitoring	
	S2-1 and S2-2	B-334-1, Incinerator for Acid Gas Removal and Sulfur Recovery Plant (82-0003-168, MSOP-17)	21.8 lb/hr (24-hour block average) and associated monitoring	Continuously measure the gas composition and gas flow rate in the SCOT process overhead stream entering the tail gas incinerator and use the monitored parameters to calculate the SO_2 emission rate.
	S4-1 and S4-2	B-55-1, Organic Acids & Anhydrides Manufacturing, Vents B, C, E, I, and K (82-0003-224, MSOP-23)	6.74 lb/hr and associated monitoring	Periodic stack testing.
	S3-1 and S3-2	PES B-351-5, Coal Gasification Cold and Warm Flares (82-0003-171, MSOP-17)	16.28 lb/hr (30 calendar day rolling average basis) and associated monitoring.	Continuously measure the gas composition and gas flow rate entering the flare and use the monitored parameters to calculate the SO_2 emission rate.
PSD permit 955272F	4	PES B-325-1, Boiler 30	317 lb/hr (30 calendar day rolling average basis) and associated monitoring.	Calculate hourly SO_2 emissions from CEMS data and flow monitoring, as required by permit 082237.
		PES B-325-1, Boiler 31	293 lb/hr (30 calendar day rolling average basis) and associated monitoring.	
Title V Operating Permit 574994 (Primester)	E5-1	82-0510-03, B-441-2, Vent C	1,000 parts per million by volume, dry basis (one hour average) and 0.25 pounds per hour (three-hour average)	Compliance is based upon parametric monitoring of the minimum scrubber flow rate (three-hour moving average of 1.0 gallons/minute) and minimum scrubber pH (24-hour block average value of 6.0).

5.0 Applicable Requirements Under Section 110 and Part D

For the purposes of redesignation, a state must meet all requirements of CAA §110 and Part D that were applicable prior to submittal of a complete redesignation request. This condition does not include requirements that come due after the submittal of a complete redesignation request, but any requirements that came due prior to submittal of the request must be fully approved at or before the time that EPA redesignates the area. The Calcagni memo also states that under CAA §175A(c), the requirements of Part D remain in force and effect for the area until such time as it is redesignated. Upon redesignation to attainment, the requirements that became due under §175A(c) after submittal of the complete redesignation request would no longer be applicable.

5.1 Section 110 Requirements

Section 110(a)(2) contains general requirements for nonattainment plans, and pursuant to CAA §110(a)(1), states are required to submit SIPs meeting the applicable requirements of CAA §110(a)(2) within three years after promulgation of a new or revised NAAQS. States were required to submit such SIPs for the 2010 1-hour SO_2 NAAQS to EPA no later than June 2, 2013. Tennessee submitted an infrastructure SIP on March 13, 2014, and EPA approved the SIP, with the exception of the interstate transport requirements of CAA §110(a)(2)(D)(i)(I) and (II) on November 28, 2016[40]. EPA approved the visibility requirements of §110(a)(2)(D)(i)(II) on September 24, 2018[41], and the remaining elements of §110(a)(2)(D)(i) on August 9, 2023[42]. These approvals address all of the infrastructure elements except for CAA §110(a)(2)(I) (plan revisions for nonattainment areas), and those requirements are addressed in the following section.

5.2 Part D Requirements

Part D of the Clean Air Act (Plan Requirements for Nonattainment Areas, CAA §§171-193) addresses the general requirements for nonattainment areas. Specific statutory requirements include the requirement for an accurate emissions inventory for all sources of SO_2 within the nonattainment area (point, area, and mobile sources); a New Source Review (NSR) permit program; and an attainment demonstration using an EPA approved air quality dispersion model. The SIP submittal must also provide for: Reasonable Further Progress (RFP); implementation of RACM including RACT, and adequate contingency measures for the affected area. These elements are briefly described below.

5.2.1. Emissions Inventory

To demonstrate continued maintenance; the air agency should develop an attainment inventory to identify the level of emissions in the affected area which is sufficient to attain and maintain the SO_2 NAAQS. This inventory should be consistent with the EPA's most recent guidance on emission inventories for nonattainment areas available at the time and should include the emissions during the time period associated with the monitoring or modeling data showing attainment.

The last NAAQS exceedance occurred in 2021, and the first three-year period for which the design value fell below the NAAQS is 2020-2022. Repowering of B-253 boilers 25 through 29 from coal to natural gas was

[40] See 81 FR 85410.
[41] See 83 FR 48240.
[42] See 88 FR 53801.

completed by October 2018, and installation of DSI controls on B-83 Boilers 23 and 24 was completed in November 2021. The starting point for the 2022 point source emission inventory was the 2022 National Emissions Inventory (NEI), and the 2022 data was supplemented with information submitted by the affected facilities.

5.2.1.1 Point Sources

The largest point source located within the nonattainment area is Eastman Chemical Company's Tennessee Operations facility and the 2022 actual emissions for this facility are summarized in Attachment A of the redesignation request. Eastman's coal-fired boilers were responsible for nearly all SO_2 emissions from this facility (~98-99%), as indicated in **Table 5-1**. Table 5-1 also shows that Eastman's SO_2 emissions have declined substantially following implementation of the control strategy.

Table 5-1: Summary of Historical SO_2 Emissions

	2011[43]	2017[44]	2022
Facility-Wide SO_2 emissions (tons)	22,024	10,566	3,334
Coal-fired Boiler SO_2 emissions (tons)	21,859	10,567	3,326
Coal-Fired Boiler % of Total SO_2 Emissions	99.5%	99.5%	98.5%

Primester GP operates a cellulose acetate manufacturing process at 1801 Warrick Drive (adjacent to Eastman Chemical Company). This facility is regulated by Title V Operating Permit 574994 (issued January 1, 2020). This facility includes one SO_2 emission source (Cellulose Scrap Recovery Process). Reject dope from various points in the acetylation operation is processed for the recovery of cellulose sludge, and recovered materials are distilled for reuse. Once the recoverable materials are removed from the cellulose sludge, it is heated with sulfuric acid in pressurized reactors to degrade the sludge into smaller solids for offsite management. Sulfur dioxide is emitted from the equipment and conveyors at this source, and SO_2 emissions are controlled by a wet scrubber. Primester is not subject to the annual or triennial air emissions reporting requirements established pursuant to 40 CFR 51 Subpart A. For purposes of redesignation, actual emissions from this source were assumed to be equivalent to the SIP emission limit of 0.25 lb/hr (1.1 tons/year)[45].

In general, states may generally demonstrate maintenance of a NAAQS either by showing that future emissions will not exceed the level of the attainment year inventory (2022 in Tennessee's redesignation request), or by modeling to show that the future mix of sources and emission rates will not cause a violation of the NAAQS. Tennessee has elected to demonstrate maintenance using a modeled attainment demonstration, and the 2037 inventory reflects the expected growth in point source emissions during the ten-year maintenance period. The 2037 point source inventory projects 7,337 tons of SO_2 emissions from Eastman Chemical Company, which reflects the use of allowable emissions for the B-83 and B-325 boilers, hazardous waste incinerators (PES B-248-1 and B-248-2), and the acid gas and sulfur recovery plant incinerator (PES B-334-1). The maintenance year inventory also reflects the addition of three natural gas boilers and a proposed methanolysis plant.

[43] Base year inventory in Tennessee's May 11, 2017, Attainment Demonstration.
[44] Base year inventory in Tennessee's February 9, 2022, Attainment Demonstration.
[45] The 2022 emissions estimate is higher than the 2017 value in the attainment demonstration, which was calculated as 0.57 tons based on production data submitted by Primester.

As noted previously, Primester GP is not subject to the annual or triennial air emissions reporting requirements, and future emissions from this source were assumed to be equivalent to the SIP emission limit of 0.25 lb/hr (1.1 tons/year).

Tennessee also reviewed SO_2 emissions from sources located outside of the nonattainment area (Domtar Paper Company and Holston Army Ammunition Plant Area B Operations) that could impact ambient SO_2 concentrations within the nonattainment area (**Table 5-2**). PSD construction permit 978656 was issued to Domtar June 21, 2021, to convert the idled mill from a hardwood bleached soda process to produce containerboard from 100% recycled material. This project included the optimization of a bubbling fluidized bed boiler, convert the existing soda recovery furnace to combust natural gas, and to shut down the existing lime kiln. Domtar's updated allowable emissions were included in the modeled attainment demonstration to ensure that the facility did not substantially impact the nonattainment area, but the changes associated with this modification are not part of the area's demonstration of maintenance for the 2010 SO_2 NAAQS. Holston Army Ammunition Plant's Area B facility is located in Hawkins County and included four coal-fired boilers during the base year. PSD construction permit 974192 was issued to BAE Systems Ordnance Systems Inc. (operating contractor for Holston Army Ammunition Plant) on October 8, 2018, for the construction of four natural gas and #2 oil-fired boilers to replace the facility's coal units. These boilers last operated on October 1, 2021, and BAE submitted formal notification of the retirement of these boilers on November 1, 2021. Base year SO_2 emissions from Holston Army Ammunition Plant's remaining emission sources were less than 0.5 tons/year.

Table 5-2: Domtar Paper Company and Holston Army Ammunition Plant

Facility	2017 SO_2 Emissions (tons)
Domtar Paper Company	45.16
Holston Army Ammunition Plant	1,768

Tennessee did not include Holston Army Ammunition Plant or Domtar in the 2022 and 2037 emission inventories because both facilities are located outside of the nonattainment area, and Domtar's modeled emissions did not significantly impact the nonattainment area. Holston Army Ammunition Plant retired their coal-fired boilers in 2021, and SO_2 emissions from other sources at that facility are negligible.

Point source emissions for 2022 and 2037 are summarized in **Table 5-3**. State plans may generally demonstrate that the plan will provide for maintenance of the NAAQS by either showing that future emissions will not exceed the level of the attainment inventory, or by modeling to show that the future mix of sources and emission rates will not cause a violation of the NAAQS. The 2037 point source emissions are higher than the base year because Tennessee developed the projection using the same ambient air quality modeling used to demonstrate attainment of the NAAQS. For example, the model accounts for expected growth at Eastman Chemical Company during the 10-year maintenance period (i.e., the construction and startup of three new natural gas-fired boilers and the methanolysis plant). The model also assumes that the remaining coal-fired boilers (B-83 and B-325 powerhouses) continuously operate at their maximum allowable hourly emission rate for the entire year, while the base year inventory is representative of actual boiler operation at submaximal emission rates. Finally, the future year inventory does not consider reductions that were not relied upon to demonstrate attainment and maintenance of the NAAQS, such as the requirement to shut down B-83 Boilers 18, 19, and 20 for compliance with Tennessee's Regional Haze SIP. To summarize,

the future year inventory includes a mix of operational changes and projected growth at Eastman that is accounted for the in the air quality modeling and that, notwithstanding the higher annual emissions, will not cause or contribute to a NAAQS violation.

Table 5-3: Summary of Point Source Emissions		
	SO_2 Emissions (tons)	
Description	**2022**	**2037**
Eastman Chemical Company	3,367	7,337
Primester GP	1.1	1.1
Totals	**3,368.1**	**7,339.1**

5.2.1.2 Area Sources

Attainment year emissions were projected for 2022 using emission data sets and information used by U. S. EPA to develop the 2016v1 and 2016v2 emissions inventories[46,47]. For most source classification codes, Tennessee calculated a growth factor as the difference between 2026 and 2016 emissions, as follows:

Growth factor = (2026 emissions – 2016 emissions)/10

For each year between 2017 and 2022, future year emissions were calculated by adding the growth factor to the base year (2016) and to each subsequent year. The final result (2022 emissions) was used for the attainment year emission inventory.

For source classification codes 2610000400 (Open Burning - Yard Waste – Brush) and 2610000500 (Open Burning - Land Clearing Debris), the growth factor calculated above did not produce a realistic number because the calculated growth factor (-0.09164187 tons/year for open burning of yard waste/brush and -27.15637 tons/year for open burning of land clearing debris) produced negative values in 2037 (i. e., the model predicted that emissions from each category would be less than zero). For these source categories, Tennessee estimated 2022 and 2037 mobile source emissions by interpolation (for 2022) and extrapolation (for 2037) of the existing data by assuming a constant rate of year-over-year change (i. e., by assuming emissions decrease by a constant percentage of the previous year's emissions rather than a constant tonnage)[48]. This method assumes that the rate of change is logarithmic rather than linear (**Figures 5-1 and 5-2**), so that open burning emissions approach a minimum value over time without reaching zero. Using the 2016 base year as an initial condition and 2026 as a checkpoint, the year-over-year change was numerically determined (i. e., an initial

[46] The 2016v1 inventory is available online at https://www.epa.gov/air-emissions-modeling/2016v1-platform. The CSV file containing the area source inventory (2016fh_proj_from_2014NEIv2_NONPOINT_final_20180119_08aug2019_nf_v1.csv) is available at https://gaftp.epa.gov/Air/emismod/2016/v1/2016emissions/2016fh_inventory_nonpoint_27sep2019.zip.

[47] The 2016v2 inventory is available online at https://www.epa.gov/air-emissions-modeling/2016v2-platform. The CSV file containing the area source inventory (MYR_nonpt_constant_2017NEI_NONPOINT_20200415_28sep2020_v1.csv) is available at https://gaftp.epa.gov/Air/emismod/2016/v2/2016emissions/2016fj_nonpoint_inventoryt_15sep2021.zip.

[48] Since two data points (2017 and 2027) are known, Tennessee considered whether to estimate 2022 and 2032 by assuming a linear relationship for all years and calculating a constant year-over year change in tons/year. Using that method, the average change in emissions would be (2027 emissions – 2017 emissions)/10, and 2022 emissions would be equal to (2017 emissions) + (change in emissions)(5 years). The problem with this method is that applying a constant tons/year decrease will eventually reach zero, and projected mobile source emissions would become negative by 2032. Therefore, this method was considered inadequate for projection of future emissions. In contrast, a constant ***rate of change*** requires that that the absolute value of the decrease will become smaller over time.

estimate was adjusted up or down in small increments) until the projected 2026 emissions matched the value of EPA's 2026 inventory. Using a year-over-year change of 8.758225% (open burning of land clearing debris) and 9.000% (open burning of yard waste), source category emissions for each year between 2017 and 2037 were determined in accordance with **Equation 5-1**.

Current year emissions = (previous year emissions)(1- year-to-year change) **Equation 5-1**

County-level emissions were apportioned to the nonattainment area by using a percentage (9.3%) derived from the 2010 Census Bureau Population data for the county and the population for the nonattainment area[49].



Figure 5-1: Projection of Area Source Emissions from Open Burning of Land Clearing Debris

[49] The allocation of nonpoint source emissions by population should not significantly overcount or undercount emissions relative to the county as a whole, because these emissions should vary directly with population (i. e., a population-weighted allocation of emissions from the entire county to the nonattainment area should be representative of the nonattainment area). Tennessee also believes that any overcounting or undercounting should have a negligible impact on the emission inventory as a whole, because these emissions are a small fraction of the overall emissions.



Figure 5-2: Projection of Area Source Emissions from Open Burning of Yard Waste/Brush

Area source emissions of SO_2 for 2022 and 2037 are summarized in **Table 5-5** and included in Attachment B.

Table 5-5: Area Source SO_2 Emissions – Sullivan County Nonattainment Area	
Year	**SO_2 (tons)**
2022	4.22[50]
2037	3.42

5.2.1.3 Onroad Mobile Sources

Onroad mobile sources include emissions from motorized vehicles that are normally operated on public roadways, including passenger cars, motorcycles, minivans, sport-utility vehicles, light-duty trucks, heavy-duty trucks, and buses. The sector includes emissions generated from parking areas and "hoteling" emissions from the idling of long-haul diesel trucks during federally mandated rest periods. Emissions from onroad sources are estimated through the use of locally gathered information on the vehicle population and the miles driven

[50] The area source inventory for 2022 is higher than the base year inventory for 2017 (3.31 tons) and the 2027 projected inventory (3.39 tons) that were submitted with the 2023 attainment demonstration because the 2022 area source inventory includes higher estimated emissions from open burning to clear land debris. EPA's 2016 projection that was used as the starting point indicated 45.25 tons of SO_2 from open burning in 2016 and 18.10 tons of SO_2 in 2027 for the same category. Tennessee remains skeptical of this value because EPA's 2016 and 2027 estimates indicate that open burning of yard waste is substantially lower (0.15 tons in 2016 and 0.06 tons in 2017) for all of Sullivan County. When the nonattainment area is considered by itself, there is very little land for which open burning would be feasible to remove trees and other vegetation.

in the area, as well as a number of other inputs, combined with EPA's Motor Vehicle Emissions Simulator (MOVES) model.

Federal standards for National Low Emission Vehicles (NLEV) began in 1999 and were implemented through 2001 for new light duty cars and trucks, and EPA has since implemented further reductions from onroad mobile sources via Tier 2 and Tier 3 vehicle emission standards[51, 52]. Most gasoline sold in Tennessee prior to January 2006 had a sulfur content of up to 300 ppm, and the Tier 2 rule reduced the allowable sulfur content of gasoline to 30 ppm starting in January of 2006. Sulfur occurs naturally in gasoline but interferes with the operation of catalytic converters, and lower-sulfur gasoline is necessary to achieve the Tier 2 vehicle emission standards. Beginning in 2017, the Tier 3 emissions standards reduced the allowable sulfur content in gasoline from 30 ppm to 10 ppm to improve the performance of vehicles' emission control systems and to facilitate the development of technologies to improve fuel economy and reduce greenhouse gas emissions. Similarly, federal standards for heavy-duty gasoline and diesel highway vehicles became effective in 2004 and 2007[53], and these standards reduced the sulfur content of diesel fuel to 15 ppm to allow for the installation of emission controls on diesel engines. Because sulfur compounds in gasoline and diesel form SO_2 as a product of combustion, these sulfur content restrictions reduced SO_2 emissions as a co-benefit of EPA's light duty and heavy duty standards.

Attainment year and future year mobile source emissions were developed from the 2017 and 2027 emission inventories. Base year (2017) emissions in the attainment demonstration were obtained from the 2017 National Emissions Inventory (NEI), in which emissions were estimated from the MOVES model and state, local, and tribal (SLT) activity data when provided. Where SLT data were not provided, EPA-developed default activity based on data from the Federal Highway Administration. For the future year inventory (2027), Tennessee used EPA's MOVES model, version 3.0.3, to estimate emissions from onroad mobile sources in Sullivan County for 2027. Sullivan County's base year and future year emissions were apportioned to the nonattainment area by using a percentage (9.3%) derived from the 2010 Census Bureau Population data for the county and the population for the nonattainment area.

Tennessee obtained 2022 and 2037 mobile source emissions by interpolation (for 2022) and extrapolation (for 2037) of the existing data by assuming a constant rate of year-over-year change (i. e., by assuming emissions decrease by a constant percentage of the previous year's emissions rather than a constant tonnage)[54]. This method assumes that the rate of change is logarithmic rather than linear (**Figure 5-3**), so that mobile source emissions approach a minimum value over time without reaching zero. Using the 2017 base year as an initial condition and 2027 as a checkpoint, the year-over-year change was numerically determined (i. e., an initial estimate was adjusted up or down in small increments) until the projected 2027 emissions

[51]Environmental Protection Agency, *Federal Register***,** Vol. 65, No. 28, February 10, 2000. Federal Tier 2 vehicle emission standards require all passenger vehicles in a manufacturer's fleet, including light-duty trucks and Sport Utility Vehicles (SUVs), to meet an average standard of 0.07 grams of oxides of nitrogen (NO_x) per mile in 2007. The Tier 2 standards also cover passenger vehicles over 8,500 pounds gross vehicle weight rating (the larger pickup trucks and SUVs), which are not covered by the Tier 1 regulations. For these vehicles, the standards were phased in beginning in 2008, with full compliance in 2009.

[52]Environmental Protection Agency, *Control of Air Pollution From Motor Vehicles: Tier 3 Motor Vehicle Emission and Fuel Standards; Final Rule. Federal Register,* Vol. 79, No. 81, April 28, 2014.

[53]Environmental Protection Agency, *Federal Register*, Vol. 66, No. 12, January 18, 2001.

[54] Since two data points (2017 and 2027) are known, Tennessee considered whether to estimate 2022 and 2032 by assuming a linear relationship for all years and calculating a constant year-over year change in tons/year. Using that method, the average change in emissions would be (2027 emissions – 2017 emissions)/10, and 2022 emissions would be equal to (2017 emissions) + (change in emissions)(5 years). The problem with this method is that applying a constant tons/year decrease will eventually reach zero, and projected mobile source emissions would become negative by 2032. Therefore, this method was considered inadequate for projection of future emissions. In contrast, a constant ***rate of change*** requires that that the absolute value of the decrease will become smaller over time.

matched the value of the 2027 MOVES output. Using a year-over-year change of 13.25%, mobile source emissions for each year between 2018 and 2037 were determined in accordance with **Equation 5-1**. Onroad mobile source emissions are included in Attachment C.



Figure 5-3: Projection of Onroad Mobile Source Emissions

Projected SO_2 emissions from onroad mobile sources are shown in **Table 5-6**. County-level emissions were apportioned to the nonattainment area by using a percentage (9.3%) derived from the 2010 Census Bureau Population data for the county and the population for the nonattainment area.

Table 5-6: Projection of Attainment Year and Maintenance Year SO_2 Emissions from Onroad Mobile Sources

Year	Nonattainment Area SO_2 Emissions (tons)
2022	0.84
2037	0.10

5.2.1.4 Nonroad Mobile Sources (Excluding Locomotive/Rail Emissions)

Aircraft, commercial marine and rail future-year emissions were projected for 2022 using emission data sets and information used by U. S. EPA to develop the 2016v1 and 2016v2 emissions inventories[55,56]. For each source classification code, Tennessee obtained 2022 and 2037 mobile source emissions by interpolation (for 2022) and extrapolation (for 2037) of the existing data by assuming a constant rate of year-over-year change (i. e., by assuming emissions increase or decrease by a constant percentage of the previous year's emissions rather than a constant tonnage). This method assumes that the rate of change is logarithmic rather than linear, so that mobile source emissions approach a minimum value over time without reaching zero. Using the 2016 base year as an initial condition and 2026 as a checkpoint, the year-over-year change was numerically determined (i. e., an initial estimate was adjusted up or down in small increments) until the projected 2026 emissions matched EPA's 2026 inventory. Nonroad mobile source emissions for each year between 2018 and 2037 were determined in accordance with **Equation 5-1** and are summarized in **Table 5-7**. Nonroad emissions are included in Attachment D.

Table 5-7: Nonattainment Area Nonroad SO_2 Emissions (Excluding Locomotive/Rail)	
Year 2022	**SO_2 (tons/year)**
2022	0.089
2037	0.036

5.2.1.5 Locomotive/Rail Emissions

Base-year emissions from locomotives were taken from EPA's 2020 National Emissions Inventory (NEI), and locomotive emissions are counted as point, nonpoint, and as nonroad mobile sources. The 2020 NEI Technical Support Document for point sources[57] states that yard emissions are associated with the operation of switcher engines at each yard, and the 2020 NEI includes estimates compiled by EPA for most railyards in the U. S. In general, switchyards are reported as point sources to SCC 28500201, but some states report switchyards to nonpoint SCC 2285002010. Tennessee reviewed the 2020 point source inventory and found one entry for SCC 28500201, but a review of the latitude and longitude associated with this entry (36.547755, -82.567891) indicated that the emission point was located outside of the nonattainment area. The 2020 NEI for Tennessee indicates that railyard emissions were reported as nonpoint emissions (SCC 2285002006, Line Haul Locomotives: Class I Operations) and as nonroad mobile source emissions (SCC 2285002015, Railway Maintenance).

EPA's 2020 rail emissions[58] were developed with the support of the Lake Michigan Air Directors Consortium (LADCO) and the State of Illinois using confidential line-haul activity data from the Federal Railroad Administration. 2020 rail fuel consumption index values were used to allocate each Class 1 railroad's fuel use to links based on MGT, and the Association of American Railroads (AAR) provided EPA with locomotive fleet mix information for 2020 for emission factor application. Railyard emissions were calculated from fuel use and/or yard switcher counts provided by rail companies.

[55] The 2016v1 inventory is available online at https://www.epa.gov/air-emissions-modeling/2016v1-platform. The CSV file containing the nonroad inventory (2016version1_nonroad_from_MOVES2014b_forAQ_aggSCC_03sep2019_nf_v3.csv) is available at https://gaftp.epa.gov/Air/emismod/2016/v1/2016emissions/2016fh_inventory_nonroad_27sep2019_contents.txt.

[56] The 2016v2 inventory is available online at https://www.epa.gov/air-emissions-modeling/2016v2-platform. The CSV file containing the nonroad inventory (2016fj_v2platform_nonroad_from_MOVES_aggSCC_27apr2021_nf_v1.csv) is available at https://gaftp.epa.gov/Air/emismod/2016/v2/2016emissions/2016fj_nonroad_inventory_27may2021.zip.

[57] U. S. EPA, *2020 National Emissions Inventory Technical Support Document: Point Sources*, Section 3.3.

[58] U. S. EPA, *2020 National Emissions Inventory Technical Support Document: Locomotives.*

2020 locomotive emissions were projected to 2022 and 2037 from the 2020 base year by assuming a 50% increase in emissions per decade. The 50% adjustment was based on a review of other nonroad categories and determining the highest calculated emissions increase for all nonroad categories (45% for several types of compressed natural gas-burning equipment). Locomotive emissions for 2022 and 2032 are shown in **Table 5-8** and in Attachment D.

Table 5-8: Locomotive SO_2 Emissions – Sullivan County Nonattainment Area	
Year	**SO_2 (tons)**
2022	0.0039
2037	0.0069

5.2.1.6 Summary of Emission Inventories

The attainment year and future year emissions inventories for the Kingsport nonattainment area is summarized in **Table 5-9**.

Table 5-9: Summary of 2022 and 2037 Emissions Inventories		
Description	**2022 SO_2 Emissions (tons)**	**2037 SO_2 Emissions (tons)**
Point Sources	3,368.1	7,338.1
Area Sources	4.22	3.42
Onroad Mobile Sources	0.84	0.10
Nonroad Mobile Sources (Excluding Locomotive/Rail)	0.089	0.036
Locomotive/Rail Emissions	0.0039	0.0069
Total Emissions	**3,373**	**7,342**

5.2.2. Control Strategy (Including RACM/RACT)

The SIP must include enforceable emission limitations, and such other control measures, means or techniques (including economic incentives such as fees, marketable permits, and auctions of emission rights), as well as schedules and timetables for compliance, as may be necessary or appropriate to provide for attainment of such standard in such area by the applicable attainment date[59].

The SIP should provide for attainment of the standard based on SO_2 emission reductions from permanent and enforceable control measures, and States should consider all Reasonably Available Control Measures (RACM) and Reasonably Available Control Technologies (RACT) that can be implemented in light of the attainment needs for the affected area(s). EPA also promulgated other regulatory requirements that are expected to yield substantial SO_2 reductions, and the implementation of national and regional control measures should ease the process of planning for attainment of the SO_2 NAAQS.

Section 172(c)(1) of the CAA requires SIPs to provide for the implementation of all RACM to demonstrate attainment as expeditiously as practicable. A subset of RACM is reasonably available control technology (RACT), which relates specifically to stationary point sources. The nonattainment area has attained the standard and is eligible for redesignation well in advance of the 2027 statutory attainment date, and with the repowering of Eastman Chemical Company's B-253 powerhouse from coal to natural gas operation, the installation of add-on controls for Eastman's B-83 boilers, the adoption of a combined emission limit for Eastman's B-83 and B-325 powerhouses, and the adoption of existing emission limits into the SIP for other SO_2 sources at Eastman Chemical Company and Primester, there are no additional measures that are necessary to demonstrate attainment as expeditiously as practicable and no potential measures which, if considered collectively, would advance the attainment year by one year or more.

Tennessee's permanent and enforceable reductions (Section 4.0) consist of the repowering of B-253 Boilers 25 through 29 from coal to natural gas operation and installation of dry sorbent injection on B-83 Boilers 23

[59] CAA §172(c)(6).

and 24. Tennessee also adopted new emission limits for Eastman's coal-fired boilers, incinerators, and coal gasification flare and requested the adoption of other existing limits into the SIP as control measures. Tennessee requests adoption of these measures into the SIP via PSD construction permits 955272F and 966859F (Eastman Chemical Company), SIP operating permit 082237 (Eastman Chemical Company), and Title V Operating Permit 574994 (Primester).

6.0 Maintenance Plan Requirements

CAA §175A(a) requires each State that submits a request for redesignation of a nonattainment area for any air pollutant to submit a SIP revision that provides for the maintenance of the NAAQS in the area for at least 10 years after the redesignation. The plan shall contain such additional measures, if any, as may be necessary to ensure such maintenance. The enforceable measures identified in Section 4.0 of this submittal will ensure maintenance of the NAAQS.

Before an area can be redesignated to attainment, EPA must approve a maintenance plan that meets the requirements of CAA §175A[60]. The maintenance plan will constitute a SIP revision and needs to provide for maintenance of the SO_2 NAAQS in the area for at least 10 years after redesignation. Section 175A also requires the maintenance plan to contain a contingency plan with measures to ensure prompt correction of any violation of the SO_2 NAAQS. These measures should include a requirement that the air agency will implement all measures contained in the nonattainment area SIP for the area prior to the EPA's approval of the redesignation. Where a state has submitted an attainment plan for SO_2, that plan can also serve as the basis for the maintenance demonstration for the area. Because attainment plans generally rely on maximum allowable emissions, those plans can generally be considered to demonstrate that the standard will be maintained without regard to any changes in operation rate of the pertinent sources. Such plans may be assumed to provide maintenance for the requisite 10 years and beyond. EPA would expect the state to verify continued attainment by tracking the compliance status of the pertinent sources. The supporting elements for maintenance plans includes the following elements:

Attainment inventory: To demonstrate continued maintenance; states should develop an attainment inventory to identify the level of emissions in the affected area which is sufficient to attain and maintain the SO_2 NAAQS. This inventory should be consistent with the EPA's most recent guidance on emission inventories for nonattainment areas available at the time and should include the emissions during the time period associated with the monitoring or modeling data showing attainment. Tennessee's attainment year inventory is included in Section 5.2.1 of this submittal.

Maintenance demonstration: An air agency may generally demonstrate maintenance of the NAAQS by either showing that future emissions of SO_2 will not exceed the level of the attainment inventory, or by modeling to show that the future mix of sources and emission rates will not cause a violation of the NAAQS. As a part of the maintenance demonstration, the air agency should provide a listing of SO_2 control measures being implemented in the affected area by general source sector (e.g., point, area, and mobile). The air agency should also project emissions for at least the 10-year period following redesignation of the area to attainment under CAA section 175A(a). Where the state has submitted an attainment plan, this plan in many cases can also serve as a maintenance plan for the area. Insofar as an attainment plan generally relies on air quality dispersion modeling using maximum allowable emissions, the plan can generally be expected to demonstrate that the standard will be maintained for the requisite 10 years and beyond without regard to any changes io operation rate of the pertinent sources that do not involve increases in maximum allowable emissions. As discussed in Section 4.0, attainment of the NAAQS is based on permanent and enforceable emission

[60] An air agency may submit both the redesignation request and the maintenance plan at the same time and rulemaking on both may proceed on a parallel track. However, because the CAA requires a demonstration of maintenance for 10 years after an area is redesignated to attainment, EPA's guidance recommends that states plan for sufficient lead time to allow the EPA to take action on the submittal and the redesignation request.

reductions implemented for Eastman Chemical Company's coal-fired boilers and other SO_2 emitting sources at the facility and made permanent in the Tennessee SIP.

Monitoring network: Once an area has been redesignated to attainment, where air quality monitors exist in an area, the air agency should continue to operate an appropriate air quality monitoring network as provided under 40 CFR part 58 to verify the attainment status of the affected area. To ensure that ambient SO_2 concentrations continue to attain the NAAQS, Tennessee will continue ambient air quality monitoring in the redesignated area in accordance with 40 CFR 58. Should Tennessee petition to discontinue the operation of any monitor in the area, the Tennessee Department of Environment and Conservation's Division of Air Pollution Control will work with U.S. EPA Region 4 to ensure the necessary regulatory steps and guidelines for discontinuing monitoring are met. If EPA approves the petition to discontinue the use of one or more monitors, Tennessee commits to resume monitoring at any point if additional monitoring is required pursuant to 40 CFR Part 58, Appendix D, Section 4.4. Tennessee commits to the continued operation of a monitoring network for the area and will consult with EPA prior to making changes to the existing monitoring network, should such changes become necessary in the future.

Verification of continued attainment: Each state should ensure that it has the legal authority to implement and enforce all measures necessary to attain and maintain the 2010 SO_2 NAAQS. The air agency's submittal should indicate how it will track the progress of the maintenance plan for the area either through air quality monitoring or modeling.

Tennessee has the legal authority to implement and enforce all measures necessary to maintain the NAAQS pursuant to the Tennessee Air Quality Act (TCA 68-201) and Tennessee Air Pollution Control Regulations (TAPCR) 1200-03 and 0400-30. Tennessee also has the authority to implement the specific control measures required to maintain the NAAQS pursuant to the requirements established in SIP operating permit 082237, and these measures, along with the applicable monitoring, recordkeeping, and reporting requirements established in the permit, will ensure continued maintenance of the NAAQS. Tennessee will track the continued attainment and maintenance of the NAAQS through air quality monitoring as required by to 40 CFR part 58 and through implementation and enforcement of the SIP and its control measures.

Contingency Measures: CAA §175A (d) requires the maintenance plan to contain contingency provisions that will promptly correct any violation of the SO_2 NAAQS that occurs after the area is redesignated to attainment. Section 175A does not explicitly require that contingency measures must take effect without further action by the air agency, but the contingency plan is an enforceable part of the SIP and should ensure that contingency measures are adopted and implemented as expeditiously as practicable once they are triggered. The plan should clearly identify the measures to be adopted, provide a schedule and associated procedures for adoption and implementation, and provide a specific time limit for action by the air agency. At a minimum, §175A(d) requires that the air agency continue to implement all measures contained in the nonattainment area plan that was in place prior to redesignation of the affected area to attainment. An air agency may submit a SIP revision at the time of its redesignation request to remove or reduce the stringency of control measures.

In the *General Preamble for the Implementation of Title I of the Clean Air Act Amendments of 1990*[61], EPA provides further discussion of contingency measures for SO_2. This guidance states that in many cases, attainment revolves around compliance of a single source or a small set of sources with emission limits shown to provide for attainment. This guidance concludes that in such cases, "the EPA interprets 'contingency measures' to

[61] See 57 FR 13498 (April 16, 1992).

mean that the state agency has a comprehensive program to identify sources of violations of the SO_2 NAAQS and to undertake an aggressive follow-up for compliance and enforcement, including expedited procedures for establishing enforceable consent agreements pending the adoption of revised SIPs." Although this guidance applies to contingency measures for nonattainment plans, EPA envisions applying a similar policy with respect to the contingency measures required in maintenance plans under section 175A(d), consistent with the requirement that all NAA SIP or FIP requirements be implemented.

The two main elements of a contingency plan are triggering mechanisms to determine when contingency measures are needed and a process of developing and adopting appropriate control measures. The primary trigger(s) of the contingency plan and associated control measures submitted with Condition G4 of SIP permit 082237. This permit condition states:

> Upon notification by the Technical Secretary that a reference monitor for the area has registered four validated ambient SO_2 concentrations in excess of the standard (75 parts per billion, 99^{th} percentile of daily maximum one-hour average concentrations determined in accordance with 40 CFR 50, Appendix T) during any maintenance period approved pursuant to CAA §§175a(a) and (b), the permittee shall undertake a full system audit of all emissions units subject to control under this plan. The permittee must submit a written system audit report within 30 days of the notification. The system audit report must detail the operating parameters of all emissions units, including modeled emission units that were excluded from the SIP, for four 10-day periods up to and including the date upon which the reference monitor registered each exceedance, together with recommended provisional SO_2 emission control strategies for each affected unit and evidence that these control strategies have been deployed, as appropriate. Upon consultation with the Technical Secretary, the permittee shall develop and implement operational changes as necessary to prevent future monitored violations of the standard. These changes may include fuel switching, physical or operational reduction of production capacity, or other changes as appropriate. If a permit modification is deemed necessary, any changes to existing permit conditions shall follow the applicable procedures of TAPCR 1200-03-09. If an emission source is found to be noncompliant with a SIP emission limit, the Technical Secretary will, in addition to conducting enforcement proceedings to bring the source into compliance with its SIP limit, determine whether additional limits must be added to the SIP to meet the requirements of section 172(c)(9) of the Clean Air Act.

Tennessee will implement all SO_2 control measures, continue to enforce the contingency measures identified in Condition G4 of permit 082237, and will notify EPA of any exceedances that trigger the contingency measures of Condition G4.

In addition to the primary trigger described above, Tennessee has a comprehensive program to identify sources of violations of the SO_2 NAAQS and will undertake an aggressive follow-up for compliance and enforcement, including expedited procedures for establishing enforceable consent agreements pending the adoption of revised SIPs. A trigger-level response will consist of a study to determine whether emissions from sources within the nonattainment area (or nearby sources located outside of the nonattainment area, as appropriate) are increasing or indicate a trend toward higher sulfur dioxide concentrations. The study would evaluate whether the trend, if any, is likely to continue and any control measures necessary to reverse the trend, taking into consideration ease and timing for implementation, as well as economic and social considerations. If new control measures are already promulgated and scheduled to be implemented at the

Federal or State level, and if those measures are determined to be sufficient to address any increase in peak sulfur dioxide concentrations, additional local measures may be unnecessary. Tennessee will submit to the EPA an analysis to assess whether the proposed measures are adequate to reverse the increase in sulfur dioxide concentrations and to maintain the NAAQS within the area. If additional controls are necessary, Tennessee will implement the appropriate contingency measures needed to assure future attainment of the sulfur dioxide NAAQS. Contingency measures would be adopted and implemented as expeditiously as possible, but no later than 24 months after the triggering event. The proposed schedule for these actions would be as follows:

- Six months to identify appropriate contingency measures, including identification of emission sources and appropriate control technologies;

- Between three and six months to initiate a stakeholder process; and

- Between nine and twelve months to implement the contingency measures. This step would include the time required to draft rules or SIP amendments, complete the rulemaking process, and submit the final plans to EPA.

If a longer schedule is required to implement specific contingency measures, then, upon selection of the appropriate measures, Tennessee will notify EPA of the proposed schedule and will provide sufficient information to EPA to demonstrate that the proposed measures are a prompt correction of the triggering event. The selection of emission control measures will be based on cost-effectiveness, emission reduction potential, economic and social considerations, or other factors that the state deems to be appropriate. Selected emission control measures will be subject to public review, and Tennessee will seek public input prior to selecting new emission control measures.

CAA §175A(b) requires each state, within eight years after redesignation of any area as an attainment area, to submit to the Administrator an additional SIP revision for maintaining the NAAQS for 10 years after the expiration of the 10-year period referred to in CAA §175A(a). Within eight years of redesignation of the area, Tennessee will submit an additional SIP revision to ensure continued maintenance of the SO_2 NAAQS for the second 10-year period.

Attachment A
SO_2 Point Source Emissions Inventory

Table A-1: 2022 Point Source Inventory – Eastman Chemical Company			
MSOP	**PES**	**Description**	**2022 SO_2 Emissions (tons)**
Boilers, Incinerators, Coal Gasification			
02	B-83-1	B-83-1 Coal Fired Boilers # 18-24	2,227
02	B-253-1	B-253-1 Natural Gas Fired Boilers # 25-29	7.37
26	B-325-1	B-325 Coal Fired Boilers 30 and 31	1,100
26	B-423-1	B-423 Natural Gas Fired Boilers A, B, C	0.46
32	B-248-1	B-248-1 Solid/Liquid Chemical Waste Incinerators	3.44
32	B-248-2	B-248-2 Liquid Chemical Waste Incinerator	0.46
17	B-351-5	B-351-5 Flares for South Production Area	5.4[1]
17	B-334-1	B-334-1 Acid Gas Removal and Sulfur Recovery Plant	2.1[2]
Process Emission Sources			
03	B-338-3	B-338-3 Recovery of Carbonylation Reactor Catalyst	0.44
04	B-646-1	B-646-1 Organic Acid Manufacture and Refining	0.00429
10	B-90-7	B-90-7 TBHQ Production	0.13
10	B-90B-1	B-90B-1 BHA Production	1.4
11	RICE-2	RICE-2 Emergency Engines	0.03
11	B-227-2-3	B-227-2-3 HTM Heaters No. 3 and 4	0.0244
11	B-256-1-2-3	B-256-1-2-3 HTM Heaters No. 5, 6, and 8	0.08
11	B-272-1-2-3	B-272-1-2-3 HTM Heaters No. 7, 9, and 10	0.07
16	B-6C-1	B-6C-1 Cracking Furnaces 27 and 28	0.93
16	B-7R-1	B-7R-1 Cracking Furnaces 5-16 and 19-24	0.13
16	B-7RC-1	B-7RC-1 Cracking Furnaces 25 and 26	0.02
17	B-331-1	B-331-1 Production of Synthesis Gas	0.05
17	B-334-1	Fugitive Equipment Leaks	1.3[3]
19	B-545-1	B-545-1 Copolyester Monomer Manufacturing	0.061
23	B-55-1	B-55-1 Organic Acids and Anhydrides Manufacturing	15.65[4]
24	H2 Plants	Hydrogen Plants 3, 4, 5 and 6	0.41
24	B-238-1	B-238-1 HTM Furnaces	0.34
25	OC-Batch	OC-Batch Production of Specialty Organic Chemicals	0.0281[5]
27	B-190-1	B-190-1 Plastics Compounding Facility	0.02
29	RICE-1	RICE-1 Emergency Engines	0.07
31	B-265B-1	B-265B-1 HTM Furnaces	0.009
32	RICE-3	RICE-3 Emergency Engine	0.01
34	B-232-1	B-232-1 Manufacture of Aromatic Acids	0.045
Total			**3,367**

[1] MSOP-17 SAR July - December 2022. This value excludes 31.5 tons of excess emissions due to startup, shutdown, and malfunction events.
[2] MSOP-17 SAR July- December 2022. The value reported with the emissions inventory is incorrect.
[3] Allowable emission rate from permit 572407.
[4] Maximum allowable emission rate.
[5] Used the highest annual emission rate reported for 2017-2021, as used in the 2022 attainment demonstration.

Table A-2: 2037 Point Source Inventory – Eastman Chemical Company			
MSOP	**PES**	**Description**	**SO_2 Emissions (tons/year)**
Boilers, Incinerators, Coal Gasification			
02 and 26	B-83-1, B-325-1	Coal-Fired Boilers 18, 19, 20, 21, 22, 23, 24, 30, 31[6]	7008.15
02	B-253-1	Natural Gas-Fired Boilers 25, 26, 27, 28, 29	10.08
02	B-83-11	New Gas Boiler 32	0.66
02	B-83-11	New Gas Boiler 33	0.66
02	B-83-11	New Gas Boiler 34	0.66
04	B-646-1	Organic Acid Manufacture and Refining	0.04
26	B-423-1	New Gas Boiler A	0.58
26	B-423-1	New Gas Boiler B	0.58
26	B-423-1	New Gas Boiler C	0.58
32	B-248-1	Solid/Liquid Chemical Incinerators	87.60
32	B-248-2	Liquid Chemical Incinerator	43.80
17	334-1	Tail Gas Incinerator	95.60
17	351-5	Cold and Warm Flares	48.00
Other Fuel-Burning Sources, Process Emission Sources, and Emergency Engines			
03	B-338-3	Catalyst Recovery Process Vent	0.44
10	B-90-7	TBHQ Production	0.13
10	B-90B-1	BHA Production	1.40
11	B-227-2,3	HTM Furnace #3 (Vent A)	0.33
11	B-227-2,3	HTM Furnace #4 (Vent B)	0.50
11	B-256-1, 2, 3	HTM Furnace 5	0.35
11	B-256-1, 2, 3	HTM Furnace 6	0.35
11	B-256-1, 2, 3	HTM Furnace 8	0.35
11	B-256-1, 2, 3	HTM Furnace 7	0.35
11	B-256-1, 2, 3	HTM Furnace 9	0.35
11	B-256-1, 2, 3	HTM Furnace 10	0.35
11	RICE-2	B-63 Emergency Fire Pump Engine (Vent A)	0.01
11	RICE-2	B-269 Emergency Fire Pump Engine (Vent B)	0.01
16	B-7R-1	Cracking Furnaces 5-16 and 9-24	0.53
16	B-6C-1	Cracking Furnace 27	0.07
16	B-6C-1	Cracking Furnace 28	0.07
16	B-7RC-1	Cracking Furnace 25	0.04
16	B-7RC-1	Cracking Furnace 26	0.04
16	Area A-B7	Acetic Anhydride Manufacturing (Ketene Furnaces)	0.10
16	Area A-B7	Acetic Anhydride Manufacturing (Thermal Oxidizer)	0.03

[6] Construction permit 978695 was issued to Eastman Chemical Company on August 3, 2021, to allow the construction of three new natural gas-fired boilers (B-83 Boilers 32, 33, and 34) with a nominal heat input of 249 MMBtu/hr each. The permit requires Eastman to permanently cease operation of B-83 Boilers 18, 19, and 20 following the startup of Boilers 32, 33, and 34 (one coal-fired boiler must be shut down for each natural gas-fired boiler that begins operation), but Tennessee did not take credit for the shutdowns in the redesignation request.

Table A-2: 2037 Point Source Inventory – Eastman Chemical Company			
MSOP	**PES**	**Description**	**SO_2 Emissions (tons/year)**
17	B-331-1	B-331-1 Production of Synthesis Gas	0.013
17	B-334-1	Fugitive Equipment Leaks	5.98E-07[7]
19	B-545-1	Copolyester Monomer Manufacturing (Process Heater FA-F-01)	0.06
19	B-545-1	Copolyester Monomer Manufacturing (Process Heater FB-F-01)	0.06
19	B-545-1	Copolyester Monomer Manufacturing (Vapor Incinerator)	0.06
23	PES B-55-1	Organic Acids & Anhydrides Manufacturing (Vent B)	26.28
23	PES B-55-1	Organic Acids & Anhydrides Manufacturing (Vent C)	2.98
23	PES B-55-1	Organic Acids & Anhydrides Manufacturing (Vent E)	0.00
23	PES B-55-1	Organic Acids & Anhydrides Manufacturing (Vent I)	2.59
23	PES B-55-1	Organic Acids & Anhydrides Manufacturing (Vent K)	0.61
24	B-238-1	HTM Furnaces (MF-01 Furnace)	0.04
24	B-238-1	HTM Furnaces (MG-01 Furnace)	0.04
24	B-238-1	HTM Furnaces (MK-01 Furnace)	0.18
24	B-238-1	HTM Furnaces (ML-01 Furnace)	0.26
24	H2 Plants	H2 Plants (Hydrogen Plant #3)	0.13
24	H2 Plants	H2 Plants (Hydrogen Plant #4)	0.15
24	H2 Plants	H2 Plants (Hydrogen Plant #5)	0.33
24	H2 Plants	H2 Plants (Hydrogen Plant #6)	0.33
27	B-190-1	Natural Gas-Fired Parts Cleaning Oven (Vent F)	0.05
27	B-190-1	Natural Gas-Fired Parts Cleaning Oven (Vent L)	0.05
29	RICE-1	Diesel-Fired Emergency Engine (Vent A)	0.03
29	RICE-1	Diesel-Fired Emergency Engine (Vent H)	0.01
29	RICE-1	Diesel-Fired Emergency Engine (Vent I)	0.001
29	RICE-1	Diesel-Fired Emergency Engine (Vent K)	0.02
29	RICE-1	Diesel-Fired Emergency Engine (Vent P)	0.004
31	B-265B-1	Natural Gas-Fired Heat Transfer Furnace (Vent A)	0.01
31	B-265B-1	Natural Gas-Fired Heat Transfer Furnace (Vent C)	0.02
32	RICE-3	Diesel-Fired Emergency Engine (Vent A)	0.02
34	B-232-1	Aromatic Acid Manufacturing (Vent UA Catalytic Oxidizer)	0.01
34	B-232-1	Aromatic Acid Manufacturing (Vent UB Regenerative Thermal Oxidizer)	0.04
34	B-232-1	Aromatic Acid Manufacturing (Vent UC Catalytic Oxidizer)	0.01
36	B-655-1	Methanolysis Plant (Furnace FR-01)[8]	0.44
Eastman Point Source Total			**7,337**

[7] Modeled emission rate. Fugitive emissions are modeled in g/s*m^2, where the fugitive area is 2,425,384 m^2 (1353.3 m x 1792.2 m).

[8] Construction permit 978695 was issued February 16, 2021, to allow the construction of a new plastics processing facility and methanolysis plant. Upon startup, the plastics processing facility will receive plastic waste/trash and unprocessed polyethylene terephthalate (PET) to produce processed PET as a feedstream for the methanolysis plant and processed mixed plastic for resale. The methanolysis plant will process PET waste into the corresponding monomers (dimethyl terephthalate and ethylene glycol) using methanol, sodium hydroxide, and a catalyst.

Table A-3: 2022 and 2037 Point Source Inventory – Primester				
Emission Source Number	**Vent ID**	**Description**	**SO_2 Emissions (tons/year)**	
			2022	**2037**
82-0510-03	Vent C	Cellulose Scrap Recovery Process	1.1	1.1

Attachment B
SO_2 Area Source Emissions Inventory

Table B-1: Sullivan County Area Source Emissions										
FIPS Code	Source Classification Code	Description	Sullivan County SO_2 Emissions (tons)						Nonattainment Area SO_2 Emissions (tons)	
			2016	2026	2016-2026 Change in Emissions	Incremental Change	2022	2037	2022	2037
47163	2102001000	Fuel Combustion; Industrial; Anthracite Coal	0	0	0	0	0.00	0.00	0.00	0.00
47163	2102002000	Fuel Combustion; Industrial; Bituminous Coal	0	0	0	0	0.00	0.00	0.00	0.00
47163	2102004001	Fuel Combustion; Industrial; Distillate Oil Boiler	1.44332	1.80415	0.36083	0.036083	1.66	2.20	0.15	0.20
47163	2102004002	Fuel Combustion; Industrial; Distillate Oil Engine	2.02563	2.5320375	0.5064075	0.05064075	2.33	3.09	0.22	0.29
47163	2102005000	Fuel Combustion; Industrial; Residual Oil	0.0061992	0.007749	0.0015498	0.00015498	0.01	0.01	6.63E-04	0.00
47163	2102006000	Fuel Comb - Industrial Boilers, ICEs - Natural Gas	0	0	0	0	0.00	0.00	0.00	0.00
47163	2102007000	Fuel Combustion; Industrial; LPG	0.0001963	0.0001501	-4.623E-05	-4.6228E-06	1.69E-04	0.00	1.57E-05	0.00
47163	2102008000	Fuel Comb - Industrial Boilers, ICEs - Biomass	0	8.3112342	8.3112342	0.831123421	4.99	17.45	0.46	1.62
47163	2102011000	Fuel Combustion; Industrial; Kerosene	0.3193815	0.3478269	0.0284454	0.002844535	0.34	0.38	0.03	0.04
47163	2103001000	Fuel Combustion; Comm/Inst; Anthracite Coal	0	0	0	0	0.00	0.00	0.00	0.00
47163	2103002000	Fuel Combustion; Comm/Inst; Bituminous Coal	0	0	0	0	0.00	0.00	0.00	0.00
47163	2103004001	Fuel Combustion; Comm/Inst; Distillate Oil Boiler	0.1841505	0.187672	0.0035215	0.000352155	0.19	0.19	0.02	0.02
47163	2103004002	Fuel Combustion; Comm/Inst; Dist. Oil Engine	0.175799	0.1791608	0.0033618	0.000336184	0.18	0.18	0.02	0.02
47163	2103005000	Fuel Combustion; Comm/Inst; Residual Oil	0	0	0	0	0.00	0.00	0.00	0.00

Table B-1: Sullivan County Area Source Emissions										
FIPS Code	Source Classification Code	Description	Sullivan County SO_2 Emissions (tons)						Nonattainment Area SO_2 Emissions (tons)	
			2016	2026	2016-2026 Change in Emissions	Incremental Change	2022	2037	2022	2037
47163	2103006000	Fuel Combustion; Comm/Inst; Natural Gas	0.2278185	0.2495388	0.0217203	0.002172033	0.24	0.27	0.02	0.03
47163	2103007000	Fuel Combustion; Comm/Inst; LPG	0.0111037	0.0111037	0	0	0.01	0.01	1.03E-03	0.00
47163	2103008000	Fuel Combustion; Commercial/Inst; Wood	0	0.3174898	0.3174898	0.031748976	0.19	0.67	1.77E-02	0.06
47163	2103011000	Fuel Combustion; Comm/Inst; Kerosene	0.074777	0.074777	0	0	0.07	0.07	0.01	0.01
47163	2104001000	Residential Heating: Anthracite Coal	0	0	0	0	0.00	0.00	0.00	0.00
47163	2104002000	Residential Heating: Bituminous Coal	0	0	0	0	0.00	0.00	0.00	0.00
47163	2104004000	Residential Heating: Distillate Oil	1.862605	1.862605	0	0	1.86	1.86	0.17	0.17
47163	2104006000	Residential Heating: Natural Gas	0.192543	0.192543	0	0	0.19	0.19	0.02	0.02
47163	2104007000	Residential Heating: LPG	0.0316286	0.0316286	0	0	0.03	0.03	2.94E-03	0.00
47163	2104011000	Residential Heating: Kerosene	1.79608	1.79608	0	0	1.80	1.80	0.17	0.17
47163	2302002200	Commercial Cooking: Under-fired Charbroiling	0	0	0	0	0.00	0.00	0.00	0.00
47163	2610000100	Open Burning - Yard Waste - Leaves	0.0687188	0.0584541	-0.0102647	-0.001026467	0.06	0.05	0.01	0.00
47163	2610000400	Open Burning - Yard Waste - Brush	0.150096	0.0584541	*****	*****	0.10	0.02	0.01	0.00
47163	2610000500	Open Burning - Land Clearing Debris	45.2521	18.09573	*****	*****	28.96	6.60	2.69	0.61
47163	2610030000	Open Burning - Household Waste	2.30341	2.017734	-0.285676	-0.0285676	2.13	1.70	0.20	0.16
47163	2810060100	Cremation - Human	0.112315	0.0690909	-0.0432241	-0.004322414	0.09	0.02	0.01	0.00
47163	2810060200	Cremation - Animals	0	1.71E-05	1.709E-05	1.70878E-06	1.03E-05	0.00	9.53E-07	0.00
Totals							**45.42**	**36.81**	**4.22**	**3.42**

Calculation of Future-Year Emissions for Area Sources (All SCCs Except for 2610000400 and 2610000500)

Because there are no existing projections for 2027, future year (2037) emissions inventories were projected using the existing emission inventories for 2016 (EPA's 2016v1 emission inventory) and 2026 (EPA's 2016v2 inventory). This procedure is illustrated below using source classification code 2102004002.

1. Calculate the difference between 2016 and 2026 using the following formula:

   Change in emissions = (2026 emissions in tons) – (2016 emissions in tons)
   Change in emissions = (2.5320375 tons) – (2.02563 tons) = 0.5064075 tons

2. Calculate the incremental change in emissions using the following formula:

$$\text{Incremental change in emissions} = \frac{(\text{change in emissions})}{(10 \text{ years})}$$

$$\text{Incremental change in emissions} = \frac{(0.5064075 \text{ tons})}{(10 \text{ years})} = 0.05064075 \text{ tons/year}$$

3. Calculate emissions for 2017 through 2037 as follows (**Table B-2**):

Table B-2: Example Calculation of Future Year Emissions (SCC 2102004002)

Year	Description	SO_2 Emissions (tons/year)
2016	Baseline	2.02563
2017	2016 Emissions plus 0.05064075 tons	2.07627075
2018	2017 Emissions plus 0.05064075 tons	2.1269115
2019	2018 Emissions plus 0.05064075 tons	2.17755225
2020	2019 Emissions plus 0.05064075 tons	2.228193
2021	2020 Emissions plus 0.05064075 tons	2.27883375
2022	2021 Emissions plus 0.05064075 tons	2.3294745
2023	2022 Emissions plus 0.05064075 tons	2.38011525
2024	2023 Emissions plus 0.05064075 tons	2.430756
2025	2024 Emissions plus 0.05064075 tons	2.48139675
2026	2025 Emissions plus 0.05064075 tons	2.5320375
2027	2026 Emissions plus 0.05064075 tons	2.58267825
2028	2027 Emissions plus 0.05064075 tons	2.633319
2029	2028 Emissions plus 0.05064075 tons	2.68395975
2030	2029 Emissions plus 0.05064075 tons	2.7346005
2031	2030 Emissions plus 0.05064075 tons	2.78524125
2032	2031 Emissions plus 0.05064075 tons	2.835882
2033	2032 Emissions plus 0.05064075 tons	2.88652275
2034	2033 Emissions plus 0.05064075 tons	2.9371635
2035	2034 Emissions plus 0.05064075 tons	2.98780425
2036	2035 Emissions plus 0.05064075 tons	3.038445
2037	2036 Emissions plus 0.05064075 tons	3.08908575

Calculation of Future-Year Emissions for Area Sources (SCCs 2610000400 and 2610000500)

For Source Classification Codes 2610000400 (Open Burning - Yard Waste – Brush) and 2610000500 (Open Burning - Land Clearing Debris), Tennessee calculated base year and future year emissions by assuming that the rate of change (rather than the absolute change in tons/year) would be a uniform value, such that the change in SO_2 emissions decreases more slowly in future years, as shown below1.

2016 SO_2 emissions = 45.2521 tons (initial condition)
2017 SO_2 emissions = (45.2521 tons)(1-rate of change)
2018 SO_2 emissions = (2017 SO_2 emissions)(1-rate of change)
2019 SO_2 emissions = (2018 SO_2 emissions)(1-rate of change)
Etc.

The rate of change was determined from an iterative process. Because 2016 and 2026 SO_2 emissions were known, Tennessee determined the appropriate value by making an initial estimate for the rate of change, calculating SO_2 emissions for all years between 2016 and 2026, comparing the 2026 calculation to the 2026 inventory, and adjusting the rate of change up or down as needed. This calculation was repeated until the calculated value for 2026 matched the inventory.

Using this methodology, Tennessee found that the calculated emissions matched the 2026 inventory at a uniform rate of change of -9.000% for both SCCs. SO_2 emissions from both SCCs are shown in **Table B-3** for all years between 2016 and 2037.

Table B-3: Calculation of Future Year Emissions (SCCs 2610000400 and 2610000500)

Year	Nonattainment Area SO_2 Emissions (tons)	
	Open Burning of Land Clearing Debris	Open Burning of Yard Waste/Brush
2016	45.25210	0.15010
2017	41.28882	0.13659
2018	37.67265	0.12429
2019	34.37320	0.11311
2020	31.36271	0.10293
2021	28.61590	0.09366
2022	26.10965	0.08523
2023	23.82291	0.07756
2024	21.73645	0.07058
2025	19.83272	0.06423
2026	18.09573	0.05845
2027	16.51086	0.05319
2028	15.06480	0.04840
2029	13.74539	0.04405
2030	12.54154	0.04008
2031	11.44312	0.03647
2032	10.44091	0.03319
2033	9.52647	0.03020

1 A constant rate of change was assumed because if a constant change in tons per year is used, then the 2037 emissions for both SCCS are negative by 2037.

Table B-3: Calculation of Future Year Emissions (SCCs 2610000400 and 2610000500)		
	Nonattainment Area SO_2 Emissions (tons)	
Year	Open Burning of Land Clearing Debris	Open Burning of Yard Waste/Brush
2034	8.69212	0.02749
2035	7.93085	0.02501
2036	7.23624	0.02276
2037	6.60248	0.02071

Partitioning of County-Level SO_2 Emissions Inventory for Area Sources, Onroad and Nonroad Mobile Sources, and Locomotives

County-level emissions were apportioned to the nonattainment area by using a percentage (9.3%) derived from the 2010 census. The population inside the nonattainment area was estimated by reviewing the population data for census blocks located inside of the nonattainment area (**Figure B-1, Table B-4**), and a ratio of Census Bureau population data for the county and the nonattainment area was calculated, as follows:

Sullivan County population (2010 Census): 156,283
Nonattainment area population (2010 Census): 14,643

$$\left[\frac{14{,}643}{156{,}823}\right] \times 100\% = 9.3\%$$

Area source emissions for the nonattainment area were calculated as:

(2017 emissions for entire county)(0.093) = (2017 nonattainment area emissions)

Example: Fuel Comb - Industrial Boilers, ICEs - Biomass

Sullivan County emissions (entire county): 8.41 tons
(8.41 tons)(0.093) = 0.7824 tons



Figure B-1: Population of Nonattainment Area Census Blocks

Tennessee believes that this method adequately estimates nonattainment area emissions because area and nonpoint emission sources, in general, are population-related (i. e., emissions vary with population), and because nonpoint source emissions are significantly less than point sources in the nonattainment area.

Table B-4: SO_2 NAA Population Analysis 11/6/2014

County Name	STATE	COUNTY	Census Tract	Block Group	Block	Total Population
Sullivan	47	163	40200	1	1180	0
Sullivan	47	163	41200	1	1018	0
Sullivan	47	163	40200	1	1102	0
Sullivan	47	163	40200	1	1095	0
Sullivan	47	163	41400	1	1016	33
Sullivan	47	163	41200	1	1010	13
Sullivan	47	163	41400	1	1007	10
Sullivan	47	163	41400	1	1019	0
Sullivan	47	163	40200	1	1182	0
Sullivan	47	163	40200	1	1194	0
Sullivan	47	163	40200	1	1198	0
Sullivan	47	163	41400	1	1024	0
Sullivan	47	163	41100	1	1019	21
Sullivan	47	163	41000	1	1012	280
Sullivan	47	163	40200	1	1023	0
Sullivan	47	163	41100	2	2016	0

Table B-4: SO_2 NAA Population Analysis 11/6/2014						
County Name	**STATE**	**COUNTY**	**Census Tract**	**Block Group**	**Block**	**Total Population**
Sullivan	47	163	40800	3	3028	0
Sullivan	47	163	40300	2	2024	38
Sullivan	47	163	40800	3	3035	18
Sullivan	47	163	40200	1	1063	0
Sullivan	47	163	40200	1	1010	0
Sullivan	47	163	40800	2	2013	0
Sullivan	47	163	40700	2	2030	0
Sullivan	47	163	40200	1	1072	0
Sullivan	47	163	40200	1	1038	11
Sullivan	47	163	40800	1	1044	48
Sullivan	47	163	40800	1	1051	20
Sullivan	47	163	40800	1	1032	0
Sullivan	47	163	40800	1	1046	14
Sullivan	47	163	40800	1	1053	7
Sullivan	47	163	40800	1	1028	0
Sullivan	47	163	41200	1	1036	0
Sullivan	47	163	40200	1	1175	0
Sullivan	47	163	40200	1	1192	0
Sullivan	47	163	40200	1	1100	0
Sullivan	47	163	40200	1	1179	0
Sullivan	47	163	41200	1	1004	10
Sullivan	47	163	41200	1	1005	6
Sullivan	47	163	41200	1	1011	0
Sullivan	47	163	40900	2	2006	106
Sullivan	47	163	41100	1	1012	22
Sullivan	47	163	41200	1	1014	312
Sullivan	47	163	41200	1	1007	0
Sullivan	47	163	40800	1	1045	18
Sullivan	47	163	40800	1	1036	17
Sullivan	47	163	41200	1	1031	0
Sullivan	47	163	40200	1	1009	0
Sullivan	47	163	40200	1	1022	0
Sullivan	47	163	40200	1	1064	0
Sullivan	47	163	40200	1	1096	0
Sullivan	47	163	40800	1	1052	0
Sullivan	47	163	40900	2	2014	51
Sullivan	47	163	41100	1	1018	49
Sullivan	47	163	40200	1	1011	40
Sullivan	47	163	40200	1	1012	30
Sullivan	47	163	40200	1	1057	0
Sullivan	47	163	40200	1	1060	34
Sullivan	47	163	40200	1	1035	0
Sullivan	47	163	40700	2	2054	90
Sullivan	47	163	40200	2	2063	49
Sullivan	47	163	40700	2	2032	49
Sullivan	47	163	40700	2	2033	30
Sullivan	47	163	40200	2	2066	11
Sullivan	47	163	40700	2	2011	245
Sullivan	47	163	40300	1	1007	3
Sullivan	47	163	40300	1	1014	28

Table B-4: SO_2 NAA Population Analysis 11/6/2014						
County Name	**STATE**	**COUNTY**	**Census Tract**	**Block Group**	**Block**	**Total Population**
Sullivan	47	163	40700	2	2016	29
Sullivan	47	163	40800	2	2017	0
Sullivan	47	163	40700	2	2051	13
Sullivan	47	163	40800	2	2016	0
Sullivan	47	163	40300	1	1022	124
Sullivan	47	163	41100	2	2028	0
Sullivan	47	163	40200	1	1131	0
Sullivan	47	163	40300	2	2007	79
Sullivan	47	163	41000	2	2028	110
Sullivan	47	163	40300	1	1008	45
Sullivan	47	163	40800	1	1042	49
Sullivan	47	163	40800	2	2024	0
Sullivan	47	163	40800	1	1043	15
Sullivan	47	163	41100	2	2024	57
Sullivan	47	163	41100	2	2010	42
Sullivan	47	163	40800	3	3031	35
Sullivan	47	163	40800	3	3034	26
Sullivan	47	163	41100	1	1004	0
Sullivan	47	163	40800	3	3019	90
Sullivan	47	163	40200	1	1129	0
Sullivan	47	163	40200	2	2067	11
Sullivan	47	163	40200	1	1084	0
Sullivan	47	163	41400	1	1003	44
Sullivan	47	163	40800	3	3039	27
Sullivan	47	163	41100	1	1006	117
Sullivan	47	163	40700	2	2025	71
Sullivan	47	163	40200	1	1111	0
Sullivan	47	163	40200	1	1027	61
Sullivan	47	163	40200	1	1097	0
Sullivan	47	163	40200	1	1020	0
Sullivan	47	163	40200	1	1050	0
Sullivan	47	163	40300	1	1027	0
Sullivan	47	163	40800	3	3013	0
Sullivan	47	163	40300	1	1005	0
Sullivan	47	163	40300	2	2015	0
Sullivan	47	163	40300	1	1036	0
Sullivan	47	163	40800	3	3012	0
Sullivan	47	163	40800	3	3042	0
Sullivan	47	163	41100	2	2027	20
Sullivan	47	163	40200	1	1078	0
Sullivan	47	163	40700	2	2031	0
Sullivan	47	163	41100	2	2001	0
Sullivan	47	163	41100	1	1009	0
Sullivan	47	163	41100	1	1017	0
Sullivan	47	163	40200	1	1209	0
Sullivan	47	163	40200	1	1044	15
Sullivan	47	163	41200	1	1012	0
Sullivan	47	163	41400	1	1043	0
Sullivan	47	163	40200	1	1094	0
Sullivan	47	163	41100	1	1022	0

Table B-4: SO_2 NAA Population Analysis 11/6/2014						
County Name	**STATE**	**COUNTY**	**Census Tract**	**Block Group**	**Block**	**Total Population**
Sullivan	47	163	40700	2	2043	0
Sullivan	47	163	40200	1	1033	90
Sullivan	47	163	40200	1	1073	0
Sullivan	47	163	40200	1	1122	0
Sullivan	47	163	40700	2	2037	36
Sullivan	47	163	40700	2	2024	23
Sullivan	47	163	40700	2	2012	34
Sullivan	47	163	40200	1	1138	0
Sullivan	47	163	40200	1	1106	0
Sullivan	47	163	40200	1	1142	0
Sullivan	47	163	40200	1	1147	0
Sullivan	47	163	40700	2	2045	70
Sullivan	47	163	41400	1	1002	122
Sullivan	47	163	40200	1	1208	0
Sullivan	47	163	40800	2	2014	0
Sullivan	47	163	40700	2	2041	0
Sullivan	47	163	40200	1	1080	0
Sullivan	47	163	40300	2	2000	28
Sullivan	47	163	40200	1	1071	0
Sullivan	47	163	40300	2	2017	0
Sullivan	47	163	41100	2	2036	0
Sullivan	47	163	41100	2	2012	2
Sullivan	47	163	40200	1	1121	0
Sullivan	47	163	41100	2	2048	2
Sullivan	47	163	41100	2	2050	0
Sullivan	47	163	41100	2	2011	0
Sullivan	47	163	41100	2	2004	0
Sullivan	47	163	41100	2	2007	0
Sullivan	47	163	41200	1	1045	12
Sullivan	47	163	41200	1	1023	2
Sullivan	47	163	41200	1	1040	0
Sullivan	47	163	40800	1	1067	28
Sullivan	47	163	40800	1	1060	51
Sullivan	47	163	40300	1	1023	37
Sullivan	47	163	40300	1	1028	43
Sullivan	47	163	40800	2	2008	7
Sullivan	47	163	40800	2	2000	277
Sullivan	47	163	40800	2	2006	13
Sullivan	47	163	40800	2	2021	0
Sullivan	47	163	40800	3	3010	23
Sullivan	47	163	41100	2	2037	27
Sullivan	47	163	41100	2	2029	26
Sullivan	47	163	40200	1	1150	0
Sullivan	47	163	41100	2	2018	25
Sullivan	47	163	40800	3	3032	25
Sullivan	47	163	41100	2	2046	15
Sullivan	47	163	40800	3	3018	8
Sullivan	47	163	40800	3	3040	0
Sullivan	47	163	41100	1	1020	0
Sullivan	47	163	41100	1	1005	6

Table B-4: SO_2 NAA Population Analysis 11/6/2014						
County Name	**STATE**	**COUNTY**	**Census Tract**	**Block Group**	**Block**	**Total Population**
Sullivan	47	163	41200	1	1020	4
Sullivan	47	163	40800	1	1035	1
Sullivan	47	163	40800	1	1026	40
Sullivan	47	163	40200	1	1068	0
Sullivan	47	163	40300	2	2016	51
Sullivan	47	163	40700	2	2046	35
Sullivan	47	163	40300	1	1038	62
Sullivan	47	163	40300	2	2023	35
Sullivan	47	163	40300	1	1035	43
Sullivan	47	163	40300	1	1037	71
Sullivan	47	163	41100	2	2041	16
Sullivan	47	163	41100	1	1024	0
Sullivan	47	163	40200	1	1061	14
Sullivan	47	163	40300	2	2019	0
Sullivan	47	163	40200	1	1199	0
Sullivan	47	163	41200	1	1009	0
Sullivan	47	163	41200	1	1021	3
Sullivan	47	163	40800	1	1034	20
Sullivan	47	163	41100	2	2006	0
Sullivan	47	163	40300	1	1021	36
Sullivan	47	163	40300	1	1032	35
Sullivan	47	163	40300	1	1010	7
Sullivan	47	163	40300	1	1017	52
Sullivan	47	163	40800	2	2004	42
Sullivan	47	163	41100	2	2025	2
Sullivan	47	163	41100	2	2056	45
Sullivan	47	163	41100	2	2030	30
Sullivan	47	163	41100	2	2020	100
Sullivan	47	163	41100	2	2042	30
Sullivan	47	163	41100	1	1011	7
Sullivan	47	163	40800	3	3021	76
Sullivan	47	163	41400	1	1009	0
Sullivan	47	163	40200	1	1101	0
Sullivan	47	163	41400	1	1033	0
Sullivan	47	163	40200	1	1205	0
Sullivan	47	163	40200	1	1195	0
Sullivan	47	163	41400	1	1032	2
Sullivan	47	163	41400	1	1022	0
Sullivan	47	163	40200	1	1158	0
Sullivan	47	163	40200	1	1201	0
Sullivan	47	163	41100	2	2047	18
Sullivan	47	163	40200	2	2059	136
Sullivan	47	163	40200	1	1034	77
Sullivan	47	163	40200	1	1041	22
Sullivan	47	163	40200	1	1200	0
Sullivan	47	163	41200	1	1028	0
Sullivan	47	163	41400	1	1036	0
Sullivan	47	163	41400	1	1026	0
Sullivan	47	163	41400	1	1011	0
Sullivan	47	163	41200	1	1025	0

Table B-4: SO_2 NAA Population Analysis 11/6/2014						
County Name	**STATE**	**COUNTY**	**Census Tract**	**Block Group**	**Block**	**Total Population**
Sullivan	47	163	41400	1	1034	0
Sullivan	47	163	41200	1	1029	0
Sullivan	47	163	40200	2	2054	37
Sullivan	47	163	40700	2	2028	84
Sullivan	47	163	41100	2	2044	0
Sullivan	47	163	40200	1	1032	26
Sullivan	47	163	40200	1	1043	36
Sullivan	47	163	40200	1	1197	0
Sullivan	47	163	41400	1	1015	251
Sullivan	47	163	40200	1	1031	0
Sullivan	47	163	40200	2	2072	58
Sullivan	47	163	40200	2	2103	0
Sullivan	47	163	40200	1	1055	0
Sullivan	47	163	40800	1	1054	5
Sullivan	47	163	40800	1	1050	18
Sullivan	47	163	40200	1	1079	0
Sullivan	47	163	41400	1	1050	0
Sullivan	47	163	40200	1	1185	0
Sullivan	47	163	40200	1	1184	0
Sullivan	47	163	40200	1	1092	0
Sullivan	47	163	40200	1	1196	0
Sullivan	47	163	40200	1	1053	0
Sullivan	47	163	40800	1	1021	13
Sullivan	47	163	40800	1	1027	34
Sullivan	47	163	41200	1	1065	11
Sullivan	47	163	40200	1	1206	0
Sullivan	47	163	40200	1	1164	0
Sullivan	47	163	41400	1	1023	0
Sullivan	47	163	41200	1	1055	0
Sullivan	47	163	41200	1	1066	0
Sullivan	47	163	41200	1	1027	0
Sullivan	47	163	40200	1	1036	0
Sullivan	47	163	40300	2	2018	0
Sullivan	47	163	40300	2	2003	47
Sullivan	47	163	41200	1	1016	0
Sullivan	47	163	41200	1	1030	0
Sullivan	47	163	40300	1	1020	135
Sullivan	47	163	40300	2	2002	60
Sullivan	47	163	40300	2	2013	48
Sullivan	47	163	40300	2	2011	83
Sullivan	47	163	40300	2	2012	0
Sullivan	47	163	40200	1	1126	0
Sullivan	47	163	40900	2	2000	256
Sullivan	47	163	40200	1	1155	0
Sullivan	47	163	40200	1	1133	0
Sullivan	47	163	41100	2	2035	57
Sullivan	47	163	40200	1	1113	0
Sullivan	47	163	41100	2	2034	80
Sullivan	47	163	40200	1	1202	0
Sullivan	47	163	41400	1	1021	0

Table B-4: SO_2 NAA Population Analysis 11/6/2014						
County Name	**STATE**	**COUNTY**	**Census Tract**	**Block Group**	**Block**	**Total Population**
Sullivan	47	163	40200	1	1159	0
Sullivan	47	163	40300	1	1031	46
Sullivan	47	163	40200	1	1144	0
Sullivan	47	163	40300	1	1009	108
Sullivan	47	163	40800	1	1063	21
Sullivan	47	163	40800	2	2018	26
Sullivan	47	163	40800	3	3029	162
Sullivan	47	163	40800	3	3015	46
Sullivan	47	163	41100	2	2031	20
Sullivan	47	163	41200	1	1026	0
Sullivan	47	163	40200	1	1082	0
Sullivan	47	163	40800	1	1024	0
Sullivan	47	163	40800	3	3022	49
Sullivan	47	163	41100	2	2019	31
Sullivan	47	163	41100	1	1023	0
Sullivan	47	163	40300	2	2005	0
Sullivan	47	163	40800	3	3030	29
Sullivan	47	163	41400	1	1048	1
Sullivan	47	163	40200	1	1047	14
Sullivan	47	163	40200	2	2064	39
Sullivan	47	163	40200	1	1058	0
Sullivan	47	163	40200	1	1065	0
Sullivan	47	163	40800	3	3014	48
Sullivan	47	163	40900	2	2013	381
Sullivan	47	163	40200	1	1024	23
Sullivan	47	163	40300	2	2010	17
Sullivan	47	163	40700	2	2053	0
Sullivan	47	163	40700	2	2035	37
Sullivan	47	163	41100	1	1010	0
Sullivan	47	163	40200	1	1141	0
Sullivan	47	163	40200	1	1112	0
Sullivan	47	163	40200	1	1134	0
Sullivan	47	163	40200	1	1135	0
Sullivan	47	163	40200	1	1125	0
Sullivan	47	163	40200	1	1075	0
Sullivan	47	163	40300	1	1012	18
Sullivan	47	163	40200	1	1137	0
Sullivan	47	163	40900	2	2015	82
Sullivan	47	163	41100	1	1025	0
Sullivan	47	163	41100	1	1015	11
Sullivan	47	163	41400	1	1042	0
Sullivan	47	163	40200	1	1136	0
Sullivan	47	163	40200	1	1109	0
Sullivan	47	163	40200	1	1108	0
Sullivan	47	163	41100	2	2032	48
Sullivan	47	163	40200	1	1139	0
Sullivan	47	163	40300	2	2006	0
Sullivan	47	163	40300	1	1016	0
Sullivan	47	163	41400	1	1008	0
Sullivan	47	163	41100	1	1016	8

Table B-4: SO_2 NAA Population Analysis 11/6/2014						
County Name	**STATE**	**COUNTY**	**Census Tract**	**Block Group**	**Block**	**Total Population**
Sullivan	47	163	40200	1	1187	0
Sullivan	47	163	40200	1	1183	4
Sullivan	47	163	40200	1	1170	0
Sullivan	47	163	41400	1	1040	0
Sullivan	47	163	41400	1	1031	0
Sullivan	47	163	40200	1	1161	0
Sullivan	47	163	41400	1	1001	0
Sullivan	47	163	41100	1	1000	193
Sullivan	47	163	40800	2	2015	0
Sullivan	47	163	40800	1	1057	9
Sullivan	47	163	40800	1	1040	44
Sullivan	47	163	40800	2	2012	32
Sullivan	47	163	40800	2	2007	61
Sullivan	47	163	40800	2	2005	31
Sullivan	47	163	40800	3	3001	265
Sullivan	47	163	40800	1	1030	52
Sullivan	47	163	40200	1	1029	185
Sullivan	47	163	40200	1	1042	30
Sullivan	47	163	41000	2	2027	0
Sullivan	47	163	41200	1	1037	0
Sullivan	47	163	40800	3	3011	18
Sullivan	47	163	41100	2	2023	69
Sullivan	47	163	41100	2	2022	33
Sullivan	47	163	41100	2	2057	0
Sullivan	47	163	40800	1	1019	18
Sullivan	47	163	40800	1	1041	37
Sullivan	47	163	40800	1	1059	61
Sullivan	47	163	40200	1	1039	3
Sullivan	47	163	40200	1	1021	0
Sullivan	47	163	40800	3	3025	0
Sullivan	47	163	40800	1	1039	24
Sullivan	47	163	40800	1	1038	31
Sullivan	47	163	40300	1	1001	219
Sullivan	47	163	40800	2	2009	15
Sullivan	47	163	41200	1	1015	0
Sullivan	47	163	40300	2	2020	26
Sullivan	47	163	40900	2	2016	0
Sullivan	47	163	40300	2	2014	2
Sullivan	47	163	41100	2	2009	0
Sullivan	47	163	40800	2	2019	24
Sullivan	47	163	40300	1	1026	0
Sullivan	47	163	40800	2	2010	8
Sullivan	47	163	40800	3	3000	0
Sullivan	47	163	41100	2	2017	0
Sullivan	47	163	40300	1	1011	40
Sullivan	47	163	40700	2	2044	0
Sullivan	47	163	40800	3	3024	0
Sullivan	47	163	40200	1	1148	0
Sullivan	47	163	41200	1	1008	60
Sullivan	47	163	40800	3	3041	0

Table B-4: SO_2 NAA Population Analysis 11/6/2014						
County Name	**STATE**	**COUNTY**	**Census Tract**	**Block Group**	**Block**	**Total Population**
Sullivan	47	163	40800	3	3005	46
Sullivan	47	163	40800	3	3006	0
Sullivan	47	163	41100	2	2005	0
Sullivan	47	163	40200	1	1120	0
Sullivan	47	163	41100	2	2054	0
Sullivan	47	163	40800	3	3036	23
Sullivan	47	163	40700	2	2029	0
Sullivan	47	163	40200	1	1062	0
Sullivan	47	163	41100	1	1013	0
Sullivan	47	163	40200	1	1066	0
Sullivan	47	163	40300	1	1000	0
Sullivan	47	163	40200	1	1178	0
Sullivan	47	163	41200	1	1022	0
Sullivan	47	163	40200	1	1074	0
Sullivan	47	163	41000	1	1006	363
Sullivan	47	163	40200	1	1091	0
Sullivan	47	163	40200	1	1157	0
Sullivan	47	163	40200	1	1160	0
Sullivan	47	163	41400	1	1025	0
Sullivan	47	163	41400	1	1037	0
Sullivan	47	163	41400	1	1039	0
Sullivan	47	163	40200	1	1189	0
Sullivan	47	163	41200	1	1013	0
Sullivan	47	163	41200	1	1041	0
Sullivan	47	163	40200	1	1098	0
Sullivan	47	163	40200	1	1163	0
Sullivan	47	163	41200	1	1054	0
Sullivan	47	163	40200	1	1103	0
Sullivan	47	163	40200	1	1190	0
Sullivan	47	163	40200	1	1028	28
Sullivan	47	163	40200	1	1067	0
Sullivan	47	163	41100	2	2051	45
Sullivan	47	163	40200	1	1181	0
Sullivan	47	163	40200	1	1176	0
Sullivan	47	163	40200	1	1191	4
Sullivan	47	163	40200	1	1014	19
Sullivan	47	163	41100	1	1008	9
Sullivan	47	163	40900	2	2012	9
Sullivan	47	163	40200	1	1162	0
Sullivan	47	163	41200	1	1006	64
Sullivan	47	163	41400	1	1012	4
Sullivan	47	163	40700	2	2039	72
Sullivan	47	163	40200	1	1203	0
Sullivan	47	163	40200	1	1169	0
Sullivan	47	163	40200	1	1166	0
Sullivan	47	163	41400	1	1041	0
Sullivan	47	163	40200	1	1083	0
Sullivan	47	163	40700	2	2027	41
Sullivan	47	163	40300	1	1013	124
Sullivan	47	163	40300	1	1030	102

Table B-4: SO_2 NAA Population Analysis 11/6/2014						
County Name	**STATE**	**COUNTY**	**Census Tract**	**Block Group**	**Block**	**Total Population**
Sullivan	47	163	40300	1	1029	60
Sullivan	47	163	40200	1	1154	0
Sullivan	47	163	41400	1	1005	0
Sullivan	47	163	40200	1	1140	0
Sullivan	47	163	40300	1	1033	73
Sullivan	47	163	40700	2	2019	41
Sullivan	47	163	41100	2	2003	20
Sullivan	47	163	40800	2	2002	3
Sullivan	47	163	41000	1	1017	0
Sullivan	47	163	41400	1	1004	11
Sullivan	47	163	40800	1	1048	35
Sullivan	47	163	40800	1	1049	20
Sullivan	47	163	40800	1	1025	35
Sullivan	47	163	40800	1	1031	0
Sullivan	47	163	41100	1	1014	367
Sullivan	47	163	40900	2	2009	77
Sullivan	47	163	41100	2	2013	14
Sullivan	47	163	40800	2	2023	0
Sullivan	47	163	41100	2	2055	42
Sullivan	47	163	40200	1	1146	0
Sullivan	47	163	40800	3	3033	19
Sullivan	47	163	40200	1	1153	0
Sullivan	47	163	40200	1	1077	0
Sullivan	47	163	40800	1	1056	15
Sullivan	47	163	40800	1	1020	14
Sullivan	47	163	40800	1	1018	404
Sullivan	47	163	40800	1	1022	66
Sullivan	47	163	40200	2	2062	0
Sullivan	47	163	40700	2	2042	5
Sullivan	47	163	40200	1	1070	0
Sullivan	47	163	40200	1	1056	0
Sullivan	47	163	40200	1	1013	35
Sullivan	47	163	40200	1	1049	0
Sullivan	47	163	40200	1	1054	0
Sullivan	47	163	40200	1	1104	0
Sullivan	47	163	40300	2	2004	38
Sullivan	47	163	40700	2	2036	0
Sullivan	47	163	40700	2	2040	45
Sullivan	47	163	40200	1	1046	13
Sullivan	47	163	40200	1	1110	0
Sullivan	47	163	40800	1	1055	3
Sullivan	47	163	40800	3	3037	0
Sullivan	47	163	40800	3	3009	43
Sullivan	47	163	40800	3	3007	0
Sullivan	47	163	41100	1	1001	59
Sullivan	47	163	40200	1	1207	0
Sullivan	47	163	40200	1	1123	0
Sullivan	47	163	40300	2	2009	34
Sullivan	47	163	40300	1	1039	62
Sullivan	47	163	40300	1	1015	44

Table B-4: SO_2 NAA Population Analysis 11/6/2014						
County Name	**STATE**	**COUNTY**	**Census Tract**	**Block Group**	**Block**	**Total Population**
Sullivan	47	163	40800	1	1061	47
Sullivan	47	163	40200	1	1132	0
Sullivan	47	163	40200	1	1130	0
Sullivan	47	163	40200	1	1143	0
Sullivan	47	163	40200	1	1151	0
Sullivan	47	163	40800	1	1037	30
Sullivan	47	163	40300	1	1025	0
Sullivan	47	163	41100	2	2002	0
Sullivan	47	163	40800	2	2020	127
Sullivan	47	163	40200	1	1114	0
Sullivan	47	163	40800	3	3023	22
Sullivan	47	163	41100	2	2014	29
Sullivan	47	163	41100	2	2039	249
Sullivan	47	163	40800	3	3004	34
Sullivan	47	163	40200	1	1019	11
Sullivan	47	163	40200	1	1145	0
Sullivan	47	163	41100	2	2038	12
Sullivan	47	163	40200	1	1069	0
Sullivan	47	163	41100	1	1002	0
Sullivan	47	163	40200	1	1116	0
Sullivan	47	163	40200	1	1030	0
Sullivan	47	163	40800	1	1066	15
Sullivan	47	163	41100	2	2000	0
Sullivan	47	163	40800	2	2011	0
Sullivan	47	163	40800	3	3016	0
Sullivan	47	163	40200	1	1118	0
Sullivan	47	163	40800	3	3027	0
Sullivan	47	163	40300	2	2022	71
Sullivan	47	163	41100	2	2043	0
Sullivan	47	163	40200	1	1081	0
Sullivan	47	163	40200	1	1076	0
Sullivan	47	163	40900	2	2008	14
Sullivan	47	163	41000	1	1010	4
Sullivan	47	163	40200	1	1059	0
Sullivan	47	163	40200	1	1025	8
Sullivan	47	163	40700	2	2034	10
Sullivan	47	163	40300	1	1019	44
Sullivan	47	163	40200	1	1105	0
Sullivan	47	163	40300	2	2008	73
Sullivan	47	163	40300	1	1018	20
Sullivan	47	163	40300	2	2021	53
Sullivan	47	163	40200	1	1115	0
Sullivan	47	163	40300	1	1006	0
Sullivan	47	163	40300	1	1002	43
Sullivan	47	163	40800	1	1047	20
Sullivan	47	163	40800	1	1023	0
Sullivan	47	163	41400	1	1006	53
Sullivan	47	163	40200	1	1165	0
Sullivan	47	163	40900	2	2017	88
Sullivan	47	163	41100	1	1003	0

Table B-4: SO_2 NAA Population Analysis 11/6/2014						
County Name	**STATE**	**COUNTY**	**Census Tract**	**Block Group**	**Block**	**Total Population**
Sullivan	47	163	40200	1	1107	0
Sullivan	47	163	40200	1	1117	0
Sullivan	47	163	41100	2	2033	60
Sullivan	47	163	40200	1	1152	0
Sullivan	47	163	40300	2	2001	43
Sullivan	47	163	40300	1	1034	66
Sullivan	47	163	40700	2	2013	46
Sullivan	47	163	40700	2	2018	0
Sullivan	47	163	40300	1	1024	38
Sullivan	47	163	40800	2	2003	0
Sullivan	47	163	40800	2	2022	36
Sullivan	47	163	41100	2	2026	57
Sullivan	47	163	41100	2	2059	0
Sullivan	47	163	41100	2	2058	57
Sullivan	47	163	41100	2	2052	19
Sullivan	47	163	40200	1	1149	0
Sullivan	47	163	40800	1	1062	12
Sullivan	47	163	40700	2	2052	0
Sullivan	47	163	41200	1	1000	0
Sullivan	47	163	40200	1	1174	0
Sullivan	47	163	40200	1	1093	0
Sullivan	47	163	41200	1	1048	12
Sullivan	47	163	41100	2	2021	60
Sullivan	47	163	41100	2	2060	35
Sullivan	47	163	41100	2	2061	0
Sullivan	47	163	40800	3	3038	10
Sullivan	47	163	40800	1	1065	19
Sullivan	47	163	40200	1	1037	88
Sullivan	47	163	40800	1	1064	29
Sullivan	47	163	40300	1	1004	0
Sullivan	47	163	40700	2	2038	97
Sullivan	47	163	40200	1	1045	20
Sullivan	47	163	40300	1	1003	2
Sullivan	47	163	40200	1	1040	1
Sullivan	47	163	41400	1	1028	0
Sullivan	47	163	41400	1	1029	0
Sullivan	47	163	41200	1	1062	0
Sullivan	47	163	41200	1	1003	0
Sullivan	47	163	41400	1	1013	0
Sullivan	47	163	41100	1	1021	12
Sullivan	47	163	40800	3	3017	0
Sullivan	47	163	40800	3	3026	0
Sullivan	47	163	40200	1	1127	0
Sullivan	47	163	41400	1	1030	0
Sullivan	47	163	41400	1	1049	56
Sullivan	47	163	41200	1	1049	0
Sullivan	47	163	41200	1	1039	21
Sullivan	47	163	41400	1	1035	0
Sullivan	47	163	41400	1	1020	0
Sullivan	47	163	41100	2	2015	0

Table B-4: SO_2 NAA Population Analysis 11/6/2014						
County Name	**STATE**	**COUNTY**	**Census Tract**	**Block Group**	**Block**	**Total Population**
Sullivan	47	163	40200	1	1124	0
Sullivan	47	163	40200	1	1128	0
Sullivan	47	163	40800	3	3020	156
Sullivan	47	163	40200	1	1119	0
Sullivan	47	163	40200	1	1051	95
Sullivan	47	163	40800	2	2001	0
Sullivan	47	163	40200	1	1052	39
Sullivan	47	163	41100	1	1007	0
Sullivan	47	163	41400	1	1045	0
Sullivan	47	163	40200	1	1156	0
Sullivan	47	163	40200	1	1099	0
Sullivan	47	163	40200	1	1193	0
Sullivan	47	163	40200	1	1172	0
Sullivan	47	163	41100	2	2049	0
Sullivan	47	163	41100	2	2040	0
Sullivan	47	163	41100	2	2053	0
Sullivan	47	163	41100	2	2045	0
Sullivan	47	163	41200	1	1047	47
Sullivan	47	163	41400	1	1010	0
Sullivan	47	163	41400	1	1017	0
Sullivan	47	163	41200	1	1046	0
Sullivan	47	163	40200	1	1186	0
Sullivan	47	163	40200	1	1167	0
Sullivan	47	163	41400	1	1018	0
Sullivan	47	163	40200	1	1168	0
Sullivan	47	163	40200	1	1204	0
Sullivan	47	163	40200	1	1188	0
Sullivan	47	163	41400	1	1014	7
Sullivan	47	163	40200	1	1173	0
Sullivan	47	163	40200	1	1171	2
Sullivan	47	163	41400	1	1051	0
Sullivan	47	163	41400	1	1027	0
Sullivan	47	163	41200	1	1001	0
Sullivan	47	163	41200	1	1002	207
Sullivan	47	163	40800	1	1058	53
Sullivan	47	163	40200	1	1048	15
Sullivan	47	163	41100	2	2008	0
Sullivan	47	163	40200	1	1026	24
Sullivan	47	163	41200	1	1024	11
Sullivan	47	163	40200	1	1177	0
Sullivan	47	163	41400	1	1038	0
Sullivan	47	163	41200	1	1038	0
Sullivan	47	163	41200	1	1017	2
Sullivan	47	163	40800	1	1033	67
Sullivan	47	163	41200	1	1044	160

County-level emissions were apportioned to the nonattainment area using the procedure described above.

Attachment C
SO_2 Onroad Mobile Source Emissions Inventory

Tennessee developed its 2022 and 2037 onroad mobile source emissions inventories from information submitted in the 2023 SO_2 Attainment Demonstration for Sullivan County. In that submittal, 2017 emissions were obtained directly from the NEI, and 2027 projections were developed with EPA's MOVES (MOtor Vehicle Emissions Simulator) model for onroad mobile sources. The 2017 NEI results are shown in **Table C-1**, and documentation of the MOVES runs is included at the end of this attachment. County-wide emissions from onroad mobile sources were partitioned to the nonattainment area using the methodology described in Attachment B.

Table C-1: Sullivan County 2017 Onroad Mobile Source Emissions

FIPS Code	County	Sector	Data Category	2017 SO_2 Emissions (tons)	Dataset	Nonattainment Area Emissions (tons)
47163	Sullivan	Mobile - On-Road Diesel Heavy Duty Vehicles	Onroad	1.97	2017NEI	0.183
47163	Sullivan	Mobile - On-Road Diesel Light Duty Vehicles	Onroad	0.18	2017NEI	0.0164
47163	Sullivan	Mobile - On-Road non-Diesel Heavy Duty Vehicles	Onroad	0.27	2017NEI	0.0252
47163	Sullivan	Mobile - On-Road non-Diesel Light Duty Vehicles	Onroad	15.86	2017NEI	1.4752
Total						**1.70**

The MOVES output projected 0.41 tons of mobile source SO_2 emissions within the nonattainment area. As an initial estimate, Tennessee used the difference between 2017 and 2027 (decrease of 1.29 tons) to project base year 2037 emissions assuming a uniform rate of change (average decrease of 0.129 tons/year). While this method produced a reasonable estimate for 2022 (1.055 tons of emissions from onroad mobile sources within the nonattainment area), that method could not be used to project future year emissions, because a uniform decrease of 0.129 tons/year produces an invalid result for 2037 (i. e., mobile source emissions would be less than zero using this method).

As an alternative to the method described above, Tennessee calculated base year and future year emissions by assuming that the rate of change (rather than the absolute change in tons/year) would be a uniform value, such that the change in SO_2 emissions decreases more slowly in future years, as shown below.

2017 SO_2 emissions = 1.70 tons (initial condition)
2018 SO_2 emissions = (1.70 tons)(1-rate of change)
2019 SO_2 emissions = (2018 SO_2 emissions)(1-rate of change)
2020 SO_2 emissions = (2019 SO_2 emissions)(1-rate of change)
Etc.

The rate of change was determined from an iterative process. Because 2017 and 2027 SO_2 emissions were known, Tennessee determined the appropriate value by making an initial estimate for the rate of change, calculating the SO_2 emissions for all years between 2017 and 2027, comparing the calculated result for 2027 to the MOVES output, adjusting the rate of change up or down as needed, then repeating the calculation until the calculated value for 2027 matched the MOVES output. Using this methodology, Tennessee found that the calculated emissions matched the 2027 MOVES output at a uniform rate of change of 13.25%, and emissions for 2022 and 2037 were calculated as follows:

2017 SO_2 emissions = 1.70 tons (initial condition)
2018 SO_2 emissions = (1.70 tons)(1-0.1325) = 1.47 tons
2019 SO_2 emissions = (1.47 tons)(1-0.1325) = 1.28 tons

SO_2 emissions from onroad mobile sources for all years between 2017 and 2037 are shown in **Table C-2**. When represented graphically (**Figure C-1**), the calculation shows that mobile source emissions decrease more slowly within the nonattainment area over time. County-level emissions were apportioned to the nonattainment area using the same procedure described in Attachment B.

Table C-2: Onroad Mobile Source Emissions for 2022 and 2037	
Year	**Nonattainment Area SO_2 Emissions (tons)**
2017	1.70
2018	1.47
2019	1.28
2020	1.11
2021	0.96
2022	0.84
2023	0.72
2024	0.63
2025	0.55
2026	0.47
2027	0.41
2028	0.36
2029	0.31
2030	0.27
2031	0.23
2032	0.20
2033	0.17
2034	0.15
2035	0.13
2036	0.11
2037	0.10
Yellow highlights are NEI (2017) and MOVES (2027) years. Orange highlights are base year (2022) and future year (2037) for redesignation.	



Attachment D
SO_2 Nonroad Mobile Source Emissions Inventory

Table D-1: Sullivan County Nonroad Mobile Source Emissions (Excluding Locomotives)								
		Sullivan County SO_2 Emissions (tons)		% Change per Year, 2016-2026	Sullivan County SO_2 Emissions (tons)		Nonattainment Area SO_2 Emissions (tons)	
SCC	Description	2016	2026		2022	2037	2022	2037
2260001022	Off-highway Vehicle Gasoline/Recreational Equipment/2-Stroke Other Recreational Equip.	0.005776946	2.27E-03	-8.90%	3.30E-03	8.16E-04	0.000307108	7.58695E-05
2260001060	Off-highway Vehicle Gasoline/Recreational Equipment/2-Stroke Specialty Vehicles/Carts	0.000919964	3.30E-04	-9.75%	4.97E-04	1.07E-04	4.62314E-05	9.92305E-06
2260002022	Off-highway Vehicle Gasoline/Construction Equipment/2-Stroke Construction Equipment	0.003214799	1.33E-03	-8.45%	1.89E-03	5.03E-04	0.00017603	4.68233E-05
2260003022	Off-highway Vehicle Gasoline/Industrial Equipment/2-Stroke Industrial Equipment	4.38E-05	2.11E-05	-7.05%	2.82E-05	9.43E-06	2.62696E-06	8.77393E-07
2260004020	Off-highway Vehicle Gasoline/Lawn and Garden Equipment/2-Stroke Chain Saws < 6 HP (Residential)	0.001523353	5.47E-04	-9.74%	8.24E-04	1.77E-04	7.66047E-05	1.64697E-05
2260004021	Off-highway Vehicle Gasoline/Lawn and Garden Equipment/2-Stroke Chain Saws < 6 HP (Commercial)	0.003869502	1.39E-03	-9.74%	2.09E-03	4.50E-04	0.000194585	4.1835E-05
2260004022	Off-highway Vehicle Gasoline/Lawn and Garden Equipment/2-Stroke Mowers, Tractors, Turf Equipment (Commercial)	1.56E-06	5.61E-07	-9.72%	8.45E-07	1.82E-07	7.85519E-08	1.69446E-08
2260004033	Off-highway Vehicle Gasoline/Lawn and Garden Equipment/2-Stroke Lawn & Garden Equipment (Residential)	0.003590303	1.29E-03	-9.72%	1.94E-03	4.19E-04	0.000180785	3.89975E-05
2260004035	Off-highway Vehicle Gasoline/Lawn and Garden Equipment/2-Stroke Snowblowers (Residential)	0.000658106	2.36E-04	-9.75%	3.56E-04	7.63E-05	3.30721E-05	7.09856E-06
2260004036	Off-highway Vehicle Gasoline/Lawn and Garden Equipment/2-Stroke Snowblowers (Commercial)	0.001052483	3.78E-04	-9.73%	5.69E-04	1.23E-04	5.29613E-05	1.14054E-05

Table D-1: Sullivan County Nonroad Mobile Source Emissions (Excluding Locomotives)								
		Sullivan County SO_2 Emissions (tons)		% Change per Year, 2016-2026	Sullivan County SO_2 Emissions (tons)		Nonattainment Area SO_2 Emissions (tons)	
SCC	Description	2016	2026		2022	2037	2022	2037
2260004044	Off-highway Vehicle Gasoline/Lawn and Garden Equipment/2-Stroke Lawn & Garden Equipment (Commercial)	0.006930446	2.49E-03	-9.73%	3.75E-03	8.08E-04	0.000348742	7.51029E-05
2260005022	Off-highway Vehicle Gasoline/Agricultural Equipment/2-Stroke Agriculture Equipment	3.52E-06	1.14E-06	-10.70%	1.79E-06	3.27E-07	1.6601E-07	3.04023E-08
2260006022	Off-highway Vehicle Gasoline/ Commercial Equipment/2-Stroke Commercial Equipment	0.001333409	5.45E-04	-8.56%	7.79E-04	2.04E-04	7.24876E-05	1.89368E-05
2260007022	Off-highway Vehicle Gasoline/ Logging Equipment/2-Stroke Logging Equipment	6.06E-05	1.96E-05	-10.67%	3.08E-05	5.67E-06	2.86378E-06	5.27108E-07
2265001022	Off-highway Vehicle Gasoline/Recreational Equipment/4-Stroke Other Recreational Equip.	0.020499353	7.38E-03	-9.71%	1.11E-02	2.40E-03	0.001032907	0.00022318
2265001050	Off-highway Vehicle Gasoline/Recreational Equipment/4-Stroke Golf Carts	0.006753267	2.42E-03	-9.74%	3.65E-03	7.85E-04	0.000339601	7.30128E-05
2265001060	Off-highway Vehicle Gasoline/Recreational Equipment/ 4-Stroke Specialty Vehicles/Carts	0.000883753	3.04E-04	-10.12%	4.66E-04	9.40E-05	4.33304E-05	8.74456E-06
2265002022	Off-highway Vehicle Gasoline/Construction Equipment/4-Stroke Construction Equipment	0.022967181	9.44E-03	-8.51%	1.35E-02	3.55E-03	0.001252658	0.000329941
2265003022	Off-highway Vehicle Gasoline/Industrial Equipment/4-Stroke Industrial Equipment	0.033827132	1.62E-02	-7.10%	2.17E-02	7.20E-03	0.002022285	0.000670005
2265003060	Off-highway Vehicle Gasoline/Industrial Equipment/ 4-Stroke AC\Refrigeration	7.86E-05	3.80E-05	-7.00%	5.09E-05	1.71E-05	4.72937E-06	1.59238E-06
2265004022	Off-highway Vehicle Gasoline/Lawn and Garden Equipment/4-Stroke Mowers, Tractors, Turf Equipment (Commercial)	0.068375633	2.46E-02	-9.70%	3.71E-02	8.02E-03	0.003447552	0.000746152

Table D-1: Sullivan County Nonroad Mobile Source Emissions (Excluding Locomotives)								
		Sullivan County SO_2 Emissions (tons)		% Change per Year, 2016-2026	Sullivan County SO_2 Emissions (tons)		Nonattainment Area SO_2 Emissions (tons)	
SCC	Description	2016	2026		2022	2037	2022	2037
2265004033	Off-highway Vehicle Gasoline/Lawn and Garden Equipment/4-Stroke Lawn & Garden Equipment (Residential)	0.078947761	2.84E-02	-9.73%	4.27E-02	9.20E-03	0.003972679	0.00085553
2265004035	Off-highway Vehicle Gasoline/Lawn and Garden Equipment/4-Stroke Snowblowers (Residential)	0.002162651	7.77E-04	-9.73%	1.17E-03	2.52E-04	0.000108825	2.34359E-05
2265004036	Off-highway Vehicle Gasoline/Lawn and Garden Equipment/4-Stroke Snowblowers (Commercial)	0.00345883	1.24E-03	-9.73%	1.87E-03	4.03E-04	0.00017405	3.74821E-05
2265004044	Off-highway Vehicle Gasoline/Lawn and Garden Equipment/4-Stroke Lawn & Garden Equipment (Commercial)	0.031287724	1.12E-02	-9.73%	1.69E-02	3.65E-03	0.001574409	0.000339054
2265005022	Off-highway Vehicle Gasoline/Agricultural Equipment/4-Stroke Agriculture Equipment	0.000474876	1.44E-04	-11.25%	2.32E-04	3.87E-05	2.15811E-05	3.60246E-06
2265006022	Off-highway Vehicle Gasoline/Commercial Equipment/4-Stroke Commercial Equipment	0.076322174	3.11E-02	-8.60%	4.45E-02	1.15E-02	0.004138194	0.001073999
2265007022	Off-highway Vehicle Gasoline/Logging Equipment/4-Stroke Logging Equipment	0.000135737	4.30E-05	-10.85%	6.81E-05	1.22E-05	6.33737E-06	1.1317E-06
2267001060	Off-highway Vehicle LPG/Recreational Equipment/LPG Specialty Vehicles/Carts	1.64E-05	1.65E-05	0.05%	1.64E-05	1.66E-05	1.52978E-06	1.54129E-06
2267002022	Off-highway Vehicle LPG/Construction Equipment/LPG Construction Equipment	0.000757256	9.05E-04	1.80%	8.43E-04	1.10E-03	7.83813E-05	0.00010243
2267003022	Off-highway Vehicle LPG/Industrial Equipment/LPG Industrial Equipment	0.060865506	8.77E-02	3.72%	7.58E-02	1.31E-01	0.007047405	0.012188966
2267004044	Off-highway Vehicle LPG/Lawn and Garden Equipment/LPG Lawn & Garden Equipment (Commercial)	0.000236926	2.54E-04	0.70%	2.47E-04	2.74E-04	2.29759E-05	2.55102E-05
2267005022	Off-highway Vehicle LPG/Agricultural Equipment/LPG Agriculture Equipment	2.39E-07	2.19E-07	-0.85%	2.27E-07	2.00E-07	2.11172E-08	1.85792E-08

Table D-1: Sullivan County Nonroad Mobile Source Emissions (Excluding Locomotives)								
		Sullivan County SO_2 Emissions (tons)		% Change per Year, 2016-2026	Sullivan County SO_2 Emissions (tons)		Nonattainment Area SO_2 Emissions (tons)	
SCC	Description	2016	2026		2022	2037	2022	2037
2267006022	Off-highway Vehicle LPG/Commercial Equipment/LPG Commercial Equipment	0.001664815	1.94E-03	1.55%	1.83E-03	2.30E-03	0.000169796	0.000213859
2268002022	Off-highway Vehicle CNG/Construction Equipment/CNG Construction Equipment	1.86E-06	2.36E-06	2.40%	2.14E-06	3.06E-06	1.99432E-07	2.84639E-07
2268003022	Off-highway Vehicle CNG/Industrial Equipment/CNG Industrial Equipment	0.004543923	6.61E-03	3.82%	5.69E-03	9.98E-03	0.000529176	0.000928572
2268003060	Off-highway Vehicle CNG/Industrial Equipment/CNG AC\Refrigeration	5.00E-06	7.27E-06	3.82%	6.26E-06	1.10E-05	5.8229E-07	1.02177E-06
2268005022	Off-highway Vehicle CNG/Agricultural Equipment/CNG Agriculture Equipment	2.07E-05	2.03E-05	-0.20%	2.05E-05	1.98E-05	1.90211E-06	1.84584E-06
2268006022	Off-highway Vehicle CNG/Commercial Equipment/CNG Commercial Equipment	0.001145152	1.39E-03	1.95%	1.29E-03	1.72E-03	0.000119583	0.000159764
2270001060	Off-highway Vehicle Diesel/Recreational Equipment/Specialty Vehicles/Carts	0.000457083	1.80E-04	-8.90%	2.61E-04	6.45E-05	2.4299E-05	6.00294E-06
2270002022	Off-highway Vehicle Diesel/Construction Equipment/Diesel Construction Equipment	0.837513687	3.40E-01	-8.62%	4.88E-01	1.26E-01	0.045350469	0.01173138
2270003022	Off-highway Vehicle Diesel/Industrial Equipment/Diesel Industrial Equipment	0.065737061	3.29E-02	-6.70%	4.34E-02	1.53E-02	0.004032581	0.001424977
2270003060	Off-highway Vehicle Diesel/Industrial Equipment/AC\Refrigeration	0.019769529	9.43E-03	-7.14%	1.27E-02	4.17E-03	0.00117883	0.000388045
2270004022	Off-highway Vehicle Diesel/Lawn and Garden Equipment/Diesel Mowers, Tractors, Turf Equipment (Commercial)	0.001293777	5.19E-04	-7.14%	8.30E-04	2.73E-04	7.71462E-05	2.53948E-05
2270004036	Off-highway Vehicle Diesel/Lawn and Garden Equipment/Snowblowers (Commercial)	0.000140049	5.35E-05	-9.17%	7.86E-05	1.86E-05	7.31373E-06	1.72814E-06

Table D-1: Sullivan County Nonroad Mobile Source Emissions (Excluding Locomotives)								
		Sullivan County SO_2 Emissions (tons)		% Change per Year, 2016-2026	Sullivan County SO_2 Emissions (tons)		Nonattainment Area SO_2 Emissions (tons)	
SCC	Description	2016	2026		2022	2037	2022	2037
2270004044	Off-highway Vehicle Diesel/Lawn and Garden Equipment/Diesel Lawn & Garden Equipment (Commercial)	0.008381243	3.22E-03	-9.13%	4.72E-03	1.12E-03	0.000438848	0.000104381
2270005022	Off-highway Vehicle Diesel/Agricultural Equipment/Diesel Agriculture Equipment	0.019533017	6.34E-03	-10.64%	9.95E-03	1.84E-03	0.000924935	0.000171103
2270006022	Off-highway Vehicle Diesel/Commercial Equipment/Diesel Commercial Equipment	0.029172949	1.25E-02	-8.10%	1.76E-02	4.95E-03	0.001634392	0.000460351
2270007022	Off-highway Vehicle Diesel/Logging Equipment/Diesel Logging Equipment	0.001523461	5.25E-04	-10.10%	8.04E-04	1.63E-04	7.4795E-05	1.51449E-05
2282005022	Pleasure Craft/Gasoline/2-Stroke Pleasure Craft	0.06935689	2.53E-02	-9.60%	3.79E-02	8.33E-03	0.003520328	0.000774657
2282010005	Pleasure Craft/Gasoline 4-Stroke/Inboard/Sterndrive	0.035498294	1.25E-02	-9.90%	1.90E-02	3.98E-03	0.001766197	0.000369752
2282020022	Pleasure Craft/Diesel/Diesel Pleasure Craft	0.012807918	1.53E-02	1.80%	1.43E-02	1.86E-02	0.001325709	0.001732466
2285002015	Railroad Equipment/Diesel/Railway Maintenance	0.000829665	3.39E-04	-8.55%	4.85E-04	1.27E-04	4.51324E-05	1.18098E-05
2285004015	Railroad Equipment/Gasoline, 4-Stroke/Railway Maintenance	0.000103448	4.04E-05	-8.97%	5.89E-05	1.44E-05	5.47409E-06	1.33684E-06
2285006015	Railroad Equipment/LPG/Railway Maintenance	8.21E-07	9.29E-07	1.24%	8.84E-07	1.06E-06	8.22127E-08	9.89056E-08
Totals		**1.546530132**	**0.702512458**		**0.9463609**	**0.3825077**	**0.088011566**	**0.035573218**

Nonroad Mobile Sources (Excluding Locomotives): Nonroad mobile source emissions were projected for 2022 and 2037 using emission data sets and information used by U. S. EPA to develop the 2016v1 and 2016v2 emissions inventories. For each source classification code, Tennessee obtained 2022 and 2037 mobile source emissions by interpolation (for 2022) and extrapolation (for 2037) of the existing data by assuming a constant rate of year-over-year change (i. e., by assuming emissions increase or decrease by a constant percentage of the previous year's emissions rather than a constant tonnage). This method assumes that the rate of change is logarithmic rather than linear, so that mobile source emissions approach a minimum value over time without reaching zero. Using the 2016 base year as an initial condition and 2026 as a checkpoint, the year-over-year change was numerically determined (i. e., an initial estimate was adjusted up or down in small increments) until the projected 2026 emissions matched EPA's 2026 inventory.

Tennessee calculated base year and future year emissions by assuming that the rate of change (rather than the absolute change in tons/year) would be a uniform value, such that the change in SO_2 emissions decreases more slowly in future years, as shown below for SCC 2260001022.

2016 SO_2 emissions = 0.005776946 tons (initial condition)
2017 SO_2 emissions = (0.005776946 tons)(1-rate of change)
2018 SO_2 emissions = (2017 SO_2 emissions)(1-rate of change)
2019 SO_2 emissions = (2018 SO_2 emissions)(1-rate of change)
Etc.

The rate of change was determined from an iterative process. Because 2016 and 2026 SO_2 emissions were known, Tennessee determined the appropriate value for each SCC by making an initial estimate for the rate of change, calculating the SO_2 emissions for all years between 2016 and 2026, comparing the calculated result for 2026 to 2026 inventory value, adjusting the rate of change up or down as needed, then repeating the calculation until the calculated value for 2026 matched the 2026 inventory value. Using this methodology, Tennessee calculated future emissions at a uniform rate of change (-8.90% for SCC 2260001022).

2017 SO_2 emissions = 0.005776946 tons (initial condition)
2018 SO_2 emissions = (0.005776946 tons)(1-0.089) = 0.005262798 tons
2019 SO_2 emissions = (0.005262798 tons)(1-0.089) = 0.004794409 tons
Etc.

County-level emissions were apportioned to the nonattainment area using the same procedure described in Attachment B.

Locomotive Emissions: Locomotive emissions were calculated for 2022 and 2032 from the 2020 National Emissions Inventory, and county-level emissions were apportioned to the nonattainment area using the same procedure described in Attachment B.

Table D-2: Sullivan County 2020 Locomotive SO_2 Emissions				
SCC Code	**SCC Description**	**EIS Sector**	**Source Description**	**SO_2 Emissions (tons)**
2285002006	Mobile Sources – Railroad Equipment, Diesel Line Haul Locomotives: Class I Operations	Mobile - Locomotives	Nonpoint	0.03817
2285002015	Mobile Sources – Railroad Equipment, Diesel Railway Maintenance	Mobile - Non-Road Equipment - Diesel	Nonroad	0.00034
Total				**0.03851**
Total (Nonattainment Area Only)				**0.00358**

Locomotive emissions were projected to 2022 and 2037 from the 2020 inventory by assuming a 50% increase in emissions per decade (i. e., a 10% increase every two years). As discussed in the narrative for the redesignation request, the 50% adjustment was based on a review of other nonroad categories and determining the highest calculated emissions increase for all nonroad categories (45% for several types of compressed natural gas-burning equipment). Locomotive emissions for 2022 and 2037 are shown in **Table D-3**.

Table D-3: 2022 and 2037 Locomotive Emissions	
Year	**Nonattainment Area SO_2 Emissions (tons)**
2020	0.00358156
2021	0.003760638
2022	0.00394867
2023	0.004146103
2024	0.004353408
2025	0.004571079
2026	0.004799633
2027	0.005039614
2028	0.005291595
2029	0.005556175
2030	0.005833984
2031	0.006125683
2032	0.006431967
2033	0.006753565
2034	0.007091244
2035	0.007445806
2036	0.007818096
2037	0.008209001

Attachment E
SO_2 Emissions from B-83 and B-325 Boilers

Table of Contents for Attachment E

Attachment E1	B-83 and B-325 SO_2 Emissions
Attachment E2	Boiler 18 Nonzero Emissions and Stack Parameter Data, July 1, 2019, through December 31, 2020
Attachment E3	Boiler 19 Nonzero Emissions and Stack Parameter Data, July 1, 2019, through December 31, 2020
Attachment E4	Boiler 20 Nonzero Emissions and Stack Parameter Data, July 1, 2019, through December 31, 2020
Attachment E5	Boiler 21 Nonzero Emissions and Stack Parameter Data, July 1, 2019, through December 31, 2020
Attachment E6	Boiler 22 Nonzero Emissions and Stack Parameter Data, July 1, 2019, through December 31, 2020
Attachment E7	Boilers 30 and 31 Emissions and Stack Parameter Data, July 1, 2019, through December 31, 2020

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/1/19 0:00	0	0	0	211.4	0	0	117.5	275.9	81.8	686.6	
7/1/19 1:00	0	0	0	210.8	0	0	112	278.3	77.6	678.7	
7/1/19 2:00	0	0	0	206.4	0	0	74	278.9	81.5	640.8	
7/1/19 3:00	0	0	0	211.7	0	0	61	278.8	76.4	627.9	
7/1/19 4:00	0	0	0	204.3	0	0	70.5	280.3	78	633.1	
7/1/19 5:00	0	0	0	208.2	0	0	70.5	274.8	73.5	627.0	
7/1/19 6:00	0	0	0	223.4	0	0	71.6	276	70.8	641.8	
7/1/19 7:00	0	0	0	225.5	0	0	93.6	279.7	79.5	678.3	
7/1/19 8:00	0	0	0	220.7	0	0	96.9	277.9	76.1	671.6	
7/1/19 9:00	0	0	0	222.4	0	0	102	279.7	78.2	682.3	
7/1/19 10:00	0	0	0	218	0	0	90.9	266.2	73.5	648.6	
7/1/19 11:00	0	0	0	214.5	0	0	82.1	357.2	109.6	763.4	
7/1/19 12:00	0	0	0	211.9	0	0	120.5	290.6	70.7	693.7	
7/1/19 13:00	0	0	0	209.4	0	0	101.6	277.9	74.2	663.1	
7/1/19 14:00	0	0	0	209.6	0	0	64.4	279.2	66.6	619.8	
7/1/19 15:00	0	0	0	213.8	0	0	70.4	278.5	61.1	623.8	
7/1/19 16:00	0	0	0	211.4	0	0	56.3	277.5	67.4	612.6	
7/1/19 17:00	0	0	0	211	0	0	63.8	279.1	75.5	629.4	
7/1/19 18:00	0	0	0	207.7	0	0	74.7	276.1	70.5	629.0	
7/1/19 19:00	0	0	0	205.6	0	0	95.1	280.8	76.6	658.1	
7/1/19 20:00	0	0	0	203.9	0	0	112.4	284.5	76.5	677.3	
7/1/19 21:00	0	0	0	203.6	0	0	93.7	278.5	69.8	645.6	
7/1/19 22:00	0	0	0	209.8	0	0	95	279.4	78.1	662.3	
7/1/19 23:00	0	0	0	207.7	0	0	95.5	279.9	78.7	661.8	
7/2/19 0:00	0	0	0	211	0	0	90.8	275.4	70.2	647.4	
7/2/19 1:00	0	0	0	210.9	0	0	80.7	278.1	77.9	647.6	
7/2/19 2:00	0	0	0	213	0	0	87.3	280	76.6	656.9	

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/2/19 3:00	0	0	0	208.1	0	0	74.9	279.4	76.3	638.7	
7/2/19 4:00	0	0	0	208.2	0	0	79.4	279.8	76.9	644.3	
7/2/19 5:00	0	0	0	210.1	0	0	81.3	270.1	65.9	627.4	
7/2/19 6:00	0	0	0	210.9	0	0	99.8	283.5	81.6	675.8	
7/2/19 7:00	0	0	0	214.8	0	0	96.5	279	76.1	666.4	
7/2/19 8:00	0	0	0	213.1	0	0	88.3	282.1	88.8	672.3	
7/2/19 9:00	0	0	0	207.7	0	0	90.5	277.5	81.3	657.0	
7/2/19 10:00	0	0	0	210.4	0	0	78.7	329.8	144.6	763.5	
7/2/19 11:00	0	0	0	207	0	0	75.9	286.4	76	645.3	
7/2/19 12:00	0	0	0	204	0	0	104.5	278.1	85.6	672.2	
7/2/19 13:00	0	0	0	210.5	0	0	88	282.3	82.5	663.3	
7/2/19 14:00	0	0	0	204.1	0	0	66.2	278.7	73.3	622.3	
7/2/19 15:00	0	0	0	206.1	0	0	66.7	279.1	86.3	638.2	
7/2/19 16:00	0	0	0	208	0	0	82.2	278.6	76.4	645.2	
7/2/19 17:00	0	0	0	209.1	0	0	87.7	278.5	77.7	653.0	
7/2/19 18:00	0	0	0	207.7	0	0	109.9	278.9	71.3	667.8	
7/2/19 19:00	0	0	0	204.8	0	0	95.2	278.5	80.3	658.8	
7/2/19 20:00	0	0	0	202.7	0	0	89.1	280	75.6	647.4	
7/2/19 21:00	0	0	0	201.2	0	0	102.6	279.5	76.3	659.6	
7/2/19 22:00	0	0	0	200.5	0	0	116.1	294.9	79	690.5	
7/2/19 23:00	0	0	0	202	0	0	114	271.9	77	664.9	
7/3/19 0:00	0	0	0	202.5	0	0	104.4	279.9	60	646.8	
7/3/19 1:00	0	0	0	201.9	0	0	98.8	279.4	82.5	662.6	
7/3/19 2:00	0	0	0	200.4	0	0	105.7	279.8	78.1	664.0	
7/3/19 3:00	0	0	0	204.1	0	0	88.2	277.6	75.2	645.1	
7/3/19 4:00	0	0	0	205.6	0	0	80.5	279.6	73.8	639.5	
7/3/19 5:00	0	0	0	214.9	0	0	59.2	233.4	44.9	552.4	

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/3/19 6:00	0	0	0	208.8	0	0	44.6	272.5	73.1	599.0	
7/3/19 7:00	0	0	0	200.8	0	0	50.2	279.1	74.7	604.8	
7/3/19 8:00	0	0	0	221.4	0	0	260.9	281	75.6	838.9	
7/3/19 9:00	0	0	0	226.9	0	0	288.6	280.6	95.6	891.7	
7/3/19 10:00	0	0	0	217.8	0	0	308	328.8	73.3	927.9	
7/3/19 11:00	0	0	0	223.2	0	0	318.2	282.4	76	899.8	
7/3/19 12:00	0	0	0	220.2	0	0	332.6	277.2	74.2	904.2	
7/3/19 13:00	0	0	0	224.4	0	0	333.6	280	70.6	908.6	
7/3/19 14:00	0	0	0	217.1	0	0	361.6	279.3	75.9	933.9	
7/3/19 15:00	0	0	0	222.9	0	0	349.5	279.2	73.5	925.1	
7/3/19 16:00	0	0	0	225.7	0	0	316.1	280.1	72.8	894.7	
7/3/19 17:00	0	0	0	221	0	0	314	278.4	69.1	882.5	
7/3/19 18:00	0	0	0	217.7	0	0	311.7	279.3	67.4	876.1	
7/3/19 19:00	0	0	0	224.6	0	0	328.9	279.6	74.4	907.5	
7/3/19 20:00	0	0	0	221.9	0	0	343.7	279.2	73.6	918.4	
7/3/19 21:00	0	0	0	219	0	0	341.2	278.4	72.2	910.8	
7/3/19 22:00	0	0	0	220.5	0	0	341.3	285.1	67.9	914.8	
7/3/19 23:00	0	0	0	221.5	0	0	367.3	275.5	64.8	929.1	
7/4/19 0:00	0	0	0	222.8	0	0	370.2	283.7	76.7	953.4	
7/4/19 1:00	0	0	0	223.7	0	0	374.9	278.3	66.4	943.3	
7/4/19 2:00	0	0	0	223.3	0	0	382.2	279	76.1	960.6	
7/4/19 3:00	0	0	0	222.4	0	0	380.1	279	72.7	954.2	
7/4/19 4:00	0	0	0	221.5	0	0	366.7	279.2	74	941.4	
7/4/19 5:00	0	0	0	222.9	0	0	384.5	278.5	57	942.9	
7/4/19 6:00	0	0	0	221.3	0	0	379	276.6	69.1	946.0	
7/4/19 7:00	0	0	0	222.1	0	0	386	278.9	73.2	960.2	
7/4/19 8:00	0	0	0	219.9	0	0	436.9	278	72.3	1007.1	

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/4/19 9:00	0	0	0	212.5	0	0	443.4	281.6	72.4	1009.9	
7/4/19 10:00	0	0	0	219.7	0	0	200.7	278.1	68.1	766.6	
7/4/19 11:00	0	0	0	219.7	0	0	99.8	334.7	74	728.2	
7/4/19 12:00	0	0	0	218.2	0	0	93.9	259.1	79	650.2	
7/4/19 13:00	0	0	0	219.5	0	0	99.5	278.3	78	675.3	
7/4/19 14:00	0	0	0	219.7	0	0	91.9	280.2	72.9	664.7	
7/4/19 15:00	0	0	0	220.4	0	0	114.1	278.6	73.3	686.4	
7/4/19 16:00	0	0	0	222	0	0	109.9	280.4	77.4	689.7	
7/4/19 17:00	0	0	0	219.2	0	0	100	280.1	73.1	672.4	
7/4/19 18:00	0	0	0	220.6	0	0	106.1	275.4	70.8	672.9	
7/4/19 19:00	0	0	0	217.6	0	0	106.7	281.2	78	683.5	
7/4/19 20:00	0	0	0	220.1	0	0	108.6	279.1	77.9	685.7	
7/4/19 21:00	0	0	0	220.4	0	0	108.5	279.3	75.9	684.1	
7/4/19 22:00	0	0	0	221.9	0	0	130.9	276.3	73	702.1	
7/4/19 23:00	0	0	0	221	0	0	138.9	291.5	71.3	722.7	
7/5/19 0:00	0	0	0	220.2	0	0	138.5	278.5	76	713.2	
7/5/19 1:00	0	0	0	221.9	0	0	90.6	278.7	75.2	666.4	
7/5/19 2:00	0	0	0	221.6	0	0	93.4	279.4	69.2	663.6	
7/5/19 3:00	0	0	0	220	0	0	94.3	278.9	77.1	670.3	
7/5/19 4:00	0	0	0	222.3	0	0	82.1	279	77.7	661.1	
7/5/19 5:00	0	0	0	222.2	0	0	77.4	278.7	40.2	618.5	
7/5/19 6:00	0	0	0	220.1	0	0	65.7	279	76.2	641.0	
7/5/19 7:00	0	0	0	219.7	0	0	61.5	278	81.5	640.7	
7/5/19 8:00	0	0	0	218.9	0	0	73.2	278.6	79.9	650.6	
7/5/19 9:00	0	0	0	219.3	0	0	84.4	335.3	141.6	780.6	
7/5/19 10:00	0	0	0	218	0	0	94.3	259.3	68.7	640.3	
7/5/19 11:00	0	0	0	218.8	0	0	257.5	286.1	75.7	838.1	

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/5/19 12:00	0	0	0	219.3	0	0	218.9	280	75.6	793.8	
7/5/19 13:00	0	0	0	218.9	0	0	174.8	280.2	75.3	749.2	
7/5/19 14:00	0	0	0	219.9	0	0	119.7	278	75.1	692.7	
7/5/19 15:00	0	0	0	218.4	0	0	125.2	279.7	75.4	698.7	
7/5/19 16:00	0	0	0	218.2	0	0	134.9	278.5	74.5	706.1	
7/5/19 17:00	0	0	0	217.4	0	0	133.5	277.7	70.4	699.0	
7/5/19 18:00	0	0	0	219.5	0	0	125.4	280.3	68.3	693.5	
7/5/19 19:00	0	0	0	218.6	0	0	126.9	280.1	76	701.6	
7/5/19 20:00	0	0	0	220	0	0	125.1	284.2	76.2	705.5	
7/5/19 21:00	0	0	0	219.8	0	0	157.4	294.9	91.4	763.5	
7/5/19 22:00	0	0	0	219.4	0	0	109.8	297.1	76.1	702.4	
7/5/19 23:00	0	0	0	220.6	0	0	124.1	278.7	80.5	703.9	
7/6/19 0:00	0	0	0	220.7	0	0	110	284.1	76.7	691.5	
7/6/19 1:00	0	0	0	220.3	0	0	105.7	280	68.6	674.6	
7/6/19 2:00	0	0	0	220.4	0	0	90.7	278.8	77	666.9	
7/6/19 3:00	0	0	0	218.6	0	0	137.9	278.5	68.9	703.9	
7/6/19 4:00	0	0	0	219.2	0	0	193.8	279.2	76.8	769.0	
7/6/19 5:00	0	0	0	217.6	0	0	350	278.8	75.5	921.9	
7/6/19 6:00	0	0	0	219.9	0	0	383.3	278.9	70.7	952.8	
7/6/19 7:00	0	0	0	219.3	0	0	345.7	279.9	75.3	920.2	
7/6/19 8:00	0	0	0	217.7	0	0	109.9	279.2	125.1	731.9	
7/6/19 9:00	0	0	0	215.5	0	0	121	341	103.7	781.2	
7/6/19 10:00	0	0	0	216.6	0	0	125.6	279.2	73.7	695.1	
7/6/19 11:00	0	0	0	216.8	0	0	130.4	279.2	77.7	704.1	
7/6/19 12:00	0	0	0	218.4	0	0	126.2	283.3	82.2	710.1	
7/6/19 13:00	0	0	0	216.1	0	0	106	280.8	74	676.9	
7/6/19 14:00	0	0	0	217.2	0	0	255.9	277.4	80	830.5	

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/6/19 15:00	0	0	0	217.5	0	0	422.8	280.5	81.2	1002.0	
7/6/19 16:00	0	0	0	217.6	0	0	384.7	279.4	80.6	962.3	
7/6/19 17:00	0	0	0	217	0	0	388.8	277.9	73.2	956.9	
7/6/19 18:00	0	0	0	218.6	0	0	390.8	275.3	80.9	965.6	
7/6/19 19:00	0	0	0	219	0	0	149.1	278.9	82.5	729.5	
7/6/19 20:00	0	0	0	219.6	0	0	87.3	279.6	80.3	666.8	
7/6/19 21:00	0	0	0	218.3	0	0	84.2	278.3	78.8	659.6	
7/6/19 22:00	0	0	0	217.1	0	0	74.2	277.8	73.1	642.2	
7/6/19 23:00	0	0	0	217.9	0	0	110.4	280.9	81.2	690.4	
7/7/19 0:00	0	0	0	218.9	0	0	103.4	276.8	79.8	678.9	
7/7/19 1:00	0	0	0	209.3	0	0	87.1	278.3	78.1	652.8	
7/7/19 2:00	0	0	0	209.3	0	0	61.5	279	83.5	633.3	
7/7/19 3:00	0	0	0	208.5	0	0	56.4	279.8	76.5	621.2	
7/7/19 4:00	0	0	0	209.2	0	0	51.6	278	84.1	622.9	
7/7/19 5:00	0	0	0	211.9	0	0	59.5	275.9	81.9	629.2	
7/7/19 6:00	0	0	0	214.5	0	0	54.9	277.3	70.7	617.4	
7/7/19 7:00	0	0	0	215.1	0	0	62.1	278.7	83.7	639.6	
7/7/19 8:00	0	0	0	214.9	0	0	67.3	280.3	84.7	647.2	
7/7/19 9:00	0	0	0	214.7	0	0	51.5	320.6	158.5	745.3	
7/7/19 10:00	0	0	0	214.9	0	0	32.6	276	82.2	605.7	
7/7/19 11:00	0	0	0	215.7	0	0	26.6	278.1	75.8	596.2	
7/7/19 12:00	0	0	0	214.4	0	0	35.3	279.8	82.6	612.1	
7/7/19 13:00	0	0	0	214.4	0	0	34.8	279.2	78.7	607.1	
7/7/19 14:00	0	0	0	214.6	0	0	44.6	277.9	82.2	619.3	
7/7/19 15:00	0	0	0	215.1	0	0	45.6	279.9	76.8	617.4	
7/7/19 16:00	0	0	0	214.8	0	0	28	278.6	84.1	605.5	
7/7/19 17:00	0	0	0	214	0	0	26.9	279.1	77.5	597.5	

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/7/19 18:00	0	0	0	214.7	0	0	57.4	281.5	74.5	628.1	
7/7/19 19:00	0	0	0	215.3	0	0	65.4	270.1	97.9	648.7	
7/7/19 20:00	0	0	0	213.8	0	0	55.3	278.3	79.5	626.9	
7/7/19 21:00	0	0	0	214.6	0	0	59.6	279	78.7	631.9	
7/7/19 22:00	0	0	0	213.7	0	0	73.5	280.9	82.2	650.3	
7/7/19 23:00	0	0	0	213.8	0	0	70.8	278.7	79.2	642.5	
7/8/19 0:00	0	0	0	213.7	0	0	66.3	280.2	82	642.2	
7/8/19 1:00	0	0	0	214.2	0	0	58.3	275.3	77	624.8	
7/8/19 2:00	0	0	0	212.6	0	0	78.2	277.6	82	650.4	
7/8/19 3:00	0	0	0	213.8	0	0	62.4	274.2	82.5	632.9	
7/8/19 4:00	0	0	0	213.3	0	0	58.9	276.7	76.4	625.3	
7/8/19 5:00	0	0	0	214.4	0	0	70.4	277	81.9	643.7	
7/8/19 6:00	0	0	0	209	0	0	48.3	273.5	68.7	599.5	
7/8/19 7:00	0	0	0	211	0	0	67.9	277.8	63.5	620.2	
7/8/19 8:00	0	0	0	211.3	0	0	52.3	277.9	61	602.5	
7/8/19 9:00	0	0	0	212.7	0	0	73.9	277.6	59.3	623.5	
7/8/19 10:00	0	0	0	209.5	0	0	42.8	276.4	58.6	587.3	
7/8/19 11:00	0	0	0	204.3	0	0	66.1	274	59.5	603.9	
7/8/19 12:00	0	0	0	204.1	0	0	55.4	282.6	148.3	690.4	
7/8/19 13:00	0	0	0	203.4	0	0	83.2	276.6	58.1	621.3	
7/8/19 14:00	0	0	0	203.1	0	0	58.8	276.6	69.1	607.6	
7/8/19 15:00	0	0	0	204.7	0	0	55.1	274.7	63.8	598.3	
7/8/19 16:00	0	0	0	205.2	0	0	55.5	275	62.9	598.6	
7/8/19 17:00	0	0	0	203.8	0	0	41.6	275.3	58.5	579.2	
7/8/19 18:00	0	0	0	203.6	0	0	49.1	279.1	56.4	588.2	
7/8/19 19:00	0	0	0	198.3	0	0	45.6	278.5	64.3	586.7	
7/8/19 20:00	0	0	0	199.2	0	0	30.7	278.7	86.9	595.5	

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/8/19 21:00	0	0	0	199	0	0	65.9	280.7	65	610.6	
7/8/19 22:00	0	0	0	197.8	0	0	74	279	63.5	614.3	
7/8/19 23:00	0	0	0	198.7	0	0	86.7	278.9	59.9	624.2	
7/9/19 0:00	0	0	0	197.7	0	0	107.4	283.3	61.7	650.1	
7/9/19 1:00	0	0	0	199	0	0	99.5	279.7	64.1	642.3	
7/9/19 2:00	0	0	0	197.2	0	0	87.2	279.1	55.3	618.8	
7/9/19 3:00	0	0	0	197.4	0	0	82.1	278.8	61.1	619.4	
7/9/19 4:00	0	0	0	200.6	0	0	65.6	278.1	62.2	606.5	
7/9/19 5:00	0	0	0	202.1	0	0	63.4	280.2	60.8	606.5	
7/9/19 6:00	0	0	0	201.3	0	0	69.3	281.7	53.5	605.8	
7/9/19 7:00	0	0	0	200.9	0	0	73.1	278.1	60.5	612.6	
7/9/19 8:00	0	0	0	201.7	0	0	70.5	276.1	59.5	607.8	
7/9/19 9:00	0	0	0	201.1	0	0	86.6	276.3	58.8	622.8	
7/9/19 10:00	0	0	0	199.8	0	0	80.2	294.3	99.6	673.9	
7/9/19 11:00	0	0	0	200.6	0	0	101.1	239.8	63.8	605.3	
7/9/19 12:00	0	0	0	205.5	0	0	112.1	278.7	56.3	652.6	
7/9/19 13:00	0	0	0	201.7	0	0	108.3	273.1	59	642.1	
7/9/19 14:00	0	0	0	216.5	0	0	93.7	272.8	54.3	637.3	
7/9/19 15:00	0	0	0	215.3	0	0	69.2	275.9	56.7	617.1	
7/9/19 16:00	0	0	0	200.7	0	0	44.4	277.9	52.8	575.8	
7/9/19 17:00	0	0	0	201.9	0	0	67.7	276.4	47.3	593.3	
7/9/19 18:00	0	0	0	201.6	0	0	51.1	276.1	49.3	578.1	
7/9/19 19:00	0	0	0	202.6	0	0	41.4	280	46.9	570.9	
7/9/19 20:00	0	0	0	202.4	0	0	64.3	277.6	51.6	595.9	
7/9/19 21:00	0	0	0	203.3	0	0	60.2	278.5	51.8	593.8	
7/9/19 22:00	0	0	0	203.5	0	0	65.4	279.4	45.7	594.0	
7/9/19 23:00	0	0	0	203.6	0	0	64.3	279.8	48.7	596.4	

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/10/19 0:00	0	0	0	203.1	0	0	70.7	279.3	52.2	605.3	
7/10/19 1:00	0	0	0	202	0	0	92.2	277.1	44.2	615.5	
7/10/19 2:00	0	0	0	202.6	0	0	60.4	272.5	48	583.5	
7/10/19 3:00	0	0	0	202.5	0	0	58.9	278.7	48.9	589.0	
7/10/19 4:00	0	0	0	201.8	0	0	68.4	277.5	44.2	591.9	
7/10/19 5:00	0	0	0	198	0	0	52.4	276.1	41.2	567.7	
7/10/19 6:00	0	0	0	197.9	0	0	60.6	281.6	44.9	585.0	
7/10/19 7:00	0	0	0	197.2	0	0	49.8	279.5	47.8	574.3	
7/10/19 8:00	0	0	0	193.3	0	0	49.1	280.7	46.9	570.0	
7/10/19 9:00	0	0	0	193.8	0	0	57.2	278.3	49.3	578.6	
7/10/19 10:00	0	0	0	193.6	0	0	62.8	279.4	47.8	583.6	
7/10/19 11:00	0	0	0	193.6	0	0	94.4	294.7	88.1	670.8	
7/10/19 12:00	0	0	0	194.9	0	0	119.2	289.5	43.9	647.5	
7/10/19 13:00	0	0	0	196.2	0	0	89.4	279.3	47.6	612.5	
7/10/19 14:00	0	0	0	197.1	0	0	113.2	280.8	45.8	636.9	
7/10/19 15:00	0	0	0	198.3	0	0	71.9	278.6	43.6	592.4	
7/10/19 16:00	0	0	0	199.4	0	0	268.2	279.7	46.4	793.7	
7/10/19 17:00	0	0	0	204.8	0	0	61.2	279.6	46.2	591.8	
7/10/19 18:00	0	0	0	204.1	0	0	79.9	278.9	40.3	603.2	
7/10/19 19:00	0	0	0	203.1	0	0	107.8	251.2	47.2	609.3	
7/10/19 20:00	0	0	0	202.6	0	0	103.1	278.1	47.9	631.7	
7/10/19 21:00	0	0	0	200.2	0	0	90.6	279.4	46.9	617.1	
7/10/19 22:00	0	0	0	200.8	0	0	107.6	280.3	45.1	633.8	
7/10/19 23:00	0	0	0	200.4	0	0	121.8	279.4	46.7	648.3	
7/11/19 0:00	0	0	0	199.6	0	0	129.8	279	48.6	657.0	
7/11/19 1:00	0	0	0	202.4	0	0	116.2	280.7	43.9	643.2	
7/11/19 2:00	0	0	0	200.8	0	0	99.8	279.5	45.4	625.5	

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/11/19 3:00	0	0	0	200.1	0	0	116.5	280.3	46.9	643.8	
7/11/19 4:00	0	0	0	201.3	0	0	139.7	279.3	43.2	663.5	
7/11/19 5:00	0	0	0	200.5	0	0	107.2	280.9	42.5	631.1	
7/11/19 6:00	0	0	0	200.6	0	0	117.4	281.1	45.5	644.6	
7/11/19 7:00	0	0	0	200.1	0	0	154	274.4	46.6	675.1	
7/11/19 8:00	0	0	0	201	0	0	88.4	286.3	45.3	621.0	
7/11/19 9:00	0	0	0	199	0	0	96.6	274.3	45.7	615.6	
7/11/19 10:00	0	0	0	200.3	0	0	117.8	280.3	45.1	643.5	
7/11/19 11:00	0	0	0	200.5	0	0	110	279.4	312.7	902.6	
7/11/19 12:00	0	0	0	200.5	0	0	110	274.3	394.6	979.4	
7/11/19 13:00	0	0	0	201.3	0	0	95.1	277.8	47.8	622.0	
7/11/19 14:00	0	0	0	201.4	0	0	114.4	279	47.4	642.2	
7/11/19 15:00	0	0	0	200.8	0	0	95.8	280.2	47.2	624.0	
7/11/19 16:00	0	0	0	199.6	0	0	66.6	279.8	46.2	592.2	
7/11/19 17:00	0	0	0	201.8	0	0	81.3	277.5	46	606.6	
7/11/19 18:00	0	0	0	204.9	0	0	98	280.1	47	630.0	
7/11/19 19:00	0	0	0	204.5	0	0	107.9	288.1	42.7	643.2	
7/11/19 20:00	0	0	0	204.7	0	0	125.7	275.8	38	644.2	
7/11/19 21:00	0	0	0	206.9	0	0	93.2	280.2	48.5	628.8	
7/11/19 22:00	0	0	0	206	0	0	94.4	278.8	45.7	624.9	
7/11/19 23:00	0	0	0	206.9	0	0	84.2	281.1	47.1	619.3	
7/12/19 0:00	0	0	0	204.6	0	50.8	113.5	279	44.1	692.0	
7/12/19 1:00	0	0	0	205.7	0	50.8	118.7	280.8	50.7	706.7	
7/12/19 2:00	0	0	0	205.6	0	50.8	109	279.9	48.7	694.0	
7/12/19 3:00	0	0	0	204.2	0	59.4	114.7	279	49.4	706.7	
7/12/19 4:00	0	0	0	203.9	0	37.9	130.3	278.6	48.6	699.3	
7/12/19 5:00	0	0	0	199.7	0	64.8	111.5	277.5	34.6	688.1	

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/12/19 6:00	0	0	0	199.7	0	61.4	84.9	277	46.6	669.6	
7/12/19 7:00	0	0	0	203	0	62.9	82.7	280.3	50.4	679.3	
7/12/19 8:00	0	0	0	205.5	0	50.3	97	280.2	49.2	682.2	
7/12/19 9:00	0	0	0	206.2	0	6.7	98.7	279	41.9	632.5	
7/12/19 10:00	0	0	0	204.1	0	1.1	104.1	322.6	87.7	719.6	
7/12/19 11:00	0	0	0	205.2	0	0.5	111.4	275.1	56.2	648.4	
7/12/19 12:00	0	0	0	205.4	0	0	68.6	278.6	58.7	611.3	
7/12/19 13:00	0	0	0	206.5	0	0	80.5	279.4	52.2	618.6	
7/12/19 14:00	0	0	0	204.7	0	0	63.9	278.2	57.6	604.4	
7/12/19 15:00	0	0	0	207.1	0	0	70.7	281	62.8	621.6	
7/12/19 16:00	0	0	0	208.4	0	0	41.4	279.1	54.2	583.1	
7/12/19 17:00	0	0	0	207.4	0	0	40	279.4	62.9	589.7	
7/12/19 18:00	0	0	0	208.3	0	0	35	279.3	59.3	581.9	
7/12/19 19:00	0	0	0	209.5	0	0	41.5	278.8	62.4	592.2	
7/12/19 20:00	0	0	0	208.8	0	0	30.4	280	62.3	581.5	
7/12/19 21:00	0	0	0	209.6	0	0	53.2	279.2	64.1	606.1	
7/12/19 22:00	0	0	0	203.8	0	0	83.7	283	60.3	630.8	
7/12/19 23:00	0	0	0	199.8	0	0	84.1	305.7	46.9	636.5	
7/13/19 0:00	0	0	0	204	0	0	101.4	281.2	63.5	650.1	
7/13/19 1:00	0	0	0	203.3	0	0	83.6	280.2	56.8	623.9	
7/13/19 2:00	0	0	0	204	0	0	86	279.5	62.9	632.4	
7/13/19 3:00	0	0	0	204.2	0	0	65.8	277.9	63.8	611.7	
7/13/19 4:00	0	0	0	204	0	0	65	279.5	62.7	611.2	
7/13/19 5:00	0	0	0	207.6	0	0	100.6	278.1	44.4	630.7	
7/13/19 6:00	0	0	0	205.3	0	0	112.7	278.6	57.5	654.1	
7/13/19 7:00	0	0	0	205.7	0	0	134.2	279.4	58.3	677.6	
7/13/19 8:00	0	0	0	205.4	0	0	112.8	280.1	61.7	660.0	

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/13/19 9:00	0	0	0	204.4	0	0	121.3	280.2	64.7	670.6	
7/13/19 10:00	0	0	0	204.8	0	0	95.8	279.1	59.3	639.0	
7/13/19 11:00	0	0	0	206.6	0	0	95.7	332.4	64.8	699.5	
7/13/19 12:00	0	0	0	209.5	0	0	106.5	281.1	64.5	661.6	
7/13/19 13:00	0	0	0	208.9	0	0	96.2	285.3	64.7	655.1	
7/13/19 14:00	0	0	0	208.8	0	0	85.1	279.2	64.8	637.9	
7/13/19 15:00	0	0	0	213	0	0	113.4	278.4	60.8	665.6	
7/13/19 16:00	0	0	0	212.3	0	0	121.5	280.4	63.5	677.7	
7/13/19 17:00	0	0	0	212.6	0	0	62	280.7	64.8	620.1	
7/13/19 18:00	0	0	0	209.8	0	0	44.1	279.5	55.4	588.8	
7/13/19 19:00	0	0	0	209.5	0	0	46	279	62.1	596.6	
7/13/19 20:00	0	0	0	204.5	0	0	66	277.2	63.4	611.1	
7/13/19 21:00	0	0	0	204.6	0	0	102.3	280.7	63.6	651.2	
7/13/19 22:00	0	0	0	203.4	0	0	149.4	280	67.2	700.0	
7/13/19 23:00	0	0	0	204.2	0	0	73	277.7	73.6	628.5	
7/14/19 0:00	0	0	0	203.3	0	0	67.6	280.4	64.4	615.7	
7/14/19 1:00	0	0	0	202.7	0	0	83.6	278.2	59.3	623.8	
7/14/19 2:00	0	0	0	203.3	0	0	70.2	278.8	75.5	627.8	
7/14/19 3:00	0	0	0	203.9	0	0	59.8	278.6	63.2	605.5	
7/14/19 4:00	0	0	0	205.9	0	0	58.9	279.1	59.3	603.2	
7/14/19 5:00	0	0	0	207	0	0	68.4	281.7	70.2	627.3	
7/14/19 6:00	0	0	0	208.3	0	0	87.6	285.6	54.2	635.7	
7/14/19 7:00	0	0	0	208.1	0	0	85.1	279.5	60.4	633.1	
7/14/19 8:00	0	0	0	206.5	0	0	75.8	278.2	62.7	623.2	
7/14/19 9:00	0	0	0	203.5	0	0	76.2	279.7	59.4	618.8	
7/14/19 10:00	0	0	0	202.8	0	0	82.1	278.8	62.2	625.9	
7/14/19 11:00	0	0	0	204.8	0	0	84.4	278.6	61.8	629.6	

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/14/19 12:00	0	0	0	204.9	0	0	81	312.4	94.4	692.7	
7/14/19 13:00	0	0	0	206.9	0	0	91.9	281.2	63.3	643.3	
7/14/19 14:00	0	0	0	205.1	0	0	96.4	278.7	59.1	639.3	
7/14/19 15:00	0	0	0	204.4	0	0	116.3	277.8	60.3	658.8	
7/14/19 16:00	0	0	0	203.6	0	0	114.4	279.6	63.3	660.9	
7/14/19 17:00	0	0	0	202	0	0	119.5	280.5	60	662.0	
7/14/19 18:00	0	0	0	206.6	0	0	92.9	278.2	61	638.7	
7/14/19 19:00	0	0	0	191.7	0	0	162.5	279.2	64.5	697.9	
7/14/19 20:00	0	0	0	174.6	0	0	308.6	279.2	56.5	818.9	
7/14/19 21:00	0	0	0	201.7	0	0	107.7	280.1	61.7	651.2	
7/14/19 22:00	0	0	0	203.9	0	0	76.7	278.7	61.2	620.5	
7/14/19 23:00	0	0	0	202.2	0	0	72.1	281.2	56.8	612.3	
7/15/19 0:00	0	0	0	208.4	0	0	71.4	285.9	65.3	631.0	
7/15/19 1:00	0	0	0	208.1	0	0	59.9	280.2	60.6	608.8	
7/15/19 2:00	0	0	0	207.9	0	0	67	279.9	69.4	624.2	
7/15/19 3:00	0	0	0	209.4	0	0	84.9	277.9	65	637.2	
7/15/19 4:00	0	0	0	208.9	0	0	89.8	277.8	61.1	637.6	
7/15/19 5:00	0	0	0	195.4	0	0	92.1	281.4	69.6	638.5	
7/15/19 6:00	0	0	0	208.2	0	0	86.1	277.9	54.4	626.6	
7/15/19 7:00	0	0	0	209.2	0	0	93.9	279.6	59.5	642.2	
7/15/19 8:00	0	0	0	214.3	0	0	122.5	327.7	123.1	787.6	
7/15/19 9:00	0	0	0	209.6	0	0	111.3	267.1	56.4	644.4	
7/15/19 10:00	0	0	0	212.4	0	0	108	277.7	57.2	655.3	
7/15/19 11:00	0	0	0	211.6	0	0	105.2	281.7	60.8	659.3	
7/15/19 12:00	0	0	0	213.7	0	0	128.6	280.7	63.3	686.3	
7/15/19 13:00	0	0	0	213.3	0	0	96.1	278.2	60.6	648.2	
7/15/19 14:00	0	0	0	213.8	0	0	82.3	278.3	56.2	630.6	

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/15/19 15:00	0	0	0	213.5	0	0	91	277.8	60.1	642.4	
7/15/19 16:00	0	0	0	214.6	0	0	89	279.7	61.6	644.9	
7/15/19 17:00	0	0	0	214.2	0	0	91.4	278.6	54.7	638.9	
7/15/19 18:00	0	0	0	214.4	0	0	95.3	277.5	56.2	643.4	
7/15/19 19:00	0	0	0	215.1	0	0	100.1	279.2	58	652.4	
7/15/19 20:00	0	0	0	216.1	0	0	96.9	279	61.6	653.6	
7/15/19 21:00	0	0	0	214.4	0	0	98.3	278.5	57.7	648.9	
7/15/19 22:00	0	0	0	214.5	0	0	73.8	280	59.2	627.5	
7/15/19 23:00	0	0	0	215.6	0	0	51.1	273.6	67.5	607.8	
7/16/19 0:00	0	0	0	215.9	0	0	67.3	280.3	60	623.5	
7/16/19 1:00	0	0	0	211.9	0	0	113.5	279.9	59.8	665.1	
7/16/19 2:00	0	0	0	206.6	0	0	77.1	278.7	60.7	623.1	
7/16/19 3:00	0	0	0	207.3	0	0	73.1	278.2	62.6	621.2	
7/16/19 4:00	0	0	0	206.1	0	0	58	277.9	58.3	600.3	
7/16/19 5:00	0	0	0	205.2	0	0	66.2	284	47	602.4	
7/16/19 6:00	0	0	0	203.9	0	0	73.3	278	55.5	610.7	
7/16/19 7:00	0	0	0	206.4	0	0	76.6	280.2	58.5	621.7	
7/16/19 8:00	0	0	0	198	0	0	58.3	358.1	130.8	745.2	
7/16/19 9:00	0	0	0	200.2	0	0	79	281.6	51.6	612.4	
7/16/19 10:00	0	0	0	204.1	0	0	105.6	276.9	53.7	640.3	
7/16/19 11:00	0	0	0	205.8	0	0	105.9	283.4	60.2	655.3	
7/16/19 12:00	0	0	0	206	0	0	97.6	277.2	55.9	636.7	
7/16/19 13:00	0	0	0	207.5	0	0	68.7	278.5	55	609.7	
7/16/19 14:00	0	0	0	206.9	0	0	71.6	277.1	55.8	611.4	
7/16/19 15:00	0	0	0	206.4	0	0	88.9	279.4	53.7	628.4	
7/16/19 16:00	0	0	0	206.8	0	0	98.7	278.6	57.8	641.9	
7/16/19 17:00	0	0	0	205.5	0	0	75.6	279.4	58.2	618.7	

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/16/19 18:00	0	0	0	206.3	0	0	72.6	277.4	49	605.3	
7/16/19 19:00	0	0	0	206.3	0	0	60.2	279.2	54.7	600.4	
7/16/19 20:00	0	0	0	205.1	0	0	66.2	278	54.3	603.6	
7/16/19 21:00	0	0	0	203.8	0	0	83.3	279	55.4	621.5	
7/16/19 22:00	0	0	0	205.7	0	0	86	280.1	56.7	628.5	
7/16/19 23:00	0	0	0	207.6	0	0	78.4	252	66.5	604.5	
7/17/19 0:00	0	0	0	181.9	0	0	52.7	291.6	55.4	581.6	
7/17/19 1:00	0	0	0	171.4	8.8	0	53.9	279.2	56.6	569.9	
7/17/19 2:00	0	0	0	128.4	108.4	0	41.8	280.7	57	616.3	
7/17/19 3:00	0	0	0	128.2	111.3	0	40.3	278.8	53.7	612.3	
7/17/19 4:00	0	0	0	112	116.2	0	37	278.7	58.9	602.8	
7/17/19 5:00	0	0	0	112.1	115.7	0	39.5	280.3	38.5	586.1	
7/17/19 6:00	0	0	0	115.8	115.7	0	54.9	278	51.4	615.8	
7/17/19 7:00	0	0	0	112.5	115.3	0	77.4	279	50.8	635.0	
7/17/19 8:00	0	0	0	112.9	115.1	0	97.2	402.3	89.5	817.0	
7/17/19 9:00	0	0	0	113.8	116.2	0	97.2	271.1	51.9	650.2	
7/17/19 10:00	0	0	0	131.3	116.1	0	115.7	278.8	59.8	701.7	
7/17/19 11:00	0	0	0	141.1	116.4	0	120.6	278.5	61.8	718.4	
7/17/19 12:00	0	0	0	148.7	115.1	0	119.6	279.4	58.4	721.2	
7/17/19 13:00	0	0	0	149.5	114.4	52.2	117	279.8	56.1	769.0	
7/17/19 14:00	0	0	0	149.4	122.5	52.2	120.9	279.5	64.3	788.8	
7/17/19 15:00	0	0	0	149.5	153.1	52.2	88.7	279.4	54.5	777.4	
7/17/19 16:00	0	0	0	148.8	152.2	77.3	56.8	278.4	60.5	774.0	
7/17/19 17:00	0	0	0	147.8	151.2	66.5	36	277.5	55.8	734.8	
7/17/19 18:00	0	0	0	146.7	145.5	85	22.6	279.1	56.3	735.2	
7/17/19 19:00	0	0	0	110.9	103.5	132.6	28.6	285.4	70.7	731.7	
7/17/19 20:00	0	0	0	111.3	103.4	199.7	26.6	276.5	64.1	781.6	

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/17/19 21:00	0	0	0	106.1	102.8	366.9	20.1	277.5	53.6	927.0	
7/17/19 22:00	0	0	0	98.2	101.4	364.3	18.6	277.6	52.7	912.8	
7/17/19 23:00	0	0	0	98.6	101.3	367.5	28.1	273.2	62.9	931.6	
7/18/19 0:00	0	0	0	111.9	101.2	367.6	34.8	282	50.5	948.0	
7/18/19 1:00	0	0	0	121.2	100.7	359.9	153.6	279.7	58.2	1073.3	
7/18/19 2:00	0	0	0	121.4	101.3	157.9	114	277.1	54.9	826.6	
7/18/19 3:00	0	0	0	121	100.8	156.4	114.7	278.7	55.6	827.2	
7/18/19 4:00	0	0	0	123.7	57.4	158.7	125.6	276.2	54.8	796.4	
7/18/19 5:00	0	0	0	125.3	0	154.9	160.6	281.3	49.3	771.4	
7/18/19 6:00	0	0	0	132.3	0	148.8	155.3	277.6	58	772.0	
7/18/19 7:00	0	0	0	183.2	0	150.7	111.1	279.9	55.7	780.6	
7/18/19 8:00	0	0	0	171.7	0	147.7	87.9	277.6	54.8	739.7	
7/18/19 9:00	0	0	0	169.9	0	152.1	101.5	306	85.7	815.2	
7/18/19 10:00	0	0	0	174.4	0	144.1	123.3	280.8	55.3	777.9	
7/18/19 11:00	0	0	0	176	0	123.7	154.3	280.9	68.7	803.6	
7/18/19 12:00	0	0	0	176.3	0	101.9	192.4	276.4	57.1	804.1	
7/18/19 13:00	0	0	0	195	0	119.9	186	279.3	62.7	842.9	
7/18/19 14:00	0	0	0	190.5	0	142.8	198.9	277.2	61.1	870.5	
7/18/19 15:00	0	0	0	195.1	0	136.8	154.6	278.9	60	825.4	
7/18/19 16:00	0	0	0	200.4	0	120	143.9	280.1	53.4	797.8	
7/18/19 17:00	0	0	0	198.2	0	124	136.5	278.5	63.1	800.3	
7/18/19 18:00	0	0	0	193.2	0	125.1	120.6	279.7	52.6	771.2	
7/18/19 19:00	0	0	0	204	0	125.9	143.6	278.7	56.4	808.6	
7/18/19 20:00	0	0	0	196.6	0	127.7	137	277.6	73.4	812.3	
7/18/19 21:00	0	0	0	166.3	0	130	149.5	277.4	61.4	784.6	
7/18/19 22:00	0	0	0	117.3	0	129.7	144	280	58.8	729.8	
7/18/19 23:00	0	0	0	116.5	0	131.5	148.4	281	60.3	737.7	

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/19/19 0:00	0	0	0	116	0	127.4	154.7	277.4	61.5	737.0	
7/19/19 1:00	0	0	0	116.4	0	264.5	286.1	279.6	67.1	1013.7	
7/19/19 2:00	0	0	0	118.2	0	133.3	134.4	279	57.9	722.8	
7/19/19 3:00	0	0	0	119.2	0	127.1	121.1	279.2	64.1	710.7	
7/19/19 4:00	0	0	0	119.2	0	128.5	135	279.1	57.8	719.6	
7/19/19 5:00	0	0	0	120.3	0	125.5	120.5	280.9	62.6	709.8	
7/19/19 6:00	0	0	0	119.5	0	115	139.9	276	61.2	711.6	
7/19/19 7:00	0	0	0	118.3	0	105.4	187.5	280.1	65.1	756.4	
7/19/19 8:00	0	0	0	118.3	0	167.9	196.7	278.9	60.1	821.9	
7/19/19 9:00	0	0	0	118.3	0	216.1	144.1	278.7	62.3	819.5	
7/19/19 10:00	0	0	0	118.2	0	180.7	98.3	280	56.3	733.5	
7/19/19 11:00	0	0	0	120.5	0	110.6	98.5	303.1	90.2	722.9	
7/19/19 12:00	0	0	0	120.9	0	134.1	130.6	280.8	62.4	728.8	
7/19/19 13:00	0	0	0	121.4	0	142.3	142.5	279.2	64.3	749.7	
7/19/19 14:00	0	0	0	120.4	0	162.8	152.7	278.5	65.5	779.9	
7/19/19 15:00	0	0	0	119.8	0	174.8	170.2	279.2	62.2	806.2	
7/19/19 16:00	0	0	0	120.4	0	145.4	131.2	278.7	66.6	742.3	
7/19/19 17:00	0	0	0	123.8	0	146.3	127.5	279.5	58	735.1	
7/19/19 18:00	0	0	0	124.5	0	145.9	128.2	277.6	61	737.2	
7/19/19 19:00	0	0	0	125.1	0	144.4	130.3	279.5	61.9	741.2	
7/19/19 20:00	0	0	0	125.1	0	145.6	133.3	278.4	66.2	748.6	
7/19/19 21:00	0	0	0	124.1	0	138.7	122.2	279.9	59.5	724.4	
7/19/19 22:00	0	0	0	124.5	0	140.4	124.5	281.6	56.4	727.4	
7/19/19 23:00	0	0	0	126.1	0	141.8	128.3	281.3	61.5	739.0	
7/20/19 0:00	0	0	0	126.5	0	136.9	110.9	280	68.9	723.2	
7/20/19 1:00	0	0	0	125.6	0	152.2	123.5	280.6	59.4	741.3	
7/20/19 2:00	0	0	0	125.6	0	152.2	124.1	279	66.8	747.7	

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/20/19 3:00	0	0	0	127.2	0	133.3	115.2	279.3	59.2	714.2	
7/20/19 4:00	0	0	0	125	0	132.7	112.9	278.5	62.8	711.9	
7/20/19 5:00	0	0	0	126.9	0	130.3	114.4	276.3	76.7	724.6	
7/20/19 6:00	0	0	0	121.8	0	111.4	102	282.1	56.2	673.5	
7/20/19 7:00	0	0	0	118.8	0	106.7	99.8	279.4	62.3	667.0	
7/20/19 8:00	0	0	0	119	0	102.8	95.6	278.6	64	660.0	
7/20/19 9:00	0	0	0	118.4	0	142.5	143.8	278.7	59.7	743.1	
7/20/19 10:00	0	0	0	118.9	0	140.6	133.8	266.8	66.1	726.2	
7/20/19 11:00	0	0	0	118.1	0	142.9	140.1	299.6	86.1	786.8	
7/20/19 12:00	0	0	0	118.7	0	147.2	144.1	273.8	59.9	743.7	
7/20/19 13:00	0	0	0	117.9	0	147.1	138.6	279.6	56.6	739.8	
7/20/19 14:00	0	0	0	117.8	0	157.4	147.3	277.9	57.4	757.8	
7/20/19 15:00	0	0	0	117.7	0	136.5	131.6	278.8	57.3	721.9	
7/20/19 16:00	0	0	0	117.1	0	137.3	137.3	277.8	56.3	725.8	
7/20/19 17:00	0	0	0	115.8	0	141.8	136.6	279.4	59.6	733.2	
7/20/19 18:00	0	0	0	116.5	0	140.4	135.6	278.1	51.4	722.0	
7/20/19 19:00	0	0	0	117.4	0	146.3	141.5	280.5	57.6	743.3	
7/20/19 20:00	0	0	0	117.5	0	132.1	130.4	279.4	61.1	720.5	
7/20/19 21:00	0	0	0	116.3	0	127.3	123.3	279.5	54.4	700.8	
7/20/19 22:00	0	0	0	116	0	121.2	120.6	278	64.5	700.3	
7/20/19 23:00	0	0	0	117.3	0	134	129.7	280.7	53.6	715.3	
7/21/19 0:00	0	0	0	116.8	0	147.6	145.1	278.4	59.3	747.2	
7/21/19 1:00	0	0	0	117	0	145.2	144.1	279.6	56.4	742.3	
7/21/19 2:00	0	0	0	117.2	0	149.5	150	279.2	59.3	755.2	
7/21/19 3:00	0	0	0	116.9	0	137.6	130.2	279.7	61.2	725.6	
7/21/19 4:00	0	0	0	116.3	0	155.6	143.8	279.5	56.5	751.7	
7/21/19 5:00	0	0	0	116.6	0	139.2	138.4	278.2	61	733.4	

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/21/19 6:00	0	0	0	116.5	0	134.9	136.5	277.3	56.3	721.5	
7/21/19 7:00	0	0	0	115.8	0	142	146	279.5	57.7	741.0	
7/21/19 8:00	0	0	0	116.5	0	139.4	141.6	278.7	60.1	736.3	
7/21/19 9:00	0	0	0	116.9	0	130.2	132.3	278.9	54	712.3	
7/21/19 10:00	0	0	0	116	0	129.1	129.1	270.6	56.1	700.9	
7/21/19 11:00	0	0	0	116.2	0	118.9	119.8	292.3	69.3	716.5	
7/21/19 12:00	0	0	0	116.7	0	140.4	143	278.6	57.2	735.9	
7/21/19 13:00	0	0	0	116.1	0	135.6	132.3	279.5	61	724.5	
7/21/19 14:00	0	0	0	116.5	0	135.9	132.2	279.7	63.2	727.5	
7/21/19 15:00	0	0	0	116.1	0	144.1	138.3	280.5	57	736.0	
7/21/19 16:00	0	0	0	114.7	0	128.2	127.6	278.7	63.4	712.6	
7/21/19 17:00	0	0	0	116.5	0	120.3	124	279.9	53.8	694.5	
7/21/19 18:00	0	0	0	115.9	0	120.7	119.2	281.2	57.2	694.2	
7/21/19 19:00	0	0	0	115.9	0	133.2	126.5	279.5	60.8	715.9	
7/21/19 20:00	0	0	0	116.5	0	143.5	134.7	278.9	60.7	734.3	
7/21/19 21:00	0	0	0	116.3	0	149.1	138.9	281.7	60.2	746.2	
7/21/19 22:00	0	0	0	116	0	143.9	140.3	277.4	35.8	713.4	
7/21/19 23:00	0	0	0	119.2	0	132.2	132.2	289.8	60	733.4	
7/22/19 0:00	0	0	0	129.1	0	139.5	140.3	264.5	60.9	734.3	
7/22/19 1:00	0	0	0	140.2	0	148.7	151	279.5	58.8	778.2	
7/22/19 2:00	0	0	0	147	0	144.4	145	278.6	63.7	778.7	
7/22/19 3:00	0	0	0	146.6	0	144.6	143.6	280.6	57.2	772.6	
7/22/19 4:00	0	0	0	146.7	0	165.1	163	279.6	62.3	816.7	
7/22/19 5:00	0	0	0	132	0	144.6	140.2	276.4	62.2	755.4	
7/22/19 6:00	0	0	0	115.2	0	156.9	155.7	278.5	56.4	762.7	
7/22/19 7:00	0	0	0	115.4	0	185.7	187	280	62.1	830.2	
7/22/19 8:00	0	0	0	115.2	0	359.3	351.7	280.3	62	1168.5	

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/22/19 9:00	0	0	0	115.5	0	323	318.4	279.3	58.5	1094.7	
7/22/19 10:00	0	0	0	116.2	0	385.4	373	279.3	62.4	1216.3	
7/22/19 11:00	0	0	0	116.7	0	423.5	413.6	285.4	66.3	1305.5	
7/22/19 12:00	0	0	0	116.1	0	389.5	378.4	285.9	61.6	1231.5	
7/22/19 13:00	0	0	0	115.6	0	309.3	306.3	279.6	63.3	1074.1	
7/22/19 14:00	0	0	0	115.7	0	130.7	134.8	274.1	52	707.3	
7/22/19 15:00	0	0	0	127.3	0	173	174.1	282.7	63.2	820.3	
7/22/19 16:00	0	0	0	117.7	0	121.3	110.1	278.8	63	690.9	
7/22/19 17:00	0	0	0	117.5	0	115.2	99.6	278.9	53.6	664.8	
7/22/19 18:00	0	0	0	118	0	103.6	93.9	278.3	62.4	656.2	
7/22/19 19:00	0	0	0	117.9	0	100.7	93.9	280.6	59.6	652.7	
7/22/19 20:00	0	0	0	117.9	0	115.2	103.1	291.5	47.5	675.2	
7/22/19 21:00	0	0	0	117.8	0	108.6	97.6	276.2	43	643.2	
7/22/19 22:00	0	0	0	117.9	0	100.1	89.9	280.6	55.2	643.7	
7/22/19 23:00	0	0	0	118.3	0	100.8	90.2	278.6	54	641.9	
7/23/19 0:00	0	0	0	118.8	0	102.4	92.5	280.5	60.3	654.5	
7/23/19 1:00	0	0	0	119	0	108.1	100.7	278.8	59	665.6	
7/23/19 2:00	0	0	0	118.8	0	104.9	104.6	279.6	61.9	669.8	
7/23/19 3:00	0	0	0	118.9	0	95.1	96.6	279.8	58.7	649.1	
7/23/19 4:00	0	0	0	118.9	0	117.4	118.3	279	62.8	696.4	
7/23/19 5:00	0	0	0	119.2	0	134.7	145.8	280.8	65.8	746.3	
7/23/19 6:00	0	0	0	117.7	0	128.6	136.8	276	62.8	721.9	
7/23/19 7:00	0	0	0	118.5	0	110.5	111.6	279.5	55.2	675.3	
7/23/19 8:00	0	0	0	118	0	125.9	127.8	279.9	59.5	711.1	
7/23/19 9:00	0	0	0	118.7	0	124.5	119.2	277.9	64.7	705.0	
7/23/19 10:00	0	0	0	118.8	0	127.5	125	279.8	70.6	721.7	
7/23/19 11:00	0	0	0	117	0	132.3	132.4	311.4	64.2	757.3	

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/23/19 12:00	0	0	0	118	0	107.1	105.6	279.1	63.3	673.1	
7/23/19 13:00	0	0	0	118	0	99.3	92.8	278.6	57	645.7	
7/23/19 14:00	0	0	0	118.1	0	113.7	98.3	279.7	63.9	673.7	
7/23/19 15:00	0	0	0	118.3	0	112	95.2	279.8	59.3	664.6	
7/23/19 16:00	0	0	0	117.5	0	125.4	109.7	280.8	59.2	692.6	
7/23/19 17:00	0	0	0	117.2	0	104.7	106.6	278.6	58.2	665.3	
7/23/19 18:00	0	0	0	117	0	98.7	118.5	278.2	59.3	671.7	
7/23/19 19:00	0	0	0	117.6	0	99.1	118	279.6	55.8	670.1	
7/23/19 20:00	0	0	0	117.2	0	94.3	109.9	279.3	56.6	657.3	
7/23/19 21:00	0	0	0	118.2	0	105.2	120.3	280.7	59	683.4	
7/23/19 22:00	0	0	0	116.9	0	101.2	111.2	279.4	59.6	668.3	
7/23/19 23:00	0	0	0	117.9	0	105.6	109.6	261.7	67	661.8	
7/24/19 0:00	0	0	0	118.2	0	108	119.7	286.2	59.2	691.3	
7/24/19 1:00	0	0	0	118.2	0	101.3	109.2	281	65.7	675.4	
7/24/19 2:00	0	0	0	118.5	0	111.1	126.8	279.1	61.5	697.0	
7/24/19 3:00	0	0	0	118.9	0	118.4	127.3	278.6	59.4	702.6	
7/24/19 4:00	0	0	0	117.6	0	110.2	121.5	279.1	56.9	685.3	
7/24/19 5:00	0	0	0	118	0	118	117.7	278.9	51.9	684.5	
7/24/19 6:00	0	0	0	116.9	0	112.6	97.7	279.6	58.5	665.3	
7/24/19 7:00	0	0	0	117.4	0	116.1	100.2	281	59.4	674.1	
7/24/19 8:00	0	0	0	117.3	0	108.8	100.3	278.7	63.2	668.3	
7/24/19 9:00	0	0	0	117.7	0	115.3	104.4	284.5	82.6	704.5	
7/24/19 10:00	0	0	0	116.2	0	115.2	109.2	278.7	59.3	678.6	
7/24/19 11:00	0	0	0	134.1	0	135.4	125.1	275.7	52.4	722.7	
7/24/19 12:00	0	0	0	202.8	0	134	137.6	282.8	65.3	822.5	
7/24/19 13:00	0	0	0	139.8	0	133.1	127.9	282.1	60	742.9	
7/24/19 14:00	0	0	0	96.9	0	120.7	117.3	302.1	60.6	697.6	

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/24/19 15:00	0	0	0	96.9	0	103.4	94.3	278.4	56.1	629.1	
7/24/19 16:00	0	0	0	96.5	0	117.1	111.8	280.2	58.8	664.4	
7/24/19 17:00	0	0	0	98.4	0	123.7	117.9	278	63.9	681.9	
7/24/19 18:00	0	0	0	98.9	0	122.1	113.8	280.6	52.4	667.8	
7/24/19 19:00	0	0	0	97.5	0	129.7	99.8	279.9	57.3	664.2	
7/24/19 20:00	0	0	0	97.3	0	133.7	102.2	278.6	56.9	668.7	
7/24/19 21:00	0	0	0	98.9	0	119.2	93.7	280.1	57.4	649.3	
7/24/19 22:00	0	0	0	97.7	0	130.9	102.5	289.2	57.4	677.7	
7/24/19 23:00	0	0	0	97	0	142.9	108	282.1	49.9	679.9	
7/25/19 0:00	0	0	0	97.8	0	141	111.6	281.4	59.9	691.7	
7/25/19 1:00	0	0	0	97.9	0	131.5	108.9	279.8	58.8	676.9	
7/25/19 2:00	0	0	0	97.5	0	143.8	114	277.5	59.7	692.5	
7/25/19 3:00	0	0	0	98.2	0	141.6	114.7	279.5	61.4	695.4	
7/25/19 4:00	0	0	0	98.2	0	146.1	121.3	278.2	51.2	695.0	
7/25/19 5:00	0	0	0	97.7	0	150.2	113.7	279.1	62.8	703.5	
7/25/19 6:00	0	0	0	97.9	0	126.9	102.9	279	58.9	665.6	
7/25/19 7:00	0	0	0	97.9	0	121.2	95.2	279.7	55.1	649.1	
7/25/19 8:00	0	0	0	98.7	0	147.8	110.7	278.5	56.7	692.4	
7/25/19 9:00	0	0	0	97.4	0	135.7	102.5	279.8	61.4	676.8	
7/25/19 10:00	0	0	0	98.5	0	132.3	105.7	311.7	81.2	729.4	
7/25/19 11:00	0	0	0	98.9	0	133.4	104.4	277.9	56.5	671.1	
7/25/19 12:00	0	0	0	97.6	0	136	102.8	283.2	58.6	678.2	
7/25/19 13:00	0	0	0	97.2	0	130.9	104.3	280.5	59	671.9	
7/25/19 14:00	0	0	0	97.7	0	119.6	101.8	279.8	53	651.9	
7/25/19 15:00	0	0	0	97.1	0	112.1	93.9	278.2	55.2	636.5	
7/25/19 16:00	0	0	0	97.3	0	110.1	93.9	279.2	59.3	639.8	
7/25/19 17:00	0	0	0	97.3	0	95.6	77.8	279	56.5	606.2	

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/25/19 18:00	0	0	0	96.3	0	108.3	86.5	278.4	55.9	625.4	
7/25/19 19:00	0	0	0	96.7	0	103.2	85.6	279.9	53.4	618.8	
7/25/19 20:00	0	0	0	97	0	102.7	88.4	279.8	57.7	625.6	
7/25/19 21:00	0	0	0	96.2	0	106.1	89.3	279.7	58.7	630.0	
7/25/19 22:00	0	0	0	96.5	0	106.9	90.1	279.6	58.8	631.9	
7/25/19 23:00	0	0	0	100.5	0	209	181.8	265.5	61.3	818.1	
7/26/19 0:00	0	0	0	113.6	0	190.3	172.3	289.4	54.7	820.3	
7/26/19 1:00	0	0	0	105	0	153.4	127.1	285.3	58.9	729.7	
7/26/19 2:00	0	0	0	100.5	0	196.9	165.4	275.7	59.2	797.7	
7/26/19 3:00	0	0	0	101.2	0	167.3	133.9	284.2	56.7	743.3	
7/26/19 4:00	0	0	0	100	0	197.9	160.8	278.2	54.4	791.3	
7/26/19 5:00	0	0	0	99.9	0	149.9	120.2	278.1	70.6	718.7	
7/26/19 6:00	0	0	0	100.7	0	145.4	120.7	277.5	58.7	703.0	
7/26/19 7:00	0	0	0	99.8	0	136.3	113.8	282	56.1	688.0	
7/26/19 8:00	0	0	0	99.9	0	142	113.7	279.2	60	694.8	
7/26/19 9:00	0	0	0	100	0	148.2	126.5	278.4	54.1	707.2	
7/26/19 10:00	0	0	0	99.8	0	143	121.3	280.1	54.7	698.9	
7/26/19 11:00	0	0	0	100.4	0	135	113.5	323.1	55.1	727.1	
7/26/19 12:00	0	0	0	100.8	0	127.4	106.1	280.8	53.8	668.9	
7/26/19 13:00	0	0	0	100.8	0	143.1	124	279.4	60.6	707.9	
7/26/19 14:00	0	0	0	100.1	0	136.9	120.4	279.6	61.7	698.7	
7/26/19 15:00	0	0	0	101.5	0	138.3	123.5	279.4	57.8	700.5	
7/26/19 16:00	0	0	0	100.3	0	111.6	97	279.1	58.1	646.1	
7/26/19 17:00	0	0	0	100.4	0	109.5	90.1	279.2	58.7	637.9	
7/26/19 18:00	0	0	0	100.6	0	110.1	94.7	273.9	53.7	633.0	
7/26/19 19:00	0	0	0	100.8	0	118.5	101.8	276.1	55.1	652.3	
7/26/19 20:00	0	0	0	101.5	0	122.5	106.3	279.5	57.2	667.0	

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/26/19 21:00	0	0	0	100.8	0	122.8	105.9	280	58.1	667.6	
7/26/19 22:00	0	0	0	100.6	0	128.3	109.4	279.8	63	681.1	
7/26/19 23:00	0	0	0	101.1	0	112.7	119.9	279.6	50.3	663.6	
7/27/19 0:00	0	0	0	100.6	0	121.6	129.1	283	59.1	693.4	
7/27/19 1:00	0	0	0	101.6	0	122.5	132.5	278.1	61.1	695.8	
7/27/19 2:00	0	0	0	103.8	0	122.3	130.1	279.8	59.7	695.7	
7/27/19 3:00	0	0	0	105.6	0	124.2	130.6	278.6	51	690.0	
7/27/19 4:00	0	0	0	108	0	118	125.3	279.2	57.6	688.1	
7/27/19 5:00	0	0	0	111.3	0	105.9	115.2	277.4	74.6	684.4	
7/27/19 6:00	0	0	0	113.3	0	101.4	119.1	278.1	51.9	663.8	
7/27/19 7:00	0	0	0	117.6	0	99.6	116.7	280.8	53.9	668.6	
7/27/19 8:00	0	0	0	128.9	0	98.4	81.9	278.4	58	645.6	
7/27/19 9:00	0	0	0	137.7	0	123.4	77.6	279.6	57.3	675.6	
7/27/19 10:00	0	0	0	164.5	0	281.5	53.2	279.7	59.8	838.7	
7/27/19 11:00	0	0	0	174.4	0	411.9	1	278.3	60.6	926.2	
7/27/19 12:00	0	0	0	146	0	393.4	0.5	339.4	58.5	937.8	
7/27/19 13:00	0	0	0	151.1	0	407.5	0.5	281.3	59.4	899.8	
7/27/19 14:00	0	0	0	144.4	0	395.9	0.4	278.9	60.3	879.9	
7/27/19 15:00	0	0	0	138.4	0	375.6	0.4	278.7	52.3	845.4	
7/27/19 16:00	0	0	0	136.5	0	166.4	0.4	278.8	54.8	636.9	
7/27/19 17:00	0	0	0	134.4	0	81.2	0	278.9	55	549.5	
7/27/19 18:00	0	0	0	130.1	0	82.5	0	266.2	60.3	539.1	
7/27/19 19:00	0	0	0	132.7	0	75.7	0	281.3	52.1	541.8	
7/27/19 20:00	0	0	0	132.5	0	83.9	0	280	52.4	548.8	
7/27/19 21:00	0	0	0	131.8	0	69.9	0	279.9	56.1	537.7	
7/27/19 22:00	0	0	0	137.8	0	86.6	0	278	48.8	551.2	
7/27/19 23:00	0	0	0	137.5	0	75.5	0	281.4	50.6	545.0	

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/28/19 0:00	0	0	0	141.2	0	71	0	280.1	52.1	544.4	
7/28/19 1:00	0	0	0	142.4	0	66.6	0	279.5	52.9	541.4	
7/28/19 2:00	0	0	0	133	0	61.4	0	278.5	50.4	523.3	
7/28/19 3:00	0	0	0	130.3	0	50.7	0	279.4	50.8	511.2	
7/28/19 4:00	0	0	0	133.4	0	55.4	0	279.1	57.9	525.8	
7/28/19 5:00	0	0	0	132.4	0	36.9	0	279.3	31	479.6	
7/28/19 6:00	0	0	0	133.1	0	37	0	278.1	47.5	495.7	
7/28/19 7:00	0	0	0	134.7	0	43.7	0	281.1	46.1	505.6	
7/28/19 8:00	0	0	0	156.8	0	66.8	0	279.2	50.2	553.0	
7/28/19 9:00	0	0	0	159.6	0	94.8	0	279.6	51	585.0	
7/28/19 10:00	0	0	0	148.7	0	89	0	280.5	54.3	572.5	
7/28/19 11:00	0	0	0	154.4	0	108	0	332.3	102	696.7	
7/28/19 12:00	0	0	0	163.5	0	126.4	0	277.1	45.8	612.8	
7/28/19 13:00	0	0	0	193.8	0	128.8	0	281.4	55.6	659.6	
7/28/19 14:00	0	0	0	235.7	0	173	0	281.5	45.8	736.0	
7/28/19 15:00	0	0	0	228.9	0	171.3	0	278.9	47.6	726.7	
7/28/19 16:00	0	0	0	222.1	0	150.8	0	280.4	56	709.3	
7/28/19 17:00	0	0	0	209.5	0	162.7	0	279.2	53.6	705.0	
7/28/19 18:00	0	0	0	185.6	0	132.4	0	280.3	46.3	644.6	
7/28/19 19:00	0	0	0	172.2	0	112.8	0	277.7	43.6	606.3	
7/28/19 20:00	0	0	0	197.6	0	105.5	0	279.1	51.7	633.9	
7/28/19 21:00	0	0	0	194	0	93.2	0	280.7	57.7	625.6	
7/28/19 22:00	0	0	0	194.8	0	75.4	0	278.2	57.6	606.0	
7/28/19 23:00	0	0	0	197	0	89.9	0	278.2	45.1	610.2	
7/29/19 0:00	0	0	0	196.9	0	70.9	0	279.6	56.3	603.7	
7/29/19 1:00	0	0	0	198.1	0	64	0	278	45.1	585.2	
7/29/19 2:00	0	0	0	194.8	0	62.8	0	279.7	51.2	588.5	

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/29/19 3:00	0	0	0	198.2	0	97.6	0	277.3	47.9	621.0	
7/29/19 4:00	0	0	0	196.7	0	101	0	280.5	55.2	633.4	
7/29/19 5:00	0	0	0	195.8	0	71.8	0	276	68.9	612.5	
7/29/19 6:00	0	0	0	197.2	0	61.1	0	279.7	44.5	582.5	
7/29/19 7:00	0	0	0	194.5	0	74.8	0	279.4	45.1	593.8	
7/29/19 8:00	0	0	0	193.5	0	103	0	278.3	47.1	621.9	
7/29/19 9:00	0	0	0	197.9	0	126.8	0	279.6	51.1	655.4	
7/29/19 10:00	0	0	0	191.4	0	117.4	0	280.1	53.7	642.6	
7/29/19 11:00	0	0	0	192.9	0	92.1	0	291.6	390.7	967.3	
7/29/19 12:00	0	0	0	197.7	0	81.3	0	277.7	60.1	616.8	
7/29/19 13:00	0	0	0	197.3	0	79.4	0	279	39.7	595.4	
7/29/19 14:00	0	0	0	191.5	0	112.2	0	280.5	43.1	627.3	
7/29/19 15:00	0	0	0	192.6	0	114.4	0	276.8	45.9	629.7	
7/29/19 16:00	0	0	0	198.1	0	97.5	0	279.4	54.4	629.4	
7/29/19 17:00	0	0	0	193.1	0	87.1	0	278.4	57.7	616.3	
7/29/19 18:00	0	0	0	193.4	0	73.6	0	273.2	45.8	586.0	
7/29/19 19:00	0	0	0	197.2	0	60.6	0	281.3	55	594.1	
7/29/19 20:00	0	0	0	190.9	0	60.7	0	278.9	61.1	591.6	
7/29/19 21:00	0	0	0	193	0	58	0	278.4	51.3	580.7	
7/29/19 22:00	0	0	0	198.6	0	113.3	0	279.9	58	649.8	
7/29/19 23:00	0	0	0	197.7	0	92.4	0	278.9	51.9	620.9	
7/30/19 0:00	0	0	0	189.7	0	97.6	0	277.5	64.1	628.9	
7/30/19 1:00	0	0	0	191	0	77	0	277.7	52.4	598.1	
7/30/19 2:00	0	0	0	199.6	0	77.6	0	280	57.9	615.1	
7/30/19 3:00	0	0	0	194.1	0	85.2	0	279.3	56.5	615.1	
7/30/19 4:00	0	0	0	194.7	0	77.1	0	279.2	53.9	604.9	
7/30/19 5:00	0	0	0	197.6	0	68.1	0	281.5	62	609.2	

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/30/19 6:00	0	0	0	192.6	0	71.4	0	279.1	56.4	599.5	
7/30/19 7:00	0	0	0	190.4	0	91.9	0	277.1	53.5	612.9	
7/30/19 8:00	0	0	0	189.2	0	86.2	0	276.4	51.5	603.3	
7/30/19 9:00	0	0	0	189.5	0	123.7	0	232.4	44.5	590.1	
7/30/19 10:00	0	0	0	187.6	0	91.8	0	279.5	52.5	611.4	
7/30/19 11:00	0	0	0	186.4	0	52.8	0	283.3	56.8	579.3	
7/30/19 12:00	0	0	0	192.8	0	62.3	0	281.9	31.5	568.5	
7/30/19 13:00	0	0	0	193	0	76.9	0	278.6	44.8	593.3	
7/30/19 14:00	0	0	0	193.3	0	30.3	0	271.5	40.3	535.4	
7/30/19 15:00	0	0	0	195.6	0	31.7	0	278.5	45.3	551.1	
7/30/19 16:00	0	0	0	194.7	0	31.4	0	281.1	49.4	556.6	
7/30/19 17:00	0	0	0	194.5	0	25.7	0	277.5	39.6	537.3	
7/30/19 18:00	0	0	0	194	0	56.3	0	278.1	43.8	572.2	
7/30/19 19:00	0	0	0	193.3	0	55.7	0	281	47.1	577.1	
7/30/19 20:00	0	0	0	194.7	0	45.3	0	279	46	565.0	
7/30/19 21:00	0	0	0	194.6	0	43.8	0	279.4	46.8	564.6	
7/30/19 22:00	0	0	0	194.4	0	52.9	0	279.3	52	578.6	
7/30/19 23:00	0	0	0	194.6	0	60.3	0	285.8	50.7	591.4	685.8
7/31/19 0:00	0	0	0	196.2	0	52.9	0	280.4	49.1	578.6	685.7
7/31/19 1:00	0	0	0	195.6	0	50.4	0	278	48.2	572.2	685.5
7/31/19 2:00	0	0	0	195.8	0	60.2	0	279.6	49.3	584.9	685.5
7/31/19 3:00	0	0	0	195.9	0	57.9	0	277.8	49.7	581.3	685.4
7/31/19 4:00	0	0	0	191.6	0	35.5	0	279.1	48.5	554.7	685.3
7/31/19 5:00	0	0	0	166.9	0	232.7	0	287.6	36.4	723.6	685.4
7/31/19 6:00	0	0	0	159.4	0	313.4	0	280.5	50.2	803.5	685.6
7/31/19 7:00	0	0	0	168.3	0	294.1	0	262.6	37	762.0	685.8
7/31/19 8:00	0	0	0	167.2	0	329.5	0	369	39.9	905.6	686.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/31/19 9:00	0	0	0	168.4	0	383.7	0	369	42.5	963.6	686.5
7/31/19 10:00	0	0	0	165.9	0	428.8	0	369	42.7	1006.4	687.0
7/31/19 11:00	0	0	0	168.7	0	448.8	0	304.3	57.1	978.9	687.3
7/31/19 12:00	0	0	0	168	0	439.8	0	271.3	41.2	920.3	687.6
7/31/19 13:00	0	0	0	169.7	0	122.1	0	293.4	40.4	625.6	687.5
7/31/19 14:00	0	0	0	170	6.9	106.1	0	310	43.6	636.6	687.6
7/31/19 15:00	0	0	0	169	174.5	115.9	0	301.8	38.9	800.1	687.8
7/31/19 16:00	0	0	0	170.6	194	139.1	0	304.9	40.1	848.7	688.1
7/31/19 17:00	0	0	0	183	193.7	117.6	0	280.7	45.1	820.1	688.4
7/31/19 18:00	0	0	0	184.2	193.2	100.5	0	281.2	42.8	801.9	688.6
7/31/19 19:00	0	0	0	185.7	193	111.7	0	278.8	44.2	813.4	688.9
7/31/19 20:00	0	0	0	188.7	192	124.7	0	279.2	50.5	835.1	689.1
7/31/19 21:00	0	0	0	187.2	193.4	124.2	0	280.3	44.1	829.2	689.3
7/31/19 22:00	0	0	0	187.8	190.6	123.2	0	278.4	46.9	826.9	689.6
7/31/19 23:00	0	0	0	184.8	190.1	142	0	281.1	57.3	855.3	689.8
8/1/19 0:00	0	0	0	185.2	191.2	119.1	0	276.8	34.5	806.8	690.0
8/1/19 1:00	0	0	0	185.9	191.4	139	0	281	50	847.3	690.3
8/1/19 2:00	0	0	0	187.6	190.2	130.2	0	278.8	43.3	830.1	690.6
8/1/19 3:00	0	0	0	184.8	191	128.9	0	279.3	49.4	833.4	690.8
8/1/19 4:00	0	0	0	184.3	192.7	132.8	0	277.9	42.8	830.5	691.1
8/1/19 5:00	0	0	0	187.4	193.2	114.9	0	275.5	42.2	813.2	691.4
8/1/19 6:00	0	0	0	188.2	192.9	101.3	0	273.7	45.6	801.7	691.5
8/1/19 7:00	0	0	0	173.9	192.9	92.7	0	281.4	42.9	783.8	691.7
8/1/19 8:00	0	0	0	169.2	175.6	90.1	0	280.5	44.9	760.3	691.8
8/1/19 9:00	0	0	0	176.1	184.9	107.1	0	279.7	43.7	791.5	692.0
8/1/19 10:00	0	0	0	186.7	191.2	142.8	0	273.9	49.5	844.1	692.1
8/1/19 11:00	0	0	0	186.9	190.6	113.9	0	274.8	78	844.2	692.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/1/19 12:00	0	0	0	187.3	189.9	153.1	0	289.5	36.8	856.6	692.6
8/1/19 13:00	0	0	0	189.5	195.7	155.6	0	280.8	36.4	858.0	692.9
8/1/19 14:00	0	0	0	191.4	198.2	117.3	0	276.5	46.4	829.8	693.2
8/1/19 15:00	0	0	0	192.8	198.1	119.3	0	280.6	44.8	835.6	693.5
8/1/19 16:00	0	0	0	194.5	199.4	131.2	0	278.3	46.6	850.0	693.8
8/1/19 17:00	0	0	0	193.4	200.6	109.3	0	279	45	827.3	694.0
8/1/19 18:00	0	0	0	193.9	201.1	112.2	0	279.8	44.4	831.4	694.2
8/1/19 19:00	0	0	0	206.1	212.4	140	0	278.3	42.6	879.4	694.5
8/1/19 20:00	0	0	0	188.8	196	103.9	0	275.5	48.7	812.9	694.8
8/1/19 21:00	0	0	0	189.1	195.5	111	0	279.9	49.3	824.8	695.0
8/1/19 22:00	0	0	0	189.7	196.2	149.8	0	277.8	48	861.5	695.2
8/1/19 23:00	0	0	0	189.9	197.4	152.3	0	281.4	49	870.0	695.5
8/2/19 0:00	0	0	0	189.4	196.3	144.3	0	281.6	65.4	877.0	695.8
8/2/19 1:00	0	0	0	189.6	197.2	112.3	0	279.1	40.6	818.8	696.1
8/2/19 2:00	0	0	0	190	197	120.3	0	278.6	51.9	837.8	696.3
8/2/19 3:00	0	0	0	189.7	197.4	115.6	0	278.1	49.2	830.0	696.6
8/2/19 4:00	0	0	0	189.6	195.5	121.8	0	279.1	48.4	834.4	696.8
8/2/19 5:00	0	0	0	188.7	195.3	154.3	0	276.4	40.6	855.3	697.2
8/2/19 6:00	0	0	0	189	194.7	122.1	0	276.8	49.3	831.9	697.6
8/2/19 7:00	0	0	0	190.6	195.5	99.9	0	276.9	45.1	808.0	697.9
8/2/19 8:00	0	0	0	191.4	195	95.3	0	279.2	82.4	843.3	697.9
8/2/19 9:00	0	0	0	189.6	194.4	75.5	0	278.1	48.7	786.3	697.7
8/2/19 10:00	0	0	0	189.3	191.2	67	0	279	43.8	770.3	697.5
8/2/19 11:00	0	0	0	187.6	193.8	79.8	0	276.8	44.8	782.8	697.3
8/2/19 12:00	0	0	0	191.9	196	91.1	0	286.8	60.4	826.2	697.2
8/2/19 13:00	0	0	0	193.9	198.6	83.1	0	279.7	46.4	801.7	697.1
8/2/19 14:00	0	0	0	191.9	199.6	98.3	0	279.4	47.5	816.7	696.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/2/19 15:00	0	0	0	194	199	100	0	280.5	53	826.5	696.8
8/2/19 16:00	0	0	0	195.6	199.9	99.2	0	280.4	53.6	828.7	696.7
8/2/19 17:00	0	0	0	194	203.2	79.8	0	278.5	52.9	808.4	696.6
8/2/19 18:00	0	0	0	190.7	205.1	90.4	0	283.2	54.9	824.3	696.5
8/2/19 19:00	0	0	0	191.1	205.1	100.2	0	276.9	48.3	821.6	696.4
8/2/19 20:00	0	0	0	193	206.4	102.6	0	281.5	51.1	834.6	696.3
8/2/19 21:00	0	0	0	198	205	104.4	0	280	73.5	860.9	696.2
8/2/19 22:00	0	0	0	188.7	190.6	99.2	0	278.2	61	817.7	696.1
8/2/19 23:00	0	0	0	178.8	181.5	119.2	0	279.1	58.2	816.8	695.9
8/3/19 0:00	0	0	0	187.1	182.8	122.8	0	278.8	62.7	834.2	695.7
8/3/19 1:00	0	0	0	195.8	183.4	115	0	280.5	58.2	832.9	695.6
8/3/19 2:00	0	0	0	202	183.8	113.5	0	280.3	57.5	837.1	695.4
8/3/19 3:00	0	0	0	198.4	183.8	97.1	0	280.7	60.3	820.3	695.2
8/3/19 4:00	0	0	0	198.5	183.4	108.4	0	279.1	56.4	825.8	695.1
8/3/19 5:00	0	0	0	202.8	183.4	112.3	0	273.4	90.2	862.1	695.0
8/3/19 6:00	0	0	0	199.5	182.8	79.9	0	277.9	54.5	794.6	694.8
8/3/19 7:00	0	0	0	201.5	181.1	79.6	0	279.6	92.4	834.2	694.6
8/3/19 8:00	0	0	0	202.8	181.4	84.1	0	285.6	45.9	799.8	694.3
8/3/19 9:00	0	0	0	196.1	179.7	109	0	276.6	54.6	816.0	694.0
8/3/19 10:00	0	0	0	194.9	181.2	104.9	0	279.2	60.7	820.9	694.1
8/3/19 11:00	0	0	0	194.5	143.5	108.1	0	277.9	53.6	777.6	694.2
8/3/19 12:00	0	0	0	193.3	126.5	112	0	280	58.4	770.2	694.3
8/3/19 13:00	0	0	0	193.9	129.2	124.1	0	277.8	62.6	787.6	694.5
8/3/19 14:00	0	0	0	192	129.3	153.2	0	279.4	50.6	804.5	694.7
8/3/19 15:00	0	0	0	192.7	132.6	161.5	0	277.8	55.2	819.8	694.9
8/3/19 16:00	0	0	0	194.8	146.1	154.9	0	278.7	60.1	834.6	695.1
8/3/19 17:00	0	0	0	198.3	142.1	159.9	0	277.1	56.5	833.9	695.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/3/19 18:00	0	0	0	198.8	154	170	0	275.3	88.5	886.6	695.6
8/3/19 19:00	0	0	0	199.7	140.5	167.9	0	270.3	69.9	848.3	695.8
8/3/19 20:00	0	0	0	198.3	141.8	170.2	0	278.5	57.4	846.2	696.0
8/3/19 21:00	0	0	0	197.5	131.2	141.3	0	279.7	58.3	808.0	696.2
8/3/19 22:00	0	0	0	198.4	124.1	132.7	0	278.2	59.5	792.9	696.3
8/3/19 23:00	0	0	0	196.2	134.3	149.1	0	279.1	56.2	814.9	696.5
8/4/19 0:00	0	0	0	194.3	132.7	142.4	0	277.3	57.6	804.3	696.6
8/4/19 1:00	0	0	0	196.6	127.5	161.4	0	284.3	60.2	830.0	696.8
8/4/19 2:00	0	0	0	181.1	125.7	121.2	0	278.1	70.2	776.3	697.0
8/4/19 3:00	0	0	0	182.5	125.4	118	0	278.3	55.3	759.5	697.1
8/4/19 4:00	0	0	0	179.5	128.1	132.6	0	279.4	56.5	776.1	697.3
8/4/19 5:00	0	0	0	183.1	121.5	134.6	0	277.4	89	805.6	697.5
8/4/19 6:00	0	0	0	179.1	119.5	145	0	278.9	57.2	779.7	697.7
8/4/19 7:00	0	0	0	178.5	125.8	147.9	0	279.9	53	785.1	697.9
8/4/19 8:00	0	0	0	179.4	117.4	138.2	0	277.3	55.9	768.2	698.1
8/4/19 9:00	0	0	0	178.9	115.2	135.9	0	272.7	57.4	760.1	698.0
8/4/19 10:00	0	0	0	179.2	129.1	137.8	0	266.5	113.7	826.3	698.3
8/4/19 11:00	0	0	0	179.7	126.5	136.7	0	281	57.9	781.8	698.2
8/4/19 12:00	0	0	0	180	126.2	155.3	0	281.1	52.3	794.9	698.2
8/4/19 13:00	0	0	0	179.8	113.8	148.9	0	279.2	66.2	787.9	698.3
8/4/19 14:00	0	0	0	179.9	110.8	118.2	0	280.1	53.8	742.8	698.4
8/4/19 15:00	0	0	0	179.9	130.3	158	0	279.4	54.6	802.2	698.5
8/4/19 16:00	0	0	0	180	131.3	156.6	0	279	56.3	803.2	698.6
8/4/19 17:00	0	0	0	167.4	144.2	351.9	0	279.8	61.4	1004.7	699.1
8/4/19 18:00	0	0	0	151	155.7	196.3	0	279.9	55.5	838.4	699.3
8/4/19 19:00	0	0	0	145	149.8	181.4	0	281.5	56.6	814.3	699.4
8/4/19 20:00	0	0	0	140	139.8	181.6	0	277.9	57.8	797.1	699.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/4/19 21:00	0	0	0	157.9	146.1	176.4	0	279.6	56.5	816.5	699.6
8/4/19 22:00	0	0	0	155.7	142.5	187.2	0	276.1	77.6	839.1	699.8
8/4/19 23:00	0	0	0	160.4	148.8	164	0	283	56.9	813.1	700.0
8/5/19 0:00	0	0	0	158.6	147.2	200.2	0	279.1	66.9	852.0	700.2
8/5/19 1:00	0	0	0	148.4	144.5	187	0	279.3	64.1	823.3	700.4
8/5/19 2:00	0	0	0	141	144.9	166.8	0	279.3	57.3	789.3	700.6
8/5/19 3:00	0	0	0	141.7	143.1	159.4	0	279.8	60.6	784.6	700.7
8/5/19 4:00	0	0	0	139.4	141.6	151.9	0	278	60.6	771.5	700.7
8/5/19 5:00	0	0	0	138.8	139.8	147.5	0	281.7	85.4	793.2	700.5
8/5/19 6:00	0	0	0	136.7	137.6	117.5	0	278.4	59.6	729.8	700.2
8/5/19 7:00	0	0	0	137.9	140	122	0	280.1	56.9	736.9	699.9
8/5/19 8:00	0	0	0	128.4	128.8	138.3	0	279.6	60.2	735.3	699.9
8/5/19 9:00	0	0	0	132.1	130.7	138.3	0	279.3	59.6	740.0	699.9
8/5/19 10:00	0	0	0	132.8	134.4	138.2	0	277.5	86.2	769.1	700.0
8/5/19 11:00	0	0	0	127.5	129.9	130.6	0	276.8	87.2	752.0	700.0
8/5/19 12:00	0	0	0	130.4	131.6	133.1	0	284.8	63.3	743.2	700.1
8/5/19 13:00	0	0	0	124.7	142	152.7	0	278.3	56.3	754.0	700.2
8/5/19 14:00	0	0	0	113.1	152.3	126.5	0	280.6	58.6	731.1	700.1
8/5/19 15:00	0	0	0	137.6	155.1	172.2	0	279.5	60	804.4	699.8
8/5/19 16:00	0	0	0	147.4	3.5	180.9	0	279.8	59.7	671.3	699.4
8/5/19 17:00	0	0	0	130	0	149.4	0	278.5	58.5	616.4	698.9
8/5/19 18:00	0	0	0	138.6	0	164.5	0	278.1	57.7	638.9	698.5
8/5/19 19:00	0	0	0	132	0	158.8	0	274.2	54.6	619.6	698.3
8/5/19 20:00	0	0	0	133.9	0	163.5	0	278.9	58.1	634.4	698.3
8/5/19 21:00	0	0	0	135.5	0	170.5	0	280	63.9	649.9	698.2
8/5/19 22:00	0	0	0	147.7	0	175.8	0	281	60.1	664.6	698.3
8/5/19 23:00	0	0	0	137.1	0	176.7	0	280.1	65.1	659.0	698.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/6/19 0:00	0	0	0	129.9	0	152.7	0	276.8	63.3	622.7	698.2
8/6/19 1:00	0	0	0	132.3	0	171.6	0	278.7	55.7	638.3	698.1
8/6/19 2:00	0	0	0	128.7	0	148.4	0	280.1	64.8	622.0	698.1
8/6/19 3:00	0	0	0	133.4	0	164.7	0	278.9	55.8	632.8	698.1
8/6/19 4:00	0	0	0	139.9	0	173.4	0	279.3	57.3	649.9	698.2
8/6/19 5:00	0	0	0	147.2	0	185.9	0	278	53.1	664.2	698.2
8/6/19 6:00	0	0	0	126.8	0	124.1	0	277.4	66.2	594.5	698.2
8/6/19 7:00	0	0	0	138.1	0	134.9	0	281.5	51.9	606.4	698.1
8/6/19 8:00	0	0	0	144.8	0	164.6	0	278.2	101.3	688.9	698.2
8/6/19 9:00	0	0	0	123.2	0	127.6	0	279.8	54.8	585.4	698.0
8/6/19 10:00	0	0	0	117.8	0	136.4	0	278.2	56	588.4	698.0
8/6/19 11:00	0	0	0	116.9	0	128.4	0	278.5	68.4	592.2	697.9
8/6/19 12:00	0	0	0	122.2	0	143.3	0	279.6	56.8	601.9	697.9
8/6/19 13:00	0	0	0	111.4	0	127.9	0	279.6	54.8	573.7	697.9
8/6/19 14:00	0	0	0	120.7	0	140.5	0	279.5	53.7	594.4	697.9
8/6/19 15:00	0	0	0	134	0	157.9	0	278.9	51.5	622.3	697.9
8/6/19 16:00	0	0	0	143.1	0	141.5	0	317.4	54.8	656.8	697.9
8/6/19 17:00	0	0	0	134.8	0	149.8	0	295.2	56.1	635.9	698.0
8/6/19 18:00	0	0	0	135.9	0	160	0	284.3	55.9	636.1	698.0
8/6/19 19:00	0	0	0	133.3	0	147.6	0	278.5	79.8	639.2	698.0
8/6/19 20:00	0	0	0	140.7	0	185.3	0	280.1	50.8	656.9	698.0
8/6/19 21:00	0	0	0	142.7	0	178	0	279.4	53.3	653.4	698.1
8/6/19 22:00	0	0	0	142	0	158.5	0	287.3	51.6	639.4	698.0
8/6/19 23:00	0	0	0	144.8	0	168.1	0	274.6	50.7	638.2	698.0
8/7/19 0:00	0	0	0	142.1	0	163.3	0	278.5	53	636.9	698.0
8/7/19 1:00	0	0	0	142.1	0	152.3	0	278.5	52.3	625.2	698.0
8/7/19 2:00	0	0	0	137.1	0	166.4	0	279.5	56	639.0	698.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/7/19 3:00	0	0	0	138.6	0	172.5	0	278	48.6	637.7	698.0
8/7/19 4:00	0	0	0	131.2	0	157.6	0	280.9	47.1	616.8	698.0
8/7/19 5:00	0	0	0	130	0	146.4	0	277.6	55.6	609.6	698.0
8/7/19 6:00	0	0	0	138.3	0	178.4	0	279.6	44.7	641.0	698.0
8/7/19 7:00	0	0	0	138.1	0	179.7	0	278.5	29.6	625.9	698.0
8/7/19 8:00	0	0	0	143.7	0	163.2	0	279.6	31.3	617.8	698.0
8/7/19 9:00	0	0	0	125.2	0	157	0	279	31.6	592.8	698.0
8/7/19 10:00	0	0	0	124.2	0	153.2	0	279.8	23.2	580.4	698.0
8/7/19 11:00	0	0	0	146.6	0	176.1	0	338.6	83.3	744.6	698.2
8/7/19 12:00	0	0	0	132	0	164.4	0	280.9	49.9	627.2	698.1
8/7/19 13:00	0	0	0	151.8	0	172.4	0	279.1	47.6	650.9	698.1
8/7/19 14:00	0	0	0	143.9	0	186.9	0	279.4	42.5	652.7	698.2
8/7/19 15:00	0	0	0	137.5	0	171.1	0	279.6	44.8	633.0	698.3
8/7/19 16:00	0	0	0	117.5	0	142.7	0	278.6	42.4	581.2	698.2
8/7/19 17:00	0	0	0	135.9	0	161.2	0	280	48.5	625.6	698.3
8/7/19 18:00	0	0	0	129	0	163.6	0	279.1	44.2	615.9	698.3
8/7/19 19:00	0	0	0	126.6	0	155.6	0	275.7	46.9	604.8	698.4
8/7/19 20:00	0	0	0	135.1	0	184.9	0	280.6	47.7	648.3	698.4
8/7/19 21:00	0	0	0	144.8	0	172.8	0	280.1	48.2	645.9	698.5
8/7/19 22:00	0	0	0	142.1	0	167.3	0	279.5	41.6	630.5	698.5
8/7/19 23:00	0	0	0	145.5	0	178.4	0	278.2	44.7	646.8	698.5
8/8/19 0:00	0	0	0	143.7	0	169.4	0	281	41.2	635.3	698.5
8/8/19 1:00	0	0	0	126.6	0	129.2	0	279.9	41.8	577.5	698.4
8/8/19 2:00	0	0	0	140.9	0	176.6	0	279.4	42.9	639.8	698.5
8/8/19 3:00	0	0	0	144.8	0	172.1	0	279.3	51.2	647.4	698.5
8/8/19 4:00	0	0	0	151.3	0	175.1	0	279.8	41.2	647.4	698.5
8/8/19 5:00	0	0	0	133.9	0	147.2	0	278.1	33.1	592.3	698.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/8/19 6:00	0	0	0	143.9	0	88.3	0	276.3	47	555.5	698.5
8/8/19 7:00	0	0	0	143.9	0	112.3	0	280	47	583.2	698.4
8/8/19 8:00	0	0	0	135.6	0	109.4	0	279.3	15.4	539.7	698.3
8/8/19 9:00	0	0	0	139.6	0	154.7	0	291.4	61.1	646.8	698.4
8/8/19 10:00	0	0	0	157.5	0	165.6	0	278.7	75.2	677.0	698.4
8/8/19 11:00	0	0	0	160.8	0	153.6	0	269.4	65.7	649.5	698.4
8/8/19 12:00	0	0	0	130.8	0	139.8	0	254.5	49.2	574.3	698.3
8/8/19 13:00	0	0	0	142.1	0	145.5	0	280.5	77	645.1	698.3
8/8/19 14:00	0	0	0	156.3	0	171.6	0	279.5	54.9	662.3	698.4
8/8/19 15:00	0	0	0	160.3	0	184.1	0	279.4	40.8	664.6	698.4
8/8/19 16:00	0	0	0	164.3	0	180.4	0	279.6	44.6	668.9	698.5
8/8/19 17:00	0	0	0	161.7	0	194.1	0	280	40.7	676.5	698.7
8/8/19 18:00	0	0	0	148.3	0	194.3	0	280.8	60.5	683.9	698.8
8/8/19 19:00	0	0	0	135.6	0	148.9	0	273.8	45	603.3	698.9
8/8/19 20:00	0	0	0	136.4	0	172.6	0	280	40.5	629.5	698.9
8/8/19 21:00	0	0	0	137.4	0	226.7	0	278.8	43.1	686.0	699.0
8/8/19 22:00	0	0	0	142.3	0	310.7	0	281.6	44.4	779.0	699.3
8/8/19 23:00	0	0	0	147.9	0	203.3	0	280	40.5	671.7	699.4
8/9/19 0:00	0	0	0	157.5	0	193	0	280.5	51.9	682.9	699.5
8/9/19 1:00	0	0	0	163.4	0	214.6	0	279.4	39.8	697.2	699.6
8/9/19 2:00	0	0	0	140.8	0	182	0	278.5	42.8	644.1	699.7
8/9/19 3:00	0	0	0	135.9	0	174.6	0	279	42.9	632.4	699.8
8/9/19 4:00	0	0	0	149.6	0	208	0	279.7	50.2	687.5	699.9
8/9/19 5:00	0	0	0	154.9	0	211.9	0	276.7	26.2	669.7	700.0
8/9/19 6:00	0	0	0	168.3	0	229.3	0	279.2	40.8	717.6	700.2
8/9/19 7:00	0	0	0	190.6	0	220.9	0	279.9	37.8	729.2	700.4
8/9/19 8:00	0	0	0	202.6	0	203.8	0	278.9	38.9	724.2	700.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/9/19 9:00	0	0	0	211.6	0	168.6	0	278.9	39.8	698.9	700.8
8/9/19 10:00	0	0	0	210.9	0	170	0	278.9	38.6	698.4	701.0
8/9/19 11:00	0	0	0	221.3	0	192.5	0	305.9	44.5	764.2	701.1
8/9/19 12:00	0	0	0	213.4	0	229.2	0	282.3	49.5	774.4	701.3
8/9/19 13:00	0	0	0	209.1	0	209.7	0	282	52.3	753.1	701.5
8/9/19 14:00	0	0	0	213.7	0	219.8	0	279.3	45.1	757.9	701.6
8/9/19 15:00	0	0	0	224.2	0	211.2	0	278.6	42.9	756.9	701.9
8/9/19 16:00	0	0	0	226.5	0	225.5	0	280.7	39	771.7	701.8
8/9/19 17:00	0	0	0	185.5	0	131.1	0	279.6	41.3	637.5	701.9
8/9/19 18:00	0	0	0	176.3	0	99.7	0	277.1	41.8	594.9	701.9
8/9/19 19:00	0	0	0	179.9	0	118.8	0	280.6	41.2	620.5	701.9
8/9/19 20:00	0	0	0	183.5	0	105.7	0	279.3	41.9	610.4	701.9
8/9/19 21:00	0	0	0	176.8	0	78.7	0	280	44.3	579.8	701.8
8/9/19 22:00	0	0	0	181.5	0	99.7	0	279.8	42.8	603.8	701.8
8/9/19 23:00	0	0	0	180.6	0	101.5	0	250.1	56.9	589.1	701.7
8/10/19 0:00	0	0	0	179.3	0	78.2	0	273.5	43.4	574.4	701.6
8/10/19 1:00	0	0	0	182.2	0	83.7	0	277.9	46.2	590.0	701.5
8/10/19 2:00	0	0	0	178.4	0	89.8	0	279.1	41.4	588.7	701.5
8/10/19 3:00	0	0	0	181.1	0	76.7	0	280.1	42.7	580.6	701.4
8/10/19 4:00	0	0	0	172.8	0	74	0	279	41.4	567.2	701.2
8/10/19 5:00	0	0	0	178.1	0	116.3	0	278	57.4	629.8	701.2
8/10/19 6:00	0	0	0	201.5	0	145.7	0	279.6	42.1	668.9	701.3
8/10/19 7:00	0	0	0	207.3	0	153.3	0	279.9	35.8	676.3	701.3
8/10/19 8:00	0	0	0	207.3	0	165.6	0	280.1	39.9	692.9	701.4
8/10/19 9:00	0	0	0	216.7	0	176.7	0	280.8	39.7	713.9	701.5
8/10/19 10:00	0	0	0	224.2	0	183.1	0	278.9	39.5	725.7	701.6
8/10/19 11:00	0	0	0	232.9	0	169.2	0	296.9	38.4	737.4	701.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/10/19 12:00	0	0	0	230	0	169.7	0	270.4	41.9	712.0	701.0
8/10/19 13:00	0	0	0	227.9	0	177.3	0	280	42.5	727.7	701.2
8/10/19 14:00	0	0	0	226.4	0	184	0	280.5	41.5	732.4	701.3
8/10/19 15:00	0	0	0	218.5	0	195.9	0	279.2	39	732.6	701.4
8/10/19 16:00	0	0	0	214.1	0	172.6	0	279.3	40.9	706.9	701.6
8/10/19 17:00	0	0	0	206.3	0	154.6	0	279.6	42.4	682.9	701.7
8/10/19 18:00	0	0	0	207.7	0	192.9	0	279.4	41.4	721.4	701.8
8/10/19 19:00	0	0	0	218.1	0	191.5	0	280.6	39.5	729.7	702.0
8/10/19 20:00	0	0	0	209.4	0	178.2	0	279.5	42.4	709.5	702.0
8/10/19 21:00	0	0	0	209.8	0	171.7	0	278.5	42	702.0	702.1
8/10/19 22:00	0	0	0	209.6	0	170.9	0	277.3	37.3	695.1	702.2
8/10/19 23:00	0	0	0	224.8	0	190.6	0	262.4	56.5	734.3	702.4
8/11/19 0:00	0	0	0	228.6	0	198	0	282.3	37.5	746.4	702.5
8/11/19 1:00	0	0	0	227.4	0	193.5	0	279.1	48.7	748.7	702.5
8/11/19 2:00	0	0	0	228.4	0	192.6	0	279.6	38.2	738.8	702.6
8/11/19 3:00	0	0	0	204.4	0	168.1	0	279.4	37.9	689.8	702.6
8/11/19 4:00	0	0	0	209.7	0	173.1	0	279.7	41.7	704.2	702.6
8/11/19 5:00	0	0	0	201.1	0	163.5	0	277.3	40.1	682.0	702.6
8/11/19 6:00	0	0	0	200.2	0	123.7	0	279.6	43.5	647.0	702.5
8/11/19 7:00	0	0	0	192.9	0	120	0	279.1	37.6	629.6	702.5
8/11/19 8:00	0	0	0	190.1	0	117.1	0	279.4	41	627.6	702.4
8/11/19 9:00	0	0	0	180.3	0	109.2	0	279.9	39.9	609.3	702.4
8/11/19 10:00	0	0	0	198.2	0	128.5	0	279.9	41.9	648.5	702.3
8/11/19 11:00	0	0	0	213.6	0	146.7	0	281.4	53.2	694.9	702.3
8/11/19 12:00	0	0	0	209.4	0	174.3	0	277.1	52.5	713.3	702.5
8/11/19 13:00	0	0	0	209.2	0	178.6	0	307.3	36.6	731.7	702.6
8/11/19 14:00	0	0	0	188.7	0	156	0	278.8	40.5	664.0	702.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/11/19 15:00	0	0	0	178.8	0	139.1	0	279.2	38.7	635.8	702.7
8/11/19 16:00	0	0	0	179.4	0	117.5	0	279.8	37.6	614.3	702.8
8/11/19 17:00	0	0	0	172.5	0	129.2	0	279.6	39.9	621.2	702.8
8/11/19 18:00	0	0	0	176.3	0	129.2	0	279.2	37.6	622.3	702.9
8/11/19 19:00	0	0	0	177.9	0	159.3	0	279.8	39.3	656.3	703.0
8/11/19 20:00	0	0	0	179.2	0	154.8	0	280.1	40	654.1	703.1
8/11/19 21:00	0	0	0	189.6	0	156.5	0	280.3	41.4	667.8	703.2
8/11/19 22:00	0	0	0	228.4	0	172.8	0	281.1	51	733.3	703.3
8/11/19 23:00	0	0	0	182.5	0	140	0	265.7	74.7	662.9	703.3
8/12/19 0:00	0	0	0	179.7	0	138.4	0	280.3	55.6	654.0	703.3
8/12/19 1:00	0	0	0	176.8	0	152.9	0	280.7	49.3	659.7	703.4
8/12/19 2:00	0	0	0	178.7	0	141.1	0	279.8	49.6	649.2	703.4
8/12/19 3:00	0	0	0	182.7	0	181.5	0	279.3	55.1	698.6	703.5
8/12/19 4:00	0	0	0	176.7	0	146.3	0	278.8	45.4	647.2	703.6
8/12/19 5:00	0	0	0	179.7	0	136.2	0	278	45.7	639.6	703.6
8/12/19 6:00	0	0	0	180.8	0	100.1	0	279.3	49.1	609.3	703.5
8/12/19 7:00	0	0	0	178	0	110	0	278.4	48.4	614.8	703.4
8/12/19 8:00	0	0	0	174.1	0	153	0	334.5	96.7	758.3	703.6
8/12/19 9:00	0	0	0	192.9	0	181.8	0	280.8	48	703.5	703.6
8/12/19 10:00	0	0	0	191.9	0	171.2	0	278.5	46.2	687.8	703.7
8/12/19 11:00	0	0	0	181	0	157.8	0	279	55	672.8	703.7
8/12/19 12:00	0	0	0	178.1	0	158.5	0	278.7	38.4	653.7	703.6
8/12/19 13:00	0	0	0	180.2	0	117.5	0	282.7	51.9	632.3	703.6
8/12/19 14:00	0	0	0	176.6	0	109	0	279.2	57.2	622.0	703.6
8/12/19 15:00	0	0	0	176.9	0	92	0	280.3	44.9	594.1	703.5
8/12/19 16:00	0	0	0	177.3	0	112.7	0	279.2	48.9	618.1	703.4
8/12/19 17:00	0	0	0	177.9	0	134.9	0	279	47.3	639.1	703.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/12/19 18:00	0	0	0	179.8	0	161.5	0	278.7	54.1	674.1	703.6
8/12/19 19:00	0	0	0	185.9	0	151	0	279.2	45.8	661.9	703.6
8/12/19 20:00	0	0	0	183.8	0	167.8	0	279.4	49.2	680.2	703.7
8/12/19 21:00	0	0	0	177.7	0	135.5	0	279	51.2	643.4	703.7
8/12/19 22:00	0	0	0	176.3	0	142.4	0	279.8	48.4	646.9	703.7
8/12/19 23:00	0	0	0	191.4	0	165.4	0	280.7	54.1	691.6	703.7
8/13/19 0:00	0	0	0	183.3	0	140.5	0	279.3	48.4	651.5	703.8
8/13/19 1:00	0	0	0	179.7	0	93.2	0	280.4	58.7	612.0	703.8
8/13/19 2:00	0	0	0	175.4	0	256.5	0	280.1	48.7	760.7	704.0
8/13/19 3:00	0	0	0	181.4	0	229.8	0	280.2	54.6	746.0	704.2
8/13/19 4:00	0	0	0	187.9	0	179.3	0	278.8	51.5	697.5	704.3
8/13/19 5:00	0	0	0	203	0	197.8	0	279.9	59.2	739.9	704.4
8/13/19 6:00	0	0	0	177.5	0	155.5	0	279.1	54.7	666.8	704.5
8/13/19 7:00	0	0	0	197	0	182.1	0	279.9	52.6	711.6	704.6
8/13/19 8:00	0	0	0	190.1	0	169.2	0	346.9	101.8	808.0	704.9
8/13/19 9:00	0	0	0	181.7	0	148.4	0	282.5	58.2	670.8	704.9
8/13/19 10:00	0	0	0	180.5	0	160.4	0	279.4	51.8	672.1	705.0
8/13/19 11:00	0	0	0	181.8	0	160.3	0	279.2	57.5	678.8	705.1
8/13/19 12:00	0	0	0	197.6	0	168.5	0	285.2	66.6	717.9	705.1
8/13/19 13:00	0	0	0	191.4	0	186	0	279.7	49.2	706.3	705.2
8/13/19 14:00	0	0	0	190.6	0	166.2	0	279.5	55.5	691.8	705.3
8/13/19 15:00	0	0	0	183.2	0	118.9	0	279.6	60.7	642.4	705.2
8/13/19 16:00	0	0	0	183.1	0	97	0	279.6	52.2	611.9	705.2
8/13/19 17:00	0	0	0	177	0	95.7	0	277.8	55	605.5	705.1
8/13/19 18:00	0	0	0	196.6	0	144.1	0	279.8	58.8	679.3	705.1
8/13/19 19:00	0	0	0	191.5	0	137.8	0	283.3	55	667.6	705.1
8/13/19 20:00	0	0	0	196.9	0	139.7	0	285.2	67	688.8	704.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/13/19 21:00	0	0	0	200.2	0	157.8	0	279.5	60.4	697.9	705.0
8/13/19 22:00	0	0	0	208.4	0	153.1	0	279.6	60	701.1	705.1
8/13/19 23:00	0	0	0	207.4	0	153.4	0	284.3	70.2	715.3	705.2
8/14/19 0:00	0	0	0	205.6	0	147.1	0	277.3	42.4	672.4	705.3
8/14/19 1:00	0	0	0	191.8	0	148.2	0	279.1	54.9	674.0	705.4
8/14/19 2:00	0	0	0	197.4	0	134.1	0	278.8	61.1	671.4	705.5
8/14/19 3:00	0	0	0	215.1	0	150.4	0	279	52.4	696.9	705.5
8/14/19 4:00	0	0	0	214.5	0	151.7	0	279.5	58.1	703.8	705.6
8/14/19 5:00	0	0	0	218.5	0	152	0	283.6	34	688.1	705.7
8/14/19 6:00	0	0	0	182.8	0	116.4	0	271.8	591.6	1162.6	706.4
8/14/19 7:00	0	0	0	189.4	0	101.1	0	277.6	591.6	1159.7	707.2
8/14/19 8:00	0	0	0	191.2	0	91	0	276.8	591.6	1150.6	707.7
8/14/19 9:00	0	0	0	215.8	0	141.3	0	288	591.6	1236.7	708.5
8/14/19 10:00	0	0	0	211.4	0	155.9	0	279.8	591.6	1238.7	709.3
8/14/19 11:00	0	0	0	213	0	155.4	0	339.6	591.6	1299.6	710.2
8/14/19 12:00	0	0	0	197.5	0	136.5	0	276.6	591.6	1202.2	710.9
8/14/19 13:00	0	0	0	182.1	29	121.2	0	277.3	591.6	1201.2	711.7
8/14/19 14:00	0	0	0	193	126.1	170.1	0	278.3	591.6	1359.1	712.7
8/14/19 15:00	0	0	0	187.8	178.6	160.1	0	278.3	59	863.8	713.0
8/14/19 16:00	0	0	0	208.8	190.5	162.2	0	279.7	50.4	891.6	713.3
8/14/19 17:00	0	0	0	190.9	166.5	141.1	0	280	63.1	841.6	713.6
8/14/19 18:00	0	0	0	180.9	157.9	132.7	0	278.5	52	802.0	713.8
8/14/19 19:00	0	0	0	186.5	165.6	144.4	0	280.1	49.8	826.4	714.1
8/14/19 20:00	0	0	0	200.4	177.5	148.1	0	281.9	64.1	872.0	714.4
8/14/19 21:00	0	0	0	195.8	171	154.7	0	279.8	50.1	851.4	714.7
8/14/19 22:00	0	0	0	195.2	191.4	106.7	0	283.7	52.9	829.9	714.9
8/14/19 23:00	0	0	0	183.8	187.4	99.8	0	279.9	54.6	805.5	715.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/15/19 0:00	0	0	0	205.1	213	2.6	0	277.4	61.3	759.4	715.4
8/15/19 1:00	0	0	0	185.3	191.9	0.9	0	279.2	50.6	707.9	715.5
8/15/19 2:00	0	0	0	188.7	190.2	0	0	278.9	57.9	715.7	715.6
8/15/19 3:00	0	0	0	200.4	203.2	0	0	279.5	55	738.1	715.8
8/15/19 4:00	0	0	0	191.6	193.4	0	0	279	55.1	719.1	715.9
8/15/19 5:00	0	0	0	204.7	203.1	0	0	280	85.3	773.1	716.2
8/15/19 6:00	0	0	0	214.1	211	0	0	274.8	59.4	759.3	716.4
8/15/19 7:00	0	0	0	220.2	215.9	0	0	278.6	61.3	776.0	716.6
8/15/19 8:00	0	0	0	219.6	213	0	0	279.4	54.6	766.6	716.6
8/15/19 9:00	0	0	0	204.2	196.5	0	0	301.5	113.6	815.8	716.9
8/15/19 10:00	0	0	0	197.8	193.3	0	0	282.2	50.6	723.9	717.0
8/15/19 11:00	0	0	0	195.8	191.7	0	0	280	52.2	719.7	717.1
8/15/19 12:00	0	0	0	191	186.9	0	0	277.8	55.1	710.8	717.2
8/15/19 13:00	0	0	0	178.5	178.6	0	0	279.2	56.3	692.6	717.3
8/15/19 14:00	0	0	0	196.9	199.7	0	0	277	48.7	722.3	717.5
8/15/19 15:00	0	0	0	192.4	193.4	0	0	279	50.8	715.6	717.6
8/15/19 16:00	0	0	0	204.4	206.6	0	0	278.1	50.1	739.2	717.7
8/15/19 17:00	0	0	0	199.2	199.7	0	0	278.9	59.9	737.7	717.9
8/15/19 18:00	0	0	0	194.5	194.3	0	0	278.8	51.2	718.8	718.0
8/15/19 19:00	0	0	0	196.7	197.5	0	0	279	53	726.2	718.2
8/15/19 20:00	0	0	0	197.9	196.8	0	0	278.8	48.3	721.8	718.4
8/15/19 21:00	0	0	0	205.8	202.5	2.6	0	279.9	54.1	744.9	718.6
8/15/19 22:00	0	0	0	212	206.5	24.9	0	280	54.9	778.3	718.8
8/15/19 23:00	0	0	0	220.5	218.1	29.3	0	283.5	52.9	804.3	719.0
8/16/19 0:00	0	0	0	226.5	222.2	70.1	0	279.2	50.2	848.2	719.4
8/16/19 1:00	0	0	0	229	225.5	62.8	0	278.5	54.4	850.2	719.8
8/16/19 2:00	0	0	0	220.3	216.8	90.4	0	278.8	55	861.3	720.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/16/19 3:00	0	0	0	201.8	198.2	119.8	0	278.9	50.8	849.5	720.5
8/16/19 4:00	0	0	0	178.3	182.5	311.9	0	278.7	51.4	1002.8	721.0
8/16/19 5:00	0	0	0	173.7	176.9	415.7	0	277.5	41.6	1085.4	721.7
8/16/19 6:00	0	0	0	172.9	178.2	149.4	0	282.2	48.5	831.2	722.0
8/16/19 7:00	0	0	0	173.8	182.9	104	0	282.2	47.2	790.1	722.2
8/16/19 8:00	0	0	0	172	172.9	136.9	0	282.1	47.9	811.8	722.2
8/16/19 9:00	0	0	0	63.9	172.2	134.1	0	279.8	51.7	701.7	722.3
8/16/19 10:00	0	0	0	0	183.5	180.5	0	278.3	49.3	691.6	722.3
8/16/19 11:00	0	0	0	0	185.4	142.3	0	316.7	34.2	678.6	722.2
8/16/19 12:00	0	0	0	0	186.4	154.5	0	298.2	53.8	692.9	722.2
8/16/19 13:00	0	0	0	0	181.6	172	0	277.9	43.6	675.1	722.1
8/16/19 14:00	0	0	0	0	182.6	161.5	0	278.6	52.2	674.9	721.9
8/16/19 15:00	0	0	0	0	181.9	141	0	278.7	42.9	644.5	721.7
8/16/19 16:00	0	0	0	0	181.8	136.1	0	279	43.7	640.6	721.5
8/16/19 17:00	0	0	0	0	182.1	128.7	0	278.3	49.7	638.8	721.4
8/16/19 18:00	0	0	0	0	180.3	87	0	278	48.9	594.2	721.2
8/16/19 19:00	0	0	0	0	178	90.5	0	279.2	44.4	592.1	721.0
8/16/19 20:00	0	0	0	0	178.3	95.2	0	281	50.9	605.4	720.8
8/16/19 21:00	0	0	0	0	179.9	76.4	0	279.3	46.8	582.4	720.3
8/16/19 22:00	0	0	0	0	175.1	115.6	0	278.2	49.8	618.7	719.9
8/16/19 23:00	0	0	0	0	181.3	134.4	0	279.2	45.8	640.7	719.5
8/17/19 0:00	0	0	0	0	183.1	97.7	0	280.1	30	590.9	719.0
8/17/19 1:00	0	0	0	0	182.6	81.2	0	277	35	575.8	718.3
8/17/19 2:00	0	0	0	0	182.8	111.3	0	279.6	68.1	641.8	718.0
8/17/19 3:00	0	0	0	0	181.7	123.1	0	278.8	54.4	638.0	717.8
8/17/19 4:00	0	0	0	0	181.7	141	0	278.7	42.4	643.8	717.6
8/17/19 5:00	0	0	0	0	181.4	110.4	0	277.2	30.2	599.2	717.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/17/19 6:00	0	0	0	0	179.3	89.5	0	279.5	42.7	591.0	717.1
8/17/19 7:00	0	0	0	0	181.4	110.8	0	276.9	47.5	616.6	716.8
8/17/19 8:00	0	0	0	0	181.9	130.8	0	279.6	51.6	643.9	716.7
8/17/19 9:00	0	0	0	0	180.1	142.6	0	278.8	51.1	652.6	716.5
8/17/19 10:00	0	0	0	0	180.2	130.1	0	275	52.1	637.4	716.3
8/17/19 11:00	0	0	0	0	181.3	123.1	0	312.3	33.7	650.4	716.1
8/17/19 12:00	0	47.3	0	0	181.9	135.7	0	274.2	56.8	695.9	715.9
8/17/19 13:00	0	128.1	0	0	183.7	105.5	0	283.8	46.4	747.5	715.8
8/17/19 14:00	0	122.1	0	0	183.8	95.5	0	279.1	47.4	727.9	715.6
8/17/19 15:00	0	115.9	0	0	182.3	98.7	0	279	47	722.9	715.4
8/17/19 16:00	0	116.9	0	0	179.6	93.8	0	277.5	42	709.8	715.3
8/17/19 17:00	0	119	0	0	178.2	93.5	0	280	47.1	717.8	715.2
8/17/19 18:00	0	125.7	0	0	180.2	86	0	277.2	46.8	715.9	715.1
8/17/19 19:00	0	0.4	0	0	179.7	130.1	0	278.1	38.9	627.2	714.9
8/17/19 20:00	0	0	0	0	179.7	122.9	0	279.9	48.2	630.7	714.6
8/17/19 21:00	0	0	0	0	179.3	105.5	0	279.7	46.5	611.0	714.4
8/17/19 22:00	0	0	0	0	178.5	131.5	0	276	44.4	630.4	714.3
8/17/19 23:00	0	0	0	0	178.3	122	0	279.3	46.3	625.9	714.1
8/18/19 0:00	0	0	0	0	179.9	147.7	0	278.1	48	653.7	714.0
8/18/19 1:00	0	0	0	0	180	131.9	0	279.8	53	644.7	713.5
8/18/19 2:00	0	0	0	0	179.2	136	0	278.4	47	640.6	713.4
8/18/19 3:00	0	0	0	0	180.4	126.7	0	279.2	42.4	628.7	713.2
8/18/19 4:00	0	0	0	0	179	115.6	0	279.1	46.3	620.0	713.1
8/18/19 5:00	0	0	0	0	178.3	100.2	0	278.1	53.7	610.3	713.0
8/18/19 6:00	0	0	0	0	179.7	127.3	0	278.2	47.5	632.7	712.9
8/18/19 7:00	0	0	0	0	182.3	131.7	0	279.6	45.3	638.9	712.7
8/18/19 8:00	0	0	0	0	173.1	100.9	0	278.6	45.8	598.4	712.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/18/19 9:00	0	0	0	0	172.1	101.5	0	279.3	52.2	605.1	712.1
8/18/19 10:00	0	0	0	0	172.2	92.6	0	280	46.1	590.9	711.9
8/18/19 11:00	0	0	0	0	171.6	126.2	0	304.3	67.4	669.5	711.8
8/18/19 12:00	0	0	0	0	173	151.1	0	275.1	46.4	645.6	711.7
8/18/19 13:00	0	0	0	0	172.8	131	0	281.8	47.6	633.2	711.5
8/18/19 14:00	0	0	0	0	165.3	147.9	0	279.6	40.2	633.0	711.3
8/18/19 15:00	0	0	0	0	173.2	130.9	0	279.3	46.2	629.6	711.1
8/18/19 16:00	0	0	0	0	171	89.3	0	279	40.6	579.9	710.9
8/18/19 17:00	0	0	0	0	167.2	97.3	0	279.4	43.8	587.7	710.7
8/18/19 18:00	0	0	0	0	167.2	86.9	0	279.4	51.5	585.0	710.4
8/18/19 19:00	0	0	0	0	167.1	107.1	0	278.9	35.1	588.2	710.2
8/18/19 20:00	0	0	0	0	166.1	102.5	0	278.9	43.8	591.3	710.0
8/18/19 21:00	0	0	0	0	167.1	104.3	0	280.3	44.6	596.3	709.8
8/18/19 22:00	0	0	0	0	168.2	115.3	0	266.9	43.4	593.8	709.6
8/18/19 23:00	0	0	0	0	167.6	121.6	0	280.8	43.8	613.8	709.5
8/19/19 0:00	0	0	0	0	168	112.3	0	281.3	50.1	611.7	709.3
8/19/19 1:00	0	0	0	0	163.5	103	0	278.5	41.6	586.6	709.1
8/19/19 2:00	0	0	0	0	166.5	106.3	0	279.9	45	597.7	708.9
8/19/19 3:00	0	0	0	0	166.3	115.8	0	279	59.4	620.5	708.8
8/19/19 4:00	0	0	0	0	166.4	107	0	278.6	45	597.0	708.6
8/19/19 5:00	0	0	0	0	167.5	73.6	0	280.1	60.2	581.4	708.4
8/19/19 6:00	0	0	0	0	176.2	117.9	0	278.9	44.2	617.2	708.3
8/19/19 7:00	0	0	0	0	169.4	98.1	0	282.4	45.9	595.8	708.2
8/19/19 8:00	0	0	0	0	169.5	113.3	0	293.5	80.6	656.9	708.2
8/19/19 9:00	0	0	0	0	175.6	119.5	0	277.6	51.6	624.3	708.1
8/19/19 10:00	0	0	0	0	177.7	129.6	0	278.9	53.9	640.1	707.9
8/19/19 11:00	0	0	0	0	194	150.9	0	277.3	57.7	679.9	707.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/19/19 12:00	0	0	0	0	221	162.3	0	279.8	69.3	732.4	707.8
8/19/19 13:00	0	0	0	0	213.1	160.3	0	279.1	55.5	708.0	707.7
8/19/19 14:00	0	0	0	0	206.5	131.4	0	277.3	53.7	668.9	707.6
8/19/19 15:00	0	0	0	0	204	169	0	279.4	59.2	711.6	707.6
8/19/19 16:00	0	0	0	0	191.2	163.3	0	280.1	46.2	680.8	707.5
8/19/19 17:00	0	0	0	0	193.7	129.8	0	278.4	58.5	660.4	707.4
8/19/19 18:00	0	0	0	0	184.3	127.1	0	281.2	54.9	647.5	707.3
8/19/19 19:00	0	0	0	0	179.5	143.5	0	276.1	57.1	656.2	707.2
8/19/19 20:00	0	0	0	0	187	135.3	0	281.5	65	668.8	707.1
8/19/19 21:00	0	0	0	0	199.5	148.5	0	278.5	53.6	680.1	707.1
8/19/19 22:00	0	0	0	0	196.6	151.6	0	278.7	61.7	688.6	707.1
8/19/19 23:00	0	0	0	0	197.3	154.5	0	280	51	682.8	707.0
8/20/19 0:00	0	0	0	0	210.2	169.1	0	277.5	49.1	705.9	707.0
8/20/19 1:00	0	0	0	0	216	174.3	0	278.6	62.9	731.8	707.0
8/20/19 2:00	0	0	0	0	191.7	151.6	0	278.5	55.7	677.5	706.9
8/20/19 3:00	0	0	0	0	188.8	142.7	0	278.7	50.4	660.6	706.8
8/20/19 4:00	0	0	0	0	182.3	116.7	0	278.3	59.1	636.4	706.6
8/20/19 5:00	0	0	0	0	188.7	113.7	0	279.7	68.8	650.9	706.5
8/20/19 6:00	0	0	0	0	174.2	98	0	278.5	51.7	602.4	706.3
8/20/19 7:00	0	0	0	0	174.2	75.8	0	280.1	52.3	582.4	706.1
8/20/19 8:00	0	0	0	0	169.2	64.3	0	276.8	106.2	616.5	705.9
8/20/19 9:00	0	0	0	0	179	70	0	277.9	50.1	577.0	705.8
8/20/19 10:00	0	0	0	0	184.3	265.6	0	279.5	51.2	780.6	705.9
8/20/19 11:00	0	0	0	0	205.9	143.1	0	276.7	55.3	681.0	705.8
8/20/19 12:00	0	0	0	0	219.5	168.1	0	282.3	57.1	727.0	705.8
8/20/19 13:00	0	0	0	0	204.5	153.7	0	279.6	51.4	689.2	705.8
8/20/19 14:00	0	0	0	0	215.4	163.4	0	279	52.5	710.3	705.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/20/19 15:00	0	0	0	0	185.4	146	0	278.9	50.9	661.2	705.6
8/20/19 16:00	0	0	0	0	182.7	113.9	0	279	56.8	632.4	705.5
8/20/19 17:00	0	0	0	0	173.8	90.8	0	279.2	48.9	592.7	705.4
8/20/19 18:00	0	0	0	0	173.8	91.5	0	279.3	53.1	597.7	705.2
8/20/19 19:00	0	0	0	0	173.4	80.4	0	279.5	46.6	579.9	705.1
8/20/19 20:00	0	0	0	0	169.4	86.4	0	277.9	56.7	590.4	704.9
8/20/19 21:00	0	0	0	0	170.6	90.5	0	279.3	51.7	592.1	704.6
8/20/19 22:00	0	0	0	0	171.4	95.2	0	279.2	59.3	605.1	704.5
8/20/19 23:00	0	0	0	0	174.3	113.7	0	260.1	56.2	604.3	704.3
8/21/19 0:00	0	0	0	0	171.4	106.6	0	251.8	44.4	574.2	704.1
8/21/19 1:00	0	0	0	0	169.6	95.2	0	260.8	51.1	576.7	703.8
8/21/19 2:00	0	0	0	0	170.6	91.6	0	259.6	46.7	568.5	703.5
8/21/19 3:00	0	0	0	0	169.4	96	0	256.9	43.8	566.1	703.2
8/21/19 4:00	0	0	0	0	168.9	97.6	0	256.2	43.4	566.1	702.9
8/21/19 5:00	0	0	0	0	170.3	121.1	0	284.3	44.4	620.1	702.7
8/21/19 6:00	0	0	0	0	174.3	114.7	0	276.5	42.2	607.7	702.5
8/21/19 7:00	0	0	0	0	187.5	129	0	280.9	42	639.4	702.2
8/21/19 8:00	0	0	0	0	187.2	174.1	0	278.1	37	676.4	701.5
8/21/19 9:00	0	0	0	0	189.1	172.4	0	279.5	39.8	680.8	701.0
8/21/19 10:00	0	0	0	0	184.2	177.4	0	278.8	40.1	680.5	700.2
8/21/19 11:00	0	0	0	0	179.6	155.8	0	287.2	69.1	691.7	699.4
8/21/19 12:00	0	0	0	0	183.1	181	0	282	61.1	707.2	698.6
8/21/19 13:00	0	0	0	0	163	114.3	0	279.5	42.5	599.3	698.0
8/21/19 14:00	0	0	0	0	197.6	178	0	278.3	46.3	700.2	698.0
8/21/19 15:00	0	0	0	0	195.3	192.5	0	278.4	46.1	712.3	697.8
8/21/19 16:00	0	0	0	0	193.1	181	0	279.6	39.9	693.6	697.8
8/21/19 17:00	0	0	0	0	185.4	132.4	0	278.6	44	640.4	697.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/21/19 18:00	0	0	0	0	185.8	131.9	0	279.2	47	643.9	697.8
8/21/19 19:00	0	0	0	0	179.4	119.7	0	279	42.1	620.2	697.7
8/21/19 20:00	0	0	0	0	178.9	112.6	0	278.5	45	615.0	697.6
8/21/19 21:00	0	0	0	0	179.6	108.1	0	279.6	42.2	609.5	697.6
8/21/19 22:00	0	0	0	0	180	128.3	0	276.3	53.3	637.9	697.6
8/21/19 23:00	0	0	0	0	180.4	117.3	0	270.8	40.7	609.2	697.5
8/22/19 0:00	0	0	0	0	179.5	105.2	0	277.1	41.8	603.6	697.5
8/22/19 1:00	0	0	0	0	182.4	113.1	0	278.7	46.2	620.4	697.4
8/22/19 2:00	0	0	0	0	179.1	115.2	0	279	38.9	612.2	697.3
8/22/19 3:00	0	0	0	0	181.4	115.8	0	278.2	42.7	618.1	697.3
8/22/19 4:00	0	0	0	0	185.1	114.4	0	280.4	52.1	632.0	697.2
8/22/19 5:00	0	0	0	0	183.8	126.3	0	279.8	38	627.9	697.0
8/22/19 6:00	0	0	0	0	185.1	63.4	0	278	42.3	568.8	696.8
8/22/19 7:00	0	0	0	0	184.8	86.7	0	279.5	39.4	590.4	696.7
8/22/19 8:00	0	0	0	0	183.9	68.4	0	278.8	40.5	571.6	696.5
8/22/19 9:00	0	0	0	0	183	59.4	0	278.9	44.4	565.7	696.3
8/22/19 10:00	0	0	0	0	181.9	65.8	0	279.9	41.8	569.4	696.1
8/22/19 11:00	0	0	0	0	182.4	103.6	0	291.4	77	654.4	696.0
8/22/19 12:00	0	0	0	0	184.5	82.2	0	279.8	52	598.5	695.9
8/22/19 13:00	0	0	0	0	181.5	91.6	0	279.1	39.4	591.6	695.8
8/22/19 14:00	0	0	0	0	180	94.3	0	279.1	41.5	594.9	695.7
8/22/19 15:00	0	0	0	0	178.7	87.1	0	278.9	40.8	585.5	695.6
8/22/19 16:00	0	0	0	0	180.2	100.7	0	280.6	42.8	604.3	695.4
8/22/19 17:00	0	0	0	0	178.7	90.9	0	279.7	42.7	592.0	695.3
8/22/19 18:00	0	0	0	0	177.7	101.8	0	277.5	46	603.0	695.2
8/22/19 19:00	0	0	0	0	157.2	106	0	279.7	38	580.9	695.1
8/22/19 20:00	0	0	0	0	166.3	95.2	0	278.9	39.9	580.3	695.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/22/19 21:00	0	0	0	0	170.9	98.5	0	278.7	43.1	591.2	694.9
8/22/19 22:00	0	0	0	0	180.4	146.5	0	274.1	46.5	647.5	694.8
8/22/19 23:00	0	0	0	0	169.9	79	0	269	46	563.9	694.7
8/23/19 0:00	0	0	0	0	170.2	91.1	0	282.7	41.1	585.1	694.6
8/23/19 1:00	0	0	0	0	170.9	97.5	0	278.4	40.3	587.1	694.4
8/23/19 2:00	0	0	0	0	171.3	121.7	0	279.8	44.4	617.2	694.3
8/23/19 3:00	0	0	0	0	170.7	90.7	0	279	37.9	578.3	694.2
8/23/19 4:00	0	0	0	0	170.2	122.5	0	279.7	41.5	613.9	694.1
8/23/19 5:00	0	0	0	0	170.2	145.5	0	279.2	40.1	635.0	694.0
8/23/19 6:00	0	0	0	0	170.5	138.8	0	277.4	47.5	634.2	693.9
8/23/19 7:00	0	0	0	0	169.8	133.4	0	279.7	33.5	616.4	693.9
8/23/19 8:00	0	0	0	0	168.2	113.6	0	279.6	39.6	601.0	693.8
8/23/19 9:00	0	0	0	0	182	131.2	0	279.7	46.6	639.5	693.7
8/23/19 10:00	0	0	0	0	169	109.6	0	303.8	62.9	645.3	693.6
8/23/19 11:00	0	0	0	0	169.4	110.2	0	239.3	40.6	559.5	693.4
8/23/19 12:00	0	0	0	0	169.7	136	0	285.1	41.7	632.5	693.1
8/23/19 13:00	0	0	0	0	170.2	91.8	0	278.9	42.3	583.2	692.9
8/23/19 14:00	0	0	0	0	170.1	106.8	0	279.7	37.6	594.2	692.8
8/23/19 15:00	0	0	0	0	170.2	115.7	0	279.3	41.1	606.3	692.8
8/23/19 16:00	0	0	0	0	167.9	91.7	0	279.8	40.9	580.3	692.6
8/23/19 17:00	0	0	0	0	168.6	99.9	0	278.4	39.5	586.4	692.5
8/23/19 18:00	0	0	0	0	169.8	95.4	0	278.9	36.3	580.4	692.4
8/23/19 19:00	0	0	0	0	170.1	108.7	0	279.7	35.6	594.1	692.3
8/23/19 20:00	0	0	0	0	170	144.7	0	274.4	33.1	622.2	692.2
8/23/19 21:00	0	0	0	0	170.2	140.3	0	278.5	37.2	626.2	692.2
8/23/19 22:00	0	0	0	0	178.9	141.6	0	278.7	30.9	630.1	692.1
8/23/19 23:00	0	0	0	0	187.6	175.8	0	281.7	46.6	691.7	692.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/24/19 0:00	0	0	0	0	175.2	149.8	0	280.2	50.9	656.1	692.1
8/24/19 1:00	0	0	0	0	172	156.7	0	279.5	35.6	643.8	692.0
8/24/19 2:00	0	0	0	0	170.8	142.4	0	278.6	35.1	626.9	691.9
8/24/19 3:00	0	0	0	0	173	141.2	0	279.8	45.3	639.3	691.9
8/24/19 4:00	0	0	0	0	169.3	147.8	0	279.9	38.2	635.2	691.8
8/24/19 5:00	0	0	0	0	171	153.1	0	280.9	43.2	648.2	691.7
8/24/19 6:00	0	0	0	0	168.8	153.4	0	280.1	39.6	641.9	691.7
8/24/19 7:00	0	0	0	0	168.1	146.9	0	280.4	32.6	628.0	691.6
8/24/19 8:00	0	0	0	0	169.3	149.2	0	279.3	38.6	636.4	691.6
8/24/19 9:00	0	0	0	0	168.8	136.5	0	280.2	43.2	628.7	691.5
8/24/19 10:00	0	0	0	0	167.8	153.3	0	281.8	52.8	655.7	691.4
8/24/19 11:00	0	0	0	0	170.6	131.3	0	304.7	55.2	661.8	691.4
8/24/19 12:00	0	0	0	0	167	112.5	0	278.5	38.3	596.3	691.3
8/24/19 13:00	0	0	0	0	168.8	103.6	0	281.7	42.4	596.5	691.2
8/24/19 14:00	0	0	0	0	166.6	127.9	0	281	46.5	622.0	691.1
8/24/19 15:00	0	0	0	0	167.1	277.1	0	278.2	35.9	758.3	691.3
8/24/19 16:00	0	0	0	0	166.8	136.7	0	279.7	40.4	623.6	691.3
8/24/19 17:00	0	0	0	0	166.9	122.8	0	279.1	39	607.8	691.3
8/24/19 18:00	0	0	0	0	167.7	147.5	0	281.6	57.2	654.0	691.3
8/24/19 19:00	0	0	0	0	168.3	155.3	0	281.4	43.6	648.6	691.4
8/24/19 20:00	0	0	0	0	167.4	114.2	0	280	37.2	598.8	691.3
8/24/19 21:00	0	0	0	0	167.1	133.6	0	280.5	44.3	625.5	691.3
8/24/19 22:00	0	0	0	0	167.7	128.7	0	279.3	47.6	623.3	691.3
8/24/19 23:00	0	0	0	0	167.9	163.2	0	280.9	35.3	647.3	691.1
8/25/19 0:00	0	0	0	0	167.6	156.5	0	279.9	38.6	642.6	690.8
8/25/19 1:00	0	0	0	0	166.5	153.2	0	279.1	47.5	646.3	690.7
8/25/19 2:00	0	0	0	0	166.3	186.9	0	280.5	43.8	677.5	690.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/25/19 3:00	0	0	0	0	165.9	170.7	0	277.5	36.8	650.9	690.4
8/25/19 4:00	0	0	0	0	170.8	201.7	0	281.7	38.4	692.6	690.3
8/25/19 5:00	0	0	0	0	166.2	165.4	0	279	41.4	652.0	690.2
8/25/19 6:00	0	0	0	0	167.6	129.1	0	276.8	44.6	618.1	690.1
8/25/19 7:00	0	0	0	0	166.9	112.2	0	280.2	35.3	594.6	689.9
8/25/19 8:00	0	0	0	0	171.1	143.9	0	305.4	60.5	680.9	689.9
8/25/19 9:00	0	0	0	0	171.2	167.2	0	278.5	42.1	659.0	689.8
8/25/19 10:00	0	0	0	0	177.1	194.4	0	279	41.6	692.1	689.8
8/25/19 11:00	0	0	0	0	171.1	193.1	0	281.8	53	699.0	689.8
8/25/19 12:00	0	0	0	0	169.9	167.7	0	277.9	38.5	654.0	689.8
8/25/19 13:00	0	0	0	0	172.3	173.8	0	280.2	43.1	669.4	689.7
8/25/19 14:00	0	0	0	0	175	207.2	0	278.9	44.1	705.2	689.7
8/25/19 15:00	0	0	0	0	176.1	183.4	0	279	47.4	685.9	689.7
8/25/19 16:00	0	0	0	0	168.9	141.1	0	279.3	41.3	630.6	689.7
8/25/19 17:00	0	0	0	0	169.4	137.6	0	279.8	44.4	631.2	689.7
8/25/19 18:00	0	0	0	0	169.2	125.8	0	279.9	48	622.9	689.7
8/25/19 19:00	0	0	0	0	169.4	147.1	0	281	41.5	639.0	689.6
8/25/19 20:00	0	0	0	0	169.1	143.8	0	273.5	39.3	625.7	689.6
8/25/19 21:00	0	0	0	0	168.6	130.1	0	280.3	41.7	620.7	689.5
8/25/19 22:00	0	0	0	0	169	152.8	0	278.7	30	630.5	689.5
8/25/19 23:00	0	0	0	0	169.5	140.7	0	286.1	38.5	634.8	689.4
8/26/19 0:00	0	0	0	0	169.1	152	0	277	53.5	651.6	689.4
8/26/19 1:00	0	0	0	0	169.8	130.9	0	274.9	35	610.6	689.2
8/26/19 2:00	0	0	0	0	168.7	141.3	0	280.3	48.1	638.4	689.2
8/26/19 3:00	0	0	0	0	168.9	143.6	0	279.9	42.6	635.0	689.1
8/26/19 4:00	0	0	0	0	169.2	146.8	0	279.2	40.3	635.5	689.0
8/26/19 5:00	0	0	0	0	170.3	167.7	0	280.1	48.9	667.0	689.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/26/19 6:00	0	0	0	0	163.4	140.8	0	278	42.3	624.5	688.9
8/26/19 7:00	0	0	0	0	171.6	136.1	0	280.1	40.1	627.9	688.9
8/26/19 8:00	0	0	0	0	171.8	132.4	0	279.9	40.9	625.0	688.8
8/26/19 9:00	0	0	0	0	171.3	135.5	0	279.4	42.2	628.4	688.8
8/26/19 10:00	0	0	0	0	187	317.9	0	279.3	42.4	826.6	688.8
8/26/19 11:00	0	0	0	0	224.6	458	0	291.3	55	1028.9	688.9
8/26/19 12:00	0	0	0	0	183.2	457.7	0	282.7	24.1	947.7	688.9
8/26/19 13:00	0	0	0	0	172.4	232.8	0	279.9	49.8	734.9	688.7
8/26/19 14:00	0	0	0	0	173.3	177.8	0	277.8	53.6	682.5	688.4
8/26/19 15:00	0	0	0	0	173.8	187.8	0	280.1	39.2	680.9	688.2
8/26/19 16:00	0	0	0	0	175.3	177.6	0	279.4	43.2	675.5	688.2
8/26/19 17:00	0	0	0	0	171.3	147.9	0	276.6	42.7	638.5	688.4
8/26/19 18:00	0	0	0	0	173.7	172.5	0	281.7	49.5	677.4	688.6
8/26/19 19:00	0	0	0	0	174.6	193.7	0	281.1	39.9	689.3	688.8
8/26/19 20:00	0	0	0	0	179.1	196.6	0	282	33	690.7	689.0
8/26/19 21:00	0	0	0	0	185.8	196.1	0	278.6	42.5	703.0	689.2
8/26/19 22:00	0	0	0	0	183.6	183.8	0	280.2	51.5	699.1	689.4
8/26/19 23:00	0	0	0	0	176.3	189.1	0	280.2	36.9	682.5	689.6
8/27/19 0:00	0	0	0	0	174.3	170.6	0	277.3	42	664.2	689.8
8/27/19 1:00	0	0	0	0	175	176.9	0	280.3	51.2	683.4	689.9
8/27/19 2:00	0	0	0	0	170.8	152.8	0	280	42.8	646.4	690.1
8/27/19 3:00	0	0	0	0	172.8	171.3	0	278.1	46.8	669.0	690.3
8/27/19 4:00	0	0	0	0	172	153.1	0	278.4	41.9	645.4	690.5
8/27/19 5:00	0	0	0	0	175.7	152.7	0	278.8	45.5	652.7	690.7
8/27/19 6:00	0	0	0	0	175.2	159.7	0	277.7	54.6	667.2	691.0
8/27/19 7:00	0	0	0	0	168	142.7	0	280.3	47.1	638.1	691.2
8/27/19 8:00	0	0	0	0	154.4	138.9	0	280.2	45.2	618.7	691.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/27/19 9:00	0	0	0	0	173.5	99.6	0	279.1	45	597.2	691.3
8/27/19 10:00	0	0	0	0	174.4	124.9	0	276.3	46.6	622.2	691.3
8/27/19 11:00	0	0	0	0	180.1	166.7	0	270.7	48.5	666.0	691.3
8/27/19 12:00	0	0	0	0	176.9	156	0	306.5	34.3	673.7	691.4
8/27/19 13:00	0	0	0	0	177.5	149	0	285.8	29.9	642.2	691.4
8/27/19 14:00	0	0	0	0	179.2	162.5	0	276.7	42.3	660.7	691.3
8/27/19 15:00	0	0	0	0	183.5	181.6	51.4	285.8	43.6	745.9	691.3
8/27/19 16:00	0	0	0	0	179.1	173.4	51.4	279.4	53.5	736.8	691.3
8/27/19 17:00	0	0	0	0	185	200.5	51.4	279.1	41.5	757.5	691.4
8/27/19 18:00	0	0	0	0	187.7	198.5	51.4	276.7	42.8	757.1	691.6
8/27/19 19:00	0	0	0	0	188	170.6	71.8	279.3	41.5	751.2	691.8
8/27/19 20:00	0	0	0	0	202.2	179.7	46	287	52	766.9	691.9
8/27/19 21:00	0	0	0	0	190.1	163.2	128.3	279.2	46	806.8	692.2
8/27/19 22:00	0	0	0	0	174.1	156.8	100.4	279.6	45.3	756.2	692.4
8/27/19 23:00	0	0	0	0	175	182.4	78.3	279	47.8	762.5	692.6
8/28/19 0:00	0	0	0	0	179.8	167.8	79.1	245.8	43.4	715.9	692.8
8/28/19 1:00	0	0	0	0	252.8	211.7	2.7	240.7	55	762.9	693.0
8/28/19 2:00	0	0	0	0	216.3	199.4	0.7	273.8	40.1	730.3	693.2
8/28/19 3:00	0	0	0	0	173.2	180.2	0	278.1	43.4	674.9	693.3
8/28/19 4:00	0	0	0	0	183.5	179.7	0	280.1	52.9	696.2	693.4
8/28/19 5:00	0	0	0	0	181.7	167.4	0	277.9	31.1	658.1	693.4
8/28/19 6:00	0	0	0	0	178.9	109.1	0	276.5	45.3	609.8	693.5
8/28/19 7:00	0	0	0	0	178.6	74	0	280.1	38.9	571.6	693.4
8/28/19 8:00	0	0	0	0	178.6	78.6	0	278.5	43.2	578.9	693.4
8/28/19 9:00	0	0	0	0	179.9	108.1	0	279.5	46.9	614.4	693.3
8/28/19 10:00	0	0	0	0	189	153.2	0	279.5	43.6	665.3	693.4
8/28/19 11:00	0	0	0	0	182.1	162.5	0	302.6	57.4	704.6	693.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/28/19 12:00	0	0	0	0	175.1	140.2	0	275.6	33.7	624.6	693.0
8/28/19 13:00	0	0	0	0	179	123	0	280.2	51.6	633.8	693.1
8/28/19 14:00	0	0	0	0	180.5	130.7	0	280.4	51.8	643.4	693.1
8/28/19 15:00	0	0	0	0	183.7	164.6	0	279.3	36.9	664.5	693.1
8/28/19 16:00	0	0	0	0	184	165.6	0	279.4	43.2	672.2	693.2
8/28/19 17:00	0	0	0	0	181	142.4	0	279.7	43.8	646.9	693.2
8/28/19 18:00	0	0	0	0	181	130	0	278.3	48.5	637.8	693.3
8/28/19 19:00	0	0	0	0	181.4	147.6	0	280.3	37.1	646.4	693.4
8/28/19 20:00	0	0	0	0	180.7	126.8	0	279	39.4	625.9	693.4
8/28/19 21:00	0	0	0	0	181.9	107.5	0	279.8	42.4	611.6	693.5
8/28/19 22:00	0	0	0	0	181.8	135.8	0	274.4	36.7	628.7	693.4
8/28/19 23:00	0	0	0	0	182.7	167.4	0	277.8	38.9	666.8	693.5
8/29/19 0:00	0	0	0	0	181.8	123.5	0	280.1	47.3	632.7	693.5
8/29/19 1:00	0	0	0	0	183.1	149	0	279.3	43.1	654.5	693.6
8/29/19 2:00	0	0	0	0	182	144.8	0	280.3	44	651.1	693.6
8/29/19 3:00	0	0	0	0	181.4	145.2	0	278.8	37.3	642.7	693.7
8/29/19 4:00	0	0	0	0	182.4	158.1	0	278.9	42.8	662.2	693.7
8/29/19 5:00	0	0	0	0	184.1	161	0	277.9	35	658.0	693.8
8/29/19 6:00	0	0	0	0	182.4	168	0	278.2	37	665.6	693.9
8/29/19 7:00	0	0	0	0	184.8	166.3	0	279.4	30.9	661.4	694.0
8/29/19 8:00	0	0	0	0	182.2	149.6	0	278.6	30.9	641.3	694.0
8/29/19 9:00	0	0	0	0	182.8	146.5	0	279.9	35.6	644.8	694.1
8/29/19 10:00	0	0	0	0	191.2	190.2	0	278.5	34.9	694.8	694.2
8/29/19 11:00	0	0	0	0	184.9	192.4	0	303.2	24.2	704.7	694.4
8/29/19 12:00	0	0	0	0	186.4	195.4	0	278	2	661.8	694.5
8/29/19 13:00	0	0	0	0	188.4	188.2	0	279.8	2	658.4	694.6
8/29/19 14:00	0	0	0	0	194	205.1	0	278.3	3.7	681.1	694.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/29/19 15:00	0	0	0	0	186.8	179.7	0	278.8	46.6	691.9	695.0
8/29/19 16:00	0	0	0	0	183.8	177.1	0	279.3	43.1	683.3	695.2
8/29/19 17:00	0	0	0	0	182.1	135.1	0	278.8	40.1	636.1	695.3
8/29/19 18:00	0	0	0	0	178.2	171.2	0	278.6	40.5	668.5	695.5
8/29/19 19:00	0	0	0	0	177.5	186.9	67.6	279.2	33.7	744.9	695.7
8/29/19 20:00	0	0	0	0	185	210.8	67.6	270.4	30.8	764.6	696.0
8/29/19 21:00	0	0	0	0	192.8	201.7	67.6	279.3	31.1	772.5	696.3
8/29/19 22:00	0	0	0	0	191.1	206.9	67.6	279.8	40	785.4	696.5
8/29/19 23:00	0	0	0	0	183.7	183.5	67.6	281.7	43.9	760.4	696.8
8/30/19 0:00	0	0	0	0	185.9	178.3	94.2	276.6	44.5	779.5	697.1
8/30/19 1:00	0	0	0	0	163.9	157	205.7	279.9	41.9	848.4	697.4
8/30/19 2:00	0	0	0	0	161.4	338.8	359.4	278.5	40.4	1178.5	698.3
8/30/19 3:00	0	0	0	0	179	296.2	183.7	278.2	36.6	973.7	698.8
8/30/19 4:00	0	0	0	0	181.9	229.2	118.7	278.9	43.8	852.5	699.2
8/30/19 5:00	0	0	0	0	181.1	227.4	126.8	278.7	68.2	882.2	699.4
8/30/19 6:00	0	0	0	0	179.5	383.3	284.5	277.8	46.6	1171.7	700.0
8/30/19 7:00	0	0	0	0	179.5	255.6	142.2	278.9	34.7	890.9	700.1
8/30/19 8:00	0	0	0	0	183.4	246.2	101	265.8	24.3	820.7	700.0
8/30/19 9:00	0	0	0	0	181.4	225.4	102.8	313.3	17.1	840.0	699.8
8/30/19 10:00	0	0	0	0	180.1	248.3	99.5	273	31.3	832.2	699.6
8/30/19 11:00	0	0	0	0	178	289.4	117.4	279.6	41.7	906.1	699.5
8/30/19 12:00	0	0	0	0	199.1	276.7	115.9	281	45.3	918.0	699.5
8/30/19 13:00	0	0	0	0	216.7	244.3	106.7	278.4	38.6	884.7	699.9
8/30/19 14:00	0	0	0	0	216.3	242.1	111.1	280.1	44.5	894.1	700.2
8/30/19 15:00	0	0	0	0	216.6	229.9	134.9	279.3	33.4	894.1	700.4
8/30/19 16:00	0	0	0	0	216.6	255	137	278.6	43.4	930.6	700.5
8/30/19 17:00	0	0	0	0	216.4	224.9	149.2	278.8	49.9	919.2	700.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/30/19 18:00	0	0	0	0	217.3	172.6	162.1	279.1	38.3	869.4	700.7
8/30/19 19:00	0	0	0	0	216.9	191.2	172.3	270.2	46.1	896.7	700.8
8/30/19 20:00	0	0	0	0	217.9	210.5	170.4	281.7	45.9	926.4	700.9
8/30/19 21:00	0	0	0	0	219	226.1	167.2	279.6	43.5	935.4	701.1
8/30/19 22:00	0	0	0	0	218.9	236	162.7	278.5	40.7	936.8	701.2
8/30/19 23:00	0	0	0	0	214.9	181.3	166.6	280.1	43.5	886.4	701.3
8/31/19 0:00	0	0	0	0	211.5	172.2	174.6	281.3	43.1	882.7	701.4
8/31/19 1:00	0	0	0	0	216.1	217.6	182.5	278.3	44.8	939.3	701.5
8/31/19 2:00	0	0	0	0	216.9	224	176.7	279.1	50.6	947.3	701.7
8/31/19 3:00	0	0	0	0	212.6	191.1	164.2	278.8	45.6	892.3	701.8
8/31/19 4:00	0	0	0	0	207.2	205	169.3	277.9	37.9	897.3	701.9
8/31/19 5:00	0	0	0	0	202	256.6	166.4	280.4	37.8	943.2	702.0
8/31/19 6:00	0	0	0	0	211.8	227.3	140.4	277.6	47.1	904.2	702.2
8/31/19 7:00	0	0	0	0	202.4	212.6	134.9	278.6	34.4	862.9	702.3
8/31/19 8:00	0	0	0	0	193.1	202.4	143.3	276.5	46.5	861.8	702.4
8/31/19 9:00	0	0	0	0	192.5	186.9	136.9	304.8	78	899.1	702.6
8/31/19 10:00	0	0	0	0	192.2	160.6	134.7	282	50.1	819.6	702.5
8/31/19 11:00	0	0	0	0	189.7	168.8	142.9	276.9	38.5	816.8	702.5
8/31/19 12:00	0	0	0	0	188.4	156.8	150.4	281.2	47.4	824.2	702.5
8/31/19 13:00	0	0	0	0	149.6	268	165.9	279.8	44.6	907.9	702.5
8/31/19 14:00	0	0	0	0	195.2	219.2	59.7	278.1	45.8	798.0	702.5
8/31/19 15:00	0	0	0	0	170.6	184.4	1.1	279.9	44.6	680.6	702.3
8/31/19 16:00	0	0	0	0	170.6	157.1	0	278.6	46.9	653.2	702.0
8/31/19 17:00	0	0	0	0	173.2	156.5	0	279.7	40.2	649.6	701.7
8/31/19 18:00	0	0	0	0	173.8	146.6	0	278.3	48.5	647.2	701.5
8/31/19 19:00	0	0	0	0	175.1	184.1	0	271.6	36.5	667.3	701.2
8/31/19 20:00	0	0	0	0	179	199.4	0.2	280.9	107.9	767.4	701.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/31/19 21:00	0	0	0	0	179.4	235.9	0.2	279	55.5	750.0	701.0
8/31/19 22:00	0	0	0	0	182.3	205.6	0	284.5	53.4	725.8	700.8
8/31/19 23:00	0	0	0	0	186.4	218.1	0	277.5	45.4	727.4	700.6
9/1/19 0:00	0	0	0	0	181	312.2	0	280.8	52.2	826.2	700.6
9/1/19 1:00	0	0	0	0	177	198.2	0	280.1	55.1	710.4	700.4
9/1/19 2:00	0	0	0	0	182.2	208.1	0	277.8	47.3	715.4	700.3
9/1/19 3:00	0	0	0	0	181.2	201.8	0	279.1	56.1	718.2	700.1
9/1/19 4:00	0	0	0	0	183.1	197.3	0	278.2	48.7	707.3	699.9
9/1/19 5:00	0	0	0	0	175.1	164.3	0	280.5	52.9	672.8	699.7
9/1/19 6:00	0	0	0	0	174.9	164.2	0	282.1	47.5	668.7	699.4
9/1/19 7:00	0	0	0	0	174.5	193.4	0	279.2	50	697.1	699.3
9/1/19 8:00	0	0	0	0	174.5	156.6	0	292.2	51	674.3	699.1
9/1/19 9:00	0	0	0	0	172.7	134.8	0	286.9	43.5	637.9	698.8
9/1/19 10:00	0	0	0	0	173.5	130.5	0	356	40.4	700.4	698.7
9/1/19 11:00	0	0	0	0	172.3	155.6	0	278.7	57.3	663.9	698.6
9/1/19 12:00	0	0	0	0	173.7	177.3	0	277.1	47	675.1	698.4
9/1/19 13:00	0	0	0	0	174.2	160.3	0	279.2	54.8	668.5	698.2
9/1/19 14:00	0	0	0	0	171.7	148.3	0	279	51.3	650.3	698.0
9/1/19 15:00	0	0	0	0	171	109.3	0	281	53	614.3	697.7
9/1/19 16:00	0	0	0	0	171.5	108.5	0	280.1	52.5	612.6	697.4
9/1/19 17:00	0	0	0	0	171.4	111	0	277.9	55.3	615.6	697.1
9/1/19 18:00	0	0	0	0	169.7	157.6	0	276.6	50.2	654.1	696.9
9/1/19 19:00	0	0	0	0	177.6	184.6	0	279.7	53.7	695.6	696.7
9/1/19 20:00	0	0	0	0	185.8	187	0	311.4	48.7	732.9	696.5
9/1/19 21:00	0	0	0	0	175.8	166.3	0	275.1	45.6	662.8	696.3
9/1/19 22:00	0	0	0	0	174.8	162.7	0	279.1	52.9	669.5	696.1
9/1/19 23:00	0	0	0	0	185.3	190.7	0	279.7	54	709.7	695.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/2/19 0:00	0	0	0	0	176.6	180.2	0	280.6	57	694.4	695.7
9/2/19 1:00	0	0	0	0	178.1	172.1	0	280.1	50.3	680.6	695.5
9/2/19 2:00	0	0	0	0	177.7	169	0	277.9	54.1	678.7	695.3
9/2/19 3:00	0	0	0	0	174.5	170.9	0	277.4	47.8	670.6	695.1
9/2/19 4:00	0	0	0	0	171.8	149.1	0	279.5	54	654.4	694.8
9/2/19 5:00	0	0	0	0	172.5	149.8	0	276.6	47.9	646.8	694.5
9/2/19 6:00	0	0	0	0	171.9	162.6	0	277	49.1	660.6	694.4
9/2/19 7:00	0	0	0	0	170.7	160.7	0	281.5	56.5	669.4	694.1
9/2/19 8:00	0	0	0	0	170.6	154.9	0	278.5	50.3	654.3	693.9
9/2/19 9:00	0	0	0	0	169.3	134.8	0	278.6	55.1	637.8	693.7
9/2/19 10:00	0	0	0	0	169.1	123.9	0	280.9	52.2	626.1	693.4
9/2/19 11:00	0	0	0	0	170	134.5	0	319.3	63.6	687.4	693.3
9/2/19 12:00	0	0	0	0	171	137.4	0	285.3	69	662.7	693.1
9/2/19 13:00	0	0	0	0	172.1	131.4	0	277	59.2	639.7	692.9
9/2/19 14:00	0	0	0	0	172.5	139.3	0	280.4	49.5	641.7	692.7
9/2/19 15:00	0	0	0	0	173.1	146.6	0	277.6	53.1	650.4	692.5
9/2/19 16:00	0	0	0	0	174.5	140.9	0	278.5	47.4	641.3	692.2
9/2/19 17:00	0	0	0	0	171.6	110.8	0	278.3	52.7	613.4	691.9
9/2/19 18:00	0	0	0	0	173.8	97.8	0	278.5	49.3	599.4	691.5
9/2/19 19:00	0	0	0	0	173.8	83.9	0	278.6	49.3	585.6	691.1
9/2/19 20:00	0	0	0	0	173.8	108.7	0	292.9	56.3	631.7	690.8
9/2/19 21:00	0	0	0	0	175.1	96.6	0	277	55.5	604.2	690.5
9/2/19 22:00	0	0	0	0	175.5	106.1	0	278.5	59.4	619.5	690.3
9/2/19 23:00	0	0	0	0	174.6	126	0	281.3	52.4	634.3	690.1
9/3/19 0:00	0	0	0	0	175.1	89.9	0	279	58	602.0	689.8
9/3/19 1:00	0	0	0	0	173	92.3	0	278.1	56.8	600.2	689.5
9/3/19 2:00	0	0	0	0	174.9	99.3	0	279.5	59.4	613.1	689.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/3/19 3:00	0	0	0	0	175.3	99.7	0	279.1	54	608.1	689.0
9/3/19 4:00	0	0	0	0	173.4	172.3	0	278.9	60.3	684.9	688.9
9/3/19 5:00	0	0	0	0	171.5	149.2	0	280.8	57.7	659.2	688.7
9/3/19 6:00	0	0	0	0	172.6	84.6	0	277	58.8	593.0	688.4
9/3/19 7:00	0	0	0	0	172.5	99.8	0	281.8	53.9	608.0	688.2
9/3/19 8:00	0	0	0	0	171.3	87.4	0.3	277.3	56.5	592.8	687.9
9/3/19 9:00	0	0	0	0	170	66.7	0	277.7	70	584.4	687.7
9/3/19 10:00	0	0	0	0	169.6	66.8	0	320.9	61.6	618.9	687.4
9/3/19 11:00	0	0	0	0	169.3	259.7	0	276	44.4	749.4	687.4
9/3/19 12:00	0	0	0	0	168.6	114.8	0	277.5	53	613.9	687.1
9/3/19 13:00	0	0	0	0	170.8	162.8	0	278.9	61.1	673.6	687.0
9/3/19 14:00	0	0	0	0	172.1	198.6	0	280.1	58	708.8	686.9
9/3/19 15:00	0	0	0	0	171	152.9	0	279	58.4	661.3	686.7
9/3/19 16:00	0	0	0	0	171.2	139.1	0	279.6	55.9	645.8	686.5
9/3/19 17:00	0	0	0	0	170.5	115.5	0	279.6	64.5	630.1	686.0
9/3/19 18:00	0	0	0	0	172.5	125.2	0	278.6	51.1	627.4	685.7
9/3/19 19:00	0	0	0	0	173.3	116.4	0	278.9	63.4	632.0	685.4
9/3/19 20:00	0	0	0	0	173.4	125.8	0	271.9	44.1	615.2	685.2
9/3/19 21:00	0	0	0	0	172.7	146.6	0	276.7	54.4	650.4	684.9
9/3/19 22:00	0	0	0	0	173.1	166	0	282.9	56.4	678.4	684.7
9/3/19 23:00	0	0	0	0	172.6	207.6	0	277.2	58.1	715.5	684.6
9/4/19 0:00	0	0	0	0	172.7	164.1	0	277.9	56.7	671.4	684.3
9/4/19 1:00	0	0	0	0	173.2	169.6	0	282.1	53.3	678.2	684.1
9/4/19 2:00	0	0	0	0	172.6	169.9	0	279.8	55.8	678.1	684.0
9/4/19 3:00	0	0	0	0	180	200.7	0	278.5	56.9	716.1	683.9
9/4/19 4:00	0	0	0	0	181.1	198.2	0	274.2	53.5	707.0	683.8
9/4/19 5:00	0	0	0	0	183.4	200	0	289.4	85.7	758.5	683.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/4/19 6:00	0	0	0	0	172.1	179.8	0	272.8	56.1	680.8	683.7
9/4/19 7:00	0	0	0	0	174	150.5	0	280.7	51.9	657.1	683.6
9/4/19 8:00	0	0	0	0	173	112.7	0	278.5	55.1	619.3	683.4
9/4/19 9:00	0	0	0	0	172.3	106.7	0	279.2	52.1	610.3	683.2
9/4/19 10:00	0	0	0	0	171.5	118.5	0	284.1	59.8	633.9	683.0
9/4/19 11:00	0	0	0	0	172.3	126.6	0	321.8	67.2	687.9	682.9
9/4/19 12:00	0	0	0	0	173	113.7	0	278.8	58.9	624.4	682.8
9/4/19 13:00	0	0	0	0	172.8	121	0	277.1	54.2	625.1	682.6
9/4/19 14:00	0	0	0	0	172.5	121.9	0	278	56.4	628.8	682.5
9/4/19 15:00	0	0	0	0	171.5	121.3	0	278.5	57.7	629.0	682.2
9/4/19 16:00	0	0	0	0	171.4	118.4	0	277.9	58.4	626.1	682.2
9/4/19 17:00	0	0	0	0	170.9	115.6	0	279.1	61	626.6	682.2
9/4/19 18:00	0	0	0	0	171	136.6	0	257.9	59.1	624.6	682.1
9/4/19 19:00	0	0	0	0	172.4	137.5	0	280.3	49.2	639.4	682.2
9/4/19 20:00	0	0	0	0	171.4	156.6	0	280.7	56.8	665.5	682.2
9/4/19 21:00	0	0	0	0	171.9	149.3	0	278.6	53.1	652.9	682.2
9/4/19 22:00	0	0	0	0	173.1	172.4	0	279.3	55.8	680.6	682.2
9/4/19 23:00	0	0	0	0	171	174	0	275.7	60.5	681.2	682.3
9/5/19 0:00	0	0	0	0	172.3	153.3	0	283.7	55.3	664.6	682.3
9/5/19 1:00	0	0	0	0	172.6	153.7	0	280.4	56	662.7	682.4
9/5/19 2:00	0	0	0	0	172	138.4	0	279.4	57.7	647.5	682.4
9/5/19 3:00	0	0	0	0	172.1	141.4	0	278.8	49	641.3	682.4
9/5/19 4:00	0	0	0	0	174	138.3	0	278.4	53.5	644.2	682.4
9/5/19 5:00	0	0	0	0	179	183.5	0	279.3	81.2	723.0	682.5
9/5/19 6:00	0	0	0	0	175.1	160.2	0	278.1	51.7	665.1	682.6
9/5/19 7:00	0	0	0	0	179	168.3	0	280.8	51.1	679.2	682.7
9/5/19 8:00	0	0	0	0	170.6	141.3	0	279	52.4	643.3	682.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/5/19 9:00	0	0	0	0	171	142.3	0	278.1	50.7	642.1	682.7
9/5/19 10:00	0	0	0	0	172.3	100.5	0	309.3	46.6	628.7	682.8
9/5/19 11:00	0	0	0	0	172	132.5	0	276.9	72.7	654.1	682.8
9/5/19 12:00	0	0	0	0	171.1	98.9	0	281.2	52.3	603.5	682.8
9/5/19 13:00	0	0	0	0	171.1	101.9	0	278.9	51.8	603.7	682.9
9/5/19 14:00	0	0	0	0	171.3	103.1	0	277.9	52.1	604.4	682.9
9/5/19 15:00	0	0	0	0	170.2	136.8	0	278	46.2	631.2	682.9
9/5/19 16:00	0	0	0	0	171.6	162.3	0	279.1	56.2	669.2	682.9
9/5/19 17:00	0	0	0	0	170	145.1	0	275.4	48	638.5	682.9
9/5/19 18:00	0	0	0	0	170.9	159.2	0	278.3	27.2	635.6	682.9
9/5/19 19:00	0	0	0	0	170.6	135.5	0	273.7	32.4	612.2	682.9
9/5/19 20:00	0	0	0	0	171.1	111.5	0	281.4	29.5	593.5	682.8
9/5/19 21:00	0	0	0	0	169.1	128.2	0	279.4	24.7	601.4	682.7
9/5/19 22:00	0	0	0	0	171.4	148.4	0	278.3	51.9	650.0	682.8
9/5/19 23:00	0	0	0	0	169.6	162.3	0	280.2	45.8	657.9	682.8
9/6/19 0:00	0	0	0	0	170.4	180.7	0	283.8	47	681.9	682.8
9/6/19 1:00	0	0	0	0	171.1	183.3	0	278.6	48.2	681.2	682.9
9/6/19 2:00	0	0	0	0	171	157.7	0	279.4	39	647.1	682.9
9/6/19 3:00	0	0	0	0	172.7	162.6	0	279	47.9	662.2	683.0
9/6/19 4:00	0	0	0	0	172.9	146.5	0	277.8	52.3	649.5	683.0
9/6/19 5:00	0	0	0	0	170.9	102.2	0	272.3	26.7	572.1	683.0
9/6/19 6:00	0	0	0	0	170.6	136	0	287.7	39.5	633.8	682.9
9/6/19 7:00	0	0	0	0	171.3	146.4	0	282.1	52.7	652.5	683.0
9/6/19 8:00	0	0	0	0	171.2	119.7	0	278.7	51.7	621.3	683.0
9/6/19 9:00	0	0	0	0	170.7	118.4	0	278.2	38.9	606.2	683.0
9/6/19 10:00	0	0	0	0	170.7	265.4	0	277.1	43.8	757.0	683.3
9/6/19 11:00	0	0	0	0	171.6	428	0	258.1	76.9	934.6	683.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/6/19 12:00	0	0	0	0	172.7	441.9	0	275.7	30.2	920.5	683.9
9/6/19 13:00	0	0	0	0	171.6	427.3	0	278.4	46.1	923.4	684.3
9/6/19 14:00	0	0	0	0	172.1	184.2	0	280.4	59.5	696.2	684.4
9/6/19 15:00	0	0	0	0	171	173.5	0	278.8	45	668.3	684.4
9/6/19 16:00	0	0	0	0	172.4	171.1	0	279.8	46.6	669.9	684.5
9/6/19 17:00	0	0	0	0	170.7	159.9	0	278.9	50.9	660.4	684.6
9/6/19 18:00	0	0	0	0	171.3	179.4	0	281.4	44.8	676.9	684.7
9/6/19 19:00	0	0	0	0	171.6	195.1	0	279.7	47.9	694.3	684.8
9/6/19 20:00	0	0	0	0	172.9	129	0	279.5	48.4	629.8	684.8
9/6/19 21:00	0	0	0	0	172.5	136.3	0	280.2	48.7	637.7	684.8
9/6/19 22:00	0	0	0	0	171.4	135	0	279	48.3	633.7	684.8
9/6/19 23:00	0	0	0	0	171.8	157.9	0	280.7	56.4	666.8	684.8
9/7/19 0:00	0	0	0	0	173	161.8	0	278.2	51.6	664.6	684.8
9/7/19 1:00	0	0	0	0	172.5	165.8	0	279	50.9	668.2	685.0
9/7/19 2:00	0	0	0	0	172.7	154	0	279.2	56.3	662.2	685.0
9/7/19 3:00	0	0	0	0	172.8	158.2	70.7	280.3	44.3	726.3	685.1
9/7/19 4:00	0	0	0	0	172.4	152.7	70.7	279.5	49.1	724.4	685.2
9/7/19 5:00	0	0	0	0	171.5	157.3	70.7	280	54.4	733.9	685.4
9/7/19 6:00	0	0	0	0	174.9	207.3	70.7	278	68.2	799.1	685.7
9/7/19 7:00	0	0	0	0	172.2	165	47	279	42.3	705.5	685.9
9/7/19 8:00	0	0	0	0	172	155.2	55.8	279.1	45.2	707.3	686.1
9/7/19 9:00	0	0	0	0	172.1	176.2	80.3	280.3	44.4	753.3	686.3
9/7/19 10:00	0	0	0	0	173	188.8	91.7	279.8	41.9	775.2	686.4
9/7/19 11:00	0	0	0	0	170.8	128.5	210.1	277.8	58.1	845.3	686.7
9/7/19 12:00	0	0	0	0	171.4	121.3	225.4	285.7	89.8	893.6	687.1
9/7/19 13:00	0	0	0	0	175.6	95.4	222.8	277.9	43.4	815.1	687.4
9/7/19 14:00	0	0	0	0	171.1	130.8	211.6	278.4	40.4	832.3	687.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/7/19 15:00	0	0	0	0	171.7	120.1	231.8	279.8	44.7	848.1	687.9
9/7/19 16:00	0	0	0	0	172	145.6	242.6	279.6	54.4	894.2	688.2
9/7/19 17:00	0	0	0	0	174.7	175.6	242.8	279	56	928.1	688.5
9/7/19 18:00	0	0	0	0	173.6	151.7	250.9	280.2	46.1	902.5	688.8
9/7/19 19:00	0	0	0	0	171.4	237.9	256.9	280.2	44.6	991.0	689.4
9/7/19 20:00	0	0	0	0	172.9	196.5	351.5	279.2	49.8	1049.9	690.0
9/7/19 21:00	0	0	0	0	173.9	164.4	265.7	280	48.5	932.5	690.3
9/7/19 22:00	0	0	0	0	177.1	196.3	417.1	281.8	49.1	1121.4	690.8
9/7/19 23:00	0	0	0	0	197.3	238	319.5	271.9	54.5	1081.2	691.3
9/8/19 0:00	0	0	0	0	200.6	235.5	312.5	265	54.7	1068.3	691.9
9/8/19 1:00	0	0	0	0	181.5	174.8	399.6	280.7	42.5	1079.1	692.4
9/8/19 2:00	0	0	0	0	174.3	144.8	423.3	279.1	46.9	1068.4	693.0
9/8/19 3:00	0	0	0	0	171.5	128.8	391.1	278.8	45.6	1015.8	693.5
9/8/19 4:00	0	0	0	0	171.8	125.5	392.2	279.1	51.1	1019.7	694.0
9/8/19 5:00	0	0	0	0	170.7	130.4	434.2	278.7	37.2	1051.2	694.5
9/8/19 6:00	0	0	0	0	171.6	140.8	393.9	276.9	49.5	1032.7	695.0
9/8/19 7:00	0	0	0	0	171.3	120.7	388.9	282.5	40.3	1003.7	695.3
9/8/19 8:00	0	0	0	0	170.3	154.4	414.3	279.2	44.9	1063.1	695.8
9/8/19 9:00	0	0	0	0	171.4	146	400.9	280.3	42.8	1041.4	696.3
9/8/19 10:00	0	0	0	0	170.6	145.7	405.8	278.9	45.1	1046.1	696.8
9/8/19 11:00	0	0	0	0	169.1	182.2	410.2	280.1	48.9	1090.5	697.2
9/8/19 12:00	0	0	0	0	170.1	180.9	394.1	281.6	64	1090.7	697.7
9/8/19 13:00	0	0	0	0	173	170.6	373	286.6	44.2	1047.4	698.1
9/8/19 14:00	0	0	0	0	171.9	209.8	357.4	276.3	50	1065.4	698.5
9/8/19 15:00	0	0	0	0	175.8	224.7	361	280.4	42.2	1084.1	699.0
9/8/19 16:00	0	0	0	0	183.9	212.5	375.2	278.7	45.8	1096.1	699.4
9/8/19 17:00	0	0	0	0	174.2	195.6	399.5	279.2	46.3	1094.8	700.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/8/19 18:00	0	0	0	0	173.1	173.6	376.7	279.6	56.1	1059.1	700.7
9/8/19 19:00	0	0	0	0	173.1	187.4	389.2	279.4	41.9	1071.0	701.3
9/8/19 20:00	0	0	0	0	146.4	189.4	401.2	274.5	57.7	1069.2	701.9
9/8/19 21:00	0	0	0	0	140.6	197.7	403.8	280.6	50.1	1072.8	702.6
9/8/19 22:00	0	0	0	0	140.2	187.1	405.5	278.5	55	1066.3	703.3
9/8/19 23:00	0	0	0	0	136.7	190.6	408.2	277.5	51.6	1064.6	703.9
9/9/19 0:00	0	0	0	0	134.8	174.2	406.5	277.2	46.8	1039.5	704.6
9/9/19 1:00	0	0	0	0	131.5	166.2	404.6	279	50.3	1031.6	705.2
9/9/19 2:00	0	0	0	0	139.6	178.6	401.5	280	48.7	1048.4	705.8
9/9/19 3:00	0	0	0	0	146.1	191.5	401.8	278.3	49.8	1067.5	706.5
9/9/19 4:00	0	0	0	0	153.6	192.5	407.7	281.1	46.1	1081.0	707.2
9/9/19 5:00	0	0	0	0	153.1	183.1	409.4	280.1	51.8	1077.5	707.8
9/9/19 6:00	0	0	0	0	156.1	184.1	398.9	280.6	53.3	1073.0	708.4
9/9/19 7:00	0	0	0	0	154	170.6	406.1	279.7	43.4	1053.8	708.9
9/9/19 8:00	0	0	0	0	147.5	185.5	391.6	274.2	48.3	1047.1	709.4
9/9/19 9:00	0	0	0	0	126.1	148.5	414.9	301.2	93.1	1083.8	709.9
9/9/19 10:00	0	0	0	0	120.4	143.7	429.1	282.3	47.6	1023.1	710.3
9/9/19 11:00	0	0	0	0	112.3	148.2	430.3	279.4	54.4	1024.6	710.7
9/9/19 12:00	0	0	0	0	143.4	113.2	455.9	274.2	52.1	1038.8	711.2
9/9/19 13:00	0	0	0	0	139.9	126.1	443.8	276.5	51.1	1037.4	711.6
9/9/19 14:00	0	0	0	0	139.5	178.2	454.7	280.4	50	1102.8	712.1
9/9/19 15:00	0	0	0	0	139.2	193.4	447.8	278.6	55.3	1114.3	712.7
9/9/19 16:00	0	0	0	0	140.5	173.8	430.5	279.9	46.7	1071.4	713.2
9/9/19 17:00	0	0	0	0	140.7	156.1	427.1	278	47.8	1049.7	713.7
9/9/19 18:00	0	0	0	0	141.4	149	420.8	278.9	50.9	1041.0	714.1
9/9/19 19:00	0	0	0	0	141.9	149.7	408.2	280.6	46.9	1027.3	714.5
9/9/19 20:00	0	0	0	0	141.1	147.9	420.9	279.9	49.6	1039.4	715.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/9/19 21:00	0	0	0	0	140.9	142.1	432.7	278.3	48.5	1042.5	715.5
9/9/19 22:00	0	0	0	0	141.7	169.8	432.8	280.8	49.3	1074.4	716.0
9/9/19 23:00	0	0	0	0	140.2	165.5	446.2	268.7	38	1058.6	716.5
9/10/19 0:00	0	0	0	0	141.5	188.5	461.8	279.5	51.3	1122.6	717.0
9/10/19 1:00	0	0	0	0	142	179.3	462.9	279.8	51.1	1115.1	717.5
9/10/19 2:00	0	0	0	0	141.9	180.3	456.7	279.5	51.3	1109.7	718.0
9/10/19 3:00	0	0	0	0	141.9	159	473.8	278.9	57	1110.6	718.6
9/10/19 4:00	0	0	0	0	142.1	159.3	517.7	278.8	44.3	1142.2	719.2
9/10/19 5:00	0	0	0	0	142	205	575.7	279.6	46.9	1249.2	720.0
9/10/19 6:00	0	0	0	0	140.5	123.4	612.4	278.4	57.5	1212.2	720.8
9/10/19 7:00	0	0	0	0	141.6	126.1	623.7	279.9	41.8	1213.1	721.6
9/10/19 8:00	0	0	0	0	140.9	109.1	666.3	293.3	68.8	1278.4	722.5
9/10/19 9:00	0	0	0	0	141.1	151.3	667.3	266.7	54.6	1281.0	723.4
9/10/19 10:00	0	0	0	0	139.8	129.1	662.7	280.4	45.3	1257.3	724.3
9/10/19 11:00	0	0	0	0	141.5	147.2	667	278.9	43.1	1277.7	725.1
9/10/19 12:00	0	0	0	0	139.9	175.1	667.5	279.4	62.2	1324.1	725.9
9/10/19 13:00	0	0	0	0	141	164.8	662.4	278.9	44.9	1292.0	726.7
9/10/19 14:00	0	0	0	0	141.6	159.6	660	279.1	44.3	1284.6	727.6
9/10/19 15:00	0	0	0	0	142.4	185.8	663.4	280.1	46.8	1318.5	728.5
9/10/19 16:00	0	0	0	0	141.6	182.7	671.6	279	51.6	1326.5	729.5
9/10/19 17:00	0	0	0	0	140.9	191.4	663.2	278.7	41.7	1315.9	730.5
9/10/19 18:00	0	0	0	0	140.9	177.2	639.3	275.6	49.8	1282.8	731.4
9/10/19 19:00	0	0	0	0	141.3	167	665.4	278.9	45	1297.6	732.3
9/10/19 20:00	0	0	0	0	142.7	145	655.6	266.2	39.6	1249.1	733.1
9/10/19 21:00	0	0	0	0	141.6	165.7	539.5	279.9	49.3	1176.0	733.8
9/10/19 22:00	0	0	0	0	164	189	423.3	282.2	42.2	1100.7	734.3
9/10/19 23:00	0	0	0	0	179.2	173.2	422.7	279.7	45.3	1100.1	734.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/11/19 0:00	0	0	0	0	183.7	178.3	412.5	278.9	47.6	1101.0	735.5
9/11/19 1:00	0	0	0	0	183.2	160.9	416.9	279.4	44.7	1085.1	736.1
9/11/19 2:00	0	0	0	0	182.7	180.7	418.1	278.7	45.2	1105.4	736.8
9/11/19 3:00	0	0	0	0	182.5	169.6	422.3	279.8	51.6	1105.8	737.3
9/11/19 4:00	0	0	0	0	181.4	187	425.3	279	41.1	1113.8	738.0
9/11/19 5:00	0	0	0	0	185.3	180.7	438	279.9	41.1	1125.0	738.6
9/11/19 6:00	0	0	0	0	184.1	182.4	436.3	278.7	49.5	1131.0	739.4
9/11/19 7:00	0	0	0	0	180.5	136.4	436.3	280.1	45.6	1078.9	740.0
9/11/19 8:00	0	0	0	0	178.2	157.9	423.9	269.2	42.7	1071.9	740.5
9/11/19 9:00	0	0	0	0	177.4	166	425.1	278.2	89.5	1136.2	741.1
9/11/19 10:00	0	0	0	0	177.5	196.2	437.9	276.5	50.4	1138.5	741.7
9/11/19 11:00	0	0	0	0	175.6	191.8	442.2	278.1	35.8	1123.5	742.3
9/11/19 12:00	0	0	0	0	178.5	177	407.2	277	52.6	1092.3	742.9
9/11/19 13:00	0	0	0	0	178.8	180.7	379.4	279.1	50.3	1068.3	743.5
9/11/19 14:00	0	0	0	0	179.9	174	373.1	279.7	56.1	1062.8	744.1
9/11/19 15:00	0	0	0	0	177.3	186	380.2	277.8	42.5	1063.8	744.8
9/11/19 16:00	0	0	0	0	172.2	178.5	375.9	281.1	48.2	1055.9	745.4
9/11/19 17:00	0	0	0	0	204	163.4	372	278.4	47.6	1065.4	746.0
9/11/19 18:00	0	0	0	0	204.4	170.6	416.1	281.6	52.8	1125.5	746.6
9/11/19 19:00	0	0	0	0	211.5	342.7	367.9	278.9	45.2	1246.2	747.4
9/11/19 20:00	0	0	0	0	211.3	255.4	242	238.1	53.1	999.9	747.9
9/11/19 21:00	0	0	0	0	210.5	258	246.1	277.7	44.7	1037.0	748.4
9/11/19 22:00	0	0	0	0	212	264.6	252.4	279.6	49.6	1058.2	749.0
9/11/19 23:00	0	0	0	0	212.5	261.8	248.9	279.5	54	1056.7	749.5
9/12/19 0:00	0	0	0	0	209.5	330.8	287.9	284.9	45.9	1159.0	750.2
9/12/19 1:00	0	0	0	0	209.6	309.2	288.6	279.6	47.7	1134.7	750.9
9/12/19 2:00	0	0	0	0	208.7	257.1	244.7	279.6	48.4	1038.5	751.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/12/19 3:00	0	0	0	0	209.6	249.1	252.6	279.9	47.9	1039.1	751.7
9/12/19 4:00	0	0	0	0	211.3	249.1	243.3	278	47.3	1029.0	752.2
9/12/19 5:00	0	0	0	0	208.4	246.7	242.1	279.2	47.1	1023.5	752.6
9/12/19 6:00	0	0	0	0	188	230.5	199.5	278.4	54.2	950.6	753.0
9/12/19 7:00	0	0	0	0	187	220.5	155.5	280.8	41.9	885.7	753.2
9/12/19 8:00	0	0	0	0	188.6	199.9	268.6	266	42.7	965.8	753.4
9/12/19 9:00	0	0	0	0	185.1	203.9	283.6	311.2	89.7	1073.5	754.0
9/12/19 10:00	0	0	0	0	186.5	268.4	243.8	276.2	48	1022.9	754.5
9/12/19 11:00	0	0	0	0	196.8	235.9	226.4	0	52.7	711.8	754.5
9/12/19 12:00	0	0	0	0	197.1	243.1	246.1	0	61.7	748.0	754.6
9/12/19 13:00	0	0	0	0	203.8	258.5	224	0	60.1	746.4	754.6
9/12/19 14:00	0	0	0	0	217.9	268.4	221.4	0.5	57.1	765.3	754.7
9/12/19 15:00	0	0	0	0	216.3	238.8	201.5	5.6	55.2	717.4	754.8
9/12/19 16:00	0	0	0	0	215.1	211.1	174.4	6.1	58.7	665.4	754.9
9/12/19 17:00	0	0	0	0	216.5	182.3	147.9	90.4	54.5	691.6	755.0
9/12/19 18:00	0	0	0	0	217.3	179.7	149.7	282.5	53.8	883.0	755.3
9/12/19 19:00	0	0	0	0	217.2	184.6	149.4	211.9	53	816.1	755.5
9/12/19 20:00	0	0	0	0	209.2	176	138.8	274.4	51.4	849.8	755.7
9/12/19 21:00	0	0	0	0	209.4	195.9	152.6	290.9	51.5	900.3	756.0
9/12/19 22:00	0	0	0	0	209.3	209.3	155.6	277.4	50	901.6	756.3
9/12/19 23:00	0	0	0	0	209.8	196.9	141.2	274.7	53.3	875.9	756.5
9/13/19 0:00	0	0	0	0	210.3	184.9	135.3	288	54.3	872.8	756.8
9/13/19 1:00	0	0	0	0	208.6	179.1	128.4	279.4	48	843.5	757.0
9/13/19 2:00	0	0	0	0	209.6	175.7	125.8	281.4	44.1	836.6	757.3
9/13/19 3:00	0	0	0	0	208.9	165.2	120.8	279	44.8	818.7	757.4
9/13/19 4:00	0	0	0	0	207.9	168.9	125.5	279	46.5	827.8	757.6
9/13/19 5:00	0	0	0	0	207.3	166.9	124	275.7	56.4	830.3	757.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/13/19 6:00	0	0	0	0	204.2	180.2	136.3	279.9	47.5	848.1	757.4
9/13/19 7:00	0	0	0	0	185.1	201.4	176.6	278	38	879.1	757.0
9/13/19 8:00	0	0	0	0	126.7	215.2	199.7	279.7	41.3	862.6	756.6
9/13/19 9:00	0	0	0	0	121.1	208.4	195.6	277.9	46.6	849.6	756.0
9/13/19 10:00	0	0	0	0	121.3	211.4	185.2	278.6	45	841.5	755.5
9/13/19 11:00	0	0	0	0	120.9	216.6	196.3	254.7	69	857.5	754.9
9/13/19 12:00	0	0	0	0	123.8	221.9	197.9	276.9	26.7	847.2	754.4
9/13/19 13:00	0	0	0	0	124	204.1	181.6	278.7	39.2	827.6	753.9
9/13/19 14:00	0	0	0	0	125.2	209.4	180	279.5	46.6	840.7	753.1
9/13/19 15:00	0	0	0	0	138	230.8	200.2	277	48.3	894.3	753.2
9/13/19 16:00	0	0	0	0	136.3	215.9	184.2	278.3	51.4	866.1	753.1
9/13/19 17:00	0	0	0	0	138.9	231	186.6	278.9	45	880.4	753.2
9/13/19 18:00	0	0	0	0	132.7	231.4	165.8	281.4	47.9	859.2	753.3
9/13/19 19:00	0	0	0	0	142.5	195.9	180.5	278.4	42.3	839.6	753.3
9/13/19 20:00	0	0	0	0	146.2	215	179.6	280	45.1	865.9	753.3
9/13/19 21:00	0	0	0	0	146.8	245.3	186.7	279	40.9	898.7	753.3
9/13/19 22:00	0	0	0	0	141.8	232.7	189.7	274.4	90.1	928.7	753.5
9/13/19 23:00	0	0	0	0	136.3	228.6	187.1	281.8	51	884.8	753.6
9/14/19 0:00	0	0	0	0	141.8	235	192.6	277	56	902.4	753.8
9/14/19 1:00	0	0	0	0	135.7	229	180.6	279.4	44.7	869.4	754.0
9/14/19 2:00	0	0	0	0	128.9	221.3	181.9	279.7	46.1	857.9	754.2
9/14/19 3:00	0	0	0	0	128.4	214.8	194.4	278.7	55	871.3	754.4
9/14/19 4:00	0	0	0	0	126	213.9	196.6	279.2	44.3	860.0	754.6
9/14/19 5:00	0	0	0	0	126.3	210.6	198.2	275.9	41.1	852.1	754.7
9/14/19 6:00	0	0	0	0	122.7	194.1	172.7	280.5	48.9	818.9	754.8
9/14/19 7:00	0	0	0	0	126.1	200.1	179.2	278.2	44.6	828.2	754.9
9/14/19 8:00	0	0	0	0	121.5	194.6	174.4	279.8	47.3	817.6	754.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/14/19 9:00	0	0	0	0	117.7	184.4	166.2	281.9	48.2	798.4	754.9
9/14/19 10:00	0	0	0	0	131.2	212.4	192.8	267.5	49.7	853.6	755.1
9/14/19 11:00	0	0	0	0	140.1	222.3	212.8	265.2	58.8	899.2	755.3
9/14/19 12:00	0	0	0	0	147.8	230.6	220.9	277.5	42.8	919.6	755.6
9/14/19 13:00	0	74.1	0	0	126.7	196.7	181.6	276.5	55.5	911.1	755.9
9/14/19 14:00	0	147	0	0	121.9	197.7	182	280.8	42.6	972.0	756.3
9/14/19 15:00	0	141.5	0	0	126.3	200	183.3	279.5	43.6	974.2	756.6
9/14/19 16:00	0	139.3	0	0	128.5	210.9	197	278.3	61.8	1015.8	757.0
9/14/19 17:00	0	141.3	0	0	128.6	201.1	187	279.5	83.7	1021.2	757.4
9/14/19 18:00	0	143	0	0	129	208.7	188.3	278.1	60.3	1007.4	757.8
9/14/19 19:00	0	144.7	0	0	137.5	221.6	199.2	279	46.9	1028.9	758.2
9/14/19 20:00	0	144.7	0	0	134.1	222.9	204.5	278.6	46.8	1031.6	758.7
9/14/19 21:00	0	143.7	0	0	134.3	218.7	198.1	279.2	48.3	1022.3	759.1
9/14/19 22:00	0	143.3	0	0	135.6	227.1	205	267.5	57.1	1035.6	759.4
9/14/19 23:00	0	149	0	0	134	226.5	203.1	278.4	52.6	1043.6	759.7
9/15/19 0:00	0	154.6	0	0	135.6	222.1	204.9	278.3	62.6	1058.1	760.0
9/15/19 1:00	0	139.2	0	0	134.7	219	199.9	278.4	51	1022.2	760.3
9/15/19 2:00	0	141.4	0	0	131.7	213.6	195.4	279.2	47.9	1009.2	760.5
9/15/19 3:00	0	139.5	0	0	127	208.1	187.7	278.5	54.1	994.9	760.7
9/15/19 4:00	0	141.6	0	0	128.1	208.4	195.8	279.1	46	999.0	760.7
9/15/19 5:00	0	144.8	0	0	129.8	220.4	196	280.3	47.2	1018.5	760.6
9/15/19 6:00	0	145.3	0	0	128.1	205.3	194.1	278	56.2	1007.0	760.8
9/15/19 7:00	0	159	0	0	130.2	202.7	192.9	277.7	46.4	1008.9	761.1
9/15/19 8:00	0	151.3	0	0	128.9	198.8	190.1	278.6	51.1	998.8	761.4
9/15/19 9:00	0	147.3	0	0	135.2	201.9	194.2	279.1	49.8	1007.5	761.8
9/15/19 10:00	0	148.5	0	0	134.8	198.9	187.8	251.4	79.4	1000.8	762.2
9/15/19 11:00	0	151.2	0	0	137.8	200.1	197.2	283	34.8	1004.1	762.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/15/19 12:00	0	168.9	0	0	137.9	203.7	189.2	279.9	47.9	1027.5	763.2
9/15/19 13:00	0	132.5	0	0	132.9	204.4	196.4	280.8	46.7	993.7	763.6
9/15/19 14:00	0	136.1	0	0	111.3	167.9	152.9	278.7	53.1	900.0	763.9
9/15/19 15:00	0	124.4	0	0	139.3	219	207.5	278.2	42.7	1011.1	764.4
9/15/19 16:00	0	129.3	0	0	137.3	212.1	198.6	279.1	47.1	1003.5	764.9
9/15/19 17:00	0	133.6	0	0	134.6	211.6	197.4	278.5	52.4	1008.1	765.4
9/15/19 18:00	0	131.7	0	0	128.7	202.4	179.6	279.2	43.4	965.0	766.0
9/15/19 19:00	0	143.2	0	0	125.1	191.1	178.5	277.6	45.2	960.7	766.5
9/15/19 20:00	0	147.2	0	0	117.7	180.6	162.4	279.9	48.4	936.2	766.9
9/15/19 21:00	0	148.5	0	0	133.5	176	156.7	279.9	48.1	942.7	767.4
9/15/19 22:00	0	178.2	0	0	138	183.7	157.8	278.7	49.7	986.1	767.9
9/15/19 23:00	0	111.1	0	0	137.6	188.7	164	272.3	44.6	918.3	768.3
9/16/19 0:00	0	131.7	0	0	136.1	195.1	166.8	279.5	36.9	946.1	768.8
9/16/19 1:00	0	133.3	0	0	137.6	195.8	170.3	279.1	47.9	964.0	769.4
9/16/19 2:00	0	132.2	0	0	137.2	207.4	178.2	278.5	43.9	977.4	769.8
9/16/19 3:00	0	141.4	0	0	138.5	204.1	175.7	279.1	43.1	981.9	770.3
9/16/19 4:00	0	148.4	0	0	137.8	207.8	182.5	279.6	47.5	1003.6	770.8
9/16/19 5:00	0	146.2	0	0	136.9	349.8	332.2	279.4	68.3	1312.8	771.8
9/16/19 6:00	0	148.1	0	0	137.3	263.6	242	899.7	44.8	1735.5	773.4
9/16/19 7:00	0	149.1	0	0	133	237.4	219.2	291.5	40.1	1070.3	774.0
9/16/19 8:00	0	171.6	0	0	128.9	232.9	209.7	278.8	45.4	1067.3	774.6
9/16/19 9:00	0	181.8	0	0	136.6	225.5	194.7	278.1	44.2	1060.9	775.2
9/16/19 10:00	0	121.9	0	0	137.5	222.8	193.1	279.3	48.3	1002.9	775.7
9/16/19 11:00	0	123.8	0	0	137.6	232.8	207.7	259.8	83.5	1045.2	776.2
9/16/19 12:00	0	115.9	0	0	138.5	236	212.2	275.8	44.4	1022.8	776.7
9/16/19 13:00	0	111.5	0	0	137.9	226.9	205.3	279	48	1008.6	777.0
9/16/19 14:00	0	193.6	0	0	138.2	247.5	218.6	279.7	40.5	1118.1	777.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/16/19 15:00	0	130.8	0	0	138.9	248.3	220.7	280.2	44.3	1063.2	778.1
9/16/19 16:00	0	146	0	0	137.3	247	220.2	279.1	39.4	1069.0	778.6
9/16/19 17:00	0	146	0	0	138.3	250.7	227.9	279.5	43.9	1086.3	779.1
9/16/19 18:00	0	171.7	0	0	137.9	236	212.9	277.4	43.3	1079.2	779.6
9/16/19 19:00	0	207.7	0	0	138.2	218.4	193.2	278.9	42.5	1078.9	780.2
9/16/19 20:00	0	206.9	0	0	138.7	212.3	188	280.2	44.2	1070.3	780.8
9/16/19 21:00	0	206.9	0	0	138.7	202.9	176	279.4	42.3	1046.2	781.4
9/16/19 22:00	0	209.5	0	0	138.9	209.5	182.5	272.5	40	1052.9	782.0
9/16/19 23:00	0	209.6	0	0	138.2	208.2	180.7	281.6	44.4	1062.7	782.6
9/17/19 0:00	0	206.4	0	0	138.9	216.3	187.2	276.4	44.6	1069.8	783.2
9/17/19 1:00	0	207.2	0	0	137.9	200.5	177.8	281.9	43.6	1048.9	783.7
9/17/19 2:00	0	201.6	0	0	138	192.9	168.2	278.7	45	1024.4	784.3
9/17/19 3:00	0	199	0	0	136.1	217.6	163	279.3	42.2	1037.2	784.8
9/17/19 4:00	0	200	0	0	147.7	163.9	161	278.1	41.1	991.8	785.4
9/17/19 5:00	0	209.5	0	0	162.3	177.2	170.8	279.3	45.1	1044.2	786.0
9/17/19 6:00	0	210.9	0	0	166	152.2	140.2	280.9	45.1	995.3	786.5
9/17/19 7:00	0	208.2	0	0	166.4	146.1	149.9	279.7	40.2	990.5	787.0
9/17/19 8:00	0	216.7	0	0	166	141.5	143.8	280.4	43.4	991.8	787.5
9/17/19 9:00	0	209.5	0	0	126.7	156.6	153.6	278.4	50	974.8	788.0
9/17/19 10:00	0	213.2	0	0	126.5	148.7	159.1	279.9	44.9	972.3	788.5
9/17/19 11:00	0	209	0	0	126.9	144.5	150.3	300.9	63.9	995.5	789.0
9/17/19 12:00	0	208.3	0	0	127	160.6	164.8	276.1	52.4	989.2	789.5
9/17/19 13:00	0	213.7	0	0	124.5	158.4	147.3	280.6	48.6	973.1	789.9
9/17/19 14:00	0	213.9	0	0	109	161.5	167.9	278.8	51.2	982.3	790.4
9/17/19 15:00	0	214.7	0	0	110.7	166.7	176.8	278.9	41.5	989.3	790.9
9/17/19 16:00	0	185.2	0	0	138.7	150.2	163.3	275.9	45.1	958.4	791.5
9/17/19 17:00	0	127.3	0	0	137.2	153.9	160.5	281.2	49.3	909.4	791.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/17/19 18:00	0	126.1	0	0	123.2	148.6	148.2	280.3	44.9	871.3	792.3
9/17/19 19:00	0	121	0	0	128.1	138.5	147.5	278.8	45.2	859.1	792.7
9/17/19 20:00	0	121	0	0	168.4	138.6	135.6	278.7	47.1	889.4	793.1
9/17/19 21:00	0	121.1	0	0	170.9	132.2	127	280.4	49.1	880.7	793.5
9/17/19 22:00	0	121.5	0	0	170.7	120.5	117.5	280.8	47.4	858.4	793.9
9/17/19 23:00	0	121.1	0	0	171.7	124.8	130.8	258.9	32.2	839.5	794.2
9/18/19 0:00	0	121.3	0	0	170.1	124	139.6	272.9	49.3	877.2	794.5
9/18/19 1:00	0	120.7	0	0	170.5	126.4	131.4	283.4	52.9	885.3	795.0
9/18/19 2:00	0	120.7	0	0	170.7	130.2	117.3	280.4	47	866.3	795.3
9/18/19 3:00	0	119.8	0	0	170.4	132.8	124.1	278.1	51	876.2	795.7
9/18/19 4:00	0	120.5	0	0	171.4	124.9	116	280.3	50.4	863.5	796.1
9/18/19 5:00	0	163.1	0	0	143.5	149.2	163.7	276.9	77.4	973.8	796.6
9/18/19 6:00	0	236.3	0	0	117.5	136.4	131.8	280.3	47.9	950.2	797.1
9/18/19 7:00	0	253.3	0	0	115.6	139.9	137.9	277.6	48.3	972.6	797.6
9/18/19 8:00	0	253.1	0	0	124.9	241.3	145.6	278.8	51.3	1095.0	798.2
9/18/19 9:00	0	245.7	0	0	126	285.2	141.5	279.3	55.9	1133.6	798.9
9/18/19 10:00	0	246.1	0	0	124.2	326.9	149.3	278.9	50.1	1175.5	799.6
9/18/19 11:00	0	245.1	0	0	127.7	328.2	147.5	315.9	73.2	1237.6	800.4
9/18/19 12:00	0	235.7	0	0	154.5	176.4	182.3	267.5	59.4	1075.8	800.9
9/18/19 13:00	0	237.3	0	0	119.8	198.5	202.2	281.8	53.5	1093.1	801.4
9/18/19 14:00	0	243.4	0	0	120.2	190.4	187.2	278.4	52.8	1072.4	802.0
9/18/19 15:00	0	174	0	0	120.5	199.8	188.4	278.8	60.3	1021.8	802.4
9/18/19 16:00	0	66.7	0	0	130.4	180.1	174.1	274.1	48.1	873.5	802.7
9/18/19 17:00	0	0	0	0	139	161.1	137.1	282.1	60.9	780.2	802.9
9/18/19 18:00	0	0	0	0	139.8	155.6	142	274.1	56.4	767.9	803.0
9/18/19 19:00	0	0	0	0	135.6	164.7	146.3	280.3	62.4	789.3	803.2
9/18/19 20:00	0	0	0	0	139.1	175.5	164.2	278.8	62.3	819.9	803.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/18/19 21:00	0	0	0	0	139.2	176	161.9	279.7	66.1	822.9	803.6
9/18/19 22:00	0	0	0	0	138.9	184.9	173.4	278.1	54	829.3	803.8
9/18/19 23:00	0	0	0	0	133.2	187.3	178.5	266.4	46.3	811.7	804.0
9/19/19 0:00	0	0	0	0	131.9	237.9	192.7	278.1	61.7	902.3	804.3
9/19/19 1:00	0	0	0	0	130.4	264.6	169.4	279.6	59.6	903.6	804.5
9/19/19 2:00	0	0	0	0	131.1	245.7	163.2	279.9	61.2	881.1	804.8
9/19/19 3:00	0	0	0	0	150.6	197.6	191	279	60.6	878.8	805.1
9/19/19 4:00	0	0	0	0	161.7	196.1	185.2	279.2	66.1	888.3	805.4
9/19/19 5:00	0	0	0	0	161.8	181.7	171.1	281.6	44.8	841.0	805.7
9/19/19 6:00	0	0	0	0	160.8	171.2	156.6	285.9	56.1	830.6	806.0
9/19/19 7:00	0	0	0	0	160.6	175	164.5	276.4	56.4	832.9	806.4
9/19/19 8:00	0	0	0	0	156.1	180.6	165.9	280.7	56.2	839.5	806.7
9/19/19 9:00	0	0	0	0	124.6	178.5	159	279	59.5	800.6	807.0
9/19/19 10:00	0	0	0	0	130.6	173.3	155.4	278.5	56.5	794.3	807.0
9/19/19 11:00	0	0	0	0	128.1	196.2	185.2	279.8	63.2	852.5	807.2
9/19/19 12:00	0	0	0	0	127.9	201.5	200.3	286.9	113.6	930.2	807.5
9/19/19 13:00	0	0	0	0	128.2	200.5	188.4	284.4	60.4	861.9	807.8
9/19/19 14:00	0	0	0	0	128.1	190	181.3	279.1	60.8	839.3	807.9
9/19/19 15:00	0	0	0	0	129.1	188.1	172	279.7	54.9	823.8	808.2
9/19/19 16:00	0	0	0	0	127.8	255	239.2	275.6	58.3	955.9	808.6
9/19/19 17:00	0	0	0	0	136.7	281.5	262.9	280.4	61.4	1022.9	809.2
9/19/19 18:00	0	0	0	0	141.4	171.8	164.1	276.6	57	810.9	809.5
9/19/19 19:00	0	0	0	0	143.3	175	160	280.5	59.1	817.9	809.8
9/19/19 20:00	0	0	0	0	142.2	170.5	154.1	279.1	61.1	807.0	810.1
9/19/19 21:00	0	0	0	0	141.3	169	154.5	280.9	58.4	804.1	810.4
9/19/19 22:00	0	0	0	0	141.3	170.8	153.1	279.4	55.5	800.1	810.7
9/19/19 23:00	0	0	0	0	142.5	178.2	160.6	260.2	74.4	815.9	811.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/20/19 0:00	0	0	0	0	141.4	175.1	160.1	276.8	59.8	813.2	811.3
9/20/19 1:00	0	0	0	0	142.8	166.1	150.2	279.3	59.4	797.8	811.6
9/20/19 2:00	0	0	0	0	141.6	169.9	154.5	279.4	60.8	806.2	812.0
9/20/19 3:00	0	0	0	0	141.6	164.2	150.1	279.5	60.2	795.6	812.3
9/20/19 4:00	0	0	0	0	140.8	160.4	149.2	279.2	54.1	783.7	812.6
9/20/19 5:00	0	0	0	0	142.2	170.1	155.7	278.9	54.2	801.1	812.8
9/20/19 6:00	0	0	0	0	141.7	169.4	156	276.8	54.3	798.2	813.1
9/20/19 7:00	0	0	0	0	140.6	173	155.4	279.2	54.2	802.4	813.3
9/20/19 8:00	0	0	0	0	140.9	179.5	159.2	278.8	56.2	814.6	813.5
9/20/19 9:00	0	0	0	0	140.2	148.9	149.6	278.9	51.2	768.8	813.6
9/20/19 10:00	0	0	0	0	140	161.7	154	280.2	53.9	789.8	813.8
9/20/19 11:00	0	0	0	0	140.8	162.8	152.5	284.8	85.7	826.6	814.0
9/20/19 12:00	0	0	0	0	143.4	174.4	169.2	270.6	51.8	809.4	814.1
9/20/19 13:00	0	0	0	0	142.5	162.8	156.2	278.6	54.7	794.8	814.4
9/20/19 14:00	0	0	0	0	144	163.8	159.1	278.1	52.5	797.5	814.5
9/20/19 15:00	0	0	0	0	144.6	173.8	176.6	279.9	48.1	823.0	814.7
9/20/19 16:00	0	0	0	0	146	169.6	171.9	278.3	51.2	817.0	814.9
9/20/19 17:00	0	0	0	0	145.3	185.9	181.2	249.1	31.4	792.9	815.1
9/20/19 18:00	0	0	0	0	144.6	184.5	190.9	294	31.9	845.9	815.4
9/20/19 19:00	0	0	0	0	145.3	200.8	206.4	279.3	53.6	885.4	815.7
9/20/19 20:00	0	0	0	0	144.3	203.7	200.6	279.3	55	882.9	816.1
9/20/19 21:00	0	0	0	0	144.6	187	169.7	280.1	53.9	835.3	816.4
9/20/19 22:00	0	0	0	0	144.8	186.6	161.2	278.9	50.5	822.0	816.7
9/20/19 23:00	0	0	0	0	144.3	169.7	150.7	278.6	54.4	797.7	816.9
9/21/19 0:00	0	0	0	0	142.7	181.7	169.3	282.5	53.7	829.9	817.2
9/21/19 1:00	0	0	0	0	144.7	178.4	161.5	280	51	815.6	817.5
9/21/19 2:00	0	0	0	0	143.6	178.3	149.3	279.2	52	802.4	817.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/21/19 3:00	0	0	0	0	142.8	177.5	170.7	278.7	52	821.7	818.1
9/21/19 4:00	0	0	0	0	144.3	167.6	164.9	279.7	50.6	807.1	818.3
9/21/19 5:00	0	0	0	0	145.5	177	183.4	280.1	49.7	835.7	818.6
9/21/19 6:00	0	0	0	0	144.7	173.6	167.4	278.3	49.1	813.1	818.9
9/21/19 7:00	0	0	0	0	145.1	168.4	166.1	279.3	53.4	812.3	819.2
9/21/19 8:00	0	0	0	0	145	184.7	178.5	278.6	54.5	841.3	819.6
9/21/19 9:00	0	0	0	0	143.9	184.4	168.6	278.4	51	826.3	820.0
9/21/19 10:00	0	0	0	0	143.6	184.2	174.9	310.6	56.5	869.8	820.4
9/21/19 11:00	0	0	0	0	142.3	190.4	180.7	269.5	52.6	835.5	820.6
9/21/19 12:00	0	0	0	0	142.9	199.5	200.2	279.9	68.6	891.1	821.0
9/21/19 13:00	0	0	0	0	143.6	191.4	189.9	283.2	55.9	864.0	821.4
9/21/19 14:00	0	0	0	0	141.8	195.3	196.8	279.1	52.2	865.2	821.8
9/21/19 15:00	0	0	0	0	144.6	194	189.7	280.1	56.8	865.2	822.2
9/21/19 16:00	0	0	0	0	143.8	203.2	196.8	280	57.1	880.9	822.6
9/21/19 17:00	0	0	0	0	143.4	212.2	203.7	245.4	43.4	848.1	822.9
9/21/19 18:00	0	0	0	0	144.4	200.1	184.6	293.3	37.8	860.2	823.3
9/21/19 19:00	0	0	0	0	144.1	207.1	188.3	280.2	52.2	871.9	823.7
9/21/19 20:00	0	0	0	0	143.5	195.9	182.3	281.2	58.6	861.5	824.1
9/21/19 21:00	0	0	0	0	144.8	197.7	179.2	279.1	55.6	856.4	824.5
9/21/19 22:00	0	0	0	0	146.3	207.1	181.2	280.4	57.7	872.7	824.8
9/21/19 23:00	0	0	0	0	145.6	213.7	183.2	279.9	53.6	876.0	825.2
9/22/19 0:00	0	0	0	0	148.2	197.5	173.3	281.5	54.4	854.9	825.6
9/22/19 1:00	0	0	0	0	146.1	210.6	181.6	280.1	52.1	870.5	826.0
9/22/19 2:00	0	0	0	0	146.8	196	175.1	280.6	55.3	853.8	826.3
9/22/19 3:00	0	0	0	0	145.5	201	183.3	280	53.3	863.1	826.7
9/22/19 4:00	0	0	0	0	145.6	181.5	163.7	278.6	52.9	822.3	827.0
9/22/19 5:00	0	0	0	0	144.1	186.7	169.4	279.9	54.6	834.7	827.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/22/19 6:00	0	0	0	0	144.6	201.7	179.2	277.9	56.8	860.2	827.6
9/22/19 7:00	0	0	0	0	144.6	152.6	129.7	279	55.5	761.4	827.8
9/22/19 8:00	0	0	0	0	143.4	141.8	124.6	280	55.9	745.7	828.0
9/22/19 9:00	0	0	0	0	143.5	148	129.4	279	53.5	753.4	828.1
9/22/19 10:00	0	0	0	0	141.4	181.2	148.5	280.9	58.2	810.2	828.4
9/22/19 11:00	0	0	0	0	143.4	171.5	160.4	277.6	50.2	803.1	828.7
9/22/19 12:00	0	0	0	0	145.5	171.2	177.2	286	61.8	841.7	829.0
9/22/19 13:00	0	0	0	0	144.9	151	175.6	281.6	49	802.1	829.3
9/22/19 14:00	0	0	0	0	143.7	178.9	171.8	279.8	56.4	830.6	829.6
9/22/19 15:00	0	0	0	0	144.5	194.4	176.7	278	51.8	845.4	830.0
9/22/19 16:00	0	0	0	0	144	184.7	167.8	280.6	54.2	831.3	830.3
9/22/19 17:00	0	0	0	0	145.7	193.6	174.5	283	45.4	842.2	830.7
9/22/19 18:00	0	0	0	0	143.8	201	183.7	279.5	41.2	849.2	831.0
9/22/19 19:00	0	0	0	0	146.2	183	167.4	285	46.4	828.0	831.4
9/22/19 20:00	0	0	0	0	144.1	185.8	165.7	280.5	57.8	833.9	831.6
9/22/19 21:00	0	0	0	0	145.6	189.8	169.8	278.9	49.8	833.9	831.9
9/22/19 22:00	0	0	0	0	145	183.5	168.4	281.1	57.4	835.4	832.2
9/22/19 23:00	0	0	0	0	144.8	184.8	164.9	277.2	50.3	822.0	832.4
9/23/19 0:00	0	0	0	0	144.5	188.7	163.3	283	53.8	833.3	832.6
9/23/19 1:00	0	0	0	0	145.3	184.7	169.3	279.3	49.6	828.2	832.9
9/23/19 2:00	0	0	0	0	145.6	197.2	183.1	283.4	51.6	860.9	833.2
9/23/19 3:00	0	0	0	0	145.2	196.9	185.8	301.3	59.5	888.7	833.6
9/23/19 4:00	0	0	0	0	144.5	204.2	199.2	277.7	53.2	878.8	833.9
9/23/19 5:00	0	0	0	0	145.6	217.7	205.5	276.3	45.8	890.9	834.3
9/23/19 6:00	0	0	0	0	144.8	224.8	223.7	281.3	63.7	938.3	834.7
9/23/19 7:00	0	0	0	0	144.6	233.7	229.6	277.1	57.3	942.3	835.1
9/23/19 8:00	0	0	0	0	143.9	218.3	219.3	281	59.4	921.9	835.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/23/19 9:00	0	0	0	0	144.3	231.5	229.9	278.7	63.2	947.6	835.9
9/23/19 10:00	0	0	0	0	145	183.4	185.4	278.9	62.9	855.6	836.2
9/23/19 11:00	0	0	0	0	145.5	180.3	190.7	279.6	92.4	888.5	836.5
9/23/19 12:00	0	0	0	0	120	171.9	180	282.1	61.6	815.6	836.8
9/23/19 13:00	0	0	0	0	1.4	170.5	164.4	278.2	58.9	673.4	836.9
9/23/19 14:00	0	0	0	0	0	153.2	160.8	322.2	64.8	701.0	837.1
9/23/19 15:00	0	0	0	0	0	147.4	148.9	291.2	59.8	647.3	836.9
9/23/19 16:00	0	0	0	0	0	152.4	163.3	280.8	53.1	649.6	836.9
9/23/19 17:00	0	0	0	0	0	161.6	174.8	278.5	66.4	681.3	837.0
9/23/19 18:00	0	0	0	0	0	169.1	182	274.8	46.3	672.2	837.1
9/23/19 19:00	0	0	0	0	0	179	187.1	278.1	56.8	701.0	837.1
9/23/19 20:00	0	0	0	0	0	186.7	197.9	280.8	61.6	727.0	837.3
9/23/19 21:00	0	0	0	0	0	213.1	222.7	279.3	66.8	781.9	837.5
9/23/19 22:00	0	0	0	0	0	215.9	223.8	279.4	63.4	782.5	837.8
9/23/19 23:00	0	0	0	0	0	172.2	173.5	279.1	75.1	699.9	837.8
9/24/19 0:00	0	0	0	0	0	164.8	161.3	282	70.9	679.0	837.9
9/24/19 1:00	0	0	0	0	0	158.8	158.3	281.5	64.9	663.5	837.9
9/24/19 2:00	0	0	0	0	0	155.5	154.2	280	63.9	653.6	837.9
9/24/19 3:00	0	0	0	0	0	168.4	167.7	279.4	68.4	683.9	837.9
9/24/19 4:00	0	0	0	0	0	181.3	167.8	279	71	699.1	837.9
9/24/19 5:00	0	0	0	0	0	166	154.5	280.7	41	642.2	837.9
9/24/19 6:00	0	0	0	0	0	134.3	137.9	268.3	56.7	597.2	837.9
9/24/19 7:00	0	0	0	0	0	142.2	146.1	279.5	73.3	641.1	837.9
9/24/19 8:00	0	0	0	0	0	148.3	149.4	280.9	77.1	655.7	837.9
9/24/19 9:00	0	0	0	0	0	152.8	146	278.9	70.9	648.6	837.9
9/24/19 10:00	0	0	0	0	0	191.7	189.3	279.7	68.1	728.8	837.9
9/24/19 11:00	0	0	0	0	0	188.1	177.7	278.7	82.1	726.6	838.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/24/19 12:00	0	0	0	0	0	189.4	180.4	357.9	77.2	804.9	838.2
9/24/19 13:00	0	0	0	0	0	184.3	172.8	289	53.4	699.5	838.2
9/24/19 14:00	0	0	0	0	0	189	180.3	283.5	115	767.8	838.3
9/24/19 15:00	0	0	0	0	0	180.1	168.6	281.7	72	702.4	838.3
9/24/19 16:00	0	0	0	0	0	197.5	185.7	280.1	69.7	733.0	838.5
9/24/19 17:00	0	0	0	0	0	185.8	178.1	277.4	69.1	710.4	838.6
9/24/19 18:00	0	0	0	0	0	189.6	173.3	278.1	68.6	709.6	838.7
9/24/19 19:00	0	0	0	0	0	182.9	164.1	278.3	69.6	694.9	838.8
9/24/19 20:00	0	0	0	0	0	183.8	165.6	280.7	74.8	704.9	838.9
9/24/19 21:00	0	0	0	0	0	183.2	166.7	278.4	67.7	696.0	839.0
9/24/19 22:00	0	0	0	0	0	193	182.9	285.7	72.9	734.5	839.2
9/24/19 23:00	0	0	0	0	0	217.3	211.5	277.6	70.5	776.9	839.4
9/25/19 0:00	0	0	0	0	0	252.1	251.3	283.5	74.4	861.3	839.6
9/25/19 1:00	0	0	0	0	0	260.1	244.1	278.2	71.7	854.1	840.0
9/25/19 2:00	0	0	0	0	0	218.6	209.6	280.2	75.4	783.8	840.2
9/25/19 3:00	0	0	0	0	0	228.3	214.6	278.9	68.4	790.2	840.4
9/25/19 4:00	0	0	0	0	0	218.3	209.8	280.4	72.1	780.6	840.6
9/25/19 5:00	0	0	0	0	0	205.3	196.8	278.3	78.4	758.8	840.7
9/25/19 6:00	0	0	0	0	0	166.1	149.6	278.8	68.3	662.8	840.8
9/25/19 7:00	0	0	0	0	0	185.5	156.7	278.8	72	693.0	840.9
9/25/19 8:00	0	0	0	0	0	223.9	167.5	278.3	75.1	744.8	841.0
9/25/19 9:00	0	0	0	0	0	205.3	175.2	280.4	61.3	722.2	841.2
9/25/19 10:00	0	0	0	0	0	205.8	180.4	279.4	73.2	738.8	841.0
9/25/19 11:00	0	0	0	0	0	214.6	197.9	375.1	70.4	858.0	840.8
9/25/19 12:00	0	0	0	0	0	205.3	187.7	297	52.6	742.6	840.5
9/25/19 13:00	0	0	0	0	0	213.6	191.8	280.3	74.4	760.1	840.6
9/25/19 14:00	0	0	0	0	0	202.1	182.9	279.1	76.4	740.5	840.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/25/19 15:00	0	0	0	0	0	205	187.4	281	63	736.4	840.7
9/25/19 16:00	0	0	0	0	0	189.3	177.8	278.8	73	718.9	840.8
9/25/19 17:00	0	0	0	0	0	202.4	178.9	280	69.5	730.8	840.9
9/25/19 18:00	0	0	0	0	0	220.6	197.8	275.7	62.4	756.5	841.0
9/25/19 19:00	0	0	0	0	0	230	208.1	280.7	76	794.8	841.2
9/25/19 20:00	0	0	0	0	0	224.4	206.6	277.5	74.6	783.1	841.3
9/25/19 21:00	0	0	0	0	0	212.6	203	282.3	71.4	769.3	841.4
9/25/19 22:00	0	0	0	0	0	206.9	197.8	278.4	65.7	748.8	841.5
9/25/19 23:00	0	0	0	0	0	210.8	199.2	282.1	68.2	760.3	841.6
9/26/19 0:00	0	0	0	0	0	212.7	198.9	274.8	66.4	752.8	841.7
9/26/19 1:00	0	0	0	0	0	220	204.6	278.6	69	772.2	841.8
9/26/19 2:00	0	0	0	0	0	208.9	191.2	280.5	70.2	750.8	841.9
9/26/19 3:00	0	0	0	0	0	193.6	183.8	279.2	64.5	721.1	842.0
9/26/19 4:00	0	0	0	0	0	199.4	187	278.2	73	737.6	842.2
9/26/19 5:00	0	0	0	0	0	183	166.5	280.2	74.6	704.3	842.2
9/26/19 6:00	0	0	0	0	0	201.8	188.7	278.4	63.3	732.2	842.3
9/26/19 7:00	0	0	0	0	0	209.3	191.8	278.3	72	751.4	842.5
9/26/19 8:00	0	0	0	0	0	195.4	180.6	280.2	73	729.2	842.6
9/26/19 9:00	0	0	0	0	0	190	180.4	278.1	62.2	710.7	842.8
9/26/19 10:00	0	0	0	0	0	213.6	199.1	283.1	69	764.8	843.0
9/26/19 11:00	0	0	0	0	0	261.1	240.5	330.2	113.4	945.2	843.4
9/26/19 12:00	0	0	0	0	0	266.2	245.2	268.9	67.8	848.1	843.6
9/26/19 13:00	0	0	0	0	0	276.6	251.9	279.2	72.3	880.0	843.9
9/26/19 14:00	0	0	0	0	0	256.5	233.2	278.4	68.1	836.2	844.2
9/26/19 15:00	0	0	0	0	0	265.8	240.6	282	71	859.4	844.3
9/26/19 16:00	0	0	0	0	0	253.2	237.1	279.1	73.5	842.9	844.5
9/26/19 17:00	0	0	0	0	0	256.2	232.8	278	65.7	832.7	844.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/26/19 18:00	0	0	0	0	0	238.7	221.4	278.6	67.2	805.9	844.7
9/26/19 19:00	0	0	0	0	0	222.1	207.1	279.3	72.9	781.4	844.7
9/26/19 20:00	0	0	0	0	0	204.3	193.9	279.4	73.6	751.2	844.7
9/26/19 21:00	0	0	0	0	0	202	190.6	278.6	68.3	739.5	844.6
9/26/19 22:00	0	0	0	0	0	207.2	197.9	274.2	68.1	747.4	844.6
9/26/19 23:00	0	0	0	0	0	211.4	206.7	277.5	74.8	770.4	844.6
9/27/19 0:00	0	0	0	0	0	201.3	198.6	276.2	64.8	740.9	844.6
9/27/19 1:00	0	0	0	0	0	194.1	193.4	283.5	72.9	743.9	844.6
9/27/19 2:00	0	0	0	0	0	201	198.2	277.7	72	748.9	844.6
9/27/19 3:00	0	0	0	0	0	205	200.9	279.6	66.7	752.2	844.7
9/27/19 4:00	0	0	0	0	0	207.8	204.5	279.2	72.7	764.2	844.8
9/27/19 5:00	0	0	0	0	0	196.2	191.1	276.7	80.6	744.6	844.9
9/27/19 6:00	0	0	0	0	0	195.8	187.8	278.7	60.1	722.4	845.1
9/27/19 7:00	0	0	0	0	0	204.1	194	278	67.9	744.0	845.3
9/27/19 8:00	0	0	0	0	0	205.7	191.5	332.5	138	867.7	845.7
9/27/19 9:00	0	0	0	0	0	212.2	198.9	279	72	762.1	845.9
9/27/19 10:00	0	0	0	0	0	226	213.6	279.3	67.9	786.8	846.1
9/27/19 11:00	0	0	0	0	0	223.1	215.4	280.6	73.9	793.0	846.2
9/27/19 12:00	0	0	0	0	0	99.3	274.5	276.8	74.3	724.9	846.4
9/27/19 13:00	0	0	0	0	0	196.8	233.5	277.8	68.9	777.0	846.6
9/27/19 14:00	0	0	0	0	0	185.9	220.5	279	70.5	755.9	846.7
9/27/19 15:00	0	0	0	0	0	178.4	219.5	279.1	63.7	740.7	846.8
9/27/19 16:00	0	0	0	0	0	204.9	251.7	279.1	71.9	807.6	847.0
9/27/19 17:00	0	0	0	0	0	219.2	282	277.8	67.3	846.3	847.3
9/27/19 18:00	0	0	0	0	0	209.6	279.2	277.9	64.1	830.8	847.6
9/27/19 19:00	0	0	0	0	0	215.2	278	282.7	68.3	844.2	847.8
9/27/19 20:00	0	0	0	0	0	240.3	229.8	279.8	70.2	820.1	848.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/27/19 21:00	0	0	0	0	0	240.1	211.9	286.8	67.8	806.6	848.4
9/27/19 22:00	0	0	0	0	0	241.3	182.5	277.4	58.3	759.5	848.6
9/27/19 23:00	0	0	0	0	0	241.9	208.2	278.9	57.5	786.5	848.7
9/28/19 0:00	0	0	0	0	0	251.1	193.8	278.9	78.3	802.1	849.0
9/28/19 1:00	0	0	0	0	0	242.5	185.7	279	69.5	776.7	849.1
9/28/19 2:00	0	0	0	0	0	237.3	198	280	60.6	775.9	849.3
9/28/19 3:00	0	0	0	0	0	233.6	178.6	277.9	66.5	756.6	849.5
9/28/19 4:00	0	0	0	0	0	222.9	182.3	280.2	69	754.4	849.6
9/28/19 5:00	0	0	0	0	0	239.2	195.7	278.2	86.7	799.8	849.8
9/28/19 6:00	0	0	0	0	0	234.1	213.1	276.5	62.3	786.0	850.0
9/28/19 7:00	0	0	0	0	0	235.5	220.4	278.6	67.8	802.3	850.2
9/28/19 8:00	0	0	0	0	0	251.6	185.7	363.2	118	918.5	850.5
9/28/19 9:00	0	0	0	0	0	270	190.8	284.4	52.2	797.4	850.8
9/28/19 10:00	0	0	0	0	0	273	205.6	278.8	63.1	820.5	850.9
9/28/19 11:00	0	0	0	0	0	256.9	231	279.1	66.9	833.9	851.1
9/28/19 12:00	0	0	0	0	0	252.2	249.1	275.9	66.7	843.9	851.4
9/28/19 13:00	0	0	0	0	0	261	220.9	280.2	67.2	829.3	851.6
9/28/19 14:00	0	0	0	0	0	265.9	212.9	278	68.1	824.9	851.8
9/28/19 15:00	0	0	0	0	0	263.7	224.1	278.2	61.3	827.3	852.0
9/28/19 16:00	0	0	0	0	0	269	216.7	281.5	69.7	836.9	852.2
9/28/19 17:00	0	0	0	0	0	269.7	204.5	275.3	66.2	815.7	852.4
9/28/19 18:00	0	0	0	0	0	280.9	186	281.5	55.1	803.5	852.6
9/28/19 19:00	0	0	0	0	0	275.9	190.2	272.6	61.6	800.3	852.7
9/28/19 20:00	0	0	0	0	0	276.9	218.4	324.5	67.4	887.2	852.9
9/28/19 21:00	0	0	0	0	0	280.9	261.1	0	61.7	603.7	852.6
9/28/19 22:00	0	0	0	0	0	286.6	257.3	0	70.3	614.2	852.4
9/28/19 23:00	0	0	0	0	0	297.8	252.7	0	62.6	613.1	852.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/29/19 0:00	0	0	0	0	0	300.9	257	0	74	631.9	852.0
9/29/19 1:00	0	0	0	0	0	299.6	253.9	0	65.5	619.0	851.7
9/29/19 2:00	0	0	0	0	0	315.3	275.1	0	69.7	660.1	851.0
9/29/19 3:00	0	0	0	0	0	495.6	470.5	0	74.2	1040.3	851.1
9/29/19 4:00	0	0	0	0	0	514.1	442.7	0	75.5	1032.3	851.3
9/29/19 5:00	0	0	0	0	0	515.4	463.8	0	76.1	1055.3	851.5
9/29/19 6:00	0	0	0	0	0	453.6	467.3	0	56.8	977.7	851.3
9/29/19 7:00	0	0	0	0	0	302.4	221.9	0	71.4	595.7	850.9
9/29/19 8:00	0	0	0	0	0	303.1	212.4	0	116.1	631.6	850.6
9/29/19 9:00	0	0	0	0	0	292.3	240	0	70.2	602.5	850.3
9/29/19 10:00	0	0	0	0	0	296.8	299	0	70.2	666.0	850.0
9/29/19 11:00	0	0	0	0	0	297.1	267.4	0	64.8	629.3	849.7
9/29/19 12:00	0	0	0	0	0	299.2	265.6	0	62.6	627.4	849.3
9/29/19 13:00	0	0	0	0	0	309	256.3	0	71	636.3	848.9
9/29/19 14:00	0	0	0	0	0	309.2	260.5	0	66.5	636.2	848.6
9/29/19 15:00	0	0	0	0	0	323.3	280	0	65.9	669.2	848.2
9/29/19 16:00	0	0	0	0	0	319.2	274.4	0	62.6	656.2	847.9
9/29/19 17:00	0	0	0	0	0	315.4	290.2	0	64.7	670.3	847.5
9/29/19 18:00	0	0	0	0	0	293	264.8	0	60.9	618.7	847.2
9/29/19 19:00	0	0	0	0	0	312.7	271.3	0	65	649.0	846.8
9/29/19 20:00	0	0	0	0	0	307.2	309.1	0	65.3	681.6	846.5
9/29/19 21:00	0	0	0	0	0	325.9	311.6	0	58	695.5	846.1
9/29/19 22:00	0	0	0	0	0	334.3	267.5	0	64.5	666.3	845.8
9/29/19 23:00	0	0	0	0	0	329.1	308.5	0	52	689.6	845.5
9/30/19 0:00	0	0	0	0	0	329.3	284.1	0	33.5	646.9	845.2
9/30/19 1:00	0	0	0	0	0	328.1	279.1	0	69.1	676.3	844.8
9/30/19 2:00	0	0	0	0	0	335.9	284.5	0	56.7	677.1	844.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/30/19 3:00	0	0	0	0	0	331.3	291.9	0.3	64.7	688.2	844.1
9/30/19 4:00	0	0	0	0	0	337.1	321.7	0	60.2	719.0	843.9
9/30/19 5:00	0	0	0	0	0	300.4	245.7	255.9	52.8	854.8	843.8
9/30/19 6:00	0	0	0	0	0	262.2	210	242.8	57.4	772.4	843.6
9/30/19 7:00	0	0	0	0	0	262.7	211.2	276.3	59.5	809.7	843.5
9/30/19 8:00	0	0	0	0	0	263.8	210	319.9	58.7	852.4	843.5
9/30/19 9:00	0	0	0	0	0	264	183.1	439.2	65.2	951.5	843.6
9/30/19 10:00	0	0	0	0	0	260.7	196.4	253	121.9	832.0	843.6
9/30/19 11:00	0	0	0	0	0	261.2	233.7	279.9	217.1	991.9	843.8
9/30/19 12:00	0	0	0	0	0	268.6	262.3	276.6	0	807.5	843.8
9/30/19 13:00	0	0	0	0	0	251	193.2	278.7	0	722.9	843.6
9/30/19 14:00	0	0	0	0	0	265.4	195.5	280.7	0	741.6	843.5
9/30/19 15:00	0	0	0	0	0	196.5	238.4	279.7	0	714.6	843.5
9/30/19 16:00	0	0	0	0	0	169.3	264.1	276.8	0	710.2	843.6
9/30/19 17:00	0	0	0	0	0	250	222.8	283.5	0	756.3	843.8
9/30/19 18:00	0	0	0	0	0	299.4	246.7	272.1	0	818.2	844.0
9/30/19 19:00	0	0	0	0	0	293.5	285.3	278	0	856.8	844.3
9/30/19 20:00	0	0	0	0	0	270.4	347.5	280.6	0	898.5	844.4
9/30/19 21:00	0	0	0	0	0	276.2	283.3	282.7	0	842.2	844.6
9/30/19 22:00	0	0	0	0	0	281.7	254.1	279.3	0	815.1	844.7
9/30/19 23:00	0	0	0	0	0	284.7	261.8	278.7	0	825.2	844.8
10/1/19 0:00	0	0	0	0	0	290.7	268.1	274.2	0	833.0	844.8
10/1/19 1:00	0	0	0	0	0	285.5	272.4	281.4	0	839.3	845.0
10/1/19 2:00	0	0	0	0	0	284.9	251.9	278.9	0	815.7	845.2
10/1/19 3:00	0	0	0	0	0	278.6	255	279.8	0	813.4	845.3
10/1/19 4:00	0	0	0	0	0	288.2	242.9	280.4	0	811.5	845.4
10/1/19 5:00	0	0	0	0	0	285.3	369.5	278.7	0	933.5	845.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/1/19 6:00	0	0	0	0	0	401.9	623.4	279.7	0	1305.0	846.7
10/1/19 7:00	0	0	0	0	0	305.8	649.3	278.7	0	1233.8	847.4
10/1/19 8:00	0	0	0	0	0	165.9	670.7	292.9	0	1129.5	848.1
10/1/19 9:00	0	0	0	0	0	177.5	673.4	334.4	0	1185.3	848.8
10/1/19 10:00	0	0	0	0	0	176.3	682.5	278.4	0	1137.2	849.4
10/1/19 11:00	0	0	0	0	0	173.4	679.8	280.7	0	1133.9	850.1
10/1/19 12:00	0	0	0	0	0	198.5	675.9	280.8	0	1155.2	850.7
10/1/19 13:00	0	0	0	0	0	206.7	676.1	279.4	0	1162.2	851.4
10/1/19 14:00	0	0	0	0	0	176.2	671.4	280.3	0	1127.9	852.1
10/1/19 15:00	0	0	0	0	0	199.2	679.9	275.4	0	1154.5	852.8
10/1/19 16:00	0	0	0	0	0	190.7	677.6	281.4	0	1149.7	853.6
10/1/19 17:00	0	0	0	0	0	211.2	669.6	279.2	0	1160.0	854.3
10/1/19 18:00	0	0	0	0	0	216.4	675.3	279.7	0	1171.4	855.1
10/1/19 19:00	0	0	0	0	0	213.1	678.1	279.2	0	1170.4	855.7
10/1/19 20:00	0	0	0	0	0	208.8	682.1	278.9	0	1169.8	856.3
10/1/19 21:00	0	0	0	0	0	206.6	681.8	278.3	0	1166.7	857.0
10/1/19 22:00	0	0	0	0	0	216.9	683.7	280.3	0	1180.9	857.7
10/1/19 23:00	0	0	0	0	0	193.1	661.3	279	0	1133.4	858.3
10/2/19 0:00	0	0	0	0	0	188.9	561	282.5	0	1032.4	858.8
10/2/19 1:00	0	0	0	0	0	219.7	383.9	279.3	0	882.9	859.1
10/2/19 2:00	0	0	0	0	0	48.4	128.7	276.4	0	453.5	858.8
10/2/19 3:00	0	0	0	0	0	4.2	178.5	276.3	0	459.0	858.5
10/2/19 4:00	0	0	0	0	0	0	188.2	281.8	0	470.0	858.2
10/2/19 5:00	0	0	0	0	0	0	208.4	280.4	0	488.8	858.0
10/2/19 6:00	0	0	0	0	0	0	162.6	276.5	0	439.1	857.7
10/2/19 7:00	0	0	0	0	0	0	142.9	278.2	0	421.1	857.3
10/2/19 8:00	0	0	0	0	0	0	143.1	279.1	0	422.2	857.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/2/19 9:00	0	0	0	0	0	0	146	278.1	0	424.1	856.7
10/2/19 10:00	0	0	0	0	0	0	135.8	331.5	0	467.3	856.5
10/2/19 11:00	0	0	0	0	0	0	190.3	282.2	0	472.5	856.2
10/2/19 12:00	0	0	0	0	0	0	181.3	279.1	0	460.4	855.9
10/2/19 13:00	0	0	0	0	0	0	173.5	280.9	0	454.4	855.7
10/2/19 14:00	0	0	0	0	0	0	147.2	279.9	0	427.1	855.4
10/2/19 15:00	0	0	0	0	0	0	125.1	277	0	402.1	855.0
10/2/19 16:00	0	0	0	0	0	0	147.2	276.5	0	423.7	854.7
10/2/19 17:00	0	0	0	0	0	0	191.3	283.1	0	474.4	854.5
10/2/19 18:00	0	0	0	0	0	0	228.8	278.3	0	507.1	854.4
10/2/19 19:00	0	0	0	0	0	0	200.7	280.4	0	481.1	854.3
10/2/19 20:00	0	0	0	0	0	0	175.6	277.2	0	452.8	854.0
10/2/19 21:00	0	0	0	0	0	0	204.8	278.9	0	483.7	853.8
10/2/19 22:00	0	0	0	0	0	0	210.6	277.3	0	487.9	853.7
10/2/19 23:00	0	0	0	0	0	0	208.8	276.8	0	485.6	853.4
10/3/19 0:00	0	0	0	0	0	0	307.1	290.8	0	597.9	853.4
10/3/19 1:00	0	0	0	0	0	14.2	204.3	279.4	0	497.9	853.3
10/3/19 2:00	0	0	0	0	0	41.5	153	279.3	0	473.8	853.1
10/3/19 3:00	0	0	0	0	0	20.5	207.7	279.5	0	507.7	853.0
10/3/19 4:00	0	0	0	0	0	46.5	202.6	281	0	530.1	852.8
10/3/19 5:00	0	0	0	0	0	59.3	226.6	277.6	0	563.5	852.6
10/3/19 6:00	0	0	0	0	0	63	157.7	274.2	0	494.9	852.5
10/3/19 7:00	0	0	0	0	0	61.3	235.7	279.1	0	576.1	852.4
10/3/19 8:00	0	0	0	0	0	64.6	191.2	431	0	686.8	852.6
10/3/19 9:00	0	0	0	0	0	116.2	128.4	268.7	0	513.3	852.5
10/3/19 10:00	0	0	0	0	0	210	122.8	278.6	0	611.4	852.5
10/3/19 11:00	0	0	0	0	0	210	368.6	280.4	0	859.0	852.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/3/19 12:00	0	0	0	0	0	33.5	446.7	278.8	0	759.0	852.8
10/3/19 13:00	0	0	0	0	0	7.1	146.4	280.4	0	433.9	852.5
10/3/19 14:00	0	0	0	0	0	0	161.1	278.6	0	439.7	852.1
10/3/19 15:00	0	0	0	0	0	0	177.3	278.8	0	456.1	851.8
10/3/19 16:00	0	0	0	0	0	0	201.6	280.5	0	482.1	851.6
10/3/19 17:00	0	0	0	0	0	0	212.7	276.2	0	488.9	851.4
10/3/19 18:00	0	0	0	0	0	0	211.7	279	0	490.7	851.2
10/3/19 19:00	0	0	0	0	0	0	425.3	271.7	0	697.0	851.3
10/3/19 20:00	0	0	0	0	0	0	490	280.3	0	770.3	851.5
10/3/19 21:00	0	0	0	0	0	0	546.6	280.2	0	826.8	851.8
10/3/19 22:00	0	0	0	0	0	0	573.3	279.5	0	852.8	852.0
10/3/19 23:00	0	0	0	0	0	0	503.9	279.6	0	783.5	852.1
10/4/19 0:00	0	0	0	0	3.2	0	489.2	280.4	0	772.8	852.2
10/4/19 1:00	0	0	0	0	103.9	0	496	279	0	878.9	852.5
10/4/19 2:00	0	0	0	0	216.7	0	498.2	280.1	0	995.0	853.0
10/4/19 3:00	0	0	0	0	225.9	0	490.7	278.3	0	994.9	853.3
10/4/19 4:00	0	0	0	0	224	0	508.2	279.9	0	1012.1	853.8
10/4/19 5:00	0	0	0	0	222.3	0	505.7	277.6	0	1005.6	854.1
10/4/19 6:00	0	0	0	0	221.4	0	516.2	280.5	0	1018.1	854.6
10/4/19 7:00	0	0	0	0	223.9	0	534	278.7	0	1036.6	855.1
10/4/19 8:00	0	0	0	0	224.6	0	537.4	282.6	0	1044.6	855.7
10/4/19 9:00	0	0	0	0	231.9	0	448.8	279	0	959.7	856.2
10/4/19 10:00	0	0	0	0	232.2	0	189.2	257.5	0	678.9	856.2
10/4/19 11:00	0	0	0	0	233.5	0	150.3	282.6	0	666.4	856.2
10/4/19 12:00	0	0	0	0	235.4	0	155.4	284.7	0	675.5	856.3
10/4/19 13:00	0	0	0	0	235.4	0	147.9	349.8	0	733.1	856.4
10/4/19 14:00	0	0	0	0	232.8	0	179.1	276.3	0	688.2	856.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/4/19 15:00	0	0	0	0	231.7	0	151.7	284.4	0	667.8	856.6
10/4/19 16:00	0	0	0	0	231.4	0	130.2	274	0	635.6	856.6
10/4/19 17:00	0	0	0	0	233.2	0	135.1	275.6	0	643.9	856.6
10/4/19 18:00	0	0	0	0	232.4	0	131.6	282.7	0	646.7	856.6
10/4/19 19:00	0	0	0	0	232.8	0	148.1	284.3	0	665.2	856.7
10/4/19 20:00	0	0	0	0	232.6	0	140.3	279.7	0	652.6	856.7
10/4/19 21:00	0	0	0	0	232.4	0	139	281	0	652.4	856.7
10/4/19 22:00	0	0	0	0	230.8	0	91.9	273.9	0	596.6	856.5
10/4/19 23:00	0	0	0	0	230.5	0	108.5	248	0	587.0	856.4
10/5/19 0:00	0	0	0	0	230.7	0	109.4	271.5	0	611.6	856.3
10/5/19 1:00	0	0	0	0	229.2	0	112.4	279	0	620.6	856.3
10/5/19 2:00	0	0	0	0	227	0	115.9	278.9	0	621.8	856.2
10/5/19 3:00	0	0	0	0	224.8	0	116.3	279.8	0	620.9	856.2
10/5/19 4:00	0	0	0	0	224.2	0	108.5	279.5	0	612.2	856.2
10/5/19 5:00	0	0	0	0	225.1	0	107.5	277.6	0	610.2	856.0
10/5/19 6:00	0	0	0	0	225.6	0	118.8	280.6	0	625.0	856.0
10/5/19 7:00	0	0	0	0	226.5	0	116.2	278.8	0	621.5	855.9
10/5/19 8:00	0	0	0	0	222.1	0	120.5	282.1	0	624.7	855.8
10/5/19 9:00	0	0	0	0	221	0	128.1	277.8	0	626.9	855.8
10/5/19 10:00	0	0	0	0	228.3	0	135.9	275.7	0	639.9	855.8
10/5/19 11:00	0	0	0	0	232.8	0	135.6	276.4	0	644.8	855.8
10/5/19 12:00	0	0	0	0	230.4	0	127	286.5	0	643.9	855.9
10/5/19 13:00	0	0	0	0	234.2	0	107.2	281.9	0	623.3	855.9
10/5/19 14:00	0	0	0	0	233.5	0	134	282.9	0	650.4	856.0
10/5/19 15:00	0	0	0	0	235.5	0	137.9	276.7	0	650.1	856.0
10/5/19 16:00	0	0	0	0	234.5	0	120.4	277.3	0	632.2	856.0
10/5/19 17:00	0	0	0	0	233.3	0	112.9	279.8	0	626.0	855.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/5/19 18:00	0	0	0	0	218.1	0	129.5	278.4	0	626.0	855.9
10/5/19 19:00	0	0	0	0	220.4	0	164.3	279.3	0	664.0	856.0
10/5/19 20:00	0	0	0	0	218.9	0	161.9	279	0	659.8	856.1
10/5/19 21:00	0	0	0	0	217.5	0	115.9	279.5	0	612.9	856.1
10/5/19 22:00	0	0	0	0	228.3	0	90.8	280	0	599.1	856.0
10/5/19 23:00	0	0	0	0	232.2	0	97.8	144.1	0	474.1	855.8
10/6/19 0:00	0	0	0	0	230.1	0	90.4	124.9	0	445.4	855.4
10/6/19 1:00	0	0	0	0	229.7	0	93.1	164.2	0	487.0	855.2
10/6/19 2:00	0	0	0	0	231.3	0	81.9	281.1	0	594.3	855.1
10/6/19 3:00	0	0	0	0	230.8	0	96.6	277.5	0	604.9	855.0
10/6/19 4:00	0	0	0	0	231.5	0	89.9	279.3	0	600.7	855.0
10/6/19 5:00	0	0	0	0	232.9	0	93	278.7	0	604.6	855.0
10/6/19 6:00	0	0	0	0	232.7	0	79.3	276.8	0	588.8	854.9
10/6/19 7:00	0	0	0	0	228.2	0	90.3	274.4	0	592.9	854.9
10/6/19 8:00	0	0	0	0	231	0	98.9	276	0	605.9	854.8
10/6/19 9:00	0	0	0	0	233	0	110.5	274.4	0	617.9	854.9
10/6/19 10:00	0	0	0	0	231.3	0	121.5	281.4	0	634.2	854.7
10/6/19 11:00	0	0	0	0	227.7	0	129	279.6	0	636.3	854.3
10/6/19 12:00	0	0	0	0	230.7	0	137.4	291.3	0	659.4	853.9
10/6/19 13:00	0	0	0	0	225	0	164.1	273.3	0	662.4	853.5
10/6/19 14:00	0	0	0	0	223.6	0	184.5	276	0	684.1	853.5
10/6/19 15:00	0	0	0	0	225	0	162.7	275.4	0	663.1	853.5
10/6/19 16:00	0	0	0	0	224.2	0	145.4	279.7	0	649.3	853.5
10/6/19 17:00	0	0	0	0	225.9	0	167.7	278.5	0	672.1	853.5
10/6/19 18:00	0	0	0	0	222.7	0	145.2	280.1	0	648.0	853.5
10/6/19 19:00	0	0	0	0	224.5	0	126.1	278.5	0	629.1	853.4
10/6/19 20:00	0	0	0	0	224.1	0	123.2	276.7	0	624.0	853.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/6/19 21:00	0	0	0	0	224.4	0	122.4	279.3	0	626.1	853.4
10/6/19 22:00	0	0	0	0	228.4	0	121	260.6	0	610.0	853.3
10/6/19 23:00	0	0	0	0	227.2	0	113.2	235.4	0	575.8	853.2
10/7/19 0:00	0	0	0	0	227.1	0	123	281	0	631.1	853.1
10/7/19 1:00	0	0	0	0	225.6	0	140.9	280.6	0	647.1	853.1
10/7/19 2:00	0	0	0	0	223.5	0	141.8	280.2	0	645.5	853.1
10/7/19 3:00	0	0	0	0	225.5	0	160.2	277.9	0	663.6	853.0
10/7/19 4:00	0	0	0	0	227.4	0	166.6	280.4	0	674.4	852.9
10/7/19 5:00	0	0	0	0	226.9	0	169.3	279.9	0	676.1	852.9
10/7/19 6:00	0	0	0	0	224.3	0	162.5	282.1	0	668.9	852.7
10/7/19 7:00	0	0	0	0	224.9	0	190.2	280.9	0	696.0	852.7
10/7/19 8:00	0	0	0	0	224	0	198	278.3	0	700.3	852.7
10/7/19 9:00	0	0	0	0	226.3	0	122.4	263.9	0	612.6	852.5
10/7/19 10:00	0	0	0	0	226.9	0	66.7	439.9	0	733.5	852.4
10/7/19 11:00	0	0	0	0	235.5	0	99.8	282.4	0	617.7	852.1
10/7/19 12:00	0	0	0	0	233.3	0	94.9	278	0	606.2	851.7
10/7/19 13:00	0	0	0	0	233.3	0	108	280.9	0	622.2	851.4
10/7/19 14:00	0	0	0	0	234.1	0	117.2	280.3	0	631.6	851.1
10/7/19 15:00	0	0	0	0	231.8	0	125.8	279.4	0	637.0	850.8
10/7/19 16:00	0	0	0	0	234.4	0	124.2	279.2	0	637.8	850.5
10/7/19 17:00	0	0	0	0	232.3	0	116.1	275.6	0	624.0	850.1
10/7/19 18:00	0	0	0	0	229.5	0	112.6	280.8	0	622.9	849.7
10/7/19 19:00	0	0	0	0	230.7	0	108	278.6	0	617.3	849.2
10/7/19 20:00	0	0	0	0	233.1	0	97.9	279	0	610.0	848.5
10/7/19 21:00	0	0	0	0	229.7	0	90.6	277.2	0	597.5	848.1
10/7/19 22:00	0	0	0	0	232.9	0	100.1	280.9	0	613.9	847.4
10/7/19 23:00	0	0	0	0	231.4	0	95.9	216	0	543.3	846.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/8/19 0:00	0	0	0	0	232.4	0	99.2	285.9	0	617.5	846.0
10/8/19 1:00	0	0	0	0	233.5	0	102.6	279.3	0	615.4	845.4
10/8/19 2:00	0	0	0	0	233.9	0	84.9	280	0	598.8	844.7
10/8/19 3:00	0	0	0	0	232.6	0	142.9	279.3	0	654.8	844.2
10/8/19 4:00	0	0	0	0	229.1	0	292.9	277.8	0	799.8	843.9
10/8/19 5:00	0	0	0	0	227	0	182.6	278.1	0	687.7	843.4
10/8/19 6:00	0	0	0	0	228.2	0	170.5	275.2	0	673.9	842.9
10/8/19 7:00	0	0	0	0	226.7	0	181.3	280.8	0	688.8	842.5
10/8/19 8:00	0	0	0	0	228.9	0	201.8	304.2	0	734.9	842.0
10/8/19 9:00	0	0	0	0	226.3	0	182	278.8	0	687.1	841.5
10/8/19 10:00	0	0	0	0	227.6	0	169.1	279.3	0	676.0	841.0
10/8/19 11:00	0	0	0	0	227.4	0	165	282.6	0	675.0	840.4
10/8/19 12:00	0	0	0	0	229.7	0	200	278.9	0	708.6	839.9
10/8/19 13:00	0	0	0	0	227.2	0	205	276.6	0	708.8	839.4
10/8/19 14:00	0	0	0	0	227.2	0	171.2	280.3	0	678.7	838.9
10/8/19 15:00	0	0	0	0	230.3	0	162.3	280.4	0	673.0	838.3
10/8/19 16:00	0	0	0	0	231.2	0	207.4	277.7	0	716.3	837.8
10/8/19 17:00	0	0	0	0	226.4	0	175.5	280.9	0	682.8	837.2
10/8/19 18:00	0	0	0	0	229.1	0	148.1	282.8	0	660.0	836.7
10/8/19 19:00	0	0	0	0	228.7	0	175.4	270.8	0	674.9	836.1
10/8/19 20:00	0	0	0	0	226	0	211	285.7	0	722.7	835.6
10/8/19 21:00	0	0	0	0	223	0	206.2	279	0	708.2	835.1
10/8/19 22:00	0	0	0	0	224.1	0	187.5	280.6	0	692.2	834.6
10/8/19 23:00	0	0	0	0	224.6	0	119.7	265.9	0	610.2	834.0
10/9/19 0:00	0	0	0	0	225.2	0	115.7	279.8	0	620.7	833.4
10/9/19 1:00	0	0	0	0	224.6	0	104.1	281.1	0	609.8	832.8
10/9/19 2:00	0	0	0	0	222.9	0	106.5	279.1	0	608.5	832.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/9/19 3:00	0	0	0	0	223	0	106	279.5	0	608.5	831.6
10/9/19 4:00	0	0	0	0	220.4	0	99.3	278.8	0	598.5	830.9
10/9/19 5:00	0	0	0	0	218.8	0	112.9	280	0	611.7	830.2
10/9/19 6:00	0	0	0	0	221.6	0	112.9	275.7	0	610.2	829.6
10/9/19 7:00	0	0	0	0	222.2	0	104.7	302.9	0	629.8	829.0
10/9/19 8:00	0	0	0	0	225.5	0	112.3	278.1	0	615.9	828.4
10/9/19 9:00	0	0	0	0	218.5	0	127.7	258.4	0	604.6	827.7
10/9/19 10:00	0	0	0	0	225.1	0	111.2	195.7	0	532.0	827.1
10/9/19 11:00	0	0	0	0	222	0	109.3	249.7	0	581.0	826.4
10/9/19 12:00	0	0	0	0	221.3	0	116.5	359.3	0	697.1	826.0
10/9/19 13:00	0	0	0	0	221.3	0	122.7	292	0	636.0	825.4
10/9/19 14:00	0	0	0	0	226	0	137.1	280.3	0	643.4	824.8
10/9/19 15:00	0	0	0	0	226	0	129.2	278.3	0	633.5	824.1
10/9/19 16:00	0	0	0	0	224.3	0	119.1	280	0	623.4	823.5
10/9/19 17:00	0	0	0	0	221.3	0	120.4	278.3	0	620.0	822.9
10/9/19 18:00	0	0	0	0	220.2	0	134.4	279.6	0	634.2	822.3
10/9/19 19:00	0	0	0	0	219.2	0	144.5	281.5	0	645.2	821.8
10/9/19 20:00	0	0	0	0	220.8	0	153.3	278.8	0	652.9	821.3
10/9/19 21:00	0	0	0	0	218.7	0	162.6	280.6	0	661.9	820.7
10/9/19 22:00	0	0	0	0	220.1	0	143.7	278.9	0	642.7	820.1
10/9/19 23:00	0	0	0	0	218.9	0	121.8	274.3	0	615.0	819.5
10/10/19 0:00	0	0	0	0	217.6	0	111.5	274.7	0	603.8	818.8
10/10/19 1:00	0	0	0	0	218.9	0	114.9	277.8	0	611.6	818.1
10/10/19 2:00	0	0	0	0	218.4	0	140.3	278.9	0	637.6	817.4
10/10/19 3:00	0	0	0	0	218.5	0	152.3	279.1	0	649.9	816.8
10/10/19 4:00	0	0	0	0	218.4	0	173.4	278.6	0	670.4	816.1
10/10/19 5:00	0	0	0	0	223.3	0	175.4	279.1	0	677.8	815.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/10/19 6:00	0	0	0	0	225.1	0	170	280.6	0	675.7	814.6
10/10/19 7:00	0	0	0	0	227.4	0	179.3	277	0	683.7	813.9
10/10/19 8:00	0	0	0	0	226.9	0	181.7	304.9	0	713.5	813.1
10/10/19 9:00	0	0	0	0	224.6	0	177.7	280.2	0	682.5	812.2
10/10/19 10:00	0	0	0	0	224.1	0	172	279.4	0	675.5	811.4
10/10/19 11:00	0	0	0	0	227.2	0	181	279.4	0	687.6	810.6
10/10/19 12:00	0	0	0	0	228.2	0	187.6	278.5	0	694.3	809.7
10/10/19 13:00	0	0	0	0	226.2	0	181.9	280	0	688.1	808.9
10/10/19 14:00	0	0	0	0	225.4	0	161.6	282.6	0	669.6	808.1
10/10/19 15:00	0	0	0	0	229	0	415.3	278	0	922.3	807.5
10/10/19 16:00	0	0	0	0	225.5	0	482.4	281	0	988.9	807.0
10/10/19 17:00	0	0	0	0	226.4	0	530.9	279.1	0	1036.4	806.6
10/10/19 18:00	0	0	0	0	226.8	0	464.6	277.1	0	968.5	806.2
10/10/19 19:00	0	0	0	0	227.7	0	217.3	277.6	0	722.6	805.4
10/10/19 20:00	0	0	0	0	227.8	0	222.8	281.3	0	731.9	804.7
10/10/19 21:00	0	0	0	0	228.9	0	165.8	279	0	673.7	804.0
10/10/19 22:00	0	0	0	0	226.4	0	151.9	282.6	0	660.9	803.4
10/10/19 23:00	0	0	0	0	221.5	0	130.9	279.2	0	631.6	802.7
10/11/19 0:00	0	0	0	0	219	0	154.4	279.9	0	653.3	802.1
10/11/19 1:00	0	0	0	0	218.4	0	211.1	278.6	0	708.1	801.6
10/11/19 2:00	0	0	0	0	217.2	0	218.6	279	0	714.8	801.0
10/11/19 3:00	0	0	0	0	217.4	0	218.5	280	0	715.9	800.5
10/11/19 4:00	0	0	0	0	218.2	0	226.5	278.8	0	723.5	800.0
10/11/19 5:00	0	0	0	0	216.9	0	163.1	275.5	0	655.5	799.3
10/11/19 6:00	0	0	0	0	214.9	0	164.7	279.1	0	658.7	798.7
10/11/19 7:00	0	0	0	0	215.5	0	223.6	279	0	718.1	798.2
10/11/19 8:00	0	0	0	0	217.3	0	157.7	277.4	0	652.4	797.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/11/19 9:00	0	0	0	0	218.8	0	144.7	302.2	0	665.7	796.9
10/11/19 10:00	0	0	0	0	217.9	0	189.1	279.5	0	686.5	796.3
10/11/19 11:00	0	0	0	0	217.8	0	162.8	278.7	0	659.3	795.6
10/11/19 12:00	0	0	0	0	218.8	0	314	277	0	809.8	795.3
10/11/19 13:00	0	0	0	0	221.1	0	406.2	279.5	0	906.8	795.0
10/11/19 14:00	0	0	51	75.5	220.3	0	390.1	276	0	1012.9	795.0
10/11/19 15:00	0	0	166.9	121.2	219.2	0	452.7	278.6	0	1238.6	795.2
10/11/19 16:00	0	0	155.9	117.6	219.4	0	267.2	279.2	0	1039.3	795.2
10/11/19 17:00	0	0	153.8	117.7	220.2	0	215.3	277.7	0	984.7	795.1
10/11/19 18:00	0	0	155.9	118.3	218.1	0	198.6	279.1	0	970.0	794.8
10/11/19 19:00	0	0	154.3	119.9	220.4	0	198.5	279.2	0	972.3	794.5
10/11/19 20:00	0	0	148.5	121.1	220.5	0	164.5	275.3	0	929.9	794.4
10/11/19 21:00	0	0	148.2	120	219.5	115.7	190.4	279.5	0	1073.3	794.4
10/11/19 22:00	0	0	148.2	117.7	219.5	115.7	206.8	279.3	0	1087.2	794.5
10/11/19 23:00	0	0	147	119.2	217.4	115.7	162.8	279.7	0	1041.8	794.4
10/12/19 0:00	0	0	147.4	118.7	218.1	115.7	194	278.1	0	1072.0	794.3
10/12/19 1:00	0	0	150.6	118.1	216.9	115.7	199.2	278.5	0	1079.0	794.2
10/12/19 2:00	0	0	147.2	117.1	217.7	111.4	202.1	279.5	0	1075.0	794.3
10/12/19 3:00	0	0	146.8	117.8	218.8	116.5	185.5	279.9	0	1065.3	794.3
10/12/19 4:00	0	0	146	118.7	222.2	295	138.6	279.1	0	1199.6	794.6
10/12/19 5:00	0	0	108.8	118.1	218.3	385.8	134.9	279.4	0	1245.3	794.9
10/12/19 6:00	0	0	107.8	115.6	221	410.4	121.4	277.6	0	1253.8	795.3
10/12/19 7:00	0	0	107.5	112	226.7	425.2	124.4	279.3	0	1275.1	795.8
10/12/19 8:00	0	0	106.4	111.4	225.1	413.2	127.3	280.7	0	1264.1	796.3
10/12/19 9:00	0	0	106.4	109.9	225.4	420.3	130.4	278.8	0	1271.2	796.5
10/12/19 10:00	0	0	108	110.7	224	437.5	142	280.1	0	1302.3	796.9
10/12/19 11:00	0	0	114	110	227.9	430.1	149.4	313.1	0	1344.5	797.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/12/19 12:00	0	0	125.1	117.5	218.6	429.1	104.1	280.2	0	1274.6	798.5
10/12/19 13:00	0	0	162.8	149	201.7	323.9	4.2	280.9	0	1122.5	799.0
10/12/19 14:00	0	0	195.2	179.6	215.2	79.1	0	278.8	0	947.9	799.3
10/12/19 15:00	0	0	203.1	191.5	219.9	73.4	0	282.5	0	970.4	799.7
10/12/19 16:00	0	0	193	183.5	215	67.2	0	275.9	0	934.6	800.0
10/12/19 17:00	0	0	196.8	187.5	222.3	65	0	277.9	0	949.5	800.4
10/12/19 18:00	0	0	205.7	195.9	231.2	26.9	0	280.6	0	940.3	800.5
10/12/19 19:00	0	0	246	235.1	274.7	1.7	0	277.1	0	1034.6	800.8
10/12/19 20:00	0	0	235.4	207.1	270.7	1.6	0	279.3	0	994.1	801.0
10/12/19 21:00	0	0	233.6	202.8	278.5	1.2	0	279.5	0	995.6	801.1
10/12/19 22:00	0	0	231.2	205.7	264.8	0	0	278.7	0	980.4	801.2
10/12/19 23:00	0	0	231.4	198.1	256.6	0	0	277.4	0	963.5	801.3
10/13/19 0:00	0	0	231.6	189.3	259.5	0.2	0	280.6	0	961.2	801.5
10/13/19 1:00	0	0	196.1	189.2	271.9	0.2	0	277.8	0	935.2	801.6
10/13/19 2:00	0	0	231	190.4	276.7	0.2	0	280.3	0	978.6	801.8
10/13/19 3:00	18.6	0	210.8	188.6	245.6	0	0	277.3	0	940.9	801.9
10/13/19 4:00	131.3	0	176.7	188	204.7	0	0	279	0	979.7	802.2
10/13/19 5:00	116.8	0	176.8	189.4	246	0	0	279	0	1008.0	802.4
10/13/19 6:00	135.4	0	165.2	171.3	252.3	0	0	278.9	0	1003.1	802.6
10/13/19 7:00	134.9	0	162.3	170.6	254.8	0	0	279.7	0	1002.3	802.8
10/13/19 8:00	116.5	0	118.5	216.8	240.1	0	0	278.8	0	970.7	802.9
10/13/19 9:00	105.2	0	115.2	224.3	240.5	0	0	277.8	0	963.0	803.1
10/13/19 10:00	113	0	114	223.3	239.3	0	0	278.6	0	968.2	803.3
10/13/19 11:00	124.1	0	128.4	219.8	242.6	0	0	304.9	0	1019.8	803.5
10/13/19 12:00	119	0	283.6	220.6	239.2	0	0	280.1	0	1142.5	803.9
10/13/19 13:00	107.9	0	64.6	225	232.3	0	0	278.6	0	908.4	804.0
10/13/19 14:00	109.4	0	87.1	223.5	236.9	0	0	280.1	0	937.0	804.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/13/19 15:00	92.7	0	91.6	226	235.4	0	0	278.7	0	924.4	804.2
10/13/19 16:00	98.3	0	101.6	226.2	233.6	0	0	279.2	0	938.9	804.3
10/13/19 17:00	120.5	0	105.1	224	232.1	0	0	276.3	0	958.0	804.4
10/13/19 18:00	115.6	0	105.8	222.8	232.2	0	0	279.9	0	956.3	804.5
10/13/19 19:00	114.3	0	105.7	221.2	231.7	0	0	278.2	0	951.1	804.7
10/13/19 20:00	109.8	0	107.3	221.4	232.5	0	0	278.8	0	949.8	804.8
10/13/19 21:00	118.2	0	108	221.8	233	0	0	278.8	0	959.8	804.9
10/13/19 22:00	120.1	0	104.9	220.8	233.4	0	0	279.3	0	958.5	804.9
10/13/19 23:00	120.9	0	112.1	240.8	232.9	0	0	275.4	0	982.1	805.1
10/14/19 0:00	120.8	0	119.6	246.6	226.2	0	0	278.1	0	991.3	805.2
10/14/19 1:00	132.1	0	115.2	233.6	205.7	0	0	278.2	0	964.8	805.3
10/14/19 2:00	140	0	107.8	229.2	210.1	0	0	280.3	0	967.4	805.5
10/14/19 3:00	145.3	0	100.7	229.8	210	0	0	279.6	0	965.4	805.6
10/14/19 4:00	149.4	0	130.2	232.2	209.1	0	0	278.4	0	999.3	805.8
10/14/19 5:00	157.4	0	159.6	233.9	212.8	0	0	276.5	0	1040.2	806.1
10/14/19 6:00	136.8	0	159.5	235.2	211.1	0	0	280.2	0	1022.8	806.4
10/14/19 7:00	142.3	0	153.9	232.7	212.5	0	0	277.2	0	1018.6	806.6
10/14/19 8:00	143.2	0	159.1	230.2	206.7	0	0	279	0	1018.2	806.9
10/14/19 9:00	137.3	0	153.5	231.4	205	0	0	277.3	0	1004.5	807.2
10/14/19 10:00	131	0	145.9	230.9	207.9	0	0	279.1	0	994.8	807.4
10/14/19 11:00	126.2	0	140.9	230.1	208	0	0	280.3	0	985.5	807.5
10/14/19 12:00	136	0	145.2	230.4	207.6	0	0	318.7	0	1037.9	807.7
10/14/19 13:00	134.5	0	140.9	233.8	209.3	0	0	284.9	0	1003.4	807.8
10/14/19 14:00	137.9	0	137.3	231.7	213.6	0	0	278.5	0	999.0	807.8
10/14/19 15:00	114.6	0	139.8	232.1	214.8	0	0	277.1	0	978.4	807.8
10/14/19 16:00	123.1	0	139.1	234.1	213.2	0	0	277.6	0	987.1	807.8
10/14/19 17:00	119.6	0	135	232.5	213.2	0	0	277.2	0	977.5	807.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/14/19 18:00	124	0	140.5	233.4	214.8	0	0	280.2	0	992.9	807.7
10/14/19 19:00	108.3	0	142.5	230.4	211.5	0	0	278.1	0	970.8	807.6
10/14/19 20:00	160.5	0	146.1	233.2	208.3	0	0	279.5	0	1027.6	807.6
10/14/19 21:00	210	0	147.4	230.7	209.2	0	0	279.8	0	1077.1	807.7
10/14/19 22:00	261.3	0	143.6	229.2	211.6	0	0	282.2	0	1127.9	807.8
10/14/19 23:00	248.4	0	138.7	229.4	209.2	0	0	278.7	0	1104.4	807.9
10/15/19 0:00	224.5	0	138.6	232.6	206.7	0	0	279.6	0	1082.0	807.9
10/15/19 1:00	176	0	137.7	233.4	206.6	0	0	279.5	0	1033.2	808.0
10/15/19 2:00	147.8	0	136.1	230.8	203.2	0	0	279.6	0	997.5	807.9
10/15/19 3:00	138.7	0	139.9	231.7	205.9	0	0	280.9	0	997.1	808.0
10/15/19 4:00	144.3	0	140.1	230.5	207.7	0	0	277.7	0	1000.3	808.0
10/15/19 5:00	196.2	0	140.5	233.2	207.2	0	0	278.1	0	1055.2	808.0
10/15/19 6:00	145.6	0	140	231.9	205.5	0	0	278.3	0	1001.3	808.0
10/15/19 7:00	156.3	0	134.8	228.2	204	0	0	277.2	0	1000.5	808.0
10/15/19 8:00	137.6	0	130	224.1	207.5	0	0	280.2	0	979.4	808.0
10/15/19 9:00	97.7	0	115	223.1	207.1	0	0	278.4	0	921.3	807.8
10/15/19 10:00	90.2	0	114.1	229.6	221.5	0	0	275.7	0	931.1	807.7
10/15/19 11:00	112.9	0	124.7	229.2	222.2	0	0	272.2	0	961.2	807.7
10/15/19 12:00	127.6	0	120	228.8	223.6	0	0	276	0	976.0	807.6
10/15/19 13:00	200.2	0	115.5	231.8	225.3	0	0	281.9	0	1054.7	807.7
10/15/19 14:00	118.2	0	115.5	231.1	223.1	0	0	277	0	964.9	807.8
10/15/19 15:00	117.3	0	114.5	230.8	224.4	0	0	278.9	0	965.9	807.7
10/15/19 16:00	118.2	0	114.9	230.1	223.8	0	0	277.8	0	964.8	807.7
10/15/19 17:00	129.5	0	128.4	232.4	217.6	0	0	275.2	0	983.1	807.6
10/15/19 18:00	151.5	0	149.5	240.9	210.3	0	0	277.4	0	1029.6	807.7
10/15/19 19:00	141.9	0	142.1	244.1	209.2	0	27.7	278.2	0	1043.2	807.8
10/15/19 20:00	152.3	0	152.1	244.6	208.4	0	27.7	278.9	0	1064.0	808.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/15/19 21:00	159.8	0	160.5	245.6	207	0	27.7	279.5	0	1080.1	808.2
10/15/19 22:00	154.4	0	156.2	244.1	205.8	0	27.7	279.1	0	1067.3	808.3
10/15/19 23:00	151.5	0	153	245	208.3	0	92.2	277.4	0	1127.4	808.6
10/16/19 0:00	172.2	0	171.2	245.9	207.3	0	88.7	277.5	0	1162.8	808.9
10/16/19 1:00	152.4	0	154	244.7	207.4	0	272.9	280.9	0	1312.3	809.4
10/16/19 2:00	136.3	0	136.5	247.3	205.2	0	405.8	278.6	0	1409.7	810.0
10/16/19 3:00	138.9	0	138.2	245.9	45.7	0	267.5	277.4	0	1113.6	810.2
10/16/19 4:00	151.3	0	151.9	244.8	0	0	188.1	279.7	0	1015.8	810.2
10/16/19 5:00	155	0	155.5	238.9	0	0	200.3	280	0	1029.7	809.8
10/16/19 6:00	156.8	0	156.6	236	0	0	175.1	278.3	0	1002.8	808.8
10/16/19 7:00	159.1	0	159.2	223	0	0	172.6	279.3	0	993.2	808.7
10/16/19 8:00	173.1	0	162.1	229.4	0	0	169.5	280.1	0	1014.2	808.6
10/16/19 9:00	177.5	0	169.7	228.7	0	0	165.8	277.9	0	1019.6	808.5
10/16/19 10:00	171.4	0	162.8	230.3	0	0	165	279.5	0	1009.0	808.6
10/16/19 11:00	162.2	0	157.6	232.8	0	0	158.2	275.6	0	986.4	808.5
10/16/19 12:00	141.5	0	135.6	232.5	0	0	163.4	315.3	0	988.3	808.4
10/16/19 13:00	133.1	0	117.5	235.7	0	0	161	281	0	928.3	808.3
10/16/19 14:00	132	0	121.5	235.8	0	0	123.8	277.6	0	890.7	808.0
10/16/19 15:00	138.3	0	120.8	235.2	0	0	185.6	278.2	0	958.1	807.8
10/16/19 16:00	144.7	0	117.6	236.1	0	0	188	279.2	0	965.6	807.7
10/16/19 17:00	213.7	0	118.3	237.6	0	0	189.5	279.4	0	1038.5	807.6
10/16/19 18:00	115.2	0	117.6	237.2	0	0	202.4	275.5	0	947.9	807.5
10/16/19 19:00	134.2	0	118.6	240.6	0	0	203.7	279.5	0	976.6	807.3
10/16/19 20:00	139.3	0	133.8	238.8	0	0	173.3	280.7	0	965.9	807.2
10/16/19 21:00	134.4	0	132.8	238.5	0	0	142	279.7	0	927.4	807.0
10/16/19 22:00	144.1	0	127.4	233.7	0	0	128.9	279.8	0	913.9	806.8
10/16/19 23:00	139	0	132.8	232.3	0	0	144.2	280.5	0	928.8	806.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/17/19 0:00	135.6	0	128.1	233	0	0	152.6	275	0	924.3	806.4
10/17/19 1:00	125.8	0	119.8	233.7	0	0	143.1	279.2	0	901.6	806.2
10/17/19 2:00	125.8	0	125.5	231.7	0	0	156.8	280.5	0	920.3	806.1
10/17/19 3:00	156.8	0	158.1	232	0	0	207.8	278.6	0	1033.3	806.1
10/17/19 4:00	128.2	0	129.7	246.6	0	0	186.9	281.6	0	973.0	806.0
10/17/19 5:00	123.5	0	122.3	246.9	0	0	343.7	268.1	0	1104.5	806.1
10/17/19 6:00	136.9	0	215.8	247.5	0	0	431.2	277.5	0	1308.9	806.6
10/17/19 7:00	176.4	0	232.5	240.4	0	0	433.6	274.6	0	1357.5	807.1
10/17/19 8:00	178.7	0	236.9	241	0	0	412.6	286.8	0	1356.0	807.6
10/17/19 9:00	163.1	0	225.3	239.6	0	0	414.5	275.4	0	1317.9	808.1
10/17/19 10:00	179.7	0	231.1	242.8	0	0	412.9	279.5	0	1346.0	808.6
10/17/19 11:00	178.1	0	236.2	242.8	0	0	430.7	285.5	0	1373.3	809.1
10/17/19 12:00	187.8	0	231.2	241.4	0	0	430.7	273.1	0	1364.2	809.6
10/17/19 13:00	178.6	0	217.7	241.2	0	0	434	279.4	0	1350.9	810.1
10/17/19 14:00	188.5	0	216.8	240.5	0	0	440	277.5	0	1363.3	810.7
10/17/19 15:00	173.7	0	225.2	240.4	0	0	439.5	281.5	0	1360.3	811.2
10/17/19 16:00	171.6	0	225.4	242.8	0	0	442.2	277.4	0	1359.4	811.7
10/17/19 17:00	186	0	209.3	246	0	0	442.8	277.7	0	1361.8	812.4
10/17/19 18:00	197.8	0	220.7	248.4	0	0	434.1	280.4	0	1381.4	813.1
10/17/19 19:00	196.1	0	219.8	248.6	0	0	434.8	277.8	0	1377.1	813.8
10/17/19 20:00	192.6	0	208.1	250.9	0	0	435.8	282.6	0	1370.0	814.5
10/17/19 21:00	197.8	0	223.4	249.7	0	0	429.4	277.7	0	1378.0	815.2
10/17/19 22:00	208	0	221.1	241.3	0	0	453.8	279.9	0	1404.1	815.9
10/17/19 23:00	165.3	0	218.5	247.7	0	0	484.2	263.5	0	1379.2	816.7
10/18/19 0:00	163.9	0	221.4	240.9	0	0	484.8	280.1	0	1391.1	817.4
10/18/19 1:00	145.3	0	221.7	245	0	0	483.9	278.2	0	1374.1	818.1
10/18/19 2:00	153.3	0	218.9	245.9	0	0	484.7	279.2	0	1382.0	818.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/18/19 3:00	166.4	0	214.6	244.4	0	0	486.6	279	0	1391.0	819.5
10/18/19 4:00	172.4	0	219	247.1	0	0	471.4	279.6	0	1389.5	820.2
10/18/19 5:00	167.6	0	219.9	240.4	0	0	473.1	277.7	0	1378.7	820.8
10/18/19 6:00	154.6	0	218.4	239.8	0	0	472.9	279.8	0	1365.5	821.4
10/18/19 7:00	166.6	0	217.1	237.2	0	0	468.2	277.6	0	1366.7	821.9
10/18/19 8:00	159.4	0	213.7	239.3	0	0	497.1	280.7	0	1390.2	822.3
10/18/19 9:00	152.6	0	217.5	240.6	0	0	509.4	278	0	1398.1	822.7
10/18/19 10:00	145.1	0	222.9	242.9	0	0	492.6	279.5	0	1383.0	823.0
10/18/19 11:00	138.3	0	222.7	242.5	0	0	210.9	369.7	0	1184.1	822.9
10/18/19 12:00	127.2	0	216.9	242.3	0	0	150.6	285.3	0	1022.3	822.8
10/18/19 13:00	117.8	0	222.8	245.1	0	0	133.9	279.6	0	999.2	822.7
10/18/19 14:00	116.4	0	221	242.4	0	0	134	280.4	0	994.2	822.6
10/18/19 15:00	118.5	0	219.3	241.1	0	0	136.1	274.4	0	989.4	822.5
10/18/19 16:00	117.3	0	219.1	240.6	0	0	132.1	281	0	990.1	822.7
10/18/19 17:00	120.4	0	219.7	241.3	0	0	139.3	275.6	0	996.3	823.0
10/18/19 18:00	123.8	0	220	240.7	0	0	148.6	285.2	0	1018.3	823.4
10/18/19 19:00	144.1	0	148.2	222.7	0	0	143.6	276.7	0	935.3	823.6
10/18/19 20:00	154.3	0	152.8	221	0	0	156.4	283.7	0	968.2	823.8
10/18/19 21:00	159	0	160.2	223.7	0	0	159.8	275.9	0	978.6	824.0
10/18/19 22:00	149.8	0	151.3	222.9	0	0	154	278.8	0	956.8	824.2
10/18/19 23:00	154.7	0	156.5	218.4	0	0	155.2	281.9	0	966.7	824.4
10/19/19 0:00	161.8	0	160.3	219.9	0	0	162.8	278.2	0	983.0	824.5
10/19/19 1:00	169	0	165.9	219.3	0	0	167.3	276.5	0	998.0	824.6
10/19/19 2:00	158.1	0	156.5	219.6	0	0	158.1	284.7	0	977.0	824.7
10/19/19 3:00	135.8	0	149.1	218.4	0	0	135.9	274.1	0	913.3	824.8
10/19/19 4:00	131.9	0	184.7	217.7	0	0	131.1	282.1	0	947.5	824.9
10/19/19 5:00	132.2	0	117.7	218	0	0	131.1	279	0	878.0	824.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/19/19 6:00	134.3	0	151.9	218.4	0	0	132.2	275.9	0	912.7	825.0
10/19/19 7:00	133.6	0	177.2	218.4	0	0	130	277.4	0	936.6	825.2
10/19/19 8:00	137.2	0	681.7	217.1	0	0	132.1	281.2	0	1449.3	826.0
10/19/19 9:00	137.6	0	171.5	216.9	0	0	129.7	278.5	0	934.2	826.2
10/19/19 10:00	137.2	0	17	217.4	0	0	129.6	329	0	830.2	826.3
10/19/19 11:00	124.1	0	102.9	211.5	0	0	129.6	285	0	853.1	826.3
10/19/19 12:00	121.7	0	180.5	221.8	0	0	130.2	285.4	0	939.6	826.3
10/19/19 13:00	118.6	0	217.6	219.8	0	0	124.4	280.2	0	960.6	826.4
10/19/19 14:00	117.6	0	227.3	223.9	0	0	120.6	276.1	0	965.5	826.6
10/19/19 15:00	126.6	0	233.3	223.3	0	0	134.4	277.8	0	995.4	826.8
10/19/19 16:00	133.3	0	218.9	224.2	0	0	141.4	279.6	0	997.4	826.9
10/19/19 17:00	140.8	0	212	221.7	0	0	154	281.8	0	1010.3	826.9
10/19/19 18:00	142.5	0	210.2	224.6	0	0	161.7	274.9	0	1013.9	827.2
10/19/19 19:00	158.6	0	225.3	222.6	0	0	183.8	277.6	0	1067.9	827.5
10/19/19 20:00	171.6	0	225.6	221.3	0	0	193.4	279.4	0	1091.3	827.9
10/19/19 21:00	166	0	226	222	0	0	184.5	280.5	0	1079.0	828.3
10/19/19 22:00	161	0	224.2	222.2	0	0	180	279.2	0	1066.6	828.6
10/19/19 23:00	173.9	0	230.1	224.1	0	0	186.6	280.5	0	1095.2	829.0
10/20/19 0:00	163.8	0	226.4	220.1	0	0	177.3	280.1	0	1067.7	829.4
10/20/19 1:00	141.5	0	213.4	221.6	0	0	147.2	279.5	0	1003.2	829.7
10/20/19 2:00	138.2	0	211.1	223.3	0	0	139.2	276.8	0	988.6	829.9
10/20/19 3:00	129.5	0	230.8	220.9	0	0	129.9	279.2	0	990.3	830.2
10/20/19 4:00	130.6	0	219.5	218.3	0	0	129.7	278.7	0	976.8	830.5
10/20/19 5:00	137.3	0	212.9	217.5	0	0	138.1	280.6	0	986.4	830.7
10/20/19 6:00	135.3	0	203.9	225.8	0	0	141.8	276.7	0	983.5	831.0
10/20/19 7:00	133.9	0	214.2	239.5	0	0	140.5	279.5	0	1007.6	831.3
10/20/19 8:00	152.8	0	150.3	240.1	0	0	162.8	280.2	0	986.2	831.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/20/19 9:00	153.6	0	152	238	0	0	164.6	279.2	0	987.4	831.8
10/20/19 10:00	157.7	0	154.6	237.8	0	0	171.5	279.5	0	1001.1	832.1
10/20/19 11:00	150.6	0	160.4	239.3	0	0	167.5	274.9	0	992.7	832.3
10/20/19 12:00	153.4	0	159.6	241	0	0	175.8	318.3	0	1048.1	832.7
10/20/19 13:00	158.2	0	160.8	241.7	0	0	178.3	278.7	0	1017.7	833.0
10/20/19 14:00	146.7	0	168.3	241.7	0	0	155.1	280.5	0	992.3	833.2
10/20/19 15:00	145.2	0	176.9	238.8	0	0	154.9	278.2	0	994.0	833.5
10/20/19 16:00	148.8	0	183.6	238.2	0	0	161.7	279.6	0	1011.9	833.8
10/20/19 17:00	156.4	0	190.2	240	0	0	173.1	278.6	0	1038.3	834.1
10/20/19 18:00	144.3	0	194.5	238.7	0	0	161.3	269	0	1007.8	834.3
10/20/19 19:00	153.5	0	196.5	243.1	0	0	170.1	277.9	0	1041.1	834.5
10/20/19 20:00	142.9	0	196.6	241.8	0	0	158.7	278.8	0	1018.8	834.7
10/20/19 21:00	143.2	0	195.5	242.5	0	0	159.1	274.5	0	1014.8	835.0
10/20/19 22:00	135.6	0	194.2	240.9	0	0	145	275.8	0	991.5	835.2
10/20/19 23:00	124	0	191.5	241	0	0	122.5	271.9	0	950.9	835.4
10/21/19 0:00	130	0	154.8	239	0	0	132.8	285.1	0	941.7	835.6
10/21/19 1:00	131	0	156.4	236.2	0	0	136.1	280.6	0	940.3	835.7
10/21/19 2:00	139.5	0	162.8	239.8	0	0	147.5	282	0	971.6	836.0
10/21/19 3:00	146.8	0	165.6	236.6	0	0	155.8	281.6	0	986.4	836.2
10/21/19 4:00	151.5	0	167.6	236.3	0	0	163.3	280.6	0	999.3	836.5
10/21/19 5:00	143.1	0	143.5	240.7	0	0	149.5	282.7	0	959.5	836.7
10/21/19 6:00	157.6	0	156.8	259.1	0	0	157.5	273.2	0	1004.2	836.9
10/21/19 7:00	147.2	0	147.4	262.3	0	0	152.5	276.5	0	985.9	837.2
10/21/19 8:00	148.9	0	150.4	257.2	0	0	154.6	282.5	0	993.6	837.4
10/21/19 9:00	150.4	0	157.7	231	0	0	128.6	239	0	906.7	837.5
10/21/19 10:00	169.2	0	167.3	166.5	0	0	140	232.9	0	875.9	837.5
10/21/19 11:00	155.3	0	154.5	149.7	0	0	133.3	231.5	0	824.3	837.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/21/19 12:00	153.2	0	153.6	149.1	0	0	125.9	226.9	0	808.7	837.4
10/21/19 13:00	158.9	0	158.5	155.2	0	0	132.9	242.1	0	847.6	837.3
10/21/19 14:00	157.6	0	157	153.7	0	0	133.9	286.5	0	888.7	837.4
10/21/19 15:00	143.5	0	146	139.6	0	0	120.3	215.5	0	764.9	837.2
10/21/19 16:00	141	0	153.5	137.4	0	0	116.8	253	0	801.7	837.1
10/21/19 17:00	144.6	0	179.1	141.2	0	0	121.2	269.9	0	856.0	837.1
10/21/19 18:00	152.6	0	168.8	148.9	0	0	127	228.3	0	825.6	837.1
10/21/19 19:00	143.1	0	149.4	140	0	0	188	154.1	0	774.6	836.9
10/21/19 20:00	145.3	0	150.2	143.1	0	0	419.9	138.7	0	997.2	837.1
10/21/19 21:00	150.8	0	166.7	149.4	0	0	449.9	143.4	0	1060.2	837.4
10/21/19 22:00	153.2	0	193.8	151	0	0	460.9	151.9	0	1110.8	837.7
10/21/19 23:00	150.7	0	188.8	148.8	0	0	458	152	0	1098.3	838.1
10/22/19 0:00	142	0	148	141.7	0	0	457.1	150.7	0	1039.5	838.3
10/22/19 1:00	141.6	0	143.7	141.1	0	0	457.8	124.2	0	1008.4	838.5
10/22/19 2:00	136.4	0	138.8	136	0	0	459.2	140.1	0	1010.5	838.7
10/22/19 3:00	135.8	0	137.7	135.5	0	0	459.2	129	0	997.2	838.9
10/22/19 4:00	137.4	0	139.5	136.9	0	0	462.3	141.1	0	1017.2	839.2
10/22/19 5:00	135.6	0	137.1	135.9	0	0	435.4	143.3	0	987.3	839.4
10/22/19 6:00	135.3	0	133	135.5	0	0	460.3	166.8	0	1030.9	839.6
10/22/19 7:00	131.2	0	146.5	130.6	0	0	456.9	225.5	0	1090.7	840.1
10/22/19 8:00	133	0	158.6	133.4	0	0	459.1	234.8	0	1118.9	840.6
10/22/19 9:00	133.9	0	131.4	133.6	0	0	461.7	247	0	1107.6	841.1
10/22/19 10:00	137.1	0	135.1	136.3	0	0	470.5	224.1	0	1103.1	841.5
10/22/19 11:00	146.7	0	149.5	145.8	0	0	488.2	215.6	0	1145.8	842.0
10/22/19 12:00	147.1	0	153.5	147.3	0	0	489	248.9	0	1185.8	842.5
10/22/19 13:00	129.7	0	141.9	130.4	0	0	464.7	250.1	0	1116.8	842.9
10/22/19 14:00	141.3	0	139.3	140.5	0	0	474.7	271.8	0	1167.6	843.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/22/19 15:00	138.8	0	137.1	138.8	0	0	495.1	281	0	1190.8	843.8
10/22/19 16:00	126.4	0	125.5	128.5	0	0	472.2	284.2	0	1136.8	844.3
10/22/19 17:00	121.6	0	127.9	122.7	0	0	460	283.2	0	1115.4	844.6
10/22/19 18:00	119.9	0	116.8	119.4	0	0	450.5	270.8	0	1077.4	845.0
10/22/19 19:00	118.3	0	116.2	119.7	0	0	449.2	271.2	0	1074.6	845.3
10/22/19 20:00	117.7	0	115.1	118.1	0	0	446.6	268.8	0	1066.3	845.6
10/22/19 21:00	122.6	0	121.8	122.2	0	0	460.5	272.2	0	1099.3	846.0
10/22/19 22:00	123.5	0	132.5	123.3	0	0	461.9	284.5	0	1125.7	846.4
10/22/19 23:00	122.8	0	138.6	122.8	0	0	462.7	299.1	0	1146.0	846.9
10/23/19 0:00	120	0	129.4	121.8	0	0	453.6	299.7	0	1124.5	847.3
10/23/19 1:00	118.5	0	116.3	120	0	0	452.4	325.4	0	1132.6	847.7
10/23/19 2:00	119.2	0	118.6	120.3	0	0	453.7	337.4	0	1149.2	848.1
10/23/19 3:00	117.4	0	144.4	117.7	0	0	450.2	341.3	0	1171.0	848.5
10/23/19 4:00	118.8	0	133.7	119	0	0	448.9	344.6	0	1165.0	848.9
10/23/19 5:00	122.9	0	132.8	124.8	0	0	428.9	291	0	1100.4	849.2
10/23/19 6:00	115.9	0	113.7	117	0	0	479.3	271.2	0	1097.1	849.4
10/23/19 7:00	111	0	113.4	112.9	0	0	459.9	270.9	0	1068.1	849.6
10/23/19 8:00	111.7	0	113.2	113.6	0	0	481.3	274.7	0	1094.5	849.8
10/23/19 9:00	112	0	116.2	114.9	0	0	476.2	294.6	0	1113.9	850.0
10/23/19 10:00	114.3	0	128.5	115.8	0	0	485.8	292.6	0	1137.0	850.4
10/23/19 11:00	112.4	0	130.6	115.6	0	0	498.2	286.9	0	1143.7	850.8
10/23/19 12:00	113.1	0	128.3	115.5	0	0	506.4	283	0	1146.3	851.2
10/23/19 13:00	111.7	0	126.4	114.9	0	0	509.3	277.1	0	1139.4	851.9
10/23/19 14:00	111.6	0	126.8	113.8	0	0	516.9	285.9	0	1155.0	852.5
10/23/19 15:00	111.9	0	126.5	114	0	0	519	290.4	0	1161.8	853.2
10/23/19 16:00	115.1	0	135.8	116.4	0	0	512.7	280.8	0	1160.8	853.9
10/23/19 17:00	114.2	0	136.2	114.7	0	0	516.9	255.8	0	1137.8	854.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/23/19 18:00	118.1	0	116.1	117.8	0	0	507	267.6	0	1126.6	855.2
10/23/19 19:00	117.8	0	115.8	118.2	0	0	510.5	273.9	0	1136.2	855.8
10/23/19 20:00	121.8	0	118.5	120.9	0	0	512.4	261	0	1134.6	856.4
10/23/19 21:00	128.1	0	124	127.1	0	0	509.5	259.4	0	1148.1	856.9
10/23/19 22:00	130	0	125.9	130.1	0	0	510.9	257.8	0	1154.7	857.4
10/23/19 23:00	132.8	0	128.5	131.7	0	0	509.3	270.1	0	1172.4	858.0
10/24/19 0:00	126.9	0	123.7	126.3	0	0	510.1	279.5	0	1166.5	858.7
10/24/19 1:00	126.5	0	123.7	125.7	0	0	512.6	279.6	0	1168.1	859.4
10/24/19 2:00	129.1	0	126.6	129.5	0	0	509.9	279.3	0	1174.4	860.2
10/24/19 3:00	128.6	0	125.3	130	0	0	510	280.4	0	1174.3	860.8
10/24/19 4:00	137.1	0	132.7	137.2	0	0	509.5	276.6	0	1193.1	861.5
10/24/19 5:00	140.7	0	135.3	140	0	0	507.9	275.5	0	1199.4	862.3
10/24/19 6:00	149.4	0	143	149.1	0	0	454.8	280.9	0	1177.2	863.1
10/24/19 7:00	160.7	0	153.6	160.8	0	0	452	277.2	0	1204.3	863.9
10/24/19 8:00	144.4	0	140.1	148.2	0	0	501.6	279.6	0	1213.9	864.7
10/24/19 9:00	126.9	0	122.8	130.4	0	0	499.5	279.2	0	1158.8	865.4
10/24/19 10:00	116.8	0	113.7	121.4	0	0	498.6	280	0	1130.5	865.9
10/24/19 11:00	117.8	0	114.3	120.9	0	0	503.3	271.5	0	1127.8	866.5
10/24/19 12:00	115.4	0	112.4	119.5	0	0	504.5	280	0	1131.8	866.9
10/24/19 13:00	111.1	0	107.7	115.2	0	0	503.1	277.8	0	1114.9	867.5
10/24/19 14:00	117	0	114.2	120.9	0	0	508.5	278.6	0	1139.2	868.0
10/24/19 15:00	129.6	0	125.6	132	0	0	488.6	281.7	0	1157.5	868.7
10/24/19 16:00	150.9	0	145.6	151.1	0	0	515.3	280	0	1242.9	869.4
10/24/19 17:00	112.3	0	111.2	117.3	0	0	510.3	279.1	0	1130.2	869.9
10/24/19 18:00	118.1	0	116.9	123.6	0	0	506.4	277.6	0	1142.6	870.6
10/24/19 19:00	123	0	120.9	127.8	0	0	504.8	280.3	0.1	1156.9	871.2
10/24/19 20:00	133.7	0	130.4	137.8	0	0	513.7	278.5	0.1	1194.2	871.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/24/19 21:00	140.2	0	137.2	144.3	0	0	509.7	278.8	0	1210.2	872.6
10/24/19 22:00	152.6	0	148.4	154.3	0	0	514.4	280.2	0	1249.9	873.3
10/24/19 23:00	152.8	0	149.7	155.4	0	0	514.8	280.8	0	1253.5	874.0
10/25/19 0:00	159	0	164.7	161.1	0	0	518.7	277.7	0.1	1281.3	874.5
10/25/19 1:00	159.6	0	155.1	161.6	0	0	514.3	278.1	0.1	1268.8	875.1
10/25/19 2:00	159.1	0	153.6	161.1	0	0	513.9	277.3	0.1	1265.1	875.8
10/25/19 3:00	157.6	0	153.2	160.3	0	0	517.3	279.9	0.1	1268.4	876.5
10/25/19 4:00	157.8	0	153.4	160.5	0	0	513.6	278.1	0.1	1263.5	877.1
10/25/19 5:00	150.9	0	157.4	153.8	0	0	478.8	279.4	48.1	1268.4	877.8
10/25/19 6:00	151.2	0	153.2	154	0	0	478.8	277.7	160.8	1375.7	878.8
10/25/19 7:00	165.3	0	161.6	169	0	0	455.8	277.4	170.5	1399.6	879.8
10/25/19 8:00	176	0	170.8	178.9	0	0	461.6	277.8	160.2	1425.3	880.8
10/25/19 9:00	188.9	0	183.9	193.4	0	0	481.1	279.3	0.1	1326.7	881.6
10/25/19 10:00	181.5	0	175.5	185.6	0	0	506.1	280.1	0.1	1328.9	882.4
10/25/19 11:00	175.7	0	170.8	177.1	0	0	519.8	277.5	0.1	1321.0	883.1
10/25/19 12:00	175.3	0	169.8	177.7	0	0	500.8	275.4	0.1	1299.1	883.8
10/25/19 13:00	164.3	0	160.1	166.1	0	0	483.8	281	16	1271.3	884.5
10/25/19 14:00	156.3	0	153.3	160.8	0	0	487.8	280.1	0	1238.3	885.2
10/25/19 15:00	143.8	0	140.9	148.3	0	0	486.7	278.3	0	1198.0	885.9
10/25/19 16:00	147	0	145.1	152.7	0	0	484.2	279.2	0	1208.2	886.5
10/25/19 17:00	142.3	0	140.3	146.5	0	0	487.4	279.8	0	1196.3	887.2
10/25/19 18:00	146.9	0	145.8	151.5	0	0	478.6	278.6	0	1201.4	887.8
10/25/19 19:00	146.6	0	144.6	150.1	0	0	485.7	277.2	0	1204.2	888.4
10/25/19 20:00	151.8	0	151.2	156.7	0	0	481.9	283.3	0	1224.9	889.0
10/25/19 21:00	152.1	0	150.8	156.9	0	0	475.1	272.4	0.1	1207.4	889.6
10/25/19 22:00	146.6	0	143.6	152	0	0	479.1	278.4	0.1	1199.8	890.2
10/25/19 23:00	148.2	0	145.1	153.8	0	0	477.3	278.1	0.1	1202.6	890.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/26/19 0:00	139.5	0	136.1	144.3	0	0	477	276.6	6.2	1179.7	891.4
10/26/19 1:00	118.8	0	117.3	118.1	0	0	473.1	276.9	223	1327.2	892.2
10/26/19 2:00	170.3	0	165.7	0.2	0	37.3	474.2	279.9	266.1	1393.7	893.1
10/26/19 3:00	144.4	0	141.6	0	0	37.3	475.6	278.8	264.6	1342.3	894.0
10/26/19 4:00	118.6	0	115.7	0	0	37.3	460	276.7	314.7	1323.0	894.8
10/26/19 5:00	125.9	0	135.3	0	0	37.3	457.8	276.8	229.3	1262.4	895.6
10/26/19 6:00	122.7	0	143.8	0	0	53.2	434.5	279.1	202.6	1235.9	896.3
10/26/19 7:00	140.4	0	139.6	0	0	89.8	454.5	276.4	195.3	1296.0	897.0
10/26/19 8:00	131	0	131.4	0	0	109.5	460.7	368	188.4	1389.0	897.9
10/26/19 9:00	138.4	0	137.6	0	0	196.6	456	447.7	131.5	1507.8	899.0
10/26/19 10:00	121.6	0	120.3	0	0	285.1	446.8	279.7	201.9	1455.4	900.0
10/26/19 11:00	122	0	119.8	0	0	324.9	449.5	271.4	199.4	1487.0	900.7
10/26/19 12:00	134.2	0	131.1	0	0	286.7	444.2	285.1	13.2	1294.5	901.4
10/26/19 13:00	132	0	130.4	0	0	310.8	447.1	279.2	5.3	1304.8	902.0
10/26/19 14:00	107.3	0	109.1	0	0	348.7	427.3	279.5	10	1281.9	902.6
10/26/19 15:00	18.8	0	117	0	0	393.7	436.3	278.3	15.6	1259.7	903.1
10/26/19 16:00	0	0	119.2	0	0	413.9	437.7	279.2	18.8	1268.8	903.7
10/26/19 17:00	0	0	80.5	0	0	419.6	445.9	278.3	18.4	1242.7	904.3
10/26/19 18:00	0	0	0	0	0	456.7	462.2	278.7	20.8	1218.4	904.9
10/26/19 19:00	0	0	0	0	0	447.3	451.8	277.8	15	1191.9	905.4
10/26/19 20:00	0	0	0	0	0	429.6	445.8	257.3	16.1	1148.8	906.0
10/26/19 21:00	0	0	0	0	0	419.9	439.6	270.5	12	1142.0	906.5
10/26/19 22:00	0	0	0	0	0	425.6	443.8	280.4	11.4	1161.2	907.1
10/26/19 23:00	0	0	0	0	0	429.8	451.3	279.5	12.1	1172.7	907.7
10/27/19 0:00	0	0	0	0	0	432.7	451.4	280.5	13.8	1178.4	908.3
10/27/19 1:00	0	0	0	0	0	434.8	449.3	276.6	15.7	1176.4	908.9
10/27/19 2:00	0	0	0	0	0	475	483.6	278.9	15.7	1253.2	909.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/27/19 3:00	0	0	0	0	0	446.9	442.2	279	18.1	1186.2	910.2
10/27/19 4:00	0	0	0	0	0	410	416.8	278.3	19.1	1124.2	910.7
10/27/19 5:00	0	0	0	0	0	378.2	394	278	20.5	1070.7	911.1
10/27/19 6:00	0	0	0	0	0	376.5	369	279	28.1	1052.6	911.6
10/27/19 7:00	0	0	0	0	0	426.2	395.3	278.2	14	1113.7	912.1
10/27/19 8:00	0	0	0	0	0	439.3	394.1	301.9	27.9	1163.2	912.5
10/27/19 9:00	0	0	0	0	0	429.8	385.4	266.2	37.5	1118.9	913.0
10/27/19 10:00	0	0	0	0	0	426.8	395.6	276.9	27	1126.3	913.5
10/27/19 11:00	0	0	0	0	0	435	384.3	280.6	19.8	1119.7	913.9
10/27/19 12:00	0	0	0	0	0	462.9	407.3	275.9	15.1	1161.2	914.5
10/27/19 13:00	0	0	0	0	0	460	404	279.4	14.3	1157.7	915.1
10/27/19 14:00	0	0	0	0	0	464.6	442.5	277.9	13.8	1198.8	915.7
10/27/19 15:00	0	0	0	0	0	464.2	438.2	276.6	14.3	1193.3	916.3
10/27/19 16:00	0	0	0	0	0	464.4	422.5	278.3	16.7	1181.9	916.8
10/27/19 17:00	0	0	0	0	0	464.2	415.3	277.8	18.1	1175.4	917.3
10/27/19 18:00	0	0	0	0	0	432	407.1	277.5	28.3	1144.9	917.7
10/27/19 19:00	0	0	0	0	0	467	360.6	274.9	14.7	1117.2	918.1
10/27/19 20:00	0	0	0	0	0	462.8	394.2	274.6	12.5	1144.1	918.6
10/27/19 21:00	0	0	0	0	0	448.1	410.7	276.6	14.6	1150.0	919.0
10/27/19 22:00	0	0	0	0	0	449.4	414.8	278.7	14.3	1157.2	919.6
10/27/19 23:00	0	0	0	0	0	452.9	415.2	254.4	21.4	1143.9	920.1
10/28/19 0:00	0	0	0	0	0	455.8	414.4	273.9	11.8	1155.9	920.6
10/28/19 1:00	0	0	0	0	0	447.1	406.1	277.5	13.6	1144.3	921.1
10/28/19 2:00	0	0	0	0	0	441	399.5	279.4	16	1135.9	921.6
10/28/19 3:00	0	0	0	0	0	428.5	407.5	276.2	16.8	1129.0	922.1
10/28/19 4:00	0	0	0	0	0	419	393.9	277.7	20.4	1111.0	922.6
10/28/19 5:00	0	0	0	0	0	405.9	398.7	275.9	20.7	1101.2	923.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/28/19 6:00	0	0	0	0	0	433.5	406	268.8	27.5	1135.8	923.5
10/28/19 7:00	0	0	0	0	0	458.4	425.3	282.8	5.7	1172.2	924.0
10/28/19 8:00	0	0	0	0	0	469.5	426.5	279.1	0.7	1175.8	924.4
10/28/19 9:00	0	0	0	0	0	467	426.5	278.6	87	1259.1	925.0
10/28/19 10:00	0	0	0	0	0	476.2	426.5	278.4	3.4	1184.5	925.5
10/28/19 11:00	0	0	0	0	0	469.5	406.8	261.5	17.9	1155.7	926.0
10/28/19 12:00	0	0	0	0	0	475.2	410.6	281.3	26.8	1193.9	926.5
10/28/19 13:00	0	0	0	0	0	514.8	444.9	272	16.1	1247.8	927.0
10/28/19 14:00	0	0	0	0	0	476.3	415.4	272.9	0	1164.6	927.5
10/28/19 15:00	0	0	0	0	0	340.4	283.7	271.3	0	895.4	927.6
10/28/19 16:00	0	0	0	0	0	296.9	247	269.1	0.1	813.1	927.6
10/28/19 17:00	0	0	0	0	0	301.4	263.5	268.9	4.8	838.6	927.6
10/28/19 18:00	0	0	0	0	0	305	270.8	276	104.1	955.9	927.8
10/28/19 19:00	0	0	0	0	0	263.9	223.4	271.9	202.4	961.6	928.0
10/28/19 20:00	0	0	0	0	0	287.3	244.3	274.9	156	962.5	928.1
10/28/19 21:00	0	0	0	0	0	255	215.4	273.5	13	756.9	928.4
10/28/19 22:00	0	0	0	0	0	288.9	249.7	276.7	9.8	825.1	928.7
10/28/19 23:00	0	0	0	0	0	284.6	242.2	247.3	18	792.1	928.9
10/29/19 0:00	0	0	0	0	0	322.1	280.2	272.6	13.2	888.1	929.3
10/29/19 1:00	0	0	0	0	0	315.5	276.3	275.9	16	883.7	929.6
10/29/19 2:00	0	0	0	0	0	312	275.6	271.2	15.8	874.6	929.9
10/29/19 3:00	0	0	0	0	0	295.9	264.5	270.2	15	845.6	929.7
10/29/19 4:00	0	0	0	0	0	292.7	271.1	275.5	14.6	853.9	929.4
10/29/19 5:00	0	0	0	0	0	271.9	253.1	280.4	19.4	824.8	929.1
10/29/19 6:00	0	0	0	0	0	276.9	234.8	271.1	19.5	802.3	928.8
10/29/19 7:00	0	0	0	0	0	277.8	247.4	272.8	8.2	806.2	929.1
10/29/19 8:00	0	0	0	0	0	269.1	233.5	276.4	6.3	785.3	929.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/29/19 9:00	0	0	0	0	0	261.5	231.4	269.9	14	776.8	929.6
10/29/19 10:00	0	0	0	0	0	267	233.4	273.4	11.8	785.6	929.8
10/29/19 11:00	0	0	0	0	0	250.4	218.9	246.5	16.3	732.1	929.9
10/29/19 12:00	0	0	0	0	0	246.7	222.4	277.1	21.2	767.4	930.1
10/29/19 13:00	0	0	0	0	0	262.1	217.5	280.9	13.8	774.3	930.3
10/29/19 14:00	0	0	0	0	0	275.8	235	279.1	9.3	799.2	930.5
10/29/19 15:00	0	0	0	0	0	275.2	239.6	283.2	4.8	802.8	930.7
10/29/19 16:00	0	0	0	0	0	294.2	223	282.1	0.8	800.1	930.9
10/29/19 17:00	0	0	0	0	0	327.2	212	279.6	5.2	824.0	931.1
10/29/19 18:00	0	0	0	0	0	332.1	243.1	286.7	15.6	877.5	931.5
10/29/19 19:00	0	0	0	0	0	309.8	261.5	278.6	5.8	855.7	931.8
10/29/19 20:00	0	0	0	0	0	328.9	270.7	279.1	7.9	886.6	932.0
10/29/19 21:00	0	0	0	0	0	329.9	267.9	281	12.4	891.2	932.3
10/29/19 22:00	0	0	0	0	0	320.5	270	279.9	12.6	883.0	932.6
10/29/19 23:00	0	0	0	0	0	315.4	269.5	275.4	10.1	870.4	932.9
10/30/19 0:00	0	0	0	0	0	319.2	273	282.7	9.9	884.8	933.2
10/30/19 1:00	0	0	0	0	0	334.9	275.1	275.4	9.1	894.5	933.5
10/30/19 2:00	0	0	0	0	0	334.4	272.1	279.1	8.8	894.4	933.8
10/30/19 3:00	0	0	0	0	0	316	271.1	276.6	7.2	870.9	934.1
10/30/19 4:00	0	0	0	0	0	298.4	270	278.1	6.5	853.0	934.2
10/30/19 5:00	0	0	0	0	0	269.6	271.4	275.4	8.3	824.7	934.2
10/30/19 6:00	0	0	0	0	0	280.6	236.6	277.7	19.6	814.5	934.3
10/30/19 7:00	0	0	0	0	0	289.8	269.7	278.6	9.1	847.2	934.3
10/30/19 8:00	0	0	0	0	0	280.1	270.3	280.1	14.1	844.6	934.3
10/30/19 9:00	0	0	0	0	0	276.2	275.4	280.7	9.3	841.6	934.1
10/30/19 10:00	0	0	0	0	0	291.1	277.7	279.3	8.9	857.0	934.2
10/30/19 11:00	0	0	0	0	0	299.1	278.4	300.6	9.3	887.4	934.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/30/19 12:00	0	0	0	0	0	322.2	283.6	278.2	12.5	896.5	934.2
10/30/19 13:00	0	0	0	0	0	302.7	288.5	279.5	18.7	889.4	934.4
10/30/19 14:00	0	0	0	0	0	298.6	296	280	21.4	896.0	934.6
10/30/19 15:00	0	0	0	0	0	327.3	291.3	257.3	14.1	890.0	934.8
10/30/19 16:00	65.3	0	0	0	0	329.3	300.8	289.6	11.8	996.8	935.2
10/30/19 17:00	161.2	0	0	0	0	333.9	317.9	261.1	11.1	1085.2	935.7
10/30/19 18:00	143.8	0	0	0	0	243.6	302.5	0	24.3	714.2	935.6
10/30/19 19:00	144.1	0	0	0	0	259.8	286.4	5.4	11.8	707.5	935.4
10/30/19 20:00	144.9	0	0	0	0	309.7	288	107.1	8	857.7	935.3
10/30/19 21:00	148.4	0	0	0	0	306	283.9	276.6	10.9	1025.8	935.5
10/30/19 22:00	150	0	0	0	0	291.3	281.6	244.6	8.8	976.3	935.8
10/30/19 23:00	152.2	0	0	0	0	275.9	279.5	282	6.9	996.5	936.0
10/31/19 0:00	162.5	0	0	0	0	241.1	277.8	260.5	6.7	948.6	936.2
10/31/19 1:00	165.3	0	0	0	0	257.1	282.1	281	22.2	1007.7	936.4
10/31/19 2:00	164.5	0	0	0	0	269.8	284.4	277.5	12.9	1009.1	936.7
10/31/19 3:00	162.4	0	0	0	0	254.4	288.1	281.2	6.9	993.0	936.9
10/31/19 4:00	161.9	0	0	0	0	263.3	284.5	283	6.9	999.6	937.2
10/31/19 5:00	160.6	0	0	0	0	281.4	289.7	275.3	7.7	1014.7	937.3
10/31/19 6:00	161.7	0	0	0	0	283.7	264.3	280.7	27.9	1018.3	936.9
10/31/19 7:00	118.8	0	0	0	0	307.8	283.8	278.6	6.7	995.7	936.6
10/31/19 8:00	159.2	0	0	0	0	298.6	287.4	280.5	4.9	1030.6	936.4
10/31/19 9:00	166.5	0	0	0	0	258.5	272.4	279.6	5.5	982.5	936.1
10/31/19 10:00	166.9	0	0	0	0	287.3	268.9	280.7	5.3	1009.1	936.0
10/31/19 11:00	167.6	0	0	0	0	279	273.5	282.1	17	1019.2	935.8
10/31/19 12:00	168.4	0	0	0	0	289.2	285.1	273.2	11	1026.9	935.6
10/31/19 13:00	168.6	0	0	0	0	265.2	285.1	284.5	13.6	1017.0	935.4
10/31/19 14:00	153.8	0	0	0	0	258.4	278.7	282.4	16.6	989.9	935.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/31/19 15:00	149.9	0	0	0	0	189.3	256.3	277.4	19.2	892.1	934.9
10/31/19 16:00	170.1	0	0	0	0	209.6	253.2	277	2.4	912.3	934.5
10/31/19 17:00	181.6	0	0	0	0	254.8	269.7	280.4	0	986.5	934.3
10/31/19 18:00	179.9	0	0	0	0	255.1	286.5	279.2	0	1000.7	934.1
10/31/19 19:00	179.2	0	0	0	0	258.1	293.6	281.1	0	1012.0	933.8
10/31/19 20:00	179.3	0	0	0	0	243.3	304	276.9	0	1003.5	933.6
10/31/19 21:00	178.3	0	0	0	0	257.8	299.5	288.1	0	1023.7	933.4
10/31/19 22:00	178.5	0	0	0	0	252.3	285.4	278.8	0	995.0	933.2
10/31/19 23:00	180.2	0	0	0	0	217.8	295.7	281.2	0	974.9	932.9
11/1/19 0:00	177.1	0	0	0	0	180.6	295.7	282.7	0	936.1	932.8
11/1/19 1:00	177.9	0	0	0	0	177.9	295.7	275.9	0	927.4	932.9
11/1/19 2:00	178.4	0	0	0	0	210.3	269.7	279.7	0	938.1	933.5
11/1/19 3:00	178.3	0	0	0	0	234.5	272.9	278.7	0	964.4	934.2
11/1/19 4:00	177.4	0	0	0	0	248.2	290.6	278	0	994.2	935.0
11/1/19 5:00	177	0	0	0	0	260.6	294.5	281.2	0	1013.3	935.7
11/1/19 6:00	183.9	0	0	0	0	259.9	259.1	276.9	0	979.8	936.5
11/1/19 7:00	180	0	0	0	0	255.1	270.1	277.9	0	983.1	937.2
11/1/19 8:00	175.3	0	0	0	0	247.4	271.9	280.4	0	975.0	938.0
11/1/19 9:00	174.4	0	0	0	0	253	279.9	276.9	0	984.2	938.8
11/1/19 10:00	172.5	0	0	0	0	239.1	255.3	282	0	948.9	939.4
11/1/19 11:00	172.8	0	0	0	0	202.6	243.3	277.9	0	896.6	940.0
11/1/19 12:00	173.6	0	0	0	0	194.9	242.2	305.7	0	916.4	940.7
11/1/19 13:00	174	0	0	0	0	203.7	245.5	269.9	0	893.1	941.3
11/1/19 14:00	173.4	0	0	0	0	199.7	255.5	275.2	0	903.8	941.9
11/1/19 15:00	173.4	0	0	0	0	191.7	261.8	276.9	0	903.8	942.6
11/1/19 16:00	173.5	0	0	0	0	205.1	264.7	272.2	0	915.5	943.3
11/1/19 17:00	175.6	0	0	0	0	213.7	255.3	282	0	926.6	943.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/1/19 18:00	179.2	0	0	0	0	222.4	238.7	275.8	0	916.1	944.5
11/1/19 19:00	180.1	0	0	0	0	379.6	368.6	280.7	0	1209.0	945.5
11/1/19 20:00	181.6	0	0	0	0	265.7	260.4	277.6	0	985.3	946.3
11/1/19 21:00	181.5	0	0	0	0	271.4	245.5	285.1	91.2	1074.7	947.1
11/1/19 22:00	182.5	0	0	0	0	267.4	249.2	279.9	91.2	1070.2	947.9
11/1/19 23:00	181.4	0	0	0	0	277.9	249.8	284.1	91.2	1084.4	948.7
11/2/19 0:00	181.1	0	0	0	0	269.9	245.6	277.2	91.2	1065.0	949.4
11/2/19 1:00	153	0	0	0	0	247.5	212	277	91.2	980.7	950.0
11/2/19 2:00	118.5	0	0	0	0	226	181.9	273.2	91.2	890.8	950.6
11/2/19 3:00	9.7	0	0	0	0	228.6	186.8	281.4	125.2	831.7	951.1
11/2/19 4:00	0	0	0	0	0	239.8	188.3	277.8	120.6	826.5	951.5
11/2/19 5:00	0	0	0	0	0	232.2	172.2	281.4	93.8	779.6	951.8
11/2/19 6:00	0	0	0	0	0	240.9	174	276.4	82	773.3	952.2
11/2/19 7:00	0	0	0	0	0	256.5	170.4	277.3	35.8	740.0	952.4
11/2/19 8:00	0	0	0	0	0	278	165.3	279.8	37.4	760.5	952.5
11/2/19 9:00	0	0	0	0	0	246.7	162	276.6	34.1	719.4	952.8
11/2/19 10:00	0	0	0	0	0	242.1	163.4	283.4	21.7	710.6	952.9
11/2/19 11:00	0	0	0	0	0	248	179.9	277.1	20.5	725.5	952.7
11/2/19 12:00	0	0	0	0	0	250.6	180.9	274.8	84.2	790.5	952.8
11/2/19 13:00	0	0	0	0	0	224.1	188.5	278.2	36.6	727.4	953.2
11/2/19 14:00	0	0	0	0	0	233	211.9	277.9	34.7	757.5	953.6
11/2/19 15:00	0	0	0	0	0	222.8	251.3	278.8	32.6	785.5	954.1
11/2/19 16:00	0	0	0	0	0	228.8	257.3	278.4	39.4	803.9	954.5
11/2/19 17:00	0	0	0	0	0	221.4	244.6	278.5	19.1	763.6	954.9
11/2/19 18:00	0	0	0	0	0	224.2	233	278.2	15	750.4	955.3
11/2/19 19:00	0	0	0	0	0	223	224.6	273.6	4.2	725.4	955.3
11/2/19 20:00	0	0	0	0	0	228	235.7	277.6	5.3	746.6	955.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/2/19 21:00	0	0	0	0	0	219.8	222.2	274.7	9.2	725.9	955.1
11/2/19 22:00	0	0	0	0	0	253.4	197.8	282	12.4	745.6	955.0
11/2/19 23:00	0	0	0	0	0	233.7	177.5	255.7	21.9	688.8	954.9
11/3/19 0:00	0	0	0	0	0	211.2	163.2	281.6	16.4	672.4	954.7
11/3/19 1:00	0	0	0	0	0	204.3	193.4	277.4	12.2	687.3	954.5
11/3/19 2:00	0	0	0	0	0	196.9	213	279.7	11.9	701.5	954.1
11/3/19 3:00	0	0	0	0	0	220.6	236.1	279.7	9.6	746.0	953.7
11/3/19 4:00	0	0	0	0	0	225.4	212.5	278.7	13.6	730.2	953.3
11/3/19 5:00	0	0	0	0	0	245.6	199.8	278.7	18.1	742.2	953.0
11/3/19 6:00	0	0	0	0	0	264.1	209.4	278.3	19.4	771.2	952.6
11/3/19 7:00	0	0	0	0	0	285.5	231.6	278.2	8	803.3	952.3
11/3/19 8:00	0	0	0	0	0	257.3	206	279.1	9	751.4	951.9
11/3/19 9:00	0	0	0	0	0	241.4	191.8	278.7	7.9	719.8	951.5
11/3/19 10:00	0	0	0	0	0	241.6	219.5	279	8.3	748.4	951.6
11/3/19 11:00	0	0	0	0	0	227.7	221	278.7	11.1	738.5	951.7
11/3/19 12:00	0	0	0	0	0	208.9	212.8	269	26.8	717.5	951.8
11/3/19 13:00	0	0	0	0	0	229.4	202	256.2	8.9	696.5	951.7
11/3/19 14:00	0	0	0	0	0	237.1	212.5	278.7	9.7	738.0	951.8
11/3/19 15:00	0	0	0	0	0	234.6	217.4	276.3	11.1	739.4	951.9
11/3/19 16:00	0	0	0	0	0	262.6	220.8	275.8	17.2	776.4	952.1
11/3/19 17:00	0	0	0	0	0	263.6	223.8	277.2	9.9	774.5	952.3
11/3/19 18:00	0	0	0	0	0	261.9	219.8	274.2	14.8	770.7	952.5
11/3/19 19:00	0	0	0	0	0	259.5	217.4	275.2	5.4	757.5	952.6
11/3/19 20:00	0	0	0	0	0	229.2	217.5	275.8	7.8	730.3	952.7
11/3/19 21:00	0	0	0	0	0	249	211	276.8	12.4	749.2	952.8
11/3/19 22:00	0	0	0	0	0	243.7	192.3	264	8.5	708.5	953.0
11/3/19 23:00	0	0	0	0	0	296.6	156.6	273.1	14.8	741.1	953.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/4/19 0:00	0	0	0	0	0	419.5	254.3	261.3	20.3	955.4	953.7
11/4/19 1:00	0	0	0	0	0	291.6	165.2	276.5	18.6	751.9	953.9
11/4/19 2:00	0	0	0	0	0	267.1	183.7	276.6	4.6	732.0	954.0
11/4/19 3:00	0	0	0	0	0	233.3	189.2	278.4	5.4	706.3	954.1
11/4/19 4:00	0	0	0	0	0	207.7	182.4	278.4	5.6	674.1	954.2
11/4/19 5:00	0	0	0	0	0	212.1	151.6	282	20.7	666.4	954.3
11/4/19 6:00	0	0	0	0	0	233.9	155.7	277.6	13	680.2	954.4
11/4/19 7:00	0	0	0	0	0	234.3	170	270.5	3.8	678.6	954.5
11/4/19 8:00	0	0	0	0	0	220.3	184.2	283.1	4.5	692.1	954.6
11/4/19 9:00	0	0	0	0	0	370.8	274.1	302.7	4.3	951.9	955.0
11/4/19 10:00	0	0	0	0	0	351.9	190.3	273.6	4.8	820.6	955.3
11/4/19 11:00	0	0	0	0	0	211.7	183	281.2	8.8	684.7	955.3
11/4/19 12:00	0	0	0	0	0	187.8	192.3	278.8	10.1	669.0	955.3
11/4/19 13:00	0	0	0	0	0	197.1	201.5	277.2	8.6	684.4	955.4
11/4/19 14:00	0	0	0	0	0	197.3	211.6	284.6	22.2	715.7	955.5
11/4/19 15:00	0	0	0	0	0	218	211.8	278.6	14.9	723.3	955.6
11/4/19 16:00	0	0	0	0	0	201.1	220.4	279.6	4.4	705.5	955.7
11/4/19 17:00	0	0	0	0	0	206.2	224.3	280.3	5.6	716.4	955.8
11/4/19 18:00	0	0	0	0	0	207.1	220.1	278.8	14.1	720.1	956.0
11/4/19 19:00	0	0	0	0	0	211.1	222.7	276.2	5.8	715.8	956.1
11/4/19 20:00	0	0	0	0	0	258.8	239.1	284.5	8.9	791.3	956.2
11/4/19 21:00	0	0	0	0	0	253.8	264	276.5	8	802.3	956.5
11/4/19 22:00	0	0	0	0	0	248.1	275	279.5	15.3	817.9	956.8
11/4/19 23:00	0	0	0	0	0	277.7	279.2	278.7	6	841.6	957.3
11/5/19 0:00	0	0	0	0	0	282.1	262.1	278.1	18.4	840.7	957.9
11/5/19 1:00	0	0	0	0	0	253.4	282.1	280.6	13.4	829.5	958.3
11/5/19 2:00	0	0	0	0	0	250.3	230.2	279.6	20	780.1	958.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/5/19 3:00	0	0	0	0	0	285.8	225.7	280.1	8.7	800.3	958.9
11/5/19 4:00	0	0	0	0	0	221	216.3	278.8	6.3	722.4	959.0
11/5/19 5:00	0	0	0	0	0	304.8	301.1	279.4	7	892.3	959.4
11/5/19 6:00	0	0	0	0	0	304.8	217.7	276.9	27.1	826.5	959.8
11/5/19 7:00	0	0	0	0	0	180.8	220	277.7	8.2	686.7	959.9
11/5/19 8:00	0	0	0	0	0	195.7	228.7	279	3.6	707.0	960.0
11/5/19 9:00	0	0	0	0	0	181.2	220.7	272.2	4.5	678.6	960.1
11/5/19 10:00	0	0	0	0	0	232.2	222.1	315	4.3	773.6	960.3
11/5/19 11:00	0	0	0	0	0	245.4	220.3	281.4	3.1	750.2	960.5
11/5/19 12:00	0	0	0	0	0	453.7	421.6	280.3	3.9	1159.5	961.2
11/5/19 13:00	0	0	0	0	0	442	460.9	278.9	2.5	1184.3	961.9
11/5/19 14:00	0	0	0	0	0	421.2	448.2	284.8	5.7	1159.9	962.6
11/5/19 15:00	0	0	0	0	0	208.1	247.8	278.6	3.1	737.6	962.7
11/5/19 16:00	0	0	0	0	0	214.3	246.7	279.1	11.3	751.4	962.8
11/5/19 17:00	0	0	0	0	0	219.6	257.2	279.7	7	763.5	962.9
11/5/19 18:00	0	0	0	0	0	212.4	253.7	280.1	19.9	766.1	963.1
11/5/19 19:00	0	0	0	0	0	219.8	249	279	6.6	754.4	963.3
11/5/19 20:00	0	0	0	0	0	225	258.3	278.9	11.3	773.5	963.5
11/5/19 21:00	0	0	0	0	0	268	262.4	279	15.6	825.0	963.7
11/5/19 22:00	0	0	0	0	0	285.9	261.9	279.4	16	843.2	964.1
11/5/19 23:00	0	0	0	0	0	264.4	258.1	279.1	14.8	816.4	964.4
11/6/19 0:00	0	0	0	0	0	256.9	258.3	275.4	19.2	809.8	964.7
11/6/19 1:00	0	0	0	0	0	343.9	323	279.2	14.2	960.3	965.1
11/6/19 2:00	0	0	0	0	0	465.1	434.5	278.3	22	1199.9	965.9
11/6/19 3:00	0	0	0	0	0	480.7	445.1	278.8	10.1	1214.7	966.6
11/6/19 4:00	0	0	0	0	0	495.2	448.5	279.7	10.3	1233.7	967.4
11/6/19 5:00	0	0	0	0	0	511.7	444	276.4	17.1	1249.2	968.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/6/19 6:00	0	0	0	0	0	488.5	427	277.4	10.9	1203.8	968.9
11/6/19 7:00	0	0	0	0	0	340.1	327.7	279	8.1	954.9	969.3
11/6/19 8:00	0	0	0	0	0	465.5	428	278.7	11.8	1184.0	970.0
11/6/19 9:00	0	0	0	0	0	449.7	440.8	270.4	15.2	1176.1	970.8
11/6/19 10:00	0	0	0	0	0	334	353	307.4	9.3	1003.7	971.1
11/6/19 11:00	0	0	0	0	0	262.9	281.6	282	0.7	827.2	971.4
11/6/19 12:00	0	0	0	0	0	294.8	296.7	279	10.3	880.8	971.8
11/6/19 13:00	0	0	0	0	0	377.2	406.1	280.5	11.5	1075.3	972.4
11/6/19 14:00	0	0	0	0	0	228.4	313.5	281.9	14.5	838.3	972.7
11/6/19 15:00	0	0	0	0	0	242.9	310.3	280.6	15.9	849.7	973.0
11/6/19 16:00	0	0	0	0	0	199.3	283	278.3	19.2	779.8	973.2
11/6/19 17:00	0	0	0	0	0	197	264	278.1	9.1	748.2	973.4
11/6/19 18:00	0	0	0	0	0	271.6	301.3	279.5	18.3	870.7	973.7
11/6/19 19:00	0	0	0	0	0	213.9	250.1	222.8	16.9	703.7	973.8
11/6/19 20:00	0	0	0	0	0	214.7	238.2	267.1	17.1	737.1	974.0
11/6/19 21:00	0	0	0	0	0	239.7	257	278.9	13.3	788.9	974.3
11/6/19 22:00	0	0	0	0	0	218.4	259.1	280	14.4	771.9	974.5
11/6/19 23:00	0	0	0	0	0	250.6	302.6	279	13.6	845.8	974.9
11/7/19 0:00	0	0	0	0	0	276.9	332.4	278.1	30.2	917.6	975.3
11/7/19 1:00	0	0	0	0	0	238	289.8	279.6	20.5	827.9	975.6
11/7/19 2:00	0	0	0	0	0	221.8	289.5	278.5	13.9	803.7	975.9
11/7/19 3:00	0	0	0	0	0	223.8	289.7	278.5	12.1	804.1	976.1
11/7/19 4:00	0	0	0	0	0	239.8	302.2	278.6	13.8	834.4	976.2
11/7/19 5:00	0	0	0	0	0	225.1	283.5	279.5	15.5	803.6	976.3
11/7/19 6:00	0	0	0	0	0	208.4	293.3	278.8	27.7	808.2	976.5
11/7/19 7:00	0	0	0	0	0	195.3	259.1	277.2	15.4	747.0	976.6
11/7/19 8:00	0	0	0	0	0	197.3	257.2	279.6	8.3	742.4	976.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/7/19 9:00	0	0	0	0	0	198.4	256.2	280	16.3	750.9	976.7
11/7/19 10:00	0	0	0	0	0	198.9	268.3	266.4	27	760.6	976.8
11/7/19 11:00	0	0	0	0	0	214.5	274.6	328.4	0.2	817.7	977.0
11/7/19 12:00	0	0	0	0	0	205.6	236.7	276.4	0.8	719.5	977.0
11/7/19 13:00	0	0	0	0	0	227.6	239.6	278.7	11.5	757.4	977.1
11/7/19 14:00	0	0	0	0	0	225.2	249.6	282.1	47.5	804.4	977.3
11/7/19 15:00	0	0	0	0	0	164.5	229.4	278.4	58.8	731.1	977.4
11/7/19 16:00	0	0	0	0	0	187.8	233.5	278.1	44.2	743.6	977.4
11/7/19 17:00	0	0	0	0	0	188.4	237.7	278.8	55.2	760.1	977.5
11/7/19 18:00	0	0	0	0	0	186.4	218.4	278.7	52	735.5	977.6
11/7/19 19:00	0	0	0	0	0	215.1	219.5	279.8	47.1	761.5	977.7
11/7/19 20:00	0	0	0	0	0	252.3	230.5	256.7	61.4	800.9	977.8
11/7/19 21:00	0	0	0	0	0	254.8	243.2	281	55.9	834.9	978.0
11/7/19 22:00	0	0	0	0	0	232.7	246.6	279.1	51	809.4	978.2
11/7/19 23:00	0	0	0	0	0	238.3	248.6	278	58.2	823.1	978.5
11/8/19 0:00	0	0	0	0	0	252.4	248.9	280	45.6	826.9	978.8
11/8/19 1:00	0	0	0	0	0	277.1	258.2	278.3	50.4	864.0	979.1
11/8/19 2:00	0	0	0	0	0	265.3	260.6	280	54.3	860.2	979.5
11/8/19 3:00	0	0	0	0	0	248.5	262.8	278.1	47.5	836.9	979.8
11/8/19 4:00	0	0	0	0	0	226.4	253	279.3	54.2	812.9	980.1
11/8/19 5:00	0	0	0	0	0	261	240.9	278.8	43.2	823.9	980.4
11/8/19 6:00	0	0	0	0	0	270	212.8	278.6	75	836.4	980.7
11/8/19 7:00	0	0	0	0	0	277.3	258	278.5	42.9	856.7	981.0
11/8/19 8:00	0	0	0	0	0	239.2	207.5	278.7	55.2	780.6	981.2
11/8/19 9:00	0	0	0	0	0	231.4	197.4	282.8	43.7	755.3	981.4
11/8/19 10:00	0	0	0	0	0	207.2	194.8	246.5	23.3	671.8	981.6
11/8/19 11:00	0	0	0	0	0	193.8	197.8	280.9	31.4	703.9	981.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/8/19 12:00	0	0	0	0	0	193	194.9	268.7	42.2	698.8	981.8
11/8/19 13:00	0	0	0	0	0	212.3	192.5	248.8	40.6	694.2	981.9
11/8/19 14:00	0	0	0	0	0	184	193.6	277.1	45.8	700.5	982.0
11/8/19 15:00	0	0	0	0	0	169.3	211.4	274.8	38.5	694.0	982.1
11/8/19 16:00	0	0	0	0	0	174.1	211.6	275.2	37.5	698.4	982.2
11/8/19 17:00	0	0	0	0	0	198.9	210.3	276.6	39.3	725.1	982.3
11/8/19 18:00	0	0	0	0	0	181.6	214.2	275.2	39.1	710.1	982.4
11/8/19 19:00	0	0	0	0	0	183.3	218.3	275.7	35	712.3	982.5
11/8/19 20:00	0	0	0	0	0	202.8	225	272.2	35.6	735.6	982.6
11/8/19 21:00	0	0	0	0	0	213.8	232.9	248.1	31.6	726.4	982.7
11/8/19 22:00	0	0	0	0	0	208.3	231.1	281.3	36.3	757.0	982.9
11/8/19 23:00	0	0	0	0	0	229.4	239.2	273	47	788.6	983.1
11/9/19 0:00	0	0	0	0	0	242.6	247.5	275.1	46.1	811.3	983.4
11/9/19 1:00	0	0	0	0	0	254.4	251.7	277.3	32.9	816.3	983.7
11/9/19 2:00	0	0	0	0	0	225.7	249.8	278.6	40.4	794.5	983.9
11/9/19 3:00	0	0	0	0	0	219.7	253.3	279.4	46.2	798.6	984.1
11/9/19 4:00	0	0	0	0	0	204.8	253.1	278.5	40.4	776.8	984.2
11/9/19 5:00	0	0	0	0	0	218.1	255.3	278.1	26	777.5	984.4
11/9/19 6:00	0	0	0	0	0	269.4	263.4	272.4	28.6	833.8	984.6
11/9/19 7:00	0	0	0	0	0	198.6	259.6	275.3	28.6	762.1	984.7
11/9/19 8:00	0	0	0	0	0	193.3	264.1	274.7	29.5	761.6	984.8
11/9/19 9:00	0	0	0	0	0	227.2	315.3	277.8	31.3	851.6	985.0
11/9/19 10:00	0	0	0	0	0	201.4	264.2	276.1	38.5	780.2	985.2
11/9/19 11:00	0	0	0	0	0	138.7	213.5	273.8	28.5	654.5	985.1
11/9/19 12:00	0	0	0	0	0	183.4	265.2	279.8	47.5	775.9	985.2
11/9/19 13:00	0	0	0	0	0	117	225.6	256	44.9	643.5	985.2
11/9/19 14:00	0	0	0	0	0	125.4	219.9	255	45.7	646.0	985.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/9/19 15:00	0	0	0	0	0	148.6	251.8	257.7	51.1	709.2	984.8
11/9/19 16:00	0	0	0	0	0	130.1	214.4	271	22.8	638.3	984.4
11/9/19 17:00	0	0	0	0	0	142	214.4	279.7	12.2	648.3	983.8
11/9/19 18:00	0	0	0	0	0	137.4	230.7	275.8	10.5	654.4	983.4
11/9/19 19:00	0	0	0	0	0	117.6	247.9	274.9	2.7	643.1	983.3
11/9/19 20:00	0	0	0	0	0	129.3	243.6	274.9	8.3	656.1	983.2
11/9/19 21:00	0	0	0	0	0	179.8	258.4	260.7	4.2	703.1	983.2
11/9/19 22:00	0	0	0	0	0	174.2	265.7	279.1	0.2	719.2	983.3
11/9/19 23:00	0	0	0	0	0	146	265.7	276.5	4.1	692.3	983.4
11/10/19 0:00	0	0	0	0	0	155	246.6	275.6	15.2	692.4	983.4
11/10/19 1:00	0	0	0	0	0	170.1	237.5	275.2	11.9	694.7	983.4
11/10/19 2:00	0	0	0	0	0	126.8	230.8	276.1	14.6	648.3	983.3
11/10/19 3:00	0	0	0	0	0	131	219.9	276.5	8.5	635.9	983.2
11/10/19 4:00	0	0	0	0	0	123	231.7	274.2	8.5	637.4	983.1
11/10/19 5:00	0	0	0	0	0	124	218.2	274.2	19.9	636.3	983.1
11/10/19 6:00	0	0	0	0	0	134	208.5	277.3	13	632.8	983.0
11/10/19 7:00	0	0	0	0	0	138.7	201.8	274.8	10.1	625.4	982.9
11/10/19 8:00	0	0	0	0	0	166.2	211.6	272.2	13.9	663.9	982.9
11/10/19 9:00	0	0	0	0	0	262.6	325.3	275.9	11.8	875.6	983.2
11/10/19 10:00	0	0	0	0	0	348.3	425.7	276.9	13.5	1064.4	983.7
11/10/19 11:00	0	0	0	0	0	323.1	398.1	271.2	19.3	1011.7	984.2
11/10/19 12:00	0	0	0	0	0	202.8	273.7	265.7	38.9	781.1	984.2
11/10/19 13:00	0	0	0	0	0	136.1	237.2	277.7	21.4	672.4	983.8
11/10/19 14:00	0	0	0	0	0	129	234.9	277.5	16.1	657.5	983.4
11/10/19 15:00	0	0	0	0	0	148.3	240.7	279.6	17.4	686.0	982.6
11/10/19 16:00	0	0	0	0	0	162.3	445.5	274.5	8.6	890.9	982.4
11/10/19 17:00	0	0	0	0	0	167	445.5	278.7	19	910.2	982.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/10/19 18:00	0	0	0	0	0	155	445.5	279.5	27	907.0	982.2
11/10/19 19:00	0	0	0	0	0	173.4	445.5	278.6	13.8	911.3	982.1
11/10/19 20:00	0	0	0	0	0	203.3	445.5	279.4	20.7	948.9	982.1
11/10/19 21:00	0	0	0	0	0	214.4	445.5	274.1	5	939.0	981.9
11/10/19 22:00	0	0	0	0	0	234.6	445.5	277.9	10.3	968.3	981.8
11/10/19 23:00	0	0	0	0	0	239.5	445.5	277.1	13.9	976.0	981.7
11/11/19 0:00	0	0	0	0	0	241	445.5	273.4	26.6	986.5	981.6
11/11/19 1:00	0	0	0	0	0	249.1	445.5	279.5	14.8	988.9	981.4
11/11/19 2:00	0	0	0	0	0	214.6	445.5	278.6	28.6	967.3	981.3
11/11/19 3:00	0	0	0	0	0	223.2	445.5	278.8	14.4	961.9	981.1
11/11/19 4:00	0	0	0	0	0	226	445.5	277.6	13	962.1	980.8
11/11/19 5:00	0	0	0	0	0	252.4	445.5	275.2	22.9	996.0	980.5
11/11/19 6:00	0	0	0	0	0	264.6	445.5	272.5	14.3	996.9	980.1
11/11/19 7:00	0	0	0	0	0	266.7	445.5	275.3	12.5	1000.0	979.7
11/11/19 8:00	0	0	0	0	0	293.4	445.5	273.8	17.4	1030.1	979.4
11/11/19 9:00	0	0	0	0	0	252.3	445.5	276.5	21.1	995.4	979.0
11/11/19 10:00	0	0	0	0	0	385.7	445.5	274	35.6	1140.8	978.8
11/11/19 11:00	0	0	0	0	0	387.3	445.5	275.6	35.4	1143.8	978.5
11/11/19 12:00	0	0	0	0	0	410.9	445.5	274.4	43.9	1174.7	978.4
11/11/19 13:00	0	0	0	0	0	458.5	445.5	275.2	24.9	1204.1	978.5
11/11/19 14:00	0	0	0	0	0	292.5	349.6	277.7	37.6	957.4	978.5
11/11/19 15:00	0	0	0	0	0	111.2	210.3	261.4	25	607.9	978.0
11/11/19 16:00	0.3	0	0	0	0	114.1	212.4	210.5	49.2	586.5	977.5
11/11/19 17:00	149.3	0	0	0	0	119.4	227.4	275.9	11.9	783.9	977.3
11/11/19 18:00	160	0	0	0	0	123	241.2	277.5	22.5	824.2	977.1
11/11/19 19:00	158.3	0	0	0	0	81.4	242.7	270.5	10.4	763.3	976.8
11/11/19 20:00	144.6	0	0	0	0	0.5	261.6	274.4	15.9	697.0	976.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/11/19 21:00	164.3	0	0	0	0	0.4	431.6	250	31.5	877.8	976.2
11/11/19 22:00	186.4	0	0	0	0	0.4	173.8	275.6	12.2	648.4	975.7
11/11/19 23:00	180.4	0	0	0	0	0	174.7	274.4	18.6	648.1	975.3
11/12/19 0:00	174.9	0	0	0	0	0	181.4	268.8	12.8	637.9	974.8
11/12/19 1:00	153.3	0	0	0	0	0	185.2	277.4	8.5	624.4	974.4
11/12/19 2:00	172.6	0	0	0	0	0	182.3	272.1	25.1	652.1	973.9
11/12/19 3:00	197.7	0	0	0	0	0	180.2	274.9	9	661.8	973.6
11/12/19 4:00	209.9	0	0	0	0	0	181.1	273.8	10.4	675.2	973.1
11/12/19 5:00	216.8	0	0	0	0	0	164.9	273.7	20.3	675.7	972.7
11/12/19 6:00	217.8	0	0	0	0	0	325.5	277	18.7	839.0	972.4
11/12/19 7:00	203.7	0	0	0	0	0	422.4	272.2	9.7	908.0	972.3
11/12/19 8:00	214.2	0	0	0	0	0	428.5	275.5	19.8	938.0	972.3
11/12/19 9:00	223.6	0	0	0	0	0	467.8	276.1	20.3	987.8	972.3
11/12/19 10:00	221.5	0	0	0	0	0	483.3	272.1	18	994.9	972.3
11/12/19 11:00	234.4	0	0	0	0	0	237.1	274.5	13	759.0	972.0
11/12/19 12:00	246	0	0	0	0	0	204.4	289.9	41.7	782.0	971.5
11/12/19 13:00	215.3	0	0	0	0	0	196	274.7	22.1	708.1	971.2
11/12/19 14:00	177.3	0	0	0	0	0	169.2	286.8	14	647.3	970.8
11/12/19 15:00	215.9	0	0	0	0	0.1	203.4	280.6	18.4	718.4	970.5
11/12/19 16:00	215.6	0	0	0	0	25	268	284.1	24.9	817.6	970.3
11/12/19 17:00	213.6	0	0	0	0	17.3	200.5	279.5	16	726.9	970.0
11/12/19 18:00	181.3	0	0	0	0	36.6	47.4	280.4	35.1	580.8	969.5
11/12/19 19:00	182.2	0	0	0	0	65.4	78	278.5	28.7	632.8	969.1
11/12/19 20:00	191.6	0	0	0	0	82.1	159.3	279.2	20.8	733.0	968.8
11/12/19 21:00	178	0	0	0	0	264	206.9	278.8	11.1	938.8	968.7
11/12/19 22:00	148.6	0	0	0	0	446.4	398.5	280.8	12.8	1287.1	969.2
11/12/19 23:00	239.5	0	0	0	0	396.7	410.4	277	29.3	1352.9	969.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/13/19 0:00	209.4	0	0	0	0	463	496.3	283	31.3	1483.0	970.4
11/13/19 1:00	204.3	0	0	0	0	453.4	500.3	280.5	24.1	1462.6	971.1
11/13/19 2:00	205.3	0	0	0	0	478.7	514.8	283.4	15.9	1498.1	971.8
11/13/19 3:00	207.5	0	0	0	0	519.6	539.7	283.7	31.4	1581.9	972.7
11/13/19 4:00	199.5	0	0	0	0	528.5	541.7	278.7	22.5	1570.9	973.5
11/13/19 5:00	202.4	0	0	0	0	511.4	532.1	285.2	30.6	1561.7	974.2
11/13/19 6:00	217.4	0	0	0	0	492.3	547	273.4	28.6	1558.7	974.9
11/13/19 7:00	213.8	0	0	0	0	479.2	559.8	273.7	28.6	1555.1	975.7
11/13/19 8:00	207.6	0	0	0	0	476.4	559.7	281.4	28.6	1553.7	976.4
11/13/19 9:00	205.2	0	0	0	0	368.4	485.1	284	26.3	1369.0	976.9
11/13/19 10:00	205.7	0	0	0	0	182.3	360.1	281.7	19.1	1048.9	977.0
11/13/19 11:00	204	0	0	0	0	207.7	262.8	265.6	21	961.1	977.0
11/13/19 12:00	207.8	0	0	0	0	170.7	268.2	274.8	38.4	959.9	976.9
11/13/19 13:00	209.1	0	0	0	0	159.3	266.5	281.8	28.2	944.9	976.8
11/13/19 14:00	209.3	0	0	0	0	135.5	266.4	262.5	40.8	914.5	976.7
11/13/19 15:00	208.5	0	0	0	0	132.3	260.9	278.6	32.7	913.0	976.6
11/13/19 16:00	207.7	0	0	0	0	142.7	264.7	280.2	25.6	920.9	976.5
11/13/19 17:00	208.3	0	0	0	0	171.9	276.4	275.4	27	959.0	976.5
11/13/19 18:00	210.1	0	0	0	0	174.7	340.1	277.6	29.6	1032.1	976.5
11/13/19 19:00	209.9	0	0	0	0	193.5	361.3	273.6	16.7	1055.0	976.6
11/13/19 20:00	179.7	0	0	0	0	178.3	353.5	279.4	20.5	1011.4	976.6
11/13/19 21:00	138.2	0	0	0	0	218	334.8	279.9	29.7	1000.6	976.5
11/13/19 22:00	139	0	0	0	0	197	361.1	278.9	17.4	993.4	976.3
11/13/19 23:00	139.5	0	0	0	0	198.2	362.5	278.7	21.7	1000.6	976.2
11/14/19 0:00	139.2	0	0	0	0	203.9	289.3	253.1	33.4	918.9	975.9
11/14/19 1:00	138.8	0	0	0	0	196.4	341.3	277.6	16.6	970.7	975.8
11/14/19 2:00	138.5	0	0	0	0	185	295.2	280.6	23.6	922.9	975.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/14/19 3:00	138.6	0	0	0	0	180.3	294.4	279	31.1	923.4	975.6
11/14/19 4:00	66	0	0	0	0	198.5	294.5	273.9	19.4	852.3	975.4
11/14/19 5:00	0	0	0	0	0	243.5	352.7	282.8	19.4	898.4	975.2
11/14/19 6:00	0	0	0	0	0	216.8	347	279.6	37.9	881.3	975.1
11/14/19 7:00	0	0	0	0	0	312.6	346.1	276.7	22	957.4	975.0
11/14/19 8:00	0	0	0	0	0	327.8	270.5	281.5	23.2	903.0	974.9
11/14/19 9:00	0	0	0	0	0	206.7	259	278	23	766.7	974.7
11/14/19 10:00	0	0	0	0	0	220.1	276.6	279.5	36.7	812.9	974.5
11/14/19 11:00	0	0	0	0	0	241.2	300.6	281.4	18.1	841.3	974.3
11/14/19 12:00	0	0	0	0	0	239.8	299.2	277.6	25.5	842.1	974.2
11/14/19 13:00	0	0	0	0	0	193	302.5	278.4	20.5	794.4	973.8
11/14/19 14:00	0	0	0	0	0	173.9	308.6	247.8	34.5	764.8	973.5
11/14/19 15:00	0	0	0	0	0	186.4	299.6	277	30.4	793.4	973.3
11/14/19 16:00	0	0	0	0	0	189.5	303.9	280.7	16.9	791.0	973.0
11/14/19 17:00	0	0	0	0	0	199.9	301.9	277.2	25.4	804.4	972.8
11/14/19 18:00	0	0	0	0	0	196.5	307.1	275.2	22.6	801.4	972.5
11/14/19 19:00	0	0	0	0	0	199	302.7	281.8	17.4	800.9	972.1
11/14/19 20:00	0	0	0	0	0	207.6	306.1	276.2	21.6	811.5	971.8
11/14/19 21:00	0	0	0	0	0	218.6	306.2	280.7	23.1	828.6	971.4
11/14/19 22:00	0	0	0	0	0	242.8	316.4	278.9	24.6	862.7	971.1
11/14/19 23:00	0	0	0	0	0	248.7	325.3	278.3	30.6	882.9	970.8
11/15/19 0:00	0	0	0	0	0	200.2	344.4	262.4	58.8	865.8	970.4
11/15/19 1:00	0	0	0	0	0	198.9	348	279.3	20.7	846.9	969.8
11/15/19 2:00	0	0	0	0	0	187.6	306.8	278.5	18.8	791.7	968.9
11/15/19 3:00	0	0	0	0	0	195.9	305.9	278.6	28.2	808.6	968.5
11/15/19 4:00	0	0	0	0	0	212.1	303.4	278.7	16.6	810.8	968.2
11/15/19 5:00	0	0	0	0	0	229.4	293.6	278.8	18.2	820.0	967.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/15/19 6:00	0	0	0	0	0	212.4	302.2	276.2	45.7	836.5	967.7
11/15/19 7:00	0	0	0	0	0	239.8	301.6	277.5	19.3	838.2	967.4
11/15/19 8:00	0	0	0	0	0	206.4	301.8	316.5	15.9	840.6	967.2
11/15/19 9:00	0	0	0	0	0	173.3	291.1	277.3	19.8	761.5	966.8
11/15/19 10:00	0	0	0	0	0	154.8	284.1	279.1	23.2	741.2	966.5
11/15/19 11:00	0	0	0	0	0	174.5	276	278	29.6	758.1	966.2
11/15/19 12:00	0	0	0	0	0	180.7	273.9	276.6	15.7	746.9	965.8
11/15/19 13:00	0	0	0	0	0	199	275.2	280.3	6.9	761.4	965.6
11/15/19 14:00	0	0	0	0	0	169.1	272.2	279.2	19.7	740.2	965.4
11/15/19 15:00	0	0	0	0	0	173.6	279.2	278	13.4	744.2	965.1
11/15/19 16:00	0	0	0	0	0	179.4	282.7	271.5	17.9	751.5	964.8
11/15/19 17:00	0	0	0	0	0	179.7	283.6	280.6	12.3	756.2	964.4
11/15/19 18:00	0	0	0	0	0	153.6	276	277.7	23.2	730.5	964.1
11/15/19 19:00	0	0	0	0	0	155.9	287.2	251.2	17.4	711.7	963.7
11/15/19 20:00	0	0	0	0	0	200.6	287.4	273.3	19.7	781.0	963.5
11/15/19 21:00	0	0	0	0	0	272.2	310.7	281.8	18.5	883.2	963.4
11/15/19 22:00	0	0	0	0	0	226.3	321.4	277.8	16.5	842.0	963.3
11/15/19 23:00	0	0	0	0	0	234.2	335	279.4	20.8	869.4	963.2
11/16/19 0:00	0	0	0	0	0	237.3	334	282	18.7	872.0	963.2
11/16/19 1:00	0	0	0	0	0	211.1	329.8	280.7	17.3	838.9	963.1
11/16/19 2:00	0	0	0	0	0	196.9	311.5	280	19.2	807.6	962.9
11/16/19 3:00	0	0	0	0	0	201.1	316	279.6	22	818.7	962.6
11/16/19 4:00	0	0	0	0	0	206	310.4	277.4	14	807.8	962.4
11/16/19 5:00	0	0	0	0	0	211.6	321.5	282.3	22.8	838.2	962.0
11/16/19 6:00	0	0	0	0	0	177.6	331.1	274.4	12.5	795.6	961.3
11/16/19 7:00	0	0	0	0	0	189.2	339.1	276.6	16.2	821.1	960.6
11/16/19 8:00	0	0	0	0	0	172.8	316.5	280.8	17.4	787.5	959.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/16/19 9:00	0	0	0	0	0	163.1	308.2	317	25.7	814.0	959.1
11/16/19 10:00	0	0	0	0	0	159.1	303.8	280.2	16	759.1	958.2
11/16/19 11:00	0	0	0	0	0	156.8	313.8	274.4	17.6	762.6	957.4
11/16/19 12:00	0	0	0	0	0	185.5	307	264	51.1	807.6	956.6
11/16/19 13:00	0	0	0	0	0	184.3	313.7	278.1	16.4	792.5	955.9
11/16/19 14:00	0	0	0	0	0	201.2	311.8	279.5	22.3	814.8	955.1
11/16/19 15:00	0	0	0	0	0	190.1	310.5	278.5	15.2	794.3	954.3
11/16/19 16:00	0	0	0	0	0	165.4	311.6	278.8	19.4	775.2	953.5
11/16/19 17:00	0	0	0	0	0	188.5	317.9	278.5	17.4	802.3	952.7
11/16/19 18:00	0	0	0	0	0	209.7	314.3	280.4	22.6	827.0	951.9
11/16/19 19:00	0	0	0	0	0	205.4	321.9	278.8	14.1	820.2	951.2
11/16/19 20:00	0	0	0	0	0	238.1	301.9	281.1	18.3	839.4	950.4
11/16/19 21:00	0	0	0	0	0	262.4	300.4	281.9	17.4	862.1	949.7
11/16/19 22:00	0	0	0	0	0	272.9	299.6	278.9	13.3	864.7	949.0
11/16/19 23:00	0	0	0	0	0	229.1	325.7	278.3	16.1	849.2	948.2
11/17/19 0:00	0	0	0	0	0	227.5	329.5	279.4	27.3	863.7	947.5
11/17/19 1:00	0	0	0	0	0	242.7	332.8	277.4	15.9	868.8	946.8
11/17/19 2:00	0	0	0	0	0	237	330	277	19	863.0	946.1
11/17/19 3:00	0	0	0	0	0	235	331.3	277.1	15.5	858.9	945.3
11/17/19 4:00	0	0	0	0	0	229.4	320.5	279.1	23.6	852.6	944.6
11/17/19 5:00	0	0	0	0	0	220.1	323.9	276.4	14.9	835.3	943.8
11/17/19 6:00	0	0	0	0	0	183.4	321.4	279.3	22.3	806.4	943.1
11/17/19 7:00	0	0	0	0	0	201.7	328.8	278.8	17.5	826.8	942.3
11/17/19 8:00	0	0	0	0	0	198.3	328.8	285.4	19	831.5	941.5
11/17/19 9:00	0	0	0	0	0	175.2	323.8	276.5	15.7	791.2	940.7
11/17/19 10:00	0	0	0	0	0	153	313.2	279.4	24.6	770.2	939.8
11/17/19 11:00	0	0	0	0	0	161.3	310.7	275.1	17.2	764.3	939.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/17/19 12:00	0	0	0	0	0	148.5	326.9	273.8	20.9	770.1	938.9
11/17/19 13:00	0	0	0	0	0	321.1	469.5	276.4	31.7	1098.7	939.0
11/17/19 14:00	0	0	0	0	0	172.9	347.6	278.8	47.1	846.4	938.8
11/17/19 15:00	0	0	0	0	0	150	342.8	278.7	16.8	788.3	938.6
11/17/19 16:00	0	0	0	0	0	163.9	334.4	279.4	16	793.7	938.3
11/17/19 17:00	0	0	0	0	0	175.7	340.5	279	23.3	818.5	938.0
11/17/19 18:00	0	0	0	0	0	193.1	346	276.7	15.3	831.1	937.8
11/17/19 19:00	0	0	0	0	0	222.3	348	279.9	11.9	862.1	937.7
11/17/19 20:00	0	0	0	0	0	234	357.3	277.7	17.5	886.5	937.6
11/17/19 21:00	0	0	0	0	0	232	346.6	282	21.5	882.1	937.4
11/17/19 22:00	0	0	0	0	0	245.4	338.9	270.9	7.1	862.3	937.3
11/17/19 23:00	0	0	0	0	0	234.3	336.5	278.7	10.6	860.1	937.2
11/18/19 0:00	0	0	0	0	0	243.5	343.3	278.7	20.5	886.0	937.0
11/18/19 1:00	0	0	0	0	0	178.6	342.3	283.8	17.8	822.5	936.8
11/18/19 2:00	0	0	0	0	0	175.1	336.6	279.4	18.2	809.3	936.5
11/18/19 3:00	0	0	0	0	0	174.2	337.6	278.9	15.1	805.8	936.4
11/18/19 4:00	0	0	0	0	0	185.1	345	278	22.2	830.3	936.2
11/18/19 5:00	0	0	0	0	0	203.8	332.5	278.1	14.5	828.9	936.2
11/18/19 6:00	0	0	0	0	0	183.6	344.3	277.4	17.9	823.2	936.0
11/18/19 7:00	0	0	0	0	0	378.9	511.9	278.6	14.5	1183.9	936.4
11/18/19 8:00	0	0	0	0	0	438.2	480.7	278.3	22.5	1219.7	936.1
11/18/19 9:00	0	0	0	0	0	444.2	485	274.9	16.3	1220.4	936.5
11/18/19 10:00	0	0	0	0	0	227.9	322.8	276.7	13.6	841.0	936.5
11/18/19 11:00	0	0	0	0	0	203.7	291	278.2	20	792.9	936.4
11/18/19 12:00	0	0	0	0	0	200.8	284.3	274.9	11.1	771.1	936.2
11/18/19 13:00	0	0	0	0	0	210.4	309.7	277.6	14.8	812.5	936.0
11/18/19 14:00	0	0	0	0	0	200.5	307.2	278.6	20.7	807.0	935.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/18/19 15:00	0	0	0	0	0	179.9	299.1	275.4	69	823.4	935.5
11/18/19 16:00	0	0	0	0	0	176.4	293.6	275.3	14.5	759.8	935.2
11/18/19 17:00	0	0	0	0	0	164.6	261.1	278.9	13.8	718.4	934.8
11/18/19 18:00	0	0	0	0	0	192.7	275.3	276.4	20.6	765.0	934.4
11/18/19 19:00	0	0	0	0	0	206.4	294.5	277.4	10.1	788.4	934.0
11/18/19 20:00	0	0	0	0	0	194.9	300.5	277	15.7	788.1	933.6
11/18/19 21:00	0	0	0	0	0	194.1	298.8	243.2	15.6	751.7	933.1
11/18/19 22:00	0	0	0	0	0	224	310.1	273.3	12.5	819.9	932.8
11/18/19 23:00	0	0	0	0	0	211.4	338.6	276.9	9.7	836.6	932.4
11/19/19 0:00	0	0	0	0	0	201.4	322.8	278	18.8	821.0	932.1
11/19/19 1:00	0	0	0	0	0	205.2	321.6	275.5	15.2	817.5	931.8
11/19/19 2:00	0	0	0	0	0	200.7	310.3	277.5	18.7	807.2	931.6
11/19/19 3:00	0	0	0	0	0	205	320.9	278.6	14.6	819.1	931.4
11/19/19 4:00	0	0	0	0	0	206.5	320.1	275.4	16.5	818.5	931.1
11/19/19 5:00	0	0	0	0	0	228.4	335.6	277.1	15.5	856.6	931.0
11/19/19 6:00	0	0	0	0	0	208	321.4	278	20.3	827.7	930.7
11/19/19 7:00	0	0	0	0	0	210.8	291.7	276.3	13.4	792.2	930.4
11/19/19 8:00	0	0	0	0	0	210.8	257.2	277.3	14.6	759.9	930.1
11/19/19 9:00	0	0	0	0	0	210.8	232.5	278.1	22.1	743.5	929.8
11/19/19 10:00	0	0	0	0	0	139.8	233.8	279.6	16.4	669.6	929.3
11/19/19 11:00	0	0	0	0	0	139.8	227.5	280.1	32.1	679.5	928.9
11/19/19 12:00	0	0	0	0	0	134	253.3	299.2	51.6	738.1	928.5
11/19/19 13:00	0	0	0	0	0	130.9	238.6	279.1	12.1	660.7	928.0
11/19/19 14:00	0	0	0	0	0	213.6	234.1	278.5	12.9	739.1	927.6
11/19/19 15:00	0	0	0	0	0	231.3	238.1	278.8	20	768.2	927.3
11/19/19 16:00	0	0	0	0	0	188.8	227.9	279	12.8	708.5	926.9
11/19/19 17:00	0	0	0	0	0	197.4	229.2	278.7	16.2	721.5	926.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/19/19 18:00	0	0	0	0	0	206.3	218.4	279.2	17.2	721.1	926.0
11/19/19 19:00	0	0	0	0	0	221.6	235.3	279	9.2	745.1	925.6
11/19/19 20:00	0	0	0	0	0	267.7	265.9	278.5	21.5	833.6	925.4
11/19/19 21:00	0	0	0	0	0	305	288.8	281.1	18	892.9	925.2
11/19/19 22:00	0	0	0	0	0	274.8	277.3	278	9.7	839.8	925.0
11/19/19 23:00	0	0	0	0	0	289.7	288.9	278.8	13.7	871.1	924.9
11/20/19 0:00	0	0	0	0	0	309.2	310.8	280.9	21.1	922.0	924.9
11/20/19 1:00	0	0	0	0	0	241.4	263.3	279.1	11.4	795.2	924.7
11/20/19 2:00	0	0	0	0	0	255.8	265.7	278.6	21.1	821.2	924.4
11/20/19 3:00	0	0	0	0	0	271.1	267	278.8	14.9	831.8	924.2
11/20/19 4:00	0	0	0	0	0	267.3	261.6	279.3	19.4	827.6	924.0
11/20/19 5:00	0	0	0	0	0	262.2	263	279.1	13	817.3	923.8
11/20/19 6:00	0	0	0	0	0	MISSING	285.2	277.9	24	587.1	923.2
11/20/19 7:00	0	0	0	0	0	MISSING	285.2	278.4	11.2	574.8	922.6
11/20/19 8:00	0	0	0	0	0	MISSING	285.2	279.5	21	585.7	922.1
11/20/19 9:00	0	0	0	0	0	175.1	285.2	279.5	17.1	756.9	921.9
11/20/19 10:00	0	0	0	0	0	158.1	261.4	278.5	16.1	714.1	921.6
11/20/19 11:00	0	0	0	0	0	154.7	248.3	279.5	12.2	694.7	921.5
11/20/19 12:00	0	0	0	0	0	159.5	255.3	270.1	42.8	727.7	921.4
11/20/19 13:00	0	0	0	0	0	150.3	247.1	279.7	7.2	684.3	921.1
11/20/19 14:00	0	0	0	0	0	177.8	292.2	277.3	22.5	769.8	921.0
11/20/19 15:00	0	0	0	0	0	181.9	296.8	278.7	12.7	770.1	921.0
11/20/19 16:00	0	0	0	0	0	205.1	321.6	278	21.5	826.2	921.0
11/20/19 17:00	0	0	0	0	0	203.7	323.1	277	13.4	817.2	920.9
11/20/19 18:00	0	0	0	0	0	192.9	289.9	277.2	19.1	779.1	920.9
11/20/19 19:00	0	0	0	0	0	187	275.1	276.4	12.8	751.3	920.8
11/20/19 20:00	0	0	0	0	0	188	269.7	276.1	14.9	748.7	920.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/20/19 21:00	0	0	0	0	0	193.1	278.9	170.8	27.6	670.4	920.0
11/20/19 22:00	0	0	0	0	0	188.3	274	215.1	16.5	693.9	919.4
11/20/19 23:00	0	0	0	0	0	189	292.8	279.1	18.5	779.4	918.9
11/21/19 0:00	0	0	0	0	0	194.1	291	277.4	12.4	774.9	918.6
11/21/19 1:00	0	0	0	0	0	194.1	291.9	272.5	12.9	771.4	918.2
11/21/19 2:00	0	0	0	0	0	198.9	297.9	279.5	23.6	799.9	918.0
11/21/19 3:00	0	0	0	0	0	194.2	290.1	279	13.3	776.6	917.6
11/21/19 4:00	0	0	0	0	0	203.7	296.7	279.2	14.4	794.0	917.3
11/21/19 5:00	0	0	0	0	0	198.3	291.5	275.3	20.9	786.0	917.1
11/21/19 6:00	0	0	0	0	0	210	314.2	275.2	18.5	817.9	916.8
11/21/19 7:00	0	0	0	0	0	177.9	275.6	279.3	11.8	744.6	916.3
11/21/19 8:00	0	0	0	0	0	155.1	254.2	276.9	13.1	699.3	915.7
11/21/19 9:00	0	0	0	0	0	146.5	243.3	277.9	15.5	683.2	915.1
11/21/19 10:00	0	0	0	0	0	136.2	226.8	276.6	14.6	654.2	914.5
11/21/19 11:00	0	0	0	0	0	137.6	238.7	262.9	19.5	658.7	913.8
11/21/19 12:00	0	0	0	0	0	75.7	218.9	203.7	38.6	536.9	912.9
11/21/19 13:00	0	0	0	0	0	73.9	190	278.7	18	560.6	912.1
11/21/19 14:00	0	0	0	0	0	68.3	166	276.3	14.2	524.8	911.2
11/21/19 15:00	0	0	0	0	0	73.2	195.4	276.6	13.2	558.4	910.4
11/21/19 16:00	0	0	0	0	0	77.1	226.2	274.9	17.2	595.4	909.6
11/21/19 17:00	0	0	0	0	0	80.2	314.5	275.1	13.8	683.6	909.0
11/21/19 18:00	0	0	0	0	0	201.2	425.3	277.4	16.6	920.5	908.8
11/21/19 19:00	0	0	0	0	0	83.4	304.6	275.8	12.4	676.2	908.2
11/21/19 20:00	0	0	0	0	0	85.9	311.7	274.5	14.8	686.9	907.7
11/21/19 21:00	0	0	0	0	0	85.1	299.2	203.4	24.6	612.3	907.0
11/21/19 22:00	0	0	0	0	0	84.1	308.6	276.2	16.2	685.1	906.4
11/21/19 23:00	0	0	0	0	0	84.5	292.9	276.6	14.3	668.3	905.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/22/19 0:00	0	0	0	0	0	86	276.6	273.6	14.5	650.7	905.1
11/22/19 1:00	0	0	0	0	0	85	295.7	279	17.5	677.2	904.5
11/22/19 2:00	0	0	0	0	0	86.8	270.5	275.4	12.3	645.0	903.8
11/22/19 3:00	0	0	0	0	0	87.5	258.8	273.9	14.8	635.0	903.0
11/22/19 4:00	0	0	0	0	0	86.7	252.3	275.9	18.5	633.4	902.3
11/22/19 5:00	0	0	0	0	0	86.4	286.1	277.9	9	659.4	901.7
11/22/19 6:00	0	0	0	0	0	172.5	360.8	277.7	21.5	832.5	901.3
11/22/19 7:00	0	0	0	0	0	247	527.1	278.2	12.3	1064.6	901.3
11/22/19 8:00	0	0	0	0	0	243.3	537.7	277.3	13.2	1071.5	901.3
11/22/19 9:00	0	0	0	0	0	248.4	482.5	278.6	14.1	1023.6	901.1
11/22/19 10:00	0	0	0	0	0	253.6	501.6	241.7	16.5	1013.4	901.0
11/22/19 11:00	0	0	0	0	0	255	472.5	274.4	23	1024.9	900.8
11/22/19 12:00	0	0	0	0	0	128.4	332.8	273.8	9.3	744.3	900.3
11/22/19 13:00	0	0	0	0	0	82.2	324.6	262.6	14.7	684.1	899.6
11/22/19 14:00	0	0	0	0	0	82.8	313.1	274.8	11.6	682.3	899.0
11/22/19 15:00	0	0	0	0	0	78.3	317.9	275.8	18	690.0	898.3
11/22/19 16:00	0	0	0	0	0	72.4	279.4	272	15.7	639.5	897.6
11/22/19 17:00	0	0	0	0	0	72	279.4	276.6	10	638.0	896.9
11/22/19 18:00	0	0	0	0	0	93.9	255.2	276.3	16.1	641.5	896.2
11/22/19 19:00	0	0	0	0	0	98.1	266	276.1	8.8	649.0	895.5
11/22/19 20:00	0	0	0	0	0	110.1	275.2	275.4	11.6	672.3	894.9
11/22/19 21:00	0	0	0	0	0	111.7	292.9	212.7	15.5	632.8	894.2
11/22/19 22:00	0	0	0	0	0	110.2	275.7	247	18.4	651.3	893.5
11/22/19 23:00	0	0	0	0	0	108.2	277.1	270.5	14	669.8	892.8
11/23/19 0:00	0	0	0	0	0	110.8	262.2	256	8.6	637.6	892.0
11/23/19 1:00	0	0	0	0	0	109.9	269.3	261.2	15.9	656.3	891.3
11/23/19 2:00	0	0	0	0	0	112.9	258	265.5	20.3	656.7	890.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/23/19 3:00	0	0	0	0	0	111.2	239.1	267.2	8.4	625.9	889.9
11/23/19 4:00	0	0	0	0	0	105	251.8	265.4	10.5	632.7	889.1
11/23/19 5:00	0	0	0	0	0	134.3	279.6	267.5	14.3	695.7	888.4
11/23/19 6:00	0	0	0	0	0	152.9	282	268	31.2	734.1	887.8
11/23/19 7:00	0	0	0	0	0	151.2	333.8	266.7	11.9	763.6	887.2
11/23/19 8:00	0	0	0	0	0	174.4	321	267.5	12.7	775.6	886.5
11/23/19 9:00	0	0	0	0	0	171.6	269.7	235.5	13.8	690.6	885.9
11/23/19 10:00	0	0	0	0	0	176.6	242	256.8	24.1	699.5	885.3
11/23/19 11:00	0	0	0	0	0	174.9	204.3	265.7	13.7	658.6	884.6
11/23/19 12:00	0	0	0	0	0	156.8	181.7	265.8	17.7	622.0	883.9
11/23/19 13:00	0	0	0	0	0	156.9	239.5	257.9	11.3	665.6	883.3
11/23/19 14:00	0	0	0	0	0	147.4	220	266.1	12.5	646.0	882.6
11/23/19 15:00	0	0	0	0	0	154.1	207.4	266.7	21.8	650.0	881.9
11/23/19 16:00	0	0	0	0	0	161.3	245.7	264.2	8.2	679.4	881.1
11/23/19 17:00	0	0	0	0	0	137.7	224.4	264.1	11.1	637.3	880.5
11/23/19 18:00	0	0	0	0	0	120.1	230	267.2	19.8	637.1	879.8
11/23/19 19:00	0	0	0	0	0	116.1	285	267.7	8.6	677.4	879.1
11/23/19 20:00	0	0	0	0	0	121.7	258.6	265.7	19.2	665.2	878.3
11/23/19 21:00	0	0	0	0	0	126	260.9	231.7	5.3	623.9	877.5
11/23/19 22:00	0	0	0	0	0	122.5	260.3	268	9.2	660.0	876.7
11/23/19 23:00	0	0	0	0	0	127.9	331.4	263.8	18.9	742.0	876.0
11/24/19 0:00	0	0	0	0	0	119.7	328.1	266.2	9.4	723.4	875.2
11/24/19 1:00	0	0	0	0	0	119.5	277.1	264.8	17.1	678.5	874.4
11/24/19 2:00	0	0	0	0	0	117.3	222.8	266.1	17.2	623.4	873.5
11/24/19 3:00	0	0	0	0	0	115.3	198.4	267.2	18.2	599.1	872.6
11/24/19 4:00	0	0	0	0	0	113.6	205.3	261.7	9.5	590.1	871.7
11/24/19 5:00	0	0	0	0	0	116.6	231.8	266.7	14.3	629.4	870.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/24/19 6:00	0	0	0	0	0	117.5	272.6	259	26.6	675.7	869.8
11/24/19 7:00	0	0	0	0	0	121.1	289.9	267.5	12.4	690.9	868.8
11/24/19 8:00	0	0	0	0	0	104.3	270.2	266.3	13.5	654.3	867.7
11/24/19 9:00	0	0	0	0	0	109.1	257.8	241.8	15.6	624.3	866.8
11/24/19 10:00	0	0	0	0	0	130.9	302.4	248.9	15.4	697.6	865.9
11/24/19 11:00	0	0	0	0	0	134.6	292.7	263.8	20.6	711.7	865.0
11/24/19 12:00	0	0	0	0	0	126.3	318.2	267.7	8.4	720.6	864.2
11/24/19 13:00	0	0	0	0	0	131.1	293	266.3	13	703.4	863.4
11/24/19 14:00	0	0	0	0	0	137.4	273.3	266.1	22.3	699.1	862.7
11/24/19 15:00	0	0	0	0	0	135.2	240.1	265.7	9.7	650.7	861.9
11/24/19 16:00	0	0	0	0	0	135.5	204.3	265.4	13	618.2	861.1
11/24/19 17:00	0	0	0	0	0	148.4	182.7	268.4	16.3	615.8	860.3
11/24/19 18:00	0	0	0	0	0	142.8	204.1	265.6	20.8	633.3	859.5
11/24/19 19:00	0	0	0	0	0	154	242.1	267.3	11.3	674.7	858.8
11/24/19 20:00	0	0	0	0	0	148.2	252.5	266.2	15.2	682.1	858.0
11/24/19 21:00	0	0	0	0	0	138.6	276.6	266.5	16.7	698.4	857.3
11/24/19 22:00	0	0	0	0	0	139.5	280.6	266.6	22.9	709.6	856.6
11/24/19 23:00	0	0	0	0	0	140	268.7	262.8	11.1	682.6	855.9
11/25/19 0:00	0	0	0	0	0	155.7	262.2	261.8	42.8	722.5	855.3
11/25/19 1:00	0	0	0	0	0	158.6	275.3	271.3	32.3	737.5	854.5
11/25/19 2:00	0	0	0	0	0	160.7	291.4	267.7	48.6	768.4	853.6
11/25/19 3:00	0	0	0	0	0	160	273.2	270	44.6	747.8	852.8
11/25/19 4:00	0	0	0	0	0	161.1	302.4	277.4	59.9	800.8	852.1
11/25/19 5:00	0	0	0	0	0	155.2	284.2	274.5	31.9	745.8	851.3
11/25/19 6:00	0	0	0	0	0	166.5	278.5	275.6	16.7	737.3	850.6
11/25/19 7:00	0	0	0	0	0	164.5	316.5	276	12.8	769.8	849.9
11/25/19 8:00	0	0	0	0	0	157.9	284.3	275.2	19	736.4	849.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/25/19 9:00	0	0	0	0	0	160.7	274.8	278.5	11.8	725.8	847.9
11/25/19 10:00	0	0	0	0	0	161.8	241.5	279.1	13.7	696.1	846.9
11/25/19 11:00	0	0	0	0	0	147.2	271.7	284.4	12.5	715.8	845.8
11/25/19 12:00	0	0	0	0	0	155	286.1	301.4	24.9	767.4	845.1
11/25/19 13:00	0	0	0	0	0	154.3	248.1	278.7	20.9	702.0	844.2
11/25/19 14:00	0	0	0	0	0	156	237.2	279	11.8	684.0	843.4
11/25/19 15:00	0	0	0	0	0	162.9	290.2	281.1	19.2	753.4	842.7
11/25/19 16:00	0	0	0	0	0	162.8	276.5	280.2	7.9	727.4	841.9
11/25/19 17:00	0	0	0	0	0	163.1	314	279.4	9.6	766.1	841.3
11/25/19 18:00	0	0	0	0	0	158.6	327.9	277.4	24.8	788.7	840.7
11/25/19 19:00	0	0	0	0	0	178.5	311.6	279	8.6	777.7	840.1
11/25/19 20:00	0	0	0	0	0	177.9	328.3	278.1	10.7	795.0	839.6
11/25/19 21:00	0	0	0	0	0	183.8	343.8	281.9	13.4	822.9	839.2
11/25/19 22:00	0	0	0	0	0	184.8	363.8	279.9	12.8	841.3	838.7
11/25/19 23:00	0	0	0	0	0	194.3	359.8	280.9	13.4	848.4	838.3
11/26/19 0:00	0	0	0	0	0	201.9	320.4	291	9.4	822.7	837.8
11/26/19 1:00	0	0	0	0	0	202.8	305.1	275.3	25	808.2	837.3
11/26/19 2:00	0	0	0	0	0	201.5	288.3	280.1	34.8	804.7	836.6
11/26/19 3:00	0	0	0	0	0	201.3	295.1	278.9	12	787.3	836.1
11/26/19 4:00	0	0	0	0	0	197.3	335	275.2	8.6	816.1	835.7
11/26/19 5:00	0	0	0	0	0	195	347.3	277.9	9.5	829.7	835.3
11/26/19 6:00	0	0	0	0	0	208.2	284.3	276.6	16.7	785.8	835.0
11/26/19 7:00	0	0	0	0	0	203.4	335.8	280.9	12.1	832.2	834.6
11/26/19 8:00	0	0	0	0	0	190.9	276.8	283.6	11.7	763.0	834.0
11/26/19 9:00	0	0	0	0	0	186.2	276.8	282.1	13	758.1	833.5
11/26/19 10:00	0	0	0	0	0	189.1	230.1	282.9	11.3	713.4	832.9
11/26/19 11:00	0	0	0	0	0	369.4	377.8	279.2	11.6	1038.0	832.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/26/19 12:00	0	0	0	0	0	371.6	423	311.3	8.8	1114.7	832.8
11/26/19 13:00	0	0	0	0	0	201.4	229.2	273.5	27.7	731.8	832.2
11/26/19 14:00	0	0	0	0	0	194	236.1	280	1.8	711.9	831.5
11/26/19 15:00	0	0	0	0	0	192.2	226.9	291.9	3.8	714.8	830.8
11/26/19 16:00	0	0	0	0	0	205.3	246.1	283.2	8.7	743.3	830.2
11/26/19 17:00	0	0	0	0	0	207.4	224.7	279.2	17.3	728.6	829.6
11/26/19 18:00	0	0	0	0	0	201.7	303.7	277.2	18	800.6	829.1
11/26/19 19:00	0	0	0	0	0	203.3	311.2	293	13.4	820.9	828.7
11/26/19 20:00	0	0	0	0	0	213.1	276.7	277	18.3	785.1	828.2
11/26/19 21:00	0	0	0	0	0	216.4	289.5	279.6	16.3	801.8	827.7
11/26/19 22:00	0	0	0	0	0	214.9	329.1	280.1	18.2	842.3	827.3
11/26/19 23:00	0	0	0	0	0	222.1	354.3	280.4	17.2	874.0	826.9
11/27/19 0:00	0	0	0	0	0	226	353.1	278.8	12.8	870.7	826.5
11/27/19 1:00	0	0	0	0	0	227	347.2	279.3	18.6	872.1	826.1
11/27/19 2:00	0	0	0	0	0	231.7	320.9	284	19.1	855.7	825.8
11/27/19 3:00	0	0	0	0	0	221.7	261.3	277.6	14.2	774.8	825.3
11/27/19 4:00	0	0	0	0	0	233.6	275.1	277.1	14.7	800.5	824.8
11/27/19 5:00	0	0	0	0	0	225.5	312	279.2	16	832.7	824.5
11/27/19 6:00	0	0	0	0	0	256.3	324	273.1	30.8	884.2	824.1
11/27/19 7:00	0	0	0	0	0	221.8	333.9	277.1	19.7	852.5	823.7
11/27/19 8:00	0	0	0	0	0	190.8	287.6	280	16.9	775.3	823.1
11/27/19 9:00	0	0	0	0	0	186.7	284.9	277.1	13.7	762.4	822.4
11/27/19 10:00	0	0	0	0	0	178.5	241.2	275.7	17.2	712.6	821.8
11/27/19 11:00	0	0	0	0	0	181.3	232.1	283.7	17.6	714.7	821.1
11/27/19 12:00	0	0	0	0	0	173.8	213	329.5	18.8	735.1	820.5
11/27/19 13:00	0	0	0	0	0	171.4	210.2	281.7	9.6	672.9	819.7
11/27/19 14:00	0	0	0	0	0	159	213.2	275	20.5	667.7	819.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/27/19 15:00	0	0	0	0	0	147.9	191.7	281.8	20	641.4	818.7
11/27/19 16:00	0	0	0	0	0	151.8	215.2	282.3	17.3	666.6	818.5
11/27/19 17:00	0	0	0	0	0	151.4	241.9	277.9	16.9	688.1	818.3
11/27/19 18:00	0	0	0	0	0	176.8	317.9	276.5	24.6	795.8	818.0
11/27/19 19:00	0	0	0	0	0	204.5	328.9	256.5	29.6	819.5	817.8
11/27/19 20:00	0	0	0	0	0	215.5	328.7	280.6	25.8	850.6	817.7
11/27/19 21:00	0	0	0	0	0	236.8	319.1	280.3	16.7	852.9	817.8
11/27/19 22:00	0	0	0	0	0	233.4	330.5	280.6	16.4	860.9	817.9
11/27/19 23:00	0	0	0	0	0	238.1	327.7	278.8	19.4	864.0	818.0
11/28/19 0:00	0	0	0	0	0	247.6	345	280	15.1	887.7	818.0
11/28/19 1:00	0	0	0	0	0	219.3	303.8	282.4	20.3	825.8	817.9
11/28/19 2:00	0	0	0	0	0	193	282.4	278.4	21.4	775.2	817.7
11/28/19 3:00	0	0	0	0	0	201.4	285.3	278.8	19.6	785.1	817.7
11/28/19 4:00	0	0	0	0	0	198.4	281.6	278.4	16.8	775.2	817.6
11/28/19 5:00	0	0	0	0	0	205.8	290.9	279.2	18.5	794.4	817.5
11/28/19 6:00	0	0	0	0	0	293.2	340.6	276.5	16.7	927.0	817.7
11/28/19 7:00	0	0	0	0	0	221.2	306.8	278.3	12.9	819.2	817.7
11/28/19 8:00	0	0	0	0	0	201.9	292.1	280.5	16.3	790.8	817.7
11/28/19 9:00	0	0	0	0	0	184.1	270.6	282.7	21.7	759.1	817.7
11/28/19 10:00	0	0	0	0	0	162.5	254.3	279.7	10.3	706.8	817.6
11/28/19 11:00	0	0	0	0	0	174.9	263.6	279	13.9	731.4	817.6
11/28/19 12:00	0	0	0	0	0	166.7	252.7	324.4	29.5	773.3	817.6
11/28/19 13:00	0	0	0	0	0	155.8	242.9	279.7	10.2	688.6	817.5
11/28/19 14:00	0	0	0	0	0	166.5	257.5	277.3	11.4	712.7	817.3
11/28/19 15:00	0	0	0	0	0	145.4	243	277.4	12.9	678.7	817.2
11/28/19 16:00	0	0	0	0	0	150.2	238.5	278.1	18.1	684.9	817.0
11/28/19 17:00	0	0	0	0	0	169.2	260.4	280	17.7	727.3	816.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/28/19 18:00	0	0	0	0	0	230.1	311.8	284.3	25.1	851.3	816.8
11/28/19 19:00	0	0	0	0	0	242.4	327.4	271.6	21.9	863.3	816.8
11/28/19 20:00	0	0	0	0	0	244.4	344.6	280.2	14.9	884.1	816.8
11/28/19 21:00	0	0	0	0	0	252.5	355.1	279.3	12.7	899.6	816.9
11/28/19 22:00	0	0	0	0	0	249.3	348.7	278.4	17.3	893.7	816.9
11/28/19 23:00	0	0	0	0	0	259.5	370.2	277.6	18.6	925.9	816.9
11/29/19 0:00	0	0	0	0	0	271.1	392.7	284.7	15.2	963.7	817.1
11/29/19 1:00	0	0	0	0	0	271.6	403.7	280.7	17.6	973.6	817.2
11/29/19 2:00	0	0	0	0	0	263.6	389.4	279	20.3	952.3	817.2
11/29/19 3:00	0	0	0	0	0	276.7	409.5	283.7	24.9	994.8	817.4
11/29/19 4:00	0	0	0	0	0	271.6	391.7		24.9	688.2	817.2
11/29/19 5:00	0	0	0	0	0	282.2	404.7	275.2	9.3	971.4	817.4
11/29/19 6:00	0	0	0	0	0	263.7	379.8	277.8	27.9	949.2	817.6
11/29/19 7:00	0	0	0	0	0	230.8	328.9	277.4	11.4	848.5	817.6
11/29/19 8:00	0	0	0	0	0	216.6	302	281.3	12.6	812.5	817.5
11/29/19 9:00	0	0	0	0	0	209.7	286.3	279.2	16.9	792.1	817.5
11/29/19 10:00	0	0	0	0	0	195.2	268.6	279.5	16.4	759.7	817.3
11/29/19 11:00	0	0	0	0	0	211.6	285.9	278.4	19.4	795.3	817.2
11/29/19 12:00	0	0	0	0	0	212.5	289.4	298.9	9.6	810.4	817.1
11/29/19 13:00	0	0	0	0	0	195.2	267.7	277.9	2	742.8	816.9
11/29/19 14:00	0	0	0	0	0	173.6	252.5	278.2	6.4	710.7	816.6
11/29/19 15:00	0	0	0	0	0	181.7	258.8	278.5	13.1	732.1	816.4
11/29/19 16:00	0	0	0	0	0	172.3	255.2	277.7	18	723.2	816.0
11/29/19 17:00	0	0	0	0	0	169.7	253.6	279.3	17.1	719.7	815.5
11/29/19 18:00	0	0	0	0	0	168.8	251.9	275.8	21.5	718.0	815.5
11/29/19 19:00	0	0	0	0	0	177.6	256.1	280.9	9.8	724.4	815.6
11/29/19 20:00	0	0	0	0	0	192.4	271.3	282.9	15.1	761.7	815.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/29/19 21:00	0	0	0	0	0	184	265.5	278.6	18.2	746.3	815.0
11/29/19 22:00	0	0	0	0	0	187	267.4	261.1	10.2	725.7	814.7
11/29/19 23:00	0	0	0	0	0	172.9	258.1	279.7	4.9	715.6	814.3
11/30/19 0:00	0	0	0	0	0	185.5	262.2	278.7	2.1	728.5	814.0
11/30/19 1:00	0	0	0	0	0	198.6	269.3	275.4	17.8	761.1	813.6
11/30/19 2:00	0	0	0	0	0	195.5	267.8	283	22.4	768.7	813.3
11/30/19 3:00	0	0	0	0	0	184.9	266.2	279.9	21.6	752.6	813.0
11/30/19 4:00	0	0	0	0	0	195.9	274.2	278.3	9.5	757.9	812.6
11/30/19 5:00	0	0	0	0	0	187.4	271.6	279.1	10.1	748.2	812.3
11/30/19 6:00	0	0	0	0	0	199	279.1	276.6	26.2	780.9	811.9
11/30/19 7:00	0	0	0	0	0	278	366.3	279.3	12.3	935.9	811.9
11/30/19 8:00	0	0	0	0	0	206	289.1	280	14.3	789.4	811.5
11/30/19 9:00	0	0	0	0	0	176.5	261.4	279.4	14.4	731.7	811.2
11/30/19 10:00	0	0	0	0	0	182.7	266.1	279	15	742.8	810.8
11/30/19 11:00	0	0	0	0	0	173.7	262.2	280.5	14.8	731.2	810.4
11/30/19 12:00	0	0	0	0	0	171.6	254.9	277.5	16.8	720.8	810.0
11/30/19 13:00	0	0	0	0	0	161.6	241.9	315.3	9	727.8	809.6
11/30/19 14:00	0	0	0	0	0	187.4	269.3	279.2	2.5	738.4	809.2
11/30/19 15:00	0	0	0	0	0	186.1	265.7	280.1	14	745.9	809.0
11/30/19 16:00	0	0	0	0	0	179.4	261.4	279.5	23.6	743.9	808.8
11/30/19 17:00	0	0	0	0	0	150.7	231.7	277.8	9.2	669.4	808.3
11/30/19 18:00	0	0	0	0	0	162.1	248.6	276.4	18.6	705.7	807.9
11/30/19 19:00	11	0	0	0	0	170.6	259.2	279.5	7.9	728.2	807.5
11/30/19 20:00	187.8	0	0	0	0	154.5	249.3	278.8	11.8	882.2	807.4
11/30/19 21:00	187.3	0	0	0	0	177.3	266.7	280.2	16.2	927.7	807.2
11/30/19 22:00	157.6	0	0	0	0	187.3	270	279.3	17.5	911.7	807.1
11/30/19 23:00	156.9	0	0	0	0	183.8	274.4	272.5	16.3	903.9	807.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/1/19 0:00	157.4	0	0	0	0	163.1	252.7	284.3	24.2	881.7	807.0
12/1/19 1:00	157.3	0	0	0	0	180.6	262.7	264.9	9.9	875.4	806.9
12/1/19 2:00	154.9	0	0	0	0	161.9	245.3	278.3	20.6	861.0	806.8
12/1/19 3:00	155.7	0	0	0	0	172.1	250.6	278.3	10.2	866.9	806.6
12/1/19 4:00	154.6	0	0	0	0	174.6	255.7	278.6	10.4	873.9	806.5
12/1/19 5:00	155.1	0	0	0	0	178.7	263.3	278.5	12.5	888.1	806.3
12/1/19 6:00	154.6	0	0	0	0	140.6	223.7	275.2	15.1	809.2	806.1
12/1/19 7:00	155	0	0	0	0	160.4	256.2	277	7.5	856.1	805.9
12/1/19 8:00	155.5	0	0	0	0	115.4	178	276.2	8.4	733.5	805.5
12/1/19 9:00	155.7	0	0	0	0	114.8	196.4	283.2	9.1	759.2	805.2
12/1/19 10:00	155.1	0	0	0	0	116.4	192.1	278.9	17.8	760.3	805.0
12/1/19 11:00	155.6	0	0	0	0	129	208.9	277.9	21	792.4	804.8
12/1/19 12:00	157.3	0	0	0	0	123.2	200.6	311	36.5	828.6	804.7
12/1/19 13:00	164.6	0	0	0	0	44.3	223.7	280.4	1.7	714.7	804.5
12/1/19 14:00	161.4	0	0	0	0	1.6	195.9	278.6	24.7	662.2	804.1
12/1/19 15:00	160.9	0	0	0	0	1.2	64.9	277.2	30.9	535.1	803.6
12/1/19 16:00	160.4	0	0	0	0	0	75.9	277.6	33.4	547.3	803.1
12/1/19 17:00	160.5	0	0	0	0	0	99.4	277.8	30.8	568.5	802.6
12/1/19 18:00	160.2	0	0	0	0	0	89.5	278.8	37.8	566.3	802.1
12/1/19 19:00	159.3	5.6	0	0	0	0	124.9	278.1	38.7	606.6	801.3
12/1/19 20:00	159.6	205.1	0	0	0	0	99.3	281.1	37.5	782.6	801.0
12/1/19 21:00	158.8	205.1	0	0	0	0	91.8	280.1	37.8	773.6	800.6
12/1/19 22:00	173.6	205.1	0	0	0	0	95.5	272.7	40.3	787.2	800.2
12/1/19 23:00	195.6	216	0	0	0	0	115.7	274.3	37.1	838.7	799.8
12/2/19 0:00	195.4	216.1	0	0	0	0	101.7	271.3	61.4	845.9	799.5
12/2/19 1:00	196.9	210.1	0	0	0	0	112.9	283.3	39.7	842.9	799.4
12/2/19 2:00	195.9	203.5	0	0	0	0	107.3	281.6	42.5	830.8	799.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/2/19 3:00	195.4	207.7	0	0	0	0	116	281.4	45.2	845.7	799.3
12/2/19 4:00	195.7	211.4	0	0	0	0	120.6	277.9	46.8	852.4	799.3
12/2/19 5:00	195.1	215.6	0	0	0	0	165.4	280.9	52	909.0	799.5
12/2/19 6:00	195	208.2	0	0	0	0	196.8	264.9	61.7	926.6	799.7
12/2/19 7:00	194.2	216.3	0	0	0	0	221.4	277.9	36.7	946.5	800.0
12/2/19 8:00	172.7	200.1	0	0	0	0	226.1	279.7	50.1	928.7	800.2
12/2/19 9:00	121.4	209.6	0	0	0	0	187.3	272.7	40.6	831.6	800.4
12/2/19 10:00	121.1	196.7	0	0	0	0	202.2	313.5	52	885.5	800.6
12/2/19 11:00	121.4	186.3	0	0	0	0	185	278.1	46	816.8	800.8
12/2/19 12:00	122.3	221	0	0	0	0	118.1	280.1	22.9	764.4	800.7
12/2/19 13:00	122.7	228	0	0	0	0	81.7	281.1	59.4	772.9	800.8
12/2/19 14:00	123.8	214.2	0	0	0	0	100.9	278.5	36.2	753.6	800.8
12/2/19 15:00	126.4	194.3	0	0	0	0	108.5	274.4	32.3	735.9	800.7
12/2/19 16:00	126.8	189.3	0	0	0	0	94.5	279.4	31.9	721.9	800.6
12/2/19 17:00	130	203.9	27.2	0	0	0	80.4	279.8	52.1	773.4	800.6
12/2/19 18:00	132.4	147.2	198.7	0	0	0	119.7	278	39.1	915.1	800.8
12/2/19 19:00	126.7	129.9	215.3	0	0	0	139.8	279.3	40	931.0	801.1
12/2/19 20:00	126.5	129.3	211.7	0	0	0	144.8	279.1	50.9	942.3	801.4
12/2/19 21:00	127.1	150.7	212.8	0	0	0	107.1	280.5	40	918.2	801.7
12/2/19 22:00	126	175.3	209.5	0	0	0	93.6	280.2	46	930.6	801.9
12/2/19 23:00	126.4	176	215.9	0	0	0	110.8	280.5	44.1	953.7	802.3
12/3/19 0:00	126.8	141.8	218.4	0	0	0	81.8	267.7	21.7	858.2	802.6
12/3/19 1:00	126.4	131.1	212.9	0	0	0	99.2	278.9	47.1	895.6	802.8
12/3/19 2:00	126	133.5	213.4	0	0	0	98.9	278.7	37	887.5	803.1
12/3/19 3:00	125.5	131.4	203.6	0	0	0	98.3	279.6	49.7	888.1	803.3
12/3/19 4:00	125.9	130.6	208.7	0	0	0	98.2	278.7	44.8	886.9	803.5
12/3/19 5:00	125.8	131	202.8	0	0	0	93.6	279.5	43.8	876.5	803.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/3/19 6:00	126.2	132	212.4	0	0	0	98.1	276.5	40.4	885.6	803.9
12/3/19 7:00	126.4	131.3	207	0	0	0	74	278.5	38.5	855.7	803.9
12/3/19 8:00	126	131.3	217.6	0	0	0	107.1	277.9	42.9	902.8	804.1
12/3/19 9:00	125.5	131.3	217.4	0	0	0	238.9	280.9	46.9	1040.9	804.6
12/3/19 10:00	125.2	130.4	219.6	0	0	0	236.1	306.7	50.1	1068.1	805.0
12/3/19 11:00	125.8	130.4	226.6	0	0	0	196.5	277.5	53	1009.8	805.4
12/3/19 12:00	127.5	172.9	79.3	0	0	0	211.1	281	32.8	904.6	805.7
12/3/19 13:00	127.1	195.8	106.6	0	0	0	160.8	277.4	43.2	910.9	806.0
12/3/19 14:00	127	140.3	192	0	0	0	212.5	277.6	40.8	990.2	806.3
12/3/19 15:00	127.4	128.2	231.2	0	0	0	218.2	279.1	41.5	1025.6	806.7
12/3/19 16:00	127.5	127.7	231.6	0	0	0	208.9	277.2	35.9	1008.8	807.0
12/3/19 17:00	127.2	128.5	225.4	0	0	0	187.6	279.1	44.2	992.0	807.3
12/3/19 18:00	127.6	127.6	226.5	0	0	0	193.4	274.3	42.3	991.7	807.6
12/3/19 19:00	128.7	128.1	230.2	0	0	0	194.8	279.5	35.6	996.9	808.0
12/3/19 20:00	129	127.6	231.7	0	0	0	190.1	277.7	41.6	997.7	808.3
12/3/19 21:00	128.5	128.3	232.3	0	0	0	195.5	278.3	44.7	1007.6	808.7
12/3/19 22:00	128.2	128.3	228.1	0	0	0	184.1	281.7	37.7	988.1	809.1
12/3/19 23:00	126.7	128.5	232.5	0	0	0	175.2	279.8	39.9	982.6	809.4
12/4/19 0:00	127.1	128.3	221.6	0	0	0	137.7	282.1	50.5	947.3	809.4
12/4/19 1:00	128	128.1	232.9	0	0	0	144	287.1	43.8	963.9	809.7
12/4/19 2:00	127.8	128	223.5	0	0	0	163.2	277.2	41.8	961.5	810.0
12/4/19 3:00	127.3	127.5	223.9	0	0	0	166.3	278.9	41.8	965.7	810.4
12/4/19 4:00	125.2	127.6	225.5	0	0	0	172.6	278.4	37.6	966.9	810.8
12/4/19 5:00	128.3	128.3	230.9	0	0	0	167.5	279.6	35.6	970.2	811.2
12/4/19 6:00	129.2	127.9	237.7	0	0	0	144.9	276.9	45.7	962.3	811.6
12/4/19 7:00	129.6	127.7	228.9	0	0	0	134.3	275.9	45.1	941.5	812.0
12/4/19 8:00	129.1	127.9	229.2	0	0	0	147.5	275.7	37.6	947.0	812.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/4/19 9:00	128.8	127.9	219.6	0	0	0	167	298.5	49	990.8	812.4
12/4/19 10:00	128.4	127.7	232	0	0	0	197.1	259.4	35.2	979.8	812.6
12/4/19 11:00	127.5	128.4	232.9	0	0	0	200.8	277.5	36.5	1003.6	813.1
12/4/19 12:00	128.5	144.1	198.1	0	0	0	263.2	278.8	34	1046.7	813.6
12/4/19 13:00	129.7	130.6	226	0	0	0	248.7	275.8	46.3	1057.1	814.1
12/4/19 14:00	129.1	128.9	225.3	0	0	0	249.1	279.6	38.5	1050.5	814.6
12/4/19 15:00	130.2	129.5	218.6	0	0	0	183.5	275.3	37.3	974.4	814.9
12/4/19 16:00	130.2	129.9	228	0	0	0	196.4	278.7	37.5	1000.7	815.3
12/4/19 17:00	130.3	130.3	230.8	0	0	0	206.1	279.2	39.7	1016.4	815.7
12/4/19 18:00	132	129.3	231.5	0	0	0	227.5	278.1	44	1042.4	816.2
12/4/19 19:00	131.8	129.1	235.6	0	0	0	244	273.3	31.8	1045.6	816.6
12/4/19 20:00	131.2	129.6	234.6	0	0	0	243.5	278.1	40	1057.0	817.0
12/4/19 21:00	131.9	129.1	233.9	0	0	0	256.5	249.7	34.8	1035.9	817.3
12/4/19 22:00	131.8	129.7	231	0	0	0	210.6	226.7	38.3	968.1	817.5
12/4/19 23:00	132.1	134.5	223.7	0	0	0	259.2	279	30.1	1058.6	817.8
12/5/19 0:00	132.4	148.1	225.2	0	0	0	316.8	281.1	40.4	1144.0	818.3
12/5/19 1:00	131.7	130.4	227	0	0	0	276.8	278.8	28.1	1072.8	818.6
12/5/19 2:00	131.6	130	229.9	0	0	0	219	279.7	42.2	1032.4	819.0
12/5/19 3:00	131.9	129.6	226.7	0	0	0	273.9	279	34.5	1075.6	819.3
12/5/19 4:00	131.6	128.7	228.2	0	0	0	329	279.1	34	1130.6	819.9
12/5/19 5:00	131.6	128.2	229.5	0	0	0	449.8	279.9	32	1251.0	820.4
12/5/19 6:00	130.9	136.8	223.3	0	0	0	381.9	278.3	33.1	1184.3	820.9
12/5/19 7:00	132	132.4	226.4	0	0	0	214.9	279	35.2	1019.9	821.4
12/5/19 8:00	131.8	129.4	223.7	0	0	0	255	282.8	31.2	1053.9	821.8
12/5/19 9:00	130.7	129	222.5	0	0	0	213.9	320.9	29.3	1046.3	822.4
12/5/19 10:00	130.7	129	225.8	0	0	0	225.9	274.5	30.4	1016.3	822.7
12/5/19 11:00	130.5	131	226.4	0	0	0	226.6	280	35.6	1030.1	823.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/5/19 12:00	130.8	129.2	228.5	0	0.2	0	177.2	279.4	34.7	980.0	822.8
12/5/19 13:00	131.4	136.3	222.9	0	0.8	0	158	279.2	33.6	962.2	822.5
12/5/19 14:00	131.7	133.3	221.7	0	0.1	0	171.9	279.6	33.4	971.7	822.3
12/5/19 15:00	131.3	131.7	221.9	0	0.3	0	229.6	280.6	38.8	1034.2	822.7
12/5/19 16:00	130.8	129.4	220.7	0	0.9	0	233.1	278.9	32.8	1026.6	823.1
12/5/19 17:00	99.3	130.5	220.8	0	44.4	0	254.7	280.6	34.5	1064.8	823.5
12/5/19 18:00	0	130.3	136.7	0	215.1	0	237.4	276.2	42.2	1037.9	823.9
12/5/19 19:00	0	130.9	124.9	0	221.2	0	216.9	279.8	27.3	1001.0	824.2
12/5/19 20:00	0	132.1	138.5	0	220.3	0	232	278.6	33.2	1034.7	824.6
12/5/19 21:00	0	139.4	131.3	0	231.9	0	175.4	280.2	36.6	994.8	824.8
12/5/19 22:00	0	131.6	172.2	0	236.7	0	141.1	279.8	41.6	1003.0	825.0
12/5/19 23:00	0	130	228.7	0	215.9	0	138.3	278.3	32.9	1024.1	825.3
12/6/19 0:00	0	131.2	236.4	0	200.9	0	131.6	281.3	33.2	1014.6	825.6
12/6/19 1:00	0	132.3	233.1	0	197.2	0	136.6	278.4	46.2	1023.8	825.7
12/6/19 2:00	0	132.2	233.7	0	202.4	0	94.8	278.8	47.5	989.4	825.4
12/6/19 3:00	0	131.4	229.2	0	212.1	0	90.7	278	41	982.4	825.1
12/6/19 4:00	0	131.4	225	0	204.1	0	105	277.4	49.6	992.5	824.7
12/6/19 5:00	0	131.1	224	0	206.9	0	149.9	279.5	38.4	1029.8	824.4
12/6/19 6:00	0	130.8	235.1	0	211.8	0	140.5	276.3	54.9	1049.4	824.2
12/6/19 7:00	0	129.6	229.3	0	219.1	0	114.9	279.4	38.4	1010.7	824.3
12/6/19 8:00	0	131.2	229.1	0	225.5	0	123.7	279.7	44.8	1034.0	824.1
12/6/19 9:00	0	131.2	230.5	0	226	0	100.4	278.4	47.1	1013.6	823.8
12/6/19 10:00	0	129.5	221.8	0	210.3	0	106.5	261.5	47.7	977.3	823.8
12/6/19 11:00	0	127.6	156.8	0	162.9	0	141.4	237.4	37.5	863.6	823.9
12/6/19 12:00	0	128.1	130.4	0	141.2	0	152.5	266.6	41.7	860.5	823.8
12/6/19 13:00	0	135.6	131.9	0	142	0	159.4	245	43.7	857.6	823.5
12/6/19 14:00	0	128.9	136.9	0	154.4	0	155.5	238.3	53.1	867.1	823.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/6/19 15:00	0	135.2	139.1	0	181.4	0	165.8	238.1	39.7	899.3	823.6
12/6/19 16:00	0	127.8	101.3	0	144.4	0	166.5	239.2	50.5	829.7	823.7
12/6/19 17:00	0	135.8	115.6	0	141.1	0	164.2	237.9	42	836.6	823.8
12/6/19 18:00	0	151.3	132.5	0	178.8	0	165	237.7	44.2	909.5	823.9
12/6/19 19:00	0	137.1	131.6	0	221.4	0	169.5	238.7	45	943.3	824.2
12/6/19 20:00	0	135.4	132.5	0	223.4	0	166.7	238.2	49	945.2	824.5
12/6/19 21:00	0	134.6	132.9	0	222.8	0	172.1	221.1	43.9	927.4	824.7
12/6/19 22:00	0	135.2	133.5	0	219.5	0	168.3	238.8	44.8	940.1	824.9
12/6/19 23:00	0	134.8	140.7	0	216.2	0	170	239.6	45.3	946.6	825.1
12/7/19 0:00	0	134.5	137.9	0	216.3	0	172	242.7	53.3	956.7	825.1
12/7/19 1:00	0	136.9	138.6	0	218.9	0	170.7	240.8	44.6	950.5	825.3
12/7/19 2:00	0	187.8	143.6	0	220.1	0	169.7	239.6	46.4	1007.2	825.6
12/7/19 3:00	0	134.5	142.7	0	220	0	167.1	241.2	49.9	955.4	825.8
12/7/19 4:00	0	133.3	143.5	0	218.2	0	172.3	241.2	40.4	948.9	826.0
12/7/19 5:00	0	133.3	143.2	0	217.5	0	164.4	240.3	47.4	946.1	826.1
12/7/19 6:00	0	133.8	143.3	0	218.5	0	161.8	238.9	74.2	970.5	826.4
12/7/19 7:00	0	133.8	146.9	0	217.7	0	161.4	238.4	39	937.2	826.6
12/7/19 8:00	0	134.9	142.4	0	208.1	0	159	240.8	41.5	926.7	826.9
12/7/19 9:00	0	126.1	141.6	0	208.1	0	152.4	242.9	46.6	917.7	827.1
12/7/19 10:00	0	113.6	135.7	0	208.1	0	150.9	239.5	51.6	899.4	827.3
12/7/19 11:00	0	124.2	141.4	0	202.3	0	146.3	283.2	30.4	927.8	827.5
12/7/19 12:00	0	134	146.4	0	201.3	0	146.7	224.1	64.2	916.7	827.7
12/7/19 13:00	0	133.2	146.4	0	212.5	0	153.7	240.4	38.1	924.3	828.0
12/7/19 14:00	0	131.3	145.8	0	230.4	0	154.2	240.8	46	948.5	828.2
12/7/19 15:00	0	131.7	146.6	0	227.4	0	155	238.4	32.3	931.4	828.5
12/7/19 16:00	0	65.2	73	0	229	0	160.5	238.3	35.1	801.1	828.5
12/7/19 17:00	0	0	0	0	229.6	0	158.2	241.1	38.5	667.4	828.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/7/19 18:00	0	0	0	0	229.4	0	156.1	234.8	49.3	669.6	828.3
12/7/19 19:00	0	0	0	0	229	0	153.7	240.9	33.8	657.4	828.2
12/7/19 20:00	0	0	0	0	228.9	0	157.2	238.9	39.4	664.4	828.0
12/7/19 21:00	0	0	0	0	222.8	0	151.9	231.7	56.5	662.9	827.7
12/7/19 22:00	0	0	0	0	225.7	0	152.6	241	35.9	655.2	827.5
12/7/19 23:00	0	0	0	0	226.4	0	160.9	239.2	38.5	665.0	827.3
12/8/19 0:00	0	0	0	0	228.4	0	163.4	241.6	45.1	678.5	827.1
12/8/19 1:00	0	0	0	0	228	0	163.5	238.9	39.2	669.6	826.8
12/8/19 2:00	0	0	0	0	222.3	0	165.7	240.5	34.5	663.0	826.6
12/8/19 3:00	0	0	0	0	229.5	0	164.8	239	45.8	679.1	826.3
12/8/19 4:00	0	0	0	0	226.6	0	162.5	239.4	35.3	663.8	826.1
12/8/19 5:00	0	0	0	0	227.1	0	154.1	237.5	34.7	653.4	825.9
12/8/19 6:00	0	0	0	0	227.1	0	156.5	234.8	41.7	660.1	825.7
12/8/19 7:00	0	0	0	0	225	0	160.5	239.3	37.8	662.6	825.4
12/8/19 8:00	0	0	0	0	222.9	0	157	239.1	46.4	665.4	825.2
12/8/19 9:00	0	0	0	0	225.8	0	159.4	240	37.6	662.8	825.1
12/8/19 10:00	0	0	0	0	221.1	0	154.3	251.2	48.3	674.9	825.1
12/8/19 11:00	0	0	0	0	220.5	0	154.3	237.1	40.3	652.2	825.0
12/8/19 12:00	0	0	0	0	225.3	0	147.9	290	49.8	713.0	825.0
12/8/19 13:00	0	0	0	0	223.9	0	146	240.3	34.7	644.9	825.0
12/8/19 14:00	0	0	0	0	225.4	0	147.6	238.7	50.3	662.0	824.9
12/8/19 15:00	0	0	0	0	225.2	0	149.8	237.2	40.2	652.4	824.9
12/8/19 16:00	0	0	0	0	226.2	0	149.9	237.8	44.1	658.0	824.8
12/8/19 17:00	0	0	0	0	225.2	0	139.5	240	51.7	656.4	824.7
12/8/19 18:00	0	0	0	0	225	0	127.6	225.2	47.8	625.6	824.6
12/8/19 19:00	0	0	0	0	217.9	0	125.8	240.7	46.4	630.8	824.5
12/8/19 20:00	0	0	0	0	201.4	0	140.4	238.7	52.1	632.6	824.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/8/19 21:00	0	0	0	0	201.4	0	133.3	240.8	52.4	627.9	824.2
12/8/19 22:00	0	0	0	0	220	0	139.3	241.1	57	657.4	824.1
12/8/19 23:00	0	0	0	0	233.5	0	145.9	238.4	51.4	669.2	823.9
12/9/19 0:00	0	0	0	0	84	0	144.7	234.8	69.5	533.0	823.5
12/9/19 1:00	0	0	0	0	0	0	191.3	241.9	44.9	478.1	823.0
12/9/19 2:00	0	0	0	0	119.9	0	154.4	238.7	56.5	569.5	822.7
12/9/19 3:00	0	0	0	0	141.1	0	220.5	239.4	46.7	647.7	822.5
12/9/19 4:00	0	0	0	0	141.9	0	435.1	238.1	51.7	866.8	822.6
12/9/19 5:00	0	0	0	0	141.6	0	331.8	239.4	49.4	762.2	822.6
12/9/19 6:00	0	0	0	0	174.1	0	408	239.2	75	896.3	822.7
12/9/19 7:00	0	0	0	0	213.2	0	457.5	238.5	44	953.2	823.0
12/9/19 8:00	0	0	0	0	198.7	0	423.9	238.1	64.8	925.5	823.2
12/9/19 9:00	0	0	0	0	218.9	0	455.1	240.8	52.6	967.4	823.4
12/9/19 10:00	0	0	0	0	218.2	0	203.7	239.6	58.7	720.2	823.3
12/9/19 11:00	0	0	0	0	221.6	0	147.2	238.2	53.3	660.3	823.3
12/9/19 12:00	0	0	0	0	222.7	0	157.8	355.8	86.2	822.5	823.4
12/9/19 13:00	0	0	0	0	223.3	0	146.3	246.5	46.1	662.2	823.4
12/9/19 14:00	0	0	0	0	222.9	0	143.8	271.1	54.2	692.0	823.4
12/9/19 15:00	0	0	0	0	223.5	0	154.3	268.9	63	709.7	823.4
12/9/19 16:00	0	0	0	0	222.7	0	155.5	269.6	48.7	696.5	823.5
12/9/19 17:00	0	0	0	0	225.1	0	156	269.1	57.9	708.1	823.6
12/9/19 18:00	0	0	0	0	221.9	0	151.2	270.4	59.4	702.9	823.7
12/9/19 19:00	0	0	0	0	216	0	140.1	269	42.9	668.0	823.7
12/9/19 20:00	0	0	0	0	217.8	0	140.8	268.5	50.1	677.2	823.7
12/9/19 21:00	0	0	0	0	219.3	0	141.7	257.2	63.7	681.9	823.7
12/9/19 22:00	0	0	0	0	217.7	0	133.9	271.1	60	682.7	823.7
12/9/19 23:00	0	0	0	0	217	0	134.8	269.4	54.7	675.9	823.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/10/19 0:00	0	0	0	0	221.3	0	138	265.7	59.7	684.7	823.6
12/10/19 1:00	0	0	0	0	218.8	0	137	276	47.1	678.9	823.6
12/10/19 2:00	0	0	0	0	222.8	0	138.7	270.2	64.6	696.3	823.7
12/10/19 3:00	0	0	0	0	214.3	0	129.1	269.4	51.1	663.9	823.7
12/10/19 4:00	0	0	0	0	217.5	0	125.4	269	62.4	674.3	823.8
12/10/19 5:00	0	0	0	0	217.8	0	124.6	268.8	54	665.2	823.8
12/10/19 6:00	0	0	0	0	218.4	0	126.1	264.5	48.2	657.2	823.8
12/10/19 7:00	0	0	0	0	217.1	0	117.5	270.2	60.5	665.3	823.9
12/10/19 8:00	0	0	0	0	218.4	0	117.6	268.2	60.5	664.7	823.9
12/10/19 9:00	0	0	0	0	219.6	0	121.6	271.5	75.9	688.6	823.6
12/10/19 10:00	0	0	0	0	216.7	0	118.5	269.8	50.8	655.8	823.1
12/10/19 11:00	0	0	0	0	217.3	0	115.9	269	64.1	666.3	822.6
12/10/19 12:00	0	0	0	0	219.2	0	108.5	271.8	94.2	693.7	822.5
12/10/19 13:00	0	0	0	0	218.8	0	109.8	316.6	84.4	729.6	822.5
12/10/19 14:00	0	0	0	0	221.6	0	113.6	266.5	61.2	662.9	822.6
12/10/19 15:00	0	0	0	0	222.2	0	114.7	274.7	79.7	691.3	822.6
12/10/19 16:00	0	0	0	0	219.7	0	122.9	269.2	49.5	661.3	822.2
12/10/19 17:00	0	0	0	0	207.8	0	113.1	268	58.9	647.8	821.9
12/10/19 18:00	0	0	0	0	215.1	0	108.9	260	55.1	639.1	821.5
12/10/19 19:00	0	0	0	0	213.3	0	106.9	271	52.8	644.0	821.1
12/10/19 20:00	0	0	0	0	213.7	0	110.4	267.6	55.9	647.6	820.7
12/10/19 21:00	0	0	0	0	212.7	0	109.8	271.1	63.7	657.3	820.3
12/10/19 22:00	0	0	0	0	216.7	0	109.8	268	46.9	641.4	819.9
12/10/19 23:00	0	0	0	0	219.7	0	115.4	269.3	67.6	672.0	819.4
12/11/19 0:00	0	0	0	0	221.6	0	111.2	270.9	73.6	677.3	819.0
12/11/19 1:00	0	0	0	0	222.5	0	121	269	55.3	667.8	818.6
12/11/19 2:00	0	0	0	0	222.5	0	127.7	272.2	57.9	680.3	818.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/11/19 3:00	0	0	0	0	221.4	0	123.7	267.9	51.1	664.1	817.8
12/11/19 4:00	0	0	0	0	222.7	0	127.2	270.2	65.4	685.5	817.4
12/11/19 5:00	0	0	0	0	222.1	0	124.3	268.6	66.5	681.5	816.9
12/11/19 6:00	0	0	0	0	221.5	0	122.9	266.6	65.8	676.8	816.5
12/11/19 7:00	0	0	0	0	239.1	0	139.8	269.2	51.7	699.8	816.1
12/11/19 8:00	0	0	0	0	229.3	0	141.3	269.6	58.5	698.7	815.6
12/11/19 9:00	0	0	0	0	230.3	0	134.1	270.5	65.1	700.0	815.2
12/11/19 10:00	0	0	0	0	219	0	125.2	269.3	55.5	669.0	814.5
12/11/19 11:00	0	0	0	0	218.9	0	128.6	315.4	94.3	757.2	814.0
12/11/19 12:00	0	0	0	0	220.6	0	121.9	259.5	66.2	668.2	813.3
12/11/19 13:00	0	0	0	0	221.1	0	152.2	271.7	58.4	703.4	812.6
12/11/19 14:00	0	0	0	0	227.3	0	158.4	269.1	46.2	701.0	812.3
12/11/19 15:00	0	0	0	0	228.9	0	160.2	278.9	54.8	722.8	812.4
12/11/19 16:00	0	0	0	0	231.6	0	156	279.2	70.6	737.4	812.6
12/11/19 17:00	0	0	0	0	232.3	0	164.4	278.5	48.9	724.1	812.5
12/11/19 18:00	0	0	0	0	233	0	222.8	279.6	61.1	796.5	812.5
12/11/19 19:00	0	0	0	0	231.9	0	331.1	279.3	45.4	887.7	812.7
12/11/19 20:00	0	0	0	0	231.9	0	157.2	279.5	50.5	719.1	812.7
12/11/19 21:00	0	0	0	0	234.3	0	133.8	279.2	60	707.3	812.5
12/11/19 22:00	0	0	0	0	235.3	0	132.3	285.2	46.4	699.2	812.5
12/11/19 23:00	0	0	0	0	234.7	0	133.1	278.5	54.4	700.7	812.6
12/12/19 0:00	0	0	0	0	234.9	0	136.1	269.9	35.4	676.3	812.7
12/12/19 1:00	0	0	0	0	236.9	0	133.3	280.4	57.1	707.7	812.8
12/12/19 2:00	0	0	0	0	236.8	0	135.8	279.3	41.3	693.2	812.8
12/12/19 3:00	0	0	0	0	233.4	0	130	279.7	56.6	699.7	812.9
12/12/19 4:00	0	0	0	0	229.7	0	132.8	278.9	52.3	693.7	812.9
12/12/19 5:00	0	0	0	0	233	0	131.6	279.2	44.9	688.7	812.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/12/19 6:00	0	0	0	0	232.3	0	139.2	276.8	71.7	720.0	812.8
12/12/19 7:00	0	0	0	0	233.1	0	134.1	278	49.7	694.9	812.5
12/12/19 8:00	0	0	0	0	230.7	0	131.1	279.1	47.5	688.4	812.1
12/12/19 9:00	0	0	0	0	232.3	0	133.3	279.9	53.7	699.2	811.7
12/12/19 10:00	0	0	0	0	231.6	0	131.5	278	48.7	689.8	811.3
12/12/19 11:00	0	0	0	0	225.5	0	124.1	278.7	44.8	673.1	811.2
12/12/19 12:00	0	0	0	0	229.1	0	125.5	276.6	44.5	675.7	811.0
12/12/19 13:00	0	0	0	0	233.1	0	133.4	315.4	111.3	793.2	811.2
12/12/19 14:00	0	0	0	0	231.5	0	135.8	274.4	53.5	695.2	811.2
12/12/19 15:00	0	0	0	0	232	0	136.6	278.3	49.6	696.5	811.2
12/12/19 16:00	0	0	0	0	235.4	0	140.1	284.7	63.7	723.9	811.1
12/12/19 17:00	0	0	0	0	234.1	0	147.3	278.5	54.9	714.8	811.0
12/12/19 18:00	0	0	0	0	231.4	0	142.3	278.5	64.7	716.9	811.2
12/12/19 19:00	0	0	0	0	232.2	0	143.9	277.8	50.2	704.1	811.3
12/12/19 20:00	0	0	0	0	235.3	0	124.9	278.7	62.6	701.5	811.3
12/12/19 21:00	0	0	0	0	237.1	0	113.2	280.5	65.5	696.3	811.0
12/12/19 22:00	0	0	0	0	236.3	0	111.4	279.1	60.3	687.1	810.1
12/12/19 23:00	0	0	0	0	235.8	0	114.3	278.6	57.3	686.0	809.2
12/13/19 0:00	0	0	0	0	236.3	0	115.1	256.4	68.3	676.1	808.1
12/13/19 1:00	0	0	0	0	239.7	0	109.5	280.5	67.3	697.0	807.0
12/13/19 2:00	0	0	0	0	235	0	114.6	280.2	64	693.8	805.9
12/13/19 3:00	0	0	0	0	235.4	0	121.8	278.3	51.2	686.7	804.6
12/13/19 4:00	0	0	0	0	238.5	0	134.7	278.6	57	708.8	803.5
12/13/19 5:00	0	0	0	0	236.6	0	120.9	278.5	69.9	705.9	802.3
12/13/19 6:00	0	0	0	0	239	0	121.7	277.9	47.1	685.7	801.1
12/13/19 7:00	0	0	0	0	237.9	0	123	277.9	53.2	692.0	799.9
12/13/19 8:00	0	0	0	0	242.2	0	117.7	278.3	50.6	688.8	798.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/13/19 9:00	0	0	0	0	241.3	0	110	284	57.6	692.9	797.7
12/13/19 10:00	0	0	0	0	243.3	0	104.5	278.9	68.4	695.1	797.2
12/13/19 11:00	0	0	0	0	239.9	0	102.6	277.6	52.9	673.0	796.8
12/13/19 12:00	0	0	0	0	243.1	0	98.1	318.2	104.7	764.1	796.5
12/13/19 13:00	0	0	0	0	245.7	0	97.4	277.9	138.7	759.7	796.3
12/13/19 14:00	0	0	0	0	243.4	0	96.4	279.8	99.2	718.8	796.0
12/13/19 15:00	0	0	0	0	248.6	0	101.7	286.5	87.2	724.0	795.8
12/13/19 16:00	0	0	0	0	245.7	0	102.6	272	55.7	676.0	795.4
12/13/19 17:00	0	0	0	0	243.5	0	99.6	280.8	50.9	674.8	795.0
12/13/19 18:00	0	0	0	0	244.6	0	93.9	277.9	62.5	678.9	794.5
12/13/19 19:00	0	0	0	0	244.6	0	101.2	277.5	45.8	669.1	794.0
12/13/19 20:00	0	0	0	0	245.4	0	100.4	277.4	52.3	675.5	793.5
12/13/19 21:00	0	0	0	0	246	0	100.7	277.3	54.4	678.4	793.1
12/13/19 22:00	0	0	0	0	244.1	0	95.5	275	70.3	684.9	792.7
12/13/19 23:00	0	0	0	0	245.4	0	99.8	253	69.2	667.4	792.2
12/14/19 0:00	0	0	0	0	247.6	0	112.3	283.8	61.4	705.1	791.9
12/14/19 1:00	0	0	0	0	245.7	0	100	279.1	50.2	675.0	791.5
12/14/19 2:00	0	0	0	0	246.6	0	72.9	278	58.2	655.7	791.1
12/14/19 3:00	0	0	0	0	245.3	0	81.9	277.6	46.1	650.9	790.7
12/14/19 4:00	0	0	0	0	247.3	0	75.1	277.8	49	649.2	790.5
12/14/19 5:00	0	0	0	0	245.7	0	77.1	274.9	51.8	649.5	790.1
12/14/19 6:00	0	0	0	0	245.9	0	80	275.8	72.6	674.3	789.8
12/14/19 7:00	0	0	0	0	244.1	0	75.2	278.5	43.8	641.6	789.4
12/14/19 8:00	0	0	0	0	244.4	0	78.9	266.7	48.1	638.1	789.0
12/14/19 9:00	0	0	0	0	243.4	0	77.2	278.4	56.2	655.2	788.9
12/14/19 10:00	0	0	0	0	244.2	0	75.9	254.8	70.4	645.3	788.6
12/14/19 11:00	0	0	0	0	245.7	0	75.9	262.3	49.9	633.8	788.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/14/19 12:00	0	0	0	0	247.1	0	81.2	269.2	55.4	652.9	788.1
12/14/19 13:00	0	0	0	0	245.2	0	83.2	264.7	52.8	645.9	787.9
12/14/19 14:00	0	0	0	0	246.4	0	83.5	261.1	52.6	643.6	787.7
12/14/19 15:00	0	0	0	0	245	0	105.5	275	51.6	677.1	787.5
12/14/19 16:00	0	0	0	0	246.3	0	117.3	272.3	65.1	701.0	787.4
12/14/19 17:00	0	0	0	0	244.4	0	112.4	271.2	45.1	673.1	787.2
12/14/19 18:00	0	0	0	0	246	0	105	274.8	56.3	682.1	787.1
12/14/19 19:00	0	0	0	0	244.9	0	111.8	274.5	48.4	679.6	786.9
12/14/19 20:00	0	0	0	0	245.9	0	109	261.2	50.8	666.9	786.7
12/14/19 21:00	0	0	0	0	246.3	0	109.5	245.4	72.8	674.0	786.5
12/14/19 22:00	0	0	0	0	245	0	113.7	265.1	55.2	679.0	786.2
12/14/19 23:00	0	0	0	0	245.7	0	110.4	264	56.6	676.7	785.9
12/15/19 0:00	0	0	0	0	244.3	0	110.6	275	47	676.9	785.7
12/15/19 1:00	0	0	0	0	246.2	0	111.2	266.7	60.3	684.4	785.4
12/15/19 2:00	0	0	0	0	246.2	0	109.1	277.5	65.8	698.6	785.3
12/15/19 3:00	0	0	0	0	245.7	0	115.2	292.7	36.6	690.2	785.2
12/15/19 4:00	0	0	0	0	244.6	0	113.3	285.1	56.9	699.9	785.0
12/15/19 5:00	0	0	0	0	245.5	0	99.6	270.8	52	667.9	784.8
12/15/19 6:00	0	0	0	0	246.4	0	108.1	261.8	70.9	687.2	784.6
12/15/19 7:00	0	0	0	0	244.8	0	104.7	264.5	53.9	667.9	784.3
12/15/19 8:00	0	0	0	0	245	0	105.8	269.3	52.9	673.0	784.1
12/15/19 9:00	0	0	0	0	243.5	0	103.2	275.2	76.2	698.1	784.0
12/15/19 10:00	0	0	0	0	241.7	0	101.1	302.9	121.6	767.3	784.1
12/15/19 11:00	0	0	0	0	243.4	0	101	278.9	70.4	693.7	784.0
12/15/19 12:00	0	0	0	0	244	0	98.2	277.6	50.3	670.1	783.9
12/15/19 13:00	0	0	0	0	245.6	0	95.1	281.9	50.6	673.2	783.7
12/15/19 14:00	0	0	0	0	245.7	0	99.2	279.6	64.1	688.6	783.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/15/19 15:00	0	0	0	0	247.3	0	100.1	278.4	47.6	673.4	783.6
12/15/19 16:00	0	0	0	0	246.3	0	100.4	279.2	48.8	674.7	783.5
12/15/19 17:00	0	0	0	0	246.2	0	103.9	279.7	58.6	688.4	783.4
12/15/19 18:00	0	0	0	0	245.4	0	101.5	277.5	41.9	666.3	783.3
12/15/19 19:00	0	0	0	0	243.9	0	103.1	279.2	45.4	671.6	783.2
12/15/19 20:00	0	0	0	0	244.5	0	107.4	277.8	48	677.7	783.1
12/15/19 21:00	0	0	0	0	245.8	0	100.8	278.5	43.3	668.4	782.8
12/15/19 22:00	0	0	0	0	243.4	0	99.4	278.9	46.6	668.3	782.5
12/15/19 23:00	0	0	0	0	243.7	0	230.2	278.7	54.6	807.2	782.5
12/16/19 0:00	0	0	0	0	243.8	0	180.7	282.3	54.3	761.1	782.3
12/16/19 1:00	0	0	0	0	243.8	0	112.6	280.3	64.9	701.6	782.1
12/16/19 2:00	0	0	0	0	246.8	0	111.9	278.7	51	688.4	781.9
12/16/19 3:00	0	0	0	0	245.3	0	112.5	278.6	50.7	687.1	781.8
12/16/19 4:00	0	0	0	0	245	0	115.3	278.1	52.9	691.3	781.6
12/16/19 5:00	0	0	0	0	244.4	0	118.3	278.8	46	687.5	781.4
12/16/19 6:00	0	0	0	0	244.8	0	112	276.4	60.3	693.5	781.3
12/16/19 7:00	0	0	0	0	245	0	99.1	276.7	48.7	669.5	781.0
12/16/19 8:00	0	0	0	0	244.4	0	91	280.2	49.7	665.3	780.9
12/16/19 9:00	0	0	0	0	247.6	0	78.7	279	55.2	660.5	780.7
12/16/19 10:00	0	0	0	0	246.2	0	79.5	278.9	51.3	655.9	780.5
12/16/19 11:00	0	0	0	0	247.4	0	107.3	279.8	50.9	685.4	780.4
12/16/19 12:00	0	0	0	0	246.9	0	110.6	300.3	87	744.8	780.3
12/16/19 13:00	0	0	0	0	248.9	0	105.2	288.1	50.1	692.3	780.2
12/16/19 14:00	0	0	0	0	249.9	0	110.5	277.8	50.5	688.7	780.0
12/16/19 15:00	0	0	0	0	250	0	108.1	279.5	48	685.6	779.9
12/16/19 16:00	0	0	0	0	249.6	0	105.7	279.1	47.1	681.5	779.7
12/16/19 17:00	0	0	0	0	248.4	0	109.9	279.6	57.1	695.0	779.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/16/19 18:00	0	0	0	0	248.3	0	105.6	277.9	47.4	679.2	779.4
12/16/19 19:00	0	0	0	0	248.1	0	103.7	279.2	42.3	673.3	779.2
12/16/19 20:00	0	0	0	0	248.4	0	107.5	272.2	46.5	674.6	778.9
12/16/19 21:00	0	0	0	0	248.3	0	104.6	269.1	53.9	675.9	778.7
12/16/19 22:00	0	0	0	0	245.6	0	103.7	271	49.3	669.6	778.4
12/16/19 23:00	0	0	0	0	245.3	0	107.5	280.1	46.8	679.7	778.2
12/17/19 0:00	0	0	0	0	247	0	98	277.9	60.3	683.2	777.9
12/17/19 1:00	0	0	0	0	246.3	0	99.7	281.1	48.4	675.5	777.7
12/17/19 2:00	0	0	0	0	248.9	0	95.5	279.9	54.6	678.9	777.4
12/17/19 3:00	0	0	0	0	249.6	0	94	278	46.3	667.9	777.1
12/17/19 4:00	0	0	0	0	247.2	0	98.4	279.4	52.2	677.2	776.9
12/17/19 5:00	0	0	0	0	249.4	0	101.1	278	55	683.5	776.7
12/17/19 6:00	0	0	0	0	246.9	0	97.4	278	72.7	695.0	776.5
12/17/19 7:00	0	0	0	0	248.5	0	93.4	279.3	50.8	672.0	776.3
12/17/19 8:00	0	0	0	0	248.9	0	80.2	280.7	60.5	670.3	776.1
12/17/19 9:00	0	0	0	0	241.3	0	78.1	278.9	58.7	657.0	775.9
12/17/19 10:00	0	0	0	0	244.5	0	75.8	279.6	62.4	662.3	775.7
12/17/19 11:00	0	0	0	0	248.1	0	72.7	282	57.8	660.6	775.6
12/17/19 12:00	0	0	0	0	248.4	0	83	330.6	104.7	766.7	775.6
12/17/19 13:00	0	0	0	0	247.7	0	97.1	281.2	62.6	688.6	775.0
12/17/19 14:00	0	0	0	0	246.4	0	97.2	281.8	55.7	681.1	774.8
12/17/19 15:00	0	0	0	0	246.6	0	101.4	280.1	59.7	687.8	774.7
12/17/19 16:00	0	0	0	0	247.1	0	105.8	281	61.6	695.5	774.5
12/17/19 17:00	0	0	0	0	247.6	0	102.3	279.7	57.5	687.1	774.3
12/17/19 18:00	0	0	0	0	245.1	0	109.2	275.3	60.8	690.4	774.1
12/17/19 19:00	0	0	0	0	244.3	0	113.5	279	57.7	694.5	773.9
12/17/19 20:00	0	0	0	0	244.7	0	286.1	277.1	60.1	868.0	773.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/17/19 21:00	0	0	0	0	243.6	0	362.5	278.9	61.6	946.6	774.0
12/17/19 22:00	0	0	0	0	245.4	0	377	286.8	60.7	969.9	774.1
12/17/19 23:00	0	0	0	0	246.4	0	395	275.2	69.8	986.4	774.3
12/18/19 0:00	0	0	0	0	248.1	0	411.4	281.8	53.7	995.0	774.5
12/18/19 1:00	0	0	0	0	246.6	0	418.1	275.5	55	995.2	774.7
12/18/19 2:00	0	0	0	0	246.4	0	419.2	277.6	53.7	996.9	775.0
12/18/19 3:00	0	0	0	0	244.8	0	424.1	280.4	61.6	1010.9	775.2
12/18/19 4:00	0	0	0	0	245.4	0	421.6	279.7	74	1020.7	775.5
12/18/19 5:00	0	0	0	0	247	0	389.6	278.7	56.6	971.9	775.7
12/18/19 6:00	0	0	0	0	247.3	0	445.2	276.6	70.3	1039.4	776.0
12/18/19 7:00	0	0	0	0	245.6	0	495.5	278	63	1082.1	775.9
12/18/19 8:00	0	0	0	0	243.4	0	477.2	281.7	69.2	1071.5	775.7
12/18/19 9:00	0	0	0	0	241.9	0	431.2	279.3	55.7	1008.1	775.4
12/18/19 10:00	0	0	0	0	241.8	0	417.3	277.3	66.8	1003.2	775.6
12/18/19 11:00	0	0	0	0	241.5	0	177.7	283.5	66.6	769.3	775.6
12/18/19 12:00	0	0	0	0	241.9	0	144.5	318.7	95.4	800.5	775.6
12/18/19 13:00	0	0	0	0	243.4	0	157.1	279	78	757.5	775.5
12/18/19 14:00	0	0	0	0	245.4	0	161.2	272.2	73.2	752.0	775.4
12/18/19 15:00	0	0	0	0	244	0	167.1	274.2	57.7	743.0	775.3
12/18/19 16:00	0	0	0	0	244.1	0	179	279.8	62.2	765.1	775.3
12/18/19 17:00	0	0	0	0	245.6	0	199.9	282.9	66.6	795.0	775.4
12/18/19 18:00	0	0	0	0	244.6	0	196.1	276.5	65.4	782.6	775.5
12/18/19 19:00	0	0	0	0	244.6	0	216.1	279.4	60.9	801.0	775.5
12/18/19 20:00	0	0	0	0	242.8	0	234.3	278.4	63.9	819.4	775.5
12/18/19 21:00	0	0	0	0	242.6	0	239.1	279.1	75	835.8	775.6
12/18/19 22:00	0	0	0	0	243.7	0	225.8	282	64.2	815.7	775.6
12/18/19 23:00	0	0	0	0	244.3	0	212.4	274.6	51.5	782.8	775.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/19/19 0:00	0	0	0	0	244.5	0	243.7	279.2	64.8	832.2	775.6
12/19/19 1:00	0	0	0	0	244.6	0	241.3	278	57.3	821.2	775.6
12/19/19 2:00	0	0	0	0	243.3	0	239.9	279.4	63.9	826.5	775.6
12/19/19 3:00	0	0	0	0	244.4	0	242.1	280.4	64.7	831.6	775.6
12/19/19 4:00	0	0	0	0	244.3	0	226.9	279.2	66.3	816.7	775.6
12/19/19 5:00	0	0	0	0	245.8	0	184.5	277.8	51.5	759.6	775.5
12/19/19 6:00	0	0	0	0	245.1	0	184.7	278.9	101.2	809.9	775.5
12/19/19 7:00	0	0	0	0	243.5	0	194.2	277.7	64.4	779.8	775.5
12/19/19 8:00	0	0	0	0	243.7	0	207.3	283.9	67.4	802.3	775.5
12/19/19 9:00	0	0	0	0	242.7	0	180.1	279.8	55.2	757.8	775.5
12/19/19 10:00	0	0	0	0	242.8	0	161.3	274.1	72.9	751.1	775.6
12/19/19 11:00	0	0	0	0	241.9	0	141.3	280.7	65.4	729.3	775.7
12/19/19 12:00	0	0	0	0	241.9	0	136	324.6	135.5	838.0	775.9
12/19/19 13:00	0	0	0	0	242.6	0	152.6	274.4	62.3	731.9	776.0
12/19/19 14:00	0	0	0	0	242.5	0	154.4	279.2	63.6	739.7	776.0
12/19/19 15:00	0	0	0	0	245	0	155.5	277.5	59.5	737.5	775.9
12/19/19 16:00	0	0	0	0	245.5	0	163.9	275.4	59.7	744.5	776.0
12/19/19 17:00	0	0	0	0	244.6	0	152.9	282.9	49.8	730.2	776.0
12/19/19 18:00	0	0	0	0	243.7	0	153.2	274.8	68.5	740.2	776.0
12/19/19 19:00	0	0	0	0	244.8	0	152.8	279.6	56.2	733.4	776.0
12/19/19 20:00	0	0	0	0	242.2	0	152.2	279.7	64.2	738.3	775.8
12/19/19 21:00	0	0	0	0	244	0	150.2	275.2	61.8	731.2	775.6
12/19/19 22:00	0	0	0	0	244.4	0	150.8	281.2	59	735.4	775.5
12/19/19 23:00	0	0	0	0	243.3	0	149.8	278.3	62.2	733.6	775.3
12/20/19 0:00	0	0	0	0	243.5	0	149.8	281.8	70	745.1	775.0
12/20/19 1:00	0	0	0	0	242.3	0	162.6	279.9	61.6	746.4	775.0
12/20/19 2:00	0	0	0	0	241.2	0	208.5	278.5	69.1	797.3	774.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/20/19 3:00	0	0	0	0	241.7	0	206.4	279.6	57.1	784.8	774.9
12/20/19 4:00	0	0	0	0	240.7	0	208.6	278.2	59.6	787.1	774.8
12/20/19 5:00	0	0	0	0	241.4	0	181.2	279.3	69.9	771.8	774.8
12/20/19 6:00	0	0	0	0	241	0	191.4	279.9	57.7	770.0	775.0
12/20/19 7:00	0	0	0	0	241.6	0	179.9	278.5	55.8	755.8	775.3
12/20/19 8:00	0	0	0	0	242	0	137.9	274.2	58.1	712.2	775.4
12/20/19 9:00	0	0	0	0	242.8	0	119.9	308.2	29.5	700.4	775.4
12/20/19 10:00	0	0	0	0	240.8	0	145.8	263.4	65.4	715.4	775.4
12/20/19 11:00	0	0	0	0	240.4	0	152.7	284.3	61.2	738.6	775.4
12/20/19 12:00	0	0	0	0	242.5	0	157.2	281.6	67.5	748.8	775.5
12/20/19 13:00	0	0	0	0	243.6	0	167.1	275.6	57.1	743.4	775.5
12/20/19 14:00	0	0	0	0	245.1	0	171.8	276.7	57.7	751.3	775.5
12/20/19 15:00	0	0	0	0	243.5	0	211.8	279.5	66.3	801.1	775.6
12/20/19 16:00	0	0	0	0	241.9	0	224.2	278.3	58.1	802.5	775.5
12/20/19 17:00	0	0	0	0	239.8	0	218.1	281	60.8	799.7	775.5
12/20/19 18:00	0	0	0	0	240.1	0	213.7	281.9	68	803.7	775.5
12/20/19 19:00	0	0	0	0	241.5	0	218.5	279.7	57.7	797.4	775.6
12/20/19 20:00	0	0	0	0	241.4	0	221.9	278.1	62.2	803.6	775.7
12/20/19 21:00	0	0	0	0	242.5	0	218	279.5	65.8	805.8	775.9
12/20/19 22:00	0	0	0	0	241.9	0	214.9	280.1	56.5	793.4	776.0
12/20/19 23:00	0	0	0	0	241.9	0	213.2	281.7	55	791.8	776.0
12/21/19 0:00	0	0	0	0	240.9	0	217.4	279.1	63.7	801.1	776.0
12/21/19 1:00	0	0	0	0	241.8	0	214.7	279.6	64.3	800.4	776.1
12/21/19 2:00	0	0	0	0	242.1	0	209.3	279.5	67.6	798.5	776.1
12/21/19 3:00	0	0	0	0	241.6	0	211.5	280	58.4	791.5	776.1
12/21/19 4:00	0	0	0	0	239.4	0	218.4	279.4	64.4	801.6	776.1
12/21/19 5:00	0	0	0	0	238.9	0	206.8	279.2	56.5	781.4	776.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/21/19 6:00	0	0	0	0	240.4	0	192.9	276	76.3	785.6	776.1
12/21/19 7:00	0	0	0	0	239.8	0	200	277.8	60.5	778.1	776.1
12/21/19 8:00	0	0	0	0	240.1	0	210	278.1	56.7	784.9	776.2
12/21/19 9:00	0	0	0	0	234.4	0	174.5	269.2	55.3	733.4	776.3
12/21/19 10:00	0	0	0	0	235.6	0	157	302.7	65.8	761.1	776.4
12/21/19 11:00	0	0	0	0	235.7	0	162.1	281.2	70.5	749.5	776.6
12/21/19 12:00	0	0	0	0	239.9	0	136	280.5	56.1	712.5	776.8
12/21/19 13:00	0	0	0	0	241.2	0	129.5	278.2	60.6	709.5	777.0
12/21/19 14:00	0	0	0	0	239.8	0	160.5	279.6	58.9	738.8	777.3
12/21/19 15:00	0	0	0	0	240.3	0	170.4	277.7	63.7	752.1	777.6
12/21/19 16:00	0	0	0	0	241.6	0	199.2	279.8	58.9	779.5	777.8
12/21/19 17:00	0	0	0	0	242	0	213.4	279.9	67.3	802.6	778.0
12/21/19 18:00	0	0	0	0	241.1	0	216.1	278.4	60	795.6	777.8
12/21/19 19:00	0	0	0	0	242.1	0	220.9	280.8	58.3	802.1	778.0
12/21/19 20:00	0	0	0	0	238.5	0	214.7	268.7	52.8	774.7	778.1
12/21/19 21:00	0	0	0	0	231.5	0	202.4	280.7	62.8	777.4	778.4
12/21/19 22:00	0	0	0	0	236.5	0	203.2	281.6	58.9	780.2	778.5
12/21/19 23:00	0	0	0	0	237	0	204.3	281.3	72.4	795.0	778.7
12/22/19 0:00	0	0	0	0	238.5	0	207.5	281.2	59.6	786.8	778.9
12/22/19 1:00	0	0	0	0	238.7	0	196.3	279.6	67.3	781.9	779.0
12/22/19 2:00	0	0	0	0	241.3	0	208.2	278.1	54.7	782.3	779.2
12/22/19 3:00	0	0	0	0	240.8	0	205.4	280.1	65.7	792.0	779.4
12/22/19 4:00	0	0	0	0	238.8	0	205.1	279.1	60.1	783.1	779.6
12/22/19 5:00	0	0	0	0	238.8	0	211.5	280.6	65.6	796.5	779.8
12/22/19 6:00	0	0	0	0	238.1	0	208.2	276.7	54.7	777.7	779.7
12/22/19 7:00	0	0	0	0	239.3	0	199.2	277.8	63.1	779.4	779.3
12/22/19 8:00	0	0	0	0	239.5	0	209.2	279.7	64.4	792.8	779.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/22/19 9:00	0	0	0	0	239.2	0	206.5	317.5	82.1	845.3	778.7
12/22/19 10:00	0	0	0	0	238.7	0	205.1	277.3	66.7	787.8	778.4
12/22/19 11:00	0	0	0	0	237.6	0	201	277.2	61.5	777.3	778.1
12/22/19 12:00	0	0	0	0	237	0	211.2	277.5	63.4	789.1	778.1
12/22/19 13:00	0	0	0	0	240	0	209.5	277.9	62.7	790.1	778.3
12/22/19 14:00	0	0	0	0	240.6	0	207.4	279	62.9	789.9	778.4
12/22/19 15:00	0	0	0	0	243.3	0	406	279.1	64.4	992.8	778.8
12/22/19 16:00	0	0	0	0	241.8	0	221.8	278.7	66.4	808.7	779.1
12/22/19 17:00	0	0	0	0	240.8	0	221	279.6	57.2	798.6	779.3
12/22/19 18:00	0	0	0	0	240.1	0	218.1	278.9	69.5	806.6	779.5
12/22/19 19:00	0	0	0	0	241	0	216.7	280.2	63.6	801.5	779.7
12/22/19 20:00	0	0	0	0	242.1	0	218.9	278.6	65.9	805.5	779.9
12/22/19 21:00	0	0	0	0	241	0	219.7	280.1	75.7	816.5	780.2
12/22/19 22:00	0	0	0	0	241.4	0	218.1	278.2	61.3	799.0	780.4
12/22/19 23:00	0	0	0	0	240.5	0	212.2	279.9	60.8	793.4	780.5
12/23/19 0:00	0	0	0	0	239.7	0	213.2	278.4	75.8	807.1	780.8
12/23/19 1:00	0	0	0	0	241.4	0	215.2	279.7	60	796.3	781.0
12/23/19 2:00	0	0	0	0	242.1	0	217.1	279.8	67.6	806.6	781.2
12/23/19 3:00	0	0	0	0	240.1	0	217.8	279.2	69.5	806.6	781.4
12/23/19 4:00	0	0	0	0	242.4	0	215.2	279.3	70.7	807.6	781.7
12/23/19 5:00	0	0	0	0	241.6	0	201.1	279	65.2	786.9	781.8
12/23/19 6:00	0	0	0	0	239	0	175.8	279.3	107.2	801.3	781.9
12/23/19 7:00	0	0	0	0	239.8	0	187.7	279.9	71.1	778.5	781.9
12/23/19 8:00	0	0	0	0	238.2	0	198.9	279	69.7	785.8	781.9
12/23/19 9:00	0	0	0	0	239	0	193.5	281.7	74.6	788.8	782.1
12/23/19 10:00	0	0	0	0	239.1	0	41.4	278.9	64.9	624.3	782.0
12/23/19 11:00	0	0	0	0	238.6	0	89.1	281.1	102.1	710.9	782.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/23/19 12:00	0	0	0	0	240.7	0	164.6	329.4	90.1	824.8	782.3
12/23/19 13:00	0	0	0	0	238.1	0	139	279.4	54.4	710.9	782.4
12/23/19 14:00	0	0	0	0	239.3	0	0.4	279.2	74.7	593.6	782.3
12/23/19 15:00	0	0	0	0	240.9	0	0.4	280.3	65.8	587.4	782.2
12/23/19 16:00	0	0	0	0	241.3	0	0.4	279.1	67	587.8	782.1
12/23/19 17:00	0	0	0	0	240.5	0	0.5	281.5	70.1	592.6	782.0
12/23/19 18:00	0	0	0	0	241.1	0	0.4	276.5	66.3	584.3	782.0
12/23/19 19:00	0	0	0	0	241.3	0	0.4	275.2	66.8	583.7	781.8
12/23/19 20:00	0	0	0	0	241.1	0	87.3	278.8	74.9	682.1	781.9
12/23/19 21:00	0	0	0	0	239.7	0	192.2	280.3	62.7	774.9	782.1
12/23/19 22:00	0	0	0	0	240.5	0	187	270.7	76.7	774.9	782.2
12/23/19 23:00	0	0	0	0	241.3	0	165.6	276.7	65.7	749.3	782.2
12/24/19 0:00	0	0	0	0	240.4	0	148.9	280.7	75.7	745.7	782.3
12/24/19 1:00	0	0	0	0	242.1	0	147.1	281	70	740.2	782.4
12/24/19 2:00	0	0	0	0	242.6	0	174.7	280.6	75.7	773.6	782.6
12/24/19 3:00	0	0	0	0	241.4	0	145.6	276.2	69.1	732.3	782.7
12/24/19 4:00	0	0	0	0	242.9	0	106.1	279.6	74.9	703.5	782.9
12/24/19 5:00	0	0	0	0	243.3	0	108.9	280.1	66.7	699.0	783.0
12/24/19 6:00	0	0	0	0	241.5	0	107.7	274.6	89.5	713.3	783.1
12/24/19 7:00	0	0	0	0	241.3	0	112.8	274.6	69.6	698.3	783.1
12/24/19 8:00	0	0	0	0	240.1	0	108.3	279.3	70.3	698.0	783.1
12/24/19 9:00	0	0	0	0	241.7	0	105.1	280.6	75.9	703.3	783.2
12/24/19 10:00	0	0	0	0	242.8	0	100.7	279.1	68.4	691.0	783.2
12/24/19 11:00	0	0	0	0	243.1	0	98.2	281.5	70.7	693.5	783.2
12/24/19 12:00	0	0	0	0	242.5	0	105.5	282.8	78.3	709.1	783.2
12/24/19 13:00	0	0	0	0	242.9	0	110.5	323.2	65.9	742.5	783.2
12/24/19 14:00	0	0	0	0	241.9	0	113.4	276.9	76.4	708.6	783.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/24/19 15:00	0	0	0	0	244.1	0	115.6	276.9	61.9	698.5	783.3
12/24/19 16:00	0	0	0	0	240	0	115.4	278.8	68.8	703.0	783.4
12/24/19 17:00	0	0	0	0	241.2	0	120.2	279	80.1	720.5	783.6
12/24/19 18:00	0	0	0	0	239.8	0	117.2	281.9	70.9	709.8	783.7
12/24/19 19:00	0	0	0	0	240.6	0	127.9	278.1	70.2	716.8	783.7
12/24/19 20:00	0	0	0	0	241.8	0	133.9	279.8	80.1	735.6	783.8
12/24/19 21:00	0	0	0	0	241	0	133.6	280.1	67.9	722.6	783.9
12/24/19 22:00	0	0	0	0	242.7	0	165.2	274.7	78.2	760.8	783.9
12/24/19 23:00	0	0	0	0	242.9	0	173.3	282.8	56.9	755.9	784.0
12/25/19 0:00	0	0	0	0	244.1	0	178.7	274.2	72	769.0	784.1
12/25/19 1:00	0	0	0	0	242	0	218.4	282.9	94	837.3	784.2
12/25/19 2:00	0	0	0	0	240	0	218.1	279.5	76	813.6	784.3
12/25/19 3:00	0	0	0	0	240.7	0	224.8	281.3	78	824.8	784.4
12/25/19 4:00	0	0	0	0	241.7	0	226.3	275.9	88.4	832.3	784.4
12/25/19 5:00	0	0	0	0	241.3	0	216.7	280.1	75.5	813.6	784.5
12/25/19 6:00	0	0	0	0	240.2	0	180.5	276.4	91.5	788.6	784.6
12/25/19 7:00	0	0	0	0	240	0	152.5	278.7	74.6	745.8	784.6
12/25/19 8:00	0	0	0	0	241.5	0	150.3	277.5	73.7	743.0	784.6
12/25/19 9:00	0	0	0	0	240.6	0	142.1	279.4	79.5	741.6	784.6
12/25/19 10:00	0	0	0	0	240	0	155.5	279.5	79.8	754.8	784.7
12/25/19 11:00	0	0	0	0	237.5	0	153.5	280.3	76	747.3	784.7
12/25/19 12:00	0	0	0	0	240.8	0	138.6	316.7	88.8	784.9	784.8
12/25/19 13:00	0	0	0	0	243.2	0	138.3	280.8	71.9	734.2	784.8
12/25/19 14:00	0	0	0	0	238.2	0	149.8	280.9	74.6	743.5	784.9
12/25/19 15:00	0	0	0	0	245.9	0	144.2	279.5	79.1	748.7	784.9
12/25/19 16:00	0	0	0	0	248.4	0	150.9	277.2	68.1	744.6	784.9
12/25/19 17:00	0	0	0	0	248.2	0	155.1	278.3	72.4	754.0	784.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/25/19 18:00	0	0	0	0	248.3	0	152.3	281.8	83.4	765.8	784.8
12/25/19 19:00	0	0	0	0	248.1	0	147.6	280.7	66.9	743.3	784.8
12/25/19 20:00	0	0	0	0	248.4	0	150.6	278.7	66	743.7	784.7
12/25/19 21:00	0	0	0	0	249.4	0	150.2	279.7	70.5	749.8	784.6
12/25/19 22:00	0	0	0	0	248.5	0	156.1	280	71.6	756.2	784.5
12/25/19 23:00	0	0	0	0	250.1	0	162.1	279.3	64.5	756.0	784.4
12/26/19 0:00	0	0	0	0	247.6	0	176.4	282.3	96.7	803.0	784.4
12/26/19 1:00	0	0	0	0	248.1	0	179.9	280.9	84.9	793.8	784.3
12/26/19 2:00	0	0	0	0	249.1	0	185.5	276.8	80.6	792.0	784.3
12/26/19 3:00	0	0	0	0	248.5	0	186.6	279.9	66.9	781.9	784.3
12/26/19 4:00	0	0	0	0	248.3	0	213.1	278.2	74.7	814.3	784.3
12/26/19 5:00	0	0	0	0	244.2	0	226.3	278.5	66.5	815.5	784.3
12/26/19 6:00	0	0	0	0	247.8	0	183.5	278.6	80.5	790.4	784.3
12/26/19 7:00	0	0	0	0	246.9	0	175.3	276.5	65.7	764.4	784.2
12/26/19 8:00	0	0	0	0	248.7	0	175.9	277.9	66.8	769.3	784.2
12/26/19 9:00	0	0	0	0	248.3	0	165.9	280.6	68.6	763.4	784.2
12/26/19 10:00	0	0	0	0	248.8	0	162.1	276.3	75	762.2	784.3
12/26/19 11:00	0	0	0	0	247.8	0	163.7	279.1	58.5	749.1	783.9
12/26/19 12:00	0	0	0	0	249.3	0	166.7	290.2	84.8	791.0	783.4
12/26/19 13:00	0	0	0	0	252.7	0	185.8	282.2	74.2	794.9	783.5
12/26/19 14:00	0	0	0	0	251.9	0	166	278.1	72	768.0	783.6
12/26/19 15:00	0	0	0	0	251.2	0	165.8	278.4	79.3	774.7	783.7
12/26/19 16:00	0	0	0	0	249.4	0	165.4	279.2	59.6	753.6	783.7
12/26/19 17:00	0	0	0	0	247.1	0	168.7	279.6	70	765.4	783.7
12/26/19 18:00	0	0	0	0	253.5	0	157.5	274.3	90.3	775.6	783.7
12/26/19 19:00	0	0	0	0	252.5	0	175.5	279.5	86	793.5	783.7
12/26/19 20:00	0	0	0	0	253.6	0	372.2	280.4	69.4	975.6	783.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/26/19 21:00	0	0	0	0	252.6	0	143.1	280.9	64.6	741.2	783.9
12/26/19 22:00	0	0	0	0	253.4	0	148.1	278.6	78.2	758.3	783.7
12/26/19 23:00	0	0	0	0	252.3	0	171.8	279.9	67.9	771.9	783.6
12/27/19 0:00	0	0	0	0	252.1	0	170.8	280.5	66.6	770.0	783.5
12/27/19 1:00	0	0	0	0	255	0	152.8	280	67.9	755.7	783.3
12/27/19 2:00	0	0	0	0	254	0	153.7	280.5	64.2	752.4	783.2
12/27/19 3:00	0	0	0	0	253.1	0	143.5	278.7	68	743.3	783.1
12/27/19 4:00	0	0	0	0	252.9	0	164.5	278.7	68.2	764.3	783.1
12/27/19 5:00	0	0	0	0	252.6	0	160.5	279.7	63.7	756.5	783.0
12/27/19 6:00	0	0	0	0	253	0	177.9	277.4	71.2	779.5	782.8
12/27/19 7:00	0	0	0	0	253.1	0	188.1	279.2	62.8	783.2	782.7
12/27/19 8:00	0	0	0	0	254.2	0	198.5	278.6	65	796.3	782.7
12/27/19 9:00	0	0	0	0	251.5	0	171.8	280.1	68	771.4	782.8
12/27/19 10:00	0	0	0	0	249.1	0	134.3	278.1	75.3	736.8	782.8
12/27/19 11:00	0	0	0	0	251.2	0	122.9	281.4	68.4	723.9	782.8
12/27/19 12:00	0	0	0	0	254.4	0	87.6	277.1	68.4	687.5	782.7
12/27/19 13:00	0	0	0	0	254.3	0	126.6	324.5	70.9	776.3	782.9
12/27/19 14:00	0	0	0	0	255.1	0	135.5	282	65.6	738.2	783.0
12/27/19 15:00	0	0	0	0	254.7	0	137.6	277.8	69.7	739.8	783.1
12/27/19 16:00	0	0	0	0	253.3	0	122.3	278.9	69.7	724.2	783.2
12/27/19 17:00	0	0	0	0	253.2	0	168.9	279.9	63.3	765.3	783.3
12/27/19 18:00	0	0	0	0	251.6	0	178	277.8	71.2	778.6	783.3
12/27/19 19:00	0	0	0	0	253.3	0	172.9	278.4	56.5	761.1	783.2
12/27/19 20:00	0	0	0	0	252.6	0	166.8	278.2	62.7	760.3	783.1
12/27/19 21:00	0	0	0	0	252.9	0	179.7	279.5	68.5	780.6	783.0
12/27/19 22:00	0	0	0	0	252.1	0	219	278.2	63.1	812.4	782.9
12/27/19 23:00	0	0	0	0	249	0	204.5	282.7	65	801.2	782.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/28/19 0:00	0	0	0	0	249.2	0	182.8	246	43	721.0	782.6
12/28/19 1:00	0	0	0	0	245.1	0	156.3	280.2	42.4	724.0	782.4
12/28/19 2:00	0	0	0	0	246.3	0	182.7	280.5	70.9	780.4	782.4
12/28/19 3:00	0	0	0	0	246.8	0	208.3	279.8	55.6	790.5	782.5
12/28/19 4:00	0	0	0	0	249.3	0	157.9	278	61.7	746.9	782.4
12/28/19 5:00	0	0	0	0	252.1	0	175.2	279.1	66.6	773.0	782.4
12/28/19 6:00	0	0	0	0	251.7	0	148.5	278.2	80.1	758.5	782.1
12/28/19 7:00	0	0	0	0	251.6	0	169.7	280.2	63.3	764.8	782.1
12/28/19 8:00	0	0	0	0	247.8	0	209.2	278.8	68.4	804.2	782.1
12/28/19 9:00	0	0	0	0	244.5	0	134.1	279.9	60.5	719.0	782.0
12/28/19 10:00	0	0	0	0	244.1	0	77.3	278.8	65.1	665.3	782.0
12/28/19 11:00	0	0	0	0	243.6	0	115.7	275	59.9	694.2	781.9
12/28/19 12:00	0	0	0	0	248.5	0	83.9	341	89.3	762.7	781.9
12/28/19 13:00	0	0	0	0	252.8	0	91.3	278.1	62.8	685.0	781.9
12/28/19 14:00	0	0	0	0	254.5	0	90.2	276.6	59.5	680.8	781.9
12/28/19 15:00	0	0	0	0	253.6	0	92.4	278.4	65	689.4	781.9
12/28/19 16:00	0	0	0	0	254.7	0	92.2	277.9	64.5	689.3	781.9
12/28/19 17:00	0	0	0	0	254.9	0	105.1	277.5	58.5	696.0	781.8
12/28/19 18:00	0	0	0	0	253.9	0	133.2	278.3	65.2	730.6	781.7
12/28/19 19:00	0	0	0	0	253.3	0	162.7	277.8	57.6	751.4	781.5
12/28/19 20:00	0	0	0	0	251.1	0	191	279.8	59.2	781.1	781.4
12/28/19 21:00	0	0	0	0	252.6	0	202.2	280.5	61.9	797.2	781.2
12/28/19 22:00	0	0	0	0	254.8	0	199.6	279.4	65.2	799.0	781.1
12/28/19 23:00	0	0	0	0	254.6	0	181.6	278.6	56.1	770.9	780.9
12/29/19 0:00	0	0	0	0	253.8	0	201.9	287.9	58.4	802.0	780.7
12/29/19 1:00	0	0	0	0	254	0	176.1	264.1	53.9	748.1	780.3
12/29/19 2:00	0	0	0	0	250.2	0	155.2	279.8	60.2	745.4	780.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/29/19 3:00	0	0	0	0	251.7	0	115	275.9	68.3	710.9	779.7
12/29/19 4:00	0	0	0	0	251.4	0	94.7	279.2	63	688.3	779.7
12/29/19 5:00	0	0	0	0	253.5	0	111.7	278.7	53.3	697.2	779.3
12/29/19 6:00	0	0	0	0	250.5	0	132	280.9	88.8	752.2	779.0
12/29/19 7:00	0	0	0	0	252.4	0	126.8	276.3	61.1	716.6	778.8
12/29/19 8:00	0	0	0	0	250.9	0	177.4	281.3	60.6	770.2	778.8
12/29/19 9:00	0	0	0	0	253.7	0	160.8	278.9	61.4	754.8	778.7
12/29/19 10:00	0	0	0	0	251.6	0	174.2	278.3	79.8	783.9	778.8
12/29/19 11:00	0	0	0	0	250.9	0	190.2	279	61.3	781.4	778.7
12/29/19 12:00	0	0	0	0	252.6	0	177.7	277.9	71	779.2	778.7
12/29/19 13:00	0	0	0	0	255.2	0	186	279	71.7	791.9	778.8
12/29/19 14:00	0	0	0	0	255.1	0	199.6	306.4	65.9	827.0	778.9
12/29/19 15:00	0	0	0	0	253.4	0	190.1	279.3	61.7	784.5	779.0
12/29/19 16:00	0	0	0	0	254.4	0	179.3	279.2	57.7	770.6	779.1
12/29/19 17:00	0	0	0	0	255	0	112.9	278.1	62.5	708.5	779.0
12/29/19 18:00	0	0	0	0	253.6	0	158.6	279.8	60	752.0	779.1
12/29/19 19:00	0	0	0	0	253.4	0	154.5	279.8	58.4	746.1	779.1
12/29/19 20:00	0	0	0	0	254.5	0	177.7	279.2	60.1	771.5	779.1
12/29/19 21:00	0	0	0	0	254.8	0	153.2	269.1	64.4	741.5	779.1
12/29/19 22:00	0	0	0	0	255.2	0	104.5	279.4	57	696.1	779.1
12/29/19 23:00	0	0	0	0	254.8	0	136.4	282	62.1	735.3	779.1
12/30/19 0:00	0	0	0	0	254.4	0	121.6	282.6	59.3	717.9	779.1
12/30/19 1:00	0	0	0	0	252.8	0	107.9	279.8	60.2	700.7	779.0
12/30/19 2:00	0	0	0	0	253.6	0	110.2	277.7	58	699.5	778.9
12/30/19 3:00	0	0	0	0	253.7	0	161.3	280	66.3	761.3	778.9
12/30/19 4:00	0	0	0	0	252.3	0	137.5	278.9	58.4	727.1	778.9
12/30/19 5:00	0	0	0	0	251.8	0	77.6	279.9	57.7	667.0	778.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/30/19 6:00	0	0	0	0	254.4	0	67.5	280.1	77.8	679.8	778.6
12/30/19 7:00	0	0	0	0	248.5	0	64.5	280.6	58.6	652.2	778.2
12/30/19 8:00	0	0	0	0	252.5	0	89.4	278.8	58.3	679.0	778.1
12/30/19 9:00	0	0	0	0	251.3	0	77	320.6	66.3	715.2	778.1
12/30/19 10:00	0	0	0	0	251.1	0	129.7	261.4	63.1	705.3	778.0
12/30/19 11:00	0	0	0	0	251.8	0	103	277.6	54.8	687.2	778.0
12/30/19 12:00	0	0	0	0	256.2	0	100.5	280.3	61.2	698.2	777.9
12/30/19 13:00	0	0	0	0	257.7	0	118.6	281.8	65.4	723.5	777.9
12/30/19 14:00	0	0	0	0	253.8	0	135	276.8	62.8	728.4	777.9
12/30/19 15:00	0	0	0	0	251.9	0	130.4	280	59.1	721.4	777.9
12/30/19 16:00	0	0	0	0	254.2	0	151.1	278.5	59.8	743.6	777.9
12/30/19 17:00	0	0	0	0	255.4	0	137.6	281.4	66.2	740.6	778.0
12/30/19 18:00	0	0	0	0	254.5	0	123.2	277.1	55.9	710.7	778.0
12/30/19 19:00	0	0	0	0	251.4	0	130.6	278.1	58.8	718.9	778.0
12/30/19 20:00	0	0	0	0	241	0	153.4	276.2	63.8	734.4	777.8
12/30/19 21:00	0	0	0	0	245.1	0	123	280.8	65.4	714.3	777.5
12/30/19 22:00	0	0	0	0	248	0	118	277.1	63.9	707.0	777.2
12/30/19 23:00	0	0	0	0	248.9	0	249.3	279.3	58.5	836.0	777.1
12/31/19 0:00	0	0	0	0	247.6	0	254.8	270.1	69.1	841.6	777.0
12/31/19 1:00	0	0	0	0	249.9	0	150.6	279.8	66.4	746.7	776.8
12/31/19 2:00	0	0	0	0	251.4	0	129.1	277.8	67	725.3	776.7
12/31/19 3:00	0	0	0	0	252.7	0	118.7	279.4	64.3	715.1	776.4
12/31/19 4:00	0	0	0	0	255.2	0	108.1	279.9	61.5	704.7	776.2
12/31/19 5:00	0	0	0	0	255.9	0	107.5	278.7	70.7	712.8	776.0
12/31/19 6:00	0	0	0	0	253.2	0	115.2	279.1	59	706.5	775.8
12/31/19 7:00	0	0	0	0	249.2	0	117.1	281.1	58.6	706.0	775.6
12/31/19 8:00	0	0	0	0	247.2	0	132	277.8	64.4	721.4	775.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/31/19 9:00	0	0	0	0	251.8	0	147.8	272.4	63.2	735.2	775.6
12/31/19 10:00	0	0	0	0	251.8	0	151.4	306.8	59.4	769.4	775.6
12/31/19 11:00	0	0	0	0	249.8	0	153.5	277.8	60.5	741.6	775.5
12/31/19 12:00	0	0	0	0	250.3	0	154	280.2	68.5	753.0	775.4
12/31/19 13:00	0	0	0	0	250.9	0	133.2	278.1	65.9	728.1	775.4
12/31/19 14:00	0	0	0	0	252.6	0	130.4	278.3	66.3	727.6	775.5
12/31/19 15:00	0	0	0	0	254.3	0	144.8	279.7	65.1	743.9	775.8
12/31/19 16:00	0	0	0	0	254.4	30.8	124.7	279.1	63.4	752.4	776.1
12/31/19 17:00	0	0	0	0	253.7	30.8	156.4	279.3	70.2	790.4	776.4
12/31/19 18:00	0	0	0	0	250	30.8	141.5	279.4	70	771.7	776.7
12/31/19 19:00	0	0	0	0	250.4	67	182.2	264.2	58.6	822.4	777.0
12/31/19 20:00	0	0	0	0	255.1	114	169.3	280.5	67.5	886.4	777.1
12/31/19 21:00	0	0	0	0	280.4	110.4	50.7	281.8	68.4	791.7	777.1
12/31/19 22:00	0	0	0	0	258.7	125	391.7	284.2	67.9	1127.5	777.6
12/31/19 23:00	0	0	0	0	250.7	255.1	405.5	278.4	71.5	1261.2	778.2
1/1/2020 0:00	0.0	0.0	0.0	0.0	245.9	330.4	398.4	277.5	64.8	1317.0	778.9
1/1/2020 1:00	0.0	0.0	0.0	0.0	248.1	273.2	325.6	281.7	88.4	1217.0	779.4
1/1/2020 2:00	0.0	0.0	0.0	0.0	245.2	194.0	259.3	277.7	117.4	1093.6	779.7
1/1/2020 3:00	0.0	0.0	0.0	0.0	246.5	152.4	265.7	279.3	69.4	1013.3	780.0
1/1/2020 4:00	0.0	0.0	0.0	0.0	248.2	139.7	255.5	278.6	62.4	984.4	780.2
1/1/2020 5:00	0.0	0.0	0.0	0.0	247.3	137.3	217.3	279.2	57.6	938.7	780.2
1/1/2020 6:00	0.0	0.0	0.0	0.0	246.3	115.1	245.3	281.4	80	968.1	780.3
1/1/2020 7:00	0.0	0.0	0.0	0.0	243.3	107.2	295.2	278.6	61.1	985.4	780.3
1/1/2020 8:00	0.0	0.0	0.0	0.0	236.8	93.7	306.3	279.9	61.2	977.9	780.4
1/1/2020 9:00	0.0	0.0	0.0	0.0	239.0	104.3	269.4	297.5	62.6	972.8	780.6
1/1/2020 10:00	0.0	0.0	0.0	0.0	238.5	88.4	248.7	311.9	34.9	922.4	780.6
1/1/2020 11:00	0.0	0.0	0.0	0.0	242.7	85.3	259.1	279.3	55.3	921.7	780.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
1/1/2020 12:00	0.0	0.0	0.0	0.0	247.0	91.5	320.1	279.6	65.5	1003.7	781.1
1/1/2020 13:00	0.0	0.0	0.0	0.0	187.9	96.0	295.1	278.2	63	920.2	781.3
1/1/2020 14:00	0.0	0.0	0.0	0.0	34.0	81.0	279.3	285.1	67.3	746.7	781.3
1/1/2020 15:00	0.0	0.0	0.0	0.0	0.0	107.0	289.5	279.2	55.6	731.3	781.3
1/1/2020 16:00	0.0	0.0	0.0	0.0	0.0	136.3	266.0	279.6	57.8	739.7	781.3
1/1/2020 17:00	0.0	0.0	0.0	0.0	0.0	136.7	263.5	280.4	65.5	746.1	781.3
1/1/2020 18:00	0.0	0.0	0.0	0.0	0.0	135.3	259.6	279.5	69.6	744.0	781.0
1/1/2020 19:00	0.0	0.0	0.0	0.0	0.0	142.9	253.3	277.3	53.3	726.8	780.8
1/1/2020 20:00	0.0	0.0	0.0	0.0	0.0	159.2	287.6	278.5	55.9	781.2	780.5
1/1/2020 21:00	0.0	0.0	0.0	0.0	0.0	157.5	297.7	279.9	60.3	795.4	780.4
1/1/2020 22:00	0.0	0.0	0.0	0.0	0.0	145.0	266.4	278.2	55.5	745.1	780.1
1/1/2020 23:00	0.0	0.0	0.0	0.0	0.0	142.1	255.9	279.8	63.1	740.9	779.8
1/2/2020 0:00	0.0	0.0	0.0	0.0	0.0	135.6	247.9	267.9	99.2	750.6	779.7
1/2/2020 1:00	0.0	0.0	0.0	0.0	0.0	154.6	277.8	276.4	63.5	772.3	779.5
1/2/2020 2:00	0.0	0.0	0.0	0.0	0.0	151.6	259.5	277.8	70.6	759.5	779.3
1/2/2020 3:00	0.0	0.0	0.0	0.0	0.0	150.9	255.6	279.2	69	754.7	779.1
1/2/2020 4:00	0.0	0.0	0.0	0.0	0.0	133.4	226.6	279.4	74	713.4	778.9
1/2/2020 5:00	0.0	0.0	0.0	0.0	0.0	135.0	225.8	278.9	60.6	700.3	778.6
1/2/2020 6:00	0.0	0.0	0.0	0.0	0.0	145.4	221.5	279.7	80.8	727.4	778.4
1/2/2020 7:00	0.0	0.0	0.0	0.0	0.0	151.9	237.1	280.1	68.8	737.9	778.3
1/2/2020 8:00	0.0	0.0	0.0	0.0	0.0	152.9	256.3	269.9	66.6	745.7	778.0
1/2/2020 9:00	0.0	0.0	0.0	0.0	0.0	167.9	262.7	285.2	68.4	784.2	777.7
1/2/2020 10:00	0.0	0.0	0.0	0.0	0.0	189.7	257.5	280.9	78.7	806.8	777.3
1/2/2020 11:00	0.0	0.0	0.0	0.0	0.0	193.4	246.6	319.1	69.5	828.6	777.1
1/2/2020 12:00	0.0	0.0	0.0	0.0	0.0	203.4	278.8	294.4	75.8	852.4	777.0
1/2/2020 13:00	0.0	0.0	0.0	0.0	0.0	193.0	282.8	282.9	69	827.7	776.9
1/2/2020 14:00	0.0	0.0	0.0	0.0	0.0	143.1	220.9	277.8	58.2	700.0	776.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
1/2/2020 15:00	0.0	0.0	0.0	0.0	0.0	146.1	229.4	278.9	57.5	711.9	776.0
1/2/2020 16:00	0.0	0.0	0.0	0.0	0.0	142.8	222.2	276.8	46.3	688.1	775.6
1/2/2020 17:00	0.0	0.0	0.0	0.0	0.0	165.3	237.6	281.3	51.8	736.0	775.2
1/2/2020 18:00	0.0	0.0	0.0	0.0	0.0	171.8	235.0	277.2	52.6	736.6	774.9
1/2/2020 19:00	0.0	0.0	0.0	0.0	0.0	193.9	259.1	278.8	49.8	781.6	774.6
1/2/2020 20:00	0.0	0.0	0.0	0.0	0.0	192.3	275.6	278.2	52.8	798.9	774.3
1/2/2020 21:00	0.0	0.0	0.0	0.0	0.0	178.9	261.2	280.6	54	774.7	774.0
1/2/2020 22:00	0.0	0.0	0.0	0.0	0.0	171.9	242.9	279.9	55.9	750.6	773.7
1/2/2020 23:00	0.0	0.0	0.0	0.0	0.0	179.1	257.2	276.3	78.9	791.5	773.4
1/3/2020 0:00	0.0	0.0	0.0	0.0	0.0	165.0	246.6	277.1	43.5	732.2	773.1
1/3/2020 1:00	0.0	0.0	0.0	0.0	0.0	168.5	241.6	280.1	60.7	750.9	772.8
1/3/2020 2:00	0.0	0.0	0.0	0.0	0.0	151.4	256.7	278.2	56.8	743.1	772.5
1/3/2020 3:00	0.0	0.0	0.0	0.0	0.0	141.3	249.2	279.2	62.6	732.3	772.2
1/3/2020 4:00	0.0	0.0	0.0	0.0	0.0	136.2	242.8	280.6	52.8	712.4	771.8
1/3/2020 5:00	0.0	0.0	0.0	0.0	0.0	171.9	260.4	277.3	52.5	762.1	771.5
1/3/2020 6:00	0.0	0.0	0.0	0.0	0.0	173.1	275.3	273.4	68.6	790.4	771.3
1/3/2020 7:00	0.0	0.0	0.0	0.0	0.0	177.7	286.0	279.3	54.9	797.9	771.1
1/3/2020 8:00	0.0	0.0	0.0	0.0	0.0	171.0	281.8	282	54.9	789.7	770.9
1/3/2020 9:00	0.0	0.0	0.0	0.0	0.0	163.5	263.3	280.6	59.8	767.2	770.6
1/3/2020 10:00	0.0	0.0	0.0	0.0	0.0	137.5	213.4	278.1	68.5	697.5	770.2
1/3/2020 11:00	0.0	0.0	0.0	0.0	0.0	147.2	236.9	279.1	64.6	727.8	769.8
1/3/2020 12:00	0.0	0.0	0.0	0.0	0.0	166.0	246.7	278.4	82.2	773.3	769.4
1/3/2020 13:00	0.0	0.0	0.0	0.0	0.0	179.0	261.9	282.9	39.7	763.5	769.0
1/3/2020 14:00	0.0	0.0	0.0	0.0	0.0	177.8	255.8	278.3	53.8	765.7	768.6
1/3/2020 15:00	0.0	0.0	0.0	0.0	0.0	192.1	272.2	280.7	59.2	804.2	768.4
1/3/2020 16:00	0.0	0.0	0.0	0.0	0.0	172.7	259.4	280	58.3	770.4	768.1
1/3/2020 17:00	0.0	0.0	0.0	0.0	0.0	147.4	233.8	283	76.9	741.1	767.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
1/3/2020 18:00	0.0	0.0	0.0	0.0	0.0	176.6	236.8	301.6	71.7	786.7	767.3
1/3/2020 19:00	0.0	0.0	0.0	0.0	0.0	171.9	224.3	306.7	62.1	765.0	766.9
1/3/2020 20:00	0.0	0.0	0.0	0.0	0.0	181.3	251.2	279.4	83.1	795.0	766.6
1/3/2020 21:00	0.0	0.0	0.0	0.0	0.0	156.4	224.7	279.1	67.2	727.4	766.1
1/3/2020 22:00	0.0	0.0	0.0	0.0	0.0	157.6	223.7	281.2	75.1	737.6	765.8
1/3/2020 23:00	0.0	0.0	0.0	0.0	0.0	173.6	240.4	269.6	71.7	755.3	765.4
1/4/2020 0:00	0.0	0.0	0.0	0.0	0.0	159.3	228.2	278.1	97.4	763.0	764.9
1/4/2020 1:00	0.0	0.0	0.0	0.0	0.0	160.3	232.1	281.2	77.2	750.8	764.4
1/4/2020 2:00	0.0	0.0	0.0	0.0	0.0	159.5	236.7	280.1	79.3	755.6	764.0
1/4/2020 3:00	0.0	0.0	0.0	0.0	0.0	157.6	236.2	280.8	124.1	798.7	763.6
1/4/2020 4:00	0.0	0.0	0.0	0.0	0.0	161.6	244.7	278.6	123.5	808.4	763.2
1/4/2020 5:00	0.0	0.0	0.0	0.0	0.0	159.7	245.2	279.5	74.4	758.8	762.5
1/4/2020 6:00	0.0	0.0	0.0	0.0	0.0	139.7	234.0	280.7	141.5	795.9	762.0
1/4/2020 7:00	0.0	0.0	0.0	0.0	0.0	127.0	214.5	278.8	89.9	710.2	761.5
1/4/2020 8:00	0.0	0.0	0.0	0.0	0.0	335.3	360.3	285.3	74.8	1055.7	761.5
1/4/2020 9:00	0.0	0.0	0.0	0.0	0.0	185.9	265.8	281.8	81	814.5	761.2
1/4/2020 10:00	0.0	0.0	0.0	0.0	0.0	192.0	276.6	278.7	81.3	828.6	761.0
1/4/2020 11:00	0.0	0.0	0.0	0.0	0.0	183.0	267.5	284.5	83.1	818.1	760.7
1/4/2020 12:00	0.0	0.0	0.0	0.0	0.0	159.0	265.3	316.1	130.3	870.7	760.5
1/4/2020 13:00	0.0	0.0	0.0	0.0	0.0	179.2	269.0	280.2	84.4	812.8	760.3
1/4/2020 14:00	0.0	0.0	0.0	0.0	0.0	169.5	262.9	280.7	85.2	798.3	760.1
1/4/2020 15:00	0.0	0.0	0.0	0.0	0.0	166.8	261.5	280.1	78.6	787.0	759.7
1/4/2020 16:00	0.0	0.0	0.0	0.0	0.0	177.4	276.1	279.4	82.9	815.8	759.4
1/4/2020 17:00	0.0	0.0	0.0	0.0	0.0	168.8	272.5	279.3	66.8	787.4	759.0
1/4/2020 18:00	0.0	0.0	0.0	0.0	0.0	165.7	270.4	278	79.4	793.5	758.7
1/4/2020 19:00	0.0	0.0	0.0	0.0	0.0	175.7	285.0	277	69.5	807.2	758.4
1/4/2020 20:00	0.0	0.0	0.0	0.0	0.0	171.4	274.6	281.9	80.5	808.4	758.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
1/4/2020 21:00	0.0	0.0	0.0	0.0	0.0	192.5	299.6	280	83.6	855.7	757.9
1/4/2020 22:00	0.0	0.0	0.0	0.0	0.0	167.4	268.8	281.1	88.8	806.1	757.7
1/4/2020 23:00	0.0	0.0	0.0	0.0	0.0	151.8	258.0	294.1	91.7	795.6	757.3
1/5/2020 0:00	0.0	0.0	0.0	0.0	0.0	160.8	270.7	274.6	100.1	806.2	757.1
1/5/2020 1:00	0.0	0.0	0.0	0.0	0.0	167.6	270.6	278	78.1	794.3	756.7
1/5/2020 2:00	0.0	0.0	0.0	0.0	0.0	162.4	266.1	285.3	85.5	799.3	756.5
1/5/2020 3:00	0.0	0.0	0.0	0.0	0.0	172.8	272.5	270.8	85.5	801.6	756.2
1/5/2020 4:00	0.0	0.0	0.0	0.0	0.0	185.8	280.3	278.2	78.1	822.4	756.0
1/5/2020 5:00	0.0	0.0	0.0	0.0	0.0	204.4	292.9	280.7	82	860.0	755.7
1/5/2020 6:00	0.0	0.0	0.0	0.0	0.0	194.4	288.2	275.5	92.5	850.6	755.5
1/5/2020 7:00	0.0	0.0	0.0	0.0	0.0	186.0	286.5	277.5	74.5	824.5	755.2
1/5/2020 8:00	0.0	0.0	0.0	0.0	0.0	167.9	267.3	280.6	88	803.8	754.9
1/5/2020 9:00	0.0	0.0	0.0	0.0	0.0	186.8	286.5	280.8	75	829.1	754.6
1/5/2020 10:00	0.0	0.0	0.0	0.0	0.0	187.3	291.2	279.7	80.4	838.6	754.4
1/5/2020 11:00	0.0	0.0	0.0	0.0	0.0	181.3	285.2	278.7	80.5	825.7	754.4
1/5/2020 12:00	0.0	0.0	0.0	0.0	0.0	170.4	269.3	320.9	77.8	838.4	754.4
1/5/2020 13:00	0.0	0.0	0.0	0.0	0.0	166.1	274.6	279.7	58	778.4	754.2
1/5/2020 14:00	0.0	0.0	0.0	0.0	0.0	171.4	270.4	278.2	60.7	780.7	754.1
1/5/2020 15:00	0.0	0.0	0.0	0.0	0.0	160.0	260.5	279.2	75.8	775.5	754.0
1/5/2020 16:00	0.0	0.0	0.0	0.0	0.0	154.6	254.0	280.5	76.1	765.2	753.9
1/5/2020 17:00	0.0	0.0	0.0	0.0	0.0	184.1	281.1	278.7	88.8	832.7	753.9
1/5/2020 18:00	0.0	0.0	0.0	0.0	0.0	185.8	278.7	280.9	71.7	817.1	753.7
1/5/2020 19:00	0.0	0.0	0.0	0.0	0.0	167.3	270.7	279.6	79.3	796.9	753.5
1/5/2020 20:00	0.0	0.0	0.0	0.0	0.0	184.7	278.3	279	82	824.0	753.4
1/5/2020 21:00	0.0	0.0	0.0	0.0	0.0	195.2	289.6	279.3	79.3	843.4	753.2
1/5/2020 22:00	0.0	0.0	0.0	0.0	0.0	206.5	299.9	280.2	75.7	862.3	753.1
1/5/2020 23:00	0.0	0.0	0.0	0.0	0.0	213.8	315.0	279.2	91.4	899.4	753.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
1/6/2020 0:00	0.0	0.0	0.0	0.0	0.0	214.2	318.0	285	90.1	907.3	753.0
1/6/2020 1:00	0.0	0.0	0.0	0.0	0.0	204.4	306.5	277.8	102.1	890.8	752.9
1/6/2020 2:00	0.0	0.0	0.0	0.0	0.0	193.8	288.1	282.9	81	845.8	752.7
1/6/2020 3:00	0.0	0.0	0.0	0.0	0.0	204.7	304.0	280.3	82.7	871.7	752.6
1/6/2020 4:00	0.0	0.0	0.0	0.0	0.0	171.7	273.5	279.2	79.5	803.9	752.4
1/6/2020 5:00	0.0	0.0	0.0	0.0	0.0	164.0	269.5	279	93	805.5	752.2
1/6/2020 6:00	0.0	0.0	0.0	0.0	0.0	154.3	266.0	273.2	76.2	769.7	751.9
1/6/2020 7:00	0.0	0.0	0.0	0.0	0.0	189.1	306.2	265.1	22.2	782.6	751.7
1/6/2020 8:00	0.0	0.0	0.0	0.0	0.0	184.0	288.6	257.5	71.6	801.7	751.5
1/6/2020 9:00	0.0	0.0	0.0	0.0	0.0	161.6	269.0	266.4	46.5	743.5	751.3
1/6/2020 10:00	0.0	0.0	0.0	0.0	0.0	147.3	255.1	274.6	60.8	737.8	751.1
1/6/2020 11:00	0.0	0.0	0.0	0.0	0.0	136.6	239.4	277	55.6	708.6	750.7
1/6/2020 12:00	0.0	0.0	0.0	0.0	0.0	158.9	260.6	277.7	61.4	758.6	750.5
1/6/2020 13:00	0.0	0.0	0.0	0.0	0.0	171.0	274.5	319.6	71.9	837.0	750.4
1/6/2020 14:00	0.0	0.0	0.0	0.0	0.0	168.4	273.8	279.6	108.5	830.3	750.2
1/6/2020 15:00	0.0	0.0	0.0	0.0	0.0	152.2	265.7	277.9	71.8	767.6	750.0
1/6/2020 16:00	0.0	0.0	0.0	0.0	0.0	174.5	285.4	281	56.5	797.4	750.0
1/6/2020 17:00	0.0	0.0	0.0	0.0	0.0	145.3	260.2	280.1	56.6	742.2	750.1
1/6/2020 18:00	0.0	0.0	0.0	0.0	0.0	151.8	263.9	282.3	137.3	835.3	750.3
1/6/2020 19:00	0.0	0.0	0.0	0.0	0.0	172.3	286.9	300.2	124.7	884.1	750.7
1/6/2020 20:00	0.0	0.0	0.0	0.0	0.0	177.5	282.6	278.1	42.1	780.3	750.8
1/6/2020 21:00	0.0	0.0	0.0	0.0	0.0	177.3	284.6	278.7	58.3	798.9	751.0
1/6/2020 22:00	0.0	0.0	0.0	0.0	0.0	192.0	307.3	269.7	41.4	810.4	751.2
1/6/2020 23:00	0.0	0.0	0.0	0.0	0.0	178.1	287.6	278.5	53.7	797.9	751.4
1/7/2020 0:00	0.0	0.0	0.0	0.0	0.0	158.5	261.5	278.2	68	766.2	751.5
1/7/2020 1:00	0.0	0.0	0.0	0.0	0.0	168.2	270.3	279.9	61.3	779.7	751.7
1/7/2020 2:00	0.0	0.0	0.0	0.0	0.0	164.9	263.1	278.1	59.1	765.2	751.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
1/7/2020 3:00	0.0	0.0	0.0	0.0	0.0	179.6	273.6	282.4	51.9	787.5	752.0
1/7/2020 4:00	0.0	0.0	0.0	0.0	0.0	183.3	275.6	279.4	54.1	792.4	752.2
1/7/2020 5:00	0.0	0.0	0.0	0.0	0.0	193.5	297.3	278.7	54.3	823.8	752.4
1/7/2020 6:00	0.0	0.0	0.0	0.0	0.0	187.8	287.9	278.5	44.6	798.8	752.6
1/7/2020 7:00	0.0	0.0	0.0	0.0	0.0	179.9	281.2	279	50.8	790.9	752.8
1/7/2020 8:00	0.0	0.0	0.0	0.0	0.0	167.2	251.6	279.8	51.4	750.0	752.9
1/7/2020 9:00	0.0	0.0	0.0	0.0	0.0	170.1	250.6	273.9	55.6	750.2	753.0
1/7/2020 10:00	0.0	0.0	0.0	0.0	0.0	161.7	241.2	279.2	55.5	737.6	753.1
1/7/2020 11:00	0.0	0.0	0.0	0.0	0.0	161.0	245.4	278.5	46.2	731.1	753.2
1/7/2020 12:00	0.0	0.0	0.0	0.0	0.0	162.5	248.8	280.9	50.9	743.1	753.2
1/7/2020 13:00	0.0	0.0	0.0	0.0	0.0	153.8	238.8	313.9	62.2	768.7	753.4
1/7/2020 14:00	0.0	0.0	0.0	0.0	0.0	133.3	223.5	279.6	48.7	685.1	753.4
1/7/2020 15:00	0.0	0.0	0.0	0.0	0.0	139.2	227.6	279.5	51.6	697.9	753.5
1/7/2020 16:00	0.0	0.0	0.0	0.0	0.0	139.7	213.8	278.1	51.4	683.0	753.5
1/7/2020 17:00	0.0	0.0	0.0	0.0	0.0	144.3	221.1	280.2	81.1	726.7	753.6
1/7/2020 18:00	0.0	0.0	0.0	0.0	0.0	125.6	207.0	279	25.7	637.3	753.7
1/7/2020 19:00	0.0	0.0	0.0	0.0	0.0	124.0	158.0	279.8	35.8	597.6	753.6
1/7/2020 20:00	0.0	0.0	0.0	0.0	0.0	440.5	37.8	280.3	154.8	913.4	754.0
1/7/2020 21:00	0.0	0.0	0.0	0.0	0.0	212.3	0.4	280.1	50.2	543.0	753.9
1/7/2020 22:00	0.0	0.0	0.0	0.0	0.0	89.2	0.0	279.6	37.5	406.3	753.5
1/7/2020 23:00	0.0	0.0	0.0	0.0	0.0	91.8	0.0	279.2	21.8	392.8	753.1
1/8/2020 0:00	0.0	0.0	0.0	0.0	0.0	101.9	0.0	291.9	46.2	440.0	753.0
1/8/2020 1:00	0.0	0.0	0.0	0.0	0.0	78.0	0.0	281.3	60.7	420.0	752.9
1/8/2020 2:00	0.0	0.0	177.1	0.0	0.0	72.9	0.0	278.6	69	597.6	753.0
1/8/2020 3:00	0.0	0.0	230.6	0.0	0.0	81.6	0.0	280	47.7	639.9	753.0
1/8/2020 4:00	0.0	0.0	228.5	0.0	0.0	92.6	0.0	278.4	47.5	647.0	752.7
1/8/2020 5:00	0.0	0.0	214.9	0.0	0.0	66.9	0.0	279.5	49.7	611.0	752.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
1/8/2020 6:00	0.0	0.0	219.6	0.0	0.0	99.1	0.0	277.9	47.4	644.0	752.1
1/8/2020 7:00	0.0	0.0	221.1	0.0	0.0	122.8	0.0	278.7	47.6	670.2	751.7
1/8/2020 8:00	0.0	0.0	242.3	0.0	0.0	98.5	0.0	279.1	49	668.9	751.3
1/8/2020 9:00	0.0	0.0	237.3	0.0	0.0	86.9	0.0	279.9	50.7	654.8	750.9
1/8/2020 10:00	0.0	0.0	234.6	0.0	0.0	120.4	0.0	271.2	57.8	684.0	750.9
1/8/2020 11:00	0.0	0.0	211.9	0.0	0.0	76.5	0.0	278.6	46.1	613.1	750.8
1/8/2020 12:00	0.0	0.0	219.9	0.0	0.0	101.8	0.0	280.7	48.2	650.6	750.6
1/8/2020 13:00	0.0	0.0	227.7	0.0	0.0	115.9	0.0	316.5	58.1	718.2	750.6
1/8/2020 14:00	0.0	0.0	220.6	0.0	0.0	294.4	0.0	279	46.2	840.2	750.8
1/8/2020 15:00	0.0	0.0	224.3	0.0	0.0	112.6	0.0	278.3	47.4	662.6	750.8
1/8/2020 16:00	0.0	0.0	230.2	0.0	0.0	121.4	0.0	279.7	38.2	669.5	750.7
1/8/2020 17:00	0.0	0.0	232.2	0.0	0.0	130.6	0.0	278.4	40.5	681.7	750.7
1/8/2020 18:00	0.0	0.0	228.7	0.0	0.0	132.9	0.0	277.8	56.2	695.6	750.7
1/8/2020 19:00	0.0	0.0	234.4	0.0	0.0	155.2	0.0	279.1	41.8	710.5	750.8
1/8/2020 20:00	0.0	0.0	225.8	0.0	0.0	138.2	0.0	279.2	46.9	690.1	750.8
1/8/2020 21:00	0.0	0.0	227.5	0.0	0.0	155.1	0.0	280.7	49.3	712.6	750.8
1/8/2020 22:00	0.0	0.0	224.7	0.0	0.0	104.7	0.0	275.2	45.7	650.3	750.8
1/8/2020 23:00	0.0	0.0	215.5	0.0	0.0	95.4	0.0	279.1	50.1	640.1	750.7
1/9/2020 0:00	0.0	0.0	218.2	0.0	0.0	98.1	0.0	280.4	46.2	642.9	750.7
1/9/2020 1:00	0.0	0.0	225.4	0.0	0.0	109.7	0.0	279.2	46.1	660.4	750.6
1/9/2020 2:00	0.0	0.0	219.4	0.0	0.0	127.9	0.0	280	47.5	674.8	750.6
1/9/2020 3:00	0.0	0.0	221.6	0.0	0.0	143.2	0.0	277.5	52	694.3	750.6
1/9/2020 4:00	0.0	0.0	224.2	0.0	0.0	135.8	0.0	282.5	53.3	695.8	750.7
1/9/2020 5:00	0.0	0.0	228.6	0.0	0.0	118.7	0.0	282.6	64.3	694.2	750.7
1/9/2020 6:00	0.0	0.0	223.6	0.0	0.0	120.9	0.0	286	100	730.5	750.8
1/9/2020 7:00	0.0	0.0	223.6	0.0	0.0	84.7	0.0	280.7	38.2	627.2	750.8
1/9/2020 8:00	0.0	0.0	225.7	0.0	0.0	106.7	0.0	273.9	74.5	680.8	750.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
1/9/2020 9:00	0.0	0.0	224.0	0.0	0.0	132.8	0.0	279	54.7	690.5	750.8
1/9/2020 10:00	0.0	0.0	227.3	0.0	0.0	129.1	0.0	278.7	72.9	708.0	750.9
1/9/2020 11:00	0.0	0.0	224.0	0.0	0.0	115.8	0.0	278.2	75.3	693.3	750.9
1/9/2020 12:00	0.0	0.0	219.0	0.0	0.0	141.2	0.0	278.8	67	706.0	750.9
1/9/2020 13:00	0.0	0.0	229.4	0.0	0.0	108.2	0.0	333.9	61.9	733.4	750.9
1/9/2020 14:00	0.0	0.0	229.0	0.0	0.0	110.5	0.0	279.6	64.4	683.5	751.0
1/9/2020 15:00	0.0	0.0	209.8	0.0	0.0	120.5	0.0	277.4	75.1	682.8	750.9
1/9/2020 16:00	0.0	0.0	219.2	0.0	0.0	104.2	0.0	281	70.2	674.6	751.0
1/9/2020 17:00	0.0	0.0	215.1	0.0	0.0	102.8	0.0	279.1	78.2	675.2	751.0
1/9/2020 18:00	0.0	0.0	226.8	0.0	0.0	121.1	0.0	276.7	70.2	694.8	751.1
1/9/2020 19:00	0.0	0.0	229.3	0.0	0.0	137.5	0.0	277.8	64.3	708.9	751.2
1/9/2020 20:00	0.0	0.0	234.3	0.0	0.0	153.8	0.0	281.4	70.5	740.0	751.3
1/9/2020 21:00	0.0	0.0	226.9	0.0	0.0	117.4	0.0	269.4	71.9	685.6	751.3
1/9/2020 22:00	0.0	0.0	228.8	0.0	0.0	90.2	0.0	278.3	60.6	657.9	751.4
1/9/2020 23:00	0.0	0.0	224.4	0.0	0.0	95.2	0.0	280.1	68.8	668.5	751.4
1/10/2020 0:00	0.0	0.0	220.1	0.0	0.0	88.4	0.0	275.9	58.4	642.8	751.3
1/10/2020 1:00	0.0	0.0	218.2	0.0	0.0	85.0	0.0	279.9	68.7	651.8	751.3
1/10/2020 2:00	0.0	0.0	228.0	0.0	0.0	85.8	0.0	280.3	69.6	663.7	751.3
1/10/2020 3:00	0.0	0.0	223.1	0.0	0.0	89.5	0.0	278.3	59.2	650.1	751.2
1/10/2020 4:00	0.0	0.0	231.1	0.0	0.0	113.7	0.0	279.1	67.9	691.8	751.2
1/10/2020 5:00	0.0	0.0	224.6	0.0	0.0	105.5	0.0	280.4	59	669.5	751.2
1/10/2020 6:00	0.0	0.0	227.6	0.0	0.0	102.6	0.0	283.5	108.8	722.5	751.3
1/10/2020 7:00	0.0	0.0	228.8	0.0	0.0	116.7	0.0	279.8	59.7	685.0	751.3
1/10/2020 8:00	0.0	0.0	226.8	0.0	0.0	116.6	0.0	277.9	60.5	681.8	751.3
1/10/2020 9:00	0.0	0.0	233.3	0.0	0.0	115.3	0.0	273.5	70.9	693.0	751.2
1/10/2020 10:00	0.0	0.0	231.3	0.0	0.0	99.5	0.0	281.3	59.3	671.4	751.2
1/10/2020 11:00	0.0	0.0	223.4	0.0	0.0	89.7	0.0	278.7	55.9	647.7	751.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
1/10/2020 12:00	0.0	0.0	206.8	0.0	0.0	94.4	0.0	278.4	54.5	634.1	751.0
1/10/2020 13:00	0.0	0.0	226.6	0.0	0.0	77.6	0.0	279.5	73.7	657.4	751.0
1/10/2020 14:00	0.0	0.0	227.2	0.0	0.0	69.7	0.0	279	63	638.9	750.9
1/10/2020 15:00	0.0	0.0	218.2	0.0	0.0	70.5	0.0	279	69.4	637.1	750.8
1/10/2020 16:00	0.0	0.0	197.6	0.0	0.0	51.0	0.0	278.6	60.6	587.8	750.6
1/10/2020 17:00	0.0	0.0	192.3	0.0	0.0	62.4	0.0	278.8	62.7	596.2	750.4
1/10/2020 18:00	0.0	0.0	194.0	0.0	0.0	57.5	0.0	278.5	73.9	603.9	750.1
1/10/2020 19:00	0.0	0.0	195.8	0.0	0.0	57.2	0.0	279.1	74.5	606.6	749.7
1/10/2020 20:00	0.0	0.0	197.3	0.0	0.0	54.3	0.0	280.8	57.9	590.3	749.6
1/10/2020 21:00	0.0	0.0	199.2	0.0	0.0	54.1	0.0	277.1	72.6	603.0	749.4
1/10/2020 22:00	0.0	0.0	196.9	0.0	0.0	54.3	0.0	281.5	61.3	594.0	749.3
1/10/2020 23:00	0.0	0.0	199.5	0.0	0.0	54.3	0.0	279.4	61.9	595.1	749.1
1/11/2020 0:00	0.0	0.0	198.5	0.0	0.0	55.1	0.0	278.5	54.2	586.3	749.0
1/11/2020 1:00	0.0	0.0	188.1	0.0	0.0	67.7	0.0	278.8	75.8	610.4	748.9
1/11/2020 2:00	0.0	0.0	203.0	0.0	0.0	71.2	9.3	278.7	56.6	618.8	748.8
1/11/2020 3:00	0.0	0.0	180.8	0.0	0.0	75.2	9.3	280.4	58	603.7	748.6
1/11/2020 4:00	0.0	0.0	192.6	0.0	0.0	101.9	23.9	279.5	49.9	647.8	748.6
1/11/2020 5:00	0.0	0.0	195.6	0.0	0.0	103.2	76.0	279.5	64.9	719.2	748.6
1/11/2020 6:00	0.0	0.0	202.0	0.0	0.0	122.2	75.3	277.5	108.6	785.6	748.7
1/11/2020 7:00	0.0	0.0	230.3	0.0	0.0	109.1	71.2	278.8	59.3	748.7	748.8
1/11/2020 8:00	0.0	0.0	230.5	0.0	0.0	230.9	92.2	278.8	62.1	894.5	749.0
1/11/2020 9:00	0.0	0.0	218.7	0.0	0.0	269.9	60.4	334.1	58.2	941.3	749.4
1/11/2020 10:00	0.0	0.0	122.5	0.0	0.0	119.3	145.8	277.3	64.1	729.0	749.4
1/11/2020 11:00	0.0	0.0	112.4	0.0	0.0	117.7	167.0	282.2	58.6	737.9	749.5
1/11/2020 12:00	0.0	0.0	112.9	0.0	0.0	122.0	166.3	281	65.4	747.6	749.6
1/11/2020 13:00	0.0	0.0	123.0	0.0	0.0	114.6	145.8	278.6	61.7	723.7	749.5
1/11/2020 14:00	0.0	0.0	174.0	0.0	0.0	98.0	137.8	277.7	62.7	750.2	749.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
1/11/2020 15:00	0.0	0.0	0.2	0.0	0.0	129.4	140.3	279.3	54.5	603.7	749.5
1/11/2020 16:00	0.0	0.0	0.0	0.0	0.0	101.3	137.5	279.2	56.6	574.6	749.3
1/11/2020 17:00	0.0	0.0	0.0	0.0	0.0	105.1	142.4	278.4	60.6	586.5	749.1
1/11/2020 18:00	0.0	0.0	0.0	0.0	0.0	103.5	160.5	276.4	74.9	615.3	749.0
1/11/2020 19:00	0.0	0.0	0.0	0.0	0.0	95.4	156.3	262.3	38.5	552.5	748.7
1/11/2020 20:00	0.0	0.0	0.0	0.0	0.0	97.5	155.1	277.9	60.1	590.6	748.6
1/11/2020 21:00	0.0	0.0	0.0	0.0	0.0	96.4	152.1	279.9	54.1	582.5	748.4
1/11/2020 22:00	0.0	0.0	0.0	0.0	0.0	110.5	172.0	279.8	47.5	609.8	748.3
1/11/2020 23:00	0.0	0.0	0.0	0.0	0.0	128.8	188.9	281.4	49.6	648.7	748.3
1/12/2020 0:00	0.0	0.0	0.0	0.0	0.0	134.3	201.5	278	59.9	673.7	748.3
1/12/2020 1:00	0.0	0.0	0.0	0.0	0.0	109.6	170.0	279	59.7	618.3	748.2
1/12/2020 2:00	0.0	0.0	0.0	0.0	0.0	140.6	204.0	281.4	54.5	680.5	748.1
1/12/2020 3:00	0.0	0.0	0.0	0.0	0.0	152.0	205.4	278.9	58.8	695.1	748.2
1/12/2020 4:00	0.0	0.0	0.0	0.0	0.0	135.2	187.2	279.1	54.1	655.6	748.1
1/12/2020 5:00	0.0	0.0	0.0	0.0	0.0	123.9	194.2	280	45.4	643.5	748.0
1/12/2020 6:00	0.0	0.0	0.0	0.0	0.0	125.1	185.4	277.2	80	667.7	748.0
1/12/2020 7:00	0.0	0.0	0.0	0.0	0.0	113.0	181.0	286.5	63.2	643.7	747.9
1/12/2020 8:00	0.0	0.0	0.0	0.0	0.0	104.5	161.3	277.5	55.8	599.1	747.8
1/12/2020 9:00	0.0	0.0	0.0	0.0	0.0	108.6	156.3	279.2	56.5	600.6	747.6
1/12/2020 10:00	0.0	0.0	0.0	0.0	0.0	101.5	157.5	279.7	57.2	595.9	747.5
1/12/2020 11:00	0.0	0.0	0.0	0.0	0.0	136.4	203.9	281.3	63.2	684.8	747.5
1/12/2020 12:00	0.0	0.0	0.0	0.0	0.0	133.8	198.6	274.4	47.6	654.4	747.4
1/12/2020 13:00	0.0	0.0	0.0	0.0	0.0	132.9	218.2	277.1	42.4	670.6	747.3
1/12/2020 14:00	0.0	0.0	0.0	0.0	0.0	114.4	190.5	280.3	50.5	635.7	747.1
1/12/2020 15:00	0.0	0.0	0.0	0.0	0.0	126.8	204.2	279.3	61.7	672.0	747.1
1/12/2020 16:00	0.0	0.0	0.0	0.0	0.0	106.1	174.1	277.6	53.1	610.9	747.0
1/12/2020 17:00	0.0	0.0	0.0	0.0	0.0	100.5	166.7	279.9	63.1	610.2	746.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
1/12/2020 18:00	0.0	0.0	0.0	0.0	0.0	108.5	175.3	277.2	53.8	614.8	746.8
1/12/2020 19:00	0.0	0.0	0.0	0.0	0.0	112.7	171.7	283.5	57.7	625.6	746.7
1/12/2020 20:00	0.0	0.0	0.0	0.0	0.0	121.3	186.7	270.8	64.9	643.7	746.7
1/12/2020 21:00	0.0	0.0	0.0	0.0	0.0	132.7	192.2	280.4	58.8	664.1	746.7
1/12/2020 22:00	0.0	0.0	0.0	0.0	0.0	126.4	178.7	277.5	66.3	648.9	746.6
1/12/2020 23:00	0.0	0.0	0.0	0.0	0.0	134.7	190.5	277.6	59.3	662.1	746.6
1/13/2020 0:00	0.0	0.0	0.0	0.0	0.0	137.1	200.5	286.4	59.3	683.3	746.6
1/13/2020 1:00	0.0	0.0	0.0	0.0	0.0	121.4	174.2	279.4	78	653.0	746.6
1/13/2020 2:00	0.0	0.0	0.0	0.0	0.0	139.7	197.8	279.6	56.6	673.7	746.6
1/13/2020 3:00	0.0	0.0	0.0	0.0	0.0	131.8	193.0	279.5	43.4	647.7	746.6
1/13/2020 4:00	0.0	0.0	0.0	0.0	0.0	144.3	211.0	278.5	56.2	690.0	746.6
1/13/2020 5:00	0.0	0.0	0.0	0.0	0.0	135.5	194.7	278.5	62.5	671.2	746.7
1/13/2020 6:00	0.0	0.0	0.0	0.0	0.0	147.2	217.4	279.1	92.4	736.1	746.7
1/13/2020 7:00	0.0	0.0	0.0	0.0	0.0	149.5	218.1	276.7	62.6	706.9	746.8
1/13/2020 8:00	0.0	0.0	0.0	0.0	0.0	155.2	235.7	283.9	55.6	730.4	747.0
1/13/2020 9:00	0.0	0.0	0.0	0.0	0.0	160.8	242.8	283.9	52.7	740.2	747.1
1/13/2020 10:00	0.0	0.0	0.0	0.0	0.0	156.7	248.5	282.2	63.3	750.7	747.2
1/13/2020 11:00	0.0	0.0	0.0	0.0	0.0	136.9	218.9	278.1	75.5	709.4	747.3
1/13/2020 12:00	0.0	0.0	0.0	0.0	0.0	133.4	193.7	268.9	124.1	720.1	747.4
1/13/2020 13:00	0.0	0.0	0.0	0.0	0.0	137.8	200.2	340.8	44.1	722.9	747.5
1/13/2020 14:00	0.0	0.0	0.0	0.0	0.0	135.0	197.4	346.7	45.5	724.6	747.6
1/13/2020 15:00	0.0	0.0	0.0	0.0	0.0	114.5	167.6	289.5	67.5	639.1	747.6
1/13/2020 16:00	0.0	0.0	0.0	0.0	0.0	97.2	152.8	276.5	67.5	594.0	747.4
1/13/2020 17:00	0.0	0.0	0.0	0.0	0.0	102.4	162.3	279.2	46	589.9	747.3
1/13/2020 18:00	0.0	0.0	0.0	0.0	0.0	88.4	145.3	280.4	60.9	575.0	747.2
1/13/2020 19:00	0.0	0.0	0.0	0.0	0.0	77.2	130.0	272	53.1	532.3	747.0
1/13/2020 20:00	0.0	0.0	0.0	0.0	0.0	68.8	121.4	278.7	50.9	519.8	746.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
1/13/2020 21:00	0.0	0.0	0.0	0.0	0.0	75.1	126.6	279	60.6	541.3	746.6
1/13/2020 22:00	0.0	0.0	0.0	0.0	0.0	81.8	151.1	279.4	70.2	582.5	746.5
1/13/2020 23:00	0.0	0.0	0.0	0.0	0.0	88.4	161.5	278.8	58.4	587.1	746.3
1/14/2020 0:00	0.0	0.0	0.0	0.0	0.0	93.6	157.2	282.7	54	587.5	746.2
1/14/2020 1:00	0.0	0.0	0.0	0.0	0.0	80.9	159.9	279.2	72.6	592.6	746.1
1/14/2020 2:00	0.0	0.0	0.0	0.0	0.0	70.5	140.7	278.4	63.3	552.9	745.9
1/14/2020 3:00	0.0	0.0	0.0	0.0	0.0	63.9	140.9	279.4	69.9	554.1	745.7
1/14/2020 4:00	0.0	0.0	0.0	0.0	0.0	67.0	140.4	278.2	54.4	540.0	745.5
1/14/2020 5:00	0.0	0.0	0.0	0.0	0.0	64.1	134.3	276.7	64.9	540.0	745.3
1/14/2020 6:00	0.0	0.0	0.0	0.0	0.0	66.7	127.2	281.1	92.3	567.3	745.1
1/14/2020 7:00	0.0	0.0	0.0	0.0	0.0	86.7	167.3	277.2	61.6	592.8	745.0
1/14/2020 8:00	0.0	0.0	0.0	0.0	0.0	101.9	171.5	281.1	64.6	619.1	744.9
1/14/2020 9:00	0.0	0.0	0.0	0.0	0.0	108.3	178.7	278.6	67.6	633.2	744.8
1/14/2020 10:00	0.0	0.0	0.0	0.0	0.0	90.2	167.2	278.4	97.2	633.0	744.7
1/14/2020 11:00	0.0	0.0	0.0	0.0	0.0	69.0	136.9	278.8	71.5	556.2	744.5
1/14/2020 12:00	0.0	0.0	0.0	0.0	0.0	66.6	141.4	259	152.3	619.3	744.4
1/14/2020 13:00	0.0	0.0	0.0	0.0	0.0	65.0	142.4	281.5	160	648.9	744.4
1/14/2020 14:00	0.0	0.0	0.0	0.0	0.0	59.3	136.6	278.9	121.5	596.3	744.2
1/14/2020 15:00	0.0	0.0	0.0	0.0	0.0	61.3	143.8	279.2	93.9	578.2	744.1
1/14/2020 16:00	0.0	0.0	0.0	0.0	0.0	57.2	129.7	278.3	57.8	523.0	743.9
1/14/2020 17:00	0.0	0.0	0.0	0.0	0.0	59.2	128.1	281.7	73.2	542.2	743.7
1/14/2020 18:00	0.0	0.0	0.0	0.0	0.0	59.2	131.5	273.4	80.5	544.6	743.5
1/14/2020 19:00	0.0	0.0	0.0	0.0	0.0	57.5	135.1	279.5	58	530.1	743.3
1/14/2020 20:00	0.0	0.0	0.0	0.0	0.0	55.6	128.2	278.3	67.1	529.2	743.1
1/14/2020 21:00	0.0	0.0	0.0	0.0	0.0	63.1	144.2	279.2	63.4	549.9	743.0
1/14/2020 22:00	0.0	0.0	0.0	0.0	0.0	75.2	142.8	280.8	62	560.8	742.8
1/14/2020 23:00	0.0	0.0	0.0	0.0	0.0	72.4	138.1	280.2	71.2	561.9	742.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
1/15/2020 0:00	0.0	0.0	0.0	0.0	0.0	69.4	133.4	285.1	71.7	559.6	742.2
1/15/2020 1:00	0.0	0.0	0.0	0.0	0.0	67.2	137.9	269.9	70.3	545.3	742.0
1/15/2020 2:00	0.0	0.0	0.0	0.0	0.0	63.7	138.8	282.4	77.4	562.3	741.8
1/15/2020 3:00	0.0	0.0	0.0	0.0	0.0	59.1	147.7	281.4	61.2	549.4	741.6
1/15/2020 4:00	0.0	0.0	0.0	0.0	0.0	62.1	157.2	276.9	64.8	561.0	741.4
1/15/2020 5:00	0.0	0.0	0.0	0.0	0.0	66.8	150.0	278.8	66.4	562.0	741.2
1/15/2020 6:00	0.0	0.0	0.0	0.0	0.0	56.1	146.0	275.6	68.4	546.1	741.0
1/15/2020 7:00	0.0	0.0	0.0	0.0	0.0	46.2	126.5	278	48.5	499.2	740.8
1/15/2020 8:00	0.0	0.0	0.0	0.0	0.0	50.9	153.8	276.2	48.5	529.4	740.6
1/15/2020 9:00	0.0	0.0	0.0	0.0	0.0	51.6	146.7	280.2	48.5	527.0	740.4
1/15/2020 10:00	0.0	0.0	0.0	0.0	0.0	51.4	167.8	279.6	48.5	547.3	740.3
1/15/2020 11:00	0.0	0.0	0.0	0.0	0.0	50.5	163.7	279.3	48.5	542.0	740.1
1/15/2020 12:00	0.0	0.0	0.0	0.0	0.0	196.7	258.6	269.4	48.5	773.2	740.1
1/15/2020 13:00	0.0	0.0	0.0	0.0	0.0	293.3	297.5	281.3	48.5	920.6	740.4
1/15/2020 14:00	0.0	0.0	0.0	0.0	0.0	74.2	135.0	277.2	48.5	534.9	740.2
1/15/2020 15:00	0.0	0.0	0.0	0.0	0.0	69.0	137.7	280.9	48.5	536.1	740.0
1/15/2020 16:00	0.0	0.0	0.0	0.0	0.0	72.9	148.4	278.2	48.5	548.0	739.8
1/15/2020 17:00	0.0	0.0	0.0	0.0	0.0	100.6	205.3	280.6	48.5	635.0	739.7
1/15/2020 18:00	0.0	0.0	0.0	0.0	0.0	103.3	203.7	276.2	48.5	631.7	739.7
1/15/2020 19:00	0.0	0.0	0.0	0.0	0.0	105.1	203.6	281.7	48.5	638.9	739.6
1/15/2020 20:00	0.0	0.0	0.0	0.0	0.0	103.0	198.9	280.4	48.5	630.8	739.6
1/15/2020 21:00	0.0	0.0	0.0	0.0	0.0	87.8	178.7	275.8	38.5	580.8	739.4
1/15/2020 22:00	0.0	0.0	0.0	0.0	0.0	90.4	184.7	283	58.6	616.7	739.4
1/15/2020 23:00	0.0	0.0	0.0	0.0	0.0	99.8	194.2	280.9	59	633.9	739.3
1/16/2020 0:00	0.0	0.0	0.0	0.0	0.0	102.2	191.0	279.6	61	633.8	739.2
1/16/2020 1:00	0.0	0.0	0.0	0.0	0.0	99.3	185.5	285.8	55	625.6	739.2
1/16/2020 2:00	0.0	0.0	0.0	0.0	0.0	110.3	196.0	280.9	60.4	647.6	739.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
1/16/2020 3:00	0.0	0.0	0.0	0.0	0.0	95.7	178.5	280.2	74.1	628.5	739.1
1/16/2020 4:00	0.0	0.0	0.0	0.0	0.0	99.4	186.1	278.3	75.2	639.0	739.0
1/16/2020 5:00	0.0	0.0	0.0	0.0	0.0	91.7	176.3	279.8	81.5	629.3	738.9
1/16/2020 6:00	0.0	0.0	0.0	0.0	0.0	89.2	174.0	280.5	67.2	610.9	738.8
1/16/2020 7:00	0.0	0.0	0.0	0.0	0.0	87.2	174.2	278.3	59.3	599.0	738.7
1/16/2020 8:00	0.0	0.0	0.0	0.0	0.0	63.4	149.5	277.4	40.5	530.8	738.5
1/16/2020 9:00	0.0	0.0	0.0	0.0	0.0	55.3	139.7	280.1	50.2	525.3	738.3
1/16/2020 10:00	0.0	0.0	0.0	0.0	0.0	55.3	138.6	278.6	54.3	526.8	738.2
1/16/2020 11:00	0.0	0.0	0.0	0.0	0.0	65.7	147.4	280.1	71.2	564.4	738.0
1/16/2020 12:00	0.0	0.0	0.0	0.0	0.0	68.4	149.8	275.8	335.2	829.2	738.1
1/16/2020 13:00	0.0	0.0	0.0	0.0	0.0	124.6	199.4	283.4	66.6	674.0	738.1
1/16/2020 14:00	0.0	0.0	0.0	0.0	0.0	111.1	187.5	279.5	106.7	684.8	738.1
1/16/2020 15:00	0.0	0.0	0.0	0.0	0.0	77.7	165.5	277.7	43.3	564.2	737.9
1/16/2020 16:00	0.0	0.0	0.0	0.0	0.0	62.5	143.4	278.8	51.2	535.9	737.7
1/16/2020 17:00	0.0	0.0	0.0	0.0	0.0	56.2	137.3	279.9	70.5	543.9	737.5
1/16/2020 18:00	0.0	0.0	0.0	0.0	0.0	58.9	145.7	275.7	69.1	549.4	737.3
1/16/2020 19:00	0.0	0.0	0.0	0.0	0.0	63.7	144.9	281.1	69	558.7	737.1
1/16/2020 20:00	0.0	0.0	0.0	0.0	0.0	82.2	175.6	278.4	56.1	592.3	736.7
1/16/2020 21:00	0.0	0.0	0.0	0.0	0.0	86.4	185.4	279.9	57.6	609.3	736.3
1/16/2020 22:00	0.0	0.0	0.0	0.0	0.0	86.5	181.1	277.9	59.5	605.0	735.8
1/16/2020 23:00	0.0	0.0	0.0	0.0	0.0	89.7	178.6	275.4	53.1	596.8	735.2
1/17/2020 0:00	0.0	0.0	0.0	0.0	0.0	93.7	188.7	282.4	57.5	622.3	734.7
1/17/2020 1:00	0.0	0.0	0.0	0.0	0.0	95.5	185.6	281.1	55.2	617.4	734.2
1/17/2020 2:00	0.0	0.0	0.0	0.0	0.0	84.6	183.0	278.5	66.1	612.2	733.6
1/17/2020 3:00	0.0	0.0	0.0	0.0	0.0	78.6	164.9	279.6	77.3	600.4	733.1
1/17/2020 4:00	0.0	0.0	0.0	0.0	0.0	74.7	170.6	277.3	51.3	573.9	732.5
1/17/2020 5:00	0.0	0.0	0.0	0.0	0.0	83.7	177.8	279.9	52.3	593.7	731.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
1/17/2020 6:00	0.0	0.0	0.0	0.0	0.0	102.2	190.1	277.2	83.3	652.8	731.4
1/17/2020 7:00	0.0	0.0	0.0	0.0	0.0	98.3	186.1	278.9	64.2	627.5	730.8
1/17/2020 8:00	0.0	0.0	0.0	0.0	0.0	119.4	214.9	280.8	53	668.1	730.2
1/17/2020 9:00	0.0	0.0	0.0	0.0	0.0	109.0	215.5	276.1	64.3	664.9	729.7
1/17/2020 10:00	0.0	0.0	0.0	0.0	0.0	98.2	210.7	321.7	63.7	694.3	729.3
1/17/2020 11:00	0.0	0.0	0.0	0.0	0.0	88.7	197.0	278.4	63.8	627.9	729.1
1/17/2020 12:00	0.0	0.0	0.0	0.0	0.0	74.1	166.5	276.8	57.4	574.8	728.8
1/17/2020 13:00	0.0	0.0	0.0	0.0	0.0	90.7	188.3	279	62.2	620.2	728.6
1/17/2020 14:00	0.0	0.0	0.0	0.0	0.0	85.6	173.4	276.6	58.9	594.5	728.4
1/17/2020 15:00	0.0	0.0	0.0	0.0	0.0	95.5	175.6	280.9	63.8	615.8	728.2
1/17/2020 16:00	0.0	0.0	0.0	0.0	0.0	100.8	191.1	278.5	55.4	625.8	728.0
1/17/2020 17:00	0.0	0.0	0.0	0.0	0.0	109.5	194.5	279.2	63.3	646.5	727.8
1/17/2020 18:00	0.0	0.0	0.0	0.0	0.0	106.1	191.1	280.5	67.2	644.9	727.6
1/17/2020 19:00	0.0	0.0	0.0	0.0	0.0	89.5	167.4	279.9	51.2	588.0	727.3
1/17/2020 20:00	0.0	0.0	0.0	0.0	0.0	74.3	151.3	279.2	59.5	564.3	727.0
1/17/2020 21:00	0.0	0.0	0.0	0.0	0.0	76.9	156.8	278.7	59.4	571.8	726.6
1/17/2020 22:00	0.0	0.0	0.0	0.0	0.0	89.5	173.6	279	56.4	598.5	726.3
1/17/2020 23:00	0.0	0.0	0.0	0.0	0.0	79.5	165.9	279.4	69	593.8	726.0
1/18/2020 0:00	0.0	0.0	0.0	0.0	0.0	88.8	162.7	269.9	76.6	598.0	725.7
1/18/2020 1:00	0.0	0.0	0.0	0.0	0.0	79.9	148.5	275.1	61.8	565.3	725.3
1/18/2020 2:00	0.0	0.0	0.0	0.0	0.0	85.9	160.3	279.5	54.7	580.4	725.0
1/18/2020 3:00	0.0	0.0	0.0	0.0	0.0	90.9	166.2	278.7	62.2	598.0	724.7
1/18/2020 4:00	0.0	0.0	0.0	0.0	0.0	90.2	162.8	278.6	52.6	584.2	724.4
1/18/2020 5:00	0.0	0.0	0.0	0.0	0.0	79.0	152.5	278.1	61.3	570.9	724.1
1/18/2020 6:00	0.0	0.0	0.0	0.0	0.0	81.6	150.1	282.3	55.6	569.6	723.8
1/18/2020 7:00	0.0	0.0	0.0	0.0	0.0	83.0	148.6	278.5	54.6	564.7	723.5
1/18/2020 8:00	0.0	0.0	0.0	0.0	0.0	92.0	161.9	275.7	57	586.6	723.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
1/18/2020 9:00	0.0	0.0	0.0	0.0	0.0	96.1	169.0	307.1	54.1	626.3	723.0
1/18/2020 10:00	0.0	0.0	0.0	0.0	0.0	97.8	183.4	261.5	50.8	593.5	722.8
1/18/2020 11:00	0.0	0.0	0.0	0.0	0.0	97.5	181.3	275.6	53.9	608.3	722.6
1/18/2020 12:00	0.0	0.0	0.0	0.0	0.0	88.4	181.8	277.1	51.7	599.0	722.3
1/18/2020 13:00	0.0	0.0	0.0	0.0	0.0	90.6	178.0	272.9	51	592.5	722.1
1/18/2020 14:00	0.0	0.0	0.0	0.0	0.0	93.1	178.5	276.4	53.7	601.7	721.9
1/18/2020 15:00	0.0	0.0	0.0	0.0	0.0	106.8	202.9	278.8	52.2	640.7	721.7
1/18/2020 16:00	0.0	0.0	0.0	0.0	0.0	108.9	200.3	279.9	47.5	636.6	721.6
1/18/2020 17:00	0.0	0.0	0.0	0.0	0.0	108.9	190.0	280.2	54.1	633.2	721.5
1/18/2020 18:00	0.0	0.0	0.0	0.0	0.0	93.8	178.8	280	46.8	599.4	721.3
1/18/2020 19:00	0.0	0.0	0.0	0.0	0.0	94.8	191.6	278.5	45.7	610.6	721.1
1/18/2020 20:00	0.0	0.0	0.0	0.0	0.0	106.1	195.7	275.2	52.3	629.3	720.9
1/18/2020 21:00	0.0	0.0	0.0	0.0	0.0	116.6	208.3	276.1	51.6	652.6	720.8
1/18/2020 22:00	0.0	0.0	0.0	0.0	0.0	125.8	222.0	278	52.2	678.0	720.7
1/18/2020 23:00	0.0	0.0	0.0	0.0	0.0	127.6	212.1	272.6	48.2	660.5	720.6
1/19/2020 0:00	0.0	0.0	0.0	0.0	0.0	137.0	233.9	282.4	52.9	706.2	720.6
1/19/2020 1:00	0.0	0.0	0.0	0.0	0.0	147.0	242.2	257.5	53.1	699.8	720.5
1/19/2020 2:00	0.0	0.0	0.0	0.0	0.0	129.7	228.7	275.1	49.4	682.9	720.4
1/19/2020 3:00	0.0	0.0	0.0	0.0	0.0	128.4	230.1	275.8	53.7	688.0	720.2
1/19/2020 4:00	0.0	0.0	0.0	0.0	0.0	120.8	203.8	273.7	50.9	649.2	720.0
1/19/2020 5:00	0.0	0.0	0.0	0.0	0.0	126.8	216.0	273.2	53.1	669.1	719.9
1/19/2020 6:00	0.0	0.0	0.0	0.0	0.0	123.6	206.1	272.5	43.5	645.7	719.7
1/19/2020 7:00	0.0	0.0	0.0	0.0	0.0	134.8	200.5	275.2	44.8	655.3	719.6
1/19/2020 8:00	0.0	0.0	0.0	0.0	0.0	140.9	226.7	275.4	50.9	693.9	719.6
1/19/2020 9:00	0.0	0.0	0.0	0.0	0.0	117.7	189.8	248.3	63.1	618.9	719.5
1/19/2020 10:00	0.0	0.0	0.0	0.0	0.0	136.7	216.1	291.7	42.7	687.2	719.4
1/19/2020 11:00	0.0	0.0	0.0	0.0	0.0	106.9	181.9	275.1	41.8	605.7	719.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
1/19/2020 12:00	0.0	0.0	0.0	0.0	0.0	106.9	178.3	269	46.5	600.7	719.0
1/19/2020 13:00	0.0	0.0	0.0	0.0	0.0	107.7	183.8	274.2	46.8	612.5	718.8
1/19/2020 14:00	0.0	0.0	0.0	0.0	0.0	105.8	182.2	272.6	45.6	606.2	718.6
1/19/2020 15:00	0.0	0.0	0.0	0.0	0.0	106.2	190.2	275.7	42.6	614.7	718.4
1/19/2020 16:00	0.0	0.0	0.0	0.0	0.0	118.9	198.9	274.9	46.1	638.8	718.2
1/19/2020 17:00	0.0	0.0	0.0	0.0	0.0	169.5	231.1	275.2	47.7	723.5	718.0
1/19/2020 18:00	0.0	0.0	0.0	0.0	0.0	270.0	309.9	272.7	43.6	896.2	718.2
1/19/2020 19:00	0.0	0.0	0.0	0.0	0.0	151.2	230.7	274.1	39.4	695.4	718.0
1/19/2020 20:00	0.0	0.0	0.0	0.0	0.0	157.2	237.2	275.3	45.7	715.4	717.9
1/19/2020 21:00	0.0	0.0	0.0	0.0	0.0	164.0	241.6	275.3	48.4	729.3	717.8
1/19/2020 22:00	0.0	0.0	0.0	0.0	0.0	156.5	233.4	274.6	38.5	703.0	717.7
1/19/2020 23:00	0.0	0.0	0.0	0.0	0.0	143.2	222.8	274.9	44.4	685.3	717.5
1/20/2020 0:00	0.0	0.0	0.0	0.0	0.0	170.0	247.3	248.7	39.9	705.9	717.4
1/20/2020 1:00	0.0	0.0	0.0	0.0	0.0	163.6	248.5	276.6	37	725.7	717.3
1/20/2020 2:00	0.0	0.0	0.0	0.0	0.0	153.8	235.1	276.6	45.3	710.8	717.2
1/20/2020 3:00	0.0	0.0	0.0	0.0	0.0	174.4	257.2	276.6	47.4	755.6	717.1
1/20/2020 4:00	0.0	0.0	0.0	0.0	0.0	176.6	255.1	276.6	36.5	744.8	717.0
1/20/2020 5:00	0.0	0.0	0.0	0.0	0.0	165.2	232.5	276.6	45.6	719.9	717.0
1/20/2020 6:00	0.0	0.0	0.0	0.0	0.0	157.1	220.4	276.6	34.9	689.0	716.8
1/20/2020 7:00	0.0	0.0	0.0	0.0	0.0	162.6	220.8	276.6	35.9	695.9	716.7
1/20/2020 8:00	0.0	0.0	0.0	0.0	0.0	158.4	216.5	274.4	38.4	687.7	716.6
1/20/2020 9:00	0.0	0.0	0.0	0.0	0.0	129.6	194.3	296.1	45.4	665.4	716.5
1/20/2020 10:00	0.0	0.0	0.0	0.0	0.0	106.4	172.3	274.9	37.7	591.3	716.2
1/20/2020 11:00	0.0	0.0	0.0	0.0	0.0	101.0	171.9	274.6	41.9	589.4	716.0
1/20/2020 12:00	0.0	0.0	0.0	0.0	0.0	92.9	182.1	301.7	233.1	809.8	716.2
1/20/2020 13:00	0.0	0.0	0.0	0.0	0.0	111.1	194.4	275.3	81.9	662.7	716.1
1/20/2020 14:00	0.0	0.0	0.0	0.0	0.0	76.2	160.4	276.8	42	555.4	715.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
1/20/2020 15:00	0.0	0.0	0.0	0.0	0.0	101.7	198.4	271.9	38.2	610.2	715.6
1/20/2020 16:00	0.0	0.0	0.0	0.0	0.0	89.2	186.6	273.6	36.5	585.9	715.4
1/20/2020 17:00	0.0	0.0	0.0	0.0	0.0	78.9	165.6	276.9	42.3	563.7	715.0
1/20/2020 18:00	0.0	0.0	0.0	0.0	0.0	77.1	151.1	276.8	39.1	544.1	714.7
1/20/2020 19:00	0.0	0.0	0.0	0.0	0.0	80.9	149.4	264.2	27.3	521.8	714.3
1/20/2020 20:00	0.0	0.0	0.0	0.0	0.0	76.1	134.5	273.8	40.9	525.3	714.0
1/20/2020 21:00	0.0	0.0	0.0	0.0	0.0	80.3	141.3	276.5	42.4	540.5	713.6
1/20/2020 22:00	0.0	0.0	0.0	0.0	0.0	88.3	150.6	275	37	550.9	713.3
1/20/2020 23:00	0.0	0.0	0.0	0.0	0.0	78.7	159.3	274.3	46.2	558.5	713.0
1/21/2020 0:00	0.0	0.0	0.0	0.0	0.0	96.4	178.1	278.3	35.1	587.9	712.7
1/21/2020 1:00	0.0	0.0	0.0	0.0	0.0	108.3	192.4	275.1	45.8	621.6	712.5
1/21/2020 2:00	0.0	0.0	0.0	0.0	0.0	114.9	206.8	277.2	39.4	638.3	712.3
1/21/2020 3:00	0.0	0.0	0.0	0.0	0.0	111.1	207.1	276.9	40.1	635.2	712.1
1/21/2020 4:00	0.0	0.0	0.0	0.0	0.0	116.3	222.8	275.4	43.1	657.6	711.9
1/21/2020 5:00	0.0	0.0	0.0	0.0	0.0	105.0	209.4	295	38.5	647.9	711.7
1/21/2020 6:00	0.0	0.0	0.0	0.0	0.0	113.3	216.5	242.7	83.4	655.9	711.5
1/21/2020 7:00	0.0	0.0	0.0	0.0	0.0	114.3	220.2	280.9	39	654.4	711.3
1/21/2020 8:00	0.0	0.0	0.0	0.0	0.0	96.3	194.3	278	38.6	607.2	711.1
1/21/2020 9:00	0.0	0.0	0.0	0.0	0.0	110.5	196.3	300.8	41	648.6	710.8
1/21/2020 10:00	0.0	0.0	0.0	0.0	0.0	94.9	191.4	275.8	44.2	606.3	710.6
1/21/2020 11:00	0.0	0.0	0.0	0.0	0.0	81.2	173.2	274.6	42	571.0	710.3
1/21/2020 12:00	0.0	0.0	0.0	0.0	0.0	92.3	196.9	281.1	39	609.3	710.0
1/21/2020 13:00	0.0	0.0	0.0	0.0	0.0	63.1	157.2	279.7	35.9	535.9	709.7
1/21/2020 14:00	0.0	0.0	0.0	0.0	0.0	52.5	113.5	279.5	46.1	491.6	709.3
1/21/2020 15:00	0.0	0.0	0.0	0.0	0.0	56.9	104.7	277.9	35.2	474.7	708.5
1/21/2020 16:00	0.0	0.0	0.0	0.0	0.0	55.2	104.6	274.3	44.9	479.0	708.1
1/21/2020 17:00	0.0	0.0	0.0	0.0	0.0	63.7	113.4	278.4	34.4	489.9	707.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
1/21/2020 18:00	0.0	0.0	0.0	0.0	0.0	71.3	131.0	278.9	43.2	524.4	707.3
1/21/2020 19:00	0.0	0.0	0.0	0.0	0.0	55.2	119.2	249.8	59.3	483.5	706.8
1/21/2020 20:00	0.0	0.0	0.0	0.0	0.0	82.6	135.8	274.7	49.7	542.8	706.4
1/21/2020 21:00	0.0	0.0	0.0	0.0	0.0	85.4	145.5	275.2	42.3	548.4	706.1
1/21/2020 22:00	0.0	0.0	0.0	0.0	0.0	91.5	144.8	275.5	47.3	559.1	705.7
1/21/2020 23:00	0.0	0.0	0.0	0.0	0.0	90.7	150.5	274.9	39.7	555.8	705.4
1/22/2020 0:00	0.0	0.0	0.0	0.0	0.0	96.4	165.9	277.1	41.5	580.9	705.1
1/22/2020 1:00	0.0	0.0	0.0	0.0	0.0	105.6	172.2	269	39.1	585.9	704.8
1/22/2020 2:00	0.0	0.0	0.0	0.0	0.0	79.5	166.6	265.8	63	574.9	704.5
1/22/2020 3:00	0.0	0.0	0.0	0.0	0.0	61.9	142.0	268.3	49.7	521.9	704.1
1/22/2020 4:00	0.0	0.0	0.0	0.0	0.0	64.8	141.0	272.6	44.5	522.9	703.7
1/22/2020 5:00	0.0	0.0	0.0	0.0	0.0	91.5	174.6	272.1	46.6	584.8	703.4
1/22/2020 6:00	0.0	0.0	0.0	0.0	0.0	108.6	189.3	273.3	54.7	625.9	703.2
1/22/2020 7:00	0.0	0.0	0.0	0.0	0.0	100.9	194.1	278.6	42.4	616.0	702.9
1/22/2020 8:00	0.0	0.0	0.0	0.0	0.0	83.3	159.2	274.2	39.8	556.5	702.6
1/22/2020 9:00	0.0	0.0	0.0	0.0	0.0	70.4	145.0	278.3	41.4	535.1	702.3
1/22/2020 10:00	0.0	0.0	0.0	0.0	0.0	71.0	132.1	295.7	41.7	540.5	702.2
1/22/2020 11:00	0.0	0.0	0.0	0.0	0.0	50.8	103.2	271.1	42.4	467.5	701.8
1/22/2020 12:00	0.0	0.0	0.0	0.0	0.0	50.6	109.9	271.8	16.9	449.2	701.3
1/22/2020 13:00	0.0	0.0	0.0	0.0	0.0	72.4	144.4	272.3	17.9	507.0	701.0
1/22/2020 14:00	0.0	0.0	0.0	0.0	0.0	80.0	161.1	280.3	35.8	557.2	701.0
1/22/2020 15:00	0.0	0.0	0.0	0.0	0.0	103.7	168.2	272.3	16.5	560.7	700.9
1/22/2020 16:00	0.0	0.0	0.0	0.0	0.0	95.7	162.3	260.8	23.6	542.4	700.9
1/22/2020 17:00	0.0	0.0	0.0	0.0	0.0	78.1	141.0	276	53.7	548.8	700.8
1/22/2020 18:00	0.0	0.0	0.0	0.0	0.0	62.9	130.4	258.1	56.6	508.0	700.7
1/22/2020 19:00	0.0	0.0	0.0	0.0	0.0	65.8	126.5	254.7	44.3	491.3	700.6
1/22/2020 20:00	0.0	0.0	0.0	0.0	0.0	66.5	127.6	274.5	35.5	504.1	700.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
1/22/2020 21:00	0.0	0.0	0.0	0.0	0.0	61.6	122.4	276.4	36.1	496.5	699.9
1/22/2020 22:00	0.0	0.0	0.0	0.0	0.0	73.9	136.1	277.9	34.1	522.0	699.6
1/22/2020 23:00	0.0	0.0	0.0	0.0	0.0	85.5	139.7	276.8	29.8	531.8	699.3
1/23/2020 0:00	0.0	0.0	0.0	0.0	0.0	84.3	146.5	276.1	37.2	544.1	699.0
1/23/2020 1:00	0.0	0.0	0.0	0.0	0.0	80.2	145.0	277.8	40.6	543.6	698.7
1/23/2020 2:00	0.0	0.0	0.0	0.0	0.0	75.6	131.8	277.4	36.1	520.9	698.4
1/23/2020 3:00	0.0	0.0	0.0	0.0	0.0	75.6	131.2	273.4	32.5	512.7	698.1
1/23/2020 4:00	0.0	0.0	0.0	0.0	0.0	89.1	140.3	278.5	32.8	540.7	697.8
1/23/2020 5:00	0.0	0.0	0.0	0.0	0.0	95.5	146.1	276.8	46.5	564.9	697.7
1/23/2020 6:00	0.0	0.0	0.0	0.0	0.0	92.2	145.6	274.7	48.2	560.7	697.4
1/23/2020 7:00	0.0	0.0	0.0	0.0	0.0	97.2	165.2	275.3	36.5	574.2	697.3
1/23/2020 8:00	0.0	0.0	0.0	0.0	0.0	75.7	138.1	274.2	30.8	518.8	697.0
1/23/2020 9:00	0.0	0.0	0.0	0.0	0.0	65.2	123.0	278	40.1	506.3	696.8
1/23/2020 10:00	0.0	0.0	0.0	0.0	0.0	71.3	124.5	277.2	36.7	509.7	696.5
1/23/2020 11:00	0.0	0.0	0.0	0.0	0.0	78.2	138.9	273.5	41.3	531.9	696.3
1/23/2020 12:00	0.0	0.0	0.0	0.0	0.0	69.2	129.4	271.8	25.6	496.0	696.0
1/23/2020 13:00	0.0	0.0	0.0	0.0	0.0	93.6	150.5	271.4	238.8	754.3	696.0
1/23/2020 14:00	0.0	0.0	0.0	0.0	0.0	84.1	143.7	276.9	178.8	683.5	696.0
1/23/2020 15:00	0.0	0.0	0.0	0.0	0.0	73.6	123.3	279.9	40.2	517.0	695.7
1/23/2020 16:00	0.0	0.0	0.0	0.0	0.0	75.6	123.1	277.3	29.9	505.9	695.4
1/23/2020 17:00	0.0	0.0	0.0	0.0	0.0	85.3	138.3	277.7	36.6	537.9	695.2
1/23/2020 18:00	0.0	0.0	0.0	0.0	0.0	82.9	137.3	279.7	49.9	549.8	695.0
1/23/2020 19:00	0.0	0.0	0.0	0.0	0.0	77.3	139.3	273.6	43.8	534.0	694.7
1/23/2020 20:00	0.0	0.0	0.0	0.0	0.0	94.9	150.6	276	32.7	554.2	694.5
1/23/2020 21:00	0.0	0.0	0.0	0.0	0.0	104.2	166.9	276.6	35.2	582.9	694.3
1/23/2020 22:00	0.0	0.0	0.0	0.0	0.0	213.0	246.1	279.3	29.7	768.1	694.3
1/23/2020 23:00	0.0	0.0	0.0	0.0	0.0	180.3	230.5	278.6	37.8	727.2	694.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
1/24/2020 0:00	0.0	0.0	0.0	0.0	0.0	111.1	177.6	280.8	40.3	609.8	694.0
1/24/2020 1:00	0.0	0.0	0.0	0.0	0.0	91.9	157.8	278.1	28.8	556.6	693.6
1/24/2020 2:00	0.0	0.0	0.0	0.0	0.0	106.8	168.9	278.8	36.9	591.4	693.3
1/24/2020 3:00	0.0	0.0	0.0	0.0	0.0	109.5	174.4	279.6	38.8	602.3	693.0
1/24/2020 4:00	0.0	0.0	0.0	0.0	0.0	113.9	174.0	279.1	32.4	599.4	692.7
1/24/2020 5:00	0.0	0.0	0.0	0.0	0.0	115.4	182.6	279.1	40.1	617.2	692.4
1/24/2020 6:00	0.0	0.0	0.0	0.0	0.0	133.0	200.4	277.5	37.1	648.0	692.2
1/24/2020 7:00	0.0	0.0	0.0	0.0	0.0	125.8	187.7	293.1	34.8	641.4	692.1
1/24/2020 8:00	0.0	0.0	0.0	0.0	0.0	126.6	190.7	274.1	37.2	628.6	691.9
1/24/2020 9:00	0.0	0.0	0.0	0.0	0.0	118.8	185.5	280.5	39.8	624.6	691.7
1/24/2020 10:00	0.0	0.0	0.0	0.0	0.0	120.7	197.0	277.2	31.2	626.1	691.6
1/24/2020 11:00	0.0	0.0	0.0	0.0	0.0	113.7	184.2	279.3	34.9	612.1	691.4
1/24/2020 12:00	0.0	0.0	0.0	0.0	0.0	128.2	193.0	278.4	31.8	631.4	691.2
1/24/2020 13:00	0.0	0.0	0.0	0.0	0.0	124.0	189.1	269.3	54.3	636.7	691.0
1/24/2020 14:00	0.0	0.0	0.0	0.0	0.0	106.4	188.7	272	32.9	600.0	690.8
1/24/2020 15:00	0.0	0.0	0.0	0.0	0.0	111.3	196.0	278.9	41	627.2	690.7
1/24/2020 16:00	0.0	0.0	0.0	0.0	0.0	95.8	185.6	280.2	33.8	595.4	690.5
1/24/2020 17:00	0.0	0.0	0.0	0.0	0.0	85.1	171.2	279.7	32.7	568.7	690.2
1/24/2020 18:00	0.0	0.0	0.0	0.0	0.0	87.5	169.7	277.7	39	573.9	689.9
1/24/2020 19:00	0.0	0.0	0.0	0.0	0.0	100.3	177.6	281.1	35.9	594.9	689.7
1/24/2020 20:00	0.0	0.0	0.0	0.0	0.0	103.1	176.9	278.6	43.6	602.2	689.5
1/24/2020 21:00	0.0	0.0	0.0	0.0	0.0	89.1	163.9	280	34.9	567.9	689.3
1/24/2020 22:00	0.0	0.0	0.0	0.0	0.0	83.6	160.3	279	35.7	558.6	689.0
1/24/2020 23:00	0.0	0.0	0.0	0.0	0.0	84.4	164.3	279.3	41.1	569.1	688.7
1/25/2020 0:00	0.0	0.0	0.0	0.0	0.0	95.1	170.2	281.1	9	555.4	688.4
1/25/2020 1:00	0.0	0.0	0.0	0.0	0.0	92.0	173.7	279.8	29.6	575.1	688.1
1/25/2020 2:00	0.0	0.0	0.0	0.0	0.0	96.8	174.6	279.1	36.9	587.4	687.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
1/25/2020 3:00	0.0	0.0	0.0	0.0	0.0	94.4	174.4	279.3	39.6	587.7	687.5
1/25/2020 4:00	0.0	0.0	0.0	0.0	0.0	108.0	178.7	278.8	33.2	598.7	687.2
1/25/2020 5:00	0.0	0.0	0.0	0.0	0.0	110.0	169.2	279.7	43.2	602.1	686.9
1/25/2020 6:00	0.0	0.0	0.0	0.0	0.0	102.7	172.0	275.5	34.7	584.9	686.7
1/25/2020 7:00	0.0	0.0	0.0	0.0	0.0	94.1	176.7	281.3	33.7	585.8	686.4
1/25/2020 8:00	0.0	0.0	0.0	0.0	0.0	98.0	179.1	279.2	35.3	591.6	686.2
1/25/2020 9:00	0.0	0.0	0.0	0.0	0.0	94.9	176.7	278.8	38.7	589.1	685.9
1/25/2020 10:00	0.0	0.0	0.0	0.0	0.0	93.0	178.3	279.3	34.6	585.2	685.7
1/25/2020 11:00	0.0	0.0	0.0	0.0	0.0	91.5	172.2	279.6	39.8	583.1	685.4
1/25/2020 12:00	0.0	0.0	0.0	0.0	0.0	93.0	182.0	306.3	45	626.3	685.2
1/25/2020 13:00	0.0	0.0	0.0	0.0	0.0	109.4	190.8	271.4	42.7	614.3	685.0
1/25/2020 14:00	0.0	0.0	0.0	0.0	0.0	92.9	170.8	278.3	34.7	576.7	684.7
1/25/2020 15:00	0.0	0.0	0.0	0.0	0.0	85.1	164.6	277.5	39.7	566.9	684.4
1/25/2020 16:00	0.0	0.0	0.0	0.0	0.0	80.4	155.0	280.7	41.3	557.4	684.1
1/25/2020 17:00	0.0	0.0	0.0	0.0	0.0	81.5	159.6	278.2	33.9	553.2	683.8
1/25/2020 18:00	0.0	0.0	0.0	0.0	0.0	78.7	154.9	279.3	43	555.9	683.5
1/25/2020 19:00	0.0	0.0	0.0	0.0	0.0	65.7	134.1	278.2	36.3	514.3	683.1
1/25/2020 20:00	0.0	0.0	0.0	0.0	0.0	62.0	133.3	278.4	44.3	518.0	682.5
1/25/2020 21:00	0.0	0.0	0.0	0.0	0.0	52.3	118.3	281.2	36.5	488.3	682.2
1/25/2020 22:00	0.0	0.0	0.0	0.0	0.0	57.7	120.1	280.3	44.4	502.5	681.8
1/25/2020 23:00	0.0	0.0	0.0	0.0	0.0	52.0	117.8	278.9	33.9	482.6	681.4
1/26/2020 0:00	0.0	0.0	0.0	0.0	0.0	55.5	115.9	293.5	35.9	500.8	681.0
1/26/2020 1:00	0.0	0.0	0.0	0.0	0.0	59.3	123.5	279.3	51.3	513.4	680.7
1/26/2020 2:00	0.0	0.0	0.0	0.0	0.0	56.8	121.0	280.6	46.7	505.1	680.4
1/26/2020 3:00	0.0	0.0	0.0	0.0	0.0	61.4	122.8	279.6	49.5	513.3	680.0
1/26/2020 4:00	0.0	0.0	0.0	0.0	0.0	73.3	136.9	278	55	543.2	679.7
1/26/2020 5:00	0.0	0.0	0.0	0.0	0.0	88.9	155.9	277.8	48.8	571.4	679.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
1/26/2020 6:00	0.0	0.0	0.0	0.0	0.0	97.1	169.2	276.8	61.7	604.8	679.2
1/26/2020 7:00	0.0	0.0	0.0	0.0	0.0	87.0	173.2	279.6	45.9	585.7	679.0
1/26/2020 8:00	0.0	0.0	0.0	0.0	0.0	77.9	173.2	279.9	48.7	579.7	678.6
1/26/2020 9:00	0.0	0.0	0.0	0.0	0.0	83.1	166.1	279.7	51.9	580.8	678.4
1/26/2020 10:00	0.0	0.0	0.0	0.0	0.0	67.8	151.1	279.2	42.6	540.7	678.1
1/26/2020 11:00	0.0	0.0	0.0	0.0	0.0	69.2	149.2	280	46.4	544.8	677.9
1/26/2020 12:00	0.0	0.0	0.0	0.0	0.0	52.3	120.1	279.4	50.8	502.6	677.6
1/26/2020 13:00	0.0	0.0	0.0	0.0	0.0	66.1	132.7	305.3	34	538.1	677.3
1/26/2020 14:00	0.0	0.0	0.0	0.0	0.0	67.0	137.8	280.7	39.3	524.8	677.0
1/26/2020 15:00	0.0	0.0	0.0	0.0	0.0	70.9	149.0	280.2	46.7	546.8	676.7
1/26/2020 16:00	0.0	0.0	0.0	0.0	0.0	75.7	164.9	279	48.6	568.2	676.5
1/26/2020 17:00	0.0	0.0	0.0	0.0	0.0	83.3	170.8	279.5	53.1	586.7	676.2
1/26/2020 18:00	0.0	0.0	0.0	0.0	0.0	80.2	153.1	275.5	45	553.8	675.9
1/26/2020 19:00	0.0	0.0	0.0	0.0	0.0	83.5	146.7	278.5	41.6	550.3	675.6
1/26/2020 20:00	0.0	0.0	0.0	0.0	0.0	100.1	168.9	277.9	47.5	594.4	675.4
1/26/2020 21:00	0.0	0.0	0.0	0.0	0.0	117.5	183.0	280.8	44.9	626.2	675.2
1/26/2020 22:00	0.0	0.0	0.0	0.0	0.0	84.6	155.1	281	51.7	572.4	674.9
1/26/2020 23:00	0.0	0.0	0.0	0.0	0.0	78.8	145.9	279.4	49	553.1	674.5
1/27/2020 0:00	0.0	0.0	0.0	0.0	0.0	71.7	143.6	345.7	43.1	604.1	674.4
1/27/2020 1:00	0.0	0.0	0.0	0.0	0.0	88.8	159.5	301.6	42.4	592.3	674.2
1/27/2020 2:00	0.0	0.0	0.0	0.0	0.0	91.2	152.6	280.2	52.8	576.8	673.9
1/27/2020 3:00	0.0	0.0	0.0	0.0	0.0	92.4	146.3	277.2	35.5	551.4	673.6
1/27/2020 4:00	0.0	0.0	0.0	0.0	0.0	95.2	147.1	279.4	58.4	580.1	673.3
1/27/2020 5:00	0.0	0.0	0.0	0.0	0.0	91.9	144.3	278.8	41.9	556.9	673.0
1/27/2020 6:00	0.0	0.0	0.0	0.0	0.0	109.2	158.5	275.4	55.9	599.0	672.8
1/27/2020 7:00	0.0	0.0	0.0	0.0	0.0	127.1	167.4	280.2	50.9	625.6	672.6
1/27/2020 8:00	0.0	0.0	0.0	0.0	0.0	123.3	168.9	279.8	40.5	612.5	672.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
1/27/2020 9:00	0.0	0.0	0.0	0.0	0.0	121.9	171.7	277.4	35.2	606.2	672.2
1/27/2020 10:00	0.0	0.0	0.0	0.0	0.0	143.3	190.6	304.6	42.5	681.0	672.2
1/27/2020 11:00	0.0	0.0	0.0	0.0	0.0	118.6	170.8	279.6	59.5	628.5	672.1
1/27/2020 12:00	0.0	0.0	0.0	0.0	0.0	81.1	136.6	269.4	38.7	525.8	671.8
1/27/2020 13:00	0.0	0.0	0.0	0.0	0.0	67.5	133.9	280	22.1	503.5	671.5
1/27/2020 14:00	0.0	0.0	0.0	0.0	0.0	52.2	116.1	280.3	48.3	496.9	671.3
1/27/2020 15:00	0.0	0.0	0.0	0.0	0.0	60.6	121.2	278.5	50.2	510.5	671.0
1/27/2020 16:00	0.0	0.0	0.0	0.0	0.0	65.1	122.0	279	29.1	495.2	670.8
1/27/2020 17:00	0.0	0.0	0.0	0.0	0.0	80.1	141.5	278.8	39.8	540.2	670.5
1/27/2020 18:00	0.0	0.0	0.0	0.0	0.0	75.6	167.1	279.4	56.6	578.7	670.3
1/27/2020 19:00	0.0	0.0	0.0	0.0	0.0	75.7	162.4	279.1	33.5	550.7	670.1
1/27/2020 20:00	0.0	0.0	0.0	0.0	0.0	80.9	167.0	278.3	41.9	568.1	669.8
1/27/2020 21:00	0.0	0.0	0.0	0.0	0.0	92.2	185.1	283.9	59.5	620.7	669.5
1/27/2020 22:00	0.0	0.0	0.0	0.0	0.0	88.9	196.7	279.7	48.9	614.2	669.3
1/27/2020 23:00	0.0	0.0	0.0	0.0	0.0	105.0	217.5	279.1	62.7	664.3	669.1
1/28/2020 0:00	0.0	0.0	0.0	0.0	0.0	96.2	210.6	331.5	56.7	695.0	669.0
1/28/2020 1:00	0.0	0.0	0.0	0.0	0.0	80.8	196.7	289.5	74.3	641.3	668.8
1/28/2020 2:00	0.0	0.0	0.0	0.0	0.0	54.8	153.7	257.8	61	527.3	668.5
1/28/2020 3:00	0.0	0.0	0.0	0.0	0.0	228.1	259.6	282	56.2	825.9	668.7
1/28/2020 4:00	0.0	0.0	0.0	0.0	0.0	273.2	287.4	278.8	57	896.4	669.0
1/28/2020 5:00	0.0	0.0	0.0	0.0	0.0	55.9	120.8	258	61	495.7	668.7
1/28/2020 6:00	0.0	0.0	0.0	0.0	0.0	70.9	129.3	257.5	94.6	552.3	668.4
1/28/2020 7:00	0.0	0.0	0.0	0.0	0.0	85.3	174.1	279.6	49.6	588.6	668.2
1/28/2020 8:00	0.0	0.0	0.0	0.0	0.0	90.1	160.3	279.9	22.3	552.6	667.9
1/28/2020 9:00	0.0	0.0	0.0	0.0	0.0	74.3	150.7	325.6	49.9	600.5	667.7
1/28/2020 10:00	0.0	0.0	0.0	0.0	0.0	69.2	134.2	277.7	57.7	538.8	667.4
1/28/2020 11:00	0.0	0.0	0.0	0.0	0.0	72.8	130.6	277.1	60.4	540.9	667.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
1/28/2020 12:00	0.0	0.0	0.0	0.0	0.0	61.0	124.9	280.9	60.2	527.0	666.7
1/28/2020 13:00	0.0	0.0	0.0	0.0	0.0	47.9	109.0	281.5	64.1	502.5	666.3
1/28/2020 14:00	0.0	0.0	0.0	0.0	0.0	50.6	117.3	280.8	52	500.7	665.8
1/28/2020 15:00	0.0	0.0	0.0	0.0	0.0	51.4	116.8	281.8	63.6	513.6	665.5
1/28/2020 16:00	0.0	0.0	0.0	0.0	0.0	66.8	129.8	276.9	48	521.5	665.1
1/28/2020 17:00	0.0	0.0	0.0	0.0	0.0	75.8	154.9	277.6	54.5	562.8	664.9
1/28/2020 18:00	0.0	0.0	0.0	0.0	0.0	75.7	144.4	260.3	80.7	561.1	664.6
1/28/2020 19:00	0.0	0.0	0.0	0.0	0.0	60.6	126.7	277.9	59	524.2	664.3
1/28/2020 20:00	0.0	0.0	0.0	0.0	0.0	49.0	114.5	275.3	54.3	493.1	663.9
1/28/2020 21:00	0.0	0.0	0.0	0.0	0.0	46.7	114.9	280.4	58.1	500.1	663.6
1/28/2020 22:00	0.0	0.0	0.0	0.0	0.0	47.0	129.5	278.6	61.1	516.2	663.4
1/28/2020 23:00	0.0	0.0	0.0	0.0	0.0	50.1	137.0	280.3	54.7	522.1	663.1
1/29/2020 0:00	0.0	0.0	0.0	0.0	0.0	77.8	177.2	277.9	51	583.9	662.9
1/29/2020 1:00	0.0	0.0	0.0	0.0	0.0	56.7	143.0	282.8	55.5	538.0	662.7
1/29/2020 2:00	0.0	0.0	0.0	0.0	0.0	53.8	136.2	278.3	47.4	515.7	662.4
1/29/2020 3:00	0.0	0.0	0.0	0.0	0.0	62.6	143.0	278.4	53.6	537.6	662.1
1/29/2020 4:00	0.0	0.0	0.0	0.0	0.0	69.9	158.8	278.2	48.6	555.5	661.8
1/29/2020 5:00	0.0	0.0	0.0	0.0	0.0	73.1	171.6	276.3	52.9	573.9	661.7
1/29/2020 6:00	0.0	0.0	0.0	0.0	0.0	77.9	175.8	266.2	55	574.9	661.6
1/29/2020 7:00	0.0	0.0	0.0	0.0	0.0	62.9	142.4	278.5	51.3	535.1	661.4
1/29/2020 8:00	0.0	0.0	0.0	0.0	0.0	57.8	156.1	282.1	56.9	552.9	661.2
1/29/2020 9:00	0.0	0.0	0.0	0.0	0.0	61.4	156.1	279.9	56.5	553.9	661.0
1/29/2020 10:00	0.0	0.0	0.0	0.0	0.0	68.3	156.1	278.3	57.2	559.9	660.8
1/29/2020 11:00	0.0	0.0	0.0	0.0	0.0	54.1	147.2	280	50	531.3	660.6
1/29/2020 12:00	0.0	0.0	0.0	0.0	0.0	59.5	152.4	275.6	52.1	539.6	660.4
1/29/2020 13:00	0.0	0.0	0.0	0.0	0.0	55.5	130.1	279.4	59.7	524.7	660.1
1/29/2020 14:00	0.0	0.0	0.0	0.0	0.0	57.6	130.2	279	61.4	528.2	659.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
1/29/2020 15:00	0.0	0.0	0.0	0.0	0.0	50.7	120.4	279.7	55.4	506.2	659.5
1/29/2020 16:00	0.0	0.0	0.0	0.0	0.0	59.6	133.6	278.7	43.1	515.0	659.2
1/29/2020 17:00	0.0	0.0	0.0	0.0	0.0	66.6	149.7	279.2	56.2	551.7	658.9
1/29/2020 18:00	0.0	0.0	0.0	0.0	0.0	65.7	141.4	267.4	58.2	532.7	658.7
1/29/2020 19:00	0.0	0.0	0.0	0.0	0.0	65.7	139.8	269.5	34.7	509.7	658.4
1/29/2020 20:00	0.0	0.0	0.0	0.0	0.0	72.2	142.6	274.9	55.8	545.5	658.1
1/29/2020 21:00	0.0	0.0	0.0	0.0	0.0	73.7	149.7	276.1	63.1	562.6	657.9
1/29/2020 22:00	0.0	0.0	0.0	0.0	0.0	81.6	148.5	282.2	51.8	564.1	657.7
1/29/2020 23:00	0.0	0.0	0.0	0.0	0.0	94.9	161.5	280.7	71.6	608.7	657.4
1/30/2020 0:00	0.0	0.0	0.0	0.0	0.0	115.2	182.5	277.6	46.3	621.6	657.1
1/30/2020 1:00	0.0	0.0	0.0	0.0	0.0	88.1	165.5	279.1	53.7	586.4	656.9
1/30/2020 2:00	0.0	0.0	0.0	0.0	0.0	92.5	160.5	278.8	62.5	594.3	656.7
1/30/2020 3:00	0.0	0.0	0.0	0.0	0.0	77.3	146.3	279.5	55.5	558.6	656.5
1/30/2020 4:00	0.0	0.0	0.0	0.0	0.0	77.9	145.6	278.4	50.3	552.2	656.3
1/30/2020 5:00	0.0	0.0	0.0	0.0	0.0	84.3	165.2	277.8	52.6	579.9	656.1
1/30/2020 6:00	0.0	0.0	0.0	0.0	0.0	73.3	153.9	270.9	61	559.1	655.9
1/30/2020 7:00	0.0	0.0	0.0	0.0	0.0	89.1	166.6	278.5	52.2	586.4	655.7
1/30/2020 8:00	0.0	0.0	0.0	0.0	0.0	89.1	174.4	280.4	55.6	599.5	655.6
1/30/2020 9:00	0.0	0.0	0.0	0.0	0.0	89.1	153.5	270.1	43.2	555.9	655.3
1/30/2020 10:00	0.0	0.0	0.0	0.0	0.0	71.6	158.9	293.3	41.7	565.5	655.0
1/30/2020 11:00	0.0	0.0	0.0	0.0	0.0	65.0	128.7	278	52	523.7	654.7
1/30/2020 12:00	0.0	0.0	0.0	0.0	0.0	67.5	140.8	278.1	56.6	543.0	654.4
1/30/2020 13:00	0.0	0.0	0.0	0.0	0.0	82.9	154.8	284.1	49.4	571.2	654.2
1/30/2020 14:00	0.0	0.0	0.0	0.0	0.0	83.6	141.3	280.4	60.6	565.9	654.0
1/30/2020 15:00	0.0	0.0	0.0	0.0	0.0	84.4	138.9	278.6	51.3	553.2	653.7
1/30/2020 16:00	0.0	0.0	0.0	0.0	0.0	89.9	163.0	278.4	50	581.3	653.5
1/30/2020 17:00	0.0	0.0	0.0	0.0	0.0	75.1	152.0	278.4	54	559.5	653.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
1/30/2020 18:00	0.0	0.0	0.0	0.0	0.0	68.9	140.1	277.4	57.9	544.3	652.8
1/30/2020 19:00	0.0	0.0	0.0	0.0	0.0	71.3	124.1	246.5	45.5	487.4	652.4
1/30/2020 20:00	0.0	0.0	0.0	0.0	0.0	78.9	147.6	273.8	54.4	554.7	651.9
1/30/2020 21:00	0.0	0.0	0.0	0.0	0.0	78.9	156.8	281.7	58.5	575.9	651.6
1/30/2020 22:00	0.0	0.0	0.0	0.0	0.0	74.7	140.9	279.4	62.8	557.8	650.8
1/30/2020 23:00	0.0	0.0	0.0	0.0	0.0	86.6	160.1	278	51.7	576.4	649.9
1/31/2020 0:00	0.0	0.0	0.0	0.0	0.0	89.7	170.2	281.7	49.3	590.9	648.9
1/31/2020 1:00	0.0	0.0	0.0	0.0	0.0	94.5	182.2	281	52	609.7	648.0
1/31/2020 2:00	0.0	0.0	0.0	0.0	0.0	84.4	170.8	278.7	57.4	591.3	647.3
1/31/2020 3:00	0.0	0.0	0.0	0.0	0.0	84.4	169.7	280.1	59.5	593.7	646.7
1/31/2020 4:00	0.0	0.0	0.0	0.0	0.0	87.0	173.4	279.1	50.2	589.7	646.2
1/31/2020 5:00	0.0	0.0	0.0	0.0	0.0	80.4	155.4	277.9	52.9	566.6	645.7
1/31/2020 6:00	0.0	0.0	0.0	0.0	0.0	83.5	166.4	278.8	59.2	587.9	645.1
1/31/2020 7:00	0.0	0.0	0.0	0.0	0.0	101.0	186.9	277.3	51.7	616.9	644.6
1/31/2020 8:00	0.0	0.0	0.0	0.0	0.0	93.0	167.7	282.6	57	600.3	644.1
1/31/2020 9:00	0.0	0.0	0.0	0.0	0.0	92.2	167.4	279.7	48.4	587.7	643.6
1/31/2020 10:00	0.0	0.0	0.0	0.0	0.0	115.6	195.5	281.8	56.2	649.1	643.2
1/31/2020 11:00	0.0	0.0	0.0	0.0	0.0	87.5	186.2	276.4	48.5	598.6	642.8
1/31/2020 12:00	0.0	0.0	0.0	0.0	0.0	111.2	200.2	278.5	50.1	640.0	642.2
1/31/2020 13:00	0.0	0.0	0.0	0.0	0.0	80.1	155.6	277.6	59.8	573.1	641.8
1/31/2020 14:00	0.0	0.0	0.0	0.0	0.0	61.5	132.6	281.4	53.1	528.6	641.5
1/31/2020 15:00	0.0	0.0	0.0	0.0	0.0	66.6	143.5	279.6	58.7	548.4	641.2
1/31/2020 16:00	0.0	0.0	0.0	0.0	0.0	67.9	150.2	279.9	49.8	547.8	640.9
1/31/2020 17:00	0.0	0.0	0.0	0.0	0.0	65.1	139.4	279.1	54.6	538.2	640.7
1/31/2020 18:00	0.0	0.0	0.0	0.0	0.0	59.7	131.5	278.8	60.7	530.7	640.4
1/31/2020 19:00	0.0	0.0	0.0	0.0	0.0	60.3	129.7	279.4	41.3	510.7	640.1
1/31/2020 20:00	0.0	0.0	0.0	0.0	0.0	65.2	137.1	278.9	60.2	541.4	639.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
1/31/2020 21:00	0.0	0.0	0.0	0.0	0.0	61.2	137.5	253.5	66.6	518.8	639.3
1/31/2020 22:00	0.0	0.0	0.0	0.0	0.0	58.6	131.0	279.8	54.4	523.8	639.0
1/31/2020 23:00	0.0	0.0	0.0	0.0	0.0	67.0	140.3	279.9	52.2	539.4	638.8
2/1/2020 0:00	0.0	0.0	0.0	0.0	0.0	73.1	152.7	282.3	51.7	559.8	638.5
2/1/2020 1:00	0.0	0.0	0.0	0.0	0.0	78.5	157.0	272.2	62.6	570.3	638.2
2/1/2020 2:00	0.0	0.0	0.0	0.0	0.0	82.8	155.6	278.3	49.8	566.5	637.9
2/1/2020 3:00	0.0	0.0	0.0	0.0	0.0	96.3	166.8	279.9	58	601.0	637.7
2/1/2020 4:00	0.0	0.0	0.0	0.0	0.0	105.6	180.5	278.9	59.1	624.1	637.6
2/1/2020 5:00	0.0	0.0	0.0	0.0	0.0	105.0	176.4	279.6	50.1	611.1	637.5
2/1/2020 6:00	0.0	0.0	0.0	0.0	0.0	105.0	173.9	276.9	68.1	623.9	637.3
2/1/2020 7:00	0.0	0.0	0.0	0.0	0.0	90.6	157.6	278.3	57.5	584.0	637.1
2/1/2020 8:00	0.0	0.0	0.0	0.0	0.0	274.5	289.4	280	52.6	896.5	637.3
2/1/2020 9:00	0.0	0.0	0.0	0.0	0.0	89.7	174.7	280.7	52.2	597.3	637.1
2/1/2020 10:00	0.0	0.0	0.0	0.0	0.0	70.1	153.2	278.4	64.3	566.0	636.7
2/1/2020 11:00	0.0	0.0	0.0	0.0	0.0	24.8	178.6	278.8	48.7	530.9	636.3
2/1/2020 12:00	0.0	0.0	0.0	0.0	0.0	18.2	189.5	306.1	62.8	576.6	635.9
2/1/2020 13:00	0.0	0.0	0.0	0.0	0.0	17.9	155.8	266.7	65.1	505.5	635.5
2/1/2020 14:00	0.0	0.0	0.0	0.0	0.0	51.6	177.2	280.1	50.7	559.6	635.3
2/1/2020 15:00	0.0	0.0	0.0	0.0	0.0	89.2	161.4	281.2	52.5	584.3	635.1
2/1/2020 16:00	0.0	0.0	0.0	0.0	0.0	79.2	147.7	278.7	58.2	563.8	634.9
2/1/2020 17:00	0.0	0.0	0.0	0.0	0.0	75.4	138.4	278.6	53.4	545.8	634.7
2/1/2020 18:00	0.0	0.0	0.0	0.0	0.0	72.9	131.0	280.5	69	553.4	634.4
2/1/2020 19:00	0.0	0.0	0.0	0.0	0.0	71.3	147.9	279.1	49.3	547.6	634.1
2/1/2020 20:00	0.0	0.0	0.0	0.0	0.0	76.4	160.7	279.3	51	567.4	633.8
2/1/2020 21:00	0.0	0.0	0.0	0.0	0.0	74.9	153.7	273.1	55.8	557.5	633.5
2/1/2020 22:00	0.0	0.0	0.0	0.0	0.0	89.6	172.0	278.6	53.9	594.1	633.3
2/1/2020 23:00	0.0	0.0	0.0	0.0	0.0	92.9	177.2	279.9	54.9	604.9	633.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
2/2/2020 0:00	0.0	0.0	0.0	0.0	0.0	84.3	168.3	278.4	43.6	574.6	632.8
2/2/2020 1:00	0.0	0.0	0.0	0.0	0.0	67.9	140.4	281.7	63.5	553.5	632.5
2/2/2020 2:00	0.0	0.0	0.0	0.0	0.0	64.4	134.6	278.5	52.5	530.0	632.2
2/2/2020 3:00	0.0	0.0	0.0	0.0	0.0	55.1	113.4	280	41.1	489.6	631.9
2/2/2020 4:00	0.0	0.0	0.0	0.0	0.0	73.8	138.3	278.3	54.6	545.0	631.6
2/2/2020 5:00	0.0	0.0	0.0	0.0	0.0	67.1	132.5	280.6	48.9	529.1	631.3
2/2/2020 6:00	0.0	0.0	0.0	0.0	0.0	74.7	138.1	277.8	57.3	547.9	631.0
2/2/2020 7:00	0.0	0.0	0.0	0.0	0.0	85.1	147.0	279.1	52.5	563.7	630.7
2/2/2020 8:00	0.0	0.0	0.0	0.0	0.0	77.5	137.3	278.4	51.6	544.8	630.3
2/2/2020 9:00	0.0	0.0	0.0	0.0	0.0	68.0	148.6	280	51.5	548.1	630.0
2/2/2020 10:00	0.0	0.0	0.0	0.0	0.0	76.5	164.6	279.8	50.7	571.6	629.8
2/2/2020 11:00	0.0	0.0	0.0	0.0	0.0	65.9	146.7	279.5	56.3	548.4	629.6
2/2/2020 12:00	0.0	0.0	0.0	0.0	0.0	60.0	132.5	306.7	44.7	543.9	629.3
2/2/2020 13:00	0.0	0.0	0.0	0.0	0.0	52.5	120.6	280.5	44.5	498.1	628.9
2/2/2020 14:00	0.0	0.0	0.0	0.0	0.0	62.9	135.2	280	53.9	532.0	628.6
2/2/2020 15:00	0.0	0.0	0.0	0.0	0.0	63.9	140.9	280.8	55.6	541.2	628.2
2/2/2020 16:00	0.0	0.0	0.0	0.0	0.0	76.9	160.0	279.9	56.7	573.5	627.9
2/2/2020 17:00	0.0	0.0	0.0	0.0	0.0	74.7	148.6	279.1	48.1	550.5	627.7
2/2/2020 18:00	0.0	0.0	0.0	0.0	0.0	65.1	137.7	276.1	57.8	536.7	627.3
2/2/2020 19:00	0.0	0.0	0.0	0.0	0.0	81.0	161.7	278.7	47.4	568.8	627.1
2/2/2020 20:00	0.0	0.0	0.0	0.0	0.0	76.8	158.9	280.1	51.9	567.7	626.7
2/2/2020 21:00	0.0	0.0	0.0	0.0	0.0	82.0	163.8	274.4	36	556.2	626.5
2/2/2020 22:00	0.0	0.0	0.0	0.0	0.0	79.3	156.5	279.3	49.2	564.3	626.3
2/2/2020 23:00	0.0	0.0	0.0	0.0	0.0	89.7	164.4	279.2	55.1	588.4	626.0
2/3/2020 0:00	0.0	0.0	0.0	0.0	0.0	92.7	166.6	279	47.9	586.2	625.8
2/3/2020 1:00	0.0	0.0	0.0	0.0	0.0	92.5	173.4	280.4	49.4	595.7	625.6
2/3/2020 2:00	0.0	0.0	0.0	0.0	0.0	84.9	160.1	279.4	56	580.4	625.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
2/3/2020 3:00	0.0	0.0	0.0	0.0	0.0	89.3	155.9	279.7	53.4	578.3	625.0
2/3/2020 4:00	0.0	0.0	0.0	0.0	0.0	98.0	167.5	279	49.2	593.7	624.7
2/3/2020 5:00	0.0	0.0	0.0	0.0	0.0	98.4	169.7	278.9	51.8	598.8	624.5
2/3/2020 6:00	0.0	0.0	0.0	0.0	0.0	105.8	177.7	276.3	68.6	628.4	624.3
2/3/2020 7:00	0.0	0.0	0.0	0.0	0.0	99.7	177.8	279.1	48.5	605.1	624.1
2/3/2020 8:00	0.0	0.0	0.0	0.0	0.0	86.8	161.1	279.3	49.4	576.6	623.5
2/3/2020 9:00	0.0	0.0	0.0	0.0	0.0	90.3	163.7	279.8	48.7	582.5	623.1
2/3/2020 10:00	0.0	0.0	0.0	0.0	0.0	90.1	162.3	275.8	48.5	576.7	622.8
2/3/2020 11:00	0.0	0.0	0.0	0.0	0.0	71.2	146.5	288	67	572.7	622.4
2/3/2020 12:00	0.0	0.0	0.0	0.0	0.0	62.7	137.0	312	29.2	540.9	622.0
2/3/2020 13:00	0.0	0.0	0.0	0.0	0.0	58.3	138.0	280	54.2	530.5	621.6
2/3/2020 14:00	0.0	0.0	0.0	0.0	0.0	59.1	140.5	277.5	48.6	525.7	621.2
2/3/2020 15:00	0.0	0.0	0.0	0.0	0.0	59.9	145.2	280	53	538.1	620.9
2/3/2020 16:00	0.0	0.0	0.0	0.0	0.0	68.3	148.9	278.9	60.4	556.5	620.5
2/3/2020 17:00	0.0	0.0	0.0	0.0	0.0	59.1	138.8	279.4	57	534.3	620.2
2/3/2020 18:00	0.0	0.0	0.0	0.0	0.0	47.3	131.1	278.4	58	514.8	619.8
2/3/2020 19:00	0.0	0.0	0.0	0.0	0.0	41.3	125.1	279.4	53.3	499.1	619.3
2/3/2020 20:00	0.0	0.0	0.0	0.0	0.0	42.9	123.7	279.1	58.3	504.0	618.9
2/3/2020 21:00	0.0	0.0	0.0	0.0	0.0	49.5	126.5	240.6	46.6	463.2	618.4
2/3/2020 22:00	0.0	0.0	0.0	0.0	0.0	53.1	137.2	281.2	64.1	535.6	618.0
2/3/2020 23:00	0.0	0.0	0.0	0.0	0.0	61.0	143.4	278.4	55.5	538.3	617.6
2/4/2020 0:00	0.0	0.0	0.0	0.0	0.0	66.1	157.0	282	57.8	562.9	617.3
2/4/2020 1:00	0.0	0.0	0.0	0.0	0.0	58.3	141.4	279.1	68.3	547.1	617.0
2/4/2020 2:00	0.0	0.0	0.0	0.0	0.0	68.3	158.6	281	52.7	560.6	616.6
2/4/2020 3:00	0.0	0.0	0.0	0.0	0.0	82.8	170.2	278.1	59.9	591.0	616.3
2/4/2020 4:00	0.0	0.0	0.0	0.0	0.0	83.4	177.5	279.8	61.4	602.1	616.0
2/4/2020 5:00	0.0	0.0	0.0	0.0	0.0	82.7	176.8	278.8	57	595.3	615.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
2/4/2020 6:00	0.0	0.0	0.0	0.0	0.0	85.6	190.8	280.8	75.2	632.4	615.4
2/4/2020 7:00	0.0	0.0	0.0	0.0	0.0	83.8	174.7	279.7	60.3	598.5	615.0
2/4/2020 8:00	0.0	0.0	0.0	0.0	0.0	92.3	182.9	279.1	58.2	612.5	614.8
2/4/2020 9:00	0.0	0.0	0.0	0.0	0.0	114.7	213.1	278.6	61.2	667.6	614.6
2/4/2020 10:00	0.0	0.0	0.0	0.0	0.0	87.9	171.4	282.4	70.6	612.3	614.2
2/4/2020 11:00	0.0	0.0	0.0	0.0	0.0	47.4	116.0	279.1	58.4	500.9	613.8
2/4/2020 12:00	0.0	0.0	0.0	0.0	0.0	50.5	121.2	278.8	71.3	521.8	613.3
2/4/2020 13:00	0.0	0.0	0.0	0.0	0.0	52.7	118.2	304.7	55.1	530.7	613.0
2/4/2020 14:00	0.0	0.0	0.0	0.0	0.0	60.1	121.5	279.9	62.1	523.6	612.6
2/4/2020 15:00	0.0	0.0	0.0	0.0	0.0	48.3	101.8	278.2	61.9	490.2	612.2
2/4/2020 16:00	0.0	0.0	0.0	0.0	0.0	50.6	101.8	279.1	59.6	491.1	611.9
2/4/2020 17:00	0.0	0.0	0.0	0.0	0.0	44.6	106.5	278.8	66.3	496.2	611.4
2/4/2020 18:00	0.0	0.0	0.0	0.0	0.0	38.0	114.0	279.3	71.5	502.8	611.0
2/4/2020 19:00	0.0	0.0	0.0	0.0	0.0	31.4	105.8	278.9	60.8	476.9	610.5
2/4/2020 20:00	0.0	0.0	0.0	0.0	0.0	39.3	117.5	280.1	65.8	502.7	610.1
2/4/2020 21:00	0.0	0.0	0.0	0.0	0.0	44.7	133.0	280.3	66.5	524.5	609.6
2/4/2020 22:00	0.0	0.0	0.0	0.0	0.0	56.0	143.2	278.6	58.7	536.5	609.2
2/4/2020 23:00	0.0	0.0	0.0	0.0	0.0	57.6	146.7	280.1	68.8	553.2	608.7
2/5/2020 0:00	0.0	0.0	0.0	0.0	0.0	65.6	154.8	267.9	91.6	579.9	608.2
2/5/2020 1:00	0.0	0.0	0.0	0.0	0.0	70.7	159.2	282.2	63.1	575.2	607.8
2/5/2020 2:00	0.0	0.0	0.0	0.0	0.0	69.0	158.3	279.1	62.2	568.6	607.4
2/5/2020 3:00	0.0	0.0	0.0	0.0	0.0	78.9	160.4	280.8	57.8	577.9	607.0
2/5/2020 4:00	0.0	0.0	0.0	0.0	0.0	94.2	172.2	280.4	60.3	607.1	606.7
2/5/2020 5:00	0.0	0.0	0.0	0.0	0.0	73.9	137.8	281.8	78.8	572.3	606.4
2/5/2020 6:00	0.0	0.0	0.0	0.0	0.0	48.2	117.9	278.6	70.2	514.9	606.1
2/5/2020 7:00	0.0	0.0	0.0	0.0	0.0	57.1	115.7	277.9	61.7	512.4	605.7
2/5/2020 8:00	0.0	0.0	0.0	0.0	0.0	58.3	113.6	280.8	65.9	518.6	605.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
2/5/2020 9:00	0.0	0.0	0.0	0.0	0.0	81.4	160.6	279.9	64.3	586.2	605.1
2/5/2020 10:00	0.0	0.0	0.0	0.0	0.0	73.9	148.2	276.7	66.7	565.5	604.8
2/5/2020 11:00	0.0	0.0	0.0	0.0	0.0	71.2	146.5	285.8	61.8	565.3	604.6
2/5/2020 12:00	0.0	0.0	0.0	0.0	0.0	126.3	193.9	304	80.8	705.0	604.6
2/5/2020 13:00	0.0	0.0	0.0	0.0	0.0	309.9	359.9	301.2	62.4	1033.4	604.8
2/5/2020 14:00	0.0	0.0	0.0	0.0	0.0	333.4	392.9	280.3	58.4	1065.0	605.2
2/5/2020 15:00	0.0	0.0	0.0	0.0	0.0	313.1	374.9	279.1	64.8	1031.9	605.5
2/5/2020 16:00	0.0	0.0	0.0	0.0	0.0	76.4	146.9	278.8	62.2	564.3	605.2
2/5/2020 17:00	0.0	0.0	0.0	0.0	0.0	85.1	147.4	279.2	58.5	570.2	605.0
2/5/2020 18:00	0.0	0.0	0.0	0.0	0.0	82.6	151.7	277.7	68.9	580.9	604.6
2/5/2020 19:00	0.0	0.0	0.0	0.0	0.0	83.8	157.4	279.6	60.8	581.6	604.2
2/5/2020 20:00	0.0	0.0	0.0	0.0	0.0	83.4	168.7	277.9	67	597.0	603.9
2/5/2020 21:00	0.0	0.0	0.0	0.0	0.0	89.7	178.2	280.4	70.9	619.2	603.7
2/5/2020 22:00	0.0	0.0	0.0	0.0	0.0	98.9	184.4	279.9	60.5	623.7	603.4
2/5/2020 23:00	0.0	0.0	0.0	0.0	0.0	121.4	201.8	280.3	71.2	674.7	603.3
2/6/2020 0:00	0.0	0.0	0.0	0.0	0.0	99.1	157.8	277.5	70.8	605.2	603.0
2/6/2020 1:00	0.0	0.0	0.0	0.0	0.0	85.3	142.9	278.5	68	574.7	602.7
2/6/2020 2:00	0.0	0.0	0.0	0.0	0.0	74.5	133.7	279.4	73	560.6	602.5
2/6/2020 3:00	0.0	0.0	0.0	0.0	0.0	75.7	133.3	277.7	63.1	549.8	602.1
2/6/2020 4:00	0.0	0.0	0.0	0.0	0.0	87.1	134.4	279.4	64.8	565.7	601.8
2/6/2020 5:00	0.0	0.0	0.0	0.0	0.0	72.3	126.4	279.6	76.6	554.9	601.4
2/6/2020 6:00	0.0	0.0	0.0	0.0	0.0	75.2	129.3	277.9	71.3	553.7	601.1
2/6/2020 7:00	0.0	0.0	0.0	0.0	0.0	70.8	136.4	277.7	66.5	551.4	600.8
2/6/2020 8:00	0.0	0.0	0.0	0.0	0.0	50.0	120.7	280.1	71.6	522.4	600.5
2/6/2020 9:00	0.0	0.0	0.0	0.0	0.0	49.6	109.1	280.3	73.4	512.4	600.1
2/6/2020 10:00	0.0	0.0	0.0	0.0	0.0	69.6	117.1	282.8	78.9	548.4	599.9
2/6/2020 11:00	0.0	0.0	0.0	0.0	0.0	103.9	165.8	277.3	66.5	613.5	599.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
2/6/2020 12:00	0.0	0.0	0.0	0.0	0.0	94.0	149.2	276.1	76.8	596.1	599.5
2/6/2020 13:00	0.0	0.0	0.0	0.0	0.0	79.7	127.7	327.6	103	638.0	599.3
2/6/2020 14:00	0.0	0.0	0.0	0.0	0.0	74.7	115.3	277.7	61.7	529.4	599.1
2/6/2020 15:00	0.0	0.0	0.0	0.0	0.0	60.1	104.8	277.4	83	525.3	598.9
2/6/2020 16:00	0.0	0.0	0.0	0.0	0.0	65.9	112.1	278.9	68.7	525.6	598.6
2/6/2020 17:00	0.0	0.0	0.0	0.0	0.0	47.1	105.4	278.7	76.2	507.4	598.3
2/6/2020 18:00	0.0	0.0	0.0	0.0	0.0	42.2	85.3	277.9	77.7	483.1	598.1
2/6/2020 19:00	0.0	0.0	0.0	0.0	0.0	55.3	110.3	279.4	68.6	513.6	598.0
2/6/2020 20:00	0.0	0.0	0.0	0.0	0.0	56.6	108.7	278.1	74.4	517.8	597.5
2/6/2020 21:00	0.0	0.0	0.0	0.0	0.0	55.3	115.7	280	75.5	526.5	597.4
2/6/2020 22:00	0.0	0.0	0.0	0.0	0.0	52.0	104.9	281.1	81.1	519.1	597.6
2/6/2020 23:00	0.0	0.0	0.0	0.0	0.0	60.2	125.4	280.1	70.3	536.0	597.8
2/7/2020 0:00	0.0	0.0	0.0	0.0	0.0	52.6	115.9	286.9	85.9	541.3	597.9
2/7/2020 1:00	0.0	0.0	0.0	0.0	0.0	55.1	124.5	274.7	72.9	527.2	598.1
2/7/2020 2:00	0.0	0.0	0.0	0.0	0.0	52.4	120.5	279	66.2	518.1	598.0
2/7/2020 3:00	0.0	0.0	0.0	0.0	0.0	58.1	127.6	279	71.8	536.5	597.8
2/7/2020 4:00	0.0	0.0	0.0	0.0	0.0	77.9	155.7	280.4	68.2	582.2	597.7
2/7/2020 5:00	0.0	0.0	0.0	0.0	0.0	89.7	160.4	279.9	75.1	605.1	597.7
2/7/2020 6:00	0.0	0.0	0.0	0.0	0.0	85.1	150.5	277.2	73.9	586.7	597.6
2/7/2020 7:00	0.0	0.0	0.0	0.0	0.0	86.5	148.9	280.9	66.6	582.9	597.5
2/7/2020 8:00	0.0	0.0	0.0	0.0	0.0	111.3	161.2	278.6	63.3	614.4	597.4
2/7/2020 9:00	0.0	0.0	0.0	0.0	0.0	104.8	149.2	313.3	83	650.3	597.4
2/7/2020 10:00	0.0	0.0	0.0	0.0	0.0	75.1	123.3	281.6	75.5	555.5	597.3
2/7/2020 11:00	0.0	0.0	0.0	0.0	0.0	83.8	150.2	277.8	65.2	577.0	597.2
2/7/2020 12:00	0.0	0.0	0.0	0.0	0.0	105.5	173.5	282.2	72.8	634.0	597.2
2/7/2020 13:00	0.0	0.0	0.0	0.0	0.0	100.5	172.4	280.3	80	633.2	597.1
2/7/2020 14:00	0.0	0.0	0.0	0.0	0.0	107.1	191.2	286	74.6	658.9	596.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
2/7/2020 15:00	0.0	0.0	0.0	0.0	0.0	115.3	197.9	277.1	73.7	664.0	596.8
2/7/2020 16:00	0.0	0.0	0.0	0.0	0.0	113.4	182.3	282.1	69.8	647.6	596.8
2/7/2020 17:00	0.0	0.0	0.0	0.0	0.0	124.7	206.9	290.1	65.6	687.3	596.8
2/7/2020 18:00	0.0	0.0	0.0	0.0	0.0	131.8	215.5	276.8	75.6	699.7	596.8
2/7/2020 19:00	0.0	0.0	0.0	0.0	0.0	122.8	205.6	277.9	77.8	684.1	596.8
2/7/2020 20:00	0.0	0.0	0.0	0.0	0.0	117.5	191.6	276.5	88.5	674.1	596.7
2/7/2020 21:00	0.0	0.0	0.0	0.0	0.0	112.0	177.7	294.4	70.7	654.8	596.7
2/7/2020 22:00	0.0	0.0	0.0	0.0	0.0	125.9	191.0	277.7	70.9	665.5	596.7
2/7/2020 23:00	0.0	0.0	0.0	0.0	0.0	122.7	186.8	281	70.6	661.1	596.7
2/8/2020 0:00	0.0	0.0	0.0	0.0	0.0	126.4	190.6	281.1	80.8	678.9	596.8
2/8/2020 1:00	0.0	0.0	0.0	0.0	0.0	130.4	195.6	281.1	77.3	684.4	596.8
2/8/2020 2:00	0.0	0.0	0.0	0.0	0.0	108.1	173.8	279.8	67.7	629.4	596.7
2/8/2020 3:00	0.0	0.0	0.0	0.0	0.0	110.9	176.6	276	74.4	637.9	596.7
2/8/2020 4:00	0.0	0.0	0.0	0.0	0.0	118.4	205.5	277	68.1	669.0	596.6
2/8/2020 5:00	0.0	0.0	0.0	0.0	0.0	120.6	200.0	278.2	76.1	674.9	596.6
2/8/2020 6:00	0.0	0.0	0.0	0.0	0.0	147.8	211.9	274.2	73	706.9	596.6
2/8/2020 7:00	0.0	0.0	0.0	0.0	0.0	134.6	215.1	278.4	73.9	702.0	596.7
2/8/2020 8:00	0.0	0.0	0.0	0.0	0.0	122.7	213.9	278.6	72.2	687.4	596.7
2/8/2020 9:00	0.0	0.0	0.0	0.0	0.0	125.9	203.7	279.4	72.2	681.2	596.7
2/8/2020 10:00	0.0	0.0	0.0	0.0	0.0	95.7	172.2	280.1	69	617.0	596.5
2/8/2020 11:00	0.0	0.0	0.0	0.0	0.0	99.2	179.4	273.5	84.3	636.4	596.5
2/8/2020 12:00	0.0	0.0	0.0	0.0	0.0	111.1	196.2	278.5	64.9	650.7	596.4
2/8/2020 13:00	0.0	0.0	0.0	11.6	0.0	112.9	210.1	277.9	66.8	679.3	596.3
2/8/2020 14:00	0.0	0.0	0.0	48.4	0.0	104.4	212.2	279.6	76.8	721.4	596.4
2/8/2020 15:00	0.0	0.0	0.0	127.6	0.0	73.5	153.1	282.2	73.6	710.0	596.4
2/8/2020 16:00	0.0	0.0	0.0	137.4	0.0	98.5	195.1	278.2	65.3	774.5	596.5
2/8/2020 17:00	0.0	0.0	0.0	139.5	0.0	111.5	202.4	278.2	64.2	795.8	596.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
2/8/2020 18:00	0.0	0.0	0.0	148.7	0.0	118.4	211.0	278.1	69.2	825.4	596.9
2/8/2020 19:00	0.0	0.0	0.0	154.5	0.0	127.0	208.1	277.5	66.4	833.5	597.1
2/8/2020 20:00	0.0	0.0	0.0	152.1	0.0	132.2	224.1	278.9	70	857.3	597.2
2/8/2020 21:00	0.0	0.0	0.0	150.7	0.0	133.8	221.1	264.1	79.4	849.1	597.4
2/8/2020 22:00	0.0	0.0	0.0	147.6	0.0	119.3	198.5	279.9	66.8	812.1	597.7
2/8/2020 23:00	0.0	0.0	0.0	148.6	0.0	132.5	221.6	278	65.1	845.8	597.9
2/9/2020 0:00	0.0	0.0	3.8	150.7	0.0	129.8	225.8	284.9	77.5	872.5	598.2
2/9/2020 1:00	0.0	0.0	147.9	167.2	0.0	133.8	228.1	277.9	67.6	1022.5	598.7
2/9/2020 2:00	0.0	0.0	140.0	156.7	0.0	121.8	219.2	280.5	70.9	989.1	599.2
2/9/2020 3:00	0.0	0.0	136.2	123.5	0.0	118.9	218.3	277.6	65.3	939.8	599.6
2/9/2020 4:00	0.0	0.0	135.0	119.3	0.0	120.0	219.5	279.3	67.8	940.9	599.9
2/9/2020 5:00	0.0	0.0	133.1	119.5	0.0	120.3	212.2	278.6	68.8	932.5	600.3
2/9/2020 6:00	0.0	0.0	133.1	118.6	0.0	118.8	211.0	279.2	92.5	953.2	600.6
2/9/2020 7:00	0.0	0.0	135.2	121.6	0.0	138.4	204.1	278.6	65.8	943.7	601.0
2/9/2020 8:00	0.0	0.0	135.7	121.8	0.0	133.7	212.3	280	66.7	950.2	601.4
2/9/2020 9:00	0.0	0.0	136.4	123.2	0.0	130.8	181.3	280.2	64.8	916.7	601.7
2/9/2020 10:00	0.0	0.0	132.1	121.2	0.0	114.5	171.1	278.6	68.2	885.7	602.0
2/9/2020 11:00	0.0	0.0	129.5	120.6	0.0	111.8	167.3	284.2	58	871.4	602.3
2/9/2020 12:00	0.0	0.0	122.6	119.6	0.0	98.2	176.1	274.1	84.3	874.9	602.6
2/9/2020 13:00	0.0	0.0	115.8	115.7	0.0	88.3	159.4	278.8	68.8	826.8	602.8
2/9/2020 14:00	0.0	0.0	114.3	114.6	0.0	89.4	158.8	278.4	58.8	814.3	603.1
2/9/2020 15:00	0.0	0.0	113.0	110.0	0.0	81.8	154.2	278.7	65.7	803.4	603.3
2/9/2020 16:00	0.0	0.0	116.7	114.8	0.0	84.4	166.1	279.5	65.1	826.6	603.7
2/9/2020 17:00	0.0	0.0	108.2	113.1	0.0	92.3	165.2	279.1	63.3	821.2	604.0
2/9/2020 18:00	0.0	0.0	102.6	113.4	0.0	90.1	161.8	278.6	65.3	811.8	604.3
2/9/2020 19:00	0.0	0.0	118.3	115.5	0.0	119.3	179.6	280	63.8	876.5	604.6
2/9/2020 20:00	0.0	0.0	124.1	120.9	0.0	239.9	272.2	278.2	63.6	1098.9	605.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
2/9/2020 21:00	0.0	0.0	123.0	115.4	0.0	109.7	177.5	271.7	69.3	866.6	605.7
2/9/2020 22:00	0.0	0.0	122.5	117.2	0.0	101.7	174.7	281.3	61.1	858.5	606.1
2/9/2020 23:00	0.0	0.0	123.5	116.1	0.0	91.7	168.5	279.2	61.5	840.5	606.4
2/10/2020 0:00	0.0	0.0	127.9	121.5	0.0	100.3	191.5	279.9	60.5	881.6	606.8
2/10/2020 1:00	0.0	0.0	126.3	118.6	0.0	104.2	199.8	280.1	68.4	897.4	607.2
2/10/2020 2:00	0.0	0.0	114.1	109.2	0.0	92.2	162.0	279.2	63.7	820.4	607.5
2/10/2020 3:00	0.0	0.0	113.1	107.8	0.0	100.7	168.3	278.8	61.8	830.5	607.8
2/10/2020 4:00	0.0	0.0	113.6	109.0	0.0	103.9	160.6	279.1	55.6	821.8	608.1
2/10/2020 5:00	0.0	0.0	113.2	107.3	0.0	107.6	164.2	279.2	62.8	834.3	608.2
2/10/2020 6:00	0.0	0.0	115.7	108.8	0.0	114.0	173.1	281.2	84.6	877.4	608.3
2/10/2020 7:00	0.0	0.0	110.5	105.1	0.0	116.0	166.9	277.2	57.3	833.0	608.5
2/10/2020 8:00	0.0	0.0	108.4	102.3	0.0	112.7	182.2	273.5	60.5	839.6	608.4
2/10/2020 9:00	0.0	0.0	110.0	104.0	0.0	111.4	188.3	282.9	48.9	845.5	608.2
2/10/2020 10:00	0.0	0.0	111.1	105.2	0.0	59.3	126.0	279.6	66.2	747.4	608.3
2/10/2020 11:00	0.0	0.0	110.3	101.9	0.0	143.2	223.5	280.7	57.5	917.1	608.5
2/10/2020 12:00	0.0	0.0	131.1	0.8	0.0	94.1	210.4	263	86.2	785.6	608.6
2/10/2020 13:00	0.0	0.0	120.5	50.1	0.0	87.7	199.1	282.2	68.5	808.1	608.7
2/10/2020 14:00	0.0	0.0	113.0	106.3	0.0	57.8	164.3	278.7	58.5	778.6	608.7
2/10/2020 15:00	0.0	0.0	108.4	102.9	0.0	52.6	148.0	279.1	58.9	749.9	608.9
2/10/2020 16:00	0.0	0.0	106.9	102.2	0.0	50.7	140.2	279.9	59.3	739.2	609.2
2/10/2020 17:00	0.0	0.0	107.8	101.7	0.0	53.8	146.7	278.8	60.1	748.9	609.4
2/10/2020 18:00	0.0	0.0	106.8	101.8	0.0	54.7	153.8	279.4	59.6	756.1	609.6
2/10/2020 19:00	0.0	0.0	106.9	103.1	0.0	50.0	146.2	277.4	66.3	749.9	609.9
2/10/2020 20:00	0.0	0.0	107.0	102.6	0.0	45.8	153.6	278.1	55.4	742.5	610.1
2/10/2020 21:00	0.0	0.0	107.3	103.1	0.0	47.6	148.6	280.6	71.6	758.8	610.3
2/10/2020 22:00	0.0	0.0	107.3	102.4	0.0	48.6	150.8	279.3	61.4	749.8	610.5
2/10/2020 23:00	0.0	0.0	112.6	102.7	0.0	54.0	148.5	279.3	63.1	760.2	610.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
2/11/2020 0:00	0.0	0.0	110.9	105.6	0.0	52.3	148.7	281	61.3	759.8	610.8
2/11/2020 1:00	0.0	0.0	116.4	102.9	0.0	58.1	154.9	280.1	55	767.4	611.0
2/11/2020 2:00	0.0	0.0	102.3	103.1	0.0	61.5	170.7	278.1	58	773.7	611.1
2/11/2020 3:00	0.0	0.0	107.6	103.6	0.0	65.3	170.0	278.8	62.9	788.2	611.3
2/11/2020 4:00	0.0	0.0	111.8	103.8	0.0	69.9	169.5	278.4	52.1	785.5	611.4
2/11/2020 5:00	0.0	0.0	91.5	102.4	0.0	77.7	173.6	279.5	56.7	781.4	611.6
2/11/2020 6:00	0.0	0.0	95.3	115.5	0.0	79.0	170.9	277.8	71.6	810.1	611.8
2/11/2020 7:00	0.0	0.0	95.4	105.0	0.0	81.2	163.1	279.4	61.6	785.7	612.0
2/11/2020 8:00	0.0	0.0	95.8	104.1	0.0	61.3	143.4	279.6	54.1	738.3	612.2
2/11/2020 9:00	0.0	0.0	96.6	102.8	0.0	59.3	136.6	280.4	57.2	732.9	612.4
2/11/2020 10:00	0.0	0.0	108.1	104.6	0.0	52.6	132.6	278.5	57.3	733.7	612.6
2/11/2020 11:00	0.0	0.0	107.8	103.0	0.0	55.5	131.6	279	54.3	731.2	612.7
2/11/2020 12:00	0.0	0.0	107.9	103.0	0.0	43.6	130.2	254.9	92.7	732.3	612.8
2/11/2020 13:00	0.0	0.0	108.8	103.6	0.0	45.2	125.8	285.4	59.4	728.2	612.8
2/11/2020 14:00	0.0	0.0	108.8	103.5	0.0	44.2	125.3	276.3	53.2	711.3	612.9
2/11/2020 15:00	0.0	0.0	109.5	104.2	0.0	41.6	126.6	280.8	59.3	722.0	613.0
2/11/2020 16:00	0.0	0.0	114.5	108.5	0.0	48.0	138.8	277.9	60.5	748.2	613.2
2/11/2020 17:00	0.0	0.0	117.1	110.0	0.0	62.1	145.1	279.5	57.5	771.3	613.4
2/11/2020 18:00	0.0	0.0	126.1	118.6	0.0	71.4	168.8	279.1	57.6	821.6	613.7
2/11/2020 19:00	0.0	0.0	148.0	138.5	0.0	104.5	211.2	279.7	59.9	941.8	614.2
2/11/2020 20:00	0.0	0.0	159.6	147.7	0.0	121.1	228.1	278.9	60.1	995.5	614.6
2/11/2020 21:00	0.0	0.0	165.7	152.8	0.0	123.7	245.5	276.4	43.9	1008.0	615.1
2/11/2020 22:00	0.0	0.0	163.8	150.1	0.0	123.6	242.4	280.1	54.5	1014.5	615.6
2/11/2020 23:00	0.0	0.0	168.6	157.6	0.0	145.5	262.9	268.6	48.3	1051.5	616.2
2/12/2020 0:00	0.0	0.0	165.1	153.4	0.0	127.4	254.5	280.8	70.9	1052.1	616.7
2/12/2020 1:00	0.0	0.0	162.3	150.4	0.0	104.4	226.7	278.2	59.4	981.4	617.1
2/12/2020 2:00	0.0	0.0	159.3	147.1	0.0	95.1	225.8	277.4	57	961.7	617.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
2/12/2020 3:00	0.0	0.0	156.8	145.5	0.0	97.1	216.3	274.9	59.9	950.5	618.0
2/12/2020 4:00	0.0	0.0	151.3	142.7	0.0	99.4	220.2	278.2	61.5	953.3	618.3
2/12/2020 5:00	0.0	0.0	151.2	145.3	0.0	112.3	223.8	279.5	56.4	968.5	618.7
2/12/2020 6:00	0.0	0.0	141.0	133.4	0.0	100.6	208.6	279.5	69.9	933.0	619.0
2/12/2020 7:00	0.0	0.0	114.2	109.7	0.0	179.5	277.0	284.8	166.2	1131.4	619.6
2/12/2020 8:00	0.0	0.0	108.2	105.8	0.0	58.4	143.7	279.6	83.3	779.0	619.7
2/12/2020 9:00	0.0	0.0	108.0	104.3	0.0	54.7	145.1	281.2	65.5	758.8	619.7
2/12/2020 10:00	0.0	0.0	108.0	106.1	0.0	53.0	143.4	276.5	73.9	760.9	619.7
2/12/2020 11:00	0.0	0.0	108.3	107.4	0.0	62.7	147.0	278.8	60.6	764.8	619.8
2/12/2020 12:00	0.0	0.0	107.3	105.5	0.0	55.4	140.0	276.8	64.1	749.1	619.8
2/12/2020 13:00	0.0	0.0	110.3	105.8	0.0	61.4	136.3	283.8	71.8	769.4	619.9
2/12/2020 14:00	0.0	0.0	112.1	105.9	0.0	63.6	147.3	282.8	59.4	771.1	620.0
2/12/2020 15:00	0.0	0.0	113.3	107.4	0.0	66.6	155.4	268.6	29.5	740.8	620.1
2/12/2020 16:00	0.0	0.0	114.0	106.6	0.0	69.4	155.9	283.3	34.8	764.0	620.3
2/12/2020 17:00	0.0	0.0	113.4	105.7	0.0	74.8	163.3	279	50.9	787.1	620.6
2/12/2020 18:00	0.0	0.0	113.9	106.0	0.0	71.1	159.1	278.5	45.3	773.9	620.9
2/12/2020 19:00	0.0	0.0	113.5	107.0	0.0	59.0	151.8	279.1	47	757.4	621.2
2/12/2020 20:00	0.0	0.0	113.7	108.0	0.0	60.6	149.7	273.3	45.1	750.4	621.5
2/12/2020 21:00	0.0	0.0	113.5	109.0	0.0	61.9	151.0	278.2	40.5	754.1	621.8
2/12/2020 22:00	0.0	0.0	113.1	108.4	0.0	60.4	163.6	279.9	45.8	771.2	622.1
2/12/2020 23:00	0.0	0.0	118.3	112.2	0.0	74.2	185.6	280.3	45.6	816.2	622.4
2/13/2020 0:00	0.0	0.0	114.1	110.1	0.0	69.4	168.4	283.7	38.2	783.9	622.7
2/13/2020 1:00	0.0	0.0	113.6	109.9	0.0	80.2	161.4	280.9	50.4	796.4	622.9
2/13/2020 2:00	0.0	0.0	113.5	111.3	0.0	74.6	173.8	279.8	44.3	797.3	623.3
2/13/2020 3:00	0.0	0.0	113.7	110.4	0.0	75.6	174.9	280.2	41.7	796.5	623.6
2/13/2020 4:00	0.0	0.0	113.8	110.3	0.0	81.6	181.3	279.1	35.2	801.3	624.0
2/13/2020 5:00	0.0	0.0	113.5	110.6	0.0	87.8	172.4	277	40.1	801.4	624.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
2/13/2020 6:00	0.0	0.0	114.1	108.8	0.0	89.2	177.0	276.1	56.6	821.8	624.7
2/13/2020 7:00	0.0	0.0	114.1	109.0	0.0	68.3	171.8	279.9	40.7	783.8	625.0
2/13/2020 8:00	0.0	0.0	114.4	109.0	0.0	59.9	155.8	289.5	47.8	776.4	625.2
2/13/2020 9:00	0.0	0.0	114.2	109.9	0.0	59.7	157.3	295.4	72.1	808.6	625.4
2/13/2020 10:00	0.0	0.0	114.1	109.9	0.0	62.7	170.8	365.1	81.6	904.2	625.8
2/13/2020 11:00	0.0	0.0	114.7	109.9	0.0	75.7	168.3	281.8	64.1	814.5	626.2
2/13/2020 12:00	0.0	0.0	114.0	108.8	0.0	80.1	173.0	279.7	58.4	814.0	626.4
2/13/2020 13:00	0.0	0.0	114.5	110.9	0.0	84.2	169.7	274.5	70.8	824.6	626.7
2/13/2020 14:00	0.0	0.0	112.7	110.3	0.0	62.4	157.8	286.4	71.5	801.1	627.0
2/13/2020 15:00	0.0	0.0	112.8	110.0	0.0	56.5	158.0	279.5	72.4	789.2	627.3
2/13/2020 16:00	0.0	0.0	115.2	110.9	0.0	53.3	160.4	277.8	67.4	785.0	627.6
2/13/2020 17:00	0.0	0.0	117.6	115.3	0.0	61.3	162.4	288.8	66.3	811.7	628.0
2/13/2020 18:00	0.0	0.0	130.2	125.0	0.0	70.3	180.9	275.3	68.1	849.8	628.4
2/13/2020 19:00	0.0	0.0	140.4	133.1	0.0	85.3	198.5	279.1	59.8	896.2	628.9
2/13/2020 20:00	0.0	0.0	140.6	135.7	0.0	87.2	197.8	278.2	81.5	921.0	629.5
2/13/2020 21:00	0.0	0.0	142.3	135.1	0.0	77.6	207.3	293	69.4	924.7	630.0
2/13/2020 22:00	0.0	0.0	146.8	137.8	0.0	89.8	210.1	278.6	77.5	940.6	630.5
2/13/2020 23:00	0.0	0.0	144.2	135.9	0.0	95.2	204.4	278.9	77	935.6	631.0
2/14/2020 0:00	0.0	0.0	148.1	138.8	0.0	111.1	207.2	281.8	87.7	974.7	631.6
2/14/2020 1:00	0.0	0.0	152.0	142.4	0.0	309.6	336.4	292.5	76	1308.9	632.7
2/14/2020 2:00	0.0	0.0	150.8	141.9	0.0	122.4	225.4	279.4	71.4	991.3	633.3
2/14/2020 3:00	0.0	0.0	150.0	141.1	0.0	125.9	226.0	275.6	81	999.6	633.9
2/14/2020 4:00	0.0	0.0	145.1	137.1	0.0	108.1	215.6	277.3	114.7	997.9	634.5
2/14/2020 5:00	0.0	0.0	152.7	144.2	0.0	101.9	224.8	281	87	991.6	635.1
2/14/2020 6:00	0.0	0.0	156.0	146.5	0.0	101.7	230.2	280.5	85.3	1000.2	635.7
2/14/2020 7:00	0.0	0.0	153.7	156.6	0.0	106.1	222.2	264.9	58	961.5	636.4
2/14/2020 8:00	0.0	0.0	116.3	129.2	0.0	108.9	223.3	293.1	64.4	935.2	636.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
2/14/2020 9:00	0.0	0.0	109.7	115.6	0.0	146.1	248.2	361.3	105.4	1086.3	637.7
2/14/2020 10:00	0.0	0.0	109.4	117.2	0.0	155.8	265.6	266.1	59.9	974.0	638.3
2/14/2020 11:00	0.0	0.0	109.2	117.7	0.0	111.1	209.0	284.2	33.6	864.8	638.8
2/14/2020 12:00	0.0	0.0	109.7	116.8	0.0	74.9	162.7	278.4	22.5	765.0	638.7
2/14/2020 13:00	0.0	0.0	110.0	118.7	0.0	80.1	168.0	279.7	50.1	806.6	638.6
2/14/2020 14:00	0.0	0.0	109.6	108.5	0.0	87.6	163.7	279.1	56.2	804.7	639.0
2/14/2020 15:00	0.0	0.0	109.4	111.9	0.0	80.9	169.7	280.9	67.4	820.2	639.4
2/14/2020 16:00	0.0	0.0	110.0	108.0	0.0	81.1	171.4	279.2	58.2	807.9	639.7
2/14/2020 17:00	0.0	0.0	109.3	110.4	0.0	70.1	165.5	279.6	59.5	794.4	639.9
2/14/2020 18:00	0.0	0.0	109.1	110.5	0.0	75.2	163.4	308.7	111.1	878.0	640.3
2/14/2020 19:00	0.0	0.0	109.0	108.7	0.0	71.8	170.6	257.3	62.5	779.9	640.5
2/14/2020 20:00	0.0	0.0	109.0	108.6	0.0	79.2	176.0	279.7	62.6	815.1	640.7
2/14/2020 21:00	0.0	0.0	108.7	108.7	0.0	88.4	178.1	279.6	84.3	847.8	641.1
2/14/2020 22:00	0.0	0.0	108.0	107.5	0.0	95.2	187.2	280.2	59.2	837.3	641.4
2/14/2020 23:00	0.0	0.0	108.2	109.2	0.0	98.3	183.7	279.2	59.1	837.7	641.7
2/15/2020 0:00	0.0	0.0	107.6	107.9	0.0	96.8	183.1	279.7	61	836.1	642.0
2/15/2020 1:00	0.0	0.0	107.5	108.1	0.0	100.7	186.1	280.2	69.5	852.1	642.3
2/15/2020 2:00	0.0	0.0	108.1	108.4	0.0	103.6	184.8	279.4	69.9	854.2	642.6
2/15/2020 3:00	0.0	0.0	107.6	107.4	0.0	93.5	174.1	278.9	63.3	824.8	642.8
2/15/2020 4:00	0.0	0.0	107.4	107.1	0.0	94.0	174.3	278.1	59.9	820.8	643.1
2/15/2020 5:00	0.0	0.0	106.9	108.2	0.0	89.1	174.5	278.9	57.7	815.3	643.4
2/15/2020 6:00	0.0	0.0	107.2	108.3	0.0	95.9	176.3	279.8	47.6	815.1	643.6
2/15/2020 7:00	0.0	0.0	107.9	108.7	0.0	90.5	177.4	279.1	24.3	787.9	643.9
2/15/2020 8:00	0.0	0.0	107.5	108.4	0.0	91.4	176.7	279.8	63.8	827.6	644.3
2/15/2020 9:00	0.0	0.0	107.7	107.8	0.0	93.9	168.4	279.8	70.9	828.5	644.7
2/15/2020 10:00	0.0	0.0	108.0	108.7	0.0	93.8	172.6	276.9	52	812.0	645.1
2/15/2020 11:00	0.0	0.0	107.6	109.4	0.0	87.4	176.3	284.8	68	833.5	645.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
2/15/2020 12:00	0.0	0.0	107.1	110.2	0.0	81.6	168.0	281.5	57.4	805.8	645.5
2/15/2020 13:00	0.0	0.0	108.2	110.9	0.0	86.0	173.3	326.7	57.5	862.6	645.7
2/15/2020 14:00	0.0	0.0	108.2	110.6	0.0	76.1	169.2	275.8	60.1	800.0	645.9
2/15/2020 15:00	0.0	0.0	108.3	110.5	0.0	74.8	158.5	277	62.5	791.6	646.2
2/15/2020 16:00	0.0	0.0	108.0	109.2	0.0	79.3	148.0	278.8	64.1	787.4	646.6
2/15/2020 17:00	0.0	0.0	108.5	110.7	0.0	79.0	160.0	278	58.5	794.7	646.9
2/15/2020 18:00	0.0	0.0	108.0	108.2	0.0	88.6	164.6	284.1	61.5	815.0	647.3
2/15/2020 19:00	0.0	0.0	107.6	107.9	0.0	91.4	160.8	269.1	51	787.8	647.6
2/15/2020 20:00	0.0	0.0	108.2	107.3	0.0	101.1	161.8	278.1	60.4	816.9	647.9
2/15/2020 21:00	0.0	0.0	108.3	108.1	0.0	97.1	163.2	280.8	66.1	823.6	648.2
2/15/2020 22:00	0.0	0.0	108.6	108.2	0.0	92.2	162.1	279	56.1	806.2	648.5
2/15/2020 23:00	0.0	0.0	109.6	106.9	0.0	82.7	161.4	280.1	63.7	804.4	648.8
2/16/2020 0:00	0.0	0.0	110.0	107.9	0.0	91.3	165.4	277.6	51	803.2	649.0
2/16/2020 1:00	0.0	0.0	109.6	108.5	0.0	83.8	175.7	280.5	64.7	822.8	649.3
2/16/2020 2:00	0.0	0.0	109.5	108.8	0.0	99.5	172.1	280	60	829.9	649.6
2/16/2020 3:00	0.0	0.0	109.4	107.9	0.0	96.8	170.1	278.2	59.7	822.1	649.9
2/16/2020 4:00	0.0	0.0	109.6	108.9	0.0	90.3	182.8	279.1	55.8	826.5	650.3
2/16/2020 5:00	0.0	0.0	109.2	108.5	0.0	83.8	173.9	279	113.3	867.7	650.7
2/16/2020 6:00	0.0	0.0	109.4	107.7	0.0	92.6	158.9	278.9	36.4	783.9	650.8
2/16/2020 7:00	0.0	0.0	109.0	108.7	0.0	87.5	162.8	278.4	56.5	802.9	651.1
2/16/2020 8:00	0.0	0.0	108.7	108.0	0.0	85.7	166.6	278.5	61.8	809.3	651.3
2/16/2020 9:00	0.0	0.0	109.0	108.5	0.0	69.4	170.9	269.9	60.8	788.5	651.4
2/16/2020 10:00	0.0	0.0	109.1	108.9	0.0	69.7	168.5	304.6	40.1	800.9	651.6
2/16/2020 11:00	0.0	0.0	109.2	108.8	0.0	68.7	169.2	277	60	792.9	651.8
2/16/2020 12:00	0.0	0.0	109.0	108.6	0.0	67.1	174.1	276.7	60.4	795.9	652.1
2/16/2020 13:00	0.0	0.0	108.9	109.8	0.0	65.3	175.8	281.4	63.7	804.9	652.4
2/16/2020 14:00	0.0	0.0	108.3	109.5	0.0	63.6	181.4	279.3	51.2	793.3	652.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
2/16/2020 15:00	0.0	0.0	108.1	108.5	0.0	56.8	193.2	278.2	45	789.8	652.9
2/16/2020 16:00	0.0	0.0	109.6	108.8	0.0	68.8	183.8	281.6	41.1	793.7	653.1
2/16/2020 17:00	0.0	0.0	111.1	110.2	0.0	67.0	187.5	277.7	39.7	793.2	653.3
2/16/2020 18:00	0.0	0.0	111.6	108.9	0.0	68.4	188.0	281.5	41.1	799.5	653.6
2/16/2020 19:00	0.0	0.0	111.5	108.8	0.0	69.0	187.5	271.9	42.8	791.5	653.8
2/16/2020 20:00	0.0	0.0	111.8	110.9	0.0	73.0	182.9	277.9	42.6	799.1	654.2
2/16/2020 21:00	0.0	0.0	111.4	109.5	0.0	83.7	182.9	278.9	45	811.4	654.5
2/16/2020 22:00	0.0	0.0	111.8	109.7	0.0	73.0	186.5	280.3	41.7	803.0	654.8
2/16/2020 23:00	0.0	0.0	111.7	110.1	0.0	70.2	189.9	279.4	47	808.3	655.1
2/17/2020 0:00	0.0	0.0	112.1	110.9	0.0	76.4	173.5	278.6	32.5	784.0	655.3
2/17/2020 1:00	0.0	0.0	111.9	111.5	0.0	78.1	161.6	281.6	62.1	806.8	655.7
2/17/2020 2:00	0.0	0.0	112.3	111.9	0.0	83.5	165.1	278.2	53.4	804.4	656.0
2/17/2020 3:00	0.0	0.0	112.0	111.0	0.0	82.5	167.8	279.9	55.6	808.8	656.3
2/17/2020 4:00	0.0	0.0	112.9	111.9	0.0	79.7	171.2	279.2	54	808.9	656.6
2/17/2020 5:00	0.0	0.0	113.6	112.0	0.0	82.5	179.5	279.5	60.4	827.5	656.9
2/17/2020 6:00	0.0	0.0	113.4	111.3	0.0	85.6	179.4	267.1	53.2	810.0	657.3
2/17/2020 7:00	0.0	0.0	113.6	111.4	0.0	89.8	182.2	274.6	53	824.6	657.6
2/17/2020 8:00	0.0	0.0	114.4	111.4	0.0	97.3	177.9	278.9	58.1	838.0	658.0
2/17/2020 9:00	0.0	0.0	114.0	112.2	0.0	95.5	170.3	279.2	53.5	824.7	658.3
2/17/2020 10:00	0.0	0.0	113.3	110.3	0.0	102.4	179.6	278.9	55.6	840.1	658.6
2/17/2020 11:00	0.0	0.0	113.2	110.8	0.0	122.2	201.7	289.6	55.4	892.9	659.0
2/17/2020 12:00	0.0	0.0	112.2	110.5	0.0	124.4	204.9	265.7	31.7	849.4	659.3
2/17/2020 13:00	0.0	0.0	112.4	110.9	0.0	68.5	170.3	279.9	59.2	801.2	659.6
2/17/2020 14:00	0.0	0.0	113.2	110.5	0.0	73.9	177.9	279.5	51.6	806.6	659.9
2/17/2020 15:00	0.0	0.0	114.5	110.5	0.0	70.4	177.7	277.8	58.4	809.3	660.2
2/17/2020 16:00	0.0	0.0	114.8	110.2	0.0	69.4	174.1	278.9	55.7	803.1	660.4
2/17/2020 17:00	0.0	0.0	114.9	109.5	0.0	59.5	165.6	278.7	55.2	783.4	660.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
2/17/2020 18:00	0.0	0.0	115.1	110.2	0.0	58.4	166.2	275.2	53.3	778.4	660.8
2/17/2020 19:00	0.0	0.0	115.1	110.8	0.0	58.5	167.4	274.4	59.4	785.6	661.1
2/17/2020 20:00	0.0	0.0	114.2	111.5	0.0	58.5	168.5	245.2	49.9	747.8	661.3
2/17/2020 21:00	0.0	0.0	114.4	112.7	0.0	59.1	167.3	277	59	789.5	661.4
2/17/2020 22:00	0.0	0.0	114.7	112.0	0.0	59.0	165.6	277.7	51.2	780.2	661.6
2/17/2020 23:00	0.0	0.0	114.4	111.9	0.0	60.8	165.5	279.6	53.1	785.3	661.8
2/18/2020 0:00	0.0	0.0	115.1	112.6	0.0	68.1	161.2	276.9	62.6	796.5	661.9
2/18/2020 1:00	0.0	0.0	115.5	112.3	0.0	68.9	168.6	279.6	51.8	796.7	662.0
2/18/2020 2:00	0.0	0.0	115.6	112.3	0.0	72.9	181.2	278.1	55	815.1	662.2
2/18/2020 3:00	0.0	0.0	115.9	113.3	0.0	77.0	183.0	276	52.2	817.4	662.4
2/18/2020 4:00	0.0	0.0	115.7	113.0	0.0	71.4	170.5	276.9	57	804.5	662.6
2/18/2020 5:00	0.0	0.0	115.7	112.7	0.0	69.9	188.7	277.9	50	814.9	662.8
2/18/2020 6:00	0.0	0.0	115.7	113.5	0.0	227.1	287.3	277.8	67.7	1089.1	663.4
2/18/2020 7:00	0.0	0.0	115.8	113.5	0.0	68.5	168.4	269	54.6	789.8	663.6
2/18/2020 8:00	0.0	0.0	115.8	112.0	0.0	61.9	167.4	277.5	53.2	787.8	663.7
2/18/2020 9:00	0.0	0.0	116.5	112.4	0.0	60.5	165.3	275.7	54.7	785.1	664.0
2/18/2020 10:00	0.0	0.0	116.6	112.4	0.0	68.7	158.3	277	50.3	783.3	664.1
2/18/2020 11:00	0.0	0.0	116.5	112.2	0.0	65.3	157.6	274.7	54.9	781.2	664.3
2/18/2020 12:00	0.0	0.0	117.7	112.4	0.0	65.2	150.2	264.5	56.8	766.8	664.6
2/18/2020 13:00	0.0	0.0	115.8	112.6	0.0	63.5	147.2	276.5	45.3	760.9	664.8
2/18/2020 14:00	0.0	0.0	115.5	112.3	0.0	65.7	157.1	277.7	48.9	777.2	665.0
2/18/2020 15:00	0.0	0.0	116.6	113.0	0.0	69.4	158.3	276.9	51.9	786.1	665.3
2/18/2020 16:00	0.0	0.0	116.5	112.3	0.0	70.3	164.9	276.8	47.5	788.3	665.5
2/18/2020 17:00	0.0	0.0	117.1	113.0	0.0	70.4	158.5	276.5	49.5	785.0	665.5
2/18/2020 18:00	0.0	0.0	117.1	111.7	0.0	79.9	161.7	262.9	47.3	780.6	665.4
2/18/2020 19:00	0.0	0.0	114.1	112.3	0.0	75.6	176.0	277.4	45	800.4	665.5
2/18/2020 20:00	0.0	0.0	114.7	111.9	0.0	83.2	183.1	276.5	49.8	819.2	665.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
2/18/2020 21:00	0.0	0.0	114.7	112.7	0.0	86.3	178.6	278.7	52.4	823.4	665.8
2/18/2020 22:00	0.0	0.0	113.6	112.3	0.0	92.2	184.0	258.3	48.5	808.9	666.0
2/18/2020 23:00	0.0	0.0	113.6	112.8	0.0	91.9	185.0	268.9	48.8	821.0	666.1
2/19/2020 0:00	0.0	0.0	113.9	143.2	0.0	81.3	179.8	269.7	54.6	842.5	666.3
2/19/2020 1:00	0.0	0.0	113.6	207.3	0.0	89.1	174.7	277.7	44.9	907.3	666.6
2/19/2020 2:00	0.0	0.0	113.5	222.5	0.0	80.4	175.0	277.4	52.3	921.1	666.9
2/19/2020 3:00	0.0	0.0	113.3	216.6	0.0	75.4	169.1	277.2	48.9	900.5	667.1
2/19/2020 4:00	0.0	0.0	113.1	214.9	0.0	79.7	171.9	276	45.8	901.4	667.3
2/19/2020 5:00	0.0	0.0	113.1	218.3	0.0	74.4	169.3	275.1	47.5	897.7	667.5
2/19/2020 6:00	0.0	0.0	112.9	212.3	0.0	79.5	168.5	280.2	50.8	904.2	667.8
2/19/2020 7:00	0.0	0.0	113.1	204.9	0.0	86.9	166.1	274.4	46	891.4	668.1
2/19/2020 8:00	0.0	0.0	112.9	203.7	0.0	91.1	167.0	283.7	50.7	909.1	668.4
2/19/2020 9:00	0.0	0.0	112.9	203.3	0.0	87.1	165.9	278.8	51.8	899.8	668.7
2/19/2020 10:00	0.0	0.0	113.1	203.4	0.0	105.1	163.2	278	42	904.8	669.2
2/19/2020 11:00	0.0	0.0	112.8	201.7	0.0	77.5	162.0	279.5	46.9	880.4	669.6
2/19/2020 12:00	0.0	0.0	112.5	200.3	0.0	67.9	158.7	289.9	57.3	886.6	669.7
2/19/2020 13:00	0.0	0.0	112.2	201.9	0.0	66.4	157.7	269.7	47.4	855.3	670.0
2/19/2020 14:00	0.0	0.0	112.0	202.2	0.0	74.3	150.3	279.2	47.6	865.6	670.4
2/19/2020 15:00	0.0	0.0	112.5	198.4	0.0	82.8	158.1	276.4	50.9	879.1	670.8
2/19/2020 16:00	0.0	0.0	111.8	97.7	0.0	87.3	163.1	275.6	46	781.5	671.0
2/19/2020 17:00	0.0	0.0	113.8	0.0	0.0	84.0	160.5	276.6	49.1	684.0	671.2
2/19/2020 18:00	0.0	0.0	113.5	0.0	0.0	87.8	158.3	275.5	50	685.1	671.4
2/19/2020 19:00	0.0	0.0	131.9	0.0	0.0	80.5	173.4	278.7	48.1	712.6	671.7
2/19/2020 20:00	0.0	0.0	147.9	0.0	0.0	82.8	174.4	281.6	52.7	739.4	672.0
2/19/2020 21:00	0.0	0.0	147.9	0.0	0.0	80.8	159.2	266.2	42.6	696.7	672.2
2/19/2020 22:00	0.0	0.0	148.5	0.0	0.0	83.4	152.5	278.5	47.1	710.0	672.4
2/19/2020 23:00	0.0	0.0	147.4	0.0	0.0	85.1	154.7	279.1	48.7	715.0	672.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
2/20/2020 0:00	0.0	0.0	146.7	0.0	0.0	89.0	156.0	279.4	49.5	720.6	672.8
2/20/2020 1:00	0.0	0.0	147.0	0.0	0.0	88.5	171.4	277.8	40.9	725.6	672.9
2/20/2020 2:00	0.0	0.0	147.0	0.0	0.0	90.2	173.8	279.8	43.7	734.5	673.1
2/20/2020 3:00	0.0	0.0	146.6	0.0	0.0	94.0	170.0	279.2	46	735.8	673.2
2/20/2020 4:00	0.0	0.0	146.4	0.0	0.0	97.6	174.9	278.7	45.5	743.1	673.3
2/20/2020 5:00	0.0	0.0	146.8	0.0	0.0	112.2	197.4	278.9	43.8	779.1	673.5
2/20/2020 6:00	0.0	0.0	146.5	0.0	0.0	134.1	175.5	275	56.9	788.0	673.7
2/20/2020 7:00	0.0	0.0	146.6	0.0	0.0	118.2	153.7	276.7	41.9	737.1	673.8
2/20/2020 8:00	0.0	0.0	146.8	0.0	0.0	116.7	167.1	279.3	46	755.9	674.0
2/20/2020 9:00	0.0	0.0	146.9	0.0	0.0	115.6	184.2	276	46.1	768.8	674.2
2/20/2020 10:00	0.0	0.0	146.6	0.0	0.0	120.4	197.5	277.4	44.9	786.8	674.4
2/20/2020 11:00	0.0	0.0	146.5	0.0	0.0	124.8	215.6	273.8	37.3	798.0	674.8
2/20/2020 12:00	0.0	0.0	146.3	0.0	0.0	138.0	225.7	271.2	44.3	825.5	675.1
2/20/2020 13:00	0.0	0.0	145.5	0.0	0.0	144.9	228.1	278.7	47.9	845.1	675.5
2/20/2020 14:00	0.0	0.0	146.1	0.0	0.0	153.0	227.5	277.4	48.1	852.1	676.0
2/20/2020 15:00	0.0	0.0	137.4	0.0	0.0	119.0	182.3	275.1	42.3	756.1	676.4
2/20/2020 16:00	0.0	0.0	137.5	0.0	0.0	100.8	148.2	276.1	47.3	709.9	676.7
2/20/2020 17:00	0.0	0.0	135.3	0.0	0.0	107.1	152.2	276.3	40.2	711.1	677.0
2/20/2020 18:00	0.0	0.0	134.7	0.0	0.0	106.7	160.8	275.1	44.4	721.7	677.3
2/20/2020 19:00	0.0	0.0	135.4	0.0	0.0	107.8	163.9	281.5	49.5	738.1	677.6
2/20/2020 20:00	0.0	0.0	135.5	0.0	0.0	111.2	167.4	261.4	62.4	737.9	677.9
2/20/2020 21:00	0.0	0.0	135.5	0.0	0.0	113.7	170.0	265.8	41.9	726.9	678.2
2/20/2020 22:00	0.0	0.0	135.0	0.0	0.0	111.2	159.2	279.1	42.1	726.6	678.4
2/20/2020 23:00	0.0	0.0	134.7	0.0	0.0	117.4	160.4	278.6	52.3	743.4	678.6
2/21/2020 0:00	0.0	0.0	134.6	0.0	0.0	115.9	169.3	281.4	46.5	747.7	678.9
2/21/2020 1:00	0.0	0.0	134.9	0.0	0.0	103.5	154.3	279	41.7	713.4	679.1
2/21/2020 2:00	0.0	0.0	134.1	0.0	0.0	103.0	149.2	279	47.4	712.7	679.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
2/21/2020 3:00	0.0	0.0	134.1	0.0	0.0	101.7	143.1	279.6	47.7	706.2	679.5
2/21/2020 4:00	0.0	0.0	134.2	0.0	0.0	107.0	136.2	279.7	52.1	709.2	679.8
2/21/2020 5:00	0.0	0.0	134.1	0.0	0.0	104.0	154.2	279	48.1	719.4	679.9
2/21/2020 6:00	0.0	0.0	133.4	0.0	0.0	112.0	162.0	278.1	63.2	748.7	680.1
2/21/2020 7:00	0.0	0.0	134.2	0.0	0.0	107.4	163.0	279.5	50.3	734.4	680.3
2/21/2020 8:00	0.0	0.0	133.5	0.0	0.0	118.0	152.6	279.7	51.3	735.1	680.5
2/21/2020 9:00	0.0	0.0	134.0	0.0	0.0	125.2	159.7	273.9	36.7	729.5	680.8
2/21/2020 10:00	0.0	0.0	133.8	0.0	0.0	145.7	190.0	274.8	44.8	789.1	681.1
2/21/2020 11:00	0.0	0.0	134.4	0.0	0.0	171.1	219.6	276.2	46.8	848.1	681.7
2/21/2020 12:00	0.0	0.0	134.3	0.0	0.0	174.7	228.5	266.7	67.1	871.3	682.3
2/21/2020 13:00	0.0	0.0	134.2	0.0	0.0	174.5	231.3	270.2	56.2	866.4	682.8
2/21/2020 14:00	0.0	0.0	133.9	0.0	0.0	164.8	213.0	275	45.3	832.0	683.1
2/21/2020 15:00	0.0	0.0	133.9	0.0	0.0	162.4	212.8	278.1	49.6	836.8	683.5
2/21/2020 16:00	0.0	0.0	133.2	0.0	0.0	160.6	210.4	276	50.1	830.3	683.9
2/21/2020 17:00	0.0	0.0	133.0	0.0	0.0	161.9	215.0	277.9	38.5	826.3	684.3
2/21/2020 18:00	0.0	0.0	132.9	0.0	0.0	172.6	213.0	276.1	46.4	841.0	684.8
2/21/2020 19:00	0.0	0.0	133.2	0.0	0.0	167.4	207.6	279	44.7	831.9	685.2
2/21/2020 20:00	0.0	0.0	132.7	0.0	0.0	140.0	172.8	273.9	42	761.4	685.6
2/21/2020 21:00	0.0	0.0	132.7	0.0	0.0	136.0	165.5	279	40.1	753.3	686.0
2/21/2020 22:00	0.0	0.0	132.6	0.0	0.0	147.7	175.7	278.3	42.4	776.7	686.3
2/21/2020 23:00	0.0	0.0	133.4	0.0	0.0	153.1	186.5	276.4	45.7	795.1	686.7
2/22/2020 0:00	0.0	0.0	134.1	0.0	0.0	153.0	179.9	269.1	56.2	792.3	687.0
2/22/2020 1:00	0.0	0.0	133.5	0.0	0.0	159.7	181.0	280.9	49.1	804.2	687.4
2/22/2020 2:00	0.0	0.0	132.0	0.0	0.0	149.5	181.5	278.7	56.5	798.2	687.8
2/22/2020 3:00	0.0	0.0	131.4	0.0	0.0	141.4	189.3	279.9	63.5	805.5	688.2
2/22/2020 4:00	0.0	0.0	130.6	0.0	0.0	139.3	196.8	280	42.9	789.6	688.5
2/22/2020 5:00	0.0	0.0	130.8	0.0	0.0	137.2	188.6	278.5	48	783.1	688.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
2/22/2020 6:00	0.0	0.0	131.4	0.0	0.0	132.2	197.3	279.3	76.1	816.3	689.2
2/22/2020 7:00	0.0	0.0	131.2	0.0	0.0	134.2	191.7	280	58.1	795.2	689.5
2/22/2020 8:00	0.0	0.0	131.2	0.0	0.0	140.8	192.2	280.1	49.4	793.7	689.9
2/22/2020 9:00	0.0	0.0	130.7	0.0	0.0	126.1	185.6	279.6	39.1	761.1	690.2
2/22/2020 10:00	0.0	0.0	131.1	0.0	0.0	202.6	229.9	279.7	41.6	884.9	690.7
2/22/2020 11:00	0.0	0.0	130.2	0.0	0.0	195.6	236.9	280	42.7	885.4	691.2
2/22/2020 12:00	0.0	0.0	130.8	0.0	0.0	117.2	183.7	279.6	57.6	768.9	691.6
2/22/2020 13:00	0.0	0.0	130.2	0.0	0.0	121.9	178.2	274.3	41.9	746.5	691.6
2/22/2020 14:00	0.0	0.0	130.2	0.0	0.0	126.2	181.4	280	42.6	760.4	691.7
2/22/2020 15:00	0.0	0.0	129.8	0.0	0.0	117.6	173.8	286.5	47.7	755.4	692.0
2/22/2020 16:00	0.0	0.0	129.8	0.0	0.0	119.8	165.4	277.5	46.2	738.7	692.4
2/22/2020 17:00	0.0	0.0	129.0	0.0	0.0	116.5	175.0	256.1	46.4	723.0	692.6
2/22/2020 18:00	0.0	0.0	129.3	0.0	0.0	117.2	179.4	247.6	46.7	720.2	692.9
2/22/2020 19:00	0.0	0.0	129.2	0.0	0.0	115.0	178.3	278	56.3	756.8	693.2
2/22/2020 20:00	0.0	0.0	129.1	0.0	0.0	128.0	194.2	279.5	48.5	779.3	693.5
2/22/2020 21:00	0.0	0.0	129.4	0.0	0.0	117.0	184.7	278.2	52.8	762.1	693.7
2/22/2020 22:00	0.0	0.0	129.4	0.0	0.0	130.6	188.9	278.7	46	773.6	693.7
2/22/2020 23:00	0.0	0.0	129.9	0.0	0.0	140.5	195.8	278.1	47.4	791.7	693.8
2/23/2020 0:00	0.0	0.0	128.5	0.0	0.0	150.6	197.0	279.9	53.5	809.5	694.1
2/23/2020 1:00	0.0	0.0	127.3	0.0	0.0	145.6	201.0	281.3	54.1	809.3	694.5
2/23/2020 2:00	0.0	0.0	127.0	0.0	0.0	145.5	200.2	278.5	51.8	803.0	694.7
2/23/2020 3:00	0.0	0.0	127.0	0.0	0.0	157.6	205.7	279.4	53.7	823.4	695.1
2/23/2020 4:00	0.0	0.0	127.0	0.0	0.0	165.2	215.6	280.3	52	840.1	695.4
2/23/2020 5:00	0.0	0.0	126.7	0.0	0.0	158.4	211.8	278.3	49.4	824.6	695.7
2/23/2020 6:00	0.0	0.0	126.8	0.0	0.0	163.5	206.4	275.1	34.5	806.3	695.9
2/23/2020 7:00	0.0	0.0	126.8	0.0	0.0	158.0	203.4	278.8	58.9	825.9	696.2
2/23/2020 8:00	0.0	0.0	126.6	0.0	0.0	141.1	187.1	278.7	58.5	792.0	696.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
2/23/2020 9:00	0.0	0.0	127.0	0.0	0.0	132.7	178.8	279.4	53.1	771.0	696.6
2/23/2020 10:00	0.0	0.0	127.0	0.0	0.0	128.6	177.2	303.4	52.6	788.8	696.8
2/23/2020 11:00	0.0	0.0	127.2	0.0	0.0	120.7	172.4	278.2	52.9	751.4	697.0
2/23/2020 12:00	0.0	0.0	127.2	0.0	0.0	118.4	168.9	279.7	52.9	747.1	697.2
2/23/2020 13:00	0.0	0.0	127.0	0.0	0.0	109.9	164.7	269	53.1	723.7	697.3
2/23/2020 14:00	0.0	0.0	127.5	0.0	0.0	108.7	166.9	278.9	64.5	746.5	697.5
2/23/2020 15:00	0.0	0.0	127.2	0.0	0.0	107.8	162.4	279.3	52.2	728.9	697.6
2/23/2020 16:00	0.0	0.0	127.3	0.0	0.0	109.4	164.9	277.7	56.6	735.9	697.8
2/23/2020 17:00	0.0	0.0	127.6	0.0	0.0	114.1	161.9	279	56	738.6	698.1
2/23/2020 18:00	0.0	0.0	127.4	0.0	0.0	112.6	164.2	277.4	52.1	733.7	698.3
2/23/2020 19:00	0.0	0.0	127.5	0.0	0.0	110.5	165.5	279.4	59.4	742.3	698.5
2/23/2020 20:00	0.0	0.0	127.0	0.0	0.0	113.5	165.1	279.9	62.8	748.3	698.7
2/23/2020 21:00	0.0	0.0	127.8	0.0	0.0	125.7	183.7	279.1	55.9	772.2	699.0
2/23/2020 22:00	0.0	0.0	127.1	0.0	0.0	114.5	176.2	278.9	54	750.7	699.2
2/23/2020 23:00	0.0	0.0	127.7	0.0	0.0	115.9	178.3	278.7	61.1	761.7	699.5
2/24/2020 0:00	0.0	0.0	127.4	0.0	0.0	118.4	178.8	312.2	62.9	799.7	699.8
2/24/2020 1:00	0.0	0.0	127.5	0.0	0.0	116.2	183.7	270.5	57.7	755.6	700.1
2/24/2020 2:00	0.0	0.0	126.9	0.0	0.0	129.7	194.4	277.3	60	788.3	700.4
2/24/2020 3:00	0.0	0.0	127.5	0.0	0.0	133.5	200.0	281	56.3	798.3	700.7
2/24/2020 4:00	0.0	0.0	127.5	0.0	0.0	147.6	193.3	278.2	56.6	803.2	701.0
2/24/2020 5:00	0.0	0.0	126.8	0.0	0.0	143.9	200.4	278.8	56.6	806.5	701.2
2/24/2020 6:00	0.0	0.0	126.8	0.0	0.0	147.3	202.9	286.3	43.5	806.8	701.5
2/24/2020 7:00	0.0	0.0	127.0	0.0	0.0	127.7	151.1	278.9	60.5	745.2	701.8
2/24/2020 8:00	0.0	0.0	126.5	0.0	0.0	48.6	58.3	278.8	58.9	571.1	701.7
2/24/2020 9:00	0.0	0.0	127.0	0.0	0.0	134.8	188.7	284.6	59.8	794.9	702.0
2/24/2020 10:00	0.0	0.0	127.1	0.0	0.0	114.2	180.1	313.3	40.8	775.5	702.3
2/24/2020 11:00	0.0	0.0	127.6	0.0	0.0	90.8	171.4	277.7	58.4	725.9	702.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
2/24/2020 12:00	0.0	0.0	127.6	0.0	0.0	86.8	165.0	278.3	54.4	712.1	702.6
2/24/2020 13:00	0.0	0.0	128.2	0.0	0.0	88.1	162.7	280.3	60.7	720.0	702.8
2/24/2020 14:00	0.0	0.0	128.3	0.0	0.0	86.2	168.4	279.9	61.6	724.4	703.0
2/24/2020 15:00	0.0	0.0	128.2	0.0	0.0	89.9	169.9	278.6	62.4	729.0	703.2
2/24/2020 16:00	0.0	0.0	128.1	0.0	0.0	91.3	167.0	278.8	59.2	724.4	703.4
2/24/2020 17:00	0.0	0.0	127.9	0.0	0.0	98.5	156.2	278.7	57.9	719.2	703.6
2/24/2020 18:00	0.0	0.0	128.3	0.0	0.0	81.1	165.1	277.8	55.8	708.1	703.9
2/24/2020 19:00	0.0	0.0	128.4	0.0	0.0	76.8	160.3	278.7	56.6	700.8	704.1
2/24/2020 20:00	0.0	0.0	128.3	0.0	0.0	84.3	161.7	279.1	59.8	713.2	704.4
2/24/2020 21:00	0.0	0.0	128.8	0.0	0.0	92.5	167.7	280	61.9	730.9	704.7
2/24/2020 22:00	0.0	0.0	122.9	0.0	0.0	87.3	168.0	278.8	55.5	712.5	705.0
2/24/2020 23:00	0.0	0.0	119.2	0.0	0.0	90.3	173.7	279.1	60.6	722.9	705.4
2/25/2020 0:00	0.0	0.0	116.8	0.0	0.0	93.4	177.2	270.7	56.1	714.2	705.6
2/25/2020 1:00	0.0	0.0	116.7	0.0	0.0	100.2	177.3	282.2	67.9	744.3	706.0
2/25/2020 2:00	0.0	0.0	116.5	0.0	0.0	99.0	172.2	280.4	57	725.1	706.3
2/25/2020 3:00	0.0	0.0	116.4	0.0	0.0	95.0	177.8	278.6	65.9	733.7	706.6
2/25/2020 4:00	0.0	0.0	116.2	0.0	0.0	101.0	177.4	278.4	55	728.0	706.8
2/25/2020 5:00	0.0	0.0	115.9	0.0	0.0	79.7	164.8	279.3	64.1	703.8	707.0
2/25/2020 6:00	0.0	0.0	116.9	0.0	0.0	82.0	149.8	278.7	54.3	681.7	707.1
2/25/2020 7:00	0.0	0.0	116.7	0.0	0.0	101.8	151.8	278.3	60.4	709.0	707.3
2/25/2020 8:00	0.0	0.0	116.3	0.0	0.0	98.5	152.6	278.7	63.6	709.7	707.5
2/25/2020 9:00	0.0	0.0	116.8	0.0	0.0	90.2	156.3	327.6	62.7	753.6	707.7
2/25/2020 10:00	0.0	0.0	116.2	0.0	0.0	89.9	158.8	263.2	55.3	683.4	707.9
2/25/2020 11:00	0.0	0.0	116.8	0.0	0.0	80.4	158.0	279	67.2	701.4	708.1
2/25/2020 12:00	0.0	0.0	116.5	0.0	0.0	82.4	154.8	279.4	56.4	689.5	708.4
2/25/2020 13:00	0.0	0.0	116.9	0.0	0.0	85.5	158.2	279	66.4	706.0	708.6
2/25/2020 14:00	0.0	0.0	117.2	0.0	0.0	73.3	151.5	282.1	62	686.1	708.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
2/25/2020 15:00	0.0	0.0	117.5	0.0	0.0	76.4	150.6	279.5	65.2	689.2	709.1
2/25/2020 16:00	0.0	0.0	117.2	0.0	0.0	86.0	149.6	278.6	63.9	695.3	709.2
2/25/2020 17:00	0.0	0.0	118.0	0.0	0.0	94.5	150.7	278.9	59.6	701.7	709.4
2/25/2020 18:00	0.0	0.0	118.0	0.0	0.0	96.6	153.6	278.8	60.8	707.8	709.6
2/25/2020 19:00	0.0	0.0	118.0	0.0	0.0	104.3	154.9	279	60.6	716.8	709.8
2/25/2020 20:00	0.0	0.0	118.1	0.0	0.0	109.0	168.6	269.1	64.9	729.7	710.0
2/25/2020 21:00	0.0	0.0	117.7	0.0	0.0	116.3	173.7	270.1	63.4	741.2	710.2
2/25/2020 22:00	0.0	0.0	117.6	0.0	0.0	122.5	178.3	271.6	57	747.0	710.4
2/25/2020 23:00	0.0	0.0	117.7	0.0	0.0	104.3	165.3	272.9	57.2	717.4	710.6
2/26/2020 0:00	0.0	0.0	117.9	0.0	0.0	105.9	165.4	281.6	56.4	727.2	710.8
2/26/2020 1:00	0.0	0.0	118.0	0.0	0.0	106.8	172.9	278.4	61.1	737.2	711.0
2/26/2020 2:00	0.0	0.0	120.3	0.0	0.0	100.7	162.7	278	58.3	720.0	711.2
2/26/2020 3:00	0.0	0.0	147.3	0.0	0.0	99.2	153.9	279.2	57.5	737.1	711.5
2/26/2020 4:00	0.0	0.0	216.9	0.0	0.0	101.2	149.7	279.4	56.9	804.1	711.8
2/26/2020 5:00	0.0	0.0	213.8	0.0	0.0	97.1	151.1	278.4	60.9	801.3	712.1
2/26/2020 6:00	0.0	0.0	218.2	0.0	0.0	92.6	153.9	279.1	62.1	805.9	712.4
2/26/2020 7:00	0.0	0.0	214.7	0.0	0.0	96.0	153.7	283	76.5	823.9	712.7
2/26/2020 8:00	0.0	0.0	213.2	0.0	0.0	98.4	149.6	282	64.8	808.0	713.0
2/26/2020 9:00	0.0	0.0	212.2	0.0	0.0	101.0	149.2	283.6	66.3	812.3	713.2
2/26/2020 10:00	0.0	0.0	209.7	0.0	0.0	297.9	278.5	316.6	66.9	1169.6	713.9
2/26/2020 11:00	0.0	0.0	207.6	0.0	0.0	357.0	323.8	269.9	44.8	1203.1	714.7
2/26/2020 12:00	0.0	0.0	219.9	0.0	0.0	372.3	335.1	278.9	44.7	1250.9	715.7
2/26/2020 13:00	0.0	0.0	218.5	0.0	0.0	108.0	174.5	283.9	60.4	845.3	716.2
2/26/2020 14:00	0.0	0.0	210.2	0.0	0.0	87.9	158.9	278.9	57.3	793.2	716.6
2/26/2020 15:00	0.0	0.0	205.8	0.0	0.0	260.1	261.0	279	48.3	1054.2	717.4
2/26/2020 16:00	0.0	0.0	187.5	0.0	0.0	371.8	334.3	279.2	63.9	1236.7	718.4
2/26/2020 17:00	0.0	0.0	130.9	0.0	0.0	380.4	347.3	278.7	49.1	1186.4	719.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
2/26/2020 18:00	0.0	0.0	130.4	0.0	0.0	381.2	376.0	279.5	56.2	1223.3	720.2
2/26/2020 19:00	0.0	0.0	130.0	0.0	0.0	387.9	382.9	278.1	52.3	1231.2	721.1
2/26/2020 20:00	0.0	0.0	130.2	0.0	0.0	400.2	393.6	278.6	59	1261.6	722.1
2/26/2020 21:00	0.0	0.0	130.8	0.0	0.0	385.2	388.1	278.9	57.3	1240.3	723.0
2/26/2020 22:00	0.0	0.0	130.8	0.0	0.0	387.9	384.3	278.3	53.1	1234.4	723.8
2/26/2020 23:00	0.0	0.0	130.8	0.0	0.0	390.9	386.9	279.4	59.4	1247.4	724.6
2/27/2020 0:00	0.0	0.0	130.5	0.0	0.0	387.2	384.1	275.8	68.6	1246.2	725.4
2/27/2020 1:00	0.0	0.0	130.2	0.0	0.0	393.2	393.3	281	66.5	1264.2	726.3
2/27/2020 2:00	0.0	0.0	130.4	0.0	0.0	399.6	397.0	278.5	52.1	1257.6	727.3
2/27/2020 3:00	0.0	0.0	129.9	0.0	0.0	404.0	403.2	279.5	59.5	1276.1	727.9
2/27/2020 4:00	0.0	0.0	129.9	0.0	0.0	387.0	386.3	279.6	54.5	1237.3	728.4
2/27/2020 5:00	0.0	0.0	129.7	0.0	0.0	394.2	388.1	279.3	58.8	1250.1	729.4
2/27/2020 6:00	0.0	0.0	129.4	0.0	0.0	395.6	393.7	310.9	59.7	1289.3	730.5
2/27/2020 7:00	0.0	0.0	129.6	0.0	0.0	386.0	382.0	276.3	65.3	1239.2	731.4
2/27/2020 8:00	0.0	0.0	129.8	0.0	0.0	381.7	361.9	304.3	102.6	1280.3	732.4
2/27/2020 9:00	0.0	0.0	128.9	0.0	0.0	393.3	363.4	266.2	110.6	1262.4	733.3
2/27/2020 10:00	0.0	0.0	129.1	0.0	0.0	395.5	362.7	276.9	50.5	1214.7	734.2
2/27/2020 11:00	0.0	0.0	130.1	0.0	0.0	394.8	362.0	278.8	56.4	1222.1	735.2
2/27/2020 12:00	0.0	0.0	130.1	0.0	0.0	394.6	361.6	277.2	51.9	1215.4	736.1
2/27/2020 13:00	0.0	0.0	131.6	0.0	0.0	402.7	361.7	277.8	54.1	1227.9	737.1
2/27/2020 14:00	0.0	0.0	132.3	0.0	0.0	287.4	293.4	277	44.7	1034.8	737.9
2/27/2020 15:00	0.0	0.0	132.1	0.0	0.0	71.6	162.1	276.6	58.8	701.2	738.1
2/27/2020 16:00	0.0	0.0	131.5	0.0	0.0	70.5	160.3	276	45.2	683.5	738.4
2/27/2020 17:00	0.0	0.0	131.7	0.0	0.0	78.3	175.8	276.4	53.1	715.3	738.6
2/27/2020 18:00	0.0	0.0	131.3	0.0	0.0	74.1	192.0	226.3	46.4	670.1	738.7
2/27/2020 19:00	0.0	0.0	130.9	0.0	0.0	85.8	204.1	278.4	49.6	748.8	739.0
2/27/2020 20:00	0.0	0.0	131.2	0.0	0.0	102.9	212.3	274.3	54.6	775.3	739.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
2/27/2020 21:00	0.0	0.0	131.9	0.0	0.0	109.4	209.9	276.4	54.9	782.5	739.8
2/27/2020 22:00	0.0	0.0	131.7	0.0	0.0	107.9	204.1	276.5	52	772.2	740.2
2/27/2020 23:00	0.0	0.0	131.6	0.0	0.0	98.8	196.9	273.3	44.9	745.5	740.5
2/28/2020 0:00	0.0	0.0	133.3	0.0	0.0	86.5	189.9	238.8	37.5	686.0	740.6
2/28/2020 1:00	0.0	0.0	134.3	0.0	0.0	84.2	169.6	277.4	43	708.5	740.9
2/28/2020 2:00	0.0	0.0	135.0	0.0	0.0	84.2	168.1	277.7	43.8	708.8	741.1
2/28/2020 3:00	0.0	0.0	134.6	0.0	0.0	84.3	172.1	273.2	45.1	709.3	741.4
2/28/2020 4:00	0.0	0.0	134.4	0.0	0.0	87.5	165.1	275.5	47.3	709.8	741.6
2/28/2020 5:00	0.0	0.0	135.1	0.0	0.0	86.3	170.4	275.4	33.8	701.0	741.8
2/28/2020 6:00	0.0	0.0	133.4	0.0	0.0	86.1	166.7	277.3	59.8	723.3	742.0
2/28/2020 7:00	0.0	0.0	129.7	0.0	0.0	98.3	182.5	276.6	38.4	725.5	742.2
2/28/2020 8:00	0.0	0.0	127.9	0.0	0.0	99.1	179.6	275.4	43.2	725.2	742.5
2/28/2020 9:00	0.0	0.0	95.4	0.0	0.0	114.3	182.3	275.2	44.3	711.5	742.7
2/28/2020 10:00	0.0	0.0	0.5	0.0	0.0	128.4	225.4	275	41.1	670.4	742.8
2/28/2020 11:00	0.0	0.0	0.0	0.0	0.0	137.4	229.7	276.4	39.7	683.2	743.1
2/28/2020 12:00	0.0	0.0	0.0	0.0	0.0	143.1	219.0	271.4	51.8	685.3	743.3
2/28/2020 13:00	0.0	0.0	0.0	0.0	0.0	152.3	228.4	273.7	28.3	682.7	743.5
2/28/2020 14:00	0.0	0.0	0.0	0.0	0.0	144.6	206.6	276.1	38.9	666.2	743.7
2/28/2020 15:00	0.0	0.0	0.0	0.0	0.0	135.7	199.9	276.6	50.7	662.9	743.9
2/28/2020 16:00	0.0	0.0	0.0	0.0	0.0	145.0	220.4	279	42.5	686.9	744.1
2/28/2020 17:00	0.0	0.0	0.0	0.0	0.0	124.6	196.5	274.4	37.9	633.4	744.2
2/28/2020 18:00	0.0	0.0	0.0	0.0	0.0	141.7	202.6	276.2	45.1	665.6	744.4
2/28/2020 19:00	0.0	0.0	0.0	0.0	0.0	126.2	187.0	271.8	36.6	621.6	744.6
2/28/2020 20:00	0.0	0.0	0.0	0.0	0.0	141.3	206.4	276.5	40.8	665.0	744.7
2/28/2020 21:00	0.0	0.0	0.0	0.0	0.0	135.0	202.2	260.4	46.4	644.0	744.9
2/28/2020 22:00	0.0	0.0	0.0	0.0	0.0	133.5	208.0	276	42	659.5	745.0
2/28/2020 23:00	0.0	0.0	0.0	0.0	0.0	137.3	200.5	275.9	34.6	648.3	745.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
2/29/2020 0:00	0.0	0.0	0.0	0.0	0.0	161.2	225.5	263.1	38.6	688.4	745.1
2/29/2020 1:00	0.0	0.0	0.0	0.0	0.0	153.7	237.7	260.7	40.9	693.0	745.3
2/29/2020 2:00	0.0	0.0	0.0	0.0	0.0	143.5	234.0	273.6	40.2	691.3	745.4
2/29/2020 3:00	0.0	0.0	0.0	0.0	0.0	144.3	226.5	277.7	37.4	685.9	745.6
2/29/2020 4:00	0.0	0.0	0.0	0.0	0.0	139.3	228.6	275.8	39.9	683.6	745.8
2/29/2020 5:00	0.0	0.0	0.0	0.0	0.0	137.6	228.8	276.4	36	678.8	745.9
2/29/2020 6:00	0.0	0.0	0.0	0.0	0.0	143.0	236.1	276.3	57	712.4	746.1
2/29/2020 7:00	0.0	0.0	0.0	0.0	0.0	132.5	221.5	275.3	36.9	666.2	746.2
2/29/2020 8:00	0.0	0.0	0.0	0.0	0.0	139.2	217.1	277.2	38.9	672.4	746.3
2/29/2020 9:00	0.0	0.0	0.0	0.0	0.0	159.5	227.7	275	41.7	703.9	746.5
2/29/2020 10:00	0.0	0.0	0.0	0.0	0.0	155.6	218.4	279.2	50.4	703.6	746.7
2/29/2020 11:00	0.0	0.0	0.0	0.0	0.0	146.8	221.4	294.4	81.2	743.8	747.0
2/29/2020 12:00	0.0	0.0	0.0	0.0	0.0	132.8	216.5	221.8	39.9	611.0	747.1
2/29/2020 13:00	0.0	0.0	0.0	0.0	0.0	132.8	212.6	257.9	41.3	644.6	747.2
2/29/2020 14:00	0.0	0.0	0.0	0.0	0.0	126.5	204.1	256.4	43.5	630.5	747.3
2/29/2020 15:00	0.0	0.0	0.0	0.0	0.0	128.4	215.0	256.9	45	645.3	747.5
2/29/2020 16:00	0.0	0.0	0.0	0.0	0.0	124.4	210.4	260	39.6	634.4	747.5
2/29/2020 17:00	0.0	0.0	0.0	0.0	0.0	134.1	204.5	252.7	42.2	633.5	747.6
2/29/2020 18:00	0.0	0.0	0.0	0.0	0.0	130.3	200.6	257.1	40.4	628.4	747.8
2/29/2020 19:00	0.0	0.0	0.0	0.0	0.0	131.8	200.4	250	37.7	619.9	747.9
2/29/2020 20:00	0.0	0.0	0.0	0.0	0.0	141.4	203.3	249.8	39.2	633.7	748.0
2/29/2020 21:00	0.0	0.0	0.0	0.0	0.0	132.2	211.5	226.4	35.3	605.4	748.1
2/29/2020 22:00	0.0	0.0	0.0	0.0	0.0	128.0	221.1	254.2	39.4	642.7	748.2
2/29/2020 23:00	0.0	0.0	0.0	0.0	0.0	141.4	224.2	256.4	29	651.0	748.3
3/1/2020 0:00	0.0	0.0	0.0	0.0	0.0	156.5	229.8	259.5	42.5	688.3	748.4
3/1/2020 1:00	0.0	0.0	0.0	0.0	0.0	153.0	232.2	256.5	45.1	686.8	748.6
3/1/2020 2:00	0.0	0.0	0.0	0.0	0.0	145.2	228.7	255.8	42.7	672.4	748.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
3/1/2020 3:00	0.0	0.0	0.0	0.0	0.0	143.7	228.7	256.2	42.2	670.8	748.8
3/1/2020 4:00	0.0	0.0	0.0	0.0	0.0	160.8	238.0	254.4	55.6	708.8	748.9
3/1/2020 5:00	0.0	0.0	0.0	0.0	0.0	176.8	249.7	256.6	25.5	708.6	749.1
3/1/2020 6:00	0.0	0.0	0.0	0.0	0.0	185.3	261.4	257.3	50.1	754.1	749.4
3/1/2020 7:00	0.0	0.0	0.0	0.0	0.0	199.3	272.9	254.1	37.5	763.8	749.6
3/1/2020 8:00	0.0	0.0	0.0	0.0	0.0	187.9	251.0	256.2	43.7	738.8	749.8
3/1/2020 9:00	0.0	0.0	0.0	0.0	0.0	163.1	228.0	254.3	39.5	684.9	749.9
3/1/2020 10:00	0.0	0.0	0.0	0.0	0.0	144.1	217.0	256.7	42.2	660.0	749.9
3/1/2020 11:00	0.0	0.0	0.0	0.0	0.0	134.1	204.1	252.9	37.9	629.0	750.0
3/1/2020 12:00	0.0	0.0	0.0	0.0	0.0	139.1	207.9	242.1	40.4	629.5	749.9
3/1/2020 13:00	0.0	0.0	0.0	0.0	0.0	134.7	199.7	254.3	41.1	629.8	750.0
3/1/2020 14:00	0.0	0.0	0.0	0.0	0.0	129.6	201.1	259.9	40	630.6	750.2
3/1/2020 15:00	0.0	0.0	0.0	0.0	0.0	130.0	205.0	256.8	42.8	634.6	750.3
3/1/2020 16:00	0.0	0.0	0.0	0.0	0.0	132.3	194.4	253.2	44.9	624.8	750.4
3/1/2020 17:00	0.0	0.0	0.0	0.0	0.0	131.4	188.6	255.6	37.5	613.1	750.5
3/1/2020 18:00	0.0	0.0	0.0	0.0	0.0	129.2	201.1	254.5	45	629.8	750.6
3/1/2020 19:00	0.0	0.0	0.0	0.0	0.0	129.6	203.8	240.5	39.8	613.7	750.8
3/1/2020 20:00	0.0	0.0	0.0	0.0	0.0	127.5	203.6	224.7	42.5	598.3	750.9
3/1/2020 21:00	0.0	0.0	0.0	0.0	0.0	125.2	202.4	230.9	53.8	612.3	751.0
3/1/2020 22:00	0.0	0.0	0.0	0.0	0.0	135.6	202.7	235.1	38.3	611.7	751.1
3/1/2020 23:00	0.0	0.0	0.0	0.0	0.0	125.3	204.3	239.5	58.2	627.3	751.2
3/2/2020 0:00	0.0	0.0	0.0	0.0	0.0	134.0	197.7	255.5	35.3	622.5	751.3
3/2/2020 1:00	0.0	0.0	0.0	0.0	0.0	128.0	203.0	258.3	43.4	632.7	751.4
3/2/2020 2:00	0.0	0.0	0.0	0.0	0.0	132.1	207.8	255.3	97.7	692.9	751.6
3/2/2020 3:00	0.0	0.0	0.0	0.0	0.0	138.5	201.3	251.7	89	680.5	751.7
3/2/2020 4:00	0.0	0.0	0.0	0.0	0.0	148.3	210.0	257.4	63.3	679.0	751.8
3/2/2020 5:00	0.0	0.0	0.0	0.0	0.0	150.9	216.3	257.1	53.9	678.2	751.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
3/2/2020 6:00	0.0	0.0	0.0	0.0	0.0	159.9	228.6	256.2	73	717.7	752.0
3/2/2020 7:00	0.0	0.0	0.0	0.0	0.0	157.6	230.9	256.6	66.8	711.9	752.2
3/2/2020 8:00	0.0	0.0	0.0	0.0	0.0	171.4	238.4	249.2	35	694.0	751.9
3/2/2020 9:00	0.0	0.0	0.0	0.0	0.0	194.8	264.3	246.7	46.2	752.0	752.1
3/2/2020 10:00	0.0	0.0	0.0	0.0	0.0	125.1	219.4	246.4	39.2	630.1	752.2
3/2/2020 11:00	0.0	0.0	0.0	0.0	0.0	92.8	179.7	245.8	39.8	558.1	752.2
3/2/2020 12:00	0.0	0.0	0.0	0.0	0.0	91.9	169.3	214	59.3	534.5	752.2
3/2/2020 13:00	0.0	0.0	0.0	0.0	0.0	90.9	170.4	246.4	41.8	549.5	752.2
3/2/2020 14:00	0.0	0.0	0.0	0.0	0.0	93.1	167.8	244.7	43.4	549.0	752.2
3/2/2020 15:00	0.0	0.0	0.0	0.0	0.0	202.3	244.8	248.1	42.2	737.4	752.4
3/2/2020 16:00	0.0	0.0	0.0	0.0	0.0	176.5	221.2	246.3	38	682.0	752.6
3/2/2020 17:00	0.0	0.0	0.0	0.0	0.0	90.0	173.7	247.3	39.8	550.8	752.6
3/2/2020 18:00	0.0	0.0	0.0	0.0	0.0	95.0	176.7	246.8	38.5	557.0	752.6
3/2/2020 19:00	0.0	0.0	0.0	0.0	0.0	92.6	167.7	247	28.3	535.6	752.6
3/2/2020 20:00	0.0	0.0	0.0	0.0	0.0	96.2	173.1	246.3	43.3	558.9	752.6
3/2/2020 21:00	0.0	0.0	0.0	0.0	0.0	99.2	179.1	249.4	39.5	567.2	752.6
3/2/2020 22:00	0.0	0.0	0.0	0.0	0.0	98.0	177.0	227.4	48.9	551.3	752.5
3/2/2020 23:00	0.0	0.0	0.0	0.0	0.0	94.7	173.5	227	40.2	535.4	752.4
3/3/2020 0:00	0.0	0.0	0.0	0.0	0.0	93.7	167.2	236.5	35.6	533.0	752.4
3/3/2020 1:00	0.0	0.0	0.0	0.0	0.0	92.0	171.0	255.3	46.2	564.5	752.4
3/3/2020 2:00	0.0	0.0	0.0	0.0	0.0	90.8	178.4	249.8	43.1	562.1	752.4
3/3/2020 3:00	0.0	0.0	0.0	0.0	0.0	93.8	172.1	249.6	44.5	560.0	752.5
3/3/2020 4:00	0.0	0.0	0.0	0.0	0.0	92.1	174.2	249.3	38.1	553.7	752.5
3/3/2020 5:00	0.0	0.0	0.0	0.0	0.0	98.6	180.0	250.5	41.9	571.0	752.6
3/3/2020 6:00	0.0	0.0	0.0	0.0	0.0	94.4	168.0	248.8	70.3	581.5	752.6
3/3/2020 7:00	0.0	0.0	0.0	0.0	0.0	97.7	174.6	248.6	39.6	560.5	752.6
3/3/2020 8:00	0.0	0.0	0.0	0.0	0.0	99.6	175.3	251.1	40.9	566.9	752.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
3/3/2020 9:00	0.0	0.0	0.0	0.0	0.0	99.2	171.5	249.3	40.2	560.2	752.7
3/3/2020 10:00	0.0	0.0	0.0	0.0	0.0	103.7	176.4	251.4	43.3	574.8	752.7
3/3/2020 11:00	0.0	0.0	0.0	0.0	0.0	104.1	170.7	248.9	40.6	564.3	752.7
3/3/2020 12:00	0.0	0.0	0.0	0.0	0.0	102.1	172.7	251.2	53.8	579.8	752.8
3/3/2020 13:00	0.0	0.0	0.0	0.0	0.0	103.5	170.5	253.5	25.3	552.8	752.8
3/3/2020 14:00	0.0	0.0	0.0	0.0	0.0	96.5	168.1	248.3	30.6	543.5	752.9
3/3/2020 15:00	0.0	0.0	0.0	0.0	0.0	106.8	172.3	248.8	19.2	547.1	752.9
3/3/2020 16:00	0.0	0.0	0.0	0.0	0.0	112.4	169.4	251.2	23.2	556.2	752.8
3/3/2020 17:00	0.0	0.0	0.0	0.0	0.0	111.4	178.8	260.8	15.7	566.7	752.9
3/3/2020 18:00	0.0	0.0	0.0	0.0	0.0	104.6	171.4	262.5	32.7	571.2	752.9
3/3/2020 19:00	0.0	0.0	0.0	0.0	0.0	110.8	180.1	257.3	43.6	591.8	752.9
3/3/2020 20:00	0.0	0.0	0.0	0.0	0.0	116.1	177.9	248.1	32.6	574.7	753.0
3/3/2020 21:00	0.0	0.0	0.0	0.0	0.0	104.8	153.3	262.4	30.1	550.6	752.9
3/3/2020 22:00	0.0	0.0	0.0	0.0	0.0	92.0	158.6	261	35.3	546.9	752.9
3/3/2020 23:00	0.0	0.0	0.0	0.0	0.0	80.8	165.2	259.8	40.8	546.6	752.9
3/4/2020 0:00	0.0	0.0	0.0	0.0	0.0	87.2	157.4	261.7	31.4	537.7	752.8
3/4/2020 1:00	0.0	0.0	0.0	0.0	0.0	88.1	154.5	260.2	35.3	538.1	752.7
3/4/2020 2:00	0.0	0.0	0.0	0.0	0.0	82.7	154.0	279.9	48.3	564.9	752.7
3/4/2020 3:00	0.0	0.0	0.0	0.0	0.0	86.2	148.8	283.5	40.8	559.3	752.7
3/4/2020 4:00	0.0	0.0	0.0	0.0	0.0	92.8	152.9	280.5	38.2	564.4	752.6
3/4/2020 5:00	0.0	0.0	0.0	0.0	0.0	91.4	151.9	279.7	43.4	566.4	752.6
3/4/2020 6:00	0.0	0.0	0.0	0.0	0.0	101.0	168.1	278.4	43.4	590.9	752.5
3/4/2020 7:00	0.0	0.0	0.0	0.0	0.0	149.9	162.5	279.5	27.5	619.4	752.5
3/4/2020 8:00	0.0	0.0	0.0	0.0	0.0	371.2	322.5	280.2	44.4	1018.3	753.2
3/4/2020 9:00	0.0	0.0	0.0	0.0	0.0	425.0	371.9	279.1	45.4	1121.4	753.9
3/4/2020 10:00	0.0	0.0	0.0	0.0	0.0	436.7	371.4	281	43.1	1132.2	754.7
3/4/2020 11:00	0.0	0.0	0.0	0.0	0.0	437.3	375.3	278.2	56.1	1146.9	755.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
3/4/2020 12:00	0.0	0.0	0.0	0.0	0.0	436.9	376.6	290.4	44.7	1148.6	756.3
3/4/2020 13:00	0.0	0.0	0.0	0.0	0.0	309.0	323.9	281.3	9	923.2	756.9
3/4/2020 14:00	0.0	0.0	0.0	0.0	0.0	143.5	157.8	259.6	41.7	602.6	757.0
3/4/2020 15:00	0.0	0.0	0.0	0.0	0.0	144.1	156.0	274.7	62.2	637.0	757.1
3/4/2020 16:00	0.0	0.0	0.0	0.0	0.0	141.2	157.8	275.9	25.6	600.5	757.2
3/4/2020 17:00	0.0	0.0	0.0	0.0	0.0	77.8	149.2	278.5	21.1	526.6	757.2
3/4/2020 18:00	0.0	0.0	0.0	0.0	0.0	76.7	156.6	281.6	41.5	556.4	757.2
3/4/2020 19:00	0.0	0.0	0.0	0.0	0.0	90.7	166.5	276.7	21.5	555.4	757.3
3/4/2020 20:00	0.0	0.0	0.0	0.0	0.0	85.1	155.0	279	35.1	554.2	757.4
3/4/2020 21:00	0.0	0.0	0.0	0.0	0.0	91.5	138.6	280.2	34.7	545.0	757.5
3/4/2020 22:00	0.0	0.0	0.0	0.0	0.0	86.6	143.4	278.9	39.6	548.5	757.5
3/4/2020 23:00	0.0	0.0	0.0	0.0	0.0	79.2	157.6	275.1	34.6	546.5	757.5
3/5/2020 0:00	0.0	0.0	0.0	0.0	0.0	81.7	168.8	280.7	35.6	566.8	757.5
3/5/2020 1:00	0.0	0.0	0.0	0.0	0.0	79.9	162.4	279.4	46	567.7	757.5
3/5/2020 2:00	0.0	0.0	0.0	0.0	0.0	79.6	164.8	262.7	36.8	543.9	757.5
3/5/2020 3:00	0.0	0.0	0.0	0.0	0.0	81.9	164.2	261.5	42.3	549.9	757.5
3/5/2020 4:00	0.0	0.0	0.0	0.0	0.0	84.1	161.7	271.8	40.9	558.5	757.4
3/5/2020 5:00	0.0	0.0	0.0	0.0	0.0	99.7	179.8	275.7	33	588.2	757.4
3/5/2020 6:00	0.0	0.0	0.0	0.0	0.0	93.1	176.7	281.9	44.2	595.9	757.3
3/5/2020 7:00	0.0	0.0	0.0	0.0	0.0	85.2	169.6	282.5	30.8	568.1	757.3
3/5/2020 8:00	0.0	0.0	0.0	0.0	0.0	75.7	158.9	277.7	29.6	541.9	757.2
3/5/2020 9:00	0.0	0.0	0.0	0.0	0.0	72.4	148.6	279.2	33.2	533.4	757.0
3/5/2020 10:00	0.0	0.0	0.0	0.0	0.0	81.3	156.2	279	37.1	553.6	756.9
3/5/2020 11:00	0.0	0.0	0.0	0.0	0.0	70.8	154.4	278	35.8	539.0	757.0
3/5/2020 12:00	0.0	0.0	0.0	0.0	0.0	69.9	145.5	280.8	38.6	534.8	757.0
3/5/2020 13:00	0.0	0.0	0.0	0.0	0.0	77.7	149.7	284.4	65.6	577.4	757.1
3/5/2020 14:00	0.0	0.0	0.0	0.0	0.0	88.4	165.6	265.9	35.2	555.1	757.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
3/5/2020 15:00	0.0	0.0	0.0	0.0	0.0	77.4	162.2	278	38.4	556.0	757.2
3/5/2020 16:00	0.0	0.0	0.0	0.0	0.0	72.3	155.4	279.6	31.2	538.5	757.3
3/5/2020 17:00	0.0	0.0	0.0	0.0	0.0	71.3	160.1	278.7	35.6	545.7	757.3
3/5/2020 18:00	0.0	0.0	0.0	0.0	0.0	69.5	142.3	277.9	41.4	531.1	757.4
3/5/2020 19:00	0.0	0.0	0.0	0.0	0.0	70.0	156.7	277.1	30.9	534.7	757.5
3/5/2020 20:00	0.0	0.0	0.0	0.0	0.0	61.6	154.3	282.5	35.7	534.1	757.5
3/5/2020 21:00	0.0	0.0	0.0	0.0	0.0	40.0	151.0	279.7	40.5	511.2	757.5
3/5/2020 22:00	0.0	0.0	0.0	0.0	0.0	42.3	145.7	279.5	39.1	506.6	757.4
3/5/2020 23:00	0.1	0.0	0.0	0.0	0.0	12.8	214.8	277.6	39.1	544.4	757.4
3/6/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.6	100.0	275.8	41.4	417.8	757.2
3/6/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	67.5	279.2	37.4	384.1	756.9
3/6/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	79.7	278.3	35.8	393.8	756.7
3/6/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	98.1	279.8	37.1	415.0	756.5
3/6/2020 4:00	111.4	0.0	0.0	0.0	0.0	0.0	109.1	280.2	40.5	541.2	756.4
3/6/2020 5:00	145.7	0.0	0.0	0.0	0.0	0.0	100.5	279.2	40	565.4	756.4
3/6/2020 6:00	147.8	0.0	0.0	0.0	0.0	0.0	102.9	278.2	63.3	592.2	756.5
3/6/2020 7:00	147.9	0.0	0.0	0.0	0.0	0.0	95.8	268.1	38.4	550.2	756.5
3/6/2020 8:00	175.0	0.0	0.0	0.0	0.0	0.0	94.5	279.2	33.7	582.4	756.6
3/6/2020 9:00	199.9	0.0	0.0	0.0	0.0	0.0	133.4	279.2	36.7	649.2	756.7
3/6/2020 10:00	182.8	0.0	0.0	0.0	0.0	0.0	148.1	279.1	36.8	646.8	756.8
3/6/2020 11:00	175.0	0.0	0.0	0.0	0.0	0.0	103.8	278.7	45.7	603.2	756.9
3/6/2020 12:00	178.2	0.0	0.0	0.0	0.0	0.0	87.9	299	60.2	625.3	756.8
3/6/2020 13:00	177.5	0.0	0.0	0.0	0.0	0.0	84.1	279.5	28.4	569.5	756.1
3/6/2020 14:00	176.0	0.0	0.0	0.0	0.0	0.0	77.2	277	38.2	568.4	755.4
3/6/2020 15:00	180.2	0.0	0.0	0.0	0.0	0.0	84.6	272.6	37.6	575.0	754.8
3/6/2020 16:00	187.3	0.0	0.0	0.0	0.0	0.0	73.3	271.6	51.5	583.7	754.8
3/6/2020 17:00	177.2	0.0	0.0	0.0	0.0	0.0	74.4	277.9	35.8	565.3	754.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
3/6/2020 18:00	170.5	0.0	0.0	0.0	0.0	0.0	71.4	276.9	43.5	562.3	754.8
3/6/2020 19:00	170.9	0.0	0.0	0.0	0.0	0.0	73.2	281.4	36.7	562.2	754.8
3/6/2020 20:00	168.3	0.0	0.0	0.0	0.0	0.0	78.9	276	35.1	558.3	754.7
3/6/2020 21:00	168.6	0.0	0.0	0.0	0.0	0.0	90.9	278.7	40.2	578.4	754.7
3/6/2020 22:00	167.8	0.0	0.0	0.0	0.0	0.0	108.9	279.1	39.7	595.5	754.6
3/6/2020 23:00	160.3	0.0	0.0	0.0	0.0	0.0	132.2	279.8	42.2	614.5	754.5
3/7/2020 0:00	185.6	0.0	0.0	0.0	0.0	0.0	105.9	280.1	40.6	612.2	754.5
3/7/2020 1:00	186.2	0.0	0.0	0.0	0.0	0.0	64.3	279.2	35.3	565.0	754.5
3/7/2020 2:00	187.0	0.0	0.0	0.0	0.0	0.0	87.8	279.6	50.3	604.7	754.6
3/7/2020 3:00	183.9	0.0	0.0	0.0	0.0	0.0	99.9	279.8	54	617.6	754.7
3/7/2020 4:00	186.2	0.0	0.0	0.0	0.0	0.0	118.3	278	39.7	622.2	754.8
3/7/2020 5:00	185.2	0.0	0.0	0.0	0.0	0.0	109.3	278.6	47.1	620.2	754.9
3/7/2020 6:00	186.4	0.0	0.0	0.0	0.0	0.0	103.1	279.9	54.3	623.7	754.9
3/7/2020 7:00	187.6	0.0	0.0	0.0	0.0	0.0	105.3	277.8	35.1	605.8	755.0
3/7/2020 8:00	189.1	0.0	0.0	0.0	0.0	0.0	105.9	279	37.3	611.3	755.1
3/7/2020 9:00	188.0	0.0	0.0	0.0	0.0	0.0	91.5	278.8	40.9	599.2	755.3
3/7/2020 10:00	180.2	0.0	0.0	0.0	0.0	0.0	62.5	279.7	41.9	564.3	755.3
3/7/2020 11:00	172.4	0.0	0.0	0.0	0.0	0.0	59.3	300.7	43	575.4	755.2
3/7/2020 12:00	168.0	0.0	0.0	0.0	0.0	0.0	95.1	271	48.7	582.8	755.2
3/7/2020 13:00	167.5	0.0	0.0	0.0	0.0	0.0	109.3	268.8	114.7	660.3	755.2
3/7/2020 14:00	171.8	0.0	0.0	0.0	0.0	0.0	91.1	276	85.9	624.8	755.4
3/7/2020 15:00	168.1	0.0	0.0	0.0	0.0	0.0	71.0	276.2	66.6	581.9	755.5
3/7/2020 16:00	166.3	0.0	0.0	0.0	0.0	0.0	73.3	278.1	38.8	556.5	755.5
3/7/2020 17:00	164.1	0.0	0.0	0.0	0.0	0.0	85.4	279	52	580.5	755.6
3/7/2020 18:00	166.4	0.0	0.0	0.0	0.0	0.0	57.3	278.9	40.4	543.0	755.7
3/7/2020 19:00	166.0	0.0	0.0	0.0	0.0	0.0	50.5	275.7	41	533.2	755.7
3/7/2020 20:00	166.3	0.0	0.0	0.0	0.0	0.0	51.7	274.5	58.5	551.0	755.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
3/7/2020 21:00	166.3	0.0	0.0	0.0	0.0	0.0	52.5	279.4	52.3	550.5	755.8
3/7/2020 22:00	165.6	0.0	0.0	0.0	0.0	0.0	54.3	279.8	49.2	548.9	755.8
3/7/2020 23:00	165.0	0.0	0.0	0.0	0.0	0.0	55.2	281.3	43.5	545.0	755.8
3/8/2020 0:00	169.7	0.0	0.0	0.0	0.0	0.0	55.6	280.5	57	562.8	755.9
3/8/2020 1:00	163.6	0.0	0.0	0.0	0.0	0.0	41.5	278.1	55.7	538.9	755.9
3/8/2020 2:00	162.7	0.0	0.0	0.0	0.0	0.0	51.9	280.1	37.6	532.3	755.9
3/8/2020 3:00	162.4	0.0	0.0	0.0	0.0	0.0	60.8	280.2	45	548.4	755.9
3/8/2020 4:00	164.7	0.0	0.0	0.0	0.0	0.0	56.0	278.5	48.9	548.1	755.9
3/8/2020 5:00	167.4	0.0	0.0	0.0	0.0	0.0	70.6	279.2	50.8	568.0	755.8
3/8/2020 6:00	165.3	0.0	0.0	0.0	0.0	0.0	77.3	276.9	112.8	632.3	755.9
3/8/2020 7:00	163.5	0.0	0.0	0.0	0.0	0.0	73.5	278.5	50.6	566.1	755.9
3/8/2020 8:00	164.8	0.0	0.0	0.0	0.0	0.0	62.9	269.8	74.6	572.1	755.8
3/8/2020 9:00	169.3	0.0	0.0	0.0	0.0	0.0	54.1	278.4	55.9	557.7	755.7
3/8/2020 10:00	171.1	0.0	0.0	0.0	0.0	0.0	55.2	278.4	44.6	549.3	755.7
3/8/2020 11:00	163.2	0.0	0.0	0.0	0.0	0.0	82.4	278.7	41.1	565.4	755.7
3/8/2020 12:00	164.4	0.0	0.0	0.0	0.0	0.0	77.9	280.9	60.7	583.9	755.6
3/8/2020 13:00	149.1	0.0	0.0	0.0	0.0	0.0	88.9	279	53.2	570.2	755.5
3/8/2020 14:00	147.6	0.0	0.0	0.0	0.0	0.0	99.6	278.2	47.6	573.0	755.4
3/8/2020 15:00	151.9	0.0	0.0	0.0	0.0	0.0	99.0	278.5	51.4	580.8	755.3
3/8/2020 16:00	166.1	0.0	0.0	0.0	0.0	0.0	203.5	280.6	42	692.2	755.3
3/8/2020 17:00	159.4	0.0	0.0	0.0	0.0	0.0	414.1	279.5	47	900.0	755.6
3/8/2020 18:00	130.3	0.0	0.0	0.0	0.0	0.0	395.7	262.4	50.7	839.1	755.8
3/8/2020 19:00	163.4	0.0	0.0	0.0	0.0	0.0	94.2	266.8	39.9	564.3	755.7
3/8/2020 20:00	150.9	0.0	0.0	0.0	0.0	0.0	96.0	276.5	43.4	566.8	755.5
3/8/2020 21:00	160.6	0.0	0.0	0.0	0.0	0.0	92.1	277.7	56	586.4	755.4
3/8/2020 22:00	151.7	0.0	0.0	0.0	0.0	0.0	87.0	279.9	53	571.6	755.3
3/8/2020 23:00	153.1	0.0	0.0	0.0	0.0	0.0	89.4	278.8	39.7	561.0	755.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
3/9/2020 0:00	148.4	0.0	0.0	0.0	0.0	0.0	97.3	277.9	43.3	566.9	755.0
3/9/2020 1:00	147.7	0.0	0.0	0.0	0.0	0.0	103.3	281.4	46.7	579.1	754.8
3/9/2020 2:00	136.2	0.0	0.0	0.0	0.0	0.0	110.5	278.8	49.5	575.0	754.8
3/9/2020 3:00	138.4	0.0	0.0	0.0	0.0	0.0	124.9	278.5	46.4	588.2	754.7
3/9/2020 4:00	132.8	0.0	0.0	0.0	0.0	0.0	124.4	278.7	41.8	577.7	754.6
3/9/2020 5:00	115.4	0.0	0.0	0.0	0.0	0.0	106.4	274.9	40.8	537.5	754.4
3/9/2020 6:00	117.8	0.0	0.0	0.0	0.0	0.0	77.8	280.3	58.2	534.1	754.1
3/9/2020 7:00	112.0	0.0	0.0	0.0	0.0	0.0	93.8	279	40.8	525.6	753.9
3/9/2020 8:00	146.3	0.0	0.0	0.0	0.0	0.0	88.0	278.2	43.2	555.7	753.7
3/9/2020 9:00	146.3	0.0	0.0	0.0	0.0	0.0	92.9	280.4	46.3	565.9	753.5
3/9/2020 10:00	107.3	0.0	0.0	0.0	0.0	0.0	100.8	278.5	43.6	530.2	753.4
3/9/2020 11:00	163.5	0.0	0.0	0.0	0.0	0.0	54.1	251	47.2	515.8	753.3
3/9/2020 12:00	176.6	0.0	0.0	0.0	0.0	0.0	49.6	278	52.7	556.9	753.1
3/9/2020 13:00	179.0	0.0	0.0	0.0	0.0	0.0	41.9	276.8	37.5	535.2	752.9
3/9/2020 14:00	183.3	0.0	0.0	0.0	0.0	0.0	55.8	278.9	41.8	559.8	752.7
3/9/2020 15:00	186.5	0.0	0.0	0.0	0.0	0.0	66.0	274.9	43.1	570.5	752.5
3/9/2020 16:00	184.2	0.0	0.0	0.0	0.0	0.0	62.4	282.6	45.3	574.5	752.2
3/9/2020 17:00	183.1	0.0	0.0	0.0	0.0	0.0	55.7	277.3	54.3	570.4	751.9
3/9/2020 18:00	183.6	0.0	0.0	0.0	0.0	0.0	80.3	270.9	62.4	597.2	751.6
3/9/2020 19:00	182.4	0.0	0.0	0.0	0.0	0.0	68.9	251.8	56.1	559.2	751.2
3/9/2020 20:00	184.8	0.0	0.0	0.0	0.0	0.0	88.2	278.2	34.7	585.9	750.8
3/9/2020 21:00	183.4	0.0	0.0	0.0	0.0	0.0	68.7	278.3	39.9	570.3	750.5
3/9/2020 22:00	182.9	0.0	0.0	0.0	0.0	0.0	75.3	275.3	41.5	575.0	750.1
3/9/2020 23:00	186.9	0.0	0.0	0.0	0.0	0.0	92.6	279.7	42.6	601.8	749.8
3/10/2020 0:00	188.0	0.0	0.0	0.0	0.0	0.0	95.5	279.4	40.3	603.2	749.4
3/10/2020 1:00	183.2	0.0	0.0	0.0	0.0	41.4	108.7	279	40.4	652.7	748.9
3/10/2020 2:00	181.0	0.0	0.0	0.0	0.0	41.4	102.3	277.6	45.3	647.6	748.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
3/10/2020 3:00	182.8	0.0	0.0	0.0	0.0	41.4	61.7	278.9	33.3	598.1	748.0
3/10/2020 4:00	182.0	0.0	0.0	0.0	0.0	41.4	66.4	279	37.8	606.6	747.5
3/10/2020 5:00	182.6	0.0	0.0	0.0	0.0	82.9	107.5	279.1	38.1	690.2	747.2
3/10/2020 6:00	185.8	0.0	0.0	0.0	0.0	60.3	326.6	278.7	61.7	913.1	747.1
3/10/2020 7:00	182.3	0.0	0.0	0.0	0.0	31.3	261.0	278.2	35.2	788.0	746.9
3/10/2020 8:00	182.4	0.0	0.0	0.0	0.0	8.7	247.8	279.8	39	757.7	746.6
3/10/2020 9:00	183.4	0.0	0.0	0.0	0.0	24.9	244.3	276.7	39.5	768.8	746.4
3/10/2020 10:00	186.5	0.0	0.0	0.0	0.0	113.6	246.0	278.8	43.8	868.7	746.4
3/10/2020 11:00	185.2	0.0	0.0	0.0	0.0	72.9	153.7	265.6	53.9	731.3	746.2
3/10/2020 12:00	181.1	0.0	0.0	0.0	0.0	76.3	148.5	277.4	43.8	727.1	746.0
3/10/2020 13:00	180.8	0.0	0.0	0.0	0.0	65.4	140.0	274.5	30.2	690.9	745.8
3/10/2020 14:00	185.5	0.0	0.0	0.0	0.0	62.7	144.8	277.2	35.4	705.6	745.6
3/10/2020 15:00	184.7	0.0	0.0	0.0	0.0	71.1	136.0	275.2	43.9	710.9	745.5
3/10/2020 16:00	186.2	0.0	0.0	0.0	0.0	77.1	141.9	282.8	31.6	719.6	745.4
3/10/2020 17:00	183.2	0.0	0.0	0.0	0.0	94.9	148.5	278.8	35	740.4	745.3
3/10/2020 18:00	182.9	0.0	0.0	0.0	0.0	103.0	157.4	278.9	41.3	763.5	745.2
3/10/2020 19:00	185.6	0.0	0.0	0.0	0.0	115.5	177.7	278.1	31.3	788.2	745.1
3/10/2020 20:00	182.5	0.0	0.0	0.0	0.0	108.1	175.7	275.7	28.5	770.5	744.6
3/10/2020 21:00	183.9	0.0	0.0	0.0	0.0	110.5	188.1	280.5	31.3	794.3	744.5
3/10/2020 22:00	185.3	0.0	0.0	0.0	0.0	105.5	186.3	278.6	41.1	796.8	744.4
3/10/2020 23:00	184.5	0.0	0.0	0.0	0.0	113.4	168.2	280.1	18.7	764.9	744.3
3/11/2020 0:00	186.4	0.0	0.0	0.0	0.0	100.0	155.7	278.1	8.3	728.5	744.1
3/11/2020 1:00	182.3	0.0	0.0	0.0	0.0	94.7	157.8	281.2	37	753.0	743.9
3/11/2020 2:00	182.5	0.0	0.0	0.0	0.0	93.0	159.0	279.8	40.9	755.2	743.8
3/11/2020 3:00	184.5	0.0	0.0	0.0	0.0	94.7	165.3	278.6	23.9	747.0	743.7
3/11/2020 4:00	200.3	0.0	0.0	0.0	0.0	96.8	156.5	280.4	16.9	750.9	743.6
3/11/2020 5:00	206.6	0.0	0.0	0.0	0.0	89.7	127.1	278.9	35.7	738.0	743.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
3/11/2020 6:00	210.4	0.0	0.0	0.0	0.0	92.5	104.7	277	47.5	732.1	743.3
3/11/2020 7:00	210.6	0.0	0.0	0.0	0.0	109.3	107.8	280.2	34.6	742.5	743.1
3/11/2020 8:00	209.9	0.0	0.0	0.0	0.0	118.5	125.3	279.7	35.5	768.9	743.0
3/11/2020 9:00	207.2	0.0	0.0	0.0	0.0	96.6	108.4	279.6	35.7	727.5	742.9
3/11/2020 10:00	204.2	0.0	0.0	0.0	0.0	39.0	102.6	280.7	40.9	667.4	742.8
3/11/2020 11:00	210.3	0.0	0.0	0.0	0.0	51.8	93.9	298.1	29.1	683.2	742.4
3/11/2020 12:00	209.7	0.0	0.0	0.0	0.0	55.1	98.3	279.3	24.9	667.3	742.3
3/11/2020 13:00	208.4	0.0	0.0	0.0	0.0	55.2	92.7	278.7	43.4	678.4	742.1
3/11/2020 14:00	167.7	0.0	0.0	0.0	0.0	76.3	120.0	279.8	36.9	680.7	742.0
3/11/2020 15:00	110.6	0.0	0.0	0.0	0.0	86.4	174.3	278.8	37.9	688.0	741.9
3/11/2020 16:00	11.6	0.0	0.0	0.0	0.0	86.2	182.4	279.9	41.5	601.6	741.7
3/11/2020 17:00	0.0	0.0	0.0	0.0	0.0	210.9	292.9	278.9	35.1	817.8	741.8
3/11/2020 18:00	0.0	0.0	0.0	0.0	0.0	76.8	188.0	278.4	47.5	590.7	741.5
3/11/2020 19:00	0.0	0.0	0.0	0.0	0.0	79.7	192.6	279.8	35.5	587.6	741.3
3/11/2020 20:00	0.0	0.0	0.0	0.0	0.0	87.9	198.8	275.6	35.4	597.7	741.1
3/11/2020 21:00	0.0	0.0	0.0	0.0	0.0	96.2	202.2	279.3	40.7	618.4	740.9
3/11/2020 22:00	0.0	0.0	0.0	0.0	0.0	91.9	201.6	280.3	41.2	615.0	740.7
3/11/2020 23:00	0.0	0.0	0.0	0.0	0.0	82.6	201.7	280	44.1	608.4	740.5
3/12/2020 0:00	0.0	0.0	0.0	0.0	0.0	76.4	192.0	278.5	42.6	589.5	740.3
3/12/2020 1:00	0.0	0.0	0.0	0.0	0.0	78.0	194.1	279.1	40.8	592.0	740.0
3/12/2020 2:00	0.0	0.0	0.0	0.0	0.0	86.0	206.1	280.1	39.1	611.3	739.8
3/12/2020 3:00	0.0	0.0	0.0	0.0	0.0	93.3	207.3	280.5	38.6	619.7	739.6
3/12/2020 4:00	0.0	0.0	0.0	0.0	0.0	94.1	221.2	278.6	44.4	638.3	739.4
3/12/2020 5:00	0.0	0.0	0.0	0.0	0.0	79.7	223.8	279.8	44.1	627.4	739.2
3/12/2020 6:00	0.0	0.0	0.0	0.0	0.0	86.5	222.6	279.3	57.5	645.9	738.9
3/12/2020 7:00	0.0	0.0	0.0	0.0	0.0	97.8	221.8	279.3	45.8	644.7	738.7
3/12/2020 8:00	0.0	0.0	0.0	0.0	0.0	111.6	224.4	280	33.1	649.1	738.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
3/12/2020 9:00	0.0	0.0	0.0	0.0	0.0	113.9	231.6	281.4	47.2	674.1	738.5
3/12/2020 10:00	0.0	0.0	0.0	0.0	0.0	73.0	233.0	279.3	48.3	633.6	738.4
3/12/2020 11:00	0.0	0.0	0.0	0.0	0.0	54.9	216.5	307.9	20.2	599.5	738.2
3/12/2020 12:00	0.0	0.0	0.0	0.0	0.0	90.0	213.7	278.3	38.4	620.4	738.1
3/12/2020 13:00	0.0	0.0	0.0	0.0	0.0	108.3	204.0	280.8	33.3	626.4	737.9
3/12/2020 14:00	0.0	0.0	0.0	0.0	0.0	100.5	206.7	279.8	26.9	613.9	737.8
3/12/2020 15:00	0.0	0.0	0.0	0.0	0.0	35.3	193.3	281.1	32.2	541.9	737.5
3/12/2020 16:00	0.0	0.0	0.0	0.0	0.0	48.4	175.2	279.4	44.6	547.6	737.3
3/12/2020 17:00	0.0	0.0	0.0	0.0	0.0	67.1	167.0	279.5	41	554.6	737.0
3/12/2020 18:00	0.0	0.0	0.0	0.0	0.0	83.6	165.2	279.5	43.7	572.0	736.6
3/12/2020 19:00	0.0	0.0	0.0	0.0	0.0	80.2	180.5	278.5	41.4	580.6	736.1
3/12/2020 20:00	0.0	0.0	0.0	0.0	0.0	81.3	215.0	281	54.1	631.4	735.6
3/12/2020 21:00	0.0	0.0	0.0	0.0	0.0	76.7	214.0	280.6	25.3	596.6	735.0
3/12/2020 22:00	0.0	0.0	0.0	0.0	0.0	83.6	203.3	281.4	35.1	603.4	734.5
3/12/2020 23:00	0.0	0.0	0.0	0.0	0.0	87.3	195.1	275.1	44.2	601.7	733.8
3/13/2020 0:00	0.0	0.0	0.0	0.0	0.0	76.9	204.5	288.7	54	624.1	733.2
3/13/2020 1:00	0.0	0.0	0.0	0.0	0.0	84.2	201.7	279.3	37.9	603.1	732.7
3/13/2020 2:00	0.0	0.0	0.0	0.0	0.0	101.6	164.5	278.2	39.1	583.4	732.2
3/13/2020 3:00	0.0	0.0	0.0	0.0	0.0	107.2	173.4	280.2	40.3	601.1	731.7
3/13/2020 4:00	0.0	0.0	0.0	0.0	0.0	105.7	190.4	278.9	39.9	614.9	731.2
3/13/2020 5:00	0.0	0.0	0.0	0.0	0.0	111.5	178.8	280	59.3	629.6	730.8
3/13/2020 6:00	0.0	0.0	0.0	0.0	0.0	108.8	182.7	278.6	42.8	612.9	730.3
3/13/2020 7:00	0.0	0.0	0.0	0.0	0.0	117.3	164.8	278.9	34.7	595.7	729.6
3/13/2020 8:00	0.0	0.0	0.0	0.0	0.0	107.0	182.4	280.3	36.3	606.0	729.3
3/13/2020 9:00	0.0	0.0	0.0	0.0	0.0	104.6	174.4	280.1	36.6	595.7	729.1
3/13/2020 10:00	0.0	0.0	0.0	0.0	0.0	103.7	171.8	298	35.1	608.6	728.9
3/13/2020 11:00	0.0	0.0	0.0	0.0	0.0	112.8	195.3	279.4	42.8	630.3	728.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
3/13/2020 12:00	0.0	0.0	0.0	0.0	0.0	117.0	203.8	280.6	36.7	638.1	728.6
3/13/2020 13:00	0.0	0.0	0.0	0.0	0.0	122.0	195.0	280.3	60.8	658.1	728.4
3/13/2020 14:00	0.0	0.0	0.0	0.0	0.0	124.0	204.5	279.4	50.3	658.2	728.2
3/13/2020 15:00	0.0	0.0	0.0	0.0	0.0	131.8	204.4	279.9	37.5	653.6	728.1
3/13/2020 16:00	0.0	0.0	0.0	0.0	0.0	132.5	197.8	279.7	40.5	650.5	728.0
3/13/2020 17:00	0.0	0.0	0.0	0.0	0.0	136.0	198.5	280.2	40.9	655.6	727.8
3/13/2020 18:00	0.0	0.0	0.0	0.0	0.0	129.1	215.6	276.6	56.4	677.7	727.7
3/13/2020 19:00	0.0	0.0	0.0	0.0	0.0	129.8	211.9	280.1	46.1	667.9	727.5
3/13/2020 20:00	0.0	0.0	0.0	0.0	0.0	128.9	221.5	280	42.3	672.7	727.4
3/13/2020 21:00	0.0	0.0	0.0	0.0	0.0	127.8	229.2	256.6	32.9	646.5	727.3
3/13/2020 22:00	0.0	0.0	0.0	0.0	0.0	134.0	239.4	280.2	38.7	692.3	727.2
3/13/2020 23:00	0.0	0.0	0.0	0.0	0.0	133.7	234.9	280	35	683.6	727.0
3/14/2020 0:00	0.0	0.0	0.0	0.0	0.0	128.7	232.4	284.8	54.7	700.6	726.9
3/14/2020 1:00	0.0	0.0	0.0	0.0	0.0	130.2	219.9	283.6	44.9	678.6	726.7
3/14/2020 2:00	0.0	0.0	0.0	0.0	0.0	119.1	234.2	283.1	27.9	664.3	726.5
3/14/2020 3:00	0.0	0.0	0.0	0.0	0.0	117.1	240.2	264.5	29.1	650.9	726.3
3/14/2020 4:00	0.0	0.0	0.0	0.0	0.0	115.3	223.8	283.1	47.9	670.1	726.1
3/14/2020 5:00	0.0	0.0	0.0	0.0	0.0	111.2	241.0	283.3	82.5	718.0	726.0
3/14/2020 6:00	0.0	0.0	0.0	0.0	0.0	116.0	226.8	280	52.2	675.0	725.8
3/14/2020 7:00	0.0	0.0	0.0	0.0	0.0	118.4	235.1	279.1	37.4	670.0	725.6
3/14/2020 8:00	0.0	0.0	0.0	0.0	0.0	117.6	259.1	321.2	36.6	734.5	725.6
3/14/2020 9:00	0.0	0.0	0.0	0.0	0.0	112.9	250.2	294	50.3	707.4	725.5
3/14/2020 10:00	0.0	0.0	0.0	0.0	0.0	112.1	252.1	282.3	36.8	683.3	725.1
3/14/2020 11:00	0.0	0.0	0.0	0.0	0.0	99.6	216.7	269.7	34.8	620.8	724.9
3/14/2020 12:00	0.0	0.0	0.0	0.0	0.0	128.4	211.5	282.3	21.5	643.7	724.6
3/14/2020 13:00	0.0	0.0	0.0	0.0	0.0	119.5	207.0	278.4	35	639.9	724.4
3/14/2020 14:00	0.0	0.0	0.0	0.0	0.0	117.4	238.0	281.3	52.8	689.5	724.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
3/14/2020 15:00	0.0	0.0	0.0	0.0	0.0	121.9	207.4	274.6	43.7	647.6	724.0
3/14/2020 16:00	0.0	0.0	0.0	0.0	0.0	126.3	192.7	278.8	29.9	627.7	723.8
3/14/2020 17:00	0.0	0.0	0.0	0.0	0.0	121.3	182.1	279.5	38.1	621.0	723.5
3/14/2020 18:00	0.0	0.0	0.0	0.0	0.0	121.3	253.3	286.3	41.9	702.8	723.3
3/14/2020 19:00	0.0	0.0	0.0	0.0	0.0	119.5	285.3	276.2	22.1	703.1	723.1
3/14/2020 20:00	0.0	0.0	0.0	0.0	0.0	116.5	236.4	278.4	51.2	682.5	722.7
3/14/2020 21:00	0.0	0.0	0.0	0.0	0.0	119.7	195.3	272.6	33.3	620.9	722.3
3/14/2020 22:00	0.0	0.0	0.0	0.0	0.0	118.1	178.5	278.1	51.4	626.1	721.9
3/14/2020 23:00	0.0	0.0	0.0	0.0	0.0	113.4	167.0	276.3	48.5	605.2	721.4
3/15/2020 0:00	0.0	0.0	0.0	0.0	0.0	107.5	190.3	282.1	46	625.9	720.9
3/15/2020 1:00	0.0	0.0	0.0	0.0	0.0	107.1	211.2	279.7	54.8	652.8	720.0
3/15/2020 2:00	0.0	0.0	0.0	0.0	0.0	112.7	227.7	278.1	53	671.5	719.6
3/15/2020 3:00	0.0	0.0	0.0	0.0	0.0	117.5	229.5	278.6	44.6	670.2	719.1
3/15/2020 4:00	0.0	0.0	0.0	0.0	0.0	112.7	197.6	278.3	56.6	645.2	718.6
3/15/2020 5:00	0.0	0.0	0.0	0.0	0.0	122.2	171.4	277.8	42.4	613.8	718.1
3/15/2020 6:00	0.0	0.0	0.0	0.0	0.0	121.2	172.5	279.3	49.7	622.7	717.6
3/15/2020 7:00	0.0	0.0	0.0	0.0	0.0	117.8	178.5	275.2	45.6	617.1	717.1
3/15/2020 8:00	0.0	0.0	0.0	0.0	0.0	120.9	178.4	306.1	42.9	648.3	716.7
3/15/2020 9:00	0.0	0.0	0.0	0.0	0.0	121.8	195.3	274	43.3	634.4	716.1
3/15/2020 10:00	0.0	0.0	0.0	0.0	0.0	120.8	172.4	279.1	35.5	607.8	715.6
3/15/2020 11:00	0.0	0.0	0.0	0.0	0.0	119.9	158.6	276.7	30.2	585.4	715.2
3/15/2020 12:00	0.0	0.0	0.0	0.0	0.0	128.6	164.0	277.4	47.2	617.2	715.0
3/15/2020 13:00	0.0	0.0	0.0	0.0	0.0	123.8	167.3	288	41.7	620.8	714.7
3/15/2020 14:00	0.0	0.0	0.0	0.0	0.0	128.2	159.3	280.3	44	611.8	714.5
3/15/2020 15:00	0.0	0.0	0.0	0.0	0.0	127.8	173.2	278.8	32.7	612.5	714.2
3/15/2020 16:00	0.0	0.0	0.0	0.0	0.0	131.5	169.2	278.7	39.6	619.0	713.9
3/15/2020 17:00	0.0	0.0	0.0	0.0	0.0	111.5	191.6	276.8	42.1	622.0	713.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
3/15/2020 18:00	0.0	0.0	0.0	0.0	0.0	113.5	200.5	278.6	47.2	639.8	713.3
3/15/2020 19:00	0.0	0.0	0.0	0.0	0.0	109.4	178.6	278.9	39.9	606.8	713.1
3/15/2020 20:00	0.0	0.0	0.0	0.0	0.0	108.6	188.1	267.4	33.9	598.0	712.8
3/15/2020 21:00	0.0	0.0	0.0	0.0	0.0	154.1	226.0	274	42.4	696.5	712.6
3/15/2020 22:00	0.0	0.0	0.0	0.0	0.0	211.7	274.3	281.4	56.2	823.6	712.6
3/15/2020 23:00	0.0	0.0	0.0	0.0	0.0	98.9	206.0	271.1	51.2	627.2	712.3
3/16/2020 0:00	0.0	0.0	0.0	0.0	0.0	94.3	202.7	280.2	37.8	615.0	712.0
3/16/2020 1:00	0.0	0.0	0.0	0.0	0.0	88.6	200.1	280.7	38.7	608.1	711.6
3/16/2020 2:00	0.0	0.0	0.0	0.0	0.0	84.2	208.2	277.9	40.4	610.7	711.3
3/16/2020 3:00	0.0	0.0	0.0	0.0	0.0	90.5	194.8	279.1	49.5	613.9	711.0
3/16/2020 4:00	0.0	0.0	0.0	0.0	0.0	90.2	209.3	279.5	30.1	609.1	710.7
3/16/2020 5:00	0.0	0.0	0.0	0.0	0.0	91.0	217.3	277.5	38.3	624.1	710.4
3/16/2020 6:00	0.0	0.0	0.0	0.0	0.0	85.0	207.0	279.3	51.9	623.2	710.2
3/16/2020 7:00	0.0	0.0	0.0	0.0	0.0	91.4	206.2	277.6	38	613.2	709.9
3/16/2020 8:00	0.0	0.0	0.0	0.0	0.0	92.0	209.9	280.4	37.9	620.2	709.6
3/16/2020 9:00	0.0	0.0	0.0	0.0	0.0	76.3	196.3	278.7	42.8	594.1	709.3
3/16/2020 10:00	0.0	0.0	0.0	0.0	0.0	80.9	194.9	291.4	48.1	615.3	709.0
3/16/2020 11:00	0.0	0.0	0.0	0.0	0.0	86.1	182.9	392	49.5	710.5	708.9
3/16/2020 12:00	0.0	0.0	0.0	0.0	0.0	76.1	165.0	280.4	69.7	591.2	708.6
3/16/2020 13:00	0.0	0.0	0.0	0.0	0.0	71.8	175.6	283.6	52.4	583.4	708.2
3/16/2020 14:00	0.0	0.0	0.0	0.0	0.0	73.4	204.9	277.4	37	592.7	707.9
3/16/2020 15:00	0.0	0.0	0.0	0.0	0.0	74.2	200.2	278.8	42.8	596.0	707.6
3/16/2020 16:00	0.0	0.0	0.0	0.0	0.0	68.6	199.3	279.2	48	595.1	707.4
3/16/2020 17:00	0.0	0.0	0.0	0.0	0.0	81.7	192.7	280.4	39.1	593.9	707.1
3/16/2020 18:00	0.0	0.0	0.0	0.0	0.0	89.2	178.5	280.6	47.1	595.4	706.8
3/16/2020 19:00	0.0	0.0	0.0	0.0	0.0	93.8	161.8	278	42	575.6	706.5
3/16/2020 20:00	0.0	0.0	0.0	0.0	0.0	94.3	150.3	279.4	40.3	564.3	706.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
3/16/2020 21:00	0.0	0.0	0.0	0.0	0.0	92.7	178.0	256.8	36.1	563.6	705.8
3/16/2020 22:00	0.0	0.0	0.0	0.0	0.0	92.6	180.0	283.7	41	597.3	705.5
3/16/2020 23:00	0.0	0.0	0.0	0.0	0.0	98.3	185.0	278.1	43.6	605.0	705.2
3/17/2020 0:00	0.0	0.0	0.0	0.0	0.0	116.8	190.1	283.6	52.2	642.7	705.0
3/17/2020 1:00	0.0	0.0	0.0	0.0	0.0	142.2	124.6	277.9	66.6	611.3	704.7
3/17/2020 2:00	0.0	0.0	0.0	0.0	0.0	149.8	0.3	285.9	49.6	485.6	704.2
3/17/2020 3:00	0.0	0.0	0.0	0.0	0.0	132.6	0.3	277.5	46.7	457.1	703.7
3/17/2020 4:00	0.0	0.0	0.0	0.0	0.0	140.6	0.3	275.7	56.7	473.3	703.2
3/17/2020 5:00	0.0	0.0	0.0	0.0	0.0	144.8	0.3	281.3	56.7	483.1	702.7
3/17/2020 6:00	0.0	0.0	0.0	0.0	0.0	154.5	174.3	279.4	56.7	664.9	702.5
3/17/2020 7:00	0.0	0.0	0.0	0.0	0.0	118.2	174.3	278.4	56.7	627.6	702.3
3/17/2020 8:00	0.0	0.0	0.0	0.0	0.0	114.6	174.3	280.2	28.2	597.3	702.0
3/17/2020 9:00	0.0	0.0	0.0	0.0	0.0	124.5	174.3	279.2	48	626.0	701.7
3/17/2020 10:00	0.0	0.0	0.0	0.0	0.0	117.8	154.5	326.6	72.9	671.8	701.6
3/17/2020 11:00	0.0	0.0	0.0	0.0	0.0	107.1	165.3	280.4	50.8	603.6	701.3
3/17/2020 12:00	0.0	0.0	0.0	0.0	0.0	116.5	169.9	279.8	75.1	641.3	701.1
3/17/2020 13:00	0.0	0.0	0.0	0.0	0.0	117.6	169.1	278.9	64.8	630.4	700.8
3/17/2020 14:00	0.0	0.0	0.0	0.0	0.0	115.4	161.0	278.5	44.4	599.3	700.6
3/17/2020 15:00	0.0	0.0	0.0	0.0	0.0	105.8	161.8	286.5	46.7	600.8	700.3
3/17/2020 16:00	0.0	0.0	0.0	0.0	0.0	105.9	147.6	278.7	55.9	588.1	700.0
3/17/2020 17:00	0.0	0.0	0.0	0.0	0.0	94.9	156.5	284.1	65	600.5	699.8
3/17/2020 18:00	0.0	0.0	0.0	0.0	0.0	82.0	159.6	233.6	47.1	522.3	699.4
3/17/2020 19:00	0.0	0.0	0.0	0.0	0.0	89.7	157.4	280.9	44.7	572.7	699.1
3/17/2020 20:00	0.0	0.0	0.0	0.0	0.0	83.0	150.8	278.6	49.6	562.0	698.7
3/17/2020 21:00	0.0	0.0	0.0	0.0	0.0	80.0	151.3	278.8	49.8	559.9	698.4
3/17/2020 22:00	0.0	0.0	0.0	0.0	0.0	78.0	158.5	277	53.9	567.4	698.1
3/17/2020 23:00	0.0	0.0	0.0	0.0	0.0	78.1	182.2	281.6	49.7	591.6	697.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
3/18/2020 0:00	0.0	0.0	0.0	0.0	0.0	71.9	176.6	281.1	63.3	592.9	697.5
3/18/2020 1:00	0.0	0.0	0.0	0.0	0.0	82.1	165.6	280.9	45.9	574.5	697.2
3/18/2020 2:00	0.0	0.0	0.0	0.0	0.0	112.4	147.4	279.8	46.2	585.8	696.9
3/18/2020 3:00	0.0	0.0	0.0	0.0	0.0	112.4	156.1	278.2	46.1	592.8	696.6
3/18/2020 4:00	0.0	0.0	0.0	0.0	0.0	140.0	155.9	278.6	51.3	625.8	696.3
3/18/2020 5:00	0.0	0.0	0.0	0.0	0.0	156.4	157.3	281.4	65.5	660.6	696.1
3/18/2020 6:00	0.0	0.0	0.0	0.0	0.0	159.7	148.8	276.8	50.7	636.0	695.8
3/18/2020 7:00	0.0	0.0	0.0	0.0	0.0	167.5	151.8	279.3	42.8	641.4	695.6
3/18/2020 8:00	0.0	0.0	0.0	0.0	0.0	179.3	137.3	278.6	81.4	676.6	695.4
3/18/2020 9:00	0.0	0.0	0.0	0.0	0.0	156.7	138.6	280.1	47.8	623.2	695.1
3/18/2020 10:00	0.0	0.0	0.0	0.0	0.0	77.4	155.7	278.4	45.1	556.6	694.7
3/18/2020 11:00	0.0	0.0	0.0	0.0	0.0	74.5	138.4	266.4	32.4	511.7	694.2
3/18/2020 12:00	0.0	0.0	0.0	0.0	0.0	87.2	133.2	281.4	66.4	568.2	693.8
3/18/2020 13:00	0.0	0.0	0.0	0.0	0.0	98.4	136.6	282.4	46.4	563.8	693.4
3/18/2020 14:00	0.0	0.0	0.0	0.0	0.0	102.0	128.2	279.9	50.1	560.2	693.1
3/18/2020 15:00	0.0	0.0	0.0	0.0	0.0	102.9	127.4	277.9	53.1	561.3	692.8
3/18/2020 16:00	0.0	0.0	0.0	0.0	0.0	111.6	131.0	280.8	41.7	565.1	692.4
3/18/2020 17:00	0.0	0.0	0.0	0.0	0.0	122.1	122.3	279.3	45.3	569.0	692.1
3/18/2020 18:00	0.0	0.0	0.0	0.0	0.0	126.8	125.2	264.5	34.8	551.3	691.8
3/18/2020 19:00	0.0	0.0	0.0	0.0	0.0	124.4	146.5	278.2	35.5	584.6	691.5
3/18/2020 20:00	0.0	0.0	0.0	0.0	0.0	124.7	145.3	239.2	42.5	551.7	691.3
3/18/2020 21:00	0.0	0.0	0.0	0.0	0.0	120.1	145.3	279.5	46.1	591.0	691.0
3/18/2020 22:00	0.0	0.0	0.0	0.0	0.0	113.4	146.1	275.6	44.9	580.0	690.7
3/18/2020 23:00	0.0	0.0	0.0	0.0	0.0	205.1	227.1	273.8	40.6	746.6	690.7
3/19/2020 0:00	0.0	0.0	0.0	0.0	0.0	350.4	345.4	280.3	49.5	1025.6	691.0
3/19/2020 1:00	0.0	0.0	0.0	0.0	0.0	360.7	352.9	274.5	46.1	1034.2	691.3
3/19/2020 2:00	0.0	0.0	0.0	0.0	0.0	357.7	363.5	275.2	41.5	1037.9	691.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
3/19/2020 3:00	0.0	0.0	0.0	0.0	0.0	347.5	363.8	272.9	38.2	1022.4	691.9
3/19/2020 4:00	0.0	0.0	0.0	0.0	0.0	97.4	190.6	274.3	43.3	605.6	691.6
3/19/2020 5:00	0.0	0.0	0.0	0.0	0.0	111.2	185.4	275.9	49.4	621.9	691.4
3/19/2020 6:00	0.0	0.0	0.0	0.0	0.0	124.6	258.0	274.8	47.8	705.2	690.8
3/19/2020 7:00	0.0	0.0	0.0	0.0	0.0	116.9	252.3	273.1	37.9	680.2	690.7
3/19/2020 8:00	0.0	0.0	0.0	0.0	0.0	123.8	265.2	274.5	75.4	738.9	690.6
3/19/2020 9:00	0.0	0.0	0.0	0.0	0.0	133.4	250.5	275.9	39	698.8	690.5
3/19/2020 10:00	0.0	0.0	0.0	0.0	0.0	153.9	156.0	284.6	46.5	641.0	690.3
3/19/2020 11:00	0.0	0.0	0.0	0.0	0.0	147.2	130.6	271.6	48.1	597.5	690.0
3/19/2020 12:00	0.0	0.0	0.0	0.0	0.0	140.2	124.4	278.9	36.1	579.6	689.8
3/19/2020 13:00	0.0	0.0	0.0	0.0	0.0	103.3	143.3	274.7	45.8	567.1	689.5
3/19/2020 14:00	0.0	0.0	0.0	0.0	0.0	96.4	148.4	274.5	43.7	563.0	689.2
3/19/2020 15:00	0.0	0.0	0.0	0.0	0.0	79.0	149.3	273.8	39.8	541.9	688.9
3/19/2020 16:00	0.0	0.0	0.0	0.0	0.0	78.4	151.6	275.8	42.6	548.4	688.5
3/19/2020 17:00	0.0	0.0	0.0	0.0	0.0	85.3	155.8	275.1	44.5	560.7	688.2
3/19/2020 18:00	0.0	0.0	0.0	0.0	0.0	86.6	172.2	243.1	44.9	546.8	687.9
3/19/2020 19:00	0.0	0.0	0.0	0.0	0.0	81.5	152.6	236.9	32.8	503.8	687.5
3/19/2020 20:00	0.0	0.0	0.0	0.0	0.0	86.4	141.4	275.8	40.9	544.5	687.1
3/19/2020 21:00	0.0	0.0	0.0	0.0	0.0	102.0	137.5	254.9	41.1	535.5	686.7
3/19/2020 22:00	0.0	0.0	0.0	0.0	0.0	103.6	140.5	278.4	39.8	562.3	686.4
3/19/2020 23:00	0.0	0.0	0.0	0.0	0.0	98.6	134.2	277.5	47	557.3	686.0
3/20/2020 0:00	0.0	0.0	0.0	0.0	0.0	100.4	145.1	278.9	43.1	567.5	685.6
3/20/2020 1:00	0.0	0.0	0.0	0.0	0.0	99.5	136.8	274.6	35.9	546.8	685.1
3/20/2020 2:00	0.0	0.0	0.0	0.0	0.0	88.9	134.0	277	39	538.9	684.6
3/20/2020 3:00	0.0	0.0	0.0	0.0	0.0	89.0	126.9	275.6	42.6	534.1	684.1
3/20/2020 4:00	0.0	0.0	0.0	0.0	0.0	91.0	135.9	274.3	33.8	535.0	683.6
3/20/2020 5:00	0.0	0.0	0.0	0.0	0.0	82.1	143.5	277.8	52.4	555.8	683.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
3/20/2020 6:00	0.0	0.0	0.0	0.0	0.0	78.1	159.6	275.3	42.3	555.3	682.6
3/20/2020 7:00	0.0	0.0	0.0	0.0	0.0	87.4	196.1	273.4	32.2	589.1	682.2
3/20/2020 8:00	0.0	0.0	0.0	0.0	0.0	114.0	190.9	275.3	36.2	616.4	681.8
3/20/2020 9:00	0.0	0.0	0.0	0.0	0.0	120.3	218.5	275.1	38	651.9	681.4
3/20/2020 10:00	0.0	0.0	0.0	0.0	0.0	116.9	207.1	275.3	45	644.3	681.1
3/20/2020 11:00	0.0	0.0	0.0	0.0	0.0	131.6	186.5	276.2	33.1	627.4	680.7
3/20/2020 12:00	0.0	0.0	0.0	0.0	0.0	134.3	197.1	260.8	55.5	647.7	680.4
3/20/2020 13:00	0.0	0.0	0.0	0.0	0.0	139.0	214.3	250.8	20.3	624.4	680.1
3/20/2020 14:00	0.0	0.0	0.0	0.0	0.0	124.5	177.0	273.3	40.8	615.6	679.7
3/20/2020 15:00	0.0	0.0	0.0	0.0	0.0	143.0	170.4	276	34.5	623.9	679.4
3/20/2020 16:00	0.0	0.0	0.0	0.0	0.0	139.0	175.8	276.3	34.7	625.8	679.1
3/20/2020 17:00	0.0	0.0	0.0	0.0	0.0	132.8	175.0	276.8	41.5	626.1	679.1
3/20/2020 18:00	0.0	0.0	0.0	0.0	0.0	121.5	205.3	274.7	38.9	640.4	679.0
3/20/2020 19:00	0.0	0.0	0.0	0.0	0.0	112.8	215.4	270.8	29.2	628.2	678.9
3/20/2020 20:00	0.0	0.0	0.0	0.0	0.0	123.6	228.8	277.8	35.5	665.7	678.8
3/20/2020 21:00	0.0	0.0	0.0	0.0	0.0	105.6	229.8	274.9	34.4	644.7	678.7
3/20/2020 22:00	0.0	0.0	0.0	0.0	0.0	115.1	178.6	273.6	40.8	608.1	678.6
3/20/2020 23:00	0.0	0.0	0.0	0.0	0.0	119.7	162.2	225.8	41.9	549.6	678.3
3/21/2020 0:00	0.0	0.0	0.0	0.0	0.0	111.4	160.0	274.5	38.9	584.8	678.1
3/21/2020 1:00	0.0	0.0	0.0	0.0	0.0	106.2	160.4	276.6	45.4	588.6	678.0
3/21/2020 2:00	0.0	0.0	0.0	0.0	0.0	107.5	158.9	274.1	32.5	573.0	677.7
3/21/2020 3:00	0.0	0.0	0.0	0.0	0.0	109.0	157.3	276.5	36.7	579.5	677.5
3/21/2020 4:00	0.0	0.0	0.0	0.0	0.0	119.1	150.7	277.5	39.7	587.0	677.3
3/21/2020 5:00	0.0	0.0	0.0	0.0	0.0	117.0	157.0	277.5	62.2	613.7	677.1
3/21/2020 6:00	0.0	0.0	0.0	0.0	0.0	111.5	167.6	278.3	55.6	613.0	676.8
3/21/2020 7:00	0.0	0.0	0.0	0.0	0.0	116.2	161.5	277.6	31.3	586.6	676.6
3/21/2020 8:00	0.0	0.0	0.0	0.0	0.0	118.8	166.9	279.3	40.8	605.8	676.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
3/21/2020 9:00	0.0	0.0	0.0	0.0	0.0	128.4	162.7	266	41.5	598.6	676.2
3/21/2020 10:00	0.0	0.0	0.0	0.0	0.0	146.1	167.8	280.9	46.2	641.0	676.0
3/21/2020 11:00	0.0	0.0	0.0	0.0	0.0	148.3	171.8	266	56.8	642.9	675.8
3/21/2020 12:00	0.0	0.0	0.0	0.0	0.0	148.5	160.9	262.9	16.8	589.1	675.4
3/21/2020 13:00	0.0	0.0	0.0	0.0	0.0	144.4	158.7	279.4	48.5	631.0	675.1
3/21/2020 14:00	0.0	0.0	0.0	0.0	0.0	140.8	160.9	278.5	40.3	620.5	674.8
3/21/2020 15:00	0.0	0.0	0.0	0.0	0.0	128.7	154.4	280.1	38.6	601.8	674.6
3/21/2020 16:00	0.0	0.0	0.0	0.0	0.0	118.0	156.0	281.5	40.6	596.1	674.4
3/21/2020 17:00	0.0	0.0	0.0	0.0	0.0	122.8	155.3	278.5	42.4	599.0	674.3
3/21/2020 18:00	0.0	0.0	0.0	0.0	0.0	126.5	157.8	281.2	52.3	617.8	674.1
3/21/2020 19:00	0.0	0.0	0.0	0.0	0.0	121.5	157.0	279.3	41.3	599.1	673.9
3/21/2020 20:00	0.0	0.0	0.0	0.0	0.0	124.8	164.2	277.6	40.9	607.5	673.8
3/21/2020 21:00	0.0	0.0	0.0	0.0	0.0	124.6	162.1	280.3	44.2	611.2	673.6
3/21/2020 22:00	0.0	0.0	0.0	0.0	0.0	136.9	166.3	280.2	42.1	625.5	673.5
3/21/2020 23:00	0.0	0.0	0.0	0.0	0.0	139.0	156.9	284.5	51.5	631.9	673.3
3/22/2020 0:00	0.0	0.0	0.0	0.0	0.0	123.9	163.1	280.6	29.1	596.7	673.1
3/22/2020 1:00	0.0	0.0	0.0	0.0	0.0	120.2	162.0	281.3	41.8	605.3	672.9
3/22/2020 2:00	0.0	0.0	0.0	0.0	0.0	119.1	171.8	280	44	614.9	672.8
3/22/2020 3:00	0.0	0.0	0.0	0.0	0.0	127.4	160.1	278.6	51.1	617.2	672.7
3/22/2020 4:00	0.0	0.0	0.0	0.0	0.0	128.3	180.0	278.3	47.1	633.7	672.6
3/22/2020 5:00	0.0	0.0	0.0	0.0	0.0	112.6	200.4	281	46.4	640.4	672.5
3/22/2020 6:00	0.0	0.0	0.0	0.0	0.0	137.5	206.4	278.9	53.5	676.3	672.4
3/22/2020 7:00	0.0	0.0	0.0	0.0	0.0	129.9	187.3	279.2	48	644.4	672.2
3/22/2020 8:00	0.0	0.0	0.0	0.0	0.0	130.0	201.0	280.8	47.8	659.6	672.1
3/22/2020 9:00	0.0	0.0	0.0	0.0	0.0	120.0	187.8	280.9	45.5	634.2	672.0
3/22/2020 10:00	0.0	0.0	0.0	0.0	0.0	127.0	180.9	276.5	48.9	633.3	671.8
3/22/2020 11:00	0.0	0.0	0.0	0.0	0.0	120.9	168.1	282.6	45.9	617.5	671.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
3/22/2020 12:00	0.0	0.0	0.0	0.0	0.0	130.7	157.3	286.9	87.5	662.4	671.2
3/22/2020 13:00	0.0	0.0	0.0	0.0	0.0	135.4	154.0	276.3	62.6	628.3	670.9
3/22/2020 14:00	0.0	0.0	0.0	0.0	0.0	133.0	152.8	277.8	43	606.6	670.5
3/22/2020 15:00	0.0	0.0	0.0	0.0	0.0	127.5	163.4	278.4	44.3	613.6	670.2
3/22/2020 16:00	0.0	0.0	0.0	0.0	0.0	127.1	160.1	278.4	61.3	626.9	669.9
3/22/2020 17:00	0.0	0.0	0.0	0.0	0.0	133.6	171.1	280.8	65.4	650.9	669.7
3/22/2020 18:00	0.0	0.0	0.0	0.0	0.0	128.5	164.1	282.2	58.9	633.7	669.4
3/22/2020 19:00	0.0	0.0	0.0	0.0	0.0	129.2	170.2	280.1	45.8	625.3	669.1
3/22/2020 20:00	0.0	0.0	0.0	0.0	0.0	130.8	169.6	278.5	53.2	632.1	668.9
3/22/2020 21:00	0.0	0.0	0.0	0.0	0.0	134.0	174.6	283.5	54	646.1	668.8
3/22/2020 22:00	0.0	0.0	0.0	0.0	0.0	128.6	166.7	294.7	50.9	640.9	668.6
3/22/2020 23:00	0.0	0.0	0.0	0.0	0.0	123.5	182.5	274.1	54.1	634.2	668.4
3/23/2020 0:00	0.0	0.0	0.0	0.0	0.0	119.7	208.5	281.4	57.9	667.5	668.2
3/23/2020 1:00	0.0	0.0	0.0	0.0	0.0	114.2	244.2	276.1	66.8	701.3	668.1
3/23/2020 2:00	0.0	0.0	0.0	0.0	0.0	117.7	231.1	278	51.5	678.3	667.9
3/23/2020 3:00	0.0	0.0	0.0	0.0	0.0	129.6	168.9	279.1	52.1	629.7	667.7
3/23/2020 4:00	0.0	0.0	0.0	0.0	0.0	114.3	171.2	279.3	52.7	617.5	667.4
3/23/2020 5:00	0.0	0.0	0.0	0.0	0.0	125.5	179.1	280.5	53.2	638.3	667.2
3/23/2020 6:00	0.0	0.0	0.0	0.0	0.0	126.8	171.6	278.6	73.9	650.9	667.0
3/23/2020 7:00	0.0	0.0	0.0	0.0	0.0	251.1	260.7	278.9	46	836.7	667.0
3/23/2020 8:00	0.0	0.0	0.0	0.0	0.0	369.0	346.2	279	61.6	1055.8	667.4
3/23/2020 9:00	0.0	0.0	0.0	0.0	0.0	410.5	389.7	280.4	55.8	1136.4	667.9
3/23/2020 10:00	0.0	0.0	0.0	0.0	0.0	199.1	251.5	279.7	53.2	783.5	667.8
3/23/2020 11:00	0.0	0.0	0.0	0.0	0.0	153.7	224.9	303.5	61.9	744.0	667.6
3/23/2020 12:00	0.0	0.0	0.0	0.0	0.0	140.9	210.8	283.2	58.6	693.5	667.5
3/23/2020 13:00	0.0	0.0	0.0	0.0	0.0	130.4	199.0	279.3	54.7	663.4	667.4
3/23/2020 14:00	0.0	0.0	0.0	0.0	0.0	120.5	164.8	279	62.7	627.0	667.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
3/23/2020 15:00	0.0	0.0	0.0	0.0	0.0	120.6	158.5	279.1	65.7	623.9	667.0
3/23/2020 16:00	0.0	0.0	0.0	0.0	0.0	99.5	159.3	278.4	59.2	596.4	666.8
3/23/2020 17:00	0.0	0.0	0.0	0.0	0.0	98.7	168.5	279.3	57.6	604.1	666.6
3/23/2020 18:00	0.0	0.0	0.0	0.0	0.0	125.2	168.8	277.8	67.5	639.3	666.5
3/23/2020 19:00	0.0	0.0	0.0	0.0	0.0	126.4	171.8	279.7	49.7	627.6	666.4
3/23/2020 20:00	0.0	0.0	0.0	0.0	0.0	111.0	162.2	278	54.9	606.1	666.1
3/23/2020 21:00	0.0	0.0	0.0	0.0	0.0	102.2	163.5	279.6	60.2	605.5	665.9
3/23/2020 22:00	0.0	0.0	0.0	0.0	0.0	87.2	165.9	279.7	55.9	588.7	665.6
3/23/2020 23:00	0.0	0.0	0.0	0.0	0.0	93.0	184.9	287.1	70	635.0	665.4
3/24/2020 0:00	0.0	0.0	0.0	0.0	0.0	93.2	193.2	281.1	76.9	644.4	665.2
3/24/2020 1:00	0.0	0.0	0.0	0.0	0.0	91.0	185.7	278.3	65.7	620.7	664.9
3/24/2020 2:00	0.0	0.0	0.0	0.0	0.0	95.1	157.7	279.6	54.4	586.8	664.6
3/24/2020 3:00	0.0	0.0	0.0	0.0	0.0	95.7	145.2	279.1	62.7	582.7	664.3
3/24/2020 4:00	0.0	0.0	0.0	0.0	0.0	98.2	153.3	279.7	57.1	588.3	663.9
3/24/2020 5:00	0.0	0.0	0.0	0.0	0.0	100.4	147.2	279.3	81.8	608.7	663.6
3/24/2020 6:00	0.0	0.0	0.0	0.0	0.0	91.2	152.4	277.6	69	590.2	663.3
3/24/2020 7:00	0.0	0.0	0.0	0.0	0.0	90.8	157.2	278.6	50	576.6	663.0
3/24/2020 8:00	0.0	0.0	0.0	0.0	0.0	97.5	153.2	277.9	51.2	579.8	662.7
3/24/2020 9:00	0.0	0.0	0.0	0.0	0.0	107.9	155.7	338.4	57.5	659.5	662.5
3/24/2020 10:00	0.0	0.0	0.0	0.0	0.0	94.0	149.9	280.9	74.1	598.9	662.3
3/24/2020 11:00	0.0	0.0	0.0	0.0	0.0	95.9	142.2	281.5	76.1	595.7	662.1
3/24/2020 12:00	0.0	0.0	0.0	0.0	0.0	99.1	140.6	281.4	53	574.1	661.8
3/24/2020 13:00	0.0	0.0	0.0	0.0	0.0	101.6	137.9	279.6	52.6	571.7	661.6
3/24/2020 14:00	0.0	0.0	0.0	0.0	0.0	99.3	139.1	277.6	71.8	587.8	661.4
3/24/2020 15:00	0.0	0.0	0.0	0.0	0.0	88.2	143.5	280.2	67.4	579.3	661.2
3/24/2020 16:00	0.0	0.0	0.0	0.0	0.0	111.6	141.2	278	68	598.8	661.0
3/24/2020 17:00	0.0	0.0	0.0	0.0	0.0	107.7	138.2	275.6	77.2	598.7	660.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
3/24/2020 18:00	0.0	0.0	0.0	0.0	0.0	103.1	143.4	278.1	66.8	591.4	660.6
3/24/2020 19:00	0.0	0.0	0.0	0.0	0.0	99.3	141.8	278.6	60	579.7	660.4
3/24/2020 20:00	0.0	0.0	0.0	0.0	0.0	90.5	153.8	277.7	59.7	581.7	660.1
3/24/2020 21:00	0.0	0.0	0.0	0.0	0.0	97.9	182.7	268.5	45.4	594.5	659.9
3/24/2020 22:00	0.0	0.0	0.0	0.0	0.0	112.9	186.2	279.8	60.9	639.8	659.7
3/24/2020 23:00	0.0	0.0	0.0	0.0	0.0	111.3	220.1	280.8	57.3	669.5	659.6
3/25/2020 0:00	0.0	0.0	0.0	0.0	0.0	109.3	191.1	280	75.1	655.5	659.4
3/25/2020 1:00	0.0	0.0	0.0	0.0	0.0	108.9	192.8	278.5	76	656.2	659.3
3/25/2020 2:00	0.0	0.0	0.0	0.0	0.0	91.8	173.1	279.6	69.4	613.9	659.0
3/25/2020 3:00	0.0	0.0	0.0	0.0	0.0	87.4	182.0	278.9	81.2	629.5	658.8
3/25/2020 4:00	0.0	0.0	0.0	0.0	0.0	82.2	171.4	278.8	60	592.4	658.5
3/25/2020 5:00	0.0	0.0	0.0	0.0	0.0	111.3	161.2	279.8	52.3	604.6	658.2
3/25/2020 6:00	0.0	0.0	0.0	0.0	0.0	123.2	190.9	276.5	65.8	656.4	658.0
3/25/2020 7:00	0.0	0.0	0.0	0.0	0.0	121.8	190.3	279.3	47.3	638.7	657.9
3/25/2020 8:00	0.0	0.0	0.0	0.0	0.0	126.6	189.5	280.1	44.4	640.6	658.0
3/25/2020 9:00	0.0	0.0	0.0	0.0	0.0	132.1	192.3	326.4	59.6	710.4	657.9
3/25/2020 10:00	0.0	0.0	0.0	0.0	0.0	127.8	185.5	283.1	66.4	662.8	657.7
3/25/2020 11:00	0.0	0.0	0.0	0.0	0.0	111.9	170.3	276.4	67.6	626.2	657.6
3/25/2020 12:00	0.0	0.0	0.0	0.0	0.0	111.3	161.5	277.7	96.5	647.0	657.5
3/25/2020 13:00	0.0	0.0	0.0	0.0	0.0	114.3	154.6	280.8	69.9	619.6	657.3
3/25/2020 14:00	0.0	0.0	0.0	0.0	0.0	106.6	161.0	277.6	36.9	582.1	657.1
3/25/2020 15:00	0.0	0.0	0.0	0.0	0.0	87.7	161.5	280.8	58.5	588.5	656.9
3/25/2020 16:00	0.0	0.0	0.0	0.0	0.0	88.6	158.6	278.1	68.8	594.1	656.8
3/25/2020 17:00	0.0	0.0	0.0	0.0	0.0	97.1	156.7	274.6	63.2	591.6	656.6
3/25/2020 18:00	0.0	0.0	0.0	0.0	0.0	89.3	177.5	274.1	82.4	623.3	656.5
3/25/2020 19:00	0.0	0.0	0.0	0.0	0.0	93.9	181.5	257.3	69.4	602.1	656.3
3/25/2020 20:00	0.0	0.0	0.0	0.0	0.0	99.0	187.2	253.5	52.5	592.2	656.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
3/25/2020 21:00	0.0	0.0	0.0	0.0	0.0	91.3	193.0	274.3	66.2	624.8	656.0
3/25/2020 22:00	0.0	0.0	0.0	0.0	0.0	89.3	193.3	273.7	47.9	604.2	655.9
3/25/2020 23:00	0.0	0.0	0.0	0.0	0.0	87.7	189.8	271.4	60.6	609.5	655.7
3/26/2020 0:00	0.0	0.0	0.0	0.0	0.0	100.0	189.8	281.8	56.3	627.9	655.6
3/26/2020 1:00	0.0	0.0	0.0	0.0	0.0	104.8	191.1	278.2	53.1	627.2	655.4
3/26/2020 2:00	0.0	0.0	0.0	0.0	0.0	108.2	191.1	279.1	50	628.4	655.3
3/26/2020 3:00	0.0	0.0	0.0	0.0	0.0	111.8	194.3	278.6	55.1	639.8	655.2
3/26/2020 4:00	0.0	0.0	0.0	0.0	0.0	121.2	191.8	278.2	54.6	645.8	655.0
3/26/2020 5:00	0.0	0.0	0.0	0.0	0.0	115.4	170.3	276.5	53	615.2	654.9
3/26/2020 6:00	0.0	0.0	0.0	0.0	0.0	109.8	153.7	270.4	52.6	586.5	654.8
3/26/2020 7:00	0.0	0.0	0.0	0.0	0.0	97.7	158.5	281.1	47.2	584.5	654.6
3/26/2020 8:00	0.0	0.0	0.0	0.0	0.0	105.1	140.3	285.1	57.8	588.3	654.4
3/26/2020 9:00	0.0	0.0	0.0	0.0	0.0	106.4	145.4	300	69.1	620.9	654.3
3/26/2020 10:00	0.0	0.0	0.0	0.0	0.0	99.2	147.8	277.3	65.3	589.6	654.1
3/26/2020 11:00	0.0	0.0	0.0	0.0	0.0	88.7	153.5	282.4	112	636.6	654.0
3/26/2020 12:00	0.0	0.0	0.0	0.0	0.0	91.9	144.2	276.9	75.9	588.9	653.9
3/26/2020 13:00	0.0	0.0	0.0	0.0	0.0	93.4	160.0	289.7	57.1	600.2	653.8
3/26/2020 14:00	0.0	0.0	0.0	0.0	0.0	97.1	182.1	281.3	60.6	621.1	653.7
3/26/2020 15:00	0.0	0.0	0.0	0.0	0.0	95.1	189.7	278	47	609.8	653.6
3/26/2020 16:00	0.0	0.0	0.0	0.0	0.0	83.8	190.5	279.3	80.3	633.9	653.5
3/26/2020 17:00	0.0	0.0	0.0	0.0	0.0	77.2	207.8	293.4	47.2	625.6	653.4
3/26/2020 18:00	0.0	0.0	0.0	0.0	0.0	81.4	210.0	258.6	45	595.0	653.2
3/26/2020 19:00	0.0	0.0	0.0	0.0	0.0	86.3	184.2	278.8	33.7	583.0	653.0
3/26/2020 20:00	0.0	0.0	0.0	0.0	0.0	85.7	211.7	280.1	39.3	616.8	652.9
3/26/2020 21:00	0.0	0.0	0.0	0.0	0.0	78.0	205.0	279.5	45.1	607.6	652.7
3/26/2020 22:00	0.0	0.0	0.0	0.0	0.0	93.3	187.1	282.5	55.9	618.8	652.5
3/26/2020 23:00	0.0	0.0	0.0	0.0	0.0	93.4	226.7	278.9	46.5	645.5	652.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
3/27/2020 0:00	0.0	0.0	0.0	0.0	0.0	91.9	219.1	279.4	53.5	643.9	652.3
3/27/2020 1:00	0.0	0.0	0.0	0.0	0.0	97.6	212.9	279.1	47.7	637.3	652.1
3/27/2020 2:00	0.0	0.0	0.0	0.0	0.0	97.3	216.6	279.2	54.7	647.8	652.0
3/27/2020 3:00	0.0	0.0	0.0	0.0	0.0	80.0	235.5	278.8	44.2	638.5	651.9
3/27/2020 4:00	0.0	0.0	0.0	0.0	0.0	79.2	251.9	277.8	44.9	653.8	651.7
3/27/2020 5:00	0.0	0.0	0.0	0.0	0.0	77.4	240.3	268.6	19.4	605.7	651.4
3/27/2020 6:00	0.0	0.0	0.0	0.0	0.0	83.0	221.0	275.6	40.9	620.5	651.2
3/27/2020 7:00	0.0	0.0	0.0	0.0	0.0	283.8	406.3	277.8	42.1	1010.0	651.4
3/27/2020 8:00	0.0	0.0	0.0	0.0	0.0	137.1	273.2	303.9	33.7	747.9	651.3
3/27/2020 9:00	0.0	0.0	0.0	0.0	0.0	149.4	262.9	269.7	58.8	740.8	651.2
3/27/2020 10:00	0.0	0.0	0.0	0.0	0.0	136.4	280.8	284.1	56.6	757.9	650.7
3/27/2020 11:00	0.0	0.0	0.0	0.0	0.0	148.0	280.1	283.7	67	778.8	650.1
3/27/2020 12:00	0.0	0.0	0.0	0.0	0.0	163.7	296.8	279	51.1	790.6	649.4
3/27/2020 13:00	0.0	0.0	0.0	0.0	0.0	165.0	290.3	278.5	24.1	757.9	649.3
3/27/2020 14:00	0.0	0.0	0.0	0.0	0.0	172.2	279.3	281.5	24.5	757.5	649.3
3/27/2020 15:00	0.0	0.0	0.0	0.0	0.0	177.3	277.0	281.2	35.2	770.7	648.9
3/27/2020 16:00	0.0	0.0	0.0	0.0	0.0	158.2	280.2	277.7	42	758.1	648.2
3/27/2020 17:00	0.0	0.0	0.0	0.0	0.0	156.3	278.8	279.7	52.6	767.4	647.6
3/27/2020 18:00	0.0	0.0	0.0	0.0	0.0	137.0	286.6	278.8	50.8	753.2	647.0
3/27/2020 19:00	0.0	0.0	0.0	0.0	0.0	131.8	289.3	278.5	41.8	741.4	646.3
3/27/2020 20:00	0.0	0.0	0.0	0.0	0.0	138.7	287.0	274.4	30.3	730.4	645.6
3/27/2020 21:00	0.0	0.0	0.0	0.0	0.0	140.8	294.4	252.7	24.6	712.5	644.8
3/27/2020 22:00	0.0	0.0	0.0	0.0	0.0	126.6	290.5	277.7	33	727.8	644.1
3/27/2020 23:00	0.0	0.0	0.0	0.0	0.0	158.5	299.1	276.7	37.4	771.7	643.5
3/28/2020 0:00	0.0	0.0	0.0	0.0	0.0	164.8	302.2	276.7	43.8	787.5	642.8
3/28/2020 1:00	0.0	0.0	0.0	0.0	0.0	151.3	302.8	277	42.5	773.6	642.1
3/28/2020 2:00	0.0	0.0	0.0	0.0	0.0	151.6	303.5	277	37	769.1	641.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
3/28/2020 3:00	0.0	0.0	0.0	0.0	0.0	152.8	301.8	276.4	53.5	784.5	640.8
3/28/2020 4:00	0.0	0.0	0.0	0.0	0.0	158.0	308.1	277	38.9	782.0	640.2
3/28/2020 5:00	0.0	0.0	0.0	0.0	0.0	154.9	303.3	275.5	29.8	763.5	639.5
3/28/2020 6:00	0.0	0.0	0.0	0.0	0.0	151.4	296.9	276	42.9	767.2	638.7
3/28/2020 7:00	0.0	0.0	0.0	0.0	0.0	150.0	264.9	281.2	44.4	740.5	638.1
3/28/2020 8:00	0.0	0.0	0.0	0.0	0.0	159.3	239.8	275.5	34.8	709.4	637.3
3/28/2020 9:00	0.0	0.0	0.0	0.0	0.0	141.7	162.9	282.7	51.5	638.8	636.4
3/28/2020 10:00	0.0	0.0	0.0	0.0	0.0	144.2	138.6	278.4	50.5	611.7	635.6
3/28/2020 11:00	0.0	0.0	0.0	0.0	0.0	148.8	144.7	273	40.4	606.9	634.7
3/28/2020 12:00	0.0	0.0	0.0	0.0	0.0	151.0	235.7	283.4	44.7	714.8	634.0
3/28/2020 13:00	0.0	0.0	0.0	0.0	0.0	150.5	237.9	277.4	43.6	709.4	633.3
3/28/2020 14:00	0.0	0.0	0.0	0.0	0.0	149.3	238.5	278.1	49.1	715.0	632.8
3/28/2020 15:00	0.0	0.0	0.0	0.0	0.0	148.6	242.5	281	41	713.1	632.9
3/28/2020 16:00	0.0	0.0	0.0	0.0	0.0	155.3	248.2	279.7	29.2	712.4	632.9
3/28/2020 17:00	0.0	0.0	0.0	0.0	0.0	159.9	232.8	279.2	49.5	721.4	632.9
3/28/2020 18:00	0.0	0.0	0.0	0.0	0.0	150.4	256.9	278	47.1	732.4	633.0
3/28/2020 19:00	0.0	0.0	0.0	0.0	0.0	152.5	245.9	280	40.1	718.5	633.0
3/28/2020 20:00	0.0	0.0	0.0	0.0	0.0	148.8	275.8	280.2	41.9	746.7	632.9
3/28/2020 21:00	0.0	0.0	0.0	0.0	0.0	147.9	272.8	280.4	41.7	742.8	632.9
3/28/2020 22:00	0.0	0.0	0.0	0.0	0.0	133.8	284.1	277.1	41.5	736.5	632.8
3/28/2020 23:00	0.0	0.0	0.0	0.0	0.0	180.7	243.5	277.6	32.1	733.9	632.8
3/29/2020 0:00	0.0	0.0	0.0	0.0	0.0	178.0	218.0	281.3	37.9	715.2	632.8
3/29/2020 1:00	0.0	0.0	0.0	0.0	0.0	181.4	233.5	282.8	45.5	743.2	632.9
3/29/2020 2:00	0.0	0.0	0.0	0.0	0.0	171.9	230.6	276.8	30.8	710.1	632.9
3/29/2020 3:00	0.0	0.0	0.0	0.0	0.0	154.0	244.5	280.1	37.5	716.1	632.9
3/29/2020 4:00	0.0	0.0	0.0	0.0	0.0	155.8	264.7	279.4	34.5	734.4	632.9
3/29/2020 5:00	0.0	0.0	0.0	0.0	0.0	154.3	259.2	280.5	37	731.0	633.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
3/29/2020 6:00	0.0	0.0	0.0	0.0	0.0	158.7	264.5	280.3	37.1	740.6	633.0
3/29/2020 7:00	0.0	0.0	0.0	0.0	0.0	153.9	266.5	278.9	34	733.3	633.0
3/29/2020 8:00	0.0	0.0	0.0	0.0	0.0	162.0	257.8	298.7	45.5	764.0	633.1
3/29/2020 9:00	0.0	0.0	0.0	0.0	0.0	150.7	240.6	279.3	37.4	708.0	633.1
3/29/2020 10:00	0.0	0.0	0.0	0.0	0.0	148.5	207.0	278.4	34.5	668.4	633.1
3/29/2020 11:00	0.0	0.0	0.0	0.0	0.0	154.0	188.1	280.2	33.4	655.7	633.0
3/29/2020 12:00	0.0	0.0	0.0	0.0	0.0	156.8	198.3	283.1	38.2	676.4	633.0
3/29/2020 13:00	0.0	0.0	0.0	0.0	0.0	153.4	193.1	297	50.8	694.3	633.0
3/29/2020 14:00	0.0	0.0	0.0	0.0	0.0	150.6	217.7	294.2	36.9	699.4	633.1
3/29/2020 15:00	0.0	0.0	0.0	0.0	0.0	148.4	228.4	276.5	25.5	678.8	633.1
3/29/2020 16:00	0.0	0.0	0.0	0.0	0.0	152.2	234.7	280.8	28.1	695.8	633.1
3/29/2020 17:00	0.0	0.0	0.0	0.0	0.0	163.0	229.6	279.3	47	718.9	633.2
3/29/2020 18:00	0.0	0.0	0.0	0.0	0.0	158.1	233.0	278.6	48.4	718.1	633.3
3/29/2020 19:00	0.0	0.0	0.0	0.0	0.0	162.5	232.3	278.2	37.5	710.5	633.4
3/29/2020 20:00	0.0	0.0	0.0	0.0	0.0	151.4	223.0	279.9	38.3	692.6	633.5
3/29/2020 21:00	0.0	0.0	0.0	0.0	0.0	147.8	218.7	279	40.3	685.8	633.5
3/29/2020 22:00	0.0	0.0	0.0	0.0	0.0	158.6	232.7	277	41.4	709.7	633.6
3/29/2020 23:00	0.0	0.0	0.0	0.0	0.0	151.6	240.2	275.2	39.7	706.7	633.7
3/30/2020 0:00	0.0	0.0	0.0	0.0	0.0	152.4	263.5	281.3	60.8	758.0	633.8
3/30/2020 1:00	0.0	0.0	0.0	0.0	0.0	145.0	268.7	285.1	42.9	741.7	633.8
3/30/2020 2:00	0.0	0.0	0.0	0.0	0.0	150.2	265.9	275.9	40.4	732.4	633.9
3/30/2020 3:00	0.0	0.0	0.0	0.0	0.0	166.0	261.4	279.1	42	748.5	634.0
3/30/2020 4:00	0.0	0.0	0.0	0.0	0.0	165.3	249.5	279	41.7	735.5	634.0
3/30/2020 5:00	0.0	0.0	0.0	0.0	0.0	151.4	264.7	278.8	50.6	745.5	634.1
3/30/2020 6:00	0.0	0.0	0.0	0.0	0.0	149.2	263.9	278.7	48.1	739.9	634.2
3/30/2020 7:00	0.0	0.0	0.0	0.0	0.0	158.6	261.3	278	32.3	730.2	634.3
3/30/2020 8:00	0.0	0.0	0.0	0.0	0.0	164.5	252.7	297.1	50.4	764.7	634.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
3/30/2020 9:00	0.0	0.0	0.0	0.0	0.0	143.1	226.6	271.3	48.4	689.4	634.4
3/30/2020 10:00	0.0	0.0	0.0	0.0	0.0	137.1	148.4	280.2	42.8	608.5	634.2
3/30/2020 11:00	0.0	0.0	0.0	0.0	0.0	140.7	142.5	283	37.3	603.5	634.0
3/30/2020 12:00	0.0	0.0	0.0	0.0	0.0	296.1	264.6	275.9	57.2	893.8	634.4
3/30/2020 13:00	0.0	0.0	0.0	0.0	0.0	128.9	157.5	278.6	47.2	612.2	634.4
3/30/2020 14:00	0.0	0.0	0.0	0.0	0.0	131.6	157.6	278.8	39.8	607.8	634.4
3/30/2020 15:00	0.0	0.0	0.0	0.0	0.0	126.9	176.0	278.8	40.5	622.2	634.3
3/30/2020 16:00	0.0	0.0	0.0	0.0	0.0	125.3	157.5	280	45.4	608.2	634.3
3/30/2020 17:00	0.0	0.0	0.0	0.0	0.0	129.8	142.2	279.5	45.6	597.1	634.2
3/30/2020 18:00	0.0	0.0	0.0	0.0	0.0	115.5	157.8	277.1	54.3	604.7	634.2
3/30/2020 19:00	0.0	0.0	0.0	0.0	0.0	117.2	213.2	281	39.1	650.5	634.2
3/30/2020 20:00	0.0	0.0	0.0	0.0	0.0	112.1	216.1	278.4	39.4	646.0	634.3
3/30/2020 21:00	0.0	0.0	0.0	0.0	0.0	123.4	221.0	280.4	44.4	669.2	634.4
3/30/2020 22:00	0.0	0.0	0.0	0.0	0.0	130.1	195.6	281.2	43.8	650.7	634.4
3/30/2020 23:00	0.0	0.0	0.0	0.0	0.0	117.6	206.7	276.5	55.3	656.1	634.4
3/31/2020 0:00	0.0	0.0	0.0	0.0	0.0	108.5	222.3	279.8	46.6	657.2	634.3
3/31/2020 1:00	0.0	0.0	0.0	0.0	0.0	106.8	226.5	280.6	44.6	658.5	634.3
3/31/2020 2:00	0.0	0.0	0.0	0.0	0.0	95.2	240.4	285.3	45.5	666.4	634.3
3/31/2020 3:00	0.0	0.0	0.0	0.0	0.0	107.3	244.7	275	42.6	669.6	634.3
3/31/2020 4:00	0.0	0.0	0.0	0.0	0.0	104.7	225.9	280.5	47	658.1	634.2
3/31/2020 5:00	0.0	0.0	0.0	0.0	0.0	115.3	215.7	277.7	43	651.7	634.1
3/31/2020 6:00	0.0	0.0	0.0	0.0	0.0	147.7	204.5	277.3	50.3	679.8	634.0
3/31/2020 7:00	0.0	0.0	0.0	0.0	0.0	149.4	235.2	278.9	38.1	701.6	633.9
3/31/2020 8:00	0.0	0.0	0.0	0.0	0.0	152.2	202.7	279.7	40.8	675.4	633.9
3/31/2020 9:00	0.0	0.0	0.0	0.0	0.0	169.3	190.8	284.8	58	702.9	633.9
3/31/2020 10:00	0.0	0.0	0.0	0.0	0.0	160.9	169.2	283	42.3	655.4	633.9
3/31/2020 11:00	0.0	0.0	0.0	0.0	0.0	157.0	151.4	280.6	41.5	630.5	633.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
3/31/2020 12:00	0.0	0.0	0.0	0.0	0.0	142.4	164.7	278.9	61.3	647.3	633.9
3/31/2020 13:00	0.0	0.0	0.0	0.0	0.0	142.4	180.8	278.1	38.5	639.8	633.9
3/31/2020 14:00	0.0	0.0	0.0	0.0	0.0	135.1	180.3	278.1	36.2	629.7	633.9
3/31/2020 15:00	0.0	0.0	0.0	0.0	0.0	149.3	190.0	281	44.6	664.9	634.0
3/31/2020 16:00	0.0	0.0	0.0	0.0	0.0	170.0	186.0	279.4	52.8	688.2	634.0
3/31/2020 17:00	0.0	0.0	0.0	0.0	0.0	139.1	228.8	278.6	58	704.5	634.2
3/31/2020 18:00	0.0	0.0	0.0	0.0	0.0	133.4	258.2	278.1	48.2	717.9	634.3
3/31/2020 19:00	0.0	0.0	0.0	0.0	0.0	121.3	283.6	279.3	37.8	722.0	634.4
3/31/2020 20:00	0.0	0.0	0.0	0.0	0.0	171.7	240.9	278.6	39.2	730.4	634.6
3/31/2020 21:00	0.0	0.0	0.0	0.0	0.0	171.0	170.1	279	43.2	663.3	634.7
3/31/2020 22:00	0.0	0.0	0.0	0.0	0.0	166.8	160.7	280	38.3	645.8	634.7
3/31/2020 23:00	0.0	0.0	0.0	0.0	0.0	157.8	165.2	273.9	26.7	623.6	634.7
4/1/2020 0:00	0.0	0.0	0.0	0.0	0.0	156.0	154.8	276.6	51.3	638.7	634.8
4/1/2020 1:00	0.0	0.0	0.0	0.0	0.0	150.5	165.7	283.4	70.7	670.3	634.8
4/1/2020 2:00	0.0	0.0	0.0	0.0	0.0	157.1	168.8	278.7	45.6	650.2	634.8
4/1/2020 3:00	0.0	0.0	0.0	0.0	0.0	155.6	173.1	277.5	55.4	661.6	634.7
4/1/2020 4:00	0.0	0.0	0.0	0.0	0.0	154.5	181.0	280.3	43.7	659.5	634.7
4/1/2020 5:00	0.0	0.0	0.0	0.0	0.0	157.8	181.0	278.7	42.6	660.1	634.7
4/1/2020 6:00	0.0	0.0	0.0	0.0	0.0	158.9	176.8	275.5	55.6	666.8	634.6
4/1/2020 7:00	0.0	0.0	0.0	0.0	0.0	152.1	191.7	277.4	43.8	665.0	634.5
4/1/2020 8:00	0.0	0.0	0.0	0.0	0.0	147.6	190.8	277.4	79.6	695.4	634.5
4/1/2020 9:00	0.0	0.0	0.0	0.0	0.0	143.1	184.5	277.4	53.4	658.4	634.4
4/1/2020 10:00	0.0	0.0	0.0	0.0	0.0	138.6	178.8	291.1	51	659.5	634.5
4/1/2020 11:00	0.0	0.0	0.0	0.0	0.0	151.0	181.6	282.3	49.7	664.6	634.6
4/1/2020 12:00	0.0	0.0	0.0	0.0	0.0	143.5	179.5	317.2	44.8	685.0	634.8
4/1/2020 13:00	0.0	0.0	0.0	0.0	0.0	136.1	171.4	345.2	71.1	723.8	635.1
4/1/2020 14:00	0.0	0.0	0.0	0.0	0.0	126.1	169.9	342.1	69.7	707.8	635.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
4/1/2020 15:00	0.0	0.0	0.0	0.0	0.0	124.0	160.9	295.5	42.5	622.9	635.1
4/1/2020 16:00	0.0	0.0	0.0	0.0	0.0	125.2	158.8	276.2	49.2	609.4	635.0
4/1/2020 17:00	0.0	0.0	0.0	0.0	0.0	117.7	174.0	280.3	51.3	623.3	635.1
4/1/2020 18:00	0.0	0.0	0.0	0.0	0.0	118.1	168.7	279.2	70.3	636.3	635.2
4/1/2020 19:00	0.0	0.0	0.0	0.0	0.0	107.3	169.9	279.3	58.4	614.9	635.3
4/1/2020 20:00	0.0	0.0	0.0	0.0	0.0	113.7	171.1	275.2	58	618.0	635.4
4/1/2020 21:00	0.0	0.0	0.0	0.0	0.0	123.0	161.6	278.9	40.2	603.7	635.5
4/1/2020 22:00	0.0	0.0	0.0	0.0	0.0	139.5	172.1	281.7	28.9	622.2	635.6
4/1/2020 23:00	0.0	0.0	0.0	0.0	0.0	136.5	174.4	285.7	48.2	644.8	635.7
4/2/2020 0:00	0.0	0.0	0.0	0.0	0.0	126.1	180.9	277.5	61.3	645.8	635.9
4/2/2020 1:00	0.0	0.0	0.0	0.0	0.0	122.2	173.5	278.8	55	629.5	636.0
4/2/2020 2:00	0.0	0.0	0.0	0.0	0.0	118.6	160.4	278.5	41.6	599.1	636.0
4/2/2020 3:00	0.0	0.0	0.0	0.0	0.0	101.9	162.3	279.3	39.7	583.2	636.0
4/2/2020 4:00	0.0	0.0	0.0	0.0	0.0	104.4	163.2	277.2	55.6	600.4	636.1
4/2/2020 5:00	0.0	0.0	0.0	0.0	0.0	103.9	146.2	281.5	35.9	567.5	636.1
4/2/2020 6:00	0.0	0.0	0.0	0.0	0.0	102.1	140.8	277.1	35.1	555.1	636.1
4/2/2020 7:00	0.0	0.0	0.0	0.0	0.0	106.7	144.2	275.3	46.8	573.0	636.1
4/2/2020 8:00	0.0	0.0	0.0	0.0	0.0	103.3	123.4	279.1	49.8	555.6	636.1
4/2/2020 9:00	0.0	0.0	0.0	0.0	0.0	113.0	141.4	279.9	45.7	580.0	636.1
4/2/2020 10:00	0.0	0.0	0.0	0.0	0.0	116.6	149.0	278.4	46.5	590.5	636.1
4/2/2020 11:00	0.0	0.0	0.0	0.0	0.0	97.4	134.4	302.5	69	603.3	636.2
4/2/2020 12:00	0.0	0.0	0.0	0.0	0.0	88.8	124.2	281.2	36.9	531.1	636.1
4/2/2020 13:00	0.0	0.0	0.0	0.0	0.0	93.2	132.3	275.5	46.9	547.9	636.1
4/2/2020 14:00	0.0	0.0	0.0	0.0	0.0	81.2	129.3	275	39.5	525.0	636.1
4/2/2020 15:00	0.0	0.0	0.0	0.0	0.0	93.3	139.1	312.9	54.3	599.6	636.1
4/2/2020 16:00	0.0	0.0	0.0	0.0	0.0	92.5	137.4	307.1	51	588.0	636.2
4/2/2020 17:00	0.0	0.0	0.0	0.0	0.0	79.8	123.6	305.4	36.8	545.6	636.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
4/2/2020 18:00	0.0	0.0	0.0	0.0	0.0	77.5	121.5	305.1	35.7	539.8	636.1
4/2/2020 19:00	0.0	0.0	0.0	0.0	0.0	83.3	123.6	299.2	29.7	535.8	636.0
4/2/2020 20:00	0.0	0.0	0.0	0.0	0.0	88.0	130.1	290.3	19.9	528.3	636.0
4/2/2020 21:00	0.0	0.0	0.0	0.0	0.0	111.2	160.2	286.7	26.8	584.9	636.0
4/2/2020 22:00	0.0	0.0	0.0	0.0	0.0	118.5	171.6	290.9	25.5	606.5	636.1
4/2/2020 23:00	0.0	0.0	0.0	0.0	0.0	125.4	171.2	342.5	36	675.1	636.3
4/3/2020 0:00	0.0	0.0	0.0	0.0	0.0	125.7	169.1	289.7	38.7	623.2	636.4
4/3/2020 1:00	0.0	0.0	0.0	0.0	0.0	117.0	167.4	278	22.9	585.3	636.5
4/3/2020 2:00	0.0	0.0	0.0	0.0	0.0	112.3	174.1	276.9	16.3	579.6	636.5
4/3/2020 3:00	0.0	0.0	0.0	0.0	0.0	126.4	169.2	277.5	13.7	586.8	636.5
4/3/2020 4:00	0.0	0.0	0.0	0.0	0.0	120.0	178.9	273.2	5.7	577.8	636.5
4/3/2020 5:00	0.0	0.0	0.0	0.0	0.0	114.9	184.9	273.8	8	581.6	636.6
4/3/2020 6:00	0.0	0.0	0.0	0.0	0.0	112.6	172.1	273.9	11.2	569.8	636.5
4/3/2020 7:00	0.0	0.0	0.0	0.0	0.0	117.3	168.5	294.4	11.2	591.4	636.5
4/3/2020 8:00	0.0	0.0	0.0	0.0	0.0	114.5	146.5	290.7	11.2	562.9	635.9
4/3/2020 9:00	0.0	0.0	0.0	0.0	0.0	116.1	145.6	304.8	11.2	577.7	635.1
4/3/2020 10:00	0.0	0.0	0.0	0.0	0.0	119.8	154.4	283.4	11.2	568.8	634.3
4/3/2020 11:00	0.0	0.0	0.0	0.0	0.0	120.7	145.2	283.3	11.2	560.4	633.5
4/3/2020 12:00	0.0	0.0	0.0	0.0	0.0	126.2	147.2	272.8	11.2	557.4	632.7
4/3/2020 13:00	0.0	0.0	0.0	0.0	0.0	127.4	137.0	325.5	11.2	601.1	632.2
4/3/2020 14:00	0.0	0.0	0.0	0.0	0.0	108.0	125.1	334.6	11.2	578.9	632.2
4/3/2020 15:00	0.0	0.0	0.0	0.0	0.0	107.4	123.8	308.6	11.2	551.0	632.1
4/3/2020 16:00	0.0	0.0	0.0	0.0	0.0	154.2	166.1	324.6	2.8	647.7	632.2
4/3/2020 17:00	0.0	0.0	0.0	0.0	0.0	180.0	207.6	325.3	0.9	713.8	632.4
4/3/2020 18:00	0.0	0.0	0.0	0.0	0.0	91.2	141.4	286.5	6.2	525.3	632.4
4/3/2020 19:00	0.0	0.0	0.0	0.0	0.0	90.9	134.9	282.2	17.3	525.3	632.3
4/3/2020 20:00	0.0	0.0	0.0	0.0	0.0	91.6	139.5	254.4	22	507.5	632.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
4/3/2020 21:00	0.0	0.0	0.0	0.0	0.0	97.6	137.7	283.2	60.7	579.2	632.3
4/3/2020 22:00	0.0	0.0	0.0	0.0	0.0	94.9	143.2	279.6	30.5	548.2	632.3
4/3/2020 23:00	0.0	0.0	0.0	0.0	0.0	87.9	138.5	287.1	37.3	550.8	632.3
4/4/2020 0:00	0.0	0.0	0.0	0.0	0.0	108.9	158.7	279.2	77.7	624.5	632.4
4/4/2020 1:00	0.0	0.0	0.0	0.0	0.0	111.0	159.3	279.9	62.9	613.1	632.5
4/4/2020 2:00	0.0	0.0	0.0	0.0	0.0	113.5	139.1	278.7	26.3	557.6	632.5
4/4/2020 3:00	0.0	0.0	0.0	0.0	0.0	100.3	132.8	279.2	71.2	583.5	632.5
4/4/2020 4:00	0.0	0.0	0.0	0.0	0.0	95.4	151.2	282.7	54.4	583.7	632.6
4/4/2020 5:00	0.0	0.0	0.0	0.0	0.0	104.8	149.4	299.1	78.7	632.0	632.6
4/4/2020 6:00	0.0	0.0	0.0	0.0	0.0	94.8	140.0	276.9	68.7	580.4	632.6
4/4/2020 7:00	0.0	0.0	0.0	0.0	0.0	96.7	147.4	280.3	68.7	593.1	632.6
4/4/2020 8:00	0.0	0.0	0.0	0.0	0.0	89.4	139.6	276.5	40.6	546.1	632.6
4/4/2020 9:00	0.0	0.0	0.0	0.0	0.0	84.8	132.0	278.8	33.9	529.5	632.6
4/4/2020 10:00	0.0	0.0	0.0	0.0	0.0	87.1	138.7	266	10.8	502.6	632.6
4/4/2020 11:00	0.0	0.0	0.0	0.0	0.0	91.1	140.3	167.1	20.4	418.9	632.4
4/4/2020 12:00	0.0	0.0	0.0	0.0	0.0	97.7	150.7	120.4	12.2	381.0	632.2
4/4/2020 13:00	0.0	0.0	0.0	0.0	0.0	80.8	130.7	0	32	243.5	631.7
4/4/2020 14:00	0.0	0.0	0.0	0.0	0.0	81.4	124.8	0	141.7	347.9	631.4
4/4/2020 15:00	0.0	0.0	0.0	0.0	0.0	81.4	131.4	0	74.3	287.1	631.1
4/4/2020 16:00	0.0	0.0	0.0	0.0	0.0	89.7	129.3	0	72.5	291.5	630.7
4/4/2020 17:00	0.0	0.0	0.0	0.0	0.0	83.9	126.9	0	85.1	295.9	630.4
4/4/2020 18:00	0.0	0.0	0.0	0.0	0.0	92.5	131.6	0	46.9	271.0	630.0
4/4/2020 19:00	0.0	0.0	0.0	0.0	0.0	89.5	140.3	0	48.3	278.1	629.7
4/4/2020 20:00	0.0	0.0	0.0	0.0	0.0	93.7	140.5	0	63.6	297.8	629.3
4/4/2020 21:00	0.0	0.0	0.0	0.0	0.0	97.6	136.5	0	80.9	315.0	629.1
4/4/2020 22:00	0.0	0.0	0.0	0.0	0.0	87.9	122.1	0	43.6	253.6	628.7
4/4/2020 23:00	0.0	0.0	0.0	0.0	0.0	88.2	126.3	0	65.6	280.1	628.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
4/5/2020 0:00	0.0	0.0	0.0	0.0	0.0	88.0	130.1	0	53.4	271.5	628.1
4/5/2020 1:00	0.0	0.0	0.0	0.0	0.0	85.7	131.0	0	82.3	299.0	628.0
4/5/2020 2:00	0.0	0.0	0.0	0.0	0.0	87.8	129.5	0	58.3	275.6	627.9
4/5/2020 3:00	0.0	0.0	0.0	0.0	0.0	91.0	126.8	0	53	270.8	627.7
4/5/2020 4:00	0.0	0.0	0.0	0.0	0.0	95.7	133.1	0	78	306.8	627.3
4/5/2020 5:00	0.0	0.0	0.0	0.0	0.0	92.9	138.9	0	20.2	252.0	626.9
4/5/2020 6:00	0.0	0.0	0.0	0.0	0.0	92.6	145.1	0	70.9	308.6	626.5
4/5/2020 7:00	0.0	0.0	0.0	0.0	0.0	101.7	134.4	0	56	292.1	626.1
4/5/2020 8:00	0.0	0.0	0.0	0.0	0.0	101.6	131.1	0	58.2	290.9	625.7
4/5/2020 9:00	0.0	0.0	0.0	0.0	0.0	95.0	133.3	0	52.8	281.1	625.2
4/5/2020 10:00	0.0	0.0	0.0	0.0	0.0	86.3	126.0	0	80.5	292.8	624.7
4/5/2020 11:00	0.0	0.0	0.0	0.0	0.0	83.1	119.7	0	79.8	282.6	624.3
4/5/2020 12:00	0.0	0.0	0.0	0.0	0.0	80.9	118.3	0	37.4	236.6	623.7
4/5/2020 13:00	0.0	0.0	0.0	0.0	0.0	82.9	123.1	0	65.9	271.9	623.3
4/5/2020 14:00	0.0	0.0	0.0	0.0	0.0	89.9	121.1	0	51.7	262.7	622.9
4/5/2020 15:00	0.0	0.0	0.0	0.0	0.0	89.4	129.7	0	61.1	280.2	622.5
4/5/2020 16:00	0.0	0.0	0.0	0.0	0.0	90.8	125.5	0	49.8	266.1	622.1
4/5/2020 17:00	0.0	0.0	0.0	0.0	0.0	88.1	118.7	0	53.1	259.9	621.6
4/5/2020 18:00	0.0	0.0	0.0	0.0	0.0	85.7	121.6	0	69.9	277.2	621.2
4/5/2020 19:00	0.0	0.0	0.0	0.0	0.0	89.8	125.9	0	50.1	265.8	620.8
4/5/2020 20:00	0.0	0.0	0.0	0.0	0.0	90.6	127.8	0	52.5	270.9	620.4
4/5/2020 21:00	0.0	0.0	0.0	0.0	0.0	88.5	132.6	0	57.3	278.4	620.0
4/5/2020 22:00	0.0	0.0	0.0	0.0	0.0	86.3	135.4	0	53.4	275.1	619.6
4/5/2020 23:00	0.0	0.0	0.0	0.0	0.0	93.1	132.3	0	49.8	275.2	619.1
4/6/2020 0:00	0.0	0.0	0.0	0.0	0.0	92.6	139.6	0	63	295.2	618.7
4/6/2020 1:00	0.0	0.0	0.0	0.0	0.0	92.3	141.5	0	57.1	290.9	618.3
4/6/2020 2:00	0.0	0.0	0.0	0.0	0.0	90.5	140.7	0	70.9	302.1	617.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
4/6/2020 3:00	0.0	0.0	0.0	0.0	0.0	88.8	136.4	0	49.3	274.5	617.4
4/6/2020 4:00	0.0	0.0	0.0	0.0	0.0	87.7	141.8	0	60.9	290.4	616.9
4/6/2020 5:00	0.0	0.0	0.0	0.0	0.0	86.4	143.5	0	65.2	295.1	616.5
4/6/2020 6:00	0.0	0.0	0.0	0.0	0.0	96.9	139.7	0	38.2	274.8	616.0
4/6/2020 7:00	0.0	0.0	0.0	0.0	0.0	97.2	138.6	0	51.7	287.5	615.5
4/6/2020 8:00	0.0	0.0	0.0	0.0	0.0	95.2	145.8	0	53	294.0	615.1
4/6/2020 9:00	0.0	0.0	0.0	0.0	0.0	95.7	146.3	0	49.6	291.6	614.7
4/6/2020 10:00	0.0	0.0	0.0	0.0	0.0	95.8	146.4	0	54.9	297.1	614.3
4/6/2020 11:00	0.0	0.0	0.0	0.0	0.0	86.4	135.8	0	73.2	295.4	613.9
4/6/2020 12:00	0.0	0.0	0.0	0.0	0.0	71.5	119.9	0	64.1	255.5	613.5
4/6/2020 13:00	0.0	0.0	0.0	0.0	0.0	69.2	106.0	0	34.2	209.4	612.8
4/6/2020 14:00	0.0	0.0	0.0	0.0	0.0	69.6	103.3	0	36.1	209.0	612.3
4/6/2020 15:00	0.0	0.0	0.0	0.0	0.0	31.6	130.8	0	57.5	219.9	611.7
4/6/2020 16:00	0.0	0.0	0.0	0.0	0.0	27.2	108.2	0	65.4	200.8	611.3
4/6/2020 17:00	0.0	0.0	0.0	0.0	0.0	27.6	115.9	0	45.2	188.7	610.7
4/6/2020 18:00	0.0	0.0	0.0	0.0	0.0	21.2	110.5	0	63.5	195.2	610.2
4/6/2020 19:00	0.0	0.0	0.0	0.0	0.0	23.4	114.6	0	53	191.0	609.8
4/6/2020 20:00	0.0	0.0	0.0	0.0	0.0	34.1	106.5	0	49.3	189.9	609.3
4/6/2020 21:00	0.0	0.0	0.0	0.0	0.0	66.9	123.2	0	47.1	237.2	608.8
4/6/2020 22:00	0.0	0.0	0.0	0.0	0.0	56.2	132.6	0	57.9	246.7	608.4
4/6/2020 23:00	0.0	0.0	0.0	0.0	0.0	60.2	138.2	0	64.9	263.3	608.0
4/7/2020 0:00	0.0	0.0	0.0	0.0	0.0	60.9	123.7	0	55.6	240.2	607.6
4/7/2020 1:00	0.0	0.0	0.0	0.0	0.0	57.9	121.6	0	49.1	228.6	607.1
4/7/2020 2:00	0.0	0.0	0.0	0.0	0.0	69.1	120.7	0	56.4	246.2	606.7
4/7/2020 3:00	0.0	0.0	0.0	0.0	0.0	63.4	123.1	0	45.7	232.2	606.3
4/7/2020 4:00	0.0	0.0	0.0	0.0	0.0	56.5	130.5	0	52.6	239.6	605.9
4/7/2020 5:00	0.0	0.0	0.0	0.0	0.0	60.6	133.5	0	67.7	261.8	605.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
4/7/2020 6:00	0.0	0.0	0.0	0.0	0.0	69.4	127.9	0	53.6	250.9	604.9
4/7/2020 7:00	0.0	0.0	0.0	0.0	0.0	74.1	127.2	0	45.5	246.8	604.5
4/7/2020 8:00	0.0	0.0	0.0	0.0	0.0	76.0	135.0	0	81.5	292.5	604.1
4/7/2020 9:00	0.0	0.0	0.0	0.0	0.0	95.5	152.9	0	55.8	304.2	603.7
4/7/2020 10:00	0.0	0.0	0.0	0.0	0.0	84.8	146.3	0	71.2	302.3	603.4
4/7/2020 11:00	0.0	0.0	0.0	0.0	0.0	81.8	141.8	0	102.5	326.1	603.0
4/7/2020 12:00	0.0	0.0	0.0	0.0	0.0	87.5	133.1	0	53.1	273.7	602.6
4/7/2020 13:00	0.0	0.0	0.0	0.0	0.0	87.5	134.9	0	78.8	301.2	602.2
4/7/2020 14:00	0.0	0.0	0.0	0.0	0.0	87.5	138.1	0	65.2	290.8	601.8
4/7/2020 15:00	0.0	0.0	0.0	0.0	0.0	84.3	143.1	0	79	306.4	601.5
4/7/2020 16:00	0.0	0.0	0.0	0.0	0.0	82.1	141.7	0	71.2	295.0	600.9
4/7/2020 17:00	0.0	0.0	0.0	0.0	0.0	72.0	142.0	0	78.1	292.1	600.1
4/7/2020 18:00	0.0	0.0	0.0	0.0	0.0	74.5	142.6	0	72.8	289.9	599.3
4/7/2020 19:00	0.0	0.0	0.0	0.0	0.0	78.5	137.8	0	69.7	286.0	598.9
4/7/2020 20:00	0.0	0.0	0.0	0.0	0.0	80.0	137.7	0	87.6	305.3	598.6
4/7/2020 21:00	0.0	0.0	0.0	0.0	0.0	206.6	236.4	0	52.2	495.2	598.4
4/7/2020 22:00	0.0	0.0	0.0	0.0	0.0	314.5	318.4	0	80.4	713.3	598.6
4/7/2020 23:00	0.0	0.0	0.0	0.0	0.0	205.4	238.5	0	86.2	530.1	598.6
4/8/2020 0:00	0.0	0.0	0.0	0.0	0.0	82.6	141.5	0	67.1	291.2	598.2
4/8/2020 1:00	0.0	0.0	0.0	0.0	0.0	83.4	145.0	0	73.1	301.5	597.8
4/8/2020 2:00	0.0	0.0	0.0	0.0	0.0	79.2	147.4	0	67.8	294.4	597.4
4/8/2020 3:00	0.0	0.0	0.0	0.0	0.0	81.9	145.9	0	72.7	300.5	597.0
4/8/2020 4:00	0.0	0.0	0.0	0.0	0.0	77.5	145.2	0	75.7	298.4	596.6
4/8/2020 5:00	0.0	0.0	0.0	0.0	0.0	81.2	143.0	0	78.8	303.0	596.3
4/8/2020 6:00	0.0	0.0	0.0	0.0	0.0	95.3	160.3	0	64	319.6	596.0
4/8/2020 7:00	0.0	0.0	0.0	0.0	0.0	95.3	150.0	0	73.5	318.8	595.7
4/8/2020 8:00	0.0	0.0	0.0	0.0	0.0	77.2	161.5	0	73.4	312.1	595.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
4/8/2020 9:00	0.0	0.0	0.0	0.0	0.0	84.4	153.7	0	74.6	312.7	595.0
4/8/2020 10:00	0.0	0.0	0.0	0.0	0.0	74.9	143.4	0	63.5	281.8	594.7
4/8/2020 11:00	0.0	0.0	0.0	0.0	0.0	75.2	131.5	0	111.9	318.6	594.4
4/8/2020 12:00	0.0	0.0	0.0	0.0	0.0	75.4	131.9	0	68.6	275.9	594.0
4/8/2020 13:00	0.0	0.0	0.0	0.0	0.0	80.1	131.3	0	73.4	284.8	593.7
4/8/2020 14:00	0.0	0.0	0.0	0.0	0.0	84.9	132.6	0	71	288.5	593.3
4/8/2020 15:00	0.0	0.0	0.0	0.0	0.0	81.2	142.8	0	75.2	299.2	592.9
4/8/2020 16:00	0.0	0.0	0.0	0.0	0.0	58.9	171.7	0	68.4	299.0	592.5
4/8/2020 17:00	0.0	0.0	0.0	0.0	0.0	47.8	185.8	0	76.4	310.0	592.2
4/8/2020 18:00	0.0	0.0	0.0	0.0	0.0	63.7	162.6	0	62.6	288.9	591.8
4/8/2020 19:00	0.0	0.0	0.0	0.0	0.0	78.1	143.5	0	81.3	302.9	591.4
4/8/2020 20:00	0.0	0.0	0.0	0.0	0.0	74.5	141.4	0	77.4	293.3	591.0
4/8/2020 21:00	0.0	0.0	0.0	0.0	0.0	71.2	149.5	0	76.1	296.8	590.6
4/8/2020 22:00	0.0	0.0	0.0	0.0	0.0	65.6	165.6	0	86.2	317.4	590.3
4/8/2020 23:00	0.0	0.0	0.0	0.0	0.0	76.6	142.4	0	80.2	299.2	589.8
4/9/2020 0:00	0.0	0.0	0.0	0.0	0.0	81.8	144.4	0	82.5	308.7	589.4
4/9/2020 1:00	0.0	0.0	0.0	0.0	0.0	92.3	142.9	0	71.8	307.0	588.9
4/9/2020 2:00	0.0	0.0	0.0	0.0	0.0	89.1	153.2	0	77	319.3	588.5
4/9/2020 3:00	0.0	0.0	0.0	0.0	0.0	90.1	157.8	0	68.8	316.7	588.1
4/9/2020 4:00	0.0	0.0	0.0	0.0	0.0	98.4	150.2	0	80.3	328.9	587.7
4/9/2020 5:00	0.0	0.0	0.0	0.0	0.0	105.0	148.5	0	75	328.5	587.2
4/9/2020 6:00	0.0	0.0	0.0	0.0	0.0	103.7	154.2	0	76.5	334.4	586.4
4/9/2020 7:00	0.0	0.0	0.0	0.0	0.0	100.6	153.6	0	70.4	324.6	585.8
4/9/2020 8:00	0.0	0.0	0.0	0.0	0.0	98.7	203.7	0	79.5	381.9	585.2
4/9/2020 9:00	0.0	0.0	0.0	0.0	0.0	132.9	203.7	0	82.8	419.4	584.8
4/9/2020 10:00	0.0	0.0	0.0	0.0	0.0	127.9	181.0	0	80.6	389.5	584.1
4/9/2020 11:00	0.0	0.0	0.0	0.0	0.0	129.1	180.8	0	84.2	394.1	583.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
4/9/2020 12:00	0.0	0.0	0.0	0.0	0.0	122.5	204.7	0	78.4	405.6	583.2
4/9/2020 13:00	0.0	0.0	0.0	0.0	0.0	125.8	191.6	0	83.3	400.7	582.8
4/9/2020 14:00	0.0	0.0	0.0	0.0	0.0	125.9	184.7	0	83	393.6	582.3
4/9/2020 15:00	0.0	0.0	0.0	0.0	0.0	123.3	189.1	0	78.8	391.2	581.9
4/9/2020 16:00	0.0	0.0	0.0	0.0	0.0	118.9	188.1	0	86.3	393.3	581.4
4/9/2020 17:00	0.0	0.0	0.0	0.0	0.0	108.5	189.9	0	80	378.4	580.9
4/9/2020 18:00	0.0	0.0	0.0	0.0	0.0	109.5	182.0	0	61.6	353.1	580.4
4/9/2020 19:00	0.0	0.0	0.0	0.0	0.0	122.0	186.7	0	57.7	366.4	579.8
4/9/2020 20:00	0.0	0.0	0.0	0.0	0.0	120.0	201.5	0	90.6	412.1	579.3
4/9/2020 21:00	0.0	0.0	0.0	0.0	0.0	123.9	203.3	0	89.3	416.5	578.8
4/9/2020 22:00	0.0	0.0	0.0	0.0	0.0	116.5	201.7	0	78.4	396.6	578.2
4/9/2020 23:00	0.0	0.0	0.0	0.0	0.0	118.9	195.2	0	88.6	402.7	577.7
4/10/2020 0:00	0.0	0.0	0.0	0.0	0.0	124.8	193.0	0	90.3	408.1	577.3
4/10/2020 1:00	0.0	0.0	0.0	0.0	0.0	115.3	186.8	0	89.3	391.4	576.8
4/10/2020 2:00	0.0	0.0	0.0	0.0	0.0	120.7	193.2	0	78.4	392.3	576.3
4/10/2020 3:00	0.0	0.0	0.0	0.0	0.0	125.9	191.7	0	93.2	410.8	575.8
4/10/2020 4:00	0.0	0.0	0.0	0.0	0.0	125.9	213.0	0	78.5	417.4	575.3
4/10/2020 5:00	0.0	0.0	0.0	0.0	0.0	131.0	213.5	0	86.6	431.1	574.9
4/10/2020 6:00	0.0	0.0	0.0	0.0	0.0	136.8	224.0	0	92.3	453.1	574.5
4/10/2020 7:00	0.0	0.0	0.0	0.0	0.0	133.6	220.4	0	80.3	434.3	574.1
4/10/2020 8:00	0.0	0.0	0.0	0.0	0.0	129.6	218.8	0	93.7	442.1	573.6
4/10/2020 9:00	0.0	0.0	0.0	0.0	0.0	119.6	197.6	0	76.9	394.1	573.2
4/10/2020 10:00	0.0	0.0	0.0	0.0	0.0	124.5	185.7	0	95	405.2	572.8
4/10/2020 11:00	0.0	0.0	0.0	0.0	0.0	131.3	196.0	0	107.6	434.9	572.5
4/10/2020 12:00	0.0	0.0	0.0	0.0	0.0	132.8	208.9	0	79.6	421.3	572.1
4/10/2020 13:00	0.0	0.0	0.0	0.0	0.0	130.7	212.0	0	90.6	433.3	571.8
4/10/2020 14:00	0.0	0.0	0.0	0.0	0.0	133.1	213.8	0	84.9	431.8	571.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
4/10/2020 15:00	0.0	0.0	0.0	0.0	0.0	129.3	229.3	0	75.6	434.2	571.1
4/10/2020 16:00	0.0	0.0	0.0	0.0	0.0	138.4	246.2	0	92.9	477.5	570.9
4/10/2020 17:00	0.0	0.0	0.0	0.0	0.0	148.9	243.4	0	111.1	503.4	570.5
4/10/2020 18:00	0.0	0.0	0.0	0.0	0.0	142.1	240.2	0	79.8	462.1	570.3
4/10/2020 19:00	0.0	0.0	0.0	0.0	0.0	139.1	227.5	0	96.4	463.0	570.1
4/10/2020 20:00	0.0	0.0	0.0	0.0	0.0	149.1	229.5	0	88.5	467.1	569.9
4/10/2020 21:00	0.0	0.0	0.0	0.0	0.0	151.4	227.6	0	75.8	454.8	569.7
4/10/2020 22:00	0.0	0.0	0.0	0.0	0.0	161.8	264.9	0	89.2	515.9	569.6
4/10/2020 23:00	0.0	0.0	0.0	0.0	0.0	167.0	256.4	0	96.9	520.3	569.4
4/11/2020 0:00	0.0	0.0	0.0	0.0	0.0	172.9	258.9	0	80.7	512.5	569.3
4/11/2020 1:00	0.0	0.0	0.0	0.0	0.0	172.4	266.0	0	90.4	528.8	569.3
4/11/2020 2:00	0.0	0.0	0.0	0.0	0.0	171.1	271.9	0	91.1	534.1	569.1
4/11/2020 3:00	0.0	0.0	0.0	0.0	0.0	179.2	290.2	0	79.3	548.7	569.0
4/11/2020 4:00	0.0	0.0	0.0	0.0	0.0	181.4	288.8	0	92.1	562.3	568.9
4/11/2020 5:00	0.0	0.0	0.0	0.0	0.0	161.9	266.3	0	91.4	519.6	568.8
4/11/2020 6:00	0.0	0.0	0.0	0.0	0.0	154.9	255.4	0	85.4	495.7	568.6
4/11/2020 7:00	0.0	0.0	0.0	0.0	0.0	159.0	251.7	0	71.6	482.3	568.4
4/11/2020 8:00	0.0	0.0	0.0	0.0	0.0	138.4	225.9	0	92.1	456.4	568.1
4/11/2020 9:00	0.0	0.0	0.0	0.0	0.0	114.9	198.5	0	86.9	400.3	567.7
4/11/2020 10:00	0.0	0.0	0.0	0.0	0.0	110.8	193.6	0	93.1	397.5	567.4
4/11/2020 11:00	0.0	0.0	0.0	0.0	0.0	111.8	185.7	0	94.7	392.2	567.1
4/11/2020 12:00	0.0	0.0	0.0	0.0	0.0	106.3	191.1	0	82.8	380.2	566.8
4/11/2020 13:00	0.0	0.0	0.0	0.0	0.0	111.9	191.0	0	83.7	386.6	566.4
4/11/2020 14:00	0.0	0.0	0.0	0.0	0.0	111.4	181.4	0	57.4	350.2	566.1
4/11/2020 15:00	0.0	0.0	0.0	0.0	0.0	109.2	191.1	0	77.6	377.9	565.8
4/11/2020 16:00	0.0	0.0	0.0	0.0	0.0	107.3	198.5	0	71.8	377.6	565.6
4/11/2020 17:00	0.0	0.0	0.0	0.0	0.0	108.2	197.7	0	72	377.9	565.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
4/11/2020 18:00	0.0	0.0	0.0	0.0	0.0	106.2	198.9	0	64.1	369.2	565.1
4/11/2020 19:00	0.0	0.0	0.0	0.0	0.0	108.3	189.8	0	67.3	365.4	564.8
4/11/2020 20:00	0.0	0.0	0.0	0.0	0.0	101.7	197.1	0	71.5	370.3	564.4
4/11/2020 21:00	0.0	0.0	0.0	0.0	0.0	102.9	202.2	0	45.8	350.9	564.1
4/11/2020 22:00	0.0	0.0	0.0	0.0	0.0	103.0	200.2	0	54.4	357.6	563.7
4/11/2020 23:00	0.0	0.0	0.0	0.0	0.0	101.0	204.9	0	79.4	385.3	563.4
4/12/2020 0:00	0.0	0.0	0.0	0.0	0.0	101.3	200.0	0	66	367.3	563.1
4/12/2020 1:00	0.0	0.0	0.0	0.0	0.0	104.4	199.8	0	73.5	377.7	562.8
4/12/2020 2:00	0.0	0.0	0.0	0.0	0.0	280.6	309.9	0	75.7	666.2	562.9
4/12/2020 3:00	0.0	0.0	0.0	0.0	0.0	338.4	355.0	0	64.8	758.2	563.1
4/12/2020 4:00	0.0	0.0	0.0	0.0	0.0	346.7	359.3	0	72.9	778.9	563.3
4/12/2020 5:00	0.0	0.0	0.0	0.0	0.0	210.9	289.4	0	65	565.3	563.2
4/12/2020 6:00	0.0	0.0	0.0	0.0	0.0	79.2	187.3	0	70.5	337.0	562.8
4/12/2020 7:00	0.0	0.0	0.0	0.0	0.0	87.3	173.4	0	76.1	336.8	562.5
4/12/2020 8:00	0.0	0.0	0.0	0.0	0.0	79.7	168.3	0	75	323.0	562.1
4/12/2020 9:00	0.0	0.0	0.0	0.0	0.0	74.7	170.1	0	70.9	315.7	561.7
4/12/2020 10:00	0.0	0.0	0.0	0.0	0.0	74.3	163.1	0	74.6	312.0	561.3
4/12/2020 11:00	0.0	0.0	0.0	0.0	0.0	73.6	168.1	0	74.9	316.6	560.9
4/12/2020 12:00	0.0	0.0	0.0	0.0	0.0	81.7	165.7	0	62.1	309.5	560.4
4/12/2020 13:00	0.0	0.0	0.0	0.0	0.0	88.8	167.6	0	79.8	336.2	559.9
4/12/2020 14:00	0.0	0.0	0.0	0.0	0.0	90.6	164.6	0	69.9	325.1	559.5
4/12/2020 15:00	0.0	0.0	0.0	0.0	0.0	89.9	175.6	0	68.6	334.1	559.0
4/12/2020 16:00	0.0	0.0	0.0	0.0	0.0	94.3	171.8	0	75.2	341.3	558.6
4/12/2020 17:00	0.0	0.0	0.0	0.0	0.0	94.1	173.2	0	71.1	338.4	558.2
4/12/2020 18:00	0.0	0.0	0.0	0.0	0.0	95.8	174.2	0	82	352.0	557.7
4/12/2020 19:00	0.0	0.0	0.0	0.0	0.0	98.8	182.8	0	58	339.6	557.3
4/12/2020 20:00	0.0	0.0	0.0	0.0	0.0	104.9	168.1	0	42.3	315.3	556.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
4/12/2020 21:00	0.0	0.0	0.0	0.0	0.0	105.9	168.0	0	39.4	313.3	556.3
4/12/2020 22:00	0.0	0.0	0.0	0.0	0.0	100.8	172.8	0	68.7	342.3	555.8
4/12/2020 23:00	0.0	0.0	0.0	0.0	0.0	100.8	180.4	0	67.5	348.7	555.4
4/13/2020 0:00	0.0	0.0	0.0	0.0	0.0	103.8	180.3	0	81.7	365.8	554.9
4/13/2020 1:00	0.0	0.0	0.0	0.0	0.0	104.4	176.5	0	69.6	350.5	554.4
4/13/2020 2:00	0.0	0.0	0.0	0.0	0.0	105.7	132.6	0	66.4	304.7	553.9
4/13/2020 3:00	0.0	0.0	0.0	0.0	0.0	106.4	99.1	0	55.1	260.6	553.4
4/13/2020 4:00	0.0	0.0	0.0	0.0	0.0	101.5	96.0	0	66.4	263.9	552.8
4/13/2020 5:00	0.0	0.0	0.0	0.0	0.0	104.1	124.5	0	51.9	280.5	552.2
4/13/2020 6:00	0.0	0.0	0.0	0.0	0.0	96.9	149.0	0	95.3	341.2	551.8
4/13/2020 7:00	0.0	0.0	0.0	0.0	0.0	89.0	170.7	0	96.5	356.2	551.3
4/13/2020 8:00	0.0	0.0	0.0	0.0	0.0	92.6	180.4	0	94.9	367.9	550.8
4/13/2020 9:00	0.0	0.0	0.0	0.0	0.0	96.3	176.4	0	79	351.7	550.3
4/13/2020 10:00	0.0	0.0	0.0	0.0	0.0	92.0	169.2	0	88.2	349.4	549.9
4/13/2020 11:00	0.0	0.0	0.0	0.0	0.0	82.9	172.8	0	201.3	457.0	549.6
4/13/2020 12:00	0.0	0.0	0.0	0.0	0.0	74.8	182.8	0	100.1	357.7	549.2
4/13/2020 13:00	0.0	0.0	0.0	0.0	0.0	90.4	171.1	0	112.4	373.9	548.9
4/13/2020 14:00	0.0	0.0	0.0	0.0	0.0	103.1	157.7	0	107.8	368.6	548.4
4/13/2020 15:00	0.0	0.0	0.0	0.0	0.0	106.5	160.5	0	104.4	371.4	548.0
4/13/2020 16:00	0.0	0.0	0.0	0.0	0.0	110.3	162.9	0	105.9	379.1	547.7
4/13/2020 17:00	0.0	0.0	0.0	0.0	0.0	105.9	163.9	0	134.5	404.3	547.4
4/13/2020 18:00	0.0	0.0	0.0	0.0	0.0	96.9	167.9	0	182.3	447.1	547.0
4/13/2020 19:00	0.0	0.0	0.0	0.0	18.4	88.2	168.0	0	115.6	390.2	546.6
4/13/2020 20:00	0.0	0.0	0.0	0.0	0.0	93.7	162.3	0	108.4	364.4	546.2
4/13/2020 21:00	0.0	0.0	0.0	0.0	0.0	93.2	162.9	0	114.9	371.0	545.8
4/13/2020 22:00	0.0	0.0	0.0	0.0	0.0	84.7	158.0	0	122.5	365.2	545.4
4/13/2020 23:00	0.0	0.0	0.0	0.0	0.0	90.3	159.7	0	130.5	380.5	545.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
4/14/2020 0:00	0.0	0.0	0.0	0.0	0.0	68.9	151.1	0	170.2	390.2	544.8
4/14/2020 1:00	0.0	0.0	0.0	0.0	0.0	68.3	155.1	0	128.6	352.0	544.4
4/14/2020 2:00	0.0	0.0	0.0	0.0	0.0	63.9	159.4	0	181.1	404.4	544.0
4/14/2020 3:00	0.0	0.0	0.0	0.0	0.0	63.7	157.9	0	121.9	343.5	543.6
4/14/2020 4:00	0.0	0.0	0.0	0.0	0.0	62.8	161.9	0	105.6	330.3	543.1
4/14/2020 5:00	0.0	0.0	0.0	0.0	0.0	68.6	165.1	0	114.8	348.5	542.8
4/14/2020 6:00	0.0	0.0	0.0	0.0	0.0	68.3	159.4	0	109.3	337.0	542.4
4/14/2020 7:00	0.0	0.0	0.0	0.0	0.0	65.4	171.4	0	131.6	368.4	542.0
4/14/2020 8:00	0.0	0.0	0.0	0.0	0.0	60.6	169.1	0	124.8	354.5	541.6
4/14/2020 9:00	0.0	0.0	0.0	0.0	0.0	53.2	165.5	0	116.7	335.4	541.2
4/14/2020 10:00	0.0	0.0	0.0	0.0	0.0	55.7	160.0	0	116	331.7	540.8
4/14/2020 11:00	0.0	0.0	0.0	0.0	0.0	63.3	164.9	0	161.1	389.3	540.5
4/14/2020 12:00	0.0	0.0	0.0	0.0	0.0	67.4	160.4	0	120.7	348.5	540.2
4/14/2020 13:00	0.0	0.0	0.0	0.0	0.0	72.5	156.8	0	117.9	347.2	539.8
4/14/2020 14:00	0.0	0.0	0.0	0.0	0.0	75.0	154.8	0	123.2	353.0	539.4
4/14/2020 15:00	0.0	0.0	0.0	0.0	0.0	77.0	158.2	0	124.8	360.0	539.1
4/14/2020 16:00	0.0	0.0	0.0	0.0	0.0	78.6	159.0	0	121.5	359.1	538.7
4/14/2020 17:00	0.0	0.0	0.0	0.0	0.0	79.9	166.9	0	121	367.8	538.4
4/14/2020 18:00	0.0	0.0	0.0	0.0	0.0	67.8	178.3	0	114.7	360.8	538.0
4/14/2020 19:00	0.0	0.0	0.0	0.0	0.0	75.3	170.8	0	124.1	370.2	537.6
4/14/2020 20:00	0.0	0.0	0.0	0.0	0.0	74.2	145.6	0	121	340.8	537.3
4/14/2020 21:00	0.0	0.0	0.0	0.0	0.0	73.5	130.6	0	120.3	324.4	536.8
4/14/2020 22:00	0.0	0.0	0.0	0.0	0.0	79.6	124.4	0	109.7	313.7	536.1
4/14/2020 23:00	0.0	0.0	0.0	0.0	0.0	76.5	129.1	0	125.9	331.5	535.6
4/15/2020 0:00	0.0	0.0	0.0	0.0	0.0	76.1	130.7	0	121.5	328.3	535.2
4/15/2020 1:00	0.0	0.0	0.0	0.0	0.0	68.5	128.4	0	126.5	323.4	534.9
4/15/2020 2:00	0.0	0.0	0.0	0.0	0.0	69.0	132.0	0	126.1	327.1	534.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
4/15/2020 3:00	0.0	0.0	0.0	0.0	0.0	68.5	134.6	0	118.2	321.3	534.1
4/15/2020 4:00	0.0	0.0	0.0	0.0	0.0	63.0	140.4	0	126.6	330.0	533.7
4/15/2020 5:00	0.0	0.0	0.0	0.0	0.0	66.3	140.1	0	140.2	346.6	533.3
4/15/2020 6:00	0.0	0.0	0.0	0.0	0.0	66.9	144.9	0	118.9	330.7	532.9
4/15/2020 7:00	0.0	0.0	0.0	0.0	0.0	64.1	135.0	0	127.1	326.2	532.5
4/15/2020 8:00	0.0	0.0	0.0	0.0	0.0	162.8	207.6	0	127.7	498.1	532.3
4/15/2020 9:00	0.0	0.0	0.0	0.0	0.0	251.4	310.2	0	195.7	757.3	532.5
4/15/2020 10:00	0.0	0.0	0.0	0.0	0.0	296.2	322.1	0	142.1	760.4	532.7
4/15/2020 11:00	0.0	0.0	0.0	0.0	0.0	304.1	324.8	0	122.6	751.5	532.8
4/15/2020 12:00	0.0	0.0	0.0	0.0	0.0	262.0	325.5	0	129.8	717.3	533.0
4/15/2020 13:00	0.0	0.0	0.0	0.0	0.0	267.6	327.2	0	127.4	722.2	533.2
4/15/2020 14:00	0.0	0.0	0.0	0.0	0.0	299.4	320.8	0	117.4	737.6	533.4
4/15/2020 15:00	0.0	0.0	0.0	0.0	0.0	307.7	329.0	0	128.9	765.6	533.6
4/15/2020 16:00	0.0	0.0	0.0	0.0	0.0	320.2	327.3	0	116.9	764.4	533.8
4/15/2020 17:00	0.0	0.0	0.0	0.0	0.0	322.4	333.4	0	127.2	783.0	534.1
4/15/2020 18:00	0.0	0.0	0.0	0.0	0.0	323.8	336.8	0	110.9	771.5	534.3
4/15/2020 19:00	0.0	0.0	0.0	0.0	0.0	329.5	341.4	0	125.8	796.7	534.6
4/15/2020 20:00	0.0	0.0	0.0	0.0	0.0	326.5	338.9	0	126.9	792.3	535.0
4/15/2020 21:00	0.0	0.0	0.0	0.0	0.0	331.8	342.7	0	125.1	799.6	535.3
4/15/2020 22:00	0.0	0.0	0.0	0.0	0.0	330.9	251.9	0	116.2	699.0	535.4
4/15/2020 23:00	0.0	0.0	0.0	0.0	0.0	333.2	235.4	0	155.8	724.4	535.6
4/16/2020 0:00	0.0	0.0	0.0	0.0	0.0	334.9	152.2	0	120.9	608.0	535.5
4/16/2020 1:00	0.0	0.0	0.0	0.0	0.0	333.5	209.7	0	124.3	667.5	535.6
4/16/2020 2:00	0.0	0.0	0.0	0.0	0.0	332.6	115.8	0	121.7	570.1	535.7
4/16/2020 3:00	0.0	0.0	0.0	0.0	0.0	334.3	71.5	0	117.2	523.0	535.8
4/16/2020 4:00	0.0	0.0	0.0	0.0	0.0	333.7	129.7	0	129.3	592.7	536.0
4/16/2020 5:00	0.0	0.0	0.0	0.0	0.0	334.9	288.9	0	71.7	695.5	536.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
4/16/2020 6:00	0.0	0.0	0.0	0.0	0.0	335.6	133.6	0	118.5	587.7	536.2
4/16/2020 7:00	0.0	0.0	0.0	0.0	0.0	335.9	113.1	0	124.3	573.3	536.1
4/16/2020 8:00	0.0	0.0	0.0	0.0	0.0	339.6	103.1	0	704.2	1146.9	536.9
4/16/2020 9:00	0.0	0.0	0.0	0.0	0.0	340.3	76.7	0	447.4	864.4	537.2
4/16/2020 10:00	0.0	0.0	0.0	0.0	0.0	341.7	68.1	0	120.2	530.0	537.0
4/16/2020 11:00	0.0	0.0	0.0	0.0	0.0	340.3	172.9	0	144.5	657.7	537.1
4/16/2020 12:00	0.0	0.0	0.0	0.0	0.0	295.5	284.1	0	141.1	720.7	537.2
4/16/2020 13:00	0.0	0.0	0.0	0.0	0.0	120.4	159.8	0	122.8	403.0	536.9
4/16/2020 14:00	0.0	0.0	0.0	0.0	0.0	70.0	111.9	0	112.4	294.3	536.5
4/16/2020 15:00	0.0	0.0	0.0	0.0	0.0	68.9	110.7	0	121.4	301.0	536.0
4/16/2020 16:00	0.0	0.0	0.0	0.0	0.0	67.1	110.5	0	112.9	290.5	535.6
4/16/2020 17:00	0.0	0.0	0.0	0.0	0.0	64.5	108.9	0	123	296.4	535.2
4/16/2020 18:00	0.0	0.0	0.0	0.0	0.0	66.7	110.6	0	109.7	287.0	534.9
4/16/2020 19:00	0.0	0.0	0.0	0.0	0.0	68.5	113.2	0	121.4	303.1	534.5
4/16/2020 20:00	0.0	0.0	0.0	0.0	0.0	67.1	114.4	0	119.9	301.4	534.1
4/16/2020 21:00	0.0	0.0	0.0	0.0	0.0	72.0	121.2	0	117.6	310.8	533.8
4/16/2020 22:00	0.0	0.0	0.0	0.0	0.0	68.9	118.4	0	117.4	304.7	533.4
4/16/2020 23:00	0.0	0.0	0.0	0.0	0.0	70.8	120.1	0	123.1	314.0	533.0
4/17/2020 0:00	0.0	0.0	0.0	0.0	0.0	72.7	117.3	0	119.3	309.3	532.7
4/17/2020 1:00	0.0	0.0	0.0	0.0	0.0	73.4	120.7	0	112.9	307.0	532.3
4/17/2020 2:00	0.0	0.0	0.0	0.0	0.0	76.2	124.3	0	103.4	303.9	531.9
4/17/2020 3:00	0.0	0.0	0.0	0.0	0.0	79.3	128.2	0	110.9	318.4	531.5
4/17/2020 4:00	0.0	0.0	0.0	0.0	0.0	79.6	136.9	0	113.4	329.9	531.1
4/17/2020 5:00	0.0	0.0	0.0	0.0	0.0	87.0	134.9	0	137	358.9	530.7
4/17/2020 6:00	0.0	0.0	0.0	0.0	0.0	90.5	165.3	0	102.7	358.5	530.3
4/17/2020 7:00	0.0	0.0	0.0	0.0	0.0	85.5	127.7	0	109.9	323.1	529.9
4/17/2020 8:00	0.0	0.0	0.0	0.0	0.0	87.3	118.3	0	100.1	305.7	529.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
4/17/2020 9:00	0.0	0.0	0.0	0.0	0.0	97.7	135.8	0	105.3	338.8	528.9
4/17/2020 10:00	0.0	0.0	0.0	0.0	0.0	141.1	186.0	0	108.4	435.5	528.8
4/17/2020 11:00	0.0	0.0	0.0	0.0	0.0	157.4	190.7	0	249.7	597.8	528.9
4/17/2020 12:00	0.0	0.0	0.0	0.0	0.0	154.2	192.9	0	100.6	447.7	528.7
4/17/2020 13:00	0.0	0.0	0.0	0.0	0.0	157.4	189.2	0	106.8	453.4	528.6
4/17/2020 14:00	0.0	0.0	0.0	0.0	0.0	166.2	183.9	0	108.5	458.6	528.4
4/17/2020 15:00	0.0	0.0	0.0	0.0	0.0	128.6	155.2	0	98.5	382.3	528.2
4/17/2020 16:00	0.0	0.0	0.0	0.0	0.0	99.7	125.5	0	118.1	343.3	527.9
4/17/2020 17:00	0.0	0.0	0.0	0.0	0.0	95.9	120.7	0	97.2	313.8	527.5
4/17/2020 18:00	0.0	0.0	0.0	0.0	0.0	88.1	114.4	0	98.6	301.1	527.2
4/17/2020 19:00	0.0	0.0	0.0	0.0	0.0	95.6	119.3	0	117.6	332.5	526.8
4/17/2020 20:00	0.0	0.0	0.0	0.0	0.0	92.4	117.3	0	103.6	313.3	526.5
4/17/2020 21:00	0.0	0.0	0.0	0.0	0.0	96.7	121.3	0	102.9	320.9	526.1
4/17/2020 22:00	0.0	0.0	0.0	0.0	0.0	94.7	122.9	0	107	324.6	525.8
4/17/2020 23:00	0.0	0.0	0.0	0.0	0.0	104.4	127.2	0	117.8	349.4	525.2
4/18/2020 0:00	0.0	0.0	0.0	0.0	0.0	107.3	127.1	0	100.8	335.2	524.2
4/18/2020 1:00	0.0	0.0	0.0	0.0	0.0	111.9	136.2	0	105	353.1	523.3
4/18/2020 2:00	0.0	0.0	0.0	0.0	0.0	113.6	139.2	0	90.3	343.1	522.3
4/18/2020 3:00	0.0	0.0	0.0	0.0	0.0	121.1	148.2	0	101.5	370.8	521.4
4/18/2020 4:00	0.0	0.0	0.0	0.0	0.0	111.1	152.1	0	102.1	365.3	521.1
4/18/2020 5:00	0.0	0.0	0.0	0.0	0.0	125.3	165.5	0	82.9	373.7	520.8
4/18/2020 6:00	0.0	0.0	0.0	0.0	0.0	160.0	230.2	0	61.6	451.8	520.4
4/18/2020 7:00	0.0	0.0	0.0	0.0	0.0	174.2	220.7	0	68.5	463.4	520.1
4/18/2020 8:00	0.0	0.0	0.0	0.0	0.0	183.4	225.6	0	64.3	473.3	519.7
4/18/2020 9:00	0.0	0.0	0.0	0.0	0.0	120.8	169.2	0	55	345.0	519.2
4/18/2020 10:00	0.0	0.0	0.0	0.0	0.0	88.5	147.0	0	138.9	374.4	518.9
4/18/2020 11:00	0.0	0.0	0.0	0.0	0.0	90.2	147.2	0	65	302.4	518.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
4/18/2020 12:00	0.0	0.0	0.0	0.0	0.0	88.5	146.1	0	71.3	305.9	518.1
4/18/2020 13:00	0.0	0.0	0.0	0.0	0.0	88.8	151.4	0	69.2	309.4	517.7
4/18/2020 14:00	0.0	0.0	0.0	0.0	0.0	88.4	166.0	0	63.6	318.0	517.4
4/18/2020 15:00	0.0	0.0	0.0	0.0	0.0	91.0	165.2	0	71.5	327.7	517.1
4/18/2020 16:00	0.0	0.0	0.0	0.0	0.0	89.2	174.2	0	69.5	332.9	516.8
4/18/2020 17:00	0.0	0.0	0.0	0.0	0.0	84.5	171.4	0	71.3	327.2	516.5
4/18/2020 18:00	0.0	0.0	0.0	0.0	0.0	84.5	172.7	0	89.4	346.6	516.2
4/18/2020 19:00	0.0	0.0	0.0	0.0	0.0	87.7	161.1	0	86.7	335.5	516.0
4/18/2020 20:00	0.0	0.0	0.0	0.0	0.0	90.1	154.6	0	91.9	336.6	515.7
4/18/2020 21:00	0.0	0.0	0.0	0.0	0.0	89.4	175.1	0	79.5	344.0	515.4
4/18/2020 22:00	0.0	0.0	0.0	0.0	0.0	92.6	179.7	0	89.9	362.2	515.1
4/18/2020 23:00	0.0	0.0	0.0	0.0	0.0	95.3	190.6	0	84.3	370.2	514.9
4/19/2020 0:00	0.0	0.0	0.0	0.0	0.0	98.7	195.3	0	78.1	372.1	514.6
4/19/2020 1:00	0.0	0.0	0.0	0.0	0.0	97.0	200.4	0	80.8	378.2	514.4
4/19/2020 2:00	0.0	0.0	0.0	0.0	0.0	96.5	202.4	0	76.6	375.5	514.1
4/19/2020 3:00	0.0	0.0	0.0	0.0	0.0	96.9	202.1	0	79.6	378.6	513.9
4/19/2020 4:00	0.0	0.0	0.0	0.0	0.0	99.4	209.5	0	75.4	384.3	513.7
4/19/2020 5:00	0.0	0.0	0.0	0.0	0.0	96.6	226.4	0	91.6	414.6	513.5
4/19/2020 6:00	0.0	0.0	0.0	0.0	0.0	94.3	237.8	0	70.4	402.5	513.3
4/19/2020 7:00	0.0	0.0	0.0	0.0	0.0	100.6	247.4	0	78.5	426.5	513.1
4/19/2020 8:00	0.0	0.0	0.0	0.0	0.0	99.1	245.0	0	128.2	472.3	512.9
4/19/2020 9:00	0.0	0.0	0.0	0.0	0.0	101.7	189.2	0	72.9	363.8	512.5
4/19/2020 10:00	0.0	0.0	0.0	0.0	0.0	98.8	147.0	0	75	320.8	512.0
4/19/2020 11:00	0.0	0.0	0.0	0.0	0.0	97.7	144.3	0	96.4	338.4	511.6
4/19/2020 12:00	0.0	0.0	0.0	0.0	0.0	93.4	148.1	0	83.4	324.9	511.2
4/19/2020 13:00	0.0	0.0	0.0	0.0	0.0	95.3	146.6	0	75.1	317.0	510.7
4/19/2020 14:00	0.0	0.0	0.0	0.0	0.0	98.0	144.7	0	79.9	322.6	510.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
4/19/2020 15:00	0.0	0.0	0.0	0.0	0.0	98.3	143.4	0	74.6	316.3	509.9
4/19/2020 16:00	0.0	0.0	0.0	0.0	0.0	96.0	146.0	0	78.5	320.5	509.5
4/19/2020 17:00	0.0	0.0	0.0	0.0	0.0	92.0	145.8	0	76.4	314.2	509.0
4/19/2020 18:00	0.0	0.0	0.0	0.0	0.0	181.8	228.2	0	71.1	481.1	508.8
4/19/2020 19:00	0.0	0.0	0.0	0.0	0.0	183.2	229.9	0	107	520.1	508.7
4/19/2020 20:00	0.0	0.0	0.0	0.0	0.0	97.8	149.7	0	81.5	329.0	508.2
4/19/2020 21:00	0.0	0.0	0.0	0.0	0.0	98.4	146.1	0	73.8	318.3	507.8
4/19/2020 22:00	0.0	0.0	0.0	0.0	0.0	97.5	144.6	0	76.8	318.9	507.4
4/19/2020 23:00	0.0	0.0	0.0	0.0	0.0	96.5	148.5	0	74.8	319.8	507.0
4/20/2020 0:00	0.0	0.0	0.0	0.0	0.0	96.1	153.1	0	72.6	321.8	506.7
4/20/2020 1:00	0.0	0.0	0.0	0.0	0.0	97.2	157.8	0	77.5	332.5	506.3
4/20/2020 2:00	0.0	0.0	0.0	0.0	0.0	99.5	156.0	0	75.5	331.0	506.0
4/20/2020 3:00	0.0	0.0	0.0	0.0	0.0	104.8	155.6	0	72.7	333.1	505.6
4/20/2020 4:00	0.0	0.0	0.0	0.0	0.0	104.0	171.0	0	73.5	348.5	505.3
4/20/2020 5:00	0.0	0.0	0.0	0.0	0.0	110.5	185.0	0	77.7	373.2	505.0
4/20/2020 6:00	0.0	0.0	0.0	0.0	0.0	117.7	169.4	0	75.1	362.2	504.6
4/20/2020 7:00	0.0	0.0	0.0	0.0	0.0	120.1	156.7	0	63	339.8	504.3
4/20/2020 8:00	0.0	0.0	0.0	0.0	0.0	123.8	142.7	0	146.8	413.3	504.0
4/20/2020 9:00	0.0	0.0	0.0	0.0	0.0	110.0	149.1	0	75.8	334.9	503.6
4/20/2020 10:00	0.0	0.0	0.0	0.0	0.0	91.0	139.9	0	70.7	301.6	503.2
4/20/2020 11:00	0.0	0.0	0.0	0.0	0.0	172.0	199.1	0	90.3	461.4	502.9
4/20/2020 12:00	0.0	0.0	0.0	0.0	0.0	243.5	285.4	0	73.1	602.0	502.9
4/20/2020 13:00	0.0	0.0	0.0	0.0	0.0	104.1	173.3	0	71.2	348.6	502.5
4/20/2020 14:00	0.0	0.0	0.0	0.0	0.0	97.9	164.6	0	75	337.5	502.2
4/20/2020 15:00	0.0	0.0	0.0	0.0	0.0	96.3	159.2	0	66.6	322.1	501.8
4/20/2020 16:00	0.0	0.0	0.0	0.0	0.0	92.5	166.4	0	76.1	335.0	501.4
4/20/2020 17:00	0.0	0.0	0.0	0.0	0.0	88.9	162.4	0	70.1	321.4	501.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
4/20/2020 18:00	0.0	0.0	0.0	0.0	0.0	80.2	161.2	0	74	315.4	500.6
4/20/2020 19:00	0.0	0.0	0.0	0.0	0.0	75.5	167.2	0	76.9	319.6	500.2
4/20/2020 20:00	0.0	0.0	0.0	0.0	0.0	81.0	156.0	0	70.6	307.6	499.8
4/20/2020 21:00	0.0	0.0	0.0	0.0	0.0	88.4	143.1	0	72	303.5	499.4
4/20/2020 22:00	0.0	0.0	0.0	0.0	0.0	87.5	144.9	0	78.2	310.6	498.9
4/20/2020 23:00	0.0	0.0	0.0	0.0	0.0	96.2	148.3	0	70.6	315.1	498.5
4/21/2020 0:00	0.0	0.0	0.0	0.0	0.0	95.3	143.9	0	69.2	308.4	498.1
4/21/2020 1:00	0.0	0.0	0.0	0.0	0.0	88.9	153.8	0	72.7	315.4	497.7
4/21/2020 2:00	0.0	0.0	0.0	0.0	0.0	91.5	153.0	0	69.4	313.9	497.3
4/21/2020 3:00	0.0	0.0	0.0	0.0	0.0	97.5	148.5	0	78.3	324.3	496.9
4/21/2020 4:00	0.0	0.0	0.0	0.0	0.0	94.9	159.7	0	68.5	323.1	496.4
4/21/2020 5:00	0.0	0.0	0.0	0.0	0.0	100.5	158.3	0	79	337.8	496.0
4/21/2020 6:00	0.0	0.0	0.0	0.0	0.0	91.5	150.1	0	71.1	312.7	495.5
4/21/2020 7:00	0.0	0.0	0.0	0.0	0.0	84.4	148.7	0	75.6	308.7	495.0
4/21/2020 8:00	0.0	0.0	0.0	0.0	0.0	71.9	152.4	0	71	295.3	494.5
4/21/2020 9:00	0.0	0.0	0.0	0.0	0.0	75.9	170.6	0	70.7	317.2	494.1
4/21/2020 10:00	0.0	0.0	0.0	0.0	0.0	79.1	162.7	0	111.5	353.3	493.7
4/21/2020 11:00	0.0	0.0	0.0	0.0	0.0	100.7	149.9	0	73.5	324.1	493.3
4/21/2020 12:00	0.0	0.0	0.0	0.0	0.0	96.8	145.7	0	70.5	313.0	492.8
4/21/2020 13:00	0.0	0.0	0.0	0.0	0.0	100.2	165.0	0	70.6	335.8	492.4
4/21/2020 14:00	0.0	0.0	0.0	0.0	0.0	102.3	168.5	0	75.3	346.1	492.0
4/21/2020 15:00	0.0	0.0	0.0	0.0	0.0	98.1	163.4	0	72.5	334.0	491.7
4/21/2020 16:00	0.0	0.0	0.0	0.0	0.0	96.3	164.7	0	73.4	334.4	491.2
4/21/2020 17:00	0.0	0.0	0.0	0.0	0.0	100.7	170.0	0	68.6	339.3	490.8
4/21/2020 18:00	0.0	0.0	0.0	0.0	0.0	101.9	165.9	0	74.3	342.1	490.4
4/21/2020 19:00	0.0	0.0	0.0	0.0	0.0	110.9	164.5	0	77.4	352.8	490.0
4/21/2020 20:00	0.0	0.0	0.0	0.0	0.0	98.2	172.7	0	72.1	343.0	489.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
4/21/2020 21:00	0.0	0.0	0.0	0.0	0.0	100.3	176.6	0	66	342.9	489.2
4/21/2020 22:00	0.0	0.0	0.0	0.0	0.0	103.9	178.6	0	71.1	353.6	488.8
4/21/2020 23:00	0.0	0.0	0.0	0.0	0.0	107.2	182.4	0	80.2	369.8	488.4
4/22/2020 0:00	0.0	0.0	0.0	0.0	0.0	111.5	185.9	0	75.4	372.8	488.0
4/22/2020 1:00	0.0	0.0	0.0	0.0	0.0	112.1	182.4	0	68	362.5	487.6
4/22/2020 2:00	0.0	0.0	0.0	0.0	0.0	118.9	184.7	0	74.7	378.3	487.1
4/22/2020 3:00	0.0	0.0	0.0	0.0	0.0	116.2	190.8	0	67.3	374.3	486.8
4/22/2020 4:00	0.0	0.0	0.0	0.0	0.0	93.5	192.7	0	70.9	357.1	486.4
4/22/2020 5:00	0.0	0.0	0.0	0.0	0.0	98.2	192.1	0	93.7	384.0	486.1
4/22/2020 6:00	0.0	0.0	0.0	0.0	0.0	98.3	187.5	0	68.9	354.7	485.7
4/22/2020 7:00	0.0	0.0	0.0	0.0	0.0	95.0	178.7	0	86.4	360.1	485.0
4/22/2020 8:00	0.0	0.0	0.0	0.0	0.0	90.8	182.7	0	74.5	348.0	484.0
4/22/2020 9:00	0.0	0.0	0.0	0.0	0.0	91.1	175.7	0	66.7	333.5	482.9
4/22/2020 10:00	0.0	0.0	0.0	0.0	0.0	90.7	176.3	0	71.7	338.7	482.3
4/22/2020 11:00	0.0	0.0	0.0	0.0	0.0	89.0	179.2	0	90.6	358.8	481.8
4/22/2020 12:00	0.0	0.0	0.0	0.0	0.0	89.5	164.1	0	56.8	310.4	481.2
4/22/2020 13:00	0.0	0.0	0.0	0.0	0.0	90.9	152.2	0	65.6	308.7	480.7
4/22/2020 14:00	0.0	0.0	0.0	0.0	0.0	89.3	150.3	0	61.2	300.8	480.3
4/22/2020 15:00	0.0	0.0	0.0	0.0	0.0	89.2	167.8	0	64.7	321.7	479.9
4/22/2020 16:00	0.0	0.0	0.0	0.0	0.0	93.1	172.5	0	64.1	329.7	479.5
4/22/2020 17:00	0.0	0.0	0.0	0.0	0.0	91.5	168.8	0	60.8	321.1	479.1
4/22/2020 18:00	0.0	0.0	0.0	0.0	0.0	95.9	171.4	0	61.3	328.6	478.7
4/22/2020 19:00	0.0	0.0	0.0	0.0	0.0	101.1	168.7	0	69.2	339.0	478.3
4/22/2020 20:00	0.0	0.0	0.0	0.0	0.0	99.9	170.4	0	62.1	332.4	477.9
4/22/2020 21:00	0.0	0.0	0.0	0.0	0.0	107.1	176.0	0	62.9	346.0	477.5
4/22/2020 22:00	0.0	0.0	0.0	0.0	0.0	108.2	172.8	0	62	343.0	477.2
4/22/2020 23:00	0.0	0.0	0.0	0.0	0.0	106.1	188.3	0	64.6	359.0	476.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
4/23/2020 0:00	0.0	0.0	0.0	0.0	0.0	108.2	185.1	0	61.3	354.6	476.4
4/23/2020 1:00	0.0	0.0	0.0	0.0	0.0	117.0	190.0	0	59	366.0	476.0
4/23/2020 2:00	0.0	0.0	0.0	0.0	5.8	119.5	188.4	0	68.4	382.1	475.8
4/23/2020 3:00	0.0	0.0	0.0	0.0	36.5	118.9	197.5	0	60.7	413.6	475.5
4/23/2020 4:00	0.0	0.0	0.0	0.0	43.1	113.9	200.8	0	61.2	419.0	475.3
4/23/2020 5:00	0.0	0.0	0.0	0.0	85.1	113.8	199.2	0	64.6	462.7	475.1
4/23/2020 6:00	0.0	0.0	0.0	0.0	126.5	106.1	203.6	0	58.6	494.8	474.9
4/23/2020 7:00	0.0	0.0	0.0	0.0	270.9	95.2	205.1	0	63.4	634.6	475.0
4/23/2020 8:00	0.0	0.0	0.0	0.0	310.1	93.9	186.9	0	59.2	650.1	475.1
4/23/2020 9:00	0.0	0.0	0.0	0.0	356.0	94.3	122.9	0	60.9	634.1	475.1
4/23/2020 10:00	0.0	0.0	0.0	0.0	362.2	101.1	111.1	0	57	631.4	475.1
4/23/2020 11:00	0.0	0.0	0.0	0.0	368.3	269.9	185.3	0	94.3	917.8	475.6
4/23/2020 12:00	0.0	0.0	0.0	0.0	493.9	83.2	31.9	0	40.8	649.8	475.7
4/23/2020 13:00	0.0	0.0	0.0	0.0	457.5	96.9	0.2	0	57.6	612.2	475.7
4/23/2020 14:00	0.0	0.0	0.0	0.0	468.7	89.2	0.0	0	60.9	618.8	475.8
4/23/2020 15:00	0.0	0.0	0.0	0.0	496.5	86.2	0.0	0	57.8	640.5	475.9
4/23/2020 16:00	0.0	0.0	0.0	0.0	494.0	81.1	0.0	0	60.8	635.9	475.9
4/23/2020 17:00	0.0	0.0	0.0	0.0	495.6	78.1	0.0	0	59.3	633.0	476.0
4/23/2020 18:00	0.0	0.0	0.0	0.0	396.1	79.4	0.0	0	58.2	533.7	475.9
4/23/2020 19:00	0.0	0.0	0.0	0.0	396.1	77.1	0.0	0	59	532.2	475.8
4/23/2020 20:00	0.0	0.0	0.0	0.0	404.6	78.1	0.0	0	54.2	536.9	475.8
4/23/2020 21:00	0.0	0.0	0.0	0.0	409.7	76.7	0.0	0	55.1	541.5	475.7
4/23/2020 22:00	0.0	0.0	0.0	0.0	406.7	83.7	0.0	0	55.1	545.5	475.6
4/23/2020 23:00	0.0	0.0	0.0	0.0	409.6	90.3	0.0	0	46.1	546.0	475.4
4/24/2020 0:00	0.0	0.0	0.0	0.0	453.6	89.2	0.0	0	38.9	581.7	475.3
4/24/2020 1:00	0.0	0.0	0.0	0.0	453.8	82.1	0.0	0	31.7	567.6	475.2
4/24/2020 2:00	0.0	0.0	0.0	0.0	405.6	81.1	0.0	0	38.3	525.0	475.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
4/24/2020 3:00	0.0	0.0	0.0	0.0	50.9	80.8	0.0	0	32.7	164.4	474.4
4/24/2020 4:00	0.0	0.0	0.0	0.0	0.0	76.5	0.0	0	33.1	109.6	473.7
4/24/2020 5:00	0.0	0.0	0.0	0.0	0.0	79.1	0.0	0	30.8	109.9	473.0
4/24/2020 6:00	0.0	0.0	0.0	3.4	0.0	74.4	0.0	0	35.9	113.7	472.3
4/24/2020 7:00	0.0	0.0	0.0	15.1	0.0	78.8	0.0	0	29.6	123.5	471.6
4/24/2020 8:00	0.0	0.0	0.0	56.1	0.0	75.9	0.0	0	35.4	167.4	470.9
4/24/2020 9:00	0.0	0.0	0.0	126.9	0.0	82.6	0.0	0	34.5	244.0	470.3
4/24/2020 10:00	0.0	0.0	0.0	144.7	0.0	81.0	0.0	0	34.2	259.9	469.7
4/24/2020 11:00	0.0	0.0	0.0	23.4	0.0	82.6	0.0	0	31.4	137.4	469.0
4/24/2020 12:00	0.0	0.0	0.0	44.4	0.0	76.2	0.0	0	39.3	159.9	468.3
4/24/2020 13:00	0.0	0.0	0.0	38.5	0.0	78.2	0.0	0	40.8	157.5	467.7
4/24/2020 14:00	0.0	0.0	0.0	17.0	0.0	77.2	0.0	0	25.7	119.9	467.1
4/24/2020 15:00	0.0	0.0	0.0	0.7	0.0	81.1	0.0	0	39.6	121.4	466.4
4/24/2020 16:00	0.0	0.0	0.0	0.0	0.0	80.7	0.0	0	24.4	105.1	465.7
4/24/2020 17:00	0.0	0.0	0.0	0.0	0.0	81.9	0.0	0	38.1	120.0	465.1
4/24/2020 18:00	0.0	0.0	0.0	0.0	0.0	84.0	0.0	0	34.2	118.2	464.4
4/24/2020 19:00	0.0	0.0	0.0	0.0	0.0	82.7	0.0	0	33.9	116.6	463.7
4/24/2020 20:00	0.0	0.0	0.0	0.0	0.0	83.3	0.0	0	36.7	120.0	463.0
4/24/2020 21:00	0.0	0.0	0.0	0.0	0.0	83.7	0.0	0	29.1	112.8	462.3
4/24/2020 22:00	0.0	0.0	0.0	0.0	0.0	82.5	0.0	0	34.8	117.3	461.7
4/24/2020 23:00	0.0	0.0	0.0	0.0	0.0	81.3	0.0	0	36.4	117.7	461.0
4/25/2020 0:00	0.0	0.0	0.0	0.0	0.0	80.3	0.0	0	36.6	116.9	460.3
4/25/2020 1:00	0.0	0.0	0.0	0.0	0.0	81.9	0.0	0	25.2	107.1	459.5
4/25/2020 2:00	0.0	0.0	0.0	0.0	0.0	86.7	0.0	0	33.6	120.3	458.8
4/25/2020 3:00	0.0	0.0	0.0	0.0	0.0	86.3	0.0	0	28.4	114.7	458.1
4/25/2020 4:00	0.0	0.0	0.0	0.0	0.0	81.3	0.0	0	35.1	116.4	457.4
4/25/2020 5:00	0.0	0.0	0.0	0.0	0.0	83.2	0.0	0	34.9	118.1	456.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
4/25/2020 6:00	0.0	0.0	0.0	0.0	0.0	83.2	0.0	0	21.6	104.8	456.0
4/25/2020 7:00	0.0	0.0	0.0	0.0	0.0	84.4	0.0	0	28.1	112.5	455.4
4/25/2020 8:00	0.0	0.0	0.0	0.0	0.0	83.0	0.0	0	31	114.0	454.7
4/25/2020 9:00	0.0	0.0	0.0	0.0	0.0	81.4	0.0	0	28.8	110.2	454.0
4/25/2020 10:00	0.0	0.0	0.0	0.0	0.0	80.5	0.0	0	29.9	110.4	453.3
4/25/2020 11:00	0.0	0.0	0.0	0.0	0.0	84.9	0.0	0	18.9	103.8	452.6
4/25/2020 12:00	0.0	0.0	0.0	0.0	4.0	86.7	0.0	0	36.8	127.5	451.9
4/25/2020 13:00	0.0	0.0	0.0	0.0	127.7	86.0	0.0	0	37.8	251.5	451.5
4/25/2020 14:00	0.0	0.0	0.0	0.0	93.0	83.3	0.0	0	33.4	209.7	450.9
4/25/2020 15:00	0.0	0.0	0.0	0.0	139.5	81.6	0.0	0	35.5	256.6	450.4
4/25/2020 16:00	0.0	0.0	0.0	0.0	101.7	82.3	0.0	0	35.2	219.2	449.8
4/25/2020 17:00	0.0	0.0	0.0	0.0	452.3	81.5	0.0	0	31.2	565.0	449.7
4/25/2020 18:00	0.0	0.0	0.0	0.0	469.3	83.4	0.0	0	8.8	561.5	449.7
4/25/2020 19:00	0.0	0.0	0.0	0.0	442.8	82.0	0.0	0	2	526.8	449.6
4/25/2020 20:00	0.0	0.0	0.0	0.0	447.7	82.6	0.0	0	22.3	552.6	449.5
4/25/2020 21:00	0.0	0.0	0.0	0.0	444.2	80.2	0.0	0	50.5	574.9	449.5
4/25/2020 22:00	0.0	0.0	0.0	0.0	468.7	80.9	0.0	0	38.3	587.9	449.4
4/25/2020 23:00	0.0	0.0	0.0	0.0	485.2	82.4	0.0	0	28.5	596.1	449.4
4/26/2020 0:00	0.0	0.0	0.0	0.0	486.2	81.3	0.0	0	39.9	607.4	449.3
4/26/2020 1:00	0.0	0.0	0.0	0.0	481.3	81.4	0.0	0	23.6	586.3	449.2
4/26/2020 2:00	0.0	0.0	0.0	0.0	467.7	83.4	0.0	0	50.2	601.3	449.2
4/26/2020 3:00	0.0	0.0	0.0	0.0	454.7	83.9	0.0	0	26.9	565.5	449.1
4/26/2020 4:00	0.0	0.0	0.0	0.0	459.8	81.4	0.0	0	36.9	578.1	449.0
4/26/2020 5:00	0.0	0.0	0.0	0.0	464.0	84.2	0.0	0	37.2	585.4	448.9
4/26/2020 6:00	0.0	0.0	0.0	0.0	477.9	84.0	0.0	0	30	591.9	448.9
4/26/2020 7:00	0.0	0.0	0.0	0.0	487.7	88.1	0.0	0	38.4	614.2	448.4
4/26/2020 8:00	0.0	0.0	0.0	0.0	457.2	88.0	0.0	0	40.2	585.4	448.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
4/26/2020 9:00	0.0	0.0	0.0	0.0	476.4	89.3	0.0	0	30.2	595.9	447.9
4/26/2020 10:00	0.0	0.0	0.0	0.0	468.8	89.8	0.0	0	38.8	597.4	447.7
4/26/2020 11:00	0.0	0.0	0.0	0.0	414.3	86.9	0.0	0	28.6	529.8	447.4
4/26/2020 12:00	0.0	0.0	0.0	0.0	420.5	90.7	0.0	0	30.8	542.0	447.0
4/26/2020 13:00	0.0	0.0	0.0	0.0	418.7	88.3	0.0	0	48.3	555.3	446.7
4/26/2020 14:00	0.0	0.0	0.0	0.0	411.2	89.4	0.0	0	40.1	540.7	446.4
4/26/2020 15:00	0.0	0.0	0.0	0.0	413.2	90.4	0.0	0	38.9	542.5	446.1
4/26/2020 16:00	0.0	0.0	0.0	0.0	414.1	90.1	0.0	0	41.9	546.1	445.8
4/26/2020 17:00	0.0	0.0	0.0	0.0	412.7	92.3	0.0	0	35.8	540.8	445.5
4/26/2020 18:00	0.0	0.0	0.0	0.0	414.3	91.8	0.0	0	32.5	538.6	445.2
4/26/2020 19:00	0.0	0.0	0.0	0.0	418.5	93.2	0.0	0	42	553.7	444.9
4/26/2020 20:00	0.0	0.0	0.0	0.0	421.7	98.0	0.0	0	44.8	564.5	444.7
4/26/2020 21:00	0.0	0.0	0.0	0.0	424.8	95.4	0.0	0	43.5	563.7	444.5
4/26/2020 22:00	0.0	0.0	0.0	0.0	427.3	93.2	0.0	0	37.1	557.6	444.3
4/26/2020 23:00	0.0	0.0	0.0	0.0	427.9	92.5	0.0	0	49	569.4	444.0
4/27/2020 0:00	0.0	0.0	0.0	0.0	425.3	95.5	0.0	0	43.4	564.2	443.7
4/27/2020 1:00	0.0	0.0	0.0	0.0	424.9	95.2	0.0	0	40	560.1	443.4
4/27/2020 2:00	0.0	0.0	0.0	0.0	421.6	95.6	0.0	0	39.1	556.3	443.1
4/27/2020 3:00	0.0	0.0	0.0	0.0	420.9	94.8	0.0	0	46.3	562.0	442.8
4/27/2020 4:00	0.0	0.0	0.0	0.0	420.6	92.3	0.0	0	45.5	558.4	442.5
4/27/2020 5:00	0.0	0.0	0.0	0.0	420.2	97.0	0.0	0	47.8	565.0	442.2
4/27/2020 6:00	0.0	0.0	0.0	0.0	418.3	102.6	0.0	0	42	562.9	441.9
4/27/2020 7:00	0.0	0.0	0.0	0.0	421.6	96.7	0.0	0	41.7	560.0	441.7
4/27/2020 8:00	0.0	0.0	0.0	0.0	435.3	99.6	0.0	0	51.3	586.2	441.5
4/27/2020 9:00	0.0	0.0	0.0	0.0	481.6	175.1	0.0	0	51.3	708.0	441.6
4/27/2020 10:00	0.0	0.0	0.0	0.0	487.9	202.6	0.0	0	57	747.5	441.8
4/27/2020 11:00	0.0	0.0	0.0	0.0	477.8	108.8	0.0	0	55	641.6	441.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
4/27/2020 12:00	0.0	0.0	0.0	0.0	475.5	255.5	0.0	0	46.3	777.3	441.9
4/27/2020 13:00	0.0	0.0	0.0	0.0	467.1	324.5	0.0	0	45.2	836.8	442.1
4/27/2020 14:00	0.0	0.0	0.0	0.0	457.6	338.6	0.0	0	62.2	858.4	442.3
4/27/2020 15:00	0.0	0.0	0.0	0.0	425.2	347.0	0.0	0	63.3	835.5	442.5
4/27/2020 16:00	0.0	0.0	0.0	0.0	459.3	352.6	0.0	0	63.4	875.3	442.7
4/27/2020 17:00	0.0	0.0	0.0	0.0	465.3	360.5	0.0	0	63.4	889.2	442.9
4/27/2020 18:00	0.0	0.0	0.0	0.0	460.9	154.4	0.0	0	55.6	670.9	442.8
4/27/2020 19:00	0.0	0.0	0.0	0.0	461.8	106.6	0.0	0	62.7	631.1	442.7
4/27/2020 20:00	0.0	0.0	0.0	0.0	460.3	95.6	0.0	0	64.6	620.5	442.5
4/27/2020 21:00	0.0	0.0	0.0	0.0	461.8	94.3	0.0	0	62.8	618.9	442.4
4/27/2020 22:00	0.0	0.0	0.0	0.0	450.3	89.6	0.0	0	72.8	612.7	442.2
4/27/2020 23:00	0.0	0.0	0.0	0.0	426.3	89.9	0.0	0	66.8	583.0	442.0
4/28/2020 0:00	0.0	0.0	0.0	0.0	409.2	88.6	0.0	0	73.9	571.7	441.8
4/28/2020 1:00	0.0	0.0	0.0	0.0	406.2	89.6	0.0	0	75.9	571.7	441.5
4/28/2020 2:00	0.0	0.0	0.0	0.0	444.1	87.5	0.0	0	74.4	606.0	441.4
4/28/2020 3:00	0.0	0.0	0.0	0.0	438.6	87.7	0.0	0	66.4	592.7	441.2
4/28/2020 4:00	0.0	0.0	0.0	0.0	440.4	84.7	0.0	0	75	600.1	441.0
4/28/2020 5:00	0.0	0.0	0.0	0.0	442.9	90.8	0.0	0	76.4	610.1	440.9
4/28/2020 6:00	0.0	0.0	0.0	0.0	442.2	88.4	0.0	0	64.8	595.4	440.7
4/28/2020 7:00	0.0	0.0	0.0	0.0	442.2	90.8	0.0	0	71.8	604.8	440.5
4/28/2020 8:00	0.0	0.0	0.0	0.0	439.1	94.1	0.0	0	73	606.2	440.3
4/28/2020 9:00	0.0	0.0	0.0	0.0	432.1	88.0	0.0	0	73.9	594.0	440.1
4/28/2020 10:00	0.0	0.0	0.0	0.0	431.6	91.4	0.0	0	66.6	589.6	440.0
4/28/2020 11:00	0.0	0.0	0.0	0.0	433.4	91.7	0.0	0	77.7	602.8	439.9
4/28/2020 12:00	0.0	0.0	0.0	0.0	440.8	94.0	0.0	0	66.9	601.7	439.8
4/28/2020 13:00	0.0	0.0	0.0	0.0	442.9	91.4	0.0	0	82.2	616.5	439.7
4/28/2020 14:00	0.0	0.0	0.0	0.0	438.3	91.5	0.0	0	74.5	604.3	439.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
4/28/2020 15:00	0.0	0.0	0.0	0.0	434.2	90.8	0.0	0	72.8	597.8	439.5
4/28/2020 16:00	0.0	0.0	0.0	0.0	433.6	87.5	0.0	0	233.6	754.7	439.6
4/28/2020 17:00	0.0	0.0	0.0	0.0	437.5	90.9	0.0	0	76.1	604.5	439.4
4/28/2020 18:00	0.0	0.0	0.0	0.0	438.4	86.3	0.0	0	72.4	597.1	439.2
4/28/2020 19:00	0.0	0.0	0.0	0.0	442.6	85.2	0.0	0	71.5	599.3	439.1
4/28/2020 20:00	0.0	0.0	0.0	0.0	439.3	83.3	0.0	0	69.6	592.2	438.9
4/28/2020 21:00	0.0	0.0	0.0	0.0	440.0	85.0	0.0	0	70.2	595.2	438.8
4/28/2020 22:00	0.0	0.0	0.0	0.0	432.2	241.4	0.0	0	66.6	740.2	438.9
4/28/2020 23:00	0.0	0.0	0.0	0.0	441.5	88.7	0.0	0	74.2	604.4	438.7
4/29/2020 0:00	0.0	0.0	0.0	0.0	438.5	87.8	0.0	0	70.6	596.9	438.5
4/29/2020 1:00	0.0	0.0	0.0	0.0	440.8	89.9	0.0	0	62.5	593.2	438.3
4/29/2020 2:00	0.0	0.0	0.0	0.0	428.3	87.4	0.0	0	68.3	584.0	438.1
4/29/2020 3:00	0.0	0.0	0.0	0.0	431.9	90.4	0.0	0	68.1	590.4	437.9
4/29/2020 4:00	0.0	0.0	0.0	0.0	432.4	91.8	0.0	0	64.4	588.6	437.7
4/29/2020 5:00	0.0	0.0	0.0	0.0	431.7	119.5	0.0	0	72.7	623.9	437.5
4/29/2020 6:00	0.0	0.0	0.0	0.0	432.1	135.8	0.0	0	60.3	628.2	437.3
4/29/2020 7:00	0.0	0.0	0.0	0.0	420.6	102.9	0.0	0	69.3	592.8	437.1
4/29/2020 8:00	0.0	0.0	0.0	0.0	439.9	96.8	0.0	0	66.7	603.4	436.9
4/29/2020 9:00	0.0	0.0	0.0	0.0	444.6	256.4	0.0	0	66.5	767.5	437.0
4/29/2020 10:00	0.0	0.0	0.0	0.0	462.8	361.2	0.0	0	63.2	887.2	437.4
4/29/2020 11:00	0.0	0.0	0.0	0.0	454.5	257.0	0.0	0	65.3	776.8	437.6
4/29/2020 12:00	0.0	0.0	0.0	0.0	461.5	84.2	0.0	0	78.9	624.6	437.3
4/29/2020 13:00	0.0	0.0	0.0	0.0	458.6	83.5	0.0	0	67.3	609.4	437.3
4/29/2020 14:00	0.0	0.0	0.0	0.0	456.7	78.4	0.0	0	65	600.1	437.3
4/29/2020 15:00	0.0	0.0	0.0	0.0	443.8	74.1	0.0	0	60.6	578.5	437.2
4/29/2020 16:00	0.0	0.0	0.0	0.0	414.1	65.7	0.0	0	65.5	545.3	437.1
4/29/2020 17:00	0.0	0.0	0.0	0.0	436.2	75.2	0.0	0	67.4	578.8	437.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
4/29/2020 18:00	0.0	0.0	0.0	0.0	467.4	78.7	0.0	0	63.9	610.0	437.1
4/29/2020 19:00	0.0	0.0	0.0	0.0	498.5	82.0	0.0	0	66.2	646.7	437.1
4/29/2020 20:00	0.0	0.0	0.0	0.0	487.4	68.2	0.0	0	64.4	620.0	437.1
4/29/2020 21:00	0.0	0.0	0.0	0.0	461.9	67.5	0.0	0	68.6	598.0	437.0
4/29/2020 22:00	0.0	0.0	0.0	0.0	458.3	74.4	0.0	0	66.3	599.0	436.9
4/29/2020 23:00	0.0	0.0	0.0	0.0	455.3	63.6	0.0	0	54.5	573.4	436.8
4/30/2020 0:00	0.0	0.0	0.0	0.0	455.3	62.9	0.0	0	74.2	592.4	436.7
4/30/2020 1:00	0.0	0.0	0.0	0.0	448.7	79.7	0.0	0	66.7	595.1	436.6
4/30/2020 2:00	0.0	0.0	0.0	0.0	433.6	74.3	0.0	0	52	559.9	436.4
4/30/2020 3:00	0.0	0.0	0.0	0.0	434.8	74.4	0.0	0	69.2	578.4	436.3
4/30/2020 4:00	0.0	0.0	0.0	0.0	438.7	80.6	0.0	0	63.9	583.2	436.2
4/30/2020 5:00	0.0	0.0	0.0	0.0	464.6	64.6	0.0	0	95.9	625.1	436.2
4/30/2020 6:00	0.0	0.0	0.0	0.0	448.5	71.9	0.0	0	61	581.4	436.0
4/30/2020 7:00	0.0	0.0	0.0	0.0	458.1	61.9	0.0	0	45.2	565.2	435.8
4/30/2020 8:00	0.0	0.0	0.0	0.0	461.1	68.2	0.0	0	59.4	588.7	435.7
4/30/2020 9:00	0.0	0.0	0.0	0.0	461.5	72.9	0.0	0	49.5	583.9	435.6
4/30/2020 10:00	0.0	0.0	0.0	0.0	452.5	69.4	0.0	0	632.1	1154.0	436.3
4/30/2020 11:00	0.0	0.0	0.0	0.0	454.6	69.4	0.0	0	625.5	1149.5	437.0
4/30/2020 12:00	0.0	0.0	0.0	0.0	460.7	66.4	0.0	0	94.6	621.7	436.9
4/30/2020 13:00	0.0	0.0	0.0	0.0	462.1	69.8	0.0	0	85	616.9	436.9
4/30/2020 14:00	0.0	0.0	0.0	0.0	465.9	66.4	0.0	0	98.8	631.1	436.9
4/30/2020 15:00	0.0	0.0	0.0	0.0	469.3	68.2	0.0	0	63	600.5	436.8
4/30/2020 16:00	0.0	0.0	0.0	0.0	468.4	66.7	0.0	0	58.8	593.9	436.7
4/30/2020 17:00	0.0	0.0	0.0	0.0	471.5	71.9	0.0	0	58.7	602.1	436.5
4/30/2020 18:00	0.0	0.0	0.0	0.0	470.9	74.7	0.0	0	107.5	653.1	436.5
4/30/2020 19:00	0.0	0.0	0.0	0.0	470.4	78.6	0.0	0	42.7	591.7	436.3
4/30/2020 20:00	0.0	0.0	0.0	0.0	466.8	77.5	0.0	0	58.6	602.9	436.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
4/30/2020 21:00	0.0	0.0	0.0	0.0	464.8	80.9	0.0	0	61.7	607.4	436.0
4/30/2020 22:00	0.0	0.0	0.0	0.0	457.3	70.6	1.8	0	65.1	594.8	436.0
4/30/2020 23:00	0.0	0.0	0.0	0.0	451.4	75.1	1.8	0	89	617.3	435.9
5/1/2020 0:00	0.0	0.0	0.0	0.0	220.9	74.6	1.8	0	47.1	344.4	435.5
5/1/2020 1:00	0.0	0.0	0.0	0.0	214.0	75.7	5.9	0	51.2	346.8	435.1
5/1/2020 2:00	0.0	0.0	0.0	0.0	216.1	77.1	20.0	0	51.4	364.6	434.7
5/1/2020 3:00	0.0	0.0	0.0	0.0	215.4	74.1	36.6	0	80.6	406.7	434.3
5/1/2020 4:00	0.0	0.0	0.0	0.0	216.9	70.9	37.5	0	59.9	385.2	434.0
5/1/2020 5:00	0.0	0.0	0.0	0.0	220.6	80.0	57.0	0	118.8	476.4	433.7
5/1/2020 6:00	0.0	0.0	0.0	0.0	218.9	78.4	69.9	0	58.8	426.0	433.4
5/1/2020 7:00	0.0	0.0	0.0	0.0	221.3	140.7	103.6	0	53	518.6	433.2
5/1/2020 8:00	0.0	0.0	0.0	0.0	219.0	149.1	35.0	0	39.3	442.4	432.8
5/1/2020 9:00	0.0	0.0	0.0	0.0	215.4	135.4	91.3	0	33.7	475.8	432.6
5/1/2020 10:00	0.0	0.0	0.0	0.0	218.0	134.3	121.4	0	29.7	503.4	432.3
5/1/2020 11:00	0.0	0.0	0.0	0.0	221.4	136.5	237.5	0	23.2	618.6	432.3
5/1/2020 12:00	0.0	0.0	0.0	0.0	222.9	130.4	248.9	0	30.9	633.1	432.2
5/1/2020 13:00	0.0	0.0	0.0	0.0	222.1	130.8	255.6	0	42.2	650.7	432.1
5/1/2020 14:00	0.0	0.0	0.0	0.0	222.5	133.7	251.0	0	37.8	645.0	432.0
5/1/2020 15:00	0.0	0.0	0.0	0.0	223.8	132.1	269.1	0	30.9	655.9	432.1
5/1/2020 16:00	0.0	0.0	0.0	0.0	218.7	128.8	263.6	0	30	641.1	432.1
5/1/2020 17:00	0.0	0.0	0.0	0.0	211.6	33.5	273.2	0	32	550.3	432.0
5/1/2020 18:00	0.0	0.0	0.0	0.0	211.0	0.0	358.9	0	46.9	616.8	432.0
5/1/2020 19:00	0.0	0.0	0.0	0.0	212.7	0.0	75.2	0	50.8	338.7	431.6
5/1/2020 20:00	0.0	0.0	0.0	0.0	201.7	0.0	66.2	0	38.2	306.1	431.2
5/1/2020 21:00	0.0	0.0	0.0	0.0	206.2	0.0	63.4	0	37.6	307.2	430.7
5/1/2020 22:00	0.0	0.0	0.0	0.0	214.8	0.0	66.1	0	40.1	321.0	430.3
5/1/2020 23:00	0.0	0.0	0.0	0.0	215.8	0.0	107.8	0	58.5	382.1	430.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
5/2/2020 0:00	0.0	0.0	0.0	0.0	215.3	0.0	107.3	0	41.4	364.0	429.6
5/2/2020 1:00	0.0	0.0	0.0	0.0	213.7	0.0	104.7	0	56.5	374.9	429.2
5/2/2020 2:00	0.0	0.0	0.0	0.0	213.0	0.0	104.6	0	55.1	372.7	428.9
5/2/2020 3:00	0.0	0.0	0.0	0.0	211.8	0.0	104.3	0	47.4	363.5	428.6
5/2/2020 4:00	0.0	0.0	0.0	0.0	217.5	0.0	104.3	0	48.3	370.1	428.3
5/2/2020 5:00	0.0	0.0	0.0	0.0	228.3	0.0	100.9	0	63.2	392.4	428.0
5/2/2020 6:00	0.0	0.0	0.0	0.0	227.8	0.0	112.3	0	85.9	426.0	427.9
5/2/2020 7:00	0.0	0.0	0.0	0.0	227.1	0.0	113.5	0	265.9	606.5	427.9
5/2/2020 8:00	0.0	0.0	0.0	0.0	225.3	0.0	109.6	0	78.1	413.0	427.7
5/2/2020 9:00	0.0	0.0	0.0	0.0	228.0	0.0	109.9	0	59.7	397.6	427.5
5/2/2020 10:00	0.0	0.0	0.0	0.0	225.5	0.0	109.8	0	48.3	383.6	427.2
5/2/2020 11:00	0.0	0.0	0.0	0.0	223.6	0.0	111.8	0	50.5	385.9	426.9
5/2/2020 12:00	0.0	0.0	0.0	0.0	225.8	0.0	109.4	0	86.6	421.8	426.7
5/2/2020 13:00	0.0	0.0	0.0	0.0	227.1	0.0	110.8	0	61.5	399.4	426.5
5/2/2020 14:00	0.0	0.0	0.0	0.0	224.8	0.0	111.1	0	51.9	387.8	426.3
5/2/2020 15:00	0.0	0.0	0.0	0.0	226.5	0.0	110.8	0	53.6	390.9	426.0
5/2/2020 16:00	0.0	0.0	0.0	0.0	225.9	0.0	110.1	0	61	397.0	425.8
5/2/2020 17:00	0.0	0.0	0.0	0.0	226.3	0.0	84.8	0	49	360.1	425.5
5/2/2020 18:00	0.0	0.0	0.0	0.0	229.9	0.0	81.6	0	51.9	363.4	425.3
5/2/2020 19:00	0.0	0.0	0.0	0.0	231.6	0.0	75.1	0	56.2	362.9	425.0
5/2/2020 20:00	0.0	0.0	0.0	0.0	232.9	0.0	75.7	0	45.4	354.0	424.8
5/2/2020 21:00	0.0	0.0	0.0	0.0	234.4	0.0	76.4	0	55.5	366.3	424.5
5/2/2020 22:00	0.0	0.0	0.0	0.0	231.2	0.0	75.0	0	43.2	349.4	424.1
5/2/2020 23:00	0.0	0.0	0.0	0.0	234.7	0.0	91.9	0	53.4	380.0	423.7
5/3/2020 0:00	0.0	0.0	0.0	0.0	233.9	0.0	103.2	0	60.7	397.8	423.4
5/3/2020 1:00	0.0	0.0	0.0	0.0	233.4	0.0	98.1	0	56	387.5	423.1
5/3/2020 2:00	0.0	0.0	0.0	0.0	234.8	0.0	95.1	0	61.4	391.3	422.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
5/3/2020 3:00	0.0	0.0	0.0	0.0	233.5	0.0	96.4	0	55.4	385.3	422.6
5/3/2020 4:00	0.0	0.0	0.0	0.0	232.9	0.0	94.6	0	65.6	393.1	422.3
5/3/2020 5:00	0.0	0.0	0.0	0.0	231.5	0.0	281.9	0	76.5	589.9	422.3
5/3/2020 6:00	0.0	0.0	0.0	0.0	232.4	0.0	97.7	0	58.2	388.3	422.1
5/3/2020 7:00	0.0	0.0	0.0	0.0	232.4	0.0	101.3	0	69.6	403.3	421.8
5/3/2020 8:00	0.0	0.0	0.0	0.0	231.3	0.0	99.8	0	166.9	498.0	421.7
5/3/2020 9:00	0.0	0.0	0.0	0.0	230.8	0.0	102.6	0	69.6	403.0	421.5
5/3/2020 10:00	0.0	0.0	0.0	0.0	232.8	0.0	98.3	0	69.3	400.4	421.2
5/3/2020 11:00	0.0	0.0	0.0	0.0	236.0	0.0	96.0	0	70.7	402.7	421.0
5/3/2020 12:00	0.0	0.0	0.0	0.0	234.5	0.0	92.2	0	79.1	405.8	420.8
5/3/2020 13:00	0.0	0.0	0.0	0.0	235.4	0.0	90.5	0	72.8	398.7	420.5
5/3/2020 14:00	0.0	0.0	0.0	0.0	236.4	0.0	84.5	0	70	390.9	420.3
5/3/2020 15:00	0.0	0.0	0.0	0.0	234.4	0.0	79.6	0	72.1	386.1	420.0
5/3/2020 16:00	0.0	0.0	0.0	0.0	235.0	0.0	79.7	0	69.2	383.9	419.7
5/3/2020 17:00	0.0	0.0	0.0	0.0	236.5	0.0	80.3	0	65.9	382.7	419.2
5/3/2020 18:00	0.0	0.0	0.0	0.0	237.1	0.0	79.5	0	67.7	384.3	419.0
5/3/2020 19:00	0.0	0.0	0.0	0.0	236.7	0.0	80.5	0	74	391.2	418.8
5/3/2020 20:00	0.0	0.0	0.0	0.0	236.2	0.0	81.4	0	64.5	382.1	418.7
5/3/2020 21:00	0.0	0.0	0.0	0.0	237.3	0.0	81.8	0	58.7	377.8	418.4
5/3/2020 22:00	0.0	0.0	0.0	0.0	235.7	0.0	81.7	0	66	383.4	418.2
5/3/2020 23:00	0.0	0.0	0.0	0.0	235.8	0.0	83.5	0	64.3	383.6	417.9
5/4/2020 0:00	0.0	0.0	0.0	0.0	234.2	0.0	81.2	0	61.7	377.1	417.6
5/4/2020 1:00	0.0	0.0	0.0	0.0	235.4	0.0	80.6	0	62.8	378.8	417.3
5/4/2020 2:00	0.0	0.0	0.0	0.0	237.6	0.0	79.0	0	64.9	381.5	417.0
5/4/2020 3:00	0.0	0.0	0.0	0.0	237.4	0.0	79.8	0	64.1	381.3	416.7
5/4/2020 4:00	0.0	0.0	0.0	0.0	236.6	0.0	75.8	0	57.2	369.6	416.4
5/4/2020 5:00	0.0	0.0	0.0	0.0	238.3	0.0	77.5	0	80.4	396.2	416.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
5/4/2020 6:00	0.0	0.0	0.0	0.0	236.7	0.0	77.7	0	58.4	372.8	415.8
5/4/2020 7:00	0.0	0.0	0.0	0.0	232.8	0.0	77.7	0	64.4	374.9	415.5
5/4/2020 8:00	0.0	0.0	0.0	0.0	230.0	0.0	72.6	0	139.8	442.4	415.4
5/4/2020 9:00	0.0	0.0	0.0	0.0	232.4	0.0	77.6	0	87.7	397.7	415.2
5/4/2020 10:00	0.0	0.0	0.0	0.0	231.3	0.0	79.4	0	67.2	377.9	415.0
5/4/2020 11:00	0.0	0.0	0.0	0.0	223.3	0.0	80.6	0	79.8	383.7	415.0
5/4/2020 12:00	0.0	0.0	0.0	0.0	230.1	0.0	83.5	0	69.7	383.3	415.0
5/4/2020 13:00	0.0	0.0	0.0	0.0	231.7	0.0	83.9	0	72.6	388.2	415.2
5/4/2020 14:00	0.0	0.0	0.0	0.0	232.0	0.0	86.7	0	68.2	386.9	415.2
5/4/2020 15:00	0.0	0.0	0.0	0.0	231.4	0.0	83.2	0	64.6	379.2	415.4
5/4/2020 16:00	0.0	0.0	0.0	0.0	232.7	0.0	82.1	0	70.7	385.5	415.5
5/4/2020 17:00	0.0	0.0	0.0	0.0	232.5	0.0	83.1	0	76.5	392.1	415.6
5/4/2020 18:00	0.0	0.0	0.0	0.0	234.6	0.0	79.3	0	74.9	388.8	415.8
5/4/2020 19:00	0.0	0.0	0.0	0.0	235.1	0.0	82.4	0	67.5	385.0	415.9
5/4/2020 20:00	0.0	0.0	0.0	0.0	233.4	0.0	84.9	0	75	393.3	416.1
5/4/2020 21:00	0.0	0.0	0.0	0.0	231.3	0.0	85.9	0	70.9	388.1	416.2
5/4/2020 22:00	0.0	0.0	0.0	0.0	231.3	0.0	86.7	0	68.1	386.1	416.3
5/4/2020 23:00	0.0	0.0	0.0	0.0	230.9	0.0	89.1	0	80	400.0	416.5
5/5/2020 0:00	0.0	0.0	0.0	0.0	231.0	0.0	85.8	0	71.9	388.7	416.7
5/5/2020 1:00	0.0	0.0	0.0	0.0	232.4	0.0	84.0	0	72.1	388.5	416.8
5/5/2020 2:00	0.0	0.0	0.0	0.0	231.9	0.0	82.0	0	64	377.9	416.9
5/5/2020 3:00	0.0	0.0	0.0	0.0	231.4	0.0	84.8	0	71.3	387.5	417.1
5/5/2020 4:00	0.0	0.0	0.0	0.0	233.3	0.0	86.8	0	65.7	385.8	417.2
5/5/2020 5:00	0.0	0.0	0.0	0.0	232.3	0.0	86.1	0	66.8	385.2	417.4
5/5/2020 6:00	0.0	0.0	0.0	0.0	233.5	0.0	82.8	0	64.7	381.0	417.5
5/5/2020 7:00	0.0	0.0	0.0	0.0	222.3	0.0	82.5	0	68.7	373.5	417.6
5/5/2020 8:00	0.0	0.0	0.0	0.0	220.2	0.0	88.5	0	154.2	462.9	417.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
5/5/2020 9:00	0.0	0.0	0.0	0.0	227.1	0.1	92.4	0	71	390.6	418.0
5/5/2020 10:00	0.0	0.0	0.0	0.0	233.6	0.0	80.2	0	68.4	382.2	418.1
5/5/2020 11:00	0.0	0.0	0.0	0.0	238.2	0.0	77.7	0	76.7	392.6	418.3
5/5/2020 12:00	0.0	0.0	0.0	0.0	240.6	0.0	75.7	0	64.7	381.0	418.5
5/5/2020 13:00	0.0	0.0	0.0	0.0	238.4	0.0	87.7	0	66	392.1	418.6
5/5/2020 14:00	0.0	0.0	0.0	0.0	237.0	0.0	265.0	0	71.5	573.5	419.1
5/5/2020 15:00	0.0	0.0	0.0	0.0	239.3	0.0	87.6	0	57.3	384.2	419.2
5/5/2020 16:00	0.0	0.0	0.0	0.0	238.6	0.0	88.0	0	68.6	395.2	419.4
5/5/2020 17:00	0.0	0.0	0.0	0.0	238.1	0.0	83.0	0	67.5	388.6	419.6
5/5/2020 18:00	0.0	0.0	0.0	0.0	238.0	0.0	88.6	0	102.6	429.2	419.8
5/5/2020 19:00	0.0	0.0	0.0	0.0	238.2	0.0	91.7	0	69.1	399.0	420.0
5/5/2020 20:00	0.0	0.0	0.0	0.0	238.7	0.0	91.8	0	69.7	400.2	420.2
5/5/2020 21:00	0.0	0.0	0.0	0.0	238.5	0.0	94.9	0	68.6	402.0	420.3
5/5/2020 22:00	0.0	0.0	0.0	0.0	237.1	0.0	92.2	0	72.4	401.7	420.5
5/5/2020 23:00	0.0	0.0	0.0	0.0	240.4	0.0	88.6	0	66.7	395.7	420.7
5/6/2020 0:00	0.0	0.0	0.0	0.0	237.6	0.0	83.5	0	62.2	383.3	420.8
5/6/2020 1:00	0.0	0.0	0.0	0.0	236.1	0.0	79.4	0	69.7	385.2	420.9
5/6/2020 2:00	0.0	0.0	0.0	0.0	237.1	0.0	76.7	0	68	381.8	421.0
5/6/2020 3:00	0.0	0.0	0.0	0.0	237.6	0.0	79.5	0	61.9	379.0	421.2
5/6/2020 4:00	0.0	0.0	0.0	0.0	238.7	0.0	75.1	0	68.3	382.1	421.3
5/6/2020 5:00	0.0	0.0	0.0	0.0	236.8	0.0	80.1	0	76.4	393.3	421.4
5/6/2020 6:00	0.0	0.0	0.0	0.0	236.2	0.0	76.9	0	75	388.1	421.6
5/6/2020 7:00	0.0	0.0	0.0	0.0	236.7	0.0	77.9	0	78.2	392.8	421.7
5/6/2020 8:00	0.0	0.0	0.0	0.0	236.8	0.0	77.3	0	69.2	383.3	421.9
5/6/2020 9:00	0.0	0.0	0.0	0.0	235.2	0.0	77.6	29.1	69.2	411.1	422.0
5/6/2020 10:00	0.0	0.0	0.0	0.0	232.9	0.0	79.0	187.6	68.5	568.0	422.4
5/6/2020 11:00	0.0	0.0	0.0	0.0	238.5	0.0	98.8	181.3	63.7	582.3	422.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
5/6/2020 12:00	0.0	0.0	0.0	0.0	239.3	0.0	81.9	351.7	74.7	747.6	423.5
5/6/2020 13:00	0.0	0.0	0.0	0.0	237.3	0.0	78.7	500.4	64.4	880.8	424.4
5/6/2020 14:00	0.0	0.0	0.0	0.0	239.4	0.0	77.8	425.8	63.6	806.6	425.3
5/6/2020 15:00	0.0	0.0	0.0	0.0	238.5	0.0	80.0	294.4	65.4	678.3	425.9
5/6/2020 16:00	0.0	0.0	0.0	0.0	235.4	0.0	77.6	288.5	66.9	668.4	426.5
5/6/2020 17:00	0.0	0.0	0.0	0.0	237.1	0.0	80.3	287.8	64.6	669.8	427.2
5/6/2020 18:00	0.0	0.0	0.0	0.0	237.1	0.0	82.6	290.1	63.4	673.2	427.9
5/6/2020 19:00	0.0	0.0	0.0	0.0	240.4	0.0	83.2	277.2	56	656.8	428.5
5/6/2020 20:00	0.0	0.0	0.0	0.0	238.7	0.0	83.0	277.1	70.1	668.9	429.2
5/6/2020 21:00	0.0	0.0	0.0	0.0	239.8	0.0	86.3	280.8	69.6	676.5	429.8
5/6/2020 22:00	0.0	0.0	0.0	0.0	240.9	0.0	86.6	278.5	68.7	674.7	430.4
5/6/2020 23:00	0.0	0.0	0.0	0.0	240.3	0.0	88.6	279	62.7	670.6	431.0
5/7/2020 0:00	0.0	0.0	0.0	0.0	240.4	0.0	92.5	272	68.2	673.1	431.6
5/7/2020 1:00	0.0	0.0	0.0	0.0	240.6	0.0	88.2	280.4	61.3	670.5	432.2
5/7/2020 2:00	0.0	0.0	0.0	0.0	240.7	0.0	90.1	278.3	66.5	675.6	432.8
5/7/2020 3:00	0.0	0.0	0.0	0.0	241.5	0.0	78.6	279.1	66.9	666.1	433.4
5/7/2020 4:00	0.0	0.0	0.0	0.0	237.3	0.0	83.3	279.8	62.8	663.2	434.0
5/7/2020 5:00	0.0	0.0	0.0	0.0	223.2	0.0	86.4	279.5	54.3	643.4	434.5
5/7/2020 6:00	0.0	0.0	0.0	0.0	220.9	0.0	13.3	275.8	66	576.0	434.9
5/7/2020 7:00	0.0	0.0	0.0	0.0	221.2	0.0	17.6	281.9	62.3	583.0	435.4
5/7/2020 8:00	0.0	0.0	0.0	0.0	222.7	0.0	79.7	278.4	56.7	637.5	435.9
5/7/2020 9:00	0.0	0.0	0.0	0.0	221.6	0.0	81.4	279.5	57.3	639.8	436.4
5/7/2020 10:00	0.0	0.0	0.0	0.0	221.3	0.0	75.8	276	59.2	632.3	436.8
5/7/2020 11:00	0.0	0.0	0.0	0.0	221.3	0.0	68.3	276.1	63.8	629.5	437.2
5/7/2020 12:00	0.0	0.0	0.0	0.0	221.7	0.0	77.6	258.4	94.5	652.2	437.8
5/7/2020 13:00	0.0	0.0	0.0	0.0	223.3	0.0	80.7	282.2	58.3	644.5	438.2
5/7/2020 14:00	0.0	0.0	0.0	0.0	219.7	0.0	83.3	277.5	60	640.5	438.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
5/7/2020 15:00	0.0	0.0	0.0	0.0	218.1	0.0	96.4	277.4	59.2	651.1	439.2
5/7/2020 16:00	0.0	0.0	0.0	0.0	221.3	0.0	90.6	279.5	55	646.4	439.7
5/7/2020 17:00	0.0	0.0	0.0	0.0	222.0	0.0	79.4	277.9	56.4	635.7	440.2
5/7/2020 18:00	0.0	0.0	0.0	0.0	222.7	0.0	73.2	279.8	61	636.7	440.6
5/7/2020 19:00	0.0	0.0	0.0	0.0	224.6	0.0	84.5	279.7	48.5	637.3	441.1
5/7/2020 20:00	0.0	0.0	0.0	0.0	225.3	0.0	79.7	279.4	59.5	643.9	441.6
5/7/2020 21:00	0.0	0.0	0.0	0.0	222.7	0.0	81.2	278.5	57.4	639.8	441.8
5/7/2020 22:00	0.0	0.0	0.0	0.0	220.1	0.0	87.9	283.3	57.3	648.6	441.7
5/7/2020 23:00	0.0	0.0	0.0	0.0	222.0	0.0	91.2	269.2	56.6	639.0	441.9
5/8/2020 0:00	0.0	0.0	0.0	0.0	220.9	0.0	100.3	278.7	60.7	660.6	442.4
5/8/2020 1:00	0.0	0.0	0.0	0.0	218.9	0.0	97.4	279.9	55	651.2	442.9
5/8/2020 2:00	0.0	0.0	0.0	0.0	220.1	0.0	94.4	276.7	43.3	634.5	443.3
5/8/2020 3:00	0.0	0.0	0.0	0.0	216.1	0.0	91.7	277.6	60.6	646.0	443.8
5/8/2020 4:00	0.0	0.0	0.0	0.0	215.2	0.0	96.5	280.3	54.9	646.9	444.3
5/8/2020 5:00	0.0	0.0	0.0	0.0	216.4	0.0	96.3	281.1	48.3	642.1	444.8
5/8/2020 6:00	0.0	0.0	0.0	0.0	216.9	0.0	88.4	279.1	52.4	636.8	445.2
5/8/2020 7:00	0.0	0.0	0.0	0.0	139.4	0.0	97.6	279.3	44.1	560.4	445.6
5/8/2020 8:00	0.0	0.0	0.0	0.0	12.8	0.0	126.7	279.3	53.8	472.6	445.8
5/8/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	119.2	280	54.2	453.4	446.0
5/8/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	118.5	279.6	52.6	450.7	446.2
5/8/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	109.1	287.9	61.4	458.4	446.4
5/8/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	147.9	264	16.7	428.6	446.6
5/8/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	316.3	279.3	48	643.6	447.1
5/8/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	90.1	278.3	47.9	416.3	447.3
5/8/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	106.6	280.4	62.6	449.6	447.5
5/8/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	146.7	278.8	54.6	480.1	447.7
5/8/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	156.6	280.6	52.6	489.8	448.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
5/8/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	41.5	277.9	52.3	371.7	448.1
5/8/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	20.8	279.2	44.3	344.3	448.2
5/8/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	14.7	279.8	55.5	350.0	448.2
5/8/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	12.6	278.3	50	340.9	448.3
5/8/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	16.0	279.4	51.7	347.1	448.3
5/8/2020 23:00	0.0	65.0	0.0	0.0	0.0	0.0	14.7	261	44.2	384.9	448.5
5/9/2020 0:00	0.0	117.1	0.0	0.0	0.0	0.0	12.4	285.1	41.3	455.9	448.7
5/9/2020 1:00	0.0	118.7	0.0	0.0	0.0	0.0	12.7	279.2	52.3	462.9	448.9
5/9/2020 2:00	0.0	138.0	0.0	0.0	0.0	0.0	61.9	278.8	50	528.7	449.2
5/9/2020 3:00	0.0	121.0	0.0	0.0	0.0	0.0	62.8	278.9	44	506.7	449.4
5/9/2020 4:00	0.0	124.6	0.0	0.0	0.0	0.0	60.2	280	54.6	519.4	449.7
5/9/2020 5:00	0.0	124.2	0.0	0.0	0.0	0.0	67.4	277.7	54.4	523.7	450.0
5/9/2020 6:00	0.0	124.7	0.0	0.0	0.0	0.0	66.8	280.4	53.5	525.4	450.2
5/9/2020 7:00	0.0	139.5	0.0	0.0	0.0	0.0	61.6	278.5	42	521.6	450.5
5/9/2020 8:00	0.0	137.7	0.0	0.0	0.0	0.0	82.4	279.7	49	548.8	450.8
5/9/2020 9:00	0.0	118.9	0.0	0.0	0.0	0.0	110.0	279.1	49.6	557.6	450.9
5/9/2020 10:00	0.0	146.6	0.0	0.0	0.0	0.0	145.1	292.8	64.7	649.2	451.3
5/9/2020 11:00	0.0	128.0	0.0	0.0	0.0	0.0	145.3	284.6	44.8	602.7	451.6
5/9/2020 12:00	0.0	127.0	0.0	0.0	0.0	0.0	128.8	276.2	31.7	563.7	451.8
5/9/2020 13:00	0.0	131.4	0.0	0.0	0.0	0.0	121.2	278.9	40.5	572.0	452.1
5/9/2020 14:00	0.0	128.6	0.0	0.0	0.0	0.0	134.5	279.7	41.1	583.9	452.3
5/9/2020 15:00	0.0	126.6	0.0	0.0	0.0	0.0	113.8	279.5	47.9	567.8	452.6
5/9/2020 16:00	0.0	140.8	0.0	0.0	0.0	0.0	106.5	279.5	51.6	578.4	452.8
5/9/2020 17:00	0.0	95.5	0.0	0.0	0.0	0.0	96.8	279.2	47.8	519.3	453.0
5/9/2020 18:00	0.0	121.6	0.0	0.0	0.0	0.0	104.8	280.7	52.6	559.7	453.3
5/9/2020 19:00	0.0	125.6	0.0	0.0	0.0	0.0	103.4	278.8	39.9	547.7	453.6
5/9/2020 20:00	0.0	124.2	0.0	0.0	0.0	0.0	102.5	280.5	53.7	560.9	453.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
5/9/2020 21:00	0.0	123.4	0.0	0.0	0.0	0.0	116.7	279.2	43.1	562.4	454.0
5/9/2020 22:00	0.0	107.9	0.0	0.0	0.0	0.0	133.0	280.7	51.7	573.3	454.2
5/9/2020 23:00	0.0	125.3	0.0	0.0	0.0	0.0	149.2	268.8	49.7	593.0	454.5
5/10/2020 0:00	0.0	125.5	0.0	0.0	0.0	0.0	170.5	284.8	46.4	627.2	454.8
5/10/2020 1:00	0.0	125.7	0.0	0.0	0.0	0.0	112.9	279.5	57.6	575.7	455.0
5/10/2020 2:00	0.0	127.9	0.0	0.0	0.0	0.0	76.6	277.4	59.5	541.4	455.2
5/10/2020 3:00	0.0	130.4	0.0	0.0	0.0	0.0	74.4	280.5	46.9	532.2	455.4
5/10/2020 4:00	0.0	129.6	0.0	0.0	0.0	0.0	71.2	279.1	61.2	541.1	455.6
5/10/2020 5:00	0.0	129.6	0.0	0.0	0.0	0.0	83.1	279.2	64.6	556.5	455.8
5/10/2020 6:00	0.0	132.9	0.0	0.0	0.0	0.0	75.5	279.5	53.5	541.4	455.9
5/10/2020 7:00	0.0	133.1	0.0	0.0	0.0	0.0	75.3	278.1	48.7	535.2	456.0
5/10/2020 8:00	0.0	133.2	0.0	0.0	0.0	0.0	62.4	279.4	55.7	530.7	456.1
5/10/2020 9:00	0.0	131.8	0.0	0.0	0.0	0.0	64.4	280.5	54.3	531.0	456.3
5/10/2020 10:00	0.0	126.1	0.0	0.0	0.0	0.0	88.6	286.9	50.2	551.8	456.5
5/10/2020 11:00	0.0	125.7	0.0	0.0	0.0	0.0	108.0	286.2	57.3	577.2	456.7
5/10/2020 12:00	0.0	124.9	0.0	0.0	0.0	0.0	98.6	272	50.5	546.0	456.9
5/10/2020 13:00	0.0	125.3	0.0	0.0	0.0	0.0	89.0	278.4	61.1	553.8	457.1
5/10/2020 14:00	0.0	131.1	0.0	0.0	0.0	0.0	89.7	278.1	55.9	554.8	457.2
5/10/2020 15:00	0.0	126.9	0.0	0.0	0.0	0.0	90.0	279.2	49.3	545.4	457.4
5/10/2020 16:00	0.0	121.2	0.0	0.0	0.0	0.0	104.0	280.1	56.2	561.5	457.5
5/10/2020 17:00	0.0	171.0	0.0	0.0	0.0	0.0	68.9	279.1	56.5	575.5	457.6
5/10/2020 18:00	0.0	319.4	0.0	0.0	0.0	0.0	78.4	279.1	60.1	737.0	458.0
5/10/2020 19:00	0.0	128.6	0.0	0.0	0.0	0.0	100.0	279.7	49	557.3	458.1
5/10/2020 20:00	0.0	128.1	0.0	0.0	0.0	0.0	105.0	278.4	56.9	568.4	458.3
5/10/2020 21:00	0.0	129.0	0.0	0.0	0.0	0.0	107.6	280	56	572.6	458.4
5/10/2020 22:00	0.0	125.3	0.0	0.0	0.0	0.0	172.6	278.3	57.3	633.5	458.6
5/10/2020 23:00	0.0	126.1	0.0	0.0	0.0	0.0	394.9	279.8	45.8	846.6	459.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
5/11/2020 0:00	0.0	125.6	0.0	0.0	0.0	0.0	433.8	280.4	57.4	897.2	459.6
5/11/2020 1:00	0.0	126.9	0.0	0.0	0.0	0.0	418.8	268.3	56.5	870.5	460.1
5/11/2020 2:00	0.0	127.8	0.0	0.0	0.0	0.0	216.6	272.8	46.6	663.8	460.2
5/11/2020 3:00	0.0	129.0	0.0	0.0	0.0	0.0	161.8	279.4	50.6	620.8	460.3
5/11/2020 4:00	0.0	129.2	0.0	0.0	0.0	0.0	157.0	279.2	59.2	624.6	460.4
5/11/2020 5:00	0.0	128.0	0.0	0.0	0.0	0.0	154.8	279.1	51.8	613.7	460.6
5/11/2020 6:00	0.0	136.7	0.0	0.0	0.0	0.0	115.5	279	58.5	589.7	460.7
5/11/2020 7:00	0.0	155.3	0.0	0.0	0.0	0.0	110.0	281.1	46.3	592.7	460.8
5/11/2020 8:00	0.0	155.3	0.0	0.0	0.0	0.0	113.0	325.7	59.6	653.6	461.1
5/11/2020 9:00	0.0	156.9	0.0	0.0	0.0	0.0	107.8	279.2	83	626.9	461.4
5/11/2020 10:00	0.0	166.5	0.0	0.0	0.0	0.0	113.2	274.9	60.3	614.9	461.7
5/11/2020 11:00	0.0	171.9	0.0	0.0	0.0	0.0	134.9	279.3	51.3	637.4	462.1
5/11/2020 12:00	0.0	147.5	0.0	0.0	0.0	0.0	151.1	272.8	103.3	674.7	462.5
5/11/2020 13:00	0.0	136.6	0.0	0.0	0.0	0.0	146.5	279.4	58.8	621.3	462.8
5/11/2020 14:00	0.0	138.7	0.0	0.0	0.0	0.0	154.2	278.2	54.2	625.3	463.2
5/11/2020 15:00	0.0	139.0	0.0	0.0	0.0	0.0	140.9	280.4	56.4	616.7	463.5
5/11/2020 16:00	0.0	138.5	0.0	0.0	0.0	0.0	140.7	277.9	55.1	612.2	463.8
5/11/2020 17:00	0.0	139.9	0.0	0.0	0.0	0.0	145.4	280.3	60.6	626.2	464.2
5/11/2020 18:00	0.0	142.0	0.0	0.0	0.0	0.0	119.0	249	70.7	580.7	464.5
5/11/2020 19:00	0.0	142.5	0.0	0.0	0.0	0.0	118.4	275.4	104	640.3	464.9
5/11/2020 20:00	0.0	143.5	0.0	0.0	0.0	0.0	127.6	276.6	59.4	607.1	465.2
5/11/2020 21:00	0.0	144.0	0.0	0.0	0.0	0.0	127.2	276.9	58.9	607.0	465.5
5/11/2020 22:00	0.0	145.2	0.0	0.0	0.0	0.0	118.0	276.8	62.2	602.2	465.9
5/11/2020 23:00	0.0	144.7	0.0	0.0	0.0	0.0	113.4	277.9	57.9	593.9	466.2
5/12/2020 0:00	0.0	184.3	0.0	0.0	0.0	0.0	131.2	279.2	63.3	658.0	466.6
5/12/2020 1:00	0.0	220.6	0.0	0.0	0.0	0.0	121.2	279.5	58.8	680.1	467.0
5/12/2020 2:00	0.0	250.9	0.0	0.0	0.0	0.0	107.3	280.7	53	691.9	467.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
5/12/2020 3:00	0.0	251.9	0.0	0.0	0.0	0.0	92.7	273.6	59.2	677.4	466.9
5/12/2020 4:00	0.0	258.9	0.0	0.0	0.0	0.0	113.3	278	59.9	710.1	466.8
5/12/2020 5:00	0.0	255.7	0.0	0.0	0.0	0.0	134.8	276.9	64.3	731.7	467.1
5/12/2020 6:00	0.0	255.9	0.0	0.0	0.0	0.0	145.1	280.5	42.6	724.1	467.6
5/12/2020 7:00	0.0	257.6	0.0	0.0	0.0	0.0	135.5	279.2	53.8	726.1	468.1
5/12/2020 8:00	0.0	253.0	0.0	0.0	0.0	0.0	98.9	299.6	47.4	698.9	468.7
5/12/2020 9:00	0.0	262.9	0.0	0.0	0.0	0.0	101.3	271.9	63.5	699.6	469.2
5/12/2020 10:00	0.0	268.8	0.0	0.0	0.0	0.0	97.9	276.4	60.5	703.6	469.7
5/12/2020 11:00	0.0	269.7	0.0	0.0	0.0	0.0	91.9	276.2	64	701.8	470.3
5/12/2020 12:00	0.0	267.5	0.0	0.0	0.0	0.0	76.0	274.5	62	680.0	470.8
5/12/2020 13:00	0.0	271.7	0.0	0.0	0.0	0.0	79.7	279.8	60.9	692.1	471.3
5/12/2020 14:00	0.0	263.9	0.0	0.0	0.0	0.0	101.3	276.1	64.4	705.7	471.8
5/12/2020 15:00	0.0	242.1	0.0	0.0	0.0	0.0	108.1	275.3	54.6	680.1	472.3
5/12/2020 16:00	0.0	246.5	0.0	0.0	0.0	0.0	108.6	276.2	65.5	696.8	472.8
5/12/2020 17:00	0.0	243.3	0.0	0.0	0.0	0.0	93.2	275.3	56.9	668.7	473.2
5/12/2020 18:00	0.0	237.0	0.0	0.0	0.0	0.0	111.0	277.4	62	687.4	473.7
5/12/2020 19:00	0.0	240.1	0.0	0.0	0.0	0.0	99.6	276.1	56.9	672.7	474.2
5/12/2020 20:00	0.0	238.5	0.0	0.0	0.0	0.0	113.1	274.8	62.6	689.0	474.7
5/12/2020 21:00	0.0	232.8	0.0	0.0	0.0	0.0	115.4	277.8	62.3	688.3	475.2
5/12/2020 22:00	0.0	232.9	0.0	0.0	0.0	0.0	116.0	279.9	64.1	692.9	475.7
5/12/2020 23:00	0.0	239.7	0.0	0.0	0.0	0.0	140.4	284.3	66.3	730.7	476.2
5/13/2020 0:00	0.0	237.9	0.0	0.0	0.0	0.0	86.9	275.7	67.6	668.1	476.6
5/13/2020 1:00	0.0	230.2	0.0	0.0	0.0	0.0	85.2	274.6	55.5	645.5	477.1
5/13/2020 2:00	0.0	237.0	0.0	0.0	0.0	0.0	81.9	277.8	59.5	656.2	477.5
5/13/2020 3:00	0.0	239.2	0.0	0.0	0.0	0.0	78.5	280.3	62.6	660.6	478.1
5/13/2020 4:00	0.0	238.8	0.0	0.0	0.0	0.0	82.8	279.3	51.2	652.1	478.6
5/13/2020 5:00	0.0	245.5	0.0	0.0	0.0	0.0	81.6	281	59.2	667.3	479.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
5/13/2020 6:00	0.0	236.6	0.0	0.0	0.0	0.0	81.2	279.5	69.1	666.4	479.6
5/13/2020 7:00	0.0	236.0	0.0	0.0	0.0	0.0	78.1	276.5	55.5	646.1	480.0
5/13/2020 8:00	0.0	242.7	0.0	0.0	0.0	0.0	79.0	280.1	54.9	656.7	480.4
5/13/2020 9:00	0.0	229.2	0.0	0.0	0.0	0.0	77.5	279.6	49.7	636.0	480.8
5/13/2020 10:00	0.0	230.0	0.0	0.0	0.0	0.0	80.2	330.2	56.5	696.9	481.3
5/13/2020 11:00	0.0	136.4	0.0	0.0	0.0	0.0	136.6	278.9	52.2	604.1	481.5
5/13/2020 12:00	0.0	107.5	0.0	0.0	0.0	0.0	160.6	276.1	53.7	597.9	481.8
5/13/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	206.6	280.6	58	545.2	482.1
5/13/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	195.7	278.5	56.8	531.0	482.3
5/13/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	178.8	278.8	58.9	516.5	482.5
5/13/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	164.8	279.3	59.4	503.5	482.7
5/13/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	164.9	281.7	61.9	508.5	482.8
5/13/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	147.9	279.6	64.9	492.4	482.9
5/13/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	166.8	272.8	63.9	503.5	483.1
5/13/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	144.1	278.6	58.1	480.8	483.2
5/13/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	148.5	279	62.9	490.4	483.4
5/13/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	119.4	282	57.3	458.7	483.5
5/13/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	118.1	279.6	57.6	455.3	483.6
5/14/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	79.9	279.3	61.1	420.3	483.7
5/14/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	122.8	279.2	59	461.0	483.8
5/14/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	102.2	279.3	57.6	439.1	483.9
5/14/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	101.9	278.7	55.6	436.2	484.0
5/14/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	108.2	279.2	57	444.4	484.1
5/14/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	119.3	278.9	54.6	452.8	484.3
5/14/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	127.8	278.2	59	465.0	484.5
5/14/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	138.7	279.5	50.7	468.9	484.6
5/14/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	127.8	279.6	62.7	470.1	484.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
5/14/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	122.4	379	50.5	551.9	485.1
5/14/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	145.4	281.6	62.2	489.2	485.3
5/14/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	124.8	279.8	59.8	464.4	485.4
5/14/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	142.9	285	57.3	485.2	485.6
5/14/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	134.4	279	60.8	474.2	485.8
5/14/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	161.6	279	64	504.6	486.0
5/14/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	115.6	278.6	63.7	457.9	486.1
5/14/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	176.8	279.5	55.3	511.6	486.3
5/14/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	386.4	279.5	61.1	727.0	486.8
5/14/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	251.8	277.6	73.4	602.8	487.1
5/14/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	125.9	277.7	56.9	460.5	487.3
5/14/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	157.0	278.6	59	494.6	487.5
5/14/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	168.0	280.9	60.7	509.6	487.7
5/14/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	188.0	280.8	58.9	527.7	488.0
5/14/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	196.1	278.7	57.8	532.6	488.3
5/15/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	180.7	278.3	63.7	522.7	488.6
5/15/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	185.0	280.8	61.5	527.3	488.9
5/15/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	185.0	279.3	57.7	522.0	489.1
5/15/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	201.7	278.5	60.9	541.1	489.4
5/15/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	251.6	279.5	57.9	589.0	489.8
5/15/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	234.5	276.9	75.1	586.5	490.1
5/15/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	201.5	278.4	61.9	541.8	490.4
5/15/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	209.3	279.1	48.2	536.6	490.7
5/15/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	185.9	279.9	56.9	522.7	490.8
5/15/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	134.5	278.4	60	472.9	490.4
5/15/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	93.3	279.6	60.3	433.2	489.9
5/15/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	102.7	352.3	91.3	546.3	489.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
5/15/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	108.7	281.3	64.8	454.8	489.3
5/15/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	88.4	278.2	62.5	429.1	488.9
5/15/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	124.3	279.2	60.2	463.7	488.5
5/15/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	128.5	277.7	61.7	467.9	488.1
5/15/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	156.6	283.7	63.6	503.9	487.7
5/15/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	179.8	277.1	60.5	517.4	487.3
5/15/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	154.2	279.5	50.5	484.2	486.9
5/15/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	140.5	279	52.5	472.0	486.5
5/15/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	156.7	278.8	54.4	489.9	486.1
5/15/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	143.8	292.6	59	495.4	485.6
5/15/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	143.4	275.2	54	472.6	485.3
5/15/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	162.0	279	65.5	506.5	485.0
5/16/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	159.1	279.1	56.5	494.7	484.9
5/16/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	158.1	278.8	63.7	500.6	484.6
5/16/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	153.9	278.2	63.9	496.0	484.5
5/16/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	152.4	279.4	62.9	494.7	484.5
5/16/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	160.7	279.2	59.5	499.4	484.4
5/16/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	147.9	276.7	66.1	490.7	484.1
5/16/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	148.8	280.5	65.5	494.8	483.9
5/16/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	130.3	280.3	61.9	472.5	483.8
5/16/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	132.1	278.8	65.1	476.0	482.9
5/16/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	114.7	278.7	64.8	458.2	482.3
5/16/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	110.2	278.9	62.6	451.7	482.2
5/16/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	107.2	296.1	67	470.3	481.9
5/16/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	99.5	388.7	43.3	531.5	481.7
5/16/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	157.2	279.1	67.1	503.4	481.8
5/16/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	166.8	278.7	65.6	511.1	482.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
5/16/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	165.2	277.4	64.3	506.9	482.4
5/16/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	173.6	279.2	65.6	518.4	482.7
5/16/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	160.6	277.8	64.9	503.3	483.0
5/16/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	164.2	280.2	63.3	507.7	483.3
5/16/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	167.0	278.9	66.3	512.2	483.6
5/16/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	365.8	271.5	68.2	705.5	484.2
5/16/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	243.8	274.1	63.5	581.4	484.5
5/16/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	210.6	279.6	65.5	555.7	484.9
5/16/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	217.5	277.5	59.1	554.1	485.2
5/17/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	202.0	281.8	68	551.8	485.6
5/17/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	189.8	278.9	56	524.7	485.9
5/17/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	183.4	278.3	69.1	530.8	486.2
5/17/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	180.7	279.8	64.8	525.3	486.5
5/17/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	193.0	278.9	67.8	539.7	486.8
5/17/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	165.1	277.3	84.3	526.7	487.0
5/17/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	161.9	279.7	56.3	497.9	487.2
5/17/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	146.3	280.3	61.2	487.8	487.4
5/17/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	140.8	278.2	74	493.0	487.7
5/17/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	150.4	279.3	52.5	482.2	487.9
5/17/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	128.0	278.8	66.6	473.4	487.9
5/17/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	125.2	301	72.3	498.5	487.8
5/17/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	153.0	280.4	56.6	490.0	487.8
5/17/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	125.7	280.6	71.1	477.4	487.9
5/17/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	118.8	279	68.4	466.2	487.9
5/17/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	132.4	278.7	64.6	475.7	488.0
5/17/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	346.4	279.2	67.4	693.0	488.5
5/17/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	127.0	279.1	56.4	462.5	488.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
5/17/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	125.8	279.5	63	468.3	488.9
5/17/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	138.8	242.2	62.6	443.6	489.1
5/17/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	162.3	278.6	62.2	503.1	489.4
5/17/2020 21:00	0.0	0.0	3.3	0.0	0.0	0.0	166.0	280.3	58	507.6	489.6
5/17/2020 22:00	0.0	0.0	26.2	0.0	0.0	0.0	177.3	279.6	65.1	548.2	489.9
5/17/2020 23:00	0.0	0.0	97.5	0.0	0.0	0.0	137.5	280.4	61.1	576.5	490.2
5/18/2020 0:00	0.0	0.0	178.6	0.0	0.0	0.0	149.5	279.1	61.1	668.3	490.7
5/18/2020 1:00	0.0	0.0	186.4	0.0	0.0	0.0	123.8	278.6	52.5	641.3	491.1
5/18/2020 2:00	0.0	0.0	220.9	0.0	0.0	0.0	193.0	278.7	60.1	752.7	491.7
5/18/2020 3:00	0.0	0.0	217.9	0.0	0.0	0.0	193.2	278.5	58.1	747.7	492.2
5/18/2020 4:00	0.0	0.0	191.0	0.0	0.0	0.0	182.6	278.8	57.2	709.6	492.7
5/18/2020 5:00	0.0	0.0	213.5	0.0	0.0	0.0	209.5	278.1	79	780.1	493.2
5/18/2020 6:00	0.0	0.0	182.3	0.0	0.0	0.0	174.9	280.1	63.4	700.7	493.6
5/18/2020 7:00	0.0	0.0	182.3	0.0	0.0	0.0	168.8	278.7	54.7	684.5	493.9
5/18/2020 8:00	0.0	0.0	180.2	0.0	0.0	0.0	176.7	279.3	52.8	689.0	494.2
5/18/2020 9:00	0.0	0.0	179.9	0.0	0.0	0.0	171.3	323.9	59.9	735.0	494.7
5/18/2020 10:00	0.0	0.0	180.5	0.0	0.0	0.0	180.2	277.6	53	691.3	495.2
5/18/2020 11:00	0.0	0.0	180.5	0.0	0.0	0.0	191.8	320.1	91.4	783.8	495.8
5/18/2020 12:00	0.0	0.0	202.1	0.0	0.0	0.0	177.1	281.4	56.6	717.2	496.4
5/18/2020 13:00	0.0	0.0	216.4	0.0	0.0	0.0	181.2	278.6	63.1	739.3	497.0
5/18/2020 14:00	0.0	0.0	217.3	0.0	0.0	0.0	166.4	279	57.8	720.5	497.6
5/18/2020 15:00	0.0	0.0	235.2	0.0	0.0	0.0	162.0	279	52	728.2	498.1
5/18/2020 16:00	0.0	0.0	228.7	0.0	0.0	0.0	167.3	279.9	65.4	741.3	498.7
5/18/2020 17:00	0.0	0.0	241.4	0.0	0.0	0.0	163.3	278.6	64.4	747.7	499.3
5/18/2020 18:00	0.0	0.0	237.2	0.0	0.0	0.0	148.9	279.4	57	722.5	499.8
5/18/2020 19:00	0.0	0.0	230.7	0.0	0.0	0.0	148.9	279.8	58	717.4	500.3
5/18/2020 20:00	0.0	0.0	240.2	0.0	0.0	0.0	182.2	277	58.8	758.2	500.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
5/18/2020 21:00	0.0	0.0	244.9	0.0	0.0	0.0	187.9	274	55	761.8	501.5
5/18/2020 22:00	0.0	0.0	253.0	0.0	0.0	0.0	172.6	278.7	55.8	760.1	502.1
5/18/2020 23:00	0.0	0.0	241.9	0.0	0.0	0.0	347.6	277.4	65.8	932.7	502.8
5/19/2020 0:00	0.0	0.0	233.1	0.0	0.0	0.0	198.0	284	65.2	780.3	503.4
5/19/2020 1:00	0.0	0.0	244.2	0.0	0.0	0.0	201.4	278.7	56.9	781.2	504.0
5/19/2020 2:00	0.0	0.0	245.7	0.0	0.0	0.0	188.8	279.5	63.2	777.2	504.5
5/19/2020 3:00	0.0	0.0	240.6	0.0	0.0	0.0	202.7	278.9	64.7	786.9	505.1
5/19/2020 4:00	0.0	0.0	235.7	0.0	0.0	0.0	212.8	280.1	54.9	783.5	505.6
5/19/2020 5:00	0.0	0.0	244.4	0.0	0.0	0.0	221.4	279.5	60.5	805.8	506.2
5/19/2020 6:00	0.0	0.0	257.7	0.0	0.0	0.0	435.9	278.5	64.4	1036.5	507.1
5/19/2020 7:00	0.0	0.0	269.9	0.0	0.0	0.0	445.6	280.4	55.4	1051.3	507.9
5/19/2020 8:00	0.0	0.0	254.1	0.0	0.0	0.0	465.9	279.4	99.5	1098.9	508.8
5/19/2020 9:00	0.0	0.0	249.8	0.0	0.0	0.0	224.9	270.7	57.9	803.3	509.4
5/19/2020 10:00	0.0	0.0	272.1	0.0	0.0	0.0	166.7	275.9	65.3	780.0	510.1
5/19/2020 11:00	0.0	0.0	275.1	0.0	0.0	0.0	161.4	274.9	52.1	763.5	510.6
5/19/2020 12:00	0.0	0.0	276.3	0.0	0.0	0.0	161.8	280	60.3	778.4	511.3
5/19/2020 13:00	0.0	0.0	287.1	0.0	0.0	0.0	172.0	279.2	75.2	813.5	512.0
5/19/2020 14:00	0.0	0.0	261.1	0.0	0.0	0.0	167.6	279	47.8	755.5	512.6
5/19/2020 15:00	0.0	0.0	240.9	0.0	0.0	0.0	158.1	279.4	68.9	747.3	513.2
5/19/2020 16:00	0.0	0.0	242.0	0.0	0.0	0.0	149.0	278.5	65.1	734.6	513.7
5/19/2020 17:00	0.0	0.0	253.8	0.0	0.0	0.0	153.0	278.8	56.2	741.8	514.3
5/19/2020 18:00	0.0	0.0	252.8	0.0	0.0	0.0	150.6	279.3	61.6	744.3	514.7
5/19/2020 19:00	0.0	0.0	245.7	0.0	0.0	0.0	148.0	279	61.7	734.4	515.0
5/19/2020 20:00	0.0	0.0	245.6	0.0	0.0	0.0	145.2	270.2	58	719.0	515.5
5/19/2020 21:00	0.0	0.0	258.7	0.0	0.0	0.0	137.0	275.3	63.7	734.7	516.1
5/19/2020 22:00	0.0	0.0	243.1	0.0	0.0	0.0	135.4	277.2	67.6	723.3	516.7
5/19/2020 23:00	0.0	0.0	246.3	0.0	0.0	0.0	137.5	277.5	70	731.3	517.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
5/20/2020 0:00	0.0	0.0	245.5	0.0	0.0	0.0	140.5	283.6	64	733.6	517.8
5/20/2020 1:00	0.0	0.0	251.8	0.0	0.0	0.0	137.9	279.5	63.6	732.8	518.4
5/20/2020 2:00	0.0	0.0	242.1	0.0	0.0	0.0	136.3	279	65.5	722.9	518.9
5/20/2020 3:00	0.0	0.0	250.8	0.0	0.0	0.0	134.1	278.3	62.6	725.8	519.5
5/20/2020 4:00	0.0	0.0	252.8	0.0	0.0	0.0	158.8	279.6	65.6	756.8	520.0
5/20/2020 5:00	0.0	0.0	247.5	0.0	0.0	0.0	338.5	277.4	67.8	931.2	520.8
5/20/2020 6:00	0.0	0.0	236.7	0.0	0.0	0.0	159.7	279.9	64.5	740.8	521.3
5/20/2020 7:00	0.0	0.0	250.2	0.0	0.0	0.0	174.3	278.8	55	758.3	521.9
5/20/2020 8:00	0.0	0.0	246.2	0.0	0.0	0.0	173.1	270.7	94.6	784.6	522.4
5/20/2020 9:00	0.0	0.0	245.9	0.0	0.0	0.0	168.3	268.8	59	742.0	523.0
5/20/2020 10:00	0.0	0.0	264.5	0.0	0.0	0.0	165.9	277	63.6	771.0	523.6
5/20/2020 11:00	0.0	0.0	253.7	0.0	0.0	0.0	178.7	281.5	65.9	779.8	524.1
5/20/2020 12:00	0.0	0.0	254.7	0.0	0.0	0.0	207.4	277	69.3	808.4	524.4
5/20/2020 13:00	0.0	0.0	253.5	0.0	0.0	0.0	251.9	279.7	54.6	839.7	525.1
5/20/2020 14:00	0.0	0.0	254.2	0.0	0.0	0.0	173.5	279.6	60.9	768.2	525.7
5/20/2020 15:00	0.0	0.0	224.7	0.0	0.0	0.0	160.4	278.8	62.4	726.3	526.2
5/20/2020 16:00	0.0	0.0	249.5	0.0	0.0	0.0	154.8	280	58	742.3	526.8
5/20/2020 17:00	0.0	0.0	252.5	0.0	0.0	0.0	147.0	278.7	61.5	739.7	527.4
5/20/2020 18:00	0.0	0.0	247.9	0.0	0.0	0.0	141.1	278.6	62.4	730.0	527.9
5/20/2020 19:00	0.0	0.0	246.6	0.0	0.0	0.0	132.0	280.4	56.6	715.6	528.5
5/20/2020 20:00	0.0	0.0	241.7	0.0	0.0	0.0	147.3	234.7	61.3	685.0	529.0
5/20/2020 21:00	0.0	0.0	263.5	0.0	0.0	0.0	143.2	252.4	60.7	719.8	529.6
5/20/2020 22:00	0.0	0.0	252.9	0.0	0.0	0.0	140.2	274.8	58.1	726.0	530.2
5/20/2020 23:00	0.0	0.0	249.8	0.0	0.0	0.0	150.1	274.7	54.7	729.3	530.7
5/21/2020 0:00	0.0	0.0	262.9	0.0	0.0	0.0	140.2	278.3	60.8	742.2	531.3
5/21/2020 1:00	0.0	0.0	265.3	0.0	0.0	0.0	154.4	279.5	59.3	758.5	532.0
5/21/2020 2:00	0.0	0.0	251.1	0.0	0.0	0.0	155.6	272.3	62.6	741.6	532.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
5/21/2020 3:00	0.0	0.0	267.9	0.0	0.0	0.0	155.1	282	50.3	755.3	533.2
5/21/2020 4:00	0.0	0.0	257.4	0.0	0.0	0.0	267.9	279.6	58.9	863.8	533.9
5/21/2020 5:00	0.0	0.0	248.8	0.0	0.0	0.0	264.9	277.7	69.6	861.0	534.6
5/21/2020 6:00	0.0	0.0	256.8	0.0	0.0	0.0	165.3	277.7	55.4	755.2	535.2
5/21/2020 7:00	0.0	0.0	258.6	0.0	0.0	0.0	217.1	279.8	51.3	806.8	535.9
5/21/2020 8:00	0.0	0.0	247.9	0.0	0.0	0.0	260.8	279.3	51	839.0	536.7
5/21/2020 9:00	0.0	0.0	208.5	0.0	0.0	0.0	190.1	258.7	97.2	754.5	537.3
5/21/2020 10:00	0.0	0.0	83.1	0.0	0.0	0.0	189.1	279.6	55.2	607.0	537.7
5/21/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	263.3	277.4	50.7	591.4	538.0
5/21/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	183.6	279.1	47.3	510.0	538.3
5/21/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	172.4	278.8	53.4	504.6	538.5
5/21/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	160.5	279.3	54.5	494.3	538.7
5/21/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	156.8	280	46.8	483.6	538.9
5/21/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	167.7	278.9	56.1	502.7	539.2
5/21/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	156.6	278.9	47.6	483.1	539.4
5/21/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	151.0	280.4	56.2	487.6	539.6
5/21/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	153.0	279.1	45.1	477.2	539.8
5/21/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	147.4	264.9	54.8	467.1	539.9
5/21/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	160.0	277.2	47	484.2	540.1
5/21/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	150.7	278.1	60.9	489.7	540.3
5/21/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	156.2	279	46.3	481.5	540.5
5/22/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	156.5	276.5	57.3	490.3	540.6
5/22/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	155.6	280	47.6	483.2	540.8
5/22/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	163.7	278.1	48.5	490.3	541.0
5/22/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	164.4	279.1	50.9	494.4	541.1
5/22/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	153.7	279.7	52.1	485.5	541.3
5/22/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	372.5	275.7	36.3	684.5	541.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
5/22/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	160.8	279.4	49.8	490.0	541.9
5/22/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	176.6	278.8	53.7	509.1	542.1
5/22/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	145.3	274.3	83.9	503.5	542.3
5/22/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	114.8	275.2	50.3	440.3	542.5
5/22/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	168.7	277.9	54.8	501.4	542.7
5/22/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	164.6	205.8	51.6	422.0	542.8
5/22/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	171.6	192	55.9	419.5	542.9
5/22/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	188.2	193.9	51.4	433.5	543.1
5/22/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	204.8	191.7	56.9	453.4	543.3
5/22/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	220.2	184.4	54.8	459.4	543.5
5/22/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	222.4	264.3	53.2	539.9	543.8
5/22/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	201.4	279.5	51.5	532.4	544.1
5/22/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	264.4	280.2	58.5	603.1	544.5
5/22/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	242.0	280.2	50.8	573.0	544.8
5/22/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	195.1	280.8	52.9	528.8	545.1
5/22/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	198.3	279.6	57.6	535.5	545.3
5/22/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	213.3	280	52.5	545.8	545.6
5/22/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	221.4	272.9	56.4	550.7	545.9
5/23/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	198.9	278.1	51.9	528.9	546.1
5/23/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	214.7	279.2	55.9	549.8	546.4
5/23/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	223.8	279.3	51.3	554.4	546.6
5/23/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	207.5	279	54	540.5	546.8
5/23/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	216.9	280.1	59	556.0	547.0
5/23/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	209.2	279.1	33.9	522.2	547.1
5/23/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	181.3	281.7	53.3	516.3	547.1
5/23/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	166.4	280.7	75.8	522.9	547.0
5/23/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	162.5	278.9	56	497.4	546.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
5/23/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	160.3	280	51.3	491.6	546.5
5/23/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	158.9	291.4	72.4	522.7	546.4
5/23/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	167.9	308.7	59.3	535.9	545.9
5/23/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	154.2	279.8	49.3	483.3	545.6
5/23/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	160.5	280.4	56.5	497.4	545.5
5/23/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	159.8	279.7	49.7	489.2	545.3
5/23/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	167.0	279.5	50.3	496.8	545.1
5/23/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	166.9	280.9	54.6	502.4	544.9
5/23/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	164.6	278.6	52.9	496.1	544.7
5/23/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	168.4	281.2	48.1	497.7	544.7
5/23/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	172.7	279.4	54.6	506.7	544.6
5/23/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	173.7	281.4	58	513.1	544.6
5/23/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	172.3	278.8	48.9	500.0	544.5
5/23/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	174.3	277.5	45.6	497.4	544.5
5/23/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	227.0	280.6	55.5	563.1	544.5
5/24/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	339.4	279.4	49.2	668.0	544.6
5/24/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	193.3	280.5	57.8	531.6	544.6
5/24/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	196.7	278.7	49.2	524.6	544.6
5/24/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	297.5	279	53.5	630.0	545.2
5/24/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	489.0	280.2	48.5	817.7	546.2
5/24/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	411.2	280.6	52.6	744.4	547.1
5/24/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	423.1	278.8	47.9	749.8	548.0
5/24/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	431.4	280.4	46.2	758.0	548.8
5/24/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	424.4	278.4	54.4	757.2	549.7
5/24/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	436.9	274.9	49.6	761.4	550.4
5/24/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	436.9	280.3	47.9	765.1	551.1
5/24/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	436.1	286.6	114.2	836.9	552.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
5/24/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	437.4	282.3	45.5	765.2	552.9
5/24/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	433.1	284.1	46.7	763.9	553.7
5/24/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	343.7	279.8	58.1	681.6	554.5
5/24/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	145.8	278.6	47.7	472.1	555.0
5/24/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	99.2	280.4	54.6	434.2	555.5
5/24/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	155.0	277.4	53.2	485.6	556.0
5/24/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	149.1	280.7	48.1	477.9	556.5
5/24/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	143.0	279.1	48.8	470.9	557.0
5/24/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	145.0	270.8	50.4	466.2	557.4
5/24/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	134.2	280.8	53.2	468.2	557.9
5/24/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	123.6	279.6	45.2	448.4	558.4
5/24/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	128.4	280.3	53.2	461.9	558.9
5/25/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	122.2	278	42.7	442.9	559.3
5/25/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	119.2	279.5	49.1	447.8	559.8
5/25/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	123.3	279.5	51.2	454.0	560.3
5/25/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	124.9	280.1	50.5	455.5	560.7
5/25/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	130.4	279.4	44.7	454.5	561.2
5/25/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	133.3	256.6	75.6	465.5	561.7
5/25/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	119.6	277.4	48.3	445.3	562.2
5/25/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	145.3	277.8	45.9	469.0	562.7
5/25/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	339.5	279.4	51.1	670.0	563.4
5/25/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	162.4	280.9	50.7	494.0	564.0
5/25/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	186.0	278.9	49	513.9	564.5
5/25/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	183.6	315.9	91.6	591.1	565.2
5/25/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	169.7	279.9	23.2	472.8	565.7
5/25/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	331.4	279.7	49.9	661.0	566.2
5/25/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	475.5	279.5	47.6	802.6	567.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
5/25/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	475.3	281	49.9	806.2	567.8
5/25/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	498.0	278.9	51.9	828.8	568.7
5/25/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	282.0	280	47.6	609.6	568.7
5/25/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	187.9	279.3	49.1	516.3	568.7
5/25/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	177.5	280.1	44.4	502.0	568.6
5/25/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	179.6	279.1	52.1	510.8	568.6
5/25/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	174.7	285.3	49.2	509.2	568.5
5/25/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	182.9	289.5	50.8	523.2	568.4
5/25/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	182.6	276.7	52.9	512.2	568.3
5/26/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	153.9	284.4	45	483.3	568.1
5/26/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	152.4	280	52.2	484.6	568.0
5/26/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	155.3	278.5	47.6	481.4	567.8
5/26/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	147.8	280.8	50.5	479.1	567.7
5/26/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	148.6	280.1	43.7	472.4	567.5
5/26/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	155.0	274.8	50.4	480.2	567.4
5/26/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	147.6	281.9	50.2	479.7	567.2
5/26/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	152.8	284.1	48.3	485.2	567.1
5/26/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	157.7	278.8	49.9	486.4	566.9
5/26/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	154.0	279.2	53.9	487.1	566.8
5/26/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	160.8	277.7	43.2	481.7	566.6
5/26/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	158.7	307.9	69.3	535.9	566.6
5/26/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	161.8	286.4	38.4	486.6	566.5
5/26/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	156.6	278.9	53.1	488.6	566.5
5/26/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	157.8	280.5	54.9	493.2	566.4
5/26/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	155.2	279.5	46.1	480.8	566.3
5/26/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	158.8	280.4	51.6	490.8	566.2
5/26/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	160.3	278.6	47.9	486.8	566.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
5/26/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	152.5	280	50.3	482.8	566.1
5/26/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	374.1	281.2	47.1	702.4	566.3
5/26/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	172.7	283.4	49.9	506.0	566.2
5/26/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	181.2	277.6	58.8	517.6	566.1
5/26/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	190.6	279.8	50.1	520.5	566.1
5/26/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	178.8	279.3	55.3	513.4	566.0
5/27/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	174.7	280.3	55.9	510.9	565.9
5/27/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	181.7	278.8	47.6	508.1	565.9
5/27/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	167.7	280.1	55.7	503.5	565.8
5/27/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	154.5	279.4	49.9	483.8	565.7
5/27/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	162.6	279.9	54.6	497.1	565.6
5/27/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	164.9	279.8	54.7	499.4	565.5
5/27/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	164.3	280.1	55.7	500.1	565.4
5/27/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	164.1	279.1	51.9	495.1	565.3
5/27/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	159.2	308.5	58.3	526.0	565.2
5/27/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	158.2	286.1	52.5	496.8	564.9
5/27/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	158.3	276.7	54.3	489.3	564.6
5/27/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	162.3	279.5	54	495.8	564.4
5/27/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	171.2	278.3	53.6	503.1	564.0
5/27/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	156.4	279.6	58.8	494.8	563.5
5/27/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	166.4	278.9	62.6	507.9	563.0
5/27/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	173.0	279.3	49.9	502.2	562.6
5/27/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	164.0	278.6	55.3	497.9	562.1
5/27/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	166.9	282.1	56.1	505.1	561.5
5/27/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	363.4	276.6	57.3	697.3	561.6
5/27/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	168.5	280.6	53.7	502.8	561.4
5/27/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	185.4	268	58.2	511.6	561.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
5/27/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	179.4	277.2	53.4	510.0	561.1
5/27/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	178.8	279.3	56	514.1	560.9
5/27/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	186.8	278.7	45.1	510.6	560.8
5/28/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	171.6	278.8	47.7	498.1	560.7
5/28/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	160.4	279.1	63.8	503.3	560.6
5/28/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	155.9	278.8	57.8	492.5	560.5
5/28/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	155.3	280.3	45	480.6	560.3
5/28/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	147.3	279.4	51.6	478.3	560.2
5/28/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	152.3	279.2	59.4	490.9	560.0
5/28/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	147.2	278	54.2	479.4	559.8
5/28/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	118.5	279.6	46.6	444.7	559.6
5/28/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	124.2	282.3	40.7	447.2	559.4
5/28/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	131.3	267.5	50.9	449.7	559.2
5/28/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	126.5	276.7	58.3	461.5	559.0
5/28/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	127.5	278.9	45.9	452.3	558.8
5/28/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	130.6	277.6	49.4	457.6	558.6
5/28/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	133.9	275.9	48.1	457.9	558.4
5/28/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	134.8	278.1	49.2	462.1	558.2
5/28/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	140.2	280.1	48.7	469.0	558.0
5/28/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	155.5	279.1	50.8	485.4	557.6
5/28/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	138.5	277.5	48.7	464.7	557.4
5/28/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	144.2	280.5	48.1	472.8	557.3
5/28/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	148.2	281	46.8	476.0	557.1
5/28/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	138.3	271.5	24.4	434.2	556.9
5/28/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	144.3	276.9	51.5	472.7	556.7
5/28/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	129.9	272.8	48.5	451.2	556.3
5/28/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	128.7	278	52.6	459.3	556.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
5/29/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	131.6	279.2	49	459.8	555.9
5/29/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	126.6	279.6	49	455.2	555.7
5/29/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	137.4	279	51.8	468.2	555.6
5/29/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	125.6	279.3	45.7	450.6	555.4
5/29/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	129.5	279.3	50.4	459.2	555.2
5/29/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	141.1	278.1	59.3	478.5	555.0
5/29/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	131.7	277.1	51.6	460.4	554.7
5/29/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	130.2	279.3	42.8	452.3	554.6
5/29/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	141.2	268.3	54.4	463.9	554.4
5/29/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	136.4	286.7	49	472.1	553.9
5/29/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	140.0	271.6	55.8	467.4	553.4
5/29/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	145.6	277.5	45.3	468.4	552.9
5/29/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	142.1	279.4	52.5	474.0	552.7
5/29/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	148.2	281	52.9	482.1	552.6
5/29/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	144.5	277.9	48.5	470.9	552.4
5/29/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	147.1	279.8	49.5	476.4	552.2
5/29/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	154.1	279.7	48.3	482.1	552.1
5/29/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	152.4	278.5	55.2	486.1	552.0
5/29/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	150.3	278.6	49.3	478.2	551.8
5/29/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	156.5	284.2	46.7	487.4	551.6
5/29/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	153.4	270.3	31.7	455.4	551.4
5/29/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	144.4	276.4	53.2	474.0	551.2
5/29/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	137.8	278.6	49.8	466.2	551.0
5/29/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	143.5	280	50.5	474.0	550.9
5/30/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	141.6	278.1	52.4	472.1	550.7
5/30/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	152.8	286.7	59.1	498.6	550.6
5/30/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	173.4	269.8	0	443.2	550.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
5/30/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	146.5	280.3	0	426.8	550.2
5/30/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	137.6	279.7	0	417.3	550.0
5/30/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	219.8	286.2	0	506.0	549.8
5/30/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	255.5	278.1	0	533.6	549.8
5/30/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	121.4	281.9	0	403.3	549.5
5/30/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	127.3	279	0	406.3	549.3
5/30/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	118.5	279.2	0	397.7	549.0
5/30/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	126.7	280.2	0	406.9	548.0
5/30/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	115.3	279	0	394.3	546.9
5/30/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	120.1	338.4	0	458.5	546.7
5/30/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	112.0	272.4	0	384.4	546.4
5/30/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	116.1	279.7	0	395.8	546.1
5/30/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	108.4	277.8	0	386.2	545.8
5/30/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	110.1	278.6	0	388.7	545.5
5/30/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	109.3	278.6	0	387.9	545.2
5/30/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	110.0	279	0	389.0	544.8
5/30/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	105.6	281.9	0	387.5	544.5
5/30/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	108.0	276.2	0	384.2	544.2
5/30/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	107.1	280.2	0	387.3	543.9
5/30/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	104.6	278.4	0	383.0	543.6
5/30/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	105.0	279.4	0	384.4	543.3
5/31/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	104.1	278.7	0	382.8	543.3
5/31/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	105.2	278.6	0	383.8	543.4
5/31/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	105.4	278.3	0	383.7	543.4
5/31/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	108.7	281.7	0	390.4	543.4
5/31/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	107.0	278.3	0	385.3	543.4
5/31/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	106.7	282.1	0	388.8	543.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
5/31/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	105.7	271.1	0	376.8	543.2
5/31/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	102.4	280.6	0	383.0	543.0
5/31/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	103.9	279.7	0	383.6	542.9
5/31/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	102.3	279	0	381.3	542.8
5/31/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	101.4	279	0	380.4	542.6
5/31/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	105.8	308.3	0	414.1	542.4
5/31/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	107.4	279.2	0	386.6	542.0
5/31/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	107.9	279.2	0	387.1	541.6
5/31/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	105.4	278	0	383.4	541.3
5/31/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	108.9	278.7	0	387.6	540.9
5/31/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	109.6	276.2	0	385.8	540.6
5/31/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	112.4	279	0	391.4	540.3
5/31/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	110.3	277.8	0	388.1	540.0
5/31/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	113.1	280	0	393.1	540.1
5/31/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	112.5	279.9	0	392.4	540.2
5/31/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	112.0	263	0	375.0	540.3
5/31/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	110.5	274.4	0	384.9	540.4
5/31/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	257.2	279.3	0	536.5	540.6
6/1/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	431.4	278.1	0	709.5	541.1
6/1/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	432.0	278.5	0	710.5	541.6
6/1/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	435.9	277.9	0	713.8	542.0
6/1/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	419.2	280.6	0	699.8	542.5
6/1/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	396.9	278.5	0	675.4	542.9
6/1/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	395.4	261.7	0	657.1	543.3
6/1/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	405.6	260.3	0	665.9	543.6
6/1/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	386.7	249.4	0	636.1	543.7
6/1/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	397.0	249.1	0	646.1	544.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
6/1/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	84.3	251.8	0	336.1	543.9
6/1/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	74.1	248.8	0	322.9	543.8
6/1/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	74.8	280.4	0	355.2	543.8
6/1/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	75.7	244.4	0	320.1	543.6
6/1/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	77.1	248.6	0	325.7	543.5
6/1/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	78.8	249.7	0	328.5	543.4
6/1/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	81.5	248.6	0	330.1	543.4
6/1/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	78.5	248.9	0	327.4	543.3
6/1/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	93.3	249.4	0	342.7	543.2
6/1/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	97.0	247.4	0	344.4	543.2
6/1/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	95.5	248	0	343.5	543.2
6/1/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	93.2	235.4	0	328.6	543.2
6/1/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	91.2	249.2	0	340.4	543.1
6/1/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	93.1	247.9	0	341.0	543.1
6/1/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	95.3	250.3	0	345.6	543.1
6/2/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	91.3	249.3	0	340.6	543.0
6/2/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	92.4	249.9	0	342.3	542.9
6/2/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	91.8	249.5	0	341.3	542.8
6/2/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	87.5	248.9	0	336.4	542.8
6/2/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	85.3	248.2	0	333.5	542.7
6/2/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	71.3	249.2	0	320.5	542.3
6/2/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	69.5	246.9	0	316.4	542.2
6/2/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	82.1	249.5	0	331.6	542.1
6/2/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	85.4	249.1	0	334.5	541.9
6/2/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	81.8	247.5	0	329.3	541.8
6/2/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	86.5	247.8	0	334.3	541.7
6/2/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	89.4	273.6	0	363.0	541.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
6/2/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	90.9	253.8	0	344.7	541.6
6/2/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	92.0	249	0	341.0	541.5
6/2/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	99.1	248.2	0	347.3	541.4
6/2/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	114.9	249.8	0	364.7	541.4
6/2/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	114.2	248.9	0	363.1	541.4
6/2/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	117.4	249.6	0	367.0	541.3
6/2/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	114.4	248.2	0	362.6	541.3
6/2/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	127.8	249.2	0	377.0	541.3
6/2/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	279.2	242.4	0	521.6	541.5
6/2/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	254.6	249.2	0	503.8	541.7
6/2/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	277.6	248.2	0	525.8	541.9
6/2/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	148.8	250.2	0	399.0	541.9
6/3/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	133.8	249.9	0	383.7	541.9
6/3/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	138.0	252.4	0	390.4	541.9
6/3/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	139.9	246.6	0	386.5	541.9
6/3/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	146.0	251	0	397.0	541.9
6/3/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	149.0	248.7	0	397.7	542.0
6/3/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	151.8	246.4	0	398.2	542.0
6/3/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	118.0	251	0	369.0	542.0
6/3/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	103.1	250.4	0	353.5	541.9
6/3/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	102.5	247.5	0	350.0	541.8
6/3/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	101.7	250	0	351.7	541.7
6/3/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	104.6	248.4	0	353.0	541.7
6/3/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	102.7	284.4	0	387.1	541.7
6/3/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	109.4	251.7	0	361.1	541.7
6/3/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	137.9	250	0	387.9	541.7
6/3/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	153.0	249.2	0	402.2	541.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
6/3/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	166.2	249.6	0	415.8	541.8
6/3/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	148.9	248.5	0	397.4	541.8
6/3/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	120.3	250.1	0	370.4	541.7
6/3/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	228.7	243.6	0	472.3	541.9
6/3/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	260.1	254.1	0	514.2	542.0
6/3/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	127.0	237.9	0	364.9	542.0
6/3/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	122.2	239.3	0	361.5	542.0
6/3/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	142.2	251.8	0	394.0	542.0
6/3/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	144.1	250.3	0	394.4	542.0
6/4/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	125.8	248.8	0	374.6	541.9
6/4/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	127.6	248.8	0	376.4	541.9
6/4/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	115.9	251.3	0	367.2	541.9
6/4/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	109.4	249.4	0	358.8	541.9
6/4/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	107.8	250.4	0	358.2	541.8
6/4/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	129.4	246.7	0	376.1	541.8
6/4/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	117.4	249.8	0	367.2	541.8
6/4/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	122.8	250	0	372.8	541.8
6/4/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	115.8	247	0	362.8	541.7
6/4/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	104.4	233.2	0	337.6	541.6
6/4/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	104.6	251.4	0	356.0	541.6
6/4/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	113.7	247.2	0	360.9	541.5
6/4/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	106.1	256	0	362.1	541.5
6/4/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	100.2	249.9	0	350.1	541.4
6/4/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	105.3	247	0	352.3	541.1
6/4/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	117.8	252.2	0	370.0	541.1
6/4/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	121.8	248	0	369.8	541.1
6/4/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	127.0	252.1	0	379.1	541.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
6/4/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	108.0	245.6	0	353.6	540.9
6/4/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	103.0	250.1	0	353.1	540.9
6/4/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	98.8	225.8	0	324.6	540.8
6/4/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	125.9	249.9	0	375.8	540.7
6/4/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	144.5	249.3	0	393.8	540.7
6/4/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	145.4	250.5	0	395.9	540.7
6/5/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	98.0	253.5	0	351.5	540.7
6/5/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	98.6	249.4	0	348.0	540.6
6/5/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	101.4	250.2	0	351.6	540.6
6/5/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	130.0	250.5	0	380.5	540.6
6/5/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	150.2	248	0	398.2	540.6
6/5/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	137.2	246.4	0	383.6	540.6
6/5/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	137.2	252	0	389.2	540.6
6/5/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	137.2	250.4	0	387.6	540.6
6/5/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	137.2	240.5	0	377.7	540.6
6/5/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	135.9	239.5	0	375.4	540.5
6/5/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	137.6	244.5	0	382.1	540.3
6/5/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	149.0	246.7	0	395.7	540.0
6/5/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	160.9	251.2	0	412.1	539.6
6/5/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	160.9	248.5	0	409.4	538.9
6/5/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	142.3	249.9	0	392.2	538.3
6/5/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	148.8	249.1	0	397.9	537.9
6/5/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	145.2	250.1	0	395.3	537.6
6/5/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	144.6	251.5	0	396.1	537.2
6/5/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	136.0	245.3	0	381.3	536.8
6/5/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	442.0	240.2	0.1	682.3	536.8
6/5/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	493.5	216.7	0.1	710.3	536.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
6/5/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	448.2	242.9	0.1	691.2	536.9
6/5/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	405.8	247.4	0.1	653.3	536.9
6/5/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	414.4	248.6	0.1	663.1	536.8
6/6/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	411.9	208.2	0.1	620.2	536.8
6/6/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	410.2	246.8	0	657.0	536.8
6/6/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	421.1	244.4	0	665.5	536.7
6/6/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	415.7	243.6	0	659.3	536.7
6/6/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	406.3	244.5	0	650.8	536.7
6/6/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	427.7	243.3	0	671.0	536.8
6/6/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	424.8	246.3	0	671.1	536.9
6/6/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	417.9	246.8	0	664.7	537.0
6/6/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	429.1	247.7	0	676.8	537.1
6/6/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	426.8	219.4	0	646.2	537.1
6/6/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	421.8	235	0	656.8	537.1
6/6/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	425.8	246.8	0	672.6	537.2
6/6/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	424.2	246.9	0	671.1	537.2
6/6/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	424.6	249.5	0	674.1	537.2
6/6/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	422.3	251	0	673.3	537.3
6/6/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	431.5	249.8	0	681.3	537.3
6/6/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	419.7	250.6	0	670.3	537.3
6/6/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	425.9	248.8	0	674.7	537.4
6/6/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	418.0	236.5	0.1	654.6	537.4
6/6/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	414.3	243.8	0	658.1	537.5
6/6/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	419.8	243.4	0	663.2	537.5
6/6/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	411.1	247.7	0.1	658.9	537.5
6/6/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	410.7	244.8	0.1	655.6	537.5
6/6/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	415.0	247.8	0.1	662.9	537.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
6/7/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	401.4	248.6	21.3	671.3	537.6
6/7/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	413.9	247.1	187.3	848.3	537.8
6/7/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	417.6	225.4	287.1	930.1	538.2
6/7/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	405.5	248	274.6	928.1	538.6
6/7/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	406.3	248.9	284.9	940.1	539.0
6/7/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	416.9	243.3	316.6	976.8	539.5
6/7/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	409.9	248.3	178.9	837.1	539.8
6/7/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	407.0	254.8	70.2	732.0	540.0
6/7/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	424.8	272	46.8	743.6	540.4
6/7/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	416.5	244.5	22.3	683.3	540.7
6/7/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	413.8	276.4	15.3	705.5	541.1
6/7/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	414.2	276.2	24	714.4	541.4
6/7/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	447.7	277.7	31.8	757.2	541.9
6/7/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	419.4	279.1	29	727.5	542.0
6/7/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	420.0	279.8	26.5	726.3	542.4
6/7/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	417.0	280.8	24.9	722.7	542.8
6/7/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	412.4	279	28.2	719.6	543.1
6/7/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	409.3	279.6	29.7	718.6	543.5
6/7/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	418.8	282	31.9	732.7	544.0
6/7/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	412.7	280	26.3	719.0	544.5
6/7/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	413.7	265.3	58.6	737.6	545.0
6/7/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	419.7	276.9	62.9	759.5	545.6
6/7/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	424.8	277.5	62.4	764.7	546.2
6/7/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	435.0	280.8	62	777.8	546.7
6/8/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	430.3	278	70.8	779.1	547.2
6/8/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	447.4	278.8	49.4	775.6	547.6
6/8/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	459.5	281.1	71.6	812.2	548.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
6/8/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	445.8	277.5	57.9	781.2	548.4
6/8/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	459.2	280.6	63	802.8	548.8
6/8/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	447.1	275.9	60.3	783.3	549.1
6/8/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	462.7	281.2	63.8	807.7	549.5
6/8/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	458.2	277.7	46.3	782.2	549.9
6/8/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	374.4	280.1	46.6	701.1	550.1
6/8/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	383.2	280.5	56.6	720.3	550.3
6/8/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	384.2	278.5	57.9	720.6	550.4
6/8/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	372.6	243.7	85.9	702.2	550.6
6/8/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	372.4	270.8	31.6	674.8	550.7
6/8/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	390.3	277.3	61.9	729.5	550.9
6/8/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	381.5	275.7	57.5	714.7	551.1
6/8/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	387.5	275.9	53.9	717.3	551.3
6/8/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	395.9	274.9	49.3	720.1	551.5
6/8/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	395.2	271.6	52.3	719.1	551.8
6/8/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	393.7	272.1	56	721.8	552.0
6/8/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	391.5	267.3	37.1	695.9	552.2
6/8/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	394.9	272.5	45.2	712.6	552.5
6/8/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	395.5	245.2	47.6	688.3	552.6
6/8/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	393.8	254.6	32.1	680.5	552.8
6/8/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	391.8	276.7	41.9	710.4	552.9
6/9/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	393.0	269.3	49.3	711.6	553.1
6/9/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	395.3	273.2	53.8	722.3	553.3
6/9/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	395.6	273.8	44.4	713.8	553.5
6/9/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	394.7	272.9	43	710.6	553.7
6/9/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	395.1	277.2	45.3	717.6	554.0
6/9/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	394.8	269	47.9	711.7	554.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
6/9/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	392.2	272.4	51.2	715.8	554.4
6/9/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	388.1	276.1	32.7	696.9	554.7
6/9/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	392.7	276.3	39	708.0	554.9
6/9/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	399.0	277.4	46.8	723.2	555.2
6/9/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	393.1	276.6	46.9	716.6	555.4
6/9/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	390.0	223.3	76.9	690.2	555.6
6/9/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	396.0	269.5	47.9	713.4	555.8
6/9/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	392.8	272.3	45.6	710.7	556.0
6/9/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	388.5	276.9	50.6	716.0	556.2
6/9/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	397.9	277.4	42.3	717.6	556.5
6/9/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	397.6	276.8	44.1	718.5	556.7
6/9/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	397.3	277.6	42.9	717.8	556.9
6/9/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	398.9	269.6	45.4	713.9	556.9
6/9/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	399.9	275.7	32.2	707.8	557.1
6/9/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	399.6	266.5	36.3	702.4	557.3
6/9/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	401.1	241.4	33.9	676.4	557.4
6/9/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	402.5	277.7	37.5	717.7	557.5
6/9/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	402.9	274.7	40.8	718.4	557.3
6/10/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	397.5	273	42.1	712.6	557.1
6/10/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	402.5	276.6	40.9	720.0	556.9
6/10/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	398.6	276.6	38.1	713.3	557.0
6/10/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	398.3	274.2	36.7	709.2	557.1
6/10/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	403.4	276.3	37.9	717.6	557.2
6/10/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	402.8	274.1	44.6	721.5	557.4
6/10/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	397.3	273.4	42.5	713.2	557.5
6/10/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	402.3	279.5	28.9	710.7	557.7
6/10/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	383.4	273	34.5	690.9	557.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
6/10/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	380.6	278.1	39	697.7	557.8
6/10/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	393.8	276.7	39	709.5	558.0
6/10/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	402.2	269.9	50.8	722.9	558.1
6/10/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	382.6	270.2	15.7	668.5	558.1
6/10/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	393.9	270.9	30.1	694.9	558.2
6/10/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	392.6	273.5	46.5	712.6	558.3
6/10/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	350.8	276.8	45.4	673.0	558.4
6/10/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	384.8	272.6	26.9	684.3	558.5
6/10/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	394.3	276.7	35.4	706.4	558.6
6/10/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	386.0	278.6	38.4	703.0	558.8
6/10/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	393.4	273.6	37.8	704.8	558.9
6/10/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	391.2	268.1	39.6	698.9	559.0
6/10/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	393.7	239.1	31.4	664.2	559.1
6/10/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	399.6	276.1	36.8	712.5	559.2
6/10/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	393.5	276	37.5	707.0	559.4
6/11/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	393.7	274.6	32.6	700.9	559.4
6/11/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	390.2	270.9	46	707.1	559.5
6/11/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	385.6	276	29.4	691.0	559.5
6/11/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	390.9	277.2	35	703.1	559.5
6/11/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	389.6	271.2	37.7	698.5	559.5
6/11/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	391.9	274.6	38.7	705.2	559.4
6/11/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	396.3	277.1	40.6	714.0	559.4
6/11/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	397.5	275.6	25.4	698.5	559.4
6/11/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	397.4	277.1	33.2	707.7	559.4
6/11/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	394.0	276.9	36.5	707.4	559.4
6/11/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	386.9	278.8	34.5	700.2	559.4
6/11/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	389.1	277.6	35.3	702.0	559.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
6/11/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	395.4	234.2	39.3	668.9	559.4
6/11/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	379.8	275.4	26.8	682.0	559.4
6/11/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	390.1	231.4	30.6	652.1	559.3
6/11/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	392.4	274.1	22.9	689.4	559.3
6/11/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	393.9	275.4	39.2	708.5	559.3
6/11/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	393.9	274.9	33.8	702.6	559.4
6/11/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	390.6	245.5	42.1	678.2	559.4
6/11/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	393.2	261.3	30.2	684.7	559.4
6/11/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	391.3	276.8	31	699.1	559.4
6/11/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	394.6	276.2	30.7	701.5	559.4
6/11/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	390.2	277	34.4	701.6	559.4
6/11/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	393.1	288.3	36.7	718.1	559.4
6/12/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	386.8	251.2	31.8	669.8	559.4
6/12/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	388.9	275.5	33.3	697.7	559.5
6/12/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	396.5	279.2	32.6	708.3	559.6
6/12/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	388.9	281.6	32	702.5	559.6
6/12/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	388.5	278	30.5	697.0	559.7
6/12/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	386.4	278.2	32.8	697.4	559.7
6/12/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	388.1	278.1	37.6	703.8	559.8
6/12/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	396.0	272.9	23.3	692.2	559.8
6/12/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	379.4	252.8	48.4	680.6	559.9
6/12/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	387.1	265.2	33.3	685.6	559.9
6/12/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	382.2	277.4	29.1	688.7	559.9
6/12/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	386.6	272.9	28.1	687.6	560.1
6/12/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	377.0	277.5	35.2	689.7	560.2
6/12/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	152.7	274.8	38.1	465.6	560.1
6/12/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	65.6	276.9	31.2	373.7	559.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
6/12/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	68.1	275.5	30.3	373.9	559.7
6/12/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	62.8	275.7	30.7	369.2	559.5
6/12/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	64.9	277.1	16.9	358.9	559.3
6/12/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	62.3	275	29.4	366.7	559.1
6/12/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	62.5	277.3	27	366.8	558.9
6/12/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	63.7	246.7	22.4	332.8	558.7
6/12/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	64.6	275.5	27.3	367.4	558.5
6/12/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	66.0	277	33.5	376.5	558.4
6/12/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	67.7	273.9	29	370.6	558.3
6/13/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	69.2	278.3	36.9	384.4	558.2
6/13/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	65.4	275.9	33.9	375.2	558.1
6/13/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	66.7	276.6	31	374.3	558.0
6/13/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	75.6	272.7	34.8	383.1	558.0
6/13/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	66.9	275.6	38	380.5	557.9
6/13/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	78.6	277.6	31.5	387.7	557.8
6/13/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	74.8	275.2	36.4	386.4	557.7
6/13/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	67.0	275.8	37.2	380.0	557.5
6/13/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	66.9	251.4	49.6	367.9	557.4
6/13/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	61.2	268.8	30.8	360.8	557.1
6/13/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	72.4	275	28	375.4	557.0
6/13/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	61.7	276.1	30.2	368.0	556.8
6/13/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	60.4	275.4	33.4	369.2	556.7
6/13/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	56.9	273.5	37.1	367.5	556.5
6/13/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	60.8	273.9	29.9	364.6	556.3
6/13/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	61.6	275.4	27.3	364.3	556.2
6/13/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	59.5	276.7	28.6	364.8	556.0
6/13/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	61.5	275.7	29.8	367.0	555.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
6/13/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	61.6	274.8	42.9	379.3	555.2
6/13/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	60.8	273.1	24.4	358.3	555.1
6/13/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	60.4	256.7	12.6	329.7	554.8
6/13/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	67.1	276.1	17.2	360.4	554.6
6/13/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	67.6	275.1	28.3	371.0	554.4
6/13/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	72.1	277.6	27.8	377.5	554.2
6/14/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	72.1	275.5	37.1	384.7	554.0
6/14/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	72.7	275.7	33.9	382.3	553.8
6/14/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	73.1	274.8	31.1	379.0	553.6
6/14/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	74.7	278.1	29.6	382.4	553.4
6/14/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	74.1	278.3	30.7	383.1	553.1
6/14/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	75.1	279.1	32.8	387.0	552.8
6/14/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	71.1	278.2	42.6	391.9	552.6
6/14/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	75.8	274.4	28.4	378.6	552.4
6/14/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	58.7	262.1	24	344.8	552.1
6/14/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	54.7	271.6	19.5	345.8	552.0
6/14/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	52.4	277.1	25.5	355.0	551.8
6/14/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	49.1	274.4	34.1	357.6	551.6
6/14/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	50.7	280.8	41.4	372.9	551.5
6/14/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	51.7	279.7	33.9	365.3	551.4
6/14/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	45.6	275.4	30.3	351.3	551.2
6/14/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	47.6	268.9	26	342.5	551.1
6/14/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	51.7	278	34.1	363.8	550.9
6/14/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	214.5	274.8	33.9	523.2	550.9
6/14/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	59.6	273.8	43.5	376.9	550.7
6/14/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	61.4	275.4	30.5	367.3	550.6
6/14/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	63.3	261.7	32.5	357.5	550.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
6/14/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	59.5	274.9	32.2	366.6	550.2
6/14/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	59.6	275.9	33.7	369.2	550.1
6/14/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	62.8	274.5	29.7	367.0	549.9
6/15/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	62.4	277.6	44.4	384.4	549.7
6/15/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	63.4	279.2	39.3	381.9	549.6
6/15/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	62.3	279.7	35	377.0	549.4
6/15/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	62.2	278.7	31.7	372.6	549.2
6/15/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	59.8	277.2	31.8	368.8	549.0
6/15/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	62.2	286.2	44.1	392.5	548.9
6/15/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	47.7	276.7	16.5	340.9	548.7
6/15/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	53.6	279.9	12.1	345.6	548.5
6/15/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	53.3	257.4	29.1	339.8	548.3
6/15/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	50.7	259.3	25.9	335.9	548.2
6/15/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	45.9	272	25.7	343.6	548.0
6/15/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	40.3	275.7	28.1	344.1	547.8
6/15/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	42.2	256.1	37.9	336.2	547.6
6/15/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	40.5	271.5	35	347.0	547.3
6/15/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	39.8	273.4	43.2	356.4	547.1
6/15/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	41.9	275.1	30.7	347.7	546.9
6/15/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	39.1	276.1	27.2	342.4	546.7
6/15/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	41.8	275.1	30	346.9	546.4
6/15/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	39.8	273.4	42.5	355.7	546.2
6/15/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	40.3	272.4	32	344.7	546.0
6/15/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	41.6	264.7	32.9	339.2	545.5
6/15/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	35.8	275	33.7	344.5	545.2
6/15/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	39.2	275.6	31.5	346.3	544.9
6/15/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	45.3	277.3	35.3	357.9	544.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
6/16/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	45.2	272.7	30.7	348.6	544.3
6/16/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	43.4	275	31.8	350.2	544.1
6/16/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	45.6	274.6	35.9	356.1	543.8
6/16/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	44.6	274.7	37.9	357.2	543.6
6/16/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	41.2	278.4	27.5	347.1	543.3
6/16/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	43.7	276.8	26.8	347.3	543.1
6/16/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	39.2	271.8	36.4	347.4	542.9
6/16/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	40.1	274.4	27.2	341.7	542.7
6/16/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	35.5	276.1	30.3	341.9	542.5
6/16/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	33.8	276.3	33.1	343.2	542.3
6/16/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	47.2	275.4	32.6	355.2	542.1
6/16/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	48.1	257.7	30.6	336.4	541.9
6/16/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	43.0	278	30.1	351.1	541.7
6/16/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	45.3	276.8	39.4	361.5	541.5
6/16/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	47.4	278.8	32	358.2	541.4
6/16/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	28.3	279.5	39.5	347.3	541.2
6/16/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	39.5	278.4	28.1	346.0	540.7
6/16/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	37.0	275.4	35.7	348.1	540.5
6/16/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	35.8	275.7	30	341.5	540.4
6/16/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	36.0	278.1	28	342.1	540.2
6/16/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	34.4	274.1	29.6	338.1	540.0
6/16/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	34.3	250.2	19.8	304.3	539.7
6/16/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	37.0	276.4	29.1	342.5	539.4
6/16/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	36.4	280.8	29.5	346.7	539.1
6/17/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	37.3	269.8	37	344.1	538.7
6/17/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	37.8	279.6	33.6	351.0	538.3
6/17/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	35.3	278.9	39.3	353.5	537.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
6/17/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	36.9	279.4	25.3	341.6	537.1
6/17/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	38.0	279	33.6	350.6	536.6
6/17/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	38.0	278.2	33.9	350.1	536.0
6/17/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	39.8	278.9	45.4	364.1	535.6
6/17/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	37.4	279.7	32.4	349.5	535.1
6/17/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	38.2	280	23.1	341.3	534.6
6/17/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	37.5	281.6	38.3	357.4	534.1
6/17/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	41.7	278.1	38.3	358.1	533.6
6/17/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	44.1	263	42.5	349.6	533.0
6/17/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	59.6	258.9	30.2	348.7	532.5
6/17/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	65.3	278.6	38.1	382.0	532.0
6/17/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	70.6	280.2	37.3	388.1	531.6
6/17/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	79.1	278.4	30.7	388.2	531.1
6/17/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	119.0	282.5	46.2	447.7	530.7
6/17/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	309.1	277.9	31.9	618.9	530.5
6/17/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	226.1	281.6	36.8	544.5	530.3
6/17/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	68.4	277.7	26	372.1	529.8
6/17/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	54.2	257.1	27	338.3	529.2
6/17/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	50.6	277.3	35.5	363.4	528.7
6/17/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	56.5	276.8	34.9	368.2	528.1
6/17/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	65.2	273.8	37.9	376.9	527.3
6/18/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	68.0	285.2	34.3	387.5	526.8
6/18/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	75.3	279	38.9	393.2	526.2
6/18/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	91.4	279.3	38.2	408.9	525.7
6/18/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	72.9	280	42.7	395.6	525.2
6/18/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	62.6	280.1	28.9	371.6	524.6
6/18/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	67.6	272.3	35.1	375.0	524.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
6/18/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	59.1	281.3	43.1	383.5	523.1
6/18/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	50.1	279.3	35	364.4	522.2
6/18/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	43.8	279.2	36.3	359.3	521.1
6/18/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	51.5	279.5	41	372.0	520.5
6/18/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	44.5	280.2	42.1	366.8	520.0
6/18/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	42.5	285.5	55.1	383.1	519.4
6/18/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	37.8	279.6	53.1	370.5	518.9
6/18/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	44.8	284.6	29.4	358.8	518.2
6/18/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	44.2	278	41.8	364.0	517.7
6/18/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	44.3	280	39	363.3	517.2
6/18/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	44.7	278.4	38.6	361.7	516.6
6/18/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	43.8	279.8	46.4	370.0	516.1
6/18/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	48.0	280.5	40.1	368.6	515.6
6/18/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	48.3	270.9	32.1	351.3	515.1
6/18/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	50.7	269.6	40	360.3	514.6
6/18/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	54.3	278.5	38.3	371.1	514.1
6/18/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	55.2	279.3	36.4	370.9	513.6
6/18/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	177.9	280.5	52.6	511.0	513.3
6/19/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	107.5	280.3	43.1	430.9	512.9
6/19/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	62.4	279.2	35.5	377.1	512.4
6/19/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	63.5	279	42	384.5	511.9
6/19/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	62.6	279.9	50.3	392.8	511.4
6/19/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	62.3	278.9	37.5	378.7	510.9
6/19/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	63.1	280.7	30.2	374.0	510.1
6/19/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	63.9	273.6	43.5	381.0	509.6
6/19/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	68.0	280.6	35.5	384.1	509.1
6/19/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	64.5	280.1	38.6	383.2	508.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
6/19/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	57.7	278.7	36.8	373.2	508.0
6/19/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	55.0	281.5	39.2	375.7	507.5
6/19/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	50.5	294.2	34.7	379.4	506.9
6/19/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	53.9	284.8	3.1	341.8	506.3
6/19/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	58.1	276.1	22.6	356.8	505.6
6/19/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	58.7	280.6	39.6	378.9	505.1
6/19/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	59.6	280.9	47.8	388.3	504.6
6/19/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	58.0	278.7	49.7	386.4	504.1
6/19/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	57.0	280.9	40.9	378.8	503.6
6/19/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	52.1	279.1	50.7	381.9	503.1
6/19/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	49.1	229.6	30.9	309.6	502.6
6/19/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	44.8	240.1	37.3	322.2	502.1
6/19/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	43.8	279.2	48.8	371.8	501.6
6/19/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	44.5	279.4	45.3	369.2	501.1
6/19/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	46.7	278.1	50.6	375.4	500.6
6/20/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	44.4	281.3	40.1	365.8	500.1
6/20/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	46.5	279.1	45.6	371.2	499.5
6/20/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	53.3	279.6	47.4	380.3	499.0
6/20/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	59.5	278.9	37.9	376.3	498.5
6/20/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	49.1	279.5	44	372.6	497.8
6/20/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	49.5	279.6	55	384.1	497.2
6/20/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	48.4	280	43.8	372.2	496.6
6/20/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	51.0	279.7	37.1	367.8	496.0
6/20/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	54.4	324.7	58.7	437.8	495.5
6/20/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	57.4	279.4	44.5	381.3	494.9
6/20/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	61.5	275.3	42	378.8	494.6
6/20/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	65.3	275.8	44.7	385.8	494.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
6/20/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	58.4	280.5	47.1	386.0	494.2
6/20/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	63.9	279.3	40.8	384.0	494.0
6/20/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	163.6	279.3	46.1	489.0	494.0
6/20/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	87.9	279.7	37.1	404.7	493.9
6/20/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	306.2	278.7	42.4	627.3	494.0
6/20/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	142.2	278.9	41.6	462.7	494.0
6/20/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	93.4	279.9	43.5	416.8	493.9
6/20/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	93.0	278.4	39.9	411.3	493.8
6/20/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	92.8	268.3	39.4	400.5	493.7
6/20/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	94.0	275.4	40.6	410.0	493.6
6/20/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	91.3	277.2	40.6	409.1	493.5
6/20/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	93.8	274	46.2	414.0	493.4
6/21/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	93.6	277.2	44.7	415.5	493.3
6/21/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	92.1	277	37.9	407.0	493.2
6/21/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	93.9	278	41.3	413.2	493.1
6/21/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	92.4	279.6	38.1	410.1	493.0
6/21/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	91.1	280	41.9	413.0	492.9
6/21/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	90.6	278.5	33.3	402.4	492.5
6/21/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	89.4	278	43.4	410.8	492.4
6/21/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	78.8	280	34.8	393.6	492.2
6/21/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	52.4	264.1	50	366.5	492.0
6/21/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	44.5	306.6	48.5	399.6	492.0
6/21/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	42.4	278.1	42.8	363.3	491.8
6/21/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	42.4	274.5	44.5	361.4	491.7
6/21/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	41.1	277.1	34.3	352.5	491.6
6/21/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	44.6	280.7	49.3	374.6	491.5
6/21/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	43.9	279.8	33.4	357.1	491.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
6/21/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	45.5	279.6	49.5	374.6	491.3
6/21/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	47.4	279.4	44.9	371.7	491.1
6/21/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	44.9	280.8	37.8	363.5	490.8
6/21/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	47.2	277.2	45.5	369.9	490.5
6/21/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	50.0	281	41.9	372.9	490.2
6/21/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	51.8	279.5	44.1	375.4	490.0
6/21/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	48.9	279.3	43.9	372.1	489.8
6/21/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	49.2	280.3	43.3	372.8	489.5
6/21/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	54.3	282.4	41.7	378.4	489.3
6/22/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	52.7	276.2	47.7	376.6	489.1
6/22/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	51.4	278.6	41.7	371.7	488.8
6/22/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	58.3	279.7	43.8	381.8	488.6
6/22/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	77.7	279.6	46.4	403.7	488.4
6/22/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	80.8	279.9	38.8	399.5	488.2
6/22/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	81.9	275.4	45.2	402.5	488.0
6/22/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	94.6	279.1	47.7	421.4	487.9
6/22/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	127.7	279.4	35.7	442.8	487.8
6/22/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	222.9	305.5	57.2	585.6	487.9
6/22/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	99.3	279.2	32.2	410.7	487.8
6/22/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	85.0	274.6	51.1	410.7	487.6
6/22/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	74.7	278.8	31.9	385.4	487.4
6/22/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	72.4	279.3	51.9	403.6	487.3
6/22/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	78.7	279.4	50.1	408.2	487.2
6/22/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	79.0	279.9	38.5	397.4	487.1
6/22/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	68.6	279.9	43.4	391.9	486.9
6/22/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	73.0	280.2	48.4	401.6	486.8
6/22/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	70.2	279.1	41.3	390.6	486.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
6/22/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	69.8	278.4	48.1	396.3	486.5
6/22/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	79.2	280	40.6	399.8	486.3
6/22/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	246.4	269.6	41.5	557.5	486.4
6/22/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	79.1	279.3	43	401.4	486.3
6/22/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	77.2	279.2	45.4	401.8	486.1
6/22/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	81.1	279.5	38.9	399.5	485.9
6/23/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	78.8	279.4	46.6	404.8	485.5
6/23/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	74.7	279.6	41.6	395.9	485.4
6/23/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	75.7	278.6	40.1	394.4	485.2
6/23/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	80.0	279.7	40.7	400.4	484.9
6/23/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	76.7	279.3	45.1	401.1	484.3
6/23/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	113.1	278.2	27.8	419.1	483.8
6/23/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	146.5	278.6	39.6	464.7	483.4
6/23/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	80.6	281	44.1	405.7	482.9
6/23/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	74.7	275	45.8	395.5	482.4
6/23/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	74.2	316.8	82.3	473.3	482.0
6/23/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	73.1	279.3	35.7	388.1	481.5
6/23/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	74.5	279.2	43	396.7	480.9
6/23/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	71.3	280.2	53.2	404.7	480.4
6/23/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	74.0	281.5	49	404.5	479.9
6/23/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	72.5	278.3	44.6	395.4	479.5
6/23/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	72.6	280.5	44.3	397.4	479.4
6/23/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	71.1	278.5	48	397.6	479.3
6/23/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	72.5	279.3	42.7	394.5	479.2
6/23/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	71.4	278.7	46.9	397.0	479.1
6/23/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	67.7	282.7	39.9	390.3	479.0
6/23/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	70.7	271.8	48	390.5	478.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
6/23/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	70.9	279.8	47.9	398.6	478.8
6/23/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	68.1	277.9	43.2	389.2	478.7
6/23/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	69.0	281.4	53.8	404.2	478.6
6/24/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	66.1	281.2	44.6	391.9	478.6
6/24/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	70.6	280.1	48.4	399.1	478.5
6/24/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	66.7	278.8	45.9	391.4	478.4
6/24/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	63.0	279.7	45	387.7	478.3
6/24/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	65.2	276.8	48.7	390.7	478.2
6/24/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	64.0	279.2	30.8	374.0	478.1
6/24/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	50.3	280	42.7	373.0	478.0
6/24/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	38.5	279.5	35.1	353.1	477.8
6/24/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	50.3	279.7	43.4	373.4	477.4
6/24/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	66.5	279.9	42.1	388.5	477.3
6/24/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	60.9	278.4	46.4	385.7	477.1
6/24/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	68.3	281.8	51.8	401.9	476.8
6/24/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	72.7	286.2	40.2	399.1	476.7
6/24/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	76.3	280.5	45.9	402.7	476.4
6/24/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	72.5	278.8	35.1	386.4	475.8
6/24/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	72.1	279	50	401.1	475.2
6/24/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	76.7	279.9	46.6	403.2	474.6
6/24/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	84.8	278.4	39.5	402.7	474.4
6/24/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	90.1	277.4	43.7	411.2	474.2
6/24/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	91.1	275.8	51.5	418.4	474.1
6/24/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	98.1	270.3	32	400.4	473.9
6/24/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	98.9	278.1	43.5	420.5	473.8
6/24/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	101.0	278.5	41.9	421.4	473.7
6/24/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	104.3	279.7	41.8	425.8	473.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
6/25/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	108.2	280.4	48.3	436.9	473.5
6/25/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	107.9	278.1	43.5	429.5	473.4
6/25/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	110.6	279.9	43.7	434.2	473.3
6/25/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	113.9	278.9	42.4	435.2	473.3
6/25/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	116.1	279.2	43.9	439.2	473.2
6/25/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	114.3	276.2	56.9	447.4	473.2
6/25/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	86.3	279.5	39.8	405.6	473.1
6/25/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	82.7	279.2	43.6	405.5	473.0
6/25/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	81.9	278.5	46.3	406.7	472.9
6/25/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	80.8	282	42.6	405.4	472.8
6/25/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	80.6	280.4	43.4	404.4	472.7
6/25/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	242.8	234.7	75.1	552.6	472.7
6/25/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	91.9	275.3	41.4	408.6	472.6
6/25/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	90.3	274.8	42.1	407.2	472.5
6/25/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	89.0	276.6	42.6	408.2	472.3
6/25/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	90.3	273.6	44.6	408.5	472.2
6/25/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	89.3	275.4	46.3	411.0	472.1
6/25/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	90.3	272.6	45.1	408.0	472.0
6/25/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	91.5	272.6	43.3	407.4	471.9
6/25/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	94.1	239.1	40.6	373.8	471.5
6/25/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	95.0	277.5	45.5	418.0	471.3
6/25/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	101.4	278.8	42.6	422.8	471.2
6/25/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	96.7	278.7	50.6	426.0	471.1
6/25/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	97.6	279.4	42.1	419.1	470.9
6/26/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	97.2	279.5	44.1	420.8	470.8
6/26/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	96.6	279.7	40.6	416.9	470.7
6/26/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	101.5	279.3	42.2	423.0	470.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
6/26/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	101.0	278.5	44.3	423.8	470.5
6/26/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	107.9	278.9	35	421.8	470.4
6/26/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	122.4	280.1	37.1	439.6	470.3
6/26/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	240.2	278.9	41.4	560.5	470.4
6/26/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	130.1	279.5	36.8	446.4	470.3
6/26/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	92.8	279.3	38.4	410.5	470.2
6/26/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	83.8	279	43.1	405.9	470.0
6/26/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	85.2	279.4	33.7	398.3	469.9
6/26/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	89.3	279.5	41.8	410.6	469.8
6/26/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	78.4	291.8	56.6	426.8	469.7
6/26/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	79.6	260.2	15.9	355.7	469.5
6/26/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	88.2	277.9	40.9	407.0	469.3
6/26/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	87.8	278.2	35.8	401.8	469.2
6/26/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	86.8	279.2	39.4	405.4	469.1
6/26/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	87.8	281	30.4	399.2	468.9
6/26/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	88.6	250.2	28.9	367.7	468.5
6/26/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	89.0	278.1	20.8	387.9	468.3
6/26/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	88.3	279.4	27.5	395.2	468.2
6/26/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	90.1	278.8	30.8	399.7	468.0
6/26/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	175.6	279.9	34.8	490.3	468.0
6/26/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	364.8	279.3	29.3	673.4	468.2
6/27/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	370.2	279.4	29.4	679.0	468.4
6/27/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	182.0	277.8	31.1	490.9	468.4
6/27/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	110.2	278.7	30.1	419.0	468.3
6/27/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	276.3	278.9	25.3	580.5	468.5
6/27/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	103.4	279.6	29.5	412.5	468.4
6/27/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	89.8	273.9	39.2	402.9	468.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
6/27/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	81.8	285.9	29.4	397.1	468.1
6/27/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	84.4	279.5	27.7	391.6	468.1
6/27/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	80.6	279.3	29.8	389.7	468.0
6/27/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	80.9	278.8	37.7	397.4	467.9
6/27/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	78.5	279.4	33.4	391.3	467.8
6/27/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	69.7	281.4	39.1	390.2	467.7
6/27/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	70.2	234.4	11.5	316.1	467.5
6/27/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	70.9	278.1	34.5	383.5	467.4
6/27/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	67.0	279	34.9	380.9	467.3
6/27/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	67.0	279.3	32.5	378.8	467.2
6/27/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	67.3	276.1	30.1	373.5	467.0
6/27/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	65.8	284.9	34.3	385.0	466.9
6/27/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	64.7	262.2	33.7	360.6	466.8
6/27/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	61.6	278.6	27.3	367.5	466.6
6/27/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	62.7	279.4	22	364.1	466.5
6/27/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	59.4	279.5	36.6	375.5	466.4
6/27/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	61.6	278.4	41.1	381.1	466.3
6/27/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	61.5	277	42.5	381.0	466.2
6/28/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	60.8	281	41.5	383.3	466.1
6/28/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	63.9	277.9	39.2	381.0	466.0
6/28/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	62.6	278.2	42.4	383.2	465.9
6/28/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	61.8	275.7	32.6	370.1	465.7
6/28/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	62.0	274.6	38.4	375.0	465.6
6/28/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	64.0	275.8	78.1	417.9	465.5
6/28/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	70.7	274.4	45.3	390.4	465.4
6/28/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	64.7	276.1	33.6	374.4	465.3
6/28/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	67.2	261.8	100.2	429.2	465.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
6/28/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	70.6	261	40	371.6	465.1
6/28/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	70.0	276.7	43.1	389.8	465.0
6/28/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	75.4	276.2	33.2	384.8	464.9
6/28/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	73.0	276.9	42.2	392.1	464.8
6/28/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	74.1	278.2	41.3	393.6	464.7
6/28/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	72.0	273.5	36.7	382.2	464.6
6/28/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	74.7	274.2	37.9	386.8	464.4
6/28/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	87.8	276	43.3	407.1	464.3
6/28/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	91.8	278.7	33.3	403.8	464.2
6/28/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	92.7	274.4	41.7	408.8	464.1
6/28/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	87.2	276.5	35.4	399.1	464.0
6/28/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	87.7	275.4	38.8	401.9	463.9
6/28/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	85.3	275.4	39.8	400.5	463.8
6/28/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	99.5	273.9	42.8	416.2	463.8
6/28/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	153.1	275	36.4	464.5	463.7
6/29/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	215.0	250	64.4	529.4	463.8
6/29/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	302.2	273.3	42.2	617.7	464.0
6/29/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	255.1	275.1	31.7	561.9	464.1
6/29/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	93.0	273.7	37	403.7	464.1
6/29/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	95.6	276	44.8	416.4	464.1
6/29/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	82.1	277.3	25	384.4	463.9
6/29/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	79.0	275.7	36.1	390.8	463.7
6/29/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	62.7	279.9	32.3	374.9	463.7
6/29/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	72.2	284.5	65.6	422.3	463.7
6/29/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	70.9	258	40.5	369.4	463.7
6/29/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	72.1	272.1	36.3	380.5	463.7
6/29/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	76.6	273.1	35.3	385.0	463.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
6/29/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	77.2	277.3	41.3	395.8	463.6
6/29/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	99.5	278.1	36.6	414.2	463.6
6/29/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	122.3	277	35.1	434.4	463.7
6/29/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	133.3	278.4	36.4	448.1	463.7
6/29/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	134.3	279.3	34.6	448.2	463.8
6/29/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	94.9	279.8	36.4	411.1	463.9
6/29/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	85.7	278.2	34.5	398.4	463.9
6/29/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	93.4	279	29.7	402.1	463.9
6/29/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	101.9	279.3	34.8	416.0	463.9
6/29/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	97.3	280.2	33.1	410.6	464.0
6/29/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	89.7	278.2	33.4	401.3	464.0
6/29/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	101.7	282.2	11.9	395.8	464.0
6/30/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	89.6	279.1	7.5	376.2	464.0
6/30/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	114.8	274.8	32.2	421.8	464.0
6/30/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	104.4	267	25.2	396.6	464.1
6/30/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	89.0	268.6	27.6	385.2	464.1
6/30/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	99.9	271.7	29.5	401.1	464.1
6/30/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	96.3	283.4	41.6	421.3	464.1
6/30/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	93.5	285.7	30.3	409.5	464.2
6/30/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	116.0	278.8	28.6	423.4	464.2
6/30/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	126.8	294.6	53.7	475.1	464.4
6/30/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	124.6	267.6	33.7	425.9	464.4
6/30/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	132.6	276.3	28.4	437.3	464.5
6/30/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	135.7	277.2	31.3	444.2	464.5
6/30/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	139.4	274.9	34.1	448.4	464.6
6/30/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	147.4	277.5	33.6	458.5	464.7
6/30/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	143.2	279.6	36	458.8	464.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
6/30/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	142.0	278.8	29	449.8	464.9
6/30/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	218.3	279.4	36.3	534.0	465.1
6/30/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	342.1	286.5	45.1	673.7	465.5
6/30/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	99.9	282.7	64	446.6	465.6
6/30/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	96.1	278	40	414.1	465.6
6/30/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	116.7	276.9	32.5	426.1	465.7
6/30/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	137.0	278.8	41.6	457.4	465.8
6/30/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	165.1	280.3	40.4	485.8	465.9
6/30/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	103.1	247.3	44.5	394.9	465.7
7/1/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	112.4	285.3	37.1	434.8	465.3
7/1/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	89.5	273.3	41.8	404.6	464.9
7/1/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	93.4	278.2	41.8	413.4	464.5
7/1/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	110.8	277.4	44.8	433.0	464.1
7/1/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	124.7	275.7	35	435.4	463.8
7/1/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	151.6	273.2	35.3	460.1	463.5
7/1/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	119.3	277.5	43.9	440.7	463.2
7/1/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	155.0	276.9	38.1	470.0	463.0
7/1/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	375.1	316.7	41.7	733.5	463.1
7/1/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	383.9	316.7	37	737.6	463.7
7/1/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	401.3	287.8	32.7	721.8	464.2
7/1/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	396.1	332.2	77.9	806.2	464.8
7/1/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	414.6	338.7	52	805.3	465.5
7/1/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	377.9	383.6	34.5	796.0	466.2
7/1/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	381.5	396	42.5	820.0	466.8
7/1/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	382.1	392.1	34.3	808.5	467.5
7/1/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	385.5	294.5	41	721.0	468.1
7/1/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	384.3	278.5	27.6	690.4	468.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/1/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	386.3	278.6	37	701.9	469.0
7/1/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	390.4	277.8	34.7	702.9	469.5
7/1/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	365.8	279.5	37.3	682.6	470.0
7/1/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	78.9	279	38.5	396.4	470.1
7/1/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	92.4	278.4	40.3	411.1	470.2
7/1/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	99.6	286.8	38.2	424.6	470.3
7/2/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	97.0	284	43.6	424.6	470.4
7/2/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	98.5	279	35.4	412.9	470.5
7/2/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	105.2	279.5	48.2	432.9	470.7
7/2/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	104.3	282.8	34.1	421.2	470.8
7/2/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	101.7	331.7	38	471.4	471.0
7/2/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	101.8	286	51.2	439.0	471.1
7/2/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	83.7	281.5	39.8	405.0	471.3
7/2/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	70.9	275.8	30.6	377.3	471.3
7/2/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	88.0	279.2	36	403.2	471.4
7/2/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	76.3	278	39	393.3	471.5
7/2/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	70.5	280.3	43.1	393.9	471.6
7/2/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	63.5	297.6	35	396.1	471.6
7/2/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	164.3	283.6	10.4	458.3	471.8
7/2/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	179.9	279.7	39.3	498.9	472.0
7/2/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	215.4	278.6	35.8	529.8	472.3
7/2/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	131.2	279	37.9	448.1	472.4
7/2/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	131.9	279.3	32.9	444.1	472.5
7/2/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	122.1	308	39.7	469.8	472.6
7/2/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	127.4	269.2	23.6	420.2	472.7
7/2/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	115.6	279.7	23.4	418.7	472.8
7/2/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	90.9	279.4	38	408.3	472.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/2/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	81.0	277.9	35.6	394.5	472.5
7/2/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	86.8	279.4	37.1	403.3	472.3
7/2/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	85.3	315.7	41.4	442.4	472.4
7/3/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	73.7	265.4	33.4	372.5	472.3
7/3/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	73.1	278.8	35.4	387.3	472.3
7/3/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	70.0	280.1	37.6	387.7	472.3
7/3/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	70.5	278.9	27.5	376.9	472.3
7/3/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	65.7	278.6	31.7	376.0	472.3
7/3/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	67.6	332	59.6	459.2	472.4
7/3/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	67.2	279.7	35.3	382.2	472.4
7/3/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	67.8	280.7	29.1	377.6	472.4
7/3/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	79.5	282.1	34.6	396.2	472.5
7/3/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	70.5	275.2	33.9	379.6	472.5
7/3/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	65.4	278.4	32.2	376.0	472.5
7/3/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	62.8	288.9	23.4	375.1	472.5
7/3/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	144.2	282.7	5.2	432.1	472.6
7/3/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	264.7	279.5	36.9	581.1	472.9
7/3/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	300.5	279.3	40.7	620.5	473.2
7/3/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	360.2	278.7	27.5	666.4	473.5
7/3/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	366.4	298.3	38.8	703.5	474.0
7/3/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	369.2	259.6	40.5	669.3	474.4
7/3/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	372.8	275.6	36.7	685.1	474.7
7/3/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	373.7	266.5	27.2	667.4	474.9
7/3/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	183.3	230.4	21.1	434.8	475.0
7/3/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	78.9	243.4	39.8	362.1	475.0
7/3/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	74.0	249.8	36	359.8	474.9
7/3/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	70.5	281	38.8	390.3	474.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/4/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	69.5	281.3	41.3	392.1	475.0
7/4/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	71.7	279.3	43.2	394.2	475.0
7/4/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	68.7	279.9	33	381.6	475.0
7/4/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	66.7	279.2	37.4	383.3	475.0
7/4/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	68.9	278.4	45.3	392.6	475.1
7/4/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	71.6	314.6	28.7	414.9	475.1
7/4/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	61.6	414.9	41.6	518.1	475.4
7/4/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	62.9	276.6	37.4	376.9	475.4
7/4/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	59.1	278.1	31.4	368.6	475.4
7/4/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	59.4	280.1	41.7	381.2	475.4
7/4/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	134.8	279.7	45.1	459.6	475.6
7/4/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	195.0	287.5	46.3	528.8	475.8
7/4/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	341.8	289.2	29.7	660.7	476.2
7/4/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	193.2	278.6	31.6	503.4	476.4
7/4/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	68.4	279.2	38.2	385.8	476.5
7/4/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	69.8	278.7	39	387.5	476.5
7/4/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	69.1	278.6	43.1	390.8	476.5
7/4/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	73.3	278.7	38.8	390.8	476.6
7/4/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	75.1	288.2	44.6	407.9	476.6
7/4/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	71.0	276.1	36.1	383.2	476.7
7/4/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	78.7	279.8	41.1	399.6	476.8
7/4/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	81.1	280.3	43.9	405.3	476.8
7/4/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	84.1	318.9	34.3	437.3	476.9
7/4/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	91.2	271.4	49.8	412.4	476.9
7/5/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	85.2	277.8	44.4	407.4	477.0
7/5/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	89.6	279.7	37.2	406.5	477.1
7/5/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	94.2	268.5	38.8	401.5	477.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/5/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	96.2	281.2	42.8	420.2	477.2
7/5/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	111.0	287.2	48.3	446.5	477.2
7/5/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	107.5	298.6	35.1	441.2	477.3
7/5/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	115.2	275.9	33.7	424.8	477.4
7/5/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	114.3	277.3	35.2	426.8	477.4
7/5/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	166.2	279.7	39.5	485.4	477.6
7/5/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	95.5	279.3	40.4	415.2	477.6
7/5/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	87.6	278.9	38.9	405.4	477.7
7/5/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	90.8	272.5	58	421.3	477.7
7/5/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	73.2	268.3	33.2	374.7	477.7
7/5/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	73.9	272.7	37.4	384.0	477.6
7/5/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	72.5	274.3	38.2	385.0	477.6
7/5/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	73.0	279.7	47.4	400.1	477.6
7/5/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	50.8	270.7	33.1	354.6	477.6
7/5/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	66.7	273.3	38.1	378.1	477.5
7/5/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	84.1	275.4	43	402.5	477.6
7/5/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	94.8	251.4	42.7	388.9	477.2
7/5/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	96.1	277.3	39.5	412.9	476.7
7/5/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	108.8	250	47.3	406.1	476.3
7/5/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	119.4	241.5	43.9	404.8	476.0
7/5/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	120.6	273.5	38.4	432.5	475.7
7/6/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	118.8	298.2	39.1	456.1	475.4
7/6/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	121.0	298.3	36.6	455.9	475.2
7/6/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	130.5	301.4	45.6	477.5	474.9
7/6/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	102.3	297.6	36.1	436.0	474.6
7/6/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	104.0	275.8	40.6	420.4	474.3
7/6/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	285.4	265.7	43	594.1	474.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/6/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	121.7	263.6	51.8	437.1	473.8
7/6/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	129.7	255	49.7	434.4	473.5
7/6/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	124.6	267.6	50.3	442.5	473.2
7/6/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	150.9	254	41.2	446.1	472.9
7/6/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	182.1	256.4	51.4	489.9	472.7
7/6/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	182.0	244.9	33	459.9	472.4
7/6/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	138.9	255.5	54.7	449.1	472.1
7/6/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	128.0	257.7	42	427.7	471.7
7/6/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	114.9	256.9	47.7	419.5	471.4
7/6/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	133.7	256.5	43.2	433.4	471.0
7/6/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	112.4	258.7	39.9	411.0	470.7
7/6/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	127.4	232.7	45	405.1	470.3
7/6/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	119.5	210.4	42.4	372.3	469.9
7/6/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	122.7	257.9	40.6	421.2	469.6
7/6/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	156.8	259	46.3	462.1	469.3
7/6/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	133.9	258.8	47.6	440.3	469.0
7/6/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	120.7	251.7	41.1	413.5	468.7
7/6/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	250.3	258.9	41.1	550.3	468.5
7/7/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	416.9	253.3	59.5	729.7	468.6
7/7/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	432.2	257.8	68	758.0	468.5
7/7/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	438.2	262.4	63.6	764.2	468.2
7/7/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	437.5	257.5	44.2	739.2	468.0
7/7/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	442.0	268	91.6	801.6	467.8
7/7/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	452.4	257.6	86	796.0	467.5
7/7/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	148.4	253.5	105	506.9	467.1
7/7/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	136.4	254.3	61.6	452.3	466.7
7/7/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	162.9	253.7	78.7	495.3	466.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/7/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	431.5	255	65.2	751.7	466.4
7/7/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	455.8	248.8	64.2	768.8	466.5
7/7/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	301.6	250.6	68.6	620.8	466.4
7/7/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	152.3	255.8	53.1	461.2	466.0
7/7/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	155.2	258.1	59.9	473.2	465.6
7/7/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	160.5	255.5	68.5	484.5	465.3
7/7/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	133.2	237.1	53.5	423.8	464.9
7/7/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	138.4	249.8	62.1	450.3	464.5
7/7/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	160.0	255.5	53.8	469.3	464.2
7/7/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	154.5	239.7	40.9	435.1	463.7
7/7/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	139.2	256.7	45.7	441.6	463.4
7/7/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	146.1	248.9	51.5	446.5	463.0
7/7/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	156.5	232.3	53.4	442.2	462.5
7/7/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	181.1	245.7	65.1	491.9	462.1
7/7/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	192.5	256.4	57.1	506.0	461.8
7/8/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	183.4	256.6	54.4	494.4	461.4
7/8/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	157.3	256.9	47.6	461.8	460.9
7/8/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	232.5	260	49.7	542.2	460.6
7/8/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	193.6	257.3	48.2	499.1	460.2
7/8/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	201.6	292.8	102.4	596.8	459.9
7/8/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	208.2	224.7	68.2	501.1	459.5
7/8/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	185.8	249.2	66.9	501.9	459.1
7/8/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	192.8	257.7	78.4	528.9	458.7
7/8/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	173.1	258.7	69	500.8	458.4
7/8/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	167.8	253.6	60.1	481.5	458.1
7/8/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	173.1	257.9	64.6	495.6	457.8
7/8/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	184.9	249.6	68.2	502.7	457.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/8/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	192.4	249.1	65.7	507.2	457.3
7/8/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	155.9	258.5	71.4	485.8	456.9
7/8/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	139.2	249.7	67.2	456.1	456.6
7/8/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	122.3	253.4	62.4	438.1	456.2
7/8/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	127.6	254.2	80.4	462.2	455.8
7/8/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	123.5	252	64	439.5	455.4
7/8/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	121.3	266.6	33.4	421.3	455.0
7/8/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	120.1	260.2	40	420.3	454.6
7/8/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	325.4	260.3	42.5	628.2	454.5
7/8/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	124.7	257.5	47.5	429.7	454.2
7/8/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	139.5	260.5	52.8	452.8	453.9
7/8/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	143.9	243.2	41.6	428.7	453.5
7/9/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	129.2	188.5	47.6	365.3	453.0
7/9/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	132.5	198.2	43.2	373.9	452.5
7/9/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	124.4	245.8	58.8	429.0	452.1
7/9/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	124.8	253.1	49.8	427.7	451.7
7/9/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	135.7	309.3	85.6	530.6	451.4
7/9/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	123.3	240.9	54.4	418.6	451.0
7/9/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	124.6	275.8	64.5	464.9	450.7
7/9/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	159.2	279.2	68.6	507.0	450.4
7/9/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	131.5	273.5	57.8	462.8	450.1
7/9/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	129.9	277.1	66.7	473.7	449.7
7/9/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	104.6	278	94.3	476.9	449.4
7/9/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	118.2	275.7	62.6	456.5	449.1
7/9/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	128.3	279.2	56.9	464.4	448.7
7/9/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	138.1	278.7	62.2	479.0	448.4
7/9/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	100.3	279.1	55.5	434.9	448.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/9/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	98.5	279.4	66	443.9	447.6
7/9/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	94.6	277	63.5	435.1	447.3
7/9/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	89.7	279.3	67.8	436.8	446.9
7/9/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	85.6	278.7	52.7	417.0	446.4
7/9/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	94.2	271.8	59.2	425.2	446.1
7/9/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	93.5	260.7	49.9	404.1	445.6
7/9/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	96.2	263.1	56.8	416.1	445.3
7/9/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	110.6	278.9	68.5	458.0	444.9
7/9/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	117.9	282.8	82	482.7	444.6
7/10/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	122.7	279	85.2	486.9	444.3
7/10/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	127.2	278.2	68.2	473.6	443.9
7/10/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	132.1	279.4	69.9	481.4	443.6
7/10/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	131.4	280	69.5	480.9	443.3
7/10/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	139.3	274.2	63.1	476.6	443.0
7/10/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	171.5	276.1	56.8	504.4	442.7
7/10/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	142.5	277.9	73.6	494.0	442.4
7/10/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	164.3	279.5	53.1	496.9	442.1
7/10/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	161.7	278.6	48.8	489.1	441.8
7/10/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	138.1	277	60.7	475.8	441.5
7/10/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	131.9	275.2	47	454.1	441.1
7/10/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	122.1	257.1	73.3	452.5	440.7
7/10/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	114.3	267.7	44.5	426.5	440.4
7/10/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	142.9	273.5	50.3	466.7	440.1
7/10/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	169.7	274.7	39.4	483.8	439.8
7/10/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	351.8	276.8	48	676.6	439.8
7/10/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	136.7	276.5	49.8	463.0	439.5
7/10/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	171.3	277	50.7	499.0	439.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/10/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	160.7	274.1	50.6	485.4	438.9
7/10/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	120.9	275.8	36.7	433.4	438.5
7/10/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	126.0	268.5	39.9	434.4	438.1
7/10/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	126.5	274.9	39.6	441.0	437.8
7/10/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	118.4	275.5	46.1	440.0	437.4
7/10/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	131.0	273.4	39.7	444.1	437.1
7/11/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	138.5	277.6	39.1	455.2	436.7
7/11/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	147.5	273.6	51.4	472.5	436.4
7/11/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	146.8	246.1	45.2	438.1	436.1
7/11/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	143.5	264.5	32.7	440.7	435.7
7/11/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	137.4	273.2	33.2	443.8	435.3
7/11/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	137.1	273.8	68.5	479.4	435.0
7/11/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	154.2	272.4	41.3	467.9	434.7
7/11/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	199.2	286.9	35.2	521.3	434.4
7/11/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	151.0	268.8	38.8	458.6	434.1
7/11/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	119.5	274.9	38.7	433.1	433.7
7/11/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	108.1	274.8	39.4	422.3	433.3
7/11/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	107.1	277.3	57.6	442.0	433.0
7/11/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	100.9	229.1	53.9	383.9	432.6
7/11/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	101.9	274.2	39.9	416.0	432.2
7/11/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	98.0	274.5	40.7	413.2	431.9
7/11/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	95.9	273.8	34	403.7	431.5
7/11/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	105.4	274.7	41.9	422.0	431.1
7/11/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	109.0	275	39.3	423.3	430.7
7/11/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	112.3	275.6	42	429.9	430.3
7/11/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	105.9	273.3	32.5	411.7	430.0
7/11/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	109.5	277.7	36.7	423.9	429.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/11/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	107.4	275.2	38.3	420.9	429.2
7/11/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	103.5	275.4	34.4	413.3	428.8
7/11/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	104.3	263.3	41.3	408.9	428.4
7/12/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	107.7	265.9	35.9	409.5	428.0
7/12/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	109.6	275.6	39.3	424.5	427.6
7/12/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	109.0	275.6	38.5	423.1	427.2
7/12/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	106.9	272.1	37.9	416.9	426.8
7/12/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	105.3	274.3	34.3	413.9	426.4
7/12/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	110.7	276.3	38.1	425.1	426.1
7/12/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	108.9	275.3	50.3	434.5	425.7
7/12/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	97.4	274.6	33.3	405.3	425.3
7/12/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	97.0	275.9	35.6	408.5	424.9
7/12/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	95.3	275.2	37.6	408.1	424.5
7/12/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	98.7	277.3	44.7	420.7	424.1
7/12/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	97.9	275.7	30.4	404.0	423.8
7/12/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	92.0	261.8	36.2	390.0	423.3
7/12/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	92.8	274.6	22.2	389.6	423.2
7/12/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	93.7	265.5	52.9	412.1	423.3
7/12/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	86.8	271.9	38.3	397.0	423.3
7/12/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	84.6	276.5	45.8	406.9	423.4
7/12/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	87.6	275.8	50.4	413.8	423.4
7/12/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	88.4	274.3	41.9	404.6	423.5
7/12/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	87.4	276.5	38.2	402.1	423.5
7/12/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	91.6	275.8	44.6	412.0	423.7
7/12/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	90.6	275	42.2	407.8	423.7
7/12/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	156.8	276.9	51.6	485.3	423.9
7/12/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	210.5	266	36	512.5	424.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/13/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	87.7	280.7	51.7	420.1	424.1
7/13/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	88.2	273.5	47	408.7	424.2
7/13/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	90.2	273.6	47.1	410.9	424.2
7/13/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	90.1	279	53.3	422.4	424.3
7/13/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	81.5	279	52.2	412.7	424.3
7/13/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	89.2	278.1	56.1	423.4	424.4
7/13/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	87.9	279	24.1	391.0	424.4
7/13/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	93.0	279.5	18.1	390.6	424.4
7/13/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	94.1	279.1	19.9	393.1	424.4
7/13/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	95.4	265.9	34.6	395.9	424.5
7/13/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	98.7	266.3	23.9	388.9	424.5
7/13/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	87.1	279.7	22.2	389.0	424.5
7/13/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	89.8	257.5	7.8	355.1	424.5
7/13/2020 13:00	0.0	0.0	0.0	0.0	0.0	0.0	92.5	278.3	10.3	381.1	424.5
7/13/2020 14:00	0.0	0.0	0.0	0.0	0.0	0.0	97.7	279	48.4	425.1	424.6
7/13/2020 15:00	0.0	0.0	0.0	0.0	0.0	0.0	103.9	278.7	46.1	428.7	424.7
7/13/2020 16:00	0.0	0.0	0.0	0.0	0.0	0.0	87.4	279	37.9	404.3	424.7
7/13/2020 17:00	0.0	0.0	0.0	0.0	0.0	0.0	84.6	279.7	54.6	418.9	424.8
7/13/2020 18:00	0.0	0.0	0.0	0.0	0.0	0.0	83.7	277.5	43.7	404.9	424.8
7/13/2020 19:00	0.0	0.0	0.0	0.0	0.0	0.0	85.0	279.8	41.2	406.0	424.9
7/13/2020 20:00	0.0	0.0	0.0	0.0	0.0	0.0	133.4	278.3	49.5	461.2	425.1
7/13/2020 21:00	0.0	0.0	0.0	0.0	0.0	0.0	93.2	279.9	51.3	424.4	425.2
7/13/2020 22:00	0.0	0.0	0.0	0.0	0.0	0.0	99.0	279.5	47.8	426.3	425.3
7/13/2020 23:00	0.0	0.0	0.0	0.0	0.0	0.0	96.2	266.4	45.9	408.5	425.3
7/14/2020 0:00	0.0	0.0	0.0	0.0	0.0	0.0	98.0	238.3	46.9	383.2	425.3
7/14/2020 1:00	0.0	0.0	0.0	0.0	0.0	0.0	96.1	277.8	48.6	422.5	425.4
7/14/2020 2:00	0.0	0.0	0.0	0.0	0.0	0.0	94.4	279.3	46	419.7	425.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/14/2020 3:00	0.0	0.0	0.0	0.0	0.0	0.0	100.4	279.3	52.9	432.6	425.5
7/14/2020 4:00	0.0	0.0	0.0	0.0	0.0	0.0	101.5	279.4	49.9	430.8	425.6
7/14/2020 5:00	0.0	0.0	0.0	0.0	0.0	0.0	107.0	278.3	46.8	432.1	425.6
7/14/2020 6:00	0.0	0.0	0.0	0.0	0.0	0.0	121.7	282.5	49.8	454.0	425.7
7/14/2020 7:00	0.0	0.0	0.0	0.0	0.0	0.0	117.2	278.6	36.7	432.5	425.8
7/14/2020 8:00	0.0	0.0	0.0	0.0	0.0	0.0	95.7	327.3	79.6	502.6	426.0
7/14/2020 9:00	0.0	0.0	0.0	0.0	0.0	0.0	111.9	278.1	48.1	438.1	426.1
7/14/2020 10:00	0.0	0.0	0.0	0.0	0.0	0.0	115.0	279.1	41.5	435.6	426.2
7/14/2020 11:00	0.0	0.0	0.0	0.0	0.0	0.0	124.9	279.2	54.9	459.0	426.4
7/14/2020 12:00	0.0	0.0	0.0	0.0	0.0	0.0	127.0	278.6	46	451.6	426.5
7/14/2020 13:00	0.0	0.0	0.0	0.0	2.7	0.0	124.1	280.9	43.8	451.5	426.6
7/14/2020 14:00	0.0	0.0	0.0	0.0	8.8	0.0	127.0	279.8	43.2	458.8	426.8
7/14/2020 15:00	0.0	0.0	0.0	0.0	4.9	0.0	131.0	278.6	52.4	466.9	426.9
7/14/2020 16:00	0.0	0.0	0.0	0.0	1.7	0.0	124.6	279.1	41	446.4	427.0
7/14/2020 17:00	0.0	0.0	0.0	0.0	76.3	0.0	128.3	277.8	44.4	526.8	427.0
7/14/2020 18:00	0.0	0.0	0.0	0.0	214.5	0.0	105.9	274.1	72.5	667.0	427.4
7/14/2020 19:00	0.0	0.0	0.0	0.0	195.8	0.0	98.3	274.1	48.8	617.0	427.8
7/14/2020 20:00	0.0	0.0	0.0	0.0	193.8	0.0	95.4	279.9	50.7	619.8	428.2
7/14/2020 21:00	0.0	0.0	0.0	0.0	201.2	0.0	87.4	279.2	51.5	619.3	428.5
7/14/2020 22:00	0.0	0.0	0.0	0.0	198.9	0.0	88.5	277.3	51.2	615.9	428.9
7/14/2020 23:00	0.0	0.0	0.0	0.0	202.1	0.0	87.7	278.5	51.6	619.9	429.2
7/15/2020 0:00	0.0	0.0	0.0	0.0	202.5	0.0	88.5	277.8	47.6	616.4	429.5
7/15/2020 1:00	0.0	0.0	0.0	0.0	202.1	0.0	92.6	278.9	50.7	624.3	429.9
7/15/2020 2:00	0.0	0.0	0.0	0.0	200.7	0.0	74.8	278.8	49.5	603.8	430.2
7/15/2020 3:00	0.0	0.0	0.0	0.0	200.8	0.0	71.0	278.5	49.2	599.5	430.5
7/15/2020 4:00	0.0	0.0	0.0	0.0	200.6	0.0	79.0	278.8	49.4	607.8	430.8
7/15/2020 5:00	0.0	0.0	0.0	0.0	199.2	0.0	82.7	279.1	45.3	606.3	431.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/15/2020 6:00	0.0	0.0	0.0	0.0	200.0	0.0	80.4	277.7	52.1	610.2	431.5
7/15/2020 7:00	0.0	0.0	0.0	0.0	176.6	0.0	71.7	280.5	41.5	570.3	431.8
7/15/2020 8:00	0.0	0.0	0.0	0.0	198.6	0.0	77.3	326.7	75.3	677.9	432.3
7/15/2020 9:00	0.0	0.0	0.0	0.0	202.0	0.0	132.4	280	51.8	666.2	432.7
7/15/2020 10:00	0.0	0.0	0.0	0.0	202.2	0.0	137.3	275.7	32.1	647.3	433.2
7/15/2020 11:00	0.0	0.0	0.0	0.0	199.3	0.0	137.4	282.3	56.7	675.7	433.6
7/15/2020 12:00	0.0	0.0	0.0	0.0	197.2	0.0	135.2	279.5	55.8	667.7	434.1
7/15/2020 13:00	0.0	0.0	0.0	0.0	196.0	0.0	144.9	282.4	60.5	683.8	434.5
7/15/2020 14:00	0.0	0.0	0.0	0.0	195.1	0.0	144.4	276	64.9	680.4	435.0
7/15/2020 15:00	0.0	0.0	0.0	0.0	195.6	0.0	155.7	277.4	58	686.7	435.5
7/15/2020 16:00	0.0	0.0	0.0	0.0	195.9	0.0	159.0	279.6	62	696.5	436.0
7/15/2020 17:00	0.0	0.0	0.0	0.0	195.3	0.0	167.4	256.7	77.6	697.0	436.4
7/15/2020 18:00	0.0	0.0	0.0	0.0	195.0	0.0	157.4	275.4	68.2	696.0	436.9
7/15/2020 19:00	0.0	0.0	0.0	0.0	194.2	0.0	202.0	280.7	61.4	738.3	437.5
7/15/2020 20:00	0.0	0.0	0.0	0.0	193.0	0.0	141.8	279	60.5	674.3	437.9
7/15/2020 21:00	0.0	0.0	0.0	0.0	192.5	0.0	138.1	281.9	61.2	673.7	438.4
7/15/2020 22:00	0.0	0.0	0.0	0.0	191.6	0.0	149.3	279.5	61.3	681.7	438.9
7/15/2020 23:00	0.0	0.0	0.0	0.0	193.3	0.0	154.6	278	69	694.9	439.3
7/16/2020 0:00	0.0	0.0	0.0	0.0	192.6	0.0	142.0	278	53.9	666.5	439.8
7/16/2020 1:00	0.0	0.0	0.0	0.0	191.3	0.0	147.9	279.2	66.1	684.5	440.2
7/16/2020 2:00	0.0	0.0	0.0	0.0	191.3	0.0	264.6	279.6	55.8	791.3	440.8
7/16/2020 3:00	0.0	0.0	0.0	0.0	193.3	0.0	372.0	278.9	61	905.2	441.6
7/16/2020 4:00	0.0	0.0	0.0	0.0	190.8	0.0	158.9	279.1	51.2	680.0	442.1
7/16/2020 5:00	0.0	0.0	0.0	0.0	192.1	0.0	164.6	278.6	55.6	690.9	442.5
7/16/2020 6:00	0.0	0.0	0.0	0.0	193.6	0.0	156.8	277.5	56.8	684.7	443.0
7/16/2020 7:00	0.0	0.0	0.0	0.0	193.6	0.0	153.6	279.2	54.1	680.5	443.5
7/16/2020 8:00	0.0	0.0	0.0	0.0	186.6	0.0	145.0	286.6	115.2	733.4	444.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/16/2020 9:00	0.0	0.0	0.0	0.0	202.0	0.0	150.8	279.2	56.6	688.6	444.5
7/16/2020 10:00	0.0	0.0	0.0	0.0	199.9	0.0	147.8	279.4	59.4	686.5	445.0
7/16/2020 11:00	0.0	0.0	0.0	0.0	200.5	0.0	145.5	280.7	51.1	677.8	445.4
7/16/2020 12:00	0.0	0.0	0.0	0.0	201.0	0.0	146.4	276.2	53.2	676.8	445.9
7/16/2020 13:00	0.0	0.0	0.0	0.0	202.1	0.0	126.5	279.7	48.5	656.8	446.3
7/16/2020 14:00	0.0	0.0	0.0	0.0	199.5	0.0	125.6	278.9	50.9	654.9	446.7
7/16/2020 15:00	0.0	0.0	0.0	0.0	200.2	0.0	118.9	277.2	50.2	646.5	447.1
7/16/2020 16:00	0.0	0.0	0.0	0.0	201.6	0.0	108.8	280.3	44.7	635.4	447.5
7/16/2020 17:00	0.0	0.0	0.0	0.0	200.2	0.0	103.9	279.3	50.9	634.3	447.9
7/16/2020 18:00	0.0	0.0	0.0	0.0	202.0	0.0	98.9	239.6	36.8	577.3	448.2
7/16/2020 19:00	0.0	0.0	0.0	0.0	199.5	0.0	98.8	280.5	35.8	614.6	448.6
7/16/2020 20:00	0.0	0.0	0.0	0.0	199.7	0.0	98.8	279	46.8	624.3	449.0
7/16/2020 21:00	0.0	0.0	0.0	0.0	201.1	0.0	105.5	280.5	53.4	640.5	449.5
7/16/2020 22:00	0.0	0.0	0.0	0.0	201.5	0.0	101.6	279.2	47.1	629.4	449.9
7/16/2020 23:00	0.0	0.0	0.0	0.0	200.3	0.0	99.8	277.7	56.7	634.5	450.3
7/17/2020 0:00	0.0	0.0	0.0	0.0	199.5	0.0	108.8	283.3	56.7	648.3	450.7
7/17/2020 1:00	0.0	0.0	0.0	0.0	200.6	0.0	107.0	278.8	44.8	631.2	451.1
7/17/2020 2:00	0.0	0.0	0.0	0.0	201.3	0.0	108.7	279	48.5	637.5	451.5
7/17/2020 3:00	0.0	0.0	0.0	0.0	200.7	0.0	215.9	279.8	52.2	748.6	452.1
7/17/2020 4:00	0.0	0.0	0.0	0.0	201.2	0.0	398.7	277.3	46.9	924.1	452.9
7/17/2020 5:00	0.0	0.0	0.0	0.0	199.8	0.0	305.1	281.3	67.1	853.3	453.6
7/17/2020 6:00	0.0	0.0	0.0	0.0	199.9	0.0	127.0	279.1	52.3	658.3	454.0
7/17/2020 7:00	0.0	0.0	0.0	0.0	198.3	0.0	123.8	278.8	48.1	649.0	454.4
7/17/2020 8:00	0.0	0.0	0.0	0.0	198.8	0.0	123.2	292.5	59.5	674.0	454.8
7/17/2020 9:00	0.0	0.0	0.0	0.0	199.8	0.0	129.1	278.4	69.5	676.8	455.3
7/17/2020 10:00	0.0	0.0	0.0	0.0	201.2	0.0	124.4	274.7	312.3	912.6	456.1
7/17/2020 11:00	0.0	0.0	0.0	0.0	203.7	0.0	121.6	282	51.5	658.8	456.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/17/2020 12:00	0.0	0.0	0.0	0.0	202.7	0.0	124.6	279.4	46.5	653.2	456.9
7/17/2020 13:00	0.0	0.0	0.0	0.0	202.8	0.0	134.0	278.1	54.4	669.3	457.3
7/17/2020 14:00	0.0	0.0	0.0	0.0	202.4	0.0	131.7	281.5	50.4	666.0	457.7
7/17/2020 15:00	0.0	0.0	0.0	0.0	202.6	0.0	134.4	278.9	50.2	666.1	458.1
7/17/2020 16:00	0.0	0.0	0.0	0.0	202.4	0.0	138.3	279.2	51.1	671.0	458.4
7/17/2020 17:00	0.0	0.0	0.0	0.0	202.9	0.0	134.9	279.8	52	669.6	458.5
7/17/2020 18:00	0.0	0.0	0.0	0.0	201.8	0.0	131.0	251.3	67.3	651.4	458.6
7/17/2020 19:00	0.0	0.0	0.0	0.0	205.6	0.0	184.8	278.2	51.9	720.5	459.1
7/17/2020 20:00	0.0	0.0	0.0	0.0	204.8	0.0	125.8	278.5	52.8	661.9	459.5
7/17/2020 21:00	0.0	0.0	0.0	0.0	205.7	0.0	125.2	279.6	51.7	662.2	460.0
7/17/2020 22:00	0.0	0.0	0.0	0.0	204.8	0.0	128.7	282	63.3	678.8	460.4
7/17/2020 23:00	0.0	0.0	0.0	0.0	204.4	0.0	130.5	278	56.3	669.2	460.8
7/18/2020 0:00	0.0	0.0	0.0	0.0	204.4	0.0	139.2	280.2	53.6	677.4	461.2
7/18/2020 1:00	0.0	0.0	0.0	0.0	203.1	0.0	148.9	279	62.3	693.3	461.6
7/18/2020 2:00	0.0	0.0	0.0	0.0	202.6	0.0	142.6	278.5	54.1	677.8	462.0
7/18/2020 3:00	0.0	0.0	0.0	0.0	197.3	0.0	142.1	279.6	63.1	682.1	462.4
7/18/2020 4:00	0.0	0.0	0.0	0.0	194.1	0.0	130.7	279.6	72.2	676.6	462.8
7/18/2020 5:00	0.0	0.0	0.0	0.0	195.1	0.0	131.4	278.7	60.2	665.4	463.2
7/18/2020 6:00	0.0	0.0	0.0	0.0	193.8	0.0	134.7	278.7	57.8	665.0	463.6
7/18/2020 7:00	0.0	0.0	0.0	0.0	194.6	0.0	134.0	279	48.9	656.5	464.0
7/18/2020 8:00	0.0	0.0	0.0	0.0	200.8	0.0	103.8	278.9	25.9	609.4	464.4
7/18/2020 9:00	0.0	0.0	0.0	0.0	210.7	0.0	129.8	280.1	52.6	673.2	464.8
7/18/2020 10:00	0.0	0.0	0.0	0.0	215.2	0.0	124.1	278.5	57.1	674.9	465.2
7/18/2020 11:00	0.0	0.0	0.0	0.0	217.1	0.0	97.1	279.3	63	656.5	465.6
7/18/2020 12:00	0.0	0.0	0.0	0.0	219.8	0.0	97.5	283.8	86.4	687.5	466.0
7/18/2020 13:00	0.0	0.0	0.0	0.0	220.0	0.0	88.4	281.5	53.5	643.4	466.4
7/18/2020 14:00	0.0	0.0	0.0	0.0	219.5	0.0	89.3	278.7	57.7	645.2	466.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/18/2020 15:00	0.0	0.0	0.0	0.0	222.1	0.0	93.5	278.7	44.4	638.7	467.2
7/18/2020 16:00	0.0	0.0	0.0	0.0	221.9	0.0	84.2	278.5	55.4	640.0	467.6
7/18/2020 17:00	0.0	0.0	0.0	0.0	225.0	0.0	71.0	279.8	56.5	632.3	467.9
7/18/2020 18:00	0.0	0.0	0.0	0.0	227.4	0.0	63.0	278	55.3	623.7	468.3
7/18/2020 19:00	0.0	0.0	0.0	0.0	227.2	0.0	64.3	278.8	43.1	613.4	468.7
7/18/2020 20:00	0.0	0.0	0.0	0.0	226.3	0.0	69.1	278.4	56.4	630.2	469.0
7/18/2020 21:00	0.0	0.0	0.0	0.0	227.0	0.0	70.2	280.2	57.7	635.1	469.4
7/18/2020 22:00	0.0	0.0	0.0	0.0	226.7	0.0	76.1	276.4	61.4	640.6	469.8
7/18/2020 23:00	0.0	0.0	0.0	0.0	228.0	0.0	85.2	248.4	66.3	627.9	469.9
7/19/2020 0:00	0.0	0.0	0.0	0.0	227.8	0.0	81.9	274	53.9	637.6	470.2
7/19/2020 1:00	0.0	0.0	0.0	0.0	228.0	0.0	84.4	276.7	58.6	647.7	470.6
7/19/2020 2:00	0.0	0.0	0.0	0.0	226.6	0.0	78.0	278.8	54.9	638.3	471.0
7/19/2020 3:00	0.0	0.0	0.0	0.0	226.5	0.0	78.2	277.7	56.4	638.8	471.3
7/19/2020 4:00	0.0	0.0	0.0	0.0	225.2	0.0	82.5	279.3	59.9	646.9	471.7
7/19/2020 5:00	0.0	0.0	0.0	0.0	226.3	0.0	74.8	278.8	57.1	637.0	472.0
7/19/2020 6:00	0.0	0.0	0.0	0.0	225.6	0.0	81.4	278.4	57.4	642.8	472.4
7/19/2020 7:00	0.0	0.0	0.0	0.0	225.7	0.0	84.0	288.8	62.8	661.3	472.8
7/19/2020 8:00	0.0	0.0	0.0	0.0	224.9	0.0	87.5	276.4	59.2	648.0	473.1
7/19/2020 9:00	0.0	0.0	0.0	0.0	224.6	0.0	70.4	270.6	59.9	625.5	473.5
7/19/2020 10:00	0.0	0.0	0.0	0.0	226.8	0.0	80.5	274.6	50.9	632.8	473.9
7/19/2020 11:00	0.0	0.0	0.0	0.0	231.3	0.0	70.5	276.9	55.8	634.5	474.2
7/19/2020 12:00	0.0	0.0	0.0	0.0	236.5	0.0	66.2	264.7	56.9	624.3	474.6
7/19/2020 13:00	0.0	0.0	0.0	0.0	240.4	0.0	69.8	275.9	56.8	642.9	475.0
7/19/2020 14:00	0.0	0.0	0.0	0.0	243.6	0.0	71.8	258.7	51	625.1	475.3
7/19/2020 15:00	0.0	0.0	0.0	0.0	247.3	0.0	76.4	270	58	651.7	475.7
7/19/2020 16:00	0.0	0.0	0.0	0.0	247.6	0.0	249.0	275.9	50.3	822.8	476.3
7/19/2020 17:00	0.0	0.0	0.0	0.0	247.8	0.0	86.2	277.9	51.5	663.4	476.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/19/2020 18:00	0.0	0.0	0.0	0.0	246.4	0.0	69.8	274.9	53.9	645.0	477.1
7/19/2020 19:00	0.0	0.0	0.0	0.0	245.6	0.0	78.0	271.7	46.2	641.5	477.5
7/19/2020 20:00	0.0	0.0	0.0	0.0	245.9	0.0	83.9	272.6	43.8	646.2	478.0
7/19/2020 21:00	0.0	0.0	0.0	0.0	246.8	0.0	85.9	275.4	49.8	657.9	478.4
7/19/2020 22:00	0.0	0.0	0.0	0.0	247.6	0.0	87.8	224.5	29.1	589.0	478.7
7/19/2020 23:00	0.0	0.0	0.0	0.0	247.0	0.0	87.0	266.3	36	636.3	479.1
7/20/2020 0:00	0.0	0.0	0.0	0.0	249.3	0.0	89.2	274.5	50.4	663.4	479.5
7/20/2020 1:00	0.0	0.0	0.0	0.0	251.0	0.0	88.6	275	52.8	667.4	479.9
7/20/2020 2:00	0.0	0.0	0.0	0.0	248.1	0.0	75.9	277.2	48.9	650.1	480.3
7/20/2020 3:00	0.0	0.0	0.0	0.0	248.0	0.0	87.7	273.3	44.3	653.3	480.6
7/20/2020 4:00	0.0	0.0	0.0	0.0	250.7	0.0	80.3	278.3	49.9	659.2	481.0
7/20/2020 5:00	0.0	0.0	0.0	0.0	248.9	0.0	76.1	276.9	39.2	641.1	481.4
7/20/2020 6:00	0.0	0.0	0.0	0.0	248.7	0.0	84.6	274.8	50.6	658.7	481.8
7/20/2020 7:00	0.0	0.0	0.0	0.0	248.2	0.0	92.5	264.9	36.3	641.9	482.2
7/20/2020 8:00	0.0	0.0	0.0	0.0	236.5	0.0	84.6	274.7	57.7	653.5	482.5
7/20/2020 9:00	0.0	0.0	0.0	0.0	235.5	0.0	87.5	275.4	65.8	664.2	482.9
7/20/2020 10:00	0.0	0.0	0.0	0.0	235.5	0.0	94.7	275.8	46.8	652.8	483.2
7/20/2020 11:00	0.0	0.0	0.0	0.0	234.4	0.0	91.9	285	45.7	657.0	483.6
7/20/2020 12:00	0.0	0.0	0.0	0.0	238.0	0.0	91.7	246	46.7	622.4	483.9
7/20/2020 13:00	0.0	0.0	0.0	0.0	237.6	0.0	183.3	279.3	50.3	750.5	484.5
7/20/2020 14:00	0.0	0.0	0.0	0.0	238.6	0.0	324.9	274.5	48	886.0	485.0
7/20/2020 15:00	0.0	0.0	0.0	0.0	237.6	0.0	299.7	275.2	54.3	866.8	485.6
7/20/2020 16:00	0.0	0.0	0.0	0.0	238.2	0.0	362.2	277.6	45.6	923.6	486.1
7/20/2020 17:00	0.0	0.0	0.0	0.0	238.2	0.0	110.8	275.8	51.4	676.2	486.4
7/20/2020 18:00	0.0	0.0	0.0	0.0	237.8	0.0	66.9	276.2	55.7	636.6	486.7
7/20/2020 19:00	0.0	0.0	0.0	0.0	238.1	0.0	70.4	279.5	41.9	629.9	487.0
7/20/2020 20:00	0.0	0.0	0.0	0.0	238.9	0.0	82.0	279.7	49.6	650.2	487.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/20/2020 21:00	0.0	0.0	0.0	0.0	239.6	0.0	84.8	278	52.5	654.9	487.7
7/20/2020 22:00	0.0	0.0	0.0	0.0	238.3	0.0	63.5	279.1	49.1	630.0	488.0
7/20/2020 23:00	0.0	0.0	0.0	0.0	240.4	0.0	46.4	254.6	41.3	582.7	488.2
7/21/2020 0:00	0.0	0.0	0.0	0.0	241.8	0.0	41.5	272.1	42.6	598.0	488.4
7/21/2020 1:00	0.0	0.0	0.0	0.0	232.8	0.0	50.5	268.4	48.3	600.0	488.7
7/21/2020 2:00	0.0	0.0	0.0	0.0	232.6	0.0	44.1	292.7	40.9	610.3	489.0
7/21/2020 3:00	0.0	0.0	0.0	0.0	230.6	0.0	48.3	276.4	47.6	602.9	489.3
7/21/2020 4:00	0.0	0.0	0.0	0.0	232.0	0.0	48.9	278.4	50.5	609.8	489.5
7/21/2020 5:00	0.0	0.0	0.0	0.0	233.7	0.0	53.4	278	39.3	604.4	489.8
7/21/2020 6:00	0.0	0.0	0.0	0.0	235.2	0.0	56.5	280.2	47.4	619.3	490.1
7/21/2020 7:00	0.0	0.0	0.0	0.0	207.8	0.0	40.9	278.6	42.1	569.4	490.3
7/21/2020 8:00	0.0	0.0	0.0	0.0	228.3	0.0	46.9	278.7	40.9	594.8	490.7
7/21/2020 9:00	0.0	0.0	0.0	0.0	230.4	0.0	54.6	242.9	55.4	583.3	490.9
7/21/2020 10:00	0.0	0.0	0.0	0.0	231.9	0.0	259.0	277.1	49.9	817.9	491.5
7/21/2020 11:00	0.0	0.0	0.0	0.0	230.9	0.0	66.6	274.5	48.9	620.9	491.9
7/21/2020 12:00	0.0	0.0	0.0	0.0	230.1	0.0	48.1	301.2	58.7	638.1	492.3
7/21/2020 13:00	0.0	0.0	0.0	0.0	226.5	0.0	46.4	276.3	43.9	593.1	492.6
7/21/2020 14:00	0.0	0.0	0.0	0.0	228.9	0.0	101.2	275.7	44.4	650.2	493.0
7/21/2020 15:00	0.0	0.0	0.0	0.0	228.3	0.0	48.7	274.8	44.9	596.7	493.3
7/21/2020 16:00	0.0	0.0	0.0	0.0	225.7	0.0	46.9	277.1	40.8	590.5	493.6
7/21/2020 17:00	0.0	0.0	0.0	0.0	228.2	0.0	44.6	279.1	41.5	593.4	493.9
7/21/2020 18:00	0.0	0.0	0.0	0.0	227.2	0.0	46.9	278.2	51.1	603.4	494.3
7/21/2020 19:00	0.0	0.0	0.0	0.0	228.9	0.0	50.5	279.8	43	602.2	494.6
7/21/2020 20:00	0.0	0.0	0.0	0.0	224.5	0.0	54.5	279.2	43.1	601.3	494.9
7/21/2020 21:00	0.0	0.0	0.0	0.0	225.2	0.0	51.5	279.4	46.1	602.2	495.2
7/21/2020 22:00	0.0	0.0	0.0	0.0	227.1	0.0	55.4	279.5	45.3	607.3	495.5
7/21/2020 23:00	0.0	0.0	0.0	0.0	227.8	0.0	59.9	249.8	29.7	567.2	495.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/22/2020 0:00	0.0	0.0	0.0	0.0	227.3	0.0	57.1	267	34.2	585.6	496.1
7/22/2020 1:00	0.0	0.0	0.0	0.0	228.7	0.0	61.1	271.6	46.5	607.9	496.4
7/22/2020 2:00	0.0	0.0	0.0	0.0	227.8	0.0	67.3	279.3	37.2	611.6	496.7
7/22/2020 3:00	0.0	0.0	0.0	0.0	227.3	0.0	65.5	276.3	41.1	610.2	497.0
7/22/2020 4:00	0.0	0.0	0.0	0.0	228.1	0.0	65.2	275.6	42.2	611.1	497.3
7/22/2020 5:00	0.0	0.0	0.0	0.0	226.6	0.0	68.7	274.2	58.9	628.4	497.6
7/22/2020 6:00	0.0	0.0	0.0	0.0	228.9	0.0	349.1	277.6	45.7	901.3	498.3
7/22/2020 7:00	0.0	0.0	0.0	0.0	228.7	0.0	349.1	275.1	38.5	891.4	498.9
7/22/2020 8:00	0.0	0.0	0.0	0.0	228.7	0.0	94.0	277	43	642.7	499.0
7/22/2020 9:00	0.0	0.0	0.0	0.0	228.4	0.0	76.4	274.3	48	627.1	499.3
7/22/2020 10:00	0.0	0.0	0.0	0.0	232.7	0.0	67.1	266.6	42.3	608.7	499.6
7/22/2020 11:00	0.0	0.0	0.0	0.0	227.7	0.0	55.7	263.1	25.3	571.8	499.8
7/22/2020 12:00	0.0	0.0	0.0	0.0	226.4	0.0	52.2	275.3	36.1	590.0	500.1
7/22/2020 13:00	0.0	0.0	0.0	0.0	222.8	0.0	45.2	287	56	611.0	500.4
7/22/2020 14:00	0.0	0.0	0.0	0.0	209.8	0.0	48.4	274.2	49.4	581.8	500.6
7/22/2020 15:00	0.0	0.0	0.0	0.0	215.8	0.0	46.6	277.4	45.4	585.2	500.9
7/22/2020 16:00	0.0	0.0	0.0	0.0	211.3	0.0	38.4	278.4	54.2	582.3	501.2
7/22/2020 17:00	0.0	0.0	0.0	0.0	136.1	0.0	25.2	279.1	47.5	487.9	501.3
7/22/2020 18:00	0.0	0.0	0.0	0.0	129.3	0.0	26.9	277.9	46.2	480.3	501.4
7/22/2020 19:00	0.0	0.0	0.0	0.0	121.6	0.0	28.9	280	45.4	475.9	501.5
7/22/2020 20:00	0.0	0.0	0.0	0.0	120.2	0.0	188.2	278.8	50.9	638.1	501.6
7/22/2020 21:00	0.0	0.0	0.0	0.0	119.1	0.0	78.3	279.7	50.7	527.8	501.8
7/22/2020 22:00	0.0	0.0	0.0	0.0	145.4	0.0	42.4	279	42.6	509.4	502.0
7/22/2020 23:00	0.0	0.0	0.0	0.0	185.8	0.0	43.0	258.6	47.3	534.7	502.1
7/23/2020 0:00	0.0	0.0	0.0	0.0	190.3	0.0	44.7	277.2	44.1	556.3	502.4
7/23/2020 1:00	0.0	0.0	0.0	0.0	190.1	0.0	48.3	275.6	44.8	558.8	502.6
7/23/2020 2:00	0.0	0.0	0.0	0.0	190.4	0.0	45.5	274.7	47.2	557.8	502.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/23/2020 3:00	0.0	0.0	0.0	0.0	190.5	0.0	41.1	270.3	45.9	547.8	503.0
7/23/2020 4:00	0.0	0.0	0.0	0.0	189.5	0.0	42.9	274.8	46.7	553.9	503.2
7/23/2020 5:00	0.0	0.0	0.0	0.0	190.2	0.0	41.5	276.5	66.2	574.4	503.4
7/23/2020 6:00	0.0	0.0	0.0	0.0	190.0	0.0	42.1	243.7	47.1	522.9	503.5
7/23/2020 7:00	0.0	0.0	0.0	0.0	167.3	0.0	61.7	244.1	39.3	512.4	503.7
7/23/2020 8:00	0.0	0.0	0.0	0.0	186.5	0.0	45.7	243.1	92.3	567.6	503.9
7/23/2020 9:00	0.0	0.0	0.0	0.0	195.2	0.0	49.2	243.9	41.6	529.9	504.0
7/23/2020 10:00	0.0	0.0	0.0	0.0	195.1	0.0	50.8	243.9	48.4	538.2	504.2
7/23/2020 11:00	0.0	0.0	0.0	0.0	195.0	0.0	56.8	245.6	56.1	553.5	504.4
7/23/2020 12:00	0.0	0.0	0.0	0.0	195.2	0.0	51.9	246.7	60.9	554.7	504.6
7/23/2020 13:00	0.0	0.0	0.0	0.0	190.7	0.0	84.7	237	57.5	569.9	504.9
7/23/2020 14:00	0.0	0.0	0.0	0.0	193.1	0.0	74.4	242	50	559.5	505.1
7/23/2020 15:00	0.0	0.0	0.0	0.0	193.5	0.0	59.9	241	58.8	553.2	505.3
7/23/2020 16:00	0.0	0.0	0.0	0.0	200.2	0.0	109.3	248.4	73.2	631.1	505.6
7/23/2020 17:00	0.0	0.0	0.0	0.0	211.5	0.0	269.3	244.1	70.9	795.8	506.2
7/23/2020 18:00	0.0	0.0	0.0	0.0	210.7	0.0	361.4	236.8	88.7	897.6	506.9
7/23/2020 19:00	0.0	0.0	0.0	0.0	210.7	0.0	382.1	233.9	115	941.7	507.6
7/23/2020 20:00	0.0	0.0	0.0	0.0	209.2	0.1	378.1	258.4	51.4	897.2	508.3
7/23/2020 21:00	0.0	0.0	0.0	0.0	208.4	0.1	346.5	256.8	40	851.8	509.0
7/23/2020 22:00	0.0	0.0	0.0	0.0	208.3	0.1	356.0	251.1	60.1	875.6	509.6
7/23/2020 23:00	0.0	0.0	0.0	0.0	205.6	0.1	364.4	250.5	48.5	869.1	510.3
7/24/2020 0:00	0.0	0.0	0.0	0.0	207.6	0.1	367.3	252.7	60.1	887.8	511.0
7/24/2020 1:00	0.0	0.0	0.0	0.0	209.6	0.1	368.7	254.6	56.8	889.8	511.7
7/24/2020 2:00	0.0	0.0	0.0	0.0	204.8	0.1	369.5	253.4	58.8	886.6	512.4
7/24/2020 3:00	0.0	0.0	0.0	0.0	203.9	0.1	360.8	253.8	48.6	867.2	513.0
7/24/2020 4:00	0.0	0.0	0.0	0.0	203.8	0.1	359.6	253.5	54	871.0	513.7
7/24/2020 5:00	0.0	0.0	0.0	0.0	189.8	0.2	361.6	254	55	860.6	514.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/24/2020 6:00	0.0	0.0	0.0	0.0	186.4	0.1	42.6	253.1	52.7	534.9	514.6
7/24/2020 7:00	0.0	0.0	0.0	0.0	186.9	0.2	47.8	256.5	47.5	538.9	514.8
7/24/2020 8:00	0.0	0.0	0.0	0.0	187.4	0.2	48.1	256.3	97	589.0	515.1
7/24/2020 9:00	0.0	0.0	0.0	0.0	186.6	0.3	45.9	250.8	47.2	530.8	515.3
7/24/2020 10:00	0.0	0.0	0.0	0.0	186.6	0.3	44.7	255.6	55.6	542.8	515.6
7/24/2020 11:00	0.0	0.0	0.0	0.0	183.0	0.3	46.0	255.3	46.4	531.0	515.7
7/24/2020 12:00	0.0	0.0	0.0	0.0	184.7	2.0	42.1	257.2	59	545.0	515.9
7/24/2020 13:00	0.0	0.0	0.0	0.0	183.3	4.7	45.3	264.1	84.1	581.5	516.2
7/24/2020 14:00	0.0	0.0	0.0	0.0	183.6	12.3	46.3	196.5	103.4	542.1	516.4
7/24/2020 15:00	0.0	0.0	0.0	0.0	182.2	24.4	47.4	213.5	14.1	481.6	516.5
7/24/2020 16:00	0.0	0.0	0.0	0.0	182.9	13.7	39.2	226.7	22.8	485.3	516.6
7/24/2020 17:00	0.0	0.0	0.0	0.0	173.4	16.2	43.9	217.1	9.8	460.4	516.7
7/24/2020 18:00	0.0	0.0	0.0	0.0	187.7	43.8	40.7	226.1	21.2	519.5	516.9
7/24/2020 19:00	0.0	0.0	0.0	0.0	194.1	74.5	40.8	249.6	17.8	576.8	517.1
7/24/2020 20:00	0.0	0.0	0.0	0.0	215.4	76.1	13.2	253.1	31.9	589.7	517.3
7/24/2020 21:00	0.0	0.0	0.0	0.0	257.4	76.0	78.2	256.3	74.4	742.3	517.8
7/24/2020 22:00	0.0	0.0	0.0	0.0	200.9	52.4	267.7	252.4	64.3	837.7	518.4
7/24/2020 23:00	0.0	0.0	0.0	0.0	189.6	101.0	148.7	254.2	62.2	755.7	518.8
7/25/2020 0:00	0.0	0.0	0.0	0.0	189.6	105.3	58.2	259.1	56.2	668.4	519.2
7/25/2020 1:00	0.0	0.0	0.0	0.0	188.3	150.8	53.2	252	75.8	720.1	519.6
7/25/2020 2:00	0.0	0.0	0.0	0.0	187.8	240.4	58.8	180.2	47.4	714.6	519.9
7/25/2020 3:00	0.0	0.0	0.0	0.0	186.1	238.5	55.4	175.2	21.5	676.7	520.3
7/25/2020 4:00	0.0	0.0	0.0	0.0	186.3	237.3	58.9	168.2	10.8	661.5	520.6
7/25/2020 5:00	0.0	0.0	0.0	0.0	185.0	183.6	59.3	156.3	8.9	593.1	520.8
7/25/2020 6:00	0.0	0.0	0.0	0.0	187.2	184.6	150.6	151.7	23.1	697.2	521.2
7/25/2020 7:00	0.0	0.0	0.0	0.0	184.4	185.6	108.9	230.1	22.7	731.7	521.6
7/25/2020 8:00	0.0	0.0	0.0	0.0	185.5	187.5	51.0	251.8	15.1	690.9	522.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/25/2020 9:00	0.0	0.0	0.0	0.0	188.1	186.9	52.3	232.8	6	666.1	522.4
7/25/2020 10:00	0.0	0.0	0.0	0.0	189.1	187.2	49.5	258.7	4.6	689.1	522.8
7/25/2020 11:00	0.0	0.0	0.0	0.0	193.0	187.4	48.9	255.1	3.6	688.0	523.0
7/25/2020 12:00	0.0	0.0	0.0	0.0	191.4	187.9	43.6	233.4	3.1	659.4	523.3
7/25/2020 13:00	0.0	0.0	0.0	0.0	192.4	187.9	51.4	252.6	2.3	686.6	523.7
7/25/2020 14:00	0.0	0.0	0.0	0.0	191.9	187.4	58.2	253.2	2	692.7	524.1
7/25/2020 15:00	0.0	0.0	0.0	0.0	191.4	193.7	45.4	257.7	1.6	689.8	524.5
7/25/2020 16:00	0.0	0.0	0.0	0.0	191.3	208.8	23.5	247.7	1.6	672.9	524.9
7/25/2020 17:00	0.0	0.0	0.0	0.0	191.5	233.7	27.0	253.4	20.8	726.4	525.3
7/25/2020 18:00	0.0	0.0	0.0	0.0	194.4	270.4	26.0	253.9	26.6	771.3	525.8
7/25/2020 19:00	0.0	0.0	0.0	0.0	194.1	332.2	23.4	252.3	25.6	827.6	526.5
7/25/2020 20:00	0.0	0.0	0.0	0.0	193.4	47.4	23.6	257.8	13	535.2	526.6
7/25/2020 21:00	0.0	0.0	0.0	0.0	195.1	0.9	31.5	254.2	7.4	489.1	526.7
7/25/2020 22:00	0.0	0.0	0.0	0.0	194.5	0.5	32.0	254.8	36.6	518.4	526.8
7/25/2020 23:00	0.0	0.0	0.0	0.0	194.6	0.0	34.9	253.1	28.8	511.4	527.0
7/26/2020 0:00	0.0	0.0	0.0	0.0	196.6	0.0	38.1	257.1	14.1	505.9	527.1
7/26/2020 1:00	0.0	0.0	0.0	0.0	194.5	0.0	139.7	254.9	9	598.1	527.3
7/26/2020 2:00	0.0	0.0	0.0	0.0	194.1	0.0	307.0	255	32.9	789.0	527.8
7/26/2020 3:00	0.0	0.0	0.0	0.0	194.6	0.0	329.2	253.7	33.4	810.9	528.4
7/26/2020 4:00	0.0	0.0	0.0	0.0	194.7	0.0	338.3	253.4	21.6	808.0	528.9
7/26/2020 5:00	0.0	0.0	0.0	0.0	194.0	0.0	344.9	255.2	14.2	808.3	529.4
7/26/2020 6:00	0.0	0.0	0.0	0.0	194.6	0.0	352.4	236.8	20.9	804.7	529.8
7/26/2020 7:00	0.0	0.0	0.0	0.0	191.1	0.0	359.3	240.2	18.6	809.2	530.3
7/26/2020 8:00	0.0	0.0	0.0	0.0	190.1	0.0	360.4	249.2	8	807.7	530.8
7/26/2020 9:00	0.0	0.0	0.0	0.0	190.8	0.0	361.9	249.5	8.7	810.9	531.4
7/26/2020 10:00	0.0	0.0	0.0	0.0	189.5	0.0	365.2	251.2	4.9	810.8	532.0
7/26/2020 11:00	0.0	0.0	0.0	0.0	191.5	0.0	373.8	300.7	3.6	869.6	532.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/26/2020 12:00	0.0	0.0	0.0	0.0	193.1	0.0	373.6	244.8	3	814.5	533.1
7/26/2020 13:00	0.0	0.0	0.0	0.0	195.2	0.0	375.6	247.7	2.6	821.1	533.8
7/26/2020 14:00	0.0	0.0	0.0	0.0	196.2	0.0	382.7	249.9	29	857.8	534.4
7/26/2020 15:00	0.0	0.0	0.0	0.0	195.9	0.0	379.6	247	26.1	848.6	535.0
7/26/2020 16:00	0.0	0.0	0.0	0.0	195.6	0.0	383.1	250	13.9	842.6	535.6
7/26/2020 17:00	0.0	0.0	0.0	0.0	196.5	0.0	380.4	248.8	7.3	833.0	536.2
7/26/2020 18:00	0.0	0.0	0.0	0.0	198.8	0.0	378.9	252.2	21.1	851.0	536.9
7/26/2020 19:00	0.0	0.0	0.0	0.0	200.6	0.0	379.3	252.6	28.5	861.0	537.6
7/26/2020 20:00	0.0	0.0	0.0	0.0	201.5	0.0	380.3	237.8	15.1	834.7	538.2
7/26/2020 21:00	0.0	0.0	0.0	0.0	204.7	0.0	383.3	254.9	8.1	851.0	538.8
7/26/2020 22:00	0.0	0.0	0.0	0.0	201.8	0.0	386.4	251	5.2	844.4	539.3
7/26/2020 23:00	0.0	0.0	0.0	0.0	204.0	0.0	395.4	244.2	3.3	846.9	539.5
7/27/2020 0:00	0.0	0.0	0.0	0.0	203.7	0.0	394.2	262	40.6	900.5	539.8
7/27/2020 1:00	0.0	0.0	0.0	0.0	202.9	0.0	390.0	292.4	18.4	903.7	540.4
7/27/2020 2:00	0.0	0.0	0.0	0.0	204.4	0.0	392.7	290	13.3	900.4	541.1
7/27/2020 3:00	0.0	0.0	0.0	0.0	203.7	0.0	391.2	282.3	9.1	886.3	541.5
7/27/2020 4:00	0.0	0.0	0.0	0.0	202.8	0.0	379.7	282.8	6	871.3	542.1
7/27/2020 5:00	0.0	0.0	0.0	0.0	201.8	0.0	383.5	273.5	28.6	887.4	542.8
7/27/2020 6:00	0.0	0.0	0.0	0.0	198.3	0.0	375.0	257.8	23.2	854.3	543.5
7/27/2020 7:00	0.0	0.0	0.0	0.0	198.3	0.0	385.6	255.8	24.8	864.5	544.1
7/27/2020 8:00	0.0	0.0	0.0	0.0	196.8	0.0	387.6	254.2	13.7	852.3	544.8
7/27/2020 9:00	0.0	0.0	0.0	0.0	199.8	0.0	376.8	253.2	4.2	834.0	545.4
7/27/2020 10:00	0.0	0.0	0.0	0.0	202.8	0.0	393.6	251.3	3	850.7	546.0
7/27/2020 11:00	0.0	0.0	0.0	0.0	204.0	0.0	389.0	258.6	2.5	854.1	546.6
7/27/2020 12:00	0.0	0.0	0.0	0.0	208.2	0.0	387.1	293.2	2.1	890.6	547.4
7/27/2020 13:00	0.0	0.0	0.0	0.0	206.5	0.0	392.0	258.4	1.8	858.7	548.1
7/27/2020 14:00	0.0	0.0	0.0	0.0	206.9	0.0	389.5	242.2	1.8	840.4	548.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/27/2020 15:00	0.0	0.0	0.0	0.0	210.6	0.0	388.0	243.3	1.6	843.5	549.4
7/27/2020 16:00	0.0	0.0	0.0	0.0	210.1	0.0	390.4	235.6	1.3	837.4	550.0
7/27/2020 17:00	0.0	0.0	0.0	0.0	208.4	0.0	390.8	226.3	1.3	826.8	550.6
7/27/2020 18:00	0.0	0.0	0.0	0.0	207.0	0.0	375.6	215.9	23.8	822.3	551.3
7/27/2020 19:00	0.0	0.0	0.0	0.0	206.2	0.0	388.0	208.7	46.1	849.0	552.0
7/27/2020 20:00	0.0	0.0	0.0	0.0	206.0	0.0	385.6	253.4	23.9	868.9	552.7
7/27/2020 21:00	0.0	0.0	0.0	0.0	205.7	0.0	382.6	261.5	12.4	862.2	553.3
7/27/2020 22:00	0.0	0.0	0.0	0.0	206.7	0.0	386.5	271.4	6.6	871.2	554.0
7/27/2020 23:00	0.0	0.0	0.0	0.0	206.8	0.0	388.1	277.9	2.9	875.7	554.7
7/28/2020 0:00	0.0	0.0	0.0	0.0	208.2	0.0	389.6	270	1.8	869.6	555.4
7/28/2020 1:00	0.0	0.0	0.0	0.0	205.8	0.0	389.3	309.7	1.8	906.6	556.1
7/28/2020 2:00	0.0	0.0	0.0	0.0	203.6	32.4	391.8	311.3	2	941.1	556.9
7/28/2020 3:00	0.0	0.0	0.0	0.0	205.7	24.8	393.1	302.6	1.8	928.0	557.7
7/28/2020 4:00	0.0	0.0	0.0	0.0	206.4	28.0	397.6	299.1	1.8	932.9	558.4
7/28/2020 5:00	0.0	0.0	0.0	0.0	202.7	36.6	394.0	287.3	3.2	923.8	559.1
7/28/2020 6:00	0.0	0.0	0.0	0.0	205.8	53.9	396.7	270.9	24.3	951.6	559.9
7/28/2020 7:00	0.0	0.0	0.0	0.0	207.7	71.2	400.0	265.6	42.7	987.2	560.8
7/28/2020 8:00	0.0	0.0	0.0	0.0	210.9	108.2	399.8	262.4	23.9	1005.2	561.6
7/28/2020 9:00	0.0	0.0	0.0	0.0	206.2	124.4	402.0	258.6	12.5	1003.7	562.4
7/28/2020 10:00	0.0	0.0	0.0	0.0	206.4	130.6	401.6	253.3	6.9	998.8	563.3
7/28/2020 11:00	0.0	0.0	0.0	0.0	210.1	118.8	394.8	256.5	3.9	984.1	564.1
7/28/2020 12:00	0.0	0.0	0.0	0.0	214.6	46.5	394.8	253.2	3	912.1	564.8
7/28/2020 13:00	0.0	0.0	0.0	0.0	212.2	112.8	399.4	245.8	2.8	973.0	565.6
7/28/2020 14:00	0.0	0.0	0.0	0.0	208.9	103.1	385.0	264.9	2.5	964.4	566.5
7/28/2020 15:00	0.0	0.0	0.0	0.0	207.9	106.0	248.0	233	1.6	796.5	567.0
7/28/2020 16:00	0.0	0.0	0.0	0.0	203.9	98.4	182.5	229.7	1.4	715.9	567.4
7/28/2020 17:00	0.0	0.0	0.0	0.0	203.5	112.3	104.4	224.1	1.6	645.9	567.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/28/2020 18:00	0.0	0.0	0.0	0.0	200.9	90.7	1.1	220.5	57.4	570.6	568.0
7/28/2020 19:00	0.0	0.0	0.0	0.0	196.8	107.9	0.0	225.1	54	583.8	568.3
7/28/2020 20:00	0.0	0.0	0.0	0.0	191.6	141.7	0.0	228.7	28.1	590.1	568.5
7/28/2020 21:00	0.0	0.0	0.0	0.0	187.4	140.3	0.0	230.8	18.9	577.4	568.8
7/28/2020 22:00	0.0	0.0	0.0	0.0	186.2	136.1	0.0	236.1	10.4	568.8	569.0
7/28/2020 23:00	0.0	0.0	0.0	0.0	187.4	136.4	0.0	234.2	5.3	563.3	569.1
7/29/2020 0:00	0.0	0.0	0.0	0.0	186.6	124.4	0.0	221.4	3.6	536.0	569.1
7/29/2020 1:00	0.0	0.0	0.0	0.0	188.6	240.4	0.0	234.1	3.4	666.5	569.2
7/29/2020 2:00	0.0	0.0	0.0	0.0	193.9	327.3	0.0	237.6	3.1	761.9	569.5
7/29/2020 3:00	0.0	0.0	0.0	0.0	192.3	193.7	0.0	233.7	2.9	622.6	569.8
7/29/2020 4:00	0.0	0.0	0.0	0.0	193.7	102.5	0.0	232.1	2.5	530.8	569.9
7/29/2020 5:00	0.0	0.0	0.0	0.0	194.4	186.3	0.0	227.1	3.4	611.2	570.3
7/29/2020 6:00	0.0	0.0	0.0	0.0	175.2	370.7	0.0	217.1	19.9	782.9	570.8
7/29/2020 7:00	0.0	0.0	0.0	0.0	174.6	381.5	0.0	214.6	35.5	806.2	571.4
7/29/2020 8:00	0.0	0.0	0.0	0.0	187.5	381.5	0.0	214.6	19.7	803.3	571.9
7/29/2020 9:00	0.0	0.0	0.0	0.0	173.0	375.3	0.0	211.3	10.7	770.3	572.5
7/29/2020 10:00	0.0	0.0	0.0	0.0	174.8	385.8	0.0	206.1	5.6	772.3	573.0
7/29/2020 11:00	0.0	0.0	0.0	0.0	174.9	390.0	0.0	207.6	3.2	775.7	573.6
7/29/2020 12:00	0.0	0.0	0.0	0.0	174.2	383.4	0.0	255.9	1.9	815.4	574.2
7/29/2020 13:00	0.0	0.0	0.0	0.0	173.8	380.0	0.0	228.4	1.8	784.0	574.7
7/29/2020 14:00	0.0	0.0	0.0	0.0	174.5	378.2	0.0	224.8	1.8	779.3	575.1
7/29/2020 15:00	0.0	0.0	0.0	0.0	174.0	380.4	0.0	220.3	1.8	776.5	575.6
7/29/2020 16:00	0.0	0.0	0.0	0.0	175.9	375.6	0.0	221.3	1.8	774.6	576.1
7/29/2020 17:00	0.0	0.0	0.0	0.0	174.7	108.7	0.0	214.4	1.6	499.4	576.2
7/29/2020 18:00	0.0	0.0	0.0	0.0	163.7	56.6	0.0	201.5	54.2	476.0	576.3
7/29/2020 19:00	0.0	0.0	0.0	0.0	165.6	73.9	0.0	196.8	35.7	472.0	576.4
7/29/2020 20:00	0.0	0.0	0.0	0.0	171.4	74.8	0.0	199.5	18.8	464.5	576.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/29/2020 21:00	0.0	0.0	0.0	0.0	172.0	75.2	0.0	199.5	10.2	456.9	576.5
7/29/2020 22:00	0.0	0.0	0.0	0.0	172.1	65.6	0.0	204.9	5	447.6	576.6
7/29/2020 23:00	0.0	0.0	0.0	0.0	171.2	62.7	0.0	207.7	2.6	444.2	576.6
7/30/2020 0:00	0.0	0.0	0.0	0.0	168.0	82.3	0.0	203.2	2.2	455.7	576.8
7/30/2020 1:00	0.0	0.0	0.0	0.0	161.5	70.4	0.0	219.5	2.6	454.0	576.8
7/30/2020 2:00	0.0	0.0	0.0	0.0	159.2	75.5	0.0	261.6	2.2	498.5	576.9
7/30/2020 3:00	0.0	0.0	0.0	0.0	162.7	164.0	0.0	189.9	13.7	530.3	577.1
7/30/2020 4:00	0.0	0.0	0.0	0.0	164.1	67.7	0.0	181	15.4	428.2	577.2
7/30/2020 5:00	0.0	0.0	0.0	0.0	158.9	62.0	0.0	185.2	18	424.1	577.2
7/30/2020 6:00	0.0	0.0	0.0	0.0	157.1	69.5	0.0	173.5	43.2	443.3	577.2
7/30/2020 7:00	0.0	0.0	0.0	0.0	171.3	66.7	0.0	170.9	37.7	446.6	577.3
7/30/2020 8:00	0.0	0.0	0.0	0.0	169.9	61.0	0.0	172.8	21	424.7	577.2
7/30/2020 9:00	0.0	0.0	0.0	0.0	172.0	64.9	0.0	169.1	18.3	424.3	577.2
7/30/2020 10:00	0.0	0.0	0.0	0.0	174.0	62.5	0.0	170.9	15.7	423.1	577.2
7/30/2020 11:00	0.0	0.0	0.0	0.0	178.0	68.9	0.0	169.5	13	429.4	577.2
7/30/2020 12:00	0.0	0.0	0.0	0.0	178.6	73.3	0.0	206.4	13	471.3	577.2
7/30/2020 13:00	0.0	0.0	0.0	0.0	179.5	70.9	0.0	184.2	12.7	447.3	577.2
7/30/2020 14:00	0.0	0.0	0.0	0.0	181.5	228.2	0.0	182.7	13.4	605.8	577.4
7/30/2020 15:00	0.0	0.0	0.0	0.0	182.2	76.4	0.0	178.9	13.9	451.4	577.4
7/30/2020 16:00	0.0	0.0	0.0	0.0	181.7	84.1	0.0	192	11.8	469.6	577.3
7/30/2020 17:00	0.0	0.0	0.0	0.0	184.5	100.2	0.0	200.5	13.1	498.3	577.0
7/30/2020 18:00	0.0	0.0	0.0	0.0	188.6	105.2	0.0	192.7	83.6	570.1	577.2
7/30/2020 19:00	0.0	0.0	0.0	0.0	191.2	120.0	0.0	194.9	78.4	584.5	577.5
7/30/2020 20:00	0.0	0.0	0.0	0.0	186.9	129.6	0.0	199.6	60.5	576.6	577.7
7/30/2020 21:00	0.0	0.0	0.0	0.0	188.0	122.8	0.0	199.9	59.8	570.5	577.8
7/30/2020 22:00	0.0	0.0	0.0	0.0	188.3	129.0	0.0	201.5	33	551.8	577.9
7/30/2020 23:00	0.0	0.0	0.0	0.0	188.7	138.4	0.0	206.1	25.3	558.5	578.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
7/31/2020 0:00	0.0	0.0	0.0	0.0	188.7	142.2	0.0	204.1	28.3	563.3	578.3
7/31/2020 1:00	0.0	0.0	0.0	0.0	194.0	148.1	0.0	202.7	29.5	574.3	578.6
7/31/2020 2:00	0.0	0.0	0.0	0.0	189.4	153.7	0.0	202.6	26.3	572.0	578.8
7/31/2020 3:00	0.0	0.0	0.0	0.0	188.8	99.4	0.0	205.3	21.5	515.0	578.9
7/31/2020 4:00	0.0	0.0	0.0	0.0	186.6	55.6	0.0	213.3	16.7	472.2	578.9
7/31/2020 5:00	0.0	0.0	0.0	0.0	183.8	74.9	0.0	211.5	15	485.2	579.0
7/31/2020 6:00	0.0	0.0	0.0	0.0	183.3	53.9	0.0	203.5	34	474.7	579.0
7/31/2020 7:00	0.0	0.0	0.0	0.0	183.5	62.4	0.0	204.2	41.7	491.8	579.0
7/31/2020 8:00	0.0	0.0	0.0	0.0	186.5	272.8	0.0	203.6	30.5	693.4	579.0
7/31/2020 9:00	0.0	0.0	0.0	0.0	188.3	114.7	0.0	199	28.2	530.2	578.7
7/31/2020 10:00	0.0	0.0	0.0	0.0	187.4	119.9	0.0	202.5	31	540.8	578.5
7/31/2020 11:00	0.0	0.0	0.0	0.0	189.2	141.6	0.0	198.2	22.4	551.4	578.1
7/31/2020 12:00	0.0	0.0	0.0	0.0	192.0	303.2	0.0	216.2	14.9	726.3	578.0
7/31/2020 13:00	0.0	0.0	0.0	0.0	191.6	61.3	0.0	203	12.9	468.8	577.5
7/31/2020 14:00	0.0	0.0	0.0	0.0	193.0	121.3	0.0	200.2	12.8	527.3	577.1
7/31/2020 15:00	0.0	0.0	0.0	0.0	194.4	124.3	0.0	201.1	12.1	531.9	576.7
7/31/2020 16:00	0.0	0.0	0.0	0.0	195.6	134.4	0.0	201.6	10.1	541.7	576.5
7/31/2020 17:00	0.0	0.0	0.0	0.0	195.4	72.4	0.0	215.9	8	491.7	576.2
7/31/2020 18:00	0.0	0.0	0.0	0.0	194.6	58.1	0.0	223.4	26.9	503.0	575.9
7/31/2020 19:00	0.0	0.0	0.0	0.0	195.1	114.6	0.0	235.3	42.9	587.9	575.8
7/31/2020 20:00	0.0	0.0	0.0	0.0	195.6	107.2	0.0	252.6	27	582.4	575.6
7/31/2020 21:00	0.0	0.0	0.0	0.0	196.2	111.0	0.0	233.3	31.7	572.2	575.9
7/31/2020 22:00	0.0	0.0	0.0	0.0	196.3	128.6	0.0	252.7	31.2	608.8	576.2
7/31/2020 23:00	0.0	0.0	0.0	0.0	196.5	135.4	0.0	244.6	22.4	598.9	576.4
8/1/2020 0:00	0.0	0.0	0.0	0.0	196.7	183.1	0.0	221.9	25.4	627.1	576.7
8/1/2020 1:00	0.0	0.0	0.0	0.0	196.1	150.7	0.0	217.7	21.6	586.1	576.9
8/1/2020 2:00	0.0	0.0	0.0	0.0	196.2	143.9	0.0	218.4	18.6	577.1	577.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/1/2020 3:00	0.0	0.0	0.0	0.0	195.3	150.0	0.0	215.7	14.9	575.9	577.3
8/1/2020 4:00	0.0	0.0	0.0	0.0	196.2	90.6	0.0	211.8	12.5	511.1	577.4
8/1/2020 5:00	0.0	0.0	0.0	0.0	196.3	85.6	0.0	222.4	11.6	515.9	577.5
8/1/2020 6:00	0.0	0.0	0.0	0.0	196.1	89.0	0.0	221.8	31.8	538.7	577.7
8/1/2020 7:00	0.0	0.0	0.0	0.0	195.9	114.6	0.0	220.6	57.4	588.5	578.0
8/1/2020 8:00	0.0	0.0	0.0	0.0	194.1	109.0	0.0	247.6	46.8	597.5	578.3
8/1/2020 9:00	0.0	0.0	0.0	0.0	193.9	92.2	0.0	222.2	36.5	544.8	578.5
8/1/2020 10:00	0.0	0.0	0.0	0.0	197.0	93.6	0.0	231.1	31.3	553.0	578.7
8/1/2020 11:00	0.0	0.0	0.0	0.0	196.1	94.2	0.0	250.5	24.3	565.1	578.9
8/1/2020 12:00	0.0	0.0	0.0	0.0	193.2	225.8	0.0	255.7	22.8	697.5	579.3
8/1/2020 13:00	0.0	0.0	0.0	0.0	196.0	163.3	0.0	247.9	17.7	624.9	579.4
8/1/2020 14:00	0.0	0.0	0.0	0.0	197.1	150.5	0.0	239.3	13.7	600.6	579.5
8/1/2020 15:00	0.0	0.0	0.0	0.0	195.3	93.9	0.0	231.4	10.7	531.3	579.6
8/1/2020 16:00	0.0	0.0	0.0	0.0	195.6	99.5	0.0	223.2	8	526.3	579.8
8/1/2020 17:00	0.0	0.0	0.0	0.0	195.0	96.5	0.0	213	28.2	532.7	579.8
8/1/2020 18:00	0.0	0.0	0.0	0.0	195.6	187.5	0.0	205.5	67.4	656.0	580.2
8/1/2020 19:00	0.0	0.0	0.0	0.0	197.1	186.6	0.0	205.3	65.7	654.7	580.5
8/1/2020 20:00	0.0	0.0	0.0	0.0	195.6	75.4	0.0	203.6	46.4	521.0	580.7
8/1/2020 21:00	0.0	0.0	0.0	0.0	196.5	70.4	0.0	204.5	34.7	506.1	580.8
8/1/2020 22:00	0.0	0.0	0.0	0.0	195.4	72.5	0.0	207.8	26.3	502.0	580.9
8/1/2020 23:00	0.0	0.0	0.0	0.0	197.6	76.5	0.0	208.5	18.2	500.8	581.0
8/2/2020 0:00	0.0	0.0	0.0	0.0	195.5	79.6	0.0	214	9.3	498.4	581.2
8/2/2020 1:00	0.0	0.0	0.0	0.0	195.6	77.1	0.0	217.8	8.9	499.4	581.4
8/2/2020 2:00	0.0	0.0	0.0	0.0	195.3	75.4	0.0	215	7.9	493.6	581.5
8/2/2020 3:00	0.0	0.0	0.0	0.0	196.0	84.9	0.0	210.3	6.4	497.6	581.7
8/2/2020 4:00	0.0	0.0	0.0	0.0	195.4	85.1	0.0	170.6	5.8	456.9	581.8
8/2/2020 5:00	0.0	0.0	0.0	0.0	195.8	68.7	0.0	212.6	6	483.1	581.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/2/2020 6:00	0.0	0.0	0.0	0.0	193.8	76.5	0.0	197.3	27.2	494.8	582.0
8/2/2020 7:00	0.0	0.0	0.0	0.0	192.6	80.6	0.0	191.6	50.7	515.5	582.2
8/2/2020 8:00	0.0	0.0	0.0	0.0	197.1	83.8	0.0	229.7	33.1	543.7	582.4
8/2/2020 9:00	0.0	0.0	0.0	0.0	208.5	79.4	0.0	193.5	20.4	501.8	582.5
8/2/2020 10:00	0.0	0.0	0.0	0.0	209.9	243.0	0.0	200.5	14.8	668.2	582.9
8/2/2020 11:00	0.0	0.0	0.0	0.0	207.7	68.2	0.0	223.7	10.2	509.8	583.1
8/2/2020 12:00	0.0	0.0	0.0	0.0	203.6	65.9	0.0	217	8	494.5	583.2
8/2/2020 13:00	0.0	0.0	0.0	0.0	211.9	72.9	0.0	216.3	6	507.1	583.1
8/2/2020 14:00	0.0	0.0	0.0	0.0	202.4	56.3	0.0	211.5	4.4	474.6	582.9
8/2/2020 15:00	0.0	0.0	0.0	0.0	207.4	61.6	0.0	207.1	3.7	479.8	582.7
8/2/2020 16:00	0.0	0.0	0.0	0.0	208.9	64.3	0.0	203.8	3.2	480.2	582.3
8/2/2020 17:00	0.0	0.0	0.0	0.0	211.8	64.5	0.0	199.3	2.7	478.3	582.1
8/2/2020 18:00	0.0	0.0	0.0	0.0	209.0	64.3	0.0	198.6	77.7	549.6	581.9
8/2/2020 19:00	0.0	0.0	0.0	0.0	207.4	67.3	0.0	217.6	70.7	563.0	581.7
8/2/2020 20:00	0.0	0.0	0.0	0.0	207.9	64.3	0.0	216.3	49	537.5	581.9
8/2/2020 21:00	0.0	0.0	0.0	0.0	205.9	62.5	0.0	219.1	34.8	522.3	582.1
8/2/2020 22:00	0.0	0.0	0.0	0.0	206.6	62.2	0.0	224	24.1	516.9	582.3
8/2/2020 23:00	0.0	0.0	0.0	0.0	206.8	66.1	0.0	227.8	12.8	513.5	582.5
8/3/2020 0:00	0.0	0.0	0.0	0.0	206.5	64.0	0.0	228	3.8	502.3	582.7
8/3/2020 1:00	0.0	0.0	0.0	0.0	207.3	61.3	0.0	229.5	2.8	500.9	582.8
8/3/2020 2:00	0.0	0.0	0.0	0.0	207.9	58.9	0.0	228.1	3.2	498.1	583.0
8/3/2020 3:00	0.0	0.0	0.0	0.0	207.8	65.1	0.0	224.2	3.2	500.3	583.1
8/3/2020 4:00	0.0	0.0	0.0	0.0	208.8	59.2	0.0	222.8	2.3	493.1	583.3
8/3/2020 5:00	0.0	0.0	0.0	0.0	211.8	60.6	0.0	218.9	10.3	501.6	583.4
8/3/2020 6:00	0.0	0.0	0.0	0.0	209.5	72.1	0.0	202.7	42.6	526.9	583.4
8/3/2020 7:00	0.0	0.0	0.0	0.0	206.1	62.2	0.0	203.2	58.9	530.4	583.6
8/3/2020 8:00	0.0	0.0	0.0	0.0	198.0	59.5	0.0	230	40.8	528.3	583.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/3/2020 9:00	0.0	0.0	0.0	0.0	196.2	52.7	0.0	203.4	20.4	472.7	584.0
8/3/2020 10:00	0.0	0.0	0.0	0.0	195.2	56.8	0.0	199.4	13.5	464.9	584.0
8/3/2020 11:00	0.0	0.0	0.0	0.0	190.0	61.2	0.0	229.6	7.6	488.4	583.9
8/3/2020 12:00	0.0	0.0	0.0	0.0	189.8	64.9	0.0	233.3	9.9	497.9	583.7
8/3/2020 13:00	0.0	0.0	0.0	0.0	189.0	69.4	0.0	228.3	8.1	494.8	583.7
8/3/2020 14:00	0.0	0.0	0.0	0.0	189.2	68.3	0.0	221.9	5.7	485.1	583.8
8/3/2020 15:00	0.0	0.0	0.0	0.0	188.7	60.4	0.0	214.4	4.1	467.6	583.9
8/3/2020 16:00	0.0	0.0	0.0	0.0	187.0	62.1	0.0	211	3.7	463.8	584.0
8/3/2020 17:00	0.0	0.0	0.0	0.0	186.9	67.4	0.0	205.3	2.8	462.4	584.1
8/3/2020 18:00	0.0	0.0	0.0	0.0	186.4	79.2	0.0	195.6	21.4	482.6	584.2
8/3/2020 19:00	0.0	0.0	0.0	0.0	187.7	82.7	0.0	192.2	47.4	510.0	584.4
8/3/2020 20:00	0.0	0.0	0.0	0.0	187.3	78.6	0.0	190.3	39.1	495.3	584.5
8/3/2020 21:00	0.0	0.0	0.0	0.0	188.4	76.3	0.0	191	29.9	485.6	584.6
8/3/2020 22:00	0.0	0.0	0.0	0.0	187.0	77.5	0.0	195.1	22.2	481.8	584.7
8/3/2020 23:00	0.0	0.0	0.0	0.0	187.1	74.7	0.0	198.3	16.1	476.2	584.8
8/4/2020 0:00	0.0	0.0	0.0	0.0	185.5	72.5	0.0	226.7	12.1	496.8	584.9
8/4/2020 1:00	0.0	0.0	0.0	0.0	185.4	72.3	0.0	233	8.3	499.0	585.1
8/4/2020 2:00	0.0	0.0	0.0	0.0	185.2	73.1	0.0	232.2	5.8	496.3	585.2
8/4/2020 3:00	0.0	0.0	0.0	0.0	183.9	76.6	0.0	227.3	4	491.8	585.3
8/4/2020 4:00	0.0	0.0	0.0	0.0	182.9	69.4	0.0	227	3.7	483.0	585.3
8/4/2020 5:00	0.0	0.0	0.0	0.0	184.9	76.4	0.0	247.8	4.5	513.6	585.4
8/4/2020 6:00	0.0	0.0	0.0	0.0	184.2	75.8	0.0	236.1	29.9	526.0	585.6
8/4/2020 7:00	0.0	0.0	0.0	0.0	184.1	71.9	0.0	234.4	67.1	557.5	585.8
8/4/2020 8:00	0.0	0.0	0.0	0.0	183.7	78.6	0.0	258.6	53.2	574.1	585.9
8/4/2020 9:00	0.0	0.0	0.0	0.0	185.5	84.9	0.0	237.2	43.2	550.8	586.1
8/4/2020 10:00	0.0	0.0	0.0	0.0	183.2	80.0	0.0	235.8	34.4	533.4	586.2
8/4/2020 11:00	0.0	0.0	0.0	0.0	184.2	79.6	0.0	264.9	27.8	556.5	586.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/4/2020 12:00	0.0	0.0	0.0	0.0	184.5	75.5	0.0	264.2	18.8	543.0	586.7
8/4/2020 13:00	0.0	0.0	0.0	0.0	185.5	80.8	0.0	257.8	12.7	536.8	586.9
8/4/2020 14:00	0.0	0.0	0.0	0.0	184.9	229.8	0.0	251.2	9.4	675.3	587.3
8/4/2020 15:00	0.0	0.0	0.0	0.0	182.6	110.1	0.0	245.1	6.8	544.6	587.5
8/4/2020 16:00	0.0	0.0	0.0	0.0	183.0	89.0	0.0	240.2	5.4	517.6	587.7
8/4/2020 17:00	0.0	0.0	0.0	0.0	182.4	224.7	0.0	236.8	4.6	648.5	588.1
8/4/2020 18:00	0.0	0.0	0.0	0.0	183.4	96.0	0.0	232.1	24.7	536.2	588.3
8/4/2020 19:00	0.0	0.0	0.0	0.0	183.2	102.1	0.0	227	44.4	556.7	588.5
8/4/2020 20:00	0.0	0.0	0.0	0.0	183.9	98.2	0.0	227	30.5	539.6	588.7
8/4/2020 21:00	0.0	0.0	0.0	0.0	184.4	117.8	0.0	228.6	23.3	554.1	588.9
8/4/2020 22:00	0.0	0.0	0.0	0.0	183.6	130.9	0.0	229.4	18.1	562.0	589.1
8/4/2020 23:00	0.0	0.0	0.0	0.0	182.5	175.2	0.0	243.9	15	616.6	589.4
8/5/2020 0:00	0.0	0.0	0.0	0.0	182.7	156.6	0.0	246.1	14.9	600.3	589.6
8/5/2020 1:00	0.0	0.0	0.0	0.0	183.4	192.6	0.0	244.7	12	632.7	589.8
8/5/2020 2:00	0.0	0.0	0.0	0.0	183.7	182.5	0.0	240	9.5	615.7	590.0
8/5/2020 3:00	0.0	0.0	0.0	0.0	182.7	178.4	0.0	234.7	8.1	603.9	590.2
8/5/2020 4:00	0.0	0.0	0.0	0.0	185.2	150.1	0.0	233.6	7.1	576.0	590.4
8/5/2020 5:00	0.0	0.0	0.0	0.0	184.0	226.1	0.0	230.4	7.4	647.9	590.5
8/5/2020 6:00	0.0	0.0	0.0	0.0	182.3	59.2	0.0	221.2	42	504.7	590.6
8/5/2020 7:00	0.0	0.0	0.0	0.0	182.2	100.3	0.0	219	63.5	565.0	590.8
8/5/2020 8:00	0.0	0.0	0.0	0.0	182.0	134.2	0.0	248.6	38.1	602.9	591.0
8/5/2020 9:00	0.0	0.0	0.0	0.0	183.1	60.8	0.0	222.7	29.3	495.9	591.1
8/5/2020 10:00	0.0	0.0	0.0	0.0	185.1	60.0	0.0	218.9	23.5	487.5	591.1
8/5/2020 11:00	0.0	0.0	0.0	0.0	187.9	91.6	0.0	230.9	17	527.4	591.2
8/5/2020 12:00	0.0	0.0	0.0	0.0	191.1	58.8	0.0	231.8	11.1	492.8	591.2
8/5/2020 13:00	0.0	0.0	0.0	0.0	192.2	56.1	0.0	228.5	11.5	488.3	591.3
8/5/2020 14:00	0.0	0.0	0.0	0.0	191.2	58.3	0.0	225	10.2	484.7	591.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/5/2020 15:00	0.0	0.0	0.0	0.0	190.6	61.6	0.0	219.8	8.5	480.5	591.5
8/5/2020 16:00	0.0	0.0	0.0	0.0	193.1	63.0	0.0	216.1	7.6	479.8	591.6
8/5/2020 17:00	0.0	0.0	0.0	0.0	191.7	55.2	0.0	211.3	75.3	533.5	591.8
8/5/2020 18:00	0.0	0.0	0.0	0.0	192.2	59.1	0.0	206.5	98	555.8	592.0
8/5/2020 19:00	0.0	0.0	0.0	0.0	192.9	68.3	0.0	205	96.4	562.6	592.2
8/5/2020 20:00	0.0	0.0	0.0	0.0	192.5	71.2	0.0	206.8	67.6	538.1	592.3
8/5/2020 21:00	0.0	0.0	0.0	0.0	193.8	71.5	0.0	204.3	55.4	525.0	592.4
8/5/2020 22:00	0.0	0.0	0.0	0.0	193.5	82.1	0.0	238.7	42.8	557.1	592.6
8/5/2020 23:00	0.0	0.0	0.0	0.0	194.0	79.5	0.0	240	32	545.5	592.6
8/6/2020 0:00	0.0	0.0	0.0	0.0	195.9	89.0	0.0	237.6	19.8	542.3	592.4
8/6/2020 1:00	0.0	0.0	0.0	0.0	194.3	87.0	0.0	237.2	14	532.5	592.0
8/6/2020 2:00	0.0	0.0	0.0	0.0	195.2	97.3	0.0	235.5	10	538.0	591.7
8/6/2020 3:00	0.0	0.0	0.0	0.0	194.7	92.6	0.0	230.9	6.4	524.6	591.4
8/6/2020 4:00	0.0	0.0	0.0	0.0	193.7	75.2	0.0	227.1	6	502.0	591.0
8/6/2020 5:00	0.0	0.0	0.0	0.0	193.3	80.8	0.0	226	6.3	506.4	590.6
8/6/2020 6:00	0.0	0.0	0.0	0.0	193.9	105.8	0.0	215	28.5	543.2	590.7
8/6/2020 7:00	0.0	0.0	0.0	0.0	191.0	154.0	0.0	214.1	36.1	595.2	590.9
8/6/2020 8:00	0.0	0.0	0.0	0.0	189.0	87.5	0.0	217.3	19.5	513.3	590.9
8/6/2020 9:00	0.0	0.0	0.0	0.0	186.7	80.6	0.0	214.1	14.3	495.7	590.5
8/6/2020 10:00	0.0	0.0	0.0	0.0	188.9	74.5	0.0	213	11.5	487.9	590.1
8/6/2020 11:00	0.0	0.0	0.0	0.0	191.8	60.9	0.0	217.3	10.7	480.7	590.0
8/6/2020 12:00	0.0	0.0	0.0	0.0	198.3	62.1	0.0	212.3	11.3	484.0	590.0
8/6/2020 13:00	0.0	0.0	0.0	0.0	197.7	62.5	0.0	207.9	9.9	478.0	590.0
8/6/2020 14:00	0.0	0.0	0.0	0.0	199.4	72.4	0.0	214.8	9.5	496.1	590.0
8/6/2020 15:00	0.0	0.0	0.0	0.0	200.1	78.0	0.0	213.2	10.7	502.0	590.1
8/6/2020 16:00	0.0	0.0	0.0	0.0	199.5	77.4	0.0	244.1	9.6	530.6	590.2
8/6/2020 17:00	0.0	0.0	0.0	0.0	199.8	71.2	0.0	248.1	40	559.1	590.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/6/2020 18:00	0.0	0.0	0.0	0.0	198.8	70.1	0.0	240.5	97.9	607.3	590.6
8/6/2020 19:00	0.0	0.0	0.0	0.0	198.9	69.8	0.0	238.2	95.9	602.8	590.8
8/6/2020 20:00	0.0	0.0	0.0	0.0	200.1	73.0	0.0	233.5	79	585.6	591.0
8/6/2020 21:00	0.0	0.0	0.0	0.0	200.5	80.9	0.0	235.3	66	582.7	591.2
8/6/2020 22:00	0.0	0.0	0.0	0.0	200.7	89.7	0.0	237.1	56.2	583.7	591.3
8/6/2020 23:00	0.0	0.0	0.0	0.0	200.6	93.2	0.0	243.1	44.2	581.1	591.4
8/7/2020 0:00	0.0	0.0	0.0	0.0	200.0	90.4	0.0	250.6	44	585.0	591.6
8/7/2020 1:00	0.0	0.0	0.0	0.0	199.7	95.8	0.0	244.8	38.5	578.8	591.7
8/7/2020 2:00	0.0	0.0	0.0	0.0	196.5	87.6	0.0	240.3	32.1	556.5	591.7
8/7/2020 3:00	0.0	0.0	0.0	0.0	197.4	53.9	0.0	236	27.9	515.2	591.8
8/7/2020 4:00	0.0	0.0	0.0	0.0	197.3	52.5	0.0	232.2	24.4	506.4	591.6
8/7/2020 5:00	0.0	0.0	0.0	0.0	196.8	61.4	0.0	227.1	21.5	506.8	591.6
8/7/2020 6:00	0.0	0.0	0.0	0.0	198.7	140.7	0.0	214.1	47	600.5	591.8
8/7/2020 7:00	0.0	0.0	0.0	0.0	197.9	60.5	0.0	215.2	61.6	535.2	591.8
8/7/2020 8:00	0.0	0.0	0.0	0.0	197.2	43.9	0.0	225.8	30.8	497.7	591.8
8/7/2020 9:00	0.0	0.0	0.0	0.0	197.5	48.4	0.0	220.8	17	483.7	591.8
8/7/2020 10:00	0.0	0.0	0.0	0.0	198.9	52.4	0.0	219.1	13.3	483.7	591.8
8/7/2020 11:00	0.0	0.0	0.0	0.0	197.2	58.0	0.0	224.3	17.6	497.1	591.8
8/7/2020 12:00	0.0	0.0	0.0	0.0	197.4	129.3	0.0	213.7	19.9	560.3	591.8
8/7/2020 13:00	0.0	0.0	0.0	0.0	200.5	209.1	0.0	224.8	34	668.4	592.1
8/7/2020 14:00	0.0	0.0	0.0	0.0	203.2	100.4	0.0	206.9	31.2	541.7	592.2
8/7/2020 15:00	0.0	0.0	0.0	0.0	203.3	112.1	0.0	203.2	44.5	563.1	592.4
8/7/2020 16:00	0.0	0.0	0.0	0.0	203.4	124.4	0.0	202.3	40.6	570.7	592.5
8/7/2020 17:00	0.0	0.0	0.0	0.0	205.2	144.4	0.0	203	26.5	579.1	592.7
8/7/2020 18:00	0.0	0.0	0.0	0.0	203.7	154.2	0.0	204.4	41.1	603.4	593.0
8/7/2020 19:00	0.0	0.0	0.0	0.0	206.5	148.9	0.0	209.3	61.6	626.3	593.3
8/7/2020 20:00	0.0	0.0	0.0	0.0	205.7	149.5	0.0	215.1	45.5	615.8	593.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/7/2020 21:00	0.0	0.0	0.0	0.0	204.8	147.1	0.0	223.7	35.5	611.1	593.5
8/7/2020 22:00	0.0	0.0	0.0	0.0	204.8	175.8	0.0	228.1	22.1	630.8	593.8
8/7/2020 23:00	0.0	0.0	0.0	0.0	205.7	171.0	0.0	232.8	14.7	624.2	594.0
8/8/2020 0:00	0.0	0.0	0.0	0.0	208.2	158.4	0.0	269	12.7	648.3	594.4
8/8/2020 1:00	0.0	0.0	0.0	0.0	206.8	137.5	0.0	255.7	11.1	611.1	594.7
8/8/2020 2:00	0.0	0.0	0.0	0.0	207.0	126.2	0.0	260.6	9.8	603.6	595.0
8/8/2020 3:00	0.0	0.0	0.0	0.0	207.8	126.6	0.0	256.7	9.3	600.4	595.2
8/8/2020 4:00	0.0	0.0	0.0	0.0	211.0	123.5	0.0	261.9	33.7	630.1	595.4
8/8/2020 5:00	0.0	0.0	0.0	0.0	213.8	116.9	0.0	268.3	56.9	655.9	595.7
8/8/2020 6:00	0.0	0.0	0.0	0.0	213.6	117.2	0.0	220.6	61.6	613.0	595.9
8/8/2020 7:00	0.0	0.0	0.0	0.0	214.2	120.3	0.0	156.1	55.9	546.5	596.0
8/8/2020 8:00	0.0	0.0	0.0	0.0	214.1	133.8	0.0	205.3	42.3	595.5	596.1
8/8/2020 9:00	0.0	0.0	0.0	0.0	214.6	141.0	0.0	221.4	40.2	617.2	596.3
8/8/2020 10:00	0.0	0.0	0.0	0.0	212.9	130.7	0.0	226.7	35.4	605.7	596.5
8/8/2020 11:00	0.0	0.0	0.0	0.0	213.5	132.0	0.0	273.5	41.8	660.8	596.8
8/8/2020 12:00	0.0	0.0	0.0	0.0	216.9	122.3	0.0	252.7	48.9	640.8	597.0
8/8/2020 13:00	0.0	0.0	0.0	0.0	219.3	129.3	0.0	270.2	58.1	676.9	597.3
8/8/2020 14:00	0.0	0.0	0.0	0.0	221.7	134.4	0.0	243.7	46.7	646.5	597.6
8/8/2020 15:00	0.0	0.0	0.0	0.0	220.9	136.0	0.0	235.1	41.2	633.2	597.9
8/8/2020 16:00	0.0	0.0	0.0	0.0	221.8	136.5	0.0	226.7	23.1	608.1	598.1
8/8/2020 17:00	0.0	0.0	0.0	0.0	216.8	147.1	0.0	228.6	19.6	612.1	598.4
8/8/2020 18:00	0.0	0.0	0.0	0.0	214.2	148.4	0.0	251.1	12.3	626.0	598.7
8/8/2020 19:00	0.0	0.0	0.0	0.0	215.8	146.7	0.0	268.3	8.5	639.3	599.0
8/8/2020 20:00	0.0	0.0	0.0	0.0	205.9	72.6	0.0	271.8	5.2	555.5	599.2
8/8/2020 21:00	0.0	0.0	0.0	0.0	201.7	71.8	0.0	271.2	4	548.7	599.3
8/8/2020 22:00	0.0	0.0	0.0	0.0	210.7	224.7	0.0	265.7	3.6	704.7	599.7
8/8/2020 23:00	0.0	0.0	0.0	0.0	212.9	101.8	0.0	274.6	3.3	592.6	599.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/9/2020 0:00	0.0	0.0	0.0	0.0	213.1	89.1	0.0	270.5	4.3	577.0	600.0
8/9/2020 1:00	0.0	0.0	0.0	0.0	213.0	91.5	0.0	281	5.3	590.8	600.1
8/9/2020 2:00	0.0	0.0	0.0	0.0	212.6	98.5	0.0	280.9	5.8	597.8	600.3
8/9/2020 3:00	0.0	0.0	0.0	0.0	213.2	89.1	0.0	279.5	6.6	588.4	600.4
8/9/2020 4:00	0.0	0.0	0.0	0.0	214.1	88.0	0.0	275.3	20.2	597.6	600.6
8/9/2020 5:00	0.0	0.0	0.0	0.0	212.6	79.4	0.0	244.5	207	743.5	600.9
8/9/2020 6:00	0.0	0.0	0.0	0.0	210.3	86.6	0.0	254.3	97.1	648.3	601.2
8/9/2020 7:00	0.0	0.0	0.0	0.0	205.2	93.6	0.0	251.2	57.2	607.2	601.3
8/9/2020 8:00	0.0	0.0	0.0	0.0	176.5	82.6	0.0	261.1	68.7	588.9	601.4
8/9/2020 9:00	0.0	0.0	0.0	0.0	69.0	93.1	0.0	258.9	61.6	482.6	601.5
8/9/2020 10:00	0.0	0.0	0.0	0.0	74.8	113.9	0.0	272.7	49.3	510.7	601.5
8/9/2020 11:00	0.0	0.0	0.0	0.0	0.0	109.5	0.0	263.1	77.4	450.0	601.5
8/9/2020 12:00	0.0	0.0	0.0	0.0	0.0	110.7	0.0	298.9	75.4	485.0	601.6
8/9/2020 13:00	0.0	0.0	0.0	0.0	0.0	109.1	0.0	266.2	27.1	402.4	601.5
8/9/2020 14:00	0.0	0.0	0.0	0.0	0.0	282.2	0.0	265.5	7.5	555.2	601.6
8/9/2020 15:00	0.0	0.0	0.0	0.0	0.0	360.7	0.0	273.4	29.6	663.7	601.6
8/9/2020 16:00	0.0	0.0	0.0	0.0	0.0	126.4	0.0	280.2	24.1	430.7	601.6
8/9/2020 17:00	0.0	0.0	0.0	0.0	0.0	91.8	0.0	279.1	20.9	391.8	601.4
8/9/2020 18:00	0.0	0.0	0.0	0.0	0.0	83.4	0.0	277.9	31.6	392.9	601.3
8/9/2020 19:00	0.0	0.0	0.0	0.0	0.0	88.6	0.0	260.2	42.8	391.6	601.2
8/9/2020 20:00	0.0	0.0	0.0	0.0	0.0	85.1	0.0	279.5	35.8	400.4	601.2
8/9/2020 21:00	0.0	0.0	0.0	0.0	0.0	92.0	0.0	284.7	33	409.7	601.1
8/9/2020 22:00	0.0	0.0	0.0	0.0	0.0	98.2	0.0	280.4	42.2	420.8	601.1
8/9/2020 23:00	0.0	0.0	0.0	0.0	0.0	126.1	0.0	280.1	48.2	454.4	601.1
8/10/2020 0:00	0.0	0.0	0.0	0.0	0.0	300.4	0.0	280	50.8	631.2	601.4
8/10/2020 1:00	0.0	0.0	0.0	0.0	0.0	124.5	0.0	278.9	47.3	450.7	601.3
8/10/2020 2:00	0.0	0.0	0.0	0.0	0.0	105.9	0.0	279.3	39.7	424.9	601.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/10/2020 3:00	0.0	0.0	0.0	0.0	0.0	109.0	0.0	278.8	41.5	429.3	601.3
8/10/2020 4:00	0.0	0.0	0.0	0.0	0.0	107.3	0.0	278.2	40.2	425.7	601.3
8/10/2020 5:00	0.0	0.0	0.0	0.0	0.0	105.5	0.0	278.5	61.1	445.1	601.2
8/10/2020 6:00	0.0	0.0	0.0	0.0	0.0	110.0	0.0	277.6	48.7	436.3	601.2
8/10/2020 7:00	0.0	0.0	0.0	0.0	0.0	121.5	0.0	278.8	38.5	438.8	601.1
8/10/2020 8:00	0.0	0.0	0.0	0.0	0.0	114.4	0.0	279	39.7	433.1	601.0
8/10/2020 9:00	0.0	0.0	0.0	0.0	0.0	287.8	0.0	278.9	42.6	609.3	601.3
8/10/2020 10:00	0.0	0.0	0.0	0.0	0.0	376.7	0.0	278.6	43.6	698.9	601.7
8/10/2020 11:00	0.0	0.0	0.0	0.0	0.0	385.8	0.0	293.8	61.2	740.8	602.1
8/10/2020 12:00	0.0	0.0	0.0	0.0	0.0	380.6	0.0	273.1	44.6	698.3	602.5
8/10/2020 13:00	0.0	0.0	0.0	0.0	0.0	111.2	0.0	279.2	51.6	442.0	602.5
8/10/2020 14:00	0.0	0.0	0.0	0.0	0.0	77.0	0.0	281.8	53	411.8	602.5
8/10/2020 15:00	0.0	0.0	0.0	0.0	0.0	77.6	0.0	279.9	42.5	400.0	602.5
8/10/2020 16:00	0.0	0.0	0.0	0.0	0.0	74.8	0.0	278.1	44.5	397.4	602.5
8/10/2020 17:00	0.0	0.0	0.0	0.0	0.0	84.6	0.0	278.6	43.4	406.6	602.5
8/10/2020 18:00	0.0	0.0	0.0	0.0	15.8	90.0	0.0	278.9	53.7	438.4	602.5
8/10/2020 19:00	0.0	0.0	0.0	0.0	7.8	89.6	0.0	279	42.5	418.9	602.5
8/10/2020 20:00	0.0	0.0	0.0	0.0	5.6	81.9	0.0	278.3	45.1	410.9	602.5
8/10/2020 21:00	0.0	0.0	0.0	0.0	0.0	90.5	0.0	279	43.7	413.2	602.5
8/10/2020 22:00	0.0	0.0	0.0	0.0	3.4	97.7	0.0	279	42.9	423.0	602.5
8/10/2020 23:00	0.0	0.0	0.0	0.0	56.9	108.2	0.0	281.1	45.1	491.3	602.6
8/11/2020 0:00	0.0	0.0	0.0	0.0	181.7	108.5	0.0	279.7	51.3	621.2	602.9
8/11/2020 1:00	0.0	0.0	0.0	0.0	193.7	108.6	0.0	278.6	43.9	624.8	603.2
8/11/2020 2:00	0.0	0.0	0.0	0.0	194.0	106.6	0.0	278.8	44.2	623.6	603.5
8/11/2020 3:00	0.0	0.0	0.0	0.0	194.3	100.2	0.0	278.8	43.3	616.6	603.7
8/11/2020 4:00	0.0	0.0	0.0	0.0	194.6	111.5	0.0	277.7	42.1	625.9	604.0
8/11/2020 5:00	0.0	0.0	0.0	0.0	188.0	88.6	0.0	280.5	41.5	598.6	604.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/11/2020 6:00	0.0	0.0	0.0	0.0	188.1	92.4	0.0	280.6	52	613.1	604.5
8/11/2020 7:00	0.0	0.0	0.0	0.0	191.3	92.4	0.0	278.4	41.3	603.4	604.8
8/11/2020 8:00	0.0	0.0	0.0	0.0	180.3	87.1	0.0	269.5	52.7	589.6	605.0
8/11/2020 9:00	0.0	0.0	0.0	0.0	143.6	97.6	0.0	307.6	56.5	605.3	605.3
8/11/2020 10:00	0.0	0.0	0.0	0.0	140.7	101.4	0.0	279.4	44.3	565.8	605.5
8/11/2020 11:00	0.0	0.0	0.0	0.0	142.1	111.7	0.0	279.1	46.2	579.1	605.8
8/11/2020 12:00	0.0	0.0	0.0	0.0	141.3	103.4	0.0	283.2	48.7	576.6	606.0
8/11/2020 13:00	0.0	0.0	0.0	0.0	142.5	104.1	0.0	278.8	47.8	573.2	606.3
8/11/2020 14:00	0.0	0.0	0.0	0.0	188.0	90.5	0.0	279.3	42.6	600.4	606.5
8/11/2020 15:00	0.0	0.0	0.0	0.0	193.1	76.7	0.0	278.9	43.5	592.2	606.8
8/11/2020 16:00	0.0	0.0	0.0	0.0	192.9	77.1	0.0	278.7	46.7	595.4	607.1
8/11/2020 17:00	0.0	0.0	0.0	0.0	184.2	86.5	0.0	278.9	47.4	597.0	607.3
8/11/2020 18:00	0.0	0.0	0.0	0.0	186.0	90.8	0.0	278.4	56.1	611.3	607.6
8/11/2020 19:00	0.0	0.0	0.0	0.0	185.7	119.3	0.0	278.1	37.6	620.7	607.9
8/11/2020 20:00	0.0	0.0	0.0	0.0	182.9	140.4	0.0	276	50.7	650.0	608.2
8/11/2020 21:00	0.0	0.0	0.0	0.0	173.8	91.9	0.0	279.6	43.7	589.0	608.5
8/11/2020 22:00	0.0	0.0	0.0	0.0	174.4	89.4	0.0	278.8	44.3	586.9	608.6
8/11/2020 23:00	0.0	0.0	0.0	0.0	176.7	86.6	0.0	281.1	48.8	593.2	608.8
8/12/2020 0:00	0.0	0.0	0.0	0.0	179.8	90.1	0.0	279.4	52.1	601.4	609.0
8/12/2020 1:00	0.0	0.0	0.0	0.0	180.6	87.3	0.0	278.6	47.5	594.0	609.3
8/12/2020 2:00	0.0	0.0	0.0	0.0	180.3	84.7	0.0	279.1	47.2	591.3	609.5
8/12/2020 3:00	0.0	0.0	0.0	0.0	176.0	92.1	0.0	278.5	46.8	593.4	609.7
8/12/2020 4:00	0.0	0.0	0.0	0.0	177.0	83.8	0.0	278.3	49.4	588.5	610.0
8/12/2020 5:00	0.0	0.0	0.0	0.0	180.5	170.7	0.0	280.2	31.4	662.8	610.3
8/12/2020 6:00	0.0	0.0	0.0	0.0	179.7	339.4	0.0	278.7	41.3	839.1	610.9
8/12/2020 7:00	0.0	0.0	0.0	0.0	195.2	339.4	0.0	279.8	39.3	853.7	611.6
8/12/2020 8:00	0.0	0.0	0.0	0.0	194.3	317.0	0.0	292.5	62.4	866.2	612.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/12/2020 9:00	0.0	0.0	0.0	0.0	190.6	64.9	0.0	279.1	50.1	584.7	612.5
8/12/2020 10:00	0.0	0.0	0.0	0.0	193.0	61.8	0.0	279.1	42.1	576.0	612.8
8/12/2020 11:00	0.0	0.0	0.0	0.0	193.9	62.2	0.0	279.1	37.6	572.8	613.0
8/12/2020 12:00	0.0	0.0	0.0	0.0	199.4	62.5	0.0	278.4	49	589.3	613.4
8/12/2020 13:00	0.0	0.0	0.0	0.0	201.7	64.0	0.0	279.3	46.3	591.3	613.6
8/12/2020 14:00	0.0	0.0	0.0	0.0	203.9	64.8	0.0	280.3	50.6	599.6	613.9
8/12/2020 15:00	0.0	0.0	0.0	0.0	202.8	62.8	0.0	278.2	39.3	583.1	614.1
8/12/2020 16:00	0.0	0.0	0.0	0.0	201.3	62.2	0.0	280.1	41.7	585.3	614.4
8/12/2020 17:00	0.0	0.0	0.0	0.0	200.3	61.9	0.0	278.4	43.2	583.8	614.6
8/12/2020 18:00	0.0	0.0	0.0	0.0	200.6	59.3	0.0	279.6	41.3	580.8	614.8
8/12/2020 19:00	0.0	0.0	0.0	0.0	198.6	63.0	0.0	279.6	41.2	582.4	615.1
8/12/2020 20:00	0.0	0.0	0.0	0.0	198.6	70.7	0.0	275.7	46.7	591.7	615.3
8/12/2020 21:00	0.0	0.0	0.0	0.0	174.6	73.9	0.0	279	42.9	570.4	615.5
8/12/2020 22:00	0.0	0.0	0.0	0.0	181.1	76.1	0.0	279	39	575.2	615.7
8/12/2020 23:00	0.0	0.0	0.0	0.0	185.6	79.6	0.0	275	54.5	594.7	615.9
8/13/2020 0:00	0.0	0.0	0.0	0.0	186.6	80.0	0.0	290.7	37.6	594.9	616.2
8/13/2020 1:00	0.0	0.0	0.0	0.0	186.1	81.4	0.0	278.5	36.1	582.1	616.4
8/13/2020 2:00	0.0	0.0	0.0	0.0	193.3	87.7	0.0	278.2	36.8	596.0	616.7
8/13/2020 3:00	0.0	0.0	0.0	0.0	199.5	84.4	0.0	279.4	39.4	602.7	616.9
8/13/2020 4:00	0.0	0.0	0.0	0.0	200.3	90.5	0.0	279.2	40	610.0	617.2
8/13/2020 5:00	0.0	0.0	0.0	0.0	199.8	81.4	0.0	278	56.6	615.8	617.4
8/13/2020 6:00	0.0	0.0	0.0	0.0	202.3	96.0	0.0	279.4	33.9	611.6	617.6
8/13/2020 7:00	0.0	0.0	0.0	0.0	199.3	96.4	0.0	279.7	37.9	613.3	617.9
8/13/2020 8:00	0.0	0.0	0.0	0.0	201.0	228.6	0.0	278.6	39.7	747.9	618.2
8/13/2020 9:00	0.0	0.0	0.0	0.0	200.2	228.6	0.0	279.1	37.6	745.5	618.7
8/13/2020 10:00	0.0	0.0	0.0	0.0	198.1	228.6	0.0	279.9	39.6	746.2	619.1
8/13/2020 11:00	0.0	0.0	0.0	0.0	200.4	228.6	0.0	286.5	70.3	785.8	619.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/13/2020 12:00	0.0	0.0	0.0	0.0	201.9	82.0	0.0	276.4	50.4	610.7	619.8
8/13/2020 13:00	0.0	0.0	0.0	0.0	202.3	68.3	0.0	276.8	38.9	586.3	620.0
8/13/2020 14:00	0.0	0.0	0.0	0.0	203.1	72.0	0.0	279.9	41.2	596.2	620.1
8/13/2020 15:00	0.0	0.0	0.0	0.0	202.8	62.1	0.0	278.9	34.9	578.7	620.3
8/13/2020 16:00	0.0	0.0	0.0	0.0	205.1	58.4	0.0	276.9	36.6	577.0	620.5
8/13/2020 17:00	0.0	0.0	0.0	0.0	203.3	58.0	0.0	270.4	33.2	564.9	620.5
8/13/2020 18:00	0.0	0.0	0.0	0.0	204.4	56.2	0.0	287.3	40.5	588.4	620.4
8/13/2020 19:00	0.0	0.0	0.0	0.0	203.4	61.3	0.0	279.4	29.5	573.6	620.4
8/13/2020 20:00	0.0	0.0	0.0	0.0	203.7	208.2	0.0	277.1	42.4	731.4	620.5
8/13/2020 21:00	0.0	0.0	0.0	0.0	205.5	309.0	0.0	277.7	24.1	816.3	620.8
8/13/2020 22:00	0.0	0.0	0.0	0.0	206.3	209.4	0.0	281	37.5	734.2	621.0
8/13/2020 23:00	0.0	0.0	0.0	0.0	204.3	61.0	0.0	278.5	32.4	576.2	620.9
8/14/2020 0:00	0.0	0.0	0.0	0.0	205.9	68.2	0.0	279.6	42.8	596.5	620.9
8/14/2020 1:00	0.0	0.0	0.0	0.0	204.6	67.8	0.0	279.2	36.3	587.9	620.8
8/14/2020 2:00	0.0	0.0	0.0	0.0	204.1	72.2	0.0	279	37.8	593.1	620.8
8/14/2020 3:00	0.0	0.0	0.0	0.0	205.5	68.4	0.0	280.4	40.2	594.5	620.8
8/14/2020 4:00	0.0	0.0	0.0	0.0	207.1	70.6	0.0	300.1	47.6	625.4	620.8
8/14/2020 5:00	0.0	0.0	0.0	0.0	205.8	71.1	0.0	266.7	55.9	599.5	620.8
8/14/2020 6:00	0.0	0.0	0.0	0.0	205.2	78.0	0.0	276.9	39.4	599.5	620.8
8/14/2020 7:00	0.0	0.0	0.0	0.0	205.3	78.0	0.0	279.2	33.7	596.2	620.8
8/14/2020 8:00	0.0	0.0	0.0	0.0	205.9	72.9	0.0	278.6	43.1	600.5	620.7
8/14/2020 9:00	0.0	0.0	0.0	0.0	205.7	137.1	0.0	279.4	42.8	665.0	620.7
8/14/2020 10:00	0.0	0.0	0.0	0.0	204.2	289.6	0.0	279.7	46.3	819.8	621.0
8/14/2020 11:00	0.0	0.0	0.0	0.0	205.5	321.7	0.0	278.2	24.3	829.7	621.2
8/14/2020 12:00	0.0	0.0	0.0	0.0	207.1	107.6	0.0	279.3	29	623.0	621.1
8/14/2020 13:00	0.0	0.0	0.0	0.0	205.4	49.9	0.0	281.3	57.5	594.1	621.0
8/14/2020 14:00	0.0	0.0	0.0	0.0	205.3	59.9	0.0	280.4	39.8	585.4	620.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/14/2020 15:00	0.0	0.0	0.0	0.0	207.4	50.3	0.0	279.2	32	568.9	620.7
8/14/2020 16:00	0.0	0.0	0.0	0.0	206.1	48.0	0.0	277.4	37.1	568.6	620.5
8/14/2020 17:00	0.0	0.0	0.0	0.0	207.4	49.7	0.0	279.6	39.7	576.4	620.3
8/14/2020 18:00	0.0	0.0	0.0	0.0	207.1	78.0	0.0	276.1	40	601.2	620.2
8/14/2020 19:00	0.0	0.0	0.0	0.0	205.1	65.0	0.0	281.5	30.8	582.4	620.0
8/14/2020 20:00	0.0	0.0	0.0	0.0	206.3	59.1	0.0	275.9	50.9	592.2	619.9
8/14/2020 21:00	0.0	0.0	0.0	0.0	205.2	41.1	0.0	275.9	36.5	558.7	619.7
8/14/2020 22:00	0.0	0.0	0.0	0.0	205.3	44.9	0.0	281	41.9	573.1	619.6
8/14/2020 23:00	0.0	0.0	0.0	0.0	206.0	46.8	0.0	279.4	53.8	586.0	619.4
8/15/2020 0:00	0.0	0.0	0.0	0.0	203.4	41.3	0.0	278.4	45.5	568.6	619.3
8/15/2020 1:00	0.0	0.0	0.0	0.0	206.9	43.6	0.0	282.2	41.6	574.3	619.1
8/15/2020 2:00	0.0	0.0	0.0	0.0	207.2	48.6	0.0	276.6	37.7	570.1	618.8
8/15/2020 3:00	0.0	0.0	0.0	0.0	208.4	48.5	0.0	279.4	36.6	572.9	618.4
8/15/2020 4:00	0.0	0.0	0.0	0.0	211.7	71.8	0.0	279.1	37.1	599.7	618.3
8/15/2020 5:00	0.0	0.0	0.0	0.0	211.0	241.4	0.0	279.1	59.7	791.2	618.4
8/15/2020 6:00	0.0	0.0	0.0	0.0	213.8	269.3	0.0	277.7	44.1	804.9	618.6
8/15/2020 7:00	0.0	0.0	0.0	0.0	212.9	315.4	0.0	280.1	37.5	845.9	618.8
8/15/2020 8:00	0.0	0.0	0.0	0.0	210.2	338.7	0.0	279	29	856.9	619.0
8/15/2020 9:00	0.0	0.0	0.0	0.0	188.7	77.1	0.0	278.9	43.1	587.8	618.8
8/15/2020 10:00	0.0	0.0	0.0	0.0	192.0	58.5	0.0	279	41.8	571.3	618.7
8/15/2020 11:00	0.0	0.0	0.0	0.0	193.3	61.6	0.0	248	46.7	549.6	618.5
8/15/2020 12:00	0.0	0.0	0.0	0.0	188.2	62.0	0.0	280.9	12.3	543.4	618.3
8/15/2020 13:00	0.0	0.0	0.0	0.0	198.1	65.5	0.0	272	41.8	577.4	618.2
8/15/2020 14:00	0.0	0.0	0.0	0.0	196.8	62.7	0.0	282.7	40.1	582.3	618.1
8/15/2020 15:00	0.0	0.0	0.0	0.0	202.7	63.7	0.0	276.7	42.6	585.7	618.0
8/15/2020 16:00	0.0	0.0	0.0	0.0	204.9	55.8	0.0	277.9	33.4	572.0	617.9
8/15/2020 17:00	0.0	0.0	0.0	0.0	203.6	60.3	0.0	275.8	31.4	571.1	617.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/15/2020 18:00	0.0	0.0	0.0	0.0	208.9	61.7	0.0	277.2	45	592.8	617.8
8/15/2020 19:00	0.0	0.0	0.0	0.0	211.1	73.0	0.0	277.9	34.5	596.5	617.8
8/15/2020 20:00	0.0	0.0	0.0	0.0	209.0	50.3	0.0	275.9	30.4	565.6	617.7
8/15/2020 21:00	0.0	0.0	0.0	0.0	202.8	60.2	0.0	248.5	30.9	542.4	617.6
8/15/2020 22:00	0.0	0.0	0.0	0.0	206.7	56.7	0.0	272.3	38.4	574.1	617.5
8/15/2020 23:00	0.0	0.0	0.0	0.0	207.1	70.1	0.0	282.6	34.6	594.4	617.5
8/16/2020 0:00	0.0	0.0	0.0	0.0	204.2	73.7	0.0	278.8	33.5	590.2	617.4
8/16/2020 1:00	0.0	0.0	0.0	0.0	205.9	83.2	0.0	277.3	35.1	601.5	617.4
8/16/2020 2:00	0.0	0.0	0.0	0.0	205.5	90.8	0.0	277.2	41.2	614.7	617.3
8/16/2020 3:00	0.0	0.0	0.0	0.0	207.3	102.9	0.0	274.8	30.7	615.7	617.1
8/16/2020 4:00	0.0	0.0	0.0	0.0	210.0	81.9	0.0	278.1	33.7	603.7	616.7
8/16/2020 5:00	0.0	0.0	0.0	0.0	206.3	85.4	0.0	278.9	42.4	613.0	616.4
8/16/2020 6:00	0.0	0.0	0.0	0.0	205.5	90.9	0.0	279.8	36.9	613.1	616.3
8/16/2020 7:00	0.0	0.0	0.0	0.0	203.6	96.1	0.0	278.5	30.8	609.0	616.2
8/16/2020 8:00	0.0	0.0	0.0	0.0	203.5	80.2	0.0	276.2	36.9	596.8	616.1
8/16/2020 9:00	0.0	0.0	0.0	0.0	204.2	64.3	0.0	276	32.4	576.9	616.0
8/16/2020 10:00	0.0	0.0	0.0	0.0	204.1	61.3	0.0	276.5	34.7	576.6	615.5
8/16/2020 11:00	0.0	0.0	0.0	0.0	204.8	62.8	0.0	305.4	39.1	612.1	615.5
8/16/2020 12:00	0.0	0.0	0.0	0.0	197.5	60.7	0.0	569.1	22	849.3	615.7
8/16/2020 13:00	0.0	0.0	0.0	0.0	206.4	60.7	0.0	478.2	33.5	778.8	615.9
8/16/2020 14:00	0.0	0.0	0.0	0.0	204.6	60.7	0.0	268	30	563.3	615.7
8/16/2020 15:00	0.0	0.0	0.0	0.0	204.2	49.6	0.0	277.4	30.4	561.6	615.6
8/16/2020 16:00	0.0	0.0	0.0	0.0	204.4	49.9	0.0	278.1	33	565.4	615.5
8/16/2020 17:00	0.0	0.0	0.0	0.0	204.5	62.7	0.0	276.4	33	576.6	615.3
8/16/2020 18:00	0.0	0.0	0.0	0.0	205.9	62.4	0.0	277.9	33.6	579.8	615.2
8/16/2020 19:00	0.0	0.0	0.0	0.0	205.3	67.1	0.0	280.8	21.1	574.3	615.0
8/16/2020 20:00	0.0	0.0	0.0	0.0	206.1	65.7	0.0	279.3	22.4	573.5	614.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/16/2020 21:00	0.0	0.0	0.0	0.0	206.1	63.9	0.0	280	33	583.0	614.8
8/16/2020 22:00	0.0	0.0	0.0	0.0	206.8	63.8	0.0	279.3	38	587.9	614.7
8/16/2020 23:00	0.0	0.0	0.0	0.0	205.9	71.0	0.0	280.1	32.1	589.1	614.5
8/17/2020 0:00	0.0	0.0	0.0	0.0	206.7	68.7	0.0	268.8	29.5	573.7	614.4
8/17/2020 1:00	0.0	0.0	0.0	0.0	209.0	74.4	0.0	279.9	36.8	600.1	614.3
8/17/2020 2:00	0.0	0.0	0.0	0.0	206.6	78.1	0.0	278.7	34.1	597.5	614.2
8/17/2020 3:00	0.0	0.0	0.0	0.0	206.2	80.7	0.0	279.1	31.6	597.6	614.0
8/17/2020 4:00	0.0	0.0	0.0	0.0	206.4	72.6	0.0	279.5	26.9	585.4	613.9
8/17/2020 5:00	0.0	0.0	0.0	0.0	206.2	58.4	0.0	281	31.8	577.4	613.8
8/17/2020 6:00	0.0	0.0	0.0	0.0	205.4	58.0	0.0	278.8	40.5	582.7	613.7
8/17/2020 7:00	0.0	0.0	0.0	0.0	206.2	62.9	0.0	280.3	32.4	581.8	613.6
8/17/2020 8:00	0.0	0.0	0.0	0.0	206.3	64.9	0.0	279.7	28.5	579.4	613.5
8/17/2020 9:00	0.0	0.0	0.0	0.0	206.0	71.9	0.0	280.7	34.3	592.9	613.4
8/17/2020 10:00	0.0	0.0	0.0	0.0	207.0	73.1	0.0	272	42.9	595.0	613.3
8/17/2020 11:00	0.0	0.0	0.0	0.0	207.9	74.2	0.0	288.2	37	607.3	613.2
8/17/2020 12:00	0.0	0.0	0.0	0.0	208.1	61.2	0.0	276.7	36.6	582.6	613.1
8/17/2020 13:00	0.0	0.0	0.0	0.0	208.1	52.4	0.0	278.7	26.2	565.4	613.0
8/17/2020 14:00	0.0	0.0	0.0	0.0	209.9	55.3	0.0	279.2	41.1	585.5	612.9
8/17/2020 15:00	0.0	0.0	0.0	0.0	200.8	76.0	0.0	279.5	43.5	599.8	612.9
8/17/2020 16:00	0.0	0.0	0.0	0.0	201.2	65.7	0.0	278.6	38.9	584.4	612.8
8/17/2020 17:00	0.0	0.0	0.0	0.0	200.9	55.4	0.0	277.4	36.6	570.3	612.7
8/17/2020 18:00	0.0	0.0	0.0	0.0	201.5	56.8	0.0	279.4	44.5	582.2	612.6
8/17/2020 19:00	0.0	0.0	0.0	0.0	200.5	59.9	0.0	266.3	32.8	559.5	612.6
8/17/2020 20:00	0.0	0.0	0.0	0.0	199.4	62.0	0.0	281.9	28	571.3	612.5
8/17/2020 21:00	0.0	0.0	0.0	0.0	200.3	94.5	0.0	280.3	43	618.1	612.5
8/17/2020 22:00	0.0	0.0	0.0	0.0	201.1	186.1	0.0	271.4	38.4	697.0	612.5
8/17/2020 23:00	0.0	0.0	0.0	0.0	198.0	64.5	0.0	280.1	39.1	581.7	612.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/18/2020 0:00	0.0	0.0	0.0	0.0	198.2	60.7	0.0	279.7	51.7	590.3	612.4
8/18/2020 1:00	0.0	0.0	0.0	0.0	197.0	65.3	0.0	278.6	48.4	589.3	612.3
8/18/2020 2:00	0.0	0.0	0.0	0.0	197.6	65.9	0.0	278.7	39.9	582.1	612.2
8/18/2020 3:00	0.0	0.0	0.0	0.0	197.3	67.5	0.0	278.8	47.8	591.4	612.2
8/18/2020 4:00	0.0	0.0	0.0	0.0	198.0	66.0	0.0	282.3	44.5	590.8	612.1
8/18/2020 5:00	0.0	0.0	0.0	0.0	198.5	65.6	0.0	259.1	43.5	566.7	612.0
8/18/2020 6:00	0.0	0.0	0.0	0.0	197.9	74.0	0.0	278.3	42.8	593.0	611.9
8/18/2020 7:00	0.0	0.0	0.0	0.0	197.2	72.2	0.0	279	44.2	592.6	611.8
8/18/2020 8:00	0.0	0.0	0.0	0.0	190.0	72.9	0.0	276.9	44.9	584.7	611.7
8/18/2020 9:00	0.0	0.0	0.0	0.0	196.7	74.1	0.0	278.4	46.5	595.7	611.7
8/18/2020 10:00	0.0	0.0	0.0	0.0	196.1	73.6	0.0	277.4	45	592.1	611.7
8/18/2020 11:00	0.0	0.0	0.0	0.0	195.4	81.5	0.0	272.8	65.7	615.4	611.6
8/18/2020 12:00	0.0	0.0	0.0	0.0	195.4	76.9	0.0	279.9	54.8	607.0	611.6
8/18/2020 13:00	0.0	0.0	0.0	0.0	196.9	65.5	0.0	285.2	56.3	603.9	611.5
8/18/2020 14:00	0.0	0.0	0.0	0.0	198.2	69.5	0.0	277.6	60.6	605.9	611.5
8/18/2020 15:00	0.0	0.0	0.0	0.0	197.8	71.2	0.0	277.4	60.9	607.3	611.5
8/18/2020 16:00	0.0	0.0	0.0	0.0	198.2	68.6	0.0	279.7	56.5	603.0	611.2
8/18/2020 17:00	0.0	0.0	0.0	0.0	197.8	77.2	0.0	278.4	47.7	601.1	611.1
8/18/2020 18:00	0.0	0.0	0.0	0.0	197.8	93.4	0.0	279.3	46.8	617.3	611.0
8/18/2020 19:00	0.0	0.0	0.0	0.0	197.6	95.7	0.0	271.1	40.2	604.6	611.0
8/18/2020 20:00	0.0	0.0	0.0	0.0	198.6	96.6	0.0	279.4	40.4	615.0	610.9
8/18/2020 21:00	0.0	0.0	0.0	0.0	199.5	92.2	0.0	279.6	45.5	616.8	610.9
8/18/2020 22:00	0.0	0.0	0.0	0.0	199.0	99.1	0.0	279.2	43.9	621.2	610.9
8/18/2020 23:00	0.0	0.0	0.0	0.0	198.0	93.9	0.0	255.8	55.4	603.1	610.9
8/19/2020 0:00	0.0	0.0	0.0	0.0	197.6	95.3	0.0	287.9	48.3	629.1	610.8
8/19/2020 1:00	0.0	0.0	0.0	0.0	197.4	97.2	0.0	279.6	48.6	622.8	610.8
8/19/2020 2:00	0.0	0.0	0.0	0.0	198.2	94.9	0.0	278.8	46.8	618.7	610.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/19/2020 3:00	0.0	0.0	0.0	0.0	200.3	98.7	0.0	279.6	45.8	624.4	610.7
8/19/2020 4:00	0.0	0.0	0.0	0.0	200.4	99.7	0.0	278.7	47	625.8	610.6
8/19/2020 5:00	0.0	0.0	0.0	0.0	200.4	91.2	0.0	278.7	50.5	620.8	610.6
8/19/2020 6:00	0.0	0.0	0.0	0.0	200.9	96.0	0.0	277.8	53.7	628.4	610.6
8/19/2020 7:00	0.0	0.0	0.0	0.0	197.9	301.2	0.0	279.8	43.9	822.8	610.8
8/19/2020 8:00	0.0	0.0	0.0	0.0	200.2	311.2	0.0	280.4	45.5	837.3	611.1
8/19/2020 9:00	0.0	0.0	0.0	0.0	202.4	63.5	0.0	276.9	48.2	591.0	611.0
8/19/2020 10:00	0.0	0.0	0.0	0.0	196.9	26.1	0.0	338.1	68.7	629.8	610.9
8/19/2020 11:00	0.0	0.0	0.0	0.0	196.6	29.2	0.0	268.7	44.3	538.8	610.8
8/19/2020 12:00	0.0	0.0	0.0	0.0	202.5	27.7	0.0	274.9	49.2	554.3	610.7
8/19/2020 13:00	0.0	0.0	0.0	0.0	202.1	27.9	0.0	285	47.6	562.6	610.4
8/19/2020 14:00	0.0	0.0	0.0	0.0	200.2	27.5	0.0	278.8	57.5	564.0	610.0
8/19/2020 15:00	0.0	0.0	0.0	0.0	199.4	29.0	0.0	279	58.5	565.9	609.6
8/19/2020 16:00	0.0	0.0	0.0	0.0	198.5	30.9	0.0	278.7	53.6	561.7	609.1
8/19/2020 17:00	0.0	0.0	0.0	0.0	200.2	27.4	0.0	277.8	52.9	558.3	608.9
8/19/2020 18:00	0.0	0.0	0.0	0.0	199.3	31.3	0.0	279.9	63.7	574.2	608.8
8/19/2020 19:00	0.0	0.0	0.0	0.0	198.9	37.4	0.0	271.5	48.8	556.6	608.7
8/19/2020 20:00	0.0	0.0	0.0	0.0	200.2	33.5	0.0	269.2	50.2	553.1	608.6
8/19/2020 21:00	0.0	0.0	0.0	0.0	199.7	34.9	0.0	278.5	51.8	564.9	608.4
8/19/2020 22:00	0.0	0.0	0.0	0.0	200.3	34.4	0.0	279	48.2	561.9	608.3
8/19/2020 23:00	0.0	0.0	0.0	0.0	200.6	33.1	0.0	280.1	64.4	578.2	608.3
8/20/2020 0:00	0.0	0.0	0.0	0.0	198.8	27.8	0.0	278.4	50.8	555.8	608.3
8/20/2020 1:00	0.0	0.0	0.0	0.0	199.6	27.0	0.0	279.3	50.4	556.3	608.2
8/20/2020 2:00	0.0	0.0	0.0	0.0	197.6	27.4	0.0	278.6	50.8	554.4	608.1
8/20/2020 3:00	0.0	0.0	0.0	0.0	198.2	27.0	0.0	279.2	53.5	557.9	608.1
8/20/2020 4:00	0.0	0.0	0.0	0.0	196.6	28.1	0.0	278.8	53.3	556.8	608.0
8/20/2020 5:00	0.0	0.0	0.0	0.0	196.8	24.8	0.0	279.2	44.7	545.5	607.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/20/2020 6:00	0.0	0.0	0.0	0.0	197.6	26.3	0.0	278.5	57.1	559.5	607.8
8/20/2020 7:00	0.0	0.0	0.0	0.0	196.4	26.0	0.0	279.1	45.4	546.9	607.8
8/20/2020 8:00	0.0	0.0	0.0	0.0	197.1	24.4	0.0	245.9	40.8	508.2	607.7
8/20/2020 9:00	0.0	0.0	0.0	0.0	194.9	24.3	0.0	280.9	32.8	532.9	607.6
8/20/2020 10:00	0.0	0.0	0.0	0.0	193.7	28.0	0.0	279	44.6	545.3	607.2
8/20/2020 11:00	0.0	0.0	0.0	0.0	194.6	31.3	0.0	280.4	57.5	563.8	607.2
8/20/2020 12:00	0.0	0.0	0.0	0.0	194.7	33.4	0.0	269.7	59.2	557.0	607.0
8/20/2020 13:00	0.0	0.0	0.0	0.0	194.7	33.0	0.0	279	51.5	558.2	607.0
8/20/2020 14:00	0.0	0.0	0.0	0.0	195.2	33.4	0.0	278.8	60.3	567.7	606.9
8/20/2020 15:00	0.0	0.0	0.0	0.0	194.6	34.2	0.0	281.2	42.3	552.3	606.8
8/20/2020 16:00	0.0	0.0	0.0	0.0	193.8	28.8	0.0	278	22.8	523.4	606.7
8/20/2020 17:00	0.0	0.0	0.0	0.0	193.4	26.3	0.0	278.4	28.9	527.0	606.6
8/20/2020 18:00	0.0	0.0	0.0	0.0	194.3	27.5	0.0	271.7	52	545.5	606.6
8/20/2020 19:00	0.0	0.0	0.0	0.0	193.8	30.8	0.0	280.5	46.8	551.9	606.5
8/20/2020 20:00	0.0	0.0	0.0	0.0	192.6	30.7	0.0	275.6	65.8	564.7	606.4
8/20/2020 21:00	0.0	0.0	0.0	0.0	193.6	29.9	0.0	275.5	46	545.0	606.4
8/20/2020 22:00	0.0	0.0	0.0	0.0	191.8	32.4	0.0	278.6	47.8	550.6	606.3
8/20/2020 23:00	0.0	0.0	0.0	0.0	192.2	31.2	0.0	279.2	45.9	548.5	606.3
8/21/2020 0:00	0.0	0.0	0.0	0.0	176.0	26.8	0.0	279.4	43.5	525.7	606.2
8/21/2020 1:00	0.0	0.0	0.0	0.0	167.9	25.9	0.0	278.4	52.9	525.1	606.1
8/21/2020 2:00	0.0	0.0	0.0	0.0	179.0	25.6	0.0	278.6	50.1	533.3	605.9
8/21/2020 3:00	0.0	0.0	0.0	0.0	182.1	28.3	0.0	278.8	46.8	536.0	605.8
8/21/2020 4:00	0.0	0.0	0.0	0.0	180.1	24.7	0.0	278.4	42.1	525.3	605.7
8/21/2020 5:00	0.0	0.0	0.0	0.0	175.9	23.5	0.0	279	45.2	523.6	605.6
8/21/2020 6:00	0.0	0.0	0.0	0.0	177.0	26.1	0.0	279.5	57.1	539.7	605.1
8/21/2020 7:00	0.0	0.0	0.0	0.0	185.0	24.5	0.0	279.4	39.6	528.5	604.6
8/21/2020 8:00	0.0	0.0	0.0	0.0	184.9	22.5	0.0	272	51.2	530.6	604.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/21/2020 9:00	0.0	0.0	0.0	0.0	182.0	22.1	0.0	280.2	50.2	534.5	604.3
8/21/2020 10:00	0.0	0.0	0.0	0.0	185.8	25.4	0.0	277.3	41.5	530.0	604.2
8/21/2020 11:00	0.0	0.0	0.0	0.0	184.9	26.4	0.0	270.4	54.3	536.0	604.1
8/21/2020 12:00	0.0	0.0	0.0	0.0	184.4	27.9	0.0	455.3	64.6	732.2	604.3
8/21/2020 13:00	0.0	0.0	0.0	0.0	187.2	28.7	0.0	539	40.7	795.6	604.6
8/21/2020 14:00	0.0	0.0	0.0	0.0	184.6	29.3	0.0	283.5	38.6	536.0	604.5
8/21/2020 15:00	0.0	0.0	0.0	0.0	182.0	26.6	0.0	278.4	45	532.0	604.4
8/21/2020 16:00	0.0	0.0	0.0	0.0	184.5	26.6	0.0	278.6	47.7	537.4	604.4
8/21/2020 17:00	0.0	0.0	0.0	0.0	184.3	28.3	0.0	278.9	52.5	544.0	604.5
8/21/2020 18:00	0.0	0.0	0.0	0.0	181.6	29.5	0.0	278.1	56.8	546.0	604.6
8/21/2020 19:00	0.0	0.0	0.0	0.0	187.6	29.3	0.0	279	39.8	535.7	604.6
8/21/2020 20:00	0.0	0.0	0.0	0.0	189.1	27.0	0.0	258.1	51.9	526.1	604.5
8/21/2020 21:00	0.0	0.0	0.0	0.0	186.6	30.0	0.0	277	48	541.6	604.5
8/21/2020 22:00	0.0	0.0	0.0	0.0	186.1	27.4	0.0	277.6	46.2	537.3	604.5
8/21/2020 23:00	0.0	0.0	0.0	0.0	185.1	29.7	0.0	279.3	43.3	537.4	604.5
8/22/2020 0:00	0.0	0.0	0.0	0.0	188.9	30.8	0.0	279.2	50.6	549.5	604.5
8/22/2020 1:00	0.0	0.0	0.0	0.0	187.0	31.2	0.0	278.1	50.1	546.4	604.5
8/22/2020 2:00	0.0	0.0	0.0	0.0	187.1	34.6	0.0	278.7	47.8	548.2	604.5
8/22/2020 3:00	0.0	0.0	0.0	0.0	188.5	36.2	0.0	278.5	51.8	555.0	604.5
8/22/2020 4:00	0.0	0.0	0.0	0.0	185.3	85.5	0.0	278.8	45.3	594.9	604.6
8/22/2020 5:00	0.0	0.0	0.0	0.0	182.3	83.1	0.0	277.2	39.3	581.9	604.6
8/22/2020 6:00	0.0	0.0	0.0	0.0	187.4	34.0	0.0	280.3	48.7	550.4	604.6
8/22/2020 7:00	0.0	0.0	0.0	0.0	183.8	37.0	0.0	278.9	42.5	542.2	604.7
8/22/2020 8:00	0.0	0.0	0.0	0.0	183.6	32.2	0.0	237.1	33.6	486.5	604.5
8/22/2020 9:00	0.0	0.0	0.0	0.0	183.9	29.3	0.0	272.3	37.4	522.9	604.5
8/22/2020 10:00	0.0	0.0	0.0	0.0	184.2	30.5	0.0	277.5	53.1	545.3	604.5
8/22/2020 11:00	0.0	0.0	0.0	0.0	186.5	27.7	0.0	277	50.3	541.5	604.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/22/2020 12:00	0.0	0.0	0.0	0.0	183.5	29.5	0.0	278	51.6	542.6	604.5
8/22/2020 13:00	0.0	0.0	0.0	0.0	189.9	25.9	0.0	277.7	44.6	538.1	604.5
8/22/2020 14:00	0.0	0.0	0.0	0.0	184.7	26.4	0.0	278.6	53.4	543.1	604.4
8/22/2020 15:00	0.0	0.0	0.0	0.0	184.0	25.2	0.0	277.6	38.1	524.9	604.4
8/22/2020 16:00	0.0	0.0	0.0	0.0	188.9	21.4	0.0	278.7	43.5	532.5	604.3
8/22/2020 17:00	0.0	0.0	0.0	0.0	186.3	23.8	0.0	277.8	43.4	531.3	603.9
8/22/2020 18:00	0.0	0.0	0.0	0.0	185.2	23.2	0.0	278.2	56.1	542.7	603.4
8/22/2020 19:00	0.0	0.0	0.0	0.0	186.7	24.3	0.0	278.2	49.8	539.0	602.8
8/22/2020 20:00	0.0	0.0	0.0	0.0	183.6	24.0	0.0	264.8	39.8	512.2	602.3
8/22/2020 21:00	0.0	0.0	0.0	0.0	188.7	25.3	0.0	277	42.2	533.2	601.9
8/22/2020 22:00	0.0	0.0	0.0	0.0	183.3	24.3	0.0	278.4	40.9	526.9	601.4
8/22/2020 23:00	0.0	0.0	0.0	0.0	184.3	26.6	0.0	278.3	36.5	525.7	600.9
8/23/2020 0:00	0.0	0.0	0.0	0.0	188.3	25.6	0.0	278.5	38.1	530.5	600.4
8/23/2020 1:00	0.0	0.0	0.0	0.0	181.2	24.7	0.0	277.1	46	529.0	599.9
8/23/2020 2:00	0.0	0.0	0.0	0.0	184.5	25.9	0.0	277.4	49.8	537.6	599.4
8/23/2020 3:00	0.0	0.0	0.0	0.0	188.3	25.1	0.0	278.5	33.3	525.2	599.0
8/23/2020 4:00	0.0	0.0	0.0	0.0	182.2	27.2	0.0	278.7	38.4	526.5	598.5
8/23/2020 5:00	0.0	0.0	0.0	0.0	184.5	26.2	0.0	278.5	39.9	529.1	598.0
8/23/2020 6:00	0.0	0.0	0.0	0.0	183.1	27.9	0.0	279.1	49.6	539.7	598.0
8/23/2020 7:00	0.0	0.0	0.0	0.0	182.6	30.6	0.0	279.8	35.2	528.2	598.0
8/23/2020 8:00	0.0	0.0	0.0	0.0	183.2	26.7	0.0	270.1	37.7	517.7	597.9
8/23/2020 9:00	0.0	0.0	0.0	0.0	181.5	24.9	0.0	270.9	42.3	519.6	597.9
8/23/2020 10:00	0.0	0.0	0.0	0.0	184.8	25.1	0.0	277.6	36.2	523.7	597.9
8/23/2020 11:00	0.0	0.0	0.0	0.0	186.5	25.2	0.0	279.1	44.8	535.6	597.9
8/23/2020 12:00	0.0	0.0	0.0	0.0	186.2	25.0	0.0	277	49.7	537.9	597.9
8/23/2020 13:00	0.0	0.0	0.0	0.0	189.3	24.0	0.0	277.5	34.4	525.2	597.8
8/23/2020 14:00	0.0	0.0	0.0	0.0	187.4	25.7	0.0	277.5	38.3	528.9	597.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/23/2020 15:00	0.0	0.0	0.0	0.0	186.4	24.1	0.0	278.2	40	528.7	597.8
8/23/2020 16:00	0.0	0.0	0.0	0.0	189.6	26.3	0.0	277.8	41.4	535.1	597.9
8/23/2020 17:00	0.0	0.0	0.0	0.0	190.3	26.4	0.0	277.8	49.5	544.0	598.0
8/23/2020 18:00	0.0	0.0	0.0	0.0	188.0	25.7	0.0	277.3	52.2	543.2	598.0
8/23/2020 19:00	0.0	0.0	0.0	0.0	190.3	26.7	0.0	277.3	34.9	529.2	598.0
8/23/2020 20:00	0.0	0.0	0.0	0.0	190.6	24.2	0.0	268.6	32.9	516.3	597.9
8/23/2020 21:00	0.0	0.0	0.0	0.0	189.9	24.6	0.0	246.6	39.1	500.2	597.5
8/23/2020 22:00	0.0	0.0	0.0	0.0	188.5	24.9	0.0	278.6	49.4	541.4	597.1
8/23/2020 23:00	0.0	0.0	0.0	0.0	188.8	26.8	0.0	272.2	25.5	513.3	596.8
8/24/2020 0:00	0.0	0.0	0.0	0.0	189.4	30.2	0.0	270.8	5.9	496.3	596.6
8/24/2020 1:00	0.0	0.0	0.0	0.0	185.1	30.5	0.0	280	4	499.6	596.3
8/24/2020 2:00	0.0	0.0	0.0	0.0	185.2	28.9	0.0	277.3	15.9	507.3	596.0
8/24/2020 3:00	0.0	0.0	0.0	0.0	181.5	29.2	0.0	277.5	24.2	512.4	595.7
8/24/2020 4:00	0.0	0.0	0.0	0.0	181.6	26.0	0.0	276.6	27.2	511.4	595.5
8/24/2020 5:00	0.0	0.0	0.0	0.0	176.6	28.9	0.0	257.1	42.9	505.5	595.4
8/24/2020 6:00	0.0	0.0	0.0	0.0	183.6	26.1	0.0	257.9	45.5	513.1	595.1
8/24/2020 7:00	0.0	0.0	0.0	0.0	178.9	28.5	0.0	254.9	43.6	505.9	594.8
8/24/2020 8:00	0.0	0.0	0.0	0.0	179.4	27.4	0.0	254.4	45.4	506.6	594.6
8/24/2020 9:00	0.0	0.0	0.0	0.0	182.4	24.1	0.0	247.6	39.2	493.3	594.3
8/24/2020 10:00	0.0	0.0	0.0	0.0	179.7	27.2	0.0	264.7	43.3	514.9	594.1
8/24/2020 11:00	0.0	0.0	0.0	0.0	181.8	29.2	0.0	251.2	45.8	508.0	593.8
8/24/2020 12:00	0.0	0.0	0.0	0.0	183.3	32.5	0.0	247.4	60.5	523.7	593.7
8/24/2020 13:00	0.0	0.0	0.0	0.0	181.1	32.5	0.0	247.6	38.2	499.4	593.4
8/24/2020 14:00	0.0	0.0	0.0	0.0	180.9	32.9	0.0	249	42.3	505.1	593.1
8/24/2020 15:00	0.0	0.0	0.0	0.0	181.6	33.3	0.0	247.2	45.6	507.7	592.9
8/24/2020 16:00	0.0	0.0	0.0	0.0	177.8	33.3	0.0	247.8	39.1	498.0	592.6
8/24/2020 17:00	0.0	0.0	0.0	0.0	183.0	36.7	0.0	270	36	525.7	592.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/24/2020 18:00	0.0	0.0	0.0	0.0	183.8	36.5	0.0	207.9	30.1	458.3	591.9
8/24/2020 19:00	0.0	0.0	0.0	0.0	184.2	40.4	0.0	245.6	32.8	503.0	591.5
8/24/2020 20:00	0.0	0.0	0.0	0.0	186.8	34.1	0.0	238.1	26.9	485.9	591.4
8/24/2020 21:00	0.0	0.0	0.0	0.0	189.8	43.1	0.0	246.4	33.3	512.6	591.4
8/24/2020 22:00	0.0	0.0	0.0	0.0	189.9	43.8	0.0	250	31.8	515.5	591.4
8/24/2020 23:00	0.0	0.0	0.0	0.0	190.2	41.9	0.0	248.7	38.6	519.4	591.4
8/25/2020 0:00	0.0	0.0	0.0	0.0	188.3	40.8	0.0	245.6	37.6	512.3	591.5
8/25/2020 1:00	0.0	0.0	0.0	0.0	188.0	40.5	0.0	247.1	29.7	505.3	591.3
8/25/2020 2:00	0.0	0.0	0.0	0.0	188.6	40.8	0.0	246	31	506.4	590.9
8/25/2020 3:00	0.0	0.0	0.0	0.0	188.5	42.5	0.0	247.9	34.8	513.7	590.5
8/25/2020 4:00	0.0	0.0	0.0	0.0	188.5	38.2	0.0	248.3	28.2	503.2	590.1
8/25/2020 5:00	0.0	0.0	0.0	0.0	187.3	36.9	0.0	251.6	29.2	505.0	589.7
8/25/2020 6:00	0.0	0.0	0.0	0.0	187.7	42.1	0.0	249.5	36.4	515.7	589.3
8/25/2020 7:00	0.0	0.0	0.0	0.0	188.7	33.3	0.0	249.8	27	498.8	588.8
8/25/2020 8:00	0.0	0.0	0.0	0.0	186.8	32.8	0.0	249.5	27.2	496.3	588.4
8/25/2020 9:00	0.0	0.0	0.0	0.0	186.7	183.3	0.0	246.3	25.1	641.4	588.2
8/25/2020 10:00	0.0	0.0	0.0	0.0	189.2	135.3	0.0	250.1	30.4	605.0	587.9
8/25/2020 11:00	0.0	0.0	0.0	0.0	192.8	27.9	0.0	243.9	24.7	489.3	587.4
8/25/2020 12:00	0.0	0.0	0.0	0.0	193.3	28.7	0.0	238.8	19.5	480.3	586.9
8/25/2020 13:00	0.0	0.0	0.0	0.0	192.3	27.1	0.0	247.6	33.6	500.6	586.5
8/25/2020 14:00	0.0	0.0	0.0	0.0	190.4	29.2	0.0	247.5	28.3	495.4	586.0
8/25/2020 15:00	0.0	0.0	0.0	0.0	191.7	28.9	0.0	232.8	30.1	483.5	585.4
8/25/2020 16:00	0.0	0.0	0.0	0.0	189.7	24.0	0.0	214.1	31.4	459.2	584.9
8/25/2020 17:00	0.0	0.0	0.0	0.0	188.5	24.8	0.0	198	29	440.3	584.4
8/25/2020 18:00	0.0	0.0	0.0	0.0	189.5	24.6	0.0	208.6	31.9	454.6	583.8
8/25/2020 19:00	0.0	0.0	0.0	0.0	188.8	26.2	0.0	208	27.6	450.6	583.2
8/25/2020 20:00	0.0	0.0	0.0	0.0	191.5	25.3	0.0	195.4	19.5	431.7	582.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/25/2020 21:00	0.0	0.0	0.0	0.0	190.8	26.8	0.0	200.6	12.8	431.0	582.1
8/25/2020 22:00	0.0	0.0	0.0	0.0	190.3	26.7	0.0	202.6	28.8	448.4	581.6
8/25/2020 23:00	0.0	0.0	0.0	0.0	188.8	26.1	0.0	219.4	32.9	467.2	581.0
8/26/2020 0:00	0.0	0.0	0.0	0.0	191.8	25.4	0.0	222.2	28.6	468.0	580.4
8/26/2020 1:00	0.0	0.0	0.0	0.0	191.5	67.5	0.0	226.1	30.5	515.6	579.9
8/26/2020 2:00	0.0	0.0	0.0	0.0	190.4	246.5	0.0	228	27.4	692.3	579.6
8/26/2020 3:00	0.0	0.0	0.0	0.0	190.4	225.9	0.0	229	30	675.3	579.3
8/26/2020 4:00	0.0	0.0	0.0	0.0	190.8	30.0	0.0	234.1	29.4	484.3	578.8
8/26/2020 5:00	0.0	0.0	0.0	0.0	190.2	29.3	0.0	244.3	26.7	490.5	578.2
8/26/2020 6:00	0.0	0.0	0.0	0.0	190.4	18.1	0.0	231.6	33.7	473.8	577.7
8/26/2020 7:00	0.0	0.0	0.0	0.0	189.2	25.7	0.0	239.1	23.2	477.2	577.1
8/26/2020 8:00	0.0	0.0	0.0	0.0	180.3	45.6	0.0	229.6	27.6	483.1	576.6
8/26/2020 9:00	0.0	0.0	0.0	0.0	161.5	35.6	0.0	224.1	31.6	452.8	576.1
8/26/2020 10:00	0.0	0.0	0.0	0.0	159.4	38.1	0.0	222.6	31.2	451.3	575.6
8/26/2020 11:00	0.0	0.0	0.0	0.0	161.8	24.9	0.0	227.3	36.3	450.3	575.0
8/26/2020 12:00	0.0	0.0	0.0	0.0	171.8	93.6	0.0	246.6	30.2	542.2	574.5
8/26/2020 13:00	0.0	0.0	0.0	0.0	190.8	248.9	0.0	248.4	32.9	721.0	574.3
8/26/2020 14:00	0.0	0.0	0.0	0.0	192.0	86.4	0.0	247.5	32.3	558.2	573.9
8/26/2020 15:00	0.0	0.0	0.0	0.0	192.7	19.3	0.0	248.7	32.9	493.6	573.4
8/26/2020 16:00	0.0	0.0	0.0	0.0	189.8	18.1	0.0	248.1	31.7	487.7	573.0
8/26/2020 17:00	0.0	0.0	0.0	0.0	188.4	19.5	0.0	248.6	31.8	488.3	572.5
8/26/2020 18:00	0.0	0.0	0.0	0.0	188.2	18.1	0.0	249	34.7	490.0	572.0
8/26/2020 19:00	0.0	0.0	0.0	0.0	189.2	17.2	0.0	231.9	29.2	467.5	571.5
8/26/2020 20:00	0.0	0.0	0.0	0.0	186.1	25.1	0.0	247.2	31.4	489.8	571.0
8/26/2020 21:00	0.0	0.0	0.0	0.0	184.2	30.5	0.0	249.7	28.1	492.5	570.5
8/26/2020 22:00	0.0	0.0	0.0	0.0	184.3	32.0	0.0	248.7	30.8	495.8	569.9
8/26/2020 23:00	0.0	0.0	0.0	0.0	186.1	28.7	0.0	249.1	28.6	492.5	569.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/27/2020 0:00	0.0	0.0	0.0	0.0	186.3	28.1	0.0	246.9	34	495.3	568.9
8/27/2020 1:00	0.0	0.0	0.0	0.0	183.4	26.7	0.0	250.2	34.8	495.1	568.3
8/27/2020 2:00	0.0	0.0	0.0	0.0	185.1	27.6	0.0	249.4	29.2	491.3	567.7
8/27/2020 3:00	0.0	0.0	0.0	0.0	184.1	29.2	0.0	248.8	31.7	493.8	567.1
8/27/2020 4:00	0.0	0.0	0.0	0.0	185.4	28.3	0.0	249.2	33.7	496.6	566.5
8/27/2020 5:00	0.0	0.0	0.0	0.0	187.3	18.4	0.0	248.5	25	479.2	565.9
8/27/2020 6:00	0.0	0.0	0.0	0.0	184.1	16.0	0.0	249.3	30.8	480.2	565.2
8/27/2020 7:00	0.0	0.0	0.0	0.0	185.2	18.8	0.0	249.5	28.7	482.2	564.5
8/27/2020 8:00	0.0	0.0	0.0	0.0	183.7	18.6	0.0	249.1	33.2	484.6	563.8
8/27/2020 9:00	0.0	0.0	0.0	0.0	182.1	19.8	0.0	248.9	33.2	484.0	563.1
8/27/2020 10:00	0.0	0.0	0.0	0.0	182.4	24.5	0.0	248.8	30	485.7	562.3
8/27/2020 11:00	0.0	0.0	0.0	0.0	182.1	25.6	0.0	241.1	32.5	481.3	561.6
8/27/2020 12:00	0.0	0.0	0.0	0.0	183.9	25.9	0.0	248.5	33.6	491.9	561.1
8/27/2020 13:00	0.0	0.0	0.0	0.0	185.1	26.5	0.0	247.8	30	489.4	560.4
8/27/2020 14:00	0.0	0.0	0.0	0.0	185.5	25.5	0.0	247.5	33.2	491.7	559.7
8/27/2020 15:00	0.0	0.0	0.0	0.0	184.8	28.4	0.0	247	32.2	492.4	559.3
8/27/2020 16:00	0.0	0.0	0.0	0.0	183.8	28.0	0.0	243.4	32.1	487.3	559.0
8/27/2020 17:00	0.0	0.0	0.0	0.0	186.1	26.5	0.0	223.2	33.2	469.0	558.7
8/27/2020 18:00	0.0	0.0	0.0	0.0	185.4	28.9	0.0	217.3	32.6	464.2	558.6
8/27/2020 19:00	0.0	0.0	0.0	0.0	185.6	32.9	0.0	209.7	28.9	457.1	558.4
8/27/2020 20:00	0.0	0.0	0.0	0.0	186.1	38.4	0.0	208.2	35.5	468.2	558.3
8/27/2020 21:00	0.0	0.0	0.0	0.0	187.1	42.5	0.0	210.2	35	474.8	558.1
8/27/2020 22:00	0.0	0.0	0.0	0.0	185.9	44.7	0.0	209.9	32.5	473.0	558.0
8/27/2020 23:00	0.0	0.0	0.0	0.0	185.3	47.0	0.0	206	37.6	475.9	557.9
8/28/2020 0:00	0.0	0.0	0.0	0.0	185.4	46.7	0.0	208.6	35.1	475.8	557.8
8/28/2020 1:00	0.0	0.0	0.0	0.0	183.7	45.7	0.0	208.7	30.9	469.0	557.5
8/28/2020 2:00	0.0	0.0	0.0	0.0	183.6	44.1	0.0	208.6	34.4	470.7	557.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/28/2020 3:00	0.0	0.0	0.0	0.0	185.1	43.9	0.0	201.5	31.1	461.6	556.9
8/28/2020 4:00	0.0	0.0	0.0	0.0	183.4	47.4	0.0	197.9	32.5	461.2	556.8
8/28/2020 5:00	0.0	0.0	0.0	0.0	184.3	47.8	0.0	192.5	42.1	466.7	556.6
8/28/2020 6:00	0.0	0.0	0.0	0.0	185.1	57.9	0.0	205.1	33.6	481.7	556.2
8/28/2020 7:00	0.0	0.0	0.0	0.0	183.9	59.1	0.0	237.6	30.4	511.0	555.7
8/28/2020 8:00	0.0	0.0	0.0	0.0	184.8	59.7	0.0	237.9	34.3	516.7	555.3
8/28/2020 9:00	0.0	0.0	0.0	0.0	182.9	50.0	0.0	240.1	33.4	506.4	555.0
8/28/2020 10:00	0.0	0.0	0.0	0.0	181.8	34.4	0.0	250	36.1	502.3	554.6
8/28/2020 11:00	0.0	0.0	0.0	0.0	184.3	33.6	0.0	242.4	39.8	500.1	554.2
8/28/2020 12:00	0.0	0.0	0.0	0.0	184.9	33.5	0.0	252.2	351.9	822.5	554.2
8/28/2020 13:00	0.0	0.0	0.0	0.0	187.4	41.0	0.0	237.6	298.8	764.8	554.2
8/28/2020 14:00	0.0	0.0	0.0	0.0	188.3	64.7	0.0	242.5	39.7	535.2	553.9
8/28/2020 15:00	0.0	0.0	0.0	0.0	188.0	61.4	0.0	250.6	23.6	523.6	553.5
8/28/2020 16:00	0.0	0.0	0.0	0.0	186.7	61.4	0.0	246.5	27.1	521.7	553.2
8/28/2020 17:00	0.0	0.0	0.0	0.0	188.5	55.6	0.0	232	25.9	502.0	553.2
8/28/2020 18:00	0.0	0.0	0.0	0.0	188.3	65.0	0.0	203.1	31.2	487.6	553.2
8/28/2020 19:00	0.0	0.0	0.0	0.0	190.0	136.8	0.0	190.2	20.6	537.6	553.3
8/28/2020 20:00	0.0	0.0	0.0	0.0	191.6	133.0	0.0	184.9	25.1	534.6	553.4
8/28/2020 21:00	0.0	0.0	0.0	0.0	191.9	76.7	0.0	182.7	26	477.3	553.4
8/28/2020 22:00	0.0	0.0	0.0	0.0	191.7	75.2	0.0	181	22	469.9	553.4
8/28/2020 23:00	0.0	0.0	0.0	0.0	192.7	71.3	0.0	174.9	25.2	464.1	553.5
8/29/2020 0:00	0.0	0.0	0.0	0.0	192.2	83.8	0.0	173.1	30.9	480.0	553.5
8/29/2020 1:00	0.0	0.0	0.0	0.0	190.5	84.6	0.0	169.5	23.6	468.2	553.5
8/29/2020 2:00	0.0	0.0	0.0	0.0	191.6	73.5	0.0	165.6	25	455.7	553.5
8/29/2020 3:00	0.0	0.0	0.0	0.0	191.4	79.3	0.0	158.7	26.8	456.2	553.3
8/29/2020 4:00	0.0	0.0	0.0	0.0	190.8	75.5	0.0	157.7	25.7	449.7	553.4
8/29/2020 5:00	0.0	0.0	0.0	0.0	191.5	64.0	0.0	154.4	34.9	444.8	553.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/29/2020 6:00	0.0	0.0	0.0	0.0	191.5	46.9	0.0	140.1	28.9	407.4	553.4
8/29/2020 7:00	0.0	0.0	0.0	0.0	190.0	25.0	0.0	140.7	23.2	378.9	553.3
8/29/2020 8:00	0.0	0.0	0.0	0.0	189.2	25.9	0.0	152.9	43.2	411.2	553.2
8/29/2020 9:00	0.0	0.0	0.0	0.0	187.3	27.5	0.0	212.3	29	456.1	553.3
8/29/2020 10:00	0.0	0.0	0.0	0.0	194.5	27.2	0.0	221.9	31.4	475.0	553.4
8/29/2020 11:00	0.0	0.0	0.0	0.0	203.7	28.0	0.0	234.3	23.2	489.2	553.4
8/29/2020 12:00	0.0	0.0	0.0	0.0	207.3	27.2	0.0	246.5	30.1	511.1	553.5
8/29/2020 13:00	0.0	0.0	0.0	0.0	211.9	27.0	0.0	246.4	24.8	510.1	553.6
8/29/2020 14:00	0.0	0.0	0.0	0.0	213.7	27.9	0.0	246.7	26.1	514.4	553.5
8/29/2020 15:00	0.0	0.0	0.0	0.0	212.7	30.2	0.0	243.9	29.9	516.7	553.6
8/29/2020 16:00	0.0	0.0	0.0	0.0	211.2	30.0	0.0	245.5	25.2	511.9	553.6
8/29/2020 17:00	0.0	0.0	0.0	0.0	211.3	28.3	0.0	247.4	27.3	514.3	553.6
8/29/2020 18:00	0.0	0.0	0.0	0.0	214.7	29.5	0.0	250	34.9	529.1	553.6
8/29/2020 19:00	0.0	0.0	0.0	0.0	216.3	32.6	0.0	248.8	64.4	562.1	553.5
8/29/2020 20:00	0.0	0.0	0.0	0.0	217.3	32.9	0.0	246.6	33.6	530.4	553.5
8/29/2020 21:00	0.0	0.0	0.0	0.0	217.8	34.5	0.0	245.6	29.6	527.5	553.4
8/29/2020 22:00	0.0	0.0	0.0	0.0	215.4	34.2	0.0	234.7	34.1	518.4	553.4
8/29/2020 23:00	0.0	0.0	0.0	0.0	218.1	35.0	0.0	247.8	35.5	536.4	553.3
8/30/2020 0:00	0.0	0.0	0.0	0.0	220.5	34.4	0.0	247.2	35.7	537.8	553.3
8/30/2020 1:00	0.0	0.0	0.0	0.0	221.8	34.3	0.0	246.5	31.7	534.3	553.3
8/30/2020 2:00	0.0	0.0	0.0	0.0	220.5	34.8	0.0	248.4	34.7	538.4	553.2
8/30/2020 3:00	0.0	0.0	0.0	0.0	222.6	37.6	0.0	247.1	30.3	537.6	553.2
8/30/2020 4:00	0.0	0.0	0.0	0.0	222.3	40.2	0.0	244.6	30.2	537.3	553.3
8/30/2020 5:00	0.0	0.0	0.0	0.0	221.7	41.5	0.0	251.1	15.3	529.6	553.4
8/30/2020 6:00	0.0	0.0	0.0	0.0	222.9	57.6	0.0	246.4	34.5	561.4	553.5
8/30/2020 7:00	0.0	0.0	0.0	0.0	219.2	80.7	0.0	248.9	35.3	584.1	553.6
8/30/2020 8:00	0.0	0.0	0.0	0.0	219.6	82.0	0.0	245.8	48.2	595.6	553.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/30/2020 9:00	0.0	0.0	0.0	0.0	217.2	73.9	0.0	244.5	27.6	563.2	553.5
8/30/2020 10:00	0.0	0.0	0.0	0.0	220.8	86.9	0.0	250.5	32.9	591.1	553.6
8/30/2020 11:00	0.0	0.0	0.0	0.0	220.9	83.2	0.0	247.5	29.7	581.3	553.7
8/30/2020 12:00	0.0	0.0	0.0	0.0	223.2	84.3	0.0	255.1	30.7	593.3	553.5
8/30/2020 13:00	0.0	0.0	0.0	0.0	222.5	80.9	0.0	249.9	29.4	582.7	553.6
8/30/2020 14:00	0.0	0.0	0.0	0.0	221.5	93.8	0.0	248.5	29.4	593.2	553.7
8/30/2020 15:00	0.0	0.0	0.0	0.0	222.6	88.8	0.0	249.1	27.9	588.4	553.8
8/30/2020 16:00	0.0	0.0	0.0	0.0	224.0	90.3	0.0	249	30.3	593.6	553.9
8/30/2020 17:00	0.0	0.0	0.0	0.0	223.8	78.4	0.0	249.5	25.5	577.2	554.0
8/30/2020 18:00	0.0	0.0	0.0	0.0	222.2	226.2	0.0	248	31.2	727.6	554.3
8/30/2020 19:00	0.0	0.0	0.0	0.0	223.4	93.1	0.0	250	29.6	596.1	554.3
8/30/2020 20:00	0.0	0.0	0.0	0.0	221.5	109.8	0.0	253.9	28.6	613.8	554.4
8/30/2020 21:00	0.0	0.0	0.0	0.0	222.8	104.9	0.0	249.2	23.1	600.0	554.4
8/30/2020 22:00	0.0	0.0	0.0	0.0	221.8	104.2	0.0	249.4	27.1	602.5	554.4
8/30/2020 23:00	0.0	0.0	0.0	0.0	221.8	124.8	0.0	251.6	33.8	632.0	554.4
8/31/2020 0:00	0.0	0.0	0.0	0.0	225.0	94.0	0.0	248.5	27.1	594.6	554.4
8/31/2020 1:00	0.0	0.0	0.0	0.0	223.0	98.2	0.0	249.7	24.8	595.7	554.4
8/31/2020 2:00	0.0	0.0	0.0	0.0	150.2	95.2	0.0	249.3	28.8	523.5	554.3
8/31/2020 3:00	0.0	0.0	0.0	0.0	8.2	97.3	0.0	248.7	23.3	377.5	554.1
8/31/2020 4:00	0.0	0.0	0.0	0.0	0.0	100.8	0.0	248.6	24.6	374.0	553.9
8/31/2020 5:00	0.0	0.0	0.0	0.0	0.0	96.7	0.0	247.2	21.8	365.7	553.7
8/31/2020 6:00	0.0	0.0	0.0	0.0	0.0	66.8	0.0	250.4	32.1	349.3	553.4
8/31/2020 7:00	0.0	0.0	0.0	0.0	0.0	61.1	0.0	247.6	27.9	336.6	553.0
8/31/2020 8:00	0.0	0.0	0.0	0.0	0.0	73.6	0.0	222.2	55.6	351.4	552.7
8/31/2020 9:00	0.0	0.0	0.0	0.0	0.0	101.4	0.0	251	41.9	394.3	552.5
8/31/2020 10:00	0.0	0.0	0.0	0.0	0.0	101.1	0.0	249.9	48	399.0	552.3
8/31/2020 11:00	0.0	0.0	0.0	0.0	0.0	102.9	0.0	252.2	39.4	394.5	552.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
8/31/2020 12:00	0.0	0.0	0.0	0.0	0.0	127.2	0.0	247.2	41.4	415.8	551.6
8/31/2020 13:00	0.0	0.0	0.0	0.0	0.0	118.9	0.0	249	45.7	413.6	551.4
8/31/2020 14:00	0.0	0.0	0.0	0.0	0.0	128.0	0.0	249.5	41.9	419.4	551.1
8/31/2020 15:00	0.0	0.0	0.0	0.0	0.0	129.9	0.0	248.8	39	417.7	550.9
8/31/2020 16:00	0.0	0.0	0.0	0.0	0.0	108.5	0.0	249.4	40.2	398.1	550.8
8/31/2020 17:00	0.0	0.0	0.0	0.0	0.0	133.0	0.0	249.2	42.4	424.6	550.6
8/31/2020 18:00	0.0	0.0	0.0	0.0	0.0	124.6	0.0	247.2	40.3	412.1	550.3
8/31/2020 19:00	0.0	0.0	0.0	0.0	0.0	114.9	0.0	250.4	36.1	401.4	549.9
8/31/2020 20:00	0.0	0.0	0.0	0.0	0.0	131.1	0.0	250.9	47.7	429.7	549.8
8/31/2020 21:00	0.0	0.0	0.0	0.0	0.0	129.8	0.0	249	40.9	419.7	549.7
8/31/2020 22:00	0.0	0.0	0.0	0.0	0.0	145.9	0.0	249.2	38	433.1	549.6
8/31/2020 23:00	0.0	0.0	0.0	0.0	0.0	147.7	0.0	251	45.6	444.3	549.5
9/1/2020 0:00	0.0	0.0	0.0	0.0	0.0	128.2	0.0	248.2	41.9	418.3	549.4
9/1/2020 1:00	0.0	0.0	0.0	0.0	0.0	140.3	0.0	249.5	44.3	434.1	549.3
9/1/2020 2:00	0.0	0.0	0.0	0.0	0.0	140.5	0.0	248.3	35.6	424.4	549.2
9/1/2020 3:00	0.0	0.0	0.0	0.0	0.0	147.5	0.0	249.3	43.2	440.0	549.1
9/1/2020 4:00	0.0	0.0	0.0	0.0	0.0	138.3	0.0	248	38.7	425.0	549.1
9/1/2020 5:00	0.0	0.0	0.0	0.0	0.0	123.7	0.0	250	36.1	409.8	549.0
9/1/2020 6:00	0.0	0.0	0.0	0.0	0.0	88.5	0.0	247.9	42	378.4	548.8
9/1/2020 7:00	0.0	0.0	0.0	0.0	0.0	82.0	0.0	250	37.3	369.3	548.6
9/1/2020 8:00	0.0	0.0	0.0	0.0	0.0	82.7	0.0	218.6	64.7	366.0	548.4
9/1/2020 9:00	0.0	0.0	0.0	0.0	0.0	83.9	0.0	251.8	44	379.7	548.2
9/1/2020 10:00	0.0	0.0	0.0	0.0	0.0	94.7	0.0	247.3	33	375.0	547.8
9/1/2020 11:00	0.0	0.0	0.0	0.0	0.0	133.0	0.0	252	36.4	421.4	547.7
9/1/2020 12:00	0.0	0.0	0.0	0.0	0.0	128.3	0.0	249	44.3	421.6	547.6
9/1/2020 13:00	0.0	0.0	0.0	0.0	0.0	130.7	0.0	248.8	35.5	415.0	547.4
9/1/2020 14:00	0.0	0.0	0.0	0.0	0.0	214.1	0.0	249.2	39.2	502.5	547.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/1/2020 15:00	0.0	0.0	0.0	0.0	0.0	344.1	0.0	249.2	35.8	629.1	547.7
9/1/2020 16:00	0.0	0.0	0.0	0.0	0.0	364.5	0.0	249.4	47.3	661.2	547.9
9/1/2020 17:00	0.0	0.0	0.0	0.0	0.0	138.6	0.0	248.2	34.4	421.2	547.9
9/1/2020 18:00	0.0	0.0	0.0	0.0	0.0	104.5	0.0	250.4	39.5	394.4	547.6
9/1/2020 19:00	0.0	0.0	0.0	0.0	0.0	95.5	0.0	249.1	37	381.6	547.4
9/1/2020 20:00	0.0	0.0	0.0	0.0	0.0	103.6	0.0	242.1	38.6	384.3	547.2
9/1/2020 21:00	0.0	0.0	0.0	0.0	0.0	115.0	0.0	250	48.1	413.1	547.0
9/1/2020 22:00	0.0	0.0	0.0	0.0	0.0	115.3	0.0	249.4	39.3	404.0	546.9
9/1/2020 23:00	0.0	0.0	0.0	0.0	0.0	103.6	0.0	248.4	45.5	397.5	546.7
9/2/2020 0:00	0.0	0.0	0.0	0.0	0.0	105.1	0.0	251.1	47.7	403.9	546.6
9/2/2020 1:00	0.0	0.0	0.0	0.0	0.0	94.6	0.0	248.3	34.4	377.3	546.4
9/2/2020 2:00	0.0	0.0	0.0	0.0	0.0	90.4	0.0	249.9	36.4	376.7	546.2
9/2/2020 3:00	0.0	0.0	0.0	0.0	0.0	88.7	0.0	248.7	43.1	380.5	546.1
9/2/2020 4:00	0.0	0.0	0.0	0.0	0.0	88.6	0.0	248.7	38	375.3	545.9
9/2/2020 5:00	0.0	0.0	0.0	0.0	0.0	89.3	0.0	249.1	47.4	385.8	545.7
9/2/2020 6:00	0.0	0.0	0.0	0.0	0.0	244.2	0.0	248.8	49.8	542.8	545.8
9/2/2020 7:00	0.0	0.0	0.0	0.0	0.0	88.3	0.0	251.7	43.7	383.7	545.6
9/2/2020 8:00	0.0	0.0	0.0	0.0	0.0	113.0	0.0	232.4	60.2	405.6	545.4
9/2/2020 9:00	0.0	0.0	0.0	0.0	0.0	128.5	0.0	249.2	40.4	418.1	545.3
9/2/2020 10:00	0.0	0.0	0.0	0.0	0.0	138.2	0.0	249.9	37.3	425.4	545.3
9/2/2020 11:00	0.0	0.0	0.0	0.0	0.0	135.8	0.0	251	38.6	425.4	545.2
9/2/2020 12:00	0.0	0.0	0.0	0.0	0.0	147.7	0.0	248.9	47.1	443.7	545.1
9/2/2020 13:00	0.0	0.0	0.0	0.0	0.0	135.1	0.0	249.2	40.7	425.0	545.0
9/2/2020 14:00	0.0	0.0	0.0	0.0	0.0	144.9	0.0	249.1	37.6	431.6	544.9
9/2/2020 15:00	0.0	0.0	0.0	0.0	0.0	129.9	0.0	248.8	45	423.7	544.9
9/2/2020 16:00	0.0	0.0	0.0	0.0	0.0	107.1	0.0	248.5	36.1	391.7	544.8
9/2/2020 17:00	0.0	0.0	0.0	0.0	0.0	106.6	0.0	247.8	38.2	392.6	544.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/2/2020 18:00	0.0	0.0	0.0	0.0	0.0	125.3	0.0	249.8	45.3	420.4	544.6
9/2/2020 19:00	0.0	0.0	0.0	0.0	0.0	92.1	0.0	247.8	38.8	378.7	544.4
9/2/2020 20:00	0.0	0.0	0.0	0.0	0.0	100.8	0.0	248.2	54.4	403.4	544.3
9/2/2020 21:00	0.0	0.0	0.0	0.0	0.0	98.1	0.0	248.7	41.8	388.6	544.1
9/2/2020 22:00	0.0	0.0	0.0	0.0	0.0	116.0	0.0	247.9	37.7	401.6	544.0
9/2/2020 23:00	0.0	0.0	0.0	0.0	0.0	119.4	0.0	251.6	40.4	411.4	543.9
9/3/2020 0:00	0.0	0.0	0.0	0.0	0.0	117.9	0.0	247.4	46.3	411.6	543.8
9/3/2020 1:00	0.0	0.0	0.0	0.0	0.0	127.5	0.0	249.3	43.8	420.6	543.7
9/3/2020 2:00	0.0	0.0	0.0	0.0	0.0	117.8	0.0	248.4	36.7	402.9	543.6
9/3/2020 3:00	0.0	0.0	0.0	0.0	0.0	118.3	0.0	249.1	35.3	402.7	543.5
9/3/2020 4:00	0.0	0.0	0.0	0.0	0.0	126.9	0.0	249.5	39.4	415.8	543.4
9/3/2020 5:00	0.0	0.0	0.0	0.0	0.0	119.6	0.0	248.4	63.3	431.3	543.2
9/3/2020 6:00	0.0	0.0	0.0	0.0	0.0	84.0	0.0	249.7	40.7	374.4	543.0
9/3/2020 7:00	0.0	0.0	0.0	0.0	0.0	68.6	0.0	249.1	32.5	350.2	542.7
9/3/2020 8:00	0.0	0.0	0.0	0.0	0.0	105.3	0.0	248.6	34	387.9	542.5
9/3/2020 9:00	0.0	0.0	0.0	0.0	0.0	125.1	0.0	248.8	37	410.9	542.3
9/3/2020 10:00	0.0	0.0	0.0	0.0	0.0	113.6	0.0	249.5	35.1	398.2	542.1
9/3/2020 11:00	0.0	0.0	0.0	0.0	0.0	118.4	0.0	248	54.4	420.8	541.9
9/3/2020 12:00	0.0	0.0	0.0	0.0	0.0	121.4	0.0	252.4	36.4	410.2	541.7
9/3/2020 13:00	0.0	0.0	0.0	0.0	0.0	116.9	0.0	248.2	34.2	399.3	541.5
9/3/2020 14:00	0.0	0.0	0.0	0.0	0.0	133.6	0.0	248.6	41.3	423.5	541.2
9/3/2020 15:00	0.0	0.0	0.0	0.0	0.0	138.8	0.0	249.1	28.2	416.1	541.0
9/3/2020 16:00	0.0	0.0	0.0	0.0	0.0	130.6	0.0	249.2	39.9	419.7	540.9
9/3/2020 17:00	0.0	0.0	0.0	0.0	0.0	131.9	0.0	248.4	32.7	413.0	540.6
9/3/2020 18:00	0.0	0.0	0.0	0.0	0.0	123.4	0.0	249.2	36.2	408.8	540.4
9/3/2020 19:00	0.0	0.0	0.0	0.0	0.0	140.2	0.0	248.9	33.6	422.7	540.2
9/3/2020 20:00	0.0	0.0	0.0	0.0	0.0	166.0	0.0	249.4	33.8	449.2	540.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/3/2020 21:00	0.0	0.0	0.0	0.0	0.0	175.0	0.0	249.3	35.2	459.5	539.9
9/3/2020 22:00	0.0	0.0	0.0	0.0	0.0	182.8	0.0	249.7	36.9	469.4	539.8
9/3/2020 23:00	0.0	0.0	0.0	0.0	0.0	172.3	0.0	258.1	34.6	465.0	539.6
9/4/2020 0:00	0.0	0.0	0.0	0.0	0.0	163.1	0.0	250.2	36.5	449.8	539.4
9/4/2020 1:00	0.0	0.0	0.0	0.0	0.0	180.0	0.0	246.1	35.2	461.3	539.1
9/4/2020 2:00	0.0	0.0	0.0	0.0	0.0	182.2	0.0	248.2	37.2	467.6	538.9
9/4/2020 3:00	0.0	0.0	0.0	0.0	0.0	167.0	0.0	246.4	36.1	449.5	538.7
9/4/2020 4:00	0.0	0.0	0.0	0.0	0.0	162.1	0.0	246.7	34.2	443.0	538.5
9/4/2020 5:00	0.0	0.0	0.0	0.0	0.0	143.9	0.0	248.3	45.7	437.9	538.3
9/4/2020 6:00	0.0	0.0	0.0	0.0	0.0	141.7	0.0	249.1	35.1	425.9	538.1
9/4/2020 7:00	0.0	0.0	0.0	0.0	0.0	147.9	0.0	248.1	29.2	425.2	537.9
9/4/2020 8:00	0.0	0.0	0.0	0.0	0.0	100.1	0.0	247.8	33.9	381.8	537.6
9/4/2020 9:00	0.0	0.0	0.0	0.0	0.0	91.0	0.0	247.5	34.6	373.1	537.5
9/4/2020 10:00	0.0	0.0	0.0	0.0	0.0	104.1	0.0	247.3	34.1	385.5	537.3
9/4/2020 11:00	0.0	0.0	0.0	0.0	0.0	105.2	0.0	247.3	38.7	391.2	537.1
9/4/2020 12:00	0.0	0.0	0.0	0.0	0.0	115.7	0.0	251.2	45.3	412.2	537.0
9/4/2020 13:00	0.0	0.0	0.0	0.0	0.0	109.8	0.0	246.8	22.6	379.2	536.9
9/4/2020 14:00	0.0	0.0	0.0	0.0	0.0	114.0	0.0	248.5	36.4	398.9	536.8
9/4/2020 15:00	0.0	0.0	0.0	0.0	0.0	172.4	0.0	247	34.9	454.3	536.7
9/4/2020 16:00	0.0	0.0	0.0	0.0	0.0	163.4	0.0	249	41.5	453.9	536.7
9/4/2020 17:00	0.0	0.0	0.0	0.0	0.0	173.5	0.0	249	32.8	455.3	536.6
9/4/2020 18:00	0.0	0.0	0.0	0.0	0.0	144.1	0.0	247.6	41.2	432.9	536.4
9/4/2020 19:00	0.0	0.0	0.0	0.0	0.0	161.0	0.0	249.5	32.5	443.0	536.2
9/4/2020 20:00	0.0	0.0	0.0	0.0	0.0	157.2	0.0	249.7	36.5	443.4	536.1
9/4/2020 21:00	0.0	0.0	0.0	0.0	0.0	150.2	0.0	248.5	33	431.7	536.0
9/4/2020 22:00	0.0	0.0	0.0	0.0	1.5	138.9	0.0	247.5	41.5	429.4	535.8
9/4/2020 23:00	0.0	0.0	0.0	0.0	127.6	150.3	0.0	242.7	29.6	550.2	535.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/5/2020 0:00	0.0	0.0	0.0	0.0	194.6	150.8	0.0	242.5	24.3	612.2	535.9
9/5/2020 1:00	0.0	0.0	0.0	0.0	200.9	156.2	0.0	246.4	29.9	633.4	536.0
9/5/2020 2:00	0.0	0.0	0.0	0.0	201.1	165.7	0.0	248.5	32	647.3	536.2
9/5/2020 3:00	0.0	0.0	0.0	0.0	198.4	157.4	0.0	250.2	30.3	636.3	536.4
9/5/2020 4:00	0.0	0.0	0.0	0.0	200.5	155.3	0.0	248.6	32.9	637.3	536.5
9/5/2020 5:00	0.0	0.0	0.0	0.0	201.2	160.9	0.0	249.8	37.2	649.1	536.7
9/5/2020 6:00	0.0	0.0	0.0	0.0	200.5	140.7	0.0	248.8	40.5	630.5	536.9
9/5/2020 7:00	0.0	0.0	0.0	0.0	199.3	156.8	0.0	249.2	23.7	629.0	536.9
9/5/2020 8:00	0.0	0.0	0.0	0.0	198.8	168.4	0.0	248.5	31.6	647.3	537.1
9/5/2020 9:00	0.0	0.0	0.0	0.0	199.3	154.6	0.0	243	24.7	621.6	537.3
9/5/2020 10:00	0.0	0.0	0.0	0.0	199.9	139.0	0.0	247.7	28.7	615.3	537.4
9/5/2020 11:00	0.0	0.0	0.0	0.0	201.2	162.8	0.0	250.9	30.7	645.6	537.7
9/5/2020 12:00	0.0	0.0	0.0	0.0	198.1	176.5	0.0	255.2	47.4	677.2	537.9
9/5/2020 13:00	0.0	0.0	0.0	0.0	195.0	164.5	0.0	247.8	34	641.3	538.2
9/5/2020 14:00	0.0	0.0	0.0	0.0	191.8	164.7	0.0	246	34.7	637.2	538.4
9/5/2020 15:00	0.0	0.0	0.0	0.0	190.8	193.3	0.0	248.6	33.1	665.8	538.6
9/5/2020 16:00	0.0	0.0	0.0	0.0	189.8	157.2	0.0	247.6	36.2	630.8	538.7
9/5/2020 17:00	0.0	0.0	0.0	0.0	189.9	155.7	0.0	248.7	28.5	622.8	538.8
9/5/2020 18:00	0.0	0.0	0.0	0.0	187.2	154.7	0.0	248.4	38	628.3	538.8
9/5/2020 19:00	0.0	0.0	0.0	0.0	190.0	162.8	0.0	248.3	30.3	631.4	538.9
9/5/2020 20:00	0.0	0.0	0.0	0.0	190.4	154.1	0.0	249	31.3	624.8	538.9
9/5/2020 21:00	0.0	0.0	0.0	0.0	188.6	167.1	0.0	250.2	31.8	637.7	539.0
9/5/2020 22:00	0.0	0.0	0.0	0.0	189.4	161.2	0.0	248.6	33.4	632.6	539.1
9/5/2020 23:00	0.0	0.0	0.0	0.0	188.3	159.6	0.0	228.1	19.3	595.3	539.1
9/6/2020 0:00	0.0	0.0	0.0	0.0	187.2	157.1	0.0	249.9	14.9	609.1	539.1
9/6/2020 1:00	0.0	0.0	0.0	0.0	185.9	166.1	0.0	248.6	29.4	630.0	539.2
9/6/2020 2:00	0.0	0.0	0.0	0.0	188.7	159.9	0.0	248.3	29.3	626.2	539.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/6/2020 3:00	0.0	0.0	0.0	0.0	187.4	315.4	0.0	243.8	26.2	772.8	539.7
9/6/2020 4:00	0.0	0.0	0.0	0.0	194.6	154.9	0.0	249.8	19.4	618.7	539.8
9/6/2020 5:00	0.0	0.0	0.0	0.0	198.4	161.0	0.0	247.5	22	628.9	540.0
9/6/2020 6:00	0.0	0.0	0.0	0.0	181.1	149.6	0.0	248.2	29.8	608.7	540.0
9/6/2020 7:00	0.0	0.0	0.0	0.0	174.7	157.9	0.0	249.3	19.7	601.6	540.1
9/6/2020 8:00	0.0	0.0	0.0	0.0	184.6	114.5	0.0	250.7	22.4	572.2	540.2
9/6/2020 9:00	0.0	0.0	0.0	0.0	171.0	110.0	0.0	246.9	19.2	547.1	540.3
9/6/2020 10:00	0.0	0.0	0.0	0.0	198.5	111.5	0.0	246.8	22.1	578.9	540.4
9/6/2020 11:00	0.0	0.0	0.0	0.0	194.9	122.2	0.0	248.3	19	584.4	540.5
9/6/2020 12:00	0.0	0.0	0.0	0.0	195.3	156.4	0.0	247.3	30.8	629.8	540.6
9/6/2020 13:00	0.0	0.0	0.0	0.0	196.1	151.6	0.0	248.1	26.5	622.3	540.6
9/6/2020 14:00	0.0	0.0	0.0	0.0	191.1	160.5	0.0	229.2	18.9	599.7	540.7
9/6/2020 15:00	0.0	0.0	0.0	0.0	192.6	168.6	0.0	249.2	21.2	631.6	540.7
9/6/2020 16:00	0.0	0.0	0.0	0.0	193.2	163.8	0.0	247.2	21	625.2	540.8
9/6/2020 17:00	0.0	0.0	0.0	0.0	192.5	163.2	0.0	248.4	21.6	625.7	540.9
9/6/2020 18:00	0.0	0.0	0.0	0.0	194.5	153.3	0.0	247.2	25.8	620.8	540.9
9/6/2020 19:00	0.0	0.0	0.0	0.0	192.6	154.7	0.0	249.5	19.8	616.6	540.9
9/6/2020 20:00	0.0	0.0	0.0	0.0	190.7	140.9	0.0	249.4	18.6	599.6	540.9
9/6/2020 21:00	0.0	0.0	0.0	0.0	190.7	135.1	0.0	249.8	20.3	595.9	540.9
9/6/2020 22:00	0.0	0.0	0.0	0.0	188.9	157.5	0.0	248.8	20.6	615.8	540.8
9/6/2020 23:00	0.0	0.0	0.0	0.0	190.0	149.9	0.0	238.8	10.6	589.3	540.8
9/7/2020 0:00	0.0	0.0	0.0	0.0	189.5	145.2	0.0	251.7	18.2	604.6	540.7
9/7/2020 1:00	0.0	0.0	0.0	0.0	191.4	137.0	0.0	252.2	16	596.6	540.7
9/7/2020 2:00	0.0	0.0	0.0	0.0	191.2	133.5	0.0	249	20.2	593.9	540.7
9/7/2020 3:00	0.0	0.0	0.0	0.0	192.6	144.6	0.0	248.3	24.1	609.6	540.7
9/7/2020 4:00	0.0	0.0	0.0	0.0	199.3	138.1	0.0	248.7	20.4	606.5	540.7
9/7/2020 5:00	0.0	0.0	0.0	0.0	197.2	133.9	0.0	250.2	20.2	601.5	540.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/7/2020 6:00	0.0	0.0	0.0	0.0	199.9	139.1	0.0	249.9	23	611.9	540.6
9/7/2020 7:00	0.0	0.0	0.0	0.0	201.6	131.8	0.0	249.6	19.1	602.1	540.7
9/7/2020 8:00	0.0	0.0	0.0	0.0	201.1	103.8	0.0	249	15.8	569.7	540.6
9/7/2020 9:00	0.0	0.0	0.0	0.0	203.4	92.5	0.0	264	13.9	573.8	540.6
9/7/2020 10:00	0.0	0.0	0.0	0.0	207.2	87.9	0.0	246.8	11.4	553.3	540.5
9/7/2020 11:00	0.0	0.0	0.0	0.0	188.5	92.3	0.0	250.2	16.4	547.4	540.3
9/7/2020 12:00	0.0	0.0	0.0	0.0	180.6	95.4	0.0	248.6	23.6	548.2	540.2
9/7/2020 13:00	0.0	0.0	0.0	0.0	183.3	91.8	0.0	248.6	20.4	544.1	540.0
9/7/2020 14:00	0.0	0.0	0.0	0.0	183.6	101.3	0.0	249.7	26.5	561.1	539.9
9/7/2020 15:00	0.0	0.0	0.0	0.0	186.2	151.4	0.0	248.5	20	606.1	539.9
9/7/2020 16:00	0.0	0.0	0.0	0.0	179.4	140.8	0.0	248.8	17.5	586.5	539.8
9/7/2020 17:00	0.0	0.0	0.0	0.0	190.6	144.3	0.0	248.6	19.5	603.0	539.8
9/7/2020 18:00	0.0	0.0	0.0	0.0	204.0	153.4	0.0	249.7	27.3	634.4	539.8
9/7/2020 19:00	0.0	0.0	0.0	0.0	196.4	142.1	0.0	251.3	25.3	615.1	539.8
9/7/2020 20:00	0.0	0.0	0.0	0.0	181.9	142.4	0.0	248.4	12.5	585.2	539.9
9/7/2020 21:00	0.0	0.0	0.0	0.0	175.7	163.4	0.0	248.9	19.6	607.6	539.9
9/7/2020 22:00	0.0	0.0	0.0	0.0	174.1	155.6	0.0	249	26	604.7	539.8
9/7/2020 23:00	0.0	0.0	0.0	0.0	140.9	154.6	0.0	241.1	25.3	561.9	539.8
9/8/2020 0:00	0.0	0.0	0.0	0.0	148.4	163.8	0.0	248.9	21.2	582.3	539.8
9/8/2020 1:00	0.0	0.0	0.0	0.0	174.5	147.9	0.0	250.2	35.4	608.0	539.8
9/8/2020 2:00	0.0	0.0	0.0	0.0	144.9	144.6	0.0	248.9	25.8	564.2	539.7
9/8/2020 3:00	0.0	0.0	0.0	0.0	142.2	145.9	0.0	248.5	20.6	557.2	539.7
9/8/2020 4:00	0.0	0.0	0.0	0.0	142.2	227.4	0.0	248.9	25.1	643.6	539.8
9/8/2020 5:00	0.0	0.0	0.0	0.0	147.7	155.8	0.0	249.1	33.2	585.8	539.5
9/8/2020 6:00	0.0	0.0	0.0	0.0	150.0	155.1	0.0	249.2	38.7	593.0	539.5
9/8/2020 7:00	0.0	0.0	0.0	0.0	147.4	153.9	0.0	248.5	14.9	564.7	539.4
9/8/2020 8:00	0.0	0.0	0.0	0.0	156.2	167.7	0.0	265.3	19.3	608.5	539.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/8/2020 9:00	0.0	0.0	0.0	0.0	166.2	146.6	0.0	248.2	21.7	582.7	539.6
9/8/2020 10:00	0.0	0.0	0.0	0.0	158.6	137.2	0.0	248.3	21.9	566.0	539.6
9/8/2020 11:00	0.0	0.0	0.0	0.0	159.0	158.1	0.0	249.7	20.4	587.2	539.8
9/8/2020 12:00	0.0	0.0	0.0	0.0	160.1	161.5	0.0	251	30	602.6	540.0
9/8/2020 13:00	0.0	0.0	0.0	0.0	161.4	163.1	0.0	248.9	30.2	603.6	540.3
9/8/2020 14:00	0.0	0.0	0.0	0.0	182.0	154.3	0.0	250.6	31.8	618.7	540.4
9/8/2020 15:00	0.0	0.0	0.0	0.0	196.3	149.3	0.0	247.6	28.8	622.0	540.3
9/8/2020 16:00	0.0	0.0	0.0	0.0	194.6	143.6	0.0	251	28.6	617.8	540.6
9/8/2020 17:00	0.0	0.0	0.0	0.0	193.8	149.3	0.0	249.1	34.9	627.1	540.9
9/8/2020 18:00	0.0	0.0	0.0	0.0	196.5	146.6	0.0	247.7	26.8	617.6	541.2
9/8/2020 19:00	0.0	0.0	0.0	0.0	194.4	140.4	0.0	249.3	26.7	610.8	541.5
9/8/2020 20:00	0.0	0.0	0.0	0.0	195.3	147.2	0.0	216	36.3	594.8	541.8
9/8/2020 21:00	0.0	0.0	0.0	0.0	196.1	156.7	0.0	253	31.8	637.6	542.1
9/8/2020 22:00	0.0	0.0	0.0	0.0	196.5	164.9	0.0	248.7	29.6	639.7	542.4
9/8/2020 23:00	0.0	0.0	0.0	0.0	195.6	168.8	0.0	249.2	30.4	644.0	542.7
9/9/2020 0:00	0.0	0.0	0.0	0.0	194.8	155.9	0.0	250.8	36.7	638.2	542.7
9/9/2020 1:00	0.0	0.0	0.0	0.0	196.0	149.3	0.0	247.2	22.8	615.3	542.9
9/9/2020 2:00	0.0	0.0	0.0	0.0	196.3	143.4	0.0	247.8	18.5	606.0	543.2
9/9/2020 3:00	0.0	0.0	0.0	0.0	196.2	158.5	0.0	249.8	23.4	627.9	543.4
9/9/2020 4:00	0.0	0.0	0.0	0.0	197.3	152.6	0.0	248.5	23.5	621.9	543.7
9/9/2020 5:00	0.0	0.0	0.0	0.0	196.4	153.0	0.0	248.4	29	626.8	544.0
9/9/2020 6:00	0.0	0.0	0.0	0.0	196.8	134.0	0.0	248.6	33	612.4	544.2
9/9/2020 7:00	0.0	0.0	0.0	0.0	196.9	142.3	0.0	249.9	16.6	605.7	544.4
9/9/2020 8:00	0.0	0.0	0.0	0.0	195.5	149.2	0.0	295.3	38.4	678.4	544.8
9/9/2020 9:00	0.0	0.0	0.0	0.0	196.9	141.2	0.0	236.4	46	620.5	544.8
9/9/2020 10:00	0.0	0.0	0.0	0.0	197.1	103.1	0.0	252.4	32	584.6	544.6
9/9/2020 11:00	0.0	0.0	0.0	0.0	197.2	85.5	0.0	248.8	32	563.5	544.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/9/2020 12:00	0.0	0.0	0.0	0.0	195.8	121.0	0.0	244.9	53.9	615.6	544.3
9/9/2020 13:00	0.0	0.0	0.0	0.0	196.0	124.0	0.0	256.7	31.8	608.5	544.5
9/9/2020 14:00	0.0	0.0	0.0	0.0	194.6	148.4	0.0	250.4	38.6	632.0	544.8
9/9/2020 15:00	0.0	0.0	0.0	0.0	194.8	172.6	0.0	249.2	31.9	648.5	545.2
9/9/2020 16:00	0.0	0.0	0.0	0.0	196.2	141.6	0.0	248.9	36.7	623.4	545.5
9/9/2020 17:00	0.0	0.0	0.0	0.0	195.4	157.9	0.0	247.5	47.9	648.7	545.8
9/9/2020 18:00	0.0	0.0	0.0	0.0	195.3	136.0	0.0	249.7	39.4	620.4	546.1
9/9/2020 19:00	0.0	0.0	0.0	0.0	195.7	139.9	0.0	250.2	34.7	620.5	546.3
9/9/2020 20:00	0.0	0.0	0.0	0.0	196.6	144.7	0.0	240.2	33.3	614.8	546.6
9/9/2020 21:00	0.0	0.0	0.0	0.0	196.5	146.6	0.0	254	19.1	616.2	546.9
9/9/2020 22:00	0.0	0.0	0.0	0.0	198.0	145.7	0.0	248.4	38.1	630.2	547.2
9/9/2020 23:00	0.0	0.0	0.0	0.0	197.7	147.5	0.0	248.2	38.9	632.3	547.4
9/10/2020 0:00	0.0	0.0	0.0	0.0	198.2	141.3	0.0	251.5	41.3	632.3	547.4
9/10/2020 1:00	0.0	0.0	0.0	0.0	197.4	144.8	0.0	249	41.1	632.3	547.4
9/10/2020 2:00	0.0	0.0	0.0	0.0	197.7	202.9	0.0	252.6	32.9	686.1	547.5
9/10/2020 3:00	0.0	0.0	0.0	0.0	197.2	245.3	0.0	247	32.5	722.0	547.6
9/10/2020 4:00	0.0	0.0	0.0	0.0	197.2	143.8	0.0	242.9	38.1	622.0	547.6
9/10/2020 5:00	0.0	0.0	0.0	0.0	198.3	145.9	0.0	253.8	28.1	626.1	547.7
9/10/2020 6:00	0.0	0.0	0.0	0.0	197.0	163.3	0.0	248.6	32.5	641.4	547.7
9/10/2020 7:00	0.0	0.0	0.0	0.0	199.4	137.6	0.0	249.6	33.1	619.7	547.7
9/10/2020 8:00	0.0	0.0	0.0	0.0	201.3	134.8	0.0	269.4	34.6	640.1	547.8
9/10/2020 9:00	0.0	0.0	0.0	0.0	201.0	146.0	0.0	247.9	37.6	632.5	547.8
9/10/2020 10:00	0.0	0.0	0.0	0.0	200.8	135.8	0.0	247.6	33.9	618.1	547.9
9/10/2020 11:00	0.0	0.0	0.0	0.0	201.5	141.9	0.0	244.5	36	623.9	548.0
9/10/2020 12:00	0.0	0.0	0.0	0.0	199.6	156.1	0.0	249.6	38.6	643.9	548.1
9/10/2020 13:00	0.0	0.0	0.0	0.0	199.7	137.7	0.0	249	38.6	625.0	548.1
9/10/2020 14:00	0.0	0.0	0.0	0.0	201.8	133.8	0.0	249.6	33.3	618.5	548.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/10/2020 15:00	0.0	0.0	0.0	0.0	201.3	139.1	0.0	250.7	38.2	629.3	548.2
9/10/2020 16:00	0.0	0.0	0.0	0.0	201.5	136.2	0.0	248.7	40.5	626.9	548.3
9/10/2020 17:00	0.0	0.0	0.0	0.0	202.6	142.2	0.0	250.2	34.8	629.8	548.3
9/10/2020 18:00	0.0	0.0	0.0	0.0	202.1	130.5	0.0	248.3	39.3	620.2	548.3
9/10/2020 19:00	0.0	0.0	0.0	0.0	202.6	144.2	0.0	250.2	40.1	637.1	548.3
9/10/2020 20:00	0.0	0.0	0.0	0.0	203.0	146.7	0.0	248.2	42.4	640.3	548.3
9/10/2020 21:00	0.0	0.0	0.0	0.0	202.6	144.6	0.0	239.9	40.2	627.3	548.4
9/10/2020 22:00	0.0	0.0	0.0	0.0	203.2	147.4	0.0	250.6	38.4	639.6	548.5
9/10/2020 23:00	0.0	0.0	0.0	0.0	202.7	150.3	0.0	249.2	38.9	641.1	548.5
9/11/2020 0:00	0.0	0.0	0.0	0.0	202.3	148.5	0.0	249.4	42.2	642.4	548.6
9/11/2020 1:00	0.0	0.0	0.0	0.0	200.5	161.7	0.0	248.5	36.9	647.6	548.7
9/11/2020 2:00	0.0	0.0	0.0	0.0	202.2	143.8	0.0	249.7	40.8	636.5	548.7
9/11/2020 3:00	0.0	0.0	0.0	0.0	202.4	152.9	0.0	248.7	35.1	639.1	548.8
9/11/2020 4:00	0.0	0.0	0.0	0.0	202.0	141.8	0.0	247.8	35	626.6	548.8
9/11/2020 5:00	0.0	0.0	0.0	0.0	200.2	144.5	0.0	250.3	39.2	634.2	548.8
9/11/2020 6:00	0.0	0.0	0.0	0.0	200.9	153.0	0.0	249.1	36.6	639.6	548.5
9/11/2020 7:00	0.0	0.0	0.0	0.0	200.7	155.1	0.0	248.4	25.7	629.9	548.2
9/11/2020 8:00	0.0	0.0	0.0	0.0	200.4	144.9	0.0	266.5	86.1	697.9	548.0
9/11/2020 9:00	0.0	0.0	0.0	0.0	203.6	119.5	11.0	245.9	7.9	587.9	548.0
9/11/2020 10:00	0.0	0.0	0.0	0.0	204.0	93.2	11.0	247.9	20.6	576.7	548.0
9/11/2020 11:00	0.0	0.0	0.0	0.0	204.1	97.4	11.0	245.2	30.9	588.6	548.0
9/11/2020 12:00	0.0	0.0	0.0	0.0	205.6	140.0	13.4	245.8	36	640.8	548.1
9/11/2020 13:00	0.0	0.0	0.0	0.0	203.9	139.4	24.8	248.5	34.5	651.1	548.2
9/11/2020 14:00	0.0	0.0	0.0	0.0	203.4	224.8	37.3	247.2	32	744.7	548.4
9/11/2020 15:00	0.0	0.0	0.0	0.0	203.5	237.1	77.6	247.5	55.6	821.3	548.7
9/11/2020 16:00	0.0	0.0	0.0	0.0	206.6	112.2	106.3	247.3	23.1	695.5	548.8
9/11/2020 17:00	0.0	0.0	0.0	0.0	203.2	123.1	139.4	248	28.4	742.1	549.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/11/2020 18:00	0.0	0.0	0.0	0.0	202.2	132.9	191.5	249.7	33.7	810.0	549.4
9/11/2020 19:00	0.0	0.0	0.0	0.0	202.1	131.3	207.7	249.7	24.3	815.1	549.7
9/11/2020 20:00	0.0	0.0	0.0	0.0	202.5	134.2	183.4	248.8	24.1	793.0	550.0
9/11/2020 21:00	0.0	0.0	0.0	0.0	202.7	141.4	15.5	222	19.9	601.5	550.0
9/11/2020 22:00	0.0	0.0	0.0	0.0	203.0	136.4	1.7	247.5	28.5	617.1	550.1
9/11/2020 23:00	0.0	0.0	0.0	0.0	202.4	136.2	0.0	248.9	37.3	624.8	550.1
9/12/2020 0:00	0.0	0.0	0.0	0.0	203.1	137.0	0.0	251.2	27.5	618.8	550.2
9/12/2020 1:00	0.0	0.0	0.0	0.0	204.3	128.5	0.0	249	26.4	608.2	550.2
9/12/2020 2:00	0.0	0.0	0.0	0.0	205.5	127.3	0.0	249.6	28.7	611.1	550.2
9/12/2020 3:00	0.0	0.0	0.0	0.0	204.1	123.3	0.0	249.3	34.7	611.4	550.2
9/12/2020 4:00	0.0	0.0	0.0	0.0	203.7	125.6	0.0	250.2	26.2	605.7	550.2
9/12/2020 5:00	0.0	0.0	0.0	0.0	201.6	122.3	0.0	248.5	25.7	598.1	550.2
9/12/2020 6:00	0.0	0.0	0.0	0.0	196.3	130.4	0.0	249.3	32.3	608.3	550.2
9/12/2020 7:00	0.0	0.0	0.0	0.0	197.5	130.1	0.0	249.5	25.4	602.5	550.2
9/12/2020 8:00	0.0	0.0	0.0	0.0	197.5	108.3	0.0	248.3	21.3	575.4	549.9
9/12/2020 9:00	0.0	0.0	0.0	0.0	195.4	107.8	0.0	249.9	26.1	579.2	549.7
9/12/2020 10:00	0.0	0.0	0.0	0.0	198.7	115.1	0.0	249.1	24.7	587.6	549.5
9/12/2020 11:00	0.0	0.0	0.0	0.0	202.3	108.8	0.0	249.3	30.6	591.0	549.2
9/12/2020 12:00	0.0	0.0	0.0	0.0	202.7	142.1	0.0	257.9	31.1	633.8	549.2
9/12/2020 13:00	0.0	0.0	0.0	0.0	201.6	110.6	0.0	249.2	27.1	588.5	549.3
9/12/2020 14:00	0.0	0.0	0.0	0.0	196.5	119.3	0.0	248.4	33.3	597.5	549.3
9/12/2020 15:00	0.0	0.0	0.0	0.0	200.2	128.0	0.0	249	24.3	601.5	549.3
9/12/2020 16:00	0.0	0.0	0.0	0.0	197.1	131.8	0.0	249.3	28.4	606.6	549.3
9/12/2020 17:00	0.0	0.0	0.0	0.0	199.8	126.0	0.0	248.3	30.5	604.6	549.4
9/12/2020 18:00	0.0	0.0	0.0	0.0	205.5	130.7	0.0	250.3	31.7	618.2	549.4
9/12/2020 19:00	0.0	0.0	0.0	0.0	208.8	114.5	0.0	249.4	25	597.7	549.5
9/12/2020 20:00	0.0	0.0	0.0	0.0	189.5	126.1	0.0	249.6	23.7	588.9	549.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/12/2020 21:00	0.0	0.0	0.0	0.0	181.8	122.6	0.0	249.8	26.7	580.9	548.9
9/12/2020 22:00	0.0	0.0	0.0	0.0	195.0	121.7	0.0	248.6	35.4	600.7	548.7
9/12/2020 23:00	0.0	0.0	0.0	0.0	201.7	124.1	0.0	247.6	30.3	603.7	548.8
9/13/2020 0:00	0.0	0.0	0.0	0.0	204.8	137.5	0.0	243.3	24.1	609.7	548.8
9/13/2020 1:00	0.0	0.0	0.0	0.0	205.3	120.7	0.0	249.4	26.8	602.2	548.8
9/13/2020 2:00	0.0	0.0	0.0	0.0	206.3	104.7	0.0	248.6	33.7	593.3	548.8
9/13/2020 3:00	0.0	0.0	0.0	0.0	206.9	101.3	0.0	249.7	25.1	583.0	548.8
9/13/2020 4:00	0.0	0.0	0.0	0.0	208.0	90.2	0.0	249.1	32.1	579.4	548.7
9/13/2020 5:00	0.0	0.0	0.0	0.0	211.0	95.0	0.0	250.4	45.4	601.8	548.7
9/13/2020 6:00	0.0	0.0	0.0	0.0	207.3	101.5	0.0	249.9	30.2	588.9	548.7
9/13/2020 7:00	0.0	0.0	0.0	0.0	205.4	96.9	0.0	249.8	20.1	572.2	548.7
9/13/2020 8:00	0.0	0.0	0.0	0.0	205.5	66.1	0.0	249.1	25.6	546.3	548.6
9/13/2020 9:00	0.0	0.0	0.0	0.0	207.1	50.2	0.0	251.4	55.6	564.3	548.5
9/13/2020 10:00	0.0	0.0	0.0	0.0	198.4	50.0	0.0	251.7	24.7	524.8	548.1
9/13/2020 11:00	0.0	0.0	0.0	0.0	196.1	93.1	0.0	248.4	23.9	561.5	547.7
9/13/2020 12:00	0.0	0.0	0.0	0.0	196.1	113.6	0.0	243.2	26.7	579.6	547.6
9/13/2020 13:00	0.0	0.0	0.0	0.0	197.9	90.6	0.0	248	26.1	562.6	547.6
9/13/2020 14:00	0.0	0.0	0.0	0.0	201.2	100.0	0.0	249.2	26.1	576.5	547.6
9/13/2020 15:00	0.0	0.0	0.0	0.0	198.9	127.8	0.0	249.5	37.2	613.4	547.6
9/13/2020 16:00	0.0	0.0	0.0	0.0	200.1	115.8	0.0	250.1	32.1	598.1	547.7
9/13/2020 17:00	0.0	0.0	0.0	0.0	198.7	109.3	0.0	248.5	31.8	588.3	547.7
9/13/2020 18:00	0.0	0.0	0.0	0.0	203.2	111.5	0.0	248.9	33.7	597.3	547.7
9/13/2020 19:00	0.0	0.0	0.0	0.0	207.7	110.1	0.0	250.4	28.5	596.7	547.7
9/13/2020 20:00	0.0	0.0	0.0	0.0	208.2	122.6	0.0	249.6	30.5	610.9	547.7
9/13/2020 21:00	0.0	0.0	0.0	0.0	206.8	120.1	0.0	248.7	30.5	606.1	547.8
9/13/2020 22:00	0.0	0.0	0.0	0.0	206.6	107.1	0.0	248.8	25.5	588.0	547.8
9/13/2020 23:00	0.0	0.0	0.0	0.0	209.5	115.6	0.0	227.1	26.4	578.6	547.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/14/2020 0:00	0.0	0.0	0.0	0.0	207.7	118.7	0.0	245.8	33.8	606.0	547.9
9/14/2020 1:00	0.0	0.0	0.0	0.0	210.2	123.8	0.0	251.7	54.9	640.6	548.0
9/14/2020 2:00	0.0	0.0	0.0	0.0	210.0	126.2	0.0	241.9	75.2	653.3	548.1
9/14/2020 3:00	0.0	0.0	0.0	0.0	208.3	108.2	0.0	247.9	51.7	616.1	548.1
9/14/2020 4:00	0.0	0.0	0.0	0.0	209.0	107.7	0.0	245.8	34.6	597.1	548.1
9/14/2020 5:00	0.0	0.0	0.0	0.0	207.6	108.5	0.0	253.9	30.4	600.4	547.9
9/14/2020 6:00	0.0	0.0	0.0	0.0	208.6	89.0	0.0	250.3	39.1	587.0	547.6
9/14/2020 7:00	0.0	0.0	0.0	0.0	204.5	126.6	0.0	250.1	30.3	611.5	547.2
9/14/2020 8:00	0.0	0.0	0.0	0.0	205.4	283.4	0.0	248.7	30.4	767.9	547.1
9/14/2020 9:00	0.0	0.0	0.0	0.0	195.1	106.1	0.0	263.7	43	607.9	547.1
9/14/2020 10:00	0.0	0.0	0.0	0.0	195.0	112.6	0.0	249.4	32.4	589.4	547.2
9/14/2020 11:00	0.0	0.0	0.0	0.0	199.7	121.7	0.0	244.3	41.5	607.2	547.3
9/14/2020 12:00	0.0	0.0	0.0	0.0	200.9	105.3	52.2	250.8	52.3	661.5	547.4
9/14/2020 13:00	0.0	0.0	0.0	0.0	202.0	118.1	52.2	250.1	49.1	671.5	547.5
9/14/2020 14:00	0.0	0.0	0.0	0.0	216.2	118.1	52.2	250.3	41.8	678.6	547.7
9/14/2020 15:00	0.0	0.0	0.0	0.0	216.5	121.4	52.2	251.4	49.5	691.0	547.8
9/14/2020 16:00	0.0	0.0	0.0	0.0	217.5	119.6	52.2	246.1	39.7	675.1	548.0
9/14/2020 17:00	0.0	0.0	0.0	0.0	217.4	128.4	52.2	251	50.4	699.4	548.1
9/14/2020 18:00	0.0	0.0	0.0	0.0	215.4	118.4	52.2	244.5	54.7	685.2	548.3
9/14/2020 19:00	0.0	0.0	0.0	0.0	216.5	109.0	52.2	251.3	45.7	674.7	548.4
9/14/2020 20:00	0.0	0.0	0.0	0.0	216.9	129.3	52.2	226.3	50.2	674.9	548.5
9/14/2020 21:00	0.0	0.0	0.0	0.0	217.7	354.4	52.2	252.4	49.5	926.2	549.1
9/14/2020 22:00	0.0	0.0	0.0	0.0	217.9	165.3	52.2	244.7	39.5	719.6	549.3
9/14/2020 23:00	0.0	0.0	0.0	0.0	218.0	77.8	52.2	231.6	48.2	627.8	549.3
9/15/2020 0:00	0.0	0.0	0.0	0.0	217.5	255.3	52.2	248.3	46.4	819.7	549.6
9/15/2020 1:00	0.0	0.0	0.0	0.0	217.9	240.9	52.2	251	41.1	803.1	549.9
9/15/2020 2:00	0.0	0.0	0.0	0.0	218.4	247.9	52.2	248.2	41.4	808.1	550.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/15/2020 3:00	0.0	0.0	0.0	0.0	215.7	264.0	52.2	249.2	41.5	822.6	550.5
9/15/2020 4:00	0.0	0.0	0.0	0.0	217.0	274.1	52.2	248.7	42.9	834.9	550.8
9/15/2020 5:00	0.0	0.0	0.0	0.0	215.8	273.0	52.2	247.4	77.6	866.0	551.1
9/15/2020 6:00	0.0	0.0	0.0	0.0	211.2	270.0	52.2	249	50.3	832.7	551.5
9/15/2020 7:00	0.0	0.0	0.0	0.0	203.4	270.6	50.4	246.5	34	804.9	551.7
9/15/2020 8:00	0.0	0.0	0.0	0.0	4.4	265.7	58.0	249.1	40.8	618.0	551.8
9/15/2020 9:00	0.0	0.0	0.0	0.0	5.8	306.2	105.0	246.4	43.9	707.3	551.9
9/15/2020 10:00	0.0	0.0	0.0	0.0	198.2	406.8	249.3	259.7	65.9	1179.9	552.8
9/15/2020 11:00	0.0	0.0	0.0	0.0	189.2	322.5	133.7	250	53.9	949.3	553.2
9/15/2020 12:00	0.0	0.0	0.0	0.0	205.9	269.1	103.0	254.3	36.9	869.2	553.3
9/15/2020 13:00	0.0	0.0	0.0	0.0	206.8	273.9	178.3	247.1	32.8	938.9	553.5
9/15/2020 14:00	0.0	0.0	0.0	0.0	205.5	261.0	179.7	251.5	32.6	930.3	554.0
9/15/2020 15:00	0.0	0.0	0.0	0.0	206.2	234.1	188.1	272.7	37.6	938.7	554.5
9/15/2020 16:00	0.0	0.0	0.0	0.0	187.8	225.7	116.4	279.2	36.4	845.5	554.9
9/15/2020 17:00	0.0	0.0	0.0	0.0	178.9	220.0	118.7	279.6	36.6	833.8	555.3
9/15/2020 18:00	0.0	0.0	0.0	0.0	200.3	210.2	130.8	273	35	849.3	555.6
9/15/2020 19:00	0.0	0.0	0.0	0.0	208.4	126.0	137.3	279.2	34.3	785.2	555.9
9/15/2020 20:00	0.0	0.0	0.0	0.0	210.2	118.9	134.7	278	40	781.8	556.2
9/15/2020 21:00	0.0	0.0	0.0	0.0	210.3	116.3	137.8	277.9	41.6	783.9	556.5
9/15/2020 22:00	0.0	0.0	0.0	0.0	210.6	113.5	137.6	278.5	40.1	780.3	556.8
9/15/2020 23:00	0.0	0.0	0.0	0.0	210.9	116.4	139.2	266.4	38.3	771.2	557.0
9/16/2020 0:00	0.0	0.0	0.0	0.0	210.9	113.6	96.3	278.4	51.7	750.9	557.3
9/16/2020 1:00	0.0	0.0	0.0	0.0	209.9	122.2	88.0	279.4	39.4	738.9	557.5
9/16/2020 2:00	0.0	0.0	0.0	0.0	211.1	117.0	82.1	279.6	42.8	732.6	557.7
9/16/2020 3:00	0.0	0.0	0.0	0.0	210.6	114.4	91.6	278.7	39.7	735.0	557.8
9/16/2020 4:00	0.0	0.0	0.0	0.0	210.8	116.7	147.7	278.8	40.9	794.9	558.1
9/16/2020 5:00	0.0	0.0	0.0	0.0	208.4	114.1	140.2	278.6	41	782.3	558.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/16/2020 6:00	0.0	0.0	0.0	0.0	210.4	119.8	152.8	279.3	47.8	810.1	558.7
9/16/2020 7:00	0.0	0.0	0.0	0.0	205.8	123.4	129.2	278.9	33.4	770.7	559.0
9/16/2020 8:00	0.0	0.0	0.0	0.0	209.0	120.9	92.1	272.1	32.3	726.4	559.2
9/16/2020 9:00	0.0	0.0	0.0	0.0	208.1	122.7	94.5	288.4	38.3	752.0	559.4
9/16/2020 10:00	0.0	0.0	0.0	0.0	197.0	128.5	108.4	280	43.7	757.6	559.6
9/16/2020 11:00	0.0	0.0	0.0	0.0	202.1	134.3	96.1	281.8	45.6	759.9	559.9
9/16/2020 12:00	0.0	0.0	0.0	0.0	202.5	128.0	77.0	280.1	38.9	726.5	560.1
9/16/2020 13:00	0.0	0.0	0.0	0.0	207.5	128.6	96.3	276.8	43	752.2	560.3
9/16/2020 14:00	0.0	0.0	0.0	0.0	208.1	131.2	135.3	275.7	46	796.3	560.6
9/16/2020 15:00	0.0	0.0	0.0	0.0	207.5	132.1	156.7	280.5	48	824.8	560.9
9/16/2020 16:00	0.0	0.0	0.0	0.0	207.8	124.9	175.2	279.6	52.4	839.9	561.3
9/16/2020 17:00	0.0	0.0	0.0	0.0	206.2	128.8	158.2	278.4	40.4	812.0	561.6
9/16/2020 18:00	0.0	0.0	0.0	0.0	205.5	142.3	158.7	279.5	49.7	835.7	562.0
9/16/2020 19:00	0.0	0.0	0.0	0.0	205.3	131.9	156.6	279.7	41.1	814.6	562.3
9/16/2020 20:00	0.0	0.0	0.0	0.0	207.8	145.9	158.2	279	47.7	838.6	562.7
9/16/2020 21:00	0.0	0.0	0.0	0.0	208.1	150.5	160.1	280.8	46.5	846.0	563.0
9/16/2020 22:00	0.0	0.0	0.0	0.0	209.4	149.6	162.5	279.4	48	848.9	563.2
9/16/2020 23:00	0.0	0.0	0.0	0.0	209.2	149.9	160.3	282.9	65.8	868.1	563.6
9/17/2020 0:00	0.0	0.0	0.0	0.0	208.4	148.5	155.4	274	41.9	828.2	563.9
9/17/2020 1:00	0.0	0.0	0.0	0.0	208.9	143.3	158.7	276.1	42.6	829.6	564.3
9/17/2020 2:00	0.0	0.0	0.0	0.0	208.3	149.3	160.9	278.1	39.8	836.4	564.6
9/17/2020 3:00	0.0	0.0	0.0	0.0	204.6	141.6	158.5	279.1	39.1	822.9	565.0
9/17/2020 4:00	0.0	0.0	0.0	0.0	204.0	136.4	158.9	278	35.6	812.9	565.3
9/17/2020 5:00	0.0	0.0	0.0	0.0	204.4	149.8	159.4	280.6	36.7	830.9	565.6
9/17/2020 6:00	0.0	0.0	0.0	0.0	203.7	145.7	164.7	279.5	58.5	852.1	566.0
9/17/2020 7:00	0.0	0.0	0.0	0.0	200.1	150.9	153.8	278.9	29.8	813.5	566.3
9/17/2020 8:00	0.0	0.0	0.0	0.0	204.0	162.7	143.7	281.8	34.4	826.6	566.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/17/2020 9:00	0.0	0.0	0.0	0.0	205.8	156.3	138.8	269.7	44.8	815.4	566.9
9/17/2020 10:00	0.0	0.0	0.0	0.0	205.6	269.3	245.9	271.6	34.6	1027.0	567.5
9/17/2020 11:00	0.0	0.0	0.0	0.0	205.9	195.3	168.6	249.2	45.5	864.5	567.9
9/17/2020 12:00	0.0	0.0	0.0	0.0	203.4	146.5	114.9	284	40.5	789.3	568.1
9/17/2020 13:00	0.0	0.0	0.0	0.0	204.2	137.0	121.4	281.1	41.9	785.6	568.4
9/17/2020 14:00	0.0	0.0	0.0	0.0	204.2	141.1	117.4	277.1	28.3	768.1	568.6
9/17/2020 15:00	0.0	0.0	0.0	0.0	203.6	140.9	132.4	278.4	36.1	791.4	568.9
9/17/2020 16:00	0.0	0.0	0.0	0.0	206.0	135.9	134.5	278.7	37.1	792.2	569.1
9/17/2020 17:00	0.0	0.0	0.0	0.0	206.0	140.9	168.8	278.6	39.2	833.5	569.5
9/17/2020 18:00	0.0	0.0	0.0	0.0	205.8	143.3	167.1	279.6	36.3	832.1	569.8
9/17/2020 19:00	0.0	0.0	0.0	0.0	207.5	139.9	174.2	279.2	28.6	829.4	570.1
9/17/2020 20:00	0.0	0.0	0.0	0.0	207.4	133.5	177.4	256	31.9	806.2	570.3
9/17/2020 21:00	0.0	0.0	0.0	0.0	206.6	135.0	173.3	255.2	32.7	802.8	570.6
9/17/2020 22:00	0.0	0.0	0.0	0.0	206.8	136.6	176.4	278.6	30.5	828.9	570.9
9/17/2020 23:00	0.0	0.0	0.0	0.0	205.9	137.9	169.7	278.8	44.1	836.4	571.2
9/18/2020 0:00	0.0	0.0	0.0	0.0	206.0	135.4	174.3	278.9	28.6	823.2	571.5
9/18/2020 1:00	0.0	0.0	0.0	0.0	206.3	137.5	173.5	278.3	31.2	826.8	571.8
9/18/2020 2:00	0.0	0.0	0.0	0.0	206.5	134.8	169.7	279.4	33.2	823.6	572.0
9/18/2020 3:00	0.0	0.0	0.0	0.0	207.3	131.7	172.4	278.6	32.9	822.9	572.3
9/18/2020 4:00	0.0	0.0	0.0	0.0	206.0	120.7	173.9	278.6	28.2	807.4	572.6
9/18/2020 5:00	0.0	0.0	0.0	0.0	206.1	126.2	168.4	279.1	31.4	811.2	572.8
9/18/2020 6:00	0.0	0.0	0.0	0.0	206.4	125.9	171.4	277.6	37.9	819.2	573.1
9/18/2020 7:00	0.0	0.0	0.0	0.0	205.5	130.1	169.8	278.4	28.9	812.7	573.1
9/18/2020 8:00	0.0	0.0	0.0	0.0	206.3	130.4	164.5	275.6	25	801.8	573.0
9/18/2020 9:00	0.0	0.0	0.0	0.0	206.1	128.8	168.5	275.7	37.1	816.2	573.4
9/18/2020 10:00	0.0	0.0	0.0	0.0	207.4	130.1	170.6	279.5	30.1	817.7	573.6
9/18/2020 11:00	0.0	0.0	0.0	0.0	207.6	130.5	164.3	265.8	38.9	807.1	574.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/18/2020 12:00	0.0	0.0	0.0	0.0	205.9	137.3	168.7	284.7	42.6	839.2	574.4
9/18/2020 13:00	0.0	0.0	0.0	0.0	206.5	142.0	168.5	274.5	34.5	826.0	574.7
9/18/2020 14:00	0.0	0.0	0.0	0.0	206.3	138.9	170.0	272.7	39.9	827.8	575.1
9/18/2020 15:00	0.0	0.0	0.0	0.0	207.3	143.3	166.8	274.2	25.4	817.0	575.5
9/18/2020 16:00	0.0	0.0	0.0	0.0	207.7	135.1	154.9	274.4	33.3	805.4	575.8
9/18/2020 17:00	0.0	0.0	0.0	0.0	208.4	135.9	159.1	274	33	810.4	576.2
9/18/2020 18:00	0.0	0.0	0.0	0.0	207.7	150.5	162.3	279	50.5	850.0	576.5
9/18/2020 19:00	0.0	0.0	0.0	0.0	208.0	142.4	167.9	272.9	33.9	825.1	576.9
9/18/2020 20:00	0.0	0.0	0.0	0.0	208.4	142.3	170.6	228.5	38.1	787.9	577.2
9/18/2020 21:00	0.0	0.0	0.0	0.0	205.3	288.1	319.8	216.4	38.8	1068.4	577.9
9/18/2020 22:00	0.0	0.0	0.0	0.0	204.8	150.0	174.8	273.6	46.7	849.9	578.3
9/18/2020 23:00	0.0	0.0	0.0	0.0	204.8	145.2	176.4	272.2	41.2	839.8	578.7
9/19/2020 0:00	0.0	0.0	0.0	0.0	207.0	143.2	168.0	277.6	47	842.8	579.1
9/19/2020 1:00	0.0	0.0	0.0	0.0	207.2	147.0	172.5	274.1	40.5	841.3	579.5
9/19/2020 2:00	0.0	0.0	0.0	0.0	207.7	146.3	168.4	273.4	40.8	836.6	579.9
9/19/2020 3:00	0.0	0.0	0.0	0.0	206.9	141.4	172.6	273.7	46.4	841.0	580.3
9/19/2020 4:00	0.0	0.0	0.0	0.0	203.5	133.0	160.3	274.4	42.4	813.6	580.6
9/19/2020 5:00	0.0	0.0	0.0	0.0	202.3	137.2	159.2	272.2	45.4	816.3	581.0
9/19/2020 6:00	0.0	0.0	0.0	0.0	200.9	141.0	151.8	273.2	40	806.9	581.4
9/19/2020 7:00	0.0	0.0	0.0	0.0	200.1	137.5	154.5	274.6	36.3	803.0	581.7
9/19/2020 8:00	0.0	0.0	0.0	0.0	192.9	141.3	130.1	258	54.8	777.1	582.1
9/19/2020 9:00	0.0	0.0	0.0	0.0	192.5	140.1	128.3	273.6	41.5	776.0	582.4
9/19/2020 10:00	0.0	0.0	0.0	0.0	169.5	139.5	127.6	274.8	38.3	749.7	582.7
9/19/2020 11:00	0.0	0.0	0.0	0.0	159.0	146.1	138.3	272.6	45.9	761.9	583.0
9/19/2020 12:00	0.0	0.0	0.0	0.0	202.2	151.2	159.0	276.5	49.3	838.2	583.4
9/19/2020 13:00	0.0	0.0	0.0	0.0	199.7	149.7	155.6	273.9	41.5	820.4	583.7
9/19/2020 14:00	0.0	0.0	0.0	0.0	202.6	153.4	157.4	274	44	831.4	584.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/19/2020 15:00	0.0	0.0	0.0	0.0	202.1	158.3	162.4	274.1	43.8	840.7	584.5
9/19/2020 16:00	0.0	0.0	0.0	0.0	203.3	145.0	158.4	274.1	50.3	831.1	584.9
9/19/2020 17:00	0.0	0.0	0.0	0.0	204.3	152.3	156.4	273.7	42.4	829.1	585.3
9/19/2020 18:00	0.0	0.0	0.0	0.0	204.2	158.5	157.2	273.9	52.3	846.1	585.8
9/19/2020 19:00	0.0	0.0	0.0	0.0	204.8	146.8	157.5	274.1	43.8	827.0	586.1
9/19/2020 20:00	0.0	0.0	0.0	0.0	204.2	148.4	157.0	265.6	49.9	825.1	586.5
9/19/2020 21:00	0.0	0.0	0.0	0.0	206.7	150.0	155.8	268.3	46.7	827.5	586.9
9/19/2020 22:00	0.0	0.0	0.0	0.0	204.7	148.7	154.3	278.3	49.4	835.4	587.3
9/19/2020 23:00	0.0	0.0	0.0	0.0	205.4	155.5	156.6	273.9	51.2	842.6	587.7
9/20/2020 0:00	0.0	0.0	0.0	0.0	205.5	158.7	157.6	271.3	49.9	843.0	588.1
9/20/2020 1:00	0.0	0.0	0.0	0.0	206.2	149.1	158.9	276.9	56	847.1	588.6
9/20/2020 2:00	0.0	0.0	0.0	0.0	206.3	153.5	159.3	273.8	44.7	837.6	589.0
9/20/2020 3:00	0.0	0.0	0.0	0.0	206.1	152.2	162.6	273.7	53.4	848.0	589.4
9/20/2020 4:00	0.0	0.0	0.0	0.0	202.8	138.4	154.7	273.8	43.6	813.3	589.8
9/20/2020 5:00	0.0	0.0	0.0	0.0	202.8	147.2	153.9	277.1	63.8	844.8	590.3
9/20/2020 6:00	0.0	0.0	0.0	0.0	205.2	143.6	158.0	272.4	52.4	831.6	590.7
9/20/2020 7:00	0.0	0.0	0.0	0.0	202.5	144.2	156.1	275.9	40.6	819.3	591.1
9/20/2020 8:00	0.0	0.0	0.0	0.0	204.0	155.5	159.6	273.7	46.6	839.4	591.5
9/20/2020 9:00	0.0	0.0	0.0	0.0	202.8	155.6	158.4	271.5	56.4	844.7	592.0
9/20/2020 10:00	0.0	0.0	0.0	0.0	204.4	158.0	160.9	274.1	62	859.4	592.4
9/20/2020 11:00	0.0	0.0	0.0	0.0	204.1	156.5	158.4	285.5	76.1	880.6	592.9
9/20/2020 12:00	0.0	0.0	0.0	0.0	203.5	153.8	154.1	312.9	59.5	883.8	593.1
9/20/2020 13:00	0.0	0.0	0.0	0.0	203.7	154.7	157.4	274.3	52.3	842.4	593.2
9/20/2020 14:00	0.0	0.0	0.0	0.0	203.4	163.0	162.6	275.5	48.7	853.2	593.6
9/20/2020 15:00	0.0	0.0	0.0	0.0	210.5	168.6	181.4	273.2	55.2	888.9	594.1
9/20/2020 16:00	0.0	0.0	0.0	0.0	212.6	173.6	205.4	276.9	52.6	921.1	594.6
9/20/2020 17:00	0.0	0.0	0.0	0.0	214.9	185.3	203.9	272.8	53.3	930.2	595.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/20/2020 18:00	0.0	0.0	0.0	0.0	212.6	180.5	204.1	273.1	56.6	926.9	595.7
9/20/2020 19:00	0.0	0.0	0.0	0.0	215.0	173.0	202.8	274.2	46.9	911.9	596.2
9/20/2020 20:00	0.0	0.0	0.0	0.0	213.4	171.5	205.4	274.7	49.8	914.8	596.8
9/20/2020 21:00	0.0	0.0	0.0	0.0	214.0	165.7	203.7	266.4	49.8	899.6	597.3
9/20/2020 22:00	0.0	0.0	0.0	0.0	213.0	164.6	206.0	274.3	56.5	914.4	597.8
9/20/2020 23:00	0.0	0.0	0.0	0.0	213.0	169.8	204.9	274	47.7	909.4	598.3
9/21/2020 0:00	0.0	0.0	0.0	0.0	214.4	174.4	204.2	273.7	50.4	917.1	598.8
9/21/2020 1:00	0.0	0.0	0.0	0.0	214.5	177.8	183.6	274.2	51.3	901.4	599.3
9/21/2020 2:00	0.0	0.0	0.0	0.0	214.4	168.6	147.0	275.1	51	856.1	599.7
9/21/2020 3:00	0.0	0.0	0.0	13.7	212.2	168.0	145.1	272.4	51	862.4	600.2
9/21/2020 4:00	0.0	0.0	0.0	0.0	214.2	142.7	129.8	273	44.8	804.5	600.5
9/21/2020 5:00	0.0	4.0	0.0	0.0	214.0	138.5	130.9	272.4	75	834.8	600.8
9/21/2020 6:00	0.0	107.8	0.0	0.0	213.8	138.2	155.8	275.6	48.2	939.4	601.4
9/21/2020 7:00	0.0	118.3	0.0	18.7	215.0	121.2	142.0	271.7	46.4	933.3	601.9
9/21/2020 8:00	0.0	100.0	0.0	97.2	213.8	115.5	143.7	328.7	50.8	1049.7	602.7
9/21/2020 9:00	0.0	0.0	0.0	99.2	210.7	117.5	140.4	279.2	52.5	899.5	603.2
9/21/2020 10:00	0.0	0.0	0.0	107.9	209.9	113.6	132.6	276.2	57.8	898.0	603.7
9/21/2020 11:00	0.0	0.0	0.0	99.3	209.3	115.1	133.6	284.3	56.2	897.8	604.2
9/21/2020 12:00	0.0	0.0	0.0	97.2	211.7	118.2	124.0	277.8	57.9	886.8	604.7
9/21/2020 13:00	0.0	0.0	0.0	96.2	210.4	100.1	120.7	278.6	53.5	859.5	605.1
9/21/2020 14:00	0.0	0.0	0.0	100.0	211.5	104.0	125.1	278.9	50.4	869.9	605.6
9/21/2020 15:00	0.0	0.0	0.0	100.7	211.4	106.3	120.3	277.5	53.1	869.3	606.0
9/21/2020 16:00	0.0	0.0	0.0	97.4	210.8	99.1	133.6	278.6	54	873.5	606.5
9/21/2020 17:00	0.0	0.0	0.0	77.4	211.2	95.9	133.6	280.2	52.8	851.1	607.0
9/21/2020 18:00	0.0	0.0	0.0	0.0	212.8	97.4	127.8	278.8	54.3	771.1	607.3
9/21/2020 19:00	0.0	0.0	0.0	0.0	213.1	158.3	194.8	284.4	44.6	895.2	607.8
9/21/2020 20:00	0.0	0.0	0.0	0.0	213.1	193.6	225.5	299	50.1	981.3	608.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/21/2020 21:00	0.0	0.0	1.7	0.0	214.8	109.2	136.3	279.7	63	804.7	608.8
9/21/2020 22:00	0.0	0.0	113.1	0.0	215.1	122.7	143.4	273.7	53	921.0	609.3
9/21/2020 23:00	0.0	0.0	145.1	0.0	217.0	126.2	134.2	281.8	61.7	966.0	610.0
9/22/2020 0:00	0.0	0.0	153.2	0.0	221.3	129.6	132.8	281.6	63.2	981.7	610.6
9/22/2020 1:00	0.0	0.0	139.6	0.0	217.2	130.3	127.1	287.3	45.9	947.4	611.2
9/22/2020 2:00	0.0	0.0	118.1	0.0	215.6	128.2	131.3	276.5	52.5	922.2	611.7
9/22/2020 3:00	0.0	0.0	117.5	0.0	208.8	131.0	133.9	279.1	59.2	929.5	612.3
9/22/2020 4:00	0.0	0.0	147.3	0.0	214.0	128.1	141.2	278.3	49.3	958.2	612.9
9/22/2020 5:00	0.0	0.0	116.7	0.0	216.4	128.0	135.8	279	48.6	924.5	613.4
9/22/2020 6:00	0.0	0.0	113.0	0.0	214.7	116.3	144.1	277	59.2	924.3	613.9
9/22/2020 7:00	0.0	0.0	152.8	0.0	213.6	108.8	181.5	283.4	50.4	990.5	614.6
9/22/2020 8:00	0.0	0.0	196.5	0.0	217.5	112.6	165.2	280.6	58.3	1030.7	615.3
9/22/2020 9:00	0.0	0.0	196.5	0.0	224.4	118.9	170.0	278.4	61.3	1049.5	616.0
9/22/2020 10:00	0.0	0.0	132.7	0.0	214.7	116.3	162.1	278	60.5	964.3	616.6
9/22/2020 11:00	0.0	0.0	121.4	0.0	214.8	116.0	158.6	281.7	73.3	965.8	617.2
9/22/2020 12:00	0.0	0.0	118.8	0.0	215.1	120.5	151.9	290.4	86.7	983.4	617.9
9/22/2020 13:00	0.0	0.0	143.2	0.0	215.1	132.5	150.8	278.5	65	985.1	618.5
9/22/2020 14:00	0.0	0.0	135.3	0.0	216.4	139.1	150.2	279.9	56.8	977.7	619.1
9/22/2020 15:00	0.0	0.0	107.6	0.0	215.0	145.0	150.2	278.5	59.8	956.1	619.7
9/22/2020 16:00	0.0	0.0	130.7	0.0	211.7	137.4	152.2	278.9	59.6	970.5	620.3
9/22/2020 17:00	0.0	0.0	98.5	0.0	197.6	125.7	124.6	277.4	55.1	878.9	620.8
9/22/2020 18:00	0.0	0.0	98.7	0.0	188.8	109.1	106.4	273.7	65.4	842.1	621.2
9/22/2020 19:00	0.0	0.0	97.1	99.9	186.0	107.9	100.9	277	49.1	917.9	621.7
9/22/2020 20:00	0.0	0.0	96.7	115.3	181.1	107.0	106.4	244.8	42.4	893.7	622.3
9/22/2020 21:00	0.0	0.0	95.8	115.1	177.1	110.6	101.7	249.5	56.7	906.5	622.8
9/22/2020 22:00	0.0	0.0	94.7	113.7	176.3	104.8	98.2	250.2	50.3	888.2	623.3
9/22/2020 23:00	0.0	0.0	94.5	113.8	173.3	91.9	89.0	244.6	66.7	873.8	623.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/23/2020 0:00	0.0	0.0	94.9	114.8	173.6	83.3	85.8	260.9	56.5	869.8	624.3
9/23/2020 1:00	0.0	0.0	95.8	115.1	172.9	75.7	91.0	251.4	53.1	855.0	624.8
9/23/2020 2:00	0.0	0.0	95.0	114.6	172.6	70.6	92.1	247.9	50.5	843.3	625.3
9/23/2020 3:00	0.0	0.0	95.2	113.6	170.3	71.3	87.7	248.3	58.7	845.1	625.8
9/23/2020 4:00	0.0	0.0	96.0	116.5	171.6	65.9	83.2	248.1	55.3	836.6	626.2
9/23/2020 5:00	0.0	0.0	95.9	112.1	171.6	72.8	73.2	248.4	47.4	821.4	626.6
9/23/2020 6:00	0.0	0.0	96.2	112.9	169.9	77.9	75.2	247.8	52.2	832.1	627.1
9/23/2020 7:00	0.0	0.0	96.2	112.3	177.0	75.8	80.1	249.2	59.9	850.5	627.6
9/23/2020 8:00	0.0	0.0	97.0	113.0	177.5	63.7	68.1	248.5	59	826.8	628.0
9/23/2020 9:00	0.0	0.0	96.6	113.1	178.6	58.5	61.3	282.1	65.5	855.7	628.5
9/23/2020 10:00	0.0	0.0	97.0	114.4	183.2	57.8	61.3	244.2	60.5	818.4	628.9
9/23/2020 11:00	0.0	0.0	97.8	116.5	178.8	59.7	66.1	250.1	65.8	834.8	629.4
9/23/2020 12:00	0.0	0.0	96.8	124.1	176.0	59.0	68.1	250.4	54.9	829.3	629.8
9/23/2020 13:00	0.0	0.0	95.9	121.5	173.4	55.9	68.3	248.5	60.9	824.4	630.3
9/23/2020 14:00	0.0	0.0	96.3	113.1	171.7	55.3	70.5	247.7	61	815.6	630.7
9/23/2020 15:00	0.0	0.0	95.8	171.1	171.6	58.6	65.0	248	60.4	870.5	631.2
9/23/2020 16:00	0.0	0.0	90.5	134.4	170.9	57.7	61.8	249.9	59.5	824.7	631.7
9/23/2020 17:00	0.0	0.0	88.5	103.4	171.6	55.6	61.1	249.1	65.3	794.6	632.0
9/23/2020 18:00	0.0	0.0	89.1	99.8	171.8	55.4	53.7	248.6	58.3	776.7	632.5
9/23/2020 19:00	0.0	0.0	93.1	96.3	173.0	56.1	53.9	248.7	57.1	778.2	632.9
9/23/2020 20:00	0.0	0.0	96.7	93.5	174.5	54.9	56.4	249.8	61.1	786.9	633.3
9/23/2020 21:00	0.0	0.0	96.6	95.2	179.8	59.1	55.7	248.8	57.7	792.9	633.7
9/23/2020 22:00	0.0	0.0	96.3	96.6	182.7	52.8	60.5	250.3	62.3	801.5	634.1
9/23/2020 23:00	0.0	0.0	96.5	94.9	188.5	54.5	61.5	247.3	58.9	802.1	634.5
9/24/2020 0:00	0.0	0.0	96.9	94.6	188.1	54.9	67.6	245.5	58.7	806.3	634.9
9/24/2020 1:00	0.0	0.0	94.4	95.7	190.2	54.0	94.3	248.9	65.8	843.3	635.3
9/24/2020 2:00	0.0	0.0	96.2	95.7	190.6	61.0	110.0	249.1	56.8	859.4	635.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/24/2020 3:00	0.0	0.0	96.6	94.8	186.3	62.8	109.9	249.1	66.4	865.9	636.3
9/24/2020 4:00	0.0	0.0	101.5	98.0	184.7	65.8	108.9	248.2	54.5	861.6	636.8
9/24/2020 5:00	0.0	0.0	95.1	98.6	183.5	82.7	110.0	248.2	79.3	897.4	637.4
9/24/2020 6:00	0.0	0.0	97.0	99.5	179.0	89.8	121.9	248.7	59.4	895.3	637.9
9/24/2020 7:00	0.0	0.0	80.9	102.2	178.4	93.7	128.5	248.2	53.4	885.3	638.4
9/24/2020 8:00	0.0	0.0	110.9	101.9	185.6	103.1	124.9	250.1	62.3	938.8	639.0
9/24/2020 9:00	0.0	0.0	115.1	102.6	201.7	127.6	153.8	261.9	82.9	1045.6	639.6
9/24/2020 10:00	0.0	0.0	119.7	100.8	211.5	130.2	171.6	237.7	52.3	1023.8	640.2
9/24/2020 11:00	0.0	0.0	122.9	103.2	222.6	133.0	168.5	248.2	54.3	1052.7	641.0
9/24/2020 12:00	0.0	0.0	122.7	105.5	226.1	140.2	144.9	248.8	58.4	1046.6	641.7
9/24/2020 13:00	0.0	0.0	123.7	107.0	225.8	141.2	149.4	247.5	53.1	1047.7	642.5
9/24/2020 14:00	0.0	0.0	122.6	106.1	227.7	148.6	132.2	249.8	57.9	1044.9	643.3
9/24/2020 15:00	0.0	0.0	122.4	108.5	227.6	155.0	128.6	248.3	57.7	1048.1	644.0
9/24/2020 16:00	0.0	0.0	121.4	110.4	224.4	157.7	128.9	249	58.4	1050.2	644.9
9/24/2020 17:00	0.0	0.0	202.6	185.3	224.7	17.2	219.4	249.9	57.6	1156.7	645.9
9/24/2020 18:00	0.0	0.0	212.6	195.5	228.7	3.3	342.4	249.6	57.9	1290.0	647.0
9/24/2020 19:00	0.0	0.0	214.0	198.7	230.9	0.0	229.1	248.8	60.2	1181.7	648.0
9/24/2020 20:00	0.0	0.0	212.9	198.7	228.4	0.0	204.0	249.7	59.5	1153.2	649.0
9/24/2020 21:00	0.0	0.0	212.4	199.8	229.9	0.0	227.5	246.1	61.6	1177.3	650.1
9/24/2020 22:00	0.0	0.0	198.9	201.2	231.5	0.0	227.6	250.5	64.2	1173.9	651.1
9/24/2020 23:00	0.0	0.0	149.2	162.0	232.0	0.0	253.2	239.1	68.5	1104.0	652.0
9/25/2020 0:00	0.0	0.0	118.0	117.8	229.5	0.0	230.2	265	60.2	1020.7	652.7
9/25/2020 1:00	0.0	0.0	118.1	117.2	231.2	0.0	154.9	249.9	60.7	932.0	653.3
9/25/2020 2:00	0.0	0.0	116.4	117.2	231.4	0.0	116.6	246.2	60.6	888.4	653.6
9/25/2020 3:00	0.0	0.0	150.9	158.1	229.3	0.0	160.4	252.4	59.2	1010.3	654.1
9/25/2020 4:00	0.0	0.0	113.1	126.5	227.2	0.0	184.5	250.2	57.9	959.4	654.7
9/25/2020 5:00	0.0	0.0	115.6	122.5	231.5	0.0	193.8	249.6	67.1	980.1	655.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	**Boiler 18**	**Boiler 19**	**Boiler 20**	**Boiler 21**	**Boiler 22**	**Boiler 23**	**Boiler 24**	**Boiler 30**	**Boiler 31**	**Total**	**30-Day Rolling Average**
9/25/2020 6:00	0.0	0.0	133.4	139.7	234.4	0.0	196.7	253.5	61	1018.7	656.2
9/25/2020 7:00	0.0	0.0	123.3	136.6	233.1	0.0	207.0	248.6	59.4	1008.0	656.9
9/25/2020 8:00	0.0	0.0	106.4	122.9	230.9	0.0	199.7	248.1	60.9	968.9	657.6
9/25/2020 9:00	0.0	0.0	97.9	113.8	221.9	0.0	68.2	267.5	83.3	852.6	658.1
9/25/2020 10:00	0.0	0.0	97.2	111.0	216.5	0.0	57.8	252.4	54.2	789.1	658.6
9/25/2020 11:00	0.0	0.0	96.3	109.6	212.7	0.0	51.9	247.4	61.6	779.5	659.0
9/25/2020 12:00	0.0	0.0	97.0	107.4	209.6	0.0	50.1	247.4	67.1	778.6	659.4
9/25/2020 13:00	0.0	0.0	97.5	105.7	206.6	0.0	50.3	248.9	61.1	770.1	659.4
9/25/2020 14:00	0.0	0.0	97.2	103.6	200.8	0.0	51.2	248.7	59.7	761.2	659.7
9/25/2020 15:00	0.0	0.0	97.5	102.2	198.6	0.0	47.6	249.2	54.4	749.5	660.1
9/25/2020 16:00	0.0	0.0	99.8	100.9	193.6	0.0	41.7	247.6	59.4	743.0	660.4
9/25/2020 17:00	0.0	0.0	98.2	99.4	194.0	0.0	40.0	250.8	53.5	735.9	660.8
9/25/2020 18:00	0.0	0.0	96.9	97.7	193.2	0.0	44.7	248.8	59.4	740.7	661.1
9/25/2020 19:00	0.0	0.0	97.4	97.8	191.6	0.0	45.3	249.4	53.5	735.0	661.5
9/25/2020 20:00	0.0	0.0	97.6	96.0	191.3	0.0	43.7	249.5	53.7	731.8	661.8
9/25/2020 21:00	0.0	0.0	97.1	96.1	189.7	0.0	45.3	248.3	54.7	731.2	662.2
9/25/2020 22:00	0.0	0.0	97.6	96.5	188.1	0.0	45.2	249.7	56.8	733.9	662.5
9/25/2020 23:00	0.0	0.0	97.8	95.7	188.1	21.5	40.3	248.2	60.9	752.5	662.9
9/26/2020 0:00	0.0	0.0	97.5	95.8	186.7	21.5	148.0	243.2	47.4	840.1	663.3
9/26/2020 1:00	0.0	0.0	97.3	95.7	186.9	21.5	137.1	248.1	57.1	843.7	663.8
9/26/2020 2:00	0.0	0.0	97.1	95.4	183.8	21.5	34.9	248.5	53.3	734.5	664.2
9/26/2020 3:00	0.0	0.0	96.8	94.3	185.6	88.0	35.1	249.9	54.5	804.2	664.6
9/26/2020 4:00	0.0	0.0	96.8	94.2	186.4	99.0	34.0	249.6	53.7	813.7	665.0
9/26/2020 5:00	0.0	0.0	97.0	93.8	187.4	111.3	34.4	247.9	45	816.8	665.5
9/26/2020 6:00	0.0	0.0	98.1	94.0	188.2	135.6	288.4	249.8	52.7	1106.8	666.4
9/26/2020 7:00	0.0	0.0	98.2	94.7	189.5	146.6	113.4	247.3	48.9	938.6	667.0
9/26/2020 8:00	0.0	0.0	99.9	94.3	193.5	189.5	94.1	249.1	85.9	1006.3	667.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/26/2020 9:00	0.0	0.0	105.7	95.3	196.0	231.0	89.5	270.8	52.8	1041.1	668.5
9/26/2020 10:00	0.0	0.0	149.7	93.8	197.5	230.6	173.7	248.5	50.2	1144.0	669.4
9/26/2020 11:00	0.0	0.0	12.1	93.2	188.7	142.8	125.0	251.7	51.1	864.6	669.9
9/26/2020 12:00	0.0	0.0	0.0	93.8	184.9	140.8	133.2	244	57.8	854.5	670.5
9/26/2020 13:00	0.0	0.0	0.0	92.8	180.3	143.4	126.9	250	47.8	841.2	670.9
9/26/2020 14:00	0.0	0.0	0.0	67.3	178.1	143.4	124.1	249.6	54.4	816.9	671.4
9/26/2020 15:00	0.0	0.0	0.0	0.0	178.3	145.6	124.6	248.4	44.6	741.5	671.7
9/26/2020 16:00	0.0	0.0	0.0	0.0	176.1	140.2	124.4	249.2	50	739.9	672.1
9/26/2020 17:00	0.0	0.0	0.0	0.0	178.0	137.1	138.1	249.1	49.8	752.1	672.5
9/26/2020 18:00	0.0	0.0	0.0	0.0	176.7	140.8	139.1	250	57.4	764.0	672.9
9/26/2020 19:00	0.0	0.0	0.0	0.0	176.1	137.5	135.3	228.7	44.4	722.0	673.3
9/26/2020 20:00	0.0	0.0	0.0	0.0	175.4	135.2	125.5	188.9	46.7	671.7	673.5
9/26/2020 21:00	0.0	0.0	0.0	0.0	174.8	135.3	132.6	246.2	48.8	737.7	673.9
9/26/2020 22:00	0.0	0.0	0.0	0.0	173.8	142.0	128.8	249.8	48	742.4	674.3
9/26/2020 23:00	0.0	0.0	0.0	0.0	171.0	141.4	113.6	249.3	56.9	732.2	674.6
9/27/2020 0:00	0.0	0.0	0.0	0.0	172.9	115.1	80.6	249.2	54.2	672.0	674.9
9/27/2020 1:00	0.0	0.0	0.0	0.0	174.0	114.2	79.6	248.2	42.8	658.8	675.2
9/27/2020 2:00	0.0	0.0	0.0	0.0	173.6	109.0	74.8	249.4	48	654.8	675.4
9/27/2020 3:00	0.0	0.0	0.0	0.0	173.5	101.7	75.6	249.5	47.8	648.1	675.7
9/27/2020 4:00	0.0	0.0	0.0	0.0	174.5	93.4	77.9	259.8	61.2	666.8	676.0
9/27/2020 5:00	0.0	0.0	0.0	0.0	175.1	93.1	74.3	245.4	65.8	653.7	676.2
9/27/2020 6:00	0.0	0.0	0.0	0.0	175.8	101.1	94.0	250.5	61.7	683.1	676.5
9/27/2020 7:00	0.0	0.0	0.0	0.0	176.0	103.7	89.7	249.4	51.2	670.0	676.7
9/27/2020 8:00	0.0	0.0	0.0	0.0	177.1	106.5	85.2	248.9	64.6	682.3	677.0
9/27/2020 9:00	0.0	0.0	0.0	0.0	178.4	106.7	80.1	249.2	80.5	694.9	677.2
9/27/2020 10:00	0.0	0.0	0.0	0.0	175.7	115.0	89.6	249.2	51.6	681.1	677.5
9/27/2020 11:00	0.0	0.0	0.0	0.0	174.4	122.1	80.3	242.4	61.1	680.3	677.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/27/2020 12:00	0.0	0.0	0.0	0.0	172.8	124.4	85.7	252	41.8	676.7	677.5
9/27/2020 13:00	0.0	0.0	0.0	0.0	172.5	131.1	81.2	210.6	30.1	625.5	677.3
9/27/2020 14:00	0.0	0.0	0.0	0.0	173.5	127.6	81.5	235.8	61.6	680.0	677.5
9/27/2020 15:00	0.0	0.0	0.0	0.0	172.3	126.7	80.8	199.4	38.1	617.3	677.7
9/27/2020 16:00	0.0	0.0	0.0	0.0	170.5	119.5	84.3	156.1	17.5	547.9	677.7
9/27/2020 17:00	0.0	0.0	0.0	0.0	172.0	110.6	80.0	210.3	7.1	580.0	677.8
9/27/2020 18:00	0.0	0.0	0.0	0.0	172.2	89.5	59.5	184.3	21.4	526.9	677.9
9/27/2020 19:00	0.0	0.0	0.0	0.0	171.7	83.7	52.9	198.9	41.7	548.9	677.9
9/27/2020 20:00	0.0	105.4	0.0	0.0	170.6	83.0	52.9	206.1	21.2	639.2	678.0
9/27/2020 21:00	0.0	127.2	0.0	0.0	172.8	160.0	135.6	210.2	13.1	818.9	678.5
9/27/2020 22:00	0.0	120.7	0.0	0.0	171.4	282.8	262.3	215.4	9.8	1062.4	679.3
9/27/2020 23:00	0.0	122.7	0.0	0.0	172.2	225.4	210.3	215.8	7	953.4	680.0
9/28/2020 0:00	0.0	121.5	0.0	0.0	173.0	100.2	98.2	220.3	5.8	719.0	680.3
9/28/2020 1:00	0.0	119.9	0.0	0.0	171.0	113.6	116.3	239.7	14.8	775.3	680.8
9/28/2020 2:00	0.0	136.3	0.0	0.0	172.0	117.4	121.2	235.5	10.5	792.9	681.2
9/28/2020 3:00	0.0	127.7	0.0	0.0	171.8	114.0	119.3	228.5	14.3	775.6	681.7
9/28/2020 4:00	0.0	136.2	0.0	0.0	171.0	114.7	118.2	220.3	26.1	786.5	682.1
9/28/2020 5:00	0.0	172.4	0.0	0.0	170.6	122.4	123.2	207.7	40.6	836.9	682.7
9/28/2020 6:00	0.0	226.1	0.0	0.0	171.6	128.8	130.0	198.4	36.2	891.1	683.4
9/28/2020 7:00	0.0	337.1	0.0	0.0	171.0	133.3	171.1	198.3	58.1	1068.9	684.3
9/28/2020 8:00	0.0	189.3	0.0	0.0	172.4	212.3	225.0	199.8	31.4	1030.2	685.2
9/28/2020 9:00	0.0	160.6	0.0	0.0	171.8	101.8	108.4	191.8	11.1	745.5	685.6
9/28/2020 10:00	0.0	162.5	0.0	0.0	171.3	107.8	118.3	185.6	4.7	750.2	686.0
9/28/2020 11:00	0.0	153.2	0.0	0.0	172.8	98.0	109.3	182.4	2.9	718.6	686.3
9/28/2020 12:00	0.0	135.7	0.0	0.0	172.2	98.7	109.7	209.8	5.5	731.6	686.6
9/28/2020 13:00	0.0	134.0	0.0	0.0	170.0	102.7	110.5	217.6	4.6	739.4	686.9
9/28/2020 14:00	0.0	134.0	0.0	0.0	168.8	102.6	105.4	206.4	2.5	719.7	687.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/28/2020 15:00	0.0	128.0	0.0	0.0	169.9	106.5	97.2	201.2	0.5	703.3	687.4
9/28/2020 16:00	0.0	135.8	0.0	0.0	168.6	95.4	99.4	198.3	0.2	697.7	687.7
9/28/2020 17:00	0.0	126.4	0.0	0.0	170.5	101.1	90.3	189	35.6	712.9	688.0
9/28/2020 18:00	0.0	204.3	0.0	0.0	173.1	105.5	90.0	205.3	30.1	808.3	688.4
9/28/2020 19:00	0.0	135.9	0.0	0.0	175.6	99.2	89.6	199.2	38.1	737.6	688.6
9/28/2020 20:00	0.0	124.5	0.0	0.0	174.9	99.1	91.1	201.7	18.7	710.0	688.9
9/28/2020 21:00	0.0	123.1	0.0	0.0	166.9	95.6	93.3	204.7	10.4	694.0	689.1
9/28/2020 22:00	0.0	124.1	0.0	0.0	165.2	97.3	91.4	208.8	8.5	695.3	689.3
9/28/2020 23:00	0.0	123.1	0.0	0.0	168.1	99.4	91.8	212.8	7.6	702.8	689.6
9/29/2020 0:00	0.0	124.7	0.0	0.0	167.2	101.1	92.5	217	15.9	718.4	689.8
9/29/2020 1:00	0.0	130.8	0.0	0.0	167.2	182.2	184.0	239.9	15.6	919.7	690.4
9/29/2020 2:00	0.0	160.9	0.0	0.0	164.7	150.0	155.8	242.6	20	894.0	690.9
9/29/2020 3:00	0.0	117.1	0.0	0.0	163.1	103.3	102.5	236.5	41.3	763.8	691.2
9/29/2020 4:00	0.0	126.4	0.0	0.0	161.4	106.9	110.2	239	25.7	769.6	691.5
9/29/2020 5:00	0.0	132.5	0.0	0.0	158.7	110.3	105.0	233.8	19.1	759.4	691.8
9/29/2020 6:00	0.0	131.2	0.0	0.0	162.6	104.4	100.6	226.7	22.3	747.8	692.1
9/29/2020 7:00	0.0	126.5	0.0	0.0	160.6	100.9	101.0	227	27.1	743.1	692.3
9/29/2020 8:00	0.0	117.0	0.0	0.0	160.6	99.5	97.9	230.4	13.3	718.7	692.5
9/29/2020 9:00	0.0	118.9	0.0	0.0	159.6	99.1	95.5	227.6	7.7	708.4	692.7
9/29/2020 10:00	0.0	125.2	0.0	0.0	166.4	94.2	91.8	225.1	5	707.7	692.8
9/29/2020 11:00	0.0	138.7	0.0	0.0	177.8	96.8	92.3	225.8	2.8	734.2	693.0
9/29/2020 12:00	0.0	137.9	0.0	0.0	182.9	94.1	94.3	218.5	3.2	730.9	693.2
9/29/2020 13:00	0.0	132.0	0.0	0.0	187.8	293.3	285.7	214.8	3.2	1116.8	694.0
9/29/2020 14:00	0.0	133.3	0.0	0.0	191.6	200.4	74.3	212.6	4.6	816.8	694.3
9/29/2020 15:00	0.0	135.0	0.0	5.8	192.1	214.2	77.9	220.4	2.2	847.6	694.6
9/29/2020 16:00	0.0	139.4	0.0	81.6	194.0	214.7	86.6	232.9	15	964.2	695.2
9/29/2020 17:00	0.0	139.7	0.0	80.4	195.4	230.3	82.5	227	22	977.3	695.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/29/2020 18:00	0.0	138.0	0.0	79.7	194.2	240.0	94.0	216.8	18.7	981.4	696.1
9/29/2020 19:00	0.0	142.7	0.0	79.8	196.8	237.7	97.9	210.5	27.3	992.7	696.6
9/29/2020 20:00	0.0	150.2	0.0	79.6	198.6	236.6	103.8	211.6	18	998.4	697.1
9/29/2020 21:00	0.0	152.7	0.0	78.5	203.6	249.8	104.0	210	10.7	1009.3	697.7
9/29/2020 22:00	0.0	153.3	0.0	79.9	210.1	243.1	103.8	212	5.8	1008.0	698.3
9/29/2020 23:00	0.0	177.9	0.0	80.5	210.1	239.9	105.7	210.3	6.5	1030.9	698.8
9/30/2020 0:00	0.0	212.5	0.0	90.6	206.2	249.3	100.6	203.1	7.2	1069.5	699.5
9/30/2020 1:00	0.0	226.7	0.0	111.2	209.8	246.9	102.0	184.9	5.9	1087.4	700.2
9/30/2020 2:00	0.0	221.1	0.0	110.4	215.4	257.7	109.4	186.4	4	1104.4	701.0
9/30/2020 3:00	0.0	220.3	0.0	110.4	215.6	264.5	124.8	183.1	2.4	1121.1	702.0
9/30/2020 4:00	0.0	221.1	0.0	110.0	212.0	290.5	206.2	180.3	1.5	1221.6	703.2
9/30/2020 5:00	0.0	214.8	0.0	110.2	208.4	176.1	170.4	182.2	35.8	1097.9	704.2
9/30/2020 6:00	0.0	212.8	0.0	109.1	205.0	167.5	170.4	170.8	39.5	1075.1	705.2
9/30/2020 7:00	0.0	204.8	0.0	109.4	203.3	149.2	147.1	167.7	33.7	1015.2	706.2
9/30/2020 8:00	0.0	202.5	0.0	110.0	199.2	148.8	144.2	170.9	12.4	988.0	707.0
9/30/2020 9:00	0.0	193.4	0.0	108.7	197.7	144.7	149.2	165.7	4.9	964.3	707.8
9/30/2020 10:00	0.0	199.2	0.0	110.8	194.5	140.8	139.2	160.5	3.2	948.2	708.6
9/30/2020 11:00	0.0	196.2	0.0	112.8	200.9	135.5	134.5	158	5.6	943.5	709.4
9/30/2020 12:00	0.0	201.6	0.0	118.8	201.7	139.8	136.4	205.3	32.8	1036.4	710.2
9/30/2020 13:00	0.0	196.0	0.0	131.6	203.4	140.6	132.5	240.4	26.2	1070.7	711.1
9/30/2020 14:00	0.0	198.7	0.0	111.9	204.6	138.1	123.4	284.9	43.2	1104.8	712.1
9/30/2020 15:00	0.0	148.3	0.0	112.0	208.0	144.6	119.4	288.6	71.2	1092.1	713.0
9/30/2020 16:00	0.0	134.4	0.0	114.2	212.0	146.3	121.7	288.9	51.6	1069.1	714.0
9/30/2020 17:00	0.0	121.3	0.0	105.5	214.2	157.5	123.2	258.1	28.6	1008.4	714.8
9/30/2020 18:00	0.0	135.4	0.0	105.0	216.1	153.1	132.9	236.5	44.8	1023.8	715.6
9/30/2020 19:00	0.0	138.4	0.0	104.0	217.7	158.2	143.0	240	33.9	1035.2	716.5
9/30/2020 20:00	0.0	137.5	0.0	103.9	217.1	158.9	149.9	249.9	40.4	1057.6	717.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
9/30/2020 21:00	0.0	139.4	0.0	105.3	212.9	165.0	150.0	251.6	34	1058.2	718.3
9/30/2020 22:00	0.0	143.4	0.0	107.0	211.7	162.1	153.7	243.9	38.2	1060.0	719.1
9/30/2020 23:00	0.0	142.2	0.0	107.7	214.4	160.3	158.4	252	33.1	1068.1	720.0
10/1/2020 0:00	0.0	142.5	0.0	108.6	214.2	155.2	157.2	248.1	44.2	1070.0	720.9
10/1/2020 1:00	0.0	144.6	0.0	123.9	215.6	162.2	156.9	243.7	43.1	1090.0	721.8
10/1/2020 2:00	0.0	141.4	0.0	129.3	214.7	167.8	139.7	249.7	37.2	1079.8	722.7
10/1/2020 3:00	0.0	141.7	0.0	128.0	215.1	177.9	132.2	248.9	40.9	1084.7	723.6
10/1/2020 4:00	0.0	140.6	0.0	130.5	219.1	171.1	129.8	249	41.9	1082.0	724.5
10/1/2020 5:00	0.0	140.8	0.0	128.0	219.3	147.5	117.9	245.8	42.1	1041.4	725.4
10/1/2020 6:00	0.0	136.8	0.0	131.0	215.8	115.4	108.1	252.9	46.4	1006.4	726.3
10/1/2020 7:00	0.0	109.7	0.0	108.4	208.7	108.7	110.8	249.9	42.8	939.0	727.1
10/1/2020 8:00	0.0	108.5	0.0	110.0	214.5	150.6	126.3	247.8	35.2	992.9	727.9
10/1/2020 9:00	0.0	108.9	0.0	109.3	208.9	148.8	127.4	249.2	37.6	990.1	728.8
10/1/2020 10:00	0.0	110.0	0.0	109.7	204.6	184.1	152.3	251.9	38	1050.6	729.7
10/1/2020 11:00	0.0	107.9	0.0	110.7	200.2	198.2	84.2	261.1	32.1	994.4	730.5
10/1/2020 12:00	0.0	130.8	0.0	106.5	199.7	175.3	61.0	237.6	43.9	954.8	731.3
10/1/2020 13:00	0.0	83.5	0.0	103.9	198.7	162.3	122.7	248.7	36.1	955.9	732.0
10/1/2020 14:00	0.0	87.9	0.0	100.1	197.3	153.7	126.5	249.5	45	960.0	732.6
10/1/2020 15:00	0.0	87.2	0.0	98.0	196.9	153.7	118.2	249.2	49.8	953.0	733.1
10/1/2020 16:00	0.0	85.0	0.0	97.2	196.5	142.5	117.0	249.7	58.2	946.1	733.5
10/1/2020 17:00	0.0	82.7	0.0	96.0	198.0	136.3	127.6	248.4	43.7	932.7	734.2
10/1/2020 18:00	0.0	127.7	0.0	97.3	194.1	133.0	113.5	247	49.3	961.9	735.0
10/1/2020 19:00	0.0	100.7	0.0	95.1	193.1	128.2	120.2	250.5	48.2	936.0	735.8
10/1/2020 20:00	0.0	98.6	0.0	96.9	187.7	125.7	120.0	249.7	42.3	920.9	736.5
10/1/2020 21:00	0.0	97.9	0.0	98.1	186.7	122.5	123.5	249.1	45.8	923.6	737.2
10/1/2020 22:00	0.0	100.1	0.0	94.2	176.5	120.8	131.1	247.7	64.5	934.9	738.0
10/1/2020 23:00	0.0	100.3	0.0	101.4	158.9	142.5	166.5	244.5	55.3	969.4	738.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/2/2020 0:00	0.0	101.2	0.0	110.5	156.8	139.9	159.5	252.7	41.8	962.4	739.5
10/2/2020 1:00	0.0	100.2	0.0	111.7	156.7	141.6	155.6	249.6	54.1	969.5	740.3
10/2/2020 2:00	0.0	100.9	0.0	113.6	156.5	140.9	154.2	248.7	54.1	968.9	741.2
10/2/2020 3:00	0.0	103.3	0.0	115.5	158.8	142.2	153.5	250	55.9	979.2	742.0
10/2/2020 4:00	0.0	103.2	0.0	117.0	158.5	137.0	160.5	248.7	56.8	981.7	742.8
10/2/2020 5:00	0.0	101.7	0.0	116.5	160.8	131.7	152.3	249.2	55	967.2	743.6
10/2/2020 6:00	0.0	123.3	0.0	93.3	162.4	129.8	146.0	248.8	38	941.6	744.2
10/2/2020 7:00	0.0	133.5	0.0	96.0	112.1	124.6	141.9	248.4	49.1	905.6	744.9
10/2/2020 8:00	0.0	84.1	0.0	100.0	109.5	123.9	137.8	245.2	61.3	861.8	745.6
10/2/2020 9:00	0.0	87.9	0.0	101.5	109.4	120.9	140.7	247.9	56.3	864.6	746.2
10/2/2020 10:00	0.0	88.4	0.0	101.7	107.0	119.4	127.5	249.3	54.4	847.7	746.8
10/2/2020 11:00	0.0	86.0	0.0	101.4	105.0	125.1	122.1	269.1	43.1	851.8	747.4
10/2/2020 12:00	0.0	80.2	0.0	104.6	105.6	130.7	118.9	214.8	42.7	797.5	747.8
10/2/2020 13:00	0.0	59.3	0.0	102.9	103.5	140.1	115.1	243.7	44.4	809.0	748.4
10/2/2020 14:00	0.0	132.7	0.0	100.4	103.0	138.1	132.4	250.4	51.5	908.5	749.0
10/2/2020 15:00	0.0	107.5	0.0	99.8	102.8	122.4	134.5	249.1	52.6	868.7	749.7
10/2/2020 16:00	0.0	110.2	0.0	106.4	103.7	119.8	136.0	249.1	51.9	877.1	750.3
10/2/2020 17:00	0.0	125.2	0.0	110.3	179.4	119.9	131.2	248.2	57.4	971.6	751.1
10/2/2020 18:00	0.0	116.7	0.0	114.2	185.9	115.2	132.9	250.6	50.2	965.7	751.9
10/2/2020 19:00	0.0	109.2	0.0	115.9	188.3	109.7	134.5	250.9	44.5	953.0	752.7
10/2/2020 20:00	0.0	105.6	0.0	107.4	185.7	109.4	133.8	249.3	49.2	940.4	753.4
10/2/2020 21:00	0.0	93.0	0.0	107.2	183.9	104.6	129.6	248.4	55.4	922.1	754.2
10/2/2020 22:00	0.0	99.0	0.0	116.8	183.5	111.3	130.1	250.8	47.7	939.2	754.9
10/2/2020 23:00	0.0	100.3	0.0	117.6	182.7	108.1	141.9	249.4	53.2	953.2	755.7
10/3/2020 0:00	0.0	90.2	0.0	110.3	184.4	115.2	143.3	252.7	63.8	959.9	756.4
10/3/2020 1:00	0.0	128.5	0.0	106.9	182.2	244.3	277.1	249.6	53.2	1241.8	757.6
10/3/2020 2:00	0.0	112.5	0.0	107.5	182.3	157.9	179.1	249.6	54.1	1043.0	758.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/3/2020 3:00	0.0	99.7	0.0	97.7	182.4	128.8	142.7	248.2	57.5	957.0	759.2
10/3/2020 4:00	0.0	99.5	0.0	95.8	182.0	125.6	146.3	244.5	48.4	942.1	760.0
10/3/2020 5:00	0.0	113.8	0.0	7.2	178.6	141.5	149.0	241.8	61.6	893.5	760.6
10/3/2020 6:00	0.0	96.9	0.0	0.0	155.3	157.4	181.7	249.2	53	893.5	761.3
10/3/2020 7:00	0.0	97.6	0.0	0.0	154.6	143.6	151.6	253.6	48.5	849.5	762.0
10/3/2020 8:00	0.0	95.8	0.0	0.0	155.5	128.9	131.0	248.1	50.4	809.7	762.6
10/3/2020 9:00	0.0	96.4	0.0	0.0	153.6	127.8	127.3	250.1	58.4	813.6	763.2
10/3/2020 10:00	0.0	97.7	9.1	0.0	133.0	131.6	125.1	250.8	57	804.3	763.7
10/3/2020 11:00	0.0	99.9	107.0	0.0	98.2	127.7	113.7	294.4	34.2	875.1	764.4
10/3/2020 12:00	0.0	99.6	100.9	0.0	89.5	114.8	96.7	275.3	39.1	815.9	764.9
10/3/2020 13:00	0.0	100.5	89.6	0.0	91.2	111.8	98.9	243.1	58.4	793.5	765.5
10/3/2020 14:00	0.0	84.8	84.2	0.0	93.9	106.7	94.2	250.6	53.6	768.0	766.0
10/3/2020 15:00	0.0	89.2	86.7	0.0	95.3	103.8	88.5	243.6	63	770.1	766.5
10/3/2020 16:00	0.0	93.0	85.2	0.0	96.6	99.3	89.2	253.7	49.4	766.4	766.9
10/3/2020 17:00	0.0	134.2	88.8	0.0	98.2	102.6	90.7	247.9	63.5	825.9	767.5
10/3/2020 18:00	0.0	111.4	89.6	0.0	98.8	107.2	91.7	247.7	51.8	798.2	768.0
10/3/2020 19:00	0.0	108.2	109.9	0.0	97.5	108.0	89.7	249.1	44.8	807.2	768.6
10/3/2020 20:00	0.0	108.5	109.1	0.0	98.1	103.0	91.6	246	55.7	812.0	769.1
10/3/2020 21:00	0.0	109.8	109.2	0.0	98.6	103.8	94.8	240.8	36.7	793.7	769.5
10/3/2020 22:00	0.0	110.7	112.5	0.0	98.9	104.9	94.3	248.9	56	826.2	770.0
10/3/2020 23:00	0.0	109.8	111.0	0.0	99.8	106.8	92.2	250	46.9	816.5	770.5
10/4/2020 0:00	0.0	109.8	110.9	0.0	99.9	105.2	96.5	248.9	61.4	832.6	771.1
10/4/2020 1:00	0.0	109.9	110.5	0.0	100.5	106.5	104.8	248	46	826.2	771.6
10/4/2020 2:00	0.0	109.8	109.9	0.0	100.9	109.8	117.1	247.8	50.2	845.5	772.1
10/4/2020 3:00	0.0	109.4	106.6	0.0	101.1	111.5	120.3	250	54.4	853.3	772.7
10/4/2020 4:00	0.0	109.3	103.5	0.0	100.5	108.0	125.5	248.2	49	844.0	773.2
10/4/2020 5:00	0.0	109.7	101.4	0.0	100.3	108.7	119.5	247.9	54.1	841.6	773.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/4/2020 6:00	0.0	111.0	99.4	0.0	100.8	109.7	112.3	251.1	60.1	844.4	774.4
10/4/2020 7:00	0.0	109.9	96.6	0.0	100.3	114.9	110.4	247.6	39.2	818.9	774.9
10/4/2020 8:00	0.0	109.4	97.5	0.0	99.6	119.2	108.8	250	53.9	838.4	775.5
10/4/2020 9:00	0.0	109.4	81.4	0.0	100.5	121.6	107.3	249.8	53.7	823.7	776.2
10/4/2020 10:00	0.0	108.6	97.5	0.0	99.3	123.0	104.8	248.5	56.5	838.2	776.8
10/4/2020 11:00	0.0	109.8	90.6	0.0	99.7	135.6	101.3	289.7	104.8	931.5	777.5
10/4/2020 12:00	0.0	111.2	90.8	0.0	98.5	131.7	99.9	244.8	59.3	836.2	778.1
10/4/2020 13:00	0.0	111.7	109.0	0.0	99.8	128.4	110.1	250.8	50.9	860.7	778.8
10/4/2020 14:00	0.0	112.1	109.2	0.0	101.4	129.4	114.8	248.2	47.7	862.8	779.4
10/4/2020 15:00	0.0	112.1	110.3	0.0	101.6	128.5	117.8	245.7	52.5	868.5	780.0
10/4/2020 16:00	0.0	112.3	110.9	0.0	100.6	127.2	119.6	250.2	46.5	867.3	780.6
10/4/2020 17:00	0.0	113.1	111.0	0.0	101.2	136.6	115.3	249	54.3	880.5	781.2
10/4/2020 18:00	0.0	114.0	111.2	0.0	100.0	135.0	121.9	247.7	47.1	876.9	781.8
10/4/2020 19:00	0.0	113.5	112.1	0.0	101.3	130.2	123.7	249.3	44.2	874.3	782.4
10/4/2020 20:00	0.0	114.3	112.1	0.0	134.6	131.1	124.1	236.3	41.7	894.2	783.0
10/4/2020 21:00	0.0	112.9	112.0	0.0	122.4	132.4	125.3	245	48.8	898.8	783.7
10/4/2020 22:00	0.0	112.7	112.6	0.0	145.5	137.2	126.1	249.6	44.7	928.4	784.4
10/4/2020 23:00	0.0	112.4	112.3	0.0	143.9	138.2	128.2	251.4	60.2	946.6	784.9
10/5/2020 0:00	0.0	113.0	113.0	0.0	125.3	136.5	128.1	250.2	48	914.1	785.3
10/5/2020 1:00	0.0	112.8	112.5	0.0	112.4	137.8	133.0	248.8	49.4	906.7	785.7
10/5/2020 2:00	0.0	113.4	111.2	0.0	105.4	143.1	142.9	248.8	49	913.8	786.1
10/5/2020 3:00	0.0	112.4	111.1	0.0	106.5	145.1	148.0	246.8	63.8	933.7	786.5
10/5/2020 4:00	0.0	112.1	111.2	0.0	106.2	127.6	147.4	248.6	50.4	903.5	786.9
10/5/2020 5:00	0.0	112.4	110.3	0.0	106.3	132.0	150.1	247.3	23.8	882.2	787.2
10/5/2020 6:00	0.0	112.2	110.0	0.0	106.3	131.2	149.8	248.4	40.4	898.3	787.6
10/5/2020 7:00	0.0	112.0	109.7	0.0	106.4	128.7	149.5	249.5	45.7	901.5	787.9
10/5/2020 8:00	0.0	111.7	109.8	0.0	106.7	126.2	157.7	249.6	81.4	943.1	788.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/5/2020 9:00	0.0	111.8	109.5	0.0	106.8	75.9	145.3	249	81.4	879.7	788.7
10/5/2020 10:00	0.0	112.1	111.2	0.0	107.4	84.9	149.3	248.6	90.2	903.7	789.1
10/5/2020 11:00	0.0	111.5	110.4	0.0	106.2	77.7	133.6	249.7	91.8	880.9	789.4
10/5/2020 12:00	0.0	113.1	110.7	0.0	153.9	76.0	129.5	249.8	65.2	898.2	789.7
10/5/2020 13:00	0.0	112.8	109.3	0.0	209.0	78.7	128.9	255.9	58.6	953.2	790.2
10/5/2020 14:00	0.0	113.8	110.9	0.0	217.5	79.9	131.5	286.6	45.1	985.3	790.7
10/5/2020 15:00	0.0	114.8	111.4	0.0	213.7	89.6	134.7	261.8	54.5	980.5	791.1
10/5/2020 16:00	0.0	114.8	111.3	0.0	213.0	116.2	134.7	248.4	47.4	985.8	791.6
10/5/2020 17:00	0.0	114.3	111.8	0.0	215.0	114.5	137.8	248.5	48.8	990.7	792.1
10/5/2020 18:00	0.0	115.5	112.4	0.0	212.5	120.5	136.6	247.4	46.4	991.3	792.6
10/5/2020 19:00	0.0	117.9	111.8	0.0	212.5	111.3	137.0	234.9	37.4	962.8	793.1
10/5/2020 20:00	0.0	116.4	112.7	0.0	215.1	119.3	143.4	249.5	59.5	1015.9	793.6
10/5/2020 21:00	0.0	116.0	112.5	0.0	214.9	122.8	143.4	248.9	57.2	1015.7	794.1
10/5/2020 22:00	0.0	116.5	112.2	0.0	215.9	125.9	145.1	249.2	46.9	1011.7	794.7
10/5/2020 23:00	0.0	115.4	110.8	0.0	216.9	127.0	147.0	249.8	57.8	1024.7	795.3
10/6/2020 0:00	0.0	115.9	111.2	0.0	212.2	129.4	146.3	248.8	51	1014.8	795.8
10/6/2020 1:00	0.0	115.0	110.8	0.0	210.9	130.8	147.0	249.4	53.9	1017.8	796.4
10/6/2020 2:00	0.0	115.0	109.8	0.0	210.0	132.3	147.6	248.5	47.9	1011.1	796.9
10/6/2020 3:00	0.0	113.4	109.9	0.0	207.0	130.8	149.0	249.1	60.7	1019.9	797.2
10/6/2020 4:00	0.0	112.5	109.1	0.0	206.6	130.4	149.7	248.2	43.5	1000.0	797.8
10/6/2020 5:00	0.0	112.5	109.4	0.0	207.8	131.7	147.9	248.2	56.3	1013.8	798.3
10/6/2020 6:00	0.0	112.1	109.5	0.0	205.3	130.8	146.9	247.8	46	998.4	798.8
10/6/2020 7:00	0.0	111.4	109.3	0.0	201.4	125.2	147.1	249.2	55.1	998.7	799.4
10/6/2020 8:00	0.0	110.8	108.3	0.0	199.3	128.6	144.7	247.8	44.9	984.4	800.0
10/6/2020 9:00	0.0	112.2	110.7	0.0	196.1	127.3	144.6	233.1	47.2	971.2	800.6
10/6/2020 10:00	0.0	109.1	107.4	0.0	205.4	131.0	145.3	252.2	41.6	992.0	801.1
10/6/2020 11:00	0.0	112.8	108.9	0.0	205.3	127.0	142.3	250	55.8	1002.1	801.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/6/2020 12:00	0.0	115.2	110.7	0.0	204.3	129.6	138.2	247.6	62.1	1007.7	802.2
10/6/2020 13:00	0.0	181.5	173.8	0.0	203.6	148.6	149.0	244.3	76.9	1177.7	803.0
10/6/2020 14:00	0.0	178.0	167.3	0.0	217.7	161.5	158.3	248.9	52	1183.7	803.8
10/6/2020 15:00	0.0	150.0	139.4	0.0	213.8	167.8	173.6	248.4	72.5	1165.5	804.6
10/6/2020 16:00	0.0	134.9	132.1	0.0	203.9	164.0	189.4	249.5	71.3	1145.1	805.3
10/6/2020 17:00	0.0	136.1	131.8	0.0	202.2	170.5	201.1	251	74.8	1167.5	806.0
10/6/2020 18:00	0.0	137.0	131.5	0.0	200.4	171.4	200.4	246.6	73.4	1160.7	806.8
10/6/2020 19:00	0.0	138.2	130.5	0.0	200.6	170.7	204.7	249	65.6	1159.3	807.5
10/6/2020 20:00	0.0	136.5	131.4	0.0	204.8	172.6	206.8	249.5	72.2	1173.8	808.3
10/6/2020 21:00	0.0	139.2	131.3	0.0	202.5	175.1	202.0	250	73.6	1173.7	809.1
10/6/2020 22:00	0.0	142.4	130.9	0.0	203.5	173.8	206.7	240	156.1	1253.4	810.0
10/6/2020 23:00	0.0	144.1	130.1	0.0	200.5	175.4	195.9	248	39.1	1133.1	810.8
10/7/2020 0:00	0.0	141.9	129.9	0.0	200.1	172.1	200.5	249.3	44.4	1138.2	811.5
10/7/2020 1:00	0.0	136.1	130.3	0.0	202.0	169.8	212.7	251.2	57	1159.1	812.3
10/7/2020 2:00	0.0	130.4	130.2	0.0	201.8	169.7	220.5	249.2	59.9	1161.7	813.1
10/7/2020 3:00	0.0	130.9	129.4	0.0	202.4	168.3	215.4	248.6	60	1155.0	813.9
10/7/2020 4:00	0.0	126.8	130.3	0.0	206.9	168.5	199.3	248.3	53.9	1134.0	814.6
10/7/2020 5:00	0.0	125.7	135.0	0.0	211.2	165.0	191.8	247.5	73.8	1150.0	815.3
10/7/2020 6:00	0.0	125.5	131.1	0.0	213.0	356.5	409.2	249	57.2	1541.5	816.6
10/7/2020 7:00	0.0	126.7	129.8	0.0	207.5	175.1	179.9	268.5	41.9	1129.4	817.4
10/7/2020 8:00	0.0	130.4	187.1	0.0	203.3	174.6	178.5	241.3	48.5	1163.7	818.2
10/7/2020 9:00	0.0	127.8	187.1	0.0	199.8	175.2	173.1	280.4	58.2	1201.6	819.1
10/7/2020 10:00	0.0	126.4	127.9	0.0	200.8	176.8	161.9	279.4	48.4	1121.6	819.9
10/7/2020 11:00	0.0	124.7	125.0	0.0	204.1	185.5	155.7	272.9	58.7	1126.6	820.7
10/7/2020 12:00	0.0	123.8	126.8	0.0	202.3	182.9	159.4	253.5	85.1	1133.8	821.5
10/7/2020 13:00	0.0	116.0	115.9	0.0	201.7	179.1	151.7	285.1	71.2	1120.7	822.3
10/7/2020 14:00	0.0	109.4	104.7	0.0	200.5	173.3	142.0	277.8	48.1	1055.8	823.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/7/2020 15:00	0.0	111.5	104.6	0.0	199.3	172.8	144.4	278.5	50	1061.1	823.6
10/7/2020 16:00	0.0	112.3	104.3	0.0	200.7	170.6	148.3	279.1	56.5	1071.8	824.3
10/7/2020 17:00	0.0	110.9	103.3	0.0	202.3	166.3	139.5	278.4	53.1	1053.8	824.9
10/7/2020 18:00	0.0	110.2	103.6	0.0	202.3	162.1	140.0	279.9	53.7	1051.8	825.5
10/7/2020 19:00	0.0	109.4	104.2	0.0	202.3	158.1	131.7	279.6	47.4	1032.7	826.1
10/7/2020 20:00	0.0	109.3	103.6	0.0	202.3	152.5	116.6	280	51.7	1016.0	826.7
10/7/2020 21:00	0.0	109.2	102.9	0.0	202.3	138.9	109.8	286.7	67.7	1017.5	827.2
10/7/2020 22:00	0.0	108.7	103.5	0.0	200.6	134.1	115.3	278.3	62.6	1003.1	827.8
10/7/2020 23:00	0.0	108.7	102.9	0.0	201.0	130.4	120.7	280.2	64.2	1008.1	828.4
10/8/2020 0:00	0.0	108.5	102.4	0.0	199.6	124.1	121.4	282.4	58.9	997.3	829.0
10/8/2020 1:00	0.0	108.7	101.9	0.0	201.5	128.9	122.2	279.1	47.1	989.4	829.5
10/8/2020 2:00	0.0	109.0	103.2	0.0	201.0	127.7	126.1	278.7	46.9	992.6	830.1
10/8/2020 3:00	0.0	108.9	103.2	0.0	200.0	129.4	127.8	278.4	41	988.7	830.7
10/8/2020 4:00	0.0	108.0	102.3	0.0	199.8	140.6	126.0	307.8	49.2	1033.7	831.2
10/8/2020 5:00	0.0	107.9	102.7	0.0	200.3	143.0	125.7	247.9	32.7	960.2	831.8
10/8/2020 6:00	0.0	107.7	103.3	0.0	200.1	142.9	127.7	279.3	81.9	1042.9	832.4
10/8/2020 7:00	0.0	107.3	106.7	0.0	200.0	140.2	132.8	279.1	68.3	1034.4	833.0
10/8/2020 8:00	0.0	108.1	102.2	0.0	199.2	142.3	124.5	275.6	38.3	990.2	833.6
10/8/2020 9:00	0.0	109.6	103.4	0.0	196.6	143.9	116.3	266.3	37.5	973.6	834.1
10/8/2020 10:00	0.0	110.2	104.7	0.0	195.3	141.0	116.0	278.9	44	990.1	834.7
10/8/2020 11:00	0.0	108.5	102.2	0.0	195.9	145.9	112.5	278.5	49.7	993.2	835.3
10/8/2020 12:00	0.0	109.3	103.4	0.0	196.7	143.2	113.7	375.8	58.1	1100.2	835.9
10/8/2020 13:00	0.0	110.8	103.1	0.0	195.9	146.1	108.2	292.6	40.4	997.1	836.5
10/8/2020 14:00	0.0	108.5	103.8	0.0	197.2	145.9	103.0	271.2	46	975.6	837.0
10/8/2020 15:00	0.0	108.5	103.5	0.0	199.9	147.7	99.9	268.3	48.1	975.9	837.5
10/8/2020 16:00	0.0	108.7	103.8	0.0	201.0	139.3	102.1	268.8	48.1	971.8	838.0
10/8/2020 17:00	0.0	109.4	104.0	0.0	199.2	139.6	98.1	285.3	49.7	985.3	838.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/8/2020 18:00	0.0	109.1	103.5	0.0	197.2	151.7	91.6	285	48.6	986.7	839.0
10/8/2020 19:00	0.0	108.1	104.7	0.0	198.2	144.4	93.9	268.9	43.9	962.1	839.5
10/8/2020 20:00	0.0	107.9	103.6	0.0	197.2	136.5	98.5	269.8	48.4	961.9	840.0
10/8/2020 21:00	0.0	107.6	103.0	0.0	197.7	143.0	101.6	269.4	49.3	971.6	840.4
10/8/2020 22:00	0.0	107.5	102.6	0.0	197.6	225.2	200.5	268.5	50.7	1152.6	841.2
10/8/2020 23:00	0.0	107.4	102.9	0.0	198.4	221.1	207.4	271.9	43.6	1152.7	841.9
10/9/2020 0:00	0.0	107.8	103.0	0.0	196.5	143.8	102.8	267.6	54.3	975.8	842.3
10/9/2020 1:00	0.0	107.7	103.1	0.0	190.2	142.2	104.5	277.9	54.6	980.2	842.8
10/9/2020 2:00	0.0	107.7	103.6	0.0	190.0	141.8	103.7	287.1	45.9	979.8	843.4
10/9/2020 3:00	0.0	107.9	103.6	0.0	190.8	142.9	106.3	268.4	47.1	967.0	843.8
10/9/2020 4:00	0.0	108.0	103.2	0.0	193.3	136.2	107.4	272.1	44.2	964.4	844.3
10/9/2020 5:00	0.0	107.8	103.3	0.0	197.8	132.5	111.5	266.6	49.8	969.3	844.8
10/9/2020 6:00	0.0	107.1	103.4	0.0	197.7	131.1	107.9	270.8	53.2	971.2	845.3
10/9/2020 7:00	0.0	107.0	102.8	0.0	195.9	129.2	111.6	270.2	38.6	955.3	845.8
10/9/2020 8:00	0.0	106.8	103.7	0.0	195.6	132.7	113.7	269.1	46.4	968.0	846.2
10/9/2020 9:00	0.0	107.1	103.4	0.0	196.7	132.1	115.2	317.2	101.3	1073.0	846.8
10/9/2020 10:00	0.0	107.8	103.4	0.0	197.6	133.9	109.6	269.3	43.1	964.7	847.3
10/9/2020 11:00	0.0	108.8	104.7	0.0	202.0	153.1	106.6	267.2	50	992.4	847.9
10/9/2020 12:00	0.0	111.6	104.6	0.0	201.9	149.9	105.5	270.4	47.7	991.6	848.4
10/9/2020 13:00	0.0	112.0	105.2	0.0	200.6	148.8	106.0	270	52.2	994.8	849.0
10/9/2020 14:00	0.0	112.4	104.9	0.0	199.5	150.1	100.4	268.8	38.1	974.2	849.5
10/9/2020 15:00	0.0	112.2	105.4	0.0	199.3	146.9	104.9	269.1	46	983.8	849.9
10/9/2020 16:00	0.0	111.5	105.5	0.0	196.5	142.4	102.9	273.9	42.4	975.1	850.4
10/9/2020 17:00	0.0	111.6	105.7	0.0	196.9	123.5	115.2	288.8	46.4	988.1	850.9
10/9/2020 18:00	0.0	113.0	107.9	0.0	197.0	120.3	108.2	268.6	42.3	957.3	851.3
10/9/2020 19:00	0.0	113.2	106.3	0.0	198.9	120.8	105.0	271.1	40.2	955.5	851.8
10/9/2020 20:00	0.0	114.0	106.8	0.0	198.7	120.4	105.1	269.2	48.6	962.8	852.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/9/2020 21:00	0.0	114.2	107.3	0.0	199.3	119.6	101.2	283.1	40.3	965.0	852.8
10/9/2020 22:00	0.0	114.1	108.1	0.0	200.4	117.3	102.4	278.4	47.1	967.8	853.3
10/9/2020 23:00	0.0	114.5	108.5	0.0	200.4	112.8	108.5	267.9	45.3	957.9	853.7
10/10/2020 0:00	0.0	113.8	108.4	0.0	198.5	123.9	100.4	265.5	47	957.5	854.2
10/10/2020 1:00	0.0	114.6	108.4	0.0	197.6	130.5	100.7	272.9	49.3	974.0	854.6
10/10/2020 2:00	0.0	114.8	107.8	0.0	197.3	138.5	97.8	268.8	43.3	968.3	855.0
10/10/2020 3:00	0.0	114.2	107.5	0.0	201.6	133.9	105.4	268.6	39.7	970.9	855.4
10/10/2020 4:00	0.0	113.7	107.5	0.0	203.1	121.3	103.1	269.1	44.8	962.6	855.8
10/10/2020 5:00	0.0	113.1	107.9	0.0	202.2	121.5	105.9	267.9	51.2	969.7	856.3
10/10/2020 6:00	0.0	113.4	106.9	0.0	201.5	116.8	107.1	259.5	39.7	944.9	856.7
10/10/2020 7:00	0.0	113.7	107.4	0.0	130.1	119.1	102.2	270.5	35.7	878.7	857.1
10/10/2020 8:00	0.0	113.1	109.4	0.0	109.0	121.5	98.8	271.4	32.9	856.1	857.4
10/10/2020 9:00	0.0	112.7	109.4	0.0	99.8	127.2	97.2	267.8	34.2	848.3	857.7
10/10/2020 10:00	0.0	112.4	109.1	0.0	98.9	122.9	99.3	268.7	33.8	845.1	858.0
10/10/2020 11:00	0.0	107.1	109.9	0.0	101.0	120.1	96.7	232.8	45.1	812.7	858.3
10/10/2020 12:00	0.0	0.0	110.1	0.0	100.2	124.4	95.6	267.9	23	721.2	858.4
10/10/2020 13:00	0.0	0.0	109.0	0.0	99.8	117.3	92.2	271	39.8	729.1	858.5
10/10/2020 14:00	0.0	0.0	0.0	0.0	126.1	125.7	90.0	269.5	35.6	646.9	858.6
10/10/2020 15:00	0.0	0.0	0.0	0.0	127.2	117.8	79.8	268.6	32.3	625.7	858.6
10/10/2020 16:00	0.0	0.0	0.0	0.0	128.0	118.8	84.0	269.5	36.7	637.0	858.6
10/10/2020 17:00	0.0	0.0	0.0	0.0	128.9	115.2	88.2	268.9	43.7	644.9	858.6
10/10/2020 18:00	0.0	0.0	0.0	0.0	127.4	118.4	90.8	272	43	651.6	858.6
10/10/2020 19:00	0.0	0.0	0.0	0.0	128.3	112.7	92.1	248.6	36.2	617.9	858.6
10/10/2020 20:00	0.0	0.0	0.0	0.0	128.9	117.6	93.1	262.6	31.4	633.6	858.6
10/10/2020 21:00	0.0	0.0	0.0	0.0	129.3	115.0	94.5	236.3	27.8	602.9	858.6
10/10/2020 22:00	0.0	0.0	0.0	0.0	128.0	114.5	93.9	269	41.4	646.8	858.6
10/10/2020 23:00	0.0	0.0	0.0	0.0	127.9	116.5	95.7	269	36.8	645.9	858.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/11/2020 0:00	0.0	0.0	0.0	0.0	127.8	113.4	94.9	268.9	46.1	651.1	858.6
10/11/2020 1:00	0.0	0.0	0.0	0.0	128.0	111.7	96.7	268.8	25.1	630.3	858.6
10/11/2020 2:00	0.0	0.0	0.0	0.0	126.5	116.3	96.3	269.1	48	656.2	858.6
10/11/2020 3:00	0.0	0.0	0.0	0.0	127.4	114.3	100.6	268.4	29.5	640.2	858.6
10/11/2020 4:00	0.0	0.0	0.0	0.0	126.4	112.2	95.8	269.3	31.9	635.6	858.6
10/11/2020 5:00	0.0	0.0	0.0	0.0	128.9	118.3	96.9	268.6	31.2	643.9	858.6
10/11/2020 6:00	0.0	0.0	0.0	0.0	127.0	179.7	177.6	268.8	42.5	795.6	858.8
10/11/2020 7:00	0.0	0.0	0.0	0.0	127.2	210.2	224.8	269.7	22.4	854.3	859.2
10/11/2020 8:00	0.0	0.0	0.0	0.0	127.5	68.2	92.1	269.9	27.7	585.4	859.0
10/11/2020 9:00	0.0	0.0	0.0	0.0	127.0	93.6	89.3	269.6	34.6	614.1	859.0
10/11/2020 10:00	0.0	0.0	0.0	0.0	128.2	113.9	90.6	268.2	33.8	634.7	859.1
10/11/2020 11:00	0.0	0.0	0.0	0.0	128.1	109.8	95.4	286.1	40.8	660.2	859.2
10/11/2020 12:00	0.0	0.0	0.0	0.0	127.1	111.2	87.5	271.1	21.1	618.0	859.2
10/11/2020 13:00	0.0	0.0	0.0	0.0	129.2	117.1	85.5	270	22.4	624.2	859.1
10/11/2020 14:00	0.0	0.0	0.0	0.0	128.3	114.7	88.5	268.7	35.4	635.6	859.0
10/11/2020 15:00	0.0	0.0	0.0	0.0	128.7	112.1	89.7	269.7	34.7	634.9	858.7
10/11/2020 16:00	0.0	0.0	0.0	0.0	128.6	115.9	84.4	268.7	34.3	631.9	858.7
10/11/2020 17:00	0.0	0.0	0.0	0.0	128.5	116.3	85.8	271.2	45.1	646.9	858.5
10/11/2020 18:00	0.0	0.0	0.0	0.0	127.9	113.5	83.7	264.6	28.9	618.6	858.3
10/11/2020 19:00	0.0	0.0	0.0	0.0	127.0	109.1	90.2	269.3	20.6	616.2	858.0
10/11/2020 20:00	0.0	0.0	0.0	0.0	126.7	107.6	87.4	232.4	20.6	574.7	857.7
10/11/2020 21:00	0.0	0.0	0.0	0.0	126.9	103.9	92.9	270.1	27.1	620.9	857.7
10/11/2020 22:00	0.0	0.0	0.0	0.0	160.3	103.0	92.9	268.9	23.1	648.2	857.7
10/11/2020 23:00	0.0	0.0	0.0	0.0	147.8	104.0	97.5	269.3	25	643.6	857.8
10/12/2020 0:00	0.0	0.0	0.0	0.0	126.1	109.4	95.1	269.1	19.5	619.2	857.8
10/12/2020 1:00	0.0	0.0	0.0	0.0	125.7	114.1	100.7	268.9	33.7	643.1	857.8
10/12/2020 2:00	0.0	0.0	0.0	0.0	126.0	117.5	103.7	269.6	21.7	638.5	857.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/12/2020 3:00	0.0	0.0	0.0	0.0	125.1	120.1	98.8	268.6	22.5	635.1	857.9
10/12/2020 4:00	0.0	0.0	0.0	0.0	123.9	119.6	99.7	269.7	29.1	642.0	857.9
10/12/2020 5:00	0.0	0.0	0.0	0.0	125.2	116.8	96.2	269.2	21.3	628.7	858.0
10/12/2020 6:00	0.0	0.0	0.0	0.0	126.7	114.3	84.2	260.2	29.9	615.3	858.0
10/12/2020 7:00	0.0	0.0	0.0	0.0	127.5	114.5	86.0	269.9	16.6	614.5	858.0
10/12/2020 8:00	0.0	0.0	0.0	0.0	126.4	126.5	88.7	287.9	27.9	657.4	858.1
10/12/2020 9:00	0.0	0.0	0.0	0.0	126.1	116.7	84.3	374.4	43.8	745.3	858.4
10/12/2020 10:00	0.0	0.0	0.0	0.0	126.0	114.3	85.6	407.2	20.8	753.9	858.6
10/12/2020 11:00	0.0	0.0	0.0	0.0	126.0	112.4	90.5	397.8	24.9	751.6	858.8
10/12/2020 12:00	0.0	0.0	0.0	0.0	123.9	116.8	90.7	271.5	11.6	614.5	858.8
10/12/2020 13:00	0.0	0.0	0.0	0.0	123.0	118.8	77.2	218.4	25.8	563.2	858.7
10/12/2020 14:00	0.0	0.0	0.0	0.0	121.7	114.4	79.2	266.1	36	617.4	858.8
10/12/2020 15:00	0.0	0.0	0.0	0.0	121.2	109.2	74.2	269.8	30.4	604.8	858.8
10/12/2020 16:00	0.0	0.0	0.0	0.0	121.2	105.9	74.6	268.8	28.4	598.9	858.8
10/12/2020 17:00	0.0	0.0	0.0	0.0	120.7	103.0	78.2	269.1	31	602.0	858.8
10/12/2020 18:00	0.0	0.0	0.0	0.0	120.5	99.3	79.1	270.2	38.7	607.8	858.7
10/12/2020 19:00	0.0	0.0	3.9	0.0	120.6	94.7	79.1	271.2	31.1	600.6	858.8
10/12/2020 20:00	0.0	0.0	112.8	0.0	118.4	96.1	80.3	273.6	29.5	710.7	858.9
10/12/2020 21:00	0.0	0.0	112.4	0.0	116.9	99.3	82.9	272.4	36.9	720.8	859.1
10/12/2020 22:00	0.0	0.0	112.5	0.0	118.1	100.0	81.5	249	32.1	693.2	859.2
10/12/2020 23:00	0.0	0.0	121.1	0.0	116.7	102.3	86.3	268.4	32.8	727.6	859.4
10/13/2020 0:00	18.9	0.0	92.9	0.0	119.0	105.9	84.3	277.5	27.7	726.2	859.6
10/13/2020 1:00	106.6	0.0	97.6	0.0	118.9	117.0	111.0	268.2	10.6	829.9	859.9
10/13/2020 2:00	103.1	0.0	106.8	0.0	117.4	120.1	115.5	268.5	6.5	837.9	860.2
10/13/2020 3:00	105.9	0.0	116.2	0.0	118.0	126.3	115.1	269.4	0.7	851.6	860.6
10/13/2020 4:00	107.3	0.0	126.4	0.0	117.3	105.7	100.4	273.6	0	830.7	861.0
10/13/2020 5:00	107.1	0.0	120.4	0.0	116.6	107.8	92.4	267	0	811.3	861.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/13/2020 6:00	108.6	0.0	113.8	0.0	117.4	98.5	87.3	278.1	0	803.7	861.5
10/13/2020 7:00	108.8	0.0	126.4	0.0	116.9	162.1	183.4	264.3	0	961.9	862.1
10/13/2020 8:00	116.2	0.0	100.6	0.0	121.6	64.2	97.2	275.5	0	775.3	862.4
10/13/2020 9:00	127.2	0.0	161.5	0.0	128.8	90.5	94.7	271.9	0	874.6	862.8
10/13/2020 10:00	128.8	0.0	130.4	0.0	130.2	106.5	90.2	272.3	0	858.4	863.3
10/13/2020 11:00	121.8	0.0	127.0	0.0	128.5	105.3	92.2	291.7	0	866.5	863.7
10/13/2020 12:00	121.4	0.0	124.2	0.0	129.5	99.6	87.8	252.9	0	815.4	864.1
10/13/2020 13:00	117.5	0.0	122.5	0.0	130.1	102.7	98.9	275.1	0	846.8	864.4
10/13/2020 14:00	123.7	0.0	121.4	0.0	127.7	100.7	95.3	248.4	0	817.2	864.8
10/13/2020 15:00	99.1	0.0	120.3	0.0	129.0	104.4	97.7	273.4	0	823.9	865.1
10/13/2020 16:00	80.3	0.0	119.1	0.0	129.4	107.7	96.8	262.2	0	795.5	865.3
10/13/2020 17:00	87.9	0.0	117.9	0.0	129.4	105.2	98.7	271.3	0	810.4	865.7
10/13/2020 18:00	95.6	0.0	117.3	0.0	128.9	105.4	101.7	273.8	0	822.7	866.0
10/13/2020 19:00	124.8	0.0	117.0	0.0	129.3	106.6	98.9	268.3	0	844.9	866.3
10/13/2020 20:00	114.8	0.0	117.1	0.0	128.4	106.9	98.8	268	0	834.0	866.6
10/13/2020 21:00	131.6	0.0	117.9	0.0	137.2	112.0	101.3	268.3	0	868.3	867.0
10/13/2020 22:00	129.2	0.0	117.0	0.0	142.7	120.1	100.9	269.2	0	879.1	867.4
10/13/2020 23:00	101.0	0.0	117.2	0.0	143.8	117.6	100.7	269.1	0	849.4	867.8
10/14/2020 0:00	122.3	0.0	117.7	0.0	143.6	118.3	105.2	268.3	0	875.4	868.1
10/14/2020 1:00	120.4	0.0	117.2	0.0	142.6	118.0	108.0	270.4	0	876.6	868.5
10/14/2020 2:00	130.2	0.0	117.0	0.0	142.3	113.0	104.4	268.4	0	875.3	868.8
10/14/2020 3:00	124.6	0.0	116.7	0.0	142.2	108.2	106.2	268.5	0	866.4	869.1
10/14/2020 4:00	126.6	0.0	119.4	0.0	143.5	104.2	102.6	268.4	0	864.7	869.5
10/14/2020 5:00	120.1	0.0	130.2	0.0	137.0	47.7	105.5	270.7	0	811.2	869.8
10/14/2020 6:00	119.7	0.0	112.0	0.0	116.5	81.4	98.1	273.2	0	800.9	870.1
10/14/2020 7:00	118.3	0.0	111.5	0.0	117.0	83.6	94.0	268	0	792.4	870.3
10/14/2020 8:00	118.4	0.0	111.5	0.0	117.0	83.6	95.3	270.5	0	796.3	870.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/14/2020 9:00	120.3	0.0	112.1	0.0	115.1	86.0	94.0	266.2	0	793.7	870.6
10/14/2020 10:00	117.8	0.0	113.5	0.0	117.9	98.9	94.1	269.8	0	812.0	870.9
10/14/2020 11:00	117.5	0.0	113.0	0.0	167.1	109.6	93.5	302.3	0	903.0	871.4
10/14/2020 12:00	115.3	0.0	117.0	0.0	183.7	110.0	92.0	273	0	891.0	871.7
10/14/2020 13:00	116.0	0.0	119.3	0.0	183.7	113.6	99.2	261.1	0	892.9	872.0
10/14/2020 14:00	116.5	0.0	118.7	0.0	183.0	118.8	81.5	275.8	0	894.3	872.3
10/14/2020 15:00	119.3	0.0	118.3	0.0	184.6	125.8	90.7	269.7	0	908.4	872.6
10/14/2020 16:00	119.2	0.0	118.8	0.0	183.7	130.1	92.5	263.9	0	908.2	872.9
10/14/2020 17:00	116.7	0.0	118.7	0.0	182.3	129.0	94.3	277.2	0	918.2	873.2
10/14/2020 18:00	119.1	0.0	118.3	0.0	181.2	131.3	88.4	244.6	0	882.9	873.5
10/14/2020 19:00	116.3	0.0	118.3	0.0	180.3	132.5	90.8	274.4	0	912.6	873.8
10/14/2020 20:00	114.1	0.0	117.9	0.0	180.7	145.4	91.3	273.3	0	922.7	874.2
10/14/2020 21:00	114.7	0.0	117.9	0.0	182.3	145.2	91.5	259.4	0	911.0	874.1
10/14/2020 22:00	113.6	0.0	117.7	0.0	183.6	147.7	94.5	272.1	0	929.2	874.4
10/14/2020 23:00	113.5	0.0	117.2	0.0	181.4	152.7	93.8	270.3	0	928.9	874.8
10/15/2020 0:00	114.3	0.0	117.8	0.0	181.9	155.2	96.0	274.1	0	939.3	875.0
10/15/2020 1:00	113.5	0.0	118.5	0.0	180.9	151.0	96.9	268.9	0	929.7	875.2
10/15/2020 2:00	113.8	0.0	118.2	0.0	180.2	145.0	96.0	278.3	0	931.5	875.4
10/15/2020 3:00	113.9	0.0	118.5	0.0	180.4	136.4	98.9	278.3	0	926.4	875.5
10/15/2020 4:00	114.6	0.0	119.3	0.0	180.7	137.7	101.4	278.3	0	932.0	875.6
10/15/2020 5:00	124.0	0.0	129.8	0.0	181.2	131.3	102.8	278.3	0	947.4	875.8
10/15/2020 6:00	136.2	0.0	142.5	0.0	169.5	130.9	92.6	278.3	0	950.0	875.9
10/15/2020 7:00	125.2	0.0	134.0	0.0	153.9	130.5	99.1	278.3	0	921.0	876.1
10/15/2020 8:00	113.9	0.0	120.3	0.0	154.5	127.3	102.5	278.3	0	896.8	876.5
10/15/2020 9:00	112.5	0.0	119.8	0.0	156.7	129.8	94.2	274.7	0	887.7	876.7
10/15/2020 10:00	113.5	0.0	119.4	0.0	158.6	130.3	88.4	268.3	0	878.5	876.3
10/15/2020 11:00	114.3	0.0	120.0	0.0	160.0	255.5	188.1	269.8	0	1107.7	876.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/15/2020 12:00	113.9	0.0	120.5	0.0	158.5	174.6	151.6	266.9	0	986.0	876.7
10/15/2020 13:00	114.6	0.0	120.5	0.0	156.5	114.4	109.2	267.3	0	882.5	876.6
10/15/2020 14:00	114.7	0.0	120.7	0.0	156.9	102.0	114.7	270.5	0	879.5	876.5
10/15/2020 15:00	114.1	0.0	120.1	0.0	157.3	119.7	114.6	284.2	0	910.0	876.5
10/15/2020 16:00	114.6	0.0	120.0	0.0	157.9	114.1	109.3	253.6	0	869.5	876.5
10/15/2020 17:00	114.4	0.0	119.9	0.0	160.3	122.6	110.2	267.9	0	895.3	876.6
10/15/2020 18:00	115.3	0.0	119.7	0.0	160.1	126.5	109.2	268.6	0	899.4	876.7
10/15/2020 19:00	117.7	0.0	121.0	0.0	160.2	118.0	55.1	269	0.1	841.1	876.8
10/15/2020 20:00	141.2	0.0	148.2	0.0	161.4	120.9	46.5	271	0.1	889.3	876.9
10/15/2020 21:00	141.2	0.0	147.3	0.0	161.2	122.6	46.7	272.4	0.1	891.5	877.1
10/15/2020 22:00	141.0	0.0	147.4	0.0	161.3	116.6	44.8	259.7	0.1	870.9	877.2
10/15/2020 23:00	155.9	0.0	165.3	0.0	178.3	120.0	48.7	267.6	0	935.8	877.4
10/16/2020 0:00	163.0	0.0	170.0	0.0	176.4	103.1	45.8	266	0	924.3	877.6
10/16/2020 1:00	167.7	0.0	176.0	0.0	183.2	117.5	42.1	268.8	0	955.3	878.0
10/16/2020 2:00	168.1	0.0	176.4	0.0	193.0	118.1	42.6	268.5	0	966.7	878.3
10/16/2020 3:00	169.0	0.0	175.4	0.0	192.8	124.2	37.0	272.1	0	970.5	878.6
10/16/2020 4:00	168.8	0.0	175.2	0.0	192.1	113.4	36.6	265.9	0	952.0	878.8
10/16/2020 5:00	169.2	0.0	176.0	0.0	194.9	125.0	34.1	268.4	0	967.6	879.1
10/16/2020 6:00	168.4	0.0	172.8	0.0	195.9	121.2	39.9	269.2	0	967.4	879.3
10/16/2020 7:00	168.9	0.0	171.2	0.0	197.1	118.7	41.4	268.7	0	966.0	879.6
10/16/2020 8:00	171.9	0.0	172.6	0.0	197.0	117.6	41.1	275	0	975.2	879.9
10/16/2020 9:00	169.7	0.0	172.8	0.0	196.5	119.9	39.4	252.8	0	951.1	880.2
10/16/2020 10:00	166.1	0.0	173.4	0.0	196.4	127.4	40.0	267.6	0	970.9	880.5
10/16/2020 11:00	163.4	0.0	173.7	0.0	197.5	124.2	39.2	259.7	1	958.7	880.8
10/16/2020 12:00	162.9	0.0	173.5	65.4	194.2	129.1	37.4	268.5	0	1031.0	881.2
10/16/2020 13:00	162.8	0.0	173.2	84.1	192.7	123.7	37.5	270.5	0	1044.5	881.6
10/16/2020 14:00	161.5	0.0	171.8	87.0	189.4	128.2	32.7	268.5	0	1039.1	881.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/16/2020 15:00	162.1	0.0	172.2	101.5	190.4	138.5	19.2	272.6	0	1056.5	882.3
10/16/2020 16:00	161.1	0.0	171.3	110.3	189.5	123.4	14.6	264.1	0	1034.3	882.5
10/16/2020 17:00	161.9	0.0	169.0	113.4	190.4	124.6	15.4	237.5	0	1012.2	882.8
10/16/2020 18:00	162.2	0.0	168.8	116.8	188.7	126.2	17.4	268.4	1	1049.5	883.1
10/16/2020 19:00	162.3	0.0	168.7	114.7	188.4	123.2	19.6	269.3	0.1	1046.3	883.4
10/16/2020 20:00	161.8	0.0	168.5	112.0	188.1	122.3	13.8	226.5	0.1	993.1	883.6
10/16/2020 21:00	162.0	0.0	167.6	115.8	187.3	119.6	20.5	265.8	0.1	1038.7	883.9
10/16/2020 22:00	162.3	0.0	167.8	117.5	187.0	118.3	11.9	270.9	1	1036.7	884.2
10/16/2020 23:00	162.1	0.0	166.7	119.7	188.0	122.9	13.0	268.7	1	1042.1	884.4
10/17/2020 0:00	160.8	0.0	168.5	115.1	188.4	121.1	26.0	276.9	2.9	1059.7	884.7
10/17/2020 1:00	157.8	0.0	164.9	112.5	189.0	116.2	14.9	269.5	58	1082.8	885.1
10/17/2020 2:00	124.1	0.0	130.6	111.0	187.0	120.5	14.5	267.7	327	1282.4	885.7
10/17/2020 3:00	98.1	0.0	100.1	105.5	180.2	128.6	14.4	264.6	589.9	1481.4	886.6
10/17/2020 4:00	92.9	0.0	88.6	100.6	174.1	126.1	14.6	269.7	448.4	1315.0	887.3
10/17/2020 5:00	98.0	0.0	92.3	101.4	172.9	135.7	15.1	268.3	470.8	1354.5	888.0
10/17/2020 6:00	94.0	0.0	90.0	101.6	173.7	137.9	17.8	265.8	392.3	1273.1	888.6
10/17/2020 7:00	93.6	0.0	87.3	104.1	176.3	221.9	46.4	242.5	247.9	1220.0	889.2
10/17/2020 8:00	93.0	0.0	87.4	100.5	176.3	138.1	10.7	228.3	194.9	1029.2	889.5
10/17/2020 9:00	92.3	0.0	86.7	100.7	177.7	109.8	2.9	249.9	122.4	942.4	889.6
10/17/2020 10:00	93.7	0.0	87.2	100.9	175.8	116.3	0.0	271.7	66.2	911.8	889.5
10/17/2020 11:00	95.8	0.0	95.9	98.8	174.8	97.2	0.0	263.5	80.8	906.8	889.5
10/17/2020 12:00	97.6	0.0	102.6	97.8	174.9	113.5	0.0	284.9	44.4	915.7	889.7
10/17/2020 13:00	97.3	0.0	101.0	97.5	174.8	107.1	0.0	278.6	51.3	907.6	889.9
10/17/2020 14:00	97.4	0.0	104.5	97.6	173.3	103.1	0.0	265.1	43.4	884.4	890.0
10/17/2020 15:00	97.8	0.0	108.8	99.2	173.1	104.0	0.0	269.9	42.2	895.0	890.2
10/17/2020 16:00	97.2	0.0	115.0	98.1	175.4	101.7	0.0	263.8	44.5	895.7	890.3
10/17/2020 17:00	13.3	0.0	108.5	95.8	174.9	102.0	0.0	273.9	47.4	815.8	890.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/17/2020 18:00	0.0	0.0	4.6	94.8	175.4	100.1	0.0	267.9	49.8	692.6	890.1
10/17/2020 19:00	0.0	0.0	0.0	108.7	175.9	95.4	0.0	270.9	41.8	692.7	889.9
10/17/2020 20:00	0.0	0.0	0.0	110.7	179.0	95.8	0.0	273.1	44.8	703.4	889.8
10/17/2020 21:00	0.0	0.0	0.0	119.7	178.7	97.9	0.0	268.7	48.5	713.5	889.7
10/17/2020 22:00	0.0	0.0	0.0	122.5	178.7	101.1	0.0	272.5	51	725.8	889.5
10/17/2020 23:00	0.0	0.0	0.0	126.2	178.9	100.7	0.0	271.5	38.3	715.6	889.3
10/18/2020 0:00	0.0	0.0	0.0	121.6	179.1	101.5	0.0	271.1	43.4	716.7	889.2
10/18/2020 1:00	0.0	0.0	0.0	121.2	178.2	107.7	0.0	272.6	56.6	736.3	889.1
10/18/2020 2:00	0.0	0.0	0.0	126.4	177.0	107.1	0.0	269.5	45.8	725.8	888.9
10/18/2020 3:00	0.0	0.0	0.0	133.6	175.8	112.4	0.0	272.6	41.3	735.7	888.8
10/18/2020 4:00	0.0	0.0	0.0	133.6	176.4	114.9	0.0	272.8	47	744.7	888.7
10/18/2020 5:00	0.0	0.0	0.0	133.5	175.5	113.3	0.0	272.2	69	763.5	888.7
10/18/2020 6:00	0.0	0.0	0.0	134.2	175.4	122.1	0.0	277.2	50.1	759.0	888.6
10/18/2020 7:00	0.0	0.0	0.0	142.6	175.2	113.4	0.0	286.5	83.9	801.6	888.6
10/18/2020 8:00	0.0	0.0	0.0	134.5	174.4	114.0	0.0	291.8	83.9	798.6	888.6
10/18/2020 9:00	0.0	0.0	0.0	129.4	176.8	112.9	0.0	267.8	40.1	727.0	888.4
10/18/2020 10:00	0.0	0.0	0.0	142.4	178.6	111.6	0.0	267.6	48.4	748.6	888.3
10/18/2020 11:00	0.0	0.0	0.0	144.5	180.9	92.9	0.0	268.4	57.4	744.1	888.3
10/18/2020 12:00	0.0	0.0	0.0	131.8	182.9	84.7	0.0	269.3	47.3	716.0	888.1
10/18/2020 13:00	0.0	0.0	0.0	131.7	182.8	86.0	0.0	270.5	63	734.0	888.0
10/18/2020 14:00	0.0	0.0	0.0	134.8	182.9	86.0	0.0	264.3	48.1	716.1	887.8
10/18/2020 15:00	0.0	0.0	0.0	136.6	183.1	91.3	0.0	268.8	49.1	728.9	887.7
10/18/2020 16:00	0.0	0.0	0.0	132.8	183.1	200.1	0.0	270.1	48.1	834.2	887.7
10/18/2020 17:00	0.0	0.0	0.0	133.1	181.6	149.5	0.0	267.6	64.1	795.9	887.7
10/18/2020 18:00	0.0	0.0	0.0	133.6	182.4	96.6	0.0	264	68.2	744.8	887.6
10/18/2020 19:00	0.0	0.0	0.0	134.4	183.3	89.6	0.0	276.6	49.2	733.1	887.4
10/18/2020 20:00	0.0	0.0	0.0	125.4	182.9	91.5	0.0	269.8	62.1	731.7	887.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/18/2020 21:00	0.0	0.0	0.0	97.0	183.0	93.2	0.0	260.9	61.8	695.9	886.8
10/18/2020 22:00	0.0	0.0	0.0	106.7	183.2	91.0	0.0	263.9	62.1	706.9	886.6
10/18/2020 23:00	0.0	0.0	0.0	107.7	184.5	88.8	0.0	289.2	58.5	728.7	886.5
10/19/2020 0:00	0.0	0.0	0.0	107.4	183.5	88.0	0.0	297.3	62.7	738.9	886.3
10/19/2020 1:00	0.0	0.0	0.0	105.7	182.6	89.3	0.0	288.6	51.2	717.4	886.2
10/19/2020 2:00	0.0	0.0	0.0	106.1	182.5	87.3	0.0	287.7	61.9	725.5	886.0
10/19/2020 3:00	0.0	0.0	0.0	107.3	181.3	86.9	0.0	281.6	54.9	712.0	885.8
10/19/2020 4:00	0.0	0.0	0.0	107.8	181.6	74.3	0.0	276.3	46.9	686.9	885.6
10/19/2020 5:00	0.0	0.0	0.0	106.3	171.8	79.8	0.0	273.8	41.7	673.4	885.4
10/19/2020 6:00	0.0	0.0	0.0	109.1	181.2	85.0	0.0	278	55.9	709.2	885.3
10/19/2020 7:00	0.0	0.0	0.0	111.0	179.3	74.6	0.0	279.6	55.9	700.4	885.2
10/19/2020 8:00	0.0	0.0	0.0	112.1	179.7	68.1	0.0	278.2	55.9	694.0	885.1
10/19/2020 9:00	0.0	0.0	0.0	112.9	180.1	74.0	0.0	279.4	29.5	675.9	884.9
10/19/2020 10:00	0.0	0.0	0.0	141.3	180.7	70.1	0.0	278.1	67.6	737.8	884.9
10/19/2020 11:00	0.0	0.0	0.0	139.3	181.3	70.7	0.0	280.3	102.5	774.1	884.9
10/19/2020 12:00	0.0	0.0	0.0	140.6	180.7	72.9	0.0	278.2	76.4	748.8	884.8
10/19/2020 13:00	0.0	0.0	0.0	139.9	182.5	69.7	0.0	278.5	55.7	726.3	884.7
10/19/2020 14:00	0.0	0.0	0.0	141.9	182.6	76.5	0.0	280.4	103.7	785.1	884.6
10/19/2020 15:00	0.0	0.0	0.0	142.6	182.7	146.0	0.0	279	73.7	824.0	884.6
10/19/2020 16:00	0.0	0.0	0.0	142.8	182.7	165.8	0.0	279.4	73	843.7	884.6
10/19/2020 17:00	0.0	0.0	0.0	140.7	181.4	77.0	0.0	277.7	44.8	721.6	884.4
10/19/2020 18:00	0.0	0.0	0.0	141.3	183.3	73.3	0.0	278.3	56.5	732.7	884.3
10/19/2020 19:00	0.0	0.0	0.0	139.3	182.6	76.7	0.0	282	49.4	730.0	884.2
10/19/2020 20:00	0.0	0.0	0.0	138.5	184.9	74.9	0.0	273	67.1	738.4	884.0
10/19/2020 21:00	0.0	0.0	0.0	140.0	185.3	74.5	0.0	280.3	59.4	739.5	883.9
10/19/2020 22:00	0.0	0.0	0.0	140.8	186.6	76.7	0.0	279.3	44.1	727.5	883.8
10/19/2020 23:00	0.0	0.0	0.0	140.3	186.0	75.0	0.0	278	60.1	739.4	883.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/20/2020 0:00	0.0	0.0	0.0	137.5	186.7	78.2	0.0	280.9	56	739.3	883.5
10/20/2020 1:00	0.0	0.0	0.0	136.7	185.3	75.8	0.0	280.2	46.9	724.9	883.3
10/20/2020 2:00	0.0	0.0	0.0	136.6	185.8	75.3	0.0	278.7	53.4	729.8	883.2
10/20/2020 3:00	0.0	0.0	0.0	136.8	184.1	79.1	0.0	279.7	51.3	731.0	883.0
10/20/2020 4:00	0.0	0.0	0.0	138.1	185.0	75.5	0.0	278.5	41.5	718.6	882.9
10/20/2020 5:00	0.0	0.0	0.0	136.4	186.0	82.2	0.0	276.5	81.9	763.0	882.7
10/20/2020 6:00	0.0	0.0	0.0	139.7	183.7	75.9	0.0	277.5	56.2	733.0	882.6
10/20/2020 7:00	0.0	0.0	0.0	141.1	186.8	76.6	0.0	279.5	38.3	722.3	882.5
10/20/2020 8:00	0.0	0.0	0.0	141.6	179.5	77.3	0.0	278.5	41.6	718.5	882.3
10/20/2020 9:00	0.0	0.0	0.0	141.5	184.2	81.9	0.0	278.6	44.5	730.7	882.1
10/20/2020 10:00	0.0	0.0	0.0	139.6	188.3	79.2	0.0	291.9	50.9	749.9	882.0
10/20/2020 11:00	0.0	0.0	0.0	139.6	190.9	82.1	0.0	280.5	74.7	767.8	881.8
10/20/2020 12:00	0.0	0.0	0.0	140.3	194.3	69.8	0.0	234.2	57.9	696.5	881.6
10/20/2020 13:00	0.0	0.0	0.0	139.8	193.0	72.7	0.0	276.7	51.9	734.1	881.4
10/20/2020 14:00	0.0	0.0	0.0	141.9	193.3	69.4	0.0	278.6	45.4	728.6	881.3
10/20/2020 15:00	0.0	0.0	0.0	141.3	194.2	74.2	0.0	279.2	39	727.9	881.0
10/20/2020 16:00	0.0	0.0	0.0	142.7	193.3	72.0	0.0	281	44.9	733.9	880.8
10/20/2020 17:00	0.0	0.0	0.0	143.3	193.3	142.2	0.0	279	50.7	808.5	880.6
10/20/2020 18:00	0.0	0.0	0.0	144.3	197.4	328.6	0.0	278	62.9	1011.2	880.7
10/20/2020 19:00	0.0	0.0	0.0	145.8	196.9	93.8	0.0	279.2	38.1	753.8	880.5
10/20/2020 20:00	0.0	0.0	0.0	145.5	197.3	75.4	0.0	260.1	51.2	729.5	880.2
10/20/2020 21:00	0.0	0.0	0.0	145.2	196.6	77.5	0.0	274.5	54.3	748.1	880.0
10/20/2020 22:00	0.0	0.0	0.0	144.8	197.4	75.6	0.0	279.5	42.8	740.1	879.8
10/20/2020 23:00	0.0	0.0	0.0	143.8	197.0	78.0	0.0	277.7	54.9	751.4	879.6
10/21/2020 0:00	0.0	0.0	0.0	143.6	197.0	79.6	0.0	283.9	55.1	759.2	879.4
10/21/2020 1:00	0.0	0.0	0.0	144.4	197.0	79.1	0.0	278.1	41.7	740.3	879.1
10/21/2020 2:00	0.0	0.0	0.0	144.4	196.3	79.4	0.0	280	55.9	756.0	879.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/21/2020 3:00	0.0	0.0	0.0	143.8	197.7	82.4	0.0	279.4	34.9	738.2	878.8
10/21/2020 4:00	0.0	0.0	0.0	144.4	197.7	79.6	0.0	278.7	55	755.4	878.7
10/21/2020 5:00	0.0	0.0	0.0	143.3	196.7	79.7	0.0	278.2	18.9	716.8	878.6
10/21/2020 6:00	0.0	0.0	0.0	143.4	197.3	78.2	0.0	280.9	59.7	759.5	878.3
10/21/2020 7:00	0.0	0.0	0.0	143.6	196.8	83.0	0.0	280	66.2	769.6	878.1
10/21/2020 8:00	0.0	0.0	0.0	143.5	198.8	81.6	0.0	278.8	55.3	758.0	877.7
10/21/2020 9:00	0.0	0.0	0.0	144.5	196.7	81.0	0.0	276.2	50.7	749.1	877.5
10/21/2020 10:00	0.0	0.0	0.0	144.5	194.7	80.6	0.0	283.4	40.6	743.8	877.3
10/21/2020 11:00	0.0	0.0	0.0	143.2	192.5	98.1	0.0	306.9	60.2	800.9	877.1
10/21/2020 12:00	0.0	0.0	0.0	142.0	195.9	67.6	0.0	266	54.1	725.6	876.9
10/21/2020 13:00	0.0	0.0	0.0	139.9	198.5	64.9	0.0	282.2	88.3	773.8	876.8
10/21/2020 14:00	0.0	0.0	0.0	142.1	196.7	65.7	0.0	279.7	115	799.2	876.7
10/21/2020 15:00	0.0	0.0	0.0	141.6	197.8	70.0	0.0	364.3	85.7	859.4	876.7
10/21/2020 16:00	0.0	0.0	0.0	142.0	197.9	65.3	0.0	319.8	70.1	795.1	876.6
10/21/2020 17:00	0.0	0.0	0.0	143.4	198.9	68.5	0.0	283.5	34.9	729.2	876.4
10/21/2020 18:00	0.0	0.0	0.0	141.8	199.1	70.8	0.0	278.6	52	742.3	876.4
10/21/2020 19:00	0.0	0.0	0.0	141.6	199.2	69.2	0.0	283.3	43	736.3	876.1
10/21/2020 20:00	0.0	0.0	0.0	140.8	198.6	71.3	0.0	277.9	48.7	737.3	875.8
10/21/2020 21:00	0.0	0.0	0.0	142.1	199.5	77.6	0.0	281.9	43.7	744.8	875.7
10/21/2020 22:00	0.0	0.0	0.0	142.1	198.9	74.5	0.0	279.7	54.4	749.6	875.5
10/21/2020 23:00	0.0	0.0	0.0	142.9	199.1	75.9	0.0	278.5	46.2	742.6	875.2
10/22/2020 0:00	0.0	0.0	0.0	142.3	199.1	80.0	0.0	278.6	65.4	765.4	874.9
10/22/2020 1:00	0.0	0.0	0.0	141.3	198.8	81.7	0.0	280.3	49.5	751.6	874.6
10/22/2020 2:00	0.0	0.0	0.0	141.1	200.0	80.7	0.0	275	41.2	738.0	874.4
10/22/2020 3:00	0.0	0.0	0.0	142.2	200.0	83.0	0.0	278.9	54.1	758.2	874.1
10/22/2020 4:00	0.0	0.0	0.0	142.8	198.5	86.2	0.0	278.7	52.9	759.1	873.8
10/22/2020 5:00	0.0	0.0	0.0	143.7	198.3	93.9	0.0	277.7	61.3	774.9	873.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/22/2020 6:00	0.0	0.0	0.0	144.5	199.1	92.6	0.0	278	52.9	767.1	873.4
10/22/2020 7:00	0.0	0.0	0.0	145.4	198.4	94.1	0.0	275.1	44.8	757.8	873.1
10/22/2020 8:00	0.0	0.0	0.0	145.0	199.6	91.4	0.0	221.1	24.8	681.9	872.6
10/22/2020 9:00	0.0	0.0	0.0	144.6	199.6	94.0	0.0	278.1	75.9	792.2	872.2
10/22/2020 10:00	0.0	0.0	0.0	145.3	197.9	93.5	0.0	275.4	47.1	759.2	872.0
10/22/2020 11:00	0.0	0.0	0.0	145.2	200.7	103.9	0.0	275.9	65	790.7	871.7
10/22/2020 12:00	0.0	0.0	0.0	145.9	201.1	102.3	0.0	275.4	59.8	784.5	871.4
10/22/2020 13:00	0.0	0.0	0.0	147.0	200.2	99.2	0.0	274.9	39.7	761.0	871.1
10/22/2020 14:00	0.0	0.0	0.0	145.2	199.8	99.2	0.0	280.5	52.8	777.5	870.9
10/22/2020 15:00	0.0	0.0	0.0	144.7	201.4	100.0	0.0	272	45.6	763.7	870.6
10/22/2020 16:00	0.0	0.0	0.0	145.8	202.1	91.4	0.0	280.1	46.6	766.0	870.3
10/22/2020 17:00	0.0	0.0	0.0	145.3	202.5	88.1	0.0	286.2	45.2	767.3	870.1
10/22/2020 18:00	0.0	0.0	0.0	145.0	200.9	87.7	0.0	279.6	38.6	751.8	870.0
10/22/2020 19:00	0.0	0.0	0.0	145.8	200.2	90.8	0.0	280.9	43.4	761.1	869.8
10/22/2020 20:00	0.0	0.0	0.0	145.7	195.9	91.7	0.0	261.8	32.4	727.5	869.6
10/22/2020 21:00	0.0	0.0	0.0	146.3	193.8	99.5	0.0	279.4	40.3	759.3	869.4
10/22/2020 22:00	0.0	0.0	0.0	145.9	193.8	92.7	0.0	280.8	50.6	763.8	869.2
10/22/2020 23:00	0.0	0.0	0.0	145.7	188.2	91.3	0.0	281.3	43.2	749.7	869.0
10/23/2020 0:00	0.0	0.0	0.0	146.4	189.1	91.5	0.0	281	50	758.0	868.9
10/23/2020 1:00	0.0	0.0	0.0	145.1	189.6	93.0	0.0	277.3	31	736.0	868.7
10/23/2020 2:00	0.0	0.0	0.0	146.4	189.5	94.9	0.0	279.9	49.5	760.2	868.6
10/23/2020 3:00	0.0	0.0	0.0	145.6	189.9	91.4	0.0	279	43.7	749.6	868.5
10/23/2020 4:00	0.0	0.0	0.0	146.1	193.8	79.2	0.0	270.8	47.9	737.8	868.3
10/23/2020 5:00	0.0	0.0	0.0	145.4	194.5	60.5	0.0	295.3	55.7	751.4	868.2
10/23/2020 6:00	0.0	0.0	0.0	146.3	196.2	92.1	0.0	275.8	33.9	744.3	868.1
10/23/2020 7:00	0.0	0.0	0.0	146.0	196.6	95.0	0.0	280	37.9	755.5	868.0
10/23/2020 8:00	0.0	0.0	0.0	146.0	196.1	96.3	0.0	279	41.9	759.3	867.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/23/2020 9:00	0.0	0.0	0.0	146.1	195.4	88.7	0.0	279.4	40.9	750.5	867.7
10/23/2020 10:00	0.0	0.0	0.0	146.0	196.5	77.9	0.0	271.9	40	732.3	867.6
10/23/2020 11:00	0.0	0.0	0.0	145.1	196.1	76.5	0.0	275.2	79.4	772.3	867.5
10/23/2020 12:00	0.0	0.0	0.0	146.9	194.4	73.6	0.0	277	45.2	737.1	867.4
10/23/2020 13:00	0.0	0.0	0.0	146.2	194.9	74.7	0.0	275.9	34.8	726.5	867.3
10/23/2020 14:00	0.0	0.0	0.0	144.4	193.8	71.6	0.0	279.3	42	731.1	867.1
10/23/2020 15:00	0.0	0.0	0.0	145.3	195.9	80.0	0.0	280.2	37.5	738.9	867.0
10/23/2020 16:00	0.0	0.0	0.0	146.2	198.4	73.1	0.0	278.7	39.2	735.6	866.8
10/23/2020 17:00	0.0	0.0	0.0	145.9	197.9	83.2	0.0	279.4	37.8	744.2	866.8
10/23/2020 18:00	0.0	0.0	0.0	145.8	197.4	80.1	0.0	278.4	42.1	743.8	866.7
10/23/2020 19:00	0.0	0.0	0.0	144.7	198.8	85.0	0.0	279.8	29.5	737.8	866.7
10/23/2020 20:00	0.0	0.0	0.0	145.2	199.5	90.3	0.0	278.4	29.9	743.3	866.6
10/23/2020 21:00	0.0	0.0	0.0	145.4	199.0	252.6	0.0	283.5	25.5	906.0	866.8
10/23/2020 22:00	0.0	0.0	0.0	143.9	199.2	106.6	0.0	273.7	40.5	763.9	866.7
10/23/2020 23:00	0.0	0.0	0.0	145.9	201.7	96.6	0.0	283	35.1	762.3	866.6
10/24/2020 0:00	0.0	0.0	0.0	145.6	207.0	96.7	0.0	278.9	42.3	770.5	866.6
10/24/2020 1:00	0.0	0.0	0.0	145.9	211.9	90.9	0.0	279.5	37.8	766.0	866.5
10/24/2020 2:00	0.0	0.0	0.0	145.6	211.3	90.3	0.0	279.7	35.9	762.8	866.4
10/24/2020 3:00	0.0	0.0	0.0	144.7	209.4	94.1	0.0	279	40.4	767.6	866.2
10/24/2020 4:00	0.0	0.0	0.0	145.7	210.0	96.1	0.0	279.1	37.2	768.1	866.1
10/24/2020 5:00	0.0	0.0	0.0	146.0	210.4	98.1	0.0	279.1	48.7	782.3	865.9
10/24/2020 6:00	0.0	0.0	0.0	144.6	208.0	93.8	0.0	281	38	765.4	865.7
10/24/2020 7:00	0.0	0.0	0.0	144.4	209.3	95.8	0.0	279.5	21.4	750.4	865.6
10/24/2020 8:00	0.0	0.0	0.0	144.4	211.3	92.5	0.0	273.7	24.4	746.3	865.3
10/24/2020 9:00	0.0	0.0	0.0	145.8	209.6	81.8	0.0	283	18.2	738.4	864.9
10/24/2020 10:00	0.0	0.0	0.0	144.6	208.9	74.6	0.0	279.9	37.1	745.1	864.5
10/24/2020 11:00	0.0	0.0	0.0	145.2	208.6	74.1	0.0	278.5	41.2	747.6	864.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/24/2020 12:00	0.0	0.0	0.0	145.5	208.5	69.6	0.0	278.4	38.6	740.6	863.6
10/24/2020 13:00	0.0	0.0	0.0	144.9	208.5	70.3	0.0	277.9	34.4	736.0	863.2
10/24/2020 14:00	0.0	0.0	0.0	144.6	208.6	69.5	0.0	280.1	35.5	738.3	862.8
10/24/2020 15:00	0.0	0.0	0.0	145.7	210.2	66.8	0.0	278.7	37.2	738.6	862.3
10/24/2020 16:00	0.0	0.0	0.0	143.3	199.8	65.4	0.0	279.6	36.9	725.0	861.9
10/24/2020 17:00	0.0	0.0	0.0	143.2	197.5	70.9	0.0	278.2	36.5	726.3	861.3
10/24/2020 18:00	0.0	0.0	0.0	144.9	192.9	68.5	0.0	278.3	34.3	718.9	860.5
10/24/2020 19:00	0.0	0.0	0.0	146.9	197.0	73.1	0.0	281.4	35.4	733.8	859.9
10/24/2020 20:00	0.0	0.0	0.0	144.3	199.6	72.9	0.0	274.5	49.5	740.8	859.3
10/24/2020 21:00	0.0	0.0	0.0	142.5	199.1	73.5	0.0	280.1	35.8	731.0	858.7
10/24/2020 22:00	0.0	0.0	0.0	142.0	199.2	77.0	0.0	278.9	33.8	730.9	858.1
10/24/2020 23:00	0.0	0.0	0.0	142.4	199.7	74.6	0.0	281.3	41.5	739.5	857.6
10/25/2020 0:00	0.0	0.0	0.0	141.0	200.5	76.6	0.0	277.9	38.5	734.5	857.2
10/25/2020 1:00	0.0	0.0	0.0	141.0	199.3	80.2	0.0	279.2	35.5	735.2	856.9
10/25/2020 2:00	0.0	0.0	0.0	141.7	201.1	79.9	0.0	279.1	35.4	737.2	856.7
10/25/2020 3:00	0.0	0.0	0.0	140.7	200.1	80.6	0.0	278.6	37	737.0	856.3
10/25/2020 4:00	0.0	0.0	0.0	139.7	200.6	78.7	0.0	279.5	32.2	730.7	856.0
10/25/2020 5:00	0.0	0.0	0.0	139.7	200.7	86.6	0.0	277.2	40.4	744.6	855.7
10/25/2020 6:00	0.0	0.0	0.0	140.5	199.7	84.0	0.0	278.6	40.5	743.3	855.3
10/25/2020 7:00	0.0	0.0	0.0	140.6	201.0	87.6	0.0	280	30.4	739.6	854.9
10/25/2020 8:00	0.0	0.0	0.0	141.0	203.1	75.9	0.0	260.4	36.9	717.3	854.6
10/25/2020 9:00	0.0	0.0	0.0	140.0	194.7	71.4	0.0	275.9	27.1	709.1	854.4
10/25/2020 10:00	0.0	0.0	0.0	140.9	188.5	73.6	0.0	278.7	36.7	718.4	854.3
10/25/2020 11:00	0.0	0.0	0.0	141.3	194.1	72.8	0.0	277.8	42	728.0	854.2
10/25/2020 12:00	0.0	0.0	0.0	140.8	199.7	70.2	0.0	280.3	44.2	735.2	854.1
10/25/2020 13:00	0.0	0.0	0.0	141.0	192.1	69.5	0.0	278.6	36	717.2	854.1
10/25/2020 14:00	0.0	0.0	0.0	141.9	184.6	71.4	0.0	279.9	32.6	710.4	854.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/25/2020 15:00	0.0	0.0	0.0	140.5	199.3	254.1	0.0	279	34.8	907.7	854.2
10/25/2020 16:00	0.0	0.0	0.0	141.3	201.6	75.2	0.0	279.8	40.2	738.1	854.2
10/25/2020 17:00	0.0	0.0	0.0	141.1	201.8	81.6	0.0	278.3	25.5	728.3	854.2
10/25/2020 18:00	0.0	0.0	0.0	141.6	201.2	79.9	0.0	278.3	46.1	747.1	854.2
10/25/2020 19:00	0.0	0.0	0.0	141.3	202.2	75.7	0.0	275.4	20	714.6	854.2
10/25/2020 20:00	0.0	0.0	0.0	141.0	199.2	78.9	0.0	266.6	94.4	780.1	854.2
10/25/2020 21:00	0.0	0.0	0.0	142.3	199.6	72.5	0.0	275.7	29.8	719.9	854.2
10/25/2020 22:00	0.0	0.0	0.0	143.4	199.2	72.6	0.0	274.2	29.6	719.0	854.2
10/25/2020 23:00	0.0	0.0	0.0	142.3	199.2	75.0	0.0	281.1	32.5	730.1	854.2
10/26/2020 0:00	0.0	0.0	0.0	141.7	198.3	75.9	0.0	279	32.8	727.7	854.0
10/26/2020 1:00	0.0	0.0	0.0	141.2	198.0	75.4	0.0	279.8	33.9	728.3	853.8
10/26/2020 2:00	0.0	0.0	0.0	143.1	198.7	77.9	0.0	278.5	31.6	729.8	853.8
10/26/2020 3:00	0.0	0.0	0.0	143.1	198.7	80.8	0.0	279.9	27.9	730.4	853.7
10/26/2020 4:00	0.0	0.0	0.0	142.8	197.9	80.1	0.0	275	28.1	723.9	853.6
10/26/2020 5:00	0.0	0.0	0.0	141.6	192.2	79.9	0.0	290.3	35.7	739.7	853.5
10/26/2020 6:00	0.0	0.0	0.0	143.7	201.4	82.0	0.0	280.8	26.8	734.7	853.0
10/26/2020 7:00	0.0	0.0	0.0	143.8	198.7	82.0	0.0	279.2	23.5	727.2	852.7
10/26/2020 8:00	0.0	0.0	0.0	143.8	198.9	83.4	0.0	283.9	20.8	730.8	852.3
10/26/2020 9:00	0.0	0.0	0.0	141.6	200.1	80.5	0.0	279.8	13.2	715.2	851.9
10/26/2020 10:00	0.0	0.0	0.0	141.1	199.3	84.0	0.0	277.9	27.7	730.0	851.3
10/26/2020 11:00	0.0	0.0	0.0	142.4	198.3	81.2	0.0	278	292.9	992.8	851.5
10/26/2020 12:00	0.0	0.0	0.0	142.3	199.6	72.6	0.0	279.9	384.7	1079.1	851.8
10/26/2020 13:00	0.0	0.0	0.0	140.8	200.6	72.6	0.0	280.7	22.8	717.5	851.6
10/26/2020 14:00	0.0	0.0	0.0	141.3	200.0	70.6	0.0	279.9	12	703.8	851.4
10/26/2020 15:00	0.0	0.0	0.0	141.2	201.1	71.0	0.0	280.6	20.7	714.6	851.4
10/26/2020 16:00	0.0	0.0	0.0	142.0	199.7	70.2	0.0	279.1	28.9	719.9	851.4
10/26/2020 17:00	0.0	0.0	0.0	141.4	201.8	74.9	0.0	279.4	29.2	726.7	851.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/26/2020 18:00	0.0	0.0	0.0	140.7	199.7	73.6	0.0	281.1	30.5	725.6	851.3
10/26/2020 19:00	0.0	0.0	0.0	140.7	200.5	71.6	0.0	280.7	28.4	721.9	851.3
10/26/2020 20:00	0.0	0.0	0.0	141.5	201.3	76.3	0.0	271.6	4	694.7	851.3
10/26/2020 21:00	0.0	0.0	0.0	141.0	200.5	73.0	0.0	280	18.4	712.9	851.3
10/26/2020 22:00	0.0	0.0	0.0	140.4	199.8	75.1	0.0	278.5	31.7	725.5	851.3
10/26/2020 23:00	0.0	0.0	0.0	141.7	200.3	75.6	0.0	282.4	30.5	730.5	851.3
10/27/2020 0:00	0.0	0.0	0.0	141.8	200.9	77.4	0.0	288	34.2	742.3	851.4
10/27/2020 1:00	0.0	0.0	0.0	141.8	199.7	79.2	0.0	277.8	29.3	727.8	851.5
10/27/2020 2:00	0.0	0.0	0.0	141.1	199.9	129.1	0.0	281.5	28.5	780.1	851.6
10/27/2020 3:00	0.0	0.0	0.0	141.3	200.0	197.1	0.0	280	28.8	847.2	851.9
10/27/2020 4:00	0.0	0.0	0.0	141.8	200.7	78.9	0.0	324.5	28.9	774.8	852.1
10/27/2020 5:00	0.0	0.0	0.0	141.9	200.4	83.1	0.0	292.4	14.2	732.0	852.2
10/27/2020 6:00	0.0	0.0	0.0	174.9	195.6	82.5	0.0	300.8	33.5	787.3	852.3
10/27/2020 7:00	0.0	0.0	0.0	175.8	196.0	84.5	0.0	299.1	29.1	784.5	852.5
10/27/2020 8:00	0.0	0.0	0.0	180.5	196.3	89.5	0.0	313.3	31.8	811.4	852.7
10/27/2020 9:00	0.0	0.0	0.0	192.3	194.0	85.5	0.0	340.7	25.9	838.4	852.9
10/27/2020 10:00	0.0	0.0	0.0	196.9	194.4	84.5	0.0	345.8	23.3	844.9	853.1
10/27/2020 11:00	0.0	0.0	0.0	194.2	195.3	87.1	0.0	348.2	21.6	846.4	853.3
10/27/2020 12:00	0.0	0.0	0.0	194.9	192.8	84.5	0.0	351.8	26	850.0	853.5
10/27/2020 13:00	0.0	0.0	0.0	190.8	193.2	80.3	0.0	347.8	23.5	835.6	853.8
10/27/2020 14:00	0.0	0.0	0.0	198.4	193.3	75.8	0.0	351.4	15.1	834.0	854.1
10/27/2020 15:00	0.0	0.0	0.0	195.8	192.4	82.6	0.0	348.2	16.4	835.4	854.4
10/27/2020 16:00	0.0	0.0	0.0	199.1	192.4	76.8	0.0	349.6	19.1	837.0	854.8
10/27/2020 17:00	0.0	0.0	0.0	196.4	192.5	80.0	0.0	347.4	18.4	834.7	855.1
10/27/2020 18:00	0.0	0.0	0.0	195.1	196.1	84.6	0.0	356.3	23.1	855.2	855.6
10/27/2020 19:00	0.0	0.0	0.0	201.4	198.3	80.6	0.0	350	10.4	840.7	856.0
10/27/2020 20:00	0.0	0.0	0.0	199.6	197.4	82.4	0.0	348.1	19.3	846.8	856.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/27/2020 21:00	0.0	0.0	0.0	201.0	201.8	87.7	0.0	321.1	18.3	829.9	856.3
10/27/2020 22:00	0.0	0.0	0.0	205.6	199.9	90.9	0.0	276.6	26.5	799.5	855.9
10/27/2020 23:00	0.0	0.0	0.0	201.4	203.3	99.2	0.0	269.5	23.8	797.2	855.7
10/28/2020 0:00	0.0	0.0	0.0	203.6	206.7	101.5	0.0	268.4	18.1	798.3	855.8
10/28/2020 1:00	0.0	0.0	0.0	207.8	207.4	104.1	0.0	268.7	16.1	804.1	855.8
10/28/2020 2:00	0.0	0.0	0.0	206.4	209.1	110.0	0.0	269.2	18.3	813.0	855.9
10/28/2020 3:00	0.0	0.0	0.0	203.7	207.6	111.7	0.0	263.6	26	812.6	855.9
10/28/2020 4:00	0.0	0.0	0.0	207.4	209.9	110.1	0.0	367.7	11	906.1	856.1
10/28/2020 5:00	0.0	0.0	0.0	206.3	211.0	126.1	0.0	281.1	27.1	851.6	856.1
10/28/2020 6:00	0.0	0.0	0.0	199.8	212.0	124.7	0.0	348.6	26.4	911.5	856.1
10/28/2020 7:00	0.0	0.0	0.0	205.0	210.1	116.5	0.0	302.9	15.9	850.4	855.8
10/28/2020 8:00	0.0	0.0	0.0	211.1	207.8	114.8	0.0	277.4	16	827.1	855.6
10/28/2020 9:00	0.0	0.0	0.0	203.2	207.0	110.8	0.0	278.9	25.6	825.5	855.7
10/28/2020 10:00	0.0	0.0	0.0	208.0	203.7	114.1	0.0	279.2	17.9	822.9	855.8
10/28/2020 11:00	0.0	0.0	0.0	210.3	204.3	115.2	0.0	278.7	21.5	830.0	855.9
10/28/2020 12:00	0.0	0.0	0.0	209.6	205.3	102.8	0.0	281.4	29.3	828.4	856.1
10/28/2020 13:00	0.0	0.0	0.0	210.4	205.2	103.4	0.0	279.4	24.3	822.7	856.2
10/28/2020 14:00	0.0	0.0	0.0	204.8	205.8	103.1	0.0	279	29.5	822.2	856.3
10/28/2020 15:00	0.0	0.0	0.0	206.6	208.0	103.0	0.0	279	33.6	830.2	856.5
10/28/2020 16:00	0.0	0.0	0.0	202.4	205.5	100.9	0.0	278.3	28.4	815.5	856.7
10/28/2020 17:00	0.0	0.0	0.0	203.5	206.9	103.7	0.0	278	35.9	828.0	856.8
10/28/2020 18:00	0.0	0.0	0.0	201.5	205.9	107.1	0.0	280.2	28.5	823.2	856.8
10/28/2020 19:00	0.0	0.0	0.0	204.1	207.3	103.9	0.0	279	23.9	818.2	856.9
10/28/2020 20:00	0.0	0.0	0.0	204.7	206.5	108.6	0.0	265.6	42	827.4	857.1
10/28/2020 21:00	0.0	0.0	0.0	202.3	205.2	111.2	0.0	277.8	33.7	830.2	857.3
10/28/2020 22:00	0.0	0.0	0.0	199.9	205.4	110.0	0.0	279.6	33.6	828.5	857.5
10/28/2020 23:00	0.0	0.0	0.0	203.8	205.8	115.7	0.0	278.8	34.7	838.8	857.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/29/2020 0:00	0.0	0.0	0.0	201.4	206.6	111.1	0.0	281.3	31.3	831.7	857.8
10/29/2020 1:00	0.0	0.0	0.0	200.9	204.6	108.2	0.0	278.9	37.3	829.9	857.7
10/29/2020 2:00	0.0	0.0	0.0	201.0	203.5	112.9	0.0	248.2	33.2	798.8	857.6
10/29/2020 3:00	0.0	0.0	0.0	199.3	203.6	115.2	0.0	278.9	31.7	828.7	857.7
10/29/2020 4:00	0.0	0.0	0.0	198.1	203.9	110.5	0.0	279.4	30.3	822.2	857.7
10/29/2020 5:00	0.0	0.0	0.0	199.3	204.9	122.1	0.0	279.9	43.7	849.9	857.9
10/29/2020 6:00	0.0	0.0	0.0	200.3	204.8	122.5	0.0	279.6	32.1	839.3	858.0
10/29/2020 7:00	0.0	0.0	0.0	197.3	203.5	119.5	0.0	279.2	49.1	848.6	858.1
10/29/2020 8:00	0.0	0.0	0.0	199.7	201.6	120.1	0.0	279.4	40.4	841.2	858.3
10/29/2020 9:00	0.0	0.0	0.0	184.2	201.3	116.3	0.0	278.9	34.7	815.4	858.5
10/29/2020 10:00	0.0	0.0	0.0	179.5	193.4	119.6	0.0	279.1	32.4	804.0	858.6
10/29/2020 11:00	0.0	0.0	0.0	180.0	194.4	129.3	0.0	279.1	32.1	814.9	858.7
10/29/2020 12:00	0.0	0.0	0.0	180.1	203.9	124.9	0.0	284.7	39	832.6	858.8
10/29/2020 13:00	0.0	0.0	0.0	180.7	190.3	121.2	0.0	277.9	38.3	808.4	858.4
10/29/2020 14:00	0.0	0.0	0.0	180.0	183.2	112.4	0.0	279.2	36.2	791.0	858.4
10/29/2020 15:00	0.0	0.0	0.0	175.1	178.5	103.3	0.0	279.4	30.9	767.2	858.3
10/29/2020 16:00	0.0	0.0	0.0	152.1	145.0	86.9	0.0	279.7	34.2	697.9	857.9
10/29/2020 17:00	0.0	0.0	0.0	152.4	144.7	84.9	0.0	278.7	35.1	695.8	857.5
10/29/2020 18:00	0.0	0.0	0.0	151.9	145.2	86.3	0.0	278.9	41.5	703.8	857.1
10/29/2020 19:00	0.0	0.0	0.0	153.0	146.7	86.8	0.0	279.6	23.6	689.7	856.7
10/29/2020 20:00	0.0	0.0	0.0	152.0	148.1	92.4	0.0	280	24.9	697.4	856.3
10/29/2020 21:00	0.0	0.0	0.0	152.8	148.4	90.5	0.0	278.7	30.5	700.9	855.9
10/29/2020 22:00	0.0	0.0	0.0	154.4	149.1	95.4	0.0	280.1	33.2	712.2	855.4
10/29/2020 23:00	0.0	0.0	0.0	150.4	149.5	96.8	0.0	269.3	28.9	694.9	855.0
10/30/2020 0:00	0.0	0.0	0.0	150.5	150.3	98.9	0.0	285.7	27.1	712.5	854.5
10/30/2020 1:00	0.0	0.0	0.0	151.9	150.1	98.7	0.0	279.6	29.6	709.9	854.0
10/30/2020 2:00	0.0	0.0	0.0	152.1	152.0	97.2	0.0	278.7	32.7	712.7	853.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/30/2020 3:00	0.0	0.0	0.0	153.2	152.6	108.9	0.0	278.4	25.3	718.4	852.9
10/30/2020 4:00	0.0	0.0	0.0	153.8	153.9	106.5	0.0	279.3	37.1	730.6	852.2
10/30/2020 5:00	0.0	0.0	0.0	156.2	162.2	242.2	0.0	279.3	34.6	874.5	851.9
10/30/2020 6:00	0.0	0.0	0.0	156.8	168.3	125.5	0.0	280	33.1	763.7	851.4
10/30/2020 7:00	0.0	0.0	0.0	157.6	174.5	113.7	0.0	278.3	21.5	745.6	851.1
10/30/2020 8:00	0.0	0.0	0.0	206.1	214.7	113.3	0.0	279.8	25.9	839.8	850.8
10/30/2020 9:00	0.0	0.0	0.0	206.1	217.6	112.8	0.0	278.9	31.6	847.0	850.7
10/30/2020 10:00	0.0	0.0	0.0	201.8	217.5	117.4	0.0	268	42	846.7	850.5
10/30/2020 11:00	0.0	0.0	0.0	213.0	218.1	123.3	0.0	269.2	115.1	938.7	850.5
10/30/2020 12:00	0.0	0.0	0.0	211.8	217.5	117.1	0.0	293.1	65.4	904.9	850.4
10/30/2020 13:00	0.0	0.0	0.0	208.4	219.0	124.5	0.0	277.7	27.8	857.4	850.1
10/30/2020 14:00	0.0	0.0	0.0	213.3	218.0	123.8	0.0	279.6	26.5	861.2	849.7
10/30/2020 15:00	0.0	0.0	0.0	214.7	221.5	121.6	0.0	278.3	27.9	864.0	849.4
10/30/2020 16:00	0.0	0.0	0.0	218.6	224.1	122.1	0.0	278.9	27.6	871.3	849.1
10/30/2020 17:00	0.0	0.0	0.0	216.7	215.1	126.8	0.0	279.1	35.3	873.0	848.9
10/30/2020 18:00	0.0	0.0	0.0	216.0	216.2	124.2	0.0	277.9	25.6	859.9	848.7
10/30/2020 19:00	0.0	0.0	0.0	199.4	205.7	114.7	0.0	278.4	24.9	823.1	848.4
10/30/2020 20:00	0.0	0.0	0.0	191.9	218.4	117.3	0.0	279.3	25.7	832.6	848.1
10/30/2020 21:00	0.0	0.0	0.0	190.8	219.5	113.3	0.0	279.2	27.7	830.5	847.8
10/30/2020 22:00	0.0	0.0	0.0	191.4	224.5	101.9	0.0	279.4	33.6	830.8	847.5
10/30/2020 23:00	0.0	0.0	0.0	191.8	219.9	104.9	0.0	246.5	38.6	801.7	847.1
10/31/2020 0:00	0.0	0.0	0.0	191.1	215.6	92.3	0.0	270.5	34.2	803.7	846.7
10/31/2020 1:00	0.0	0.0	0.0	205.4	217.7	90.8	0.0	280.1	29.6	823.6	846.4
10/31/2020 2:00	0.0	0.0	0.0	217.8	219.6	89.6	0.0	278.1	29.3	834.4	846.0
10/31/2020 3:00	0.0	0.0	0.0	216.1	217.5	89.8	0.0	279.6	37.5	840.5	845.7
10/31/2020 4:00	0.0	0.0	0.0	210.3	212.6	75.6	0.0	279	27.4	804.9	845.3
10/31/2020 5:00	0.0	0.0	0.0	212.9	213.3	85.4	0.0	278.6	28.4	818.6	845.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
10/31/2020 6:00	0.0	0.0	0.0	210.5	211.5	89.6	0.0	279.5	33.5	824.6	844.7
10/31/2020 7:00	0.0	0.0	0.0	210.6	201.2	86.1	0.0	280.1	25.7	803.7	844.5
10/31/2020 8:00	0.0	0.0	0.0	214.0	199.6	86.5	0.0	278.7	24.7	803.5	844.3
10/31/2020 9:00	0.0	0.0	0.0	207.3	200.1	79.4	0.0	278.7	29.2	794.7	844.0
10/31/2020 10:00	0.0	0.0	0.0	202.7	198.4	77.4	0.0	277.6	31.1	787.2	843.6
10/31/2020 11:00	0.0	0.0	0.0	203.6	197.5	82.1	0.0	281	26.2	790.4	843.4
10/31/2020 12:00	0.0	0.0	0.0	206.2	193.4	78.1	0.0	270.3	54.9	802.9	843.1
10/31/2020 13:00	0.0	0.0	0.0	200.3	183.3	76.3	0.0	279.8	35.9	775.6	842.9
10/31/2020 14:00	0.0	0.0	0.0	203.1	184.3	77.9	0.0	278.6	26.9	770.8	842.6
10/31/2020 15:00	0.0	0.0	0.0	207.2	186.2	75.6	0.0	278.8	34.2	782.0	842.4
10/31/2020 16:00	0.0	0.0	0.0	195.1	184.7	77.3	0.0	279.1	21.3	757.5	842.1
10/31/2020 17:00	0.0	0.0	0.0	199.7	187.0	84.4	0.0	278.4	30.6	780.1	841.9
10/31/2020 18:00	0.0	0.0	0.0	199.4	189.4	84.4	0.0	276.2	36.4	785.8	841.7
10/31/2020 19:00	0.0	0.0	0.0	195.5	188.5	84.6	0.0	276.6	25.7	770.9	841.5
10/31/2020 20:00	0.0	0.0	0.0	194.0	188.1	82.9	4.6	279.7	26.9	776.2	841.3
10/31/2020 21:00	0.0	0.0	0.0	193.7	188.3	83.5	4.6	279.6	29.6	779.3	841.1
10/31/2020 22:00	0.0	0.0	0.0	191.0	186.8	80.8	18.3	279.4	32.1	788.4	840.8
10/31/2020 23:00	0.0	0.0	0.0	189.6	177.9	83.1	63.4	266.5	21.9	802.4	840.6
11/1/2020 0:00	0.0	0.0	0.0	175.3	154.7	83.2	43.5	278.7	26.4	761.8	840.3
11/1/2020 1:00	0.0	0.0	0.0	174.1	151.9	86.7	30.6	279	30.9	753.2	840.0
11/1/2020 2:00	0.0	0.0	0.0	173.4	151.0	169.3	79.8	279.2	31.7	884.4	839.9
11/1/2020 3:00	0.0	0.0	0.0	167.4	145.0	328.7	3.4	276.6	24.7	945.8	839.9
11/1/2020 4:00	0.0	0.0	0.0	104.7	89.5	338.1	2.7	278.6	28.5	842.1	839.7
11/1/2020 5:00	0.0	0.0	0.0	108.3	92.1	355.7	3.3	278.7	24	862.1	839.5
11/1/2020 6:00	0.0	0.0	0.0	115.3	93.1	336.3	16.9	278.5	31.6	871.7	839.4
11/1/2020 7:00	0.0	0.0	0.0	114.6	100.1	345.9	21.4	279.3	21.5	882.8	839.4
11/1/2020 8:00	0.0	0.0	0.0	137.6	13.6	359.8	24.9	279.7	20.1	835.7	839.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/1/2020 9:00	0.0	0.0	0.0	150.3	0.0	359.7	41.8	279.2	28.8	859.8	839.4
11/1/2020 10:00	0.0	0.0	0.0	193.5	0.0	361.5	36.1	250.4	22.4	863.9	839.4
11/1/2020 11:00	0.0	0.0	0.0	202.9	0.0	380.2	37.4	275.2	25.8	921.5	839.5
11/1/2020 12:00	0.0	0.0	0.0	207.3	0.0	381.1	37.8	272.3	35.5	934.0	839.7
11/1/2020 13:00	0.0	0.0	0.0	213.9	0.0	382.6	37.0	187.2	20.2	840.9	839.7
11/1/2020 14:00	0.0	0.0	0.0	211.9	0.0	388.4	38.5	229.3	25	893.1	839.7
11/1/2020 15:00	0.0	0.0	0.0	213.5	0.0	393.3	40.3	278.3	24.2	949.6	839.8
11/1/2020 16:00	0.0	0.0	0.0	214.6	0.0	408.3	42.2	280.1	28	973.2	839.9
11/1/2020 17:00	0.0	0.0	0.0	214.5	0.0	400.6	45.2	278.6	31.1	970.0	839.9
11/1/2020 18:00	0.0	0.0	0.0	213.0	0.0	393.0	45.5	280.5	31.1	963.1	839.9
11/1/2020 19:00	0.0	0.0	0.0	216.3	0.0	384.1	36.7	280.5	17.8	935.4	839.9
11/1/2020 20:00	0.0	0.0	0.0	215.6	0.0	391.3	38.9	279.6	20.4	945.8	839.9
11/1/2020 21:00	0.0	0.0	0.0	210.9	0.0	388.5	44.9	279.8	26.1	950.2	840.0
11/1/2020 22:00	0.0	0.0	0.0	200.6	0.0	389.0	54.9	276.7	24.9	946.1	840.0
11/1/2020 23:00	0.0	0.0	0.0	211.7	0.0	386.4	55.5	279	25.9	958.5	840.0
11/2/2020 0:00	0.0	0.0	0.0	192.9	0.0	405.6	62.5	264.9	26.4	952.3	840.0
11/2/2020 1:00	0.0	0.0	0.0	202.1	0.0	415.7	64.2	274.5	22.2	978.7	839.6
11/2/2020 2:00	0.0	0.0	0.0	209.7	0.0	417.0	68.6	280.4	25.2	1000.9	839.5
11/2/2020 3:00	0.0	0.0	0.0	193.2	0.0	412.8	71.9	278.4	25.7	982.0	839.6
11/2/2020 4:00	0.0	0.0	0.0	201.3	0.0	415.4	79.1	281.5	27.8	1005.1	839.7
11/2/2020 5:00	0.0	0.0	0.0	209.0	0.0	397.9	77.9	278.6	18	981.4	839.8
11/2/2020 6:00	0.0	0.0	0.0	203.1	0.0	415.5	78.3	278.1	30.4	1005.4	839.9
11/2/2020 7:00	0.0	0.0	0.0	204.5	0.0	404.7	83.6	279.5	24.1	996.4	840.1
11/2/2020 8:00	0.0	0.0	0.0	210.7	0.0	409.8	213.9	278.3	17.7	1130.4	840.6
11/2/2020 9:00	0.0	0.0	0.0	209.4	0.0	400.3	354.3	279.2	20.4	1263.6	841.2
11/2/2020 10:00	0.0	0.0	0.0	210.1	0.0	399.1	365.9	279	27.3	1281.4	841.9
11/2/2020 11:00	0.0	0.0	0.0	215.0	0.0	400.7	374.9	279.5	28.5	1298.6	842.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/2/2020 12:00	0.0	0.0	0.0	217.2	0.0	390.1	375.2	279.2	22.2	1283.9	843.1
11/2/2020 13:00	0.0	0.0	0.0	214.2	0.0	359.1	374.2	277.8	30.7	1256.0	843.8
11/2/2020 14:00	0.0	0.0	0.0	215.8	0.0	383.9	361.8	279.8	31.9	1273.2	844.5
11/2/2020 15:00	0.0	0.0	0.0	208.7	0.0	416.4	400.8	278.8	23.1	1327.8	845.2
11/2/2020 16:00	0.0	0.0	0.0	203.7	0.0	405.2	403.3	279	28.3	1319.5	846.0
11/2/2020 17:00	0.0	0.0	0.0	204.7	0.0	383.3	357.0	279.7	26.4	1251.1	846.6
11/2/2020 18:00	0.0	0.0	0.0	213.5	0.0	309.7	278.9	277.3	30.7	1110.1	847.0
11/2/2020 19:00	0.0	0.0	0.0	206.6	0.0	184.7	123.6	279.1	17.8	811.8	847.0
11/2/2020 20:00	0.0	0.0	0.0	206.2	0.0	179.7	126.3	278.9	22.4	813.5	847.0
11/2/2020 21:00	0.0	0.0	0.0	196.4	0.0	176.9	126.1	279.1	24.7	803.2	847.0
11/2/2020 22:00	0.0	0.0	0.0	196.5	0.0	182.6	120.9	280	25.9	805.9	847.0
11/2/2020 23:00	0.0	0.0	0.0	206.0	0.0	184.6	119.5	279.2	27.2	816.5	847.0
11/3/2020 0:00	0.0	0.0	0.0	203.3	0.0	184.2	116.3	263.4	24.4	791.6	847.0
11/3/2020 1:00	0.0	0.0	0.0	200.2	0.0	188.4	117.5	281	26.5	813.6	846.9
11/3/2020 2:00	0.0	0.0	0.0	200.5	0.0	186.6	120.7	279.3	27.2	814.3	846.9
11/3/2020 3:00	0.0	0.0	0.0	200.2	0.0	187.6	122.1	279.1	27.8	816.8	846.8
11/3/2020 4:00	0.0	0.0	0.0	201.7	0.0	180.2	123.4	278.3	23.3	806.9	846.8
11/3/2020 5:00	0.0	0.0	0.0	204.7	0.0	183.3	125.6	278.9	32.4	824.9	846.8
11/3/2020 6:00	0.0	0.0	0.0	204.1	0.0	171.0	126.4	280.2	37.9	819.6	846.7
11/3/2020 7:00	0.0	0.0	0.0	196.3	0.0	181.4	122.5	280.1	22.5	802.8	846.7
11/3/2020 8:00	0.0	0.0	0.0	199.7	0.0	179.8	125.4	277.9	19.7	802.5	846.7
11/3/2020 9:00	0.0	0.0	0.0	220.7	0.0	175.4	123.8	279.5	39.5	838.9	846.7
11/3/2020 10:00	0.0	0.0	0.0	214.8	0.0	175.3	126.7	279.3	14.3	810.4	846.6
11/3/2020 11:00	0.0	0.0	0.0	211.2	0.0	182.3	119.0	278.7	24.1	815.3	846.5
11/3/2020 12:00	0.0	0.0	0.0	218.9	0.0	186.1	116.8	324.8	37.5	884.1	846.6
11/3/2020 13:00	0.0	0.0	0.0	222.2	0.0	185.4	116.4	283.7	30.8	838.5	846.5
11/3/2020 14:00	0.0	0.0	0.0	213.2	0.0	191.0	114.4	278.5	25.3	822.4	846.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/3/2020 15:00	0.0	0.0	0.0	211.7	0.0	192.9	111.9	280.2	25.2	821.9	846.4
11/3/2020 16:00	0.0	0.0	0.0	224.0	0.0	204.8	110.7	279	24.7	843.2	846.4
11/3/2020 17:00	0.0	0.0	0.0	223.8	0.0	199.4	111.1	278.8	25.8	838.9	846.3
11/3/2020 18:00	0.0	0.0	0.0	211.3	0.0	198.0	108.8	278.3	34.6	831.0	846.2
11/3/2020 19:00	0.0	0.0	0.0	209.9	0.0	193.0	110.5	282	27.9	823.3	846.2
11/3/2020 20:00	0.0	0.0	0.0	214.5	0.0	197.0	112.9	258.2	16	798.6	846.0
11/3/2020 21:00	0.0	0.0	0.0	224.8	0.0	195.5	112.8	278.9	25.3	837.3	846.0
11/3/2020 22:00	0.0	0.0	0.0	213.7	0.0	201.1	113.8	279.1	25.5	833.2	845.8
11/3/2020 23:00	0.0	0.0	0.0	208.7	0.0	197.6	116.9	282.1	25.1	830.4	845.7
11/4/2020 0:00	0.0	0.0	0.0	209.0	0.0	197.3	116.3	276.6	25.2	824.4	845.5
11/4/2020 1:00	0.0	0.0	0.0	226.1	0.0	159.8	102.1	271.4	47.2	806.6	845.4
11/4/2020 2:00	0.0	0.0	0.0	223.0	0.0	163.3	100.3	277.8	38.7	803.1	845.2
11/4/2020 3:00	0.0	0.0	0.0	210.5	0.0	173.6	97.4	279.7	27.5	788.7	845.0
11/4/2020 4:00	0.0	0.0	0.0	210.9	0.0	166.5	99.3	278.6	25.1	780.4	844.9
11/4/2020 5:00	0.0	0.0	0.0	222.8	0.0	163.0	89.5	279.4	27.1	781.8	844.7
11/4/2020 6:00	0.0	0.0	0.0	225.1	0.0	137.8	79.4	277.8	39.3	759.4	844.5
11/4/2020 7:00	0.0	0.0	0.0	225.8	0.0	141.1	75.9	278.9	28.6	750.3	844.3
11/4/2020 8:00	0.0	0.0	0.0	215.5	0.0	141.0	75.9	278.3	23	733.7	844.0
11/4/2020 9:00	0.0	0.0	0.0	212.5	0.0	154.6	81.8	290.3	20.2	759.4	843.9
11/4/2020 10:00	0.0	0.0	0.0	216.7	0.0	132.4	69.0	273.4	4.2	695.7	843.6
11/4/2020 11:00	0.0	0.0	0.0	217.2	0.0	142.3	82.9	279.3	32.1	753.8	843.4
11/4/2020 12:00	0.0	0.0	0.0	208.0	0.0	141.8	88.5	282.1	34.2	754.6	843.2
11/4/2020 13:00	0.0	0.0	0.0	209.2	0.0	143.9	82.1	343.1	26.8	805.1	843.0
11/4/2020 14:00	0.0	0.0	0.0	214.1	0.0	146.0	82.8	281.6	64.3	788.8	842.7
11/4/2020 15:00	0.0	0.0	0.0	211.9	0.0	148.2	88.9	278.3	7	734.3	842.4
11/4/2020 16:00	0.0	0.0	0.0	214.1	0.0	158.2	108.0	279.1	15.1	774.5	842.1
11/4/2020 17:00	0.0	0.0	0.0	207.9	0.0	157.3	109.3	281.2	27.7	783.4	841.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/4/2020 18:00	0.0	0.0	0.0	213.6	0.0	158.5	89.2	278.6	32.7	772.6	841.5
11/4/2020 19:00	0.0	0.0	0.0	217.1	0.0	165.2	94.9	277	20.1	774.3	841.2
11/4/2020 20:00	0.0	0.0	0.0	217.4	0.0	166.3	94.9	277.9	18.5	775.0	840.9
11/4/2020 21:00	0.0	0.0	0.0	217.4	0.0	165.0	95.4	279.6	21.8	779.2	840.6
11/4/2020 22:00	0.0	0.0	0.0	218.2	0.0	167.4	94.3	279.5	21.4	780.8	840.3
11/4/2020 23:00	0.0	0.0	0.0	225.6	0.0	177.9	102.8	279.1	23.2	808.6	840.0
11/5/2020 0:00	0.0	0.0	0.0	233.7	0.0	199.0	105.7	276.4	19.4	834.2	839.7
11/5/2020 1:00	0.0	0.0	0.0	225.7	0.0	201.1	112.6	282.8	28.3	850.5	839.5
11/5/2020 2:00	0.0	0.0	0.0	220.6	0.0	204.6	114.3	283.5	24.2	847.2	839.2
11/5/2020 3:00	0.0	0.0	0.0	228.5	0.0	208.3	121.6	277.8	20.4	856.6	839.0
11/5/2020 4:00	0.0	0.0	0.0	241.8	0.0	222.4	130.6	278.4	25.2	898.4	838.9
11/5/2020 5:00	0.0	0.0	0.0	229.4	0.0	204.6	134.2	278.7	22	868.9	838.7
11/5/2020 6:00	0.0	0.0	0.0	224.4	0.0	212.5	140.9	278	26.3	882.1	838.5
11/5/2020 7:00	0.0	0.0	0.0	228.0	0.0	199.3	136.9	278.9	15.2	858.3	838.3
11/5/2020 8:00	0.0	0.0	0.0	234.5	0.0	205.6	142.8	278.2	18.6	879.7	838.2
11/5/2020 9:00	0.0	0.0	0.0	227.6	0.0	213.5	135.9	392.8	30.8	1000.6	838.2
11/5/2020 10:00	0.0	0.0	0.0	227.4	0.0	219.6	136.7	284.4	10.4	878.5	838.1
11/5/2020 11:00	0.0	0.0	0.0	229.0	0.0	224.2	140.6	279.3	23.8	896.9	837.9
11/5/2020 12:00	0.0	0.0	0.0	239.7	0.0	230.2	147.1	277.9	23.1	918.0	837.8
11/5/2020 13:00	0.0	0.0	0.0	235.1	0.0	226.6	146.5	276.6	32.4	917.2	837.4
11/5/2020 14:00	0.0	0.0	0.0	231.8	0.0	229.1	147.7	283.5	23.7	915.8	837.1
11/5/2020 15:00	0.0	0.0	0.0	233.7	0.0	226.9	134.2	278.9	20.9	894.6	836.7
11/5/2020 16:00	0.0	0.0	0.0	177.0	0.0	235.4	137.4	279.2	21.5	850.5	836.3
11/5/2020 17:00	0.0	0.0	0.0	165.4	0.0	245.4	139.1	279	25	853.9	835.8
11/5/2020 18:00	0.0	0.0	0.0	165.9	0.0	228.9	137.2	278.9	32.8	843.7	835.4
11/5/2020 19:00	0.0	0.0	0.0	164.3	0.0	230.3	140.0	279.3	14.1	828.0	834.9
11/5/2020 20:00	0.0	0.0	0.0	167.1	0.0	234.1	134.6	279.4	18.9	834.1	834.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/5/2020 21:00	0.0	0.0	0.0	165.2	0.0	224.2	133.9	256.4	10.4	790.1	833.9
11/5/2020 22:00	0.0	0.0	0.0	164.0	0.0	231.9	146.0	278.6	11.8	832.3	833.3
11/5/2020 23:00	0.0	0.0	0.0	161.0	0.0	224.7	144.6	276.1	25.8	832.2	832.9
11/6/2020 0:00	0.0	0.0	0.0	159.1	0.0	225.7	144.5	285.3	25.4	840.0	832.5
11/6/2020 1:00	0.0	0.0	0.0	158.6	0.0	222.9	133.8	279.2	18.9	813.4	832.0
11/6/2020 2:00	0.0	0.0	0.0	156.8	0.0	222.3	130.3	282.6	16.5	808.5	831.5
11/6/2020 3:00	0.0	0.0	0.0	156.9	0.0	215.8	123.4	280.4	11.9	788.4	831.0
11/6/2020 4:00	0.0	0.0	0.0	156.3	0.0	221.8	121.3	278.2	39.7	817.3	830.6
11/6/2020 5:00	0.0	0.0	0.0	156.8	0.0	206.3	117.8	278.2	21.1	780.2	830.1
11/6/2020 6:00	0.0	0.0	0.0	158.8	0.0	212.6	118.1	430.3	39.2	959.0	829.3
11/6/2020 7:00	0.0	0.0	0.0	156.9	0.0	211.3	111.8	313.9	21.9	815.8	828.8
11/6/2020 8:00	0.0	0.0	0.0	155.3	0.0	225.9	108.5	339.5	29.3	858.5	828.4
11/6/2020 9:00	0.0	0.0	0.0	151.0	0.0	216.2	101.9	348.6	64.5	882.2	828.0
11/6/2020 10:00	0.0	0.0	0.0	148.1	0.0	219.5	103.0	348.9	30.5	850.0	827.6
11/6/2020 11:00	0.0	0.0	0.0	148.2	0.0	214.9	99.1	348.1	33.1	843.4	827.2
11/6/2020 12:00	0.0	0.0	0.0	148.8	0.0	225.4	102.8	348.2	27.5	852.7	826.8
11/6/2020 13:00	0.0	0.0	0.0	148.9	0.0	227.2	101.1	347.3	38.8	863.3	826.4
11/6/2020 14:00	0.0	0.0	0.0	149.0	0.0	226.2	101.3	351.3	25.8	853.6	826.2
11/6/2020 15:00	0.0	0.0	0.0	150.0	0.0	233.5	102.5	349.2	29.6	864.8	825.9
11/6/2020 16:00	0.0	0.0	0.0	151.0	0.0	229.2	104.1	296.4	33.5	814.2	825.5
11/6/2020 17:00	0.0	0.0	0.0	151.0	0.0	223.8	104.8	263	30.6	773.2	825.1
11/6/2020 18:00	0.0	0.0	0.0	153.2	0.0	217.2	102.8	270.2	39.5	782.9	824.8
11/6/2020 19:00	0.0	0.0	0.0	151.5	0.0	224.7	101.0	268.7	21	766.9	824.4
11/6/2020 20:00	0.0	0.0	0.0	151.4	0.0	225.7	98.7	268.4	25.6	769.8	824.1
11/6/2020 21:00	0.0	0.0	0.0	152.5	0.0	300.2	209.3	257.7	30.2	949.9	824.0
11/6/2020 22:00	0.0	0.0	0.0	152.3	0.0	407.1	374.4	257.2	27.2	1218.2	824.3
11/6/2020 23:00	0.0	0.0	0.0	152.7	0.0	414.9	368.8	270.2	32.1	1238.7	824.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/7/2020 0:00	0.0	0.0	0.0	151.9	0.0	356.7	260.3	271	31	1070.9	824.7
11/7/2020 1:00	0.0	0.0	0.0	152.4	0.0	237.1	80.3	254.7	57.9	782.4	824.4
11/7/2020 2:00	0.0	0.0	0.0	151.7	0.0	238.9	77.0	270.6	51.8	790.0	824.1
11/7/2020 3:00	0.0	0.0	0.0	153.0	0.0	245.1	77.0	269.7	57.3	802.1	823.9
11/7/2020 4:00	0.0	0.0	0.0	152.2	0.0	243.6	75.5	268.2	64.7	804.2	823.5
11/7/2020 5:00	0.0	0.0	0.0	152.1	0.0	231.7	80.6	270.7	50.1	785.2	823.3
11/7/2020 6:00	0.0	0.0	0.0	152.3	0.0	236.4	81.3	266.8	44.9	781.7	822.9
11/7/2020 7:00	0.0	0.0	0.0	155.0	0.0	227.2	78.2	268.8	27	756.2	822.6
11/7/2020 8:00	0.0	0.0	0.0	154.2	0.0	225.5	79.7	269.1	24.1	752.6	822.2
11/7/2020 9:00	0.0	0.0	0.0	153.0	0.0	233.6	72.2	270.2	33.1	762.1	821.9
11/7/2020 10:00	0.0	0.0	0.0	153.8	0.0	234.0	73.1	268.4	27	756.3	821.6
11/7/2020 11:00	0.0	0.0	0.0	154.5	0.0	233.5	71.2	269.2	12	740.4	821.3
11/7/2020 12:00	0.0	0.0	0.0	153.8	0.0	237.5	71.6	246.4	119.4	828.7	820.9
11/7/2020 13:00	0.0	0.0	0.0	153.9	0.0	235.1	69.5	268.7	164.1	891.3	820.7
11/7/2020 14:00	0.0	0.0	0.0	155.8	0.0	238.8	68.9	264.1	0	727.6	820.4
11/7/2020 15:00	0.0	0.0	0.0	155.0	0.0	239.3	65.9	267.2	0	727.4	820.0
11/7/2020 16:00	0.0	0.0	0.0	155.2	0.0	240.3	65.2	267.3	0	728.0	819.7
11/7/2020 17:00	0.0	0.0	0.0	155.1	0.0	241.0	64.4	268.2	0	728.7	819.3
11/7/2020 18:00	0.0	0.0	0.0	154.0	0.0	240.0	62.7	273.6	0	730.3	819.0
11/7/2020 19:00	0.0	0.0	0.0	154.3	0.0	241.4	67.2	269.9	0	732.8	818.7
11/7/2020 20:00	0.0	0.0	0.0	153.8	0.0	236.0	67.6	270	0	727.4	818.3
11/7/2020 21:00	0.0	0.0	0.0	153.9	0.0	241.4	67.0	270.4	0	732.7	818.0
11/7/2020 22:00	0.0	0.0	0.0	154.0	0.0	242.6	68.1	270.1	0	734.8	817.4
11/7/2020 23:00	0.0	0.0	0.0	154.3	0.0	239.4	66.1	269.4	0	729.2	816.8
11/8/2020 0:00	0.0	0.0	0.0	155.3	0.0	243.8	70.6	255.4	0	725.1	816.5
11/8/2020 1:00	0.0	0.0	0.0	155.2	0.0	239.4	70.7	270.9	0	736.2	816.2
11/8/2020 2:00	0.0	0.0	0.0	156.0	0.0	243.1	72.0	270	0	741.1	815.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/8/2020 3:00	0.0	0.0	0.0	155.4	0.0	242.6	73.6	270	0	741.6	815.5
11/8/2020 4:00	0.0	0.0	0.0	155.0	0.0	247.3	74.8	270.1	0	747.2	815.2
11/8/2020 5:00	0.0	0.0	0.0	153.5	0.0	250.0	71.5	268.2	0	743.2	814.9
11/8/2020 6:00	0.0	0.0	0.0	154.8	0.0	247.6	75.6	269.7	0	747.7	814.6
11/8/2020 7:00	0.0	0.0	0.0	154.7	0.0	261.6	80.7	269.1	0	766.1	814.3
11/8/2020 8:00	0.0	0.0	0.0	154.8	0.0	263.4	89.4	269.5	0	777.1	814.1
11/8/2020 9:00	0.0	0.0	0.0	152.9	0.0	270.9	92.4	270.1	0	786.3	813.7
11/8/2020 10:00	0.0	0.0	0.0	152.6	0.0	263.8	82.0	267.9	0	766.3	813.4
11/8/2020 11:00	0.0	0.0	0.0	152.4	0.0	269.4	63.7	267.5	0	753.0	813.1
11/8/2020 12:00	0.0	0.0	0.0	151.2	0.0	275.1	46.4	270.1	0	742.8	812.7
11/8/2020 13:00	0.0	0.0	0.0	151.2	0.0	264.8	50.1	287.9	0	754.0	812.4
11/8/2020 14:00	0.0	0.0	0.0	149.1	0.0	260.3	55.0	270.9	0	735.3	812.0
11/8/2020 15:00	0.0	0.0	0.0	148.6	0.0	263.2	52.9	270.2	0	734.9	811.7
11/8/2020 16:00	0.0	0.0	0.0	149.2	0.0	264.2	55.2	270.7	0	739.3	811.4
11/8/2020 17:00	0.0	0.0	0.0	145.7	0.0	269.8	54.3	268.7	0	738.5	811.0
11/8/2020 18:00	0.0	0.0	0.0	147.9	0.0	269.3	53.2	266.4	0	736.8	810.7
11/8/2020 19:00	0.0	0.0	0.0	147.9	0.0	271.3	54.2	270.9	0	744.3	810.4
11/8/2020 20:00	0.0	0.0	0.0	147.1	0.0	267.2	54.3	270	0	738.6	810.1
11/8/2020 21:00	0.0	0.0	0.0	147.3	0.0	266.4	54.1	270.7	0	738.5	809.8
11/8/2020 22:00	0.0	0.0	0.0	145.8	0.0	267.5	54.1	269.2	0	736.6	809.5
11/8/2020 23:00	0.0	0.0	0.0	146.4	0.0	257.8	57.0	269.8	0	731.0	809.2
11/9/2020 0:00	0.0	0.0	0.0	147.0	0.0	259.0	55.3	282.9	0	744.2	808.9
11/9/2020 1:00	0.0	0.0	0.0	146.5	0.0	257.4	53.4	265.4	0	722.7	808.5
11/9/2020 2:00	0.0	0.0	0.0	146.4	0.0	257.1	54.2	267.8	0	725.5	808.2
11/9/2020 3:00	0.0	0.0	0.0	145.6	0.0	264.0	52.6	270.6	0	732.8	807.8
11/9/2020 4:00	0.0	0.0	0.0	145.8	0.0	257.5	52.4	269.1	0	724.8	807.5
11/9/2020 5:00	0.0	0.0	0.0	143.5	0.0	251.7	48.2	267.7	0	711.1	807.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/9/2020 6:00	0.0	0.0	0.0	145.8	0.0	243.9	53.1	269.9	0	712.7	806.8
11/9/2020 7:00	0.0	0.0	0.0	146.0	0.0	255.7	53.4	279.8	0	734.9	806.6
11/9/2020 8:00	0.0	0.0	0.0	144.9	0.0	249.2	53.4	278.5	0	726.0	806.5
11/9/2020 9:00	0.0	0.0	0.0	145.5	0.0	249.1	53.4	255.5	0	703.5	806.2
11/9/2020 10:00	0.0	0.0	0.0	145.6	0.0	267.6	53.4	283.5	0	750.1	806.1
11/9/2020 11:00	0.0	0.0	0.0	144.7	0.0	272.3	56.8	275.7	0	749.5	806.0
11/9/2020 12:00	0.0	0.0	0.0	143.4	0.0	278.2	56.4	276.8	0	754.8	806.1
11/9/2020 13:00	0.0	0.0	0.0	145.0	0.0	416.5	255.1	275.1	0	1091.7	806.6
11/9/2020 14:00	0.0	0.0	0.0	147.6	0.0	423.4	317.2	281.7	0	1169.9	807.3
11/9/2020 15:00	0.0	0.0	0.0	226.9	0.0	286.5	89.4	280.8	0	883.6	807.7
11/9/2020 16:00	0.0	0.0	0.0	230.0	0.0	334.2	6.6	279.6	0	850.4	808.0
11/9/2020 17:00	0.0	0.0	0.0	217.5	0.0	85.8	0.0	276.9	0	580.2	807.9
11/9/2020 18:00	0.0	0.0	0.0	224.3	0.0	97.1	0.0	279.2	0	600.6	807.8
11/9/2020 19:00	0.0	0.0	0.0	226.3	0.0	90.2	0.0	278.9	0	595.4	807.8
11/9/2020 20:00	0.0	0.0	0.0	225.0	0.0	90.0	0.0	281.4	0	596.4	807.7
11/9/2020 21:00	0.0	0.0	0.0	223.8	0.0	93.8	0.0	279.3	0	596.9	807.7
11/9/2020 22:00	0.0	0.0	0.0	224.3	0.0	93.3	0.0	279.3	0	596.9	807.6
11/9/2020 23:00	0.0	0.0	0.0	228.5	0.0	123.1	0.0	280.5	0	632.1	807.6
11/10/2020 0:00	0.0	0.0	0.0	228.9	0.0	132.4	0.0	264	0	625.3	807.6
11/10/2020 1:00	0.0	0.0	0.0	226.9	0.0	134.5	0.0	277.1	0	638.5	807.6
11/10/2020 2:00	0.0	0.0	0.0	229.9	0.0	123.3	0.0	278.7	0	631.9	807.6
11/10/2020 3:00	0.0	0.0	0.0	228.8	0.0	121.3	0.0	280.5	0	630.6	807.5
11/10/2020 4:00	0.0	0.0	0.0	228.7	0.0	131.3	0.0	280.1	0	640.1	807.6
11/10/2020 5:00	0.0	0.0	0.0	227.2	0.0	146.4	0.0	279.3	0	652.9	807.6
11/10/2020 6:00	0.0	0.0	0.0	227.3	0.0	149.6	0.0	281.4	0	658.3	807.4
11/10/2020 7:00	0.0	0.0	0.0	227.0	0.0	164.2	0.0	280	0	671.2	807.1
11/10/2020 8:00	0.0	0.0	0.0	227.2	0.0	145.0	0.0	278.5	0	650.7	807.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/10/2020 9:00	0.0	0.0	0.0	228.7	0.0	138.1	0.0	278.9	0	645.7	807.3
11/10/2020 10:00	0.0	0.0	0.0	227.7	0.0	128.5	0.0	265.7	0	621.9	807.2
11/10/2020 11:00	0.0	0.0	0.0	228.3	0.0	149.2	0.0	280.1	0	657.6	807.2
11/10/2020 12:00	0.0	0.0	0.0	226.2	0.0	134.8	0.0	297	0	658.0	807.3
11/10/2020 13:00	0.0	0.0	0.0	224.3	0.0	138.7	0.0	278.5	0	641.5	807.3
11/10/2020 14:00	0.0	0.0	0.0	225.9	0.0	149.7	0.0	282.6	0	658.2	807.3
11/10/2020 15:00	0.0	0.0	0.0	225.8	0.0	136.9	0.0	277.4	0	640.1	807.4
11/10/2020 16:00	0.0	0.0	0.0	226.9	0.0	138.7	0.0	279.2	0	644.8	807.4
11/10/2020 17:00	0.0	0.0	0.0	230.1	0.0	139.7	0.0	279.4	0	649.2	807.4
11/10/2020 18:00	0.0	0.0	0.0	226.0	0.0	145.6	0.0	275.9	0	647.5	807.4
11/10/2020 19:00	0.0	0.0	0.0	233.5	0.0	135.4	0.0	279.4	0	648.3	807.5
11/10/2020 20:00	0.0	0.0	0.0	233.3	0.0	128.7	0.0	280	0	642.0	807.6
11/10/2020 21:00	0.0	0.0	0.0	228.1	0.0	142.0	0.0	278.6	0	648.7	807.6
11/10/2020 22:00	0.0	0.0	0.0	233.7	0.0	156.7	0.0	282.5	0	672.9	807.6
11/10/2020 23:00	0.0	0.0	0.0	236.1	0.0	156.1	0.0	277.2	0	669.4	807.7
11/11/2020 0:00	0.0	0.0	0.0	236.1	0.0	142.4	0.0	245.3	0	623.8	807.7
11/11/2020 1:00	0.0	0.0	0.0	235.4	0.0	146.9	0.0	279.4	0	661.7	807.7
11/11/2020 2:00	0.0	0.0	0.0	236.4	0.0	160.7	0.0	276.7	0	673.8	807.7
11/11/2020 3:00	0.0	0.0	0.0	234.3	0.0	160.3	0.0	281.7	0	676.3	807.8
11/11/2020 4:00	0.0	0.0	0.0	237.3	0.0	167.0	0.0	277.1	0	681.4	807.9
11/11/2020 5:00	0.0	0.0	0.0	234.9	0.0	141.9	0.0	277.7	0	654.5	807.9
11/11/2020 6:00	0.0	0.0	0.0	236.5	0.0	131.9	0.0	280.8	0	649.2	807.9
11/11/2020 7:00	0.0	0.0	0.0	232.3	0.0	95.5	0.0	271.6	0	599.4	807.9
11/11/2020 8:00	0.0	0.0	0.0	230.2	0.0	88.6	0.0	283.5	0	602.3	807.8
11/11/2020 9:00	0.0	0.0	0.0	234.4	0.0	84.6	0.0	266.6	0	585.6	807.6
11/11/2020 10:00	0.0	0.0	0.0	232.6	0.0	82.1	0.0	279.2	0	593.9	807.4
11/11/2020 11:00	0.0	0.0	0.0	234.2	0.0	79.5	0.0	276.7	0	590.4	807.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/11/2020 12:00	0.0	0.0	0.0	230.8	0.0	118.5	0.0	282.9	0	632.2	807.2
11/11/2020 13:00	0.0	0.0	0.0	235.3	0.0	130.1	0.0	301.2	0	666.6	807.3
11/11/2020 14:00	0.0	0.0	0.0	231.0	0.0	124.7	0.0	277.6	0	633.3	807.4
11/11/2020 15:00	0.0	0.0	0.0	230.7	0.0	130.0	0.0	277.4	0	638.1	807.4
11/11/2020 16:00	0.0	0.0	0.0	235.0	0.0	140.0	0.0	278	0	653.0	807.5
11/11/2020 17:00	0.0	0.0	0.0	233.0	17.8	141.7	0.0	280.1	0	672.6	807.6
11/11/2020 18:00	0.0	0.0	0.0	236.2	98.8	132.4	0.0	278.3	0	745.7	807.8
11/11/2020 19:00	0.0	0.0	0.0	236.1	99.1	144.3	0.0	280	0	759.5	808.0
11/11/2020 20:00	0.0	0.0	0.0	237.5	105.0	153.9	0.0	279.7	0	776.1	808.1
11/11/2020 21:00	0.0	0.0	0.0	233.8	200.5	158.7	0.0	279.2	0	872.2	808.3
11/11/2020 22:00	0.0	0.0	0.0	237.8	216.2	148.2	0.0	279	0	881.2	808.6
11/11/2020 23:00	0.0	0.0	0.0	236.0	218.6	168.3	0.0	281.4	0	904.3	808.8
11/12/2020 0:00	0.0	0.0	0.0	237.4	220.3	167.0	0.0	271.6	0	896.3	809.0
11/12/2020 1:00	0.0	0.0	0.0	235.5	219.8	173.9	0.0	277.9	0	907.1	809.1
11/12/2020 2:00	0.0	0.0	0.0	233.5	217.4	166.6	0.0	278.7	0	896.2	809.2
11/12/2020 3:00	0.0	0.0	0.0	235.8	216.8	169.4	0.0	279.8	0	901.8	809.3
11/12/2020 4:00	0.0	0.0	0.0	233.6	216.3	155.3	0.0	285	0	890.2	809.4
11/12/2020 5:00	0.0	0.0	0.0	234.4	217.2	150.7	0.0	276.9	0	879.2	809.5
11/12/2020 6:00	0.0	0.0	0.0	235.3	219.2	144.1	0.0	277.3	0	875.9	809.6
11/12/2020 7:00	0.0	0.0	0.0	236.5	220.0	143.7	0.0	281.1	0	881.3	809.5
11/12/2020 8:00	0.0	0.0	0.0	224.6	217.3	132.4	0.0	283	0	857.3	809.6
11/12/2020 9:00	0.0	0.0	0.0	226.1	218.2	124.0	0.0	316.9	0	885.2	809.6
11/12/2020 10:00	0.0	0.0	0.0	223.2	218.3	131.9	0.0	281.3	0	854.7	809.6
11/12/2020 11:00	0.0	0.0	0.0	221.2	214.9	166.2	0.0	278.4	0	880.7	809.6
11/12/2020 12:00	0.0	0.0	0.0	219.7	214.2	154.2	0.0	277.1	0	865.2	809.7
11/12/2020 13:00	0.0	0.0	0.0	224.0	214.6	143.6	0.0	279	0	861.2	809.7
11/12/2020 14:00	0.0	0.0	0.0	225.1	214.5	159.1	0.0	279.1	0	877.8	809.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/12/2020 15:00	0.0	0.0	0.0	214.2	216.0	157.8	0.0	279.6	0	867.6	809.8
11/12/2020 16:00	0.0	0.0	0.0	215.5	213.3	166.8	0.0	277.8	0	873.4	809.9
11/12/2020 17:00	0.0	0.0	0.0	217.0	212.5	178.1	0.0	281.4	0	889.0	810.1
11/12/2020 18:00	0.0	0.0	0.0	225.8	212.4	144.7	0.0	277.4	0	860.3	810.1
11/12/2020 19:00	0.0	0.0	0.0	218.2	209.7	139.9	0.0	279.2	0	847.0	810.1
11/12/2020 20:00	0.0	0.0	0.0	213.2	207.0	136.3	0.0	278.3	0	834.8	810.1
11/12/2020 21:00	0.0	0.0	0.0	213.4	206.8	144.6	0.0	267.9	0	832.7	810.1
11/12/2020 22:00	0.0	0.0	0.0	193.2	207.7	165.5	0.0	279.8	0	846.2	810.0
11/12/2020 23:00	0.0	0.0	0.0	192.0	210.7	152.2	0.0	280.1	0	835.0	810.0
11/13/2020 0:00	0.0	0.0	0.0	212.8	206.9	159.6	0.0	280.1	0	859.4	810.0
11/13/2020 1:00	0.0	0.0	0.0	212.3	206.6	156.2	0.0	277.9	0	853.0	809.9
11/13/2020 2:00	0.0	0.0	0.0	207.7	206.9	269.8	0.0	279.4	0	963.8	810.1
11/13/2020 3:00	0.0	0.0	0.0	211.4	207.7	235.6	0.0	279.3	0	934.0	810.2
11/13/2020 4:00	0.0	0.0	0.0	207.2	208.1	165.5	0.0	278.3	0	859.1	810.2
11/13/2020 5:00	0.0	0.0	0.0	207.4	209.1	147.6	0.0	278	0	842.1	810.2
11/13/2020 6:00	0.0	0.0	0.0	204.1	209.2	148.2	0.0	279	0	840.5	810.3
11/13/2020 7:00	0.0	0.0	0.0	206.0	210.1	165.2	0.0	279.3	0	860.6	810.3
11/13/2020 8:00	0.0	0.0	0.0	202.3	209.5	141.1	0.0	279.7	0	832.6	810.4
11/13/2020 9:00	0.0	0.0	0.0	208.8	211.0	104.3	0.0	328.8	0	852.9	810.5
11/13/2020 10:00	0.0	0.0	0.0	213.6	209.8	98.9	0.0	276.8	0	799.1	810.5
11/13/2020 11:00	0.0	0.0	0.0	205.2	205.9	141.2	0.0	279.6	0	831.9	810.4
11/13/2020 12:00	0.0	0.0	0.0	210.9	202.6	145.4	0.0	276.2	0	835.1	810.3
11/13/2020 13:00	0.0	0.0	0.0	207.0	200.9	149.8	0.0	280.6	0	838.3	810.2
11/13/2020 14:00	0.0	0.0	0.0	204.1	201.5	132.7	0.0	279.4	0	817.7	810.1
11/13/2020 15:00	0.0	0.0	0.0	203.3	200.4	160.8	0.0	278.7	0	843.2	810.0
11/13/2020 16:00	0.0	0.0	0.0	200.9	199.2	148.7	0.0	278.3	0	827.1	809.9
11/13/2020 17:00	0.0	0.0	0.0	205.3	197.5	149.7	0.0	279.1	0	831.6	809.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/13/2020 18:00	0.0	0.0	0.0	205.8	194.9	161.0	0.0	282.3	0	844.0	809.7
11/13/2020 19:00	0.0	0.0	0.0	202.4	194.9	161.2	0.0	277.7	0	836.2	809.6
11/13/2020 20:00	0.0	0.0	0.0	203.9	196.9	137.2	0.0	274.8	0	812.8	809.5
11/13/2020 21:00	0.0	0.0	0.0	200.3	199.6	140.8	145.7	277	0	963.4	809.5
11/13/2020 22:00	0.0	0.0	0.0	202.3	199.9	131.7	145.7	278.4	0	958.0	809.6
11/13/2020 23:00	0.0	0.0	0.0	202.4	200.4	147.1	145.7	279.5	0	975.1	809.6
11/14/2020 0:00	0.0	0.0	0.0	207.5	200.2	166.3	41.4	276.2	0	891.6	809.6
11/14/2020 1:00	0.0	0.0	0.0	209.5	199.1	144.2	73.6	280.9	0	907.3	809.5
11/14/2020 2:00	0.0	0.0	0.0	213.6	199.6	126.8	89.3	279.8	0	909.1	809.5
11/14/2020 3:00	0.0	0.0	0.0	210.6	196.1	146.7	87.3	278.5	0	919.2	809.5
11/14/2020 4:00	0.0	0.0	0.0	209.1	197.9	125.7	86.4	278	0	897.1	809.5
11/14/2020 5:00	0.0	0.0	0.0	214.0	197.1	145.8	69.3	279.4	0	905.6	809.4
11/14/2020 6:00	0.0	0.0	0.0	209.3	195.1	131.9	99.9	278.2	0	914.4	809.3
11/14/2020 7:00	0.0	0.0	0.0	205.0	197.0	135.7	139.8	280	0	957.5	809.4
11/14/2020 8:00	0.0	0.0	0.0	201.2	194.8	117.0	193.2	278.5	0	984.7	809.5
11/14/2020 9:00	0.0	0.0	0.0	201.7	193.2	92.8	230.7	317.3	0	1035.7	809.7
11/14/2020 10:00	0.0	0.0	0.0	206.2	191.2	108.0	287.4	279.5	0	1072.3	810.0
11/14/2020 11:00	0.0	0.0	0.0	208.3	198.7	200.1	156.1	276.8	0	1040.0	809.9
11/14/2020 12:00	0.0	0.0	0.0	216.4	198.7	156.7	91.5	281.9	0	945.2	809.8
11/14/2020 13:00	0.0	0.0	0.0	212.9	202.7	158.8	100.1	277.6	0	952.1	809.9
11/14/2020 14:00	0.0	0.0	0.0	218.7	200.0	143.6	113.0	278.4	0	953.7	810.0
11/14/2020 15:00	0.0	0.0	0.0	216.6	198.2	144.8	124.8	278.6	0	963.0	810.1
11/14/2020 16:00	0.0	0.0	0.0	215.3	199.1	159.2	130.5	279.3	0	983.4	810.3
11/14/2020 17:00	0.0	0.0	0.0	211.8	195.9	158.1	135.1	276.9	0	977.8	810.4
11/14/2020 18:00	0.0	0.0	0.0	217.1	204.0	153.6	127.2	279.5	0	981.4	810.5
11/14/2020 19:00	0.0	0.0	0.0	220.3	203.4	152.3	135.6	278.3	0	989.9	810.7
11/14/2020 20:00	0.0	0.0	0.0	218.3	206.5	137.9	127.9	257	0	947.6	810.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/14/2020 21:00	0.0	0.0	0.0	218.7	206.2	136.6	116.8	277.8	0	956.1	810.9
11/14/2020 22:00	0.0	0.0	0.0	219.6	207.7	142.6	131.1	280.9	0	981.9	811.0
11/14/2020 23:00	0.0	0.0	0.0	223.6	209.3	138.1	118.1	276.9	0	966.0	811.1
11/15/2020 0:00	0.0	0.0	0.0	222.9	207.2	146.7	130.3	272.6	0	979.7	811.2
11/15/2020 1:00	0.0	0.0	0.0	222.7	197.4	139.8	124.3	278.2	0	962.4	811.2
11/15/2020 2:00	0.0	0.0	0.0	221.9	199.9	139.1	125.3	283.5	0	969.7	811.2
11/15/2020 3:00	0.0	0.0	0.0	221.1	206.7	139.2	122.5	278.8	0	968.3	811.2
11/15/2020 4:00	0.0	0.0	0.0	220.6	205.9	151.4	130.9	278.6	0	987.4	811.2
11/15/2020 5:00	0.0	0.0	0.0	220.0	204.5	150.9	134.2	279.2	0	988.8	811.2
11/15/2020 6:00	0.0	0.0	0.0	216.0	206.2	141.1	129.4	278.5	0	971.2	811.2
11/15/2020 7:00	0.0	0.0	0.0	221.4	199.7	138.0	112.5	279.8	0	951.4	811.2
11/15/2020 8:00	0.0	0.0	0.0	220.8	198.3	143.8	86.9	286	0	935.8	811.2
11/15/2020 9:00	0.0	0.0	0.0	210.4	199.3	172.4	95.2	312.2	0	989.5	811.2
11/15/2020 10:00	0.0	0.0	0.0	213.8	199.5	179.8	109.7	279.2	0	982.0	811.2
11/15/2020 11:00	0.0	0.0	0.0	210.5	198.4	176.2	108.6	278	0	971.7	811.3
11/15/2020 12:00	0.0	0.0	0.0	208.1	201.6	178.7	103.7	279.9	0	972.0	811.2
11/15/2020 13:00	0.0	0.0	0.0	217.6	202.6	177.2	107.8	278.6	0	983.8	811.1
11/15/2020 14:00	0.0	0.0	0.0	216.5	211.0	170.9	100.6	280	0	979.0	811.0
11/15/2020 15:00	0.0	0.0	0.0	214.2	211.1	170.3	103.6	279.6	0	978.8	810.9
11/15/2020 16:00	0.0	0.0	0.0	222.8	202.8	165.8	105.0	278	0	974.4	810.8
11/15/2020 17:00	0.0	0.0	0.0	223.7	199.7	172.4	110.7	279.1	0	985.6	810.8
11/15/2020 18:00	0.0	0.0	0.0	219.7	200.5	172.2	106.4	278.3	0	977.1	810.7
11/15/2020 19:00	0.0	0.0	0.0	222.6	203.5	169.2	110.9	282.2	0	988.4	810.6
11/15/2020 20:00	0.0	0.0	0.0	221.6	203.1	179.9	115.5	271.7	0	991.8	810.6
11/15/2020 21:00	0.0	0.0	0.0	224.2	205.9	180.3	114.7	279.2	0	1004.3	810.6
11/15/2020 22:00	0.0	0.0	0.0	225.5	206.3	184.8	121.3	281.9	0	1019.8	810.5
11/15/2020 23:00	0.0	0.0	0.0	221.9	209.4	173.3	106.9	277.1	0	988.6	810.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/16/2020 0:00	0.0	0.0	0.0	221.5	209.0	177.7	107.6	280.6	0	996.4	810.4
11/16/2020 1:00	0.0	0.0	0.0	221.1	212.3	178.2	112.2	278.3	0	1002.1	810.3
11/16/2020 2:00	0.0	0.0	0.0	220.1	208.8	181.4	112.4	279.2	0	1001.9	809.9
11/16/2020 3:00	0.0	0.0	0.0	226.2	206.6	189.0	115.5	279.6	0	1016.9	809.2
11/16/2020 4:00	0.0	0.0	0.0	226.0	206.4	181.8	116.3	278.5	0	1009.0	808.8
11/16/2020 5:00	0.0	0.0	0.0	225.6	203.9	173.6	122.0	278.8	0	1003.9	808.3
11/16/2020 6:00	0.0	0.0	0.0	220.3	203.2	174.0	119.0	277.2	0	993.7	807.9
11/16/2020 7:00	0.0	0.0	0.0	216.3	203.5	170.5	113.9	280.1	0	984.3	807.6
11/16/2020 8:00	0.0	0.0	0.0	218.9	194.9	167.2	114.9	277.8	0	973.7	807.5
11/16/2020 9:00	0.0	0.0	0.0	228.3	213.6	160.4	106.4	277.7	0	986.4	807.6
11/16/2020 10:00	0.0	0.0	0.0	225.3	212.1	160.8	111.2	313.3	0	1022.7	807.7
11/16/2020 11:00	0.0	0.0	0.0	226.1	213.2	183.1	111.5	211.4	0	945.3	807.8
11/16/2020 12:00	0.0	0.0	0.0	225.8	214.2	197.4	163.5	208.9	0	1009.8	807.9
11/16/2020 13:00	0.0	0.0	0.0	227.7	215.7	192.7	159.3	208.3	0	1003.7	808.0
11/16/2020 14:00	0.0	0.0	0.0	225.9	214.1	176.2	157.1	208.3	0	981.6	808.2
11/16/2020 15:00	0.0	0.0	0.0	151.7	216.0	182.7	182.6	208.4	0	941.4	808.2
11/16/2020 16:00	0.0	0.0	0.0	141.6	218.3	172.8	161.6	213	0	907.3	808.3
11/16/2020 17:00	0.0	0.0	0.0	142.5	215.4	177.2	166.0	207.6	0	908.7	808.4
11/16/2020 18:00	0.0	0.0	0.0	142.0	215.2	176.0	178.1	207.4	0	918.7	808.7
11/16/2020 19:00	0.0	0.0	0.0	141.2	214.9	181.8	177.9	211.4	0	927.2	809.0
11/16/2020 20:00	0.0	0.0	0.0	140.7	215.1	153.0	153.7	209.5	0	872.0	809.3
11/16/2020 21:00	0.0	0.0	0.0	140.4	215.4	171.2	165.5	215.3	0	907.8	809.5
11/16/2020 22:00	0.0	0.0	0.0	140.4	218.0	168.7	160.1	211.6	0	898.8	809.8
11/16/2020 23:00	0.0	0.0	0.0	140.7	223.0	173.8	162.6	208.3	0	908.4	810.0
11/17/2020 0:00	0.0	0.0	0.0	141.3	217.8	173.1	167.8	213.6	0	913.6	810.3
11/17/2020 1:00	0.0	0.0	0.0	140.7	218.2	186.7	182.1	208	0	935.7	810.6
11/17/2020 2:00	0.0	0.0	0.0	140.6	215.3	177.8	176.0	209.2	0	918.9	810.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/17/2020 3:00	0.0	0.0	0.0	140.6	215.1	177.8	169.0	210	0	912.5	811.1
11/17/2020 4:00	0.0	0.0	0.0	140.7	213.4	171.9	167.6	207.3	0	900.9	811.3
11/17/2020 5:00	0.0	0.0	0.0	138.5	213.0	181.1	175.6	209.6	0	917.8	811.5
11/17/2020 6:00	0.0	0.0	0.0	139.8	214.1	214.6	177.8	203.5	0	949.8	811.8
11/17/2020 7:00	0.0	0.0	0.0	139.7	213.3	343.5	366.9	211.2	0	1274.6	812.5
11/17/2020 8:00	0.0	0.0	0.0	140.1	210.5	220.1	221.4	208.2	0	1000.3	812.7
11/17/2020 9:00	0.0	0.0	0.0	139.1	201.5	165.1	157.4	207.7	0	870.8	812.9
11/17/2020 10:00	0.0	0.0	0.0	139.3	204.8	183.2	163.7	210.2	0	901.2	813.2
11/17/2020 11:00	0.0	0.0	0.0	140.1	210.7	179.2	161.7	207.1	0	898.8	813.4
11/17/2020 12:00	0.0	0.0	0.0	139.2	211.5	164.9	139.3	228.5	0	883.4	813.6
11/17/2020 13:00	0.0	0.0	0.0	139.7	211.0	149.4	131.8	210.7	0	842.6	813.8
11/17/2020 14:00	0.0	0.0	0.0	139.8	209.7	149.1	124.3	208.5	0	831.4	813.9
11/17/2020 15:00	0.0	0.0	0.0	140.1	211.8	157.9	137.7	209.7	0	857.2	814.1
11/17/2020 16:00	0.0	0.0	0.0	140.7	212.1	163.9	150.6	209.3	0	876.6	814.1
11/17/2020 17:00	0.0	0.0	0.0	140.2	213.7	169.4	154.0	208.6	0	885.9	814.3
11/17/2020 18:00	0.0	0.0	0.0	141.5	212.5	181.6	170.4	206.2	0	912.2	814.5
11/17/2020 19:00	0.0	0.0	0.0	140.6	215.2	184.5	169.9	232.2	0	942.4	814.8
11/17/2020 20:00	0.0	0.0	0.0	140.7	213.7	189.8	187.1	257.4	0	988.7	815.2
11/17/2020 21:00	0.0	0.0	0.0	140.5	213.7	186.6	178.5	271.4	0	990.7	815.6
11/17/2020 22:00	0.0	0.0	0.0	140.4	213.4	192.1	181.6	274.2	0	1001.7	816.0
11/17/2020 23:00	0.0	0.0	0.0	140.8	215.2	189.4	177.8	271.2	0	994.4	816.3
11/18/2020 0:00	0.0	0.0	0.0	139.4	216.1	190.7	177.7	271	0	994.9	816.7
11/18/2020 1:00	0.0	0.0	0.0	138.8	216.9	188.4	183.3	276.8	0	1004.2	817.1
11/18/2020 2:00	0.0	0.0	0.0	139.3	215.4	190.1	187.5	279	0	1011.3	817.5
11/18/2020 3:00	0.0	0.0	0.0	138.6	216.0	188.2	191.8	278.5	0	1013.1	817.9
11/18/2020 4:00	0.0	0.0	0.0	139.6	214.0	182.7	182.8	280.7	0	999.8	818.3
11/18/2020 5:00	0.0	0.0	0.0	138.7	210.6	174.0	184.9	279.5	0	987.7	818.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/18/2020 6:00	0.0	0.0	0.0	140.1	185.4	181.3	173.4	275.5	0	955.7	819.1
11/18/2020 7:00	0.0	0.0	0.0	139.8	197.6	183.9	183.0	269.4	0	973.7	819.5
11/18/2020 8:00	0.0	0.0	0.0	139.3	182.2	166.3	172.1	278.3	0	938.2	819.8
11/18/2020 9:00	0.0	0.0	0.0	139.5	183.9	174.5	175.6	278.9	0	952.4	820.2
11/18/2020 10:00	0.0	0.0	0.0	140.0	183.5	181.4	180.1	277.9	0	962.9	820.5
11/18/2020 11:00	0.0	0.0	0.0	139.6	182.3	180.9	170.0	280.4	0	953.2	820.8
11/18/2020 12:00	0.0	0.0	0.0	139.5	191.8	164.2	157.8	281.8	0	935.1	821.0
11/18/2020 13:00	0.0	0.0	0.0	140.2	215.2	158.3	157.0	293.4	0	964.1	821.4
11/18/2020 14:00	0.0	0.0	0.0	139.8	217.0	162.5	152.6	281.8	0	953.7	821.6
11/18/2020 15:00	0.0	0.0	0.0	141.0	216.0	168.2	148.5	277.1	0	950.8	821.8
11/18/2020 16:00	0.0	0.0	0.0	140.2	217.7	169.9	145.0	278.3	0	951.1	821.9
11/18/2020 17:00	0.0	0.0	0.0	139.8	216.6	170.1	142.9	279.9	0	949.3	822.3
11/18/2020 18:00	0.0	0.0	0.0	140.8	215.7	164.9	140.4	281.7	0	943.5	822.5
11/18/2020 19:00	0.0	0.0	0.0	139.8	215.2	165.1	141.4	275.9	0	937.4	822.8
11/18/2020 20:00	0.0	0.0	0.0	139.6	215.2	155.8	142.1	280.2	0	932.9	823.1
11/18/2020 21:00	0.0	0.0	0.0	140.5	215.7	156.2	138.5	281.2	0	932.1	823.4
11/18/2020 22:00	0.0	0.0	0.0	139.7	214.8	159.9	139.2	277.5	0	931.1	823.7
11/18/2020 23:00	0.0	0.0	0.0	140.3	214.8	154.1	154.6	280.8	0	944.6	823.9
11/19/2020 0:00	0.0	0.0	0.0	140.5	214.7	158.4	169.9	277.5	0	961.0	824.2
11/19/2020 1:00	0.0	0.0	0.0	140.3	215.5	162.6	177.8	279.2	0	975.4	824.6
11/19/2020 2:00	0.0	0.0	0.0	140.0	215.8	157.5	174.0	279.8	0	967.1	824.9
11/19/2020 3:00	0.0	0.0	0.0	140.8	219.2	156.7	170.5	278.9	0	966.1	825.3
11/19/2020 4:00	0.0	0.0	0.0	139.9	221.8	152.8	169.8	279.2	0	963.5	825.6
11/19/2020 5:00	0.0	0.0	0.0	140.6	217.7	148.1	173.0	277.8	0	957.2	825.9
11/19/2020 6:00	0.0	0.0	0.0	140.6	215.2	156.1	161.1	278.5	0	951.5	826.2
11/19/2020 7:00	0.0	0.0	0.0	141.4	215.3	173.9	171.1	281.3	0	983.0	826.5
11/19/2020 8:00	0.0	0.0	0.0	140.1	213.6	190.9	185.0	276.2	0	1005.8	826.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/19/2020 9:00	0.0	0.0	0.0	139.6	213.2	182.9	179.9	281.1	0	996.7	827.3
11/19/2020 10:00	0.0	0.0	0.0	139.9	211.0	190.5	181.8	279	0	1002.2	827.6
11/19/2020 11:00	0.0	0.0	0.0	140.5	208.6	158.0	156.4	278.5	0	942.0	827.9
11/19/2020 12:00	0.0	0.0	0.0	140.0	209.0	157.6	144.8	288.4	0	939.8	828.2
11/19/2020 13:00	0.0	0.0	0.0	140.0	210.8	155.2	148.8	279.7	0	934.5	828.5
11/19/2020 14:00	0.0	0.0	0.0	139.5	212.3	153.9	152.8	277.9	0	936.4	828.8
11/19/2020 15:00	0.0	0.0	0.0	138.9	211.3	158.7	144.2	279.9	0	933.0	829.1
11/19/2020 16:00	0.0	0.0	0.0	139.1	209.8	158.7	142.2	278	0	927.8	829.3
11/19/2020 17:00	0.0	0.0	0.0	139.1	210.4	153.7	138.7	278.4	0	920.3	829.5
11/19/2020 18:00	0.0	0.0	0.0	140.9	211.6	150.0	137.7	277.9	0	918.1	829.4
11/19/2020 19:00	0.0	0.0	0.0	140.5	212.1	144.6	142.6	278.8	0	918.6	829.6
11/19/2020 20:00	0.0	0.0	0.0	140.7	212.0	147.6	151.7	278.7	0	930.7	829.9
11/19/2020 21:00	0.0	0.0	0.0	141.0	208.2	146.1	146.7	280.4	0	922.4	830.1
11/19/2020 22:00	0.0	0.0	0.0	140.7	204.2	147.8	145.2	279.7	0	917.6	830.4
11/19/2020 23:00	0.0	0.0	0.0	139.7	204.4	145.8	136.3	280.6	0	906.8	830.6
11/20/2020 0:00	0.0	0.0	0.0	139.4	201.3	145.4	136.5	278.8	0	901.4	830.8
11/20/2020 1:00	0.0	0.0	0.0	139.2	201.0	145.8	137.4	280.3	0	903.7	831.0
11/20/2020 2:00	0.0	0.0	0.0	139.3	199.9	143.3	130.9	278.2	0	891.6	831.2
11/20/2020 3:00	0.0	0.0	0.0	138.9	200.3	148.0	133.5	279.8	0	900.5	831.4
11/20/2020 4:00	0.0	0.0	0.0	137.8	204.2	148.5	138.3	279.9	0	908.7	831.6
11/20/2020 5:00	0.0	0.0	0.0	136.0	207.3	139.0	144.1	278.3	0	904.7	831.9
11/20/2020 6:00	0.0	0.0	0.0	137.2	208.5	138.5	137.3	275.9	0	897.4	832.1
11/20/2020 7:00	0.0	0.0	0.0	136.2	209.1	137.2	147.6	279.3	0	909.4	832.3
11/20/2020 8:00	0.0	0.0	0.0	136.7	210.7	131.6	137.9	280	0	896.9	832.5
11/20/2020 9:00	0.0	0.0	0.0	136.4	211.9	132.0	134.0	275.5	0	889.8	832.7
11/20/2020 10:00	0.0	0.0	0.0	135.5	210.6	135.9	136.7	280.5	0	899.2	832.9
11/20/2020 11:00	0.0	0.0	0.0	136.8	206.9	140.2	131.5	259.5	0	874.9	833.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/20/2020 12:00	0.0	0.0	0.0	136.7	206.3	142.6	129.1	309.7	0	924.4	833.3
11/20/2020 13:00	0.0	0.0	0.0	136.7	205.1	139.7	136.8	278.7	0	897.0	833.4
11/20/2020 14:00	0.0	0.0	0.0	135.5	203.8	141.0	144.4	276.3	0	901.0	833.6
11/20/2020 15:00	0.0	0.0	0.0	135.5	204.8	147.6	150.9	281.4	0	920.2	833.7
11/20/2020 16:00	0.0	0.0	0.0	133.8	203.4	148.7	155.6	278.2	0	919.7	833.8
11/20/2020 17:00	0.0	0.0	0.0	133.5	205.8	144.5	155.7	278.6	0	918.1	834.1
11/20/2020 18:00	0.0	0.0	0.0	135.0	204.7	141.2	152.3	279.8	0	913.0	834.3
11/20/2020 19:00	0.0	0.0	0.0	132.9	202.8	144.0	156.1	279.4	0	915.2	834.6
11/20/2020 20:00	0.0	0.0	0.0	133.6	197.9	142.5	154.6	279.7	0	908.3	834.8
11/20/2020 21:00	0.0	0.0	0.0	133.2	197.6	147.2	153.6	278.6	0	910.2	835.1
11/20/2020 22:00	0.0	0.0	0.0	133.3	205.0	139.2	151.2	279.6	0	908.3	835.3
11/20/2020 23:00	0.0	0.0	0.0	132.9	204.4	140.3	149.0	278.5	0	905.1	835.5
11/21/2020 0:00	0.0	0.0	0.0	133.2	205.8	134.3	143.8	286.8	0	903.9	835.7
11/21/2020 1:00	0.0	0.0	0.0	133.7	207.0	136.0	143.6	280.1	0	900.4	835.9
11/21/2020 2:00	0.0	0.0	0.0	132.8	209.0	133.9	144.0	277.9	0	897.6	836.1
11/21/2020 3:00	0.0	0.0	0.0	132.3	207.0	134.9	145.1	281.1	0	900.4	836.3
11/21/2020 4:00	0.0	0.0	0.0	133.6	208.1	135.1	144.6	277.2	0	898.6	836.5
11/21/2020 5:00	0.0	0.0	0.0	133.8	207.9	136.0	148.0	277.1	0	902.8	836.7
11/21/2020 6:00	0.0	0.0	0.0	134.0	204.9	148.3	147.4	278.2	0	912.8	836.9
11/21/2020 7:00	0.0	0.0	0.0	133.8	205.6	135.9	139.6	279.8	0	894.7	837.1
11/21/2020 8:00	0.0	0.0	0.0	134.6	206.3	144.7	146.6	279.3	0	911.5	837.4
11/21/2020 9:00	0.0	0.0	0.0	134.8	207.4	74.0	66.8	278.2	0	761.2	837.4
11/21/2020 10:00	0.0	0.0	0.0	134.0	206.7	266.0	261.9	279.4	0	1148.0	837.9
11/21/2020 11:00	0.0	0.0	0.0	134.2	208.5	149.0	156.1	278.1	0	925.9	838.1
11/21/2020 12:00	0.0	0.0	0.0	134.3	208.2	130.1	144.4	278.6	0	895.6	838.2
11/21/2020 13:00	0.0	0.0	0.0	132.9	207.1	303.1	320.6	278.1	0	1241.8	838.9
11/21/2020 14:00	0.0	0.0	0.0	133.2	207.8	141.7	163.4	278.7	0	924.8	839.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/21/2020 15:00	0.0	0.0	0.0	133.3	207.9	129.5	157.9	282	0	910.6	839.3
11/21/2020 16:00	0.0	0.0	0.0	132.9	207.7	130.2	164.3	275.6	0	910.7	839.5
11/21/2020 17:00	0.0	0.0	0.0	133.1	206.5	127.8	157.3	281.1	0	905.8	839.7
11/21/2020 18:00	0.0	0.0	0.0	132.6	207.2	129.7	156.4	272.7	0	898.6	839.9
11/21/2020 19:00	0.0	0.0	0.0	132.3	207.4	122.9	151.0	279.7	0	893.3	840.1
11/21/2020 20:00	0.0	0.0	0.0	134.2	208.2	122.1	161.5	281.8	0	907.8	840.3
11/21/2020 21:00	0.0	0.0	0.0	133.6	208.2	124.0	168.2	263.8	0	897.8	840.5
11/21/2020 22:00	0.0	0.0	0.0	133.6	208.0	125.4	163.9	282.8	0	913.7	840.7
11/21/2020 23:00	0.0	0.0	0.0	134.3	206.9	121.3	152.5	279.7	0	894.7	840.9
11/22/2020 0:00	0.0	0.0	0.0	134.5	206.1	118.7	157.3	280.9	0	897.5	841.1
11/22/2020 1:00	0.0	0.0	0.0	133.6	206.0	125.1	155.3	278.3	0	898.3	841.4
11/22/2020 2:00	0.0	0.0	0.0	134.0	206.2	131.7	157.6	280.8	0	910.3	841.6
11/22/2020 3:00	0.0	0.0	0.0	133.0	206.7	124.7	154.4	278.3	0	897.1	841.8
11/22/2020 4:00	0.0	0.0	0.0	133.5	204.9	123.5	164.2	277.5	0	903.6	842.0
11/22/2020 5:00	0.0	0.0	0.0	134.2	205.2	123.1	153.2	280.4	0	896.1	842.2
11/22/2020 6:00	0.0	0.0	0.0	134.5	204.6	125.4	152.9	275.1	0	892.5	842.4
11/22/2020 7:00	0.0	0.0	0.0	134.5	205.5	129.6	156.2	279.2	0	905.0	842.6
11/22/2020 8:00	0.0	0.0	0.0	133.8	206.0	123.9	137.3	279.4	0	880.4	842.8
11/22/2020 9:00	0.0	0.0	0.0	133.2	205.5	121.0	140.6	280.3	0	880.6	843.0
11/22/2020 10:00	0.0	0.0	0.0	133.3	204.5	117.8	130.1	278.3	0	864.0	843.2
11/22/2020 11:00	0.0	0.0	0.0	134.2	206.3	130.9	143.5	279.1	0	894.0	843.3
11/22/2020 12:00	0.0	0.0	0.0	134.1	205.8	127.0	139.5	277.8	0	884.2	843.5
11/22/2020 13:00	0.0	0.0	0.0	132.9	206.1	129.9	145.0	278.1	0	892.0	843.8
11/22/2020 14:00	0.0	0.0	0.0	132.5	205.8	122.0	133.4	278.4	0	872.1	844.0
11/22/2020 15:00	0.0	0.0	0.0	132.3	205.5	127.8	142.3	280.5	0	888.4	844.2
11/22/2020 16:00	0.0	0.0	0.0	132.5	205.6	142.3	151.5	278.8	0	910.7	844.4
11/22/2020 17:00	0.0	0.0	0.0	132.6	205.9	143.3	152.7	279.8	0	914.3	844.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/22/2020 18:00	0.0	0.0	0.0	132.7	205.9	129.6	146.4	277.8	0	892.4	844.8
11/22/2020 19:00	0.0	0.0	0.0	133.1	209.0	133.1	144.5	279.9	0	899.6	845.1
11/22/2020 20:00	0.0	0.0	0.0	133.3	209.0	134.2	149.9	279.2	0	905.6	845.3
11/22/2020 21:00	0.0	0.0	0.0	135.2	209.3	128.4	143.4	266.6	0	882.9	845.3
11/22/2020 22:00	0.0	0.0	0.0	133.4	209.7	127.7	141.5	278.2	0	890.5	845.4
11/22/2020 23:00	0.0	0.0	0.0	136.7	209.0	127.7	141.9	279.6	0	894.9	845.6
11/23/2020 0:00	0.0	0.0	0.0	138.3	209.2	134.4	144.2	277.7	0	903.8	845.8
11/23/2020 1:00	0.0	0.0	0.0	138.3	209.4	130.8	144.7	280.4	0	903.6	846.0
11/23/2020 2:00	0.0	0.0	0.0	138.1	208.7	124.2	145.9	280.4	0	897.3	846.2
11/23/2020 3:00	0.0	0.0	0.0	137.9	208.8	126.9	143.9	280.4	0	897.9	846.4
11/23/2020 4:00	0.0	0.0	0.0	137.8	208.2	131.4	145.1	280.8	0	903.3	846.6
11/23/2020 5:00	0.0	0.0	0.0	138.4	208.4	128.2	148.4	279.2	0	902.6	846.7
11/23/2020 6:00	0.0	0.0	0.0	137.6	207.6	141.9	159.9	277.1	0	924.1	846.9
11/23/2020 7:00	0.0	0.0	0.0	138.8	205.9	137.4	144.0	278.7	0	904.8	847.2
11/23/2020 8:00	0.0	0.0	0.0	138.9	204.9	140.8	154.8	279.8	0	919.2	847.4
11/23/2020 9:00	0.0	0.0	0.0	138.0	204.8	136.4	149.1	281.4	0	909.7	847.6
11/23/2020 10:00	0.0	0.0	0.0	137.9	204.1	128.3	145.5	277.6	0	893.4	847.8
11/23/2020 11:00	0.0	0.0	0.0	138.2	202.5	140.0	153.9	278.2	0	912.8	848.1
11/23/2020 12:00	0.0	0.0	0.0	135.8	202.2	127.7	143.2	279.2	0	888.1	848.3
11/23/2020 13:00	0.0	0.0	0.0	134.7	200.2	124.2	144.0	312.1	0	915.2	848.5
11/23/2020 14:00	0.0	0.0	0.0	134.9	198.5	132.1	161.2	267.5	0	894.2	848.7
11/23/2020 15:00	0.0	0.0	0.0	134.6	197.8	138.4	155.8	279.2	0	905.8	849.0
11/23/2020 16:00	0.0	0.0	0.0	134.4	197.4	143.8	158.0	279.2	0	912.8	849.2
11/23/2020 17:00	0.0	0.0	0.0	133.3	196.1	134.0	156.5	278.8	0	898.7	849.5
11/23/2020 18:00	0.0	0.0	0.0	134.6	195.3	129.4	159.0	277.1	0	895.4	849.7
11/23/2020 19:00	0.0	0.0	0.0	134.8	197.3	136.7	168.1	280.1	0	917.0	850.0
11/23/2020 20:00	0.0	0.0	0.0	134.3	198.0	136.5	172.1	280.2	0	921.1	850.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/23/2020 21:00	0.0	0.0	0.0	133.8	198.5	135.5	165.9	257.4	0	891.1	850.4
11/23/2020 22:00	0.0	0.0	0.0	132.7	199.0	138.1	171.6	278.3	0	919.7	850.7
11/23/2020 23:00	0.0	0.0	0.0	132.1	197.3	130.7	165.6	281.1	0	906.8	850.9
11/24/2020 0:00	0.0	0.0	0.0	131.9	195.6	162.2	180.7	282.9	0	953.3	851.2
11/24/2020 1:00	0.0	0.0	0.0	131.7	195.6	139.0	160.9	280	0	907.2	851.5
11/24/2020 2:00	0.0	0.0	0.0	131.0	195.4	145.6	167.9	279.2	0	919.1	851.7
11/24/2020 3:00	0.0	0.0	0.0	131.7	195.0	146.6	171.7	278.2	0	923.2	852.0
11/24/2020 4:00	0.0	0.0	0.0	131.6	196.4	141.7	161.9	279.5	0	911.1	852.2
11/24/2020 5:00	0.0	0.0	0.0	131.0	198.2	132.6	139.9	279.3	0	881.0	852.4
11/24/2020 6:00	0.0	0.0	0.0	131.4	197.4	157.5	135.4	277.3	0	899.0	852.7
11/24/2020 7:00	0.0	0.0	0.0	131.0	195.7	165.8	136.4	279.2	0	908.1	852.9
11/24/2020 8:00	0.0	0.0	0.0	131.8	197.7	159.9	136.8	321.5	0	947.7	853.2
11/24/2020 9:00	0.0	0.0	0.0	132.2	197.3	160.1	152.9	470.7	0	1113.2	853.8
11/24/2020 10:00	0.0	0.0	0.0	131.8	187.8	306.5	204.3	271.5	0	1101.9	854.3
11/24/2020 11:00	0.0	0.0	0.0	132.4	192.2	364.5	33.2	279	0	1001.3	854.7
11/24/2020 12:00	0.0	0.0	0.0	132.7	199.4	368.7	51.3	277.9	0	1030.0	855.1
11/24/2020 13:00	0.0	0.0	0.0	132.5	202.7	335.6	52.8	279.7	0	1003.3	855.5
11/24/2020 14:00	0.0	0.0	0.0	133.7	203.5	332.9	56.4	275.8	0	1002.3	855.9
11/24/2020 15:00	0.0	0.0	0.0	133.8	201.7	359.3	55.2	277.5	0	1027.5	856.1
11/24/2020 16:00	0.0	0.0	0.0	134.8	201.6	365.9	53.2	279.9	0	1035.4	856.5
11/24/2020 17:00	0.0	0.0	0.0	90.9	87.7	398.0	53.7	278.7	0	909.0	856.7
11/24/2020 18:00	0.0	0.0	0.0	0.0	0.0	380.0	75.4	278.5	0	733.9	856.7
11/24/2020 19:00	0.0	0.0	53.1	51.0	50.4	353.1	56.0	268.1	0	831.7	856.9
11/24/2020 20:00	0.0	0.0	104.2	101.5	122.8	378.2	55.6	278.7	0	1041.0	857.2
11/24/2020 21:00	0.0	0.0	103.3	102.1	135.2	393.3	54.5	278.6	0	1067.0	857.7
11/24/2020 22:00	0.0	0.0	115.0	130.8	185.8	59.0	53.3	279.4	0	823.3	857.9
11/24/2020 23:00	0.0	0.0	107.6	137.6	199.9	0.0	54.3	279.5	0	778.9	857.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/25/2020 0:00	0.0	0.0	113.0	137.7	199.5	0.0	53.5	280.6	0	784.3	858.0
11/25/2020 1:00	0.0	0.0	108.1	138.4	198.0	0.0	53.7	283.4	0	781.6	858.1
11/25/2020 2:00	0.0	0.0	105.4	137.3	200.1	0.0	52.9	279.8	0	775.5	858.1
11/25/2020 3:00	0.0	0.0	105.8	138.1	197.7	0.0	51.8	280	0	773.4	858.2
11/25/2020 4:00	0.0	0.0	110.8	138.4	198.0	0.0	50.6	277.8	0	775.6	858.3
11/25/2020 5:00	0.0	0.0	95.1	139.7	198.3	0.0	53.8	279	0	765.9	858.3
11/25/2020 6:00	0.0	0.0	96.5	139.2	199.7	0.0	56.3	280.4	0	772.1	858.4
11/25/2020 7:00	0.0	0.0	101.0	137.8	201.8	0.0	53.2	280.1	0	773.9	858.4
11/25/2020 8:00	0.0	0.0	96.1	139.3	202.0	0.0	54.5	281.1	0	773.0	858.5
11/25/2020 9:00	0.0	0.0	84.9	138.6	202.6	0.0	51.7	277.7	0	755.5	858.5
11/25/2020 10:00	0.0	0.0	87.8	138.4	202.7	0.0	48.8	279	0	756.7	858.6
11/25/2020 11:00	0.0	0.0	103.9	137.5	202.6	0.0	46.7	300	0	790.7	858.3
11/25/2020 12:00	0.0	0.0	104.9	138.7	204.2	0.0	44.7	276.2	0	768.7	857.9
11/25/2020 13:00	0.0	0.0	108.0	137.7	204.5	0.0	44.9	279.3	0	774.4	857.9
11/25/2020 14:00	0.0	0.0	104.5	137.8	206.1	0.0	45.9	278.5	0	772.8	858.0
11/25/2020 15:00	0.0	0.0	109.7	138.8	203.9	0.0	46.8	279.9	0	779.1	858.1
11/25/2020 16:00	0.0	0.0	104.8	138.1	203.4	0.0	46.5	278.8	0	771.6	858.2
11/25/2020 17:00	0.0	0.0	111.9	138.0	205.3	0.0	47.6	279.1	0	781.9	858.3
11/25/2020 18:00	0.0	0.0	107.6	137.5	205.7	0.0	251.0	281	0	982.8	858.6
11/25/2020 19:00	0.0	0.0	107.9	139.2	202.7	0.0	49.6	277	0	776.4	858.7
11/25/2020 20:00	0.0	0.0	104.4	139.5	202.7	0.0	49.2	279.8	0	775.6	858.8
11/25/2020 21:00	0.0	0.0	107.6	138.0	199.7	0.0	52.6	273.7	0	771.6	858.9
11/25/2020 22:00	0.0	0.0	110.9	145.8	206.9	0.0	51.6	266.9	0	782.1	859.0
11/25/2020 23:00	0.0	0.0	122.9	145.0	212.4	0.0	54.0	299.6	0	833.9	859.1
11/26/2020 0:00	0.0	0.0	107.6	137.9	203.1	0.0	59.0	268.4	0	776.0	859.2
11/26/2020 1:00	0.0	0.0	108.4	137.2	202.8	0.0	61.4	278.8	0	788.6	859.3
11/26/2020 2:00	0.0	0.0	106.1	137.0	203.3	0.0	63.5	277.8	0	787.7	859.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/26/2020 3:00	0.0	0.0	105.0	137.5	204.7	0.0	65.7	277.1	0	790.0	859.2
11/26/2020 4:00	0.0	0.0	115.9	138.5	204.1	0.0	65.6	265.6	0	789.7	859.2
11/26/2020 5:00	0.0	0.0	175.5	155.2	220.7	0.0	89.4	296.7	0	937.5	859.5
11/26/2020 6:00	0.0	0.0	234.1	157.1	223.5	0.0	79.8	231.3	0	925.8	859.7
11/26/2020 7:00	0.0	0.0	82.1	156.1	222.9	0.0	93.3	276.8	0	831.2	859.8
11/26/2020 8:00	0.0	0.0	87.1	157.4	222.9	0.0	94.6	278.2	0	840.2	859.8
11/26/2020 9:00	0.0	0.0	102.0	119.0	221.5	0.0	76.7	279.4	0	798.6	859.7
11/26/2020 10:00	0.0	0.0	100.3	106.7	219.1	0.0	75.4	278.2	0	779.7	859.6
11/26/2020 11:00	0.0	0.0	132.5	106.1	218.8	6.6	76.6	281.1	0	821.7	859.6
11/26/2020 12:00	0.0	0.0	124.1	105.8	218.4	8.8	71.6	282.1	0	810.8	859.6
11/26/2020 13:00	0.0	0.0	50.5	106.1	217.5	30.7	76.9	280.7	0	762.4	859.5
11/26/2020 14:00	0.0	0.0	120.4	106.0	217.2	181.0	77.4	279.6	0	981.6	859.7
11/26/2020 15:00	0.0	0.0	97.9	106.0	216.3	204.6	117.4	278.5	0	1020.7	859.9
11/26/2020 16:00	0.0	0.0	18.9	105.3	204.0	128.0	175.5	279.6	0	911.3	860.0
11/26/2020 17:00	0.0	0.0	97.6	104.4	193.3	181.1	139.8	279.8	0	996.0	860.2
11/26/2020 18:00	0.0	0.0	126.2	105.4	193.8	202.9	134.2	276.1	0	1038.6	860.5
11/26/2020 19:00	0.0	0.0	243.6	103.4	193.9	190.8	147.9	280.1	0	1159.7	860.9
11/26/2020 20:00	0.0	0.0	149.9	1.7	194.9	193.3	139.4	281.4	0	960.6	861.1
11/26/2020 21:00	0.0	0.0	149.2	0.0	196.5	136.0	140.7	283.7	0	906.1	861.2
11/26/2020 22:00	0.0	0.0	142.6	0.0	197.8	136.2	140.6	278.5	0	895.7	861.3
11/26/2020 23:00	0.0	0.0	164.0	0.0	196.5	134.9	144.8	280.6	0	920.8	861.5
11/27/2020 0:00	0.0	0.0	169.3	0.0	196.8	137.3	152.6	279.5	0	935.5	861.7
11/27/2020 1:00	0.0	0.0	166.7	0.0	197.0	137.4	140.0	280.3	0	921.4	861.9
11/27/2020 2:00	0.0	0.0	130.2	0.0	196.5	134.7	140.6	280	0	882.0	862.0
11/27/2020 3:00	0.0	0.0	108.5	0.0	196.8	132.7	135.9	279.2	0	853.1	862.0
11/27/2020 4:00	0.0	0.0	109.4	0.0	195.8	136.1	152.5	276.4	0	870.2	862.0
11/27/2020 5:00	0.0	0.0	109.0	0.0	195.3	132.3	146.6	281.5	0	864.7	862.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/27/2020 6:00	0.0	0.0	110.5	0.0	193.9	135.6	151.0	275.2	0	866.2	861.9
11/27/2020 7:00	0.0	0.0	125.2	0.0	194.5	133.9	150.2	278.4	0	882.2	862.0
11/27/2020 8:00	0.0	0.0	114.3	0.0	195.2	131.2	158.1	280.3	0	879.1	862.0
11/27/2020 9:00	0.0	0.0	126.9	0.0	198.0	132.4	149.0	279	0	885.3	862.1
11/27/2020 10:00	0.0	0.0	171.0	0.0	193.9	128.6	157.6	278.8	0	929.9	862.3
11/27/2020 11:00	0.0	0.0	119.6	0.0	195.8	123.1	156.0	287.1	0	881.6	862.3
11/27/2020 12:00	0.0	0.0	109.3	0.0	198.4	130.6	173.6	277.9	0	889.8	862.4
11/27/2020 13:00	0.0	0.0	110.4	0.0	198.3	143.7	139.6	317.8	0	909.8	862.6
11/27/2020 14:00	0.0	0.0	109.6	0.0	194.8	150.6	147.2	281.7	0	883.9	862.6
11/27/2020 15:00	0.0	0.0	109.8	0.0	195.6	154.7	147.6	278.1	0	885.8	862.7
11/27/2020 16:00	0.0	0.0	109.1	0.0	200.4	156.9	143.3	280.7	0	890.4	862.8
11/27/2020 17:00	0.0	0.0	109.4	0.0	204.2	158.8	150.3	277.2	0	899.9	862.9
11/27/2020 18:00	0.0	0.0	109.5	0.0	201.1	155.7	147.9	275.9	0	890.1	863.0
11/27/2020 19:00	0.0	0.0	108.5	0.0	201.9	154.9	150.8	280.1	0	896.2	863.1
11/27/2020 20:00	0.0	0.0	107.8	0.0	201.3	152.7	143.1	278.3	0	883.2	863.2
11/27/2020 21:00	0.0	0.0	106.7	0.0	202.2	154.7	149.0	279.4	0	892.0	863.3
11/27/2020 22:00	0.0	0.0	107.1	0.0	201.3	156.4	146.4	276.8	0	888.0	863.4
11/27/2020 23:00	0.0	0.0	107.2	0.0	201.3	156.3	150.1	276.9	0	891.8	863.4
11/28/2020 0:00	0.0	0.0	106.9	0.0	200.7	156.5	148.0	280.1	0	892.2	863.5
11/28/2020 1:00	0.0	0.0	106.7	0.0	201.0	158.3	150.3	278.3	0	894.6	863.6
11/28/2020 2:00	0.0	0.0	106.7	0.0	201.1	157.0	154.9	279.2	0	898.9	863.8
11/28/2020 3:00	0.0	0.0	107.3	0.0	202.0	158.9	164.8	279.2	0	912.2	863.9
11/28/2020 4:00	0.0	0.0	106.9	0.0	200.1	159.9	161.4	278	0	906.3	864.0
11/28/2020 5:00	0.0	0.0	107.1	0.0	200.5	158.6	149.6	279.8	0	895.6	864.0
11/28/2020 6:00	0.0	0.0	107.2	0.0	200.3	161.3	144.1	277.2	0	890.1	864.1
11/28/2020 7:00	0.0	0.0	106.8	0.0	170.7	130.3	120.1	279	0	806.9	864.1
11/28/2020 8:00	0.0	0.0	106.5	0.0	117.8	140.7	128.8	279.2	0	773.0	864.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/28/2020 9:00	0.0	0.0	106.2	0.0	113.0	153.8	146.5	278.7	0	798.2	863.9
11/28/2020 10:00	0.0	0.0	106.4	0.0	112.5	157.0	142.3	277.8	0	796.0	863.9
11/28/2020 11:00	0.0	0.0	107.0	0.0	113.2	160.2	146.6	279.6	0	806.6	863.9
11/28/2020 12:00	0.0	0.0	106.4	0.0	112.9	168.9	122.2	307.7	0	818.1	863.9
11/28/2020 13:00	0.0	0.0	106.4	0.0	112.5	167.8	118.8	280.8	0	786.3	863.9
11/28/2020 14:00	0.0	0.0	106.5	0.0	112.2	168.1	119.4	277.3	0	783.5	863.9
11/28/2020 15:00	0.0	0.0	106.3	0.0	112.0	167.4	136.5	279.1	0	801.3	863.9
11/28/2020 16:00	0.0	0.0	106.0	0.0	112.8	165.1	151.5	278.9	0	814.3	864.1
11/28/2020 17:00	0.0	0.0	106.5	0.0	112.5	161.5	149.5	278.7	0	808.7	864.2
11/28/2020 18:00	0.0	0.0	106.4	0.0	113.5	157.6	148.6	279.5	0	805.6	864.4
11/28/2020 19:00	0.0	0.0	106.7	0.0	113.3	162.5	148.2	280.5	0	811.2	864.5
11/28/2020 20:00	0.0	0.0	106.4	0.0	114.6	160.8	151.7	277.4	0	810.9	864.7
11/28/2020 21:00	0.0	0.0	106.3	0.0	115.4	158.7	146.1	269.2	0	795.7	864.8
11/28/2020 22:00	0.0	0.0	106.6	0.0	115.3	161.8	148.4	271.3	0	803.4	865.0
11/28/2020 23:00	0.0	0.0	106.9	0.0	115.0	162.2	154.8	280.7	0	819.6	865.1
11/29/2020 0:00	0.0	0.0	106.9	0.0	114.6	163.8	157.0	279.1	0	821.4	865.3
11/29/2020 1:00	0.0	0.0	106.7	0.0	114.8	161.9	159.2	278.1	0	820.7	865.4
11/29/2020 2:00	0.0	0.0	106.5	0.0	114.5	163.4	157.7	281.1	0	823.2	865.6
11/29/2020 3:00	0.0	0.0	106.5	0.0	114.0	164.6	157.2	279.2	0	821.5	865.7
11/29/2020 4:00	0.0	0.0	106.2	0.0	114.5	165.5	162.6	277.6	0	826.4	865.9
11/29/2020 5:00	0.0	0.0	106.4	0.0	115.3	159.0	162.1	279.3	0	822.1	865.8
11/29/2020 6:00	0.0	0.0	106.0	0.0	114.1	162.1	168.3	276.8	0	827.3	865.9
11/29/2020 7:00	0.0	0.0	106.0	0.0	113.6	159.4	164.3	279.1	0	822.4	866.0
11/29/2020 8:00	0.0	0.0	105.7	0.0	114.6	165.6	138.5	278.5	0	802.9	865.9
11/29/2020 9:00	0.0	0.0	105.2	0.0	117.8	164.2	147.9	277.6	0	812.7	865.9
11/29/2020 10:00	0.0	0.0	105.3	0.0	117.4	162.1	149.4	279	0	813.2	865.8
11/29/2020 11:00	0.0	0.0	105.0	0.0	116.5	159.8	157.0	279.9	0	818.2	865.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/29/2020 12:00	0.0	0.0	104.7	0.0	117.1	160.6	144.9	284.5	0	811.8	865.5
11/29/2020 13:00	0.0	0.0	104.6	0.0	116.8	154.1	139.9	262.1	0	777.5	865.4
11/29/2020 14:00	0.0	0.0	105.0	0.0	116.5	159.5	141.2	272	0	794.2	865.3
11/29/2020 15:00	0.0	0.0	105.2	0.0	116.9	157.0	136.7	275.6	0	791.4	865.2
11/29/2020 16:00	0.0	0.0	105.9	0.0	117.1	153.4	135.2	266.9	0	778.5	865.1
11/29/2020 17:00	0.0	0.0	105.6	0.0	117.5	157.3	138.8	275.9	0	795.1	865.0
11/29/2020 18:00	0.0	0.0	105.5	0.0	118.0	152.5	135.6	285.5	0	797.1	864.9
11/29/2020 19:00	0.0	0.0	105.8	0.0	117.6	157.0	141.8	276.6	0	798.8	864.9
11/29/2020 20:00	0.0	0.0	105.4	0.0	118.3	135.1	130.7	280.7	0	770.2	864.8
11/29/2020 21:00	0.0	0.0	105.5	0.0	118.2	139.0	130.4	272.8	0	765.9	864.7
11/29/2020 22:00	0.0	0.0	105.3	0.0	118.0	165.3	154.1	270.3	0	813.0	864.7
11/29/2020 23:00	0.0	0.0	105.4	0.0	118.5	241.5	273.5	278.1	0	1017.0	865.0
11/30/2020 0:00	0.0	0.0	105.2	0.0	117.7	144.7	134.0	277.9	0	779.5	864.9
11/30/2020 1:00	0.0	0.0	105.0	0.0	118.0	144.8	134.1	284.2	0	786.1	864.9
11/30/2020 2:00	0.0	0.0	105.3	0.0	117.9	158.7	133.4	278	0	793.3	864.8
11/30/2020 3:00	0.0	0.0	105.3	0.0	119.3	155.4	131.8	280.4	0	792.2	864.8
11/30/2020 4:00	0.0	0.0	105.1	0.0	118.6	158.2	140.5	277.2	0	799.6	864.8
11/30/2020 5:00	0.0	0.0	104.9	0.0	118.0	152.8	133.0	280.1	0	788.8	864.7
11/30/2020 6:00	0.0	0.0	104.7	0.0	117.7	145.6	135.1	275.9	0	779.0	864.7
11/30/2020 7:00	0.0	0.0	104.3	0.0	118.2	157.8	119.6	280.8	0	780.7	864.6
11/30/2020 8:00	0.0	0.0	109.4	0.0	118.0	172.2	127.2	276.8	0	803.6	864.6
11/30/2020 9:00	0.0	0.0	109.6	0.0	116.9	167.1	127.9	279	0	800.5	864.6
11/30/2020 10:00	0.0	0.0	109.2	0.0	117.4	176.9	146.1	278.9	0	828.5	864.7
11/30/2020 11:00	0.0	0.0	109.4	0.0	117.2	177.2	149.1	279.3	0	832.2	864.7
11/30/2020 12:00	0.0	0.0	109.6	0.0	117.0	158.0	142.6	322.6	0	849.8	864.8
11/30/2020 13:00	0.0	0.0	110.1	0.0	116.9	166.0	139.0	280.6	0	812.6	864.9
11/30/2020 14:00	0.0	0.0	110.1	0.0	117.6	171.4	133.3	278	0	810.4	864.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
11/30/2020 15:00	0.0	0.0	109.5	0.0	117.4	174.5	135.2	280.5	0	817.1	865.0
11/30/2020 16:00	0.0	0.0	110.0	0.0	116.9	178.7	141.8	278.3	0	825.7	865.1
11/30/2020 17:00	0.0	0.0	109.7	0.0	117.0	176.1	142.9	278.8	0	824.5	865.1
11/30/2020 18:00	0.0	0.0	109.6	0.0	117.2	173.2	141.9	278	0	819.9	865.2
11/30/2020 19:00	0.0	0.0	109.5	0.0	116.7	172.6	136.5	278.8	0	814.1	865.2
11/30/2020 20:00	0.0	0.0	109.5	0.0	116.0	170.4	133.8	280.6	0	810.3	865.3
11/30/2020 21:00	0.0	0.0	109.3	0.0	116.2	168.2	133.4	264.1	0	791.2	865.3
11/30/2020 22:00	0.0	0.0	109.0	0.0	116.2	170.8	128.9	280.4	0	805.3	865.3
11/30/2020 23:00	0.0	0.0	109.1	0.0	116.0	171.4	129.4	279.1	0	805.0	865.3
12/1/2020 0:00	0.0	0.0	108.8	0.0	115.8	168.4	127.5	280.4	0	800.9	865.4
12/1/2020 1:00	0.0	0.0	108.8	0.0	115.8	172.5	135.2	277.4	0	809.7	865.5
12/1/2020 2:00	0.0	0.0	108.6	0.0	115.3	177.6	133.2	281.9	0	816.6	865.4
12/1/2020 3:00	0.0	0.0	108.8	0.0	115.3	174.8	131.8	279.5	0	810.2	865.2
12/1/2020 4:00	0.0	0.0	108.5	0.0	116.0	172.1	131.2	277.7	0	805.5	865.1
12/1/2020 5:00	0.0	0.0	109.2	0.0	115.0	169.6	130.1	280.2	0	804.1	865.0
12/1/2020 6:00	0.0	0.0	108.7	0.0	115.8	169.8	127.7	276.4	0	798.4	864.9
12/1/2020 7:00	0.0	0.0	110.7	0.0	117.2	175.6	138.0	280	0	821.5	864.9
12/1/2020 8:00	0.0	0.0	108.4	0.0	115.9	176.7	131.7	278.7	0	811.4	864.8
12/1/2020 9:00	0.0	0.0	107.8	0.0	115.7	158.3	128.4	264.2	0	774.4	864.7
12/1/2020 10:00	0.0	0.0	107.7	0.0	114.7	177.9	182.5	281	0	863.8	864.7
12/1/2020 11:00	0.0	0.0	107.7	0.0	113.7	199.1	220.3	279.4	0	920.2	864.7
12/1/2020 12:00	0.0	0.0	107.6	0.0	113.7	200.7	211.8	281.7	0	915.5	864.7
12/1/2020 13:00	0.0	0.0	107.3	0.0	113.6	206.3	226.7	279.4	0	933.3	864.8
12/1/2020 14:00	0.0	0.0	107.2	0.0	112.4	203.3	220.1	280.3	0	923.3	864.8
12/1/2020 15:00	0.0	0.0	107.1	0.0	112.5	207.2	232.7	278.6	0	938.1	864.8
12/1/2020 16:00	0.3	0.0	107.0	0.0	113.8	224.1	251.9	279.8	0	976.9	864.8
12/1/2020 17:00	106.7	0.0	107.0	0.0	113.1	196.2	207.5	279.2	0	1009.7	864.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/1/2020 18:00	134.7	0.0	105.3	0.0	111.3	187.8	204.0	277.4	0	1020.5	865.0
12/1/2020 19:00	141.5	0.0	106.1	0.0	111.0	189.2	204.6	280.5	0	1032.9	865.1
12/1/2020 20:00	121.1	0.0	118.9	0.0	110.5	193.0	195.5	270.9	0	1009.9	865.2
12/1/2020 21:00	119.6	0.0	118.0	0.0	109.1	191.1	192.9	283.8	0	1014.5	865.3
12/1/2020 22:00	140.2	0.0	111.9	0.0	108.2	189.9	182.5	279	0	1011.7	865.4
12/1/2020 23:00	132.2	0.0	110.7	0.0	107.1	188.5	172.2	279.1	0	989.8	865.4
12/2/2020 0:00	145.9	0.0	110.9	0.0	107.4	175.1	160.5	279.8	0	979.6	865.5
12/2/2020 1:00	147.3	0.0	110.9	0.0	106.1	171.9	160.2	283.2	0	979.6	865.5
12/2/2020 2:00	142.2	0.0	108.4	0.0	104.8	170.2	157.3	279	0	961.9	865.4
12/2/2020 3:00	123.2	0.0	108.7	0.0	104.0	162.6	155.1	278.9	0	932.5	865.3
12/2/2020 4:00	123.3	0.0	108.5	0.0	105.0	160.3	153.3	277.9	0	928.3	865.2
12/2/2020 5:00	123.4	0.0	108.5	0.0	104.8	152.4	157.5	273.7	0	920.3	865.1
12/2/2020 6:00	123.4	0.0	107.7	0.0	104.8	148.0	162.7	246.8	0	893.4	865.0
12/2/2020 7:00	123.5	0.0	108.7	0.0	104.8	139.3	177.7	278	0	932.0	864.9
12/2/2020 8:00	121.7	0.0	108.2	0.0	106.2	141.0	151.8	280	0	908.9	864.6
12/2/2020 9:00	115.7	0.0	107.6	0.0	105.2	143.4	155.4	271.3	0	898.6	864.1
12/2/2020 10:00	111.0	0.0	107.6	0.0	106.5	135.7	143.0	279.4	0	883.2	863.5
12/2/2020 11:00	108.2	0.0	107.8	0.0	107.5	148.6	138.2	279.7	0	890.0	863.0
12/2/2020 12:00	106.2	0.0	106.3	0.0	107.5	146.7	140.3	276.9	0	883.9	862.4
12/2/2020 13:00	105.8	0.0	107.1	0.0	107.5	142.6	133.2	281.8	0	878.0	861.9
12/2/2020 14:00	106.1	0.0	105.9	0.0	105.4	138.6	139.9	279.3	0	875.2	861.3
12/2/2020 15:00	125.9	0.0	104.9	0.0	104.3	140.6	134.9	278.5	0	889.1	860.7
12/2/2020 16:00	90.9	0.0	105.9	0.0	104.2	137.1	133.2	279.2	0	850.5	860.1
12/2/2020 17:00	96.3	0.0	85.2	0.0	103.8	118.4	112.8	279.7	0	796.2	859.4
12/2/2020 18:00	97.3	0.0	107.2	0.0	103.2	109.7	109.2	275.1	0	801.7	859.0
12/2/2020 19:00	161.0	0.0	106.7	0.0	103.1	111.1	110.6	278.7	0	871.2	859.1
12/2/2020 20:00	151.9	0.0	112.5	0.0	102.3	113.4	109.6	280.6	0	870.3	859.2

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/2/2020 21:00	112.3	0.0	108.6	0.0	105.4	106.0	118.2	267.3	0	817.8	859.2
12/2/2020 22:00	112.6	0.0	107.9	0.0	105.8	108.8	118.2	279.3	0	832.6	859.2
12/2/2020 23:00	114.5	0.0	108.8	0.0	107.8	109.1	115.2	281.5	0	836.9	859.3
12/3/2020 0:00	115.9	0.0	110.5	0.0	109.6	112.1	120.8	274	0	842.9	859.3
12/3/2020 1:00	116.8	0.0	112.7	0.0	111.0	114.2	121.4	279.3	0	855.4	859.4
12/3/2020 2:00	118.3	0.0	112.2	0.0	111.0	115.8	127.9	279.3	0	864.5	859.4
12/3/2020 3:00	118.8	0.0	111.4	0.0	111.1	119.0	133.3	279.2	0	872.8	859.5
12/3/2020 4:00	118.7	0.0	109.5	0.0	110.8	116.0	130.3	278.9	0	864.2	859.6
12/3/2020 5:00	116.0	0.0	109.1	0.0	110.4	111.6	138.7	280.1	0	865.9	859.7
12/3/2020 6:00	113.8	0.0	108.9	0.0	109.2	119.2	137.4	277.7	0	866.2	859.7
12/3/2020 7:00	113.5	0.0	112.3	0.0	107.2	122.9	130.7	280	0	866.6	859.8
12/3/2020 8:00	112.6	0.0	95.0	0.0	106.2	120.0	133.7	278.9	0	846.4	859.9
12/3/2020 9:00	109.3	0.0	91.1	0.0	105.3	124.6	120.7	257.5	0	808.5	859.8
12/3/2020 10:00	94.7	0.0	89.6	0.0	104.5	124.2	119.1	279.4	0	811.5	859.8
12/3/2020 11:00	128.4	0.0	93.4	0.0	106.0	125.3	115.7	276.2	0	845.0	859.9
12/3/2020 12:00	120.4	0.0	128.6	0.0	108.0	132.2	112.3	279.7	0	881.2	859.9
12/3/2020 13:00	123.1	0.0	112.5	0.0	110.9	133.9	110.2	278.3	0	868.9	859.9
12/3/2020 14:00	123.0	0.0	116.5	0.0	113.0	128.2	104.2	279.3	0	864.2	860.0
12/3/2020 15:00	123.6	0.0	118.7	0.0	113.2	134.9	110.9	279.6	0	880.9	860.1
12/3/2020 16:00	124.5	0.0	119.5	0.0	117.0	133.8	111.6	279.5	0	885.9	860.1
12/3/2020 17:00	124.9	0.0	118.5	0.0	115.4	133.1	110.6	278.8	0	881.3	860.2
12/3/2020 18:00	125.1	0.0	118.6	0.0	113.0	127.6	104.3	280.9	0	869.5	860.2
12/3/2020 19:00	125.8	0.0	119.2	0.0	115.6	130.9	119.3	279.5	0	890.3	860.3
12/3/2020 20:00	126.1	0.0	119.1	0.0	116.8	127.4	110.6	279	0	879.0	860.4
12/3/2020 21:00	127.6	0.0	120.2	0.0	118.0	128.5	112.3	261.3	0	867.9	860.5
12/3/2020 22:00	128.5	0.0	120.9	0.0	118.2	129.9	111.2	280.9	0	889.6	860.6
12/3/2020 23:00	128.4	0.0	121.2	0.0	133.1	133.4	113.1	281	0	910.2	860.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/4/2020 0:00	127.7	0.0	121.4	0.0	155.4	133.1	113.2	279.3	0	930.1	860.8
12/4/2020 1:00	127.8	0.0	121.3	0.0	153.4	136.9	116.7	279.2	0	935.3	861.0
12/4/2020 2:00	128.5	0.0	121.8	0.0	155.6	135.1	117.9	278.2	0	937.1	861.2
12/4/2020 3:00	127.9	0.0	121.5	0.0	157.6	211.3	199.9	279.2	0	1097.4	861.6
12/4/2020 4:00	127.1	0.0	121.8	0.0	157.0	276.5	288.9	280.4	0	1251.7	862.3
12/4/2020 5:00	126.7	0.0	121.9	0.0	146.8	119.0	127.5	278.3	0	920.2	862.5
12/4/2020 6:00	125.6	0.0	121.2	0.0	124.1	123.2	128.6	280.5	0	903.2	862.7
12/4/2020 7:00	126.6	0.0	120.9	0.0	119.1	128.9	127.3	281.1	0	903.9	862.9
12/4/2020 8:00	126.7	0.0	121.0	0.0	119.0	128.7	126.7	278.5	0	900.6	863.1
12/4/2020 9:00	125.7	0.0	120.5	0.0	120.1	126.2	123.1	190.7	0	806.3	863.2
12/4/2020 10:00	125.2	0.0	120.7	0.0	120.2	128.1	122.2	277.5	0	893.9	863.4
12/4/2020 11:00	124.7	0.0	119.2	0.0	123.1	128.6	121.6	278.5	0	895.7	863.6
12/4/2020 12:00	124.8	0.0	119.9	0.0	120.0	128.0	121.7	278.5	0	892.9	863.8
12/4/2020 13:00	126.0	0.0	120.7	0.0	127.7	130.6	122.2	278.5	0	905.7	864.0
12/4/2020 14:00	125.7	0.0	121.4	0.0	134.3	126.2	123.3	275.1	0	906.0	864.1
12/4/2020 15:00	126.1	0.0	121.7	0.0	119.3	121.4	122.3	276.5	0	887.3	864.3
12/4/2020 16:00	125.1	0.0	121.6	0.0	120.2	120.1	124.9	280.4	0	892.3	864.5
12/4/2020 17:00	125.4	0.0	121.5	0.0	121.4	125.6	129.7	279.3	0	902.9	864.7
12/4/2020 18:00	125.1	0.0	121.3	0.0	122.5	125.3	126.5	279.2	0	899.9	864.8
12/4/2020 19:00	123.3	0.0	120.5	0.0	122.8	126.3	129.8	279.7	0	902.4	865.0
12/4/2020 20:00	122.1	0.0	119.4	0.0	122.4	124.5	124.3	280.1	0	892.8	865.2
12/4/2020 21:00	121.4	0.0	117.8	0.0	121.4	126.4	128.1	267.6	0	882.7	865.3
12/4/2020 22:00	120.8	0.0	117.1	0.0	121.4	131.3	128.4	280.7	0	899.7	865.5
12/4/2020 23:00	119.2	0.0	117.1	0.0	121.2	127.7	127.3	278.6	0	891.1	865.6
12/5/2020 0:00	118.9	0.0	116.6	0.0	134.2	133.6	134.8	280.6	0	918.7	865.7
12/5/2020 1:00	118.7	0.0	116.1	0.0	133.9	134.0	135.0	277.8	0	915.5	865.8
12/5/2020 2:00	118.7	0.0	115.8	0.0	132.3	129.6	136.9	280.4	0	913.7	865.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/5/2020 3:00	119.5	0.0	115.3	0.0	132.7	129.2	132.9	278.4	0	908.0	866.0
12/5/2020 4:00	119.4	0.0	114.9	0.0	130.1	121.1	129.4	279.2	0	894.1	866.0
12/5/2020 5:00	120.1	0.0	115.6	0.0	129.7	125.5	122.3	279	0	892.2	866.0
12/5/2020 6:00	122.7	0.0	116.7	0.0	128.5	119.8	123.0	279.3	0	890.0	866.0
12/5/2020 7:00	123.1	0.0	118.3	0.0	130.0	121.7	121.5	279.1	0	893.7	866.1
12/5/2020 8:00	122.4	0.0	118.1	0.0	131.5	116.6	116.2	278.9	0	883.7	866.1
12/5/2020 9:00	123.1	0.0	119.1	0.0	131.1	116.9	115.4	281.4	0	887.0	865.9
12/5/2020 10:00	123.3	0.0	119.4	0.0	132.0	114.4	117.4	278.6	0	885.1	865.9
12/5/2020 11:00	123.7	0.0	119.5	0.0	132.5	114.9	120.8	280.1	0	891.5	865.9
12/5/2020 12:00	123.0	0.0	118.5	0.0	133.8	116.2	119.8	311.3	0	922.6	865.9
12/5/2020 13:00	122.4	0.0	116.3	0.0	131.2	116.1	123.4	277.5	0	886.9	865.9
12/5/2020 14:00	120.9	0.0	115.9	0.0	130.5	111.0	115.6	282.1	0	876.0	865.8
12/5/2020 15:00	120.2	0.0	114.8	0.0	128.5	121.3	112.5	279.6	0	876.9	865.8
12/5/2020 16:00	119.8	0.0	114.2	0.0	126.8	118.1	110.0	279.2	0	868.1	865.8
12/5/2020 17:00	118.5	0.0	113.9	0.0	132.0	122.4	112.2	278	0	877.0	865.9
12/5/2020 18:00	119.1	0.0	113.4	0.0	130.4	114.0	110.9	279.5	0	867.3	865.9
12/5/2020 19:00	118.9	0.0	113.7	0.0	126.4	117.6	108.9	281.4	0	866.9	865.9
12/5/2020 20:00	119.0	0.0	113.0	0.0	150.0	118.1	111.4	265	0	876.5	866.0
12/5/2020 21:00	118.0	0.0	113.4	0.0	162.5	118.1	109.5	277.5	0	899.0	866.2
12/5/2020 22:00	117.7	0.0	113.2	0.0	157.4	114.0	106.2	281.2	0	889.7	866.2
12/5/2020 23:00	117.8	0.0	112.8	0.0	130.9	113.7	109.3	275	0	859.5	866.3
12/6/2020 0:00	117.7	0.0	112.8	0.0	127.7	110.9	108.2	273	0	850.3	866.3
12/6/2020 1:00	117.6	0.0	112.7	0.0	127.2	112.3	110.1	276.2	0	856.1	866.3
12/6/2020 2:00	118.1	0.0	112.4	0.0	128.1	113.6	108.9	280.1	0	861.2	866.4
12/6/2020 3:00	118.5	0.0	112.9	0.0	128.0	112.0	107.9	279.1	0	858.4	866.5
12/6/2020 4:00	116.7	0.0	112.5	0.0	128.8	110.3	108.3	280.2	0	856.8	866.6
12/6/2020 5:00	115.9	0.0	111.8	0.0	129.7	114.7	104.8	279.1	0	856.0	866.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/6/2020 6:00	116.1	0.0	112.1	0.0	127.7	108.5	107.9	279.3	0	851.6	866.5
12/6/2020 7:00	117.1	0.0	112.7	0.0	128.8	116.0	121.9	277.9	0	874.4	866.6
12/6/2020 8:00	116.2	0.0	112.3	0.0	128.3	114.3	116.8	280	0	867.9	866.6
12/6/2020 9:00	121.1	0.0	112.5	0.0	127.5	114.1	113.4	279.7	0	868.3	866.6
12/6/2020 10:00	121.9	0.0	112.5	0.0	127.4	112.6	108.4	278	0	860.8	866.6
12/6/2020 11:00	116.4	0.0	112.3	0.0	129.7	110.1	109.2	280.2	0	857.9	866.6
12/6/2020 12:00	108.4	0.0	107.4	0.0	113.7	107.9	107.7	300.1	0	845.2	866.6
12/6/2020 13:00	105.3	0.0	104.5	0.0	103.8	107.4	111.6	279.8	0	812.4	866.6
12/6/2020 14:00	137.4	0.0	103.9	0.0	104.5	100.4	108.7	278.1	0	833.0	866.5
12/6/2020 15:00	104.2	0.0	103.6	0.0	103.3	109.3	113.8	278	0	812.2	866.5
12/6/2020 16:00	105.3	0.0	103.7	0.0	125.1	107.9	106.9	279.8	0	828.7	866.5
12/6/2020 17:00	106.8	0.0	103.8	0.0	144.7	105.5	114.1	278.8	0	853.7	866.6
12/6/2020 18:00	104.8	0.0	103.8	0.0	154.5	105.8	113.5	280.1	0	862.5	866.7
12/6/2020 19:00	105.6	0.0	104.4	0.0	153.9	101.5	109.6	246.9	0	821.9	866.8
12/6/2020 20:00	105.5	0.0	104.1	0.0	123.0	104.4	114.1	265	0	816.1	866.8
12/6/2020 21:00	104.4	0.0	104.3	0.0	122.7	97.3	110.7	250.4	0	789.8	866.6
12/6/2020 22:00	103.9	0.0	104.1	0.0	121.7	103.9	117.9	240.4	0	791.9	866.0
12/6/2020 23:00	104.3	0.0	103.6	0.0	122.6	101.4	115.1	240	0	787.0	865.4
12/7/2020 0:00	104.3	0.0	103.2	0.0	123.0	99.7	113.7	237.4	0	781.3	865.0
12/7/2020 1:00	104.0	0.0	103.2	0.0	122.3	102.3	114.9	253.8	0	800.5	865.0
12/7/2020 2:00	105.5	0.0	103.4	0.0	121.0	100.2	107.5	248.5	0	786.1	865.0
12/7/2020 3:00	105.2	0.0	103.3	0.0	120.5	100.2	105.4	246.7	0	781.3	865.0
12/7/2020 4:00	111.7	0.0	102.8	0.0	121.8	101.0	108.3	232	0	777.6	865.0
12/7/2020 5:00	92.1	0.0	102.3	0.0	122.0	97.0	101.3	221.5	0	736.2	864.9
12/7/2020 6:00	91.1	0.0	103.0	0.0	121.8	101.2	106.9	222.1	0	746.1	864.8
12/7/2020 7:00	97.5	0.0	103.0	0.0	121.6	102.2	108.1	241	0	773.4	864.9
12/7/2020 8:00	103.3	0.0	103.2	0.0	121.7	102.3	108.3	257.4	0	796.2	864.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/7/2020 9:00	103.1	0.0	102.8	0.0	120.8	109.0	110.3	258.5	0	804.5	865.0
12/7/2020 10:00	102.5	0.0	110.1	0.0	119.9	103.8	107.6	246.6	0	790.5	865.0
12/7/2020 11:00	102.9	0.0	103.4	0.0	120.5	108.4	110.5	248.1	0	793.8	865.1
12/7/2020 12:00	103.0	0.0	102.6	0.0	122.0	105.8	108.6	254.3	0	796.3	865.1
12/7/2020 13:00	103.4	0.0	112.3	0.0	121.2	106.5	108.7	253.7	0	805.8	864.9
12/7/2020 14:00	103.7	0.0	106.3	0.0	121.5	104.0	107.9	271	0	814.4	865.1
12/7/2020 15:00	104.7	0.0	104.4	0.0	120.2	103.9	110.4	289.3	0	832.9	865.2
12/7/2020 16:00	104.4	0.0	103.0	0.0	120.1	112.3	109.8	285.1	0	834.7	865.4
12/7/2020 17:00	104.9	0.0	104.5	0.0	120.6	107.6	113.2	284.8	0	835.6	865.5
12/7/2020 18:00	104.4	0.0	24.6	0.0	120.0	110.1	115.4	271.2	0	745.7	865.5
12/7/2020 19:00	104.7	0.0	0.0	0.0	119.7	111.6	110.7	272.9	0	719.6	865.5
12/7/2020 20:00	104.7	0.0	0.0	0.0	120.6	111.8	112.0	280.3	0	729.4	865.5
12/7/2020 21:00	104.3	0.0	0.0	0.0	119.9	111.1	111.0	284.2	0	730.5	865.5
12/7/2020 22:00	104.4	0.0	0.0	0.0	120.8	108.8	107.4	282.4	0	723.8	865.5
12/7/2020 23:00	105.7	0.0	0.0	0.0	119.8	113.5	109.2	283.4	0	731.6	865.5
12/8/2020 0:00	104.2	0.0	0.0	0.0	121.2	120.5	112.1	290.7	0	748.7	865.5
12/8/2020 1:00	103.8	0.0	0.0	0.0	120.2	120.5	109.2	289.7	0	743.4	865.5
12/8/2020 2:00	103.7	0.0	0.0	0.0	119.0	122.0	109.4	293.5	0	747.6	865.5
12/8/2020 3:00	103.6	0.0	0.0	0.0	119.0	124.2	109.5	292.1	0	748.4	865.6
12/8/2020 4:00	104.3	0.0	0.0	0.0	119.4	116.5	106.3	281.6	0	728.1	865.5
12/8/2020 5:00	104.7	0.0	0.0	0.0	119.5	120.6	112.2	277.3	0	734.3	865.5
12/8/2020 6:00	105.6	0.0	0.0	0.0	119.1	127.9	109.2	268.8	0	730.6	865.5
12/8/2020 7:00	104.8	0.0	0.0	0.0	118.7	125.0	106.5	263.7	0	718.7	865.4
12/8/2020 8:00	104.8	0.0	0.0	0.0	119.4	184.5	179.9	275.4	0	864.0	865.5
12/8/2020 9:00	104.4	0.0	0.0	0.0	119.7	289.6	307.3	271.6	0	1092.6	866.0
12/8/2020 10:00	104.1	0.0	0.0	0.0	119.4	124.3	118.1	262.5	0	728.4	865.9
12/8/2020 11:00	103.8	0.0	0.0	0.0	121.6	118.2	115.6	265.1	0	724.3	865.9

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/8/2020 12:00	104.5	0.0	0.0	0.0	123.5	129.6	114.5	274	0	746.1	865.9
12/8/2020 13:00	104.7	0.0	0.0	0.0	132.8	131.9	109.4	247.7	0	726.5	865.8
12/8/2020 14:00	105.2	0.0	0.0	0.0	124.3	132.2	108.2	270.8	0	740.7	865.9
12/8/2020 15:00	104.6	0.0	0.0	0.0	122.6	132.4	108.1	292	0	759.7	865.9
12/8/2020 16:00	96.4	0.0	0.0	0.0	123.0	136.2	108.2	280.1	0	743.9	865.9
12/8/2020 17:00	87.3	0.0	0.0	0.0	124.9	129.9	107.7	275.7	0	725.5	865.9
12/8/2020 18:00	105.1	0.0	0.0	0.0	124.7	130.4	111.0	264	0	735.2	865.9
12/8/2020 19:00	103.9	0.0	0.0	0.0	125.6	126.4	113.2	256.3	0	725.4	865.8
12/8/2020 20:00	105.0	0.0	0.0	0.0	126.9	128.6	113.9	265.9	0	740.3	865.8
12/8/2020 21:00	103.2	0.0	0.0	0.0	127.6	127.9	114.5	268.8	0	742.0	865.9
12/8/2020 22:00	103.2	0.0	0.0	0.0	128.4	127.1	115.8	269.8	0	744.3	865.9
12/8/2020 23:00	103.1	0.0	0.0	0.0	129.1	127.0	111.9	270.5	0	741.6	865.9
12/9/2020 0:00	103.0	0.0	0.0	0.0	129.5	130.3	111.5	267.7	0	742.0	865.9
12/9/2020 1:00	103.4	0.0	0.0	0.0	129.2	130.4	110.0	274.8	0	747.8	865.9
12/9/2020 2:00	103.0	0.0	0.0	0.0	145.8	128.7	111.2	275.7	0	764.4	866.0
12/9/2020 3:00	102.9	0.0	0.0	0.0	146.2	128.2	111.6	279.3	0	768.2	866.0
12/9/2020 4:00	102.6	0.0	0.0	0.0	145.2	126.6	113.7	277.8	0	765.9	866.1
12/9/2020 5:00	103.0	0.0	0.0	0.0	147.6	115.0	114.2	269.6	0	749.4	866.1
12/9/2020 6:00	103.8	0.0	0.0	0.0	148.4	121.1	116.0	273.9	0	763.2	866.2
12/9/2020 7:00	104.3	0.0	0.0	0.0	147.6	119.5	116.1	281.6	0	769.1	866.2
12/9/2020 8:00	104.0	0.0	0.0	0.0	148.1	113.1	113.4	292.8	0	771.4	866.3
12/9/2020 9:00	103.9	0.0	0.0	0.0	147.6	116.7	110.7	283.1	0	762.0	866.4
12/9/2020 10:00	103.2	0.0	0.0	0.0	149.2	123.9	110.5	266.2	0	753.0	866.4
12/9/2020 11:00	104.3	0.0	0.0	0.0	151.2	120.3	113.7	262.9	0	752.4	866.4
12/9/2020 12:00	112.3	0.0	0.0	0.0	157.0	114.9	108.8	264.1	0	757.1	866.4
12/9/2020 13:00	116.1	0.0	0.0	0.0	162.5	113.6	111.0	263.4	0	766.6	865.9
12/9/2020 14:00	117.5	0.0	0.0	0.0	161.2	112.2	111.1	261.2	0	763.2	865.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/9/2020 15:00	117.7	0.0	0.0	0.0	164.3	109.0	102.4	249	0	742.4	865.2
12/9/2020 16:00	117.7	0.0	0.0	0.0	164.2	114.5	105.3	274.2	0	775.9	865.1
12/9/2020 17:00	118.3	0.0	0.0	0.0	165.3	109.7	95.1	280.8	0	769.2	865.3
12/9/2020 18:00	117.8	0.0	0.0	0.0	164.1	118.6	104.7	265.2	0	770.4	865.6
12/9/2020 19:00	117.7	0.0	0.0	0.0	163.3	111.2	97.6	256.1	0	745.9	865.8
12/9/2020 20:00	117.7	0.0	0.0	0.0	162.3	123.0	106.7	248.8	0	758.5	866.0
12/9/2020 21:00	117.0	0.0	0.0	0.0	164.1	113.7	102.0	247.6	0	744.4	866.2
12/9/2020 22:00	116.1	0.0	0.0	0.0	166.2	119.4	103.0	261.8	0	766.5	866.5
12/9/2020 23:00	116.0	0.0	0.0	0.0	164.5	122.2	109.3	254.1	0	766.1	866.6
12/10/2020 0:00	114.8	0.0	0.0	0.0	163.9	131.9	108.6	258.1	0	777.3	866.8
12/10/2020 1:00	114.5	0.0	0.0	0.0	164.0	128.9	109.3	268.5	0	785.2	867.1
12/10/2020 2:00	114.0	0.0	0.0	0.0	164.4	129.4	111.7	276.9	0	796.4	867.3
12/10/2020 3:00	114.3	0.0	0.0	0.0	166.5	128.5	116.9	277.1	0	803.3	867.5
12/10/2020 4:00	116.7	0.0	0.0	0.0	166.2	128.3	117.9	280.2	0.1	809.4	867.8
12/10/2020 5:00	117.0	0.0	0.0	0.0	167.6	129.5	121.9	278.9	0.1	815.0	868.0
12/10/2020 6:00	117.4	0.0	0.0	0.0	165.0	119.1	110.8	280.6	0.1	793.0	868.2
12/10/2020 7:00	118.5	0.0	0.0	0.0	165.1	123.7	100.0	279.4	0.1	786.8	868.3
12/10/2020 8:00	119.1	0.0	0.0	0.0	164.6	118.0	103.2	278.8	0.1	783.8	868.5
12/10/2020 9:00	118.7	0.0	0.0	0.0	164.1	116.5	99.3	278.4	0.1	777.1	868.7
12/10/2020 10:00	118.2	0.0	0.0	0.0	189.4	121.7	93.6	303.9	0.1	826.9	869.0
12/10/2020 11:00	117.7	0.0	0.0	0.0	181.6	128.4	93.5	279.6	0.1	800.9	869.2
12/10/2020 12:00	117.4	0.0	0.0	0.0	164.8	132.1	114.7	279.9	0.1	809.0	869.4
12/10/2020 13:00	116.3	0.0	0.0	0.0	164.5	134.0	104.4	278.1	0.1	797.4	869.6
12/10/2020 14:00	115.9	0.0	0.0	0.0	166.8	141.9	123.0	280.9	0.1	828.6	869.8
12/10/2020 15:00	115.0	0.0	0.0	0.0	168.7	140.3	117.4	277	0.1	818.5	870.1
12/10/2020 16:00	114.7	0.0	0.0	0.0	165.4	140.4	124.3	281.2	0.1	826.1	870.3
12/10/2020 17:00	115.3	0.0	0.0	0.0	167.5	118.4	97.2	280.9	0.1	779.4	870.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/10/2020 18:00	115.0	0.0	0.0	0.0	167.5	130.2	103.1	278.9	0.1	794.8	870.7
12/10/2020 19:00	114.7	0.0	0.0	0.0	165.7	124.9	109.3	276.1	0.1	790.8	870.9
12/10/2020 20:00	115.4	0.0	0.0	0.0	166.4	128.0	109.0	278.8	0.1	797.7	871.1
12/10/2020 21:00	115.1	0.0	0.0	0.0	163.8	139.8	122.2	280.9	0.1	821.9	871.4
12/10/2020 22:00	115.2	0.0	0.0	0.0	164.4	143.8	133.4	276.7	0.1	833.6	871.6
12/10/2020 23:00	115.2	0.0	0.0	0.0	164.9	145.5	121.5	282.2	0.1	829.4	871.8
12/11/2020 0:00	115.9	0.0	0.0	0.0	164.7	155.4	131.7	275	0.1	842.8	872.1
12/11/2020 1:00	115.6	0.0	0.0	0.0	163.7	151.6	128.7	284.5	1.2	845.3	872.4
12/11/2020 2:00	115.7	0.0	0.0	0.0	161.1	155.2	127.7	277.3	33.6	870.6	872.7
12/11/2020 3:00	115.5	0.0	0.0	0.0	143.2	160.0	137.8	279.4	348.5	1184.4	873.4
12/11/2020 4:00	115.2	0.0	0.0	0.0	143.6	162.3	145.3	276.3	607.4	1450.1	874.4
12/11/2020 5:00	115.4	0.0	0.0	0.0	143.6	158.9	148.7	280.4	580	1427.0	875.5
12/11/2020 6:00	114.8	0.0	0.0	0.0	143.6	161.2	135.9	278.9	439.2	1273.6	876.4
12/11/2020 7:00	114.3	0.0	0.0	0.0	144.0	156.5	140.7	278.5	252.1	1086.1	877.1
12/11/2020 8:00	114.6	0.0	0.0	0.0	142.6	146.4	131.1	278.5	174.2	987.4	877.6
12/11/2020 9:00	115.3	0.0	0.0	0.0	143.6	147.1	133.1	280.9	120.4	940.4	878.1
12/11/2020 10:00	115.0	0.0	0.0	0.0	143.4	145.6	131.3	313.6	51.2	900.1	878.5
12/11/2020 11:00	113.7	0.0	0.0	0.0	141.8	148.9	130.6	275.4	55.7	866.1	878.9
12/11/2020 12:00	111.8	0.0	0.0	0.0	139.7	147.9	130.9	276.6	83.1	890.0	879.2
12/11/2020 13:00	120.5	0.0	0.0	0.0	126.1	135.0	125.8	285.3	72.8	865.5	879.5
12/11/2020 14:00	122.5	0.0	0.0	0.0	148.9	139.4	130.1	284	49.9	874.8	879.9
12/11/2020 15:00	123.0	0.0	0.0	0.0	147.9	130.9	123.1	278.8	51.8	855.5	880.2
12/11/2020 16:00	123.2	0.0	0.0	0.0	149.2	134.3	119.4	277.9	35.3	839.3	880.4
12/11/2020 17:00	122.9	0.0	0.0	0.0	148.0	128.3	117.2	279	29.2	824.6	880.6
12/11/2020 18:00	123.3	0.0	0.0	0.0	148.4	126.8	124.0	281.7	38.5	842.7	880.8
12/11/2020 19:00	122.6	0.0	0.0	0.0	147.8	127.8	126.1	279.5	49.1	852.9	880.9
12/11/2020 20:00	123.4	0.0	0.0	0.0	146.4	129.5	124.7	285.2	34.7	843.9	881.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/11/2020 21:00	123.9	0.0	0.0	0.0	148.4	131.1	126.9	282.7	41.4	854.4	881.0
12/11/2020 22:00	147.3	0.0	0.0	0.0	27.5	126.7	126.7	279.5	36.7	744.4	880.8
12/11/2020 23:00	151.6	0.0	0.0	0.0	0.0	125.7	128.9	278.2	31.1	715.5	880.5
12/12/2020 0:00	151.1	0.0	0.0	0.0	0.0	124.7	124.4	282.5	30.9	713.6	880.3
12/12/2020 1:00	151.6	0.0	0.0	0.0	0.0	127.5	127.7	278.4	29.6	714.8	880.0
12/12/2020 2:00	153.7	0.0	0.0	0.0	0.0	126.2	130.4	279.4	25.3	715.0	879.7
12/12/2020 3:00	152.9	0.0	0.0	0.0	0.0	129.5	130.5	276.7	28.1	717.7	879.5
12/12/2020 4:00	153.0	0.0	0.0	0.0	0.0	129.5	129.2	279.5	33.3	724.5	879.3
12/12/2020 5:00	152.6	0.0	0.0	0.0	0.0	123.5	127.0	271.7	54.4	729.2	879.0
12/12/2020 6:00	150.9	0.0	0.0	0.0	0.0	129.6	125.5	278	52	736.0	878.8
12/12/2020 7:00	151.7	0.0	0.0	0.0	0.0	124.8	122.8	280.2	31.4	710.9	878.6
12/12/2020 8:00	149.2	0.0	0.0	0.0	0.0	130.0	128.9	278.3	6	692.4	878.4
12/12/2020 9:00	149.2	0.0	0.0	0.0	0.0	126.5	127.7	281	15.6	700.0	878.1
12/12/2020 10:00	149.1	0.0	0.0	0.0	0.0	127.0	126.8	279	26.8	708.7	877.9
12/12/2020 11:00	145.6	0.0	0.0	0.0	0.0	128.7	121.5	279.3	35.3	710.4	877.7
12/12/2020 12:00	144.0	0.0	0.0	0.0	0.0	131.1	126.7	294.6	60.7	757.1	877.5
12/12/2020 13:00	143.9	0.0	0.0	0.0	0.0	242.8	258.4	277.7	42.9	965.7	877.7
12/12/2020 14:00	142.2	0.0	0.0	0.0	0.0	267.3	289.8	281	36.1	1016.4	877.9
12/12/2020 15:00	146.1	0.0	0.0	0.0	0.0	127.8	130.2	279.6	40.9	724.6	877.7
12/12/2020 16:00	149.5	0.0	0.0	0.0	0.0	124.4	122.2	279.3	37.9	713.3	877.5
12/12/2020 17:00	149.1	0.0	0.0	0.0	0.0	126.0	123.9	278.4	40.1	717.5	877.2
12/12/2020 18:00	151.1	0.0	0.0	0.0	0.0	121.2	119.9	280.6	52.7	725.5	877.0
12/12/2020 19:00	151.5	0.0	0.0	0.0	0.0	124.1	129.4	279	62	746.0	876.9
12/12/2020 20:00	152.2	0.0	0.0	0.0	0.0	121.0	126.4	280.4	34.3	714.3	876.7
12/12/2020 21:00	151.2	0.0	0.0	0.0	0.0	117.9	131.3	236.9	37.4	674.7	876.5
12/12/2020 22:00	148.7	0.0	0.0	0.0	0.0	122.5	121.7	278.2	41.9	713.0	876.3
12/12/2020 23:00	147.9	0.0	0.0	0.0	0.0	117.5	121.8	279.3	38.2	704.7	876.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/13/2020 0:00	148.0	0.0	0.0	0.0	0.0	121.2	123.4	280.5	47.3	720.4	875.9
12/13/2020 1:00	147.8	0.0	0.0	0.0	0.0	118.7	126.7	279.8	52.8	725.8	875.8
12/13/2020 2:00	147.4	0.0	0.0	0.0	0.0	121.8	128.1	279.4	40.4	717.1	875.4
12/13/2020 3:00	147.1	0.0	0.0	0.0	0.0	117.5	126.5	279.9	41.2	712.2	875.1
12/13/2020 4:00	146.9	0.0	0.0	0.0	0.0	119.9	122.7	277.9	40	707.4	874.9
12/13/2020 5:00	146.8	0.0	0.0	0.0	0.0	119.7	124.2	274.6	80.8	746.1	874.8
12/13/2020 6:00	146.3	0.0	0.0	0.0	0.0	120.3	122.1	282.1	80.8	751.6	874.6
12/13/2020 7:00	151.6	0.0	0.0	0.0	0.0	119.9	124.7	278.7	48.6	723.5	874.5
12/13/2020 8:00	148.9	0.0	0.0	0.0	0.0	119.9	123.4	279	30.6	701.8	874.3
12/13/2020 9:00	146.0	0.0	0.0	0.0	0.0	124.5	120.7	302.4	50.4	744.0	874.1
12/13/2020 10:00	145.4	0.0	0.0	0.0	0.0	122.8	122.5	282.4	51.8	724.9	874.0
12/13/2020 11:00	144.6	0.0	0.0	0.0	0.0	123.8	121.5	279	43.8	712.7	873.9
12/13/2020 12:00	145.2	0.0	0.0	0.0	0.0	130.2	120.1	279.8	41.3	716.6	873.7
12/13/2020 13:00	144.9	0.0	0.0	0.0	0.0	130.2	124.4	280.2	51.6	731.3	873.5
12/13/2020 14:00	145.9	0.0	0.0	0.0	0.0	130.2	125.8	279	48.7	729.6	873.4
12/13/2020 15:00	145.6	0.0	0.0	0.0	0.0	126.4	121.6	280.6	44.6	718.8	873.2
12/13/2020 16:00	146.3	0.0	0.0	0.0	0.0	132.1	126.9	279.7	41.5	726.5	873.1
12/13/2020 17:00	145.7	0.0	0.0	0.0	0.0	130.3	117.6	276.9	44.6	715.1	872.9
12/13/2020 18:00	145.0	0.0	0.0	0.0	0.0	131.5	123.7	277.6	60.5	738.3	872.8
12/13/2020 19:00	144.4	0.0	0.0	0.0	0.0	130.9	120.9	278.7	74.2	749.1	872.7
12/13/2020 20:00	144.2	0.0	0.0	0.0	0.0	128.5	121.1	280.3	52	726.1	872.6
12/13/2020 21:00	144.5	0.0	0.0	0.0	0.0	127.6	120.4	255.8	65.5	713.8	872.2
12/13/2020 22:00	144.6	0.0	0.0	0.0	0.0	126.2	120.5	256.5	76.7	724.5	871.9
12/13/2020 23:00	144.2	0.0	0.0	0.0	0.0	121.2	118.3	234.7	62.4	680.8	871.5
12/14/2020 0:00	145.3	0.0	0.0	0.0	0.0	127.6	115.5	222.7	49	660.1	871.2
12/14/2020 1:00	144.2	0.0	0.0	0.0	0.0	127.9	119.6	278.3	50.6	720.6	870.9
12/14/2020 2:00	143.3	0.0	0.0	0.0	0.0	127.1	119.4	278.4	51.2	719.4	870.6

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/14/2020 3:00	143.0	0.0	0.0	0.0	0.0	127.3	118.3	279.8	46.2	714.6	870.3
12/14/2020 4:00	143.4	0.0	0.0	0.0	0.0	130.0	111.0	277.2	52.5	714.1	870.1
12/14/2020 5:00	143.1	0.0	0.0	0.0	0.0	119.9	71.8	286.2	53.2	674.2	869.8
12/14/2020 6:00	148.0	0.0	0.0	0.0	0.0	116.6	100.0	275.2	44.1	683.9	869.5
12/14/2020 7:00	145.2	0.0	0.0	0.0	0.0	113.5	93.6	283.9	43.6	679.8	869.1
12/14/2020 8:00	144.8	0.0	0.0	0.0	0.0	114.7	104.5	278	506.5	1148.5	869.3
12/14/2020 9:00	143.8	0.0	0.0	0.0	0.0	113.3	102.7	286.3	506.5	1152.6	869.5
12/14/2020 10:00	144.4	0.0	0.0	0.0	0.0	117.1	103.7	277	506.5	1148.7	869.6
12/14/2020 11:00	147.9	0.0	0.0	0.0	0.0	115.7	106.4	279.7	147.8	797.5	869.2
12/14/2020 12:00	128.0	0.0	0.0	0.0	0.0	115.1	106.1	320.2	40.7	710.1	868.9
12/14/2020 13:00	143.2	0.0	0.0	0.0	0.0	112.7	107.1	277.3	40.7	681.0	868.5
12/14/2020 14:00	143.4	0.0	0.0	0.0	0.0	113.8	106.8	278.9	34	676.9	868.1
12/14/2020 15:00	143.7	0.0	0.0	0.0	0.0	114.0	103.5	277.8	237.9	876.9	868.0
12/14/2020 16:00	143.7	0.0	0.0	0.0	0.0	111.4	100.8	279	296.8	931.7	867.9
12/14/2020 17:00	144.8	0.0	0.0	0.0	0.0	113.6	94.9	278.4	660.5	1292.2	868.4
12/14/2020 18:00	145.9	0.0	0.0	0.0	0.0	114.6	96.3	277.7	142.3	776.8	868.1
12/14/2020 19:00	145.9	0.0	0.0	0.0	0.0	105.7	95.8	277.1	78	702.5	867.7
12/14/2020 20:00	145.4	0.0	0.0	0.0	0.0	110.2	93.2	279.8	37.1	665.7	867.3
12/14/2020 21:00	145.2	0.0	0.0	0.0	0.0	111.7	93.1	279.7	43.1	672.8	866.9
12/14/2020 22:00	145.4	0.0	0.0	0.0	0.0	111.2	93.8	279.1	30.4	659.9	866.5
12/14/2020 23:00	145.6	0.0	0.0	0.0	0.0	114.2	92.8	279.2	24.2	656.0	866.0
12/15/2020 0:00	144.8	0.0	0.0	0.0	0.0	112.9	91.9	279.3	31.8	660.7	865.6
12/15/2020 1:00	144.6	0.0	0.0	0.0	0.0	117.9	92.7	277	38.3	670.5	865.2
12/15/2020 2:00	144.6	0.0	0.0	0.0	0.0	113.6	93.8	279.8	33	664.8	864.8
12/15/2020 3:00	144.3	0.0	0.0	0.0	0.0	116.8	91.8	280	33.8	666.7	864.3
12/15/2020 4:00	144.9	0.0	0.0	0.0	0.0	112.6	90.7	279.1	33.6	660.9	863.9
12/15/2020 5:00	144.4	0.0	0.0	0.0	0.0	110.7	93.5	277.9	35.4	661.9	863.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/15/2020 6:00	144.6	0.0	0.0	0.0	0.0	114.7	95.4	280.2	50.5	685.4	863.0
12/15/2020 7:00	144.5	0.0	0.0	0.0	0.0	116.6	94.3	266.2	35.7	657.3	862.6
12/15/2020 8:00	144.0	0.0	0.0	0.0	0.0	113.4	97.3	280	64.6	699.3	862.3
12/15/2020 9:00	144.3	0.0	0.0	0.0	0.0	107.9	89.3	305.4	48.4	695.3	861.9
12/15/2020 10:00	143.4	0.0	0.0	0.0	0.0	116.9	92.8	281.3	14.2	648.6	861.4
12/15/2020 11:00	144.6	0.0	0.0	0.0	0.0	111.8	98.1	279.5	21.8	655.8	861.0
12/15/2020 12:00	102.1	0.0	0.0	0.0	0.0	115.3	94.4	279.7	48.3	639.8	860.5
12/15/2020 13:00	99.6	0.0	0.0	0.0	0.0	113.1	93.3	278.2	21.9	606.1	860.0
12/15/2020 14:00	98.8	0.0	0.0	0.0	0.0	114.9	90.3	277.9	42.9	624.8	859.5
12/15/2020 15:00	0.0	0.0	0.0	0.0	0.0	116.8	103.6	283.7	25.1	529.2	858.9
12/15/2020 16:00	0.0	0.0	0.0	0.0	0.0	114.2	93.4	275.6	23.8	507.0	858.2
12/15/2020 17:00	0.0	0.0	0.0	0.0	0.0	113.5	95.5	279.9	31.2	520.1	857.6
12/15/2020 18:00	0.0	0.0	0.0	0.0	0.0	111.3	95.2	279.6	47.2	533.3	857.0
12/15/2020 19:00	0.0	0.0	0.0	0.0	0.0	110.6	99.0	279.5	21.3	510.4	856.3
12/15/2020 20:00	0.0	0.0	0.0	0.0	0.0	111.2	98.0	279.7	23.8	512.7	855.7
12/15/2020 21:00	0.0	0.0	0.0	0.0	0.0	107.3	97.9	282.8	27.5	515.5	855.0
12/15/2020 22:00	0.0	0.0	0.0	0.0	0.0	124.0	113.5	273.7	39.5	550.7	854.3
12/15/2020 23:00	0.0	0.0	0.0	0.0	0.0	136.4	126.7	278.6	30.4	572.1	853.7
12/16/2020 0:00	0.0	0.0	0.0	0.0	0.0	136.9	124.3	279.4	2.7	543.3	853.1
12/16/2020 1:00	0.0	0.0	0.0	0.0	0.0	140.8	129.0	278	24.1	571.9	852.5
12/16/2020 2:00	0.0	0.0	0.0	0.0	0.0	137.4	126.1	284.2	50.9	598.6	852.0
12/16/2020 3:00	0.0	0.0	0.0	0.0	0.0	135.6	125.4	280.8	182.7	724.5	851.5
12/16/2020 4:00	0.0	0.0	0.0	0.0	0.0	139.5	129.0	280.9	601.1	1150.5	851.7
12/16/2020 5:00	0.0	0.0	0.0	0.0	0.0	135.4	125.3	277.4	599.2	1137.3	851.9
12/16/2020 6:00	0.0	0.0	0.0	0.0	0.0	138.4	129.1	260.1	547.9	1075.5	852.0
12/16/2020 7:00	0.0	0.0	0.0	0.0	0.0	138.4	131.6	257.6	535.8	1063.4	852.2
12/16/2020 8:00	0.0	0.0	0.0	0.0	0.0	160.0	138.4	255	164.4	717.8	851.8

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/16/2020 9:00	0.0	0.0	0.0	0.0	0.0	150.1	161.4	268.9	164.4	744.8	851.5
12/16/2020 10:00	0.0	0.0	0.0	0.0	0.0	146.0	175.4	268.9	164.4	754.7	851.1
12/16/2020 11:00	0.0	0.0	0.0	0.0	0.0	158.7	163.8	268.9	164.4	755.8	850.8
12/16/2020 12:00	0.0	0.0	0.0	0.0	0.0	159.6	160.8	268.9	164.4	753.7	850.5
12/16/2020 13:00	0.0	0.0	0.0	0.0	0.0	154.7	152.3	254.9	47.5	609.4	849.9
12/16/2020 14:00	0.0	0.0	0.0	0.0	0.0	155.9	167.2	260.9	27.4	611.4	849.4
12/16/2020 15:00	0.0	0.0	0.0	0.0	0.0	150.1	155.7	258.3	15.1	579.2	848.9
12/16/2020 16:00	0.0	0.0	0.0	0.0	0.0	155.2	162.8	282.7	27.1	627.8	848.5
12/16/2020 17:00	0.0	0.0	0.0	0.0	0.0	154.1	163.4	253.3	22.9	593.7	848.1
12/16/2020 18:00	0.0	0.0	0.0	0.0	0.0	249.1	266.3	258.1	20.2	793.7	847.9
12/16/2020 19:00	0.0	0.0	0.0	0.0	0.0	206.1	203.9	266.5	11.8	688.3	847.6
12/16/2020 20:00	0.0	0.0	0.0	0.0	0.0	127.9	129.9	263.4	4.2	525.4	847.1
12/16/2020 21:00	0.0	0.0	0.0	0.0	0.0	127.4	128.4	259.8	27.3	542.9	846.6
12/16/2020 22:00	0.0	0.0	0.0	0.0	0.0	125.6	127.3	257.1	32.1	542.1	846.1
12/16/2020 23:00	0.0	0.0	0.0	0.0	0.0	129.6	124.8	259.6	11.9	525.9	845.6
12/17/2020 0:00	0.0	0.0	0.0	0.0	0.0	125.1	119.9	260.6	7.3	512.9	845.0
12/17/2020 1:00	0.0	0.0	0.0	0.0	0.0	126.7	120.8	259.4	14.4	521.3	844.4
12/17/2020 2:00	0.0	0.0	0.0	0.0	0.0	127.6	122.5	259.5	15.1	524.7	843.9
12/17/2020 3:00	0.0	0.0	0.0	0.0	0.0	126.9	123.4	278.4	17	545.7	843.4
12/17/2020 4:00	0.0	0.0	0.0	0.0	0.0	127.3	123.9	278.3	7	536.5	842.9
12/17/2020 5:00	0.0	0.0	0.0	0.0	0.0	118.7	119.7	278.5	7.4	524.3	842.3
12/17/2020 6:00	0.0	0.0	0.0	0.0	0.0	129.1	130.8	279	20.1	559.0	841.8
12/17/2020 7:00	0.0	0.0	0.0	0.0	0.0	156.6	164.4	291.9	39.1	652.0	840.9
12/17/2020 8:00	0.0	0.0	0.0	0.0	0.0	155.6	163.0	272.4	27	618.0	840.4
12/17/2020 9:00	0.0	0.0	0.0	0.0	0.0	151.2	138.4	272	11.8	573.4	840.0
12/17/2020 10:00	0.0	0.0	0.0	0.0	0.0	153.2	139.4	278.1	0.2	570.9	839.5
12/17/2020 11:00	0.0	0.0	0.0	0.0	0.0	125.9	113.5	279.5	0.2	519.1	839.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/17/2020 12:00	0.0	0.0	0.0	0.0	0.0	114.8	95.6	275.5	1.9	487.8	838.4
12/17/2020 13:00	0.0	0.0	0.0	0.0	0.0	134.7	124.0	275.9	8.5	543.1	838.0
12/17/2020 14:00	0.0	0.0	0.0	0.0	0.0	142.8	133.4	279	15.3	570.5	837.7
12/17/2020 15:00	0.0	0.0	0.0	0.0	0.0	131.0	141.8	282.3	19	574.1	837.3
12/17/2020 16:00	0.0	0.0	0.0	0.0	0.0	107.4	105.4	309.6	17.4	539.8	836.8
12/17/2020 17:00	0.0	0.0	0.0	0.0	0.0	106.1	112.3	276.1	16.8	511.3	836.3
12/17/2020 18:00	0.0	0.0	0.0	0.0	0.0	103.3	112.8	279	30.8	525.9	835.7
12/17/2020 19:00	0.0	0.0	0.0	0.0	0.0	108.7	115.5	279.9	29.5	533.6	835.2
12/17/2020 20:00	0.0	0.0	0.0	0.0	0.0	110.4	114.6	277.1	12.9	515.0	834.5
12/17/2020 21:00	0.0	0.0	0.0	0.0	0.0	109.9	117.2	281.5	7	515.6	833.9
12/17/2020 22:00	0.0	0.0	0.0	0.0	0.0	109.4	118.1	277.6	13.2	518.3	833.2
12/17/2020 23:00	0.0	0.0	0.0	0.0	0.0	123.5	140.0	277.1	25	565.6	832.6
12/18/2020 0:00	0.0	0.0	0.0	0.0	0.0	135.3	148.2	277	10.4	570.9	832.0
12/18/2020 1:00	0.0	0.0	0.0	0.0	0.0	132.0	137.1	284.6	13.2	566.9	831.4
12/18/2020 2:00	0.0	0.0	0.0	0.0	0.0	136.0	131.8	282.8	17.7	568.3	830.8
12/18/2020 3:00	0.0	0.0	0.0	0.0	0.0	140.4	133.6	273.1	18	565.1	830.2
12/18/2020 4:00	0.0	0.0	0.0	0.0	0.0	179.7	134.9	281.2	32.1	627.9	829.6
12/18/2020 5:00	0.0	0.0	0.0	0.0	0.0	178.2	126.3	278.1	12.4	595.0	829.1
12/18/2020 6:00	0.0	0.0	0.0	0.0	0.0	181.5	140.2	275.1	51.6	648.4	828.7
12/18/2020 7:00	0.0	0.0	0.0	0.0	0.0	187.2	134.5	282.5	20.6	624.8	828.2
12/18/2020 8:00	0.0	0.0	0.0	0.0	0.0	179.6	145.6	280.2	9.5	614.9	827.7
12/18/2020 9:00	0.0	0.0	0.0	0.0	55.0	179.5	137.2	279.3	19.8	670.8	827.3
12/18/2020 10:00	0.0	0.0	0.0	0.0	164.0	182.1	132.6	281	26.2	785.9	827.1
12/18/2020 11:00	0.0	0.0	0.0	0.0	198.3	180.9	133.5	278	15.1	805.8	826.9
12/18/2020 12:00	0.0	0.0	0.0	0.0	200.5	240.7	21.3	284.6	11	758.1	826.6
12/18/2020 13:00	0.0	0.0	0.0	0.0	198.2	414.4	0.0	315.8	24.3	952.7	826.6
12/18/2020 14:00	0.0	0.0	0.0	0.0	198.6	167.0	0.0	280.6	90.4	736.6	826.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/18/2020 15:00	0.0	0.0	0.0	0.0	201.8	127.7	0.0	277	516.5	1123.0	826.6
12/18/2020 16:00	0.0	0.0	0.0	0.0	203.3	126.3	0.0	278.7	360.7	969.0	826.6
12/18/2020 17:00	0.0	0.0	0.0	0.0	202.4	123.9	0.0	283.1	84.3	693.7	826.2
12/18/2020 18:00	0.0	0.0	0.0	0.0	219.7	127.8	0.0	278.7	34.6	660.8	825.8
12/18/2020 19:00	0.0	0.0	0.0	0.0	246.2	129.0	0.0	279.6	16.8	671.6	825.5
12/18/2020 20:00	0.0	0.0	0.0	0.0	246.5	129.4	0.0	279	33.4	688.3	825.1
12/18/2020 21:00	0.0	0.0	0.0	0.0	248.0	129.2	0.0	279.9	47.6	704.7	824.8
12/18/2020 22:00	0.0	0.0	0.0	0.0	247.5	130.8	0.0	279.9	33.3	691.5	824.5
12/18/2020 23:00	0.0	0.0	0.0	0.0	246.8	131.5	0.0	276.4	109.9	764.6	824.2
12/19/2020 0:00	0.0	0.0	0.0	0.0	248.9	130.2	0.0	278.9	570.3	1228.3	824.6
12/19/2020 1:00	0.0	0.0	0.0	0.0	248.9	136.0	0.0	279.2	487.9	1152.0	824.8
12/19/2020 2:00	0.0	0.0	0.0	0.0	245.1	132.9	0.0	278.4	479	1135.4	825.1
12/19/2020 3:00	0.0	0.0	0.0	0.0	245.1	131.9	0.0	278.9	491.5	1147.4	825.3
12/19/2020 4:00	0.0	0.0	0.0	0.0	243.8	134.2	0.0	277.9	548.4	1204.3	825.7
12/19/2020 5:00	0.0	0.0	0.0	0.0	243.1	125.6	0.0	273	561.8	1203.5	826.0
12/19/2020 6:00	0.0	0.0	0.0	0.0	239.5	127.1	0.0	281.8	579.2	1227.6	826.4
12/19/2020 7:00	0.0	0.0	0.0	0.0	239.8	128.5	0.0	277.1	581	1226.4	826.7
12/19/2020 8:00	0.0	0.0	0.0	0.0	239.8	128.1	0.0	279	585	1231.9	827.0
12/19/2020 9:00	0.0	0.0	0.0	0.0	239.1	119.9	0.0	277.2	152	788.2	826.8
12/19/2020 10:00	0.0	0.0	0.0	0.0	235.3	119.4	0.0	282	6.8	643.5	826.3
12/19/2020 11:00	0.0	0.0	0.0	0.0	237.2	118.9	0.0	275.1	2.7	633.9	825.8
12/19/2020 12:00	0.0	0.0	0.0	0.0	239.9	112.2	0.0	283	0.2	635.3	825.4
12/19/2020 13:00	0.0	0.0	0.0	0.0	240.1	118.7	0.0	272.7	0.2	631.7	825.0
12/19/2020 14:00	0.0	0.0	0.0	0.0	241.7	118.9	0.0	280.7	0.2	641.5	824.6
12/19/2020 15:00	0.0	0.0	0.0	0.0	240.8	123.2	0.0	279.5	0.5	644.0	824.2
12/19/2020 16:00	0.0	0.0	0.0	0.0	239.7	125.1	12.3	278.7	0.4	656.2	823.8
12/19/2020 17:00	0.0	0.0	0.0	0.0	238.0	131.5	16.1	279.7	0.5	665.8	823.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/19/2020 18:00	0.0	0.0	0.0	0.0	237.5	129.8	38.5	277.8	12.1	695.7	823.1
12/19/2020 19:00	0.0	0.0	0.0	0.0	235.7	132.5	45.2	280.1	10.8	704.3	822.8
12/19/2020 20:00	0.0	0.0	0.0	0.0	232.3	138.3	53.0	279.8	6.6	710.0	822.5
12/19/2020 21:00	0.0	0.0	0.0	0.0	232.3	141.6	96.8	279.5	9.5	759.7	822.3
12/19/2020 22:00	0.0	0.0	0.0	0.0	212.5	141.7	193.9	278.2	5.3	831.6	822.2
12/19/2020 23:00	0.0	0.0	0.0	0.0	190.0	141.7	233.2	276.4	7.1	848.4	822.1
12/20/2020 0:00	0.0	0.0	0.0	0.0	190.0	147.9	213.9	284.2	11.5	847.5	822.0
12/20/2020 1:00	0.0	0.0	0.0	0.0	192.6	146.5	254.1	275.7	11.7	880.6	822.0
12/20/2020 2:00	0.0	0.0	0.0	0.0	191.2	130.9	336.2	285	10.5	953.8	822.1
12/20/2020 3:00	0.0	0.0	0.0	0.0	190.7	290.2	339.7	278.6	5.7	1104.9	822.4
12/20/2020 4:00	0.0	0.0	0.0	0.0	189.2	171.5	160.1	278.9	10.9	810.6	822.2
12/20/2020 5:00	0.0	0.0	0.0	0.0	190.5	178.6	178.4	279.4	13.7	840.6	822.1
12/20/2020 6:00	0.0	0.0	0.0	0.0	192.1	175.8	180.7	276.1	27.2	851.9	822.1
12/20/2020 7:00	0.0	0.0	0.0	0.0	190.8	183.2	199.2	280.3	19.3	872.8	822.0
12/20/2020 8:00	0.0	0.0	0.0	0.0	192.4	187.1	199.3	278.7	5.7	863.2	822.0
12/20/2020 9:00	0.0	0.0	0.0	0.0	192.7	185.9	197.7	268.3	15.2	859.8	821.9
12/20/2020 10:00	0.0	0.0	0.0	0.0	193.1	177.8	192.3	277	5.9	846.1	821.9
12/20/2020 11:00	0.0	0.0	0.0	0.0	193.9	174.0	189.7	277.7	7	842.3	821.8
12/20/2020 12:00	0.0	0.0	0.0	0.0	188.5	182.5	187.5	278.4	4.8	841.7	821.7
12/20/2020 13:00	0.0	0.0	0.0	0.0	185.1	184.6	186.1	280.4	16.9	853.1	821.6
12/20/2020 14:00	0.0	0.0	0.0	0.0	184.9	179.4	193.1	278.9	6.2	842.5	821.6
12/20/2020 15:00	0.0	0.0	0.0	0.0	183.2	183.1	189.0	278.7	7.5	841.5	821.5
12/20/2020 16:00	0.0	0.0	0.0	0.0	182.5	186.4	189.8	279.6	9.6	847.9	821.4
12/20/2020 17:00	0.0	0.0	0.0	0.0	180.3	175.8	186.2	279.7	4.9	826.9	821.2
12/20/2020 18:00	0.0	0.0	0.0	0.0	179.3	173.8	184.1	275.3	14.1	826.6	821.1
12/20/2020 19:00	0.0	0.0	0.0	0.0	179.8	159.8	168.4	279.7	11.7	799.4	820.9
12/20/2020 20:00	0.0	0.0	0.0	0.0	177.5	143.2	155.8	279.3	5.4	761.2	820.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/20/2020 21:00	0.0	0.0	0.0	0.0	178.1	142.3	154.0	272.3	3.6	750.3	820.5
12/20/2020 22:00	0.0	0.0	0.0	0.0	176.7	140.3	151.2	278.3	1.3	747.8	820.3
12/20/2020 23:00	0.0	0.0	0.0	0.0	176.0	148.7	160.9	278.6	8.4	772.6	820.1
12/21/2020 0:00	0.0	0.0	0.0	0.0	175.2	274.2	291.3	284.3	23.6	1048.6	820.3
12/21/2020 1:00	0.0	0.0	0.0	0.0	175.8	138.8	145.6	277.8	7.4	745.4	820.1
12/21/2020 2:00	0.0	0.0	0.0	0.0	176.0	138.5	140.9	280.6	8.8	744.8	819.9
12/21/2020 3:00	0.0	0.0	0.0	0.0	177.9	136.1	142.6	279	21.3	756.9	819.7
12/21/2020 4:00	0.0	0.0	0.0	0.0	178.5	136.0	144.5	277.6	7	743.6	819.5
12/21/2020 5:00	0.0	0.0	0.0	0.0	178.0	136.2	146.0	280.8	11.1	752.1	819.3
12/21/2020 6:00	0.0	0.0	0.0	0.0	173.2	128.4	132.8	280.9	39.7	755.0	819.0
12/21/2020 7:00	0.0	0.0	0.0	0.0	178.2	136.1	141.9	276.9	5.9	739.0	818.8
12/21/2020 8:00	0.0	0.0	0.0	0.0	178.9	133.9	143.5	280.2	4.2	740.7	818.6
12/21/2020 9:00	0.0	0.0	0.0	0.0	180.7	135.3	144.7	280	20.7	761.4	818.6
12/21/2020 10:00	0.0	0.0	0.0	0.0	182.4	132.6	146.0	278.8	3.4	743.2	818.0
12/21/2020 11:00	0.0	0.0	0.0	0.0	191.5	129.8	142.6	278.6	19.6	762.1	817.8
12/21/2020 12:00	0.0	0.0	0.0	0.0	195.8	133.8	143.3	280	6	758.9	817.6
12/21/2020 13:00	0.0	0.0	0.0	0.0	196.1	132.6	137.4	278.3	17	761.4	816.9
12/21/2020 14:00	0.0	0.0	0.0	0.0	194.9	135.6	139.9	278.6	19	768.0	816.7
12/21/2020 15:00	0.0	0.0	0.0	0.0	195.4	147.9	141.3	278.9	15.1	778.6	816.5
12/21/2020 16:00	0.0	0.0	0.0	0.0	196.7	152.2	140.5	279.6	12.2	781.2	816.4
12/21/2020 17:00	0.0	0.0	0.0	0.0	196.5	154.3	141.6	278.8	15	786.2	816.2
12/21/2020 18:00	0.0	0.0	0.0	0.0	195.6	152.7	142.1	278.5	19.6	788.5	816.0
12/21/2020 19:00	0.0	0.0	0.0	0.0	195.7	156.7	139.7	279.8	56.3	828.2	816.0
12/21/2020 20:00	0.0	0.0	0.0	0.0	197.4	159.3	140.6	280.6	430.6	1208.5	816.4
12/21/2020 21:00	0.0	0.0	0.0	0.0	198.8	161.7	142.2	278.5	30.4	811.6	816.3
12/21/2020 22:00	0.0	0.0	0.0	0.0	199.1	160.7	139.5	268.6	15.2	783.1	816.1
12/21/2020 23:00	0.0	0.0	0.0	0.0	198.2	161.6	140.7	277.3	71.8	849.6	816.0

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/22/2020 0:00	0.0	0.0	0.0	0.0	197.9	166.4	166.0	285.4	79.4	895.1	816.0
12/22/2020 1:00	0.0	0.0	0.0	0.0	198.9	163.9	178.9	278.1	34.7	854.5	815.9
12/22/2020 2:00	0.0	0.0	0.0	0.0	199.3	165.5	183.6	280.6	15	844.0	815.9
12/22/2020 3:00	0.0	0.0	0.0	0.0	197.3	164.9	186.4	279	7.8	835.4	815.8
12/22/2020 4:00	0.0	0.0	0.0	0.0	198.0	165.7	189.0	280.8	5.3	838.8	815.7
12/22/2020 5:00	0.0	0.0	0.0	0.0	200.2	153.4	188.5	278.2	3.7	824.0	815.6
12/22/2020 6:00	0.0	0.0	0.0	0.0	198.3	152.2	184.8	277.2	17.5	830.0	815.5
12/22/2020 7:00	0.0	0.0	0.0	0.0	199.1	156.7	189.7	281.8	18.2	845.5	815.4
12/22/2020 8:00	0.0	0.0	0.0	0.0	198.2	153.6	189.2	270.8	3	814.8	815.3
12/22/2020 9:00	0.0	0.0	0.0	0.0	197.4	153.7	186.3	282.2	0.6	820.2	815.2
12/22/2020 10:00	0.0	0.0	0.0	0.0	197.2	153.9	185.7	192.4	0.2	729.4	815.0
12/22/2020 11:00	0.0	0.0	0.0	0.0	201.2	151.9	183.3	147.6	0.2	684.2	814.8
12/22/2020 12:00	0.0	0.0	0.0	0.0	204.2	150.9	174.8	144.2	0.2	674.3	814.5
12/22/2020 13:00	0.0	0.0	0.0	0.0	204.7	146.4	168.0	261.4	17	797.5	814.3
12/22/2020 14:00	0.0	0.0	0.0	0.0	204.4	142.8	155.9	274.3	19.2	796.6	814.2
12/22/2020 15:00	0.0	0.0	0.0	0.0	205.0	146.2	159.4	280.4	0.3	791.3	814.1
12/22/2020 16:00	0.0	0.0	0.0	0.0	205.2	147.9	157.2	279.4	0.2	789.9	813.9
12/22/2020 17:00	0.0	0.0	0.0	0.0	206.1	153.2	158.0	278.9	2	798.2	813.8
12/22/2020 18:00	0.0	0.0	0.0	0.0	206.3	148.0	157.5	277.9	5.8	795.5	813.6
12/22/2020 19:00	0.0	0.0	0.0	0.0	205.1	149.5	162.9	279.5	4.4	801.4	813.5
12/22/2020 20:00	0.0	0.0	0.0	0.0	205.9	147.8	164.1	279.5	3.2	800.5	813.3
12/22/2020 21:00	0.0	0.0	0.0	0.0	207.8	147.0	166.2	278.1	7.6	806.7	813.2
12/22/2020 22:00	0.0	0.0	0.0	0.0	208.2	148.9	137.7	279.2	7.1	781.1	813.1
12/22/2020 23:00	0.0	0.0	0.0	0.0	207.3	147.0	109.7	273.7	17	754.7	812.9
12/23/2020 0:00	0.0	0.0	0.0	0.0	206.6	154.6	118.3	279.9	13.1	772.5	812.7
12/23/2020 1:00	0.0	0.0	0.0	0.0	205.7	150.4	118.4	279.6	22.4	776.5	812.5
12/23/2020 2:00	0.0	0.0	0.0	0.0	204.6	150.8	121.8	278.7	4.8	760.7	812.3

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/23/2020 3:00	0.0	0.0	0.0	0.0	205.8	148.9	123.7	280.8	6.5	765.7	812.2
12/23/2020 4:00	0.0	0.0	0.0	0.0	206.3	149.6	126.0	277.8	9.8	769.5	812.0
12/23/2020 5:00	0.0	0.0	0.0	0.0	207.3	154.2	123.5	279.4	25.9	790.3	811.8
12/23/2020 6:00	0.0	0.0	0.0	0.0	205.9	161.3	115.0	276.9	13.3	772.4	811.6
12/23/2020 7:00	0.0	0.0	0.0	0.0	205.2	158.6	59.3	280.8	5.6	709.5	811.3
12/23/2020 8:00	0.0	0.0	0.0	0.0	202.9	151.6	71.8	278.4	4	708.7	811.0
12/23/2020 9:00	0.0	0.0	0.0	0.0	203.2	155.0	81.2	268	5.8	713.2	810.8
12/23/2020 10:00	0.0	0.0	0.0	0.0	203.2	159.2	95.1	288.6	8.6	754.7	810.6
12/23/2020 11:00	0.0	0.0	0.0	0.0	204.8	153.6	95.6	278.9	13.1	746.0	810.3
12/23/2020 12:00	0.0	0.0	0.0	0.0	204.8	152.3	114.9	279.8	14	765.8	810.2
12/23/2020 13:00	0.0	0.0	0.0	0.0	204.1	147.8	122.4	282.3	28.3	784.9	810.0
12/23/2020 14:00	0.0	0.0	0.0	0.0	204.7	155.5	124.3	281.2	8.1	773.8	809.8
12/23/2020 15:00	0.0	0.0	0.0	0.0	204.6	153.6	123.7	277.6	5.5	765.0	809.6
12/23/2020 16:00	0.0	0.0	0.0	0.0	204.6	157.0	127.0	279.7	8.1	776.4	809.4
12/23/2020 17:00	0.0	0.0	0.0	0.0	204.0	159.5	123.4	278.8	9.2	774.9	809.3
12/23/2020 18:00	0.0	0.0	0.0	0.0	203.0	151.9	119.5	278.3	17.4	770.1	809.1
12/23/2020 19:00	0.0	0.0	0.0	0.0	203.5	145.2	118.8	279.1	13.4	760.0	808.9
12/23/2020 20:00	0.0	0.0	0.0	0.0	199.1	140.0	121.1	279.1	5.7	745.0	808.6
12/23/2020 21:00	0.0	0.0	0.0	0.0	197.4	140.0	124.7	279.3	5.8	747.2	808.4
12/23/2020 22:00	0.0	0.0	0.0	0.0	195.3	143.1	123.2	279.7	4.2	745.5	808.2
12/23/2020 23:00	0.0	0.0	0.0	0.0	196.9	143.0	123.4	280.3	10.5	754.1	808.0
12/24/2020 0:00	0.0	0.0	0.0	0.0	195.3	139.8	125.0	258.9	11.6	730.6	807.7
12/24/2020 1:00	0.0	0.0	0.0	0.0	197.4	139.0	125.2	280.3	6.6	748.5	807.5
12/24/2020 2:00	0.0	0.0	0.0	0.0	194.6	144.8	125.7	278.2	23.1	766.4	807.2
12/24/2020 3:00	0.0	0.0	0.0	0.0	195.0	146.0	124.5	278	7.3	750.8	807.0
12/24/2020 4:00	0.0	0.0	0.0	0.0	194.9	126.1	125.5	279.6	5.5	731.6	806.8
12/24/2020 5:00	0.0	0.0	0.0	0.0	196.2	123.4	124.3	279.1	5.8	728.8	806.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/24/2020 6:00	0.0	0.0	0.0	0.0	195.2	129.1	123.5	278.6	19.5	745.9	806.3
12/24/2020 7:00	0.0	0.0	0.0	0.0	196.0	123.5	122.6	280	14.7	736.8	806.1
12/24/2020 8:00	0.0	0.0	0.0	0.0	197.0	124.1	125.1	279.6	5	730.8	805.8
12/24/2020 9:00	0.0	0.0	0.0	0.0	196.6	126.4	118.9	278.7	7.9	728.5	805.3
12/24/2020 10:00	0.0	0.0	0.0	0.0	194.4	126.3	122.6	278.4	10.2	731.9	804.7
12/24/2020 11:00	0.0	0.0	0.0	0.0	194.7	126.5	119.5	281	10.6	732.3	804.4
12/24/2020 12:00	0.0	0.0	0.0	0.0	192.4	129.3	124.7	278.4	22.9	747.7	804.0
12/24/2020 13:00	0.0	0.0	0.0	0.0	203.7	126.5	121.0	289.1	22.8	763.1	803.6
12/24/2020 14:00	0.0	0.0	0.0	0.0	208.6	132.0	123.5	288.3	6.7	759.1	803.3
12/24/2020 15:00	0.0	0.0	0.0	0.0	209.9	128.4	123.5	277.1	4.8	743.7	802.9
12/24/2020 16:00	0.0	0.0	0.0	0.0	209.4	131.8	125.2	279.2	19.6	765.2	802.5
12/24/2020 17:00	0.0	0.0	0.0	0.0	210.0	130.3	119.9	278.8	3.1	742.1	802.3
12/24/2020 18:00	0.0	0.0	0.0	0.0	206.2	133.6	125.3	281.4	5	751.5	802.3
12/24/2020 19:00	0.0	0.0	0.0	0.0	194.3	130.6	119.6	279.6	9.9	734.0	802.2
12/24/2020 20:00	0.0	0.0	0.0	0.0	193.2	136.5	118.7	273.9	10.8	733.1	801.8
12/24/2020 21:00	0.0	0.0	0.0	0.0	194.6	139.1	120.1	278.6	29.7	762.1	801.3
12/24/2020 22:00	0.0	0.0	0.0	0.0	195.7	142.2	122.2	281	4.4	745.5	801.2
12/24/2020 23:00	0.0	0.0	0.0	0.0	195.3	144.9	122.6	279.2	2.6	744.6	801.2
12/25/2020 0:00	0.0	0.0	0.0	0.0	177.4	145.4	127.1	271.8	9.1	730.8	801.1
12/25/2020 1:00	0.0	0.0	0.0	0.0	163.5	149.0	126.0	283.9	40	762.4	801.1
12/25/2020 2:00	0.0	0.0	0.0	0.0	162.8	149.7	130.6	278.9	14.6	736.6	801.0
12/25/2020 3:00	0.0	0.0	0.0	0.0	163.6	160.2	141.1	279	12.6	756.5	801.0
12/25/2020 4:00	0.0	0.0	0.0	0.0	163.6	231.3	221.1	279.8	16.9	912.7	801.2
12/25/2020 5:00	0.0	0.0	0.0	0.0	163.3	252.2	250.1	279.5	21.7	966.8	801.5
12/25/2020 6:00	0.0	0.0	0.0	0.0	162.4	157.7	159.8	288.1	85.1	853.1	801.6
12/25/2020 7:00	0.0	0.0	0.0	0.0	162.2	154.9	133.2	281.8	10.6	742.7	801.5
12/25/2020 8:00	0.0	0.0	0.0	0.0	160.7	149.9	138.2	276.9	22.7	748.4	801.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/25/2020 9:00	0.0	0.0	0.0	0.0	161.4	150.0	146.3	280	40.5	778.2	801.5
12/25/2020 10:00	0.0	0.0	0.0	0.0	164.6	155.3	139.2	306.2	34.1	799.4	801.6
12/25/2020 11:00	0.0	0.0	0.0	0.0	189.6	154.8	131.5	310.5	27.8	814.2	801.6
12/25/2020 12:00	0.0	0.0	0.0	0.0	189.8	147.7	123.9	280.4	29.5	771.3	801.6
12/25/2020 13:00	0.0	0.0	0.0	0.0	192.8	128.3	108.5	277.6	15	722.2	801.6
12/25/2020 14:00	0.0	0.0	0.0	0.0	192.2	136.5	108.2	274.3	16.4	727.6	801.5
12/25/2020 15:00	0.0	0.0	0.0	0.0	191.7	143.2	107.4	285.5	30.7	758.5	801.5
12/25/2020 16:00	0.0	0.0	0.0	0.0	191.0	141.3	103.4	281.3	35.2	752.2	801.4
12/25/2020 17:00	0.0	0.0	0.0	0.0	192.8	144.2	101.1	274.4	14.9	727.4	801.4
12/25/2020 18:00	0.0	0.0	0.0	0.0	191.5	138.8	103.5	262.8	13.2	709.8	801.0
12/25/2020 19:00	0.0	0.0	0.0	0.0	190.8	132.0	96.3	278.7	13.3	711.1	800.9
12/25/2020 20:00	0.0	0.0	0.0	0.0	187.0	138.2	95.6	278.4	20.9	720.1	800.8
12/25/2020 21:00	0.0	0.0	0.0	0.0	183.1	138.1	93.7	280.4	28.9	724.2	800.8
12/25/2020 22:00	0.0	0.0	0.0	0.0	181.0	134.5	92.0	279.2	25.9	712.6	800.7
12/25/2020 23:00	0.0	0.0	0.0	0.0	180.2	129.8	91.2	279.7	22.4	703.3	800.5
12/26/2020 0:00	0.0	0.0	0.0	0.0	178.7	134.0	89.4	283.9	40.6	726.6	800.4
12/26/2020 1:00	0.0	0.0	0.0	0.0	189.2	134.2	88.6	279.5	17.3	708.8	800.3
12/26/2020 2:00	0.0	0.0	0.0	0.0	185.4	128.2	90.0	279.8	34.6	718.0	800.2
12/26/2020 3:00	0.0	0.0	0.0	0.0	184.1	125.3	92.4	282.8	16.6	701.2	800.1
12/26/2020 4:00	0.0	0.0	0.0	0.0	186.5	125.0	93.1	279.5	31.3	715.4	800.0
12/26/2020 5:00	0.0	0.0	0.0	0.0	186.3	122.3	94.5	278.6	14.2	695.9	799.6
12/26/2020 6:00	0.0	0.0	0.0	0.0	187.5	120.7	95.5	275.9	31.9	711.5	799.3
12/26/2020 7:00	0.0	0.0	0.0	0.0	185.7	115.3	114.3	280.8	16.8	712.9	799.2
12/26/2020 8:00	0.0	0.0	0.0	0.0	187.6	103.7	128.3	278.5	22.9	721.0	799.0
12/26/2020 9:00	0.0	0.0	0.0	0.0	187.6	105.2	126.8	279.8	30.9	730.3	798.9
12/26/2020 10:00	0.0	0.0	0.0	0.0	185.1	122.5	125.7	278.2	19.9	731.4	798.9
12/26/2020 11:00	0.0	0.0	0.0	0.0	180.5	115.9	127.4	277.8	22.5	724.1	798.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/26/2020 12:00	0.0	0.0	0.0	0.0	179.6	107.3	132.0	279	20.4	718.3	798.6
12/26/2020 13:00	0.0	0.0	0.0	0.0	175.9	107.2	127.1	302.9	39.3	752.4	798.6
12/26/2020 14:00	0.0	0.0	0.0	0.0	170.9	113.9	127.2	281.7	18.7	712.4	798.2
12/26/2020 15:00	0.0	0.0	0.0	0.0	169.9	112.7	126.2	279.6	133.7	822.1	797.9
12/26/2020 16:00	0.0	0.0	0.0	0.0	168.9	117.0	107.9	276.5	524.7	1195.0	798.3
12/26/2020 17:00	0.0	0.0	0.0	0.0	169.5	121.4	128.2	261.2	566.9	1247.2	798.7
12/26/2020 18:00	0.0	0.0	0.0	0.0	170.2	125.0	134.6	251.6	529.9	1211.3	798.9
12/26/2020 19:00	0.0	0.0	0.0	0.0	169.4	124.6	130.4	249.3	532.3	1206.0	799.0
12/26/2020 20:00	0.0	0.0	0.0	0.0	170.4	125.8	138.0	250.8	552.8	1237.8	799.4
12/26/2020 21:00	0.0	0.0	0.0	0.0	169.6	122.9	140.2	249.1	466.2	1148.0	799.7
12/26/2020 22:00	0.0	0.0	0.0	0.0	168.4	119.7	127.5	249.4	113	778.0	799.5
12/26/2020 23:00	0.0	0.0	0.0	0.0	169.7	125.2	120.6	249.1	51.1	715.7	799.2
12/27/2020 0:00	0.0	0.0	0.0	0.0	168.7	123.1	124.9	249.8	36.9	703.4	798.9
12/27/2020 1:00	0.0	0.0	0.0	0.0	168.3	123.5	137.6	280	29.4	738.8	798.7
12/27/2020 2:00	0.0	0.0	0.0	0.0	165.7	121.9	131.9	278.1	23.2	720.8	798.4
12/27/2020 3:00	0.0	0.0	0.0	0.0	166.6	123.7	128.8	279	20.6	718.7	798.3
12/27/2020 4:00	0.0	0.0	0.0	0.0	167.5	120.7	123.0	278.1	18.2	707.5	798.0
12/27/2020 5:00	0.0	0.0	0.0	0.0	166.7	119.2	134.1	278	14.7	712.7	797.8
12/27/2020 6:00	0.0	0.0	0.0	0.0	166.1	126.9	135.8	279.5	31.1	739.4	797.6
12/27/2020 7:00	0.0	0.0	0.0	0.0	146.1	130.4	159.4	280.1	34.4	750.4	797.5
12/27/2020 8:00	0.0	0.0	0.0	0.0	142.9	120.7	146.4	279.3	10.3	699.6	797.2
12/27/2020 9:00	0.0	0.0	0.0	0.0	142.7	123.5	154.6	278	9.9	708.7	797.0
12/27/2020 10:00	0.0	0.0	0.0	0.0	143.8	123.5	150.8	278.3	9.9	706.3	796.7
12/27/2020 11:00	0.0	0.0	0.0	0.0	141.3	120.1	148.9	280.6	10	700.9	796.4
12/27/2020 12:00	0.0	0.0	0.0	0.0	142.8	124.5	147.3	278.4	8.3	701.3	796.1
12/27/2020 13:00	0.0	0.0	0.0	0.0	141.9	117.9	145.2	301.3	14.4	720.7	795.9
12/27/2020 14:00	0.0	0.0	0.0	0.0	142.9	120.3	138.2	279.5	68.4	749.3	795.7

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/27/2020 15:00	0.0	0.0	0.0	0.0	142.8	119.0	106.6	278.4	18.5	665.3	795.4
12/27/2020 16:00	0.0	0.0	0.0	0.0	144.9	107.3	104.4	280.8	7	644.4	795.0
12/27/2020 17:00	0.0	0.0	0.0	0.0	144.7	104.3	96.8	278.1	6.2	630.1	794.7
12/27/2020 18:00	0.0	0.0	0.0	0.0	143.9	104.2	94.9	278.2	18.9	640.1	794.3
12/27/2020 19:00	0.0	0.0	0.0	0.0	151.0	123.3	102.3	277.3	19.5	673.4	794.0
12/27/2020 20:00	0.0	0.0	0.0	0.0	150.9	125.4	106.2	278.3	9.7	670.5	793.7
12/27/2020 21:00	0.0	0.0	0.0	0.0	149.5	117.1	105.4	280.6	1.3	653.9	793.4
12/27/2020 22:00	0.0	0.0	0.0	0.0	149.7	124.8	106.4	280.1	14.4	675.4	793.1
12/27/2020 23:00	0.0	0.0	0.0	0.0	150.8	127.5	107.2	294.1	32.6	712.2	792.8
12/28/2020 0:00	0.0	0.0	0.0	0.0	150.7	134.0	109.6	269.2	15.8	679.3	792.5
12/28/2020 1:00	0.0	0.0	0.0	0.0	149.4	131.7	111.4	280.4	5.7	678.6	792.2
12/28/2020 2:00	0.0	0.0	0.0	0.0	149.9	135.2	110.5	278.3	33.9	707.8	792.0
12/28/2020 3:00	0.0	0.0	0.0	0.0	150.3	146.6	110.7	279.5	7.6	694.7	791.7
12/28/2020 4:00	0.0	0.0	0.0	0.0	149.8	140.7	111.5	278.8	2.5	683.3	791.4
12/28/2020 5:00	0.0	0.0	0.0	0.0	150.6	138.7	110.1	278.8	6.6	684.8	791.1
12/28/2020 6:00	0.0	0.0	0.0	0.0	160.2	130.4	125.7	277.7	61.8	755.8	790.9
12/28/2020 7:00	0.0	0.0	0.0	0.0	168.8	138.7	134.0	285.2	26.7	753.4	790.8
12/28/2020 8:00	0.0	0.0	0.0	0.0	148.5	131.3	129.3	277.3	11.3	697.7	790.7
12/28/2020 9:00	0.0	0.0	0.0	0.0	149.0	129.1	148.9	280.5	5.8	713.3	790.6
12/28/2020 10:00	0.0	0.0	0.0	0.0	147.4	130.2	150.2	278.3	2.2	708.3	790.5
12/28/2020 11:00	0.0	0.0	0.0	0.0	145.7	133.3	148.1	279.4	0.3	706.8	790.3
12/28/2020 12:00	0.0	0.0	0.0	0.0	149.8	130.1	151.1	278.9	0.1	710.0	790.2
12/28/2020 13:00	0.0	0.0	0.0	0.0	152.1	128.8	146.0	278.8	0.1	705.8	790.1
12/28/2020 14:00	0.0	0.0	0.0	0.0	153.9	136.1	136.0	287.1	0.1	713.2	790.0
12/28/2020 15:00	0.0	0.0	0.0	0.0	154.3	110.1	121.4	321.1	0.1	707.0	789.8
12/28/2020 16:00	0.0	0.0	0.0	0.0	153.9	103.6	119.5	278.6	0.1	655.7	789.6
12/28/2020 17:00	0.0	0.0	0.0	0.0	152.8	105.2	115.2	278.7	0.1	652.0	789.4

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/28/2020 18:00	0.0	0.0	0.0	0.0	152.0	114.6	108.4	275.5	25	675.5	789.2
12/28/2020 19:00	0.0	0.0	0.0	0.0	153.1	112.5	107.4	281.3	83	737.3	789.1
12/28/2020 20:00	0.0	0.0	0.0	0.0	151.8	109.3	110.3	279.2	37.2	687.8	789.0
12/28/2020 21:00	0.0	0.0	0.0	0.0	152.2	109.2	111.2	278.8	24.3	675.7	788.8
12/28/2020 22:00	0.0	0.0	0.0	0.0	151.8	109.7	113.7	279.4	18.1	672.7	788.6
12/28/2020 23:00	0.0	0.0	0.0	0.0	153.6	103.5	114.1	279.5	10.9	661.6	788.4
12/29/2020 0:00	0.0	0.0	0.0	0.0	152.7	105.5	113.1	287.4	16.5	675.2	788.2
12/29/2020 1:00	0.0	0.0	0.0	0.0	152.7	109.4	112.9	277.5	76.4	728.9	788.1
12/29/2020 2:00	0.0	0.0	0.0	0.0	152.0	107.3	111.3	278.6	47.3	696.5	787.9
12/29/2020 3:00	0.0	0.0	0.0	0.0	152.9	102.6	110.9	278.5	36.7	681.6	787.7
12/29/2020 4:00	0.0	0.0	0.0	0.0	153.2	102.7	110.1	278.8	26.4	671.2	787.5
12/29/2020 5:00	0.0	0.0	0.0	0.0	153.5	100.6	108.6	280.2	16	658.9	787.2
12/29/2020 6:00	0.0	0.0	0.0	0.0	152.6	107.7	108.6	277.1	27	673.0	787.0
12/29/2020 7:00	0.0	0.0	0.0	0.0	153.2	110.8	109.1	279.8	56.3	709.2	786.9
12/29/2020 8:00	0.0	0.0	0.0	0.0	151.6	108.7	109.6	279.9	75.9	725.7	786.8
12/29/2020 9:00	0.0	0.0	0.0	0.0	152.1	228.0	226.0	279.2	9	894.3	786.9
12/29/2020 10:00	0.0	0.0	0.0	0.0	150.7	125.5	136.8	281.7	14.4	709.1	786.7
12/29/2020 11:00	0.0	0.0	0.0	0.0	152.3	113.0	113.4	310.7	5.7	695.1	786.6
12/29/2020 12:00	0.0	0.0	0.0	0.0	80.1	118.1	104.7	268.3	6.5	577.7	786.2
12/29/2020 13:00	0.0	0.0	0.0	0.0	80.1	113.4	97.5	278	3.5	572.5	786.0
12/29/2020 14:00	0.0	0.0	0.0	0.0	0.0	120.7	96.9	278.4	1.7	497.7	785.5
12/29/2020 15:00	0.0	0.0	0.0	0.0	0.0	114.3	102.4	277.1	2.2	496.0	785.1
12/29/2020 16:00	0.0	0.0	0.0	0.0	0.0	112.4	100.1	282.4	4.3	499.2	784.7
12/29/2020 17:00	0.0	0.0	0.0	0.0	0.0	111.7	99.4	284.3	7.9	503.3	784.3
12/29/2020 18:00	0.0	0.0	0.0	0.0	0.0	115.7	94.5	278.7	28.5	517.4	783.9
12/29/2020 19:00	0.0	0.0	0.0	0.0	0.0	110.7	92.1	280.2	221.8	704.8	783.8
12/29/2020 20:00	0.0	0.0	0.0	0.0	0.0	106.0	92.8	278.5	72.1	549.4	783.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/29/2020 21:00	0.0	0.0	0.0	0.0	0.0	112.2	90.1	279	16	497.3	783.1
12/29/2020 22:00	0.0	0.0	0.0	0.0	0.0	117.1	88.9	280.8	13.3	500.1	782.7
12/29/2020 23:00	0.0	0.0	0.0	0.0	0.0	109.8	89.4	282.6	7.3	489.1	782.0
12/30/2020 0:00	0.0	0.0	0.0	0.0	0.0	116.5	86.3	278.5	7	488.3	781.6
12/30/2020 1:00	0.0	0.0	0.0	0.0	0.0	113.3	89.4	278.1	5.8	486.6	781.1
12/30/2020 2:00	0.0	0.0	0.0	0.0	0.0	108.8	87.6	278.4	2.5	477.3	780.7
12/30/2020 3:00	0.0	0.0	0.0	0.0	0.0	114.3	87.5	279.3	4.4	485.5	780.3
12/30/2020 4:00	0.0	0.0	0.0	0.0	0.0	114.6	89.7	281	4.6	489.9	779.9
12/30/2020 5:00	0.0	0.0	0.0	0.0	0.0	100.7	100.3	301.6	2.5	505.1	779.5
12/30/2020 6:00	0.0	0.0	0.0	0.0	0.0	105.7	98.9	279.1	20.8	504.5	779.1
12/30/2020 7:00	0.0	0.0	0.0	0.0	0.0	104.8	100.4	276.1	49.2	530.5	778.7
12/30/2020 8:00	0.0	0.0	0.0	0.0	0.0	107.5	102.4	279.8	9.8	499.5	778.3
12/30/2020 9:00	0.0	0.0	0.0	0.0	0.0	109.6	102.4	279.1	2.1	493.2	777.9
12/30/2020 10:00	0.0	0.0	0.0	0.0	0.0	117.9	99.9	275.6	0.1	493.5	777.4
12/30/2020 11:00	0.0	0.0	0.0	0.0	0.0	111.3	99.7	279.8	0.2	491.0	776.9
12/30/2020 12:00	0.0	0.0	0.0	0.0	0.0	111.3	97.4	271.6	0.2	480.5	776.4
12/30/2020 13:00	0.0	0.0	0.0	0.0	0.0	113.1	98.2	279.5	0.2	491.0	776.0
12/30/2020 14:00	0.0	0.0	0.0	0.0	0.0	105.1	94.7	280.2	0.2	480.2	775.5
12/30/2020 15:00	0.0	0.0	0.0	0.0	0.0	104.7	95.9	279.8	0.2	480.6	775.1
12/30/2020 16:00	0.0	0.0	0.0	0.0	0.0	108.5	96.0	279.8	0.2	484.5	774.6
12/30/2020 17:00	0.0	0.0	0.0	0.0	0.0	106.2	94.5	278.7	0.2	479.6	774.1
12/30/2020 18:00	0.0	0.0	0.0	0.0	0.0	105.1	96.6	280.6	12.1	494.4	773.7
12/30/2020 19:00	0.0	0.0	0.0	0.0	0.0	104.4	98.0	279.9	33.7	516.0	773.2
12/30/2020 20:00	0.0	0.0	0.0	0.0	0.0	106.6	96.0	279.3	10.7	492.6	772.8
12/30/2020 21:00	0.0	0.0	0.0	0.0	0.0	102.4	96.5	279.3	4.4	482.6	772.4
12/30/2020 22:00	0.0	0.0	0.0	0.0	0.0	102.9	97.4	279.5	1.2	481.0	771.9
12/30/2020 23:00	0.0	0.0	0.0	0.0	0.0	103.4	102.4	265.7	0.1	471.6	771.5

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average
12/31/2020 0:00	0.0	0.0	0.0	0.0	0.0	105.3	99.6	280.4	0.2	485.5	771.0
12/31/2020 1:00	0.0	0.0	0.0	0.0	0.0	105.2	101.1	278.8	0.2	485.3	770.6
12/31/2020 2:00	0.0	0.0	0.0	0.0	0.0	101.6	101.0	280.9	0.2	483.7	770.1
12/31/2020 3:00	0.0	0.0	0.0	0.0	0.0	101.5	101.3	279.2	0.2	482.2	769.6
12/31/2020 4:00	0.0	0.0	0.0	0.0	0.0	97.3	94.2	278.8	0.2	470.5	769.2
12/31/2020 5:00	0.0	0.0	0.0	0.0	0.0	98.4	100.7	279	0.2	478.3	768.7
12/31/2020 6:00	0.0	0.0	0.0	0.0	0.0	99.8	101.0	279.3	16.9	497.0	768.3
12/31/2020 7:00	0.0	0.0	0.0	0.0	0.0	96.7	104.9	280.3	45	526.9	767.9
12/31/2020 8:00	0.0	0.0	0.0	0.0	0.0	51.0	110.8	281.8	18.5	462.1	767.4
12/31/2020 9:00	0.0	0.0	0.0	0.0	0.0	66.9	141.6	278.5	6.5	493.5	767.0
12/31/2020 10:00	0.0	0.0	0.0	0.0	0.0	86.7	144.4	279.6	0.6	511.3	766.5
12/31/2020 11:00	0.0	0.0	0.0	0.0	0.0	78.9	140.3	279.6	0.1	498.9	766.0
12/31/2020 12:00	0.0	0.0	0.0	0.0	0.0	80.6	139.4	288	0.1	508.1	765.4
12/31/2020 13:00	0.0	0.0	0.0	0.0	0.0	164.1	245.6	253.7	0.1	663.5	765.0
12/31/2020 14:00	0.0	0.0	0.0	0.0	0.0	83.8	136.9	270	0.1	490.8	764.4
12/31/2020 15:00	0.0	0.0	0.0	0.0	0.0	80.2	134.1	280.2	0.1	494.6	763.8
12/31/2020 16:00	0.0	0.0	0.0	0.0	0.0	78.4	130.6	278.8	0.1	487.9	763.1
12/31/2020 17:00	0.0	0.0	0.0	0.0	0.0	80.4	127.2	279.7	0.1	487.4	762.4
12/31/2020 18:00	0.0	0.0	0.0	0.0	0.0	80.8	124.7	280	7.9	493.4	761.7
12/31/2020 19:00	0.0	0.0	0.0	0.0	0.0	81.1	131.1	280.2	21.6	514.0	760.9
12/31/2020 20:00	0.0	0.0	0.0	0.0	0.0	82.3	129.5	279.6	9.6	501.0	760.2
12/31/2020 21:00	0.0	0.0	0.0	0.0	0.0	83.5	128.9	280	2	494.4	759.5
12/31/2020 22:00	0.0	0.0	0.0	0.0	0.0	88.5	108.7	279.3	29.7	506.2	758.8
12/31/2020 23:00	0.0	0.0	0.0	0.0	0.0	85.7	102.5	257.2	3.3	448.7	758.1

Table E1: Eastman Chemical Company TNO B-83 and B-325 SO_2 Emissions (lb/hr)											
Date/Time	Boiler 18	Boiler 19	Boiler 20	Boiler 21	Boiler 22	Boiler 23	Boiler 24	Boiler 30	Boiler 31	Total	30-Day Rolling Average

99th percentiles	1251.7	976.3
Compliance Ratio	78.0%	
CEV (lb/hr)	1,600	
Emission Limit (lb/hr, 30-day rolling average)	1,248	

Frequency > CEV =	1.0	0.0	= Frequency > Limit
% =	0.0%	0.0%	

Table E2: Boiler 18 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/13/19 4:00	131.30	4,486.85	323.79
10/13/19 5:00	116.80	4,339.74	315.70
10/13/19 6:00	135.40	4,546.16	317.96
10/13/19 7:00	134.90	4,583.48	322.59
10/13/19 8:00	116.50	4,362.05	320.44
10/13/19 9:00	105.20	4,210.62	319.11
10/13/19 10:00	113.00	4,293.81	320.75
10/13/19 11:00	124.10	4,440.54	321.48
10/13/19 12:00	119.00	4,373.91	322.48
10/13/19 13:00	107.90	4,186.45	322.41
10/13/19 14:00	109.40	4,184.77	322.61
10/13/19 15:00	92.70	4,188.70	322.88
10/13/19 16:00	98.30	4,186.27	323.78
10/13/19 17:00	120.50	4,313.90	350.39
10/13/19 18:00	115.60	4,187.01	381.79
10/13/19 19:00	114.30	4,194.82	380.76
10/13/19 20:00	109.80	4,178.69	359.93
10/13/19 21:00	118.20	4,189.21	353.73
10/13/19 22:00	120.10	4,184.51	351.75
10/13/19 23:00	120.90	4,185.19	350.69
10/14/19 0:00	120.80	4,183.50	350.62
10/14/19 1:00	132.10	4,298.23	359.03
10/14/19 2:00	140.00	4,445.88	360.38
10/14/19 3:00	145.30	4,548.47	358.50
10/14/19 4:00	149.40	4,580.32	357.51
10/14/19 5:00	157.40	4,646.51	354.78
10/14/19 6:00	136.80	4,533.87	329.52
10/14/19 7:00	142.30	4,638.92	323.30
10/14/19 8:00	143.20	4,690.71	321.64
10/14/19 9:00	137.30	4,654.59	320.73
10/14/19 10:00	131.00	4,586.31	319.78
10/14/19 11:00	126.20	4,499.37	317.58
10/14/19 12:00	136.00	4,548.89	318.41
10/14/19 13:00	134.50	4,481.72	317.93
10/14/19 14:00	137.90	4,438.94	316.71
10/14/19 15:00	114.60	4,463.07	318.80
10/14/19 16:00	123.10	4,461.69	318.56

Table E2: Boiler 18 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
10/14/19 17:00	119.60	4,403.84	317.53
10/14/19 18:00	124.00	4,463.90	322.35
10/14/19 19:00	108.30	4,472.43	323.06
10/14/19 20:00	160.50	4,516.57	321.93
10/14/19 21:00	210.00	4,535.27	323.41
10/14/19 22:00	261.30	4,501.72	329.48
10/14/19 23:00	248.40	4,438.46	332.08
10/15/19 0:00	224.50	4,438.95	331.34
10/15/19 1:00	176.00	4,432.19	332.58
10/15/19 2:00	147.80	4,408.73	330.46
10/15/19 3:00	138.70	4,450.09	329.64
10/15/19 4:00	144.30	4,454.18	328.36
10/15/19 5:00	196.20	4,462.02	328.51
10/15/19 6:00	145.60	4,466.51	329.39
10/15/19 7:00	156.30	4,420.94	329.03
10/15/19 8:00	137.60	4,358.21	327.49
10/15/19 9:00	97.70	4,212.01	321.92
10/15/19 10:00	90.20	4,195.30	322.97
10/15/19 11:00	112.90	4,298.08	326.28
10/15/19 12:00	127.60	4,242.52	324.65
10/15/19 13:00	200.20	4,198.84	325.49
10/15/19 14:00	118.20	4,197.79	328.03
10/15/19 15:00	117.30	4,189.91	328.31
10/15/19 16:00	118.20	4,194.49	330.18
10/15/19 17:00	129.50	4,328.03	329.00
10/15/19 18:00	151.50	4,557.04	332.64
10/15/19 19:00	141.90	4,459.30	331.58
10/15/19 20:00	152.30	4,562.58	333.56
10/15/19 21:00	159.80	4,651.55	337.66
10/15/19 22:00	154.40	4,598.15	336.48
10/15/19 23:00	151.50	4,571.11	335.01
10/16/19 0:00	172.20	4,766.24	338.05
10/16/19 1:00	152.40	4,575.59	336.63
10/16/19 2:00	136.30	4,398.35	329.27
10/16/19 3:00	138.90	4,424.65	329.72
10/16/19 4:00	151.30	4,565.40	334.55
10/16/19 5:00	155.00	4,603.81	337.27
10/16/19 6:00	156.80	4,619.84	337.32

Table E2: Boiler 18 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/16/19 7:00	159.10	4,650.15	336.60
10/16/19 8:00	173.10	4,690.30	342.12
10/16/19 9:00	177.50	4,763.99	342.57
10/16/19 10:00	171.40	4,684.55	342.38
10/16/19 11:00	162.20	4,620.82	338.54
10/16/19 12:00	141.50	4,387.86	329.06
10/16/19 13:00	133.10	4,215.43	321.10
10/16/19 14:00	132.00	4,249.00	322.51
10/16/19 15:00	138.30	4,252.50	322.22
10/16/19 16:00	144.70	4,218.31	320.64
10/16/19 17:00	213.70	4,219.12	319.69
10/16/19 18:00	115.20	4,216.11	319.88
10/16/19 19:00	134.20	4,214.53	319.98
10/16/19 20:00	139.30	4,375.91	323.26
10/16/19 21:00	134.40	4,357.50	324.65
10/16/19 22:00	144.10	4,295.36	322.92
10/16/19 23:00	139.00	4,366.51	324.98
10/17/19 0:00	135.60	4,313.93	324.49
10/17/19 1:00	125.80	4,227.96	321.22
10/17/19 2:00	125.80	4,286.28	322.64
10/17/19 3:00	156.80	4,617.78	334.05
10/17/19 4:00	128.20	4,326.04	329.57
10/17/19 5:00	123.50	4,271.78	325.31
10/17/19 6:00	136.90	4,428.99	329.62
10/17/19 7:00	176.40	4,827.90	343.55
10/17/19 8:00	178.70	4,867.47	347.02
10/17/19 9:00	163.10	4,706.50	341.84
10/17/19 10:00	179.70	4,875.94	341.70
10/17/19 11:00	178.10	4,839.68	342.87
10/17/19 12:00	187.80	4,942.59	344.35
10/17/19 13:00	178.60	4,862.42	342.44
10/17/19 14:00	188.50	4,964.89	342.62
10/17/19 15:00	173.70	4,816.11	340.86
10/17/19 16:00	171.60	4,781.70	339.77
10/17/19 17:00	186.00	4,915.20	342.46
10/17/19 18:00	197.80	5,019.84	345.68
10/17/19 19:00	196.10	5,002.54	346.45
10/17/19 20:00	192.60	4,965.79	346.09

Table E2: Boiler 18 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/17/19 21:00	197.80	5,018.46	346.63
10/17/19 22:00	208.00	5,097.32	350.10
10/17/19 23:00	165.30	4,690.49	343.48
10/18/19 0:00	163.90	4,680.56	340.69
10/18/19 1:00	145.30	4,496.19	334.80
10/18/19 2:00	153.30	4,571.18	334.34
10/18/19 3:00	166.40	4,709.52	338.38
10/18/19 4:00	172.40	4,784.95	340.97
10/18/19 5:00	167.60	4,737.21	341.61
10/18/19 6:00	154.60	4,608.27	341.33
10/18/19 7:00	166.60	4,735.21	343.13
10/18/19 8:00	159.40	4,674.13	341.32
10/18/19 9:00	152.60	4,592.11	339.28
10/18/19 10:00	145.10	4,502.30	337.19
10/18/19 11:00	138.30	4,423.50	332.58
10/18/19 12:00	127.20	4,296.70	328.86
10/18/19 13:00	117.80	4,208.72	322.67
10/18/19 14:00	116.40	4,198.19	321.72
10/18/19 15:00	118.50	4,220.76	323.68
10/18/19 16:00	117.30	4,208.43	324.11
10/18/19 17:00	120.40	4,243.53	324.28
10/18/19 18:00	123.80	4,275.10	327.13
10/18/19 19:00	144.10	4,486.24	332.22
10/18/19 20:00	154.30	4,580.45	339.49
10/18/19 21:00	159.00	4,639.06	340.08
10/18/19 22:00	149.80	4,552.14	337.41
10/18/19 23:00	154.70	4,597.74	335.84
10/19/19 0:00	161.80	4,664.52	339.84
10/19/19 1:00	169.00	4,737.20	342.43
10/19/19 2:00	158.10	4,638.13	341.52
10/19/19 3:00	135.80	4,410.59	332.93
10/19/19 4:00	131.90	4,370.11	330.49
10/19/19 5:00	132.20	4,378.58	330.12
10/19/19 6:00	134.30	4,393.56	331.27
10/19/19 7:00	133.60	4,391.48	331.87
10/19/19 8:00	137.20	4,433.72	333.84
10/19/19 9:00	137.60	4,428.25	333.70
10/19/19 10:00	137.20	4,425.99	333.41

Table E2: Boiler 18 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
10/19/19 11:00	124.10	4,287.31	328.23
10/19/19 12:00	121.70	4,263.34	326.04
10/19/19 13:00	118.60	4,226.44	324.75
10/19/19 14:00	117.60	4,216.71	323.86
10/19/19 15:00	126.60	4,307.81	326.39
10/19/19 16:00	133.30	4,383.53	329.67
10/19/19 17:00	140.80	4,454.96	333.69
10/19/19 18:00	142.50	4,468.07	334.72
10/19/19 19:00	158.60	4,636.43	339.89
10/19/19 20:00	171.60	4,768.43	342.29
10/19/19 21:00	166.00	4,723.41	341.75
10/19/19 22:00	161.00	4,677.22	340.14
10/19/19 23:00	173.90	4,802.96	341.12
10/20/19 0:00	163.80	4,700.97	338.15
10/20/19 1:00	141.50	4,477.24	332.19
10/20/19 2:00	138.20	4,442.48	330.08
10/20/19 3:00	129.50	4,346.47	326.29
10/20/19 4:00	130.60	4,355.01	326.07
10/20/19 5:00	137.30	4,424.41	329.59
10/20/19 6:00	135.30	4,403.22	330.68
10/20/19 7:00	133.90	4,385.47	329.99
10/20/19 8:00	152.80	4,584.91	335.38
10/20/19 9:00	153.60	4,603.71	336.96
10/20/19 10:00	157.70	4,654.85	338.00
10/20/19 11:00	150.60	4,569.86	337.04
10/20/19 12:00	153.40	4,601.62	336.16
10/20/19 13:00	158.20	4,649.05	336.87
10/20/19 14:00	146.70	4,529.10	335.60
10/20/19 15:00	145.20	4,514.26	334.32
10/20/19 16:00	148.80	4,550.67	335.39
10/20/19 17:00	156.40	4,627.39	338.41
10/20/19 18:00	144.30	4,503.02	336.57
10/20/19 19:00	153.50	4,592.16	337.77
10/20/19 20:00	142.90	4,489.02	335.74
10/20/19 21:00	143.20	4,490.94	334.90
10/20/19 22:00	135.60	4,410.11	333.17
10/20/19 23:00	124.00	4,280.25	328.56
10/21/19 0:00	130.00	4,349.28	329.06

Table E2: Boiler 18 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/21/19 1:00	131.00	4,364.34	330.33
10/21/19 2:00	139.50	4,450.19	333.70
10/21/19 3:00	146.80	4,531.44	335.98
10/21/19 4:00	151.50	4,588.09	338.45
10/21/19 5:00	143.10	4,490.67	335.96
10/21/19 6:00	157.60	4,646.88	338.57
10/21/19 7:00	147.20	4,548.65	338.32
10/21/19 8:00	148.90	4,573.56	337.60
10/21/19 9:00	150.40	4,599.58	338.85
10/21/19 10:00	169.20	4,776.92	342.51
10/21/19 11:00	155.30	4,632.78	341.50
10/21/19 12:00	153.20	4,601.25	339.83
10/21/19 13:00	158.90	4,660.59	340.06
10/21/19 14:00	157.60	4,645.45	340.91
10/21/19 15:00	143.50	4,494.23	337.28
10/21/19 16:00	141.00	4,479.50	333.46
10/21/19 17:00	144.60	4,519.52	333.29
10/21/19 18:00	152.60	4,594.07	336.63
10/21/19 19:00	143.10	4,498.70	333.51
10/21/19 20:00	145.30	4,522.95	333.99
10/21/19 21:00	150.80	4,571.31	336.63
10/21/19 22:00	153.20	4,596.08	336.21
10/21/19 23:00	150.70	4,572.68	335.49
10/22/19 0:00	142.00	4,489.71	333.18
10/22/19 1:00	141.60	4,483.94	331.43
10/22/19 2:00	136.40	4,431.86	331.50
10/22/19 3:00	135.80	4,424.83	330.48
10/22/19 4:00	137.40	4,442.58	331.89
10/22/19 5:00	135.60	4,421.45	332.92
10/22/19 6:00	135.30	4,422.08	332.19
10/22/19 7:00	131.20	4,379.56	330.08
10/22/19 8:00	133.00	4,405.28	330.55
10/22/19 9:00	133.90	4,407.47	332.68
10/22/19 10:00	137.10	4,437.92	333.92
10/22/19 11:00	146.70	4,549.99	335.67
10/22/19 12:00	147.10	4,562.35	336.93
10/22/19 13:00	129.70	4,377.35	331.61
10/22/19 14:00	141.30	4,499.82	333.42

Table E2: Boiler 18 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/22/19 15:00	138.80	4,480.57	333.95
10/22/19 16:00	126.40	4,353.79	330.65
10/22/19 17:00	121.60	4,294.37	329.30
10/22/19 18:00	119.90	4,266.24	327.35
10/22/19 19:00	118.30	4,254.04	327.70
10/22/19 20:00	117.70	4,241.04	328.21
10/22/19 21:00	122.60	4,291.48	330.85
10/22/19 22:00	123.50	4,295.32	331.80
10/22/19 23:00	122.80	4,295.57	332.77
10/23/19 0:00	120.00	4,265.45	331.64
10/23/19 1:00	118.50	4,251.06	331.22
10/23/19 2:00	119.20	4,256.61	331.39
10/23/19 3:00	117.40	4,240.37	331.15
10/23/19 4:00	118.80	4,260.09	332.17
10/23/19 5:00	122.90	4,307.46	334.39
10/23/19 6:00	115.90	4,234.50	333.58
10/23/19 7:00	111.00	4,186.57	330.35
10/23/19 8:00	111.70	4,195.37	329.71
10/23/19 9:00	112.00	4,203.86	331.14
10/23/19 10:00	114.30	4,236.72	331.59
10/23/19 11:00	112.40	4,205.24	331.59
10/23/19 12:00	113.10	4,212.53	331.15
10/23/19 13:00	111.70	4,197.62	330.76
10/23/19 14:00	111.60	4,197.40	330.55
10/23/19 15:00	111.90	4,204.17	328.60
10/23/19 16:00	115.10	4,228.24	329.76
10/23/19 17:00	114.20	4,219.66	331.38
10/23/19 18:00	118.10	4,257.51	333.24
10/23/19 19:00	117.80	4,255.93	333.70
10/23/19 20:00	121.80	4,294.77	334.54
10/23/19 21:00	128.10	4,363.38	337.74
10/23/19 22:00	130.00	4,392.23	337.07
10/23/19 23:00	132.80	4,415.16	337.57
10/24/19 0:00	126.90	4,351.46	334.98
10/24/19 1:00	126.50	4,352.26	334.60
10/24/19 2:00	129.10	4,386.06	335.89
10/24/19 3:00	128.60	4,387.61	334.15
10/24/19 4:00	137.10	4,479.49	336.59

Table E2: Boiler 18 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/24/19 5:00	140.70	4,517.96	338.29
10/24/19 6:00	149.40	4,616.92	340.40
10/24/19 7:00	160.70	4,739.88	344.46
10/24/19 8:00	144.40	4,590.75	340.62
10/24/19 9:00	126.90	4,383.98	333.82
10/24/19 10:00	116.80	4,271.38	327.20
10/24/19 11:00	117.80	4,274.73	326.54
10/24/19 12:00	115.40	4,250.36	326.00
10/24/19 13:00	111.10	4,210.24	325.41
10/24/19 14:00	117.00	4,277.90	327.12
10/24/19 15:00	129.60	4,413.66	334.00
10/24/19 16:00	150.90	4,632.83	344.92
10/24/19 17:00	112.30	4,234.70	329.09
10/24/19 18:00	118.10	4,308.31	327.59
10/24/19 19:00	123.00	4,360.43	328.59
10/24/19 20:00	133.70	4,474.30	332.63
10/24/19 21:00	140.20	4,539.78	335.52
10/24/19 22:00	152.60	4,670.39	341.11
10/24/19 23:00	152.80	4,677.99	340.59
10/25/19 0:00	159.00	4,741.91	339.93
10/25/19 1:00	159.60	4,742.35	340.18
10/25/19 2:00	159.10	4,737.87	340.48
10/25/19 3:00	157.60	4,724.32	341.28
10/25/19 4:00	157.80	4,729.89	341.73
10/25/19 5:00	150.90	4,660.58	340.37
10/25/19 6:00	151.20	4,657.03	338.98
10/25/19 7:00	165.30	4,823.16	343.95
10/25/19 8:00	176.00	4,934.18	348.46
10/25/19 9:00	188.90	5,084.45	355.97
10/25/19 10:00	181.50	4,998.52	350.90
10/25/19 11:00	175.70	4,936.41	348.70
10/25/19 12:00	175.30	4,927.49	348.55
10/25/19 13:00	164.30	4,817.15	342.92
10/25/19 14:00	156.30	4,738.14	341.20
10/25/19 15:00	143.80	4,602.69	337.74
10/25/19 16:00	147.00	4,650.01	338.72
10/25/19 17:00	142.30	4,592.97	337.30
10/25/19 18:00	146.90	4,647.06	336.87

Table E2: Boiler 18 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/25/19 19:00	146.60	4,645.05	336.00
10/25/19 20:00	151.80	4,706.32	337.46
10/25/19 21:00	152.10	4,711.10	337.82
10/25/19 22:00	146.60	4,644.43	336.47
10/25/19 23:00	148.20	4,663.74	336.34
10/26/19 0:00	139.50	4,564.63	335.19
10/26/19 1:00	118.80	4,327.54	328.38
10/26/19 2:00	170.30	4,900.35	336.47
10/26/19 3:00	144.40	4,628.68	334.66
10/26/19 4:00	118.60	4,318.22	324.67
10/26/19 5:00	125.90	4,552.14	329.08
10/26/19 6:00	122.70	4,645.22	337.59
10/26/19 7:00	140.40	4,604.35	339.68
10/26/19 8:00	131.00	4,494.92	338.35
10/26/19 9:00	138.40	4,568.12	339.75
10/26/19 10:00	121.60	4,375.15	331.78
10/26/19 11:00	122.00	4,373.14	332.86
10/26/19 12:00	134.20	4,515.03	334.87
10/26/19 13:00	132.00	4,500.68	336.69
10/26/19 14:00	107.30	4,210.55	327.73
10/30/19 16:00	65.30	3,929.31	346.18
10/30/19 17:00	161.20	4,749.33	335.96
10/30/19 18:00	143.80	4,626.81	337.04
10/30/19 19:00	144.10	4,626.88	337.56
10/30/19 20:00	144.90	4,625.01	337.88
10/30/19 21:00	148.40	4,624.77	338.65
10/30/19 22:00	150.00	4,622.99	339.04
10/30/19 23:00	152.20	4,624.57	339.46
10/31/19 0:00	162.50	4,722.73	340.88
10/31/19 1:00	165.30	4,763.50	342.91
10/31/19 2:00	164.50	4,760.26	341.91
10/31/19 3:00	162.40	4,762.91	342.67
10/31/19 4:00	161.90	4,763.34	342.52
10/31/19 5:00	160.60	4,762.56	343.20
10/31/19 6:00	161.70	4,761.02	342.73
10/31/19 7:00	118.80	4,411.82	338.29
10/31/19 8:00	159.20	4,773.10	348.59
10/31/19 9:00	166.50	4,806.40	346.96

Table E2: Boiler 18 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
10/31/19 10:00	166.90	4,806.62	348.02
10/31/19 11:00	167.60	4,805.78	346.59
10/31/19 12:00	168.40	4,808.10	345.77
10/31/19 13:00	168.60	4,774.12	344.79
10/31/19 14:00	153.80	4,610.75	341.85
10/31/19 15:00	149.90	4,577.83	336.55
10/31/19 16:00	170.10	4,782.71	343.46
10/31/19 17:00	181.60	4,881.70	344.52
10/31/19 18:00	179.90	4,883.13	344.38
10/31/19 19:00	179.20	4,884.77	344.64
10/31/19 20:00	179.30	4,883.50	345.97
10/31/19 21:00	178.30	4,885.26	345.55
10/31/19 22:00	178.50	4,884.63	345.93
10/31/19 23:00	180.20	4,883.41	346.43
11/1/19 0:00	177.10	4,881.57	347.22
11/1/19 1:00	177.90	4,883.27	347.33
11/1/19 2:00	178.40	4,884.44	346.06
11/1/19 3:00	178.30	4,882.98	346.39
11/1/19 4:00	177.40	4,884.70	346.58
11/1/19 5:00	177.00	4,883.05	346.33
11/1/19 6:00	183.90	4,875.76	350.11
11/1/19 7:00	180.00	4,892.44	348.60
11/1/19 8:00	175.30	4,885.03	345.53
11/1/19 9:00	174.40	4,885.35	345.85
11/1/19 10:00	172.50	4,883.79	346.95
11/1/19 11:00	172.80	4,884.19	346.79
11/1/19 12:00	173.60	4,882.77	347.10
11/1/19 13:00	174.00	4,884.47	347.64
11/1/19 14:00	173.40	4,882.84	348.39
11/1/19 15:00	173.40	4,884.45	348.62
11/1/19 16:00	173.50	4,881.40	347.76
11/1/19 17:00	175.60	4,883.46	347.75
11/1/19 18:00	179.20	4,882.75	348.79
11/1/19 19:00	180.10	4,880.72	349.38
11/1/19 20:00	181.60	4,880.51	350.20
11/1/19 21:00	181.50	4,882.88	350.31
11/1/19 22:00	182.50	4,885.65	350.08
11/1/19 23:00	181.40	4,884.48	349.17

Table E2: Boiler 18 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
11/2/19 0:00	181.10	4,882.87	353.66
11/2/19 1:00	153.00	4,602.65	348.50
11/2/19 2:00	118.50	4,260.90	333.93
11/11/19 17:00	149.30	4,573.64	349.91
11/11/19 18:00	160.00	4,668.26	341.34
11/11/19 19:00	158.30	4,645.91	341.34
11/11/19 20:00	144.60	4,484.16	337.98
11/11/19 21:00	164.30	4,651.78	342.60
11/11/19 22:00	186.40	4,860.87	352.76
11/11/19 23:00	180.40	4,786.88	353.52
11/12/19 0:00	174.90	4,737.43	353.16
11/12/19 1:00	153.30	4,526.19	343.02
11/12/19 2:00	172.60	4,723.28	347.46
11/12/19 3:00	197.70	4,964.15	352.96
11/12/19 4:00	209.90	5,089.19	359.19
11/12/19 5:00	216.80	5,190.89	358.54
11/12/19 6:00	217.80	5,248.64	357.00
11/12/19 7:00	203.70	5,126.76	348.81
11/12/19 8:00	214.20	5,255.40	347.42
11/12/19 9:00	223.60	5,360.20	350.91
11/12/19 10:00	221.50	5,330.20	349.75
11/12/19 11:00	234.40	5,470.08	351.66
11/12/19 12:00	246.00	5,548.79	354.73
11/12/19 13:00	215.30	5,239.23	352.94
11/12/19 14:00	177.30	4,869.84	335.83
11/12/19 15:00	215.90	5,263.08	343.64
11/12/19 16:00	215.60	5,266.62	345.60
11/12/19 17:00	213.60	5,233.15	345.35
11/12/19 18:00	181.30	4,899.09	338.63
11/12/19 19:00	182.20	4,899.44	337.50
11/12/19 20:00	191.60	5,000.28	336.16
11/12/19 21:00	178.00	4,868.48	337.33
11/12/19 22:00	148.60	4,554.92	326.28
11/12/19 23:00	239.50	5,459.79	348.41
11/13/19 0:00	209.40	5,173.12	348.14
11/13/19 1:00	204.30	5,153.45	340.40
11/13/19 2:00	205.30	5,149.72	344.70
11/13/19 3:00	207.50	5,190.78	346.96

Table E2: Boiler 18 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
11/13/19 4:00	199.50	5,118.32	343.42
11/13/19 5:00	202.40	5,120.08	342.69
11/13/19 6:00	217.40	5,244.43	344.67
11/13/19 7:00	213.80	5,289.88	347.83
11/13/19 8:00	207.60	5,265.56	346.02
11/13/19 9:00	205.20	5,256.38	347.19
11/13/19 10:00	205.70	5,265.35	348.70
11/13/19 11:00	204.00	5,189.63	346.48
11/13/19 12:00	207.80	5,175.84	344.92
11/13/19 13:00	209.10	5,189.41	347.74
11/13/19 14:00	209.30	5,192.44	347.72
11/13/19 15:00	208.50	5,187.52	346.56
11/13/19 16:00	207.70	5,194.71	344.93
11/13/19 17:00	208.30	5,193.55	344.29
11/13/19 18:00	210.10	5,191.21	345.24
11/13/19 19:00	209.90	5,190.99	345.41
11/13/19 20:00	179.70	4,885.40	342.04
11/13/19 21:00	138.20	4,456.74	329.14
11/13/19 22:00	139.00	4,468.69	324.52
11/13/19 23:00	139.50	4,469.07	324.20
11/14/19 0:00	139.20	4,471.28	323.22
11/14/19 1:00	138.80	4,468.18	323.44
11/14/19 2:00	138.50	4,468.24	324.68
11/14/19 3:00	138.60	4,470.99	324.43
11/14/19 4:00	66.00	4,003.77	321.73
11/30/19 19:00	11.00	4,962.81	340.48
11/30/19 20:00	187.80	4,964.46	340.50
11/30/19 21:00	187.30	4,957.70	340.22
11/30/19 22:00	157.60	4,655.67	333.34
11/30/19 23:00	156.90	4,654.63	331.19
12/1/19 0:00	157.40	4,656.23	332.81
12/1/19 1:00	157.30	4,654.22	334.50
12/1/19 2:00	154.90	4,655.44	326.55
12/1/19 3:00	155.70	4,652.38	324.01
12/1/19 4:00	154.60	4,654.63	323.40
12/1/19 5:00	155.10	4,653.30	322.93
12/1/19 6:00	154.60	4,653.71	323.32
12/1/19 7:00	155.00	4,654.44	324.07

Table E2: Boiler 18 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/1/19 8:00	155.50	4,655.25	324.61
12/1/19 9:00	155.70	4,655.12	324.32
12/1/19 10:00	155.10	4,654.41	325.29
12/1/19 11:00	155.60	4,656.30	323.88
12/1/19 12:00	157.30	4,651.98	325.07
12/1/19 13:00	164.60	4,713.33	326.44
12/1/19 14:00	161.40	4,674.20	326.36
12/1/19 15:00	160.90	4,674.94	325.36
12/1/19 16:00	160.40	4,675.48	323.91
12/1/19 17:00	160.50	4,674.39	324.37
12/1/19 18:00	160.20	4,677.20	324.49
12/1/19 19:00	159.30	4,676.13	324.13
12/1/19 20:00	159.60	4,674.69	324.48
12/1/19 21:00	158.80	4,674.46	323.17
12/1/19 22:00	173.60	4,804.06	325.08
12/1/19 23:00	195.60	5,019.86	330.00
12/2/19 0:00	195.40	5,018.93	335.53
12/2/19 1:00	196.90	5,017.60	336.21
12/2/19 2:00	195.90	5,018.43	336.49
12/2/19 3:00	195.40	5,017.33	335.94
12/2/19 4:00	195.70	5,019.88	336.02
12/2/19 5:00	195.10	5,019.84	334.57
12/2/19 6:00	195.00	5,019.92	334.34
12/2/19 7:00	194.20	5,015.71	335.64
12/2/19 8:00	172.70	4,796.28	335.42
12/2/19 9:00	121.40	4,260.99	322.33
12/2/19 10:00	121.10	4,262.77	320.24
12/2/19 11:00	121.40	4,261.67	320.93
12/2/19 12:00	122.30	4,259.86	321.32
12/2/19 13:00	122.70	4,263.10	321.85
12/2/19 14:00	123.80	4,261.01	322.90
12/2/19 15:00	126.40	4,261.92	323.09
12/2/19 16:00	126.80	4,261.01	323.59
12/2/19 17:00	130.00	4,314.15	323.41
12/2/19 18:00	132.40	4,359.16	325.69
12/2/19 19:00	126.70	4,294.65	322.75
12/2/19 20:00	126.50	4,294.93	321.96
12/2/19 21:00	127.10	4,294.15	322.97

Table E2: Boiler 18 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/2/19 22:00	126.00	4,292.43	321.69
12/2/19 23:00	126.40	4,292.57	324.03
12/3/19 0:00	126.80	4,293.27	326.13
12/3/19 1:00	126.40	4,292.54	326.72
12/3/19 2:00	126.00	4,294.18	328.23
12/3/19 3:00	125.50	4,292.45	323.67
12/3/19 4:00	125.90	4,292.81	322.58
12/3/19 5:00	125.80	4,293.60	322.86
12/3/19 6:00	126.20	4,292.76	322.37
12/3/19 7:00	126.40	4,292.30	324.04
12/3/19 8:00	126.00	4,293.59	326.04
12/3/19 9:00	125.50	4,292.96	324.77
12/3/19 10:00	125.20	4,292.96	324.13
12/3/19 11:00	125.80	4,291.39	324.08
12/3/19 12:00	127.50	4,339.24	325.95
12/3/19 13:00	127.10	4,297.50	324.98
12/3/19 14:00	127.00	4,292.14	325.13
12/3/19 15:00	127.40	4,293.38	324.30
12/3/19 16:00	127.50	4,292.86	322.77
12/3/19 17:00	127.20	4,289.13	324.09
12/3/19 18:00	127.60	4,293.46	324.53
12/3/19 19:00	128.70	4,295.98	327.41
12/3/19 20:00	129.00	4,294.76	329.81
12/3/19 21:00	128.50	4,293.54	329.75
12/3/19 22:00	128.20	4,291.96	327.36
12/3/19 23:00	126.70	4,282.32	326.72
12/4/19 0:00	127.10	4,293.24	325.71
12/4/19 1:00	128.00	4,294.09	325.30
12/4/19 2:00	127.80	4,296.06	324.57
12/4/19 3:00	127.30	4,280.94	325.33
12/4/19 4:00	125.20	4,250.68	325.33
12/4/19 5:00	128.30	4,292.20	325.32
12/4/19 6:00	129.20	4,303.97	324.89
12/4/19 7:00	129.60	4,302.32	325.53
12/4/19 8:00	129.10	4,300.90	324.39
12/4/19 9:00	128.80	4,301.80	325.12
12/4/19 10:00	128.40	4,302.36	326.43
12/4/19 11:00	127.50	4,301.28	325.10

Table E2: Boiler 18 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/4/19 12:00	128.50	4,302.23	324.63
12/4/19 13:00	129.70	4,302.39	324.99
12/4/19 14:00	129.10	4,302.63	324.43
12/4/19 15:00	130.20	4,301.30	325.45
12/4/19 16:00	130.20	4,302.50	325.25
12/4/19 17:00	130.30	4,302.64	326.80
12/4/19 18:00	132.00	4,302.43	330.80
12/4/19 19:00	131.80	4,302.33	331.09
12/4/19 20:00	131.20	4,300.27	329.46
12/4/19 21:00	131.90	4,306.15	332.15
12/4/19 22:00	131.80	4,301.59	332.41
12/4/19 23:00	132.10	4,298.80	335.21
12/5/19 0:00	132.40	4,303.34	337.06
12/5/19 1:00	131.70	4,302.50	335.59
12/5/19 2:00	131.60	4,298.33	335.03
12/5/19 3:00	131.90	4,305.25	335.08
12/5/19 4:00	131.60	4,305.29	334.17
12/5/19 5:00	131.60	4,301.76	335.34
12/5/19 6:00	130.90	4,301.98	334.59
12/5/19 7:00	132.00	4,301.81	335.64
12/5/19 8:00	131.80	4,303.57	334.89
12/5/19 9:00	130.70	4,305.15	333.96
12/5/19 10:00	130.70	4,303.77	334.39
12/5/19 11:00	130.50	4,300.81	334.56
12/5/19 12:00	130.80	4,300.29	334.67
12/5/19 13:00	131.40	4,302.92	334.93
12/5/19 14:00	131.70	4,302.85	334.33
12/5/19 15:00	131.30	4,302.60	334.43
12/5/19 16:00	130.80	4,303.65	334.04
12/5/19 17:00	99.30	4,023.44	333.78
3/6/2020 4:00	111.40	4,170.62	310.77
3/6/2020 5:00	145.70	4,433.97	329.56
3/6/2020 6:00	147.80	4,425.57	335.70
3/6/2020 7:00	147.90	4,437.85	338.64
3/6/2020 8:00	175.00	4,691.94	341.61
3/6/2020 9:00	199.90	4,912.02	348.51
3/6/2020 10:00	182.80	4,883.97	347.66
3/6/2020 11:00	175.00	4,879.14	347.21

Table E2: Boiler 18 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
3/6/2020 12:00	178.20	4,877.85	349.21
3/6/2020 13:00	177.50	4,878.99	350.85
3/6/2020 14:00	176.00	4,877.45	346.14
3/6/2020 15:00	180.20	4,879.35	348.70
3/6/2020 16:00	187.30	4,880.08	349.32
3/6/2020 17:00	177.20	4,876.56	348.20
3/6/2020 18:00	170.50	4,878.31	350.60
3/6/2020 19:00	170.90	4,878.15	351.63
3/6/2020 20:00	168.30	4,880.93	348.30
3/6/2020 21:00	168.60	4,878.45	350.19
3/6/2020 22:00	167.80	4,879.57	348.76
3/6/2020 23:00	160.30	4,733.89	345.70
3/7/2020 0:00	185.60	4,865.63	344.02
3/7/2020 1:00	186.20	4,877.15	343.98
3/7/2020 2:00	187.00	4,877.35	344.38
3/7/2020 3:00	183.90	4,878.39	344.14
3/7/2020 4:00	186.20	4,878.02	344.20
3/7/2020 5:00	185.20	4,878.21	344.49
3/7/2020 6:00	186.40	4,876.66	345.26
3/7/2020 7:00	187.60	4,875.75	345.78
3/7/2020 8:00	189.10	4,877.98	347.70
3/7/2020 9:00	188.00	4,877.91	348.03
3/7/2020 10:00	180.20	4,876.04	346.68
3/7/2020 11:00	172.40	4,876.99	345.64
3/7/2020 12:00	168.00	4,877.50	344.52
3/7/2020 13:00	167.50	4,876.27	346.11
3/7/2020 14:00	171.80	4,878.08	346.47
3/7/2020 15:00	168.10	4,878.60	344.84
3/7/2020 16:00	166.30	4,877.07	344.23
3/7/2020 17:00	164.10	4,876.74	341.85
3/7/2020 18:00	166.40	4,877.11	340.95
3/7/2020 19:00	166.00	4,877.65	340.62
3/7/2020 20:00	166.30	4,878.11	341.79
3/7/2020 21:00	166.30	4,877.24	342.21
3/7/2020 22:00	165.60	4,876.27	341.82
3/7/2020 23:00	165.00	4,878.57	340.98
3/8/2020 0:00	169.70	4,878.76	340.67
3/8/2020 1:00	163.60	4,880.69	339.28

Table E2: Boiler 18 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
3/8/2020 2:00	162.70	4,878.33	337.54
3/8/2020 3:00	162.40	4,878.22	339.28
3/8/2020 4:00	164.70	4,878.56	336.70
3/8/2020 5:00	167.40	4,879.54	337.35
3/8/2020 6:00	165.30	4,876.73	338.20
3/8/2020 7:00	163.50	4,879.55	336.67
3/8/2020 8:00	164.80	4,876.70	337.90
3/8/2020 9:00	169.30	4,878.37	336.55
3/8/2020 10:00	171.10	4,904.84	332.32
3/8/2020 11:00	163.20	4,811.61	330.51
3/8/2020 12:00	164.40	4,741.33	329.93
3/8/2020 13:00	149.10	4,740.25	328.52
3/8/2020 14:00	147.60	4,737.43	326.51
3/8/2020 15:00	151.90	4,740.80	325.60
3/8/2020 16:00	166.10	4,742.01	325.51
3/8/2020 17:00	159.40	4,739.19	326.64
3/8/2020 18:00	130.30	4,740.22	328.24
3/8/2020 19:00	163.40	4,730.78	326.10
3/8/2020 20:00	150.90	4,744.57	324.73
3/8/2020 21:00	160.60	4,733.80	327.52
3/8/2020 22:00	151.70	4,741.12	326.40
3/8/2020 23:00	153.10	4,739.64	327.70
3/9/2020 0:00	148.40	4,738.43	328.38
3/9/2020 1:00	147.70	4,741.81	326.54
3/9/2020 2:00	136.20	4,739.90	325.26
3/9/2020 3:00	138.40	4,741.05	325.69
3/9/2020 4:00	132.80	4,625.36	327.26
3/9/2020 5:00	115.40	4,296.41	327.60
3/9/2020 6:00	117.80	4,294.15	324.62
3/9/2020 7:00	112.00	4,294.09	322.38
3/9/2020 8:00	146.30	4,829.21	328.33
3/9/2020 9:00	146.30	4,774.50	340.83
3/9/2020 10:00	107.30	4,294.04	325.04
3/9/2020 11:00	163.50	4,899.26	336.17
3/9/2020 12:00	176.60	5,047.06	347.86
3/9/2020 13:00	179.00	5,046.84	347.72
3/9/2020 14:00	183.30	5,047.01	349.22
3/9/2020 15:00	186.50	5,050.67	353.31

Table E2: Boiler 18 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
3/9/2020 16:00	184.20	5,047.47	353.12
3/9/2020 17:00	183.10	5,049.82	352.62
3/9/2020 18:00	183.60	5,048.79	352.57
3/9/2020 19:00	182.40	5,048.42	352.22
3/9/2020 20:00	184.80	5,048.72	352.94
3/9/2020 21:00	183.40	5,050.22	352.70
3/9/2020 22:00	182.90	5,049.90	352.37
3/9/2020 23:00	186.90	5,049.99	354.11
3/10/2020 0:00	188.00	5,046.15	357.62
3/10/2020 1:00	183.20	5,054.51	358.50
3/10/2020 2:00	181.00	5,049.38	352.94
3/10/2020 3:00	182.80	5,047.56	353.26
3/10/2020 4:00	182.00	5,051.37	353.68
3/10/2020 5:00	182.60	5,049.13	353.46
3/10/2020 6:00	185.80	5,049.04	355.45
3/10/2020 7:00	182.30	5,050.65	354.20
3/10/2020 8:00	182.40	5,052.65	353.88
3/10/2020 9:00	183.40	5,047.41	354.22
3/10/2020 10:00	186.50	5,050.93	354.62
3/10/2020 11:00	185.20	5,049.11	353.68
3/10/2020 12:00	181.10	5,050.25	351.95
3/10/2020 13:00	180.80	5,050.05	351.62
3/10/2020 14:00	185.50	5,049.43	353.49
3/10/2020 15:00	184.70	5,049.27	353.84
3/10/2020 16:00	186.20	5,049.48	354.82
3/10/2020 17:00	183.20	5,051.09	353.78
3/10/2020 18:00	182.90	5,048.96	353.52
3/10/2020 19:00	185.60	5,048.87	354.32
3/10/2020 20:00	182.50	5,050.40	353.92
3/10/2020 21:00	183.90	5,049.00	354.56
3/10/2020 22:00	185.30	5,050.22	354.97
3/10/2020 23:00	184.50	5,049.08	354.94
3/11/2020 0:00	186.40	5,050.24	355.36
3/11/2020 1:00	182.30	5,049.66	355.51
3/11/2020 2:00	182.50	5,044.81	355.67
3/11/2020 3:00	184.50	5,061.49	359.85
3/11/2020 4:00	200.30	5,209.60	360.48
3/11/2020 5:00	206.60	5,256.09	361.02

Table E2: Boiler 18 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
3/11/2020 6:00	210.40	5,256.81	364.13
3/11/2020 7:00	210.60	5,258.88	365.58
3/11/2020 8:00	209.90	5,258.22	365.63
3/11/2020 9:00	207.20	5,255.07	366.89
3/11/2020 10:00	204.20	5,254.72	363.88
3/11/2020 11:00	210.30	5,257.92	362.70
3/11/2020 12:00	209.70	5,255.61	361.62
3/11/2020 13:00	208.40	5,255.22	360.51
3/11/2020 14:00	167.70	4,921.51	352.20
3/11/2020 15:00	110.60	4,340.19	328.62
3/11/2020 16:00	11.60	3,458.72	331.37
10/13/2020 0:00	18.90	3,557.83	361.35
10/13/2020 1:00	106.60	4,251.84	375.94
10/13/2020 2:00	103.10	4,294.18	373.74
10/13/2020 3:00	105.90	4,320.16	371.65
10/13/2020 4:00	107.30	4,325.70	370.24
10/13/2020 5:00	107.10	4,317.35	371.04
10/13/2020 6:00	108.60	4,320.29	371.91
10/13/2020 7:00	108.80	4,323.77	375.33
10/13/2020 8:00	116.20	4,399.37	378.56
10/13/2020 9:00	127.20	4,557.55	379.05
10/13/2020 10:00	128.80	4,559.63	380.21
10/13/2020 11:00	121.80	4,555.60	379.92
10/13/2020 12:00	121.40	4,568.74	379.69
10/13/2020 13:00	117.50	4,559.43	379.43
10/13/2020 14:00	123.70	4,558.05	379.98
10/13/2020 15:00	99.10	4,560.43	380.06
10/13/2020 16:00	80.30	4,563.51	380.61
10/13/2020 17:00	87.90	4,561.17	382.01
10/13/2020 18:00	95.60	4,562.24	384.08
10/13/2020 19:00	124.80	4,561.82	384.97
10/13/2020 20:00	114.80	4,558.99	381.42
10/13/2020 21:00	131.60	4,595.30	382.49
10/13/2020 22:00	129.20	4,570.82	382.52
10/13/2020 23:00	101.00	4,575.77	382.00
10/14/2020 0:00	122.30	4,575.56	383.97
10/14/2020 1:00	120.40	4,576.15	384.81
10/14/2020 2:00	130.20	4,575.36	381.69

Table E2: Boiler 18 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/14/2020 3:00	124.60	4,574.11	381.19
10/14/2020 4:00	126.60	4,601.86	383.59
10/14/2020 5:00	120.10	4,517.38	381.30
10/14/2020 6:00	119.70	4,507.41	380.28
10/14/2020 7:00	118.30	4,507.42	380.61
10/14/2020 8:00	118.40	4,504.39	379.86
10/14/2020 9:00	120.30	4,507.22	380.02
10/14/2020 10:00	117.80	4,503.74	380.05
10/14/2020 11:00	117.50	4,507.62	380.13
10/14/2020 12:00	115.30	4,503.04	380.71
10/14/2020 13:00	116.00	4,505.24	380.76
10/14/2020 14:00	116.50	4,505.71	380.87
10/14/2020 15:00	119.30	4,507.79	379.49
10/14/2020 16:00	119.20	4,505.11	378.54
10/14/2020 17:00	116.70	4,505.47	378.17
10/14/2020 18:00	119.10	4,507.41	377.77
10/14/2020 19:00	116.30	4,506.15	379.71
10/14/2020 20:00	114.10	4,502.48	379.33
10/14/2020 21:00	114.70	4,508.02	380.36
10/14/2020 22:00	113.60	4,505.57	381.27
10/14/2020 23:00	113.50	4,503.44	383.77
10/15/2020 0:00	114.30	4,505.92	385.50
10/15/2020 1:00	113.50	4,504.37	386.02
10/15/2020 2:00	113.80	4,501.98	386.76
10/15/2020 3:00	113.90	4,506.28	386.96
10/15/2020 4:00	114.60	4,503.30	386.53
10/15/2020 5:00	124.00	4,625.79	387.87
10/15/2020 6:00	136.20	4,778.00	392.04
10/15/2020 7:00	125.20	4,651.58	390.15
10/15/2020 8:00	113.90	4,477.41	385.61
10/15/2020 9:00	112.50	4,500.16	385.07
10/15/2020 10:00	113.50	4,507.28	384.79
10/15/2020 11:00	114.30	4,508.88	384.42
10/15/2020 12:00	113.90	4,506.58	384.21
10/15/2020 13:00	114.60	4,507.57	384.06
10/15/2020 14:00	114.70	4,507.54	383.98
10/15/2020 15:00	114.10	4,506.95	383.70
10/15/2020 16:00	114.60	4,505.87	385.58

Table E2: Boiler 18 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/15/2020 17:00	114.40	4,507.98	387.57
10/15/2020 18:00	115.30	4,506.44	388.33
10/15/2020 19:00	117.70	4,538.15	388.95
10/15/2020 20:00	141.20	4,850.83	394.56
10/15/2020 21:00	141.20	4,851.71	395.84
10/15/2020 22:00	141.00	4,859.27	395.96
10/15/2020 23:00	155.90	5,057.38	397.34
10/16/2020 0:00	163.00	5,130.95	398.01
10/16/2020 1:00	167.70	5,228.52	398.93
10/16/2020 2:00	168.10	5,227.27	399.76
10/16/2020 3:00	169.00	5,229.72	400.90
10/16/2020 4:00	168.80	5,230.05	399.72
10/16/2020 5:00	169.20	5,225.11	398.92
10/16/2020 6:00	168.40	5,234.54	398.00
10/16/2020 7:00	168.90	5,228.63	399.35
10/16/2020 8:00	171.90	5,231.92	398.77
10/16/2020 9:00	169.70	5,222.69	398.29
10/16/2020 10:00	166.10	5,229.35	399.36
10/16/2020 11:00	163.40	5,228.81	400.56
10/16/2020 12:00	162.90	5,230.26	399.36
10/16/2020 13:00	162.80	5,225.82	399.36
10/16/2020 14:00	161.50	5,227.80	399.10
10/16/2020 15:00	162.10	5,231.62	399.12
10/16/2020 16:00	161.10	5,227.09	397.92
10/16/2020 17:00	161.90	5,230.23	397.01
10/16/2020 18:00	162.20	5,228.41	397.34
10/16/2020 19:00	162.30	5,227.62	399.12
10/16/2020 20:00	161.80	5,226.31	398.61
10/16/2020 21:00	162.00	5,227.33	400.26
10/16/2020 22:00	162.30	5,227.69	401.83
10/16/2020 23:00	162.10	5,229.69	401.80
10/17/2020 0:00	160.80	5,227.21	401.63
10/17/2020 1:00	157.80	5,187.70	401.45
10/17/2020 2:00	124.10	4,740.20	392.98
10/17/2020 3:00	98.10	4,353.34	385.06
10/17/2020 4:00	92.90	4,267.44	381.33
10/17/2020 5:00	98.00	4,267.31	381.16
10/17/2020 6:00	94.00	4,265.15	379.05

Table E2: Boiler 18 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/17/2020 7:00	93.60	4,267.15	377.52
10/17/2020 8:00	93.00	4,267.08	377.01
10/17/2020 9:00	92.30	4,265.74	377.16
10/17/2020 10:00	93.70	4,260.85	377.43
10/17/2020 11:00	95.80	4,267.60	378.02
10/17/2020 12:00	97.60	4,268.64	380.20
10/17/2020 13:00	97.30	4,265.45	379.98
10/17/2020 14:00	97.40	4,266.32	380.23
10/17/2020 15:00	97.80	4,265.10	380.92
10/17/2020 16:00	97.20	4,267.54	380.18
10/17/2020 17:00	13.30	3,494.13	375.37
12/1/2020 17:00	106.70	4,333.62	317.56
12/1/2020 18:00	134.70	4,474.53	323.10
12/1/2020 19:00	141.50	4,473.03	325.29
12/1/2020 20:00	121.10	4,491.46	327.25
12/1/2020 21:00	119.60	4,504.15	334.45
12/1/2020 22:00	140.20	4,503.21	357.03
12/1/2020 23:00	132.20	4,495.41	357.70
12/2/2020 0:00	145.90	4,732.05	361.57
12/2/2020 1:00	147.30	4,773.99	348.14
12/2/2020 2:00	142.20	4,685.85	346.60
12/2/2020 3:00	123.20	4,468.29	336.55
12/2/2020 4:00	123.30	4,465.25	336.02
12/2/2020 5:00	123.40	4,476.95	337.52
12/2/2020 6:00	123.40	4,462.91	340.74
12/2/2020 7:00	123.50	4,466.49	340.24
12/2/2020 8:00	121.70	4,468.52	340.04
12/2/2020 9:00	115.70	4,475.64	342.11
12/2/2020 10:00	111.00	4,491.57	352.52
12/2/2020 11:00	108.20	4,490.88	341.31
12/2/2020 12:00	106.20	4,491.71	339.42
12/2/2020 13:00	105.80	4,490.67	339.00
12/2/2020 14:00	106.10	4,492.60	339.22
12/2/2020 15:00	125.90	4,492.48	339.40
12/2/2020 16:00	90.90	4,492.66	338.43
12/2/2020 17:00	96.30	4,491.49	337.90
12/2/2020 18:00	97.30	4,492.09	337.58
12/2/2020 19:00	161.00	4,492.56	340.03

Table E2: Boiler 18 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/2/2020 20:00	151.90	4,492.14	338.71
12/2/2020 21:00	112.30	4,493.22	336.92
12/2/2020 22:00	112.60	4,490.29	337.93
12/2/2020 23:00	114.50	4,489.48	338.79
12/3/2020 0:00	115.90	4,491.52	338.49
12/3/2020 1:00	116.80	4,489.67	339.27
12/3/2020 2:00	118.30	4,492.18	339.56
12/3/2020 3:00	118.80	4,491.89	340.36
12/3/2020 4:00	118.70	4,493.73	341.31
12/3/2020 5:00	116.00	4,491.45	341.11
12/3/2020 6:00	113.80	4,492.16	340.92
12/3/2020 7:00	113.50	4,491.08	340.03
12/3/2020 8:00	112.60	4,489.78	340.41
12/3/2020 9:00	109.30	4,492.23	344.57
12/3/2020 10:00	94.70	4,492.68	350.05
12/3/2020 11:00	128.40	4,489.08	350.35
12/3/2020 12:00	120.40	4,490.75	350.40
12/3/2020 13:00	123.10	4,492.43	349.15
12/3/2020 14:00	123.00	4,494.47	346.80
12/3/2020 15:00	123.60	4,493.94	348.60
12/3/2020 16:00	124.50	4,489.67	349.91
12/3/2020 17:00	124.90	4,492.04	350.80
12/3/2020 18:00	125.10	4,493.40	350.62
12/3/2020 19:00	125.80	4,492.23	351.38
12/3/2020 20:00	126.10	4,493.16	350.61
12/3/2020 21:00	127.60	4,489.11	350.57
12/3/2020 22:00	128.50	4,491.51	351.39
12/3/2020 23:00	128.40	4,494.14	349.72
12/4/2020 0:00	127.70	4,492.65	349.02
12/4/2020 1:00	127.80	4,492.05	350.19
12/4/2020 2:00	128.50	4,492.77	350.35
12/4/2020 3:00	127.90	4,494.66	349.31
12/4/2020 4:00	127.10	4,491.77	348.56
12/4/2020 5:00	126.70	4,492.68	347.28
12/4/2020 6:00	125.60	4,494.53	347.11
12/4/2020 7:00	126.60	4,492.78	346.84
12/4/2020 8:00	126.70	4,492.03	347.04
12/4/2020 9:00	125.70	4,492.03	347.00

Table E2: Boiler 18 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/4/2020 10:00	125.20	4,491.90	347.62
12/4/2020 11:00	124.70	4,491.28	347.23
12/4/2020 12:00	124.80	4,493.25	346.91
12/4/2020 13:00	126.00	4,493.91	348.77
12/4/2020 14:00	125.70	4,494.36	349.28
12/4/2020 15:00	126.10	4,492.04	349.39
12/4/2020 16:00	125.10	4,492.71	346.81
12/4/2020 17:00	125.40	4,491.73	347.07
12/4/2020 18:00	125.10	4,492.75	346.73
12/4/2020 19:00	123.30	4,495.06	345.35
12/4/2020 20:00	122.10	4,493.33	345.35
12/4/2020 21:00	121.40	4,494.20	344.49
12/4/2020 22:00	120.80	4,493.39	343.43
12/4/2020 23:00	119.20	4,490.69	343.94
12/5/2020 0:00	118.90	4,491.57	343.50
12/5/2020 1:00	118.70	4,493.55	343.90
12/5/2020 2:00	118.70	4,490.12	343.82
12/5/2020 3:00	119.50	4,489.46	343.85
12/5/2020 4:00	119.40	4,493.05	344.41
12/5/2020 5:00	120.10	4,494.15	346.45
12/5/2020 6:00	122.70	4,492.18	353.41
12/5/2020 7:00	123.10	4,491.35	354.69
12/5/2020 8:00	122.40	4,490.44	350.17
12/5/2020 9:00	123.10	4,492.07	350.61
12/5/2020 10:00	123.30	4,489.40	350.39
12/5/2020 11:00	123.70	4,492.89	349.29
12/5/2020 12:00	123.00	4,492.79	349.00
12/5/2020 13:00	122.40	4,492.11	350.49
12/5/2020 14:00	120.90	4,493.00	349.09
12/5/2020 15:00	120.20	4,492.75	348.54
12/5/2020 16:00	119.80	4,494.93	347.82
12/5/2020 17:00	118.50	4,493.23	346.53
12/5/2020 18:00	119.10	4,491.76	347.95
12/5/2020 19:00	118.90	4,492.02	348.68
12/5/2020 20:00	119.00	4,493.62	347.73
12/5/2020 21:00	118.00	4,492.31	346.41
12/5/2020 22:00	117.70	4,491.84	346.52
12/5/2020 23:00	117.80	4,494.28	346.64

Table E2: Boiler 18 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/6/2020 0:00	117.70	4,493.16	347.02
12/6/2020 1:00	117.60	4,491.51	347.50
12/6/2020 2:00	118.10	4,488.01	349.26
12/6/2020 3:00	118.50	4,496.06	346.79
12/6/2020 4:00	116.70	4,490.14	338.42
12/6/2020 5:00	115.90	4,494.01	336.73
12/6/2020 6:00	116.10	4,493.77	335.05
12/6/2020 7:00	117.10	4,492.69	334.08
12/6/2020 8:00	116.20	4,484.69	336.77
12/6/2020 9:00	121.10	4,491.89	344.89
12/6/2020 10:00	121.90	4,507.75	346.09
12/6/2020 11:00	116.40	4,487.02	339.11
12/6/2020 12:00	108.40	4,403.27	333.79
12/6/2020 13:00	105.30	4,351.22	330.73
12/6/2020 14:00	137.40	4,356.68	329.00
12/6/2020 15:00	104.20	4,354.18	329.27
12/6/2020 16:00	105.30	4,356.52	329.17
12/6/2020 17:00	106.80	4,353.25	329.71
12/6/2020 18:00	104.80	4,351.41	330.40
12/6/2020 19:00	105.60	4,354.42	330.80
12/6/2020 20:00	105.50	4,360.83	329.58
12/6/2020 21:00	104.40	4,351.98	329.53
12/6/2020 22:00	103.90	4,357.99	330.30
12/6/2020 23:00	104.30	4,356.15	330.57
12/7/2020 0:00	104.30	4,355.80	329.89
12/7/2020 1:00	104.00	4,356.95	329.59
12/7/2020 2:00	105.50	4,352.29	329.39
12/7/2020 3:00	105.20	4,352.40	328.92
12/7/2020 4:00	111.70	4,354.76	327.65
12/7/2020 5:00	92.10	4,352.71	326.51
12/7/2020 6:00	91.10	4,354.19	326.69
12/7/2020 7:00	97.50	4,355.67	327.47
12/7/2020 8:00	103.30	4,354.47	329.45
12/7/2020 9:00	103.10	4,355.15	329.56
12/7/2020 10:00	102.50	4,357.43	328.94
12/7/2020 11:00	102.90	4,353.98	329.52
12/7/2020 12:00	103.00	4,354.06	329.50
12/7/2020 13:00	103.40	4,353.18	328.74

Table E2: Boiler 18 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/7/2020 14:00	103.70	4,354.12	328.89
12/7/2020 15:00	104.70	4,356.35	329.02
12/7/2020 16:00	104.40	4,354.34	328.94
12/7/2020 17:00	104.90	4,352.59	329.07
12/7/2020 18:00	104.40	4,353.92	329.24
12/7/2020 19:00	104.70	4,355.15	329.24
12/7/2020 20:00	104.70	4,357.44	329.62
12/7/2020 21:00	104.30	4,356.30	329.77
12/7/2020 22:00	104.40	4,354.18	328.98
12/7/2020 23:00	105.70	4,356.35	329.43
12/8/2020 0:00	104.20	4,357.25	330.73
12/8/2020 1:00	103.80	4,352.98	331.10
12/8/2020 2:00	103.70	4,355.11	331.79
12/8/2020 3:00	103.60	4,351.88	332.46
12/8/2020 4:00	104.30	4,358.61	332.93
12/8/2020 5:00	104.70	4,353.90	331.77
12/8/2020 6:00	105.60	4,354.58	331.08
12/8/2020 7:00	104.80	4,352.73	332.64
12/8/2020 8:00	104.80	4,356.53	331.91
12/8/2020 9:00	104.40	4,352.67	331.78
12/8/2020 10:00	104.10	4,355.73	332.22
12/8/2020 11:00	103.80	4,353.40	333.24
12/8/2020 12:00	104.50	4,354.08	333.50
12/8/2020 13:00	104.70	4,349.92	334.17
12/8/2020 14:00	105.20	4,357.71	335.29
12/8/2020 15:00	104.60	4,357.04	330.20
12/8/2020 16:00	96.40	4,354.72	328.87
12/8/2020 17:00	87.30	4,356.18	331.51
12/8/2020 18:00	105.10	4,354.80	332.62
12/8/2020 19:00	103.90	4,354.58	333.16
12/8/2020 20:00	105.00	4,354.69	332.97
12/8/2020 21:00	103.20	4,355.27	333.20
12/8/2020 22:00	103.20	4,351.43	333.53
12/8/2020 23:00	103.10	4,355.85	333.58
12/9/2020 0:00	103.00	4,356.13	333.64
12/9/2020 1:00	103.40	4,353.59	334.09
12/9/2020 2:00	103.00	4,354.93	333.97
12/9/2020 3:00	102.90	4,354.51	334.10

Table E2: Boiler 18 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/9/2020 4:00	102.60	4,355.09	333.33
12/9/2020 5:00	103.00	4,357.02	334.41
12/9/2020 6:00	103.80	4,354.21	336.55
12/9/2020 7:00	104.30	4,353.43	336.65
12/9/2020 8:00	104.00	4,354.40	336.34
12/9/2020 9:00	103.90	4,354.98	336.58
12/9/2020 10:00	103.20	4,354.91	336.99
12/9/2020 11:00	104.30	4,356.58	336.88
12/9/2020 12:00	112.30	4,353.72	337.15
12/9/2020 13:00	116.10	4,353.43	337.96
12/9/2020 14:00	117.50	4,355.28	338.20
12/9/2020 15:00	117.70	4,354.89	338.31
12/9/2020 16:00	117.70	4,354.55	337.14
12/9/2020 17:00	118.30	4,353.45	337.19
12/9/2020 18:00	117.80	4,356.07	337.96
12/9/2020 19:00	117.70	4,354.57	338.76
12/9/2020 20:00	117.70	4,351.63	339.06
12/9/2020 21:00	117.00	4,354.31	338.97
12/9/2020 22:00	116.10	4,355.74	338.48
12/9/2020 23:00	116.00	4,354.40	338.03
12/10/2020 0:00	114.80	4,355.13	338.67
12/10/2020 1:00	114.50	4,356.54	338.66
12/10/2020 2:00	114.00	4,358.17	338.56
12/10/2020 3:00	114.30	4,354.48	338.41
12/10/2020 4:00	116.70	4,355.25	338.00
12/10/2020 5:00	117.00	4,354.86	337.44
12/10/2020 6:00	117.40	4,352.86	338.15
12/10/2020 7:00	118.50	4,352.41	338.53
12/10/2020 8:00	119.10	4,352.57	338.62
12/10/2020 9:00	118.70	4,357.26	338.97
12/10/2020 10:00	118.20	4,355.69	338.94
12/10/2020 11:00	117.70	4,355.24	338.33
12/10/2020 12:00	117.40	4,356.77	338.28
12/10/2020 13:00	116.30	4,356.34	338.60
12/10/2020 14:00	115.90	4,355.06	338.73
12/10/2020 15:00	115.00	4,355.45	338.48
12/10/2020 16:00	114.70	4,352.14	337.52
12/10/2020 17:00	115.30	4,357.32	337.61

Table E2: Boiler 18 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/10/2020 18:00	115.00	4,353.02	337.19
12/10/2020 19:00	114.70	4,354.52	336.86
12/10/2020 20:00	115.40	4,354.55	336.54
12/10/2020 21:00	115.10	4,352.52	336.96
12/10/2020 22:00	115.20	4,353.55	337.33
12/10/2020 23:00	115.20	4,355.35	338.07
12/11/2020 0:00	115.90	4,353.85	338.68
12/11/2020 1:00	115.60	4,355.48	338.58
12/11/2020 2:00	115.70	4,355.86	338.65
12/11/2020 3:00	115.50	4,355.07	338.60
12/11/2020 4:00	115.20	4,354.58	337.93
12/11/2020 5:00	115.40	4,355.46	337.90
12/11/2020 6:00	114.80	4,354.54	338.05
12/11/2020 7:00	114.30	4,353.14	338.05
12/11/2020 8:00	114.60	4,352.96	338.62
12/11/2020 9:00	115.30	4,355.50	338.88
12/11/2020 10:00	115.00	4,352.72	338.84
12/11/2020 11:00	113.70	4,354.33	339.04
12/11/2020 12:00	111.80	4,358.86	338.44
12/11/2020 13:00	120.50	4,462.67	341.45
12/11/2020 14:00	122.50	4,489.70	344.68
12/11/2020 15:00	123.00	4,495.11	345.71
12/11/2020 16:00	123.20	4,489.65	346.16
12/11/2020 17:00	122.90	4,492.61	345.95
12/11/2020 18:00	123.30	4,493.95	346.58
12/11/2020 19:00	122.60	4,492.80	346.56
12/11/2020 20:00	123.40	4,490.24	347.69
12/11/2020 21:00	123.90	4,490.23	347.68
12/11/2020 22:00	147.30	4,755.70	356.03
12/11/2020 23:00	151.60	4,803.80	359.15
12/12/2020 0:00	151.10	4,801.76	359.82
12/12/2020 1:00	151.60	4,806.41	358.58
12/12/2020 2:00	153.70	4,833.51	359.86
12/12/2020 3:00	152.90	4,832.56	359.44
12/12/2020 4:00	153.00	4,836.05	362.17
12/12/2020 5:00	152.60	4,839.46	359.28
12/12/2020 6:00	150.90	4,836.98	356.58
12/12/2020 7:00	151.70	4,836.83	356.58

Table E2: Boiler 18 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/12/2020 8:00	149.20	4,833.91	355.35
12/12/2020 9:00	149.20	4,837.38	353.54
12/12/2020 10:00	149.10	4,837.72	355.11
12/12/2020 11:00	145.60	4,836.48	352.63
12/12/2020 12:00	144.00	4,838.30	351.09
12/12/2020 13:00	143.90	4,835.00	351.02
12/12/2020 14:00	142.20	4,835.54	347.16
12/12/2020 15:00	146.10	4,835.36	346.82
12/12/2020 16:00	149.50	4,835.58	349.65
12/12/2020 17:00	149.10	4,834.82	350.08
12/12/2020 18:00	151.10	4,832.03	353.27
12/12/2020 19:00	151.50	4,835.26	355.27
12/12/2020 20:00	152.20	4,836.75	356.33
12/12/2020 21:00	151.20	4,835.45	354.27
12/12/2020 22:00	148.70	4,836.42	346.12
12/12/2020 23:00	147.90	4,835.69	340.65
12/13/2020 0:00	148.00	4,834.80	339.60
12/13/2020 1:00	147.80	4,836.09	340.44
12/13/2020 2:00	147.40	4,838.04	340.97
12/13/2020 3:00	147.10	4,835.10	340.13
12/13/2020 4:00	146.90	4,836.96	340.40
12/13/2020 5:00	146.80	4,837.09	339.70
12/13/2020 6:00	146.30	4,832.43	339.19
12/13/2020 7:00	151.60	4,828.63	346.81
12/13/2020 8:00	148.90	4,845.56	346.51
12/13/2020 9:00	146.00	4,835.39	339.48
12/13/2020 10:00	145.40	4,838.25	339.12
12/13/2020 11:00	144.60	4,834.67	339.17
12/13/2020 12:00	145.20	4,837.66	338.44
12/13/2020 13:00	144.90	4,837.13	337.62
12/13/2020 14:00	145.90	4,837.29	339.33
12/13/2020 15:00	145.60	4,834.56	339.49
12/13/2020 16:00	146.30	4,837.20	340.12
12/13/2020 17:00	145.70	4,837.43	337.57
12/13/2020 18:00	145.00	4,835.72	337.73
12/13/2020 19:00	144.40	4,834.76	338.26
12/13/2020 20:00	144.20	4,836.53	338.48
12/13/2020 21:00	144.50	4,836.84	339.39

Table E2: Boiler 18 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/13/2020 22:00	144.60	4,835.59	340.22
12/13/2020 23:00	144.20	4,834.75	340.39
12/14/2020 0:00	145.30	4,838.15	343.38
12/14/2020 1:00	144.20	4,833.01	341.21
12/14/2020 2:00	143.30	4,835.89	340.36
12/14/2020 3:00	143.00	4,837.69	340.56
12/14/2020 4:00	143.40	4,834.88	339.64
12/14/2020 5:00	143.10	4,835.29	336.18
12/14/2020 6:00	148.00	4,836.14	336.51
12/14/2020 7:00	145.20	4,837.04	343.33
12/14/2020 8:00	144.80	4,837.16	341.56
12/14/2020 9:00	143.80	4,836.63	339.10
12/14/2020 10:00	144.40	4,831.97	337.27
12/14/2020 11:00	147.90	4,835.14	336.29
12/14/2020 12:00	128.00	4,832.32	342.54
12/14/2020 13:00	143.20	4,834.13	345.06
12/14/2020 14:00	143.40	4,839.37	343.67
12/14/2020 15:00	143.70	4,835.10	342.61
12/14/2020 16:00	143.70	4,835.54	344.87
12/14/2020 17:00	144.80	4,834.13	343.30
12/14/2020 18:00	145.90	4,868.36	345.19
12/14/2020 19:00	145.90	4,866.78	343.95
12/14/2020 20:00	145.40	4,867.66	342.02
12/14/2020 21:00	145.20	4,871.22	340.74
12/14/2020 22:00	145.40	4,869.60	341.94
12/14/2020 23:00	145.60	4,869.94	343.77
12/15/2020 0:00	144.80	4,869.25	339.09
12/15/2020 1:00	144.60	4,869.33	338.72
12/15/2020 2:00	144.60	4,867.49	341.43
12/15/2020 3:00	144.30	4,867.21	341.78
12/15/2020 4:00	144.90	4,868.17	341.14
12/15/2020 5:00	144.40	4,868.56	340.54
12/15/2020 6:00	144.60	4,866.41	343.47
12/15/2020 7:00	144.50	4,868.46	340.50
12/15/2020 8:00	144.00	4,867.79	339.09
12/15/2020 9:00	144.30	4,869.40	340.50
12/15/2020 10:00	143.40	4,868.91	340.27
12/15/2020 11:00	144.60	4,869.54	340.71

Table E2: Boiler 18 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
12/15/2020 12:00	102.10	4,315.92	328.63
12/15/2020 13:00	99.60	4,280.25	323.48
12/15/2020 14:00	98.80	4,242.75	323.19

Table E3: Boiler 19 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
8/17/19 13:00	128.10	4,372.53	330.01
8/17/19 14:00	122.10	4,307.65	329.59
8/17/19 15:00	115.90	4,250.44	330.07
8/17/19 16:00	116.90	4,257.24	329.82
8/17/19 17:00	119.00	4,241.77	329.76
8/17/19 18:00	125.70	4,337.87	329.31
9/14/19 13:00	74.10	4,165.44	365.39
9/14/19 14:00	147.00	4,630.68	328.40
9/14/19 15:00	141.50	4,635.03	324.13
9/14/19 16:00	139.30	4,636.31	322.24
9/14/19 17:00	141.30	4,629.71	323.45
9/14/19 18:00	143.00	4,631.55	323.68
9/14/19 19:00	144.70	4,634.33	323.73
9/14/19 20:00	144.70	4,637.22	322.85
9/14/19 21:00	143.70	4,635.52	322.61
9/14/19 22:00	143.30	4,637.40	322.98
9/14/19 23:00	149.00	4,632.30	324.78
9/15/19 0:00	154.60	4,636.66	325.71
9/15/19 1:00	139.20	4,636.72	327.26
9/15/19 2:00	141.40	4,641.71	327.14
9/15/19 3:00	139.50	4,638.12	325.59
9/15/19 4:00	141.60	4,634.02	323.89
9/15/19 5:00	144.80	4,635.32	319.32
9/15/19 6:00	145.30	4,627.28	322.60
9/15/19 7:00	159.00	4,627.79	321.91
9/15/19 8:00	151.30	4,644.31	319.90
9/15/19 9:00	147.30	4,631.75	319.85
9/15/19 10:00	148.50	4,630.33	320.99
9/15/19 11:00	151.20	4,632.72	322.25
9/15/19 12:00	168.90	4,632.86	323.19
9/15/19 13:00	132.50	4,642.00	323.95
9/15/19 14:00	136.10	4,634.85	317.12
9/15/19 15:00	124.40	4,635.08	327.75
9/15/19 16:00	129.30	4,635.18	333.19
9/15/19 17:00	133.60	4,635.92	299.87
9/15/19 18:00	131.70	4,634.82	323.75
9/15/19 19:00	143.20	4,632.92	325.18

Table E3: Boiler 19 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
9/15/19 20:00	147.20	4,635.41	312.97
9/16/19 2:00	132.20	4,636.02	689.54
9/16/19 9:00	181.80	4,635.59	983.80
9/16/19 11:00	123.80	4,633.40	583.18
9/16/19 16:00	146.00	4,635.55	289.76
9/16/19 17:00	146.00	4,634.80	324.96
9/16/19 18:00	171.70	4,859.26	330.49
9/16/19 19:00	207.70	5,148.39	346.44
9/16/19 20:00	206.90	5,150.17	350.32
9/16/19 21:00	206.90	5,151.18	350.24
9/16/19 22:00	209.50	5,150.98	352.19
9/16/19 23:00	209.60	5,151.78	350.94
9/17/19 0:00	206.40	5,187.19	338.69
9/17/19 1:00	207.20	5,185.20	338.77
9/17/19 2:00	201.60	5,187.11	334.42
9/17/19 3:00	199.00	5,168.65	331.31
9/17/19 4:00	200.00	5,213.35	331.02
9/17/19 5:00	209.50	5,267.29	332.11
9/17/19 6:00	210.90	5,263.15	332.40
9/17/19 7:00	208.20	5,275.11	335.09
9/17/19 8:00	216.70	5,343.73	336.81
9/17/19 9:00	209.50	5,288.59	334.84
9/17/19 10:00	213.20	5,286.50	333.90
9/17/19 11:00	209.00	5,281.48	333.83
9/17/19 12:00	208.30	5,285.50	335.57
9/17/19 13:00	213.70	5,351.45	338.45
9/17/19 14:00	213.90	5,353.47	338.51
9/17/19 15:00	214.70	5,355.62	339.77
9/17/19 16:00	185.20	5,000.80	339.75
9/17/19 17:00	127.30	4,371.74	328.89
9/17/19 18:00	126.10	4,374.81	328.74
9/17/19 19:00	121.00	4,302.10	328.15
9/17/19 20:00	121.00	4,306.97	327.47
9/17/19 21:00	121.10	4,305.58	326.78
9/17/19 22:00	121.50	4,304.43	326.54
9/17/19 23:00	121.10	4,305.12	326.64
9/18/19 0:00	121.30	4,304.52	327.11
9/18/19 1:00	120.70	4,303.84	326.52

Table E3: Boiler 19 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
9/18/19 2:00	120.70	4,303.00	326.45
9/18/19 3:00	119.80	4,303.79	326.82
9/18/19 4:00	120.50	4,303.10	326.79
9/18/19 5:00	163.10	4,754.84	329.83
9/18/19 6:00	236.30	5,419.04	349.69
9/18/19 7:00	253.30	5,486.80	354.69
9/18/19 8:00	253.10	5,482.63	348.23
9/18/19 9:00	245.70	5,484.74	345.31
9/18/19 10:00	246.10	5,480.88	347.36
9/18/19 11:00	245.10	5,479.41	347.15
9/18/19 12:00	235.70	5,419.11	346.41
9/18/19 13:00	237.30	5,427.23	345.99
9/18/19 14:00	243.40	5,482.43	346.58
9/18/19 15:00	174.00	4,802.13	343.19
12/1/19 20:00	205.10	4,956.49	337.11
12/1/19 21:00	205.10	5,149.73	347.42
12/1/19 22:00	205.10	5,150.49	352.69
12/1/19 23:00	216.00	5,168.65	356.58
12/2/19 0:00	216.10	5,153.85	352.46
12/2/19 1:00	210.10	5,149.08	336.27
12/2/19 2:00	203.50	5,104.44	331.06
12/2/19 3:00	207.70	5,136.24	333.19
12/2/19 4:00	211.40	5,153.97	335.44
12/2/19 5:00	215.60	5,157.26	337.63
12/2/19 6:00	208.20	5,148.97	335.06
12/2/19 7:00	216.30	5,159.34	337.37
12/2/19 8:00	200.10	5,154.80	333.01
12/2/19 9:00	209.60	5,209.23	332.69
12/2/19 10:00	196.70	5,173.70	324.46
12/2/19 11:00	186.30	5,144.99	321.81
12/2/19 12:00	221.00	5,144.00	332.90
12/2/19 13:00	228.00	5,147.81	339.36
12/2/19 14:00	214.20	5,062.01	339.73
12/2/19 15:00	194.30	5,050.52	337.44
12/2/19 16:00	189.30	5,159.60	335.00
12/2/19 17:00	203.90	5,153.15	335.21
12/2/19 18:00	147.20	4,462.55	330.49
12/2/19 19:00	129.90	4,292.38	328.19

Table E3: Boiler 19 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/2/19 20:00	129.30	4,295.96	326.77
12/2/19 21:00	150.70	4,289.76	326.46
12/2/19 22:00	175.30	4,293.97	326.75
12/2/19 23:00	176.00	4,293.97	327.97
12/3/19 0:00	141.80	4,312.33	327.46
12/3/19 1:00	131.10	4,329.27	326.51
12/3/19 2:00	133.50	4,328.03	326.64
12/3/19 3:00	131.40	4,328.29	325.65
12/3/19 4:00	130.60	4,326.86	325.61
12/3/19 5:00	131.00	4,329.61	325.71
12/3/19 6:00	132.00	4,328.63	325.83
12/3/19 7:00	131.30	4,328.81	327.30
12/3/19 8:00	131.30	4,326.76	328.41
12/3/19 9:00	131.30	4,328.79	328.03
12/3/19 10:00	130.40	4,327.12	327.08
12/3/19 11:00	130.40	4,325.68	326.07
12/3/19 12:00	172.90	4,788.80	324.76
12/3/19 13:00	195.80	5,053.40	322.59
12/3/19 14:00	140.30	4,446.45	324.12
12/3/19 15:00	128.20	4,287.04	327.35
12/3/19 16:00	127.70	4,288.09	326.51
12/3/19 17:00	128.50	4,288.78	326.28
12/3/19 18:00	127.60	4,282.98	325.34
12/3/19 19:00	128.10	4,287.45	325.06
12/3/19 20:00	127.60	4,287.17	325.54
12/3/19 21:00	128.30	4,285.32	325.78
12/3/19 22:00	128.30	4,286.05	325.49
12/3/19 23:00	128.50	4,285.61	324.95
12/4/19 0:00	128.30	4,283.60	324.38
12/4/19 1:00	128.10	4,287.36	323.89
12/4/19 2:00	128.00	4,287.15	322.91
12/4/19 3:00	127.50	4,286.66	322.87
12/4/19 4:00	127.60	4,288.13	322.46
12/4/19 5:00	128.30	4,284.93	322.78
12/4/19 6:00	127.90	4,285.74	323.22
12/4/19 7:00	127.70	4,288.33	324.57
12/4/19 8:00	127.90	4,285.44	324.88
12/4/19 9:00	127.90	4,290.18	325.13

Table E3: Boiler 19 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/4/19 10:00	127.70	4,283.27	325.42
12/4/19 11:00	128.40	4,285.17	326.29
12/4/19 12:00	144.10	4,457.01	325.17
12/4/19 13:00	130.60	4,287.76	326.57
12/4/19 14:00	128.90	4,290.10	327.14
12/4/19 15:00	129.50	4,289.58	326.96
12/4/19 16:00	129.90	4,288.17	326.41
12/4/19 17:00	130.30	4,292.75	325.54
12/4/19 18:00	129.30	4,290.88	324.43
12/4/19 19:00	129.10	4,291.57	324.53
12/4/19 20:00	129.60	4,290.77	325.69
12/4/19 21:00	129.10	4,288.72	325.52
12/4/19 22:00	129.70	4,290.90	325.61
12/4/19 23:00	134.50	4,291.43	324.37
12/5/19 0:00	148.10	4,288.99	323.19
12/5/19 1:00	130.40	4,289.84	323.33
12/5/19 2:00	130.00	4,290.02	323.53
12/5/19 3:00	129.60	4,286.37	325.28
12/5/19 4:00	128.70	4,291.80	326.10
12/5/19 5:00	128.20	4,288.89	324.74
12/5/19 6:00	136.80	4,288.96	325.33
12/5/19 7:00	132.40	4,291.74	324.91
12/5/19 8:00	129.40	4,292.76	322.93
12/5/19 9:00	129.00	4,289.80	323.44
12/5/19 10:00	129.00	4,286.60	324.36
12/5/19 11:00	131.00	4,293.42	327.32
12/5/19 12:00	129.20	4,287.27	326.99
12/5/19 13:00	136.30	4,292.74	327.26
12/5/19 14:00	133.30	4,290.35	326.65
12/5/19 15:00	131.70	4,286.92	326.30
12/5/19 16:00	129.40	4,290.85	326.06
12/5/19 17:00	130.50	4,291.48	326.74
12/5/19 18:00	130.30	4,289.17	328.43
12/5/19 19:00	130.90	4,290.64	329.60
12/5/19 20:00	132.10	4,288.63	329.21
12/5/19 21:00	139.40	4,290.27	327.88
12/5/19 22:00	131.60	4,288.29	327.53
12/5/19 23:00	130.00	4,291.95	326.79

Table E3: Boiler 19 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
12/6/19 0:00	131.20	4,287.67	328.30
12/6/19 1:00	132.30	4,287.78	330.16
12/6/19 2:00	132.20	4,290.87	331.07
12/6/19 3:00	131.40	4,289.28	330.41
12/6/19 4:00	131.40	4,288.81	330.41
12/6/19 5:00	131.10	4,291.36	329.22
12/6/19 6:00	130.80	4,288.29	328.29
12/6/19 7:00	129.60	4,289.98	327.31
12/6/19 8:00	131.20	4,289.98	327.95
12/6/19 9:00	131.20	4,288.60	328.29
12/6/19 10:00	129.50	4,290.94	329.42
12/6/19 11:00	127.60	4,259.74	330.09
12/6/19 12:00	128.10	4,260.43	330.23
12/6/19 13:00	135.60	4,255.54	330.09
12/6/19 14:00	128.90	4,256.11	329.43
12/6/19 15:00	135.20	4,255.82	329.32
12/6/19 16:00	127.80	4,255.70	330.18
12/6/19 17:00	135.80	4,264.42	330.00
12/6/19 18:00	151.30	4,386.25	329.92
12/6/19 19:00	137.10	4,391.73	329.42
12/6/19 20:00	135.40	4,394.44	328.62
12/6/19 21:00	134.60	4,393.38	328.47
12/6/19 22:00	135.20	4,393.53	329.36
12/6/19 23:00	134.80	4,392.79	329.95
12/7/19 0:00	134.50	4,391.75	329.66
12/7/19 1:00	136.90	4,393.29	329.23
12/7/19 2:00	187.80	4,391.05	327.93
12/7/19 3:00	134.50	4,393.85	327.62
12/7/19 4:00	133.30	4,392.77	327.10
12/7/19 5:00	133.30	4,391.89	327.93
12/7/19 6:00	133.80	4,393.77	328.23
12/7/19 7:00	133.80	4,390.84	328.29
12/7/19 8:00	134.90	4,391.93	328.09
12/7/19 9:00	126.10	4,392.50	327.20
12/7/19 10:00	113.60	4,397.53	325.53
12/7/19 11:00	124.20	4,394.20	325.62
12/7/19 12:00	134.00	4,392.36	326.93
12/7/19 13:00	133.20	4,394.21	326.06

Table E3: Boiler 19 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/7/19 14:00	131.30	4,391.98	325.83
12/7/19 15:00	131.70	4,391.91	326.08
5/8/2020 23:00	65.00	3,725.10	330.55
5/9/2020 0:00	117.10	4,250.66	319.91
5/9/2020 1:00	118.70	4,295.31	320.36
5/9/2020 2:00	138.00	4,454.12	318.61
5/9/2020 3:00	121.00	4,496.66	316.91
5/9/2020 4:00	124.60	4,494.42	315.95
5/9/2020 5:00	124.20	4,495.90	315.80
5/9/2020 6:00	124.70	4,499.24	323.12
5/9/2020 7:00	139.50	4,498.44	330.70
5/9/2020 8:00	137.70	4,495.38	330.17
5/9/2020 9:00	118.90	4,496.43	325.46
5/9/2020 10:00	146.60	4,489.44	325.86
5/9/2020 11:00	128.00	4,494.97	328.85
5/9/2020 12:00	127.00	4,496.43	331.77
5/9/2020 13:00	131.40	4,496.76	336.87
5/9/2020 14:00	128.60	4,491.68	338.39
5/9/2020 15:00	126.60	4,492.38	339.61
5/9/2020 16:00	140.80	4,502.02	331.98
5/9/2020 17:00	95.50	4,501.83	335.27
5/9/2020 18:00	121.60	4,494.48	339.47
5/9/2020 19:00	125.60	4,495.52	336.69
5/9/2020 20:00	124.20	4,499.99	330.64
5/9/2020 21:00	123.40	4,499.71	331.00
5/9/2020 22:00	107.90	4,495.08	335.53
5/9/2020 23:00	125.30	4,494.24	335.53
5/10/2020 0:00	125.50	4,492.02	335.88
5/10/2020 1:00	125.70	4,495.79	333.74
5/10/2020 2:00	127.90	4,495.20	335.43
5/10/2020 3:00	130.40	4,496.62	336.06
5/10/2020 4:00	129.60	4,494.73	335.05
5/10/2020 5:00	129.60	4,495.47	337.43
5/10/2020 6:00	132.90	4,501.21	339.83
5/10/2020 7:00	133.10	4,497.64	338.56
5/10/2020 8:00	133.20	4,495.44	333.04
5/10/2020 9:00	131.80	4,495.27	333.60
5/10/2020 10:00	126.10	4,495.36	334.02

Table E3: Boiler 19 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
5/10/2020 11:00	125.70	4,492.60	336.63
5/10/2020 12:00	124.90	4,494.76	337.03
5/10/2020 13:00	125.30	4,496.34	335.99
5/10/2020 14:00	131.10	4,496.77	334.35
5/10/2020 15:00	126.90	4,496.61	331.22
5/10/2020 16:00	121.20	4,495.70	336.54
5/10/2020 17:00	171.00	4,497.28	337.94
5/10/2020 18:00	319.40	4,494.77	341.77
5/10/2020 19:00	128.60	4,494.82	344.04
5/10/2020 20:00	128.10	4,495.39	344.81
5/10/2020 21:00	129.00	4,497.18	343.53
5/10/2020 22:00	125.30	4,493.42	343.91
5/10/2020 23:00	126.10	4,496.78	343.40
5/11/2020 0:00	125.60	4,495.03	343.40
5/11/2020 1:00	126.90	4,496.43	340.30
5/11/2020 2:00	127.80	4,497.46	339.23
5/11/2020 3:00	129.00	4,496.56	333.03
5/11/2020 4:00	129.20	4,496.67	332.95
5/11/2020 5:00	128.00	4,497.28	330.55
5/11/2020 6:00	136.70	4,570.11	326.00
5/11/2020 7:00	155.30	4,722.67	335.59
5/11/2020 8:00	155.30	4,773.22	337.48
5/11/2020 9:00	156.90	4,770.51	334.10
5/11/2020 10:00	166.50	4,769.80	335.12
5/11/2020 11:00	171.90	4,772.80	333.71
5/11/2020 12:00	147.50	4,587.73	332.30
5/11/2020 13:00	136.60	4,496.32	328.37
5/11/2020 14:00	138.70	4,497.34	328.36
5/11/2020 15:00	139.00	4,496.61	329.15
5/11/2020 16:00	138.50	4,497.92	329.49
5/11/2020 17:00	139.90	4,495.49	328.81
5/11/2020 18:00	142.00	4,497.91	327.99
5/11/2020 19:00	142.50	4,498.74	327.17
5/11/2020 20:00	143.50	4,497.31	327.12
5/11/2020 21:00	144.00	4,496.55	327.58
5/11/2020 22:00	145.20	4,498.56	328.18
5/11/2020 23:00	144.70	4,493.68	328.28
5/12/2020 0:00	184.30	4,892.83	331.43

Table E3: Boiler 19 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
5/12/2020 1:00	220.60	5,288.49	338.84
5/12/2020 2:00	250.90	5,421.71	357.46
5/12/2020 3:00	251.90	5,428.05	360.09
5/12/2020 4:00	258.90	5,422.39	359.77
5/12/2020 5:00	255.70	5,423.49	359.10
5/12/2020 6:00	255.90	5,424.72	358.14
5/12/2020 7:00	257.60	5,428.74	358.58
5/12/2020 8:00	253.00	5,423.40	356.41
5/12/2020 9:00	262.90	5,420.67	358.83
5/12/2020 10:00	268.80	5,418.45	358.33
5/12/2020 11:00	269.70	5,427.04	359.74
5/12/2020 12:00	267.50	5,423.85	358.17
5/12/2020 13:00	271.70	5,428.73	358.00
5/12/2020 14:00	263.90	5,388.00	356.98
5/12/2020 15:00	242.10	5,184.41	353.03
5/12/2020 16:00	246.50	5,186.16	353.21
5/12/2020 17:00	243.30	5,181.85	352.63
5/12/2020 18:00	237.00	5,185.99	351.34
5/12/2020 19:00	240.10	5,188.34	351.45
5/12/2020 20:00	238.50	5,184.33	349.71
5/12/2020 21:00	232.80	5,182.94	349.03
5/12/2020 22:00	232.90	5,181.09	348.19
5/12/2020 23:00	239.70	5,181.79	349.52
5/13/2020 0:00	237.90	5,183.12	349.61
5/13/2020 1:00	230.20	5,184.23	347.33
5/13/2020 2:00	237.00	5,182.41	349.78
5/13/2020 3:00	239.20	5,182.97	349.79
5/13/2020 4:00	238.80	5,182.98	347.28
5/13/2020 5:00	245.50	5,223.59	347.77
5/13/2020 6:00	236.60	5,219.33	347.29
5/13/2020 7:00	236.00	5,217.72	347.77
5/13/2020 8:00	242.70	5,222.04	351.64
5/13/2020 9:00	229.20	5,218.44	350.26
5/13/2020 10:00	230.00	5,218.05	350.34
5/13/2020 11:00	136.40	4,413.36	335.41
5/13/2020 12:00	107.50	4,079.86	327.76
9/21/2020 5:00	4.00	3,090.68	318.30
9/21/2020 6:00	107.80	4,115.61	327.08

Table E3: Boiler 19 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
9/21/2020 7:00	118.30	4,183.02	332.41
9/21/2020 8:00	100.00	4,000.34	329.83
9/27/2020 20:00	105.40	3,946.28	380.45
9/27/2020 21:00	127.20	4,208.83	352.05
9/27/2020 22:00	120.70	4,209.59	336.52
9/27/2020 23:00	122.70	4,205.16	333.48
9/28/2020 0:00	121.50	4,207.52	332.36
9/28/2020 1:00	119.90	4,207.51	329.85
9/28/2020 2:00	136.30	4,211.48	328.03
9/28/2020 3:00	127.70	4,207.50	331.18
9/28/2020 4:00	136.20	4,341.96	329.07
9/28/2020 5:00	172.40	4,708.80	301.89
9/28/2020 6:00	226.10	4,793.17	327.57
9/28/2020 7:00	337.10	4,746.80	332.21
9/28/2020 8:00	189.30	4,734.06	330.99
9/28/2020 9:00	160.60	4,673.44	333.10
9/28/2020 10:00	162.50	4,655.38	325.04
9/28/2020 11:00	153.20	4,644.00	383.00
9/28/2020 12:00	135.70	4,644.00	383.00
9/28/2020 13:00	134.00	4,644.00	383.00
9/28/2020 14:00	134.00	4,644.00	383.00
9/28/2020 15:00	128.00	4,644.00	383.00
9/28/2020 16:00	135.80	4,644.00	383.00
9/28/2020 17:00	126.40	4,644.00	383.00
9/28/2020 18:00	204.30	4,644.00	383.00
9/28/2020 19:00	135.90	4,644.00	383.00
9/28/2020 20:00	124.50	4,644.00	383.00
9/28/2020 21:00	123.10	4,644.00	383.00
9/28/2020 22:00	124.10	4,644.00	383.00
9/28/2020 23:00	123.10	4,644.00	383.00
9/29/2020 0:00	124.70	4,644.00	383.00
9/29/2020 1:00	130.80	4,644.00	383.00
9/29/2020 2:00	160.90	4,644.00	383.00
9/29/2020 3:00	117.10	4,644.00	383.00
9/29/2020 4:00	126.40	4,644.00	383.00
9/29/2020 5:00	132.50	4,644.00	383.00
9/29/2020 6:00	131.20	4,644.00	383.00
9/29/2020 7:00	126.50	4,644.00	383.00

Table E3: Boiler 19 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
9/29/2020 8:00	117.00	4,644.00	383.00
9/29/2020 9:00	118.90	4,644.00	383.00
9/29/2020 10:00	125.20	4,644.00	383.00
9/29/2020 11:00	138.70	4,644.00	383.00
9/29/2020 12:00	137.90	4,644.00	383.00
9/29/2020 13:00	132.00	4,644.00	383.00
9/29/2020 14:00	133.30	4,644.00	383.00
9/29/2020 15:00	135.00	4,644.00	383.00
9/29/2020 16:00	139.40	4,655.78	384.87
9/29/2020 17:00	139.70	4,644.00	383.00
9/29/2020 18:00	138.00	4,644.00	383.00
9/29/2020 19:00	142.70	4,644.00	383.00
9/29/2020 20:00	150.20	4,650.95	386.25
9/29/2020 21:00	152.70	4,652.43	362.55
9/29/2020 22:00	153.30	4,656.76	382.29
9/29/2020 23:00	177.90	4,910.56	385.80
9/30/2020 0:00	212.50	5,268.71	387.60
9/30/2020 1:00	226.70	5,266.52	393.46
9/30/2020 2:00	221.10	5,271.37	393.67
9/30/2020 3:00	220.30	5,265.85	391.02
9/30/2020 4:00	221.10	5,269.97	392.49
9/30/2020 5:00	214.80	5,265.82	391.81
9/30/2020 6:00	212.80	5,269.46	326.40
9/30/2020 7:00	204.80	5,269.32	392.88
9/30/2020 8:00	202.50	5,270.21	394.66
9/30/2020 9:00	193.40	5,267.00	392.87
9/30/2020 10:00	199.20	5,269.41	395.83
9/30/2020 11:00	196.20	5,264.42	392.60
9/30/2020 12:00	201.60	5,265.91	354.50
9/30/2020 13:00	196.00	5,266.07	392.85
9/30/2020 14:00	198.70	5,267.23	395.29
9/30/2020 15:00	148.30	4,839.48	386.26
9/30/2020 16:00	134.40	4,678.54	383.21
9/30/2020 17:00	121.30	4,458.76	466.23
9/30/2020 18:00	135.40	4,645.94	376.16
9/30/2020 19:00	138.40	4,646.42	384.70
9/30/2020 20:00	137.50	4,646.93	384.53
9/30/2020 21:00	139.40	4,650.01	384.40

Table E3: Boiler 19 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
9/30/2020 22:00	143.40	4,648.59	384.69
9/30/2020 23:00	142.20	4,649.51	384.47
10/1/2020 0:00	142.50	4,649.38	384.14
10/1/2020 1:00	144.60	4,649.08	384.76
10/1/2020 2:00	141.40	4,649.71	384.36
10/1/2020 3:00	141.70	4,650.65	383.46
10/1/2020 4:00	140.60	4,646.84	384.68
10/1/2020 5:00	140.80	4,649.80	384.87
10/1/2020 6:00	136.80	4,652.59	384.39
10/1/2020 7:00	109.70	4,291.16	384.64
10/1/2020 8:00	108.50	4,267.06	384.95
10/1/2020 9:00	108.90	4,285.23	385.48
10/1/2020 10:00	110.00	4,303.57	383.25
10/1/2020 11:00	107.90	4,301.14	384.25
10/1/2020 12:00	130.80	4,303.56	383.28
10/1/2020 13:00	83.50	4,301.76	381.98
10/1/2020 14:00	87.90	4,298.90	381.60
10/1/2020 15:00	87.20	4,300.96	381.82
10/1/2020 16:00	85.00	4,301.69	380.35
10/1/2020 17:00	82.70	4,644.00	383.00
10/1/2020 18:00	127.70	4,644.00	383.00
10/1/2020 19:00	100.70	4,644.00	383.00
10/1/2020 20:00	98.60	4,644.00	383.00
10/1/2020 21:00	97.90	4,644.00	383.00
10/1/2020 22:00	100.10	4,644.00	383.00
10/1/2020 23:00	100.30	4,644.00	383.00
10/2/2020 0:00	101.20	4,644.00	383.00
10/2/2020 1:00	100.20	4,644.00	383.00
10/2/2020 2:00	100.90	4,644.00	383.00
10/2/2020 3:00	103.30	4,644.00	383.00
10/2/2020 4:00	103.20	4,644.00	383.00
10/2/2020 5:00	101.70	4,644.00	383.00
10/2/2020 6:00	123.30	4,644.00	383.00
10/2/2020 7:00	133.50	4,644.00	383.00
10/2/2020 8:00	84.10	4,644.00	383.00
10/2/2020 9:00	87.90	4,644.00	383.00
10/2/2020 10:00	88.40	4,403.82	384.41
10/2/2020 11:00	86.00	4,406.93	354.68

Table E3: Boiler 19 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/2/2020 12:00	80.20	4,404.49	382.71
10/2/2020 13:00	59.30	4,403.05	384.10
10/2/2020 14:00	132.70	4,404.39	384.50
10/2/2020 15:00	107.50	4,403.19	384.41
10/2/2020 16:00	110.20	4,406.65	383.64
10/2/2020 17:00	125.20	4,404.30	382.97
10/2/2020 18:00	116.70	4,403.16	382.38
10/2/2020 19:00	109.20	4,403.66	384.36
10/2/2020 20:00	105.60	4,404.08	383.82
10/2/2020 21:00	93.00	4,405.40	384.07
10/2/2020 22:00	99.00	4,564.55	383.98
10/2/2020 23:00	100.30	4,644.00	383.00
10/3/2020 0:00	90.20	4,644.00	383.00
10/3/2020 1:00	128.50	4,644.00	383.00
10/3/2020 2:00	112.50	4,644.00	383.00
10/3/2020 3:00	99.70	4,369.37	383.66
10/3/2020 4:00	99.50	4,372.41	382.58
10/3/2020 5:00	113.80	4,560.59	384.98
10/3/2020 6:00	96.90	4,303.15	384.09
10/3/2020 7:00	97.60	4,303.04	384.13
10/3/2020 8:00	95.80	4,301.87	383.20
10/3/2020 9:00	96.40	4,302.67	382.85
10/3/2020 10:00	97.70	4,303.61	383.48
10/3/2020 11:00	99.90	4,301.20	384.62
10/3/2020 12:00	99.60	4,300.75	386.47
10/3/2020 13:00	100.50	4,304.61	385.00
10/3/2020 14:00	84.80	4,299.96	384.15
10/3/2020 15:00	89.20	4,302.34	383.78
10/3/2020 16:00	93.00	4,298.92	385.08
10/3/2020 17:00	134.20	4,300.15	385.77
10/3/2020 18:00	111.40	4,300.89	385.57
10/3/2020 19:00	108.20	4,301.60	384.63
10/3/2020 20:00	108.50	4,300.07	384.41
10/3/2020 21:00	109.80	4,305.03	384.80
10/3/2020 22:00	110.70	4,303.05	385.30
10/3/2020 23:00	109.80	4,300.02	384.36
10/4/2020 0:00	109.80	4,299.46	384.36
10/4/2020 1:00	109.90	4,298.95	384.67

Table E3: Boiler 19 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/4/2020 2:00	109.80	4,300.90	384.88
10/4/2020 3:00	109.40	4,302.00	384.51
10/4/2020 4:00	109.30	4,302.29	383.83
10/4/2020 5:00	109.70	4,301.16	383.29
10/4/2020 6:00	111.00	4,301.95	384.02
10/4/2020 7:00	109.90	4,301.59	383.67
10/4/2020 8:00	109.40	4,300.48	383.88
10/4/2020 9:00	109.40	4,304.93	383.93
10/4/2020 10:00	108.60	4,301.38	384.52
10/4/2020 11:00	109.80	4,304.43	384.30
10/4/2020 12:00	111.20	4,302.19	383.44
10/4/2020 13:00	111.70	4,301.87	382.87
10/4/2020 14:00	112.10	4,305.83	383.85
10/4/2020 15:00	112.10	4,305.25	383.75
10/4/2020 16:00	112.30	4,300.44	383.63
10/4/2020 17:00	113.10	4,300.99	383.40
10/4/2020 18:00	114.00	4,298.17	384.43
10/4/2020 19:00	113.50	4,300.24	384.95
10/4/2020 20:00	114.30	4,303.93	384.82
10/4/2020 21:00	112.90	4,300.37	385.03
10/4/2020 22:00	112.70	4,303.47	384.73
10/4/2020 23:00	112.40	4,300.17	384.57
10/5/2020 0:00	113.00	4,300.91	383.77
10/5/2020 1:00	112.80	4,300.92	384.25
10/5/2020 2:00	113.40	4,302.06	384.43
10/5/2020 3:00	112.40	4,301.13	384.29
10/5/2020 4:00	112.10	4,302.32	384.20
10/5/2020 5:00	112.40	4,303.11	383.98
10/5/2020 6:00	112.20	4,299.45	383.39
10/5/2020 7:00	112.00	4,301.90	383.64
10/5/2020 8:00	111.70	4,301.28	383.04
10/5/2020 9:00	111.80	4,303.71	382.43
10/5/2020 10:00	112.10	4,305.05	383.24
10/5/2020 11:00	111.50	4,302.61	384.08
10/5/2020 12:00	113.10	4,299.79	384.01
10/5/2020 13:00	112.80	4,301.71	383.25
10/5/2020 14:00	113.80	4,301.63	383.00
10/5/2020 15:00	114.80	4,301.69	378.98

Table E3: Boiler 19 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/5/2020 16:00	114.80	4,303.26	384.05
10/5/2020 17:00	114.30	4,302.20	386.85
10/5/2020 18:00	115.50	4,300.58	389.43
10/5/2020 19:00	117.90	4,305.77	388.36
10/5/2020 20:00	116.40	4,302.67	383.85
10/5/2020 21:00	116.00	4,302.21	383.72
10/5/2020 22:00	116.50	4,301.39	383.54
10/5/2020 23:00	115.40	4,299.53	384.71
10/6/2020 0:00	115.90	4,301.48	386.68
10/6/2020 1:00	115.00	4,300.75	388.72
10/6/2020 2:00	115.00	4,303.72	387.26
10/6/2020 3:00	113.40	4,301.64	383.93
10/6/2020 4:00	112.50	4,299.56	382.91
10/6/2020 5:00	112.50	4,301.42	383.11
10/6/2020 6:00	112.10	4,300.96	384.52
10/6/2020 7:00	111.40	4,303.08	385.36
10/6/2020 8:00	110.80	4,301.27	386.68
10/6/2020 9:00	112.20	4,299.66	385.10
10/6/2020 10:00	109.10	4,304.25	383.25
10/6/2020 11:00	112.80	4,301.69	383.21
10/6/2020 12:00	115.20	4,304.41	383.56
10/6/2020 13:00	181.50	5,026.36	399.76
10/6/2020 14:00	178.00	5,002.77	405.57
10/6/2020 15:00	150.00	4,672.48	397.62
10/6/2020 16:00	134.90	4,481.84	387.75
10/6/2020 17:00	136.10	4,489.44	381.12
10/6/2020 18:00	137.00	4,489.78	380.87
10/6/2020 19:00	138.20	4,493.92	381.82
10/6/2020 20:00	136.50	4,490.27	382.43
10/6/2020 21:00	139.20	4,489.45	382.75
10/6/2020 22:00	142.40	4,491.51	380.72
10/6/2020 23:00	144.10	4,492.79	380.77
10/7/2020 0:00	141.90	4,489.79	381.90
10/7/2020 1:00	136.10	4,491.18	383.07
10/7/2020 2:00	130.40	4,490.54	382.80
10/7/2020 3:00	130.90	4,492.28	382.26
10/7/2020 4:00	126.80	4,493.97	381.34
10/7/2020 5:00	125.70	4,490.52	381.85

Table E3: Boiler 19 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/7/2020 6:00	125.50	4,493.75	382.11
10/7/2020 7:00	126.70	4,491.29	381.67
10/7/2020 8:00	130.40	4,492.29	381.42
10/7/2020 9:00	127.80	4,494.74	379.46
10/7/2020 10:00	126.40	4,493.55	380.63
10/7/2020 11:00	124.70	4,489.58	381.70
10/7/2020 12:00	123.80	4,490.79	382.50
10/7/2020 13:00	116.00	4,389.67	382.06
10/7/2020 14:00	109.40	4,284.15	381.47
10/7/2020 15:00	111.50	4,284.50	381.78
10/7/2020 16:00	112.30	4,285.61	381.65
10/7/2020 17:00	110.90	4,285.90	382.27
10/7/2020 18:00	110.20	4,286.41	384.60
10/7/2020 19:00	109.40	4,285.61	384.70
10/7/2020 20:00	109.30	4,281.73	382.99
10/7/2020 21:00	109.20	4,284.05	382.45
10/7/2020 22:00	108.70	4,284.59	383.51
10/7/2020 23:00	108.70	4,286.11	384.82
10/8/2020 0:00	108.50	4,285.84	385.16
10/8/2020 1:00	108.70	4,286.16	384.40
10/8/2020 2:00	109.00	4,285.79	384.11
10/8/2020 3:00	108.90	4,288.75	383.83
10/8/2020 4:00	108.00	4,283.14	384.70
10/8/2020 5:00	107.90	4,286.39	384.86
10/8/2020 6:00	107.70	4,284.85	385.07
10/8/2020 7:00	107.30	4,286.05	383.94
10/8/2020 8:00	108.10	4,286.13	383.67
10/8/2020 9:00	109.60	4,285.65	382.96
10/8/2020 10:00	110.20	4,284.29	383.15
10/8/2020 11:00	108.50	4,284.15	384.06
10/8/2020 12:00	109.30	4,285.24	383.97
10/8/2020 13:00	110.80	4,284.94	383.76
10/8/2020 14:00	108.50	4,285.37	383.34
10/8/2020 15:00	108.50	4,286.28	382.72
10/8/2020 16:00	108.70	4,285.44	382.00
10/8/2020 17:00	109.40	4,282.26	382.88
10/8/2020 18:00	109.10	4,284.24	384.81
10/8/2020 19:00	108.10	4,285.67	384.90

Table E3: Boiler 19 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/8/2020 20:00	107.90	4,286.40	384.73
10/8/2020 21:00	107.60	4,287.02	384.26
10/8/2020 22:00	107.50	4,286.37	383.13
10/8/2020 23:00	107.40	4,287.07	382.34
10/9/2020 0:00	107.80	4,284.05	383.13
10/9/2020 1:00	107.70	4,285.44	384.08
10/9/2020 2:00	107.70	4,284.14	384.09
10/9/2020 3:00	107.90	4,285.84	385.21
10/9/2020 4:00	108.00	4,286.09	384.87
10/9/2020 5:00	107.80	4,285.63	383.02
10/9/2020 6:00	107.10	4,284.13	383.25
10/9/2020 7:00	107.00	4,286.38	382.77
10/9/2020 8:00	106.80	4,288.47	382.59
10/9/2020 9:00	107.10	4,283.24	383.24
10/9/2020 10:00	107.80	4,286.51	384.45
10/9/2020 11:00	108.80	4,284.53	385.36
10/9/2020 12:00	111.60	4,282.84	384.74
10/9/2020 13:00	112.00	4,285.19	384.40
10/9/2020 14:00	112.40	4,286.48	384.23
10/9/2020 15:00	112.20	4,283.04	383.89
10/9/2020 16:00	111.50	4,283.22	382.76
10/9/2020 17:00	111.60	4,285.59	383.48
10/9/2020 18:00	113.00	4,284.71	384.21
10/9/2020 19:00	113.20	4,282.95	385.22
10/9/2020 20:00	114.00	4,287.33	385.06
10/9/2020 21:00	114.20	4,284.45	384.72
10/9/2020 22:00	114.10	4,286.33	384.00
10/9/2020 23:00	114.50	4,286.44	383.84
10/10/2020 0:00	113.80	4,285.73	383.70
10/10/2020 1:00	114.60	4,283.31	384.93
10/10/2020 2:00	114.80	4,283.19	385.29
10/10/2020 3:00	114.20	4,284.90	385.31
10/10/2020 4:00	113.70	4,285.74	384.56
10/10/2020 5:00	113.10	4,287.09	384.98
10/10/2020 6:00	113.40	4,285.63	384.18
10/10/2020 7:00	113.70	4,285.53	384.95
10/10/2020 8:00	113.10	4,287.77	384.98
10/10/2020 9:00	112.70	4,285.71	383.49

Table E3: Boiler 19 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
10/10/2020 10:00	112.40	4,284.82	383.00
10/10/2020 11:00	107.10	4,216.49	383.00

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
10/11/19 15:00	166.90	4,796.97	367.24
10/11/19 16:00	155.90	4,760.79	338.63
10/11/19 17:00	153.80	4,765.63	337.52
10/11/19 18:00	155.90	4,765.54	336.30
10/11/19 19:00	154.30	4,769.01	335.31
10/11/19 20:00	148.50	4,760.20	334.73
10/11/19 21:00	148.20	4,764.20	335.62
10/11/19 22:00	148.20	4,763.83	336.42
10/11/19 23:00	147.00	4,767.49	336.90
10/12/19 0:00	147.40	4,769.20	336.43
10/12/19 1:00	150.60	4,761.94	335.02
10/12/19 2:00	147.20	4,769.38	334.58
10/12/19 3:00	146.80	4,762.42	335.70
10/12/19 4:00	146.00	4,756.41	336.29
10/12/19 5:00	108.80	4,309.67	324.49
10/12/19 6:00	107.80	4,281.81	319.73
10/12/19 7:00	107.50	4,284.80	319.10
10/12/19 8:00	106.40	4,285.77	319.61
10/12/19 9:00	106.40	4,283.54	320.57
10/12/19 10:00	108.00	4,278.96	320.80
10/12/19 11:00	114.00	4,278.38	321.25
10/12/19 12:00	125.10	4,336.00	323.14
10/12/19 13:00	162.80	4,703.97	338.80
10/12/19 14:00	195.20	5,039.57	350.96
10/12/19 15:00	203.10	5,113.85	356.35
10/12/19 16:00	193.00	5,017.91	350.58
10/12/19 17:00	196.80	5,048.63	351.45
10/12/19 18:00	205.70	5,132.49	350.93
10/12/19 19:00	246.00	5,524.66	357.03
10/12/19 20:00	235.40	5,432.95	356.72
10/12/19 21:00	233.60	5,435.03	355.78
10/12/19 22:00	231.20	5,431.83	353.23
10/12/19 23:00	231.40	5,431.20	352.97
10/13/19 0:00	231.60	5,433.84	353.88
10/13/19 1:00	196.10	5,073.71	345.51
10/13/19 2:00	231.00	5,429.65	349.84
10/13/19 3:00	210.80	5,251.40	349.73
10/13/19 4:00	176.70	4,916.30	335.94

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
10/13/19 5:00	176.80	4,914.79	334.79
10/13/19 6:00	165.20	4,793.30	330.98
10/13/19 7:00	162.30	4,764.39	328.35
10/13/19 8:00	118.50	4,237.37	319.79
10/13/19 9:00	115.20	4,187.12	326.01
10/13/19 10:00	114.00	4,176.80	320.21
10/13/19 11:00	128.40	4,184.44	316.41
10/13/19 12:00	283.60	4,184.26	315.67
10/13/19 13:00	64.60	4,186.09	315.48
10/13/19 14:00	87.10	4,187.44	315.45
10/13/19 15:00	91.60	4,185.83	315.45
10/13/19 16:00	101.60	4,185.69	315.88
10/13/19 17:00	105.10	4,188.08	316.07
10/13/19 18:00	105.80	4,187.46	316.43
10/13/19 19:00	105.70	4,183.15	316.76
10/13/19 20:00	107.30	4,184.36	318.16
10/13/19 21:00	108.00	4,183.37	317.79
10/13/19 22:00	104.90	4,166.48	318.42
10/13/19 23:00	112.10	4,259.05	319.26
10/14/19 0:00	119.60	4,354.75	317.49
10/14/19 1:00	115.20	4,354.74	318.90
10/14/19 2:00	107.80	4,350.26	318.53
10/14/19 3:00	100.70	4,353.71	318.18
10/14/19 4:00	130.20	4,353.62	319.57
10/14/19 5:00	159.60	4,416.36	322.44
10/14/19 6:00	159.50	4,532.88	327.91
10/14/19 7:00	153.90	4,642.44	330.49
10/14/19 8:00	159.10	4,690.49	332.68
10/14/19 9:00	153.50	4,652.88	333.74
10/14/19 10:00	145.90	4,583.30	332.25
10/14/19 11:00	140.90	4,502.06	328.89
10/14/19 12:00	145.20	4,551.49	330.19
10/14/19 13:00	140.90	4,484.04	328.89
10/14/19 14:00	137.30	4,438.23	326.81
10/14/19 15:00	139.80	4,465.62	327.06
10/14/19 16:00	139.10	4,461.09	326.02
10/14/19 17:00	135.00	4,404.14	325.65
10/14/19 18:00	140.50	4,463.38	330.07

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
10/14/19 19:00	142.50	4,473.13	331.05
10/14/19 20:00	146.10	4,511.74	334.06
10/14/19 21:00	147.40	4,537.39	336.99
10/14/19 22:00	143.60	4,499.20	335.78
10/14/19 23:00	138.70	4,441.66	333.08
10/15/19 0:00	138.60	4,438.68	333.38
10/15/19 1:00	137.70	4,432.64	333.75
10/15/19 2:00	136.10	4,407.49	332.53
10/15/19 3:00	139.90	4,450.49	333.92
10/15/19 4:00	140.10	4,456.46	334.53
10/15/19 5:00	140.50	4,460.10	333.84
10/15/19 6:00	140.00	4,463.38	334.66
10/15/19 7:00	134.80	4,417.90	332.60
10/15/19 8:00	130.00	4,362.83	331.36
10/15/19 9:00	115.00	4,209.77	326.06
10/15/19 10:00	114.10	4,195.76	324.84
10/15/19 11:00	124.70	4,297.77	326.66
10/15/19 12:00	120.00	4,243.10	325.80
10/15/19 13:00	115.50	4,197.28	324.11
10/15/19 14:00	115.50	4,197.49	323.94
10/15/19 15:00	114.50	4,187.31	323.14
10/15/19 16:00	114.90	4,194.39	323.06
10/15/19 17:00	128.40	4,325.32	327.06
10/15/19 18:00	149.50	4,556.86	338.38
10/15/19 19:00	142.10	4,461.77	336.96
10/15/19 20:00	152.10	4,559.94	339.88
10/15/19 21:00	160.50	4,653.28	344.74
10/15/19 22:00	156.20	4,599.56	343.73
10/15/19 23:00	153.00	4,571.49	341.56
10/16/19 0:00	171.20	4,762.96	346.48
10/16/19 1:00	154.00	4,577.72	344.47
10/16/19 2:00	136.50	4,397.33	333.66
10/16/19 3:00	138.20	4,420.43	332.24
10/16/19 4:00	151.90	4,565.65	337.19
10/16/19 5:00	155.50	4,601.86	339.07
10/16/19 6:00	156.60	4,619.68	339.07
10/16/19 7:00	159.20	4,652.45	338.75
10/16/19 8:00	162.10	4,688.78	341.78

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/16/19 9:00	169.70	4,764.19	345.48
10/16/19 10:00	162.80	4,685.08	343.66
10/16/19 11:00	157.60	4,620.07	343.49
10/16/19 12:00	135.60	4,388.23	331.89
10/16/19 13:00	117.50	4,214.57	323.10
10/16/19 14:00	121.50	4,253.81	323.67
10/16/19 15:00	120.80	4,252.61	323.25
10/16/19 16:00	117.60	4,218.80	322.49
10/16/19 17:00	118.30	4,219.85	323.00
10/16/19 18:00	117.60	4,213.98	322.15
10/16/19 19:00	118.60	4,216.37	322.45
10/16/19 20:00	133.80	4,375.58	326.83
10/16/19 21:00	132.80	4,359.35	328.43
10/16/19 22:00	127.40	4,297.45	325.58
10/16/19 23:00	132.80	4,368.69	327.65
10/17/19 0:00	128.10	4,314.87	327.18
10/17/19 1:00	119.80	4,227.13	323.69
10/17/19 2:00	125.50	4,283.95	324.13
10/17/19 3:00	158.10	4,617.37	337.94
10/17/19 4:00	129.70	4,328.45	331.08
10/17/19 5:00	122.30	4,265.01	324.46
10/17/19 6:00	215.80	5,138.87	347.82
10/17/19 7:00	232.50	5,241.65	355.32
10/17/19 8:00	236.90	5,243.40	355.14
10/17/19 9:00	225.30	5,240.08	351.97
10/17/19 10:00	231.10	5,307.49	351.84
10/17/19 11:00	236.20	5,340.38	354.05
10/17/19 12:00	231.20	5,276.09	354.04
10/17/19 13:00	217.70	5,123.90	348.45
10/17/19 14:00	216.80	5,126.62	347.88
10/17/19 15:00	225.20	5,125.91	351.95
10/17/19 16:00	225.40	5,125.71	350.51
10/17/19 17:00	209.30	5,127.93	345.56
10/17/19 18:00	220.70	5,123.47	349.05
10/17/19 19:00	219.80	5,127.43	349.02
10/17/19 20:00	208.10	5,125.47	341.98
10/17/19 21:00	223.40	5,129.59	345.70
10/17/19 22:00	221.10	5,125.66	343.45

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
10/17/19 23:00	218.50	5,125.53	342.34
10/18/19 0:00	221.40	5,127.55	343.95
10/18/19 1:00	221.70	5,126.19	343.32
10/18/19 2:00	218.90	5,126.78	342.60
10/18/19 3:00	214.60	5,127.85	341.66
10/18/19 4:00	219.00	5,124.06	341.93
10/18/19 5:00	219.90	5,126.18	342.60
10/18/19 6:00	218.40	5,126.62	343.65
10/18/19 7:00	217.10	5,127.50	342.77
10/18/19 8:00	213.70	5,128.88	340.57
10/18/19 9:00	217.50	5,122.56	341.82
10/18/19 10:00	222.90	5,121.97	343.40
10/18/19 11:00	222.70	5,126.69	345.21
10/18/19 12:00	216.90	5,127.12	342.06
10/18/19 13:00	222.80	5,125.72	343.69
10/18/19 14:00	221.00	5,126.42	344.89
10/18/19 15:00	219.30	5,124.35	345.13
10/18/19 16:00	219.10	5,127.77	344.62
10/18/19 17:00	219.70	5,123.40	345.92
10/18/19 18:00	220.00	5,125.33	346.02
10/18/19 19:00	148.20	4,547.39	327.32
10/18/19 20:00	152.80	4,579.57	322.25
10/18/19 21:00	160.20	4,634.53	322.68
10/18/19 22:00	151.30	4,553.62	321.64
10/18/19 23:00	156.50	4,594.44	320.12
10/19/19 0:00	160.30	4,670.42	323.17
10/19/19 1:00	165.90	4,734.81	324.70
10/19/19 2:00	156.50	4,639.80	324.13
10/19/19 3:00	149.10	4,421.82	316.58
10/19/19 4:00	184.70	4,364.53	314.81
10/19/19 5:00	117.70	4,378.09	314.97
10/19/19 6:00	151.90	4,391.88	315.70
10/19/19 7:00	177.20	4,391.86	315.65
10/19/19 9:00	171.50	4,427.80	317.24
10/19/19 10:00	17.00	4,424.18	317.53
10/19/19 11:00	102.90	4,296.92	315.50
10/19/19 12:00	180.50	4,779.74	326.50
10/19/19 13:00	217.60	5,064.02	346.16

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/19/19 14:00	227.30	5,119.76	353.15
10/19/19 15:00	233.30	5,176.94	357.11
10/19/19 16:00	218.90	5,177.76	354.96
10/19/19 17:00	212.00	5,176.79	348.90
10/19/19 18:00	210.20	5,178.49	350.77
10/19/19 19:00	225.30	5,176.68	351.53
10/19/19 20:00	225.60	5,177.92	352.17
10/19/19 21:00	226.00	5,179.09	351.04
10/19/19 22:00	224.20	5,177.09	351.33
10/19/19 23:00	230.10	5,178.10	352.45
10/20/19 0:00	226.40	5,176.96	350.00
10/20/19 1:00	213.40	5,179.19	346.29
10/20/19 2:00	211.10	5,177.91	346.01
10/20/19 3:00	230.80	5,177.95	353.16
10/20/19 4:00	219.50	5,227.56	351.96
10/20/19 5:00	212.90	5,066.43	350.23
10/20/19 6:00	203.90	5,039.58	338.59
10/20/19 7:00	214.20	5,004.92	334.26
10/20/19 8:00	150.30	4,415.93	321.20
10/20/19 9:00	152.00	4,677.44	317.39
10/20/19 10:00	154.60	4,691.67	317.68
10/20/19 11:00	160.40	4,697.23	319.07
10/20/19 12:00	159.60	4,693.23	319.01
10/20/19 13:00	160.80	4,691.09	319.17
10/20/19 14:00	168.30	4,728.80	320.43
10/20/19 15:00	176.90	4,765.94	324.30
10/20/19 16:00	183.60	4,766.14	325.17
10/20/19 17:00	190.20	4,766.84	325.19
10/20/19 18:00	194.50	4,765.09	325.88
10/20/19 19:00	196.50	4,764.90	325.57
10/20/19 20:00	196.60	4,765.33	325.80
10/20/19 21:00	195.50	4,765.61	326.21
10/20/19 22:00	194.20	4,766.19	326.42
10/20/19 23:00	191.50	4,745.52	326.06
10/21/19 0:00	154.80	4,350.21	317.29
10/21/19 1:00	156.40	4,361.53	314.96
10/21/19 2:00	162.80	4,452.92	315.88
10/21/19 3:00	165.60	4,531.12	318.65

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/21/19 4:00	167.60	4,588.09	321.45
10/21/19 5:00	143.50	4,493.68	319.01
10/21/19 6:00	156.80	4,646.26	321.38
10/21/19 7:00	147.40	4,549.84	320.55
10/21/19 8:00	150.40	4,570.66	320.10
10/21/19 9:00	157.70	4,598.23	322.18
10/21/19 10:00	167.30	4,775.45	326.10
10/21/19 11:00	154.50	4,631.46	324.08
10/21/19 12:00	153.60	4,602.22	322.20
10/21/19 13:00	158.50	4,655.92	322.38
10/21/19 14:00	157.00	4,647.37	323.29
10/21/19 15:00	146.00	4,494.84	319.64
10/21/19 16:00	153.50	4,478.79	318.79
10/21/19 17:00	179.10	4,517.18	318.87
10/21/19 18:00	168.80	4,594.29	322.66
10/21/19 19:00	149.40	4,496.92	321.81
10/21/19 20:00	150.20	4,524.82	324.16
10/21/19 21:00	166.70	4,574.02	327.62
10/21/19 22:00	193.80	4,596.30	329.87
10/21/19 23:00	188.80	4,577.22	329.75
10/22/19 0:00	148.00	4,490.46	327.86
10/22/19 1:00	143.70	4,484.93	325.31
10/22/19 2:00	138.80	4,431.93	324.75
10/22/19 3:00	137.70	4,423.56	322.96
10/22/19 4:00	139.50	4,442.01	322.91
10/22/19 5:00	137.10	4,424.99	322.89
10/22/19 6:00	133.00	4,421.96	322.82
10/22/19 7:00	146.50	4,377.10	320.60
10/22/19 8:00	158.60	4,407.74	320.10
10/22/19 9:00	131.40	4,408.77	320.51
10/22/19 10:00	135.10	4,438.35	320.41
10/22/19 11:00	149.50	4,548.05	323.23
10/22/19 12:00	153.50	4,563.89	325.83
10/22/19 13:00	141.90	4,374.62	319.83
10/22/19 14:00	139.30	4,501.50	321.92
10/22/19 15:00	137.10	4,480.90	322.23
10/22/19 16:00	125.50	4,355.50	319.49
10/22/19 17:00	127.90	4,296.76	318.65

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/22/19 18:00	116.80	4,268.01	318.99
10/22/19 19:00	116.20	4,254.64	319.11
10/22/19 20:00	115.10	4,238.08	319.74
10/22/19 21:00	121.80	4,292.35	319.63
10/22/19 22:00	132.50	4,293.07	319.69
10/22/19 23:00	138.60	4,293.25	320.15
10/23/19 0:00	129.40	4,266.73	319.80
10/23/19 1:00	116.30	4,254.22	320.00
10/23/19 2:00	118.60	4,255.93	320.03
10/23/19 3:00	144.40	4,237.10	319.95
10/23/19 4:00	133.70	4,257.61	319.93
10/23/19 5:00	132.80	4,305.74	319.84
10/23/19 6:00	113.70	4,233.76	319.38
10/23/19 7:00	113.40	4,187.64	320.28
10/23/19 8:00	113.20	4,194.47	320.82
10/23/19 9:00	116.20	4,198.53	320.86
10/23/19 10:00	128.50	4,209.94	321.01
10/23/19 11:00	130.60	4,205.84	321.15
10/23/19 12:00	128.30	4,213.20	320.90
10/23/19 13:00	126.40	4,197.58	321.10
10/23/19 14:00	126.80	4,195.26	321.10
10/23/19 15:00	126.50	4,204.08	321.16
10/23/19 16:00	135.80	4,232.48	320.76
10/23/19 17:00	136.20	4,218.69	320.34
10/23/19 18:00	116.10	4,256.00	320.30
10/23/19 19:00	115.80	4,257.49	320.43
10/23/19 20:00	118.50	4,294.50	320.95
10/23/19 21:00	124.00	4,362.92	320.67
10/23/19 22:00	125.90	4,392.48	319.96
10/23/19 23:00	128.50	4,417.15	320.00
10/24/19 0:00	123.70	4,349.65	319.51
10/24/19 1:00	123.70	4,350.24	319.68
10/24/19 2:00	126.60	4,385.55	319.75
10/24/19 3:00	125.30	4,388.07	319.69
10/24/19 4:00	132.70	4,479.85	321.41
10/24/19 5:00	135.30	4,515.48	322.86
10/24/19 6:00	143.00	4,616.25	326.45
10/24/19 7:00	153.60	4,741.56	330.16

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/24/19 8:00	140.10	4,588.35	327.80
10/24/19 9:00	122.80	4,387.94	322.40
10/24/19 10:00	113.70	4,268.59	320.71
10/24/19 11:00	114.30	4,274.67	321.06
10/24/19 12:00	112.40	4,255.71	320.83
10/24/19 13:00	107.70	4,213.09	320.63
10/24/19 14:00	114.20	4,274.24	320.58
10/24/19 15:00	125.60	4,412.14	323.18
10/24/19 16:00	145.60	4,637.79	328.91
10/24/19 17:00	111.20	4,236.12	322.09
10/24/19 18:00	116.90	4,309.05	320.48
10/24/19 19:00	120.90	4,361.38	320.85
10/24/19 20:00	130.40	4,473.97	322.72
10/24/19 21:00	137.20	4,541.78	325.48
10/24/19 22:00	148.40	4,672.49	329.35
10/24/19 23:00	149.70	4,676.91	329.96
10/25/19 0:00	164.70	4,744.15	331.76
10/25/19 1:00	155.10	4,743.31	331.55
10/25/19 2:00	153.60	4,735.83	330.96
10/25/19 3:00	153.20	4,725.21	330.91
10/25/19 4:00	153.40	4,729.68	330.76
10/25/19 5:00	157.40	4,659.94	329.44
10/25/19 6:00	153.20	4,653.45	327.74
10/25/19 7:00	161.60	4,823.08	332.00
10/25/19 8:00	170.80	4,933.92	334.89
10/25/19 9:00	183.90	5,085.65	340.90
10/25/19 10:00	175.50	4,999.02	338.89
10/25/19 11:00	170.80	4,937.80	336.63
10/25/19 12:00	169.80	4,927.89	335.47
10/25/19 13:00	160.10	4,816.47	332.97
10/25/19 14:00	153.30	4,739.69	332.11
10/25/19 15:00	140.90	4,602.53	326.55
10/25/19 16:00	145.10	4,648.64	327.12
10/25/19 17:00	140.30	4,593.09	325.58
10/25/19 18:00	145.80	4,645.25	327.11
10/25/19 19:00	144.60	4,643.37	327.27
10/25/19 20:00	151.20	4,706.97	328.83
10/25/19 21:00	150.80	4,711.28	328.88

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
10/25/19 22:00	143.60	4,645.15	326.56
10/25/19 23:00	145.10	4,666.67	326.28
10/26/19 0:00	136.10	4,566.08	323.52
10/26/19 1:00	117.30	4,335.43	317.83
10/26/19 2:00	165.70	4,902.42	331.04
10/26/19 3:00	141.60	4,626.99	328.59
10/26/19 4:00	115.70	4,318.58	318.39
10/26/19 5:00	135.30	4,545.72	321.38
10/26/19 6:00	143.80	4,644.48	327.54
10/26/19 7:00	139.60	4,605.24	326.58
10/26/19 8:00	131.40	4,492.77	323.29
10/26/19 9:00	137.60	4,569.63	327.56
10/26/19 10:00	120.30	4,373.32	320.16
10/26/19 11:00	119.80	4,375.00	319.87
10/26/19 12:00	131.10	4,514.25	323.66
10/26/19 13:00	130.40	4,503.92	324.49
10/26/19 14:00	109.10	4,228.51	318.35
10/26/19 15:00	117.00	4,342.96	318.57
10/26/19 16:00	119.20	4,374.96	318.75
10/26/19 17:00	80.50	4,088.96	317.65
12/2/19 17:00	27.20	5,268.95	342.61
12/2/19 18:00	198.70	5,267.43	345.23
12/2/19 19:00	215.30	5,262.43	350.88
12/2/19 20:00	211.70	5,268.12	349.79
12/2/19 21:00	212.80	5,266.72	347.27
12/2/19 22:00	209.50	5,270.19	347.99
12/2/19 23:00	215.90	5,268.84	350.63
12/3/19 0:00	218.40	5,272.76	352.70
12/3/19 1:00	212.90	5,273.44	348.58
12/3/19 2:00	213.40	5,272.66	349.15
12/3/19 3:00	203.60	5,271.84	343.58
12/3/19 4:00	208.70	5,269.67	345.78
12/3/19 5:00	202.80	5,272.17	344.73
12/3/19 6:00	212.40	5,270.14	346.55
12/3/19 7:00	207.00	5,272.76	345.29
12/3/19 8:00	217.60	5,272.05	347.69
12/3/19 9:00	217.40	5,267.52	347.38
12/3/19 10:00	219.60	5,266.86	346.26

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/3/19 11:00	226.60	5,249.44	348.02
12/3/19 13:00	106.60	4,022.87	327.40
12/3/19 14:00	192.00	4,974.06	332.14
12/3/19 15:00	231.20	5,234.96	348.47
12/3/19 16:00	231.60	5,232.34	349.55
12/3/19 17:00	225.40	5,239.30	347.71
12/3/19 18:00	226.50	5,235.61	344.58
12/3/19 19:00	230.20	5,234.22	343.45
12/3/19 20:00	231.70	5,235.33	344.95
12/3/19 21:00	232.30	5,233.90	345.14
12/3/19 22:00	228.10	5,238.31	344.43
12/3/19 23:00	232.50	5,233.61	343.66
12/4/19 0:00	221.60	5,238.46	341.88
12/4/19 1:00	232.90	5,235.82	344.86
12/4/19 2:00	223.50	5,235.34	344.66
12/4/19 3:00	223.90	5,236.32	343.37
12/4/19 4:00	225.50	5,236.81	344.91
12/4/19 5:00	230.90	5,236.45	344.75
12/4/19 6:00	237.70	5,236.26	346.80
12/4/19 7:00	228.90	5,234.56	344.84
12/4/19 8:00	229.20	5,234.74	347.39
12/4/19 9:00	219.60	5,238.94	344.21
12/4/19 10:00	232.00	5,229.72	346.99
12/4/19 11:00	232.90	5,232.16	346.19
12/4/19 12:00	198.10	4,970.94	338.57
12/4/19 13:00	226.00	5,232.57	341.38
12/4/19 14:00	225.30	5,231.17	343.21
12/4/19 15:00	218.60	5,170.21	340.38
12/4/19 16:00	228.00	5,234.10	343.14
12/4/19 17:00	230.80	5,234.06	344.19
12/4/19 18:00	231.50	5,232.11	345.17
12/4/19 19:00	235.60	5,237.48	345.41
12/4/19 20:00	234.60	5,235.47	346.19
12/4/19 21:00	233.90	5,233.93	346.06
12/4/19 22:00	231.00	5,234.08	346.87
12/4/19 23:00	223.70	5,212.67	343.68
12/5/19 0:00	225.20	5,204.11	345.05
12/5/19 1:00	227.00	5,235.25	343.99

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
12/5/19 2:00	229.90	5,233.79	343.88
12/5/19 3:00	226.70	5,224.19	343.38
12/5/19 4:00	228.20	5,231.61	343.97
12/5/19 5:00	229.50	5,233.06	343.90
12/5/19 6:00	223.30	5,232.10	342.06
12/5/19 7:00	226.40	5,245.29	342.20
12/5/19 8:00	223.70	5,232.95	343.17
12/5/19 9:00	222.50	5,236.61	343.60
12/5/19 10:00	225.80	5,232.38	344.38
12/5/19 11:00	226.40	5,232.82	347.42
12/5/19 12:00	228.50	5,235.48	353.61
12/5/19 13:00	222.90	5,239.30	349.82
12/5/19 14:00	221.70	5,235.61	349.43
12/5/19 15:00	221.90	5,225.33	349.88
12/5/19 16:00	220.70	5,232.97	346.66
12/5/19 17:00	220.80	5,230.35	348.28
12/5/19 18:00	136.70	4,387.86	328.30
12/5/19 19:00	124.90	4,268.66	318.41
12/5/19 20:00	138.50	4,268.99	316.52
12/5/19 21:00	131.30	4,269.40	316.18
12/5/19 22:00	172.20	4,635.82	322.42
12/5/19 23:00	228.70	5,268.38	347.29
12/6/19 0:00	236.40	5,266.07	350.95
12/6/19 1:00	233.10	5,266.80	350.40
12/6/19 2:00	233.70	5,269.60	348.57
12/6/19 3:00	229.20	5,267.25	344.36
12/6/19 4:00	225.00	5,265.11	341.07
12/6/19 5:00	224.00	5,265.39	340.93
12/6/19 6:00	235.10	5,269.07	346.31
12/6/19 7:00	229.30	5,290.91	342.68
12/6/19 8:00	229.10	5,301.46	341.51
12/6/19 9:00	230.50	5,300.34	343.56
12/6/19 10:00	221.80	5,304.60	341.33
12/6/19 11:00	156.80	4,658.86	328.20
12/6/19 12:00	130.40	4,487.11	321.36
12/6/19 13:00	131.90	4,489.03	322.15
12/6/19 14:00	136.90	4,487.73	322.52
12/6/19 15:00	139.10	4,486.97	323.76

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/6/19 16:00	101.30	4,497.76	325.92
12/6/19 17:00	115.60	4,488.30	322.00
12/6/19 18:00	132.50	4,485.05	320.93
12/6/19 19:00	131.60	4,491.67	320.75
12/6/19 20:00	132.50	4,487.39	320.95
12/6/19 21:00	132.90	4,490.48	321.11
12/6/19 22:00	133.50	4,491.48	320.97
12/6/19 23:00	140.70	4,491.60	319.98
12/7/19 0:00	137.90	4,487.96	319.13
12/7/19 1:00	138.60	4,488.51	319.91
12/7/19 2:00	143.60	4,489.32	319.89
12/7/19 3:00	142.70	4,487.96	319.94
12/7/19 4:00	143.50	4,489.77	320.02
12/7/19 5:00	143.20	4,489.33	320.25
12/7/19 6:00	143.30	4,489.58	320.03
12/7/19 7:00	146.90	4,490.71	319.39
12/7/19 8:00	142.40	4,489.03	319.41
12/7/19 9:00	141.60	4,489.34	319.88
12/7/19 10:00	135.70	4,489.03	319.58
12/7/19 11:00	141.40	4,490.08	331.28
12/7/19 12:00	146.40	4,488.57	345.66
12/7/19 13:00	146.40	4,487.81	346.65
12/7/19 14:00	145.80	4,488.68	346.88
12/7/19 15:00	146.60	4,489.72	347.98
1/8/2020 2:00	177.10	4,810.77	354.15
1/8/2020 3:00	230.60	5,143.04	365.87
1/8/2020 4:00	228.50	5,140.21	362.71
1/8/2020 5:00	214.90	5,147.96	357.12
1/8/2020 6:00	219.60	5,140.89	358.39
1/8/2020 7:00	221.10	5,204.89	358.83
1/8/2020 8:00	242.30	5,351.21	367.17
1/8/2020 9:00	237.30	5,352.02	365.18
1/8/2020 10:00	234.60	5,322.28	362.64
1/8/2020 11:00	211.90	5,245.68	354.34
1/8/2020 12:00	219.90	5,251.26	354.88
1/8/2020 13:00	227.70	5,248.70	361.70
1/8/2020 14:00	220.60	5,249.13	360.26
1/8/2020 15:00	224.30	5,248.77	360.92

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
1/8/2020 16:00	230.20	5,248.49	363.30
1/8/2020 17:00	232.20	5,250.70	365.48
1/8/2020 18:00	228.70	5,248.70	363.66
1/8/2020 19:00	234.40	5,250.34	365.77
1/8/2020 20:00	225.80	5,246.72	362.55
1/8/2020 21:00	227.50	5,247.20	362.73
1/8/2020 22:00	224.70	5,249.86	362.20
1/8/2020 23:00	215.50	5,250.17	357.14
1/9/2020 0:00	218.20	5,247.50	359.22
1/9/2020 1:00	225.40	5,249.03	362.87
1/9/2020 2:00	219.40	5,251.03	359.60
1/9/2020 3:00	221.60	5,251.37	358.65
1/9/2020 4:00	224.20	5,249.98	359.08
1/9/2020 5:00	228.60	5,247.54	359.82
1/9/2020 6:00	223.60	5,250.32	357.63
1/9/2020 7:00	223.60	5,248.69	356.72
1/9/2020 8:00	225.70	5,249.82	357.97
1/9/2020 9:00	224.00	5,239.37	358.42
1/9/2020 10:00	227.30	5,253.84	358.88
1/9/2020 11:00	224.00	5,246.20	359.62
1/9/2020 12:00	219.00	5,248.04	357.63
1/9/2020 13:00	229.40	5,249.13	360.23
1/9/2020 14:00	229.00	5,246.21	363.45
1/9/2020 15:00	209.80	5,248.71	355.74
1/9/2020 16:00	219.20	5,227.21	357.64
1/9/2020 17:00	215.10	5,175.18	357.74
1/9/2020 18:00	226.80	5,315.99	362.08
1/9/2020 19:00	229.30	5,315.12	360.30
1/9/2020 20:00	234.30	5,315.89	363.12
1/9/2020 21:00	226.90	5,319.03	362.13
1/9/2020 22:00	228.80	5,317.64	363.70
1/9/2020 23:00	224.40	5,319.26	363.03
1/10/2020 0:00	220.10	5,316.78	360.72
1/10/2020 1:00	218.20	5,296.49	357.26
1/10/2020 2:00	228.00	5,316.26	363.33
1/10/2020 3:00	223.10	5,318.03	361.17
1/10/2020 4:00	231.10	5,319.21	365.59
1/10/2020 5:00	224.60	5,319.01	364.76

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
1/10/2020 6:00	227.60	5,316.66	363.06
1/10/2020 7:00	228.80	5,319.94	364.34
1/10/2020 8:00	226.80	5,319.43	362.61
1/10/2020 9:00	233.30	5,317.48	362.35
1/10/2020 10:00	231.30	5,313.70	362.81
1/10/2020 11:00	223.40	5,200.91	360.84
1/10/2020 12:00	206.80	5,065.63	354.67
1/10/2020 13:00	226.60	5,269.54	361.46
1/10/2020 14:00	227.20	5,265.92	362.64
1/10/2020 15:00	218.20	5,167.68	360.23
1/10/2020 16:00	197.60	4,959.31	352.36
1/10/2020 17:00	192.30	4,960.72	350.52
1/10/2020 18:00	194.00	4,959.01	349.17
1/10/2020 19:00	195.80	4,957.22	350.53
1/10/2020 20:00	197.30	4,959.82	347.43
1/10/2020 21:00	199.20	4,958.43	351.77
1/10/2020 22:00	196.90	4,963.19	353.41
1/10/2020 23:00	199.50	4,957.88	354.81
1/11/2020 0:00	198.50	4,958.54	356.60
1/11/2020 1:00	188.10	4,954.45	349.87
1/11/2020 2:00	203.00	4,956.10	345.13
1/11/2020 3:00	180.80	4,958.10	344.45
1/11/2020 4:00	192.60	4,955.77	350.55
1/11/2020 5:00	195.60	4,955.09	351.92
1/11/2020 6:00	202.00	5,010.21	355.99
1/11/2020 7:00	230.30	5,299.94	365.18
1/11/2020 8:00	230.50	5,303.27	365.94
1/11/2020 9:00	218.70	5,184.59	364.06
1/11/2020 10:00	122.50	4,316.75	334.76
1/11/2020 11:00	112.40	4,199.50	320.35
1/11/2020 12:00	112.90	4,205.83	319.13
1/11/2020 13:00	123.00	4,202.51	319.20
1/11/2020 14:00	174.00	4,183.94	320.11
2/9/2020 0:00	3.80	3,224.77	346.32
2/9/2020 1:00	147.90	4,519.45	344.07
2/9/2020 2:00	140.00	4,443.81	336.08
2/9/2020 3:00	136.20	4,400.71	331.86
2/9/2020 4:00	135.00	4,395.84	330.01

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
2/9/2020 5:00	133.10	4,377.11	330.02
2/9/2020 6:00	133.10	4,379.48	329.32
2/9/2020 7:00	135.20	4,409.67	331.59
2/9/2020 8:00	135.70	4,406.03	331.73
2/9/2020 9:00	136.40	4,417.80	332.01
2/9/2020 10:00	132.10	4,368.85	329.53
2/9/2020 11:00	129.50	4,346.80	328.73
2/9/2020 12:00	122.60	4,296.71	325.22
2/9/2020 13:00	115.80	4,237.93	321.44
2/9/2020 14:00	114.30	4,229.00	320.77
2/9/2020 15:00	113.00	4,218.13	320.83
2/9/2020 16:00	116.70	4,264.64	322.11
2/9/2020 17:00	108.20	4,276.12	323.72
2/9/2020 18:00	102.60	4,295.85	326.08
2/9/2020 19:00	118.30	4,305.42	327.26
2/9/2020 20:00	124.10	4,370.58	329.79
2/9/2020 21:00	123.00	4,351.84	331.86
2/9/2020 22:00	122.50	4,355.01	330.07
2/9/2020 23:00	123.50	4,352.32	329.66
2/10/2020 0:00	127.90	4,406.69	330.47
2/10/2020 1:00	126.30	4,375.63	329.08
2/10/2020 2:00	114.10	4,253.30	323.37
2/10/2020 3:00	113.10	4,266.37	321.82
2/10/2020 4:00	113.60	4,258.18	322.96
2/10/2020 5:00	113.20	4,262.41	323.27
2/10/2020 6:00	115.70	4,249.80	323.94
2/10/2020 7:00	110.50	4,229.68	320.98
2/10/2020 8:00	108.40	4,199.35	320.47
2/10/2020 9:00	110.00	4,202.59	322.46
2/10/2020 10:00	111.10	4,202.40	322.13
2/10/2020 11:00	110.30	4,191.42	322.10
2/10/2020 12:00	131.10	4,418.66	329.95
2/10/2020 13:00	120.50	4,317.17	329.95
2/10/2020 14:00	113.00	4,247.92	324.25
2/10/2020 15:00	108.40	4,197.34	322.81
2/10/2020 16:00	106.90	4,186.88	321.28
2/10/2020 17:00	107.80	4,185.24	320.08
2/10/2020 18:00	106.80	4,187.27	320.89

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
2/10/2020 19:00	106.90	4,187.46	321.11
2/10/2020 20:00	107.00	4,185.23	322.72
2/10/2020 21:00	107.30	4,184.40	323.26
2/10/2020 22:00	107.30	4,186.28	323.52
2/10/2020 23:00	112.60	4,184.58	324.19
2/11/2020 0:00	110.90	4,185.42	322.62
2/11/2020 1:00	116.40	4,185.72	322.61
2/11/2020 2:00	102.30	4,185.21	324.01
2/11/2020 3:00	107.60	4,186.78	323.34
2/11/2020 4:00	111.80	4,185.93	322.91
2/11/2020 5:00	91.50	4,183.69	322.26
2/11/2020 6:00	95.30	4,185.07	321.47
2/11/2020 7:00	95.40	4,186.46	320.65
2/11/2020 8:00	95.80	4,186.02	320.76
2/11/2020 9:00	96.60	4,184.72	322.41
2/11/2020 10:00	108.10	4,186.36	322.52
2/11/2020 11:00	107.80	4,187.36	323.65
2/11/2020 12:00	107.90	4,185.01	324.34
2/11/2020 13:00	108.80	4,188.40	324.40
2/11/2020 14:00	108.80	4,186.54	325.31
2/11/2020 15:00	109.50	4,186.41	325.65
2/11/2020 16:00	114.50	4,233.52	327.50
2/11/2020 17:00	117.10	4,261.62	329.87
2/11/2020 18:00	126.10	4,366.45	333.91
2/11/2020 19:00	148.00	4,593.00	347.31
2/11/2020 20:00	159.60	4,702.11	352.63
2/11/2020 21:00	165.70	4,753.63	353.82
2/11/2020 22:00	163.80	4,732.33	353.22
2/11/2020 23:00	168.60	4,795.77	354.58
2/12/2020 0:00	165.10	4,761.48	352.90
2/12/2020 1:00	162.30	4,731.72	348.90
2/12/2020 2:00	159.30	4,707.97	347.35
2/12/2020 3:00	156.80	4,682.76	345.89
2/12/2020 4:00	151.30	4,632.32	344.50
2/12/2020 5:00	151.20	4,641.92	343.73
2/12/2020 6:00	141.00	4,533.99	340.37
2/12/2020 7:00	114.20	4,235.48	326.46
2/12/2020 8:00	108.20	4,186.34	321.94

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
2/12/2020 9:00	108.00	4,187.58	322.62
2/12/2020 10:00	108.00	4,185.28	322.58
2/12/2020 11:00	108.30	4,207.95	323.25
2/12/2020 12:00	107.30	4,190.67	322.45
2/12/2020 13:00	110.30	4,186.44	322.20
2/12/2020 14:00	112.10	4,193.50	323.64
2/12/2020 15:00	113.30	4,202.38	324.78
2/12/2020 16:00	114.00	4,191.12	324.61
2/12/2020 17:00	113.40	4,184.67	323.49
2/12/2020 18:00	113.90	4,185.86	324.67
2/12/2020 19:00	113.50	4,184.52	324.76
2/12/2020 20:00	113.70	4,184.94	324.97
2/12/2020 21:00	113.50	4,187.76	324.15
2/12/2020 22:00	113.10	4,189.04	323.93
2/12/2020 23:00	118.30	4,238.48	328.18
2/13/2020 0:00	114.10	4,193.35	325.80
2/13/2020 1:00	113.60	4,187.93	324.70
2/13/2020 2:00	113.50	4,197.53	324.85
2/13/2020 3:00	113.70	4,194.39	324.26
2/13/2020 4:00	113.80	4,194.48	323.62
2/13/2020 5:00	113.50	4,188.98	323.40
2/13/2020 6:00	114.10	4,196.63	324.10
2/13/2020 7:00	114.10	4,194.15	324.71
2/13/2020 8:00	114.40	4,191.39	324.84
2/13/2020 9:00	114.20	4,190.17	325.27
2/13/2020 10:00	114.10	4,186.42	325.11
2/13/2020 11:00	114.70	4,184.80	324.45
2/13/2020 12:00	114.00	4,185.16	323.61
2/13/2020 13:00	114.50	4,197.55	324.10
2/13/2020 14:00	112.70	4,185.74	324.18
2/13/2020 15:00	112.80	4,186.46	323.54
2/13/2020 16:00	115.20	4,208.03	324.08
2/13/2020 17:00	117.60	4,234.88	325.04
2/13/2020 18:00	130.20	4,362.73	330.86
2/13/2020 19:00	140.40	4,471.68	337.78
2/13/2020 20:00	140.60	4,485.19	340.34
2/13/2020 21:00	142.30	4,504.28	341.18
2/13/2020 22:00	146.80	4,558.97	342.00

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
2/13/2020 23:00	144.20	4,531.59	340.60
2/14/2020 0:00	148.10	4,573.44	341.57
2/14/2020 1:00	152.00	4,616.74	344.55
2/14/2020 2:00	150.80	4,609.24	342.25
2/14/2020 3:00	150.00	4,609.42	343.68
2/14/2020 4:00	145.10	4,558.06	341.33
2/14/2020 5:00	152.70	4,638.95	343.29
2/14/2020 6:00	156.00	4,672.18	344.19
2/14/2020 7:00	153.70	4,650.73	343.27
2/14/2020 8:00	116.30	4,257.11	331.77
2/14/2020 9:00	109.70	4,189.41	322.25
2/14/2020 10:00	109.40	4,187.53	321.02
2/14/2020 11:00	109.20	4,185.67	320.36
2/14/2020 12:00	109.70	4,188.51	320.78
2/14/2020 13:00	110.00	4,191.32	321.19
2/14/2020 14:00	109.60	4,188.74	321.03
2/14/2020 15:00	109.40	4,190.74	321.58
2/14/2020 16:00	110.00	4,185.35	321.24
2/14/2020 17:00	109.30	4,189.64	321.15
2/14/2020 18:00	109.10	4,189.32	321.66
2/14/2020 19:00	109.00	4,188.03	321.90
2/14/2020 20:00	109.00	4,192.01	321.89
2/14/2020 21:00	108.70	4,189.94	319.76
2/14/2020 22:00	108.00	4,186.48	319.51
2/14/2020 23:00	108.20	4,191.82	319.05
2/15/2020 0:00	107.60	4,186.48	319.44
2/15/2020 1:00	107.50	4,187.57	319.86
2/15/2020 2:00	108.10	4,191.70	320.38
2/15/2020 3:00	107.60	4,190.17	320.56
2/15/2020 4:00	107.40	4,188.82	320.48
2/15/2020 5:00	106.90	4,188.25	319.63
2/15/2020 6:00	107.20	4,189.08	319.82
2/15/2020 7:00	107.90	4,189.74	319.56
2/15/2020 8:00	107.50	4,188.89	319.52
2/15/2020 9:00	107.70	4,188.22	319.22
2/15/2020 10:00	108.00	4,187.76	319.85
2/15/2020 11:00	107.60	4,188.60	320.57
2/15/2020 12:00	107.10	4,188.38	321.03

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
2/15/2020 13:00	108.20	4,189.76	321.77
2/15/2020 14:00	108.20	4,188.46	322.31
2/15/2020 15:00	108.30	4,188.55	322.55
2/15/2020 16:00	108.00	4,188.92	322.88
2/15/2020 17:00	108.50	4,191.69	322.96
2/15/2020 18:00	108.00	4,188.61	322.76
2/15/2020 19:00	107.60	4,189.49	323.10
2/15/2020 20:00	108.20	4,189.82	323.57
2/15/2020 21:00	108.30	4,192.13	323.73
2/15/2020 22:00	108.60	4,188.87	323.57
2/15/2020 23:00	109.60	4,190.03	323.71
2/16/2020 0:00	110.00	4,191.46	323.13
2/16/2020 1:00	109.60	4,189.77	322.52
2/16/2020 2:00	109.50	4,189.41	322.73
2/16/2020 3:00	109.40	4,188.00	322.73
2/16/2020 4:00	109.60	4,190.70	322.23
2/16/2020 5:00	109.20	4,189.90	322.70
2/16/2020 6:00	109.40	4,189.49	323.14
2/16/2020 7:00	109.00	4,187.37	323.13
2/16/2020 8:00	108.70	4,190.52	323.14
2/16/2020 9:00	109.00	4,187.03	323.17
2/16/2020 10:00	109.10	4,188.17	323.28
2/16/2020 11:00	109.20	4,188.71	323.64
2/16/2020 12:00	109.00	4,189.50	324.02
2/16/2020 13:00	108.90	4,189.60	324.71
2/16/2020 14:00	108.30	4,187.94	325.36
2/16/2020 15:00	108.10	4,188.03	326.87
2/16/2020 16:00	109.60	4,188.33	326.94
2/16/2020 17:00	111.10	4,187.97	327.05
2/16/2020 18:00	111.60	4,188.09	327.25
2/16/2020 19:00	111.50	4,185.62	326.52
2/16/2020 20:00	111.80	4,192.53	326.46
2/16/2020 21:00	111.40	4,187.65	326.47
2/16/2020 22:00	111.80	4,188.64	325.54
2/16/2020 23:00	111.70	4,190.67	325.59
2/17/2020 0:00	112.10	4,189.74	326.02
2/17/2020 1:00	111.90	4,189.99	326.32
2/17/2020 2:00	112.30	4,189.21	325.99

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
2/17/2020 3:00	112.00	4,189.53	326.73
2/17/2020 4:00	112.90	4,189.58	326.27
2/17/2020 5:00	113.60	4,190.16	325.47
2/17/2020 6:00	113.40	4,187.35	325.17
2/17/2020 7:00	113.60	4,190.07	325.25
2/17/2020 8:00	114.40	4,191.44	325.62
2/17/2020 9:00	114.00	4,188.33	325.25
2/17/2020 10:00	113.30	4,188.41	324.64
2/17/2020 11:00	113.20	4,189.95	325.07
2/17/2020 12:00	112.20	4,188.23	327.02
2/17/2020 13:00	112.40	4,191.61	328.24
2/17/2020 14:00	113.20	4,187.69	328.59
2/17/2020 15:00	114.50	4,189.08	328.62
2/17/2020 16:00	114.80	4,188.78	327.97
2/17/2020 17:00	114.90	4,189.96	327.68
2/17/2020 18:00	115.10	4,189.68	328.27
2/17/2020 19:00	115.10	4,187.97	328.21
2/17/2020 20:00	114.20	4,188.35	327.84
2/17/2020 21:00	114.40	4,190.93	327.45
2/17/2020 22:00	114.70	4,186.33	327.75
2/17/2020 23:00	114.40	4,189.18	327.88
2/18/2020 0:00	115.10	4,188.61	327.36
2/18/2020 1:00	115.50	4,188.38	326.94
2/18/2020 2:00	115.60	4,188.01	327.06
2/18/2020 3:00	115.90	4,187.95	327.07
2/18/2020 4:00	115.70	4,191.83	326.80
2/18/2020 5:00	115.70	4,189.66	325.88
2/18/2020 6:00	115.70	4,189.49	325.78
2/18/2020 7:00	115.80	4,187.77	325.36
2/18/2020 8:00	115.80	4,188.74	325.21
2/18/2020 9:00	116.50	4,192.09	325.30
2/18/2020 10:00	116.60	4,189.19	325.95
2/18/2020 11:00	116.50	4,188.77	326.20
2/18/2020 12:00	117.70	4,189.42	325.96
2/18/2020 13:00	115.80	4,185.10	324.17
2/18/2020 14:00	115.50	4,189.80	323.81
2/18/2020 15:00	116.60	4,188.69	324.57
2/18/2020 16:00	116.50	4,191.07	324.42

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
2/18/2020 17:00	117.10	4,187.54	324.75
2/18/2020 18:00	117.10	4,187.39	325.32
2/18/2020 19:00	114.10	4,186.91	326.28
2/18/2020 20:00	114.70	4,187.70	326.92
2/18/2020 21:00	114.70	4,189.62	326.05
2/18/2020 22:00	113.60	4,187.73	325.40
2/18/2020 23:00	113.60	4,188.65	324.77
2/19/2020 0:00	113.90	4,191.45	324.81
2/19/2020 1:00	113.60	4,187.47	324.77
2/19/2020 2:00	113.50	4,188.08	324.70
2/19/2020 3:00	113.30	4,189.70	324.81
2/19/2020 4:00	113.10	4,188.64	324.64
2/19/2020 5:00	113.10	4,188.04	325.29
2/19/2020 6:00	112.90	4,189.99	325.00
2/19/2020 7:00	113.10	4,186.60	325.39
2/19/2020 8:00	112.90	4,185.41	325.04
2/19/2020 9:00	112.90	4,186.80	324.82
2/19/2020 10:00	113.10	4,185.24	324.44
2/19/2020 11:00	112.80	4,183.15	324.85
2/19/2020 12:00	112.50	4,185.48	324.69
2/19/2020 13:00	112.20	4,188.12	324.72
2/19/2020 14:00	112.00	4,184.53	324.95
2/19/2020 15:00	112.50	4,189.64	325.57
2/19/2020 16:00	111.80	4,185.88	325.34
2/19/2020 17:00	113.80	4,194.97	326.94
2/19/2020 18:00	113.50	4,196.06	327.00
2/19/2020 19:00	131.90	4,391.90	333.14
2/19/2020 20:00	147.90	4,563.61	345.90
2/19/2020 21:00	147.90	4,562.32	346.87
2/19/2020 22:00	148.50	4,564.01	344.34
2/19/2020 23:00	147.40	4,564.34	342.20
2/20/2020 0:00	146.70	4,564.41	342.05
2/20/2020 1:00	147.00	4,563.82	343.64
2/20/2020 2:00	147.00	4,564.79	343.93
2/20/2020 3:00	146.60	4,563.80	342.95
2/20/2020 4:00	146.40	4,563.29	342.96
2/20/2020 5:00	146.80	4,566.00	342.96
2/20/2020 6:00	146.50	4,563.54	342.49

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
2/20/2020 7:00	146.60	4,562.62	342.93
2/20/2020 8:00	146.80	4,563.31	342.51
2/20/2020 9:00	146.90	4,565.61	342.32
2/20/2020 10:00	146.60	4,564.78	341.77
2/20/2020 11:00	146.50	4,566.30	340.25
2/20/2020 12:00	146.30	4,562.53	341.09
2/20/2020 13:00	145.50	4,560.66	340.80
2/20/2020 14:00	146.10	4,561.95	339.87
2/20/2020 15:00	137.40	4,459.90	338.19
2/20/2020 16:00	137.50	4,466.05	337.76
2/20/2020 17:00	135.30	4,459.84	335.50
2/20/2020 18:00	134.70	4,459.14	334.23
2/20/2020 19:00	135.40	4,457.99	332.87
2/20/2020 20:00	135.50	4,459.43	332.49
2/20/2020 21:00	135.50	4,462.67	333.46
2/20/2020 22:00	135.00	4,458.83	333.41
2/20/2020 23:00	134.70	4,460.57	334.08
2/21/2020 0:00	134.60	4,460.35	334.70
2/21/2020 1:00	134.90	4,458.50	335.17
2/21/2020 2:00	134.10	4,460.65	335.40
2/21/2020 3:00	134.10	4,461.36	334.26
2/21/2020 4:00	134.20	4,461.37	332.78
2/21/2020 5:00	134.10	4,461.36	333.78
2/21/2020 6:00	133.40	4,458.23	332.85
2/21/2020 7:00	134.20	4,460.11	333.38
2/21/2020 8:00	133.50	4,461.38	334.36
2/21/2020 9:00	134.00	4,459.05	334.03
2/21/2020 10:00	133.80	4,462.04	334.39
2/21/2020 11:00	134.40	4,462.64	334.71
2/21/2020 12:00	134.30	4,458.14	335.24
2/21/2020 13:00	134.20	4,459.97	336.01
2/21/2020 14:00	133.90	4,460.71	336.69
2/21/2020 15:00	133.90	4,458.60	339.17
2/21/2020 16:00	133.20	4,462.07	338.40
2/21/2020 17:00	133.00	4,461.03	337.11
2/21/2020 18:00	132.90	4,459.16	337.70
2/21/2020 19:00	133.20	4,459.36	338.82
2/21/2020 20:00	132.70	4,463.09	338.84

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
2/21/2020 21:00	132.70	4,459.53	339.16
2/21/2020 22:00	132.60	4,459.63	340.48
2/21/2020 23:00	133.40	4,458.57	343.40
2/22/2020 0:00	134.10	4,460.95	344.35
2/22/2020 1:00	133.50	4,457.28	344.20
2/22/2020 2:00	132.00	4,467.48	341.38
2/22/2020 3:00	131.40	4,461.94	338.19
2/22/2020 4:00	130.60	4,459.94	337.20
2/22/2020 5:00	130.80	4,460.91	336.51
2/22/2020 6:00	131.40	4,458.50	336.33
2/22/2020 7:00	131.20	4,460.53	335.15
2/22/2020 8:00	131.20	4,460.44	336.66
2/22/2020 9:00	130.70	4,460.43	336.84
2/22/2020 10:00	131.10	4,462.56	337.08
2/22/2020 11:00	130.20	4,460.86	337.60
2/22/2020 12:00	130.80	4,457.62	338.26
2/22/2020 13:00	130.20	4,461.72	339.14
2/22/2020 14:00	130.20	4,461.47	340.82
2/22/2020 15:00	129.80	4,462.44	341.60
2/22/2020 16:00	129.80	4,459.10	343.25
2/22/2020 17:00	129.00	4,462.05	343.21
2/22/2020 18:00	129.30	4,461.57	341.23
2/22/2020 19:00	129.20	4,456.14	340.30
2/22/2020 20:00	129.10	4,462.56	338.67
2/22/2020 21:00	129.40	4,461.04	336.42
2/22/2020 22:00	129.40	4,460.78	335.72
2/22/2020 23:00	129.90	4,459.68	338.03
2/23/2020 0:00	128.50	4,463.32	329.27
2/23/2020 1:00	127.30	4,460.82	325.29
2/23/2020 2:00	127.00	4,460.73	324.88
2/23/2020 3:00	127.00	4,457.88	325.69
2/23/2020 4:00	127.00	4,460.92	326.39
2/23/2020 5:00	126.70	4,461.87	327.04
2/23/2020 6:00	126.80	4,459.51	327.46
2/23/2020 7:00	126.80	4,463.02	327.21
2/23/2020 8:00	126.60	4,461.26	327.29
2/23/2020 9:00	127.00	4,460.67	328.24
2/23/2020 10:00	127.00	4,459.98	328.55

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
2/23/2020 11:00	127.20	4,460.93	328.61
2/23/2020 12:00	127.20	4,461.61	329.41
2/23/2020 13:00	127.00	4,461.27	329.28
2/23/2020 14:00	127.50	4,461.22	329.93
2/23/2020 15:00	127.20	4,460.82	331.17
2/23/2020 16:00	127.30	4,460.54	332.75
2/23/2020 17:00	127.60	4,461.00	332.72
2/23/2020 18:00	127.40	4,461.58	331.10
2/23/2020 19:00	127.50	4,461.48	330.73
2/23/2020 20:00	127.00	4,461.75	330.87
2/23/2020 21:00	127.80	4,459.51	330.59
2/23/2020 22:00	127.10	4,460.95	330.02
2/23/2020 23:00	127.70	4,460.00	329.47
2/24/2020 0:00	127.40	4,459.10	330.13
2/24/2020 1:00	127.50	4,461.43	328.42
2/24/2020 2:00	126.90	4,461.34	326.61
2/24/2020 3:00	127.50	4,457.20	325.58
2/24/2020 4:00	127.50	4,457.53	325.07
2/24/2020 5:00	126.80	4,459.96	325.09
2/24/2020 6:00	126.80	4,460.42	325.22
2/24/2020 7:00	127.00	4,460.96	326.07
2/24/2020 8:00	126.50	4,460.68	326.30
2/24/2020 9:00	127.00	4,462.43	326.48
2/24/2020 10:00	127.10	4,460.58	326.57
2/24/2020 11:00	127.60	4,458.67	326.27
2/24/2020 12:00	127.60	4,458.20	325.95
2/24/2020 13:00	128.20	4,461.14	326.64
2/24/2020 14:00	128.30	4,461.91	327.52
2/24/2020 15:00	128.20	4,458.82	326.59
2/24/2020 16:00	128.10	4,461.11	326.09
2/24/2020 17:00	127.90	4,460.05	326.24
2/24/2020 18:00	128.30	4,460.04	326.53
2/24/2020 19:00	128.40	4,458.49	326.40
2/24/2020 20:00	128.30	4,459.72	327.04
2/24/2020 21:00	128.80	4,460.87	327.35
2/24/2020 22:00	122.90	4,388.57	326.33
2/24/2020 23:00	119.20	4,353.09	323.85
2/25/2020 0:00	116.80	4,325.32	322.05

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
2/25/2020 1:00	116.70	4,325.23	321.32
2/25/2020 2:00	116.50	4,323.19	320.16
2/25/2020 3:00	116.40	4,323.50	319.89
2/25/2020 4:00	116.20	4,321.76	319.83
2/25/2020 5:00	115.90	4,321.04	319.91
2/25/2020 6:00	116.90	4,323.17	320.24
2/25/2020 7:00	116.70	4,323.53	320.27
2/25/2020 8:00	116.30	4,322.04	320.82
2/25/2020 9:00	116.80	4,324.31	322.19
2/25/2020 10:00	116.20	4,322.22	322.61
2/25/2020 11:00	116.80	4,324.13	323.25
2/25/2020 12:00	116.50	4,322.02	323.03
2/25/2020 13:00	116.90	4,322.54	323.27
2/25/2020 14:00	117.20	4,323.37	322.87
2/25/2020 15:00	117.50	4,325.33	322.91
2/25/2020 16:00	117.20	4,324.86	323.20
2/25/2020 17:00	118.00	4,321.86	323.35
2/25/2020 18:00	118.00	4,324.55	323.15
2/25/2020 19:00	118.00	4,323.30	320.69
2/25/2020 20:00	118.10	4,323.09	320.61
2/25/2020 21:00	117.70	4,322.95	319.63
2/25/2020 22:00	117.60	4,325.37	319.42
2/25/2020 23:00	117.70	4,323.94	320.01
2/26/2020 0:00	117.90	4,326.05	321.12
2/26/2020 1:00	118.00	4,324.65	321.23
2/26/2020 2:00	120.30	4,345.48	322.08
2/26/2020 3:00	147.30	4,619.59	331.03
2/26/2020 4:00	216.90	5,229.14	364.62
2/26/2020 5:00	213.80	5,234.65	366.04
2/26/2020 6:00	218.20	5,232.99	365.82
2/26/2020 7:00	214.70	5,230.37	364.84
2/26/2020 8:00	213.20	5,234.01	364.85
2/26/2020 9:00	212.20	5,232.94	365.28
2/26/2020 10:00	209.70	5,231.10	363.41
2/26/2020 11:00	207.60	5,232.84	360.18
2/26/2020 12:00	219.90	5,233.94	366.47
2/26/2020 13:00	218.50	5,231.14	366.77
2/26/2020 14:00	210.20	5,231.62	362.48

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
2/26/2020 15:00	205.80	5,235.43	358.54
2/26/2020 16:00	187.50	5,043.52	355.43
2/26/2020 17:00	130.90	4,474.66	331.52
2/26/2020 18:00	130.40	4,478.42	328.32
2/26/2020 19:00	130.00	4,478.21	327.76
2/26/2020 20:00	130.20	4,476.09	327.02
2/26/2020 21:00	130.80	4,477.41	327.02
2/26/2020 22:00	130.80	4,479.72	327.30
2/26/2020 23:00	130.80	4,477.80	326.71
2/27/2020 0:00	130.50	4,476.46	326.63
2/27/2020 1:00	130.20	4,477.28	326.71
2/27/2020 2:00	130.40	4,478.58	326.69
2/27/2020 3:00	129.90	4,474.55	326.35
2/27/2020 4:00	129.90	4,477.09	326.03
2/27/2020 5:00	129.70	4,476.93	325.58
2/27/2020 6:00	129.40	4,474.95	325.14
2/27/2020 7:00	129.60	4,476.49	325.34
2/27/2020 8:00	129.80	4,478.04	325.42
2/27/2020 9:00	128.90	4,475.13	325.71
2/27/2020 10:00	129.10	4,476.40	325.52
2/27/2020 11:00	130.10	4,477.41	325.50
2/27/2020 12:00	130.10	4,473.69	325.92
2/27/2020 13:00	131.60	4,474.75	326.03
2/27/2020 14:00	132.30	4,475.48	326.36
2/27/2020 15:00	132.10	4,477.45	326.50
2/27/2020 16:00	131.50	4,478.25	326.80
2/27/2020 17:00	131.70	4,476.60	326.96
2/27/2020 18:00	131.30	4,476.99	327.58
2/27/2020 19:00	130.90	4,477.93	327.99
2/27/2020 20:00	131.20	4,477.20	327.78
2/27/2020 21:00	131.90	4,478.40	327.93
2/27/2020 22:00	131.70	4,475.38	328.20
2/27/2020 23:00	131.60	4,478.47	328.25
2/28/2020 0:00	133.30	4,478.72	327.89
2/28/2020 1:00	134.30	4,476.65	327.37
2/28/2020 2:00	135.00	4,477.73	327.11
2/28/2020 3:00	134.60	4,479.13	327.07
2/28/2020 4:00	134.40	4,473.74	327.19

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
2/28/2020 5:00	135.10	4,477.71	326.26
2/28/2020 6:00	133.40	4,478.42	319.58
2/28/2020 7:00	129.70	4,477.19	318.16
2/28/2020 8:00	127.90	4,458.87	317.73
2/28/2020 9:00	95.40	4,108.23	314.01
5/17/2020 21:00	3.30	2,944.00	184.58
5/17/2020 22:00	26.20	3,131.15	267.31
5/17/2020 23:00	97.50	3,974.06	342.37
5/18/2020 0:00	178.60	4,874.30	335.51
5/18/2020 1:00	186.40	4,873.97	337.33
5/18/2020 2:00	220.90	4,875.50	338.99
5/18/2020 3:00	217.90	4,874.19	342.07
5/18/2020 4:00	191.00	4,875.57	344.07
5/18/2020 5:00	213.50	4,873.47	344.66
5/18/2020 6:00	182.30	4,875.97	345.07
5/18/2020 7:00	182.30	4,875.20	344.91
5/18/2020 8:00	180.20	4,875.11	344.83
5/18/2020 9:00	179.90	4,876.39	344.43
5/18/2020 10:00	180.50	4,873.77	344.96
5/18/2020 11:00	180.50	4,872.41	346.88
5/18/2020 12:00	202.10	5,098.93	351.69
5/18/2020 13:00	216.40	5,253.76	359.35
5/18/2020 14:00	217.30	5,252.77	357.15
5/18/2020 15:00	235.20	5,255.13	360.49
5/18/2020 16:00	228.70	5,251.07	357.31
5/18/2020 17:00	241.40	5,251.83	358.07
5/18/2020 18:00	237.20	5,255.28	357.44
5/18/2020 19:00	230.70	5,252.38	354.64
5/18/2020 20:00	240.20	5,252.81	356.60
5/18/2020 21:00	244.90	5,251.68	356.46
5/18/2020 22:00	253.00	5,254.03	358.72
5/18/2020 23:00	241.90	5,253.40	357.60
5/19/2020 0:00	233.10	5,254.57	355.36
5/19/2020 1:00	244.20	5,256.53	356.57
5/19/2020 2:00	245.70	5,253.44	357.20
5/19/2020 3:00	240.60	5,253.78	356.07
5/19/2020 4:00	235.70	5,252.02	354.79
5/19/2020 5:00	244.40	5,407.20	357.84

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
5/19/2020 6:00	257.70	5,458.83	360.32
5/19/2020 7:00	269.90	5,459.18	362.91
5/19/2020 8:00	254.10	5,457.52	362.34
5/19/2020 9:00	249.80	5,459.10	360.81
5/19/2020 10:00	272.10	5,452.43	362.73
5/19/2020 11:00	275.10	5,460.66	364.71
5/19/2020 12:00	276.30	5,457.94	363.48
5/19/2020 13:00	287.10	5,458.79	363.90
5/19/2020 14:00	261.10	5,256.84	358.28
5/19/2020 15:00	240.90	5,251.82	354.00
5/19/2020 16:00	242.00	5,252.36	353.10
5/19/2020 17:00	253.80	5,255.00	353.65
5/19/2020 18:00	252.80	5,251.70	353.35
5/19/2020 19:00	245.70	5,255.68	352.53
5/19/2020 20:00	245.60	5,252.17	352.11
5/19/2020 21:00	258.70	5,253.18	354.15
5/19/2020 22:00	243.10	5,253.88	352.39
5/19/2020 23:00	246.30	5,254.71	352.42
5/20/2020 0:00	245.50	5,253.47	352.44
5/20/2020 1:00	251.80	5,253.53	354.05
5/20/2020 2:00	242.10	5,253.64	352.49
5/20/2020 3:00	250.80	5,253.82	353.59
5/20/2020 4:00	252.80	5,252.38	353.45
5/20/2020 5:00	247.50	5,252.34	352.82
5/20/2020 6:00	236.70	5,252.94	350.72
5/20/2020 7:00	250.20	5,254.27	352.48
5/20/2020 8:00	246.20	5,252.26	354.60
5/20/2020 9:00	245.90	5,251.88	354.14
5/20/2020 10:00	264.50	5,256.31	355.17
5/20/2020 11:00	253.70	5,249.64	354.54
5/20/2020 12:00	254.70	5,252.53	354.38
5/20/2020 13:00	253.50	5,254.52	355.28
5/20/2020 14:00	254.20	5,255.01	355.11
5/20/2020 15:00	224.70	5,255.80	350.54
5/20/2020 16:00	249.50	5,252.95	353.68
5/20/2020 17:00	252.50	5,250.97	353.88
5/20/2020 18:00	247.90	5,252.03	351.75
5/20/2020 19:00	246.60	5,253.89	350.59

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
5/20/2020 20:00	241.70	5,255.28	350.63
5/20/2020 21:00	263.50	5,251.57	353.40
5/20/2020 22:00	252.90	5,254.73	351.50
5/20/2020 23:00	249.80	5,252.09	350.91
5/21/2020 0:00	262.90	5,254.99	352.12
5/21/2020 1:00	265.30	5,251.63	354.36
5/21/2020 2:00	251.10	5,251.54	352.24
5/21/2020 3:00	267.90	5,251.90	354.90
5/21/2020 4:00	257.40	5,253.13	354.12
5/21/2020 5:00	248.80	5,251.83	352.86
5/21/2020 6:00	256.80	5,253.39	354.89
5/21/2020 7:00	258.60	5,252.95	356.58
5/21/2020 8:00	247.90	5,251.26	354.83
5/21/2020 9:00	208.50	4,912.69	348.75
5/21/2020 10:00	83.10	3,889.95	316.29
9/21/2020 21:00	1.70	3,172.26	303.61
9/21/2020 22:00	113.10	4,152.59	324.04
9/21/2020 23:00	145.10	4,200.79	319.46
9/22/2020 0:00	153.20	4,201.96	320.93
9/22/2020 1:00	139.60	4,194.91	321.37
9/22/2020 2:00	118.10	4,204.92	321.89
9/22/2020 3:00	117.50	4,201.75	321.59
9/22/2020 4:00	147.30	4,256.01	321.73
9/22/2020 5:00	116.70	4,356.41	322.32
9/22/2020 6:00	113.00	4,359.47	329.05
9/22/2020 7:00	152.80	4,830.19	339.51
9/22/2020 8:00	196.50	5,034.35	351.48
9/22/2020 9:00	196.50	4,991.19	348.37
9/22/2020 10:00	132.70	4,386.48	329.67
9/22/2020 11:00	121.40	4,408.18	326.77
9/22/2020 12:00	118.80	4,406.73	324.70
9/22/2020 13:00	143.20	4,403.69	326.15
9/22/2020 14:00	135.30	4,406.86	328.78
9/22/2020 15:00	107.60	4,422.48	329.77
9/22/2020 16:00	130.70	4,402.41	328.76
9/22/2020 17:00	98.50	4,403.06	329.21
9/22/2020 18:00	98.70	4,404.13	330.19
9/22/2020 19:00	97.10	4,406.47	330.63

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
9/22/2020 20:00	96.70	4,408.94	330.28
9/22/2020 21:00	95.80	4,403.88	330.56
9/22/2020 22:00	94.70	4,406.01	330.64
9/22/2020 23:00	94.50	4,405.55	330.71
9/23/2020 0:00	94.90	4,406.82	331.25
9/23/2020 1:00	95.80	4,405.21	331.21
9/23/2020 2:00	95.00	4,407.71	330.93
9/23/2020 3:00	95.20	4,407.72	330.70
9/23/2020 4:00	96.00	4,406.16	330.61
9/23/2020 5:00	95.90	4,406.37	330.84
9/23/2020 6:00	96.20	4,406.10	330.76
9/23/2020 7:00	96.20	4,403.32	335.13
9/23/2020 8:00	97.00	4,407.60	336.22
9/23/2020 9:00	96.60	4,407.30	336.59
9/23/2020 10:00	97.00	4,408.26	336.93
9/23/2020 11:00	97.80	4,407.48	337.25
9/23/2020 12:00	96.80	4,405.92	337.26
9/23/2020 13:00	95.90	4,404.54	336.73
9/23/2020 14:00	96.30	4,405.53	336.75
9/23/2020 15:00	95.80	4,404.17	337.03
9/23/2020 16:00	90.50	4,333.85	334.65
9/23/2020 17:00	88.50	4,304.91	331.48
9/23/2020 18:00	89.10	4,303.06	331.09
9/23/2020 19:00	93.10	4,302.31	331.30
9/23/2020 20:00	96.70	4,303.99	331.54
9/23/2020 21:00	96.60	4,302.48	331.68
9/23/2020 22:00	96.30	4,302.12	331.77
9/23/2020 23:00	96.50	4,301.72	331.96
9/24/2020 0:00	96.90	4,302.45	332.05
9/24/2020 1:00	94.40	4,303.41	332.11
9/24/2020 2:00	96.20	4,303.00	332.14
9/24/2020 3:00	96.60	4,305.19	332.63
9/24/2020 4:00	101.50	4,302.52	334.18
9/24/2020 5:00	95.10	4,303.41	332.52
9/24/2020 6:00	97.00	4,301.68	334.04
9/24/2020 7:00	80.90	4,303.83	337.06
9/24/2020 8:00	110.90	4,301.50	337.53
9/24/2020 9:00	115.10	4,303.99	337.70

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
9/24/2020 10:00	119.70	4,301.42	337.57
9/24/2020 11:00	122.90	4,303.13	338.66
9/24/2020 12:00	122.70	4,302.27	338.40
9/24/2020 13:00	123.70	4,302.95	338.35
9/24/2020 14:00	122.60	4,301.29	338.45
9/24/2020 15:00	122.40	4,303.13	338.78
9/24/2020 16:00	121.40	4,302.40	338.88
9/24/2020 17:00	202.60	5,174.11	347.05
9/24/2020 18:00	212.60	5,265.32	347.74
9/24/2020 19:00	214.00	5,265.37	347.09
9/24/2020 20:00	212.90	5,266.42	346.94
9/24/2020 21:00	212.40	5,266.50	347.65
9/24/2020 22:00	198.90	5,137.49	348.64
9/24/2020 23:00	149.20	4,613.66	338.00
9/25/2020 0:00	118.00	4,269.73	324.15
9/25/2020 1:00	118.10	4,265.22	326.27
9/25/2020 2:00	116.40	4,270.88	320.28
9/25/2020 3:00	150.90	4,670.87	328.62
9/25/2020 4:00	113.10	4,321.32	332.90
9/25/2020 5:00	115.60	4,353.49	332.91
9/25/2020 6:00	133.40	4,564.29	341.38
9/25/2020 7:00	123.30	4,514.99	344.02
9/25/2020 8:00	106.40	4,359.67	336.61
9/25/2020 9:00	97.90	4,283.00	331.09
9/25/2020 10:00	97.20	4,282.73	330.25
9/25/2020 11:00	96.30	4,283.48	329.13
9/25/2020 12:00	97.00	4,275.38	328.62
9/25/2020 13:00	97.50	4,283.07	330.80
9/25/2020 14:00	97.20	4,275.97	328.46
9/25/2020 15:00	97.50	4,298.12	329.44
9/25/2020 16:00	99.80	4,320.06	332.32
9/25/2020 17:00	98.20	4,319.58	333.04
9/25/2020 18:00	96.90	4,318.77	333.95
9/25/2020 19:00	97.40	4,319.90	333.69
9/25/2020 20:00	97.60	4,319.96	334.59
9/25/2020 21:00	97.10	4,319.32	334.68
9/25/2020 22:00	97.60	4,319.77	334.94
9/25/2020 23:00	97.80	4,319.34	335.28

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
9/26/2020 0:00	97.50	4,318.44	335.34
9/26/2020 1:00	97.30	4,320.70	334.84
9/26/2020 2:00	97.10	4,320.19	335.39
9/26/2020 3:00	96.80	4,321.07	336.06
9/26/2020 4:00	96.80	4,319.92	336.07
9/26/2020 5:00	97.00	4,318.99	336.26
9/26/2020 6:00	98.10	4,318.56	335.73
9/26/2020 7:00	98.20	4,320.24	336.33
9/26/2020 8:00	99.90	4,319.82	336.84
9/26/2020 9:00	105.70	4,322.02	337.00
9/26/2020 10:00	149.70	4,600.89	345.88
9/26/2020 11:00	12.10	3,433.28	334.16
10/3/2020 10:00	9.10	3,356.09	353.97
10/3/2020 11:00	107.00	4,322.61	377.69
10/3/2020 12:00	100.90	4,292.88	380.70
10/3/2020 13:00	89.60	4,292.69	381.66
10/3/2020 14:00	84.20	4,295.54	381.21
10/3/2020 15:00	86.70	4,292.00	375.52
10/3/2020 16:00	85.20	4,292.18	374.07
10/3/2020 17:00	88.80	4,296.90	375.42
10/3/2020 18:00	89.60	4,292.39	381.21
10/3/2020 19:00	109.90	4,292.88	383.03
10/3/2020 20:00	109.10	4,290.46	384.99
10/3/2020 21:00	109.20	4,291.17	384.82
10/3/2020 22:00	112.50	4,293.98	384.35
10/3/2020 23:00	111.00	4,288.76	383.97
10/4/2020 0:00	110.90	4,293.35	383.35
10/4/2020 1:00	110.50	4,293.81	382.71
10/4/2020 2:00	109.90	4,293.39	382.60
10/4/2020 3:00	106.60	4,292.46	381.97
10/4/2020 4:00	103.50	4,290.75	381.51
10/4/2020 5:00	101.40	4,292.70	381.62
10/4/2020 6:00	99.40	4,292.11	382.47
10/4/2020 7:00	96.60	4,292.86	382.18
10/4/2020 8:00	97.50	4,292.14	382.34
10/4/2020 9:00	81.40	4,294.22	381.84
10/4/2020 10:00	97.50	4,292.46	382.86
10/4/2020 11:00	90.60	4,294.35	384.08

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/4/2020 12:00	90.80	4,292.38	383.89
10/4/2020 13:00	109.00	4,291.60	383.15
10/4/2020 14:00	109.20	4,292.14	383.32
10/4/2020 15:00	110.30	4,291.02	382.77
10/4/2020 16:00	110.90	4,292.57	382.93
10/4/2020 17:00	111.00	4,293.66	382.33
10/4/2020 18:00	111.20	4,293.03	382.04
10/4/2020 19:00	112.10	4,293.30	382.71
10/4/2020 20:00	112.10	4,296.20	382.60
10/4/2020 21:00	112.00	4,290.09	382.84
10/4/2020 22:00	112.60	4,291.56	382.40
10/4/2020 23:00	112.30	4,292.85	382.47
10/5/2020 0:00	113.00	4,292.39	382.37
10/5/2020 1:00	112.50	4,294.13	382.72
10/5/2020 2:00	111.20	4,292.70	383.02
10/5/2020 3:00	111.10	4,291.57	382.98
10/5/2020 4:00	111.20	4,291.98	382.94
10/5/2020 5:00	110.30	4,292.93	382.94
10/5/2020 6:00	110.00	4,290.40	382.37
10/5/2020 7:00	109.70	4,293.92	382.30
10/5/2020 8:00	109.80	4,292.08	382.40
10/5/2020 9:00	109.50	4,291.69	382.56
10/5/2020 10:00	111.20	4,294.16	382.12
10/5/2020 11:00	110.40	4,292.64	382.49
10/5/2020 12:00	110.70	4,291.61	382.80
10/5/2020 13:00	109.30	4,293.96	382.93
10/5/2020 14:00	110.90	4,294.51	383.05
10/5/2020 15:00	111.40	4,293.34	382.70
10/5/2020 16:00	111.30	4,292.58	382.13
10/5/2020 17:00	111.80	4,292.38	382.99
10/5/2020 18:00	112.40	4,294.17	383.10
10/5/2020 19:00	111.80	4,293.31	383.25
10/5/2020 20:00	112.70	4,290.90	384.41
10/5/2020 21:00	112.50	4,291.55	384.31
10/5/2020 22:00	112.20	4,295.52	382.71
10/5/2020 23:00	110.80	4,293.32	382.49
10/6/2020 0:00	111.20	4,292.76	382.72
10/6/2020 1:00	110.80	4,293.68	382.42

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/6/2020 2:00	109.80	4,293.99	382.53
10/6/2020 3:00	109.90	4,293.82	382.51
10/6/2020 4:00	109.10	4,293.40	381.90
10/6/2020 5:00	109.40	4,293.38	382.06
10/6/2020 6:00	109.50	4,292.82	382.07
10/6/2020 7:00	109.30	4,291.74	382.15
10/6/2020 8:00	108.30	4,294.29	382.53
10/6/2020 9:00	110.70	4,290.42	383.06
10/6/2020 10:00	107.40	4,293.31	383.69
10/6/2020 11:00	108.90	4,292.83	383.63
10/6/2020 12:00	110.70	4,293.55	383.86
10/6/2020 13:00	173.80	5,023.05	398.29
10/6/2020 14:00	167.30	4,987.69	397.44
10/6/2020 15:00	139.40	4,667.95	386.62
10/6/2020 16:00	132.10	4,567.48	382.01
10/6/2020 17:00	131.80	4,568.44	381.32
10/6/2020 18:00	131.50	4,568.69	380.71
10/6/2020 19:00	130.50	4,569.12	380.43
10/6/2020 20:00	131.40	4,567.00	380.75
10/6/2020 21:00	131.30	4,568.71	381.09
10/6/2020 22:00	130.90	4,569.71	380.82
10/6/2020 23:00	130.10	4,568.57	380.61
10/7/2020 0:00	129.90	4,569.12	380.95
10/7/2020 1:00	130.30	4,567.38	381.25
10/7/2020 2:00	130.20	4,568.09	381.49
10/7/2020 3:00	129.40	4,569.00	381.57
10/7/2020 4:00	130.30	4,567.25	381.84
10/7/2020 5:00	135.00	4,567.94	381.69
10/7/2020 6:00	131.10	4,567.68	381.44
10/7/2020 7:00	129.80	4,567.57	381.70
10/7/2020 8:00	187.10	4,568.04	381.27
10/7/2020 9:00	187.10	4,568.31	381.33
10/7/2020 10:00	127.90	4,568.32	381.11
10/7/2020 11:00	125.00	4,565.58	381.83
10/7/2020 12:00	126.80	4,571.18	382.91
10/7/2020 13:00	115.90	4,434.78	379.80
10/7/2020 14:00	104.70	4,291.85	374.99
10/7/2020 15:00	104.60	4,291.27	374.47

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/7/2020 16:00	104.30	4,291.25	374.29
10/7/2020 17:00	103.30	4,292.75	374.51
10/7/2020 18:00	103.60	4,292.49	375.19
10/7/2020 19:00	104.20	4,293.79	375.18
10/7/2020 20:00	103.60	4,293.72	375.17
10/7/2020 21:00	102.90	4,291.39	375.58
10/7/2020 22:00	103.50	4,289.48	375.88
10/7/2020 23:00	102.90	4,291.98	376.00
10/8/2020 0:00	102.40	4,294.53	376.20
10/8/2020 1:00	101.90	4,294.42	375.90
10/8/2020 2:00	103.20	4,292.04	376.02
10/8/2020 3:00	103.20	4,293.30	376.28
10/8/2020 4:00	102.30	4,294.80	376.10
10/8/2020 5:00	102.70	4,292.95	376.03
10/8/2020 6:00	103.30	4,292.90	376.23
10/8/2020 7:00	106.70	4,292.18	375.96
10/8/2020 8:00	102.20	4,292.14	376.08
10/8/2020 9:00	103.40	4,291.64	376.21
10/8/2020 10:00	104.70	4,291.44	376.80
10/8/2020 11:00	102.20	4,292.65	376.76
10/8/2020 12:00	103.40	4,292.18	376.91
10/8/2020 13:00	103.10	4,295.13	376.74
10/8/2020 14:00	103.80	4,293.95	376.95
10/8/2020 15:00	103.50	4,295.31	377.30
10/8/2020 16:00	103.80	4,293.73	377.44
10/8/2020 17:00	104.00	4,293.29	377.29
10/8/2020 18:00	103.50	4,292.45	377.55
10/8/2020 19:00	104.70	4,292.62	378.29
10/8/2020 20:00	103.60	4,292.66	379.32
10/8/2020 21:00	103.00	4,291.87	379.49
10/8/2020 22:00	102.60	4,293.51	379.20
10/8/2020 23:00	102.90	4,293.57	379.06
10/9/2020 0:00	103.00	4,293.09	379.33
10/9/2020 1:00	103.10	4,292.26	379.40
10/9/2020 2:00	103.60	4,292.48	378.98
10/9/2020 3:00	103.60	4,293.64	378.82
10/9/2020 4:00	103.20	4,292.44	378.60
10/9/2020 5:00	103.30	4,293.50	378.60

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/9/2020 6:00	103.40	4,293.72	378.53
10/9/2020 7:00	102.80	4,292.89	378.81
10/9/2020 8:00	103.70	4,292.07	378.97
10/9/2020 9:00	103.40	4,291.53	378.87
10/9/2020 10:00	103.40	4,294.47	378.87
10/9/2020 11:00	104.70	4,290.28	378.82
10/9/2020 12:00	104.60	4,292.76	379.15
10/9/2020 13:00	105.20	4,293.28	379.68
10/9/2020 14:00	104.90	4,293.55	379.73
10/9/2020 15:00	105.40	4,294.30	379.85
10/9/2020 16:00	105.50	4,291.88	379.66
10/9/2020 17:00	105.70	4,294.40	379.60
10/9/2020 18:00	107.90	4,291.34	380.42
10/9/2020 19:00	106.30	4,289.72	380.69
10/9/2020 20:00	106.80	4,293.23	380.97
10/9/2020 21:00	107.30	4,292.93	380.86
10/9/2020 22:00	108.10	4,292.96	380.69
10/9/2020 23:00	108.50	4,294.23	380.76
10/10/2020 0:00	108.40	4,292.73	381.04
10/10/2020 1:00	108.40	4,292.94	380.98
10/10/2020 2:00	107.80	4,292.62	380.82
10/10/2020 3:00	107.50	4,294.68	381.07
10/10/2020 4:00	107.50	4,292.37	381.40
10/10/2020 5:00	107.90	4,292.87	381.29
10/10/2020 6:00	106.90	4,293.00	381.08
10/10/2020 7:00	107.40	4,291.32	382.65
10/10/2020 8:00	109.40	4,295.34	383.69
10/10/2020 9:00	109.40	4,293.03	383.80
10/10/2020 10:00	109.10	4,293.69	383.76
10/10/2020 11:00	109.90	4,291.32	382.45
10/10/2020 12:00	110.10	4,293.47	380.57
10/10/2020 13:00	109.00	4,255.45	379.21
10/12/2020 19:00	3.90	3,246.96	356.44
10/12/2020 20:00	112.80	4,365.98	375.23
10/12/2020 21:00	112.40	4,366.23	375.91
10/12/2020 22:00	112.50	4,369.28	375.64
10/12/2020 23:00	121.10	4,367.85	375.77
10/13/2020 0:00	92.90	4,366.65	376.46

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/13/2020 1:00	97.60	4,367.64	376.29
10/13/2020 2:00	106.80	4,369.06	375.59
10/13/2020 3:00	116.20	4,368.64	375.78
10/13/2020 4:00	126.40	4,368.10	377.43
10/13/2020 5:00	120.40	4,368.37	377.60
10/13/2020 6:00	113.80	4,369.24	377.28
10/13/2020 7:00	126.40	4,366.72	376.83
10/13/2020 8:00	100.60	4,440.42	377.37
10/13/2020 9:00	161.50	4,573.24	382.40
10/13/2020 10:00	130.40	4,574.51	383.91
10/13/2020 11:00	127.00	4,575.80	384.68
10/13/2020 12:00	124.20	4,571.77	385.18
10/13/2020 13:00	122.50	4,571.24	385.21
10/13/2020 14:00	121.40	4,573.28	385.08
10/13/2020 15:00	120.30	4,575.87	385.16
10/13/2020 16:00	119.10	4,572.92	384.74
10/13/2020 17:00	117.90	4,574.39	384.72
10/13/2020 18:00	117.30	4,573.74	384.28
10/13/2020 19:00	117.00	4,571.99	384.48
10/13/2020 20:00	117.10	4,574.26	384.81
10/13/2020 21:00	117.90	4,591.07	385.87
10/13/2020 22:00	117.00	4,566.76	385.37
10/13/2020 23:00	117.20	4,565.87	384.61
10/14/2020 0:00	117.70	4,569.88	385.33
10/14/2020 1:00	117.20	4,566.86	387.06
10/14/2020 2:00	117.00	4,566.82	386.41
10/14/2020 3:00	116.70	4,568.31	386.22
10/14/2020 4:00	119.40	4,598.39	385.40
10/14/2020 5:00	130.20	4,747.06	391.28
10/14/2020 6:00	112.00	4,499.12	383.55
10/14/2020 7:00	111.50	4,498.43	381.84
10/14/2020 8:00	111.50	4,498.61	382.21
10/14/2020 9:00	112.10	4,499.95	382.55
10/14/2020 10:00	113.50	4,499.34	383.81
10/14/2020 11:00	113.00	4,498.34	384.45
10/14/2020 12:00	117.00	4,496.22	384.81
10/14/2020 13:00	119.30	4,499.20	385.48
10/14/2020 14:00	118.70	4,496.62	385.37

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/14/2020 15:00	118.30	4,497.52	384.18
10/14/2020 16:00	118.80	4,497.67	383.82
10/14/2020 17:00	118.70	4,499.39	383.71
10/14/2020 18:00	118.30	4,497.08	383.97
10/14/2020 19:00	118.30	4,498.92	384.27
10/14/2020 20:00	117.90	4,499.21	384.13
10/14/2020 21:00	117.90	4,499.30	383.94
10/14/2020 22:00	117.70	4,500.47	384.02
10/14/2020 23:00	117.20	4,498.06	383.88
10/15/2020 0:00	117.80	4,499.12	383.45
10/15/2020 1:00	118.50	4,496.99	383.34
10/15/2020 2:00	118.20	4,499.52	383.50
10/15/2020 3:00	118.50	4,497.98	383.40
10/15/2020 4:00	119.30	4,499.28	382.82
10/15/2020 5:00	129.80	4,622.69	385.42
10/15/2020 6:00	142.50	4,773.10	391.38
10/15/2020 7:00	134.00	4,661.51	389.69
10/15/2020 8:00	120.30	4,499.23	383.60
10/15/2020 9:00	119.80	4,495.63	383.10
10/15/2020 10:00	119.40	4,497.63	383.18
10/15/2020 11:00	120.00	4,496.82	383.69
10/15/2020 12:00	120.50	4,498.43	384.19
10/15/2020 13:00	120.50	4,496.89	384.51
10/15/2020 14:00	120.70	4,498.07	384.12
10/15/2020 15:00	120.10	4,497.12	383.78
10/15/2020 16:00	120.00	4,499.76	384.00
10/15/2020 17:00	119.90	4,497.29	384.22
10/15/2020 18:00	119.70	4,498.56	384.08
10/15/2020 19:00	121.00	4,514.47	384.31
10/15/2020 20:00	148.20	4,841.29	392.62
10/15/2020 21:00	147.30	4,843.29	394.57
10/15/2020 22:00	147.40	4,848.90	394.55
10/15/2020 23:00	165.30	5,081.37	398.41
10/16/2020 0:00	170.00	5,141.54	399.99
10/16/2020 1:00	176.00	5,218.34	401.56
10/16/2020 2:00	176.40	5,221.12	401.45
10/16/2020 3:00	175.40	5,220.96	401.23
10/16/2020 4:00	175.20	5,220.47	402.36

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/16/2020 5:00	176.00	5,221.69	402.99
10/16/2020 6:00	172.80	5,221.59	403.68
10/16/2020 7:00	171.20	5,219.31	403.96
10/16/2020 8:00	172.60	5,218.37	403.30
10/16/2020 9:00	172.80	5,218.73	402.85
10/16/2020 10:00	173.40	5,220.38	401.47
10/16/2020 11:00	173.70	5,216.34	400.74
10/16/2020 12:00	173.50	5,220.54	399.26
10/16/2020 13:00	173.20	5,221.82	400.04
10/16/2020 14:00	171.80	5,218.82	400.24
10/16/2020 15:00	172.20	5,220.33	400.23
10/16/2020 16:00	171.30	5,221.53	399.52
10/16/2020 17:00	169.00	5,220.08	398.92
10/16/2020 18:00	168.80	5,218.07	398.78
10/16/2020 19:00	168.70	5,218.66	398.05
10/16/2020 20:00	168.50	5,219.72	397.79
10/16/2020 21:00	167.60	5,223.07	398.07
10/16/2020 22:00	167.80	5,219.70	398.91
10/16/2020 23:00	166.70	5,219.60	398.80
10/17/2020 0:00	168.50	5,219.78	397.56
10/17/2020 1:00	164.90	5,176.05	397.18
10/17/2020 2:00	130.60	4,732.20	388.85
10/17/2020 3:00	100.10	4,368.62	378.28
10/17/2020 4:00	88.60	4,292.69	376.13
10/17/2020 5:00	92.30	4,289.74	375.68
10/17/2020 6:00	90.00	4,293.96	376.37
10/17/2020 7:00	87.30	4,293.76	376.63
10/17/2020 8:00	87.40	4,293.37	376.68
10/17/2020 9:00	86.70	4,291.52	376.41
10/17/2020 10:00	87.20	4,285.28	376.32
10/17/2020 11:00	95.90	4,293.67	377.54
10/17/2020 12:00	102.60	4,297.55	377.23
10/17/2020 13:00	101.00	4,288.00	376.71
10/17/2020 14:00	104.50	4,299.36	376.80
10/17/2020 15:00	108.80	4,293.50	377.00
10/17/2020 16:00	115.00	4,291.82	376.58
10/17/2020 17:00	108.50	4,286.36	376.51
10/17/2020 18:00	4.60	3,249.41	373.44

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
11/24/2020 19:00	53.10	4,074.64	336.88
11/24/2020 20:00	104.20	4,195.63	329.15
11/24/2020 21:00	103.30	4,187.86	323.37
11/24/2020 22:00	115.00	4,187.58	322.98
11/24/2020 23:00	107.60	4,185.80	323.06
11/25/2020 0:00	113.00	4,190.56	322.90
11/25/2020 1:00	108.10	4,184.59	322.60
11/25/2020 2:00	105.40	4,187.49	322.61
11/25/2020 3:00	105.80	4,189.15	322.82
11/25/2020 4:00	110.80	4,190.85	323.18
11/25/2020 5:00	95.10	4,187.36	322.77
11/25/2020 6:00	96.50	4,191.83	322.60
11/25/2020 7:00	101.00	4,189.84	324.36
11/25/2020 8:00	96.10	4,192.83	324.21
11/25/2020 9:00	84.90	4,186.04	323.89
11/25/2020 10:00	87.80	4,186.83	323.59
11/25/2020 11:00	103.90	4,181.82	323.64
11/25/2020 12:00	104.90	4,188.32	323.69
11/25/2020 13:00	108.00	4,189.30	324.45
11/25/2020 14:00	104.50	4,190.32	324.48
11/25/2020 15:00	109.70	4,189.95	324.53
11/25/2020 16:00	104.80	4,187.07	324.62
11/25/2020 17:00	111.90	4,187.52	324.50
11/25/2020 18:00	107.60	4,186.83	324.40
11/25/2020 19:00	107.90	4,190.09	324.57
11/25/2020 20:00	104.40	4,187.27	324.80
11/25/2020 21:00	107.60	4,189.34	324.91
11/25/2020 22:00	110.90	4,266.45	326.51
11/25/2020 23:00	122.90	4,280.39	328.09
11/26/2020 0:00	107.60	4,187.55	325.30
11/26/2020 1:00	108.40	4,189.14	325.58
11/26/2020 2:00	106.10	4,188.13	326.20
11/26/2020 3:00	105.00	4,189.18	325.85
11/26/2020 4:00	115.90	4,193.64	325.47
11/26/2020 5:00	175.50	4,222.73	325.54
11/26/2020 6:00	234.10	4,222.50	325.21
11/26/2020 7:00	82.10	4,222.83	325.58
11/26/2020 8:00	87.10	4,222.45	326.24

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
11/26/2020 9:00	102.00	4,223.87	326.10
11/26/2020 10:00	100.30	4,220.98	326.31
11/26/2020 11:00	132.50	4,221.27	326.87
11/26/2020 12:00	124.10	4,223.39	326.83
11/26/2020 13:00	50.50	4,222.76	326.88
11/26/2020 14:00	120.40	4,222.75	327.01
11/26/2020 15:00	97.90	4,223.95	327.24
11/26/2020 16:00	18.90	4,221.50	326.68
11/26/2020 17:00	97.60	4,223.95	326.88
11/26/2020 18:00	126.20	4,223.77	327.42
11/26/2020 19:00	243.60	4,221.07	327.51
11/26/2020 20:00	149.90	4,567.11	339.38
11/26/2020 21:00	149.20	4,576.14	341.07
11/26/2020 22:00	142.60	4,576.44	340.73
11/26/2020 23:00	164.00	4,576.70	340.28
11/27/2020 0:00	169.30	4,576.41	339.16
11/27/2020 1:00	166.70	4,578.06	339.13
11/27/2020 2:00	130.20	4,526.40	338.79
11/27/2020 3:00	108.50	4,298.06	328.20
11/27/2020 4:00	109.40	4,297.22	326.51
11/27/2020 5:00	109.00	4,296.05	326.42
11/27/2020 6:00	110.50	4,298.92	326.40
11/27/2020 7:00	125.20	4,298.44	326.54
11/27/2020 8:00	114.30	4,299.66	326.22
11/27/2020 9:00	126.90	4,299.00	326.47
11/27/2020 10:00	171.00	4,296.44	326.97
11/27/2020 11:00	119.60	4,299.83	326.83
11/27/2020 12:00	109.30	4,298.21	326.51
11/27/2020 13:00	110.40	4,297.80	326.60
11/27/2020 14:00	109.60	4,296.31	327.27
11/27/2020 15:00	109.80	4,296.73	327.76
11/27/2020 16:00	109.10	4,299.23	328.39
11/27/2020 17:00	109.40	4,297.78	329.50
11/27/2020 18:00	109.50	4,299.41	329.77
11/27/2020 19:00	108.50	4,297.95	329.95
11/27/2020 20:00	107.80	4,297.76	329.95
11/27/2020 21:00	106.70	4,297.79	329.49
11/27/2020 22:00	107.10	4,298.17	329.41

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
11/27/2020 23:00	107.20	4,298.59	329.37
11/28/2020 0:00	106.90	4,300.32	329.49
11/28/2020 1:00	106.70	4,296.84	329.96
11/28/2020 2:00	106.70	4,296.58	330.04
11/28/2020 3:00	107.30	4,297.61	329.88
11/28/2020 4:00	106.90	4,298.60	329.91
11/28/2020 5:00	107.10	4,298.32	330.11
11/28/2020 6:00	107.20	4,298.91	330.42
11/28/2020 7:00	106.80	4,299.26	330.17
11/28/2020 8:00	106.50	4,299.81	330.33
11/28/2020 9:00	106.20	4,298.00	331.10
11/28/2020 10:00	106.40	4,298.04	331.07
11/28/2020 11:00	107.00	4,297.60	331.12
11/28/2020 12:00	106.40	4,297.02	331.14
11/28/2020 13:00	106.40	4,297.56	331.74
11/28/2020 14:00	106.50	4,299.33	331.76
11/28/2020 15:00	106.30	4,298.40	331.81
11/28/2020 16:00	106.00	4,297.95	331.50
11/28/2020 17:00	106.50	4,299.83	333.34
11/28/2020 18:00	106.40	4,297.46	334.03
11/28/2020 19:00	106.70	4,295.96	333.40
11/28/2020 20:00	106.40	4,298.04	332.83
11/28/2020 21:00	106.30	4,297.26	332.80
11/28/2020 22:00	106.60	4,296.46	332.32
11/28/2020 23:00	106.90	4,299.11	331.91
11/29/2020 0:00	106.90	4,300.29	331.34
11/29/2020 1:00	106.70	4,298.68	331.74
11/29/2020 2:00	106.50	4,298.28	331.78
11/29/2020 3:00	106.50	4,298.48	331.54
11/29/2020 4:00	106.20	4,298.31	331.42
11/29/2020 5:00	106.40	4,298.34	331.45
11/29/2020 6:00	106.00	4,296.88	331.46
11/29/2020 7:00	106.00	4,298.80	331.08
11/29/2020 8:00	105.70	4,297.22	331.14
11/29/2020 9:00	105.20	4,296.57	331.59
11/29/2020 10:00	105.30	4,299.24	331.77
11/29/2020 11:00	105.00	4,299.73	332.15
11/29/2020 12:00	104.70	4,295.61	332.18

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
11/29/2020 13:00	104.60	4,297.88	332.20
11/29/2020 14:00	105.00	4,297.66	332.99
11/29/2020 15:00	105.20	4,298.63	333.14
11/29/2020 16:00	105.90	4,297.97	332.77
11/29/2020 17:00	105.60	4,299.83	332.64
11/29/2020 18:00	105.50	4,299.10	333.33
11/29/2020 19:00	105.80	4,297.84	333.82
11/29/2020 20:00	105.40	4,298.93	332.98
11/29/2020 21:00	105.50	4,298.89	332.96
11/29/2020 22:00	105.30	4,297.93	333.29
11/29/2020 23:00	105.40	4,297.57	332.74
11/30/2020 0:00	105.20	4,297.13	331.71
11/30/2020 1:00	105.00	4,299.59	331.29
11/30/2020 2:00	105.30	4,298.73	331.40
11/30/2020 3:00	105.30	4,299.97	330.49
11/30/2020 4:00	105.10	4,295.97	330.69
11/30/2020 5:00	104.90	4,299.29	330.86
11/30/2020 6:00	104.70	4,297.66	331.90
11/30/2020 7:00	104.30	4,298.47	332.49
11/30/2020 8:00	109.40	4,298.04	332.04
11/30/2020 9:00	109.60	4,299.17	331.37
11/30/2020 10:00	109.20	4,298.55	331.10
11/30/2020 11:00	109.40	4,296.47	331.48
11/30/2020 12:00	109.60	4,294.66	330.84
11/30/2020 13:00	110.10	4,299.81	330.82
11/30/2020 14:00	110.10	4,298.63	330.73
11/30/2020 15:00	109.50	4,296.74	330.73
11/30/2020 16:00	110.00	4,299.27	330.79
11/30/2020 17:00	109.70	4,297.48	330.59
11/30/2020 18:00	109.60	4,298.64	330.14
11/30/2020 19:00	109.50	4,296.46	330.27
11/30/2020 20:00	109.50	4,298.91	330.28
11/30/2020 21:00	109.30	4,298.36	330.22
11/30/2020 22:00	109.00	4,298.25	329.72
11/30/2020 23:00	109.10	4,299.10	329.88
12/1/2020 0:00	108.80	4,297.23	329.94
12/1/2020 1:00	108.80	4,297.47	330.02
12/1/2020 2:00	108.60	4,299.63	329.81

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/1/2020 3:00	108.80	4,296.46	330.00
12/1/2020 4:00	108.50	4,299.35	329.80
12/1/2020 5:00	109.20	4,298.26	329.44
12/1/2020 6:00	108.70	4,299.81	329.19
12/1/2020 7:00	110.70	4,296.40	330.56
12/1/2020 8:00	108.40	4,299.83	329.68
12/1/2020 9:00	107.80	4,296.13	329.47
12/1/2020 10:00	107.70	4,298.87	329.11
12/1/2020 11:00	107.70	4,296.74	328.87
12/1/2020 12:00	107.60	4,297.38	329.38
12/1/2020 13:00	107.30	4,296.88	329.59
12/1/2020 14:00	107.20	4,299.45	329.34
12/1/2020 15:00	107.10	4,299.85	329.61
12/1/2020 16:00	107.00	4,297.78	329.63
12/1/2020 17:00	107.00	4,299.18	330.17
12/1/2020 18:00	105.30	4,297.41	330.04
12/1/2020 19:00	106.10	4,298.73	329.94
12/1/2020 20:00	118.90	4,424.90	333.74
12/1/2020 21:00	118.00	4,539.41	341.66
12/1/2020 22:00	111.90	4,483.29	339.93
12/1/2020 23:00	110.70	4,468.82	338.74
12/2/2020 0:00	110.90	4,470.83	338.42
12/2/2020 1:00	110.90	4,469.04	338.24
12/2/2020 2:00	108.40	4,471.91	338.10
12/2/2020 3:00	108.70	4,470.08	337.95
12/2/2020 4:00	108.50	4,471.40	337.40
12/2/2020 5:00	108.50	4,468.78	337.49
12/2/2020 6:00	107.70	4,471.49	338.12
12/2/2020 7:00	108.70	4,471.28	337.67
12/2/2020 8:00	108.20	4,470.36	337.62
12/2/2020 9:00	107.60	4,469.81	337.55
12/2/2020 10:00	107.60	4,469.71	337.91
12/2/2020 11:00	107.80	4,468.52	338.90
12/2/2020 12:00	106.30	4,469.90	339.46
12/2/2020 13:00	107.10	4,469.98	339.06
12/2/2020 14:00	105.90	4,469.38	339.35
12/2/2020 15:00	104.90	4,471.04	339.64
12/2/2020 16:00	105.90	4,467.69	339.96

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/2/2020 17:00	85.20	4,470.57	339.85
12/2/2020 18:00	107.20	4,468.64	339.53
12/2/2020 19:00	106.70	4,468.81	339.00
12/2/2020 20:00	112.50	4,470.70	338.38
12/2/2020 21:00	108.60	4,470.06	338.09
12/2/2020 22:00	107.90	4,469.88	337.73
12/2/2020 23:00	108.80	4,471.43	338.49
12/3/2020 0:00	110.50	4,467.77	338.28
12/3/2020 1:00	112.70	4,468.85	338.11
12/3/2020 2:00	112.20	4,469.48	337.81
12/3/2020 3:00	111.40	4,468.10	337.85
12/3/2020 4:00	109.50	4,470.80	337.42
12/3/2020 5:00	109.10	4,470.48	337.28
12/3/2020 6:00	108.90	4,469.20	337.29
12/3/2020 7:00	112.30	4,471.20	337.42
12/3/2020 8:00	95.00	4,471.00	337.66
12/3/2020 9:00	91.10	4,468.39	339.98
12/3/2020 10:00	89.60	4,470.60	342.76
12/3/2020 11:00	93.40	4,471.37	344.92
12/3/2020 12:00	128.60	4,468.59	346.58
12/3/2020 13:00	112.50	4,471.88	346.48
12/3/2020 14:00	116.50	4,470.38	345.65
12/3/2020 15:00	118.70	4,470.30	345.74
12/3/2020 16:00	119.50	4,469.97	345.22
12/3/2020 17:00	118.50	4,469.24	345.10
12/3/2020 18:00	118.60	4,469.95	344.61
12/3/2020 19:00	119.20	4,468.58	345.08
12/3/2020 20:00	119.10	4,469.44	345.23
12/3/2020 21:00	120.20	4,469.42	344.88
12/3/2020 22:00	120.90	4,469.29	345.52
12/3/2020 23:00	121.20	4,471.44	345.55
12/4/2020 0:00	121.40	4,471.19	345.55
12/4/2020 1:00	121.30	4,472.93	344.74
12/4/2020 2:00	121.80	4,469.80	345.02
12/4/2020 3:00	121.50	4,469.67	345.33
12/4/2020 4:00	121.80	4,468.87	345.10
12/4/2020 5:00	121.90	4,470.82	345.43
12/4/2020 6:00	121.20	4,472.60	344.99

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/4/2020 7:00	120.90	4,471.45	345.07
12/4/2020 8:00	121.00	4,469.78	345.08
12/4/2020 9:00	120.50	4,472.74	345.04
12/4/2020 10:00	120.70	4,471.12	345.20
12/4/2020 11:00	119.20	4,470.46	345.40
12/4/2020 12:00	119.90	4,471.66	345.89
12/4/2020 13:00	120.70	4,469.34	346.06
12/4/2020 14:00	121.40	4,469.32	344.18
12/4/2020 15:00	121.70	4,469.47	343.87
12/4/2020 16:00	121.60	4,471.88	343.40
12/4/2020 17:00	121.50	4,468.96	343.86
12/4/2020 18:00	121.30	4,471.41	343.99
12/4/2020 19:00	120.50	4,470.30	343.23
12/4/2020 20:00	119.40	4,471.76	342.79
12/4/2020 21:00	117.80	4,470.13	343.11
12/4/2020 22:00	117.10	4,470.04	343.57
12/4/2020 23:00	117.10	4,468.12	343.94
12/5/2020 0:00	116.60	4,469.56	343.96
12/5/2020 1:00	116.10	4,469.55	343.47
12/5/2020 2:00	115.80	4,470.67	343.53
12/5/2020 3:00	115.30	4,469.39	343.43
12/5/2020 4:00	114.90	4,471.59	343.49
12/5/2020 5:00	115.60	4,470.96	343.39
12/5/2020 6:00	116.70	4,468.10	343.38
12/5/2020 7:00	118.30	4,471.13	343.41
12/5/2020 8:00	118.10	4,469.91	343.04
12/5/2020 9:00	119.10	4,470.62	343.33
12/5/2020 10:00	119.40	4,471.91	343.22
12/5/2020 11:00	119.50	4,470.17	343.29
12/5/2020 12:00	118.50	4,470.40	343.16
12/5/2020 13:00	116.30	4,471.00	342.97
12/5/2020 14:00	115.90	4,470.40	343.43
12/5/2020 15:00	114.80	4,469.16	343.82
12/5/2020 16:00	114.20	4,468.45	344.01
12/5/2020 17:00	113.90	4,469.83	344.08
12/5/2020 18:00	113.40	4,469.36	343.50
12/5/2020 19:00	113.70	4,469.90	343.64
12/5/2020 20:00	113.00	4,468.85	343.39

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/5/2020 21:00	113.40	4,470.01	342.82
12/5/2020 22:00	113.20	4,469.20	342.21
12/5/2020 23:00	112.80	4,469.18	341.60
12/6/2020 0:00	112.80	4,469.92	341.26
12/6/2020 1:00	112.70	4,469.94	340.83
12/6/2020 2:00	112.40	4,471.02	340.91
12/6/2020 3:00	112.90	4,471.00	340.72
12/6/2020 4:00	112.50	4,470.31	340.39
12/6/2020 5:00	111.80	4,468.96	340.31
12/6/2020 6:00	112.10	4,470.44	340.49
12/6/2020 7:00	112.70	4,472.84	340.80
12/6/2020 8:00	112.30	4,471.04	341.75
12/6/2020 9:00	112.50	4,471.38	342.97
12/6/2020 10:00	112.50	4,470.51	344.13
12/6/2020 11:00	112.30	4,470.30	344.40
12/6/2020 12:00	107.40	4,400.34	343.37
12/6/2020 13:00	104.50	4,364.83	340.76
12/6/2020 14:00	103.90	4,367.60	340.95
12/6/2020 15:00	103.60	4,364.02	341.05
12/6/2020 16:00	103.70	4,366.88	341.09
12/6/2020 17:00	103.80	4,367.52	341.04
12/6/2020 18:00	103.80	4,366.50	341.38
12/6/2020 19:00	104.40	4,367.03	341.64
12/6/2020 20:00	104.10	4,368.35	340.66
12/6/2020 21:00	104.30	4,368.27	340.08
12/6/2020 22:00	104.10	4,368.92	338.04
12/6/2020 23:00	103.60	4,367.86	337.14
12/7/2020 0:00	103.20	4,367.82	336.65
12/7/2020 1:00	103.20	4,366.12	336.39
12/7/2020 2:00	103.40	4,367.96	336.51
12/7/2020 3:00	103.30	4,365.09	336.71
12/7/2020 4:00	102.80	4,365.56	336.58
12/7/2020 5:00	102.30	4,367.96	337.18
12/7/2020 6:00	103.00	4,365.60	336.01
12/7/2020 7:00	103.00	4,367.83	336.10
12/7/2020 8:00	103.20	4,367.52	336.02
12/7/2020 9:00	102.80	4,365.04	336.10
12/7/2020 10:00	110.10	4,365.77	336.14

Table E4: Boiler 20 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
12/7/2020 11:00	103.40	4,367.69	335.60
12/7/2020 12:00	102.60	4,366.26	335.06
12/7/2020 13:00	112.30	4,368.03	334.31
12/7/2020 14:00	106.30	4,366.05	333.72
12/7/2020 15:00	104.40	4,368.49	333.79
12/7/2020 16:00	103.00	4,366.86	334.14
12/7/2020 17:00	104.50	4,385.66	334.31
12/7/2020 18:00	24.60	3,684.66	330.75

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
7/1/19 0:00	211.40	5,249.96	319.90
7/1/19 1:00	210.80	5,251.42	319.38
7/1/19 2:00	206.40	5,250.56	317.08
7/1/19 3:00	211.70	5,250.89	319.57
7/1/19 4:00	204.30	5,251.52	316.50
7/1/19 5:00	208.20	5,250.97	312.86
7/1/19 6:00	223.40	5,248.06	317.87
7/1/19 7:00	225.50	5,245.99	320.90
7/1/19 8:00	220.70	5,248.68	323.00
7/1/19 9:00	222.40	5,249.87	324.47
7/1/19 10:00	218.00	5,250.77	323.80
7/1/19 11:00	214.50	5,251.03	323.43
7/1/19 12:00	211.90	5,248.97	324.18
7/1/19 13:00	209.40	5,247.90	323.74
7/1/19 14:00	209.60	5,249.29	323.25
7/1/19 15:00	213.80	5,254.39	326.50
7/1/19 16:00	211.40	5,252.06	325.93
7/1/19 17:00	211.00	5,252.00	324.84
7/1/19 18:00	207.70	5,248.24	323.87
7/1/19 19:00	205.60	5,247.98	322.20
7/1/19 20:00	203.90	5,249.89	321.88
7/1/19 21:00	203.60	5,247.93	321.39
7/1/19 22:00	209.80	5,247.91	322.86
7/1/19 23:00	207.70	5,247.50	322.83
7/2/19 0:00	211.00	5,249.68	322.95
7/2/19 1:00	210.90	5,249.73	323.31
7/2/19 2:00	213.00	5,249.23	323.64
7/2/19 3:00	208.10	5,251.34	323.63
7/2/19 4:00	208.20	5,251.65	322.72
7/2/19 5:00	210.10	5,249.28	322.26
7/2/19 6:00	210.90	5,248.86	320.79
7/2/19 7:00	214.80	5,251.46	321.69
7/2/19 8:00	213.10	5,249.72	322.67
7/2/19 9:00	207.70	5,248.20	322.00
7/2/19 10:00	210.40	5,250.25	323.57
7/2/19 11:00	207.00	5,248.89	324.01
7/2/19 12:00	204.00	5,247.12	323.44

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
7/2/19 13:00	210.50	5,249.09	324.15
7/2/19 14:00	204.10	5,250.63	320.80
7/2/19 15:00	206.10	5,246.77	320.91
7/2/19 16:00	208.00	5,250.69	323.65
7/2/19 17:00	209.10	5,250.34	323.40
7/2/19 18:00	207.70	5,249.24	322.97
7/2/19 19:00	204.80	5,249.96	322.09
7/2/19 20:00	202.70	5,249.79	318.60
7/2/19 21:00	201.20	5,248.45	318.73
7/2/19 22:00	200.50	5,246.01	317.96
7/2/19 23:00	202.00	5,248.17	318.46
7/3/19 0:00	202.50	5,247.15	318.49
7/3/19 1:00	201.90	5,247.20	318.05
7/3/19 2:00	200.40	5,247.09	318.27
7/3/19 3:00	204.10	5,248.32	319.36
7/3/19 4:00	205.60	5,248.39	320.60
7/3/19 5:00	214.90	5,344.32	322.69
7/3/19 6:00	208.80	5,352.71	319.93
7/3/19 7:00	200.80	5,349.92	314.88
7/3/19 8:00	221.40	5,352.26	322.68
7/3/19 9:00	226.90	5,352.80	326.72
7/3/19 10:00	217.80	5,349.75	326.56
7/3/19 11:00	223.20	5,349.48	326.00
7/3/19 12:00	220.20	5,350.03	325.27
7/3/19 13:00	224.40	5,351.43	327.11
7/3/19 14:00	217.10	5,349.75	325.99
7/3/19 15:00	222.90	5,350.82	325.64
7/3/19 16:00	225.70	5,349.61	327.85
7/3/19 17:00	221.00	5,350.91	326.63
7/3/19 18:00	217.70	5,351.10	326.18
7/3/19 19:00	224.60	5,349.06	328.10
7/3/19 20:00	221.90	5,352.63	327.11
7/3/19 21:00	219.00	5,351.34	325.42
7/3/19 22:00	220.50	5,351.89	325.12
7/3/19 23:00	221.50	5,352.86	324.54
7/4/19 0:00	222.80	5,353.24	326.44
7/4/19 1:00	223.70	5,351.96	325.88
7/4/19 2:00	223.30	5,352.34	325.46

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
7/4/19 3:00	222.40	5,350.97	325.38
7/4/19 4:00	221.50	5,354.26	324.22
7/4/19 5:00	222.90	5,352.85	323.41
7/4/19 6:00	221.30	5,350.56	322.86
7/4/19 7:00	222.10	5,353.93	321.82
7/4/19 8:00	219.90	5,350.77	323.23
7/4/19 9:00	212.50	5,354.38	322.52
7/4/19 10:00	219.70	5,352.19	323.19
7/4/19 11:00	219.70	5,354.95	324.32
7/4/19 12:00	218.20	5,351.26	323.49
7/4/19 13:00	219.50	5,356.50	325.25
7/4/19 14:00	219.70	5,355.00	324.55
7/4/19 15:00	220.40	5,353.85	326.05
7/4/19 16:00	222.00	5,352.35	325.83
7/4/19 17:00	219.20	5,348.78	322.78
7/4/19 18:00	220.60	5,349.22	323.40
7/4/19 19:00	217.60	5,352.54	323.50
7/4/19 20:00	220.10	5,354.55	323.62
7/4/19 21:00	220.40	5,350.71	323.14
7/4/19 22:00	221.90	5,354.45	323.83
7/4/19 23:00	221.00	5,352.95	324.32
7/5/19 0:00	220.20	5,350.77	323.18
7/5/19 1:00	221.90	5,353.24	323.57
7/5/19 2:00	221.60	5,351.37	324.85
7/5/19 3:00	220.00	5,349.77	324.61
7/5/19 4:00	222.30	5,352.11	324.35
7/5/19 5:00	222.20	5,350.74	323.38
7/5/19 6:00	220.10	5,351.31	322.37
7/5/19 7:00	219.70	5,353.75	322.33
7/5/19 8:00	218.90	5,353.12	323.35
7/5/19 9:00	219.30	5,351.62	323.80
7/5/19 10:00	218.00	5,351.56	324.08
7/5/19 11:00	218.80	5,351.55	325.81
7/5/19 12:00	219.30	5,354.56	326.63
7/5/19 13:00	218.90	5,353.95	326.52
7/5/19 14:00	219.90	5,350.68	326.67
7/5/19 15:00	218.40	5,350.61	326.38
7/5/19 16:00	218.20	5,352.15	326.30

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
7/5/19 17:00	217.40	5,349.86	325.51
7/5/19 18:00	219.50	5,352.82	326.10
7/5/19 19:00	218.60	5,352.70	326.91
7/5/19 20:00	220.00	5,355.07	326.51
7/5/19 21:00	219.80	5,353.37	325.52
7/5/19 22:00	219.40	5,353.13	324.78
7/5/19 23:00	220.60	5,350.60	324.48
7/6/19 0:00	220.70	5,351.28	324.84
7/6/19 1:00	220.30	5,354.22	324.07
7/6/19 2:00	220.40	5,353.27	324.68
7/6/19 3:00	218.60	5,351.52	325.33
7/6/19 4:00	219.20	5,350.48	326.32
7/6/19 5:00	217.60	5,353.22	326.14
7/6/19 6:00	219.90	5,352.97	323.86
7/6/19 7:00	219.30	5,353.92	323.74
7/6/19 8:00	217.70	5,351.84	324.33
7/6/19 9:00	215.50	5,352.77	324.63
7/6/19 10:00	216.60	5,347.36	324.72
7/6/19 11:00	216.80	5,349.88	325.73
7/6/19 12:00	218.40	5,351.40	326.52
7/6/19 13:00	216.10	5,351.70	327.07
7/6/19 14:00	217.20	5,353.52	327.51
7/6/19 15:00	217.50	5,351.65	325.64
7/6/19 16:00	217.60	5,350.26	325.90
7/6/19 17:00	217.00	5,354.09	326.92
7/6/19 18:00	218.60	5,353.25	327.21
7/6/19 19:00	219.00	5,350.98	327.12
7/6/19 20:00	219.60	5,357.03	327.18
7/6/19 21:00	218.30	5,352.63	328.10
7/6/19 22:00	217.10	5,350.72	327.36
7/6/19 23:00	217.90	5,351.87	326.78
7/7/19 0:00	218.90	5,352.39	326.15
7/7/19 1:00	209.30	5,351.93	324.03
7/7/19 2:00	209.30	5,353.35	322.05
7/7/19 3:00	208.50	5,353.83	322.39
7/7/19 4:00	209.20	5,356.28	322.83
7/7/19 5:00	211.90	5,351.57	323.29
7/7/19 6:00	214.50	5,352.12	324.31

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
7/7/19 7:00	215.10	5,352.13	324.56
7/7/19 8:00	214.90	5,350.68	325.31
7/7/19 9:00	214.70	5,352.42	325.28
7/7/19 10:00	214.90	5,350.81	325.80
7/7/19 11:00	215.70	5,352.48	326.18
7/7/19 12:00	214.40	5,351.97	327.59
7/7/19 13:00	214.40	5,354.01	327.32
7/7/19 14:00	214.60	5,353.88	326.92
7/7/19 15:00	215.10	5,350.49	327.87
7/7/19 16:00	214.80	5,352.42	327.64
7/7/19 17:00	214.00	5,350.88	325.73
7/7/19 18:00	214.70	5,353.72	326.42
7/7/19 19:00	215.30	5,353.22	326.09
7/7/19 20:00	213.80	5,351.52	325.94
7/7/19 21:00	214.60	5,354.37	324.45
7/7/19 22:00	213.70	5,357.57	324.46
7/7/19 23:00	213.80	5,352.84	325.95
7/8/19 0:00	213.70	5,353.07	325.63
7/8/19 1:00	214.20	5,354.30	323.63
7/8/19 2:00	212.60	5,351.29	323.62
7/8/19 3:00	213.80	5,351.57	323.91
7/8/19 4:00	213.30	5,352.67	323.71
7/8/19 5:00	214.40	5,352.35	320.96
7/8/19 6:00	209.00	5,351.71	321.57
7/8/19 7:00	211.00	5,353.20	323.93
7/8/19 8:00	211.30	5,348.08	323.54
7/8/19 9:00	212.70	5,350.50	323.85
7/8/19 10:00	209.50	5,292.65	323.05
7/8/19 11:00	204.30	5,246.88	321.57
7/8/19 12:00	204.10	5,251.75	323.76
7/8/19 13:00	203.40	5,251.64	323.95
7/8/19 14:00	203.10	5,248.39	323.99
7/8/19 15:00	204.70	5,250.88	322.35
7/8/19 16:00	205.20	5,249.44	322.33
7/8/19 17:00	203.80	5,248.30	323.39
7/8/19 18:00	203.60	5,249.94	323.42
7/8/19 19:00	198.30	5,247.54	324.85
7/8/19 20:00	199.20	5,247.68	325.00

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
7/8/19 21:00	199.00	5,246.70	323.91
7/8/19 22:00	197.80	5,247.54	323.17
7/8/19 23:00	198.70	5,249.11	322.39
7/9/19 0:00	197.70	5,245.40	322.49
7/9/19 1:00	199.00	5,250.60	322.22
7/9/19 2:00	197.20	5,246.93	322.14
7/9/19 3:00	197.40	5,248.88	320.19
7/9/19 4:00	200.60	5,247.33	321.55
7/9/19 5:00	202.10	5,246.17	317.89
7/9/19 6:00	201.30	5,249.03	317.23
7/9/19 7:00	200.90	5,249.69	318.26
7/9/19 8:00	201.70	5,251.72	319.41
7/9/19 9:00	201.10	5,251.97	321.27
7/9/19 10:00	199.80	5,246.99	321.45
7/9/19 11:00	200.60	5,233.56	321.73
7/9/19 12:00	205.50	5,271.09	320.36
7/9/19 13:00	201.70	5,248.15	321.26
7/9/19 14:00	216.50	5,423.22	324.81
7/9/19 15:00	215.30	5,421.16	325.13
7/9/19 16:00	200.70	5,238.98	324.71
7/9/19 17:00	201.90	5,212.62	324.02
7/9/19 18:00	201.60	5,213.64	321.84
7/9/19 19:00	202.60	5,217.84	322.96
7/9/19 20:00	202.40	5,214.71	324.25
7/9/19 21:00	203.30	5,212.74	323.88
7/9/19 22:00	203.50	5,216.54	322.89
7/9/19 23:00	203.60	5,213.46	322.69
7/10/19 0:00	203.10	5,215.12	323.37
7/10/19 1:00	202.00	5,214.30	324.12
7/10/19 2:00	202.60	5,217.07	323.48
7/10/19 3:00	202.50	5,214.85	324.15
7/10/19 4:00	201.80	5,212.83	324.97
7/10/19 5:00	198.00	5,215.71	323.10
7/10/19 6:00	197.90	5,215.15	321.41
7/10/19 7:00	197.20	5,216.39	321.54
7/10/19 8:00	193.30	5,216.53	318.96
7/10/19 9:00	193.80	5,217.53	321.04
7/10/19 10:00	193.60	5,213.48	321.72

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
7/10/19 11:00	193.60	5,215.02	320.89
7/10/19 12:00	194.90	5,212.79	320.97
7/10/19 13:00	196.20	5,212.79	322.28
7/10/19 14:00	197.10	5,212.53	323.23
7/10/19 15:00	198.30	5,212.51	323.36
7/10/19 16:00	199.40	5,214.88	324.32
7/10/19 17:00	204.80	5,215.72	324.12
7/10/19 18:00	204.10	5,214.85	324.91
7/10/19 19:00	203.10	5,213.96	324.05
7/10/19 20:00	202.60	5,214.26	324.46
7/10/19 21:00	200.20	5,215.87	321.11
7/10/19 22:00	200.80	5,215.41	322.84
7/10/19 23:00	200.40	5,214.70	322.28
7/11/19 0:00	199.60	5,215.11	322.40
7/11/19 1:00	202.40	5,216.28	322.19
7/11/19 2:00	200.80	5,213.80	322.01
7/11/19 3:00	200.10	5,214.79	322.29
7/11/19 4:00	201.30	5,212.24	322.61
7/11/19 5:00	200.50	5,216.70	322.82
7/11/19 6:00	200.60	5,212.91	321.13
7/11/19 7:00	200.10	5,213.78	322.21
7/11/19 8:00	201.00	5,215.14	322.06
7/11/19 9:00	199.00	5,213.76	322.59
7/11/19 10:00	200.30	5,212.64	322.00
7/11/19 11:00	200.50	5,213.22	321.38
7/11/19 12:00	200.50	5,212.57	321.03
7/11/19 13:00	201.30	5,212.26	320.24
7/11/19 14:00	201.40	5,212.36	319.48
7/11/19 15:00	200.80	5,212.09	318.36
7/11/19 16:00	199.60	5,217.08	319.53
7/11/19 17:00	201.80	5,214.29	322.01
7/11/19 18:00	204.90	5,216.33	321.93
7/11/19 19:00	204.50	5,214.32	321.17
7/11/19 20:00	204.70	5,216.30	321.68
7/11/19 21:00	206.90	5,213.70	322.47
7/11/19 22:00	206.00	5,215.20	321.27
7/11/19 23:00	206.90	5,215.73	321.08
7/12/19 0:00	204.60	5,215.31	320.71

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
7/12/19 1:00	205.70	5,215.34	320.03
7/12/19 2:00	205.60	5,213.95	320.02
7/12/19 3:00	204.20	5,214.67	321.20
7/12/19 4:00	203.90	5,212.37	321.46
7/12/19 5:00	199.70	5,215.10	321.48
7/12/19 6:00	199.70	5,212.90	322.25
7/12/19 7:00	203.00	5,216.04	321.23
7/12/19 8:00	205.50	5,215.82	322.97
7/12/19 9:00	206.20	5,216.31	323.37
7/12/19 10:00	204.10	5,214.81	323.47
7/12/19 11:00	205.20	5,215.17	323.60
7/12/19 12:00	205.40	5,215.67	323.61
7/12/19 13:00	206.50	5,215.88	323.28
7/12/19 14:00	204.70	5,215.81	323.43
7/12/19 15:00	207.10	5,215.06	324.13
7/12/19 16:00	208.40	5,213.85	324.98
7/12/19 17:00	207.40	5,216.44	323.67
7/12/19 18:00	208.30	5,214.82	323.25
7/12/19 19:00	209.50	5,217.84	322.78
7/12/19 20:00	208.80	5,212.82	322.26
7/12/19 21:00	209.60	5,213.82	321.05
7/12/19 22:00	203.80	5,214.99	319.39
7/12/19 23:00	199.80	5,214.22	318.81
7/13/19 0:00	204.00	5,214.86	319.01
7/13/19 1:00	203.30	5,215.67	318.25
7/13/19 2:00	204.00	5,213.90	318.73
7/13/19 3:00	204.20	5,215.54	319.19
7/13/19 4:00	204.00	5,216.95	318.94
7/13/19 5:00	207.60	5,215.38	320.06
7/13/19 6:00	205.30	5,216.53	321.04
7/13/19 7:00	205.70	5,216.86	322.29
7/13/19 8:00	205.40	5,218.12	323.56
7/13/19 9:00	204.40	5,213.91	323.03
7/13/19 10:00	204.80	5,211.87	323.33
7/13/19 11:00	206.60	5,215.27	323.41
7/13/19 12:00	209.50	5,215.16	323.54
7/13/19 13:00	208.90	5,215.07	323.09
7/13/19 14:00	208.80	5,214.74	324.01

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
7/13/19 15:00	213.00	5,216.67	324.17
7/13/19 16:00	212.30	5,215.07	323.60
7/13/19 17:00	212.60	5,213.90	324.70
7/13/19 18:00	209.80	5,214.81	324.93
7/13/19 19:00	209.50	5,217.08	323.31
7/13/19 20:00	204.50	5,215.58	320.93
7/13/19 21:00	204.60	5,213.35	321.24
7/13/19 22:00	203.40	5,216.95	320.26
7/13/19 23:00	204.20	5,212.21	319.52
7/14/19 0:00	203.30	5,214.03	319.69
7/14/19 1:00	202.70	5,215.31	319.10
7/14/19 2:00	203.30	5,215.73	319.36
7/14/19 3:00	203.90	5,214.03	319.67
7/14/19 4:00	205.90	5,213.92	319.61
7/14/19 5:00	207.00	5,215.44	321.48
7/14/19 6:00	208.30	5,217.78	320.89
7/14/19 7:00	208.10	5,214.03	321.72
7/14/19 8:00	206.50	5,213.83	322.30
7/14/19 9:00	203.50	5,214.40	321.47
7/14/19 10:00	202.80	5,217.13	321.74
7/14/19 11:00	204.80	5,213.31	322.78
7/14/19 12:00	204.90	5,212.96	322.38
7/14/19 13:00	206.90	5,214.37	322.42
7/14/19 14:00	205.10	5,214.70	322.85
7/14/19 15:00	204.40	5,215.96	321.24
7/14/19 16:00	203.60	5,216.47	321.21
7/14/19 17:00	202.00	5,212.82	318.93
7/14/19 18:00	206.60	5,216.18	320.12
7/14/19 19:00	191.70	5,220.05	316.60
7/14/19 20:00	174.60	5,048.08	308.02
7/14/19 21:00	201.70	5,245.12	317.90
7/14/19 22:00	203.90	5,244.13	320.26
7/14/19 23:00	202.20	5,244.12	319.38
7/15/19 0:00	208.40	5,245.55	322.30
7/15/19 1:00	208.10	5,242.11	321.81
7/15/19 2:00	207.90	5,244.11	321.18
7/15/19 3:00	209.40	5,243.52	321.47
7/15/19 4:00	208.90	5,243.26	322.22

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
7/15/19 5:00	195.40	5,243.84	317.37
7/15/19 6:00	208.20	5,246.87	322.15
7/15/19 7:00	209.20	5,242.23	322.50
7/15/19 8:00	214.30	5,242.59	323.36
7/15/19 9:00	209.60	5,245.86	322.26
7/15/19 10:00	212.40	5,244.84	323.96
7/15/19 11:00	211.60	5,240.54	325.32
7/15/19 12:00	213.70	5,244.03	326.55
7/15/19 13:00	213.30	5,243.46	325.54
7/15/19 14:00	213.80	5,243.99	325.68
7/15/19 15:00	213.50	5,243.88	325.73
7/15/19 16:00	214.60	5,242.97	325.43
7/15/19 17:00	214.20	5,242.91	325.10
7/15/19 18:00	214.40	5,246.43	325.26
7/15/19 19:00	215.10	5,242.31	324.89
7/15/19 20:00	216.10	5,240.89	324.43
7/15/19 21:00	214.40	5,240.31	324.99
7/15/19 22:00	214.50	5,243.23	324.16
7/15/19 23:00	215.60	5,242.70	324.04
7/16/19 0:00	215.90	5,241.44	324.45
7/16/19 1:00	211.90	5,245.37	324.40
7/16/19 2:00	206.60	5,245.62	322.91
7/16/19 3:00	207.30	5,244.36	323.07
7/16/19 4:00	206.10	5,245.63	322.16
7/16/19 5:00	205.20	5,240.74	323.69
7/16/19 6:00	203.90	5,244.90	322.80
7/16/19 7:00	206.40	5,244.76	323.39
7/16/19 8:00	198.00	5,246.00	320.69
7/16/19 9:00	200.20	5,240.17	319.84
7/16/19 10:00	204.10	5,244.03	323.92
7/16/19 11:00	205.80	5,240.71	324.54
7/16/19 12:00	206.00	5,242.11	325.04
7/16/19 13:00	207.50	5,244.65	324.57
7/16/19 14:00	206.90	5,243.50	324.18
7/16/19 15:00	206.40	5,241.31	324.13
7/16/19 16:00	206.80	5,242.14	324.84
7/16/19 17:00	205.50	5,243.54	323.57
7/16/19 18:00	206.30	5,242.45	323.88

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
7/16/19 19:00	206.30	5,242.67	323.24
7/16/19 20:00	205.10	5,246.37	322.52
7/16/19 21:00	203.80	5,245.41	322.06
7/16/19 22:00	205.70	5,243.75	321.59
7/16/19 23:00	207.60	5,243.84	321.14
7/17/19 0:00	181.90	5,245.09	313.04
7/17/19 1:00	171.40	5,123.91	310.81
7/17/19 2:00	128.40	4,589.60	303.70
7/17/19 3:00	128.20	4,589.50	303.02
7/17/19 4:00	112.00	4,380.95	301.06
7/17/19 5:00	112.10	4,384.25	301.28
7/17/19 6:00	115.80	4,381.79	300.90
7/17/19 7:00	112.50	4,384.63	301.03
7/17/19 8:00	112.90	4,382.03	300.77
7/17/19 9:00	113.80	4,382.34	300.52
7/17/19 10:00	131.30	4,617.60	303.32
7/17/19 11:00	141.10	4,739.16	305.56
7/17/19 12:00	148.70	4,853.88	308.99
7/17/19 13:00	149.50	4,857.36	308.71
7/17/19 14:00	149.40	4,854.72	308.94
7/17/19 15:00	149.50	4,855.72	309.32
7/17/19 16:00	148.80	4,857.96	309.50
7/17/19 17:00	147.80	4,856.66	308.18
7/17/19 18:00	146.70	4,854.32	308.12
7/17/19 19:00	110.90	4,385.63	303.85
7/17/19 20:00	111.30	4,363.09	301.31
7/17/19 21:00	106.10	4,298.07	300.90
7/17/19 22:00	98.20	4,187.06	299.41
7/17/19 23:00	98.60	4,182.52	299.40
7/18/19 0:00	111.90	4,362.14	301.01
7/18/19 1:00	121.20	4,493.69	304.39
7/18/19 2:00	121.40	4,494.75	304.83
7/18/19 3:00	121.00	4,496.28	304.66
7/18/19 4:00	123.70	4,528.97	305.80
7/18/19 5:00	125.30	4,527.46	304.34
7/18/19 6:00	132.30	4,629.98	305.42
7/18/19 7:00	183.20	5,146.64	315.21
7/18/19 8:00	171.70	5,149.80	316.75

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
7/18/19 9:00	169.90	5,148.17	313.96
7/18/19 10:00	174.40	5,150.43	313.54
7/18/19 11:00	176.00	5,148.31	313.17
7/18/19 12:00	176.30	5,147.26	314.18
7/18/19 13:00	195.00	5,244.11	325.13
7/18/19 14:00	190.50	5,253.94	323.02
7/18/19 15:00	195.10	5,249.50	325.63
7/18/19 16:00	200.40	5,253.34	328.19
7/18/19 17:00	198.20	5,252.11	326.85
7/18/19 18:00	193.20	5,248.46	324.92
7/18/19 19:00	204.00	5,252.72	325.00
7/18/19 20:00	196.60	5,252.94	322.99
7/18/19 21:00	166.30	5,077.95	315.76
7/18/19 22:00	117.30	4,472.66	303.46
7/18/19 23:00	116.50	4,449.59	301.93
7/19/19 0:00	116.00	4,448.76	302.60
7/19/19 1:00	116.40	4,450.00	302.35
7/19/19 2:00	118.20	4,469.50	302.35
7/19/19 3:00	119.20	4,485.16	302.19
7/19/19 4:00	119.20	4,488.36	302.52
7/19/19 5:00	120.30	4,484.06	301.19
7/19/19 6:00	119.50	4,483.65	299.75
7/19/19 7:00	118.30	4,485.28	298.77
7/19/19 8:00	118.30	4,484.73	297.97
7/19/19 9:00	118.30	4,483.31	296.72
7/19/19 10:00	118.20	4,486.29	295.85
7/19/19 11:00	120.50	4,483.25	296.07
7/19/19 12:00	120.90	4,485.84	296.82
7/19/19 13:00	121.40	4,483.24	297.59
7/19/19 14:00	120.40	4,483.25	298.68
7/19/19 15:00	119.80	4,481.35	299.22
7/19/19 16:00	120.40	4,485.12	299.90
7/19/19 17:00	123.80	4,482.18	299.55
7/19/19 18:00	124.50	4,485.43	299.93
7/19/19 19:00	125.10	4,485.09	299.28
7/19/19 20:00	125.10	4,485.01	299.19
7/19/19 21:00	124.10	4,483.40	298.55
7/19/19 22:00	124.50	4,482.48	297.96

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
7/19/19 23:00	126.10	4,483.85	297.91
7/20/19 0:00	126.50	4,484.01	298.23
7/20/19 1:00	125.60	4,481.69	297.25
7/20/19 2:00	125.60	4,481.78	297.19
7/20/19 3:00	127.20	4,481.39	297.66
7/20/19 4:00	125.00	4,483.92	298.51
7/20/19 5:00	126.90	4,486.36	297.30
7/20/19 6:00	121.80	4,483.29	297.20
7/20/19 7:00	118.80	4,482.87	297.03
7/20/19 8:00	119.00	4,483.88	298.26
7/20/19 9:00	118.40	4,484.26	298.52
7/20/19 10:00	118.90	4,486.83	299.72
7/20/19 11:00	118.10	4,484.47	300.63
7/20/19 12:00	118.70	4,485.82	301.00
7/20/19 13:00	117.90	4,484.07	299.68
7/20/19 14:00	117.80	4,482.05	298.07
7/20/19 15:00	117.70	4,485.27	298.44
7/20/19 16:00	117.10	4,486.53	299.53
7/20/19 17:00	115.80	4,486.25	301.23
7/20/19 18:00	116.50	4,485.21	300.32
7/20/19 19:00	117.40	4,485.00	299.62
7/20/19 20:00	117.50	4,485.97	298.86
7/20/19 21:00	116.30	4,482.13	298.33
7/20/19 22:00	116.00	4,487.53	298.38
7/20/19 23:00	117.30	4,483.71	298.52
7/21/19 0:00	116.80	4,484.89	298.27
7/21/19 1:00	117.00	4,485.02	298.47
7/21/19 2:00	117.20	4,485.56	298.38
7/21/19 3:00	116.90	4,483.28	298.08
7/21/19 4:00	116.30	4,481.07	298.22
7/21/19 5:00	116.60	4,485.88	297.50
7/21/19 6:00	116.50	4,482.20	298.10
7/21/19 7:00	115.80	4,483.39	297.86
7/21/19 8:00	116.50	4,485.15	297.90
7/21/19 9:00	116.90	4,483.80	298.80
7/21/19 10:00	116.00	4,484.28	298.72
7/21/19 11:00	116.20	4,482.91	299.31
7/21/19 12:00	116.70	4,481.69	300.01

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
7/21/19 13:00	116.10	4,484.16	299.81
7/21/19 14:00	116.50	4,482.83	299.98
7/21/19 15:00	116.10	4,484.16	300.25
7/21/19 16:00	114.70	4,481.35	300.50
7/21/19 17:00	116.50	4,484.44	300.02
7/21/19 18:00	115.90	4,483.34	299.86
7/21/19 19:00	115.90	4,484.87	299.40
7/21/19 20:00	116.50	4,484.82	299.21
7/21/19 21:00	116.30	4,483.19	299.15
7/21/19 22:00	116.00	4,485.84	299.13
7/21/19 23:00	119.20	4,483.66	299.60
7/22/19 0:00	129.10	4,483.28	299.75
7/22/19 1:00	140.20	4,483.94	299.59
7/22/19 2:00	147.00	4,484.87	299.60
7/22/19 3:00	146.60	4,486.10	299.16
7/22/19 4:00	146.70	4,485.24	299.39
7/22/19 5:00	132.00	4,485.10	297.88
7/22/19 6:00	115.20	4,483.93	298.49
7/22/19 7:00	115.40	4,484.85	298.52
7/22/19 8:00	115.20	4,486.20	298.77
7/22/19 9:00	115.50	4,483.11	298.85
7/22/19 10:00	116.20	4,484.59	299.03
7/22/19 11:00	116.70	4,487.18	298.40
7/22/19 12:00	116.10	4,485.00	298.63
7/22/19 13:00	115.60	4,485.23	298.55
7/22/19 14:00	115.70	4,480.74	300.83
7/22/19 15:00	127.30	4,623.49	302.46
7/22/19 16:00	117.70	4,499.40	299.67
7/22/19 17:00	117.50	4,500.01	298.51
7/22/19 18:00	118.00	4,499.93	298.55
7/22/19 19:00	117.90	4,501.91	299.05
7/22/19 20:00	117.90	4,498.84	299.01
7/22/19 21:00	117.80	4,498.07	298.97
7/22/19 22:00	117.90	4,498.03	299.33
7/22/19 23:00	118.30	4,499.98	301.36
7/23/19 0:00	118.80	4,497.16	301.85
7/23/19 1:00	119.00	4,496.62	301.60
7/23/19 2:00	118.80	4,496.89	300.40

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
7/23/19 3:00	118.90	4,498.25	299.57
7/23/19 4:00	118.90	4,498.36	300.36
7/23/19 5:00	119.20	4,499.75	298.65
7/23/19 6:00	117.70	4,497.42	298.38
7/23/19 7:00	118.50	4,500.83	299.44
7/23/19 8:00	118.00	4,500.54	298.56
7/23/19 9:00	118.70	4,498.93	298.10
7/23/19 10:00	118.80	4,498.17	298.85
7/23/19 11:00	117.00	4,499.16	299.27
7/23/19 12:00	118.00	4,500.07	299.35
7/23/19 13:00	118.00	4,496.80	300.14
7/23/19 14:00	118.10	4,501.97	301.64
7/23/19 15:00	118.30	4,496.27	301.64
7/23/19 16:00	117.50	4,498.10	301.28
7/23/19 17:00	117.20	4,496.57	299.80
7/23/19 18:00	117.00	4,498.67	299.59
7/23/19 19:00	117.60	4,499.93	299.05
7/23/19 20:00	117.20	4,499.72	298.26
7/23/19 21:00	118.20	4,498.98	297.53
7/23/19 22:00	116.90	4,499.63	297.53
7/23/19 23:00	117.90	4,499.84	297.56
7/24/19 0:00	118.20	4,497.31	298.16
7/24/19 1:00	118.20	4,496.57	298.12
7/24/19 2:00	118.50	4,498.26	297.76
7/24/19 3:00	118.90	4,501.55	297.16
7/24/19 4:00	117.60	4,499.78	296.71
7/24/19 5:00	118.00	4,497.73	296.96
7/24/19 6:00	116.90	4,497.71	295.84
7/24/19 7:00	117.40	4,498.00	295.57
7/24/19 8:00	117.30	4,498.21	296.56
7/24/19 9:00	117.70	4,499.22	297.74
7/24/19 10:00	116.20	4,466.37	297.18
7/24/19 11:00	134.10	4,683.97	294.61
7/24/19 12:00	202.80	5,537.99	311.02
7/24/19 13:00	139.80	4,744.52	305.33
7/24/19 14:00	96.90	4,223.00	294.94
7/24/19 15:00	96.90	4,223.06	292.34
7/24/19 16:00	96.50	4,225.13	291.73

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
7/24/19 17:00	98.40	4,226.17	292.47
7/24/19 18:00	98.90	4,225.11	292.43
7/24/19 19:00	97.50	4,228.62	292.33
7/24/19 20:00	97.30	4,222.62	290.06
7/24/19 21:00	98.90	4,224.97	288.52
7/24/19 22:00	97.70	4,228.75	288.40
7/24/19 23:00	97.00	4,225.65	289.45
7/25/19 0:00	97.80	4,224.09	290.18
7/25/19 1:00	97.90	4,224.91	289.74
7/25/19 2:00	97.50	4,225.12	291.19
7/25/19 3:00	98.20	4,225.99	291.75
7/25/19 4:00	98.20	4,225.59	292.43
7/25/19 5:00	97.70	4,226.04	291.54
7/25/19 6:00	97.90	4,226.12	291.57
7/25/19 7:00	97.90	4,228.23	291.24
7/25/19 8:00	98.70	4,224.37	290.98
7/25/19 9:00	97.40	4,225.20	291.65
7/25/19 10:00	98.50	4,224.20	292.04
7/25/19 11:00	98.90	4,224.15	292.48
7/25/19 12:00	97.60	4,230.53	293.29
7/25/19 13:00	97.20	4,227.23	293.70
7/25/19 14:00	97.70	4,222.40	295.46
7/25/19 15:00	97.10	4,224.75	296.28
7/25/19 16:00	97.30	4,224.11	293.68
7/25/19 17:00	97.30	4,226.21	294.88
7/25/19 18:00	96.30	4,222.54	293.60
7/25/19 19:00	96.70	4,225.00	292.23
7/25/19 20:00	97.00	4,222.95	291.55
7/25/19 21:00	96.20	4,226.43	291.27
7/25/19 22:00	96.50	4,227.09	291.29
7/25/19 23:00	100.50	4,281.89	291.83
7/26/19 0:00	113.60	4,463.34	295.32
7/26/19 1:00	105.00	4,354.93	294.87
7/26/19 2:00	100.50	4,279.73	293.38
7/26/19 3:00	101.20	4,282.13	293.24
7/26/19 4:00	100.00	4,279.62	293.14
7/26/19 5:00	99.90	4,278.83	292.88
7/26/19 6:00	100.70	4,281.03	293.09

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
7/26/19 7:00	99.80	4,279.30	293.31
7/26/19 8:00	99.90	4,280.66	294.19
7/26/19 9:00	100.00	4,279.69	295.27
7/26/19 10:00	99.80	4,280.07	296.05
7/26/19 11:00	100.40	4,279.23	296.71
7/26/19 12:00	100.80	4,278.89	297.24
7/26/19 13:00	100.80	4,282.25	295.68
7/26/19 14:00	100.10	4,279.17	295.95
7/26/19 15:00	101.50	4,278.47	296.44
7/26/19 16:00	100.30	4,278.32	297.32
7/26/19 17:00	100.40	4,280.50	296.59
7/26/19 18:00	100.60	4,277.93	296.23
7/26/19 19:00	100.80	4,281.66	295.65
7/26/19 20:00	101.50	4,279.63	295.06
7/26/19 21:00	100.80	4,277.97	294.82
7/26/19 22:00	100.60	4,280.73	294.23
7/26/19 23:00	101.10	4,279.86	294.27
7/27/19 0:00	100.60	4,281.55	294.58
7/27/19 1:00	101.60	4,280.67	293.66
7/27/19 2:00	103.80	4,279.83	293.21
7/27/19 3:00	105.60	4,281.18	293.36
7/27/19 4:00	108.00	4,281.46	293.57
7/27/19 5:00	111.30	4,280.02	294.33
7/27/19 6:00	113.30	4,279.38	292.84
7/27/19 7:00	117.60	4,279.29	292.94
7/27/19 8:00	128.90	4,363.78	294.47
7/27/19 9:00	137.70	4,417.28	296.91
7/27/19 10:00	164.50	4,718.13	300.99
7/27/19 11:00	174.40	4,837.43	307.45
7/27/19 12:00	146.00	4,488.62	300.93
7/27/19 13:00	151.10	4,564.28	300.52
7/27/19 14:00	144.40	4,469.74	298.01
7/27/19 15:00	138.40	4,378.03	296.25
7/27/19 16:00	136.50	4,354.82	296.83
7/27/19 17:00	134.40	4,320.58	296.23
7/27/19 18:00	130.10	4,266.69	295.74
7/27/19 19:00	132.70	4,297.58	295.09
7/27/19 20:00	132.50	4,301.45	295.03

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
7/27/19 21:00	131.80	4,289.07	294.27
7/27/19 22:00	137.80	4,359.08	295.30
7/27/19 23:00	137.50	4,360.27	295.92
7/28/19 0:00	141.20	4,401.95	296.72
7/28/19 1:00	142.40	4,419.49	296.32
7/28/19 2:00	133.00	4,304.10	294.33
7/28/19 3:00	130.30	4,260.33	292.80
7/28/19 4:00	133.40	4,296.29	293.19
7/28/19 5:00	132.40	4,280.58	293.18
7/28/19 6:00	133.10	4,292.61	291.96
7/28/19 7:00	134.70	4,329.31	292.23
7/28/19 8:00	156.80	4,648.63	297.41
7/28/19 9:00	159.60	4,725.98	299.77
7/28/19 10:00	148.70	4,701.67	299.04
7/28/19 11:00	154.40	4,800.60	301.73
7/28/19 12:00	163.50	4,879.02	305.38
7/28/19 13:00	193.80	5,209.01	310.95
7/28/19 14:00	235.70	5,701.30	327.29
7/28/19 15:00	228.90	5,615.76	323.20
7/28/19 16:00	222.10	5,520.37	319.50
7/28/19 17:00	209.50	5,338.00	312.97
7/28/19 18:00	185.60	5,083.00	310.97
7/28/19 19:00	172.20	4,895.29	323.75
7/28/19 20:00	197.60	5,265.35	321.59
7/28/19 21:00	194.00	5,311.71	319.74
7/28/19 22:00	194.80	5,313.99	316.12
7/28/19 23:00	197.00	5,313.38	320.93
7/29/19 0:00	196.90	5,313.95	318.63
7/29/19 1:00	198.10	5,314.93	318.00
7/29/19 2:00	194.80	5,315.50	319.30
7/29/19 3:00	198.20	5,313.51	320.26
7/29/19 4:00	196.70	5,312.69	320.29
7/29/19 5:00	195.80	5,312.62	320.66
7/29/19 6:00	197.20	5,318.56	320.14
7/29/19 7:00	194.50	5,315.70	320.23
7/29/19 8:00	193.50	5,314.69	319.54
7/29/19 9:00	197.90	5,314.29	322.56
7/29/19 10:00	191.40	5,314.06	321.31

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
7/29/19 11:00	192.90	5,316.15	318.80
7/29/19 12:00	197.70	5,317.12	321.56
7/29/19 13:00	197.30	5,312.20	321.42
7/29/19 14:00	191.50	5,312.34	320.30
7/29/19 15:00	192.60	5,310.62	319.67
7/29/19 16:00	198.10	5,314.94	322.29
7/29/19 17:00	193.10	5,310.57	321.02
7/29/19 18:00	193.40	5,313.89	319.00
7/29/19 19:00	197.20	5,313.38	320.17
7/29/19 20:00	190.90	5,312.05	317.98
7/29/19 21:00	193.00	5,313.10	317.71
7/29/19 22:00	198.60	5,315.22	320.43
7/29/19 23:00	197.70	5,316.21	320.35
7/30/19 0:00	189.70	5,315.30	317.97
7/30/19 1:00	191.00	5,314.97	318.06
7/30/19 2:00	199.60	5,313.40	320.25
7/30/19 3:00	194.10	5,311.25	318.22
7/30/19 4:00	194.70	5,312.84	317.64
7/30/19 5:00	197.60	5,314.52	320.66
7/30/19 6:00	192.60	5,312.61	317.30
7/30/19 7:00	190.40	5,314.44	317.01
7/30/19 8:00	189.20	5,315.18	315.94
7/30/19 9:00	189.50	5,314.26	317.70
7/30/19 10:00	187.60	5,314.74	318.67
7/30/19 11:00	186.40	5,312.47	319.33
7/30/19 12:00	192.80	5,314.89	319.94
7/30/19 13:00	193.00	5,315.55	319.30
7/30/19 14:00	193.30	5,315.23	320.08
7/30/19 15:00	195.60	5,318.23	321.41
7/30/19 16:00	194.70	5,314.82	318.87
7/30/19 17:00	194.50	5,315.56	319.81
7/30/19 18:00	194.00	5,313.55	321.01
7/30/19 19:00	193.30	5,316.76	321.45
7/30/19 20:00	194.70	5,316.11	320.69
7/30/19 21:00	194.60	5,315.91	319.70
7/30/19 22:00	194.40	5,317.00	319.46
7/30/19 23:00	194.60	5,314.40	320.47
7/31/19 0:00	196.20	5,313.76	319.91

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
7/31/19 1:00	195.60	5,317.96	319.49
7/31/19 2:00	195.80	5,316.22	318.52
7/31/19 3:00	195.90	5,313.24	318.06
7/31/19 4:00	191.60	5,264.63	318.43
7/31/19 5:00	166.90	4,967.43	311.54
7/31/19 6:00	159.40	4,970.63	305.27
7/31/19 7:00	168.30	4,985.37	309.83
7/31/19 8:00	167.20	4,958.09	310.62
7/31/19 9:00	168.40	4,960.18	312.54
7/31/19 10:00	165.90	4,960.10	312.50
7/31/19 11:00	168.70	4,960.33	314.77
7/31/19 12:00	168.00	4,955.08	314.33
7/31/19 13:00	169.70	4,959.50	314.64
7/31/19 14:00	170.00	4,964.43	314.57
7/31/19 15:00	169.00	4,959.12	314.05
7/31/19 16:00	170.60	4,998.68	313.86
7/31/19 17:00	183.00	5,235.32	315.88
7/31/19 18:00	184.20	5,231.84	315.91
7/31/19 19:00	185.70	5,235.54	315.34
7/31/19 20:00	188.70	5,229.29	315.41
7/31/19 21:00	187.20	5,232.09	315.59
7/31/19 22:00	187.80	5,232.07	314.17
7/31/19 23:00	184.80	5,236.43	313.91
8/1/19 0:00	185.20	5,236.43	313.85
8/1/19 1:00	185.90	5,230.88	313.70
8/1/19 2:00	187.60	5,233.25	314.40
8/1/19 3:00	184.80	5,235.03	312.94
8/1/19 4:00	184.30	5,231.49	313.10
8/1/19 5:00	187.40	5,230.12	314.69
8/1/19 6:00	188.20	5,235.07	313.05
8/1/19 7:00	173.90	5,234.22	305.63
8/1/19 8:00	169.20	5,236.05	302.17
8/1/19 9:00	176.10	5,234.81	306.14
8/1/19 10:00	186.70	5,233.64	316.16
8/1/19 11:00	186.90	5,236.10	315.93
8/1/19 12:00	187.30	5,233.32	316.23
8/1/19 13:00	189.50	5,235.01	316.55
8/1/19 14:00	191.40	5,234.05	316.78

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
8/1/19 15:00	192.80	5,232.80	316.90
8/1/19 16:00	194.50	5,233.05	317.46
8/1/19 17:00	193.40	5,235.01	317.50
8/1/19 18:00	193.90	5,234.42	318.20
8/1/19 19:00	206.10	5,381.25	315.51
8/1/19 20:00	188.80	5,146.76	313.34
8/1/19 21:00	189.10	5,130.37	313.44
8/1/19 22:00	189.70	5,133.14	313.45
8/1/19 23:00	189.90	5,131.48	313.14
8/2/19 0:00	189.40	5,132.15	312.34
8/2/19 1:00	189.60	5,131.76	312.57
8/2/19 2:00	190.00	5,130.89	312.98
8/2/19 3:00	189.70	5,131.38	312.81
8/2/19 4:00	189.60	5,133.35	312.85
8/2/19 5:00	188.70	5,132.37	312.47
8/2/19 6:00	189.00	5,131.79	312.75
8/2/19 7:00	190.60	5,157.77	311.61
8/2/19 8:00	191.40	5,164.59	312.83
8/2/19 9:00	189.60	5,167.46	313.26
8/2/19 10:00	189.30	5,164.06	314.28
8/2/19 11:00	187.60	5,165.87	313.71
8/2/19 12:00	191.90	5,164.07	314.70
8/2/19 13:00	193.90	5,161.89	315.23
8/2/19 14:00	191.90	5,164.25	314.31
8/2/19 15:00	194.00	5,165.31	314.99
8/2/19 16:00	195.60	5,161.72	313.67
8/2/19 17:00	194.00	5,164.65	311.02
8/2/19 18:00	190.70	5,167.70	311.88
8/2/19 19:00	191.10	5,166.64	311.09
8/2/19 20:00	193.00	5,164.21	310.82
8/2/19 21:00	198.00	5,166.64	310.86
8/2/19 22:00	188.70	5,168.07	305.94
8/2/19 23:00	178.80	5,165.27	301.69
8/3/19 0:00	187.10	5,166.23	301.94
8/3/19 1:00	195.80	5,165.41	311.28
8/3/19 2:00	202.00	5,165.33	313.86
8/3/19 3:00	198.40	5,163.07	312.25
8/3/19 4:00	198.50	5,165.45	313.31

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
8/3/19 5:00	202.80	5,162.35	315.48
8/3/19 6:00	199.50	5,165.14	312.18
8/3/19 7:00	201.50	5,164.52	312.57
8/3/19 8:00	202.80	5,166.91	314.42
8/3/19 9:00	196.10	5,165.95	312.37
8/3/19 10:00	194.90	5,167.05	311.88
8/3/19 11:00	194.50	5,164.45	311.55
8/3/19 12:00	193.30	5,165.90	312.20
8/3/19 13:00	193.90	5,167.01	312.45
8/3/19 14:00	192.00	5,165.91	312.28
8/3/19 15:00	192.70	5,163.58	312.23
8/3/19 16:00	194.80	5,164.83	312.46
8/3/19 17:00	198.30	5,164.41	313.89
8/3/19 18:00	198.80	5,161.73	313.41
8/3/19 19:00	199.70	5,167.94	313.40
8/3/19 20:00	198.30	5,165.11	313.70
8/3/19 21:00	197.50	5,164.13	312.62
8/3/19 22:00	198.40	5,164.97	312.13
8/3/19 23:00	196.20	5,167.02	311.26
8/4/19 0:00	194.30	5,163.89	310.69
8/4/19 1:00	196.60	5,165.99	310.66
8/4/19 2:00	181.10	5,164.03	303.58
8/4/19 3:00	182.50	5,165.23	302.60
8/4/19 4:00	179.50	5,164.23	302.06
8/4/19 5:00	183.10	5,165.27	302.50
8/4/19 6:00	179.10	5,166.25	300.79
8/4/19 7:00	178.50	5,163.11	300.26
8/4/19 8:00	179.40	5,164.98	301.41
8/4/19 9:00	178.90	5,164.61	301.92
8/4/19 10:00	179.20	5,164.57	302.87
8/4/19 11:00	179.70	5,163.88	303.89
8/4/19 12:00	180.00	5,162.99	303.00
8/4/19 13:00	179.80	5,167.03	303.19
8/4/19 14:00	179.90	5,165.39	303.78
8/4/19 15:00	179.90	5,162.00	303.89
8/4/19 16:00	180.00	5,167.24	305.38
8/4/19 17:00	167.40	5,029.69	304.86
8/4/19 18:00	151.00	4,838.05	303.30

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
8/4/19 19:00	145.00	4,754.61	301.46
8/4/19 20:00	140.00	4,650.63	299.60
8/4/19 21:00	157.90	4,740.48	299.40
8/4/19 22:00	155.70	4,683.97	298.06
8/4/19 23:00	160.40	4,760.48	298.98
8/5/19 0:00	158.60	4,736.96	299.03
8/5/19 1:00	148.40	4,707.52	298.48
8/5/19 2:00	141.00	4,689.63	298.21
8/5/19 3:00	141.70	4,675.99	298.74
8/5/19 4:00	139.40	4,654.40	298.36
8/5/19 5:00	138.80	4,648.51	299.34
8/5/19 6:00	136.70	4,628.07	300.38
8/5/19 7:00	137.90	4,642.95	299.02
8/5/19 8:00	128.40	4,515.50	298.44
8/5/19 9:00	132.10	4,553.75	299.51
8/5/19 10:00	132.80	4,576.57	300.58
8/5/19 11:00	127.50	4,516.98	298.44
8/5/19 12:00	130.40	4,547.78	298.44
8/5/19 13:00	124.70	4,475.50	297.49
8/5/19 14:00	113.10	4,336.43	296.53
8/5/19 15:00	137.60	4,615.18	298.93
8/5/19 16:00	147.40	4,739.01	300.83
8/5/19 17:00	130.00	4,512.03	298.12
8/5/19 18:00	138.60	4,622.03	298.20
8/5/19 19:00	132.00	4,507.81	300.14
8/5/19 20:00	133.90	4,576.60	298.15
8/5/19 21:00	135.50	4,584.17	297.28
8/5/19 22:00	147.70	4,731.95	299.88
8/5/19 23:00	137.10	4,608.91	298.97
8/6/19 0:00	129.90	4,507.84	297.49
8/6/19 1:00	132.30	4,548.90	297.35
8/6/19 2:00	128.70	4,507.23	296.37
8/6/19 3:00	133.40	4,554.90	295.95
8/6/19 4:00	139.90	4,655.89	296.66
8/6/19 5:00	147.20	4,735.15	298.26
8/6/19 6:00	126.80	4,499.89	297.40
8/6/19 7:00	138.10	4,617.33	298.23
8/6/19 8:00	144.80	4,687.92	300.87

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
8/6/19 9:00	123.20	4,421.01	296.80
8/6/19 10:00	117.80	4,360.10	294.95
8/6/19 11:00	116.90	4,356.45	295.83
8/6/19 12:00	122.20	4,430.00	295.50
8/6/19 13:00	111.40	4,302.19	294.13
8/6/19 14:00	120.70	4,423.33	294.79
8/6/19 15:00	134.00	4,581.70	296.43
8/6/19 16:00	143.10	4,681.66	298.09
8/6/19 17:00	134.80	4,588.07	297.21
8/6/19 18:00	135.90	4,608.48	297.00
8/6/19 19:00	133.30	4,583.35	295.62
8/6/19 20:00	140.70	4,637.46	298.23
8/6/19 21:00	142.70	4,703.58	299.23
8/6/19 22:00	142.00	4,713.75	297.14
8/6/19 23:00	144.80	4,738.76	297.88
8/7/19 0:00	142.10	4,697.14	298.87
8/7/19 1:00	142.10	4,692.19	298.14
8/7/19 2:00	137.10	4,637.17	297.26
8/7/19 3:00	138.60	4,656.26	297.26
8/7/19 4:00	131.20	4,570.57	295.88
8/7/19 5:00	130.00	4,557.99	295.30
8/7/19 6:00	138.30	4,665.66	296.65
8/7/19 7:00	138.10	4,653.10	296.74
8/7/19 8:00	143.70	4,706.84	297.28
8/7/19 9:00	125.20	4,496.24	296.17
8/7/19 10:00	124.20	4,467.87	295.00
8/7/19 11:00	146.60	4,748.19	298.01
8/7/19 12:00	132.00	4,559.81	297.83
8/7/19 13:00	151.80	4,790.67	301.15
8/7/19 14:00	143.90	4,718.59	301.45
8/7/19 15:00	137.50	4,620.50	302.19
8/7/19 16:00	117.50	4,371.09	296.49
8/7/19 17:00	135.90	4,597.76	298.10
8/7/19 18:00	129.00	4,506.64	297.32
8/7/19 19:00	126.60	4,465.47	295.90
8/7/19 20:00	135.10	4,567.14	296.89
8/7/19 21:00	144.80	4,661.47	298.18
8/7/19 22:00	142.10	4,634.71	297.67

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
8/7/19 23:00	145.50	4,674.57	298.29
8/8/19 0:00	143.70	4,642.09	299.61
8/8/19 1:00	126.60	4,445.52	297.32
8/8/19 2:00	140.90	4,617.31	298.07
8/8/19 3:00	144.80	4,661.17	298.86
8/8/19 4:00	151.30	4,745.63	300.50
8/8/19 5:00	133.90	4,538.20	299.39
8/8/19 6:00	143.90	4,661.40	300.14
8/8/19 7:00	143.90	4,646.14	301.48
8/8/19 8:00	135.60	4,565.54	298.94
8/8/19 9:00	139.60	4,612.78	298.86
8/8/19 10:00	157.50	4,812.74	302.38
8/8/19 11:00	160.80	4,862.82	306.40
8/8/19 12:00	130.80	4,473.88	301.59
8/8/19 13:00	142.10	4,630.12	300.14
8/8/19 14:00	156.30	4,783.49	304.54
8/8/19 15:00	160.30	4,844.18	305.91
8/8/19 16:00	164.30	4,880.75	306.21
8/8/19 17:00	161.70	4,852.84	306.10
8/8/19 18:00	148.30	4,693.82	303.26
8/8/19 19:00	135.60	4,564.54	301.36
8/8/19 20:00	136.40	4,567.46	299.95
8/8/19 21:00	137.40	4,567.64	300.17
8/8/19 22:00	142.30	4,614.17	300.29
8/8/19 23:00	147.90	4,692.86	301.48
8/9/19 0:00	157.50	4,800.00	302.99
8/9/19 1:00	163.40	4,859.72	304.51
8/9/19 2:00	140.80	4,594.69	301.77
8/9/19 3:00	135.90	4,541.96	299.28
8/9/19 4:00	149.60	4,705.79	299.83
8/9/19 5:00	154.90	4,770.51	301.81
8/9/19 6:00	168.30	4,927.91	303.80
8/9/19 7:00	190.60	5,143.73	312.97
8/9/19 8:00	202.60	5,147.36	325.15
8/9/19 9:00	211.60	5,231.47	324.15
8/9/19 10:00	210.90	5,203.12	319.70
8/9/19 11:00	221.30	5,302.78	319.34
8/9/19 12:00	213.40	5,206.26	318.49

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
8/9/19 13:00	209.10	5,152.86	318.02
8/9/19 14:00	213.70	5,213.22	318.61
8/9/19 15:00	224.20	5,332.98	320.97
8/9/19 16:00	226.50	5,366.41	323.08
8/9/19 17:00	185.50	4,856.98	317.74
8/9/19 18:00	176.30	4,855.68	313.63
8/9/19 19:00	179.90	4,854.38	313.06
8/9/19 20:00	183.50	4,854.52	315.54
8/9/19 21:00	176.80	4,855.96	313.29
8/9/19 22:00	181.50	4,856.18	313.95
8/9/19 23:00	180.60	4,853.23	315.73
8/10/19 0:00	179.30	4,852.88	315.02
8/10/19 1:00	182.20	4,856.31	315.54
8/10/19 2:00	178.40	4,854.55	314.42
8/10/19 3:00	181.10	4,853.43	314.63
8/10/19 4:00	172.80	4,853.36	312.53
8/10/19 5:00	178.10	4,908.89	311.76
8/10/19 6:00	201.50	5,096.44	315.01
8/10/19 7:00	207.30	5,160.05	314.96
8/10/19 8:00	207.30	5,174.17	316.71
8/10/19 9:00	216.70	5,253.41	320.07
8/10/19 10:00	224.20	5,360.71	321.51
8/10/19 11:00	232.90	5,435.04	322.87
8/10/19 12:00	230.00	5,386.42	321.78
8/10/19 13:00	227.90	5,380.29	321.38
8/10/19 14:00	226.40	5,362.66	322.16
8/10/19 15:00	218.50	5,266.81	321.93
8/10/19 16:00	214.10	5,243.35	321.21
8/10/19 17:00	206.30	5,146.23	321.04
8/10/19 18:00	207.70	5,177.96	320.40
8/10/19 19:00	218.10	5,244.50	322.70
8/10/19 20:00	209.40	5,171.02	321.86
8/10/19 21:00	209.80	5,194.98	319.94
8/10/19 22:00	209.60	5,178.24	320.26
8/10/19 23:00	224.80	5,356.78	321.38
8/11/19 0:00	228.60	5,415.32	323.53
8/11/19 1:00	227.40	5,397.69	323.25
8/11/19 2:00	228.40	5,420.15	322.47

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
8/11/19 3:00	204.40	5,200.51	318.74
8/11/19 4:00	209.70	5,245.74	317.55
8/11/19 5:00	201.10	5,138.51	317.35
8/11/19 6:00	200.20	5,126.31	317.06
8/11/19 7:00	192.90	5,042.70	317.66
8/11/19 8:00	190.10	5,042.47	317.48
8/11/19 9:00	180.30	4,925.81	316.21
8/11/19 10:00	198.20	5,108.39	317.33
8/11/19 11:00	213.60	5,286.11	318.50
8/11/19 12:00	209.40	5,251.59	317.29
8/11/19 13:00	209.20	5,236.04	319.99
8/11/19 14:00	188.70	4,992.26	317.21
8/11/19 15:00	178.80	4,869.22	315.96
8/11/19 16:00	179.40	4,877.63	316.22
8/11/19 17:00	172.50	4,850.33	314.07
8/11/19 18:00	176.30	4,852.84	315.27
8/11/19 19:00	177.90	4,882.38	314.22
8/11/19 20:00	179.20	4,858.78	313.56
8/11/19 21:00	189.60	4,993.67	312.09
8/11/19 22:00	228.40	5,420.35	318.02
8/11/19 23:00	182.50	4,925.62	314.73
8/12/19 0:00	179.70	4,886.84	313.49
8/12/19 1:00	176.80	4,869.22	312.96
8/12/19 2:00	178.70	4,858.03	311.82
8/12/19 3:00	182.70	4,939.25	311.80
8/12/19 4:00	176.70	4,865.68	311.08
8/12/19 5:00	179.70	4,922.90	309.67
8/12/19 6:00	180.80	4,857.45	311.82
8/12/19 7:00	178.00	4,854.09	310.75
8/12/19 8:00	174.10	4,857.30	310.49
8/12/19 9:00	192.90	5,017.55	314.24
8/12/19 10:00	191.90	4,996.52	315.34
8/12/19 11:00	181.00	4,930.85	313.95
8/12/19 12:00	178.10	4,873.29	314.83
8/12/19 13:00	180.20	4,854.34	315.25
8/12/19 14:00	176.60	4,858.44	314.88
8/12/19 15:00	176.90	4,851.70	315.09
8/12/19 16:00	177.30	4,855.27	315.01

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
8/12/19 17:00	177.90	4,856.05	315.43
8/12/19 18:00	179.80	4,874.94	315.08
8/12/19 19:00	185.90	4,930.61	315.72
8/12/19 20:00	183.80	4,941.10	315.36
8/12/19 21:00	177.70	4,863.53	314.89
8/12/19 22:00	176.30	4,853.37	315.54
8/12/19 23:00	191.40	5,022.16	316.93
8/13/19 0:00	183.30	4,907.94	316.81
8/13/19 1:00	179.70	4,856.23	315.68
8/13/19 2:00	175.40	4,853.38	314.49
8/13/19 3:00	181.40	4,919.42	314.09
8/13/19 4:00	187.90	5,005.58	314.14
8/13/19 5:00	203.00	5,112.67	317.61
8/13/19 6:00	177.50	4,891.22	314.85
8/13/19 7:00	197.00	5,120.54	314.43
8/13/19 8:00	190.10	4,999.43	315.91
8/13/19 9:00	181.70	4,890.35	315.30
8/13/19 10:00	180.50	4,896.45	315.75
8/13/19 11:00	181.80	4,901.12	316.56
8/13/19 12:00	197.60	5,050.76	318.00
8/13/19 13:00	191.40	5,002.22	315.70
8/13/19 14:00	190.60	4,983.05	314.97
8/13/19 15:00	183.20	4,856.34	315.98
8/13/19 16:00	183.10	4,853.56	316.31
8/13/19 17:00	177.00	4,860.03	315.83
8/13/19 18:00	196.60	5,051.24	318.06
8/13/19 19:00	191.50	4,951.43	318.48
8/13/19 20:00	196.90	5,012.29	318.43
8/13/19 21:00	200.20	5,078.85	318.97
8/13/19 22:00	208.40	5,136.40	319.78
8/13/19 23:00	207.40	5,137.45	318.57
8/14/19 0:00	205.60	5,093.49	318.26
8/14/19 1:00	191.80	4,984.41	315.60
8/14/19 2:00	197.40	5,060.40	315.80
8/14/19 3:00	215.10	5,221.42	319.72
8/14/19 4:00	214.50	5,237.02	319.61
8/14/19 5:00	218.50	5,247.27	320.22
8/14/19 6:00	182.80	4,875.55	316.14

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
8/14/19 7:00	189.40	4,919.89	315.76
8/14/19 8:00	191.20	5,005.44	315.32
8/14/19 9:00	215.80	5,263.15	320.81
8/14/19 10:00	211.40	5,224.84	319.93
8/14/19 11:00	213.00	5,187.24	320.35
8/14/19 12:00	197.50	5,014.00	319.90
8/14/19 13:00	182.10	4,912.42	315.86
8/14/19 14:00	193.00	5,044.66	314.11
8/14/19 15:00	187.80	5,076.94	308.85
8/14/19 16:00	208.80	5,216.20	318.72
8/14/19 17:00	190.90	4,973.07	319.33
8/14/19 18:00	180.90	4,876.86	316.61
8/14/19 19:00	186.50	4,944.32	316.74
8/14/19 20:00	200.40	5,054.88	319.12
8/14/19 21:00	195.80	4,999.15	317.72
8/14/19 22:00	195.20	5,001.22	317.08
8/14/19 23:00	183.80	4,922.86	315.37
8/15/19 0:00	205.10	5,259.60	316.03
8/15/19 1:00	185.30	5,010.29	314.30
8/15/19 2:00	188.70	4,993.21	315.05
8/15/19 3:00	200.40	5,142.44	315.40
8/15/19 4:00	191.60	5,026.71	315.11
8/15/19 5:00	204.70	5,140.76	316.71
8/15/19 6:00	214.10	5,217.05	319.69
8/15/19 7:00	220.20	5,305.69	319.29
8/15/19 8:00	219.60	5,276.79	320.93
8/15/19 9:00	204.20	5,080.52	317.85
8/15/19 10:00	197.80	5,051.26	318.20
8/15/19 11:00	195.80	5,041.24	319.76
8/15/19 12:00	191.00	4,986.51	319.44
8/15/19 13:00	178.50	4,869.96	317.59
8/15/19 14:00	196.90	5,143.77	319.23
8/15/19 15:00	192.40	5,058.98	319.85
8/15/19 16:00	204.40	5,210.24	320.81
8/15/19 17:00	199.20	5,140.32	320.29
8/15/19 18:00	194.50	5,088.19	319.68
8/15/19 19:00	196.70	5,116.09	317.78
8/15/19 20:00	197.90	5,093.10	317.98

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
8/15/19 21:00	205.80	5,182.29	319.07
8/15/19 22:00	212.00	5,245.73	320.28
8/15/19 23:00	220.50	5,358.16	322.25
8/16/19 0:00	226.50	5,414.09	323.48
8/16/19 1:00	229.00	5,449.52	324.67
8/16/19 2:00	220.30	5,356.03	322.32
8/16/19 3:00	201.80	5,126.44	318.85
8/16/19 4:00	178.30	4,919.71	314.99
8/16/19 5:00	173.70	4,855.47	314.75
8/16/19 6:00	172.90	4,854.68	313.42
8/16/19 7:00	173.80	4,854.59	313.87
8/16/19 8:00	172.00	4,853.55	314.48
8/16/19 9:00	63.90	4,005.20	305.67
10/11/19 14:00	75.50	3,983.56	284.86
10/11/19 15:00	121.20	4,319.28	294.41
10/11/19 16:00	117.60	4,322.14	295.83
10/11/19 17:00	117.70	4,319.27	295.95
10/11/19 18:00	118.30	4,318.45	296.50
10/11/19 19:00	119.90	4,320.83	296.54
10/11/19 20:00	121.10	4,317.76	296.48
10/11/19 21:00	120.00	4,320.13	297.92
10/11/19 22:00	117.70	4,317.86	297.90
10/11/19 23:00	119.20	4,319.63	297.19
10/12/19 0:00	118.70	4,321.69	297.27
10/12/19 1:00	118.10	4,320.07	298.23
10/12/19 2:00	117.10	4,320.46	299.37
10/12/19 3:00	117.80	4,321.42	299.94
10/12/19 4:00	118.70	4,314.17	301.88
10/12/19 5:00	118.10	4,293.95	301.61
10/12/19 6:00	115.60	4,286.53	299.97
10/12/19 7:00	112.00	4,287.78	298.27
10/12/19 8:00	111.40	4,285.27	297.12
10/12/19 9:00	109.90	4,288.12	297.05
10/12/19 10:00	110.70	4,285.37	297.74
10/12/19 11:00	110.00	4,284.40	297.28
10/12/19 12:00	117.50	4,365.61	297.11
10/12/19 13:00	149.00	4,702.24	303.21
10/12/19 14:00	179.60	5,035.78	309.74

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/12/19 15:00	191.50	5,114.97	313.69
10/12/19 16:00	183.50	5,020.48	311.25
10/12/19 17:00	187.50	5,045.05	311.51
10/12/19 18:00	195.90	5,132.97	312.21
10/12/19 19:00	235.10	5,537.12	324.26
10/12/19 20:00	207.10	5,273.23	312.59
10/12/19 21:00	202.80	5,217.75	306.89
10/12/19 22:00	205.70	5,219.98	308.34
10/12/19 23:00	198.10	5,131.36	306.82
10/13/19 0:00	189.30	5,053.92	304.94
10/13/19 1:00	189.20	5,049.75	303.51
10/13/19 2:00	190.40	5,049.98	303.26
10/13/19 3:00	188.60	5,048.91	303.34
10/13/19 4:00	188.00	5,047.48	303.76
10/13/19 5:00	189.40	5,050.76	303.31
10/13/19 6:00	171.30	4,861.50	301.30
10/13/19 7:00	170.60	4,859.16	299.53
10/13/19 8:00	216.80	5,138.17	319.47
10/13/19 9:00	224.30	5,153.36	318.33
10/13/19 10:00	223.30	5,156.09	319.92
10/13/19 11:00	219.80	5,152.54	320.16
10/13/19 12:00	220.60	5,153.32	320.33
10/13/19 13:00	225.00	5,155.16	319.86
10/13/19 14:00	223.50	5,152.80	317.74
10/13/19 15:00	226.00	5,150.29	317.89
10/13/19 16:00	226.20	5,155.35	318.37
10/13/19 17:00	224.00	5,152.24	317.72
10/13/19 18:00	222.80	5,152.36	316.35
10/13/19 19:00	221.20	5,154.58	314.53
10/13/19 20:00	221.40	5,150.93	312.63
10/13/19 21:00	221.80	5,153.25	312.75
10/13/19 22:00	220.80	5,153.14	311.16
10/13/19 23:00	240.80	5,357.79	312.69
10/14/19 0:00	246.60	5,356.31	314.17
10/14/19 1:00	233.60	5,277.61	321.92
10/14/19 2:00	229.20	5,249.84	321.42
10/14/19 3:00	229.80	5,251.81	319.52
10/14/19 4:00	232.20	5,252.91	318.33

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
10/14/19 5:00	233.90	5,252.80	318.52
10/14/19 6:00	235.20	5,250.14	318.42
10/14/19 7:00	232.70	5,253.60	319.12
10/14/19 8:00	230.20	5,252.53	318.20
10/14/19 9:00	231.40	5,253.94	319.97
10/14/19 10:00	230.90	5,253.12	321.22
10/14/19 11:00	230.10	5,255.88	322.06
10/14/19 12:00	230.40	5,252.19	323.35
10/14/19 13:00	233.80	5,251.80	324.65
10/14/19 14:00	231.70	5,250.20	324.64
10/14/19 15:00	232.10	5,253.16	323.96
10/14/19 16:00	234.10	5,252.54	322.41
10/14/19 17:00	232.50	5,249.77	322.22
10/14/19 18:00	233.40	5,252.82	321.96
10/14/19 19:00	230.40	5,253.39	319.67
10/14/19 20:00	233.20	5,250.51	319.09
10/14/19 21:00	230.70	5,250.37	319.31
10/14/19 22:00	229.20	5,250.95	319.67
10/14/19 23:00	229.40	5,251.52	319.49
10/15/19 0:00	232.60	5,252.13	319.19
10/15/19 1:00	233.40	5,255.72	318.57
10/15/19 2:00	230.80	5,252.51	318.37
10/15/19 3:00	231.70	5,254.97	318.33
10/15/19 4:00	230.50	5,255.03	318.40
10/15/19 5:00	233.20	5,253.12	320.54
10/15/19 6:00	231.90	5,254.12	319.42
10/15/19 7:00	228.20	5,249.39	317.59
10/15/19 8:00	224.10	5,250.62	318.21
10/15/19 9:00	223.10	5,250.61	317.24
10/15/19 10:00	229.60	5,248.17	322.48
10/15/19 11:00	229.20	5,250.50	324.07
10/15/19 12:00	228.80	5,251.04	326.13
10/15/19 13:00	231.80	5,250.39	326.60
10/15/19 14:00	231.10	5,252.79	327.16
10/15/19 15:00	230.80	5,251.37	325.40
10/15/19 16:00	230.10	5,249.48	325.14
10/15/19 17:00	232.40	5,252.16	326.07
10/15/19 18:00	240.90	5,252.85	328.07

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
10/15/19 19:00	244.10	5,255.91	327.95
10/15/19 20:00	244.60	5,253.55	328.24
10/15/19 21:00	245.60	5,249.80	327.42
10/15/19 22:00	244.10	5,252.47	326.55
10/15/19 23:00	245.00	5,254.89	327.29
10/16/19 0:00	245.90	5,255.06	325.97
10/16/19 1:00	244.70	5,251.97	325.11
10/16/19 2:00	247.30	5,253.30	325.96
10/16/19 3:00	245.90	5,253.69	326.08
10/16/19 4:00	244.80	5,253.81	325.13
10/16/19 5:00	238.90	5,251.63	325.19
10/16/19 6:00	236.00	5,252.23	322.93
10/16/19 7:00	223.00	5,256.10	314.43
10/16/19 8:00	229.40	5,253.51	318.86
10/16/19 9:00	228.70	5,253.49	320.33
10/16/19 10:00	230.30	5,252.18	321.61
10/16/19 11:00	232.80	5,250.95	321.72
10/16/19 12:00	232.50	5,251.57	321.04
10/16/19 13:00	235.70	5,252.26	321.47
10/16/19 14:00	235.80	5,253.96	321.93
10/16/19 15:00	235.20	5,253.06	321.86
10/16/19 16:00	236.10	5,254.13	323.01
10/16/19 17:00	237.60	5,252.75	325.02
10/16/19 18:00	237.20	5,254.33	322.51
10/16/19 19:00	240.60	5,253.32	322.27
10/16/19 20:00	238.80	5,251.83	322.96
10/16/19 21:00	238.50	5,251.62	321.95
10/16/19 22:00	233.70	5,255.79	319.44
10/16/19 23:00	232.30	5,251.31	318.72
10/17/19 0:00	233.00	5,253.84	319.01
10/17/19 1:00	233.70	5,253.08	319.67
10/17/19 2:00	231.70	5,233.43	315.87
10/17/19 3:00	232.00	5,231.06	316.29
10/17/19 4:00	246.60	5,357.10	320.69
10/17/19 5:00	246.90	5,358.32	322.30
10/17/19 6:00	247.50	5,356.42	325.28
10/17/19 7:00	240.40	5,357.17	318.28
10/17/19 8:00	241.00	5,355.61	318.03

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
10/17/19 9:00	239.60	5,357.33	319.92
10/17/19 10:00	242.80	5,357.36	322.75
10/17/19 11:00	242.80	5,356.40	322.29
10/17/19 12:00	241.40	5,354.90	322.23
10/17/19 13:00	241.20	5,357.39	322.36
10/17/19 14:00	240.50	5,357.72	323.06
10/17/19 15:00	240.40	5,356.20	323.50
10/17/19 16:00	242.80	5,354.18	322.76
10/17/19 17:00	246.00	5,357.85	325.96
10/17/19 18:00	248.40	5,358.80	325.16
10/17/19 19:00	248.60	5,352.68	324.46
10/17/19 20:00	250.90	5,358.48	324.65
10/17/19 21:00	249.70	5,355.88	323.81
10/17/19 22:00	241.30	5,357.34	320.64
10/17/19 23:00	247.70	5,352.78	321.48
10/18/19 0:00	240.90	5,356.69	319.14
10/18/19 1:00	245.00	5,355.60	319.24
10/18/19 2:00	245.90	5,353.04	320.75
10/18/19 3:00	244.40	5,355.74	320.88
10/18/19 4:00	247.10	5,356.26	321.61
10/18/19 5:00	240.40	5,359.02	318.65
10/18/19 6:00	239.80	5,353.86	318.90
10/18/19 7:00	237.20	5,355.22	318.27
10/18/19 8:00	239.30	5,355.67	323.57
10/18/19 9:00	240.60	5,356.91	325.43
10/18/19 10:00	242.90	5,354.83	325.98
10/18/19 11:00	242.50	5,354.75	326.57
10/18/19 12:00	242.30	5,356.36	326.26
10/18/19 13:00	245.10	5,354.35	326.99
10/18/19 14:00	242.40	5,356.96	328.69
10/18/19 15:00	241.10	5,357.82	328.24
10/18/19 16:00	240.60	5,355.68	327.44
10/18/19 17:00	241.30	5,353.97	324.69
10/18/19 18:00	240.70	5,357.22	324.07
10/18/19 19:00	222.70	5,354.02	310.49
10/18/19 20:00	221.00	5,353.60	307.40
10/18/19 21:00	223.70	5,356.48	306.61
10/18/19 22:00	222.90	5,356.57	311.93

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
10/18/19 23:00	218.40	5,353.36	308.37
10/19/19 0:00	219.90	5,357.43	308.03
10/19/19 1:00	219.30	5,358.17	307.44
10/19/19 2:00	219.60	5,354.42	307.52
10/19/19 3:00	218.40	5,355.40	307.73
10/19/19 4:00	217.70	5,354.99	307.52
10/19/19 5:00	218.00	5,355.89	307.89
10/19/19 6:00	218.40	5,357.91	307.80
10/19/19 7:00	218.40	5,359.42	307.17
10/19/19 8:00	217.10	5,355.95	307.54
10/19/19 9:00	216.90	5,356.96	308.58
10/19/19 10:00	217.40	5,354.99	308.67
10/19/19 11:00	211.50	5,224.72	311.41
10/19/19 12:00	221.80	5,179.65	327.12
10/19/19 13:00	219.80	5,149.14	326.35
10/19/19 14:00	223.90	5,149.49	327.43
10/19/19 15:00	223.30	5,151.78	327.58
10/19/19 16:00	224.20	5,149.24	326.30
10/19/19 17:00	221.70	5,150.51	325.14
10/19/19 18:00	224.60	5,150.33	325.22
10/19/19 19:00	222.60	5,148.96	325.33
10/19/19 20:00	221.30	5,151.48	324.13
10/19/19 21:00	222.00	5,149.30	323.26
10/19/19 22:00	222.20	5,149.15	324.35
10/19/19 23:00	224.10	5,151.70	325.35
10/20/19 0:00	220.10	5,148.57	324.72
10/20/19 1:00	221.60	5,149.69	323.71
10/20/19 2:00	223.30	5,149.44	324.98
10/20/19 3:00	220.90	5,151.05	324.57
10/20/19 4:00	218.30	5,149.88	323.99
10/20/19 5:00	217.50	5,151.64	322.71
10/20/19 6:00	225.80	5,152.24	324.94
10/20/19 7:00	239.50	5,248.43	326.93
10/20/19 8:00	240.10	5,286.61	326.92
10/20/19 9:00	238.00	5,289.82	327.12
10/20/19 10:00	237.80	5,286.47	328.26
10/20/19 11:00	239.30	5,290.19	329.15
10/20/19 12:00	241.00	5,284.75	330.15

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
10/20/19 13:00	241.70	5,285.78	329.25
10/20/19 14:00	241.70	5,286.76	328.43
10/20/19 15:00	238.80	5,287.28	328.69
10/20/19 16:00	238.20	5,287.28	329.36
10/20/19 17:00	240.00	5,286.39	331.15
10/20/19 18:00	238.70	5,286.92	330.55
10/20/19 19:00	243.10	5,286.21	332.44
10/20/19 20:00	241.80	5,286.78	330.74
10/20/19 21:00	242.50	5,288.94	330.57
10/20/19 22:00	240.90	5,287.31	330.75
10/20/19 23:00	241.00	5,288.10	329.95
10/21/19 0:00	239.00	5,285.66	328.28
10/21/19 1:00	236.20	5,287.12	327.55
10/21/19 2:00	239.80	5,287.94	329.11
10/21/19 3:00	236.60	5,286.47	329.38
10/21/19 4:00	236.30	5,287.98	329.33
10/21/19 5:00	240.70	5,288.47	331.32
10/21/19 6:00	259.10	5,486.74	332.32
10/21/19 7:00	262.30	5,528.93	333.17
10/21/19 8:00	257.20	5,530.67	325.93
10/21/19 9:00	231.00	5,512.54	312.49
10/21/19 10:00	166.50	4,812.84	301.21
10/21/19 11:00	149.70	4,627.97	297.66
10/21/19 12:00	149.10	4,602.77	297.58
10/21/19 13:00	155.20	4,656.15	298.08
10/21/19 14:00	153.70	4,649.43	301.37
10/21/19 15:00	139.60	4,498.05	300.99
10/21/19 16:00	137.40	4,479.10	300.65
10/21/19 17:00	141.20	4,518.94	301.60
10/21/19 18:00	148.90	4,592.81	302.14
10/21/19 19:00	140.00	4,496.11	301.33
10/21/19 20:00	143.10	4,526.15	302.16
10/21/19 21:00	149.40	4,573.13	303.88
10/21/19 22:00	151.00	4,595.93	304.54
10/21/19 23:00	148.80	4,573.98	304.60
10/22/19 0:00	141.70	4,488.71	304.99
10/22/19 1:00	141.10	4,484.40	303.93
10/22/19 2:00	136.00	4,428.52	304.44

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
10/22/19 3:00	135.50	4,423.31	304.32
10/22/19 4:00	136.90	4,442.25	304.85
10/22/19 5:00	135.90	4,420.68	304.46
10/22/19 6:00	135.50	4,424.32	301.84
10/22/19 7:00	130.60	4,377.93	300.46
10/22/19 8:00	133.40	4,403.30	301.30
10/22/19 9:00	133.60	4,404.68	301.65
10/22/19 10:00	136.30	4,441.12	301.84
10/22/19 11:00	145.80	4,549.44	304.33
10/22/19 12:00	147.30	4,562.16	304.81
10/22/19 13:00	130.40	4,379.09	301.95
10/22/19 14:00	140.50	4,500.59	302.84
10/22/19 15:00	138.80	4,480.86	302.72
10/22/19 16:00	128.50	4,353.57	301.18
10/22/19 17:00	122.70	4,300.15	301.54
10/22/19 18:00	119.40	4,266.75	300.13
10/22/19 19:00	119.70	4,255.91	299.72
10/22/19 20:00	118.10	4,238.50	299.45
10/22/19 21:00	122.20	4,291.14	300.99
10/22/19 22:00	123.30	4,295.57	300.93
10/22/19 23:00	122.80	4,294.30	301.27
10/23/19 0:00	121.80	4,264.44	300.03
10/23/19 1:00	120.00	4,254.48	299.91
10/23/19 2:00	120.30	4,254.63	300.20
10/23/19 3:00	117.70	4,240.68	299.76
10/23/19 4:00	119.00	4,260.42	300.06
10/23/19 5:00	124.80	4,310.12	300.50
10/23/19 6:00	117.00	4,235.51	298.32
10/23/19 7:00	112.90	4,187.98	296.70
10/23/19 8:00	113.60	4,191.84	297.00
10/23/19 9:00	114.90	4,196.07	298.58
10/23/19 10:00	115.80	4,214.49	300.22
10/23/19 11:00	115.60	4,207.73	301.38
10/23/19 12:00	115.50	4,215.67	301.68
10/23/19 13:00	114.90	4,199.49	301.25
10/23/19 14:00	113.80	4,198.13	301.53
10/23/19 15:00	114.00	4,204.31	302.02
10/23/19 16:00	116.40	4,234.88	303.23

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
10/23/19 17:00	114.70	4,218.02	302.47
10/23/19 18:00	117.80	4,255.59	300.35
10/23/19 19:00	118.20	4,256.73	300.80
10/23/19 20:00	120.90	4,299.24	301.77
10/23/19 21:00	127.10	4,363.90	302.96
10/23/19 22:00	130.10	4,395.06	302.77
10/23/19 23:00	131.70	4,418.56	303.58
10/24/19 0:00	126.30	4,348.64	301.86
10/24/19 1:00	125.70	4,351.77	301.30
10/24/19 2:00	129.50	4,387.58	301.87
10/24/19 3:00	130.00	4,389.54	301.55
10/24/19 4:00	137.20	4,479.37	302.74
10/24/19 5:00	140.00	4,515.98	306.07
10/24/19 6:00	149.10	4,616.08	306.44
10/24/19 7:00	160.80	4,738.39	308.08
10/24/19 8:00	148.20	4,589.45	305.98
10/24/19 9:00	130.40	4,384.02	302.90
10/24/19 10:00	121.40	4,274.16	300.97
10/24/19 11:00	120.90	4,274.37	302.29
10/24/19 12:00	119.50	4,249.72	301.92
10/24/19 13:00	115.20	4,210.92	301.64
10/24/19 14:00	120.90	4,279.19	303.02
10/24/19 15:00	132.00	4,413.08	307.18
10/24/19 16:00	151.10	4,634.62	309.88
10/24/19 17:00	117.30	4,230.16	302.42
10/24/19 18:00	123.60	4,307.71	302.23
10/24/19 19:00	127.80	4,357.98	304.91
10/24/19 20:00	137.80	4,475.92	306.40
10/24/19 21:00	144.30	4,540.11	307.71
10/24/19 22:00	154.30	4,675.52	309.39
10/24/19 23:00	155.40	4,675.72	309.15
10/25/19 0:00	161.10	4,743.06	309.59
10/25/19 1:00	161.60	4,744.91	309.83
10/25/19 2:00	161.10	4,735.82	308.85
10/25/19 3:00	160.30	4,721.74	308.57
10/25/19 4:00	160.50	4,728.91	308.59
10/25/19 5:00	153.80	4,658.62	308.47
10/25/19 6:00	154.00	4,655.93	307.67

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
10/25/19 7:00	169.00	4,823.66	309.52
10/25/19 8:00	178.90	4,931.96	313.35
10/25/19 9:00	193.40	5,086.68	321.39
10/25/19 10:00	185.60	5,000.84	315.58
10/25/19 11:00	177.10	4,938.78	313.74
10/25/19 12:00	177.70	4,928.63	313.44
10/25/19 13:00	166.10	4,815.46	311.39
10/25/19 14:00	160.80	4,739.41	310.98
10/25/19 15:00	148.30	4,602.21	307.84
10/25/19 16:00	152.70	4,646.93	307.84
10/25/19 17:00	146.50	4,592.25	306.92
10/25/19 18:00	151.50	4,643.77	308.87
10/25/19 19:00	150.10	4,642.22	307.34
10/25/19 20:00	156.70	4,705.42	307.41
10/25/19 21:00	156.90	4,710.39	308.61
10/25/19 22:00	152.00	4,644.68	307.69
10/25/19 23:00	153.80	4,664.83	307.65
10/26/19 0:00	144.30	4,566.28	306.96
10/26/19 1:00	118.10	4,260.30	302.79
2/8/2020 13:00	11.60	3,253.63	274.55
2/8/2020 14:00	48.40	3,840.43	263.23
2/8/2020 15:00	127.60	4,523.56	286.82
2/8/2020 16:00	137.40	4,552.18	284.87
2/8/2020 17:00	139.50	4,555.59	284.28
2/8/2020 18:00	148.70	4,622.03	288.68
2/8/2020 19:00	154.50	4,717.75	297.39
2/8/2020 20:00	152.10	4,715.92	298.86
2/8/2020 21:00	150.70	4,727.71	301.47
2/8/2020 22:00	147.60	4,723.48	301.87
2/8/2020 23:00	148.60	4,726.08	304.99
2/9/2020 0:00	150.70	4,721.68	309.44
2/9/2020 1:00	167.20	4,563.44	303.73
2/9/2020 2:00	156.70	4,433.91	298.61
2/9/2020 3:00	123.50	4,406.27	310.69
2/9/2020 4:00	119.30	4,393.25	305.53
2/9/2020 5:00	119.50	4,378.17	303.01
2/9/2020 6:00	118.60	4,381.08	302.30
2/9/2020 7:00	121.60	4,408.25	303.48

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
2/9/2020 8:00	121.80	4,404.51	303.11
2/9/2020 9:00	123.20	4,420.42	304.44
2/9/2020 10:00	121.20	4,369.18	305.54
2/9/2020 11:00	120.60	4,345.66	303.76
2/9/2020 12:00	119.60	4,299.19	302.93
2/9/2020 13:00	115.70	4,235.91	302.30
2/9/2020 14:00	114.60	4,226.48	311.11
2/9/2020 15:00	110.00	4,235.41	307.95
2/9/2020 16:00	114.80	4,266.40	303.61
2/9/2020 17:00	113.10	4,271.04	302.27
2/9/2020 18:00	113.40	4,294.42	300.92
2/9/2020 19:00	115.50	4,305.59	301.67
2/9/2020 20:00	120.90	4,369.19	301.91
2/9/2020 21:00	115.40	4,347.62	301.94
2/9/2020 22:00	117.20	4,352.41	301.04
2/9/2020 23:00	116.10	4,352.33	300.69
2/10/2020 0:00	121.50	4,407.39	299.88
2/10/2020 1:00	118.60	4,376.54	299.37
2/10/2020 2:00	109.20	4,254.61	298.82
2/10/2020 3:00	107.80	4,267.44	298.99
2/10/2020 4:00	109.00	4,260.69	298.52
2/10/2020 5:00	107.30	4,258.45	298.42
2/10/2020 6:00	108.80	4,258.91	298.06
2/10/2020 7:00	105.10	4,204.81	297.38
2/10/2020 8:00	102.30	4,198.67	298.63
2/10/2020 9:00	104.00	4,204.62	298.92
2/10/2020 10:00	105.20	4,203.48	301.52
2/10/2020 11:00	101.90	4,191.45	299.29
2/10/2020 13:00	50.10	3,786.02	305.07
2/10/2020 14:00	106.30	4,243.02	299.35
2/10/2020 15:00	102.90	4,196.79	299.93
2/10/2020 16:00	102.20	4,184.44	299.51
2/10/2020 17:00	101.70	4,184.24	299.19
2/10/2020 18:00	101.80	4,186.45	299.07
2/10/2020 19:00	103.10	4,184.43	300.71
2/10/2020 20:00	102.60	4,186.78	300.58
2/10/2020 21:00	103.10	4,184.69	300.50
2/10/2020 22:00	102.40	4,186.40	300.13

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
2/10/2020 23:00	102.70	4,182.47	300.04
2/11/2020 0:00	105.60	4,181.51	303.81
2/11/2020 1:00	102.90	4,184.27	300.96
2/11/2020 2:00	103.10	4,188.36	300.68
2/11/2020 3:00	103.60	4,187.28	301.51
2/11/2020 4:00	103.80	4,184.99	300.72
2/11/2020 5:00	102.40	4,186.02	299.89
2/11/2020 6:00	115.50	4,187.11	300.64
2/11/2020 7:00	105.00	4,186.49	301.60
2/11/2020 8:00	104.10	4,188.54	300.34
2/11/2020 9:00	102.80	4,184.15	299.25
2/11/2020 10:00	104.60	4,182.94	299.89
2/11/2020 11:00	103.00	4,187.39	298.94
2/11/2020 12:00	103.00	4,186.18	298.67
2/11/2020 13:00	103.60	4,188.57	298.99
2/11/2020 14:00	103.50	4,188.73	299.31
2/11/2020 15:00	104.20	4,186.69	299.83
2/11/2020 16:00	108.50	4,235.95	299.79
2/11/2020 17:00	110.00	4,263.74	300.21
2/11/2020 18:00	118.60	4,367.82	302.84
2/11/2020 19:00	138.50	4,595.62	311.67
2/11/2020 20:00	147.70	4,701.21	319.02
2/11/2020 21:00	152.80	4,754.05	317.53
2/11/2020 22:00	150.10	4,733.74	315.91
2/11/2020 23:00	157.60	4,796.25	316.62
2/12/2020 0:00	153.40	4,759.04	316.47
2/12/2020 1:00	150.40	4,733.84	314.79
2/12/2020 2:00	147.10	4,707.06	312.50
2/12/2020 3:00	145.50	4,677.47	310.86
2/12/2020 4:00	142.70	4,633.69	308.36
2/12/2020 5:00	145.30	4,644.62	309.42
2/12/2020 6:00	133.40	4,534.49	307.03
2/12/2020 7:00	109.70	4,234.41	298.48
2/12/2020 8:00	105.80	4,189.43	293.89
2/12/2020 9:00	104.30	4,186.60	293.65
2/12/2020 10:00	106.10	4,186.78	294.32
2/12/2020 11:00	107.40	4,205.45	296.02
2/12/2020 12:00	105.50	4,189.13	295.25

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
2/12/2020 13:00	105.80	4,187.47	296.04
2/12/2020 14:00	105.90	4,193.78	295.95
2/12/2020 15:00	107.40	4,203.07	295.62
2/12/2020 16:00	106.60	4,191.20	293.96
2/12/2020 17:00	105.70	4,185.20	294.14
2/12/2020 18:00	106.00	4,185.13	295.13
2/12/2020 19:00	107.00	4,185.17	297.05
2/12/2020 20:00	108.00	4,186.12	297.77
2/12/2020 21:00	109.00	4,186.78	299.06
2/12/2020 22:00	108.40	4,190.78	299.10
2/12/2020 23:00	112.20	4,235.87	300.73
2/13/2020 0:00	110.10	4,191.68	301.11
2/13/2020 1:00	109.90	4,188.21	301.54
2/13/2020 2:00	111.30	4,195.05	301.99
2/13/2020 3:00	110.40	4,195.34	302.07
2/13/2020 4:00	110.30	4,194.71	301.35
2/13/2020 5:00	110.60	4,188.92	299.88
2/13/2020 6:00	108.80	4,199.98	297.89
2/13/2020 7:00	109.00	4,193.44	299.42
2/13/2020 8:00	109.00	4,188.64	298.83
2/13/2020 9:00	109.90	4,190.65	298.18
2/13/2020 10:00	109.90	4,186.99	297.75
2/13/2020 11:00	109.90	4,186.27	297.38
2/13/2020 12:00	108.80	4,187.20	296.33
2/13/2020 13:00	110.90	4,197.14	296.00
2/13/2020 14:00	110.30	4,187.78	295.39
2/13/2020 15:00	110.00	4,188.78	294.72
2/13/2020 16:00	110.90	4,207.71	294.16
2/13/2020 17:00	115.30	4,237.84	295.37
2/13/2020 18:00	125.00	4,359.57	298.06
2/13/2020 19:00	133.10	4,479.76	300.75
2/13/2020 20:00	135.70	4,490.48	302.65
2/13/2020 21:00	135.10	4,503.48	305.36
2/13/2020 22:00	137.80	4,553.65	299.95
2/13/2020 23:00	135.90	4,532.95	294.75
2/14/2020 0:00	138.80	4,572.84	293.82
2/14/2020 1:00	142.40	4,615.76	295.77
2/14/2020 2:00	141.90	4,611.73	295.52

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
2/14/2020 3:00	141.10	4,611.13	296.31
2/14/2020 4:00	137.10	4,554.74	294.60
2/14/2020 5:00	144.20	4,637.96	295.82
2/14/2020 6:00	146.50	4,670.35	297.87
2/14/2020 7:00	156.60	4,647.21	301.10
2/14/2020 8:00	129.20	4,336.05	308.18
2/14/2020 9:00	115.60	4,207.39	309.40
2/14/2020 10:00	117.20	4,207.04	317.07
2/14/2020 11:00	117.70	4,205.65	321.98
2/14/2020 12:00	116.80	4,204.17	322.57
2/14/2020 13:00	118.70	4,285.10	320.18
2/14/2020 14:00	108.50	4,243.90	308.07
2/14/2020 15:00	111.90	4,222.84	305.85
2/14/2020 16:00	108.00	4,192.59	306.47
2/14/2020 17:00	110.40	4,191.15	305.50
2/14/2020 18:00	110.50	4,193.75	304.86
2/14/2020 19:00	108.70	4,198.40	307.00
2/14/2020 20:00	108.60	4,197.33	305.64
2/14/2020 21:00	108.70	4,196.06	305.20
2/14/2020 22:00	107.50	4,195.53	304.85
2/14/2020 23:00	109.20	4,196.44	305.14
2/15/2020 0:00	107.90	4,195.32	304.12
2/15/2020 1:00	108.10	4,194.45	303.16
2/15/2020 2:00	108.40	4,198.72	303.09
2/15/2020 3:00	107.40	4,195.21	303.36
2/15/2020 4:00	107.10	4,195.27	303.12
2/15/2020 5:00	108.20	4,198.03	303.91
2/15/2020 6:00	108.30	4,196.65	304.23
2/15/2020 7:00	108.70	4,197.29	303.08
2/15/2020 8:00	108.40	4,196.35	302.85
2/15/2020 9:00	107.80	4,195.44	303.46
2/15/2020 10:00	108.70	4,197.58	303.59
2/15/2020 11:00	109.40	4,195.70	304.22
2/15/2020 12:00	110.20	4,195.25	306.09
2/15/2020 13:00	110.90	4,196.61	307.79
2/15/2020 14:00	110.60	4,196.46	310.56
2/15/2020 15:00	110.50	4,191.78	311.60
2/15/2020 16:00	109.20	4,200.26	307.30

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
2/15/2020 17:00	110.70	4,196.54	307.30
2/15/2020 18:00	108.20	4,195.08	304.84
2/15/2020 19:00	107.90	4,198.33	303.65
2/15/2020 20:00	107.30	4,196.28	302.29
2/15/2020 21:00	108.10	4,197.46	301.80
2/15/2020 22:00	108.20	4,198.57	302.13
2/15/2020 23:00	106.90	4,195.53	302.27
2/16/2020 0:00	107.90	4,195.75	301.33
2/16/2020 1:00	108.50	4,198.30	301.63
2/16/2020 2:00	108.80	4,195.40	301.77
2/16/2020 3:00	107.90	4,195.61	301.83
2/16/2020 4:00	108.90	4,196.12	300.52
2/16/2020 5:00	108.50	4,194.28	300.30
2/16/2020 6:00	107.70	4,199.19	301.78
2/16/2020 7:00	108.70	4,196.96	302.09
2/16/2020 8:00	108.00	4,194.73	302.06
2/16/2020 9:00	108.50	4,196.48	301.72
2/16/2020 10:00	108.90	4,197.43	301.98
2/16/2020 11:00	108.80	4,196.44	304.44
2/16/2020 12:00	108.60	4,198.99	305.48
2/16/2020 13:00	109.80	4,195.81	306.85
2/16/2020 14:00	109.50	4,197.98	307.87
2/16/2020 15:00	108.50	4,195.60	307.95
2/16/2020 16:00	108.80	4,198.72	306.82
2/16/2020 17:00	110.20	4,197.90	307.29
2/16/2020 18:00	108.90	4,195.59	305.54
2/16/2020 19:00	108.80	4,197.53	305.37
2/16/2020 20:00	110.90	4,196.95	304.96
2/16/2020 21:00	109.50	4,196.83	304.74
2/16/2020 22:00	109.70	4,197.13	304.75
2/16/2020 23:00	110.10	4,198.09	305.08
2/17/2020 0:00	110.90	4,197.51	304.69
2/17/2020 1:00	111.50	4,197.76	304.66
2/17/2020 2:00	111.90	4,199.69	304.25
2/17/2020 3:00	111.00	4,196.86	303.92
2/17/2020 4:00	111.90	4,197.67	303.27
2/17/2020 5:00	112.00	4,197.75	301.85
2/17/2020 6:00	111.30	4,193.43	301.64

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
2/17/2020 7:00	111.40	4,197.46	301.74
2/17/2020 8:00	111.40	4,196.72	302.21
2/17/2020 9:00	112.20	4,198.44	303.04
2/17/2020 10:00	110.30	4,194.71	301.90
2/17/2020 11:00	110.80	4,197.28	303.06
2/17/2020 12:00	110.50	4,198.11	303.85
2/17/2020 13:00	110.90	4,197.89	305.41
2/17/2020 14:00	110.50	4,196.82	306.58
2/17/2020 15:00	110.50	4,194.69	307.64
2/17/2020 16:00	110.20	4,198.63	307.84
2/17/2020 17:00	109.50	4,194.94	308.27
2/17/2020 18:00	110.20	4,196.00	306.78
2/17/2020 19:00	110.80	4,196.19	307.66
2/17/2020 20:00	111.50	4,196.99	307.43
2/17/2020 21:00	112.70	4,200.70	306.85
2/17/2020 22:00	112.00	4,195.83	307.33
2/17/2020 23:00	111.90	4,195.99	306.46
2/18/2020 0:00	112.60	4,194.51	305.35
2/18/2020 1:00	112.30	4,195.71	305.33
2/18/2020 2:00	112.30	4,196.83	305.31
2/18/2020 3:00	113.30	4,196.16	304.79
2/18/2020 4:00	113.00	4,193.90	304.48
2/18/2020 5:00	112.70	4,197.49	303.47
2/18/2020 6:00	113.50	4,197.05	303.00
2/18/2020 7:00	113.50	4,199.26	302.26
2/18/2020 8:00	112.00	4,190.40	300.90
2/18/2020 9:00	112.40	4,195.58	300.30
2/18/2020 10:00	112.40	4,197.30	299.20
2/18/2020 11:00	112.20	4,195.70	299.77
2/18/2020 12:00	112.40	4,195.62	299.55
2/18/2020 13:00	112.60	4,196.82	299.71
2/18/2020 14:00	112.30	4,196.71	299.84
2/18/2020 15:00	113.00	4,195.26	299.65
2/18/2020 16:00	112.30	4,195.96	299.51
2/18/2020 17:00	113.00	4,198.75	300.75
2/18/2020 18:00	111.70	4,197.96	300.36
2/18/2020 19:00	112.30	4,196.77	299.62
2/18/2020 20:00	111.90	4,195.11	299.75

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
2/18/2020 21:00	112.70	4,195.74	300.31
2/18/2020 22:00	112.30	4,194.71	300.29
2/18/2020 23:00	112.80	4,195.60	300.03
2/19/2020 0:00	143.20	4,541.76	305.84
2/19/2020 1:00	207.30	5,261.17	325.24
2/19/2020 2:00	222.50	5,262.12	331.93
2/19/2020 3:00	216.60	5,261.61	333.80
2/19/2020 4:00	214.90	5,260.59	330.62
2/19/2020 5:00	218.30	5,263.12	332.04
2/19/2020 6:00	212.30	5,260.92	326.61
2/19/2020 7:00	204.90	5,262.12	324.38
2/19/2020 8:00	203.70	5,260.03	322.54
2/19/2020 9:00	203.30	5,262.94	321.83
2/19/2020 10:00	203.40	5,261.85	321.89
2/19/2020 11:00	201.70	5,263.85	321.11
2/19/2020 12:00	200.30	5,261.70	320.12
2/19/2020 13:00	201.90	5,260.79	321.20
2/19/2020 14:00	202.20	5,263.15	321.37
2/19/2020 15:00	198.40	5,207.79	322.02
2/19/2020 16:00	97.70	4,104.33	297.29
4/24/2020 10:00	3.00	3,156.29	337.52
9/21/2020 3:00	13.70	3,438.94	278.14
9/21/2020 7:00	18.70	3,482.73	275.73
9/21/2020 8:00	97.20	4,177.70	288.45
9/21/2020 9:00	99.20	4,223.48	296.00
9/21/2020 10:00	107.90	4,290.25	298.06
9/21/2020 11:00	99.30	4,188.81	293.84
9/21/2020 12:00	97.20	4,188.53	294.15
9/21/2020 13:00	96.20	4,187.26	296.80
9/21/2020 14:00	100.00	4,188.67	298.70
9/21/2020 15:00	100.70	4,188.36	299.24
9/21/2020 16:00	97.40	4,186.11	300.26
9/21/2020 17:00	77.40	4,115.96	300.96
9/22/2020 19:00	99.90	4,267.80	291.75
9/22/2020 20:00	115.30	4,290.13	293.11
9/22/2020 21:00	115.10	4,288.09	292.42
9/22/2020 22:00	113.70	4,286.67	293.99
9/22/2020 23:00	113.80	4,289.26	294.70

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
9/23/2020 0:00	114.80	4,291.18	296.64
9/23/2020 1:00	115.10	4,291.78	296.43
9/23/2020 2:00	114.60	4,306.78	296.49
9/23/2020 3:00	113.60	4,291.04	295.58
9/23/2020 4:00	116.50	4,287.20	294.95
9/23/2020 5:00	112.10	4,291.23	293.17
9/23/2020 6:00	112.90	4,287.27	292.87
9/23/2020 7:00	112.30	4,289.70	295.65
9/23/2020 8:00	113.00	4,311.14	299.88
9/23/2020 9:00	113.10	4,292.46	300.13
9/23/2020 10:00	114.40	4,284.09	298.86
9/23/2020 11:00	116.50	4,286.64	298.40
9/23/2020 12:00	124.10	4,325.81	296.32
9/23/2020 13:00	121.50	4,356.18	295.39
9/23/2020 14:00	113.10	4,335.79	301.05
9/23/2020 15:00	171.10	4,999.32	312.78
9/23/2020 16:00	134.40	4,655.25	308.22
9/23/2020 17:00	103.40	4,297.76	297.89
9/23/2020 18:00	99.80	4,298.67	295.51
9/23/2020 19:00	96.30	4,298.82	295.23
9/23/2020 20:00	93.50	4,301.56	294.69
9/23/2020 21:00	95.20	4,294.46	297.54
9/23/2020 22:00	96.60	4,300.01	300.01
9/23/2020 23:00	94.90	4,299.26	299.50
9/24/2020 0:00	94.60	4,296.43	299.16
9/24/2020 1:00	95.70	4,296.25	299.12
9/24/2020 2:00	95.70	4,299.14	299.59
9/24/2020 3:00	94.80	4,299.12	297.28
9/24/2020 4:00	98.00	4,298.14	296.57
9/24/2020 5:00	98.60	4,298.08	295.70
9/24/2020 6:00	99.50	4,299.36	296.35
9/24/2020 7:00	102.20	4,304.03	300.61
9/24/2020 8:00	101.90	4,298.59	302.55
9/24/2020 9:00	102.60	4,300.48	302.34
9/24/2020 10:00	100.80	4,300.15	301.42
9/24/2020 11:00	103.20	4,301.08	301.24
9/24/2020 12:00	105.50	4,303.62	303.05
9/24/2020 13:00	107.00	4,300.89	302.30

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
9/24/2020 14:00	106.10	4,299.62	302.16
9/24/2020 15:00	108.50	4,298.38	303.16
9/24/2020 16:00	110.40	4,300.14	304.41
9/24/2020 17:00	185.30	5,169.36	321.21
9/24/2020 18:00	195.50	5,260.75	325.66
9/24/2020 19:00	198.70	5,264.95	323.04
9/24/2020 20:00	198.70	5,263.76	321.85
9/24/2020 21:00	199.80	5,263.24	321.63
9/24/2020 22:00	201.20	5,261.85	319.88
9/24/2020 23:00	162.00	4,816.18	312.82
9/25/2020 0:00	117.80	4,301.17	295.03
9/25/2020 1:00	117.20	4,298.44	292.48
9/25/2020 2:00	117.20	4,299.39	291.97
9/25/2020 3:00	158.10	4,762.36	299.13
9/25/2020 4:00	126.50	4,390.79	301.73
9/25/2020 5:00	122.50	4,351.88	298.26
9/25/2020 6:00	139.70	4,543.68	303.63
9/25/2020 7:00	136.60	4,497.78	305.70
9/25/2020 8:00	122.90	4,337.56	301.16
9/25/2020 9:00	113.80	4,256.41	298.11
9/25/2020 10:00	111.00	4,257.00	297.52
9/25/2020 11:00	109.60	4,254.98	298.23
9/25/2020 12:00	107.40	4,257.62	298.84
9/25/2020 13:00	105.70	4,256.21	298.72
9/25/2020 14:00	103.60	4,254.34	299.47
9/25/2020 15:00	102.20	4,256.71	299.01
9/25/2020 16:00	100.90	4,255.83	299.12
9/25/2020 17:00	99.40	4,257.82	299.35
9/25/2020 18:00	97.70	4,257.24	299.42
9/25/2020 19:00	97.80	4,262.82	298.85
9/25/2020 20:00	96.00	4,258.24	300.05
9/25/2020 21:00	96.10	4,258.47	298.58
9/25/2020 22:00	96.50	4,259.44	299.31
9/25/2020 23:00	95.70	4,259.91	298.23
9/26/2020 0:00	95.80	4,255.65	299.27
9/26/2020 1:00	95.70	4,259.17	299.89
9/26/2020 2:00	95.40	4,257.86	299.58
9/26/2020 3:00	94.30	4,256.23	300.10

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
9/26/2020 4:00	94.20	4,257.44	299.83
9/26/2020 5:00	93.80	4,255.62	301.24
9/26/2020 6:00	94.00	4,260.29	301.27
9/26/2020 7:00	94.70	4,260.08	300.22
9/26/2020 8:00	94.30	4,257.82	301.56
9/26/2020 9:00	95.30	4,256.09	301.64
9/26/2020 10:00	93.80	4,255.46	302.82
9/26/2020 11:00	93.20	4,257.94	302.38
9/26/2020 12:00	93.80	4,258.86	301.96
9/26/2020 13:00	92.80	4,257.76	301.58
9/26/2020 14:00	67.30	4,025.58	302.09
9/29/2020 15:00	5.80	3,293.97	303.85
9/29/2020 16:00	81.60	4,191.54	318.11
9/29/2020 17:00	80.40	4,190.15	319.59
9/29/2020 18:00	79.70	4,189.59	322.48
9/29/2020 19:00	79.80	4,189.25	327.85
9/29/2020 20:00	79.60	4,189.99	327.96
9/29/2020 21:00	78.50	4,190.68	328.30
9/29/2020 22:00	79.90	4,188.37	328.29
9/29/2020 23:00	80.50	4,190.52	327.64
9/30/2020 0:00	90.60	4,361.18	328.62
9/30/2020 1:00	111.20	4,691.75	333.35
9/30/2020 2:00	110.40	4,692.52	333.88
9/30/2020 3:00	110.40	4,691.50	333.90
9/30/2020 4:00	110.00	4,690.97	333.96
9/30/2020 5:00	110.20	4,690.19	333.54
9/30/2020 6:00	109.10	4,690.03	332.90
9/30/2020 7:00	109.40	4,690.62	332.57
9/30/2020 8:00	110.00	4,689.18	332.81
9/30/2020 9:00	108.70	4,690.67	333.74
9/30/2020 10:00	110.80	4,691.31	333.62
9/30/2020 11:00	112.80	4,691.07	333.95
9/30/2020 12:00	118.80	4,763.01	334.94
9/30/2020 13:00	131.60	4,874.36	340.46
9/30/2020 14:00	111.90	4,523.83	334.68
9/30/2020 15:00	112.00	4,485.09	333.85
9/30/2020 16:00	114.20	4,487.71	334.02
9/30/2020 17:00	105.50	4,336.30	330.58

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
9/30/2020 18:00	105.00	4,312.92	330.30
9/30/2020 19:00	104.00	4,314.20	329.86
9/30/2020 20:00	103.90	4,314.85	330.21
9/30/2020 21:00	105.30	4,311.12	330.26
9/30/2020 22:00	107.00	4,314.87	330.75
9/30/2020 23:00	107.70	4,312.31	330.80
10/1/2020 0:00	108.60	4,315.41	330.69
10/1/2020 1:00	123.90	4,508.47	331.92
10/1/2020 2:00	129.30	4,555.10	333.69
10/1/2020 3:00	128.00	4,553.76	331.84
10/1/2020 4:00	130.50	4,555.90	331.16
10/1/2020 5:00	128.00	4,555.87	331.35
10/1/2020 6:00	131.00	4,555.30	330.96
10/1/2020 7:00	108.40	4,291.29	328.46
10/1/2020 8:00	110.00	4,277.79	329.28
10/1/2020 9:00	109.30	4,277.39	330.14
10/1/2020 10:00	109.70	4,276.33	331.12
10/1/2020 11:00	110.70	4,276.61	332.64
10/1/2020 12:00	106.50	4,276.76	331.71
10/1/2020 13:00	103.90	4,274.36	331.51
10/1/2020 14:00	100.10	4,274.03	330.96
10/1/2020 15:00	98.00	4,275.96	330.32
10/1/2020 16:00	97.20	4,279.12	331.38
10/1/2020 17:00	96.00	4,275.36	331.05
10/1/2020 18:00	97.30	4,279.80	330.68
10/1/2020 19:00	95.10	4,274.13	330.54
10/1/2020 20:00	96.90	4,277.94	331.08
10/1/2020 21:00	98.10	4,277.90	331.23
10/1/2020 22:00	94.20	4,267.73	329.96
10/1/2020 23:00	101.40	4,345.29	330.79
10/2/2020 0:00	110.50	4,480.14	332.49
10/2/2020 1:00	111.70	4,479.84	331.20
10/2/2020 2:00	113.60	4,483.09	329.64
10/2/2020 3:00	115.50	4,480.64	328.51
10/2/2020 4:00	117.00	4,480.45	328.44
10/2/2020 5:00	116.50	4,484.76	329.06
10/2/2020 6:00	93.30	4,175.64	329.72
10/2/2020 7:00	96.00	4,291.23	329.53

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/2/2020 8:00	100.00	4,360.57	331.22
10/2/2020 9:00	101.50	4,357.13	332.93
10/2/2020 10:00	101.70	4,365.98	334.30
10/2/2020 11:00	101.40	4,357.45	332.89
10/2/2020 12:00	104.60	4,356.19	333.99
10/2/2020 13:00	102.90	4,354.60	334.41
10/2/2020 14:00	100.40	4,357.07	335.05
10/2/2020 15:00	99.80	4,357.70	335.81
10/2/2020 16:00	106.40	4,466.25	336.87
10/2/2020 17:00	110.30	4,498.52	335.47
10/2/2020 18:00	114.20	4,499.82	336.53
10/2/2020 19:00	115.90	4,500.33	336.72
10/2/2020 20:00	107.40	4,499.02	335.51
10/2/2020 21:00	107.20	4,498.76	333.95
10/2/2020 22:00	116.80	4,660.20	333.75
10/2/2020 23:00	117.60	4,671.72	335.27
10/3/2020 0:00	110.30	4,565.89	335.89
10/3/2020 1:00	106.90	4,497.44	333.68
10/3/2020 2:00	107.50	4,490.75	333.45
10/3/2020 3:00	97.70	4,404.83	334.76
10/3/2020 4:00	95.80	4,308.73	331.12
10/3/2020 5:00	7.20	3,295.13	332.13
10/16/2020 12:00	65.40	4,036.35	322.90
10/16/2020 13:00	84.10	4,186.12	330.06
10/16/2020 14:00	87.00	4,189.36	332.01
10/16/2020 15:00	101.50	4,386.14	332.86
10/16/2020 16:00	110.30	4,463.61	332.01
10/16/2020 17:00	113.40	4,466.05	330.67
10/16/2020 18:00	116.80	4,461.39	330.02
10/16/2020 19:00	114.70	4,467.79	334.31
10/16/2020 20:00	112.00	4,463.83	334.36
10/16/2020 21:00	115.80	4,462.02	333.68
10/16/2020 22:00	117.50	4,459.87	331.69
10/16/2020 23:00	119.70	4,461.72	329.94
10/17/2020 0:00	115.10	4,466.31	333.50
10/17/2020 1:00	112.50	4,460.98	332.14
10/17/2020 2:00	111.00	4,462.76	332.63
10/17/2020 3:00	105.50	4,364.32	331.54

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
10/17/2020 4:00	100.60	4,288.92	331.93
10/17/2020 5:00	101.40	4,290.93	332.64
10/17/2020 6:00	101.60	4,290.54	332.75
10/17/2020 7:00	104.10	4,290.35	331.09
10/17/2020 8:00	100.50	4,289.74	328.78
10/17/2020 9:00	100.70	4,294.19	329.04
10/17/2020 10:00	100.90	4,287.96	330.67
10/17/2020 11:00	98.80	4,289.16	331.60
10/17/2020 12:00	97.80	4,291.53	332.57
10/17/2020 13:00	97.50	4,291.52	332.32
10/17/2020 14:00	97.60	4,290.77	332.80
10/17/2020 15:00	99.20	4,289.77	333.39
10/17/2020 16:00	98.10	4,289.13	332.90
10/17/2020 17:00	95.80	4,291.21	332.02
10/17/2020 18:00	94.80	4,286.98	331.49
10/17/2020 19:00	108.70	4,458.92	331.09
10/17/2020 20:00	110.70	4,464.07	331.47
10/17/2020 21:00	119.70	4,624.18	332.57
10/17/2020 22:00	122.50	4,669.11	332.45
10/17/2020 23:00	126.20	4,665.17	332.63
10/18/2020 0:00	121.60	4,674.36	335.45
10/18/2020 1:00	121.20	4,671.05	331.42
10/18/2020 2:00	126.40	4,742.29	332.52
10/18/2020 3:00	133.60	4,837.26	334.66
10/18/2020 4:00	133.60	4,843.47	335.14
10/18/2020 5:00	133.50	4,843.54	335.76
10/18/2020 6:00	134.20	4,840.62	333.85
10/18/2020 7:00	142.60	4,821.92	330.35
10/18/2020 8:00	134.50	4,779.00	333.02
10/18/2020 9:00	129.40	4,773.24	333.76
10/18/2020 10:00	142.40	4,771.59	333.49
10/18/2020 11:00	144.50	4,771.42	334.63
10/18/2020 12:00	131.80	4,781.50	339.86
10/18/2020 13:00	131.70	4,774.14	340.27
10/18/2020 14:00	134.80	4,773.83	340.85
10/18/2020 15:00	136.60	4,775.96	340.64
10/18/2020 16:00	132.80	4,792.84	338.33
10/18/2020 17:00	133.10	4,777.44	335.59

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/18/2020 18:00	133.60	4,774.10	335.55
10/18/2020 19:00	134.40	4,771.80	334.13
10/18/2020 20:00	125.40	4,614.16	335.00
10/18/2020 21:00	97.00	4,232.84	331.59
10/18/2020 22:00	106.70	4,355.86	331.95
10/18/2020 23:00	107.70	4,363.14	332.22
10/19/2020 0:00	107.40	4,361.84	334.27
10/19/2020 1:00	105.70	4,360.95	333.82
10/19/2020 2:00	106.10	4,364.41	330.44
10/19/2020 3:00	107.30	4,362.60	332.46
10/19/2020 4:00	107.80	4,360.15	330.87
10/19/2020 5:00	106.30	4,360.37	330.39
10/19/2020 6:00	109.10	4,363.55	330.60
10/19/2020 7:00	111.00	4,361.62	330.50
10/19/2020 8:00	112.10	4,363.69	330.90
10/19/2020 9:00	112.90	4,358.61	331.72
10/19/2020 10:00	141.30	4,754.84	334.81
10/19/2020 11:00	139.30	4,841.58	342.03
10/19/2020 12:00	140.60	4,847.30	348.54
10/19/2020 13:00	139.90	4,844.82	347.49
10/19/2020 14:00	141.90	4,842.82	343.77
10/19/2020 15:00	142.60	4,845.82	341.17
10/19/2020 16:00	142.80	4,842.06	338.98
10/19/2020 17:00	140.70	4,843.51	336.29
10/19/2020 18:00	141.30	4,845.48	340.40
10/19/2020 19:00	139.30	4,840.81	343.43
10/19/2020 20:00	138.50	4,842.93	339.21
10/19/2020 21:00	140.00	4,843.49	340.11
10/19/2020 22:00	140.80	4,843.57	341.16
10/19/2020 23:00	140.30	4,843.94	341.20
10/20/2020 0:00	137.50	4,844.61	340.75
10/20/2020 1:00	136.70	4,844.98	339.59
10/20/2020 2:00	136.60	4,845.07	338.58
10/20/2020 3:00	136.80	4,843.08	339.40
10/20/2020 4:00	138.10	4,841.19	338.79
10/20/2020 5:00	136.40	4,845.11	337.69
10/20/2020 6:00	139.70	4,843.50	336.39
10/20/2020 7:00	141.10	4,842.50	334.20

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
10/20/2020 8:00	141.60	4,843.65	333.97
10/20/2020 9:00	141.50	4,840.81	335.25
10/20/2020 10:00	139.60	4,842.48	337.09
10/20/2020 11:00	139.60	4,841.94	341.23
10/20/2020 12:00	140.30	4,841.48	341.82
10/20/2020 13:00	139.80	4,839.60	340.54
10/20/2020 14:00	141.90	4,844.62	340.62
10/20/2020 15:00	141.30	4,841.08	340.27
10/20/2020 16:00	142.70	4,841.23	341.71
10/20/2020 17:00	143.30	4,843.65	340.92
10/20/2020 18:00	144.30	4,843.63	341.06
10/20/2020 19:00	145.80	4,841.92	341.81
10/20/2020 20:00	145.50	4,843.03	341.98
10/20/2020 21:00	145.20	4,845.25	341.75
10/20/2020 22:00	144.80	4,842.52	341.52
10/20/2020 23:00	143.80	4,843.91	340.06
10/21/2020 0:00	143.60	4,843.51	340.48
10/21/2020 1:00	144.40	4,842.24	339.32
10/21/2020 2:00	144.40	4,841.69	339.04
10/21/2020 3:00	143.80	4,838.72	338.33
10/21/2020 4:00	144.40	4,842.57	337.29
10/21/2020 5:00	143.30	4,841.95	337.11
10/21/2020 6:00	143.40	4,841.95	337.66
10/21/2020 7:00	143.60	4,846.03	336.50
10/21/2020 8:00	143.50	4,843.42	336.04
10/21/2020 9:00	144.50	4,846.02	338.34
10/21/2020 10:00	144.50	4,844.37	339.91
10/21/2020 11:00	143.20	4,843.04	341.04
10/21/2020 12:00	142.00	4,843.91	338.96
10/21/2020 13:00	139.90	4,844.64	338.62
10/21/2020 14:00	142.10	4,842.62	341.10
10/21/2020 15:00	141.60	4,843.64	340.82
10/21/2020 16:00	142.00	4,841.10	340.32
10/21/2020 17:00	143.40	4,844.11	339.71
10/21/2020 18:00	141.80	4,844.76	336.44
10/21/2020 19:00	141.60	4,844.08	335.39
10/21/2020 20:00	140.80	4,843.95	336.64
10/21/2020 21:00	142.10	4,841.34	336.38

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
10/21/2020 22:00	142.10	4,840.64	337.28
10/21/2020 23:00	142.90	4,844.01	337.05
10/22/2020 0:00	142.30	4,843.02	336.27
10/22/2020 1:00	141.30	4,842.86	335.48
10/22/2020 2:00	141.10	4,842.15	335.84
10/22/2020 3:00	142.20	4,843.49	336.46
10/22/2020 4:00	142.80	4,838.53	336.32
10/22/2020 5:00	143.70	4,839.23	335.62
10/22/2020 6:00	144.50	4,845.58	335.95
10/22/2020 7:00	145.40	4,844.05	336.31
10/22/2020 8:00	145.00	4,843.59	338.97
10/22/2020 9:00	144.60	4,842.26	340.10
10/22/2020 10:00	145.30	4,841.88	340.56
10/22/2020 11:00	145.20	4,843.79	341.12
10/22/2020 12:00	145.90	4,844.08	341.89
10/22/2020 13:00	147.00	4,844.10	341.74
10/22/2020 14:00	145.20	4,842.03	342.85
10/22/2020 15:00	144.70	4,842.80	342.01
10/22/2020 16:00	145.80	4,844.18	341.32
10/22/2020 17:00	145.30	4,844.08	340.61
10/22/2020 18:00	145.00	4,845.26	338.05
10/22/2020 19:00	145.80	4,843.88	338.17
10/22/2020 20:00	145.70	4,842.93	338.41
10/22/2020 21:00	146.30	4,841.03	338.35
10/22/2020 22:00	145.90	4,846.03	339.46
10/22/2020 23:00	145.70	4,841.46	339.63
10/23/2020 0:00	146.40	4,844.25	339.32
10/23/2020 1:00	145.10	4,840.84	338.53
10/23/2020 2:00	146.40	4,842.61	338.41
10/23/2020 3:00	145.60	4,843.66	337.77
10/23/2020 4:00	146.10	4,843.21	336.81
10/23/2020 5:00	145.40	4,841.76	337.02
10/23/2020 6:00	146.30	4,843.75	337.44
10/23/2020 7:00	146.00	4,841.60	337.17
10/23/2020 8:00	146.00	4,842.81	337.48
10/23/2020 9:00	146.10	4,844.20	338.44
10/23/2020 10:00	146.00	4,842.70	339.17
10/23/2020 11:00	145.10	4,843.16	338.84

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/23/2020 12:00	146.90	4,843.78	338.22
10/23/2020 13:00	146.20	4,842.58	339.00
10/23/2020 14:00	144.40	4,842.07	340.03
10/23/2020 15:00	145.30	4,842.44	341.40
10/23/2020 16:00	146.20	4,845.48	340.67
10/23/2020 17:00	145.90	4,843.17	339.75
10/23/2020 18:00	145.80	4,843.20	339.88
10/23/2020 19:00	144.70	4,843.29	340.14
10/23/2020 20:00	145.20	4,844.08	339.93
10/23/2020 21:00	145.40	4,842.60	339.59
10/23/2020 22:00	143.90	4,843.40	340.07
10/23/2020 23:00	145.90	4,842.20	339.89
10/24/2020 0:00	145.60	4,842.70	340.06
10/24/2020 1:00	145.90	4,844.32	339.22
10/24/2020 2:00	145.60	4,844.14	338.38
10/24/2020 3:00	144.70	4,842.67	338.53
10/24/2020 4:00	145.70	4,842.12	338.58
10/24/2020 5:00	146.00	4,843.52	338.64
10/24/2020 6:00	144.60	4,842.36	337.78
10/24/2020 7:00	144.40	4,844.82	338.61
10/24/2020 8:00	144.40	4,842.89	339.02
10/24/2020 9:00	145.80	4,843.67	339.06
10/24/2020 10:00	144.60	4,842.55	339.98
10/24/2020 11:00	145.20	4,842.74	340.24
10/24/2020 12:00	145.50	4,844.41	339.65
10/24/2020 13:00	144.90	4,844.49	339.29
10/24/2020 14:00	144.60	4,841.47	340.67
10/24/2020 15:00	145.70	4,842.98	341.94
10/24/2020 16:00	143.30	4,842.61	340.17
10/24/2020 17:00	143.20	4,844.31	337.64
10/24/2020 18:00	144.90	4,841.31	336.10
10/24/2020 19:00	146.90	4,838.94	333.29
10/24/2020 20:00	144.30	4,846.28	337.26
10/24/2020 21:00	142.50	4,843.35	338.98
10/24/2020 22:00	142.00	4,846.34	337.71
10/24/2020 23:00	142.40	4,840.68	337.72
10/25/2020 0:00	141.00	4,844.18	336.63
10/25/2020 1:00	141.00	4,842.48	336.68

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
10/25/2020 2:00	141.70	4,842.91	337.03
10/25/2020 3:00	140.70	4,843.74	337.17
10/25/2020 4:00	139.70	4,844.47	337.07
10/25/2020 5:00	139.70	4,843.55	337.80
10/25/2020 6:00	140.50	4,841.71	338.98
10/25/2020 7:00	140.60	4,843.89	339.05
10/25/2020 8:00	141.00	4,843.99	338.67
10/25/2020 9:00	140.00	4,844.81	337.80
10/25/2020 10:00	140.90	4,845.46	339.54
10/25/2020 11:00	141.30	4,839.88	340.08
10/25/2020 12:00	140.80	4,842.47	340.63
10/25/2020 13:00	141.00	4,840.88	340.37
10/25/2020 14:00	141.90	4,843.80	340.72
10/25/2020 15:00	140.50	4,846.02	341.42
10/25/2020 16:00	141.30	4,845.37	340.44
10/25/2020 17:00	141.10	4,842.81	340.62
10/25/2020 18:00	141.60	4,847.18	341.47
10/25/2020 19:00	141.30	4,844.14	340.30
10/25/2020 20:00	141.00	4,843.93	338.01
10/25/2020 21:00	142.30	4,843.73	338.04
10/25/2020 22:00	143.40	4,844.09	338.24
10/25/2020 23:00	142.30	4,844.17	337.48
10/26/2020 0:00	141.70	4,845.67	337.25
10/26/2020 1:00	141.20	4,845.58	336.78
10/26/2020 2:00	143.10	4,839.79	335.89
10/26/2020 3:00	143.10	4,845.28	335.29
10/26/2020 4:00	142.80	4,845.79	336.10
10/26/2020 5:00	141.60	4,841.28	336.63
10/26/2020 6:00	143.70	4,843.94	337.22
10/26/2020 7:00	143.80	4,841.95	337.27
10/26/2020 8:00	143.80	4,844.02	336.96
10/26/2020 9:00	141.60	4,844.44	337.09
10/26/2020 10:00	141.10	4,843.79	337.59
10/26/2020 11:00	142.40	4,843.01	337.28
10/26/2020 12:00	142.30	4,841.78	336.98
10/26/2020 13:00	140.80	4,840.76	338.01
10/26/2020 14:00	141.30	4,842.56	337.82
10/26/2020 15:00	141.20	4,843.00	338.20

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/26/2020 16:00	142.00	4,844.59	337.80
10/26/2020 17:00	141.40	4,841.95	337.02
10/26/2020 18:00	140.70	4,843.98	336.77
10/26/2020 19:00	140.70	4,840.36	336.85
10/26/2020 20:00	141.50	4,842.86	336.61
10/26/2020 21:00	141.00	4,839.95	337.58
10/26/2020 22:00	140.40	4,845.38	337.66
10/26/2020 23:00	141.70	4,846.10	337.89
10/27/2020 0:00	141.80	4,844.44	336.67
10/27/2020 1:00	141.80	4,841.22	336.32
10/27/2020 2:00	141.10	4,841.68	337.06
10/27/2020 3:00	141.30	4,843.01	336.76
10/27/2020 4:00	141.80	4,841.63	336.32
10/27/2020 5:00	141.90	4,850.62	336.27
10/27/2020 6:00	174.90	5,280.87	344.75
10/27/2020 7:00	175.80	5,255.55	346.32
10/27/2020 8:00	180.50	5,256.99	347.63
10/27/2020 9:00	192.30	5,255.02	354.05
10/27/2020 10:00	196.90	5,255.86	355.12
10/27/2020 11:00	194.20	5,257.27	355.06
10/27/2020 12:00	194.90	5,254.03	355.64
10/27/2020 13:00	190.80	5,254.48	355.38
10/27/2020 14:00	198.40	5,257.47	356.06
10/27/2020 15:00	195.80	5,255.67	355.56
10/27/2020 16:00	199.10	5,254.82	356.44
10/27/2020 17:00	196.40	5,255.90	354.45
10/27/2020 18:00	195.10	5,254.71	354.57
10/27/2020 19:00	201.40	5,254.55	355.09
10/27/2020 20:00	199.60	5,257.30	352.61
10/27/2020 21:00	201.00	5,251.81	352.37
10/27/2020 22:00	205.60	5,254.70	353.11
10/27/2020 23:00	201.40	5,258.21	351.63
10/28/2020 0:00	203.60	5,256.25	352.65
10/28/2020 1:00	207.80	5,255.82	352.14
10/28/2020 2:00	206.40	5,258.40	351.60
10/28/2020 3:00	203.70	5,253.59	351.81
10/28/2020 4:00	207.40	5,255.06	352.99
10/28/2020 5:00	206.30	5,257.73	350.80

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/28/2020 6:00	199.80	5,259.95	350.05
10/28/2020 7:00	205.00	5,256.32	351.14
10/28/2020 8:00	211.10	5,257.74	352.54
10/28/2020 9:00	203.20	5,255.31	351.08
10/28/2020 10:00	208.00	5,256.18	352.94
10/28/2020 11:00	210.30	5,253.26	352.84
10/28/2020 12:00	209.60	5,255.41	352.97
10/28/2020 13:00	210.40	5,257.01	354.16
10/28/2020 14:00	204.80	5,255.02	351.99
10/28/2020 15:00	206.60	5,254.73	353.30
10/28/2020 16:00	202.40	5,255.15	353.04
10/28/2020 17:00	203.50	5,257.00	352.71
10/28/2020 18:00	201.50	5,258.79	351.55
10/28/2020 19:00	204.10	5,254.20	351.70
10/28/2020 20:00	204.70	5,257.21	351.43
10/28/2020 21:00	202.30	5,254.36	350.02
10/28/2020 22:00	199.90	5,257.81	349.45
10/28/2020 23:00	203.80	5,253.40	349.49
10/29/2020 0:00	201.40	5,258.47	350.18
10/29/2020 1:00	200.90	5,254.87	349.88
10/29/2020 2:00	201.00	5,258.55	349.93
10/29/2020 3:00	199.30	5,257.13	349.50
10/29/2020 4:00	198.10	5,255.49	349.22
10/29/2020 5:00	199.30	5,252.80	347.07
10/29/2020 6:00	200.30	5,256.12	348.51
10/29/2020 7:00	197.30	5,254.15	346.02
10/29/2020 8:00	199.70	5,256.29	347.49
10/29/2020 9:00	184.20	5,257.47	340.53
10/29/2020 10:00	179.50	5,253.55	340.11
10/29/2020 11:00	180.00	5,256.45	341.50
10/29/2020 12:00	180.10	5,256.99	341.58
10/29/2020 13:00	180.70	5,255.51	341.17
10/29/2020 14:00	180.00	5,254.81	341.59
10/29/2020 15:00	175.10	5,200.84	341.64
10/29/2020 16:00	152.10	4,897.10	337.87
10/29/2020 17:00	152.40	4,900.21	336.10
10/29/2020 18:00	151.90	4,898.96	336.39
10/29/2020 19:00	153.00	4,899.42	335.45

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/29/2020 20:00	152.00	4,900.27	334.72
10/29/2020 21:00	152.80	4,897.73	335.01
10/29/2020 22:00	154.40	4,898.42	334.21
10/29/2020 23:00	150.40	4,898.28	334.43
10/30/2020 0:00	150.50	4,902.12	335.48
10/30/2020 1:00	151.90	4,896.44	334.21
10/30/2020 2:00	152.10	4,896.95	333.54
10/30/2020 3:00	153.20	4,899.53	332.55
10/30/2020 4:00	153.80	4,896.15	332.01
10/30/2020 5:00	156.20	4,896.31	330.76
10/30/2020 6:00	156.80	4,898.52	331.56
10/30/2020 7:00	157.60	4,919.03	331.29
10/30/2020 8:00	206.10	5,240.51	343.97
10/30/2020 9:00	206.10	5,244.49	344.09
10/30/2020 10:00	201.80	5,240.59	342.44
10/30/2020 11:00	213.00	5,242.26	344.55
10/30/2020 12:00	211.80	5,239.66	345.84
10/30/2020 13:00	208.40	5,243.98	345.68
10/30/2020 14:00	213.30	5,242.23	345.79
10/30/2020 15:00	214.70	5,242.31	345.30
10/30/2020 16:00	218.60	5,243.40	346.01
10/30/2020 17:00	216.70	5,239.11	348.74
10/30/2020 18:00	216.00	5,241.73	349.33
10/30/2020 19:00	199.40	5,240.19	342.10
10/30/2020 20:00	191.90	5,242.89	334.31
10/30/2020 21:00	190.80	5,239.86	333.10
10/30/2020 22:00	191.40	5,240.74	332.98
10/30/2020 23:00	191.80	5,244.15	333.12
10/31/2020 0:00	191.10	5,244.90	333.62
10/31/2020 1:00	205.40	5,241.76	340.33
10/31/2020 2:00	217.80	5,242.47	343.39
10/31/2020 3:00	216.10	5,243.79	342.03
10/31/2020 4:00	210.30	5,239.23	342.14
10/31/2020 5:00	212.90	5,241.43	342.77
10/31/2020 6:00	210.50	5,241.88	342.00
10/31/2020 7:00	210.60	5,241.38	341.51
10/31/2020 8:00	214.00	5,241.83	344.05
10/31/2020 9:00	207.30	5,243.81	344.57

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/31/2020 10:00	202.70	5,244.75	344.47
10/31/2020 11:00	203.60	5,242.23	345.03
10/31/2020 12:00	206.20	5,242.04	345.72
10/31/2020 13:00	200.30	5,244.85	346.07
10/31/2020 14:00	203.10	5,243.17	348.19
10/31/2020 15:00	207.20	5,245.17	348.74
10/31/2020 16:00	195.10	5,239.92	347.40
10/31/2020 17:00	199.70	5,245.16	348.36
10/31/2020 18:00	199.40	5,244.01	346.46
10/31/2020 19:00	195.50	5,242.92	345.23
10/31/2020 20:00	194.00	5,240.89	344.44
10/31/2020 21:00	193.70	5,245.38	344.07
10/31/2020 22:00	191.00	5,240.52	343.70
10/31/2020 23:00	189.60	5,245.54	343.08
11/1/2020 0:00	175.30	5,245.44	335.49
11/1/2020 1:00	174.10	5,243.62	333.73
11/1/2020 2:00	173.40	5,244.12	333.48
11/1/2020 3:00	167.40	5,158.09	333.52
11/1/2020 4:00	104.70	4,281.30	330.61
11/1/2020 5:00	108.30	4,345.93	330.24
11/1/2020 6:00	115.30	4,422.69	330.81
11/1/2020 7:00	114.60	4,421.53	330.73
11/1/2020 8:00	137.60	4,749.69	332.74
11/1/2020 9:00	150.30	4,940.85	334.13
11/1/2020 10:00	193.50	5,232.89	343.84
11/1/2020 11:00	202.90	5,318.16	347.28
11/1/2020 12:00	207.30	5,314.88	348.83
11/1/2020 13:00	213.90	5,315.29	352.09
11/1/2020 14:00	211.90	5,320.00	352.18
11/1/2020 15:00	213.50	5,315.88	351.50
11/1/2020 16:00	214.60	5,316.34	352.04
11/1/2020 17:00	214.50	5,316.64	350.46
11/1/2020 18:00	213.00	5,314.45	348.36
11/1/2020 19:00	216.30	5,317.75	349.03
11/1/2020 20:00	215.60	5,318.19	346.22
11/1/2020 21:00	210.90	5,317.68	344.33
11/1/2020 22:00	200.60	5,318.02	340.54
11/1/2020 23:00	211.70	5,317.64	344.30

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
11/2/2020 0:00	192.90	5,315.02	341.05
11/2/2020 1:00	202.10	5,318.82	339.80
11/2/2020 2:00	209.70	5,315.55	343.71
11/2/2020 3:00	193.20	5,318.21	341.82
11/2/2020 4:00	201.30	5,319.09	342.09
11/2/2020 5:00	209.00	5,319.58	343.84
11/2/2020 6:00	203.10	5,317.19	341.14
11/2/2020 7:00	204.50	5,316.27	339.43
11/2/2020 8:00	210.70	5,313.61	342.69
11/2/2020 9:00	209.40	5,320.80	342.71
11/2/2020 10:00	210.10	5,317.65	343.52
11/2/2020 11:00	215.00	5,318.29	346.19
11/2/2020 12:00	217.20	5,315.86	348.07
11/2/2020 13:00	214.20	5,314.90	348.59
11/2/2020 14:00	215.80	5,320.18	347.43
11/2/2020 15:00	208.70	5,318.15	344.58
11/2/2020 16:00	203.70	5,316.91	344.08
11/2/2020 17:00	204.70	5,315.92	343.69
11/2/2020 18:00	213.50	5,316.69	345.38
11/2/2020 19:00	206.60	5,317.99	345.29
11/2/2020 20:00	206.20	5,316.68	344.15
11/2/2020 21:00	196.40	5,317.06	341.06
11/2/2020 22:00	196.50	5,316.68	340.18
11/2/2020 23:00	206.00	5,314.23	343.18
11/3/2020 0:00	203.30	5,314.27	343.41
11/3/2020 1:00	200.20	5,317.23	342.48
11/3/2020 2:00	200.50	5,317.86	342.04
11/3/2020 3:00	200.20	5,315.28	341.32
11/3/2020 4:00	201.70	5,318.31	339.28
11/3/2020 5:00	204.70	5,316.29	342.33
11/3/2020 6:00	204.10	5,318.47	343.76
11/3/2020 7:00	196.30	5,318.30	341.03
11/3/2020 8:00	199.70	5,317.32	337.36
11/3/2020 9:00	220.70	5,320.24	317.91
11/3/2020 10:00	214.80	5,319.91	315.39
11/3/2020 11:00	211.20	5,318.91	315.64
11/3/2020 12:00	218.90	5,316.34	322.82
11/3/2020 13:00	222.20	5,317.94	318.99

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
11/3/2020 14:00	213.20	5,316.38	317.56
11/3/2020 15:00	211.70	5,317.67	318.18
11/3/2020 16:00	224.00	5,317.14	320.87
11/3/2020 17:00	223.80	5,318.22	321.33
11/3/2020 18:00	211.30	5,316.36	318.13
11/3/2020 19:00	209.90	5,315.79	315.38
11/3/2020 20:00	214.50	5,317.35	314.76
11/3/2020 21:00	224.80	5,313.26	318.44
11/3/2020 22:00	213.70	5,318.24	315.32
11/3/2020 23:00	208.70	5,319.54	313.21
11/4/2020 0:00	209.00	5,316.25	314.09
11/4/2020 1:00	226.10	5,319.09	318.43
11/4/2020 2:00	223.00	5,317.30	317.30
11/4/2020 3:00	210.50	5,314.32	313.82
11/4/2020 4:00	210.90	5,315.36	313.31
11/4/2020 5:00	222.80	5,317.22	316.63
11/4/2020 6:00	225.10	5,315.68	319.22
11/4/2020 7:00	225.80	5,316.74	318.47
11/4/2020 8:00	215.50	5,318.93	317.38
11/4/2020 9:00	212.50	5,317.32	317.08
11/4/2020 10:00	216.70	5,315.35	318.39
11/4/2020 11:00	217.20	5,318.59	320.46
11/4/2020 12:00	208.00	5,315.33	316.26
11/4/2020 13:00	209.20	5,316.84	317.67
11/4/2020 14:00	214.10	5,316.25	319.99
11/4/2020 15:00	211.90	5,319.77	321.15
11/4/2020 16:00	214.10	5,318.85	321.82
11/4/2020 17:00	207.90	5,318.11	317.68
11/4/2020 18:00	213.60	5,316.46	317.17
11/4/2020 19:00	217.10	5,312.92	317.14
11/4/2020 20:00	217.40	5,318.11	318.74
11/4/2020 21:00	217.40	5,317.79	315.09
11/4/2020 22:00	218.20	5,315.28	313.98
11/4/2020 23:00	225.60	5,314.04	315.90
11/5/2020 0:00	233.70	5,316.97	317.06
11/5/2020 1:00	225.70	5,315.08	314.05
11/5/2020 2:00	220.60	5,318.12	311.39
11/5/2020 3:00	228.50	5,314.63	312.99

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
11/5/2020 4:00	241.80	5,319.12	315.84
11/5/2020 5:00	229.40	5,318.85	314.97
11/5/2020 6:00	224.40	5,315.62	312.76
11/5/2020 7:00	228.00	5,316.15	312.39
11/5/2020 8:00	234.50	5,316.59	313.88
11/5/2020 9:00	227.60	5,314.84	313.95
11/5/2020 10:00	227.40	5,317.42	313.98
11/5/2020 11:00	229.00	5,318.14	315.37
11/5/2020 12:00	239.70	5,315.88	318.83
11/5/2020 13:00	235.10	5,316.92	319.36
11/5/2020 14:00	231.80	5,318.54	318.99
11/5/2020 15:00	233.70	5,316.25	319.24
11/5/2020 16:00	177.00	4,852.22	307.59
11/5/2020 17:00	165.40	4,767.46	299.57
11/5/2020 18:00	165.90	4,765.72	298.13
11/5/2020 19:00	164.30	4,765.15	298.45
11/5/2020 20:00	167.10	4,769.08	296.82
11/5/2020 21:00	165.20	4,767.51	296.97
11/5/2020 22:00	164.00	4,765.98	297.75
11/5/2020 23:00	161.00	4,763.91	296.57
11/6/2020 0:00	159.10	4,768.38	295.93
11/6/2020 1:00	158.60	4,767.32	296.12
11/6/2020 2:00	156.80	4,768.13	296.04
11/6/2020 3:00	156.90	4,769.80	296.11
11/6/2020 4:00	156.30	4,769.00	296.00
11/6/2020 5:00	156.80	4,767.03	296.79
11/6/2020 6:00	158.80	4,767.54	298.72
11/6/2020 7:00	156.90	4,767.16	299.66
11/6/2020 8:00	155.30	4,772.27	299.80
11/6/2020 9:00	151.00	4,713.80	300.34
11/6/2020 10:00	148.10	4,664.36	300.09
11/6/2020 11:00	148.20	4,665.38	300.79
11/6/2020 12:00	148.80	4,666.06	302.02
11/6/2020 13:00	148.90	4,665.56	303.31
11/6/2020 14:00	149.00	4,664.38	304.23
11/6/2020 15:00	150.00	4,664.55	303.97
11/6/2020 16:00	151.00	4,665.64	302.99
11/6/2020 17:00	151.00	4,661.52	301.51

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
11/6/2020 18:00	153.20	4,664.07	299.96
11/6/2020 19:00	151.50	4,663.65	300.97
11/6/2020 20:00	151.40	4,665.02	299.75
11/6/2020 21:00	152.50	4,663.06	298.69
11/6/2020 22:00	152.30	4,665.03	297.76
11/6/2020 23:00	152.70	4,662.83	297.06
11/7/2020 0:00	151.90	4,663.58	296.89
11/7/2020 1:00	152.40	4,662.45	295.73
11/7/2020 2:00	151.70	4,660.67	295.83
11/7/2020 3:00	153.00	4,660.91	295.47
11/7/2020 4:00	152.20	4,664.95	295.52
11/7/2020 5:00	152.10	4,665.47	295.71
11/7/2020 6:00	152.30	4,661.20	296.78
11/7/2020 7:00	155.00	4,662.94	296.89
11/7/2020 8:00	154.20	4,664.00	298.05
11/7/2020 9:00	153.00	4,662.72	300.05
11/7/2020 10:00	153.80	4,665.94	300.33
11/7/2020 11:00	154.50	4,666.17	301.40
11/7/2020 12:00	153.80	4,664.00	303.56
11/7/2020 13:00	153.90	4,663.68	305.45
11/7/2020 14:00	155.80	4,663.16	305.14
11/7/2020 15:00	155.00	4,664.72	304.53
11/7/2020 16:00	155.20	4,665.55	303.45
11/7/2020 17:00	155.10	4,661.05	302.69
11/7/2020 18:00	154.00	4,665.51	299.27
11/7/2020 19:00	154.30	4,666.31	298.33
11/7/2020 20:00	153.80	4,664.27	298.07
11/7/2020 21:00	153.90	4,660.80	298.24
11/7/2020 22:00	154.00	4,663.33	297.60
11/7/2020 23:00	154.30	4,662.95	297.34
11/8/2020 0:00	155.30	4,664.42	296.86
11/8/2020 1:00	155.20	4,663.37	296.50
11/8/2020 2:00	156.00	4,664.88	296.38
11/8/2020 3:00	155.40	4,664.37	296.21
11/8/2020 4:00	155.00	4,665.30	295.69
11/8/2020 5:00	153.50	4,663.04	298.29
11/8/2020 6:00	154.80	4,664.63	299.27
11/8/2020 7:00	154.70	4,658.88	298.39

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
11/8/2020 8:00	154.80	4,660.42	298.31
11/8/2020 9:00	152.90	4,665.80	299.45
11/8/2020 10:00	152.60	4,663.46	301.48
11/8/2020 11:00	152.40	4,664.86	303.75
11/8/2020 12:00	151.20	4,661.48	305.74
11/8/2020 13:00	151.20	4,663.44	305.44
11/8/2020 14:00	149.10	4,666.93	304.65
11/8/2020 15:00	148.60	4,664.83	305.08
11/8/2020 16:00	149.20	4,664.35	305.11
11/8/2020 17:00	145.70	4,665.72	303.50
11/8/2020 18:00	147.90	4,662.98	301.54
11/8/2020 19:00	147.90	4,665.40	301.20
11/8/2020 20:00	147.10	4,664.10	300.72
11/8/2020 21:00	147.30	4,664.16	300.13
11/8/2020 22:00	145.80	4,662.03	298.84
11/8/2020 23:00	146.40	4,664.13	298.08
11/9/2020 0:00	147.00	4,665.73	297.23
11/9/2020 1:00	146.50	4,663.38	297.36
11/9/2020 2:00	146.40	4,663.94	297.14
11/9/2020 3:00	145.60	4,664.57	296.69
11/9/2020 4:00	145.80	4,664.04	296.43
11/9/2020 5:00	143.50	4,664.00	299.28
11/9/2020 6:00	145.80	4,663.97	299.13
11/9/2020 7:00	146.00	4,662.93	297.64
11/9/2020 8:00	144.90	4,666.54	296.93
11/9/2020 9:00	145.50	4,665.45	297.60
11/9/2020 10:00	145.60	4,659.93	299.00
11/9/2020 11:00	144.70	4,667.64	301.32
11/9/2020 12:00	143.40	4,664.84	301.76
11/9/2020 13:00	145.00	4,664.26	301.82
11/9/2020 14:00	147.60	4,715.20	303.77
11/9/2020 15:00	226.90	5,282.87	327.70
11/9/2020 16:00	230.00	5,315.00	329.75
11/9/2020 17:00	217.50	5,299.77	323.57
11/9/2020 18:00	224.30	5,297.85	322.86
11/9/2020 19:00	226.30	5,295.55	323.27
11/9/2020 20:00	225.00	5,298.36	322.16
11/9/2020 21:00	223.80	5,294.95	322.05

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
11/9/2020 22:00	224.30	5,294.98	321.41
11/9/2020 23:00	228.50	5,297.07	320.38
11/10/2020 0:00	228.90	5,294.61	321.68
11/10/2020 1:00	226.90	5,293.56	320.55
11/10/2020 2:00	229.90	5,296.98	321.54
11/10/2020 3:00	228.80	5,296.92	323.13
11/10/2020 4:00	228.70	5,297.03	323.28
11/10/2020 5:00	227.20	5,297.74	322.88
11/10/2020 6:00	227.30	5,296.15	322.73
11/10/2020 7:00	227.00	5,295.27	321.72
11/10/2020 8:00	227.20	5,298.10	322.30
11/10/2020 9:00	228.70	5,296.13	324.56
11/10/2020 10:00	227.70	5,296.35	327.77
11/10/2020 11:00	228.30	5,294.77	328.54
11/10/2020 12:00	226.20	5,297.06	328.01
11/10/2020 13:00	224.30	5,297.50	323.42
11/10/2020 14:00	225.90	5,295.25	322.86
11/10/2020 15:00	225.80	5,297.60	324.72
11/10/2020 16:00	226.90	5,295.16	325.37
11/10/2020 17:00	230.10	5,296.00	325.75
11/10/2020 18:00	226.00	5,296.74	323.56
11/10/2020 19:00	233.50	5,297.32	325.13
11/10/2020 20:00	233.30	5,295.45	324.27
11/10/2020 21:00	228.10	5,294.58	319.81
11/10/2020 22:00	233.70	5,293.66	319.72
11/10/2020 23:00	236.10	5,297.83	320.00
11/11/2020 0:00	236.10	5,295.71	321.28
11/11/2020 1:00	235.40	5,294.74	321.60
11/11/2020 2:00	236.40	5,297.93	320.94
11/11/2020 3:00	234.30	5,297.75	320.60
11/11/2020 4:00	237.30	5,294.91	319.52
11/11/2020 5:00	234.90	5,298.23	319.66
11/11/2020 6:00	236.50	5,296.99	319.90
11/11/2020 7:00	232.30	5,296.86	319.22
11/11/2020 8:00	230.20	5,295.87	319.23
11/11/2020 9:00	234.40	5,297.61	320.00
11/11/2020 10:00	232.60	5,296.14	319.93
11/11/2020 11:00	234.20	5,296.13	320.82

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
11/11/2020 12:00	230.80	5,294.19	320.69
11/11/2020 13:00	235.30	5,295.14	321.87
11/11/2020 14:00	231.00	5,297.05	321.64
11/11/2020 15:00	230.70	5,295.35	322.07
11/11/2020 16:00	235.00	5,296.82	321.81
11/11/2020 17:00	233.00	5,294.08	320.84
11/11/2020 18:00	236.20	5,298.97	322.58
11/11/2020 19:00	236.10	5,295.38	322.11
11/11/2020 20:00	237.50	5,298.02	323.14
11/11/2020 21:00	233.80	5,296.27	322.20
11/11/2020 22:00	237.80	5,296.81	324.11
11/11/2020 23:00	236.00	5,297.28	323.96
11/12/2020 0:00	237.40	5,298.57	323.29
11/12/2020 1:00	235.50	5,296.07	322.30
11/12/2020 2:00	233.50	5,297.18	321.63
11/12/2020 3:00	235.80	5,295.70	321.39
11/12/2020 4:00	233.60	5,298.05	322.22
11/12/2020 5:00	234.40	5,296.12	321.62
11/12/2020 6:00	235.30	5,295.37	322.75
11/12/2020 7:00	236.50	5,294.47	321.55
11/12/2020 8:00	224.60	5,298.74	319.18
11/12/2020 9:00	226.10	5,297.99	319.25
11/12/2020 10:00	223.20	5,295.45	318.52
11/12/2020 11:00	221.20	5,298.07	319.75
11/12/2020 12:00	219.70	5,296.52	318.96
11/12/2020 13:00	224.00	5,295.54	319.91
11/12/2020 14:00	225.10	5,294.72	319.61
11/12/2020 15:00	214.20	5,295.66	317.88
11/12/2020 16:00	215.50	5,296.84	316.98
11/12/2020 17:00	217.00	5,294.98	319.00
11/12/2020 18:00	225.80	5,297.49	321.59
11/12/2020 19:00	218.20	5,298.37	321.45
11/12/2020 20:00	213.20	5,293.43	320.15
11/12/2020 21:00	213.40	5,294.36	319.50
11/12/2020 22:00	193.20	5,297.16	314.34
11/12/2020 23:00	192.00	5,294.90	310.48
11/13/2020 0:00	212.80	5,295.43	317.84
11/13/2020 1:00	212.30	5,295.02	318.41

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
11/13/2020 2:00	207.70	5,296.13	317.12
11/13/2020 3:00	211.40	5,295.67	316.86
11/13/2020 4:00	207.20	5,297.81	316.32
11/13/2020 5:00	207.40	5,298.53	315.40
11/13/2020 6:00	204.10	5,293.76	314.37
11/13/2020 7:00	206.00	5,299.49	314.38
11/13/2020 8:00	202.30	5,294.59	313.08
11/13/2020 9:00	208.80	5,294.75	315.95
11/13/2020 10:00	213.60	5,297.73	317.65
11/13/2020 11:00	205.20	5,295.26	315.81
11/13/2020 12:00	210.90	5,295.04	318.34
11/13/2020 13:00	207.00	5,297.55	318.22
11/13/2020 14:00	204.10	5,294.14	319.03
11/13/2020 15:00	203.30	5,293.63	317.84
11/13/2020 16:00	200.90	5,296.20	317.81
11/13/2020 17:00	205.30	5,296.88	316.36
11/13/2020 18:00	205.80	5,298.09	319.14
11/13/2020 19:00	202.40	5,296.86	317.67
11/13/2020 20:00	203.90	5,296.01	316.24
11/13/2020 21:00	200.30	5,294.75	315.74
11/13/2020 22:00	202.30	5,292.99	314.67
11/13/2020 23:00	202.40	5,298.77	313.87
11/14/2020 0:00	207.50	5,296.42	314.67
11/14/2020 1:00	209.50	5,297.31	314.42
11/14/2020 2:00	213.60	5,296.78	314.37
11/14/2020 3:00	210.60	5,296.35	314.94
11/14/2020 4:00	209.10	5,293.48	314.63
11/14/2020 5:00	214.00	5,298.22	316.54
11/14/2020 6:00	209.30	5,297.56	316.47
11/14/2020 7:00	205.00	5,296.49	315.44
11/14/2020 8:00	201.20	5,297.71	313.42
11/14/2020 9:00	201.70	5,296.24	315.27
11/14/2020 10:00	206.20	5,297.49	315.76
11/14/2020 11:00	208.30	5,295.31	317.35
11/14/2020 12:00	216.40	5,297.70	320.06
11/14/2020 13:00	212.90	5,294.81	320.76
11/14/2020 14:00	218.70	5,297.52	322.89
11/14/2020 15:00	216.60	5,296.08	323.44

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
11/14/2020 16:00	215.30	5,295.37	322.78
11/14/2020 17:00	211.80	5,295.97	320.14
11/14/2020 18:00	217.10	5,296.32	319.40
11/14/2020 19:00	220.30	5,292.86	320.06
11/14/2020 20:00	218.30	5,294.86	319.15
11/14/2020 21:00	218.70	5,298.08	318.10
11/14/2020 22:00	219.60	5,297.43	317.05
11/14/2020 23:00	223.60	5,299.35	318.61
11/15/2020 0:00	222.90	5,296.23	318.93
11/15/2020 1:00	222.70	5,296.38	318.61
11/15/2020 2:00	221.90	5,294.82	318.60
11/15/2020 3:00	221.10	5,298.50	319.64
11/15/2020 4:00	220.60	5,297.36	318.85
11/15/2020 5:00	220.00	5,294.86	318.71
11/15/2020 6:00	216.00	5,296.90	316.46
11/15/2020 7:00	221.40	5,296.54	317.59
11/15/2020 8:00	220.80	5,295.17	316.93
11/15/2020 9:00	210.40	5,296.63	315.76
11/15/2020 10:00	213.80	5,297.28	317.85
11/15/2020 11:00	210.50	5,297.33	318.88
11/15/2020 12:00	208.10	5,294.44	317.41
11/15/2020 13:00	217.60	5,295.02	316.68
11/15/2020 14:00	216.50	5,294.96	317.04
11/15/2020 15:00	214.20	5,295.48	316.74
11/15/2020 16:00	222.80	5,296.20	318.07
11/15/2020 17:00	223.70	5,296.05	319.10
11/15/2020 18:00	219.70	5,297.00	316.33
11/15/2020 19:00	222.60	5,293.37	316.70
11/15/2020 20:00	221.60	5,295.46	316.22
11/15/2020 21:00	224.20	5,294.49	316.53
11/15/2020 22:00	225.50	5,296.89	316.80
11/15/2020 23:00	221.90	5,296.99	317.37
11/16/2020 0:00	221.50	5,294.54	315.88
11/16/2020 1:00	221.10	5,298.45	314.31
11/16/2020 2:00	220.10	5,293.80	314.16
11/16/2020 3:00	226.20	5,296.76	315.73
11/16/2020 4:00	226.00	5,294.14	316.20
11/16/2020 5:00	225.60	5,298.56	315.56

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
11/16/2020 6:00	220.30	5,295.56	315.19
11/16/2020 7:00	216.30	5,297.55	313.01
11/16/2020 8:00	218.90	5,297.28	313.69
11/16/2020 9:00	228.30	5,295.79	318.30
11/16/2020 10:00	225.30	5,299.45	319.02
11/16/2020 11:00	226.10	5,298.87	320.11
11/16/2020 12:00	225.80	5,294.15	319.76
11/16/2020 13:00	227.70	5,296.88	320.30
11/16/2020 14:00	225.90	5,294.47	320.51
11/16/2020 15:00	151.70	4,694.60	305.85
11/16/2020 16:00	141.60	4,605.73	297.47
11/16/2020 17:00	142.50	4,607.81	297.56
11/16/2020 18:00	142.00	4,604.08	296.48
11/16/2020 19:00	141.20	4,608.74	296.18
11/16/2020 20:00	140.70	4,610.24	295.71
11/16/2020 21:00	140.40	4,607.31	295.43
11/16/2020 22:00	140.40	4,611.29	295.72
11/16/2020 23:00	140.70	4,606.36	295.93
11/17/2020 0:00	141.30	4,608.15	295.60
11/17/2020 1:00	140.70	4,608.25	296.55
11/17/2020 2:00	140.60	4,609.10	296.48
11/17/2020 3:00	140.60	4,609.06	296.12
11/17/2020 4:00	140.70	4,608.84	296.42
11/17/2020 5:00	138.50	4,607.56	296.74
11/17/2020 6:00	139.80	4,609.34	296.34
11/17/2020 7:00	139.70	4,608.90	297.14
11/17/2020 8:00	140.10	4,608.69	296.36
11/17/2020 9:00	139.10	4,609.28	297.30
11/17/2020 10:00	139.30	4,606.52	298.15
11/17/2020 11:00	140.10	4,609.24	297.22
11/17/2020 12:00	139.20	4,608.17	297.71
11/17/2020 13:00	139.70	4,608.20	298.52
11/17/2020 14:00	139.80	4,608.83	298.29
11/17/2020 15:00	140.10	4,607.09	297.85
11/17/2020 16:00	140.70	4,607.96	298.85
11/17/2020 17:00	140.20	4,608.68	298.73
11/17/2020 18:00	141.50	4,611.88	297.96
11/17/2020 19:00	140.60	4,606.74	297.95

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
11/17/2020 20:00	140.70	4,606.84	297.52
11/17/2020 21:00	140.50	4,610.28	297.73
11/17/2020 22:00	140.40	4,606.43	297.64
11/17/2020 23:00	140.80	4,608.76	297.30
11/18/2020 0:00	139.40	4,609.63	297.60
11/18/2020 1:00	138.80	4,606.69	297.35
11/18/2020 2:00	139.30	4,608.57	296.75
11/18/2020 3:00	138.60	4,609.15	297.01
11/18/2020 4:00	139.60	4,609.11	295.84
11/18/2020 5:00	138.70	4,609.30	295.59
11/18/2020 6:00	140.10	4,608.04	294.42
11/18/2020 7:00	139.80	4,608.33	295.22
11/18/2020 8:00	139.30	4,610.82	295.08
11/18/2020 9:00	139.50	4,608.21	296.18
11/18/2020 10:00	140.00	4,608.15	296.99
11/18/2020 11:00	139.60	4,609.56	296.50
11/18/2020 12:00	139.50	4,607.89	297.03
11/18/2020 13:00	140.20	4,607.75	298.32
11/18/2020 14:00	139.80	4,607.77	297.45
11/18/2020 15:00	141.00	4,609.76	298.76
11/18/2020 16:00	140.20	4,612.22	298.82
11/18/2020 17:00	139.80	4,606.89	297.94
11/18/2020 18:00	140.80	4,606.50	297.61
11/18/2020 19:00	139.80	4,610.89	297.65
11/18/2020 20:00	139.60	4,612.12	297.41
11/18/2020 21:00	140.50	4,608.67	297.98
11/18/2020 22:00	139.70	4,608.25	298.22
11/18/2020 23:00	140.30	4,608.32	298.09
11/19/2020 0:00	140.50	4,608.07	297.74
11/19/2020 1:00	140.30	4,609.78	296.64
11/19/2020 2:00	140.00	4,608.11	296.66
11/19/2020 3:00	140.80	4,607.44	297.12
11/19/2020 4:00	139.90	4,609.88	296.26
11/19/2020 5:00	140.60	4,608.38	296.94
11/19/2020 6:00	140.60	4,607.65	295.44
11/19/2020 7:00	141.40	4,610.14	295.40
11/19/2020 8:00	140.10	4,609.81	295.30
11/19/2020 9:00	139.60	4,611.17	295.91

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
11/19/2020 10:00	139.90	4,609.77	297.53
11/19/2020 11:00	140.50	4,611.49	299.40
11/19/2020 12:00	140.00	4,609.49	299.21
11/19/2020 13:00	140.00	4,610.35	299.93
11/19/2020 14:00	139.50	4,608.70	300.57
11/19/2020 15:00	138.90	4,610.60	301.24
11/19/2020 16:00	139.10	4,609.68	302.19
11/19/2020 17:00	139.10	4,606.11	300.99
11/19/2020 18:00	140.90	4,611.70	299.47
11/19/2020 19:00	140.50	4,608.51	298.23
11/19/2020 20:00	140.70	4,609.27	297.54
11/19/2020 21:00	141.00	4,608.94	297.32
11/19/2020 22:00	140.70	4,607.63	296.32
11/19/2020 23:00	139.70	4,608.19	296.59
11/20/2020 0:00	139.40	4,609.13	297.10
11/20/2020 1:00	139.20	4,609.08	296.33
11/20/2020 2:00	139.30	4,610.48	296.70
11/20/2020 3:00	138.90	4,609.14	295.96
11/20/2020 4:00	137.80	4,610.87	296.39
11/20/2020 5:00	136.00	4,611.02	296.55
11/20/2020 6:00	137.20	4,609.53	294.93
11/20/2020 7:00	136.20	4,609.76	295.30
11/20/2020 8:00	136.70	4,608.94	295.20
11/20/2020 9:00	136.40	4,609.51	296.57
11/20/2020 10:00	135.50	4,610.28	297.57
11/20/2020 11:00	136.80	4,608.15	298.58
11/20/2020 12:00	136.70	4,609.18	300.10
11/20/2020 13:00	136.70	4,611.06	300.50
11/20/2020 14:00	135.50	4,610.03	301.24
11/20/2020 15:00	135.50	4,610.03	301.63
11/20/2020 16:00	133.80	4,608.81	301.92
11/20/2020 17:00	133.50	4,608.12	301.93
11/20/2020 18:00	135.00	4,610.32	299.91
11/20/2020 19:00	132.90	4,606.52	298.96
11/20/2020 20:00	133.60	4,608.36	297.87
11/20/2020 21:00	133.20	4,611.19	297.21
11/20/2020 22:00	133.30	4,613.66	297.56
11/20/2020 23:00	132.90	4,610.45	296.77

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
11/21/2020 0:00	133.20	4,610.38	296.25
11/21/2020 1:00	133.70	4,612.01	297.35
11/21/2020 2:00	132.80	4,606.22	297.02
11/21/2020 3:00	132.30	4,610.66	297.30
11/21/2020 4:00	133.60	4,610.49	298.08
11/21/2020 5:00	133.80	4,606.34	298.09
11/21/2020 6:00	134.00	4,606.84	297.37
11/21/2020 7:00	133.80	4,608.44	297.85
11/21/2020 8:00	134.60	4,610.00	297.85
11/21/2020 9:00	134.80	4,607.22	298.93
11/21/2020 10:00	134.00	4,609.39	299.90
11/21/2020 11:00	134.20	4,610.09	300.41
11/21/2020 12:00	134.30	4,610.59	301.06
11/21/2020 13:00	132.90	4,608.21	301.97
11/21/2020 14:00	133.20	4,607.70	303.29
11/21/2020 15:00	133.30	4,607.08	304.02
11/21/2020 16:00	132.90	4,609.44	304.25
11/21/2020 17:00	133.10	4,610.03	302.59
11/21/2020 18:00	132.60	4,607.36	301.33
11/21/2020 19:00	132.30	4,607.64	301.46
11/21/2020 20:00	134.20	4,610.54	299.89
11/21/2020 21:00	133.60	4,609.60	299.69
11/21/2020 22:00	133.60	4,607.90	299.42
11/21/2020 23:00	134.30	4,607.40	299.05
11/22/2020 0:00	134.50	4,605.65	298.87
11/22/2020 1:00	133.60	4,606.58	299.08
11/22/2020 2:00	134.00	4,608.11	298.50
11/22/2020 3:00	133.00	4,609.99	299.21
11/22/2020 4:00	133.50	4,608.96	299.06
11/22/2020 5:00	134.20	4,610.59	298.75
11/22/2020 6:00	134.50	4,609.73	298.59
11/22/2020 7:00	134.50	4,608.86	298.92
11/22/2020 8:00	133.80	4,608.56	298.33
11/22/2020 9:00	133.20	4,610.38	298.42
11/22/2020 10:00	133.30	4,608.54	299.72
11/22/2020 11:00	134.20	4,610.05	300.21
11/22/2020 12:00	134.10	4,610.55	301.22
11/22/2020 13:00	132.90	4,609.23	302.86

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
11/22/2020 14:00	132.50	4,609.89	302.76
11/22/2020 15:00	132.30	4,611.89	302.61
11/22/2020 16:00	132.50	4,612.47	303.39
11/22/2020 17:00	132.60	4,611.19	302.78
11/22/2020 18:00	132.70	4,608.69	302.10
11/22/2020 19:00	133.10	4,609.39	302.30
11/22/2020 20:00	133.30	4,608.25	301.62
11/22/2020 21:00	135.20	4,609.43	301.37
11/22/2020 22:00	133.40	4,607.47	301.63
11/22/2020 23:00	136.70	4,607.18	299.51
11/23/2020 0:00	138.30	4,611.13	298.83
11/23/2020 1:00	138.30	4,611.45	298.81
11/23/2020 2:00	138.10	4,607.89	298.23
11/23/2020 3:00	137.90	4,611.49	297.65
11/23/2020 4:00	137.80	4,609.01	298.35
11/23/2020 5:00	138.40	4,606.94	298.74
11/23/2020 6:00	137.60	4,606.34	297.91
11/23/2020 7:00	138.80	4,611.01	298.38
11/23/2020 8:00	138.90	4,609.44	299.23
11/23/2020 9:00	138.00	4,609.99	299.23
11/23/2020 10:00	137.90	4,606.76	299.71
11/23/2020 11:00	138.20	4,609.41	299.36
11/23/2020 12:00	135.80	4,611.95	298.82
11/23/2020 13:00	134.70	4,609.89	300.68
11/23/2020 14:00	134.90	4,608.01	304.74
11/23/2020 15:00	134.60	4,608.90	306.29
11/23/2020 16:00	134.40	4,607.43	306.16
11/23/2020 17:00	133.30	4,611.69	306.29
11/23/2020 18:00	134.60	4,603.24	306.25
11/23/2020 19:00	134.80	4,610.33	305.73
11/23/2020 20:00	134.30	4,608.86	304.65
11/23/2020 21:00	133.80	4,610.21	304.67
11/23/2020 22:00	132.70	4,612.35	305.67
11/23/2020 23:00	132.10	4,610.34	305.39
11/24/2020 0:00	131.90	4,607.51	304.96
11/24/2020 1:00	131.70	4,607.98	304.94
11/24/2020 2:00	131.00	4,608.05	304.61
11/24/2020 3:00	131.70	4,608.41	304.56

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
11/24/2020 4:00	131.60	4,610.22	305.08
11/24/2020 5:00	131.00	4,611.39	304.88
11/24/2020 6:00	131.40	4,611.10	304.51
11/24/2020 7:00	131.00	4,608.29	304.88
11/24/2020 8:00	131.80	4,607.61	304.89
11/24/2020 9:00	132.20	4,607.32	305.40
11/24/2020 10:00	131.80	4,609.22	306.21
11/24/2020 11:00	132.40	4,606.99	306.14
11/24/2020 12:00	132.70	4,609.38	306.45
11/24/2020 13:00	132.50	4,608.35	307.51
11/24/2020 14:00	133.70	4,607.65	307.30
11/24/2020 15:00	133.80	4,610.98	307.58
11/24/2020 16:00	134.80	4,607.59	308.09
11/24/2020 17:00	90.90	4,017.25	307.04
11/24/2020 19:00	51.00	4,166.57	309.50
11/24/2020 20:00	101.50	4,190.66	305.53
11/24/2020 21:00	102.10	4,185.95	301.08
11/24/2020 22:00	130.80	4,561.96	303.88
11/24/2020 23:00	137.60	4,680.20	306.90
11/25/2020 0:00	137.70	4,681.17	306.76
11/25/2020 1:00	138.40	4,683.64	306.48
11/25/2020 2:00	137.30	4,680.10	305.88
11/25/2020 3:00	138.10	4,682.87	305.81
11/25/2020 4:00	138.40	4,684.57	305.49
11/25/2020 5:00	139.70	4,681.75	304.97
11/25/2020 6:00	139.20	4,681.85	304.24
11/25/2020 7:00	137.80	4,683.01	303.55
11/25/2020 8:00	139.30	4,681.02	303.20
11/25/2020 9:00	138.60	4,681.18	303.92
11/25/2020 10:00	138.40	4,684.53	305.52
11/25/2020 11:00	137.50	4,684.07	305.73
11/25/2020 12:00	138.70	4,676.74	306.13
11/25/2020 13:00	137.70	4,682.72	307.60
11/25/2020 14:00	137.80	4,680.65	307.53
11/25/2020 15:00	138.80	4,682.63	308.23
11/25/2020 16:00	138.10	4,680.76	307.50
11/25/2020 17:00	138.00	4,681.17	307.09
11/25/2020 18:00	137.50	4,684.57	306.35

Table E5: Boiler 21 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
11/25/2020 19:00	139.20	4,680.28	306.78
11/25/2020 20:00	139.50	4,682.47	307.01
11/25/2020 21:00	138.00	4,682.19	306.62
11/25/2020 22:00	145.80	4,771.48	306.73
11/25/2020 23:00	145.00	4,778.79	308.14
11/26/2020 0:00	137.90	4,684.28	305.98
11/26/2020 1:00	137.20	4,680.91	306.37
11/26/2020 2:00	137.00	4,679.54	306.47
11/26/2020 3:00	137.50	4,681.17	306.50
11/26/2020 4:00	138.50	4,702.22	306.35
11/26/2020 5:00	155.20	4,924.46	310.10
11/26/2020 6:00	157.10	4,919.60	308.33
11/26/2020 7:00	156.10	4,921.67	308.76
11/26/2020 8:00	157.40	4,920.14	308.64
11/26/2020 9:00	119.00	4,429.78	305.14
11/26/2020 10:00	106.70	4,265.76	303.46
11/26/2020 11:00	106.10	4,269.02	304.29
11/26/2020 12:00	105.80	4,269.81	304.33
11/26/2020 13:00	106.10	4,269.55	305.17
11/26/2020 14:00	106.00	4,267.70	305.79
11/26/2020 15:00	106.00	4,271.88	306.09
11/26/2020 16:00	105.30	4,269.09	304.92
11/26/2020 17:00	104.40	4,270.25	305.66
11/26/2020 18:00	105.40	4,270.25	305.26
11/26/2020 19:00	103.40	4,252.42	305.10

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
7/17/19 2:00	108.40	4,290.74	304.15
7/17/19 3:00	111.30	4,300.86	308.72
7/17/19 4:00	116.20	4,390.48	306.90
7/17/19 5:00	115.70	4,388.72	306.27
7/17/19 6:00	115.70	4,393.78	307.81
7/17/19 7:00	115.30	4,392.36	307.97
7/17/19 8:00	115.10	4,389.24	307.51
7/17/19 9:00	116.20	4,395.01	307.36
7/17/19 10:00	116.10	4,393.39	306.69
7/17/19 11:00	116.40	4,393.71	305.73
7/17/19 12:00	115.10	4,393.50	306.50
7/17/19 13:00	114.40	4,394.92	306.17
7/17/19 14:00	122.50	4,499.88	308.17
7/17/19 15:00	153.10	4,875.71	324.56
7/17/19 16:00	152.20	4,875.87	324.48
7/17/19 17:00	151.20	4,872.62	320.54
7/17/19 18:00	145.50	4,785.02	319.55
7/17/19 19:00	103.50	4,278.61	304.15
7/17/19 20:00	103.40	4,263.97	300.32
7/17/19 21:00	102.80	4,249.85	299.86
7/17/19 22:00	101.40	4,231.86	299.25
7/17/19 23:00	101.30	4,228.73	298.81
7/18/19 0:00	101.20	4,230.08	301.38
7/18/19 1:00	100.70	4,231.72	301.85
7/18/19 2:00	101.30	4,234.77	303.31
7/18/19 3:00	100.80	4,232.20	302.68
7/18/19 4:00	57.40	3,933.58	305.19
7/31/19 15:00	174.50	5,116.22	327.91
7/31/19 16:00	194.00	5,254.14	336.62
7/31/19 17:00	193.70	5,252.96	335.69
7/31/19 18:00	193.20	5,253.60	335.48
7/31/19 19:00	193.00	5,258.16	335.92
7/31/19 20:00	192.00	5,255.16	337.00
7/31/19 21:00	193.40	5,253.22	336.80
7/31/19 22:00	190.60	5,253.62	338.51
7/31/19 23:00	190.10	5,253.02	338.88
8/1/19 0:00	191.20	5,256.55	340.13
8/1/19 1:00	191.40	5,255.60	340.43

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
8/1/19 2:00	190.20	5,254.52	338.96
8/1/19 3:00	191.00	5,255.33	338.61
8/1/19 4:00	192.70	5,253.40	337.77
8/1/19 5:00	193.20	5,251.45	336.55
8/1/19 6:00	192.90	5,256.84	337.18
8/1/19 7:00	192.90	5,253.86	327.51
8/1/19 8:00	175.60	5,251.70	324.25
8/1/19 9:00	184.90	5,252.44	332.86
8/1/19 10:00	191.20	5,253.46	343.03
8/1/19 11:00	190.60	5,253.48	340.86
8/1/19 12:00	189.90	5,252.29	340.81
8/1/19 13:00	195.70	5,252.64	340.91
8/1/19 14:00	198.20	5,256.32	342.97
8/1/19 15:00	198.10	5,255.19	340.87
8/1/19 16:00	199.40	5,255.37	342.27
8/1/19 17:00	200.60	5,250.38	340.38
8/1/19 18:00	201.10	5,255.00	339.64
8/1/19 19:00	212.40	5,367.72	338.36
8/1/19 20:00	196.00	5,161.98	335.76
8/1/19 21:00	195.50	5,149.69	336.41
8/1/19 22:00	196.20	5,150.38	336.85
8/1/19 23:00	197.40	5,151.42	338.79
8/2/19 0:00	196.30	5,152.21	338.22
8/2/19 1:00	197.20	5,150.08	338.38
8/2/19 2:00	197.00	5,148.31	338.20
8/2/19 3:00	197.40	5,151.60	337.74
8/2/19 4:00	195.50	5,155.18	338.39
8/2/19 5:00	195.30	5,149.90	337.93
8/2/19 6:00	194.70	5,151.48	338.09
8/2/19 7:00	195.50	5,178.72	337.17
8/2/19 8:00	195.00	5,187.76	339.12
8/2/19 9:00	194.40	5,184.47	339.44
8/2/19 10:00	191.20	5,184.63	339.98
8/2/19 11:00	193.80	5,185.05	339.62
8/2/19 12:00	196.00	5,185.04	340.25
8/2/19 13:00	198.60	5,184.74	340.64
8/2/19 14:00	199.60	5,186.15	340.98
8/2/19 15:00	199.00	5,182.60	341.41

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
8/2/19 16:00	199.90	5,186.16	341.15
8/2/19 17:00	203.20	5,182.83	339.83
8/2/19 18:00	205.10	5,187.40	341.20
8/2/19 19:00	205.10	5,184.58	341.33
8/2/19 20:00	206.40	5,185.38	340.77
8/2/19 21:00	205.00	5,185.33	339.48
8/2/19 22:00	190.60	5,183.55	329.96
8/2/19 23:00	181.50	5,187.81	321.86
8/3/19 0:00	182.80	5,184.66	322.00
8/3/19 1:00	183.40	5,182.31	323.62
8/3/19 2:00	183.80	5,185.24	321.48
8/3/19 3:00	183.80	5,186.30	320.87
8/3/19 4:00	183.40	5,184.50	322.68
8/3/19 5:00	183.40	5,188.92	323.06
8/3/19 6:00	182.80	5,185.65	322.44
8/3/19 7:00	181.10	5,185.62	322.50
8/3/19 8:00	181.40	5,184.46	323.03
8/3/19 9:00	179.70	5,186.83	324.32
8/3/19 10:00	181.20	5,186.54	324.75
8/3/19 11:00	143.50	4,700.53	316.87
8/3/19 12:00	126.50	4,497.03	310.72
8/3/19 13:00	129.20	4,500.07	310.78
8/3/19 14:00	129.30	4,499.85	311.43
8/3/19 15:00	132.60	4,537.14	312.25
8/3/19 16:00	146.10	4,676.22	321.42
8/3/19 17:00	142.10	4,654.90	316.57
8/3/19 18:00	154.00	4,766.56	319.10
8/3/19 19:00	140.50	4,622.33	314.32
8/3/19 20:00	141.80	4,658.09	313.61
8/3/19 21:00	131.20	4,532.90	311.70
8/3/19 22:00	124.10	4,415.77	306.99
8/3/19 23:00	134.30	4,543.75	311.44
8/4/19 0:00	132.70	4,524.01	312.29
8/4/19 1:00	127.50	4,470.01	310.78
8/4/19 2:00	125.70	4,446.00	308.38
8/4/19 3:00	125.40	4,447.49	307.91
8/4/19 4:00	128.10	4,483.29	308.54
8/4/19 5:00	121.50	4,437.14	307.77

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
8/4/19 6:00	119.50	4,401.86	307.45
8/4/19 7:00	125.80	4,471.24	307.81
8/4/19 8:00	117.40	4,374.96	307.24
8/4/19 9:00	115.20	4,329.13	306.13
8/4/19 10:00	129.10	4,494.72	310.26
8/4/19 11:00	126.50	4,492.27	311.72
8/4/19 12:00	126.20	4,492.31	310.21
8/4/19 13:00	113.80	4,341.40	307.53
8/4/19 14:00	110.80	4,317.03	306.26
8/4/19 15:00	130.30	4,527.33	310.61
8/4/19 16:00	131.30	4,544.42	312.76
8/4/19 17:00	144.20	4,693.02	314.56
8/4/19 18:00	155.70	4,837.07	317.38
8/4/19 19:00	149.80	4,759.68	314.33
8/4/19 20:00	139.80	4,648.75	311.19
8/4/19 21:00	146.10	4,740.46	312.32
8/4/19 22:00	142.50	4,685.22	311.02
8/4/19 23:00	148.80	4,758.69	315.29
8/5/19 0:00	147.20	4,734.17	316.80
8/5/19 1:00	144.50	4,706.39	316.10
8/5/19 2:00	144.90	4,687.83	314.17
8/5/19 3:00	143.10	4,680.54	314.40
8/5/19 4:00	141.60	4,657.13	312.85
8/5/19 5:00	139.80	4,651.67	316.85
8/5/19 6:00	137.60	4,630.30	315.71
8/5/19 7:00	140.00	4,641.72	315.97
8/5/19 8:00	128.80	4,512.86	313.20
8/5/19 9:00	130.70	4,552.28	314.39
8/5/19 10:00	134.40	4,577.50	319.88
8/5/19 11:00	129.90	4,511.82	317.63
8/5/19 12:00	131.60	4,546.91	318.15
8/5/19 13:00	142.00	4,468.90	315.60
8/5/19 14:00	152.30	4,333.12	311.15
8/5/19 15:00	155.10	4,548.87	316.30
8/14/19 14:00	126.10	4,454.60	312.06
8/14/19 15:00	178.60	5,093.40	334.71
8/14/19 16:00	190.50	5,216.59	338.00
8/14/19 17:00	166.50	4,961.70	333.26

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
8/14/19 18:00	157.90	4,855.20	328.81
8/14/19 19:00	165.60	4,943.94	331.07
8/14/19 20:00	177.50	5,054.27	332.60
8/14/19 21:00	171.00	5,001.11	329.19
8/14/19 22:00	191.40	5,002.94	336.00
8/14/19 23:00	187.40	4,922.86	338.11
8/15/19 0:00	213.00	5,258.64	344.19
8/15/19 1:00	191.90	5,009.72	339.29
8/15/19 2:00	190.20	4,996.30	337.03
8/15/19 3:00	203.20	5,143.95	338.10
8/15/19 4:00	193.40	5,026.35	336.02
8/15/19 5:00	203.10	5,143.61	339.53
8/15/19 6:00	211.00	5,217.14	342.23
8/15/19 7:00	215.90	5,303.97	342.28
8/15/19 8:00	213.00	5,275.90	343.98
8/15/19 9:00	196.50	5,082.82	340.11
8/15/19 10:00	193.30	5,052.30	340.65
8/15/19 11:00	191.70	5,042.00	337.37
8/15/19 12:00	186.90	4,982.46	337.83
8/15/19 13:00	178.60	4,868.17	335.95
8/15/19 14:00	199.70	5,148.23	340.44
8/15/19 15:00	193.40	5,063.61	339.81
8/15/19 16:00	206.60	5,209.38	340.60
8/15/19 17:00	199.70	5,139.58	338.05
8/15/19 18:00	194.30	5,089.31	336.97
8/15/19 19:00	197.50	5,116.08	336.46
8/15/19 20:00	196.80	5,091.44	335.77
8/15/19 21:00	202.50	5,177.64	337.07
8/15/19 22:00	206.50	5,245.73	337.64
8/15/19 23:00	218.10	5,358.13	340.23
8/16/19 0:00	222.20	5,413.34	341.62
8/16/19 1:00	225.50	5,449.46	343.47
8/16/19 2:00	216.80	5,355.55	341.37
8/16/19 3:00	198.20	5,125.72	339.06
8/16/19 4:00	182.50	4,919.08	338.26
8/16/19 5:00	176.90	4,853.82	336.65
8/16/19 6:00	178.20	4,852.28	334.48
8/16/19 7:00	182.90	4,853.55	333.42

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
8/16/19 8:00	172.90	4,851.62	333.85
8/16/19 9:00	172.20	4,861.66	332.40
8/16/19 10:00	183.50	4,905.39	333.78
8/16/19 11:00	185.40	4,899.93	334.75
8/16/19 12:00	186.40	4,911.29	335.44
8/16/19 13:00	181.60	4,853.08	331.53
8/16/19 14:00	182.60	4,854.07	331.51
8/16/19 15:00	181.90	4,853.14	331.10
8/16/19 16:00	181.80	4,852.46	332.56
8/16/19 17:00	182.10	4,854.38	329.96
8/16/19 18:00	180.30	4,854.72	330.35
8/16/19 19:00	178.00	4,851.12	329.95
8/16/19 20:00	178.30	4,851.78	328.96
8/16/19 21:00	179.90	4,852.86	328.09
8/16/19 22:00	175.10	4,856.16	328.65
8/16/19 23:00	181.30	4,854.96	329.77
8/17/19 0:00	183.10	4,853.00	330.95
8/17/19 1:00	182.60	4,855.84	329.05
8/17/19 2:00	182.80	4,854.58	331.05
8/17/19 3:00	181.70	4,854.74	330.64
8/17/19 4:00	181.70	4,854.41	330.96
8/17/19 5:00	181.40	4,855.55	329.84
8/17/19 6:00	179.30	4,854.27	328.00
8/17/19 7:00	181.40	4,859.84	328.41
8/17/19 8:00	181.90	4,855.93	330.32
8/17/19 9:00	180.10	4,852.78	334.01
8/17/19 10:00	180.20	4,857.54	335.30
8/17/19 11:00	181.30	4,852.60	333.37
8/17/19 12:00	181.90	4,853.79	333.55
8/17/19 13:00	183.70	4,852.47	333.18
8/17/19 14:00	183.80	4,854.38	332.66
8/17/19 15:00	182.30	4,850.40	332.23
8/17/19 16:00	179.60	4,854.91	331.76
8/17/19 17:00	178.20	4,851.15	330.60
8/17/19 18:00	180.20	4,855.23	330.07
8/17/19 19:00	179.70	4,862.80	329.60
8/17/19 20:00	179.70	4,854.08	329.09
8/17/19 21:00	179.30	4,850.83	328.39

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
8/17/19 22:00	178.50	4,853.32	328.61
8/17/19 23:00	178.30	4,853.21	329.27
8/18/19 0:00	179.90	4,867.67	329.70
8/18/19 1:00	180.00	4,873.52	329.59
8/18/19 2:00	179.20	4,861.35	328.78
8/18/19 3:00	180.40	4,862.53	327.91
8/18/19 4:00	179.00	4,854.75	328.76
8/18/19 5:00	178.30	4,857.15	327.61
8/18/19 6:00	179.70	4,853.17	327.00
8/18/19 7:00	182.30	4,855.94	326.25
8/18/19 8:00	173.10	4,853.17	326.40
8/18/19 9:00	172.10	4,854.63	327.37
8/18/19 10:00	172.20	4,854.66	326.44
8/18/19 11:00	171.60	4,855.13	326.89
8/18/19 12:00	173.00	4,864.62	327.64
8/18/19 13:00	172.80	4,852.01	327.99
8/18/19 14:00	165.30	4,818.18	325.44
8/18/19 15:00	173.20	4,854.10	328.77
8/18/19 16:00	171.00	4,853.89	328.65
8/18/19 17:00	167.20	4,855.34	327.11
8/18/19 18:00	167.20	4,851.93	326.40
8/18/19 19:00	167.10	4,856.05	326.17
8/18/19 20:00	166.10	4,854.59	325.34
8/18/19 21:00	167.10	4,854.18	324.78
8/18/19 22:00	168.20	4,855.01	324.32
8/18/19 23:00	167.60	4,853.71	324.49
8/19/19 0:00	168.00	4,852.33	325.30
8/19/19 1:00	163.50	4,854.86	325.86
8/19/19 2:00	166.50	4,852.25	326.10
8/19/19 3:00	166.30	4,852.07	326.54
8/19/19 4:00	166.40	4,854.70	326.52
8/19/19 5:00	167.50	4,855.41	325.21
8/19/19 6:00	176.20	4,956.14	327.73
8/19/19 7:00	169.40	4,881.52	327.04
8/19/19 8:00	169.50	4,863.81	327.26
8/19/19 9:00	175.60	4,949.01	329.68
8/19/19 10:00	177.70	4,955.76	331.70
8/19/19 11:00	194.00	5,152.98	333.14

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
8/19/19 12:00	221.00	5,478.68	338.50
8/19/19 13:00	213.10	5,386.35	336.58
8/19/19 14:00	206.50	5,299.98	334.17
8/19/19 15:00	204.00	5,291.51	335.41
8/19/19 16:00	191.20	5,134.09	332.95
8/19/19 17:00	193.70	5,150.98	333.13
8/19/19 18:00	184.30	5,028.58	330.88
8/19/19 19:00	179.50	4,957.54	329.86
8/19/19 20:00	187.00	5,031.28	329.71
8/19/19 21:00	199.50	5,200.44	331.69
8/19/19 22:00	196.60	5,181.30	331.06
8/19/19 23:00	197.30	5,183.28	331.34
8/20/19 0:00	210.20	5,352.04	333.78
8/20/19 1:00	216.00	5,415.77	336.97
8/20/19 2:00	191.70	5,121.67	330.98
8/20/19 3:00	188.80	5,079.60	328.76
8/20/19 4:00	182.30	5,030.56	328.16
8/20/19 5:00	188.70	5,083.89	329.02
8/20/19 6:00	174.20	4,926.24	328.03
8/20/19 7:00	174.20	4,935.76	328.63
8/20/19 8:00	169.20	4,919.10	326.16
8/20/19 9:00	179.00	5,044.30	326.22
8/20/19 10:00	184.30	5,101.91	330.60
8/20/19 11:00	205.90	5,327.41	332.68
8/20/19 12:00	219.50	5,482.72	337.86
8/20/19 13:00	204.50	5,273.35	334.60
8/20/19 14:00	215.40	5,410.88	337.31
8/20/19 15:00	185.40	5,043.45	331.27
8/20/19 16:00	182.70	4,998.50	331.52
8/20/19 17:00	173.80	4,890.68	328.61
8/20/19 18:00	173.80	4,853.88	327.13
8/20/19 19:00	173.40	4,854.60	327.88
8/20/19 20:00	169.40	4,856.31	327.28
8/20/19 21:00	170.60	4,848.57	327.32
8/20/19 22:00	171.40	4,853.33	330.40
8/20/19 23:00	174.30	4,854.93	328.79
8/21/19 0:00	171.40	4,852.58	328.65
8/21/19 1:00	169.60	4,853.40	327.19

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
8/21/19 2:00	170.60	4,853.54	326.87
8/21/19 3:00	169.40	4,852.54	325.43
8/21/19 4:00	168.90	4,857.91	326.41
8/21/19 5:00	170.30	4,869.29	326.05
8/21/19 6:00	174.30	4,881.46	326.92
8/21/19 7:00	187.50	4,950.28	327.75
8/21/19 8:00	187.20	4,957.06	329.03
8/21/19 9:00	189.10	4,974.83	330.71
8/21/19 10:00	184.20	4,928.99	329.54
8/21/19 11:00	179.60	4,872.01	328.46
8/21/19 12:00	183.10	4,873.18	327.55
8/21/19 13:00	163.00	4,800.36	317.81
8/21/19 14:00	197.60	4,995.02	327.86
8/21/19 15:00	195.30	4,987.52	328.70
8/21/19 16:00	193.10	4,939.14	328.18
8/21/19 17:00	185.40	4,856.19	327.70
8/21/19 18:00	185.80	4,852.38	326.75
8/21/19 19:00	179.40	4,852.24	327.40
8/21/19 20:00	178.90	4,853.54	327.72
8/21/19 21:00	179.60	4,854.42	327.44
8/21/19 22:00	180.00	4,853.86	327.06
8/21/19 23:00	180.40	4,852.44	326.68
8/22/19 0:00	179.50	4,857.13	326.86
8/22/19 1:00	182.40	4,854.32	327.32
8/22/19 2:00	179.10	4,852.77	327.41
8/22/19 3:00	181.40	4,852.21	327.12
8/22/19 4:00	185.10	4,852.87	327.85
8/22/19 5:00	183.80	4,852.02	327.22
8/22/19 6:00	185.10	4,853.80	327.97
8/22/19 7:00	184.80	4,853.64	327.33
8/22/19 8:00	183.90	4,855.68	326.96
8/22/19 9:00	183.00	4,854.61	326.89
8/22/19 10:00	181.90	4,854.42	327.35
8/22/19 11:00	182.40	4,851.08	324.24
8/22/19 12:00	184.50	4,853.97	325.01
8/22/19 13:00	181.50	4,856.98	326.20
8/22/19 14:00	180.00	4,854.07	328.05
8/22/19 15:00	178.70	4,848.98	328.34

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
8/22/19 16:00	180.20	4,853.63	327.88
8/22/19 17:00	178.70	4,855.68	327.30
8/22/19 18:00	177.70	4,852.21	326.19
8/22/19 19:00	157.20	4,743.40	321.89
8/22/19 20:00	166.30	4,854.75	319.91
8/22/19 21:00	170.90	4,853.82	323.16
8/22/19 22:00	180.40	4,973.82	323.50
8/22/19 23:00	169.90	4,855.77	322.29
8/23/19 0:00	170.20	4,854.95	324.56
8/23/19 1:00	170.90	4,853.84	323.71
8/23/19 2:00	171.30	4,853.67	324.01
8/23/19 3:00	170.70	4,854.69	322.25
8/23/19 4:00	170.20	4,854.41	321.26
8/23/19 5:00	170.20	4,856.06	321.77
8/23/19 6:00	170.50	4,850.49	322.32
8/23/19 7:00	169.80	4,854.47	320.90
8/23/19 8:00	168.20	4,859.85	321.04
8/23/19 9:00	182.00	5,034.67	324.16
8/23/19 10:00	169.00	4,858.02	323.09
8/23/19 11:00	169.40	4,856.56	323.44
8/23/19 12:00	169.70	4,854.34	323.46
8/23/19 13:00	170.20	4,852.13	323.43
8/23/19 14:00	170.10	4,853.31	322.71
8/23/19 15:00	170.20	4,852.61	323.48
8/23/19 16:00	167.90	4,853.70	323.66
8/23/19 17:00	168.60	4,852.31	323.63
8/23/19 18:00	169.80	4,853.52	324.13
8/23/19 19:00	170.10	4,855.80	324.44
8/23/19 20:00	170.00	4,870.71	324.86
8/23/19 21:00	170.20	4,874.40	325.63
8/23/19 22:00	178.90	4,972.17	325.13
8/23/19 23:00	187.60	5,074.58	327.97
8/24/19 0:00	175.20	4,945.73	326.53
8/24/19 1:00	172.00	4,900.52	324.64
8/24/19 2:00	170.80	4,890.51	324.71
8/24/19 3:00	173.00	4,904.74	324.08
8/24/19 4:00	169.30	4,875.46	323.11
8/24/19 5:00	171.00	4,883.61	324.52

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
8/24/19 6:00	168.80	4,878.47	323.65
8/24/19 7:00	168.10	4,851.61	323.34
8/24/19 8:00	169.30	4,862.11	326.71
8/24/19 9:00	168.80	4,854.02	326.54
8/24/19 10:00	167.80	4,863.68	326.56
8/24/19 11:00	170.60	4,874.98	327.43
8/24/19 12:00	167.00	4,850.75	327.86
8/24/19 13:00	168.80	4,852.38	328.24
8/24/19 14:00	166.60	4,854.08	328.74
8/24/19 15:00	167.10	4,853.25	328.63
8/24/19 16:00	166.80	4,853.88	328.35
8/24/19 17:00	166.90	4,854.34	329.13
8/24/19 18:00	167.70	4,853.64	327.51
8/24/19 19:00	168.30	4,850.65	326.70
8/24/19 20:00	167.40	4,854.15	325.70
8/24/19 21:00	167.10	4,854.32	325.39
8/24/19 22:00	167.70	4,855.12	325.36
8/24/19 23:00	167.90	4,855.82	325.60
8/25/19 0:00	167.60	4,853.80	325.51
8/25/19 1:00	166.50	4,853.23	325.31
8/25/19 2:00	166.30	4,856.01	325.13
8/25/19 3:00	165.90	4,851.65	325.02
8/25/19 4:00	170.80	4,900.53	326.90
8/25/19 5:00	166.20	4,851.68	325.08
8/25/19 6:00	167.60	4,854.27	324.37
8/25/19 7:00	166.90	4,853.49	324.47
8/25/19 8:00	171.10	4,853.81	325.10
8/25/19 9:00	171.20	4,853.56	325.37
8/25/19 10:00	177.10	4,925.80	326.59
8/25/19 11:00	171.10	4,864.26	326.71
8/25/19 12:00	169.90	4,855.26	327.07
8/25/19 13:00	172.30	4,890.70	326.88
8/25/19 14:00	175.00	4,923.60	328.66
8/25/19 15:00	176.10	4,921.24	329.70
8/25/19 16:00	168.90	4,853.09	327.38
8/25/19 17:00	169.40	4,851.85	327.02
8/25/19 18:00	169.20	4,853.66	326.53
8/25/19 19:00	169.40	4,854.68	326.77

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
8/25/19 20:00	169.10	4,854.27	326.53
8/25/19 21:00	168.60	4,852.56	326.17
8/25/19 22:00	169.00	4,854.10	326.21
8/25/19 23:00	169.50	4,850.26	325.80
8/26/19 0:00	169.10	4,852.92	326.82
8/26/19 1:00	169.80	4,855.77	327.96
8/26/19 2:00	168.70	4,851.55	325.54
8/26/19 3:00	168.90	4,854.74	325.18
8/26/19 4:00	169.20	4,855.40	325.46
8/26/19 5:00	170.30	4,869.97	325.12
8/26/19 6:00	163.40	4,802.24	322.32
8/26/19 7:00	171.60	4,852.00	325.27
8/26/19 8:00	171.80	4,855.67	327.22
8/26/19 9:00	171.30	4,858.17	328.75
8/26/19 10:00	187.00	5,057.71	330.92
8/26/19 11:00	224.60	5,506.94	340.39
8/26/19 12:00	183.20	5,002.84	331.50
8/26/19 13:00	172.40	4,870.10	330.04
8/26/19 14:00	173.30	4,862.94	328.44
8/26/19 15:00	173.80	4,873.27	328.50
8/26/19 16:00	175.30	4,890.26	328.22
8/26/19 17:00	171.30	4,854.00	327.60
8/26/19 18:00	173.70	4,871.47	328.27
8/26/19 19:00	174.60	4,881.43	327.72
8/26/19 20:00	179.10	4,943.29	328.52
8/26/19 21:00	185.80	5,020.87	330.85
8/26/19 22:00	183.60	4,994.37	330.88
8/26/19 23:00	176.30	4,899.55	328.96
8/27/19 0:00	174.30	4,868.24	328.02
8/27/19 1:00	175.00	4,888.74	327.77
8/27/19 2:00	170.80	4,854.11	326.50
8/27/19 3:00	172.80	4,856.77	327.43
8/27/19 4:00	172.00	4,854.77	328.29
8/27/19 5:00	175.70	4,917.52	328.13
8/27/19 6:00	175.20	4,916.10	328.42
8/27/19 7:00	168.00	4,854.22	326.72
8/27/19 8:00	154.40	4,823.42	317.81
8/27/19 9:00	173.50	4,855.96	327.70

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
8/27/19 10:00	174.40	4,855.34	329.64
8/27/19 11:00	180.10	4,941.03	331.15
8/27/19 12:00	176.90	4,864.92	330.31
8/27/19 13:00	177.50	4,852.01	329.00
8/27/19 14:00	179.20	4,871.86	330.55
8/27/19 15:00	183.50	4,911.24	332.17
8/27/19 16:00	179.10	4,862.70	330.83
8/27/19 17:00	185.00	4,956.86	332.27
8/27/19 18:00	187.70	4,965.89	332.57
8/27/19 19:00	188.00	4,980.00	333.15
8/27/19 20:00	202.20	5,134.39	333.24
8/27/19 21:00	190.10	5,032.28	329.83
8/27/19 22:00	174.10	4,921.78	322.88
8/27/19 23:00	175.00	4,916.05	325.92
8/28/19 0:00	179.80	4,976.63	324.34
8/28/19 1:00	252.80	5,836.57	340.96
8/28/19 2:00	216.30	5,407.19	334.45
8/28/19 3:00	173.20	4,919.97	322.88
8/28/19 4:00	183.50	4,914.42	327.26
8/28/19 5:00	181.70	4,875.77	328.94
8/28/19 6:00	178.90	4,853.88	326.80
8/28/19 7:00	178.60	4,854.25	326.32
8/28/19 8:00	178.60	4,855.02	327.51
8/28/19 9:00	179.90	4,855.03	330.02
8/28/19 10:00	189.00	4,974.81	331.04
8/28/19 11:00	182.10	4,921.28	330.71
8/28/19 12:00	175.10	4,856.21	328.00
8/28/19 13:00	179.00	4,854.86	330.47
8/28/19 14:00	180.50	4,853.98	331.27
8/28/19 15:00	183.70	4,867.47	330.22
8/28/19 16:00	184.00	4,867.85	330.71
8/28/19 17:00	181.00	4,856.42	331.31
8/28/19 18:00	181.00	4,857.17	328.86
8/28/19 19:00	181.40	4,856.50	327.71
8/28/19 20:00	180.70	4,851.50	327.57
8/28/19 21:00	181.90	4,853.55	327.52
8/28/19 22:00	181.80	4,857.55	327.96
8/28/19 23:00	182.70	4,852.02	327.66

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
8/29/19 0:00	181.80	4,851.89	327.98
8/29/19 1:00	183.10	4,851.74	329.32
8/29/19 2:00	182.00	4,855.52	328.21
8/29/19 3:00	181.40	4,853.30	327.11
8/29/19 4:00	182.40	4,852.66	326.28
8/29/19 5:00	184.10	4,856.81	327.54
8/29/19 6:00	182.40	4,852.76	326.42
8/29/19 7:00	184.80	4,868.28	326.09
8/29/19 8:00	182.20	4,853.26	325.86
8/29/19 9:00	182.80	4,855.31	327.93
8/29/19 10:00	191.20	4,961.17	330.95
8/29/19 11:00	184.90	4,891.91	331.15
8/29/19 12:00	186.40	4,910.64	330.94
8/29/19 13:00	188.40	4,925.84	330.36
8/29/19 14:00	194.00	4,979.21	332.60
8/29/19 15:00	186.80	4,883.76	330.87
8/29/19 16:00	183.80	4,858.23	328.83
8/29/19 17:00	182.10	4,855.65	328.77
8/29/19 18:00	178.20	4,854.35	326.51
8/29/19 19:00	177.50	4,860.24	325.52
8/29/19 20:00	185.00	4,970.01	326.18
8/29/19 21:00	192.80	5,052.88	327.51
8/29/19 22:00	191.10	5,019.77	327.66
8/29/19 23:00	183.70	4,935.38	326.03
8/30/19 0:00	185.90	4,943.18	325.95
8/30/19 1:00	163.90	4,755.53	322.68
8/30/19 2:00	161.40	4,576.54	304.60
8/30/19 3:00	179.00	4,876.91	321.39
8/30/19 4:00	181.90	4,878.98	325.93
8/30/19 5:00	181.10	4,879.88	324.78
8/30/19 6:00	179.50	4,882.41	324.63
8/30/19 7:00	179.50	4,880.82	325.82
8/30/19 8:00	183.40	4,909.57	326.09
8/30/19 9:00	181.40	4,900.32	327.17
8/30/19 10:00	180.10	4,874.82	325.26
8/30/19 11:00	178.00	4,878.49	326.79
8/30/19 12:00	199.10	5,123.52	330.35
8/30/19 13:00	216.70	5,325.89	332.60

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
8/30/19 14:00	216.30	5,323.56	333.37
8/30/19 15:00	216.60	5,327.15	333.25
8/30/19 16:00	216.60	5,327.27	334.26
8/30/19 17:00	216.40	5,326.66	332.87
8/30/19 18:00	217.30	5,326.35	332.91
8/30/19 19:00	216.90	5,323.66	330.37
8/30/19 20:00	217.90	5,324.05	329.73
8/30/19 21:00	219.00	5,325.86	330.27
8/30/19 22:00	218.90	5,324.24	331.65
8/30/19 23:00	214.90	5,325.63	330.15
8/31/19 0:00	211.50	5,327.40	325.35
8/31/19 1:00	216.10	5,326.47	328.36
8/31/19 2:00	216.90	5,328.05	328.16
8/31/19 3:00	212.60	5,325.74	326.20
8/31/19 4:00	207.20	5,255.18	328.12
8/31/19 5:00	202.00	5,191.65	328.12
8/31/19 6:00	211.80	5,308.81	328.47
8/31/19 7:00	202.40	5,306.59	320.49
8/31/19 8:00	193.10	5,307.48	317.90
8/31/19 9:00	192.50	5,307.13	318.18
8/31/19 10:00	192.20	5,305.75	320.19
8/31/19 11:00	189.70	5,306.27	320.02
8/31/19 12:00	188.40	5,262.82	318.97
8/31/19 13:00	149.60	4,774.88	313.21
8/31/19 14:00	195.20	5,067.67	319.49
8/31/19 15:00	170.60	4,852.36	326.44
8/31/19 16:00	170.60	4,855.60	328.40
8/31/19 17:00	173.20	4,855.64	329.38
8/31/19 18:00	173.80	4,855.06	330.33
8/31/19 19:00	175.10	4,855.98	329.54
8/31/19 20:00	179.00	4,892.99	329.37
8/31/19 21:00	179.40	4,915.14	328.63
8/31/19 22:00	182.30	4,950.51	329.94
8/31/19 23:00	186.40	4,988.64	330.54
9/1/19 0:00	181.00	4,917.83	328.77
9/1/19 1:00	177.00	4,875.25	327.44
9/1/19 2:00	182.20	4,946.79	327.86
9/1/19 3:00	181.20	4,931.52	327.06

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
9/1/19 4:00	183.10	4,962.56	328.41
9/1/19 5:00	175.10	4,854.28	326.57
9/1/19 6:00	174.90	4,853.80	326.00
9/1/19 7:00	174.50	4,865.51	326.65
9/1/19 8:00	174.50	4,853.59	326.88
9/1/19 9:00	172.70	4,853.92	327.13
9/1/19 10:00	173.50	4,856.46	326.14
9/1/19 11:00	172.30	4,853.16	326.54
9/1/19 12:00	173.70	4,853.00	329.22
9/1/19 13:00	174.20	4,853.96	328.90
9/1/19 14:00	171.70	4,855.81	328.60
9/1/19 15:00	171.00	4,853.35	329.07
9/1/19 16:00	171.50	4,857.95	329.34
9/1/19 17:00	171.40	4,853.43	329.09
9/1/19 18:00	169.70	4,853.18	328.93
9/1/19 19:00	177.60	4,941.69	329.44
9/1/19 20:00	185.80	5,026.15	331.40
9/1/19 21:00	175.80	4,897.14	329.59
9/1/19 22:00	174.80	4,887.99	329.39
9/1/19 23:00	185.30	5,001.01	331.58
9/2/19 0:00	176.60	4,908.81	329.81
9/2/19 1:00	178.10	4,932.00	329.22
9/2/19 2:00	177.70	4,914.48	328.41
9/2/19 3:00	174.50	4,865.10	327.35
9/2/19 4:00	171.80	4,853.81	327.67
9/2/19 5:00	172.50	4,855.02	325.90
9/2/19 6:00	171.90	4,854.40	326.53
9/2/19 7:00	170.70	4,852.76	326.55
9/2/19 8:00	170.60	4,852.60	327.44
9/2/19 9:00	169.30	4,852.49	327.01
9/2/19 10:00	169.10	4,856.87	327.04
9/2/19 11:00	170.00	4,853.16	327.32
9/2/19 12:00	171.00	4,853.08	329.62
9/2/19 13:00	172.10	4,851.91	328.30
9/2/19 14:00	172.50	4,851.31	328.28
9/2/19 15:00	173.10	4,855.17	329.13
9/2/19 16:00	174.50	4,856.41	329.74
9/2/19 17:00	171.60	4,852.72	328.51

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
9/2/19 18:00	173.80	4,854.67	328.52
9/2/19 19:00	173.80	4,854.32	327.18
9/2/19 20:00	173.80	4,853.08	326.77
9/2/19 21:00	175.10	4,853.47	326.38
9/2/19 22:00	175.50	4,853.68	326.19
9/2/19 23:00	174.60	4,854.74	326.35
9/3/19 0:00	175.10	4,854.85	326.44
9/3/19 1:00	173.00	4,849.50	325.43
9/3/19 2:00	174.90	4,855.49	324.87
9/3/19 3:00	175.30	4,854.08	326.09
9/3/19 4:00	173.40	4,859.03	325.36
9/3/19 5:00	171.50	4,853.30	323.17
9/3/19 6:00	172.60	4,855.49	322.56
9/3/19 7:00	172.50	4,854.56	323.47
9/3/19 8:00	171.30	4,855.64	325.67
9/3/19 9:00	170.00	4,851.63	326.70
9/3/19 10:00	169.60	4,855.10	326.60
9/3/19 11:00	169.30	4,854.59	326.18
9/3/19 12:00	168.60	4,851.60	326.98
9/3/19 13:00	170.80	4,852.98	327.26
9/3/19 14:00	172.10	4,850.52	325.94
9/3/19 15:00	171.00	4,852.89	326.07
9/3/19 16:00	171.20	4,855.69	325.97
9/3/19 17:00	170.50	4,853.76	327.79
9/3/19 18:00	172.50	4,854.50	327.47
9/3/19 19:00	173.30	4,855.58	326.64
9/3/19 20:00	173.40	4,854.46	325.41
9/3/19 21:00	172.70	4,852.39	325.11
9/3/19 22:00	173.10	4,853.16	326.08
9/3/19 23:00	172.60	4,870.50	325.89
9/4/19 0:00	172.70	4,850.74	327.07
9/4/19 1:00	173.20	4,853.87	326.36
9/4/19 2:00	172.60	4,853.13	324.68
9/4/19 3:00	180.00	4,926.56	324.57
9/4/19 4:00	181.10	4,950.96	325.88
9/4/19 5:00	183.40	4,991.98	328.20
9/4/19 6:00	172.10	4,860.42	324.07
9/4/19 7:00	174.00	4,864.65	324.24

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
9/4/19 8:00	173.00	4,856.28	324.72
9/4/19 9:00	172.30	4,853.63	325.24
9/4/19 10:00	171.50	4,850.90	325.60
9/4/19 11:00	172.30	4,852.30	325.97
9/4/19 12:00	173.00	4,854.74	325.44
9/4/19 13:00	172.80	4,852.69	326.24
9/4/19 14:00	172.50	4,854.50	326.92
9/4/19 15:00	171.50	4,855.82	327.00
9/4/19 16:00	171.40	4,853.49	327.07
9/4/19 17:00	170.90	4,852.71	327.93
9/4/19 18:00	171.00	4,855.85	327.46
9/4/19 19:00	172.40	4,852.90	326.84
9/4/19 20:00	171.40	4,854.77	325.46
9/4/19 21:00	171.90	4,855.55	324.85
9/4/19 22:00	173.10	4,853.36	325.18
9/4/19 23:00	171.00	4,856.57	325.05
9/5/19 0:00	172.30	4,855.56	325.58
9/5/19 1:00	172.60	4,862.15	328.11
9/5/19 2:00	172.00	4,854.88	326.87
9/5/19 3:00	172.10	4,854.82	326.90
9/5/19 4:00	174.00	4,887.26	326.86
9/5/19 5:00	179.00	4,940.40	328.06
9/5/19 6:00	175.10	4,884.03	326.79
9/5/19 7:00	179.00	4,938.93	327.99
9/5/19 8:00	170.60	4,854.82	327.29
9/5/19 9:00	171.00	4,854.27	326.82
9/5/19 10:00	172.30	4,854.90	327.21
9/5/19 11:00	172.00	4,857.24	327.78
9/5/19 12:00	171.10	4,856.59	328.43
9/5/19 13:00	171.10	4,857.12	329.31
9/5/19 14:00	171.30	4,852.95	329.29
9/5/19 15:00	170.20	4,853.56	328.22
9/5/19 16:00	171.60	4,852.63	327.02
9/5/19 17:00	170.00	4,856.19	326.43
9/5/19 18:00	170.90	4,860.18	326.20
9/5/19 19:00	170.60	4,851.63	326.86
9/5/19 20:00	171.10	4,852.97	327.41
9/5/19 21:00	169.10	4,854.03	327.60

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
9/5/19 22:00	171.40	4,854.53	326.37
9/5/19 23:00	169.60	4,852.50	326.98
9/6/19 0:00	170.40	4,866.95	326.88
9/6/19 1:00	171.10	4,856.52	326.61
9/6/19 2:00	171.00	4,854.57	329.50
9/6/19 3:00	172.70	4,867.56	332.32
9/6/19 4:00	172.90	4,862.91	334.37
9/6/19 5:00	170.90	4,853.75	327.71
9/6/19 6:00	170.60	4,854.00	326.30
9/6/19 7:00	171.30	4,862.32	325.75
9/6/19 8:00	171.20	4,862.64	326.57
9/6/19 9:00	170.70	4,854.82	326.15
9/6/19 10:00	170.70	4,854.57	325.65
9/6/19 11:00	171.60	4,852.83	326.48
9/6/19 12:00	172.70	4,852.63	326.90
9/6/19 13:00	171.60	4,853.63	326.85
9/6/19 14:00	172.10	4,856.07	327.01
9/6/19 15:00	171.00	4,851.44	327.05
9/6/19 16:00	172.40	4,853.15	327.76
9/6/19 17:00	170.70	4,855.17	327.02
9/6/19 18:00	171.30	4,853.15	327.20
9/6/19 19:00	171.60	4,857.61	327.50
9/6/19 20:00	172.90	4,851.70	327.14
9/6/19 21:00	172.50	4,851.61	327.86
9/6/19 22:00	171.40	4,854.48	328.12
9/6/19 23:00	171.80	4,853.08	326.99
9/7/19 0:00	173.00	4,852.64	325.54
9/7/19 1:00	172.50	4,852.16	325.01
9/7/19 2:00	172.70	4,852.42	324.61
9/7/19 3:00	172.80	4,853.31	324.78
9/7/19 4:00	172.40	4,854.42	326.87
9/7/19 5:00	171.50	4,856.27	325.31
9/7/19 6:00	174.90	4,897.29	325.62
9/7/19 7:00	172.20	4,852.95	324.84
9/7/19 8:00	172.00	4,855.81	325.26
9/7/19 9:00	172.10	4,860.64	326.59
9/7/19 10:00	173.00	4,893.41	327.84
9/7/19 11:00	170.80	4,856.47	326.99

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
9/7/19 12:00	171.40	4,853.20	326.94
9/7/19 13:00	175.60	4,852.81	327.12
9/7/19 14:00	171.10	4,851.52	328.62
9/7/19 15:00	171.70	4,854.74	329.69
9/7/19 16:00	172.00	4,853.88	330.60
9/7/19 17:00	174.70	4,886.08	328.89
9/7/19 18:00	173.60	4,853.81	327.21
9/7/19 19:00	171.40	4,852.52	325.55
9/7/19 20:00	172.90	4,853.61	325.83
9/7/19 21:00	173.90	4,854.58	325.54
9/7/19 22:00	177.10	4,902.90	326.63
9/7/19 23:00	197.30	5,144.99	329.67
9/8/19 0:00	200.60	5,185.86	330.26
9/8/19 1:00	181.50	4,942.82	327.95
9/8/19 2:00	174.30	4,854.93	325.56
9/8/19 3:00	171.50	4,853.91	325.44
9/8/19 4:00	171.80	4,857.57	326.60
9/8/19 5:00	170.70	4,854.88	326.26
9/8/19 6:00	171.60	4,854.50	325.63
9/8/19 7:00	171.30	4,856.79	324.80
9/8/19 8:00	170.30	4,853.53	326.54
9/8/19 9:00	171.40	4,856.28	327.81
9/8/19 10:00	170.60	4,854.57	328.32
9/8/19 11:00	169.10	4,852.48	327.00
9/8/19 12:00	170.10	4,854.10	326.10
9/8/19 13:00	173.00	4,854.42	329.42
9/8/19 14:00	171.90	4,853.05	327.80
9/8/19 15:00	175.80	4,917.37	328.52
9/8/19 16:00	183.90	4,979.97	331.23
9/8/19 17:00	174.20	4,855.92	326.17
9/8/19 18:00	173.10	4,851.65	325.75
9/8/19 19:00	173.10	4,855.54	325.72
9/8/19 20:00	146.40	4,724.39	315.70
9/8/19 21:00	140.60	4,714.03	312.48
9/8/19 22:00	140.20	4,698.26	315.33
9/8/19 23:00	136.70	4,653.11	315.84
9/9/19 0:00	134.80	4,633.86	313.51
9/9/19 1:00	131.50	4,591.64	311.72

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
9/9/19 2:00	139.60	4,700.12	313.24
9/9/19 3:00	146.10	4,780.04	316.06
9/9/19 4:00	153.60	4,868.31	318.47
9/9/19 5:00	153.10	4,861.62	319.60
9/9/19 6:00	156.10	4,894.21	319.70
9/9/19 7:00	154.00	4,880.84	320.07
9/9/19 8:00	147.50	4,793.29	316.54
9/9/19 9:00	126.10	4,530.21	311.54
9/9/19 10:00	120.40	4,464.48	308.81
9/9/19 11:00	112.30	4,364.33	310.04
9/9/19 12:00	143.40	4,752.15	316.14
9/9/19 13:00	139.90	4,680.13	317.03
9/9/19 14:00	139.50	4,680.11	317.23
9/9/19 15:00	139.20	4,678.07	317.93
9/9/19 16:00	140.50	4,676.66	319.07
9/9/19 17:00	140.70	4,685.27	318.33
9/9/19 18:00	141.40	4,680.18	318.01
9/9/19 19:00	141.90	4,681.90	317.69
9/9/19 20:00	141.10	4,681.25	319.45
9/9/19 21:00	140.90	4,680.52	317.86
9/9/19 22:00	141.70	4,678.98	316.73
9/9/19 23:00	140.20	4,678.96	317.05
9/10/19 0:00	141.50	4,681.86	317.93
9/10/19 1:00	142.00	4,681.47	317.17
9/10/19 2:00	141.90	4,680.29	316.64
9/10/19 3:00	141.90	4,683.24	316.51
9/10/19 4:00	142.10	4,680.91	315.93
9/10/19 5:00	142.00	4,680.87	317.93
9/10/19 6:00	140.50	4,681.44	316.33
9/10/19 7:00	141.60	4,681.32	315.94
9/10/19 8:00	140.90	4,683.10	316.64
9/10/19 9:00	141.10	4,680.26	318.81
9/10/19 10:00	139.80	4,679.19	319.18
9/10/19 11:00	141.50	4,680.19	320.29
9/10/19 12:00	139.90	4,679.44	320.40
9/10/19 13:00	141.00	4,679.72	319.51
9/10/19 14:00	141.60	4,680.91	320.02
9/10/19 15:00	142.40	4,679.00	319.53

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
9/10/19 16:00	141.60	4,681.08	320.18
9/10/19 17:00	140.90	4,681.29	318.90
9/10/19 18:00	140.90	4,680.49	318.06
9/10/19 19:00	141.30	4,677.41	318.23
9/10/19 20:00	142.70	4,679.17	318.07
9/10/19 21:00	141.60	4,678.54	318.25
9/10/19 22:00	164.00	4,813.85	327.29
9/10/19 23:00	179.20	4,854.67	335.81
9/11/19 0:00	183.70	4,853.89	335.81
9/11/19 1:00	183.20	4,857.62	333.59
9/11/19 2:00	182.70	4,857.14	331.51
9/11/19 3:00	182.50	4,855.60	329.59
9/11/19 4:00	181.40	4,855.53	329.83
9/11/19 5:00	185.30	4,855.99	333.39
9/11/19 6:00	184.10	4,855.69	330.89
9/11/19 7:00	180.50	4,853.87	330.99
9/11/19 8:00	178.20	4,855.48	330.19
9/11/19 9:00	177.40	4,855.39	330.05
9/11/19 10:00	177.50	4,855.38	331.68
9/11/19 11:00	175.60	4,856.92	330.72
9/11/19 12:00	178.50	4,856.81	330.79
9/11/19 13:00	178.80	4,853.62	331.01
9/11/19 14:00	179.90	4,855.09	332.51
9/11/19 15:00	177.30	4,853.54	334.05
9/11/19 16:00	172.20	4,854.87	335.94
9/11/19 17:00	204.00	5,230.35	339.37
9/11/19 18:00	204.40	5,155.00	339.43
9/11/19 19:00	211.50	5,241.84	338.78
9/11/19 20:00	211.30	5,240.68	338.66
9/11/19 21:00	210.50	5,239.77	336.90
9/11/19 22:00	212.00	5,238.54	335.78
9/11/19 23:00	212.50	5,238.25	335.76
9/12/19 0:00	209.50	5,239.45	336.11
9/12/19 1:00	209.60	5,242.70	335.37
9/12/19 2:00	208.70	5,240.67	334.93
9/12/19 3:00	209.60	5,240.78	335.10
9/12/19 4:00	211.30	5,238.95	336.97
9/12/19 5:00	208.40	5,242.24	334.06

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
9/12/19 6:00	188.00	5,240.53	321.45
9/12/19 7:00	187.00	5,242.52	319.36
9/12/19 8:00	188.60	5,239.21	319.95
9/12/19 9:00	185.10	5,240.51	320.10
9/12/19 10:00	186.50	5,237.28	321.85
9/12/19 11:00	196.80	5,343.59	325.34
9/12/19 12:00	197.10	5,342.46	323.94
9/12/19 13:00	203.80	5,341.01	330.33
9/12/19 14:00	217.90	5,343.05	343.17
9/12/19 15:00	216.30	5,343.27	342.02
9/12/19 16:00	215.10	5,342.71	340.67
9/12/19 17:00	216.50	5,343.11	339.16
9/12/19 18:00	217.30	5,342.75	338.90
9/12/19 19:00	217.20	5,343.25	337.91
9/12/19 20:00	209.20	5,240.82	337.51
9/12/19 21:00	209.40	5,240.70	337.76
9/12/19 22:00	209.30	5,238.54	337.44
9/12/19 23:00	209.80	5,238.22	337.18
9/13/19 0:00	210.30	5,240.15	338.06
9/13/19 1:00	208.60	5,240.31	338.01
9/13/19 2:00	209.60	5,238.70	337.47
9/13/19 3:00	208.90	5,236.79	337.87
9/13/19 4:00	207.90	5,242.59	339.48
9/13/19 5:00	207.30	5,239.75	340.15
9/13/19 6:00	204.20	5,241.16	338.06
9/13/19 7:00	185.10	5,233.78	321.06
9/13/19 8:00	126.70	4,540.74	308.70
9/13/19 9:00	121.10	4,469.30	305.58
9/13/19 10:00	121.30	4,461.96	305.34
9/13/19 11:00	120.90	4,449.80	307.53
9/13/19 12:00	123.80	4,478.28	308.18
9/13/19 13:00	124.00	4,432.53	307.63
9/13/19 14:00	125.20	4,411.92	306.87
9/13/19 15:00	138.00	4,545.44	310.13
9/13/19 16:00	136.30	4,529.17	312.52
9/13/19 17:00	138.90	4,546.52	312.38
9/13/19 18:00	132.70	4,462.87	309.86
9/13/19 19:00	142.50	4,587.00	311.85

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
9/13/19 20:00	146.20	4,631.98	313.70
9/13/19 21:00	146.80	4,644.54	313.76
9/13/19 22:00	141.80	4,639.37	313.50
9/13/19 23:00	136.30	4,587.15	311.87
9/14/19 0:00	141.80	4,652.71	314.38
9/14/19 1:00	135.70	4,584.45	313.75
9/14/19 2:00	128.90	4,508.82	309.67
9/14/19 3:00	128.40	4,493.72	307.90
9/14/19 4:00	126.00	4,486.13	308.96
9/14/19 5:00	126.30	4,476.14	306.50
9/14/19 6:00	122.70	4,428.48	305.35
9/14/19 7:00	126.10	4,452.22	304.75
9/14/19 8:00	121.50	4,430.62	306.26
9/14/19 9:00	117.70	4,383.80	303.55
9/14/19 10:00	131.20	4,556.45	308.57
9/14/19 11:00	140.10	4,670.40	312.01
9/14/19 12:00	147.80	4,749.53	314.89
9/14/19 13:00	126.70	4,482.17	310.16
9/14/19 14:00	121.90	4,426.25	306.92
9/14/19 15:00	126.30	4,476.55	308.70
9/14/19 16:00	128.50	4,502.22	311.32
9/14/19 17:00	128.60	4,504.99	311.94
9/14/19 18:00	129.00	4,506.22	310.24
9/14/19 19:00	137.50	4,604.45	312.18
9/14/19 20:00	134.10	4,583.10	311.18
9/14/19 21:00	134.30	4,580.47	309.30
9/14/19 22:00	135.60	4,601.46	310.56
9/14/19 23:00	134.00	4,583.76	311.17
9/15/19 0:00	135.60	4,593.55	310.33
9/15/19 1:00	134.70	4,579.41	310.20
9/15/19 2:00	131.70	4,525.50	307.88
9/15/19 3:00	127.00	4,483.49	306.00
9/15/19 4:00	128.10	4,499.32	305.55
9/15/19 5:00	129.80	4,521.97	303.58
9/15/19 6:00	128.10	4,507.77	302.94
9/15/19 7:00	130.20	4,539.22	304.01
9/15/19 8:00	128.90	4,503.08	303.45
9/15/19 9:00	135.20	4,544.00	304.36

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
9/15/19 10:00	134.80	4,550.14	305.50
9/15/19 11:00	137.80	4,533.87	308.49
9/15/19 12:00	137.90	4,537.92	307.78
9/15/19 13:00	132.90	4,530.26	307.68
9/15/19 14:00	111.30	4,270.17	303.63
9/15/19 15:00	139.30	4,574.32	312.20
9/15/19 16:00	137.30	4,575.95	316.47
9/15/19 17:00	134.60	4,515.65	314.50
9/15/19 18:00	128.70	4,449.11	310.90
9/15/19 19:00	125.10	4,397.45	308.11
9/15/19 20:00	117.70	4,327.27	302.53
9/15/19 21:00	133.50	4,525.58	305.28
9/15/19 22:00	138.00	4,562.10	309.66
9/15/19 23:00	137.60	4,561.94	310.31
9/16/19 0:00	136.10	4,562.30	309.65
9/16/19 1:00	137.60	4,562.64	309.01
9/16/19 2:00	137.20	4,560.51	309.67
9/16/19 3:00	138.50	4,562.58	309.89
9/16/19 4:00	137.80	4,564.12	311.81
9/16/19 5:00	136.90	4,565.03	309.27
9/16/19 6:00	137.30	4,561.72	308.86
9/16/19 7:00	133.00	4,511.64	306.82
9/16/19 8:00	128.90	4,463.38	304.85
9/16/19 9:00	136.60	4,566.93	309.40
9/16/19 10:00	137.50	4,579.77	309.49
9/16/19 11:00	137.60	4,579.74	311.03
9/16/19 12:00	138.50	4,577.81	310.81
9/16/19 13:00	137.90	4,580.08	311.09
9/16/19 14:00	138.20	4,579.08	311.05
9/16/19 15:00	138.90	4,579.55	312.03
9/16/19 16:00	137.30	4,580.72	313.28
9/16/19 17:00	138.30	4,578.82	312.06
9/16/19 18:00	137.90	4,580.32	311.50
9/16/19 19:00	138.20	4,578.63	311.37
9/16/19 20:00	138.70	4,577.82	310.94
9/16/19 21:00	138.70	4,578.57	310.99
9/16/19 22:00	138.90	4,577.25	311.65
9/16/19 23:00	138.20	4,578.64	312.56

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
9/17/19 0:00	138.90	4,579.45	310.81
9/17/19 1:00	137.90	4,577.78	309.29
9/17/19 2:00	138.00	4,579.31	309.14
9/17/19 3:00	136.10	4,557.82	308.02
9/17/19 4:00	147.70	4,711.83	311.12
9/17/19 5:00	162.30	4,858.75	314.57
9/17/19 6:00	166.00	4,856.37	313.09
9/17/19 7:00	166.40	4,857.79	313.50
9/17/19 8:00	166.00	4,855.20	314.82
9/17/19 9:00	126.70	4,401.55	307.34
9/17/19 10:00	126.50	4,402.66	306.98
9/17/19 11:00	126.90	4,401.64	306.18
9/17/19 12:00	127.00	4,403.45	305.99
9/17/19 13:00	124.50	4,388.62	305.53
9/17/19 14:00	109.00	4,195.48	304.29
9/17/19 15:00	110.70	4,211.84	304.83
9/17/19 16:00	138.70	4,536.57	305.62
9/17/19 17:00	137.20	4,521.30	308.20
9/17/19 18:00	123.20	4,352.07	305.29
9/17/19 19:00	128.10	4,410.90	307.28
9/17/19 20:00	168.40	4,871.86	320.46
9/17/19 21:00	170.90	4,886.33	322.03
9/17/19 22:00	170.70	4,890.72	322.54
9/17/19 23:00	171.70	4,887.27	321.75
9/18/19 0:00	170.10	4,887.43	321.58
9/18/19 1:00	170.50	4,886.30	319.46
9/18/19 2:00	170.70	4,886.74	319.74
9/18/19 3:00	170.40	4,888.48	319.97
9/18/19 4:00	171.40	4,889.36	320.85
9/18/19 5:00	143.50	4,577.10	314.66
9/18/19 6:00	117.50	4,271.37	303.10
9/18/19 7:00	115.60	4,236.92	301.89
9/18/19 8:00	124.90	4,362.16	301.62
9/18/19 9:00	126.00	4,372.55	304.42
9/18/19 10:00	124.20	4,363.82	305.85
9/18/19 11:00	127.70	4,396.63	308.74
9/18/19 12:00	154.50	4,685.38	316.51
9/18/19 13:00	119.80	4,295.90	310.06

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
9/18/19 14:00	120.20	4,288.66	308.19
9/18/19 15:00	120.50	4,291.84	308.02
9/18/19 16:00	130.40	4,412.96	309.69
9/18/19 17:00	139.00	4,494.24	313.28
9/18/19 18:00	139.80	4,500.17	312.61
9/18/19 19:00	135.60	4,494.51	311.29
9/18/19 20:00	139.10	4,497.43	311.04
9/18/19 21:00	139.20	4,496.85	311.49
9/18/19 22:00	138.90	4,496.75	312.60
9/18/19 23:00	133.20	4,495.87	311.60
9/19/19 0:00	131.90	4,497.89	309.11
9/19/19 1:00	130.40	4,496.74	305.92
9/19/19 2:00	131.10	4,495.19	304.77
9/19/19 3:00	150.60	4,712.70	313.39
9/19/19 4:00	161.70	4,839.31	318.31
9/19/19 5:00	161.80	4,842.30	317.01
9/19/19 6:00	160.80	4,841.41	317.46
9/19/19 7:00	160.60	4,841.90	317.20
9/19/19 8:00	156.10	4,788.76	316.88
9/19/19 9:00	124.60	4,407.69	305.38
9/19/19 10:00	130.60	4,482.00	305.10
9/19/19 11:00	128.10	4,485.29	304.52
9/19/19 12:00	127.90	4,481.19	305.92
9/19/19 13:00	128.20	4,485.44	307.05
9/19/19 14:00	128.10	4,484.86	306.42
9/19/19 15:00	129.10	4,482.89	306.78
9/19/19 16:00	127.80	4,486.55	308.29
9/19/19 17:00	136.70	4,591.66	308.90
9/19/19 18:00	141.40	4,660.31	312.24
9/19/19 19:00	143.30	4,656.48	311.95
9/19/19 20:00	142.20	4,657.71	311.24
9/19/19 21:00	141.30	4,658.59	311.42
9/19/19 22:00	141.30	4,656.97	310.71
9/19/19 23:00	142.50	4,659.09	310.55
9/20/19 0:00	141.40	4,657.71	310.62
9/20/19 1:00	142.80	4,656.25	310.94
9/20/19 2:00	141.60	4,654.67	311.02
9/20/19 3:00	141.60	4,656.30	311.47

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
9/20/19 4:00	140.80	4,657.53	310.47
9/20/19 5:00	142.20	4,660.25	310.25
9/20/19 6:00	141.70	4,661.55	311.59
9/20/19 7:00	140.60	4,656.32	309.72
9/20/19 8:00	140.90	4,658.46	310.25
9/20/19 9:00	140.20	4,656.36	311.01
9/20/19 10:00	140.00	4,655.98	311.01
9/20/19 11:00	140.80	4,656.72	310.85
9/20/19 12:00	143.40	4,656.99	312.43
9/20/19 13:00	142.50	4,656.44	313.59
9/20/19 14:00	144.00	4,653.89	312.88
9/20/19 15:00	144.60	4,655.53	313.01
9/20/19 16:00	146.00	4,657.50	313.21
9/20/19 17:00	145.30	4,658.86	313.82
9/20/19 18:00	144.60	4,658.38	314.67
9/20/19 19:00	145.30	4,660.05	312.10
9/20/19 20:00	144.30	4,658.29	311.78
9/20/19 21:00	144.60	4,658.98	311.71
9/20/19 22:00	144.80	4,657.40	312.65
9/20/19 23:00	144.30	4,656.23	312.52
9/21/19 0:00	142.70	4,656.24	311.66
9/21/19 1:00	144.70	4,657.84	311.41
9/21/19 2:00	143.60	4,658.25	311.57
9/21/19 3:00	142.80	4,657.90	311.47
9/21/19 4:00	144.30	4,658.53	311.06
9/21/19 5:00	145.50	4,656.30	311.81
9/21/19 6:00	144.70	4,656.65	313.40
9/21/19 7:00	145.10	4,657.97	312.78
9/21/19 8:00	145.00	4,656.50	313.50
9/21/19 9:00	143.90	4,660.61	313.09
9/21/19 10:00	143.60	4,657.70	313.81
9/21/19 11:00	142.30	4,656.12	314.13
9/21/19 12:00	142.90	4,655.08	315.20
9/21/19 13:00	143.60	4,656.09	315.50
9/21/19 14:00	141.80	4,655.66	315.58
9/21/19 15:00	144.60	4,656.71	317.28
9/21/19 16:00	143.80	4,659.78	317.22
9/21/19 17:00	143.40	4,657.27	315.89

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
9/21/19 18:00	144.40	4,658.86	316.97
9/21/19 19:00	144.10	4,656.56	315.19
9/21/19 20:00	143.50	4,655.68	314.39
9/21/19 21:00	144.80	4,657.87	314.95
9/21/19 22:00	146.30	4,655.28	314.93
9/21/19 23:00	145.60	4,657.94	315.20
9/22/19 0:00	148.20	4,654.01	314.58
9/22/19 1:00	146.10	4,658.35	313.13
9/22/19 2:00	146.80	4,658.84	312.99
9/22/19 3:00	145.50	4,657.35	312.61
9/22/19 4:00	145.60	4,657.83	312.45
9/22/19 5:00	144.10	4,656.63	312.76
9/22/19 6:00	144.60	4,657.33	313.88
9/22/19 7:00	144.60	4,656.94	313.03
9/22/19 8:00	143.40	4,658.42	314.10
9/22/19 9:00	143.50	4,657.92	314.41
9/22/19 10:00	141.40	4,656.14	314.85
9/22/19 11:00	143.40	4,660.63	315.10
9/22/19 12:00	145.50	4,657.58	316.27
9/22/19 13:00	144.90	4,656.79	315.42
9/22/19 14:00	143.70	4,657.39	316.05
9/22/19 15:00	144.50	4,658.37	316.41
9/22/19 16:00	144.00	4,658.12	316.09
9/22/19 17:00	145.70	4,656.48	316.51
9/22/19 18:00	143.80	4,656.09	315.54
9/22/19 19:00	146.20	4,656.60	314.53
9/22/19 20:00	144.10	4,657.57	313.97
9/22/19 21:00	145.60	4,658.97	313.56
9/22/19 22:00	145.00	4,656.13	313.44
9/22/19 23:00	144.80	4,656.10	313.19
9/23/19 0:00	144.50	4,660.43	313.63
9/23/19 1:00	145.30	4,657.04	312.63
9/23/19 2:00	145.60	4,656.70	312.13
9/23/19 3:00	145.20	4,655.49	312.92
9/23/19 4:00	144.50	4,657.74	312.85
9/23/19 5:00	145.60	4,656.93	312.48
9/23/19 6:00	144.80	4,656.52	312.99
9/23/19 7:00	144.60	4,657.88	313.50

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
9/23/19 8:00	143.90	4,656.96	314.64
9/23/19 9:00	144.30	4,657.54	313.94
9/23/19 10:00	145.00	4,657.38	314.44
9/23/19 11:00	145.50	4,658.32	315.38
9/23/19 12:00	120.00	4,376.32	308.40
10/4/19 1:00	103.90	4,447.07	319.15
10/4/19 2:00	216.70	5,255.16	337.52
10/4/19 3:00	225.90	5,262.26	340.17
10/4/19 4:00	224.00	5,251.65	341.47
10/4/19 5:00	222.30	5,250.52	341.13
10/4/19 6:00	221.40	5,250.91	337.95
10/4/19 7:00	223.90	5,255.45	334.49
10/4/19 8:00	224.60	5,252.45	337.86
10/4/19 9:00	231.90	5,252.46	342.47
10/4/19 10:00	232.20	5,253.91	340.69
10/4/19 11:00	233.50	5,251.12	339.66
10/4/19 12:00	235.40	5,255.48	343.71
10/4/19 13:00	235.40	5,253.20	345.42
10/4/19 14:00	232.80	5,257.02	345.59
10/4/19 15:00	231.70	5,253.98	345.18
10/4/19 16:00	231.40	5,252.88	342.36
10/4/19 17:00	233.20	5,254.01	341.10
10/4/19 18:00	232.40	5,255.18	341.72
10/4/19 19:00	232.80	5,253.29	342.41
10/4/19 20:00	232.60	5,254.27	341.80
10/4/19 21:00	232.40	5,253.69	342.59
10/4/19 22:00	230.80	5,253.39	343.88
10/4/19 23:00	230.50	5,253.72	342.33
10/5/19 0:00	230.70	5,251.71	342.81
10/5/19 1:00	229.20	5,256.70	343.54
10/5/19 2:00	227.00	5,253.14	342.88
10/5/19 3:00	224.80	5,253.32	342.23
10/5/19 4:00	224.20	5,266.52	341.80
10/5/19 5:00	225.10	5,285.30	341.58
10/5/19 6:00	225.60	5,287.16	342.29
10/5/19 7:00	226.50	5,288.51	341.48
10/5/19 8:00	222.10	5,287.82	341.37
10/5/19 9:00	221.00	5,287.58	340.44

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
10/5/19 10:00	228.30	5,286.25	341.25
10/5/19 11:00	232.80	5,287.49	343.04
10/5/19 12:00	230.40	5,285.60	342.29
10/5/19 13:00	234.20	5,286.23	342.13
10/5/19 14:00	233.50	5,285.27	342.30
10/5/19 15:00	235.50	5,287.05	343.66
10/5/19 16:00	234.50	5,288.47	341.79
10/5/19 17:00	233.30	5,286.35	339.21
10/5/19 18:00	218.10	5,288.85	331.57
10/5/19 19:00	220.40	5,285.75	333.11
10/5/19 20:00	218.90	5,286.61	332.01
10/5/19 21:00	217.50	5,289.59	333.85
10/5/19 22:00	228.30	5,288.77	338.21
10/5/19 23:00	232.20	5,287.51	340.82
10/6/19 0:00	230.10	5,289.27	338.93
10/6/19 1:00	229.70	5,287.05	336.50
10/6/19 2:00	231.30	5,288.33	334.50
10/6/19 3:00	230.80	5,288.24	334.96
10/6/19 4:00	231.50	5,287.14	337.96
10/6/19 5:00	232.90	5,288.65	340.39
10/6/19 6:00	232.70	5,287.63	341.24
10/6/19 7:00	228.20	5,287.58	340.39
10/6/19 8:00	231.00	5,278.97	337.72
10/6/19 9:00	233.00	5,290.36	334.76
10/6/19 10:00	231.30	5,287.65	336.08
10/6/19 11:00	227.70	5,286.71	336.82
10/6/19 12:00	230.70	5,284.57	336.65
10/6/19 13:00	225.00	5,288.34	331.69
10/6/19 14:00	223.60	5,289.14	332.76
10/6/19 15:00	225.00	5,286.48	333.52
10/6/19 16:00	224.20	5,285.06	334.08
10/6/19 17:00	225.90	5,287.54	334.42
10/6/19 18:00	222.70	5,286.83	335.04
10/6/19 19:00	224.50	5,288.36	332.92
10/6/19 20:00	224.10	5,287.10	330.58
10/6/19 21:00	224.40	5,287.47	330.94
10/6/19 22:00	228.40	5,292.56	338.82
10/6/19 23:00	227.20	5,290.42	339.91

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
10/7/19 0:00	227.10	5,286.05	339.23
10/7/19 1:00	225.60	5,284.15	340.18
10/7/19 2:00	223.50	5,287.09	340.98
10/7/19 3:00	225.50	5,285.23	342.16
10/7/19 4:00	227.40	5,288.50	345.69
10/7/19 5:00	226.90	5,287.93	344.80
10/7/19 6:00	224.30	5,287.73	340.09
10/7/19 7:00	224.90	5,287.36	337.87
10/7/19 8:00	224.00	5,287.87	336.26
10/7/19 9:00	226.30	5,293.19	338.22
10/7/19 10:00	226.90	5,285.11	343.56
10/7/19 11:00	235.50	5,286.10	347.28
10/7/19 12:00	233.30	5,289.65	348.75
10/7/19 13:00	233.30	5,280.66	338.79
10/7/19 14:00	234.10	5,292.94	342.58
10/7/19 15:00	231.80	5,288.09	345.80
10/7/19 16:00	234.40	5,288.47	344.82
10/7/19 17:00	232.30	5,291.02	344.49
10/7/19 18:00	229.50	5,290.76	339.52
10/7/19 19:00	230.70	5,288.11	340.58
10/7/19 20:00	233.10	5,290.40	343.23
10/7/19 21:00	229.70	5,289.43	343.19
10/7/19 22:00	232.90	5,287.31	343.97
10/7/19 23:00	231.40	5,288.23	346.05
10/8/19 0:00	232.40	5,283.38	345.27
10/8/19 1:00	233.50	5,288.23	343.26
10/8/19 2:00	233.90	5,284.29	339.67
10/8/19 3:00	232.60	5,287.58	334.77
10/8/19 4:00	229.10	5,287.44	333.70
10/8/19 5:00	227.00	5,292.03	335.06
10/8/19 6:00	228.20	5,289.15	342.38
10/8/19 7:00	226.70	5,282.36	344.42
10/8/19 8:00	228.90	5,308.14	339.45
10/8/19 9:00	226.30	5,314.55	336.79
10/8/19 10:00	227.60	5,285.82	335.95
10/8/19 11:00	227.40	5,288.57	339.37
10/8/19 12:00	229.70	5,285.24	332.79
10/8/19 13:00	227.20	5,286.43	332.66

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
10/8/19 14:00	227.20	5,287.57	332.92
10/8/19 15:00	230.30	5,288.38	332.87
10/8/19 16:00	231.20	5,285.55	331.93
10/8/19 17:00	226.40	5,286.53	330.31
10/8/19 18:00	229.10	5,287.90	330.78
10/8/19 19:00	228.70	5,264.02	331.53
10/8/19 20:00	226.00	5,239.87	331.42
10/8/19 21:00	223.00	5,238.98	331.61
10/8/19 22:00	224.10	5,235.57	331.38
10/8/19 23:00	224.60	5,238.91	330.24
10/9/19 0:00	225.20	5,240.37	330.41
10/9/19 1:00	224.60	5,241.95	330.13
10/9/19 2:00	222.90	5,241.19	329.25
10/9/19 3:00	223.00	5,242.10	328.42
10/9/19 4:00	220.40	5,240.38	328.15
10/9/19 5:00	218.80	5,238.97	326.38
10/9/19 6:00	221.60	5,240.29	327.81
10/9/19 7:00	222.20	5,237.71	329.63
10/9/19 8:00	225.50	5,239.08	333.26
10/9/19 9:00	218.50	5,243.06	329.85
10/9/19 10:00	225.10	5,240.79	333.44
10/9/19 11:00	222.00	5,240.22	332.07
10/9/19 12:00	221.30	5,240.16	333.20
10/9/19 13:00	221.30	5,237.19	333.20
10/9/19 14:00	226.00	5,238.71	335.05
10/9/19 15:00	226.00	5,236.70	334.60
10/9/19 16:00	224.30	5,239.02	334.54
10/9/19 17:00	221.30	5,240.88	330.85
10/9/19 18:00	220.20	5,241.06	329.74
10/9/19 19:00	219.20	5,239.39	329.06
10/9/19 20:00	220.80	5,239.23	328.76
10/9/19 21:00	218.70	5,241.69	330.34
10/9/19 22:00	220.10	5,240.48	330.61
10/9/19 23:00	218.90	5,240.59	330.81
10/10/19 0:00	217.60	5,240.33	331.82
10/10/19 1:00	218.90	5,240.15	331.53
10/10/19 2:00	218.40	5,238.55	329.97
10/10/19 3:00	218.50	5,239.01	328.07

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/10/19 4:00	218.40	5,240.76	327.14
10/10/19 5:00	223.30	5,238.80	329.41
10/10/19 6:00	225.10	5,238.55	332.54
10/10/19 7:00	227.40	5,244.93	333.81
10/10/19 8:00	226.90	5,241.26	334.64
10/10/19 9:00	224.60	5,238.16	334.32
10/10/19 10:00	224.10	5,239.29	333.67
10/10/19 11:00	227.20	5,242.13	335.16
10/10/19 12:00	228.20	5,240.89	336.53
10/10/19 13:00	226.20	5,240.82	335.73
10/10/19 14:00	225.40	5,242.50	334.72
10/10/19 15:00	229.00	5,239.36	333.27
10/10/19 16:00	225.50	5,237.58	333.48
10/10/19 17:00	226.40	5,242.45	332.28
10/10/19 18:00	226.80	5,236.93	332.32
10/10/19 19:00	227.70	5,237.95	332.59
10/10/19 20:00	227.80	5,240.48	333.88
10/10/19 21:00	228.90	5,240.45	333.46
10/10/19 22:00	226.40	5,240.67	332.05
10/10/19 23:00	221.50	5,236.86	329.98
10/11/19 0:00	219.00	5,238.91	328.78
10/11/19 1:00	218.40	5,238.66	328.12
10/11/19 2:00	217.20	5,240.57	327.35
10/11/19 3:00	217.40	5,239.27	326.28
10/11/19 4:00	218.20	5,237.74	325.46
10/11/19 5:00	216.90	5,240.04	326.85
10/11/19 6:00	214.90	5,241.83	325.96
10/11/19 7:00	215.50	5,243.62	325.82
10/11/19 8:00	217.30	5,238.62	328.72
10/11/19 9:00	218.80	5,239.41	330.76
10/11/19 10:00	217.90	5,238.87	329.23
10/11/19 11:00	217.80	5,237.73	329.32
10/11/19 12:00	218.80	5,240.13	329.52
10/11/19 13:00	221.10	5,236.85	330.12
10/11/19 14:00	220.30	5,238.93	330.15
10/11/19 15:00	219.20	5,239.68	331.49
10/11/19 16:00	219.40	5,239.96	330.37
10/11/19 17:00	220.20	5,238.50	329.84

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/11/19 18:00	218.10	5,239.29	331.02
10/11/19 19:00	220.40	5,240.99	331.50
10/11/19 20:00	220.50	5,239.14	332.27
10/11/19 21:00	219.50	5,239.25	332.60
10/11/19 22:00	219.50	5,239.29	332.63
10/11/19 23:00	217.40	5,238.64	331.67
10/12/19 0:00	218.10	5,240.11	331.29
10/12/19 1:00	216.90	5,238.91	333.23
10/12/19 2:00	217.70	5,238.52	335.27
10/12/19 3:00	218.80	5,239.27	334.59
10/12/19 4:00	222.20	5,241.30	335.10
10/12/19 5:00	218.30	5,240.72	335.26
10/12/19 6:00	221.00	5,239.20	336.11
10/12/19 7:00	226.70	5,240.70	337.13
10/12/19 8:00	225.10	5,244.61	336.12
10/12/19 9:00	225.40	5,240.06	336.26
10/12/19 10:00	224.00	5,236.61	336.72
10/12/19 11:00	227.90	5,234.88	336.04
10/12/19 12:00	218.60	5,120.20	331.69
10/12/19 13:00	201.70	4,857.68	329.28
10/12/19 14:00	215.20	5,045.30	332.64
10/12/19 15:00	219.90	5,113.58	334.16
10/12/19 16:00	215.00	5,021.92	334.39
10/12/19 17:00	222.30	5,047.15	335.89
10/12/19 18:00	231.20	5,135.70	337.05
10/12/19 19:00	274.70	5,604.81	344.98
10/12/19 20:00	270.70	5,559.46	342.81
10/12/19 21:00	278.50	5,677.91	344.09
10/12/19 22:00	264.80	5,537.66	339.05
10/12/19 23:00	256.60	5,430.30	334.07
10/13/19 0:00	259.50	5,465.80	334.37
10/13/19 1:00	271.90	5,596.51	337.80
10/13/19 2:00	276.70	5,632.81	342.93
10/13/19 3:00	245.60	5,331.81	338.31
10/13/19 4:00	204.70	4,850.69	326.98
10/13/19 5:00	246.00	5,261.42	334.99
10/13/19 6:00	252.30	5,334.34	338.06
10/13/19 7:00	254.80	5,333.42	336.81

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
10/13/19 8:00	240.10	5,335.86	335.39
10/13/19 9:00	240.50	5,338.45	336.71
10/13/19 10:00	239.30	5,333.12	337.37
10/13/19 11:00	242.60	5,334.07	339.96
10/13/19 12:00	239.20	5,332.20	341.84
10/13/19 13:00	232.30	5,336.08	341.59
10/13/19 14:00	236.90	5,338.35	339.56
10/13/19 15:00	235.40	5,335.28	339.80
10/13/19 16:00	233.60	5,336.86	339.34
10/13/19 17:00	232.10	5,337.31	339.18
10/13/19 18:00	232.20	5,336.20	337.60
10/13/19 19:00	231.70	5,335.56	337.82
10/13/19 20:00	232.50	5,332.96	337.78
10/13/19 21:00	233.00	5,334.20	338.58
10/13/19 22:00	233.40	5,333.96	338.49
10/13/19 23:00	232.90	5,334.27	338.13
10/14/19 0:00	226.20	5,337.97	336.02
10/14/19 1:00	205.70	5,247.11	325.77
10/14/19 2:00	210.10	5,233.00	329.73
10/14/19 3:00	210.00	5,234.93	329.72
10/14/19 4:00	209.10	5,231.04	328.76
10/14/19 5:00	212.80	5,229.42	328.84
10/14/19 6:00	211.10	5,234.71	329.22
10/14/19 7:00	212.50	5,235.25	330.55
10/14/19 8:00	206.70	5,235.09	328.43
10/14/19 9:00	205.00	5,233.43	328.89
10/14/19 10:00	207.90	5,232.10	330.71
10/14/19 11:00	208.00	5,231.21	331.67
10/14/19 12:00	207.60	5,232.79	332.04
10/14/19 13:00	209.30	5,233.17	333.86
10/14/19 14:00	213.60	5,233.48	337.06
10/14/19 15:00	214.80	5,234.54	336.30
10/14/19 16:00	213.20	5,231.45	331.95
10/14/19 17:00	213.20	5,236.32	332.31
10/14/19 18:00	214.80	5,232.07	332.35
10/14/19 19:00	211.50	5,232.73	331.01
10/14/19 20:00	208.30	5,234.46	328.75
10/14/19 21:00	209.20	5,232.89	329.11

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
10/14/19 22:00	211.60	5,234.25	330.92
10/14/19 23:00	209.20	5,234.42	330.14
10/15/19 0:00	206.70	5,234.33	326.75
10/15/19 1:00	206.60	5,233.19	325.71
10/15/19 2:00	203.20	5,232.81	322.51
10/15/19 3:00	205.90	5,233.08	324.02
10/15/19 4:00	207.70	5,233.09	326.84
10/15/19 5:00	207.20	5,231.97	325.93
10/15/19 6:00	205.50	5,236.56	328.23
10/15/19 7:00	204.00	5,234.00	328.59
10/15/19 8:00	207.50	5,233.33	323.70
10/15/19 9:00	207.10	5,231.97	324.92
10/15/19 10:00	221.50	5,233.54	335.65
10/15/19 11:00	222.20	5,230.13	336.36
10/15/19 12:00	223.60	5,228.85	336.31
10/15/19 13:00	225.30	5,232.48	338.01
10/15/19 14:00	223.10	5,234.02	339.25
10/15/19 15:00	224.40	5,231.88	337.13
10/15/19 16:00	223.80	5,232.74	338.96
10/15/19 17:00	217.60	5,233.46	334.59
10/15/19 18:00	210.30	5,235.36	330.48
10/15/19 19:00	209.20	5,233.15	328.17
10/15/19 20:00	208.40	5,232.76	328.20
10/15/19 21:00	207.00	5,231.56	328.26
10/15/19 22:00	205.80	5,232.54	326.89
10/15/19 23:00	208.30	5,232.16	326.60
10/16/19 0:00	207.30	5,231.00	325.29
10/16/19 1:00	207.40	5,232.68	325.50
10/16/19 2:00	205.20	5,232.80	324.01
10/16/19 3:00	45.70	4,088.79	313.65
12/5/19 18:00	215.10	5,284.48	326.19
12/5/19 19:00	221.20	5,319.25	328.46
12/5/19 20:00	220.30	5,319.59	327.03
12/5/19 21:00	231.90	5,319.65	331.51
12/5/19 22:00	236.70	5,317.65	334.87
12/5/19 23:00	215.90	5,179.11	333.39
12/6/19 0:00	200.90	5,147.66	325.02
12/6/19 1:00	197.20	5,147.74	321.72

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
12/6/19 2:00	202.40	5,148.25	321.24
12/6/19 3:00	212.10	5,147.69	328.30
12/6/19 4:00	204.10	5,145.49	328.76
12/6/19 5:00	206.90	5,148.26	328.18
12/6/19 6:00	211.80	5,147.71	333.94
12/6/19 7:00	219.10	5,248.75	336.80
12/6/19 8:00	225.50	5,286.28	338.87
12/6/19 9:00	226.00	5,284.52	341.37
12/6/19 10:00	210.30	5,284.02	330.49
12/6/19 11:00	162.90	4,811.99	317.50
12/6/19 12:00	141.20	4,579.11	312.71
12/6/19 13:00	142.00	4,536.11	312.50
12/6/19 14:00	154.40	4,540.04	315.31
12/6/19 15:00	181.40	4,862.14	326.45
12/6/19 16:00	144.40	4,482.56	313.24
12/6/19 17:00	141.10	4,477.76	309.84
12/6/19 18:00	178.80	4,820.62	318.94
12/6/19 19:00	221.40	5,140.64	339.08
12/6/19 20:00	223.40	5,157.69	341.07
12/6/19 21:00	222.80	5,168.10	339.00
12/6/19 22:00	219.50	5,169.72	339.85
12/6/19 23:00	216.20	5,171.22	337.46
12/7/19 0:00	216.30	5,170.72	337.49
12/7/19 1:00	218.90	5,170.51	338.07
12/7/19 2:00	220.10	5,169.82	338.60
12/7/19 3:00	220.00	5,168.25	338.48
12/7/19 4:00	218.20	5,170.32	336.82
12/7/19 5:00	217.50	5,172.97	336.62
12/7/19 6:00	218.50	5,172.35	336.94
12/7/19 7:00	217.70	5,170.13	337.31
12/7/19 8:00	208.10	5,172.33	327.73
12/7/19 9:00	208.10	5,172.62	319.91
12/7/19 10:00	208.10	5,165.63	321.41
12/7/19 11:00	202.30	5,169.71	331.96
12/7/19 12:00	201.30	5,169.78	332.91
12/7/19 13:00	212.50	5,194.35	341.86
12/7/19 14:00	230.40	5,244.41	358.15
12/7/19 15:00	227.40	5,239.34	348.64

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/7/19 16:00	229.00	5,238.63	346.86
12/7/19 17:00	229.60	5,240.35	346.01
12/7/19 18:00	229.40	5,240.82	344.06
12/7/19 19:00	229.00	5,240.72	343.89
12/7/19 20:00	228.90	5,239.28	343.69
12/7/19 21:00	222.80	5,240.17	343.80
12/7/19 22:00	225.70	5,239.38	342.36
12/7/19 23:00	226.40	5,240.02	341.19
12/8/19 0:00	228.40	5,241.41	343.84
12/8/19 1:00	228.00	5,243.61	345.05
12/8/19 2:00	222.30	5,238.37	343.95
12/8/19 3:00	229.50	5,240.77	347.21
12/8/19 4:00	226.60	5,238.31	347.68
12/8/19 5:00	227.10	5,241.23	345.22
12/8/19 6:00	227.10	5,238.40	337.52
12/8/19 7:00	225.00	5,240.41	332.91
12/8/19 8:00	222.90	5,237.93	333.14
12/8/19 9:00	225.80	5,240.80	334.31
12/8/19 10:00	221.10	5,241.95	336.94
12/8/19 11:00	220.50	5,238.50	337.64
12/8/19 12:00	225.30	5,238.71	337.64
12/8/19 13:00	223.90	5,237.74	337.84
12/8/19 14:00	225.40	5,239.23	337.49
12/8/19 15:00	225.20	5,242.48	337.43
12/8/19 16:00	226.20	5,238.07	338.16
12/8/19 17:00	225.20	5,243.51	339.00
12/8/19 18:00	225.00	5,239.76	337.72
12/8/19 19:00	217.90	5,233.50	336.45
12/8/19 20:00	201.40	5,239.28	342.16
12/8/19 21:00	201.40	5,242.12	342.20
12/8/19 22:00	220.00	5,238.06	342.18
12/8/19 23:00	233.50	5,198.38	336.34
12/9/19 0:00	84.00	4,105.65	307.96
12/9/19 2:00	119.90	4,346.95	310.98
12/9/19 3:00	141.10	4,592.04	315.91
12/9/19 4:00	141.90	4,593.32	323.84
12/9/19 5:00	141.60	4,592.64	326.36
12/9/19 6:00	174.10	4,886.08	335.87

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
12/9/19 7:00	213.20	5,167.45	352.06
12/9/19 8:00	198.70	5,167.92	332.94
12/9/19 9:00	218.90	5,162.38	342.12
12/9/19 10:00	218.20	5,166.49	343.71
12/9/19 11:00	221.60	5,163.39	342.98
12/9/19 12:00	222.70	5,164.22	345.84
12/9/19 13:00	223.30	5,167.65	343.46
12/9/19 14:00	222.90	5,164.56	342.25
12/9/19 15:00	223.50	5,164.27	342.01
12/9/19 16:00	222.70	5,163.26	342.59
12/9/19 17:00	225.10	5,166.66	342.25
12/9/19 18:00	221.90	5,160.65	342.85
12/9/19 19:00	216.00	5,167.29	341.77
12/9/19 20:00	217.80	5,168.44	341.77
12/9/19 21:00	219.30	5,166.60	340.80
12/9/19 22:00	217.70	5,162.93	342.63
12/9/19 23:00	217.00	5,171.05	342.32
12/10/19 0:00	221.30	5,163.21	342.59
12/10/19 1:00	218.80	5,164.27	344.85
12/10/19 2:00	222.80	5,165.44	346.20
12/10/19 3:00	214.30	5,167.30	346.33
12/10/19 4:00	217.50	5,167.97	346.90
12/10/19 5:00	217.80	5,166.37	347.54
12/10/19 6:00	218.40	5,166.11	345.50
12/10/19 7:00	217.10	5,167.01	345.04
12/10/19 8:00	218.40	5,167.62	345.55
12/10/19 9:00	219.60	5,167.63	343.87
12/10/19 10:00	216.70	5,167.06	342.15
12/10/19 11:00	217.30	5,167.28	342.32
12/10/19 12:00	219.20	5,160.68	342.81
12/10/19 13:00	218.80	5,171.43	343.97
12/10/19 14:00	221.60	5,165.37	344.03
12/10/19 15:00	222.20	5,167.00	344.51
12/10/19 16:00	219.70	5,166.33	343.10
12/10/19 17:00	207.80	5,163.66	343.05
12/10/19 18:00	215.10	5,168.23	342.70
12/10/19 19:00	213.30	5,164.69	343.15
12/10/19 20:00	213.70	5,165.05	341.83

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/10/19 21:00	212.70	5,165.95	341.17
12/10/19 22:00	216.70	5,163.65	338.42
12/10/19 23:00	219.70	5,165.06	337.89
12/11/19 0:00	221.60	5,166.48	338.41
12/11/19 1:00	222.50	5,165.28	337.90
12/11/19 2:00	222.50	5,163.97	338.16
12/11/19 3:00	221.40	5,163.70	339.13
12/11/19 4:00	222.70	5,166.27	338.62
12/11/19 5:00	222.10	5,167.38	339.39
12/11/19 6:00	221.50	5,166.95	337.21
12/11/19 7:00	239.10	5,358.99	339.13
12/11/19 8:00	229.30	5,375.28	331.99
12/11/19 9:00	230.30	5,373.27	335.44
12/11/19 10:00	219.00	5,377.98	338.43
12/11/19 11:00	218.90	5,376.84	339.84
12/11/19 12:00	220.60	5,372.30	340.73
12/11/19 13:00	221.10	5,374.57	342.77
12/11/19 14:00	227.30	5,376.11	344.39
12/11/19 15:00	228.90	5,374.86	345.42
12/11/19 16:00	231.60	5,373.35	346.18
12/11/19 17:00	232.30	5,376.56	344.25
12/11/19 18:00	233.00	5,374.05	342.34
12/11/19 19:00	231.90	5,376.05	342.47
12/11/19 20:00	231.90	5,379.84	342.37
12/11/19 21:00	234.30	5,374.70	342.22
12/11/19 22:00	235.30	5,377.24	342.55
12/11/19 23:00	234.70	5,377.59	342.94
12/12/19 0:00	234.90	5,376.05	343.60
12/12/19 1:00	236.90	5,375.09	342.98
12/12/19 2:00	236.80	5,375.92	341.84
12/12/19 3:00	233.40	5,376.06	341.00
12/12/19 4:00	229.70	5,375.80	341.00
12/12/19 5:00	233.00	5,378.17	341.92
12/12/19 6:00	232.30	5,374.81	340.55
12/12/19 7:00	233.10	5,377.76	341.00
12/12/19 8:00	230.70	5,378.09	342.15
12/12/19 9:00	232.30	5,376.45	342.90
12/12/19 10:00	231.60	5,378.89	343.59

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
12/12/19 11:00	225.50	5,374.15	345.30
12/12/19 12:00	229.10	5,376.08	346.52
12/12/19 13:00	233.10	5,377.81	347.15
12/12/19 14:00	231.50	5,374.17	349.31
12/12/19 15:00	232.00	5,375.34	348.19
12/12/19 16:00	235.40	5,377.78	347.18
12/12/19 17:00	234.10	5,377.96	346.65
12/12/19 18:00	231.40	5,374.33	341.66
12/12/19 19:00	232.20	5,375.87	339.87
12/12/19 20:00	235.30	5,379.21	338.88
12/12/19 21:00	237.10	5,374.06	338.27
12/12/19 22:00	236.30	5,378.51	337.87
12/12/19 23:00	235.80	5,374.92	338.81
12/13/19 0:00	236.30	5,376.34	338.40
12/13/19 1:00	239.70	5,374.05	337.28
12/13/19 2:00	235.00	5,375.96	336.27
12/13/19 3:00	235.40	5,374.11	336.66
12/13/19 4:00	238.50	5,378.28	337.35
12/13/19 5:00	236.60	5,377.56	337.73
12/13/19 6:00	239.00	5,375.02	337.73
12/13/19 7:00	237.90	5,374.74	339.60
12/13/19 8:00	242.20	5,377.26	339.96
12/13/19 9:00	241.30	5,377.59	338.70
12/13/19 10:00	243.30	5,374.94	340.20
12/13/19 11:00	239.90	5,373.88	341.59
12/13/19 12:00	243.10	5,375.66	342.23
12/13/19 13:00	245.70	5,374.31	341.78
12/13/19 14:00	243.40	5,375.44	345.22
12/13/19 15:00	248.60	5,372.75	348.40
12/13/19 16:00	245.70	5,378.72	348.33
12/13/19 17:00	243.50	5,376.38	346.79
12/13/19 18:00	244.60	5,377.19	345.76
12/13/19 19:00	244.60	5,376.06	345.08
12/13/19 20:00	245.40	5,372.92	346.10
12/13/19 21:00	246.00	5,376.72	346.73
12/13/19 22:00	244.10	5,377.00	345.15
12/13/19 23:00	245.40	5,375.90	345.23
12/14/19 0:00	247.60	5,379.11	346.12

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
12/14/19 1:00	245.70	5,374.79	345.32
12/14/19 2:00	246.60	5,374.55	343.44
12/14/19 3:00	245.30	5,378.55	343.24
12/14/19 4:00	247.30	5,374.48	343.80
12/14/19 5:00	245.70	5,377.68	344.21
12/14/19 6:00	245.90	5,374.58	342.37
12/14/19 7:00	244.10	5,376.86	343.47
12/14/19 8:00	244.40	5,376.46	343.70
12/14/19 9:00	243.40	5,375.98	343.04
12/14/19 10:00	244.20	5,373.71	343.61
12/14/19 11:00	245.70	5,377.08	343.17
12/14/19 12:00	247.10	5,377.43	343.65
12/14/19 13:00	245.20	5,375.91	343.71
12/14/19 14:00	246.40	5,375.72	340.29
12/14/19 15:00	245.00	5,375.64	342.89
12/14/19 16:00	246.30	5,376.81	344.14
12/14/19 17:00	244.40	5,378.71	344.62
12/14/19 18:00	246.00	5,375.69	345.74
12/14/19 19:00	244.90	5,377.08	344.30
12/14/19 20:00	245.90	5,376.85	344.98
12/14/19 21:00	246.30	5,375.08	346.25
12/14/19 22:00	245.00	5,375.17	350.18
12/14/19 23:00	245.70	5,373.15	352.31
12/15/19 0:00	244.30	5,374.34	351.16
12/15/19 1:00	246.20	5,375.03	349.93
12/15/19 2:00	246.20	5,377.67	348.64
12/15/19 3:00	245.70	5,377.16	348.76
12/15/19 4:00	244.60	5,375.86	348.15
12/15/19 5:00	245.50	5,379.21	347.84
12/15/19 6:00	246.40	5,376.67	346.77
12/15/19 7:00	244.80	5,373.84	347.75
12/15/19 8:00	245.00	5,379.13	346.20
12/15/19 9:00	243.50	5,378.66	348.06
12/15/19 10:00	241.70	5,375.21	346.65
12/15/19 11:00	243.40	5,376.82	347.85
12/15/19 12:00	244.00	5,373.54	350.13
12/15/19 13:00	245.60	5,378.22	348.79
12/15/19 14:00	245.70	5,375.15	348.15

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
12/15/19 15:00	247.30	5,377.01	348.69
12/15/19 16:00	246.30	5,373.34	349.83
12/15/19 17:00	246.20	5,374.98	348.09
12/15/19 18:00	245.40	5,377.46	346.36
12/15/19 19:00	243.90	5,379.13	344.83
12/15/19 20:00	244.50	5,378.76	343.80
12/15/19 21:00	245.80	5,376.46	344.67
12/15/19 22:00	243.40	5,375.10	345.12
12/15/19 23:00	243.70	5,375.74	342.83
12/16/19 0:00	243.80	5,375.69	342.28
12/16/19 1:00	243.80	5,374.58	342.83
12/16/19 2:00	246.80	5,374.20	342.75
12/16/19 3:00	245.30	5,375.57	343.41
12/16/19 4:00	245.00	5,375.37	343.41
12/16/19 5:00	244.40	5,377.42	344.32
12/16/19 6:00	244.80	5,373.81	343.88
12/16/19 7:00	245.00	5,374.81	343.14
12/16/19 8:00	244.40	5,378.77	344.51
12/16/19 9:00	247.60	5,377.46	345.92
12/16/19 10:00	246.20	5,375.28	346.83
12/16/19 11:00	247.40	5,376.86	347.24
12/16/19 12:00	246.90	5,371.45	346.96
12/16/19 13:00	248.90	5,374.16	349.07
12/16/19 14:00	249.90	5,375.45	349.99
12/16/19 15:00	250.00	5,375.29	349.94
12/16/19 16:00	249.60	5,374.54	350.25
12/16/19 17:00	248.40	5,373.88	349.63
12/16/19 18:00	248.30	5,377.13	348.94
12/16/19 19:00	248.10	5,376.64	348.19
12/16/19 20:00	248.40	5,376.87	347.72
12/16/19 21:00	248.30	5,376.37	348.83
12/16/19 22:00	245.60	5,375.46	347.88
12/16/19 23:00	245.30	5,377.17	348.12
12/17/19 0:00	247.00	5,375.74	346.77
12/17/19 1:00	246.30	5,376.50	346.34
12/17/19 2:00	248.90	5,374.54	346.58
12/17/19 3:00	249.60	5,377.58	346.67
12/17/19 4:00	247.20	5,376.37	347.09

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
12/17/19 5:00	249.40	5,375.03	347.80
12/17/19 6:00	246.90	5,374.98	345.55
12/17/19 7:00	248.50	5,376.75	345.14
12/17/19 8:00	248.90	5,375.42	345.36
12/17/19 9:00	241.30	5,376.29	343.32
12/17/19 10:00	244.50	5,376.28	343.49
12/17/19 11:00	248.10	5,375.18	346.57
12/17/19 12:00	248.40	5,375.50	345.17
12/17/19 13:00	247.70	5,375.09	344.71
12/17/19 14:00	246.40	5,378.08	344.28
12/17/19 15:00	246.60	5,376.50	344.44
12/17/19 16:00	247.10	5,378.14	344.03
12/17/19 17:00	247.60	5,376.86	344.96
12/17/19 18:00	245.10	5,374.71	343.33
12/17/19 19:00	244.30	5,377.01	343.61
12/17/19 20:00	244.70	5,374.04	343.81
12/17/19 21:00	243.60	5,375.36	342.27
12/17/19 22:00	245.40	5,374.87	342.21
12/17/19 23:00	246.40	5,374.16	341.07
12/18/19 0:00	248.10	5,374.67	340.93
12/18/19 1:00	246.60	5,376.45	340.32
12/18/19 2:00	246.40	5,375.74	341.07
12/18/19 3:00	244.80	5,373.98	340.82
12/18/19 4:00	245.40	5,374.58	340.43
12/18/19 5:00	247.00	5,374.27	340.41
12/18/19 6:00	247.30	5,374.72	335.13
12/18/19 7:00	245.60	5,376.68	333.87
12/18/19 8:00	243.40	5,375.44	333.04
12/18/19 9:00	241.90	5,378.24	334.64
12/18/19 10:00	241.80	5,380.69	335.47
12/18/19 11:00	241.50	5,375.69	336.09
12/18/19 12:00	241.90	5,375.04	337.21
12/18/19 13:00	243.40	5,374.70	337.47
12/18/19 14:00	245.40	5,371.10	335.07
12/18/19 15:00	244.00	5,378.37	335.01
12/18/19 16:00	244.10	5,376.27	335.89
12/18/19 17:00	245.60	5,375.73	337.65
12/18/19 18:00	244.60	5,379.86	336.56

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
12/18/19 19:00	244.60	5,376.77	335.99
12/18/19 20:00	242.80	5,374.87	335.69
12/18/19 21:00	242.60	5,374.85	335.86
12/18/19 22:00	243.70	5,375.67	336.41
12/18/19 23:00	244.30	5,377.45	335.63
12/19/19 0:00	244.50	5,374.16	335.21
12/19/19 1:00	244.60	5,376.13	334.91
12/19/19 2:00	243.30	5,375.21	334.54
12/19/19 3:00	244.40	5,377.86	335.02
12/19/19 4:00	244.30	5,373.45	334.38
12/19/19 5:00	245.80	5,377.58	334.27
12/19/19 6:00	245.10	5,377.89	333.11
12/19/19 7:00	243.50	5,376.04	333.54
12/19/19 8:00	243.70	5,377.13	334.31
12/19/19 9:00	242.70	5,376.27	333.78
12/19/19 10:00	242.80	5,376.18	334.13
12/19/19 11:00	241.90	5,373.75	335.72
12/19/19 12:00	241.90	5,371.59	336.83
12/19/19 13:00	242.60	5,374.33	336.57
12/19/19 14:00	242.50	5,375.70	336.77
12/19/19 15:00	245.00	5,372.39	336.85
12/19/19 16:00	245.50	5,375.25	339.12
12/19/19 17:00	244.60	5,377.61	339.95
12/19/19 18:00	243.70	5,373.55	338.81
12/19/19 19:00	244.80	5,375.24	337.74
12/19/19 20:00	242.20	5,376.76	336.97
12/19/19 21:00	244.00	5,372.47	336.82
12/19/19 22:00	244.40	5,374.01	338.01
12/19/19 23:00	243.30	5,374.46	336.24
12/20/19 0:00	243.50	5,377.07	334.62
12/20/19 1:00	242.30	5,377.47	334.29
12/20/19 2:00	241.20	5,378.71	334.91
12/20/19 3:00	241.70	5,376.16	335.23
12/20/19 4:00	240.70	5,373.44	334.75
12/20/19 5:00	241.40	5,375.55	334.65
12/20/19 6:00	241.00	5,378.49	334.65
12/20/19 7:00	241.60	5,375.45	332.69
12/20/19 8:00	242.00	5,375.98	334.60

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
12/20/19 9:00	242.80	5,376.08	336.02
12/20/19 10:00	240.80	5,378.08	336.19
12/20/19 11:00	240.40	5,372.58	337.98
12/20/19 12:00	242.50	5,373.59	339.74
12/20/19 13:00	243.60	5,375.66	340.21
12/20/19 14:00	245.10	5,375.99	340.04
12/20/19 15:00	243.50	5,376.10	339.43
12/20/19 16:00	241.90	5,376.28	339.87
12/20/19 17:00	239.80	5,375.85	340.42
12/20/19 18:00	240.10	5,375.85	338.57
12/20/19 19:00	241.50	5,374.78	337.65
12/20/19 20:00	241.40	5,373.02	336.94
12/20/19 21:00	242.50	5,375.75	335.67
12/20/19 22:00	241.90	5,377.85	337.18
12/20/19 23:00	241.90	5,374.79	337.14
12/21/19 0:00	240.90	5,375.45	336.71
12/21/19 1:00	241.80	5,372.54	335.91
12/21/19 2:00	242.10	5,375.93	335.93
12/21/19 3:00	241.60	5,375.39	336.64
12/21/19 4:00	239.40	5,376.85	336.24
12/21/19 5:00	238.90	5,375.49	336.08
12/21/19 6:00	240.40	5,375.31	334.83
12/21/19 7:00	239.80	5,374.79	335.15
12/21/19 8:00	240.10	5,377.88	335.36
12/21/19 9:00	234.40	5,373.27	336.58
12/21/19 10:00	235.60	5,377.27	337.60
12/21/19 11:00	235.70	5,375.84	338.44
12/21/19 12:00	239.90	5,375.14	340.08
12/21/19 13:00	241.20	5,378.00	340.58
12/21/19 14:00	239.80	5,377.68	340.70
12/21/19 15:00	240.30	5,377.86	341.80
12/21/19 16:00	241.60	5,374.17	341.01
12/21/19 17:00	242.00	5,376.70	341.12
12/21/19 18:00	241.10	5,375.81	340.08
12/21/19 19:00	242.10	5,374.35	338.70
12/21/19 20:00	238.50	5,377.13	338.07
12/21/19 21:00	231.50	5,375.89	338.23
12/21/19 22:00	236.50	5,375.93	337.80

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/21/19 23:00	237.00	5,371.42	338.67
12/22/19 0:00	238.50	5,381.50	340.53
12/22/19 1:00	238.70	5,376.26	338.92
12/22/19 2:00	241.30	5,373.61	339.23
12/22/19 3:00	240.80	5,377.86	339.38
12/22/19 4:00	238.80	5,375.96	338.10
12/22/19 5:00	238.80	5,376.24	338.72
12/22/19 6:00	238.10	5,376.36	337.89
12/22/19 7:00	239.30	5,375.88	337.87
12/22/19 8:00	239.50	5,376.71	338.34
12/22/19 9:00	239.20	5,377.01	337.94
12/22/19 10:00	238.70	5,377.45	338.27
12/22/19 11:00	237.60	5,375.45	338.11
12/22/19 12:00	237.00	5,371.34	338.51
12/22/19 13:00	240.00	5,373.11	339.68
12/22/19 14:00	240.60	5,375.40	340.94
12/22/19 15:00	243.30	5,371.49	341.09
12/22/19 16:00	241.80	5,376.72	341.26
12/22/19 17:00	240.80	5,376.45	341.86
12/22/19 18:00	240.10	5,377.26	339.97
12/22/19 19:00	241.00	5,375.80	340.52
12/22/19 20:00	242.10	5,374.86	339.94
12/22/19 21:00	241.00	5,376.45	339.97
12/22/19 22:00	241.40	5,377.25	339.95
12/22/19 23:00	240.50	5,377.32	339.35
12/23/19 0:00	239.70	5,375.56	339.34
12/23/19 1:00	241.40	5,375.98	339.40
12/23/19 2:00	242.10	5,376.28	339.16
12/23/19 3:00	240.10	5,375.24	339.58
12/23/19 4:00	242.40	5,377.05	339.09
12/23/19 5:00	241.60	5,374.83	339.25
12/23/19 6:00	239.00	5,378.51	339.89
12/23/19 7:00	239.80	5,376.70	339.69
12/23/19 8:00	238.20	5,375.24	338.75
12/23/19 9:00	239.00	5,375.83	339.21
12/23/19 10:00	239.10	5,378.74	338.43
12/23/19 11:00	238.60	5,374.80	339.07
12/23/19 12:00	240.70	5,375.80	340.79

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
12/23/19 13:00	238.10	5,376.25	341.28
12/23/19 14:00	239.30	5,376.42	341.80
12/23/19 15:00	240.90	5,377.05	342.21
12/23/19 16:00	241.30	5,370.86	341.75
12/23/19 17:00	240.50	5,374.70	341.96
12/23/19 18:00	241.10	5,375.89	340.91
12/23/19 19:00	241.30	5,372.68	340.75
12/23/19 20:00	241.10	5,376.05	340.24
12/23/19 21:00	239.70	5,373.23	339.74
12/23/19 22:00	240.50	5,374.82	338.99
12/23/19 23:00	241.30	5,375.90	338.28
12/24/19 0:00	240.40	5,376.69	338.69
12/24/19 1:00	242.10	5,377.16	338.64
12/24/19 2:00	242.60	5,376.36	338.01
12/24/19 3:00	241.40	5,377.03	337.54
12/24/19 4:00	242.90	5,375.77	336.71
12/24/19 5:00	243.30	5,376.70	337.76
12/24/19 6:00	241.50	5,377.04	338.26
12/24/19 7:00	241.30	5,374.53	337.99
12/24/19 8:00	240.10	5,379.08	338.81
12/24/19 9:00	241.70	5,377.77	339.36
12/24/19 10:00	242.80	5,374.67	340.64
12/24/19 11:00	243.10	5,377.51	343.88
12/24/19 12:00	242.50	5,373.55	341.11
12/24/19 13:00	242.90	5,376.40	340.90
12/24/19 14:00	241.90	5,376.59	341.93
12/24/19 15:00	244.10	5,374.55	342.12
12/24/19 16:00	240.00	5,375.72	342.42
12/24/19 17:00	241.20	5,378.20	342.71
12/24/19 18:00	239.80	5,376.93	340.63
12/24/19 19:00	240.60	5,373.14	340.59
12/24/19 20:00	241.80	5,376.20	340.33
12/24/19 21:00	241.00	5,376.08	339.55
12/24/19 22:00	242.70	5,377.39	339.23
12/24/19 23:00	242.90	5,376.64	339.49
12/25/19 0:00	244.10	5,375.27	339.28
12/25/19 1:00	242.00	5,373.98	339.27
12/25/19 2:00	240.00	5,375.90	338.78

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
12/25/19 3:00	240.70	5,375.58	339.42
12/25/19 4:00	241.70	5,374.30	339.06
12/25/19 5:00	241.30	5,374.61	338.51
12/25/19 6:00	240.20	5,375.93	338.80
12/25/19 7:00	240.00	5,377.69	335.70
12/25/19 8:00	241.50	5,376.09	334.90
12/25/19 9:00	240.60	5,375.61	336.60
12/25/19 10:00	240.00	5,374.69	338.06
12/25/19 11:00	237.50	5,376.38	339.74
12/25/19 12:00	240.80	5,373.15	341.22
12/25/19 13:00	243.20	5,373.82	341.99
12/25/19 14:00	238.20	5,377.04	339.75
12/25/19 15:00	245.90	5,372.97	345.94
12/25/19 16:00	248.40	5,372.85	346.39
12/25/19 17:00	248.20	5,376.38	346.48
12/25/19 18:00	248.30	5,378.08	346.12
12/25/19 19:00	248.10	5,376.32	343.38
12/25/19 20:00	248.40	5,372.91	342.49
12/25/19 21:00	249.40	5,375.24	341.45
12/25/19 22:00	248.50	5,376.77	340.94
12/25/19 23:00	250.10	5,377.50	340.78
12/26/19 0:00	247.60	5,378.74	341.40
12/26/19 1:00	248.10	5,374.56	342.85
12/26/19 2:00	249.10	5,378.53	343.48
12/26/19 3:00	248.50	5,380.09	342.93
12/26/19 4:00	248.30	5,375.02	342.50
12/26/19 5:00	244.20	5,376.15	341.94
12/26/19 6:00	247.80	5,377.86	342.50
12/26/19 7:00	246.90	5,377.88	342.92
12/26/19 8:00	248.70	5,375.28	341.38
12/26/19 9:00	248.30	5,376.57	341.77
12/26/19 10:00	248.80	5,376.05	342.73
12/26/19 11:00	247.80	5,375.02	343.87
12/26/19 12:00	249.30	5,372.93	345.77
12/26/19 13:00	252.70	5,373.17	344.63
12/26/19 14:00	251.90	5,377.39	344.87
12/26/19 15:00	251.20	5,375.51	345.33
12/26/19 16:00	249.40	5,372.21	345.72

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
12/26/19 17:00	247.10	5,373.42	346.57
12/26/19 18:00	253.50	5,377.20	344.68
12/26/19 19:00	252.50	5,377.41	342.94
12/26/19 20:00	253.60	5,375.82	342.41
12/26/19 21:00	252.60	5,375.64	342.09
12/26/19 22:00	253.40	5,374.53	342.26
12/26/19 23:00	252.30	5,377.76	341.53
12/27/19 0:00	252.10	5,374.96	341.21
12/27/19 1:00	255.00	5,374.29	341.40
12/27/19 2:00	254.00	5,374.33	341.19
12/27/19 3:00	253.10	5,374.72	341.69
12/27/19 4:00	252.90	5,378.52	343.57
12/27/19 5:00	252.60	5,377.55	343.13
12/27/19 6:00	253.00	5,373.47	341.85
12/27/19 7:00	253.10	5,373.55	343.94
12/27/19 8:00	254.20	5,378.13	343.47
12/27/19 9:00	251.50	5,375.80	343.15
12/27/19 10:00	249.10	5,375.71	342.68
12/27/19 11:00	251.20	5,376.94	343.25
12/27/19 12:00	254.40	5,376.06	344.51
12/27/19 13:00	254.30	5,376.98	344.96
12/27/19 14:00	255.10	5,376.09	346.61
12/27/19 15:00	254.70	5,376.05	348.40
12/27/19 16:00	253.30	5,375.51	347.68
12/27/19 17:00	253.20	5,375.99	348.08
12/27/19 18:00	251.60	5,375.38	349.05
12/27/19 19:00	253.30	5,376.23	348.44
12/27/19 20:00	252.60	5,377.66	348.80
12/27/19 21:00	252.90	5,374.33	348.66
12/27/19 22:00	252.10	5,377.70	348.02
12/27/19 23:00	249.00	5,374.42	347.91
12/28/19 0:00	249.20	5,375.93	347.72
12/28/19 1:00	245.10	5,375.42	348.54
12/28/19 2:00	246.30	5,374.88	348.28
12/28/19 3:00	246.80	5,375.30	348.12
12/28/19 4:00	249.30	5,376.97	348.71
12/28/19 5:00	252.10	5,374.17	348.35
12/28/19 6:00	251.70	5,377.43	347.56

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
12/28/19 7:00	251.60	5,376.13	346.12
12/28/19 8:00	247.80	5,374.37	344.27
12/28/19 9:00	244.50	5,379.98	344.77
12/28/19 10:00	244.10	5,375.59	349.38
12/28/19 11:00	243.60	5,375.90	350.06
12/28/19 12:00	248.50	5,376.21	349.69
12/28/19 13:00	252.80	5,374.65	351.96
12/28/19 14:00	254.50	5,375.52	353.71
12/28/19 15:00	253.60	5,378.14	354.09
12/28/19 16:00	254.70	5,376.08	354.88
12/28/19 17:00	254.90	5,375.31	352.43
12/28/19 18:00	253.90	5,374.65	343.41
12/28/19 19:00	253.30	5,375.85	343.38
12/28/19 20:00	251.10	5,375.83	341.64
12/28/19 21:00	252.60	5,373.58	341.56
12/28/19 22:00	254.80	5,376.99	342.43
12/28/19 23:00	254.60	5,373.75	342.50
12/29/19 0:00	253.80	5,376.01	342.87
12/29/19 1:00	254.00	5,377.01	342.51
12/29/19 2:00	250.20	5,375.19	342.17
12/29/19 3:00	251.70	5,374.99	343.26
12/29/19 4:00	251.40	5,374.72	341.47
12/29/19 5:00	253.50	5,377.92	342.65
12/29/19 6:00	250.50	5,376.85	342.77
12/29/19 7:00	252.40	5,373.59	342.43
12/29/19 8:00	250.90	5,375.81	342.21
12/29/19 9:00	253.70	5,377.51	342.92
12/29/19 10:00	251.60	5,374.96	344.77
12/29/19 11:00	250.90	5,376.00	344.73
12/29/19 12:00	252.60	5,375.92	345.16
12/29/19 13:00	255.20	5,378.32	346.40
12/29/19 14:00	255.10	5,374.15	346.44
12/29/19 15:00	253.40	5,377.59	348.26
12/29/19 16:00	254.40	5,374.51	354.94
12/29/19 17:00	255.00	5,377.82	351.95
12/29/19 18:00	253.60	5,375.74	348.90
12/29/19 19:00	253.40	5,377.86	348.13
12/29/19 20:00	254.50	5,377.60	347.42

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/29/19 21:00	254.80	5,374.16	347.33
12/29/19 22:00	255.20	5,375.31	346.91
12/29/19 23:00	254.80	5,376.62	347.18
12/30/19 0:00	254.40	5,377.33	346.93
12/30/19 1:00	252.80	5,375.27	347.33
12/30/19 2:00	253.60	5,375.26	346.79
12/30/19 3:00	253.70	5,375.16	344.80
12/30/19 4:00	252.30	5,377.39	344.94
12/30/19 5:00	251.80	5,376.59	345.70
12/30/19 6:00	254.40	5,375.41	345.77
12/30/19 7:00	248.50	5,374.00	339.57
12/30/19 8:00	252.50	5,375.62	342.53
12/30/19 9:00	251.30	5,375.77	342.56
12/30/19 10:00	251.10	5,377.20	342.86
12/30/19 11:00	251.80	5,372.29	343.23
12/30/19 12:00	256.20	5,375.92	344.19
12/30/19 13:00	257.70	5,375.24	344.81
12/30/19 14:00	253.80	5,375.62	345.55
12/30/19 15:00	251.90	5,371.55	346.13
12/30/19 16:00	254.20	5,375.77	348.20
12/30/19 17:00	255.40	5,374.13	348.01
12/30/19 18:00	254.50	5,379.81	350.30
12/30/19 19:00	251.40	5,373.15	345.30
12/30/19 20:00	241.00	5,378.62	344.63
12/30/19 21:00	245.10	5,375.65	343.96
12/30/19 22:00	248.00	5,373.07	344.03
12/30/19 23:00	248.90	5,376.02	343.51
12/31/19 0:00	247.60	5,375.13	344.16
12/31/19 1:00	249.90	5,377.47	344.18
12/31/19 2:00	251.40	5,378.79	344.12
12/31/19 3:00	252.70	5,376.13	344.02
12/31/19 4:00	255.20	5,374.89	343.21
12/31/19 5:00	255.90	5,372.52	342.81
12/31/19 6:00	253.20	5,377.16	342.42
12/31/19 7:00	249.20	5,373.56	341.59
12/31/19 8:00	247.20	5,374.26	341.23
12/31/19 9:00	251.80	5,375.58	340.65
12/31/19 10:00	251.80	5,374.82	341.77

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/31/19 11:00	249.80	5,374.37	342.82
12/31/19 12:00	250.30	5,374.52	343.18
12/31/19 13:00	250.90	5,377.81	345.10
12/31/19 14:00	252.60	5,375.34	345.62
12/31/19 15:00	254.30	5,374.69	346.43
12/31/19 16:00	254.40	5,374.74	346.93
12/31/19 17:00	253.70	5,376.01	346.84
12/31/19 18:00	250.00	5,378.25	346.05
12/31/19 19:00	250.40	5,373.83	352.88
12/31/19 20:00	255.10	5,377.31	356.10
12/31/19 21:00	280.40	5,656.16	363.36
12/31/19 22:00	258.70	5,417.53	359.37
12/31/19 23:00	250.70	5,342.64	355.03
1/1/2020 0:00	245.90	5,322.82	346.01
1/1/2020 1:00	248.10	5,351.65	354.09
1/1/2020 2:00	245.20	5,356.09	347.96
1/1/2020 3:00	246.50	5,352.53	347.65
1/1/2020 4:00	248.20	5,355.04	347.35
1/1/2020 5:00	247.30	5,352.21	347.67
1/1/2020 6:00	246.30	5,353.41	348.13
1/1/2020 7:00	243.30	5,357.17	347.17
1/1/2020 8:00	236.80	5,347.01	348.13
1/1/2020 9:00	239.00	5,359.90	348.07
1/1/2020 10:00	238.50	5,355.06	348.70
1/1/2020 11:00	242.70	5,350.98	350.46
1/1/2020 12:00	247.00	5,352.03	352.48
1/1/2020 13:00	187.90	4,876.34	339.33
1/1/2020 14:00	34.00	3,745.06	300.70
4/13/2020 19:00	18.4	3,515.0	222.2
4/23/2020 7:00	36.7	3,714.6	260.9
4/23/2020 8:00	149.8	4,594.2	253.3
4/23/2020 9:00	200.2	5,148.3	268.5
4/23/2020 10:00	200.6	5,151.7	268.3
4/23/2020 11:00	197.9	5,151.2	267.6
4/23/2020 12:00	202.5	5,143.7	264.0
4/23/2020 13:00	200.4	5,153.1	268.9
4/23/2020 14:00	197.1	5,144.9	271.5
4/23/2020 15:00	199.0	5,151.4	269.8

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
4/23/2020 16:00	201.6	5,148.2	271.8
4/23/2020 17:00	179.6	4,959.4	271.5
4/23/2020 18:00	193.6	5,173.1	281.8
4/23/2020 19:00	222.2	5,240.3	293.1
4/23/2020 20:00	222.4	5,240.2	290.0
4/23/2020 21:00	220.3	5,239.0	288.9
4/23/2020 22:00	220.9	5,242.6	288.2
4/23/2020 23:00	219.9	5,240.5	288.8
4/24/2020 0:00	222.3	5,240.9	283.2
4/24/2020 1:00	210.9	5,184.2	280.0
4/24/2020 2:00	106.9	4,157.2	252.5
4/25/2020 17:00	89.5	4,303.8	244.3
4/25/2020 18:00	221.6	5,267.7	282.0
4/25/2020 19:00	218.5	5,271.0	294.4
4/25/2020 20:00	221.1	5,269.0	294.1
4/25/2020 21:00	221.7	5,271.9	294.2
4/25/2020 22:00	221.9	5,270.2	292.5
4/25/2020 23:00	222.6	5,268.1	290.9
4/26/2020 0:00	222.5	5,269.9	291.0
4/26/2020 1:00	219.6	5,263.4	290.4
4/26/2020 2:00	212.5	5,270.1	288.5
4/26/2020 3:00	211.5	5,260.4	287.4
4/26/2020 4:00	215.5	5,274.3	284.8
4/26/2020 5:00	212.3	5,270.6	285.4
4/26/2020 6:00	202.7	5,266.5	280.5
4/26/2020 7:00	203.0	5,271.9	278.9
4/26/2020 8:00	207.8	5,269.3	281.3
4/26/2020 9:00	207.3	5,268.5	281.6
4/26/2020 10:00	204.3	5,267.1	283.0
4/26/2020 11:00	206.5	5,266.9	289.4
4/26/2020 12:00	203.6	5,268.9	287.2
4/26/2020 13:00	209.8	5,266.8	289.3
4/26/2020 14:00	215.5	5,267.4	292.4
4/26/2020 15:00	214.1	5,267.0	292.0
4/26/2020 16:00	214.4	5,270.4	292.2
4/26/2020 17:00	213.8	5,266.1	291.6
4/26/2020 18:00	211.6	5,267.5	291.9
4/26/2020 19:00	213.5	5,268.6	292.0

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
4/26/2020 20:00	212.7	5,268.9	291.6
4/26/2020 21:00	217.6	5,270.5	293.4
4/26/2020 22:00	219.7	5,267.8	295.9
4/26/2020 23:00	220.4	5,269.0	297.1
4/27/2020 0:00	218.5	5,267.8	298.1
4/27/2020 1:00	218.2	5,269.8	296.9
4/27/2020 2:00	216.3	5,268.5	296.8
4/27/2020 3:00	216.2	5,270.0	296.6
4/27/2020 4:00	218.7	5,269.5	297.3
4/27/2020 5:00	212.4	5,270.2	295.0
4/27/2020 6:00	211.0	5,271.5	293.8
4/27/2020 7:00	212.9	5,267.4	293.1
4/27/2020 8:00	214.2	5,268.6	293.4
4/27/2020 9:00	211.4	5,270.9	290.0
4/27/2020 10:00	205.6	5,263.6	288.5
4/27/2020 11:00	208.4	5,268.2	291.8
4/27/2020 12:00	209.6	5,267.4	294.0
4/27/2020 13:00	210.7	5,267.6	296.2
4/27/2020 14:00	209.4	5,270.6	299.4
4/27/2020 15:00	207.2	5,267.7	304.1
4/27/2020 16:00	206.2	5,267.6	300.1
4/27/2020 17:00	207.6	5,270.2	298.7
4/27/2020 18:00	207.7	5,268.9	298.8
4/27/2020 19:00	208.0	5,267.7	298.3
4/27/2020 20:00	207.6	5,271.5	298.3
4/27/2020 21:00	210.7	5,266.9	297.5
4/27/2020 22:00	209.6	5,269.7	297.5
4/27/2020 23:00	202.6	5,267.1	298.5
4/28/2020 0:00	209.1	5,267.5	298.4
4/28/2020 1:00	211.1	5,269.4	298.1
4/28/2020 2:00	209.5	5,273.0	295.3
4/28/2020 3:00	209.5	5,270.0	294.3
4/28/2020 4:00	210.1	5,270.9	294.4
4/28/2020 5:00	207.9	5,267.7	293.8
4/28/2020 6:00	206.9	5,268.2	293.4
4/28/2020 7:00	206.9	5,269.1	294.1
4/28/2020 8:00	205.2	5,270.7	294.4
4/28/2020 9:00	204.2	5,267.1	295.0

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
4/28/2020 10:00	205.4	5,264.0	295.9
4/28/2020 11:00	204.5	5,269.8	297.1
4/28/2020 12:00	206.0	5,267.1	297.7
4/28/2020 13:00	205.3	5,269.9	298.4
4/28/2020 14:00	205.0	5,267.0	300.6
4/28/2020 15:00	207.7	5,268.1	303.2
4/28/2020 16:00	210.1	5,267.5	304.3
4/28/2020 17:00	209.5	5,271.3	303.5
4/28/2020 18:00	208.0	5,266.7	303.2
4/28/2020 19:00	210.3	5,270.1	301.8
4/28/2020 20:00	207.6	5,266.1	300.3
4/28/2020 21:00	208.0	5,268.2	299.2
4/28/2020 22:00	206.8	5,268.4	298.3
4/28/2020 23:00	206.9	5,266.6	297.4
4/29/2020 0:00	205.6	5,267.1	297.8
4/29/2020 1:00	207.4	5,273.8	297.6
4/29/2020 2:00	204.9	5,266.0	297.8
4/29/2020 3:00	206.7	5,269.3	298.0
4/29/2020 4:00	206.7	5,270.1	298.6
4/29/2020 5:00	206.9	5,268.7	298.2
4/29/2020 6:00	209.5	5,271.4	299.9
4/29/2020 7:00	207.3	5,268.3	301.5
4/29/2020 8:00	206.7	5,271.9	302.4
4/29/2020 9:00	204.6	5,265.1	304.1
4/29/2020 10:00	203.7	5,261.2	302.8
4/29/2020 11:00	203.6	5,269.4	305.2
4/29/2020 12:00	204.1	5,269.5	304.2
4/29/2020 13:00	205.2	5,269.8	304.1
4/29/2020 14:00	199.3	5,271.4	300.3
4/29/2020 15:00	199.8	5,269.7	300.0
4/29/2020 16:00	199.1	5,256.5	303.9
4/29/2020 17:00	193.4	5,132.8	299.7
4/29/2020 18:00	193.8	5,131.2	295.5
4/29/2020 19:00	202.9	5,131.4	292.1
4/29/2020 20:00	199.8	5,130.7	291.4
4/29/2020 21:00	202.5	5,129.5	293.7
4/29/2020 22:00	202.7	5,129.1	295.2
4/29/2020 23:00	203.7	5,127.6	297.2

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
4/30/2020 0:00	201.8	5,130.9	295.2
4/30/2020 1:00	200.9	5,133.1	295.5
4/30/2020 2:00	200.8	5,128.3	296.1
4/30/2020 3:00	201.4	5,130.0	295.1
4/30/2020 4:00	206.5	5,169.0	295.4
4/30/2020 5:00	220.1	5,335.1	295.0
4/30/2020 6:00	216.3	5,335.8	297.5
4/30/2020 7:00	217.0	5,334.6	296.6
4/30/2020 8:00	216.0	5,335.7	295.6
4/30/2020 9:00	216.4	5,338.1	295.4
4/30/2020 10:00	218.3	5,335.4	295.7
4/30/2020 11:00	217.1	5,334.6	297.5
4/30/2020 12:00	217.7	5,337.3	298.6
4/30/2020 13:00	219.1	5,334.9	299.9
4/30/2020 14:00	220.6	5,337.7	300.0
4/30/2020 15:00	220.4	5,336.7	299.6
4/30/2020 16:00	221.8	5,338.0	299.3
4/30/2020 17:00	221.5	5,336.1	298.6
4/30/2020 18:00	218.1	5,338.3	297.3
4/30/2020 19:00	219.3	5,338.1	295.7
4/30/2020 20:00	223.0	5,336.3	298.0
4/30/2020 21:00	222.0	5,336.5	298.4
4/30/2020 22:00	222.8	5,338.0	299.2
4/30/2020 23:00	220.1	5,335.4	299.7
5/1/2020 0:00	220.90	5,336.72	300.40
5/1/2020 1:00	214.00	5,339.97	299.65
5/1/2020 2:00	216.10	5,337.20	297.18
5/1/2020 3:00	215.40	5,335.51	297.25
5/1/2020 4:00	216.90	5,338.05	298.02
5/1/2020 5:00	220.60	5,336.70	297.78
5/1/2020 6:00	218.90	5,338.18	299.04
5/1/2020 7:00	221.30	5,335.90	298.96
5/1/2020 8:00	219.00	5,340.04	296.92
5/1/2020 9:00	215.40	5,337.16	301.38
5/1/2020 10:00	218.00	5,333.04	301.76
5/1/2020 11:00	221.40	5,337.14	301.29
5/1/2020 12:00	222.90	5,337.15	301.87
5/1/2020 13:00	222.10	5,338.05	302.59

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
5/1/2020 14:00	222.50	5,337.79	304.42
5/1/2020 15:00	223.80	5,336.50	305.18
5/1/2020 16:00	218.70	5,266.13	305.67
5/1/2020 17:00	211.60	5,164.02	304.65
5/1/2020 18:00	211.00	5,164.15	305.03
5/1/2020 19:00	212.70	5,164.67	302.63
5/1/2020 20:00	201.70	5,163.26	298.12
5/1/2020 21:00	206.20	5,165.90	296.40
5/1/2020 22:00	214.80	5,165.78	297.13
5/1/2020 23:00	215.80	5,166.36	297.79
5/2/2020 0:00	215.30	5,167.69	296.79
5/2/2020 1:00	213.70	5,163.98	295.64
5/2/2020 2:00	213.00	5,165.06	295.17
5/2/2020 3:00	211.80	5,164.41	294.76
5/2/2020 4:00	217.50	5,232.03	295.03
5/2/2020 5:00	228.30	5,338.25	295.07
5/2/2020 6:00	227.80	5,337.58	296.11
5/2/2020 7:00	227.10	5,337.25	297.66
5/2/2020 8:00	225.30	5,337.23	299.18
5/2/2020 9:00	228.00	5,337.12	299.63
5/2/2020 10:00	225.50	5,334.62	302.01
5/2/2020 11:00	223.60	5,334.93	304.11
5/2/2020 12:00	225.80	5,339.71	306.13
5/2/2020 13:00	227.10	5,338.42	306.69
5/2/2020 14:00	224.80	5,338.80	306.72
5/2/2020 15:00	226.50	5,337.27	307.47
5/2/2020 16:00	225.90	5,337.19	308.55
5/2/2020 17:00	226.30	5,334.00	307.21
5/2/2020 18:00	229.90	5,336.63	307.31
5/2/2020 19:00	231.60	5,340.42	307.14
5/2/2020 20:00	232.90	5,334.95	306.26
5/2/2020 21:00	234.40	5,336.35	304.33
5/2/2020 22:00	231.20	5,337.58	303.08
5/2/2020 23:00	234.70	5,336.68	302.69
5/3/2020 0:00	233.90	5,341.69	301.86
5/3/2020 1:00	233.40	5,337.17	300.99
5/3/2020 2:00	234.80	5,338.28	300.47
5/3/2020 3:00	233.50	5,340.96	300.51

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
5/3/2020 4:00	232.90	5,338.34	300.48
5/3/2020 5:00	231.50	5,334.55	299.94
5/3/2020 6:00	232.40	5,336.12	301.11
5/3/2020 7:00	232.40	5,341.13	299.52
5/3/2020 8:00	231.30	5,334.62	301.15
5/3/2020 9:00	230.80	5,335.41	304.60
5/3/2020 10:00	232.80	5,332.29	307.17
5/3/2020 11:00	236.00	5,334.99	308.81
5/3/2020 12:00	234.50	5,336.91	309.20
5/3/2020 13:00	235.40	5,335.13	309.04
5/3/2020 14:00	236.40	5,335.72	309.08
5/3/2020 15:00	234.40	5,336.40	308.83
5/3/2020 16:00	235.00	5,338.65	308.87
5/3/2020 17:00	236.50	5,335.04	309.05
5/3/2020 18:00	237.10	5,337.56	309.43
5/3/2020 19:00	236.70	5,336.86	307.47
5/3/2020 20:00	236.20	5,340.50	306.62
5/3/2020 21:00	237.30	5,336.81	306.50
5/3/2020 22:00	235.70	5,338.23	305.92
5/3/2020 23:00	235.80	5,338.72	304.56
5/4/2020 0:00	234.20	5,337.19	304.06
5/4/2020 1:00	235.40	5,336.02	303.18
5/4/2020 2:00	237.60	5,338.10	303.24
5/4/2020 3:00	237.40	5,339.60	304.53
5/4/2020 4:00	236.60	5,339.18	304.50
5/4/2020 5:00	238.30	5,338.17	303.76
5/4/2020 6:00	236.70	5,337.19	303.97
5/4/2020 7:00	232.80	5,336.83	303.17
5/4/2020 8:00	230.00	5,341.25	303.07
5/4/2020 9:00	232.40	5,337.00	304.05
5/4/2020 10:00	231.30	5,337.99	303.47
5/4/2020 11:00	223.30	5,335.54	301.68
5/4/2020 12:00	230.10	5,335.36	303.12
5/4/2020 13:00	231.70	5,338.91	305.36
5/4/2020 14:00	232.00	5,338.17	306.88
5/4/2020 15:00	231.40	5,335.91	306.90
5/4/2020 16:00	232.70	5,339.66	307.17
5/4/2020 17:00	232.50	5,350.70	307.04

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
5/4/2020 18:00	234.60	5,369.36	308.05
5/4/2020 19:00	235.10	5,371.40	307.11
5/4/2020 20:00	233.40	5,368.75	306.71
5/4/2020 21:00	231.30	5,367.72	306.29
5/4/2020 22:00	231.30	5,368.11	305.14
5/4/2020 23:00	230.90	5,369.40	304.14
5/5/2020 0:00	231.00	5,368.71	304.77
5/5/2020 1:00	232.40	5,366.70	304.38
5/5/2020 2:00	231.90	5,370.21	303.76
5/5/2020 3:00	231.40	5,371.55	303.27
5/5/2020 4:00	233.30	5,369.60	303.80
5/5/2020 5:00	232.30	5,367.61	304.11
5/5/2020 6:00	233.50	5,368.09	307.88
5/5/2020 7:00	222.30	5,280.53	307.84
5/5/2020 8:00	220.20	5,267.39	308.39
5/5/2020 9:00	227.10	5,273.11	317.02
5/5/2020 10:00	233.60	5,292.51	340.63
5/5/2020 11:00	238.20	5,447.07	322.77
5/5/2020 12:00	240.60	5,450.29	322.55
5/5/2020 13:00	238.40	5,443.51	319.09
5/5/2020 14:00	237.00	5,448.96	316.73
5/5/2020 15:00	239.30	5,445.72	316.80
5/5/2020 16:00	238.60	5,447.79	318.79
5/5/2020 17:00	238.10	5,445.30	318.55
5/5/2020 18:00	238.00	5,447.74	317.47
5/5/2020 19:00	238.20	5,445.22	316.44
5/5/2020 20:00	238.70	5,448.64	314.97
5/5/2020 21:00	238.50	5,449.02	313.57
5/5/2020 22:00	237.10	5,446.89	312.93
5/5/2020 23:00	240.40	5,446.68	312.53
5/6/2020 0:00	237.60	5,449.91	311.34
5/6/2020 1:00	236.10	5,448.30	311.10
5/6/2020 2:00	237.10	5,446.36	310.68
5/6/2020 3:00	237.60	5,448.14	310.49
5/6/2020 4:00	238.70	5,447.47	309.76
5/6/2020 5:00	236.80	5,446.51	310.04
5/6/2020 6:00	236.20	5,450.91	313.21
5/6/2020 7:00	236.70	5,447.93	312.75

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
5/6/2020 8:00	236.80	5,449.46	313.94
5/6/2020 9:00	235.20	5,448.28	313.65
5/6/2020 10:00	232.90	5,447.43	312.49
5/6/2020 11:00	238.50	5,449.33	315.19
5/6/2020 12:00	239.30	5,448.92	316.28
5/6/2020 13:00	237.30	5,447.57	315.89
5/6/2020 14:00	239.40	5,448.89	318.30
5/6/2020 15:00	238.50	5,448.90	316.96
5/6/2020 16:00	235.40	5,449.17	313.57
5/6/2020 17:00	237.10	5,447.79	312.66
5/6/2020 18:00	237.10	5,446.60	313.12
5/6/2020 19:00	240.40	5,448.48	312.82
5/6/2020 20:00	238.70	5,448.64	312.46
5/6/2020 21:00	239.80	5,450.08	311.86
5/6/2020 22:00	240.90	5,450.94	311.55
5/6/2020 23:00	240.30	5,448.44	311.35
5/7/2020 0:00	240.40	5,447.07	310.51
5/7/2020 1:00	240.60	5,446.76	310.74
5/7/2020 2:00	240.70	5,448.44	310.64
5/7/2020 3:00	241.50	5,447.25	309.75
5/7/2020 4:00	237.30	5,447.94	308.76
5/7/2020 5:00	223.20	5,267.45	308.48
5/7/2020 6:00	220.90	5,240.80	309.24
5/7/2020 7:00	221.20	5,243.52	308.97
5/7/2020 8:00	222.70	5,241.81	309.57
5/7/2020 9:00	221.60	5,241.82	314.13
5/7/2020 10:00	221.30	5,242.23	315.15
5/7/2020 11:00	221.30	5,241.99	316.25
5/7/2020 12:00	221.70	5,240.83	316.48
5/7/2020 13:00	223.30	5,240.59	316.42
5/7/2020 14:00	219.70	5,240.71	317.58
5/7/2020 15:00	218.10	5,242.44	317.39
5/7/2020 16:00	221.30	5,241.64	317.61
5/7/2020 17:00	222.00	5,242.77	317.90
5/7/2020 18:00	222.70	5,241.77	318.19
5/7/2020 19:00	224.60	5,242.79	318.22
5/7/2020 20:00	225.30	5,240.03	318.00
5/7/2020 21:00	222.70	5,241.86	316.72

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
5/7/2020 22:00	220.10	5,244.64	316.61
5/7/2020 23:00	222.00	5,246.45	315.67
5/8/2020 0:00	220.90	5,240.99	314.32
5/8/2020 1:00	218.90	5,243.05	313.40
5/8/2020 2:00	220.10	5,240.07	313.14
5/8/2020 3:00	216.10	5,241.69	313.07
5/8/2020 4:00	215.20	5,241.71	312.41
5/8/2020 5:00	216.40	5,240.84	312.35
5/8/2020 6:00	216.90	5,243.35	312.90
5/8/2020 7:00	139.40	4,456.34	313.30
5/8/2020 8:00	12.80	3,268.67	282.27
7/14/2020 14:00	8.80	3,267.32	112.54
7/14/2020 15:00	4.90	3,215.46	151.81
7/14/2020 16:00	1.70	3,203.82	206.64
7/14/2020 17:00	76.30	3,774.20	269.80
7/14/2020 18:00	214.50	5,329.51	293.04
7/14/2020 19:00	195.80	5,214.02	296.89
7/14/2020 20:00	193.80	5,145.03	301.43
7/14/2020 21:00	201.20	5,146.06	310.59
7/14/2020 22:00	198.90	5,146.73	308.24
7/14/2020 23:00	202.10	5,145.89	304.64
7/15/2020 0:00	202.50	5,145.38	303.75
7/15/2020 1:00	202.10	5,145.85	303.57
7/15/2020 2:00	200.70	5,146.01	302.54
7/15/2020 3:00	200.80	5,144.60	302.06
7/15/2020 4:00	200.60	5,142.81	300.74
7/15/2020 5:00	199.20	5,147.03	300.02
7/15/2020 6:00	200.00	5,146.75	299.77
7/15/2020 7:00	176.60	5,145.72	296.46
7/15/2020 8:00	198.60	5,142.92	300.93
7/15/2020 9:00	202.00	5,146.64	303.10
7/15/2020 10:00	202.20	5,144.12	303.52
7/15/2020 11:00	199.30	5,146.81	304.34
7/15/2020 12:00	197.20	5,145.38	305.25
7/15/2020 13:00	196.00	5,144.26	305.49
7/15/2020 14:00	195.10	5,146.18	304.03
7/15/2020 15:00	195.60	5,144.18	304.04
7/15/2020 16:00	195.90	5,145.80	304.63

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
7/15/2020 17:00	195.30	5,146.09	305.87
7/15/2020 18:00	195.00	5,146.07	311.65
7/15/2020 19:00	194.20	5,146.25	309.36
7/15/2020 20:00	193.00	5,144.92	308.29
7/15/2020 21:00	192.50	5,142.85	307.11
7/15/2020 22:00	191.60	5,145.38	306.34
7/15/2020 23:00	193.30	5,143.92	305.94
7/16/2020 0:00	192.60	5,146.45	305.21
7/16/2020 1:00	191.30	5,145.47	304.50
7/16/2020 2:00	191.30	5,148.93	303.91
7/16/2020 3:00	193.30	5,145.95	304.29
7/16/2020 4:00	190.80	5,139.32	302.27
7/16/2020 5:00	192.10	5,145.35	300.16
7/16/2020 6:00	193.60	5,145.76	300.87
7/16/2020 7:00	193.60	5,142.84	300.18
7/16/2020 8:00	186.60	5,140.34	299.66
7/16/2020 9:00	202.00	5,261.40	304.41
7/16/2020 10:00	199.90	5,255.90	305.01
7/16/2020 11:00	200.50	5,259.64	306.14
7/16/2020 12:00	201.00	5,258.74	306.45
7/16/2020 13:00	202.10	5,262.18	306.27
7/16/2020 14:00	199.50	5,256.49	306.63
7/16/2020 15:00	200.20	5,259.45	306.86
7/16/2020 16:00	201.60	5,259.91	306.53
7/16/2020 17:00	200.20	5,260.74	304.94
7/16/2020 18:00	202.00	5,262.30	304.76
7/16/2020 19:00	199.50	5,255.95	303.20
7/16/2020 20:00	199.70	5,258.33	303.15
7/16/2020 21:00	201.10	5,259.29	302.98
7/16/2020 22:00	201.50	5,259.91	302.39
7/16/2020 23:00	200.30	5,257.53	301.83
7/17/2020 0:00	199.50	5,260.43	301.77
7/17/2020 1:00	200.60	5,259.65	301.40
7/17/2020 2:00	201.30	5,259.51	301.73
7/17/2020 3:00	200.70	5,261.20	300.99
7/17/2020 4:00	201.20	5,260.19	301.66
7/17/2020 5:00	199.80	5,258.05	300.92
7/17/2020 6:00	199.90	5,258.52	300.59

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
7/17/2020 7:00	198.30	5,260.06	300.64
7/17/2020 8:00	198.80	5,259.08	301.95
7/17/2020 9:00	199.80	5,259.70	303.12
7/17/2020 10:00	201.20	5,256.56	303.07
7/17/2020 11:00	203.70	5,258.11	303.59
7/17/2020 12:00	202.70	5,254.77	304.77
7/17/2020 13:00	202.80	5,259.20	305.01
7/17/2020 14:00	202.40	5,260.20	304.88
7/17/2020 15:00	202.60	5,258.11	305.12
7/17/2020 16:00	202.40	5,259.65	305.96
7/17/2020 17:00	202.90	5,257.07	305.66
7/17/2020 18:00	201.80	5,260.10	306.16
7/17/2020 19:00	205.60	5,260.48	308.33
7/17/2020 20:00	204.80	5,258.79	311.84
7/17/2020 21:00	205.70	5,258.53	311.34
7/17/2020 22:00	204.80	5,263.09	310.93
7/17/2020 23:00	204.40	5,258.60	309.65
7/18/2020 0:00	204.40	5,258.29	308.87
7/18/2020 1:00	203.10	5,259.76	307.95
7/18/2020 2:00	202.60	5,259.44	307.93
7/18/2020 3:00	197.30	5,258.00	307.40
7/18/2020 4:00	194.10	5,259.23	306.92
7/18/2020 5:00	195.10	5,259.55	303.76
7/18/2020 6:00	193.80	5,263.16	299.59
7/18/2020 7:00	194.60	5,257.66	299.44
7/18/2020 8:00	200.80	5,318.16	300.52
7/18/2020 9:00	210.70	5,437.78	302.47
7/18/2020 10:00	215.20	5,436.28	302.82
7/18/2020 11:00	217.10	5,434.77	303.99
7/18/2020 12:00	219.80	5,437.47	304.19
7/18/2020 13:00	220.00	5,436.41	304.57
7/18/2020 14:00	219.50	5,437.11	305.76
7/18/2020 15:00	222.10	5,438.64	305.93
7/18/2020 16:00	221.90	5,440.30	306.80
7/18/2020 17:00	225.00	5,437.89	307.54
7/18/2020 18:00	227.40	5,442.03	310.29
7/18/2020 19:00	227.20	5,438.26	309.38
7/18/2020 20:00	226.30	5,438.87	307.34

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
7/18/2020 21:00	227.00	5,437.20	306.25
7/18/2020 22:00	226.70	5,439.67	305.17
7/18/2020 23:00	228.00	5,435.77	304.44
7/19/2020 0:00	227.80	5,439.15	304.03
7/19/2020 1:00	228.00	5,439.02	304.03
7/19/2020 2:00	226.60	5,438.40	303.76
7/19/2020 3:00	226.50	5,438.09	303.67
7/19/2020 4:00	225.20	5,440.09	303.32
7/19/2020 5:00	226.30	5,441.08	303.94
7/19/2020 6:00	225.60	5,439.26	309.25
7/19/2020 7:00	225.70	5,439.50	310.42
7/19/2020 8:00	224.90	5,437.78	309.87
7/19/2020 9:00	224.60	5,433.29	310.49
7/19/2020 10:00	226.80	5,439.20	311.44
7/19/2020 11:00	231.30	5,439.34	312.82
7/19/2020 12:00	236.50	5,434.45	313.98
7/19/2020 13:00	240.40	5,438.71	314.21
7/19/2020 14:00	243.60	5,436.25	313.72
7/19/2020 15:00	247.30	5,437.31	313.90
7/19/2020 16:00	247.60	5,436.58	307.96
7/19/2020 17:00	247.80	5,438.30	302.58
7/19/2020 18:00	246.40	5,439.90	302.52
7/19/2020 19:00	245.60	5,436.43	301.61
7/19/2020 20:00	245.90	5,436.04	301.23
7/19/2020 21:00	246.80	5,437.79	300.58
7/19/2020 22:00	247.60	5,437.41	300.11
7/19/2020 23:00	247.00	5,439.39	300.02
7/20/2020 0:00	249.30	5,440.33	300.26
7/20/2020 1:00	251.00	5,439.88	299.09
7/20/2020 2:00	248.10	5,440.20	298.68
7/20/2020 3:00	248.00	5,438.12	298.91
7/20/2020 4:00	250.70	5,440.41	299.23
7/20/2020 5:00	248.90	5,439.01	298.27
7/20/2020 6:00	248.70	5,439.39	299.06
7/20/2020 7:00	248.20	5,439.61	299.05
7/20/2020 8:00	236.50	5,437.88	300.20
7/20/2020 9:00	235.50	5,434.41	300.96
7/20/2020 10:00	235.50	5,438.75	301.06

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
7/20/2020 11:00	234.40	5,436.53	302.32
7/20/2020 12:00	238.00	5,435.59	303.98
7/20/2020 13:00	237.60	5,437.35	304.34
7/20/2020 14:00	238.60	5,439.78	304.50
7/20/2020 15:00	237.60	5,438.98	304.63
7/20/2020 16:00	238.20	5,437.02	304.98
7/20/2020 17:00	238.20	5,435.78	306.26
7/20/2020 18:00	237.80	5,438.09	305.32
7/20/2020 19:00	238.10	5,439.11	304.07
7/20/2020 20:00	238.90	5,436.69	301.72
7/20/2020 21:00	239.60	5,439.53	300.44
7/20/2020 22:00	238.30	5,436.97	301.71
7/20/2020 23:00	240.40	5,437.65	307.05
7/21/2020 0:00	241.80	5,438.31	306.23
7/21/2020 1:00	232.80	5,434.83	305.10
7/21/2020 2:00	232.60	5,438.90	304.80
7/21/2020 3:00	230.60	5,437.86	305.29
7/21/2020 4:00	232.00	5,438.99	305.22
7/21/2020 5:00	233.70	5,439.39	303.81
7/21/2020 6:00	235.20	5,436.55	303.73
7/21/2020 7:00	207.80	5,440.70	290.15
7/21/2020 8:00	228.30	5,439.29	298.13
7/21/2020 9:00	230.40	5,433.65	304.70
7/21/2020 10:00	231.90	5,439.11	300.70
7/21/2020 11:00	230.90	5,439.35	300.99
7/21/2020 12:00	230.10	5,439.78	301.83
7/21/2020 13:00	226.50	5,435.61	302.87
7/21/2020 14:00	228.90	5,438.26	304.05
7/21/2020 15:00	228.30	5,437.93	304.03
7/21/2020 16:00	225.70	5,440.52	304.10
7/21/2020 17:00	228.20	5,439.50	300.40
7/21/2020 18:00	227.20	5,436.53	299.71
7/21/2020 19:00	228.90	5,439.16	298.60
7/21/2020 20:00	224.50	5,438.91	299.33
7/21/2020 21:00	225.20	5,437.53	298.81
7/21/2020 22:00	227.10	5,439.24	297.77
7/21/2020 23:00	227.80	5,438.72	297.55
7/22/2020 0:00	227.30	5,441.09	297.32

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
7/22/2020 1:00	228.70	5,437.96	296.84
7/22/2020 2:00	227.80	5,439.00	296.11
7/22/2020 3:00	227.30	5,438.16	295.86
7/22/2020 4:00	228.10	5,436.65	296.05
7/22/2020 5:00	226.60	5,439.80	295.61
7/22/2020 6:00	228.90	5,437.07	296.05
7/22/2020 7:00	228.70	5,435.53	296.74
7/22/2020 8:00	228.70	5,440.28	297.30
7/22/2020 9:00	228.40	5,438.36	298.41
7/22/2020 10:00	232.70	5,454.57	299.47
7/22/2020 11:00	227.70	5,456.06	299.04
7/22/2020 12:00	226.40	5,439.67	299.90
7/22/2020 13:00	222.80	5,576.03	299.93
7/22/2020 14:00	209.80	5,435.36	293.20
7/22/2020 15:00	215.80	5,436.50	295.16
7/22/2020 16:00	211.30	5,401.10	295.69
7/22/2020 17:00	136.10	4,622.68	278.18
7/22/2020 18:00	129.30	4,511.13	276.90
7/22/2020 19:00	121.60	4,506.45	275.23
7/22/2020 20:00	120.20	4,518.04	272.59
7/22/2020 21:00	119.10	4,510.46	270.71
7/22/2020 22:00	145.40	4,804.03	272.61
7/22/2020 23:00	185.80	5,059.24	291.76
7/23/2020 0:00	190.30	5,059.81	293.32
7/23/2020 1:00	190.10	5,061.57	292.93
7/23/2020 2:00	190.40	5,060.58	292.66
7/23/2020 3:00	190.50	5,060.98	292.02
7/23/2020 4:00	189.50	5,061.29	292.39
7/23/2020 5:00	190.20	5,059.52	291.66
7/23/2020 6:00	190.00	5,061.03	292.20
7/23/2020 7:00	167.30	5,059.71	282.38
7/23/2020 8:00	186.50	5,055.85	286.45
7/23/2020 9:00	195.20	5,059.05	293.67
7/23/2020 10:00	195.10	5,058.72	294.16
7/23/2020 11:00	195.00	5,061.98	295.10
7/23/2020 12:00	195.20	5,059.25	295.97
7/23/2020 13:00	190.70	5,059.08	297.00
7/23/2020 14:00	193.10	5,058.74	297.82

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
7/23/2020 15:00	193.50	5,060.67	298.80
7/23/2020 16:00	200.20	5,141.94	296.27
7/23/2020 17:00	211.50	5,266.11	298.04
7/23/2020 18:00	210.70	5,266.56	298.09
7/23/2020 19:00	210.70	5,267.79	295.44
7/23/2020 20:00	209.20	5,267.82	295.11
7/23/2020 21:00	208.40	5,267.74	296.05
7/23/2020 22:00	208.30	5,268.83	296.32
7/23/2020 23:00	205.60	5,264.69	296.09
7/24/2020 0:00	207.60	5,265.35	296.35
7/24/2020 1:00	209.60	5,267.76	297.41
7/24/2020 2:00	204.80	5,269.41	298.27
7/24/2020 3:00	203.90	5,266.81	297.66
7/24/2020 4:00	203.80	5,265.66	298.18
7/24/2020 5:00	189.80	5,123.69	295.36
7/24/2020 6:00	186.40	5,058.88	293.23
7/24/2020 7:00	186.90	5,062.19	293.06
7/24/2020 8:00	187.40	5,058.41	292.83
7/24/2020 9:00	186.60	5,060.73	293.24
7/24/2020 10:00	186.60	5,059.22	292.47
7/24/2020 11:00	183.00	5,060.62	293.75
7/24/2020 12:00	184.70	5,060.53	295.38
7/24/2020 13:00	183.30	5,058.88	295.90
7/24/2020 14:00	183.60	5,061.27	296.33
7/24/2020 15:00	182.20	5,059.95	296.87
7/24/2020 16:00	182.90	5,059.49	296.03
7/24/2020 17:00	173.40	4,985.42	294.60
7/24/2020 18:00	187.70	5,220.76	292.67
7/24/2020 19:00	194.10	5,250.48	295.01
7/24/2020 20:00	215.40	5,493.03	296.86
7/24/2020 21:00	257.40	6,034.32	311.40
7/24/2020 22:00	200.90	5,321.65	305.83
7/24/2020 23:00	189.60	5,152.18	300.68
7/25/2020 0:00	189.60	5,155.02	302.28
7/25/2020 1:00	188.30	5,152.47	301.96
7/25/2020 2:00	187.80	5,151.64	300.69
7/25/2020 3:00	186.10	5,153.25	300.67
7/25/2020 4:00	186.30	5,153.01	300.91

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
7/25/2020 5:00	185.00	5,152.27	299.02
7/25/2020 6:00	187.20	5,152.79	299.18
7/25/2020 7:00	184.40	5,153.63	300.41
7/25/2020 8:00	185.50	5,151.28	301.64
7/25/2020 9:00	188.10	5,155.25	302.14
7/25/2020 10:00	189.10	5,151.03	302.24
7/25/2020 11:00	193.00	5,153.91	302.68
7/25/2020 12:00	191.40	5,152.91	298.35
7/25/2020 13:00	192.40	5,150.41	298.67
7/25/2020 14:00	191.90	5,153.11	299.80
7/25/2020 15:00	191.40	5,153.58	299.72
7/25/2020 16:00	191.30	5,149.01	298.89
7/25/2020 17:00	191.50	5,153.28	297.91
7/25/2020 18:00	194.40	5,155.98	297.73
7/25/2020 19:00	194.10	5,154.27	297.87
7/25/2020 20:00	193.40	5,152.65	297.50
7/25/2020 21:00	195.10	5,155.04	296.95
7/25/2020 22:00	194.50	5,150.94	297.99
7/25/2020 23:00	194.60	5,153.13	297.64
7/26/2020 0:00	196.60	5,151.19	296.55
7/26/2020 1:00	194.50	5,151.36	296.69
7/26/2020 2:00	194.10	5,152.05	296.31
7/26/2020 3:00	194.60	5,157.55	296.60
7/26/2020 4:00	194.70	5,151.58	297.03
7/26/2020 5:00	194.00	5,150.92	296.12
7/26/2020 6:00	194.60	5,151.43	295.90
7/26/2020 7:00	191.10	5,155.15	295.70
7/26/2020 8:00	190.10	5,153.70	295.74
7/26/2020 9:00	190.80	5,150.82	296.69
7/26/2020 10:00	189.50	5,151.03	297.83
7/26/2020 11:00	191.50	5,150.00	298.86
7/26/2020 12:00	193.10	5,150.22	300.61
7/26/2020 13:00	195.20	5,151.41	301.18
7/26/2020 14:00	196.20	5,151.22	301.97
7/26/2020 15:00	195.90	5,150.91	301.46
7/26/2020 16:00	195.60	5,153.22	301.08
7/26/2020 17:00	196.50	5,156.22	301.57
7/26/2020 18:00	198.80	5,153.12	307.44

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
7/26/2020 19:00	200.60	5,152.87	308.19
7/26/2020 20:00	201.50	5,150.88	308.00
7/26/2020 21:00	204.70	5,151.78	307.68
7/26/2020 22:00	201.80	5,153.18	307.40
7/26/2020 23:00	204.00	5,151.89	307.30
7/27/2020 0:00	203.70	5,152.79	306.22
7/27/2020 1:00	202.90	5,152.35	305.59
7/27/2020 2:00	204.40	5,153.01	305.23
7/27/2020 3:00	203.70	5,154.64	304.60
7/27/2020 4:00	202.80	5,153.62	300.74
7/27/2020 5:00	201.80	5,152.79	297.26
7/27/2020 6:00	198.30	5,154.64	295.78
7/27/2020 7:00	198.30	5,153.65	297.24
7/27/2020 8:00	196.80	5,155.80	297.28
7/27/2020 9:00	199.80	5,151.12	297.81
7/27/2020 10:00	202.80	5,151.13	298.75
7/27/2020 11:00	204.00	5,153.28	300.02
7/27/2020 12:00	208.20	5,149.95	300.29
7/27/2020 13:00	206.50	5,153.73	300.61
7/27/2020 14:00	206.90	5,150.90	299.98
7/27/2020 15:00	210.60	5,149.59	297.93
7/27/2020 16:00	210.10	5,155.16	299.11
7/27/2020 17:00	208.40	5,152.20	299.57
7/27/2020 18:00	207.00	5,152.32	300.56
7/27/2020 19:00	206.20	5,154.59	300.49
7/27/2020 20:00	206.00	5,152.45	299.51
7/27/2020 21:00	205.70	5,150.42	299.48
7/27/2020 22:00	206.70	5,150.50	299.00
7/27/2020 23:00	206.80	5,153.89	298.91
7/28/2020 0:00	208.20	5,151.84	298.92
7/28/2020 1:00	205.80	5,149.46	298.11
7/28/2020 2:00	203.60	5,150.25	297.55
7/28/2020 3:00	205.70	5,152.23	297.54
7/28/2020 4:00	206.40	5,153.16	297.38
7/28/2020 5:00	202.70	5,153.29	297.93
7/28/2020 6:00	205.80	5,155.13	299.09
7/28/2020 7:00	207.70	5,151.06	300.28
7/28/2020 8:00	210.90	5,152.94	300.63

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
7/28/2020 9:00	206.20	5,152.86	299.37
7/28/2020 10:00	206.40	5,153.55	298.59
7/28/2020 11:00	210.10	5,154.83	298.77
7/28/2020 12:00	214.60	5,154.50	297.99
7/28/2020 13:00	212.20	5,156.11	297.43
7/28/2020 14:00	208.90	5,155.68	296.98
7/28/2020 15:00	207.90	5,149.48	297.24
7/28/2020 16:00	203.90	5,151.56	298.21
7/28/2020 17:00	203.50	5,152.43	297.09
7/28/2020 18:00	200.90	5,156.24	297.20
7/28/2020 19:00	196.80	5,155.97	296.76
7/28/2020 20:00	191.60	5,153.08	296.90
7/28/2020 21:00	187.40	5,155.33	297.13
7/28/2020 22:00	186.20	5,153.87	296.45
7/28/2020 23:00	187.40	5,153.88	296.43
7/29/2020 0:00	186.60	5,154.80	296.01
7/29/2020 1:00	188.60	5,149.41	295.61
7/29/2020 2:00	193.90	5,182.79	297.37
7/29/2020 3:00	192.30	5,182.67	295.13
7/29/2020 4:00	193.70	5,187.92	293.23
7/29/2020 5:00	194.40	5,191.86	292.98
7/29/2020 6:00	175.20	5,187.12	285.58
7/29/2020 7:00	174.60	5,185.60	286.00
7/29/2020 8:00	187.50	5,188.20	294.73
7/29/2020 9:00	173.00	5,188.39	296.44
7/29/2020 10:00	174.80	5,187.21	299.78
7/29/2020 11:00	174.90	5,187.60	301.11
7/29/2020 12:00	174.20	5,187.22	298.14
7/29/2020 13:00	173.80	5,184.65	298.09
7/29/2020 14:00	174.50	5,188.84	299.38
7/29/2020 15:00	174.00	5,186.33	300.29
7/29/2020 16:00	175.90	5,187.61	300.15
7/29/2020 17:00	174.70	5,187.80	300.69
7/29/2020 18:00	163.70	5,187.18	302.14
7/29/2020 19:00	165.60	5,187.45	302.34
7/29/2020 20:00	171.40	5,187.09	301.53
7/29/2020 21:00	172.00	5,187.45	299.69
7/29/2020 22:00	172.10	5,185.76	299.73

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
7/29/2020 23:00	171.20	5,186.08	298.36
7/30/2020 0:00	168.00	5,187.68	298.54
7/30/2020 1:00	161.50	5,187.82	298.32
7/30/2020 2:00	159.20	5,186.73	297.52
7/30/2020 3:00	162.70	5,185.83	297.11
7/30/2020 4:00	164.10	5,188.66	296.81
7/30/2020 5:00	158.90	5,187.89	298.02
7/30/2020 6:00	157.10	5,184.53	298.81
7/30/2020 7:00	171.30	5,189.11	298.64
7/30/2020 8:00	169.90	5,188.77	301.14
7/30/2020 9:00	172.00	5,188.71	302.54
7/30/2020 10:00	174.00	5,185.46	301.70
7/30/2020 11:00	178.00	5,187.94	304.62
7/30/2020 12:00	178.60	5,186.83	305.97
7/30/2020 13:00	179.50	5,187.69	305.66
7/30/2020 14:00	181.50	5,187.76	305.67
7/30/2020 15:00	182.20	5,186.62	305.84
7/30/2020 16:00	181.70	5,187.96	305.51
7/30/2020 17:00	184.50	5,186.32	304.62
7/30/2020 18:00	188.60	5,186.90	306.52
7/30/2020 19:00	191.20	5,188.26	307.12
7/30/2020 20:00	186.90	5,186.69	306.38
7/30/2020 21:00	188.00	5,187.91	306.01
7/30/2020 22:00	188.30	5,187.47	306.12
7/30/2020 23:00	188.70	5,186.12	305.49
7/31/2020 0:00	188.70	5,187.95	305.65
7/31/2020 1:00	194.00	5,188.43	305.04
7/31/2020 2:00	189.40	5,188.57	304.39
7/31/2020 3:00	188.80	5,188.47	304.15
7/31/2020 4:00	186.60	5,187.55	303.75
7/31/2020 5:00	183.80	5,186.65	304.64
7/31/2020 6:00	183.30	5,187.23	302.30
7/31/2020 7:00	183.50	5,189.77	302.76
7/31/2020 8:00	186.50	5,189.72	303.12
7/31/2020 9:00	188.30	5,190.01	304.23
7/31/2020 10:00	187.40	5,185.46	304.51
7/31/2020 11:00	189.20	5,184.22	303.45
7/31/2020 12:00	192.00	5,184.78	304.35

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
7/31/2020 13:00	191.60	5,188.14	304.07
7/31/2020 14:00	193.00	5,187.45	304.86
7/31/2020 15:00	194.40	5,184.85	305.34
7/31/2020 16:00	195.60	5,187.13	306.52
7/31/2020 17:00	195.40	5,188.30	306.59
7/31/2020 18:00	194.60	5,188.27	306.51
7/31/2020 19:00	195.10	5,184.95	302.28
7/31/2020 20:00	195.60	5,187.60	303.99
7/31/2020 21:00	196.20	5,187.98	303.92
7/31/2020 22:00	196.30	5,186.71	304.32
7/31/2020 23:00	196.50	5,185.00	305.47
8/1/2020 0:00	196.70	5,187.36	305.83
8/1/2020 1:00	196.10	5,189.47	304.06
8/1/2020 2:00	196.20	5,189.06	303.71
8/1/2020 3:00	195.30	5,187.07	304.67
8/1/2020 4:00	196.20	5,186.02	305.04
8/1/2020 5:00	196.30	5,188.39	304.39
8/1/2020 6:00	196.10	5,188.83	304.13
8/1/2020 7:00	195.90	5,186.12	304.38
8/1/2020 8:00	194.10	5,189.33	305.64
8/1/2020 9:00	193.90	5,189.12	305.99
8/1/2020 10:00	197.00	5,188.80	305.94
8/1/2020 11:00	196.10	5,186.55	305.84
8/1/2020 12:00	193.20	5,183.85	307.29
8/1/2020 13:00	196.00	5,188.57	307.29
8/1/2020 14:00	197.10	5,187.19	307.58
8/1/2020 15:00	195.30	5,185.04	308.01
8/1/2020 16:00	195.60	5,186.62	307.50
8/1/2020 17:00	195.00	5,189.08	308.05
8/1/2020 18:00	195.60	5,186.36	307.25
8/1/2020 19:00	197.10	5,185.77	306.23
8/1/2020 20:00	195.60	5,186.62	305.73
8/1/2020 21:00	196.50	5,189.64	305.42
8/1/2020 22:00	195.40	5,186.20	305.23
8/1/2020 23:00	197.60	5,187.00	306.75
8/2/2020 0:00	195.50	5,189.19	307.51
8/2/2020 1:00	195.60	5,185.99	306.16
8/2/2020 2:00	195.30	5,185.96	305.12

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
8/2/2020 3:00	196.00	5,188.73	304.31
8/2/2020 4:00	195.40	5,184.98	305.22
8/2/2020 5:00	195.80	5,187.84	304.98
8/2/2020 6:00	193.80	5,187.91	304.96
8/2/2020 7:00	192.60	5,188.46	304.26
8/2/2020 8:00	197.10	5,189.21	303.70
8/2/2020 9:00	208.50	5,186.99	303.42
8/2/2020 10:00	209.90	5,186.55	301.71
8/2/2020 11:00	207.70	5,187.68	303.76
8/2/2020 12:00	203.60	5,187.86	305.52
8/2/2020 13:00	211.90	5,187.86	304.96
8/2/2020 14:00	202.40	5,190.07	304.45
8/2/2020 15:00	207.40	5,185.50	304.63
8/2/2020 16:00	208.90	5,186.25	304.99
8/2/2020 17:00	211.80	5,188.36	305.28
8/2/2020 18:00	209.00	5,183.99	305.54
8/2/2020 19:00	207.40	5,186.57	304.56
8/2/2020 20:00	207.90	5,187.28	304.28
8/2/2020 21:00	205.90	5,189.60	304.50
8/2/2020 22:00	206.60	5,186.83	303.42
8/2/2020 23:00	206.80	5,186.99	303.11
8/3/2020 0:00	206.50	5,191.13	304.59
8/3/2020 1:00	207.30	5,187.66	305.15
8/3/2020 2:00	207.90	5,188.28	305.85
8/3/2020 3:00	207.80	5,184.30	305.21
8/3/2020 4:00	208.80	5,188.48	305.53
8/3/2020 5:00	211.80	5,187.40	304.88
8/3/2020 6:00	209.50	5,190.71	305.19
8/3/2020 7:00	206.10	5,187.46	304.92
8/3/2020 8:00	198.00	5,187.74	306.04
8/3/2020 9:00	196.20	5,187.74	306.03
8/3/2020 10:00	195.20	5,192.32	304.91
8/3/2020 11:00	190.00	5,187.43	305.22
8/3/2020 12:00	189.80	5,186.18	306.96
8/3/2020 13:00	189.00	5,186.93	307.86
8/3/2020 14:00	189.20	5,188.77	307.77
8/3/2020 15:00	188.70	5,188.19	307.36
8/3/2020 16:00	187.00	5,188.33	306.58

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
8/3/2020 17:00	186.90	5,188.44	307.49
8/3/2020 18:00	186.40	5,187.18	307.07
8/3/2020 19:00	187.70	5,182.24	306.44
8/3/2020 20:00	187.30	5,190.12	305.88
8/3/2020 21:00	188.40	5,183.55	307.00
8/3/2020 22:00	187.00	5,188.43	306.41
8/3/2020 23:00	187.10	5,186.03	305.32
8/4/2020 0:00	185.50	5,188.96	305.29
8/4/2020 1:00	185.40	5,188.38	304.63
8/4/2020 2:00	185.20	5,188.30	303.25
8/4/2020 3:00	183.90	5,186.60	302.65
8/4/2020 4:00	182.90	5,187.88	301.46
8/4/2020 5:00	184.90	5,184.00	303.26
8/4/2020 6:00	184.20	5,188.47	302.03
8/4/2020 7:00	184.10	5,187.80	302.04
8/4/2020 8:00	183.70	5,183.86	304.15
8/4/2020 9:00	185.50	5,188.94	304.57
8/4/2020 10:00	183.20	5,184.15	303.40
8/4/2020 11:00	184.20	5,186.35	303.89
8/4/2020 12:00	184.50	5,186.34	305.71
8/4/2020 13:00	185.50	5,190.07	304.69
8/4/2020 14:00	184.90	5,186.25	302.55
8/4/2020 15:00	182.60	5,190.11	303.41
8/4/2020 16:00	183.00	5,187.82	304.46
8/4/2020 17:00	182.40	5,186.18	303.40
8/4/2020 18:00	183.40	5,185.18	302.93
8/4/2020 19:00	183.20	5,185.45	303.49
8/4/2020 20:00	183.90	5,185.77	304.11
8/4/2020 21:00	184.40	5,187.58	302.43
8/4/2020 22:00	183.60	5,187.45	302.41
8/4/2020 23:00	182.50	5,189.94	302.12
8/5/2020 0:00	182.70	5,187.82	302.31
8/5/2020 1:00	183.40	5,184.89	302.37
8/5/2020 2:00	183.70	5,187.63	301.79
8/5/2020 3:00	182.70	5,187.02	302.01
8/5/2020 4:00	185.20	5,187.11	302.75
8/5/2020 5:00	184.00	5,183.92	301.24
8/5/2020 6:00	182.30	5,186.58	299.81

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
8/5/2020 7:00	182.20	5,187.02	300.40
8/5/2020 8:00	182.00	5,188.17	302.69
8/5/2020 9:00	183.10	5,187.93	303.50
8/5/2020 10:00	185.10	5,187.16	304.22
8/5/2020 11:00	187.90	5,184.07	305.42
8/5/2020 12:00	191.10	5,187.78	303.98
8/5/2020 13:00	192.20	5,187.86	303.88
8/5/2020 14:00	191.20	5,186.90	303.61
8/5/2020 15:00	190.60	5,184.78	304.61
8/5/2020 16:00	193.10	5,185.09	305.27
8/5/2020 17:00	191.70	5,188.13	305.49
8/5/2020 18:00	192.20	5,186.76	303.09
8/5/2020 19:00	192.90	5,187.89	303.14
8/5/2020 20:00	192.50	5,189.27	304.18
8/5/2020 21:00	193.80	5,187.91	303.44
8/5/2020 22:00	193.50	5,187.50	303.62
8/5/2020 23:00	194.00	5,188.43	303.07
8/6/2020 0:00	195.90	5,184.95	303.21
8/6/2020 1:00	194.30	5,188.51	302.37
8/6/2020 2:00	195.20	5,187.82	303.00
8/6/2020 3:00	194.70	5,187.79	302.72
8/6/2020 4:00	193.70	5,184.73	301.74
8/6/2020 5:00	193.30	5,185.96	297.66
8/6/2020 6:00	193.90	5,186.20	296.01
8/6/2020 7:00	191.00	5,187.14	295.32
8/6/2020 8:00	189.00	5,187.38	295.70
8/6/2020 9:00	186.70	5,185.88	296.33
8/6/2020 10:00	188.90	5,186.62	297.25
8/6/2020 11:00	191.80	5,184.68	297.74
8/6/2020 12:00	198.30	5,189.60	298.29
8/6/2020 13:00	197.70	5,184.83	297.53
8/6/2020 14:00	199.40	5,185.95	296.11
8/6/2020 15:00	200.10	5,186.68	297.68
8/6/2020 16:00	199.50	5,187.46	297.17
8/6/2020 17:00	199.80	5,186.56	295.68
8/6/2020 18:00	198.80	5,187.93	297.70
8/6/2020 19:00	198.90	5,187.33	297.36
8/6/2020 20:00	200.10	5,189.47	296.34

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
8/6/2020 21:00	200.50	5,185.09	296.39
8/6/2020 22:00	200.70	5,187.98	295.71
8/6/2020 23:00	200.60	5,191.62	295.39
8/7/2020 0:00	200.00	5,186.05	296.41
8/7/2020 1:00	199.70	5,187.39	297.65
8/7/2020 2:00	196.50	5,189.30	297.53
8/7/2020 3:00	197.40	5,186.22	297.39
8/7/2020 4:00	197.30	5,188.29	297.42
8/7/2020 5:00	196.80	5,184.20	296.87
8/7/2020 6:00	198.70	5,190.05	298.23
8/7/2020 7:00	197.90	5,184.18	297.74
8/7/2020 8:00	197.20	5,187.27	298.67
8/7/2020 9:00	197.50	5,185.75	299.69
8/7/2020 10:00	198.90	5,187.72	300.72
8/7/2020 11:00	197.20	5,188.63	301.45
8/7/2020 12:00	197.40	5,184.03	302.22
8/7/2020 13:00	200.50	5,185.58	301.66
8/7/2020 14:00	203.20	5,186.80	300.89
8/7/2020 15:00	203.30	5,185.31	300.95
8/7/2020 16:00	203.40	5,189.18	300.96
8/7/2020 17:00	205.20	5,188.65	300.92
8/7/2020 18:00	203.70	5,187.04	302.10
8/7/2020 19:00	206.50	5,186.64	301.41
8/7/2020 20:00	205.70	5,187.01	302.89
8/7/2020 21:00	204.80	5,185.29	302.29
8/7/2020 22:00	204.80	5,185.18	301.63
8/7/2020 23:00	205.70	5,194.26	301.31
8/8/2020 0:00	208.20	5,223.84	300.66
8/8/2020 1:00	206.80	5,224.70	300.67
8/8/2020 2:00	207.00	5,227.19	300.64
8/8/2020 3:00	207.80	5,225.83	299.70
8/8/2020 4:00	211.00	5,241.21	300.43
8/8/2020 5:00	213.80	5,258.41	301.25
8/8/2020 6:00	213.60	5,259.89	301.62
8/8/2020 7:00	214.20	5,259.74	302.64
8/8/2020 8:00	214.10	5,257.86	301.73
8/8/2020 9:00	214.60	5,259.78	302.07
8/8/2020 10:00	212.90	5,260.89	303.47

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
8/8/2020 11:00	213.50	5,263.99	304.31
8/8/2020 12:00	216.90	5,254.69	306.02
8/8/2020 13:00	219.30	5,257.19	307.70
8/8/2020 14:00	221.70	5,260.60	308.93
8/8/2020 15:00	220.90	5,284.90	309.18
8/8/2020 16:00	221.80	5,290.91	303.15
8/8/2020 17:00	216.80	5,294.85	298.70
8/8/2020 18:00	214.20	5,293.46	299.19
8/8/2020 19:00	215.80	5,292.52	300.17
8/8/2020 20:00	205.90	5,298.34	299.90
8/8/2020 21:00	201.70	5,294.68	298.53
8/8/2020 22:00	210.70	5,292.97	300.69
8/8/2020 23:00	212.90	5,295.45	301.60
8/9/2020 0:00	213.10	5,294.07	301.47
8/9/2020 1:00	213.00	5,290.74	300.55
8/9/2020 2:00	212.60	5,293.12	300.38
8/9/2020 3:00	213.20	5,296.75	300.22
8/9/2020 4:00	214.10	5,297.56	299.52
8/9/2020 5:00	212.60	5,297.49	297.53
8/9/2020 6:00	210.30	5,295.21	296.33
8/9/2020 7:00	205.20	5,294.99	296.63
8/9/2020 8:00	176.50	4,994.12	294.37
8/9/2020 9:00	69.00	3,766.21	282.52
8/9/2020 10:00	74.80	3,279.04	308.85
8/10/2020 18:00	15.80	3,087.62	101.00
8/10/2020 19:00	7.80	3,267.79	119.63
8/10/2020 20:00	5.60	3,270.59	173.93
8/10/2020 22:00	3.40	3,368.06	271.86
8/10/2020 23:00	56.90	3,948.59	267.00
8/11/2020 0:00	181.70	5,229.71	283.76
8/11/2020 1:00	193.70	5,235.38	296.00
8/11/2020 2:00	194.00	5,236.48	298.08
8/11/2020 3:00	194.30	5,223.99	297.96
8/11/2020 4:00	194.60	5,234.02	298.10
8/11/2020 5:00	188.00	5,236.73	296.80
8/11/2020 6:00	188.10	5,231.42	297.41
8/11/2020 7:00	191.30	5,230.39	297.85
8/11/2020 8:00	180.30	5,191.65	286.89

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
8/11/2020 9:00	143.60	4,795.25	278.69
8/11/2020 10:00	140.70	4,783.63	279.15
8/11/2020 11:00	142.10	4,787.28	276.90
8/11/2020 12:00	141.30	4,790.31	278.59
8/11/2020 13:00	142.50	4,851.41	282.77
8/11/2020 14:00	188.00	5,129.31	295.58
8/11/2020 15:00	193.10	5,131.29	300.09
8/11/2020 16:00	192.90	5,162.75	301.07
8/11/2020 17:00	184.20	5,098.12	300.01
8/11/2020 18:00	186.00	5,099.43	298.76
8/11/2020 19:00	185.70	5,097.36	298.48
8/11/2020 20:00	182.90	5,096.98	300.13
8/11/2020 21:00	173.80	5,098.26	294.89
8/11/2020 22:00	174.40	5,096.46	296.91
8/11/2020 23:00	176.70	5,097.97	298.09
8/12/2020 0:00	179.80	5,095.30	297.91
8/12/2020 1:00	180.60	5,095.59	296.80
8/12/2020 2:00	180.30	5,096.84	296.54
8/12/2020 3:00	176.00	5,095.53	295.61
8/12/2020 4:00	177.00	5,098.38	296.12
8/12/2020 5:00	180.50	5,096.67	297.05
8/12/2020 6:00	179.70	5,119.49	298.72
8/12/2020 7:00	195.20	5,267.39	299.57
8/12/2020 8:00	194.30	5,264.26	302.54
8/12/2020 9:00	190.60	5,268.75	301.59
8/12/2020 10:00	193.00	5,264.58	304.30
8/12/2020 11:00	193.90	5,267.29	304.14
8/12/2020 12:00	199.40	5,266.24	302.16
8/12/2020 13:00	201.70	5,266.89	301.48
8/12/2020 14:00	203.90	5,271.40	302.37
8/12/2020 15:00	202.80	5,269.30	306.04
8/12/2020 16:00	201.30	5,272.93	304.28
8/12/2020 17:00	200.30	5,269.58	302.13
8/12/2020 18:00	200.60	5,270.49	301.12
8/12/2020 19:00	198.60	5,269.67	299.60
8/12/2020 20:00	198.60	5,267.47	299.09
8/12/2020 21:00	174.60	5,133.78	293.05
8/12/2020 22:00	181.10	5,098.27	295.61

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
8/12/2020 23:00	185.60	5,095.50	298.84
8/13/2020 0:00	186.60	5,094.92	298.85
8/13/2020 1:00	186.10	5,099.63	298.29
8/13/2020 2:00	193.30	5,319.47	298.66
8/13/2020 3:00	199.50	5,276.39	306.29
8/13/2020 4:00	200.30	5,264.48	304.08
8/13/2020 5:00	199.80	5,268.78	303.50
8/13/2020 6:00	202.30	5,267.01	302.50
8/13/2020 7:00	199.30	5,285.45	303.09
8/13/2020 8:00	201.00	5,309.38	304.32
8/13/2020 9:00	200.20	5,281.08	305.10
8/13/2020 10:00	198.10	5,268.42	304.49
8/13/2020 11:00	200.40	5,270.14	304.51
8/13/2020 12:00	201.90	5,271.28	304.70
8/13/2020 13:00	202.30	5,266.20	305.23
8/13/2020 14:00	203.10	5,269.82	306.20
8/13/2020 15:00	202.80	5,266.31	306.15
8/13/2020 16:00	205.10	5,269.39	307.63
8/13/2020 17:00	203.30	5,267.24	310.58
8/13/2020 18:00	204.40	5,265.88	311.94
8/13/2020 19:00	203.40	5,267.23	309.58
8/13/2020 20:00	203.70	5,267.78	307.63
8/13/2020 21:00	205.50	5,265.79	305.52
8/13/2020 22:00	206.30	5,265.62	306.51
8/13/2020 23:00	204.30	5,266.87	305.34
8/14/2020 0:00	205.90	5,269.64	305.71
8/14/2020 1:00	204.60	5,267.44	304.60
8/14/2020 2:00	204.10	5,269.88	303.37
8/14/2020 3:00	205.50	5,269.74	304.06
8/14/2020 4:00	207.10	5,266.68	303.29
8/14/2020 5:00	205.80	5,270.74	303.82
8/14/2020 6:00	205.20	5,271.08	304.09
8/14/2020 7:00	205.30	5,267.13	304.44
8/14/2020 8:00	205.90	5,266.76	304.11
8/14/2020 9:00	205.70	5,266.29	303.89
8/14/2020 10:00	204.20	5,271.30	304.24
8/14/2020 11:00	205.50	5,264.67	304.41
8/14/2020 12:00	207.10	5,269.04	306.18

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
8/14/2020 13:00	205.40	5,266.93	305.20
8/14/2020 14:00	205.30	5,269.01	303.66
8/14/2020 15:00	207.40	5,268.45	303.41
8/14/2020 16:00	206.10	5,267.69	306.25
8/14/2020 17:00	207.40	5,266.76	306.01
8/14/2020 18:00	207.10	5,271.15	306.17
8/14/2020 19:00	205.10	5,267.62	305.90
8/14/2020 20:00	206.30	5,264.96	304.70
8/14/2020 21:00	205.20	5,268.02	304.77
8/14/2020 22:00	205.30	5,268.59	304.17
8/14/2020 23:00	206.00	5,266.55	304.38
8/15/2020 0:00	203.40	5,268.70	304.88
8/15/2020 1:00	206.90	5,268.82	303.64
8/15/2020 2:00	207.20	5,269.62	303.32
8/15/2020 3:00	208.40	5,270.03	303.07
8/15/2020 4:00	211.70	5,267.59	304.11
8/15/2020 5:00	211.00	5,268.93	305.18
8/15/2020 6:00	213.80	5,271.26	303.94
8/15/2020 7:00	212.90	5,265.88	303.46
8/15/2020 8:00	210.20	5,258.22	302.52
8/15/2020 9:00	188.70	5,244.62	292.67
8/15/2020 10:00	192.00	5,231.07	292.50
8/15/2020 11:00	193.30	5,233.39	288.64
8/15/2020 12:00	188.20	5,266.55	290.85
8/15/2020 13:00	198.10	5,273.51	297.31
8/15/2020 14:00	196.80	5,268.67	301.94
8/15/2020 15:00	202.70	5,265.09	306.89
8/15/2020 16:00	204.90	5,268.94	307.86
8/15/2020 17:00	203.60	5,269.18	306.73
8/15/2020 18:00	208.90	5,267.79	309.28
8/15/2020 19:00	211.10	5,268.59	311.80
8/15/2020 20:00	209.00	5,269.95	309.69
8/15/2020 21:00	202.80	5,268.57	309.98
8/15/2020 22:00	206.70	5,267.31	309.00
8/15/2020 23:00	207.10	5,267.78	307.55
8/16/2020 0:00	204.20	5,268.38	307.97
8/16/2020 1:00	205.90	5,269.54	307.94
8/16/2020 2:00	205.50	5,267.93	307.72

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
8/16/2020 3:00	207.30	5,270.58	307.54
8/16/2020 4:00	210.00	5,268.75	307.53
8/16/2020 5:00	206.30	5,268.26	305.02
8/16/2020 6:00	205.50	5,268.61	303.96
8/16/2020 7:00	203.60	5,268.85	302.08
8/16/2020 8:00	203.50	5,268.14	303.21
8/16/2020 9:00	204.20	5,266.57	303.82
8/16/2020 10:00	204.10	5,269.95	305.93
8/16/2020 11:00	204.80	5,266.30	307.02
8/16/2020 12:00	197.50	5,270.18	304.40
8/16/2020 13:00	206.40	5,268.34	308.02
8/16/2020 14:00	204.60	5,268.88	309.86
8/16/2020 15:00	204.20	5,269.87	309.71
8/16/2020 16:00	204.40	5,268.95	309.88
8/16/2020 17:00	204.50	5,267.47	311.02
8/16/2020 18:00	205.90	5,268.95	311.51
8/16/2020 19:00	205.30	5,271.20	311.24
8/16/2020 20:00	206.10	5,268.54	310.18
8/16/2020 21:00	206.10	5,266.85	310.03
8/16/2020 22:00	206.80	5,265.36	309.45
8/16/2020 23:00	205.90	5,269.26	309.18
8/17/2020 0:00	206.70	5,268.52	309.81
8/17/2020 1:00	209.00	5,267.66	309.67
8/17/2020 2:00	206.60	5,264.22	310.06
8/17/2020 3:00	206.20	5,267.28	309.36
8/17/2020 4:00	206.40	5,267.97	308.99
8/17/2020 5:00	206.20	5,268.64	309.20
8/17/2020 6:00	205.40	5,269.11	308.17
8/17/2020 7:00	206.20	5,267.83	308.29
8/17/2020 8:00	206.30	5,269.14	309.03
8/17/2020 9:00	206.00	5,267.82	309.60
8/17/2020 10:00	207.00	5,268.66	309.87
8/17/2020 11:00	207.90	5,267.61	311.39
8/17/2020 12:00	208.10	5,267.69	311.58
8/17/2020 13:00	208.10	5,265.32	311.95
8/17/2020 14:00	209.90	5,271.05	312.09
8/17/2020 15:00	200.80	5,146.54	311.25
8/17/2020 16:00	201.20	5,167.95	312.22

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
8/17/2020 17:00	200.90	5,164.43	308.67
8/17/2020 18:00	201.50	5,166.88	307.61
8/17/2020 19:00	200.50	5,163.58	306.04
8/17/2020 20:00	199.40	5,167.62	305.95
8/17/2020 21:00	200.30	5,163.62	305.62
8/17/2020 22:00	201.10	5,165.41	305.33
8/17/2020 23:00	198.00	5,166.75	305.27
8/18/2020 0:00	198.20	5,166.84	304.72
8/18/2020 1:00	197.00	5,163.70	304.87
8/18/2020 2:00	197.60	5,163.17	303.91
8/18/2020 3:00	197.30	5,163.85	303.94
8/18/2020 4:00	198.00	5,167.72	301.49
8/18/2020 5:00	198.50	5,166.94	299.85
8/18/2020 6:00	197.90	5,165.90	299.41
8/18/2020 7:00	197.20	5,166.16	300.11
8/18/2020 8:00	190.00	5,165.75	298.49
8/18/2020 9:00	196.70	5,164.90	300.41
8/18/2020 10:00	196.10	5,165.89	303.00
8/18/2020 11:00	195.40	5,164.55	304.59
8/18/2020 12:00	195.40	5,160.79	305.26
8/18/2020 13:00	196.90	5,164.35	303.17
8/18/2020 14:00	198.20	5,192.22	302.63
8/18/2020 15:00	197.80	5,198.85	303.01
8/18/2020 16:00	198.20	5,198.70	304.21
8/18/2020 17:00	197.80	5,198.27	303.15
8/18/2020 18:00	197.80	5,198.79	303.77
8/18/2020 19:00	197.60	5,199.34	309.05
8/18/2020 20:00	198.60	5,196.91	307.38
8/18/2020 21:00	199.50	5,201.37	302.35
8/18/2020 22:00	199.00	5,198.81	304.08
8/18/2020 23:00	198.00	5,200.49	304.35
8/19/2020 0:00	197.60	5,198.19	305.35
8/19/2020 1:00	197.40	5,197.90	304.12
8/19/2020 2:00	198.20	5,199.01	304.42
8/19/2020 3:00	200.30	5,201.61	307.41
8/19/2020 4:00	200.40	5,196.94	305.57
8/19/2020 5:00	200.40	5,198.65	299.43
8/19/2020 6:00	200.90	5,200.47	301.75

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
8/19/2020 7:00	197.90	5,199.95	303.54
8/19/2020 8:00	200.20	5,224.10	304.45
8/19/2020 9:00	202.40	5,234.62	304.28
8/19/2020 10:00	196.90	5,231.76	301.65
8/19/2020 11:00	196.60	5,261.79	306.35
8/19/2020 12:00	202.50	5,334.91	312.23
8/19/2020 13:00	202.10	5,334.22	309.78
8/19/2020 14:00	200.20	5,334.39	312.11
8/19/2020 15:00	199.40	5,337.07	312.39
8/19/2020 16:00	198.50	5,337.39	312.41
8/19/2020 17:00	200.20	5,335.53	311.48
8/19/2020 18:00	199.30	5,338.80	311.14
8/19/2020 19:00	198.90	5,338.21	311.08
8/19/2020 20:00	200.20	5,334.76	311.04
8/19/2020 21:00	199.70	5,338.18	310.26
8/19/2020 22:00	200.30	5,334.90	312.52
8/19/2020 23:00	200.60	5,338.21	307.79
8/20/2020 0:00	198.80	5,336.65	306.69
8/20/2020 1:00	199.60	5,336.96	305.13
8/20/2020 2:00	197.60	5,337.72	303.73
8/20/2020 3:00	198.20	5,332.60	302.99
8/20/2020 4:00	196.60	5,338.48	302.71
8/20/2020 5:00	196.80	5,334.82	303.68
8/20/2020 6:00	197.60	5,339.74	302.72
8/20/2020 7:00	196.40	5,336.62	303.71
8/20/2020 8:00	197.10	5,337.35	304.87
8/20/2020 9:00	194.90	5,333.27	304.70
8/20/2020 10:00	193.70	5,336.70	305.24
8/20/2020 11:00	194.60	5,334.94	306.94
8/20/2020 12:00	194.70	5,337.09	312.73
8/20/2020 13:00	194.70	5,336.89	315.20
8/20/2020 14:00	195.20	5,336.19	309.83
8/20/2020 15:00	194.60	5,336.28	304.74
8/20/2020 16:00	193.80	5,340.18	304.37
8/20/2020 17:00	193.40	5,337.47	304.68
8/20/2020 18:00	194.30	5,337.92	304.57
8/20/2020 19:00	193.80	5,334.50	303.85
8/20/2020 20:00	192.60	5,335.82	304.43

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
8/20/2020 21:00	193.60	5,336.63	304.29
8/20/2020 22:00	191.80	5,338.44	304.40
8/20/2020 23:00	192.20	5,337.07	304.46
8/21/2020 0:00	176.00	5,334.95	297.18
8/21/2020 1:00	167.90	5,339.89	291.25
8/21/2020 2:00	179.00	5,336.57	298.80
8/21/2020 3:00	182.10	5,339.95	300.53
8/21/2020 4:00	180.10	5,335.87	298.58
8/21/2020 5:00	175.90	5,335.56	296.57
8/21/2020 6:00	177.00	5,336.55	298.19
8/21/2020 7:00	185.00	5,336.97	300.93
8/21/2020 8:00	184.90	5,336.94	301.85
8/21/2020 9:00	182.00	5,337.63	298.95
8/21/2020 10:00	185.80	5,334.55	302.38
8/21/2020 11:00	184.90	5,335.15	302.79
8/21/2020 12:00	184.40	5,337.04	303.77
8/21/2020 13:00	187.20	5,336.27	304.48
8/21/2020 14:00	184.60	5,332.82	304.96
8/21/2020 15:00	182.00	5,336.83	304.77
8/21/2020 16:00	184.50	5,336.51	306.56
8/21/2020 17:00	184.30	5,336.87	305.61
8/21/2020 18:00	181.60	5,336.62	303.11
8/21/2020 19:00	187.60	5,336.39	302.22
8/21/2020 20:00	189.10	5,335.31	304.32
8/21/2020 21:00	186.60	5,333.92	305.55
8/21/2020 22:00	186.10	5,337.00	305.04
8/21/2020 23:00	185.10	5,335.73	304.55
8/22/2020 0:00	188.90	5,335.22	305.46
8/22/2020 1:00	187.00	5,337.54	304.34
8/22/2020 2:00	187.10	5,335.32	303.84
8/22/2020 3:00	188.50	5,336.24	304.81
8/22/2020 4:00	185.30	5,336.82	302.91
8/22/2020 5:00	182.30	5,336.00	301.29
8/22/2020 6:00	187.40	5,337.53	304.05
8/22/2020 7:00	183.80	5,339.22	302.71
8/22/2020 8:00	183.60	5,337.62	303.27
8/22/2020 9:00	183.90	5,334.73	304.57
8/22/2020 10:00	184.20	5,334.65	303.69

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
8/22/2020 11:00	186.50	5,338.62	305.66
8/22/2020 12:00	183.50	5,336.00	304.54
8/22/2020 13:00	189.90	5,334.52	307.24
8/22/2020 14:00	184.70	5,336.76	305.93
8/22/2020 15:00	184.00	5,335.93	305.65
8/22/2020 16:00	188.90	5,339.68	307.70
8/22/2020 17:00	186.30	5,334.49	307.62
8/22/2020 18:00	185.20	5,336.54	306.16
8/22/2020 19:00	186.70	5,339.75	307.15
8/22/2020 20:00	183.60	5,334.15	304.52
8/22/2020 21:00	188.70	5,336.33	304.71
8/22/2020 22:00	183.30	5,334.85	303.69
8/22/2020 23:00	184.30	5,337.57	303.19
8/23/2020 0:00	188.30	5,338.43	304.96
8/23/2020 1:00	181.20	5,336.34	302.77
8/23/2020 2:00	184.50	5,339.15	303.18
8/23/2020 3:00	188.30	5,336.46	305.66
8/23/2020 4:00	182.20	5,336.82	303.10
8/23/2020 5:00	184.50	5,335.41	303.88
8/23/2020 6:00	183.10	5,337.61	304.19
8/23/2020 7:00	182.60	5,335.83	303.43
8/23/2020 8:00	183.20	5,335.97	304.28
8/23/2020 9:00	181.50	5,338.72	304.25
8/23/2020 10:00	184.80	5,337.11	304.07
8/23/2020 11:00	186.50	5,335.40	305.91
8/23/2020 12:00	186.20	5,335.70	304.76
8/23/2020 13:00	189.30	5,335.03	306.74
8/23/2020 14:00	187.40	5,336.14	306.44
8/23/2020 15:00	186.40	5,335.25	304.71
8/23/2020 16:00	189.60	5,334.06	306.31
8/23/2020 17:00	190.30	5,339.82	308.72
8/23/2020 18:00	188.00	5,334.99	307.26
8/23/2020 19:00	190.30	5,335.11	307.26
8/23/2020 20:00	190.60	5,338.10	307.33
8/23/2020 21:00	189.90	5,335.36	306.99
8/23/2020 22:00	188.50	5,336.89	305.82
8/23/2020 23:00	188.80	5,335.56	306.13
8/24/2020 0:00	189.40	5,336.78	305.63

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
8/24/2020 1:00	185.10	5,337.83	305.16
8/24/2020 2:00	185.20	5,337.03	305.88
8/24/2020 3:00	181.50	5,336.09	305.29
8/24/2020 4:00	181.60	5,338.39	305.29
8/24/2020 5:00	176.60	5,336.65	301.94
8/24/2020 6:00	183.60	5,335.85	304.12
8/24/2020 7:00	178.90	5,337.36	301.90
8/24/2020 8:00	179.40	5,332.65	302.73
8/24/2020 9:00	182.40	5,337.46	304.09
8/24/2020 10:00	179.70	5,337.84	303.44
8/24/2020 11:00	181.80	5,337.60	303.98
8/24/2020 12:00	183.30	5,336.97	305.64
8/24/2020 13:00	181.10	5,336.23	304.95
8/24/2020 14:00	180.90	5,335.95	304.93
8/24/2020 15:00	181.60	5,333.20	305.86
8/24/2020 16:00	177.80	5,337.07	304.38
8/24/2020 17:00	183.00	5,337.19	306.77
8/24/2020 18:00	183.80	5,338.62	306.47
8/24/2020 19:00	184.20	5,337.16	305.43
8/24/2020 20:00	186.80	5,337.66	307.62
8/24/2020 21:00	189.80	5,335.92	307.94
8/24/2020 22:00	189.90	5,335.59	308.49
8/24/2020 23:00	190.20	5,338.23	309.42
8/25/2020 0:00	188.30	5,334.81	308.28
8/25/2020 1:00	188.00	5,338.18	308.13
8/25/2020 2:00	188.60	5,337.16	307.99
8/25/2020 3:00	188.50	5,338.08	307.32
8/25/2020 4:00	188.50	5,337.93	306.52
8/25/2020 5:00	187.30	5,335.83	307.02
8/25/2020 6:00	187.70	5,339.80	306.61
8/25/2020 7:00	188.70	5,335.30	306.96
8/25/2020 8:00	186.80	5,337.50	307.06
8/25/2020 9:00	186.70	5,334.95	306.92
8/25/2020 10:00	189.20	5,337.86	307.49
8/25/2020 11:00	192.80	5,336.31	309.22
8/25/2020 12:00	193.30	5,334.71	311.45
8/25/2020 13:00	192.30	5,335.86	310.92
8/25/2020 14:00	190.40	5,337.71	311.08

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
8/25/2020 15:00	191.70	5,337.41	310.00
8/25/2020 16:00	189.70	5,335.85	310.79
8/25/2020 17:00	188.50	5,337.49	311.71
8/25/2020 18:00	189.50	5,335.03	310.36
8/25/2020 19:00	188.80	5,336.49	310.24
8/25/2020 20:00	191.50	5,340.46	309.54
8/25/2020 21:00	190.80	5,335.59	309.45
8/25/2020 22:00	190.30	5,337.58	308.38
8/25/2020 23:00	188.80	5,335.05	309.15
8/26/2020 0:00	191.80	5,338.79	312.40
8/26/2020 1:00	191.50	5,337.15	313.40
8/26/2020 2:00	190.40	5,337.32	312.27
8/26/2020 3:00	190.40	5,335.45	312.19
8/26/2020 4:00	190.80	5,336.18	312.28
8/26/2020 5:00	190.20	5,337.22	311.55
8/26/2020 6:00	190.40	5,335.71	309.04
8/26/2020 7:00	189.20	5,337.60	309.10
8/26/2020 8:00	180.30	5,338.14	307.55
8/26/2020 9:00	161.50	5,336.98	298.04
8/26/2020 10:00	159.40	5,335.84	300.96
8/26/2020 11:00	161.80	5,336.99	303.76
8/26/2020 12:00	171.80	5,333.92	306.32
8/26/2020 13:00	190.80	5,336.33	316.31
8/26/2020 14:00	192.00	5,337.22	316.82
8/26/2020 15:00	192.70	5,337.90	316.02
8/26/2020 16:00	189.80	5,337.32	311.92
8/26/2020 17:00	188.40	5,334.94	314.25
8/26/2020 18:00	188.20	5,333.98	314.32
8/26/2020 19:00	189.20	5,337.09	312.26
8/26/2020 20:00	186.10	5,307.47	311.72
8/26/2020 21:00	184.20	5,266.62	310.38
8/26/2020 22:00	184.30	5,270.63	309.75
8/26/2020 23:00	186.10	5,267.37	311.70
8/27/2020 0:00	186.30	5,268.43	313.08
8/27/2020 1:00	183.40	5,266.30	311.92
8/27/2020 2:00	185.10	5,264.78	311.65
8/27/2020 3:00	184.10	5,267.63	311.58
8/27/2020 4:00	185.40	5,266.64	311.67

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
8/27/2020 5:00	187.30	5,269.84	312.26
8/27/2020 6:00	184.10	5,268.13	312.37
8/27/2020 7:00	185.20	5,271.43	313.01
8/27/2020 8:00	183.70	5,267.50	312.71
8/27/2020 9:00	182.10	5,268.21	312.28
8/27/2020 10:00	182.40	5,269.08	313.00
8/27/2020 11:00	182.10	5,266.96	313.61
8/27/2020 12:00	183.90	5,267.28	312.64
8/27/2020 13:00	185.10	5,268.74	313.39
8/27/2020 14:00	185.50	5,269.51	313.36
8/27/2020 15:00	184.80	5,269.31	312.89
8/27/2020 16:00	183.80	5,267.57	313.50
8/27/2020 17:00	186.10	5,268.18	314.08
8/27/2020 18:00	185.40	5,269.00	314.33
8/27/2020 19:00	185.60	5,266.91	313.23
8/27/2020 20:00	186.10	5,267.70	311.89
8/27/2020 21:00	187.10	5,266.10	311.47
8/27/2020 22:00	185.90	5,268.45	311.14
8/27/2020 23:00	185.30	5,266.71	311.06
8/28/2020 0:00	185.40	5,270.45	311.42
8/28/2020 1:00	183.70	5,268.96	311.20
8/28/2020 2:00	183.60	5,263.74	310.44
8/28/2020 3:00	185.10	5,265.76	308.48
8/28/2020 4:00	183.40	5,269.55	309.13
8/28/2020 5:00	184.30	5,268.44	310.13
8/28/2020 6:00	185.10	5,266.20	309.26
8/28/2020 7:00	183.90	5,268.07	308.68
8/28/2020 8:00	184.80	5,270.74	309.38
8/28/2020 9:00	182.90	5,265.99	309.67
8/28/2020 10:00	181.80	5,269.36	309.71
8/28/2020 11:00	184.30	5,267.40	308.92
8/28/2020 12:00	184.90	5,267.26	309.06
8/28/2020 13:00	187.40	5,266.78	309.63
8/28/2020 14:00	188.30	5,266.77	310.27
8/28/2020 15:00	188.00	5,267.13	309.81
8/28/2020 16:00	186.70	5,267.04	309.63
8/28/2020 17:00	188.50	5,268.30	310.28
8/28/2020 18:00	188.30	5,270.43	310.29

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
8/28/2020 19:00	190.00	5,267.48	309.51
8/28/2020 20:00	191.60	5,268.94	308.06
8/28/2020 21:00	191.90	5,268.79	308.12
8/28/2020 22:00	191.70	5,270.53	308.57
8/28/2020 23:00	192.70	5,271.64	308.92
8/29/2020 0:00	192.20	5,268.32	308.09
8/29/2020 1:00	190.50	5,266.75	309.29
8/29/2020 2:00	191.60	5,268.41	308.73
8/29/2020 3:00	191.40	5,265.99	307.55
8/29/2020 4:00	190.80	5,270.66	305.58
8/29/2020 5:00	191.50	5,292.57	305.58
8/29/2020 6:00	191.50	5,285.84	306.21
8/29/2020 7:00	190.00	5,273.42	305.54
8/29/2020 8:00	189.20	5,267.30	305.40
8/29/2020 9:00	187.30	5,268.26	305.34
8/29/2020 10:00	194.50	5,268.79	305.27
8/29/2020 11:00	203.70	5,268.34	306.72
8/29/2020 12:00	207.30	5,267.74	307.25
8/29/2020 13:00	211.90	5,266.26	306.71
8/29/2020 14:00	213.70	5,271.16	306.58
8/29/2020 15:00	212.70	5,268.36	306.93
8/29/2020 16:00	211.20	5,276.22	308.04
8/29/2020 17:00	211.30	5,266.82	307.83
8/29/2020 18:00	214.70	5,271.17	308.29
8/29/2020 19:00	216.30	5,266.82	307.71
8/29/2020 20:00	217.30	5,266.56	308.01
8/29/2020 21:00	217.80	5,269.56	307.81
8/29/2020 22:00	215.40	5,269.56	308.32
8/29/2020 23:00	218.10	5,265.57	308.14
8/30/2020 0:00	220.50	5,268.96	308.00
8/30/2020 1:00	221.80	5,268.46	307.29
8/30/2020 2:00	220.50	5,271.02	307.08
8/30/2020 3:00	222.60	5,270.44	306.56
8/30/2020 4:00	222.30	5,262.79	306.58
8/30/2020 5:00	221.70	5,267.18	308.08
8/30/2020 6:00	222.90	5,269.27	307.66
8/30/2020 7:00	219.20	5,268.85	307.35
8/30/2020 8:00	219.60	5,268.48	307.55

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
8/30/2020 9:00	217.20	5,268.14	308.13
8/30/2020 10:00	220.80	5,266.71	308.15
8/30/2020 11:00	220.90	5,267.49	308.02
8/30/2020 12:00	223.20	5,268.10	308.85
8/30/2020 13:00	222.50	5,268.03	309.98
8/30/2020 14:00	221.50	5,271.88	310.60
8/30/2020 15:00	222.60	5,269.77	311.50
8/30/2020 16:00	224.00	5,266.20	311.16
8/30/2020 17:00	223.80	5,264.38	311.77
8/30/2020 18:00	222.20	5,267.37	312.15
8/30/2020 19:00	223.40	5,268.10	311.95
8/30/2020 20:00	221.50	5,267.56	310.24
8/30/2020 21:00	222.80	5,270.28	309.66
8/30/2020 22:00	221.80	5,262.84	309.47
8/30/2020 23:00	221.80	5,266.61	310.11
8/31/2020 0:00	225.00	5,269.08	310.04
8/31/2020 1:00	223.00	5,266.16	308.50
8/31/2020 2:00	150.20	4,713.71	291.82
8/31/2020 3:00	8.20	3,435.25	283.65
9/4/2020 22:00	1.50	3,302.47	244.17
9/4/2020 23:00	127.60	4,734.79	288.01
9/5/2020 0:00	194.60	5,179.79	323.05
9/5/2020 1:00	200.90	5,182.09	326.57
9/5/2020 2:00	201.10	5,183.37	327.75
9/5/2020 3:00	198.40	5,182.48	325.43
9/5/2020 4:00	200.50	5,183.39	326.99
9/5/2020 5:00	201.20	5,179.39	326.73
9/5/2020 6:00	200.50	5,179.26	328.06
9/5/2020 7:00	199.30	5,181.45	328.51
9/5/2020 8:00	198.80	5,182.48	329.12
9/5/2020 9:00	199.30	5,182.42	330.41
9/5/2020 10:00	199.90	5,181.75	331.86
9/5/2020 11:00	201.20	5,184.83	331.51
9/5/2020 12:00	198.10	5,180.63	331.31
9/5/2020 13:00	195.00	5,180.53	330.94
9/5/2020 14:00	191.80	5,182.93	331.81
9/5/2020 15:00	190.80	5,182.06	332.74
9/5/2020 16:00	189.80	5,179.71	332.44

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
9/5/2020 17:00	189.90	5,184.09	332.91
9/5/2020 18:00	187.20	5,182.85	331.16
9/5/2020 19:00	190.00	5,183.04	331.12
9/5/2020 20:00	190.40	5,179.58	328.50
9/5/2020 21:00	188.60	5,182.35	328.18
9/5/2020 22:00	189.40	5,181.61	328.11
9/5/2020 23:00	188.30	5,178.00	327.58
9/6/2020 0:00	187.20	5,181.08	326.92
9/6/2020 1:00	185.90	5,182.01	325.20
9/6/2020 2:00	188.70	5,181.46	324.24
9/6/2020 3:00	187.40	5,178.40	323.84
9/6/2020 4:00	194.60	5,277.46	325.26
9/6/2020 5:00	198.40	5,288.87	324.51
9/6/2020 6:00	181.10	5,265.10	315.35
9/6/2020 7:00	174.70	5,250.37	314.71
9/6/2020 8:00	184.60	5,280.38	314.73
9/6/2020 9:00	171.00	5,245.80	323.73
9/6/2020 10:00	198.50	5,283.41	333.32
9/6/2020 11:00	194.90	5,265.15	333.67
9/6/2020 12:00	195.30	5,250.17	335.34
9/6/2020 13:00	196.10	5,250.84	336.96
9/6/2020 14:00	191.10	5,247.78	334.85
9/6/2020 15:00	192.60	5,249.29	334.38
9/6/2020 16:00	193.20	5,250.40	334.48
9/6/2020 17:00	192.50	5,251.67	336.79
9/6/2020 18:00	194.50	5,252.68	338.62
9/6/2020 19:00	192.60	5,253.49	334.96
9/6/2020 20:00	190.70	5,250.25	328.65
9/6/2020 21:00	190.70	5,252.25	327.32
9/6/2020 22:00	188.90	5,251.88	327.67
9/6/2020 23:00	190.00	5,251.22	327.58
9/7/2020 0:00	189.50	5,246.98	328.17
9/7/2020 1:00	191.40	5,250.74	326.52
9/7/2020 2:00	191.20	5,245.76	325.13
9/7/2020 3:00	192.60	5,249.75	324.53
9/7/2020 4:00	199.30	5,405.08	325.64
9/7/2020 5:00	197.20	5,451.21	330.73
9/7/2020 6:00	199.90	5,458.20	334.81

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
9/7/2020 7:00	201.60	5,453.40	334.71
9/7/2020 8:00	201.10	5,459.78	335.61
9/7/2020 9:00	203.40	5,455.18	338.49
9/7/2020 10:00	207.20	5,458.06	335.69
9/7/2020 11:00	188.50	5,461.13	327.55
9/7/2020 12:00	180.60	5,300.65	324.74
9/7/2020 13:00	183.30	5,234.00	328.31
9/7/2020 14:00	183.60	5,229.90	330.47
9/7/2020 15:00	186.20	5,232.30	330.86
9/7/2020 16:00	179.40	5,229.71	330.89
9/7/2020 17:00	190.60	5,547.59	325.44
9/7/2020 18:00	204.00	5,575.24	319.84
9/7/2020 19:00	196.40	5,452.29	295.83
9/7/2020 20:00	181.90	5,363.94	289.87
9/7/2020 21:00	175.70	5,267.37	286.54
9/7/2020 22:00	174.10	5,228.95	284.49
9/7/2020 23:00	140.90	4,893.82	285.42
9/8/2020 0:00	148.40	4,921.58	288.47
9/8/2020 1:00	174.50	5,205.48	300.96
9/8/2020 2:00	144.90	4,911.56	294.67
9/8/2020 3:00	142.20	4,864.95	289.87
9/8/2020 4:00	142.20	4,864.08	289.61
9/8/2020 5:00	147.70	4,866.35	289.93
9/8/2020 6:00	150.00	4,862.62	289.63
9/8/2020 7:00	147.40	4,865.78	290.73
9/8/2020 8:00	156.20	5,038.08	295.95
9/8/2020 9:00	166.20	5,090.76	298.17
9/8/2020 10:00	158.60	5,086.52	297.36
9/8/2020 11:00	159.00	5,091.37	296.39
9/8/2020 12:00	160.10	5,087.66	296.83
9/8/2020 13:00	161.40	5,084.02	298.50
9/8/2020 14:00	182.00	5,137.97	308.09
9/8/2020 15:00	196.30	5,233.08	312.78
9/8/2020 16:00	194.60	5,231.41	313.31
9/8/2020 17:00	193.80	5,228.25	313.84
9/8/2020 18:00	196.50	5,230.70	312.05
9/8/2020 19:00	194.40	5,232.79	313.23
9/8/2020 20:00	195.30	5,233.27	311.99

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
9/8/2020 21:00	196.10	5,231.52	310.93
9/8/2020 22:00	196.50	5,232.26	310.96
9/8/2020 23:00	195.60	5,231.93	309.59
9/9/2020 0:00	194.80	5,230.73	309.20
9/9/2020 1:00	196.00	5,230.04	309.09
9/9/2020 2:00	196.30	5,230.25	308.50
9/9/2020 3:00	196.20	5,232.44	308.31
9/9/2020 4:00	197.30	5,233.54	306.86
9/9/2020 5:00	196.40	5,229.60	306.15
9/9/2020 6:00	196.80	5,230.95	305.92
9/9/2020 7:00	196.90	5,233.15	305.37
9/9/2020 8:00	195.50	5,229.49	307.04
9/9/2020 9:00	196.90	5,232.22	310.99
9/9/2020 10:00	197.10	5,227.09	313.16
9/9/2020 11:00	197.20	5,232.08	313.81
9/9/2020 12:00	195.80	5,226.29	313.84
9/9/2020 13:00	196.00	5,230.39	313.95
9/9/2020 14:00	194.60	5,229.96	315.44
9/9/2020 15:00	194.80	5,233.70	314.97
9/9/2020 16:00	196.20	5,231.76	314.64
9/9/2020 17:00	195.40	5,230.89	312.51
9/9/2020 18:00	195.30	5,230.62	310.83
9/9/2020 19:00	195.70	5,232.63	311.59
9/9/2020 20:00	196.60	5,231.46	311.72
9/9/2020 21:00	196.50	5,230.81	310.90
9/9/2020 22:00	198.00	5,229.76	310.21
9/9/2020 23:00	197.70	5,231.38	310.12
9/10/2020 0:00	198.20	5,232.67	309.96
9/10/2020 1:00	197.40	5,230.95	308.76
9/10/2020 2:00	197.70	5,231.65	307.79
9/10/2020 3:00	197.20	5,231.63	307.82
9/10/2020 4:00	197.20	5,234.23	307.90
9/10/2020 5:00	198.30	5,234.91	309.47
9/10/2020 6:00	197.00	5,230.52	308.85
9/10/2020 7:00	199.40	5,230.12	308.69
9/10/2020 8:00	201.30	5,231.72	311.05
9/10/2020 9:00	201.00	5,231.09	309.82
9/10/2020 10:00	200.80	5,230.80	310.65

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
9/10/2020 11:00	201.50	5,231.28	312.32
9/10/2020 12:00	199.60	5,230.66	312.52
9/10/2020 13:00	199.70	5,230.93	310.95
9/10/2020 14:00	201.80	5,230.58	310.81
9/10/2020 15:00	201.30	5,231.65	310.76
9/10/2020 16:00	201.50	5,231.12	310.76
9/10/2020 17:00	202.60	5,231.27	312.74
9/10/2020 18:00	202.10	5,230.45	312.87
9/10/2020 19:00	202.60	5,232.17	312.51
9/10/2020 20:00	203.00	5,233.73	310.45
9/10/2020 21:00	202.60	5,229.82	309.26
9/10/2020 22:00	203.20	5,234.10	308.79
9/10/2020 23:00	202.70	5,231.70	308.69
9/11/2020 0:00	202.30	5,230.37	309.07
9/11/2020 1:00	200.50	5,230.54	308.20
9/11/2020 2:00	202.20	5,232.26	308.16
9/11/2020 3:00	202.40	5,233.53	308.22
9/11/2020 4:00	202.00	5,228.88	306.99
9/11/2020 5:00	200.20	5,230.61	305.98
9/11/2020 6:00	200.90	5,231.20	306.00
9/11/2020 7:00	200.70	5,230.62	305.27
9/11/2020 8:00	200.40	5,230.70	306.25
9/11/2020 9:00	203.60	5,233.95	309.18
9/11/2020 10:00	204.00	5,229.33	308.85
9/11/2020 11:00	204.10	5,233.91	308.72
9/11/2020 12:00	205.60	5,231.29	310.14
9/11/2020 13:00	203.90	5,232.65	310.08
9/11/2020 14:00	203.40	5,233.60	309.76
9/11/2020 15:00	203.50	5,230.99	310.40
9/11/2020 16:00	206.60	5,229.25	309.88
9/11/2020 17:00	203.20	5,232.86	310.66
9/11/2020 18:00	202.20	5,227.68	310.75
9/11/2020 19:00	202.10	5,232.41	308.89
9/11/2020 20:00	202.50	5,233.21	308.67
9/11/2020 21:00	202.70	5,231.98	308.63
9/11/2020 22:00	203.00	5,229.36	306.90
9/11/2020 23:00	202.40	5,232.45	306.45
9/12/2020 0:00	203.10	5,232.56	306.38

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
9/12/2020 1:00	204.30	5,229.63	305.80
9/12/2020 2:00	205.50	5,232.70	304.53
9/12/2020 3:00	204.10	5,235.01	300.27
9/12/2020 4:00	203.70	5,231.56	298.31
9/12/2020 5:00	201.60	5,230.83	298.54
9/12/2020 6:00	196.30	5,241.72	297.28
9/12/2020 7:00	197.50	5,225.07	298.99
9/12/2020 8:00	197.50	5,231.75	300.83
9/12/2020 9:00	195.40	5,235.63	302.06
9/12/2020 10:00	198.70	5,231.88	301.57
9/12/2020 11:00	202.30	5,231.69	301.26
9/12/2020 12:00	202.70	5,230.37	301.78
9/12/2020 13:00	201.60	5,233.41	302.38
9/12/2020 14:00	196.50	5,152.26	301.18
9/12/2020 15:00	200.20	5,194.01	307.34
9/12/2020 16:00	197.10	5,126.61	305.37
9/12/2020 17:00	199.80	5,127.39	304.72
9/12/2020 18:00	205.50	5,126.60	302.49
9/12/2020 19:00	208.80	5,131.12	301.40
9/12/2020 20:00	189.50	5,154.43	291.34
9/12/2020 21:00	181.80	5,199.04	283.18
9/12/2020 22:00	195.00	5,376.29	289.78
9/12/2020 23:00	201.70	5,299.34	296.06
9/13/2020 0:00	204.80	5,276.29	299.11
9/13/2020 1:00	205.30	5,275.76	299.52
9/13/2020 2:00	206.30	5,273.24	298.91
9/13/2020 3:00	206.90	5,273.79	301.23
9/13/2020 4:00	208.00	5,273.90	302.33
9/13/2020 5:00	211.00	5,272.72	300.53
9/13/2020 6:00	207.30	5,263.50	301.26
9/13/2020 7:00	205.40	5,237.98	301.89
9/13/2020 8:00	205.50	5,241.33	300.57
9/13/2020 9:00	207.10	5,242.73	301.75
9/13/2020 10:00	198.40	5,153.31	300.84
9/13/2020 11:00	196.10	5,136.92	302.12
9/13/2020 12:00	196.10	5,135.36	302.43
9/13/2020 13:00	197.90	5,138.95	303.52
9/13/2020 14:00	201.20	5,138.62	305.45

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
9/13/2020 15:00	198.90	5,138.01	302.46
9/13/2020 16:00	200.10	5,138.46	302.63
9/13/2020 17:00	198.70	5,137.99	302.24
9/13/2020 18:00	203.20	5,167.21	299.14
9/13/2020 19:00	207.70	5,228.78	302.68
9/13/2020 20:00	208.20	5,237.92	301.16
9/13/2020 21:00	206.80	5,239.66	301.46
9/13/2020 22:00	206.60	5,243.06	303.43
9/13/2020 23:00	209.50	5,241.58	301.21
9/14/2020 0:00	207.70	5,240.52	300.28
9/14/2020 1:00	210.20	5,239.89	301.45
9/14/2020 2:00	210.00	5,243.38	300.07
9/14/2020 3:00	208.30	5,240.64	299.37
9/14/2020 4:00	209.00	5,242.62	299.01
9/14/2020 5:00	207.60	5,241.14	299.38
9/14/2020 6:00	208.60	5,238.56	299.38
9/14/2020 7:00	204.50	5,236.56	300.21
9/14/2020 8:00	205.40	5,240.06	300.73
9/14/2020 9:00	195.10	5,240.53	297.72
9/14/2020 10:00	195.00	5,215.65	301.67
9/14/2020 11:00	199.70	5,131.66	306.16
9/14/2020 12:00	200.90	5,140.43	304.47
9/14/2020 13:00	202.00	5,165.77	305.10
9/14/2020 14:00	216.20	5,349.35	306.71
9/14/2020 15:00	216.50	5,350.80	308.30
9/14/2020 16:00	217.50	5,354.32	307.70
9/14/2020 17:00	217.40	5,351.53	306.20
9/14/2020 18:00	215.40	5,356.37	304.60
9/14/2020 19:00	216.50	5,376.98	305.49
9/14/2020 20:00	216.90	5,382.25	305.99
9/14/2020 21:00	217.70	5,383.28	304.84
9/14/2020 22:00	217.90	5,380.43	304.68
9/14/2020 23:00	218.00	5,385.92	304.95
9/15/2020 0:00	217.50	5,385.45	303.27
9/15/2020 1:00	217.90	5,387.23	303.01
9/15/2020 2:00	218.40	5,385.15	302.15
9/15/2020 3:00	215.70	5,380.25	301.83
9/15/2020 4:00	217.00	5,387.08	301.65

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
9/15/2020 5:00	215.80	5,384.39	301.21
9/15/2020 6:00	211.20	5,322.57	302.26
9/15/2020 7:00	203.40	5,245.84	299.62
9/15/2020 8:00	4.40	5,247.09	293.89
9/15/2020 9:00	5.80	5,246.93	292.27
9/15/2020 10:00	198.20	5,247.99	304.17
9/15/2020 11:00	189.20	5,244.47	296.94
9/15/2020 12:00	205.90	5,246.95	308.62
9/15/2020 13:00	206.80	5,245.15	308.25
9/15/2020 14:00	205.50	5,244.87	308.14
9/15/2020 15:00	206.20	5,244.81	307.94
9/15/2020 16:00	187.80	5,246.79	298.11
9/15/2020 17:00	178.90	5,247.81	293.26
9/15/2020 18:00	200.30	5,249.44	303.99
9/15/2020 19:00	208.40	5,245.73	308.89
9/15/2020 20:00	210.20	5,243.71	308.84
9/15/2020 21:00	210.30	5,248.16	309.90
9/15/2020 22:00	210.60	5,247.56	308.93
9/15/2020 23:00	210.90	5,247.32	308.39
9/16/2020 0:00	210.90	5,247.55	308.64
9/16/2020 1:00	209.90	5,249.17	307.70
9/16/2020 2:00	211.10	5,247.67	306.69
9/16/2020 3:00	210.60	5,245.84	306.08
9/16/2020 4:00	210.80	5,248.78	306.07
9/16/2020 5:00	208.40	5,246.59	306.15
9/16/2020 6:00	210.40	5,246.42	306.01
9/16/2020 7:00	205.80	5,249.22	302.05
9/16/2020 8:00	209.00	5,249.87	305.92
9/16/2020 9:00	208.10	5,246.46	305.58
9/16/2020 10:00	197.00	5,246.06	296.04
9/16/2020 11:00	202.10	5,246.84	300.37
9/16/2020 12:00	202.50	5,247.34	302.44
9/16/2020 13:00	207.50	5,244.55	308.95
9/16/2020 14:00	208.10	5,247.15	309.61
9/16/2020 15:00	207.50	5,246.77	309.64
9/16/2020 16:00	207.80	5,246.68	307.99
9/16/2020 17:00	206.20	5,246.82	306.38
9/16/2020 18:00	205.50	5,248.75	303.10

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
9/16/2020 19:00	205.30	5,244.69	301.36
9/16/2020 20:00	207.80	5,246.36	303.92
9/16/2020 21:00	208.10	5,248.95	304.39
9/16/2020 22:00	209.40	5,250.33	304.87
9/16/2020 23:00	209.20	5,247.04	304.70
9/17/2020 0:00	208.40	5,246.10	304.28
9/17/2020 1:00	208.90	5,247.64	304.16
9/17/2020 2:00	208.30	5,246.08	303.01
9/17/2020 3:00	204.60	5,246.99	299.00
9/17/2020 4:00	204.00	5,243.98	298.58
9/17/2020 5:00	204.40	5,246.22	298.21
9/17/2020 6:00	203.70	5,247.70	298.40
9/17/2020 7:00	200.10	5,245.16	298.21
9/17/2020 8:00	204.00	5,246.80	303.07
9/17/2020 9:00	205.80	5,246.62	303.52
9/17/2020 10:00	205.60	5,247.04	303.45
9/17/2020 11:00	205.90	5,247.85	302.21
9/17/2020 12:00	203.40	5,245.61	301.90
9/17/2020 13:00	204.20	5,247.47	303.00
9/17/2020 14:00	204.20	5,245.19	304.07
9/17/2020 15:00	203.60	5,244.74	304.18
9/17/2020 16:00	206.00	5,246.85	304.54
9/17/2020 17:00	206.00	5,246.98	305.32
9/17/2020 18:00	205.80	5,246.13	305.66
9/17/2020 19:00	207.50	5,243.38	305.41
9/17/2020 20:00	207.40	5,246.84	305.37
9/17/2020 21:00	206.60	5,247.64	303.50
9/17/2020 22:00	206.80	5,248.97	303.71
9/17/2020 23:00	205.90	5,245.72	303.31
9/18/2020 0:00	206.00	5,243.68	304.24
9/18/2020 1:00	206.30	5,247.56	303.71
9/18/2020 2:00	206.50	5,244.87	303.80
9/18/2020 3:00	207.30	5,247.79	303.49
9/18/2020 4:00	206.00	5,248.65	304.13
9/18/2020 5:00	206.10	5,244.04	300.47
9/18/2020 6:00	206.40	5,249.97	298.56
9/18/2020 7:00	205.50	5,246.47	298.46
9/18/2020 8:00	206.30	5,246.34	299.15

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
9/18/2020 9:00	206.10	5,244.76	300.27
9/18/2020 10:00	207.40	5,245.51	303.08
9/18/2020 11:00	207.60	5,245.83	302.12
9/18/2020 12:00	205.90	5,246.89	302.53
9/18/2020 13:00	206.50	5,246.02	301.24
9/18/2020 14:00	206.30	5,246.96	302.93
9/18/2020 15:00	207.30	5,245.31	302.41
9/18/2020 16:00	207.70	5,249.31	301.31
9/18/2020 17:00	208.40	5,245.32	301.04
9/18/2020 18:00	207.70	5,246.55	301.28
9/18/2020 19:00	208.00	5,247.57	299.89
9/18/2020 20:00	208.40	5,245.76	299.17
9/18/2020 21:00	205.30	5,250.44	298.81
9/18/2020 22:00	204.80	5,246.50	298.63
9/18/2020 23:00	204.80	5,247.60	299.51
9/19/2020 0:00	207.00	5,247.94	299.49
9/19/2020 1:00	207.20	5,247.75	298.53
9/19/2020 2:00	207.70	5,248.83	297.90
9/19/2020 3:00	206.90	5,249.89	297.46
9/19/2020 4:00	203.50	5,245.87	295.63
9/19/2020 5:00	202.30	5,247.26	294.80
9/19/2020 6:00	200.90	5,246.98	295.12
9/19/2020 7:00	200.10	5,247.25	295.48
9/19/2020 8:00	192.90	5,246.42	289.60
9/19/2020 9:00	192.50	5,247.51	289.18
9/19/2020 10:00	169.50	5,247.22	294.41
9/19/2020 11:00	159.00	5,241.47	300.10
9/19/2020 12:00	202.20	5,246.82	305.86
9/19/2020 13:00	199.70	5,245.15	308.90
9/19/2020 14:00	202.60	5,245.79	310.01
9/19/2020 15:00	202.10	5,248.52	311.13
9/19/2020 16:00	203.30	5,245.61	312.36
9/19/2020 17:00	204.30	5,246.69	312.81
9/19/2020 18:00	204.20	5,246.57	312.64
9/19/2020 19:00	204.80	5,244.98	311.28
9/19/2020 20:00	204.20	5,246.27	311.31
9/19/2020 21:00	206.70	5,255.89	310.98
9/19/2020 22:00	204.70	5,267.70	310.99

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
9/19/2020 23:00	205.40	5,266.97	310.19
9/20/2020 0:00	205.50	5,266.69	309.30
9/20/2020 1:00	206.20	5,266.49	308.26
9/20/2020 2:00	206.30	5,266.66	308.76
9/20/2020 3:00	206.10	5,269.29	306.53
9/20/2020 4:00	202.80	5,265.43	306.05
9/20/2020 5:00	202.80	5,266.75	308.12
9/20/2020 6:00	205.20	5,266.40	308.77
9/20/2020 7:00	202.50	5,269.17	308.49
9/20/2020 8:00	204.00	5,264.65	308.71
9/20/2020 9:00	202.80	5,266.40	311.31
9/20/2020 10:00	204.40	5,268.13	313.24
9/20/2020 11:00	204.10	5,266.37	315.07
9/20/2020 12:00	203.50	5,265.89	315.05
9/20/2020 13:00	203.70	5,265.93	315.12
9/20/2020 14:00	203.40	5,266.46	315.19
9/20/2020 15:00	210.50	5,342.14	316.70
9/20/2020 16:00	212.60	5,405.51	317.90
9/20/2020 17:00	214.90	5,404.56	317.51
9/20/2020 18:00	212.60	5,404.92	315.74
9/20/2020 19:00	215.00	5,402.59	315.19
9/20/2020 20:00	213.40	5,405.33	314.75
9/20/2020 21:00	214.00	5,405.02	314.11
9/20/2020 22:00	213.00	5,406.43	314.53
9/20/2020 23:00	213.00	5,403.32	314.28
9/21/2020 0:00	214.40	5,404.24	312.87
9/21/2020 1:00	214.50	5,406.73	311.57
9/21/2020 2:00	214.40	5,404.45	311.71
9/21/2020 3:00	212.20	5,403.10	310.68
9/21/2020 4:00	214.20	5,405.05	310.16
9/21/2020 5:00	214.00	5,402.03	311.49
9/21/2020 6:00	213.80	5,405.30	310.18
9/21/2020 7:00	215.00	5,406.49	309.11
9/21/2020 8:00	213.80	5,404.69	312.30
9/21/2020 9:00	210.70	5,403.89	314.67
9/21/2020 10:00	209.90	5,400.62	316.88
9/21/2020 11:00	209.30	5,402.95	316.94
9/21/2020 12:00	211.70	5,406.10	317.33

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
9/21/2020 13:00	210.40	5,404.08	319.12
9/21/2020 14:00	211.50	5,407.81	319.37
9/21/2020 15:00	211.40	5,402.95	318.07
9/21/2020 16:00	210.80	5,404.41	318.76
9/21/2020 17:00	211.20	5,405.12	318.08
9/21/2020 18:00	212.80	5,403.43	317.38
9/21/2020 19:00	213.10	5,405.51	313.51
9/21/2020 20:00	213.10	5,404.55	314.14
9/21/2020 21:00	214.80	5,404.80	314.78
9/21/2020 22:00	215.10	5,404.85	314.56
9/21/2020 23:00	217.00	5,405.25	313.80
9/22/2020 0:00	221.30	5,406.70	321.40
9/22/2020 1:00	217.20	5,403.96	320.48
9/22/2020 2:00	215.60	5,404.75	311.73
9/22/2020 3:00	208.80	5,404.26	305.27
9/22/2020 4:00	214.00	5,404.16	309.73
9/22/2020 5:00	216.40	5,439.43	309.56
9/22/2020 6:00	214.70	5,401.52	308.09
9/22/2020 7:00	213.60	5,387.77	307.49
9/22/2020 8:00	217.50	5,439.69	307.73
9/22/2020 9:00	224.40	5,387.02	310.89
9/22/2020 10:00	214.70	5,230.29	308.82
9/22/2020 11:00	214.80	5,259.19	308.73
9/22/2020 12:00	215.10	5,260.87	310.09
9/22/2020 13:00	215.10	5,260.63	310.49
9/22/2020 14:00	216.40	5,260.55	309.39
9/22/2020 15:00	215.00	5,261.86	308.33
9/22/2020 16:00	211.70	5,258.95	307.49
9/22/2020 17:00	197.60	5,261.09	308.66
9/22/2020 18:00	188.80	5,261.35	309.73
9/22/2020 19:00	186.00	5,258.84	308.71
9/22/2020 20:00	181.10	5,262.48	308.50
9/22/2020 21:00	177.10	5,257.35	308.45
9/22/2020 22:00	176.30	5,257.57	307.58
9/22/2020 23:00	173.30	5,257.83	307.49
9/23/2020 0:00	173.60	5,260.54	307.74
9/23/2020 1:00	172.90	5,257.89	307.12
9/23/2020 2:00	172.60	5,257.53	306.21

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
9/23/2020 3:00	170.30	5,258.89	306.93
9/23/2020 4:00	171.60	5,260.12	305.75
9/23/2020 5:00	171.60	5,260.00	305.31
9/23/2020 6:00	169.90	5,261.69	306.70
9/23/2020 7:00	177.00	5,258.65	304.95
9/23/2020 8:00	177.50	5,260.24	305.59
9/23/2020 9:00	178.60	5,262.92	305.82
9/23/2020 10:00	183.20	5,260.73	308.55
9/23/2020 11:00	178.80	5,258.40	310.98
9/23/2020 12:00	176.00	5,261.45	309.92
9/23/2020 13:00	173.40	5,260.67	309.03
9/23/2020 14:00	171.70	5,258.94	309.43
9/23/2020 15:00	171.60	5,260.00	309.27
9/23/2020 16:00	170.90	5,259.28	307.89
9/23/2020 17:00	171.60	5,260.43	308.13
9/23/2020 18:00	171.80	5,261.07	308.73
9/23/2020 19:00	173.00	5,260.50	309.43
9/23/2020 20:00	174.50	5,261.55	308.61
9/23/2020 21:00	179.80	5,257.89	308.46
9/23/2020 22:00	182.70	5,260.41	308.87
9/23/2020 23:00	188.50	5,261.50	309.73
9/24/2020 0:00	188.10	5,259.21	309.89
9/24/2020 1:00	190.20	5,262.43	308.20
9/24/2020 2:00	190.60	5,263.17	307.23
9/24/2020 3:00	186.30	5,258.16	308.03
9/24/2020 4:00	184.70	5,262.14	308.11
9/24/2020 5:00	183.50	5,263.54	308.04
9/24/2020 6:00	179.00	5,261.08	308.08
9/24/2020 7:00	178.40	5,260.88	308.03
9/24/2020 8:00	185.60	5,262.00	310.14
9/24/2020 9:00	201.70	5,259.65	310.81
9/24/2020 10:00	211.50	5,261.23	309.64
9/24/2020 11:00	222.60	5,263.29	309.49
9/24/2020 12:00	226.10	5,259.09	311.25
9/24/2020 13:00	225.80	5,260.49	311.94
9/24/2020 14:00	227.70	5,263.88	311.77
9/24/2020 15:00	227.60	5,260.99	310.73
9/24/2020 16:00	224.40	5,262.41	310.42

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
9/24/2020 17:00	224.70	5,258.92	308.94
9/24/2020 18:00	228.70	5,259.07	310.64
9/24/2020 19:00	230.90	5,257.73	309.80
9/24/2020 20:00	228.40	5,258.01	310.02
9/24/2020 21:00	229.90	5,260.95	310.85
9/24/2020 22:00	231.50	5,258.85	308.46
9/24/2020 23:00	232.00	5,261.65	309.77
9/25/2020 0:00	229.50	5,260.59	308.94
9/25/2020 1:00	231.20	5,261.03	307.21
9/25/2020 2:00	231.40	5,262.21	307.91
9/25/2020 3:00	229.30	5,310.26	306.95
9/25/2020 4:00	227.20	5,254.64	305.27
9/25/2020 5:00	231.50	5,299.98	303.01
9/25/2020 6:00	234.40	5,335.31	304.10
9/25/2020 7:00	233.10	5,333.34	305.82
9/25/2020 8:00	230.90	5,338.29	306.03
9/25/2020 9:00	221.90	5,336.14	307.06
9/25/2020 10:00	216.50	5,337.68	307.14
9/25/2020 11:00	212.70	5,337.06	306.78
9/25/2020 12:00	209.60	5,335.48	306.56
9/25/2020 13:00	206.60	5,335.79	308.52
9/25/2020 14:00	200.80	5,297.64	307.96
9/25/2020 15:00	198.60	5,261.02	306.25
9/25/2020 16:00	193.60	5,264.90	306.06
9/25/2020 17:00	194.00	5,263.26	305.07
9/25/2020 18:00	193.20	5,262.05	304.97
9/25/2020 19:00	191.60	5,261.52	304.46
9/25/2020 20:00	191.30	5,263.81	306.42
9/25/2020 21:00	189.70	5,264.85	304.19
9/25/2020 22:00	188.10	5,260.49	304.76
9/25/2020 23:00	188.10	5,263.74	304.73
9/26/2020 0:00	186.70	5,263.31	305.41
9/26/2020 1:00	186.90	5,264.36	305.48
9/26/2020 2:00	183.80	5,263.34	306.12
9/26/2020 3:00	185.60	5,264.16	306.54
9/26/2020 4:00	186.40	5,264.18	305.46
9/26/2020 5:00	187.40	5,263.50	307.10
9/26/2020 6:00	188.20	5,264.33	306.35

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
9/26/2020 7:00	189.50	5,260.38	304.97
9/26/2020 8:00	193.50	5,262.19	305.38
9/26/2020 9:00	196.00	5,261.53	305.91
9/26/2020 10:00	197.50	5,263.90	306.75
9/26/2020 11:00	188.70	5,261.74	306.96
9/26/2020 12:00	184.90	5,264.34	306.16
9/26/2020 13:00	180.30	5,263.67	305.66
9/26/2020 14:00	178.10	5,263.10	306.20
9/26/2020 15:00	178.30	5,262.75	306.34
9/26/2020 16:00	176.10	5,263.16	306.66
9/26/2020 17:00	178.00	5,262.91	307.21
9/26/2020 18:00	176.70	5,263.52	306.69
9/26/2020 19:00	176.10	5,261.56	305.89
9/26/2020 20:00	175.40	5,261.84	304.25
9/26/2020 21:00	174.80	5,266.34	304.01
9/26/2020 22:00	173.80	5,264.54	304.19
9/26/2020 23:00	171.00	5,261.57	304.42
9/27/2020 0:00	172.90	5,262.48	304.75
9/27/2020 1:00	174.00	5,264.39	304.75
9/27/2020 2:00	173.60	5,265.31	304.71
9/27/2020 3:00	173.50	5,264.74	303.72
9/27/2020 4:00	174.50	5,263.38	303.85
9/27/2020 5:00	175.10	5,264.24	303.78
9/27/2020 6:00	175.80	5,261.03	303.91
9/27/2020 7:00	176.00	5,263.72	304.43
9/27/2020 8:00	177.10	5,264.36	304.74
9/27/2020 9:00	178.40	5,265.05	304.26
9/27/2020 10:00	175.70	5,261.64	304.94
9/27/2020 11:00	174.40	5,261.65	306.83
9/27/2020 12:00	172.80	5,264.23	306.60
9/27/2020 13:00	172.50	5,261.74	306.43
9/27/2020 14:00	173.50	5,263.27	305.73
9/27/2020 15:00	172.30	5,263.67	306.86
9/27/2020 16:00	170.50	5,263.11	307.79
9/27/2020 17:00	172.00	5,263.27	307.85
9/27/2020 18:00	172.20	5,264.94	307.01
9/27/2020 19:00	171.70	5,261.79	306.44
9/27/2020 20:00	170.60	5,263.10	306.94

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
9/27/2020 21:00	172.80	5,263.14	306.84
9/27/2020 22:00	171.40	5,263.07	306.08
9/27/2020 23:00	172.20	5,265.19	306.31
9/28/2020 0:00	173.00	5,264.32	306.31
9/28/2020 1:00	171.00	5,261.58	306.21
9/28/2020 2:00	172.00	5,265.93	305.98
9/28/2020 3:00	171.80	5,263.66	306.18
9/28/2020 4:00	171.00	5,264.44	305.14
9/28/2020 5:00	170.60	5,261.56	305.54
9/28/2020 6:00	171.60	5,263.42	305.60
9/28/2020 7:00	171.00	5,258.43	304.70
9/28/2020 8:00	172.40	5,260.46	304.51
9/28/2020 9:00	171.80	5,266.12	305.59
9/28/2020 10:00	171.30	5,262.55	306.69
9/28/2020 11:00	172.80	5,263.93	306.22
9/28/2020 12:00	172.20	5,263.74	305.71
9/28/2020 13:00	170.00	5,262.72	305.88
9/28/2020 14:00	168.80	5,261.86	307.27
9/28/2020 15:00	169.90	5,266.39	308.45
9/28/2020 16:00	168.60	5,262.11	308.76
9/28/2020 17:00	170.50	5,262.92	308.26
9/28/2020 18:00	173.10	5,263.54	307.60
9/28/2020 19:00	175.60	5,261.89	306.79
9/28/2020 20:00	174.90	5,267.48	311.55
9/28/2020 21:00	166.90	5,266.56	327.20
9/28/2020 22:00	165.20	5,261.79	327.16
9/28/2020 23:00	168.10	5,264.86	327.03
9/29/2020 0:00	167.20	5,262.70	326.78
9/29/2020 1:00	167.20	5,266.63	325.58
9/29/2020 2:00	164.70	5,266.31	326.32
9/29/2020 3:00	163.10	5,262.65	328.24
9/29/2020 4:00	161.40	5,263.29	327.35
9/29/2020 5:00	158.70	5,263.66	326.29
9/29/2020 6:00	162.60	5,266.49	326.09
9/29/2020 7:00	160.60	5,264.40	324.81
9/29/2020 8:00	160.60	5,266.25	324.33
9/29/2020 9:00	159.60	5,261.18	323.02
9/29/2020 10:00	166.40	5,263.66	324.38

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
9/29/2020 11:00	177.80	5,263.23	323.22
9/29/2020 12:00	182.90	5,264.36	323.84
9/29/2020 13:00	187.80	5,262.75	325.31
9/29/2020 14:00	191.60	5,264.37	325.88
9/29/2020 15:00	192.10	5,264.55	325.11
9/29/2020 16:00	194.00	5,262.36	325.96
9/29/2020 17:00	195.40	5,263.24	325.33
9/29/2020 18:00	194.20	5,264.25	324.68
9/29/2020 19:00	196.80	5,264.84	323.58
9/29/2020 20:00	198.60	5,263.59	323.21
9/29/2020 21:00	203.60	5,262.89	322.37
9/29/2020 22:00	210.10	5,263.66	322.62
9/29/2020 23:00	210.10	5,262.62	322.45
9/30/2020 0:00	206.20	5,263.14	320.72
9/30/2020 1:00	209.80	5,264.37	319.31
9/30/2020 2:00	215.40	5,264.95	319.87
9/30/2020 3:00	215.60	5,262.96	319.69
9/30/2020 4:00	212.00	5,263.77	320.23
9/30/2020 5:00	208.40	5,264.67	318.65
9/30/2020 6:00	205.00	5,262.60	317.83
9/30/2020 7:00	203.30	5,261.64	317.31
9/30/2020 8:00	199.20	5,261.53	318.01
9/30/2020 9:00	197.70	5,265.00	319.79
9/30/2020 10:00	194.50	5,263.03	319.87
9/30/2020 11:00	200.90	5,262.31	319.97
9/30/2020 12:00	201.70	5,261.62	320.43
9/30/2020 13:00	203.40	5,265.69	321.46
9/30/2020 14:00	204.60	5,262.98	321.85
9/30/2020 15:00	208.00	5,263.04	323.53
9/30/2020 16:00	212.00	5,262.55	325.56
9/30/2020 17:00	214.20	5,265.32	323.30
9/30/2020 18:00	216.10	5,267.33	324.94
9/30/2020 19:00	217.70	5,260.53	324.65
9/30/2020 20:00	217.10	5,266.08	324.45
9/30/2020 21:00	212.90	5,262.97	324.39
9/30/2020 22:00	211.70	5,265.96	324.80
9/30/2020 23:00	214.40	5,264.52	323.95
10/1/2020 0:00	214.20	5,262.92	324.95

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/1/2020 1:00	215.60	5,263.00	324.20
10/1/2020 2:00	214.70	5,261.98	326.39
10/1/2020 3:00	215.10	5,263.88	325.75
10/1/2020 4:00	219.10	5,266.38	323.06
10/1/2020 5:00	219.30	5,263.02	323.72
10/1/2020 6:00	215.80	5,265.89	323.70
10/1/2020 7:00	208.70	5,261.09	323.08
10/1/2020 8:00	214.50	5,263.47	325.04
10/1/2020 9:00	208.90	5,264.86	325.48
10/1/2020 10:00	204.60	5,261.57	326.23
10/1/2020 11:00	200.20	5,263.38	327.12
10/1/2020 12:00	199.70	5,261.20	328.18
10/1/2020 13:00	198.70	5,261.91	327.10
10/1/2020 14:00	197.30	5,263.36	326.45
10/1/2020 15:00	196.90	5,263.84	325.63
10/1/2020 16:00	196.50	5,262.02	325.69
10/1/2020 17:00	198.00	5,261.80	325.98
10/1/2020 18:00	194.10	5,263.42	326.00
10/1/2020 19:00	193.10	5,263.15	325.53
10/1/2020 20:00	187.70	5,263.75	326.06
10/1/2020 21:00	186.70	5,264.51	324.47
10/1/2020 22:00	176.50	5,266.01	321.90
10/1/2020 23:00	158.90	5,262.22	314.21
10/2/2020 0:00	156.80	5,264.18	314.53
10/2/2020 1:00	156.70	5,264.43	313.91
10/2/2020 2:00	156.50	5,265.30	313.11
10/2/2020 3:00	158.80	5,262.93	312.54
10/2/2020 4:00	158.50	5,263.00	311.62
10/2/2020 5:00	160.80	5,263.37	311.28
10/2/2020 6:00	162.40	5,262.68	310.57
10/2/2020 7:00	112.10	4,542.68	303.12
10/2/2020 8:00	109.50	4,473.30	300.29
10/2/2020 9:00	109.40	4,475.65	301.42
10/2/2020 10:00	107.00	4,474.26	303.47
10/2/2020 11:00	105.00	4,474.20	304.61
10/2/2020 12:00	105.60	4,474.96	305.32
10/2/2020 13:00	103.50	4,473.00	306.17
10/2/2020 14:00	103.00	4,474.37	307.18

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/2/2020 15:00	102.80	4,470.82	307.96
10/2/2020 16:00	103.70	4,482.88	309.09
10/2/2020 17:00	179.40	5,307.68	323.55
10/2/2020 18:00	185.90	5,336.68	328.52
10/2/2020 19:00	188.30	5,337.21	327.52
10/2/2020 20:00	185.70	5,336.04	325.95
10/2/2020 21:00	183.90	5,337.50	325.39
10/2/2020 22:00	183.50	5,334.92	324.75
10/2/2020 23:00	182.70	5,334.08	324.69
10/3/2020 0:00	184.40	5,338.90	323.16
10/3/2020 1:00	182.20	5,337.96	321.77
10/3/2020 2:00	182.30	5,336.45	321.36
10/3/2020 3:00	182.40	5,336.77	320.64
10/3/2020 4:00	182.00	5,335.10	321.41
10/3/2020 5:00	178.60	5,334.41	321.51
10/3/2020 6:00	155.30	5,337.81	311.85
10/3/2020 7:00	154.60	5,334.18	311.42
10/3/2020 8:00	155.50	5,336.50	313.89
10/3/2020 9:00	153.60	5,335.76	314.85
10/3/2020 10:00	133.00	5,026.82	311.24
10/3/2020 11:00	98.20	4,439.10	305.32
10/3/2020 12:00	89.50	4,305.14	301.49
10/3/2020 13:00	91.20	4,304.33	300.55
10/3/2020 14:00	93.90	4,302.29	301.15
10/3/2020 15:00	95.30	4,303.62	300.58
10/3/2020 16:00	96.60	4,302.42	299.34
10/3/2020 17:00	98.20	4,308.36	299.80
10/3/2020 18:00	98.80	4,304.52	304.37
10/3/2020 19:00	97.50	4,304.92	305.23
10/3/2020 20:00	98.10	4,304.57	304.73
10/3/2020 21:00	98.60	4,306.95	304.09
10/3/2020 22:00	98.90	4,303.11	303.45
10/3/2020 23:00	99.80	4,306.71	302.50
10/4/2020 0:00	99.90	4,307.22	301.28
10/4/2020 1:00	100.50	4,302.93	301.84
10/4/2020 2:00	100.90	4,301.93	301.16
10/4/2020 3:00	101.10	4,307.08	300.71
10/4/2020 4:00	100.50	4,306.84	299.99

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/4/2020 5:00	100.30	4,309.00	299.81
10/4/2020 6:00	100.80	4,301.40	300.12
10/4/2020 7:00	100.30	4,303.98	300.72
10/4/2020 8:00	99.60	4,308.99	300.18
10/4/2020 9:00	100.50	4,305.63	301.59
10/4/2020 10:00	99.30	4,305.24	303.48
10/4/2020 11:00	99.70	4,306.40	303.61
10/4/2020 12:00	98.50	4,306.53	303.69
10/4/2020 13:00	99.80	4,302.16	303.48
10/4/2020 14:00	101.40	4,303.41	304.79
10/4/2020 15:00	101.60	4,304.10	304.30
10/4/2020 16:00	100.60	4,302.33	302.16
10/4/2020 17:00	101.20	4,306.57	301.25
10/4/2020 18:00	100.00	4,301.45	303.07
10/4/2020 19:00	101.30	4,304.51	302.67
10/4/2020 20:00	134.60	4,655.71	309.72
10/4/2020 21:00	122.40	4,330.83	304.74
10/4/2020 22:00	145.50	4,330.12	301.63
10/4/2020 23:00	143.90	4,331.98	302.28
10/5/2020 0:00	125.30	4,331.78	304.11
10/5/2020 1:00	112.40	4,333.13	303.63
10/5/2020 2:00	105.40	4,330.75	302.74
10/5/2020 3:00	106.50	4,333.00	303.10
10/5/2020 4:00	106.20	4,332.27	303.00
10/5/2020 5:00	106.30	4,333.59	302.42
10/5/2020 6:00	106.30	4,332.06	302.88
10/5/2020 7:00	106.40	4,333.63	303.82
10/5/2020 8:00	106.70	4,327.36	304.24
10/5/2020 9:00	106.80	4,333.61	305.50
10/5/2020 10:00	107.40	4,332.78	307.23
10/5/2020 11:00	106.20	4,329.23	305.42
10/5/2020 12:00	153.90	4,868.09	311.91
10/5/2020 13:00	209.00	5,307.21	326.55
10/5/2020 14:00	217.50	5,327.58	326.84
10/5/2020 15:00	213.70	5,332.18	326.39
10/5/2020 16:00	213.00	5,328.73	325.57
10/5/2020 17:00	215.00	5,329.42	326.36
10/5/2020 18:00	212.50	5,327.34	325.93

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/5/2020 19:00	212.50	5,332.21	325.03
10/5/2020 20:00	215.10	5,326.81	324.63
10/5/2020 21:00	214.90	5,328.43	324.40
10/5/2020 22:00	215.90	5,327.80	324.44
10/5/2020 23:00	216.90	5,330.59	323.19
10/6/2020 0:00	212.20	5,331.04	322.64
10/6/2020 1:00	210.90	5,328.76	322.14
10/6/2020 2:00	210.00	5,330.81	321.98
10/6/2020 3:00	207.00	5,332.81	321.82
10/6/2020 4:00	206.60	5,328.26	321.10
10/6/2020 5:00	207.80	5,330.10	320.87
10/6/2020 6:00	205.30	5,328.02	321.41
10/6/2020 7:00	201.40	5,329.37	321.88
10/6/2020 8:00	199.30	5,328.93	322.74
10/6/2020 9:00	196.10	5,328.56	323.45
10/6/2020 10:00	205.40	5,328.90	325.10
10/6/2020 11:00	205.30	5,329.27	325.42
10/6/2020 12:00	204.30	5,329.29	326.36
10/6/2020 13:00	203.60	5,327.00	325.73
10/6/2020 14:00	217.70	5,329.45	327.01
10/6/2020 15:00	213.80	5,329.34	325.90
10/6/2020 16:00	203.90	5,329.78	323.37
10/6/2020 17:00	202.20	5,327.86	321.33
10/6/2020 18:00	200.40	5,325.80	321.94
10/6/2020 19:00	200.60	5,328.39	321.09
10/6/2020 20:00	204.80	5,327.73	321.94
10/6/2020 21:00	202.50	5,327.79	322.39
10/6/2020 22:00	203.50	5,330.17	322.69
10/6/2020 23:00	200.50	5,327.33	322.11
10/7/2020 0:00	200.10	5,328.36	322.41
10/7/2020 1:00	202.00	5,330.25	321.56
10/7/2020 2:00	201.80	5,325.01	321.01
10/7/2020 3:00	202.40	5,328.09	321.04
10/7/2020 4:00	206.90	5,332.02	322.18
10/7/2020 5:00	211.20	5,327.59	323.04
10/7/2020 6:00	213.00	5,325.24	323.15
10/7/2020 7:00	207.50	5,332.21	322.10
10/7/2020 8:00	203.30	5,327.88	321.08

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/7/2020 9:00	199.80	5,329.87	321.43
10/7/2020 10:00	200.80	5,328.51	323.09
10/7/2020 11:00	204.10	5,326.86	326.10
10/7/2020 12:00	202.30	5,326.56	326.35
10/7/2020 13:00	201.70	5,329.54	325.65
10/7/2020 14:00	200.50	5,329.81	325.33
10/7/2020 15:00	199.30	5,330.19	325.79
10/7/2020 16:00	200.70	5,330.18	325.84
10/7/2020 17:00	202.30	5,330.71	326.39
10/7/2020 18:00	202.30	5,328.58	326.40
10/7/2020 19:00	202.30	5,328.24	325.99
10/7/2020 20:00	202.30	5,328.39	325.41
10/7/2020 21:00	202.30	5,330.01	325.75
10/7/2020 22:00	200.60	5,326.59	325.41
10/7/2020 23:00	201.00	5,331.70	325.31
10/8/2020 0:00	199.60	5,325.97	325.39
10/8/2020 1:00	201.50	5,329.10	324.07
10/8/2020 2:00	201.00	5,329.00	323.89
10/8/2020 3:00	200.00	5,329.40	323.69
10/8/2020 4:00	199.80	5,330.55	323.18
10/8/2020 5:00	200.30	5,326.80	322.92
10/8/2020 6:00	200.10	5,330.19	322.73
10/8/2020 7:00	200.00	5,330.76	322.99
10/8/2020 8:00	199.20	5,328.14	323.37
10/8/2020 9:00	196.60	5,327.32	323.81
10/8/2020 10:00	195.30	5,327.75	325.82
10/8/2020 11:00	195.90	5,325.40	326.05
10/8/2020 12:00	196.70	5,328.49	325.77
10/8/2020 13:00	195.90	5,329.94	326.23
10/8/2020 14:00	197.20	5,332.22	327.20
10/8/2020 15:00	199.90	5,327.52	327.28
10/8/2020 16:00	201.00	5,328.81	326.86
10/8/2020 17:00	199.20	5,328.77	327.03
10/8/2020 18:00	197.20	5,327.00	327.74
10/8/2020 19:00	198.20	5,329.75	328.11
10/8/2020 20:00	197.20	5,328.04	329.47
10/8/2020 21:00	197.70	5,327.66	328.89
10/8/2020 22:00	197.60	5,328.38	328.95

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/8/2020 23:00	198.40	5,330.46	329.07
10/9/2020 0:00	196.50	5,325.99	329.06
10/9/2020 1:00	190.20	5,329.73	327.12
10/9/2020 2:00	190.00	5,327.24	326.65
10/9/2020 3:00	190.80	5,331.09	326.02
10/9/2020 4:00	193.30	5,328.29	326.30
10/9/2020 5:00	197.80	5,331.51	327.63
10/9/2020 6:00	197.70	5,328.64	328.23
10/9/2020 7:00	195.90	5,332.69	327.81
10/9/2020 8:00	195.60	5,332.06	328.51
10/9/2020 9:00	196.70	5,329.27	329.03
10/9/2020 10:00	197.60	5,331.87	329.70
10/9/2020 11:00	202.00	5,330.52	328.92
10/9/2020 12:00	201.90	5,327.85	330.01
10/9/2020 13:00	200.60	5,327.84	329.45
10/9/2020 14:00	199.50	5,327.32	329.21
10/9/2020 15:00	199.30	5,330.67	328.70
10/9/2020 16:00	196.50	5,330.11	328.16
10/9/2020 17:00	196.90	5,326.54	328.45
10/9/2020 18:00	197.00	5,326.94	328.09
10/9/2020 19:00	198.90	5,330.38	327.04
10/9/2020 20:00	198.70	5,326.81	326.82
10/9/2020 21:00	199.30	5,328.22	326.25
10/9/2020 22:00	200.40	5,331.77	326.77
10/9/2020 23:00	200.40	5,328.02	326.33
10/10/2020 0:00	198.50	5,330.65	325.98
10/10/2020 1:00	197.60	5,327.68	325.57
10/10/2020 2:00	197.30	5,327.05	325.00
10/10/2020 3:00	201.60	5,331.42	326.28
10/10/2020 4:00	203.10	5,328.95	327.57
10/10/2020 5:00	202.20	5,327.55	326.86
10/10/2020 6:00	201.50	5,329.68	326.62
10/10/2020 7:00	130.10	4,631.45	315.44
10/10/2020 8:00	109.00	4,299.38	304.94
10/10/2020 9:00	99.80	4,297.52	303.42
10/10/2020 10:00	98.90	4,296.05	304.34
10/10/2020 11:00	101.00	4,299.38	303.77
10/10/2020 12:00	100.20	4,296.52	302.76

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/10/2020 13:00	99.80	4,298.02	302.22
10/10/2020 14:00	126.10	4,654.90	305.60
10/10/2020 15:00	127.20	4,672.45	306.19
10/10/2020 16:00	128.00	4,674.75	306.94
10/10/2020 17:00	128.90	4,676.75	307.38
10/10/2020 18:00	127.40	4,675.31	306.12
10/10/2020 19:00	128.30	4,677.21	305.22
10/10/2020 20:00	128.90	4,675.90	304.56
10/10/2020 21:00	129.30	4,674.63	305.31
10/10/2020 22:00	128.00	4,678.61	305.91
10/10/2020 23:00	127.90	4,675.81	305.51
10/11/2020 0:00	127.80	4,678.25	304.94
10/11/2020 1:00	128.00	4,675.69	305.83
10/11/2020 2:00	126.50	4,676.00	307.58
10/11/2020 3:00	127.40	4,678.58	306.34
10/11/2020 4:00	126.40	4,676.61	306.27
10/11/2020 5:00	128.90	4,679.24	306.27
10/11/2020 6:00	127.00	4,676.26	306.86
10/11/2020 7:00	127.20	4,674.36	306.39
10/11/2020 8:00	127.50	4,675.89	307.15
10/11/2020 9:00	127.00	4,674.15	308.57
10/11/2020 10:00	128.20	4,676.26	311.50
10/11/2020 11:00	128.10	4,677.55	311.26
10/11/2020 12:00	127.10	4,675.78	312.45
10/11/2020 13:00	129.20	4,674.42	311.39
10/11/2020 14:00	128.30	4,677.76	311.11
10/11/2020 15:00	128.70	4,675.99	310.66
10/11/2020 16:00	128.60	4,675.37	310.48
10/11/2020 17:00	128.50	4,674.54	310.05
10/11/2020 18:00	127.90	4,675.39	309.71
10/11/2020 19:00	127.00	4,673.93	308.11
10/11/2020 20:00	126.70	4,674.88	308.19
10/11/2020 21:00	126.90	4,678.71	308.04
10/11/2020 22:00	160.30	4,673.39	307.74
10/11/2020 23:00	147.80	4,675.99	307.47
10/12/2020 0:00	126.10	4,677.01	308.22
10/12/2020 1:00	125.70	4,676.76	307.00
10/12/2020 2:00	126.00	4,677.19	307.14

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/12/2020 3:00	125.10	4,677.19	306.92
10/12/2020 4:00	123.90	4,673.20	306.99
10/12/2020 5:00	125.20	4,676.70	308.53
10/12/2020 6:00	126.70	4,672.97	308.22
10/12/2020 7:00	127.50	4,677.77	308.03
10/12/2020 8:00	126.40	4,676.15	307.88
10/12/2020 9:00	126.10	4,675.09	307.68
10/12/2020 10:00	126.00	4,675.94	307.51
10/12/2020 11:00	126.00	4,674.85	306.40
10/12/2020 12:00	123.90	4,674.78	306.85
10/12/2020 13:00	123.00	4,674.54	306.23
10/12/2020 14:00	121.70	4,674.03	306.36
10/12/2020 15:00	121.20	4,675.50	307.12
10/12/2020 16:00	121.20	4,676.64	306.98
10/12/2020 17:00	120.70	4,677.65	308.22
10/12/2020 18:00	120.50	4,675.24	308.53
10/12/2020 19:00	120.60	4,673.80	307.04
10/12/2020 20:00	118.40	4,676.06	306.30
10/12/2020 21:00	116.90	4,679.92	306.42
10/12/2020 22:00	118.10	4,675.64	307.60
10/12/2020 23:00	116.70	4,674.32	308.05
10/13/2020 0:00	119.00	4,675.59	309.15
10/13/2020 1:00	118.90	4,676.88	308.87
10/13/2020 2:00	117.40	4,677.47	307.92
10/13/2020 3:00	118.00	4,676.89	307.47
10/13/2020 4:00	117.30	4,674.65	307.77
10/13/2020 5:00	116.60	4,679.81	305.44
10/13/2020 6:00	117.40	4,673.67	305.48
10/13/2020 7:00	116.90	4,674.67	306.15
10/13/2020 8:00	121.60	4,738.13	309.31
10/13/2020 9:00	128.80	4,849.70	311.12
10/13/2020 10:00	130.20	4,847.46	311.64
10/13/2020 11:00	128.50	4,848.01	309.24
10/13/2020 12:00	129.50	4,848.32	308.78
10/13/2020 13:00	130.10	4,845.90	309.25
10/13/2020 14:00	127.70	4,847.81	309.96
10/13/2020 15:00	129.00	4,846.57	310.55
10/13/2020 16:00	129.40	4,849.44	309.85

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/13/2020 17:00	129.40	4,844.52	311.10
10/13/2020 18:00	128.90	4,849.78	311.86
10/13/2020 19:00	129.30	4,847.11	310.95
10/13/2020 20:00	128.40	4,849.77	308.24
10/13/2020 21:00	137.20	4,971.33	308.88
10/13/2020 22:00	142.70	5,051.29	310.28
10/13/2020 23:00	143.80	5,051.66	309.46
10/14/2020 0:00	143.60	5,050.86	309.61
10/14/2020 1:00	142.60	5,052.81	310.07
10/14/2020 2:00	142.30	5,051.32	309.53
10/14/2020 3:00	142.20	5,052.94	308.77
10/14/2020 4:00	143.50	5,052.29	307.79
10/14/2020 5:00	137.00	4,975.41	307.12
10/14/2020 6:00	116.50	4,670.03	302.92
10/14/2020 7:00	117.00	4,674.02	302.13
10/14/2020 8:00	117.00	4,672.71	301.90
10/14/2020 9:00	115.10	4,671.57	303.62
10/14/2020 10:00	117.90	4,693.61	305.62
10/14/2020 11:00	167.10	5,176.41	319.55
10/14/2020 12:00	183.70	5,224.76	328.75
10/14/2020 13:00	183.70	5,222.13	329.37
10/14/2020 14:00	183.00	5,223.05	330.09
10/14/2020 15:00	184.60	5,220.17	327.85
10/14/2020 16:00	183.70	5,222.72	327.10
10/14/2020 17:00	182.30	5,222.79	326.49
10/14/2020 18:00	181.20	5,220.86	326.00
10/14/2020 19:00	180.30	5,219.27	325.69
10/14/2020 20:00	180.70	5,221.39	326.11
10/14/2020 21:00	182.30	5,224.82	326.41
10/14/2020 22:00	183.60	5,222.12	325.63
10/14/2020 23:00	181.40	5,221.76	324.11
10/15/2020 0:00	181.90	5,223.28	322.82
10/15/2020 1:00	180.90	5,219.40	322.44
10/15/2020 2:00	180.20	5,221.23	322.68
10/15/2020 3:00	180.40	5,224.15	321.85
10/15/2020 4:00	180.70	5,221.29	320.70
10/15/2020 5:00	181.20	5,221.98	320.35
10/15/2020 6:00	169.50	5,224.85	316.72

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/15/2020 7:00	153.90	5,225.18	308.21
10/15/2020 8:00	154.50	5,222.17	307.91
10/15/2020 9:00	156.70	5,222.08	309.63
10/15/2020 10:00	158.60	5,221.16	311.99
10/15/2020 11:00	160.00	5,217.02	315.58
10/15/2020 12:00	158.50	5,222.31	322.33
10/15/2020 13:00	156.50	5,224.03	317.82
10/15/2020 14:00	156.90	5,223.31	314.46
10/15/2020 15:00	157.30	5,224.74	314.05
10/15/2020 16:00	157.90	5,220.23	315.20
10/15/2020 17:00	160.30	5,220.70	314.73
10/15/2020 18:00	160.10	5,223.78	314.19
10/15/2020 19:00	160.20	5,223.95	314.19
10/15/2020 20:00	161.40	5,219.99	314.43
10/15/2020 21:00	161.20	5,222.31	314.65
10/15/2020 22:00	161.30	5,219.81	315.15
10/15/2020 23:00	178.30	5,423.53	319.17
10/16/2020 0:00	176.40	5,429.26	320.39
10/16/2020 1:00	183.20	5,432.03	322.66
10/16/2020 2:00	193.00	5,430.56	328.61
10/16/2020 3:00	192.80	5,429.04	328.01
10/16/2020 4:00	192.10	5,431.68	325.89
10/16/2020 5:00	194.90	5,429.71	326.54
10/16/2020 6:00	195.90	5,429.86	326.69
10/16/2020 7:00	197.10	5,430.72	327.31
10/16/2020 8:00	197.00	5,428.45	327.65
10/16/2020 9:00	196.50	5,430.06	330.63
10/16/2020 10:00	196.40	5,427.43	330.34
10/16/2020 11:00	197.50	5,424.58	330.12
10/16/2020 12:00	194.20	5,429.67	330.24
10/16/2020 13:00	192.70	5,426.06	331.36
10/16/2020 14:00	189.40	5,427.45	330.95
10/16/2020 15:00	190.40	5,428.74	329.72
10/16/2020 16:00	189.50	5,429.54	328.46
10/16/2020 17:00	190.40	5,428.37	327.51
10/16/2020 18:00	188.70	5,430.81	327.91
10/16/2020 19:00	188.40	5,429.38	326.49
10/16/2020 20:00	188.10	5,431.61	326.21

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/16/2020 21:00	187.30	5,430.37	325.24
10/16/2020 22:00	187.00	5,427.30	323.89
10/16/2020 23:00	188.00	5,424.31	324.00
10/17/2020 0:00	188.40	5,429.04	322.93
10/17/2020 1:00	189.00	5,430.92	322.77
10/17/2020 2:00	187.00	5,427.39	323.88
10/17/2020 3:00	180.20	5,310.86	323.29
10/17/2020 4:00	174.10	5,222.97	321.58
10/17/2020 5:00	172.90	5,223.55	321.11
10/17/2020 6:00	173.70	5,222.03	321.11
10/17/2020 7:00	176.30	5,223.66	322.01
10/17/2020 8:00	176.30	5,220.47	321.67
10/17/2020 9:00	177.70	5,222.18	321.64
10/17/2020 10:00	175.80	5,219.60	322.61
10/17/2020 11:00	174.80	5,225.31	324.71
10/17/2020 12:00	174.90	5,221.84	328.51
10/17/2020 13:00	174.80	5,221.65	327.83
10/17/2020 14:00	173.30	5,222.64	328.49
10/17/2020 15:00	173.10	5,222.42	329.05
10/17/2020 16:00	175.40	5,222.86	328.93
10/17/2020 17:00	174.90	5,222.13	327.72
10/17/2020 18:00	175.40	5,222.86	325.90
10/17/2020 19:00	175.90	5,223.95	323.22
10/17/2020 20:00	179.00	5,221.12	322.24
10/17/2020 21:00	178.70	5,222.69	321.40
10/17/2020 22:00	178.70	5,222.38	319.73
10/17/2020 23:00	178.90	5,223.41	320.25
10/18/2020 0:00	179.10	5,221.73	319.64
10/18/2020 1:00	178.20	5,222.73	318.26
10/18/2020 2:00	177.00	5,225.04	318.44
10/18/2020 3:00	175.80	5,220.41	318.17
10/18/2020 4:00	176.40	5,224.55	318.25
10/18/2020 5:00	175.50	5,224.24	318.17
10/18/2020 6:00	175.40	5,219.14	319.38
10/18/2020 7:00	175.20	5,223.70	319.77
10/18/2020 8:00	174.40	5,221.85	320.31
10/18/2020 9:00	176.80	5,219.99	323.37
10/18/2020 10:00	178.60	5,220.47	323.64

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/18/2020 11:00	180.90	5,220.05	324.36
10/18/2020 12:00	182.90	5,223.08	327.14
10/18/2020 13:00	182.80	5,222.35	328.06
10/18/2020 14:00	182.90	5,222.40	327.53
10/18/2020 15:00	183.10	5,221.60	328.49
10/18/2020 16:00	183.10	5,223.35	327.12
10/18/2020 17:00	181.60	5,223.71	323.32
10/18/2020 18:00	182.40	5,224.37	322.42
10/18/2020 19:00	183.30	5,225.51	322.13
10/18/2020 20:00	182.90	5,222.22	321.90
10/18/2020 21:00	183.00	5,225.58	320.94
10/18/2020 22:00	183.20	5,222.53	321.79
10/18/2020 23:00	184.50	5,223.35	322.23
10/19/2020 0:00	183.50	5,218.99	321.87
10/19/2020 1:00	182.60	5,225.01	321.47
10/19/2020 2:00	182.50	5,219.40	320.17
10/19/2020 3:00	181.30	5,221.53	320.30
10/19/2020 4:00	181.60	5,221.60	319.39
10/19/2020 5:00	171.80	5,222.21	315.30
10/19/2020 6:00	181.20	5,223.75	319.15
10/19/2020 7:00	179.30	5,223.87	318.69
10/19/2020 8:00	179.70	5,221.85	321.07
10/19/2020 9:00	180.10	5,221.49	323.41
10/19/2020 10:00	180.70	5,222.24	323.95
10/19/2020 11:00	181.30	5,222.95	326.38
10/19/2020 12:00	180.70	5,221.53	326.60
10/19/2020 13:00	182.50	5,220.08	327.27
10/19/2020 14:00	182.60	5,222.79	327.03
10/19/2020 15:00	182.70	5,222.18	326.44
10/19/2020 16:00	182.70	5,223.99	326.86
10/19/2020 17:00	181.40	5,220.99	326.38
10/19/2020 18:00	183.30	5,221.50	326.48
10/19/2020 19:00	182.60	5,222.28	325.78
10/19/2020 20:00	184.90	5,222.35	325.84
10/19/2020 21:00	185.30	5,221.77	325.22
10/19/2020 22:00	186.60	5,222.63	324.74
10/19/2020 23:00	186.00	5,226.80	324.36
10/20/2020 0:00	186.70	5,221.89	325.81

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/20/2020 1:00	185.30	5,222.28	326.00
10/20/2020 2:00	185.80	5,222.25	326.04
10/20/2020 3:00	184.10	5,222.60	326.47
10/20/2020 4:00	185.00	5,224.51	325.88
10/20/2020 5:00	186.00	5,225.04	325.03
10/20/2020 6:00	183.70	5,224.44	324.76
10/20/2020 7:00	186.80	5,220.60	324.94
10/20/2020 8:00	179.50	5,222.50	322.70
10/20/2020 9:00	184.20	5,224.85	322.73
10/20/2020 10:00	188.30	5,219.10	325.79
10/20/2020 11:00	190.90	5,220.71	327.44
10/20/2020 12:00	194.30	5,220.77	328.04
10/20/2020 13:00	193.00	5,220.66	326.72
10/20/2020 14:00	193.30	5,218.51	327.26
10/20/2020 15:00	194.20	5,224.66	327.55
10/20/2020 16:00	193.30	5,220.74	328.02
10/20/2020 17:00	193.30	5,220.91	328.76
10/20/2020 18:00	197.40	5,219.64	330.10
10/20/2020 19:00	196.90	5,222.17	330.88
10/20/2020 20:00	197.30	5,223.61	330.77
10/20/2020 21:00	196.60	5,223.41	330.37
10/20/2020 22:00	197.40	5,221.37	330.32
10/20/2020 23:00	197.00	5,223.07	330.03
10/21/2020 0:00	197.00	5,224.53	330.03
10/21/2020 1:00	197.00	5,223.96	328.45
10/21/2020 2:00	196.30	5,222.68	327.98
10/21/2020 3:00	197.70	5,221.04	327.36
10/21/2020 4:00	197.70	5,220.90	326.68
10/21/2020 5:00	196.70	5,222.65	326.28
10/21/2020 6:00	197.30	5,220.70	326.00
10/21/2020 7:00	196.80	5,222.17	325.70
10/21/2020 8:00	198.80	5,219.49	326.16
10/21/2020 9:00	196.70	5,223.62	328.24
10/21/2020 10:00	194.70	5,222.60	330.67
10/21/2020 11:00	192.50	5,219.55	331.66
10/21/2020 12:00	195.90	5,222.23	329.20
10/21/2020 13:00	198.50	5,219.39	328.54
10/21/2020 14:00	196.70	5,223.95	329.41

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
10/21/2020 15:00	197.80	5,216.99	329.92
10/21/2020 16:00	197.90	5,222.13	329.33
10/21/2020 17:00	198.90	5,223.27	329.35
10/21/2020 18:00	199.10	5,224.93	329.47
10/21/2020 19:00	199.20	5,223.25	328.63
10/21/2020 20:00	198.60	5,222.08	328.99
10/21/2020 21:00	199.50	5,223.40	328.54
10/21/2020 22:00	198.90	5,224.11	328.96
10/21/2020 23:00	199.10	5,224.29	328.02
10/22/2020 0:00	199.10	5,221.73	328.68
10/22/2020 1:00	198.80	5,221.66	328.48
10/22/2020 2:00	200.00	5,218.65	327.07
10/22/2020 3:00	200.00	5,220.58	327.25
10/22/2020 4:00	198.50	5,223.39	327.22
10/22/2020 5:00	198.30	5,221.44	326.96
10/22/2020 6:00	199.10	5,219.61	325.25
10/22/2020 7:00	198.40	5,225.74	325.05
10/22/2020 8:00	199.60	5,223.77	325.88
10/22/2020 9:00	199.60	5,222.85	328.04
10/22/2020 10:00	197.90	5,218.49	328.77
10/22/2020 11:00	200.70	5,222.02	330.46
10/22/2020 12:00	201.10	5,220.68	330.47
10/22/2020 13:00	200.20	5,222.08	331.30
10/22/2020 14:00	199.80	5,219.88	333.40
10/22/2020 15:00	201.40	5,222.87	332.64
10/22/2020 16:00	202.10	5,224.26	332.79
10/22/2020 17:00	202.50	5,218.89	332.46
10/22/2020 18:00	200.90	5,224.20	329.95
10/22/2020 19:00	200.20	5,218.60	330.21
10/22/2020 20:00	195.90	5,222.53	328.78
10/22/2020 21:00	193.80	5,222.68	327.24
10/22/2020 22:00	193.80	5,222.24	327.56
10/22/2020 23:00	188.20	5,222.52	327.50
10/23/2020 0:00	189.10	5,223.08	327.05
10/23/2020 1:00	189.60	5,223.04	327.67
10/23/2020 2:00	189.50	5,222.99	327.70
10/23/2020 3:00	189.90	5,223.72	326.67
10/23/2020 4:00	193.80	5,220.88	326.95

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/23/2020 5:00	194.50	5,220.17	324.94
10/23/2020 6:00	196.20	5,222.62	325.04
10/23/2020 7:00	196.60	5,221.18	324.29
10/23/2020 8:00	196.10	5,222.90	324.41
10/23/2020 9:00	195.40	5,224.51	324.88
10/23/2020 10:00	196.50	5,222.82	325.89
10/23/2020 11:00	196.10	5,223.22	326.82
10/23/2020 12:00	194.40	5,222.57	325.95
10/23/2020 13:00	194.90	5,222.85	327.63
10/23/2020 14:00	193.80	5,219.81	328.58
10/23/2020 15:00	195.90	5,218.63	329.29
10/23/2020 16:00	198.40	5,223.76	331.75
10/23/2020 17:00	197.90	5,223.19	332.03
10/23/2020 18:00	197.40	5,224.90	331.43
10/23/2020 19:00	198.80	5,221.89	330.08
10/23/2020 20:00	199.50	5,220.73	329.56
10/23/2020 21:00	199.00	5,224.21	328.26
10/23/2020 22:00	199.20	5,222.33	328.60
10/23/2020 23:00	201.70	5,225.02	328.77
10/24/2020 0:00	207.00	5,304.35	328.42
10/24/2020 1:00	211.90	5,325.30	328.72
10/24/2020 2:00	211.30	5,326.35	328.81
10/24/2020 3:00	209.40	5,326.37	329.15
10/24/2020 4:00	210.00	5,326.32	327.82
10/24/2020 5:00	210.40	5,325.64	329.29
10/24/2020 6:00	208.00	5,323.72	330.11
10/24/2020 7:00	209.30	5,326.88	330.61
10/24/2020 8:00	211.30	5,324.33	332.40
10/24/2020 9:00	209.60	5,326.19	332.95
10/24/2020 10:00	208.90	5,323.92	332.90
10/24/2020 11:00	208.60	5,326.23	331.94
10/24/2020 12:00	208.50	5,330.13	330.06
10/24/2020 13:00	208.50	5,323.77	328.34
10/24/2020 14:00	208.60	5,325.81	328.95
10/24/2020 15:00	210.20	5,326.44	329.95
10/24/2020 16:00	199.80	5,325.91	327.31
10/24/2020 17:00	197.50	5,325.62	326.61
10/24/2020 18:00	192.90	5,326.73	325.71

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/24/2020 19:00	197.00	5,325.48	325.71
10/24/2020 20:00	199.60	5,324.37	326.57
10/24/2020 21:00	199.10	5,324.44	326.54
10/24/2020 22:00	199.20	5,324.41	326.18
10/24/2020 23:00	199.70	5,328.61	326.57
10/25/2020 0:00	200.50	5,323.88	325.59
10/25/2020 1:00	199.30	5,323.97	325.70
10/25/2020 2:00	201.10	5,324.27	325.59
10/25/2020 3:00	200.10	5,328.23	324.94
10/25/2020 4:00	200.60	5,324.56	326.17
10/25/2020 5:00	200.70	5,326.44	325.50
10/25/2020 6:00	199.70	5,325.23	326.92
10/25/2020 7:00	201.00	5,324.88	326.80
10/25/2020 8:00	203.10	5,324.20	327.22
10/25/2020 9:00	194.70	5,325.71	325.59
10/25/2020 10:00	188.50	5,325.90	323.76
10/25/2020 11:00	194.10	5,325.61	326.39
10/25/2020 12:00	199.70	5,323.72	327.79
10/25/2020 13:00	192.10	5,326.96	325.16
10/25/2020 14:00	184.60	5,327.33	323.89
10/25/2020 15:00	199.30	5,322.25	328.27
10/25/2020 16:00	201.60	5,327.08	329.21
10/25/2020 17:00	201.80	5,326.26	329.15
10/25/2020 18:00	201.20	5,325.07	330.58
10/25/2020 19:00	202.20	5,323.96	330.03
10/25/2020 20:00	199.20	5,328.90	328.40
10/25/2020 21:00	199.60	5,325.35	327.26
10/25/2020 22:00	199.20	5,325.53	327.97
10/25/2020 23:00	199.20	5,324.97	327.37
10/26/2020 0:00	198.30	5,327.48	326.49
10/26/2020 1:00	198.00	5,326.21	326.01
10/26/2020 2:00	198.70	5,329.23	325.58
10/26/2020 3:00	198.70	5,326.96	325.37
10/26/2020 4:00	197.90	5,326.22	325.91
10/26/2020 5:00	192.20	5,326.48	324.74
10/26/2020 6:00	201.40	5,324.70	327.83
10/26/2020 7:00	198.70	5,323.39	327.88
10/26/2020 8:00	198.90	5,326.58	327.64

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/26/2020 9:00	200.10	5,320.45	327.42
10/26/2020 10:00	199.30	5,324.85	327.70
10/26/2020 11:00	198.30	5,325.36	327.42
10/26/2020 12:00	199.60	5,324.58	326.58
10/26/2020 13:00	200.60	5,327.12	327.55
10/26/2020 14:00	200.00	5,323.72	326.69
10/26/2020 15:00	201.10	5,324.59	326.71
10/26/2020 16:00	199.70	5,326.39	326.93
10/26/2020 17:00	201.80	5,324.44	325.89
10/26/2020 18:00	199.70	5,328.65	325.53
10/26/2020 19:00	200.50	5,325.27	325.63
10/26/2020 20:00	201.30	5,325.40	325.47
10/26/2020 21:00	200.50	5,324.67	326.17
10/26/2020 22:00	199.80	5,326.75	327.05
10/26/2020 23:00	200.30	5,328.82	326.97
10/27/2020 0:00	200.90	5,326.26	325.08
10/27/2020 1:00	199.70	5,324.73	324.60
10/27/2020 2:00	199.90	5,324.21	325.97
10/27/2020 3:00	200.00	5,325.95	325.05
10/27/2020 4:00	200.70	5,324.09	324.36
10/27/2020 5:00	200.40	5,323.87	324.38
10/27/2020 6:00	195.60	5,327.12	325.08
10/27/2020 7:00	196.00	5,252.23	325.97
10/27/2020 8:00	196.30	5,255.65	325.03
10/27/2020 9:00	194.00	5,258.58	326.01
10/27/2020 10:00	194.40	5,258.77	326.14
10/27/2020 11:00	195.30	5,256.67	326.51
10/27/2020 12:00	192.80	5,258.42	327.00
10/27/2020 13:00	193.20	5,257.03	327.47
10/27/2020 14:00	193.30	5,254.66	327.07
10/27/2020 15:00	192.40	5,255.50	327.30
10/27/2020 16:00	192.40	5,260.55	327.36
10/27/2020 17:00	192.50	5,258.86	326.60
10/27/2020 18:00	196.10	5,256.36	327.18
10/27/2020 19:00	198.30	5,254.04	326.96
10/27/2020 20:00	197.40	5,254.89	326.76
10/27/2020 21:00	201.80	5,258.64	327.03
10/27/2020 22:00	199.90	5,259.27	327.01

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/27/2020 23:00	203.30	5,255.89	326.53
10/28/2020 0:00	206.70	5,256.05	326.50
10/28/2020 1:00	207.40	5,253.71	325.72
10/28/2020 2:00	209.10	5,256.89	325.98
10/28/2020 3:00	207.60	5,254.80	325.10
10/28/2020 4:00	209.90	5,257.59	325.42
10/28/2020 5:00	211.00	5,256.53	325.19
10/28/2020 6:00	212.00	5,256.72	326.12
10/28/2020 7:00	210.10	5,256.34	326.54
10/28/2020 8:00	207.80	5,256.37	326.72
10/28/2020 9:00	207.00	5,255.36	327.07
10/28/2020 10:00	203.70	5,258.71	327.27
10/28/2020 11:00	204.30	5,254.57	328.45
10/28/2020 12:00	205.30	5,254.84	329.30
10/28/2020 13:00	205.20	5,257.54	328.47
10/28/2020 14:00	205.80	5,255.87	327.12
10/28/2020 15:00	208.00	5,256.69	326.60
10/28/2020 16:00	205.50	5,256.59	326.53
10/28/2020 17:00	206.90	5,257.02	327.21
10/28/2020 18:00	205.90	5,254.45	327.11
10/28/2020 19:00	207.30	5,257.00	327.01
10/28/2020 20:00	206.50	5,254.49	326.85
10/28/2020 21:00	205.20	5,256.67	326.91
10/28/2020 22:00	205.40	5,256.76	327.12
10/28/2020 23:00	205.80	5,256.14	326.62
10/29/2020 0:00	206.60	5,254.86	327.43
10/29/2020 1:00	204.60	5,256.86	326.52
10/29/2020 2:00	203.50	5,257.02	326.30
10/29/2020 3:00	203.60	5,256.43	327.05
10/29/2020 4:00	203.90	5,257.51	327.12
10/29/2020 5:00	204.90	5,257.31	327.79
10/29/2020 6:00	204.80	5,256.08	329.23
10/29/2020 7:00	203.50	5,255.68	328.83
10/29/2020 8:00	201.60	5,253.64	327.30
10/29/2020 9:00	201.30	5,257.07	322.33
10/29/2020 10:00	193.40	5,258.35	322.77
10/29/2020 11:00	194.40	5,255.74	321.27
10/29/2020 12:00	203.90	5,256.30	323.70

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/29/2020 13:00	190.30	5,256.74	319.68
10/29/2020 14:00	183.20	5,259.72	317.60
10/29/2020 15:00	178.50	5,203.19	313.73
10/29/2020 16:00	145.00	4,877.82	308.83
10/29/2020 17:00	144.70	4,878.06	308.86
10/29/2020 18:00	145.20	4,878.67	309.50
10/29/2020 19:00	146.70	4,875.94	308.35
10/29/2020 20:00	148.10	4,878.72	307.51
10/29/2020 21:00	148.40	4,878.00	307.22
10/29/2020 22:00	149.10	4,877.65	304.75
10/29/2020 23:00	149.50	4,879.98	305.19
10/30/2020 0:00	150.30	4,880.92	304.64
10/30/2020 1:00	150.10	4,880.78	303.84
10/30/2020 2:00	152.00	4,879.78	302.73
10/30/2020 3:00	152.60	4,878.64	301.17
10/30/2020 4:00	153.90	4,879.12	301.51
10/30/2020 5:00	162.20	4,887.90	301.63
10/30/2020 6:00	168.30	4,911.53	305.43
10/30/2020 7:00	174.50	4,989.48	304.60
10/30/2020 8:00	214.70	5,223.60	317.97
10/30/2020 9:00	217.60	5,223.69	319.53
10/30/2020 10:00	217.50	5,222.44	319.43
10/30/2020 11:00	218.10	5,223.06	320.08
10/30/2020 12:00	217.50	5,222.14	319.98
10/30/2020 13:00	219.00	5,225.80	320.63
10/30/2020 14:00	218.00	5,222.57	321.69
10/30/2020 15:00	221.50	5,222.62	321.97
10/30/2020 16:00	224.10	5,221.78	321.16
10/30/2020 17:00	215.10	5,223.85	321.88
10/30/2020 18:00	216.20	5,223.39	322.02
10/30/2020 19:00	205.70	5,222.86	317.16
10/30/2020 20:00	218.40	5,220.86	316.36
10/30/2020 21:00	219.50	5,220.22	312.86
10/30/2020 22:00	224.50	5,222.50	313.93
10/30/2020 23:00	219.90	5,221.51	314.95
10/31/2020 0:00	215.60	5,222.70	315.02
10/31/2020 1:00	217.70	5,223.99	315.64
10/31/2020 2:00	219.60	5,223.22	315.38

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
10/31/2020 3:00	217.50	5,221.20	314.77
10/31/2020 4:00	212.60	5,222.37	315.68
10/31/2020 5:00	213.30	5,222.29	316.95
10/31/2020 6:00	211.50	5,223.64	317.10
10/31/2020 7:00	201.20	5,222.73	314.48
10/31/2020 8:00	199.60	5,221.08	315.35
10/31/2020 9:00	200.10	5,222.49	316.72
10/31/2020 10:00	198.40	5,224.72	317.96
10/31/2020 11:00	197.50	5,220.74	319.43
10/31/2020 12:00	193.40	5,223.39	320.21
10/31/2020 13:00	183.30	5,219.04	321.65
10/31/2020 14:00	184.30	5,221.36	321.35
10/31/2020 15:00	186.20	5,220.64	322.54
10/31/2020 16:00	184.70	5,223.40	323.21
10/31/2020 17:00	187.00	5,224.23	323.13
10/31/2020 18:00	189.40	5,222.14	323.00
10/31/2020 19:00	188.50	5,222.77	321.97
10/31/2020 20:00	188.10	5,222.40	321.84
10/31/2020 21:00	188.30	5,225.23	322.03
10/31/2020 22:00	186.80	5,223.11	321.16
10/31/2020 23:00	177.90	5,224.65	319.40
11/1/2020 0:00	154.70	5,223.72	308.49
11/1/2020 1:00	151.90	5,221.46	306.95
11/1/2020 2:00	151.00	5,223.71	306.62
11/1/2020 3:00	145.00	5,161.90	305.95
11/1/2020 4:00	89.50	4,299.67	297.55
11/1/2020 5:00	92.10	4,306.73	296.02
11/1/2020 6:00	93.10	4,313.07	296.08
11/1/2020 7:00	100.10	4,429.31	295.93
11/1/2020 8:00	13.60	3,638.73	295.63
11/11/2020 17:00	17.80	3,614.58	271.65
11/11/2020 18:00	98.80	4,198.51	268.86
11/11/2020 19:00	99.10	4,196.90	269.88
11/11/2020 20:00	105.00	4,250.93	270.09
11/11/2020 21:00	200.50	5,251.68	299.94
11/11/2020 22:00	216.20	5,264.78	309.05
11/11/2020 23:00	218.60	5,263.73	301.53
11/12/2020 0:00	220.30	5,259.22	300.68

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
11/12/2020 1:00	219.80	5,260.60	300.83
11/12/2020 2:00	217.40	5,262.41	300.64
11/12/2020 3:00	216.80	5,262.29	299.75
11/12/2020 4:00	216.30	5,262.88	301.04
11/12/2020 5:00	217.20	5,261.63	300.51
11/12/2020 6:00	219.20	5,258.27	300.53
11/12/2020 7:00	220.00	5,260.97	300.58
11/12/2020 8:00	217.30	5,258.65	299.09
11/12/2020 9:00	218.20	5,260.10	300.95
11/12/2020 10:00	218.30	5,260.18	300.77
11/12/2020 11:00	214.90	5,256.98	300.95
11/12/2020 12:00	214.20	5,261.02	301.76
11/12/2020 13:00	214.60	5,259.97	301.14
11/12/2020 14:00	214.50	5,260.39	300.28
11/12/2020 15:00	216.00	5,260.26	300.97
11/12/2020 16:00	213.30	5,258.52	300.21
11/12/2020 17:00	212.50	5,260.21	300.45
11/12/2020 18:00	212.40	5,259.52	300.82
11/12/2020 19:00	209.70	5,260.59	302.18
11/12/2020 20:00	207.00	5,260.30	301.63
11/12/2020 21:00	206.80	5,260.80	300.28
11/12/2020 22:00	207.70	5,262.34	299.60
11/12/2020 23:00	210.70	5,258.85	298.66
11/13/2020 0:00	206.90	5,260.95	297.46
11/13/2020 1:00	206.60	5,262.53	297.05
11/13/2020 2:00	206.90	5,262.02	295.79
11/13/2020 3:00	207.70	5,262.19	296.99
11/13/2020 4:00	208.10	5,261.12	296.16
11/13/2020 5:00	209.10	5,261.48	296.99
11/13/2020 6:00	209.20	5,259.06	296.43
11/13/2020 7:00	210.10	5,260.42	296.72
11/13/2020 8:00	209.50	5,262.33	296.96
11/13/2020 9:00	211.00	5,262.44	297.09
11/13/2020 10:00	209.80	5,255.56	296.63
11/13/2020 11:00	205.90	5,260.13	297.90
11/13/2020 12:00	202.60	5,260.87	298.57
11/13/2020 13:00	200.90	5,260.33	297.82
11/13/2020 14:00	201.50	5,260.72	298.82

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
11/13/2020 15:00	200.40	5,260.58	298.91
11/13/2020 16:00	199.20	5,261.94	297.96
11/13/2020 17:00	197.50	5,258.48	296.44
11/13/2020 18:00	194.90	5,259.81	296.55
11/13/2020 19:00	194.90	5,260.53	297.85
11/13/2020 20:00	196.90	5,261.61	297.50
11/13/2020 21:00	199.60	5,261.24	296.60
11/13/2020 22:00	199.90	5,260.56	295.52
11/13/2020 23:00	200.40	5,258.87	294.39
11/14/2020 0:00	200.20	5,263.04	294.10
11/14/2020 1:00	199.10	5,259.67	295.08
11/14/2020 2:00	199.60	5,259.56	295.82
11/14/2020 3:00	196.10	5,261.75	296.14
11/14/2020 4:00	197.90	5,259.49	295.61
11/14/2020 5:00	197.10	5,261.67	296.02
11/14/2020 6:00	195.10	5,259.66	295.70
11/14/2020 7:00	197.00	5,259.64	296.16
11/14/2020 8:00	194.80	5,261.19	295.12
11/14/2020 9:00	193.20	5,261.07	295.18
11/14/2020 10:00	191.20	5,260.93	295.29
11/14/2020 11:00	198.70	5,258.63	296.43
11/14/2020 12:00	198.70	5,260.28	297.62
11/14/2020 13:00	202.70	5,259.33	299.21
11/14/2020 14:00	200.00	5,261.32	300.41
11/14/2020 15:00	198.20	5,261.12	301.34
11/14/2020 16:00	199.10	5,261.46	301.75
11/14/2020 17:00	195.90	5,261.11	299.78
11/14/2020 18:00	204.00	5,258.74	298.14
11/14/2020 19:00	203.40	5,259.50	297.74
11/14/2020 20:00	206.50	5,260.51	296.77
11/14/2020 21:00	206.20	5,261.49	296.88
11/14/2020 22:00	207.70	5,259.86	296.11
11/14/2020 23:00	209.30	5,263.32	295.93
11/15/2020 0:00	207.20	5,259.81	296.25
11/15/2020 1:00	197.40	5,261.69	295.72
11/15/2020 2:00	199.90	5,258.97	297.09
11/15/2020 3:00	206.70	5,262.32	298.12
11/15/2020 4:00	205.90	5,261.14	297.22

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
11/15/2020 5:00	204.50	5,256.91	297.46
11/15/2020 6:00	206.20	5,256.50	294.83
11/15/2020 7:00	199.70	5,258.82	294.15
11/15/2020 8:00	198.30	5,258.09	293.99
11/15/2020 9:00	199.30	5,261.51	296.04
11/15/2020 10:00	199.50	5,259.13	298.09
11/15/2020 11:00	198.40	5,259.77	301.21
11/15/2020 12:00	201.60	5,261.09	299.79
11/15/2020 13:00	202.60	5,260.65	296.75
11/15/2020 14:00	211.00	5,260.67	296.93
11/15/2020 15:00	211.10	5,260.46	295.48
11/15/2020 16:00	202.80	5,261.12	295.89
11/15/2020 17:00	199.70	5,257.17	295.22
11/15/2020 18:00	200.50	5,260.47	295.65
11/15/2020 19:00	203.50	5,259.78	294.90
11/15/2020 20:00	203.10	5,258.00	293.80
11/15/2020 21:00	205.90	5,260.10	294.30
11/15/2020 22:00	206.30	5,264.84	293.77
11/15/2020 23:00	209.40	5,259.24	293.81
11/16/2020 0:00	209.00	5,259.73	293.40
11/16/2020 1:00	212.30	5,260.01	293.29
11/16/2020 2:00	208.80	5,261.73	292.81
11/16/2020 3:00	206.60	5,261.72	292.45
11/16/2020 4:00	206.40	5,260.19	292.16
11/16/2020 5:00	203.90	5,261.72	291.67
11/16/2020 6:00	203.20	5,261.77	292.13
11/16/2020 7:00	203.50	5,260.86	292.03
11/16/2020 8:00	194.90	5,261.66	289.05
11/16/2020 9:00	213.60	5,262.53	291.15
11/16/2020 10:00	212.10	5,260.93	293.55
11/16/2020 11:00	213.20	5,260.64	293.11
11/16/2020 12:00	214.20	5,259.38	293.04
11/16/2020 13:00	215.70	5,261.34	293.78
11/16/2020 14:00	214.10	5,263.65	293.87
11/16/2020 15:00	216.00	5,258.20	292.95
11/16/2020 16:00	218.30	5,259.73	294.48
11/16/2020 17:00	215.40	5,259.65	295.01
11/16/2020 18:00	215.20	5,263.23	294.03

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
11/16/2020 19:00	214.90	5,259.98	293.78
11/16/2020 20:00	215.10	5,261.26	293.42
11/16/2020 21:00	215.40	5,261.07	292.50
11/16/2020 22:00	218.00	5,259.60	291.70
11/16/2020 23:00	223.00	5,259.96	292.00
11/17/2020 0:00	217.80	5,261.43	291.71
11/17/2020 1:00	218.20	5,261.87	291.93
11/17/2020 2:00	215.30	5,259.89	291.34
11/17/2020 3:00	215.10	5,261.16	291.30
11/17/2020 4:00	213.40	5,261.85	292.65
11/17/2020 5:00	213.00	5,259.10	292.32
11/17/2020 6:00	214.10	5,260.35	292.25
11/17/2020 7:00	213.30	5,259.62	292.82
11/17/2020 8:00	210.50	5,259.35	292.10
11/17/2020 9:00	201.50	5,262.13	292.47
11/17/2020 10:00	204.80	5,256.80	296.41
11/17/2020 11:00	210.70	5,261.01	295.34
11/17/2020 12:00	211.50	5,261.93	295.57
11/17/2020 13:00	211.00	5,264.52	297.00
11/17/2020 14:00	209.70	5,262.63	296.42
11/17/2020 15:00	211.80	5,258.90	295.42
11/17/2020 16:00	212.10	5,259.57	295.64
11/17/2020 17:00	213.70	5,261.13	295.23
11/17/2020 18:00	212.50	5,260.33	294.89
11/17/2020 19:00	215.20	5,262.75	294.49
11/17/2020 20:00	213.70	5,262.91	294.71
11/17/2020 21:00	213.70	5,261.73	294.55
11/17/2020 22:00	213.40	5,259.88	295.75
11/17/2020 23:00	215.20	5,260.23	295.90
11/18/2020 0:00	216.10	5,259.20	296.15
11/18/2020 1:00	216.90	5,257.31	297.89
11/18/2020 2:00	215.40	5,259.25	297.68
11/18/2020 3:00	216.00	5,258.67	297.04
11/18/2020 4:00	214.00	5,257.64	294.72
11/18/2020 5:00	210.60	5,260.09	291.54
11/18/2020 6:00	185.40	5,262.31	282.68
11/18/2020 7:00	197.60	5,258.60	283.00
11/18/2020 8:00	182.20	5,258.76	283.19

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
11/18/2020 9:00	183.90	5,260.51	285.38
11/18/2020 10:00	183.50	5,258.08	285.85
11/18/2020 11:00	182.30	5,259.12	286.12
11/18/2020 12:00	191.80	5,262.23	289.25
11/18/2020 13:00	215.20	5,262.50	295.98
11/18/2020 14:00	217.00	5,261.18	295.76
11/18/2020 15:00	216.00	5,260.20	298.54
11/18/2020 16:00	217.70	5,258.66	297.23
11/18/2020 17:00	216.60	5,261.53	295.16
11/18/2020 18:00	215.70	5,261.73	294.12
11/18/2020 19:00	215.20	5,260.29	293.72
11/18/2020 20:00	215.20	5,258.84	292.78
11/18/2020 21:00	215.70	5,261.28	292.77
11/18/2020 22:00	214.80	5,257.60	292.81
11/18/2020 23:00	214.80	5,259.80	292.68
11/19/2020 0:00	214.70	5,260.96	291.58
11/19/2020 1:00	215.50	5,259.08	289.92
11/19/2020 2:00	215.80	5,258.45	290.35
11/19/2020 3:00	219.20	5,261.32	291.65
11/19/2020 4:00	221.80	5,260.53	291.89
11/19/2020 5:00	217.70	5,261.15	292.37
11/19/2020 6:00	215.20	5,260.51	290.17
11/19/2020 7:00	215.30	5,261.38	289.45
11/19/2020 8:00	213.60	5,262.34	289.11
11/19/2020 9:00	213.20	5,260.96	291.57
11/19/2020 10:00	211.00	5,260.93	297.48
11/19/2020 11:00	208.60	5,260.35	302.81
11/19/2020 12:00	209.00	5,257.17	300.67
11/19/2020 13:00	210.80	5,259.72	298.45
11/19/2020 14:00	212.30	5,258.50	299.58
11/19/2020 15:00	211.30	5,259.20	299.54
11/19/2020 16:00	209.80	5,260.47	299.80
11/19/2020 17:00	210.40	5,260.60	298.67
11/19/2020 18:00	211.60	5,261.85	297.52
11/19/2020 19:00	212.10	5,261.83	295.38
11/19/2020 20:00	212.00	5,259.44	294.23
11/19/2020 21:00	208.20	5,260.95	292.76
11/19/2020 22:00	204.20	5,260.91	291.74

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
11/19/2020 23:00	204.40	5,260.06	291.58
11/20/2020 0:00	201.30	5,261.05	290.78
11/20/2020 1:00	201.00	5,260.39	291.01
11/20/2020 2:00	199.90	5,259.35	291.26
11/20/2020 3:00	200.30	5,261.66	290.38
11/20/2020 4:00	204.20	5,259.13	291.81
11/20/2020 5:00	207.30	5,261.54	291.57
11/20/2020 6:00	208.50	5,256.84	291.32
11/20/2020 7:00	209.10	5,263.01	292.01
11/20/2020 8:00	210.70	5,259.36	294.43
11/20/2020 9:00	211.90	5,259.60	295.86
11/20/2020 10:00	210.60	5,259.35	295.75
11/20/2020 11:00	206.90	5,259.94	296.58
11/20/2020 12:00	206.30	5,259.61	298.59
11/20/2020 13:00	205.10	5,256.99	299.19
11/20/2020 14:00	203.80	5,261.75	300.70
11/20/2020 15:00	204.80	5,259.21	300.97
11/20/2020 16:00	203.40	5,262.03	301.29
11/20/2020 17:00	205.80	5,262.13	299.64
11/20/2020 18:00	204.70	5,260.71	298.32
11/20/2020 19:00	202.80	5,263.25	296.61
11/20/2020 20:00	197.90	5,258.33	294.49
11/20/2020 21:00	197.60	5,259.82	293.84
11/20/2020 22:00	205.00	5,260.28	295.48
11/20/2020 23:00	204.40	5,260.81	294.60
11/21/2020 0:00	205.80	5,259.13	294.12
11/21/2020 1:00	207.00	5,257.99	295.53
11/21/2020 2:00	209.00	5,257.33	294.38
11/21/2020 3:00	207.00	5,263.86	294.47
11/21/2020 4:00	208.10	5,261.16	294.57
11/21/2020 5:00	207.90	5,260.85	294.54
11/21/2020 6:00	204.90	5,261.77	294.19
11/21/2020 7:00	205.60	5,259.57	293.56
11/21/2020 8:00	206.30	5,259.21	293.65
11/21/2020 9:00	207.40	5,259.80	295.21
11/21/2020 10:00	206.70	5,262.22	297.53
11/21/2020 11:00	208.50	5,260.28	298.28
11/21/2020 12:00	208.20	5,258.00	299.72

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
11/21/2020 13:00	207.10	5,258.42	301.83
11/21/2020 14:00	207.80	5,260.08	303.05
11/21/2020 15:00	207.90	5,262.60	303.82
11/21/2020 16:00	207.70	5,259.84	304.09
11/21/2020 17:00	206.50	5,259.44	301.53
11/21/2020 18:00	207.20	5,261.11	300.00
11/21/2020 19:00	207.40	5,260.11	299.66
11/21/2020 20:00	208.20	5,260.48	298.27
11/21/2020 21:00	208.20	5,258.06	297.90
11/21/2020 22:00	208.00	5,260.82	297.73
11/21/2020 23:00	206.90	5,260.53	297.90
11/22/2020 0:00	206.10	5,257.09	296.55
11/22/2020 1:00	206.00	5,260.79	296.66
11/22/2020 2:00	206.20	5,261.39	296.27
11/22/2020 3:00	206.70	5,260.51	296.84
11/22/2020 4:00	204.90	5,258.94	295.77
11/22/2020 5:00	205.20	5,258.40	295.47
11/22/2020 6:00	204.60	5,259.58	295.43
11/22/2020 7:00	205.50	5,261.94	295.17
11/22/2020 8:00	206.00	5,263.07	294.83
11/22/2020 9:00	205.50	5,258.65	295.83
11/22/2020 10:00	204.50	5,262.96	297.50
11/22/2020 11:00	206.30	5,257.79	299.13
11/22/2020 12:00	205.80	5,260.78	300.97
11/22/2020 13:00	206.10	5,261.47	301.95
11/22/2020 14:00	205.80	5,260.89	300.65
11/22/2020 15:00	205.50	5,261.24	301.35
11/22/2020 16:00	205.60	5,259.72	302.24
11/22/2020 17:00	205.90	5,260.81	301.83
11/22/2020 18:00	205.90	5,260.81	301.28
11/22/2020 19:00	209.00	5,258.68	301.03
11/22/2020 20:00	209.00	5,261.78	300.78
11/22/2020 21:00	209.30	5,260.48	300.78
11/22/2020 22:00	209.70	5,260.34	300.08
11/22/2020 23:00	209.00	5,259.08	298.06
11/23/2020 0:00	209.20	5,260.96	296.51
11/23/2020 1:00	209.40	5,261.80	295.22
11/23/2020 2:00	208.70	5,261.46	294.58

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
11/23/2020 3:00	208.80	5,260.94	293.89
11/23/2020 4:00	208.20	5,260.65	294.73
11/23/2020 5:00	208.40	5,257.45	295.69
11/23/2020 6:00	207.60	5,261.13	293.10
11/23/2020 7:00	205.90	5,261.38	293.64
11/23/2020 8:00	204.90	5,259.62	295.85
11/23/2020 9:00	204.80	5,260.86	297.54
11/23/2020 10:00	204.10	5,261.28	295.89
11/23/2020 11:00	202.50	5,256.58	295.82
11/23/2020 12:00	202.20	5,260.69	295.98
11/23/2020 13:00	200.20	5,263.30	297.25
11/23/2020 14:00	198.50	5,262.76	299.91
11/23/2020 15:00	197.80	5,258.35	300.80
11/23/2020 16:00	197.40	5,260.20	299.91
11/23/2020 17:00	196.10	5,260.18	299.78
11/23/2020 18:00	195.30	5,260.97	299.45
11/23/2020 19:00	197.30	5,260.43	299.82
11/23/2020 20:00	198.00	5,259.41	298.54
11/23/2020 21:00	198.50	5,261.60	298.26
11/23/2020 22:00	199.00	5,262.08	298.75
11/23/2020 23:00	197.30	5,263.08	298.75
11/24/2020 0:00	195.60	5,261.15	297.77
11/24/2020 1:00	195.60	5,260.77	297.41
11/24/2020 2:00	195.40	5,259.51	297.45
11/24/2020 3:00	195.00	5,259.22	297.13
11/24/2020 4:00	196.40	5,260.66	297.62
11/24/2020 5:00	198.20	5,263.51	297.75
11/24/2020 6:00	197.40	5,257.29	297.79
11/24/2020 7:00	195.70	5,261.88	296.68
11/24/2020 8:00	197.70	5,262.15	295.45
11/24/2020 9:00	197.30	5,258.76	297.28
11/24/2020 10:00	187.80	5,260.34	298.05
11/24/2020 11:00	192.20	5,260.42	297.13
11/24/2020 12:00	199.40	5,259.54	299.48
11/24/2020 13:00	202.70	5,257.75	301.43
11/24/2020 14:00	203.50	5,259.31	301.57
11/24/2020 15:00	201.70	5,259.84	301.84
11/24/2020 16:00	201.60	5,259.24	301.88

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
11/24/2020 17:00	87.70	4,442.00	296.17
11/24/2020 19:00	50.40	4,288.87	287.23
11/24/2020 20:00	122.80	4,632.66	282.10
11/24/2020 21:00	135.20	4,759.32	280.34
11/24/2020 22:00	185.80	5,155.19	289.44
11/24/2020 23:00	199.90	5,253.12	293.33
11/25/2020 0:00	199.50	5,253.84	292.93
11/25/2020 1:00	198.00	5,255.64	292.69
11/25/2020 2:00	200.10	5,254.86	291.86
11/25/2020 3:00	197.70	5,253.85	291.66
11/25/2020 4:00	198.00	5,249.28	292.17
11/25/2020 5:00	198.30	5,251.63	292.20
11/25/2020 6:00	199.70	5,254.45	292.13
11/25/2020 7:00	201.80	5,251.22	292.83
11/25/2020 8:00	202.00	5,254.41	292.99
11/25/2020 9:00	202.60	5,253.35	295.06
11/25/2020 10:00	202.70	5,253.61	297.78
11/25/2020 11:00	202.60	5,250.18	299.42
11/25/2020 12:00	204.20	5,251.33	300.98
11/25/2020 13:00	204.50	5,251.18	302.35
11/25/2020 14:00	206.10	5,252.17	302.29
11/25/2020 15:00	203.90	5,252.32	302.48
11/25/2020 16:00	203.40	5,252.90	302.03
11/25/2020 17:00	205.30	5,254.11	301.38
11/25/2020 18:00	205.70	5,253.10	301.23
11/25/2020 19:00	202.70	5,253.57	301.44
11/25/2020 20:00	202.70	5,254.09	301.33
11/25/2020 21:00	199.70	5,254.37	300.40
11/25/2020 22:00	206.90	5,341.58	300.46
11/25/2020 23:00	212.40	5,383.04	301.64
11/26/2020 0:00	203.10	5,252.77	299.69
11/26/2020 1:00	202.80	5,254.11	299.26
11/26/2020 2:00	203.30	5,252.55	299.20
11/26/2020 3:00	204.70	5,251.45	299.22
11/26/2020 4:00	204.10	5,266.62	298.83
11/26/2020 5:00	220.70	5,459.31	300.85
11/26/2020 6:00	223.50	5,461.92	300.42
11/26/2020 7:00	222.90	5,461.12	300.44

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
11/26/2020 8:00	222.90	5,459.39	300.42
11/26/2020 9:00	221.50	5,461.65	300.89
11/26/2020 10:00	219.10	5,458.10	301.67
11/26/2020 11:00	218.80	5,458.18	302.69
11/26/2020 12:00	218.40	5,459.40	303.52
11/26/2020 13:00	217.50	5,460.24	304.22
11/26/2020 14:00	217.20	5,461.39	305.72
11/26/2020 15:00	216.30	5,459.11	306.57
11/26/2020 16:00	204.00	5,312.59	304.32
11/26/2020 17:00	193.30	5,147.55	302.92
11/26/2020 18:00	193.80	5,152.18	302.23
11/26/2020 19:00	193.90	5,149.46	301.78
11/26/2020 20:00	194.90	5,150.75	301.81
11/26/2020 21:00	196.50	5,152.63	301.64
11/26/2020 22:00	197.80	5,151.73	300.38
11/26/2020 23:00	196.50	5,150.64	299.44
11/27/2020 0:00	196.80	5,151.55	298.46
11/27/2020 1:00	197.00	5,152.55	298.12
11/27/2020 2:00	196.50	5,149.37	298.61
11/27/2020 3:00	196.80	5,150.52	298.72
11/27/2020 4:00	195.80	5,150.64	298.46
11/27/2020 5:00	195.30	5,151.85	298.25
11/27/2020 6:00	193.90	5,152.42	297.55
11/27/2020 7:00	194.50	5,150.19	296.45
11/27/2020 8:00	195.20	5,150.69	290.34
11/27/2020 9:00	198.00	5,150.24	289.30
11/27/2020 10:00	193.90	5,152.35	292.74
11/27/2020 11:00	195.80	5,146.87	296.07
11/27/2020 12:00	198.40	5,151.78	297.90
11/27/2020 13:00	198.30	5,151.61	297.82
11/27/2020 14:00	194.80	5,150.03	296.17
11/27/2020 15:00	195.60	5,151.22	295.02
11/27/2020 16:00	200.40	5,227.19	295.17
11/27/2020 17:00	204.20	5,254.65	297.29
11/27/2020 18:00	201.10	5,255.86	297.43
11/27/2020 19:00	201.90	5,251.67	297.73
11/27/2020 20:00	201.30	5,254.91	297.67
11/27/2020 21:00	202.20	5,255.49	297.11

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
11/27/2020 22:00	201.30	5,253.72	298.51
11/27/2020 23:00	201.30	5,254.88	299.18
11/28/2020 0:00	200.70	5,253.38	298.59
11/28/2020 1:00	201.00	5,254.20	298.43
11/28/2020 2:00	201.10	5,253.97	298.04
11/28/2020 3:00	202.00	5,253.94	298.69
11/28/2020 4:00	200.10	5,251.69	298.23
11/28/2020 5:00	200.50	5,253.14	298.87
11/28/2020 6:00	200.30	5,254.69	298.93
11/28/2020 7:00	170.70	5,253.09	290.33
11/28/2020 8:00	117.80	4,594.08	278.76
11/28/2020 9:00	113.00	4,496.91	275.95
11/28/2020 10:00	112.50	4,497.62	274.75
11/28/2020 11:00	113.20	4,498.82	272.25
11/28/2020 12:00	112.90	4,496.39	271.75
11/28/2020 13:00	112.50	4,497.33	272.26
11/28/2020 14:00	112.20	4,496.93	273.18
11/28/2020 15:00	112.00	4,496.81	275.12
11/28/2020 16:00	112.80	4,497.29	275.55
11/28/2020 17:00	112.50	4,497.31	276.39
11/28/2020 18:00	113.50	4,495.36	278.58
11/28/2020 19:00	113.30	4,495.33	280.47
11/28/2020 20:00	114.60	4,498.20	279.19
11/28/2020 21:00	115.40	4,498.53	276.18
11/28/2020 22:00	115.30	4,501.43	274.37
11/28/2020 23:00	115.00	4,500.67	273.72
11/29/2020 0:00	114.60	4,497.70	272.95
11/29/2020 1:00	114.80	4,497.19	273.14
11/29/2020 2:00	114.50	4,497.91	272.90
11/29/2020 3:00	114.00	4,496.04	272.82
11/29/2020 4:00	114.50	4,502.53	273.30
11/29/2020 5:00	115.30	4,494.18	271.81
11/29/2020 6:00	114.10	4,497.38	268.47
11/29/2020 7:00	113.60	4,497.83	267.78
11/29/2020 8:00	114.60	4,498.15	267.03
11/29/2020 9:00	117.80	4,497.35	267.29
11/29/2020 10:00	117.40	4,495.83	269.63
11/29/2020 11:00	116.50	4,496.63	269.49

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
11/29/2020 12:00	117.10	4,495.78	270.43
11/29/2020 13:00	116.80	4,495.98	271.70
11/29/2020 14:00	116.50	4,498.99	271.94
11/29/2020 15:00	116.90	4,497.95	272.71
11/29/2020 16:00	117.10	4,496.97	272.60
11/29/2020 17:00	117.50	4,492.96	273.16
11/29/2020 18:00	118.00	4,495.47	272.18
11/29/2020 19:00	117.60	4,495.64	273.24
11/29/2020 20:00	118.30	4,501.91	274.49
11/29/2020 21:00	118.20	4,495.06	274.86
11/29/2020 22:00	118.00	4,501.31	275.56
11/29/2020 23:00	118.50	4,496.96	275.38
11/30/2020 0:00	117.70	4,498.93	274.42
11/30/2020 1:00	118.00	4,499.17	274.26
11/30/2020 2:00	117.90	4,498.06	273.98
11/30/2020 3:00	119.30	4,498.91	274.30
11/30/2020 4:00	118.60	4,496.84	273.39
11/30/2020 5:00	118.00	4,499.79	272.94
11/30/2020 6:00	117.70	4,496.86	271.96
11/30/2020 7:00	118.20	4,497.20	268.50
11/30/2020 8:00	118.00	4,496.14	265.58
11/30/2020 9:00	116.90	4,497.61	264.81
11/30/2020 10:00	117.40	4,496.34	264.18
11/30/2020 11:00	117.20	4,497.05	264.41
11/30/2020 12:00	117.00	4,495.89	263.48
11/30/2020 13:00	116.90	4,494.73	263.97
11/30/2020 14:00	117.60	4,495.63	263.56
11/30/2020 15:00	117.40	4,494.57	263.27
11/30/2020 16:00	116.90	4,496.29	263.42
11/30/2020 17:00	117.00	4,495.33	262.75
11/30/2020 18:00	117.20	4,498.28	261.56
11/30/2020 19:00	116.70	4,495.51	262.16
11/30/2020 20:00	116.00	4,497.21	264.04
11/30/2020 21:00	116.20	4,496.00	263.83
11/30/2020 22:00	116.20	4,497.96	264.62
11/30/2020 23:00	116.00	4,497.56	264.40
12/1/2020 0:00	115.80	4,498.19	263.89
12/1/2020 1:00	115.80	4,500.18	264.22

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/1/2020 2:00	115.30	4,497.87	263.93
12/1/2020 3:00	115.30	4,495.52	264.09
12/1/2020 4:00	116.00	4,499.10	263.04
12/1/2020 5:00	115.00	4,497.27	262.68
12/1/2020 6:00	115.80	4,498.52	262.89
12/1/2020 7:00	117.20	4,499.50	262.29
12/1/2020 8:00	115.90	4,497.13	261.32
12/1/2020 9:00	115.70	4,497.87	261.21
12/1/2020 10:00	114.70	4,499.06	261.56
12/1/2020 11:00	113.70	4,496.48	261.65
12/1/2020 12:00	113.70	4,497.55	261.71
12/1/2020 13:00	113.60	4,498.66	262.43
12/1/2020 14:00	112.40	4,496.88	262.39
12/1/2020 15:00	112.50	4,499.55	262.58
12/1/2020 16:00	113.80	4,498.78	262.69
12/1/2020 17:00	113.10	4,496.04	261.96
12/1/2020 18:00	111.30	4,498.90	261.52
12/1/2020 19:00	111.00	4,497.14	262.07
12/1/2020 20:00	110.50	4,516.73	261.82
12/1/2020 21:00	109.10	4,530.53	262.81
12/1/2020 22:00	108.20	4,529.72	263.58
12/1/2020 23:00	107.10	4,530.30	264.88
12/2/2020 0:00	107.40	4,533.65	266.70
12/2/2020 1:00	106.10	4,526.83	266.21
12/2/2020 2:00	104.80	4,521.14	266.25
12/2/2020 3:00	104.00	4,527.26	265.13
12/2/2020 4:00	105.00	4,527.82	264.93
12/2/2020 5:00	104.80	4,527.79	264.52
12/2/2020 6:00	104.80	4,531.00	264.47
12/2/2020 7:00	104.80	4,530.26	263.97
12/2/2020 8:00	106.20	4,529.95	263.72
12/2/2020 9:00	105.20	4,528.47	264.82
12/2/2020 10:00	106.50	4,528.17	267.07
12/2/2020 11:00	107.50	4,526.65	267.31
12/2/2020 12:00	107.50	4,530.70	267.86
12/2/2020 13:00	107.50	4,529.03	270.11
12/2/2020 14:00	105.40	4,529.62	271.30
12/2/2020 15:00	104.30	4,529.21	272.25

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/2/2020 16:00	104.20	4,529.17	271.92
12/2/2020 17:00	103.80	4,529.89	271.29
12/2/2020 18:00	103.20	4,528.95	269.91
12/2/2020 19:00	103.10	4,529.61	268.79
12/2/2020 20:00	102.30	4,529.71	268.17
12/2/2020 21:00	105.40	4,528.87	267.54
12/2/2020 22:00	105.80	4,527.98	268.07
12/2/2020 23:00	107.80	4,527.67	269.85
12/3/2020 0:00	109.60	4,528.83	268.28
12/3/2020 1:00	111.00	4,524.69	268.44
12/3/2020 2:00	111.00	4,528.93	267.17
12/3/2020 3:00	111.10	4,527.39	267.15
12/3/2020 4:00	110.80	4,525.26	267.32
12/3/2020 5:00	110.40	4,529.04	267.32
12/3/2020 6:00	109.20	4,528.34	265.68
12/3/2020 7:00	107.20	4,530.03	265.90
12/3/2020 8:00	106.20	4,528.27	265.04
12/3/2020 9:00	105.30	4,528.52	266.61
12/3/2020 10:00	104.50	4,530.19	269.47
12/3/2020 11:00	106.00	4,527.79	270.14
12/3/2020 12:00	108.00	4,527.67	271.94
12/3/2020 13:00	110.90	4,529.07	274.53
12/3/2020 14:00	113.00	4,528.26	276.03
12/3/2020 15:00	113.20	4,528.02	275.44
12/3/2020 16:00	117.00	4,527.77	275.21
12/3/2020 17:00	115.40	4,533.69	274.73
12/3/2020 18:00	113.00	4,529.48	279.58
12/3/2020 19:00	115.60	4,525.03	275.53
12/3/2020 20:00	116.80	4,530.58	272.18
12/3/2020 21:00	118.00	4,526.70	273.44
12/3/2020 22:00	118.20	4,528.91	274.14
12/3/2020 23:00	133.10	4,529.32	273.19
12/4/2020 0:00	155.40	4,526.63	272.27
12/4/2020 1:00	153.40	4,530.72	276.48
12/4/2020 2:00	155.60	4,528.14	284.40
12/4/2020 3:00	157.60	4,529.93	283.74
12/4/2020 4:00	157.00	4,528.20	279.43
12/4/2020 5:00	146.80	4,529.79	276.44

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/4/2020 6:00	124.10	4,529.63	279.05
12/4/2020 7:00	119.10	4,531.99	281.88
12/4/2020 8:00	119.00	4,527.02	278.38
12/4/2020 9:00	120.10	4,528.57	278.52
12/4/2020 10:00	120.20	4,528.27	278.40
12/4/2020 11:00	123.10	4,527.98	278.01
12/4/2020 12:00	120.00	4,528.24	279.04
12/4/2020 13:00	127.70	4,524.04	279.60
12/4/2020 14:00	134.30	4,533.06	275.92
12/4/2020 15:00	119.30	4,524.36	279.33
12/4/2020 16:00	120.20	4,526.24	282.50
12/4/2020 17:00	121.40	4,532.11	282.88
12/4/2020 18:00	122.50	4,528.61	282.34
12/4/2020 19:00	122.80	4,527.95	281.62
12/4/2020 20:00	122.40	4,528.93	280.63
12/4/2020 21:00	121.40	4,530.87	280.59
12/4/2020 22:00	121.40	4,526.86	280.98
12/4/2020 23:00	121.20	4,542.79	285.41
12/5/2020 0:00	134.20	4,701.79	283.44
12/5/2020 1:00	133.90	4,701.75	280.14
12/5/2020 2:00	132.30	4,700.89	280.76
12/5/2020 3:00	132.70	4,700.09	280.06
12/5/2020 4:00	130.10	4,699.63	281.80
12/5/2020 5:00	129.70	4,698.22	280.00
12/5/2020 6:00	128.50	4,701.33	279.54
12/5/2020 7:00	130.00	4,699.37	276.67
12/5/2020 8:00	131.50	4,699.58	275.84
12/5/2020 9:00	131.10	4,698.77	276.73
12/5/2020 10:00	132.00	4,701.89	278.86
12/5/2020 11:00	132.50	4,698.83	278.76
12/5/2020 12:00	133.80	4,699.12	277.16
12/5/2020 13:00	131.20	4,700.99	277.83
12/5/2020 14:00	130.50	4,701.84	279.88
12/5/2020 15:00	128.50	4,703.13	279.07
12/5/2020 16:00	126.80	4,701.10	280.01
12/5/2020 17:00	132.00	4,714.00	276.95
12/5/2020 18:00	130.40	4,703.50	274.96
12/5/2020 19:00	126.40	4,695.53	279.09

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/5/2020 20:00	150.00	4,699.32	278.01
12/5/2020 21:00	162.50	4,727.00	279.86
12/5/2020 22:00	157.40	4,730.51	284.05
12/5/2020 23:00	130.90	4,735.13	287.00
12/6/2020 0:00	127.70	4,737.66	287.82
12/6/2020 1:00	127.20	4,734.64	288.21
12/6/2020 2:00	128.10	4,735.57	283.34
12/6/2020 3:00	128.00	4,734.33	282.73
12/6/2020 4:00	128.80	4,747.51	281.82
12/6/2020 5:00	129.70	4,769.07	281.78
12/6/2020 6:00	127.70	4,766.16	281.86
12/6/2020 7:00	128.80	4,769.92	283.28
12/6/2020 8:00	128.30	4,768.23	283.13
12/6/2020 9:00	127.50	4,767.66	282.05
12/6/2020 10:00	127.40	4,766.62	282.83
12/6/2020 11:00	129.70	4,769.31	283.58
12/6/2020 12:00	113.70	4,510.87	280.00
12/6/2020 13:00	103.80	4,379.14	275.25
12/6/2020 14:00	104.50	4,390.71	276.76
12/6/2020 15:00	103.30	4,389.83	275.81
12/6/2020 16:00	125.10	4,391.99	274.50
12/6/2020 17:00	144.70	4,545.87	279.38
12/6/2020 18:00	154.50	4,663.56	286.33
12/6/2020 19:00	153.90	4,665.48	288.78
12/6/2020 20:00	123.00	4,664.72	290.31
12/6/2020 21:00	122.70	4,666.26	289.26
12/6/2020 22:00	121.70	4,666.11	288.20
12/6/2020 23:00	122.60	4,664.56	290.30
12/7/2020 0:00	123.00	4,669.16	293.33
12/7/2020 1:00	122.30	4,666.78	289.78
12/7/2020 2:00	121.00	4,664.51	289.43
12/7/2020 3:00	120.50	4,663.81	291.26
12/7/2020 4:00	121.80	4,666.39	289.52
12/7/2020 5:00	122.00	4,664.62	290.32
12/7/2020 6:00	121.80	4,666.00	290.67
12/7/2020 7:00	121.60	4,667.69	290.46
12/7/2020 8:00	121.70	4,666.35	287.71
12/7/2020 9:00	120.80	4,663.73	284.03

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/7/2020 10:00	119.90	4,666.65	283.47
12/7/2020 11:00	120.50	4,661.27	284.44
12/7/2020 12:00	122.00	4,668.65	286.29
12/7/2020 13:00	121.20	4,665.39	285.48
12/7/2020 14:00	121.50	4,664.53	285.47
12/7/2020 15:00	120.20	4,665.30	283.15
12/7/2020 16:00	120.10	4,663.39	281.78
12/7/2020 17:00	120.60	4,664.91	282.36
12/7/2020 18:00	120.00	4,666.61	282.00
12/7/2020 19:00	119.70	4,665.75	283.96
12/7/2020 20:00	120.60	4,666.72	284.58
12/7/2020 21:00	119.90	4,665.14	284.31
12/7/2020 22:00	120.80	4,667.97	285.42
12/7/2020 23:00	119.80	4,665.44	285.38
12/8/2020 0:00	121.20	4,665.88	286.68
12/8/2020 1:00	120.20	4,664.42	284.75
12/8/2020 2:00	119.00	4,661.94	283.84
12/8/2020 3:00	119.00	4,664.65	284.66
12/8/2020 4:00	119.40	4,667.93	284.03
12/8/2020 5:00	119.50	4,665.91	282.27
12/8/2020 6:00	119.10	4,666.37	281.35
12/8/2020 7:00	118.70	4,668.69	281.77
12/8/2020 8:00	119.40	4,665.68	276.81
12/8/2020 9:00	119.70	4,663.86	273.03
12/8/2020 10:00	119.40	4,664.76	273.90
12/8/2020 11:00	121.60	4,668.16	273.79
12/8/2020 12:00	123.50	4,668.24	273.47
12/8/2020 13:00	132.80	4,777.11	273.28
12/8/2020 14:00	124.30	4,695.24	273.19
12/8/2020 15:00	122.60	4,665.44	278.53
12/8/2020 16:00	123.00	4,701.20	278.10
12/8/2020 17:00	124.90	4,701.33	276.92
12/8/2020 18:00	124.70	4,701.72	274.31
12/8/2020 19:00	125.60	4,747.15	280.64
12/8/2020 20:00	126.90	4,792.50	287.57
12/8/2020 21:00	127.60	4,766.05	286.93
12/8/2020 22:00	128.40	4,769.98	285.27
12/8/2020 23:00	129.10	4,803.18	283.26

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/9/2020 0:00	129.50	4,803.39	283.43
12/9/2020 1:00	129.20	4,809.19	284.78
12/9/2020 2:00	145.80	5,034.63	291.32
12/9/2020 3:00	146.20	5,050.88	292.33
12/9/2020 4:00	145.20	5,044.02	294.18
12/9/2020 5:00	147.60	5,062.42	295.75
12/9/2020 6:00	148.40	5,080.72	293.14
12/9/2020 7:00	147.60	5,086.42	295.42
12/9/2020 8:00	148.10	5,082.21	295.71
12/9/2020 9:00	147.60	5,085.71	294.49
12/9/2020 10:00	149.20	5,081.50	293.00
12/9/2020 11:00	151.20	5,079.08	293.92
12/9/2020 12:00	157.00	5,078.47	294.79
12/9/2020 13:00	162.50	5,083.65	293.84
12/9/2020 14:00	161.20	5,082.75	293.33
12/9/2020 15:00	164.30	5,078.89	294.64
12/9/2020 16:00	164.20	5,083.31	294.82
12/9/2020 17:00	165.30	5,079.96	295.17
12/9/2020 18:00	164.10	5,080.73	294.90
12/9/2020 19:00	163.30	5,082.69	295.17
12/9/2020 20:00	162.30	5,084.37	294.94
12/9/2020 21:00	164.10	5,081.96	296.77
12/9/2020 22:00	166.20	5,083.13	295.87
12/9/2020 23:00	164.50	5,079.86	294.34
12/10/2020 0:00	163.90	5,079.96	290.62
12/10/2020 1:00	164.00	5,085.22	292.04
12/10/2020 2:00	164.40	5,083.83	295.69
12/10/2020 3:00	166.50	5,084.33	295.86
12/10/2020 4:00	166.20	5,082.21	294.42
12/10/2020 5:00	167.60	5,081.76	293.97
12/10/2020 6:00	165.00	5,082.47	293.89
12/10/2020 7:00	165.10	5,084.41	292.30
12/10/2020 8:00	164.60	5,082.27	292.78
12/10/2020 9:00	164.10	5,083.94	293.29
12/10/2020 10:00	189.40	5,086.13	295.13
12/10/2020 11:00	181.60	5,073.04	294.67
12/10/2020 12:00	164.80	5,082.99	294.57
12/10/2020 13:00	164.50	5,081.23	296.58

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/10/2020 14:00	166.80	5,081.17	297.94
12/10/2020 15:00	168.70	5,081.61	302.09
12/10/2020 16:00	165.40	5,083.71	303.60
12/10/2020 17:00	167.50	5,080.31	300.92
12/10/2020 18:00	167.50	5,083.75	298.25
12/10/2020 19:00	165.70	5,080.98	297.35
12/10/2020 20:00	166.40	5,078.86	295.14
12/10/2020 21:00	163.80	5,083.66	293.36
12/10/2020 22:00	164.40	5,077.66	293.54
12/10/2020 23:00	164.90	5,082.17	293.23
12/11/2020 0:00	164.70	5,080.64	292.71
12/11/2020 1:00	163.70	5,079.04	291.97
12/11/2020 2:00	161.10	5,049.10	290.53
12/11/2020 3:00	143.20	4,805.09	285.54
12/11/2020 4:00	143.60	4,806.10	284.45
12/11/2020 5:00	143.60	4,806.35	283.59
12/11/2020 6:00	143.60	4,805.67	285.59
12/11/2020 7:00	144.00	4,809.12	287.01
12/11/2020 8:00	142.60	4,808.05	287.88
12/11/2020 9:00	143.60	4,807.15	287.65
12/11/2020 10:00	143.40	4,805.37	289.85
12/11/2020 11:00	141.80	4,807.36	291.61
12/11/2020 12:00	139.70	4,777.84	292.61
12/11/2020 13:00	126.10	4,599.31	288.25
12/11/2020 14:00	148.90	4,876.77	295.94
12/11/2020 15:00	147.90	4,874.91	298.83
12/11/2020 16:00	149.20	4,874.84	297.66
12/11/2020 17:00	148.00	4,873.54	298.21
12/11/2020 18:00	148.40	4,874.45	297.86
12/11/2020 19:00	147.80	4,876.99	294.72
12/11/2020 20:00	146.40	4,875.48	292.91
12/11/2020 21:00	148.40	4,876.45	291.54
12/11/2020 22:00	27.50	3,840.16	282.75
12/18/2020 9:00	55.00	4,111.76	258.15
12/18/2020 10:00	164.00	4,987.07	286.66
12/18/2020 11:00	198.30	5,242.04	301.98
12/18/2020 12:00	200.50	5,246.83	307.04
12/18/2020 13:00	198.20	5,238.64	307.02

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/18/2020 14:00	198.60	5,244.04	305.47
12/18/2020 15:00	201.80	5,245.48	305.84
12/18/2020 16:00	203.30	5,245.97	306.81
12/18/2020 17:00	202.40	5,244.44	306.73
12/18/2020 18:00	219.70	5,450.78	309.30
12/18/2020 19:00	246.20	5,760.37	312.79
12/18/2020 20:00	246.50	5,756.99	310.40
12/18/2020 21:00	248.00	5,759.59	310.10
12/18/2020 22:00	247.50	5,761.32	308.83
12/18/2020 23:00	246.80	5,756.49	308.36
12/19/2020 0:00	248.90	5,767.28	307.78
12/19/2020 1:00	248.90	5,757.08	308.65
12/19/2020 2:00	245.10	5,756.99	309.98
12/19/2020 3:00	245.10	5,761.06	310.44
12/19/2020 4:00	243.80	5,761.00	310.42
12/19/2020 5:00	243.10	5,761.24	311.00
12/19/2020 6:00	239.50	5,757.77	310.24
12/19/2020 7:00	239.80	5,759.71	309.83
12/19/2020 8:00	239.80	5,757.99	309.48
12/19/2020 9:00	239.10	5,759.50	310.98
12/19/2020 10:00	235.30	5,758.32	312.30
12/19/2020 11:00	237.20	5,760.41	312.60
12/19/2020 12:00	239.90	5,758.43	311.23
12/19/2020 13:00	240.10	5,759.76	313.09
12/19/2020 14:00	241.70	5,760.33	315.18
12/19/2020 15:00	240.80	5,759.23	315.26
12/19/2020 16:00	239.70	5,757.70	315.83
12/19/2020 17:00	238.00	5,759.39	315.57
12/19/2020 18:00	237.50	5,761.39	315.22
12/19/2020 19:00	235.70	5,755.55	311.94
12/19/2020 20:00	232.30	5,759.10	309.58
12/19/2020 21:00	232.30	5,760.56	308.69
12/19/2020 22:00	212.50	5,515.77	306.64
12/19/2020 23:00	190.00	5,243.04	302.94
12/20/2020 0:00	190.00	5,242.34	302.53
12/20/2020 1:00	192.60	5,243.27	302.88
12/20/2020 2:00	191.20	5,243.83	303.59
12/20/2020 3:00	190.70	5,242.82	303.32

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/20/2020 4:00	189.20	5,243.09	303.20
12/20/2020 5:00	190.50	5,243.53	302.99
12/20/2020 6:00	192.10	5,243.27	303.06
12/20/2020 7:00	190.80	5,245.21	301.12
12/20/2020 8:00	192.40	5,243.39	299.76
12/20/2020 9:00	192.70	5,241.96	300.38
12/20/2020 10:00	193.10	5,244.58	301.06
12/20/2020 11:00	193.90	5,245.16	301.27
12/20/2020 12:00	188.50	5,243.15	301.62
12/20/2020 13:00	185.10	5,241.19	303.12
12/20/2020 14:00	184.90	5,243.85	302.29
12/20/2020 15:00	183.20	5,243.48	302.11
12/20/2020 16:00	182.50	5,242.54	302.73
12/20/2020 17:00	180.30	5,245.63	303.29
12/20/2020 18:00	179.30	5,245.95	302.50
12/20/2020 19:00	179.80	5,243.84	303.44
12/20/2020 20:00	177.50	5,242.94	302.30
12/20/2020 21:00	178.10	5,245.03	301.84
12/20/2020 22:00	176.70	5,244.02	301.91
12/20/2020 23:00	176.00	5,244.06	301.73
12/21/2020 0:00	175.20	5,243.31	301.24
12/21/2020 1:00	175.80	5,242.83	301.76
12/21/2020 2:00	176.00	5,244.79	304.12
12/21/2020 3:00	177.90	5,243.43	304.55
12/21/2020 4:00	178.50	5,243.43	304.81
12/21/2020 5:00	178.00	5,244.53	305.03
12/21/2020 6:00	173.20	5,246.62	302.33
12/21/2020 7:00	178.20	5,245.04	302.99
12/21/2020 8:00	178.90	5,244.40	300.95
12/21/2020 9:00	180.70	5,245.53	300.46
12/21/2020 10:00	182.40	5,241.90	300.68
12/21/2020 11:00	191.50	5,242.26	300.15
12/21/2020 12:00	195.80	5,242.84	300.67
12/21/2020 13:00	196.10	5,246.14	302.55
12/21/2020 14:00	194.90	5,244.51	302.89
12/21/2020 15:00	195.40	5,242.69	303.31
12/21/2020 16:00	196.70	5,244.48	303.12
12/21/2020 17:00	196.50	5,245.26	303.18

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/21/2020 18:00	195.60	5,244.88	302.67
12/21/2020 19:00	195.70	5,241.17	302.54
12/21/2020 20:00	197.40	5,243.21	302.17
12/21/2020 21:00	198.80	5,241.35	302.51
12/21/2020 22:00	199.10	5,241.91	303.88
12/21/2020 23:00	198.20	5,245.82	302.70
12/22/2020 0:00	197.90	5,244.57	300.76
12/22/2020 1:00	198.90	5,243.19	301.20
12/22/2020 2:00	199.30	5,244.60	300.97
12/22/2020 3:00	197.30	5,244.69	301.42
12/22/2020 4:00	198.00	5,244.06	303.69
12/22/2020 5:00	200.20	5,245.69	304.49
12/22/2020 6:00	198.30	5,245.43	303.31
12/22/2020 7:00	199.10	5,242.89	302.30
12/22/2020 8:00	198.20	5,244.40	301.75
12/22/2020 9:00	197.40	5,240.76	301.90
12/22/2020 10:00	197.20	5,243.44	302.03
12/22/2020 11:00	201.20	5,245.03	302.36
12/22/2020 12:00	204.20	5,242.79	302.86
12/22/2020 13:00	204.70	5,245.21	303.53
12/22/2020 14:00	204.40	5,244.33	303.63
12/22/2020 15:00	205.00	5,241.27	304.19
12/22/2020 16:00	205.20	5,244.11	304.09
12/22/2020 17:00	206.10	5,243.07	303.86
12/22/2020 18:00	206.30	5,246.61	303.17
12/22/2020 19:00	205.10	5,242.84	303.54
12/22/2020 20:00	205.90	5,244.09	303.24
12/22/2020 21:00	207.80	5,244.08	302.25
12/22/2020 22:00	208.20	5,245.01	301.76
12/22/2020 23:00	207.30	5,244.80	302.11
12/23/2020 0:00	206.60	5,243.67	300.97
12/23/2020 1:00	205.70	5,243.89	301.05
12/23/2020 2:00	204.60	5,245.71	301.52
12/23/2020 3:00	205.80	5,244.59	301.37
12/23/2020 4:00	206.30	5,246.37	301.00
12/23/2020 5:00	207.30	5,244.18	300.78
12/23/2020 6:00	205.90	5,245.35	299.77
12/23/2020 7:00	205.20	5,245.15	299.11

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/23/2020 8:00	202.90	5,245.59	298.77
12/23/2020 9:00	203.20	5,244.32	299.29
12/23/2020 10:00	203.20	5,244.62	300.05
12/23/2020 11:00	204.80	5,245.02	303.57
12/23/2020 12:00	204.80	5,243.53	305.44
12/23/2020 13:00	204.10	5,243.30	306.61
12/23/2020 14:00	204.70	5,243.42	307.12
12/23/2020 15:00	204.60	5,243.41	307.05
12/23/2020 16:00	204.60	5,244.78	306.04
12/23/2020 17:00	204.00	5,243.90	305.63
12/23/2020 18:00	203.00	5,244.19	305.20
12/23/2020 19:00	203.50	5,241.08	306.71
12/23/2020 20:00	199.10	5,244.65	304.42
12/23/2020 21:00	197.40	5,244.24	301.98
12/23/2020 22:00	195.30	5,242.59	303.88
12/23/2020 23:00	196.90	5,246.62	302.02
12/24/2020 0:00	195.30	5,241.36	301.91
12/24/2020 1:00	197.40	5,242.32	301.69
12/24/2020 2:00	194.60	5,242.25	300.53
12/24/2020 3:00	195.00	5,244.88	301.09
12/24/2020 4:00	194.90	5,242.12	301.45
12/24/2020 5:00	196.20	5,243.06	302.30
12/24/2020 6:00	195.20	5,246.21	301.08
12/24/2020 7:00	196.00	5,244.87	303.20
12/24/2020 8:00	197.00	5,241.90	303.44
12/24/2020 9:00	196.60	5,245.46	303.89
12/24/2020 10:00	194.40	5,243.45	302.91
12/24/2020 11:00	194.70	5,244.87	302.83
12/24/2020 12:00	192.40	5,241.91	303.40
12/24/2020 13:00	203.70	5,244.41	304.44
12/24/2020 14:00	208.60	5,243.07	304.94
12/24/2020 15:00	209.90	5,241.15	304.57
12/24/2020 16:00	209.40	5,245.70	304.02
12/24/2020 17:00	210.00	5,244.97	302.33
12/24/2020 18:00	206.20	5,244.08	297.08
12/24/2020 19:00	194.30	5,244.23	288.07
12/24/2020 20:00	193.20	5,242.10	285.99
12/24/2020 21:00	194.60	5,242.52	285.44

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/24/2020 22:00	195.70	5,241.91	284.76
12/24/2020 23:00	195.30	5,244.61	284.55
12/25/2020 0:00	177.40	5,050.05	282.85
12/25/2020 1:00	163.50	4,866.03	281.17
12/25/2020 2:00	162.80	4,865.36	281.04
12/25/2020 3:00	163.60	4,868.31	280.76
12/25/2020 4:00	163.60	4,863.76	280.05
12/25/2020 5:00	163.30	4,864.12	279.88
12/25/2020 6:00	162.40	4,867.13	278.96
12/25/2020 7:00	162.20	4,866.28	279.04
12/25/2020 8:00	160.70	4,862.38	278.70
12/25/2020 9:00	161.40	4,864.61	278.94
12/25/2020 10:00	164.60	4,919.35	279.43
12/25/2020 11:00	189.60	5,243.81	283.78
12/25/2020 12:00	189.80	5,244.36	283.19
12/25/2020 13:00	192.80	5,244.74	284.24
12/25/2020 14:00	192.20	5,245.30	284.36
12/25/2020 15:00	191.70	5,243.43	285.01
12/25/2020 16:00	191.00	5,244.04	284.54
12/25/2020 17:00	192.80	5,245.46	284.50
12/25/2020 18:00	191.50	5,243.39	282.88
12/25/2020 19:00	190.80	5,244.42	283.08
12/25/2020 20:00	187.00	5,244.00	282.82
12/25/2020 21:00	183.10	5,243.84	283.06
12/25/2020 22:00	181.00	5,241.23	282.70
12/25/2020 23:00	180.20	5,244.11	282.63
12/26/2020 0:00	178.70	5,241.22	281.95
12/26/2020 1:00	189.20	5,243.87	281.78
12/26/2020 2:00	185.40	5,244.31	281.80
12/26/2020 3:00	184.10	5,242.72	282.47
12/26/2020 4:00	186.50	5,243.44	282.28
12/26/2020 5:00	186.30	5,246.40	282.82
12/26/2020 6:00	187.50	5,245.35	281.61
12/26/2020 7:00	185.70	5,242.53	281.90
12/26/2020 8:00	187.60	5,243.93	281.55
12/26/2020 9:00	187.60	5,244.44	282.14
12/26/2020 10:00	185.10	5,241.16	282.66
12/26/2020 11:00	180.50	5,241.86	284.82

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	SO_2 Emissions (lb/hr)	Flow (KACFH)	Temp (°F)
12/26/2020 12:00	179.60	5,244.53	287.11
12/26/2020 13:00	175.90	5,243.01	288.62
12/26/2020 14:00	170.90	5,240.00	289.63
12/26/2020 15:00	169.90	5,246.04	290.90
12/26/2020 16:00	168.90	5,242.56	291.56
12/26/2020 17:00	169.50	5,238.98	292.74
12/26/2020 18:00	170.20	5,242.59	292.31
12/26/2020 19:00	169.40	5,242.09	291.74
12/26/2020 20:00	170.40	5,245.01	291.80
12/26/2020 21:00	169.60	5,241.88	291.15
12/26/2020 22:00	168.40	5,242.51	290.76
12/26/2020 23:00	169.70	5,245.77	290.04
12/27/2020 0:00	168.70	5,246.31	289.85
12/27/2020 1:00	168.30	5,246.82	289.91
12/27/2020 2:00	165.70	5,243.39	290.34
12/27/2020 3:00	166.60	5,246.67	289.86
12/27/2020 4:00	167.50	5,246.64	288.87
12/27/2020 5:00	166.70	5,241.41	289.46
12/27/2020 6:00	166.10	5,242.25	288.58
12/27/2020 7:00	146.10	4,939.01	286.00
12/27/2020 8:00	142.90	4,896.04	285.42
12/27/2020 9:00	142.70	4,898.53	285.78
12/27/2020 10:00	143.80	4,897.42	286.70
12/27/2020 11:00	141.30	4,896.80	287.90
12/27/2020 12:00	142.80	4,895.02	289.43
12/27/2020 13:00	141.90	4,896.27	290.93
12/27/2020 14:00	142.90	4,894.49	291.88
12/27/2020 15:00	142.80	4,895.06	292.98
12/27/2020 16:00	144.90	4,897.63	294.08
12/27/2020 17:00	144.70	4,896.86	294.48
12/27/2020 18:00	143.90	4,896.06	293.43
12/27/2020 19:00	151.00	4,989.31	293.08
12/27/2020 20:00	150.90	5,000.37	291.86
12/27/2020 21:00	149.50	5,002.18	291.32
12/27/2020 22:00	149.70	4,999.16	290.79
12/27/2020 23:00	150.80	5,001.20	290.82
12/28/2020 0:00	150.70	5,000.05	290.66
12/28/2020 1:00	149.40	4,999.66	290.60

Table E6: Boiler 22 Nonzero Emissions Data, July 1, 2019, through December 31, 2020			
Date/Time	**SO_2 Emissions (lb/hr)**	**Flow (KACFH)**	**Temp (°F)**
12/28/2020 2:00	149.90	4,999.99	290.29
12/28/2020 3:00	150.30	4,997.83	290.08
12/28/2020 4:00	149.80	4,997.29	290.58
12/28/2020 5:00	150.60	5,000.97	291.12
12/28/2020 6:00	160.20	5,126.11	292.05
12/28/2020 7:00	168.80	5,282.13	300.09
12/28/2020 8:00	148.50	4,977.45	293.84
12/28/2020 9:00	149.00	4,975.86	293.20
12/28/2020 10:00	147.40	4,979.30	294.62
12/28/2020 11:00	145.70	4,975.04	295.35
12/28/2020 12:00	149.80	4,973.94	295.29
12/28/2020 13:00	152.10	4,974.58	290.59
12/28/2020 14:00	153.90	4,975.51	291.32
12/28/2020 15:00	154.30	4,976.48	292.32
12/28/2020 16:00	153.90	4,975.06	294.01
12/28/2020 17:00	152.80	4,981.00	293.05
12/28/2020 18:00	152.00	4,975.30	292.34
12/28/2020 19:00	153.10	4,975.13	291.20
12/28/2020 20:00	151.80	4,976.54	290.26
12/28/2020 21:00	152.20	4,976.13	289.70
12/28/2020 22:00	151.80	4,973.15	289.05
12/28/2020 23:00	153.60	4,977.19	288.95
12/29/2020 0:00	152.70	4,978.43	287.74
12/29/2020 1:00	152.70	4,976.04	287.69
12/29/2020 2:00	152.00	4,975.07	287.65
12/29/2020 3:00	152.90	4,977.20	287.15
12/29/2020 4:00	153.20	4,976.21	286.75
12/29/2020 5:00	153.50	4,973.40	286.89
12/29/2020 6:00	152.60	4,973.59	286.45
12/29/2020 7:00	153.20	4,977.50	285.90
12/29/2020 8:00	151.60	4,974.91	284.93
12/29/2020 9:00	152.10	4,977.54	284.82
12/29/2020 10:00	150.70	4,976.20	286.87
12/29/2020 11:00	152.30	4,973.15	290.23
12/29/2020 12:00	80.10	4,111.55	286.73
12/29/2020 13:00	80.10	3,187.83	258.69

Attachment F
SO_2 Emissions from Hazardous Waste Combustors

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
1/1/18 1:00	0.7	1/1/19 0:00	0.1	1/1/20 0:00	0.2
1/1/18 2:00	0.7	1/1/19 1:00	0.1	1/1/20 1:00	0.2
1/1/18 3:00	0.6	1/1/19 2:00	0.1	1/1/20 2:00	0.3
1/1/18 4:00	0.6	1/1/19 3:00	0.1	1/1/20 3:00	0.3
1/1/18 5:00	0.7	1/1/19 4:00	0.1	1/1/20 4:00	0.3
1/1/18 6:00	0.7	1/1/19 5:00	0.1	1/1/20 5:00	0.3
1/1/18 7:00	0.7	1/1/19 6:00	0.1	1/1/20 6:00	0.3
1/1/18 8:00	0.7	1/1/19 7:00	0.1	1/1/20 7:00	0.2
1/1/18 9:00	0.7	1/1/19 8:00	0.1	1/1/20 8:00	0.2
1/1/18 10:00	0.7	1/1/19 9:00	0.2	1/1/20 9:00	0.2
1/1/18 11:00	0.7	1/1/19 10:00	0.4	1/1/20 10:00	0.2
1/1/18 12:00	0.6	1/1/19 11:00	0.1	1/1/20 11:00	0.2
1/1/18 13:00	0.6	1/1/19 12:00	0.1	1/1/20 12:00	0.2
1/1/18 14:00	0.6	1/1/19 13:00	0.1	1/1/20 13:00	0.2
1/1/18 15:00	0.5	1/1/19 14:00	0.1	1/1/20 14:00	0.2
1/1/18 16:00	0.4	1/1/19 15:00	0.1	1/1/20 15:00	0.2
1/1/18 17:00	0.4	1/1/19 16:00	0.1	1/1/20 16:00	0.2
1/1/18 18:00	0.5	1/1/19 17:00	0.2	1/1/20 17:00	0.2
1/1/18 19:00	0.5	1/1/19 18:00	0.3	1/1/20 18:00	0.2
1/1/18 20:00	0.5	1/1/19 19:00	0.2	1/1/20 19:00	0.2
1/1/18 21:00	0.5	1/1/19 20:00	0.1	1/1/20 20:00	0.2
1/1/18 22:00	0.4	1/1/19 21:00	0.2	1/1/20 21:00	0.3
1/1/18 23:00	0.4	1/1/19 22:00	0.1	1/1/20 22:00	0.2
1/2/18 0:00	0.5	1/1/19 23:00	0.1	1/1/20 23:00	0.2
1/2/18 1:00	0.5	1/2/19 0:00	0.1	1/2/20 0:00	0.2
1/2/18 2:00	0.5	1/2/19 1:00	0.1	1/2/20 1:00	0.2
1/2/18 3:00	0.5	1/2/19 2:00	0.1	1/2/20 2:00	0.2
1/2/18 4:00	0.5	1/2/19 3:00	0.1	1/2/20 3:00	0.2
1/2/18 5:00	0.5	1/2/19 4:00	0.1	1/2/20 4:00	0.2
1/2/18 6:00	0.5	1/2/19 5:00	0.1	1/2/20 5:00	0.2
1/2/18 7:00	0.5	1/2/19 6:00	0.1	1/2/20 6:00	0.2
1/2/18 8:00	0.5	1/2/19 7:00	0.1	1/2/20 7:00	0.2
1/2/18 9:00	0.6	1/2/19 8:00	0.1	1/2/20 8:00	0.2
1/2/18 10:00	0.4	1/2/19 9:00	0.1	1/2/20 9:00	0.3
1/2/18 11:00	0.5	1/2/19 10:00	0.1	1/2/20 10:00	0.2
1/2/18 12:00	0.5	1/2/19 11:00	0.2	1/2/20 11:00	0.2
1/2/18 13:00	0.6	1/2/19 12:00	0.2	1/2/20 12:00	0.2
1/2/18 14:00	0.6	1/2/19 13:00	0.1	1/2/20 13:00	0.2
1/2/18 15:00	0.6	1/2/19 14:00	0.1	1/2/20 14:00	0.2
1/2/18 16:00	0.7	1/2/19 15:00	0.1	1/2/20 15:00	0.2
1/2/18 17:00	0.7	1/2/19 16:00	0.1	1/2/20 16:00	0.2
1/2/18 18:00	0.8	1/2/19 17:00	0.1	1/2/20 17:00	0.2
1/2/18 19:00	0.9	1/2/19 18:00	0.2	1/2/20 18:00	0.2
1/2/18 20:00	1.0	1/2/19 19:00	0.2	1/2/20 19:00	0.2
1/2/18 21:00	1.0	1/2/19 20:00	0.2	1/2/20 20:00	0.2
1/2/18 22:00	1.1	1/2/19 21:00	0.1	1/2/20 21:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
1/2/18 23:00	1.2	1/2/19 22:00	0.2	1/2/20 22:00	0.2
1/3/18 0:00	2.0	1/2/19 23:00	0.2	1/2/20 23:00	0.2
1/3/18 1:00	2.2	1/3/19 0:00	0.2	1/3/20 0:00	0.2
1/3/18 2:00	2.2	1/3/19 1:00	0.1	1/3/20 1:00	0.1
1/3/18 3:00	2.0	1/3/19 2:00	0.2	1/3/20 2:00	0.2
1/3/18 4:00	1.9	1/3/19 3:00	0.2	1/3/20 3:00	0.2
1/3/18 5:00	2.1	1/3/19 4:00	0.2	1/3/20 4:00	0.2
1/3/18 6:00	2.3	1/3/19 5:00	0.2	1/3/20 5:00	0.3
1/3/18 7:00	2.4	1/3/19 6:00	0.2	1/3/20 6:00	0.2
1/3/18 8:00	2.6	1/3/19 7:00	0.2	1/3/20 7:00	0.2
1/3/18 9:00	2.6	1/3/19 8:00	0.2	1/3/20 8:00	0.3
1/3/18 10:00	2.4	1/3/19 9:00	0.2	1/3/20 9:00	0.3
1/3/18 11:00	2.3	1/3/19 10:00	0.2	1/3/20 10:00	0.2
1/3/18 12:00	2.1	1/3/19 11:00	0.2	1/3/20 11:00	0.2
1/3/18 13:00	2.1	1/3/19 12:00	0.2	1/3/20 12:00	0.2
1/3/18 14:00	2.3	1/3/19 13:00	0.1	1/3/20 13:00	0.2
1/3/18 15:00	2.1	1/3/19 14:00	0.2	1/3/20 14:00	0.2
1/3/18 16:00	1.9	1/3/19 15:00	0.2	1/3/20 15:00	0.3
1/3/18 17:00	1.9	1/3/19 16:00	0.1	1/3/20 16:00	0.2
1/3/18 18:00	1.8	1/3/19 17:00	0.1	1/3/20 17:00	0.1
1/3/18 19:00	2.1	1/3/19 18:00	0.1	1/3/20 18:00	0.2
1/3/18 20:00	3.4	1/3/19 19:00	0.2	1/3/20 19:00	0.1
1/3/18 21:00	7.0	1/3/19 20:00	0.1	1/3/20 20:00	0.2
1/3/18 22:00	7.9	1/3/19 21:00	0.2	1/3/20 21:00	0.2
1/3/18 23:00	1.5	1/3/19 22:00	0.2	1/3/20 22:00	0.2
1/4/18 0:00	1.1	1/3/19 23:00	0.2	1/3/20 23:00	0.2
1/4/18 1:00	0.9	1/4/19 0:00	0.2	1/4/20 0:00	0.2
1/4/18 2:00	0.7	1/4/19 1:00	0.2	1/4/20 1:00	0.2
1/4/18 3:00	0.6	1/4/19 2:00	0.2	1/4/20 2:00	0.2
1/4/18 4:00	0.6	1/4/19 3:00	0.2	1/4/20 3:00	0.2
1/4/18 5:00	0.7	1/4/19 4:00	0.3	1/4/20 4:00	0.2
1/4/18 6:00	0.7	1/4/19 5:00	1.6	1/4/20 5:00	0.1
1/4/18 7:00	0.6	1/4/19 6:00	0.3	1/4/20 6:00	0.1
1/4/18 8:00	0.6	1/4/19 7:00	0.2	1/4/20 7:00	0.2
1/4/18 9:00	0.6	1/4/19 8:00	0.2	1/4/20 8:00	0.2
1/4/18 10:00	0.6	1/4/19 9:00	0.2	1/4/20 9:00	0.2
1/4/18 11:00	0.6	1/4/19 10:00	0.2	1/4/20 10:00	0.2
1/4/18 12:00	0.7	1/4/19 11:00	0.2	1/4/20 11:00	0.3
1/4/18 13:00	0.6	1/4/19 12:00	0.2	1/4/20 12:00	0.3
1/4/18 14:00	0.6	1/4/19 13:00	0.2	1/4/20 13:00	0.3
1/4/18 15:00	0.6	1/4/19 14:00	0.2	1/4/20 14:00	0.3
1/4/18 16:00	0.7	1/4/19 15:00	0.2	1/4/20 15:00	0.3
1/4/18 17:00	0.7	1/4/19 16:00	0.3	1/4/20 16:00	0.3
1/4/18 18:00	0.8	1/4/19 17:00	0.2	1/4/20 17:00	0.3
1/4/18 19:00	0.7	1/4/19 18:00	0.2	1/4/20 18:00	0.3
1/4/18 20:00	0.7	1/4/19 19:00	0.2	1/4/20 19:00	0.3

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020							
Hour	B-248-1 (lb/hr SO_2)		Hour	B-248-1 (lb/hr SO_2)		Hour	B-248-1 (lb/hr SO_2)
1/4/18 21:00	7.5		1/4/19 20:00	0.2		1/4/20 20:00	0.3
1/4/18 22:00	12.6		1/4/19 21:00	0.3		1/4/20 21:00	0.3
1/4/18 23:00	12.9		1/4/19 22:00	6.6		1/4/20 22:00	0.3
1/5/18 0:00	12.9		1/4/19 23:00	0.3		1/4/20 23:00	0.2
1/5/18 1:00	12.9		1/5/19 0:00	2.9		1/5/20 0:00	0.2
1/5/18 2:00	14.9		1/5/19 1:00	0.3		1/5/20 1:00	0.2
1/5/18 3:00	12.3		1/5/19 2:00	1.1		1/5/20 2:00	0.2
1/5/18 4:00	1.4		1/5/19 3:00	0.3		1/5/20 3:00	0.1
1/5/18 5:00	0.9		1/5/19 4:00	0.2		1/5/20 4:00	0.2
1/5/18 6:00	1.0		1/5/19 5:00	0.2		1/5/20 5:00	0.1
1/5/18 7:00	1.0		1/5/19 6:00	0.3		1/5/20 6:00	0.1
1/5/18 8:00	1.1		1/5/19 7:00	0.4		1/5/20 7:00	0.1
1/5/18 9:00	1.1		1/5/19 8:00	0.6		1/5/20 8:00	0.0
1/5/18 10:00	0.9		1/5/19 9:00	0.4		1/5/20 9:00	0.1
1/5/18 11:00	0.9		1/5/19 10:00	0.5		1/5/20 10:00	0.1
1/5/18 12:00	1.0		1/5/19 11:00	0.2		1/5/20 11:00	0.1
1/5/18 13:00	0.8		1/5/19 12:00	0.3		1/5/20 12:00	0.1
1/5/18 14:00	0.8		1/5/19 13:00	0.2		1/5/20 13:00	0.1
1/5/18 15:00	0.8		1/5/19 14:00	0.5		1/5/20 14:00	0.1
1/5/18 16:00	0.7		1/5/19 15:00	0.2		1/5/20 15:00	0.1
1/5/18 17:00	0.8		1/5/19 16:00	0.2		1/5/20 16:00	0.1
1/5/18 18:00	0.8		1/5/19 17:00	0.6		1/5/20 17:00	0.1
1/5/18 19:00	0.9		1/5/19 18:00	0.7		1/5/20 18:00	0.1
1/5/18 20:00	0.9		1/5/19 19:00	0.3		1/5/20 19:00	0.1
1/5/18 21:00	0.8		1/5/19 20:00	0.4		1/5/20 20:00	0.1
1/5/18 22:00	0.7		1/5/19 21:00	0.6		1/5/20 21:00	0.1
1/5/18 23:00	0.7		1/5/19 22:00	0.2		1/5/20 22:00	0.1
1/6/18 0:00	0.9		1/5/19 23:00	0.3		1/5/20 23:00	0.1
1/6/18 1:00	0.8		1/6/19 0:00	0.3		1/6/20 0:00	0.1
1/6/18 2:00	0.8		1/6/19 1:00	0.2		1/6/20 1:00	0.2
1/6/18 3:00	0.8		1/6/19 2:00	0.2		1/6/20 2:00	0.1
1/6/18 4:00	0.8		1/6/19 3:00	0.2		1/6/20 3:00	0.1
1/6/18 5:00	0.8		1/6/19 4:00	0.2		1/6/20 4:00	0.1
1/6/18 6:00	0.7		1/6/19 5:00	0.2		1/6/20 5:00	0.1
1/6/18 7:00	0.6		1/6/19 6:00	0.2		1/6/20 6:00	0.1
1/6/18 8:00	0.8		1/6/19 7:00	0.2		1/6/20 7:00	0.1
1/6/18 9:00	0.7		1/6/19 8:00	0.2		1/6/20 8:00	0.1
1/6/18 10:00	0.7		1/6/19 9:00	0.2		1/6/20 9:00	0.1
1/6/18 11:00	0.8		1/6/19 10:00	0.2		1/6/20 10:00	0.1
1/6/18 12:00	0.9		1/6/19 11:00	0.2		1/6/20 11:00	0.1
1/6/18 13:00	1.2		1/6/19 12:00	0.2		1/6/20 12:00	0.1
1/6/18 14:00	1.2		1/6/19 13:00	0.2		1/6/20 13:00	0.1
1/6/18 15:00	1.1		1/6/19 14:00	0.2		1/6/20 14:00	0.1
1/6/18 16:00	1.3		1/6/19 15:00	0.2		1/6/20 15:00	0.1
1/6/18 17:00	1.3		1/6/19 16:00	0.2		1/6/20 16:00	0.1
1/6/18 18:00	1.3		1/6/19 17:00	0.2		1/6/20 17:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
1/6/18 19:00	1.3	1/6/19 18:00	0.2	1/6/20 18:00	0.1
1/6/18 20:00	1.2	1/6/19 19:00	0.2	1/6/20 19:00	0.1
1/6/18 21:00	1.2	1/6/19 20:00	0.2	1/6/20 20:00	0.1
1/6/18 22:00	1.2	1/6/19 21:00	0.3	1/6/20 21:00	0.1
1/6/18 23:00	1.2	1/6/19 22:00	0.2	1/6/20 22:00	0.1
1/7/18 0:00	1.2	1/6/19 23:00	0.2	1/6/20 23:00	0.1
1/7/18 1:00	1.2	1/7/19 0:00	0.2	1/7/20 0:00	0.1
1/7/18 2:00	1.2	1/7/19 1:00	0.2	1/7/20 1:00	0.1
1/7/18 3:00	1.3	1/7/19 2:00	0.3	1/7/20 2:00	0.1
1/7/18 4:00	1.3	1/7/19 3:00	0.2	1/7/20 3:00	0.1
1/7/18 5:00	0.7	1/7/19 4:00	0.2	1/7/20 4:00	0.1
1/7/18 6:00	0.8	1/7/19 5:00	0.4	1/7/20 5:00	0.1
1/7/18 7:00	0.7	1/7/19 6:00	0.2	1/7/20 6:00	0.1
1/7/18 8:00	0.8	1/7/19 7:00	0.9	1/7/20 7:00	0.1
1/7/18 9:00	0.8	1/7/19 8:00	1.8	1/7/20 8:00	0.1
1/7/18 10:00	0.8	1/7/19 9:00	3.0	1/7/20 9:00	0.1
1/7/18 11:00	0.7	1/7/19 10:00	0.7	1/7/20 10:00	0.1
1/7/18 12:00	0.7	1/7/19 11:00	0.8	1/7/20 11:00	0.1
1/7/18 13:00	0.8	1/7/19 12:00	2.9	1/7/20 12:00	0.1
1/7/18 14:00	0.7	1/7/19 13:00	0.3	1/7/20 13:00	0.1
1/7/18 15:00	0.8	1/7/19 14:00	1.9	1/7/20 14:00	0.1
1/7/18 16:00	0.8	1/7/19 15:00	0.1	1/7/20 15:00	0.1
1/7/18 17:00	0.8	1/7/19 16:00	0.6	1/7/20 16:00	0.2
1/7/18 18:00	0.8	1/7/19 17:00	1.9	1/7/20 17:00	0.1
1/7/18 19:00	0.9	1/7/19 18:00	0.1	1/7/20 18:00	0.1
1/7/18 20:00	0.9	1/7/19 19:00	0.2	1/7/20 19:00	0.2
1/7/18 21:00	1.0	1/7/19 20:00	0.2	1/7/20 20:00	0.1
1/7/18 22:00	1.0	1/7/19 21:00	0.2	1/7/20 21:00	0.1
1/7/18 23:00	1.0	1/7/19 22:00	0.2	1/7/20 22:00	0.1
1/8/18 0:00	0.9	1/7/19 23:00	0.2	1/7/20 23:00	0.2
1/8/18 1:00	0.9	1/8/19 0:00	0.2	1/8/20 0:00	0.2
1/8/18 2:00	1.0	1/8/19 1:00	0.2	1/8/20 1:00	0.2
1/8/18 3:00	1.0	1/8/19 2:00	0.9	1/8/20 2:00	0.1
1/8/18 4:00	0.9	1/8/19 3:00	0.2	1/8/20 3:00	0.1
1/8/18 5:00	0.9	1/8/19 4:00	0.2	1/8/20 4:00	0.1
1/8/18 6:00	1.0	1/8/19 5:00	0.2	1/8/20 5:00	0.1
1/8/18 7:00	1.0	1/8/19 6:00	0.1	1/8/20 6:00	0.1
1/8/18 8:00	1.0	1/8/19 7:00	0.1	1/8/20 7:00	0.1
1/8/18 9:00	1.0	1/8/19 8:00	0.2	1/8/20 8:00	0.1
1/8/18 10:00	1.1	1/8/19 9:00	0.2	1/8/20 9:00	0.1
1/8/18 11:00	1.0	1/8/19 10:00	0.1	1/8/20 10:00	0.1
1/8/18 12:00	0.9	1/8/19 11:00	0.1	1/8/20 11:00	0.2
1/8/18 13:00	0.9	1/8/19 12:00	0.1	1/8/20 12:00	0.1
1/8/18 14:00	0.9	1/8/19 13:00	0.1	1/8/20 13:00	0.1
1/8/18 15:00	0.9	1/8/19 14:00	0.1	1/8/20 14:00	0.1
1/8/18 16:00	1.1	1/8/19 15:00	0.1	1/8/20 15:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
1/8/18 17:00	0.8	1/8/19 16:00	0.1	1/8/20 16:00	0.1
1/8/18 18:00	0.8	1/8/19 17:00	0.1	1/8/20 17:00	0.1
1/8/18 19:00	0.8	1/8/19 18:00	0.1	1/8/20 18:00	0.1
1/8/18 20:00	0.8	1/8/19 19:00	0.1	1/8/20 19:00	0.1
1/8/18 21:00	0.7	1/8/19 20:00	0.1	1/8/20 20:00	0.1
1/8/18 22:00	0.8	1/8/19 21:00	0.1	1/8/20 21:00	0.1
1/8/18 23:00	0.8	1/8/19 22:00	0.1	1/8/20 22:00	0.1
1/9/18 0:00	0.8	1/8/19 23:00	0.1	1/8/20 23:00	0.1
1/9/18 1:00	0.7	1/9/19 0:00	0.1	1/9/20 0:00	0.1
1/9/18 2:00	0.6	1/9/19 1:00	0.1	1/9/20 1:00	0.1
1/9/18 3:00	0.6	1/9/19 2:00	0.1	1/9/20 2:00	0.1
1/9/18 4:00	0.6	1/9/19 3:00	0.1	1/9/20 3:00	0.1
1/9/18 5:00	0.6	1/9/19 4:00	0.1	1/9/20 4:00	0.1
1/9/18 6:00	0.8	1/9/19 5:00	0.2	1/9/20 5:00	0.1
1/9/18 7:00	0.9	1/9/19 6:00	0.1	1/9/20 6:00	0.1
1/9/18 8:00	0.8	1/9/19 7:00	0.1	1/9/20 7:00	0.1
1/9/18 9:00	1.0	1/9/19 8:00	0.3	1/9/20 8:00	0.2
1/9/18 10:00	1.3	1/9/19 9:00	0.3	1/9/20 9:00	0.2
1/9/18 11:00	0.5	1/9/19 10:00	0.1	1/9/20 10:00	0.1
1/9/18 12:00	0.4	1/9/19 11:00	0.1	1/9/20 11:00	0.9
1/9/18 13:00	0.5	1/9/19 12:00	0.2	1/9/20 12:00	0.7
1/9/18 14:00	0.7	1/9/19 13:00	0.3	1/9/20 13:00	0.7
1/9/18 15:00	1.1	1/9/19 14:00	0.1	1/9/20 14:00	0.2
1/9/18 16:00	0.9	1/9/19 15:00	0.3	1/9/20 15:00	0.6
1/9/18 17:00	0.9	1/9/19 16:00	0.2	1/9/20 16:00	0.1
1/9/18 18:00	0.8	1/9/19 17:00	0.1	1/9/20 17:00	0.2
1/9/18 19:00	1.0	1/9/19 18:00	0.2	1/9/20 18:00	0.7
1/9/18 20:00	1.1	1/9/19 19:00	0.3	1/9/20 19:00	1.5
1/9/18 21:00	1.1	1/9/19 20:00	0.3	1/9/20 20:00	0.2
1/9/18 22:00	1.0	1/9/19 21:00	0.3	1/9/20 21:00	0.1
1/9/18 23:00	1.0	1/9/19 22:00	0.3	1/9/20 22:00	0.1
1/10/18 0:00	1.1	1/9/19 23:00	0.3	1/9/20 23:00	0.2
1/10/18 1:00	1.1	1/10/19 0:00	0.3	1/10/20 0:00	0.2
1/10/18 2:00	1.1	1/10/19 1:00	0.3	1/10/20 1:00	0.8
1/10/18 3:00	0.9	1/10/19 2:00	0.3	1/10/20 2:00	0.8
1/10/18 4:00	0.8	1/10/19 3:00	0.3	1/10/20 3:00	1.5
1/10/18 5:00	0.9	1/10/19 4:00	0.3	1/10/20 4:00	0.1
1/10/18 6:00	1.0	1/10/19 5:00	0.3	1/10/20 5:00	0.1
1/10/18 7:00	1.3	1/10/19 6:00	0.4	1/10/20 6:00	1.3
1/10/18 8:00	1.1	1/10/19 7:00	0.3	1/10/20 7:00	0.8
1/10/18 9:00	0.9	1/10/19 8:00	0.3	1/10/20 8:00	1.0
1/10/18 10:00	1.2	1/10/19 9:00	0.4	1/10/20 9:00	0.9
1/10/18 11:00	1.3	1/10/19 10:00	0.3	1/10/20 10:00	0.1
1/10/18 12:00	1.3	1/10/19 11:00	0.4	1/10/20 11:00	1.9
1/10/18 13:00	0.9	1/10/19 12:00	0.3	1/10/20 12:00	1.0
1/10/18 14:00	0.9	1/10/19 13:00	0.4	1/10/20 13:00	0.8

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
1/10/18 15:00	0.8	1/10/19 14:00	0.3	1/10/20 14:00	1.6
1/10/18 16:00	0.6	1/10/19 15:00	0.3	1/10/20 15:00	0.1
1/10/18 17:00	0.6	1/10/19 16:00	0.2	1/10/20 16:00	1.6
1/10/18 18:00	0.6	1/10/19 17:00	0.2	1/10/20 17:00	0.8
1/10/18 19:00	0.7	1/10/19 18:00	0.2	1/10/20 18:00	1.5
1/10/18 20:00	0.9	1/10/19 19:00	0.2	1/10/20 19:00	0.1
1/10/18 21:00	0.9	1/10/19 20:00	0.2	1/10/20 20:00	0.8
1/10/18 22:00	0.9	1/10/19 21:00	0.2	1/10/20 21:00	0.8
1/10/18 23:00	0.8	1/10/19 22:00	0.3	1/10/20 22:00	0.7
1/11/18 0:00	0.8	1/10/19 23:00	0.3	1/10/20 23:00	0.7
1/11/18 1:00	0.6	1/11/19 0:00	0.3	1/11/20 0:00	0.7
1/11/18 2:00	0.6	1/11/19 1:00	0.3	1/11/20 1:00	1.5
1/11/18 3:00	0.6	1/11/19 2:00	0.2	1/11/20 2:00	1.6
1/11/18 4:00	0.7	1/11/19 3:00	0.2	1/11/20 3:00	2.2
1/11/18 5:00	0.8	1/11/19 4:00	0.2	1/11/20 4:00	1.5
1/11/18 6:00	0.8	1/11/19 5:00	0.2	1/11/20 5:00	1.1
1/11/18 7:00	0.8	1/11/19 6:00	0.2	1/11/20 6:00	0.9
1/11/18 8:00	0.8	1/11/19 7:00	0.2	1/11/20 7:00	0.8
1/11/18 9:00	0.8	1/11/19 8:00	0.2	1/11/20 8:00	0.8
1/11/18 10:00	0.7	1/11/19 9:00	0.2	1/11/20 9:00	0.8
1/11/18 11:00	0.6	1/11/19 10:00	0.2	1/11/20 10:00	0.1
1/11/18 12:00	0.6	1/11/19 11:00	0.2	1/11/20 11:00	1.3
1/11/18 13:00	0.7	1/11/19 12:00	0.2	1/11/20 12:00	0.1
1/11/18 14:00	0.7	1/11/19 13:00	0.2	1/11/20 13:00	0.8
1/11/18 15:00	0.7	1/11/19 14:00	0.2	1/11/20 14:00	0.7
1/11/18 16:00	0.7	1/11/19 15:00	0.2	1/11/20 15:00	0.4
1/11/18 17:00	0.7	1/11/19 16:00	0.2	1/11/20 16:00	0.8
1/11/18 18:00	0.5	1/11/19 17:00	0.2	1/11/20 17:00	1.0
1/11/18 19:00	0.3	1/11/19 18:00	0.2	1/11/20 18:00	1.0
1/11/18 20:00	0.3	1/11/19 19:00	0.1	1/11/20 19:00	0.8
1/11/18 21:00	0.3	1/11/19 20:00	0.1	1/11/20 20:00	0.8
1/11/18 22:00	0.4	1/11/19 21:00	0.1	1/11/20 21:00	0.1
1/11/18 23:00	0.4	1/11/19 22:00	0.1	1/11/20 22:00	1.7
1/12/18 0:00	0.4	1/11/19 23:00	0.1	1/11/20 23:00	1.6
1/12/18 1:00	0.3	1/12/19 0:00	0.1	1/12/20 0:00	1.8
1/12/18 2:00	0.3	1/12/19 1:00	0.2	1/12/20 1:00	1.6
1/12/18 3:00	0.3	1/12/19 2:00	0.1	1/12/20 2:00	1.4
1/12/18 4:00	0.4	1/12/19 3:00	0.1	1/12/20 3:00	1.1
1/12/18 5:00	0.4	1/12/19 4:00	0.2	1/12/20 4:00	0.9
1/12/18 6:00	0.5	1/12/19 5:00	0.1	1/12/20 5:00	1.5
1/12/18 7:00	0.5	1/12/19 6:00	0.1	1/12/20 6:00	0.7
1/12/18 8:00	0.5	1/12/19 7:00	3.0	1/12/20 7:00	0.2
1/12/18 9:00	0.5	1/12/19 8:00	1.3	1/12/20 8:00	0.2
1/12/18 10:00	0.4	1/12/19 9:00	1.2	1/12/20 9:00	0.2
1/12/18 11:00	0.5	1/12/19 10:00	0.2	1/12/20 10:00	0.2
1/12/18 12:00	0.5	1/12/19 11:00	0.1	1/12/20 11:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
1/12/18 13:00	0.5	1/12/19 12:00	0.2	1/12/20 12:00	0.2
1/12/18 14:00	0.5	1/12/19 13:00	0.2	1/12/20 13:00	0.2
1/12/18 15:00	0.5	1/12/19 14:00	0.2	1/12/20 14:00	0.2
1/12/18 16:00	0.6	1/12/19 15:00	0.2	1/12/20 15:00	0.2
1/12/18 17:00	0.6	1/12/19 16:00	0.1	1/12/20 16:00	0.2
1/12/18 18:00	0.6	1/12/19 17:00	0.1	1/12/20 17:00	0.2
1/12/18 19:00	0.6	1/12/19 18:00	0.1	1/12/20 18:00	0.2
1/12/18 20:00	0.7	1/12/19 19:00	0.1	1/12/20 19:00	0.2
1/12/18 21:00	0.6	1/12/19 20:00	0.1	1/12/20 20:00	0.1
1/12/18 22:00	0.5	1/12/19 21:00	0.2	1/12/20 21:00	0.2
1/12/18 23:00	0.5	1/12/19 22:00	0.2	1/12/20 22:00	0.2
1/13/18 0:00	0.4	1/12/19 23:00	0.1	1/12/20 23:00	0.2
1/13/18 1:00	0.5	1/13/19 0:00	0.4	1/13/20 0:00	0.2
1/13/18 2:00	0.6	1/13/19 1:00	0.1	1/13/20 1:00	0.2
1/13/18 3:00	0.6	1/13/19 2:00	0.3	1/13/20 2:00	0.2
1/13/18 4:00	0.5	1/13/19 3:00	0.1	1/13/20 3:00	0.2
1/13/18 5:00	0.5	1/13/19 4:00	0.1	1/13/20 4:00	0.2
1/13/18 6:00	0.6	1/13/19 5:00	0.1	1/13/20 5:00	0.1
1/13/18 7:00	0.6	1/13/19 6:00	0.0	1/13/20 6:00	0.1
1/13/18 8:00	0.6	1/13/19 7:00	0.1	1/13/20 7:00	0.1
1/13/18 9:00	0.6	1/13/19 8:00	0.2	1/13/20 8:00	0.1
1/13/18 10:00	0.4	1/13/19 9:00	0.1	1/13/20 9:00	0.1
1/13/18 11:00	0.4	1/13/19 10:00	0.1	1/13/20 10:00	0.1
1/13/18 12:00	0.5	1/13/19 11:00	0.1	1/13/20 11:00	0.1
1/13/18 13:00	0.5	1/13/19 12:00	0.1	1/13/20 12:00	0.1
1/13/18 14:00	0.5	1/13/19 13:00	0.1	1/13/20 13:00	0.1
1/13/18 15:00	0.6	1/13/19 14:00	0.2	1/13/20 14:00	0.1
1/13/18 16:00	0.5	1/13/19 15:00	0.2	1/13/20 15:00	0.1
1/13/18 17:00	0.5	1/13/19 16:00	0.2	1/13/20 16:00	0.1
1/13/18 18:00	0.4	1/13/19 17:00	0.1	1/13/20 17:00	0.1
1/13/18 19:00	0.5	1/13/19 18:00	0.1	1/13/20 18:00	0.1
1/13/18 20:00	0.5	1/13/19 19:00	0.1	1/13/20 19:00	0.1
1/13/18 21:00	0.5	1/13/19 20:00	0.1	1/13/20 20:00	0.1
1/13/18 22:00	0.9	1/13/19 21:00	0.1	1/13/20 21:00	0.1
1/13/18 23:00	0.9	1/13/19 22:00	0.1	1/13/20 22:00	0.1
1/14/18 0:00	0.9	1/13/19 23:00	0.1	1/13/20 23:00	0.1
1/14/18 1:00	1.0	1/14/19 0:00	0.2	1/14/20 0:00	0.1
1/14/18 2:00	0.9	1/14/19 1:00	0.2	1/14/20 1:00	0.1
1/14/18 3:00	0.9	1/14/19 2:00	0.2	1/14/20 2:00	0.1
1/14/18 4:00	0.9	1/14/19 3:00	0.2	1/14/20 3:00	0.1
1/14/18 5:00	0.9	1/14/19 4:00	0.2	1/14/20 4:00	0.1
1/14/18 6:00	0.8	1/14/19 5:00	0.2	1/14/20 5:00	0.1
1/14/18 7:00	0.8	1/14/19 6:00	0.1	1/14/20 6:00	0.1
1/14/18 8:00	0.8	1/14/19 7:00	0.1	1/14/20 7:00	0.1
1/14/18 9:00	0.8	1/14/19 8:00	0.2	1/14/20 8:00	0.1
1/14/18 10:00	0.8	1/14/19 9:00	0.2	1/14/20 9:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
1/14/18 11:00	0.8	1/14/19 10:00	0.3	1/14/20 10:00	0.1
1/14/18 12:00	0.8	1/14/19 11:00	0.2	1/14/20 11:00	0.0
1/14/18 13:00	0.7	1/14/19 12:00	0.2	1/14/20 12:00	0.1
1/14/18 14:00	0.5	1/14/19 13:00	0.2	1/14/20 13:00	0.1
1/14/18 15:00	0.4	1/14/19 14:00	0.2	1/14/20 14:00	0.1
1/14/18 16:00	0.4	1/14/19 15:00	0.3	1/14/20 15:00	0.1
1/14/18 17:00	0.4	1/14/19 16:00	0.2	1/14/20 16:00	0.0
1/14/18 18:00	0.4	1/14/19 17:00	0.2	1/14/20 17:00	0.0
1/14/18 19:00	0.5	1/14/19 18:00	0.2	1/14/20 18:00	0.0
1/14/18 20:00	0.6	1/14/19 19:00	0.3	1/14/20 19:00	0.0
1/14/18 21:00	0.5	1/14/19 20:00	0.2	1/14/20 20:00	0.0
1/14/18 22:00	0.5	1/14/19 21:00	0.2	1/14/20 21:00	0.1
1/14/18 23:00	0.5	1/14/19 22:00	0.3	1/14/20 22:00	0.1
1/15/18 0:00	0.5	1/14/19 23:00	0.3	1/14/20 23:00	0.1
1/15/18 1:00	0.5	1/15/19 0:00	0.3	1/15/20 0:00	0.1
1/15/18 2:00	0.5	1/15/19 1:00	0.3	1/15/20 1:00	0.1
1/15/18 3:00	0.5	1/15/19 2:00	0.3	1/15/20 2:00	0.1
1/15/18 4:00	0.5	1/15/19 3:00	0.3	1/15/20 3:00	0.1
1/15/18 5:00	0.5	1/15/19 4:00	0.3	1/15/20 4:00	0.1
1/15/18 6:00	0.5	1/15/19 5:00	0.2	1/15/20 5:00	0.1
1/15/18 7:00	0.5	1/15/19 6:00	0.2	1/15/20 6:00	0.1
1/15/18 8:00	0.4	1/15/19 7:00	0.2	1/15/20 7:00	0.1
1/15/18 9:00	0.5	1/15/19 8:00	0.0	1/15/20 8:00	0.1
1/15/18 10:00	0.4	1/15/19 9:00	0.0	1/15/20 9:00	0.1
1/15/18 11:00	0.4	1/15/19 10:00	0.0	1/15/20 10:00	0.1
1/15/18 12:00	0.4	1/15/19 11:00	0.0	1/15/20 11:00	0.1
1/15/18 13:00	0.3	1/15/19 12:00	0.0	1/15/20 12:00	0.1
1/15/18 14:00	0.5	1/15/19 13:00	0.0	1/15/20 13:00	0.1
1/15/18 15:00	0.4	1/15/19 14:00	0.0	1/15/20 14:00	0.1
1/15/18 16:00	0.4	1/15/19 15:00	0.1	1/15/20 15:00	0.1
1/15/18 17:00	0.4	1/15/19 16:00	0.2	1/15/20 16:00	0.1
1/15/18 18:00	0.4	1/15/19 17:00	0.4	1/15/20 17:00	0.1
1/15/18 19:00	0.5	1/15/19 18:00	0.4	1/15/20 18:00	0.1
1/15/18 20:00	0.5	1/15/19 19:00	0.5	1/15/20 19:00	0.1
1/15/18 21:00	0.5	1/15/19 20:00	0.5	1/15/20 20:00	0.1
1/15/18 22:00	0.5	1/15/19 21:00	0.7	1/15/20 21:00	0.1
1/15/18 23:00	0.4	1/15/19 22:00	0.8	1/15/20 22:00	0.1
1/16/18 0:00	0.4	1/15/19 23:00	0.8	1/15/20 23:00	0.1
1/16/18 1:00	0.6	1/16/19 0:00	0.8	1/16/20 0:00	0.1
1/16/18 2:00	0.5	1/16/19 1:00	0.7	1/16/20 1:00	0.1
1/16/18 3:00	0.3	1/16/19 2:00	0.7	1/16/20 2:00	0.1
1/16/18 4:00	0.3	1/16/19 3:00	0.9	1/16/20 3:00	0.1
1/16/18 5:00	0.4	1/16/19 4:00	0.8	1/16/20 4:00	0.1
1/16/18 6:00	0.5	1/16/19 5:00	0.9	1/16/20 5:00	0.2
1/16/18 7:00	0.4	1/16/19 6:00	0.7	1/16/20 6:00	0.2
1/16/18 8:00	0.4	1/16/19 7:00	1.1	1/16/20 7:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
1/16/18 9:00	0.5	1/16/19 8:00	1.2	1/16/20 8:00	0.2
1/16/18 10:00	0.5	1/16/19 9:00	1.1	1/16/20 9:00	0.1
1/16/18 11:00	0.3	1/16/19 10:00	0.8	1/16/20 10:00	0.1
1/16/18 12:00	0.3	1/16/19 11:00	0.5	1/16/20 11:00	0.1
1/16/18 13:00	0.3	1/16/19 12:00	0.9	1/16/20 12:00	0.1
1/16/18 14:00	0.5	1/16/19 13:00	1.1	1/16/20 13:00	0.1
1/16/18 15:00	0.5	1/16/19 14:00	0.9	1/16/20 14:00	0.1
1/16/18 16:00	0.4	1/16/19 15:00	1.3	1/16/20 15:00	0.1
1/16/18 17:00	0.3	1/16/19 16:00	0.9	1/16/20 16:00	0.1
1/16/18 18:00	0.3	1/16/19 17:00	1.2	1/16/20 17:00	0.1
1/16/18 19:00	0.4	1/16/19 18:00	0.7	1/16/20 18:00	0.1
1/16/18 20:00	0.5	1/16/19 19:00	0.7	1/16/20 19:00	0.1
1/16/18 21:00	0.4	1/16/19 20:00	0.7	1/16/20 20:00	0.1
1/16/18 22:00	0.4	1/16/19 21:00	0.6	1/16/20 21:00	0.1
1/16/18 23:00	0.4	1/16/19 22:00	1.0	1/16/20 22:00	0.1
1/17/18 0:00	0.5	1/16/19 23:00	1.0	1/16/20 23:00	0.1
1/17/18 1:00	0.4	1/17/19 0:00	1.0	1/17/20 0:00	0.2
1/17/18 2:00	0.3	1/17/19 1:00	1.0	1/17/20 1:00	0.2
1/17/18 3:00	0.3	1/17/19 2:00	0.9	1/17/20 2:00	0.2
1/17/18 4:00	0.3	1/17/19 3:00	0.8	1/17/20 3:00	0.2
1/17/18 5:00	0.2	1/17/19 4:00	0.6	1/17/20 4:00	0.1
1/17/18 6:00	0.2	1/17/19 5:00	0.3	1/17/20 5:00	0.2
1/17/18 7:00	0.2	1/17/19 6:00	0.4	1/17/20 6:00	0.2
1/17/18 8:00	0.2	1/17/19 7:00	0.5	1/17/20 7:00	0.2
1/17/18 9:00	0.2	1/17/19 8:00	0.7	1/17/20 8:00	0.2
1/17/18 10:00	0.3	1/17/19 9:00	0.8	1/17/20 9:00	0.2
1/17/18 11:00	0.2	1/17/19 10:00	0.8	1/17/20 10:00	0.2
1/17/18 12:00	0.2	1/17/19 11:00	0.7	1/17/20 11:00	0.2
1/17/18 13:00	0.2	1/17/19 12:00	0.8	1/17/20 12:00	0.2
1/17/18 14:00	0.2	1/17/19 13:00	0.7	1/17/20 13:00	0.2
1/17/18 15:00	0.2	1/17/19 14:00	0.8	1/17/20 14:00	0.2
1/17/18 16:00	0.2	1/17/19 15:00	0.7	1/17/20 15:00	0.2
1/17/18 17:00	0.2	1/17/19 16:00	0.8	1/17/20 16:00	0.2
1/17/18 18:00	0.1	1/17/19 17:00	0.9	1/17/20 17:00	0.2
1/17/18 19:00	0.2	1/17/19 18:00	0.8	1/17/20 18:00	0.1
1/17/18 20:00	0.2	1/17/19 19:00	1.2	1/17/20 19:00	0.2
1/17/18 21:00	0.2	1/17/19 20:00	0.9	1/17/20 20:00	0.2
1/17/18 22:00	0.1	1/17/19 21:00	7.4	1/17/20 21:00	0.2
1/17/18 23:00	0.2	1/17/19 22:00	7.1	1/17/20 22:00	0.2
1/18/18 0:00	0.2	1/17/19 23:00	5.2	1/17/20 23:00	0.1
1/18/18 1:00	0.2	1/18/19 0:00	7.4	1/18/20 0:00	0.2
1/18/18 2:00	0.1	1/18/19 1:00	7.8	1/18/20 1:00	0.2
1/18/18 3:00	0.2	1/18/19 2:00	7.5	1/18/20 2:00	0.2
1/18/18 4:00	0.2	1/18/19 3:00	2.8	1/18/20 3:00	0.2
1/18/18 5:00	0.2	1/18/19 4:00	10.5	1/18/20 4:00	0.2
1/18/18 6:00	0.2	1/18/19 5:00	11.2	1/18/20 5:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
1/18/18 7:00	0.2	1/18/19 6:00	1.4	1/18/20 6:00	0.2
1/18/18 8:00	0.1	1/18/19 7:00	7.1	1/18/20 7:00	0.2
1/18/18 9:00	0.2	1/18/19 8:00	4.6	1/18/20 8:00	0.2
1/18/18 10:00	0.2	1/18/19 9:00	6.9	1/18/20 9:00	0.2
1/18/18 11:00	0.2	1/18/19 10:00	35.2	1/18/20 10:00	0.2
1/18/18 12:00	0.2	1/18/19 11:00	9.6	1/18/20 11:00	0.2
1/18/18 13:00	0.3	1/18/19 12:00	9.0	1/18/20 12:00	0.2
1/18/18 14:00	0.3	1/18/19 13:00	9.2	1/18/20 13:00	0.2
1/18/18 15:00	0.2	1/18/19 14:00	8.8	1/18/20 14:00	0.2
1/18/18 16:00	0.2	1/18/19 15:00	9.9	1/18/20 15:00	0.2
1/18/18 17:00	0.1	1/18/19 16:00	4.2	1/18/20 16:00	0.2
1/18/18 18:00	0.1	1/18/19 17:00	35.7	1/18/20 17:00	0.2
1/18/18 19:00	0.3	1/18/19 18:00	5.1	1/18/20 18:00	0.2
1/18/18 20:00	0.3	1/18/19 19:00	5.7	1/18/20 19:00	0.2
1/18/18 21:00	0.3	1/18/19 20:00	30.5	1/18/20 20:00	0.1
1/18/18 22:00	0.3	1/18/19 21:00	2.9	1/18/20 21:00	0.1
1/18/18 23:00	0.2	1/18/19 22:00	17.3	1/18/20 22:00	0.1
1/19/18 0:00	0.2	1/18/19 23:00	1.7	1/18/20 23:00	0.1
1/19/18 1:00	0.2	1/19/19 0:00	15.6	1/19/20 0:00	0.1
1/19/18 2:00	0.3	1/19/19 1:00	2.3	1/19/20 1:00	0.1
1/19/18 3:00	0.3	1/19/19 2:00	8.9	1/19/20 2:00	0.1
1/19/18 4:00	0.3	1/19/19 3:00	30.0	1/19/20 3:00	0.1
1/19/18 5:00	0.3	1/19/19 4:00	3.6	1/19/20 4:00	0.1
1/19/18 6:00	0.3	1/19/19 5:00	6.2	1/19/20 5:00	0.1
1/19/18 7:00	0.3	1/19/19 6:00	4.8	1/19/20 6:00	0.1
1/19/18 8:00	0.2	1/19/19 7:00	4.5	1/19/20 7:00	0.1
1/19/18 9:00	0.2	1/19/19 8:00	4.6	1/19/20 8:00	0.1
1/19/18 10:00	0.3	1/19/19 9:00	2.2	1/19/20 9:00	0.1
1/19/18 11:00	0.3	1/19/19 10:00	2.4	1/19/20 10:00	0.1
1/19/18 12:00	0.3	1/19/19 11:00	23.0	1/19/20 11:00	0.1
1/19/18 13:00	0.4	1/19/19 12:00	4.1	1/19/20 12:00	0.1
1/19/18 14:00	0.4	1/19/19 13:00	5.2	1/19/20 13:00	0.1
1/19/18 15:00	0.4	1/19/19 14:00	6.5	1/19/20 14:00	0.1
1/19/18 16:00	0.7	1/19/19 15:00	3.5	1/19/20 15:00	0.1
1/19/18 17:00	0.7	1/19/19 16:00	1.7	1/19/20 16:00	0.1
1/19/18 18:00	0.7	1/19/19 17:00	58.5	1/19/20 17:00	0.1
1/19/18 19:00	0.6	1/19/19 18:00	1.8	1/19/20 18:00	0.1
1/19/18 20:00	0.6	1/19/19 19:00	3.2	1/19/20 19:00	0.1
1/19/18 21:00	0.9	1/19/19 20:00	27.1	1/19/20 20:00	0.1
1/19/18 22:00	1.0	1/19/19 21:00	5.5	1/19/20 21:00	0.1
1/19/18 23:00	0.7	1/19/19 22:00	5.4	1/19/20 22:00	0.1
1/20/18 0:00	0.5	1/19/19 23:00	39.3	1/19/20 23:00	0.1
1/20/18 1:00	0.5	1/20/19 0:00	44.3	1/20/20 0:00	0.1
1/20/18 2:00	0.6	1/20/19 1:00	27.1	1/20/20 1:00	0.1
1/20/18 3:00	0.5	1/20/19 2:00	10.0	1/20/20 2:00	0.1
1/20/18 4:00	0.3	1/20/19 3:00	9.2	1/20/20 3:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
1/20/18 5:00	0.3	1/20/19 4:00	7.0	1/20/20 4:00	0.1
1/20/18 6:00	0.3	1/20/19 5:00	11.5	1/20/20 5:00	0.1
1/20/18 7:00	0.3	1/20/19 6:00	2.8	1/20/20 6:00	0.1
1/20/18 8:00	0.3	1/20/19 7:00	3.6	1/20/20 7:00	0.2
1/20/18 9:00	0.3	1/20/19 8:00	4.3	1/20/20 8:00	0.2
1/20/18 10:00	0.5	1/20/19 9:00	5.4	1/20/20 9:00	0.2
1/20/18 11:00	0.8	1/20/19 10:00	3.3	1/20/20 10:00	0.2
1/20/18 12:00	0.8	1/20/19 11:00	2.4	1/20/20 11:00	0.2
1/20/18 13:00	0.7	1/20/19 12:00	0.3	1/20/20 12:00	0.2
1/20/18 14:00	0.6	1/20/19 13:00	0.5	1/20/20 13:00	0.2
1/20/18 15:00	0.6	1/20/19 14:00	0.6	1/20/20 14:00	0.2
1/20/18 16:00	0.7	1/20/19 15:00	0.6	1/20/20 15:00	0.3
1/20/18 17:00	0.6	1/20/19 16:00	0.8	1/20/20 16:00	0.3
1/20/18 18:00	0.6	1/20/19 17:00	0.7	1/20/20 17:00	0.2
1/20/18 19:00	0.5	1/20/19 18:00	0.7	1/20/20 18:00	0.2
1/20/18 20:00	0.5	1/20/19 19:00	0.9	1/20/20 19:00	0.2
1/20/18 21:00	0.3	1/20/19 20:00	0.7	1/20/20 20:00	0.2
1/20/18 22:00	0.4	1/20/19 21:00	0.8	1/20/20 21:00	0.2
1/20/18 23:00	0.3	1/20/19 22:00	0.8	1/20/20 22:00	0.2
1/21/18 0:00	0.4	1/20/19 23:00	0.7	1/20/20 23:00	0.2
1/21/18 1:00	0.5	1/21/19 0:00	0.9	1/21/20 0:00	0.2
1/21/18 2:00	0.5	1/21/19 1:00	0.9	1/21/20 1:00	0.2
1/21/18 3:00	0.5	1/21/19 2:00	1.0	1/21/20 2:00	0.3
1/21/18 4:00	0.4	1/21/19 3:00	1.1	1/21/20 3:00	0.3
1/21/18 5:00	0.5	1/21/19 4:00	1.0	1/21/20 4:00	0.3
1/21/18 6:00	0.5	1/21/19 5:00	0.9	1/21/20 5:00	0.3
1/21/18 7:00	0.5	1/21/19 6:00	0.9	1/21/20 6:00	0.2
1/21/18 8:00	0.4	1/21/19 7:00	0.9	1/21/20 7:00	0.2
1/21/18 9:00	0.3	1/21/19 8:00	0.8	1/21/20 8:00	0.3
1/21/18 10:00	0.3	1/21/19 9:00	0.7	1/21/20 9:00	0.2
1/21/18 11:00	0.3	1/21/19 10:00	0.9	1/21/20 10:00	0.1
1/21/18 12:00	0.3	1/21/19 11:00	0.8	1/21/20 11:00	0.1
1/21/18 13:00	0.3	1/21/19 12:00	0.6	1/21/20 12:00	0.1
1/21/18 14:00	0.3	1/21/19 13:00	0.8	1/21/20 13:00	0.2
1/21/18 15:00	0.3	1/21/19 14:00	0.7	1/21/20 14:00	0.1
1/21/18 16:00	0.3	1/21/19 15:00	0.7	1/21/20 15:00	0.2
1/21/18 17:00	0.3	1/21/19 16:00	0.7	1/21/20 16:00	0.1
1/21/18 18:00	0.3	1/21/19 17:00	0.7	1/21/20 17:00	0.1
1/21/18 19:00	0.3	1/21/19 18:00	0.8	1/21/20 18:00	0.1
1/21/18 20:00	0.3	1/21/19 19:00	0.7	1/21/20 19:00	0.1
1/21/18 21:00	0.3	1/21/19 20:00	0.7	1/21/20 20:00	0.1
1/21/18 22:00	0.3	1/21/19 21:00	0.8	1/21/20 21:00	0.1
1/21/18 23:00	0.4	1/21/19 22:00	0.8	1/21/20 22:00	0.1
1/22/18 0:00	0.4	1/21/19 23:00	0.8	1/21/20 23:00	0.1
1/22/18 1:00	0.4	1/22/19 0:00	0.7	1/22/20 0:00	0.1
1/22/18 2:00	0.5	1/22/19 1:00	0.7	1/22/20 1:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
1/22/18 3:00	0.4	1/22/19 2:00	0.7	1/22/20 2:00	0.1
1/22/18 4:00	0.3	1/22/19 3:00	0.7	1/22/20 3:00	0.1
1/22/18 5:00	0.3	1/22/19 4:00	0.8	1/22/20 4:00	0.1
1/22/18 6:00	0.3	1/22/19 5:00	0.7	1/22/20 5:00	0.1
1/22/18 7:00	0.3	1/22/19 6:00	0.6	1/22/20 6:00	0.1
1/22/18 8:00	0.3	1/22/19 7:00	0.4	1/22/20 7:00	0.1
1/22/18 9:00	0.3	1/22/19 8:00	0.5	1/22/20 8:00	0.1
1/22/18 10:00	0.2	1/22/19 9:00	0.5	1/22/20 9:00	0.2
1/22/18 11:00	0.3	1/22/19 10:00	0.6	1/22/20 10:00	0.2
1/22/18 12:00	0.3	1/22/19 11:00	0.2	1/22/20 11:00	0.2
1/22/18 13:00	0.3	1/22/19 12:00	0.4	1/22/20 12:00	0.2
1/22/18 14:00	0.3	1/22/19 13:00	0.3	1/22/20 13:00	0.2
1/22/18 15:00	0.3	1/22/19 16:00	0.4	1/22/20 14:00	0.2
1/22/18 16:00	0.3	1/22/19 17:00	0.4	1/22/20 15:00	0.2
1/22/18 17:00	0.2	1/22/19 18:00	0.5	1/22/20 16:00	0.2
1/22/18 18:00	0.2	1/22/19 19:00	0.6	1/22/20 17:00	0.2
1/22/18 19:00	0.3	1/22/19 20:00	0.5	1/22/20 18:00	0.2
1/22/18 20:00	0.3	1/22/19 21:00	0.5	1/22/20 19:00	0.3
1/22/18 21:00	0.3	1/22/19 22:00	0.4	1/22/20 20:00	0.3
1/22/18 22:00	0.5	1/22/19 23:00	0.4	1/22/20 21:00	0.3
1/22/18 23:00	0.5	1/23/19 0:00	0.4	1/22/20 22:00	0.3
1/23/18 0:00	0.5	1/23/19 1:00	0.5	1/22/20 23:00	0.3
1/23/18 1:00	0.4	1/23/19 2:00	0.5	1/23/20 0:00	0.3
1/23/18 2:00	0.6	1/23/19 3:00	0.5	1/23/20 1:00	0.2
1/23/18 3:00	0.6	1/23/19 4:00	0.4	1/23/20 2:00	0.3
1/23/18 4:00	0.6	1/23/19 5:00	0.4	1/23/20 3:00	0.3
1/23/18 5:00	0.5	1/23/19 6:00	0.4	1/23/20 4:00	0.3
1/23/18 6:00	0.5	1/23/19 7:00	0.3	1/23/20 5:00	0.3
1/23/18 7:00	0.6	1/23/19 8:00	0.4	1/23/20 6:00	0.2
1/23/18 8:00	0.5	1/23/19 9:00	0.4	1/23/20 7:00	0.3
1/23/18 9:00	0.4	1/23/19 10:00	0.4	1/23/20 8:00	0.2
1/23/18 10:00	0.2	1/23/19 11:00	0.4	1/23/20 9:00	0.3
1/23/18 11:00	0.4	1/23/19 12:00	0.3	1/23/20 10:00	0.3
1/23/18 12:00	0.8	1/23/19 13:00	0.3	1/23/20 11:00	0.3
1/23/18 13:00	0.6	1/23/19 14:00	0.3	1/23/20 12:00	0.4
1/23/18 14:00	0.3	1/23/19 15:00	0.3	1/23/20 13:00	0.2
1/23/18 15:00	0.3	1/23/19 16:00	0.3	1/23/20 14:00	0.2
1/23/18 16:00	0.3	1/23/19 17:00	0.3	1/23/20 15:00	0.2
1/23/18 17:00	0.3	1/23/19 18:00	0.3	1/23/20 16:00	0.1
1/23/18 18:00	0.6	1/23/19 19:00	0.3	1/23/20 17:00	0.2
1/23/18 19:00	0.6	1/23/19 20:00	0.3	1/23/20 18:00	0.2
1/23/18 20:00	0.6	1/23/19 21:00	0.4	1/23/20 19:00	0.2
1/23/18 21:00	0.6	1/23/19 22:00	0.4	1/23/20 20:00	0.2
1/23/18 22:00	0.6	1/23/19 23:00	0.4	1/23/20 21:00	0.1
1/23/18 23:00	0.6	1/24/19 0:00	0.4	1/23/20 22:00	0.1
1/24/18 0:00	0.6	1/24/19 1:00	0.5	1/23/20 23:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
1/24/18 1:00	0.7	1/24/19 2:00	0.5	1/24/20 0:00	0.2
1/24/18 2:00	0.7	1/24/19 3:00	0.5	1/24/20 1:00	0.1
1/24/18 3:00	0.7	1/24/19 4:00	0.5	1/24/20 2:00	0.2
1/24/18 4:00	0.6	1/24/19 5:00	0.5	1/24/20 3:00	0.2
1/24/18 5:00	0.6	1/24/19 6:00	0.5	1/24/20 4:00	0.1
1/24/18 6:00	0.6	1/24/19 7:00	0.5	1/24/20 5:00	0.1
1/24/18 7:00	0.8	1/24/19 8:00	0.5	1/24/20 6:00	0.1
1/24/18 8:00	0.8	1/24/19 9:00	0.5	1/24/20 7:00	0.2
1/24/18 9:00	0.8	1/24/19 10:00	0.6	1/24/20 8:00	0.1
1/24/18 10:00	0.8	1/24/19 11:00	0.5	1/24/20 9:00	0.2
1/24/18 11:00	0.8	1/24/19 12:00	0.6	1/24/20 10:00	0.2
1/24/18 12:00	0.8	1/24/19 13:00	0.6	1/24/20 11:00	0.2
1/24/18 13:00	0.8	1/24/19 14:00	0.6	1/24/20 12:00	0.2
1/24/18 14:00	0.8	1/24/19 15:00	0.6	1/24/20 13:00	0.2
1/24/18 15:00	0.8	1/24/19 16:00	0.8	1/24/20 14:00	0.2
1/24/18 16:00	0.5	1/24/19 17:00	0.9	1/24/20 15:00	0.2
1/24/18 17:00	0.4	1/24/19 18:00	0.9	1/24/20 16:00	0.2
1/24/18 18:00	0.4	1/24/19 19:00	0.7	1/24/20 17:00	0.2
1/24/18 19:00	0.4	1/24/19 20:00	0.7	1/24/20 18:00	0.2
1/24/18 20:00	0.4	1/24/19 21:00	0.7	1/24/20 19:00	0.2
1/24/18 21:00	0.4	1/24/19 22:00	0.6	1/24/20 20:00	0.2
1/24/18 22:00	0.4	1/24/19 23:00	0.7	1/24/20 21:00	0.2
1/24/18 23:00	0.4	1/25/19 0:00	0.6	1/24/20 22:00	0.2
1/25/18 0:00	0.4	1/25/19 1:00	0.6	1/24/20 23:00	0.2
1/25/18 1:00	0.3	1/25/19 2:00	0.7	1/25/20 0:00	0.3
1/25/18 2:00	0.3	1/25/19 3:00	0.5	1/25/20 1:00	0.2
1/25/18 3:00	0.4	1/25/19 4:00	0.5	1/25/20 2:00	0.2
1/25/18 4:00	0.5	1/25/19 5:00	0.5	1/25/20 3:00	0.2
1/25/18 5:00	0.4	1/25/19 6:00	0.7	1/25/20 4:00	0.2
1/25/18 6:00	0.4	1/25/19 7:00	0.8	1/25/20 5:00	0.1
1/25/18 7:00	0.4	1/25/19 8:00	0.8	1/25/20 6:00	0.1
1/25/18 8:00	0.4	1/25/19 9:00	0.7	1/25/20 7:00	0.2
1/25/18 9:00	0.4	1/25/19 10:00	0.7	1/25/20 8:00	0.2
1/25/18 10:00	0.3	1/25/19 11:00	0.6	1/25/20 9:00	0.3
1/25/18 11:00	0.3	1/25/19 12:00	0.7	1/25/20 10:00	0.2
1/25/18 12:00	0.5	1/25/19 13:00	0.6	1/25/20 11:00	0.2
1/25/18 13:00	0.5	1/25/19 14:00	0.7	1/25/20 12:00	0.2
1/25/18 14:00	0.5	1/25/19 15:00	0.7	1/25/20 13:00	0.2
1/25/18 15:00	0.4	1/25/19 16:00	0.7	1/25/20 14:00	0.3
1/25/18 16:00	0.3	1/25/19 17:00	0.6	1/25/20 15:00	0.4
1/25/18 17:00	0.3	1/25/19 18:00	0.7	1/25/20 16:00	0.4
1/25/18 18:00	0.3	1/25/19 19:00	0.7	1/25/20 17:00	0.4
1/25/18 19:00	0.3	1/25/19 20:00	0.7	1/25/20 18:00	0.4
1/25/18 20:00	0.3	1/25/19 21:00	0.7	1/25/20 19:00	0.3
1/25/18 21:00	0.3	1/25/19 22:00	0.8	1/25/20 20:00	0.4
1/25/18 22:00	0.2	1/25/19 23:00	0.7	1/25/20 21:00	0.4

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
1/25/18 23:00	0.2	1/26/19 0:00	0.7	1/25/20 22:00	0.4
1/26/18 0:00	0.2	1/26/19 1:00	0.7	1/25/20 23:00	0.4
1/26/18 1:00	0.3	1/26/19 2:00	0.7	1/26/20 0:00	0.4
1/26/18 2:00	0.3	1/26/19 3:00	0.8	1/26/20 1:00	0.4
1/26/18 3:00	0.3	1/26/19 4:00	0.7	1/26/20 2:00	0.2
1/26/18 4:00	0.3	1/26/19 5:00	0.7	1/26/20 3:00	0.2
1/26/18 5:00	0.3	1/26/19 6:00	0.6	1/26/20 4:00	0.2
1/26/18 6:00	0.3	1/26/19 7:00	0.5	1/26/20 5:00	0.2
1/26/18 7:00	0.3	1/26/19 8:00	0.5	1/26/20 6:00	0.2
1/26/18 8:00	0.3	1/26/19 9:00	0.5	1/26/20 7:00	0.2
1/26/18 9:00	0.3	1/26/19 10:00	0.5	1/26/20 8:00	0.2
1/26/18 10:00	0.3	1/26/19 11:00	0.5	1/26/20 9:00	0.2
1/26/18 11:00	0.3	1/26/19 12:00	0.4	1/26/20 10:00	0.2
1/26/18 12:00	0.3	1/26/19 13:00	0.5	1/26/20 11:00	0.2
1/26/18 13:00	0.3	1/26/19 14:00	0.6	1/26/20 12:00	0.2
1/26/18 14:00	0.6	1/26/19 15:00	0.6	1/26/20 13:00	0.3
1/26/18 15:00	0.3	1/26/19 16:00	0.6	1/26/20 14:00	0.3
1/26/18 16:00	0.4	1/26/19 17:00	0.6	1/26/20 15:00	0.3
1/26/18 17:00	0.5	1/26/19 18:00	0.6	1/26/20 16:00	0.3
1/26/18 18:00	0.4	1/26/19 19:00	0.6	1/26/20 17:00	0.3
1/26/18 19:00	0.4	1/26/19 20:00	0.5	1/26/20 18:00	0.2
1/26/18 20:00	0.4	1/26/19 21:00	0.5	1/26/20 19:00	0.2
1/26/18 21:00	0.4	1/26/19 22:00	0.5	1/26/20 20:00	0.2
1/26/18 22:00	0.4	1/26/19 23:00	0.5	1/26/20 21:00	0.2
1/26/18 23:00	0.3	1/27/19 0:00	0.5	1/26/20 22:00	0.1
1/27/18 0:00	0.4	1/27/19 1:00	0.5	1/26/20 23:00	0.2
1/27/18 1:00	0.3	1/27/19 2:00	0.5	1/27/20 0:00	0.2
1/27/18 2:00	0.3	1/27/19 3:00	0.5	1/27/20 1:00	0.2
1/27/18 3:00	0.4	1/27/19 4:00	0.5	1/27/20 2:00	0.2
1/27/18 4:00	0.4	1/27/19 5:00	0.5	1/27/20 3:00	0.2
1/27/18 5:00	0.4	1/27/19 6:00	0.6	1/27/20 4:00	0.2
1/27/18 6:00	0.4	1/27/19 7:00	0.6	1/27/20 5:00	0.1
1/27/18 7:00	0.4	1/27/19 8:00	0.5	1/27/20 6:00	0.1
1/27/18 8:00	0.4	1/27/19 9:00	0.6	1/27/20 7:00	0.1
1/27/18 9:00	0.4	1/27/19 10:00	0.6	1/27/20 8:00	0.1
1/27/18 10:00	0.4	1/27/19 11:00	0.6	1/27/20 9:00	0.1
1/27/18 11:00	0.4	1/27/19 12:00	0.6	1/27/20 10:00	0.2
1/27/18 12:00	0.4	1/27/19 13:00	0.5	1/27/20 11:00	0.2
1/27/18 13:00	0.4	1/27/19 14:00	0.5	1/27/20 12:00	0.2
1/27/18 14:00	0.4	1/27/19 15:00	0.5	1/27/20 13:00	0.2
1/27/18 15:00	0.3	1/27/19 16:00	0.5	1/27/20 14:00	0.2
1/27/18 16:00	0.3	1/27/19 17:00	0.5	1/27/20 15:00	0.2
1/27/18 17:00	0.3	1/27/19 18:00	0.5	1/27/20 16:00	0.1
1/27/18 18:00	0.4	1/27/19 19:00	0.5	1/27/20 17:00	0.1
1/27/18 19:00	0.4	1/27/19 20:00	0.5	1/27/20 18:00	0.1
1/27/18 20:00	0.4	1/27/19 21:00	0.6	1/27/20 19:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
1/27/18 21:00	0.4	1/27/19 22:00	0.5	1/27/20 20:00	0.1
1/27/18 22:00	0.4	1/27/19 23:00	0.5	1/27/20 21:00	0.2
1/27/18 23:00	0.3	1/28/19 0:00	0.5	1/27/20 22:00	0.2
1/28/18 0:00	0.3	1/28/19 1:00	0.6	1/27/20 23:00	0.2
1/28/18 1:00	0.3	1/28/19 2:00	0.6	1/28/20 0:00	0.2
1/28/18 2:00	0.2	1/28/19 3:00	0.6	1/28/20 1:00	0.5
1/28/18 3:00	0.2	1/28/19 4:00	0.5	1/28/20 2:00	0.5
1/28/18 4:00	0.3	1/28/19 5:00	0.5	1/28/20 3:00	0.5
1/28/18 5:00	0.4	1/28/19 6:00	0.6	1/28/20 4:00	0.5
1/28/18 6:00	0.3	1/28/19 7:00	0.6	1/28/20 5:00	0.5
1/28/18 7:00	0.3	1/28/19 8:00	0.6	1/28/20 6:00	0.5
1/28/18 8:00	0.3	1/28/19 9:00	0.5	1/28/20 7:00	0.4
1/28/18 9:00	0.4	1/28/19 10:00	0.6	1/28/20 8:00	0.4
1/28/18 10:00	0.4	1/28/19 11:00	0.6	1/28/20 9:00	0.2
1/28/18 11:00	0.4	1/28/19 12:00	0.6	1/28/20 10:00	0.3
1/28/18 12:00	0.4	1/28/19 13:00	0.6	1/28/20 11:00	0.5
1/28/18 13:00	0.4	1/28/19 14:00	0.5	1/28/20 12:00	0.4
1/28/18 14:00	0.4	1/28/19 15:00	0.5	1/28/20 13:00	0.5
1/28/18 15:00	0.4	1/28/19 16:00	0.5	1/28/20 14:00	0.5
1/28/18 16:00	0.4	1/28/19 17:00	0.5	1/28/20 15:00	0.4
1/28/18 17:00	0.4	1/28/19 18:00	0.5	1/28/20 16:00	0.5
1/28/18 18:00	0.4	1/28/19 19:00	0.5	1/28/20 17:00	0.4
1/28/18 19:00	0.4	1/28/19 20:00	0.4	1/28/20 18:00	0.4
1/28/18 20:00	0.3	1/28/19 21:00	0.3	1/28/20 19:00	0.2
1/28/18 21:00	0.4	1/28/19 22:00	0.4	1/28/20 20:00	0.2
1/28/18 22:00	0.3	1/28/19 23:00	0.4	1/28/20 21:00	0.2
1/28/18 23:00	0.4	1/29/19 0:00	0.4	1/28/20 22:00	0.2
1/29/18 0:00	0.4	1/29/19 1:00	0.3	1/28/20 23:00	0.2
1/29/18 1:00	0.4	1/29/19 2:00	0.3	1/29/20 0:00	0.2
1/29/18 2:00	0.4	1/29/19 3:00	0.3	1/29/20 1:00	0.2
1/29/18 3:00	0.3	1/29/19 4:00	0.4	1/29/20 2:00	0.2
1/29/18 4:00	0.3	1/29/19 5:00	0.4	1/29/20 3:00	0.2
1/29/18 5:00	0.3	1/29/19 6:00	0.3	1/29/20 4:00	0.2
1/29/18 6:00	0.3	1/29/19 7:00	0.4	1/29/20 5:00	0.2
1/29/18 7:00	0.3	1/29/19 8:00	0.4	1/29/20 6:00	0.2
1/29/18 8:00	0.3	1/29/19 9:00	0.5	1/29/20 7:00	0.2
1/29/18 9:00	0.3	1/29/19 10:00	0.7	1/29/20 8:00	0.2
1/29/18 10:00	0.2	1/29/19 11:00	0.5	1/29/20 9:00	0.2
1/29/18 11:00	0.2	1/29/19 12:00	0.5	1/29/20 10:00	0.2
1/29/18 12:00	0.2	1/29/19 13:00	0.5	1/29/20 11:00	0.5
1/29/18 13:00	0.2	1/29/19 14:00	0.4	1/29/20 12:00	0.2
1/29/18 14:00	0.3	1/29/19 15:00	0.4	1/29/20 13:00	0.2
1/29/18 15:00	0.3	1/29/19 16:00	0.5	1/29/20 14:00	0.2
1/29/18 16:00	0.3	1/29/19 17:00	0.4	1/29/20 15:00	0.2
1/29/18 17:00	0.2	1/29/19 18:00	0.4	1/29/20 16:00	0.2
1/29/18 18:00	0.2	1/29/19 19:00	0.5	1/29/20 17:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
1/29/18 19:00	0.3	1/29/19 20:00	0.4	1/29/20 18:00	0.2
1/29/18 20:00	0.2	1/29/19 21:00	0.4	1/29/20 19:00	0.2
1/29/18 21:00	0.2	1/29/19 22:00	0.6	1/29/20 20:00	0.2
1/29/18 22:00	0.2	1/29/19 23:00	0.7	1/29/20 21:00	0.2
1/29/18 23:00	0.2	1/30/19 0:00	0.7	1/29/20 22:00	0.2
1/30/18 0:00	0.1	1/30/19 1:00	0.6	1/29/20 23:00	0.1
1/30/18 1:00	0.1	1/30/19 2:00	0.5	1/30/20 0:00	0.2
1/30/18 2:00	0.5	1/30/19 3:00	0.6	1/30/20 1:00	0.1
1/30/18 3:00	0.7	1/30/19 4:00	0.6	1/30/20 2:00	0.1
1/30/18 4:00	0.7	1/30/19 5:00	0.6	1/30/20 3:00	0.2
1/30/18 5:00	0.8	1/30/19 6:00	0.6	1/30/20 4:00	0.2
1/30/18 6:00	0.7	1/30/19 7:00	0.5	1/30/20 5:00	0.1
1/30/18 7:00	0.6	1/30/19 8:00	0.5	1/30/20 6:00	0.1
1/30/18 8:00	0.6	1/30/19 9:00	0.4	1/30/20 7:00	0.1
1/30/18 9:00	0.3	1/30/19 10:00	0.5	1/30/20 8:00	0.2
1/30/18 10:00	0.3	1/30/19 11:00	0.4	1/30/20 9:00	0.1
1/30/18 11:00	0.6	1/30/19 12:00	0.4	1/30/20 10:00	0.1
1/30/18 12:00	0.5	1/30/19 13:00	0.4	1/30/20 11:00	0.1
1/30/18 13:00	0.5	1/30/19 14:00	0.3	1/30/20 12:00	0.1
1/30/18 14:00	0.6	1/30/19 15:00	0.4	1/30/20 13:00	0.1
1/30/18 15:00	0.6	1/30/19 16:00	0.4	1/30/20 14:00	0.1
1/30/18 16:00	0.6	1/30/19 17:00	0.3	1/30/20 15:00	0.1
1/30/18 17:00	0.6	1/30/19 18:00	0.3	1/30/20 16:00	0.1
1/30/18 18:00	0.6	1/30/19 19:00	0.3	1/30/20 17:00	0.1
1/30/18 19:00	0.4	1/30/19 20:00	0.7	1/30/20 18:00	0.1
1/30/18 20:00	0.3	1/30/19 21:00	0.7	1/30/20 19:00	0.1
1/30/18 21:00	0.4	1/30/19 22:00	0.8	1/30/20 20:00	0.1
1/30/18 22:00	0.2	1/30/19 23:00	0.8	1/30/20 21:00	0.1
1/30/18 23:00	0.3	1/31/19 0:00	0.8	1/30/20 22:00	0.1
1/31/18 0:00	0.2	1/31/19 1:00	0.8	1/30/20 23:00	0.1
1/31/18 1:00	0.2	1/31/19 2:00	0.7	1/31/20 0:00	0.1
1/31/18 2:00	0.2	1/31/19 3:00	0.6	1/31/20 1:00	0.1
1/31/18 3:00	0.2	1/31/19 4:00	0.6	1/31/20 2:00	0.1
1/31/18 4:00	0.2	1/31/19 5:00	0.6	1/31/20 3:00	0.1
1/31/18 5:00	0.2	1/31/19 6:00	0.6	1/31/20 4:00	0.1
1/31/18 6:00	0.3	1/31/19 7:00	0.6	1/31/20 5:00	0.1
1/31/18 7:00	0.2	1/31/19 8:00	0.6	1/31/20 6:00	0.1
1/31/18 8:00	0.2	1/31/19 9:00	0.5	1/31/20 7:00	0.1
1/31/18 9:00	0.2	1/31/19 10:00	0.5	1/31/20 8:00	0.1
1/31/18 10:00	0.3	1/31/19 11:00	0.6	1/31/20 9:00	0.2
1/31/18 11:00	0.2	1/31/19 12:00	0.5	1/31/20 10:00	0.2
1/31/18 12:00	0.2	1/31/19 13:00	0.5	1/31/20 11:00	0.2
1/31/18 13:00	0.2	1/31/19 14:00	0.3	1/31/20 12:00	0.2
1/31/18 14:00	0.2	1/31/19 15:00	0.3	1/31/20 13:00	0.2
1/31/18 15:00	0.2	1/31/19 16:00	0.4	1/31/20 14:00	0.2
1/31/18 16:00	0.3	1/31/19 17:00	0.3	1/31/20 15:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
1/31/18 17:00	0.2	1/31/19 18:00	0.3	1/31/20 16:00	0.2
1/31/18 18:00	0.2	1/31/19 19:00	0.3	1/31/20 17:00	0.2
1/31/18 19:00	0.3	1/31/19 20:00	0.3	1/31/20 18:00	0.2
1/31/18 20:00	0.3	1/31/19 21:00	0.3	1/31/20 19:00	0.2
1/31/18 21:00	0.4	1/31/19 22:00	0.3	1/31/20 20:00	0.2
1/31/18 22:00	0.7	1/31/19 23:00	0.3	1/31/20 21:00	0.2
1/31/18 23:00	0.5	2/1/19 0:00	0.3	1/31/20 22:00	0.2
2/1/18 0:00	0.3	2/1/19 1:00	0.3	1/31/20 23:00	0.2
2/1/18 1:00	0.5	2/1/19 2:00	0.3	2/1/20 0:00	0.2
2/1/18 2:00	0.6	2/1/19 3:00	0.3	2/1/20 1:00	0.2
2/1/18 3:00	0.5	2/1/19 4:00	0.3	2/1/20 2:00	0.1
2/1/18 4:00	0.5	2/1/19 5:00	0.3	2/1/20 3:00	0.1
2/1/18 5:00	0.3	2/1/19 6:00	0.3	2/1/20 4:00	0.1
2/1/18 6:00	0.3	2/1/19 7:00	0.2	2/1/20 5:00	0.1
2/1/18 7:00	0.4	2/1/19 8:00	0.2	2/1/20 6:00	0.2
2/1/18 8:00	0.3	2/1/19 9:00	0.3	2/1/20 7:00	0.3
2/1/18 9:00	0.4	2/1/19 10:00	0.3	2/1/20 8:00	0.3
2/1/18 10:00	0.5	2/1/19 11:00	0.4	2/1/20 9:00	0.3
2/1/18 11:00	0.4	2/1/19 12:00	0.4	2/1/20 10:00	0.2
2/1/18 12:00	0.4	2/1/19 13:00	0.4	2/1/20 11:00	0.1
2/1/18 13:00	0.4	2/1/19 14:00	0.4	2/1/20 12:00	0.2
2/1/18 14:00	0.4	2/1/19 15:00	0.4	2/1/20 13:00	0.2
2/1/18 15:00	0.4	2/1/19 16:00	0.3	2/1/20 14:00	0.2
2/1/18 16:00	0.4	2/1/19 17:00	0.4	2/1/20 15:00	0.2
2/1/18 17:00	0.3	2/1/19 18:00	0.4	2/1/20 16:00	0.2
2/1/18 18:00	0.3	2/1/19 19:00	0.4	2/1/20 17:00	0.2
2/1/18 19:00	0.3	2/1/19 20:00	0.4	2/1/20 18:00	0.1
2/1/18 20:00	0.3	2/1/19 21:00	0.4	2/1/20 19:00	0.2
2/1/18 21:00	0.3	2/1/19 22:00	0.4	2/1/20 20:00	0.1
2/1/18 22:00	0.3	2/1/19 23:00	0.4	2/1/20 21:00	0.1
2/1/18 23:00	0.3	2/2/19 0:00	0.5	2/1/20 22:00	0.1
2/2/18 0:00	0.3	2/2/19 1:00	0.5	2/1/20 23:00	0.1
2/2/18 1:00	0.3	2/2/19 2:00	0.5	2/2/20 0:00	0.1
2/2/18 2:00	0.3	2/2/19 3:00	0.4	2/2/20 1:00	0.1
2/2/18 3:00	0.3	2/2/19 4:00	0.4	2/2/20 2:00	0.1
2/2/18 4:00	0.3	2/2/19 5:00	0.4	2/2/20 3:00	0.1
2/2/18 5:00	0.3	2/2/19 6:00	0.4	2/2/20 4:00	0.1
2/2/18 6:00	0.4	2/2/19 7:00	0.3	2/2/20 5:00	0.1
2/2/18 7:00	0.4	2/2/19 8:00	0.4	2/2/20 6:00	0.1
2/2/18 8:00	0.3	2/2/19 9:00	0.4	2/2/20 7:00	0.2
2/2/18 9:00	0.4	2/2/19 10:00	0.5	2/2/20 8:00	0.1
2/2/18 10:00	0.3	2/2/19 11:00	0.4	2/2/20 9:00	0.2
2/2/18 11:00	0.3	2/2/19 12:00	0.4	2/2/20 10:00	0.2
2/2/18 12:00	0.3	2/2/19 13:00	0.3	2/2/20 11:00	0.1
2/2/18 13:00	0.3	2/2/19 14:00	0.3	2/2/20 12:00	0.1
2/2/18 14:00	0.3	2/2/19 15:00	0.4	2/2/20 13:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
2/2/18 15:00	0.5	2/2/19 16:00	0.4	2/2/20 14:00	0.1
2/2/18 16:00	0.5	2/2/19 17:00	0.4	2/2/20 15:00	0.1
2/2/18 17:00	0.6	2/2/19 18:00	0.5	2/2/20 16:00	0.1
2/2/18 18:00	0.7	2/2/19 19:00	0.4	2/2/20 17:00	0.1
2/2/18 19:00	0.7	2/2/19 20:00	0.4	2/2/20 18:00	0.1
2/2/18 20:00	0.7	2/2/19 21:00	0.4	2/2/20 19:00	0.1
2/2/18 21:00	0.7	2/2/19 22:00	0.4	2/2/20 20:00	0.1
2/2/18 22:00	0.7	2/2/19 23:00	0.4	2/2/20 21:00	0.1
2/2/18 23:00	0.6	2/3/19 0:00	0.3	2/2/20 22:00	0.1
2/3/18 0:00	0.9	2/3/19 1:00	0.3	2/2/20 23:00	0.1
2/3/18 1:00	1.0	2/3/19 2:00	0.4	2/3/20 0:00	0.2
2/3/18 2:00	1.0	2/3/19 3:00	0.4	2/3/20 1:00	0.1
2/3/18 3:00	1.0	2/3/19 4:00	0.4	2/3/20 2:00	0.2
2/3/18 4:00	1.0	2/3/19 5:00	0.3	2/3/20 3:00	0.1
2/3/18 5:00	1.0	2/3/19 6:00	0.3	2/3/20 4:00	0.1
2/3/18 6:00	0.8	2/3/19 7:00	0.3	2/3/20 5:00	0.1
2/3/18 7:00	0.9	2/3/19 8:00	0.4	2/3/20 6:00	0.1
2/3/18 8:00	1.1	2/3/19 9:00	0.4	2/3/20 7:00	0.2
2/3/18 9:00	0.9	2/3/19 10:00	0.4	2/3/20 8:00	0.1
2/3/18 10:00	1.0	2/3/19 11:00	0.3	2/3/20 9:00	0.1
2/3/18 11:00	0.8	2/3/19 12:00	0.3	2/3/20 10:00	0.1
2/3/18 12:00	0.8	2/3/19 13:00	0.4	2/3/20 11:00	0.1
2/3/18 13:00	0.7	2/3/19 14:00	0.3	2/3/20 12:00	0.1
2/3/18 14:00	0.8	2/3/19 15:00	0.3	2/3/20 13:00	0.1
2/3/18 15:00	0.4	2/3/19 16:00	0.3	2/3/20 14:00	0.1
2/3/18 16:00	0.5	2/3/19 17:00	0.4	2/3/20 15:00	0.1
2/3/18 17:00	0.6	2/3/19 18:00	0.4	2/3/20 16:00	0.1
2/3/18 18:00	0.5	2/3/19 19:00	0.4	2/3/20 17:00	0.1
2/3/18 19:00	0.5	2/3/19 20:00	0.4	2/3/20 18:00	0.1
2/3/18 20:00	0.5	2/3/19 21:00	0.3	2/3/20 19:00	0.1
2/3/18 21:00	0.6	2/3/19 22:00	0.2	2/3/20 20:00	0.1
2/3/18 22:00	0.5	2/3/19 23:00	0.3	2/3/20 21:00	0.1
2/3/18 23:00	0.6	2/4/19 0:00	0.3	2/3/20 22:00	0.1
2/4/18 0:00	0.5	2/4/19 1:00	0.3	2/3/20 23:00	0.1
2/4/18 1:00	0.4	2/4/19 2:00	0.3	2/4/20 0:00	0.1
2/4/18 2:00	0.4	2/4/19 3:00	0.2	2/4/20 1:00	0.1
2/4/18 3:00	0.5	2/4/19 4:00	0.2	2/4/20 2:00	0.1
2/4/18 4:00	0.4	2/4/19 5:00	0.2	2/4/20 3:00	0.1
2/4/18 5:00	0.4	2/4/19 6:00	0.3	2/4/20 4:00	0.1
2/4/18 6:00	0.4	2/4/19 7:00	0.3	2/4/20 5:00	0.1
2/4/18 7:00	0.4	2/4/19 8:00	0.3	2/4/20 6:00	0.1
2/4/18 8:00	0.4	2/4/19 9:00	0.3	2/4/20 7:00	0.2
2/4/18 9:00	0.4	2/4/19 10:00	0.3	2/4/20 8:00	0.1
2/4/18 10:00	0.3	2/4/19 11:00	0.3	2/4/20 9:00	0.1
2/4/18 11:00	0.3	2/4/19 12:00	0.5	2/4/20 10:00	0.2
2/4/18 12:00	0.3	2/4/19 13:00	0.3	2/4/20 11:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
2/4/18 13:00	0.3	2/4/19 14:00	0.3	2/4/20 12:00	0.2
2/4/18 14:00	0.4	2/4/19 15:00	0.3	2/4/20 13:00	0.2
2/4/18 15:00	0.4	2/4/19 16:00	0.3	2/4/20 14:00	0.2
2/4/18 16:00	0.4	2/4/19 17:00	0.2	2/4/20 15:00	0.2
2/4/18 17:00	0.4	2/4/19 18:00	0.2	2/4/20 16:00	0.2
2/4/18 18:00	0.3	2/4/19 19:00	0.3	2/4/20 17:00	0.2
2/4/18 19:00	0.3	2/4/19 20:00	0.3	2/4/20 18:00	0.1
2/4/18 20:00	0.4	2/4/19 21:00	0.3	2/4/20 19:00	0.2
2/4/18 21:00	0.4	2/4/19 22:00	0.3	2/4/20 20:00	0.2
2/4/18 22:00	0.4	2/4/19 23:00	0.3	2/4/20 21:00	0.2
2/4/18 23:00	0.4	2/5/19 0:00	0.3	2/4/20 22:00	0.2
2/5/18 0:00	0.4	2/5/19 1:00	0.3	2/4/20 23:00	0.3
2/5/18 1:00	0.3	2/5/19 2:00	0.3	2/5/20 0:00	0.3
2/5/18 2:00	0.3	2/5/19 3:00	0.3	2/5/20 1:00	0.3
2/5/18 3:00	0.7	2/5/19 4:00	0.3	2/5/20 2:00	0.3
2/5/18 4:00	0.7	2/5/19 5:00	0.3	2/5/20 3:00	0.3
2/5/18 5:00	0.7	2/5/19 6:00	0.2	2/5/20 4:00	0.4
2/5/18 6:00	0.7	2/5/19 7:00	0.1	2/5/20 5:00	0.3
2/5/18 7:00	0.8	2/5/19 8:00	0.1	2/5/20 6:00	0.3
2/5/18 8:00	0.8	2/5/19 9:00	0.2	2/5/20 7:00	0.3
2/5/18 9:00	0.7	2/5/19 10:00	0.2	2/5/20 8:00	0.2
2/5/18 10:00	0.7	2/5/19 11:00	0.2	2/5/20 9:00	0.2
2/5/18 11:00	0.7	2/5/19 12:00	0.1	2/5/20 10:00	0.2
2/5/18 12:00	0.7	2/5/19 13:00	0.1	2/5/20 11:00	0.2
2/5/18 13:00	0.7	2/5/19 14:00	0.2	2/5/20 12:00	0.2
2/5/18 14:00	0.6	2/5/19 15:00	0.1	2/5/20 13:00	0.2
2/5/18 15:00	0.5	2/5/19 16:00	0.1	2/5/20 14:00	0.2
2/5/18 16:00	0.4	2/5/19 17:00	0.1	2/5/20 15:00	0.3
2/5/18 17:00	0.4	2/5/19 18:00	0.1	2/5/20 16:00	0.3
2/5/18 18:00	0.4	2/5/19 19:00	0.1	2/5/20 17:00	0.3
2/5/18 19:00	0.4	2/5/19 20:00	0.2	2/5/20 18:00	0.2
2/5/18 20:00	0.4	2/5/19 21:00	0.2	2/5/20 19:00	0.3
2/5/18 21:00	0.3	2/5/19 22:00	0.2	2/5/20 20:00	0.3
2/5/18 22:00	0.3	2/5/19 23:00	0.2	2/5/20 21:00	0.3
2/5/18 23:00	0.3	2/6/19 0:00	0.1	2/5/20 22:00	0.3
2/6/18 0:00	0.4	2/6/19 1:00	0.1	2/5/20 23:00	0.3
2/6/18 1:00	0.3	2/6/19 2:00	0.1	2/6/20 0:00	0.3
2/6/18 2:00	0.3	2/6/19 3:00	0.1	2/6/20 1:00	0.2
2/6/18 3:00	0.4	2/6/19 4:00	0.1	2/6/20 2:00	0.2
2/6/18 4:00	0.4	2/6/19 5:00	0.2	2/6/20 3:00	0.3
2/6/18 5:00	0.5	2/6/19 6:00	0.3	2/6/20 4:00	0.2
2/6/18 6:00	0.5	2/6/19 7:00	0.3	2/6/20 5:00	0.2
2/6/18 7:00	0.6	2/6/19 8:00	0.3	2/6/20 6:00	0.2
2/6/18 8:00	0.6	2/6/19 9:00	0.2	2/6/20 7:00	0.2
2/6/18 9:00	0.7	2/6/19 10:00	0.2	2/6/20 8:00	0.3
2/6/18 10:00	0.6	2/6/19 11:00	0.3	2/6/20 9:00	0.3

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
2/6/18 11:00	1.0	2/6/19 12:00	0.3	2/6/20 10:00	0.5
2/6/18 12:00	0.6	2/6/19 13:00	0.3	2/6/20 11:00	0.6
2/6/18 13:00	0.4	2/6/19 14:00	0.2	2/6/20 12:00	0.5
2/6/18 14:00	0.3	2/6/19 15:00	0.3	2/6/20 13:00	0.3
2/6/18 15:00	0.2	2/6/19 16:00	0.3	2/6/20 14:00	0.3
2/6/18 16:00	0.1	2/6/19 17:00	0.3	2/6/20 15:00	0.3
2/6/18 17:00	0.2	2/6/19 18:00	0.7	2/6/20 16:00	0.3
2/6/18 18:00	0.4	2/6/19 19:00	0.9	2/6/20 17:00	0.3
2/6/18 19:00	0.5	2/6/19 20:00	0.4	2/6/20 18:00	0.3
2/6/18 20:00	0.5	2/6/19 21:00	0.9	2/6/20 19:00	0.3
2/6/18 21:00	0.7	2/6/19 22:00	0.2	2/6/20 20:00	0.3
2/6/18 22:00	0.8	2/6/19 23:00	0.4	2/6/20 21:00	0.3
2/6/18 23:00	0.7	2/7/19 0:00	0.8	2/6/20 22:00	0.3
2/7/18 0:00	0.7	2/7/19 1:00	0.8	2/6/20 23:00	0.2
2/7/18 1:00	0.6	2/7/19 2:00	0.5	2/7/20 0:00	0.3
2/7/18 2:00	0.6	2/7/19 3:00	0.3	2/7/20 1:00	0.2
2/7/18 3:00	0.7	2/7/19 4:00	0.4	2/7/20 2:00	0.2
2/7/18 4:00	0.9	2/7/19 5:00	0.3	2/7/20 3:00	0.2
2/7/18 5:00	0.8	2/7/19 6:00	0.3	2/7/20 4:00	0.2
2/7/18 6:00	0.6	2/7/19 7:00	0.3	2/7/20 5:00	0.3
2/7/18 7:00	0.6	2/7/19 8:00	0.3	2/7/20 6:00	0.2
2/7/18 8:00	0.6	2/7/19 9:00	0.3	2/7/20 7:00	0.3
2/7/18 9:00	0.7	2/7/19 10:00	0.3	2/7/20 8:00	0.2
2/7/18 10:00	0.3	2/7/19 11:00	0.3	2/7/20 9:00	0.3
2/7/18 11:00	0.8	2/7/19 12:00	0.4	2/7/20 10:00	0.2
2/7/18 12:00	1.0	2/7/19 13:00	0.5	2/7/20 11:00	0.3
2/7/18 13:00	0.7	2/7/19 14:00	0.5	2/7/20 12:00	0.3
2/7/18 14:00	0.3	2/7/19 15:00	0.5	2/7/20 13:00	0.3
2/7/18 15:00	0.3	2/7/19 16:00	0.4	2/7/20 14:00	0.2
2/7/18 16:00	0.4	2/7/19 17:00	0.3	2/7/20 15:00	0.2
2/7/18 17:00	0.6	2/7/19 18:00	0.3	2/7/20 16:00	0.2
2/7/18 18:00	0.6	2/7/19 19:00	0.2	2/7/20 17:00	0.2
2/7/18 19:00	0.4	2/7/19 20:00	0.2	2/7/20 18:00	0.2
2/7/18 20:00	0.5	2/7/19 21:00	0.2	2/7/20 19:00	0.2
2/7/18 21:00	0.4	2/7/19 22:00	0.2	2/7/20 20:00	0.2
2/7/18 22:00	0.3	2/7/19 23:00	0.2	2/7/20 21:00	0.2
2/7/18 23:00	0.5	2/8/19 0:00	0.2	2/7/20 22:00	0.2
2/8/18 0:00	0.6	2/8/19 1:00	0.2	2/7/20 23:00	0.2
2/8/18 1:00	0.5	2/8/19 2:00	0.2	2/8/20 0:00	0.2
2/8/18 2:00	0.4	2/8/19 3:00	0.2	2/8/20 1:00	0.1
2/8/18 3:00	0.5	2/8/19 4:00	0.2	2/8/20 2:00	0.2
2/8/18 4:00	1.0	2/8/19 5:00	0.2	2/8/20 3:00	0.2
2/8/18 5:00	0.3	2/8/19 6:00	0.2	2/8/20 4:00	0.2
2/8/18 6:00	0.3	2/8/19 7:00	0.3	2/8/20 5:00	0.1
2/8/18 7:00	1.0	2/8/19 8:00	0.3	2/8/20 6:00	0.1
2/8/18 8:00	0.6	2/8/19 9:00	0.3	2/8/20 7:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
2/8/18 9:00	0.5	2/8/19 10:00	0.3	2/8/20 8:00	0.1
2/8/18 10:00	0.5	2/8/19 11:00	0.3	2/8/20 9:00	0.1
2/8/18 11:00	0.4	2/8/19 12:00	0.3	2/8/20 10:00	0.2
2/8/18 12:00	0.5	2/8/19 13:00	0.3	2/8/20 11:00	0.2
2/8/18 13:00	0.3	2/8/19 14:00	0.4	2/8/20 12:00	0.1
2/8/18 14:00	0.3	2/8/19 15:00	0.4	2/8/20 13:00	0.2
2/8/18 15:00	0.3	2/8/19 16:00	0.2	2/8/20 14:00	0.2
2/8/18 16:00	0.3	2/8/19 17:00	0.3	2/8/20 15:00	0.2
2/8/18 17:00	0.2	2/8/19 18:00	0.2	2/8/20 16:00	0.2
2/8/18 18:00	0.2	2/8/19 19:00	0.3	2/8/20 17:00	0.2
2/8/18 19:00	0.3	2/8/19 20:00	0.2	2/8/20 18:00	0.2
2/8/18 20:00	0.2	2/8/19 21:00	0.2	2/8/20 19:00	0.2
2/8/18 21:00	0.3	2/8/19 22:00	0.3	2/8/20 20:00	0.3
2/8/18 22:00	0.3	2/8/19 23:00	0.3	2/8/20 21:00	0.3
2/8/18 23:00	0.3	2/9/19 0:00	0.2	2/8/20 22:00	0.3
2/9/18 0:00	0.3	2/9/19 1:00	0.2	2/8/20 23:00	0.3
2/9/18 1:00	0.3	2/9/19 2:00	0.2	2/9/20 0:00	0.2
2/9/18 2:00	0.4	2/9/19 3:00	0.2	2/9/20 1:00	0.2
2/9/18 3:00	1.8	2/9/19 4:00	0.2	2/9/20 2:00	0.2
2/9/18 4:00	0.2	2/9/19 5:00	0.2	2/9/20 3:00	0.3
2/9/18 5:00	0.9	2/9/19 6:00	0.2	2/9/20 4:00	0.3
2/9/18 6:00	0.2	2/9/19 7:00	0.2	2/9/20 5:00	0.3
2/9/18 7:00	0.2	2/9/19 8:00	0.2	2/9/20 6:00	0.3
2/9/18 8:00	0.2	2/9/19 9:00	0.3	2/9/20 7:00	0.3
2/9/18 9:00	0.2	2/9/19 10:00	0.2	2/9/20 8:00	0.3
2/9/18 10:00	0.2	2/9/19 11:00	0.2	2/9/20 9:00	0.3
2/9/18 11:00	0.3	2/9/19 12:00	0.2	2/9/20 10:00	0.3
2/9/18 12:00	0.2	2/9/19 13:00	0.2	2/9/20 11:00	0.2
2/9/18 13:00	0.2	2/9/19 14:00	0.2	2/9/20 12:00	0.2
2/9/18 14:00	0.2	2/9/19 15:00	0.2	2/9/20 13:00	0.2
2/9/18 15:00	0.4	2/9/19 16:00	0.2	2/9/20 14:00	0.2
2/9/18 16:00	0.4	2/9/19 17:00	0.2	2/9/20 15:00	0.3
2/9/18 17:00	0.4	2/9/19 18:00	0.2	2/9/20 16:00	0.2
2/9/18 18:00	0.3	2/9/19 19:00	0.2	2/9/20 17:00	0.2
2/9/18 19:00	0.4	2/9/19 20:00	0.2	2/9/20 18:00	0.2
2/9/18 20:00	0.6	2/9/19 21:00	0.2	2/9/20 19:00	0.2
2/9/18 21:00	0.6	2/9/19 22:00	0.2	2/9/20 20:00	0.2
2/9/18 22:00	0.6	2/9/19 23:00	0.2	2/9/20 21:00	0.2
2/9/18 23:00	0.6	2/10/19 0:00	0.2	2/9/20 22:00	0.2
2/10/18 0:00	0.6	2/10/19 1:00	0.2	2/9/20 23:00	0.2
2/10/18 1:00	0.6	2/10/19 2:00	0.2	2/10/20 0:00	0.2
2/10/18 2:00	0.7	2/10/19 3:00	0.2	2/10/20 1:00	0.2
2/10/18 3:00	0.7	2/10/19 4:00	0.2	2/10/20 2:00	0.2
2/10/18 4:00	0.7	2/10/19 5:00	0.2	2/10/20 3:00	0.2
2/10/18 5:00	0.7	2/10/19 6:00	0.2	2/10/20 4:00	0.2
2/10/18 6:00	0.6	2/10/19 7:00	0.2	2/10/20 5:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
2/10/18 7:00	0.7	2/10/19 8:00	0.2	2/10/20 6:00	0.1
2/10/18 8:00	0.6	2/10/19 9:00	0.2	2/10/20 7:00	0.1
2/10/18 9:00	0.6	2/10/19 10:00	0.2	2/10/20 8:00	0.2
2/10/18 10:00	0.6	2/10/19 11:00	0.2	2/10/20 9:00	0.1
2/10/18 11:00	0.6	2/10/19 12:00	0.2	2/10/20 10:00	0.1
2/10/18 12:00	0.6	2/10/19 13:00	0.2	2/10/20 11:00	0.2
2/10/18 13:00	0.6	2/10/19 14:00	0.2	2/10/20 12:00	0.2
2/10/18 14:00	0.4	2/10/19 15:00	0.2	2/10/20 13:00	0.1
2/10/18 15:00	0.2	2/10/19 16:00	0.2	2/10/20 14:00	0.2
2/10/18 16:00	0.2	2/10/19 17:00	0.2	2/10/20 15:00	0.1
2/10/18 17:00	0.2	2/10/19 18:00	0.2	2/10/20 16:00	0.1
2/10/18 18:00	0.2	2/10/19 19:00	0.2	2/10/20 17:00	0.1
2/10/18 19:00	0.2	2/10/19 20:00	0.2	2/10/20 18:00	0.1
2/10/18 20:00	0.2	2/10/19 21:00	0.2	2/10/20 19:00	0.1
2/10/18 21:00	0.2	2/10/19 22:00	0.2	2/10/20 20:00	0.2
2/10/18 22:00	0.2	2/10/19 23:00	0.2	2/10/20 21:00	0.2
2/10/18 23:00	0.2	2/11/19 0:00	0.2	2/10/20 22:00	0.1
2/11/18 0:00	0.2	2/11/19 1:00	0.2	2/10/20 23:00	0.1
2/11/18 1:00	0.2	2/11/19 2:00	0.2	2/11/20 0:00	0.1
2/11/18 2:00	0.2	2/11/19 3:00	0.2	2/11/20 1:00	0.1
2/11/18 3:00	0.2	2/11/19 4:00	0.2	2/11/20 2:00	0.1
2/11/18 4:00	0.2	2/11/19 5:00	0.2	2/11/20 3:00	0.1
2/11/18 5:00	0.2	2/11/19 6:00	0.1	2/11/20 4:00	0.1
2/11/18 6:00	0.2	2/11/19 7:00	0.2	2/11/20 5:00	0.1
2/11/18 7:00	0.2	2/11/19 8:00	0.2	2/11/20 6:00	0.1
2/11/18 8:00	0.3	2/11/19 9:00	0.3	2/11/20 7:00	0.0
2/11/18 9:00	0.3	2/11/19 10:00	0.2	2/11/20 8:00	0.0
2/11/18 10:00	0.3	2/11/19 11:00	0.2	2/11/20 9:00	0.0
2/11/18 11:00	0.3	2/11/19 12:00	2.8	2/11/20 10:00	0.1
2/11/18 12:00	0.3	2/11/19 13:00	0.2	2/11/20 11:00	0.1
2/11/18 13:00	0.4	2/11/19 14:00	0.2	2/11/20 12:00	0.1
2/11/18 14:00	0.3	2/11/19 15:00	0.2	2/11/20 13:00	0.2
2/11/18 15:00	0.4	2/11/19 16:00	0.3	2/11/20 14:00	0.2
2/11/18 16:00	0.3	2/11/19 17:00	0.3	2/11/20 15:00	0.2
2/11/18 17:00	0.3	2/11/19 18:00	0.2	2/11/20 16:00	0.2
2/11/18 18:00	0.3	2/11/19 19:00	0.2	2/11/20 17:00	0.2
2/11/18 19:00	0.3	2/11/19 20:00	0.2	2/11/20 18:00	0.2
2/11/18 20:00	0.3	2/11/19 21:00	0.3	2/11/20 19:00	0.2
2/11/18 21:00	0.3	2/11/19 22:00	0.3	2/11/20 20:00	0.2
2/11/18 22:00	0.3	2/11/19 23:00	0.3	2/11/20 21:00	0.2
2/11/18 23:00	0.3	2/12/19 0:00	0.2	2/11/20 22:00	0.2
2/12/18 0:00	0.3	2/12/19 1:00	0.2	2/11/20 23:00	0.2
2/12/18 1:00	0.4	2/12/19 2:00	0.2	2/12/20 0:00	0.2
2/12/18 2:00	0.4	2/12/19 3:00	0.2	2/12/20 1:00	0.2
2/12/18 3:00	0.3	2/12/19 4:00	0.2	2/12/20 2:00	0.2
2/12/18 4:00	0.3	2/12/19 5:00	0.2	2/12/20 3:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
2/12/18 5:00	0.3	2/12/19 6:00	0.2	2/12/20 4:00	0.2
2/12/18 6:00	0.4	2/12/19 7:00	0.2	2/12/20 5:00	0.2
2/12/18 7:00	0.3	2/12/19 8:00	0.2	2/12/20 6:00	0.2
2/12/18 8:00	0.6	2/12/19 9:00	0.2	2/12/20 7:00	0.2
2/12/18 9:00	1.2	2/12/19 10:00	0.2	2/12/20 8:00	0.2
2/12/18 10:00	0.6	2/12/19 11:00	0.2	2/12/20 9:00	0.2
2/12/18 11:00	0.5	2/12/19 12:00	0.3	2/12/20 10:00	0.2
2/12/18 12:00	0.7	2/12/19 13:00	0.2	2/12/20 11:00	0.2
2/12/18 13:00	0.5	2/12/19 14:00	0.2	2/12/20 12:00	0.2
2/12/18 14:00	0.4	2/12/19 15:00	0.2	2/12/20 13:00	0.1
2/12/18 15:00	0.5	2/12/19 16:00	0.2	2/12/20 14:00	0.2
2/12/18 16:00	0.6	2/12/19 17:00	0.2	2/12/20 15:00	0.2
2/12/18 17:00	0.7	2/12/19 18:00	0.1	2/12/20 16:00	0.2
2/12/18 18:00	0.7	2/12/19 19:00	0.2	2/12/20 17:00	0.2
2/12/18 19:00	0.8	2/12/19 20:00	0.1	2/12/20 18:00	0.2
2/12/18 20:00	0.7	2/12/19 21:00	0.0	2/12/20 19:00	0.2
2/12/18 21:00	0.7	2/12/19 22:00	0.1	2/12/20 20:00	0.2
2/12/18 22:00	0.4	2/12/19 23:00	0.2	2/12/20 21:00	0.2
2/12/18 23:00	1.8	2/13/19 0:00	0.3	2/12/20 22:00	0.2
2/13/18 0:00	1.0	2/13/19 1:00	0.3	2/12/20 23:00	0.2
2/13/18 1:00	1.4	2/13/19 2:00	0.2	2/13/20 0:00	0.2
2/13/18 2:00	0.2	2/13/19 3:00	0.2	2/13/20 1:00	0.2
2/13/18 3:00	0.1	2/13/19 4:00	0.2	2/13/20 2:00	0.2
2/13/18 4:00	0.3	2/13/19 5:00	0.2	2/13/20 3:00	0.2
2/13/18 5:00	0.5	2/13/19 6:00	0.2	2/13/20 4:00	0.2
2/13/18 6:00	0.6	2/13/19 7:00	0.2	2/13/20 5:00	0.2
2/13/18 7:00	0.5	2/13/19 8:00	0.2	2/13/20 6:00	0.2
2/13/18 8:00	0.4	2/13/19 9:00	0.2	2/13/20 7:00	0.2
2/13/18 9:00	0.3	2/13/19 10:00	0.3	2/13/20 8:00	0.2
2/13/18 10:00	0.2	2/13/19 11:00	0.3	2/13/20 9:00	0.2
2/13/18 11:00	0.2	2/13/19 12:00	0.2	2/13/20 10:00	0.3
2/13/18 12:00	0.4	2/13/19 13:00	0.3	2/13/20 11:00	0.3
2/13/18 13:00	0.5	2/13/19 14:00	0.3	2/13/20 12:00	0.3
2/13/18 14:00	0.4	2/13/19 15:00	0.3	2/13/20 13:00	0.3
2/13/18 15:00	0.5	2/13/19 16:00	0.3	2/13/20 14:00	0.3
2/13/18 16:00	0.5	2/13/19 17:00	0.3	2/13/20 15:00	0.1
2/13/18 17:00	0.5	2/13/19 18:00	0.3	2/13/20 16:00	0.2
2/13/18 18:00	0.5	2/13/19 19:00	0.3	2/13/20 17:00	0.2
2/13/18 19:00	0.5	2/13/19 20:00	0.3	2/13/20 18:00	0.2
2/13/18 20:00	0.5	2/13/19 21:00	0.3	2/13/20 19:00	0.3
2/13/18 21:00	0.5	2/13/19 22:00	0.3	2/13/20 20:00	0.3
2/13/18 22:00	0.4	2/13/19 23:00	0.3	2/13/20 21:00	0.3
2/13/18 23:00	0.5	2/14/19 0:00	0.3	2/13/20 22:00	0.3
2/14/18 0:00	0.5	2/14/19 1:00	0.3	2/13/20 23:00	0.3
2/14/18 1:00	0.6	2/14/19 2:00	0.3	2/14/20 0:00	0.3
2/14/18 2:00	0.5	2/14/19 3:00	0.3	2/14/20 1:00	0.3

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
2/14/18 3:00	0.2	2/14/19 4:00	0.3	2/14/20 2:00	0.2
2/14/18 4:00	0.2	2/14/19 5:00	0.3	2/14/20 3:00	0.2
2/14/18 5:00	0.2	2/14/19 6:00	0.2	2/14/20 4:00	0.2
2/14/18 6:00	0.2	2/14/19 7:00	0.3	2/14/20 5:00	0.2
2/14/18 7:00	0.2	2/14/19 8:00	0.3	2/14/20 6:00	0.2
2/14/18 8:00	0.2	2/14/19 9:00	0.2	2/14/20 7:00	0.2
2/14/18 9:00	0.2	2/14/19 10:00	0.2	2/14/20 8:00	0.1
2/14/18 10:00	0.2	2/14/19 11:00	0.1	2/14/20 9:00	0.1
2/14/18 11:00	0.2	2/14/19 12:00	0.1	2/14/20 10:00	0.1
2/14/18 12:00	0.2	2/14/19 13:00	0.1	2/14/20 11:00	0.1
2/14/18 13:00	0.2	2/14/19 14:00	0.1	2/14/20 12:00	0.1
2/14/18 14:00	0.2	2/14/19 15:00	0.2	2/14/20 13:00	0.1
2/14/18 15:00	0.2	2/14/19 16:00	0.2	2/14/20 14:00	0.1
2/14/18 16:00	0.3	2/14/19 17:00	0.2	2/14/20 15:00	0.1
2/14/18 17:00	0.2	2/14/19 18:00	0.2	2/14/20 16:00	0.1
2/14/18 18:00	0.2	2/14/19 19:00	0.2	2/14/20 17:00	0.1
2/14/18 19:00	0.2	2/14/19 20:00	0.2	2/14/20 18:00	0.1
2/14/18 20:00	0.3	2/14/19 21:00	0.3	2/14/20 19:00	0.1
2/14/18 21:00	0.3	2/14/19 22:00	0.3	2/14/20 20:00	0.1
2/14/18 22:00	0.3	2/14/19 23:00	0.3	2/14/20 21:00	0.1
2/14/18 23:00	0.3	2/15/19 0:00	0.3	2/14/20 22:00	0.1
2/15/18 0:00	0.3	2/15/19 1:00	0.3	2/14/20 23:00	0.1
2/15/18 1:00	0.3	2/15/19 2:00	0.3	2/15/20 0:00	0.2
2/15/18 2:00	0.3	2/15/19 3:00	0.4	2/15/20 1:00	0.3
2/15/18 3:00	0.3	2/15/19 4:00	0.4	2/15/20 2:00	0.2
2/15/18 4:00	0.3	2/15/19 5:00	0.4	2/15/20 3:00	0.2
2/15/18 5:00	0.3	2/15/19 6:00	0.3	2/15/20 4:00	0.2
2/15/18 6:00	0.4	2/15/19 7:00	0.3	2/15/20 5:00	0.2
2/15/18 7:00	0.6	2/15/19 8:00	0.3	2/15/20 6:00	0.1
2/15/18 8:00	0.6	2/15/19 9:00	0.3	2/15/20 7:00	0.2
2/15/18 9:00	0.6	2/15/19 10:00	0.3	2/15/20 8:00	0.2
2/15/18 10:00	0.8	2/15/19 11:00	0.3	2/15/20 9:00	0.2
2/15/18 11:00	0.6	2/15/19 12:00	0.3	2/15/20 10:00	0.2
2/15/18 12:00	0.6	2/15/19 13:00	0.3	2/15/20 11:00	0.2
2/15/18 13:00	0.7	2/15/19 14:00	0.4	2/15/20 12:00	0.2
2/15/18 14:00	0.7	2/15/19 15:00	0.3	2/15/20 13:00	0.2
2/15/18 15:00	0.7	2/15/19 16:00	0.3	2/15/20 14:00	0.2
2/15/18 16:00	0.5	2/15/19 17:00	0.3	2/15/20 15:00	0.1
2/15/18 17:00	0.5	2/15/19 18:00	0.3	2/15/20 16:00	0.1
2/15/18 18:00	0.4	2/15/19 19:00	0.3	2/15/20 17:00	0.1
2/15/18 19:00	0.4	2/15/19 20:00	0.3	2/15/20 18:00	0.1
2/15/18 20:00	0.6	2/15/19 21:00	0.3	2/15/20 19:00	0.2
2/15/18 21:00	0.4	2/15/19 22:00	0.4	2/15/20 20:00	0.1
2/15/18 22:00	0.4	2/15/19 23:00	0.4	2/15/20 21:00	0.2
2/15/18 23:00	0.3	2/16/19 0:00	0.4	2/15/20 22:00	0.1
2/16/18 0:00	0.3	2/16/19 1:00	0.4	2/15/20 23:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
2/16/18 1:00	0.3	2/16/19 2:00	0.4	2/16/20 0:00	0.1
2/16/18 2:00	0.2	2/16/19 3:00	0.4	2/16/20 1:00	0.1
2/16/18 3:00	0.2	2/16/19 4:00	0.4	2/16/20 2:00	0.2
2/16/18 4:00	0.2	2/16/19 5:00	0.4	2/16/20 3:00	0.2
2/16/18 5:00	0.2	2/16/19 6:00	0.3	2/16/20 4:00	0.2
2/16/18 6:00	0.2	2/16/19 7:00	0.3	2/16/20 5:00	0.1
2/16/18 7:00	0.2	2/16/19 8:00	0.4	2/16/20 6:00	0.2
2/16/18 8:00	0.2	2/16/19 9:00	0.4	2/16/20 7:00	0.2
2/16/18 9:00	0.2	2/16/19 10:00	0.3	2/16/20 8:00	0.2
2/16/18 10:00	0.2	2/16/19 11:00	0.3	2/16/20 9:00	0.1
2/16/18 11:00	0.2	2/16/19 12:00	0.4	2/16/20 10:00	0.1
2/16/18 12:00	0.2	2/16/19 13:00	0.3	2/16/20 11:00	0.1
2/16/18 13:00	0.2	2/16/19 14:00	0.3	2/16/20 12:00	0.1
2/16/18 14:00	0.2	2/16/19 15:00	0.3	2/16/20 13:00	0.1
2/16/18 15:00	0.2	2/16/19 16:00	0.3	2/16/20 14:00	0.1
2/16/18 16:00	0.3	2/16/19 17:00	0.3	2/16/20 15:00	0.1
2/16/18 17:00	0.2	2/16/19 18:00	0.4	2/16/20 16:00	0.2
2/16/18 18:00	0.2	2/16/19 19:00	0.3	2/16/20 17:00	0.1
2/16/18 19:00	0.2	2/16/19 20:00	0.3	2/16/20 18:00	0.1
2/16/18 20:00	0.2	2/16/19 21:00	0.3	2/16/20 19:00	0.2
2/16/18 21:00	0.2	2/16/19 22:00	0.3	2/16/20 20:00	0.1
2/16/18 22:00	0.2	2/16/19 23:00	0.3	2/16/20 21:00	0.1
2/16/18 23:00	0.2	2/17/19 0:00	0.3	2/16/20 22:00	0.2
2/17/18 0:00	0.2	2/17/19 1:00	0.3	2/16/20 23:00	0.2
2/17/18 1:00	0.2	2/17/19 2:00	0.3	2/17/20 0:00	0.3
2/17/18 2:00	0.2	2/17/19 3:00	0.3	2/17/20 1:00	0.2
2/17/18 3:00	0.2	2/17/19 4:00	0.3	2/17/20 2:00	0.2
2/17/18 4:00	0.2	2/17/19 5:00	0.3	2/17/20 3:00	0.2
2/17/18 5:00	0.2	2/17/19 6:00	0.3	2/17/20 4:00	0.2
2/17/18 6:00	0.3	2/17/19 7:00	0.3	2/17/20 5:00	0.2
2/17/18 7:00	0.3	2/17/19 8:00	0.3	2/17/20 6:00	0.2
2/17/18 8:00	0.3	2/17/19 9:00	0.3	2/17/20 7:00	0.2
2/17/18 9:00	0.3	2/17/19 10:00	0.4	2/17/20 8:00	0.2
2/17/18 10:00	0.3	2/17/19 11:00	0.4	2/17/20 9:00	0.1
2/17/18 11:00	0.4	2/17/19 12:00	0.4	2/17/20 10:00	0.2
2/17/18 12:00	0.2	2/17/19 13:00	0.4	2/17/20 11:00	0.1
2/17/18 13:00	0.2	2/17/19 14:00	0.3	2/17/20 12:00	0.1
2/17/18 14:00	0.2	2/17/19 15:00	0.3	2/17/20 13:00	0.1
2/17/18 15:00	0.2	2/17/19 16:00	0.3	2/17/20 14:00	0.1
2/17/18 16:00	0.2	2/17/19 17:00	0.2	2/17/20 15:00	0.1
2/17/18 17:00	0.2	2/17/19 18:00	0.2	2/17/20 16:00	0.1
2/17/18 18:00	0.2	2/17/19 19:00	0.3	2/17/20 17:00	0.1
2/17/18 19:00	0.2	2/17/19 20:00	0.3	2/17/20 18:00	0.1
2/17/18 20:00	0.3	2/17/19 21:00	0.3	2/17/20 19:00	0.2
2/17/18 21:00	0.3	2/17/19 22:00	0.3	2/17/20 20:00	0.2
2/17/18 22:00	0.3	2/17/19 23:00	0.3	2/17/20 21:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
2/17/18 23:00	0.3	2/18/19 0:00	0.3	2/17/20 22:00	0.3
2/18/18 0:00	0.4	2/18/19 1:00	0.3	2/17/20 23:00	0.2
2/18/18 1:00	0.3	2/18/19 2:00	0.3	2/18/20 0:00	0.2
2/18/18 2:00	0.3	2/18/19 3:00	0.3	2/18/20 1:00	0.2
2/18/18 3:00	0.3	2/18/19 4:00	0.3	2/18/20 2:00	0.3
2/18/18 4:00	0.4	2/18/19 5:00	0.3	2/18/20 3:00	0.2
2/18/18 5:00	0.3	2/18/19 6:00	0.3	2/18/20 4:00	0.1
2/18/18 6:00	0.3	2/18/19 7:00	0.3	2/18/20 5:00	0.1
2/18/18 7:00	0.3	2/18/19 8:00	0.4	2/18/20 6:00	0.1
2/18/18 8:00	0.3	2/18/19 9:00	0.3	2/18/20 7:00	0.1
2/18/18 9:00	0.3	2/18/19 10:00	0.3	2/18/20 8:00	0.1
2/18/18 10:00	0.2	2/18/19 11:00	0.4	2/18/20 9:00	0.1
2/18/18 11:00	0.3	2/18/19 12:00	0.3	2/18/20 10:00	0.1
2/18/18 12:00	0.3	2/18/19 13:00	0.3	2/18/20 11:00	0.1
2/18/18 13:00	0.3	2/18/19 14:00	0.3	2/18/20 12:00	0.1
2/18/18 14:00	0.3	2/18/19 15:00	0.3	2/18/20 13:00	0.1
2/18/18 15:00	0.2	2/18/19 16:00	0.3	2/18/20 14:00	0.2
2/18/18 16:00	0.3	2/18/19 17:00	0.3	2/18/20 15:00	0.2
2/18/18 17:00	0.3	2/18/19 18:00	0.3	2/18/20 16:00	0.2
2/18/18 18:00	0.3	2/18/19 19:00	0.3	2/18/20 17:00	0.3
2/18/18 19:00	0.3	2/18/19 20:00	0.3	2/18/20 18:00	0.2
2/18/18 20:00	0.4	2/18/19 21:00	0.3	2/18/20 19:00	0.2
2/18/18 21:00	0.3	2/18/19 22:00	0.4	2/18/20 20:00	0.2
2/18/18 22:00	0.3	2/18/19 23:00	0.4	2/18/20 21:00	0.2
2/18/18 23:00	0.3	2/19/19 0:00	0.4	2/18/20 22:00	0.2
2/19/18 0:00	0.4	2/19/19 1:00	0.4	2/18/20 23:00	0.2
2/19/18 1:00	0.4	2/19/19 2:00	0.4	2/19/20 0:00	0.2
2/19/18 2:00	0.4	2/19/19 3:00	0.4	2/19/20 1:00	0.2
2/19/18 3:00	0.3	2/19/19 4:00	0.3	2/19/20 2:00	0.2
2/19/18 4:00	0.4	2/19/19 5:00	0.3	2/19/20 3:00	0.2
2/19/18 5:00	0.5	2/19/19 6:00	0.3	2/19/20 4:00	0.2
2/19/18 6:00	0.3	2/19/19 7:00	0.2	2/19/20 5:00	0.2
2/19/18 7:00	0.3	2/19/19 8:00	0.2	2/19/20 6:00	0.2
2/19/18 8:00	0.3	2/19/19 9:00	0.2	2/19/20 7:00	0.2
2/19/18 9:00	0.3	2/19/19 10:00	0.2	2/19/20 8:00	0.3
2/19/18 10:00	0.2	2/19/19 11:00	0.2	2/19/20 9:00	0.3
2/19/18 11:00	0.2	2/19/19 12:00	0.2	2/19/20 10:00	0.3
2/19/18 12:00	0.2	2/19/19 13:00	0.3	2/19/20 11:00	0.3
2/19/18 13:00	0.2	2/19/19 14:00	0.3	2/19/20 12:00	0.3
2/19/18 14:00	0.2	2/19/19 15:00	0.3	2/19/20 13:00	0.3
2/19/18 15:00	0.2	2/19/19 16:00	0.3	2/19/20 14:00	0.2
2/19/18 16:00	0.2	2/19/19 17:00	0.2	2/19/20 15:00	0.2
2/19/18 17:00	0.2	2/19/19 18:00	0.2	2/19/20 16:00	0.2
2/19/18 18:00	0.3	2/19/19 19:00	0.2	2/19/20 17:00	0.2
2/19/18 19:00	0.2	2/19/19 20:00	0.2	2/19/20 18:00	0.2
2/19/18 20:00	0.3	2/19/19 21:00	0.2	2/19/20 19:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
2/19/18 21:00	0.3	2/19/19 22:00	0.2	2/19/20 20:00	0.2
2/19/18 22:00	0.3	2/19/19 23:00	0.2	2/19/20 21:00	0.2
2/19/18 23:00	0.2	2/20/19 0:00	0.2	2/19/20 22:00	0.2
2/20/18 0:00	0.3	2/20/19 1:00	0.2	2/19/20 23:00	0.2
2/20/18 1:00	0.3	2/20/19 2:00	0.3	2/20/20 0:00	0.2
2/20/18 2:00	0.3	2/20/19 3:00	0.3	2/20/20 1:00	0.2
2/20/18 3:00	0.3	2/20/19 4:00	0.2	2/20/20 2:00	0.1
2/20/18 4:00	0.3	2/20/19 5:00	0.3	2/20/20 3:00	0.1
2/20/18 5:00	0.3	2/20/19 6:00	0.3	2/20/20 4:00	0.1
2/20/18 6:00	0.3	2/20/19 7:00	0.3	2/20/20 5:00	0.1
2/20/18 7:00	0.2	2/20/19 8:00	0.4	2/20/20 6:00	0.1
2/20/18 8:00	0.2	2/20/19 9:00	0.2	2/20/20 7:00	0.1
2/20/18 9:00	0.2	2/20/19 10:00	0.2	2/20/20 8:00	0.1
2/20/18 10:00	0.2	2/20/19 11:00	0.2	2/20/20 9:00	0.1
2/20/18 11:00	0.2	2/20/19 12:00	0.2	2/20/20 10:00	0.2
2/20/18 12:00	0.2	2/20/19 13:00	0.2	2/20/20 11:00	0.2
2/20/18 13:00	0.2	2/20/19 14:00	0.2	2/20/20 12:00	0.2
2/20/18 14:00	0.1	2/20/19 15:00	0.2	2/20/20 13:00	0.2
2/20/18 15:00	0.1	2/20/19 16:00	0.2	2/20/20 14:00	0.3
2/20/18 16:00	0.1	2/20/19 17:00	0.2	2/20/20 15:00	0.2
2/20/18 17:00	0.2	2/20/19 18:00	0.1	2/20/20 16:00	0.2
2/20/18 18:00	0.2	2/20/19 19:00	0.1	2/20/20 17:00	0.2
2/20/18 19:00	0.2	2/20/19 20:00	0.1	2/20/20 18:00	0.2
2/20/18 20:00	0.2	2/20/19 21:00	0.1	2/20/20 19:00	0.3
2/20/18 21:00	0.2	2/20/19 22:00	0.1	2/20/20 20:00	0.3
2/20/18 22:00	0.2	2/20/19 23:00	0.1	2/20/20 21:00	0.3
2/20/18 23:00	0.2	2/21/19 0:00	0.1	2/20/20 22:00	0.3
2/21/18 0:00	0.1	2/21/19 1:00	0.2	2/20/20 23:00	0.3
2/21/18 1:00	0.5	2/21/19 2:00	0.1	2/21/20 0:00	0.3
2/21/18 2:00	0.5	2/21/19 3:00	0.2	2/21/20 1:00	0.2
2/21/18 3:00	0.5	2/21/19 4:00	0.1	2/21/20 2:00	0.2
2/21/18 4:00	0.5	2/21/19 5:00	0.1	2/21/20 3:00	0.2
2/21/18 5:00	0.6	2/21/19 6:00	0.1	2/21/20 4:00	0.2
2/21/18 6:00	0.6	2/21/19 7:00	0.2	2/21/20 5:00	0.2
2/21/18 7:00	0.6	2/21/19 8:00	0.2	2/21/20 6:00	0.1
2/21/18 8:00	0.4	2/21/19 9:00	0.2	2/21/20 7:00	0.1
2/21/18 9:00	0.1	2/21/19 10:00	0.2	2/21/20 8:00	0.2
2/21/18 10:00	0.1	2/21/19 11:00	0.2	2/21/20 9:00	0.2
2/21/18 11:00	0.1	2/21/19 12:00	0.2	2/21/20 10:00	0.2
2/21/18 12:00	0.1	2/21/19 13:00	0.2	2/21/20 11:00	0.2
2/21/18 13:00	0.1	2/21/19 14:00	0.1	2/21/20 12:00	0.2
2/21/18 14:00	0.1	2/21/19 15:00	0.2	2/21/20 13:00	0.2
2/21/18 15:00	0.6	2/21/19 16:00	0.2	2/21/20 14:00	0.2
2/21/18 16:00	0.6	2/21/19 17:00	0.1	2/21/20 15:00	0.2
2/21/18 17:00	0.6	2/21/19 18:00	0.2	2/21/20 16:00	0.2
2/21/18 18:00	0.7	2/21/19 19:00	0.1	2/21/20 17:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
2/21/18 19:00	0.6	2/21/19 20:00	0.1	2/21/20 18:00	0.1
2/21/18 20:00	0.6	2/21/19 21:00	0.2	2/21/20 19:00	0.1
2/21/18 21:00	0.6	2/21/19 22:00	0.1	2/21/20 20:00	0.1
2/21/18 22:00	0.7	2/21/19 23:00	0.1	2/21/20 21:00	0.1
2/21/18 23:00	0.6	2/22/19 0:00	0.2	2/21/20 22:00	0.1
2/22/18 0:00	0.7	2/22/19 1:00	0.2	2/21/20 23:00	0.1
2/22/18 1:00	0.7	2/22/19 2:00	0.2	2/22/20 0:00	0.1
2/22/18 2:00	0.7	2/22/19 3:00	0.2	2/22/20 1:00	0.1
2/22/18 3:00	0.7	2/22/19 4:00	0.2	2/22/20 2:00	0.2
2/22/18 4:00	0.7	2/22/19 5:00	0.2	2/22/20 3:00	0.2
2/22/18 5:00	0.7	2/22/19 6:00	0.1	2/22/20 4:00	0.2
2/22/18 6:00	0.6	2/22/19 7:00	0.2	2/22/20 5:00	0.2
2/22/18 7:00	0.6	2/22/19 8:00	0.2	2/22/20 6:00	0.2
2/22/18 8:00	0.6	2/22/19 9:00	0.2	2/22/20 7:00	0.2
2/22/18 9:00	0.6	2/22/19 10:00	0.2	2/22/20 8:00	0.2
2/22/18 10:00	0.7	2/22/19 11:00	0.3	2/22/20 9:00	0.2
2/22/18 11:00	0.6	2/22/19 12:00	0.3	2/22/20 10:00	0.2
2/22/18 12:00	0.6	2/22/19 13:00	0.2	2/22/20 11:00	0.2
2/22/18 13:00	0.6	2/22/19 14:00	0.3	2/22/20 12:00	0.2
2/22/18 14:00	0.6	2/22/19 15:00	0.2	2/22/20 13:00	0.2
2/22/18 15:00	0.6	2/22/19 16:00	0.2	2/22/20 14:00	0.2
2/22/18 16:00	0.4	2/22/19 17:00	0.2	2/22/20 15:00	0.2
2/22/18 17:00	0.2	2/22/19 18:00	0.2	2/22/20 16:00	0.2
2/22/18 18:00	0.2	2/22/19 19:00	0.2	2/22/20 17:00	0.2
2/22/18 19:00	0.3	2/22/19 20:00	0.2	2/22/20 18:00	0.2
2/22/18 20:00	0.3	2/22/19 21:00	0.2	2/22/20 19:00	0.2
2/22/18 21:00	0.3	2/22/19 22:00	0.2	2/22/20 20:00	0.2
2/22/18 22:00	0.4	2/22/19 23:00	0.2	2/22/20 21:00	0.2
2/22/18 23:00	0.4	2/23/19 0:00	0.2	2/22/20 22:00	0.2
2/23/18 0:00	0.3	2/23/19 1:00	0.2	2/22/20 23:00	0.2
2/23/18 1:00	0.3	2/23/19 2:00	0.2	2/23/20 0:00	0.2
2/23/18 2:00	0.3	2/23/19 3:00	0.2	2/23/20 1:00	0.2
2/23/18 3:00	0.3	2/23/19 4:00	0.2	2/23/20 2:00	0.3
2/23/18 4:00	0.3	2/23/19 5:00	0.2	2/23/20 3:00	0.3
2/23/18 5:00	0.2	2/23/19 6:00	0.2	2/23/20 4:00	0.2
2/23/18 6:00	0.3	2/23/19 7:00	0.2	2/23/20 5:00	0.2
2/23/18 7:00	0.3	2/23/19 8:00	0.3	2/23/20 6:00	0.2
2/23/18 8:00	0.4	2/23/19 9:00	0.3	2/23/20 7:00	0.2
2/23/18 9:00	0.3	2/23/19 10:00	0.3	2/23/20 8:00	0.2
2/23/18 10:00	0.3	2/23/19 11:00	0.2	2/23/20 9:00	0.2
2/23/18 11:00	0.4	2/23/19 12:00	0.3	2/23/20 10:00	0.2
2/23/18 12:00	0.4	2/23/19 13:00	0.3	2/23/20 11:00	0.2
2/23/18 13:00	0.4	2/23/19 14:00	0.3	2/23/20 12:00	0.2
2/23/18 14:00	0.4	2/23/19 15:00	0.3	2/23/20 13:00	0.2
2/23/18 15:00	0.4	2/23/19 16:00	0.2	2/23/20 14:00	0.2
2/23/18 16:00	0.4	2/23/19 17:00	0.2	2/23/20 15:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
2/23/18 17:00	0.4	2/23/19 18:00	0.2	2/23/20 16:00	0.2
2/23/18 18:00	0.4	2/23/19 19:00	0.2	2/23/20 17:00	0.2
2/23/18 19:00	0.3	2/23/19 20:00	0.3	2/23/20 18:00	0.2
2/23/18 20:00	0.3	2/23/19 21:00	0.3	2/23/20 19:00	0.2
2/23/18 21:00	0.3	2/23/19 22:00	0.3	2/23/20 20:00	0.3
2/23/18 22:00	0.3	2/23/19 23:00	0.3	2/23/20 21:00	0.3
2/23/18 23:00	0.3	2/24/19 0:00	0.3	2/23/20 22:00	0.3
2/24/18 0:00	0.3	2/24/19 1:00	0.3	2/23/20 23:00	0.3
2/24/18 1:00	0.3	2/24/19 2:00	0.3	2/24/20 0:00	0.3
2/24/18 2:00	0.3	2/24/19 3:00	0.3	2/24/20 1:00	0.3
2/24/18 3:00	0.3	2/24/19 4:00	0.3	2/24/20 2:00	0.2
2/24/18 4:00	0.3	2/24/19 5:00	0.4	2/24/20 3:00	0.2
2/24/18 5:00	0.4	2/24/19 6:00	0.3	2/24/20 4:00	0.2
2/24/18 6:00	0.3	2/24/19 7:00	0.3	2/24/20 5:00	0.1
2/24/18 7:00	0.3	2/24/19 8:00	0.3	2/24/20 6:00	0.1
2/24/18 8:00	0.4	2/24/19 9:00	0.4	2/24/20 7:00	0.1
2/24/18 9:00	0.3	2/24/19 10:00	0.4	2/24/20 8:00	0.2
2/24/18 10:00	0.3	2/24/19 11:00	0.4	2/24/20 9:00	0.2
2/24/18 11:00	0.3	2/24/19 12:00	0.4	2/24/20 10:00	0.1
2/24/18 12:00	0.2	2/24/19 13:00	0.3	2/24/20 11:00	0.1
2/24/18 13:00	0.2	2/24/19 14:00	0.3	2/24/20 12:00	0.1
2/24/18 14:00	0.2	2/24/19 15:00	0.3	2/24/20 13:00	0.1
2/24/18 15:00	0.2	2/24/19 16:00	0.3	2/24/20 14:00	0.1
2/24/18 16:00	0.2	2/24/19 17:00	0.4	2/24/20 15:00	0.1
2/24/18 17:00	0.2	2/24/19 18:00	0.4	2/24/20 16:00	0.1
2/24/18 18:00	0.2	2/24/19 19:00	0.3	2/24/20 17:00	0.1
2/24/18 19:00	0.2	2/24/19 20:00	0.3	2/24/20 18:00	0.1
2/24/18 20:00	0.2	2/24/19 21:00	0.3	2/24/20 19:00	0.1
2/24/18 21:00	0.2	2/24/19 22:00	0.3	2/24/20 20:00	0.1
2/24/18 22:00	0.2	2/24/19 23:00	0.2	2/24/20 21:00	0.1
2/24/18 23:00	0.2	2/25/19 0:00	0.3	2/24/20 22:00	0.1
2/25/18 0:00	0.2	2/25/19 1:00	0.3	2/24/20 23:00	0.1
2/25/18 1:00	0.2	2/25/19 2:00	0.3	2/25/20 0:00	0.1
2/25/18 2:00	0.2	2/25/19 3:00	0.2	2/25/20 1:00	0.2
2/25/18 3:00	0.2	2/25/19 4:00	0.2	2/25/20 2:00	0.2
2/25/18 4:00	0.2	2/25/19 5:00	0.3	2/25/20 3:00	0.2
2/25/18 5:00	0.2	2/25/19 6:00	0.3	2/25/20 4:00	0.2
2/25/18 6:00	0.2	2/25/19 7:00	0.2	2/25/20 5:00	0.2
2/25/18 7:00	0.2	2/25/19 8:00	0.2	2/25/20 6:00	0.2
2/25/18 8:00	0.3	2/25/19 9:00	0.2	2/25/20 7:00	0.2
2/25/18 9:00	0.3	2/25/19 10:00	0.2	2/25/20 8:00	0.2
2/25/18 10:00	0.2	2/25/19 11:00	0.2	2/25/20 9:00	0.1
2/25/18 11:00	0.3	2/25/19 12:00	0.2	2/25/20 10:00	0.2
2/25/18 12:00	0.2	2/25/19 13:00	0.2	2/25/20 11:00	0.2
2/25/18 13:00	0.2	2/25/19 14:00	0.2	2/25/20 12:00	0.2
2/25/18 14:00	0.2	2/25/19 15:00	0.2	2/25/20 13:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
2/25/18 15:00	0.2	2/25/19 16:00	0.2	2/25/20 14:00	0.2
2/25/18 16:00	0.2	2/25/19 17:00	0.2	2/25/20 15:00	0.2
2/25/18 17:00	0.2	2/25/19 18:00	0.1	2/25/20 16:00	0.2
2/25/18 18:00	0.2	2/25/19 19:00	0.2	2/25/20 17:00	0.4
2/25/18 19:00	0.2	2/25/19 20:00	0.2	2/25/20 18:00	0.4
2/25/18 20:00	0.2	2/25/19 21:00	0.2	2/25/20 19:00	0.4
2/25/18 21:00	0.1	2/25/19 22:00	0.2	2/25/20 20:00	0.4
2/25/18 22:00	0.2	2/25/19 23:00	0.2	2/25/20 21:00	0.4
2/25/18 23:00	0.2	2/26/19 0:00	0.2	2/25/20 22:00	0.4
2/26/18 0:00	0.2	2/26/19 1:00	0.2	2/25/20 23:00	0.4
2/26/18 1:00	0.2	2/26/19 2:00	0.2	2/26/20 0:00	0.4
2/26/18 2:00	0.2	2/26/19 3:00	0.2	2/26/20 1:00	0.4
2/26/18 3:00	0.6	2/26/19 4:00	0.2	2/26/20 2:00	0.3
2/26/18 4:00	0.6	2/26/19 5:00	0.2	2/26/20 3:00	0.3
2/26/18 5:00	0.6	2/26/19 6:00	0.2	2/26/20 4:00	0.3
2/26/18 6:00	0.6	2/26/19 7:00	0.2	2/26/20 5:00	0.3
2/26/18 7:00	0.5	2/26/19 8:00	0.2	2/26/20 6:00	0.2
2/26/18 8:00	0.5	2/26/19 9:00	0.2	2/26/20 7:00	0.2
2/26/18 9:00	0.5	2/26/19 10:00	0.0	2/26/20 8:00	0.2
2/26/18 10:00	0.2	2/26/19 11:00	0.3	2/26/20 9:00	0.2
2/26/18 11:00	0.4	2/26/19 12:00	0.2	2/26/20 10:00	0.2
2/26/18 12:00	0.6	2/26/19 13:00	0.2	2/26/20 11:00	0.2
2/26/18 13:00	0.6	2/26/19 14:00	0.2	2/26/20 12:00	0.2
2/26/18 14:00	0.5	2/26/19 15:00	0.2	2/26/20 13:00	0.2
2/26/18 15:00	0.5	2/26/19 16:00	0.1	2/26/20 14:00	0.2
2/26/18 16:00	0.5	2/26/19 17:00	0.1	2/26/20 15:00	0.2
2/26/18 17:00	0.6	2/26/19 18:00	0.2	2/26/20 16:00	0.2
2/26/18 18:00	0.5	2/26/19 19:00	0.2	2/26/20 17:00	0.2
2/26/18 19:00	0.6	2/26/19 20:00	0.2	2/26/20 18:00	0.2
2/26/18 20:00	0.6	2/26/19 21:00	0.1	2/26/20 19:00	0.2
2/26/18 21:00	0.6	2/26/19 22:00	0.1	2/26/20 20:00	0.3
2/26/18 22:00	0.6	2/26/19 23:00	0.1	2/26/20 21:00	0.3
2/26/18 23:00	0.6	2/27/19 0:00	0.1	2/26/20 22:00	0.2
2/27/18 0:00	0.6	2/27/19 1:00	0.1	2/26/20 23:00	0.2
2/27/18 1:00	0.5	2/27/19 2:00	0.1	2/27/20 0:00	0.1
2/27/18 2:00	0.5	2/27/19 3:00	0.1	2/27/20 1:00	0.1
2/27/18 3:00	0.5	2/27/19 4:00	0.1	2/27/20 2:00	0.1
2/27/18 4:00	0.3	2/27/19 5:00	0.1	2/27/20 3:00	0.1
2/27/18 5:00	0.1	2/27/19 6:00	0.1	2/27/20 4:00	0.2
2/27/18 6:00	0.1	2/27/19 7:00	0.1	2/27/20 5:00	0.2
2/27/18 7:00	0.1	2/27/19 8:00	0.2	2/27/20 6:00	0.1
2/27/18 8:00	0.1	2/27/19 9:00	0.2	2/27/20 7:00	0.1
2/27/18 9:00	0.1	2/27/19 10:00	0.2	2/27/20 8:00	0.1
2/27/18 10:00	0.1	2/27/19 11:00	0.2	2/27/20 9:00	0.2
2/27/18 11:00	0.1	2/27/19 12:00	0.1	2/27/20 10:00	0.2
2/27/18 12:00	0.2	2/27/19 13:00	0.1	2/27/20 11:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
2/27/18 13:00	0.2	2/27/19 14:00	0.1	2/27/20 12:00	0.2
2/27/18 14:00	0.2	2/27/19 15:00	0.1	2/27/20 13:00	0.2
2/27/18 15:00	0.2	2/27/19 16:00	0.1	2/27/20 14:00	0.2
2/27/18 16:00	0.1	2/27/19 17:00	0.1	2/27/20 15:00	0.2
2/27/18 17:00	0.1	2/27/19 18:00	0.1	2/27/20 16:00	0.2
2/27/18 18:00	0.1	2/27/19 19:00	0.1	2/27/20 17:00	0.2
2/27/18 19:00	0.1	2/27/19 20:00	0.1	2/27/20 18:00	0.2
2/27/18 20:00	0.1	2/27/19 21:00	0.1	2/27/20 19:00	0.2
2/27/18 21:00	0.1	2/27/19 22:00	0.1	2/27/20 20:00	0.2
2/27/18 22:00	0.2	2/27/19 23:00	0.1	2/27/20 21:00	0.2
2/27/18 23:00	0.2	2/28/19 0:00	0.2	2/27/20 22:00	0.2
2/28/18 0:00	0.1	2/28/19 1:00	0.2	2/27/20 23:00	0.3
2/28/18 1:00	0.1	2/28/19 2:00	0.1	2/28/20 0:00	0.3
2/28/18 2:00	0.1	2/28/19 3:00	0.2	2/28/20 1:00	0.3
2/28/18 3:00	0.2	2/28/19 4:00	0.2	2/28/20 2:00	0.3
2/28/18 4:00	0.2	2/28/19 5:00	0.1	2/28/20 3:00	0.4
2/28/18 5:00	0.2	2/28/19 6:00	0.1	2/28/20 4:00	0.4
2/28/18 6:00	0.2	2/28/19 7:00	0.2	2/28/20 5:00	0.4
2/28/18 7:00	0.1	2/28/19 8:00	0.2	2/28/20 6:00	0.4
2/28/18 8:00	0.2	2/28/19 9:00	0.2	2/28/20 7:00	0.4
2/28/18 9:00	0.1	2/28/19 10:00	0.2	2/28/20 8:00	0.4
2/28/18 10:00	0.1	2/28/19 11:00	0.2	2/28/20 9:00	0.3
2/28/18 11:00	0.2	2/28/19 12:00	0.2	2/28/20 10:00	0.3
2/28/18 12:00	0.1	2/28/19 13:00	0.2	2/28/20 11:00	0.4
2/28/18 13:00	0.1	2/28/19 14:00	0.2	2/28/20 12:00	0.4
2/28/18 14:00	0.1	2/28/19 15:00	0.2	2/28/20 13:00	0.4
2/28/18 15:00	0.1	2/28/19 16:00	0.2	2/28/20 14:00	0.5
2/28/18 16:00	0.2	2/28/19 17:00	0.1	2/28/20 15:00	0.5
2/28/18 17:00	0.1	2/28/19 18:00	0.1	2/28/20 16:00	0.4
2/28/18 18:00	0.1	2/28/19 19:00	0.2	2/28/20 17:00	0.3
2/28/18 19:00	0.2	2/28/19 20:00	0.2	2/28/20 18:00	0.3
2/28/18 20:00	0.1	2/28/19 21:00	0.2	2/28/20 19:00	0.3
2/28/18 21:00	0.1	2/28/19 22:00	0.2	2/28/20 20:00	0.4
2/28/18 22:00	0.1	2/28/19 23:00	0.3	2/28/20 21:00	0.4
2/28/18 23:00	0.1	3/1/19 0:00	0.2	2/28/20 22:00	0.4
3/1/18 0:00	0.1	3/1/19 1:00	0.2	2/28/20 23:00	0.4
3/1/18 1:00	0.1	3/1/19 2:00	0.1	2/29/20 0:00	0.4
3/1/18 2:00	0.4	3/1/19 3:00	0.2	2/29/20 1:00	0.3
3/1/18 3:00	1.0	3/1/19 4:00	0.2	2/29/20 2:00	0.3
3/1/18 4:00	1.8	3/1/19 5:00	0.2	2/29/20 3:00	0.3
3/1/18 5:00	1.3	3/1/19 6:00	0.2	2/29/20 4:00	0.3
3/1/18 6:00	1.0	3/1/19 7:00	0.2	2/29/20 5:00	0.3
3/1/18 7:00	1.3	3/1/19 8:00	0.2	2/29/20 6:00	0.2
3/1/18 8:00	0.9	3/1/19 9:00	0.2	2/29/20 7:00	0.2
3/1/18 9:00	0.6	3/1/19 10:00	0.2	2/29/20 8:00	0.2
3/1/18 10:00	0.4	3/1/19 11:00	0.4	2/29/20 9:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
3/1/18 11:00	0.5	3/1/19 12:00	0.2	2/29/20 10:00	0.1
3/1/18 12:00	0.9	3/1/19 13:00	0.2	2/29/20 11:00	0.1
3/1/18 13:00	0.7	3/1/19 14:00	0.2	2/29/20 12:00	0.1
3/1/18 14:00	0.9	3/1/19 15:00	0.2	2/29/20 13:00	0.1
3/1/18 15:00	0.8	3/1/19 16:00	0.3	2/29/20 14:00	0.1
3/1/18 16:00	0.2	3/1/19 17:00	0.2	2/29/20 15:00	0.1
3/1/18 17:00	0.6	3/1/19 18:00	0.2	2/29/20 16:00	0.2
3/1/18 18:00	0.3	3/1/19 19:00	0.2	2/29/20 17:00	0.2
3/1/18 19:00	0.7	3/1/19 20:00	0.3	2/29/20 18:00	0.1
3/1/18 20:00	0.7	3/1/19 21:00	0.3	2/29/20 19:00	0.1
3/1/18 21:00	0.4	3/1/19 22:00	0.2	2/29/20 20:00	0.2
3/1/18 22:00	0.3	3/1/19 23:00	0.2	2/29/20 21:00	0.2
3/1/18 23:00	0.3	3/2/19 0:00	0.2	2/29/20 22:00	1.3
3/2/18 0:00	0.4	3/2/19 1:00	0.2	2/29/20 23:00	75.7
3/2/18 1:00	0.4	3/2/19 2:00	0.2	3/1/20 0:00	3.8
3/2/18 2:00	0.4	3/2/19 3:00	0.2	3/1/20 1:00	2.5
3/2/18 3:00	0.3	3/2/19 4:00	0.2	3/1/20 2:00	0.2
3/2/18 4:00	0.4	3/2/19 5:00	0.2	3/1/20 3:00	0.2
3/2/18 5:00	0.4	3/2/19 6:00	0.1	3/1/20 4:00	0.2
3/2/18 6:00	0.3	3/2/19 7:00	0.2	3/1/20 5:00	0.1
3/2/18 7:00	0.4	3/2/19 8:00	0.2	3/1/20 6:00	0.2
3/2/18 8:00	0.4	3/2/19 9:00	0.2	3/1/20 7:00	0.2
3/2/18 9:00	0.5	3/2/19 10:00	0.2	3/1/20 8:00	0.2
3/2/18 10:00	0.3	3/2/19 11:00	0.2	3/1/20 9:00	0.2
3/2/18 11:00	0.3	3/2/19 12:00	0.2	3/1/20 10:00	0.2
3/2/18 12:00	0.4	3/2/19 13:00	0.2	3/1/20 11:00	0.2
3/2/18 13:00	0.3	3/2/19 14:00	0.2	3/1/20 12:00	0.2
3/2/18 14:00	0.3	3/2/19 15:00	0.2	3/1/20 13:00	0.2
3/2/18 15:00	0.3	3/2/19 16:00	0.1	3/1/20 14:00	0.2
3/2/18 16:00	0.3	3/2/19 17:00	0.1	3/1/20 15:00	0.2
3/2/18 17:00	0.3	3/2/19 18:00	0.2	3/1/20 16:00	0.2
3/2/18 18:00	0.7	3/2/19 19:00	0.1	3/1/20 17:00	0.2
3/2/18 19:00	0.7	3/2/19 20:00	0.2	3/1/20 18:00	0.2
3/2/18 20:00	0.7	3/2/19 21:00	0.2	3/1/20 19:00	0.2
3/2/18 21:00	0.8	3/2/19 22:00	0.2	3/1/20 20:00	0.3
3/2/18 22:00	0.8	3/2/19 23:00	0.2	3/1/20 21:00	0.3
3/2/18 23:00	0.9	3/3/19 0:00	0.3	3/1/20 22:00	0.2
3/3/18 0:00	0.7	3/3/19 1:00	0.3	3/1/20 23:00	0.2
3/3/18 1:00	0.8	3/3/19 2:00	0.3	3/2/20 0:00	0.1
3/3/18 2:00	0.8	3/3/19 3:00	0.3	3/2/20 1:00	0.1
3/3/18 3:00	0.7	3/3/19 4:00	0.3	3/2/20 2:00	0.1
3/3/18 4:00	0.7	3/3/19 5:00	0.3	3/2/20 3:00	0.1
3/3/18 5:00	0.9	3/3/19 6:00	0.3	3/2/20 4:00	0.1
3/3/18 6:00	0.9	3/3/19 7:00	0.3	3/2/20 5:00	0.1
3/3/18 7:00	0.9	3/3/19 8:00	0.2	3/2/20 6:00	0.1
3/3/18 8:00	0.8	3/3/19 9:00	0.2	3/2/20 7:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
3/3/18 9:00	0.8	3/3/19 10:00	0.2	3/2/20 8:00	0.1
3/3/18 10:00	0.9	3/3/19 11:00	0.2	3/2/20 9:00	0.1
3/3/18 11:00	0.3	3/3/19 12:00	0.2	3/2/20 10:00	0.1
3/3/18 12:00	0.6	3/3/19 13:00	0.2	3/2/20 11:00	0.1
3/3/18 13:00	0.6	3/3/19 14:00	0.2	3/2/20 12:00	0.1
3/3/18 14:00	0.5	3/3/19 15:00	0.2	3/2/20 13:00	0.1
3/3/18 15:00	0.7	3/3/19 16:00	0.2	3/2/20 14:00	0.1
3/3/18 16:00	0.5	3/3/19 17:00	0.2	3/2/20 15:00	0.1
3/3/18 17:00	0.5	3/3/19 18:00	0.2	3/2/20 16:00	0.1
3/3/18 18:00	0.4	3/3/19 19:00	0.2	3/2/20 17:00	0.1
3/3/18 19:00	3.2	3/3/19 20:00	0.2	3/2/20 18:00	0.1
3/3/18 20:00	0.5	3/3/19 21:00	0.2	3/2/20 19:00	0.2
3/3/18 21:00	0.6	3/3/19 22:00	0.2	3/2/20 20:00	0.2
3/3/18 22:00	0.5	3/3/19 23:00	0.2	3/2/20 21:00	0.1
3/3/18 23:00	0.5	3/4/19 0:00	0.2	3/2/20 22:00	0.2
3/4/18 0:00	0.5	3/4/19 1:00	0.2	3/2/20 23:00	0.1
3/4/18 1:00	0.2	3/4/19 2:00	0.2	3/3/20 0:00	0.1
3/4/18 2:00	0.3	3/4/19 3:00	0.2	3/3/20 1:00	0.2
3/4/18 3:00	0.3	3/4/19 4:00	0.2	3/3/20 2:00	0.3
3/4/18 4:00	0.2	3/4/19 5:00	0.2	3/3/20 3:00	0.6
3/4/18 5:00	0.2	3/4/19 6:00	0.1	3/3/20 4:00	0.1
3/4/18 6:00	0.2	3/4/19 7:00	0.2	3/3/20 5:00	0.1
3/4/18 7:00	0.2	3/4/19 8:00	0.2	3/3/20 6:00	0.1
3/4/18 8:00	0.2	3/4/19 9:00	0.2	3/3/20 7:00	0.1
3/4/18 9:00	0.3	3/4/19 10:00	1.3	3/3/20 8:00	0.1
3/4/18 10:00	0.3	3/4/19 11:00	0.2	3/3/20 9:00	0.2
3/4/18 11:00	0.4	3/4/19 12:00	0.2	3/3/20 10:00	0.2
3/4/18 12:00	0.4	3/4/19 13:00	0.2	3/3/20 11:00	0.2
3/4/18 13:00	0.3	3/4/19 14:00	0.2	3/3/20 12:00	0.1
3/4/18 14:00	0.3	3/4/19 15:00	0.2	3/3/20 13:00	0.1
3/4/18 15:00	0.3	3/4/19 16:00	0.2	3/3/20 14:00	0.1
3/4/18 16:00	0.2	3/4/19 17:00	0.2	3/3/20 15:00	0.1
3/4/18 17:00	0.3	3/4/19 18:00	0.2	3/3/20 16:00	0.1
3/4/18 18:00	0.2	3/4/19 19:00	0.2	3/3/20 17:00	0.1
3/4/18 19:00	0.2	3/4/19 20:00	0.2	3/3/20 18:00	0.1
3/4/18 20:00	0.2	3/4/19 21:00	0.2	3/3/20 19:00	0.1
3/4/18 21:00	0.2	3/4/19 22:00	0.2	3/3/20 20:00	0.1
3/4/18 22:00	0.3	3/4/19 23:00	0.2	3/3/20 21:00	0.1
3/4/18 23:00	0.3	3/5/19 0:00	0.2	3/3/20 22:00	0.1
3/5/18 0:00	0.3	3/5/19 1:00	0.2	3/3/20 23:00	0.1
3/5/18 1:00	0.3	3/5/19 2:00	0.2	3/4/20 0:00	0.1
3/5/18 2:00	0.6	3/5/19 3:00	0.2	3/4/20 1:00	0.1
3/5/18 3:00	0.6	3/5/19 4:00	0.2	3/4/20 2:00	0.1
3/5/18 4:00	0.5	3/5/19 5:00	0.2	3/4/20 3:00	0.1
3/5/18 5:00	0.5	3/5/19 6:00	0.2	3/4/20 4:00	0.1
3/5/18 6:00	0.6	3/5/19 7:00	0.2	3/4/20 5:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
3/5/18 7:00	0.6	3/5/19 8:00	0.2	3/4/20 6:00	0.1
3/5/18 8:00	0.6	3/5/19 9:00	0.3	3/4/20 7:00	0.1
3/5/18 9:00	0.6	3/5/19 10:00	0.3	3/4/20 8:00	0.0
3/5/18 10:00	0.6	3/5/19 11:00	0.2	3/4/20 9:00	0.1
3/5/18 11:00	0.5	3/5/19 12:00	0.2	3/4/20 10:00	0.1
3/5/18 12:00	0.5	3/5/19 13:00	0.2	3/4/20 11:00	0.1
3/5/18 13:00	0.6	3/5/19 14:00	0.2	3/4/20 12:00	0.1
3/5/18 14:00	0.7	3/5/19 15:00	0.2	3/4/20 13:00	0.1
3/5/18 15:00	0.6	3/5/19 16:00	0.2	3/4/20 14:00	0.1
3/5/18 16:00	0.6	3/5/19 17:00	0.2	3/4/20 15:00	0.1
3/5/18 17:00	0.5	3/5/19 18:00	0.2	3/4/20 16:00	0.1
3/5/18 18:00	0.5	3/5/19 19:00	0.2	3/4/20 17:00	0.1
3/5/18 19:00	0.6	3/5/19 20:00	0.2	3/4/20 18:00	0.1
3/5/18 20:00	0.6	3/5/19 21:00	0.2	3/4/20 19:00	0.1
3/5/18 21:00	0.6	3/5/19 22:00	0.2	3/4/20 20:00	0.1
3/5/18 22:00	0.6	3/5/19 23:00	0.2	3/4/20 21:00	0.1
3/5/18 23:00	0.6	3/6/19 0:00	0.2	3/4/20 22:00	0.1
3/6/18 0:00	0.6	3/6/19 1:00	0.2	3/4/20 23:00	0.1
3/6/18 1:00	0.6	3/6/19 2:00	0.2	3/5/20 0:00	0.1
3/6/18 2:00	0.7	3/6/19 3:00	0.2	3/5/20 1:00	0.1
3/6/18 3:00	0.7	3/6/19 4:00	0.2	3/5/20 2:00	0.1
3/6/18 4:00	0.7	3/6/19 5:00	0.2	3/5/20 3:00	0.1
3/6/18 5:00	0.6	3/6/19 6:00	0.1	3/5/20 4:00	0.1
3/6/18 6:00	0.6	3/6/19 7:00	0.1	3/5/20 5:00	0.1
3/6/18 7:00	0.6	3/6/19 8:00	0.2	3/5/20 6:00	0.4
3/6/18 8:00	0.6	3/6/19 9:00	0.2	3/5/20 7:00	0.4
3/6/18 9:00	0.6	3/6/19 10:00	0.2	3/5/20 8:00	0.6
3/6/18 10:00	0.6	3/6/19 11:00	0.2	3/5/20 9:00	0.4
3/6/18 11:00	0.3	3/6/19 12:00	0.2	3/5/20 10:00	0.9
3/6/18 12:00	0.1	3/6/19 13:00	0.2	3/5/20 11:00	1.1
3/6/18 13:00	0.2	3/6/19 14:00	0.2	3/5/20 12:00	1.4
3/6/18 14:00	0.2	3/6/19 15:00	0.2	3/5/20 13:00	0.8
3/6/18 15:00	0.2	3/6/19 16:00	0.2	3/5/20 14:00	0.8
3/6/18 16:00	0.2	3/6/19 17:00	0.2	3/5/20 15:00	0.9
3/6/18 17:00	0.2	3/6/19 18:00	0.2	3/5/20 16:00	1.3
3/6/18 18:00	0.2	3/6/19 19:00	0.2	3/5/20 17:00	0.1
3/6/18 19:00	0.2	3/6/19 20:00	0.2	3/5/20 18:00	0.1
3/6/18 20:00	0.2	3/6/19 21:00	0.2	3/5/20 19:00	0.1
3/6/18 21:00	0.2	3/6/19 22:00	0.2	3/5/20 20:00	0.1
3/6/18 22:00	0.1	3/6/19 23:00	0.2	3/5/20 21:00	0.1
3/6/18 23:00	0.1	3/7/19 0:00	0.1	3/5/20 22:00	0.2
3/7/18 0:00	0.1	3/7/19 1:00	0.1	3/5/20 23:00	0.2
3/7/18 1:00	0.1	3/7/19 2:00	0.1	3/6/20 0:00	0.2
3/7/18 2:00	0.1	3/7/19 3:00	0.1	3/6/20 1:00	0.1
3/7/18 3:00	0.1	3/7/19 4:00	0.2	3/6/20 2:00	0.1
3/7/18 4:00	0.1	3/7/19 5:00	0.2	3/6/20 3:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
3/7/18 5:00	0.1	3/7/19 6:00	0.2	3/6/20 4:00	0.1
3/7/18 6:00	0.1	3/7/19 7:00	0.2	3/6/20 5:00	0.2
3/7/18 7:00	0.2	3/7/19 8:00	0.2	3/6/20 6:00	0.2
3/7/18 8:00	0.0	3/7/19 9:00	0.2	3/6/20 7:00	0.3
3/7/18 9:00	1.0	3/7/19 10:00	0.2	3/6/20 8:00	0.2
3/7/18 10:00	0.4	3/7/19 11:00	0.2	3/6/20 9:00	0.1
3/7/18 11:00	0.2	3/7/19 12:00	0.2	3/6/20 10:00	0.1
3/7/18 12:00	0.1	3/7/19 13:00	0.1	3/6/20 11:00	0.1
3/7/18 13:00	0.1	3/7/19 14:00	0.1	3/6/20 12:00	0.1
3/7/18 14:00	1.5	3/7/19 15:00	0.1	3/6/20 13:00	0.1
3/7/18 15:00	0.2	3/7/19 16:00	0.2	3/6/20 14:00	0.1
3/7/18 16:00	0.3	3/7/19 17:00	0.2	3/6/20 15:00	0.1
3/7/18 17:00	0.1	3/7/19 18:00	0.2	3/6/20 16:00	0.1
3/7/18 18:00	0.1	3/7/19 19:00	0.2	3/6/20 17:00	0.1
3/7/18 19:00	0.1	3/7/19 20:00	0.2	3/6/20 18:00	0.1
3/7/18 20:00	0.2	3/7/19 21:00	0.1	3/6/20 19:00	0.1
3/7/18 21:00	0.2	3/7/19 22:00	0.1	3/6/20 20:00	0.1
3/7/18 22:00	0.2	3/7/19 23:00	0.1	3/6/20 21:00	0.1
3/7/18 23:00	0.2	3/8/19 0:00	0.1	3/6/20 22:00	0.1
3/8/18 0:00	0.2	3/8/19 1:00	0.2	3/6/20 23:00	0.1
3/8/18 1:00	0.2	3/8/19 2:00	0.1	3/7/20 0:00	0.1
3/8/18 2:00	0.2	3/8/19 3:00	0.2	3/7/20 1:00	0.1
3/8/18 3:00	0.1	3/8/19 4:00	0.2	3/7/20 2:00	0.2
3/8/18 4:00	0.3	3/8/19 5:00	0.2	3/7/20 3:00	0.2
3/8/18 5:00	0.2	3/8/19 6:00	0.1	3/7/20 4:00	0.1
3/8/18 6:00	0.2	3/8/19 7:00	0.1	3/7/20 5:00	0.1
3/8/18 7:00	0.2	3/8/19 8:00	0.2	3/7/20 6:00	0.1
3/8/18 8:00	0.3	3/8/19 9:00	0.2	3/7/20 7:00	0.1
3/8/18 9:00	0.6	3/8/19 10:00	0.2	3/7/20 8:00	0.1
3/8/18 10:00	0.4	3/8/19 11:00	0.3	3/7/20 9:00	0.1
3/8/18 11:00	0.4	3/8/19 12:00	0.3	3/7/20 10:00	0.1
3/8/18 12:00	0.4	3/8/19 13:00	0.2	3/7/20 11:00	0.1
3/8/18 13:00	0.4	3/8/19 14:00	0.2	3/7/20 12:00	0.1
3/8/18 14:00	0.3	3/8/19 15:00	0.2	3/7/20 13:00	0.1
3/8/18 15:00	0.3	3/8/19 16:00	0.2	3/7/20 14:00	0.2
3/8/18 16:00	0.4	3/8/19 17:00	0.2	3/7/20 15:00	0.1
3/8/18 17:00	0.4	3/8/19 18:00	0.2	3/7/20 16:00	0.1
3/8/18 18:00	0.3	3/8/19 19:00	0.2	3/7/20 17:00	0.1
3/8/18 19:00	0.3	3/8/19 20:00	0.2	3/7/20 18:00	0.1
3/8/18 20:00	0.3	3/8/19 21:00	0.2	3/7/20 19:00	0.1
3/8/18 21:00	0.3	3/8/19 22:00	0.2	3/7/20 20:00	0.1
3/8/18 22:00	0.4	3/8/19 23:00	0.2	3/7/20 21:00	0.1
3/8/18 23:00	0.3	3/9/19 0:00	0.2	3/7/20 22:00	0.1
3/9/18 0:00	0.4	3/9/19 1:00	0.2	3/7/20 23:00	0.1
3/9/18 1:00	0.4	3/9/19 2:00	0.2	3/8/20 0:00	0.1
3/9/18 2:00	0.5	3/9/19 3:00	0.2	3/8/20 1:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
3/9/18 3:00	0.5	3/9/19 4:00	0.2	3/8/20 3:00	0.1
3/9/18 4:00	0.4	3/9/19 5:00	0.2	3/8/20 4:00	0.1
3/9/18 5:00	0.3	3/9/19 6:00	0.1	3/8/20 5:00	0.1
3/9/18 6:00	0.3	3/9/19 7:00	0.1	3/8/20 6:00	0.1
3/9/18 7:00	0.3	3/9/19 8:00	0.1	3/8/20 7:00	0.1
3/9/18 8:00	0.3	3/9/19 9:00	0.1	3/8/20 8:00	0.1
3/9/18 9:00	0.3	3/9/19 10:00	0.1	3/8/20 9:00	0.1
3/9/18 10:00	0.4	3/9/19 11:00	0.2	3/8/20 10:00	0.1
3/9/18 11:00	0.3	3/9/19 12:00	0.2	3/8/20 11:00	0.1
3/9/18 12:00	0.3	3/9/19 13:00	0.2	3/8/20 12:00	0.1
3/9/18 13:00	0.3	3/9/19 14:00	0.2	3/8/20 13:00	0.1
3/9/18 14:00	0.4	3/9/19 15:00	0.2	3/8/20 14:00	0.1
3/9/18 15:00	0.4	3/9/19 16:00	0.1	3/8/20 15:00	0.1
3/9/18 16:00	0.4	3/9/19 17:00	0.1	3/8/20 16:00	0.1
3/9/18 17:00	0.4	3/9/19 18:00	0.1	3/8/20 17:00	0.1
3/9/18 18:00	0.3	3/9/19 19:00	0.2	3/8/20 18:00	0.1
3/9/18 19:00	0.4	3/9/19 20:00	0.2	3/8/20 19:00	0.1
3/9/18 20:00	0.3	3/9/19 21:00	0.2	3/8/20 20:00	0.1
3/9/18 21:00	0.3	3/9/19 22:00	0.1	3/8/20 21:00	0.1
3/9/18 22:00	0.4	3/9/19 23:00	0.1	3/8/20 22:00	0.1
3/9/18 23:00	0.3	3/10/19 0:00	0.1	3/8/20 23:00	0.1
3/10/18 0:00	0.3	3/10/19 1:00	0.1	3/9/20 0:00	0.1
3/10/18 1:00	0.4	3/10/19 3:00	0.1	3/9/20 1:00	0.1
3/10/18 2:00	0.4	3/10/19 4:00	0.2	3/9/20 2:00	0.2
3/10/18 3:00	0.4	3/10/19 5:00	0.2	3/9/20 3:00	0.2
3/10/18 4:00	0.4	3/10/19 6:00	0.1	3/9/20 4:00	0.2
3/10/18 5:00	0.4	3/10/19 7:00	0.2	3/9/20 5:00	0.2
3/10/18 6:00	0.4	3/10/19 8:00	0.2	3/9/20 6:00	0.1
3/10/18 7:00	0.4	3/10/19 9:00	0.2	3/9/20 7:00	0.1
3/10/18 8:00	0.4	3/10/19 10:00	0.2	3/9/20 8:00	0.1
3/10/18 9:00	0.4	3/10/19 11:00	0.2	3/9/20 9:00	0.1
3/10/18 10:00	0.4	3/10/19 12:00	0.2	3/9/20 10:00	0.1
3/10/18 11:00	0.4	3/10/19 13:00	0.2	3/9/20 11:00	0.1
3/10/18 12:00	0.5	3/10/19 14:00	0.2	3/9/20 12:00	0.1
3/10/18 13:00	1.2	3/10/19 15:00	0.2	3/9/20 13:00	0.1
3/10/18 14:00	0.5	3/10/19 16:00	0.2	3/9/20 14:00	0.1
3/10/18 15:00	0.4	3/10/19 17:00	0.2	3/9/20 15:00	0.1
3/10/18 16:00	0.4	3/10/19 18:00	0.2	3/9/20 16:00	0.2
3/10/18 17:00	0.5	3/10/19 19:00	0.2	3/9/20 17:00	0.1
3/10/18 18:00	0.5	3/10/19 20:00	0.1	3/9/20 18:00	0.1
3/10/18 19:00	0.6	3/10/19 21:00	0.2	3/9/20 19:00	0.2
3/10/18 20:00	0.6	3/10/19 22:00	0.2	3/9/20 20:00	0.2
3/10/18 21:00	0.5	3/10/19 23:00	0.2	3/9/20 21:00	0.1
3/10/18 22:00	0.4	3/11/19 0:00	0.2	3/9/20 22:00	0.2
3/10/18 23:00	0.5	3/11/19 1:00	0.2	3/9/20 23:00	0.2
3/11/18 0:00	0.5	3/11/19 2:00	0.2	3/10/20 0:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
3/11/18 1:00	0.4	3/11/19 3:00	0.2	3/10/20 1:00	0.1
3/11/18 3:00	0.5	3/11/19 4:00	0.2	3/10/20 2:00	0.1
3/11/18 4:00	0.5	3/11/19 5:00	0.2	3/10/20 3:00	0.1
3/11/18 5:00	0.4	3/11/19 6:00	0.2	3/10/20 4:00	0.1
3/11/18 6:00	0.5	3/11/19 7:00	0.2	3/10/20 5:00	0.1
3/11/18 7:00	0.5	3/11/19 8:00	0.2	3/10/20 6:00	0.1
3/11/18 8:00	0.5	3/11/19 9:00	0.2	3/10/20 7:00	0.1
3/11/18 9:00	0.5	3/11/19 10:00	0.2	3/10/20 8:00	0.2
3/11/18 10:00	0.4	3/11/19 11:00	0.2	3/10/20 9:00	0.2
3/11/18 11:00	0.4	3/11/19 12:00	0.2	3/10/20 10:00	0.2
3/11/18 12:00	0.4	3/11/19 13:00	0.2	3/10/20 11:00	0.2
3/11/18 13:00	0.4	3/11/19 14:00	0.2	3/10/20 12:00	0.2
3/11/18 14:00	0.4	3/11/19 15:00	0.2	3/10/20 13:00	0.2
3/11/18 15:00	0.4	3/11/19 16:00	0.2	3/10/20 14:00	0.2
3/11/18 16:00	0.4	3/11/19 17:00	0.2	3/10/20 15:00	0.2
3/11/18 17:00	0.3	3/11/19 18:00	0.2	3/10/20 16:00	0.2
3/11/18 18:00	0.4	3/11/19 19:00	0.2	3/10/20 17:00	0.2
3/11/18 19:00	0.4	3/11/19 20:00	0.2	3/10/20 18:00	0.2
3/11/18 20:00	0.5	3/11/19 21:00	0.2	3/10/20 19:00	0.2
3/11/18 21:00	0.5	3/11/19 22:00	0.2	3/10/20 20:00	0.2
3/11/18 22:00	0.5	3/11/19 23:00	0.2	3/10/20 21:00	0.2
3/11/18 23:00	0.6	3/12/19 0:00	0.2	3/10/20 22:00	0.2
3/12/18 0:00	0.5	3/12/19 1:00	0.3	3/10/20 23:00	0.1
3/12/18 1:00	0.7	3/12/19 2:00	0.2	3/11/20 0:00	0.2
3/12/18 2:00	0.6	3/12/19 3:00	0.3	3/11/20 1:00	0.1
3/12/18 3:00	0.4	3/12/19 4:00	0.2	3/11/20 2:00	0.1
3/12/18 4:00	0.4	3/12/19 5:00	0.2	3/11/20 3:00	0.1
3/12/18 5:00	0.4	3/12/19 6:00	0.2	3/11/20 4:00	0.2
3/12/18 6:00	0.4	3/12/19 7:00	0.2	3/11/20 5:00	0.2
3/12/18 7:00	0.4	3/12/19 8:00	0.2	3/11/20 6:00	0.1
3/12/18 8:00	0.4	3/12/19 9:00	0.3	3/11/20 7:00	0.2
3/12/18 9:00	0.5	3/12/19 10:00	0.3	3/11/20 8:00	0.1
3/12/18 10:00	0.4	3/12/19 11:00	0.1	3/11/20 9:00	0.2
3/12/18 11:00	0.4	3/12/19 12:00	0.1	3/11/20 10:00	0.2
3/12/18 12:00	0.4	3/12/19 13:00	0.2	3/11/20 11:00	0.2
3/12/18 13:00	0.4	3/12/19 14:00	0.2	3/11/20 12:00	0.2
3/12/18 14:00	0.4	3/12/19 15:00	0.2	3/11/20 13:00	0.2
3/12/18 15:00	0.4	3/12/19 16:00	0.2	3/11/20 14:00	0.2
3/12/18 16:00	0.4	3/12/19 17:00	0.2	3/11/20 15:00	0.1
3/12/18 17:00	0.4	3/12/19 18:00	0.2	3/11/20 16:00	0.2
3/12/18 18:00	0.4	3/12/19 19:00	0.2	3/11/20 17:00	0.1
3/12/18 19:00	0.4	3/12/19 20:00	0.2	3/11/20 18:00	0.2
3/12/18 20:00	0.3	3/12/19 21:00	0.2	3/11/20 19:00	0.2
3/12/18 21:00	0.4	3/12/19 22:00	0.2	3/11/20 20:00	0.2
3/12/18 22:00	0.4	3/12/19 23:00	0.2	3/11/20 21:00	0.1
3/12/18 23:00	0.4	3/13/19 0:00	0.2	3/11/20 22:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
3/13/18 0:00	0.4	3/13/19 1:00	0.2	3/11/20 23:00	0.2
3/13/18 1:00	0.5	3/13/19 2:00	0.2	3/12/20 0:00	0.2
3/13/18 2:00	0.4	3/13/19 3:00	0.2	3/12/20 1:00	0.2
3/13/18 3:00	0.4	3/13/19 4:00	0.2	3/12/20 2:00	0.2
3/13/18 4:00	0.4	3/13/19 5:00	0.2	3/12/20 3:00	0.2
3/13/18 5:00	0.4	3/13/19 6:00	0.2	3/12/20 4:00	0.2
3/13/18 6:00	0.4	3/13/19 7:00	0.2	3/12/20 5:00	0.1
3/13/18 7:00	0.3	3/13/19 8:00	0.2	3/12/20 6:00	0.1
3/13/18 8:00	0.3	3/13/19 9:00	0.2	3/12/20 7:00	0.1
3/13/18 9:00	0.3	3/13/19 10:00	0.2	3/12/20 8:00	0.1
3/13/18 10:00	0.4	3/13/19 11:00	0.2	3/12/20 9:00	0.1
3/13/18 11:00	0.3	3/13/19 12:00	0.2	3/12/20 10:00	0.1
3/13/18 12:00	0.4	3/13/19 13:00	0.2	3/12/20 11:00	0.1
3/13/18 13:00	0.4	3/13/19 14:00	0.2	3/12/20 12:00	0.1
3/13/18 14:00	0.4	3/13/19 15:00	0.2	3/12/20 13:00	0.1
3/13/18 15:00	0.4	3/13/19 16:00	0.2	3/12/20 14:00	0.1
3/13/18 16:00	0.4	3/13/19 17:00	0.2	3/12/20 15:00	0.1
3/13/18 17:00	0.4	3/13/19 18:00	0.2	3/12/20 16:00	0.1
3/13/18 18:00	0.4	3/13/19 19:00	0.2	3/12/20 17:00	0.1
3/13/18 19:00	0.4	3/13/19 20:00	0.2	3/12/20 18:00	0.1
3/13/18 20:00	0.4	3/13/19 21:00	0.2	3/12/20 19:00	0.1
3/13/18 21:00	0.4	3/13/19 22:00	0.2	3/12/20 20:00	0.1
3/13/18 22:00	4.2	3/13/19 23:00	0.2	3/12/20 21:00	0.2
3/13/18 23:00	0.3	3/14/19 0:00	0.2	3/12/20 22:00	0.2
3/14/18 0:00	0.6	3/14/19 1:00	0.2	3/12/20 23:00	0.2
3/14/18 1:00	0.3	3/14/19 2:00	0.2	3/13/20 0:00	0.2
3/14/18 2:00	0.4	3/14/19 3:00	0.2	3/13/20 1:00	0.1
3/14/18 3:00	0.3	3/14/19 4:00	0.2	3/13/20 2:00	0.1
3/14/18 4:00	1.8	3/14/19 5:00	0.2	3/13/20 3:00	0.2
3/14/18 5:00	0.4	3/14/19 6:00	0.2	3/13/20 4:00	0.1
3/14/18 6:00	0.3	3/14/19 7:00	0.2	3/13/20 5:00	0.1
3/14/18 7:00	0.3	3/14/19 8:00	0.2	3/13/20 6:00	0.1
3/14/18 8:00	0.3	3/14/19 9:00	0.2	3/13/20 7:00	0.1
3/14/18 9:00	0.3	3/14/19 10:00	0.2	3/13/20 8:00	0.1
3/14/18 10:00	0.4	3/14/19 11:00	0.3	3/13/20 9:00	0.1
3/14/18 11:00	0.7	3/14/19 12:00	0.2	3/13/20 10:00	0.1
3/14/18 12:00	0.6	3/14/19 13:00	0.2	3/13/20 11:00	0.1
3/14/18 13:00	0.6	3/14/19 14:00	0.2	3/13/20 12:00	0.1
3/14/18 14:00	0.6	3/14/19 15:00	0.2	3/13/20 13:00	0.1
3/14/18 15:00	0.6	3/14/19 16:00	0.2	3/13/20 14:00	0.1
3/14/18 16:00	0.5	3/14/19 17:00	0.1	3/13/20 15:00	0.1
3/14/18 17:00	0.3	3/14/19 18:00	0.1	3/13/20 16:00	0.1
3/14/18 18:00	0.2	3/14/19 19:00	0.2	3/13/20 17:00	0.1
3/14/18 19:00	0.3	3/14/19 20:00	0.1	3/13/20 18:00	0.1
3/14/18 20:00	0.3	3/14/19 21:00	0.1	3/13/20 19:00	0.1
3/14/18 21:00	0.3	3/14/19 22:00	0.1	3/13/20 20:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
3/14/18 22:00	0.4	3/14/19 23:00	0.1	3/13/20 21:00	0.1
3/14/18 23:00	0.5	3/15/19 0:00	0.1	3/13/20 22:00	0.1
3/15/18 0:00	0.6	3/15/19 1:00	0.2	3/13/20 23:00	0.1
3/15/18 1:00	0.6	3/15/19 2:00	0.2	3/14/20 0:00	0.1
3/15/18 2:00	0.6	3/15/19 3:00	0.2	3/14/20 1:00	0.1
3/15/18 3:00	0.6	3/15/19 4:00	0.2	3/14/20 2:00	0.1
3/15/18 4:00	0.6	3/15/19 5:00	0.2	3/14/20 3:00	0.1
3/15/18 5:00	0.6	3/15/19 6:00	0.2	3/14/20 4:00	0.1
3/15/18 6:00	0.5	3/15/19 7:00	0.2	3/14/20 5:00	0.1
3/15/18 7:00	0.4	3/15/19 8:00	0.2	3/14/20 6:00	0.1
3/15/18 8:00	0.9	3/15/19 9:00	0.2	3/14/20 7:00	0.1
3/15/18 9:00	1.1	3/15/19 10:00	0.2	3/14/20 8:00	0.1
3/15/18 10:00	0.4	3/15/19 11:00	0.2	3/14/20 9:00	0.1
3/15/18 11:00	0.5	3/15/19 12:00	0.2	3/14/20 10:00	0.1
3/15/18 12:00	0.6	3/15/19 13:00	0.2	3/14/20 11:00	0.1
3/15/18 13:00	0.6	3/15/19 14:00	0.2	3/14/20 12:00	0.1
3/15/18 14:00	0.7	3/15/19 15:00	0.2	3/14/20 13:00	0.1
3/15/18 15:00	0.7	3/15/19 16:00	0.1	3/14/20 14:00	0.1
3/15/18 16:00	0.6	3/15/19 17:00	0.1	3/14/20 15:00	0.1
3/15/18 17:00	0.7	3/15/19 18:00	0.2	3/14/20 16:00	0.1
3/15/18 18:00	0.5	3/15/19 19:00	0.2	3/14/20 17:00	0.1
3/15/18 19:00	0.6	3/15/19 20:00	0.1	3/14/20 18:00	0.1
3/15/18 20:00	0.6	3/15/19 21:00	0.2	3/14/20 19:00	0.1
3/15/18 21:00	0.5	3/15/19 22:00	0.1	3/14/20 20:00	0.1
3/15/18 22:00	0.6	3/15/19 23:00	0.1	3/14/20 21:00	0.1
3/15/18 23:00	0.6	3/16/19 0:00	0.2	3/14/20 22:00	0.0
3/16/18 0:00	0.3	3/16/19 1:00	0.1	3/14/20 23:00	0.0
3/16/18 1:00	0.3	3/16/19 2:00	0.1	3/15/20 0:00	0.0
3/16/18 2:00	0.3	3/16/19 3:00	0.1	3/15/20 1:00	0.1
3/16/18 3:00	0.4	3/16/19 4:00	0.1	3/15/20 2:00	0.1
3/16/18 4:00	0.6	3/16/19 5:00	0.1	3/15/20 3:00	0.1
3/16/18 5:00	0.6	3/16/19 6:00	0.2	3/15/20 4:00	0.1
3/16/18 6:00	0.4	3/16/19 7:00	0.2	3/15/20 5:00	0.1
3/16/18 7:00	0.3	3/16/19 8:00	0.2	3/15/20 6:00	0.1
3/16/18 8:00	0.4	3/16/19 9:00	0.2	3/15/20 7:00	0.1
3/16/18 9:00	0.5	3/16/19 10:00	0.2	3/15/20 8:00	0.1
3/16/18 10:00	0.7	3/16/19 11:00	0.2	3/15/20 9:00	0.1
3/16/18 11:00	0.6	3/16/19 12:00	0.2	3/15/20 10:00	0.1
3/16/18 12:00	0.6	3/16/19 13:00	0.2	3/15/20 11:00	0.0
3/16/18 13:00	0.5	3/16/19 14:00	0.2	3/15/20 12:00	0.2
3/16/18 14:00	0.5	3/16/19 15:00	0.2	3/15/20 13:00	0.3
3/16/18 15:00	0.4	3/16/19 16:00	0.2	3/15/20 14:00	0.3
3/16/18 16:00	0.4	3/16/19 17:00	0.2	3/15/20 15:00	0.2
3/16/18 17:00	0.4	3/16/19 18:00	0.2	3/15/20 16:00	0.3
3/16/18 18:00	0.4	3/16/19 19:00	0.2	3/15/20 17:00	0.3
3/16/18 19:00	0.4	3/16/19 20:00	0.1	3/15/20 18:00	0.3

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
3/16/18 20:00	0.4	3/16/19 21:00	0.2	3/15/20 19:00	0.3
3/16/18 21:00	0.4	3/16/19 22:00	0.2	3/15/20 20:00	0.4
3/16/18 22:00	0.4	3/16/19 23:00	0.2	3/15/20 21:00	0.4
3/16/18 23:00	0.4	3/17/19 0:00	0.2	3/15/20 22:00	0.4
3/17/18 0:00	0.4	3/17/19 1:00	0.3	3/15/20 23:00	0.4
3/17/18 1:00	0.5	3/17/19 2:00	0.3	3/16/20 0:00	0.4
3/17/18 2:00	0.4	3/17/19 3:00	0.3	3/16/20 1:00	0.4
3/17/18 3:00	0.5	3/17/19 4:00	0.3	3/16/20 2:00	0.4
3/17/18 4:00	0.5	3/17/19 5:00	0.3	3/16/20 3:00	0.4
3/17/18 5:00	0.5	3/17/19 6:00	0.3	3/16/20 4:00	0.4
3/17/18 6:00	0.5	3/17/19 7:00	0.3	3/16/20 5:00	0.4
3/17/18 7:00	0.5	3/17/19 8:00	0.3	3/16/20 6:00	0.4
3/17/18 8:00	0.5	3/17/19 9:00	0.3	3/16/20 7:00	0.4
3/17/18 9:00	0.5	3/17/19 10:00	0.3	3/16/20 8:00	0.3
3/17/18 10:00	0.4	3/17/19 11:00	0.3	3/16/20 9:00	0.3
3/17/18 11:00	0.5	3/17/19 12:00	0.2	3/16/20 10:00	0.3
3/17/18 12:00	0.5	3/17/19 13:00	0.2	3/16/20 11:00	0.3
3/17/18 13:00	0.5	3/17/19 14:00	0.2	3/16/20 12:00	0.4
3/17/18 14:00	0.6	3/17/19 15:00	0.2	3/16/20 13:00	0.2
3/17/18 15:00	2.2	3/17/19 16:00	0.2	3/16/20 14:00	0.1
3/17/18 16:00	0.3	3/17/19 17:00	0.2	3/16/20 15:00	0.1
3/17/18 17:00	0.3	3/17/19 18:00	0.2	3/16/20 16:00	0.1
3/17/18 18:00	0.3	3/17/19 19:00	0.2	3/16/20 17:00	0.1
3/17/18 19:00	0.8	3/17/19 20:00	0.2	3/16/20 18:00	0.1
3/17/18 20:00	0.7	3/17/19 21:00	0.2	3/16/20 19:00	0.1
3/17/18 21:00	1.0	3/17/19 22:00	0.2	3/16/20 20:00	0.1
3/17/18 22:00	1.1	3/17/19 23:00	0.3	3/16/20 21:00	0.1
3/17/18 23:00	0.5	3/18/19 0:00	0.3	3/16/20 22:00	0.1
3/18/18 0:00	0.8	3/18/19 1:00	0.3	3/16/20 23:00	0.1
3/18/18 1:00	0.9	3/18/19 2:00	0.3	3/17/20 0:00	0.1
3/18/18 2:00	0.8	3/18/19 3:00	0.3	3/17/20 1:00	0.1
3/18/18 3:00	0.9	3/18/19 4:00	0.3	3/17/20 2:00	0.1
3/18/18 4:00	1.2	3/18/19 5:00	0.2	3/17/20 3:00	0.1
3/18/18 5:00	0.6	3/18/19 6:00	0.3	3/17/20 4:00	0.1
3/18/18 6:00	0.3	3/18/19 7:00	0.3	3/17/20 5:00	0.1
3/18/18 7:00	0.4	3/18/19 8:00	0.2	3/17/20 6:00	0.1
3/18/18 8:00	0.4	3/18/19 9:00	0.2	3/17/20 7:00	0.1
3/18/18 9:00	0.4	3/18/19 10:00	0.2	3/17/20 8:00	0.1
3/18/18 10:00	0.3	3/18/19 11:00	0.3	3/17/20 9:00	0.1
3/18/18 11:00	0.3	3/18/19 12:00	0.3	3/17/20 10:00	0.2
3/18/18 12:00	0.3	3/18/19 13:00	0.3	3/17/20 11:00	0.5
3/18/18 13:00	0.3	3/18/19 14:00	0.5	3/17/20 12:00	0.3
3/18/18 14:00	0.3	3/18/19 15:00	0.4	3/17/20 13:00	0.3
3/18/18 15:00	0.3	3/18/19 16:00	0.3	3/17/20 14:00	0.2
3/18/18 16:00	0.3	3/18/19 17:00	0.3	3/17/20 15:00	0.2
3/18/18 17:00	0.3	3/18/19 18:00	0.3	3/17/20 16:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
3/18/18 18:00	0.3	3/18/19 19:00	0.3	3/17/20 17:00	0.2
3/18/18 19:00	0.4	3/18/19 20:00	0.2	3/17/20 18:00	0.2
3/18/18 20:00	0.7	3/18/19 21:00	0.2	3/17/20 19:00	0.2
3/18/18 21:00	0.7	3/18/19 22:00	0.2	3/17/20 20:00	0.1
3/18/18 22:00	0.7	3/18/19 23:00	0.2	3/17/20 21:00	0.2
3/18/18 23:00	0.7	3/19/19 0:00	0.3	3/17/20 22:00	0.2
3/19/18 0:00	0.8	3/19/19 1:00	0.2	3/17/20 23:00	0.2
3/19/18 1:00	0.7	3/19/19 2:00	0.2	3/18/20 0:00	0.2
3/19/18 2:00	0.7	3/19/19 3:00	0.2	3/18/20 1:00	0.2
3/19/18 3:00	0.8	3/19/19 4:00	0.2	3/18/20 2:00	0.2
3/19/18 4:00	0.7	3/19/19 5:00	0.2	3/18/20 3:00	0.1
3/19/18 5:00	0.7	3/19/19 6:00	0.2	3/18/20 4:00	0.1
3/19/18 6:00	0.8	3/19/19 7:00	0.2	3/18/20 5:00	0.1
3/19/18 7:00	0.7	3/19/19 8:00	0.2	3/18/20 6:00	0.1
3/19/18 8:00	0.7	3/19/19 9:00	0.2	3/18/20 7:00	0.1
3/19/18 9:00	0.8	3/19/19 10:00	0.2	3/18/20 8:00	0.1
3/19/18 10:00	0.7	3/19/19 11:00	0.2	3/18/20 9:00	0.2
3/19/18 11:00	0.7	3/19/19 12:00	0.2	3/18/20 10:00	0.1
3/19/18 12:00	0.7	3/19/19 13:00	0.2	3/18/20 11:00	0.1
3/19/18 13:00	0.6	3/19/19 14:00	0.2	3/18/20 12:00	0.1
3/19/18 14:00	0.2	3/19/19 15:00	0.2	3/18/20 13:00	0.1
3/19/18 15:00	0.2	3/19/19 16:00	0.2	3/18/20 14:00	0.2
3/19/18 16:00	0.3	3/19/19 17:00	0.2	3/18/20 15:00	0.2
3/19/18 17:00	0.2	3/19/19 18:00	0.2	3/18/20 16:00	0.2
3/19/18 18:00	0.4	3/19/19 19:00	0.2	3/18/20 17:00	0.2
3/19/18 19:00	0.6	3/19/19 20:00	0.2	3/18/20 18:00	0.2
3/19/18 20:00	0.6	3/19/19 21:00	0.2	3/18/20 19:00	0.2
3/19/18 21:00	0.6	3/19/19 22:00	0.2	3/18/20 20:00	0.2
3/19/18 22:00	0.6	3/19/19 23:00	0.2	3/18/20 21:00	0.2
3/19/18 23:00	0.6	3/20/19 0:00	0.2	3/18/20 22:00	0.3
3/20/18 0:00	0.6	3/20/19 1:00	0.2	3/18/20 23:00	0.3
3/20/18 1:00	0.6	3/20/19 2:00	0.2	3/19/20 0:00	0.4
3/20/18 2:00	0.5	3/20/19 3:00	0.2	3/19/20 1:00	0.4
3/20/18 3:00	0.5	3/20/19 4:00	0.2	3/19/20 2:00	0.4
3/20/18 4:00	0.5	3/20/19 5:00	0.2	3/19/20 3:00	0.4
3/20/18 5:00	0.5	3/20/19 6:00	0.2	3/19/20 4:00	0.4
3/20/18 6:00	0.5	3/20/19 7:00	0.2	3/19/20 5:00	0.4
3/20/18 7:00	0.5	3/20/19 8:00	0.2	3/19/20 6:00	0.4
3/20/18 8:00	0.5	3/20/19 9:00	0.2	3/19/20 7:00	0.4
3/20/18 9:00	0.4	3/20/19 10:00	0.2	3/19/20 8:00	0.4
3/20/18 10:00	0.3	3/20/19 11:00	0.2	3/19/20 9:00	0.3
3/20/18 11:00	0.5	3/20/19 12:00	0.2	3/19/20 10:00	0.4
3/20/18 12:00	0.5	3/20/19 13:00	0.2	3/19/20 11:00	0.4
3/20/18 13:00	0.5	3/20/19 14:00	0.2	3/19/20 12:00	0.4
3/20/18 14:00	0.4	3/20/19 15:00	0.2	3/19/20 13:00	0.4
3/20/18 15:00	0.4	3/20/19 16:00	0.2	3/19/20 14:00	0.3

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
3/20/18 16:00	0.6	3/20/19 17:00	0.2	3/19/20 15:00	0.3
3/20/18 17:00	0.9	3/20/19 18:00	0.1	3/19/20 16:00	0.3
3/20/18 18:00	0.7	3/20/19 19:00	0.1	3/19/20 17:00	0.4
3/20/18 19:00	0.7	3/20/19 20:00	0.1	3/19/20 18:00	0.3
3/20/18 20:00	0.8	3/20/19 21:00	0.1	3/19/20 19:00	0.4
3/20/18 21:00	0.9	3/20/19 22:00	0.1	3/19/20 20:00	0.5
3/20/18 22:00	0.8	3/20/19 23:00	0.1	3/19/20 21:00	0.5
3/20/18 23:00	0.6	3/21/19 0:00	0.1	3/19/20 22:00	0.4
3/21/18 0:00	0.6	3/21/19 1:00	0.1	3/19/20 23:00	0.4
3/21/18 1:00	0.6	3/21/19 2:00	0.1	3/20/20 0:00	0.5
3/21/18 2:00	0.5	3/21/19 3:00	0.1	3/20/20 1:00	0.5
3/21/18 3:00	0.5	3/21/19 4:00	0.1	3/20/20 2:00	0.5
3/21/18 4:00	0.4	3/21/19 5:00	0.2	3/20/20 3:00	0.5
3/21/18 5:00	0.3	3/21/19 6:00	0.2	3/20/20 4:00	0.4
3/21/18 6:00	0.4	3/21/19 7:00	0.2	3/20/20 5:00	0.4
3/21/18 7:00	0.4	3/21/19 8:00	0.2	3/20/20 6:00	0.4
3/21/18 8:00	0.4	3/21/19 9:00	0.3	3/20/20 7:00	0.3
3/21/18 9:00	0.6	3/21/19 10:00	0.3	3/20/20 8:00	0.3
3/21/18 10:00	0.7	3/21/19 11:00	0.3	3/20/20 9:00	0.3
3/21/18 11:00	0.6	3/21/19 12:00	0.3	3/20/20 10:00	0.3
3/21/18 12:00	0.6	3/21/19 13:00	0.3	3/20/20 11:00	0.3
3/21/18 13:00	0.6	3/21/19 14:00	0.3	3/20/20 12:00	0.3
3/21/18 14:00	0.6	3/21/19 15:00	0.3	3/20/20 13:00	0.3
3/21/18 15:00	0.6	3/21/19 16:00	0.4	3/20/20 14:00	0.3
3/21/18 16:00	0.6	3/21/19 17:00	0.3	3/20/20 15:00	0.1
3/21/18 17:00	0.6	3/21/19 18:00	0.3	3/20/20 16:00	0.2
3/21/18 18:00	0.6	3/21/19 19:00	0.2	3/20/20 17:00	0.2
3/21/18 19:00	0.6	3/21/19 20:00	0.3	3/20/20 18:00	0.2
3/21/18 20:00	0.6	3/21/19 21:00	0.3	3/20/20 19:00	0.1
3/21/18 21:00	0.6	3/21/19 22:00	0.3	3/20/20 20:00	0.2
3/21/18 22:00	0.5	3/21/19 23:00	0.2	3/20/20 21:00	0.2
3/21/18 23:00	0.2	3/22/19 0:00	0.3	3/20/20 22:00	0.2
3/22/18 0:00	0.3	3/22/19 1:00	0.4	3/20/20 23:00	0.2
3/22/18 1:00	0.2	3/22/19 2:00	0.3	3/21/20 0:00	0.2
3/22/18 2:00	0.4	3/22/19 3:00	0.3	3/21/20 1:00	0.2
3/22/18 3:00	0.6	3/22/19 4:00	0.3	3/21/20 2:00	0.2
3/22/18 4:00	0.6	3/22/19 5:00	0.4	3/21/20 3:00	0.2
3/22/18 5:00	0.7	3/22/19 6:00	0.4	3/21/20 4:00	0.1
3/22/18 6:00	0.6	3/22/19 7:00	0.4	3/21/20 5:00	0.2
3/22/18 7:00	0.7	3/22/19 8:00	0.4	3/21/20 6:00	0.1
3/22/18 8:00	0.7	3/22/19 9:00	0.4	3/21/20 7:00	0.1
3/22/18 9:00	0.5	3/22/19 10:00	0.3	3/21/20 8:00	0.1
3/22/18 10:00	0.4	3/22/19 11:00	0.3	3/21/20 9:00	0.2
3/22/18 11:00	0.5	3/22/19 12:00	0.4	3/21/20 10:00	0.1
3/22/18 12:00	0.4	3/22/19 13:00	0.3	3/21/20 11:00	0.1
3/22/18 13:00	0.7	3/22/19 14:00	0.2	3/21/20 12:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
3/22/18 14:00	1.3	3/22/19 15:00	0.2	3/21/20 13:00	0.1
3/22/18 15:00	1.0	3/22/19 16:00	0.2	3/21/20 14:00	0.1
3/22/18 16:00	0.9	3/22/19 17:00	0.2	3/21/20 15:00	0.1
3/22/18 17:00	0.9	3/22/19 18:00	0.2	3/21/20 16:00	0.1
3/22/18 18:00	0.6	3/22/19 19:00	0.2	3/21/20 17:00	0.1
3/22/18 19:00	0.6	3/22/19 20:00	0.2	3/21/20 18:00	0.1
3/22/18 20:00	0.5	3/22/19 21:00	0.2	3/21/20 19:00	0.1
3/22/18 21:00	0.5	3/22/19 22:00	0.2	3/21/20 20:00	0.1
3/22/18 22:00	0.5	3/22/19 23:00	0.2	3/21/20 21:00	0.1
3/22/18 23:00	0.5	3/23/19 0:00	0.2	3/21/20 22:00	0.0
3/23/18 0:00	0.5	3/23/19 1:00	0.2	3/21/20 23:00	0.1
3/23/18 1:00	0.5	3/23/19 2:00	0.2	3/22/20 0:00	0.1
3/23/18 2:00	0.5	3/23/19 3:00	0.2	3/22/20 1:00	0.1
3/23/18 3:00	0.5	3/23/19 4:00	0.2	3/22/20 2:00	0.1
3/23/18 4:00	0.5	3/23/19 5:00	0.2	3/22/20 3:00	0.1
3/23/18 5:00	0.5	3/23/19 6:00	0.2	3/22/20 4:00	0.1
3/23/18 6:00	0.5	3/23/19 7:00	0.2	3/22/20 5:00	0.1
3/23/18 7:00	0.5	3/23/19 8:00	0.2	3/22/20 6:00	0.1
3/23/18 8:00	0.5	3/23/19 9:00	0.2	3/22/20 7:00	0.1
3/23/18 9:00	0.5	3/23/19 10:00	0.2	3/22/20 8:00	0.1
3/23/18 10:00	0.5	3/23/19 11:00	0.2	3/22/20 9:00	0.1
3/23/18 11:00	0.6	3/23/19 12:00	0.2	3/22/20 10:00	0.1
3/23/18 12:00	0.5	3/23/19 13:00	0.1	3/22/20 11:00	0.1
3/23/18 13:00	0.8	3/23/19 14:00	0.1	3/22/20 12:00	0.1
3/23/18 14:00	0.8	3/23/19 15:00	0.4	3/22/20 13:00	0.1
3/23/18 15:00	0.5	3/23/19 16:00	0.1	3/22/20 14:00	0.1
3/23/18 16:00	0.4	3/23/19 17:00	0.1	3/22/20 15:00	0.1
3/23/18 17:00	0.5	3/23/19 18:00	0.1	3/22/20 16:00	0.1
3/23/18 18:00	0.4	3/23/19 19:00	0.1	3/22/20 17:00	0.1
3/23/18 19:00	0.4	3/23/19 20:00	0.2	3/22/20 18:00	0.2
3/23/18 20:00	0.4	3/23/19 21:00	0.2	3/22/20 19:00	0.2
3/23/18 21:00	0.3	3/23/19 22:00	0.2	3/22/20 20:00	0.1
3/23/18 22:00	0.3	3/23/19 23:00	0.3	3/22/20 21:00	0.2
3/23/18 23:00	0.6	3/24/19 0:00	0.2	3/22/20 22:00	0.1
3/24/18 0:00	0.8	3/24/19 1:00	0.3	3/22/20 23:00	0.2
3/24/18 1:00	0.9	3/24/19 2:00	0.3	3/23/20 0:00	0.2
3/24/18 2:00	0.9	3/24/19 3:00	0.2	3/23/20 1:00	0.2
3/24/18 3:00	0.8	3/24/19 4:00	0.3	3/23/20 2:00	0.1
3/24/18 4:00	0.7	3/24/19 5:00	0.3	3/23/20 3:00	0.1
3/24/18 5:00	0.8	3/24/19 6:00	0.2	3/23/20 4:00	0.2
3/24/18 6:00	0.7	3/24/19 7:00	0.3	3/23/20 5:00	0.2
3/24/18 7:00	0.6	3/24/19 8:00	0.3	3/23/20 6:00	0.1
3/24/18 8:00	0.6	3/24/19 9:00	0.4	3/23/20 7:00	0.2
3/24/18 9:00	0.6	3/24/19 10:00	0.3	3/23/20 8:00	0.1
3/24/18 10:00	0.6	3/24/19 11:00	0.3	3/23/20 9:00	0.1
3/24/18 11:00	0.6	3/24/19 12:00	0.3	3/23/20 10:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
3/24/18 12:00	0.6	3/24/19 13:00	0.3	3/23/20 11:00	0.2
3/24/18 13:00	0.6	3/24/19 14:00	0.3	3/23/20 12:00	0.2
3/24/18 14:00	0.6	3/24/19 15:00	0.3	3/23/20 13:00	0.2
3/24/18 15:00	0.6	3/24/19 16:00	0.3	3/23/20 14:00	0.2
3/24/18 16:00	0.6	3/24/19 17:00	0.3	3/23/20 15:00	0.2
3/24/18 17:00	0.4	3/24/19 18:00	0.3	3/23/20 16:00	0.2
3/24/18 18:00	0.4	3/24/19 19:00	0.3	3/23/20 17:00	0.1
3/24/18 19:00	0.8	3/24/19 20:00	0.3	3/23/20 18:00	0.2
3/24/18 20:00	0.8	3/24/19 21:00	0.3	3/23/20 19:00	0.2
3/24/18 21:00	0.8	3/24/19 22:00	0.3	3/23/20 20:00	0.2
3/24/18 22:00	0.7	3/24/19 23:00	0.3	3/23/20 21:00	0.2
3/24/18 23:00	0.6	3/25/19 0:00	0.2	3/23/20 22:00	0.2
3/25/18 0:00	0.6	3/25/19 1:00	0.3	3/23/20 23:00	0.2
3/25/18 1:00	0.6	3/25/19 2:00	0.2	3/24/20 0:00	0.2
3/25/18 2:00	0.6	3/25/19 3:00	0.2	3/24/20 1:00	0.2
3/25/18 3:00	0.6	3/25/19 4:00	0.2	3/24/20 2:00	0.2
3/25/18 4:00	0.5	3/25/19 5:00	0.3	3/24/20 3:00	0.2
3/25/18 5:00	0.5	3/25/19 6:00	0.3	3/24/20 4:00	0.2
3/25/18 6:00	0.5	3/25/19 7:00	0.3	3/24/20 5:00	0.1
3/25/18 7:00	0.5	3/25/19 8:00	0.2	3/24/20 6:00	0.1
3/25/18 8:00	0.5	3/25/19 9:00	0.2	3/24/20 7:00	0.1
3/25/18 9:00	0.5	3/25/19 10:00	0.3	3/24/20 8:00	0.1
3/25/18 10:00	0.4	3/25/19 11:00	0.2	3/24/20 9:00	0.2
3/25/18 11:00	0.6	3/25/19 12:00	0.2	3/24/20 10:00	0.2
3/25/18 12:00	0.6	3/25/19 13:00	0.2	3/24/20 11:00	0.2
3/25/18 13:00	0.6	3/25/19 14:00	0.2	3/24/20 12:00	0.2
3/25/18 14:00	0.6	3/25/19 15:00	0.3	3/24/20 13:00	0.2
3/25/18 15:00	0.6	3/25/19 16:00	0.3	3/24/20 14:00	0.2
3/25/18 16:00	0.6	3/25/19 17:00	0.2	3/24/20 15:00	0.2
3/25/18 17:00	0.6	3/25/19 18:00	0.3	3/24/20 16:00	0.2
3/25/18 18:00	0.6	3/25/19 19:00	0.3	3/24/20 17:00	0.2
3/25/18 19:00	0.6	3/25/19 20:00	0.3	3/24/20 18:00	0.2
3/25/18 20:00	0.4	3/25/19 21:00	0.3	3/24/20 19:00	0.2
3/25/18 21:00	0.4	3/25/19 22:00	0.4	3/24/20 20:00	0.2
3/25/18 22:00	0.4	3/25/19 23:00	0.3	3/24/20 21:00	0.2
3/25/18 23:00	0.4	3/26/19 0:00	0.2	3/24/20 22:00	0.1
3/26/18 0:00	0.4	3/26/19 1:00	0.2	3/24/20 23:00	0.1
3/26/18 1:00	0.4	3/26/19 2:00	0.2	3/25/20 0:00	0.1
3/26/18 2:00	0.4	3/26/19 3:00	0.2	3/25/20 1:00	0.1
3/26/18 3:00	0.5	3/26/19 4:00	0.3	3/25/20 2:00	0.1
3/26/18 4:00	0.3	3/26/19 5:00	0.2	3/25/20 3:00	0.2
3/26/18 5:00	0.3	3/26/19 6:00	0.3	3/25/20 4:00	0.0
3/26/18 6:00	0.3	3/26/19 7:00	0.2	3/25/20 5:00	0.1
3/26/18 7:00	0.3	3/26/19 8:00	0.2	3/25/20 6:00	0.1
3/26/18 8:00	0.4	3/26/19 9:00	0.3	3/25/20 7:00	0.1
3/26/18 9:00	0.3	3/26/19 10:00	0.2	3/25/20 8:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
3/26/18 10:00	0.3	3/26/19 11:00	0.2	3/25/20 9:00	0.1
3/26/18 11:00	0.3	3/26/19 12:00	0.3	3/25/20 10:00	0.1
3/26/18 12:00	0.3	3/26/19 13:00	0.3	3/25/20 11:00	0.1
3/26/18 13:00	0.4	3/26/19 14:00	0.2	3/25/20 12:00	0.1
3/26/18 14:00	0.4	3/26/19 15:00	0.2	3/25/20 13:00	0.1
3/26/18 15:00	0.4	3/26/19 16:00	0.2	3/25/20 14:00	0.1
3/26/18 16:00	0.4	3/26/19 17:00	0.2	3/25/20 15:00	0.1
3/26/18 17:00	0.4	3/26/19 18:00	0.2	3/25/20 16:00	0.1
3/26/18 18:00	0.4	3/26/19 19:00	0.2	3/25/20 17:00	0.1
3/26/18 19:00	0.3	3/26/19 20:00	0.2	3/25/20 18:00	0.1
3/26/18 20:00	0.3	3/26/19 21:00	0.2	3/25/20 19:00	0.1
3/26/18 21:00	0.3	3/26/19 22:00	0.2	3/25/20 20:00	0.1
3/26/18 22:00	0.3	3/26/19 23:00	0.3	3/25/20 21:00	0.1
3/26/18 23:00	0.3	3/27/19 0:00	0.4	3/25/20 22:00	0.1
3/27/18 0:00	0.3	3/27/19 1:00	0.4	3/25/20 23:00	0.1
3/27/18 1:00	0.3	3/27/19 2:00	0.4	3/26/20 0:00	0.1
3/27/18 2:00	0.3	3/27/19 3:00	0.3	3/26/20 1:00	0.1
3/27/18 3:00	0.3	3/27/19 4:00	0.3	3/26/20 2:00	0.1
3/27/18 4:00	0.3	3/27/19 5:00	0.3	3/26/20 3:00	0.1
3/27/18 5:00	0.5	3/27/19 6:00	0.3	3/26/20 4:00	0.1
3/27/18 6:00	0.5	3/27/19 7:00	0.3	3/26/20 5:00	0.1
3/27/18 7:00	0.5	3/27/19 8:00	0.3	3/26/20 6:00	0.1
3/27/18 8:00	0.5	3/27/19 9:00	0.3	3/26/20 7:00	0.1
3/27/18 9:00	0.4	3/27/19 10:00	0.3	3/26/20 8:00	0.1
3/27/18 10:00	0.4	3/27/19 11:00	0.3	3/26/20 9:00	0.1
3/27/18 11:00	0.8	3/27/19 12:00	0.2	3/26/20 10:00	0.2
3/27/18 12:00	0.8	3/27/19 13:00	0.2	3/26/20 11:00	0.1
3/27/18 13:00	0.6	3/27/19 14:00	0.2	3/26/20 12:00	0.1
3/27/18 14:00	0.6	3/27/19 15:00	0.2	3/26/20 13:00	0.1
3/27/18 15:00	0.6	3/27/19 16:00	0.2	3/26/20 14:00	0.1
3/27/18 16:00	0.6	3/27/19 17:00	0.1	3/26/20 15:00	0.1
3/27/18 17:00	0.6	3/27/19 18:00	0.2	3/26/20 16:00	0.1
3/27/18 18:00	0.7	3/27/19 19:00	0.2	3/26/20 17:00	0.1
3/27/18 19:00	0.7	3/27/19 20:00	0.2	3/26/20 18:00	0.1
3/27/18 20:00	0.6	3/27/19 21:00	0.2	3/26/20 19:00	0.1
3/27/18 21:00	0.6	3/27/19 22:00	0.2	3/26/20 20:00	0.1
3/27/18 22:00	0.6	3/27/19 23:00	0.2	3/26/20 21:00	0.1
3/27/18 23:00	0.7	3/28/19 0:00	0.2	3/26/20 22:00	0.1
3/28/18 0:00	0.7	3/28/19 1:00	0.2	3/26/20 23:00	0.1
3/28/18 1:00	0.7	3/28/19 2:00	0.2	3/27/20 0:00	0.1
3/28/18 2:00	0.7	3/28/19 3:00	0.2	3/27/20 1:00	0.1
3/28/18 3:00	0.6	3/28/19 4:00	0.2	3/27/20 2:00	0.1
3/28/18 4:00	0.6	3/28/19 5:00	0.2	3/27/20 3:00	0.1
3/28/18 5:00	0.6	3/28/19 6:00	0.2	3/27/20 4:00	0.0
3/28/18 6:00	0.7	3/28/19 7:00	0.2	3/27/20 5:00	0.1
3/28/18 7:00	0.7	3/28/19 8:00	0.2	3/27/20 6:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
3/28/18 8:00	0.6	3/28/19 9:00	0.2	3/27/20 7:00	0.0
3/28/18 9:00	0.4	3/28/19 10:00	0.2	3/27/20 8:00	0.1
3/28/18 10:00	0.4	3/28/19 11:00	0.2	3/27/20 9:00	0.1
3/28/18 11:00	0.4	3/28/19 12:00	0.4	3/27/20 10:00	0.1
3/28/18 12:00	0.5	3/28/19 13:00	0.4	3/27/20 11:00	0.1
3/28/18 13:00	0.4	3/28/19 14:00	0.4	3/27/20 12:00	0.1
3/28/18 14:00	0.5	3/28/19 15:00	0.2	3/27/20 13:00	0.0
3/28/18 15:00	0.5	3/28/19 16:00	0.2	3/27/20 14:00	0.1
3/28/18 16:00	0.5	3/28/19 17:00	0.3	3/27/20 15:00	0.1
3/28/18 17:00	0.5	3/28/19 18:00	0.2	3/27/20 16:00	0.1
3/28/18 18:00	0.5	3/28/19 19:00	0.3	3/27/20 17:00	0.1
3/28/18 19:00	0.4	3/28/19 20:00	0.3	3/27/20 18:00	0.1
3/28/18 20:00	0.4	3/28/19 21:00	0.2	3/27/20 19:00	0.1
3/28/18 21:00	0.5	3/28/19 22:00	0.2	3/27/20 20:00	0.1
3/28/18 22:00	0.5	3/28/19 23:00	0.2	3/27/20 21:00	0.1
3/28/18 23:00	0.5	3/29/19 0:00	0.3	3/27/20 22:00	0.1
3/29/18 0:00	0.5	3/29/19 1:00	0.3	3/27/20 23:00	0.1
3/29/18 1:00	0.5	3/29/19 2:00	0.3	3/28/20 0:00	0.2
3/29/18 2:00	0.4	3/29/19 3:00	0.3	3/28/20 1:00	0.1
3/29/18 3:00	0.5	3/29/19 4:00	0.3	3/28/20 2:00	0.2
3/29/18 4:00	0.5	3/29/19 5:00	0.4	3/28/20 3:00	0.2
3/29/18 5:00	0.5	3/29/19 6:00	0.4	3/28/20 4:00	0.1
3/29/18 6:00	0.5	3/29/19 7:00	0.5	3/28/20 5:00	0.1
3/29/18 7:00	0.5	3/29/19 8:00	0.6	3/28/20 6:00	0.1
3/29/18 8:00	0.5	3/29/19 9:00	0.5	3/28/20 7:00	0.1
3/29/18 9:00	0.5	3/29/19 10:00	0.4	3/28/20 8:00	0.1
3/29/18 10:00	0.5	3/29/19 11:00	0.3	3/28/20 9:00	0.1
3/29/18 11:00	0.5	3/29/19 12:00	0.2	3/28/20 10:00	0.1
3/29/18 12:00	0.5	3/29/19 13:00	0.2	3/28/20 11:00	0.1
3/29/18 13:00	0.5	3/29/19 14:00	0.2	3/28/20 12:00	0.1
3/29/18 14:00	0.5	3/29/19 15:00	0.2	3/28/20 13:00	0.1
3/29/18 15:00	0.5	3/29/19 16:00	0.3	3/28/20 14:00	0.1
3/29/18 16:00	0.5	3/29/19 17:00	0.4	3/28/20 15:00	0.1
3/29/18 17:00	0.5	3/29/19 18:00	0.3	3/28/20 16:00	0.1
3/29/18 18:00	0.5	3/29/19 19:00	0.3	3/28/20 17:00	0.2
3/29/18 19:00	0.4	3/29/19 20:00	0.3	3/28/20 18:00	0.2
3/29/18 20:00	0.4	3/29/19 21:00	0.3	3/28/20 19:00	0.2
3/29/18 21:00	0.4	3/29/19 22:00	0.3	3/28/20 20:00	0.2
3/29/18 22:00	0.4	3/29/19 23:00	0.3	3/28/20 21:00	0.2
3/29/18 23:00	0.3	3/30/19 0:00	0.3	3/28/20 22:00	0.2
3/30/18 0:00	0.2	3/30/19 1:00	0.3	3/28/20 23:00	0.2
3/30/18 1:00	0.2	3/30/19 2:00	0.3	3/29/20 0:00	0.2
3/30/18 2:00	0.2	3/30/19 3:00	0.3	3/29/20 1:00	0.2
3/30/18 3:00	0.2	3/30/19 4:00	0.2	3/29/20 2:00	0.2
3/30/18 4:00	0.2	3/30/19 5:00	0.2	3/29/20 3:00	0.2
3/30/18 5:00	0.2	3/30/19 6:00	0.2	3/29/20 4:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
3/30/18 6:00	0.5	3/30/19 7:00	0.2	3/29/20 5:00	0.2
3/30/18 7:00	0.4	3/30/19 8:00	0.2	3/29/20 6:00	0.2
3/30/18 8:00	0.3	3/30/19 9:00	0.2	3/29/20 7:00	0.1
3/30/18 9:00	0.3	3/30/19 10:00	0.1	3/29/20 8:00	0.1
3/30/18 10:00	0.4	3/30/19 11:00	0.1	3/29/20 9:00	0.1
3/30/18 11:00	0.3	3/30/19 12:00	0.1	3/29/20 10:00	0.1
3/30/18 12:00	0.3	3/30/19 13:00	0.1	3/29/20 11:00	0.1
3/30/18 13:00	0.3	3/30/19 14:00	0.1	3/29/20 12:00	0.1
3/30/18 14:00	0.2	3/30/19 15:00	0.1	3/29/20 13:00	0.1
3/30/18 15:00	0.2	3/30/19 16:00	0.1	3/29/20 14:00	0.0
3/30/18 16:00	0.1	3/30/19 17:00	0.1	3/29/20 15:00	0.1
3/30/18 17:00	0.2	3/30/19 18:00	0.1	3/29/20 16:00	0.1
3/30/18 18:00	0.2	3/30/19 19:00	0.1	3/29/20 17:00	0.1
3/30/18 19:00	0.2	3/30/19 20:00	0.1	3/29/20 18:00	0.1
3/30/18 20:00	0.2	3/30/19 21:00	0.1	3/29/20 19:00	0.1
3/30/18 21:00	0.4	3/30/19 22:00	0.1	3/29/20 20:00	0.1
3/30/18 22:00	0.7	3/30/19 23:00	0.1	3/29/20 21:00	0.1
3/30/18 23:00	0.5	3/31/19 0:00	0.1	3/29/20 22:00	0.1
3/31/18 0:00	0.4	3/31/19 1:00	0.1	3/29/20 23:00	0.1
3/31/18 1:00	0.4	3/31/19 2:00	0.1	3/30/20 0:00	0.1
3/31/18 2:00	0.4	3/31/19 3:00	0.1	3/30/20 1:00	0.1
3/31/18 3:00	0.4	3/31/19 4:00	0.1	3/30/20 2:00	0.1
3/31/18 4:00	0.5	3/31/19 5:00	0.1	3/30/20 3:00	0.1
3/31/18 5:00	0.5	3/31/19 6:00	0.1	3/30/20 4:00	0.1
3/31/18 6:00	0.4	3/31/19 7:00	0.2	3/30/20 5:00	0.1
3/31/18 7:00	0.4	3/31/19 8:00	0.2	3/30/20 6:00	0.1
3/31/18 8:00	0.4	3/31/19 9:00	0.3	3/30/20 7:00	0.1
3/31/18 9:00	0.6	3/31/19 10:00	0.3	3/30/20 8:00	0.1
3/31/18 10:00	0.5	3/31/19 11:00	0.3	3/30/20 9:00	0.1
3/31/18 11:00	0.5	3/31/19 12:00	0.3	3/30/20 10:00	0.1
3/31/18 12:00	0.5	3/31/19 13:00	0.3	3/30/20 11:00	0.1
3/31/18 13:00	0.6	3/31/19 14:00	0.2	3/30/20 12:00	0.1
3/31/18 14:00	0.6	3/31/19 15:00	0.2	3/30/20 13:00	0.1
3/31/18 15:00	0.1	3/31/19 16:00	0.2	3/30/20 14:00	0.2
3/31/18 16:00	0.6	3/31/19 17:00	0.2	3/30/20 15:00	0.2
3/31/18 17:00	0.4	3/31/19 18:00	0.2	3/30/20 16:00	0.1
3/31/18 18:00	0.2	3/31/19 19:00	0.2	3/30/20 17:00	0.2
3/31/18 19:00	0.2	3/31/19 20:00	0.2	3/30/20 18:00	0.2
3/31/18 20:00	0.2	3/31/19 21:00	0.2	3/30/20 19:00	0.2
3/31/18 21:00	0.2	3/31/19 22:00	0.2	3/30/20 20:00	0.1
3/31/18 22:00	0.2	3/31/19 23:00	0.2	3/30/20 21:00	0.1
3/31/18 23:00	0.3	4/1/19 0:00	0.2	3/30/20 22:00	0.1
4/1/18 0:00	0.3	4/1/19 1:00	0.2	3/30/20 23:00	0.1
4/1/18 1:00	0.3	4/1/19 2:00	0.2	3/31/20 0:00	0.1
4/1/18 2:00	0.3	4/1/19 3:00	0.2	3/31/20 1:00	0.1
4/1/18 3:00	0.3	4/1/19 4:00	0.2	3/31/20 2:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
4/1/18 4:00	0.3	4/1/19 5:00	0.1	3/31/20 3:00	0.1
4/1/18 5:00	0.3	4/1/19 6:00	0.2	3/31/20 4:00	0.1
4/1/18 6:00	0.2	4/1/19 7:00	0.1	3/31/20 5:00	0.1
4/1/18 7:00	0.3	4/1/19 8:00	0.1	3/31/20 6:00	0.1
4/1/18 8:00	0.3	4/1/19 9:00	0.1	3/31/20 7:00	0.1
4/1/18 9:00	0.3	4/1/19 10:00	0.1	3/31/20 8:00	0.2
4/1/18 10:00	0.3	4/1/19 11:00	0.1	3/31/20 9:00	0.1
4/1/18 11:00	0.3	4/1/19 12:00	0.2	3/31/20 10:00	0.1
4/1/18 12:00	0.2	4/1/19 13:00	0.2	3/31/20 11:00	0.1
4/1/18 13:00	0.2	4/1/19 14:00	0.2	3/31/20 12:00	0.1
4/1/18 14:00	0.3	4/1/19 15:00	0.2	3/31/20 13:00	0.1
4/1/18 15:00	0.2	4/1/19 16:00	0.3	3/31/20 14:00	0.1
4/1/18 16:00	0.3	4/1/19 17:00	0.3	3/31/20 15:00	0.1
4/1/18 17:00	0.3	4/1/19 18:00	0.3	3/31/20 16:00	0.1
4/1/18 18:00	0.3	4/1/19 19:00	0.2	3/31/20 17:00	0.1
4/1/18 19:00	0.3	4/1/19 20:00	0.3	3/31/20 18:00	0.1
4/1/18 20:00	0.3	4/1/19 21:00	0.3	3/31/20 19:00	0.1
4/1/18 21:00	0.3	4/1/19 22:00	0.2	3/31/20 20:00	0.2
4/1/18 22:00	0.3	4/1/19 23:00	0.2	3/31/20 21:00	0.2
4/1/18 23:00	0.3	4/2/19 0:00	0.2	3/31/20 22:00	0.1
4/2/18 0:00	0.3	4/2/19 1:00	0.2	3/31/20 23:00	0.2
4/2/18 1:00	0.3	4/2/19 2:00	0.2	4/1/20 0:00	0.1
4/2/18 2:00	0.4	4/2/19 3:00	0.3	4/1/20 1:00	0.1
4/2/18 3:00	0.4	4/2/19 4:00	0.3	4/1/20 2:00	0.1
4/2/18 4:00	0.3	4/2/19 5:00	0.3	4/1/20 3:00	0.1
4/2/18 5:00	0.2	4/2/19 6:00	0.3	4/1/20 4:00	0.1
4/2/18 6:00	0.2	4/2/19 7:00	0.3	4/1/20 5:00	0.1
4/2/18 7:00	0.2	4/2/19 8:00	0.3	4/1/20 6:00	0.1
4/2/18 8:00	0.3	4/2/19 9:00	0.6	4/1/20 7:00	0.1
4/2/18 9:00	0.3	4/2/19 10:00	0.4	4/1/20 8:00	0.1
4/2/18 10:00	0.2	4/2/19 11:00	0.4	4/1/20 9:00	0.1
4/2/18 11:00	0.2	4/2/19 12:00	0.4	4/1/20 10:00	0.1
4/2/18 12:00	0.2	4/2/19 13:00	0.4	4/1/20 11:00	0.1
4/2/18 13:00	0.3	4/2/19 14:00	0.4	4/1/20 12:00	0.1
4/2/18 14:00	0.2	4/2/19 15:00	0.5	4/1/20 13:00	0.1
4/2/18 15:00	0.3	4/2/19 16:00	0.5	4/1/20 14:00	0.1
4/2/18 16:00	0.3	4/2/19 17:00	0.5	4/1/20 15:00	0.1
4/2/18 17:00	0.3	4/2/19 18:00	0.4	4/1/20 16:00	0.1
4/2/18 18:00	0.3	4/2/19 19:00	0.4	4/1/20 17:00	0.1
4/2/18 19:00	0.4	4/2/19 20:00	0.4	4/1/20 18:00	0.0
4/2/18 20:00	0.3	4/2/19 21:00	0.4	4/1/20 19:00	0.1
4/2/18 21:00	0.4	4/2/19 22:00	0.4	4/1/20 20:00	0.1
4/2/18 22:00	0.3	4/2/19 23:00	0.3	4/1/20 21:00	0.1
4/2/18 23:00	0.2	4/3/19 0:00	0.3	4/1/20 22:00	0.1
4/3/18 0:00	0.4	4/3/19 1:00	0.3	4/1/20 23:00	0.1
4/3/18 1:00	0.6	4/3/19 2:00	0.3	4/2/20 0:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
4/3/18 2:00	0.6	4/3/19 3:00	0.3	4/2/20 1:00	0.1
4/3/18 3:00	0.6	4/3/19 4:00	0.3	4/2/20 2:00	0.1
4/3/18 4:00	0.5	4/3/19 5:00	0.3	4/2/20 3:00	0.1
4/3/18 5:00	0.6	4/3/19 6:00	0.3	4/2/20 4:00	0.1
4/3/18 6:00	0.5	4/3/19 7:00	0.3	4/2/20 5:00	0.1
4/3/18 7:00	0.6	4/3/19 8:00	0.3	4/2/20 6:00	0.1
4/3/18 8:00	0.6	4/3/19 9:00	0.3	4/2/20 7:00	0.1
4/3/18 9:00	0.5	4/3/19 10:00	0.3	4/2/20 8:00	0.2
4/3/18 10:00	0.0	4/3/19 11:00	0.3	4/2/20 9:00	0.1
4/3/18 11:00	0.1	4/3/19 12:00	0.3	4/2/20 10:00	0.1
4/3/18 12:00	0.1	4/3/19 13:00	0.3	4/2/20 11:00	0.1
4/3/18 13:00	0.6	4/3/19 14:00	0.2	4/2/20 12:00	0.1
4/3/18 14:00	0.7	4/3/19 15:00	0.2	4/2/20 13:00	0.1
4/3/18 15:00	0.6	4/3/19 16:00	0.2	4/2/20 14:00	0.2
4/3/18 16:00	0.6	4/3/19 17:00	0.2	4/2/20 15:00	0.2
4/3/18 17:00	0.5	4/3/19 18:00	0.3	4/2/20 16:00	0.2
4/3/18 18:00	0.6	4/3/19 19:00	0.4	4/2/20 17:00	0.2
4/3/18 19:00	0.6	4/3/19 20:00	0.4	4/2/20 18:00	0.2
4/3/18 20:00	0.5	4/3/19 21:00	0.3	4/2/20 19:00	0.2
4/3/18 21:00	0.3	4/3/19 22:00	0.3	4/2/20 20:00	0.2
4/3/18 22:00	0.4	4/3/19 23:00	0.3	4/2/20 21:00	0.2
4/3/18 23:00	0.4	4/4/19 0:00	0.2	4/2/20 22:00	0.2
4/4/18 0:00	0.3	4/4/19 1:00	0.2	4/2/20 23:00	0.2
4/4/18 1:00	0.3	4/4/19 2:00	0.2	4/3/20 0:00	0.2
4/4/18 2:00	0.3	4/4/19 3:00	0.3	4/3/20 1:00	0.2
4/4/18 3:00	0.3	4/4/19 4:00	0.2	4/3/20 2:00	0.2
4/4/18 4:00	0.3	4/4/19 5:00	0.2	4/3/20 3:00	0.3
4/4/18 5:00	0.4	4/4/19 6:00	0.2	4/3/20 4:00	0.2
4/4/18 6:00	0.4	4/4/19 7:00	0.3	4/3/20 5:00	0.2
4/4/18 7:00	0.4	4/4/19 8:00	0.3	4/3/20 6:00	0.2
4/4/18 8:00	0.5	4/4/19 9:00	0.3	4/3/20 7:00	0.3
4/4/18 9:00	0.6	4/4/19 10:00	0.3	4/3/20 8:00	0.3
4/4/18 10:00	0.4	4/4/19 11:00	0.3	4/3/20 9:00	0.3
4/4/18 11:00	0.2	4/4/19 12:00	0.4	4/3/20 10:00	0.2
4/4/18 12:00	0.5	4/4/19 13:00	0.3	4/3/20 11:00	0.2
4/4/18 13:00	0.5	4/4/19 14:00	0.3	4/3/20 12:00	0.2
4/4/18 14:00	0.5	4/4/19 15:00	0.3	4/3/20 13:00	0.2
4/4/18 15:00	0.4	4/4/19 16:00	0.3	4/3/20 14:00	0.4
4/4/18 16:00	0.4	4/4/19 17:00	0.3	4/3/20 15:00	0.4
4/4/18 17:00	0.4	4/4/19 18:00	0.3	4/3/20 16:00	0.3
4/4/18 18:00	0.4	4/4/19 19:00	0.3	4/3/20 17:00	0.3
4/4/18 19:00	0.4	4/4/19 20:00	0.3	4/3/20 18:00	0.3
4/4/18 20:00	0.5	4/4/19 21:00	0.3	4/3/20 19:00	0.3
4/4/18 21:00	0.6	4/4/19 22:00	0.3	4/3/20 20:00	0.3
4/4/18 22:00	7.4	4/4/19 23:00	0.3	4/3/20 21:00	0.3
4/4/18 23:00	0.6	4/5/19 0:00	0.3	4/3/20 22:00	0.3

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
4/5/18 0:00	0.6	4/5/19 1:00	0.3	4/3/20 23:00	0.3
4/5/18 1:00	0.6	4/5/19 2:00	0.3	4/4/20 0:00	0.2
4/5/18 2:00	0.7	4/5/19 3:00	0.3	4/4/20 1:00	0.2
4/5/18 3:00	0.7	4/5/19 4:00	0.2	4/4/20 2:00	0.2
4/5/18 4:00	0.8	4/5/19 5:00	0.2	4/4/20 3:00	0.2
4/5/18 5:00	0.4	4/5/19 6:00	0.3	4/4/20 4:00	0.2
4/5/18 6:00	0.3	4/5/19 7:00	0.4	4/4/20 5:00	0.2
4/5/18 7:00	5.8	4/5/19 8:00	0.3	4/4/20 6:00	0.2
4/5/18 8:00	1.2	4/5/19 9:00	0.3	4/4/20 7:00	0.2
4/5/18 9:00	1.1	4/5/19 10:00	0.3	4/4/20 8:00	0.2
4/5/18 10:00	1.0	4/5/19 11:00	0.3	4/4/20 9:00	0.2
4/5/18 11:00	1.4	4/5/19 12:00	0.3	4/4/20 10:00	0.1
4/5/18 12:00	1.2	4/5/19 13:00	0.3	4/4/20 11:00	0.2
4/5/18 13:00	0.4	4/5/19 14:00	0.4	4/4/20 12:00	0.2
4/5/18 14:00	0.4	4/5/19 15:00	0.3	4/4/20 13:00	0.2
4/5/18 15:00	0.4	4/5/19 16:00	0.3	4/4/20 14:00	0.2
4/5/18 16:00	0.4	4/5/19 17:00	0.3	4/4/20 15:00	0.2
4/5/18 17:00	0.5	4/5/19 18:00	0.3	4/4/20 16:00	0.2
4/5/18 18:00	0.5	4/5/19 19:00	0.3	4/4/20 17:00	0.2
4/5/18 19:00	0.4	4/5/19 20:00	0.3	4/4/20 18:00	0.2
4/5/18 20:00	0.4	4/5/19 21:00	0.3	4/4/20 19:00	0.2
4/5/18 21:00	0.5	4/5/19 22:00	0.3	4/4/20 20:00	0.2
4/5/18 22:00	0.6	4/5/19 23:00	0.2	4/4/20 21:00	0.2
4/5/18 23:00	0.3	4/6/19 0:00	0.3	4/4/20 22:00	0.2
4/6/18 0:00	0.4	4/6/19 1:00	0.2	4/4/20 23:00	0.2
4/6/18 1:00	0.4	4/6/19 2:00	0.2	4/5/20 0:00	0.2
4/6/18 2:00	0.5	4/6/19 3:00	0.3	4/5/20 1:00	0.2
4/6/18 3:00	0.4	4/6/19 4:00	0.3	4/5/20 2:00	0.2
4/6/18 4:00	0.5	4/6/19 5:00	0.3	4/5/20 3:00	0.2
4/6/18 5:00	3.9	4/6/19 6:00	0.2	4/5/20 4:00	0.2
4/6/18 6:00	0.3	4/6/19 7:00	0.3	4/5/20 5:00	0.2
4/6/18 7:00	0.3	4/6/19 8:00	0.3	4/5/20 6:00	0.2
4/6/18 8:00	0.3	4/6/19 9:00	0.3	4/5/20 7:00	0.2
4/6/18 9:00	0.3	4/6/19 10:00	0.4	4/5/20 8:00	0.2
4/6/18 10:00	0.3	4/6/19 11:00	0.3	4/5/20 9:00	0.2
4/6/18 11:00	0.3	4/6/19 12:00	0.3	4/5/20 10:00	0.2
4/6/18 12:00	0.3	4/6/19 13:00	0.3	4/5/20 11:00	0.2
4/6/18 13:00	0.3	4/6/19 14:00	0.3	4/5/20 12:00	0.2
4/6/18 14:00	0.3	4/6/19 15:00	0.3	4/5/20 13:00	0.2
4/6/18 15:00	0.4	4/6/19 16:00	0.3	4/5/20 14:00	0.2
4/6/18 16:00	0.5	4/6/19 17:00	0.2	4/5/20 15:00	0.1
4/6/18 17:00	0.5	4/6/19 18:00	0.2	4/5/20 16:00	0.1
4/6/18 18:00	0.5	4/6/19 19:00	0.2	4/5/20 17:00	0.1
4/6/18 19:00	0.5	4/6/19 20:00	0.4	4/5/20 18:00	0.1
4/6/18 20:00	0.5	4/6/19 21:00	0.3	4/5/20 19:00	0.1
4/6/18 21:00	0.5	4/6/19 22:00	0.4	4/5/20 20:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
4/6/18 22:00	0.6	4/6/19 23:00	0.3	4/5/20 21:00	0.1
4/6/18 23:00	0.5	4/7/19 0:00	0.3	4/5/20 22:00	0.1
4/7/18 0:00	0.5	4/7/19 1:00	0.3	4/5/20 23:00	0.2
4/7/18 1:00	0.4	4/7/19 2:00	0.3	4/6/20 0:00	0.2
4/7/18 2:00	0.4	4/7/19 3:00	0.2	4/6/20 1:00	0.1
4/7/18 3:00	0.5	4/7/19 4:00	0.3	4/6/20 2:00	0.1
4/7/18 4:00	0.5	4/7/19 5:00	0.2	4/6/20 3:00	0.2
4/7/18 5:00	0.5	4/7/19 6:00	0.2	4/6/20 4:00	0.1
4/7/18 6:00	0.4	4/7/19 7:00	0.3	4/6/20 5:00	0.2
4/7/18 7:00	0.5	4/7/19 8:00	0.3	4/6/20 6:00	0.1
4/7/18 8:00	0.6	4/7/19 9:00	0.3	4/6/20 7:00	0.2
4/7/18 9:00	0.5	4/7/19 10:00	0.4	4/6/20 8:00	0.2
4/7/18 10:00	0.5	4/7/19 11:00	0.3	4/6/20 9:00	0.2
4/7/18 11:00	0.5	4/7/19 12:00	0.3	4/6/20 10:00	0.1
4/7/18 12:00	0.4	4/7/19 13:00	0.3	4/6/20 11:00	0.2
4/7/18 13:00	0.4	4/7/19 14:00	0.4	4/6/20 12:00	0.1
4/7/18 14:00	0.5	4/7/19 15:00	0.4	4/6/20 13:00	0.1
4/7/18 15:00	0.8	4/7/19 16:00	0.3	4/6/20 14:00	0.1
4/7/18 16:00	0.8	4/7/19 17:00	0.3	4/6/20 15:00	0.2
4/7/18 17:00	0.7	4/7/19 18:00	0.3	4/6/20 16:00	0.2
4/7/18 18:00	0.7	4/7/19 19:00	0.3	4/6/20 17:00	0.2
4/7/18 19:00	0.8	4/7/19 20:00	0.3	4/6/20 18:00	0.2
4/7/18 20:00	0.8	4/7/19 21:00	0.3	4/6/20 19:00	0.2
4/7/18 21:00	0.9	4/7/19 22:00	0.3	4/6/20 20:00	0.2
4/7/18 22:00	0.8	4/7/19 23:00	0.3	4/6/20 21:00	0.2
4/7/18 23:00	0.8	4/8/19 0:00	0.2	4/6/20 22:00	0.2
4/8/18 0:00	0.9	4/8/19 1:00	0.3	4/6/20 23:00	0.2
4/8/18 1:00	0.9	4/8/19 2:00	0.3	4/7/20 0:00	0.2
4/8/18 2:00	0.9	4/8/19 3:00	0.3	4/7/20 1:00	0.2
4/8/18 3:00	0.8	4/8/19 4:00	0.3	4/7/20 2:00	0.3
4/8/18 4:00	0.8	4/8/19 5:00	0.3	4/7/20 3:00	0.2
4/8/18 5:00	0.7	4/8/19 6:00	0.3	4/7/20 4:00	0.2
4/8/18 6:00	0.7	4/8/19 7:00	0.3	4/7/20 5:00	0.2
4/8/18 7:00	0.9	4/8/19 8:00	0.3	4/7/20 6:00	0.2
4/8/18 8:00	0.8	4/8/19 9:00	0.3	4/7/20 7:00	0.2
4/8/18 9:00	0.8	4/8/19 10:00	0.3	4/7/20 8:00	0.2
4/8/18 10:00	0.8	4/8/19 11:00	0.3	4/7/20 9:00	0.2
4/8/18 11:00	0.7	4/8/19 12:00	0.3	4/7/20 10:00	0.2
4/8/18 12:00	0.7	4/8/19 13:00	0.3	4/7/20 11:00	0.2
4/8/18 13:00	0.6	4/8/19 14:00	0.4	4/7/20 12:00	0.2
4/8/18 14:00	0.6	4/8/19 15:00	0.8	4/7/20 13:00	0.2
4/8/18 15:00	0.6	4/8/19 16:00	0.5	4/7/20 14:00	0.2
4/8/18 16:00	0.7	4/8/19 17:00	0.5	4/7/20 15:00	0.2
4/8/18 17:00	0.3	4/8/19 18:00	0.4	4/7/20 16:00	0.2
4/8/18 18:00	0.2	4/8/19 19:00	0.3	4/7/20 17:00	0.3
4/8/18 19:00	0.2	4/8/19 20:00	0.3	4/7/20 18:00	0.3

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
4/8/18 20:00	0.3	4/8/19 21:00	0.4	4/7/20 19:00	0.3
4/8/18 21:00	0.3	4/8/19 22:00	0.4	4/7/20 20:00	0.3
4/8/18 22:00	0.4	4/8/19 23:00	0.5	4/7/20 21:00	0.4
4/8/18 23:00	0.3	4/9/19 0:00	0.5	4/7/20 22:00	0.4
4/9/18 0:00	0.5	4/9/19 1:00	0.3	4/7/20 23:00	0.4
4/9/18 1:00	0.6	4/9/19 2:00	0.3	4/8/20 0:00	0.4
4/9/18 2:00	0.6	4/9/19 3:00	0.3	4/8/20 1:00	0.4
4/9/18 3:00	0.6	4/9/19 4:00	0.3	4/8/20 2:00	0.4
4/9/18 4:00	0.5	4/9/19 5:00	0.3	4/8/20 3:00	0.4
4/9/18 5:00	0.4	4/9/19 6:00	0.3	4/8/20 4:00	0.4
4/9/18 6:00	0.3	4/9/19 7:00	0.3	4/8/20 5:00	0.2
4/9/18 7:00	0.3	4/9/19 8:00	0.3	4/8/20 6:00	0.4
4/9/18 8:00	0.3	4/9/19 9:00	0.2	4/8/20 7:00	0.4
4/9/18 9:00	0.4	4/9/19 10:00	0.2	4/8/20 8:00	0.4
4/9/18 10:00	0.3	4/9/19 11:00	0.2	4/8/20 9:00	0.3
4/9/18 11:00	0.4	4/9/19 12:00	0.3	4/8/20 10:00	0.4
4/9/18 12:00	0.4	4/9/19 13:00	0.3	4/8/20 11:00	0.3
4/9/18 13:00	0.4	4/9/19 14:00	0.4	4/8/20 12:00	0.3
4/9/18 14:00	0.4	4/9/19 15:00	0.4	4/8/20 13:00	0.3
4/9/18 15:00	0.4	4/9/19 16:00	0.4	4/8/20 14:00	0.3
4/9/18 16:00	0.3	4/9/19 17:00	0.4	4/8/20 15:00	0.3
4/9/18 17:00	0.3	4/9/19 18:00	0.3	4/8/20 16:00	0.3
4/9/18 18:00	0.3	4/9/19 19:00	0.3	4/8/20 17:00	0.3
4/9/18 19:00	0.4	4/9/19 20:00	0.4	4/8/20 18:00	0.3
4/9/18 20:00	0.4	4/9/19 21:00	0.3	4/8/20 19:00	0.3
4/9/18 21:00	0.5	4/9/19 22:00	0.4	4/8/20 20:00	0.3
4/9/18 22:00	0.4	4/9/19 23:00	0.4	4/8/20 21:00	0.3
4/9/18 23:00	0.4	4/10/19 0:00	0.4	4/8/20 22:00	0.3
4/10/18 0:00	0.3	4/10/19 1:00	0.5	4/8/20 23:00	0.3
4/10/18 1:00	0.3	4/10/19 2:00	0.5	4/9/20 0:00	0.3
4/10/18 2:00	0.3	4/10/19 3:00	0.4	4/9/20 1:00	0.3
4/10/18 3:00	0.3	4/10/19 4:00	0.4	4/9/20 2:00	0.4
4/10/18 4:00	0.3	4/10/19 5:00	0.4	4/9/20 3:00	0.3
4/10/18 5:00	0.3	4/10/19 6:00	0.4	4/9/20 4:00	0.3
4/10/18 6:00	0.3	4/10/19 7:00	0.4	4/9/20 5:00	0.3
4/10/18 7:00	0.3	4/10/19 8:00	0.4	4/9/20 6:00	0.3
4/10/18 8:00	0.3	4/10/19 9:00	0.5	4/9/20 7:00	0.4
4/10/18 9:00	0.3	4/10/19 10:00	0.5	4/9/20 8:00	0.5
4/10/18 10:00	0.3	4/10/19 11:00	0.2	4/9/20 9:00	0.5
4/10/18 11:00	0.5	4/10/19 12:00	0.3	4/9/20 10:00	0.4
4/10/18 12:00	0.2	4/10/19 13:00	0.4	4/9/20 11:00	0.3
4/10/18 13:00	1.4	4/10/19 14:00	0.3	4/9/20 12:00	0.3
4/10/18 14:00	2.0	4/10/19 15:00	0.2	4/9/20 13:00	0.4
4/10/18 15:00	0.1	4/10/19 16:00	0.2	4/9/20 14:00	0.4
4/10/18 16:00	0.2	4/10/19 17:00	0.2	4/9/20 15:00	0.4
4/10/18 17:00	0.2	4/10/19 18:00	0.2	4/9/20 16:00	0.4

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
4/10/18 18:00	0.2	4/10/19 19:00	0.2	4/9/20 17:00	0.4
4/10/18 19:00	0.2	4/10/19 20:00	0.2	4/9/20 18:00	0.4
4/10/18 20:00	0.2	4/10/19 21:00	0.2	4/9/20 19:00	0.4
4/10/18 21:00	0.2	4/10/19 22:00	0.2	4/9/20 20:00	0.4
4/10/18 22:00	0.1	4/10/19 23:00	0.2	4/9/20 21:00	0.4
4/10/18 23:00	0.1	4/11/19 0:00	0.2	4/9/20 22:00	0.4
4/11/18 0:00	0.1	4/11/19 1:00	0.2	4/9/20 23:00	0.4
4/11/18 1:00	0.1	4/11/19 2:00	0.2	4/10/20 0:00	0.4
4/11/18 2:00	0.2	4/11/19 3:00	0.2	4/10/20 1:00	0.4
4/11/18 3:00	0.2	4/11/19 4:00	0.4	4/10/20 2:00	0.4
4/11/18 4:00	0.2	4/11/19 5:00	0.8	4/10/20 3:00	0.4
4/11/18 5:00	0.2	4/11/19 6:00	0.2	4/10/20 4:00	0.4
4/11/18 6:00	0.2	4/11/19 7:00	0.5	4/10/20 5:00	0.4
4/11/18 7:00	0.1	4/11/19 8:00	2.0	4/10/20 6:00	0.4
4/11/18 8:00	0.2	4/11/19 9:00	0.3	4/10/20 7:00	0.4
4/11/18 9:00	0.2	4/11/19 10:00	0.2	4/10/20 8:00	0.4
4/11/18 10:00	0.2	4/11/19 11:00	0.2	4/10/20 9:00	0.4
4/11/18 11:00	0.2	4/11/19 12:00	0.2	4/10/20 10:00	0.4
4/11/18 12:00	0.2	4/11/19 13:00	0.2	4/10/20 11:00	0.3
4/11/18 13:00	0.2	4/11/19 14:00	0.2	4/10/20 12:00	0.4
4/11/18 14:00	0.2	4/11/19 15:00	0.2	4/10/20 13:00	0.4
4/11/18 15:00	0.2	4/11/19 16:00	0.2	4/10/20 14:00	0.4
4/11/18 16:00	0.2	4/11/19 17:00	0.1	4/10/20 15:00	0.4
4/11/18 17:00	0.2	4/11/19 18:00	0.2	4/10/20 16:00	0.4
4/11/18 18:00	0.2	4/11/19 19:00	0.3	4/10/20 17:00	0.4
4/11/18 19:00	0.2	4/11/19 20:00	0.4	4/10/20 18:00	0.4
4/11/18 20:00	0.2	4/11/19 21:00	0.5	4/10/20 19:00	0.4
4/11/18 21:00	0.2	4/11/19 22:00	0.8	4/10/20 20:00	0.4
4/11/18 22:00	0.2	4/11/19 23:00	0.7	4/10/20 21:00	0.4
4/11/18 23:00	0.2	4/12/19 0:00	0.4	4/10/20 22:00	0.4
4/12/18 0:00	0.2	4/12/19 1:00	0.5	4/10/20 23:00	0.4
4/12/18 1:00	0.2	4/12/19 2:00	0.7	4/11/20 0:00	0.3
4/12/18 2:00	0.2	4/12/19 3:00	0.6	4/11/20 1:00	0.3
4/12/18 3:00	0.2	4/12/19 4:00	0.5	4/11/20 2:00	0.3
4/12/18 4:00	0.2	4/12/19 5:00	0.6	4/11/20 3:00	0.3
4/12/18 5:00	0.2	4/12/19 6:00	0.6	4/11/20 4:00	0.3
4/12/18 6:00	0.2	4/12/19 7:00	0.5	4/11/20 5:00	0.3
4/12/18 7:00	0.3	4/12/19 8:00	0.2	4/11/20 6:00	0.3
4/12/18 8:00	0.3	4/12/19 9:00	0.0	4/11/20 7:00	0.3
4/12/18 9:00	0.3	4/12/19 10:00	0.0	4/11/20 8:00	0.3
4/12/18 10:00	0.2	4/12/19 11:00	0.0	4/11/20 9:00	0.3
4/12/18 11:00	0.2	4/12/19 12:00	0.0	4/11/20 10:00	0.3
4/12/18 12:00	0.2	4/12/19 13:00	0.2	4/11/20 11:00	0.3
4/12/18 13:00	0.2	4/12/19 14:00	0.2	4/11/20 12:00	0.3
4/12/18 14:00	0.2	4/12/19 15:00	0.3	4/11/20 13:00	0.1
4/12/18 15:00	0.2	4/12/19 16:00	0.2	4/11/20 14:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
4/12/18 16:00	0.2	4/12/19 17:00	0.2	4/11/20 15:00	0.2
4/12/18 17:00	0.2	4/12/19 18:00	0.2	4/11/20 16:00	0.2
4/12/18 18:00	0.2	4/12/19 19:00	0.2	4/11/20 17:00	0.1
4/12/18 19:00	0.2	4/12/19 20:00	0.2	4/11/20 18:00	0.2
4/12/18 20:00	0.2	4/12/19 21:00	0.2	4/11/20 19:00	0.2
4/12/18 21:00	0.2	4/12/19 22:00	0.2	4/11/20 20:00	0.2
4/12/18 22:00	0.2	4/12/19 23:00	0.2	4/11/20 21:00	0.2
4/12/18 23:00	0.2	4/13/19 0:00	0.2	4/11/20 22:00	0.3
4/13/18 0:00	0.2	4/13/19 1:00	0.2	4/11/20 23:00	0.3
4/13/18 1:00	0.2	4/13/19 2:00	0.2	4/12/20 0:00	0.2
4/13/18 2:00	0.2	4/13/19 3:00	0.2	4/12/20 1:00	0.3
4/13/18 3:00	0.2	4/13/19 4:00	0.2	4/12/20 2:00	0.2
4/13/18 4:00	0.2	4/13/19 5:00	0.2	4/12/20 3:00	0.2
4/13/18 5:00	0.3	4/13/19 6:00	0.1	4/12/20 4:00	0.2
4/13/18 6:00	0.2	4/13/19 7:00	0.2	4/12/20 5:00	0.2
4/13/18 7:00	0.3	4/13/19 8:00	0.2	4/12/20 6:00	0.2
4/13/18 8:00	0.3	4/13/19 9:00	0.1	4/12/20 7:00	0.2
4/13/18 9:00	0.3	4/13/19 10:00	0.1	4/12/20 8:00	0.2
4/13/18 10:00	0.2	4/13/19 11:00	0.1	4/12/20 9:00	0.2
4/13/18 11:00	0.3	4/13/19 12:00	0.2	4/12/20 10:00	0.2
4/13/18 12:00	0.3	4/13/19 13:00	0.2	4/12/20 11:00	0.2
4/13/18 13:00	0.3	4/13/19 14:00	0.3	4/12/20 12:00	0.2
4/13/18 14:00	0.3	4/13/19 15:00	0.3	4/12/20 13:00	0.3
4/13/18 15:00	0.3	4/13/19 16:00	0.2	4/12/20 14:00	0.3
4/13/18 16:00	0.3	4/13/19 17:00	0.3	4/12/20 15:00	0.2
4/13/18 17:00	0.3	4/13/19 18:00	0.2	4/12/20 16:00	0.2
4/13/18 18:00	0.3	4/13/19 19:00	0.4	4/12/20 17:00	0.2
4/13/18 19:00	0.3	4/13/19 20:00	0.4	4/12/20 18:00	0.2
4/13/18 20:00	0.3	4/13/19 21:00	0.4	4/12/20 19:00	0.2
4/13/18 21:00	0.3	4/13/19 22:00	0.3	4/12/20 20:00	0.2
4/13/18 22:00	0.3	4/13/19 23:00	0.3	4/12/20 21:00	0.2
4/13/18 23:00	0.3	4/14/19 0:00	3.1	4/12/20 22:00	0.2
4/14/18 0:00	0.3	4/14/19 1:00	2.4	4/12/20 23:00	0.2
4/14/18 1:00	0.2	4/14/19 2:00	0.2	4/13/20 0:00	0.1
4/14/18 2:00	0.3	4/14/19 3:00	0.2	4/13/20 1:00	0.2
4/14/18 3:00	0.3	4/14/19 4:00	0.2	4/13/20 2:00	0.2
4/14/18 4:00	0.2	4/14/19 5:00	0.2	4/13/20 3:00	0.2
4/14/18 5:00	0.2	4/14/19 6:00	0.2	4/13/20 4:00	0.2
4/14/18 6:00	0.3	4/14/19 7:00	0.2	4/13/20 5:00	0.2
4/14/18 7:00	0.3	4/14/19 8:00	0.2	4/13/20 6:00	0.2
4/14/18 8:00	0.3	4/14/19 9:00	0.2	4/13/20 7:00	0.2
4/14/18 9:00	0.3	4/14/19 10:00	0.2	4/13/20 8:00	0.2
4/14/18 10:00	0.2	4/14/19 11:00	0.2	4/13/20 9:00	0.2
4/14/18 11:00	0.2	4/14/19 12:00	0.2	4/13/20 10:00	0.2
4/14/18 12:00	0.2	4/14/19 13:00	0.2	4/13/20 11:00	0.2
4/14/18 13:00	0.2	4/14/19 14:00	0.2	4/13/20 12:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
4/14/18 14:00	0.3	4/14/19 15:00	0.2	4/13/20 13:00	0.2
4/14/18 15:00	0.2	4/14/19 16:00	0.2	4/13/20 14:00	1.7
4/14/18 16:00	0.3	4/14/19 17:00	0.2	4/13/20 15:00	0.9
4/14/18 17:00	0.2	4/14/19 18:00	0.2	4/13/20 16:00	1.7
4/14/18 18:00	0.2	4/14/19 19:00	1.1	4/13/20 17:00	0.2
4/14/18 19:00	0.2	4/14/19 20:00	1.8	4/13/20 18:00	0.2
4/14/18 20:00	0.3	4/14/19 21:00	0.2	4/13/20 19:00	0.2
4/14/18 21:00	0.3	4/14/19 22:00	0.1	4/13/20 20:00	0.2
4/14/18 22:00	0.2	4/14/19 23:00	0.1	4/13/20 21:00	0.2
4/14/18 23:00	0.3	4/15/19 0:00	0.1	4/13/20 22:00	0.2
4/15/18 0:00	0.2	4/15/19 1:00	0.1	4/13/20 23:00	0.2
4/15/18 1:00	0.2	4/15/19 2:00	0.2	4/14/20 0:00	0.2
4/15/18 2:00	0.3	4/15/19 3:00	0.2	4/14/20 1:00	0.2
4/15/18 3:00	0.2	4/15/19 4:00	0.2	4/14/20 2:00	0.2
4/15/18 4:00	0.2	4/15/19 5:00	0.2	4/14/20 3:00	0.2
4/15/18 5:00	0.3	4/15/19 6:00	0.2	4/14/20 4:00	0.2
4/15/18 6:00	0.3	4/15/19 7:00	0.2	4/14/20 5:00	0.1
4/15/18 7:00	0.2	4/15/19 8:00	0.2	4/14/20 6:00	0.1
4/15/18 8:00	0.2	4/15/19 9:00	0.2	4/14/20 7:00	0.2
4/15/18 9:00	0.3	4/15/19 10:00	0.2	4/14/20 8:00	0.1
4/15/18 10:00	0.2	4/15/19 11:00	0.2	4/14/20 9:00	0.1
4/15/18 11:00	0.2	4/15/19 12:00	0.2	4/14/20 10:00	0.2
4/15/18 12:00	0.3	4/15/19 13:00	0.2	4/14/20 11:00	0.1
4/15/18 13:00	0.3	4/15/19 14:00	0.2	4/14/20 12:00	0.1
4/15/18 14:00	0.3	4/15/19 15:00	0.2	4/14/20 13:00	0.2
4/15/18 15:00	0.3	4/15/19 16:00	0.2	4/14/20 14:00	0.2
4/15/18 16:00	0.3	4/15/19 17:00	0.2	4/14/20 15:00	0.1
4/15/18 17:00	0.3	4/15/19 18:00	0.2	4/14/20 16:00	0.1
4/15/18 18:00	0.3	4/15/19 19:00	0.2	4/14/20 17:00	0.1
4/15/18 19:00	0.3	4/15/19 20:00	0.2	4/14/20 18:00	0.1
4/15/18 20:00	0.3	4/15/19 21:00	0.2	4/14/20 19:00	0.1
4/15/18 21:00	0.3	4/15/19 22:00	0.2	4/14/20 20:00	0.1
4/15/18 22:00	0.3	4/15/19 23:00	0.2	4/14/20 21:00	0.1
4/15/18 23:00	0.3	4/16/19 0:00	0.2	4/14/20 22:00	0.1
4/16/18 0:00	0.3	4/16/19 1:00	3.4	4/14/20 23:00	0.1
4/16/18 1:00	0.3	4/16/19 2:00	0.3	4/15/20 0:00	0.2
4/16/18 2:00	0.4	4/16/19 3:00	0.3	4/15/20 1:00	0.1
4/16/18 3:00	0.4	4/16/19 4:00	0.2	4/15/20 2:00	0.1
4/16/18 4:00	0.3	4/16/19 5:00	3.7	4/15/20 3:00	0.2
4/16/18 5:00	0.4	4/16/19 6:00	0.3	4/15/20 4:00	0.2
4/16/18 6:00	0.4	4/16/19 7:00	0.3	4/15/20 5:00	0.2
4/16/18 7:00	0.4	4/16/19 8:00	0.3	4/15/20 6:00	0.2
4/16/18 8:00	0.4	4/16/19 9:00	0.2	4/15/20 7:00	0.1
4/16/18 9:00	0.3	4/16/19 10:00	0.2	4/15/20 8:00	0.1
4/16/18 10:00	0.3	4/16/19 11:00	0.3	4/15/20 9:00	0.2
4/16/18 11:00	0.3	4/16/19 12:00	0.2	4/15/20 10:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
4/16/18 12:00	0.3	4/16/19 13:00	0.2	4/15/20 11:00	0.1
4/16/18 13:00	0.3	4/16/19 14:00	0.3	4/15/20 12:00	0.1
4/16/18 14:00	0.3	4/16/19 15:00	4.9	4/15/20 13:00	0.1
4/16/18 15:00	0.3	4/16/19 16:00	0.3	4/15/20 14:00	0.1
4/16/18 16:00	0.5	4/16/19 17:00	0.3	4/15/20 15:00	0.1
4/16/18 17:00	0.4	4/16/19 18:00	0.3	4/15/20 16:00	0.2
4/16/18 18:00	0.5	4/16/19 19:00	0.2	4/15/20 17:00	0.2
4/16/18 19:00	0.6	4/16/19 20:00	0.2	4/15/20 18:00	0.2
4/16/18 20:00	0.6	4/16/19 21:00	0.2	4/15/20 19:00	0.2
4/16/18 21:00	0.6	4/16/19 22:00	0.2	4/15/20 20:00	0.2
4/16/18 22:00	0.6	4/16/19 23:00	0.2	4/15/20 21:00	0.2
4/16/18 23:00	0.6	4/17/19 0:00	0.2	4/15/20 22:00	0.2
4/17/18 0:00	0.6	4/17/19 1:00	2.6	4/15/20 23:00	0.2
4/17/18 1:00	0.6	4/17/19 2:00	0.2	4/16/20 0:00	0.2
4/17/18 2:00	0.6	4/17/19 3:00	0.2	4/16/20 1:00	0.2
4/17/18 3:00	0.6	4/17/19 4:00	0.3	4/16/20 2:00	0.2
4/17/18 4:00	0.6	4/17/19 5:00	0.2	4/16/20 3:00	0.2
4/17/18 5:00	0.6	4/17/19 6:00	0.3	4/16/20 4:00	0.2
4/17/18 6:00	0.6	4/17/19 7:00	0.3	4/16/20 5:00	0.2
4/17/18 7:00	0.5	4/17/19 8:00	0.4	4/16/20 6:00	0.1
4/17/18 8:00	0.5	4/17/19 9:00	0.4	4/16/20 7:00	0.2
4/17/18 9:00	0.5	4/17/19 10:00	0.3	4/16/20 8:00	0.2
4/17/18 10:00	0.2	4/17/19 11:00	0.3	4/16/20 9:00	0.2
4/17/18 11:00	0.6	4/17/19 12:00	0.3	4/16/20 10:00	0.2
4/17/18 12:00	0.6	4/17/19 13:00	0.3	4/16/20 11:00	0.2
4/17/18 13:00	0.5	4/17/19 14:00	0.3	4/16/20 12:00	0.2
4/17/18 14:00	0.2	4/17/19 15:00	0.3	4/16/20 13:00	0.2
4/17/18 15:00	0.2	4/17/19 16:00	0.3	4/16/20 14:00	0.1
4/17/18 16:00	0.3	4/17/19 17:00	0.3	4/16/20 15:00	0.1
4/17/18 17:00	0.3	4/17/19 18:00	0.3	4/16/20 16:00	0.1
4/17/18 18:00	0.2	4/17/19 19:00	0.3	4/16/20 17:00	0.3
4/17/18 19:00	0.2	4/17/19 20:00	0.3	4/16/20 18:00	0.6
4/17/18 20:00	0.2	4/17/19 21:00	0.4	4/16/20 19:00	0.8
4/17/18 21:00	0.2	4/17/19 22:00	0.4	4/16/20 20:00	0.6
4/17/18 22:00	0.3	4/17/19 23:00	0.4	4/16/20 21:00	0.7
4/17/18 23:00	0.3	4/18/19 0:00	0.5	4/16/20 22:00	0.9
4/18/18 0:00	0.3	4/18/19 1:00	0.4	4/16/20 23:00	0.6
4/18/18 1:00	0.3	4/18/19 2:00	0.4	4/17/20 0:00	0.5
4/18/18 2:00	0.3	4/18/19 3:00	0.5	4/17/20 1:00	0.7
4/18/18 3:00	0.3	4/18/19 4:00	0.5	4/17/20 2:00	0.3
4/18/18 4:00	0.3	4/18/19 5:00	0.5	4/17/20 3:00	0.6
4/18/18 5:00	0.3	4/18/19 6:00	0.5	4/17/20 4:00	0.7
4/18/18 6:00	0.3	4/18/19 7:00	0.7	4/17/20 5:00	0.3
4/18/18 7:00	0.2	4/18/19 8:00	0.7	4/17/20 6:00	0.1
4/18/18 8:00	0.2	4/18/19 9:00	0.6	4/17/20 7:00	0.5
4/18/18 9:00	0.3	4/18/19 10:00	0.6	4/17/20 8:00	0.6

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
4/18/18 10:00	0.3	4/18/19 11:00	0.6	4/17/20 9:00	1.0
4/18/18 11:00	0.5	4/18/19 12:00	0.9	4/17/20 10:00	0.7
4/18/18 12:00	0.3	4/18/19 13:00	0.5	4/17/20 11:00	0.6
4/18/18 13:00	0.2	4/18/19 14:00	0.3	4/17/20 12:00	0.3
4/18/18 14:00	0.2	4/18/19 15:00	0.3	4/17/20 13:00	0.7
4/18/18 15:00	0.2	4/18/19 16:00	0.3	4/17/20 14:00	0.1
4/18/18 16:00	0.2	4/18/19 17:00	0.3	4/17/20 15:00	0.1
4/18/18 17:00	0.2	4/18/19 18:00	0.4	4/17/20 16:00	0.2
4/18/18 18:00	0.2	4/18/19 19:00	0.4	4/17/20 17:00	0.1
4/18/18 19:00	0.3	4/18/19 20:00	0.4	4/17/20 18:00	0.1
4/18/18 20:00	0.4	4/18/19 21:00	0.4	4/17/20 19:00	0.1
4/18/18 21:00	0.3	4/18/19 22:00	0.4	4/17/20 20:00	0.1
4/18/18 22:00	0.3	4/18/19 23:00	0.4	4/17/20 21:00	0.1
4/18/18 23:00	0.3	4/19/19 0:00	0.4	4/17/20 22:00	0.1
4/19/18 0:00	0.2	4/19/19 1:00	0.4	4/17/20 23:00	0.1
4/19/18 1:00	0.3	4/19/19 2:00	0.4	4/18/20 0:00	0.1
4/19/18 2:00	0.2	4/19/19 3:00	0.4	4/18/20 1:00	0.1
4/19/18 3:00	0.2	4/19/19 4:00	0.7	4/18/20 2:00	0.1
4/19/18 4:00	0.2	4/19/19 5:00	0.5	4/18/20 3:00	0.1
4/19/18 5:00	0.2	4/19/19 6:00	0.4	4/18/20 4:00	0.1
4/19/18 6:00	0.2	4/19/19 7:00	0.4	4/18/20 5:00	0.1
4/19/18 7:00	0.5	4/19/19 8:00	0.4	4/18/20 6:00	0.1
4/19/18 8:00	0.3	4/19/19 9:00	0.5	4/18/20 7:00	0.1
4/19/18 9:00	0.3	4/19/19 10:00	0.8	4/18/20 8:00	0.1
4/19/18 10:00	0.3	4/19/19 11:00	0.4	4/18/20 9:00	0.1
4/19/18 11:00	0.3	4/19/19 12:00	0.4	4/18/20 10:00	0.1
4/19/18 12:00	0.3	4/19/19 13:00	2.7	4/18/20 11:00	0.1
4/19/18 13:00	0.3	4/19/19 14:00	0.7	4/18/20 12:00	0.1
4/19/18 14:00	0.3	4/19/19 15:00	0.4	4/18/20 13:00	0.2
4/19/18 15:00	0.3	4/19/19 16:00	0.4	4/18/20 14:00	0.2
4/19/18 16:00	0.2	4/19/19 17:00	0.4	4/18/20 15:00	0.2
4/19/18 17:00	0.2	4/19/19 18:00	0.4	4/18/20 16:00	0.2
4/19/18 18:00	0.2	4/19/19 19:00	0.4	4/18/20 17:00	0.2
4/19/18 19:00	0.3	4/19/19 20:00	0.4	4/18/20 18:00	0.1
4/19/18 20:00	0.3	4/19/19 21:00	0.4	4/18/20 19:00	0.2
4/19/18 21:00	0.3	4/19/19 22:00	0.4	4/18/20 20:00	0.2
4/19/18 22:00	0.3	4/19/19 23:00	0.4	4/18/20 21:00	0.2
4/19/18 23:00	0.3	4/20/19 0:00	0.4	4/18/20 22:00	0.2
4/20/18 0:00	0.2	4/20/19 1:00	0.4	4/18/20 23:00	0.1
4/20/18 1:00	0.2	4/20/19 2:00	0.4	4/19/20 0:00	0.1
4/20/18 2:00	0.4	4/20/19 3:00	0.4	4/19/20 1:00	0.2
4/20/18 3:00	0.4	4/20/19 4:00	0.4	4/19/20 2:00	0.3
4/20/18 4:00	0.3	4/20/19 5:00	0.4	4/19/20 3:00	0.2
4/20/18 5:00	0.3	4/20/19 6:00	0.4	4/19/20 4:00	0.2
4/20/18 6:00	0.2	4/20/19 7:00	0.4	4/19/20 5:00	0.3
4/20/18 7:00	0.3	4/20/19 8:00	0.4	4/19/20 6:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
4/20/18 8:00	0.3	4/20/19 9:00	0.4	4/19/20 7:00	0.2
4/20/18 9:00	0.3	4/20/19 10:00	0.4	4/19/20 8:00	0.3
4/20/18 10:00	0.3	4/20/19 11:00	0.4	4/19/20 9:00	0.3
4/20/18 11:00	0.3	4/20/19 12:00	0.5	4/19/20 10:00	0.2
4/20/18 12:00	0.3	4/20/19 13:00	0.5	4/19/20 11:00	0.2
4/20/18 13:00	0.3	4/20/19 14:00	0.5	4/19/20 12:00	0.2
4/20/18 14:00	0.3	4/20/19 15:00	1.6	4/19/20 13:00	0.3
4/20/18 15:00	0.3	4/20/19 16:00	0.4	4/19/20 14:00	0.2
4/20/18 16:00	0.3	4/20/19 17:00	0.4	4/19/20 15:00	0.3
4/20/18 17:00	0.3	4/20/19 18:00	0.4	4/19/20 16:00	0.2
4/20/18 18:00	0.3	4/20/19 19:00	0.4	4/19/20 17:00	0.1
4/20/18 19:00	0.2	4/20/19 20:00	0.5	4/19/20 18:00	0.1
4/20/18 20:00	0.2	4/20/19 21:00	0.4	4/19/20 19:00	0.1
4/20/18 21:00	0.3	4/20/19 22:00	0.4	4/19/20 20:00	0.1
4/20/18 22:00	0.3	4/20/19 23:00	0.4	4/19/20 21:00	0.1
4/20/18 23:00	0.3	4/21/19 0:00	0.4	4/19/20 22:00	0.1
4/21/18 0:00	0.3	4/21/19 1:00	0.5	4/19/20 23:00	0.1
4/21/18 1:00	0.3	4/21/19 2:00	0.5	4/20/20 0:00	0.1
4/21/18 2:00	0.4	4/21/19 3:00	1.1	4/20/20 1:00	0.1
4/21/18 3:00	0.3	4/21/19 4:00	0.6	4/20/20 2:00	0.1
4/21/18 4:00	0.4	4/21/19 5:00	4.2	4/20/20 3:00	0.1
4/21/18 5:00	0.6	4/21/19 6:00	1.0	4/20/20 4:00	0.1
4/21/18 6:00	0.6	4/21/19 7:00	0.5	4/20/20 5:00	0.1
4/21/18 7:00	0.7	4/21/19 8:00	0.4	4/20/20 6:00	0.1
4/21/18 8:00	0.7	4/21/19 9:00	0.5	4/20/20 7:00	0.1
4/21/18 9:00	0.6	4/21/19 10:00	0.5	4/20/20 8:00	0.1
4/21/18 10:00	0.7	4/21/19 11:00	0.3	4/20/20 9:00	0.1
4/21/18 11:00	0.8	4/21/19 12:00	0.4	4/20/20 10:00	0.1
4/21/18 12:00	0.8	4/21/19 13:00	0.3	4/20/20 11:00	0.1
4/21/18 13:00	0.7	4/21/19 14:00	0.4	4/20/20 12:00	0.1
4/21/18 14:00	0.8	4/21/19 15:00	0.6	4/20/20 13:00	0.1
4/21/18 15:00	0.9	4/21/19 16:00	0.5	4/20/20 14:00	0.1
4/21/18 16:00	0.7	4/21/19 17:00	0.4	4/20/20 15:00	0.1
4/21/18 17:00	0.6	4/21/19 18:00	0.3	4/20/20 16:00	0.1
4/21/18 18:00	0.6	4/21/19 19:00	0.3	4/20/20 17:00	0.1
4/21/18 19:00	0.5	4/21/19 20:00	0.3	4/20/20 18:00	0.1
4/21/18 20:00	0.3	4/21/19 21:00	0.4	4/20/20 19:00	0.2
4/21/18 21:00	0.5	4/21/19 22:00	0.4	4/20/20 20:00	0.1
4/21/18 22:00	0.6	4/21/19 23:00	0.4	4/20/20 21:00	0.1
4/21/18 23:00	0.6	4/22/19 0:00	0.3	4/20/20 22:00	0.1
4/22/18 0:00	0.6	4/22/19 1:00	0.4	4/20/20 23:00	0.1
4/22/18 1:00	0.6	4/22/19 2:00	0.4	4/21/20 0:00	0.1
4/22/18 2:00	0.6	4/22/19 3:00	0.4	4/21/20 1:00	0.1
4/22/18 3:00	0.5	4/22/19 4:00	0.5	4/21/20 2:00	0.1
4/22/18 4:00	0.5	4/22/19 5:00	0.4	4/21/20 3:00	0.1
4/22/18 5:00	0.5	4/22/19 6:00	0.6	4/21/20 4:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
4/22/18 6:00	0.5	4/22/19 7:00	0.9	4/21/20 5:00	0.1
4/22/18 7:00	0.6	4/22/19 8:00	0.5	4/21/20 6:00	0.1
4/22/18 8:00	0.6	4/22/19 9:00	0.3	4/21/20 7:00	0.1
4/22/18 9:00	0.6	4/22/19 10:00	0.4	4/21/20 8:00	0.1
4/22/18 10:00	0.6	4/22/19 11:00	3.6	4/21/20 9:00	0.1
4/22/18 11:00	0.5	4/22/19 12:00	0.5	4/21/20 10:00	0.3
4/22/18 12:00	0.5	4/22/19 13:00	0.4	4/21/20 11:00	0.3
4/22/18 13:00	0.5	4/22/19 14:00	0.7	4/21/20 12:00	0.5
4/22/18 14:00	0.5	4/22/19 15:00	0.4	4/21/20 13:00	0.7
4/22/18 15:00	0.5	4/22/19 16:00	0.4	4/21/20 14:00	0.7
4/22/18 16:00	0.2	4/22/19 17:00	0.7	4/21/20 15:00	0.5
4/22/18 17:00	0.2	4/22/19 18:00	0.4	4/21/20 16:00	0.7
4/22/18 18:00	0.2	4/22/19 19:00	0.4	4/21/20 17:00	0.6
4/22/18 19:00	0.2	4/22/19 20:00	0.3	4/21/20 18:00	0.5
4/22/18 20:00	0.3	4/22/19 21:00	0.3	4/21/20 19:00	0.7
4/22/18 21:00	0.7	4/22/19 22:00	0.2	4/21/20 20:00	0.5
4/22/18 22:00	0.6	4/22/19 23:00	0.3	4/21/20 21:00	0.5
4/22/18 23:00	0.6	4/23/19 0:00	2.7	4/21/20 22:00	0.6
4/23/18 0:00	0.6	4/23/19 1:00	0.3	4/21/20 23:00	0.3
4/23/18 1:00	0.6	4/23/19 2:00	0.7	4/22/20 0:00	0.5
4/23/18 2:00	0.6	4/23/19 3:00	0.3	4/22/20 1:00	0.5
4/23/18 3:00	0.6	4/23/19 4:00	0.6	4/22/20 2:00	0.9
4/23/18 4:00	0.6	4/23/19 5:00	0.4	4/22/20 3:00	0.7
4/23/18 5:00	0.6	4/23/19 6:00	0.3	4/22/20 4:00	0.9
4/23/18 6:00	0.6	4/23/19 7:00	0.3	4/22/20 5:00	0.7
4/23/18 7:00	0.6	4/23/19 8:00	0.3	4/22/20 6:00	0.1
4/23/18 8:00	0.6	4/23/19 9:00	0.2	4/22/20 7:00	0.1
4/23/18 9:00	0.6	4/23/19 10:00	0.2	4/22/20 8:00	0.1
4/23/18 10:00	0.6	4/23/19 11:00	0.1	4/22/20 9:00	0.1
4/23/18 11:00	0.6	4/23/19 12:00	0.1	4/22/20 10:00	0.1
4/23/18 12:00	0.6	4/23/19 13:00	0.2	4/22/20 11:00	0.1
4/23/18 13:00	0.7	4/23/19 14:00	0.3	4/22/20 12:00	0.2
4/23/18 14:00	0.6	4/23/19 15:00	0.3	4/22/20 13:00	0.3
4/23/18 15:00	0.6	4/23/19 16:00	0.2	4/22/20 14:00	0.3
4/23/18 16:00	0.5	4/23/19 17:00	0.2	4/22/20 15:00	0.3
4/23/18 17:00	0.3	4/23/19 18:00	0.2	4/22/20 16:00	0.4
4/23/18 18:00	0.2	4/23/19 19:00	0.1	4/22/20 17:00	0.5
4/23/18 19:00	0.2	4/23/19 20:00	0.1	4/22/20 18:00	0.5
4/23/18 20:00	0.2	4/23/19 21:00	0.1	4/22/20 19:00	0.5
4/23/18 21:00	0.2	4/23/19 22:00	0.2	4/22/20 20:00	0.5
4/23/18 22:00	0.2	4/23/19 23:00	0.1	4/22/20 21:00	0.4
4/23/18 23:00	0.2	4/24/19 0:00	0.1	4/22/20 22:00	0.4
4/24/18 0:00	0.2	4/24/19 1:00	0.2	4/22/20 23:00	0.5
4/24/18 1:00	0.2	4/24/19 2:00	0.2	4/23/20 0:00	0.5
4/24/18 2:00	0.2	4/24/19 3:00	0.1	4/23/20 1:00	0.4
4/24/18 3:00	0.2	4/24/19 4:00	0.2	4/23/20 2:00	0.4

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
4/24/18 4:00	0.2	4/24/19 5:00	0.2	4/23/20 3:00	0.4
4/24/18 5:00	0.2	4/24/19 6:00	0.2	4/23/20 4:00	0.5
4/24/18 6:00	0.2	4/24/19 7:00	0.2	4/23/20 5:00	0.4
4/24/18 7:00	0.2	4/24/19 8:00	0.2	4/23/20 6:00	0.4
4/24/18 8:00	0.1	4/24/19 9:00	0.2	4/23/20 7:00	0.5
4/24/18 9:00	0.2	4/24/19 10:00	0.2	4/23/20 8:00	0.4
4/24/18 10:00	0.2	4/24/19 11:00	0.2	4/23/20 9:00	0.4
4/24/18 11:00	0.2	4/24/19 12:00	0.1	4/23/20 10:00	0.4
4/24/18 12:00	0.2	4/24/19 13:00	0.2	4/23/20 11:00	0.5
4/24/18 13:00	0.2	4/24/19 14:00	0.2	4/23/20 12:00	0.5
4/24/18 14:00	0.1	4/24/19 15:00	0.2	4/23/20 13:00	0.3
4/24/18 15:00	0.1	4/24/19 16:00	0.2	4/23/20 14:00	0.3
4/24/18 16:00	0.1	4/24/19 17:00	0.2	4/23/20 15:00	0.3
4/24/18 17:00	0.2	4/24/19 18:00	0.2	4/23/20 16:00	0.2
4/24/18 18:00	0.2	4/24/19 19:00	0.2	4/23/20 17:00	0.2
4/24/18 19:00	0.2	4/24/19 20:00	0.2	4/23/20 18:00	0.3
4/24/18 20:00	0.3	4/24/19 21:00	0.2	4/23/20 19:00	0.3
4/24/18 21:00	0.3	4/24/19 22:00	0.2	4/23/20 20:00	0.3
4/24/18 22:00	0.3	4/24/19 23:00	0.2	4/23/20 21:00	0.2
4/24/18 23:00	0.3	4/25/19 0:00	0.2	4/23/20 22:00	0.2
4/25/18 0:00	0.2	4/25/19 1:00	0.1	4/23/20 23:00	0.2
4/25/18 1:00	0.3	4/25/19 2:00	0.1	4/24/20 0:00	0.2
4/25/18 2:00	0.3	4/25/19 3:00	0.1	4/24/20 1:00	0.2
4/25/18 3:00	0.3	4/25/19 4:00	0.2	4/24/20 2:00	0.2
4/25/18 4:00	0.3	4/25/19 5:00	0.2	4/24/20 3:00	0.2
4/25/18 5:00	0.3	4/25/19 6:00	0.1	4/24/20 4:00	0.2
4/25/18 6:00	0.3	4/25/19 7:00	0.1	4/24/20 5:00	0.2
4/25/18 7:00	0.3	4/25/19 8:00	0.2	4/24/20 6:00	0.2
4/25/18 8:00	0.3	4/25/19 9:00	0.2	4/24/20 7:00	0.2
4/25/18 9:00	0.3	4/25/19 10:00	0.2	4/24/20 8:00	0.2
4/25/18 10:00	0.4	4/25/19 11:00	0.2	4/24/20 9:00	0.2
4/25/18 11:00	0.3	4/25/19 12:00	0.2	4/24/20 10:00	0.2
4/25/18 12:00	0.3	4/25/19 13:00	0.2	4/24/20 11:00	0.2
4/25/18 13:00	0.3	4/25/19 14:00	0.2	4/24/20 12:00	0.2
4/25/18 14:00	0.2	4/25/19 15:00	0.2	4/24/20 13:00	0.2
4/25/18 15:00	0.2	4/25/19 16:00	0.2	4/24/20 14:00	0.2
4/25/18 16:00	0.3	4/25/19 17:00	0.2	4/24/20 15:00	0.3
4/25/18 17:00	0.3	4/25/19 18:00	0.1	4/24/20 16:00	0.2
4/25/18 18:00	0.3	4/25/19 19:00	0.2	4/24/20 17:00	0.2
4/25/18 19:00	0.3	4/25/19 20:00	0.2	4/24/20 18:00	0.2
4/25/18 20:00	0.3	4/25/19 21:00	0.2	4/24/20 19:00	0.2
4/25/18 21:00	0.3	4/25/19 22:00	0.2	4/24/20 20:00	0.2
4/25/18 22:00	0.3	4/25/19 23:00	0.2	4/24/20 21:00	0.2
4/25/18 23:00	0.3	4/26/19 0:00	0.2	4/24/20 22:00	0.3
4/26/18 0:00	0.3	4/26/19 1:00	0.1	4/24/20 23:00	0.2
4/26/18 1:00	0.3	4/26/19 2:00	0.2	4/25/20 0:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
4/26/18 2:00	0.3	4/26/19 3:00	0.2	4/25/20 1:00	0.2
4/26/18 3:00	0.3	4/26/19 4:00	0.1	4/25/20 2:00	0.2
4/26/18 4:00	0.3	4/26/19 5:00	0.2	4/25/20 3:00	0.2
4/26/18 5:00	0.3	4/26/19 6:00	2.1	4/25/20 4:00	0.2
4/26/18 6:00	0.2	4/26/19 7:00	0.2	4/25/20 5:00	0.1
4/26/18 7:00	0.2	4/26/19 8:00	0.2	4/25/20 6:00	0.2
4/26/18 8:00	0.2	4/26/19 9:00	0.2	4/25/20 7:00	0.2
4/26/18 9:00	0.2	4/26/19 10:00	0.2	4/25/20 8:00	0.2
4/26/18 10:00	0.1	4/26/19 11:00	0.2	4/25/20 9:00	0.1
4/26/18 11:00	0.1	4/26/19 12:00	0.2	4/25/20 10:00	0.3
4/26/18 12:00	0.1	4/26/19 13:00	0.2	4/25/20 11:00	0.3
4/26/18 13:00	0.1	4/26/19 14:00	0.2	4/25/20 12:00	0.2
4/26/18 14:00	0.1	4/26/19 15:00	0.1	4/25/20 13:00	0.2
4/26/18 15:00	0.1	4/26/19 16:00	0.2	4/25/20 14:00	0.3
4/26/18 16:00	0.1	4/26/19 17:00	0.2	4/25/20 15:00	0.2
4/26/18 17:00	0.1	4/26/19 18:00	0.2	4/25/20 16:00	0.2
4/26/18 18:00	0.1	4/26/19 19:00	0.3	4/25/20 17:00	0.2
4/26/18 19:00	0.1	4/26/19 20:00	0.3	4/25/20 18:00	0.1
4/26/18 20:00	0.1	4/26/19 21:00	0.3	4/25/20 19:00	0.2
4/26/18 21:00	0.1	4/26/19 22:00	0.3	4/25/20 20:00	0.2
4/26/18 22:00	0.1	4/26/19 23:00	0.3	4/25/20 21:00	0.2
4/26/18 23:00	0.1	4/27/19 0:00	0.2	4/25/20 22:00	0.2
4/27/18 0:00	0.1	4/27/19 1:00	0.2	4/25/20 23:00	0.1
4/27/18 1:00	0.1	4/27/19 2:00	0.2	4/26/20 0:00	0.2
4/27/18 2:00	0.1	4/27/19 3:00	0.2	4/26/20 1:00	0.2
4/27/18 3:00	0.1	4/27/19 4:00	0.2	4/26/20 2:00	0.2
4/27/18 4:00	0.2	4/27/19 5:00	0.3	4/26/20 3:00	0.2
4/27/18 5:00	0.2	4/27/19 6:00	0.3	4/26/20 4:00	0.1
4/27/18 6:00	0.2	4/27/19 7:00	0.3	4/26/20 5:00	0.2
4/27/18 7:00	0.1	4/27/19 8:00	0.2	4/26/20 6:00	0.2
4/27/18 8:00	0.1	4/27/19 9:00	0.3	4/26/20 7:00	0.2
4/27/18 9:00	0.1	4/27/19 10:00	0.2	4/26/20 8:00	0.2
4/27/18 10:00	0.1	4/27/19 11:00	0.2	4/26/20 9:00	0.2
4/27/18 11:00	0.2	4/27/19 12:00	0.2	4/26/20 10:00	0.2
4/27/18 12:00	0.2	4/27/19 13:00	0.2	4/26/20 11:00	0.2
4/27/18 13:00	0.2	4/27/19 14:00	0.2	4/26/20 12:00	0.2
4/27/18 14:00	0.2	4/27/19 15:00	0.2	4/26/20 13:00	0.2
4/27/18 15:00	0.2	4/27/19 16:00	0.2	4/26/20 14:00	0.2
4/27/18 16:00	0.2	4/27/19 17:00	0.2	4/26/20 15:00	0.2
4/27/18 17:00	0.2	4/27/19 18:00	0.1	4/26/20 16:00	0.3
4/27/18 18:00	0.2	4/27/19 19:00	0.2	4/26/20 17:00	0.2
4/27/18 19:00	0.2	4/27/19 20:00	0.2	4/26/20 18:00	0.1
4/27/18 20:00	0.2	4/27/19 21:00	0.2	4/26/20 19:00	0.2
4/27/18 21:00	0.2	4/27/19 22:00	0.2	4/26/20 20:00	0.2
4/27/18 22:00	0.2	4/27/19 23:00	0.2	4/26/20 21:00	0.2
4/27/18 23:00	0.2	4/28/19 0:00	0.2	4/26/20 22:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
4/28/18 0:00	0.2	4/28/19 1:00	0.2	4/26/20 23:00	0.2
4/28/18 1:00	0.2	4/28/19 2:00	0.2	4/27/20 0:00	0.2
4/28/18 2:00	0.3	4/28/19 3:00	0.2	4/27/20 1:00	0.2
4/28/18 3:00	0.3	4/28/19 4:00	0.2	4/27/20 2:00	0.1
4/28/18 4:00	0.3	4/28/19 5:00	0.3	4/27/20 3:00	0.1
4/28/18 5:00	0.3	4/28/19 6:00	0.2	4/27/20 4:00	0.1
4/28/18 6:00	0.3	4/28/19 7:00	0.2	4/27/20 5:00	0.1
4/28/18 7:00	0.3	4/28/19 8:00	0.2	4/27/20 6:00	0.1
4/28/18 8:00	0.3	4/28/19 9:00	0.2	4/27/20 7:00	0.1
4/28/18 9:00	0.3	4/28/19 10:00	0.2	4/27/20 8:00	0.2
4/28/18 10:00	0.3	4/28/19 11:00	0.2	4/27/20 9:00	0.2
4/28/18 11:00	0.3	4/28/19 12:00	0.2	4/27/20 10:00	0.2
4/28/18 12:00	0.3	4/28/19 13:00	0.2	4/27/20 11:00	0.2
4/28/18 13:00	0.3	4/28/19 14:00	0.2	4/27/20 12:00	0.2
4/28/18 14:00	0.3	4/28/19 15:00	0.3	4/27/20 13:00	0.2
4/28/18 15:00	0.3	4/28/19 16:00	0.3	4/27/20 14:00	0.2
4/28/18 16:00	0.3	4/28/19 17:00	0.2	4/27/20 15:00	0.2
4/28/18 17:00	0.2	4/28/19 18:00	0.2	4/27/20 16:00	0.2
4/28/18 18:00	0.2	4/28/19 19:00	0.2	4/27/20 17:00	0.1
4/28/18 19:00	0.2	4/28/19 20:00	0.1	4/27/20 18:00	0.2
4/28/18 20:00	0.2	4/28/19 21:00	0.2	4/27/20 19:00	0.2
4/28/18 21:00	0.2	4/28/19 22:00	0.3	4/27/20 20:00	0.4
4/28/18 22:00	0.2	4/28/19 23:00	0.3	4/27/20 21:00	0.5
4/28/18 23:00	0.2	4/29/19 0:00	0.3	4/27/20 22:00	0.5
4/29/18 0:00	0.2	4/29/19 1:00	0.3	4/27/20 23:00	0.5
4/29/18 1:00	0.2	4/29/19 2:00	0.3	4/28/20 0:00	0.5
4/29/18 2:00	0.3	4/29/19 3:00	0.2	4/28/20 1:00	0.5
4/29/18 3:00	0.3	4/29/19 4:00	0.3	4/28/20 2:00	0.5
4/29/18 4:00	0.3	4/29/19 5:00	0.3	4/28/20 3:00	0.5
4/29/18 5:00	0.3	4/29/19 6:00	0.3	4/28/20 4:00	0.4
4/29/18 6:00	0.2	4/29/19 7:00	0.4	4/28/20 5:00	0.3
4/29/18 7:00	0.3	4/29/19 8:00	0.4	4/28/20 6:00	0.3
4/29/18 8:00	0.3	4/29/19 9:00	0.3	4/28/20 7:00	0.4
4/29/18 9:00	0.3	4/29/19 10:00	0.2	4/28/20 8:00	0.3
4/29/18 10:00	0.3	4/29/19 11:00	0.2	4/28/20 9:00	0.2
4/29/18 11:00	0.3	4/29/19 12:00	0.3	4/28/20 10:00	0.3
4/29/18 12:00	0.3	4/29/19 13:00	0.3	4/28/20 11:00	0.4
4/29/18 13:00	0.3	4/29/19 14:00	0.2	4/28/20 12:00	0.4
4/29/18 14:00	0.3	4/29/19 15:00	0.2	4/28/20 13:00	0.5
4/29/18 15:00	0.3	4/29/19 16:00	0.3	4/28/20 14:00	0.4
4/29/18 16:00	0.3	4/29/19 17:00	0.3	4/28/20 15:00	0.4
4/29/18 17:00	0.3	4/29/19 18:00	0.3	4/28/20 16:00	0.4
4/29/18 18:00	0.3	4/29/19 19:00	0.4	4/28/20 17:00	0.3
4/29/18 19:00	0.3	4/29/19 20:00	0.2	4/28/20 18:00	0.3
4/29/18 20:00	0.3	4/29/19 21:00	0.2	4/28/20 19:00	0.3
4/29/18 21:00	0.3	4/29/19 22:00	0.2	4/28/20 20:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
4/29/18 22:00	0.3	4/29/19 23:00	0.2	4/28/20 21:00	0.2
4/29/18 23:00	0.3	4/30/19 0:00	0.3	4/28/20 22:00	0.3
4/30/18 0:00	0.4	4/30/19 1:00	0.3	4/28/20 23:00	0.3
4/30/18 1:00	0.4	4/30/19 2:00	0.3	4/29/20 0:00	0.3
4/30/18 2:00	0.4	4/30/19 3:00	0.3	4/29/20 1:00	0.3
4/30/18 3:00	0.4	4/30/19 4:00	0.2	4/29/20 2:00	0.3
4/30/18 4:00	0.4	4/30/19 5:00	0.3	4/29/20 3:00	0.3
4/30/18 5:00	0.4	4/30/19 6:00	0.2	4/29/20 4:00	0.3
4/30/18 6:00	0.4	4/30/19 7:00	0.2	4/29/20 5:00	0.3
4/30/18 7:00	0.3	4/30/19 8:00	0.2	4/29/20 6:00	0.3
4/30/18 8:00	0.2	4/30/19 9:00	0.2	4/29/20 7:00	0.3
4/30/18 9:00	0.2	4/30/19 10:00	0.2	4/29/20 8:00	0.3
4/30/18 10:00	0.2	4/30/19 11:00	0.2	4/29/20 9:00	0.3
4/30/18 11:00	0.2	4/30/19 12:00	0.2	4/29/20 10:00	0.3
4/30/18 12:00	0.2	4/30/19 13:00	0.2	4/29/20 11:00	0.3
4/30/18 13:00	0.2	4/30/19 14:00	0.2	4/29/20 12:00	0.3
4/30/18 14:00	0.2	4/30/19 15:00	0.3	4/29/20 13:00	0.3
4/30/18 15:00	0.1	4/30/19 16:00	0.3	4/29/20 14:00	0.3
4/30/18 16:00	0.2	4/30/19 17:00	0.2	4/29/20 15:00	0.3
4/30/18 17:00	0.2	4/30/19 18:00	0.2	4/29/20 16:00	0.3
4/30/18 18:00	0.2	4/30/19 19:00	0.3	4/29/20 17:00	0.3
4/30/18 19:00	0.2	4/30/19 20:00	0.2	4/29/20 18:00	0.2
4/30/18 20:00	0.2	4/30/19 21:00	0.2	4/29/20 19:00	0.3
4/30/18 21:00	0.2	4/30/19 22:00	0.3	4/29/20 20:00	0.3
4/30/18 22:00	0.2	4/30/19 23:00	0.2	4/29/20 21:00	0.2
4/30/18 23:00	0.2	5/1/19 0:00	0.3	4/29/20 22:00	0.2
5/1/18 0:00	0.2	5/1/19 1:00	0.2	4/29/20 23:00	0.1
5/1/18 1:00	0.2	5/1/19 2:00	0.2	4/30/20 0:00	0.1
5/1/18 2:00	0.2	5/1/19 3:00	0.2	4/30/20 1:00	0.1
5/1/18 3:00	0.3	5/1/19 4:00	0.2	4/30/20 2:00	0.1
5/1/18 4:00	0.3	5/1/19 5:00	0.3	4/30/20 3:00	0.1
5/1/18 5:00	0.3	5/1/19 6:00	0.3	4/30/20 4:00	0.1
5/1/18 6:00	0.3	5/1/19 7:00	0.3	4/30/20 5:00	0.2
5/1/18 7:00	0.2	5/1/19 8:00	0.3	4/30/20 6:00	0.2
5/1/18 8:00	0.2	5/1/19 9:00	0.3	4/30/20 7:00	0.2
5/1/18 9:00	0.2	5/1/19 10:00	0.3	4/30/20 8:00	0.2
5/1/18 10:00	0.3	5/1/19 11:00	0.3	4/30/20 9:00	0.2
5/1/18 11:00	0.3	5/1/19 12:00	0.2	4/30/20 10:00	0.2
5/1/18 12:00	0.3	5/1/19 13:00	0.4	4/30/20 11:00	0.2
5/1/18 13:00	0.2	5/1/19 14:00	0.4	4/30/20 12:00	0.2
5/1/18 14:00	0.3	5/1/19 15:00	0.4	4/30/20 13:00	0.2
5/1/18 15:00	0.3	5/1/19 16:00	0.2	4/30/20 14:00	0.2
5/1/18 16:00	0.3	5/1/19 17:00	0.2	4/30/20 15:00	0.2
5/1/18 17:00	0.3	5/1/19 18:00	0.3	4/30/20 16:00	0.2
5/1/18 18:00	0.3	5/1/19 19:00	0.2	4/30/20 17:00	0.2
5/1/18 19:00	0.3	5/1/19 20:00	0.3	4/30/20 18:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
5/1/18 20:00	0.3	5/1/19 21:00	0.3	4/30/20 19:00	0.2
5/1/18 21:00	0.3	5/1/19 22:00	0.2	4/30/20 20:00	0.2
5/1/18 22:00	0.3	5/1/19 23:00	0.2	4/30/20 21:00	0.2
5/1/18 23:00	0.2	5/2/19 0:00	0.2	4/30/20 22:00	0.2
5/2/18 0:00	0.1	5/2/19 1:00	0.2	4/30/20 23:00	0.2
5/2/18 1:00	0.2	5/2/19 2:00	2.2	5/1/20 0:00	0.1
5/2/18 2:00	0.2	5/2/19 3:00	3.2	5/1/20 1:00	0.2
5/2/18 3:00	0.3	5/2/19 4:00	2.9	5/1/20 2:00	0.2
5/2/18 4:00	0.3	5/2/19 5:00	1.8	5/1/20 3:00	0.2
5/2/18 5:00	0.3	5/2/19 6:00	0.2	5/1/20 4:00	0.2
5/2/18 6:00	0.2	5/2/19 7:00	3.4	5/1/20 5:00	0.1
5/2/18 7:00	0.3	5/2/19 8:00	1.2	5/1/20 6:00	0.0
5/2/18 8:00	0.2	5/2/19 9:00	0.2	5/1/20 7:00	0.1
5/2/18 9:00	0.2	5/2/19 10:00	0.2	5/1/20 8:00	0.1
5/2/18 10:00	0.2	5/2/19 11:00	2.8	5/1/20 9:00	0.1
5/2/18 11:00	0.2	5/2/19 12:00	0.4	5/1/20 10:00	0.0
5/2/18 12:00	0.2	5/2/19 13:00	0.3	5/1/20 11:00	0.0
5/2/18 13:00	0.2	5/2/19 14:00	0.3	5/1/20 12:00	0.1
5/2/18 14:00	0.2	5/2/19 15:00	0.2	5/1/20 13:00	0.1
5/2/18 15:00	0.3	5/2/19 16:00	0.2	5/1/20 14:00	0.1
5/2/18 16:00	0.3	5/2/19 17:00	0.1	5/1/20 15:00	0.1
5/2/18 17:00	0.3	5/2/19 18:00	0.2	5/1/20 16:00	0.0
5/2/18 18:00	0.4	5/2/19 19:00	0.2	5/1/20 17:00	0.0
5/2/18 19:00	0.3	5/2/19 20:00	0.2	5/1/20 18:00	0.0
5/2/18 20:00	0.3	5/2/19 21:00	0.2	5/1/20 19:00	0.1
5/2/18 21:00	0.3	5/2/19 22:00	0.2	5/1/20 20:00	0.1
5/2/18 22:00	0.2	5/2/19 23:00	0.2	5/1/20 21:00	0.2
5/2/18 23:00	0.2	5/3/19 0:00	0.2	5/1/20 22:00	0.1
5/3/18 0:00	0.2	5/3/19 1:00	0.2	5/1/20 23:00	0.1
5/3/18 1:00	0.2	5/3/19 2:00	0.2	5/2/20 0:00	0.1
5/3/18 2:00	0.3	5/3/19 3:00	0.2	5/2/20 1:00	0.1
5/3/18 3:00	0.2	5/3/19 4:00	0.2	5/2/20 2:00	0.1
5/3/18 4:00	0.2	5/3/19 5:00	0.2	5/2/20 3:00	0.1
5/3/18 5:00	0.2	5/3/19 6:00	0.2	5/2/20 4:00	0.0
5/3/18 6:00	0.2	5/3/19 7:00	0.3	5/2/20 5:00	0.0
5/3/18 7:00	0.3	5/3/19 8:00	0.2	5/2/20 6:00	0.0
5/3/18 8:00	0.3	5/3/19 9:00	0.2	5/2/20 7:00	0.1
5/3/18 9:00	0.2	5/3/19 10:00	0.1	5/2/20 8:00	0.1
5/3/18 10:00	0.2	5/3/19 11:00	0.1	5/2/20 9:00	0.1
5/3/18 11:00	0.2	5/3/19 12:00	0.1	5/2/20 10:00	0.1
5/3/18 12:00	0.2	5/3/19 13:00	0.6	5/2/20 11:00	0.2
5/3/18 13:00	0.3	5/3/19 14:00	0.7	5/2/20 12:00	0.1
5/3/18 14:00	0.4	5/3/19 15:00	0.3	5/2/20 13:00	0.1
5/3/18 15:00	0.3	5/3/19 16:00	0.4	5/2/20 14:00	0.1
5/3/18 16:00	0.3	5/3/19 17:00	0.3	5/2/20 15:00	0.1
5/3/18 17:00	0.3	5/3/19 18:00	0.1	5/2/20 16:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
5/3/18 18:00	0.3	5/3/19 19:00	0.1	5/2/20 17:00	0.1
5/3/18 19:00	0.3	5/3/19 20:00	0.1	5/2/20 18:00	0.1
5/3/18 20:00	0.2	5/3/19 21:00	0.1	5/2/20 19:00	0.1
5/3/18 21:00	0.3	5/3/19 22:00	0.1	5/2/20 20:00	0.1
5/3/18 22:00	0.2	5/3/19 23:00	0.2	5/2/20 21:00	0.1
5/3/18 23:00	0.2	5/4/19 0:00	0.2	5/2/20 22:00	0.1
5/4/18 0:00	0.2	5/4/19 1:00	0.1	5/2/20 23:00	0.1
5/4/18 1:00	0.2	5/4/19 2:00	0.1	5/3/20 0:00	0.1
5/4/18 2:00	0.2	5/4/19 3:00	0.1	5/3/20 1:00	0.1
5/4/18 3:00	0.3	5/4/19 4:00	0.1	5/3/20 2:00	0.1
5/4/18 4:00	0.2	5/4/19 5:00	0.1	5/3/20 3:00	0.1
5/4/18 5:00	0.3	5/4/19 6:00	0.1	5/3/20 4:00	0.1
5/4/18 6:00	0.2	5/4/19 7:00	0.1	5/3/20 5:00	0.1
5/4/18 7:00	0.2	5/4/19 8:00	0.2	5/3/20 6:00	0.1
5/4/18 8:00	0.3	5/4/19 9:00	0.1	5/3/20 7:00	0.1
5/4/18 9:00	0.8	5/4/19 10:00	0.1	5/3/20 8:00	0.1
5/4/18 10:00	0.2	5/4/19 11:00	0.1	5/3/20 9:00	0.1
5/4/18 11:00	0.4	5/4/19 12:00	0.1	5/3/20 10:00	0.1
5/4/18 12:00	0.4	5/4/19 13:00	0.3	5/3/20 11:00	0.1
5/4/18 13:00	0.4	5/4/19 14:00	0.4	5/3/20 12:00	0.1
5/4/18 14:00	0.3	5/4/19 15:00	0.2	5/3/20 13:00	0.1
5/4/18 15:00	0.2	5/4/19 16:00	22.3	5/3/20 14:00	0.1
5/4/18 16:00	0.2	5/4/19 17:00	0.1	5/3/20 15:00	0.1
5/4/18 17:00	0.2	5/4/19 18:00	0.1	5/3/20 16:00	0.2
5/4/18 18:00	0.1	5/4/19 19:00	0.1	5/3/20 17:00	0.2
5/4/18 19:00	0.1	5/4/19 20:00	0.2	5/3/20 18:00	0.2
5/4/18 20:00	0.1	5/4/19 21:00	0.2	5/3/20 19:00	0.2
5/4/18 21:00	0.2	5/4/19 22:00	0.5	5/3/20 20:00	0.2
5/4/18 22:00	0.3	5/4/19 23:00	0.1	5/3/20 21:00	0.2
5/4/18 23:00	0.2	5/5/19 0:00	2.3	5/3/20 22:00	0.2
5/5/18 0:00	0.2	5/5/19 1:00	1.0	5/3/20 23:00	0.2
5/5/18 1:00	0.2	5/5/19 2:00	0.2	5/4/20 0:00	0.2
5/5/18 2:00	0.3	5/5/19 3:00	0.2	5/4/20 1:00	0.2
5/5/18 3:00	0.3	5/5/19 4:00	0.2	5/4/20 2:00	0.2
5/5/18 4:00	0.3	5/5/19 5:00	0.2	5/4/20 3:00	0.2
5/5/18 5:00	0.2	5/5/19 6:00	0.2	5/4/20 4:00	0.2
5/5/18 6:00	0.2	5/5/19 7:00	0.2	5/4/20 5:00	0.2
5/5/18 7:00	0.2	5/5/19 8:00	0.2	5/4/20 6:00	0.2
5/5/18 8:00	0.2	5/5/19 9:00	0.2	5/4/20 7:00	0.2
5/5/18 9:00	0.2	5/5/19 10:00	0.2	5/4/20 8:00	0.2
5/5/18 10:00	0.2	5/5/19 11:00	0.2	5/4/20 9:00	0.1
5/5/18 11:00	0.3	5/5/19 12:00	0.2	5/4/20 10:00	0.1
5/5/18 12:00	0.3	5/5/19 13:00	0.2	5/4/20 11:00	0.2
5/5/18 13:00	0.3	5/5/19 14:00	0.2	5/4/20 12:00	0.2
5/5/18 14:00	0.3	5/5/19 15:00	0.3	5/4/20 13:00	0.2
5/5/18 15:00	0.3	5/5/19 16:00	0.2	5/4/20 14:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
5/5/18 16:00	0.4	5/5/19 17:00	0.2	5/4/20 15:00	0.1
5/5/18 17:00	0.4	5/5/19 18:00	0.1	5/4/20 16:00	0.2
5/5/18 18:00	0.5	5/5/19 19:00	0.2	5/4/20 17:00	0.1
5/5/18 19:00	0.5	5/5/19 20:00	0.2	5/4/20 18:00	0.1
5/5/18 20:00	0.4	5/5/19 21:00	0.2	5/4/20 19:00	0.1
5/5/18 21:00	0.4	5/5/19 22:00	0.2	5/4/20 20:00	0.1
5/5/18 22:00	0.5	5/5/19 23:00	0.2	5/4/20 21:00	0.1
5/5/18 23:00	0.5	5/6/19 0:00	0.2	5/4/20 22:00	0.1
5/6/18 0:00	0.5	5/6/19 1:00	0.2	5/4/20 23:00	0.1
5/6/18 1:00	0.5	5/6/19 2:00	0.3	5/5/20 0:00	0.1
5/6/18 2:00	0.5	5/6/19 3:00	0.2	5/5/20 1:00	0.1
5/6/18 3:00	0.5	5/6/19 4:00	0.2	5/5/20 2:00	0.1
5/6/18 4:00	0.5	5/6/19 5:00	0.2	5/5/20 3:00	0.1
5/6/18 5:00	0.5	5/6/19 6:00	0.1	5/5/20 4:00	0.1
5/6/18 6:00	0.5	5/6/19 7:00	0.2	5/5/20 5:00	0.1
5/6/18 7:00	0.5	5/6/19 8:00	0.2	5/5/20 6:00	0.1
5/6/18 8:00	0.4	5/6/19 9:00	0.2	5/5/20 7:00	0.9
5/6/18 9:00	0.4	5/6/19 10:00	0.2	5/5/20 8:00	0.8
5/6/18 10:00	0.4	5/6/19 11:00	0.1	5/5/20 9:00	0.1
5/6/18 11:00	0.4	5/6/19 12:00	0.2	5/5/20 10:00	0.2
5/6/18 12:00	0.4	5/6/19 13:00	0.2	5/5/20 11:00	0.2
5/6/18 13:00	0.4	5/6/19 14:00	0.2	5/5/20 12:00	0.2
5/6/18 14:00	0.4	5/6/19 15:00	0.3	5/5/20 13:00	0.4
5/6/18 15:00	0.4	5/6/19 16:00	0.2	5/5/20 14:00	0.6
5/6/18 16:00	0.3	5/6/19 17:00	0.2	5/5/20 15:00	0.5
5/6/18 17:00	0.3	5/6/19 18:00	0.2	5/5/20 16:00	0.7
5/6/18 18:00	0.3	5/6/19 19:00	0.1	5/5/20 17:00	0.0
5/6/18 19:00	0.3	5/6/19 20:00	0.2	5/5/20 18:00	0.0
5/6/18 20:00	0.3	5/6/19 21:00	0.2	5/5/20 19:00	0.7
5/6/18 21:00	0.3	5/6/19 22:00	0.3	5/5/20 20:00	0.7
5/6/18 22:00	0.3	5/6/19 23:00	0.5	5/5/20 21:00	0.3
5/6/18 23:00	0.2	5/7/19 0:00	0.3	5/5/20 22:00	0.1
5/7/18 0:00	0.3	5/7/19 1:00	0.3	5/5/20 23:00	0.5
5/7/18 1:00	0.3	5/7/19 2:00	0.2	5/6/20 0:00	0.9
5/7/18 2:00	0.3	5/7/19 3:00	0.3	5/6/20 1:00	0.5
5/7/18 3:00	0.3	5/7/19 4:00	0.3	5/6/20 2:00	0.8
5/7/18 4:00	0.3	5/7/19 5:00	0.3	5/6/20 3:00	0.8
5/7/18 5:00	0.3	5/7/19 6:00	0.3	5/6/20 4:00	0.1
5/7/18 6:00	0.3	5/7/19 7:00	0.2	5/6/20 5:00	0.1
5/7/18 7:00	0.3	5/7/19 8:00	0.2	5/6/20 6:00	0.0
5/7/18 8:00	0.3	5/7/19 9:00	0.2	5/6/20 7:00	0.1
5/7/18 9:00	0.3	5/7/19 10:00	0.2	5/6/20 8:00	0.1
5/7/18 10:00	0.3	5/7/19 11:00	0.2	5/6/20 9:00	0.1
5/7/18 11:00	0.3	5/7/19 12:00	0.2	5/6/20 10:00	0.1
5/7/18 12:00	0.2	5/7/19 13:00	0.2	5/6/20 11:00	0.1
5/7/18 13:00	0.3	5/7/19 14:00	0.2	5/6/20 12:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
5/7/18 14:00	0.3	5/7/19 15:00	0.2	5/6/20 13:00	0.1
5/7/18 15:00	0.3	5/7/19 16:00	0.2	5/6/20 14:00	0.0
5/7/18 16:00	0.3	5/7/19 17:00	0.2	5/6/20 15:00	0.1
5/7/18 17:00	0.3	5/7/19 18:00	0.2	5/6/20 16:00	0.1
5/7/18 18:00	0.3	5/7/19 19:00	0.2	5/6/20 17:00	0.1
5/7/18 19:00	0.3	5/7/19 20:00	0.2	5/6/20 18:00	0.1
5/7/18 20:00	0.3	5/7/19 21:00	0.2	5/6/20 19:00	0.1
5/7/18 21:00	0.4	5/7/19 22:00	0.2	5/6/20 20:00	0.1
5/7/18 22:00	0.4	5/7/19 23:00	0.2	5/6/20 21:00	0.1
5/7/18 23:00	0.3	5/8/19 0:00	0.2	5/6/20 22:00	0.1
5/8/18 0:00	0.3	5/8/19 1:00	0.2	5/6/20 23:00	0.1
5/8/18 1:00	0.3	5/8/19 2:00	0.2	5/7/20 0:00	0.1
5/8/18 2:00	0.4	5/8/19 3:00	0.2	5/7/20 1:00	0.1
5/8/18 3:00	0.4	5/8/19 4:00	0.3	5/7/20 2:00	0.1
5/8/18 4:00	0.4	5/8/19 5:00	0.2	5/7/20 3:00	0.1
5/8/18 5:00	0.4	5/8/19 6:00	0.2	5/7/20 4:00	0.1
5/8/18 6:00	0.5	5/8/19 7:00	0.2	5/7/20 5:00	0.1
5/8/18 7:00	0.6	5/8/19 8:00	0.2	5/7/20 6:00	0.1
5/8/18 8:00	0.4	5/8/19 9:00	0.2	5/7/20 7:00	0.1
5/8/18 9:00	0.4	5/8/19 10:00	0.3	5/7/20 8:00	0.1
5/8/18 10:00	0.4	5/8/19 11:00	0.2	5/7/20 9:00	0.1
5/8/18 11:00	0.3	5/8/19 12:00	0.2	5/7/20 10:00	0.1
5/8/18 12:00	0.4	5/8/19 13:00	0.2	5/7/20 11:00	0.1
5/8/18 13:00	0.3	5/8/19 14:00	0.2	5/7/20 12:00	0.1
5/8/18 14:00	0.4	5/8/19 15:00	0.2	5/7/20 13:00	0.1
5/8/18 15:00	0.4	5/8/19 16:00	0.2	5/7/20 14:00	0.1
5/8/18 16:00	0.4	5/8/19 17:00	0.2	5/7/20 15:00	0.1
5/8/18 17:00	0.4	5/8/19 18:00	0.1	5/7/20 16:00	0.1
5/8/18 18:00	0.4	5/8/19 19:00	0.2	5/7/20 17:00	0.1
5/8/18 19:00	0.4	5/8/19 20:00	0.2	5/7/20 18:00	0.2
5/8/18 20:00	0.4	5/8/19 21:00	0.2	5/7/20 19:00	0.2
5/8/18 21:00	0.4	5/8/19 22:00	0.2	5/7/20 20:00	0.2
5/8/18 22:00	0.3	5/8/19 23:00	0.2	5/7/20 21:00	0.2
5/8/18 23:00	0.3	5/9/19 0:00	0.2	5/7/20 22:00	0.1
5/9/18 0:00	0.3	5/9/19 1:00	0.2	5/7/20 23:00	0.1
5/9/18 1:00	0.4	5/9/19 2:00	0.2	5/8/20 0:00	0.2
5/9/18 2:00	0.4	5/9/19 3:00	0.2	5/8/20 1:00	0.1
5/9/18 3:00	0.4	5/9/19 4:00	0.2	5/8/20 2:00	0.2
5/9/18 4:00	0.4	5/9/19 5:00	0.2	5/8/20 3:00	0.1
5/9/18 5:00	0.4	5/9/19 6:00	0.2	5/8/20 4:00	0.2
5/9/18 6:00	0.4	5/9/19 7:00	0.2	5/8/20 5:00	0.1
5/9/18 7:00	0.4	5/9/19 8:00	0.2	5/8/20 6:00	0.1
5/9/18 8:00	0.5	5/9/19 9:00	0.2	5/8/20 7:00	0.2
5/9/18 9:00	0.4	5/9/19 10:00	0.2	5/8/20 8:00	0.1
5/9/18 10:00	0.4	5/9/19 11:00	0.4	5/8/20 9:00	0.1
5/9/18 11:00	0.4	5/9/19 12:00	0.2	5/8/20 10:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
5/9/18 12:00	0.4	5/9/19 13:00	0.2	5/8/20 11:00	0.1
5/9/18 13:00	0.4	5/9/19 14:00	0.2	5/8/20 12:00	0.2
5/9/18 14:00	0.4	5/9/19 15:00	0.2	5/8/20 13:00	0.1
5/9/18 15:00	0.3	5/9/19 16:00	0.1	5/8/20 14:00	0.1
5/9/18 16:00	0.4	5/9/19 17:00	0.1	5/8/20 15:00	0.2
5/9/18 17:00	0.4	5/9/19 18:00	0.2	5/8/20 16:00	0.2
5/9/18 18:00	0.2	5/9/19 19:00	0.2	5/8/20 17:00	0.1
5/9/18 19:00	0.2	5/9/19 20:00	0.2	5/8/20 18:00	0.2
5/9/18 20:00	0.2	5/9/19 21:00	0.2	5/8/20 19:00	0.2
5/9/18 21:00	0.2	5/9/19 22:00	0.2	5/8/20 20:00	0.2
5/9/18 22:00	0.3	5/9/19 23:00	0.2	5/8/20 21:00	0.2
5/9/18 23:00	0.3	5/10/19 0:00	0.2	5/8/20 22:00	0.2
5/10/18 0:00	0.3	5/10/19 1:00	1.8	5/8/20 23:00	0.2
5/10/18 1:00	0.4	5/10/19 2:00	1.5	5/9/20 0:00	0.2
5/10/18 2:00	0.4	5/10/19 3:00	0.2	5/9/20 1:00	0.2
5/10/18 3:00	0.3	5/10/19 4:00	0.2	5/9/20 2:00	0.3
5/10/18 4:00	0.3	5/10/19 5:00	0.2	5/9/20 3:00	0.3
5/10/18 5:00	0.3	5/10/19 6:00	0.2	5/9/20 4:00	0.3
5/10/18 6:00	0.3	5/10/19 7:00	0.2	5/9/20 5:00	0.3
5/10/18 7:00	0.4	5/10/19 8:00	0.2	5/9/20 6:00	0.3
5/10/18 8:00	0.5	5/10/19 9:00	0.2	5/9/20 7:00	0.3
5/10/18 9:00	0.5	5/10/19 10:00	0.2	5/9/20 8:00	0.2
5/10/18 10:00	0.5	5/10/19 11:00	0.2	5/9/20 9:00	0.3
5/10/18 11:00	0.6	5/10/19 12:00	0.2	5/9/20 10:00	0.2
5/10/18 12:00	0.7	5/10/19 13:00	0.2	5/9/20 11:00	0.3
5/10/18 13:00	0.6	5/10/19 14:00	0.2	5/9/20 12:00	0.3
5/10/18 14:00	0.5	5/10/19 15:00	0.2	5/9/20 13:00	0.3
5/10/18 15:00	0.5	5/10/19 16:00	0.2	5/9/20 14:00	0.3
5/10/18 16:00	0.4	5/10/19 17:00	0.2	5/9/20 15:00	0.3
5/10/18 17:00	0.5	5/10/19 18:00	0.2	5/9/20 16:00	0.2
5/10/18 18:00	0.5	5/10/19 19:00	0.2	5/9/20 17:00	0.2
5/10/18 19:00	0.5	5/10/19 20:00	0.2	5/9/20 18:00	0.2
5/10/18 20:00	0.5	5/10/19 21:00	0.2	5/9/20 19:00	0.2
5/10/18 21:00	0.5	5/10/19 22:00	0.2	5/9/20 20:00	0.2
5/10/18 22:00	0.4	5/10/19 23:00	0.2	5/9/20 21:00	0.2
5/10/18 23:00	0.4	5/11/19 0:00	0.2	5/9/20 22:00	0.2
5/11/18 0:00	0.4	5/11/19 1:00	0.2	5/9/20 23:00	0.2
5/11/18 1:00	0.4	5/11/19 2:00	0.2	5/10/20 0:00	0.2
5/11/18 2:00	0.3	5/11/19 3:00	0.4	5/10/20 1:00	0.2
5/11/18 3:00	0.3	5/11/19 4:00	0.3	5/10/20 2:00	0.2
5/11/18 4:00	0.3	5/11/19 5:00	0.2	5/10/20 3:00	0.2
5/11/18 5:00	0.3	5/11/19 6:00	0.2	5/10/20 4:00	0.2
5/11/18 6:00	0.4	5/11/19 7:00	0.2	5/10/20 5:00	0.2
5/11/18 7:00	0.4	5/11/19 8:00	0.2	5/10/20 6:00	0.2
5/11/18 8:00	0.4	5/11/19 9:00	0.2	5/10/20 7:00	0.3
5/11/18 9:00	0.3	5/11/19 10:00	0.2	5/10/20 8:00	0.3

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
5/11/18 10:00	0.3	5/11/19 11:00	0.2	5/10/20 9:00	0.2
5/11/18 11:00	0.3	5/11/19 12:00	0.2	5/10/20 10:00	0.3
5/11/18 12:00	0.3	5/11/19 13:00	0.2	5/10/20 11:00	0.3
5/11/18 13:00	0.3	5/11/19 14:00	0.3	5/10/20 12:00	0.2
5/11/18 14:00	0.3	5/11/19 15:00	0.3	5/10/20 13:00	0.2
5/11/18 15:00	0.3	5/11/19 16:00	0.3	5/10/20 14:00	0.3
5/11/18 16:00	0.3	5/11/19 17:00	0.5	5/10/20 15:00	0.3
5/11/18 17:00	0.3	5/11/19 18:00	0.6	5/10/20 16:00	0.2
5/11/18 18:00	0.3	5/11/19 19:00	0.4	5/10/20 17:00	0.1
5/11/18 19:00	0.3	5/11/19 20:00	0.3	5/10/20 18:00	0.1
5/11/18 20:00	0.3	5/11/19 21:00	0.3	5/10/20 19:00	0.1
5/11/18 21:00	0.3	5/11/19 22:00	0.3	5/10/20 20:00	0.1
5/11/18 22:00	0.3	5/11/19 23:00	0.4	5/10/20 21:00	0.1
5/11/18 23:00	0.3	5/12/19 0:00	0.5	5/10/20 22:00	0.1
5/12/18 0:00	0.3	5/12/19 1:00	0.5	5/10/20 23:00	0.1
5/12/18 1:00	0.3	5/12/19 2:00	0.4	5/11/20 0:00	0.1
5/12/18 2:00	0.2	5/12/19 3:00	0.3	5/11/20 1:00	0.1
5/12/18 3:00	0.3	5/12/19 4:00	0.3	5/11/20 2:00	0.1
5/12/18 4:00	0.3	5/12/19 5:00	0.3	5/11/20 3:00	0.1
5/12/18 5:00	0.3	5/12/19 6:00	0.3	5/11/20 4:00	0.1
5/12/18 6:00	0.3	5/12/19 7:00	0.3	5/11/20 5:00	0.1
5/12/18 7:00	0.3	5/12/19 8:00	0.5	5/11/20 6:00	0.1
5/12/18 8:00	0.3	5/12/19 9:00	0.4	5/11/20 7:00	0.1
5/12/18 9:00	0.2	5/12/19 10:00	0.3	5/11/20 8:00	0.1
5/12/18 10:00	0.3	5/12/19 11:00	0.4	5/11/20 9:00	0.1
5/12/18 11:00	0.3	5/12/19 12:00	0.4	5/11/20 10:00	0.1
5/12/18 12:00	0.3	5/12/19 13:00	0.6	5/11/20 11:00	0.1
5/12/18 13:00	0.3	5/12/19 14:00	0.4	5/11/20 12:00	0.2
5/12/18 14:00	0.3	5/12/19 15:00	0.4	5/11/20 13:00	0.2
5/12/18 15:00	0.2	5/12/19 16:00	0.4	5/11/20 14:00	0.3
5/12/18 16:00	0.3	5/12/19 17:00	0.3	5/11/20 15:00	0.3
5/12/18 17:00	0.4	5/12/19 18:00	0.3	5/11/20 16:00	0.3
5/12/18 18:00	0.3	5/12/19 19:00	0.3	5/11/20 17:00	0.4
5/12/18 19:00	0.3	5/12/19 20:00	0.2	5/11/20 18:00	0.4
5/12/18 20:00	0.3	5/12/19 21:00	0.2	5/11/20 19:00	0.4
5/12/18 21:00	0.2	5/12/19 22:00	0.2	5/11/20 20:00	0.4
5/12/18 22:00	0.3	5/12/19 23:00	0.2	5/11/20 21:00	0.4
5/12/18 23:00	0.3	5/13/19 0:00	0.2	5/11/20 22:00	0.2
5/13/18 0:00	0.3	5/13/19 1:00	0.2	5/11/20 23:00	0.1
5/13/18 1:00	0.3	5/13/19 2:00	0.3	5/12/20 0:00	0.1
5/13/18 2:00	0.3	5/13/19 3:00	0.3	5/12/20 1:00	0.1
5/13/18 3:00	0.3	5/13/19 4:00	0.2	5/12/20 2:00	0.1
5/13/18 4:00	0.3	5/13/19 5:00	0.2	5/12/20 3:00	0.1
5/13/18 5:00	0.3	5/13/19 6:00	0.2	5/12/20 4:00	0.1
5/13/18 6:00	0.4	5/13/19 7:00	0.2	5/12/20 5:00	0.1
5/13/18 7:00	0.4	5/13/19 8:00	0.2	5/12/20 6:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
5/13/18 8:00	0.4	5/13/19 9:00	0.2	5/12/20 7:00	0.1
5/13/18 9:00	0.4	5/13/19 10:00	0.2	5/12/20 8:00	0.1
5/13/18 10:00	0.4	5/13/19 11:00	0.2	5/12/20 9:00	0.1
5/13/18 11:00	0.4	5/13/19 12:00	0.3	5/12/20 10:00	0.1
5/13/18 12:00	0.4	5/13/19 13:00	0.2	5/12/20 11:00	0.1
5/13/18 13:00	0.4	5/13/19 14:00	0.2	5/12/20 12:00	0.1
5/13/18 14:00	0.3	5/13/19 15:00	0.2	5/12/20 13:00	0.1
5/13/18 15:00	0.3	5/13/19 16:00	0.4	5/12/20 14:00	0.1
5/13/18 16:00	0.3	5/13/19 17:00	0.4	5/12/20 15:00	0.1
5/13/18 17:00	0.3	5/13/19 18:00	2.7	5/12/20 16:00	0.1
5/13/18 18:00	0.3	5/13/19 19:00	0.5	5/12/20 17:00	0.1
5/13/18 19:00	0.3	5/13/19 20:00	2.3	5/12/20 18:00	0.1
5/13/18 20:00	0.2	5/13/19 21:00	0.8	5/12/20 19:00	0.2
5/13/18 21:00	0.2	5/13/19 22:00	2.8	5/12/20 20:00	0.1
5/13/18 22:00	0.2	5/13/19 23:00	6.7	5/12/20 21:00	0.1
5/13/18 23:00	0.2	5/14/19 0:00	1.2	5/12/20 22:00	0.2
5/14/18 0:00	0.2	5/14/19 1:00	0.9	5/12/20 23:00	0.1
5/14/18 1:00	0.2	5/14/19 2:00	0.6	5/13/20 0:00	0.2
5/14/18 2:00	0.2	5/14/19 3:00	0.3	5/13/20 1:00	0.1
5/14/18 3:00	0.2	5/14/19 4:00	0.1	5/13/20 2:00	0.1
5/14/18 4:00	0.2	5/14/19 5:00	0.1	5/13/20 3:00	0.1
5/14/18 5:00	0.2	5/14/19 6:00	0.0	5/13/20 4:00	0.1
5/14/18 6:00	0.2	5/14/19 7:00	0.0	5/13/20 5:00	0.1
5/14/18 7:00	0.2	5/14/19 8:00	0.0	5/13/20 6:00	0.1
5/14/18 8:00	0.2	5/14/19 9:00	0.0	5/13/20 7:00	0.1
5/14/18 9:00	0.2	5/14/19 10:00	0.0	5/13/20 8:00	0.1
5/14/18 10:00	0.2	5/14/19 11:00	0.0	5/13/20 9:00	0.1
5/14/18 11:00	0.2	5/14/19 12:00	0.0	5/13/20 10:00	0.1
5/14/18 12:00	0.6	5/14/19 13:00	0.0	5/13/20 11:00	0.2
5/14/18 13:00	0.5	5/14/19 14:00	0.0	5/13/20 12:00	0.2
5/14/18 14:00	0.6	5/14/19 15:00	0.1	5/13/20 13:00	1.9
5/14/18 15:00	0.5	5/14/19 16:00	0.1	5/13/20 14:00	1.1
5/14/18 16:00	0.4	5/14/19 17:00	0.1	5/13/20 15:00	0.2
5/14/18 17:00	0.3	5/14/19 18:00	0.3	5/13/20 16:00	0.2
5/14/18 18:00	0.5	5/14/19 19:00	0.5	5/13/20 17:00	0.3
5/14/18 19:00	0.6	5/14/19 20:00	0.1	5/13/20 18:00	0.3
5/14/18 20:00	0.5	5/14/19 21:00	0.6	5/13/20 19:00	0.2
5/14/18 21:00	0.6	5/14/19 22:00	2.1	5/13/20 20:00	0.2
5/14/18 22:00	0.8	5/14/19 23:00	10.7	5/13/20 21:00	0.2
5/14/18 23:00	0.7	5/15/19 0:00	0.7	5/13/20 22:00	0.2
5/15/18 0:00	0.2	5/15/19 1:00	0.7	5/13/20 23:00	0.2
5/15/18 1:00	0.5	5/15/19 2:00	0.7	5/14/20 0:00	0.2
5/15/18 2:00	0.3	5/15/19 3:00	2.7	5/14/20 1:00	0.2
5/15/18 3:00	0.2	5/15/19 4:00	0.1	5/14/20 2:00	0.2
5/15/18 4:00	0.2	5/15/19 5:00	0.1	5/14/20 3:00	0.3
5/15/18 5:00	0.2	5/15/19 6:00	0.1	5/14/20 4:00	0.3

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
5/15/18 6:00	0.2	5/15/19 7:00	0.3	5/14/20 5:00	0.2
5/15/18 7:00	0.2	5/15/19 8:00	0.1	5/14/20 6:00	0.3
5/15/18 8:00	0.2	5/15/19 9:00	0.0	5/14/20 7:00	0.3
5/15/18 9:00	0.0	5/15/19 10:00	0.0	5/14/20 8:00	0.3
5/15/18 10:00	0.0	5/15/19 11:00	0.0	5/14/20 9:00	0.3
5/15/18 11:00	0.0	5/15/19 12:00	0.0	5/14/20 10:00	0.3
5/15/18 12:00	0.0	5/15/19 13:00	12.5	5/14/20 11:00	0.3
5/15/18 13:00	0.0	5/15/19 14:00	3.9	5/14/20 12:00	0.3
5/15/18 14:00	0.0	5/15/19 15:00	0.1	5/14/20 13:00	0.3
5/15/18 15:00	0.1	5/15/19 16:00	0.1	5/14/20 14:00	0.1
5/15/18 16:00	0.1	5/15/19 17:00	0.2	5/14/20 15:00	0.2
5/15/18 17:00	0.1	5/15/19 18:00	0.1	5/14/20 16:00	0.2
5/15/18 18:00	0.2	5/15/19 19:00	0.1	5/14/20 17:00	0.1
5/15/18 19:00	0.2	5/15/19 20:00	0.1	5/14/20 18:00	0.1
5/15/18 20:00	0.3	5/15/19 21:00	0.2	5/14/20 19:00	0.2
5/15/18 21:00	0.2	5/15/19 22:00	0.2	5/14/20 20:00	0.2
5/15/18 22:00	0.2	5/15/19 23:00	0.2	5/14/20 21:00	0.1
5/15/18 23:00	0.2	5/16/19 0:00	0.2	5/14/20 22:00	0.1
5/16/18 0:00	0.3	5/16/19 1:00	1.8	5/14/20 23:00	0.1
5/16/18 1:00	0.3	5/16/19 2:00	0.6	5/15/20 0:00	0.1
5/16/18 2:00	0.3	5/16/19 3:00	0.3	5/15/20 1:00	0.1
5/16/18 3:00	0.3	5/16/19 4:00	0.1	5/15/20 2:00	0.1
5/16/18 4:00	0.3	5/16/19 5:00	0.1	5/15/20 3:00	0.1
5/16/18 5:00	0.3	5/16/19 6:00	0.1	5/15/20 4:00	0.1
5/16/18 6:00	0.3	5/16/19 7:00	0.2	5/15/20 5:00	0.1
5/16/18 7:00	0.2	5/16/19 8:00	0.3	5/15/20 6:00	0.1
5/16/18 8:00	0.2	5/16/19 9:00	0.7	5/15/20 7:00	0.1
5/16/18 9:00	0.3	5/16/19 10:00	0.1	5/15/20 8:00	0.1
5/16/18 10:00	0.3	5/16/19 11:00	0.2	5/15/20 9:00	0.2
5/16/18 11:00	0.3	5/16/19 12:00	0.4	5/15/20 10:00	0.2
5/16/18 12:00	0.2	5/16/19 13:00	0.3	5/15/20 11:00	0.2
5/16/18 13:00	0.3	5/16/19 14:00	0.2	5/15/20 12:00	0.2
5/16/18 14:00	0.3	5/16/19 15:00	0.2	5/15/20 13:00	0.2
5/16/18 15:00	0.3	5/16/19 16:00	0.3	5/15/20 14:00	0.2
5/16/18 16:00	0.2	5/16/19 17:00	0.5	5/15/20 15:00	0.2
5/16/18 17:00	0.2	5/16/19 18:00	0.2	5/15/20 16:00	0.2
5/16/18 18:00	0.2	5/16/19 19:00	1.6	5/15/20 17:00	0.2
5/16/18 19:00	0.2	5/16/19 20:00	0.1	5/15/20 18:00	0.3
5/16/18 20:00	0.2	5/16/19 21:00	0.5	5/15/20 19:00	0.4
5/16/18 21:00	0.2	5/16/19 22:00	1.8	5/15/20 20:00	0.4
5/16/18 22:00	0.2	5/16/19 23:00	0.3	5/15/20 21:00	0.3
5/16/18 23:00	0.2	5/17/19 0:00	0.3	5/15/20 22:00	0.4
5/17/18 0:00	0.1	5/17/19 1:00	0.2	5/15/20 23:00	0.3
5/17/18 1:00	0.1	5/17/19 2:00	0.3	5/16/20 0:00	0.3
5/17/18 2:00	0.2	5/17/19 3:00	0.3	5/16/20 1:00	0.3
5/17/18 3:00	0.2	5/17/19 4:00	0.3	5/16/20 2:00	0.3

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
5/17/18 4:00	0.2	5/17/19 5:00	0.3	5/16/20 3:00	0.3
5/17/18 5:00	0.2	5/17/19 6:00	0.3	5/16/20 4:00	0.3
5/17/18 6:00	0.1	5/17/19 7:00	0.3	5/16/20 5:00	0.3
5/17/18 7:00	0.2	5/17/19 8:00	0.3	5/16/20 6:00	0.3
5/17/18 8:00	0.2	5/17/19 9:00	0.3	5/16/20 7:00	0.3
5/17/18 9:00	0.2	5/17/19 10:00	0.3	5/16/20 8:00	0.3
5/17/18 10:00	0.2	5/17/19 11:00	0.4	5/16/20 9:00	0.3
5/17/18 11:00	0.4	5/17/19 12:00	0.5	5/16/20 10:00	0.2
5/17/18 12:00	0.2	5/17/19 13:00	0.6	5/16/20 11:00	0.1
5/17/18 13:00	0.2	5/17/19 14:00	0.4	5/16/20 12:00	0.1
5/17/18 14:00	0.2	5/17/19 15:00	0.3	5/16/20 13:00	0.1
5/17/18 15:00	0.2	5/17/19 16:00	0.3	5/16/20 14:00	0.1
5/17/18 16:00	0.2	5/17/19 17:00	0.3	5/16/20 15:00	0.1
5/17/18 17:00	0.2	5/17/19 18:00	0.3	5/16/20 16:00	0.1
5/17/18 18:00	0.3	5/17/19 19:00	0.4	5/16/20 17:00	0.1
5/17/18 19:00	0.6	5/17/19 20:00	0.6	5/16/20 18:00	0.1
5/17/18 20:00	0.6	5/17/19 21:00	0.3	5/16/20 19:00	0.1
5/17/18 21:00	0.5	5/17/19 22:00	0.3	5/16/20 20:00	0.1
5/17/18 22:00	0.5	5/17/19 23:00	0.3	5/16/20 21:00	0.1
5/17/18 23:00	0.3	5/18/19 0:00	0.3	5/16/20 22:00	0.1
5/18/18 0:00	0.3	5/18/19 1:00	0.5	5/16/20 23:00	0.1
5/18/18 1:00	0.3	5/18/19 2:00	0.4	5/17/20 0:00	0.1
5/18/18 2:00	0.3	5/18/19 3:00	0.5	5/17/20 1:00	0.1
5/18/18 3:00	0.3	5/18/19 4:00	0.4	5/17/20 2:00	0.1
5/18/18 4:00	0.3	5/18/19 5:00	0.2	5/17/20 3:00	0.1
5/18/18 5:00	0.3	5/18/19 6:00	0.2	5/17/20 4:00	0.1
5/18/18 6:00	0.4	5/18/19 7:00	0.2	5/17/20 5:00	0.1
5/18/18 7:00	0.5	5/18/19 8:00	0.2	5/17/20 6:00	0.3
5/18/18 8:00	0.5	5/18/19 9:00	0.2	5/17/20 7:00	0.3
5/18/18 9:00	0.5	5/18/19 10:00	0.2	5/17/20 8:00	0.3
5/18/18 10:00	0.4	5/18/19 11:00	0.2	5/17/20 9:00	0.3
5/18/18 11:00	0.4	5/18/19 12:00	0.2	5/17/20 10:00	0.3
5/18/18 12:00	0.2	5/18/19 13:00	0.2	5/17/20 11:00	0.3
5/18/18 13:00	0.2	5/18/19 14:00	0.2	5/17/20 12:00	0.3
5/18/18 14:00	0.1	5/18/19 15:00	0.2	5/17/20 13:00	0.3
5/18/18 15:00	0.1	5/18/19 16:00	0.2	5/17/20 14:00	0.2
5/18/18 16:00	0.1	5/18/19 17:00	0.2	5/17/20 15:00	0.3
5/18/18 17:00	0.1	5/18/19 18:00	0.2	5/17/20 16:00	0.4
5/18/18 18:00	0.1	5/18/19 19:00	0.2	5/17/20 17:00	0.3
5/18/18 19:00	0.1	5/18/19 20:00	0.2	5/17/20 18:00	0.3
5/18/18 20:00	0.1	5/18/19 21:00	0.2	5/17/20 19:00	0.4
5/18/18 21:00	0.2	5/18/19 22:00	0.2	5/17/20 20:00	0.4
5/18/18 22:00	0.2	5/18/19 23:00	2.1	5/17/20 21:00	0.3
5/18/18 23:00	0.1	5/19/19 0:00	0.2	5/17/20 22:00	0.3
5/19/18 0:00	0.1	5/19/19 1:00	0.2	5/17/20 23:00	0.3
5/19/18 1:00	0.1	5/19/19 2:00	2.4	5/18/20 0:00	0.3

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
5/19/18 2:00	0.1	5/19/19 3:00	1.0	5/18/20 1:00	0.4
5/19/18 3:00	0.2	5/19/19 4:00	0.2	5/18/20 2:00	0.3
5/19/18 4:00	0.2	5/19/19 5:00	0.4	5/18/20 3:00	0.3
5/19/18 5:00	0.2	5/19/19 6:00	0.4	5/18/20 4:00	0.3
5/19/18 6:00	0.2	5/19/19 7:00	0.4	5/18/20 5:00	0.2
5/19/18 7:00	0.2	5/19/19 8:00	0.3	5/18/20 6:00	0.1
5/19/18 8:00	0.1	5/19/19 9:00	0.4	5/18/20 7:00	0.2
5/19/18 9:00	0.2	5/19/19 10:00	0.1	5/18/20 8:00	0.1
5/19/18 10:00	0.2	5/19/19 11:00	1.7	5/18/20 9:00	0.1
5/19/18 11:00	0.2	5/19/19 12:00	0.2	5/18/20 10:00	0.1
5/19/18 12:00	0.2	5/19/19 13:00	1.4	5/18/20 11:00	0.1
5/19/18 13:00	0.3	5/19/19 14:00	0.3	5/18/20 12:00	0.1
5/19/18 14:00	0.3	5/19/19 15:00	0.1	5/18/20 13:00	0.1
5/19/18 15:00	0.4	5/19/19 16:00	0.2	5/18/20 14:00	0.1
5/19/18 16:00	0.3	5/19/19 17:00	0.2	5/18/20 15:00	0.1
5/19/18 17:00	0.4	5/19/19 18:00	0.2	5/18/20 16:00	0.1
5/19/18 18:00	0.3	5/19/19 19:00	0.2	5/18/20 17:00	0.1
5/19/18 19:00	0.3	5/19/19 20:00	0.2	5/18/20 18:00	0.1
5/19/18 20:00	0.3	5/19/19 21:00	0.2	5/18/20 19:00	0.1
5/19/18 21:00	0.3	5/19/19 22:00	0.3	5/18/20 20:00	0.1
5/19/18 22:00	0.3	5/19/19 23:00	0.2	5/18/20 21:00	0.1
5/19/18 23:00	0.3	5/20/19 0:00	0.2	5/18/20 22:00	0.1
5/20/18 0:00	0.3	5/20/19 1:00	0.2	5/18/20 23:00	0.2
5/20/18 1:00	0.3	5/20/19 2:00	0.1	5/19/20 0:00	0.1
5/20/18 2:00	0.4	5/20/19 3:00	0.2	5/19/20 1:00	0.1
5/20/18 3:00	0.4	5/20/19 4:00	0.3	5/19/20 2:00	0.1
5/20/18 4:00	0.4	5/20/19 5:00	0.2	5/19/20 3:00	0.1
5/20/18 5:00	0.3	5/20/19 6:00	0.2	5/19/20 4:00	0.1
5/20/18 6:00	0.3	5/20/19 7:00	0.2	5/19/20 5:00	0.1
5/20/18 7:00	0.3	5/20/19 8:00	0.2	5/19/20 6:00	0.1
5/20/18 8:00	0.3	5/20/19 9:00	0.2	5/19/20 7:00	0.1
5/20/18 9:00	11.4	5/20/19 10:00	0.2	5/19/20 8:00	0.0
5/20/18 10:00	112.5	5/20/19 11:00	0.2	5/19/20 9:00	0.0
5/20/18 11:00	6.4	5/20/19 12:00	0.3	5/19/20 10:00	0.1
5/20/18 12:00	1.4	5/20/19 13:00	0.2	5/19/20 11:00	0.1
5/20/18 13:00	0.3	5/20/19 14:00	0.2	5/19/20 12:00	0.1
5/20/18 14:00	0.2	5/20/19 15:00	0.2	5/19/20 13:00	0.1
5/20/18 15:00	0.3	5/20/19 16:00	0.2	5/19/20 14:00	0.2
5/20/18 16:00	0.3	5/20/19 17:00	0.2	5/19/20 15:00	0.2
5/20/18 17:00	0.3	5/20/19 18:00	0.1	5/19/20 16:00	0.2
5/20/18 18:00	0.3	5/20/19 19:00	0.2	5/19/20 17:00	0.2
5/20/18 19:00	0.3	5/20/19 20:00	0.2	5/19/20 18:00	0.2
5/20/18 20:00	0.3	5/20/19 21:00	0.2	5/19/20 19:00	0.2
5/20/18 21:00	0.3	5/20/19 22:00	0.2	5/19/20 20:00	0.2
5/20/18 22:00	0.3	5/20/19 23:00	0.2	5/19/20 21:00	0.2
5/20/18 23:00	0.3	5/21/19 0:00	0.1	5/19/20 22:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
5/21/18 0:00	0.3	5/21/19 1:00	0.2	5/19/20 23:00	0.2
5/21/18 1:00	0.3	5/21/19 2:00	0.2	5/20/20 0:00	0.2
5/21/18 2:00	0.3	5/21/19 3:00	0.2	5/20/20 1:00	0.2
5/21/18 3:00	0.3	5/21/19 4:00	0.2	5/20/20 2:00	0.2
5/21/18 4:00	0.3	5/21/19 5:00	0.2	5/20/20 3:00	0.2
5/21/18 5:00	0.3	5/21/19 6:00	0.2	5/20/20 4:00	0.2
5/21/18 6:00	0.2	5/21/19 7:00	0.2	5/20/20 5:00	0.2
5/21/18 7:00	0.3	5/21/19 8:00	0.1	5/20/20 6:00	0.2
5/21/18 8:00	0.3	5/21/19 9:00	0.2	5/20/20 7:00	0.2
5/21/18 9:00	0.3	5/21/19 10:00	0.2	5/20/20 8:00	0.2
5/21/18 10:00	0.3	5/21/19 11:00	0.2	5/20/20 9:00	0.2
5/21/18 11:00	0.3	5/21/19 12:00	0.1	5/20/20 10:00	0.3
5/21/18 12:00	0.2	5/21/19 13:00	0.1	5/20/20 11:00	0.2
5/21/18 13:00	0.2	5/21/19 14:00	0.2	5/20/20 12:00	0.2
5/21/18 14:00	0.2	5/21/19 15:00	0.2	5/20/20 13:00	0.2
5/21/18 15:00	0.2	5/21/19 16:00	0.2	5/20/20 14:00	0.2
5/21/18 16:00	0.2	5/21/19 17:00	0.2	5/20/20 15:00	0.2
5/21/18 17:00	0.2	5/21/19 18:00	0.2	5/20/20 16:00	0.2
5/21/18 18:00	0.2	5/21/19 19:00	0.1	5/20/20 17:00	0.2
5/21/18 19:00	0.3	5/21/19 20:00	0.1	5/20/20 18:00	0.2
5/21/18 20:00	0.3	5/21/19 21:00	0.2	5/20/20 19:00	0.2
5/21/18 21:00	0.3	5/21/19 22:00	0.2	5/20/20 20:00	0.3
5/21/18 22:00	0.3	5/21/19 23:00	0.2	5/20/20 21:00	0.3
5/21/18 23:00	0.2	5/22/19 0:00	0.2	5/20/20 22:00	0.2
5/22/18 0:00	0.2	5/22/19 1:00	0.2	5/20/20 23:00	0.2
5/22/18 1:00	0.2	5/22/19 2:00	0.2	5/21/20 0:00	0.2
5/22/18 2:00	0.2	5/22/19 3:00	0.2	5/21/20 1:00	0.2
5/22/18 3:00	0.2	5/22/19 4:00	0.7	5/21/20 2:00	0.2
5/22/18 4:00	0.2	5/22/19 5:00	0.1	5/21/20 3:00	0.2
5/22/18 5:00	0.2	5/22/19 6:00	0.1	5/21/20 4:00	0.2
5/22/18 6:00	0.2	5/22/19 7:00	0.1	5/21/20 5:00	0.2
5/22/18 7:00	0.2	5/22/19 8:00	0.2	5/21/20 6:00	0.2
5/22/18 8:00	0.2	5/22/19 9:00	0.2	5/21/20 7:00	0.2
5/22/18 9:00	0.2	5/22/19 10:00	0.1	5/21/20 8:00	0.2
5/22/18 10:00	0.2	5/22/19 11:00	0.1	5/21/20 9:00	0.2
5/22/18 11:00	0.2	5/22/19 12:00	0.1	5/21/20 10:00	0.2
5/22/18 12:00	0.2	5/22/19 13:00	0.1	5/21/20 11:00	0.2
5/22/18 13:00	0.2	5/22/19 14:00	0.1	5/21/20 12:00	0.1
5/22/18 14:00	0.2	5/22/19 15:00	0.1	5/21/20 13:00	0.1
5/22/18 15:00	0.2	5/22/19 16:00	0.1	5/21/20 14:00	0.2
5/22/18 16:00	0.2	5/22/19 17:00	0.1	5/21/20 15:00	0.2
5/22/18 17:00	0.2	5/22/19 18:00	0.1	5/21/20 16:00	0.2
5/22/18 18:00	0.2	5/22/19 19:00	0.1	5/21/20 17:00	0.2
5/22/18 19:00	0.2	5/22/19 20:00	0.1	5/21/20 18:00	0.2
5/22/18 20:00	0.2	5/22/19 21:00	0.1	5/21/20 19:00	0.2
5/22/18 21:00	0.2	5/22/19 22:00	0.1	5/21/20 20:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
5/22/18 22:00	0.3	5/22/19 23:00	0.1	5/21/20 21:00	0.2
5/22/18 23:00	0.3	5/23/19 0:00	0.1	5/21/20 22:00	0.2
5/23/18 0:00	0.3	5/23/19 1:00	0.1	5/21/20 23:00	0.2
5/23/18 1:00	0.2	5/23/19 2:00	0.1	5/22/20 0:00	0.2
5/23/18 2:00	0.2	5/23/19 3:00	0.1	5/22/20 1:00	0.2
5/23/18 3:00	0.2	5/23/19 4:00	0.1	5/22/20 2:00	0.3
5/23/18 4:00	0.2	5/23/19 5:00	0.1	5/22/20 3:00	3.0
5/23/18 5:00	0.2	5/23/19 6:00	0.2	5/22/20 4:00	1.1
5/23/18 6:00	0.2	5/23/19 7:00	0.2	5/22/20 5:00	0.2
5/23/18 7:00	0.2	5/23/19 8:00	0.2	5/22/20 6:00	0.3
5/23/18 8:00	0.2	5/23/19 9:00	0.2	5/22/20 7:00	0.3
5/23/18 9:00	0.2	5/23/19 10:00	0.1	5/22/20 8:00	0.3
5/23/18 10:00	0.3	5/23/19 11:00	0.2	5/22/20 9:00	0.2
5/23/18 11:00	0.3	5/23/19 12:00	0.1	5/22/20 10:00	0.4
5/23/18 12:00	0.2	5/23/19 13:00	0.1	5/22/20 11:00	0.3
5/23/18 13:00	0.3	5/23/19 14:00	0.2	5/22/20 12:00	0.3
5/23/18 14:00	0.2	5/23/19 15:00	0.1	5/22/20 13:00	0.3
5/23/18 15:00	0.2	5/23/19 16:00	0.1	5/22/20 14:00	0.3
5/23/18 16:00	0.2	5/23/19 17:00	0.1	5/22/20 15:00	0.3
5/23/18 17:00	0.2	5/23/19 18:00	0.1	5/22/20 16:00	0.3
5/23/18 18:00	0.2	5/23/19 19:00	0.1	5/22/20 17:00	0.3
5/23/18 19:00	0.2	5/23/19 20:00	0.2	5/22/20 18:00	0.3
5/23/18 20:00	0.3	5/23/19 21:00	0.2	5/22/20 19:00	0.3
5/23/18 21:00	0.3	5/23/19 22:00	0.1	5/22/20 20:00	0.3
5/23/18 22:00	0.3	5/23/19 23:00	0.1	5/22/20 21:00	0.3
5/23/18 23:00	0.2	5/24/19 0:00	0.1	5/22/20 22:00	0.3
5/24/18 0:00	0.2	5/24/19 1:00	0.1	5/22/20 23:00	0.3
5/24/18 1:00	0.2	5/24/19 2:00	0.1	5/23/20 0:00	0.3
5/24/18 2:00	0.2	5/24/19 3:00	0.1	5/23/20 1:00	0.3
5/24/18 3:00	0.2	5/24/19 4:00	0.2	5/23/20 2:00	0.1
5/24/18 4:00	0.1	5/24/19 5:00	0.3	5/23/20 3:00	0.1
5/24/18 5:00	0.1	5/24/19 6:00	0.3	5/23/20 4:00	0.1
5/24/18 6:00	0.1	5/24/19 7:00	0.3	5/23/20 5:00	0.2
5/24/18 7:00	0.1	5/24/19 8:00	0.3	5/23/20 6:00	0.1
5/24/18 8:00	0.2	5/24/19 9:00	0.2	5/23/20 7:00	0.1
5/24/18 9:00	0.4	5/24/19 10:00	0.3	5/23/20 8:00	0.1
5/24/18 10:00	0.5	5/24/19 11:00	0.3	5/23/20 9:00	0.2
5/24/18 11:00	0.4	5/24/19 12:00	0.2	5/23/20 10:00	0.1
5/24/18 12:00	0.4	5/24/19 13:00	0.3	5/23/20 11:00	0.1
5/24/18 13:00	0.4	5/24/19 14:00	0.2	5/23/20 12:00	0.1
5/24/18 14:00	0.5	5/24/19 15:00	0.3	5/23/20 13:00	0.1
5/24/18 15:00	0.4	5/24/19 16:00	0.2	5/23/20 14:00	0.1
5/24/18 16:00	0.5	5/24/19 17:00	0.2	5/23/20 15:00	0.2
5/24/18 17:00	0.4	5/24/19 18:00	0.2	5/23/20 16:00	0.2
5/24/18 18:00	0.4	5/24/19 19:00	0.5	5/23/20 17:00	0.1
5/24/18 19:00	0.5	5/24/19 20:00	0.6	5/23/20 18:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
5/24/18 20:00	0.5	5/24/19 21:00	0.4	5/23/20 19:00	0.1
5/24/18 21:00	0.4	5/24/19 22:00	0.4	5/23/20 20:00	0.1
5/24/18 22:00	0.5	5/24/19 23:00	0.2	5/23/20 21:00	0.2
5/24/18 23:00	0.5	5/25/19 0:00	0.3	5/23/20 22:00	0.1
5/25/18 0:00	0.5	5/25/19 1:00	3.3	5/23/20 23:00	0.1
5/25/18 1:00	0.5	5/25/19 2:00	0.2	5/24/20 0:00	0.1
5/25/18 2:00	0.6	5/25/19 3:00	0.4	5/24/20 1:00	0.1
5/25/18 3:00	0.6	5/25/19 4:00	0.7	5/24/20 2:00	0.2
5/25/18 4:00	0.5	5/25/19 5:00	0.4	5/24/20 3:00	0.2
5/25/18 5:00	0.4	5/25/19 6:00	0.2	5/24/20 4:00	0.2
5/25/18 6:00	0.3	5/25/19 7:00	0.2	5/24/20 5:00	0.2
5/25/18 7:00	0.3	5/25/19 8:00	0.2	5/24/20 6:00	0.2
5/25/18 8:00	0.5	5/25/19 9:00	0.2	5/24/20 7:00	0.1
5/25/18 9:00	0.3	5/25/19 10:00	0.2	5/24/20 8:00	0.1
5/25/18 10:00	0.3	5/25/19 11:00	0.2	5/24/20 9:00	0.1
5/25/18 11:00	1.3	5/25/19 12:00	0.2	5/24/20 10:00	0.2
5/25/18 12:00	0.3	5/25/19 13:00	0.2	5/24/20 11:00	0.1
5/25/18 13:00	0.3	5/25/19 14:00	0.2	5/24/20 12:00	0.1
5/25/18 14:00	0.3	5/25/19 15:00	0.2	5/24/20 13:00	0.1
5/25/18 15:00	0.3	5/25/19 16:00	0.2	5/24/20 14:00	0.1
5/25/18 16:00	0.3	5/25/19 17:00	0.2	5/24/20 15:00	0.1
5/25/18 17:00	0.3	5/25/19 18:00	0.2	5/24/20 16:00	0.1
5/25/18 18:00	0.3	5/25/19 19:00	0.2	5/24/20 17:00	0.1
5/25/18 19:00	0.3	5/25/19 20:00	0.1	5/24/20 18:00	0.1
5/25/18 20:00	0.3	5/25/19 21:00	0.2	5/24/20 19:00	0.1
5/25/18 21:00	0.4	5/25/19 22:00	0.8	5/24/20 20:00	0.1
5/25/18 22:00	0.4	5/25/19 23:00	0.1	5/24/20 21:00	0.1
5/25/18 23:00	0.4	5/26/19 0:00	0.4	5/24/20 22:00	0.1
5/26/18 0:00	0.4	5/26/19 1:00	1.0	5/24/20 23:00	0.1
5/26/18 1:00	0.4	5/26/19 2:00	0.1	5/25/20 0:00	0.1
5/26/18 2:00	0.4	5/26/19 3:00	0.1	5/25/20 1:00	0.1
5/26/18 3:00	0.4	5/26/19 4:00	0.1	5/25/20 2:00	0.2
5/26/18 4:00	0.4	5/26/19 5:00	0.1	5/25/20 3:00	0.1
5/26/18 5:00	0.4	5/26/19 6:00	0.1	5/25/20 4:00	0.1
5/26/18 6:00	0.4	5/26/19 7:00	0.1	5/25/20 5:00	0.1
5/26/18 7:00	0.4	5/26/19 8:00	0.1	5/25/20 6:00	0.1
5/26/18 8:00	0.4	5/26/19 9:00	0.2	5/25/20 7:00	0.1
5/26/18 9:00	0.4	5/26/19 10:00	0.2	5/25/20 8:00	0.1
5/26/18 10:00	0.4	5/26/19 11:00	0.2	5/25/20 9:00	0.2
5/26/18 11:00	0.4	5/26/19 12:00	0.2	5/25/20 10:00	0.1
5/26/18 12:00	0.4	5/26/19 13:00	1.1	5/25/20 11:00	0.1
5/26/18 13:00	0.4	5/26/19 14:00	0.3	5/25/20 12:00	0.1
5/26/18 14:00	0.4	5/26/19 15:00	0.3	5/25/20 13:00	0.1
5/26/18 15:00	0.4	5/26/19 16:00	0.4	5/25/20 14:00	0.1
5/26/18 16:00	0.4	5/26/19 17:00	0.2	5/25/20 15:00	0.1
5/26/18 17:00	0.4	5/26/19 18:00	0.2	5/25/20 16:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
5/26/18 18:00	0.4	5/26/19 19:00	0.6	5/25/20 17:00	0.1
5/26/18 19:00	0.4	5/26/19 20:00	0.2	5/25/20 18:00	0.1
5/26/18 20:00	0.4	5/26/19 21:00	0.2	5/25/20 19:00	0.1
5/26/18 21:00	0.4	5/26/19 22:00	0.7	5/25/20 20:00	0.1
5/26/18 22:00	0.4	5/26/19 23:00	0.2	5/25/20 21:00	0.1
5/26/18 23:00	0.5	5/27/19 0:00	0.2	5/25/20 22:00	0.1
5/27/18 0:00	0.5	5/27/19 1:00	0.2	5/25/20 23:00	0.1
5/27/18 1:00	0.4	5/27/19 2:00	0.2	5/26/20 0:00	0.1
5/27/18 2:00	0.4	5/27/19 3:00	0.2	5/26/20 1:00	0.1
5/27/18 3:00	0.3	5/27/19 4:00	0.2	5/26/20 2:00	0.1
5/27/18 4:00	0.3	5/27/19 5:00	0.2	5/26/20 3:00	0.1
5/27/18 5:00	0.3	5/27/19 6:00	0.2	5/26/20 4:00	0.1
5/27/18 6:00	0.3	5/27/19 7:00	0.2	5/26/20 5:00	0.1
5/27/18 7:00	0.3	5/27/19 8:00	0.2	5/26/20 6:00	0.1
5/27/18 8:00	0.3	5/27/19 9:00	0.2	5/26/20 7:00	0.1
5/27/18 9:00	0.3	5/27/19 10:00	0.2	5/26/20 8:00	0.1
5/27/18 10:00	0.3	5/27/19 11:00	0.2	5/26/20 17:00	0.1
5/27/18 11:00	0.2	5/27/19 12:00	0.2	5/26/20 18:00	0.1
5/27/18 12:00	0.2	5/27/19 13:00	0.3	5/26/20 19:00	0.1
5/27/18 13:00	0.2	5/27/19 14:00	0.2	5/26/20 20:00	0.1
5/27/18 14:00	0.2	5/27/19 15:00	0.2	5/26/20 21:00	0.1
5/27/18 15:00	0.2	5/27/19 16:00	0.4	5/26/20 22:00	0.2
5/27/18 16:00	0.2	5/27/19 17:00	0.5	5/26/20 23:00	0.2
5/27/18 17:00	0.3	5/27/19 18:00	0.2	5/27/20 0:00	0.3
5/27/18 18:00	0.3	5/27/19 19:00	0.3	5/27/20 1:00	0.3
5/27/18 19:00	0.3	5/27/19 20:00	0.4	5/27/20 2:00	0.3
5/27/18 20:00	0.3	5/27/19 21:00	0.5	5/27/20 3:00	0.3
5/27/18 21:00	0.3	5/27/19 22:00	0.5	5/27/20 4:00	0.3
5/27/18 22:00	0.3	5/27/19 23:00	0.3	5/27/20 5:00	0.3
5/27/18 23:00	0.2	5/28/19 0:00	0.3	5/27/20 6:00	0.3
5/28/18 0:00	0.2	5/28/19 1:00	1.8	5/27/20 7:00	0.3
5/28/18 1:00	0.2	5/28/19 2:00	2.7	5/27/20 8:00	0.3
5/28/18 2:00	0.2	5/28/19 3:00	0.2	5/27/20 9:00	0.3
5/28/18 3:00	0.2	5/28/19 4:00	0.2	5/27/20 10:00	0.3
5/28/18 4:00	0.2	5/28/19 5:00	0.2	5/27/20 11:00	0.2
5/28/18 5:00	0.2	5/28/19 6:00	0.2	5/27/20 12:00	0.8
5/28/18 6:00	0.2	5/28/19 7:00	0.2	5/27/20 13:00	0.3
5/28/18 7:00	0.2	5/28/19 8:00	0.1	5/27/20 14:00	0.3
5/28/18 8:00	0.2	5/28/19 9:00	0.2	5/27/20 15:00	0.3
5/28/18 9:00	0.2	5/28/19 10:00	0.1	5/27/20 16:00	0.3
5/28/18 10:00	0.3	5/28/19 11:00	0.1	5/27/20 17:00	0.2
5/28/18 11:00	0.3	5/28/19 12:00	0.1	5/27/20 18:00	0.2
5/28/18 12:00	0.3	5/28/19 13:00	0.1	5/27/20 19:00	0.2
5/28/18 13:00	0.3	5/28/19 14:00	0.1	5/27/20 20:00	0.2
5/28/18 14:00	0.2	5/28/19 15:00	0.2	5/27/20 21:00	0.2
5/28/18 15:00	0.2	5/28/19 16:00	0.1	5/27/20 22:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
5/28/18 16:00	0.1	5/28/19 17:00	0.2	5/27/20 23:00	0.2
5/28/18 17:00	0.2	5/28/19 18:00	0.1	5/28/20 0:00	0.2
5/28/18 18:00	0.2	5/28/19 19:00	0.1	5/28/20 1:00	0.2
5/28/18 19:00	0.3	5/28/19 20:00	0.2	5/28/20 2:00	0.2
5/28/18 20:00	0.3	5/28/19 21:00	0.1	5/28/20 3:00	0.2
5/28/18 21:00	0.3	5/28/19 22:00	0.1	5/28/20 4:00	0.2
5/28/18 22:00	0.3	5/28/19 23:00	0.1	5/28/20 5:00	0.2
5/28/18 23:00	0.3	5/29/19 0:00	0.1	5/28/20 6:00	0.2
5/29/18 0:00	0.3	5/29/19 1:00	0.1	5/28/20 7:00	0.2
5/29/18 1:00	0.3	5/29/19 2:00	0.1	5/28/20 8:00	0.2
5/29/18 2:00	0.3	5/29/19 3:00	0.0	5/28/20 9:00	0.2
5/29/18 3:00	0.3	5/29/19 4:00	0.1	5/28/20 10:00	0.2
5/29/18 4:00	0.3	5/29/19 5:00	0.1	5/28/20 11:00	0.2
5/29/18 5:00	0.3	5/29/19 6:00	0.1	5/28/20 12:00	0.2
5/29/18 6:00	0.2	5/29/19 7:00	0.1	5/28/20 13:00	0.1
5/29/18 7:00	0.2	5/29/19 8:00	0.1	5/28/20 14:00	0.2
5/29/18 8:00	0.2	5/29/19 9:00	0.1	5/28/20 15:00	0.2
5/29/18 9:00	0.2	5/29/19 10:00	0.1	5/28/20 16:00	0.2
5/29/18 10:00	0.2	5/29/19 11:00	0.1	5/28/20 17:00	0.2
5/29/18 11:00	0.1	5/29/19 12:00	0.1	5/28/20 18:00	0.2
5/29/18 12:00	0.1	5/29/19 13:00	0.1	5/28/20 19:00	0.2
5/29/18 13:00	0.2	5/29/19 14:00	0.1	5/28/20 20:00	0.2
5/29/18 14:00	0.2	5/29/19 15:00	0.1	5/28/20 21:00	0.2
5/29/18 15:00	0.2	5/29/19 16:00	0.1	5/28/20 22:00	0.3
5/29/18 16:00	0.2	5/29/19 17:00	0.2	5/28/20 23:00	0.2
5/29/18 17:00	0.2	5/29/19 18:00	0.2	5/29/20 0:00	0.2
5/29/18 18:00	0.3	5/29/19 19:00	0.1	5/29/20 1:00	0.2
5/29/18 19:00	0.3	5/29/19 20:00	0.1	5/29/20 2:00	0.2
5/29/18 20:00	0.3	5/29/19 21:00	0.2	5/29/20 3:00	0.2
5/29/18 21:00	0.3	5/29/19 22:00	0.2	5/29/20 4:00	0.2
5/29/18 22:00	0.2	5/29/19 23:00	0.1	5/29/20 5:00	0.2
5/29/18 23:00	0.2	5/30/19 0:00	0.1	5/29/20 6:00	0.1
5/30/18 0:00	0.2	5/30/19 1:00	1.5	5/29/20 7:00	0.2
5/30/18 1:00	0.2	5/30/19 2:00	1.0	5/29/20 8:00	0.2
5/30/18 2:00	0.2	5/30/19 3:00	0.3	5/29/20 9:00	0.2
5/30/18 3:00	0.3	5/30/19 4:00	0.1	5/29/20 10:00	0.2
5/30/18 4:00	0.2	5/30/19 5:00	0.2	5/29/20 11:00	0.2
5/30/18 5:00	0.1	5/30/19 6:00	0.2	5/29/20 12:00	0.2
5/30/18 6:00	0.1	5/30/19 7:00	1.2	5/29/20 13:00	0.2
5/30/18 7:00	0.1	5/30/19 8:00	0.3	5/29/20 14:00	0.2
5/30/18 8:00	0.2	5/30/19 9:00	0.2	5/29/20 15:00	0.2
5/30/18 9:00	0.2	5/30/19 10:00	0.3	5/29/20 16:00	0.2
5/30/18 10:00	0.3	5/30/19 11:00	0.2	5/29/20 17:00	0.1
5/30/18 11:00	0.3	5/30/19 12:00	0.4	5/29/20 18:00	0.1
5/30/18 12:00	0.2	5/30/19 13:00	0.3	5/29/20 19:00	0.1
5/30/18 13:00	0.2	5/30/19 14:00	0.2	5/29/20 20:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
5/30/18 14:00	0.2	5/30/19 15:00	0.2	5/29/20 21:00	0.1
5/30/18 15:00	0.2	5/30/19 16:00	2.9	5/29/20 22:00	0.1
5/30/18 16:00	0.4	5/30/19 17:00	0.3	5/29/20 23:00	0.1
5/30/18 17:00	0.4	5/30/19 18:00	0.2	5/30/20 0:00	0.1
5/30/18 18:00	0.4	5/30/19 19:00	0.2	5/30/20 1:00	0.1
5/30/18 19:00	0.4	5/30/19 20:00	0.2	5/30/20 2:00	0.1
5/30/18 20:00	0.4	5/30/19 21:00	0.2	5/30/20 3:00	0.1
5/30/18 21:00	0.4	5/30/19 22:00	0.2	5/30/20 4:00	0.1
5/30/18 22:00	0.4	5/30/19 23:00	0.2	5/30/20 5:00	0.1
5/30/18 23:00	0.3	5/31/19 0:00	0.2	5/30/20 6:00	0.1
5/31/18 0:00	0.4	5/31/19 1:00	0.2	5/30/20 7:00	0.2
5/31/18 1:00	0.4	5/31/19 2:00	0.2	5/30/20 8:00	0.1
5/31/18 2:00	0.4	5/31/19 3:00	0.2	5/30/20 9:00	0.2
5/31/18 3:00	0.3	5/31/19 4:00	0.2	5/30/20 10:00	0.1
5/31/18 4:00	0.3	5/31/19 5:00	0.2	5/30/20 11:00	0.2
5/31/18 5:00	0.4	5/31/19 6:00	0.2	5/30/20 12:00	0.2
5/31/18 6:00	0.3	5/31/19 7:00	0.2	5/30/20 13:00	0.2
5/31/18 7:00	0.4	5/31/19 8:00	0.2	5/30/20 14:00	0.2
5/31/18 8:00	0.6	5/31/19 9:00	0.2	5/30/20 15:00	0.2
5/31/18 9:00	0.6	5/31/19 10:00	0.3	5/30/20 16:00	0.2
5/31/18 10:00	0.6	5/31/19 11:00	0.2	5/30/20 17:00	0.2
5/31/18 11:00	0.6	5/31/19 12:00	0.2	5/30/20 18:00	0.2
5/31/18 12:00	0.6	5/31/19 13:00	0.2	5/30/20 19:00	0.2
5/31/18 13:00	0.6	5/31/19 14:00	0.2	5/30/20 20:00	0.2
5/31/18 14:00	0.6	5/31/19 15:00	0.2	5/30/20 21:00	0.2
5/31/18 15:00	0.6	5/31/19 16:00	0.2	5/30/20 22:00	0.2
5/31/18 16:00	0.6	5/31/19 17:00	0.2	5/30/20 23:00	0.2
5/31/18 17:00	0.6	5/31/19 18:00	0.2	5/31/20 0:00	0.1
5/31/18 18:00	0.4	5/31/19 19:00	0.2	5/31/20 1:00	0.2
5/31/18 19:00	0.5	5/31/19 20:00	0.2	5/31/20 2:00	0.2
5/31/18 20:00	0.5	5/31/19 21:00	0.3	5/31/20 3:00	0.1
5/31/18 21:00	0.4	5/31/19 22:00	0.2	5/31/20 4:00	0.2
5/31/18 22:00	0.2	5/31/19 23:00	0.2	5/31/20 5:00	0.2
5/31/18 23:00	0.2	6/1/19 0:00	0.2	5/31/20 6:00	0.2
6/1/18 0:00	0.2	6/1/19 1:00	0.2	5/31/20 7:00	0.2
6/1/18 1:00	0.2	6/1/19 2:00	0.2	5/31/20 8:00	0.2
6/1/18 2:00	0.2	6/1/19 3:00	0.2	5/31/20 9:00	0.2
6/1/18 3:00	0.2	6/1/19 4:00	0.2	5/31/20 10:00	0.2
6/1/18 4:00	0.2	6/1/19 5:00	0.2	5/31/20 11:00	0.2
6/1/18 5:00	0.2	6/1/19 6:00	0.2	5/31/20 12:00	0.2
6/1/18 6:00	0.2	6/1/19 7:00	0.3	5/31/20 13:00	0.2
6/1/18 7:00	0.2	6/1/19 8:00	0.3	5/31/20 14:00	0.2
6/1/18 8:00	0.2	6/1/19 9:00	0.3	5/31/20 15:00	0.2
6/1/18 9:00	0.2	6/1/19 10:00	0.3	5/31/20 16:00	0.2
6/1/18 10:00	0.2	6/1/19 11:00	0.4	5/31/20 17:00	0.2
6/1/18 11:00	0.2	6/1/19 12:00	0.3	5/31/20 18:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
6/1/18 12:00	0.2	6/1/19 13:00	0.3	5/31/20 19:00	0.1
6/1/18 13:00	0.2	6/1/19 14:00	0.3	5/31/20 20:00	0.2
6/1/18 14:00	0.2	6/1/19 15:00	0.2	5/31/20 21:00	0.2
6/1/18 15:00	1.3	6/1/19 16:00	0.2	5/31/20 22:00	0.2
6/1/18 16:00	0.2	6/1/19 17:00	0.2	5/31/20 23:00	0.2
6/1/18 17:00	0.2	6/1/19 18:00	0.2	6/1/20 0:00	0.2
6/1/18 18:00	0.2	6/1/19 19:00	0.3	6/1/20 1:00	0.2
6/1/18 19:00	0.2	6/1/19 20:00	0.3	6/1/20 2:00	0.2
6/1/18 20:00	0.2	6/1/19 21:00	4.0	6/1/20 3:00	0.2
6/1/18 21:00	0.2	6/1/19 22:00	1.1	6/1/20 4:00	0.1
6/1/18 22:00	0.2	6/1/19 23:00	0.4	6/1/20 5:00	0.1
6/1/18 23:00	0.3	6/2/19 0:00	0.1	6/1/20 6:00	0.1
6/2/18 0:00	0.3	6/2/19 1:00	0.4	6/1/20 7:00	0.1
6/2/18 1:00	0.2	6/2/19 2:00	0.5	6/1/20 8:00	0.1
6/2/18 2:00	0.3	6/2/19 3:00	0.2	6/1/20 9:00	0.1
6/2/18 3:00	0.2	6/2/19 4:00	1.0	6/1/20 10:00	0.1
6/2/18 4:00	0.2	6/2/19 5:00	0.2	6/1/20 11:00	0.2
6/2/18 5:00	0.2	6/2/19 6:00	0.1	6/1/20 12:00	0.1
6/2/18 6:00	0.2	6/2/19 7:00	0.2	6/1/20 13:00	0.1
6/2/18 7:00	0.3	6/2/19 8:00	0.2	6/1/20 14:00	0.1
6/2/18 8:00	0.3	6/2/19 9:00	0.2	6/1/20 15:00	0.1
6/2/18 9:00	0.3	6/2/19 10:00	0.2	6/1/20 16:00	0.0
6/2/18 10:00	0.2	6/2/19 11:00	0.1	6/1/20 17:00	0.1
6/2/18 11:00	0.2	6/2/19 12:00	0.1	6/1/20 18:00	0.1
6/2/18 12:00	0.3	6/2/19 13:00	0.1	6/1/20 19:00	0.0
6/2/18 13:00	0.3	6/2/19 14:00	0.1	6/1/20 20:00	0.0
6/2/18 14:00	0.2	6/2/19 15:00	0.1	6/1/20 21:00	0.0
6/2/18 15:00	0.3	6/2/19 16:00	0.2	6/1/20 22:00	0.0
6/2/18 16:00	0.3	6/2/19 17:00	0.2	6/1/20 23:00	0.1
6/2/18 17:00	0.3	6/2/19 18:00	0.1	6/2/20 0:00	0.1
6/2/18 18:00	0.2	6/2/19 19:00	0.2	6/2/20 1:00	0.1
6/2/18 19:00	0.3	6/2/19 20:00	0.2	6/2/20 2:00	0.1
6/2/18 20:00	0.3	6/2/19 21:00	0.2	6/2/20 3:00	0.1
6/2/18 21:00	0.3	6/2/19 22:00	0.3	6/2/20 4:00	0.1
6/2/18 22:00	0.3	6/2/19 23:00	0.5	6/2/20 5:00	0.1
6/2/18 23:00	0.3	6/3/19 0:00	0.4	6/2/20 6:00	0.1
6/3/18 0:00	0.3	6/3/19 1:00	0.3	6/2/20 7:00	0.1
6/3/18 1:00	0.3	6/3/19 2:00	0.3	6/2/20 8:00	0.1
6/3/18 2:00	0.3	6/3/19 3:00	0.3	6/2/20 9:00	0.1
6/3/18 3:00	0.3	6/3/19 4:00	0.4	6/2/20 10:00	0.1
6/3/18 4:00	0.3	6/3/19 5:00	0.5	6/2/20 11:00	0.1
6/3/18 5:00	0.4	6/3/19 6:00	0.4	6/2/20 12:00	0.1
6/3/18 6:00	0.3	6/3/19 7:00	0.4	6/2/20 13:00	0.1
6/3/18 7:00	0.4	6/3/19 8:00	0.4	6/2/20 14:00	0.2
6/3/18 8:00	0.4	6/3/19 9:00	0.3	6/2/20 15:00	0.2
6/3/18 9:00	0.3	6/3/19 10:00	0.8	6/2/20 16:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
6/3/18 10:00	0.3	6/3/19 11:00	0.7	6/2/20 17:00	0.2
6/3/18 11:00	0.4	6/3/19 12:00	0.5	6/2/20 18:00	0.2
6/3/18 12:00	0.5	6/3/19 13:00	0.6	6/2/20 19:00	0.1
6/3/18 13:00	0.5	6/3/19 14:00	0.4	6/2/20 20:00	0.2
6/3/18 14:00	0.4	6/3/19 15:00	0.4	6/2/20 21:00	0.3
6/3/18 15:00	0.4	6/3/19 16:00	0.5	6/2/20 22:00	0.3
6/3/18 16:00	0.4	6/3/19 17:00	0.5	6/2/20 23:00	0.2
6/3/18 17:00	0.3	6/3/19 18:00	0.4	6/3/20 0:00	0.2
6/3/18 18:00	0.3	6/3/19 19:00	0.4	6/3/20 1:00	0.2
6/3/18 19:00	0.3	6/3/19 20:00	0.4	6/3/20 2:00	0.2
6/3/18 20:00	0.4	6/3/19 21:00	0.4	6/3/20 3:00	0.2
6/3/18 21:00	0.4	6/3/19 22:00	0.4	6/3/20 4:00	0.2
6/3/18 22:00	0.3	6/3/19 23:00	0.4	6/3/20 5:00	0.2
6/3/18 23:00	0.3	6/4/19 0:00	0.4	6/3/20 6:00	0.2
6/4/18 0:00	0.4	6/4/19 1:00	0.4	6/3/20 7:00	0.2
6/4/18 1:00	0.4	6/4/19 2:00	0.4	6/3/20 8:00	0.2
6/4/18 2:00	0.4	6/4/19 3:00	0.4	6/3/20 9:00	0.2
6/4/18 3:00	0.4	6/4/19 4:00	0.4	6/3/20 10:00	0.2
6/4/18 4:00	0.4	6/4/19 5:00	0.3	6/3/20 11:00	0.1
6/4/18 5:00	0.4	6/4/19 6:00	0.3	6/3/20 12:00	0.1
6/4/18 6:00	0.3	6/4/19 7:00	0.3	6/3/20 13:00	0.1
6/4/18 7:00	0.4	6/4/19 8:00	0.3	6/3/20 14:00	0.1
6/4/18 8:00	0.4	6/4/19 9:00	0.2	6/3/20 15:00	0.1
6/4/18 9:00	0.4	6/4/19 10:00	0.3	6/3/20 16:00	0.1
6/4/18 10:00	0.4	6/4/19 11:00	0.3	6/3/20 17:00	0.1
6/4/18 11:00	0.4	6/4/19 12:00	0.3	6/3/20 18:00	0.1
6/4/18 12:00	0.3	6/4/19 13:00	0.3	6/3/20 19:00	0.1
6/4/18 13:00	0.5	6/4/19 14:00	0.3	6/3/20 20:00	0.2
6/4/18 14:00	0.4	6/4/19 15:00	0.3	6/3/20 21:00	0.2
6/4/18 15:00	0.4	6/4/19 16:00	0.3	6/3/20 22:00	0.2
6/4/18 16:00	0.4	6/4/19 17:00	0.3	6/3/20 23:00	0.2
6/4/18 17:00	0.4	6/4/19 18:00	0.2	6/4/20 0:00	0.1
6/4/18 18:00	0.4	6/4/19 19:00	0.3	6/4/20 1:00	0.1
6/4/18 19:00	0.4	6/4/19 20:00	0.3	6/4/20 2:00	0.1
6/4/18 20:00	0.4	6/4/19 21:00	0.3	6/4/20 3:00	0.1
6/4/18 21:00	0.4	6/4/19 22:00	0.3	6/4/20 4:00	0.1
6/4/18 22:00	0.4	6/4/19 23:00	0.3	6/4/20 5:00	0.0
6/4/18 23:00	0.4	6/5/19 0:00	0.3	6/4/20 6:00	0.0
6/5/18 0:00	0.4	6/5/19 1:00	0.3	6/4/20 7:00	0.0
6/5/18 1:00	0.5	6/5/19 2:00	0.3	6/4/20 8:00	0.1
6/5/18 2:00	0.4	6/5/19 3:00	0.3	6/4/20 9:00	0.1
6/5/18 3:00	0.4	6/5/19 4:00	0.3	6/4/20 10:00	0.1
6/5/18 4:00	0.4	6/5/19 5:00	0.3	6/4/20 11:00	0.1
6/5/18 5:00	0.4	6/5/19 6:00	0.3	6/4/20 12:00	0.1
6/5/18 6:00	0.4	6/5/19 7:00	0.3	6/4/20 13:00	0.1
6/5/18 7:00	0.4	6/5/19 8:00	0.2	6/4/20 14:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
6/5/18 8:00	0.4	6/5/19 9:00	0.3	6/4/20 15:00	0.1
6/5/18 9:00	0.4	6/5/19 10:00	0.2	6/4/20 16:00	0.1
6/5/18 10:00	0.5	6/5/19 11:00	0.3	6/4/20 17:00	0.1
6/5/18 11:00	0.4	6/5/19 12:00	0.3	6/4/20 18:00	0.1
6/5/18 12:00	0.4	6/5/19 13:00	0.2	6/4/20 19:00	0.1
6/5/18 13:00	3.7	6/5/19 14:00	0.3	6/4/20 20:00	0.1
6/5/18 14:00	0.5	6/5/19 15:00	0.3	6/4/20 21:00	0.1
6/5/18 15:00	0.4	6/5/19 16:00	0.3	6/4/20 22:00	0.1
6/5/18 16:00	0.3	6/5/19 17:00	0.3	6/4/20 23:00	0.1
6/5/18 17:00	0.3	6/5/19 18:00	0.3	6/5/20 0:00	0.1
6/5/18 18:00	0.3	6/5/19 19:00	0.3	6/5/20 1:00	0.1
6/5/18 19:00	0.3	6/5/19 20:00	0.3	6/5/20 2:00	0.1
6/5/18 20:00	0.3	6/5/19 21:00	0.3	6/5/20 3:00	0.1
6/5/18 21:00	0.3	6/5/19 22:00	0.2	6/5/20 4:00	0.1
6/5/18 22:00	0.4	6/5/19 23:00	0.2	6/5/20 5:00	0.2
6/5/18 23:00	0.4	6/6/19 0:00	0.2	6/5/20 6:00	0.1
6/6/18 0:00	0.3	6/6/19 1:00	0.2	6/5/20 7:00	0.1
6/6/18 1:00	0.2	6/6/19 2:00	0.2	6/5/20 8:00	0.1
6/6/18 2:00	0.2	6/6/19 3:00	0.2	6/5/20 9:00	0.1
6/6/18 3:00	0.2	6/6/19 4:00	0.2	6/5/20 10:00	0.1
6/6/18 4:00	0.2	6/6/19 5:00	0.2	6/5/20 11:00	0.2
6/6/18 5:00	0.2	6/6/19 6:00	0.2	6/5/20 12:00	0.1
6/6/18 6:00	0.2	6/6/19 7:00	0.2	6/5/20 13:00	0.1
6/6/18 7:00	0.3	6/6/19 8:00	0.3	6/5/20 14:00	0.1
6/6/18 8:00	0.1	6/6/19 9:00	0.3	6/5/20 15:00	0.1
6/6/18 9:00	0.0	6/6/19 10:00	0.3	6/5/20 16:00	0.1
6/6/18 10:00	0.0	6/6/19 11:00	0.5	6/5/20 17:00	0.1
6/6/18 11:00	0.0	6/6/19 12:00	1.3	6/5/20 18:00	0.1
6/6/18 12:00	0.1	6/6/19 13:00	0.2	6/5/20 19:00	0.1
6/6/18 13:00	0.3	6/6/19 14:00	0.4	6/5/20 20:00	0.1
6/6/18 14:00	0.2	6/6/19 15:00	0.3	6/5/20 21:00	0.1
6/6/18 15:00	0.2	6/6/19 16:00	0.2	6/5/20 22:00	0.1
6/6/18 16:00	0.3	6/6/19 17:00	0.2	6/5/20 23:00	0.1
6/6/18 17:00	0.4	6/6/19 18:00	0.2	6/6/20 0:00	0.1
6/6/18 18:00	0.5	6/6/19 19:00	0.2	6/6/20 1:00	0.1
6/6/18 19:00	0.5	6/6/19 20:00	1.3	6/6/20 2:00	0.1
6/6/18 20:00	0.5	6/6/19 21:00	0.2	6/6/20 3:00	0.1
6/6/18 21:00	0.5	6/6/19 22:00	0.3	6/6/20 4:00	0.0
6/6/18 22:00	0.5	6/6/19 23:00	0.3	6/6/20 5:00	0.1
6/6/18 23:00	0.5	6/7/19 0:00	0.2	6/6/20 6:00	0.1
6/7/18 0:00	0.5	6/7/19 1:00	0.2	6/6/20 7:00	0.2
6/7/18 1:00	0.5	6/7/19 2:00	0.2	6/6/20 8:00	0.2
6/7/18 2:00	0.5	6/7/19 3:00	0.2	6/6/20 9:00	0.2
6/7/18 3:00	0.5	6/7/19 4:00	0.2	6/6/20 10:00	0.2
6/7/18 4:00	0.5	6/7/19 5:00	0.3	6/6/20 11:00	0.2
6/7/18 5:00	0.5	6/7/19 6:00	0.2	6/6/20 12:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
6/7/18 6:00	0.5	6/7/19 7:00	0.2	6/6/20 13:00	0.2
6/7/18 7:00	0.5	6/7/19 8:00	0.3	6/6/20 14:00	0.2
6/7/18 8:00	0.5	6/7/19 9:00	0.3	6/6/20 15:00	0.2
6/7/18 9:00	0.5	6/7/19 10:00	0.3	6/6/20 16:00	0.2
6/7/18 10:00	0.4	6/7/19 11:00	0.3	6/6/20 17:00	0.1
6/7/18 11:00	0.5	6/7/19 12:00	0.2	6/6/20 18:00	0.1
6/7/18 12:00	0.5	6/7/19 13:00	0.3	6/6/20 19:00	0.1
6/7/18 13:00	0.5	6/7/19 14:00	0.2	6/6/20 20:00	0.2
6/7/18 14:00	0.7	6/7/19 15:00	0.2	6/6/20 21:00	0.2
6/7/18 15:00	0.6	6/7/19 16:00	0.2	6/6/20 22:00	0.2
6/7/18 16:00	0.6	6/7/19 17:00	0.2	6/6/20 23:00	0.2
6/7/18 17:00	0.7	6/7/19 18:00	0.2	6/7/20 0:00	0.3
6/7/18 18:00	0.6	6/7/19 19:00	0.2	6/7/20 1:00	0.3
6/7/18 19:00	0.6	6/7/19 20:00	0.2	6/7/20 2:00	0.2
6/7/18 20:00	0.6	6/7/19 21:00	0.3	6/7/20 3:00	0.2
6/7/18 21:00	0.6	6/7/19 22:00	0.2	6/7/20 4:00	0.1
6/7/18 22:00	0.6	6/7/19 23:00	0.2	6/7/20 5:00	0.2
6/7/18 23:00	0.6	6/8/19 0:00	0.3	6/7/20 6:00	0.2
6/8/18 0:00	0.6	6/8/19 1:00	0.3	6/7/20 7:00	0.2
6/8/18 1:00	0.6	6/8/19 2:00	0.2	6/7/20 8:00	0.2
6/8/18 2:00	0.6	6/8/19 3:00	0.2	6/7/20 9:00	0.3
6/8/18 3:00	0.6	6/8/19 4:00	0.2	6/7/20 10:00	0.3
6/8/18 4:00	0.6	6/8/19 5:00	0.2	6/7/20 11:00	0.3
6/8/18 5:00	0.6	6/8/19 6:00	0.3	6/7/20 12:00	0.3
6/8/18 6:00	0.6	6/8/19 7:00	0.2	6/7/20 13:00	0.3
6/8/18 7:00	0.5	6/8/19 8:00	0.2	6/7/20 14:00	0.2
6/8/18 8:00	0.4	6/8/19 9:00	0.2	6/7/20 15:00	0.1
6/8/18 9:00	0.4	6/8/19 10:00	0.3	6/7/20 16:00	0.1
6/8/18 10:00	0.4	6/8/19 11:00	0.2	6/7/20 17:00	0.1
6/8/18 11:00	0.4	6/8/19 12:00	0.2	6/7/20 18:00	0.1
6/8/18 12:00	0.4	6/8/19 13:00	0.3	6/7/20 19:00	0.1
6/8/18 13:00	0.6	6/8/19 14:00	0.3	6/7/20 20:00	0.1
6/8/18 14:00	0.5	6/8/19 15:00	0.3	6/7/20 21:00	0.1
6/8/18 15:00	0.4	6/8/19 16:00	0.3	6/7/20 22:00	0.1
6/8/18 16:00	0.4	6/8/19 17:00	0.3	6/7/20 23:00	0.1
6/8/18 17:00	0.5	6/8/19 18:00	0.3	6/8/20 0:00	0.1
6/8/18 18:00	0.5	6/8/19 19:00	0.3	6/8/20 1:00	0.1
6/8/18 19:00	0.5	6/8/19 20:00	0.3	6/8/20 2:00	0.1
6/8/18 20:00	0.5	6/8/19 21:00	1.9	6/8/20 3:00	0.1
6/8/18 21:00	0.4	6/8/19 22:00	0.3	6/8/20 4:00	0.1
6/8/18 22:00	0.3	6/8/19 23:00	0.5	6/8/20 5:00	0.1
6/8/18 23:00	0.3	6/9/19 0:00	0.4	6/8/20 6:00	0.1
6/9/18 0:00	0.3	6/9/19 1:00	0.3	6/8/20 7:00	0.1
6/9/18 1:00	0.3	6/9/19 2:00	0.3	6/8/20 8:00	0.1
6/9/18 2:00	0.3	6/9/19 3:00	0.2	6/8/20 9:00	0.2
6/9/18 3:00	0.3	6/9/19 4:00	0.4	6/8/20 10:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
6/9/18 4:00	0.3	6/9/19 5:00	0.3	6/8/20 11:00	0.2
6/9/18 5:00	0.3	6/9/19 6:00	0.3	6/8/20 12:00	0.2
6/9/18 6:00	0.3	6/9/19 7:00	0.4	6/8/20 13:00	0.2
6/9/18 7:00	0.3	6/9/19 8:00	0.3	6/8/20 14:00	0.2
6/9/18 8:00	0.3	6/9/19 9:00	0.3	6/8/20 15:00	0.1
6/9/18 9:00	0.3	6/9/19 10:00	0.3	6/8/20 16:00	0.2
6/9/18 10:00	0.3	6/9/19 11:00	0.3	6/8/20 17:00	0.3
6/9/18 11:00	0.3	6/9/19 12:00	0.3	6/8/20 18:00	0.2
6/9/18 12:00	0.3	6/9/19 13:00	0.3	6/8/20 19:00	0.2
6/9/18 13:00	0.3	6/9/19 14:00	0.3	6/8/20 20:00	0.2
6/9/18 14:00	0.3	6/9/19 15:00	0.3	6/8/20 21:00	0.2
6/9/18 15:00	0.3	6/9/19 16:00	0.4	6/8/20 22:00	0.2
6/9/18 16:00	0.5	6/9/19 17:00	0.3	6/8/20 23:00	0.2
6/9/18 17:00	0.5	6/9/19 18:00	0.3	6/9/20 0:00	0.2
6/9/18 18:00	0.5	6/9/19 19:00	0.3	6/9/20 1:00	0.1
6/9/18 19:00	1.8	6/9/19 20:00	0.3	6/9/20 2:00	0.1
6/9/18 20:00	0.4	6/9/19 21:00	0.3	6/9/20 3:00	0.1
6/9/18 21:00	0.4	6/9/19 22:00	0.3	6/9/20 4:00	0.2
6/9/18 22:00	0.4	6/9/19 23:00	0.2	6/9/20 5:00	0.2
6/9/18 23:00	0.4	6/10/19 0:00	0.2	6/9/20 6:00	0.2
6/10/18 0:00	0.4	6/10/19 1:00	1.4	6/9/20 7:00	0.2
6/10/18 1:00	0.5	6/10/19 2:00	0.2	6/9/20 8:00	0.2
6/10/18 2:00	0.5	6/10/19 3:00	0.3	6/9/20 9:00	0.2
6/10/18 3:00	0.5	6/10/19 4:00	0.2	6/9/20 10:00	0.1
6/10/18 4:00	0.4	6/10/19 5:00	0.2	6/9/20 11:00	0.1
6/10/18 5:00	0.4	6/10/19 6:00	0.2	6/9/20 12:00	0.1
6/10/18 6:00	0.4	6/10/19 7:00	0.2	6/9/20 13:00	0.2
6/10/18 7:00	0.4	6/10/19 8:00	0.2	6/9/20 14:00	0.1
6/10/18 8:00	0.4	6/10/19 9:00	0.3	6/9/20 15:00	0.1
6/10/18 9:00	0.4	6/10/19 10:00	0.3	6/9/20 16:00	0.1
6/10/18 10:00	0.4	6/10/19 11:00	0.3	6/9/20 17:00	0.2
6/10/18 11:00	0.5	6/10/19 12:00	0.2	6/9/20 18:00	0.2
6/10/18 12:00	0.4	6/10/19 13:00	0.3	6/9/20 19:00	0.2
6/10/18 13:00	0.4	6/10/19 14:00	0.3	6/9/20 20:00	0.2
6/10/18 14:00	0.4	6/10/19 15:00	0.2	6/9/20 21:00	0.2
6/10/18 15:00	0.4	6/10/19 16:00	0.2	6/9/20 22:00	0.2
6/10/18 16:00	0.4	6/10/19 17:00	0.2	6/9/20 23:00	0.2
6/10/18 17:00	0.4	6/10/19 18:00	0.2	6/10/20 0:00	0.2
6/10/18 18:00	0.4	6/10/19 19:00	0.2	6/10/20 1:00	0.2
6/10/18 19:00	0.5	6/10/19 20:00	0.2	6/10/20 2:00	0.2
6/10/18 20:00	0.4	6/10/19 21:00	0.2	6/10/20 3:00	0.1
6/10/18 21:00	0.4	6/10/19 22:00	0.2	6/10/20 4:00	0.2
6/10/18 22:00	0.4	6/10/19 23:00	0.2	6/10/20 5:00	0.2
6/10/18 23:00	0.4	6/11/19 0:00	0.2	6/10/20 6:00	0.2
6/11/18 0:00	0.4	6/11/19 1:00	0.2	6/10/20 7:00	0.2
6/11/18 1:00	0.4	6/11/19 2:00	0.2	6/10/20 8:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
6/11/18 2:00	0.3	6/11/19 3:00	0.2	6/10/20 9:00	0.1
6/11/18 3:00	0.2	6/11/19 4:00	0.2	6/10/20 10:00	0.1
6/11/18 4:00	0.3	6/11/19 5:00	0.2	6/10/20 11:00	0.2
6/11/18 5:00	0.3	6/11/19 6:00	0.2	6/10/20 12:00	0.2
6/11/18 6:00	0.3	6/11/19 7:00	0.2	6/10/20 13:00	0.2
6/11/18 7:00	0.4	6/11/19 8:00	0.3	6/10/20 14:00	0.1
6/11/18 8:00	0.4	6/11/19 9:00	0.3	6/10/20 15:00	0.1
6/11/18 9:00	0.4	6/11/19 10:00	0.2	6/10/20 16:00	0.1
6/11/18 10:00	0.4	6/11/19 11:00	0.2	6/10/20 17:00	0.1
6/11/18 11:00	0.4	6/11/19 12:00	0.2	6/10/20 18:00	0.1
6/11/18 12:00	0.4	6/11/19 13:00	0.2	6/10/20 19:00	0.1
6/11/18 13:00	0.4	6/11/19 14:00	0.3	6/10/20 20:00	0.1
6/11/18 14:00	0.4	6/11/19 15:00	0.3	6/10/20 21:00	0.1
6/11/18 15:00	0.4	6/11/19 16:00	0.3	6/10/20 22:00	0.1
6/11/18 16:00	0.6	6/11/19 17:00	0.3	6/10/20 23:00	0.2
6/11/18 17:00	0.7	6/11/19 18:00	0.2	6/11/20 0:00	0.2
6/11/18 18:00	0.5	6/11/19 19:00	0.2	6/11/20 1:00	0.2
6/11/18 19:00	0.4	6/11/19 20:00	0.2	6/11/20 2:00	0.1
6/11/18 20:00	0.4	6/11/19 21:00	0.2	6/11/20 3:00	0.2
6/11/18 21:00	0.5	6/11/19 22:00	0.2	6/11/20 4:00	0.2
6/11/18 22:00	0.5	6/11/19 23:00	0.2	6/11/20 5:00	0.3
6/11/18 23:00	0.4	6/12/19 0:00	0.2	6/11/20 6:00	0.5
6/12/18 0:00	0.5	6/12/19 1:00	0.2	6/11/20 7:00	0.2
6/12/18 1:00	0.5	6/12/19 2:00	0.2	6/11/20 8:00	0.2
6/12/18 2:00	0.4	6/12/19 3:00	0.2	6/11/20 9:00	0.3
6/12/18 3:00	0.4	6/12/19 4:00	0.3	6/11/20 10:00	0.4
6/12/18 4:00	0.4	6/12/19 5:00	0.3	6/11/20 11:00	0.2
6/12/18 5:00	0.4	6/12/19 6:00	0.3	6/11/20 12:00	0.2
6/12/18 6:00	0.4	6/12/19 7:00	0.3	6/11/20 13:00	0.4
6/12/18 7:00	0.3	6/12/19 8:00	0.3	6/11/20 14:00	0.4
6/12/18 8:00	0.4	6/12/19 9:00	0.3	6/11/20 15:00	0.5
6/12/18 9:00	0.4	6/12/19 10:00	0.3	6/11/20 16:00	0.3
6/12/18 10:00	0.4	6/12/19 11:00	0.3	6/11/20 17:00	0.3
6/12/18 11:00	0.4	6/12/19 12:00	0.3	6/11/20 18:00	0.2
6/12/18 12:00	0.4	6/12/19 13:00	0.3	6/11/20 19:00	0.2
6/12/18 13:00	0.4	6/12/19 14:00	0.4	6/11/20 20:00	0.5
6/12/18 14:00	0.4	6/12/19 15:00	0.3	6/11/20 21:00	0.2
6/12/18 15:00	0.3	6/12/19 16:00	0.2	6/11/20 22:00	0.2
6/12/18 16:00	0.3	6/12/19 17:00	0.2	6/11/20 23:00	0.2
6/12/18 17:00	0.4	6/12/19 18:00	0.2	6/12/20 0:00	0.2
6/12/18 18:00	0.4	6/12/19 19:00	0.2	6/12/20 1:00	0.2
6/12/18 19:00	0.4	6/12/19 20:00	0.2	6/12/20 2:00	0.2
6/12/18 20:00	0.4	6/12/19 21:00	0.3	6/12/20 3:00	0.2
6/12/18 21:00	0.4	6/12/19 22:00	0.3	6/12/20 4:00	0.3
6/12/18 22:00	0.3	6/12/19 23:00	0.3	6/12/20 5:00	0.4
6/12/18 23:00	0.3	6/13/19 0:00	0.2	6/12/20 6:00	0.5

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
6/13/18 0:00	0.3	6/13/19 1:00	0.3	6/12/20 7:00	0.5
6/13/18 1:00	0.3	6/13/19 2:00	0.3	6/12/20 8:00	0.5
6/13/18 2:00	0.3	6/13/19 3:00	0.3	6/12/20 9:00	0.5
6/13/18 3:00	0.4	6/13/19 4:00	0.3	6/12/20 10:00	0.4
6/13/18 4:00	0.4	6/13/19 5:00	0.2	6/12/20 11:00	0.4
6/13/18 5:00	0.4	6/13/19 6:00	0.2	6/12/20 12:00	0.4
6/13/18 6:00	0.4	6/13/19 7:00	0.3	6/12/20 13:00	0.4
6/13/18 7:00	0.4	6/13/19 8:00	0.3	6/12/20 14:00	0.4
6/13/18 8:00	0.4	6/13/19 9:00	0.2	6/12/20 15:00	0.5
6/13/18 9:00	0.4	6/13/19 10:00	0.3	6/12/20 16:00	0.3
6/13/18 10:00	0.4	6/13/19 11:00	0.5	6/12/20 17:00	0.3
6/13/18 11:00	0.4	6/13/19 12:00	0.2	6/12/20 18:00	0.3
6/13/18 12:00	0.4	6/13/19 13:00	0.3	6/12/20 19:00	0.5
6/13/18 13:00	0.4	6/13/19 14:00	0.3	6/12/20 20:00	0.3
6/13/18 14:00	0.4	6/13/19 15:00	0.2	6/12/20 21:00	0.3
6/13/18 15:00	0.4	6/13/19 16:00	0.3	6/12/20 22:00	0.3
6/13/18 16:00	0.5	6/13/19 17:00	0.2	6/12/20 23:00	0.4
6/13/18 17:00	0.4	6/13/19 18:00	0.2	6/13/20 0:00	0.6
6/13/18 18:00	0.4	6/13/19 19:00	0.2	6/13/20 1:00	0.5
6/13/18 19:00	0.4	6/13/19 20:00	0.2	6/13/20 2:00	0.5
6/13/18 20:00	0.4	6/13/19 21:00	0.3	6/13/20 3:00	0.6
6/13/18 21:00	0.4	6/13/19 22:00	0.3	6/13/20 4:00	0.5
6/13/18 22:00	0.3	6/13/19 23:00	0.3	6/13/20 5:00	0.5
6/13/18 23:00	0.4	6/14/19 0:00	0.3	6/13/20 6:00	0.6
6/14/18 0:00	0.4	6/14/19 1:00	0.4	6/13/20 7:00	0.3
6/14/18 1:00	0.4	6/14/19 2:00	1.8	6/13/20 8:00	0.4
6/14/18 2:00	0.3	6/14/19 3:00	0.3	6/13/20 9:00	0.5
6/14/18 3:00	0.4	6/14/19 4:00	3.5	6/13/20 10:00	0.4
6/14/18 4:00	0.3	6/14/19 5:00	0.3	6/13/20 11:00	0.6
6/14/18 5:00	0.3	6/14/19 6:00	0.3	6/13/20 12:00	0.3
6/14/18 6:00	0.3	6/14/19 7:00	0.3	6/13/20 13:00	0.4
6/14/18 7:00	0.4	6/14/19 8:00	0.3	6/13/20 14:00	0.3
6/14/18 8:00	0.4	6/14/19 9:00	0.3	6/13/20 15:00	0.2
6/14/18 9:00	0.4	6/14/19 10:00	0.3	6/13/20 16:00	0.3
6/14/18 10:00	0.4	6/14/19 11:00	0.3	6/13/20 17:00	0.3
6/14/18 11:00	0.4	6/14/19 12:00	0.3	6/13/20 18:00	0.2
6/14/18 12:00	0.5	6/14/19 13:00	0.3	6/13/20 19:00	0.2
6/14/18 13:00	0.5	6/14/19 14:00	0.3	6/13/20 20:00	0.2
6/14/18 14:00	0.5	6/14/19 15:00	0.3	6/13/20 21:00	0.2
6/14/18 15:00	0.5	6/14/19 16:00	0.2	6/13/20 22:00	0.2
6/14/18 16:00	0.5	6/14/19 17:00	0.2	6/13/20 23:00	0.2
6/14/18 17:00	0.5	6/14/19 18:00	0.2	6/14/20 0:00	0.2
6/14/18 18:00	0.3	6/14/19 19:00	0.2	6/14/20 1:00	0.2
6/14/18 19:00	0.3	6/14/19 20:00	0.2	6/14/20 2:00	0.2
6/14/18 20:00	0.4	6/14/19 21:00	0.2	6/14/20 3:00	0.2
6/14/18 21:00	0.4	6/14/19 22:00	0.2	6/14/20 4:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
6/14/18 22:00	0.3	6/14/19 23:00	0.2	6/14/20 5:00	0.2
6/14/18 23:00	0.3	6/15/19 0:00	0.2	6/14/20 6:00	0.2
6/15/18 0:00	0.3	6/15/19 1:00	0.3	6/14/20 7:00	0.2
6/15/18 1:00	0.3	6/15/19 2:00	0.3	6/14/20 8:00	0.2
6/15/18 2:00	0.3	6/15/19 3:00	0.2	6/14/20 9:00	0.2
6/15/18 3:00	0.3	6/15/19 4:00	0.2	6/14/20 10:00	0.2
6/15/18 4:00	0.3	6/15/19 5:00	0.4	6/14/20 11:00	0.2
6/15/18 5:00	0.3	6/15/19 6:00	0.3	6/14/20 12:00	0.2
6/15/18 6:00	0.3	6/15/19 7:00	0.3	6/14/20 13:00	0.2
6/15/18 7:00	0.4	6/15/19 8:00	4.1	6/14/20 14:00	0.2
6/15/18 8:00	0.3	6/15/19 9:00	0.3	6/14/20 15:00	0.2
6/15/18 9:00	0.3	6/15/19 10:00	0.3	6/14/20 16:00	0.2
6/15/18 10:00	0.4	6/15/19 11:00	0.2	6/14/20 17:00	0.2
6/15/18 11:00	0.3	6/15/19 12:00	0.3	6/14/20 18:00	0.2
6/15/18 12:00	0.3	6/15/19 13:00	0.3	6/14/20 19:00	0.3
6/15/18 13:00	0.3	6/15/19 14:00	0.2	6/14/20 20:00	0.3
6/15/18 14:00	0.3	6/15/19 15:00	0.2	6/14/20 21:00	0.3
6/15/18 15:00	0.3	6/15/19 16:00	0.2	6/14/20 22:00	0.3
6/15/18 16:00	0.3	6/15/19 17:00	0.2	6/14/20 23:00	0.3
6/15/18 17:00	0.3	6/15/19 18:00	0.2	6/15/20 0:00	0.2
6/15/18 18:00	0.3	6/15/19 19:00	0.2	6/15/20 1:00	0.2
6/15/18 19:00	0.3	6/15/19 20:00	0.2	6/15/20 2:00	0.2
6/15/18 20:00	0.4	6/15/19 21:00	0.2	6/15/20 3:00	0.2
6/15/18 21:00	0.3	6/15/19 22:00	0.2	6/15/20 4:00	0.2
6/15/18 22:00	0.4	6/15/19 23:00	0.2	6/15/20 5:00	0.2
6/15/18 23:00	0.4	6/16/19 0:00	0.2	6/15/20 6:00	0.2
6/16/18 0:00	0.4	6/16/19 1:00	0.2	6/15/20 7:00	0.3
6/16/18 1:00	0.4	6/16/19 2:00	0.2	6/15/20 8:00	0.3
6/16/18 2:00	0.4	6/16/19 3:00	0.2	6/15/20 9:00	0.3
6/16/18 3:00	0.4	6/16/19 4:00	0.2	6/15/20 10:00	0.3
6/16/18 4:00	0.4	6/16/19 5:00	0.2	6/15/20 11:00	0.3
6/16/18 5:00	0.4	6/16/19 6:00	0.2	6/15/20 12:00	0.4
6/16/18 6:00	0.4	6/16/19 7:00	0.2	6/15/20 13:00	0.5
6/16/18 7:00	0.4	6/16/19 8:00	0.2	6/15/20 14:00	0.5
6/16/18 8:00	0.4	6/16/19 9:00	0.2	6/15/20 15:00	0.5
6/16/18 9:00	0.4	6/16/19 10:00	0.2	6/15/20 16:00	0.5
6/16/18 10:00	0.4	6/16/19 11:00	0.2	6/15/20 17:00	0.5
6/16/18 11:00	0.4	6/16/19 12:00	0.2	6/15/20 18:00	0.4
6/16/18 12:00	0.4	6/16/19 13:00	0.2	6/15/20 19:00	0.4
6/16/18 13:00	0.3	6/16/19 14:00	0.2	6/15/20 20:00	0.4
6/16/18 14:00	0.4	6/16/19 15:00	0.2	6/15/20 21:00	0.4
6/16/18 15:00	0.3	6/16/19 16:00	0.2	6/15/20 22:00	0.4
6/16/18 16:00	0.3	6/16/19 17:00	0.2	6/15/20 23:00	0.4
6/16/18 17:00	0.3	6/16/19 18:00	0.2	6/16/20 0:00	0.4
6/16/18 18:00	0.3	6/16/19 19:00	0.2	6/16/20 1:00	0.4
6/16/18 19:00	0.4	6/16/19 20:00	0.2	6/16/20 2:00	0.4

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
6/16/18 20:00	0.4	6/16/19 21:00	0.2	6/16/20 3:00	0.3
6/16/18 21:00	0.4	6/16/19 22:00	0.2	6/16/20 4:00	0.3
6/16/18 22:00	0.5	6/16/19 23:00	0.2	6/16/20 5:00	0.3
6/16/18 23:00	0.4	6/17/19 0:00	0.3	6/16/20 6:00	0.3
6/17/18 0:00	0.4	6/17/19 1:00	0.2	6/16/20 7:00	0.3
6/17/18 1:00	0.4	6/17/19 2:00	0.2	6/16/20 8:00	0.3
6/17/18 2:00	0.4	6/17/19 3:00	0.2	6/16/20 9:00	0.3
6/17/18 3:00	0.4	6/17/19 4:00	0.3	6/16/20 10:00	0.1
6/17/18 4:00	0.3	6/17/19 5:00	0.3	6/16/20 11:00	0.2
6/17/18 5:00	0.4	6/17/19 6:00	0.3	6/16/20 12:00	0.3
6/17/18 6:00	0.4	6/17/19 7:00	0.3	6/16/20 13:00	0.2
6/17/18 7:00	0.4	6/17/19 8:00	0.3	6/16/20 14:00	0.2
6/17/18 8:00	0.4	6/17/19 9:00	0.3	6/16/20 15:00	0.1
6/17/18 9:00	0.4	6/17/19 10:00	0.4	6/16/20 16:00	0.2
6/17/18 10:00	0.5	6/17/19 11:00	0.3	6/16/20 17:00	0.2
6/17/18 11:00	0.4	6/17/19 12:00	0.3	6/16/20 18:00	0.2
6/17/18 12:00	0.4	6/17/19 13:00	0.3	6/16/20 19:00	0.2
6/17/18 13:00	0.4	6/17/19 14:00	0.3	6/16/20 20:00	0.2
6/17/18 14:00	0.4	6/17/19 15:00	0.3	6/16/20 21:00	0.1
6/17/18 15:00	0.4	6/17/19 16:00	0.2	6/16/20 22:00	0.1
6/17/18 16:00	0.4	6/17/19 17:00	0.2	6/16/20 23:00	0.2
6/17/18 17:00	0.4	6/17/19 18:00	0.2	6/17/20 0:00	0.3
6/17/18 18:00	0.4	6/17/19 19:00	0.3	6/17/20 1:00	0.2
6/17/18 19:00	0.4	6/17/19 20:00	0.3	6/17/20 2:00	0.2
6/17/18 20:00	0.4	6/17/19 21:00	0.3	6/17/20 3:00	0.1
6/17/18 21:00	0.5	6/17/19 22:00	0.2	6/17/20 4:00	0.1
6/17/18 22:00	0.4	6/17/19 23:00	0.3	6/17/20 5:00	0.1
6/17/18 23:00	0.5	6/18/19 0:00	0.3	6/17/20 6:00	0.3
6/18/18 0:00	0.4	6/18/19 1:00	0.2	6/17/20 7:00	0.2
6/18/18 1:00	0.4	6/18/19 2:00	0.2	6/17/20 8:00	0.2
6/18/18 2:00	0.4	6/18/19 3:00	0.2	6/17/20 9:00	0.2
6/18/18 3:00	0.4	6/18/19 4:00	0.2	6/17/20 10:00	0.2
6/18/18 4:00	0.4	6/18/19 5:00	0.2	6/17/20 11:00	0.2
6/18/18 5:00	0.4	6/18/19 6:00	0.2	6/17/20 12:00	0.2
6/18/18 6:00	0.4	6/18/19 7:00	0.2	6/17/20 13:00	0.2
6/18/18 7:00	0.4	6/18/19 8:00	0.2	6/17/20 14:00	0.2
6/18/18 8:00	0.3	6/18/19 9:00	0.2	6/17/20 15:00	0.2
6/18/18 9:00	0.4	6/18/19 10:00	0.0	6/17/20 16:00	0.2
6/18/18 10:00	0.4	6/18/19 11:00	0.0	6/17/20 17:00	0.2
6/18/18 11:00	0.4	6/18/19 12:00	0.0	6/17/20 18:00	0.1
6/18/18 12:00	0.4	6/18/19 13:00	0.0	6/17/20 19:00	0.1
6/18/18 13:00	0.4	6/18/19 14:00	0.0	6/17/20 20:00	0.1
6/18/18 14:00	0.4	6/18/19 15:00	0.7	6/17/20 21:00	0.1
6/18/18 15:00	0.4	6/18/19 16:00	1.1	6/17/20 22:00	0.1
6/18/18 16:00	0.4	6/18/19 17:00	1.3	6/17/20 23:00	0.2
6/18/18 17:00	0.3	6/18/19 18:00	0.9	6/18/20 0:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
6/18/18 18:00	0.3	6/18/19 19:00	1.1	6/18/20 1:00	0.1
6/18/18 19:00	0.3	6/18/19 20:00	0.8	6/18/20 2:00	0.1
6/18/18 20:00	0.4	6/18/19 21:00	0.7	6/18/20 3:00	0.2
6/18/18 21:00	0.3	6/18/19 22:00	1.5	6/18/20 4:00	0.1
6/18/18 22:00	0.3	6/18/19 23:00	1.8	6/18/20 5:00	0.1
6/18/18 23:00	0.4	6/19/19 0:00	1.3	6/18/20 6:00	0.1
6/19/18 0:00	0.4	6/19/19 1:00	1.7	6/18/20 7:00	0.1
6/19/18 1:00	0.4	6/19/19 2:00	2.2	6/18/20 8:00	0.2
6/19/18 2:00	0.5	6/19/19 3:00	3.6	6/18/20 9:00	0.1
6/19/18 3:00	0.4	6/19/19 4:00	11.9	6/18/20 10:00	0.1
6/19/18 4:00	0.2	6/19/19 5:00	7.0	6/18/20 11:00	0.1
6/19/18 5:00	0.2	6/19/19 6:00	1.5	6/18/20 12:00	0.1
6/19/18 6:00	0.2	6/19/19 7:00	2.3	6/18/20 13:00	0.2
6/19/18 7:00	0.3	6/19/19 8:00	12.7	6/18/20 14:00	0.2
6/19/18 8:00	0.2	6/19/19 9:00	8.8	6/18/20 15:00	0.1
6/19/18 9:00	0.2	6/19/19 10:00	3.0	6/18/20 16:00	0.1
6/19/18 10:00	0.1	6/19/19 11:00	2.7	6/18/20 17:00	0.1
6/19/18 11:00	0.2	6/19/19 12:00	14.7	6/18/20 18:00	0.1
6/19/18 12:00	0.3	6/19/19 13:00	5.2	6/18/20 19:00	0.1
6/19/18 13:00	0.3	6/19/19 14:00	5.8	6/18/20 20:00	0.1
6/19/18 14:00	0.4	6/19/19 15:00	1.5	6/18/20 21:00	0.1
6/19/18 15:00	0.1	6/19/19 16:00	2.7	6/18/20 22:00	0.1
6/19/18 16:00	0.3	6/19/19 17:00	3.6	6/18/20 23:00	0.1
6/19/18 17:00	0.3	6/19/19 18:00	6.3	6/19/20 0:00	0.1
6/19/18 18:00	0.3	6/19/19 19:00	14.8	6/19/20 1:00	0.1
6/19/18 19:00	0.2	6/19/19 20:00	4.8	6/19/20 2:00	0.1
6/19/18 20:00	0.2	6/19/19 21:00	2.0	6/19/20 3:00	0.1
6/19/18 21:00	0.2	6/19/19 22:00	1.7	6/19/20 4:00	0.1
6/19/18 22:00	0.2	6/19/19 23:00	1.6	6/19/20 5:00	0.1
6/19/18 23:00	0.2	6/20/19 0:00	1.6	6/19/20 6:00	0.1
6/20/18 0:00	0.2	6/20/19 1:00	1.6	6/19/20 7:00	0.1
6/20/18 1:00	0.3	6/20/19 2:00	1.5	6/19/20 8:00	0.1
6/20/18 2:00	0.2	6/20/19 3:00	1.7	6/19/20 9:00	0.1
6/20/18 3:00	0.2	6/20/19 4:00	1.8	6/19/20 10:00	0.1
6/20/18 4:00	0.2	6/20/19 5:00	1.4	6/19/20 11:00	0.1
6/20/18 5:00	0.2	6/20/19 6:00	1.8	6/19/20 12:00	0.1
6/20/18 6:00	0.2	6/20/19 7:00	1.1	6/19/20 13:00	0.1
6/20/18 7:00	0.3	6/20/19 8:00	1.5	6/19/20 14:00	0.1
6/20/18 8:00	0.3	6/20/19 9:00	1.4	6/19/20 15:00	0.1
6/20/18 9:00	0.4	6/20/19 10:00	1.7	6/19/20 16:00	0.1
6/20/18 10:00	0.3	6/20/19 11:00	1.7	6/19/20 17:00	0.1
6/20/18 11:00	0.3	6/20/19 12:00	2.5	6/19/20 18:00	0.1
6/20/18 12:00	0.3	6/20/19 13:00	8.0	6/19/20 19:00	0.1
6/20/18 13:00	0.3	6/20/19 14:00	7.4	6/19/20 20:00	0.1
6/20/18 14:00	0.2	6/20/19 15:00	9.5	6/19/20 21:00	0.1
6/20/18 15:00	0.2	6/20/19 16:00	4.0	6/19/20 22:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
6/20/18 16:00	0.3	6/20/19 17:00	3.1	6/19/20 23:00	0.1
6/20/18 17:00	0.2	6/20/19 18:00	6.6	6/20/20 0:00	0.0
6/20/18 18:00	0.2	6/20/19 19:00	2.6	6/20/20 1:00	0.0
6/20/18 19:00	0.3	6/20/19 20:00	9.3	6/20/20 2:00	0.0
6/20/18 20:00	0.3	6/20/19 21:00	2.7	6/20/20 3:00	0.1
6/20/18 21:00	0.3	6/20/19 22:00	8.0	6/20/20 4:00	0.1
6/20/18 22:00	0.3	6/20/19 23:00	9.7	6/20/20 5:00	0.1
6/20/18 23:00	0.3	6/21/19 0:00	4.3	6/20/20 6:00	0.1
6/21/18 0:00	0.3	6/21/19 1:00	4.9	6/20/20 7:00	0.1
6/21/18 1:00	0.3	6/21/19 2:00	2.9	6/20/20 8:00	0.1
6/21/18 2:00	0.2	6/21/19 3:00	14.1	6/20/20 9:00	0.1
6/21/18 3:00	0.2	6/21/19 4:00	3.5	6/20/20 10:00	0.1
6/21/18 4:00	0.2	6/21/19 5:00	2.9	6/20/20 11:00	0.1
6/21/18 5:00	0.3	6/21/19 6:00	9.7	6/20/20 12:00	0.1
6/21/18 6:00	0.3	6/21/19 7:00	5.9	6/20/20 13:00	0.1
6/21/18 7:00	0.3	6/21/19 8:00	3.5	6/20/20 14:00	0.1
6/21/18 8:00	0.3	6/21/19 9:00	2.9	6/20/20 15:00	0.1
6/21/18 9:00	0.3	6/21/19 10:00	15.7	6/20/20 16:00	0.1
6/21/18 10:00	0.3	6/21/19 11:00	2.8	6/20/20 17:00	0.1
6/21/18 11:00	0.3	6/21/19 12:00	3.1	6/20/20 18:00	0.1
6/21/18 12:00	0.5	6/21/19 13:00	2.7	6/20/20 19:00	0.1
6/21/18 13:00	0.4	6/21/19 14:00	3.5	6/20/20 20:00	0.1
6/21/18 14:00	0.4	6/21/19 15:00	3.7	6/20/20 21:00	0.1
6/21/18 15:00	0.3	6/21/19 16:00	3.6	6/20/20 22:00	0.1
6/21/18 16:00	0.2	6/21/19 17:00	3.5	6/20/20 23:00	0.1
6/21/18 17:00	0.2	6/21/19 18:00	3.3	6/21/20 0:00	0.1
6/21/18 18:00	0.3	6/21/19 19:00	3.5	6/21/20 1:00	0.1
6/21/18 19:00	0.3	6/21/19 20:00	3.1	6/21/20 2:00	0.1
6/21/18 20:00	0.3	6/21/19 21:00	2.9	6/21/20 3:00	0.1
6/21/18 21:00	0.3	6/21/19 22:00	4.5	6/21/20 4:00	0.1
6/21/18 22:00	0.3	6/21/19 23:00	4.2	6/21/20 5:00	0.1
6/21/18 23:00	0.3	6/22/19 0:00	3.8	6/21/20 6:00	0.1
6/22/18 0:00	0.3	6/22/19 1:00	7.9	6/21/20 7:00	0.1
6/22/18 1:00	0.3	6/22/19 2:00	3.4	6/21/20 8:00	0.1
6/22/18 2:00	0.2	6/22/19 3:00	2.4	6/21/20 9:00	0.1
6/22/18 3:00	0.2	6/22/19 4:00	5.3	6/21/20 10:00	0.1
6/22/18 4:00	0.2	6/22/19 5:00	4.6	6/21/20 11:00	0.1
6/22/18 5:00	0.2	6/22/19 6:00	1.2	6/21/20 12:00	0.1
6/22/18 6:00	0.2	6/22/19 7:00	1.5	6/21/20 13:00	0.1
6/22/18 7:00	0.2	6/22/19 8:00	1.6	6/21/20 14:00	0.1
6/22/18 8:00	0.2	6/22/19 9:00	2.3	6/21/20 15:00	0.1
6/22/18 9:00	0.2	6/22/19 10:00	3.0	6/21/20 16:00	0.0
6/22/18 10:00	0.1	6/22/19 11:00	3.3	6/21/20 17:00	0.0
6/22/18 11:00	0.1	6/22/19 12:00	3.3	6/21/20 18:00	0.1
6/22/18 12:00	0.2	6/22/19 13:00	3.8	6/21/20 19:00	0.2
6/22/18 13:00	0.2	6/22/19 14:00	4.1	6/21/20 20:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
6/22/18 14:00	0.2	6/22/19 15:00	3.6	6/21/20 21:00	0.1
6/22/18 15:00	0.2	6/22/19 16:00	4.2	6/21/20 22:00	0.1
6/22/18 16:00	0.2	6/22/19 17:00	4.0	6/21/20 23:00	0.1
6/22/18 17:00	0.3	6/22/19 18:00	10.4	6/22/20 0:00	0.1
6/22/18 18:00	0.2	6/22/19 19:00	2.5	6/22/20 1:00	0.1
6/22/18 19:00	0.3	6/22/19 20:00	2.4	6/22/20 2:00	0.1
6/22/18 20:00	0.2	6/22/19 21:00	2.1	6/22/20 3:00	0.1
6/22/18 21:00	0.3	6/22/19 22:00	1.6	6/22/20 4:00	0.1
6/22/18 22:00	0.2	6/22/19 23:00	2.0	6/22/20 5:00	0.1
6/22/18 23:00	0.3	6/23/19 0:00	1.2	6/22/20 6:00	0.2
6/23/18 0:00	0.3	6/23/19 1:00	1.3	6/22/20 7:00	0.2
6/23/18 1:00	0.3	6/23/19 2:00	1.7	6/22/20 8:00	0.1
6/23/18 2:00	0.3	6/23/19 3:00	1.5	6/22/20 9:00	0.1
6/23/18 3:00	0.3	6/23/19 4:00	1.5	6/22/20 10:00	0.1
6/23/18 4:00	0.3	6/23/19 5:00	1.1	6/22/20 11:00	0.1
6/23/18 5:00	0.3	6/23/19 6:00	1.2	6/22/20 12:00	0.1
6/23/18 6:00	0.3	6/23/19 7:00	1.5	6/22/20 13:00	0.1
6/23/18 7:00	0.3	6/23/19 8:00	1.5	6/22/20 14:00	0.1
6/23/18 8:00	0.3	6/23/19 9:00	1.3	6/22/20 15:00	0.1
6/23/18 9:00	0.3	6/23/19 10:00	1.2	6/22/20 16:00	0.1
6/23/18 10:00	0.3	6/23/19 11:00	1.1	6/22/20 17:00	0.1
6/23/18 11:00	0.3	6/23/19 12:00	1.2	6/22/20 18:00	0.1
6/23/18 12:00	0.3	6/23/19 13:00	1.6	6/22/20 19:00	0.1
6/23/18 13:00	0.3	6/23/19 14:00	1.4	6/22/20 20:00	0.1
6/23/18 14:00	0.3	6/23/19 15:00	1.7	6/22/20 21:00	0.1
6/23/18 15:00	0.3	6/23/19 16:00	1.2	6/22/20 22:00	0.1
6/23/18 16:00	0.3	6/23/19 17:00	1.2	6/22/20 23:00	0.1
6/23/18 17:00	0.3	6/23/19 18:00	1.4	6/23/20 0:00	0.1
6/23/18 18:00	0.3	6/23/19 19:00	2.1	6/23/20 1:00	0.1
6/23/18 19:00	0.3	6/23/19 20:00	1.9	6/23/20 2:00	0.1
6/23/18 20:00	0.3	6/23/19 21:00	1.7	6/23/20 3:00	0.1
6/23/18 21:00	0.2	6/23/19 22:00	1.5	6/23/20 4:00	0.1
6/23/18 22:00	0.2	6/23/19 23:00	1.5	6/23/20 5:00	0.1
6/23/18 23:00	0.2	6/24/19 0:00	1.6	6/23/20 6:00	0.1
6/24/18 0:00	0.3	6/24/19 1:00	1.6	6/23/20 7:00	0.1
6/24/18 1:00	0.3	6/24/19 2:00	1.6	6/23/20 8:00	0.1
6/24/18 2:00	0.3	6/24/19 3:00	1.3	6/23/20 9:00	0.1
6/24/18 3:00	0.3	6/24/19 4:00	1.7	6/23/20 10:00	0.1
6/24/18 4:00	0.4	6/24/19 5:00	1.6	6/23/20 11:00	0.1
6/24/18 5:00	0.3	6/24/19 6:00	1.4	6/23/20 12:00	0.1
6/24/18 6:00	0.3	6/24/19 7:00	1.6	6/23/20 13:00	0.1
6/24/18 7:00	0.4	6/24/19 8:00	1.4	6/23/20 14:00	0.2
6/24/18 8:00	0.4	6/24/19 9:00	1.4	6/23/20 15:00	0.3
6/24/18 9:00	0.3	6/24/19 10:00	1.2	6/23/20 16:00	0.3
6/24/18 10:00	0.2	6/24/19 11:00	1.3	6/23/20 17:00	0.2
6/24/18 11:00	0.2	6/24/19 12:00	1.2	6/23/20 18:00	0.3

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
6/24/18 12:00	0.3	6/24/19 13:00	1.3	6/23/20 19:00	0.3
6/24/18 13:00	0.2	6/24/19 14:00	1.2	6/23/20 20:00	0.1
6/24/18 14:00	0.2	6/24/19 15:00	1.2	6/23/20 21:00	0.3
6/24/18 15:00	0.3	6/24/19 16:00	1.3	6/23/20 22:00	0.3
6/24/18 16:00	0.3	6/24/19 17:00	1.3	6/23/20 23:00	0.3
6/24/18 17:00	0.3	6/24/19 18:00	1.5	6/24/20 0:00	0.3
6/24/18 18:00	0.3	6/24/19 19:00	1.5	6/24/20 1:00	0.1
6/24/18 19:00	0.3	6/24/19 20:00	1.2	6/24/20 2:00	0.0
6/24/18 20:00	0.4	6/24/19 21:00	1.3	6/24/20 3:00	0.2
6/24/18 21:00	0.3	6/24/19 22:00	1.2	6/24/20 4:00	0.3
6/24/18 22:00	0.3	6/24/19 23:00	1.2	6/24/20 5:00	0.3
6/24/18 23:00	0.3	6/25/19 0:00	1.2	6/24/20 6:00	0.3
6/25/18 0:00	0.3	6/25/19 1:00	1.3	6/24/20 7:00	0.3
6/25/18 1:00	0.3	6/25/19 2:00	1.3	6/24/20 8:00	0.2
6/25/18 2:00	0.3	6/25/19 3:00	1.2	6/24/20 9:00	0.1
6/25/18 3:00	0.3	6/25/19 4:00	1.4	6/24/20 10:00	0.1
6/25/18 4:00	0.3	6/25/19 5:00	1.3	6/24/20 11:00	0.2
6/25/18 5:00	0.2	6/25/19 6:00	1.6	6/24/20 12:00	0.1
6/25/18 6:00	0.2	6/25/19 7:00	1.3	6/24/20 13:00	0.0
6/25/18 7:00	0.3	6/25/19 8:00	1.4	6/24/20 14:00	0.0
6/25/18 8:00	0.2	6/25/19 9:00	1.3	6/24/20 15:00	0.0
6/25/18 9:00	0.2	6/25/19 10:00	0.8	6/24/20 16:00	0.0
6/25/18 10:00	0.2	6/25/19 11:00	0.3	6/24/20 17:00	0.0
6/25/18 11:00	0.2	6/25/19 12:00	0.3	6/24/20 18:00	0.0
6/25/18 12:00	0.2	6/25/19 13:00	0.3	6/24/20 19:00	0.0
6/25/18 13:00	0.2	6/25/19 14:00	0.3	6/24/20 20:00	0.0
6/25/18 14:00	0.3	6/25/19 15:00	0.3	6/24/20 21:00	0.0
6/25/18 15:00	0.3	6/25/19 16:00	0.3	6/24/20 22:00	0.1
6/25/18 16:00	0.3	6/25/19 17:00	0.3	6/24/20 23:00	0.1
6/25/18 17:00	0.4	6/25/19 18:00	0.3	6/25/20 0:00	0.1
6/25/18 18:00	0.5	6/25/19 19:00	0.3	6/25/20 1:00	0.1
6/25/18 19:00	0.4	6/25/19 20:00	0.3	6/25/20 2:00	0.1
6/25/18 20:00	0.4	6/25/19 21:00	0.3	6/25/20 3:00	0.1
6/25/18 21:00	0.4	6/25/19 22:00	0.3	6/25/20 4:00	0.1
6/25/18 22:00	0.4	6/25/19 23:00	0.3	6/25/20 5:00	0.1
6/25/18 23:00	0.4	6/26/19 0:00	0.3	6/25/20 6:00	0.1
6/26/18 0:00	0.4	6/26/19 1:00	0.3	6/25/20 7:00	0.1
6/26/18 1:00	0.4	6/26/19 2:00	0.3	6/25/20 8:00	0.1
6/26/18 2:00	0.4	6/26/19 3:00	0.3	6/25/20 9:00	0.1
6/26/18 3:00	0.4	6/26/19 4:00	0.3	6/25/20 10:00	0.1
6/26/18 4:00	0.3	6/26/19 5:00	0.3	6/25/20 11:00	0.1
6/26/18 5:00	0.3	6/26/19 6:00	0.3	6/25/20 12:00	0.3
6/26/18 6:00	0.2	6/26/19 7:00	0.3	6/25/20 13:00	0.3
6/26/18 7:00	0.2	6/26/19 8:00	0.2	6/25/20 14:00	0.2
6/26/18 8:00	0.2	6/26/19 9:00	0.3	6/25/20 15:00	0.1
6/26/18 9:00	0.2	6/26/19 10:00	0.4	6/25/20 16:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
6/26/18 10:00	0.3	6/26/19 11:00	0.4	6/25/20 17:00	0.1
6/26/18 11:00	0.2	6/26/19 12:00	0.4	6/25/20 18:00	0.0
6/26/18 12:00	0.2	6/26/19 13:00	0.4	6/25/20 19:00	0.1
6/26/18 13:00	0.2	6/26/19 14:00	0.4	6/25/20 20:00	0.1
6/26/18 14:00	0.2	6/26/19 15:00	0.3	6/25/20 21:00	0.1
6/26/18 15:00	0.3	6/26/19 16:00	0.3	6/25/20 22:00	0.2
6/26/18 16:00	0.3	6/26/19 17:00	0.3	6/25/20 23:00	0.1
6/26/18 17:00	0.2	6/26/19 18:00	0.3	6/26/20 0:00	0.1
6/26/18 18:00	0.2	6/26/19 19:00	0.5	6/26/20 1:00	0.2
6/26/18 19:00	0.2	6/26/19 20:00	0.7	6/26/20 2:00	0.1
6/26/18 20:00	0.2	6/26/19 21:00	1.0	6/26/20 3:00	0.1
6/26/18 21:00	0.2	6/26/19 22:00	1.2	6/26/20 4:00	0.0
6/26/18 22:00	0.2	6/26/19 23:00	1.1	6/26/20 5:00	0.1
6/26/18 23:00	0.2	6/27/19 0:00	1.1	6/26/20 6:00	0.1
6/27/18 0:00	0.2	6/27/19 1:00	0.9	6/26/20 7:00	0.1
6/27/18 1:00	0.2	6/27/19 2:00	0.9	6/26/20 8:00	0.2
6/27/18 2:00	0.2	6/27/19 3:00	1.0	6/26/20 9:00	0.2
6/27/18 3:00	0.2	6/27/19 4:00	0.6	6/26/20 10:00	0.2
6/27/18 4:00	0.2	6/27/19 5:00	0.8	6/26/20 11:00	0.2
6/27/18 5:00	0.2	6/27/19 6:00	0.4	6/26/20 12:00	0.3
6/27/18 6:00	0.2	6/27/19 7:00	0.3	6/26/20 13:00	0.3
6/27/18 7:00	0.2	6/27/19 8:00	0.4	6/26/20 14:00	0.2
6/27/18 8:00	0.1	6/27/19 9:00	0.5	6/26/20 15:00	0.2
6/27/18 9:00	0.2	6/27/19 10:00	0.5	6/26/20 16:00	0.2
6/27/18 10:00	0.1	6/27/19 11:00	0.5	6/26/20 17:00	0.2
6/27/18 11:00	0.1	6/27/19 12:00	0.6	6/26/20 18:00	0.3
6/27/18 12:00	0.2	6/27/19 13:00	0.5	6/26/20 19:00	0.2
6/27/18 13:00	0.3	6/27/19 14:00	1.8	6/26/20 20:00	0.2
6/27/18 14:00	0.4	6/27/19 15:00	0.4	6/26/20 21:00	0.3
6/27/18 15:00	0.4	6/27/19 16:00	0.5	6/26/20 22:00	0.2
6/27/18 16:00	0.3	6/27/19 17:00	2.5	6/26/20 23:00	0.2
6/27/18 17:00	0.3	6/27/19 18:00	0.7	6/27/20 0:00	0.2
6/27/18 18:00	0.2	6/27/19 19:00	0.7	6/27/20 1:00	0.2
6/27/18 19:00	0.2	6/27/19 20:00	0.3	6/27/20 2:00	0.2
6/27/18 20:00	0.2	6/27/19 21:00	0.3	6/27/20 3:00	0.2
6/27/18 21:00	0.3	6/27/19 22:00	0.4	6/27/20 4:00	0.2
6/27/18 22:00	0.2	6/27/19 23:00	0.2	6/27/20 5:00	0.2
6/27/18 23:00	0.3	6/28/19 0:00	0.2	6/27/20 6:00	0.2
6/28/18 0:00	0.2	6/28/19 1:00	0.2	6/27/20 7:00	0.2
6/28/18 1:00	0.2	6/28/19 2:00	0.2	6/27/20 8:00	0.3
6/28/18 2:00	0.2	6/28/19 3:00	0.2	6/27/20 9:00	0.3
6/28/18 3:00	0.3	6/28/19 4:00	0.2	6/27/20 10:00	0.3
6/28/18 4:00	0.4	6/28/19 5:00	0.2	6/27/20 11:00	0.2
6/28/18 5:00	0.3	6/28/19 6:00	0.2	6/27/20 12:00	0.2
6/28/18 6:00	0.3	6/28/19 7:00	0.2	6/27/20 13:00	0.3
6/28/18 7:00	0.3	6/28/19 8:00	0.2	6/27/20 14:00	0.4

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
6/28/18 8:00	0.3	6/28/19 9:00	0.3	6/27/20 15:00	0.4
6/28/18 9:00	0.3	6/28/19 10:00	0.2	6/27/20 16:00	0.2
6/28/18 10:00	0.3	6/28/19 11:00	0.2	6/27/20 17:00	0.2
6/28/18 11:00	0.3	6/28/19 12:00	0.2	6/27/20 18:00	0.2
6/28/18 12:00	0.3	6/28/19 13:00	0.3	6/27/20 19:00	0.2
6/28/18 13:00	0.3	6/28/19 14:00	0.5	6/27/20 20:00	0.2
6/28/18 14:00	0.3	6/28/19 15:00	0.5	6/27/20 21:00	0.2
6/28/18 15:00	0.3	6/28/19 16:00	0.7	6/27/20 22:00	0.2
6/28/18 16:00	0.2	6/28/19 17:00	0.6	6/27/20 23:00	0.2
6/28/18 17:00	0.2	6/28/19 18:00	0.6	6/28/20 0:00	0.2
6/28/18 18:00	0.2	6/28/19 19:00	0.6	6/28/20 1:00	0.2
6/28/18 19:00	0.2	6/28/19 20:00	0.5	6/28/20 2:00	0.3
6/28/18 20:00	0.2	6/28/19 21:00	0.4	6/28/20 3:00	0.3
6/28/18 21:00	0.2	6/28/19 22:00	0.7	6/28/20 4:00	0.2
6/28/18 22:00	0.2	6/28/19 23:00	0.5	6/28/20 5:00	0.2
6/28/18 23:00	0.2	6/29/19 0:00	0.5	6/28/20 6:00	0.2
6/29/18 0:00	0.2	6/29/19 1:00	0.6	6/28/20 7:00	0.2
6/29/18 1:00	0.2	6/29/19 2:00	0.6	6/28/20 8:00	0.3
6/29/18 2:00	0.2	6/29/19 3:00	0.6	6/28/20 9:00	0.3
6/29/18 3:00	0.2	6/29/19 4:00	0.5	6/28/20 10:00	0.2
6/29/18 4:00	0.2	6/29/19 5:00	0.5	6/28/20 11:00	0.2
6/29/18 5:00	0.2	6/29/19 6:00	0.4	6/28/20 12:00	0.2
6/29/18 6:00	0.2	6/29/19 7:00	0.7	6/28/20 13:00	0.2
6/29/18 7:00	0.3	6/29/19 8:00	0.7	6/28/20 14:00	0.3
6/29/18 8:00	0.3	6/29/19 9:00	0.5	6/28/20 15:00	0.2
6/29/18 9:00	0.3	6/29/19 10:00	0.3	6/28/20 16:00	0.2
6/29/18 10:00	0.4	6/29/19 11:00	0.2	6/28/20 17:00	0.2
6/29/18 11:00	0.3	6/29/19 12:00	0.2	6/28/20 18:00	0.2
6/29/18 12:00	0.3	6/29/19 13:00	0.3	6/28/20 19:00	0.3
6/29/18 13:00	0.3	6/29/19 14:00	0.3	6/28/20 20:00	0.2
6/29/18 14:00	0.3	6/29/19 15:00	0.4	6/28/20 21:00	0.2
6/29/18 15:00	0.3	6/29/19 16:00	0.5	6/28/20 22:00	0.2
6/29/18 16:00	0.3	6/29/19 17:00	0.5	6/28/20 23:00	0.3
6/29/18 17:00	0.3	6/29/19 18:00	0.4	6/29/20 0:00	0.3
6/29/18 18:00	0.3	6/29/19 19:00	0.5	6/29/20 1:00	0.3
6/29/18 19:00	0.3	6/29/19 20:00	0.5	6/29/20 2:00	0.2
6/29/18 20:00	0.3	6/29/19 21:00	0.4	6/29/20 3:00	0.2
6/29/18 21:00	0.3	6/29/19 22:00	0.5	6/29/20 4:00	0.3
6/29/18 22:00	0.3	6/29/19 23:00	0.5	6/29/20 5:00	0.3
6/29/18 23:00	0.3	6/30/19 0:00	4.9	6/29/20 6:00	0.3
6/30/18 0:00	0.3	6/30/19 1:00	0.3	6/29/20 7:00	0.3
6/30/18 1:00	0.3	6/30/19 2:00	0.2	6/29/20 8:00	0.3
6/30/18 2:00	0.3	6/30/19 3:00	0.3	6/29/20 9:00	0.3
6/30/18 3:00	0.2	6/30/19 4:00	0.3	6/29/20 10:00	0.3
6/30/18 4:00	0.3	6/30/19 5:00	0.3	6/29/20 11:00	0.3
6/30/18 5:00	0.3	6/30/19 6:00	0.3	6/29/20 12:00	0.3

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
6/30/18 6:00	0.3	6/30/19 7:00	0.5	6/29/20 13:00	0.3
6/30/18 7:00	0.3	6/30/19 8:00	0.5	6/29/20 14:00	0.3
6/30/18 8:00	0.3	6/30/19 9:00	0.6	6/29/20 15:00	0.3
6/30/18 9:00	0.2	6/30/19 10:00	0.6	6/29/20 16:00	0.3
6/30/18 10:00	0.3	6/30/19 11:00	0.5	6/29/20 17:00	0.3
6/30/18 11:00	0.2	6/30/19 12:00	0.5	6/29/20 18:00	0.3
6/30/18 12:00	0.3	6/30/19 13:00	0.9	6/29/20 19:00	0.3
6/30/18 13:00	0.2	6/30/19 14:00	5.2	6/29/20 20:00	0.3
6/30/18 14:00	0.2	6/30/19 15:00	1.4	6/29/20 21:00	0.3
6/30/18 15:00	0.2	6/30/19 16:00	2.1	6/29/20 22:00	0.4
6/30/18 16:00	0.2	6/30/19 17:00	5.3	6/29/20 23:00	0.4
6/30/18 17:00	0.2	6/30/19 18:00	1.0	6/30/20 0:00	0.3
6/30/18 18:00	0.2	6/30/19 19:00	6.1	6/30/20 1:00	0.4
6/30/18 19:00	0.2	6/30/19 20:00	3.3	6/30/20 2:00	0.3
6/30/18 20:00	0.2	6/30/19 21:00	3.4	6/30/20 3:00	0.3
6/30/18 21:00	0.3	6/30/19 22:00	6.1	6/30/20 4:00	0.2
6/30/18 22:00	0.2	6/30/19 23:00	1.8	6/30/20 5:00	0.3
6/30/18 23:00	0.2	7/1/19 0:00	6.5	6/30/20 6:00	0.3
7/1/18 0:00	0.3	7/1/19 1:00	3.6	6/30/20 7:00	0.3
7/1/18 1:00	0.2	7/1/19 2:00	0.3	6/30/20 8:00	0.3
7/1/18 2:00	0.2	7/1/19 3:00	4.4	6/30/20 9:00	0.3
7/1/18 3:00	0.2	7/1/19 4:00	0.4	6/30/20 10:00	0.2
7/1/18 4:00	0.3	7/1/19 5:00	0.4	6/30/20 11:00	0.3
7/1/18 5:00	0.2	7/1/19 6:00	0.4	6/30/20 12:00	0.2
7/1/18 6:00	0.2	7/1/19 7:00	2.5	6/30/20 13:00	0.3
7/1/18 7:00	0.2	7/1/19 8:00	1.7	6/30/20 14:00	0.3
7/1/18 8:00	0.2	7/1/19 9:00	0.5	6/30/20 15:00	0.3
7/1/18 9:00	0.2	7/1/19 10:00	0.6	6/30/20 16:00	0.3
7/1/18 10:00	0.2	7/1/19 11:00	0.5	6/30/20 17:00	0.3
7/1/18 11:00	0.2	7/1/19 12:00	0.4	6/30/20 18:00	0.2
7/1/18 12:00	0.6	7/1/19 13:00	0.7	6/30/20 19:00	0.2
7/1/18 13:00	0.6	7/1/19 14:00	0.6	6/30/20 20:00	0.2
7/1/18 14:00	0.2	7/1/19 15:00	0.5	6/30/20 21:00	0.2
7/1/18 15:00	0.2	7/1/19 16:00	0.5	6/30/20 22:00	0.2
7/1/18 16:00	0.2	7/1/19 17:00	0.6	6/30/20 23:00	0.3
7/1/18 17:00	0.2	7/1/19 18:00	0.5	7/1/20 0:00	0.3
7/1/18 18:00	0.2	7/1/19 19:00	0.5	7/1/20 1:00	0.3
7/1/18 19:00	0.2	7/1/19 20:00	0.4	7/1/20 2:00	0.4
7/1/18 20:00	0.2	7/1/19 21:00	0.6	7/1/20 3:00	0.4
7/1/18 21:00	0.2	7/1/19 22:00	0.5	7/1/20 4:00	0.4
7/1/18 22:00	0.2	7/1/19 23:00	0.6	7/1/20 5:00	0.4
7/1/18 23:00	0.1	7/2/19 0:00	0.6	7/1/20 6:00	0.5
7/2/18 0:00	0.2	7/2/19 1:00	0.6	7/1/20 7:00	0.5
7/2/18 1:00	0.2	7/2/19 2:00	0.6	7/1/20 8:00	0.6
7/2/18 2:00	0.2	7/2/19 3:00	0.8	7/1/20 9:00	0.5
7/2/18 3:00	0.3	7/2/19 4:00	0.9	7/1/20 10:00	0.6

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
7/2/18 4:00	0.3	7/2/19 5:00	0.7	7/1/20 11:00	0.5
7/2/18 5:00	0.2	7/2/19 6:00	0.7	7/1/20 12:00	0.6
7/2/18 6:00	0.2	7/2/19 7:00	0.7	7/1/20 13:00	0.6
7/2/18 7:00	0.3	7/2/19 8:00	0.7	7/1/20 14:00	0.6
7/2/18 8:00	0.2	7/2/19 9:00	0.9	7/1/20 15:00	0.4
7/2/18 9:00	0.2	7/2/19 10:00	0.8	7/1/20 16:00	0.5
7/2/18 10:00	0.2	7/2/19 11:00	1.0	7/1/20 17:00	0.4
7/2/18 11:00	0.2	7/2/19 12:00	0.5	7/1/20 18:00	0.4
7/2/18 12:00	0.2	7/2/19 13:00	0.5	7/1/20 19:00	0.6
7/2/18 13:00	0.2	7/2/19 14:00	0.7	7/1/20 20:00	0.6
7/2/18 14:00	0.2	7/2/19 15:00	0.7	7/1/20 21:00	0.6
7/2/18 15:00	0.2	7/2/19 16:00	0.7	7/1/20 22:00	0.5
7/2/18 16:00	0.2	7/2/19 17:00	2.7	7/1/20 23:00	0.5
7/2/18 17:00	0.2	7/2/19 18:00	2.7	7/2/20 0:00	0.4
7/2/18 18:00	0.3	7/2/19 19:00	0.4	7/2/20 1:00	0.3
7/2/18 19:00	0.3	7/2/19 20:00	0.4	7/2/20 2:00	0.2
7/2/18 20:00	0.3	7/2/19 21:00	0.4	7/2/20 3:00	0.3
7/2/18 21:00	0.3	7/2/19 22:00	0.4	7/2/20 4:00	0.3
7/2/18 22:00	0.3	7/2/19 23:00	0.7	7/2/20 5:00	0.3
7/2/18 23:00	0.3	7/3/19 0:00	0.4	7/2/20 6:00	0.3
7/3/18 0:00	0.3	7/3/19 1:00	0.5	7/2/20 7:00	0.3
7/3/18 1:00	0.3	7/3/19 2:00	0.4	7/2/20 8:00	0.3
7/3/18 2:00	0.3	7/3/19 3:00	0.4	7/2/20 9:00	0.2
7/3/18 3:00	0.3	7/3/19 4:00	0.4	7/2/20 10:00	0.2
7/3/18 4:00	0.3	7/3/19 5:00	0.8	7/2/20 11:00	0.2
7/3/18 5:00	0.3	7/3/19 6:00	0.5	7/2/20 12:00	0.2
7/3/18 6:00	0.3	7/3/19 7:00	2.8	7/2/20 13:00	0.2
7/3/18 7:00	0.2	7/3/19 8:00	0.4	7/2/20 14:00	0.3
7/3/18 8:00	0.2	7/3/19 9:00	1.7	7/2/20 15:00	0.3
7/3/18 9:00	0.2	7/3/19 10:00	0.5	7/2/20 16:00	0.3
7/3/18 10:00	0.2	7/3/19 11:00	0.4	7/2/20 17:00	0.3
7/3/18 11:00	0.2	7/3/19 12:00	0.4	7/2/20 18:00	0.3
7/3/18 12:00	0.3	7/3/19 13:00	0.4	7/2/20 19:00	0.3
7/3/18 13:00	0.3	7/3/19 14:00	0.4	7/2/20 20:00	0.2
7/3/18 14:00	0.3	7/3/19 15:00	0.5	7/2/20 21:00	0.3
7/3/18 15:00	0.3	7/3/19 16:00	0.4	7/2/20 22:00	0.3
7/3/18 16:00	0.3	7/3/19 17:00	0.4	7/2/20 23:00	0.3
7/3/18 17:00	0.3	7/3/19 18:00	0.4	7/3/20 0:00	0.3
7/3/18 18:00	0.3	7/3/19 19:00	0.5	7/3/20 1:00	0.3
7/3/18 19:00	0.3	7/3/19 20:00	0.4	7/3/20 2:00	0.2
7/3/18 20:00	0.4	7/3/19 21:00	0.5	7/3/20 3:00	0.2
7/3/18 21:00	0.3	7/3/19 22:00	0.4	7/3/20 4:00	0.2
7/3/18 22:00	0.3	7/3/19 23:00	0.5	7/3/20 5:00	0.2
7/3/18 23:00	0.4	7/4/19 0:00	0.4	7/3/20 6:00	0.3
7/4/18 0:00	0.3	7/4/19 1:00	0.5	7/3/20 7:00	0.3
7/4/18 1:00	0.3	7/4/19 2:00	0.5	7/3/20 8:00	0.3

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
7/4/18 2:00	0.3	7/4/19 3:00	0.8	7/3/20 9:00	0.3
7/4/18 3:00	0.2	7/4/19 4:00	0.6	7/3/20 10:00	0.3
7/4/18 4:00	0.3	7/4/19 5:00	0.6	7/3/20 11:00	0.2
7/4/18 5:00	0.3	7/4/19 6:00	0.4	7/3/20 12:00	0.3
7/4/18 6:00	0.2	7/4/19 7:00	0.5	7/3/20 13:00	0.3
7/4/18 7:00	0.3	7/4/19 8:00	0.5	7/3/20 14:00	0.2
7/4/18 8:00	0.3	7/4/19 9:00	0.6	7/3/20 15:00	0.2
7/4/18 9:00	0.3	7/4/19 10:00	0.5	7/3/20 16:00	0.3
7/4/18 10:00	0.3	7/4/19 11:00	0.5	7/3/20 17:00	0.3
7/4/18 11:00	0.2	7/4/19 12:00	0.4	7/3/20 18:00	0.3
7/4/18 12:00	0.3	7/4/19 13:00	0.5	7/3/20 19:00	0.2
7/4/18 13:00	0.3	7/4/19 14:00	0.5	7/3/20 20:00	0.3
7/4/18 14:00	0.3	7/4/19 15:00	0.5	7/3/20 21:00	0.3
7/4/18 15:00	0.3	7/4/19 16:00	0.5	7/3/20 22:00	0.3
7/4/18 16:00	0.3	7/4/19 17:00	0.5	7/3/20 23:00	0.3
7/4/18 17:00	0.3	7/4/19 18:00	0.6	7/4/20 0:00	0.2
7/4/18 18:00	0.2	7/4/19 19:00	0.4	7/4/20 1:00	0.2
7/4/18 19:00	0.3	7/4/19 20:00	0.4	7/4/20 2:00	0.2
7/4/18 20:00	0.3	7/4/19 21:00	0.6	7/4/20 3:00	0.2
7/4/18 21:00	0.3	7/4/19 22:00	0.6	7/4/20 4:00	0.2
7/4/18 22:00	0.3	7/4/19 23:00	0.5	7/4/20 5:00	0.2
7/4/18 23:00	0.3	7/5/19 0:00	0.5	7/4/20 6:00	0.4
7/5/18 0:00	0.4	7/5/19 1:00	0.4	7/4/20 7:00	0.3
7/5/18 1:00	0.4	7/5/19 2:00	0.4	7/4/20 8:00	0.3
7/5/18 2:00	0.4	7/5/19 3:00	0.5	7/4/20 9:00	0.3
7/5/18 3:00	0.4	7/5/19 4:00	0.4	7/4/20 10:00	0.3
7/5/18 4:00	0.4	7/5/19 5:00	0.6	7/4/20 11:00	0.3
7/5/18 5:00	0.3	7/5/19 6:00	0.4	7/4/20 12:00	0.2
7/5/18 6:00	0.4	7/5/19 7:00	0.4	7/4/20 13:00	0.2
7/5/18 7:00	0.5	7/5/19 8:00	0.4	7/4/20 14:00	0.2
7/5/18 8:00	0.5	7/5/19 9:00	0.5	7/4/20 15:00	0.2
7/5/18 9:00	0.4	7/5/19 10:00	0.6	7/4/20 16:00	0.2
7/5/18 10:00	0.2	7/5/19 11:00	0.4	7/4/20 17:00	0.2
7/5/18 11:00	0.4	7/5/19 12:00	0.4	7/4/20 18:00	0.2
7/5/18 12:00	0.3	7/5/19 13:00	0.4	7/4/20 19:00	0.1
7/5/18 13:00	0.3	7/5/19 14:00	0.4	7/4/20 20:00	0.2
7/5/18 14:00	0.3	7/5/19 15:00	0.4	7/4/20 21:00	0.2
7/5/18 15:00	0.4	7/5/19 16:00	0.4	7/4/20 22:00	0.2
7/5/18 16:00	0.3	7/5/19 17:00	0.5	7/4/20 23:00	0.1
7/5/18 17:00	0.4	7/5/19 18:00	0.4	7/5/20 0:00	0.1
7/5/18 18:00	0.3	7/5/19 19:00	0.4	7/5/20 1:00	0.1
7/5/18 19:00	0.3	7/5/19 20:00	0.5	7/5/20 2:00	0.1
7/5/18 20:00	0.3	7/5/19 21:00	0.4	7/5/20 3:00	0.1
7/5/18 21:00	0.3	7/5/19 22:00	0.5	7/5/20 4:00	0.1
7/5/18 22:00	0.4	7/5/19 23:00	0.4	7/5/20 5:00	0.2
7/5/18 23:00	0.4	7/6/19 0:00	0.4	7/5/20 6:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
7/6/18 0:00	0.4	7/6/19 1:00	0.4	7/5/20 7:00	0.2
7/6/18 1:00	0.4	7/6/19 2:00	0.4	7/5/20 8:00	0.2
7/6/18 2:00	0.4	7/6/19 3:00	0.4	7/5/20 9:00	0.1
7/6/18 3:00	0.4	7/6/19 4:00	0.5	7/5/20 10:00	0.1
7/6/18 4:00	0.4	7/6/19 5:00	0.4	7/5/20 11:00	0.0
7/6/18 5:00	0.4	7/6/19 6:00	0.4	7/5/20 12:00	0.0
7/6/18 6:00	0.2	7/6/19 7:00	0.4	7/5/20 13:00	0.1
7/6/18 7:00	0.2	7/6/19 8:00	0.3	7/5/20 14:00	0.1
7/6/18 8:00	0.2	7/6/19 9:00	0.4	7/5/20 15:00	0.2
7/6/18 9:00	0.2	7/6/19 10:00	0.3	7/5/20 16:00	0.1
7/6/18 10:00	0.2	7/6/19 11:00	0.4	7/5/20 17:00	0.1
7/6/18 11:00	0.3	7/6/19 12:00	0.3	7/5/20 18:00	0.1
7/6/18 12:00	0.3	7/6/19 13:00	0.3	7/5/20 19:00	0.1
7/6/18 13:00	0.3	7/6/19 14:00	0.3	7/5/20 20:00	0.1
7/6/18 14:00	0.2	7/6/19 15:00	0.2	7/5/20 21:00	0.1
7/6/18 15:00	0.3	7/6/19 16:00	0.2	7/5/20 22:00	0.1
7/6/18 16:00	0.2	7/6/19 17:00	0.3	7/5/20 23:00	0.1
7/6/18 17:00	0.2	7/6/19 18:00	0.3	7/6/20 0:00	0.1
7/6/18 18:00	0.0	7/6/19 19:00	0.3	7/6/20 1:00	0.1
7/6/18 19:00	0.2	7/6/19 20:00	0.3	7/6/20 2:00	0.1
7/6/18 20:00	0.3	7/6/19 21:00	0.2	7/6/20 3:00	0.1
7/6/18 21:00	0.3	7/6/19 22:00	0.2	7/6/20 4:00	0.1
7/6/18 22:00	0.3	7/6/19 23:00	0.1	7/6/20 5:00	0.1
7/6/18 23:00	0.2	7/7/19 0:00	0.1	7/6/20 6:00	0.1
7/7/18 0:00	0.2	7/7/19 1:00	0.1	7/6/20 7:00	0.2
7/7/18 1:00	0.2	7/7/19 2:00	0.2	7/6/20 8:00	0.2
7/7/18 2:00	0.2	7/7/19 3:00	0.1	7/6/20 9:00	0.2
7/7/18 3:00	0.2	7/7/19 4:00	0.1	7/6/20 10:00	0.1
7/7/18 4:00	0.2	7/7/19 5:00	0.1	7/6/20 11:00	0.1
7/7/18 5:00	0.2	7/7/19 6:00	0.2	7/6/20 12:00	0.1
7/7/18 6:00	0.2	7/7/19 7:00	0.2	7/6/20 13:00	0.1
7/7/18 7:00	0.2	7/7/19 8:00	0.1	7/6/20 14:00	0.1
7/7/18 8:00	0.2	7/7/19 9:00	0.2	7/6/20 15:00	0.1
7/7/18 9:00	0.3	7/7/19 10:00	0.2	7/6/20 16:00	0.0
7/7/18 10:00	0.2	7/7/19 11:00	0.2	7/6/20 17:00	0.1
7/7/18 11:00	0.2	7/7/19 12:00	0.1	7/6/20 18:00	0.0
7/7/18 12:00	0.2	7/7/19 13:00	0.1	7/6/20 19:00	0.1
7/7/18 13:00	0.2	7/7/19 14:00	0.1	7/6/20 20:00	0.1
7/7/18 14:00	0.3	7/7/19 15:00	0.1	7/6/20 21:00	0.1
7/7/18 15:00	0.2	7/7/19 16:00	0.1	7/6/20 22:00	0.1
7/7/18 16:00	0.2	7/7/19 17:00	0.1	7/6/20 23:00	0.1
7/7/18 17:00	0.2	7/7/19 18:00	0.1	7/7/20 0:00	0.0
7/7/18 18:00	0.2	7/7/19 19:00	0.1	7/7/20 1:00	0.0
7/7/18 19:00	0.3	7/7/19 20:00	0.2	7/7/20 2:00	0.1
7/7/18 20:00	0.4	7/7/19 21:00	0.2	7/7/20 3:00	0.1
7/7/18 21:00	0.3	7/7/19 22:00	0.1	7/7/20 4:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
7/7/18 22:00	0.3	7/7/19 23:00	0.1	7/7/20 5:00	0.2
7/7/18 23:00	0.3	7/8/19 0:00	0.2	7/7/20 6:00	0.2
7/8/18 0:00	0.3	7/8/19 1:00	0.2	7/7/20 7:00	0.2
7/8/18 1:00	0.2	7/8/19 2:00	0.2	7/7/20 8:00	0.1
7/8/18 2:00	0.3	7/8/19 3:00	0.2	7/7/20 9:00	0.2
7/8/18 3:00	0.3	7/8/19 4:00	0.2	7/7/20 10:00	0.1
7/8/18 4:00	0.3	7/8/19 5:00	0.2	7/7/20 11:00	0.2
7/8/18 5:00	0.3	7/8/19 6:00	0.2	7/7/20 12:00	0.1
7/8/18 6:00	0.2	7/8/19 7:00	0.2	7/7/20 13:00	0.2
7/8/18 7:00	0.2	7/8/19 8:00	0.2	7/7/20 14:00	0.2
7/8/18 8:00	0.2	7/8/19 9:00	0.2	7/7/20 15:00	0.2
7/8/18 9:00	0.3	7/8/19 10:00	0.1	7/7/20 16:00	0.2
7/8/18 10:00	0.2	7/8/19 11:00	0.1	7/7/20 17:00	0.3
7/8/18 11:00	0.2	7/8/19 12:00	0.1	7/7/20 18:00	0.2
7/8/18 12:00	0.2	7/8/19 13:00	0.1	7/7/20 19:00	0.2
7/8/18 13:00	0.2	7/8/19 14:00	0.1	7/7/20 20:00	0.3
7/8/18 14:00	0.2	7/8/19 15:00	0.5	7/7/20 21:00	0.2
7/8/18 15:00	0.2	7/8/19 16:00	0.5	7/7/20 22:00	0.2
7/8/18 16:00	0.2	7/8/19 17:00	0.5	7/7/20 23:00	0.2
7/8/18 17:00	0.2	7/8/19 18:00	0.3	7/8/20 0:00	0.3
7/8/18 18:00	0.2	7/8/19 19:00	0.1	7/8/20 1:00	0.3
7/8/18 19:00	0.3	7/8/19 20:00	0.7	7/8/20 2:00	0.2
7/8/18 20:00	0.3	7/8/19 21:00	0.3	7/8/20 3:00	0.2
7/8/18 21:00	0.3	7/8/19 22:00	0.6	7/8/20 4:00	0.3
7/8/18 22:00	0.3	7/8/19 23:00	0.7	7/8/20 5:00	0.3
7/8/18 23:00	0.3	7/9/19 0:00	0.3	7/8/20 6:00	0.3
7/9/18 0:00	0.3	7/9/19 1:00	0.3	7/8/20 7:00	0.3
7/9/18 1:00	0.3	7/9/19 2:00	0.8	7/8/20 8:00	0.3
7/9/18 2:00	0.4	7/9/19 3:00	0.3	7/8/20 9:00	0.2
7/9/18 3:00	0.4	7/9/19 4:00	0.6	7/8/20 10:00	0.2
7/9/18 4:00	0.4	7/9/19 5:00	0.6	7/8/20 11:00	0.2
7/9/18 5:00	0.3	7/9/19 6:00	0.6	7/8/20 12:00	0.2
7/9/18 6:00	0.4	7/9/19 7:00	0.2	7/8/20 13:00	0.2
7/9/18 7:00	0.4	7/9/19 8:00	0.2	7/8/20 14:00	0.1
7/9/18 8:00	0.4	7/9/19 9:00	0.2	7/8/20 15:00	0.2
7/9/18 9:00	0.4	7/9/19 10:00	0.5	7/8/20 16:00	0.3
7/9/18 10:00	0.4	7/9/19 11:00	0.9	7/8/20 17:00	0.3
7/9/18 11:00	0.4	7/9/19 12:00	0.2	7/8/20 18:00	0.2
7/9/18 12:00	1.1	7/9/19 13:00	0.2	7/8/20 19:00	0.2
7/9/18 13:00	1.4	7/9/19 14:00	0.2	7/8/20 20:00	0.2
7/9/18 14:00	0.9	7/9/19 15:00	0.1	7/8/20 21:00	0.2
7/9/18 15:00	1.0	7/9/19 16:00	0.1	7/8/20 22:00	0.2
7/9/18 16:00	1.5	7/9/19 17:00	0.3	7/8/20 23:00	0.2
7/9/18 17:00	0.8	7/9/19 18:00	0.6	7/9/20 0:00	0.2
7/9/18 18:00	0.5	7/9/19 19:00	0.8	7/9/20 1:00	0.2
7/9/18 19:00	4.7	7/9/19 20:00	0.5	7/9/20 2:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
7/9/18 20:00	0.6	7/9/19 21:00	0.2	7/9/20 3:00	0.3
7/9/18 21:00	1.0	7/9/19 22:00	0.2	7/9/20 4:00	0.3
7/9/18 22:00	0.9	7/9/19 23:00	0.2	7/9/20 5:00	0.3
7/9/18 23:00	0.8	7/10/19 0:00	0.2	7/9/20 6:00	0.3
7/10/18 0:00	0.3	7/10/19 1:00	0.1	7/9/20 7:00	0.3
7/10/18 1:00	0.3	7/10/19 2:00	0.1	7/9/20 8:00	0.3
7/10/18 2:00	0.4	7/10/19 3:00	0.2	7/9/20 9:00	0.3
7/10/18 3:00	0.3	7/10/19 4:00	0.2	7/9/20 10:00	0.2
7/10/18 4:00	0.3	7/10/19 5:00	0.1	7/9/20 11:00	0.2
7/10/18 5:00	0.3	7/10/19 6:00	0.1	7/9/20 12:00	0.3
7/10/18 6:00	0.4	7/10/19 7:00	0.2	7/9/20 13:00	0.3
7/10/18 7:00	0.3	7/10/19 8:00	0.3	7/9/20 14:00	0.3
7/10/18 8:00	0.4	7/10/19 9:00	0.3	7/9/20 15:00	0.3
7/10/18 9:00	0.3	7/10/19 10:00	0.4	7/9/20 16:00	0.4
7/10/18 10:00	0.2	7/10/19 11:00	0.4	7/9/20 17:00	0.4
7/10/18 11:00	0.3	7/10/19 12:00	0.4	7/9/20 18:00	0.4
7/10/18 12:00	0.4	7/10/19 13:00	0.4	7/9/20 19:00	0.4
7/10/18 13:00	0.4	7/10/19 14:00	0.4	7/9/20 20:00	0.4
7/10/18 14:00	0.4	7/10/19 15:00	0.4	7/9/20 21:00	0.3
7/10/18 15:00	0.4	7/10/19 16:00	0.4	7/9/20 22:00	0.2
7/10/18 16:00	0.4	7/10/19 17:00	0.4	7/9/20 23:00	0.2
7/10/18 17:00	0.4	7/10/19 18:00	0.4	7/10/20 0:00	0.2
7/10/18 18:00	0.4	7/10/19 19:00	0.3	7/10/20 1:00	0.4
7/10/18 19:00	0.5	7/10/19 20:00	0.3	7/10/20 2:00	0.3
7/10/18 20:00	0.3	7/10/19 21:00	0.2	7/10/20 3:00	0.3
7/10/18 21:00	0.3	7/10/19 22:00	0.3	7/10/20 4:00	0.3
7/10/18 22:00	0.3	7/10/19 23:00	0.3	7/10/20 5:00	0.2
7/10/18 23:00	0.5	7/11/19 0:00	0.3	7/10/20 6:00	0.2
7/11/18 0:00	0.4	7/11/19 1:00	0.3	7/10/20 7:00	0.3
7/11/18 1:00	0.3	7/11/19 2:00	0.3	7/10/20 8:00	0.3
7/11/18 2:00	0.3	7/11/19 3:00	0.3	7/10/20 9:00	0.3
7/11/18 3:00	0.3	7/11/19 4:00	0.3	7/10/20 10:00	0.3
7/11/18 4:00	0.3	7/11/19 5:00	0.3	7/10/20 11:00	0.4
7/11/18 5:00	0.3	7/11/19 6:00	0.3	7/10/20 12:00	0.4
7/11/18 6:00	0.3	7/11/19 7:00	0.3	7/10/20 13:00	0.3
7/11/18 7:00	0.6	7/11/19 8:00	0.4	7/10/20 14:00	0.4
7/11/18 8:00	0.7	7/11/19 9:00	0.4	7/10/20 15:00	0.4
7/11/18 9:00	0.5	7/11/19 10:00	0.2	7/10/20 16:00	0.4
7/11/18 10:00	0.4	7/11/19 11:00	0.2	7/10/20 17:00	0.3
7/11/18 11:00	0.6	7/11/19 12:00	0.3	7/10/20 18:00	0.4
7/11/18 12:00	0.5	7/11/19 13:00	0.3	7/10/20 19:00	0.4
7/11/18 13:00	0.4	7/11/19 14:00	0.4	7/10/20 20:00	0.4
7/11/18 14:00	0.5	7/11/19 15:00	0.2	7/10/20 21:00	0.4
7/11/18 15:00	0.5	7/11/19 16:00	0.2	7/10/20 22:00	0.3
7/11/18 16:00	0.5	7/11/19 17:00	0.2	7/10/20 23:00	0.3
7/11/18 17:00	0.6	7/11/19 18:00	0.1	7/11/20 0:00	0.3

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
7/11/18 18:00	0.5	7/11/19 19:00	0.1	7/11/20 1:00	0.3
7/11/18 19:00	0.5	7/11/19 20:00	0.1	7/11/20 2:00	0.4
7/11/18 20:00	0.5	7/11/19 21:00	0.2	7/11/20 3:00	0.3
7/11/18 21:00	0.5	7/11/19 22:00	0.2	7/11/20 4:00	0.3
7/11/18 22:00	0.5	7/11/19 23:00	0.2	7/11/20 5:00	0.3
7/11/18 23:00	0.7	7/12/19 0:00	0.2	7/11/20 6:00	0.3
7/12/18 0:00	0.3	7/12/19 1:00	0.2	7/11/20 7:00	0.3
7/12/18 1:00	0.3	7/12/19 2:00	0.2	7/11/20 8:00	0.4
7/12/18 2:00	0.4	7/12/19 3:00	0.2	7/11/20 9:00	0.3
7/12/18 3:00	0.4	7/12/19 4:00	0.1	7/11/20 10:00	0.3
7/12/18 4:00	0.3	7/12/19 5:00	0.2	7/11/20 11:00	0.2
7/12/18 5:00	0.3	7/12/19 6:00	0.1	7/11/20 12:00	0.2
7/12/18 6:00	0.3	7/12/19 7:00	0.1	7/11/20 13:00	0.2
7/12/18 7:00	0.3	7/12/19 8:00	0.1	7/11/20 14:00	0.2
7/12/18 8:00	0.3	7/12/19 9:00	0.1	7/11/20 15:00	0.2
7/12/18 9:00	0.3	7/12/19 10:00	0.1	7/11/20 16:00	0.2
7/12/18 10:00	0.3	7/12/19 11:00	0.2	7/11/20 17:00	0.2
7/12/18 11:00	0.2	7/12/19 12:00	0.1	7/11/20 18:00	0.2
7/12/18 12:00	0.3	7/12/19 13:00	0.1	7/11/20 19:00	0.2
7/12/18 13:00	0.3	7/12/19 14:00	0.1	7/11/20 20:00	0.3
7/12/18 14:00	0.3	7/12/19 15:00	0.1	7/11/20 21:00	0.3
7/12/18 15:00	0.3	7/12/19 16:00	0.1	7/11/20 22:00	0.3
7/12/18 16:00	0.3	7/12/19 17:00	0.1	7/11/20 23:00	0.3
7/12/18 17:00	0.3	7/12/19 18:00	0.1	7/12/20 0:00	0.4
7/12/18 18:00	0.3	7/12/19 19:00	0.1	7/12/20 1:00	0.3
7/12/18 19:00	0.3	7/12/19 20:00	0.1	7/12/20 2:00	0.3
7/12/18 20:00	0.3	7/12/19 21:00	0.1	7/12/20 3:00	0.3
7/12/18 21:00	0.3	7/12/19 22:00	0.1	7/12/20 4:00	0.3
7/12/18 22:00	0.3	7/12/19 23:00	0.1	7/12/20 5:00	0.3
7/12/18 23:00	0.3	7/13/19 0:00	0.1	7/12/20 6:00	0.2
7/13/18 0:00	0.3	7/13/19 1:00	0.1	7/12/20 7:00	0.2
7/13/18 1:00	0.3	7/13/19 2:00	0.3	7/12/20 8:00	0.3
7/13/18 2:00	0.3	7/13/19 3:00	0.3	7/12/20 9:00	0.3
7/13/18 3:00	0.3	7/13/19 4:00	0.3	7/12/20 10:00	0.3
7/13/18 4:00	0.3	7/13/19 5:00	0.3	7/12/20 11:00	0.3
7/13/18 5:00	0.3	7/13/19 6:00	0.3	7/12/20 12:00	0.3
7/13/18 6:00	0.4	7/13/19 7:00	0.3	7/12/20 13:00	0.3
7/13/18 7:00	0.4	7/13/19 8:00	0.3	7/12/20 14:00	0.4
7/13/18 8:00	0.4	7/13/19 9:00	0.2	7/12/20 15:00	0.3
7/13/18 9:00	0.4	7/13/19 10:00	0.2	7/12/20 16:00	0.3
7/13/18 10:00	0.3	7/13/19 11:00	0.3	7/12/20 17:00	0.3
7/13/18 11:00	0.3	7/13/19 12:00	0.3	7/12/20 18:00	0.3
7/13/18 12:00	0.3	7/13/19 13:00	0.2	7/12/20 19:00	0.3
7/13/18 13:00	0.3	7/13/19 14:00	0.2	7/12/20 20:00	0.3
7/13/18 14:00	0.4	7/13/19 15:00	0.3	7/12/20 21:00	0.3
7/13/18 15:00	0.4	7/13/19 16:00	0.4	7/12/20 22:00	0.3

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
7/13/18 16:00	0.3	7/13/19 17:00	0.3	7/12/20 23:00	0.2
7/13/18 17:00	0.3	7/13/19 18:00	0.3	7/13/20 0:00	0.3
7/13/18 18:00	0.3	7/13/19 19:00	0.4	7/13/20 1:00	0.3
7/13/18 19:00	0.4	7/13/19 20:00	0.3	7/13/20 2:00	0.3
7/13/18 20:00	0.4	7/13/19 21:00	0.3	7/13/20 3:00	0.2
7/13/18 21:00	0.4	7/13/19 22:00	0.2	7/13/20 4:00	0.2
7/13/18 22:00	0.3	7/13/19 23:00	0.2	7/13/20 5:00	0.2
7/13/18 23:00	0.4	7/14/19 0:00	0.1	7/13/20 6:00	0.2
7/14/18 0:00	0.4	7/14/19 1:00	0.1	7/13/20 7:00	0.3
7/14/18 1:00	0.4	7/14/19 2:00	0.2	7/13/20 8:00	0.3
7/14/18 2:00	0.4	7/14/19 3:00	0.2	7/13/20 9:00	0.3
7/14/18 3:00	0.5	7/14/19 4:00	0.1	7/13/20 10:00	0.3
7/14/18 4:00	0.4	7/14/19 5:00	0.1	7/13/20 11:00	0.3
7/14/18 5:00	0.4	7/14/19 6:00	0.2	7/13/20 12:00	0.3
7/14/18 6:00	0.4	7/14/19 7:00	0.2	7/13/20 13:00	0.4
7/14/18 7:00	0.4	7/14/19 8:00	0.1	7/13/20 14:00	0.3
7/14/18 8:00	0.5	7/14/19 9:00	0.1	7/13/20 15:00	0.3
7/14/18 9:00	0.4	7/14/19 10:00	0.1	7/13/20 16:00	0.3
7/14/18 10:00	0.4	7/14/19 11:00	0.1	7/13/20 17:00	0.3
7/14/18 11:00	0.5	7/14/19 12:00	0.2	7/13/20 18:00	0.3
7/14/18 12:00	1.1	7/14/19 13:00	0.1	7/13/20 19:00	0.3
7/14/18 13:00	1.2	7/14/19 14:00	0.2	7/13/20 20:00	0.3
7/14/18 14:00	1.2	7/14/19 15:00	0.1	7/13/20 21:00	0.4
7/14/18 15:00	0.8	7/14/19 16:00	0.1	7/13/20 22:00	0.4
7/14/18 16:00	0.8	7/14/19 17:00	0.1	7/13/20 23:00	0.4
7/14/18 17:00	1.5	7/14/19 18:00	0.1	7/14/20 0:00	0.4
7/14/18 18:00	0.7	7/14/19 19:00	0.2	7/14/20 1:00	0.4
7/14/18 19:00	1.0	7/14/19 20:00	0.1	7/14/20 2:00	0.4
7/14/18 20:00	1.0	7/14/19 21:00	0.1	7/14/20 3:00	0.4
7/14/18 21:00	1.2	7/14/19 22:00	0.1	7/14/20 4:00	0.4
7/14/18 22:00	0.8	7/14/19 23:00	0.1	7/14/20 5:00	0.3
7/14/18 23:00	1.0	7/15/19 0:00	0.1	7/14/20 6:00	0.3
7/15/18 0:00	1.2	7/15/19 1:00	0.1	7/14/20 7:00	0.4
7/15/18 1:00	1.3	7/15/19 2:00	0.1	7/14/20 8:00	0.4
7/15/18 2:00	1.4	7/15/19 3:00	0.1	7/14/20 9:00	0.3
7/15/18 3:00	0.5	7/15/19 4:00	0.1	7/14/20 10:00	0.4
7/15/18 4:00	0.5	7/15/19 5:00	0.1	7/14/20 11:00	0.3
7/15/18 5:00	0.5	7/15/19 6:00	0.1	7/14/20 12:00	0.3
7/15/18 6:00	0.5	7/15/19 7:00	0.1	7/14/20 13:00	0.3
7/15/18 7:00	0.6	7/15/19 8:00	0.2	7/14/20 14:00	0.5
7/15/18 8:00	0.5	7/15/19 9:00	0.3	7/14/20 15:00	0.5
7/15/18 9:00	0.6	7/15/19 10:00	0.2	7/14/20 16:00	0.4
7/15/18 10:00	0.6	7/15/19 11:00	0.3	7/14/20 17:00	0.5
7/15/18 11:00	1.1	7/15/19 12:00	0.2	7/14/20 18:00	0.4
7/15/18 12:00	0.7	7/15/19 13:00	0.3	7/14/20 19:00	0.4
7/15/18 13:00	1.0	7/15/19 14:00	0.3	7/14/20 20:00	0.5

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
7/15/18 14:00	0.7	7/15/19 15:00	0.3	7/14/20 21:00	0.5
7/15/18 15:00	0.6	7/15/19 16:00	0.3	7/14/20 22:00	0.5
7/15/18 16:00	0.6	7/15/19 17:00	0.3	7/14/20 23:00	0.5
7/15/18 17:00	0.7	7/15/19 18:00	0.2	7/15/20 0:00	0.4
7/15/18 18:00	0.7	7/15/19 19:00	0.3	7/15/20 1:00	0.4
7/15/18 19:00	0.7	7/15/19 20:00	0.4	7/15/20 2:00	0.4
7/15/18 20:00	0.7	7/15/19 21:00	0.4	7/15/20 3:00	0.4
7/15/18 21:00	0.6	7/15/19 22:00	0.3	7/15/20 4:00	0.4
7/15/18 22:00	0.7	7/15/19 23:00	0.3	7/15/20 5:00	0.4
7/15/18 23:00	0.5	7/16/19 0:00	0.3	7/15/20 6:00	0.4
7/16/18 0:00	0.5	7/16/19 1:00	0.2	7/15/20 7:00	0.4
7/16/18 1:00	0.5	7/16/19 2:00	0.3	7/15/20 8:00	0.5
7/16/18 2:00	0.4	7/16/19 3:00	0.2	7/15/20 9:00	0.5
7/16/18 3:00	0.3	7/16/19 4:00	0.3	7/15/20 10:00	0.5
7/16/18 4:00	0.3	7/16/19 5:00	0.3	7/15/20 11:00	0.4
7/16/18 5:00	0.3	7/16/19 6:00	0.3	7/15/20 12:00	0.4
7/16/18 6:00	0.3	7/16/19 7:00	0.3	7/15/20 13:00	0.4
7/16/18 7:00	0.4	7/16/19 8:00	0.3	7/15/20 14:00	0.4
7/16/18 8:00	0.4	7/16/19 9:00	0.3	7/15/20 15:00	0.4
7/16/18 9:00	0.3	7/16/19 10:00	0.3	7/15/20 16:00	0.4
7/16/18 10:00	0.3	7/16/19 11:00	0.3	7/15/20 17:00	0.4
7/16/18 11:00	0.3	7/16/19 12:00	0.2	7/15/20 18:00	0.4
7/16/18 12:00	0.3	7/16/19 13:00	0.2	7/15/20 19:00	0.3
7/16/18 13:00	0.3	7/16/19 14:00	0.3	7/15/20 20:00	0.4
7/16/18 14:00	0.2	7/16/19 15:00	0.3	7/15/20 21:00	0.4
7/16/18 15:00	0.2	7/16/19 16:00	0.3	7/15/20 22:00	0.4
7/16/18 16:00	0.3	7/16/19 17:00	0.3	7/15/20 23:00	0.4
7/16/18 17:00	0.2	7/16/19 18:00	0.3	7/16/20 0:00	0.4
7/16/18 18:00	0.2	7/16/19 19:00	0.2	7/16/20 1:00	0.4
7/16/18 19:00	0.3	7/16/19 20:00	0.3	7/16/20 2:00	0.4
7/16/18 20:00	0.3	7/16/19 21:00	0.2	7/16/20 3:00	0.4
7/16/18 21:00	0.3	7/16/19 22:00	0.2	7/16/20 4:00	0.4
7/16/18 22:00	0.3	7/16/19 23:00	0.2	7/16/20 5:00	0.4
7/16/18 23:00	0.3	7/17/19 0:00	0.2	7/16/20 6:00	0.4
7/17/18 0:00	0.3	7/17/19 1:00	0.2	7/16/20 7:00	0.4
7/17/18 1:00	0.3	7/17/19 2:00	0.2	7/16/20 8:00	0.4
7/17/18 2:00	0.2	7/17/19 3:00	0.2	7/16/20 9:00	0.4
7/17/18 3:00	0.2	7/17/19 4:00	0.2	7/16/20 10:00	0.4
7/17/18 4:00	0.2	7/17/19 5:00	0.3	7/16/20 11:00	0.4
7/17/18 5:00	0.2	7/17/19 6:00	0.3	7/16/20 12:00	0.4
7/17/18 6:00	0.2	7/17/19 7:00	0.2	7/16/20 13:00	0.4
7/17/18 7:00	0.2	7/17/19 8:00	0.2	7/16/20 14:00	0.4
7/17/18 8:00	0.2	7/17/19 9:00	0.2	7/16/20 15:00	0.4
7/17/18 9:00	0.2	7/17/19 10:00	0.2	7/16/20 16:00	0.4
7/17/18 10:00	0.3	7/17/19 11:00	0.2	7/16/20 17:00	0.3
7/17/18 11:00	0.2	7/17/19 12:00	0.2	7/16/20 18:00	0.3

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
7/17/18 12:00	0.0	7/17/19 13:00	0.2	7/16/20 19:00	0.4
7/17/18 13:00	0.0	7/17/19 14:00	0.2	7/16/20 20:00	0.3
7/17/18 14:00	0.0	7/17/19 15:00	0.3	7/16/20 21:00	0.3
7/17/18 15:00	0.1	7/17/19 16:00	0.3	7/16/20 22:00	0.4
7/17/18 16:00	0.2	7/17/19 17:00	0.2	7/16/20 23:00	0.5
7/17/18 17:00	0.1	7/17/19 18:00	0.2	7/17/20 0:00	0.4
7/17/18 18:00	0.1	7/17/19 19:00	0.3	7/17/20 1:00	0.4
7/17/18 19:00	0.1	7/17/19 20:00	0.3	7/17/20 2:00	0.3
7/17/18 20:00	0.2	7/17/19 21:00	0.3	7/17/20 3:00	0.2
7/17/18 21:00	0.2	7/17/19 22:00	0.3	7/17/20 4:00	0.2
7/17/18 22:00	0.2	7/17/19 23:00	0.3	7/17/20 5:00	0.2
7/17/18 23:00	0.3	7/18/19 0:00	0.4	7/17/20 6:00	0.2
7/18/18 0:00	0.2	7/18/19 1:00	0.3	7/17/20 7:00	0.2
7/18/18 1:00	0.2	7/18/19 2:00	0.3	7/17/20 8:00	0.2
7/18/18 2:00	0.2	7/18/19 3:00	0.3	7/17/20 9:00	0.2
7/18/18 3:00	0.2	7/18/19 4:00	0.4	7/17/20 10:00	0.2
7/18/18 4:00	0.5	7/18/19 5:00	0.4	7/17/20 11:00	0.3
7/18/18 5:00	0.4	7/18/19 6:00	0.3	7/17/20 12:00	0.3
7/18/18 6:00	0.4	7/18/19 7:00	0.3	7/17/20 13:00	0.3
7/18/18 7:00	0.4	7/18/19 8:00	0.4	7/17/20 14:00	0.3
7/18/18 8:00	0.4	7/18/19 9:00	0.3	7/17/20 15:00	0.2
7/18/18 9:00	0.5	7/18/19 10:00	0.3	7/17/20 16:00	0.1
7/18/18 10:00	22.4	7/18/19 11:00	0.3	7/17/20 17:00	0.1
7/18/18 11:00	29.5	7/18/19 12:00	0.3	7/17/20 18:00	0.2
7/18/18 12:00	30.3	7/18/19 13:00	0.4	7/17/20 19:00	0.2
7/18/18 13:00	30.2	7/18/19 14:00	0.5	7/17/20 20:00	0.2
7/18/18 14:00	30.3	7/18/19 15:00	0.6	7/17/20 21:00	0.2
7/18/18 15:00	26.9	7/18/19 16:00	0.6	7/17/20 22:00	0.2
7/18/18 16:00	6.1	7/18/19 17:00	0.6	7/17/20 23:00	0.2
7/18/18 17:00	0.3	7/18/19 18:00	0.3	7/18/20 0:00	0.2
7/18/18 18:00	3.5	7/18/19 19:00	0.3	7/18/20 1:00	0.2
7/18/18 19:00	0.7	7/18/19 20:00	0.4	7/18/20 2:00	0.2
7/18/18 20:00	0.8	7/18/19 21:00	0.4	7/18/20 3:00	0.2
7/18/18 21:00	0.9	7/18/19 22:00	2.2	7/18/20 4:00	0.1
7/18/18 22:00	0.2	7/18/19 23:00	0.3	7/18/20 5:00	0.2
7/18/18 23:00	0.2	7/19/19 0:00	0.3	7/18/20 6:00	0.2
7/19/18 0:00	0.3	7/19/19 1:00	0.5	7/18/20 7:00	0.2
7/19/18 1:00	0.3	7/19/19 2:00	0.4	7/18/20 8:00	0.2
7/19/18 2:00	0.2	7/19/19 3:00	0.4	7/18/20 9:00	0.2
7/19/18 3:00	0.2	7/19/19 4:00	0.4	7/18/20 10:00	0.2
7/19/18 4:00	0.2	7/19/19 5:00	0.4	7/18/20 11:00	0.2
7/19/18 5:00	0.2	7/19/19 6:00	0.4	7/18/20 12:00	0.2
7/19/18 6:00	0.2	7/19/19 7:00	0.4	7/18/20 13:00	0.2
7/19/18 7:00	0.2	7/19/19 8:00	0.4	7/18/20 14:00	0.2
7/19/18 8:00	0.2	7/19/19 9:00	0.5	7/18/20 15:00	0.2
7/19/18 9:00	0.2	7/19/19 10:00	0.5	7/18/20 16:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
7/19/18 10:00	0.2	7/19/19 11:00	0.5	7/18/20 17:00	0.2
7/19/18 11:00	0.2	7/19/19 12:00	0.9	7/18/20 18:00	0.2
7/19/18 12:00	0.2	7/19/19 13:00	1.2	7/18/20 19:00	0.1
7/19/18 13:00	0.2	7/19/19 14:00	0.9	7/18/20 20:00	0.1
7/19/18 14:00	0.3	7/19/19 15:00	0.6	7/18/20 21:00	0.1
7/19/18 15:00	0.2	7/19/19 16:00	0.5	7/18/20 22:00	0.2
7/19/18 16:00	0.2	7/19/19 17:00	1.0	7/18/20 23:00	0.1
7/19/18 17:00	0.2	7/19/19 18:00	1.2	7/19/20 0:00	0.2
7/19/18 18:00	0.2	7/19/19 19:00	1.1	7/19/20 1:00	0.2
7/19/18 19:00	0.2	7/19/19 20:00	0.5	7/19/20 2:00	0.2
7/19/18 20:00	0.2	7/19/19 21:00	3.1	7/19/20 3:00	0.1
7/19/18 21:00	0.3	7/19/19 22:00	0.5	7/19/20 4:00	0.1
7/19/18 22:00	0.2	7/19/19 23:00	0.6	7/19/20 5:00	0.1
7/19/18 23:00	0.2	7/20/19 0:00	0.5	7/19/20 6:00	0.2
7/20/18 0:00	0.2	7/20/19 1:00	0.4	7/19/20 7:00	0.2
7/20/18 1:00	0.2	7/20/19 2:00	0.5	7/19/20 8:00	0.1
7/20/18 2:00	0.2	7/20/19 3:00	1.6	7/19/20 9:00	0.2
7/20/18 3:00	0.2	7/20/19 4:00	0.6	7/19/20 10:00	0.1
7/20/18 4:00	0.2	7/20/19 5:00	0.5	7/19/20 11:00	0.1
7/20/18 5:00	0.1	7/20/19 6:00	0.3	7/19/20 12:00	0.2
7/20/18 6:00	0.1	7/20/19 7:00	0.4	7/19/20 13:00	0.1
7/20/18 7:00	0.2	7/20/19 8:00	0.4	7/19/20 14:00	0.1
7/20/18 8:00	0.2	7/20/19 9:00	0.5	7/19/20 15:00	0.2
7/20/18 9:00	0.2	7/20/19 10:00	0.5	7/19/20 16:00	0.2
7/20/18 10:00	0.2	7/20/19 11:00	0.5	7/19/20 17:00	0.2
7/20/18 11:00	0.2	7/20/19 12:00	0.4	7/19/20 18:00	0.2
7/20/18 12:00	0.2	7/20/19 13:00	0.4	7/19/20 19:00	0.1
7/20/18 13:00	0.2	7/20/19 14:00	0.5	7/19/20 20:00	0.0
7/20/18 14:00	0.2	7/20/19 15:00	0.6	7/19/20 21:00	0.0
7/20/18 15:00	0.2	7/20/19 16:00	0.4	7/19/20 22:00	0.0
7/20/18 16:00	0.3	7/20/19 17:00	0.5	7/19/20 23:00	0.1
7/20/18 17:00	0.3	7/20/19 18:00	0.5	7/20/20 0:00	0.1
7/20/18 18:00	0.3	7/20/19 19:00	0.7	7/20/20 1:00	0.1
7/20/18 19:00	0.5	7/20/19 20:00	0.7	7/20/20 2:00	0.1
7/20/18 20:00	0.5	7/20/19 21:00	0.7	7/20/20 3:00	0.1
7/20/18 21:00	0.6	7/20/19 22:00	1.0	7/20/20 4:00	0.2
7/20/18 22:00	0.6	7/20/19 23:00	0.7	7/20/20 5:00	0.2
7/20/18 23:00	0.6	7/21/19 0:00	0.8	7/20/20 6:00	0.2
7/21/18 0:00	0.5	7/21/19 1:00	1.2	7/20/20 7:00	0.2
7/21/18 1:00	0.6	7/21/19 2:00	2.2	7/20/20 8:00	0.2
7/21/18 2:00	0.4	7/21/19 3:00	0.6	7/20/20 9:00	0.2
7/21/18 3:00	0.2	7/21/19 4:00	0.5	7/20/20 10:00	0.2
7/21/18 4:00	0.2	7/21/19 5:00	0.5	7/20/20 11:00	0.2
7/21/18 5:00	0.2	7/21/19 6:00	0.5	7/20/20 12:00	0.2
7/21/18 6:00	0.2	7/21/19 7:00	0.5	7/20/20 13:00	0.2
7/21/18 7:00	0.2	7/21/19 8:00	0.6	7/20/20 14:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
7/21/18 8:00	0.3	7/21/19 9:00	0.6	7/20/20 15:00	0.0
7/21/18 9:00	0.3	7/21/19 10:00	0.4	7/20/20 16:00	0.0
7/21/18 10:00	0.3	7/21/19 11:00	0.4	7/20/20 17:00	0.0
7/21/18 11:00	0.2	7/21/19 12:00	0.5	7/20/20 18:00	0.0
7/21/18 12:00	0.2	7/21/19 13:00	1.8	7/20/20 19:00	0.0
7/21/18 13:00	0.2	7/21/19 14:00	2.5	7/20/20 20:00	0.0
7/21/18 14:00	0.2	7/21/19 15:00	0.7	7/20/20 21:00	0.0
7/21/18 15:00	0.1	7/21/19 16:00	0.5	7/20/20 22:00	0.0
7/21/18 16:00	0.1	7/21/19 17:00	0.4	7/20/20 23:00	0.1
7/21/18 17:00	0.1	7/21/19 18:00	0.5	7/21/20 0:00	0.1
7/21/18 18:00	0.2	7/21/19 19:00	0.6	7/21/20 1:00	0.1
7/21/18 19:00	0.2	7/21/19 20:00	0.8	7/21/20 2:00	0.1
7/21/18 20:00	0.2	7/21/19 21:00	1.0	7/21/20 3:00	0.1
7/21/18 21:00	0.2	7/21/19 22:00	1.0	7/21/20 4:00	0.1
7/21/18 22:00	0.2	7/21/19 23:00	1.1	7/21/20 5:00	0.1
7/21/18 23:00	0.2	7/22/19 0:00	1.1	7/21/20 6:00	0.1
7/22/18 0:00	0.2	7/22/19 1:00	1.0	7/21/20 7:00	0.1
7/22/18 1:00	0.2	7/22/19 2:00	1.2	7/21/20 8:00	0.1
7/22/18 2:00	0.2	7/22/19 3:00	0.7	7/21/20 9:00	0.1
7/22/18 3:00	0.2	7/22/19 4:00	0.5	7/21/20 10:00	0.1
7/22/18 4:00	0.2	7/22/19 5:00	0.5	7/21/20 11:00	0.2
7/22/18 5:00	0.3	7/22/19 6:00	0.6	7/21/20 12:00	0.3
7/22/18 6:00	0.3	7/22/19 7:00	0.6	7/21/20 13:00	0.3
7/22/18 7:00	0.3	7/22/19 8:00	0.6	7/21/20 14:00	0.3
7/22/18 8:00	0.2	7/22/19 9:00	0.8	7/21/20 15:00	0.3
7/22/18 9:00	0.1	7/22/19 10:00	1.0	7/21/20 16:00	0.3
7/22/18 10:00	0.2	7/22/19 11:00	1.0	7/21/20 17:00	0.3
7/22/18 11:00	0.2	7/22/19 12:00	1.1	7/21/20 18:00	0.3
7/22/18 12:00	0.2	7/22/19 13:00	1.1	7/21/20 19:00	0.3
7/22/18 13:00	0.2	7/22/19 14:00	2.4	7/21/20 20:00	0.3
7/22/18 14:00	0.3	7/22/19 15:00	1.1	7/21/20 21:00	0.2
7/22/18 15:00	0.3	7/22/19 16:00	1.0	7/21/20 22:00	0.3
7/22/18 16:00	0.2	7/22/19 17:00	0.9	7/21/20 23:00	0.3
7/22/18 17:00	0.2	7/22/19 18:00	1.1	7/22/20 0:00	0.3
7/22/18 18:00	0.2	7/22/19 19:00	1.0	7/22/20 1:00	0.3
7/22/18 19:00	0.2	7/22/19 20:00	1.0	7/22/20 2:00	0.3
7/22/18 20:00	0.2	7/22/19 21:00	0.6	7/22/20 3:00	0.3
7/22/18 21:00	0.2	7/22/19 22:00	0.6	7/22/20 4:00	0.2
7/22/18 22:00	0.3	7/22/19 23:00	0.6	7/22/20 5:00	0.2
7/22/18 23:00	0.2	7/23/19 0:00	0.6	7/22/20 6:00	0.2
7/23/18 0:00	0.3	7/23/19 1:00	0.7	7/22/20 7:00	0.2
7/23/18 1:00	0.3	7/23/19 2:00	0.6	7/22/20 8:00	0.2
7/23/18 2:00	0.3	7/23/19 3:00	0.5	7/22/20 9:00	0.3
7/23/18 3:00	0.3	7/23/19 4:00	0.5	7/22/20 10:00	0.1
7/23/18 4:00	0.2	7/23/19 5:00	0.6	7/22/20 11:00	0.1
7/23/18 5:00	0.2	7/23/19 6:00	0.5	7/22/20 12:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
7/23/18 6:00	0.3	7/23/19 7:00	0.4	7/22/20 13:00	0.3
7/23/18 7:00	0.2	7/23/19 8:00	0.4	7/22/20 14:00	0.3
7/23/18 8:00	0.3	7/23/19 9:00	0.5	7/22/20 15:00	0.1
7/23/18 9:00	0.3	7/23/19 10:00	0.5	7/22/20 16:00	0.1
7/23/18 10:00	0.3	7/23/19 11:00	0.7	7/22/20 17:00	0.1
7/23/18 11:00	0.2	7/23/19 12:00	0.5	7/22/20 18:00	0.1
7/23/18 12:00	0.2	7/23/19 13:00	0.4	7/22/20 19:00	0.1
7/23/18 13:00	0.2	7/23/19 14:00	0.4	7/22/20 20:00	0.1
7/23/18 14:00	0.2	7/23/19 15:00	0.4	7/22/20 21:00	0.1
7/23/18 15:00	0.2	7/23/19 16:00	0.4	7/22/20 22:00	0.1
7/23/18 16:00	0.2	7/23/19 17:00	0.4	7/22/20 23:00	0.1
7/23/18 17:00	0.2	7/23/19 18:00	0.4	7/23/20 0:00	0.1
7/23/18 18:00	0.2	7/23/19 19:00	0.4	7/23/20 1:00	0.1
7/23/18 19:00	0.2	7/23/19 20:00	0.4	7/23/20 2:00	0.1
7/23/18 20:00	0.2	7/23/19 21:00	0.3	7/23/20 3:00	0.1
7/23/18 21:00	0.2	7/23/19 22:00	0.4	7/23/20 4:00	0.1
7/23/18 22:00	0.2	7/23/19 23:00	0.3	7/23/20 5:00	0.1
7/23/18 23:00	0.3	7/24/19 0:00	0.3	7/23/20 6:00	0.1
7/24/18 0:00	0.2	7/24/19 1:00	0.4	7/23/20 7:00	0.1
7/24/18 1:00	0.2	7/24/19 2:00	0.4	7/23/20 8:00	0.1
7/24/18 2:00	0.3	7/24/19 3:00	0.4	7/23/20 9:00	0.1
7/24/18 3:00	0.3	7/24/19 4:00	0.4	7/23/20 10:00	0.3
7/24/18 4:00	0.4	7/24/19 5:00	0.4	7/23/20 11:00	0.4
7/24/18 5:00	0.3	7/24/19 6:00	0.4	7/23/20 12:00	0.1
7/24/18 6:00	0.2	7/24/19 7:00	0.4	7/23/20 13:00	0.2
7/24/18 7:00	0.2	7/24/19 8:00	0.4	7/23/20 14:00	0.3
7/24/18 8:00	0.2	7/24/19 9:00	0.3	7/23/20 15:00	0.1
7/24/18 9:00	0.2	7/24/19 10:00	0.3	7/23/20 16:00	0.1
7/24/18 10:00	0.3	7/24/19 11:00	1.1	7/23/20 17:00	0.1
7/24/18 11:00	0.2	7/24/19 12:00	1.8	7/23/20 18:00	0.1
7/24/18 12:00	0.3	7/24/19 13:00	0.4	7/23/20 19:00	0.2
7/24/18 13:00	0.3	7/24/19 14:00	0.4	7/23/20 20:00	0.2
7/24/18 14:00	0.3	7/24/19 15:00	0.5	7/23/20 21:00	0.2
7/24/18 15:00	0.3	7/24/19 16:00	0.4	7/23/20 22:00	0.2
7/24/18 16:00	0.3	7/24/19 17:00	0.4	7/23/20 23:00	0.2
7/24/18 17:00	0.3	7/24/19 18:00	0.4	7/24/20 0:00	0.2
7/24/18 18:00	0.3	7/24/19 19:00	0.4	7/24/20 1:00	0.2
7/24/18 19:00	0.3	7/24/19 20:00	0.4	7/24/20 2:00	0.2
7/24/18 20:00	0.3	7/24/19 21:00	0.4	7/24/20 3:00	0.1
7/24/18 21:00	0.3	7/24/19 22:00	0.4	7/24/20 4:00	0.2
7/24/18 22:00	0.4	7/24/19 23:00	0.4	7/24/20 5:00	0.2
7/24/18 23:00	0.4	7/25/19 0:00	0.4	7/24/20 6:00	0.1
7/25/18 0:00	0.4	7/25/19 1:00	0.4	7/24/20 7:00	0.2
7/25/18 1:00	0.4	7/25/19 2:00	0.4	7/24/20 8:00	0.2
7/25/18 2:00	0.4	7/25/19 3:00	0.4	7/24/20 9:00	0.2
7/25/18 3:00	0.4	7/25/19 4:00	0.4	7/24/20 10:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
7/25/18 4:00	0.4	7/25/19 5:00	0.4	7/24/20 11:00	0.1
7/25/18 5:00	0.4	7/25/19 6:00	0.4	7/24/20 12:00	0.2
7/25/18 6:00	0.5	7/25/19 7:00	0.4	7/24/20 13:00	0.2
7/25/18 7:00	0.4	7/25/19 8:00	0.4	7/24/20 14:00	0.1
7/25/18 8:00	0.4	7/25/19 9:00	0.4	7/24/20 15:00	0.1
7/25/18 9:00	0.4	7/25/19 10:00	0.5	7/24/20 16:00	0.1
7/25/18 10:00	0.4	7/25/19 11:00	0.5	7/24/20 17:00	0.1
7/25/18 11:00	0.4	7/25/19 12:00	0.5	7/24/20 18:00	0.1
7/25/18 12:00	0.5	7/25/19 13:00	0.5	7/24/20 19:00	0.1
7/25/18 13:00	0.4	7/25/19 14:00	0.4	7/24/20 20:00	0.1
7/25/18 14:00	0.6	7/25/19 15:00	0.5	7/24/20 21:00	0.1
7/25/18 15:00	0.6	7/25/19 16:00	2.7	7/24/20 22:00	0.1
7/25/18 16:00	0.7	7/25/19 17:00	0.6	7/24/20 23:00	0.1
7/25/18 17:00	0.8	7/25/19 18:00	0.6	7/25/20 0:00	0.1
7/25/18 18:00	0.7	7/25/19 19:00	0.5	7/25/20 1:00	0.1
7/25/18 19:00	0.7	7/25/19 20:00	0.5	7/25/20 2:00	0.1
7/25/18 20:00	0.7	7/25/19 21:00	0.6	7/25/20 3:00	0.1
7/25/18 21:00	0.7	7/25/19 22:00	0.5	7/25/20 4:00	0.1
7/25/18 22:00	0.7	7/25/19 23:00	0.5	7/25/20 5:00	0.1
7/25/18 23:00	0.8	7/26/19 0:00	0.5	7/25/20 6:00	0.1
7/26/18 0:00	0.8	7/26/19 1:00	0.5	7/25/20 7:00	0.1
7/26/18 1:00	0.8	7/26/19 2:00	0.5	7/25/20 8:00	0.1
7/26/18 2:00	0.7	7/26/19 3:00	0.6	7/25/20 9:00	0.2
7/26/18 3:00	1.0	7/26/19 4:00	0.5	7/25/20 10:00	0.1
7/26/18 4:00	0.7	7/26/19 5:00	0.6	7/25/20 11:00	0.2
7/26/18 5:00	0.9	7/26/19 6:00	0.5	7/25/20 12:00	0.2
7/26/18 6:00	0.8	7/26/19 7:00	0.6	7/25/20 13:00	0.2
7/26/18 7:00	0.8	7/26/19 8:00	0.5	7/25/20 14:00	0.2
7/26/18 8:00	0.8	7/26/19 9:00	0.5	7/25/20 15:00	0.2
7/26/18 9:00	0.9	7/26/19 10:00	0.5	7/25/20 16:00	0.2
7/26/18 10:00	1.0	7/26/19 11:00	0.6	7/25/20 17:00	0.2
7/26/18 11:00	0.6	7/26/19 12:00	0.5	7/25/20 18:00	0.2
7/26/18 12:00	0.9	7/26/19 13:00	2.0	7/25/20 19:00	0.2
7/26/18 13:00	0.8	7/26/19 14:00	2.6	7/25/20 20:00	0.2
7/26/18 14:00	0.5	7/26/19 15:00	0.5	7/25/20 21:00	0.2
7/26/18 15:00	0.4	7/26/19 16:00	0.9	7/25/20 22:00	0.2
7/26/18 16:00	0.4	7/26/19 17:00	1.3	7/25/20 23:00	0.2
7/26/18 17:00	0.5	7/26/19 18:00	1.9	7/26/20 0:00	0.2
7/26/18 18:00	0.4	7/26/19 19:00	0.6	7/26/20 1:00	0.2
7/26/18 19:00	0.4	7/26/19 20:00	0.5	7/26/20 2:00	0.2
7/26/18 20:00	0.4	7/26/19 21:00	0.5	7/26/20 3:00	0.1
7/26/18 21:00	0.4	7/26/19 22:00	0.5	7/26/20 4:00	0.1
7/26/18 22:00	0.4	7/26/19 23:00	0.5	7/26/20 5:00	0.1
7/26/18 23:00	0.5	7/27/19 0:00	0.6	7/26/20 6:00	0.1
7/27/18 0:00	0.4	7/27/19 1:00	0.5	7/26/20 7:00	0.1
7/27/18 1:00	0.4	7/27/19 2:00	0.4	7/26/20 8:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
7/27/18 2:00	0.5	7/27/19 3:00	0.4	7/26/20 9:00	0.2
7/27/18 3:00	0.5	7/27/19 4:00	0.4	7/26/20 10:00	0.3
7/27/18 4:00	0.5	7/27/19 5:00	0.4	7/26/20 11:00	0.3
7/27/18 5:00	0.6	7/27/19 6:00	0.4	7/26/20 12:00	0.3
7/27/18 6:00	0.5	7/27/19 7:00	0.5	7/26/20 13:00	0.3
7/27/18 7:00	0.5	7/27/19 8:00	0.5	7/26/20 14:00	0.3
7/27/18 8:00	0.5	7/27/19 9:00	0.5	7/26/20 15:00	0.2
7/27/18 9:00	0.4	7/27/19 10:00	1.9	7/26/20 16:00	0.3
7/27/18 10:00	0.5	7/27/19 11:00	0.6	7/26/20 17:00	0.3
7/27/18 11:00	0.5	7/27/19 12:00	0.6	7/26/20 18:00	0.3
7/27/18 12:00	0.5	7/27/19 13:00	0.6	7/26/20 19:00	0.3
7/27/18 13:00	0.5	7/27/19 14:00	0.6	7/26/20 20:00	0.3
7/27/18 14:00	0.7	7/27/19 15:00	0.6	7/26/20 21:00	0.3
7/27/18 15:00	0.5	7/27/19 16:00	0.6	7/26/20 22:00	0.3
7/27/18 16:00	0.6	7/27/19 17:00	0.6	7/26/20 23:00	0.4
7/27/18 17:00	0.5	7/27/19 18:00	0.6	7/27/20 0:00	0.4
7/27/18 18:00	9.6	7/27/19 19:00	0.5	7/27/20 1:00	0.3
7/27/18 19:00	3.1	7/27/19 20:00	0.4	7/27/20 2:00	0.4
7/27/18 20:00	1.1	7/27/19 21:00	0.4	7/27/20 3:00	0.4
7/27/18 21:00	5.7	7/27/19 22:00	0.4	7/27/20 4:00	0.4
7/27/18 22:00	5.1	7/27/19 23:00	1.1	7/27/20 5:00	0.1
7/27/18 23:00	0.6	7/28/19 0:00	1.0	7/27/20 6:00	0.1
7/28/18 0:00	3.5	7/28/19 1:00	0.4	7/27/20 7:00	0.1
7/28/18 1:00	0.6	7/28/19 2:00	0.4	7/27/20 8:00	0.1
7/28/18 2:00	0.9	7/28/19 3:00	0.4	7/27/20 9:00	0.1
7/28/18 3:00	0.7	7/28/19 4:00	0.4	7/27/20 10:00	0.2
7/28/18 4:00	0.8	7/28/19 5:00	0.4	7/27/20 11:00	0.1
7/28/18 5:00	1.0	7/28/19 6:00	0.4	7/27/20 12:00	0.2
7/28/18 6:00	1.0	7/28/19 7:00	0.5	7/27/20 13:00	0.1
7/28/18 7:00	0.7	7/28/19 8:00	0.6	7/27/20 14:00	0.1
7/28/18 8:00	0.7	7/28/19 9:00	0.6	7/27/20 15:00	0.1
7/28/18 9:00	0.7	7/28/19 10:00	0.5	7/27/20 16:00	0.1
7/28/18 10:00	0.8	7/28/19 11:00	0.6	7/27/20 17:00	0.1
7/28/18 11:00	0.7	7/28/19 12:00	0.6	7/27/20 18:00	0.1
7/28/18 12:00	0.7	7/28/19 13:00	0.6	7/27/20 19:00	0.1
7/28/18 13:00	0.6	7/28/19 14:00	0.6	7/27/20 20:00	0.1
7/28/18 14:00	0.7	7/28/19 15:00	0.4	7/27/20 21:00	0.1
7/28/18 15:00	0.6	7/28/19 16:00	0.4	7/27/20 22:00	0.1
7/28/18 16:00	0.9	7/28/19 17:00	0.4	7/27/20 23:00	0.1
7/28/18 17:00	0.6	7/28/19 18:00	0.4	7/28/20 0:00	0.1
7/28/18 18:00	0.6	7/28/19 19:00	0.4	7/28/20 1:00	0.2
7/28/18 19:00	0.6	7/28/19 20:00	0.4	7/28/20 2:00	0.2
7/28/18 20:00	0.7	7/28/19 21:00	0.4	7/28/20 3:00	0.2
7/28/18 21:00	0.6	7/28/19 22:00	0.4	7/28/20 4:00	0.1
7/28/18 22:00	0.7	7/28/19 23:00	0.4	7/28/20 5:00	0.1
7/28/18 23:00	0.7	7/29/19 0:00	0.4	7/28/20 6:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
7/29/18 0:00	0.8	7/29/19 1:00	0.5	7/28/20 7:00	0.1
7/29/18 1:00	0.7	7/29/19 2:00	0.5	7/28/20 8:00	0.1
7/29/18 2:00	0.5	7/29/19 3:00	0.5	7/28/20 9:00	0.2
7/29/18 3:00	0.5	7/29/19 4:00	0.4	7/28/20 10:00	0.2
7/29/18 4:00	0.5	7/29/19 5:00	0.4	7/28/20 11:00	0.2
7/29/18 5:00	0.5	7/29/19 6:00	0.4	7/28/20 12:00	0.1
7/29/18 6:00	0.3	7/29/19 7:00	0.4	7/28/20 13:00	0.2
7/29/18 7:00	0.4	7/29/19 8:00	0.5	7/28/20 14:00	0.2
7/29/18 8:00	0.4	7/29/19 9:00	0.5	7/28/20 15:00	0.2
7/29/18 9:00	0.4	7/29/19 10:00	0.4	7/28/20 16:00	0.2
7/29/18 10:00	0.4	7/29/19 11:00	0.4	7/28/20 17:00	0.3
7/29/18 11:00	0.4	7/29/19 12:00	0.4	7/28/20 18:00	0.2
7/29/18 12:00	0.4	7/29/19 13:00	0.5	7/28/20 19:00	0.2
7/29/18 13:00	0.4	7/29/19 14:00	0.4	7/28/20 20:00	0.2
7/29/18 14:00	0.4	7/29/19 15:00	0.4	7/28/20 21:00	0.2
7/29/18 15:00	0.4	7/29/19 16:00	0.4	7/28/20 22:00	0.2
7/29/18 16:00	0.3	7/29/19 17:00	0.4	7/28/20 23:00	0.2
7/29/18 17:00	0.4	7/29/19 18:00	0.4	7/29/20 0:00	0.2
7/29/18 18:00	0.3	7/29/19 19:00	0.4	7/29/20 1:00	0.2
7/29/18 19:00	0.3	7/29/19 20:00	0.4	7/29/20 2:00	0.2
7/29/18 20:00	0.3	7/29/19 21:00	0.4	7/29/20 3:00	0.2
7/29/18 21:00	0.3	7/29/19 22:00	0.5	7/29/20 4:00	0.2
7/29/18 22:00	0.3	7/29/19 23:00	0.5	7/29/20 5:00	0.2
7/29/18 23:00	0.3	7/30/19 0:00	0.5	7/29/20 6:00	0.2
7/30/18 0:00	0.3	7/30/19 1:00	0.4	7/29/20 7:00	0.2
7/30/18 1:00	0.3	7/30/19 2:00	0.4	7/29/20 8:00	0.2
7/30/18 2:00	0.3	7/30/19 3:00	0.5	7/29/20 9:00	0.2
7/30/18 3:00	0.3	7/30/19 4:00	0.6	7/29/20 10:00	0.2
7/30/18 4:00	0.3	7/30/19 5:00	5.1	7/29/20 11:00	0.2
7/30/18 5:00	0.4	7/30/19 6:00	7.2	7/29/20 12:00	0.2
7/30/18 6:00	0.4	7/30/19 7:00	14.7	7/29/20 13:00	0.2
7/30/18 7:00	0.4	7/30/19 8:00	0.6	7/29/20 14:00	0.2
7/30/18 8:00	0.3	7/30/19 9:00	0.3	7/29/20 15:00	0.2
7/30/18 9:00	0.4	7/30/19 10:00	0.2	7/29/20 16:00	0.2
7/30/18 10:00	0.3	7/30/19 11:00	1.0	7/29/20 17:00	0.2
7/30/18 11:00	0.3	7/30/19 12:00	0.9	7/29/20 18:00	0.2
7/30/18 12:00	2.3	7/30/19 13:00	0.4	7/29/20 19:00	0.2
7/30/18 13:00	0.5	7/30/19 14:00	0.4	7/29/20 20:00	0.2
7/30/18 14:00	0.4	7/30/19 15:00	0.4	7/29/20 21:00	0.2
7/30/18 15:00	0.4	7/30/19 16:00	0.5	7/29/20 22:00	0.2
7/30/18 16:00	1.9	7/30/19 17:00	0.4	7/29/20 23:00	0.2
7/30/18 17:00	0.4	7/30/19 18:00	0.4	7/30/20 0:00	0.3
7/30/18 18:00	0.4	7/30/19 19:00	0.3	7/30/20 1:00	0.2
7/30/18 19:00	1.3	7/30/19 20:00	0.3	7/30/20 2:00	0.2
7/30/18 20:00	5.3	7/30/19 21:00	0.3	7/30/20 3:00	0.2
7/30/18 21:00	3.2	7/30/19 22:00	0.3	7/30/20 4:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
7/30/18 22:00	2.9	7/30/19 23:00	0.3	7/30/20 5:00	0.3
7/30/18 23:00	0.5	7/31/19 0:00	0.3	7/30/20 6:00	0.2
7/31/18 0:00	0.4	7/31/19 1:00	0.3	7/30/20 7:00	0.2
7/31/18 1:00	0.4	7/31/19 2:00	0.3	7/30/20 8:00	0.2
7/31/18 2:00	0.4	7/31/19 3:00	0.4	7/30/20 9:00	0.2
7/31/18 3:00	0.6	7/31/19 4:00	0.4	7/30/20 10:00	0.2
7/31/18 4:00	0.4	7/31/19 5:00	0.8	7/30/20 11:00	0.2
7/31/18 5:00	0.4	7/31/19 6:00	0.7	7/30/20 12:00	0.2
7/31/18 6:00	0.5	7/31/19 7:00	0.5	7/30/20 13:00	0.2
7/31/18 7:00	0.4	7/31/19 8:00	0.5	7/30/20 14:00	0.2
7/31/18 8:00	0.4	7/31/19 9:00	0.5	7/30/20 15:00	0.2
7/31/18 9:00	0.4	7/31/19 10:00	0.5	7/30/20 16:00	0.2
7/31/18 10:00	0.4	7/31/19 11:00	0.5	7/30/20 17:00	0.2
7/31/18 11:00	0.3	7/31/19 12:00	0.5	7/30/20 18:00	0.2
7/31/18 12:00	0.5	7/31/19 13:00	0.5	7/30/20 19:00	0.2
7/31/18 13:00	0.5	7/31/19 14:00	0.4	7/30/20 20:00	0.2
7/31/18 14:00	0.6	7/31/19 15:00	0.5	7/30/20 21:00	0.3
7/31/18 15:00	0.5	7/31/19 16:00	0.5	7/30/20 22:00	0.2
7/31/18 16:00	0.5	7/31/19 17:00	0.5	7/30/20 23:00	0.2
7/31/18 17:00	0.4	7/31/19 18:00	0.4	7/31/20 0:00	0.2
7/31/18 18:00	0.4	7/31/19 19:00	0.4	7/31/20 1:00	0.2
7/31/18 19:00	0.4	7/31/19 20:00	0.4	7/31/20 2:00	0.2
7/31/18 20:00	0.5	7/31/19 21:00	0.3	7/31/20 3:00	0.1
7/31/18 21:00	0.5	7/31/19 22:00	0.4	7/31/20 4:00	0.1
7/31/18 22:00	0.4	7/31/19 23:00	0.4	7/31/20 5:00	0.1
7/31/18 23:00	0.4	8/1/19 0:00	0.5	7/31/20 6:00	0.1
8/1/18 0:00	0.4	8/1/19 1:00	0.5	7/31/20 7:00	0.1
8/1/18 1:00	0.5	8/1/19 2:00	0.4	7/31/20 8:00	0.2
8/1/18 2:00	0.4	8/1/19 3:00	0.4	7/31/20 9:00	0.2
8/1/18 3:00	0.3	8/1/19 4:00	0.3	7/31/20 10:00	0.2
8/1/18 4:00	0.5	8/1/19 5:00	0.3	7/31/20 11:00	0.1
8/1/18 5:00	0.5	8/1/19 6:00	0.3	7/31/20 12:00	0.1
8/1/18 6:00	0.4	8/1/19 7:00	0.4	7/31/20 13:00	0.1
8/1/18 7:00	3.2	8/1/19 8:00	0.4	7/31/20 14:00	0.1
8/1/18 8:00	0.7	8/1/19 9:00	0.3	7/31/20 15:00	0.1
8/1/18 9:00	0.3	8/1/19 10:00	0.3	7/31/20 16:00	0.1
8/1/18 10:00	0.6	8/1/19 11:00	0.3	7/31/20 17:00	0.1
8/1/18 11:00	2.6	8/1/19 12:00	0.3	7/31/20 18:00	0.1
8/1/18 12:00	12.5	8/1/19 13:00	0.3	7/31/20 19:00	0.1
8/1/18 13:00	24.6	8/1/19 14:00	0.3	7/31/20 20:00	0.2
8/1/18 14:00	2.2	8/1/19 15:00	0.3	7/31/20 21:00	0.2
8/1/18 15:00	5.1	8/1/19 16:00	0.3	7/31/20 22:00	0.2
8/1/18 16:00	9.3	8/1/19 17:00	0.3	7/31/20 23:00	0.2
8/1/18 17:00	2.0	8/1/19 18:00	0.2	8/1/20 0:00	0.1
8/1/18 18:00	2.4	8/1/19 19:00	0.3	8/1/20 1:00	0.1
8/1/18 19:00	1.9	8/1/19 20:00	0.3	8/1/20 2:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
8/1/18 20:00	1.3	8/1/19 21:00	0.3	8/1/20 3:00	0.1
8/1/18 21:00	2.3	8/1/19 22:00	1.7	8/1/20 4:00	0.1
8/1/18 22:00	3.2	8/1/19 23:00	2.0	8/1/20 5:00	0.1
8/1/18 23:00	2.5	8/2/19 0:00	2.0	8/1/20 6:00	0.2
8/2/18 0:00	1.3	8/2/19 1:00	0.3	8/1/20 7:00	0.2
8/2/18 1:00	0.5	8/2/19 2:00	0.3	8/1/20 8:00	0.2
8/2/18 2:00	0.4	8/2/19 3:00	0.3	8/1/20 9:00	0.2
8/2/18 3:00	0.4	8/2/19 4:00	0.3	8/1/20 10:00	0.2
8/2/18 4:00	0.5	8/2/19 5:00	0.3	8/1/20 11:00	0.2
8/2/18 5:00	0.5	8/2/19 6:00	0.3	8/1/20 12:00	0.2
8/2/18 6:00	0.5	8/2/19 7:00	0.3	8/1/20 13:00	0.2
8/2/18 7:00	0.6	8/2/19 8:00	0.3	8/1/20 14:00	0.2
8/2/18 8:00	0.6	8/2/19 9:00	0.3	8/1/20 15:00	0.2
8/2/18 9:00	0.6	8/2/19 10:00	0.3	8/1/20 16:00	0.2
8/2/18 10:00	0.6	8/2/19 11:00	0.3	8/1/20 17:00	0.2
8/2/18 11:00	0.8	8/2/19 12:00	0.3	8/1/20 18:00	0.2
8/2/18 12:00	0.6	8/2/19 13:00	0.3	8/1/20 19:00	0.2
8/2/18 13:00	0.6	8/2/19 14:00	0.3	8/1/20 20:00	0.2
8/2/18 14:00	0.6	8/2/19 15:00	0.3	8/1/20 21:00	0.3
8/2/18 15:00	0.6	8/2/19 16:00	0.3	8/1/20 22:00	0.2
8/2/18 16:00	0.5	8/2/19 17:00	0.3	8/1/20 23:00	0.2
8/2/18 17:00	0.6	8/2/19 18:00	0.4	8/2/20 0:00	0.2
8/2/18 18:00	0.7	8/2/19 19:00	0.3	8/2/20 1:00	0.2
8/2/18 19:00	0.6	8/2/19 20:00	0.3	8/2/20 2:00	0.2
8/2/18 20:00	0.6	8/2/19 21:00	0.3	8/2/20 3:00	0.2
8/2/18 21:00	0.6	8/2/19 22:00	0.2	8/2/20 4:00	0.2
8/2/18 22:00	0.6	8/2/19 23:00	0.3	8/2/20 5:00	0.2
8/2/18 23:00	0.6	8/3/19 0:00	0.5	8/2/20 6:00	0.2
8/3/18 0:00	0.7	8/3/19 1:00	3.3	8/2/20 7:00	0.2
8/3/18 1:00	0.7	8/3/19 2:00	0.5	8/2/20 8:00	0.2
8/3/18 2:00	0.7	8/3/19 3:00	0.5	8/2/20 9:00	0.2
8/3/18 3:00	0.7	8/3/19 4:00	2.0	8/2/20 10:00	0.3
8/3/18 4:00	0.7	8/3/19 5:00	1.2	8/2/20 11:00	0.2
8/3/18 5:00	0.7	8/3/19 6:00	0.3	8/2/20 12:00	0.2
8/3/18 6:00	0.7	8/3/19 7:00	1.5	8/2/20 13:00	0.2
8/3/18 7:00	0.5	8/3/19 8:00	2.7	8/2/20 14:00	0.2
8/3/18 8:00	0.4	8/3/19 9:00	1.0	8/2/20 15:00	0.2
8/3/18 9:00	0.4	8/3/19 10:00	3.1	8/2/20 16:00	0.2
8/3/18 10:00	0.4	8/3/19 11:00	2.1	8/2/20 17:00	0.2
8/3/18 11:00	0.4	8/3/19 12:00	1.1	8/2/20 18:00	0.2
8/3/18 12:00	0.4	8/3/19 13:00	1.8	8/2/20 19:00	0.2
8/3/18 13:00	0.4	8/3/19 14:00	0.2	8/2/20 20:00	0.2
8/3/18 14:00	0.5	8/3/19 15:00	0.2	8/2/20 21:00	0.2
8/3/18 15:00	0.4	8/3/19 16:00	0.3	8/2/20 22:00	0.2
8/3/18 16:00	0.3	8/3/19 17:00	0.5	8/2/20 23:00	0.2
8/3/18 17:00	0.3	8/3/19 18:00	0.3	8/3/20 0:00	0.3

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
8/3/18 18:00	0.4	8/3/19 19:00	0.4	8/3/20 1:00	0.3
8/3/18 19:00	0.4	8/3/19 20:00	0.5	8/3/20 2:00	0.3
8/3/18 20:00	0.4	8/3/19 21:00	0.4	8/3/20 3:00	0.3
8/3/18 21:00	0.4	8/3/19 22:00	0.3	8/3/20 4:00	0.3
8/3/18 22:00	0.4	8/3/19 23:00	0.3	8/3/20 5:00	0.3
8/3/18 23:00	0.4	8/4/19 0:00	0.4	8/3/20 6:00	0.2
8/4/18 0:00	0.4	8/4/19 1:00	0.3	8/3/20 7:00	0.2
8/4/18 1:00	0.4	8/4/19 2:00	0.3	8/3/20 8:00	0.2
8/4/18 2:00	0.4	8/4/19 3:00	0.4	8/3/20 9:00	0.2
8/4/18 3:00	0.3	8/4/19 4:00	0.6	8/3/20 10:00	0.2
8/4/18 4:00	0.3	8/4/19 5:00	2.1	8/3/20 11:00	0.2
8/4/18 5:00	0.3	8/4/19 6:00	0.3	8/3/20 12:00	0.2
8/4/18 6:00	0.4	8/4/19 7:00	0.5	8/3/20 13:00	0.2
8/4/18 7:00	0.4	8/4/19 8:00	3.3	8/3/20 14:00	0.2
8/4/18 8:00	0.4	8/4/19 9:00	0.3	8/3/20 15:00	0.3
8/4/18 9:00	0.3	8/4/19 10:00	0.3	8/3/20 16:00	0.2
8/4/18 10:00	0.4	8/4/19 11:00	0.3	8/3/20 17:00	0.2
8/4/18 11:00	0.3	8/4/19 12:00	0.3	8/3/20 18:00	0.2
8/4/18 12:00	0.2	8/4/19 13:00	0.3	8/3/20 19:00	0.2
8/4/18 13:00	0.2	8/4/19 14:00	0.3	8/3/20 20:00	0.2
8/4/18 14:00	0.4	8/4/19 15:00	0.3	8/3/20 21:00	0.2
8/4/18 15:00	0.4	8/4/19 16:00	0.3	8/3/20 22:00	0.2
8/4/18 16:00	0.4	8/4/19 17:00	0.3	8/3/20 23:00	0.2
8/4/18 17:00	0.5	8/4/19 18:00	0.3	8/4/20 0:00	0.2
8/4/18 18:00	0.4	8/4/19 19:00	0.3	8/4/20 1:00	0.2
8/4/18 19:00	0.4	8/4/19 20:00	0.3	8/4/20 2:00	0.2
8/4/18 20:00	0.4	8/4/19 21:00	0.3	8/4/20 3:00	0.3
8/4/18 21:00	0.3	8/4/19 22:00	0.3	8/4/20 4:00	0.3
8/4/18 22:00	0.3	8/4/19 23:00	0.3	8/4/20 5:00	0.3
8/4/18 23:00	0.3	8/5/19 0:00	0.3	8/4/20 6:00	0.2
8/5/18 0:00	0.3	8/5/19 1:00	0.3	8/4/20 7:00	0.2
8/5/18 1:00	0.2	8/5/19 2:00	0.3	8/4/20 8:00	0.3
8/5/18 2:00	0.3	8/5/19 3:00	0.3	8/4/20 9:00	0.3
8/5/18 3:00	0.4	8/5/19 4:00	0.3	8/4/20 10:00	0.3
8/5/18 4:00	0.4	8/5/19 5:00	0.2	8/4/20 11:00	2.4
8/5/18 5:00	0.4	8/5/19 6:00	0.3	8/4/20 12:00	3.3
8/5/18 6:00	0.4	8/5/19 7:00	0.3	8/4/20 13:00	0.2
8/5/18 7:00	0.4	8/5/19 8:00	0.3	8/4/20 14:00	0.2
8/5/18 8:00	0.4	8/5/19 9:00	0.4	8/4/20 15:00	0.2
8/5/18 9:00	0.4	8/5/19 10:00	0.3	8/4/20 16:00	0.3
8/5/18 10:00	0.4	8/5/19 11:00	0.4	8/4/20 17:00	0.2
8/5/18 11:00	0.4	8/5/19 12:00	0.4	8/4/20 18:00	0.2
8/5/18 12:00	0.4	8/5/19 13:00	0.4	8/4/20 19:00	0.3
8/5/18 13:00	0.3	8/5/19 14:00	0.4	8/4/20 20:00	0.3
8/5/18 14:00	0.4	8/5/19 15:00	0.5	8/4/20 21:00	0.2
8/5/18 15:00	0.4	8/5/19 16:00	0.4	8/4/20 22:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
8/5/18 16:00	0.3	8/5/19 17:00	0.4	8/4/20 23:00	0.2
8/5/18 17:00	0.3	8/5/19 18:00	0.4	8/5/20 0:00	0.2
8/5/18 18:00	0.3	8/5/19 19:00	0.3	8/5/20 1:00	0.2
8/5/18 19:00	0.3	8/5/19 20:00	0.4	8/5/20 2:00	0.3
8/5/18 20:00	0.3	8/5/19 21:00	0.4	8/5/20 3:00	0.2
8/5/18 21:00	0.4	8/5/19 22:00	0.3	8/5/20 4:00	0.2
8/5/18 22:00	1.2	8/5/19 23:00	0.4	8/5/20 5:00	0.2
8/5/18 23:00	1.0	8/6/19 0:00	0.4	8/5/20 6:00	0.2
8/6/18 0:00	0.9	8/6/19 1:00	0.4	8/5/20 7:00	0.3
8/6/18 1:00	1.2	8/6/19 2:00	0.4	8/5/20 8:00	0.2
8/6/18 2:00	1.6	8/6/19 3:00	0.4	8/5/20 9:00	0.3
8/6/18 3:00	1.8	8/6/19 4:00	0.3	8/5/20 10:00	0.3
8/6/18 4:00	3.2	8/6/19 5:00	0.4	8/5/20 11:00	0.3
8/6/18 5:00	0.5	8/6/19 6:00	0.4	8/5/20 12:00	0.2
8/6/18 6:00	0.5	8/6/19 7:00	0.4	8/5/20 13:00	0.3
8/6/18 7:00	0.5	8/6/19 8:00	0.4	8/5/20 14:00	0.3
8/6/18 8:00	0.3	8/6/19 9:00	0.4	8/5/20 15:00	0.3
8/6/18 9:00	0.3	8/6/19 10:00	0.5	8/5/20 16:00	0.3
8/6/18 10:00	0.4	8/6/19 11:00	0.3	8/5/20 17:00	0.3
8/6/18 11:00	0.5	8/6/19 12:00	0.3	8/5/20 18:00	0.3
8/6/18 12:00	0.5	8/6/19 13:00	0.3	8/5/20 19:00	0.3
8/6/18 13:00	0.5	8/6/19 14:00	0.3	8/5/20 20:00	0.3
8/6/18 14:00	0.5	8/6/19 15:00	0.4	8/5/20 21:00	0.3
8/6/18 15:00	0.5	8/6/19 16:00	0.4	8/5/20 22:00	0.3
8/6/18 16:00	0.4	8/6/19 17:00	0.4	8/5/20 23:00	0.3
8/6/18 17:00	0.4	8/6/19 18:00	0.4	8/6/20 0:00	0.3
8/6/18 18:00	0.4	8/6/19 19:00	0.4	8/6/20 1:00	0.2
8/6/18 19:00	0.4	8/6/19 20:00	0.4	8/6/20 2:00	0.3
8/6/18 20:00	0.4	8/6/19 21:00	0.4	8/6/20 3:00	0.3
8/6/18 21:00	0.4	8/6/19 22:00	0.4	8/6/20 4:00	0.2
8/6/18 22:00	0.4	8/6/19 23:00	0.5	8/6/20 5:00	0.2
8/6/18 23:00	0.4	8/7/19 0:00	0.5	8/6/20 6:00	0.2
8/7/18 0:00	0.5	8/7/19 1:00	0.4	8/6/20 7:00	0.3
8/7/18 1:00	0.5	8/7/19 2:00	0.4	8/6/20 8:00	0.6
8/7/18 2:00	0.5	8/7/19 3:00	0.4	8/6/20 9:00	0.4
8/7/18 3:00	0.5	8/7/19 4:00	0.4	8/6/20 10:00	0.3
8/7/18 4:00	0.5	8/7/19 5:00	0.4	8/6/20 11:00	0.4
8/7/18 5:00	0.3	8/7/19 6:00	0.5	8/6/20 12:00	0.2
8/7/18 6:00	0.4	8/7/19 7:00	0.5	8/6/20 13:00	0.2
8/7/18 7:00	0.3	8/7/19 8:00	0.4	8/6/20 14:00	0.2
8/7/18 8:00	0.3	8/7/19 9:00	0.4	8/6/20 15:00	0.2
8/7/18 9:00	0.3	8/7/19 10:00	0.4	8/6/20 16:00	0.2
8/7/18 10:00	0.4	8/7/19 11:00	0.4	8/6/20 17:00	0.3
8/7/18 11:00	0.5	8/7/19 12:00	0.4	8/6/20 18:00	0.4
8/7/18 12:00	0.5	8/7/19 13:00	0.4	8/6/20 19:00	0.4
8/7/18 13:00	0.4	8/7/19 14:00	0.4	8/6/20 20:00	0.4

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
8/7/18 14:00	0.5	8/7/19 15:00	0.4	8/6/20 21:00	0.4
8/7/18 15:00	0.4	8/7/19 16:00	3.1	8/6/20 22:00	0.4
8/7/18 16:00	0.4	8/7/19 17:00	2.7	8/6/20 23:00	0.4
8/7/18 17:00	0.5	8/7/19 18:00	0.4	8/7/20 0:00	0.4
8/7/18 18:00	0.4	8/7/19 19:00	0.3	8/7/20 1:00	0.4
8/7/18 19:00	0.5	8/7/19 20:00	0.3	8/7/20 2:00	0.4
8/7/18 20:00	0.6	8/7/19 21:00	0.4	8/7/20 3:00	0.4
8/7/18 21:00	0.6	8/7/19 22:00	0.4	8/7/20 4:00	0.3
8/7/18 22:00	0.5	8/7/19 23:00	0.4	8/7/20 5:00	0.3
8/7/18 23:00	0.5	8/8/19 0:00	0.4	8/7/20 6:00	0.3
8/8/18 0:00	0.4	8/8/19 1:00	0.5	8/7/20 7:00	0.3
8/8/18 1:00	0.4	8/8/19 2:00	1.8	8/7/20 8:00	0.4
8/8/18 2:00	0.4	8/8/19 3:00	0.4	8/7/20 9:00	0.3
8/8/18 3:00	0.4	8/8/19 4:00	0.4	8/7/20 10:00	0.3
8/8/18 4:00	0.4	8/8/19 5:00	0.4	8/7/20 11:00	0.3
8/8/18 5:00	0.3	8/8/19 6:00	0.4	8/7/20 12:00	0.3
8/8/18 6:00	0.3	8/8/19 7:00	0.4	8/7/20 13:00	0.3
8/8/18 7:00	0.3	8/8/19 8:00	0.4	8/7/20 14:00	0.3
8/8/18 8:00	0.4	8/8/19 9:00	0.4	8/7/20 15:00	0.2
8/8/18 9:00	0.3	8/8/19 10:00	0.3	8/7/20 16:00	0.3
8/8/18 10:00	0.2	8/8/19 11:00	0.4	8/7/20 17:00	0.3
8/8/18 11:00	0.2	8/8/19 12:00	0.3	8/7/20 18:00	0.2
8/8/18 12:00	0.2	8/8/19 13:00	0.3	8/7/20 19:00	0.2
8/8/18 13:00	0.2	8/8/19 14:00	0.4	8/7/20 20:00	0.3
8/8/18 14:00	0.2	8/8/19 15:00	0.4	8/7/20 21:00	0.3
8/8/18 15:00	0.3	8/8/19 16:00	0.5	8/7/20 22:00	0.2
8/8/18 16:00	0.3	8/8/19 17:00	0.4	8/7/20 23:00	0.2
8/8/18 17:00	0.3	8/8/19 18:00	0.5	8/8/20 0:00	0.2
8/8/18 18:00	0.3	8/8/19 19:00	0.4	8/8/20 1:00	0.2
8/8/18 19:00	0.4	8/8/19 20:00	0.4	8/8/20 2:00	0.2
8/8/18 20:00	0.4	8/8/19 21:00	0.4	8/8/20 3:00	0.2
8/8/18 21:00	0.5	8/8/19 22:00	0.4	8/8/20 4:00	0.2
8/8/18 22:00	0.4	8/8/19 23:00	0.4	8/8/20 5:00	0.1
8/8/18 23:00	0.4	8/9/19 0:00	0.4	8/8/20 6:00	0.2
8/9/18 0:00	0.4	8/9/19 1:00	0.3	8/8/20 7:00	0.2
8/9/18 1:00	0.5	8/9/19 2:00	0.3	8/8/20 8:00	0.2
8/9/18 2:00	0.6	8/9/19 3:00	0.3	8/8/20 9:00	0.2
8/9/18 3:00	0.4	8/9/19 4:00	0.3	8/8/20 10:00	0.2
8/9/18 4:00	0.4	8/9/19 5:00	0.3	8/8/20 11:00	0.2
8/9/18 5:00	0.4	8/9/19 6:00	0.3	8/8/20 12:00	0.2
8/9/18 6:00	0.4	8/9/19 7:00	0.3	8/8/20 13:00	0.2
8/9/18 7:00	0.4	8/9/19 8:00	0.3	8/8/20 14:00	0.1
8/9/18 8:00	0.4	8/9/19 9:00	0.3	8/8/20 15:00	0.2
8/9/18 9:00	2.2	8/9/19 10:00	0.3	8/8/20 16:00	0.2
8/9/18 10:00	0.4	8/9/19 11:00	0.3	8/8/20 17:00	0.1
8/9/18 11:00	0.4	8/9/19 12:00	1.4	8/8/20 18:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
8/9/18 12:00	0.4	8/9/19 13:00	0.8	8/8/20 19:00	0.2
8/9/18 13:00	0.5	8/9/19 14:00	0.4	8/8/20 20:00	0.2
8/9/18 14:00	0.3	8/9/19 15:00	0.3	8/8/20 21:00	0.2
8/9/18 15:00	0.3	8/9/19 16:00	0.3	8/8/20 22:00	0.2
8/9/18 16:00	0.3	8/9/19 17:00	0.3	8/8/20 23:00	0.2
8/9/18 17:00	4.0	8/9/19 18:00	0.3	8/9/20 0:00	0.2
8/9/18 18:00	0.8	8/9/19 19:00	0.3	8/9/20 1:00	0.2
8/9/18 19:00	1.3	8/9/19 20:00	0.3	8/9/20 2:00	0.2
8/9/18 20:00	1.2	8/9/19 21:00	0.3	8/9/20 3:00	0.2
8/9/18 21:00	0.3	8/9/19 22:00	0.3	8/9/20 4:00	0.2
8/9/18 22:00	0.3	8/9/19 23:00	0.3	8/9/20 5:00	0.2
8/9/18 23:00	0.4	8/10/19 0:00	0.3	8/9/20 6:00	0.2
8/10/18 0:00	0.4	8/10/19 1:00	0.2	8/9/20 7:00	0.2
8/10/18 1:00	0.4	8/10/19 2:00	0.3	8/9/20 8:00	0.2
8/10/18 2:00	0.4	8/10/19 3:00	0.4	8/9/20 9:00	0.2
8/10/18 3:00	0.4	8/10/19 4:00	0.4	8/9/20 10:00	0.2
8/10/18 4:00	0.4	8/10/19 5:00	0.4	8/9/20 11:00	0.2
8/10/18 5:00	0.4	8/10/19 6:00	0.3	8/9/20 12:00	0.2
8/10/18 6:00	0.4	8/10/19 7:00	0.3	8/9/20 13:00	0.2
8/10/18 7:00	0.4	8/10/19 8:00	0.3	8/9/20 14:00	0.2
8/10/18 8:00	0.4	8/10/19 9:00	0.3	8/9/20 15:00	0.2
8/10/18 9:00	0.5	8/10/19 10:00	0.5	8/9/20 16:00	0.2
8/10/18 10:00	0.4	8/10/19 11:00	0.5	8/9/20 17:00	0.2
8/10/18 11:00	0.4	8/10/19 12:00	0.4	8/9/20 18:00	0.2
8/10/18 12:00	0.5	8/10/19 13:00	0.3	8/9/20 19:00	0.2
8/10/18 13:00	0.5	8/10/19 14:00	0.3	8/9/20 20:00	0.1
8/10/18 14:00	0.5	8/10/19 15:00	0.3	8/9/20 21:00	0.2
8/10/18 15:00	0.4	8/10/19 16:00	0.3	8/9/20 22:00	0.1
8/10/18 16:00	0.4	8/10/19 17:00	0.3	8/9/20 23:00	0.1
8/10/18 17:00	0.4	8/10/19 18:00	0.3	8/10/20 0:00	0.2
8/10/18 18:00	0.3	8/10/19 19:00	0.3	8/10/20 1:00	0.2
8/10/18 19:00	0.3	8/10/19 20:00	0.3	8/10/20 2:00	0.2
8/10/18 20:00	0.2	8/10/19 21:00	0.3	8/10/20 3:00	0.2
8/10/18 21:00	0.3	8/10/19 22:00	0.2	8/10/20 4:00	0.2
8/10/18 22:00	2.8	8/10/19 23:00	0.2	8/10/20 5:00	0.2
8/10/18 23:00	0.4	8/11/19 0:00	0.3	8/10/20 6:00	0.2
8/11/18 0:00	0.4	8/11/19 1:00	0.3	8/10/20 7:00	0.2
8/11/18 1:00	0.5	8/11/19 2:00	0.3	8/10/20 8:00	0.2
8/11/18 2:00	0.5	8/11/19 3:00	0.3	8/10/20 9:00	0.2
8/11/18 3:00	0.6	8/11/19 4:00	0.2	8/10/20 10:00	0.2
8/11/18 4:00	0.5	8/11/19 5:00	0.2	8/10/20 11:00	0.1
8/11/18 5:00	0.4	8/11/19 6:00	0.2	8/10/20 12:00	0.1
8/11/18 6:00	0.4	8/11/19 7:00	0.2	8/10/20 13:00	0.1
8/11/18 7:00	0.4	8/11/19 8:00	0.2	8/10/20 14:00	0.1
8/11/18 8:00	0.4	8/11/19 9:00	0.2	8/10/20 15:00	0.1
8/11/18 9:00	0.4	8/11/19 10:00	0.2	8/10/20 16:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
8/11/18 10:00	0.3	8/11/19 11:00	0.3	8/10/20 17:00	0.1
8/11/18 11:00	0.4	8/11/19 12:00	0.3	8/10/20 18:00	0.1
8/11/18 12:00	0.4	8/11/19 13:00	0.3	8/10/20 19:00	0.2
8/11/18 13:00	0.4	8/11/19 14:00	0.3	8/10/20 20:00	0.1
8/11/18 14:00	0.8	8/11/19 15:00	0.3	8/10/20 21:00	0.1
8/11/18 15:00	0.5	8/11/19 16:00	0.3	8/10/20 22:00	0.1
8/11/18 16:00	0.6	8/11/19 17:00	0.2	8/10/20 23:00	0.1
8/11/18 17:00	0.4	8/11/19 18:00	0.3	8/11/20 0:00	0.1
8/11/18 18:00	0.4	8/11/19 19:00	0.3	8/11/20 1:00	0.2
8/11/18 19:00	0.5	8/11/19 20:00	0.4	8/11/20 2:00	0.1
8/11/18 20:00	0.4	8/11/19 21:00	0.4	8/11/20 3:00	0.1
8/11/18 21:00	0.4	8/11/19 22:00	0.3	8/11/20 4:00	0.1
8/11/18 22:00	0.5	8/11/19 23:00	0.3	8/11/20 5:00	0.2
8/11/18 23:00	0.5	8/12/19 0:00	0.4	8/11/20 6:00	0.1
8/12/18 0:00	0.4	8/12/19 1:00	0.4	8/11/20 7:00	0.1
8/12/18 1:00	0.4	8/12/19 2:00	0.4	8/11/20 8:00	0.1
8/12/18 2:00	0.4	8/12/19 3:00	0.4	8/11/20 9:00	0.2
8/12/18 3:00	0.3	8/12/19 4:00	0.4	8/11/20 10:00	0.1
8/12/18 4:00	0.4	8/12/19 5:00	0.4	8/11/20 11:00	0.1
8/12/18 5:00	0.4	8/12/19 6:00	0.4	8/11/20 12:00	0.1
8/12/18 6:00	0.3	8/12/19 7:00	0.2	8/11/20 13:00	0.1
8/12/18 7:00	0.4	8/12/19 8:00	0.2	8/11/20 14:00	0.1
8/12/18 8:00	0.5	8/12/19 9:00	0.2	8/11/20 15:00	0.1
8/12/18 9:00	3.5	8/12/19 10:00	0.2	8/11/20 16:00	0.1
8/12/18 10:00	5.4	8/12/19 11:00	0.2	8/11/20 17:00	0.1
8/12/18 11:00	1.0	8/12/19 12:00	0.3	8/11/20 18:00	0.1
8/12/18 12:00	1.1	8/12/19 13:00	0.2	8/11/20 19:00	0.2
8/12/18 13:00	0.8	8/12/19 14:00	0.3	8/11/20 20:00	0.2
8/12/18 14:00	0.8	8/12/19 15:00	0.3	8/11/20 21:00	0.2
8/12/18 15:00	1.2	8/12/19 16:00	0.2	8/11/20 22:00	0.2
8/12/18 16:00	1.1	8/12/19 17:00	0.2	8/11/20 23:00	0.2
8/12/18 17:00	1.2	8/12/19 18:00	0.2	8/12/20 0:00	0.2
8/12/18 18:00	1.2	8/12/19 19:00	0.3	8/12/20 1:00	0.2
8/12/18 19:00	1.2	8/12/19 20:00	0.3	8/12/20 2:00	0.2
8/12/18 20:00	1.2	8/12/19 21:00	0.3	8/12/20 3:00	0.2
8/12/18 21:00	5.6	8/12/19 22:00	0.3	8/12/20 4:00	0.2
8/12/18 22:00	18.1	8/12/19 23:00	0.3	8/12/20 5:00	0.2
8/12/18 23:00	19.4	8/13/19 0:00	0.4	8/12/20 6:00	0.1
8/13/18 0:00	2.3	8/13/19 1:00	0.6	8/12/20 7:00	0.1
8/13/18 1:00	1.3	8/13/19 2:00	0.5	8/12/20 8:00	0.1
8/13/18 2:00	2.1	8/13/19 3:00	0.6	8/12/20 9:00	0.1
8/13/18 3:00	2.4	8/13/19 4:00	0.8	8/12/20 10:00	0.1
8/13/18 4:00	2.3	8/13/19 5:00	0.6	8/12/20 11:00	0.1
8/13/18 5:00	1.2	8/13/19 6:00	0.6	8/12/20 12:00	0.1
8/13/18 6:00	1.1	8/13/19 7:00	0.7	8/12/20 13:00	0.2
8/13/18 7:00	1.1	8/13/19 8:00	0.6	8/12/20 14:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
8/13/18 8:00	1.3	8/13/19 9:00	0.5	8/12/20 15:00	0.2
8/13/18 9:00	1.4	8/13/19 10:00	0.6	8/12/20 16:00	0.2
8/13/18 10:00	1.2	8/13/19 11:00	0.7	8/12/20 17:00	0.1
8/13/18 11:00	8.5	8/13/19 12:00	0.7	8/12/20 18:00	0.1
8/13/18 12:00	1.8	8/13/19 13:00	0.7	8/12/20 19:00	0.2
8/13/18 13:00	0.8	8/13/19 14:00	1.2	8/12/20 20:00	0.2
8/13/18 14:00	0.8	8/13/19 15:00	7.5	8/12/20 21:00	0.2
8/13/18 15:00	0.9	8/13/19 16:00	1.0	8/12/20 22:00	0.2
8/13/18 16:00	1.0	8/13/19 17:00	0.5	8/12/20 23:00	0.2
8/13/18 17:00	1.0	8/13/19 18:00	0.5	8/13/20 0:00	0.2
8/13/18 18:00	0.9	8/13/19 19:00	0.4	8/13/20 1:00	0.1
8/13/18 19:00	1.0	8/13/19 20:00	0.4	8/13/20 2:00	0.1
8/13/18 20:00	0.9	8/13/19 21:00	0.4	8/13/20 3:00	0.1
8/13/18 21:00	1.0	8/13/19 22:00	0.3	8/13/20 4:00	0.1
8/13/18 22:00	1.0	8/13/19 23:00	0.4	8/13/20 5:00	0.2
8/13/18 23:00	1.2	8/14/19 0:00	0.4	8/13/20 6:00	0.2
8/14/18 0:00	1.0	8/14/19 1:00	0.4	8/13/20 7:00	0.2
8/14/18 1:00	0.6	8/14/19 2:00	0.4	8/13/20 8:00	0.2
8/14/18 2:00	0.5	8/14/19 3:00	0.3	8/13/20 9:00	0.1
8/14/18 3:00	0.4	8/14/19 4:00	0.3	8/13/20 10:00	0.2
8/14/18 4:00	0.4	8/14/19 5:00	0.3	8/13/20 11:00	0.1
8/14/18 5:00	0.4	8/14/19 6:00	0.3	8/13/20 12:00	0.1
8/14/18 6:00	0.4	8/14/19 7:00	0.3	8/13/20 13:00	0.2
8/14/18 7:00	0.3	8/14/19 8:00	0.3	8/13/20 14:00	0.2
8/14/18 8:00	0.3	8/14/19 9:00	0.3	8/13/20 15:00	0.2
8/14/18 9:00	0.4	8/14/19 10:00	0.3	8/13/20 16:00	0.2
8/14/18 10:00	0.4	8/14/19 11:00	0.3	8/13/20 17:00	0.2
8/14/18 11:00	0.4	8/14/19 12:00	0.3	8/13/20 18:00	0.2
8/14/18 12:00	0.4	8/14/19 13:00	0.3	8/13/20 19:00	0.2
8/14/18 13:00	0.5	8/14/19 14:00	0.3	8/13/20 20:00	0.2
8/14/18 14:00	0.4	8/14/19 15:00	0.3	8/13/20 21:00	0.2
8/14/18 15:00	0.4	8/14/19 16:00	0.3	8/13/20 22:00	0.3
8/14/18 16:00	1.6	8/14/19 17:00	0.4	8/13/20 23:00	0.2
8/14/18 17:00	0.4	8/14/19 18:00	0.4	8/14/20 0:00	0.2
8/14/18 18:00	0.4	8/14/19 19:00	0.3	8/14/20 1:00	0.2
8/14/18 19:00	0.4	8/14/19 20:00	0.3	8/14/20 2:00	0.2
8/14/18 20:00	0.4	8/14/19 21:00	0.3	8/14/20 3:00	0.2
8/14/18 21:00	0.4	8/14/19 22:00	0.3	8/14/20 4:00	0.2
8/14/18 22:00	0.4	8/14/19 23:00	0.3	8/14/20 5:00	0.2
8/14/18 23:00	0.4	8/15/19 0:00	0.3	8/14/20 6:00	0.2
8/15/18 0:00	0.6	8/15/19 1:00	0.3	8/14/20 7:00	0.2
8/15/18 1:00	0.5	8/15/19 2:00	0.3	8/14/20 8:00	0.2
8/15/18 2:00	0.6	8/15/19 3:00	0.3	8/14/20 9:00	0.2
8/15/18 3:00	0.6	8/15/19 4:00	0.3	8/14/20 10:00	0.2
8/15/18 4:00	0.5	8/15/19 5:00	0.3	8/14/20 11:00	0.3
8/15/18 5:00	0.5	8/15/19 6:00	0.4	8/14/20 12:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
8/15/18 6:00	0.4	8/15/19 7:00	0.3	8/14/20 13:00	0.2
8/15/18 7:00	0.4	8/15/19 8:00	0.3	8/14/20 14:00	0.2
8/15/18 8:00	0.5	8/15/19 9:00	0.3	8/14/20 15:00	0.2
8/15/18 9:00	0.4	8/15/19 10:00	0.3	8/14/20 16:00	0.2
8/15/18 10:00	0.4	8/15/19 11:00	0.5	8/14/20 17:00	0.2
8/15/18 11:00	0.4	8/15/19 12:00	0.4	8/14/20 18:00	0.2
8/15/18 12:00	0.4	8/15/19 13:00	0.3	8/14/20 19:00	0.2
8/15/18 13:00	0.4	8/15/19 14:00	0.3	8/14/20 20:00	0.2
8/15/18 14:00	0.4	8/15/19 15:00	0.3	8/14/20 21:00	0.2
8/15/18 15:00	0.3	8/15/19 16:00	0.3	8/14/20 22:00	0.2
8/15/18 16:00	0.3	8/15/19 17:00	0.3	8/14/20 23:00	0.2
8/15/18 17:00	0.6	8/15/19 18:00	0.3	8/15/20 0:00	0.2
8/15/18 18:00	0.7	8/15/19 19:00	0.4	8/15/20 1:00	0.2
8/15/18 19:00	0.8	8/15/19 20:00	0.4	8/15/20 2:00	0.2
8/15/18 20:00	1.0	8/15/19 21:00	0.3	8/15/20 3:00	0.2
8/15/18 21:00	0.5	8/15/19 22:00	0.4	8/15/20 4:00	0.2
8/15/18 22:00	1.0	8/15/19 23:00	0.4	8/15/20 5:00	0.2
8/15/18 23:00	1.0	8/16/19 0:00	0.4	8/15/20 6:00	0.2
8/16/18 0:00	0.8	8/16/19 1:00	0.4	8/15/20 7:00	0.2
8/16/18 1:00	0.5	8/16/19 2:00	0.4	8/15/20 8:00	0.2
8/16/18 2:00	0.8	8/16/19 3:00	0.4	8/15/20 9:00	0.2
8/16/18 3:00	0.8	8/16/19 4:00	0.4	8/15/20 10:00	0.2
8/16/18 4:00	0.7	8/16/19 5:00	0.3	8/15/20 11:00	0.2
8/16/18 5:00	0.5	8/16/19 6:00	0.3	8/15/20 12:00	0.2
8/16/18 6:00	0.8	8/16/19 7:00	0.4	8/15/20 13:00	0.2
8/16/18 7:00	0.9	8/16/19 8:00	0.4	8/15/20 14:00	0.2
8/16/18 8:00	0.7	8/16/19 9:00	0.5	8/15/20 15:00	0.2
8/16/18 9:00	0.5	8/16/19 10:00	0.5	8/15/20 16:00	0.2
8/16/18 10:00	10.9	8/16/19 11:00	0.4	8/15/20 17:00	0.2
8/16/18 11:00	1.0	8/16/19 12:00	0.4	8/15/20 18:00	0.2
8/16/18 12:00	0.5	8/16/19 13:00	0.4	8/15/20 19:00	0.2
8/16/18 13:00	0.5	8/16/19 14:00	0.4	8/15/20 20:00	0.2
8/16/18 14:00	0.5	8/16/19 15:00	0.4	8/15/20 21:00	0.2
8/16/18 15:00	1.0	8/16/19 16:00	0.4	8/15/20 22:00	0.2
8/16/18 16:00	1.1	8/16/19 17:00	0.4	8/15/20 23:00	0.2
8/16/18 17:00	1.0	8/16/19 18:00	0.4	8/16/20 0:00	0.1
8/16/18 18:00	0.8	8/16/19 19:00	0.4	8/16/20 1:00	0.2
8/16/18 19:00	1.0	8/16/19 20:00	0.4	8/16/20 2:00	0.2
8/16/18 20:00	1.0	8/16/19 21:00	0.4	8/16/20 3:00	0.2
8/16/18 21:00	0.8	8/16/19 22:00	0.4	8/16/20 4:00	0.1
8/16/18 22:00	0.8	8/16/19 23:00	0.4	8/16/20 5:00	0.2
8/16/18 23:00	0.8	8/17/19 0:00	0.4	8/16/20 6:00	0.1
8/17/18 0:00	0.7	8/17/19 1:00	0.4	8/16/20 7:00	0.1
8/17/18 1:00	0.5	8/17/19 2:00	0.4	8/16/20 8:00	0.0
8/17/18 2:00	0.4	8/17/19 3:00	0.4	8/16/20 9:00	0.0
8/17/18 3:00	0.5	8/17/19 4:00	0.4	8/16/20 10:00	0.0

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
8/17/18 4:00	0.4	8/17/19 5:00	0.4	8/16/20 11:00	0.0
8/17/18 5:00	0.4	8/17/19 6:00	0.4	8/16/20 12:00	0.0
8/17/18 6:00	0.4	8/17/19 7:00	0.4	8/16/20 13:00	0.0
8/17/18 7:00	0.4	8/17/19 8:00	0.4	8/16/20 14:00	0.0
8/17/18 8:00	0.5	8/17/19 9:00	0.4	8/16/20 15:00	0.0
8/17/18 9:00	0.5	8/17/19 10:00	0.4	8/16/20 16:00	0.0
8/17/18 10:00	0.5	8/17/19 11:00	0.4	8/16/20 17:00	0.0
8/17/18 11:00	0.4	8/17/19 12:00	0.4	8/16/20 18:00	0.0
8/17/18 12:00	0.8	8/17/19 13:00	0.4	8/16/20 19:00	0.0
8/17/18 13:00	1.2	8/17/19 14:00	0.4	8/16/20 20:00	0.0
8/17/18 14:00	0.6	8/17/19 15:00	0.4	8/16/20 21:00	0.0
8/17/18 15:00	0.6	8/17/19 16:00	0.5	8/16/20 22:00	0.0
8/17/18 16:00	0.6	8/17/19 17:00	0.5	8/16/20 23:00	0.0
8/17/18 17:00	0.5	8/17/19 18:00	0.5	8/17/20 0:00	0.0
8/17/18 18:00	0.6	8/17/19 19:00	0.5	8/17/20 1:00	0.0
8/17/18 19:00	0.8	8/17/19 20:00	0.5	8/17/20 2:00	0.0
8/17/18 20:00	0.8	8/17/19 21:00	0.5	8/17/20 3:00	0.0
8/17/18 21:00	0.8	8/17/19 22:00	0.6	8/17/20 4:00	0.0
8/17/18 22:00	0.8	8/17/19 23:00	0.7	8/17/20 5:00	0.0
8/17/18 23:00	0.8	8/18/19 0:00	0.6	8/17/20 6:00	0.0
8/18/18 0:00	0.8	8/18/19 1:00	0.5	8/17/20 7:00	0.0
8/18/18 1:00	0.8	8/18/19 2:00	0.5	8/17/20 8:00	0.0
8/18/18 2:00	0.4	8/18/19 3:00	0.5	8/17/20 9:00	0.0
8/18/18 3:00	0.4	8/18/19 4:00	0.5	8/17/20 10:00	0.0
8/18/18 4:00	0.6	8/18/19 5:00	0.5	8/17/20 11:00	0.0
8/18/18 5:00	0.6	8/18/19 6:00	0.6	8/17/20 12:00	0.0
8/18/18 6:00	0.5	8/18/19 7:00	0.6	8/17/20 13:00	0.0
8/18/18 7:00	0.6	8/18/19 8:00	0.5	8/17/20 14:00	0.0
8/18/18 8:00	0.5	8/18/19 9:00	0.5	8/17/20 15:00	0.0
8/18/18 9:00	0.6	8/18/19 10:00	0.5	8/17/20 16:00	0.0
8/18/18 10:00	0.5	8/18/19 11:00	0.5	8/17/20 17:00	0.0
8/18/18 11:00	0.9	8/18/19 12:00	0.5	8/17/20 18:00	0.0
8/18/18 12:00	0.7	8/18/19 13:00	0.5	8/17/20 19:00	0.0
8/18/18 13:00	0.5	8/18/19 14:00	0.4	8/17/20 20:00	0.0
8/18/18 14:00	0.5	8/18/19 15:00	0.4	8/17/20 21:00	0.0
8/18/18 15:00	0.6	8/18/19 16:00	0.4	8/17/20 22:00	0.0
8/18/18 16:00	0.4	8/18/19 17:00	0.4	8/17/20 23:00	0.0
8/18/18 17:00	0.4	8/18/19 18:00	0.4	8/18/20 0:00	0.0
8/18/18 18:00	0.5	8/18/19 19:00	0.3	8/18/20 1:00	0.0
8/18/18 19:00	0.6	8/18/19 20:00	0.3	8/18/20 2:00	0.0
8/18/18 20:00	0.6	8/18/19 21:00	0.4	8/18/20 3:00	0.0
8/18/18 21:00	0.7	8/18/19 22:00	0.4	8/18/20 4:00	0.0
8/18/18 22:00	0.6	8/18/19 23:00	0.4	8/18/20 5:00	0.1
8/18/18 23:00	0.6	8/19/19 0:00	0.4	8/18/20 6:00	0.1
8/19/18 0:00	0.6	8/19/19 1:00	0.4	8/18/20 7:00	0.1
8/19/18 1:00	0.6	8/19/19 2:00	0.5	8/18/20 8:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
8/19/18 2:00	0.7	8/19/19 3:00	1.6	8/18/20 9:00	0.1
8/19/18 3:00	0.7	8/19/19 4:00	0.4	8/18/20 10:00	0.2
8/19/18 4:00	0.6	8/19/19 5:00	0.3	8/18/20 11:00	0.1
8/19/18 5:00	0.8	8/19/19 6:00	0.3	8/18/20 12:00	0.1
8/19/18 6:00	0.3	8/19/19 7:00	0.4	8/18/20 13:00	0.0
8/19/18 7:00	0.4	8/19/19 8:00	2.8	8/18/20 14:00	0.1
8/19/18 8:00	0.4	8/19/19 9:00	0.4	8/18/20 15:00	0.1
8/19/18 9:00	0.4	8/19/19 10:00	0.4	8/18/20 16:00	0.1
8/19/18 10:00	0.4	8/19/19 11:00	0.3	8/18/20 17:00	0.1
8/19/18 11:00	0.4	8/19/19 12:00	0.3	8/18/20 18:00	0.1
8/19/18 12:00	4.2	8/19/19 13:00	0.3	8/18/20 19:00	0.1
8/19/18 13:00	0.6	8/19/19 14:00	0.3	8/18/20 20:00	0.1
8/19/18 14:00	0.5	8/19/19 15:00	0.3	8/18/20 21:00	0.1
8/19/18 15:00	0.5	8/19/19 16:00	0.3	8/18/20 22:00	0.1
8/19/18 16:00	0.5	8/19/19 17:00	0.3	8/18/20 23:00	0.1
8/19/18 17:00	0.5	8/19/19 18:00	0.3	8/19/20 0:00	0.1
8/19/18 18:00	0.5	8/19/19 19:00	0.4	8/19/20 1:00	0.1
8/19/18 19:00	0.6	8/19/19 20:00	0.4	8/19/20 2:00	0.1
8/19/18 20:00	0.5	8/19/19 21:00	0.4	8/19/20 3:00	0.1
8/19/18 21:00	0.6	8/19/19 22:00	0.4	8/19/20 4:00	0.1
8/19/18 22:00	1.0	8/19/19 23:00	0.5	8/19/20 5:00	0.1
8/19/18 23:00	1.3	8/20/19 0:00	0.4	8/19/20 6:00	0.1
8/20/18 0:00	1.4	8/20/19 1:00	0.4	8/19/20 7:00	0.1
8/20/18 1:00	1.7	8/20/19 2:00	0.4	8/19/20 8:00	0.1
8/20/18 2:00	2.5	8/20/19 3:00	0.4	8/19/20 9:00	0.2
8/20/18 3:00	0.9	8/20/19 4:00	0.4	8/19/20 10:00	0.2
8/20/18 4:00	0.9	8/20/19 5:00	0.4	8/19/20 11:00	0.2
8/20/18 5:00	0.9	8/20/19 6:00	0.4	8/19/20 12:00	0.2
8/20/18 6:00	0.5	8/20/19 7:00	0.4	8/19/20 13:00	0.2
8/20/18 7:00	0.6	8/20/19 8:00	0.3	8/19/20 14:00	0.2
8/20/18 8:00	0.6	8/20/19 9:00	0.3	8/19/20 15:00	0.2
8/20/18 9:00	0.6	8/20/19 10:00	0.5	8/19/20 16:00	0.2
8/20/18 10:00	0.5	8/20/19 11:00	0.4	8/19/20 17:00	0.1
8/20/18 11:00	0.5	8/20/19 12:00	0.3	8/19/20 18:00	0.2
8/20/18 12:00	0.5	8/20/19 13:00	0.4	8/19/20 19:00	0.2
8/20/18 13:00	0.5	8/20/19 14:00	0.4	8/19/20 20:00	0.2
8/20/18 14:00	0.4	8/20/19 15:00	0.4	8/19/20 21:00	0.2
8/20/18 15:00	0.4	8/20/19 16:00	0.4	8/19/20 22:00	0.2
8/20/18 16:00	0.5	8/20/19 17:00	0.3	8/19/20 23:00	0.2
8/20/18 17:00	0.5	8/20/19 18:00	0.3	8/20/20 0:00	0.2
8/20/18 18:00	0.4	8/20/19 19:00	0.4	8/20/20 1:00	0.2
8/20/18 19:00	0.4	8/20/19 20:00	0.4	8/20/20 2:00	0.2
8/20/18 20:00	0.4	8/20/19 21:00	0.4	8/20/20 3:00	0.2
8/20/18 21:00	0.5	8/20/19 22:00	0.3	8/20/20 4:00	0.2
8/20/18 22:00	0.5	8/20/19 23:00	0.3	8/20/20 5:00	0.2
8/20/18 23:00	0.5	8/21/19 0:00	0.3	8/20/20 6:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
8/21/18 0:00	0.4	8/21/19 1:00	0.3	8/20/20 7:00	0.2
8/21/18 1:00	0.5	8/21/19 2:00	0.3	8/20/20 8:00	0.2
8/21/18 2:00	0.5	8/21/19 3:00	0.4	8/20/20 9:00	0.2
8/21/18 3:00	0.5	8/21/19 4:00	0.4	8/20/20 10:00	0.2
8/21/18 4:00	0.5	8/21/19 5:00	0.4	8/20/20 11:00	0.2
8/21/18 5:00	0.5	8/21/19 6:00	0.4	8/20/20 12:00	0.2
8/21/18 6:00	0.4	8/21/19 7:00	0.4	8/20/20 13:00	0.2
8/21/18 7:00	0.4	8/21/19 8:00	0.5	8/20/20 14:00	0.2
8/21/18 8:00	0.4	8/21/19 9:00	0.4	8/20/20 15:00	0.2
8/21/18 9:00	0.4	8/21/19 10:00	0.3	8/20/20 16:00	0.2
8/21/18 10:00	0.5	8/21/19 11:00	0.3	8/20/20 17:00	0.2
8/21/18 11:00	0.4	8/21/19 12:00	0.3	8/20/20 18:00	0.2
8/21/18 12:00	0.4	8/21/19 13:00	0.4	8/20/20 19:00	0.2
8/21/18 13:00	0.4	8/21/19 14:00	0.3	8/20/20 20:00	0.2
8/21/18 14:00	0.4	8/21/19 15:00	0.4	8/20/20 21:00	0.1
8/21/18 15:00	0.3	8/21/19 16:00	0.4	8/20/20 22:00	0.2
8/21/18 16:00	0.7	8/21/19 17:00	2.7	8/20/20 23:00	0.1
8/21/18 17:00	0.5	8/21/19 18:00	1.8	8/21/20 0:00	0.1
8/21/18 18:00	0.4	8/21/19 19:00	0.4	8/21/20 1:00	0.1
8/21/18 19:00	0.5	8/21/19 20:00	0.4	8/21/20 2:00	0.2
8/21/18 20:00	0.5	8/21/19 21:00	0.4	8/21/20 3:00	0.2
8/21/18 21:00	1.5	8/21/19 22:00	0.4	8/21/20 4:00	0.2
8/21/18 22:00	0.5	8/21/19 23:00	0.4	8/21/20 5:00	0.2
8/21/18 23:00	0.4	8/22/19 0:00	0.4	8/21/20 6:00	0.2
8/22/18 0:00	0.4	8/22/19 1:00	0.4	8/21/20 7:00	0.2
8/22/18 1:00	0.4	8/22/19 2:00	0.4	8/21/20 8:00	0.2
8/22/18 2:00	0.4	8/22/19 3:00	0.4	8/21/20 9:00	0.2
8/22/18 3:00	0.3	8/22/19 4:00	0.4	8/21/20 10:00	0.1
8/22/18 4:00	0.3	8/22/19 5:00	0.4	8/21/20 11:00	0.1
8/22/18 5:00	0.3	8/22/19 6:00	0.4	8/21/20 12:00	0.2
8/22/18 6:00	0.4	8/22/19 7:00	0.5	8/21/20 13:00	0.2
8/22/18 7:00	0.4	8/22/19 8:00	0.4	8/21/20 14:00	0.2
8/22/18 8:00	0.4	8/22/19 9:00	0.5	8/21/20 15:00	0.2
8/22/18 9:00	0.4	8/22/19 10:00	0.5	8/21/20 16:00	0.2
8/22/18 10:00	0.4	8/22/19 11:00	0.4	8/21/20 17:00	0.2
8/22/18 11:00	0.4	8/22/19 12:00	0.3	8/21/20 18:00	0.2
8/22/18 12:00	0.3	8/22/19 13:00	0.3	8/21/20 19:00	0.2
8/22/18 13:00	0.4	8/22/19 14:00	0.4	8/21/20 20:00	0.2
8/22/18 14:00	0.3	8/22/19 15:00	0.4	8/21/20 21:00	0.2
8/22/18 15:00	0.3	8/22/19 16:00	0.5	8/21/20 22:00	0.2
8/22/18 16:00	0.3	8/22/19 17:00	0.4	8/21/20 23:00	0.3
8/22/18 17:00	0.3	8/22/19 18:00	0.5	8/22/20 0:00	0.2
8/22/18 18:00	0.3	8/22/19 19:00	0.4	8/22/20 1:00	0.3
8/22/18 19:00	0.4	8/22/19 20:00	0.4	8/22/20 2:00	0.2
8/22/18 20:00	0.4	8/22/19 21:00	0.4	8/22/20 3:00	0.2
8/22/18 21:00	0.4	8/22/19 22:00	0.4	8/22/20 4:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
8/22/18 22:00	0.4	8/22/19 23:00	0.4	8/22/20 5:00	0.3
8/22/18 23:00	0.4	8/23/19 0:00	0.4	8/22/20 6:00	0.2
8/23/18 0:00	0.4	8/23/19 1:00	0.6	8/22/20 7:00	0.2
8/23/18 1:00	0.3	8/23/19 2:00	0.4	8/22/20 8:00	0.2
8/23/18 2:00	3.2	8/23/19 3:00	0.4	8/22/20 9:00	0.2
8/23/18 3:00	5.6	8/23/19 4:00	0.4	8/22/20 10:00	0.2
8/23/18 4:00	1.3	8/23/19 5:00	0.4	8/22/20 11:00	0.2
8/23/18 5:00	0.3	8/23/19 6:00	0.4	8/22/20 12:00	0.2
8/23/18 6:00	0.3	8/23/19 7:00	0.4	8/22/20 13:00	0.2
8/23/18 7:00	0.3	8/23/19 8:00	0.5	8/22/20 14:00	0.2
8/23/18 8:00	0.3	8/23/19 9:00	0.5	8/22/20 15:00	0.2
8/23/18 9:00	0.3	8/23/19 10:00	0.5	8/22/20 16:00	0.2
8/23/18 10:00	0.8	8/23/19 11:00	0.5	8/22/20 17:00	0.2
8/23/18 11:00	1.3	8/23/19 12:00	0.5	8/22/20 18:00	0.2
8/23/18 12:00	0.7	8/23/19 13:00	0.4	8/22/20 19:00	0.2
8/23/18 13:00	0.2	8/23/19 14:00	0.4	8/22/20 20:00	0.1
8/23/18 14:00	0.3	8/23/19 15:00	0.4	8/22/20 21:00	0.2
8/23/18 15:00	0.3	8/23/19 16:00	0.4	8/22/20 22:00	0.2
8/23/18 16:00	0.3	8/23/19 17:00	0.4	8/22/20 23:00	0.2
8/23/18 17:00	0.3	8/23/19 18:00	0.4	8/23/20 0:00	0.2
8/23/18 18:00	0.4	8/23/19 19:00	0.4	8/23/20 1:00	0.2
8/23/18 19:00	0.5	8/23/19 20:00	0.4	8/23/20 2:00	0.2
8/23/18 20:00	0.4	8/23/19 21:00	0.4	8/23/20 3:00	0.2
8/23/18 21:00	0.4	8/23/19 22:00	0.4	8/23/20 4:00	0.3
8/23/18 22:00	0.4	8/23/19 23:00	0.5	8/23/20 5:00	0.3
8/23/18 23:00	0.3	8/24/19 0:00	0.5	8/23/20 6:00	0.4
8/24/18 0:00	0.3	8/24/19 1:00	0.6	8/23/20 7:00	0.3
8/24/18 1:00	0.6	8/24/19 2:00	0.5	8/23/20 8:00	0.4
8/24/18 2:00	0.3	8/24/19 3:00	0.4	8/23/20 9:00	0.4
8/24/18 3:00	0.3	8/24/19 4:00	0.4	8/23/20 10:00	0.4
8/24/18 4:00	0.3	8/24/19 5:00	0.4	8/23/20 11:00	0.4
8/24/18 5:00	0.3	8/24/19 6:00	0.4	8/23/20 12:00	0.4
8/24/18 6:00	0.3	8/24/19 7:00	0.4	8/23/20 13:00	0.4
8/24/18 7:00	0.4	8/24/19 8:00	0.4	8/23/20 14:00	0.4
8/24/18 8:00	3.7	8/24/19 9:00	0.4	8/23/20 15:00	0.4
8/24/18 9:00	5.0	8/24/19 10:00	0.4	8/23/20 16:00	0.4
8/24/18 10:00	0.3	8/24/19 11:00	0.4	8/23/20 17:00	0.4
8/24/18 11:00	0.3	8/24/19 12:00	0.4	8/23/20 18:00	0.4
8/24/18 12:00	0.3	8/24/19 13:00	0.4	8/23/20 19:00	0.4
8/24/18 13:00	0.3	8/24/19 14:00	0.3	8/23/20 20:00	0.4
8/24/18 14:00	0.3	8/24/19 15:00	0.3	8/23/20 21:00	0.4
8/24/18 15:00	0.4	8/24/19 16:00	0.3	8/23/20 22:00	0.4
8/24/18 16:00	0.4	8/24/19 17:00	0.3	8/23/20 23:00	0.2
8/24/18 17:00	0.4	8/24/19 18:00	0.3	8/24/20 0:00	0.1
8/24/18 18:00	0.4	8/24/19 19:00	0.4	8/24/20 1:00	0.1
8/24/18 19:00	0.3	8/24/19 20:00	0.3	8/24/20 2:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
8/24/18 20:00	0.3	8/24/19 21:00	0.3	8/24/20 3:00	0.1
8/24/18 21:00	0.3	8/24/19 22:00	0.4	8/24/20 4:00	0.1
8/24/18 22:00	0.4	8/24/19 23:00	0.4	8/24/20 5:00	0.1
8/24/18 23:00	0.4	8/25/19 0:00	0.4	8/24/20 6:00	0.1
8/25/18 0:00	0.4	8/25/19 1:00	0.4	8/24/20 7:00	0.1
8/25/18 1:00	0.3	8/25/19 2:00	0.3	8/24/20 8:00	0.1
8/25/18 2:00	0.4	8/25/19 3:00	0.3	8/24/20 9:00	0.1
8/25/18 3:00	0.4	8/25/19 4:00	0.4	8/24/20 10:00	0.1
8/25/18 4:00	0.3	8/25/19 5:00	0.4	8/24/20 11:00	0.1
8/25/18 5:00	0.3	8/25/19 6:00	0.4	8/24/20 12:00	0.1
8/25/18 6:00	0.3	8/25/19 7:00	0.4	8/24/20 13:00	0.1
8/25/18 7:00	0.3	8/25/19 8:00	0.4	8/24/20 14:00	0.1
8/25/18 8:00	0.4	8/25/19 9:00	0.4	8/24/20 15:00	0.1
8/25/18 9:00	0.3	8/25/19 10:00	0.4	8/24/20 16:00	0.1
8/25/18 10:00	0.3	8/25/19 11:00	0.5	8/24/20 17:00	0.1
8/25/18 11:00	0.4	8/25/19 12:00	0.3	8/24/20 18:00	0.1
8/25/18 12:00	0.5	8/25/19 13:00	0.3	8/24/20 19:00	0.1
8/25/18 13:00	0.4	8/25/19 14:00	0.3	8/24/20 20:00	0.1
8/25/18 14:00	0.5	8/25/19 15:00	0.5	8/24/20 21:00	0.1
8/25/18 15:00	0.4	8/25/19 16:00	0.5	8/24/20 22:00	0.1
8/25/18 16:00	0.4	8/25/19 17:00	0.6	8/24/20 23:00	0.1
8/25/18 17:00	0.4	8/25/19 18:00	0.4	8/25/20 0:00	0.1
8/25/18 18:00	0.3	8/25/19 19:00	0.3	8/25/20 1:00	0.1
8/25/18 19:00	0.5	8/25/19 20:00	0.4	8/25/20 2:00	0.1
8/25/18 20:00	0.5	8/25/19 21:00	0.4	8/25/20 3:00	0.1
8/25/18 21:00	0.6	8/25/19 22:00	0.4	8/25/20 4:00	0.1
8/25/18 22:00	3.8	8/25/19 23:00	0.4	8/25/20 5:00	0.1
8/25/18 23:00	0.5	8/26/19 0:00	0.4	8/25/20 6:00	0.1
8/26/18 0:00	0.5	8/26/19 1:00	0.4	8/25/20 7:00	0.1
8/26/18 1:00	0.6	8/26/19 2:00	0.4	8/25/20 8:00	0.1
8/26/18 2:00	0.6	8/26/19 3:00	0.5	8/25/20 9:00	0.2
8/26/18 3:00	0.5	8/26/19 4:00	0.4	8/25/20 10:00	0.1
8/26/18 4:00	0.4	8/26/19 5:00	0.4	8/25/20 11:00	0.1
8/26/18 5:00	0.5	8/26/19 6:00	0.4	8/25/20 12:00	0.1
8/26/18 6:00	0.5	8/26/19 7:00	0.4	8/25/20 13:00	0.1
8/26/18 7:00	0.5	8/26/19 8:00	0.4	8/25/20 14:00	0.1
8/26/18 8:00	0.6	8/26/19 9:00	0.3	8/25/20 15:00	0.1
8/26/18 9:00	0.5	8/26/19 10:00	0.4	8/25/20 16:00	0.2
8/26/18 10:00	0.5	8/26/19 11:00	0.2	8/25/20 17:00	0.2
8/26/18 11:00	0.6	8/26/19 12:00	0.0	8/25/20 18:00	0.1
8/26/18 12:00	0.6	8/26/19 13:00	0.0	8/25/20 19:00	0.2
8/26/18 13:00	0.6	8/26/19 14:00	0.0	8/25/20 20:00	0.2
8/26/18 14:00	0.6	8/26/19 15:00	0.0	8/25/20 21:00	0.2
8/26/18 15:00	0.5	8/26/19 16:00	0.0	8/25/20 22:00	0.2
8/26/18 16:00	0.5	8/26/19 17:00	0.0	8/25/20 23:00	0.2
8/26/18 17:00	0.6	8/26/19 18:00	0.0	8/26/20 0:00	0.3

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
8/26/18 18:00	0.6	8/26/19 19:00	0.0	8/26/20 1:00	0.4
8/26/18 19:00	0.7	8/26/19 20:00	0.0	8/26/20 2:00	0.4
8/26/18 20:00	0.6	8/26/19 21:00	0.0	8/26/20 3:00	0.4
8/26/18 21:00	0.7	8/26/19 22:00	0.1	8/26/20 4:00	0.3
8/26/18 22:00	0.7	8/26/19 23:00	0.2	8/26/20 5:00	0.3
8/26/18 23:00	0.7	8/27/19 0:00	0.4	8/26/20 6:00	0.3
8/27/18 0:00	0.6	8/27/19 1:00	0.3	8/26/20 7:00	0.4
8/27/18 1:00	0.5	8/27/19 2:00	0.2	8/26/20 8:00	0.4
8/27/18 2:00	0.5	8/27/19 3:00	0.2	8/26/20 9:00	31.8
8/27/18 3:00	0.4	8/27/19 4:00	0.3	8/26/20 10:00	0.4
8/27/18 4:00	0.4	8/27/19 5:00	0.3	8/26/20 11:00	0.4
8/27/18 5:00	0.5	8/27/19 6:00	0.2	8/26/20 12:00	0.3
8/27/18 6:00	0.5	8/27/19 7:00	0.3	8/26/20 13:00	0.3
8/27/18 7:00	0.5	8/27/19 8:00	0.3	8/26/20 14:00	0.2
8/27/18 8:00	0.5	8/27/19 9:00	0.3	8/26/20 15:00	0.3
8/27/18 9:00	0.4	8/27/19 10:00	0.3	8/26/20 16:00	0.3
8/27/18 10:00	0.4	8/27/19 11:00	0.3	8/26/20 17:00	0.4
8/27/18 11:00	0.4	8/27/19 12:00	0.2	8/26/20 18:00	0.3
8/27/18 12:00	0.4	8/27/19 13:00	0.3	8/26/20 19:00	1.9
8/27/18 13:00	0.3	8/27/19 14:00	0.3	8/26/20 20:00	0.3
8/27/18 14:00	0.3	8/27/19 15:00	0.3	8/26/20 21:00	0.3
8/27/18 15:00	0.3	8/27/19 16:00	0.2	8/26/20 22:00	0.3
8/27/18 16:00	0.3	8/27/19 17:00	0.2	8/26/20 23:00	0.3
8/27/18 17:00	0.3	8/27/19 18:00	0.2	8/27/20 0:00	0.3
8/27/18 18:00	0.3	8/27/19 19:00	0.3	8/27/20 1:00	0.3
8/27/18 19:00	0.3	8/27/19 20:00	0.3	8/27/20 2:00	0.3
8/27/18 20:00	0.3	8/27/19 21:00	0.4	8/27/20 3:00	0.3
8/27/18 21:00	0.5	8/27/19 22:00	0.4	8/27/20 4:00	0.3
8/27/18 22:00	0.5	8/27/19 23:00	0.3	8/27/20 5:00	0.3
8/27/18 23:00	0.5	8/28/19 0:00	0.3	8/27/20 6:00	0.3
8/28/18 0:00	0.6	8/28/19 1:00	0.3	8/27/20 7:00	0.2
8/28/18 1:00	0.6	8/28/19 2:00	0.3	8/27/20 8:00	0.3
8/28/18 2:00	0.6	8/28/19 3:00	0.2	8/27/20 9:00	0.3
8/28/18 3:00	1.4	8/28/19 4:00	0.3	8/27/20 10:00	0.4
8/28/18 4:00	10.0	8/28/19 5:00	0.3	8/27/20 11:00	0.2
8/28/18 5:00	0.5	8/28/19 6:00	0.2	8/27/20 12:00	0.3
8/28/18 6:00	0.6	8/28/19 7:00	0.3	8/27/20 13:00	0.3
8/28/18 7:00	0.5	8/28/19 8:00	0.3	8/27/20 14:00	0.3
8/28/18 8:00	0.4	8/28/19 9:00	0.2	8/27/20 15:00	0.2
8/28/18 9:00	0.4	8/28/19 10:00	0.3	8/27/20 16:00	0.2
8/28/18 10:00	0.4	8/28/19 11:00	0.3	8/27/20 17:00	0.2
8/28/18 11:00	0.4	8/28/19 12:00	0.3	8/27/20 18:00	0.3
8/28/18 12:00	0.3	8/28/19 13:00	0.3	8/27/20 19:00	0.4
8/28/18 13:00	0.5	8/28/19 14:00	0.3	8/27/20 20:00	0.3
8/28/18 14:00	0.5	8/28/19 15:00	0.3	8/27/20 21:00	0.3
8/28/18 15:00	0.4	8/28/19 16:00	0.4	8/27/20 22:00	0.3

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
8/28/18 16:00	0.5	8/28/19 17:00	0.5	8/27/20 23:00	0.3
8/28/18 17:00	0.4	8/28/19 18:00	0.5	8/28/20 0:00	0.2
8/28/18 18:00	0.5	8/28/19 19:00	0.5	8/28/20 1:00	0.2
8/28/18 19:00	0.6	8/28/19 20:00	0.6	8/28/20 2:00	0.3
8/28/18 20:00	1.5	8/28/19 21:00	0.6	8/28/20 3:00	0.3
8/28/18 21:00	0.6	8/28/19 22:00	0.6	8/28/20 4:00	0.3
8/28/18 22:00	0.5	8/28/19 23:00	0.4	8/28/20 5:00	0.3
8/28/18 23:00	0.4	8/29/19 0:00	0.4	8/28/20 6:00	0.3
8/29/18 0:00	0.5	8/29/19 1:00	0.4	8/28/20 7:00	0.3
8/29/18 1:00	0.4	8/29/19 2:00	0.4	8/28/20 8:00	0.3
8/29/18 2:00	0.2	8/29/19 3:00	0.5	8/28/20 9:00	0.3
8/29/18 3:00	0.2	8/29/19 4:00	0.5	8/28/20 10:00	0.3
8/29/18 4:00	0.3	8/29/19 5:00	0.5	8/28/20 11:00	0.3
8/29/18 5:00	0.2	8/29/19 6:00	0.5	8/28/20 12:00	0.3
8/29/18 6:00	0.4	8/29/19 7:00	0.5	8/28/20 13:00	0.3
8/29/18 7:00	0.4	8/29/19 8:00	0.5	8/28/20 14:00	0.3
8/29/18 8:00	0.4	8/29/19 9:00	0.6	8/28/20 15:00	0.3
8/29/18 9:00	0.3	8/29/19 10:00	0.6	8/28/20 16:00	0.3
8/29/18 10:00	4.3	8/29/19 11:00	0.8	8/28/20 17:00	0.3
8/29/18 11:00	0.4	8/29/19 12:00	1.1	8/28/20 18:00	0.3
8/29/18 12:00	0.5	8/29/19 13:00	1.8	8/28/20 19:00	0.3
8/29/18 13:00	0.9	8/29/19 14:00	1.6	8/28/20 20:00	0.3
8/29/18 14:00	1.2	8/29/19 15:00	1.6	8/28/20 21:00	0.3
8/29/18 15:00	0.9	8/29/19 16:00	0.7	8/28/20 22:00	0.3
8/29/18 16:00	0.9	8/29/19 17:00	0.7	8/28/20 23:00	0.4
8/29/18 17:00	1.4	8/29/19 18:00	1.0	8/29/20 0:00	0.3
8/29/18 18:00	0.4	8/29/19 19:00	2.4	8/29/20 1:00	0.3
8/29/18 19:00	1.1	8/29/19 20:00	4.1	8/29/20 2:00	0.3
8/29/18 20:00	1.0	8/29/19 21:00	3.4	8/29/20 3:00	0.3
8/29/18 21:00	0.7	8/29/19 22:00	1.0	8/29/20 4:00	0.3
8/29/18 22:00	1.0	8/29/19 23:00	1.1	8/29/20 5:00	0.3
8/29/18 23:00	0.8	8/30/19 0:00	0.5	8/29/20 6:00	0.3
8/30/18 0:00	1.0	8/30/19 1:00	0.8	8/29/20 7:00	0.2
8/30/18 1:00	1.2	8/30/19 2:00	0.5	8/29/20 8:00	0.3
8/30/18 2:00	1.0	8/30/19 3:00	1.1	8/29/20 9:00	0.3
8/30/18 3:00	0.7	8/30/19 4:00	0.4	8/29/20 10:00	0.3
8/30/18 4:00	0.6	8/30/19 5:00	0.6	8/29/20 11:00	0.3
8/30/18 5:00	0.6	8/30/19 6:00	0.5	8/29/20 12:00	0.3
8/30/18 6:00	0.5	8/30/19 7:00	0.4	8/29/20 13:00	0.3
8/30/18 7:00	0.4	8/30/19 8:00	0.4	8/29/20 14:00	0.3
8/30/18 8:00	0.5	8/30/19 9:00	0.4	8/29/20 15:00	0.3
8/30/18 9:00	0.5	8/30/19 10:00	0.4	8/29/20 16:00	0.3
8/30/18 10:00	0.7	8/30/19 11:00	0.4	8/29/20 17:00	0.3
8/30/18 11:00	0.6	8/30/19 12:00	0.4	8/29/20 18:00	0.3
8/30/18 12:00	0.6	8/30/19 13:00	0.4	8/29/20 19:00	0.3
8/30/18 13:00	0.6	8/30/19 14:00	0.5	8/29/20 20:00	0.3

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
8/30/18 14:00	0.6	8/30/19 15:00	0.5	8/29/20 21:00	0.3
8/30/18 15:00	0.4	8/30/19 16:00	0.5	8/29/20 22:00	0.3
8/30/18 16:00	0.4	8/30/19 17:00	0.4	8/29/20 23:00	0.3
8/30/18 17:00	0.4	8/30/19 18:00	0.4	8/30/20 0:00	0.3
8/30/18 18:00	0.3	8/30/19 19:00	0.4	8/30/20 1:00	0.3
8/30/18 19:00	0.3	8/30/19 20:00	0.5	8/30/20 2:00	0.3
8/30/18 20:00	0.4	8/30/19 21:00	2.4	8/30/20 3:00	0.3
8/30/18 21:00	0.4	8/30/19 22:00	0.5	8/30/20 4:00	0.3
8/30/18 22:00	0.4	8/30/19 23:00	0.4	8/30/20 5:00	0.3
8/30/18 23:00	0.4	8/31/19 0:00	0.3	8/30/20 6:00	0.3
8/31/18 0:00	0.4	8/31/19 1:00	0.4	8/30/20 7:00	0.3
8/31/18 1:00	0.4	8/31/19 2:00	0.4	8/30/20 8:00	0.3
8/31/18 2:00	0.3	8/31/19 3:00	0.3	8/30/20 9:00	0.3
8/31/18 3:00	0.3	8/31/19 4:00	0.3	8/30/20 10:00	0.3
8/31/18 4:00	0.4	8/31/19 5:00	0.3	8/30/20 11:00	0.3
8/31/18 5:00	0.4	8/31/19 6:00	0.3	8/30/20 12:00	0.3
8/31/18 6:00	0.4	8/31/19 7:00	0.3	8/30/20 13:00	0.3
8/31/18 7:00	0.4	8/31/19 8:00	0.4	8/30/20 14:00	0.3
8/31/18 8:00	0.4	8/31/19 9:00	0.5	8/30/20 15:00	0.3
8/31/18 9:00	0.5	8/31/19 10:00	0.4	8/30/20 16:00	0.3
8/31/18 10:00	0.5	8/31/19 11:00	0.4	8/30/20 17:00	0.3
8/31/18 11:00	0.4	8/31/19 12:00	0.4	8/30/20 18:00	0.3
8/31/18 12:00	0.4	8/31/19 13:00	0.3	8/30/20 19:00	0.3
8/31/18 13:00	0.4	8/31/19 14:00	0.3	8/30/20 20:00	0.2
8/31/18 14:00	0.4	8/31/19 15:00	0.3	8/30/20 21:00	0.3
8/31/18 15:00	0.4	8/31/19 16:00	0.3	8/30/20 22:00	0.3
8/31/18 16:00	0.4	8/31/19 17:00	0.4	8/30/20 23:00	0.3
8/31/18 17:00	0.3	8/31/19 18:00	0.4	8/31/20 0:00	0.2
8/31/18 18:00	0.3	8/31/19 19:00	0.4	8/31/20 1:00	0.2
8/31/18 19:00	0.3	8/31/19 20:00	0.4	8/31/20 2:00	0.3
8/31/18 20:00	0.4	8/31/19 21:00	0.4	8/31/20 3:00	0.2
8/31/18 21:00	0.4	8/31/19 22:00	0.4	8/31/20 4:00	0.2
8/31/18 22:00	0.4	8/31/19 23:00	0.4	8/31/20 5:00	0.3
8/31/18 23:00	0.4	9/1/19 0:00	0.4	8/31/20 6:00	0.2
9/1/18 0:00	0.4	9/1/19 1:00	0.3	8/31/20 7:00	0.3
9/1/18 1:00	0.4	9/1/19 2:00	0.3	8/31/20 8:00	0.2
9/1/18 2:00	0.4	9/1/19 3:00	0.3	8/31/20 9:00	0.1
9/1/18 3:00	0.4	9/1/19 4:00	0.4	8/31/20 10:00	0.2
9/1/18 4:00	0.4	9/1/19 5:00	0.4	8/31/20 11:00	0.1
9/1/18 5:00	0.3	9/1/19 6:00	0.4	8/31/20 12:00	0.1
9/1/18 6:00	0.3	9/1/19 7:00	0.4	8/31/20 13:00	0.2
9/1/18 7:00	0.3	9/1/19 8:00	0.5	8/31/20 14:00	0.1
9/1/18 8:00	0.4	9/1/19 9:00	0.5	8/31/20 15:00	0.1
9/1/18 9:00	0.3	9/1/19 10:00	0.4	8/31/20 16:00	0.1
9/1/18 10:00	0.4	9/1/19 11:00	0.5	8/31/20 17:00	0.2
9/1/18 11:00	0.4	9/1/19 12:00	0.4	8/31/20 18:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
9/1/18 12:00	0.4	9/1/19 13:00	0.4	8/31/20 19:00	0.2
9/1/18 13:00	0.6	9/1/19 14:00	0.5	8/31/20 20:00	0.2
9/1/18 14:00	0.5	9/1/19 15:00	0.5	8/31/20 21:00	0.1
9/1/18 15:00	0.5	9/1/19 16:00	0.5	8/31/20 22:00	0.2
9/1/18 16:00	0.5	9/1/19 17:00	0.4	8/31/20 23:00	0.2
9/1/18 17:00	0.5	9/1/19 18:00	0.4	9/1/20 0:00	0.2
9/1/18 18:00	0.5	9/1/19 19:00	0.4	9/1/20 1:00	0.2
9/1/18 19:00	0.4	9/1/19 20:00	0.5	9/1/20 2:00	0.2
9/1/18 20:00	0.4	9/1/19 21:00	0.5	9/1/20 3:00	0.2
9/1/18 21:00	0.3	9/1/19 22:00	0.5	9/1/20 4:00	0.2
9/1/18 22:00	0.2	9/1/19 23:00	0.5	9/1/20 5:00	0.1
9/1/18 23:00	0.4	9/2/19 0:00	0.5	9/1/20 6:00	0.1
9/2/18 0:00	0.5	9/2/19 1:00	0.5	9/1/20 7:00	0.1
9/2/18 1:00	0.5	9/2/19 2:00	0.5	9/1/20 8:00	0.1
9/2/18 2:00	0.4	9/2/19 3:00	0.5	9/1/20 9:00	0.2
9/2/18 3:00	0.4	9/2/19 4:00	0.6	9/1/20 10:00	0.2
9/2/18 4:00	0.5	9/2/19 5:00	0.5	9/1/20 11:00	0.1
9/2/18 5:00	0.4	9/2/19 6:00	0.5	9/1/20 12:00	0.2
9/2/18 6:00	0.5	9/2/19 7:00	0.6	9/1/20 13:00	0.2
9/2/18 7:00	0.5	9/2/19 8:00	0.6	9/1/20 14:00	0.2
9/2/18 8:00	0.5	9/2/19 9:00	0.6	9/1/20 15:00	0.2
9/2/18 9:00	0.4	9/2/19 10:00	0.5	9/1/20 16:00	0.2
9/2/18 10:00	0.5	9/2/19 11:00	0.4	9/1/20 17:00	0.2
9/2/18 11:00	0.6	9/2/19 12:00	0.4	9/1/20 18:00	0.2
9/2/18 12:00	0.4	9/2/19 13:00	0.4	9/1/20 19:00	0.3
9/2/18 13:00	0.4	9/2/19 14:00	0.4	9/1/20 20:00	0.2
9/2/18 14:00	0.5	9/2/19 15:00	0.5	9/1/20 21:00	0.3
9/2/18 15:00	0.4	9/2/19 16:00	0.5	9/1/20 22:00	0.3
9/2/18 16:00	0.5	9/2/19 17:00	0.6	9/1/20 23:00	0.2
9/2/18 17:00	0.5	9/2/19 18:00	0.6	9/2/20 0:00	0.2
9/2/18 18:00	0.5	9/2/19 19:00	0.5	9/2/20 1:00	0.3
9/2/18 19:00	0.5	9/2/19 20:00	0.4	9/2/20 2:00	0.2
9/2/18 20:00	0.6	9/2/19 21:00	0.4	9/2/20 3:00	0.2
9/2/18 21:00	0.5	9/2/19 22:00	0.5	9/2/20 4:00	0.2
9/2/18 22:00	0.4	9/2/19 23:00	0.5	9/2/20 5:00	0.2
9/2/18 23:00	0.5	9/3/19 0:00	3.4	9/2/20 6:00	0.2
9/3/18 0:00	0.5	9/3/19 1:00	0.3	9/2/20 7:00	0.2
9/3/18 1:00	0.5	9/3/19 2:00	0.3	9/2/20 8:00	0.2
9/3/18 2:00	0.4	9/3/19 3:00	0.4	9/2/20 9:00	0.2
9/3/18 3:00	0.5	9/3/19 4:00	0.4	9/2/20 10:00	0.2
9/3/18 4:00	0.4	9/3/19 5:00	0.4	9/2/20 11:00	0.2
9/3/18 5:00	0.3	9/3/19 6:00	0.4	9/2/20 12:00	0.2
9/3/18 6:00	0.3	9/3/19 7:00	0.4	9/2/20 13:00	0.2
9/3/18 7:00	0.4	9/3/19 8:00	0.2	9/2/20 14:00	0.2
9/3/18 8:00	0.5	9/3/19 9:00	0.1	9/2/20 15:00	0.2
9/3/18 9:00	0.4	9/3/19 10:00	0.1	9/2/20 16:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
9/3/18 10:00	0.3	9/3/19 11:00	0.1	9/2/20 17:00	0.2
9/3/18 11:00	0.4	9/3/19 12:00	0.1	9/2/20 18:00	0.2
9/3/18 12:00	0.4	9/3/19 13:00	0.1	9/2/20 19:00	0.3
9/3/18 13:00	0.5	9/3/19 14:00	0.1	9/2/20 20:00	0.3
9/3/18 14:00	0.5	9/3/19 15:00	0.1	9/2/20 21:00	0.3
9/3/18 15:00	0.4	9/3/19 16:00	0.2	9/2/20 22:00	0.3
9/3/18 16:00	0.3	9/3/19 17:00	0.4	9/2/20 23:00	0.3
9/3/18 17:00	0.4	9/3/19 18:00	0.4	9/3/20 0:00	0.3
9/3/18 18:00	0.3	9/3/19 19:00	0.3	9/3/20 1:00	0.3
9/3/18 19:00	0.4	9/3/19 20:00	0.3	9/3/20 2:00	0.3
9/3/18 20:00	0.4	9/3/19 21:00	0.3	9/3/20 3:00	0.3
9/3/18 21:00	0.6	9/3/19 22:00	0.4	9/3/20 4:00	0.3
9/3/18 22:00	2.3	9/3/19 23:00	2.7	9/3/20 5:00	0.3
9/3/18 23:00	0.3	9/4/19 0:00	0.5	9/3/20 6:00	0.3
9/4/18 0:00	1.8	9/4/19 1:00	0.4	9/3/20 7:00	0.3
9/4/18 1:00	0.4	9/4/19 2:00	0.4	9/3/20 8:00	0.3
9/4/18 2:00	0.6	9/4/19 3:00	0.4	9/3/20 9:00	0.3
9/4/18 3:00	0.5	9/4/19 4:00	0.5	9/3/20 10:00	0.3
9/4/18 4:00	0.4	9/4/19 5:00	0.5	9/3/20 11:00	0.3
9/4/18 5:00	0.4	9/4/19 6:00	0.5	9/3/20 12:00	0.3
9/4/18 6:00	0.4	9/4/19 7:00	0.4	9/3/20 13:00	0.3
9/4/18 7:00	0.4	9/4/19 8:00	0.4	9/3/20 14:00	0.3
9/4/18 8:00	0.4	9/4/19 9:00	0.3	9/3/20 15:00	0.3
9/4/18 9:00	0.4	9/4/19 10:00	0.4	9/3/20 16:00	0.3
9/4/18 10:00	0.4	9/4/19 11:00	0.4	9/3/20 17:00	0.3
9/4/18 11:00	0.3	9/4/19 12:00	0.6	9/3/20 18:00	0.3
9/4/18 12:00	0.4	9/4/19 13:00	0.6	9/3/20 19:00	0.3
9/4/18 13:00	0.4	9/4/19 14:00	0.5	9/3/20 20:00	0.3
9/4/18 14:00	0.5	9/4/19 15:00	0.5	9/3/20 21:00	0.4
9/4/18 15:00	0.4	9/4/19 16:00	1.0	9/3/20 22:00	0.4
9/4/18 16:00	0.3	9/4/19 17:00	0.4	9/3/20 23:00	0.4
9/4/18 17:00	0.4	9/4/19 18:00	0.4	9/4/20 0:00	0.4
9/4/18 18:00	0.5	9/4/19 19:00	0.4	9/4/20 1:00	0.4
9/4/18 19:00	1.2	9/4/19 20:00	0.4	9/4/20 2:00	0.4
9/4/18 20:00	4.8	9/4/19 21:00	0.4	9/4/20 3:00	0.3
9/4/18 21:00	1.3	9/4/19 22:00	0.5	9/4/20 4:00	0.3
9/4/18 22:00	0.9	9/4/19 23:00	0.4	9/4/20 5:00	0.3
9/4/18 23:00	1.0	9/5/19 0:00	1.0	9/4/20 6:00	0.4
9/5/18 0:00	1.8	9/5/19 1:00	0.5	9/4/20 7:00	0.4
9/5/18 1:00	1.5	9/5/19 2:00	0.5	9/4/20 8:00	0.4
9/5/18 2:00	1.2	9/5/19 3:00	0.4	9/4/20 9:00	0.4
9/5/18 3:00	2.5	9/5/19 4:00	0.4	9/4/20 10:00	0.4
9/5/18 4:00	0.3	9/5/19 5:00	0.4	9/4/20 11:00	0.4
9/5/18 5:00	0.3	9/5/19 6:00	0.4	9/4/20 12:00	0.3
9/5/18 6:00	0.3	9/5/19 7:00	0.4	9/4/20 13:00	0.3
9/5/18 7:00	0.8	9/5/19 8:00	0.3	9/4/20 14:00	0.3

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
9/5/18 8:00	0.6	9/5/19 9:00	0.2	9/4/20 15:00	0.3
9/5/18 9:00	0.7	9/5/19 10:00	0.2	9/4/20 16:00	0.3
9/5/18 10:00	0.8	9/5/19 11:00	0.2	9/4/20 17:00	0.4
9/5/18 11:00	1.8	9/5/19 12:00	0.2	9/4/20 18:00	0.3
9/5/18 12:00	2.0	9/5/19 13:00	0.2	9/4/20 19:00	0.3
9/5/18 13:00	0.6	9/5/19 14:00	0.2	9/4/20 20:00	0.3
9/5/18 14:00	0.2	9/5/19 15:00	0.2	9/4/20 21:00	0.3
9/5/18 15:00	0.3	9/5/19 16:00	0.2	9/4/20 22:00	0.4
9/5/18 16:00	0.2	9/5/19 17:00	0.2	9/4/20 23:00	0.4
9/5/18 17:00	0.3	9/5/19 18:00	0.2	9/5/20 0:00	0.5
9/5/18 18:00	0.2	9/5/19 19:00	0.2	9/5/20 1:00	0.5
9/5/18 19:00	0.2	9/5/19 20:00	0.2	9/5/20 2:00	0.5
9/5/18 20:00	0.2	9/5/19 21:00	0.2	9/5/20 3:00	0.4
9/5/18 21:00	0.2	9/5/19 22:00	0.1	9/5/20 4:00	0.4
9/5/18 22:00	0.2	9/5/19 23:00	0.1	9/5/20 5:00	0.3
9/5/18 23:00	0.1	9/6/19 0:00	0.1	9/5/20 6:00	0.3
9/6/18 0:00	0.2	9/6/19 1:00	0.2	9/5/20 7:00	0.4
9/6/18 1:00	0.3	9/6/19 2:00	0.1	9/5/20 8:00	0.4
9/6/18 2:00	1.5	9/6/19 3:00	0.1	9/5/20 9:00	0.5
9/6/18 3:00	0.2	9/6/19 4:00	0.1	9/5/20 10:00	0.5
9/6/18 4:00	0.2	9/6/19 5:00	0.2	9/5/20 11:00	0.4
9/6/18 5:00	0.3	9/6/19 6:00	0.2	9/5/20 12:00	0.4
9/6/18 6:00	0.3	9/6/19 7:00	0.2	9/5/20 13:00	0.4
9/6/18 7:00	0.3	9/6/19 8:00	0.2	9/5/20 14:00	0.3
9/6/18 8:00	1.0	9/6/19 9:00	0.2	9/5/20 15:00	0.4
9/6/18 9:00	0.2	9/6/19 10:00	0.2	9/5/20 16:00	0.4
9/6/18 10:00	0.3	9/6/19 11:00	0.2	9/5/20 17:00	0.5
9/6/18 11:00	0.5	9/6/19 12:00	0.1	9/5/20 18:00	0.4
9/6/18 12:00	0.3	9/6/19 13:00	0.2	9/5/20 19:00	0.3
9/6/18 13:00	0.3	9/6/19 14:00	0.2	9/5/20 20:00	0.4
9/6/18 14:00	0.3	9/6/19 15:00	0.3	9/5/20 21:00	0.4
9/6/18 15:00	0.6	9/6/19 16:00	0.2	9/5/20 22:00	0.4
9/6/18 16:00	0.3	9/6/19 17:00	0.2	9/5/20 23:00	0.3
9/6/18 17:00	0.3	9/6/19 18:00	0.2	9/6/20 0:00	0.4
9/6/18 18:00	0.3	9/6/19 19:00	0.2	9/6/20 1:00	0.3
9/6/18 19:00	0.3	9/6/19 20:00	0.2	9/6/20 2:00	0.3
9/6/18 20:00	0.3	9/6/19 21:00	0.2	9/6/20 3:00	0.4
9/6/18 21:00	0.4	9/6/19 22:00	0.2	9/6/20 4:00	0.4
9/6/18 22:00	0.4	9/6/19 23:00	0.3	9/6/20 5:00	0.4
9/6/18 23:00	0.4	9/7/19 0:00	0.3	9/6/20 6:00	0.3
9/7/18 0:00	0.3	9/7/19 1:00	0.3	9/6/20 7:00	0.4
9/7/18 1:00	0.4	9/7/19 2:00	0.4	9/6/20 8:00	0.4
9/7/18 2:00	0.2	9/7/19 3:00	0.4	9/6/20 9:00	0.3
9/7/18 3:00	0.2	9/7/19 4:00	0.4	9/6/20 10:00	0.3
9/7/18 4:00	0.2	9/7/19 5:00	0.4	9/6/20 11:00	0.3
9/7/18 5:00	0.2	9/7/19 6:00	0.4	9/6/20 12:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
9/7/18 6:00	0.3	9/7/19 7:00	0.5	9/6/20 13:00	0.3
9/7/18 7:00	0.4	9/7/19 8:00	0.4	9/6/20 14:00	0.3
9/7/18 8:00	0.4	9/7/19 9:00	0.4	9/6/20 15:00	0.3
9/7/18 9:00	0.3	9/7/19 10:00	0.4	9/6/20 16:00	0.3
9/7/18 10:00	0.3	9/7/19 11:00	0.4	9/6/20 17:00	0.3
9/7/18 11:00	0.3	9/7/19 12:00	0.5	9/6/20 18:00	0.2
9/7/18 12:00	0.3	9/7/19 13:00	0.4	9/6/20 19:00	0.3
9/7/18 13:00	0.4	9/7/19 14:00	0.4	9/6/20 20:00	0.3
9/7/18 14:00	0.4	9/7/19 15:00	0.6	9/6/20 21:00	0.3
9/7/18 15:00	0.4	9/7/19 16:00	0.6	9/6/20 22:00	0.3
9/7/18 16:00	0.5	9/7/19 17:00	0.3	9/6/20 23:00	0.3
9/7/18 17:00	0.5	9/7/19 18:00	0.4	9/7/20 0:00	0.3
9/7/18 18:00	0.5	9/7/19 19:00	0.4	9/7/20 1:00	0.3
9/7/18 19:00	0.5	9/7/19 20:00	0.4	9/7/20 2:00	0.3
9/7/18 20:00	0.5	9/7/19 21:00	0.4	9/7/20 3:00	0.3
9/7/18 21:00	0.5	9/7/19 22:00	0.4	9/7/20 4:00	0.3
9/7/18 22:00	0.4	9/7/19 23:00	0.4	9/7/20 5:00	0.3
9/7/18 23:00	0.4	9/8/19 0:00	0.5	9/7/20 6:00	0.3
9/8/18 0:00	0.5	9/8/19 1:00	0.5	9/7/20 7:00	0.3
9/8/18 1:00	0.6	9/8/19 2:00	0.4	9/7/20 8:00	0.4
9/8/18 2:00	0.7	9/8/19 3:00	0.4	9/7/20 9:00	0.4
9/8/18 3:00	0.5	9/8/19 4:00	0.3	9/7/20 10:00	0.4
9/8/18 4:00	0.5	9/8/19 5:00	0.4	9/7/20 11:00	0.2
9/8/18 5:00	0.5	9/8/19 6:00	0.3	9/7/20 12:00	1.4
9/8/18 6:00	0.6	9/8/19 7:00	0.3	9/7/20 13:00	1.5
9/8/18 7:00	0.6	9/8/19 8:00	0.3	9/7/20 14:00	0.3
9/8/18 8:00	2.8	9/8/19 9:00	0.5	9/7/20 15:00	0.5
9/8/18 9:00	0.5	9/8/19 10:00	0.5	9/7/20 16:00	2.5
9/8/18 10:00	0.5	9/8/19 11:00	0.4	9/7/20 17:00	0.3
9/8/18 11:00	0.4	9/8/19 12:00	0.4	9/7/20 18:00	0.2
9/8/18 12:00	0.7	9/8/19 13:00	0.4	9/7/20 19:00	0.2
9/8/18 13:00	0.3	9/8/19 14:00	0.4	9/7/20 20:00	0.3
9/8/18 14:00	0.4	9/8/19 15:00	0.4	9/7/20 21:00	0.3
9/8/18 15:00	0.4	9/8/19 16:00	0.5	9/7/20 22:00	0.2
9/8/18 16:00	0.4	9/8/19 17:00	0.6	9/7/20 23:00	0.2
9/8/18 17:00	0.4	9/8/19 18:00	0.6	9/8/20 0:00	0.3
9/8/18 18:00	0.5	9/8/19 19:00	0.4	9/8/20 1:00	0.3
9/8/18 19:00	0.5	9/8/19 20:00	0.5	9/8/20 2:00	0.3
9/8/18 20:00	0.5	9/8/19 21:00	0.4	9/8/20 3:00	0.3
9/8/18 21:00	0.5	9/8/19 22:00	0.4	9/8/20 4:00	0.3
9/8/18 22:00	0.5	9/8/19 23:00	0.4	9/8/20 5:00	0.3
9/8/18 23:00	0.5	9/9/19 0:00	0.4	9/8/20 6:00	0.2
9/9/18 0:00	0.5	9/9/19 1:00	0.4	9/8/20 7:00	0.2
9/9/18 1:00	0.4	9/9/19 2:00	0.4	9/8/20 8:00	0.2
9/9/18 2:00	0.3	9/9/19 3:00	0.4	9/8/20 9:00	0.2
9/9/18 3:00	0.3	9/9/19 4:00	0.4	9/8/20 10:00	0.3

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
9/9/18 4:00	0.4	9/9/19 5:00	0.5	9/8/20 11:00	0.3
9/9/18 5:00	0.5	9/9/19 6:00	0.4	9/8/20 12:00	0.2
9/9/18 6:00	0.4	9/9/19 7:00	0.4	9/8/20 13:00	0.3
9/9/18 7:00	0.6	9/9/19 8:00	0.4	9/8/20 14:00	0.4
9/9/18 8:00	0.6	9/9/19 9:00	0.5	9/8/20 15:00	0.3
9/9/18 9:00	0.4	9/9/19 10:00	0.4	9/8/20 16:00	0.3
9/9/18 10:00	0.3	9/9/19 14:00	0.5	9/8/20 17:00	0.3
9/9/18 11:00	0.3	9/9/19 15:00	0.4	9/8/20 18:00	0.4
9/9/18 12:00	0.4	9/9/19 16:00	0.4	9/8/20 19:00	0.4
9/9/18 13:00	0.4	9/9/19 17:00	0.3	9/8/20 20:00	0.4
9/9/18 14:00	0.3	9/9/19 18:00	0.3	9/8/20 21:00	0.4
9/9/18 15:00	0.5	9/9/19 19:00	0.5	9/8/20 22:00	0.4
9/9/18 16:00	0.5	9/9/19 20:00	0.6	9/8/20 23:00	0.3
9/9/18 17:00	0.4	9/9/19 21:00	0.6	9/9/20 0:00	0.3
9/9/18 18:00	0.4	9/9/19 22:00	0.6	9/9/20 1:00	0.3
9/9/18 19:00	0.4	9/9/19 23:00	0.6	9/9/20 2:00	0.3
9/9/18 20:00	0.4	9/10/19 0:00	0.6	9/9/20 3:00	0.4
9/9/18 21:00	0.4	9/10/19 1:00	0.5	9/9/20 4:00	0.3
9/9/18 22:00	0.4	9/10/19 2:00	0.6	9/9/20 5:00	0.3
9/9/18 23:00	0.4	9/10/19 3:00	0.5	9/9/20 6:00	0.3
9/10/18 0:00	0.3	9/10/19 4:00	0.4	9/9/20 7:00	0.4
9/10/18 1:00	0.3	9/10/19 5:00	0.3	9/9/20 8:00	0.4
9/10/18 2:00	0.4	9/10/19 6:00	0.3	9/9/20 9:00	0.4
9/10/18 3:00	0.4	9/10/19 7:00	0.3	9/9/20 10:00	0.4
9/10/18 4:00	0.4	9/10/19 8:00	0.4	9/9/20 11:00	0.4
9/10/18 5:00	0.3	9/10/19 9:00	0.5	9/9/20 12:00	0.4
9/10/18 6:00	0.3	9/10/19 10:00	0.4	9/9/20 13:00	0.4
9/10/18 7:00	0.4	9/10/19 11:00	0.4	9/9/20 14:00	0.4
9/10/18 8:00	0.5	9/10/19 12:00	0.4	9/9/20 15:00	0.4
9/10/18 9:00	0.4	9/10/19 13:00	0.4	9/9/20 16:00	0.4
9/10/18 10:00	0.4	9/10/19 14:00	0.3	9/9/20 17:00	0.3
9/10/18 11:00	0.4	9/10/19 15:00	0.5	9/9/20 18:00	0.3
9/10/18 12:00	0.4	9/10/19 16:00	0.7	9/9/20 19:00	0.4
9/10/18 13:00	0.3	9/10/19 17:00	0.7	9/9/20 20:00	0.4
9/10/18 14:00	0.4	9/10/19 18:00	0.7	9/9/20 21:00	0.3
9/10/18 15:00	0.4	9/10/19 19:00	0.7	9/9/20 22:00	0.3
9/10/18 16:00	0.4	9/10/19 20:00	0.7	9/9/20 23:00	0.3
9/10/18 17:00	0.4	9/10/19 21:00	0.7	9/10/20 0:00	0.3
9/10/18 18:00	0.4	9/10/19 22:00	0.7	9/10/20 1:00	0.3
9/10/18 19:00	0.4	9/10/19 23:00	0.7	9/10/20 2:00	0.3
9/10/18 20:00	0.3	9/11/19 0:00	0.6	9/10/20 3:00	0.3
9/10/18 21:00	0.4	9/11/19 1:00	0.6	9/10/20 4:00	0.3
9/10/18 22:00	0.4	9/11/19 2:00	0.6	9/10/20 5:00	0.3
9/10/18 23:00	0.4	9/11/19 3:00	0.6	9/10/20 6:00	0.3
9/11/18 0:00	0.6	9/11/19 4:00	0.5	9/10/20 7:00	0.4
9/11/18 1:00	2.2	9/11/19 5:00	0.5	9/10/20 8:00	0.4

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
9/11/18 2:00	0.5	9/11/19 6:00	0.5	9/10/20 9:00	0.3
9/11/18 3:00	0.5	9/11/19 7:00	0.6	9/10/20 10:00	0.5
9/11/18 4:00	0.6	9/11/19 8:00	0.6	9/10/20 11:00	0.6
9/11/18 5:00	0.5	9/11/19 9:00	0.4	9/10/20 12:00	0.4
9/11/18 6:00	0.6	9/11/19 10:00	0.5	9/10/20 13:00	0.3
9/11/18 7:00	0.4	9/11/19 11:00	0.4	9/10/20 14:00	0.3
9/11/18 8:00	0.4	9/11/19 12:00	0.3	9/10/20 15:00	0.3
9/11/18 9:00	0.4	9/11/19 13:00	0.3	9/10/20 16:00	0.4
9/11/18 10:00	0.3	9/11/19 14:00	0.3	9/10/20 17:00	0.4
9/11/18 11:00	0.2	9/11/19 15:00	0.3	9/10/20 18:00	0.3
9/11/18 12:00	0.3	9/11/19 16:00	0.3	9/10/20 19:00	0.4
9/11/18 13:00	0.3	9/11/19 17:00	0.3	9/10/20 20:00	0.4
9/11/18 14:00	0.2	9/11/19 18:00	0.2	9/10/20 21:00	0.5
9/11/18 15:00	0.3	9/11/19 19:00	0.3	9/10/20 22:00	0.5
9/11/18 16:00	0.4	9/11/19 20:00	0.3	9/10/20 23:00	0.4
9/11/18 17:00	0.4	9/11/19 21:00	0.3	9/11/20 0:00	0.4
9/11/18 18:00	0.5	9/11/19 22:00	0.3	9/11/20 1:00	0.5
9/11/18 19:00	0.5	9/11/19 23:00	0.3	9/11/20 2:00	0.5
9/11/18 20:00	0.5	9/12/19 0:00	0.3	9/11/20 3:00	0.4
9/11/18 21:00	0.5	9/12/19 1:00	0.2	9/11/20 4:00	0.5
9/11/18 22:00	0.4	9/12/19 2:00	0.3	9/11/20 5:00	0.5
9/11/18 23:00	0.4	9/12/19 3:00	0.3	9/11/20 6:00	0.4
9/12/18 0:00	0.4	9/12/19 4:00	0.3	9/11/20 7:00	0.4
9/12/18 1:00	0.4	9/12/19 5:00	0.3	9/11/20 8:00	0.5
9/12/18 2:00	0.5	9/12/19 6:00	0.3	9/11/20 9:00	0.5
9/12/18 3:00	0.6	9/12/19 7:00	0.3	9/11/20 10:00	0.5
9/12/18 4:00	0.4	9/12/19 8:00	0.3	9/11/20 11:00	0.5
9/12/18 5:00	0.4	9/12/19 9:00	0.4	9/11/20 12:00	0.4
9/12/18 6:00	0.4	9/12/19 10:00	0.4	9/11/20 13:00	0.4
9/12/18 7:00	0.4	9/12/19 11:00	0.4	9/11/20 14:00	0.4
9/12/18 8:00	0.5	9/12/19 12:00	0.4	9/11/20 15:00	0.4
9/12/18 9:00	0.6	9/12/19 13:00	0.3	9/11/20 16:00	0.4
9/12/18 10:00	0.6	9/12/19 14:00	0.4	9/11/20 17:00	0.4
9/12/18 11:00	0.6	9/12/19 15:00	0.4	9/11/20 18:00	0.3
9/12/18 12:00	0.6	9/12/19 16:00	0.4	9/11/20 19:00	0.4
9/12/18 13:00	0.6	9/12/19 17:00	0.4	9/11/20 20:00	0.4
9/12/18 14:00	0.6	9/12/19 18:00	0.4	9/11/20 21:00	0.5
9/12/18 15:00	0.6	9/12/19 19:00	0.4	9/11/20 22:00	0.4
9/12/18 16:00	0.6	9/12/19 20:00	0.4	9/11/20 23:00	0.3
9/12/18 17:00	0.5	9/12/19 21:00	0.4	9/12/20 0:00	0.4
9/12/18 18:00	0.5	9/12/19 22:00	0.4	9/12/20 1:00	0.4
9/12/18 19:00	0.5	9/12/19 23:00	0.4	9/12/20 2:00	0.3
9/12/18 20:00	0.5	9/13/19 0:00	0.4	9/12/20 3:00	0.3
9/12/18 21:00	0.4	9/13/19 1:00	0.4	9/12/20 4:00	0.3
9/12/18 22:00	0.5	9/13/19 2:00	0.4	9/12/20 5:00	0.3
9/12/18 23:00	0.4	9/13/19 3:00	0.3	9/12/20 6:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
9/13/18 0:00	0.5	9/13/19 4:00	0.4	9/12/20 7:00	0.3
9/13/18 1:00	0.5	9/13/19 5:00	0.4	9/12/20 8:00	0.3
9/13/18 2:00	0.5	9/13/19 6:00	0.3	9/12/20 9:00	0.4
9/13/18 3:00	0.4	9/13/19 7:00	0.4	9/12/20 10:00	0.3
9/13/18 4:00	0.5	9/13/19 8:00	0.5	9/12/20 11:00	0.3
9/13/18 5:00	0.5	9/13/19 9:00	0.4	9/12/20 12:00	0.3
9/13/18 6:00	0.5	9/13/19 10:00	0.4	9/12/20 13:00	0.3
9/13/18 7:00	0.5	9/13/19 11:00	0.4	9/12/20 14:00	0.3
9/13/18 8:00	0.6	9/13/19 12:00	0.3	9/12/20 15:00	0.3
9/13/18 9:00	0.4	9/13/19 13:00	0.3	9/12/20 16:00	0.4
9/13/18 10:00	0.3	9/13/19 14:00	0.3	9/12/20 17:00	0.4
9/13/18 11:00	0.4	9/13/19 15:00	0.3	9/12/20 18:00	0.3
9/13/18 12:00	0.5	9/13/19 16:00	0.3	9/12/20 19:00	0.3
9/13/18 13:00	0.5	9/13/19 17:00	0.3	9/12/20 20:00	0.3
9/13/18 14:00	0.5	9/13/19 18:00	0.3	9/12/20 21:00	0.4
9/13/18 15:00	0.5	9/13/19 19:00	0.4	9/12/20 22:00	0.4
9/13/18 16:00	0.5	9/13/19 20:00	0.4	9/12/20 23:00	0.3
9/13/18 17:00	0.5	9/13/19 21:00	0.3	9/13/20 0:00	0.3
9/13/18 18:00	0.5	9/13/19 22:00	0.2	9/13/20 1:00	0.2
9/13/18 19:00	0.6	9/13/19 23:00	0.2	9/13/20 2:00	0.2
9/13/18 20:00	0.6	9/14/19 0:00	0.3	9/13/20 3:00	0.2
9/13/18 21:00	0.6	9/14/19 1:00	0.3	9/13/20 4:00	0.2
9/13/18 22:00	0.5	9/14/19 2:00	0.3	9/13/20 5:00	0.2
9/13/18 23:00	0.5	9/14/19 3:00	0.3	9/13/20 6:00	0.2
9/14/18 0:00	0.5	9/14/19 4:00	0.3	9/13/20 7:00	0.2
9/14/18 1:00	0.5	9/14/19 5:00	0.5	9/13/20 8:00	0.2
9/14/18 2:00	0.5	9/14/19 6:00	0.4	9/13/20 9:00	0.2
9/14/18 3:00	0.6	9/14/19 7:00	0.3	9/13/20 10:00	0.2
9/14/18 4:00	0.5	9/14/19 8:00	0.3	9/13/20 11:00	0.2
9/14/18 5:00	0.6	9/14/19 9:00	0.4	9/13/20 12:00	0.2
9/14/18 6:00	0.5	9/14/19 10:00	0.3	9/13/20 13:00	0.2
9/14/18 7:00	0.6	9/14/19 11:00	0.4	9/13/20 14:00	0.1
9/14/18 8:00	0.6	9/14/19 12:00	0.4	9/13/20 15:00	0.1
9/14/18 9:00	0.6	9/14/19 13:00	0.5	9/13/20 16:00	0.1
9/14/18 10:00	0.6	9/14/19 14:00	0.4	9/13/20 17:00	0.1
9/14/18 11:00	0.6	9/14/19 15:00	0.4	9/13/20 18:00	0.1
9/14/18 12:00	0.6	9/14/19 16:00	0.4	9/13/20 19:00	0.1
9/14/18 13:00	0.6	9/14/19 17:00	0.4	9/13/20 20:00	0.1
9/14/18 14:00	0.5	9/14/19 18:00	0.4	9/13/20 21:00	0.1
9/14/18 15:00	0.9	9/14/19 19:00	0.4	9/13/20 22:00	0.1
9/14/18 16:00	0.6	9/14/19 20:00	0.4	9/13/20 23:00	0.1
9/14/18 17:00	0.5	9/14/19 21:00	0.4	9/14/20 0:00	0.1
9/14/18 18:00	0.5	9/14/19 22:00	0.5	9/14/20 1:00	0.1
9/14/18 19:00	0.6	9/14/19 23:00	0.5	9/14/20 2:00	0.1
9/14/18 20:00	0.6	9/15/19 0:00	0.5	9/14/20 3:00	0.1
9/14/18 21:00	0.5	9/15/19 1:00	0.4	9/14/20 4:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
9/14/18 22:00	0.4	9/15/19 2:00	0.4	9/14/20 5:00	0.1
9/14/18 23:00	0.4	9/15/19 3:00	0.4	9/14/20 6:00	0.1
9/15/18 0:00	0.5	9/15/19 4:00	0.5	9/14/20 7:00	0.1
9/15/18 1:00	0.5	9/15/19 5:00	0.5	9/14/20 8:00	0.1
9/15/18 2:00	0.5	9/15/19 6:00	0.4	9/14/20 9:00	0.1
9/15/18 3:00	0.4	9/15/19 7:00	0.4	9/14/20 10:00	0.1
9/15/18 4:00	0.4	9/15/19 8:00	0.4	9/14/20 11:00	0.1
9/15/18 5:00	0.4	9/15/19 9:00	0.4	9/14/20 12:00	0.1
9/15/18 6:00	0.5	9/15/19 10:00	0.4	9/14/20 13:00	0.1
9/15/18 7:00	2.8	9/15/19 11:00	0.4	9/14/20 14:00	0.1
9/15/18 8:00	3.0	9/15/19 12:00	0.4	9/14/20 15:00	0.1
9/15/18 9:00	1.0	9/15/19 13:00	0.4	9/14/20 16:00	0.1
9/15/18 10:00	3.0	9/15/19 14:00	0.3	9/14/20 17:00	0.1
9/15/18 11:00	4.8	9/15/19 15:00	0.4	9/14/20 18:00	0.1
9/15/18 12:00	4.7	9/15/19 16:00	0.3	9/14/20 19:00	0.1
9/15/18 13:00	0.8	9/15/19 17:00	0.3	9/14/20 20:00	0.1
9/15/18 14:00	0.8	9/15/19 18:00	0.3	9/14/20 21:00	0.1
9/15/18 15:00	0.7	9/15/19 19:00	0.3	9/14/20 22:00	0.1
9/15/18 16:00	0.8	9/15/19 20:00	0.4	9/14/20 23:00	0.1
9/15/18 17:00	0.7	9/15/19 21:00	0.4	9/15/20 0:00	0.1
9/15/18 18:00	0.7	9/15/19 22:00	0.3	9/15/20 1:00	0.1
9/15/18 19:00	0.7	9/15/19 23:00	0.3	9/15/20 2:00	0.1
9/15/18 20:00	0.8	9/16/19 0:00	0.3	9/15/20 3:00	0.1
9/15/18 21:00	0.7	9/16/19 1:00	0.3	9/15/20 4:00	0.1
9/15/18 22:00	0.8	9/16/19 2:00	0.3	9/15/20 5:00	0.1
9/15/18 23:00	0.9	9/16/19 3:00	0.3	9/15/20 6:00	0.1
9/16/18 0:00	0.8	9/16/19 4:00	0.3	9/15/20 7:00	0.1
9/16/18 1:00	0.7	9/16/19 5:00	0.3	9/15/20 8:00	0.1
9/16/18 2:00	0.6	9/16/19 6:00	0.3	9/15/20 9:00	0.1
9/16/18 3:00	0.6	9/16/19 7:00	0.3	9/15/20 10:00	0.1
9/16/18 4:00	0.6	9/16/19 8:00	0.3	9/15/20 11:00	0.1
9/16/18 5:00	0.7	9/16/19 9:00	0.3	9/15/20 12:00	0.1
9/16/18 6:00	0.5	9/16/19 10:00	0.3	9/15/20 13:00	0.1
9/16/18 7:00	0.5	9/16/19 11:00	0.4	9/15/20 14:00	0.1
9/16/18 8:00	0.4	9/16/19 12:00	0.3	9/15/20 15:00	0.1
9/16/18 9:00	0.5	9/16/19 13:00	0.3	9/15/20 16:00	0.1
9/16/18 10:00	0.6	9/16/19 14:00	0.3	9/15/20 17:00	0.1
9/16/18 11:00	0.6	9/16/19 15:00	0.4	9/15/20 18:00	0.1
9/16/18 12:00	0.6	9/16/19 16:00	0.4	9/15/20 19:00	0.1
9/16/18 13:00	0.5	9/16/19 17:00	0.4	9/15/20 20:00	0.1
9/16/18 14:00	0.6	9/16/19 18:00	0.4	9/15/20 21:00	0.1
9/16/18 15:00	0.5	9/16/19 19:00	0.4	9/15/20 22:00	0.1
9/16/18 16:00	0.5	9/16/19 20:00	0.3	9/15/20 23:00	0.7
9/16/18 17:00	0.5	9/16/19 21:00	0.3	9/16/20 0:00	0.2
9/16/18 18:00	0.5	9/16/19 22:00	0.4	9/16/20 1:00	0.1
9/16/18 19:00	0.6	9/16/19 23:00	0.4	9/16/20 2:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
9/16/18 20:00	0.6	9/17/19 0:00	0.4	9/16/20 3:00	0.1
9/16/18 21:00	0.5	9/17/19 1:00	0.4	9/16/20 4:00	0.1
9/16/18 22:00	0.5	9/17/19 2:00	0.4	9/16/20 5:00	0.1
9/16/18 23:00	0.5	9/17/19 3:00	0.3	9/16/20 6:00	0.1
9/17/18 0:00	0.5	9/17/19 4:00	0.3	9/16/20 7:00	0.1
9/17/18 1:00	0.6	9/17/19 5:00	0.3	9/16/20 8:00	0.1
9/17/18 2:00	0.6	9/17/19 6:00	0.3	9/16/20 9:00	0.1
9/17/18 3:00	0.6	9/17/19 7:00	0.4	9/16/20 10:00	0.2
9/17/18 4:00	0.6	9/17/19 8:00	0.4	9/16/20 11:00	0.1
9/17/18 5:00	0.5	9/17/19 9:00	0.6	9/16/20 12:00	0.1
9/17/18 6:00	0.4	9/17/19 10:00	0.4	9/16/20 13:00	0.1
9/17/18 7:00	0.5	9/17/19 11:00	0.5	9/16/20 14:00	0.1
9/17/18 8:00	0.5	9/17/19 12:00	0.4	9/16/20 15:00	0.1
9/17/18 9:00	0.4	9/17/19 13:00	0.4	9/16/20 16:00	0.1
9/17/18 10:00	0.4	9/17/19 14:00	17.1	9/16/20 17:00	2.1
9/17/18 11:00	0.4	9/17/19 15:00	0.3	9/16/20 18:00	1.1
9/17/18 12:00	0.3	9/17/19 16:00	0.3	9/16/20 19:00	1.9
9/17/18 13:00	0.3	9/17/19 17:00	0.3	9/16/20 20:00	1.1
9/17/18 14:00	0.3	9/17/19 18:00	0.3	9/16/20 21:00	1.7
9/17/18 15:00	0.3	9/17/19 19:00	0.3	9/16/20 22:00	1.2
9/17/18 16:00	0.4	9/17/19 20:00	0.3	9/16/20 23:00	0.9
9/17/18 17:00	0.4	9/17/19 21:00	0.3	9/17/20 0:00	2.0
9/17/18 18:00	0.4	9/17/19 22:00	0.2	9/17/20 1:00	1.1
9/17/18 19:00	0.4	9/17/19 23:00	0.3	9/17/20 2:00	4.7
9/17/18 20:00	0.4	9/18/19 0:00	0.3	9/17/20 3:00	0.1
9/17/18 21:00	0.3	9/18/19 1:00	0.3	9/17/20 4:00	0.2
9/17/18 22:00	0.3	9/18/19 2:00	0.2	9/17/20 5:00	0.2
9/17/18 23:00	0.3	9/18/19 3:00	0.2	9/17/20 6:00	0.1
9/18/18 0:00	0.4	9/18/19 4:00	0.2	9/17/20 7:00	0.2
9/18/18 1:00	0.4	9/18/19 5:00	0.2	9/17/20 8:00	0.3
9/18/18 2:00	0.3	9/18/19 6:00	0.2	9/17/20 9:00	0.1
9/18/18 3:00	0.4	9/18/19 7:00	0.2	9/17/20 10:00	0.2
9/18/18 4:00	0.4	9/18/19 8:00	0.3	9/17/20 11:00	0.3
9/18/18 5:00	0.3	9/18/19 9:00	0.3	9/17/20 12:00	0.2
9/18/18 6:00	0.3	9/18/19 10:00	0.3	9/17/20 13:00	0.3
9/18/18 7:00	0.3	9/18/19 11:00	0.3	9/17/20 14:00	0.2
9/18/18 8:00	0.3	9/18/19 12:00	0.3	9/17/20 15:00	0.2
9/18/18 9:00	0.6	9/18/19 13:00	0.3	9/17/20 16:00	0.2
9/18/18 10:00	0.3	9/18/19 14:00	0.3	9/17/20 17:00	0.2
9/18/18 11:00	0.2	9/18/19 15:00	0.3	9/17/20 18:00	0.2
9/18/18 12:00	0.2	9/18/19 16:00	0.3	9/17/20 19:00	1.7
9/18/18 13:00	0.2	9/18/19 17:00	0.3	9/17/20 20:00	0.7
9/18/18 14:00	0.3	9/18/19 18:00	0.3	9/17/20 21:00	0.9
9/18/18 15:00	0.3	9/18/19 19:00	0.3	9/17/20 22:00	0.9
9/18/18 16:00	0.3	9/18/19 20:00	0.2	9/17/20 23:00	0.9
9/18/18 17:00	0.3	9/18/19 21:00	0.2	9/18/20 0:00	0.5

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
9/18/18 18:00	0.3	9/18/19 22:00	0.2	9/18/20 1:00	0.1
9/18/18 19:00	0.4	9/18/19 23:00	0.3	9/18/20 2:00	0.2
9/18/18 20:00	0.4	9/19/19 0:00	0.2	9/18/20 3:00	0.2
9/18/18 21:00	0.4	9/19/19 1:00	0.3	9/18/20 4:00	0.1
9/18/18 22:00	0.4	9/19/19 2:00	0.3	9/18/20 5:00	0.2
9/18/18 23:00	0.4	9/19/19 3:00	0.3	9/18/20 6:00	0.2
9/19/18 0:00	0.4	9/19/19 4:00	0.3	9/18/20 7:00	0.2
9/19/18 1:00	0.4	9/19/19 5:00	0.3	9/18/20 8:00	0.1
9/19/18 2:00	0.4	9/19/19 6:00	0.3	9/18/20 9:00	0.2
9/19/18 3:00	0.4	9/19/19 7:00	0.3	9/18/20 10:00	0.2
9/19/18 4:00	0.4	9/19/19 8:00	0.3	9/18/20 11:00	0.2
9/19/18 5:00	0.5	9/19/19 9:00	0.3	9/18/20 12:00	0.2
9/19/18 6:00	0.4	9/19/19 10:00	0.3	9/18/20 13:00	0.2
9/19/18 7:00	0.4	9/19/19 11:00	0.3	9/18/20 14:00	0.2
9/19/18 8:00	0.4	9/19/19 12:00	0.3	9/18/20 15:00	0.1
9/19/18 9:00	0.3	9/19/19 13:00	0.3	9/18/20 16:00	0.1
9/19/18 10:00	0.4	9/19/19 14:00	0.4	9/18/20 17:00	0.1
9/19/18 11:00	0.4	9/19/19 15:00	0.4	9/18/20 18:00	0.1
9/19/18 12:00	0.4	9/19/19 16:00	0.3	9/18/20 19:00	0.1
9/19/18 13:00	0.4	9/19/19 17:00	0.4	9/18/20 20:00	0.1
9/19/18 14:00	0.4	9/19/19 18:00	0.3	9/18/20 21:00	0.2
9/19/18 15:00	0.4	9/19/19 19:00	0.3	9/18/20 22:00	0.2
9/19/18 16:00	0.4	9/19/19 20:00	0.3	9/18/20 23:00	0.2
9/19/18 17:00	1.3	9/19/19 21:00	0.3	9/19/20 0:00	0.2
9/19/18 18:00	0.9	9/19/19 22:00	0.3	9/19/20 1:00	0.2
9/19/18 19:00	0.6	9/19/19 23:00	0.3	9/19/20 2:00	0.2
9/19/18 20:00	0.5	9/20/19 0:00	0.3	9/19/20 3:00	0.2
9/19/18 21:00	0.5	9/20/19 1:00	0.3	9/19/20 4:00	0.1
9/19/18 22:00	0.6	9/20/19 2:00	0.3	9/19/20 5:00	0.1
9/19/18 23:00	0.4	9/20/19 3:00	0.3	9/19/20 6:00	0.1
9/20/18 0:00	0.4	9/20/19 4:00	0.3	9/19/20 7:00	0.1
9/20/18 1:00	0.7	9/20/19 5:00	0.3	9/19/20 8:00	0.2
9/20/18 2:00	0.4	9/20/19 6:00	0.3	9/19/20 9:00	0.2
9/20/18 3:00	0.4	9/20/19 7:00	0.4	9/19/20 10:00	0.2
9/20/18 4:00	0.2	9/20/19 8:00	0.4	9/19/20 11:00	0.1
9/20/18 5:00	0.3	9/20/19 9:00	0.4	9/19/20 12:00	0.2
9/20/18 6:00	0.6	9/20/19 10:00	0.4	9/19/20 13:00	0.2
9/20/18 7:00	22.1	9/20/19 11:00	0.4	9/19/20 14:00	0.2
9/20/18 8:00	8.7	9/20/19 12:00	0.3	9/19/20 15:00	0.2
9/20/18 9:00	0.4	9/20/19 13:00	0.4	9/19/20 16:00	0.2
9/20/18 10:00	0.9	9/20/19 14:00	0.4	9/19/20 17:00	0.1
9/20/18 11:00	3.3	9/20/19 15:00	0.4	9/19/20 18:00	0.1
9/20/18 12:00	0.6	9/20/19 16:00	0.3	9/19/20 19:00	0.1
9/20/18 13:00	0.4	9/20/19 17:00	0.3	9/19/20 20:00	0.2
9/20/18 14:00	0.3	9/20/19 18:00	0.3	9/19/20 21:00	0.2
9/20/18 15:00	0.4	9/20/19 19:00	0.4	9/19/20 22:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
9/20/18 16:00	0.4	9/20/19 20:00	0.3	9/19/20 23:00	0.2
9/20/18 17:00	0.5	9/20/19 21:00	0.3	9/20/20 0:00	0.2
9/20/18 18:00	0.4	9/20/19 22:00	0.3	9/20/20 1:00	0.2
9/20/18 19:00	0.4	9/20/19 23:00	0.4	9/20/20 2:00	0.2
9/20/18 20:00	0.5	9/21/19 0:00	0.4	9/20/20 3:00	0.2
9/20/18 21:00	1.2	9/21/19 1:00	0.4	9/20/20 4:00	0.1
9/20/18 22:00	0.6	9/21/19 2:00	0.3	9/20/20 5:00	0.1
9/20/18 23:00	0.5	9/21/19 3:00	0.3	9/20/20 6:00	0.2
9/21/18 0:00	0.4	9/21/19 4:00	0.3	9/20/20 7:00	0.2
9/21/18 1:00	0.5	9/21/19 5:00	0.3	9/20/20 8:00	0.2
9/21/18 2:00	0.5	9/21/19 6:00	0.3	9/20/20 9:00	0.2
9/21/18 3:00	0.7	9/21/19 7:00	0.3	9/20/20 10:00	0.1
9/21/18 4:00	0.6	9/21/19 8:00	0.4	9/20/20 11:00	0.2
9/21/18 5:00	0.6	9/21/19 9:00	0.4	9/20/20 12:00	0.2
9/21/18 6:00	0.5	9/21/19 10:00	0.4	9/20/20 13:00	0.1
9/21/18 7:00	0.7	9/21/19 11:00	0.3	9/20/20 14:00	0.1
9/21/18 8:00	0.6	9/21/19 12:00	0.2	9/20/20 15:00	0.1
9/21/18 9:00	0.5	9/21/19 13:00	0.3	9/20/20 16:00	0.2
9/21/18 10:00	0.5	9/21/19 14:00	0.3	9/20/20 17:00	0.1
9/21/18 11:00	0.4	9/21/19 15:00	0.4	9/20/20 18:00	0.1
9/21/18 12:00	0.4	9/21/19 16:00	0.3	9/20/20 19:00	0.1
9/21/18 13:00	0.3	9/21/19 17:00	0.2	9/20/20 20:00	0.1
9/21/18 14:00	0.3	9/21/19 18:00	0.2	9/20/20 21:00	0.1
9/21/18 15:00	0.3	9/21/19 19:00	0.2	9/20/20 22:00	0.2
9/21/18 16:00	0.4	9/21/19 20:00	0.3	9/20/20 23:00	0.2
9/21/18 17:00	0.4	9/21/19 21:00	0.6	9/21/20 0:00	0.2
9/21/18 18:00	0.3	9/21/19 22:00	0.3	9/21/20 1:00	0.2
9/21/18 19:00	0.3	9/21/19 23:00	0.3	9/21/20 2:00	0.2
9/21/18 20:00	0.3	9/22/19 0:00	0.4	9/21/20 3:00	0.2
9/21/18 21:00	0.4	9/22/19 1:00	0.4	9/21/20 4:00	0.2
9/21/18 22:00	0.4	9/22/19 2:00	0.3	9/21/20 5:00	0.2
9/21/18 23:00	0.4	9/22/19 3:00	0.3	9/21/20 6:00	0.2
9/22/18 0:00	0.3	9/22/19 4:00	0.3	9/21/20 7:00	0.2
9/22/18 1:00	0.3	9/22/19 5:00	0.3	9/21/20 8:00	0.2
9/22/18 2:00	0.3	9/22/19 6:00	0.3	9/21/20 9:00	3.0
9/22/18 3:00	0.3	9/22/19 7:00	0.4	9/21/20 10:00	0.2
9/22/18 4:00	0.3	9/22/19 8:00	0.3	9/21/20 11:00	0.2
9/22/18 5:00	0.3	9/22/19 9:00	0.3	9/21/20 12:00	1.9
9/22/18 6:00	0.3	9/22/19 10:00	0.3	9/21/20 13:00	1.4
9/22/18 7:00	0.3	9/22/19 11:00	0.3	9/21/20 14:00	0.1
9/22/18 8:00	0.4	9/22/19 12:00	0.3	9/21/20 15:00	0.2
9/22/18 9:00	0.3	9/22/19 13:00	0.2	9/21/20 16:00	0.2
9/22/18 10:00	0.3	9/22/19 14:00	0.2	9/21/20 17:00	0.1
9/22/18 11:00	0.3	9/22/19 15:00	0.2	9/21/20 18:00	0.1
9/22/18 12:00	0.2	9/22/19 16:00	0.3	9/21/20 19:00	0.2
9/22/18 13:00	0.2	9/22/19 17:00	0.2	9/21/20 20:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
9/22/18 14:00	0.2	9/22/19 18:00	0.2	9/21/20 21:00	0.2
9/22/18 15:00	2.2	9/22/19 19:00	0.3	9/21/20 22:00	0.1
9/22/18 16:00	0.6	9/22/19 20:00	0.3	9/21/20 23:00	0.1
9/22/18 17:00	0.8	9/22/19 21:00	0.3	9/22/20 0:00	0.1
9/22/18 18:00	0.3	9/22/19 22:00	0.3	9/22/20 1:00	0.1
9/22/18 19:00	0.4	9/22/19 23:00	0.4	9/22/20 2:00	0.1
9/22/18 20:00	0.4	9/23/19 0:00	0.4	9/22/20 3:00	0.1
9/22/18 21:00	0.3	9/23/19 1:00	0.4	9/22/20 4:00	0.1
9/22/18 22:00	0.4	9/23/19 2:00	0.4	9/22/20 5:00	0.1
9/22/18 23:00	0.4	9/23/19 3:00	0.4	9/22/20 6:00	0.1
9/23/18 0:00	0.5	9/23/19 4:00	0.3	9/22/20 7:00	0.1
9/23/18 1:00	0.5	9/23/19 5:00	0.2	9/22/20 8:00	0.1
9/23/18 2:00	2.3	9/23/19 6:00	0.3	9/22/20 9:00	0.1
9/23/18 3:00	0.3	9/23/19 7:00	0.3	9/22/20 10:00	0.1
9/23/18 4:00	0.5	9/23/19 8:00	0.3	9/22/20 11:00	0.1
9/23/18 5:00	0.3	9/23/19 9:00	0.3	9/22/20 12:00	0.1
9/23/18 6:00	0.3	9/23/19 10:00	0.4	9/22/20 13:00	0.1
9/23/18 7:00	0.4	9/23/19 11:00	0.3	9/22/20 14:00	0.1
9/23/18 8:00	0.3	9/23/19 12:00	0.3	9/22/20 15:00	0.1
9/23/18 9:00	0.4	9/23/19 13:00	0.3	9/22/20 16:00	0.2
9/23/18 10:00	0.4	9/23/19 14:00	0.4	9/22/20 17:00	0.2
9/23/18 11:00	0.3	9/23/19 15:00	0.4	9/22/20 18:00	0.2
9/23/18 12:00	0.3	9/23/19 16:00	0.4	9/22/20 19:00	0.2
9/23/18 13:00	0.3	9/23/19 17:00	0.3	9/22/20 20:00	0.2
9/23/18 14:00	0.5	9/23/19 18:00	0.3	9/22/20 21:00	0.2
9/23/18 15:00	0.4	9/23/19 19:00	0.3	9/22/20 22:00	0.3
9/23/18 16:00	0.5	9/23/19 20:00	0.3	9/22/20 23:00	0.3
9/23/18 17:00	0.4	9/23/19 21:00	0.3	9/23/20 0:00	0.2
9/23/18 18:00	0.5	9/23/19 22:00	0.3	9/23/20 1:00	0.2
9/23/18 19:00	0.7	9/23/19 23:00	0.3	9/23/20 2:00	0.2
9/23/18 20:00	0.6	9/24/19 0:00	0.3	9/23/20 3:00	0.2
9/23/18 21:00	0.6	9/24/19 1:00	0.3	9/23/20 4:00	0.2
9/23/18 22:00	0.5	9/24/19 2:00	0.2	9/23/20 5:00	0.1
9/23/18 23:00	0.8	9/24/19 3:00	0.3	9/23/20 6:00	0.1
9/24/18 0:00	0.7	9/24/19 4:00	0.3	9/23/20 7:00	0.2
9/24/18 1:00	0.5	9/24/19 5:00	0.3	9/23/20 8:00	0.2
9/24/18 2:00	0.5	9/24/19 6:00	0.3	9/23/20 9:00	0.1
9/24/18 3:00	0.5	9/24/19 7:00	0.3	9/23/20 10:00	0.1
9/24/18 4:00	0.6	9/24/19 8:00	0.3	9/23/20 11:00	0.1
9/24/18 5:00	0.4	9/24/19 9:00	0.3	9/23/20 12:00	0.2
9/24/18 6:00	0.4	9/24/19 10:00	0.8	9/23/20 13:00	0.1
9/24/18 7:00	0.5	9/24/19 11:00	0.3	9/23/20 14:00	0.2
9/24/18 8:00	0.6	9/24/19 12:00	0.4	9/23/20 15:00	0.2
9/24/18 9:00	0.5	9/24/19 13:00	0.5	9/23/20 16:00	0.2
9/24/18 10:00	0.5	9/24/19 14:00	0.5	9/23/20 17:00	0.2
9/24/18 11:00	0.5	9/24/19 15:00	0.3	9/23/20 18:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
9/24/18 12:00	0.5	9/24/19 16:00	0.3	9/23/20 19:00	0.2
9/24/18 13:00	0.5	9/24/19 17:00	0.3	9/23/20 20:00	0.2
9/24/18 14:00	0.5	9/24/19 18:00	0.3	9/23/20 21:00	0.1
9/24/18 15:00	0.4	9/24/19 19:00	0.3	9/23/20 22:00	0.3
9/24/18 16:00	0.4	9/24/19 20:00	0.3	9/23/20 23:00	2.3
9/24/18 17:00	0.4	9/24/19 21:00	0.4	9/24/20 0:00	0.1
9/24/18 18:00	0.4	9/24/19 22:00	0.4	9/24/20 1:00	0.1
9/24/18 19:00	0.4	9/24/19 23:00	0.4	9/24/20 2:00	0.1
9/24/18 20:00	0.5	9/25/19 0:00	0.4	9/24/20 3:00	0.1
9/24/18 21:00	0.5	9/25/19 1:00	0.3	9/24/20 4:00	0.2
9/24/18 22:00	0.5	9/25/19 2:00	0.4	9/24/20 5:00	0.5
9/24/18 23:00	0.5	9/25/19 3:00	0.3	9/24/20 6:00	0.1
9/25/18 0:00	0.5	9/25/19 4:00	0.3	9/24/20 7:00	1.4
9/25/18 1:00	0.4	9/25/19 5:00	0.3	9/24/20 8:00	0.2
9/25/18 2:00	0.4	9/25/19 6:00	0.3	9/24/20 9:00	0.3
9/25/18 3:00	0.5	9/25/19 7:00	0.5	9/24/20 10:00	1.4
9/25/18 4:00	0.4	9/25/19 8:00	0.5	9/24/20 11:00	0.2
9/25/18 5:00	0.4	9/25/19 9:00	0.6	9/24/20 12:00	1.5
9/25/18 6:00	0.5	9/25/19 10:00	0.8	9/24/20 13:00	0.2
9/25/18 7:00	0.4	9/25/19 11:00	0.4	9/24/20 14:00	0.2
9/25/18 8:00	0.4	9/25/19 12:00	0.3	9/24/20 15:00	0.2
9/25/18 9:00	0.3	9/25/19 13:00	0.3	9/24/20 16:00	0.3
9/25/18 10:00	0.4	9/25/19 14:00	0.3	9/24/20 17:00	0.2
9/25/18 11:00	0.2	9/25/19 15:00	0.3	9/24/20 18:00	0.2
9/25/18 12:00	0.1	9/25/19 16:00	0.3	9/24/20 19:00	0.2
9/25/18 13:00	0.1	9/25/19 17:00	0.3	9/24/20 20:00	2.4
9/25/18 14:00	0.3	9/25/19 18:00	0.3	9/24/20 21:00	1.2
9/25/18 15:00	0.4	9/25/19 19:00	0.3	9/24/20 22:00	0.2
9/25/18 16:00	0.1	9/25/19 20:00	0.4	9/24/20 23:00	2.2
9/25/18 17:00	0.2	9/25/19 21:00	0.4	9/25/20 0:00	0.3
9/25/18 18:00	0.3	9/25/19 22:00	0.4	9/25/20 1:00	0.4
9/25/18 19:00	0.3	9/25/19 23:00	0.4	9/25/20 2:00	2.8
9/25/18 20:00	0.4	9/26/19 0:00	0.4	9/25/20 3:00	0.3
9/25/18 21:00	0.4	9/26/19 1:00	0.5	9/25/20 4:00	0.3
9/25/18 22:00	0.4	9/26/19 2:00	0.4	9/25/20 5:00	0.3
9/25/18 23:00	0.4	9/26/19 3:00	0.4	9/25/20 6:00	1.9
9/26/18 0:00	0.4	9/26/19 4:00	0.5	9/25/20 7:00	0.4
9/26/18 1:00	0.5	9/26/19 5:00	0.4	9/25/20 8:00	0.3
9/26/18 2:00	0.4	9/26/19 6:00	0.4	9/25/20 9:00	0.3
9/26/18 3:00	0.4	9/26/19 7:00	0.4	9/25/20 10:00	0.3
9/26/18 4:00	0.4	9/26/19 8:00	0.3	9/25/20 11:00	1.3
9/26/18 5:00	1.9	9/26/19 9:00	0.4	9/25/20 12:00	0.3
9/26/18 6:00	0.4	9/26/19 10:00	0.5	9/25/20 13:00	0.2
9/26/18 7:00	0.4	9/26/19 11:00	0.4	9/25/20 14:00	0.3
9/26/18 8:00	0.4	9/26/19 12:00	0.4	9/25/20 15:00	0.3
9/26/18 9:00	0.4	9/26/19 13:00	0.3	9/25/20 16:00	1.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
9/26/18 10:00	0.5	9/26/19 14:00	0.3	9/25/20 17:00	0.3
9/26/18 11:00	0.5	9/26/19 15:00	0.3	9/25/20 18:00	4.6
9/26/18 12:00	0.4	9/26/19 16:00	0.2	9/25/20 19:00	0.3
9/26/18 13:00	0.5	9/26/19 17:00	0.2	9/25/20 20:00	3.7
9/26/18 14:00	0.5	9/26/19 18:00	0.2	9/25/20 21:00	1.4
9/26/18 15:00	0.5	9/26/19 19:00	0.2	9/25/20 22:00	0.4
9/26/18 16:00	0.5	9/26/19 20:00	0.2	9/25/20 23:00	0.6
9/26/18 17:00	0.5	9/26/19 21:00	0.3	9/26/20 0:00	0.3
9/26/18 18:00	0.4	9/26/19 22:00	0.3	9/26/20 1:00	0.3
9/26/18 19:00	0.6	9/26/19 23:00	0.3	9/26/20 2:00	0.4
9/26/18 20:00	0.6	9/27/19 0:00	0.3	9/26/20 3:00	0.3
9/26/18 21:00	0.5	9/27/19 1:00	0.4	9/26/20 4:00	1.9
9/26/18 22:00	0.6	9/27/19 2:00	0.3	9/26/20 5:00	2.4
9/26/18 23:00	0.7	9/27/19 3:00	0.3	9/26/20 6:00	0.4
9/27/18 0:00	0.4	9/27/19 4:00	0.3	9/26/20 7:00	0.4
9/27/18 1:00	0.5	9/27/19 5:00	0.2	9/26/20 8:00	0.4
9/27/18 2:00	0.6	9/27/19 6:00	0.3	9/26/20 9:00	0.4
9/27/18 3:00	0.6	9/27/19 7:00	0.2	9/26/20 10:00	0.4
9/27/18 4:00	0.6	9/27/19 8:00	0.3	9/26/20 11:00	0.4
9/27/18 5:00	0.5	9/27/19 9:00	0.3	9/26/20 12:00	0.4
9/27/18 6:00	0.5	9/27/19 10:00	0.3	9/26/20 13:00	0.5
9/27/18 7:00	0.5	9/27/19 11:00	0.2	9/26/20 14:00	0.6
9/27/18 8:00	0.5	9/27/19 12:00	0.2	9/26/20 15:00	0.4
9/27/18 9:00	0.5	9/27/19 13:00	0.2	9/26/20 16:00	0.3
9/27/18 10:00	0.5	9/27/19 14:00	0.3	9/26/20 17:00	0.3
9/27/18 11:00	0.5	9/27/19 15:00	0.3	9/26/20 18:00	0.3
9/27/18 12:00	0.6	9/27/19 16:00	0.2	9/26/20 19:00	0.3
9/27/18 13:00	0.5	9/27/19 17:00	0.2	9/26/20 20:00	0.4
9/27/18 14:00	0.6	9/27/19 18:00	0.2	9/26/20 21:00	0.3
9/27/18 15:00	0.6	9/27/19 19:00	0.2	9/26/20 22:00	0.4
9/27/18 16:00	0.6	9/27/19 20:00	0.4	9/26/20 23:00	0.4
9/27/18 17:00	0.5	9/27/19 21:00	0.3	9/27/20 0:00	2.3
9/27/18 18:00	0.5	9/27/19 22:00	0.3	9/27/20 1:00	0.5
9/27/18 19:00	0.6	9/27/19 23:00	0.3	9/27/20 2:00	3.5
9/27/18 20:00	0.6	9/28/19 0:00	0.3	9/27/20 3:00	1.2
9/27/18 21:00	0.5	9/28/19 1:00	0.3	9/27/20 4:00	0.4
9/27/18 22:00	0.5	9/28/19 2:00	0.3	9/27/20 5:00	0.5
9/27/18 23:00	0.5	9/28/19 3:00	0.5	9/27/20 6:00	0.5
9/28/18 0:00	0.5	9/28/19 4:00	0.6	9/27/20 7:00	2.5
9/28/18 1:00	0.4	9/28/19 5:00	0.3	9/27/20 8:00	2.0
9/28/18 2:00	0.5	9/28/19 6:00	0.3	9/27/20 9:00	0.6
9/28/18 3:00	0.5	9/28/19 7:00	0.3	9/27/20 10:00	0.5
9/28/18 4:00	0.6	9/28/19 8:00	0.3	9/27/20 11:00	0.8
9/28/18 5:00	0.6	9/28/19 9:00	0.4	9/27/20 12:00	0.5
9/28/18 6:00	0.5	9/28/19 10:00	0.4	9/27/20 13:00	0.5
9/28/18 7:00	0.5	9/28/19 11:00	0.4	9/27/20 14:00	0.5

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
9/28/18 8:00	0.5	9/28/19 12:00	0.3	9/27/20 15:00	0.5
9/28/18 9:00	0.5	9/28/19 13:00	0.4	9/27/20 16:00	0.7
9/28/18 10:00	0.6	9/28/19 14:00	0.4	9/27/20 17:00	0.7
9/28/18 11:00	0.5	9/28/19 15:00	0.4	9/27/20 18:00	2.1
9/28/18 12:00	0.5	9/28/19 16:00	0.4	9/27/20 19:00	3.6
9/28/18 13:00	0.6	9/28/19 17:00	0.2	9/27/20 20:00	2.2
9/28/18 14:00	0.5	9/28/19 18:00	0.2	9/27/20 21:00	2.2
9/28/18 15:00	0.4	9/28/19 19:00	0.3	9/27/20 22:00	1.8
9/28/18 16:00	0.4	9/28/19 20:00	0.3	9/27/20 23:00	2.5
9/28/18 17:00	0.6	9/28/19 21:00	0.4	9/28/20 0:00	3.2
9/28/18 18:00	0.6	9/28/19 22:00	0.4	9/28/20 1:00	0.9
9/28/18 19:00	0.6	9/28/19 23:00	0.5	9/28/20 2:00	29.2
9/28/18 20:00	0.7	9/29/19 0:00	0.5	9/28/20 3:00	0.6
9/28/18 21:00	0.7	9/29/19 1:00	0.5	9/28/20 4:00	0.6
9/28/18 22:00	1.2	9/29/19 2:00	0.4	9/28/20 5:00	0.6
9/28/18 23:00	1.5	9/29/19 3:00	0.4	9/28/20 6:00	0.4
9/29/18 0:00	1.6	9/29/19 4:00	0.3	9/28/20 7:00	2.3
9/29/18 1:00	1.6	9/29/19 5:00	0.5	9/28/20 8:00	2.1
9/29/18 2:00	1.6	9/29/19 6:00	0.4	9/28/20 9:00	1.9
9/29/18 3:00	1.6	9/29/19 7:00	0.4	9/28/20 10:00	2.2
9/29/18 4:00	1.6	9/29/19 8:00	0.4	9/28/20 11:00	0.6
9/29/18 5:00	1.6	9/29/19 9:00	0.4	9/28/20 12:00	1.4
9/29/18 6:00	1.6	9/29/19 10:00	0.4	9/28/20 13:00	0.4
9/29/18 7:00	1.6	9/29/19 11:00	0.3	9/28/20 14:00	0.4
9/29/18 8:00	0.7	9/29/19 12:00	0.3	9/28/20 15:00	0.4
9/29/18 9:00	0.7	9/29/19 13:00	0.3	9/28/20 16:00	0.4
9/29/18 10:00	0.6	9/29/19 14:00	0.4	9/28/20 17:00	0.4
9/29/18 11:00	0.6	9/29/19 15:00	0.4	9/28/20 18:00	0.4
9/29/18 12:00	0.7	9/29/19 16:00	0.3	9/28/20 19:00	0.4
9/29/18 13:00	1.0	9/29/19 17:00	0.4	9/28/20 20:00	0.4
9/29/18 14:00	1.1	9/29/19 18:00	0.4	9/28/20 21:00	0.3
9/29/18 15:00	1.0	9/29/19 19:00	0.3	9/28/20 22:00	0.3
9/29/18 16:00	13.8	9/29/19 20:00	0.3	9/28/20 23:00	0.3
9/29/18 17:00	16.3	9/29/19 21:00	5.1	9/29/20 0:00	0.4
9/29/18 18:00	1.1	9/29/19 22:00	1.9	9/29/20 1:00	0.3
9/29/18 19:00	1.1	9/29/19 23:00	0.3	9/29/20 2:00	0.4
9/29/18 20:00	11.5	9/30/19 0:00	9.1	9/29/20 3:00	0.4
9/29/18 21:00	44.2	9/30/19 1:00	0.3	9/29/20 4:00	0.4
9/29/18 22:00	44.7	9/30/19 2:00	0.2	9/29/20 5:00	0.4
9/29/18 23:00	45.2	9/30/19 3:00	0.2	9/29/20 6:00	0.4
9/30/18 0:00	46.9	9/30/19 4:00	0.4	9/29/20 7:00	0.4
9/30/18 1:00	11.1	9/30/19 5:00	0.4	9/29/20 8:00	0.4
9/30/18 2:00	1.1	9/30/19 6:00	0.3	9/29/20 9:00	0.4
9/30/18 3:00	1.1	9/30/19 7:00	0.3	9/29/20 10:00	0.5
9/30/18 4:00	14.0	9/30/19 8:00	0.3	9/29/20 11:00	0.4
9/30/18 5:00	42.7	9/30/19 9:00	0.3	9/29/20 12:00	0.4

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
9/30/18 6:00	23.8	9/30/19 10:00	0.2	9/29/20 13:00	0.4
9/30/18 7:00	1.2	9/30/19 11:00	0.2	9/29/20 14:00	0.4
9/30/18 8:00	0.8	9/30/19 12:00	0.2	9/29/20 15:00	0.4
9/30/18 9:00	0.5	9/30/19 13:00	0.2	9/29/20 16:00	0.4
9/30/18 10:00	0.6	9/30/19 14:00	0.2	9/29/20 17:00	0.4
9/30/18 11:00	0.6	9/30/19 15:00	0.2	9/29/20 18:00	0.3
9/30/18 12:00	0.6	9/30/19 16:00	0.2	9/29/20 19:00	0.3
9/30/18 13:00	0.6	9/30/19 17:00	0.2	9/29/20 20:00	0.3
9/30/18 14:00	0.6	9/30/19 18:00	0.2	9/29/20 21:00	0.3
9/30/18 15:00	0.5	9/30/19 19:00	0.3	9/29/20 22:00	0.3
9/30/18 16:00	0.5	9/30/19 20:00	0.3	9/29/20 23:00	0.3
9/30/18 17:00	0.5	9/30/19 21:00	0.3	9/30/20 0:00	0.4
9/30/18 18:00	0.5	9/30/19 22:00	0.3	9/30/20 1:00	0.4
9/30/18 19:00	0.6	9/30/19 23:00	0.2	9/30/20 2:00	0.4
9/30/18 20:00	0.6	10/1/19 0:00	0.2	9/30/20 3:00	0.5
9/30/18 21:00	0.6	10/1/19 1:00	0.3	9/30/20 4:00	0.4
9/30/18 22:00	0.6	10/1/19 2:00	0.3	9/30/20 5:00	0.4
9/30/18 23:00	0.6	10/1/19 3:00	0.2	9/30/20 6:00	0.4
10/1/18 0:00	0.6	10/1/19 4:00	0.2	9/30/20 7:00	0.4
10/1/18 1:00	0.6	10/1/19 5:00	0.2	9/30/20 8:00	0.4
10/1/18 2:00	0.6	10/1/19 6:00	0.2	9/30/20 9:00	0.4
10/1/18 3:00	0.6	10/1/19 7:00	0.4	9/30/20 10:00	0.5
10/1/18 4:00	0.6	10/1/19 8:00	0.3	9/30/20 11:00	0.5
10/1/18 5:00	0.6	10/1/19 9:00	0.5	9/30/20 12:00	0.4
10/1/18 6:00	0.6	10/1/19 10:00	0.3	9/30/20 13:00	0.5
10/1/18 7:00	0.6	10/1/19 11:00	0.2	9/30/20 14:00	0.7
10/1/18 8:00	0.6	10/1/19 12:00	0.3	9/30/20 15:00	2.3
10/1/18 9:00	0.6	10/1/19 13:00	0.3	9/30/20 16:00	1.3
10/1/18 10:00	0.5	10/1/19 14:00	0.3	9/30/20 17:00	0.4
10/1/18 11:00	0.5	10/1/19 15:00	0.3	9/30/20 18:00	0.4
10/1/18 12:00	0.5	10/1/19 16:00	0.3	9/30/20 19:00	2.4
10/1/18 13:00	0.5	10/1/19 17:00	0.4	9/30/20 20:00	6.2
10/1/18 14:00	0.6	10/1/19 18:00	0.4	9/30/20 21:00	0.6
10/1/18 15:00	0.9	10/1/19 19:00	0.4	9/30/20 22:00	4.3
10/1/18 16:00	0.9	10/1/19 20:00	0.3	9/30/20 23:00	0.5
10/1/18 17:00	0.9	10/1/19 21:00	0.3	10/1/20 0:00	2.0
10/1/18 18:00	1.4	10/1/19 22:00	0.3	10/1/20 1:00	1.0
10/1/18 19:00	1.0	10/1/19 23:00	0.3	10/1/20 2:00	3.7
10/1/18 20:00	1.0	10/2/19 0:00	0.3	10/1/20 3:00	0.3
10/1/18 21:00	1.0	10/2/19 1:00	0.3	10/1/20 4:00	0.3
10/1/18 22:00	1.0	10/2/19 2:00	0.3	10/1/20 5:00	0.7
10/1/18 23:00	1.0	10/2/19 3:00	0.3	10/1/20 6:00	0.3
10/2/18 0:00	1.0	10/2/19 4:00	0.3	10/1/20 7:00	0.3
10/2/18 1:00	1.1	10/2/19 5:00	0.3	10/1/20 8:00	0.3
10/2/18 2:00	1.1	10/2/19 6:00	0.3	10/1/20 9:00	0.3
10/2/18 3:00	1.1	10/2/19 7:00	0.3	10/1/20 10:00	0.3

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
10/2/18 4:00	1.1	10/2/19 8:00	0.4	10/1/20 11:00	0.3
10/2/18 5:00	1.1	10/2/19 9:00	0.3	10/1/20 12:00	0.3
10/2/18 6:00	1.0	10/2/19 10:00	0.3	10/1/20 13:00	0.2
10/2/18 7:00	1.1	10/2/19 11:00	0.7	10/1/20 14:00	0.3
10/2/18 8:00	1.1	10/2/19 12:00	0.9	10/1/20 15:00	0.2
10/2/18 9:00	1.0	10/2/19 13:00	1.1	10/1/20 16:00	0.2
10/2/18 10:00	0.6	10/2/19 14:00	1.4	10/1/20 17:00	0.2
10/2/18 11:00	2.2	10/2/19 15:00	1.3	10/1/20 18:00	0.2
10/2/18 12:00	1.4	10/2/19 16:00	1.3	10/1/20 19:00	0.2
10/2/18 13:00	1.2	10/2/19 17:00	0.4	10/1/20 20:00	0.4
10/2/18 14:00	0.8	10/2/19 18:00	0.7	10/1/20 21:00	0.3
10/2/18 15:00	0.4	10/2/19 19:00	1.3	10/1/20 22:00	0.4
10/2/18 16:00	0.6	10/2/19 20:00	1.1	10/1/20 23:00	0.3
10/2/18 17:00	0.6	10/2/19 21:00	1.4	10/2/20 0:00	0.2
10/2/18 18:00	0.6	10/2/19 22:00	0.3	10/2/20 1:00	0.2
10/2/18 19:00	0.6	10/2/19 23:00	0.4	10/2/20 2:00	0.2
10/2/18 20:00	0.6	10/3/19 0:00	0.4	10/2/20 3:00	0.2
10/2/18 21:00	0.7	10/3/19 1:00	0.3	10/2/20 4:00	0.3
10/2/18 22:00	0.7	10/3/19 2:00	0.3	10/2/20 5:00	0.3
10/2/18 23:00	0.7	10/3/19 3:00	0.3	10/2/20 6:00	0.2
10/3/18 0:00	0.7	10/3/19 4:00	0.3	10/2/20 7:00	0.2
10/3/18 1:00	1.6	10/3/19 5:00	0.3	10/2/20 8:00	0.2
10/3/18 2:00	4.3	10/3/19 6:00	0.3	10/2/20 9:00	0.2
10/3/18 3:00	1.4	10/3/19 7:00	0.3	10/2/20 10:00	0.2
10/3/18 4:00	0.9	10/3/19 8:00	0.3	10/2/20 11:00	0.2
10/3/18 5:00	1.3	10/3/19 9:00	0.3	10/2/20 12:00	0.2
10/3/18 6:00	1.3	10/3/19 10:00	0.3	10/2/20 13:00	0.2
10/3/18 7:00	1.8	10/3/19 11:00	0.4	10/2/20 14:00	0.2
10/3/18 8:00	0.8	10/3/19 12:00	0.4	10/2/20 15:00	0.2
10/3/18 9:00	1.0	10/3/19 13:00	0.4	10/2/20 16:00	0.2
10/3/18 10:00	1.4	10/3/19 14:00	0.4	10/2/20 17:00	0.2
10/3/18 11:00	0.9	10/3/19 15:00	0.5	10/2/20 18:00	0.2
10/3/18 12:00	0.7	10/3/19 16:00	0.5	10/2/20 19:00	0.2
10/3/18 13:00	0.8	10/3/19 17:00	0.4	10/2/20 20:00	0.2
10/3/18 14:00	0.8	10/3/19 18:00	0.3	10/2/20 21:00	0.3
10/3/18 15:00	0.9	10/3/19 19:00	0.3	10/2/20 22:00	0.2
10/3/18 16:00	0.4	10/3/19 20:00	0.4	10/2/20 23:00	0.2
10/3/18 17:00	0.4	10/3/19 21:00	0.4	10/3/20 0:00	0.1
10/3/18 18:00	2.0	10/3/19 22:00	0.4	10/3/20 1:00	0.1
10/3/18 19:00	1.4	10/3/19 23:00	0.4	10/3/20 2:00	0.1
10/3/18 20:00	1.7	10/4/19 0:00	0.3	10/3/20 3:00	0.1
10/3/18 21:00	1.5	10/4/19 1:00	0.3	10/3/20 4:00	0.1
10/3/18 22:00	1.1	10/4/19 2:00	0.3	10/3/20 5:00	0.1
10/3/18 23:00	1.0	10/4/19 3:00	0.3	10/3/20 6:00	0.1
10/4/18 0:00	1.1	10/4/19 4:00	0.3	10/3/20 7:00	0.1
10/4/18 1:00	1.1	10/4/19 5:00	0.3	10/3/20 8:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
10/4/18 2:00	1.4	10/4/19 6:00	0.5	10/3/20 9:00	0.1
10/4/18 3:00	0.8	10/4/19 7:00	0.3	10/3/20 10:00	0.1
10/4/18 4:00	0.8	10/4/19 8:00	0.4	10/3/20 11:00	0.1
10/4/18 5:00	0.8	10/4/19 9:00	0.3	10/3/20 12:00	0.1
10/4/18 6:00	0.4	10/4/19 10:00	0.4	10/3/20 13:00	0.1
10/4/18 7:00	1.0	10/4/19 11:00	0.4	10/3/20 14:00	0.1
10/4/18 8:00	1.8	10/4/19 12:00	0.4	10/3/20 15:00	0.2
10/4/18 9:00	1.1	10/4/19 13:00	0.4	10/3/20 16:00	0.1
10/4/18 10:00	1.5	10/4/19 14:00	0.3	10/3/20 17:00	0.1
10/4/18 11:00	1.1	10/4/19 15:00	0.4	10/3/20 18:00	0.1
10/4/18 12:00	1.0	10/4/19 16:00	0.3	10/3/20 19:00	0.1
10/4/18 13:00	0.8	10/4/19 17:00	0.5	10/3/20 20:00	0.1
10/4/18 14:00	0.6	10/4/19 18:00	0.3	10/3/20 21:00	0.1
10/4/18 15:00	0.6	10/4/19 19:00	0.4	10/3/20 22:00	0.1
10/4/18 16:00	0.6	10/4/19 20:00	0.4	10/3/20 23:00	0.1
10/4/18 17:00	0.9	10/4/19 21:00	0.4	10/4/20 0:00	0.1
10/4/18 18:00	1.1	10/4/19 22:00	0.3	10/4/20 1:00	0.1
10/4/18 19:00	0.9	10/4/19 23:00	0.3	10/4/20 2:00	0.1
10/4/18 20:00	1.0	10/5/19 0:00	0.3	10/4/20 3:00	0.1
10/4/18 21:00	0.7	10/5/19 1:00	0.4	10/4/20 4:00	0.1
10/4/18 22:00	0.9	10/5/19 2:00	0.4	10/4/20 5:00	0.1
10/4/18 23:00	2.2	10/5/19 3:00	0.4	10/4/20 6:00	0.1
10/5/18 0:00	0.6	10/5/19 4:00	0.4	10/4/20 7:00	0.1
10/5/18 1:00	0.4	10/5/19 5:00	0.3	10/4/20 8:00	0.1
10/5/18 2:00	0.4	10/5/19 6:00	0.3	10/4/20 9:00	0.1
10/5/18 3:00	0.4	10/5/19 7:00	0.3	10/4/20 10:00	1.5
10/5/18 4:00	0.4	10/5/19 8:00	0.3	10/4/20 11:00	2.4
10/5/18 5:00	0.4	10/5/19 9:00	0.3	10/4/20 12:00	4.3
10/5/18 6:00	0.4	10/5/19 10:00	0.2	10/4/20 13:00	3.9
10/5/18 7:00	0.3	10/5/19 11:00	0.2	10/4/20 14:00	0.2
10/5/18 8:00	0.2	10/5/19 12:00	0.2	10/4/20 15:00	0.1
10/5/18 9:00	0.3	10/5/19 13:00	0.2	10/4/20 16:00	0.1
10/5/18 10:00	0.3	10/5/19 14:00	0.2	10/4/20 17:00	0.2
10/5/18 11:00	0.3	10/5/19 15:00	1.2	10/4/20 18:00	0.2
10/5/18 12:00	0.2	10/5/19 16:00	0.2	10/4/20 19:00	0.5
10/5/18 13:00	0.3	10/5/19 17:00	0.2	10/4/20 20:00	0.1
10/5/18 14:00	0.3	10/5/19 18:00	0.2	10/4/20 21:00	3.6
10/5/18 15:00	0.4	10/5/19 19:00	0.3	10/4/20 22:00	0.5
10/5/18 16:00	0.4	10/5/19 20:00	0.3	10/4/20 23:00	0.1
10/5/18 17:00	0.3	10/5/19 21:00	0.2	10/5/20 0:00	0.1
10/5/18 18:00	0.4	10/5/19 22:00	0.2	10/5/20 1:00	0.1
10/5/18 19:00	0.3	10/5/19 23:00	0.2	10/5/20 2:00	0.1
10/5/18 20:00	0.5	10/6/19 0:00	0.2	10/5/20 3:00	0.1
10/5/18 21:00	0.5	10/6/19 1:00	0.3	10/5/20 4:00	0.1
10/5/18 22:00	0.4	10/6/19 2:00	0.3	10/5/20 5:00	0.1
10/5/18 23:00	0.4	10/6/19 3:00	0.3	10/5/20 6:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
10/6/18 0:00	0.4	10/6/19 4:00	0.3	10/5/20 7:00	0.3
10/6/18 1:00	0.3	10/6/19 5:00	0.2	10/5/20 8:00	4.4
10/6/18 2:00	0.3	10/6/19 6:00	0.2	10/5/20 9:00	3.2
10/6/18 3:00	0.4	10/6/19 7:00	0.2	10/5/20 10:00	0.4
10/6/18 4:00	0.4	10/6/19 8:00	0.4	10/5/20 11:00	0.1
10/6/18 5:00	0.3	10/6/19 9:00	0.3	10/5/20 12:00	0.1
10/6/18 6:00	0.3	10/6/19 10:00	0.3	10/5/20 13:00	0.1
10/6/18 7:00	0.5	10/6/19 11:00	0.3	10/5/20 14:00	0.1
10/6/18 8:00	0.5	10/6/19 12:00	0.3	10/5/20 15:00	0.2
10/6/18 9:00	0.5	10/6/19 13:00	0.3	10/5/20 16:00	0.2
10/6/18 10:00	0.5	10/6/19 14:00	0.2	10/5/20 17:00	0.1
10/6/18 11:00	0.4	10/6/19 15:00	0.3	10/5/20 18:00	0.2
10/6/18 12:00	0.4	10/6/19 16:00	0.3	10/5/20 19:00	0.2
10/6/18 13:00	0.5	10/6/19 17:00	0.2	10/5/20 20:00	0.2
10/6/18 14:00	0.4	10/6/19 18:00	0.3	10/5/20 21:00	0.2
10/6/18 15:00	0.4	10/6/19 19:00	0.3	10/5/20 22:00	0.2
10/6/18 16:00	0.4	10/6/19 20:00	0.3	10/5/20 23:00	0.2
10/6/18 17:00	0.4	10/6/19 21:00	0.2	10/6/20 0:00	0.2
10/6/18 18:00	0.4	10/6/19 22:00	0.3	10/6/20 1:00	0.2
10/6/18 19:00	0.4	10/6/19 23:00	0.3	10/6/20 2:00	0.3
10/6/18 20:00	0.4	10/7/19 0:00	0.4	10/6/20 3:00	3.1
10/6/18 21:00	0.5	10/7/19 1:00	0.3	10/6/20 4:00	3.7
10/6/18 22:00	0.5	10/7/19 2:00	0.4	10/6/20 5:00	2.7
10/6/18 23:00	0.5	10/7/19 3:00	0.4	10/6/20 6:00	0.2
10/7/18 0:00	0.5	10/7/19 4:00	0.4	10/6/20 7:00	0.6
10/7/18 1:00	0.4	10/7/19 5:00	0.4	10/6/20 8:00	0.0
10/7/18 2:00	0.4	10/7/19 6:00	0.4	10/6/20 9:00	0.1
10/7/18 3:00	0.4	10/7/19 7:00	0.3	10/6/20 10:00	0.2
10/7/18 4:00	0.3	10/7/19 8:00	0.4	10/6/20 11:00	0.2
10/7/18 5:00	0.4	10/7/19 9:00	0.3	10/6/20 12:00	0.1
10/7/18 6:00	0.4	10/7/19 10:00	0.3	10/6/20 13:00	0.2
10/7/18 7:00	0.4	10/7/19 11:00	0.3	10/6/20 14:00	0.1
10/7/18 8:00	0.4	10/7/19 12:00	0.3	10/6/20 15:00	0.2
10/7/18 9:00	0.4	10/7/19 13:00	0.3	10/6/20 16:00	3.1
10/7/18 10:00	0.4	10/7/19 14:00	0.3	10/6/20 17:00	0.2
10/7/18 11:00	0.3	10/7/19 15:00	1.3	10/6/20 18:00	2.7
10/7/18 12:00	0.3	10/7/19 16:00	0.4	10/6/20 19:00	0.2
10/7/18 13:00	0.3	10/7/19 17:00	0.4	10/6/20 20:00	3.2
10/7/18 14:00	0.3	10/7/19 18:00	0.4	10/6/20 21:00	3.8
10/7/18 15:00	0.3	10/7/19 19:00	0.5	10/6/20 22:00	1.4
10/7/18 16:00	0.3	10/7/19 20:00	0.4	10/6/20 23:00	2.8
10/7/18 17:00	0.4	10/7/19 21:00	0.5	10/7/20 0:00	2.4
10/7/18 18:00	0.4	10/7/19 22:00	0.4	10/7/20 1:00	1.8
10/7/18 19:00	0.5	10/7/19 23:00	0.5	10/7/20 2:00	0.9
10/7/18 20:00	0.5	10/8/19 0:00	0.4	10/7/20 3:00	2.9
10/7/18 21:00	0.4	10/8/19 1:00	0.4	10/7/20 4:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
10/7/18 22:00	0.5	10/8/19 2:00	0.4	10/7/20 5:00	0.1
10/7/18 23:00	0.4	10/8/19 3:00	0.4	10/7/20 6:00	0.1
10/8/18 0:00	0.4	10/8/19 4:00	0.4	10/7/20 7:00	0.1
10/8/18 1:00	0.4	10/8/19 5:00	0.4	10/7/20 8:00	0.1
10/8/18 2:00	0.4	10/8/19 6:00	0.4	10/7/20 9:00	0.2
10/8/18 3:00	0.4	10/8/19 7:00	0.4	10/7/20 10:00	30.7
10/8/18 4:00	0.4	10/8/19 8:00	0.4	10/7/20 11:00	2.1
10/8/18 5:00	0.4	10/8/19 9:00	0.4	10/7/20 12:00	0.2
10/8/18 6:00	0.4	10/8/19 10:00	0.4	10/7/20 13:00	0.1
10/8/18 7:00	0.4	10/8/19 11:00	0.3	10/7/20 14:00	0.1
10/8/18 8:00	0.4	10/8/19 12:00	0.4	10/7/20 15:00	0.1
10/8/18 9:00	0.3	10/8/19 13:00	0.4	10/7/20 16:00	0.1
10/8/18 10:00	0.4	10/8/19 14:00	0.4	10/7/20 17:00	0.1
10/8/18 11:00	0.4	10/8/19 15:00	0.3	10/7/20 18:00	0.1
10/8/18 12:00	0.4	10/8/19 16:00	0.3	10/7/20 19:00	0.1
10/8/18 13:00	0.4	10/8/19 17:00	0.3	10/7/20 20:00	0.1
10/8/18 14:00	0.4	10/8/19 18:00	0.3	10/7/20 21:00	0.1
10/8/18 15:00	0.4	10/8/19 19:00	0.4	10/7/20 22:00	0.1
10/8/18 16:00	0.4	10/8/19 20:00	0.4	10/7/20 23:00	0.1
10/8/18 17:00	0.4	10/8/19 21:00	0.4	10/8/20 0:00	0.1
10/8/18 18:00	0.5	10/8/19 22:00	0.4	10/8/20 1:00	0.1
10/8/18 19:00	0.5	10/8/19 23:00	0.4	10/8/20 2:00	0.1
10/8/18 20:00	0.5	10/9/19 0:00	0.4	10/8/20 3:00	0.1
10/8/18 21:00	0.4	10/9/19 1:00	0.4	10/8/20 4:00	0.1
10/8/18 22:00	0.3	10/9/19 2:00	0.4	10/8/20 5:00	0.1
10/8/18 23:00	0.3	10/9/19 3:00	0.4	10/8/20 6:00	0.1
10/9/18 0:00	0.3	10/9/19 4:00	0.3	10/8/20 7:00	0.1
10/9/18 1:00	0.5	10/9/19 5:00	0.3	10/8/20 8:00	0.1
10/9/18 2:00	0.4	10/9/19 6:00	0.3	10/8/20 9:00	0.1
10/9/18 3:00	0.5	10/9/19 7:00	0.3	10/8/20 10:00	0.1
10/9/18 4:00	0.5	10/9/19 8:00	0.3	10/8/20 11:00	0.1
10/9/18 5:00	0.4	10/9/19 9:00	0.3	10/8/20 12:00	0.1
10/9/18 6:00	0.4	10/9/19 10:00	0.2	10/8/20 13:00	0.1
10/9/18 7:00	0.4	10/9/19 11:00	0.2	10/8/20 14:00	0.1
10/9/18 8:00	0.5	10/9/19 12:00	0.2	10/8/20 15:00	0.1
10/9/18 9:00	0.4	10/9/19 13:00	0.2	10/8/20 16:00	0.2
10/9/18 10:00	0.4	10/9/19 14:00	0.2	10/8/20 17:00	0.2
10/9/18 11:00	0.5	10/9/19 15:00	0.3	10/8/20 18:00	0.2
10/9/18 12:00	0.4	10/9/19 16:00	0.3	10/8/20 19:00	0.2
10/9/18 13:00	0.4	10/9/19 17:00	0.2	10/8/20 20:00	0.2
10/9/18 14:00	0.4	10/9/19 18:00	0.3	10/8/20 21:00	0.2
10/9/18 15:00	0.5	10/9/19 19:00	0.3	10/8/20 22:00	0.2
10/9/18 16:00	0.5	10/9/19 20:00	0.3	10/8/20 23:00	0.2
10/9/18 17:00	0.5	10/9/19 21:00	0.3	10/9/20 0:00	0.1
10/9/18 18:00	0.5	10/9/19 22:00	0.3	10/9/20 1:00	0.1
10/9/18 19:00	0.5	10/9/19 23:00	0.3	10/9/20 2:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
10/9/18 20:00	0.5	10/10/19 0:00	0.3	10/9/20 3:00	0.1
10/9/18 21:00	0.5	10/10/19 1:00	0.3	10/9/20 4:00	0.1
10/9/18 22:00	0.5	10/10/19 2:00	0.5	10/9/20 5:00	0.2
10/9/18 23:00	0.5	10/10/19 3:00	0.6	10/9/20 6:00	0.2
10/10/18 0:00	0.3	10/10/19 4:00	0.4	10/9/20 7:00	0.2
10/10/18 1:00	0.3	10/10/19 5:00	0.4	10/9/20 8:00	0.2
10/10/18 2:00	0.4	10/10/19 6:00	0.3	10/9/20 9:00	0.2
10/10/18 3:00	0.5	10/10/19 7:00	0.3	10/9/20 10:00	0.2
10/10/18 4:00	0.4	10/10/19 8:00	0.3	10/9/20 11:00	0.2
10/10/18 5:00	0.4	10/10/19 9:00	0.3	10/9/20 12:00	0.2
10/10/18 6:00	0.4	10/10/19 10:00	0.4	10/9/20 13:00	0.2
10/10/18 7:00	0.4	10/10/19 11:00	0.3	10/9/20 14:00	0.2
10/10/18 8:00	0.4	10/10/19 12:00	0.3	10/9/20 15:00	0.2
10/10/18 9:00	0.4	10/10/19 13:00	0.4	10/9/20 16:00	0.2
10/10/18 10:00	0.4	10/10/19 14:00	0.4	10/9/20 17:00	0.2
10/10/18 11:00	0.5	10/10/19 15:00	0.3	10/9/20 18:00	0.2
10/10/18 12:00	0.6	10/10/19 16:00	0.3	10/9/20 19:00	0.2
10/10/18 13:00	0.5	10/10/19 17:00	0.3	10/9/20 20:00	0.2
10/10/18 14:00	0.5	10/10/19 18:00	0.3	10/9/20 21:00	0.2
10/10/18 15:00	0.5	10/10/19 19:00	0.5	10/9/20 22:00	0.2
10/10/18 16:00	0.6	10/10/19 20:00	0.3	10/9/20 23:00	0.3
10/10/18 17:00	0.6	10/10/19 21:00	0.3	10/10/20 0:00	0.3
10/10/18 18:00	0.6	10/10/19 22:00	0.3	10/10/20 1:00	0.3
10/10/18 19:00	0.5	10/10/19 23:00	0.3	10/10/20 2:00	0.3
10/10/18 20:00	0.5	10/11/19 0:00	0.4	10/10/20 3:00	0.3
10/10/18 21:00	0.5	10/11/19 1:00	0.4	10/10/20 4:00	3.0
10/10/18 22:00	0.5	10/11/19 2:00	0.4	10/10/20 5:00	4.3
10/10/18 23:00	0.5	10/11/19 3:00	0.4	10/10/20 6:00	0.3
10/11/18 0:00	0.5	10/11/19 4:00	0.4	10/10/20 7:00	1.0
10/11/18 1:00	0.4	10/11/19 5:00	0.3	10/10/20 8:00	5.6
10/11/18 2:00	0.4	10/11/19 6:00	0.3	10/10/20 9:00	0.4
10/11/18 3:00	0.5	10/11/19 7:00	0.3	10/10/20 10:00	5.4
10/11/18 4:00	0.4	10/11/19 8:00	0.2	10/10/20 11:00	3.8
10/11/18 5:00	0.4	10/11/19 9:00	0.3	10/10/20 12:00	0.3
10/11/18 6:00	0.4	10/11/19 10:00	0.2	10/10/20 13:00	0.3
10/11/18 7:00	0.4	10/11/19 11:00	0.3	10/10/20 14:00	0.2
10/11/18 8:00	0.4	10/11/19 12:00	0.3	10/10/20 15:00	0.3
10/11/18 9:00	0.6	10/11/19 13:00	0.3	10/10/20 16:00	0.3
10/11/18 10:00	0.6	10/11/19 14:00	0.3	10/10/20 17:00	0.3
10/11/18 11:00	0.5	10/11/19 15:00	0.2	10/10/20 18:00	0.3
10/11/18 12:00	0.6	10/11/19 16:00	0.2	10/10/20 19:00	0.3
10/11/18 13:00	0.6	10/11/19 17:00	0.2	10/10/20 20:00	0.4
10/11/18 14:00	0.6	10/11/19 18:00	0.3	10/10/20 21:00	6.3
10/11/18 15:00	0.6	10/11/19 19:00	0.3	10/10/20 22:00	0.6
10/11/18 16:00	0.6	10/11/19 20:00	0.3	10/10/20 23:00	6.4
10/11/18 17:00	3.2	10/11/19 21:00	0.3	10/11/20 0:00	2.5

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
10/11/18 18:00	1.8	10/11/19 22:00	0.3	10/11/20 1:00	0.1
10/11/18 19:00	0.6	10/11/19 23:00	0.2	10/11/20 2:00	0.2
10/11/18 20:00	1.3	10/12/19 0:00	0.3	10/11/20 3:00	0.2
10/11/18 21:00	0.7	10/12/19 1:00	0.3	10/11/20 4:00	0.1
10/11/18 22:00	2.3	10/12/19 2:00	0.3	10/11/20 5:00	0.1
10/11/18 23:00	0.4	10/12/19 3:00	0.4	10/11/20 6:00	0.1
10/12/18 0:00	0.5	10/12/19 4:00	0.5	10/11/20 7:00	0.1
10/12/18 1:00	1.0	10/12/19 5:00	0.4	10/11/20 8:00	0.1
10/12/18 2:00	29.3	10/12/19 6:00	0.9	10/11/20 9:00	0.1
10/12/18 3:00	2.4	10/12/19 7:00	0.7	10/11/20 10:00	0.1
10/12/18 4:00	2.0	10/12/19 8:00	0.4	10/11/20 11:00	0.1
10/12/18 5:00	2.6	10/12/19 9:00	0.5	10/11/20 12:00	0.1
10/12/18 6:00	0.8	10/12/19 10:00	0.7	10/11/20 13:00	0.1
10/12/18 7:00	0.5	10/12/19 11:00	0.5	10/11/20 14:00	0.1
10/12/18 8:00	3.2	10/12/19 12:00	0.4	10/11/20 15:00	0.1
10/12/18 9:00	0.7	10/12/19 13:00	2.7	10/11/20 16:00	0.1
10/12/18 10:00	2.7	10/12/19 14:00	0.4	10/11/20 17:00	0.1
10/12/18 11:00	0.4	10/12/19 15:00	0.4	10/11/20 18:00	0.1
10/12/18 12:00	0.4	10/12/19 16:00	0.4	10/11/20 19:00	0.1
10/12/18 13:00	0.5	10/12/19 17:00	0.3	10/11/20 20:00	0.1
10/12/18 14:00	1.0	10/12/19 18:00	0.3	10/11/20 21:00	0.1
10/12/18 15:00	2.4	10/12/19 19:00	26.5	10/11/20 22:00	0.1
10/12/18 16:00	0.8	10/12/19 20:00	21.2	10/11/20 23:00	0.1
10/12/18 17:00	0.4	10/12/19 21:00	6.2	10/12/20 0:00	0.2
10/12/18 18:00	0.5	10/12/19 22:00	4.7	10/12/20 1:00	0.2
10/12/18 19:00	2.2	10/12/19 23:00	3.8	10/12/20 2:00	4.1
10/12/18 20:00	2.0	10/13/19 0:00	2.7	10/12/20 3:00	5.7
10/12/18 21:00	1.8	10/13/19 1:00	15.2	10/12/20 4:00	3.6
10/12/18 22:00	1.0	10/13/19 2:00	0.5	10/12/20 5:00	0.1
10/12/18 23:00	1.0	10/13/19 3:00	0.6	10/12/20 6:00	5.3
10/13/18 0:00	0.5	10/13/19 4:00	15.8	10/12/20 7:00	0.6
10/13/18 1:00	1.7	10/13/19 5:00	0.3	10/12/20 8:00	0.2
10/13/18 2:00	0.5	10/13/19 6:00	0.3	10/12/20 9:00	0.1
10/13/18 3:00	0.8	10/13/19 7:00	4.2	10/12/20 10:00	2.4
10/13/18 4:00	0.5	10/13/19 8:00	15.9	10/12/20 11:00	1.3
10/13/18 5:00	1.0	10/13/19 9:00	0.8	10/12/20 12:00	0.1
10/13/18 6:00	0.9	10/13/19 10:00	3.7	10/12/20 13:00	0.2
10/13/18 7:00	2.5	10/13/19 11:00	15.5	10/12/20 14:00	0.2
10/13/18 8:00	2.0	10/13/19 12:00	1.8	10/12/20 15:00	0.5
10/13/18 9:00	1.6	10/13/19 13:00	0.2	10/12/20 16:00	1.6
10/13/18 10:00	0.5	10/13/19 14:00	4.0	10/12/20 17:00	0.1
10/13/18 11:00	1.2	10/13/19 15:00	0.2	10/12/20 18:00	0.1
10/13/18 12:00	1.1	10/13/19 16:00	0.2	10/12/20 19:00	0.2
10/13/18 13:00	0.5	10/13/19 17:00	0.2	10/12/20 20:00	0.1
10/13/18 14:00	0.4	10/13/19 18:00	0.2	10/12/20 21:00	0.1
10/13/18 15:00	0.5	10/13/19 19:00	0.2	10/12/20 22:00	0.1

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
10/13/18 16:00	0.5	10/13/19 20:00	0.3	10/12/20 23:00	2.1
10/13/18 17:00	0.5	10/13/19 21:00	0.3	10/13/20 0:00	0.3
10/13/18 18:00	0.5	10/13/19 22:00	0.3	10/13/20 1:00	0.1
10/13/18 19:00	0.5	10/13/19 23:00	0.3	10/13/20 2:00	0.2
10/13/18 20:00	0.6	10/14/19 0:00	0.3	10/13/20 3:00	0.2
10/13/18 21:00	0.5	10/14/19 1:00	0.3	10/13/20 4:00	0.1
10/13/18 22:00	0.4	10/14/19 2:00	0.3	10/13/20 5:00	0.1
10/13/18 23:00	0.5	10/14/19 3:00	0.3	10/13/20 6:00	0.1
10/14/18 0:00	0.6	10/14/19 4:00	0.4	10/13/20 7:00	0.1
10/14/18 1:00	0.5	10/14/19 5:00	0.4	10/13/20 8:00	0.1
10/14/18 2:00	0.5	10/14/19 6:00	0.4	10/13/20 9:00	0.1
10/14/18 3:00	0.6	10/14/19 7:00	0.3	10/13/20 10:00	0.1
10/14/18 4:00	0.5	10/14/19 8:00	0.3	10/13/20 11:00	0.1
10/14/18 5:00	0.6	10/14/19 9:00	0.4	10/13/20 12:00	0.2
10/14/18 6:00	0.6	10/14/19 10:00	0.3	10/13/20 13:00	0.2
10/14/18 7:00	0.6	10/14/19 11:00	0.3	10/13/20 14:00	0.2
10/14/18 8:00	0.6	10/14/19 12:00	0.3	10/13/20 15:00	0.2
10/14/18 9:00	0.8	10/14/19 13:00	0.3	10/13/20 16:00	0.2
10/14/18 10:00	0.8	10/14/19 14:00	0.4	10/13/20 17:00	0.2
10/14/18 11:00	0.9	10/14/19 15:00	0.5	10/13/20 18:00	0.1
10/14/18 12:00	0.8	10/14/19 16:00	0.6	10/13/20 19:00	0.2
10/14/18 13:00	0.9	10/14/19 17:00	0.4	10/13/20 20:00	0.2
10/14/18 14:00	1.0	10/14/19 18:00	0.4	10/13/20 21:00	0.2
10/14/18 15:00	1.0	10/14/19 19:00	0.4	10/13/20 22:00	14.0
10/14/18 16:00	0.8	10/14/19 20:00	0.6	10/13/20 23:00	48.8
10/14/18 17:00	0.8	10/14/19 21:00	0.8	10/14/20 0:00	70.9
10/14/18 18:00	0.5	10/14/19 22:00	0.5	10/14/20 1:00	65.1
10/14/18 19:00	0.6	10/14/19 23:00	0.4	10/14/20 2:00	58.6
10/14/18 20:00	0.6	10/15/19 0:00	3.4	10/14/20 3:00	30.8
10/14/18 21:00	0.5	10/15/19 1:00	3.7	10/14/20 4:00	9.4
10/14/18 22:00	0.6	10/15/19 2:00	2.2	10/14/20 5:00	24.3
10/14/18 23:00	0.6	10/15/19 3:00	0.3	10/14/20 6:00	0.1
10/15/18 0:00	0.7	10/15/19 4:00	0.3	10/14/20 7:00	16.8
10/15/18 1:00	0.7	10/15/19 5:00	0.3	10/14/20 8:00	3.3
10/15/18 2:00	0.7	10/15/19 6:00	0.3	10/14/20 9:00	2.2
10/15/18 3:00	0.7	10/15/19 7:00	0.3	10/14/20 10:00	0.3
10/15/18 4:00	0.8	10/15/19 8:00	0.4	10/14/20 11:00	5.8
10/15/18 5:00	0.9	10/15/19 9:00	0.6	10/14/20 12:00	0.4
10/15/18 6:00	0.7	10/15/19 10:00	7.2	10/14/20 13:00	0.6
10/15/18 7:00	0.8	10/15/19 11:00	10.8	10/14/20 14:00	3.2
10/15/18 8:00	0.8	10/15/19 12:00	11.9	10/14/20 15:00	8.6
10/15/18 9:00	0.8	10/15/19 13:00	11.8	10/14/20 16:00	11.2
10/15/18 10:00	0.6	10/15/19 14:00	11.2	10/14/20 17:00	1.6
10/15/18 11:00	0.8	10/15/19 15:00	11.2	10/14/20 18:00	0.8
10/15/18 12:00	0.8	10/15/19 16:00	11.3	10/14/20 19:00	2.2
10/15/18 13:00	0.9	10/15/19 17:00	12.0	10/14/20 20:00	5.5

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
10/15/18 14:00	0.8	10/15/19 18:00	11.8	10/14/20 21:00	1.8
10/15/18 15:00	0.8	10/15/19 19:00	9.1	10/14/20 22:00	6.9
10/15/18 16:00	0.6	10/15/19 20:00	10.6	10/14/20 23:00	3.0
10/15/18 17:00	0.7	10/15/19 21:00	11.5	10/15/20 0:00	2.9
10/15/18 18:00	0.6	10/15/19 22:00	9.4	10/15/20 1:00	0.2
10/15/18 19:00	0.4	10/15/19 23:00	9.8	10/15/20 2:00	5.0
10/15/18 20:00	0.3	10/16/19 0:00	9.2	10/15/20 3:00	2.6
10/15/18 21:00	0.5	10/16/19 1:00	9.6	10/15/20 4:00	0.4
10/15/18 22:00	0.5	10/16/19 2:00	11.5	10/15/20 5:00	0.9
10/15/18 23:00	0.5	10/16/19 3:00	12.8	10/15/20 6:00	1.8
10/16/18 0:00	0.4	10/16/19 4:00	12.0	10/15/20 7:00	0.6
10/16/18 1:00	0.4	10/16/19 5:00	13.4	10/15/20 8:00	6.5
10/16/18 2:00	0.4	10/16/19 6:00	11.7	10/15/20 9:00	1.9
10/16/18 3:00	0.4	10/16/19 7:00	15.3	10/15/20 10:00	2.3
10/16/18 4:00	0.5	10/16/19 8:00	13.6	10/15/20 11:00	0.2
10/16/18 5:00	0.5	10/16/19 9:00	12.4	10/15/20 12:00	0.6
10/16/18 6:00	0.5	10/16/19 10:00	13.0	10/15/20 13:00	0.4
10/16/18 7:00	0.5	10/16/19 11:00	12.7	10/15/20 14:00	0.9
10/16/18 8:00	0.6	10/16/19 12:00	11.9	10/15/20 15:00	0.7
10/16/18 9:00	0.7	10/16/19 13:00	11.3	10/15/20 16:00	1.1
10/16/18 10:00	0.4	10/16/19 14:00	0.4	10/15/20 17:00	0.2
10/16/18 11:00	0.5	10/16/19 15:00	0.4	10/15/20 18:00	0.2
10/16/18 12:00	0.5	10/16/19 16:00	0.4	10/15/20 19:00	1.2
10/16/18 13:00	0.4	10/16/19 17:00	0.4	10/15/20 20:00	2.5
10/16/18 14:00	0.3	10/16/19 18:00	0.3	10/15/20 21:00	1.6
10/16/18 15:00	0.4	10/16/19 19:00	0.4	10/15/20 22:00	2.7
10/16/18 16:00	0.4	10/16/19 20:00	0.6	10/15/20 23:00	0.2
10/16/18 17:00	0.4	10/16/19 21:00	0.4	10/16/20 0:00	0.2
10/16/18 18:00	0.4	10/16/19 22:00	0.3	10/16/20 1:00	0.2
10/16/18 19:00	0.5	10/16/19 23:00	0.3	10/16/20 2:00	0.2
10/16/18 20:00	0.5	10/17/19 0:00	0.3	10/16/20 3:00	0.2
10/16/18 21:00	0.6	10/17/19 1:00	0.3	10/16/20 4:00	0.2
10/16/18 22:00	0.5	10/17/19 2:00	0.2	10/16/20 5:00	0.2
10/16/18 23:00	0.6	10/17/19 3:00	0.3	10/16/20 6:00	0.2
10/17/18 0:00	0.6	10/17/19 4:00	0.3	10/16/20 7:00	0.2
10/17/18 1:00	0.5	10/17/19 5:00	0.3	10/16/20 8:00	0.2
10/17/18 2:00	0.4	10/17/19 6:00	0.3	10/16/20 9:00	1.8
10/17/18 3:00	0.4	10/17/19 7:00	0.3	10/16/20 10:00	0.2
10/17/18 4:00	0.4	10/17/19 8:00	0.3	10/16/20 11:00	0.3
10/17/18 5:00	0.4	10/17/19 9:00	0.4	10/16/20 12:00	0.2
10/17/18 6:00	0.3	10/17/19 10:00	0.3	10/16/20 13:00	0.2
10/17/18 7:00	0.4	10/17/19 11:00	0.3	10/16/20 14:00	0.2
10/17/18 8:00	0.4	10/17/19 12:00	0.3	10/16/20 15:00	0.2
10/17/18 9:00	0.5	10/17/19 13:00	0.3	10/16/20 16:00	0.2
10/17/18 10:00	0.5	10/17/19 14:00	0.4	10/16/20 17:00	0.2
10/17/18 11:00	0.5	10/17/19 15:00	0.4	10/16/20 18:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
10/17/18 12:00	0.5	10/17/19 16:00	0.4	10/16/20 19:00	0.2
10/17/18 13:00	0.4	10/17/19 17:00	0.3	10/16/20 20:00	0.2
10/17/18 14:00	0.4	10/17/19 18:00	0.3	10/16/20 21:00	0.2
10/17/18 15:00	0.2	10/17/19 19:00	0.3	10/16/20 22:00	0.2
10/17/18 16:00	0.3	10/17/19 20:00	0.5	10/16/20 23:00	0.3
10/17/18 17:00	0.3	10/17/19 21:00	0.7	10/17/20 0:00	0.3
10/17/18 18:00	0.3	10/17/19 22:00	1.9	10/17/20 1:00	0.3
10/17/18 19:00	0.3	10/17/19 23:00	1.1	10/17/20 2:00	3.4
10/17/18 20:00	0.2	10/18/19 0:00	0.7	10/17/20 3:00	0.2
10/17/18 21:00	0.2	10/18/19 1:00	0.9	10/17/20 4:00	6.3
10/17/18 22:00	0.3	10/18/19 2:00	1.5	10/17/20 5:00	3.5
10/17/18 23:00	1.0	10/18/19 3:00	1.0	10/17/20 6:00	5.8
10/18/18 0:00	0.3	10/18/19 4:00	0.7	10/17/20 7:00	6.2
10/18/18 1:00	0.3	10/18/19 5:00	0.7	10/17/20 8:00	1.4
10/18/18 2:00	0.3	10/18/19 6:00	0.8	10/17/20 9:00	1.5
10/18/18 3:00	0.3	10/18/19 7:00	1.0	10/17/20 10:00	6.9
10/18/18 4:00	0.3	10/18/19 8:00	1.0	10/17/20 11:00	0.2
10/18/18 5:00	0.2	10/18/19 9:00	0.9	10/17/20 12:00	0.2
10/18/18 6:00	0.2	10/18/19 10:00	0.9	10/17/20 13:00	0.2
10/18/18 7:00	0.3	10/18/19 11:00	1.3	10/17/20 14:00	0.2
10/18/18 8:00	0.5	10/18/19 12:00	1.8	10/17/20 15:00	0.2
10/18/18 9:00	0.1	10/18/19 13:00	0.8	10/17/20 16:00	0.2
10/18/18 10:00	0.2	10/18/19 14:00	0.5	10/17/20 17:00	0.2
10/18/18 11:00	0.2	10/18/19 15:00	0.3	10/17/20 18:00	0.2
10/18/18 12:00	0.4	10/18/19 16:00	0.8	10/17/20 19:00	0.2
10/18/18 13:00	0.3	10/18/19 17:00	1.2	10/17/20 20:00	0.2
10/18/18 14:00	0.3	10/18/19 18:00	0.7	10/17/20 21:00	0.2
10/18/18 15:00	0.3	10/18/19 19:00	0.5	10/17/20 22:00	0.2
10/18/18 16:00	0.3	10/18/19 20:00	0.3	10/17/20 23:00	0.2
10/18/18 17:00	0.4	10/18/19 21:00	0.4	10/18/20 0:00	0.2
10/18/18 18:00	0.3	10/18/19 22:00	0.3	10/18/20 1:00	0.2
10/18/18 19:00	0.4	10/18/19 23:00	0.4	10/18/20 2:00	0.2
10/18/18 20:00	0.4	10/19/19 0:00	0.3	10/18/20 3:00	0.2
10/18/18 21:00	0.4	10/19/19 1:00	0.3	10/18/20 4:00	0.2
10/18/18 22:00	0.4	10/19/19 2:00	0.4	10/18/20 5:00	0.2
10/18/18 23:00	0.3	10/19/19 3:00	0.4	10/18/20 6:00	0.2
10/19/18 0:00	0.3	10/19/19 4:00	0.7	10/18/20 7:00	0.2
10/19/18 1:00	0.3	10/19/19 5:00	0.8	10/18/20 8:00	0.6
10/19/18 2:00	0.3	10/19/19 6:00	0.6	10/18/20 9:00	0.6
10/19/18 3:00	0.3	10/19/19 7:00	0.6	10/18/20 10:00	0.3
10/19/18 4:00	0.4	10/19/19 8:00	0.6	10/18/20 11:00	0.3
10/19/18 5:00	0.3	10/19/19 9:00	0.7	10/18/20 12:00	0.3
10/19/18 6:00	0.4	10/19/19 10:00	0.8	10/18/20 13:00	0.3
10/19/18 7:00	0.4	10/19/19 11:00	1.0	10/18/20 14:00	0.3
10/19/18 8:00	0.4	10/19/19 12:00	1.2	10/18/20 15:00	0.3
10/19/18 9:00	0.4	10/19/19 13:00	1.9	10/18/20 16:00	0.3

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
10/19/18 10:00	0.9	10/19/19 14:00	1.3	10/18/20 17:00	0.3
10/19/18 11:00	0.7	10/19/19 15:00	1.1	10/18/20 18:00	0.3
10/19/18 12:00	0.8	10/19/19 16:00	1.1	10/18/20 19:00	0.3
10/19/18 13:00	0.8	10/19/19 17:00	0.9	10/18/20 20:00	0.2
10/19/18 14:00	0.9	10/19/19 18:00	1.3	10/18/20 21:00	0.3
10/19/18 15:00	1.0	10/19/19 19:00	1.4	10/18/20 22:00	0.2
10/19/18 16:00	0.9	10/19/19 20:00	1.4	10/18/20 23:00	0.2
10/19/18 17:00	0.6	10/19/19 21:00	0.6	10/19/20 0:00	0.4
10/19/18 18:00	0.4	10/19/19 22:00	0.5	10/19/20 1:00	0.2
10/19/18 19:00	0.4	10/19/19 23:00	0.4	10/19/20 2:00	0.2
10/19/18 20:00	0.5	10/20/19 0:00	0.7	10/19/20 3:00	0.2
10/19/18 21:00	0.6	10/20/19 1:00	0.6	10/19/20 4:00	0.2
10/19/18 22:00	0.4	10/20/19 2:00	0.7	10/19/20 5:00	0.2
10/19/18 23:00	0.3	10/20/19 3:00	0.8	10/19/20 6:00	0.2
10/20/18 0:00	1.5	10/20/19 4:00	1.1	10/19/20 7:00	0.2
10/20/18 1:00	0.5	10/20/19 5:00	1.2	10/19/20 8:00	0.2
10/20/18 2:00	0.4	10/20/19 6:00	0.5	10/19/20 9:00	0.2
10/20/18 3:00	0.4	10/20/19 7:00	0.5	10/19/20 10:00	0.2
10/20/18 4:00	0.5	10/20/19 8:00	0.7	10/19/20 11:00	0.2
10/20/18 5:00	0.4	10/20/19 9:00	1.2	10/19/20 12:00	0.2
10/20/18 6:00	0.3	10/20/19 10:00	1.3	10/19/20 13:00	0.2
10/20/18 7:00	0.3	10/20/19 11:00	1.4	10/19/20 14:00	0.2
10/20/18 8:00	0.4	10/20/19 12:00	1.2	10/19/20 15:00	0.2
10/20/18 9:00	0.4	10/20/19 13:00	1.0	10/19/20 16:00	0.3
10/20/18 10:00	0.4	10/20/19 14:00	0.8	10/19/20 17:00	0.2
10/20/18 11:00	0.4	10/20/19 15:00	0.8	10/19/20 18:00	0.2
10/20/18 12:00	0.4	10/20/19 16:00	0.8	10/19/20 19:00	0.2
10/20/18 13:00	0.5	10/20/19 17:00	0.8	10/19/20 20:00	0.2
10/20/18 14:00	0.5	10/20/19 18:00	0.7	10/19/20 21:00	0.3
10/20/18 15:00	0.4	10/20/19 19:00	0.8	10/19/20 22:00	0.2
10/20/18 16:00	0.4	10/20/19 20:00	0.8	10/19/20 23:00	0.3
10/20/18 17:00	0.4	10/20/19 21:00	0.9	10/20/20 0:00	0.2
10/20/18 18:00	0.3	10/20/19 22:00	1.0	10/20/20 1:00	0.2
10/20/18 19:00	0.3	10/20/19 23:00	2.5	10/20/20 2:00	0.2
10/20/18 20:00	0.3	10/21/19 0:00	1.1	10/20/20 3:00	0.3
10/20/18 21:00	0.3	10/21/19 1:00	1.1	10/20/20 4:00	0.3
10/20/18 22:00	0.3	10/21/19 2:00	0.8	10/20/20 5:00	0.2
10/20/18 23:00	0.3	10/21/19 3:00	0.8	10/20/20 6:00	0.3
10/21/18 0:00	0.3	10/21/19 4:00	0.5	10/20/20 7:00	0.3
10/21/18 1:00	0.3	10/21/19 5:00	0.4	10/20/20 8:00	5.2
10/21/18 2:00	0.3	10/21/19 6:00	0.3	10/20/20 9:00	0.2
10/21/18 3:00	0.4	10/21/19 7:00	0.4	10/20/20 10:00	0.2
10/21/18 4:00	0.3	10/21/19 8:00	0.6	10/20/20 11:00	0.2
10/21/18 5:00	0.3	10/21/19 9:00	0.8	10/20/20 12:00	0.3
10/21/18 6:00	0.3	10/21/19 10:00	0.8	10/20/20 13:00	0.2
10/21/18 7:00	0.4	10/21/19 11:00	0.5	10/20/20 14:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
10/21/18 8:00	0.3	10/21/19 12:00	0.5	10/20/20 15:00	1.3
10/21/18 9:00	0.3	10/21/19 13:00	0.4	10/20/20 16:00	3.1
10/21/18 10:00	0.4	10/21/19 14:00	0.4	10/20/20 17:00	0.6
10/21/18 11:00	0.4	10/21/19 15:00	0.3	10/20/20 18:00	0.2
10/21/18 12:00	0.3	10/21/19 16:00	0.4	10/20/20 19:00	9.7
10/21/18 13:00	0.4	10/21/19 17:00	0.4	10/20/20 20:00	2.1
10/21/18 14:00	0.5	10/21/19 18:00	0.3	10/20/20 21:00	1.5
10/21/18 15:00	0.4	10/21/19 19:00	0.4	10/20/20 22:00	2.3
10/21/18 16:00	0.4	10/21/19 20:00	0.4	10/20/20 23:00	10.8
10/21/18 17:00	0.4	10/21/19 21:00	0.5	10/21/20 0:00	10.6
10/21/18 18:00	0.3	10/21/19 22:00	0.4	10/21/20 1:00	6.7
10/21/18 19:00	0.3	10/21/19 23:00	0.5	10/21/20 2:00	10.4
10/21/18 20:00	0.4	10/22/19 0:00	0.5	10/21/20 3:00	3.9
10/21/18 21:00	0.4	10/22/19 1:00	0.5	10/21/20 4:00	7.8
10/21/18 22:00	0.4	10/22/19 2:00	0.4	10/21/20 5:00	0.4
10/21/18 23:00	0.4	10/22/19 3:00	0.5	10/21/20 6:00	0.4
10/22/18 0:00	0.4	10/22/19 4:00	0.5	10/21/20 7:00	0.4
10/22/18 1:00	0.4	10/22/19 5:00	0.5	10/21/20 8:00	2.5
10/22/18 2:00	0.4	10/22/19 6:00	0.4	10/21/20 9:00	5.6
10/22/18 3:00	0.4	10/22/19 7:00	0.4	10/21/20 10:00	0.3
10/22/18 4:00	0.3	10/22/19 8:00	0.4	10/21/20 11:00	0.3
10/22/18 5:00	0.4	10/22/19 9:00	0.4	10/21/20 12:00	0.3
10/22/18 6:00	0.4	10/22/19 10:00	0.3	10/21/20 13:00	6.0
10/22/18 7:00	0.7	10/22/19 11:00	0.6	10/21/20 14:00	0.3
10/22/18 8:00	0.7	10/22/19 12:00	0.3	10/21/20 15:00	1.1
10/22/18 9:00	0.7	10/22/19 13:00	0.3	10/21/20 16:00	1.7
10/22/18 10:00	0.7	10/22/19 14:00	0.3	10/21/20 17:00	1.5
10/22/18 11:00	0.8	10/22/19 15:00	0.2	10/21/20 18:00	1.0
10/22/18 12:00	0.7	10/22/19 16:00	0.3	10/21/20 19:00	1.0
10/22/18 13:00	0.6	10/22/19 17:00	0.4	10/21/20 20:00	1.2
10/22/18 14:00	0.7	10/22/19 18:00	0.3	10/21/20 21:00	1.4
10/22/18 15:00	0.7	10/22/19 19:00	0.3	10/21/20 22:00	1.1
10/22/18 16:00	0.7	10/22/19 20:00	0.3	10/21/20 23:00	7.4
10/22/18 17:00	0.6	10/22/19 21:00	0.2	10/22/20 0:00	0.6
10/22/18 18:00	0.5	10/22/19 22:00	0.2	10/22/20 1:00	8.1
10/22/18 19:00	0.5	10/22/19 23:00	0.2	10/22/20 2:00	0.5
10/22/18 20:00	0.5	10/23/19 0:00	0.2	10/22/20 3:00	0.5
10/22/18 21:00	0.6	10/23/19 1:00	0.2	10/22/20 4:00	0.5
10/22/18 22:00	0.6	10/23/19 2:00	0.2	10/22/20 5:00	0.5
10/22/18 23:00	0.5	10/23/19 3:00	0.2	10/22/20 6:00	0.6
10/23/18 0:00	0.5	10/23/19 4:00	0.2	10/22/20 7:00	0.6
10/23/18 1:00	0.6	10/23/19 5:00	0.2	10/22/20 8:00	0.8
10/23/18 2:00	0.6	10/23/19 6:00	0.2	10/22/20 9:00	0.7
10/23/18 3:00	0.5	10/23/19 7:00	0.3	10/22/20 10:00	0.7
10/23/18 4:00	0.3	10/23/19 8:00	0.3	10/22/20 11:00	0.6
10/23/18 5:00	0.5	10/23/19 9:00	0.3	10/22/20 12:00	0.6

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
10/23/18 6:00	0.4	10/23/19 10:00	0.3	10/22/20 13:00	0.6
10/23/18 7:00	0.4	10/23/19 11:00	0.4	10/22/20 14:00	0.6
10/23/18 8:00	0.4	10/23/19 12:00	0.5	10/22/20 15:00	0.7
10/23/18 9:00	0.3	10/23/19 13:00	0.5	10/22/20 16:00	0.7
10/23/18 10:00	0.4	10/23/19 14:00	39.5	10/22/20 17:00	0.7
10/23/18 11:00	0.6	10/23/19 15:00	15.7	10/22/20 18:00	0.7
10/23/18 12:00	0.3	10/23/19 16:00	0.2	10/22/20 19:00	0.7
10/23/18 13:00	0.4	10/23/19 17:00	0.2	10/22/20 20:00	0.7
10/23/18 14:00	0.5	10/23/19 18:00	0.3	10/22/20 21:00	0.8
10/23/18 15:00	0.4	10/23/19 19:00	0.4	10/22/20 22:00	0.7
10/23/18 16:00	0.5	10/23/19 20:00	0.4	10/22/20 23:00	0.6
10/23/18 17:00	0.4	10/23/19 21:00	0.4	10/23/20 0:00	0.6
10/23/18 18:00	0.4	10/23/19 22:00	0.5	10/23/20 1:00	0.6
10/23/18 19:00	0.3	10/23/19 23:00	0.5	10/23/20 2:00	0.6
10/23/18 20:00	0.3	10/24/19 0:00	0.5	10/23/20 3:00	0.6
10/23/18 21:00	0.3	10/24/19 1:00	0.4	10/23/20 4:00	0.7
10/23/18 22:00	0.3	10/24/19 2:00	0.3	10/23/20 5:00	0.6
10/23/18 23:00	0.3	10/24/19 3:00	0.4	10/23/20 6:00	0.6
10/24/18 0:00	2.7	10/24/19 4:00	0.4	10/23/20 7:00	0.5
10/24/18 1:00	0.3	10/24/19 5:00	0.4	10/23/20 8:00	0.5
10/24/18 2:00	2.5	10/24/19 6:00	0.4	10/23/20 9:00	0.5
10/24/18 3:00	2.2	10/24/19 7:00	0.3	10/23/20 10:00	0.6
10/24/18 4:00	0.5	10/24/19 8:00	0.4	10/23/20 11:00	0.6
10/24/18 5:00	1.5	10/24/19 9:00	0.5	10/23/20 12:00	0.6
10/24/18 6:00	0.4	10/24/19 10:00	0.5	10/23/20 13:00	0.7
10/24/18 7:00	2.5	10/24/19 11:00	0.4	10/23/20 14:00	0.7
10/24/18 8:00	5.5	10/24/19 12:00	0.5	10/23/20 15:00	0.7
10/24/18 9:00	17.3	10/24/19 13:00	0.5	10/23/20 16:00	0.7
10/24/18 10:00	14.1	10/24/19 14:00	0.5	10/23/20 17:00	0.7
10/24/18 11:00	14.2	10/24/19 15:00	0.5	10/23/20 18:00	0.7
10/24/18 12:00	20.2	10/24/19 16:00	0.5	10/23/20 19:00	0.7
10/24/18 13:00	17.8	10/24/19 17:00	0.3	10/23/20 20:00	0.7
10/24/18 14:00	15.0	10/24/19 18:00	0.4	10/23/20 21:00	0.6
10/24/18 15:00	14.9	10/24/19 19:00	0.4	10/23/20 22:00	0.6
10/24/18 16:00	15.0	10/24/19 20:00	0.4	10/23/20 23:00	0.6
10/24/18 17:00	15.1	10/24/19 21:00	0.5	10/24/20 0:00	0.6
10/24/18 18:00	15.1	10/24/19 22:00	0.5	10/24/20 1:00	0.7
10/24/18 19:00	15.0	10/24/19 23:00	5.9	10/24/20 2:00	0.7
10/24/18 20:00	22.6	10/25/19 0:00	4.1	10/24/20 3:00	0.6
10/24/18 21:00	22.1	10/25/19 1:00	1.6	10/24/20 4:00	0.6
10/24/18 22:00	20.2	10/25/19 2:00	0.6	10/24/20 5:00	0.5
10/24/18 23:00	20.3	10/25/19 3:00	0.7	10/24/20 6:00	0.6
10/25/18 0:00	22.8	10/25/19 4:00	0.6	10/24/20 7:00	0.6
10/25/18 1:00	20.4	10/25/19 5:00	0.6	10/24/20 8:00	0.6
10/25/18 2:00	4.0	10/25/19 6:00	0.4	10/24/20 9:00	0.6
10/25/18 3:00	0.5	10/25/19 7:00	0.7	10/24/20 10:00	0.6

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
10/25/18 4:00	0.7	10/25/19 8:00	0.7	10/24/20 11:00	0.6
10/25/18 5:00	1.0	10/25/19 9:00	0.7	10/24/20 12:00	0.6
10/25/18 6:00	1.0	10/25/19 10:00	0.7	10/24/20 13:00	0.6
10/25/18 7:00	1.1	10/25/19 11:00	0.5	10/24/20 14:00	0.6
10/25/18 8:00	1.2	10/25/19 12:00	0.8	10/24/20 15:00	0.6
10/25/18 9:00	3.4	10/25/19 13:00	1.0	10/24/20 16:00	0.6
10/25/18 10:00	16.4	10/25/19 14:00	0.6	10/24/20 17:00	0.6
10/25/18 11:00	16.6	10/25/19 15:00	0.6	10/24/20 18:00	0.5
10/25/18 12:00	17.4	10/25/19 16:00	1.0	10/24/20 19:00	0.4
10/25/18 13:00	16.9	10/25/19 17:00	1.1	10/24/20 20:00	0.5
10/25/18 14:00	17.0	10/25/19 18:00	0.4	10/24/20 21:00	0.7
10/25/18 15:00	17.6	10/25/19 19:00	0.4	10/24/20 22:00	0.7
10/25/18 16:00	11.7	10/25/19 20:00	0.5	10/24/20 23:00	0.7
10/25/18 17:00	0.4	10/25/19 21:00	0.6	10/25/20 0:00	0.7
10/25/18 18:00	0.2	10/25/19 22:00	0.7	10/25/20 1:00	0.4
10/25/18 19:00	0.4	10/25/19 23:00	0.6	10/25/20 2:00	0.5
10/25/18 20:00	0.5	10/26/19 0:00	0.6	10/25/20 3:00	0.6
10/25/18 21:00	0.5	10/26/19 1:00	0.6	10/25/20 4:00	0.6
10/25/18 22:00	0.5	10/26/19 2:00	0.4	10/25/20 5:00	0.6
10/25/18 23:00	0.5	10/26/19 3:00	1.3	10/25/20 6:00	0.8
10/26/18 0:00	0.6	10/26/19 4:00	0.5	10/25/20 7:00	0.7
10/26/18 1:00	0.6	10/26/19 5:00	0.3	10/25/20 8:00	0.8
10/26/18 2:00	0.5	10/26/19 6:00	0.4	10/25/20 9:00	0.7
10/26/18 3:00	0.3	10/26/19 7:00	1.4	10/25/20 10:00	0.8
10/26/18 4:00	0.2	10/26/19 8:00	0.4	10/25/20 11:00	0.7
10/26/18 5:00	0.2	10/26/19 9:00	0.4	10/25/20 12:00	0.7
10/26/18 6:00	0.3	10/26/19 10:00	0.4	10/25/20 13:00	0.7
10/26/18 7:00	0.3	10/26/19 11:00	0.4	10/25/20 14:00	0.7
10/26/18 8:00	0.4	10/26/19 12:00	0.5	10/25/20 15:00	0.6
10/26/18 9:00	0.3	10/26/19 13:00	0.5	10/25/20 16:00	0.6
10/26/18 10:00	0.5	10/26/19 14:00	0.6	10/25/20 17:00	0.6
10/26/18 11:00	0.6	10/26/19 15:00	0.5	10/25/20 18:00	0.7
10/26/18 12:00	0.7	10/26/19 16:00	0.4	10/25/20 19:00	0.8
10/26/18 13:00	0.4	10/26/19 17:00	0.4	10/25/20 20:00	0.6
10/26/18 14:00	0.4	10/26/19 18:00	0.5	10/25/20 21:00	0.7
10/26/18 15:00	0.3	10/26/19 19:00	0.3	10/25/20 22:00	0.8
10/26/18 16:00	0.3	10/26/19 20:00	0.3	10/25/20 23:00	0.7
10/26/18 17:00	0.3	10/26/19 21:00	0.3	10/26/20 0:00	0.8
10/26/18 18:00	0.2	10/26/19 22:00	0.3	10/26/20 1:00	0.8
10/26/18 19:00	0.3	10/26/19 23:00	0.3	10/26/20 2:00	0.8
10/26/18 20:00	0.3	10/27/19 0:00	0.2	10/26/20 3:00	0.7
10/26/18 21:00	0.2	10/27/19 1:00	0.2	10/26/20 4:00	0.7
10/26/18 22:00	0.2	10/27/19 2:00	0.3	10/26/20 5:00	0.6
10/26/18 23:00	0.2	10/27/19 3:00	0.4	10/26/20 6:00	0.6
10/27/18 0:00	0.2	10/27/19 4:00	0.3	10/26/20 7:00	0.7
10/27/18 1:00	0.2	10/27/19 5:00	0.3	10/26/20 8:00	0.7

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
10/27/18 2:00	0.2	10/27/19 6:00	0.2	10/26/20 9:00	0.7
10/27/18 3:00	0.2	10/27/19 7:00	0.2	10/26/20 10:00	0.8
10/27/18 4:00	0.2	10/27/19 8:00	0.2	10/26/20 11:00	0.7
10/27/18 5:00	0.1	10/27/19 9:00	0.3	10/26/20 12:00	0.7
10/27/18 6:00	0.1	10/27/19 10:00	0.4	10/26/20 13:00	0.7
10/27/18 7:00	0.2	10/27/19 11:00	0.3	10/26/20 14:00	0.6
10/27/18 8:00	0.2	10/27/19 12:00	0.2	10/26/20 15:00	0.6
10/27/18 9:00	0.2	10/27/19 13:00	0.2	10/26/20 16:00	0.7
10/27/18 10:00	0.2	10/27/19 14:00	0.3	10/26/20 17:00	0.8
10/27/18 11:00	0.2	10/27/19 15:00	0.3	10/26/20 18:00	0.7
10/27/18 12:00	0.2	10/27/19 16:00	0.3	10/26/20 19:00	0.6
10/27/18 13:00	0.2	10/27/19 17:00	0.3	10/26/20 20:00	0.7
10/27/18 14:00	0.2	10/27/19 18:00	0.3	10/26/20 21:00	0.7
10/27/18 15:00	0.2	10/27/19 19:00	0.4	10/26/20 22:00	0.7
10/27/18 16:00	0.2	10/27/19 20:00	0.4	10/26/20 23:00	0.7
10/27/18 17:00	0.2	10/27/19 21:00	0.4	10/27/20 0:00	0.7
10/27/18 18:00	0.2	10/27/19 22:00	0.4	10/27/20 1:00	0.7
10/27/18 19:00	0.2	10/27/19 23:00	0.3	10/27/20 2:00	0.7
10/27/18 20:00	0.3	10/28/19 0:00	0.2	10/27/20 3:00	0.7
10/27/18 21:00	0.3	10/28/19 1:00	0.2	10/27/20 4:00	0.6
10/27/18 22:00	0.3	10/28/19 2:00	0.3	10/27/20 5:00	0.5
10/27/18 23:00	0.2	10/28/19 3:00	0.3	10/27/20 6:00	0.7
10/28/18 0:00	0.3	10/28/19 4:00	0.3	10/27/20 7:00	0.7
10/28/18 1:00	0.3	10/28/19 5:00	0.3	10/27/20 8:00	0.8
10/28/18 2:00	0.4	10/28/19 6:00	0.2	10/27/20 9:00	0.8
10/28/18 3:00	0.4	10/28/19 7:00	0.2	10/27/20 10:00	0.7
10/28/18 4:00	0.4	10/28/19 8:00	0.2	10/27/20 11:00	0.6
10/28/18 5:00	0.4	10/28/19 9:00	0.3	10/27/20 12:00	0.6
10/28/18 6:00	0.3	10/28/19 10:00	0.1	10/27/20 13:00	0.6
10/28/18 7:00	0.4	10/28/19 11:00	0.1	10/27/20 14:00	0.7
10/28/18 8:00	0.3	10/28/19 12:00	0.1	10/27/20 15:00	0.8
10/28/18 9:00	0.3	10/28/19 13:00	1.5	10/27/20 16:00	0.7
10/28/18 10:00	0.3	10/28/19 14:00	1.7	10/27/20 17:00	0.8
10/28/18 11:00	0.3	10/28/19 15:00	0.9	10/27/20 18:00	0.7
10/28/18 12:00	0.3	10/28/19 16:00	0.7	10/27/20 19:00	0.7
10/28/18 13:00	0.3	10/28/19 17:00	0.4	10/27/20 20:00	0.7
10/28/18 14:00	0.3	10/28/19 18:00	0.3	10/27/20 21:00	0.6
10/28/18 15:00	0.4	10/28/19 19:00	0.3	10/27/20 22:00	0.7
10/28/18 16:00	0.5	10/28/19 20:00	0.2	10/27/20 23:00	0.7
10/28/18 17:00	0.3	10/28/19 21:00	0.1	10/28/20 0:00	0.7
10/28/18 18:00	0.3	10/28/19 22:00	0.2	10/28/20 1:00	0.7
10/28/18 19:00	0.3	10/28/19 23:00	0.2	10/28/20 2:00	0.7
10/28/18 20:00	0.3	10/29/19 0:00	0.2	10/28/20 3:00	0.6
10/28/18 21:00	0.3	10/29/19 1:00	0.2	10/28/20 4:00	0.5
10/28/18 22:00	0.3	10/29/19 2:00	0.3	10/28/20 5:00	0.6
10/28/18 23:00	0.4	10/29/19 3:00	0.3	10/28/20 6:00	0.7

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
10/29/18 0:00	0.3	10/29/19 4:00	0.3	10/28/20 7:00	0.8
10/29/18 1:00	0.3	10/29/19 5:00	0.4	10/28/20 8:00	0.8
10/29/18 2:00	0.2	10/29/19 6:00	0.7	10/28/20 9:00	0.7
10/29/18 3:00	0.2	10/29/19 7:00	3.3	10/28/20 10:00	0.7
10/29/18 4:00	0.2	10/29/19 8:00	1.1	10/28/20 11:00	0.6
10/29/18 5:00	0.2	10/29/19 9:00	0.1	10/28/20 12:00	0.7
10/29/18 6:00	0.2	10/29/19 10:00	0.0	10/28/20 13:00	0.7
10/29/18 7:00	0.2	10/29/19 11:00	0.1	10/28/20 14:00	0.7
10/29/18 8:00	0.3	10/29/19 12:00	0.1	10/28/20 15:00	0.7
10/29/18 9:00	0.2	10/29/19 13:00	0.1	10/28/20 16:00	0.7
10/29/18 10:00	0.2	10/29/19 14:00	0.1	10/28/20 17:00	0.7
10/29/18 11:00	0.2	10/29/19 15:00	0.1	10/28/20 18:00	0.7
10/29/18 12:00	0.2	10/29/19 16:00	0.3	10/28/20 19:00	0.7
10/29/18 13:00	0.2	10/29/19 17:00	0.2	10/28/20 20:00	0.7
10/29/18 14:00	0.2	10/29/19 18:00	0.1	10/28/20 21:00	0.7
10/29/18 15:00	0.2	10/29/19 19:00	0.1	10/28/20 22:00	0.8
10/29/18 16:00	0.2	10/29/19 20:00	0.1	10/28/20 23:00	0.8
10/29/18 17:00	0.2	10/29/19 21:00	0.2	10/29/20 0:00	0.7
10/29/18 18:00	0.2	10/29/19 22:00	0.2	10/29/20 1:00	0.6
10/29/18 19:00	0.2	10/29/19 23:00	0.2	10/29/20 2:00	0.5
10/29/18 20:00	0.2	10/30/19 0:00	0.1	10/29/20 3:00	0.4
10/29/18 21:00	0.2	10/30/19 1:00	0.1	10/29/20 4:00	0.5
10/29/18 22:00	0.2	10/30/19 2:00	0.1	10/29/20 5:00	0.5
10/29/18 23:00	0.2	10/30/19 3:00	0.1	10/29/20 6:00	0.5
10/30/18 0:00	0.2	10/30/19 4:00	0.1	10/29/20 7:00	0.4
10/30/18 1:00	0.2	10/30/19 5:00	0.1	10/29/20 8:00	0.5
10/30/18 2:00	0.2	10/30/19 6:00	0.1	10/29/20 9:00	0.4
10/30/18 3:00	0.2	10/30/19 7:00	0.1	10/29/20 10:00	0.5
10/30/18 4:00	0.1	10/30/19 8:00	0.1	10/29/20 11:00	0.5
10/30/18 5:00	0.2	10/30/19 9:00	0.1	10/29/20 12:00	0.5
10/30/18 6:00	0.1	10/30/19 10:00	0.1	10/29/20 13:00	0.4
10/30/18 7:00	0.1	10/30/19 11:00	0.1	10/29/20 14:00	0.8
10/30/18 8:00	0.0	10/30/19 12:00	0.1	10/29/20 15:00	12.8
10/30/18 9:00	0.0	10/30/19 13:00	0.0	10/29/20 16:00	11.5
10/30/18 10:00	0.0	10/30/19 14:00	0.1	10/29/20 17:00	12.6
10/30/18 11:00	0.0	10/30/19 15:00	0.1	10/29/20 18:00	12.4
10/30/18 12:00	0.0	10/30/19 16:00	0.1	10/29/20 19:00	14.8
10/30/18 13:00	0.0	10/30/19 17:00	0.1	10/29/20 20:00	10.0
10/30/18 14:00	0.0	10/30/19 18:00	0.1	10/29/20 21:00	14.3
10/30/18 15:00	0.1	10/30/19 19:00	0.1	10/29/20 22:00	4.6
10/30/18 16:00	0.1	10/30/19 20:00	0.1	10/29/20 23:00	14.4
10/30/18 17:00	0.2	10/30/19 21:00	0.1	10/30/20 0:00	4.6
10/30/18 18:00	0.2	10/30/19 22:00	0.1	10/30/20 1:00	11.0
10/30/18 19:00	0.3	10/30/19 23:00	1.2	10/30/20 2:00	14.4
10/30/18 20:00	0.3	10/31/19 0:00	0.2	10/30/20 3:00	7.6
10/30/18 21:00	0.3	10/31/19 1:00	0.2	10/30/20 4:00	1.6

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
10/30/18 22:00	0.3	10/31/19 2:00	0.2	10/30/20 5:00	6.1
10/30/18 23:00	0.3	10/31/19 3:00	0.2	10/30/20 6:00	2.7
10/31/18 0:00	0.2	10/31/19 4:00	0.3	10/30/20 7:00	3.3
10/31/18 1:00	0.2	10/31/19 5:00	0.2	10/30/20 8:00	6.7
10/31/18 2:00	0.3	10/31/19 6:00	0.2	10/30/20 9:00	0.4
10/31/18 3:00	0.2	10/31/19 7:00	0.3	10/30/20 10:00	0.4
10/31/18 4:00	0.2	10/31/19 8:00	0.3	10/30/20 11:00	0.3
10/31/18 5:00	0.2	10/31/19 9:00	0.6	10/30/20 12:00	0.3
10/31/18 6:00	0.2	10/31/19 10:00	1.3	10/30/20 13:00	0.2
10/31/18 7:00	0.3	10/31/19 11:00	1.2	10/30/20 14:00	0.2
10/31/18 8:00	0.2	10/31/19 12:00	0.2	10/30/20 15:00	0.2
10/31/18 9:00	0.3	10/31/19 13:00	0.2	10/30/20 16:00	0.2
10/31/18 10:00	0.3	10/31/19 14:00	0.2	10/30/20 17:00	0.2
10/31/18 11:00	0.2	10/31/19 15:00	0.2	10/30/20 18:00	0.2
10/31/18 12:00	0.2	10/31/19 16:00	0.3	10/30/20 19:00	0.2
10/31/18 13:00	0.2	10/31/19 17:00	0.4	10/30/20 20:00	0.2
10/31/18 14:00	0.2	10/31/19 18:00	0.2	10/30/20 21:00	0.2
10/31/18 15:00	0.2	10/31/19 19:00	0.3	10/30/20 22:00	0.2
10/31/18 16:00	0.2	10/31/19 20:00	0.3	10/30/20 23:00	0.2
10/31/18 17:00	0.2	10/31/19 21:00	0.2	10/31/20 0:00	6.8
10/31/18 18:00	0.2	10/31/19 22:00	0.1	10/31/20 1:00	7.3
10/31/18 19:00	0.7	10/31/19 23:00	0.1	10/31/20 2:00	7.8
10/31/18 20:00	2.2	11/1/19 0:00	0.1	10/31/20 3:00	1.4
10/31/18 21:00	0.3	11/1/19 1:00	0.1	10/31/20 4:00	1.4
10/31/18 22:00	0.5	11/1/19 2:00	0.1	10/31/20 5:00	1.1
10/31/18 23:00	0.4	11/1/19 3:00	0.2	10/31/20 6:00	0.9
11/1/18 0:00	0.3	11/1/19 4:00	0.2	10/31/20 7:00	0.9
11/1/18 1:00	0.2	11/1/19 5:00	0.1	10/31/20 8:00	0.9
11/1/18 2:00	0.2	11/1/19 6:00	0.1	10/31/20 9:00	1.1
11/1/18 3:00	0.3	11/1/19 7:00	0.1	10/31/20 10:00	3.2
11/1/18 4:00	0.2	11/1/19 8:00	0.2	10/31/20 11:00	0.5
11/1/18 5:00	0.2	11/1/19 9:00	0.2	10/31/20 12:00	0.3
11/1/18 6:00	0.2	11/1/19 10:00	0.1	10/31/20 13:00	0.3
11/1/18 7:00	0.3	11/1/19 11:00	0.1	10/31/20 14:00	0.2
11/1/18 8:00	0.2	11/1/19 12:00	0.3	10/31/20 15:00	0.2
11/1/18 9:00	0.2	11/1/19 13:00	0.3	10/31/20 16:00	0.2
11/1/18 10:00	1.5	11/1/19 14:00	0.1	10/31/20 17:00	0.2
11/1/18 11:00	0.3	11/1/19 15:00	0.1	10/31/20 18:00	0.2
11/1/18 12:00	0.2	11/1/19 16:00	0.2	10/31/20 19:00	0.2
11/1/18 13:00	0.2	11/1/19 17:00	0.2	10/31/20 20:00	0.2
11/1/18 14:00	0.2	11/1/19 18:00	0.2	10/31/20 21:00	0.2
11/1/18 15:00	0.2	11/1/19 19:00	0.2	10/31/20 22:00	0.2
11/1/18 16:00	0.3	11/1/19 20:00	0.4	10/31/20 23:00	0.2
11/1/18 17:00	0.2	11/1/19 21:00	0.2	11/1/20 0:00	0.2
11/1/18 18:00	0.1	11/1/19 22:00	0.2	11/1/20 1:00	0.2
11/1/18 19:00	0.1	11/1/19 23:00	0.2	11/1/20 1:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
11/1/18 20:00	0.1	11/2/19 0:00	0.3	11/1/20 2:00	0.2
11/1/18 21:00	0.1	11/2/19 1:00	0.4	11/1/20 3:00	0.2
11/1/18 22:00	0.2	11/2/19 2:00	0.1	11/1/20 4:00	0.2
11/1/18 23:00	0.1	11/2/19 3:00	0.2	11/1/20 5:00	0.2
11/2/18 0:00	0.2	11/2/19 4:00	0.2	11/1/20 6:00	0.2
11/2/18 1:00	0.2	11/2/19 5:00	0.1	11/1/20 7:00	0.2
11/2/18 2:00	0.2	11/2/19 6:00	0.1	11/1/20 8:00	0.2
11/2/18 3:00	0.2	11/2/19 7:00	0.2	11/1/20 9:00	0.2
11/2/18 4:00	0.2	11/2/19 8:00	0.2	11/1/20 10:00	0.2
11/2/18 5:00	0.2	11/2/19 9:00	0.2	11/1/20 11:00	0.2
11/2/18 6:00	0.2	11/2/19 10:00	0.2	11/1/20 12:00	0.2
11/2/18 7:00	0.2	11/2/19 11:00	0.2	11/1/20 13:00	0.2
11/2/18 8:00	0.2	11/2/19 12:00	0.2	11/1/20 14:00	0.2
11/2/18 9:00	0.3	11/2/19 13:00	0.2	11/1/20 15:00	0.2
11/2/18 10:00	0.3	11/2/19 14:00	0.2	11/1/20 16:00	0.2
11/2/18 11:00	0.4	11/2/19 15:00	0.2	11/1/20 17:00	0.2
11/2/18 12:00	0.4	11/2/19 16:00	0.2	11/1/20 18:00	0.2
11/2/18 13:00	0.3	11/2/19 17:00	0.2	11/1/20 19:00	0.3
11/2/18 14:00	0.2	11/2/19 18:00	0.2	11/1/20 20:00	0.3
11/2/18 15:00	0.1	11/2/19 19:00	0.2	11/1/20 21:00	0.3
11/2/18 16:00	0.1	11/2/19 20:00	0.2	11/1/20 22:00	0.3
11/2/18 17:00	0.1	11/2/19 21:00	0.2	11/1/20 23:00	0.3
11/2/18 18:00	0.1	11/2/19 22:00	0.2	11/2/20 0:00	0.3
11/2/18 19:00	0.1	11/2/19 23:00	0.2	11/2/20 1:00	0.2
11/2/18 20:00	0.1	11/3/19 0:00	0.1	11/2/20 2:00	0.2
11/2/18 21:00	0.2	11/3/19 1:00	0.2	11/2/20 3:00	0.2
11/2/18 22:00	0.1	11/3/19 1:00	0.1	11/2/20 4:00	0.2
11/2/18 23:00	0.1	11/3/19 2:00	0.1	11/2/20 5:00	0.2
11/3/18 0:00	1.1	11/3/19 3:00	0.2	11/2/20 6:00	0.2
11/3/18 1:00	0.2	11/3/19 4:00	0.2	11/2/20 7:00	0.2
11/3/18 2:00	0.9	11/3/19 5:00	0.2	11/2/20 8:00	0.2
11/3/18 3:00	1.0	11/3/19 6:00	0.1	11/2/20 9:00	0.2
11/3/18 4:00	0.3	11/3/19 7:00	0.2	11/2/20 10:00	0.2
11/3/18 5:00	0.2	11/3/19 8:00	0.2	11/2/20 11:00	0.1
11/3/18 6:00	0.2	11/3/19 9:00	0.2	11/2/20 12:00	0.1
11/3/18 7:00	0.2	11/3/19 10:00	0.2	11/2/20 13:00	0.1
11/3/18 8:00	0.5	11/3/19 11:00	0.2	11/2/20 14:00	0.1
11/3/18 9:00	1.9	11/3/19 12:00	0.2	11/2/20 15:00	0.1
11/3/18 10:00	1.0	11/3/19 13:00	0.2	11/2/20 16:00	0.2
11/3/18 11:00	1.0	11/3/19 14:00	0.2	11/2/20 17:00	0.2
11/3/18 12:00	0.2	11/3/19 15:00	0.2	11/2/20 18:00	0.1
11/3/18 13:00	0.1	11/3/19 16:00	0.2	11/2/20 19:00	0.2
11/3/18 14:00	0.1	11/3/19 17:00	0.2	11/2/20 20:00	0.2
11/3/18 15:00	0.2	11/3/19 18:00	0.2	11/2/20 21:00	0.2
11/3/18 16:00	0.2	11/3/19 19:00	0.1	11/2/20 22:00	0.2
11/3/18 17:00	0.2	11/3/19 20:00	0.1	11/2/20 23:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
11/3/18 18:00	0.1	11/3/19 21:00	0.2	11/3/20 0:00	0.2
11/3/18 19:00	0.1	11/3/19 22:00	0.3	11/3/20 1:00	0.2
11/3/18 20:00	0.2	11/3/19 23:00	0.4	11/3/20 2:00	0.2
11/3/18 21:00	0.2	11/4/19 0:00	0.4	11/3/20 3:00	0.2
11/3/18 22:00	0.2	11/4/19 1:00	0.4	11/3/20 4:00	0.2
11/3/18 23:00	0.2	11/4/19 2:00	0.4	11/3/20 5:00	0.2
11/4/18 0:00	0.1	11/4/19 3:00	0.6	11/3/20 6:00	0.2
11/4/18 1:00	0.1	11/4/19 4:00	0.4	11/3/20 7:00	0.2
11/4/18 1:00	0.1	11/4/19 5:00	0.3	11/3/20 8:00	0.2
11/4/18 2:00	0.1	11/4/19 6:00	0.2	11/3/20 9:00	0.2
11/4/18 3:00	0.1	11/4/19 7:00	0.3	11/3/20 10:00	0.1
11/4/18 4:00	0.2	11/4/19 8:00	0.2	11/3/20 11:00	0.2
11/4/18 5:00	0.2	11/4/19 9:00	0.2	11/3/20 12:00	0.2
11/4/18 6:00	0.2	11/4/19 10:00	0.2	11/3/20 13:00	0.3
11/4/18 7:00	0.2	11/4/19 11:00	2.2	11/3/20 14:00	0.3
11/4/18 8:00	0.2	11/4/19 12:00	1.0	11/3/20 15:00	0.3
11/4/18 9:00	0.2	11/4/19 13:00	0.1	11/3/20 16:00	0.3
11/4/18 10:00	0.2	11/4/19 14:00	0.1	11/3/20 17:00	0.3
11/4/18 11:00	0.2	11/4/19 15:00	0.2	11/3/20 18:00	0.3
11/4/18 12:00	0.2	11/4/19 16:00	0.2	11/3/20 19:00	0.3
11/4/18 13:00	0.2	11/4/19 17:00	0.3	11/3/20 20:00	0.3
11/4/18 14:00	0.2	11/4/19 18:00	0.1	11/3/20 21:00	0.3
11/4/18 15:00	0.2	11/4/19 19:00	0.2	11/3/20 22:00	0.3
11/4/18 16:00	0.2	11/4/19 20:00	0.2	11/3/20 23:00	0.3
11/4/18 17:00	0.2	11/4/19 21:00	0.1	11/4/20 0:00	0.4
11/4/18 18:00	0.2	11/4/19 22:00	0.2	11/4/20 1:00	0.4
11/4/18 19:00	0.3	11/4/19 23:00	0.2	11/4/20 2:00	0.4
11/4/18 20:00	0.2	11/5/19 0:00	0.1	11/4/20 3:00	0.4
11/4/18 21:00	0.3	11/5/19 1:00	0.2	11/4/20 4:00	0.4
11/4/18 22:00	0.3	11/5/19 2:00	0.2	11/4/20 5:00	0.4
11/4/18 23:00	0.3	11/5/19 3:00	0.2	11/4/20 6:00	0.4
11/5/18 0:00	0.3	11/5/19 4:00	0.1	11/4/20 7:00	0.4
11/5/18 1:00	0.2	11/5/19 5:00	0.1	11/4/20 8:00	0.4
11/5/18 2:00	0.2	11/5/19 6:00	0.1	11/4/20 9:00	0.4
11/5/18 3:00	0.2	11/5/19 7:00	0.1	11/4/20 10:00	0.5
11/5/18 4:00	0.3	11/5/19 8:00	0.1	11/4/20 11:00	0.5
11/5/18 5:00	0.2	11/5/19 9:00	0.2	11/4/20 12:00	0.5
11/5/18 6:00	0.2	11/5/19 10:00	0.2	11/4/20 13:00	0.5
11/5/18 7:00	0.2	11/5/19 11:00	0.2	11/4/20 14:00	0.4
11/5/18 8:00	0.2	11/5/19 12:00	0.2	11/4/20 15:00	0.4
11/5/18 9:00	0.2	11/5/19 13:00	0.1	11/4/20 16:00	0.4
11/5/18 10:00	0.2	11/5/19 14:00	0.2	11/4/20 17:00	0.4
11/5/18 11:00	0.2	11/5/19 15:00	0.2	11/4/20 18:00	0.3
11/5/18 12:00	0.2	11/5/19 16:00	0.3	11/4/20 19:00	0.4
11/5/18 13:00	0.2	11/5/19 17:00	0.3	11/4/20 20:00	0.4
11/5/18 14:00	0.2	11/5/19 18:00	0.2	11/4/20 21:00	0.4

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
11/5/18 15:00	0.2	11/5/19 19:00	0.5	11/4/20 22:00	0.4
11/5/18 16:00	0.3	11/5/19 20:00	1.6	11/4/20 23:00	0.4
11/5/18 17:00	0.3	11/5/19 21:00	1.2	11/5/20 0:00	0.4
11/5/18 18:00	0.3	11/5/19 22:00	0.2	11/5/20 1:00	0.4
11/5/18 19:00	0.3	11/5/19 23:00	0.2	11/5/20 2:00	0.4
11/5/18 20:00	0.3	11/6/19 0:00	0.2	11/5/20 3:00	0.4
11/5/18 21:00	0.3	11/6/19 1:00	0.2	11/5/20 4:00	0.3
11/5/18 22:00	0.3	11/6/19 2:00	0.2	11/5/20 5:00	0.1
11/5/18 23:00	0.3	11/6/19 3:00	0.2	11/5/20 6:00	0.3
11/6/18 0:00	0.3	11/6/19 4:00	0.2	11/5/20 7:00	0.3
11/6/18 1:00	0.3	11/6/19 5:00	0.2	11/5/20 8:00	0.3
11/6/18 2:00	0.3	11/6/19 6:00	0.2	11/5/20 9:00	0.3
11/6/18 3:00	0.3	11/6/19 7:00	0.2	11/5/20 10:00	0.3
11/6/18 4:00	0.3	11/6/19 8:00	0.2	11/5/20 11:00	0.3
11/6/18 5:00	0.3	11/6/19 9:00	0.1	11/5/20 12:00	0.2
11/6/18 6:00	0.3	11/6/19 10:00	0.1	11/5/20 13:00	0.2
11/6/18 7:00	0.3	11/6/19 11:00	0.1	11/5/20 14:00	0.2
11/6/18 8:00	0.2	11/6/19 12:00	0.3	11/5/20 15:00	0.2
11/6/18 9:00	0.3	11/6/19 13:00	0.5	11/5/20 16:00	0.2
11/6/18 10:00	0.4	11/6/19 14:00	0.2	11/5/20 17:00	0.2
11/6/18 11:00	0.3	11/6/19 15:00	0.2	11/5/20 18:00	0.3
11/6/18 12:00	0.3	11/6/19 16:00	0.9	11/5/20 19:00	0.3
11/6/18 13:00	0.3	11/6/19 17:00	0.1	11/5/20 20:00	0.3
11/6/18 14:00	0.3	11/6/19 18:00	0.1	11/5/20 21:00	0.3
11/6/18 15:00	0.3	11/6/19 19:00	0.1	11/5/20 22:00	0.3
11/6/18 16:00	0.3	11/6/19 20:00	0.1	11/5/20 23:00	0.3
11/6/18 17:00	0.3	11/6/19 21:00	0.2	11/6/20 0:00	0.3
11/6/18 18:00	0.4	11/6/19 22:00	0.2	11/6/20 1:00	0.3
11/6/18 19:00	0.4	11/6/19 23:00	0.2	11/6/20 2:00	0.3
11/6/18 20:00	0.3	11/7/19 0:00	0.1	11/6/20 3:00	0.3
11/6/18 21:00	0.3	11/7/19 1:00	0.2	11/6/20 4:00	0.3
11/6/18 22:00	0.3	11/7/19 2:00	0.1	11/6/20 5:00	0.3
11/6/18 23:00	0.3	11/7/19 3:00	0.1	11/6/20 6:00	0.3
11/7/18 0:00	0.3	11/7/19 4:00	0.1	11/6/20 7:00	0.4
11/7/18 1:00	0.3	11/7/19 5:00	0.1	11/6/20 8:00	0.4
11/7/18 2:00	0.3	11/7/19 6:00	0.1	11/6/20 9:00	0.4
11/7/18 3:00	0.4	11/7/19 7:00	0.1	11/6/20 10:00	0.4
11/7/18 4:00	0.4	11/7/19 8:00	0.1	11/6/20 11:00	0.4
11/7/18 5:00	0.4	11/7/19 9:00	0.1	11/6/20 12:00	0.4
11/7/18 6:00	0.4	11/7/19 10:00	0.1	11/6/20 13:00	0.4
11/7/18 7:00	0.3	11/7/19 11:00	0.4	11/6/20 14:00	0.4
11/7/18 8:00	0.3	11/7/19 12:00	0.1	11/6/20 15:00	0.4
11/7/18 9:00	0.3	11/7/19 13:00	0.1	11/6/20 16:00	0.4
11/7/18 10:00	0.3	11/7/19 14:00	0.1	11/6/20 17:00	0.4
11/7/18 11:00	0.2	11/7/19 15:00	0.2	11/6/20 18:00	0.3
11/7/18 12:00	0.2	11/7/19 16:00	0.2	11/6/20 19:00	0.3

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
11/7/18 13:00	8.6	11/7/19 17:00	0.1	11/6/20 20:00	0.3
11/7/18 14:00	0.4	11/7/19 18:00	0.2	11/6/20 21:00	0.2
11/7/18 15:00	0.3	11/7/19 19:00	0.2	11/6/20 22:00	0.2
11/7/18 16:00	0.3	11/7/19 20:00	0.2	11/6/20 23:00	0.2
11/7/18 17:00	0.3	11/7/19 21:00	0.1	11/7/20 0:00	0.2
11/7/18 18:00	0.2	11/7/19 22:00	0.1	11/7/20 1:00	0.2
11/7/18 19:00	0.2	11/7/19 23:00	0.1	11/7/20 2:00	0.3
11/7/18 20:00	0.2	11/8/19 0:00	0.1	11/7/20 3:00	1.0
11/7/18 21:00	0.2	11/8/19 1:00	0.1	11/7/20 4:00	1.1
11/7/18 22:00	0.2	11/8/19 2:00	0.1	11/7/20 5:00	0.3
11/7/18 23:00	0.2	11/8/19 3:00	0.1	11/7/20 6:00	0.3
11/8/18 0:00	0.2	11/8/19 4:00	0.1	11/7/20 7:00	0.3
11/8/18 1:00	0.2	11/8/19 5:00	0.1	11/7/20 8:00	0.2
11/8/18 2:00	0.2	11/8/19 6:00	0.1	11/7/20 9:00	0.2
11/8/18 3:00	0.2	11/8/19 7:00	0.1	11/7/20 10:00	0.3
11/8/18 4:00	0.2	11/8/19 8:00	0.1	11/7/20 11:00	0.3
11/8/18 5:00	1.5	11/8/19 9:00	0.1	11/7/20 12:00	0.2
11/8/18 6:00	1.5	11/8/19 10:00	0.3	11/7/20 13:00	0.2
11/8/18 7:00	0.2	11/8/19 11:00	0.2	11/7/20 14:00	0.2
11/8/18 8:00	1.2	11/8/19 12:00	0.1	11/7/20 15:00	0.2
11/8/18 9:00	2.2	11/8/19 13:00	0.1	11/7/20 16:00	0.2
11/8/18 10:00	0.9	11/8/19 14:00	0.2	11/7/20 17:00	0.3
11/8/18 11:00	1.2	11/8/19 15:00	0.3	11/7/20 18:00	0.3
11/8/18 12:00	1.3	11/8/19 16:00	0.2	11/7/20 19:00	0.2
11/8/18 13:00	0.1	11/8/19 17:00	0.2	11/7/20 20:00	0.2
11/8/18 14:00	0.1	11/8/19 18:00	0.2	11/7/20 21:00	0.3
11/8/18 15:00	0.1	11/8/19 19:00	0.2	11/7/20 22:00	0.2
11/8/18 16:00	0.1	11/8/19 20:00	0.2	11/7/20 23:00	0.2
11/8/18 17:00	0.1	11/8/19 21:00	0.2	11/8/20 0:00	0.2
11/8/18 18:00	0.1	11/8/19 22:00	0.3	11/8/20 1:00	0.1
11/8/18 19:00	0.1	11/8/19 23:00	0.2	11/8/20 2:00	0.2
11/8/18 20:00	0.1	11/9/19 0:00	0.1	11/8/20 3:00	0.2
11/8/18 21:00	0.1	11/9/19 1:00	0.1	11/8/20 4:00	0.2
11/8/18 22:00	0.1	11/9/19 2:00	0.1	11/8/20 5:00	0.2
11/8/18 23:00	0.1	11/9/19 3:00	0.2	11/8/20 6:00	0.2
11/9/18 0:00	0.1	11/9/19 4:00	0.2	11/8/20 7:00	0.2
11/9/18 1:00	0.1	11/9/19 5:00	0.2	11/8/20 8:00	0.3
11/9/18 2:00	0.2	11/9/19 6:00	0.1	11/8/20 9:00	0.2
11/9/18 3:00	0.1	11/9/19 7:00	0.1	11/8/20 10:00	0.3
11/9/18 4:00	0.1	11/9/19 8:00	0.1	11/8/20 11:00	0.3
11/9/18 5:00	0.1	11/9/19 9:00	1.4	11/8/20 12:00	0.2
11/9/18 6:00	0.1	11/9/19 10:00	0.1	11/8/20 13:00	0.2
11/9/18 7:00	0.1	11/9/19 11:00	0.1	11/8/20 14:00	0.3
11/9/18 8:00	0.1	11/9/19 12:00	0.1	11/8/20 15:00	0.2
11/9/18 9:00	0.2	11/9/19 13:00	0.1	11/8/20 16:00	0.2
11/9/18 10:00	0.2	11/9/19 14:00	0.1	11/8/20 17:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
11/9/18 11:00	0.1	11/9/19 15:00	0.1	11/8/20 18:00	0.3
11/9/18 12:00	0.1	11/9/19 16:00	0.1	11/8/20 19:00	0.3
11/9/18 13:00	0.1	11/9/19 17:00	0.1	11/8/20 20:00	0.2
11/9/18 14:00	0.8	11/9/19 18:00	0.1	11/8/20 21:00	0.3
11/9/18 15:00	0.1	11/9/19 19:00	0.1	11/8/20 22:00	0.3
11/9/18 16:00	0.1	11/9/19 20:00	0.1	11/8/20 23:00	0.3
11/9/18 17:00	0.3	11/9/19 21:00	0.1	11/9/20 0:00	0.3
11/9/18 18:00	0.3	11/9/19 22:00	0.1	11/9/20 1:00	0.3
11/9/18 19:00	0.2	11/9/19 23:00	0.1	11/9/20 2:00	0.3
11/9/18 20:00	0.2	11/10/19 0:00	0.1	11/9/20 3:00	0.3
11/9/18 21:00	0.1	11/10/19 1:00	0.1	11/9/20 4:00	0.2
11/9/18 22:00	0.2	11/10/19 2:00	0.1	11/9/20 5:00	0.3
11/9/18 23:00	0.2	11/10/19 3:00	0.1	11/9/20 6:00	0.2
11/10/18 0:00	1.7	11/10/19 4:00	0.1	11/9/20 7:00	0.2
11/10/18 1:00	0.2	11/10/19 5:00	0.1	11/9/20 8:00	0.2
11/10/18 2:00	0.2	11/10/19 6:00	0.1	11/9/20 9:00	0.2
11/10/18 3:00	0.2	11/10/19 7:00	0.1	11/9/20 10:00	0.2
11/10/18 4:00	0.2	11/10/19 8:00	0.1	11/9/20 11:00	0.2
11/10/18 5:00	0.5	11/10/19 9:00	0.1	11/9/20 12:00	0.2
11/10/18 6:00	0.2	11/10/19 10:00	0.1	11/9/20 13:00	1.1
11/10/18 7:00	0.3	11/10/19 11:00	0.1	11/9/20 14:00	5.3
11/10/18 8:00	0.3	11/10/19 12:00	0.1	11/9/20 15:00	6.5
11/10/18 9:00	1.2	11/10/19 13:00	0.1	11/9/20 16:00	0.3
11/10/18 10:00	2.4	11/10/19 14:00	0.1	11/9/20 17:00	0.3
11/10/18 11:00	2.6	11/10/19 15:00	0.1	11/9/20 18:00	0.2
11/10/18 12:00	0.3	11/10/19 16:00	0.1	11/9/20 19:00	0.2
11/10/18 13:00	2.9	11/10/19 17:00	0.1	11/9/20 20:00	0.2
11/10/18 14:00	0.2	11/10/19 18:00	0.1	11/9/20 21:00	0.2
11/10/18 15:00	0.2	11/10/19 19:00	0.1	11/9/20 22:00	0.2
11/10/18 16:00	0.3	11/10/19 20:00	0.1	11/9/20 23:00	0.2
11/10/18 17:00	0.2	11/10/19 21:00	0.1	11/10/20 0:00	0.2
11/10/18 18:00	0.2	11/10/19 22:00	0.1	11/10/20 1:00	0.2
11/10/18 19:00	0.3	11/10/19 23:00	0.1	11/10/20 2:00	0.2
11/10/18 20:00	0.6	11/11/19 0:00	0.1	11/10/20 3:00	0.2
11/10/18 21:00	0.3	11/11/19 1:00	0.1	11/10/20 4:00	0.2
11/10/18 22:00	0.4	11/11/19 2:00	0.1	11/10/20 5:00	0.2
11/10/18 23:00	0.3	11/11/19 3:00	0.1	11/10/20 6:00	0.1
11/11/18 0:00	0.4	11/11/19 4:00	0.1	11/10/20 7:00	0.1
11/11/18 1:00	0.4	11/11/19 5:00	0.1	11/10/20 8:00	0.1
11/11/18 2:00	0.3	11/11/19 6:00	0.1	11/10/20 9:00	0.1
11/11/18 3:00	0.4	11/11/19 7:00	0.1	11/10/20 10:00	0.1
11/11/18 4:00	0.4	11/11/19 8:00	0.1	11/10/20 11:00	0.3
11/11/18 5:00	0.4	11/11/19 9:00	0.2	11/10/20 12:00	0.3
11/11/18 6:00	0.2	11/11/19 10:00	0.1	11/10/20 13:00	0.3
11/11/18 7:00	0.5	11/11/19 11:00	0.1	11/10/20 14:00	0.3
11/11/18 8:00	0.2	11/11/19 12:00	0.1	11/10/20 15:00	0.3

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
11/11/18 9:00	2.5	11/11/19 13:00	0.1	11/10/20 16:00	0.3
11/11/18 10:00	0.2	11/11/19 14:00	0.1	11/10/20 17:00	0.3
11/11/18 11:00	1.3	11/11/19 15:00	0.1	11/10/20 18:00	0.3
11/11/18 12:00	0.2	11/11/19 16:00	0.0	11/10/20 19:00	0.2
11/11/18 13:00	0.2	11/11/19 17:00	0.1	11/10/20 20:00	0.2
11/11/18 14:00	0.2	11/11/19 18:00	0.1	11/10/20 21:00	0.3
11/11/18 15:00	0.2	11/11/19 19:00	0.2	11/10/20 22:00	0.3
11/11/18 16:00	0.3	11/11/19 20:00	0.2	11/10/20 23:00	0.3
11/11/18 17:00	0.3	11/11/19 21:00	0.2	11/11/20 0:00	0.2
11/11/18 18:00	0.3	11/11/19 22:00	0.2	11/11/20 1:00	0.3
11/11/18 19:00	0.2	11/11/19 23:00	0.3	11/11/20 2:00	0.3
11/11/18 20:00	0.3	11/12/19 0:00	0.3	11/11/20 3:00	0.2
11/11/18 21:00	0.3	11/12/19 1:00	0.4	11/11/20 4:00	0.2
11/11/18 22:00	0.2	11/12/19 2:00	0.6	11/11/20 5:00	0.2
11/11/18 23:00	0.3	11/12/19 3:00	0.6	11/11/20 6:00	0.3
11/12/18 0:00	0.3	11/12/19 4:00	6.3	11/11/20 7:00	0.2
11/12/18 1:00	0.3	11/12/19 5:00	0.5	11/11/20 8:00	0.2
11/12/18 2:00	0.3	11/12/19 6:00	1.2	11/11/20 9:00	0.3
11/12/18 3:00	0.3	11/12/19 7:00	8.4	11/11/20 10:00	0.2
11/12/18 4:00	2.8	11/12/19 8:00	1.3	11/11/20 11:00	0.3
11/12/18 5:00	0.5	11/12/19 9:00	4.7	11/11/20 12:00	0.2
11/12/18 6:00	0.3	11/12/19 10:00	0.5	11/11/20 13:00	0.1
11/12/18 7:00	0.3	11/12/19 11:00	0.4	11/11/20 14:00	0.1
11/12/18 8:00	3.4	11/12/19 12:00	0.2	11/11/20 15:00	0.1
11/12/18 9:00	0.3	11/12/19 13:00	0.8	11/11/20 16:00	0.1
11/12/18 10:00	0.7	11/12/19 14:00	6.8	11/11/20 17:00	0.1
11/12/18 11:00	2.2	11/12/19 15:00	0.3	11/11/20 18:00	0.1
11/12/18 12:00	0.4	11/12/19 16:00	0.2	11/11/20 19:00	0.1
11/12/18 13:00	0.4	11/12/19 17:00	0.3	11/11/20 20:00	0.2
11/12/18 14:00	0.3	11/12/19 18:00	0.3	11/11/20 21:00	0.2
11/12/18 15:00	0.3	11/12/19 19:00	0.3	11/11/20 22:00	0.2
11/12/18 16:00	0.4	11/12/19 20:00	0.2	11/11/20 23:00	0.2
11/12/18 17:00	0.3	11/12/19 21:00	0.4	11/12/20 0:00	0.2
11/12/18 18:00	0.3	11/12/19 22:00	1.1	11/12/20 1:00	0.2
11/12/18 19:00	0.4	11/12/19 23:00	0.6	11/12/20 2:00	0.2
11/12/18 20:00	0.4	11/13/19 0:00	2.0	11/12/20 3:00	0.2
11/12/18 21:00	0.3	11/13/19 1:00	0.3	11/12/20 4:00	0.2
11/12/18 22:00	0.3	11/13/19 2:00	0.3	11/12/20 5:00	0.2
11/12/18 23:00	0.4	11/13/19 3:00	0.3	11/12/20 6:00	0.2
11/13/18 0:00	0.3	11/13/19 4:00	0.3	11/12/20 7:00	0.2
11/13/18 1:00	0.4	11/13/19 5:00	0.8	11/12/20 8:00	0.2
11/13/18 2:00	0.4	11/13/19 6:00	0.5	11/12/20 9:00	0.3
11/13/18 3:00	0.4	11/13/19 7:00	0.7	11/12/20 10:00	0.2
11/13/18 4:00	0.3	11/13/19 8:00	2.4	11/12/20 11:00	0.2
11/13/18 5:00	0.3	11/13/19 9:00	4.4	11/12/20 12:00	0.2
11/13/18 6:00	0.3	11/13/19 10:00	5.1	11/12/20 13:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
11/13/18 7:00	0.3	11/13/19 11:00	1.5	11/12/20 14:00	0.2
11/13/18 8:00	0.3	11/13/19 12:00	4.3	11/12/20 15:00	0.2
11/13/18 9:00	0.2	11/13/19 13:00	2.0	11/12/20 16:00	0.2
11/13/18 10:00	0.2	11/13/19 14:00	1.0	11/12/20 17:00	0.2
11/13/18 11:00	0.3	11/13/19 15:00	2.3	11/12/20 18:00	0.3
11/13/18 12:00	0.3	11/13/19 16:00	2.2	11/12/20 19:00	0.3
11/13/18 13:00	0.3	11/13/19 17:00	3.7	11/12/20 20:00	0.2
11/13/18 14:00	0.3	11/13/19 18:00	0.2	11/12/20 21:00	0.2
11/13/18 15:00	0.4	11/13/19 19:00	0.2	11/12/20 22:00	0.3
11/13/18 16:00	0.4	11/13/19 20:00	0.2	11/12/20 23:00	0.2
11/13/18 17:00	0.3	11/13/19 21:00	0.2	11/13/20 0:00	0.2
11/13/18 18:00	0.3	11/13/19 22:00	0.2	11/13/20 1:00	0.2
11/13/18 19:00	0.3	11/13/19 23:00	0.2	11/13/20 2:00	0.3
11/13/18 20:00	0.3	11/14/19 0:00	0.2	11/13/20 3:00	0.2
11/13/18 21:00	0.3	11/14/19 1:00	0.3	11/13/20 4:00	0.2
11/13/18 22:00	0.3	11/14/19 2:00	0.2	11/13/20 5:00	0.2
11/13/18 23:00	0.2	11/14/19 3:00	0.3	11/13/20 6:00	0.1
11/14/18 0:00	0.2	11/14/19 4:00	0.4	11/13/20 7:00	0.2
11/14/18 1:00	0.2	11/14/19 5:00	0.2	11/13/20 8:00	0.2
11/14/18 2:00	0.2	11/14/19 6:00	0.2	11/13/20 9:00	0.2
11/14/18 3:00	0.1	11/14/19 7:00	0.5	11/13/20 10:00	0.2
11/14/18 4:00	0.1	11/14/19 8:00	0.5	11/13/20 11:00	0.2
11/14/18 5:00	0.1	11/14/19 9:00	0.3	11/13/20 12:00	0.2
11/14/18 6:00	0.2	11/14/19 10:00	0.5	11/13/20 13:00	0.2
11/14/18 7:00	0.1	11/14/19 11:00	0.4	11/13/20 14:00	0.2
11/14/18 8:00	0.1	11/14/19 12:00	0.6	11/13/20 15:00	0.2
11/14/18 9:00	0.1	11/14/19 13:00	0.5	11/13/20 16:00	0.2
11/14/18 10:00	0.1	11/14/19 14:00	0.3	11/13/20 17:00	0.2
11/14/18 11:00	0.1	11/14/19 15:00	0.4	11/13/20 18:00	0.2
11/14/18 12:00	0.1	11/14/19 16:00	0.3	11/13/20 19:00	0.2
11/14/18 13:00	0.1	11/14/19 17:00	2.0	11/13/20 20:00	0.2
11/14/18 14:00	0.1	11/14/19 18:00	1.3	11/13/20 21:00	0.2
11/14/18 15:00	0.1	11/14/19 19:00	0.1	11/13/20 22:00	0.2
11/14/18 16:00	0.1	11/14/19 20:00	0.1	11/13/20 23:00	0.2
11/14/18 17:00	0.1	11/14/19 21:00	0.2	11/14/20 0:00	0.2
11/14/18 18:00	0.2	11/14/19 22:00	0.4	11/14/20 1:00	0.2
11/14/18 19:00	0.5	11/14/19 23:00	0.2	11/14/20 2:00	0.3
11/14/18 20:00	0.3	11/15/19 0:00	0.2	11/14/20 3:00	0.3
11/14/18 21:00	0.3	11/15/19 1:00	0.2	11/14/20 4:00	0.2
11/14/18 22:00	0.3	11/15/19 2:00	0.2	11/14/20 5:00	0.2
11/14/18 23:00	0.3	11/15/19 3:00	0.2	11/14/20 6:00	0.2
11/15/18 0:00	0.3	11/15/19 4:00	0.2	11/14/20 7:00	0.2
11/15/18 1:00	0.2	11/15/19 5:00	0.2	11/14/20 8:00	0.2
11/15/18 2:00	0.3	11/15/19 6:00	0.2	11/14/20 9:00	0.2
11/15/18 3:00	0.3	11/15/19 7:00	0.2	11/14/20 10:00	0.3
11/15/18 4:00	0.2	11/15/19 8:00	0.2	11/14/20 11:00	0.3

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
11/15/18 5:00	0.2	11/15/19 9:00	0.2	11/14/20 12:00	0.2
11/15/18 6:00	0.2	11/15/19 10:00	0.2	11/14/20 13:00	0.3
11/15/18 7:00	0.2	11/15/19 11:00	0.2	11/14/20 14:00	0.3
11/15/18 8:00	0.2	11/15/19 12:00	0.2	11/14/20 15:00	0.3
11/15/18 9:00	0.2	11/15/19 13:00	0.1	11/14/20 16:00	0.3
11/15/18 10:00	0.2	11/15/19 14:00	0.2	11/14/20 17:00	0.4
11/15/18 11:00	0.2	11/15/19 15:00	0.1	11/14/20 18:00	0.4
11/15/18 12:00	0.5	11/15/19 16:00	0.2	11/14/20 19:00	0.5
11/15/18 13:00	0.2	11/15/19 17:00	0.2	11/14/20 20:00	0.5
11/15/18 14:00	0.2	11/15/19 18:00	0.2	11/14/20 21:00	0.4
11/15/18 15:00	0.2	11/15/19 19:00	0.2	11/14/20 22:00	0.5
11/15/18 16:00	0.2	11/15/19 20:00	0.2	11/14/20 23:00	0.5
11/15/18 17:00	0.3	11/15/19 21:00	0.2	11/15/20 0:00	0.5
11/15/18 18:00	0.2	11/15/19 22:00	0.2	11/15/20 1:00	0.5
11/15/18 19:00	0.2	11/15/19 23:00	0.2	11/15/20 2:00	0.5
11/15/18 20:00	0.2	11/16/19 0:00	0.2	11/15/20 3:00	0.4
11/15/18 21:00	0.2	11/16/19 1:00	0.2	11/15/20 4:00	0.3
11/15/18 22:00	0.2	11/16/19 2:00	0.2	11/15/20 5:00	0.2
11/15/18 23:00	0.2	11/16/19 3:00	0.2	11/15/20 6:00	0.2
11/16/18 0:00	0.2	11/16/19 4:00	0.1	11/15/20 7:00	0.2
11/16/18 1:00	0.2	11/16/19 5:00	0.1	11/15/20 8:00	0.2
11/16/18 2:00	0.2	11/16/19 6:00	0.1	11/15/20 9:00	0.2
11/16/18 3:00	0.2	11/16/19 7:00	0.1	11/15/20 10:00	0.2
11/16/18 4:00	0.2	11/16/19 8:00	0.1	11/15/20 11:00	0.2
11/16/18 5:00	0.2	11/16/19 9:00	0.3	11/15/20 12:00	0.2
11/16/18 6:00	0.2	11/16/19 10:00	0.1	11/15/20 13:00	0.2
11/16/18 7:00	0.2	11/16/19 11:00	0.2	11/15/20 14:00	0.2
11/16/18 8:00	0.2	11/16/19 12:00	0.1	11/15/20 15:00	0.2
11/16/18 9:00	0.2	11/16/19 13:00	0.1	11/15/20 16:00	0.2
11/16/18 10:00	0.2	11/16/19 14:00	0.1	11/15/20 17:00	0.2
11/16/18 11:00	0.2	11/16/19 15:00	0.1	11/15/20 18:00	0.2
11/16/18 12:00	0.2	11/16/19 16:00	0.1	11/15/20 19:00	0.2
11/16/18 13:00	0.2	11/16/19 17:00	0.1	11/15/20 20:00	0.2
11/16/18 14:00	0.2	11/16/19 18:00	0.1	11/15/20 21:00	0.3
11/16/18 15:00	0.2	11/16/19 19:00	0.1	11/15/20 22:00	0.2
11/16/18 16:00	0.2	11/16/19 20:00	0.1	11/15/20 23:00	0.2
11/16/18 17:00	0.2	11/16/19 21:00	0.1	11/16/20 0:00	0.2
11/16/18 18:00	0.4	11/16/19 22:00	0.1	11/16/20 1:00	0.3
11/16/18 19:00	0.2	11/16/19 23:00	0.1	11/16/20 2:00	0.2
11/16/18 20:00	0.2	11/17/19 0:00	0.1	11/16/20 3:00	0.2
11/16/18 21:00	0.2	11/17/19 1:00	0.1	11/16/20 4:00	0.2
11/16/18 22:00	0.1	11/17/19 2:00	0.1	11/16/20 5:00	0.2
11/16/18 23:00	0.2	11/17/19 3:00	0.1	11/16/20 6:00	0.2
11/17/18 0:00	0.2	11/17/19 4:00	0.1	11/16/20 7:00	0.3
11/17/18 1:00	0.2	11/17/19 5:00	0.1	11/16/20 8:00	0.3
11/17/18 2:00	0.2	11/17/19 6:00	0.1	11/16/20 9:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
11/17/18 3:00	0.2	11/17/19 7:00	0.1	11/16/20 10:00	0.3
11/17/18 4:00	0.2	11/17/19 8:00	0.1	11/16/20 11:00	0.2
11/17/18 5:00	0.2	11/17/19 9:00	0.1	11/16/20 12:00	0.3
11/17/18 6:00	0.2	11/17/19 10:00	0.2	11/16/20 13:00	0.2
11/17/18 7:00	0.2	11/17/19 11:00	3.3	11/16/20 14:00	0.2
11/17/18 8:00	0.2	11/17/19 12:00	0.6	11/16/20 15:00	0.2
11/17/18 9:00	0.2	11/17/19 13:00	2.9	11/16/20 16:00	0.2
11/17/18 10:00	0.2	11/17/19 14:00	0.1	11/16/20 17:00	0.2
11/17/18 11:00	0.2	11/17/19 15:00	0.1	11/16/20 18:00	0.2
11/17/18 12:00	0.2	11/17/19 16:00	0.1	11/16/20 19:00	0.2
11/17/18 13:00	0.1	11/17/19 17:00	2.9	11/16/20 20:00	0.2
11/17/18 14:00	0.0	11/17/19 18:00	0.1	11/16/20 21:00	0.2
11/17/18 15:00	0.1	11/17/19 19:00	0.1	11/16/20 22:00	0.2
11/17/18 16:00	0.2	11/17/19 20:00	0.2	11/16/20 23:00	0.2
11/17/18 17:00	0.2	11/17/19 21:00	0.2	11/17/20 0:00	0.2
11/17/18 18:00	0.2	11/17/19 22:00	0.2	11/17/20 1:00	0.2
11/17/18 19:00	0.2	11/17/19 23:00	0.2	11/17/20 2:00	0.2
11/17/18 20:00	0.2	11/18/19 0:00	0.2	11/17/20 3:00	0.2
11/17/18 21:00	0.2	11/18/19 1:00	0.2	11/17/20 4:00	0.2
11/17/18 22:00	0.2	11/18/19 2:00	0.2	11/17/20 5:00	0.2
11/17/18 23:00	0.2	11/18/19 3:00	0.2	11/17/20 6:00	0.2
11/18/18 0:00	0.2	11/18/19 4:00	0.2	11/17/20 7:00	0.1
11/18/18 1:00	0.2	11/18/19 5:00	0.2	11/17/20 8:00	0.0
11/18/18 2:00	0.2	11/18/19 6:00	0.2	11/17/20 9:00	0.0
11/18/18 3:00	0.2	11/18/19 7:00	0.2	11/17/20 10:00	0.0
11/18/18 4:00	0.2	11/18/19 8:00	0.2	11/17/20 11:00	0.0
11/18/18 5:00	0.2	11/18/19 9:00	0.2	11/17/20 12:00	0.0
11/18/18 6:00	0.2	11/18/19 10:00	0.2	11/17/20 13:00	0.0
11/18/18 7:00	0.2	11/18/19 11:00	0.3	11/17/20 14:00	0.0
11/18/18 8:00	0.2	11/18/19 12:00	0.2	11/17/20 15:00	0.0
11/18/18 9:00	0.2	11/18/19 13:00	0.2	11/17/20 16:00	0.1
11/18/18 10:00	0.2	11/18/19 14:00	0.2	11/17/20 17:00	0.3
11/18/18 11:00	0.2	11/18/19 15:00	0.2	11/17/20 18:00	0.3
11/18/18 12:00	0.2	11/18/19 16:00	0.2	11/17/20 19:00	0.3
11/18/18 13:00	0.4	11/18/19 17:00	0.2	11/17/20 20:00	0.3
11/18/18 14:00	0.4	11/18/19 18:00	0.3	11/17/20 21:00	0.2
11/18/18 15:00	0.3	11/18/19 19:00	0.3	11/17/20 22:00	0.3
11/18/18 16:00	0.4	11/18/19 20:00	0.2	11/17/20 23:00	0.3
11/18/18 17:00	0.2	11/18/19 21:00	0.3	11/18/20 0:00	0.3
11/18/18 18:00	0.3	11/18/19 22:00	0.3	11/18/20 1:00	0.4
11/18/18 19:00	0.3	11/18/19 23:00	0.3	11/18/20 2:00	0.3
11/18/18 20:00	0.3	11/19/19 0:00	0.3	11/18/20 3:00	0.4
11/18/18 21:00	0.4	11/19/19 1:00	0.4	11/18/20 4:00	0.4
11/18/18 22:00	0.5	11/19/19 2:00	0.6	11/18/20 5:00	0.4
11/18/18 23:00	0.5	11/19/19 3:00	0.6	11/18/20 6:00	0.4
11/19/18 0:00	3.1	11/19/19 4:00	0.5	11/18/20 7:00	0.4

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
11/19/18 1:00	0.5	11/19/19 5:00	0.8	11/18/20 8:00	0.4
11/19/18 2:00	3.9	11/19/19 6:00	0.5	11/18/20 9:00	0.4
11/19/18 3:00	4.2	11/19/19 7:00	0.4	11/18/20 10:00	0.4
11/19/18 4:00	4.6	11/19/19 8:00	0.2	11/18/20 11:00	0.4
11/19/18 5:00	7.9	11/19/19 9:00	0.0	11/18/20 12:00	0.4
11/19/18 6:00	0.3	11/19/19 10:00	0.0	11/18/20 13:00	0.4
11/19/18 7:00	4.4	11/19/19 11:00	0.0	11/18/20 14:00	0.4
11/19/18 8:00	7.3	11/19/19 12:00	0.0	11/18/20 15:00	0.4
11/19/18 9:00	3.5	11/19/19 13:00	0.0	11/18/20 16:00	0.4
11/19/18 10:00	0.3	11/19/19 14:00	0.0	11/18/20 17:00	0.4
11/19/18 11:00	0.2	11/19/19 15:00	0.0	11/18/20 18:00	0.4
11/19/18 12:00	0.2	11/19/19 16:00	0.0	11/18/20 19:00	0.4
11/19/18 13:00	0.2	11/19/19 17:00	2.4	11/18/20 20:00	0.4
11/19/18 14:00	2.7	11/19/19 18:00	10.5	11/18/20 21:00	0.4
11/19/18 15:00	3.2	11/19/19 19:00	15.1	11/18/20 22:00	0.4
11/19/18 16:00	0.3	11/19/19 20:00	17.8	11/18/20 23:00	0.4
11/19/18 17:00	35.2	11/19/19 21:00	59.4	11/19/20 0:00	0.4
11/19/18 18:00	6.0	11/19/19 22:00	35.2	11/19/20 1:00	0.4
11/19/18 19:00	6.8	11/19/19 23:00	5.8	11/19/20 2:00	0.2
11/19/18 20:00	8.1	11/20/19 0:00	6.9	11/19/20 3:00	0.3
11/19/18 21:00	3.5	11/20/19 1:00	9.4	11/19/20 4:00	0.3
11/19/18 22:00	0.3	11/20/19 2:00	8.1	11/19/20 5:00	0.3
11/19/18 23:00	3.8	11/20/19 3:00	9.3	11/19/20 6:00	0.3
11/20/18 0:00	0.5	11/20/19 4:00	9.7	11/19/20 7:00	0.4
11/20/18 1:00	0.3	11/20/19 5:00	10.8	11/19/20 8:00	0.4
11/20/18 2:00	0.3	11/20/19 6:00	9.1	11/19/20 9:00	0.3
11/20/18 3:00	0.2	11/20/19 7:00	9.0	11/19/20 10:00	0.4
11/20/18 4:00	0.2	11/20/19 8:00	2.4	11/19/20 11:00	0.3
11/20/18 5:00	0.2	11/20/19 9:00	0.8	11/19/20 12:00	0.3
11/20/18 6:00	0.2	11/20/19 10:00	5.2	11/19/20 13:00	0.3
11/20/18 7:00	0.2	11/20/19 11:00	1.7	11/19/20 14:00	0.2
11/20/18 8:00	0.2	11/20/19 12:00	0.8	11/19/20 15:00	0.2
11/20/18 9:00	0.2	11/20/19 13:00	3.9	11/19/20 16:00	0.1
11/20/18 10:00	0.3	11/20/19 14:00	0.4	11/19/20 17:00	0.2
11/20/18 11:00	0.3	11/20/19 15:00	1.4	11/19/20 18:00	0.2
11/20/18 12:00	0.3	11/20/19 16:00	0.9	11/19/20 19:00	0.1
11/20/18 13:00	0.3	11/20/19 17:00	1.5	11/19/20 20:00	0.1
11/20/18 14:00	0.2	11/20/19 18:00	0.7	11/19/20 21:00	0.1
11/20/18 15:00	0.2	11/20/19 19:00	0.8	11/19/20 22:00	0.1
11/20/18 16:00	0.3	11/20/19 20:00	1.0	11/19/20 23:00	0.1
11/20/18 17:00	0.3	11/20/19 21:00	1.0	11/20/20 0:00	0.1
11/20/18 18:00	0.2	11/20/19 22:00	1.4	11/20/20 1:00	0.1
11/20/18 19:00	0.2	11/20/19 23:00	0.2	11/20/20 2:00	0.1
11/20/18 20:00	0.2	11/21/19 0:00	1.2	11/20/20 3:00	0.1
11/20/18 21:00	0.3	11/21/19 1:00	1.1	11/20/20 4:00	0.1
11/20/18 22:00	0.3	11/21/19 2:00	0.6	11/20/20 5:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
11/20/18 23:00	0.3	11/21/19 3:00	0.2	11/20/20 6:00	0.2
11/21/18 0:00	0.3	11/21/19 4:00	0.2	11/20/20 7:00	0.2
11/21/18 1:00	0.4	11/21/19 5:00	0.1	11/20/20 8:00	0.2
11/21/18 2:00	0.4	11/21/19 6:00	0.1	11/20/20 9:00	0.1
11/21/18 3:00	0.3	11/21/19 7:00	0.1	11/20/20 10:00	0.1
11/21/18 4:00	0.3	11/21/19 8:00	0.1	11/20/20 11:00	0.1
11/21/18 5:00	0.3	11/21/19 9:00	0.0	11/20/20 12:00	0.2
11/21/18 6:00	1.1	11/21/19 10:00	0.0	11/20/20 13:00	0.2
11/21/18 7:00	2.4	11/21/19 11:00	0.0	11/20/20 14:00	0.1
11/21/18 8:00	0.3	11/21/19 12:00	0.0	11/20/20 15:00	0.2
11/21/18 9:00	1.2	11/21/19 13:00	0.0	11/20/20 16:00	0.2
11/21/18 10:00	0.3	11/21/19 14:00	0.0	11/20/20 17:00	0.1
11/21/18 11:00	0.3	11/21/19 15:00	0.0	11/20/20 18:00	0.1
11/21/18 12:00	0.3	11/21/19 16:00	0.0	11/20/20 19:00	0.2
11/21/18 13:00	0.3	11/21/19 17:00	0.1	11/20/20 20:00	0.1
11/21/18 14:00	0.4	11/21/19 18:00	0.1	11/20/20 21:00	0.2
11/21/18 15:00	3.7	11/21/19 19:00	0.2	11/20/20 22:00	0.2
11/21/18 16:00	0.4	11/21/19 20:00	1.1	11/20/20 23:00	0.2
11/21/18 17:00	0.3	11/21/19 21:00	1.1	11/21/20 0:00	0.3
11/21/18 18:00	0.3	11/21/19 22:00	0.8	11/21/20 1:00	10.6
11/21/18 19:00	0.4	11/21/19 23:00	3.5	11/21/20 2:00	3.6
11/21/18 20:00	0.9	11/22/19 0:00	4.3	11/21/20 3:00	5.4
11/21/18 21:00	0.3	11/22/19 1:00	4.7	11/21/20 4:00	0.3
11/21/18 22:00	0.4	11/22/19 2:00	1.1	11/21/20 5:00	0.3
11/21/18 23:00	0.3	11/22/19 3:00	1.9	11/21/20 6:00	0.3
11/22/18 0:00	0.3	11/22/19 4:00	1.1	11/21/20 7:00	0.3
11/22/18 1:00	0.3	11/22/19 5:00	1.2	11/21/20 8:00	0.3
11/22/18 2:00	0.3	11/22/19 6:00	1.6	11/21/20 9:00	0.3
11/22/18 3:00	0.3	11/22/19 7:00	0.9	11/21/20 10:00	0.3
11/22/18 4:00	0.3	11/22/19 8:00	2.2	11/21/20 11:00	0.3
11/22/18 5:00	0.4	11/22/19 9:00	1.7	11/21/20 12:00	0.2
11/22/18 6:00	0.4	11/22/19 10:00	1.9	11/21/20 13:00	0.2
11/22/18 7:00	0.4	11/22/19 11:00	2.3	11/21/20 14:00	0.3
11/22/18 8:00	0.4	11/22/19 12:00	2.4	11/21/20 15:00	0.3
11/22/18 9:00	0.4	11/22/19 13:00	2.0	11/21/20 16:00	0.3
11/22/18 10:00	0.4	11/22/19 14:00	9.4	11/21/20 17:00	0.2
11/22/18 11:00	0.3	11/22/19 15:00	7.1	11/21/20 18:00	0.2
11/22/18 12:00	0.4	11/22/19 16:00	6.6	11/21/20 19:00	0.2
11/22/18 13:00	0.5	11/22/19 17:00	1.7	11/21/20 20:00	0.1
11/22/18 14:00	0.6	11/22/19 18:00	0.9	11/21/20 21:00	0.1
11/22/18 15:00	0.3	11/22/19 19:00	2.7	11/21/20 22:00	0.1
11/22/18 16:00	0.3	11/22/19 20:00	2.7	11/21/20 23:00	0.1
11/22/18 17:00	0.4	11/22/19 21:00	0.2	11/22/20 0:00	0.2
11/22/18 18:00	0.9	11/22/19 22:00	2.0	11/22/20 1:00	0.2
11/22/18 19:00	0.3	11/22/19 23:00	2.1	11/22/20 2:00	0.2
11/22/18 20:00	0.2	11/23/19 0:00	0.8	11/22/20 3:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
11/22/18 21:00	4.1	11/23/19 1:00	1.9	11/22/20 4:00	0.2
11/22/18 22:00	2.9	11/23/19 2:00	2.6	11/22/20 5:00	0.2
11/22/18 23:00	0.8	11/23/19 3:00	1.0	11/22/20 6:00	0.2
11/23/18 0:00	0.4	11/23/19 4:00	1.8	11/22/20 7:00	0.3
11/23/18 1:00	0.5	11/23/19 5:00	2.6	11/22/20 8:00	0.3
11/23/18 2:00	0.5	11/23/19 6:00	1.9	11/22/20 9:00	0.3
11/23/18 3:00	0.4	11/23/19 7:00	1.1	11/22/20 10:00	0.3
11/23/18 4:00	0.5	11/23/19 8:00	0.9	11/22/20 11:00	0.3
11/23/18 5:00	1.1	11/23/19 9:00	1.5	11/22/20 12:00	0.3
11/23/18 6:00	0.3	11/23/19 10:00	0.4	11/22/20 13:00	0.3
11/23/18 7:00	0.4	11/23/19 11:00	0.2	11/22/20 14:00	0.3
11/23/18 8:00	0.3	11/23/19 12:00	0.2	11/22/20 15:00	0.3
11/23/18 9:00	0.4	11/23/19 13:00	0.1	11/22/20 16:00	0.8
11/23/18 10:00	0.4	11/23/19 14:00	0.2	11/22/20 17:00	0.3
11/23/18 11:00	0.3	11/23/19 15:00	0.1	11/22/20 18:00	0.3
11/23/18 12:00	0.3	11/23/19 16:00	0.2	11/22/20 19:00	0.3
11/23/18 13:00	0.4	11/23/19 17:00	0.2	11/22/20 20:00	0.4
11/23/18 14:00	0.4	11/23/19 18:00	0.2	11/22/20 21:00	0.4
11/23/18 15:00	0.4	11/23/19 19:00	0.2	11/22/20 22:00	0.4
11/23/18 16:00	0.4	11/23/19 20:00	0.2	11/22/20 23:00	0.4
11/23/18 17:00	1.4	11/23/19 21:00	0.2	11/23/20 0:00	0.4
11/23/18 18:00	0.2	11/23/19 22:00	0.2	11/23/20 1:00	0.4
11/23/18 19:00	0.2	11/23/19 23:00	0.2	11/23/20 2:00	0.5
11/23/18 20:00	2.7	11/24/19 0:00	0.2	11/23/20 3:00	0.4
11/23/18 21:00	1.5	11/24/19 1:00	0.2	11/23/20 4:00	0.4
11/23/18 22:00	0.4	11/24/19 2:00	0.2	11/23/20 5:00	0.4
11/23/18 23:00	0.4	11/24/19 3:00	0.2	11/23/20 6:00	0.5
11/24/18 0:00	1.2	11/24/19 4:00	0.2	11/23/20 7:00	0.5
11/24/18 1:00	0.4	11/24/19 5:00	0.2	11/23/20 8:00	0.6
11/24/18 2:00	0.3	11/24/19 6:00	0.2	11/23/20 9:00	0.5
11/24/18 3:00	0.5	11/24/19 7:00	0.1	11/23/20 10:00	0.5
11/24/18 4:00	1.3	11/24/19 8:00	0.2	11/23/20 11:00	0.6
11/24/18 5:00	0.3	11/24/19 9:00	0.2	11/23/20 12:00	0.5
11/24/18 6:00	1.0	11/24/19 10:00	0.3	11/23/20 13:00	0.5
11/24/18 7:00	1.3	11/24/19 11:00	0.3	11/23/20 14:00	0.5
11/24/18 8:00	0.8	11/24/19 12:00	0.2	11/23/20 15:00	0.5
11/24/18 9:00	0.4	11/24/19 13:00	0.2	11/23/20 16:00	0.2
11/24/18 10:00	0.3	11/24/19 14:00	0.2	11/23/20 17:00	0.3
11/24/18 11:00	0.9	11/24/19 15:00	0.3	11/23/20 18:00	6.6
11/24/18 12:00	0.5	11/24/19 16:00	0.3	11/23/20 19:00	11.5
11/24/18 13:00	1.5	11/24/19 17:00	0.2	11/23/20 20:00	0.7
11/24/18 14:00	0.2	11/24/19 18:00	0.3	11/23/20 21:00	0.7
11/24/18 15:00	0.2	11/24/19 19:00	0.2	11/23/20 22:00	0.7
11/24/18 16:00	0.2	11/24/19 20:00	0.3	11/23/20 23:00	0.7
11/24/18 17:00	0.2	11/24/19 21:00	0.3	11/24/20 0:00	0.7
11/24/18 18:00	0.2	11/24/19 22:00	0.2	11/24/20 1:00	0.6

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
11/24/18 19:00	0.2	11/24/19 23:00	0.2	11/24/20 2:00	0.7
11/24/18 20:00	0.2	11/25/19 0:00	0.2	11/24/20 3:00	0.6
11/24/18 21:00	0.2	11/25/19 1:00	0.2	11/24/20 4:00	0.5
11/24/18 22:00	0.2	11/25/19 2:00	0.3	11/24/20 5:00	0.5
11/24/18 23:00	0.2	11/25/19 3:00	0.2	11/24/20 6:00	0.5
11/25/18 0:00	0.2	11/25/19 4:00	0.2	11/24/20 7:00	0.5
11/25/18 1:00	0.2	11/25/19 5:00	0.2	11/24/20 8:00	0.5
11/25/18 2:00	0.2	11/25/19 6:00	0.2	11/24/20 9:00	0.4
11/25/18 3:00	0.2	11/25/19 7:00	0.2	11/24/20 10:00	0.4
11/25/18 4:00	0.2	11/25/19 8:00	0.2	11/24/20 11:00	0.5
11/25/18 5:00	0.2	11/25/19 9:00	0.2	11/24/20 12:00	0.5
11/25/18 6:00	0.2	11/25/19 10:00	0.2	11/24/20 13:00	0.5
11/25/18 7:00	0.2	11/25/19 11:00	0.2	11/24/20 14:00	0.6
11/25/18 8:00	0.2	11/25/19 12:00	0.1	11/24/20 15:00	0.6
11/25/18 9:00	0.2	11/25/19 13:00	0.2	11/24/20 16:00	0.4
11/25/18 10:00	0.2	11/25/19 14:00	0.2	11/24/20 17:00	0.5
11/25/18 11:00	0.2	11/25/19 15:00	0.3	11/24/20 18:00	0.5
11/25/18 12:00	0.2	11/25/19 16:00	0.2	11/24/20 19:00	0.5
11/25/18 13:00	0.3	11/25/19 17:00	0.2	11/24/20 20:00	0.5
11/25/18 14:00	0.4	11/25/19 18:00	0.2	11/24/20 21:00	0.5
11/25/18 15:00	0.3	11/25/19 19:00	0.2	11/24/20 22:00	0.5
11/25/18 16:00	0.2	11/25/19 20:00	0.2	11/24/20 23:00	0.5
11/25/18 17:00	0.2	11/25/19 21:00	0.2	11/25/20 0:00	0.5
11/25/18 18:00	0.2	11/25/19 22:00	0.2	11/25/20 1:00	0.5
11/25/18 19:00	0.2	11/25/19 23:00	0.2	11/25/20 2:00	0.5
11/25/18 20:00	0.2	11/26/19 0:00	0.3	11/25/20 3:00	0.4
11/25/18 21:00	0.2	11/26/19 1:00	0.2	11/25/20 4:00	0.4
11/25/18 22:00	0.2	11/26/19 2:00	0.2	11/25/20 5:00	0.4
11/25/18 23:00	0.3	11/26/19 3:00	0.2	11/25/20 6:00	0.4
11/26/18 0:00	0.2	11/26/19 4:00	0.2	11/25/20 7:00	0.4
11/26/18 1:00	0.2	11/26/19 5:00	0.3	11/25/20 8:00	0.4
11/26/18 2:00	0.2	11/26/19 6:00	0.2	11/25/20 9:00	0.4
11/26/18 3:00	0.2	11/26/19 7:00	0.1	11/25/20 10:00	0.4
11/26/18 4:00	0.2	11/26/19 8:00	0.2	11/25/20 11:00	0.4
11/26/18 5:00	0.2	11/26/19 9:00	0.3	11/25/20 12:00	0.4
11/26/18 6:00	0.2	11/26/19 10:00	0.2	11/25/20 13:00	0.4
11/26/18 7:00	0.2	11/26/19 11:00	0.1	11/25/20 14:00	0.4
11/26/18 8:00	0.2	11/26/19 12:00	0.2	11/25/20 15:00	0.5
11/26/18 9:00	0.3	11/26/19 13:00	0.2	11/25/20 16:00	0.4
11/26/18 10:00	0.3	11/26/19 14:00	0.2	11/25/20 17:00	0.4
11/26/18 11:00	0.2	11/26/19 15:00	0.2	11/25/20 18:00	0.5
11/26/18 12:00	0.2	11/26/19 16:00	0.1	11/25/20 19:00	0.5
11/26/18 13:00	0.2	11/26/19 17:00	0.1	11/25/20 20:00	0.5
11/26/18 14:00	0.2	11/26/19 18:00	0.1	11/25/20 21:00	0.5
11/26/18 15:00	0.2	11/26/19 19:00	0.1	11/25/20 22:00	0.4
11/26/18 16:00	0.2	11/26/19 20:00	0.2	11/25/20 23:00	0.4

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
11/26/18 17:00	0.2	11/26/19 21:00	0.2	11/26/20 0:00	0.5
11/26/18 18:00	0.2	11/26/19 22:00	0.2	11/26/20 1:00	0.4
11/26/18 19:00	0.2	11/26/19 23:00	0.2	11/26/20 2:00	0.4
11/26/18 20:00	0.3	11/27/19 0:00	0.2	11/26/20 3:00	0.4
11/26/18 21:00	0.2	11/27/19 1:00	0.2	11/26/20 4:00	0.5
11/26/18 22:00	0.2	11/27/19 2:00	0.2	11/26/20 5:00	0.5
11/26/18 23:00	0.3	11/27/19 3:00	0.2	11/26/20 6:00	0.4
11/27/18 0:00	0.2	11/27/19 4:00	0.2	11/26/20 7:00	0.5
11/27/18 1:00	0.2	11/27/19 5:00	0.2	11/26/20 8:00	0.4
11/27/18 2:00	1.1	11/27/19 6:00	0.2	11/26/20 9:00	0.4
11/27/18 3:00	0.3	11/27/19 7:00	0.3	11/26/20 10:00	0.5
11/27/18 4:00	0.8	11/27/19 8:00	0.2	11/26/20 11:00	0.4
11/27/18 5:00	0.9	11/27/19 9:00	0.2	11/26/20 12:00	0.5
11/27/18 6:00	0.4	11/27/19 10:00	0.2	11/26/20 13:00	0.5
11/27/18 7:00	0.3	11/27/19 11:00	0.3	11/26/20 14:00	0.5
11/27/18 8:00	0.3	11/27/19 12:00	0.3	11/26/20 15:00	0.4
11/27/18 9:00	0.3	11/27/19 13:00	0.3	11/26/20 16:00	0.4
11/27/18 10:00	0.4	11/27/19 14:00	0.2	11/26/20 17:00	0.4
11/27/18 11:00	0.4	11/27/19 15:00	0.2	11/26/20 18:00	0.5
11/27/18 12:00	0.4	11/27/19 16:00	0.2	11/26/20 19:00	0.5
11/27/18 13:00	0.3	11/27/19 17:00	0.1	11/26/20 20:00	0.5
11/27/18 14:00	0.3	11/27/19 18:00	0.2	11/26/20 21:00	0.5
11/27/18 15:00	0.3	11/27/19 19:00	0.2	11/26/20 22:00	0.5
11/27/18 16:00	0.3	11/27/19 20:00	0.2	11/26/20 23:00	0.5
11/27/18 17:00	0.1	11/27/19 21:00	0.2	11/27/20 0:00	0.5
11/27/18 18:00	0.1	11/27/19 22:00	0.2	11/27/20 1:00	0.5
11/27/18 19:00	0.3	11/27/19 23:00	0.2	11/27/20 2:00	5.5
11/27/18 20:00	0.4	11/28/19 0:00	0.2	11/27/20 3:00	2.9
11/27/18 21:00	0.4	11/28/19 1:00	0.2	11/27/20 4:00	7.3
11/27/18 22:00	0.4	11/28/19 2:00	0.2	11/27/20 5:00	5.0
11/27/18 23:00	0.3	11/28/19 3:00	0.1	11/27/20 6:00	0.4
11/28/18 0:00	0.4	11/28/19 4:00	0.1	11/27/20 7:00	9.4
11/28/18 1:00	0.3	11/28/19 5:00	0.0	11/27/20 8:00	5.1
11/28/18 2:00	0.3	11/28/19 6:00	0.0	11/27/20 9:00	6.5
11/28/18 3:00	0.3	11/28/19 7:00	0.1	11/27/20 10:00	6.5
11/28/18 4:00	0.3	11/28/19 8:00	0.1	11/27/20 11:00	7.2
11/28/18 5:00	0.3	11/28/19 9:00	0.1	11/27/20 12:00	4.5
11/28/18 6:00	0.3	11/28/19 10:00	0.1	11/27/20 13:00	7.5
11/28/18 7:00	0.4	11/28/19 11:00	0.1	11/27/20 14:00	4.1
11/28/18 8:00	0.3	11/28/19 12:00	0.1	11/27/20 15:00	5.5
11/28/18 9:00	0.4	11/28/19 13:00	0.1	11/27/20 16:00	9.9
11/28/18 10:00	0.3	11/28/19 14:00	0.1	11/27/20 17:00	1.4
11/28/18 11:00	0.3	11/28/19 15:00	0.1	11/27/20 18:00	7.8
11/28/18 12:00	0.3	11/28/19 16:00	0.1	11/27/20 19:00	2.5
11/28/18 13:00	0.2	11/28/19 17:00	0.1	11/27/20 20:00	2.8
11/28/18 14:00	0.2	11/28/19 18:00	0.1	11/27/20 21:00	0.8

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
11/28/18 15:00	0.2	11/28/19 19:00	0.1	11/27/20 22:00	0.5
11/28/18 16:00	0.3	11/28/19 20:00	0.1	11/27/20 23:00	0.5
11/28/18 17:00	0.3	11/28/19 21:00	0.2	11/28/20 0:00	0.4
11/28/18 18:00	0.3	11/28/19 22:00	0.2	11/28/20 1:00	0.3
11/28/18 19:00	0.2	11/28/19 23:00	0.1	11/28/20 2:00	0.4
11/28/18 20:00	0.2	11/29/19 0:00	0.2	11/28/20 3:00	0.4
11/28/18 21:00	0.3	11/29/19 1:00	0.1	11/28/20 4:00	0.4
11/28/18 22:00	0.3	11/29/19 2:00	0.1	11/28/20 5:00	0.4
11/28/18 23:00	0.3	11/29/19 3:00	0.1	11/28/20 6:00	0.4
11/29/18 0:00	0.3	11/29/19 4:00	0.1	11/28/20 7:00	0.4
11/29/18 1:00	0.3	11/29/19 5:00	0.1	11/28/20 8:00	0.5
11/29/18 2:00	0.3	11/29/19 6:00	0.1	11/28/20 9:00	0.4
11/29/18 3:00	0.3	11/29/19 7:00	0.1	11/28/20 10:00	0.4
11/29/18 4:00	0.4	11/29/19 8:00	0.2	11/28/20 11:00	0.6
11/29/18 5:00	0.3	11/29/19 9:00	0.2	11/28/20 12:00	0.4
11/29/18 6:00	0.3	11/29/19 10:00	0.2	11/28/20 13:00	0.4
11/29/18 7:00	1.1	11/29/19 11:00	0.2	11/28/20 14:00	0.6
11/29/18 8:00	0.4	11/29/19 12:00	0.2	11/28/20 15:00	0.4
11/29/18 9:00	9.2	11/29/19 13:00	0.2	11/28/20 16:00	0.5
11/29/18 10:00	3.8	11/29/19 14:00	0.1	11/28/20 17:00	0.4
11/29/18 11:00	0.8	11/29/19 15:00	0.1	11/28/20 18:00	0.4
11/29/18 12:00	0.6	11/29/19 16:00	0.1	11/28/20 19:00	0.4
11/29/18 13:00	0.6	11/29/19 17:00	0.1	11/28/20 20:00	0.5
11/29/18 14:00	0.6	11/29/19 18:00	0.1	11/28/20 21:00	0.6
11/29/18 15:00	0.6	11/29/19 19:00	0.1	11/28/20 22:00	0.5
11/29/18 16:00	0.6	11/29/19 20:00	0.2	11/28/20 23:00	0.5
11/29/18 17:00	0.6	11/29/19 21:00	0.1	11/29/20 0:00	0.4
11/29/18 18:00	0.6	11/29/19 22:00	0.1	11/29/20 1:00	0.5
11/29/18 19:00	0.4	11/29/19 23:00	0.1	11/29/20 2:00	0.5
11/29/18 20:00	0.4	11/30/19 0:00	0.1	11/29/20 3:00	0.5
11/29/18 21:00	0.4	11/30/19 1:00	0.1	11/29/20 4:00	0.4
11/29/18 22:00	6.2	11/30/19 2:00	0.1	11/29/20 5:00	0.3
11/29/18 23:00	0.5	11/30/19 3:00	0.1	11/29/20 6:00	0.3
11/30/18 0:00	0.5	11/30/19 4:00	0.1	11/29/20 7:00	0.4
11/30/18 1:00	0.5	11/30/19 5:00	0.2	11/29/20 8:00	0.4
11/30/18 2:00	0.6	11/30/19 6:00	0.1	11/29/20 9:00	0.4
11/30/18 3:00	0.5	11/30/19 7:00	0.1	11/29/20 10:00	0.4
11/30/18 4:00	0.5	11/30/19 8:00	0.2	11/29/20 11:00	0.3
11/30/18 5:00	0.4	11/30/19 9:00	0.3	11/29/20 12:00	0.4
11/30/18 6:00	0.5	11/30/19 10:00	0.2	11/29/20 13:00	0.4
11/30/18 7:00	0.6	11/30/19 11:00	0.2	11/29/20 14:00	0.3
11/30/18 8:00	0.4	11/30/19 12:00	0.1	11/29/20 15:00	0.2
11/30/18 9:00	0.4	11/30/19 13:00	0.2	11/29/20 16:00	0.2
11/30/18 10:00	2.2	11/30/19 14:00	0.2	11/29/20 17:00	0.2
11/30/18 11:00	0.4	11/30/19 15:00	0.1	11/29/20 18:00	0.4
11/30/18 12:00	0.3	11/30/19 16:00	0.2	11/29/20 19:00	0.4

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
11/30/18 13:00	0.5	11/30/19 17:00	0.3	11/29/20 20:00	0.4
11/30/18 14:00	0.7	11/30/19 18:00	0.1	11/29/20 21:00	0.4
11/30/18 15:00	0.6	11/30/19 19:00	0.1	11/29/20 22:00	0.5
11/30/18 16:00	0.4	11/30/19 20:00	0.1	11/29/20 23:00	0.5
11/30/18 17:00	0.5	11/30/19 21:00	0.1	11/30/20 0:00	0.5
11/30/18 18:00	0.5	11/30/19 22:00	0.1	11/30/20 1:00	0.4
11/30/18 19:00	0.5	11/30/19 23:00	0.1	11/30/20 2:00	0.4
11/30/18 20:00	0.5	12/1/19 0:00	0.1	11/30/20 3:00	0.4
11/30/18 21:00	0.4	12/1/19 1:00	0.1	11/30/20 4:00	0.3
11/30/18 22:00	0.5	12/1/19 2:00	0.1	11/30/20 5:00	0.4
11/30/18 23:00	0.5	12/1/19 3:00	0.1	11/30/20 6:00	0.4
12/1/18 0:00	0.5	12/1/19 4:00	0.1	11/30/20 7:00	0.4
12/1/18 1:00	0.4	12/1/19 5:00	0.1	11/30/20 8:00	0.5
12/1/18 2:00	0.6	12/1/19 6:00	0.1	11/30/20 9:00	0.4
12/1/18 3:00	0.5	12/1/19 7:00	0.1	11/30/20 10:00	0.4
12/1/18 4:00	0.5	12/1/19 8:00	0.1	11/30/20 11:00	0.3
12/1/18 5:00	0.4	12/1/19 9:00	0.1	11/30/20 12:00	0.4
12/1/18 6:00	0.4	12/1/19 10:00	0.1	11/30/20 13:00	0.4
12/1/18 7:00	0.4	12/1/19 11:00	0.2	11/30/20 14:00	0.4
12/1/18 8:00	0.5	12/1/19 12:00	0.1	11/30/20 15:00	0.4
12/1/18 9:00	0.4	12/1/19 13:00	0.2	11/30/20 16:00	0.4
12/1/18 10:00	0.3	12/1/19 14:00	0.1	11/30/20 17:00	0.3
12/1/18 11:00	0.4	12/1/19 15:00	0.1	11/30/20 18:00	0.3
12/1/18 12:00	0.4	12/1/19 16:00	0.1	11/30/20 19:00	0.4
12/1/18 13:00	0.5	12/1/19 17:00	0.1	11/30/20 20:00	0.4
12/1/18 14:00	0.5	12/1/19 18:00	0.2	11/30/20 21:00	0.4
12/1/18 15:00	0.4	12/1/19 19:00	0.1	11/30/20 22:00	0.5
12/1/18 16:00	0.4	12/1/19 20:00	0.1	11/30/20 23:00	0.4
12/1/18 17:00	0.5	12/1/19 21:00	0.1	12/1/20 0:00	0.4
12/1/18 18:00	0.4	12/1/19 22:00	0.2	12/1/20 1:00	0.4
12/1/18 19:00	0.3	12/1/19 23:00	0.2	12/1/20 2:00	0.3
12/1/18 20:00	0.4	12/2/19 0:00	0.2	12/1/20 3:00	0.3
12/1/18 21:00	0.5	12/2/19 1:00	0.2	12/1/20 4:00	0.3
12/1/18 22:00	0.5	12/2/19 2:00	0.2	12/1/20 5:00	0.4
12/1/18 23:00	0.5	12/2/19 3:00	0.2	12/1/20 6:00	0.4
12/2/18 0:00	0.5	12/2/19 4:00	0.2	12/1/20 7:00	0.4
12/2/18 1:00	0.4	12/2/19 5:00	0.2	12/1/20 8:00	0.5
12/2/18 2:00	0.3	12/2/19 6:00	0.2	12/1/20 9:00	0.4
12/2/18 3:00	0.4	12/2/19 7:00	0.2	12/1/20 10:00	0.4
12/2/18 4:00	0.5	12/2/19 8:00	0.2	12/1/20 11:00	0.6
12/2/18 5:00	0.4	12/2/19 9:00	0.2	12/1/20 12:00	0.4
12/2/18 6:00	0.4	12/2/19 10:00	0.1	12/1/20 13:00	0.4
12/2/18 7:00	0.3	12/2/19 11:00	0.1	12/1/20 14:00	0.5
12/2/18 8:00	0.4	12/2/19 12:00	0.1	12/1/20 15:00	0.5
12/2/18 9:00	0.4	12/2/19 13:00	0.1	12/1/20 16:00	0.5
12/2/18 10:00	0.4	12/2/19 14:00	0.1	12/1/20 17:00	0.5

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
12/2/18 11:00	0.4	12/2/19 15:00	0.1	12/1/20 18:00	0.6
12/2/18 12:00	0.4	12/2/19 16:00	0.2	12/1/20 19:00	0.6
12/2/18 13:00	0.4	12/2/19 17:00	0.2	12/1/20 20:00	0.6
12/2/18 14:00	0.5	12/2/19 18:00	0.1	12/1/20 21:00	0.5
12/2/18 15:00	0.4	12/2/19 19:00	0.1	12/1/20 22:00	0.5
12/2/18 16:00	0.4	12/2/19 20:00	0.1	12/1/20 23:00	0.5
12/2/18 17:00	0.5	12/2/19 21:00	0.1	12/2/20 0:00	0.5
12/2/18 18:00	0.4	12/2/19 22:00	0.2	12/2/20 1:00	0.5
12/2/18 19:00	0.4	12/2/19 23:00	0.2	12/2/20 2:00	0.4
12/2/18 20:00	0.4	12/3/19 0:00	0.2	12/2/20 3:00	0.4
12/2/18 21:00	0.4	12/3/19 1:00	0.1	12/2/20 4:00	0.5
12/2/18 22:00	0.4	12/3/19 2:00	0.1	12/2/20 5:00	0.5
12/2/18 23:00	0.5	12/3/19 3:00	0.1	12/2/20 6:00	0.5
12/3/18 0:00	0.4	12/3/19 4:00	0.1	12/2/20 7:00	0.6
12/3/18 1:00	0.4	12/3/19 5:00	0.1	12/2/20 8:00	0.5
12/3/18 2:00	0.5	12/3/19 6:00	0.1	12/2/20 9:00	0.6
12/3/18 3:00	0.5	12/3/19 7:00	0.2	12/2/20 10:00	0.6
12/3/18 4:00	0.5	12/3/19 8:00	0.3	12/2/20 11:00	0.6
12/3/18 5:00	0.5	12/3/19 9:00	0.2	12/2/20 12:00	0.6
12/3/18 6:00	0.5	12/3/19 10:00	0.2	12/2/20 13:00	0.6
12/3/18 7:00	0.5	12/3/19 11:00	0.2	12/2/20 14:00	0.5
12/3/18 8:00	0.5	12/3/19 12:00	0.4	12/2/20 15:00	0.6
12/3/18 9:00	1.0	12/3/19 13:00	0.1	12/2/20 16:00	0.4
12/3/18 10:00	3.4	12/3/19 14:00	0.1	12/2/20 17:00	0.5
12/3/18 11:00	0.5	12/3/19 15:00	0.2	12/2/20 18:00	0.5
12/3/18 12:00	0.5	12/3/19 16:00	0.1	12/2/20 19:00	0.4
12/3/18 13:00	0.5	12/3/19 17:00	0.1	12/2/20 20:00	0.4
12/3/18 14:00	0.5	12/3/19 18:00	0.1	12/2/20 21:00	0.5
12/3/18 15:00	0.4	12/3/19 19:00	0.1	12/2/20 22:00	0.5
12/3/18 16:00	0.4	12/3/19 20:00	0.1	12/2/20 23:00	0.5
12/3/18 17:00	0.4	12/3/19 21:00	0.2	12/3/20 0:00	0.5
12/3/18 18:00	0.3	12/3/19 22:00	0.1	12/3/20 1:00	0.5
12/3/18 19:00	0.3	12/3/19 23:00	0.1	12/3/20 2:00	0.5
12/3/18 20:00	0.4	12/4/19 0:00	0.1	12/3/20 3:00	0.5
12/3/18 21:00	0.4	12/4/19 1:00	0.1	12/3/20 4:00	0.5
12/3/18 22:00	0.4	12/4/19 2:00	0.1	12/3/20 5:00	0.5
12/3/18 23:00	0.4	12/4/19 3:00	0.1	12/3/20 6:00	0.4
12/4/18 0:00	0.3	12/4/19 4:00	0.1	12/3/20 7:00	0.4
12/4/18 1:00	0.6	12/4/19 5:00	0.1	12/3/20 8:00	0.4
12/4/18 2:00	0.7	12/4/19 6:00	0.1	12/3/20 9:00	0.5
12/4/18 3:00	0.6	12/4/19 7:00	0.1	12/3/20 10:00	0.5
12/4/18 4:00	0.7	12/4/19 8:00	0.1	12/3/20 11:00	0.4
12/4/18 5:00	0.6	12/4/19 9:00	0.1	12/3/20 12:00	0.4
12/4/18 6:00	0.6	12/4/19 10:00	0.1	12/3/20 13:00	0.3
12/4/18 7:00	0.6	12/4/19 11:00	0.1	12/3/20 14:00	0.3
12/4/18 8:00	0.5	12/4/19 12:00	0.1	12/3/20 15:00	0.5

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
12/4/18 9:00	0.6	12/4/19 13:00	0.1	12/3/20 16:00	0.5
12/4/18 10:00	0.5	12/4/19 14:00	0.1	12/3/20 17:00	0.5
12/4/18 11:00	0.5	12/4/19 15:00	0.1	12/3/20 18:00	0.4
12/4/18 12:00	0.5	12/4/19 16:00	0.2	12/3/20 19:00	0.4
12/4/18 13:00	0.5	12/4/19 17:00	0.2	12/3/20 20:00	0.5
12/4/18 14:00	0.6	12/4/19 18:00	0.2	12/3/20 21:00	0.5
12/4/18 15:00	0.5	12/4/19 19:00	0.2	12/3/20 22:00	0.5
12/4/18 16:00	0.5	12/4/19 20:00	0.2	12/3/20 23:00	0.5
12/4/18 17:00	0.6	12/4/19 21:00	0.2	12/4/20 0:00	0.5
12/4/18 18:00	0.5	12/4/19 22:00	0.2	12/4/20 1:00	0.4
12/4/18 19:00	0.5	12/4/19 23:00	0.2	12/4/20 2:00	0.5
12/4/18 20:00	0.5	12/5/19 0:00	0.2	12/4/20 3:00	0.4
12/4/18 21:00	0.5	12/5/19 1:00	0.1	12/4/20 4:00	0.4
12/4/18 22:00	0.5	12/5/19 2:00	0.1	12/4/20 5:00	0.5
12/4/18 23:00	0.5	12/5/19 3:00	0.1	12/4/20 6:00	0.5
12/5/18 0:00	0.5	12/5/19 4:00	0.1	12/4/20 7:00	0.5
12/5/18 1:00	0.4	12/5/19 5:00	0.2	12/4/20 8:00	0.4
12/5/18 2:00	0.4	12/5/19 6:00	0.2	12/4/20 9:00	0.4
12/5/18 3:00	0.4	12/5/19 7:00	0.2	12/4/20 10:00	0.4
12/5/18 4:00	0.3	12/5/19 8:00	0.3	12/4/20 11:00	0.4
12/5/18 5:00	0.4	12/5/19 9:00	0.2	12/4/20 12:00	0.5
12/5/18 6:00	0.5	12/5/19 10:00	0.2	12/4/20 13:00	0.5
12/5/18 7:00	0.5	12/5/19 11:00	0.2	12/4/20 14:00	0.5
12/5/18 8:00	0.7	12/5/19 12:00	0.3	12/4/20 15:00	0.5
12/5/18 9:00	2.0	12/5/19 13:00	0.2	12/4/20 16:00	0.4
12/5/18 10:00	1.4	12/5/19 14:00	0.2	12/4/20 17:00	0.4
12/5/18 11:00	1.1	12/5/19 15:00	0.2	12/4/20 18:00	0.6
12/5/18 12:00	0.4	12/5/19 16:00	0.3	12/4/20 19:00	0.6
12/5/18 13:00	0.3	12/5/19 17:00	0.3	12/4/20 20:00	0.5
12/5/18 14:00	0.4	12/5/19 18:00	0.1	12/4/20 21:00	0.6
12/5/18 15:00	0.6	12/5/19 19:00	0.1	12/4/20 22:00	0.6
12/5/18 16:00	0.5	12/5/19 20:00	0.2	12/4/20 23:00	0.7
12/5/18 17:00	0.4	12/5/19 21:00	0.2	12/5/20 0:00	0.6
12/5/18 18:00	0.4	12/5/19 22:00	0.2	12/5/20 1:00	0.6
12/5/18 19:00	0.4	12/5/19 23:00	0.2	12/5/20 2:00	0.5
12/5/18 20:00	0.5	12/6/19 0:00	0.4	12/5/20 3:00	0.5
12/5/18 21:00	0.4	12/6/19 1:00	2.5	12/5/20 4:00	0.6
12/5/18 22:00	0.3	12/6/19 2:00	0.4	12/5/20 5:00	0.5
12/5/18 23:00	0.3	12/6/19 3:00	0.3	12/5/20 6:00	0.6
12/6/18 0:00	0.4	12/6/19 4:00	0.2	12/5/20 7:00	0.6
12/6/18 1:00	0.4	12/6/19 5:00	0.7	12/5/20 8:00	0.6
12/6/18 2:00	1.8	12/6/19 6:00	0.3	12/5/20 9:00	0.6
12/6/18 3:00	1.1	12/6/19 7:00	0.5	12/5/20 10:00	0.4
12/6/18 4:00	0.3	12/6/19 8:00	0.3	12/5/20 11:00	0.5
12/6/18 5:00	1.9	12/6/19 9:00	0.3	12/5/20 12:00	0.4
12/6/18 6:00	0.6	12/6/19 10:00	0.2	12/5/20 13:00	0.4

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
12/6/18 7:00	0.3	12/6/19 11:00	0.3	12/5/20 14:00	0.4
12/6/18 8:00	0.5	12/6/19 12:00	0.4	12/5/20 15:00	0.5
12/6/18 9:00	0.3	12/6/19 13:00	0.4	12/5/20 16:00	0.6
12/6/18 10:00	0.3	12/6/19 14:00	0.3	12/5/20 17:00	0.5
12/6/18 11:00	0.5	12/6/19 15:00	0.3	12/5/20 18:00	0.4
12/6/18 12:00	1.7	12/6/19 16:00	0.3	12/5/20 19:00	0.4
12/6/18 13:00	0.4	12/6/19 17:00	0.2	12/5/20 20:00	0.5
12/6/18 14:00	0.3	12/6/19 18:00	0.2	12/5/20 21:00	0.4
12/6/18 15:00	0.3	12/6/19 19:00	0.3	12/5/20 22:00	0.4
12/6/18 16:00	0.4	12/6/19 20:00	0.5	12/5/20 23:00	0.4
12/6/18 17:00	0.4	12/6/19 21:00	0.4	12/6/20 0:00	0.4
12/6/18 18:00	0.3	12/6/19 22:00	0.3	12/6/20 1:00	0.4
12/6/18 19:00	0.4	12/6/19 23:00	0.2	12/6/20 2:00	0.3
12/6/18 20:00	0.3	12/7/19 0:00	0.2	12/6/20 3:00	0.4
12/6/18 21:00	0.3	12/7/19 1:00	0.2	12/6/20 4:00	0.4
12/6/18 22:00	0.3	12/7/19 2:00	0.2	12/6/20 5:00	0.4
12/6/18 23:00	0.3	12/7/19 3:00	0.2	12/6/20 6:00	0.4
12/7/18 0:00	0.3	12/7/19 4:00	0.2	12/6/20 7:00	0.3
12/7/18 1:00	0.4	12/7/19 5:00	0.2	12/6/20 8:00	0.3
12/7/18 2:00	0.3	12/7/19 6:00	0.2	12/6/20 9:00	0.4
12/7/18 3:00	0.3	12/7/19 7:00	0.2	12/6/20 10:00	0.4
12/7/18 4:00	0.4	12/7/19 8:00	0.2	12/6/20 11:00	0.4
12/7/18 5:00	0.4	12/7/19 9:00	0.2	12/6/20 12:00	0.4
12/7/18 6:00	0.4	12/7/19 10:00	0.3	12/6/20 13:00	0.4
12/7/18 7:00	0.4	12/7/19 11:00	1.1	12/6/20 14:00	0.4
12/7/18 8:00	0.4	12/7/19 12:00	0.1	12/6/20 15:00	0.3
12/7/18 9:00	0.4	12/7/19 13:00	0.2	12/6/20 16:00	0.3
12/7/18 10:00	0.3	12/7/19 14:00	0.2	12/6/20 17:00	0.4
12/7/18 11:00	0.3	12/7/19 15:00	0.2	12/6/20 18:00	0.4
12/7/18 12:00	0.3	12/7/19 16:00	0.3	12/6/20 19:00	0.4
12/7/18 13:00	0.3	12/7/19 17:00	0.2	12/6/20 20:00	0.4
12/7/18 14:00	0.3	12/7/19 18:00	0.2	12/6/20 21:00	0.4
12/7/18 15:00	0.3	12/7/19 19:00	0.2	12/6/20 22:00	0.4
12/7/18 16:00	0.4	12/7/19 20:00	0.3	12/6/20 23:00	0.4
12/7/18 17:00	0.5	12/7/19 21:00	0.2	12/7/20 0:00	0.4
12/7/18 18:00	0.4	12/7/19 22:00	0.2	12/7/20 1:00	6.4
12/7/18 19:00	0.3	12/7/19 23:00	0.1	12/7/20 2:00	0.4
12/7/18 20:00	0.3	12/8/19 0:00	0.2	12/7/20 3:00	0.4
12/7/18 21:00	0.3	12/8/19 1:00	0.2	12/7/20 4:00	0.4
12/7/18 22:00	0.4	12/8/19 2:00	0.1	12/7/20 5:00	5.4
12/7/18 23:00	0.4	12/8/19 3:00	0.1	12/7/20 6:00	6.9
12/8/18 0:00	0.4	12/8/19 4:00	0.2	12/7/20 7:00	0.4
12/8/18 1:00	0.5	12/8/19 5:00	0.1	12/7/20 8:00	0.4
12/8/18 2:00	0.5	12/8/19 6:00	0.1	12/7/20 9:00	0.4
12/8/18 3:00	0.5	12/8/19 7:00	0.1	12/7/20 10:00	0.4
12/8/18 4:00	0.5	12/8/19 8:00	0.1	12/7/20 11:00	0.4

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
12/8/18 5:00	0.5	12/8/19 9:00	0.2	12/7/20 12:00	0.4
12/8/18 6:00	0.5	12/8/19 10:00	0.2	12/7/20 13:00	0.4
12/8/18 7:00	0.5	12/8/19 11:00	0.1	12/7/20 14:00	0.4
12/8/18 8:00	0.5	12/8/19 12:00	0.1	12/7/20 15:00	0.4
12/8/18 9:00	0.5	12/8/19 13:00	0.2	12/7/20 16:00	0.5
12/8/18 10:00	0.5	12/8/19 14:00	0.5	12/7/20 17:00	0.5
12/8/18 11:00	0.5	12/8/19 15:00	0.2	12/7/20 18:00	0.5
12/8/18 12:00	0.6	12/8/19 16:00	0.2	12/7/20 19:00	0.5
12/8/18 13:00	0.5	12/8/19 17:00	0.3	12/7/20 20:00	0.5
12/8/18 14:00	0.4	12/8/19 18:00	0.4	12/7/20 21:00	0.5
12/8/18 15:00	0.4	12/8/19 19:00	0.3	12/7/20 22:00	0.5
12/8/18 16:00	0.4	12/8/19 20:00	0.2	12/7/20 23:00	0.5
12/8/18 17:00	0.4	12/8/19 21:00	2.6	12/8/20 0:00	0.5
12/8/18 18:00	0.4	12/8/19 22:00	4.1	12/8/20 1:00	0.4
12/8/18 19:00	0.4	12/8/19 23:00	0.3	12/8/20 2:00	0.4
12/8/18 20:00	0.4	12/9/19 0:00	3.2	12/8/20 3:00	0.5
12/8/18 21:00	0.4	12/9/19 1:00	2.0	12/8/20 4:00	0.5
12/8/18 22:00	0.4	12/9/19 2:00	2.9	12/8/20 5:00	0.5
12/8/18 23:00	0.5	12/9/19 3:00	1.7	12/8/20 6:00	0.4
12/9/18 0:00	0.4	12/9/19 4:00	0.9	12/8/20 7:00	0.4
12/9/18 1:00	0.4	12/9/19 5:00	0.2	12/8/20 8:00	0.4
12/9/18 2:00	0.3	12/9/19 6:00	0.2	12/8/20 9:00	0.3
12/9/18 3:00	0.4	12/9/19 7:00	0.2	12/8/20 10:00	0.5
12/9/18 4:00	0.3	12/9/19 8:00	0.2	12/8/20 11:00	0.4
12/9/18 5:00	0.4	12/9/19 9:00	0.2	12/8/20 12:00	0.4
12/9/18 6:00	0.4	12/9/19 10:00	0.2	12/8/20 13:00	0.5
12/9/18 7:00	0.4	12/9/19 11:00	0.3	12/8/20 14:00	0.4
12/9/18 8:00	0.4	12/9/19 12:00	0.2	12/8/20 15:00	0.4
12/9/18 9:00	0.5	12/9/19 13:00	0.2	12/8/20 16:00	0.5
12/9/18 10:00	0.4	12/9/19 14:00	0.2	12/8/20 17:00	0.6
12/9/18 11:00	0.4	12/9/19 15:00	0.2	12/8/20 18:00	0.5
12/9/18 12:00	0.6	12/9/19 16:00	0.2	12/8/20 19:00	0.6
12/9/18 13:00	0.5	12/9/19 17:00	0.2	12/8/20 20:00	0.5
12/9/18 14:00	0.5	12/9/19 18:00	0.2	12/8/20 21:00	0.4
12/9/18 15:00	0.5	12/9/19 19:00	0.2	12/8/20 22:00	0.5
12/9/18 16:00	0.5	12/9/19 20:00	0.2	12/8/20 23:00	0.4
12/9/18 17:00	0.5	12/9/19 21:00	0.2	12/9/20 0:00	0.5
12/9/18 18:00	0.4	12/9/19 22:00	0.2	12/9/20 1:00	0.5
12/9/18 19:00	0.5	12/9/19 23:00	0.2	12/9/20 2:00	0.7
12/9/18 20:00	0.5	12/10/19 0:00	0.2	12/9/20 3:00	0.7
12/9/18 21:00	0.5	12/10/19 1:00	0.1	12/9/20 4:00	0.5
12/9/18 22:00	0.4	12/10/19 2:00	0.1	12/9/20 5:00	0.5
12/9/18 23:00	0.4	12/10/19 3:00	0.2	12/9/20 6:00	0.7
12/10/18 0:00	0.5	12/10/19 4:00	0.2	12/9/20 7:00	0.7
12/10/18 1:00	0.5	12/10/19 5:00	0.2	12/9/20 8:00	0.6
12/10/18 2:00	0.5	12/10/19 6:00	0.2	12/9/20 9:00	0.6

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
12/10/18 3:00	0.4	12/10/19 7:00	0.2	12/9/20 10:00	0.7
12/10/18 4:00	0.3	12/10/19 8:00	0.2	12/9/20 11:00	0.8
12/10/18 5:00	0.3	12/10/19 9:00	0.2	12/9/20 12:00	0.8
12/10/18 6:00	0.3	12/10/19 10:00	0.3	12/9/20 13:00	0.8
12/10/18 7:00	0.3	12/10/19 11:00	9.3	12/9/20 14:00	0.6
12/10/18 8:00	0.3	12/10/19 12:00	9.1	12/9/20 15:00	1.2
12/10/18 9:00	0.3	12/10/19 13:00	8.9	12/9/20 16:00	0.5
12/10/18 10:00	0.4	12/10/19 14:00	8.8	12/9/20 17:00	0.5
12/10/18 11:00	0.4	12/10/19 15:00	9.2	12/9/20 18:00	0.4
12/10/18 12:00	0.4	12/10/19 16:00	9.9	12/9/20 19:00	0.4
12/10/18 13:00	0.3	12/10/19 17:00	8.3	12/9/20 20:00	0.5
12/10/18 14:00	0.4	12/10/19 18:00	9.0	12/9/20 21:00	0.4
12/10/18 15:00	0.3	12/10/19 19:00	9.3	12/9/20 22:00	0.4
12/10/18 16:00	0.3	12/10/19 20:00	8.7	12/9/20 23:00	0.4
12/10/18 17:00	0.4	12/10/19 21:00	8.7	12/10/20 0:00	0.5
12/10/18 18:00	0.7	12/10/19 22:00	9.7	12/10/20 1:00	0.4
12/10/18 19:00	0.4	12/10/19 23:00	9.7	12/10/20 2:00	0.5
12/10/18 20:00	0.4	12/11/19 0:00	9.3	12/10/20 3:00	0.4
12/10/18 21:00	0.4	12/11/19 1:00	10.0	12/10/20 4:00	0.4
12/10/18 22:00	0.4	12/11/19 2:00	8.6	12/10/20 5:00	0.4
12/10/18 23:00	0.3	12/11/19 3:00	10.0	12/10/20 6:00	0.3
12/11/18 0:00	0.4	12/11/19 4:00	9.7	12/10/20 7:00	0.3
12/11/18 1:00	0.4	12/11/19 5:00	9.8	12/10/20 8:00	0.3
12/11/18 2:00	0.4	12/11/19 6:00	8.3	12/10/20 9:00	0.3
12/11/18 3:00	0.4	12/11/19 7:00	8.6	12/10/20 10:00	0.3
12/11/18 4:00	0.5	12/11/19 8:00	11.0	12/10/20 11:00	0.4
12/11/18 5:00	0.4	12/11/19 9:00	12.6	12/10/20 12:00	0.3
12/11/18 6:00	0.4	12/11/19 10:00	13.2	12/10/20 13:00	0.3
12/11/18 7:00	0.4	12/11/19 11:00	12.9	12/10/20 14:00	0.3
12/11/18 8:00	0.4	12/11/19 12:00	13.0	12/10/20 15:00	0.3
12/11/18 9:00	0.6	12/11/19 13:00	13.4	12/10/20 16:00	0.3
12/11/18 10:00	0.3	12/11/19 14:00	13.3	12/10/20 17:00	0.3
12/11/18 11:00	0.4	12/11/19 15:00	11.0	12/10/20 18:00	0.3
12/11/18 12:00	0.4	12/11/19 16:00	5.5	12/10/20 19:00	0.3
12/11/18 13:00	0.4	12/11/19 17:00	1.7	12/10/20 20:00	0.3
12/11/18 14:00	0.4	12/11/19 18:00	2.7	12/10/20 21:00	0.3
12/11/18 15:00	0.3	12/11/19 19:00	9.0	12/10/20 22:00	0.4
12/11/18 16:00	0.3	12/11/19 20:00	9.6	12/10/20 23:00	0.3
12/11/18 17:00	0.3	12/11/19 21:00	9.2	12/11/20 0:00	0.3
12/11/18 18:00	0.3	12/11/19 22:00	9.0	12/11/20 1:00	0.4
12/11/18 19:00	0.3	12/11/19 23:00	9.1	12/11/20 2:00	0.3
12/11/18 20:00	0.3	12/12/19 0:00	10.5	12/11/20 3:00	0.3
12/11/18 21:00	0.3	12/12/19 1:00	7.2	12/11/20 4:00	0.3
12/11/18 22:00	0.3	12/12/19 2:00	7.2	12/11/20 5:00	0.4
12/11/18 23:00	0.3	12/12/19 3:00	6.7	12/11/20 6:00	0.4
12/12/18 0:00	0.3	12/12/19 4:00	9.7	12/11/20 7:00	0.4

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
12/12/18 1:00	0.3	12/12/19 5:00	10.2	12/11/20 8:00	0.4
12/12/18 2:00	0.3	12/12/19 6:00	10.0	12/11/20 9:00	0.4
12/12/18 3:00	0.3	12/12/19 7:00	8.4	12/11/20 10:00	0.4
12/12/18 4:00	0.3	12/12/19 8:00	9.1	12/11/20 11:00	0.4
12/12/18 5:00	0.3	12/12/19 9:00	8.1	12/11/20 12:00	0.5
12/12/18 6:00	0.3	12/12/19 10:00	8.4	12/11/20 13:00	0.7
12/12/18 7:00	2.0	12/12/19 13:00	0.3	12/11/20 14:00	0.7
12/12/18 8:00	0.4	12/12/19 14:00	0.3	12/11/20 15:00	0.7
12/12/18 9:00	0.3	12/12/19 15:00	0.2	12/11/20 16:00	0.8
12/12/18 10:00	0.3	12/12/19 16:00	0.2	12/11/20 17:00	0.7
12/12/18 11:00	0.4	12/12/19 17:00	0.2	12/11/20 18:00	0.7
12/12/18 12:00	0.3	12/12/19 18:00	0.1	12/11/20 19:00	0.7
12/12/18 13:00	0.2	12/12/19 19:00	0.1	12/11/20 20:00	0.7
12/12/18 14:00	0.2	12/12/19 20:00	0.2	12/11/20 21:00	0.7
12/12/18 15:00	0.2	12/12/19 21:00	0.2	12/11/20 22:00	0.6
12/12/18 16:00	0.2	12/12/19 22:00	0.2	12/11/20 23:00	0.7
12/12/18 17:00	0.1	12/12/19 23:00	0.2	12/12/20 0:00	1.1
12/12/18 18:00	0.1	12/13/19 0:00	0.1	12/12/20 1:00	0.7
12/12/18 19:00	0.2	12/13/19 1:00	0.2	12/12/20 2:00	0.6
12/12/18 20:00	0.1	12/13/19 2:00	0.1	12/12/20 3:00	1.5
12/12/18 21:00	0.1	12/13/19 3:00	0.1	12/12/20 4:00	1.9
12/12/18 22:00	0.1	12/13/19 4:00	0.1	12/12/20 5:00	0.7
12/12/18 23:00	0.1	12/13/19 5:00	0.1	12/12/20 6:00	1.1
12/13/18 0:00	0.1	12/13/19 6:00	0.1	12/12/20 7:00	2.3
12/13/18 1:00	0.1	12/13/19 7:00	0.1	12/12/20 8:00	1.6
12/13/18 2:00	0.1	12/13/19 8:00	0.1	12/12/20 9:00	0.9
12/13/18 3:00	0.1	12/13/19 9:00	0.2	12/12/20 10:00	1.8
12/13/18 4:00	0.1	12/13/19 10:00	0.2	12/12/20 11:00	2.4
12/13/18 5:00	0.1	12/13/19 11:00	0.2	12/12/20 12:00	2.6
12/13/18 6:00	0.1	12/13/19 12:00	0.2	12/12/20 13:00	2.6
12/13/18 7:00	0.1	12/13/19 13:00	0.2	12/12/20 14:00	0.6
12/13/18 8:00	0.1	12/13/19 14:00	0.2	12/12/20 15:00	0.5
12/13/18 9:00	0.2	12/13/19 15:00	0.2	12/12/20 16:00	0.5
12/13/18 10:00	0.2	12/13/19 16:00	0.2	12/12/20 17:00	0.5
12/13/18 11:00	0.1	12/13/19 17:00	0.2	12/12/20 18:00	0.5
12/13/18 12:00	0.4	12/13/19 18:00	0.2	12/12/20 19:00	0.5
12/13/18 13:00	0.4	12/13/19 19:00	0.2	12/12/20 20:00	0.5
12/13/18 14:00	0.3	12/13/19 20:00	0.2	12/12/20 21:00	0.5
12/13/18 15:00	0.2	12/13/19 21:00	0.2	12/12/20 22:00	0.5
12/13/18 16:00	0.3	12/13/19 22:00	0.2	12/12/20 23:00	0.5
12/13/18 17:00	0.2	12/13/19 23:00	0.2	12/13/20 0:00	0.5
12/13/18 18:00	0.2	12/14/19 0:00	0.2	12/13/20 1:00	0.5
12/13/18 19:00	0.2	12/14/19 1:00	0.2	12/13/20 2:00	0.5
12/13/18 20:00	0.2	12/14/19 2:00	2.0	12/13/20 3:00	0.5
12/13/18 21:00	0.1	12/14/19 3:00	0.2	12/13/20 4:00	0.5
12/13/18 22:00	0.2	12/14/19 4:00	0.2	12/13/20 5:00	0.5

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
12/13/18 23:00	0.2	12/14/19 5:00	0.2	12/13/20 6:00	0.5
12/14/18 0:00	0.2	12/14/19 6:00	0.2	12/13/20 7:00	0.5
12/14/18 1:00	0.2	12/14/19 7:00	0.2	12/13/20 8:00	0.5
12/14/18 2:00	0.2	12/14/19 8:00	0.2	12/13/20 9:00	0.4
12/14/18 3:00	0.1	12/14/19 9:00	0.2	12/13/20 10:00	0.4
12/14/18 4:00	0.1	12/14/19 10:00	0.2	12/13/20 11:00	0.4
12/14/18 5:00	3.5	12/14/19 11:00	0.2	12/13/20 12:00	0.4
12/14/18 6:00	0.1	12/14/19 12:00	0.2	12/13/20 13:00	0.4
12/14/18 7:00	0.2	12/14/19 13:00	0.2	12/13/20 14:00	0.4
12/14/18 8:00	0.2	12/14/19 14:00	0.2	12/13/20 15:00	0.5
12/14/18 9:00	0.2	12/14/19 15:00	0.2	12/13/20 16:00	0.7
12/14/18 10:00	0.3	12/14/19 16:00	0.2	12/13/20 17:00	0.7
12/14/18 11:00	3.3	12/14/19 17:00	0.2	12/13/20 18:00	0.7
12/14/18 12:00	1.3	12/14/19 18:00	0.2	12/13/20 19:00	0.7
12/14/18 13:00	1.1	12/14/19 19:00	0.2	12/13/20 20:00	0.7
12/14/18 14:00	0.3	12/14/19 20:00	0.2	12/13/20 21:00	0.7
12/14/18 15:00	0.3	12/14/19 21:00	0.6	12/13/20 22:00	0.7
12/14/18 16:00	0.2	12/14/19 22:00	0.2	12/13/20 23:00	0.7
12/14/18 17:00	0.2	12/14/19 23:00	0.2	12/14/20 0:00	0.7
12/14/18 18:00	0.2	12/15/19 0:00	0.1	12/14/20 1:00	0.7
12/14/18 19:00	0.2	12/15/19 1:00	0.2	12/14/20 2:00	0.7
12/14/18 20:00	0.2	12/15/19 2:00	0.1	12/14/20 3:00	0.7
12/14/18 21:00	0.2	12/15/19 3:00	0.2	12/14/20 4:00	0.7
12/14/18 22:00	0.2	12/15/19 4:00	0.2	12/14/20 5:00	0.4
12/14/18 23:00	0.2	12/15/19 5:00	0.2	12/14/20 6:00	0.1
12/15/18 0:00	0.2	12/15/19 6:00	0.2	12/14/20 7:00	0.1
12/15/18 1:00	0.3	12/15/19 7:00	0.2	12/14/20 8:00	0.2
12/15/18 2:00	0.3	12/15/19 8:00	0.2	12/14/20 9:00	0.2
12/15/18 3:00	0.3	12/15/19 9:00	0.2	12/14/20 10:00	0.5
12/15/18 4:00	0.2	12/15/19 10:00	0.2	12/14/20 11:00	0.6
12/15/18 5:00	0.2	12/15/19 11:00	0.1	12/14/20 12:00	0.5
12/15/18 6:00	0.2	12/15/19 12:00	0.2	12/14/20 13:00	0.6
12/15/18 7:00	0.3	12/15/19 13:00	0.1	12/14/20 14:00	0.6
12/15/18 8:00	0.2	12/15/19 14:00	0.1	12/14/20 15:00	0.5
12/15/18 9:00	0.3	12/15/19 15:00	0.1	12/14/20 16:00	0.7
12/15/18 10:00	0.2	12/15/19 16:00	0.2	12/14/20 17:00	0.7
12/15/18 11:00	0.2	12/15/19 17:00	0.1	12/14/20 18:00	0.6
12/15/18 12:00	0.3	12/15/19 18:00	0.1	12/14/20 19:00	0.7
12/15/18 13:00	0.2	12/15/19 19:00	0.1	12/14/20 20:00	0.8
12/15/18 14:00	0.2	12/15/19 20:00	0.1	12/14/20 21:00	0.7
12/15/18 15:00	0.2	12/15/19 21:00	0.1	12/14/20 22:00	0.7
12/15/18 16:00	0.2	12/15/19 22:00	0.1	12/14/20 23:00	0.8
12/15/18 17:00	0.1	12/15/19 23:00	0.2	12/15/20 0:00	0.8
12/15/18 18:00	0.1	12/16/19 0:00	0.2	12/15/20 1:00	0.7
12/15/18 19:00	0.2	12/16/19 1:00	0.2	12/15/20 2:00	0.7
12/15/18 20:00	0.2	12/16/19 2:00	0.2	12/15/20 3:00	0.7

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
12/15/18 21:00	0.2	12/16/19 3:00	0.2	12/15/20 4:00	0.7
12/15/18 22:00	0.2	12/16/19 4:00	0.2	12/15/20 7:00	0.7
12/15/18 23:00	0.2	12/16/19 5:00	0.2	12/15/20 9:00	0.6
12/16/18 0:00	0.2	12/16/19 6:00	0.2	12/15/20 10:00	0.9
12/16/18 1:00	0.3	12/16/19 7:00	0.2	12/15/20 11:00	0.5
12/16/18 2:00	0.2	12/16/19 8:00	0.2	12/15/20 12:00	0.6
12/16/18 3:00	2.8	12/16/19 9:00	0.2	12/15/20 13:00	0.7
12/16/18 4:00	0.2	12/16/19 10:00	0.3	12/15/20 14:00	0.6
12/16/18 5:00	0.2	12/16/19 11:00	3.6	12/15/20 15:00	0.5
12/16/18 6:00	0.2	12/16/19 12:00	0.3	12/15/20 16:00	0.5
12/16/18 7:00	0.2	12/16/19 13:00	0.3	12/15/20 17:00	0.5
12/16/18 8:00	2.1	12/16/19 14:00	0.3	12/15/20 18:00	0.5
12/16/18 9:00	0.2	12/16/19 15:00	0.3	12/15/20 19:00	0.5
12/16/18 10:00	0.3	12/16/19 16:00	0.3	12/15/20 20:00	0.5
12/16/18 11:00	0.2	12/16/19 17:00	0.3	12/15/20 21:00	0.5
12/16/18 12:00	0.1	12/16/19 18:00	0.3	12/15/20 22:00	0.5
12/16/18 13:00	0.1	12/16/19 19:00	0.3	12/15/20 23:00	0.5
12/16/18 14:00	0.1	12/16/19 20:00	0.3	12/16/20 0:00	0.5
12/16/18 15:00	1.7	12/16/19 21:00	0.3	12/16/20 1:00	0.4
12/16/18 16:00	0.4	12/16/19 22:00	0.3	12/16/20 2:00	0.4
12/16/18 17:00	2.8	12/16/19 23:00	0.2	12/16/20 3:00	0.4
12/16/18 18:00	4.8	12/17/19 0:00	0.2	12/16/20 4:00	0.3
12/16/18 19:00	1.7	12/17/19 1:00	0.3	12/16/20 5:00	0.3
12/16/18 20:00	2.8	12/17/19 2:00	0.3	12/16/20 6:00	0.2
12/16/18 21:00	2.6	12/17/19 3:00	0.3	12/16/20 7:00	0.3
12/16/18 22:00	1.1	12/17/19 4:00	0.3	12/16/20 8:00	0.4
12/16/18 23:00	6.3	12/17/19 5:00	0.3	12/16/20 9:00	0.3
12/17/18 0:00	3.7	12/17/19 6:00	0.3	12/16/20 10:00	0.4
12/17/18 1:00	1.1	12/17/19 7:00	0.3	12/16/20 11:00	0.3
12/17/18 2:00	0.7	12/17/19 8:00	0.3	12/16/20 12:00	0.2
12/17/18 3:00	0.9	12/17/19 9:00	0.3	12/16/20 13:00	0.2
12/17/18 4:00	1.1	12/17/19 10:00	0.3	12/16/20 14:00	0.2
12/17/18 5:00	0.7	12/17/19 11:00	0.1	12/16/20 15:00	0.3
12/17/18 6:00	0.6	12/17/19 12:00	0.2	12/16/20 16:00	0.3
12/17/18 7:00	0.7	12/17/19 13:00	0.3	12/16/20 17:00	0.4
12/17/18 8:00	3.6	12/17/19 14:00	0.3	12/16/20 18:00	0.4
12/17/18 9:00	1.0	12/17/19 15:00	0.2	12/16/20 19:00	0.3
12/17/18 10:00	2.5	12/17/19 16:00	0.2	12/16/20 20:00	0.4
12/17/18 11:00	6.8	12/17/19 17:00	0.2	12/16/20 21:00	0.3
12/17/18 12:00	3.1	12/17/19 18:00	0.2	12/16/20 22:00	0.3
12/17/18 13:00	4.4	12/17/19 19:00	0.2	12/16/20 23:00	0.4
12/17/18 14:00	1.0	12/17/19 20:00	0.2	12/17/20 0:00	0.4
12/17/18 15:00	1.2	12/17/19 21:00	0.2	12/17/20 1:00	0.4
12/17/18 16:00	0.8	12/17/19 22:00	0.2	12/17/20 2:00	0.4
12/17/18 17:00	0.9	12/17/19 23:00	0.2	12/17/20 3:00	0.4
12/17/18 18:00	0.7	12/18/19 0:00	0.2	12/17/20 4:00	0.3

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
12/17/18 19:00	0.2	12/18/19 1:00	0.2	12/17/20 5:00	0.3
12/17/18 20:00	0.3	12/18/19 2:00	0.1	12/17/20 6:00	0.3
12/17/18 21:00	0.3	12/18/19 3:00	0.2	12/17/20 7:00	0.3
12/17/18 22:00	0.2	12/18/19 4:00	0.2	12/17/20 8:00	0.4
12/17/18 23:00	0.2	12/18/19 5:00	0.2	12/17/20 9:00	0.3
12/18/18 0:00	0.2	12/18/19 6:00	0.2	12/17/20 10:00	0.5
12/18/18 1:00	0.2	12/18/19 7:00	0.2	12/17/20 11:00	0.7
12/18/18 2:00	0.2	12/18/19 8:00	0.2	12/17/20 12:00	0.5
12/18/18 3:00	0.2	12/18/19 9:00	0.2	12/17/20 13:00	1.1
12/18/18 4:00	0.2	12/18/19 10:00	0.2	12/17/20 14:00	1.4
12/18/18 5:00	0.2	12/18/19 11:00	0.2	12/17/20 15:00	2.1
12/18/18 6:00	0.2	12/18/19 12:00	0.2	12/17/20 16:00	0.6
12/18/18 7:00	0.2	12/18/19 13:00	0.2	12/17/20 17:00	0.6
12/18/18 8:00	0.2	12/18/19 14:00	0.2	12/17/20 18:00	0.6
12/18/18 9:00	0.2	12/18/19 15:00	0.2	12/17/20 19:00	0.6
12/18/18 10:00	0.2	12/18/19 16:00	0.2	12/17/20 20:00	0.5
12/18/18 11:00	0.3	12/18/19 17:00	0.2	12/17/20 21:00	0.5
12/18/18 12:00	0.2	12/18/19 18:00	0.1	12/17/20 22:00	0.5
12/18/18 13:00	0.2	12/18/19 19:00	0.2	12/17/20 23:00	0.5
12/18/18 14:00	0.2	12/18/19 20:00	0.2	12/18/20 0:00	0.5
12/18/18 15:00	0.2	12/18/19 21:00	0.1	12/18/20 1:00	0.5
12/18/18 16:00	0.2	12/18/19 22:00	0.1	12/18/20 2:00	0.6
12/18/18 17:00	0.2	12/18/19 23:00	0.2	12/18/20 3:00	0.6
12/18/18 18:00	0.2	12/19/19 0:00	0.2	12/18/20 4:00	0.6
12/18/18 19:00	0.2	12/19/19 1:00	0.2	12/18/20 5:00	0.6
12/18/18 20:00	0.2	12/19/19 2:00	0.2	12/18/20 6:00	0.6
12/18/18 21:00	0.2	12/19/19 3:00	0.2	12/18/20 7:00	0.6
12/18/18 22:00	0.3	12/19/19 4:00	0.2	12/18/20 8:00	0.4
12/18/18 23:00	0.2	12/19/19 5:00	0.2	12/18/20 9:00	0.4
12/19/18 0:00	3.1	12/19/19 6:00	0.1	12/18/20 10:00	0.5
12/19/18 1:00	0.2	12/19/19 7:00	0.2	12/18/20 11:00	0.4
12/19/18 2:00	0.2	12/19/19 8:00	0.1	12/18/20 12:00	0.4
12/19/18 3:00	0.2	12/19/19 9:00	0.1	12/18/20 13:00	0.3
12/19/18 4:00	0.2	12/19/19 10:00	0.1	12/18/20 14:00	0.3
12/19/18 5:00	0.2	12/19/19 11:00	0.2	12/18/20 15:00	0.3
12/19/18 6:00	0.1	12/19/19 12:00	0.2	12/18/20 16:00	0.3
12/19/18 7:00	0.1	12/19/19 13:00	0.2	12/18/20 17:00	0.2
12/19/18 8:00	0.2	12/19/19 14:00	0.2	12/18/20 18:00	0.2
12/19/18 9:00	0.2	12/19/19 15:00	0.2	12/18/20 19:00	0.2
12/19/18 10:00	0.3	12/19/19 16:00	0.2	12/18/20 20:00	0.2
12/19/18 11:00	0.2	12/19/19 17:00	0.1	12/18/20 21:00	0.2
12/19/18 12:00	0.2	12/19/19 18:00	0.2	12/18/20 22:00	0.2
12/19/18 13:00	0.2	12/19/19 19:00	0.2	12/18/20 23:00	0.2
12/19/18 14:00	0.2	12/19/19 20:00	0.2	12/19/20 0:00	0.2
12/19/18 15:00	0.2	12/19/19 21:00	0.2	12/19/20 1:00	0.2
12/19/18 16:00	0.3	12/19/19 22:00	0.2	12/19/20 2:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
12/19/18 17:00	0.1	12/19/19 23:00	0.2	12/19/20 3:00	0.2
12/19/18 18:00	0.1	12/20/19 0:00	0.2	12/19/20 4:00	0.2
12/19/18 19:00	2.9	12/20/19 1:00	0.2	12/19/20 5:00	0.2
12/19/18 20:00	1.5	12/20/19 2:00	0.2	12/19/20 6:00	0.2
12/19/18 21:00	2.1	12/20/19 3:00	0.2	12/19/20 7:00	0.2
12/19/18 22:00	2.1	12/20/19 4:00	0.2	12/19/20 8:00	0.2
12/19/18 23:00	0.6	12/20/19 5:00	0.1	12/19/20 9:00	0.2
12/20/18 0:00	1.4	12/20/19 6:00	0.1	12/19/20 10:00	0.2
12/20/18 1:00	1.2	12/20/19 7:00	0.1	12/19/20 11:00	0.2
12/20/18 2:00	1.5	12/20/19 8:00	0.1	12/19/20 12:00	0.2
12/20/18 3:00	0.5	12/20/19 9:00	0.1	12/19/20 13:00	0.2
12/20/18 4:00	0.6	12/20/19 10:00	0.1	12/19/20 14:00	0.2
12/20/18 5:00	0.2	12/20/19 11:00	0.1	12/19/20 15:00	0.2
12/20/18 6:00	0.2	12/20/19 12:00	0.1	12/19/20 16:00	0.2
12/20/18 7:00	0.3	12/20/19 13:00	0.1	12/19/20 17:00	0.2
12/20/18 8:00	0.2	12/20/19 14:00	0.1	12/19/20 18:00	0.2
12/20/18 9:00	0.2	12/20/19 15:00	0.1	12/19/20 19:00	0.2
12/20/18 10:00	0.4	12/20/19 16:00	0.1	12/19/20 20:00	0.2
12/20/18 11:00	3.1	12/20/19 17:00	0.1	12/19/20 21:00	0.2
12/20/18 12:00	0.3	12/20/19 18:00	0.1	12/19/20 22:00	0.2
12/20/18 13:00	0.3	12/20/19 19:00	0.1	12/19/20 23:00	0.2
12/20/18 14:00	0.4	12/20/19 20:00	0.1	12/20/20 0:00	0.2
12/20/18 15:00	0.3	12/20/19 21:00	0.1	12/20/20 1:00	0.2
12/20/18 16:00	0.3	12/20/19 22:00	0.1	12/20/20 2:00	0.2
12/20/18 17:00	0.2	12/20/19 23:00	0.1	12/20/20 3:00	0.2
12/20/18 18:00	0.2	12/21/19 0:00	0.1	12/20/20 4:00	0.2
12/20/18 19:00	0.4	12/21/19 1:00	0.1	12/20/20 5:00	0.2
12/20/18 20:00	0.3	12/21/19 2:00	0.1	12/20/20 6:00	0.2
12/20/18 21:00	0.2	12/21/19 3:00	0.1	12/20/20 7:00	0.2
12/20/18 22:00	0.7	12/21/19 4:00	0.1	12/20/20 8:00	0.2
12/20/18 23:00	0.4	12/21/19 5:00	0.1	12/20/20 9:00	0.2
12/21/18 0:00	0.2	12/21/19 6:00	0.1	12/20/20 10:00	0.2
12/21/18 1:00	1.8	12/21/19 7:00	0.1	12/20/20 11:00	0.2
12/21/18 2:00	1.8	12/21/19 8:00	0.2	12/20/20 12:00	0.2
12/21/18 3:00	0.2	12/21/19 9:00	0.2	12/20/20 13:00	0.2
12/21/18 4:00	4.0	12/21/19 10:00	0.1	12/20/20 14:00	0.2
12/21/18 5:00	2.0	12/21/19 11:00	0.1	12/20/20 15:00	0.2
12/21/18 6:00	0.2	12/21/19 12:00	0.1	12/20/20 16:00	0.2
12/21/18 7:00	0.2	12/21/19 13:00	0.2	12/20/20 17:00	0.2
12/21/18 8:00	0.2	12/21/19 14:00	0.1	12/20/20 18:00	0.2
12/21/18 9:00	0.3	12/21/19 15:00	0.1	12/20/20 19:00	0.2
12/21/18 10:00	3.4	12/21/19 16:00	0.1	12/20/20 20:00	0.2
12/21/18 11:00	0.2	12/21/19 17:00	0.1	12/20/20 21:00	0.2
12/21/18 12:00	0.3	12/21/19 18:00	0.1	12/20/20 22:00	0.2
12/21/18 13:00	0.3	12/21/19 19:00	0.1	12/20/20 23:00	0.2
12/21/18 14:00	5.7	12/21/19 20:00	0.1	12/21/20 0:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
12/21/18 15:00	2.1	12/21/19 21:00	0.2	12/21/20 1:00	0.2
12/21/18 16:00	0.5	12/21/19 22:00	0.2	12/21/20 2:00	0.3
12/21/18 17:00	0.5	12/21/19 23:00	0.2	12/21/20 3:00	0.3
12/21/18 18:00	0.3	12/22/19 0:00	0.2	12/21/20 4:00	0.3
12/21/18 19:00	0.3	12/22/19 1:00	0.2	12/21/20 5:00	0.2
12/21/18 20:00	0.4	12/22/19 2:00	0.2	12/21/20 6:00	0.2
12/21/18 21:00	0.4	12/22/19 3:00	0.3	12/21/20 7:00	0.2
12/21/18 22:00	0.3	12/22/19 4:00	0.3	12/21/20 8:00	0.3
12/21/18 23:00	6.8	12/22/19 5:00	0.3	12/21/20 9:00	0.2
12/22/18 0:00	8.2	12/22/19 6:00	0.3	12/21/20 10:00	0.2
12/22/18 1:00	3.6	12/22/19 7:00	0.3	12/21/20 11:00	0.2
12/22/18 2:00	5.5	12/22/19 8:00	0.3	12/21/20 12:00	0.2
12/22/18 3:00	11.1	12/22/19 9:00	0.3	12/21/20 13:00	0.1
12/22/18 4:00	0.4	12/22/19 10:00	0.3	12/21/20 14:00	0.2
12/22/18 5:00	0.4	12/22/19 11:00	0.3	12/21/20 15:00	0.2
12/22/18 6:00	0.3	12/22/19 12:00	0.2	12/21/20 16:00	0.2
12/22/18 7:00	0.3	12/22/19 13:00	0.2	12/21/20 17:00	0.2
12/22/18 8:00	0.3	12/22/19 14:00	0.3	12/21/20 18:00	0.2
12/22/18 9:00	0.4	12/22/19 15:00	0.2	12/21/20 19:00	0.2
12/22/18 10:00	0.3	12/22/19 16:00	0.2	12/21/20 20:00	0.2
12/22/18 11:00	0.2	12/22/19 17:00	0.2	12/21/20 21:00	0.2
12/22/18 12:00	0.4	12/22/19 18:00	0.1	12/21/20 22:00	0.2
12/22/18 13:00	0.2	12/22/19 19:00	0.2	12/21/20 23:00	0.2
12/22/18 14:00	0.2	12/22/19 20:00	0.2	12/22/20 0:00	0.2
12/22/18 15:00	0.2	12/22/19 21:00	0.2	12/22/20 1:00	0.2
12/22/18 16:00	0.2	12/22/19 22:00	0.2	12/22/20 2:00	0.2
12/22/18 17:00	0.3	12/22/19 23:00	0.2	12/22/20 3:00	0.2
12/22/18 18:00	0.1	12/23/19 0:00	0.2	12/22/20 4:00	0.2
12/22/18 19:00	0.2	12/23/19 1:00	0.2	12/22/20 5:00	0.2
12/22/18 20:00	0.2	12/23/19 2:00	0.2	12/22/20 6:00	0.2
12/22/18 21:00	0.2	12/23/19 3:00	0.2	12/22/20 7:00	0.3
12/22/18 22:00	0.2	12/23/19 4:00	0.2	12/22/20 8:00	0.3
12/22/18 23:00	0.2	12/23/19 5:00	0.1	12/22/20 9:00	0.2
12/23/18 0:00	0.2	12/23/19 6:00	0.1	12/22/20 10:00	0.4
12/23/18 1:00	0.2	12/23/19 7:00	0.2	12/22/20 11:00	0.2
12/23/18 2:00	0.2	12/23/19 8:00	0.2	12/22/20 12:00	0.2
12/23/18 3:00	0.2	12/23/19 9:00	0.2	12/22/20 13:00	0.2
12/23/18 4:00	0.4	12/23/19 10:00	0.2	12/22/20 14:00	0.2
12/23/18 5:00	0.3	12/23/19 11:00	1.2	12/22/20 15:00	0.2
12/23/18 6:00	0.2	12/23/19 12:00	0.2	12/22/20 16:00	0.2
12/23/18 7:00	0.3	12/23/19 13:00	0.2	12/22/20 17:00	0.2
12/23/18 8:00	0.2	12/23/19 14:00	0.2	12/22/20 18:00	0.2
12/23/18 9:00	0.2	12/23/19 15:00	0.2	12/22/20 19:00	0.2
12/23/18 10:00	0.2	12/23/19 16:00	0.2	12/22/20 20:00	0.2
12/23/18 11:00	0.3	12/23/19 17:00	0.2	12/22/20 21:00	0.2
12/23/18 12:00	0.2	12/23/19 18:00	0.1	12/22/20 22:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
12/23/18 13:00	0.1	12/23/19 19:00	0.2	12/22/20 23:00	0.2
12/23/18 14:00	0.2	12/23/19 20:00	0.1	12/23/20 0:00	0.2
12/23/18 15:00	0.4	12/23/19 21:00	0.1	12/23/20 1:00	0.2
12/23/18 16:00	0.4	12/23/19 22:00	0.1	12/23/20 2:00	0.2
12/23/18 17:00	0.4	12/23/19 23:00	0.1	12/23/20 3:00	0.2
12/23/18 18:00	0.3	12/24/19 0:00	0.2	12/23/20 4:00	0.2
12/23/18 19:00	0.3	12/24/19 1:00	0.2	12/23/20 5:00	0.2
12/23/18 20:00	0.4	12/24/19 2:00	0.2	12/23/20 6:00	0.2
12/23/18 21:00	0.4	12/24/19 3:00	0.1	12/23/20 7:00	0.2
12/23/18 22:00	0.3	12/24/19 4:00	0.1	12/23/20 8:00	0.2
12/23/18 23:00	0.2	12/24/19 5:00	0.2	12/23/20 9:00	0.2
12/24/18 0:00	0.4	12/24/19 6:00	0.1	12/23/20 10:00	0.2
12/24/18 1:00	0.4	12/24/19 7:00	0.1	12/23/20 11:00	0.2
12/24/18 2:00	0.3	12/24/19 8:00	0.2	12/23/20 12:00	0.2
12/24/18 3:00	0.3	12/24/19 9:00	0.1	12/23/20 13:00	0.2
12/24/18 4:00	0.4	12/24/19 10:00	0.1	12/23/20 14:00	0.2
12/24/18 5:00	0.3	12/24/19 11:00	0.2	12/23/20 15:00	0.2
12/24/18 6:00	0.3	12/24/19 12:00	0.2	12/23/20 16:00	0.2
12/24/18 7:00	0.3	12/24/19 13:00	0.2	12/23/20 17:00	0.2
12/24/18 8:00	0.3	12/24/19 14:00	0.1	12/23/20 18:00	0.2
12/24/18 9:00	0.4	12/24/19 15:00	0.2	12/23/20 19:00	0.2
12/24/18 10:00	0.3	12/24/19 16:00	0.2	12/23/20 20:00	0.2
12/24/18 11:00	0.4	12/24/19 17:00	0.2	12/23/20 21:00	0.2
12/24/18 12:00	0.5	12/24/19 18:00	0.1	12/23/20 22:00	0.2
12/24/18 13:00	0.6	12/24/19 19:00	0.2	12/23/20 23:00	0.2
12/24/18 14:00	0.3	12/24/19 20:00	0.1	12/24/20 0:00	0.2
12/24/18 15:00	0.3	12/24/19 21:00	0.2	12/24/20 1:00	0.2
12/24/18 16:00	0.3	12/24/19 22:00	0.2	12/24/20 2:00	0.2
12/24/18 17:00	0.5	12/24/19 23:00	0.2	12/24/20 3:00	0.2
12/24/18 18:00	0.3	12/25/19 0:00	0.3	12/24/20 4:00	0.2
12/24/18 19:00	0.4	12/25/19 1:00	0.3	12/24/20 5:00	0.2
12/24/18 20:00	0.4	12/25/19 2:00	0.2	12/24/20 6:00	0.2
12/24/18 21:00	0.3	12/25/19 3:00	0.2	12/24/20 7:00	0.2
12/24/18 22:00	3.1	12/25/19 4:00	0.2	12/24/20 8:00	0.2
12/24/18 23:00	0.9	12/25/19 5:00	0.2	12/24/20 9:00	0.2
12/25/18 0:00	0.2	12/25/19 6:00	0.2	12/24/20 10:00	0.2
12/25/18 1:00	0.2	12/25/19 7:00	0.3	12/24/20 11:00	0.2
12/25/18 2:00	0.2	12/25/19 8:00	0.2	12/24/20 12:00	0.3
12/25/18 3:00	0.2	12/25/19 9:00	0.2	12/24/20 13:00	0.2
12/25/18 4:00	0.2	12/25/19 10:00	0.3	12/24/20 14:00	0.9
12/25/18 5:00	0.3	12/25/19 11:00	0.2	12/24/20 15:00	1.7
12/25/18 6:00	0.4	12/25/19 12:00	0.2	12/24/20 16:00	0.3
12/25/18 7:00	0.3	12/25/19 13:00	0.2	12/24/20 17:00	0.2
12/25/18 8:00	0.3	12/25/19 14:00	0.2	12/24/20 18:00	0.2
12/25/18 9:00	0.3	12/25/19 15:00	0.2	12/24/20 19:00	0.2
12/25/18 10:00	0.2	12/25/19 16:00	0.3	12/24/20 20:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
12/25/18 11:00	0.4	12/25/19 17:00	0.2	12/24/20 21:00	0.2
12/25/18 12:00	0.7	12/25/19 18:00	0.2	12/24/20 22:00	0.2
12/25/18 13:00	0.3	12/25/19 19:00	0.2	12/24/20 23:00	0.2
12/25/18 14:00	0.3	12/25/19 20:00	0.2	12/25/20 0:00	0.2
12/25/18 15:00	0.3	12/25/19 21:00	0.2	12/25/20 1:00	0.3
12/25/18 16:00	0.4	12/25/19 22:00	0.2	12/25/20 2:00	0.2
12/25/18 17:00	0.3	12/25/19 23:00	0.2	12/25/20 3:00	0.3
12/25/18 18:00	0.4	12/26/19 0:00	0.2	12/25/20 4:00	0.3
12/25/18 19:00	0.2	12/26/19 1:00	0.2	12/25/20 5:00	0.2
12/25/18 20:00	0.3	12/26/19 2:00	0.2	12/25/20 6:00	0.2
12/25/18 21:00	0.6	12/26/19 3:00	0.1	12/25/20 7:00	0.3
12/25/18 22:00	0.5	12/26/19 4:00	0.1	12/25/20 8:00	0.2
12/25/18 23:00	0.3	12/26/19 5:00	0.1	12/25/20 9:00	0.2
12/26/18 0:00	0.3	12/26/19 6:00	0.1	12/25/20 10:00	0.2
12/26/18 1:00	0.3	12/26/19 7:00	0.2	12/25/20 11:00	0.2
12/26/18 2:00	0.3	12/26/19 8:00	0.1	12/25/20 12:00	0.2
12/26/18 3:00	0.5	12/26/19 9:00	0.1	12/25/20 13:00	0.2
12/26/18 4:00	0.3	12/26/19 10:00	0.1	12/25/20 14:00	0.2
12/26/18 5:00	0.3	12/26/19 11:00	0.0	12/25/20 15:00	0.2
12/26/18 6:00	0.2	12/26/19 12:00	0.1	12/25/20 16:00	0.2
12/26/18 7:00	0.2	12/26/19 13:00	0.1	12/25/20 17:00	0.2
12/26/18 8:00	0.3	12/26/19 14:00	0.2	12/25/20 18:00	0.2
12/26/18 9:00	0.2	12/26/19 15:00	0.2	12/25/20 19:00	0.2
12/26/18 10:00	0.3	12/26/19 16:00	0.2	12/25/20 20:00	0.2
12/26/18 11:00	0.3	12/26/19 17:00	0.2	12/25/20 21:00	0.2
12/26/18 12:00	0.3	12/26/19 18:00	0.2	12/25/20 22:00	0.2
12/26/18 13:00	0.3	12/26/19 19:00	0.2	12/25/20 23:00	0.2
12/26/18 14:00	0.3	12/26/19 20:00	0.2	12/26/20 0:00	0.2
12/26/18 15:00	0.2	12/26/19 21:00	0.2	12/26/20 1:00	0.2
12/26/18 16:00	0.2	12/26/19 22:00	0.1	12/26/20 2:00	0.2
12/26/18 17:00	0.2	12/26/19 23:00	0.1	12/26/20 3:00	0.2
12/26/18 18:00	0.2	12/27/19 0:00	0.1	12/26/20 4:00	0.1
12/26/18 19:00	0.2	12/27/19 1:00	0.1	12/26/20 5:00	0.2
12/26/18 20:00	0.2	12/27/19 2:00	0.1	12/26/20 6:00	0.2
12/26/18 21:00	0.2	12/27/19 3:00	0.1	12/26/20 7:00	0.2
12/26/18 22:00	0.2	12/27/19 4:00	0.1	12/26/20 8:00	0.2
12/26/18 23:00	0.2	12/27/19 5:00	0.1	12/26/20 9:00	0.2
12/27/18 0:00	0.2	12/27/19 6:00	0.1	12/26/20 10:00	0.2
12/27/18 1:00	0.2	12/27/19 7:00	0.1	12/26/20 11:00	0.2
12/27/18 2:00	0.3	12/27/19 8:00	0.1	12/26/20 12:00	0.2
12/27/18 3:00	0.2	12/27/19 9:00	0.1	12/26/20 13:00	0.3
12/27/18 4:00	0.2	12/27/19 10:00	0.2	12/26/20 14:00	0.3
12/27/18 5:00	0.2	12/27/19 11:00	0.1	12/26/20 15:00	0.2
12/27/18 6:00	0.2	12/27/19 12:00	0.1	12/26/20 16:00	0.2
12/27/18 7:00	0.2	12/27/19 13:00	0.2	12/26/20 17:00	0.2
12/27/18 8:00	0.2	12/27/19 14:00	0.2	12/26/20 18:00	0.2

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
12/27/18 9:00	0.3	12/27/19 15:00	0.2	12/26/20 19:00	0.2
12/27/18 10:00	0.2	12/27/19 16:00	0.1	12/26/20 20:00	0.2
12/27/18 11:00	0.1	12/27/19 17:00	0.2	12/26/20 21:00	0.2
12/27/18 12:00	0.1	12/27/19 18:00	0.1	12/26/20 22:00	0.2
12/27/18 13:00	0.2	12/27/19 19:00	0.2	12/26/20 23:00	0.2
12/27/18 14:00	0.2	12/27/19 20:00	0.2	12/27/20 0:00	0.2
12/27/18 15:00	0.1	12/27/19 21:00	0.1	12/27/20 1:00	0.2
12/27/18 16:00	0.1	12/27/19 22:00	0.1	12/27/20 2:00	0.2
12/27/18 17:00	0.1	12/27/19 23:00	0.1	12/27/20 3:00	0.2
12/27/18 18:00	0.1	12/28/19 0:00	0.1	12/27/20 4:00	0.2
12/27/18 19:00	0.1	12/28/19 1:00	0.1	12/27/20 5:00	0.2
12/27/18 20:00	0.1	12/28/19 2:00	0.1	12/27/20 6:00	0.2
12/27/18 21:00	0.2	12/28/19 3:00	0.1	12/27/20 7:00	0.2
12/27/18 22:00	0.1	12/28/19 4:00	0.1	12/27/20 8:00	0.2
12/27/18 23:00	0.1	12/28/19 5:00	0.1	12/27/20 9:00	0.2
12/28/18 0:00	0.1	12/28/19 6:00	0.1	12/27/20 10:00	0.2
12/28/18 1:00	0.1	12/28/19 7:00	0.1	12/27/20 11:00	0.2
12/28/18 2:00	0.1	12/28/19 8:00	0.1	12/27/20 12:00	0.2
12/28/18 3:00	0.1	12/28/19 9:00	0.1	12/27/20 13:00	0.2
12/28/18 4:00	0.1	12/28/19 10:00	0.1	12/27/20 14:00	0.2
12/28/18 5:00	0.1	12/28/19 11:00	0.2	12/27/20 15:00	0.2
12/28/18 6:00	0.1	12/28/19 12:00	0.2	12/27/20 16:00	0.2
12/28/18 7:00	0.2	12/28/19 13:00	0.2	12/27/20 17:00	0.2
12/28/18 8:00	0.2	12/28/19 14:00	0.2	12/27/20 18:00	0.2
12/28/18 9:00	1.3	12/28/19 15:00	0.2	12/27/20 19:00	0.2
12/28/18 10:00	0.2	12/28/19 16:00	0.2	12/27/20 20:00	0.2
12/28/18 11:00	0.2	12/28/19 17:00	0.2	12/27/20 21:00	0.2
12/28/18 12:00	0.2	12/28/19 18:00	0.2	12/27/20 22:00	0.2
12/28/18 13:00	0.1	12/28/19 19:00	0.2	12/27/20 23:00	0.3
12/28/18 14:00	0.1	12/28/19 20:00	0.2	12/28/20 0:00	0.2
12/28/18 15:00	0.1	12/28/19 21:00	0.2	12/28/20 1:00	0.3
12/28/18 16:00	0.1	12/28/19 22:00	0.2	12/28/20 2:00	0.2
12/28/18 17:00	0.1	12/28/19 23:00	0.1	12/28/20 3:00	0.2
12/28/18 18:00	0.1	12/29/19 0:00	0.2	12/28/20 4:00	0.2
12/28/18 19:00	0.1	12/29/19 1:00	0.2	12/28/20 5:00	0.2
12/28/18 20:00	0.2	12/29/19 2:00	0.2	12/28/20 6:00	0.2
12/28/18 21:00	0.1	12/29/19 3:00	0.2	12/28/20 7:00	0.3
12/28/18 22:00	0.1	12/29/19 4:00	0.2	12/28/20 8:00	0.2
12/28/18 23:00	0.2	12/29/19 5:00	0.2	12/28/20 9:00	0.2
12/29/18 0:00	0.2	12/29/19 6:00	0.2	12/28/20 10:00	0.2
12/29/18 1:00	0.2	12/29/19 7:00	0.2	12/28/20 11:00	0.2
12/29/18 2:00	0.2	12/29/19 8:00	0.2	12/28/20 12:00	0.2
12/29/18 3:00	0.2	12/29/19 9:00	0.2	12/28/20 13:00	0.3
12/29/18 4:00	0.2	12/29/19 10:00	0.2	12/28/20 14:00	0.3
12/29/18 5:00	0.1	12/29/19 11:00	0.2	12/28/20 15:00	0.3
12/29/18 6:00	0.1	12/29/19 12:00	0.2	12/28/20 16:00	0.3

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
12/29/18 7:00	0.1	12/29/19 13:00	0.2	12/28/20 17:00	0.3
12/29/18 8:00	0.1	12/29/19 14:00	0.2	12/28/20 18:00	0.2
12/29/18 9:00	0.1	12/29/19 15:00	0.2	12/28/20 19:00	0.3
12/29/18 10:00	0.1	12/29/19 16:00	0.2	12/28/20 20:00	0.3
12/29/18 11:00	0.1	12/29/19 17:00	0.2	12/28/20 21:00	0.3
12/29/18 12:00	0.1	12/29/19 18:00	0.1	12/28/20 22:00	0.3
12/29/18 13:00	0.1	12/29/19 19:00	0.1	12/28/20 23:00	0.3
12/29/18 14:00	0.1	12/29/19 20:00	0.1	12/29/20 0:00	0.4
12/29/18 15:00	0.1	12/29/19 21:00	0.1	12/29/20 1:00	0.4
12/29/18 16:00	0.1	12/29/19 22:00	0.1	12/29/20 2:00	0.4
12/29/18 17:00	0.1	12/29/19 23:00	0.1	12/29/20 3:00	0.4
12/29/18 18:00	0.1	12/30/19 0:00	0.1	12/29/20 4:00	0.4
12/29/18 19:00	0.1	12/30/19 1:00	0.1	12/29/20 5:00	0.4
12/29/18 20:00	0.1	12/30/19 2:00	0.1	12/29/20 6:00	0.5
12/29/18 21:00	0.1	12/30/19 3:00	0.1	12/29/20 7:00	0.5
12/29/18 22:00	0.1	12/30/19 4:00	0.1	12/29/20 8:00	0.5
12/29/18 23:00	0.0	12/30/19 5:00	0.1	12/29/20 9:00	0.5
12/30/18 0:00	0.1	12/30/19 6:00	0.1	12/29/20 10:00	0.5
12/30/18 1:00	0.1	12/30/19 7:00	0.1	12/29/20 17:00	0.5
12/30/18 2:00	0.1	12/30/19 8:00	0.1	12/29/20 18:00	0.4
12/30/18 3:00	0.1	12/30/19 9:00	0.1	12/29/20 19:00	0.4
12/30/18 4:00	0.1	12/30/19 10:00	0.1	12/29/20 20:00	0.4
12/30/18 5:00	0.1	12/30/19 11:00	0.1	12/29/20 21:00	0.4
12/30/18 6:00	0.1	12/30/19 12:00	0.2	12/29/20 22:00	3.3
12/30/18 7:00	0.1	12/30/19 13:00	0.2	12/29/20 23:00	1.2
12/30/18 8:00	0.1	12/30/19 14:00	0.2	12/30/20 0:00	0.5
12/30/18 9:00	0.1	12/30/19 15:00	0.2	12/30/20 1:00	0.5
12/30/18 10:00	0.1	12/30/19 16:00	0.2	12/30/20 2:00	0.5
12/30/18 11:00	0.1	12/30/19 17:00	0.2	12/30/20 3:00	0.4
12/30/18 12:00	0.1	12/30/19 18:00	0.2	12/30/20 4:00	0.5
12/30/18 13:00	0.1	12/30/19 19:00	0.2	12/30/20 5:00	0.4
12/30/18 14:00	0.1	12/30/19 20:00	0.2	12/30/20 6:00	0.4
12/30/18 15:00	0.1	12/30/19 21:00	0.2	12/30/20 7:00	0.5
12/30/18 16:00	0.1	12/30/19 22:00	0.2	12/30/20 8:00	0.6
12/30/18 17:00	0.1	12/30/19 23:00	0.2	12/30/20 9:00	0.5
12/30/18 18:00	0.1	12/31/19 0:00	0.2	12/30/20 10:00	0.5
12/30/18 19:00	0.1	12/31/19 1:00	0.2	12/30/20 11:00	0.8
12/30/18 20:00	0.1	12/31/19 2:00	0.2	12/30/20 12:00	0.6
12/30/18 21:00	0.1	12/31/19 3:00	0.2	12/30/20 13:00	0.5
12/30/18 22:00	0.1	12/31/19 4:00	0.2	12/30/20 14:00	0.5
12/30/18 23:00	0.1	12/31/19 5:00	0.2	12/30/20 15:00	0.5
12/31/18 0:00	0.1	12/31/19 6:00	0.2	12/30/20 16:00	0.5
12/31/18 1:00	0.1	12/31/19 7:00	0.2	12/30/20 17:00	0.5
12/31/18 2:00	0.2	12/31/19 8:00	0.2	12/30/20 18:00	0.5
12/31/18 3:00	0.2	12/31/19 9:00	0.2	12/30/20 19:00	0.5
12/31/18 4:00	0.2	12/31/19 10:00	0.2	12/30/20 20:00	0.5

Table F-1: B-248-1 Hourly Emissions, 2018 - 2020					
Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)	Hour	B-248-1 (lb/hr SO_2)
12/31/18 5:00	0.1	12/31/19 11:00	0.2	12/30/20 21:00	0.5
12/31/18 6:00	0.1	12/31/19 12:00	0.2	12/30/20 22:00	0.5
12/31/18 7:00	0.2	12/31/19 13:00	0.2	12/30/20 23:00	0.5
12/31/18 8:00	0.2	12/31/19 14:00	0.2	12/31/20 0:00	0.5
12/31/18 9:00	0.2	12/31/19 15:00	0.2	12/31/20 1:00	0.5
12/31/18 10:00	0.2	12/31/19 16:00	0.2	12/31/20 2:00	0.5
12/31/18 11:00	0.1	12/31/19 17:00	0.2	12/31/20 3:00	0.5
12/31/18 12:00	0.1	12/31/19 18:00	0.2	12/31/20 4:00	0.6
12/31/18 13:00	0.1	12/31/19 19:00	0.2	12/31/20 5:00	0.7
12/31/18 14:00	0.1	12/31/19 20:00	0.2	12/31/20 6:00	0.6
12/31/18 15:00	0.1	12/31/19 21:00	0.2	12/31/20 7:00	0.6
12/31/18 16:00	0.1	12/31/19 22:00	0.2	12/31/20 8:00	1.1
12/31/18 17:00	0.1	12/31/19 23:00	0.2	12/31/20 9:00	0.8
12/31/18 18:00	0.1	**Total (tons)**	**2.8**	12/31/20 10:00	0.5
12/31/18 19:00	0.1			12/31/20 11:00	1.6
12/31/18 20:00	0.1			12/31/20 12:00	0.7
12/31/18 21:00	0.1			12/31/20 13:00	0.6
12/31/18 22:00	0.1			12/31/20 14:00	0.6
12/31/18 23:00	0.1			12/31/20 15:00	0.6
Total (tons)	**2.7**			12/31/20 16:00	0.6
				12/31/20 17:00	0.6
				12/31/20 18:00	0.6
				12/31/20 19:00	0.6
				12/31/20 20:00	0.6
				12/31/20 21:00	0.6
				12/31/20 22:00	0.6
				12/31/20 23:00	0.6
				Total (tons)	**1.7**

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
1/1/18 0:00	0.0	1/1/19 0:00	0.1	1/1/20 0:00	0.1
1/1/18 1:00	0.0	1/1/19 1:00	0.1	1/1/20 1:00	0.1
1/1/18 2:00	0.0	1/1/19 2:00	0.1	1/1/20 2:00	0.1
1/1/18 3:00	0.0	1/1/19 3:00	0.0	1/1/20 3:00	0.1
1/1/18 4:00	0.0	1/1/19 4:00	0.1	1/1/20 4:00	0.1
1/1/18 5:00	0.0	1/1/19 5:00	0.1	1/1/20 5:00	0.2
1/1/18 6:00	0.0	1/1/19 6:00	0.2	1/1/20 6:00	0.1
1/1/18 7:00	0.0	1/1/19 7:00	0.3	1/1/20 7:00	0.1
1/1/18 8:00	0.0	1/1/19 8:00	0.3	1/1/20 8:00	0.1
1/1/18 9:00	0.0	1/1/19 9:00	0.2	1/1/20 9:00	0.0
1/1/18 10:00	0.0	1/1/19 10:00	0.2	1/1/20 10:00	0.0
1/1/18 11:00	0.0	1/1/19 11:00	0.2	1/1/20 11:00	0.1
1/1/18 12:00	0.0	1/1/19 12:00	0.2	1/1/20 12:00	0.1
1/1/18 13:00	0.0	1/1/19 13:00	0.2	1/1/20 13:00	0.1
1/1/18 14:00	0.0	1/1/19 14:00	0.1	1/1/20 14:00	0.1
1/1/18 15:00	0.0	1/1/19 15:00	0.1	1/1/20 15:00	0.1
1/1/18 16:00	0.0	1/1/19 16:00	0.1	1/1/20 16:00	0.1
1/1/18 17:00	0.0	1/1/19 17:00	0.2	1/1/20 17:00	0.0
1/1/18 18:00	0.0	1/1/19 18:00	0.2	1/1/20 18:00	0.0
1/1/18 19:00	0.0	1/1/19 19:00	0.2	1/1/20 19:00	0.1
1/1/18 20:00	0.0	1/1/19 20:00	0.2	1/1/20 20:00	0.1
1/1/18 21:00	0.0	1/1/19 21:00	0.2	1/1/20 21:00	0.1
1/1/18 22:00	0.0	1/1/19 22:00	0.2	1/1/20 22:00	0.1
1/1/18 23:00	0.0	1/1/19 23:00	0.2	1/1/20 23:00	0.1
1/2/18 0:00	0.0	1/2/19 0:00	0.2	1/2/20 0:00	0.1
1/2/18 1:00	0.0	1/2/19 1:00	0.2	1/2/20 1:00	0.1
1/2/18 2:00	0.0	1/2/19 2:00	0.2	1/2/20 2:00	0.1
1/2/18 3:00	0.0	1/2/19 3:00	0.1	1/2/20 3:00	0.1
1/2/18 4:00	0.0	1/2/19 4:00	0.2	1/2/20 4:00	0.1
1/2/18 5:00	0.0	1/2/19 5:00	0.2	1/2/20 5:00	0.1
1/2/18 6:00	0.0	1/2/19 6:00	0.1	1/2/20 6:00	0.1
1/2/18 7:00	0.0	1/2/19 7:00	0.1	1/2/20 7:00	0.1
1/2/18 8:00	0.0	1/2/19 8:00	0.2	1/2/20 8:00	0.1
1/2/18 9:00	0.0	1/2/19 9:00	0.2	1/2/20 9:00	0.1
1/2/18 10:00	0.0	1/2/19 10:00	0.2	1/2/20 10:00	0.0
1/2/18 11:00	0.0	1/2/19 11:00	0.2	1/2/20 11:00	0.0
1/2/18 12:00	0.0	1/2/19 12:00	0.1	1/2/20 12:00	0.0
1/2/18 13:00	0.0	1/2/19 13:00	0.1	1/2/20 13:00	0.1
1/2/18 14:00	0.0	1/2/19 14:00	0.1	1/2/20 14:00	0.0
1/2/18 15:00	0.0	1/2/19 15:00	0.1	1/2/20 15:00	0.0
1/2/18 16:00	0.0	1/2/19 16:00	0.1	1/2/20 16:00	0.1
1/2/18 17:00	0.0	1/2/19 17:00	0.1	1/2/20 17:00	0.1
1/2/18 18:00	0.0	1/2/19 18:00	0.2	1/2/20 18:00	0.1
1/2/18 19:00	0.0	1/2/19 19:00	0.1	1/2/20 19:00	0.3
1/2/18 20:00	0.0	1/2/19 20:00	0.1	1/2/20 20:00	0.2
1/2/18 21:00	0.0	1/2/19 21:00	0.2	1/2/20 21:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
1/2/18 22:00	0.0	1/2/19 22:00	0.2	1/2/20 22:00	0.1
1/2/18 23:00	0.0	1/2/19 23:00	0.1	1/2/20 23:00	0.1
1/3/18 0:00	0.0	1/3/19 0:00	0.1	1/3/20 0:00	0.1
1/3/18 1:00	0.0	1/3/19 1:00	0.1	1/3/20 1:00	0.1
1/3/18 2:00	0.0	1/3/19 2:00	0.1	1/3/20 2:00	0.1
1/3/18 3:00	0.0	1/3/19 3:00	0.1	1/3/20 3:00	0.1
1/3/18 4:00	0.0	1/3/19 4:00	0.1	1/3/20 4:00	0.1
1/3/18 5:00	0.0	1/3/19 5:00	0.1	1/3/20 5:00	0.2
1/3/18 6:00	0.0	1/3/19 6:00	0.1	1/3/20 6:00	0.2
1/3/18 7:00	0.0	1/3/19 7:00	0.1	1/3/20 7:00	0.2
1/3/18 8:00	0.0	1/3/19 8:00	0.1	1/3/20 8:00	0.2
1/3/18 9:00	0.0	1/3/19 9:00	0.2	1/3/20 9:00	0.1
1/3/18 10:00	0.0	1/3/19 10:00	0.1	1/3/20 10:00	0.1
1/3/18 11:00	0.0	1/3/19 11:00	0.1	1/3/20 11:00	0.1
1/3/18 12:00	0.0	1/3/19 12:00	0.1	1/3/20 12:00	0.1
1/3/18 13:00	0.0	1/3/19 13:00	0.1	1/3/20 13:00	0.1
1/3/18 14:00	0.0	1/3/19 14:00	0.1	1/3/20 14:00	0.1
1/3/18 15:00	0.0	1/3/19 15:00	0.1	1/3/20 15:00	0.2
1/3/18 16:00	0.0	1/3/19 16:00	0.1	1/3/20 16:00	0.1
1/3/18 17:00	0.0	1/3/19 17:00	0.1	1/3/20 17:00	0.1
1/3/18 18:00	0.0	1/3/19 18:00	0.2	1/3/20 18:00	0.1
1/3/18 19:00	0.0	1/3/19 19:00	0.1	1/3/20 19:00	0.1
1/3/18 20:00	0.0	1/3/19 20:00	0.2	1/3/20 20:00	0.1
1/3/18 21:00	0.0	1/3/19 21:00	0.2	1/3/20 21:00	0.1
1/3/18 22:00	0.0	1/3/19 22:00	0.1	1/3/20 22:00	0.1
1/3/18 23:00	0.0	1/3/19 23:00	0.2	1/3/20 23:00	0.0
1/4/18 0:00	0.0	1/4/19 0:00	0.2	1/4/20 0:00	0.0
1/4/18 1:00	0.0	1/4/19 1:00	0.2	1/4/20 1:00	0.0
1/4/18 2:00	0.0	1/4/19 2:00	0.2	1/4/20 2:00	0.1
1/4/18 3:00	0.0	1/4/19 3:00	0.2	1/4/20 3:00	0.1
1/4/18 4:00	0.0	1/4/19 4:00	0.2	1/4/20 4:00	0.1
1/4/18 5:00	0.0	1/4/19 5:00	0.2	1/4/20 5:00	0.1
1/4/18 6:00	0.0	1/4/19 6:00	0.1	1/4/20 6:00	0.1
1/4/18 7:00	0.0	1/4/19 7:00	0.1	1/4/20 7:00	0.1
1/4/18 8:00	0.0	1/4/19 8:00	0.2	1/4/20 8:00	0.1
1/4/18 9:00	0.0	1/4/19 9:00	0.2	1/4/20 9:00	0.0
1/4/18 10:00	0.0	1/4/19 10:00	0.2	1/4/20 10:00	0.1
1/4/18 11:00	0.0	1/4/19 11:00	0.2	1/4/20 11:00	0.1
1/4/18 12:00	0.0	1/4/19 12:00	0.2	1/4/20 12:00	0.1
1/4/18 13:00	0.0	1/4/19 13:00	0.1	1/4/20 13:00	0.2
1/4/18 14:00	0.0	1/4/19 14:00	0.1	1/4/20 14:00	0.2
1/4/18 15:00	0.0	1/4/19 15:00	0.1	1/4/20 15:00	0.2
1/4/18 16:00	0.0	1/4/19 16:00	0.2	1/4/20 16:00	0.1
1/4/18 17:00	0.0	1/4/19 17:00	0.3	1/4/20 17:00	0.1
1/4/18 18:00	0.0	1/4/19 18:00	0.3	1/4/20 18:00	0.0
1/4/18 19:00	0.0	1/4/19 19:00	0.3	1/4/20 19:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
1/4/18 20:00	0.0	1/4/19 20:00	0.3	1/4/20 20:00	0.1
1/4/18 21:00	0.0	1/4/19 21:00	0.3	1/4/20 21:00	0.2
1/4/18 22:00	0.0	1/4/19 22:00	0.3	1/4/20 22:00	0.2
1/4/18 23:00	0.0	1/4/19 23:00	0.2	1/4/20 23:00	0.2
1/5/18 0:00	0.0	1/5/19 0:00	0.1	1/5/20 0:00	0.3
1/5/18 1:00	0.0	1/5/19 1:00	0.1	1/5/20 1:00	0.3
1/5/18 2:00	0.0	1/5/19 2:00	0.2	1/5/20 2:00	0.2
1/5/18 3:00	0.0	1/5/19 3:00	0.2	1/5/20 3:00	0.1
1/5/18 4:00	0.0	1/5/19 4:00	0.2	1/5/20 4:00	0.2
1/5/18 5:00	0.0	1/5/19 5:00	0.2	1/5/20 5:00	0.1
1/5/18 6:00	0.0	1/5/19 6:00	0.2	1/5/20 6:00	0.1
1/5/18 7:00	0.0	1/5/19 7:00	0.1	1/5/20 7:00	0.1
1/5/18 8:00	0.0	1/5/19 8:00	0.1	1/5/20 8:00	0.1
1/5/18 9:00	0.0	1/5/19 9:00	0.1	1/5/20 9:00	0.1
1/5/18 10:00	0.0	1/5/19 10:00	0.2	1/5/20 10:00	0.1
1/5/18 11:00	0.0	1/5/19 11:00	0.2	1/5/20 11:00	0.1
1/5/18 12:00	0.0	1/5/19 12:00	0.2	1/5/20 12:00	0.1
1/5/18 13:00	0.0	1/5/19 13:00	0.2	1/5/20 13:00	0.1
1/5/18 14:00	0.0	1/5/19 14:00	0.2	1/5/20 14:00	0.1
1/5/18 15:00	0.0	1/5/19 15:00	0.1	1/5/20 15:00	0.1
1/5/18 16:00	0.0	1/5/19 16:00	0.1	1/5/20 16:00	0.2
1/5/18 17:00	0.0	1/5/19 17:00	0.1	1/5/20 17:00	0.2
1/5/18 18:00	0.0	1/5/19 18:00	0.2	1/5/20 18:00	0.2
1/5/18 19:00	0.0	1/5/19 19:00	0.3	1/5/20 19:00	0.2
1/5/18 20:00	0.0	1/5/19 20:00	0.3	1/5/20 20:00	0.2
1/5/18 21:00	0.0	1/5/19 21:00	0.2	1/5/20 21:00	0.2
1/5/18 22:00	0.0	1/5/19 22:00	0.2	1/5/20 22:00	0.2
1/5/18 23:00	0.0	1/5/19 23:00	0.2	1/5/20 23:00	0.2
1/6/18 0:00	0.0	1/6/19 0:00	0.2	1/6/20 0:00	0.2
1/6/18 1:00	0.0	1/6/19 1:00	0.2	1/6/20 1:00	0.2
1/6/18 2:00	0.0	1/6/19 2:00	0.3	1/6/20 2:00	0.2
1/6/18 3:00	0.0	1/6/19 3:00	0.1	1/6/20 3:00	0.2
1/6/18 4:00	0.0	1/6/19 4:00	0.2	1/6/20 4:00	0.2
1/6/18 5:00	0.0	1/6/19 5:00	0.2	1/6/20 5:00	0.2
1/6/18 6:00	0.0	1/6/19 6:00	0.2	1/6/20 6:00	0.2
1/6/18 7:00	0.0	1/6/19 7:00	0.6	1/6/20 7:00	0.2
1/6/18 8:00	0.0	1/6/19 8:00	0.4	1/6/20 8:00	0.1
1/6/18 9:00	0.0	1/6/19 9:00	0.3	1/6/20 9:00	0.2
1/6/18 10:00	0.0	1/6/19 10:00	0.3	1/6/20 10:00	0.2
1/6/18 11:00	0.0	1/6/19 11:00	0.3	1/6/20 11:00	0.2
1/6/18 12:00	0.0	1/6/19 12:00	0.4	1/6/20 12:00	0.2
1/6/18 13:00	0.0	1/6/19 13:00	0.4	1/6/20 13:00	0.3
1/6/18 14:00	0.0	1/6/19 14:00	0.4	1/6/20 14:00	0.3
1/6/18 15:00	0.0	1/6/19 15:00	0.4	1/6/20 15:00	0.3
1/6/18 16:00	0.0	1/6/19 16:00	0.5	1/6/20 16:00	0.3
1/6/18 17:00	0.0	1/6/19 17:00	0.3	1/6/20 17:00	0.3

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
1/6/18 18:00	0.0	1/6/19 18:00	0.5	1/6/20 18:00	0.2
1/6/18 19:00	0.0	1/6/19 19:00	0.2	1/6/20 19:00	0.1
1/6/18 20:00	0.0	1/6/19 20:00	0.2	1/6/20 20:00	0.0
1/6/18 21:00	0.0	1/6/19 21:00	0.2	1/6/20 21:00	0.0
1/6/18 22:00	0.0	1/6/19 22:00	0.1	1/6/20 22:00	0.1
1/6/18 23:00	0.0	1/6/19 23:00	0.1	1/6/20 23:00	0.1
1/7/18 0:00	0.0	1/7/19 0:00	0.1	1/7/20 0:00	0.1
1/7/18 1:00	0.0	1/7/19 1:00	0.1	1/7/20 1:00	0.1
1/7/18 2:00	0.0	1/7/19 2:00	0.1	1/7/20 2:00	0.1
1/7/18 3:00	0.0	1/7/19 3:00	0.1	1/7/20 3:00	0.0
1/7/18 4:00	0.0	1/7/19 4:00	0.1	1/7/20 4:00	0.0
1/7/18 5:00	0.0	1/7/19 5:00	0.1	1/7/20 5:00	0.1
1/7/18 6:00	0.0	1/7/19 6:00	0.1	1/7/20 6:00	0.0
1/7/18 7:00	0.0	1/7/19 7:00	0.2	1/7/20 7:00	0.0
1/7/18 8:00	0.0	1/7/19 8:00	0.2	1/7/20 8:00	0.1
1/7/18 9:00	0.0	1/7/19 9:00	0.2	1/7/20 9:00	0.1
1/7/18 10:00	0.0	1/7/19 10:00	0.1	1/7/20 10:00	0.2
1/7/18 11:00	0.0	1/7/19 11:00	0.1	1/7/20 11:00	0.2
1/7/18 12:00	0.0	1/7/19 12:00	0.0	1/7/20 12:00	0.0
1/7/18 13:00	0.0	1/7/19 13:00	0.0	1/7/20 13:00	0.0
1/7/18 14:00	0.0	1/7/19 14:00	0.0	1/7/20 14:00	0.0
1/7/18 15:00	0.0	1/7/19 15:00	0.0	1/7/20 15:00	0.1
1/7/18 16:00	0.0	1/7/19 16:00	0.0	1/7/20 16:00	0.1
1/7/18 17:00	0.0	1/7/19 17:00	0.1	1/7/20 17:00	0.1
1/7/18 18:00	0.0	1/7/19 18:00	0.1	1/7/20 18:00	0.1
1/7/18 19:00	0.0	1/7/19 19:00	0.1	1/7/20 19:00	0.1
1/7/18 20:00	0.0	1/7/19 20:00	0.1	1/7/20 20:00	0.1
1/7/18 21:00	0.0	1/7/19 21:00	0.3	1/7/20 21:00	0.0
1/7/18 22:00	0.0	1/7/19 22:00	0.2	1/7/20 22:00	0.0
1/7/18 23:00	0.0	1/7/19 23:00	0.2	1/7/20 23:00	0.0
1/8/18 0:00	0.0	1/8/19 0:00	0.2	1/8/20 0:00	0.0
1/8/18 1:00	0.0	1/8/19 1:00	0.2	1/8/20 1:00	0.0
1/8/18 2:00	0.0	1/8/19 2:00	0.2	1/8/20 2:00	0.2
1/8/18 3:00	0.0	1/8/19 3:00	0.2	1/8/20 3:00	0.2
1/8/18 4:00	0.0	1/8/19 4:00	0.2	1/8/20 4:00	0.1
1/8/18 5:00	0.0	1/8/19 5:00	0.2	1/8/20 5:00	0.1
1/8/18 6:00	0.0	1/8/19 6:00	0.2	1/8/20 6:00	0.2
1/8/18 7:00	0.0	1/8/19 7:00	0.3	1/8/20 7:00	0.1
1/8/18 8:00	0.0	1/8/19 8:00	0.3	1/8/20 8:00	0.1
1/8/18 9:00	0.0	1/8/19 9:00	0.2	1/8/20 9:00	0.2
1/8/18 10:00	0.0	1/8/19 10:00	0.2	1/8/20 10:00	0.1
1/8/18 11:00	0.0	1/8/19 11:00	0.3	1/8/20 11:00	0.1
1/8/18 12:00	0.0	1/8/19 12:00	0.3	1/8/20 12:00	0.1
1/8/18 13:00	0.0	1/8/19 13:00	0.4	1/8/20 13:00	0.1
1/8/18 14:00	0.0	1/8/19 14:00	0.3	1/8/20 14:00	0.1
1/8/18 15:00	0.0	1/8/19 15:00	0.3	1/8/20 15:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
1/8/18 16:00	0.0	1/8/19 16:00	0.2	1/8/20 16:00	0.1
1/8/18 17:00	0.0	1/8/19 17:00	0.4	1/8/20 17:00	0.1
1/8/18 18:00	0.0	1/8/19 18:00	0.2	1/8/20 18:00	0.1
1/8/18 19:00	0.0	1/8/19 19:00	0.3	1/8/20 19:00	0.1
1/8/18 20:00	0.0	1/8/19 20:00	0.2	1/8/20 20:00	0.0
1/8/18 21:00	0.0	1/8/19 21:00	0.2	1/8/20 21:00	0.1
1/8/18 22:00	0.0	1/8/19 22:00	0.2	1/8/20 22:00	0.0
1/8/18 23:00	0.0	1/8/19 23:00	0.3	1/8/20 23:00	0.0
1/9/18 0:00	0.0	1/9/19 0:00	0.3	1/9/20 0:00	0.0
1/9/18 1:00	0.0	1/9/19 1:00	0.2	1/9/20 1:00	0.0
1/9/18 2:00	0.0	1/9/19 2:00	0.1	1/9/20 2:00	0.0
1/9/18 3:00	0.0	1/9/19 3:00	0.1	1/9/20 3:00	0.1
1/9/18 4:00	0.0	1/9/19 4:00	0.1	1/9/20 4:00	0.1
1/9/18 5:00	0.0	1/9/19 5:00	0.2	1/9/20 5:00	0.1
1/9/18 6:00	0.0	1/9/19 6:00	0.2	1/9/20 6:00	0.1
1/9/18 7:00	0.0	1/9/19 7:00	0.4	1/9/20 7:00	0.1
1/9/18 8:00	0.0	1/9/19 8:00	0.2	1/9/20 8:00	0.0
1/9/18 9:00	0.0	1/9/19 9:00	0.1	1/9/20 9:00	0.1
1/9/18 10:00	0.0	1/9/19 10:00	0.1	1/9/20 10:00	0.1
1/9/18 11:00	0.0	1/9/19 11:00	0.1	1/9/20 11:00	0.0
1/9/18 12:00	0.0	1/9/19 12:00	0.1	1/9/20 12:00	0.0
1/9/18 13:00	0.0	1/9/19 13:00	0.2	1/9/20 13:00	0.1
1/9/18 14:00	0.0	1/9/19 14:00	0.1	1/9/20 14:00	0.1
1/9/18 15:00	0.0	1/9/19 15:00	0.1	1/9/20 15:00	0.0
1/9/18 16:00	0.0	1/9/19 16:00	0.1	1/9/20 16:00	0.0
1/9/18 17:00	0.0	1/9/19 17:00	0.1	1/9/20 17:00	0.1
1/9/18 18:00	0.0	1/9/19 18:00	0.2	1/9/20 18:00	0.1
1/9/18 19:00	0.0	1/9/19 19:00	0.2	1/9/20 19:00	0.1
1/9/18 20:00	0.0	1/9/19 20:00	0.2	1/9/20 20:00	0.1
1/9/18 21:00	0.0	1/9/19 21:00	0.2	1/9/20 21:00	0.1
1/9/18 22:00	0.0	1/9/19 22:00	0.1	1/9/20 22:00	0.1
1/9/18 23:00	0.0	1/9/19 23:00	0.1	1/9/20 23:00	0.1
1/10/18 0:00	0.0	1/10/19 0:00	0.1	1/10/20 0:00	0.1
1/10/18 1:00	0.0	1/10/19 1:00	0.1	1/10/20 1:00	0.1
1/10/18 2:00	0.0	1/10/19 2:00	0.2	1/10/20 2:00	0.1
1/10/18 3:00	0.0	1/10/19 3:00	0.2	1/10/20 3:00	0.1
1/10/18 4:00	0.0	1/10/19 4:00	0.2	1/10/20 4:00	0.1
1/10/18 5:00	0.0	1/10/19 5:00	0.2	1/10/20 5:00	0.1
1/10/18 6:00	0.0	1/10/19 6:00	0.2	1/10/20 6:00	0.1
1/10/18 7:00	0.0	1/10/19 7:00	0.2	1/10/20 7:00	0.1
1/10/18 8:00	0.0	1/10/19 8:00	0.1	1/10/20 8:00	0.1
1/10/18 9:00	0.0	1/10/19 9:00	0.1	1/10/20 9:00	0.1
1/10/18 10:00	0.0	1/10/19 10:00	0.1	1/10/20 10:00	0.1
1/10/18 11:00	0.0	1/10/19 11:00	0.2	1/10/20 11:00	0.1
1/10/18 12:00	0.0	1/10/19 12:00	0.3	1/10/20 12:00	0.1
1/10/18 13:00	0.0	1/10/19 13:00	0.2	1/10/20 13:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
1/10/18 14:00	0.0	1/10/19 14:00	0.0	1/10/20 14:00	0.1
1/10/18 15:00	0.0	1/10/19 15:00	0.2	1/10/20 15:00	0.1
1/10/18 16:00	0.0	1/10/19 16:00	0.2	1/10/20 16:00	0.1
1/10/18 17:00	0.0	1/10/19 17:00	0.1	1/10/20 17:00	0.2
1/10/18 18:00	0.0	1/10/19 18:00	0.1	1/10/20 18:00	0.1
1/10/18 19:00	0.0	1/10/19 19:00	0.1	1/10/20 19:00	0.1
1/10/18 20:00	0.0	1/10/19 20:00	0.2	1/10/20 20:00	0.1
1/10/18 21:00	0.0	1/10/19 21:00	0.2	1/10/20 21:00	0.1
1/10/18 22:00	0.0	1/10/19 22:00	0.2	1/10/20 22:00	0.1
1/10/18 23:00	0.0	1/10/19 23:00	0.1	1/10/20 23:00	0.1
1/11/18 0:00	0.0	1/11/19 0:00	0.1	1/11/20 0:00	0.1
1/11/18 1:00	0.0	1/11/19 1:00	0.1	1/11/20 1:00	0.1
1/11/18 2:00	0.0	1/11/19 2:00	0.1	1/11/20 2:00	0.1
1/11/18 3:00	0.0	1/11/19 3:00	0.1	1/11/20 3:00	0.1
1/11/18 4:00	0.0	1/11/19 4:00	0.1	1/11/20 4:00	0.1
1/11/18 5:00	0.0	1/11/19 5:00	0.1	1/11/20 5:00	0.1
1/11/18 6:00	0.0	1/11/19 6:00	0.1	1/11/20 6:00	0.1
1/11/18 7:00	0.0	1/11/19 7:00	0.1	1/11/20 7:00	0.1
1/11/18 8:00	0.0	1/11/19 8:00	0.1	1/11/20 8:00	0.2
1/11/18 9:00	0.0	1/11/19 9:00	0.2	1/11/20 9:00	0.2
1/11/18 10:00	0.0	1/11/19 10:00	0.1	1/11/20 10:00	0.2
1/11/18 11:00	0.0	1/11/19 11:00	0.1	1/11/20 11:00	0.2
1/11/18 12:00	0.0	1/11/19 12:00	0.1	1/11/20 12:00	0.1
1/11/18 13:00	0.0	1/11/19 13:00	0.1	1/11/20 13:00	0.1
1/11/18 14:00	0.0	1/11/19 14:00	0.1	1/11/20 14:00	0.1
1/11/18 15:00	0.0	1/11/19 15:00	0.1	1/11/20 15:00	0.0
1/11/18 16:00	0.0	1/11/19 16:00	0.1	1/11/20 16:00	0.1
1/11/18 17:00	0.0	1/11/19 17:00	0.1	1/11/20 17:00	0.1
1/11/18 18:00	0.0	1/11/19 18:00	0.1	1/11/20 18:00	0.1
1/11/18 19:00	0.0	1/11/19 19:00	0.1	1/11/20 19:00	0.1
1/11/18 20:00	0.0	1/11/19 20:00	0.0	1/11/20 20:00	0.1
1/11/18 21:00	0.0	1/11/19 21:00	0.1	1/11/20 21:00	0.1
1/11/18 22:00	0.0	1/11/19 22:00	0.1	1/11/20 22:00	0.1
1/11/18 23:00	0.0	1/11/19 23:00	0.1	1/11/20 23:00	0.1
1/12/18 0:00	0.0	1/12/19 0:00	0.1	1/12/20 0:00	0.1
1/12/18 1:00	0.0	1/12/19 1:00	0.1	1/12/20 1:00	0.1
1/12/18 2:00	0.0	1/12/19 2:00	0.2	1/12/20 2:00	0.1
1/12/18 3:00	0.0	1/12/19 3:00	0.2	1/12/20 3:00	0.1
1/12/18 4:00	0.0	1/12/19 4:00	0.2	1/12/20 4:00	0.1
1/12/18 5:00	0.0	1/12/19 5:00	0.3	1/12/20 5:00	0.1
1/12/18 6:00	0.0	1/12/19 6:00	0.2	1/12/20 6:00	0.1
1/12/18 7:00	0.0	1/12/19 7:00	0.2	1/12/20 7:00	0.1
1/12/18 8:00	0.0	1/12/19 8:00	0.2	1/12/20 8:00	0.1
1/12/18 9:00	0.0	1/12/19 9:00	0.2	1/12/20 9:00	0.1
1/12/18 10:00	0.0	1/12/19 10:00	0.2	1/12/20 10:00	0.1
1/12/18 11:00	0.0	1/12/19 11:00	0.1	1/12/20 11:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
1/12/18 12:00	0.0	1/12/19 12:00	0.1	1/12/20 12:00	0.1
1/12/18 13:00	0.0	1/12/19 13:00	0.2	1/12/20 13:00	0.1
1/12/18 14:00	0.0	1/12/19 14:00	0.2	1/12/20 14:00	0.1
1/12/18 15:00	0.0	1/12/19 15:00	0.2	1/12/20 15:00	0.0
1/12/18 16:00	0.0	1/12/19 16:00	0.2	1/12/20 16:00	0.0
1/12/18 17:00	0.0	1/12/19 17:00	0.0	1/12/20 17:00	0.1
1/12/18 18:00	0.0	1/12/19 18:00	0.1	1/12/20 18:00	0.1
1/12/18 19:00	0.0	1/12/19 19:00	0.1	1/12/20 19:00	0.1
1/12/18 20:00	0.0	1/12/19 20:00	0.1	1/12/20 20:00	0.0
1/12/18 21:00	0.0	1/12/19 21:00	0.1	1/12/20 21:00	0.0
1/12/18 22:00	0.0	1/12/19 22:00	0.2	1/12/20 22:00	0.1
1/12/18 23:00	0.0	1/12/19 23:00	0.1	1/12/20 23:00	0.1
1/13/18 0:00	0.0	1/13/19 0:00	0.1	1/13/20 0:00	0.1
1/13/18 1:00	0.0	1/13/19 1:00	0.1	1/13/20 1:00	0.1
1/13/18 2:00	0.0	1/13/19 2:00	0.1	1/13/20 2:00	0.0
1/13/18 3:00	0.0	1/13/19 3:00	0.1	1/13/20 3:00	0.0
1/13/18 4:00	0.0	1/13/19 4:00	0.1	1/13/20 4:00	0.1
1/13/18 5:00	0.0	1/13/19 5:00	0.1	1/13/20 5:00	0.1
1/13/18 6:00	0.0	1/13/19 6:00	0.1	1/13/20 6:00	0.1
1/13/18 7:00	0.0	1/13/19 7:00	0.2	1/13/20 7:00	0.0
1/13/18 8:00	0.0	1/13/19 8:00	0.1	1/13/20 8:00	0.0
1/13/18 9:00	0.0	1/13/19 9:00	0.1	1/13/20 9:00	0.0
1/13/18 10:00	0.0	1/13/19 10:00	0.1	1/13/20 10:00	0.1
1/13/18 11:00	0.0	1/13/19 11:00	0.1	1/13/20 11:00	0.1
1/13/18 12:00	0.0	1/13/19 12:00	0.1	1/13/20 12:00	0.0
1/13/18 13:00	0.0	1/13/19 13:00	0.1	1/13/20 13:00	0.0
1/13/18 14:00	0.0	1/13/19 14:00	0.1	1/13/20 14:00	0.1
1/13/18 15:00	0.0	1/13/19 15:00	0.1	1/13/20 15:00	0.2
1/13/18 16:00	0.0	1/13/19 16:00	0.2	1/13/20 16:00	0.2
1/13/18 17:00	0.0	1/13/19 17:00	0.2	1/13/20 17:00	0.2
1/13/18 18:00	0.0	1/13/19 18:00	0.1	1/13/20 18:00	0.0
1/13/18 19:00	0.0	1/13/19 19:00	0.1	1/13/20 19:00	0.1
1/13/18 20:00	0.0	1/13/19 20:00	0.1	1/13/20 20:00	0.1
1/13/18 21:00	0.0	1/13/19 21:00	0.2	1/13/20 21:00	0.1
1/13/18 22:00	0.0	1/13/19 22:00	0.1	1/13/20 22:00	0.1
1/13/18 23:00	0.0	1/13/19 23:00	0.1	1/13/20 23:00	0.1
1/14/18 0:00	0.0	1/14/19 0:00	0.2	1/14/20 0:00	0.1
1/14/18 1:00	0.0	1/14/19 1:00	0.1	1/14/20 1:00	0.2
1/14/18 2:00	0.0	1/14/19 2:00	0.1	1/14/20 2:00	0.0
1/14/18 3:00	0.0	1/14/19 3:00	0.1	1/14/20 3:00	0.0
1/14/18 4:00	0.0	1/14/19 4:00	0.1	1/14/20 4:00	0.0
1/14/18 5:00	0.0	1/14/19 5:00	0.1	1/14/20 5:00	0.0
1/14/18 6:00	0.0	1/14/19 6:00	0.1	1/14/20 6:00	0.0
1/14/18 7:00	0.0	1/14/19 7:00	0.1	1/14/20 7:00	0.0
1/14/18 8:00	0.0	1/14/19 8:00	0.1	1/14/20 8:00	0.1
1/14/18 9:00	0.0	1/14/19 9:00	0.1	1/14/20 9:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
1/14/18 10:00	0.0	1/14/19 10:00	0.1	1/14/20 10:00	0.2
1/14/18 11:00	0.0	1/14/19 11:00	0.1	1/14/20 11:00	0.0
1/14/18 12:00	0.0	1/14/19 12:00	0.1	1/14/20 12:00	0.1
1/14/18 13:00	0.0	1/14/19 13:00	0.1	1/14/20 13:00	0.0
1/14/18 14:00	0.0	1/14/19 14:00	0.1	1/14/20 14:00	0.0
1/14/18 15:00	0.0	1/14/19 15:00	0.1	1/14/20 15:00	0.0
1/14/18 16:00	0.0	1/14/19 16:00	0.1	1/14/20 16:00	0.1
1/14/18 17:00	0.0	1/14/19 17:00	0.1	1/14/20 17:00	0.1
1/14/18 18:00	0.0	1/14/19 18:00	0.1	1/14/20 18:00	0.1
1/14/18 19:00	0.0	1/14/19 19:00	0.1	1/14/20 19:00	0.1
1/14/18 20:00	0.0	1/14/19 20:00	0.1	1/14/20 20:00	0.0
1/14/18 21:00	0.0	1/14/19 21:00	0.1	1/14/20 21:00	0.0
1/14/18 22:00	0.0	1/14/19 22:00	0.2	1/14/20 22:00	0.0
1/14/18 23:00	0.0	1/14/19 23:00	0.2	1/14/20 23:00	0.1
1/15/18 0:00	0.0	1/15/19 0:00	0.1	1/15/20 0:00	0.1
1/15/18 1:00	0.0	1/15/19 1:00	0.1	1/15/20 1:00	0.1
1/15/18 2:00	0.0	1/15/19 2:00	0.1	1/15/20 2:00	0.1
1/15/18 3:00	0.0	1/15/19 3:00	0.1	1/15/20 3:00	0.0
1/15/18 4:00	0.0	1/15/19 4:00	0.1	1/15/20 4:00	0.0
1/15/18 5:00	0.0	1/15/19 5:00	0.1	1/15/20 5:00	0.1
1/15/18 6:00	0.0	1/15/19 6:00	0.1	1/15/20 6:00	0.1
1/15/18 7:00	0.0	1/15/19 7:00	0.1	1/15/20 7:00	0.1
1/15/18 8:00	0.0	1/15/19 8:00	0.1	1/15/20 8:00	0.1
1/15/18 9:00	0.0	1/15/19 9:00	0.1	1/15/20 9:00	0.1
1/15/18 10:00	0.0	1/15/19 10:00	0.2	1/15/20 10:00	0.1
1/15/18 11:00	0.0	1/15/19 11:00	0.2	1/15/20 11:00	0.1
1/15/18 12:00	0.0	1/15/19 12:00	0.1	1/15/20 12:00	0.1
1/15/18 13:00	0.0	1/15/19 13:00	0.1	1/15/20 13:00	0.1
1/15/18 14:00	0.0	1/15/19 14:00	0.1	1/15/20 14:00	0.1
1/15/18 15:00	0.0	1/15/19 15:00	0.2	1/15/20 15:00	0.1
1/15/18 16:00	0.0	1/15/19 16:00	0.1	1/15/20 16:00	0.1
1/15/18 17:00	0.0	1/15/19 17:00	0.2	1/15/20 17:00	0.1
1/15/18 18:00	0.0	1/15/19 18:00	0.1	1/15/20 18:00	0.1
1/15/18 19:00	0.0	1/15/19 19:00	0.1	1/15/20 19:00	0.1
1/15/18 20:00	0.0	1/15/19 20:00	0.1	1/15/20 20:00	0.1
1/15/18 21:00	0.0	1/15/19 21:00	0.0	1/15/20 21:00	0.1
1/15/18 22:00	0.0	1/15/19 22:00	0.0	1/15/20 22:00	0.0
1/15/18 23:00	0.0	1/15/19 23:00	0.1	1/15/20 23:00	0.0
1/16/18 0:00	0.0	1/16/19 0:00	0.1	1/16/20 0:00	0.1
1/16/18 1:00	0.0	1/16/19 1:00	0.1	1/16/20 1:00	0.0
1/16/18 2:00	0.0	1/16/19 2:00	0.1	1/16/20 2:00	0.0
1/16/18 3:00	0.0	1/16/19 3:00	0.1	1/16/20 3:00	0.0
1/16/18 4:00	0.0	1/16/19 4:00	0.2	1/16/20 4:00	0.0
1/16/18 5:00	0.0	1/16/19 5:00	0.2	1/16/20 5:00	0.0
1/16/18 6:00	0.0	1/16/19 6:00	0.1	1/16/20 6:00	0.1
1/16/18 7:00	0.0	1/16/19 7:00	0.1	1/16/20 7:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
1/16/18 8:00	0.0	1/16/19 8:00	0.2	1/16/20 8:00	0.1
1/16/18 9:00	0.0	1/16/19 9:00	0.2	1/16/20 9:00	0.0
1/16/18 10:00	0.0	1/16/19 10:00	0.1	1/16/20 10:00	0.0
1/16/18 11:00	0.0	1/16/19 11:00	0.1	1/16/20 11:00	0.1
1/16/18 12:00	0.0	1/16/19 12:00	0.1	1/16/20 12:00	0.1
1/16/18 13:00	0.0	1/16/19 13:00	0.1	1/16/20 13:00	0.1
1/16/18 14:00	0.1	1/16/19 14:00	0.1	1/16/20 14:00	0.1
1/16/18 15:00	0.1	1/16/19 15:00	0.1	1/16/20 15:00	0.1
1/16/18 16:00	0.1	1/16/19 16:00	0.1	1/16/20 16:00	0.1
1/16/18 17:00	0.1	1/16/19 17:00	0.1	1/16/20 17:00	0.1
1/16/18 18:00	0.1	1/16/19 18:00	0.1	1/16/20 18:00	0.0
1/16/18 19:00	0.1	1/16/19 19:00	0.2	1/16/20 19:00	0.0
1/16/18 20:00	0.1	1/16/19 20:00	0.2	1/16/20 20:00	0.1
1/16/18 21:00	0.1	1/16/19 21:00	0.2	1/16/20 21:00	0.0
1/16/18 22:00	0.1	1/16/19 22:00	0.2	1/16/20 22:00	0.0
1/16/18 23:00	0.1	1/16/19 23:00	0.1	1/16/20 23:00	0.0
1/17/18 0:00	0.1	1/17/19 0:00	0.1	1/17/20 0:00	0.0
1/17/18 1:00	0.1	1/17/19 1:00	0.2	1/17/20 1:00	0.0
1/17/18 2:00	0.1	1/17/19 2:00	0.2	1/17/20 2:00	0.0
1/17/18 3:00	0.1	1/17/19 3:00	0.2	1/17/20 3:00	0.0
1/17/18 4:00	0.0	1/17/19 4:00	0.2	1/17/20 4:00	0.1
1/17/18 5:00	0.0	1/17/19 5:00	0.1	1/17/20 5:00	0.1
1/17/18 6:00	0.0	1/17/19 6:00	0.1	1/17/20 6:00	0.1
1/17/18 7:00	0.0	1/17/19 7:00	0.1	1/17/20 7:00	0.1
1/17/18 8:00	0.1	1/17/19 8:00	0.1	1/17/20 8:00	0.0
1/17/18 9:00	0.1	1/17/19 9:00	0.1	1/17/20 9:00	0.1
1/17/18 10:00	0.1	1/17/19 10:00	0.1	1/17/20 10:00	0.1
1/17/18 11:00	0.1	1/17/19 11:00	0.1	1/17/20 11:00	0.1
1/17/18 12:00	0.1	1/17/19 12:00	0.1	1/17/20 12:00	0.1
1/17/18 13:00	0.1	1/17/19 13:00	0.2	1/17/20 13:00	0.1
1/17/18 14:00	0.1	1/17/19 14:00	0.1	1/17/20 14:00	0.1
1/17/18 15:00	0.2	1/17/19 15:00	0.2	1/17/20 15:00	0.1
1/17/18 16:00	0.2	1/17/19 16:00	0.2	1/17/20 16:00	0.1
1/17/18 17:00	0.2	1/17/19 17:00	0.1	1/17/20 17:00	0.1
1/17/18 18:00	0.2	1/17/19 18:00	0.1	1/17/20 18:00	0.1
1/17/18 19:00	0.3	1/17/19 19:00	0.1	1/17/20 19:00	0.2
1/17/18 20:00	0.3	1/17/19 20:00	0.1	1/17/20 20:00	0.2
1/17/18 21:00	0.3	1/17/19 21:00	0.1	1/17/20 21:00	0.2
1/17/18 22:00	0.3	1/17/19 22:00	0.1	1/17/20 22:00	0.2
1/17/18 23:00	0.3	1/17/19 23:00	0.1	1/17/20 23:00	0.3
1/18/18 0:00	0.3	1/18/19 0:00	0.1	1/18/20 0:00	0.2
1/18/18 1:00	0.3	1/18/19 1:00	0.1	1/18/20 1:00	0.2
1/18/18 2:00	0.3	1/18/19 2:00	0.1	1/18/20 2:00	0.2
1/18/18 3:00	0.3	1/18/19 3:00	0.1	1/18/20 3:00	0.3
1/18/18 4:00	0.2	1/18/19 4:00	0.1	1/18/20 4:00	0.3
1/18/18 5:00	0.2	1/18/19 5:00	0.1	1/18/20 5:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
1/18/18 6:00	0.2	1/18/19 6:00	0.1	1/18/20 6:00	0.2
1/18/18 7:00	0.2	1/18/19 7:00	0.1	1/18/20 7:00	0.2
1/18/18 8:00	0.2	1/18/19 8:00	0.1	1/18/20 8:00	0.2
1/18/18 9:00	0.2	1/18/19 9:00	0.1	1/18/20 9:00	0.2
1/18/18 10:00	0.2	1/18/19 10:00	0.1	1/18/20 10:00	0.2
1/18/18 11:00	0.2	1/18/19 11:00	0.1	1/18/20 11:00	0.3
1/18/18 12:00	0.2	1/18/19 12:00	0.1	1/18/20 12:00	0.2
1/18/18 13:00	0.2	1/18/19 13:00	0.3	1/18/20 13:00	0.2
1/18/18 14:00	0.2	1/18/19 14:00	0.3	1/18/20 14:00	0.3
1/18/18 15:00	0.2	1/18/19 15:00	0.3	1/18/20 15:00	0.3
1/18/18 16:00	0.2	1/18/19 16:00	0.2	1/18/20 16:00	0.2
1/18/18 17:00	0.2	1/18/19 17:00	0.1	1/18/20 17:00	0.2
1/18/18 18:00	0.2	1/18/19 18:00	0.1	1/18/20 18:00	0.3
1/18/18 19:00	0.2	1/18/19 19:00	0.2	1/18/20 19:00	0.1
1/18/18 20:00	0.2	1/18/19 20:00	0.2	1/18/20 20:00	0.1
1/18/18 21:00	0.3	1/18/19 21:00	0.2	1/18/20 21:00	0.1
1/18/18 22:00	0.2	1/18/19 22:00	0.1	1/18/20 22:00	0.0
1/18/18 23:00	0.2	1/18/19 23:00	0.1	1/18/20 23:00	0.0
1/19/18 0:00	0.2	1/19/19 0:00	0.1	1/19/20 0:00	0.1
1/19/18 1:00	0.2	1/19/19 1:00	0.1	1/19/20 1:00	0.0
1/19/18 2:00	0.2	1/19/19 2:00	0.1	1/19/20 2:00	0.1
1/19/18 3:00	0.2	1/19/19 3:00	0.1	1/19/20 3:00	0.1
1/19/18 4:00	0.2	1/19/19 4:00	0.2	1/19/20 4:00	0.1
1/19/18 5:00	0.2	1/19/19 5:00	0.1	1/19/20 5:00	0.1
1/19/18 6:00	0.2	1/19/19 6:00	0.1	1/19/20 6:00	0.1
1/19/18 7:00	0.2	1/19/19 7:00	0.1	1/19/20 7:00	0.0
1/19/18 8:00	0.2	1/19/19 8:00	0.0	1/19/20 8:00	0.0
1/19/18 9:00	0.2	1/19/19 9:00	0.1	1/19/20 9:00	0.1
1/19/18 10:00	0.4	1/19/19 10:00	0.1	1/19/20 10:00	0.1
1/19/18 11:00	0.2	1/19/19 11:00	0.1	1/19/20 11:00	0.1
1/19/18 12:00	0.3	1/19/19 12:00	0.1	1/19/20 12:00	0.1
1/19/18 13:00	0.2	1/19/19 13:00	0.1	1/19/20 13:00	0.1
1/19/18 14:00	0.0	1/19/19 14:00	0.1	1/19/20 14:00	0.0
1/19/18 15:00	0.0	1/19/19 15:00	0.1	1/19/20 15:00	0.0
1/19/18 16:00	0.1	1/19/19 16:00	0.1	1/19/20 16:00	0.1
1/19/18 17:00	0.2	1/19/19 17:00	0.1	1/19/20 17:00	0.1
1/19/18 18:00	0.2	1/19/19 18:00	0.2	1/19/20 18:00	0.1
1/19/18 19:00	0.4	1/19/19 19:00	0.2	1/19/20 19:00	0.1
1/19/18 20:00	0.2	1/19/19 20:00	0.1	1/19/20 20:00	0.1
1/19/18 21:00	0.2	1/19/19 21:00	0.1	1/19/20 21:00	0.1
1/19/18 22:00	0.2	1/19/19 22:00	0.1	1/19/20 22:00	0.1
1/19/18 23:00	0.2	1/19/19 23:00	0.1	1/19/20 23:00	0.1
1/20/18 0:00	0.2	1/20/19 0:00	0.1	1/20/20 0:00	0.1
1/20/18 1:00	0.3	1/20/19 1:00	0.1	1/20/20 1:00	0.0
1/20/18 2:00	0.3	1/20/19 2:00	0.1	1/20/20 2:00	0.1
1/20/18 3:00	0.3	1/20/19 3:00	0.1	1/20/20 3:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
1/20/18 4:00	0.2	1/20/19 4:00	0.1	1/20/20 4:00	0.2
1/20/18 5:00	0.2	1/20/19 5:00	0.1	1/20/20 5:00	0.1
1/20/18 6:00	0.2	1/20/19 6:00	0.1	1/20/20 6:00	0.0
1/20/18 7:00	0.2	1/20/19 7:00	0.1	1/20/20 7:00	0.0
1/20/18 8:00	0.2	1/20/19 8:00	0.1	1/20/20 8:00	0.1
1/20/18 9:00	0.2	1/20/19 9:00	0.1	1/20/20 9:00	0.1
1/20/18 10:00	0.2	1/20/19 10:00	0.1	1/20/20 10:00	0.0
1/20/18 11:00	0.5	1/20/19 11:00	0.3	1/20/20 11:00	0.1
1/20/18 12:00	0.3	1/20/19 12:00	0.1	1/20/20 12:00	0.2
1/20/18 13:00	0.3	1/20/19 13:00	0.1	1/20/20 13:00	0.2
1/20/18 14:00	0.2	1/20/19 14:00	0.1	1/20/20 14:00	0.2
1/20/18 15:00	0.2	1/20/19 15:00	0.1	1/20/20 15:00	0.2
1/20/18 16:00	0.2	1/20/19 16:00	0.1	1/20/20 16:00	0.1
1/20/18 17:00	0.2	1/20/19 17:00	0.1	1/20/20 17:00	0.1
1/20/18 18:00	0.1	1/20/19 18:00	0.1	1/20/20 18:00	0.1
1/20/18 19:00	0.2	1/20/19 19:00	0.1	1/20/20 19:00	0.1
1/20/18 20:00	0.3	1/20/19 20:00	0.1	1/20/20 20:00	0.1
1/20/18 21:00	0.1	1/20/19 21:00	0.1	1/20/20 21:00	0.0
1/20/18 22:00	0.1	1/20/19 22:00	0.1	1/20/20 22:00	0.0
1/20/18 23:00	0.3	1/20/19 23:00	0.1	1/20/20 23:00	0.1
1/21/18 0:00	0.3	1/21/19 0:00	0.1	1/21/20 0:00	0.0
1/21/18 1:00	0.2	1/21/19 1:00	0.2	1/21/20 1:00	0.0
1/21/18 2:00	0.2	1/21/19 2:00	0.2	1/21/20 2:00	0.2
1/21/18 3:00	0.2	1/21/19 3:00	0.2	1/21/20 3:00	0.0
1/21/18 4:00	0.2	1/21/19 4:00	0.1	1/21/20 4:00	0.1
1/21/18 5:00	0.1	1/21/19 5:00	0.1	1/21/20 5:00	0.1
1/21/18 6:00	0.3	1/21/19 6:00	0.1	1/21/20 6:00	0.1
1/21/18 7:00	0.3	1/21/19 7:00	0.1	1/21/20 7:00	0.1
1/21/18 8:00	0.4	1/21/19 8:00	0.2	1/21/20 8:00	0.1
1/21/18 9:00	0.4	1/21/19 9:00	0.1	1/21/20 9:00	0.1
1/21/18 10:00	0.4	1/21/19 10:00	0.1	1/21/20 10:00	0.2
1/21/18 11:00	0.4	1/21/19 11:00	0.1	1/21/20 11:00	0.0
1/21/18 12:00	0.3	1/21/19 12:00	0.2	1/21/20 12:00	0.0
1/21/18 13:00	0.4	1/21/19 13:00	0.2	1/21/20 13:00	0.1
1/21/18 14:00	0.4	1/21/19 14:00	0.2	1/21/20 14:00	0.0
1/21/18 15:00	0.4	1/21/19 15:00	0.2	1/21/20 15:00	0.0
1/21/18 16:00	0.4	1/21/19 16:00	0.1	1/21/20 16:00	0.1
1/21/18 17:00	0.3	1/21/19 17:00	0.1	1/21/20 17:00	0.1
1/21/18 18:00	0.2	1/21/19 18:00	0.1	1/21/20 18:00	0.2
1/21/18 19:00	0.2	1/21/19 19:00	0.1	1/21/20 19:00	0.1
1/21/18 20:00	0.4	1/21/19 20:00	0.1	1/21/20 20:00	0.2
1/21/18 21:00	0.4	1/21/19 21:00	0.1	1/21/20 21:00	0.1
1/21/18 22:00	0.4	1/21/19 22:00	0.1	1/21/20 22:00	0.1
1/21/18 23:00	0.3	1/21/19 23:00	0.1	1/21/20 23:00	0.1
1/22/18 0:00	0.3	1/22/19 0:00	0.1	1/22/20 0:00	0.1
1/22/18 1:00	0.3	1/22/19 1:00	0.1	1/22/20 1:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
1/22/18 2:00	0.3	1/22/19 2:00	0.1	1/22/20 2:00	0.0
1/22/18 3:00	0.3	1/22/19 3:00	0.0	1/22/20 3:00	0.0
1/22/18 4:00	0.3	1/22/19 4:00	0.0	1/22/20 4:00	0.1
1/22/18 5:00	0.3	1/22/19 5:00	0.1	1/22/20 5:00	0.1
1/22/18 6:00	0.3	1/22/19 6:00	0.1	1/22/20 6:00	0.0
1/22/18 7:00	0.3	1/22/19 7:00	0.1	1/22/20 7:00	0.1
1/22/18 8:00	0.2	1/22/19 8:00	0.1	1/22/20 8:00	0.1
1/22/18 9:00	0.2	1/22/19 9:00	0.1	1/22/20 9:00	0.2
1/22/18 10:00	0.3	1/22/19 10:00	0.2	1/22/20 10:00	0.1
1/22/18 11:00	0.3	1/22/19 11:00	0.2	1/22/20 11:00	0.1
1/22/18 12:00	0.3	1/22/19 12:00	0.1	1/22/20 12:00	0.0
1/22/18 13:00	0.2	1/22/19 13:00	0.1	1/22/20 13:00	0.1
1/22/18 14:00	0.2	1/22/19 14:00	0.1	1/22/20 14:00	0.1
1/22/18 15:00	0.2	1/22/19 15:00	0.1	1/22/20 15:00	0.2
1/22/18 16:00	0.2	1/22/19 16:00	0.1	1/22/20 16:00	0.2
1/22/18 17:00	0.1	1/22/19 17:00	0.1	1/22/20 17:00	0.1
1/22/18 18:00	0.1	1/22/19 18:00	0.1	1/22/20 18:00	0.1
1/22/18 19:00	0.1	1/22/19 19:00	0.1	1/22/20 19:00	0.1
1/22/18 20:00	0.2	1/22/19 20:00	0.1	1/22/20 20:00	0.2
1/22/18 21:00	0.2	1/22/19 21:00	0.1	1/22/20 21:00	0.1
1/22/18 22:00	0.2	1/22/19 22:00	0.1	1/22/20 22:00	0.1
1/22/18 23:00	0.2	1/22/19 23:00	0.2	1/22/20 23:00	0.1
1/23/18 0:00	0.2	1/23/19 0:00	0.2	1/23/20 0:00	0.1
1/23/18 1:00	0.2	1/23/19 1:00	0.2	1/23/20 1:00	0.1
1/23/18 2:00	0.2	1/23/19 2:00	0.1	1/23/20 2:00	0.1
1/23/18 3:00	0.1	1/23/19 3:00	0.1	1/23/20 3:00	0.1
1/23/18 4:00	0.1	1/23/19 4:00	0.1	1/23/20 4:00	0.1
1/23/18 5:00	0.1	1/23/19 5:00	0.1	1/23/20 5:00	0.1
1/23/18 6:00	0.2	1/23/19 6:00	0.1	1/23/20 6:00	0.0
1/23/18 7:00	0.3	1/23/19 7:00	0.1	1/23/20 7:00	0.1
1/23/18 8:00	0.2	1/23/19 8:00	0.1	1/23/20 8:00	0.1
1/23/18 9:00	0.2	1/23/19 9:00	0.1	1/23/20 9:00	0.1
1/23/18 10:00	11.6	1/23/19 10:00	0.1	1/23/20 10:00	0.1
1/23/18 11:00	0.2	1/23/19 11:00	0.1	1/23/20 11:00	0.1
1/23/18 12:00	0.1	1/23/19 12:00	0.1	1/23/20 12:00	0.1
1/23/18 13:00	0.2	1/23/19 13:00	0.1	1/23/20 13:00	0.0
1/23/18 14:00	0.2	1/23/19 14:00	0.1	1/23/20 14:00	0.0
1/23/18 15:00	0.1	1/23/19 15:00	0.1	1/23/20 15:00	0.1
1/23/18 16:00	0.1	1/23/19 16:00	0.1	1/23/20 16:00	0.1
1/23/18 17:00	0.1	1/23/19 17:00	0.1	1/23/20 17:00	0.1
1/23/18 18:00	0.1	1/23/19 18:00	0.1	1/23/20 18:00	0.1
1/23/18 19:00	0.1	1/23/19 19:00	0.1	1/23/20 19:00	0.1
1/23/18 20:00	0.2	1/23/19 20:00	0.1	1/23/20 20:00	0.1
1/23/18 21:00	0.2	1/23/19 21:00	0.1	1/23/20 21:00	0.1
1/23/18 22:00	0.2	1/23/19 22:00	0.2	1/23/20 22:00	0.1
1/23/18 23:00	0.2	1/23/19 23:00	0.1	1/23/20 23:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
1/24/18 0:00	0.1	1/24/19 0:00	0.1	1/24/20 0:00	0.0
1/24/18 1:00	0.2	1/24/19 1:00	0.1	1/24/20 1:00	0.0
1/24/18 2:00	0.2	1/24/19 2:00	0.1	1/24/20 2:00	0.1
1/24/18 3:00	0.1	1/24/19 3:00	0.1	1/24/20 3:00	0.1
1/24/18 4:00	0.1	1/24/19 4:00	0.1	1/24/20 4:00	0.2
1/24/18 5:00	0.1	1/24/19 5:00	0.1	1/24/20 5:00	0.2
1/24/18 6:00	0.2	1/24/19 6:00	0.1	1/24/20 6:00	0.0
1/24/18 7:00	0.3	1/24/19 7:00	0.1	1/24/20 7:00	0.0
1/24/18 8:00	0.2	1/24/19 8:00	0.4	1/24/20 8:00	0.0
1/24/18 9:00	0.2	1/24/19 9:00	0.4	1/24/20 9:00	0.0
1/24/18 10:00	0.2	1/24/19 10:00	0.4	1/24/20 10:00	0.0
1/24/18 11:00	0.2	1/24/19 11:00	0.5	1/24/20 11:00	0.1
1/24/18 12:00	0.2	1/24/19 12:00	0.5	1/24/20 12:00	0.1
1/24/18 13:00	0.2	1/24/19 13:00	0.5	1/24/20 13:00	0.2
1/24/18 14:00	0.2	1/24/19 14:00	0.5	1/24/20 14:00	0.1
1/24/18 15:00	0.2	1/24/19 15:00	0.5	1/24/20 15:00	0.1
1/24/18 16:00	0.1	1/24/19 16:00	0.5	1/24/20 16:00	0.1
1/24/18 17:00	0.1	1/24/19 17:00	0.5	1/24/20 17:00	0.1
1/24/18 18:00	0.2	1/24/19 18:00	0.3	1/24/20 18:00	0.1
1/24/18 19:00	0.2	1/24/19 19:00	0.1	1/24/20 19:00	0.1
1/24/18 20:00	0.2	1/24/19 20:00	0.2	1/24/20 20:00	0.1
1/24/18 21:00	0.2	1/24/19 21:00	0.1	1/24/20 21:00	0.1
1/24/18 22:00	0.2	1/24/19 22:00	0.1	1/24/20 22:00	0.1
1/24/18 23:00	0.3	1/24/19 23:00	0.1	1/24/20 23:00	0.1
1/25/18 0:00	0.3	1/25/19 0:00	0.1	1/25/20 0:00	0.2
1/25/18 1:00	0.2	1/25/19 1:00	0.1	1/25/20 1:00	0.2
1/25/18 2:00	0.2	1/25/19 2:00	0.1	1/25/20 2:00	0.2
1/25/18 3:00	0.2	1/25/19 3:00	0.1	1/25/20 3:00	0.1
1/25/18 4:00	0.2	1/25/19 4:00	0.1	1/25/20 4:00	0.1
1/25/18 5:00	0.2	1/25/19 5:00	0.1	1/25/20 5:00	0.1
1/25/18 6:00	0.2	1/25/19 6:00	0.1	1/25/20 6:00	0.1
1/25/18 7:00	0.3	1/25/19 7:00	0.1	1/25/20 7:00	0.3
1/25/18 8:00	0.2	1/25/19 8:00	0.1	1/25/20 8:00	0.2
1/25/18 9:00	0.2	1/25/19 9:00	0.1	1/25/20 9:00	0.2
1/25/18 10:00	0.2	1/25/19 10:00	0.2	1/25/20 10:00	0.2
1/25/18 11:00	0.2	1/25/19 11:00	0.2	1/25/20 11:00	0.2
1/25/18 12:00	0.2	1/25/19 12:00	0.1	1/25/20 12:00	0.3
1/25/18 13:00	0.2	1/25/19 13:00	0.1	1/25/20 13:00	0.3
1/25/18 14:00	0.2	1/25/19 14:00	0.1	1/25/20 14:00	0.3
1/25/18 15:00	0.2	1/25/19 15:00	0.1	1/25/20 15:00	0.3
1/25/18 16:00	0.2	1/25/19 16:00	0.2	1/25/20 16:00	0.2
1/25/18 17:00	0.2	1/25/19 17:00	0.1	1/25/20 17:00	0.2
1/25/18 18:00	0.2	1/25/19 18:00	0.1	1/25/20 18:00	0.2
1/25/18 19:00	0.2	1/25/19 19:00	0.1	1/25/20 19:00	0.3
1/25/18 20:00	0.2	1/25/19 20:00	0.1	1/25/20 20:00	0.2
1/25/18 21:00	0.2	1/25/19 21:00	0.1	1/25/20 21:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
1/25/18 22:00	0.2	1/25/19 22:00	0.1	1/25/20 22:00	0.2
1/25/18 23:00	0.1	1/25/19 23:00	0.1	1/25/20 23:00	0.2
1/26/18 0:00	0.1	1/26/19 0:00	0.1	1/26/20 0:00	0.1
1/26/18 1:00	0.2	1/26/19 1:00	0.1	1/26/20 1:00	0.2
1/26/18 2:00	0.2	1/26/19 2:00	0.1	1/26/20 2:00	0.1
1/26/18 3:00	0.2	1/26/19 3:00	0.1	1/26/20 3:00	0.0
1/26/18 4:00	0.2	1/26/19 4:00	0.1	1/26/20 4:00	0.0
1/26/18 5:00	0.2	1/26/19 5:00	0.1	1/26/20 5:00	0.0
1/26/18 6:00	0.2	1/26/19 6:00	0.0	1/26/20 6:00	0.1
1/26/18 7:00	0.3	1/26/19 7:00	0.2	1/26/20 7:00	0.1
1/26/18 8:00	0.3	1/26/19 8:00	0.1	1/26/20 8:00	0.1
1/26/18 9:00	0.2	1/26/19 9:00	0.1	1/26/20 9:00	0.1
1/26/18 10:00	0.4	1/26/19 10:00	0.1	1/26/20 10:00	0.1
1/26/18 11:00	0.3	1/26/19 11:00	0.1	1/26/20 11:00	0.1
1/26/18 12:00	0.2	1/26/19 12:00	0.2	1/26/20 12:00	0.1
1/26/18 13:00	0.2	1/26/19 13:00	0.2	1/26/20 13:00	0.1
1/26/18 14:00	0.2	1/26/19 14:00	0.3	1/26/20 14:00	0.1
1/26/18 15:00	0.3	1/26/19 15:00	0.2	1/26/20 15:00	0.0
1/26/18 16:00	0.3	1/26/19 16:00	0.2	1/26/20 16:00	0.0
1/26/18 17:00	0.3	1/26/19 17:00	0.1	1/26/20 17:00	0.0
1/26/18 18:00	0.3	1/26/19 18:00	0.1	1/26/20 18:00	0.1
1/26/18 19:00	0.3	1/26/19 19:00	0.1	1/26/20 19:00	0.1
1/26/18 20:00	0.3	1/26/19 20:00	0.2	1/26/20 20:00	0.1
1/26/18 21:00	0.3	1/26/19 21:00	0.1	1/26/20 21:00	0.1
1/26/18 22:00	0.3	1/26/19 22:00	0.1	1/26/20 22:00	0.0
1/26/18 23:00	0.3	1/26/19 23:00	0.1	1/26/20 23:00	0.0
1/27/18 0:00	0.3	1/27/19 0:00	0.1	1/27/20 0:00	0.0
1/27/18 1:00	0.3	1/27/19 1:00	0.1	1/27/20 1:00	0.1
1/27/18 2:00	0.3	1/27/19 2:00	0.1	1/27/20 2:00	0.1
1/27/18 3:00	0.2	1/27/19 3:00	0.1	1/27/20 3:00	0.1
1/27/18 4:00	0.2	1/27/19 4:00	0.1	1/27/20 4:00	0.1
1/27/18 5:00	0.2	1/27/19 5:00	0.1	1/27/20 5:00	0.1
1/27/18 6:00	0.2	1/27/19 6:00	0.1	1/27/20 6:00	0.0
1/27/18 7:00	0.2	1/27/19 7:00	0.1	1/27/20 7:00	0.0
1/27/18 8:00	0.2	1/27/19 8:00	0.1	1/27/20 8:00	0.1
1/27/18 9:00	0.3	1/27/19 9:00	0.1	1/27/20 9:00	0.2
1/27/18 10:00	0.2	1/27/19 10:00	0.1	1/27/20 10:00	0.1
1/27/18 11:00	0.2	1/27/19 11:00	0.1	1/27/20 11:00	0.1
1/27/18 12:00	0.3	1/27/19 12:00	0.1	1/27/20 12:00	0.1
1/27/18 13:00	0.1	1/27/19 13:00	0.1	1/27/20 13:00	0.1
1/27/18 14:00	0.1	1/27/19 14:00	0.1	1/27/20 14:00	0.1
1/27/18 15:00	0.2	1/27/19 15:00	0.1	1/27/20 15:00	0.2
1/27/18 16:00	0.2	1/27/19 16:00	0.1	1/27/20 16:00	0.0
1/27/18 17:00	0.1	1/27/19 17:00	0.1	1/27/20 17:00	0.0
1/27/18 18:00	0.1	1/27/19 18:00	0.1	1/27/20 18:00	0.0
1/27/18 19:00	0.2	1/27/19 19:00	0.1	1/27/20 19:00	0.3

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
1/27/18 20:00	0.2	1/27/19 20:00	0.1	1/27/20 20:00	0.1
1/27/18 21:00	0.3	1/27/19 21:00	0.1	1/27/20 21:00	0.1
1/27/18 22:00	0.3	1/27/19 22:00	0.2	1/27/20 22:00	0.1
1/27/18 23:00	0.2	1/27/19 23:00	0.1	1/27/20 23:00	0.0
1/28/18 0:00	0.2	1/28/19 0:00	0.1	1/28/20 0:00	0.0
1/28/18 1:00	0.2	1/28/19 1:00	0.1	1/28/20 1:00	0.1
1/28/18 2:00	0.2	1/28/19 2:00	0.1	1/28/20 2:00	0.1
1/28/18 3:00	0.1	1/28/19 3:00	0.1	1/28/20 3:00	0.1
1/28/18 4:00	0.1	1/28/19 4:00	0.1	1/28/20 4:00	0.1
1/28/18 5:00	0.1	1/28/19 5:00	0.1	1/28/20 5:00	0.1
1/28/18 6:00	0.1	1/28/19 6:00	0.0	1/28/20 6:00	0.0
1/28/18 7:00	0.2	1/28/19 7:00	0.0	1/28/20 7:00	0.1
1/28/18 8:00	0.2	1/28/19 8:00	0.1	1/28/20 8:00	0.2
1/28/18 9:00	0.1	1/28/19 9:00	0.1	1/28/20 9:00	0.2
1/28/18 10:00	0.1	1/28/19 10:00	0.2	1/28/20 10:00	0.2
1/28/18 11:00	0.1	1/28/19 11:00	0.1	1/28/20 11:00	0.1
1/28/18 12:00	0.2	1/28/19 12:00	0.1	1/28/20 12:00	0.2
1/28/18 13:00	0.1	1/28/19 13:00	0.1	1/28/20 13:00	0.2
1/28/18 14:00	0.1	1/28/19 14:00	0.1	1/28/20 14:00	0.2
1/28/18 15:00	0.2	1/28/19 15:00	0.2	1/28/20 15:00	0.1
1/28/18 16:00	0.2	1/28/19 16:00	0.1	1/28/20 16:00	0.0
1/28/18 17:00	0.1	1/28/19 17:00	0.0	1/28/20 17:00	0.1
1/28/18 18:00	0.1	1/28/19 18:00	0.0	1/28/20 18:00	0.1
1/28/18 19:00	0.2	1/28/19 19:00	0.0	1/28/20 19:00	0.1
1/28/18 20:00	0.2	1/28/19 20:00	0.0	1/28/20 20:00	0.1
1/28/18 21:00	0.1	1/28/19 21:00	0.0	1/28/20 21:00	0.0
1/28/18 22:00	0.1	1/28/19 22:00	0.0	1/28/20 22:00	0.1
1/28/18 23:00	0.1	1/28/19 23:00	0.1	1/28/20 23:00	0.2
1/29/18 0:00	0.2	1/29/19 0:00	0.0	1/29/20 0:00	0.2
1/29/18 1:00	0.2	1/29/19 1:00	0.0	1/29/20 1:00	0.1
1/29/18 2:00	0.2	1/29/19 2:00	0.0	1/29/20 2:00	0.1
1/29/18 3:00	0.2	1/29/19 3:00	0.0	1/29/20 3:00	0.2
1/29/18 4:00	0.2	1/29/19 4:00	0.0	1/29/20 4:00	0.1
1/29/18 5:00	0.2	1/29/19 5:00	0.1	1/29/20 5:00	0.1
1/29/18 6:00	0.1	1/29/19 6:00	0.1	1/29/20 6:00	0.1
1/29/18 7:00	0.1	1/29/19 7:00	0.1	1/29/20 7:00	0.2
1/29/18 8:00	0.1	1/29/19 8:00	0.1	1/29/20 8:00	0.3
1/29/18 9:00	0.1	1/29/19 9:00	0.1	1/29/20 9:00	0.3
1/29/18 10:00	0.1	1/29/19 10:00	0.1	1/29/20 10:00	0.1
1/29/18 11:00	0.1	1/29/19 11:00	0.2	1/29/20 11:00	0.1
1/29/18 12:00	0.1	1/29/19 12:00	0.2	1/29/20 12:00	0.2
1/29/18 13:00	0.1	1/29/19 13:00	0.1	1/29/20 13:00	0.1
1/29/18 14:00	0.1	1/29/19 14:00	0.1	1/29/20 14:00	0.1
1/29/18 15:00	0.3	1/29/19 15:00	0.1	1/29/20 15:00	0.1
1/29/18 16:00	0.3	1/29/19 16:00	0.1	1/29/20 16:00	0.2
1/29/18 17:00	0.3	1/29/19 17:00	0.1	1/29/20 17:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
1/29/18 18:00	0.1	1/29/19 18:00	0.1	1/29/20 18:00	0.1
1/29/18 19:00	0.1	1/29/19 19:00	0.1	1/29/20 19:00	0.2
1/29/18 20:00	0.2	1/29/19 20:00	0.1	1/29/20 20:00	0.3
1/29/18 21:00	0.2	1/29/19 21:00	0.1	1/29/20 21:00	0.1
1/29/18 22:00	0.5	1/29/19 22:00	0.1	1/29/20 22:00	0.1
1/29/18 23:00	0.5	1/29/19 23:00	0.1	1/29/20 23:00	0.1
1/30/18 0:00	0.5	1/30/19 0:00	0.1	1/30/20 0:00	0.2
1/30/18 1:00	0.5	1/30/19 1:00	0.1	1/30/20 1:00	0.1
1/30/18 2:00	0.5	1/30/19 2:00	0.1	1/30/20 2:00	0.1
1/30/18 3:00	0.4	1/30/19 3:00	0.1	1/30/20 3:00	0.1
1/30/18 4:00	0.4	1/30/19 4:00	0.1	1/30/20 4:00	0.1
1/30/18 5:00	0.3	1/30/19 5:00	0.1	1/30/20 5:00	0.1
1/30/18 6:00	0.3	1/30/19 6:00	0.1	1/30/20 6:00	0.1
1/30/18 7:00	0.5	1/30/19 7:00	0.1	1/30/20 7:00	0.1
1/30/18 8:00	0.3	1/30/19 8:00	0.1	1/30/20 8:00	0.1
1/30/18 9:00	0.9	1/30/19 9:00	0.0	1/30/20 9:00	0.1
1/30/18 10:00	0.2	1/30/19 10:00	0.0	1/30/20 10:00	0.1
1/30/18 11:00	0.1	1/30/19 11:00	0.0	1/30/20 11:00	0.2
1/30/18 12:00	0.2	1/30/19 12:00	0.0	1/30/20 12:00	0.1
1/30/18 13:00	0.3	1/30/19 13:00	0.0	1/30/20 13:00	0.1
1/30/18 14:00	0.5	1/30/19 14:00	0.0	1/30/20 14:00	0.1
1/30/18 15:00	0.4	1/30/19 15:00	0.0	1/30/20 15:00	0.1
1/30/18 16:00	0.4	1/30/19 16:00	0.0	1/30/20 16:00	0.1
1/30/18 17:00	0.3	1/30/19 17:00	0.0	1/30/20 17:00	0.2
1/30/18 18:00	0.1	1/30/19 18:00	0.0	1/30/20 18:00	0.3
1/30/18 19:00	0.1	1/30/19 19:00	0.1	1/30/20 19:00	0.2
1/30/18 20:00	0.2	1/30/19 20:00	0.1	1/30/20 20:00	0.0
1/30/18 21:00	0.2	1/30/19 21:00	0.0	1/30/20 21:00	0.1
1/30/18 22:00	0.1	1/30/19 22:00	0.1	1/30/20 22:00	0.1
1/30/18 23:00	0.1	1/30/19 23:00	0.1	1/30/20 23:00	0.1
1/31/18 0:00	0.1	1/31/19 0:00	0.2	1/31/20 0:00	0.1
1/31/18 1:00	0.1	1/31/19 1:00	0.2	1/31/20 1:00	0.1
1/31/18 2:00	0.1	1/31/19 2:00	0.0	1/31/20 2:00	0.2
1/31/18 3:00	0.1	1/31/19 3:00	0.1	1/31/20 3:00	0.1
1/31/18 4:00	0.1	1/31/19 4:00	0.1	1/31/20 4:00	0.1
1/31/18 5:00	0.2	1/31/19 5:00	0.2	1/31/20 5:00	0.0
1/31/18 6:00	1.0	1/31/19 6:00	0.1	1/31/20 6:00	0.0
1/31/18 7:00	0.2	1/31/19 7:00	0.1	1/31/20 7:00	0.0
1/31/18 8:00	0.3	1/31/19 8:00	0.1	1/31/20 8:00	0.1
1/31/18 9:00	0.2	1/31/19 9:00	0.2	1/31/20 9:00	0.1
1/31/18 10:00	0.2	1/31/19 10:00	0.1	1/31/20 10:00	0.1
1/31/18 11:00	0.2	1/31/19 11:00	0.1	1/31/20 11:00	0.1
1/31/18 12:00	0.2	1/31/19 12:00	0.1	1/31/20 12:00	0.2
1/31/18 13:00	0.2	1/31/19 13:00	0.2	1/31/20 13:00	0.2
1/31/18 14:00	0.1	1/31/19 14:00	0.1	1/31/20 14:00	0.1
1/31/18 15:00	0.2	1/31/19 15:00	0.1	1/31/20 15:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
1/31/18 16:00	0.2	1/31/19 16:00	0.1	1/31/20 16:00	0.1
1/31/18 17:00	0.2	1/31/19 17:00	0.1	1/31/20 17:00	0.1
1/31/18 18:00	0.2	1/31/19 18:00	0.2	1/31/20 18:00	0.1
1/31/18 19:00	0.2	1/31/19 19:00	0.2	1/31/20 19:00	0.1
1/31/18 20:00	0.2	1/31/19 20:00	0.2	1/31/20 20:00	0.1
1/31/18 21:00	0.2	1/31/19 21:00	0.1	1/31/20 21:00	0.1
1/31/18 22:00	0.1	1/31/19 22:00	0.2	1/31/20 22:00	0.1
1/31/18 23:00	0.2	1/31/19 23:00	0.2	1/31/20 23:00	0.1
2/1/18 0:00	0.2	2/1/19 0:00	0.1	2/1/20 0:00	0.1
2/1/18 1:00	0.2	2/1/19 1:00	0.1	2/1/20 1:00	0.1
2/1/18 2:00	0.2	2/1/19 2:00	0.2	2/1/20 2:00	0.1
2/1/18 3:00	0.2	2/1/19 3:00	0.1	2/1/20 3:00	0.1
2/1/18 4:00	0.1	2/1/19 4:00	0.1	2/1/20 4:00	0.1
2/1/18 5:00	0.1	2/1/19 5:00	0.1	2/1/20 5:00	0.1
2/1/18 6:00	0.1	2/1/19 6:00	0.1	2/1/20 6:00	0.1
2/1/18 7:00	0.1	2/1/19 7:00	0.1	2/1/20 7:00	0.1
2/1/18 8:00	0.2	2/1/19 8:00	0.1	2/1/20 8:00	0.1
2/1/18 9:00	0.2	2/1/19 9:00	0.1	2/1/20 9:00	0.1
2/1/18 10:00	0.2	2/1/19 10:00	0.1	2/1/20 10:00	0.1
2/1/18 11:00	0.2	2/1/19 11:00	0.1	2/1/20 11:00	0.1
2/1/18 12:00	27.4	2/1/19 12:00	0.1	2/1/20 12:00	0.1
2/1/18 13:00	0.5	2/1/19 13:00	0.1	2/1/20 13:00	0.1
2/1/18 14:00	0.5	2/1/19 14:00	0.1	2/1/20 14:00	0.1
2/1/18 15:00	0.5	2/1/19 15:00	0.1	2/1/20 15:00	0.1
2/1/18 16:00	0.4	2/1/19 16:00	0.1	2/1/20 16:00	0.1
2/1/18 17:00	0.3	2/1/19 17:00	0.1	2/1/20 17:00	0.1
2/1/18 18:00	0.2	2/1/19 18:00	0.1	2/1/20 18:00	0.1
2/1/18 19:00	0.3	2/1/19 19:00	0.2	2/1/20 19:00	0.1
2/1/18 20:00	0.3	2/1/19 20:00	0.1	2/1/20 20:00	0.1
2/1/18 21:00	0.4	2/1/19 21:00	0.2	2/1/20 21:00	0.1
2/1/18 22:00	0.3	2/1/19 22:00	0.2	2/1/20 22:00	0.1
2/1/18 23:00	0.3	2/1/19 23:00	0.1	2/1/20 23:00	0.1
2/2/18 0:00	0.3	2/2/19 0:00	0.1	2/2/20 0:00	0.1
2/2/18 1:00	0.2	2/2/19 1:00	0.1	2/2/20 1:00	0.1
2/2/18 2:00	0.2	2/2/19 2:00	0.1	2/2/20 2:00	0.1
2/2/18 3:00	0.2	2/2/19 3:00	0.1	2/2/20 3:00	0.1
2/2/18 4:00	0.2	2/2/19 4:00	0.2	2/2/20 4:00	0.1
2/2/18 5:00	0.2	2/2/19 5:00	0.2	2/2/20 5:00	0.1
2/2/18 6:00	0.2	2/2/19 6:00	0.2	2/2/20 6:00	0.0
2/2/18 7:00	0.2	2/2/19 7:00	0.2	2/2/20 7:00	0.0
2/2/18 8:00	0.2	2/2/19 8:00	0.2	2/2/20 8:00	0.1
2/2/18 9:00	0.2	2/2/19 9:00	0.2	2/2/20 9:00	0.1
2/2/18 10:00	0.2	2/2/19 10:00	0.2	2/2/20 10:00	0.1
2/2/18 11:00	0.3	2/2/19 11:00	0.2	2/2/20 11:00	0.1
2/2/18 12:00	0.2	2/2/19 12:00	0.2	2/2/20 12:00	0.1
2/2/18 13:00	0.2	2/2/19 13:00	0.2	2/2/20 13:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
2/2/18 14:00	0.2	2/2/19 14:00	0.1	2/2/20 14:00	0.1
2/2/18 15:00	0.2	2/2/19 15:00	0.2	2/2/20 15:00	0.1
2/2/18 16:00	0.2	2/2/19 16:00	0.2	2/2/20 16:00	0.0
2/2/18 17:00	0.2	2/2/19 17:00	0.1	2/2/20 17:00	0.0
2/2/18 18:00	0.2	2/2/19 18:00	0.1	2/2/20 18:00	0.1
2/2/18 19:00	0.2	2/2/19 19:00	0.1	2/2/20 19:00	0.1
2/2/18 20:00	0.2	2/2/19 20:00	0.1	2/2/20 20:00	0.1
2/2/18 21:00	0.1	2/2/19 21:00	0.1	2/2/20 21:00	0.1
2/2/18 22:00	0.1	2/2/19 22:00	0.1	2/2/20 22:00	0.2
2/2/18 23:00	0.2	2/2/19 23:00	0.1	2/2/20 23:00	0.2
2/3/18 0:00	0.2	2/3/19 0:00	0.1	2/3/20 0:00	0.1
2/3/18 1:00	0.2	2/3/19 1:00	0.1	2/3/20 1:00	0.1
2/3/18 2:00	0.2	2/3/19 2:00	0.1	2/3/20 2:00	0.0
2/3/18 3:00	0.2	2/3/19 3:00	0.2	2/3/20 3:00	0.0
2/3/18 4:00	0.2	2/3/19 4:00	0.1	2/3/20 4:00	0.0
2/3/18 5:00	0.2	2/3/19 5:00	0.1	2/3/20 5:00	0.0
2/3/18 6:00	0.2	2/3/19 6:00	0.1	2/3/20 6:00	0.0
2/3/18 7:00	0.2	2/3/19 7:00	0.1	2/3/20 7:00	0.1
2/3/18 8:00	0.2	2/3/19 8:00	0.1	2/3/20 8:00	0.1
2/3/18 9:00	0.2	2/3/19 9:00	0.2	2/3/20 9:00	0.0
2/3/18 10:00	0.2	2/3/19 10:00	0.2	2/3/20 10:00	0.1
2/3/18 11:00	0.2	2/3/19 11:00	0.2	2/3/20 11:00	0.1
2/3/18 12:00	0.2	2/3/19 12:00	0.1	2/3/20 12:00	0.1
2/3/18 13:00	0.2	2/3/19 13:00	0.1	2/3/20 13:00	0.1
2/3/18 14:00	0.2	2/3/19 14:00	0.1	2/3/20 14:00	0.1
2/3/18 15:00	0.2	2/3/19 15:00	0.1	2/3/20 15:00	0.0
2/3/18 16:00	0.1	2/3/19 16:00	0.1	2/3/20 16:00	0.0
2/3/18 17:00	0.1	2/3/19 17:00	0.1	2/3/20 17:00	0.0
2/3/18 18:00	0.1	2/3/19 18:00	0.1	2/3/20 18:00	0.1
2/3/18 19:00	0.2	2/3/19 19:00	0.1	2/3/20 19:00	0.1
2/3/18 20:00	0.2	2/3/19 20:00	0.1	2/3/20 20:00	0.1
2/3/18 21:00	0.2	2/3/19 21:00	0.1	2/3/20 21:00	0.1
2/3/18 22:00	0.2	2/3/19 22:00	0.1	2/3/20 22:00	0.2
2/3/18 23:00	0.2	2/3/19 23:00	0.1	2/3/20 23:00	0.2
2/4/18 0:00	0.2	2/4/19 0:00	0.3	2/4/20 0:00	0.2
2/4/18 1:00	0.2	2/4/19 1:00	0.4	2/4/20 1:00	0.1
2/4/18 2:00	0.2	2/4/19 2:00	0.3	2/4/20 2:00	0.1
2/4/18 3:00	0.2	2/4/19 3:00	0.5	2/4/20 3:00	0.1
2/4/18 4:00	0.2	2/4/19 4:00	0.4	2/4/20 4:00	0.1
2/4/18 5:00	0.2	2/4/19 5:00	0.5	2/4/20 5:00	0.1
2/4/18 6:00	0.2	2/4/19 6:00	0.4	2/4/20 6:00	0.0
2/4/18 7:00	0.2	2/4/19 7:00	0.6	2/4/20 7:00	0.0
2/4/18 8:00	0.2	2/4/19 8:00	0.6	2/4/20 8:00	0.1
2/4/18 9:00	0.1	2/4/19 9:00	0.3	2/4/20 9:00	0.2
2/4/18 10:00	0.1	2/4/19 10:00	0.1	2/4/20 10:00	0.2
2/4/18 11:00	0.2	2/4/19 11:00	0.1	2/4/20 11:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
2/4/18 12:00	0.1	2/4/19 12:00	0.3	2/4/20 12:00	0.1
2/4/18 13:00	0.1	2/4/19 13:00	0.3	2/4/20 13:00	0.1
2/4/18 14:00	0.1	2/4/19 14:00	0.3	2/4/20 14:00	0.1
2/4/18 15:00	0.1	2/4/19 15:00	0.2	2/4/20 15:00	0.2
2/4/18 16:00	0.1	2/4/19 16:00	0.1	2/4/20 16:00	0.2
2/4/18 17:00	0.1	2/4/19 17:00	0.1	2/4/20 17:00	0.1
2/4/18 18:00	0.1	2/4/19 18:00	0.3	2/4/20 18:00	0.1
2/4/18 19:00	0.1	2/4/19 19:00	0.2	2/4/20 19:00	0.1
2/4/18 20:00	0.2	2/4/19 20:00	0.2	2/4/20 20:00	0.1
2/4/18 21:00	0.2	2/4/19 21:00	0.2	2/4/20 21:00	0.1
2/4/18 22:00	0.2	2/4/19 22:00	0.2	2/4/20 22:00	0.1
2/4/18 23:00	0.2	2/4/19 23:00	0.2	2/4/20 23:00	0.0
2/5/18 0:00	0.2	2/5/19 0:00	0.2	2/5/20 0:00	0.0
2/5/18 1:00	0.2	2/5/19 1:00	0.2	2/5/20 1:00	0.0
2/5/18 2:00	0.2	2/5/19 2:00	0.2	2/5/20 2:00	0.0
2/5/18 3:00	0.2	2/5/19 3:00	0.1	2/5/20 3:00	0.1
2/5/18 4:00	0.2	2/5/19 4:00	0.1	2/5/20 4:00	0.2
2/5/18 5:00	0.2	2/5/19 5:00	0.1	2/5/20 5:00	0.1
2/5/18 6:00	0.2	2/5/19 6:00	0.1	2/5/20 6:00	0.2
2/5/18 7:00	0.3	2/5/19 7:00	0.1	2/5/20 7:00	0.2
2/5/18 8:00	0.2	2/5/19 8:00	0.2	2/5/20 8:00	0.1
2/5/18 9:00	0.2	2/5/19 9:00	0.1	2/5/20 9:00	0.1
2/5/18 10:00	0.2	2/5/19 10:00	0.1	2/5/20 10:00	0.1
2/5/18 11:00	0.3	2/5/19 11:00	0.1	2/5/20 11:00	0.2
2/5/18 12:00	0.2	2/5/19 12:00	0.1	2/5/20 12:00	0.2
2/5/18 13:00	0.3	2/5/19 13:00	0.1	2/5/20 13:00	0.1
2/5/18 14:00	0.3	2/5/19 14:00	0.1	2/5/20 14:00	0.1
2/5/18 15:00	0.2	2/5/19 15:00	0.1	2/5/20 15:00	0.1
2/5/18 16:00	0.2	2/5/19 16:00	0.1	2/5/20 16:00	0.1
2/5/18 17:00	0.2	2/5/19 17:00	0.1	2/5/20 17:00	0.1
2/5/18 18:00	0.2	2/5/19 18:00	0.1	2/5/20 18:00	0.1
2/5/18 19:00	0.2	2/5/19 19:00	0.1	2/5/20 19:00	0.1
2/5/18 20:00	0.3	2/5/19 20:00	0.1	2/5/20 20:00	0.1
2/5/18 21:00	0.3	2/5/19 21:00	0.1	2/5/20 21:00	0.2
2/5/18 22:00	0.3	2/5/19 22:00	0.1	2/5/20 22:00	0.1
2/5/18 23:00	0.2	2/5/19 23:00	0.1	2/5/20 23:00	0.1
2/6/18 0:00	0.2	2/6/19 0:00	0.0	2/6/20 0:00	0.2
2/6/18 1:00	0.2	2/6/19 1:00	0.0	2/6/20 1:00	0.1
2/6/18 2:00	0.2	2/6/19 2:00	0.0	2/6/20 2:00	0.1
2/6/18 3:00	0.2	2/6/19 3:00	0.1	2/6/20 3:00	0.1
2/6/18 4:00	0.2	2/6/19 4:00	0.1	2/6/20 4:00	0.1
2/6/18 5:00	0.2	2/6/19 5:00	0.1	2/6/20 5:00	0.2
2/6/18 6:00	0.2	2/6/19 6:00	0.1	2/6/20 6:00	0.1
2/6/18 7:00	0.3	2/6/19 7:00	0.1	2/6/20 7:00	0.1
2/6/18 8:00	0.3	2/6/19 8:00	0.1	2/6/20 8:00	0.2
2/6/18 9:00	0.3	2/6/19 9:00	0.1	2/6/20 9:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
2/6/18 10:00	0.2	2/6/19 10:00	0.1	2/6/20 10:00	0.2
2/6/18 11:00	0.2	2/6/19 11:00	0.1	2/6/20 11:00	0.2
2/6/18 12:00	0.2	2/6/19 12:00	0.1	2/6/20 12:00	0.2
2/6/18 13:00	0.2	2/6/19 13:00	0.1	2/6/20 13:00	0.1
2/6/18 14:00	0.2	2/6/19 14:00	0.1	2/6/20 14:00	0.1
2/6/18 15:00	0.2	2/6/19 15:00	0.1	2/6/20 15:00	0.1
2/6/18 16:00	0.2	2/6/19 16:00	0.1	2/6/20 16:00	0.1
2/6/18 17:00	0.3	2/6/19 17:00	0.1	2/6/20 17:00	0.1
2/6/18 18:00	0.2	2/6/19 18:00	0.1	2/6/20 18:00	0.2
2/6/18 19:00	0.2	2/6/19 19:00	0.1	2/6/20 19:00	0.2
2/6/18 20:00	0.2	2/6/19 20:00	0.1	2/6/20 20:00	0.1
2/6/18 21:00	0.2	2/6/19 21:00	0.1	2/6/20 21:00	0.2
2/6/18 22:00	0.2	2/6/19 22:00	0.0	2/6/20 22:00	0.1
2/6/18 23:00	0.2	2/6/19 23:00	0.0	2/6/20 23:00	0.0
2/7/18 0:00	0.2	2/7/19 0:00	0.1	2/7/20 0:00	0.1
2/7/18 1:00	0.2	2/7/19 1:00	0.3	2/7/20 1:00	0.1
2/7/18 2:00	0.2	2/7/19 2:00	0.3	2/7/20 2:00	0.1
2/7/18 3:00	0.2	2/7/19 3:00	0.3	2/7/20 3:00	0.0
2/7/18 4:00	0.2	2/7/19 4:00	0.2	2/7/20 4:00	0.0
2/7/18 5:00	0.2	2/7/19 5:00	0.3	2/7/20 5:00	0.0
2/7/18 6:00	0.1	2/7/19 6:00	0.3	2/7/20 6:00	0.1
2/7/18 7:00	0.1	2/7/19 7:00	0.2	2/7/20 7:00	0.2
2/7/18 8:00	0.3	2/7/19 8:00	0.1	2/7/20 8:00	0.1
2/7/18 9:00	0.2	2/7/19 9:00	0.2	2/7/20 9:00	0.1
2/7/18 10:00	0.2	2/7/19 10:00	0.1	2/7/20 10:00	0.1
2/7/18 11:00	0.1	2/7/19 11:00	0.1	2/7/20 11:00	0.1
2/7/18 12:00	0.1	2/7/19 12:00	0.1	2/7/20 12:00	0.1
2/7/18 13:00	0.1	2/7/19 13:00	0.0	2/7/20 13:00	0.1
2/7/18 14:00	0.2	2/7/19 14:00	0.0	2/7/20 14:00	0.1
2/7/18 15:00	0.2	2/7/19 15:00	0.0	2/7/20 15:00	0.1
2/7/18 16:00	0.2	2/7/19 16:00	0.1	2/7/20 16:00	0.1
2/7/18 17:00	0.2	2/7/19 17:00	0.1	2/7/20 17:00	0.1
2/7/18 18:00	0.2	2/7/19 18:00	0.1	2/7/20 18:00	0.2
2/7/18 19:00	0.1	2/7/19 19:00	0.1	2/7/20 19:00	0.1
2/7/18 20:00	0.3	2/7/19 20:00	0.0	2/7/20 20:00	0.1
2/7/18 21:00	0.2	2/7/19 21:00	0.0	2/7/20 21:00	0.1
2/7/18 22:00	0.2	2/7/19 22:00	0.0	2/7/20 22:00	0.1
2/7/18 23:00	0.2	2/7/19 23:00	0.0	2/7/20 23:00	0.2
2/8/18 0:00	0.1	2/8/19 0:00	0.1	2/8/20 0:00	0.2
2/8/18 1:00	0.1	2/8/19 1:00	0.1	2/8/20 1:00	0.3
2/8/18 2:00	0.1	2/8/19 2:00	0.1	2/8/20 2:00	0.1
2/8/18 3:00	0.1	2/8/19 3:00	0.2	2/8/20 3:00	0.1
2/8/18 4:00	0.2	2/8/19 4:00	0.1	2/8/20 4:00	0.2
2/8/18 5:00	0.2	2/8/19 5:00	0.2	2/8/20 5:00	0.1
2/8/18 6:00	0.2	2/8/19 6:00	0.2	2/8/20 6:00	0.1
2/8/18 7:00	0.2	2/8/19 7:00	0.2	2/8/20 7:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
2/8/18 8:00	0.2	2/8/19 8:00	0.1	2/8/20 8:00	0.1
2/8/18 9:00	0.2	2/8/19 9:00	0.1	2/8/20 9:00	0.1
2/8/18 10:00	0.2	2/8/19 10:00	0.1	2/8/20 10:00	0.2
2/8/18 11:00	0.2	2/8/19 11:00	0.1	2/8/20 11:00	0.1
2/8/18 12:00	0.2	2/8/19 12:00	0.1	2/8/20 12:00	0.0
2/8/18 13:00	0.3	2/8/19 13:00	0.1	2/8/20 13:00	0.0
2/8/18 14:00	0.2	2/8/19 14:00	0.0	2/8/20 14:00	0.1
2/8/18 15:00	0.2	2/8/19 15:00	0.0	2/8/20 15:00	0.1
2/8/18 16:00	0.2	2/8/19 16:00	0.0	2/8/20 16:00	0.1
2/8/18 17:00	0.1	2/8/19 17:00	0.1	2/8/20 17:00	0.1
2/8/18 18:00	0.2	2/8/19 18:00	0.1	2/8/20 18:00	0.1
2/8/18 19:00	0.2	2/8/19 19:00	0.1	2/8/20 19:00	0.1
2/8/18 20:00	0.2	2/8/19 20:00	0.1	2/8/20 20:00	0.1
2/8/18 21:00	0.3	2/8/19 21:00	0.1	2/8/20 21:00	0.1
2/8/18 22:00	0.2	2/8/19 22:00	0.1	2/8/20 22:00	0.1
2/8/18 23:00	0.2	2/8/19 23:00	0.1	2/8/20 23:00	0.1
2/9/18 0:00	0.2	2/9/19 0:00	0.1	2/9/20 0:00	0.1
2/9/18 1:00	0.2	2/9/19 1:00	0.1	2/9/20 1:00	0.1
2/9/18 2:00	0.2	2/9/19 2:00	0.1	2/9/20 2:00	0.1
2/9/18 3:00	0.2	2/9/19 3:00	0.1	2/9/20 3:00	0.1
2/9/18 4:00	0.2	2/9/19 4:00	0.0	2/9/20 4:00	0.1
2/9/18 5:00	0.2	2/9/19 5:00	0.1	2/9/20 5:00	0.1
2/9/18 6:00	0.2	2/9/19 6:00	0.1	2/9/20 6:00	0.1
2/9/18 7:00	0.2	2/9/19 7:00	0.1	2/9/20 7:00	0.1
2/9/18 8:00	0.3	2/9/19 8:00	0.6	2/9/20 8:00	0.2
2/9/18 9:00	0.3	2/9/19 9:00	3.1	2/9/20 9:00	0.1
2/9/18 10:00	0.3	2/9/19 10:00	0.1	2/9/20 10:00	0.1
2/9/18 11:00	0.2	2/9/19 11:00	0.1	2/9/20 11:00	0.1
2/9/18 12:00	0.2	2/9/19 12:00	0.5	2/9/20 12:00	0.1
2/9/18 13:00	0.2	2/9/19 13:00	1.3	2/9/20 13:00	0.1
2/9/18 14:00	0.3	2/9/19 14:00	1.6	2/9/20 14:00	0.1
2/9/18 15:00	0.2	2/9/19 15:00	1.2	2/9/20 15:00	0.1
2/9/18 16:00	0.2	2/9/19 16:00	0.1	2/9/20 16:00	0.1
2/9/18 17:00	0.1	2/9/19 17:00	0.1	2/9/20 17:00	0.1
2/9/18 18:00	0.1	2/9/19 18:00	0.1	2/9/20 18:00	0.0
2/9/18 19:00	0.1	2/9/19 19:00	0.1	2/9/20 19:00	0.1
2/9/18 20:00	0.1	2/9/19 20:00	0.1	2/9/20 20:00	0.1
2/9/18 21:00	0.1	2/9/19 21:00	0.1	2/9/20 21:00	0.1
2/9/18 22:00	0.1	2/9/19 22:00	0.1	2/9/20 22:00	0.1
2/9/18 23:00	0.2	2/9/19 23:00	0.1	2/9/20 23:00	0.1
2/10/18 0:00	0.2	2/10/19 0:00	0.1	2/10/20 0:00	0.1
2/10/18 1:00	0.2	2/10/19 1:00	0.2	2/10/20 1:00	0.2
2/10/18 2:00	0.2	2/10/19 2:00	0.2	2/10/20 2:00	0.1
2/10/18 3:00	0.2	2/10/19 3:00	0.1	2/10/20 3:00	0.1
2/10/18 4:00	0.2	2/10/19 4:00	0.1	2/10/20 4:00	0.1
2/10/18 5:00	0.1	2/10/19 5:00	0.1	2/10/20 5:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
2/10/18 6:00	0.1	2/10/19 6:00	0.1	2/10/20 6:00	0.1
2/10/18 7:00	0.1	2/10/19 7:00	0.1	2/10/20 7:00	0.1
2/10/18 8:00	0.2	2/10/19 8:00	0.1	2/10/20 8:00	0.3
2/10/18 9:00	0.2	2/10/19 9:00	0.0	2/10/20 9:00	0.2
2/10/18 10:00	0.1	2/10/19 10:00	0.0	2/10/20 10:00	0.1
2/10/18 11:00	0.1	2/10/19 11:00	0.1	2/10/20 11:00	0.1
2/10/18 12:00	0.1	2/10/19 12:00	0.1	2/10/20 12:00	0.2
2/10/18 13:00	0.2	2/10/19 13:00	0.1	2/10/20 13:00	0.2
2/10/18 14:00	0.2	2/10/19 14:00	0.1	2/10/20 14:00	0.2
2/10/18 15:00	0.2	2/10/19 15:00	0.1	2/10/20 15:00	0.2
2/10/18 16:00	0.2	2/10/19 16:00	0.1	2/10/20 16:00	0.2
2/10/18 17:00	0.2	2/10/19 17:00	0.1	2/10/20 17:00	0.1
2/10/18 18:00	0.1	2/10/19 18:00	0.1	2/10/20 18:00	0.1
2/10/18 19:00	0.2	2/10/19 19:00	0.1	2/10/20 19:00	0.1
2/10/18 20:00	0.2	2/10/19 20:00	0.1	2/10/20 20:00	0.1
2/10/18 21:00	0.2	2/10/19 21:00	0.1	2/10/20 21:00	0.1
2/10/18 22:00	0.2	2/10/19 22:00	0.1	2/10/20 22:00	0.2
2/10/18 23:00	0.2	2/10/19 23:00	0.1	2/10/20 23:00	0.2
2/11/18 0:00	0.2	2/11/19 0:00	0.1	2/11/20 0:00	0.1
2/11/18 1:00	0.2	2/11/19 1:00	0.1	2/11/20 1:00	0.1
2/11/18 2:00	0.1	2/11/19 2:00	0.1	2/11/20 2:00	0.1
2/11/18 3:00	0.1	2/11/19 3:00	0.1	2/11/20 3:00	0.1
2/11/18 4:00	0.1	2/11/19 4:00	0.1	2/11/20 4:00	0.1
2/11/18 5:00	0.1	2/11/19 5:00	0.1	2/11/20 5:00	0.1
2/11/18 6:00	0.2	2/11/19 6:00	0.1	2/11/20 6:00	0.2
2/11/18 7:00	0.2	2/11/19 7:00	0.1	2/11/20 7:00	0.1
2/11/18 8:00	0.2	2/11/19 8:00	0.1	2/11/20 8:00	0.1
2/11/18 9:00	0.1	2/11/19 9:00	0.3	2/11/20 9:00	0.2
2/11/18 10:00	0.1	2/11/19 10:00	0.2	2/11/20 10:00	0.3
2/11/18 11:00	0.1	2/11/19 11:00	0.2	2/11/20 11:00	0.2
2/11/18 12:00	0.1	2/11/19 12:00	0.1	2/11/20 12:00	0.2
2/11/18 13:00	0.1	2/11/19 13:00	0.1	2/11/20 13:00	0.2
2/11/18 14:00	0.1	2/11/19 14:00	0.1	2/11/20 14:00	0.2
2/11/18 15:00	0.1	2/11/19 15:00	0.1	2/11/20 15:00	0.1
2/11/18 16:00	0.2	2/11/19 16:00	0.1	2/11/20 16:00	0.1
2/11/18 17:00	0.2	2/11/19 17:00	0.1	2/11/20 17:00	0.0
2/11/18 18:00	0.2	2/11/19 18:00	0.2	2/11/20 18:00	0.1
2/11/18 19:00	0.2	2/11/19 19:00	0.3	2/11/20 19:00	0.1
2/11/18 20:00	0.2	2/11/19 20:00	0.3	2/11/20 20:00	0.1
2/11/18 21:00	0.1	2/11/19 21:00	0.3	2/11/20 21:00	0.2
2/11/18 22:00	0.1	2/11/19 22:00	0.2	2/11/20 22:00	0.1
2/11/18 23:00	0.1	2/11/19 23:00	0.2	2/11/20 23:00	0.0
2/12/18 0:00	0.1	2/12/19 0:00	0.3	2/12/20 0:00	0.0
2/12/18 1:00	0.1	2/12/19 1:00	0.3	2/12/20 1:00	0.2
2/12/18 2:00	0.2	2/12/19 2:00	0.2	2/12/20 2:00	0.2
2/12/18 3:00	0.2	2/12/19 3:00	0.3	2/12/20 3:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
2/12/18 4:00	0.2	2/12/19 4:00	0.3	2/12/20 4:00	0.2
2/12/18 5:00	0.2	2/12/19 5:00	0.3	2/12/20 5:00	0.1
2/12/18 6:00	0.1	2/12/19 6:00	0.1	2/12/20 6:00	0.0
2/12/18 7:00	0.1	2/12/19 7:00	0.1	2/12/20 7:00	0.0
2/12/18 8:00	0.1	2/12/19 8:00	0.2	2/12/20 8:00	0.1
2/12/18 9:00	0.1	2/12/19 9:00	0.3	2/12/20 9:00	0.1
2/12/18 10:00	0.2	2/12/19 10:00	0.2	2/12/20 10:00	0.1
2/12/18 11:00	0.2	2/12/19 11:00	0.3	2/12/20 11:00	0.1
2/12/18 12:00	0.2	2/12/19 12:00	0.3	2/12/20 12:00	0.0
2/12/18 13:00	0.2	2/12/19 13:00	0.3	2/12/20 13:00	0.2
2/12/18 14:00	0.2	2/12/19 14:00	0.1	2/12/20 14:00	0.2
2/12/18 15:00	0.2	2/12/19 15:00	0.1	2/12/20 15:00	0.1
2/12/18 16:00	0.2	2/12/19 16:00	0.1	2/12/20 16:00	0.0
2/12/18 17:00	0.3	2/12/19 17:00	0.1	2/12/20 17:00	0.1
2/12/18 18:00	0.2	2/12/19 18:00	0.1	2/12/20 18:00	0.1
2/12/18 19:00	0.3	2/12/19 19:00	0.2	2/12/20 19:00	0.1
2/12/18 20:00	0.3	2/12/19 20:00	0.2	2/12/20 20:00	0.1
2/12/18 21:00	0.2	2/12/19 21:00	0.2	2/12/20 21:00	0.1
2/12/18 22:00	0.2	2/12/19 22:00	0.2	2/12/20 22:00	0.1
2/12/18 23:00	0.2	2/12/19 23:00	0.2	2/12/20 23:00	0.1
2/13/18 0:00	0.2	2/13/19 0:00	0.1	2/13/20 0:00	0.1
2/13/18 1:00	0.2	2/13/19 1:00	0.1	2/13/20 1:00	0.1
2/13/18 2:00	0.2	2/13/19 2:00	0.1	2/13/20 2:00	0.1
2/13/18 3:00	0.2	2/13/19 3:00	0.1	2/13/20 3:00	0.1
2/13/18 4:00	0.3	2/13/19 4:00	0.1	2/13/20 4:00	0.1
2/13/18 5:00	0.2	2/13/19 5:00	0.1	2/13/20 5:00	0.1
2/13/18 6:00	0.3	2/13/19 6:00	0.1	2/13/20 6:00	0.1
2/13/18 7:00	15.3	2/13/19 7:00	0.1	2/13/20 7:00	0.1
2/13/18 8:00	15.4	2/13/19 8:00	0.2	2/13/20 8:00	0.1
2/13/18 9:00	15.2	2/13/19 9:00	0.1	2/13/20 9:00	0.1
2/13/18 10:00	17.8	2/13/19 10:00	0.1	2/13/20 10:00	0.1
2/13/18 11:00	15.4	2/13/19 11:00	0.1	2/13/20 11:00	0.1
2/13/18 12:00	15.2	2/13/19 12:00	0.0	2/13/20 12:00	0.1
2/13/18 13:00	15.4	2/13/19 13:00	0.1	2/13/20 13:00	0.1
2/13/18 14:00	15.5	2/13/19 14:00	0.1	2/13/20 14:00	0.1
2/13/18 15:00	15.2	2/13/19 15:00	0.1	2/13/20 15:00	0.0
2/13/18 16:00	14.9	2/13/19 16:00	0.1	2/13/20 16:00	0.1
2/13/18 17:00	15.2	2/13/19 17:00	0.1	2/13/20 17:00	0.1
2/13/18 18:00	11.0	2/13/19 18:00	0.1	2/13/20 18:00	0.1
2/13/18 19:00	0.3	2/13/19 19:00	0.1	2/13/20 19:00	0.1
2/13/18 20:00	0.2	2/13/19 20:00	0.1	2/13/20 20:00	0.1
2/13/18 21:00	0.2	2/13/19 21:00	0.2	2/13/20 21:00	0.1
2/13/18 22:00	0.1	2/13/19 22:00	0.1	2/13/20 22:00	0.1
2/13/18 23:00	0.1	2/13/19 23:00	0.3	2/13/20 23:00	0.0
2/14/18 0:00	0.1	2/14/19 0:00	0.1	2/14/20 0:00	0.0
2/14/18 1:00	0.1	2/14/19 1:00	0.1	2/14/20 1:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
2/14/18 2:00	0.3	2/14/19 2:00	0.1	2/14/20 2:00	0.1
2/14/18 3:00	0.2	2/14/19 3:00	0.1	2/14/20 3:00	0.2
2/14/18 4:00	0.1	2/14/19 4:00	0.2	2/14/20 4:00	0.2
2/14/18 5:00	0.1	2/14/19 5:00	0.2	2/14/20 5:00	0.2
2/14/18 6:00	0.2	2/14/19 6:00	0.1	2/14/20 6:00	0.1
2/14/18 7:00	0.2	2/14/19 7:00	0.1	2/14/20 7:00	0.1
2/14/18 8:00	0.1	2/14/19 8:00	0.2	2/14/20 8:00	0.1
2/14/18 9:00	0.1	2/14/19 9:00	0.2	2/14/20 9:00	0.1
2/14/18 10:00	0.1	2/14/19 10:00	0.2	2/14/20 10:00	0.1
2/14/18 11:00	0.1	2/14/19 11:00	0.1	2/14/20 11:00	0.0
2/14/18 12:00	0.1	2/14/19 12:00	0.1	2/14/20 12:00	0.1
2/14/18 13:00	0.2	2/14/19 13:00	0.1	2/14/20 13:00	0.1
2/14/18 14:00	0.2	2/14/19 14:00	0.2	2/14/20 14:00	0.1
2/14/18 15:00	0.2	2/14/19 15:00	0.2	2/14/20 15:00	0.1
2/14/18 16:00	0.1	2/14/19 16:00	0.2	2/14/20 16:00	0.1
2/14/18 17:00	0.2	2/14/19 17:00	0.2	2/14/20 17:00	0.1
2/14/18 18:00	0.1	2/14/19 18:00	0.1	2/14/20 18:00	0.1
2/14/18 19:00	0.1	2/14/19 19:00	0.1	2/14/20 19:00	0.1
2/14/18 20:00	0.1	2/14/19 20:00	0.1	2/14/20 20:00	0.1
2/14/18 21:00	0.1	2/14/19 21:00	0.1	2/14/20 21:00	0.1
2/14/18 22:00	0.1	2/14/19 22:00	0.1	2/14/20 22:00	0.1
2/14/18 23:00	0.1	2/14/19 23:00	0.1	2/14/20 23:00	0.1
2/15/18 0:00	0.1	2/15/19 0:00	0.1	2/15/20 0:00	0.1
2/15/18 1:00	0.1	2/15/19 1:00	0.1	2/15/20 1:00	0.1
2/15/18 2:00	0.1	2/15/19 2:00	0.1	2/15/20 2:00	0.1
2/15/18 3:00	0.1	2/15/19 3:00	0.1	2/15/20 3:00	0.1
2/15/18 4:00	0.1	2/15/19 4:00	0.1	2/15/20 4:00	0.1
2/15/18 5:00	0.1	2/15/19 5:00	0.1	2/15/20 5:00	0.1
2/15/18 6:00	0.2	2/15/19 6:00	0.1	2/15/20 6:00	0.1
2/15/18 7:00	0.2	2/15/19 7:00	0.1	2/15/20 7:00	0.1
2/15/18 8:00	0.2	2/15/19 8:00	0.1	2/15/20 8:00	0.1
2/15/18 9:00	0.3	2/15/19 9:00	0.1	2/15/20 9:00	0.1
2/15/18 10:00	0.4	2/15/19 10:00	0.1	2/15/20 10:00	0.1
2/15/18 11:00	0.3	2/15/19 11:00	0.2	2/15/20 11:00	0.1
2/15/18 12:00	0.3	2/15/19 12:00	0.1	2/15/20 12:00	0.2
2/15/18 13:00	0.3	2/15/19 13:00	0.1	2/15/20 13:00	0.1
2/15/18 14:00	0.2	2/15/19 14:00	0.1	2/15/20 14:00	0.1
2/15/18 15:00	0.4	2/15/19 15:00	0.0	2/15/20 15:00	0.2
2/15/18 16:00	0.2	2/15/19 16:00	0.0	2/15/20 16:00	0.1
2/15/18 17:00	0.2	2/15/19 17:00	0.0	2/15/20 17:00	0.1
2/15/18 18:00	0.2	2/15/19 18:00	0.0	2/15/20 18:00	0.1
2/15/18 19:00	0.1	2/15/19 19:00	0.1	2/15/20 19:00	0.2
2/15/18 20:00	0.1	2/15/19 20:00	0.1	2/15/20 20:00	0.1
2/15/18 21:00	0.1	2/15/19 21:00	0.1	2/15/20 21:00	0.2
2/15/18 22:00	0.1	2/15/19 22:00	0.1	2/15/20 22:00	0.1
2/15/18 23:00	0.1	2/15/19 23:00	0.1	2/15/20 23:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
2/16/18 0:00	0.1	2/16/19 0:00	0.2	2/16/20 0:00	0.2
2/16/18 1:00	0.2	2/16/19 1:00	0.2	2/16/20 1:00	0.2
2/16/18 2:00	0.2	2/16/19 2:00	0.2	2/16/20 2:00	0.2
2/16/18 3:00	0.1	2/16/19 3:00	0.1	2/16/20 3:00	0.2
2/16/18 4:00	0.1	2/16/19 4:00	0.2	2/16/20 4:00	0.1
2/16/18 5:00	0.2	2/16/19 5:00	0.2	2/16/20 5:00	0.1
2/16/18 6:00	0.2	2/16/19 6:00	0.1	2/16/20 6:00	0.1
2/16/18 7:00	0.2	2/16/19 7:00	0.1	2/16/20 7:00	0.1
2/16/18 8:00	0.2	2/16/19 8:00	0.3	2/16/20 8:00	0.1
2/16/18 9:00	0.2	2/16/19 9:00	0.2	2/16/20 9:00	0.1
2/16/18 10:00	0.2	2/16/19 10:00	0.2	2/16/20 10:00	0.1
2/16/18 11:00	0.2	2/16/19 11:00	0.2	2/16/20 11:00	0.1
2/16/18 12:00	0.1	2/16/19 12:00	0.2	2/16/20 12:00	0.1
2/16/18 13:00	0.1	2/16/19 13:00	0.2	2/16/20 13:00	0.1
2/16/18 14:00	0.1	2/16/19 14:00	0.1	2/16/20 14:00	0.1
2/16/18 15:00	0.2	2/16/19 15:00	0.1	2/16/20 15:00	0.1
2/16/18 16:00	0.2	2/16/19 16:00	0.2	2/16/20 16:00	0.2
2/16/18 17:00	0.2	2/16/19 17:00	0.1	2/16/20 17:00	0.1
2/16/18 18:00	0.2	2/16/19 18:00	0.1	2/16/20 18:00	0.1
2/16/18 19:00	0.2	2/16/19 19:00	0.1	2/16/20 19:00	0.2
2/16/18 20:00	0.2	2/16/19 20:00	0.1	2/16/20 20:00	0.1
2/16/18 21:00	0.2	2/16/19 21:00	0.0	2/16/20 21:00	0.1
2/16/18 22:00	0.2	2/16/19 22:00	0.1	2/16/20 22:00	0.1
2/16/18 23:00	0.2	2/16/19 23:00	0.1	2/16/20 23:00	0.1
2/17/18 0:00	0.1	2/17/19 0:00	0.1	2/17/20 0:00	0.1
2/17/18 1:00	0.1	2/17/19 1:00	0.1	2/17/20 1:00	0.1
2/17/18 2:00	0.1	2/17/19 2:00	0.1	2/17/20 2:00	0.1
2/17/18 3:00	0.1	2/17/19 3:00	0.1	2/17/20 3:00	0.1
2/17/18 4:00	0.1	2/17/19 4:00	0.1	2/17/20 4:00	0.1
2/17/18 5:00	0.2	2/17/19 5:00	0.1	2/17/20 5:00	0.1
2/17/18 6:00	0.2	2/17/19 6:00	0.1	2/17/20 6:00	0.1
2/17/18 7:00	0.2	2/17/19 7:00	0.1	2/17/20 7:00	0.1
2/17/18 8:00	0.2	2/17/19 8:00	0.1	2/17/20 8:00	0.1
2/17/18 9:00	0.2	2/17/19 9:00	0.1	2/17/20 9:00	0.0
2/17/18 10:00	0.2	2/17/19 10:00	0.1	2/17/20 10:00	0.1
2/17/18 11:00	0.1	2/17/19 11:00	0.2	2/17/20 11:00	0.0
2/17/18 12:00	0.1	2/17/19 12:00	0.2	2/17/20 12:00	0.0
2/17/18 13:00	0.2	2/17/19 13:00	0.2	2/17/20 13:00	0.0
2/17/18 14:00	0.2	2/17/19 14:00	0.1	2/17/20 14:00	0.1
2/17/18 15:00	0.2	2/17/19 15:00	0.1	2/17/20 15:00	0.1
2/17/18 16:00	0.2	2/17/19 16:00	0.1	2/17/20 16:00	0.1
2/17/18 17:00	0.2	2/17/19 17:00	0.2	2/17/20 17:00	0.1
2/17/18 18:00	0.1	2/17/19 18:00	0.2	2/17/20 18:00	0.1
2/17/18 19:00	0.1	2/17/19 19:00	0.2	2/17/20 19:00	0.1
2/17/18 20:00	0.1	2/17/19 20:00	0.1	2/17/20 20:00	0.0
2/17/18 21:00	0.2	2/17/19 21:00	0.1	2/17/20 21:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
2/17/18 22:00	0.2	2/17/19 22:00	0.1	2/17/20 22:00	0.1
2/17/18 23:00	0.1	2/17/19 23:00	0.1	2/17/20 23:00	0.0
2/18/18 0:00	0.1	2/18/19 0:00	0.1	2/18/20 0:00	0.0
2/18/18 1:00	0.1	2/18/19 1:00	0.1	2/18/20 1:00	0.0
2/18/18 2:00	1.6	2/18/19 2:00	0.1	2/18/20 2:00	0.1
2/18/18 3:00	0.8	2/18/19 3:00	0.1	2/18/20 3:00	0.1
2/18/18 4:00	0.9	2/18/19 4:00	0.1	2/18/20 4:00	0.1
2/18/18 5:00	0.2	2/18/19 5:00	0.1	2/18/20 5:00	0.1
2/18/18 6:00	0.1	2/18/19 6:00	0.1	2/18/20 6:00	0.1
2/18/18 7:00	0.1	2/18/19 7:00	0.1	2/18/20 7:00	0.1
2/18/18 8:00	0.1	2/18/19 8:00	0.1	2/18/20 8:00	0.1
2/18/18 9:00	0.2	2/18/19 9:00	0.1	2/18/20 9:00	0.1
2/18/18 10:00	0.4	2/18/19 10:00	0.1	2/18/20 10:00	0.2
2/18/18 11:00	0.2	2/18/19 11:00	0.1	2/18/20 11:00	0.0
2/18/18 12:00	0.2	2/18/19 12:00	0.1	2/18/20 12:00	0.0
2/18/18 13:00	0.1	2/18/19 13:00	0.1	2/18/20 13:00	0.1
2/18/18 14:00	0.1	2/18/19 14:00	0.1	2/18/20 14:00	0.1
2/18/18 15:00	0.1	2/18/19 15:00	0.1	2/18/20 15:00	0.1
2/18/18 16:00	0.1	2/18/19 16:00	0.1	2/18/20 16:00	0.1
2/18/18 17:00	0.1	2/18/19 17:00	0.1	2/18/20 17:00	0.1
2/18/18 18:00	0.1	2/18/19 18:00	0.1	2/18/20 18:00	0.1
2/18/18 19:00	0.1	2/18/19 19:00	0.1	2/18/20 19:00	0.1
2/18/18 20:00	0.1	2/18/19 20:00	0.1	2/18/20 20:00	0.1
2/18/18 21:00	0.1	2/18/19 21:00	0.1	2/18/20 21:00	0.1
2/18/18 22:00	0.1	2/18/19 22:00	0.1	2/18/20 22:00	0.0
2/18/18 23:00	0.1	2/18/19 23:00	0.1	2/18/20 23:00	0.0
2/19/18 0:00	0.3	2/19/19 0:00	0.1	2/19/20 0:00	0.0
2/19/18 1:00	0.3	2/19/19 1:00	0.1	2/19/20 1:00	0.1
2/19/18 2:00	0.3	2/19/19 2:00	0.2	2/19/20 2:00	0.1
2/19/18 3:00	0.3	2/19/19 3:00	0.1	2/19/20 3:00	0.1
2/19/18 4:00	0.2	2/19/19 4:00	0.1	2/19/20 4:00	0.1
2/19/18 5:00	0.2	2/19/19 5:00	0.1	2/19/20 5:00	0.1
2/19/18 6:00	0.4	2/19/19 6:00	0.1	2/19/20 6:00	0.0
2/19/18 7:00	0.3	2/19/19 7:00	0.0	2/19/20 7:00	0.1
2/19/18 8:00	0.2	2/19/19 8:00	0.1	2/19/20 8:00	0.1
2/19/18 9:00	0.2	2/19/19 9:00	0.1	2/19/20 9:00	0.1
2/19/18 10:00	0.3	2/19/19 10:00	0.2	2/19/20 10:00	0.1
2/19/18 11:00	0.2	2/19/19 11:00	0.3	2/19/20 11:00	0.1
2/19/18 12:00	0.2	2/19/19 12:00	0.1	2/19/20 12:00	0.1
2/19/18 13:00	0.3	2/19/19 13:00	0.3	2/19/20 13:00	0.1
2/19/18 14:00	0.3	2/19/19 14:00	0.5	2/19/20 14:00	0.1
2/19/18 15:00	0.2	2/19/19 15:00	0.5	2/19/20 15:00	0.0
2/19/18 16:00	0.2	2/19/19 16:00	0.5	2/19/20 16:00	0.1
2/19/18 17:00	0.2	2/19/19 17:00	0.5	2/19/20 17:00	0.1
2/19/18 18:00	0.3	2/19/19 18:00	0.3	2/19/20 18:00	0.1
2/19/18 19:00	0.3	2/19/19 19:00	0.3	2/19/20 19:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
2/19/18 20:00	0.3	2/19/19 20:00	0.4	2/19/20 20:00	0.1
2/19/18 21:00	0.3	2/19/19 21:00	0.4	2/19/20 21:00	0.1
2/19/18 22:00	0.3	2/19/19 22:00	0.4	2/19/20 22:00	0.2
2/19/18 23:00	0.3	2/19/19 23:00	0.4	2/19/20 23:00	0.1
2/20/18 0:00	0.2	2/20/19 0:00	0.4	2/20/20 0:00	0.2
2/20/18 1:00	0.2	2/20/19 1:00	0.4	2/20/20 1:00	0.2
2/20/18 2:00	0.1	2/20/19 2:00	0.3	2/20/20 2:00	0.1
2/20/18 3:00	0.1	2/20/19 3:00	1.3	2/20/20 3:00	0.1
2/20/18 4:00	0.1	2/20/19 4:00	0.2	2/20/20 4:00	0.1
2/20/18 5:00	0.1	2/20/19 5:00	0.2	2/20/20 5:00	0.1
2/20/18 6:00	0.1	2/20/19 6:00	0.2	2/20/20 6:00	0.1
2/20/18 7:00	0.2	2/20/19 7:00	0.2	2/20/20 7:00	0.1
2/20/18 8:00	0.2	2/20/19 8:00	0.2	2/20/20 8:00	0.0
2/20/18 9:00	0.2	2/20/19 9:00	0.2	2/20/20 9:00	0.0
2/20/18 10:00	0.2	2/20/19 10:00	0.2	2/20/20 10:00	0.0
2/20/18 11:00	0.2	2/20/19 11:00	0.1	2/20/20 11:00	0.1
2/20/18 12:00	0.2	2/20/19 12:00	0.1	2/20/20 12:00	0.1
2/20/18 13:00	0.2	2/20/19 13:00	0.2	2/20/20 13:00	0.0
2/20/18 14:00	0.2	2/20/19 14:00	0.2	2/20/20 14:00	0.1
2/20/18 15:00	0.2	2/20/19 15:00	0.2	2/20/20 15:00	0.1
2/20/18 16:00	0.1	2/20/19 16:00	0.2	2/20/20 16:00	0.1
2/20/18 17:00	0.1	2/20/19 17:00	0.2	2/20/20 17:00	0.1
2/20/18 18:00	0.1	2/20/19 18:00	0.1	2/20/20 18:00	0.1
2/20/18 19:00	0.1	2/20/19 19:00	0.1	2/20/20 19:00	0.1
2/20/18 20:00	0.1	2/20/19 20:00	0.1	2/20/20 20:00	0.1
2/20/18 21:00	0.2	2/20/19 21:00	0.1	2/20/20 21:00	0.1
2/20/18 22:00	0.1	2/20/19 22:00	0.1	2/20/20 22:00	0.1
2/20/18 23:00	0.1	2/20/19 23:00	0.1	2/20/20 23:00	0.1
2/21/18 0:00	0.2	2/21/19 0:00	0.1	2/21/20 0:00	0.2
2/21/18 1:00	0.2	2/21/19 1:00	0.1	2/21/20 1:00	0.2
2/21/18 2:00	0.2	2/21/19 2:00	0.1	2/21/20 2:00	0.1
2/21/18 3:00	0.2	2/21/19 3:00	0.1	2/21/20 3:00	0.1
2/21/18 4:00	0.1	2/21/19 4:00	0.1	2/21/20 4:00	0.1
2/21/18 5:00	0.1	2/21/19 5:00	0.1	2/21/20 5:00	0.0
2/21/18 6:00	39.7	2/21/19 6:00	0.1	2/21/20 6:00	0.0
2/21/18 7:00	0.4	2/21/19 7:00	0.1	2/21/20 7:00	0.0
2/21/18 8:00	0.3	2/21/19 8:00	0.1	2/21/20 8:00	0.1
2/21/18 9:00	0.3	2/21/19 9:00	0.1	2/21/20 9:00	0.0
2/21/18 10:00	0.3	2/21/19 10:00	0.1	2/21/20 10:00	0.1
2/21/18 11:00	0.3	2/21/19 11:00	0.1	2/21/20 11:00	0.1
2/21/18 12:00	0.3	2/21/19 12:00	0.1	2/21/20 12:00	0.1
2/21/18 13:00	0.3	2/21/19 13:00	0.1	2/21/20 13:00	0.1
2/21/18 14:00	0.3	2/21/19 14:00	0.1	2/21/20 14:00	0.1
2/21/18 15:00	0.3	2/21/19 15:00	0.1	2/21/20 15:00	0.1
2/21/18 16:00	0.6	2/21/19 16:00	0.1	2/21/20 16:00	0.1
2/21/18 17:00	0.3	2/21/19 17:00	0.1	2/21/20 17:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
2/21/18 18:00	0.3	2/21/19 18:00	0.1	2/21/20 18:00	0.1
2/21/18 19:00	0.3	2/21/19 19:00	0.2	2/21/20 19:00	0.2
2/21/18 20:00	0.4	2/21/19 20:00	0.1	2/21/20 20:00	0.1
2/21/18 21:00	0.4	2/21/19 21:00	0.0	2/21/20 21:00	0.1
2/21/18 22:00	0.5	2/21/19 22:00	0.0	2/21/20 22:00	0.0
2/21/18 23:00	0.8	2/21/19 23:00	0.1	2/21/20 23:00	0.1
2/22/18 0:00	0.3	2/22/19 0:00	0.1	2/22/20 0:00	0.0
2/22/18 1:00	0.4	2/22/19 1:00	0.1	2/22/20 1:00	0.0
2/22/18 2:00	0.5	2/22/19 2:00	0.0	2/22/20 2:00	0.0
2/22/18 3:00	0.5	2/22/19 3:00	0.0	2/22/20 3:00	0.1
2/22/18 4:00	0.4	2/22/19 4:00	0.0	2/22/20 4:00	0.1
2/22/18 5:00	0.3	2/22/19 5:00	0.0	2/22/20 5:00	0.1
2/22/18 6:00	0.3	2/22/19 6:00	0.0	2/22/20 6:00	0.2
2/22/18 7:00	0.4	2/22/19 7:00	0.1	2/22/20 7:00	0.1
2/22/18 8:00	0.4	2/22/19 8:00	0.1	2/22/20 8:00	0.1
2/22/18 9:00	0.5	2/22/19 9:00	0.1	2/22/20 9:00	0.2
2/22/18 10:00	0.3	2/22/19 10:00	0.0	2/22/20 10:00	0.1
2/22/18 11:00	0.0	2/22/19 11:00	0.0	2/22/20 11:00	0.1
2/22/18 12:00	0.1	2/22/19 12:00	0.0	2/22/20 12:00	0.1
2/22/18 13:00	0.1	2/22/19 13:00	0.1	2/22/20 13:00	0.1
2/22/18 14:00	0.1	2/22/19 14:00	0.0	2/22/20 14:00	0.1
2/22/18 15:00	0.1	2/22/19 15:00	0.0	2/22/20 15:00	0.1
2/22/18 16:00	0.1	2/22/19 16:00	0.1	2/22/20 16:00	0.1
2/22/18 17:00	0.1	2/22/19 17:00	0.1	2/22/20 17:00	0.1
2/22/18 18:00	0.1	2/22/19 18:00	0.1	2/22/20 18:00	0.1
2/22/18 19:00	0.1	2/22/19 19:00	0.1	2/22/20 19:00	0.2
2/22/18 20:00	0.1	2/22/19 20:00	0.2	2/22/20 20:00	0.2
2/22/18 21:00	0.1	2/22/19 21:00	0.1	2/22/20 21:00	0.2
2/22/18 22:00	0.1	2/22/19 22:00	0.1	2/22/20 22:00	0.3
2/22/18 23:00	0.1	2/22/19 23:00	0.1	2/22/20 23:00	0.3
2/23/18 0:00	0.1	2/23/19 0:00	0.1	2/23/20 0:00	0.3
2/23/18 1:00	0.1	2/23/19 1:00	0.1	2/23/20 1:00	0.2
2/23/18 2:00	0.3	2/23/19 2:00	0.1	2/23/20 2:00	0.2
2/23/18 3:00	0.2	2/23/19 3:00	0.1	2/23/20 3:00	0.1
2/23/18 4:00	0.2	2/23/19 4:00	0.1	2/23/20 4:00	0.1
2/23/18 5:00	0.2	2/23/19 5:00	0.1	2/23/20 5:00	0.2
2/23/18 6:00	0.1	2/23/19 6:00	0.1	2/23/20 6:00	0.2
2/23/18 7:00	0.1	2/23/19 7:00	0.1	2/23/20 7:00	0.2
2/23/18 8:00	0.3	2/23/19 8:00	0.1	2/23/20 8:00	0.2
2/23/18 9:00	0.2	2/23/19 9:00	0.1	2/23/20 9:00	0.2
2/23/18 10:00	0.2	2/23/19 10:00	0.1	2/23/20 10:00	0.2
2/23/18 11:00	0.2	2/23/19 11:00	0.1	2/23/20 11:00	0.1
2/23/18 12:00	0.2	2/23/19 12:00	0.1	2/23/20 12:00	0.1
2/23/18 13:00	0.3	2/23/19 13:00	0.1	2/23/20 13:00	0.2
2/23/18 14:00	0.1	2/23/19 14:00	0.1	2/23/20 14:00	0.2
2/23/18 15:00	0.3	2/23/19 15:00	0.1	2/23/20 15:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
2/23/18 16:00	0.1	2/23/19 16:00	0.1	2/23/20 16:00	0.2
2/23/18 17:00	0.2	2/23/19 17:00	0.1	2/23/20 17:00	0.2
2/23/18 18:00	0.1	2/23/19 18:00	0.1	2/23/20 18:00	0.1
2/23/18 19:00	0.1	2/23/19 19:00	0.1	2/23/20 19:00	0.2
2/23/18 20:00	0.2	2/23/19 20:00	0.1	2/23/20 20:00	0.2
2/23/18 21:00	0.1	2/23/19 21:00	0.1	2/23/20 21:00	0.2
2/23/18 22:00	0.1	2/23/19 22:00	0.1	2/23/20 22:00	0.2
2/23/18 23:00	0.1	2/23/19 23:00	0.1	2/23/20 23:00	0.1
2/24/18 0:00	0.1	2/24/19 0:00	0.1	2/24/20 0:00	0.1
2/24/18 1:00	0.1	2/24/19 1:00	0.1	2/24/20 1:00	0.3
2/24/18 2:00	0.1	2/24/19 2:00	0.1	2/24/20 2:00	0.1
2/24/18 3:00	0.2	2/24/19 3:00	0.1	2/24/20 3:00	0.2
2/24/18 4:00	0.1	2/24/19 4:00	0.1	2/24/20 4:00	0.1
2/24/18 5:00	0.1	2/24/19 5:00	0.1	2/24/20 5:00	0.2
2/24/18 6:00	0.1	2/24/19 6:00	0.1	2/24/20 6:00	0.2
2/24/18 7:00	0.8	2/24/19 7:00	0.1	2/24/20 7:00	0.2
2/24/18 8:00	0.8	2/24/19 8:00	0.1	2/24/20 8:00	0.2
2/24/18 9:00	0.9	2/24/19 9:00	0.1	2/24/20 9:00	0.2
2/24/18 10:00	0.1	2/24/19 10:00	0.1	2/24/20 10:00	0.1
2/24/18 11:00	0.2	2/24/19 11:00	0.1	2/24/20 11:00	0.1
2/24/18 12:00	0.2	2/24/19 12:00	0.1	2/24/20 12:00	0.1
2/24/18 13:00	0.2	2/24/19 13:00	0.1	2/24/20 13:00	0.2
2/24/18 14:00	0.1	2/24/19 14:00	0.1	2/24/20 14:00	0.2
2/24/18 15:00	0.1	2/24/19 15:00	0.1	2/24/20 15:00	0.1
2/24/18 16:00	0.1	2/24/19 16:00	0.1	2/24/20 16:00	0.2
2/24/18 17:00	0.2	2/24/19 17:00	0.1	2/24/20 17:00	0.2
2/24/18 18:00	0.2	2/24/19 18:00	0.1	2/24/20 18:00	0.2
2/24/18 19:00	0.2	2/24/19 19:00	0.1	2/24/20 19:00	0.1
2/24/18 20:00	0.2	2/24/19 20:00	0.1	2/24/20 20:00	0.0
2/24/18 21:00	0.2	2/24/19 21:00	0.1	2/24/20 21:00	0.0
2/24/18 22:00	0.2	2/24/19 22:00	0.1	2/24/20 22:00	0.1
2/24/18 23:00	0.2	2/24/19 23:00	0.2	2/24/20 23:00	0.1
2/25/18 0:00	0.2	2/25/19 0:00	0.2	2/25/20 0:00	0.1
2/25/18 1:00	0.2	2/25/19 1:00	0.2	2/25/20 1:00	0.1
2/25/18 2:00	0.1	2/25/19 2:00	0.1	2/25/20 2:00	0.1
2/25/18 3:00	0.1	2/25/19 3:00	0.2	2/25/20 3:00	0.0
2/25/18 4:00	0.1	2/25/19 4:00	0.0	2/25/20 4:00	0.1
2/25/18 5:00	0.2	2/25/19 5:00	0.0	2/25/20 5:00	0.1
2/25/18 6:00	0.2	2/25/19 6:00	0.1	2/25/20 6:00	0.1
2/25/18 7:00	0.3	2/25/19 7:00	0.1	2/25/20 7:00	0.1
2/25/18 8:00	0.2	2/25/19 8:00	0.1	2/25/20 8:00	0.2
2/25/18 9:00	0.2	2/25/19 9:00	0.1	2/25/20 9:00	0.1
2/25/18 10:00	0.2	2/25/19 10:00	0.2	2/25/20 10:00	0.1
2/25/18 11:00	0.2	2/25/19 11:00	0.2	2/25/20 11:00	0.1
2/25/18 12:00	0.2	2/25/19 12:00	0.1	2/25/20 12:00	0.1
2/25/18 13:00	0.2	2/25/19 13:00	0.1	2/25/20 13:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
2/25/18 14:00	0.2	2/25/19 14:00	0.1	2/25/20 14:00	0.1
2/25/18 15:00	0.2	2/25/19 15:00	0.0	2/25/20 15:00	0.1
2/25/18 16:00	0.2	2/25/19 16:00	0.0	2/25/20 16:00	0.1
2/25/18 17:00	0.1	2/25/19 17:00	0.2	2/25/20 17:00	0.1
2/25/18 18:00	0.1	2/25/19 18:00	0.0	2/25/20 18:00	0.1
2/25/18 19:00	0.1	2/25/19 19:00	0.1	2/25/20 19:00	0.1
2/25/18 20:00	0.1	2/25/19 20:00	0.1	2/25/20 20:00	0.1
2/25/18 21:00	0.2	2/25/19 21:00	0.0	2/25/20 21:00	0.2
2/25/18 22:00	0.2	2/25/19 22:00	0.0	2/25/20 22:00	0.1
2/25/18 23:00	0.2	2/25/19 23:00	0.1	2/25/20 23:00	0.1
2/26/18 0:00	0.2	2/26/19 0:00	0.1	2/26/20 0:00	0.1
2/26/18 1:00	0.1	2/26/19 1:00	0.1	2/26/20 1:00	0.1
2/26/18 2:00	0.1	2/26/19 2:00	0.1	2/26/20 2:00	0.1
2/26/18 3:00	0.1	2/26/19 3:00	0.1	2/26/20 3:00	0.1
2/26/18 4:00	0.2	2/26/19 4:00	0.1	2/26/20 4:00	0.1
2/26/18 5:00	0.2	2/26/19 5:00	0.1	2/26/20 5:00	0.1
2/26/18 6:00	0.2	2/26/19 6:00	0.1	2/26/20 6:00	0.1
2/26/18 7:00	0.1	2/26/19 7:00	0.1	2/26/20 7:00	0.1
2/26/18 8:00	0.2	2/26/19 8:00	0.1	2/26/20 8:00	0.2
2/26/18 9:00	0.2	2/26/19 9:00	0.0	2/26/20 9:00	0.1
2/26/18 10:00	0.2	2/26/19 10:00	0.3	2/26/20 10:00	0.0
2/26/18 11:00	0.2	2/26/19 11:00	0.1	2/26/20 11:00	0.1
2/26/18 12:00	0.1	2/26/19 12:00	0.1	2/26/20 12:00	0.1
2/26/18 13:00	0.2	2/26/19 13:00	0.1	2/26/20 13:00	0.0
2/26/18 14:00	0.2	2/26/19 14:00	0.1	2/26/20 14:00	0.0
2/26/18 15:00	0.1	2/26/19 15:00	0.1	2/26/20 15:00	0.0
2/26/18 16:00	0.1	2/26/19 16:00	0.1	2/26/20 16:00	0.1
2/26/18 17:00	0.1	2/26/19 17:00	0.1	2/26/20 17:00	0.1
2/26/18 18:00	0.2	2/26/19 18:00	0.1	2/26/20 18:00	0.0
2/26/18 19:00	0.2	2/26/19 19:00	0.1	2/26/20 19:00	0.1
2/26/18 20:00	0.2	2/26/19 20:00	0.1	2/26/20 20:00	0.1
2/26/18 21:00	0.2	2/26/19 21:00	0.1	2/26/20 21:00	0.1
2/26/18 22:00	0.2	2/26/19 22:00	0.1	2/26/20 22:00	0.1
2/26/18 23:00	0.2	2/26/19 23:00	0.1	2/26/20 23:00	0.2
2/27/18 0:00	0.2	2/27/19 0:00	0.1	2/27/20 0:00	0.1
2/27/18 1:00	0.3	2/27/19 1:00	0.1	2/27/20 1:00	0.1
2/27/18 2:00	0.2	2/27/19 2:00	0.1	2/27/20 2:00	0.2
2/27/18 3:00	0.1	2/27/19 3:00	0.1	2/27/20 3:00	0.1
2/27/18 4:00	0.1	2/27/19 4:00	0.1	2/27/20 4:00	0.1
2/27/18 5:00	0.1	2/27/19 5:00	0.1	2/27/20 5:00	0.1
2/27/18 6:00	0.1	2/27/19 6:00	0.1	2/27/20 6:00	0.1
2/27/18 7:00	0.1	2/27/19 7:00	0.1	2/27/20 7:00	0.1
2/27/18 8:00	0.2	2/27/19 8:00	0.1	2/27/20 8:00	0.2
2/27/18 9:00	0.3	2/27/19 9:00	0.1	2/27/20 9:00	0.3
2/27/18 10:00	0.3	2/27/19 10:00	0.3	2/27/20 10:00	0.1
2/27/18 11:00	0.3	2/27/19 11:00	0.1	2/27/20 11:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
2/27/18 12:00	0.3	2/27/19 12:00	0.1	2/27/20 12:00	0.1
2/27/18 13:00	0.3	2/27/19 13:00	0.1	2/27/20 13:00	0.1
2/27/18 14:00	0.3	2/27/19 14:00	0.1	2/27/20 14:00	0.1
2/27/18 15:00	0.3	2/27/19 15:00	0.1	2/27/20 15:00	0.0
2/27/18 16:00	0.3	2/27/19 16:00	0.1	2/27/20 16:00	0.0
2/27/18 17:00	0.3	2/27/19 17:00	0.1	2/27/20 17:00	0.2
2/27/18 18:00	0.3	2/27/19 18:00	0.1	2/27/20 18:00	0.1
2/27/18 19:00	0.3	2/27/19 19:00	0.1	2/27/20 19:00	0.1
2/27/18 20:00	0.2	2/27/19 20:00	0.2	2/27/20 20:00	0.1
2/27/18 21:00	0.2	2/27/19 21:00	0.1	2/27/20 21:00	0.1
2/27/18 22:00	0.2	2/27/19 22:00	0.2	2/27/20 22:00	0.1
2/27/18 23:00	0.1	2/27/19 23:00	0.2	2/27/20 23:00	0.1
2/28/18 0:00	0.2	2/28/19 0:00	0.2	2/28/20 0:00	0.0
2/28/18 1:00	0.2	2/28/19 1:00	0.2	2/28/20 1:00	0.0
2/28/18 2:00	0.2	2/28/19 2:00	0.2	2/28/20 2:00	0.1
2/28/18 3:00	0.2	2/28/19 3:00	0.1	2/28/20 3:00	0.1
2/28/18 4:00	0.1	2/28/19 4:00	0.2	2/28/20 4:00	0.1
2/28/18 5:00	0.1	2/28/19 5:00	0.1	2/28/20 5:00	0.0
2/28/18 6:00	0.2	2/28/19 6:00	0.1	2/28/20 6:00	0.0
2/28/18 7:00	0.2	2/28/19 7:00	0.1	2/28/20 7:00	0.0
2/28/18 8:00	0.2	2/28/19 8:00	0.1	2/28/20 8:00	0.1
2/28/18 9:00	0.2	2/28/19 9:00	0.2	2/28/20 9:00	0.1
2/28/18 10:00	0.2	2/28/19 10:00	0.1	2/28/20 10:00	0.2
2/28/18 11:00	0.2	2/28/19 11:00	0.2	2/28/20 11:00	0.1
2/28/18 12:00	0.1	2/28/19 12:00	0.2	2/28/20 12:00	0.1
2/28/18 13:00	0.1	2/28/19 13:00	0.2	2/28/20 13:00	0.1
2/28/18 14:00	0.1	2/28/19 14:00	0.1	2/28/20 14:00	0.1
2/28/18 15:00	0.1	2/28/19 15:00	0.1	2/28/20 15:00	0.1
2/28/18 16:00	0.2	2/28/19 16:00	0.1	2/28/20 16:00	0.1
2/28/18 17:00	0.2	2/28/19 17:00	0.2	2/28/20 17:00	0.1
2/28/18 18:00	0.2	2/28/19 18:00	0.1	2/28/20 18:00	0.1
2/28/18 19:00	0.2	2/28/19 19:00	0.1	2/28/20 19:00	0.1
2/28/18 20:00	0.3	2/28/19 20:00	0.1	2/28/20 20:00	0.1
2/28/18 21:00	0.3	2/28/19 21:00	0.1	2/28/20 21:00	0.1
2/28/18 22:00	0.3	2/28/19 22:00	0.1	2/28/20 22:00	0.1
2/28/18 23:00	0.3	2/28/19 23:00	0.1	2/28/20 23:00	0.1
3/1/18 0:00	0.3	3/1/19 0:00	0.1	2/29/20 0:00	0.1
3/1/18 1:00	0.2	3/1/19 1:00	0.1	2/29/20 1:00	0.2
3/1/18 2:00	0.1	3/1/19 2:00	0.1	2/29/20 2:00	0.1
3/1/18 3:00	0.2	3/1/19 3:00	0.1	2/29/20 3:00	0.1
3/1/18 4:00	0.2	3/1/19 4:00	0.1	2/29/20 4:00	0.1
3/1/18 5:00	0.2	3/1/19 5:00	0.1	2/29/20 5:00	0.1
3/1/18 6:00	0.2	3/1/19 6:00	0.1	2/29/20 6:00	0.1
3/1/18 7:00	0.2	3/1/19 7:00	0.1	2/29/20 7:00	0.0
3/1/18 8:00	0.2	3/1/19 8:00	0.1	2/29/20 8:00	0.1
3/1/18 9:00	0.2	3/1/19 9:00	0.1	2/29/20 9:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
3/1/18 10:00	0.2	3/1/19 10:00	0.3	2/29/20 10:00	0.2
3/1/18 11:00	0.2	3/1/19 11:00	0.1	2/29/20 11:00	0.1
3/1/18 12:00	0.2	3/1/19 12:00	0.1	2/29/20 12:00	0.1
3/1/18 13:00	0.1	3/1/19 13:00	0.2	2/29/20 13:00	0.1
3/1/18 14:00	0.2	3/1/19 14:00	0.0	2/29/20 14:00	0.1
3/1/18 15:00	0.2	3/1/19 15:00	0.0	2/29/20 15:00	0.1
3/1/18 16:00	0.2	3/1/19 16:00	0.1	2/29/20 16:00	0.0
3/1/18 17:00	0.2	3/1/19 17:00	0.1	2/29/20 17:00	0.0
3/1/18 18:00	0.2	3/1/19 18:00	0.1	2/29/20 18:00	0.1
3/1/18 19:00	0.2	3/1/19 19:00	0.1	2/29/20 19:00	0.1
3/1/18 20:00	0.1	3/1/19 20:00	0.2	2/29/20 20:00	0.1
3/1/18 21:00	0.1	3/1/19 21:00	0.2	2/29/20 21:00	0.2
3/1/18 22:00	0.1	3/1/19 22:00	0.2	2/29/20 22:00	0.2
3/1/18 23:00	0.1	3/1/19 23:00	0.2	2/29/20 23:00	0.2
3/2/18 0:00	0.2	3/2/19 0:00	0.1	3/1/20 0:00	0.1
3/2/18 1:00	0.2	3/2/19 1:00	0.1	3/1/20 1:00	0.1
3/2/18 2:00	0.2	3/2/19 2:00	0.1	3/1/20 2:00	0.1
3/2/18 3:00	0.2	3/2/19 3:00	0.1	3/1/20 3:00	0.1
3/2/18 4:00	0.2	3/2/19 4:00	0.1	3/1/20 4:00	0.1
3/2/18 5:00	0.2	3/2/19 5:00	0.1	3/1/20 5:00	0.1
3/2/18 6:00	0.2	3/2/19 6:00	0.1	3/1/20 6:00	0.1
3/2/18 7:00	0.2	3/2/19 7:00	0.1	3/1/20 7:00	0.1
3/2/18 8:00	0.1	3/2/19 8:00	0.1	3/1/20 8:00	0.2
3/2/18 9:00	0.1	3/2/19 9:00	0.2	3/1/20 9:00	0.2
3/2/18 10:00	0.1	3/2/19 10:00	0.2	3/1/20 10:00	0.2
3/2/18 11:00	0.1	3/2/19 11:00	0.1	3/1/20 11:00	0.1
3/2/18 12:00	0.7	3/2/19 12:00	0.1	3/1/20 12:00	0.1
3/2/18 13:00	0.7	3/2/19 13:00	0.1	3/1/20 13:00	0.1
3/2/18 14:00	0.8	3/2/19 14:00	0.1	3/1/20 14:00	0.1
3/2/18 15:00	0.1	3/2/19 15:00	0.1	3/1/20 15:00	0.1
3/2/18 16:00	0.1	3/2/19 16:00	0.1	3/1/20 16:00	0.0
3/2/18 17:00	0.1	3/2/19 17:00	0.0	3/1/20 17:00	0.1
3/2/18 18:00	0.1	3/2/19 18:00	0.1	3/1/20 18:00	0.1
3/2/18 19:00	0.1	3/2/19 19:00	0.1	3/1/20 19:00	0.1
3/2/18 20:00	0.1	3/2/19 20:00	0.1	3/1/20 20:00	0.1
3/2/18 21:00	0.2	3/2/19 21:00	0.1	3/1/20 21:00	0.1
3/2/18 22:00	0.2	3/2/19 22:00	0.1	3/1/20 22:00	0.1
3/2/18 23:00	0.2	3/2/19 23:00	0.1	3/1/20 23:00	0.1
3/3/18 0:00	0.2	3/3/19 0:00	0.1	3/2/20 0:00	0.1
3/3/18 1:00	0.2	3/3/19 1:00	0.1	3/2/20 1:00	0.2
3/3/18 2:00	0.1	3/3/19 2:00	0.1	3/2/20 2:00	0.2
3/3/18 3:00	0.2	3/3/19 3:00	0.1	3/2/20 3:00	0.2
3/3/18 4:00	0.1	3/3/19 4:00	0.1	3/2/20 4:00	0.2
3/3/18 5:00	0.2	3/3/19 5:00	0.1	3/2/20 5:00	0.1
3/3/18 6:00	0.1	3/3/19 6:00	0.1	3/2/20 6:00	0.1
3/3/18 7:00	0.2	3/3/19 7:00	0.1	3/2/20 7:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
3/3/18 8:00	0.2	3/3/19 8:00	0.2	3/2/20 8:00	0.1
3/3/18 9:00	0.1	3/3/19 9:00	0.2	3/2/20 9:00	0.1
3/3/18 10:00	0.1	3/3/19 10:00	0.2	3/2/20 10:00	0.1
3/3/18 11:00	0.1	3/3/19 11:00	0.2	3/2/20 11:00	0.1
3/3/18 12:00	0.2	3/3/19 12:00	0.2	3/2/20 12:00	0.1
3/3/18 13:00	0.2	3/3/19 13:00	0.2	3/2/20 13:00	0.1
3/3/18 14:00	0.3	3/3/19 14:00	0.2	3/2/20 14:00	0.1
3/3/18 15:00	0.1	3/3/19 15:00	0.2	3/2/20 15:00	0.2
3/3/18 16:00	0.1	3/3/19 16:00	0.2	3/2/20 16:00	0.2
3/3/18 17:00	0.1	3/3/19 17:00	0.2	3/2/20 17:00	0.1
3/3/18 18:00	0.1	3/3/19 18:00	0.1	3/2/20 18:00	0.1
3/3/18 19:00	0.2	3/3/19 19:00	0.1	3/2/20 19:00	0.0
3/3/18 20:00	0.2	3/3/19 20:00	0.2	3/2/20 20:00	0.0
3/3/18 21:00	0.2	3/3/19 21:00	0.2	3/2/20 21:00	0.1
3/3/18 22:00	0.2	3/3/19 22:00	0.1	3/2/20 22:00	0.1
3/3/18 23:00	0.2	3/3/19 23:00	0.1	3/2/20 23:00	0.1
3/4/18 0:00	0.2	3/4/19 0:00	0.2	3/3/20 0:00	0.1
3/4/18 1:00	0.2	3/4/19 1:00	0.2	3/3/20 1:00	0.3
3/4/18 2:00	0.2	3/4/19 2:00	0.2	3/3/20 2:00	0.1
3/4/18 3:00	0.1	3/4/19 3:00	0.2	3/3/20 3:00	0.1
3/4/18 4:00	0.1	3/4/19 4:00	0.2	3/3/20 4:00	0.2
3/4/18 5:00	0.1	3/4/19 5:00	0.3	3/3/20 5:00	0.2
3/4/18 6:00	0.1	3/4/19 6:00	0.1	3/3/20 6:00	0.2
3/4/18 7:00	0.1	3/4/19 7:00	0.1	3/3/20 7:00	0.1
3/4/18 8:00	0.2	3/4/19 8:00	0.1	3/3/20 8:00	0.0
3/4/18 9:00	0.2	3/4/19 9:00	0.1	3/3/20 9:00	0.0
3/4/18 10:00	0.2	3/4/19 10:00	0.1	3/3/20 10:00	0.0
3/4/18 11:00	0.2	3/4/19 11:00	0.1	3/3/20 11:00	0.0
3/4/18 12:00	0.2	3/4/19 12:00	0.1	3/3/20 12:00	0.0
3/4/18 13:00	0.2	3/4/19 13:00	0.1	3/3/20 13:00	0.0
3/4/18 14:00	0.2	3/4/19 14:00	0.2	3/3/20 14:00	0.0
3/4/18 15:00	0.2	3/4/19 15:00	0.2	3/3/20 15:00	0.1
3/4/18 16:00	0.2	3/4/19 16:00	0.1	3/3/20 16:00	0.1
3/4/18 17:00	0.2	3/4/19 17:00	0.1	3/3/20 17:00	0.2
3/4/18 18:00	0.2	3/4/19 18:00	0.1	3/3/20 18:00	0.1
3/4/18 19:00	0.2	3/4/19 19:00	0.1	3/3/20 19:00	0.1
3/4/18 20:00	0.1	3/4/19 20:00	0.1	3/3/20 20:00	0.1
3/4/18 21:00	0.1	3/4/19 21:00	0.1	3/3/20 21:00	0.1
3/4/18 22:00	0.1	3/4/19 22:00	0.1	3/3/20 22:00	0.1
3/4/18 23:00	0.2	3/4/19 23:00	0.1	3/3/20 23:00	0.1
3/5/18 0:00	0.2	3/5/19 0:00	0.1	3/4/20 0:00	0.1
3/5/18 1:00	0.2	3/5/19 1:00	0.1	3/4/20 1:00	0.1
3/5/18 2:00	0.1	3/5/19 2:00	0.1	3/4/20 2:00	0.1
3/5/18 3:00	0.1	3/5/19 3:00	0.1	3/4/20 3:00	0.0
3/5/18 4:00	0.1	3/5/19 4:00	0.1	3/4/20 4:00	0.0
3/5/18 5:00	0.1	3/5/19 5:00	0.1	3/4/20 5:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
3/5/18 6:00	0.1	3/5/19 6:00	0.1	3/4/20 6:00	0.1
3/5/18 7:00	0.1	3/5/19 7:00	0.1	3/4/20 7:00	0.1
3/5/18 8:00	0.1	3/5/19 8:00	0.2	3/4/20 8:00	0.1
3/5/18 9:00	0.1	3/5/19 9:00	11.7	3/4/20 9:00	0.1
3/5/18 10:00	0.1	3/5/19 10:00	0.2	3/4/20 10:00	0.1
3/5/18 11:00	0.2	3/5/19 11:00	0.2	3/4/20 11:00	0.1
3/5/18 12:00	0.1	3/5/19 12:00	0.1	3/4/20 12:00	0.0
3/5/18 13:00	0.1	3/5/19 13:00	0.1	3/4/20 13:00	0.0
3/5/18 14:00	0.1	3/5/19 14:00	0.1	3/4/20 14:00	0.1
3/5/18 15:00	0.2	3/5/19 15:00	0.1	3/4/20 15:00	0.1
3/5/18 16:00	0.2	3/5/19 16:00	0.1	3/4/20 16:00	0.1
3/5/18 17:00	0.2	3/5/19 17:00	0.1	3/4/20 17:00	0.1
3/5/18 18:00	0.2	3/5/19 18:00	0.1	3/4/20 18:00	0.1
3/5/18 19:00	0.2	3/5/19 19:00	0.1	3/4/20 19:00	0.1
3/5/18 20:00	0.2	3/5/19 20:00	0.1	3/4/20 20:00	0.1
3/5/18 21:00	0.2	3/5/19 21:00	0.1	3/4/20 21:00	0.0
3/5/18 22:00	0.2	3/5/19 22:00	0.1	3/4/20 22:00	0.1
3/5/18 23:00	0.2	3/5/19 23:00	0.1	3/4/20 23:00	0.1
3/6/18 0:00	0.2	3/6/19 0:00	0.1	3/5/20 0:00	0.1
3/6/18 1:00	0.2	3/6/19 1:00	0.1	3/5/20 1:00	0.1
3/6/18 2:00	0.1	3/6/19 2:00	0.1	3/5/20 2:00	0.0
3/6/18 3:00	0.1	3/6/19 3:00	0.2	3/5/20 3:00	0.0
3/6/18 4:00	0.1	3/6/19 4:00	0.1	3/5/20 4:00	0.0
3/6/18 5:00	0.2	3/6/19 5:00	0.1	3/5/20 5:00	0.1
3/6/18 6:00	0.2	3/6/19 6:00	0.1	3/5/20 6:00	0.1
3/6/18 7:00	0.2	3/6/19 7:00	0.1	3/5/20 7:00	0.1
3/6/18 8:00	0.2	3/6/19 8:00	0.1	3/5/20 8:00	0.0
3/6/18 9:00	0.2	3/6/19 9:00	0.1	3/5/20 9:00	0.0
3/6/18 10:00	0.2	3/6/19 10:00	0.1	3/5/20 10:00	0.0
3/6/18 11:00	0.3	3/6/19 11:00	0.1	3/5/20 11:00	0.1
3/6/18 12:00	0.1	3/6/19 12:00	0.1	3/5/20 12:00	0.0
3/6/18 13:00	0.2	3/6/19 13:00	0.1	3/5/20 13:00	0.1
3/6/18 14:00	0.1	3/6/19 14:00	0.1	3/5/20 14:00	0.1
3/6/18 15:00	0.2	3/6/19 15:00	0.1	3/5/20 15:00	0.1
3/6/18 16:00	0.2	3/6/19 16:00	0.1	3/5/20 16:00	0.1
3/6/18 17:00	0.6	3/6/19 17:00	0.1	3/5/20 17:00	0.1
3/6/18 18:00	1.7	3/6/19 18:00	0.1	3/5/20 18:00	0.0
3/6/18 19:00	1.2	3/6/19 19:00	0.2	3/5/20 19:00	0.1
3/6/18 20:00	0.5	3/6/19 20:00	0.1	3/5/20 20:00	0.1
3/6/18 21:00	0.5	3/6/19 21:00	0.1	3/5/20 21:00	0.1
3/6/18 22:00	0.5	3/6/19 22:00	0.1	3/5/20 22:00	0.1
3/6/18 23:00	0.5	3/6/19 23:00	0.1	3/5/20 23:00	0.0
3/7/18 0:00	0.2	3/7/19 0:00	0.2	3/6/20 0:00	0.0
3/7/18 1:00	0.3	3/7/19 1:00	0.2	3/6/20 1:00	0.1
3/7/18 2:00	0.3	3/7/19 2:00	0.2	3/6/20 2:00	0.1
3/7/18 3:00	0.2	3/7/19 3:00	0.1	3/6/20 3:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
3/7/18 4:00	0.2	3/7/19 4:00	0.1	3/6/20 4:00	0.1
3/7/18 5:00	0.2	3/7/19 5:00	0.2	3/6/20 5:00	0.1
3/7/18 6:00	0.3	3/7/19 6:00	0.2	3/6/20 6:00	0.1
3/7/18 7:00	0.3	3/7/19 7:00	0.2	3/6/20 7:00	0.1
3/7/18 8:00	0.2	3/7/19 8:00	0.2	3/6/20 8:00	0.0
3/7/18 9:00	0.2	3/7/19 9:00	0.2	3/6/20 9:00	0.0
3/7/18 10:00	0.2	3/7/19 10:00	0.2	3/6/20 10:00	0.0
3/7/18 11:00	0.3	3/7/19 11:00	0.1	3/6/20 11:00	0.0
3/7/18 12:00	0.3	3/7/19 12:00	0.1	3/6/20 12:00	0.0
3/7/18 13:00	0.3	3/7/19 13:00	0.2	3/6/20 13:00	0.1
3/7/18 14:00	0.3	3/7/19 14:00	0.2	3/6/20 14:00	0.1
3/7/18 15:00	0.3	3/7/19 15:00	0.2	3/6/20 15:00	0.1
3/7/18 16:00	0.4	3/7/19 16:00	0.2	3/6/20 16:00	0.1
3/7/18 17:00	0.3	3/7/19 17:00	0.2	3/6/20 17:00	0.1
3/7/18 18:00	0.3	3/7/19 18:00	0.2	3/6/20 18:00	0.1
3/7/18 19:00	0.3	3/7/19 19:00	0.2	3/6/20 19:00	0.1
3/7/18 20:00	0.3	3/7/19 20:00	0.2	3/6/20 20:00	0.0
3/7/18 21:00	0.3	3/7/19 21:00	0.2	3/6/20 21:00	0.0
3/7/18 22:00	0.2	3/7/19 22:00	0.2	3/6/20 22:00	0.1
3/7/18 23:00	0.2	3/7/19 23:00	0.2	3/6/20 23:00	0.1
3/8/18 0:00	0.3	3/8/19 0:00	0.1	3/7/20 0:00	0.1
3/8/18 1:00	0.3	3/8/19 1:00	0.1	3/7/20 1:00	0.2
3/8/18 2:00	0.3	3/8/19 2:00	0.1	3/7/20 2:00	0.1
3/8/18 3:00	0.3	3/8/19 3:00	0.2	3/7/20 3:00	0.1
3/8/18 4:00	0.2	3/8/19 4:00	0.2	3/7/20 4:00	0.1
3/8/18 5:00	0.2	3/8/19 5:00	0.2	3/7/20 5:00	0.1
3/8/18 6:00	0.2	3/8/19 6:00	0.2	3/7/20 6:00	0.2
3/8/18 7:00	0.2	3/8/19 7:00	0.2	3/7/20 7:00	0.2
3/8/18 8:00	0.3	3/8/19 8:00	0.2	3/7/20 8:00	0.2
3/8/18 9:00	0.3	3/8/19 9:00	0.1	3/7/20 9:00	0.1
3/8/18 10:00	0.3	3/8/19 10:00	0.1	3/7/20 10:00	0.1
3/8/18 11:00	0.3	3/8/19 11:00	0.1	3/7/20 11:00	0.1
3/8/18 12:00	0.2	3/8/19 12:00	0.1	3/7/20 12:00	0.1
3/8/18 13:00	0.2	3/8/19 13:00	0.1	3/7/20 13:00	0.1
3/8/18 14:00	0.2	3/8/19 14:00	0.1	3/7/20 14:00	0.1
3/8/18 15:00	0.2	3/8/19 15:00	0.1	3/7/20 15:00	0.1
3/8/18 16:00	0.2	3/8/19 16:00	0.1	3/7/20 16:00	0.2
3/8/18 17:00	0.2	3/8/19 17:00	0.0	3/7/20 17:00	0.1
3/8/18 18:00	0.2	3/8/19 18:00	0.0	3/7/20 18:00	0.1
3/8/18 19:00	0.2	3/8/19 19:00	0.1	3/7/20 19:00	0.1
3/8/18 20:00	0.2	3/8/19 20:00	0.1	3/7/20 20:00	0.1
3/8/18 21:00	0.2	3/8/19 21:00	0.1	3/7/20 21:00	0.1
3/8/18 22:00	0.3	3/8/19 22:00	0.1	3/7/20 22:00	0.1
3/8/18 23:00	0.4	3/8/19 23:00	0.1	3/7/20 23:00	0.1
3/9/18 0:00	0.3	3/9/19 0:00	0.1	3/8/20 0:00	0.1
3/9/18 1:00	0.3	3/9/19 1:00	0.1	3/8/20 1:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
3/9/18 2:00	0.2	3/9/19 2:00	0.1	3/8/20 3:00	0.2
3/9/18 3:00	0.4	3/9/19 3:00	0.1	3/8/20 4:00	0.1
3/9/18 4:00	0.4	3/9/19 4:00	0.1	3/8/20 5:00	0.1
3/9/18 5:00	0.2	3/9/19 5:00	0.1	3/8/20 6:00	0.1
3/9/18 6:00	0.2	3/9/19 6:00	0.1	3/8/20 7:00	0.1
3/9/18 7:00	0.2	3/9/19 7:00	0.1	3/8/20 8:00	0.1
3/9/18 8:00	0.2	3/9/19 8:00	0.2	3/8/20 9:00	0.1
3/9/18 9:00	0.2	3/9/19 9:00	0.1	3/8/20 10:00	0.1
3/9/18 10:00	0.2	3/9/19 10:00	0.1	3/8/20 11:00	0.1
3/9/18 11:00	0.2	3/9/19 11:00	0.1	3/8/20 12:00	0.1
3/9/18 12:00	0.2	3/9/19 12:00	0.1	3/8/20 13:00	0.2
3/9/18 13:00	0.2	3/9/19 13:00	0.1	3/8/20 14:00	0.2
3/9/18 14:00	0.2	3/9/19 14:00	0.1	3/8/20 15:00	0.2
3/9/18 15:00	0.2	3/9/19 15:00	0.1	3/8/20 16:00	0.1
3/9/18 16:00	0.2	3/9/19 16:00	0.1	3/8/20 17:00	0.1
3/9/18 17:00	0.2	3/9/19 17:00	0.1	3/8/20 18:00	0.1
3/9/18 18:00	0.2	3/9/19 18:00	0.1	3/8/20 19:00	0.1
3/9/18 19:00	0.2	3/9/19 19:00	0.1	3/8/20 20:00	0.1
3/9/18 20:00	0.2	3/9/19 20:00	0.1	3/8/20 21:00	0.1
3/9/18 21:00	0.1	3/9/19 21:00	0.1	3/8/20 22:00	0.1
3/9/18 22:00	0.1	3/9/19 22:00	0.1	3/8/20 23:00	0.2
3/9/18 23:00	0.1	3/9/19 23:00	0.1	3/9/20 0:00	0.1
3/10/18 0:00	0.2	3/10/19 0:00	0.1	3/9/20 1:00	0.1
3/10/18 1:00	0.2	3/10/19 1:00	0.2	3/9/20 2:00	0.1
3/10/18 2:00	0.2	3/10/19 3:00	0.2	3/9/20 3:00	0.1
3/10/18 3:00	0.1	3/10/19 4:00	0.1	3/9/20 4:00	0.1
3/10/18 4:00	0.2	3/10/19 5:00	0.1	3/9/20 5:00	0.1
3/10/18 5:00	0.1	3/10/19 6:00	0.1	3/9/20 6:00	0.1
3/10/18 6:00	0.1	3/10/19 7:00	0.1	3/9/20 7:00	0.1
3/10/18 7:00	0.6	3/10/19 8:00	0.1	3/9/20 8:00	0.1
3/10/18 8:00	0.6	3/10/19 9:00	0.1	3/9/20 9:00	0.1
3/10/18 9:00	1.3	3/10/19 10:00	0.1	3/9/20 10:00	0.1
3/10/18 10:00	0.2	3/10/19 11:00	0.1	3/9/20 11:00	0.1
3/10/18 11:00	0.2	3/10/19 12:00	0.1	3/9/20 12:00	0.0
3/10/18 12:00	0.2	3/10/19 13:00	0.1	3/9/20 13:00	0.0
3/10/18 13:00	0.2	3/10/19 14:00	0.1	3/9/20 14:00	0.0
3/10/18 14:00	0.2	3/10/19 15:00	0.1	3/9/20 15:00	0.1
3/10/18 15:00	0.2	3/10/19 16:00	0.1	3/9/20 16:00	0.1
3/10/18 16:00	0.2	3/10/19 17:00	0.1	3/9/20 17:00	0.1
3/10/18 17:00	0.2	3/10/19 18:00	0.1	3/9/20 18:00	0.1
3/10/18 18:00	0.2	3/10/19 19:00	0.1	3/9/20 19:00	0.1
3/10/18 19:00	0.2	3/10/19 20:00	0.1	3/9/20 20:00	0.1
3/10/18 20:00	0.2	3/10/19 21:00	0.1	3/9/20 21:00	0.1
3/10/18 21:00	0.2	3/10/19 22:00	0.2	3/9/20 22:00	0.0
3/10/18 22:00	0.3	3/10/19 23:00	0.2	3/9/20 23:00	0.0
3/10/18 23:00	0.2	3/11/19 0:00	0.1	3/10/20 0:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
3/11/18 0:00	0.2	3/11/19 1:00	0.1	3/10/20 1:00	0.1
3/11/18 1:00	0.2	3/11/19 2:00	0.0	3/10/20 2:00	0.1
3/11/18 3:00	0.2	3/11/19 3:00	0.0	3/10/20 3:00	0.0
3/11/18 4:00	0.2	3/11/19 4:00	0.0	3/10/20 4:00	0.0
3/11/18 5:00	0.2	3/11/19 5:00	0.1	3/10/20 5:00	0.0
3/11/18 6:00	0.3	3/11/19 6:00	0.0	3/10/20 6:00	0.1
3/11/18 7:00	0.2	3/11/19 7:00	0.1	3/10/20 7:00	0.0
3/11/18 8:00	0.2	3/11/19 8:00	0.1	3/10/20 8:00	0.0
3/11/18 9:00	0.1	3/11/19 9:00	0.1	3/10/20 9:00	0.2
3/11/18 10:00	0.2	3/11/19 10:00	0.1	3/10/20 10:00	0.2
3/11/18 11:00	0.2	3/11/19 11:00	0.1	3/10/20 11:00	0.2
3/11/18 12:00	0.2	3/11/19 12:00	0.1	3/10/20 12:00	0.2
3/11/18 13:00	0.2	3/11/19 13:00	0.0	3/10/20 13:00	0.2
3/11/18 14:00	0.2	3/11/19 14:00	0.1	3/10/20 14:00	0.1
3/11/18 15:00	0.2	3/11/19 15:00	0.1	3/10/20 15:00	0.0
3/11/18 16:00	0.2	3/11/19 16:00	0.1	3/10/20 16:00	0.1
3/11/18 17:00	0.2	3/11/19 17:00	0.1	3/10/20 17:00	0.1
3/11/18 18:00	0.2	3/11/19 18:00	0.1	3/10/20 18:00	0.1
3/11/18 19:00	0.2	3/11/19 19:00	0.1	3/10/20 19:00	0.1
3/11/18 20:00	0.2	3/11/19 20:00	0.1	3/10/20 20:00	0.1
3/11/18 21:00	0.2	3/11/19 21:00	0.3	3/10/20 21:00	0.1
3/11/18 22:00	0.2	3/11/19 22:00	0.2	3/10/20 22:00	0.1
3/11/18 23:00	0.2	3/11/19 23:00	0.2	3/10/20 23:00	0.0
3/12/18 0:00	0.2	3/12/19 0:00	0.2	3/11/20 0:00	0.0
3/12/18 1:00	0.2	3/12/19 1:00	0.2	3/11/20 1:00	0.0
3/12/18 2:00	0.2	3/12/19 2:00	0.1	3/11/20 2:00	0.1
3/12/18 3:00	0.2	3/12/19 3:00	0.1	3/11/20 3:00	0.1
3/12/18 4:00	0.2	3/12/19 4:00	0.2	3/11/20 4:00	0.1
3/12/18 5:00	0.2	3/12/19 5:00	0.1	3/11/20 5:00	0.1
3/12/18 6:00	0.2	3/12/19 6:00	0.1	3/11/20 6:00	0.1
3/12/18 7:00	0.2	3/12/19 7:00	0.2	3/11/20 7:00	0.1
3/12/18 8:00	0.2	3/12/19 8:00	0.0	3/11/20 8:00	0.1
3/12/18 9:00	0.2	3/12/19 9:00	0.0	3/11/20 9:00	0.1
3/12/18 10:00	0.2	3/12/19 10:00	0.0	3/11/20 10:00	0.0
3/12/18 11:00	0.2	3/12/19 11:00	0.0	3/11/20 11:00	0.0
3/12/18 12:00	0.2	3/12/19 12:00	0.0	3/11/20 12:00	0.0
3/12/18 13:00	0.2	3/12/19 13:00	0.0	3/11/20 13:00	0.1
3/12/18 14:00	0.2	3/12/19 14:00	0.1	3/11/20 14:00	0.1
3/12/18 15:00	0.2	3/12/19 15:00	0.2	3/11/20 15:00	0.1
3/12/18 16:00	0.2	3/12/19 16:00	0.2	3/11/20 16:00	0.1
3/12/18 17:00	0.2	3/12/19 17:00	0.2	3/11/20 17:00	0.1
3/12/18 18:00	0.1	3/12/19 18:00	0.2	3/11/20 18:00	0.1
3/12/18 19:00	0.2	3/12/19 19:00	0.2	3/11/20 19:00	0.0
3/12/18 20:00	0.2	3/12/19 20:00	0.2	3/11/20 20:00	0.0
3/12/18 21:00	0.2	3/12/19 21:00	0.2	3/11/20 21:00	0.1
3/12/18 22:00	0.2	3/12/19 22:00	0.2	3/11/20 22:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
3/12/18 23:00	0.2	3/12/19 23:00	0.1	3/11/20 23:00	0.1
3/13/18 0:00	0.2	3/13/19 0:00	0.1	3/12/20 0:00	0.1
3/13/18 1:00	0.2	3/13/19 1:00	0.1	3/12/20 1:00	0.1
3/13/18 2:00	0.1	3/13/19 2:00	0.2	3/12/20 2:00	0.1
3/13/18 3:00	0.2	3/13/19 3:00	0.1	3/12/20 3:00	0.1
3/13/18 4:00	0.2	3/13/19 4:00	0.1	3/12/20 4:00	0.1
3/13/18 5:00	0.2	3/13/19 5:00	0.1	3/12/20 5:00	0.0
3/13/18 6:00	0.2	3/13/19 6:00	0.1	3/12/20 6:00	0.0
3/13/18 7:00	0.2	3/13/19 7:00	0.1	3/12/20 7:00	0.0
3/13/18 8:00	0.3	3/13/19 8:00	0.2	3/12/20 8:00	0.1
3/13/18 9:00	14.9	3/13/19 9:00	0.1	3/12/20 9:00	0.1
3/13/18 10:00	14.9	3/13/19 10:00	0.1	3/12/20 10:00	0.1
3/13/18 11:00	15.1	3/13/19 11:00	0.1	3/12/20 11:00	0.1
3/13/18 12:00	15.0	3/13/19 12:00	0.1	3/12/20 12:00	0.1
3/13/18 13:00	14.9	3/13/19 13:00	0.2	3/12/20 13:00	0.0
3/13/18 14:00	15.2	3/13/19 14:00	0.1	3/12/20 14:00	0.0
3/13/18 15:00	14.8	3/13/19 15:00	0.1	3/12/20 15:00	0.0
3/13/18 16:00	15.1	3/13/19 16:00	0.1	3/12/20 16:00	0.1
3/13/18 17:00	15.0	3/13/19 17:00	0.1	3/12/20 17:00	0.1
3/13/18 18:00	15.0	3/13/19 18:00	0.1	3/12/20 18:00	0.0
3/13/18 19:00	0.3	3/13/19 19:00	0.1	3/12/20 19:00	0.0
3/13/18 20:00	0.2	3/13/19 20:00	0.2	3/12/20 20:00	0.1
3/13/18 21:00	0.1	3/13/19 21:00	0.2	3/12/20 21:00	0.2
3/13/18 22:00	0.1	3/13/19 22:00	0.1	3/12/20 22:00	0.2
3/13/18 23:00	0.1	3/13/19 23:00	0.1	3/12/20 23:00	0.1
3/14/18 0:00	0.1	3/14/19 0:00	0.1	3/13/20 0:00	0.1
3/14/18 1:00	0.1	3/14/19 1:00	0.1	3/13/20 1:00	0.1
3/14/18 2:00	0.1	3/14/19 2:00	0.0	3/13/20 2:00	0.1
3/14/18 3:00	0.1	3/14/19 3:00	0.2	3/13/20 3:00	0.1
3/14/18 4:00	0.2	3/14/19 4:00	0.2	3/13/20 4:00	0.1
3/14/18 5:00	0.2	3/14/19 5:00	0.2	3/13/20 5:00	0.1
3/14/18 6:00	0.2	3/14/19 6:00	0.2	3/13/20 6:00	0.1
3/14/18 7:00	0.1	3/14/19 7:00	0.2	3/13/20 7:00	0.2
3/14/18 8:00	0.2	3/14/19 8:00	0.2	3/13/20 8:00	0.3
3/14/18 9:00	0.2	3/14/19 9:00	0.1	3/13/20 9:00	0.3
3/14/18 10:00	0.1	3/14/19 10:00	0.1	3/13/20 10:00	0.1
3/14/18 11:00	0.1	3/14/19 11:00	0.1	3/13/20 11:00	0.0
3/14/18 12:00	0.2	3/14/19 12:00	0.2	3/13/20 12:00	0.0
3/14/18 13:00	0.2	3/14/19 13:00	0.1	3/13/20 13:00	0.1
3/14/18 14:00	0.2	3/14/19 14:00	0.1	3/13/20 14:00	0.1
3/14/18 15:00	0.2	3/14/19 15:00	0.1	3/13/20 15:00	0.1
3/14/18 16:00	0.2	3/14/19 16:00	0.1	3/13/20 16:00	0.1
3/14/18 17:00	0.2	3/14/19 17:00	0.1	3/13/20 17:00	0.1
3/14/18 18:00	0.2	3/14/19 18:00	0.1	3/13/20 18:00	0.2
3/14/18 19:00	0.2	3/14/19 19:00	0.2	3/13/20 19:00	0.1
3/14/18 20:00	0.2	3/14/19 20:00	0.2	3/13/20 20:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
3/14/18 21:00	0.2	3/14/19 21:00	0.1	3/13/20 21:00	0.0
3/14/18 22:00	0.2	3/14/19 22:00	0.1	3/13/20 22:00	0.0
3/14/18 23:00	0.1	3/14/19 23:00	0.1	3/13/20 23:00	0.0
3/15/18 0:00	0.1	3/15/19 0:00	0.1	3/14/20 0:00	0.0
3/15/18 1:00	0.1	3/15/19 1:00	0.1	3/14/20 1:00	0.0
3/15/18 2:00	0.1	3/15/19 2:00	0.2	3/14/20 2:00	0.0
3/15/18 3:00	0.2	3/15/19 3:00	0.2	3/14/20 3:00	0.0
3/15/18 4:00	0.2	3/15/19 4:00	0.2	3/14/20 4:00	0.0
3/15/18 5:00	0.2	3/15/19 5:00	0.1	3/14/20 5:00	0.0
3/15/18 6:00	0.2	3/15/19 6:00	0.1	3/14/20 6:00	0.0
3/15/18 7:00	0.2	3/15/19 7:00	0.2	3/14/20 7:00	0.1
3/15/18 8:00	0.2	3/15/19 8:00	0.2	3/14/20 8:00	0.1
3/15/18 9:00	0.2	3/15/19 9:00	0.1	3/14/20 9:00	0.0
3/15/18 10:00	0.2	3/15/19 10:00	0.1	3/14/20 10:00	0.0
3/15/18 11:00	0.2	3/15/19 11:00	0.1	3/14/20 11:00	0.0
3/15/18 12:00	0.2	3/15/19 12:00	0.1	3/14/20 12:00	0.0
3/15/18 13:00	0.2	3/15/19 13:00	0.1	3/14/20 13:00	0.0
3/15/18 14:00	0.2	3/15/19 14:00	0.2	3/14/20 14:00	0.1
3/15/18 15:00	0.3	3/15/19 15:00	0.1	3/14/20 15:00	0.1
3/15/18 16:00	0.2	3/15/19 16:00	0.1	3/14/20 16:00	0.0
3/15/18 17:00	0.1	3/15/19 17:00	0.2	3/14/20 17:00	0.0
3/15/18 18:00	0.1	3/15/19 18:00	0.1	3/14/20 18:00	0.1
3/15/18 19:00	0.3	3/15/19 19:00	0.1	3/14/20 19:00	0.1
3/15/18 20:00	0.3	3/15/19 20:00	0.1	3/14/20 20:00	0.0
3/15/18 21:00	0.3	3/15/19 21:00	0.1	3/14/20 21:00	0.1
3/15/18 22:00	0.3	3/15/19 22:00	0.1	3/14/20 22:00	0.1
3/15/18 23:00	0.3	3/15/19 23:00	0.1	3/14/20 23:00	0.0
3/16/18 0:00	0.2	3/16/19 0:00	0.1	3/15/20 0:00	0.0
3/16/18 1:00	0.1	3/16/19 1:00	0.1	3/15/20 1:00	0.1
3/16/18 2:00	0.1	3/16/19 2:00	0.1	3/15/20 2:00	0.0
3/16/18 3:00	0.2	3/16/19 3:00	0.1	3/15/20 3:00	0.0
3/16/18 4:00	0.2	3/16/19 4:00	0.1	3/15/20 4:00	0.0
3/16/18 5:00	0.2	3/16/19 5:00	0.1	3/15/20 5:00	0.1
3/16/18 6:00	0.1	3/16/19 6:00	0.1	3/15/20 6:00	0.1
3/16/18 7:00	0.2	3/16/19 7:00	0.1	3/15/20 7:00	0.1
3/16/18 8:00	0.2	3/16/19 8:00	0.1	3/15/20 8:00	0.1
3/16/18 9:00	0.7	3/16/19 9:00	0.1	3/15/20 9:00	0.1
3/16/18 10:00	0.2	3/16/19 10:00	0.1	3/15/20 10:00	0.1
3/16/18 11:00	0.1	3/16/19 11:00	0.1	3/15/20 11:00	0.1
3/16/18 12:00	0.1	3/16/19 12:00	0.1	3/15/20 12:00	0.1
3/16/18 13:00	0.1	3/16/19 13:00	0.1	3/15/20 13:00	0.1
3/16/18 14:00	0.1	3/16/19 14:00	0.1	3/15/20 14:00	0.1
3/16/18 15:00	0.1	3/16/19 15:00	0.1	3/15/20 15:00	0.1
3/16/18 16:00	0.1	3/16/19 16:00	0.1	3/15/20 16:00	0.1
3/16/18 17:00	0.1	3/16/19 17:00	0.0	3/15/20 17:00	0.1
3/16/18 18:00	0.1	3/16/19 18:00	0.0	3/15/20 18:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
3/16/18 19:00	0.2	3/16/19 19:00	0.1	3/15/20 19:00	0.1
3/16/18 20:00	0.2	3/16/19 20:00	0.1	3/15/20 20:00	0.1
3/16/18 21:00	0.2	3/16/19 21:00	0.1	3/15/20 21:00	0.1
3/16/18 22:00	0.2	3/16/19 22:00	0.1	3/15/20 22:00	0.1
3/16/18 23:00	0.1	3/16/19 23:00	0.1	3/15/20 23:00	0.1
3/17/18 0:00	0.1	3/17/19 0:00	0.1	3/16/20 0:00	0.1
3/17/18 1:00	0.1	3/17/19 1:00	0.1	3/16/20 1:00	0.0
3/17/18 2:00	0.2	3/17/19 2:00	0.1	3/16/20 2:00	0.0
3/17/18 3:00	0.1	3/17/19 3:00	0.1	3/16/20 3:00	0.0
3/17/18 4:00	0.1	3/17/19 4:00	0.1	3/16/20 4:00	0.0
3/17/18 5:00	0.2	3/17/19 5:00	0.1	3/16/20 5:00	0.1
3/17/18 6:00	0.2	3/17/19 6:00	0.2	3/16/20 6:00	0.1
3/17/18 7:00	0.2	3/17/19 7:00	0.1	3/16/20 7:00	0.1
3/17/18 8:00	0.1	3/17/19 8:00	0.1	3/16/20 8:00	0.2
3/17/18 9:00	0.1	3/17/19 9:00	0.1	3/16/20 9:00	0.1
3/17/18 10:00	0.1	3/17/19 10:00	0.1	3/16/20 10:00	0.1
3/17/18 11:00	0.1	3/17/19 11:00	0.1	3/16/20 11:00	0.1
3/17/18 12:00	0.1	3/17/19 12:00	0.1	3/16/20 12:00	0.1
3/17/18 13:00	0.2	3/17/19 13:00	0.1	3/16/20 13:00	0.1
3/17/18 14:00	0.1	3/17/19 14:00	0.1	3/16/20 14:00	0.1
3/17/18 15:00	0.1	3/17/19 15:00	0.1	3/16/20 15:00	0.1
3/17/18 16:00	0.2	3/17/19 16:00	0.2	3/16/20 16:00	0.0
3/17/18 17:00	0.0	3/17/19 17:00	0.1	3/16/20 17:00	0.0
3/17/18 18:00	0.1	3/17/19 18:00	0.2	3/16/20 18:00	0.1
3/17/18 19:00	0.2	3/17/19 19:00	0.1	3/16/20 19:00	0.1
3/17/18 20:00	0.2	3/17/19 20:00	0.1	3/16/20 20:00	0.1
3/17/18 21:00	0.2	3/17/19 21:00	0.1	3/16/20 21:00	0.1
3/17/18 22:00	0.1	3/17/19 22:00	0.1	3/16/20 22:00	0.1
3/17/18 23:00	0.1	3/17/19 23:00	0.1	3/16/20 23:00	0.1
3/18/18 0:00	0.1	3/18/19 0:00	0.1	3/17/20 0:00	0.1
3/18/18 1:00	0.1	3/18/19 1:00	0.1	3/17/20 1:00	0.0
3/18/18 2:00	0.2	3/18/19 2:00	0.0	3/17/20 2:00	0.0
3/18/18 3:00	0.1	3/18/19 3:00	0.0	3/17/20 3:00	0.1
3/18/18 4:00	0.1	3/18/19 4:00	0.1	3/17/20 4:00	0.1
3/18/18 5:00	0.1	3/18/19 5:00	0.1	3/17/20 5:00	0.1
3/18/18 6:00	0.2	3/18/19 6:00	0.1	3/17/20 6:00	0.0
3/18/18 7:00	0.2	3/18/19 7:00	0.1	3/17/20 7:00	0.1
3/18/18 8:00	0.1	3/18/19 8:00	0.1	3/17/20 8:00	0.1
3/18/18 9:00	0.2	3/18/19 9:00	0.1	3/17/20 9:00	0.1
3/18/18 10:00	0.2	3/18/19 10:00	0.1	3/17/20 10:00	0.2
3/18/18 11:00	0.2	3/18/19 11:00	0.1	3/17/20 11:00	0.2
3/18/18 12:00	0.2	3/18/19 12:00	0.0	3/17/20 12:00	0.2
3/18/18 13:00	0.2	3/18/19 13:00	0.0	3/17/20 13:00	0.1
3/18/18 14:00	0.1	3/18/19 14:00	0.0	3/17/20 14:00	0.1
3/18/18 15:00	0.3	3/18/19 15:00	0.1	3/17/20 15:00	0.0
3/18/18 16:00	0.1	3/18/19 16:00	0.1	3/17/20 16:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
3/18/18 17:00	0.1	3/18/19 17:00	0.1	3/17/20 17:00	0.1
3/18/18 18:00	0.2	3/18/19 18:00	0.0	3/17/20 18:00	0.1
3/18/18 19:00	0.2	3/18/19 19:00	0.0	3/17/20 19:00	0.1
3/18/18 20:00	0.2	3/18/19 20:00	0.1	3/17/20 20:00	0.1
3/18/18 21:00	0.1	3/18/19 21:00	0.1	3/17/20 21:00	0.1
3/18/18 22:00	0.1	3/18/19 22:00	0.1	3/17/20 22:00	0.1
3/18/18 23:00	0.1	3/18/19 23:00	0.1	3/17/20 23:00	0.1
3/19/18 0:00	0.1	3/19/19 0:00	0.2	3/18/20 0:00	0.1
3/19/18 1:00	0.1	3/19/19 1:00	0.2	3/18/20 1:00	0.1
3/19/18 2:00	0.2	3/19/19 2:00	0.2	3/18/20 2:00	0.1
3/19/18 3:00	0.1	3/19/19 3:00	0.1	3/18/20 3:00	0.0
3/19/18 4:00	0.1	3/19/19 4:00	0.1	3/18/20 4:00	0.0
3/19/18 5:00	0.2	3/19/19 5:00	0.1	3/18/20 5:00	0.1
3/19/18 6:00	0.1	3/19/19 6:00	0.1	3/18/20 6:00	0.1
3/19/18 7:00	0.1	3/19/19 7:00	0.1	3/18/20 7:00	0.1
3/19/18 8:00	0.1	3/19/19 8:00	0.1	3/18/20 8:00	0.1
3/19/18 9:00	0.1	3/19/19 9:00	0.1	3/18/20 9:00	0.1
3/19/18 10:00	0.1	3/19/19 10:00	0.1	3/18/20 10:00	0.1
3/19/18 11:00	0.2	3/19/19 11:00	0.1	3/18/20 11:00	0.2
3/19/18 12:00	0.1	3/19/19 12:00	0.1	3/18/20 12:00	0.1
3/19/18 13:00	0.1	3/19/19 13:00	0.1	3/18/20 13:00	0.1
3/19/18 14:00	0.1	3/19/19 14:00	0.1	3/18/20 14:00	0.2
3/19/18 15:00	0.2	3/19/19 15:00	0.1	3/18/20 15:00	0.2
3/19/18 16:00	0.2	3/19/19 16:00	0.1	3/18/20 16:00	0.2
3/19/18 17:00	0.2	3/19/19 17:00	0.1	3/18/20 17:00	0.2
3/19/18 18:00	0.2	3/19/19 18:00	0.1	3/18/20 18:00	0.2
3/19/18 19:00	0.2	3/19/19 19:00	0.1	3/18/20 19:00	0.1
3/19/18 20:00	0.3	3/19/19 20:00	0.1	3/18/20 20:00	0.1
3/19/18 21:00	0.3	3/19/19 21:00	0.1	3/18/20 21:00	0.1
3/19/18 22:00	0.3	3/19/19 22:00	0.1	3/18/20 22:00	0.2
3/19/18 23:00	0.3	3/19/19 23:00	0.1	3/18/20 23:00	0.2
3/20/18 0:00	0.2	3/20/19 0:00	0.0	3/19/20 0:00	0.2
3/20/18 1:00	0.2	3/20/19 1:00	0.1	3/19/20 1:00	0.2
3/20/18 2:00	0.2	3/20/19 2:00	0.1	3/19/20 2:00	0.2
3/20/18 3:00	0.2	3/20/19 3:00	0.1	3/19/20 3:00	0.2
3/20/18 4:00	0.2	3/20/19 4:00	0.1	3/19/20 4:00	0.1
3/20/18 5:00	0.2	3/20/19 5:00	0.1	3/19/20 5:00	0.1
3/20/18 6:00	0.1	3/20/19 6:00	0.1	3/19/20 6:00	0.1
3/20/18 7:00	0.1	3/20/19 7:00	0.3	3/19/20 7:00	0.2
3/20/18 8:00	0.1	3/20/19 8:00	0.3	3/19/20 8:00	0.2
3/20/18 9:00	0.2	3/20/19 9:00	0.2	3/19/20 9:00	0.1
3/20/18 10:00	0.2	3/20/19 10:00	0.3	3/19/20 10:00	0.1
3/20/18 11:00	0.2	3/20/19 11:00	0.2	3/19/20 11:00	0.1
3/20/18 12:00	0.1	3/20/19 12:00	0.2	3/19/20 12:00	0.1
3/20/18 13:00	0.1	3/20/19 13:00	0.3	3/19/20 13:00	0.1
3/20/18 14:00	0.1	3/20/19 14:00	0.3	3/19/20 14:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
3/20/18 15:00	0.2	3/20/19 15:00	0.3	3/19/20 15:00	0.1
3/20/18 16:00	0.1	3/20/19 16:00	0.3	3/19/20 16:00	0.0
3/20/18 17:00	0.1	3/20/19 17:00	0.3	3/19/20 17:00	0.0
3/20/18 18:00	0.2	3/20/19 18:00	0.3	3/19/20 18:00	0.1
3/20/18 19:00	0.2	3/20/19 19:00	0.3	3/19/20 19:00	0.1
3/20/18 20:00	0.2	3/20/19 20:00	0.1	3/19/20 20:00	0.1
3/20/18 21:00	0.2	3/20/19 21:00	0.0	3/19/20 21:00	0.1
3/20/18 22:00	0.1	3/20/19 22:00	0.1	3/19/20 22:00	0.1
3/20/18 23:00	0.1	3/20/19 23:00	0.1	3/19/20 23:00	0.1
3/21/18 0:00	0.4	3/21/19 0:00	0.1	3/20/20 0:00	0.1
3/21/18 1:00	0.1	3/21/19 1:00	0.1	3/20/20 1:00	0.1
3/21/18 2:00	0.3	3/21/19 2:00	0.1	3/20/20 2:00	0.1
3/21/18 3:00	0.2	3/21/19 3:00	0.1	3/20/20 3:00	0.1
3/21/18 4:00	0.2	3/21/19 4:00	0.1	3/20/20 4:00	0.1
3/21/18 5:00	0.2	3/21/19 5:00	0.1	3/20/20 5:00	0.1
3/21/18 6:00	0.2	3/21/19 6:00	0.1	3/20/20 6:00	0.1
3/21/18 7:00	0.2	3/21/19 7:00	0.1	3/20/20 7:00	0.2
3/21/18 8:00	0.1	3/21/19 8:00	0.1	3/20/20 8:00	0.1
3/21/18 9:00	0.1	3/21/19 9:00	0.1	3/20/20 9:00	0.1
3/21/18 10:00	0.1	3/21/19 10:00	0.0	3/20/20 10:00	0.1
3/21/18 11:00	0.1	3/21/19 11:00	0.0	3/20/20 11:00	0.1
3/21/18 12:00	0.1	3/21/19 12:00	0.1	3/20/20 12:00	0.1
3/21/18 13:00	0.2	3/21/19 13:00	0.1	3/20/20 13:00	0.2
3/21/18 14:00	0.2	3/21/19 14:00	0.1	3/20/20 14:00	0.1
3/21/18 15:00	0.2	3/21/19 15:00	0.1	3/20/20 15:00	0.1
3/21/18 16:00	0.1	3/21/19 16:00	0.1	3/20/20 16:00	0.1
3/21/18 17:00	0.1	3/21/19 17:00	0.1	3/20/20 17:00	0.1
3/21/18 18:00	0.2	3/21/19 18:00	0.0	3/20/20 18:00	0.1
3/21/18 19:00	0.2	3/21/19 19:00	0.1	3/20/20 19:00	0.1
3/21/18 20:00	0.2	3/21/19 20:00	0.1	3/20/20 20:00	0.1
3/21/18 21:00	0.2	3/21/19 21:00	0.1	3/20/20 21:00	0.2
3/21/18 22:00	0.1	3/21/19 22:00	0.1	3/20/20 22:00	0.1
3/21/18 23:00	0.2	3/21/19 23:00	0.1	3/20/20 23:00	0.1
3/22/18 0:00	0.2	3/22/19 0:00	0.1	3/21/20 0:00	0.2
3/22/18 1:00	0.2	3/22/19 1:00	0.1	3/21/20 1:00	0.1
3/22/18 2:00	0.2	3/22/19 2:00	0.1	3/21/20 2:00	0.1
3/22/18 3:00	0.2	3/22/19 3:00	0.1	3/21/20 3:00	0.1
3/22/18 4:00	0.2	3/22/19 4:00	0.1	3/21/20 4:00	0.1
3/22/18 5:00	0.2	3/22/19 5:00	0.1	3/21/20 5:00	0.1
3/22/18 6:00	0.2	3/22/19 6:00	0.2	3/21/20 6:00	0.1
3/22/18 7:00	0.2	3/22/19 7:00	0.1	3/21/20 7:00	0.1
3/22/18 8:00	0.2	3/22/19 8:00	0.1	3/21/20 8:00	0.1
3/22/18 9:00	0.2	3/22/19 9:00	0.1	3/21/20 9:00	0.1
3/22/18 10:00	0.1	3/22/19 10:00	0.1	3/21/20 10:00	0.1
3/22/18 11:00	0.1	3/22/19 11:00	0.1	3/21/20 11:00	0.2
3/22/18 12:00	0.1	3/22/19 12:00	0.1	3/21/20 12:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
3/22/18 13:00	24.0	3/22/19 13:00	0.1	3/21/20 13:00	0.1
3/22/18 14:00	0.5	3/22/19 14:00	0.2	3/21/20 14:00	0.1
3/22/18 15:00	0.3	3/22/19 15:00	0.2	3/21/20 15:00	0.1
3/22/18 16:00	0.2	3/22/19 16:00	0.2	3/21/20 16:00	0.1
3/22/18 17:00	0.2	3/22/19 17:00	0.1	3/21/20 17:00	0.1
3/22/18 18:00	0.2	3/22/19 18:00	0.1	3/21/20 18:00	0.4
3/22/18 19:00	0.3	3/22/19 19:00	0.1	3/21/20 19:00	14.1
3/22/18 20:00	0.3	3/22/19 20:00	0.1	3/21/20 20:00	14.7
3/22/18 21:00	0.2	3/22/19 21:00	0.1	3/21/20 21:00	16.0
3/22/18 22:00	0.2	3/22/19 22:00	0.1	3/21/20 22:00	13.9
3/22/18 23:00	0.1	3/22/19 23:00	0.1	3/21/20 23:00	1.3
3/23/18 0:00	0.1	3/23/19 0:00	0.1	3/22/20 0:00	0.6
3/23/18 1:00	0.1	3/23/19 1:00	0.1	3/22/20 1:00	0.2
3/23/18 2:00	0.1	3/23/19 2:00	0.1	3/22/20 2:00	1.1
3/23/18 3:00	0.2	3/23/19 3:00	0.1	3/22/20 3:00	0.2
3/23/18 4:00	0.2	3/23/19 4:00	0.1	3/22/20 4:00	0.2
3/23/18 5:00	0.1	3/23/19 5:00	0.1	3/22/20 5:00	0.2
3/23/18 6:00	0.1	3/23/19 6:00	0.1	3/22/20 6:00	0.5
3/23/18 7:00	0.1	3/23/19 7:00	0.1	3/22/20 7:00	0.3
3/23/18 8:00	0.2	3/23/19 8:00	0.1	3/22/20 8:00	0.3
3/23/18 9:00	0.5	3/23/19 9:00	0.1	3/22/20 9:00	0.3
3/23/18 10:00	0.4	3/23/19 10:00	0.1	3/22/20 10:00	0.3
3/23/18 11:00	0.4	3/23/19 11:00	0.1	3/22/20 11:00	0.3
3/23/18 12:00	0.4	3/23/19 12:00	0.1	3/22/20 12:00	0.3
3/23/18 13:00	0.2	3/23/19 13:00	0.1	3/22/20 13:00	0.3
3/23/18 14:00	0.1	3/23/19 14:00	0.1	3/22/20 14:00	0.3
3/23/18 15:00	0.2	3/23/19 15:00	0.1	3/22/20 15:00	0.2
3/23/18 16:00	0.1	3/23/19 16:00	0.1	3/22/20 16:00	0.2
3/23/18 17:00	0.1	3/23/19 17:00	0.1	3/22/20 17:00	0.2
3/23/18 18:00	0.1	3/23/19 18:00	0.0	3/22/20 18:00	0.1
3/23/18 19:00	0.2	3/23/19 19:00	0.0	3/22/20 19:00	0.1
3/23/18 20:00	0.3	3/23/19 20:00	0.1	3/22/20 20:00	0.1
3/23/18 21:00	0.3	3/23/19 21:00	0.1	3/22/20 21:00	0.2
3/23/18 22:00	0.3	3/23/19 22:00	0.1	3/22/20 22:00	0.1
3/23/18 23:00	0.2	3/23/19 23:00	0.1	3/22/20 23:00	0.2
3/24/18 0:00	0.2	3/24/19 0:00	0.1	3/23/20 0:00	0.2
3/24/18 1:00	0.2	3/24/19 1:00	0.1	3/23/20 1:00	0.2
3/24/18 2:00	0.2	3/24/19 2:00	0.1	3/23/20 2:00	0.1
3/24/18 3:00	0.2	3/24/19 3:00	0.1	3/23/20 3:00	0.1
3/24/18 4:00	0.2	3/24/19 4:00	0.1	3/23/20 4:00	0.0
3/24/18 5:00	0.2	3/24/19 5:00	0.1	3/23/20 5:00	0.1
3/24/18 6:00	0.2	3/24/19 6:00	0.1	3/23/20 6:00	0.1
3/24/18 7:00	0.1	3/24/19 7:00	0.1	3/23/20 7:00	0.1
3/24/18 8:00	0.1	3/24/19 8:00	0.1	3/23/20 8:00	0.1
3/24/18 9:00	0.2	3/24/19 9:00	0.1	3/23/20 9:00	0.1
3/24/18 10:00	0.2	3/24/19 10:00	0.1	3/23/20 10:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
3/24/18 11:00	0.2	3/24/19 11:00	0.2	3/23/20 11:00	0.1
3/24/18 12:00	0.2	3/24/19 12:00	0.2	3/23/20 12:00	0.1
3/24/18 13:00	0.2	3/24/19 13:00	0.2	3/23/20 13:00	0.1
3/24/18 14:00	0.2	3/24/19 14:00	0.2	3/23/20 14:00	0.1
3/24/18 15:00	0.2	3/24/19 15:00	0.2	3/23/20 15:00	0.1
3/24/18 16:00	0.1	3/24/19 16:00	0.2	3/23/20 16:00	0.1
3/24/18 17:00	0.1	3/24/19 17:00	0.2	3/23/20 17:00	0.1
3/24/18 18:00	0.1	3/24/19 18:00	0.2	3/23/20 18:00	0.1
3/24/18 19:00	0.2	3/24/19 19:00	0.2	3/23/20 19:00	0.1
3/24/18 20:00	0.2	3/24/19 20:00	0.2	3/23/20 20:00	0.1
3/24/18 21:00	0.2	3/24/19 21:00	0.1	3/23/20 21:00	0.0
3/24/18 22:00	0.2	3/24/19 22:00	0.1	3/23/20 22:00	0.0
3/24/18 23:00	0.2	3/24/19 23:00	0.2	3/23/20 23:00	0.0
3/25/18 0:00	0.2	3/25/19 0:00	0.2	3/24/20 0:00	0.1
3/25/18 1:00	0.1	3/25/19 1:00	0.2	3/24/20 1:00	0.1
3/25/18 2:00	0.1	3/25/19 2:00	0.1	3/24/20 2:00	0.1
3/25/18 3:00	0.1	3/25/19 3:00	0.2	3/24/20 3:00	0.1
3/25/18 4:00	0.2	3/25/19 4:00	0.1	3/24/20 4:00	0.2
3/25/18 5:00	0.2	3/25/19 5:00	0.1	3/24/20 5:00	0.1
3/25/18 6:00	0.2	3/25/19 6:00	0.1	3/24/20 6:00	0.0
3/25/18 7:00	0.1	3/25/19 7:00	0.1	3/24/20 7:00	0.0
3/25/18 8:00	0.2	3/25/19 8:00	0.1	3/24/20 8:00	0.0
3/25/18 9:00	0.2	3/25/19 9:00	0.1	3/24/20 9:00	0.2
3/25/18 10:00	0.2	3/25/19 10:00	0.1	3/24/20 10:00	0.2
3/25/18 11:00	0.2	3/25/19 11:00	0.1	3/24/20 11:00	0.1
3/25/18 12:00	0.2	3/25/19 12:00	0.1	3/24/20 12:00	0.1
3/25/18 13:00	0.2	3/25/19 13:00	0.1	3/24/20 13:00	0.1
3/25/18 14:00	0.2	3/25/19 14:00	0.1	3/24/20 14:00	0.0
3/25/18 15:00	0.2	3/25/19 15:00	0.1	3/24/20 15:00	0.0
3/25/18 16:00	0.2	3/25/19 16:00	0.2	3/24/20 16:00	0.1
3/25/18 17:00	0.2	3/25/19 17:00	0.1	3/24/20 17:00	0.1
3/25/18 18:00	0.2	3/25/19 18:00	0.1	3/24/20 18:00	0.1
3/25/18 19:00	0.2	3/25/19 19:00	0.1	3/24/20 19:00	0.1
3/25/18 20:00	0.2	3/25/19 20:00	0.1	3/24/20 20:00	0.0
3/25/18 21:00	0.2	3/25/19 21:00	0.2	3/24/20 21:00	0.0
3/25/18 22:00	0.2	3/25/19 22:00	0.2	3/24/20 22:00	0.1
3/25/18 23:00	0.2	3/25/19 23:00	0.2	3/24/20 23:00	0.1
3/26/18 0:00	0.2	3/26/19 0:00	0.1	3/25/20 0:00	0.1
3/26/18 1:00	0.2	3/26/19 1:00	0.1	3/25/20 1:00	0.1
3/26/18 2:00	0.2	3/26/19 2:00	0.1	3/25/20 2:00	0.1
3/26/18 3:00	0.2	3/26/19 3:00	0.1	3/25/20 3:00	0.1
3/26/18 4:00	0.2	3/26/19 4:00	0.1	3/25/20 4:00	0.0
3/26/18 5:00	0.2	3/26/19 5:00	0.1	3/25/20 5:00	0.0
3/26/18 6:00	0.2	3/26/19 6:00	0.1	3/25/20 6:00	0.0
3/26/18 7:00	0.2	3/26/19 7:00	0.1	3/25/20 7:00	0.1
3/26/18 8:00	0.2	3/26/19 8:00	0.1	3/25/20 8:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
3/26/18 9:00	0.2	3/26/19 9:00	0.2	3/25/20 9:00	0.1
3/26/18 10:00	0.2	3/26/19 10:00	0.2	3/25/20 10:00	0.0
3/26/18 11:00	0.2	3/26/19 11:00	10.8	3/25/20 11:00	0.0
3/26/18 12:00	0.2	3/26/19 12:00	0.2	3/25/20 12:00	0.0
3/26/18 13:00	0.2	3/26/19 13:00	0.1	3/25/20 13:00	0.1
3/26/18 14:00	0.1	3/26/19 14:00	0.9	3/25/20 14:00	0.1
3/26/18 15:00	0.1	3/26/19 15:00	0.9	3/25/20 15:00	0.1
3/26/18 16:00	0.2	3/26/19 16:00	0.2	3/25/20 16:00	0.1
3/26/18 17:00	0.1	3/26/19 17:00	0.2	3/25/20 17:00	0.1
3/26/18 18:00	0.1	3/26/19 18:00	0.0	3/25/20 18:00	0.1
3/26/18 19:00	0.1	3/26/19 19:00	0.0	3/25/20 19:00	0.1
3/26/18 20:00	0.1	3/26/19 20:00	0.1	3/25/20 20:00	0.0
3/26/18 21:00	0.1	3/26/19 21:00	0.1	3/25/20 21:00	0.0
3/26/18 22:00	0.1	3/26/19 22:00	0.1	3/25/20 22:00	0.0
3/26/18 23:00	0.1	3/26/19 23:00	0.1	3/25/20 23:00	0.1
3/27/18 0:00	0.1	3/27/19 0:00	0.1	3/26/20 0:00	0.0
3/27/18 1:00	0.1	3/27/19 1:00	0.1	3/26/20 1:00	0.0
3/27/18 2:00	0.1	3/27/19 2:00	0.1	3/26/20 2:00	0.0
3/27/18 3:00	0.1	3/27/19 3:00	0.1	3/26/20 3:00	0.1
3/27/18 4:00	0.1	3/27/19 4:00	0.1	3/26/20 4:00	0.1
3/27/18 5:00	0.1	3/27/19 5:00	0.1	3/26/20 5:00	0.1
3/27/18 6:00	0.1	3/27/19 6:00	0.1	3/26/20 6:00	0.1
3/27/18 7:00	0.2	3/27/19 7:00	0.1	3/26/20 7:00	0.1
3/27/18 8:00	0.2	3/27/19 8:00	0.1	3/26/20 8:00	0.1
3/27/18 9:00	0.1	3/27/19 9:00	0.1	3/26/20 9:00	0.1
3/27/18 10:00	0.1	3/27/19 10:00	0.1	3/26/20 10:00	0.1
3/27/18 11:00	0.1	3/27/19 11:00	0.1	3/26/20 11:00	0.1
3/27/18 12:00	0.1	3/27/19 12:00	0.1	3/26/20 12:00	0.1
3/27/18 13:00	0.1	3/27/19 13:00	0.1	3/26/20 13:00	0.1
3/27/18 14:00	0.2	3/27/19 14:00	0.1	3/26/20 14:00	0.0
3/27/18 15:00	0.2	3/27/19 15:00	0.3	3/26/20 15:00	0.0
3/27/18 16:00	0.2	3/27/19 16:00	0.3	3/26/20 16:00	0.0
3/27/18 17:00	0.2	3/27/19 17:00	0.2	3/26/20 17:00	0.1
3/27/18 18:00	0.2	3/27/19 18:00	0.1	3/26/20 18:00	0.1
3/27/18 19:00	0.2	3/27/19 19:00	0.0	3/26/20 19:00	0.1
3/27/18 20:00	0.2	3/27/19 20:00	0.2	3/26/20 20:00	0.0
3/27/18 21:00	0.2	3/27/19 21:00	0.2	3/26/20 21:00	0.0
3/27/18 22:00	0.2	3/27/19 22:00	0.2	3/26/20 22:00	0.1
3/27/18 23:00	0.2	3/27/19 23:00	0.1	3/26/20 23:00	0.0
3/28/18 0:00	0.2	3/28/19 0:00	0.2	3/27/20 0:00	0.0
3/28/18 1:00	0.2	3/28/19 1:00	0.2	3/27/20 1:00	0.1
3/28/18 2:00	0.3	3/28/19 2:00	0.0	3/27/20 2:00	0.1
3/28/18 3:00	0.3	3/28/19 3:00	0.0	3/27/20 3:00	0.1
3/28/18 4:00	0.3	3/28/19 4:00	0.2	3/27/20 4:00	0.1
3/28/18 5:00	0.3	3/28/19 5:00	0.2	3/27/20 5:00	0.1
3/28/18 6:00	0.1	3/28/19 6:00	0.2	3/27/20 6:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
3/28/18 7:00	0.1	3/28/19 7:00	0.1	3/27/20 7:00	0.0
3/28/18 8:00	0.1	3/28/19 8:00	0.1	3/27/20 8:00	0.1
3/28/18 9:00	0.1	3/28/19 9:00	0.1	3/27/20 9:00	0.1
3/28/18 10:00	0.1	3/28/19 10:00	0.1	3/27/20 10:00	0.1
3/28/18 11:00	0.1	3/28/19 11:00	0.2	3/27/20 11:00	0.1
3/28/18 12:00	0.1	3/28/19 12:00	0.1	3/27/20 12:00	0.1
3/28/18 13:00	0.1	3/28/19 13:00	0.1	3/27/20 13:00	0.1
3/28/18 14:00	0.1	3/28/19 14:00	0.1	3/27/20 14:00	0.0
3/28/18 15:00	0.1	3/28/19 15:00	0.2	3/27/20 15:00	0.0
3/28/18 16:00	0.1	3/28/19 16:00	0.2	3/27/20 16:00	0.1
3/28/18 17:00	0.1	3/28/19 17:00	0.2	3/27/20 17:00	0.2
3/28/18 18:00	0.1	3/28/19 18:00	0.1	3/27/20 18:00	0.1
3/28/18 19:00	0.1	3/28/19 19:00	0.1	3/27/20 19:00	0.2
3/28/18 20:00	0.1	3/28/19 20:00	0.2	3/27/20 20:00	0.1
3/28/18 21:00	0.1	3/28/19 21:00	0.2	3/27/20 21:00	0.1
3/28/18 22:00	0.1	3/28/19 22:00	0.2	3/27/20 22:00	0.1
3/28/18 23:00	0.1	3/28/19 23:00	0.2	3/27/20 23:00	0.1
3/29/18 0:00	0.3	3/29/19 0:00	0.2	3/28/20 0:00	0.1
3/29/18 1:00	0.2	3/29/19 1:00	0.2	3/28/20 1:00	0.1
3/29/18 2:00	0.2	3/29/19 2:00	0.2	3/28/20 2:00	0.1
3/29/18 3:00	0.2	3/29/19 3:00	0.1	3/28/20 3:00	0.1
3/29/18 4:00	0.2	3/29/19 4:00	0.1	3/28/20 4:00	0.1
3/29/18 5:00	0.2	3/29/19 5:00	0.1	3/28/20 5:00	0.1
3/29/18 6:00	0.2	3/29/19 6:00	0.2	3/28/20 6:00	0.1
3/29/18 7:00	0.2	3/29/19 7:00	0.2	3/28/20 7:00	0.1
3/29/18 8:00	0.2	3/29/19 8:00	0.2	3/28/20 8:00	0.1
3/29/18 9:00	0.2	3/29/19 9:00	0.1	3/28/20 9:00	0.0
3/29/18 10:00	0.2	3/29/19 10:00	0.1	3/28/20 10:00	0.0
3/29/18 11:00	0.2	3/29/19 11:00	0.1	3/28/20 11:00	0.0
3/29/18 12:00	0.2	3/29/19 12:00	0.1	3/28/20 12:00	0.1
3/29/18 13:00	0.2	3/29/19 13:00	0.1	3/28/20 13:00	0.1
3/29/18 14:00	0.2	3/29/19 14:00	0.2	3/28/20 14:00	0.1
3/29/18 15:00	0.2	3/29/19 15:00	0.2	3/28/20 15:00	0.1
3/29/18 16:00	0.1	3/29/19 16:00	0.2	3/28/20 16:00	0.0
3/29/18 17:00	0.1	3/29/19 17:00	0.2	3/28/20 17:00	0.1
3/29/18 18:00	0.1	3/29/19 18:00	0.2	3/28/20 18:00	0.1
3/29/18 19:00	0.1	3/29/19 19:00	0.2	3/28/20 19:00	0.1
3/29/18 20:00	0.1	3/29/19 20:00	0.2	3/28/20 20:00	0.1
3/29/18 21:00	0.1	3/29/19 21:00	0.2	3/28/20 21:00	0.0
3/29/18 22:00	0.1	3/29/19 22:00	0.2	3/28/20 22:00	0.0
3/29/18 23:00	0.1	3/29/19 23:00	0.2	3/28/20 23:00	0.1
3/30/18 0:00	0.1	3/30/19 0:00	0.2	3/29/20 0:00	0.1
3/30/18 1:00	0.1	3/30/19 1:00	0.2	3/29/20 1:00	0.1
3/30/18 2:00	0.1	3/30/19 2:00	0.2	3/29/20 2:00	0.1
3/30/18 3:00	0.1	3/30/19 3:00	0.2	3/29/20 3:00	0.1
3/30/18 4:00	0.1	3/30/19 4:00	0.2	3/29/20 4:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
3/30/18 5:00	0.1	3/30/19 5:00	0.2	3/29/20 5:00	0.1
3/30/18 6:00	0.1	3/30/19 6:00	0.2	3/29/20 6:00	0.0
3/30/18 7:00	0.1	3/30/19 7:00	0.2	3/29/20 7:00	0.0
3/30/18 8:00	0.1	3/30/19 8:00	0.2	3/29/20 8:00	0.0
3/30/18 9:00	0.1	3/30/19 9:00	0.1	3/29/20 9:00	0.0
3/30/18 10:00	0.1	3/30/19 10:00	0.1	3/29/20 10:00	0.0
3/30/18 11:00	0.2	3/30/19 11:00	0.1	3/29/20 11:00	0.0
3/30/18 12:00	0.1	3/30/19 12:00	0.1	3/29/20 12:00	0.0
3/30/18 13:00	0.1	3/30/19 13:00	0.1	3/29/20 13:00	0.1
3/30/18 14:00	0.1	3/30/19 14:00	0.1	3/29/20 14:00	0.1
3/30/18 15:00	0.1	3/30/19 15:00	0.1	3/29/20 15:00	0.1
3/30/18 16:00	0.1	3/30/19 16:00	0.1	3/29/20 16:00	0.1
3/30/18 17:00	0.1	3/30/19 17:00	0.1	3/29/20 17:00	0.1
3/30/18 18:00	0.1	3/30/19 18:00	0.1	3/29/20 18:00	0.2
3/30/18 19:00	0.5	3/30/19 19:00	0.1	3/29/20 19:00	0.2
3/30/18 20:00	0.1	3/30/19 20:00	0.1	3/29/20 20:00	0.1
3/30/18 21:00	0.1	3/30/19 21:00	0.1	3/29/20 21:00	0.1
3/30/18 22:00	0.1	3/30/19 22:00	0.1	3/29/20 22:00	0.1
3/30/18 23:00	0.1	3/30/19 23:00	0.1	3/29/20 23:00	0.1
3/31/18 0:00	0.3	3/31/19 0:00	0.1	3/30/20 0:00	0.1
3/31/18 1:00	0.2	3/31/19 1:00	0.1	3/30/20 1:00	0.1
3/31/18 2:00	0.2	3/31/19 2:00	0.1	3/30/20 2:00	0.1
3/31/18 3:00	0.2	3/31/19 3:00	0.1	3/30/20 3:00	0.1
3/31/18 4:00	0.2	3/31/19 4:00	0.1	3/30/20 4:00	0.1
3/31/18 5:00	0.1	3/31/19 5:00	0.1	3/30/20 5:00	0.1
3/31/18 6:00	0.1	3/31/19 6:00	0.1	3/30/20 6:00	0.1
3/31/18 7:00	0.1	3/31/19 7:00	0.1	3/30/20 7:00	0.1
3/31/18 8:00	0.1	3/31/19 8:00	0.1	3/30/20 8:00	0.1
3/31/18 9:00	0.1	3/31/19 9:00	0.1	3/30/20 9:00	0.2
3/31/18 10:00	0.1	3/31/19 10:00	0.0	3/30/20 10:00	0.1
3/31/18 11:00	0.1	3/31/19 11:00	0.0	3/30/20 11:00	0.2
3/31/18 12:00	0.1	3/31/19 12:00	0.0	3/30/20 12:00	0.2
3/31/18 13:00	0.1	3/31/19 13:00	0.0	3/30/20 13:00	0.2
3/31/18 14:00	0.1	3/31/19 14:00	0.0	3/30/20 14:00	0.1
3/31/18 15:00	0.1	3/31/19 15:00	0.1	3/30/20 15:00	0.2
3/31/18 16:00	0.2	3/31/19 16:00	0.1	3/30/20 16:00	0.2
3/31/18 17:00	0.1	3/31/19 17:00	0.0	3/30/20 17:00	0.2
3/31/18 18:00	0.1	3/31/19 18:00	0.0	3/30/20 18:00	0.2
3/31/18 19:00	0.1	3/31/19 19:00	0.1	3/30/20 19:00	0.2
3/31/18 20:00	0.1	3/31/19 20:00	0.1	3/30/20 20:00	0.1
3/31/18 21:00	0.1	3/31/19 21:00	0.1	3/30/20 21:00	0.2
3/31/18 22:00	0.2	3/31/19 22:00	0.1	3/30/20 22:00	0.1
3/31/18 23:00	0.2	3/31/19 23:00	0.1	3/30/20 23:00	0.1
4/1/18 0:00	0.1	4/1/19 0:00	0.1	3/31/20 0:00	0.1
4/1/18 1:00	0.1	4/1/19 1:00	0.1	3/31/20 1:00	0.1
4/1/18 2:00	0.1	4/1/19 2:00	0.0	3/31/20 2:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
4/1/18 3:00	0.1	4/1/19 3:00	0.1	3/31/20 3:00	0.1
4/1/18 4:00	0.1	4/1/19 4:00	0.1	3/31/20 4:00	0.1
4/1/18 5:00	0.2	4/1/19 5:00	0.1	3/31/20 5:00	0.1
4/1/18 6:00	0.1	4/1/19 6:00	0.1	3/31/20 6:00	0.1
4/1/18 7:00	0.1	4/1/19 7:00	0.1	3/31/20 7:00	0.1
4/1/18 8:00	0.1	4/1/19 8:00	0.1	3/31/20 8:00	0.2
4/1/18 9:00	0.1	4/1/19 9:00	0.1	3/31/20 9:00	0.2
4/1/18 10:00	0.1	4/1/19 10:00	0.1	3/31/20 10:00	0.2
4/1/18 11:00	0.1	4/1/19 11:00	0.1	3/31/20 11:00	0.2
4/1/18 12:00	0.1	4/1/19 12:00	0.1	3/31/20 12:00	0.1
4/1/18 13:00	0.1	4/1/19 13:00	0.1	3/31/20 13:00	0.1
4/1/18 14:00	0.1	4/1/19 14:00	0.1	3/31/20 14:00	0.2
4/1/18 15:00	0.1	4/1/19 15:00	0.1	3/31/20 15:00	0.2
4/1/18 16:00	0.1	4/1/19 16:00	0.1	3/31/20 16:00	0.1
4/1/18 17:00	0.1	4/1/19 17:00	0.2	3/31/20 17:00	0.2
4/1/18 18:00	0.2	4/1/19 18:00	0.2	3/31/20 18:00	0.1
4/1/18 19:00	0.2	4/1/19 19:00	0.2	3/31/20 19:00	0.1
4/1/18 20:00	0.2	4/1/19 20:00	0.1	3/31/20 20:00	0.3
4/1/18 21:00	0.2	4/1/19 21:00	0.2	3/31/20 21:00	0.1
4/1/18 22:00	0.2	4/1/19 22:00	0.1	3/31/20 22:00	0.1
4/1/18 23:00	0.2	4/1/19 23:00	0.1	3/31/20 23:00	0.1
4/2/18 0:00	0.2	4/2/19 0:00	0.3	4/1/20 0:00	0.1
4/2/18 1:00	0.2	4/2/19 1:00	0.2	4/1/20 1:00	0.1
4/2/18 2:00	0.2	4/2/19 2:00	0.1	4/1/20 2:00	0.1
4/2/18 3:00	0.2	4/2/19 3:00	0.2	4/1/20 3:00	0.2
4/2/18 4:00	0.2	4/2/19 4:00	0.2	4/1/20 4:00	0.1
4/2/18 5:00	0.2	4/2/19 5:00	0.2	4/1/20 5:00	0.1
4/2/18 6:00	0.2	4/2/19 6:00	0.1	4/1/20 6:00	0.2
4/2/18 7:00	0.2	4/2/19 7:00	0.1	4/1/20 7:00	0.2
4/2/18 8:00	0.2	4/2/19 8:00	0.2	4/1/20 8:00	0.1
4/2/18 9:00	0.2	4/2/19 9:00	0.2	4/1/20 9:00	0.1
4/2/18 10:00	0.1	4/2/19 10:00	0.2	4/1/20 10:00	0.1
4/2/18 11:00	0.1	4/2/19 11:00	0.2	4/1/20 11:00	0.1
4/2/18 12:00	0.1	4/2/19 12:00	0.2	4/1/20 12:00	0.1
4/2/18 13:00	0.1	4/2/19 13:00	0.2	4/1/20 13:00	0.1
4/2/18 14:00	0.1	4/2/19 14:00	0.2	4/1/20 14:00	0.1
4/2/18 15:00	0.1	4/2/19 15:00	0.2	4/1/20 15:00	0.1
4/2/18 16:00	0.1	4/2/19 16:00	0.2	4/1/20 16:00	0.1
4/2/18 17:00	0.1	4/2/19 17:00	0.1	4/1/20 17:00	0.1
4/2/18 18:00	0.2	4/2/19 18:00	0.2	4/1/20 18:00	0.1
4/2/18 19:00	0.1	4/2/19 19:00	0.2	4/1/20 19:00	0.1
4/2/18 20:00	0.2	4/2/19 20:00	0.2	4/1/20 20:00	0.1
4/2/18 21:00	0.2	4/2/19 21:00	0.2	4/1/20 21:00	0.1
4/2/18 22:00	0.2	4/2/19 22:00	0.0	4/1/20 22:00	0.1
4/2/18 23:00	0.2	4/2/19 23:00	0.0	4/1/20 23:00	0.1
4/3/18 0:00	0.2	4/3/19 0:00	0.0	4/2/20 0:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
4/3/18 1:00	0.1	4/3/19 1:00	0.0	4/2/20 1:00	0.1
4/3/18 2:00	0.1	4/3/19 2:00	0.0	4/2/20 2:00	0.1
4/3/18 3:00	0.1	4/3/19 3:00	0.0	4/2/20 3:00	0.1
4/3/18 4:00	0.1	4/3/19 4:00	0.0	4/2/20 4:00	0.1
4/3/18 5:00	0.1	4/3/19 5:00	0.0	4/2/20 5:00	0.1
4/3/18 6:00	0.1	4/3/19 6:00	0.0	4/2/20 6:00	0.1
4/3/18 7:00	0.2	4/3/19 7:00	0.0	4/2/20 7:00	0.1
4/3/18 8:00	0.2	4/3/19 8:00	0.0	4/2/20 8:00	0.0
4/3/18 9:00	0.2	4/3/19 9:00	0.0	4/2/20 9:00	0.0
4/3/18 10:00	0.2	4/3/19 10:00	0.0	4/2/20 10:00	0.0
4/3/18 11:00	0.2	4/3/19 11:00	0.0	4/2/20 11:00	0.0
4/3/18 12:00	0.1	4/3/19 12:00	0.0	4/2/20 12:00	0.0
4/3/18 13:00	0.1	4/3/19 13:00	0.0	4/2/20 13:00	0.0
4/3/18 14:00	0.2	4/3/19 14:00	0.0	4/2/20 14:00	0.0
4/3/18 15:00	0.2	4/3/19 15:00	0.0	4/2/20 15:00	0.0
4/3/18 16:00	0.1	4/3/19 16:00	0.0	4/2/20 16:00	0.0
4/3/18 17:00	0.1	4/3/19 17:00	0.0	4/2/20 17:00	0.1
4/3/18 18:00	0.1	4/3/19 18:00	0.0	4/2/20 18:00	0.1
4/3/18 19:00	0.1	4/3/19 19:00	0.0	4/2/20 19:00	0.1
4/3/18 20:00	0.1	4/3/19 20:00	0.0	4/2/20 20:00	0.1
4/3/18 21:00	0.2	4/3/19 21:00	0.0	4/2/20 21:00	0.0
4/3/18 22:00	0.2	4/3/19 22:00	0.0	4/2/20 22:00	0.0
4/3/18 23:00	0.2	4/3/19 23:00	0.0	4/2/20 23:00	0.1
4/4/18 0:00	0.2	4/4/19 0:00	0.0	4/3/20 0:00	0.0
4/4/18 1:00	0.2	4/4/19 1:00	0.0	4/3/20 1:00	0.0
4/4/18 2:00	0.1	4/4/19 2:00	0.0	4/3/20 2:00	0.0
4/4/18 3:00	0.2	4/4/19 3:00	0.0	4/3/20 3:00	0.0
4/4/18 4:00	0.1	4/4/19 4:00	0.0	4/3/20 4:00	0.1
4/4/18 5:00	0.0	4/4/19 5:00	0.0	4/3/20 5:00	0.1
4/4/18 6:00	0.0	4/4/19 6:00	0.0	4/3/20 6:00	0.1
4/4/18 7:00	0.1	4/4/19 7:00	0.0	4/3/20 7:00	0.1
4/4/18 8:00	0.1	4/4/19 8:00	0.0	4/3/20 8:00	0.1
4/4/18 9:00	0.1	4/4/19 9:00	0.0	4/3/20 9:00	0.1
4/4/18 10:00	0.2	4/4/19 10:00	0.0	4/3/20 10:00	0.0
4/4/18 11:00	0.2	4/4/19 11:00	0.0	4/3/20 11:00	0.0
4/4/18 12:00	0.1	4/4/19 12:00	0.0	4/3/20 12:00	0.0
4/4/18 13:00	0.1	4/4/19 13:00	0.0	4/3/20 13:00	0.1
4/4/18 14:00	0.1	4/4/19 14:00	0.0	4/3/20 14:00	0.1
4/4/18 15:00	0.1	4/4/19 15:00	0.0	4/3/20 15:00	0.1
4/4/18 16:00	0.1	4/4/19 16:00	0.0	4/3/20 16:00	0.1
4/4/18 17:00	0.2	4/4/19 17:00	0.0	4/3/20 17:00	0.0
4/4/18 18:00	0.2	4/4/19 18:00	0.0	4/3/20 18:00	0.0
4/4/18 19:00	0.2	4/4/19 19:00	0.0	4/3/20 19:00	0.0
4/4/18 20:00	0.2	4/4/19 20:00	0.0	4/3/20 20:00	0.0
4/4/18 21:00	0.2	4/4/19 21:00	0.0	4/3/20 21:00	0.1
4/4/18 22:00	0.2	4/4/19 22:00	0.0	4/3/20 22:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
4/4/18 23:00	0.2	4/4/19 23:00	0.0	4/3/20 23:00	0.1
4/5/18 0:00	0.2	4/5/19 0:00	0.0	4/4/20 0:00	0.0
4/5/18 1:00	0.2	4/5/19 1:00	0.0	4/4/20 1:00	0.0
4/5/18 2:00	0.2	4/5/19 2:00	0.0	4/4/20 2:00	0.1
4/5/18 3:00	0.2	4/5/19 3:00	0.0	4/4/20 3:00	0.1
4/5/18 4:00	0.2	4/5/19 4:00	0.0	4/4/20 4:00	0.0
4/5/18 5:00	0.2	4/5/19 5:00	0.0	4/4/20 5:00	0.0
4/5/18 6:00	0.2	4/5/19 6:00	0.0	4/4/20 6:00	0.0
4/5/18 7:00	0.2	4/5/19 7:00	0.0	4/4/20 7:00	0.0
4/5/18 8:00	0.2	4/5/19 8:00	0.0	4/4/20 8:00	0.0
4/5/18 9:00	0.2	4/5/19 9:00	0.0	4/4/20 9:00	0.0
4/5/18 10:00	0.2	4/5/19 10:00	0.0	4/4/20 10:00	0.1
4/5/18 11:00	0.2	4/5/19 11:00	0.0	4/4/20 11:00	0.1
4/5/18 12:00	0.2	4/5/19 12:00	0.0	4/4/20 12:00	0.1
4/5/18 13:00	0.2	4/5/19 13:00	0.0	4/4/20 13:00	0.1
4/5/18 14:00	0.2	4/5/19 14:00	0.0	4/4/20 14:00	0.1
4/5/18 15:00	0.4	4/5/19 15:00	0.0	4/4/20 15:00	0.1
4/5/18 16:00	0.1	4/5/19 16:00	0.0	4/4/20 16:00	0.1
4/5/18 17:00	0.1	4/5/19 17:00	0.0	4/4/20 17:00	0.1
4/5/18 18:00	0.1	4/5/19 18:00	0.0	4/4/20 18:00	0.1
4/5/18 19:00	0.2	4/5/19 19:00	0.0	4/4/20 19:00	0.1
4/5/18 20:00	0.2	4/5/19 20:00	0.0	4/4/20 20:00	0.1
4/5/18 21:00	0.2	4/5/19 21:00	0.0	4/4/20 21:00	0.1
4/5/18 22:00	0.1	4/5/19 22:00	0.0	4/4/20 22:00	0.1
4/5/18 23:00	0.1	4/5/19 23:00	0.0	4/4/20 23:00	0.1
4/6/18 0:00	0.1	4/6/19 0:00	0.0	4/5/20 0:00	0.1
4/6/18 1:00	0.1	4/6/19 1:00	0.0	4/5/20 1:00	0.1
4/6/18 2:00	0.1	4/6/19 2:00	0.0	4/5/20 2:00	0.1
4/6/18 3:00	0.1	4/6/19 3:00	0.0	4/5/20 3:00	0.1
4/6/18 4:00	0.1	4/6/19 4:00	0.0	4/5/20 4:00	0.1
4/6/18 5:00	0.1	4/6/19 5:00	0.0	4/5/20 5:00	0.1
4/6/18 6:00	0.2	4/6/19 6:00	0.0	4/5/20 6:00	0.1
4/6/18 7:00	0.2	4/6/19 7:00	0.0	4/5/20 7:00	0.1
4/6/18 8:00	0.2	4/6/19 8:00	0.0	4/5/20 8:00	0.1
4/6/18 9:00	0.1	4/6/19 9:00	0.0	4/5/20 9:00	0.1
4/6/18 10:00	0.1	4/6/19 10:00	0.0	4/5/20 10:00	0.1
4/6/18 11:00	0.2	4/6/19 11:00	0.0	4/5/20 11:00	0.0
4/6/18 12:00	0.1	4/6/19 12:00	0.0	4/5/20 12:00	0.0
4/6/18 13:00	0.2	4/6/19 13:00	0.0	4/5/20 13:00	0.0
4/6/18 14:00	0.1	4/6/19 14:00	0.0	4/5/20 14:00	0.1
4/6/18 15:00	0.5	4/6/19 15:00	0.0	4/5/20 15:00	0.1
4/6/18 16:00	0.1	4/6/19 16:00	0.0	4/5/20 16:00	0.1
4/6/18 17:00	0.1	4/6/19 17:00	0.0	4/5/20 17:00	0.1
4/6/18 18:00	0.1	4/6/19 18:00	0.0	4/5/20 18:00	0.1
4/6/18 19:00	0.1	4/6/19 19:00	0.0	4/5/20 19:00	0.1
4/6/18 20:00	0.5	4/6/19 20:00	0.0	4/5/20 20:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
4/6/18 21:00	0.2	4/6/19 21:00	0.0	4/5/20 21:00	0.0
4/6/18 22:00	0.2	4/6/19 22:00	0.0	4/5/20 22:00	0.0
4/6/18 23:00	0.2	4/6/19 23:00	0.0	4/5/20 23:00	0.1
4/7/18 0:00	0.2	4/7/19 0:00	0.0	4/6/20 0:00	0.1
4/7/18 1:00	0.2	4/7/19 1:00	0.0	4/6/20 1:00	0.1
4/7/18 2:00	0.0	4/7/19 2:00	0.0	4/6/20 2:00	0.1
4/7/18 3:00	0.0	4/7/19 3:00	0.0	4/6/20 3:00	0.0
4/7/18 4:00	0.0	4/7/19 4:00	0.0	4/6/20 4:00	0.1
4/7/18 5:00	0.0	4/7/19 5:00	0.0	4/6/20 5:00	0.0
4/7/18 6:00	0.0	4/7/19 6:00	0.0	4/6/20 6:00	0.0
4/7/18 7:00	0.0	4/7/19 7:00	0.0	4/6/20 7:00	0.0
4/7/18 8:00	0.0	4/7/19 8:00	0.0	4/6/20 8:00	0.0
4/7/18 9:00	0.0	4/7/19 9:00	0.0	4/6/20 9:00	0.1
4/7/18 10:00	0.0	4/7/19 10:00	0.0	4/6/20 10:00	0.0
4/7/18 11:00	0.0	4/7/19 11:00	0.0	4/6/20 11:00	0.0
4/7/18 12:00	0.0	4/7/19 12:00	0.0	4/6/20 12:00	0.1
4/7/18 13:00	0.0	4/7/19 13:00	0.0	4/6/20 13:00	0.1
4/7/18 14:00	0.0	4/7/19 14:00	0.0	4/6/20 14:00	0.1
4/7/18 15:00	0.0	4/7/19 15:00	0.0	4/6/20 15:00	0.1
4/7/18 16:00	0.0	4/7/19 16:00	0.0	4/6/20 16:00	0.1
4/7/18 17:00	0.0	4/7/19 17:00	0.0	4/6/20 17:00	0.1
4/7/18 18:00	0.0	4/7/19 18:00	0.0	4/6/20 18:00	0.1
4/7/18 19:00	0.0	4/7/19 19:00	0.0	4/6/20 19:00	0.1
4/7/18 20:00	0.0	4/7/19 20:00	0.0	4/6/20 20:00	0.1
4/7/18 21:00	0.0	4/7/19 21:00	0.0	4/6/20 21:00	0.1
4/7/18 22:00	0.0	4/7/19 22:00	0.0	4/6/20 22:00	0.1
4/7/18 23:00	0.0	4/7/19 23:00	0.0	4/6/20 23:00	0.2
4/8/18 0:00	0.0	4/8/19 0:00	0.0	4/7/20 0:00	0.2
4/8/18 1:00	0.0	4/8/19 1:00	0.0	4/7/20 1:00	0.3
4/8/18 2:00	0.0	4/8/19 2:00	0.0	4/7/20 2:00	0.1
4/8/18 3:00	0.0	4/8/19 3:00	0.0	4/7/20 3:00	0.1
4/8/18 4:00	0.0	4/8/19 4:00	0.0	4/7/20 4:00	0.1
4/8/18 5:00	0.0	4/8/19 5:00	0.0	4/7/20 5:00	0.1
4/8/18 6:00	0.0	4/8/19 6:00	0.0	4/7/20 6:00	0.1
4/8/18 7:00	0.0	4/8/19 7:00	0.0	4/7/20 7:00	0.1
4/8/18 8:00	0.0	4/8/19 8:00	0.0	4/7/20 8:00	0.2
4/8/18 9:00	0.0	4/8/19 9:00	0.0	4/7/20 9:00	0.2
4/8/18 10:00	0.0	4/8/19 10:00	0.0	4/7/20 10:00	8.9
4/8/18 11:00	0.0	4/8/19 11:00	0.0	4/7/20 11:00	7.6
4/8/18 12:00	0.0	4/8/19 12:00	0.0	4/7/20 12:00	5.5
4/8/18 13:00	0.0	4/8/19 13:00	0.0	4/7/20 13:00	4.3
4/8/18 14:00	0.0	4/8/19 14:00	0.0	4/7/20 14:00	4.3
4/8/18 15:00	0.0	4/8/19 15:00	0.1	4/7/20 15:00	4.8
4/8/18 16:00	0.0	4/8/19 16:00	0.1	4/7/20 16:00	6.8
4/8/18 17:00	0.0	4/8/19 17:00	0.1	4/7/20 17:00	3.4
4/8/18 18:00	0.0	4/8/19 18:00	0.1	4/7/20 18:00	1.9

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
4/8/18 19:00	0.0	4/8/19 19:00	0.1	4/7/20 19:00	0.1
4/8/18 20:00	0.0	4/8/19 20:00	0.1	4/7/20 20:00	0.1
4/8/18 21:00	0.0	4/8/19 21:00	0.1	4/7/20 21:00	0.1
4/8/18 22:00	0.0	4/8/19 22:00	0.1	4/7/20 22:00	0.2
4/8/18 23:00	0.0	4/8/19 23:00	0.1	4/7/20 23:00	0.1
4/9/18 0:00	0.0	4/9/19 0:00	0.1	4/8/20 0:00	0.1
4/9/18 1:00	0.0	4/9/19 1:00	0.1	4/8/20 1:00	0.1
4/9/18 2:00	0.0	4/9/19 2:00	0.1	4/8/20 2:00	0.1
4/9/18 3:00	0.0	4/9/19 3:00	0.1	4/8/20 3:00	0.1
4/9/18 4:00	0.0	4/9/19 4:00	0.2	4/8/20 4:00	0.1
4/9/18 5:00	0.0	4/9/19 5:00	0.2	4/8/20 5:00	0.1
4/9/18 6:00	0.0	4/9/19 6:00	0.2	4/8/20 6:00	0.1
4/9/18 7:00	0.0	4/9/19 7:00	0.2	4/8/20 7:00	0.1
4/9/18 8:00	0.0	4/9/19 8:00	0.2	4/8/20 8:00	0.1
4/9/18 9:00	0.0	4/9/19 9:00	0.2	4/8/20 9:00	0.1
4/9/18 10:00	0.0	4/9/19 10:00	0.1	4/8/20 10:00	0.1
4/9/18 11:00	0.0	4/9/19 11:00	0.1	4/8/20 11:00	0.1
4/9/18 12:00	0.0	4/9/19 12:00	0.2	4/8/20 12:00	0.1
4/9/18 13:00	0.0	4/9/19 13:00	0.2	4/8/20 13:00	0.1
4/9/18 14:00	0.0	4/9/19 14:00	0.2	4/8/20 14:00	0.1
4/9/18 15:00	0.0	4/9/19 15:00	0.1	4/8/20 15:00	0.1
4/9/18 16:00	0.0	4/9/19 16:00	0.0	4/8/20 16:00	0.1
4/9/18 17:00	0.0	4/9/19 17:00	0.0	4/8/20 17:00	0.2
4/9/18 18:00	0.0	4/9/19 18:00	0.0	4/8/20 18:00	0.2
4/9/18 19:00	0.0	4/9/19 19:00	0.1	4/8/20 19:00	0.1
4/9/18 20:00	0.0	4/9/19 20:00	0.1	4/8/20 20:00	0.1
4/9/18 21:00	0.0	4/9/19 21:00	0.1	4/8/20 21:00	0.0
4/9/18 22:00	0.0	4/9/19 22:00	0.1	4/8/20 22:00	0.1
4/9/18 23:00	0.0	4/9/19 23:00	0.1	4/8/20 23:00	0.1
4/10/18 0:00	0.0	4/10/19 0:00	0.1	4/9/20 0:00	0.1
4/10/18 1:00	0.0	4/10/19 1:00	0.3	4/9/20 1:00	0.0
4/10/18 2:00	0.0	4/10/19 2:00	0.1	4/9/20 2:00	0.0
4/10/18 3:00	0.0	4/10/19 3:00	0.1	4/9/20 3:00	0.0
4/10/18 4:00	0.0	4/10/19 4:00	0.1	4/9/20 4:00	0.1
4/10/18 5:00	0.0	4/10/19 5:00	0.1	4/9/20 5:00	0.0
4/10/18 6:00	0.0	4/10/19 6:00	0.1	4/9/20 6:00	0.1
4/10/18 7:00	0.0	4/10/19 7:00	0.1	4/9/20 7:00	0.1
4/10/18 8:00	0.0	4/10/19 8:00	0.1	4/9/20 8:00	0.1
4/10/18 9:00	0.0	4/10/19 9:00	0.1	4/9/20 9:00	0.1
4/10/18 10:00	0.0	4/10/19 10:00	0.1	4/9/20 10:00	0.1
4/10/18 11:00	0.0	4/10/19 11:00	0.1	4/9/20 11:00	0.1
4/10/18 12:00	0.0	4/10/19 12:00	0.1	4/9/20 12:00	0.1
4/10/18 13:00	0.0	4/10/19 13:00	0.1	4/9/20 13:00	0.1
4/10/18 14:00	0.0	4/10/19 14:00	0.1	4/9/20 14:00	0.1
4/10/18 15:00	0.0	4/10/19 15:00	0.1	4/9/20 15:00	0.1
4/10/18 16:00	0.0	4/10/19 16:00	0.1	4/9/20 16:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
4/10/18 17:00	0.0	4/10/19 17:00	0.1	4/9/20 17:00	0.0
4/10/18 18:00	0.1	4/10/19 18:00	0.1	4/9/20 18:00	0.0
4/10/18 19:00	0.1	4/10/19 19:00	0.1	4/9/20 19:00	0.0
4/10/18 20:00	0.1	4/10/19 20:00	0.1	4/9/20 20:00	0.1
4/10/18 21:00	0.1	4/10/19 21:00	0.1	4/9/20 21:00	0.0
4/10/18 22:00	0.1	4/10/19 22:00	0.0	4/9/20 22:00	0.0
4/10/18 23:00	0.1	4/10/19 23:00	0.0	4/9/20 23:00	0.1
4/11/18 0:00	0.1	4/11/19 0:00	0.1	4/10/20 0:00	0.1
4/11/18 1:00	0.1	4/11/19 1:00	0.1	4/10/20 1:00	0.1
4/11/18 2:00	0.1	4/11/19 2:00	0.1	4/10/20 2:00	0.1
4/11/18 3:00	0.1	4/11/19 3:00	0.0	4/10/20 3:00	0.1
4/11/18 4:00	0.1	4/11/19 4:00	0.1	4/10/20 4:00	0.1
4/11/18 5:00	0.2	4/11/19 5:00	0.1	4/10/20 5:00	0.1
4/11/18 6:00	0.2	4/11/19 6:00	0.1	4/10/20 6:00	0.2
4/11/18 7:00	0.2	4/11/19 7:00	0.1	4/10/20 7:00	0.2
4/11/18 8:00	0.2	4/11/19 8:00	0.1	4/10/20 8:00	0.1
4/11/18 9:00	0.4	4/11/19 9:00	0.1	4/10/20 9:00	0.1
4/11/18 10:00	0.4	4/11/19 10:00	0.1	4/10/20 10:00	0.1
4/11/18 11:00	0.4	4/11/19 11:00	0.1	4/10/20 11:00	0.1
4/11/18 12:00	0.3	4/11/19 12:00	0.1	4/10/20 12:00	0.2
4/11/18 13:00	0.3	4/11/19 13:00	0.1	4/10/20 13:00	0.1
4/11/18 14:00	0.3	4/11/19 14:00	0.1	4/10/20 14:00	0.1
4/11/18 15:00	0.4	4/11/19 15:00	0.1	4/10/20 15:00	0.1
4/11/18 16:00	0.3	4/11/19 16:00	0.1	4/10/20 16:00	0.1
4/11/18 17:00	0.4	4/11/19 17:00	0.1	4/10/20 17:00	0.1
4/11/18 18:00	0.4	4/11/19 18:00	0.1	4/10/20 18:00	0.1
4/11/18 19:00	0.4	4/11/19 19:00	0.1	4/10/20 19:00	0.2
4/11/18 20:00	0.3	4/11/19 20:00	0.1	4/10/20 20:00	0.1
4/11/18 21:00	0.3	4/11/19 21:00	0.1	4/10/20 21:00	0.1
4/11/18 22:00	0.3	4/11/19 22:00	0.1	4/10/20 22:00	0.1
4/11/18 23:00	0.3	4/11/19 23:00	0.1	4/10/20 23:00	0.1
4/12/18 0:00	0.2	4/12/19 0:00	0.1	4/11/20 0:00	0.1
4/12/18 1:00	0.3	4/12/19 1:00	0.1	4/11/20 1:00	0.1
4/12/18 2:00	0.3	4/12/19 2:00	0.1	4/11/20 2:00	0.0
4/12/18 3:00	0.3	4/12/19 3:00	0.1	4/11/20 3:00	0.0
4/12/18 4:00	0.3	4/12/19 4:00	0.1	4/11/20 4:00	0.1
4/12/18 5:00	0.3	4/12/19 5:00	0.1	4/11/20 5:00	0.1
4/12/18 6:00	0.3	4/12/19 6:00	0.1	4/11/20 6:00	0.1
4/12/18 7:00	0.2	4/12/19 7:00	0.1	4/11/20 7:00	0.1
4/12/18 8:00	0.2	4/12/19 8:00	0.0	4/11/20 8:00	0.1
4/12/18 9:00	0.3	4/12/19 9:00	0.0	4/11/20 9:00	0.1
4/12/18 10:00	0.1	4/12/19 10:00	0.0	4/11/20 10:00	0.1
4/12/18 11:00	0.1	4/12/19 11:00	0.0	4/11/20 11:00	0.1
4/12/18 12:00	0.2	4/12/19 12:00	0.2	4/11/20 12:00	0.1
4/12/18 13:00	0.2	4/12/19 13:00	0.1	4/11/20 13:00	0.1
4/12/18 14:00	0.2	4/12/19 14:00	0.1	4/11/20 14:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
4/12/18 15:00	0.2	4/12/19 15:00	0.1	4/11/20 15:00	0.0
4/12/18 16:00	0.2	4/12/19 16:00	0.1	4/11/20 16:00	0.1
4/12/18 17:00	0.1	4/12/19 17:00	0.1	4/11/20 17:00	0.1
4/12/18 18:00	0.1	4/12/19 18:00	0.1	4/11/20 18:00	0.1
4/12/18 19:00	0.1	4/12/19 19:00	0.1	4/11/20 19:00	0.1
4/12/18 20:00	0.2	4/12/19 20:00	0.1	4/11/20 20:00	0.1
4/12/18 21:00	0.1	4/12/19 21:00	0.1	4/11/20 21:00	0.1
4/12/18 22:00	0.1	4/12/19 22:00	0.1	4/11/20 22:00	0.1
4/12/18 23:00	0.2	4/12/19 23:00	0.1	4/11/20 23:00	0.1
4/13/18 0:00	0.2	4/13/19 0:00	0.1	4/12/20 0:00	0.1
4/13/18 1:00	0.2	4/13/19 1:00	0.1	4/12/20 1:00	0.1
4/13/18 2:00	0.2	4/13/19 2:00	0.1	4/12/20 2:00	0.4
4/13/18 3:00	0.2	4/13/19 3:00	0.1	4/12/20 3:00	1.5
4/13/18 4:00	0.2	4/13/19 4:00	0.1	4/12/20 4:00	0.7
4/13/18 5:00	0.1	4/13/19 5:00	0.2	4/12/20 5:00	0.9
4/13/18 6:00	0.1	4/13/19 6:00	0.2	4/12/20 6:00	1.0
4/13/18 7:00	0.1	4/13/19 7:00	0.2	4/12/20 7:00	0.7
4/13/18 8:00	0.1	4/13/19 8:00	0.2	4/12/20 8:00	0.6
4/13/18 9:00	0.1	4/13/19 9:00	0.1	4/12/20 9:00	0.6
4/13/18 10:00	0.1	4/13/19 10:00	0.0	4/12/20 10:00	0.5
4/13/18 11:00	0.1	4/13/19 11:00	0.0	4/12/20 11:00	0.6
4/13/18 12:00	0.1	4/13/19 12:00	0.1	4/12/20 12:00	0.6
4/13/18 13:00	0.1	4/13/19 13:00	0.1	4/12/20 13:00	0.8
4/13/18 14:00	0.1	4/13/19 14:00	0.1	4/12/20 14:00	0.7
4/13/18 15:00	0.1	4/13/19 15:00	0.1	4/12/20 15:00	0.6
4/13/18 16:00	0.1	4/13/19 16:00	0.1	4/12/20 16:00	0.8
4/13/18 17:00	0.1	4/13/19 17:00	0.0	4/12/20 17:00	0.6
4/13/18 18:00	0.2	4/13/19 18:00	0.0	4/12/20 18:00	0.3
4/13/18 19:00	0.1	4/13/19 19:00	0.0	4/12/20 19:00	0.7
4/13/18 20:00	0.1	4/13/19 20:00	0.1	4/12/20 20:00	0.1
4/13/18 21:00	0.2	4/13/19 21:00	0.1	4/12/20 21:00	0.1
4/13/18 22:00	0.2	4/13/19 22:00	0.1	4/12/20 22:00	0.1
4/13/18 23:00	0.1	4/13/19 23:00	0.1	4/12/20 23:00	0.1
4/14/18 0:00	0.1	4/14/19 0:00	0.1	4/13/20 0:00	0.1
4/14/18 1:00	0.1	4/14/19 1:00	0.1	4/13/20 1:00	0.1
4/14/18 2:00	0.1	4/14/19 2:00	0.1	4/13/20 2:00	0.1
4/14/18 3:00	0.1	4/14/19 3:00	0.1	4/13/20 3:00	0.1
4/14/18 4:00	0.1	4/14/19 4:00	0.1	4/13/20 4:00	0.2
4/14/18 5:00	0.1	4/14/19 5:00	0.2	4/13/20 5:00	0.2
4/14/18 6:00	0.2	4/14/19 6:00	0.1	4/13/20 6:00	0.2
4/14/18 7:00	0.2	4/14/19 7:00	0.1	4/13/20 7:00	0.1
4/14/18 8:00	0.2	4/14/19 8:00	0.1	4/13/20 8:00	0.2
4/14/18 9:00	0.1	4/14/19 9:00	0.1	4/13/20 9:00	0.2
4/14/18 10:00	0.1	4/14/19 10:00	0.1	4/13/20 10:00	0.1
4/14/18 11:00	0.1	4/14/19 11:00	0.2	4/13/20 11:00	0.1
4/14/18 12:00	0.2	4/14/19 12:00	0.1	4/13/20 12:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
4/14/18 13:00	0.1	4/14/19 13:00	0.1	4/13/20 13:00	0.1
4/14/18 14:00	0.2	4/14/19 14:00	0.2	4/13/20 14:00	0.1
4/14/18 15:00	0.2	4/14/19 15:00	0.1	4/13/20 15:00	0.1
4/14/18 16:00	0.2	4/14/19 16:00	0.1	4/13/20 16:00	0.2
4/14/18 17:00	0.2	4/14/19 17:00	0.1	4/13/20 17:00	0.2
4/14/18 18:00	0.1	4/14/19 18:00	0.1	4/13/20 18:00	0.2
4/14/18 19:00	0.3	4/14/19 19:00	0.1	4/13/20 19:00	0.1
4/14/18 20:00	0.3	4/14/19 20:00	0.1	4/13/20 20:00	0.1
4/14/18 21:00	0.3	4/14/19 21:00	0.1	4/13/20 21:00	0.1
4/14/18 22:00	0.3	4/14/19 22:00	0.2	4/13/20 22:00	0.2
4/14/18 23:00	0.2	4/14/19 23:00	0.1	4/13/20 23:00	0.1
4/15/18 0:00	0.1	4/15/19 0:00	0.1	4/14/20 0:00	0.1
4/15/18 1:00	0.1	4/15/19 1:00	0.1	4/14/20 1:00	0.1
4/15/18 2:00	0.1	4/15/19 2:00	0.1	4/14/20 2:00	0.2
4/15/18 3:00	0.2	4/15/19 3:00	0.1	4/14/20 3:00	0.2
4/15/18 4:00	0.2	4/15/19 4:00	0.1	4/14/20 4:00	0.2
4/15/18 5:00	0.2	4/15/19 5:00	0.1	4/14/20 5:00	0.2
4/15/18 6:00	0.2	4/15/19 6:00	0.1	4/14/20 6:00	0.2
4/15/18 7:00	0.2	4/15/19 7:00	0.1	4/14/20 7:00	0.2
4/15/18 8:00	0.2	4/15/19 8:00	0.1	4/14/20 8:00	0.2
4/15/18 9:00	0.2	4/15/19 9:00	0.1	4/14/20 9:00	0.2
4/15/18 10:00	0.2	4/15/19 10:00	0.1	4/14/20 10:00	0.1
4/15/18 11:00	0.2	4/15/19 11:00	0.1	4/14/20 11:00	0.1
4/15/18 12:00	0.2	4/15/19 12:00	0.1	4/14/20 12:00	0.1
4/15/18 13:00	0.1	4/15/19 13:00	0.1	4/14/20 13:00	0.1
4/15/18 14:00	0.1	4/15/19 14:00	0.1	4/14/20 14:00	0.1
4/15/18 15:00	0.1	4/15/19 15:00	0.1	4/14/20 15:00	0.1
4/15/18 16:00	0.2	4/15/19 16:00	0.1	4/14/20 16:00	0.2
4/15/18 17:00	0.2	4/15/19 17:00	0.1	4/14/20 17:00	0.1
4/15/18 18:00	0.2	4/15/19 18:00	0.1	4/14/20 18:00	0.1
4/15/18 19:00	0.1	4/15/19 19:00	0.1	4/14/20 19:00	0.1
4/15/18 20:00	0.2	4/15/19 20:00	0.1	4/14/20 20:00	0.2
4/15/18 21:00	0.2	4/15/19 21:00	0.1	4/14/20 21:00	0.2
4/15/18 22:00	0.1	4/15/19 22:00	0.0	4/14/20 22:00	0.2
4/15/18 23:00	0.2	4/15/19 23:00	0.1	4/14/20 23:00	0.2
4/16/18 0:00	0.2	4/16/19 0:00	0.1	4/15/20 0:00	0.2
4/16/18 1:00	0.1	4/16/19 1:00	0.1	4/15/20 1:00	0.1
4/16/18 2:00	0.2	4/16/19 2:00	0.1	4/15/20 2:00	0.1
4/16/18 3:00	0.2	4/16/19 3:00	0.0	4/15/20 3:00	0.1
4/16/18 4:00	0.2	4/16/19 4:00	0.1	4/15/20 4:00	0.1
4/16/18 5:00	0.2	4/16/19 5:00	0.1	4/15/20 5:00	0.1
4/16/18 6:00	0.2	4/16/19 6:00	0.1	4/15/20 6:00	0.1
4/16/18 7:00	0.2	4/16/19 7:00	0.1	4/15/20 7:00	0.1
4/16/18 8:00	0.2	4/16/19 8:00	0.1	4/15/20 8:00	0.1
4/16/18 9:00	0.2	4/16/19 9:00	0.1	4/15/20 9:00	0.0
4/16/18 10:00	0.2	4/16/19 10:00	0.2	4/15/20 10:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
4/16/18 11:00	0.2	4/16/19 11:00	0.0	4/15/20 11:00	0.0
4/16/18 12:00	0.2	4/16/19 12:00	0.1	4/15/20 12:00	0.0
4/16/18 13:00	0.2	4/16/19 13:00	0.1	4/15/20 13:00	0.1
4/16/18 14:00	0.1	4/16/19 14:00	0.0	4/15/20 14:00	0.1
4/16/18 15:00	0.1	4/16/19 15:00	0.0	4/15/20 15:00	0.1
4/16/18 16:00	0.1	4/16/19 16:00	0.0	4/15/20 16:00	0.1
4/16/18 17:00	0.1	4/16/19 17:00	0.1	4/15/20 17:00	0.1
4/16/18 18:00	0.1	4/16/19 18:00	0.0	4/15/20 18:00	0.1
4/16/18 19:00	0.2	4/16/19 19:00	0.0	4/15/20 19:00	0.1
4/16/18 20:00	0.2	4/16/19 20:00	0.1	4/15/20 20:00	0.1
4/16/18 21:00	0.2	4/16/19 21:00	0.1	4/15/20 21:00	0.1
4/16/18 22:00	0.1	4/16/19 22:00	0.1	4/15/20 22:00	0.1
4/16/18 23:00	0.1	4/16/19 23:00	Bad Input	4/15/20 23:00	0.0
4/17/18 0:00	0.1	4/17/19 0:00	Bad Input	4/16/20 0:00	0.1
4/17/18 1:00	0.1	4/17/19 1:00	Bad Input	4/16/20 1:00	0.1
4/17/18 2:00	0.1	4/17/19 2:00	Bad Input	4/16/20 2:00	0.1
4/17/18 3:00	0.2	4/17/19 3:00	Bad Input	4/16/20 3:00	0.1
4/17/18 4:00	0.2	4/17/19 4:00	Bad Input	4/16/20 4:00	0.1
4/17/18 5:00	0.2	4/17/19 5:00	Bad Input	4/16/20 5:00	0.1
4/17/18 6:00	0.1	4/17/19 6:00	Bad Input	4/16/20 6:00	0.1
4/17/18 7:00	0.2	4/17/19 7:00	Bad Input	4/16/20 7:00	0.1
4/17/18 8:00	0.2	4/17/19 8:00	0.3	4/16/20 8:00	0.1
4/17/18 9:00	0.2	4/17/19 9:00	0.1	4/16/20 9:00	0.1
4/17/18 10:00	0.2	4/17/19 10:00	0.1	4/16/20 10:00	0.1
4/17/18 11:00	0.2	4/17/19 11:00	0.1	4/16/20 11:00	0.1
4/17/18 12:00	0.3	4/17/19 12:00	0.1	4/16/20 12:00	0.1
4/17/18 13:00	0.1	4/17/19 13:00	0.1	4/16/20 13:00	0.1
4/17/18 14:00	0.1	4/17/19 14:00	0.1	4/16/20 14:00	0.1
4/17/18 15:00	0.2	4/17/19 15:00	0.1	4/16/20 15:00	0.3
4/17/18 16:00	0.2	4/17/19 16:00	0.1	4/16/20 16:00	0.1
4/17/18 17:00	0.2	4/17/19 17:00	0.1	4/16/20 17:00	0.6
4/17/18 18:00	0.2	4/17/19 18:00	0.1	4/16/20 18:00	0.5
4/17/18 19:00	0.1	4/17/19 19:00	0.1	4/16/20 19:00	0.5
4/17/18 20:00	0.1	4/17/19 20:00	0.1	4/16/20 20:00	0.6
4/17/18 21:00	0.1	4/17/19 21:00	0.2	4/16/20 21:00	0.4
4/17/18 22:00	0.2	4/17/19 22:00	0.1	4/16/20 22:00	0.4
4/17/18 23:00	0.2	4/17/19 23:00	0.1	4/16/20 23:00	0.4
4/18/18 0:00	0.2	4/18/19 0:00	0.1	4/17/20 0:00	0.5
4/18/18 1:00	0.2	4/18/19 1:00	0.2	4/17/20 1:00	0.8
4/18/18 2:00	0.1	4/18/19 2:00	0.2	4/17/20 2:00	0.7
4/18/18 3:00	0.1	4/18/19 3:00	0.2	4/17/20 3:00	0.6
4/18/18 4:00	0.2	4/18/19 4:00	0.2	4/17/20 4:00	0.5
4/18/18 5:00	0.2	4/18/19 5:00	0.2	4/17/20 5:00	0.5
4/18/18 6:00	0.2	4/18/19 6:00	0.2	4/17/20 6:00	0.5
4/18/18 7:00	0.2	4/18/19 7:00	0.2	4/17/20 7:00	0.6
4/18/18 8:00	0.2	4/18/19 8:00	0.1	4/17/20 8:00	0.3

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
4/18/18 9:00	0.2	4/18/19 9:00	0.1	4/17/20 9:00	0.4
4/18/18 10:00	0.2	4/18/19 10:00	0.1	4/17/20 10:00	0.4
4/18/18 11:00	0.2	4/18/19 11:00	0.1	4/17/20 11:00	0.3
4/18/18 12:00	0.2	4/18/19 12:00	0.1	4/17/20 12:00	0.1
4/18/18 13:00	0.1	4/18/19 13:00	0.1	4/17/20 13:00	0.1
4/18/18 14:00	0.2	4/18/19 14:00	0.1	4/17/20 14:00	0.1
4/18/18 15:00	0.1	4/18/19 15:00	0.1	4/17/20 15:00	0.1
4/18/18 16:00	0.1	4/18/19 16:00	0.1	4/17/20 16:00	0.1
4/18/18 17:00	0.2	4/18/19 17:00	0.1	4/17/20 17:00	0.1
4/18/18 18:00	18.1	4/18/19 18:00	0.1	4/17/20 18:00	0.1
4/18/18 19:00	0.3	4/18/19 19:00	0.1	4/17/20 19:00	0.1
4/18/18 20:00	0.3	4/18/19 20:00	0.1	4/17/20 20:00	0.1
4/18/18 21:00	0.5	4/18/19 21:00	0.1	4/17/20 21:00	0.1
4/18/18 22:00	0.4	4/18/19 22:00	0.1	4/17/20 22:00	0.1
4/18/18 23:00	0.4	4/18/19 23:00	0.1	4/17/20 23:00	0.1
4/19/18 0:00	0.2	4/19/19 0:00	0.1	4/18/20 0:00	0.1
4/19/18 1:00	0.2	4/19/19 1:00	0.1	4/18/20 1:00	0.1
4/19/18 2:00	0.2	4/19/19 2:00	0.1	4/18/20 2:00	0.1
4/19/18 3:00	0.2	4/19/19 3:00	0.1	4/18/20 3:00	0.1
4/19/18 4:00	0.2	4/19/19 4:00	0.1	4/18/20 4:00	0.1
4/19/18 5:00	0.2	4/19/19 5:00	0.1	4/18/20 5:00	0.1
4/19/18 6:00	0.2	4/19/19 6:00	0.1	4/18/20 6:00	0.1
4/19/18 7:00	0.2	4/19/19 7:00	0.1	4/18/20 7:00	0.1
4/19/18 8:00	0.4	4/19/19 8:00	0.1	4/18/20 8:00	0.1
4/19/18 9:00	10.8	4/19/19 9:00	0.1	4/18/20 9:00	0.1
4/19/18 10:00	15.3	4/19/19 10:00	0.1	4/18/20 10:00	0.1
4/19/18 11:00	15.2	4/19/19 11:00	0.1	4/18/20 11:00	0.1
4/19/18 12:00	14.7	4/19/19 12:00	0.1	4/18/20 12:00	0.1
4/19/18 13:00	14.7	4/19/19 13:00	0.1	4/18/20 13:00	0.2
4/19/18 14:00	14.9	4/19/19 14:00	0.1	4/18/20 14:00	0.1
4/19/18 15:00	14.8	4/19/19 15:00	0.1	4/18/20 15:00	0.1
4/19/18 16:00	15.1	4/19/19 16:00	0.1	4/18/20 16:00	0.1
4/19/18 17:00	15.1	4/19/19 17:00	0.1	4/18/20 17:00	0.1
4/19/18 18:00	15.3	4/19/19 18:00	0.1	4/18/20 18:00	0.1
4/19/18 19:00	15.6	4/19/19 19:00	0.1	4/18/20 19:00	0.1
4/19/18 20:00	15.8	4/19/19 20:00	0.1	4/18/20 20:00	0.1
4/19/18 21:00	15.9	4/19/19 21:00	0.1	4/18/20 21:00	0.1
4/19/18 22:00	0.2	4/19/19 22:00	0.1	4/18/20 22:00	0.1
4/19/18 23:00	0.2	4/19/19 23:00	0.2	4/18/20 23:00	0.1
4/20/18 0:00	0.1	4/20/19 0:00	0.2	4/19/20 0:00	0.1
4/20/18 1:00	0.1	4/20/19 1:00	0.2	4/19/20 1:00	0.1
4/20/18 2:00	0.1	4/20/19 2:00	0.2	4/19/20 2:00	0.1
4/20/18 3:00	0.2	4/20/19 3:00	0.2	4/19/20 3:00	0.1
4/20/18 4:00	0.1	4/20/19 4:00	0.2	4/19/20 4:00	0.1
4/20/18 5:00	0.1	4/20/19 5:00	0.2	4/19/20 5:00	0.1
4/20/18 6:00	0.1	4/20/19 6:00	0.2	4/19/20 6:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
4/20/18 7:00	0.2	4/20/19 7:00	0.2	4/19/20 7:00	0.1
4/20/18 8:00	0.2	4/20/19 8:00	0.2	4/19/20 8:00	0.1
4/20/18 9:00	0.2	4/20/19 9:00	0.3	4/19/20 9:00	0.1
4/20/18 10:00	0.3	4/20/19 10:00	0.2	4/19/20 10:00	0.1
4/20/18 11:00	0.3	4/20/19 11:00	0.3	4/19/20 11:00	0.1
4/20/18 12:00	0.2	4/20/19 12:00	0.3	4/19/20 12:00	0.1
4/20/18 13:00	0.2	4/20/19 13:00	0.3	4/19/20 13:00	0.1
4/20/18 14:00	0.3	4/20/19 14:00	0.3	4/19/20 14:00	0.1
4/20/18 15:00	0.3	4/20/19 15:00	0.3	4/19/20 15:00	0.1
4/20/18 16:00	0.3	4/20/19 16:00	0.3	4/19/20 16:00	0.1
4/20/18 17:00	0.1	4/20/19 17:00	0.3	4/19/20 17:00	0.1
4/20/18 18:00	0.1	4/20/19 18:00	0.3	4/19/20 18:00	0.1
4/20/18 19:00	0.3	4/20/19 19:00	0.3	4/19/20 19:00	0.1
4/20/18 20:00	0.3	4/20/19 20:00	0.2	4/19/20 20:00	0.1
4/20/18 21:00	0.7	4/20/19 21:00	0.2	4/19/20 21:00	0.1
4/20/18 22:00	0.4	4/20/19 22:00	0.1	4/19/20 22:00	0.1
4/20/18 23:00	0.2	4/20/19 23:00	0.1	4/19/20 23:00	0.1
4/21/18 0:00	0.4	4/21/19 0:00	0.1	4/20/20 0:00	0.1
4/21/18 1:00	0.3	4/21/19 1:00	0.1	4/20/20 1:00	0.1
4/21/18 2:00	0.4	4/21/19 2:00	0.1	4/20/20 2:00	0.1
4/21/18 3:00	0.5	4/21/19 3:00	0.1	4/20/20 3:00	0.1
4/21/18 4:00	0.2	4/21/19 4:00	0.1	4/20/20 4:00	0.1
4/21/18 5:00	0.1	4/21/19 5:00	0.1	4/20/20 5:00	0.1
4/21/18 6:00	0.2	4/21/19 6:00	0.1	4/20/20 6:00	0.1
4/21/18 7:00	0.4	4/21/19 7:00	0.2	4/20/20 7:00	0.1
4/21/18 8:00	0.5	4/21/19 8:00	0.2	4/20/20 8:00	0.1
4/21/18 9:00	0.6	4/21/19 9:00	0.1	4/20/20 9:00	0.1
4/21/18 10:00	0.5	4/21/19 10:00	0.1	4/20/20 10:00	0.1
4/21/18 11:00	0.5	4/21/19 11:00	0.1	4/20/20 11:00	0.1
4/21/18 12:00	0.4	4/21/19 12:00	0.1	4/20/20 12:00	0.2
4/21/18 13:00	0.2	4/21/19 13:00	0.1	4/20/20 13:00	0.2
4/21/18 14:00	0.1	4/21/19 14:00	0.1	4/20/20 14:00	0.1
4/21/18 15:00	0.1	4/21/19 15:00	0.2	4/20/20 15:00	0.1
4/21/18 16:00	0.3	4/21/19 16:00	0.1	4/20/20 16:00	0.1
4/21/18 17:00	0.4	4/21/19 17:00	0.2	4/20/20 17:00	0.1
4/21/18 18:00	0.4	4/21/19 18:00	0.2	4/20/20 18:00	0.1
4/21/18 19:00	0.2	4/21/19 19:00	0.2	4/20/20 19:00	0.1
4/21/18 20:00	0.2	4/21/19 20:00	0.2	4/20/20 20:00	0.1
4/21/18 21:00	0.2	4/21/19 21:00	0.2	4/20/20 21:00	0.1
4/21/18 22:00	0.2	4/21/19 22:00	0.2	4/20/20 22:00	0.1
4/21/18 23:00	0.1	4/21/19 23:00	0.2	4/20/20 23:00	0.1
4/22/18 0:00	0.1	4/22/19 0:00	0.2	4/21/20 0:00	0.1
4/22/18 1:00	0.1	4/22/19 1:00	0.2	4/21/20 1:00	0.1
4/22/18 2:00	0.2	4/22/19 2:00	0.2	4/21/20 2:00	0.2
4/22/18 3:00	0.2	4/22/19 3:00	0.2	4/21/20 3:00	0.2
4/22/18 4:00	0.1	4/22/19 4:00	0.2	4/21/20 4:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
4/22/18 5:00	0.1	4/22/19 5:00	0.2	4/21/20 5:00	0.2
4/22/18 6:00	0.2	4/22/19 6:00	0.2	4/21/20 6:00	0.2
4/22/18 7:00	0.2	4/22/19 7:00	0.2	4/21/20 7:00	0.2
4/22/18 8:00	0.2	4/22/19 8:00	0.2	4/21/20 8:00	0.2
4/22/18 9:00	0.1	4/22/19 9:00	0.2	4/21/20 9:00	0.2
4/22/18 10:00	0.2	4/22/19 10:00	0.2	4/21/20 10:00	0.2
4/22/18 11:00	0.1	4/22/19 11:00	0.2	4/21/20 11:00	0.1
4/22/18 12:00	0.1	4/22/19 12:00	0.2	4/21/20 12:00	0.1
4/22/18 13:00	0.2	4/22/19 13:00	0.2	4/21/20 13:00	0.1
4/22/18 14:00	0.1	4/22/19 14:00	0.2	4/21/20 14:00	0.1
4/22/18 15:00	0.1	4/22/19 15:00	0.2	4/21/20 15:00	0.1
4/22/18 16:00	0.1	4/22/19 16:00	0.2	4/21/20 16:00	0.1
4/22/18 17:00	0.1	4/22/19 17:00	0.2	4/21/20 17:00	0.1
4/22/18 18:00	0.1	4/22/19 18:00	0.2	4/21/20 18:00	0.1
4/22/18 19:00	0.2	4/22/19 19:00	0.2	4/21/20 19:00	0.2
4/22/18 20:00	0.2	4/22/19 20:00	0.2	4/21/20 20:00	0.1
4/22/18 21:00	0.1	4/22/19 21:00	0.3	4/21/20 21:00	0.1
4/22/18 22:00	0.1	4/22/19 22:00	0.2	4/21/20 22:00	0.1
4/22/18 23:00	0.1	4/22/19 23:00	0.2	4/21/20 23:00	0.2
4/23/18 0:00	0.2	4/23/19 0:00	0.2	4/22/20 0:00	0.2
4/23/18 1:00	0.2	4/23/19 1:00	0.2	4/22/20 1:00	0.1
4/23/18 2:00	0.2	4/23/19 2:00	0.2	4/22/20 2:00	0.1
4/23/18 3:00	0.2	4/23/19 3:00	0.2	4/22/20 3:00	0.2
4/23/18 4:00	0.2	4/23/19 4:00	0.2	4/22/20 4:00	0.1
4/23/18 5:00	0.2	4/23/19 5:00	0.1	4/22/20 5:00	0.2
4/23/18 6:00	0.1	4/23/19 6:00	0.1	4/22/20 6:00	0.2
4/23/18 7:00	0.1	4/23/19 7:00	0.1	4/22/20 7:00	0.2
4/23/18 8:00	0.1	4/23/19 8:00	0.1	4/22/20 8:00	0.2
4/23/18 9:00	0.1	4/23/19 9:00	0.1	4/22/20 9:00	0.2
4/23/18 10:00	0.3	4/23/19 10:00	0.1	4/22/20 10:00	0.2
4/23/18 11:00	0.2	4/23/19 11:00	0.2	4/22/20 11:00	0.2
4/23/18 12:00	0.2	4/23/19 12:00	0.2	4/22/20 12:00	0.2
4/23/18 13:00	0.2	4/23/19 13:00	0.1	4/22/20 13:00	0.2
4/23/18 14:00	0.3	4/23/19 14:00	0.1	4/22/20 14:00	0.2
4/23/18 15:00	0.5	4/23/19 15:00	0.1	4/22/20 15:00	0.2
4/23/18 16:00	1.5	4/23/19 16:00	0.1	4/22/20 16:00	0.2
4/23/18 17:00	1.3	4/23/19 17:00	0.1	4/22/20 17:00	0.1
4/23/18 18:00	0.8	4/23/19 18:00	0.1	4/22/20 18:00	0.1
4/23/18 19:00	0.2	4/23/19 19:00	0.1	4/22/20 19:00	0.1
4/23/18 20:00	0.2	4/23/19 20:00	0.1	4/22/20 20:00	0.2
4/23/18 21:00	0.1	4/23/19 21:00	0.1	4/22/20 21:00	0.1
4/23/18 22:00	0.2	4/23/19 22:00	0.1	4/22/20 22:00	0.1
4/23/18 23:00	0.2	4/23/19 23:00	0.1	4/22/20 23:00	0.2
4/24/18 0:00	0.1	4/24/19 0:00	0.1	4/23/20 0:00	0.1
4/24/18 1:00	0.2	4/24/19 1:00	0.1	4/23/20 1:00	0.1
4/24/18 2:00	0.2	4/24/19 2:00	0.1	4/23/20 2:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
4/24/18 3:00	0.3	4/24/19 3:00	0.0	4/23/20 3:00	0.1
4/24/18 4:00	0.2	4/24/19 4:00	0.1	4/23/20 4:00	0.1
4/24/18 5:00	0.2	4/24/19 5:00	0.1	4/23/20 5:00	0.1
4/24/18 6:00	0.2	4/24/19 6:00	0.1	4/23/20 6:00	0.1
4/24/18 7:00	0.2	4/24/19 7:00	0.1	4/23/20 7:00	0.1
4/24/18 8:00	0.1	4/24/19 8:00	0.1	4/23/20 8:00	0.1
4/24/18 9:00	0.2	4/24/19 9:00	0.1	4/23/20 9:00	0.1
4/24/18 10:00	0.2	4/24/19 10:00	0.1	4/23/20 10:00	0.1
4/24/18 11:00	0.2	4/24/19 11:00	0.1	4/23/20 11:00	0.1
4/24/18 12:00	0.2	4/24/19 12:00	0.1	4/23/20 12:00	0.1
4/24/18 13:00	0.2	4/24/19 13:00	0.1	4/23/20 13:00	0.1
4/24/18 14:00	0.2	4/24/19 14:00	0.1	4/23/20 14:00	0.1
4/24/18 15:00	0.2	4/24/19 15:00	0.1	4/23/20 15:00	0.1
4/24/18 16:00	0.2	4/24/19 16:00	0.1	4/23/20 16:00	0.1
4/24/18 17:00	0.2	4/24/19 17:00	0.1	4/23/20 17:00	0.1
4/24/18 18:00	0.1	4/24/19 18:00	0.1	4/23/20 18:00	0.1
4/24/18 19:00	0.2	4/24/19 19:00	0.2	4/23/20 19:00	0.1
4/24/18 20:00	0.1	4/24/19 20:00	0.1	4/23/20 20:00	0.1
4/24/18 21:00	0.2	4/24/19 21:00	0.1	4/23/20 21:00	0.1
4/24/18 22:00	0.2	4/24/19 22:00	0.2	4/23/20 22:00	0.1
4/24/18 23:00	0.1	4/24/19 23:00	0.2	4/23/20 23:00	0.1
4/25/18 0:00	0.1	4/25/19 0:00	0.1	4/24/20 0:00	0.1
4/25/18 1:00	0.1	4/25/19 1:00	0.1	4/24/20 1:00	0.2
4/25/18 2:00	0.2	4/25/19 2:00	0.1	4/24/20 2:00	0.1
4/25/18 3:00	0.1	4/25/19 3:00	0.1	4/24/20 3:00	0.1
4/25/18 4:00	0.2	4/25/19 4:00	0.1	4/24/20 4:00	0.1
4/25/18 5:00	0.2	4/25/19 5:00	0.1	4/24/20 5:00	0.1
4/25/18 6:00	0.2	4/25/19 6:00	0.1	4/24/20 6:00	0.1
4/25/18 7:00	0.2	4/25/19 7:00	0.1	4/24/20 7:00	0.1
4/25/18 8:00	0.4	4/25/19 8:00	0.1	4/24/20 8:00	0.2
4/25/18 9:00	0.5	4/25/19 9:00	0.1	4/24/20 9:00	0.2
4/25/18 10:00	0.5	4/25/19 10:00	0.1	4/24/20 10:00	0.2
4/25/18 11:00	0.5	4/25/19 11:00	0.2	4/24/20 11:00	0.3
4/25/18 12:00	0.2	4/25/19 12:00	0.0	4/24/20 12:00	0.4
4/25/18 13:00	0.2	4/25/19 13:00	0.3	4/24/20 13:00	0.4
4/25/18 14:00	0.2	4/25/19 14:00	0.2	4/24/20 14:00	0.3
4/25/18 15:00	0.2	4/25/19 15:00	0.2	4/24/20 15:00	0.4
4/25/18 16:00	0.1	4/25/19 16:00	0.2	4/24/20 16:00	0.4
4/25/18 17:00	0.2	4/25/19 17:00	0.2	4/24/20 17:00	0.4
4/25/18 18:00	0.3	4/25/19 18:00	0.2	4/24/20 18:00	0.4
4/25/18 19:00	0.2	4/25/19 19:00	0.2	4/24/20 19:00	0.4
4/25/18 20:00	0.2	4/25/19 20:00	0.2	4/24/20 20:00	0.5
4/25/18 21:00	0.2	4/25/19 21:00	0.2	4/24/20 21:00	0.5
4/25/18 22:00	0.2	4/25/19 22:00	0.2	4/24/20 22:00	0.5
4/25/18 23:00	0.2	4/25/19 23:00	0.2	4/24/20 23:00	0.5
4/26/18 0:00	0.2	4/26/19 0:00	0.2	4/25/20 0:00	0.5

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
4/26/18 1:00	0.2	4/26/19 1:00	0.2	4/25/20 1:00	0.4
4/26/18 2:00	0.1	4/26/19 2:00	0.2	4/25/20 2:00	0.2
4/26/18 3:00	0.1	4/26/19 3:00	0.3	4/25/20 3:00	0.1
4/26/18 4:00	0.1	4/26/19 4:00	0.3	4/25/20 4:00	0.1
4/26/18 5:00	0.1	4/26/19 5:00	0.3	4/25/20 5:00	0.1
4/26/18 6:00	0.1	4/26/19 6:00	0.3	4/25/20 6:00	0.1
4/26/18 7:00	0.1	4/26/19 7:00	0.2	4/25/20 7:00	0.1
4/26/18 8:00	0.2	4/26/19 8:00	0.2	4/25/20 8:00	0.1
4/26/18 9:00	0.2	4/26/19 9:00	0.2	4/25/20 9:00	0.1
4/26/18 10:00	0.2	4/26/19 10:00	0.2	4/25/20 10:00	0.1
4/26/18 11:00	0.2	4/26/19 11:00	0.2	4/25/20 11:00	0.2
4/26/18 12:00	0.2	4/26/19 12:00	0.2	4/25/20 12:00	0.2
4/26/18 13:00	0.2	4/26/19 13:00	0.1	4/25/20 13:00	0.2
4/26/18 14:00	0.1	4/26/19 14:00	0.2	4/25/20 14:00	0.5
4/26/18 15:00	0.1	4/26/19 15:00	0.2	4/25/20 15:00	0.2
4/26/18 16:00	0.1	4/26/19 16:00	0.2	4/25/20 16:00	0.1
4/26/18 17:00	0.1	4/26/19 17:00	0.1	4/25/20 17:00	0.1
4/26/18 18:00	0.2	4/26/19 18:00	0.2	4/25/20 18:00	0.1
4/26/18 19:00	0.3	4/26/19 19:00	0.2	4/25/20 19:00	0.1
4/26/18 20:00	0.2	4/26/19 20:00	0.2	4/25/20 20:00	0.1
4/26/18 21:00	0.1	4/26/19 21:00	0.2	4/25/20 21:00	0.1
4/26/18 22:00	0.1	4/26/19 22:00	0.2	4/25/20 22:00	0.1
4/26/18 23:00	1.0	4/26/19 23:00	0.2	4/25/20 23:00	0.2
4/27/18 0:00	0.3	4/27/19 0:00	0.2	4/26/20 0:00	0.2
4/27/18 1:00	0.4	4/27/19 1:00	0.2	4/26/20 1:00	0.2
4/27/18 2:00	0.4	4/27/19 2:00	0.2	4/26/20 2:00	0.2
4/27/18 3:00	0.1	4/27/19 3:00	0.2	4/26/20 3:00	0.2
4/27/18 4:00	0.1	4/27/19 4:00	0.1	4/26/20 4:00	0.2
4/27/18 5:00	0.2	4/27/19 5:00	0.1	4/26/20 5:00	0.2
4/27/18 6:00	0.4	4/27/19 6:00	0.1	4/26/20 6:00	0.2
4/27/18 7:00	0.3	4/27/19 7:00	0.1	4/26/20 7:00	0.2
4/27/18 8:00	0.3	4/27/19 8:00	0.1	4/26/20 8:00	0.2
4/27/18 9:00	0.3	4/27/19 9:00	0.1	4/26/20 9:00	0.2
4/27/18 10:00	0.3	4/27/19 10:00	0.1	4/26/20 10:00	0.2
4/27/18 11:00	0.3	4/27/19 11:00	0.1	4/26/20 11:00	0.2
4/27/18 12:00	0.3	4/27/19 12:00	0.1	4/26/20 12:00	0.2
4/27/18 13:00	0.4	4/27/19 13:00	0.1	4/26/20 13:00	0.2
4/27/18 14:00	0.4	4/27/19 14:00	0.1	4/26/20 14:00	0.2
4/27/18 15:00	0.4	4/27/19 15:00	0.1	4/26/20 15:00	0.2
4/27/18 16:00	0.4	4/27/19 16:00	0.1	4/26/20 16:00	0.1
4/27/18 17:00	0.4	4/27/19 17:00	0.1	4/26/20 17:00	0.1
4/27/18 18:00	0.3	4/27/19 18:00	0.1	4/26/20 18:00	0.1
4/27/18 19:00	0.3	4/27/19 19:00	0.1	4/26/20 19:00	0.2
4/27/18 20:00	0.3	4/27/19 20:00	0.1	4/26/20 20:00	0.3
4/27/18 21:00	0.3	4/27/19 21:00	0.1	4/26/20 21:00	0.2
4/27/18 22:00	0.3	4/27/19 22:00	0.1	4/26/20 22:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
4/27/18 23:00	0.2	4/27/19 23:00	0.1	4/26/20 23:00	0.1
4/28/18 0:00	0.2	4/28/19 0:00	0.1	4/27/20 0:00	0.2
4/28/18 1:00	0.2	4/28/19 1:00	0.1	4/27/20 1:00	0.2
4/28/18 2:00	0.1	4/28/19 2:00	0.1	4/27/20 2:00	0.1
4/28/18 3:00	0.1	4/28/19 3:00	0.2	4/27/20 3:00	0.1
4/28/18 4:00	0.2	4/28/19 4:00	0.2	4/27/20 4:00	0.2
4/28/18 5:00	0.3	4/28/19 5:00	0.2	4/27/20 5:00	0.2
4/28/18 6:00	0.2	4/28/19 6:00	0.1	4/27/20 6:00	0.2
4/28/18 7:00	0.2	4/28/19 7:00	0.1	4/27/20 7:00	0.2
4/28/18 8:00	0.2	4/28/19 8:00	0.1	4/27/20 8:00	0.2
4/28/18 9:00	0.2	4/28/19 9:00	0.1	4/27/20 9:00	0.2
4/28/18 10:00	0.2	4/28/19 10:00	0.1	4/27/20 10:00	0.2
4/28/18 11:00	0.2	4/28/19 11:00	0.1	4/27/20 11:00	0.2
4/28/18 12:00	0.2	4/28/19 12:00	0.1	4/27/20 12:00	0.1
4/28/18 13:00	0.2	4/28/19 13:00	0.1	4/27/20 13:00	0.1
4/28/18 14:00	0.2	4/28/19 14:00	0.1	4/27/20 14:00	0.2
4/28/18 15:00	0.2	4/28/19 15:00	0.1	4/27/20 15:00	0.1
4/28/18 16:00	0.2	4/28/19 16:00	0.1	4/27/20 16:00	0.1
4/28/18 17:00	0.2	4/28/19 17:00	0.1	4/27/20 17:00	0.1
4/28/18 18:00	0.2	4/28/19 18:00	0.1	4/27/20 18:00	0.1
4/28/18 19:00	0.1	4/28/19 19:00	0.1	4/27/20 19:00	0.1
4/28/18 20:00	0.6	4/28/19 20:00	0.1	4/27/20 20:00	0.2
4/28/18 21:00	15.7	4/28/19 21:00	0.2	4/27/20 21:00	0.1
4/28/18 22:00	0.8	4/28/19 22:00	0.1	4/27/20 22:00	0.1
4/28/18 23:00	0.4	4/28/19 23:00	0.1	4/27/20 23:00	0.1
4/29/18 0:00	0.4	4/29/19 0:00	0.1	4/28/20 0:00	0.1
4/29/18 1:00	0.2	4/29/19 1:00	0.1	4/28/20 1:00	0.1
4/29/18 2:00	0.2	4/29/19 2:00	0.2	4/28/20 2:00	0.1
4/29/18 3:00	0.1	4/29/19 3:00	0.2	4/28/20 3:00	0.1
4/29/18 4:00	0.1	4/29/19 4:00	0.2	4/28/20 4:00	0.1
4/29/18 5:00	0.1	4/29/19 5:00	0.1	4/28/20 5:00	0.1
4/29/18 6:00	0.1	4/29/19 6:00	0.1	4/28/20 6:00	0.1
4/29/18 7:00	0.1	4/29/19 7:00	0.1	4/28/20 7:00	0.1
4/29/18 8:00	0.2	4/29/19 8:00	0.1	4/28/20 8:00	0.1
4/29/18 9:00	0.3	4/29/19 9:00	0.1	4/28/20 9:00	0.2
4/29/18 10:00	0.2	4/29/19 10:00	0.1	4/28/20 10:00	0.1
4/29/18 11:00	0.2	4/29/19 11:00	0.1	4/28/20 11:00	0.1
4/29/18 12:00	0.2	4/29/19 12:00	0.1	4/28/20 12:00	0.1
4/29/18 13:00	0.2	4/29/19 13:00	0.1	4/28/20 13:00	0.1
4/29/18 14:00	0.1	4/29/19 14:00	0.2	4/28/20 14:00	0.1
4/29/18 15:00	0.1	4/29/19 15:00	0.2	4/28/20 15:00	0.1
4/29/18 16:00	0.2	4/29/19 16:00	0.2	4/28/20 16:00	0.1
4/29/18 17:00	0.1	4/29/19 17:00	0.2	4/28/20 17:00	0.1
4/29/18 18:00	0.1	4/29/19 18:00	0.1	4/28/20 18:00	0.1
4/29/18 19:00	0.1	4/29/19 19:00	0.2	4/28/20 19:00	0.1
4/29/18 20:00	0.2	4/29/19 20:00	0.1	4/28/20 20:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
4/29/18 21:00	0.2	4/29/19 21:00	0.1	4/28/20 21:00	0.1
4/29/18 22:00	0.2	4/29/19 22:00	0.1	4/28/20 22:00	0.1
4/29/18 23:00	0.2	4/29/19 23:00	0.1	4/28/20 23:00	0.1
4/30/18 0:00	0.2	4/30/19 0:00	0.1	4/29/20 0:00	0.1
4/30/18 1:00	0.2	4/30/19 1:00	0.1	4/29/20 1:00	0.2
4/30/18 2:00	0.1	4/30/19 2:00	0.1	4/29/20 2:00	0.1
4/30/18 3:00	0.1	4/30/19 3:00	0.1	4/29/20 3:00	0.1
4/30/18 4:00	0.1	4/30/19 4:00	0.1	4/29/20 4:00	0.1
4/30/18 5:00	0.2	4/30/19 5:00	0.1	4/29/20 5:00	0.2
4/30/18 6:00	0.2	4/30/19 6:00	0.1	4/29/20 6:00	0.2
4/30/18 7:00	0.2	4/30/19 7:00	0.1	4/29/20 7:00	0.2
4/30/18 8:00	0.1	4/30/19 8:00	0.1	4/29/20 8:00	0.2
4/30/18 9:00	0.1	4/30/19 9:00	0.2	4/29/20 9:00	0.2
4/30/18 10:00	0.2	4/30/19 10:00	0.2	4/29/20 10:00	0.1
4/30/18 11:00	0.1	4/30/19 11:00	0.1	4/29/20 11:00	0.1
4/30/18 12:00	0.1	4/30/19 12:00	0.1	4/29/20 12:00	0.2
4/30/18 13:00	0.1	4/30/19 13:00	0.1	4/29/20 13:00	0.1
4/30/18 14:00	0.2	4/30/19 14:00	0.1	4/29/20 14:00	0.2
4/30/18 15:00	0.2	4/30/19 15:00	0.1	4/29/20 15:00	0.2
4/30/18 16:00	0.2	4/30/19 16:00	0.1	4/29/20 16:00	0.2
4/30/18 17:00	0.2	4/30/19 17:00	0.1	4/29/20 17:00	0.1
4/30/18 18:00	0.1	4/30/19 18:00	0.1	4/29/20 18:00	0.1
4/30/18 19:00	0.1	4/30/19 19:00	0.1	4/29/20 19:00	0.1
4/30/18 20:00	0.1	4/30/19 20:00	0.1	4/29/20 20:00	0.2
4/30/18 21:00	0.2	4/30/19 21:00	0.1	4/29/20 21:00	0.2
4/30/18 22:00	0.2	4/30/19 22:00	0.1	4/29/20 22:00	0.1
4/30/18 23:00	0.2	4/30/19 23:00	0.1	4/29/20 23:00	0.2
5/1/18 0:00	0.2	5/1/19 0:00	0.1	4/30/20 0:00	0.2
5/1/18 1:00	0.2	5/1/19 1:00	0.1	4/30/20 1:00	0.2
5/1/18 2:00	0.2	5/1/19 2:00	0.1	4/30/20 2:00	0.2
5/1/18 3:00	0.2	5/1/19 3:00	0.1	4/30/20 3:00	0.2
5/1/18 4:00	0.2	5/1/19 4:00	0.1	4/30/20 4:00	0.1
5/1/18 5:00	0.2	5/1/19 5:00	0.1	4/30/20 5:00	0.2
5/1/18 6:00	0.2	5/1/19 6:00	0.1	4/30/20 6:00	0.2
5/1/18 7:00	0.2	5/1/19 7:00	0.1	4/30/20 7:00	0.1
5/1/18 8:00	0.2	5/1/19 8:00	0.2	4/30/20 8:00	0.1
5/1/18 9:00	0.3	5/1/19 9:00	0.2	4/30/20 9:00	0.2
5/1/18 10:00	0.1	5/1/19 10:00	0.2	4/30/20 10:00	0.1
5/1/18 11:00	0.1	5/1/19 11:00	0.2	4/30/20 11:00	0.1
5/1/18 12:00	0.1	5/1/19 12:00	0.2	4/30/20 12:00	0.1
5/1/18 13:00	0.1	5/1/19 13:00	0.1	4/30/20 13:00	0.1
5/1/18 14:00	0.2	5/1/19 14:00	0.1	4/30/20 14:00	0.1
5/1/18 15:00	0.2	5/1/19 15:00	0.1	4/30/20 15:00	0.1
5/1/18 16:00	0.2	5/1/19 16:00	0.1	4/30/20 16:00	0.1
5/1/18 17:00	0.1	5/1/19 17:00	0.1	4/30/20 17:00	0.1
5/1/18 18:00	0.1	5/1/19 18:00	0.1	4/30/20 18:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
5/1/18 19:00	0.2	5/1/19 19:00	0.1	4/30/20 19:00	0.0
5/1/18 20:00	0.2	5/1/19 20:00	0.1	4/30/20 20:00	0.1
5/1/18 21:00	0.1	5/1/19 21:00	0.1	4/30/20 21:00	0.1
5/1/18 22:00	0.1	5/1/19 22:00	0.1	4/30/20 22:00	0.1
5/1/18 23:00	0.2	5/1/19 23:00	0.1	4/30/20 23:00	0.1
5/2/18 0:00	0.1	5/2/19 0:00	0.1	5/1/20 0:00	0.1
5/2/18 1:00	0.2	5/2/19 1:00	0.1	5/1/20 1:00	0.1
5/2/18 2:00	0.1	5/2/19 2:00	0.1	5/1/20 2:00	0.1
5/2/18 3:00	0.9	5/2/19 3:00	0.1	5/1/20 3:00	0.1
5/2/18 4:00	0.3	5/2/19 4:00	0.1	5/1/20 4:00	0.1
5/2/18 5:00	0.3	5/2/19 5:00	0.1	5/1/20 5:00	0.1
5/2/18 6:00	0.3	5/2/19 6:00	0.1	5/1/20 6:00	0.1
5/2/18 7:00	0.3	5/2/19 7:00	0.1	5/1/20 7:00	0.1
5/2/18 8:00	0.0	5/2/19 8:00	0.1	5/1/20 8:00	0.1
5/2/18 9:00	0.2	5/2/19 9:00	0.1	5/1/20 9:00	0.1
5/2/18 10:00	0.4	5/2/19 10:00	0.1	5/1/20 10:00	0.1
5/2/18 11:00	0.3	5/2/19 11:00	0.1	5/1/20 11:00	0.1
5/2/18 12:00	0.3	5/2/19 12:00	0.9	5/1/20 12:00	0.2
5/2/18 13:00	0.2	5/2/19 13:00	1.2	5/1/20 13:00	0.2
5/2/18 14:00	0.1	5/2/19 14:00	0.3	5/1/20 14:00	0.2
5/2/18 15:00	0.1	5/2/19 15:00	0.5	5/1/20 15:00	0.2
5/2/18 16:00	0.2	5/2/19 16:00	0.4	5/1/20 16:00	0.1
5/2/18 17:00	0.1	5/2/19 17:00	0.4	5/1/20 17:00	0.1
5/2/18 18:00	0.2	5/2/19 18:00	0.4	5/1/20 18:00	0.1
5/2/18 19:00	0.2	5/2/19 19:00	0.4	5/1/20 19:00	0.1
5/2/18 20:00	0.1	5/2/19 20:00	0.3	5/1/20 20:00	0.1
5/2/18 21:00	0.1	5/2/19 21:00	0.3	5/1/20 21:00	0.1
5/2/18 22:00	0.1	5/2/19 22:00	0.3	5/1/20 22:00	0.1
5/2/18 23:00	0.1	5/2/19 23:00	0.1	5/1/20 23:00	0.1
5/3/18 0:00	0.1	5/3/19 0:00	0.1	5/2/20 0:00	0.1
5/3/18 1:00	0.2	5/3/19 1:00	0.1	5/2/20 1:00	0.2
5/3/18 2:00	0.2	5/3/19 2:00	0.1	5/2/20 2:00	0.1
5/3/18 3:00	0.2	5/3/19 3:00	0.1	5/2/20 3:00	0.1
5/3/18 4:00	0.2	5/3/19 4:00	0.1	5/2/20 4:00	0.2
5/3/18 5:00	0.2	5/3/19 5:00	0.1	5/2/20 5:00	0.1
5/3/18 6:00	0.2	5/3/19 6:00	0.1	5/2/20 6:00	0.1
5/3/18 7:00	0.2	5/3/19 7:00	0.1	5/2/20 7:00	0.1
5/3/18 8:00	0.2	5/3/19 8:00	0.1	5/2/20 8:00	0.2
5/3/18 9:00	0.2	5/3/19 9:00	0.2	5/2/20 9:00	0.1
5/3/18 10:00	0.3	5/3/19 10:00	0.1	5/2/20 10:00	0.1
5/3/18 11:00	0.1	5/3/19 11:00	0.1	5/2/20 11:00	0.1
5/3/18 12:00	0.2	5/3/19 12:00	0.1	5/2/20 12:00	0.1
5/3/18 13:00	0.1	5/3/19 13:00	0.1	5/2/20 13:00	0.1
5/3/18 14:00	0.1	5/3/19 14:00	0.1	5/2/20 14:00	0.1
5/3/18 15:00	0.1	5/3/19 15:00	0.2	5/2/20 15:00	0.1
5/3/18 16:00	0.1	5/3/19 16:00	0.1	5/2/20 16:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
5/3/18 17:00	0.1	5/3/19 17:00	0.2	5/2/20 17:00	0.1
5/3/18 18:00	0.1	5/3/19 18:00	0.1	5/2/20 18:00	0.1
5/3/18 19:00	0.1	5/3/19 19:00	0.1	5/2/20 19:00	0.1
5/3/18 20:00	0.2	5/3/19 20:00	0.2	5/2/20 20:00	0.1
5/3/18 21:00	0.2	5/3/19 21:00	0.2	5/2/20 21:00	0.1
5/3/18 22:00	0.1	5/3/19 22:00	0.2	5/2/20 22:00	0.0
5/3/18 23:00	0.1	5/3/19 23:00	0.2	5/2/20 23:00	0.0
5/4/18 0:00	0.1	5/4/19 0:00	0.2	5/3/20 0:00	0.1
5/4/18 1:00	0.2	5/4/19 1:00	0.2	5/3/20 1:00	0.1
5/4/18 2:00	0.1	5/4/19 2:00	0.2	5/3/20 2:00	0.1
5/4/18 3:00	0.2	5/4/19 3:00	0.2	5/3/20 3:00	0.1
5/4/18 4:00	0.2	5/4/19 4:00	0.2	5/3/20 4:00	0.1
5/4/18 5:00	0.2	5/4/19 5:00	0.1	5/3/20 5:00	0.0
5/4/18 6:00	0.2	5/4/19 6:00	0.2	5/3/20 6:00	0.0
5/4/18 7:00	0.2	5/4/19 7:00	0.2	5/3/20 7:00	0.1
5/4/18 8:00	0.2	5/4/19 8:00	0.2	5/3/20 8:00	0.1
5/4/18 9:00	0.2	5/4/19 9:00	0.2	5/3/20 9:00	0.1
5/4/18 10:00	0.2	5/4/19 10:00	0.2	5/3/20 10:00	0.1
5/4/18 11:00	0.2	5/4/19 11:00	0.2	5/3/20 11:00	0.1
5/4/18 12:00	0.1	5/4/19 12:00	0.2	5/3/20 12:00	0.1
5/4/18 13:00	0.1	5/4/19 13:00	0.1	5/3/20 13:00	0.1
5/4/18 14:00	0.1	5/4/19 14:00	0.2	5/3/20 14:00	0.1
5/4/18 15:00	0.2	5/4/19 15:00	0.1	5/3/20 15:00	0.1
5/4/18 16:00	0.2	5/4/19 16:00	0.1	5/3/20 16:00	0.1
5/4/18 17:00	0.1	5/4/19 17:00	0.1	5/3/20 17:00	0.1
5/4/18 18:00	0.1	5/4/19 18:00	0.1	5/3/20 18:00	0.1
5/4/18 19:00	0.1	5/4/19 19:00	0.1	5/3/20 19:00	0.1
5/4/18 20:00	0.2	5/4/19 20:00	0.1	5/3/20 20:00	0.2
5/4/18 21:00	0.2	5/4/19 21:00	0.1	5/3/20 21:00	0.1
5/4/18 22:00	0.2	5/4/19 22:00	0.1	5/3/20 22:00	0.2
5/4/18 23:00	0.2	5/4/19 23:00	0.1	5/3/20 23:00	0.2
5/5/18 0:00	0.1	5/5/19 0:00	0.1	5/4/20 0:00	0.2
5/5/18 1:00	0.2	5/5/19 1:00	0.2	5/4/20 1:00	0.2
5/5/18 2:00	0.2	5/5/19 2:00	0.1	5/4/20 2:00	0.2
5/5/18 3:00	0.2	5/5/19 3:00	0.1	5/4/20 3:00	0.2
5/5/18 4:00	0.2	5/5/19 4:00	0.1	5/4/20 4:00	0.2
5/5/18 5:00	0.1	5/5/19 5:00	0.1	5/4/20 5:00	0.2
5/5/18 6:00	0.2	5/5/19 6:00	0.1	5/4/20 6:00	0.1
5/5/18 7:00	0.2	5/5/19 7:00	0.1	5/4/20 7:00	0.1
5/5/18 8:00	0.2	5/5/19 8:00	0.1	5/4/20 8:00	0.2
5/5/18 9:00	0.2	5/5/19 9:00	0.1	5/4/20 9:00	0.2
5/5/18 10:00	0.2	5/5/19 10:00	0.1	5/4/20 10:00	0.2
5/5/18 11:00	0.2	5/5/19 11:00	0.1	5/4/20 11:00	0.2
5/5/18 12:00	0.2	5/5/19 12:00	0.1	5/4/20 12:00	0.2
5/5/18 13:00	0.2	5/5/19 13:00	0.2	5/4/20 13:00	0.2
5/5/18 14:00	0.2	5/5/19 14:00	0.1	5/4/20 14:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
5/5/18 15:00	0.2	5/5/19 15:00	0.1	5/4/20 15:00	0.1
5/5/18 16:00	0.2	5/5/19 16:00	0.1	5/4/20 16:00	0.1
5/5/18 17:00	0.2	5/5/19 17:00	0.2	5/4/20 17:00	0.2
5/5/18 18:00	0.2	5/5/19 18:00	0.2	5/4/20 18:00	0.2
5/5/18 19:00	0.2	5/5/19 19:00	0.2	5/4/20 19:00	0.2
5/5/18 20:00	0.2	5/5/19 20:00	0.2	5/4/20 20:00	0.2
5/5/18 21:00	0.2	5/5/19 21:00	0.1	5/4/20 21:00	0.2
5/5/18 22:00	0.2	5/5/19 22:00	0.1	5/4/20 22:00	0.2
5/5/18 23:00	0.2	5/5/19 23:00	0.1	5/4/20 23:00	0.3
5/6/18 0:00	0.2	5/6/19 0:00	0.1	5/5/20 0:00	0.1
5/6/18 1:00	0.2	5/6/19 1:00	0.1	5/5/20 1:00	0.1
5/6/18 2:00	0.2	5/6/19 2:00	0.1	5/5/20 2:00	0.1
5/6/18 3:00	0.2	5/6/19 3:00	0.1	5/5/20 3:00	0.1
5/6/18 4:00	0.2	5/6/19 4:00	0.2	5/5/20 4:00	0.1
5/6/18 5:00	0.2	5/6/19 5:00	0.2	5/5/20 5:00	0.1
5/6/18 6:00	0.2	5/6/19 6:00	0.1	5/5/20 6:00	0.1
5/6/18 7:00	0.2	5/6/19 7:00	0.1	5/5/20 7:00	0.1
5/6/18 8:00	0.2	5/6/19 8:00	0.1	5/5/20 8:00	0.2
5/6/18 9:00	0.2	5/6/19 9:00	0.1	5/5/20 9:00	0.1
5/6/18 10:00	0.1	5/6/19 10:00	0.1	5/5/20 10:00	0.1
5/6/18 11:00	0.2	5/6/19 11:00	0.1	5/5/20 11:00	0.1
5/6/18 12:00	0.2	5/6/19 12:00	0.1	5/5/20 12:00	0.1
5/6/18 13:00	0.2	5/6/19 13:00	0.1	5/5/20 13:00	0.2
5/6/18 14:00	0.2	5/6/19 14:00	0.1	5/5/20 14:00	0.1
5/6/18 15:00	0.2	5/6/19 15:00	0.2	5/5/20 15:00	0.1
5/6/18 16:00	0.2	5/6/19 16:00	0.2	5/5/20 16:00	0.1
5/6/18 17:00	0.2	5/6/19 17:00	0.2	5/5/20 17:00	0.1
5/6/18 18:00	0.2	5/6/19 18:00	0.2	5/5/20 18:00	0.1
5/6/18 19:00	0.2	5/6/19 19:00	0.2	5/5/20 19:00	0.1
5/6/18 20:00	0.2	5/6/19 20:00	0.2	5/5/20 20:00	0.1
5/6/18 21:00	0.1	5/6/19 21:00	0.2	5/5/20 21:00	0.1
5/6/18 22:00	0.1	5/6/19 22:00	0.2	5/5/20 22:00	0.1
5/6/18 23:00	0.2	5/6/19 23:00	0.2	5/5/20 23:00	0.3
5/7/18 0:00	0.2	5/7/19 0:00	0.2	5/6/20 0:00	0.2
5/7/18 1:00	0.1	5/7/19 1:00	0.2	5/6/20 1:00	0.2
5/7/18 2:00	0.1	5/7/19 2:00	0.3	5/6/20 2:00	0.2
5/7/18 3:00	0.1	5/7/19 3:00	0.2	5/6/20 3:00	0.1
5/7/18 4:00	0.1	5/7/19 4:00	0.2	5/6/20 4:00	0.1
5/7/18 5:00	0.2	5/7/19 5:00	0.2	5/6/20 5:00	0.2
5/7/18 6:00	0.2	5/7/19 6:00	0.2	5/6/20 6:00	0.2
5/7/18 7:00	0.2	5/7/19 7:00	0.1	5/6/20 7:00	0.2
5/7/18 8:00	0.2	5/7/19 8:00	0.2	5/6/20 8:00	0.2
5/7/18 9:00	0.2	5/7/19 9:00	0.2	5/6/20 9:00	0.2
5/7/18 10:00	0.2	5/7/19 10:00	0.1	5/6/20 10:00	0.2
5/7/18 11:00	0.2	5/7/19 11:00	0.1	5/6/20 11:00	0.2
5/7/18 12:00	0.2	5/7/19 12:00	0.2	5/6/20 12:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
5/7/18 13:00	0.2	5/7/19 13:00	0.2	5/6/20 13:00	0.1
5/7/18 14:00	0.2	5/7/19 14:00	0.2	5/6/20 14:00	0.2
5/7/18 15:00	0.2	5/7/19 15:00	0.1	5/6/20 15:00	0.2
5/7/18 16:00	0.1	5/7/19 16:00	0.1	5/6/20 16:00	0.2
5/7/18 17:00	0.1	5/7/19 17:00	0.0	5/6/20 17:00	0.1
5/7/18 18:00	0.1	5/7/19 18:00	0.2	5/6/20 18:00	0.1
5/7/18 19:00	0.1	5/7/19 19:00	0.1	5/6/20 19:00	0.1
5/7/18 20:00	0.2	5/7/19 20:00	0.1	5/6/20 20:00	0.1
5/7/18 21:00	0.1	5/7/19 21:00	0.1	5/6/20 21:00	0.1
5/7/18 22:00	0.1	5/7/19 22:00	0.1	5/6/20 22:00	0.2
5/7/18 23:00	0.1	5/7/19 23:00	0.1	5/6/20 23:00	0.2
5/8/18 0:00	0.2	5/8/19 0:00	0.1	5/7/20 0:00	0.2
5/8/18 1:00	0.2	5/8/19 1:00	0.1	5/7/20 1:00	0.2
5/8/18 2:00	0.1	5/8/19 2:00	0.1	5/7/20 2:00	0.2
5/8/18 3:00	0.1	5/8/19 3:00	0.1	5/7/20 3:00	0.2
5/8/18 4:00	0.1	5/8/19 4:00	0.1	5/7/20 4:00	0.1
5/8/18 5:00	0.1	5/8/19 5:00	0.1	5/7/20 5:00	0.1
5/8/18 6:00	0.2	5/8/19 6:00	0.1	5/7/20 6:00	0.1
5/8/18 7:00	0.2	5/8/19 7:00	0.1	5/7/20 7:00	0.1
5/8/18 8:00	0.2	5/8/19 8:00	0.1	5/7/20 8:00	0.1
5/8/18 9:00	0.2	5/8/19 9:00	0.1	5/7/20 9:00	0.2
5/8/18 10:00	0.3	5/8/19 10:00	0.1	5/7/20 10:00	0.2
5/8/18 11:00	0.2	5/8/19 11:00	0.3	5/7/20 11:00	0.2
5/8/18 12:00	0.1	5/8/19 12:00	0.2	5/7/20 12:00	0.2
5/8/18 13:00	0.1	5/8/19 13:00	0.2	5/7/20 13:00	0.2
5/8/18 14:00	0.1	5/8/19 14:00	0.1	5/7/20 14:00	0.2
5/8/18 15:00	0.2	5/8/19 15:00	0.1	5/7/20 15:00	0.2
5/8/18 16:00	0.3	5/8/19 16:00	0.1	5/7/20 16:00	0.2
5/8/18 17:00	0.3	5/8/19 17:00	0.1	5/7/20 17:00	0.2
5/8/18 18:00	0.3	5/8/19 18:00	0.2	5/7/20 18:00	0.1
5/8/18 19:00	0.3	5/8/19 19:00	0.1	5/7/20 19:00	0.2
5/8/18 20:00	0.3	5/8/19 20:00	0.1	5/7/20 20:00	0.1
5/8/18 21:00	0.3	5/8/19 21:00	0.1	5/7/20 21:00	0.1
5/8/18 22:00	0.1	5/8/19 22:00	0.1	5/7/20 22:00	0.1
5/8/18 23:00	0.1	5/8/19 23:00	0.1	5/7/20 23:00	0.2
5/9/18 0:00	0.1	5/9/19 0:00	0.1	5/8/20 0:00	0.2
5/9/18 1:00	0.1	5/9/19 1:00	0.1	5/8/20 1:00	0.2
5/9/18 2:00	0.2	5/9/19 2:00	0.2	5/8/20 2:00	0.2
5/9/18 3:00	0.2	5/9/19 3:00	0.1	5/8/20 3:00	0.2
5/9/18 4:00	0.2	5/9/19 4:00	0.1	5/8/20 4:00	0.1
5/9/18 5:00	0.1	5/9/19 5:00	0.1	5/8/20 5:00	0.1
5/9/18 6:00	0.1	5/9/19 6:00	0.1	5/8/20 6:00	0.2
5/9/18 7:00	0.2	5/9/19 7:00	0.1	5/8/20 7:00	0.2
5/9/18 8:00	0.2	5/9/19 8:00	0.1	5/8/20 8:00	0.1
5/9/18 9:00	0.1	5/9/19 9:00	0.1	5/8/20 9:00	0.1
5/9/18 10:00	0.1	5/9/19 10:00	0.1	5/8/20 10:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
5/9/18 11:00	0.1	5/9/19 11:00	0.1	5/8/20 11:00	0.1
5/9/18 12:00	0.1	5/9/19 12:00	0.1	5/8/20 12:00	0.1
5/9/18 13:00	0.2	5/9/19 13:00	0.1	5/8/20 13:00	0.1
5/9/18 14:00	0.2	5/9/19 14:00	0.1	5/8/20 14:00	0.1
5/9/18 15:00	0.2	5/9/19 15:00	0.1	5/8/20 15:00	0.1
5/9/18 16:00	0.3	5/9/19 16:00	0.1	5/8/20 16:00	0.1
5/9/18 17:00	0.2	5/9/19 17:00	0.1	5/8/20 17:00	0.1
5/9/18 18:00	0.2	5/9/19 18:00	0.1	5/8/20 18:00	0.1
5/9/18 19:00	0.2	5/9/19 19:00	0.1	5/8/20 19:00	0.1
5/9/18 20:00	0.2	5/9/19 20:00	0.1	5/8/20 20:00	0.1
5/9/18 21:00	0.1	5/9/19 21:00	0.1	5/8/20 21:00	0.1
5/9/18 22:00	0.1	5/9/19 22:00	0.1	5/8/20 22:00	0.1
5/9/18 23:00	0.1	5/9/19 23:00	0.1	5/8/20 23:00	0.1
5/10/18 0:00	0.1	5/10/19 0:00	0.1	5/9/20 0:00	0.1
5/10/18 1:00	0.1	5/10/19 1:00	0.1	5/9/20 1:00	0.1
5/10/18 2:00	0.1	5/10/19 2:00	0.1	5/9/20 2:00	0.1
5/10/18 3:00	0.1	5/10/19 3:00	0.1	5/9/20 3:00	0.1
5/10/18 4:00	0.1	5/10/19 4:00	0.1	5/9/20 4:00	0.1
5/10/18 5:00	0.1	5/10/19 5:00	0.1	5/9/20 5:00	0.1
5/10/18 6:00	0.1	5/10/19 6:00	0.1	5/9/20 6:00	0.1
5/10/18 7:00	0.1	5/10/19 7:00	0.1	5/9/20 7:00	0.1
5/10/18 8:00	0.1	5/10/19 8:00	0.2	5/9/20 8:00	0.1
5/10/18 9:00	0.1	5/10/19 9:00	0.1	5/9/20 9:00	0.1
5/10/18 10:00	0.3	5/10/19 10:00	0.1	5/9/20 10:00	0.1
5/10/18 11:00	0.4	5/10/19 11:00	0.2	5/9/20 11:00	0.1
5/10/18 12:00	0.3	5/10/19 12:00	0.2	5/9/20 12:00	0.1
5/10/18 13:00	0.3	5/10/19 13:00	0.2	5/9/20 13:00	0.1
5/10/18 14:00	0.3	5/10/19 14:00	0.2	5/9/20 14:00	0.1
5/10/18 15:00	0.3	5/10/19 15:00	0.1	5/9/20 15:00	0.1
5/10/18 16:00	0.3	5/10/19 16:00	0.1	5/9/20 16:00	0.1
5/10/18 17:00	0.2	5/10/19 17:00	0.1	5/9/20 17:00	0.1
5/10/18 18:00	0.2	5/10/19 18:00	0.2	5/9/20 18:00	0.2
5/10/18 19:00	0.2	5/10/19 19:00	0.1	5/9/20 19:00	0.2
5/10/18 20:00	1.7	5/10/19 20:00	0.1	5/9/20 20:00	0.2
5/10/18 21:00	0.1	5/10/19 21:00	0.1	5/9/20 21:00	0.3
5/10/18 22:00	0.1	5/10/19 22:00	0.1	5/9/20 22:00	0.2
5/10/18 23:00	0.2	5/10/19 23:00	0.1	5/9/20 23:00	0.1
5/11/18 0:00	0.2	5/11/19 0:00	0.1	5/10/20 0:00	0.2
5/11/18 1:00	0.2	5/11/19 1:00	0.1	5/10/20 1:00	0.2
5/11/18 2:00	0.3	5/11/19 2:00	0.1	5/10/20 2:00	0.1
5/11/18 3:00	0.2	5/11/19 3:00	0.1	5/10/20 3:00	0.1
5/11/18 4:00	0.2	5/11/19 4:00	0.1	5/10/20 4:00	0.2
5/11/18 5:00	0.3	5/11/19 5:00	0.3	5/10/20 5:00	0.1
5/11/18 6:00	0.3	5/11/19 6:00	0.3	5/10/20 6:00	0.1
5/11/18 7:00	0.3	5/11/19 7:00	0.2	5/10/20 7:00	0.1
5/11/18 8:00	0.3	5/11/19 8:00	0.1	5/10/20 8:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
5/11/18 9:00	0.3	5/11/19 9:00	0.1	5/10/20 9:00	0.2
5/11/18 10:00	0.2	5/11/19 10:00	0.1	5/10/20 10:00	0.2
5/11/18 11:00	0.3	5/11/19 11:00	0.1	5/10/20 11:00	0.2
5/11/18 12:00	0.3	5/11/19 12:00	0.1	5/10/20 12:00	0.2
5/11/18 13:00	0.2	5/11/19 13:00	0.1	5/10/20 13:00	0.1
5/11/18 14:00	0.2	5/11/19 14:00	0.2	5/10/20 14:00	0.1
5/11/18 15:00	0.2	5/11/19 15:00	0.1	5/10/20 15:00	0.2
5/11/18 16:00	0.1	5/11/19 16:00	0.1	5/10/20 16:00	0.2
5/11/18 17:00	0.3	5/11/19 17:00	0.1	5/10/20 17:00	0.3
5/11/18 18:00	0.3	5/11/19 18:00	0.2	5/10/20 18:00	0.3
5/11/18 19:00	0.3	5/11/19 19:00	0.1	5/10/20 19:00	0.1
5/11/18 20:00	0.2	5/11/19 20:00	0.1	5/10/20 20:00	0.1
5/11/18 21:00	0.2	5/11/19 21:00	0.1	5/10/20 21:00	0.2
5/11/18 22:00	0.2	5/11/19 22:00	0.1	5/10/20 22:00	0.2
5/11/18 23:00	0.2	5/11/19 23:00	0.1	5/10/20 23:00	0.2
5/12/18 0:00	0.2	5/12/19 0:00	0.1	5/11/20 0:00	0.2
5/12/18 1:00	0.2	5/12/19 1:00	0.1	5/11/20 1:00	0.1
5/12/18 2:00	0.2	5/12/19 2:00	0.1	5/11/20 2:00	0.1
5/12/18 3:00	0.2	5/12/19 3:00	0.1	5/11/20 3:00	0.2
5/12/18 4:00	0.3	5/12/19 4:00	0.1	5/11/20 4:00	0.2
5/12/18 5:00	0.3	5/12/19 5:00	0.1	5/11/20 5:00	0.2
5/12/18 6:00	0.3	5/12/19 6:00	0.1	5/11/20 6:00	0.2
5/12/18 7:00	0.3	5/12/19 7:00	0.1	5/11/20 7:00	0.4
5/12/18 8:00	0.2	5/12/19 8:00	0.1	5/11/20 8:00	0.3
5/12/18 9:00	0.2	5/12/19 9:00	0.1	5/11/20 9:00	0.2
5/12/18 10:00	0.2	5/12/19 10:00	0.1	5/11/20 10:00	0.3
5/12/18 11:00	0.2	5/12/19 11:00	0.1	5/11/20 11:00	0.1
5/12/18 12:00	0.3	5/12/19 12:00	0.2	5/11/20 12:00	0.2
5/12/18 13:00	0.3	5/12/19 13:00	0.2	5/11/20 13:00	0.2
5/12/18 14:00	0.3	5/12/19 14:00	0.2	5/11/20 14:00	0.2
5/12/18 15:00	0.3	5/12/19 15:00	0.2	5/11/20 15:00	0.2
5/12/18 16:00	0.8	5/12/19 16:00	0.2	5/11/20 16:00	0.2
5/12/18 17:00	0.3	5/12/19 17:00	0.2	5/11/20 17:00	0.2
5/12/18 18:00	0.3	5/12/19 18:00	0.2	5/11/20 18:00	0.2
5/12/18 19:00	0.2	5/12/19 19:00	0.2	5/11/20 19:00	0.2
5/12/18 20:00	0.2	5/12/19 20:00	0.2	5/11/20 20:00	0.2
5/12/18 21:00	14.6	5/12/19 21:00	0.2	5/11/20 21:00	0.2
5/12/18 22:00	0.3	5/12/19 22:00	0.2	5/11/20 22:00	0.2
5/12/18 23:00	0.3	5/12/19 23:00	0.2	5/11/20 23:00	0.1
5/13/18 0:00	0.3	5/13/19 0:00	0.2	5/12/20 0:00	0.1
5/13/18 1:00	0.3	5/13/19 1:00	0.2	5/12/20 1:00	0.1
5/13/18 2:00	0.3	5/13/19 2:00	0.2	5/12/20 2:00	0.1
5/13/18 3:00	0.3	5/13/19 3:00	0.2	5/12/20 3:00	0.1
5/13/18 4:00	0.1	5/13/19 4:00	0.2	5/12/20 4:00	0.1
5/13/18 5:00	0.1	5/13/19 5:00	0.2	5/12/20 5:00	0.1
5/13/18 6:00	0.2	5/13/19 6:00	0.3	5/12/20 6:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
5/13/18 7:00	0.2	5/13/19 7:00	0.1	5/12/20 7:00	0.1
5/13/18 8:00	0.3	5/13/19 8:00	0.1	5/12/20 8:00	0.1
5/13/18 9:00	0.2	5/13/19 9:00	0.1	5/12/20 9:00	0.1
5/13/18 10:00	0.3	5/13/19 10:00	0.1	5/12/20 10:00	0.1
5/13/18 11:00	0.3	5/13/19 11:00	0.2	5/12/20 11:00	0.2
5/13/18 12:00	0.3	5/13/19 12:00	0.2	5/12/20 12:00	0.1
5/13/18 13:00	0.2	5/13/19 13:00	0.2	5/12/20 13:00	0.1
5/13/18 14:00	0.1	5/13/19 14:00	0.1	5/12/20 14:00	0.1
5/13/18 15:00	0.1	5/13/19 15:00	0.1	5/12/20 15:00	0.1
5/13/18 16:00	0.1	5/13/19 16:00	0.1	5/12/20 16:00	0.1
5/13/18 17:00	0.1	5/13/19 17:00	0.1	5/12/20 17:00	0.1
5/13/18 18:00	0.2	5/13/19 18:00	0.1	5/12/20 18:00	0.1
5/13/18 19:00	0.2	5/13/19 19:00	0.1	5/12/20 19:00	0.1
5/13/18 20:00	0.2	5/13/19 20:00	0.1	5/12/20 20:00	0.1
5/13/18 21:00	0.2	5/13/19 21:00	0.1	5/12/20 21:00	0.1
5/13/18 22:00	0.1	5/13/19 22:00	0.1	5/12/20 22:00	0.1
5/13/18 23:00	0.1	5/13/19 23:00	0.1	5/12/20 23:00	0.2
5/14/18 0:00	0.2	5/14/19 0:00	0.1	5/13/20 0:00	0.2
5/14/18 1:00	0.2	5/14/19 1:00	0.1	5/13/20 1:00	0.1
5/14/18 2:00	0.2	5/14/19 2:00	0.1	5/13/20 2:00	0.1
5/14/18 3:00	0.2	5/14/19 3:00	0.1	5/13/20 3:00	0.1
5/14/18 4:00	0.1	5/14/19 4:00	0.1	5/13/20 4:00	0.1
5/14/18 5:00	0.6	5/14/19 5:00	0.1	5/13/20 5:00	0.1
5/14/18 6:00	10.7	5/14/19 6:00	0.1	5/13/20 6:00	0.2
5/14/18 7:00	0.3	5/14/19 7:00	0.1	5/13/20 7:00	0.2
5/14/18 8:00	13.6	5/14/19 8:00	0.2	5/13/20 8:00	0.1
5/14/18 9:00	0.3	5/14/19 9:00	0.2	5/13/20 9:00	0.1
5/14/18 10:00	0.3	5/14/19 10:00	0.2	5/13/20 10:00	0.2
5/14/18 11:00	0.3	5/14/19 11:00	0.2	5/13/20 11:00	0.2
5/14/18 12:00	0.4	5/14/19 12:00	0.2	5/13/20 12:00	0.2
5/14/18 13:00	0.1	5/14/19 13:00	0.2	5/13/20 13:00	0.2
5/14/18 14:00	0.1	5/14/19 14:00	0.2	5/13/20 14:00	0.2
5/14/18 15:00	0.2	5/14/19 15:00	0.1	5/13/20 15:00	0.1
5/14/18 16:00	0.1	5/14/19 16:00	0.1	5/13/20 16:00	0.1
5/14/18 17:00	0.1	5/14/19 17:00	0.1	5/13/20 17:00	0.1
5/14/18 18:00	0.1	5/14/19 18:00	0.1	5/13/20 18:00	0.1
5/14/18 19:00	0.1	5/14/19 19:00	0.2	5/13/20 19:00	0.1
5/14/18 20:00	0.1	5/14/19 20:00	0.2	5/13/20 20:00	0.1
5/14/18 21:00	0.1	5/14/19 21:00	0.2	5/13/20 21:00	0.1
5/14/18 22:00	0.1	5/14/19 22:00	0.2	5/13/20 22:00	0.1
5/14/18 23:00	0.1	5/14/19 23:00	0.2	5/13/20 23:00	0.1
5/15/18 0:00	0.1	5/15/19 0:00	0.2	5/14/20 0:00	0.1
5/15/18 1:00	0.1	5/15/19 1:00	0.2	5/14/20 1:00	0.2
5/15/18 2:00	0.1	5/15/19 2:00	0.2	5/14/20 2:00	0.1
5/15/18 3:00	0.1	5/15/19 3:00	0.2	5/14/20 3:00	0.2
5/15/18 4:00	0.1	5/15/19 4:00	0.2	5/14/20 4:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
5/15/18 5:00	0.1	5/15/19 5:00	0.2	5/14/20 5:00	0.2
5/15/18 6:00	0.1	5/15/19 6:00	0.1	5/14/20 6:00	0.2
5/15/18 7:00	0.1	5/15/19 7:00	0.1	5/14/20 7:00	0.1
5/15/18 8:00	0.1	5/15/19 8:00	0.1	5/14/20 8:00	0.1
5/15/18 9:00	0.2	5/15/19 9:00	0.1	5/14/20 9:00	0.1
5/15/18 10:00	0.2	5/15/19 10:00	0.1	5/14/20 10:00	0.1
5/15/18 11:00	0.1	5/15/19 11:00	0.1	5/14/20 11:00	0.1
5/15/18 12:00	0.1	5/15/19 12:00	0.1	5/14/20 12:00	0.1
5/15/18 13:00	0.1	5/15/19 13:00	0.1	5/14/20 13:00	0.1
5/15/18 14:00	0.1	5/15/19 14:00	0.1	5/14/20 14:00	0.1
5/15/18 15:00	0.1	5/15/19 15:00	0.1	5/14/20 15:00	0.1
5/15/18 16:00	0.1	5/15/19 16:00	0.1	5/14/20 16:00	0.1
5/15/18 17:00	0.1	5/15/19 17:00	0.1	5/14/20 17:00	0.1
5/15/18 18:00	0.1	5/15/19 18:00	0.1	5/14/20 18:00	0.1
5/15/18 19:00	0.1	5/15/19 19:00	0.1	5/14/20 19:00	0.1
5/15/18 20:00	0.1	5/15/19 20:00	0.1	5/14/20 20:00	0.1
5/15/18 21:00	0.2	5/15/19 21:00	0.1	5/14/20 21:00	0.1
5/15/18 22:00	0.2	5/15/19 22:00	0.2	5/14/20 22:00	0.1
5/15/18 23:00	0.2	5/15/19 23:00	0.1	5/14/20 23:00	0.1
5/16/18 0:00	0.2	5/16/19 0:00	0.1	5/15/20 0:00	0.1
5/16/18 1:00	0.2	5/16/19 1:00	0.1	5/15/20 1:00	0.1
5/16/18 2:00	0.2	5/16/19 2:00	0.1	5/15/20 2:00	0.1
5/16/18 3:00	0.2	5/16/19 3:00	0.2	5/15/20 3:00	0.1
5/16/18 4:00	0.2	5/16/19 4:00	0.1	5/15/20 4:00	0.1
5/16/18 5:00	0.1	5/16/19 5:00	0.1	5/15/20 5:00	0.1
5/16/18 6:00	0.1	5/16/19 6:00	0.1	5/15/20 6:00	0.2
5/16/18 7:00	0.1	5/16/19 7:00	0.1	5/15/20 7:00	0.1
5/16/18 8:00	0.1	5/16/19 8:00	0.1	5/15/20 8:00	0.1
5/16/18 9:00	0.5	5/16/19 9:00	0.3	5/15/20 9:00	0.1
5/16/18 10:00	0.2	5/16/19 10:00	0.3	5/15/20 10:00	0.0
5/16/18 11:00	0.2	5/16/19 11:00	0.3	5/15/20 11:00	0.2
5/16/18 12:00	0.2	5/16/19 12:00	0.2	5/15/20 12:00	0.1
5/16/18 13:00	0.2	5/16/19 13:00	0.2	5/15/20 13:00	0.1
5/16/18 14:00	0.2	5/16/19 14:00	0.2	5/15/20 14:00	0.1
5/16/18 15:00	0.1	5/16/19 15:00	0.2	5/15/20 15:00	0.1
5/16/18 16:00	0.1	5/16/19 16:00	0.2	5/15/20 16:00	0.1
5/16/18 17:00	0.2	5/16/19 17:00	0.2	5/15/20 17:00	0.1
5/16/18 18:00	0.2	5/16/19 18:00	0.2	5/15/20 18:00	0.1
5/16/18 19:00	0.2	5/16/19 19:00	0.2	5/15/20 19:00	0.1
5/16/18 20:00	0.2	5/16/19 20:00	0.2	5/15/20 20:00	0.1
5/16/18 21:00	0.2	5/16/19 21:00	0.2	5/15/20 21:00	0.1
5/16/18 22:00	0.2	5/16/19 22:00	0.2	5/15/20 22:00	0.1
5/16/18 23:00	0.1	5/16/19 23:00	0.2	5/15/20 23:00	0.1
5/17/18 0:00	0.1	5/17/19 0:00	0.3	5/16/20 0:00	0.1
5/17/18 1:00	0.1	5/17/19 1:00	0.1	5/16/20 1:00	0.1
5/17/18 2:00	0.1	5/17/19 2:00	0.1	5/16/20 2:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
5/17/18 3:00	0.1	5/17/19 3:00	0.1	5/16/20 3:00	0.1
5/17/18 4:00	0.1	5/17/19 4:00	0.1	5/16/20 4:00	0.1
5/17/18 5:00	0.1	5/17/19 5:00	0.2	5/16/20 5:00	0.1
5/17/18 6:00	0.1	5/17/19 6:00	0.1	5/16/20 6:00	0.1
5/17/18 7:00	0.2	5/17/19 7:00	0.2	5/16/20 7:00	0.1
5/17/18 8:00	0.2	5/17/19 8:00	0.1	5/16/20 8:00	0.1
5/17/18 9:00	0.2	5/17/19 9:00	0.3	5/16/20 9:00	0.2
5/17/18 10:00	0.2	5/17/19 10:00	0.2	5/16/20 10:00	0.2
5/17/18 11:00	0.1	5/17/19 11:00	0.1	5/16/20 11:00	0.1
5/17/18 12:00	0.2	5/17/19 12:00	0.1	5/16/20 12:00	0.1
5/17/18 13:00	0.1	5/17/19 13:00	0.1	5/16/20 13:00	0.1
5/17/18 14:00	0.1	5/17/19 14:00	0.2	5/16/20 14:00	0.1
5/17/18 15:00	0.1	5/17/19 15:00	0.2	5/16/20 15:00	0.1
5/17/18 16:00	0.2	5/17/19 16:00	0.2	5/16/20 16:00	0.1
5/17/18 17:00	0.1	5/17/19 17:00	0.2	5/16/20 17:00	0.1
5/17/18 18:00	0.1	5/17/19 18:00	0.1	5/16/20 18:00	0.1
5/17/18 19:00	0.1	5/17/19 19:00	0.1	5/16/20 19:00	0.1
5/17/18 20:00	0.1	5/17/19 20:00	0.1	5/16/20 20:00	0.1
5/17/18 21:00	0.1	5/17/19 21:00	0.2	5/16/20 21:00	0.1
5/17/18 22:00	0.1	5/17/19 22:00	0.2	5/16/20 22:00	0.1
5/17/18 23:00	0.1	5/17/19 23:00	0.2	5/16/20 23:00	0.1
5/18/18 0:00	0.2	5/18/19 0:00	0.2	5/17/20 0:00	0.2
5/18/18 1:00	0.1	5/18/19 1:00	0.1	5/17/20 1:00	0.1
5/18/18 2:00	0.1	5/18/19 2:00	0.1	5/17/20 2:00	0.1
5/18/18 3:00	0.2	5/18/19 3:00	0.1	5/17/20 3:00	0.1
5/18/18 4:00	0.1	5/18/19 4:00	0.1	5/17/20 4:00	0.1
5/18/18 5:00	0.2	5/18/19 5:00	0.1	5/17/20 5:00	0.1
5/18/18 6:00	0.2	5/18/19 6:00	0.2	5/17/20 6:00	0.1
5/18/18 7:00	0.1	5/18/19 7:00	0.2	5/17/20 7:00	0.1
5/18/18 8:00	0.1	5/18/19 8:00	0.2	5/17/20 8:00	0.1
5/18/18 9:00	0.1	5/18/19 9:00	0.2	5/17/20 9:00	0.1
5/18/18 10:00	0.2	5/18/19 10:00	0.2	5/17/20 10:00	0.1
5/18/18 11:00	0.2	5/18/19 11:00	0.2	5/17/20 11:00	0.1
5/18/18 12:00	0.2	5/18/19 12:00	0.1	5/17/20 12:00	0.1
5/18/18 13:00	0.1	5/18/19 13:00	0.1	5/17/20 13:00	0.1
5/18/18 14:00	0.1	5/18/19 14:00	0.2	5/17/20 14:00	0.1
5/18/18 15:00	0.1	5/18/19 15:00	0.1	5/17/20 15:00	0.2
5/18/18 16:00	0.2	5/18/19 16:00	0.1	5/17/20 16:00	0.2
5/18/18 17:00	0.1	5/18/19 17:00	0.4	5/17/20 17:00	0.2
5/18/18 18:00	0.2	5/18/19 18:00	0.1	5/17/20 18:00	0.2
5/18/18 19:00	0.1	5/18/19 19:00	0.1	5/17/20 19:00	0.2
5/18/18 20:00	0.1	5/18/19 20:00	0.1	5/17/20 20:00	0.1
5/18/18 21:00	0.1	5/18/19 21:00	0.1	5/17/20 21:00	0.2
5/18/18 22:00	0.1	5/18/19 22:00	0.1	5/17/20 22:00	0.1
5/18/18 23:00	0.1	5/18/19 23:00	0.1	5/17/20 23:00	0.1
5/19/18 0:00	0.1	5/19/19 0:00	0.1	5/18/20 0:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
5/19/18 1:00	0.1	5/19/19 1:00	0.1	5/18/20 1:00	0.1
5/19/18 2:00	0.1	5/19/19 2:00	0.1	5/18/20 2:00	0.1
5/19/18 3:00	0.1	5/19/19 3:00	0.1	5/18/20 3:00	0.1
5/19/18 4:00	0.1	5/19/19 4:00	0.1	5/18/20 4:00	0.1
5/19/18 5:00	0.1	5/19/19 5:00	0.1	5/18/20 5:00	0.1
5/19/18 6:00	0.1	5/19/19 6:00	0.1	5/18/20 6:00	0.1
5/19/18 7:00	0.1	5/19/19 7:00	0.1	5/18/20 7:00	0.1
5/19/18 8:00	0.1	5/19/19 8:00	0.1	5/18/20 8:00	0.1
5/19/18 9:00	0.1	5/19/19 9:00	0.1	5/18/20 9:00	0.1
5/19/18 10:00	0.1	5/19/19 10:00	0.2	5/18/20 10:00	0.1
5/19/18 11:00	0.1	5/19/19 11:00	0.1	5/18/20 11:00	0.1
5/19/18 12:00	0.1	5/19/19 12:00	0.1	5/18/20 12:00	0.1
5/19/18 13:00	0.2	5/19/19 13:00	0.1	5/18/20 13:00	0.1
5/19/18 14:00	0.1	5/19/19 14:00	0.1	5/18/20 14:00	0.1
5/19/18 15:00	0.1	5/19/19 15:00	0.1	5/18/20 15:00	0.1
5/19/18 16:00	0.1	5/19/19 16:00	0.1	5/18/20 16:00	0.1
5/19/18 17:00	0.1	5/19/19 17:00	0.1	5/18/20 17:00	0.1
5/19/18 18:00	0.1	5/19/19 18:00	0.1	5/18/20 18:00	0.1
5/19/18 19:00	0.1	5/19/19 19:00	0.1	5/18/20 19:00	0.1
5/19/18 20:00	0.1	5/19/19 20:00	0.1	5/18/20 20:00	0.1
5/19/18 21:00	0.1	5/19/19 21:00	0.1	5/18/20 21:00	0.1
5/19/18 22:00	0.1	5/19/19 22:00	0.1	5/18/20 22:00	0.2
5/19/18 23:00	0.1	5/19/19 23:00	0.1	5/18/20 23:00	0.1
5/20/18 0:00	0.1	5/20/19 0:00	0.1	5/19/20 0:00	0.1
5/20/18 1:00	0.1	5/20/19 1:00	0.1	5/19/20 1:00	0.1
5/20/18 2:00	0.1	5/20/19 2:00	0.2	5/19/20 2:00	0.1
5/20/18 3:00	0.1	5/20/19 3:00	0.1	5/19/20 3:00	0.1
5/20/18 4:00	0.1	5/20/19 4:00	0.1	5/19/20 4:00	0.1
5/20/18 5:00	0.1	5/20/19 5:00	0.1	5/19/20 5:00	0.1
5/20/18 6:00	0.1	5/20/19 6:00	0.1	5/19/20 6:00	0.1
5/20/18 7:00	0.1	5/20/19 7:00	0.1	5/19/20 7:00	0.1
5/20/18 8:00	0.1	5/20/19 8:00	0.1	5/19/20 8:00	0.1
5/20/18 9:00	0.1	5/20/19 9:00	0.1	5/19/20 9:00	0.2
5/20/18 10:00	0.2	5/20/19 10:00	0.1	5/19/20 10:00	0.2
5/20/18 11:00	0.3	5/20/19 11:00	0.1	5/19/20 11:00	0.1
5/20/18 12:00	0.2	5/20/19 12:00	0.1	5/19/20 12:00	0.1
5/20/18 13:00	0.2	5/20/19 13:00	0.1	5/19/20 13:00	0.1
5/20/18 14:00	0.2	5/20/19 14:00	0.1	5/19/20 14:00	0.3
5/20/18 15:00	0.1	5/20/19 15:00	0.0	5/19/20 15:00	0.2
5/20/18 16:00	0.1	5/20/19 16:00	0.1	5/19/20 16:00	0.1
5/20/18 17:00	0.1	5/20/19 17:00	0.0	5/19/20 17:00	0.1
5/20/18 18:00	0.1	5/20/19 18:00	0.1	5/19/20 18:00	0.1
5/20/18 19:00	0.2	5/20/19 19:00	0.1	5/19/20 19:00	0.3
5/20/18 20:00	0.2	5/20/19 20:00	0.1	5/19/20 20:00	0.2
5/20/18 21:00	0.2	5/20/19 21:00	0.1	5/19/20 21:00	0.3
5/20/18 22:00	0.2	5/20/19 22:00	0.1	5/19/20 22:00	0.3

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
5/20/18 23:00	0.2	5/20/19 23:00	0.2	5/19/20 23:00	0.2
5/21/18 0:00	0.2	5/21/19 0:00	0.1	5/20/20 0:00	0.3
5/21/18 1:00	0.2	5/21/19 1:00	0.1	5/20/20 1:00	0.3
5/21/18 2:00	0.2	5/21/19 2:00	0.1	5/20/20 2:00	0.2
5/21/18 3:00	0.2	5/21/19 3:00	0.1	5/20/20 3:00	0.3
5/21/18 4:00	0.1	5/21/19 4:00	0.1	5/20/20 4:00	0.4
5/21/18 5:00	0.2	5/21/19 5:00	0.1	5/20/20 5:00	0.3
5/21/18 6:00	0.3	5/21/19 6:00	0.1	5/20/20 6:00	0.2
5/21/18 7:00	0.2	5/21/19 7:00	0.1	5/20/20 7:00	0.2
5/21/18 8:00	0.0	5/21/19 8:00	0.0	5/20/20 8:00	0.2
5/21/18 9:00	0.0	5/21/19 9:00	0.2	5/20/20 9:00	0.2
5/21/18 10:00	0.1	5/21/19 10:00	0.2	5/20/20 10:00	0.2
5/21/18 11:00	0.3	5/21/19 11:00	0.2	5/20/20 11:00	0.4
5/21/18 12:00	0.3	5/21/19 12:00	0.1	5/20/20 12:00	0.3
5/21/18 13:00	0.2	5/21/19 13:00	0.1	5/20/20 13:00	0.3
5/21/18 14:00	0.1	5/21/19 14:00	0.2	5/20/20 14:00	0.2
5/21/18 15:00	0.0	5/21/19 15:00	0.2	5/20/20 15:00	0.3
5/21/18 16:00	0.1	5/21/19 16:00	0.2	5/20/20 16:00	0.2
5/21/18 17:00	0.3	5/21/19 17:00	0.2	5/20/20 17:00	0.3
5/21/18 18:00	0.1	5/21/19 18:00	0.2	5/20/20 18:00	0.3
5/21/18 19:00	0.1	5/21/19 19:00	0.2	5/20/20 19:00	0.3
5/21/18 20:00	0.1	5/21/19 20:00	0.3	5/20/20 20:00	0.3
5/21/18 21:00	0.1	5/21/19 21:00	0.2	5/20/20 21:00	0.2
5/21/18 22:00	0.1	5/21/19 22:00	0.2	5/20/20 22:00	0.1
5/21/18 23:00	0.1	5/21/19 23:00	0.1	5/20/20 23:00	0.3
5/22/18 0:00	0.1	5/22/19 0:00	0.1	5/21/20 0:00	0.2
5/22/18 1:00	0.1	5/22/19 1:00	0.1	5/21/20 1:00	0.1
5/22/18 2:00	0.1	5/22/19 2:00	0.1	5/21/20 2:00	0.2
5/22/18 3:00	0.1	5/22/19 3:00	0.1	5/21/20 3:00	0.2
5/22/18 4:00	0.1	5/22/19 4:00	0.2	5/21/20 4:00	0.2
5/22/18 5:00	0.0	5/22/19 5:00	0.2	5/21/20 5:00	0.2
5/22/18 6:00	0.1	5/22/19 6:00	0.1	5/21/20 6:00	0.3
5/22/18 7:00	0.2	5/22/19 7:00	0.2	5/21/20 7:00	0.3
5/22/18 8:00	0.2	5/22/19 8:00	0.4	5/21/20 8:00	0.3
5/22/18 9:00	0.2	5/22/19 9:00	0.6	5/21/20 9:00	0.2
5/22/18 10:00	0.1	5/22/19 10:00	0.2	5/21/20 10:00	0.2
5/22/18 11:00	0.1	5/22/19 11:00	0.2	5/21/20 11:00	0.2
5/22/18 12:00	0.2	5/22/19 12:00	0.3	5/21/20 12:00	0.4
5/22/18 13:00	0.1	5/22/19 13:00	0.3	5/21/20 13:00	0.4
5/22/18 14:00	0.1	5/22/19 14:00	0.3	5/21/20 14:00	0.3
5/22/18 15:00	0.1	5/22/19 15:00	0.3	5/21/20 15:00	0.2
5/22/18 16:00	0.2	5/22/19 16:00	0.2	5/21/20 16:00	0.2
5/22/18 17:00	0.1	5/22/19 17:00	0.3	5/21/20 17:00	0.2
5/22/18 18:00	0.1	5/22/19 18:00	0.2	5/21/20 18:00	0.2
5/22/18 19:00	0.1	5/22/19 19:00	0.3	5/21/20 19:00	0.4
5/22/18 20:00	0.1	5/22/19 20:00	0.3	5/21/20 20:00	0.5

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
5/22/18 21:00	0.1	5/22/19 21:00	0.3	5/21/20 21:00	0.4
5/22/18 22:00	0.1	5/22/19 22:00	0.3	5/21/20 22:00	0.3
5/22/18 23:00	0.1	5/22/19 23:00	0.2	5/21/20 23:00	0.2
5/23/18 0:00	0.1	5/23/19 0:00	0.3	5/22/20 0:00	0.3
5/23/18 1:00	0.1	5/23/19 1:00	0.1	5/22/20 1:00	0.3
5/23/18 2:00	0.1	5/23/19 2:00	0.1	5/22/20 2:00	0.3
5/23/18 3:00	0.1	5/23/19 3:00	0.1	5/22/20 3:00	0.3
5/23/18 4:00	0.1	5/23/19 4:00	0.1	5/22/20 4:00	0.4
5/23/18 5:00	0.1	5/23/19 5:00	0.2	5/22/20 5:00	0.4
5/23/18 6:00	0.1	5/23/19 6:00	0.1	5/22/20 6:00	0.4
5/23/18 7:00	0.1	5/23/19 7:00	0.1	5/22/20 7:00	0.3
5/23/18 8:00	0.1	5/23/19 8:00	0.1	5/22/20 8:00	0.3
5/23/18 9:00	0.1	5/23/19 9:00	0.1	5/22/20 9:00	0.2
5/23/18 10:00	0.1	5/23/19 10:00	0.1	5/22/20 10:00	0.1
5/23/18 11:00	0.1	5/23/19 11:00	0.1	5/22/20 11:00	0.1
5/23/18 12:00	0.1	5/23/19 12:00	0.1	5/22/20 12:00	0.1
5/23/18 13:00	0.1	5/23/19 13:00	0.1	5/22/20 13:00	0.1
5/23/18 14:00	0.1	5/23/19 14:00	0.1	5/22/20 14:00	0.2
5/23/18 15:00	0.2	5/23/19 15:00	0.1	5/22/20 15:00	0.2
5/23/18 16:00	0.2	5/23/19 16:00	0.1	5/22/20 16:00	0.2
5/23/18 17:00	0.2	5/23/19 17:00	0.1	5/22/20 17:00	0.2
5/23/18 18:00	0.2	5/23/19 18:00	0.1	5/22/20 18:00	0.2
5/23/18 19:00	0.1	5/23/19 19:00	0.1	5/22/20 19:00	0.3
5/23/18 20:00	0.1	5/23/19 20:00	0.1	5/22/20 20:00	0.2
5/23/18 21:00	0.2	5/23/19 21:00	0.1	5/22/20 21:00	0.1
5/23/18 22:00	0.2	5/23/19 22:00	0.1	5/22/20 22:00	0.2
5/23/18 23:00	0.2	5/23/19 23:00	0.1	5/22/20 23:00	0.2
5/24/18 0:00	0.1	5/24/19 0:00	0.1	5/23/20 0:00	0.2
5/24/18 1:00	0.1	5/24/19 1:00	0.1	5/23/20 1:00	0.2
5/24/18 2:00	0.1	5/24/19 2:00	0.1	5/23/20 2:00	0.1
5/24/18 3:00	0.2	5/24/19 3:00	0.1	5/23/20 3:00	0.1
5/24/18 4:00	0.2	5/24/19 4:00	0.2	5/23/20 4:00	0.2
5/24/18 5:00	0.2	5/24/19 5:00	0.2	5/23/20 5:00	0.2
5/24/18 6:00	0.2	5/24/19 6:00	0.2	5/23/20 6:00	0.2
5/24/18 7:00	0.1	5/24/19 7:00	0.1	5/23/20 7:00	0.1
5/24/18 8:00	0.1	5/24/19 8:00	0.2	5/23/20 8:00	0.2
5/24/18 9:00	0.1	5/24/19 9:00	0.1	5/23/20 9:00	0.1
5/24/18 10:00	0.1	5/24/19 10:00	0.1	5/23/20 10:00	0.1
5/24/18 11:00	0.1	5/24/19 11:00	0.2	5/23/20 11:00	0.1
5/24/18 12:00	0.1	5/24/19 12:00	0.1	5/23/20 12:00	0.1
5/24/18 13:00	0.1	5/24/19 13:00	0.1	5/23/20 13:00	0.1
5/24/18 14:00	0.1	5/24/19 14:00	0.1	5/23/20 14:00	0.1
5/24/18 15:00	0.1	5/24/19 15:00	0.1	5/23/20 15:00	0.1
5/24/18 16:00	0.0	5/24/19 16:00	0.1	5/23/20 16:00	0.1
5/24/18 17:00	0.1	5/24/19 17:00	0.1	5/23/20 17:00	0.1
5/24/18 18:00	0.1	5/24/19 18:00	0.1	5/23/20 18:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
5/24/18 19:00	0.2	5/24/19 19:00	0.1	5/23/20 19:00	0.2
5/24/18 20:00	0.2	5/24/19 20:00	0.1	5/23/20 20:00	0.1
5/24/18 21:00	0.1	5/24/19 21:00	0.1	5/23/20 21:00	0.1
5/24/18 22:00	0.1	5/24/19 22:00	0.1	5/23/20 22:00	0.1
5/24/18 23:00	0.1	5/24/19 23:00	0.1	5/23/20 23:00	0.1
5/25/18 0:00	0.1	5/25/19 0:00	0.1	5/24/20 0:00	0.1
5/25/18 1:00	0.1	5/25/19 1:00	0.1	5/24/20 1:00	0.1
5/25/18 2:00	0.1	5/25/19 2:00	0.1	5/24/20 2:00	0.1
5/25/18 3:00	0.1	5/25/19 3:00	0.2	5/24/20 3:00	0.1
5/25/18 4:00	0.1	5/25/19 4:00	0.1	5/24/20 4:00	0.1
5/25/18 5:00	0.1	5/25/19 5:00	0.1	5/24/20 5:00	0.2
5/25/18 6:00	0.2	5/25/19 6:00	0.1	5/24/20 6:00	0.2
5/25/18 7:00	0.2	5/25/19 7:00	0.1	5/24/20 7:00	0.2
5/25/18 8:00	0.2	5/25/19 8:00	0.2	5/24/20 8:00	0.2
5/25/18 9:00	0.1	5/25/19 9:00	0.2	5/24/20 9:00	0.2
5/25/18 10:00	0.1	5/25/19 10:00	0.2	5/24/20 10:00	0.1
5/25/18 11:00	0.1	5/25/19 11:00	0.2	5/24/20 11:00	0.1
5/25/18 12:00	0.1	5/25/19 12:00	0.1	5/24/20 12:00	0.1
5/25/18 13:00	0.2	5/25/19 13:00	0.1	5/24/20 13:00	0.2
5/25/18 14:00	0.2	5/25/19 14:00	0.1	5/24/20 14:00	0.2
5/25/18 15:00	0.1	5/25/19 15:00	0.1	5/24/20 15:00	0.1
5/25/18 16:00	0.1	5/25/19 16:00	0.2	5/24/20 16:00	0.2
5/25/18 17:00	0.1	5/25/19 17:00	0.1	5/24/20 17:00	0.1
5/25/18 18:00	0.1	5/25/19 18:00	0.1	5/24/20 18:00	0.1
5/25/18 19:00	0.1	5/25/19 19:00	0.1	5/24/20 19:00	0.2
5/25/18 20:00	0.1	5/25/19 20:00	0.2	5/24/20 20:00	0.1
5/25/18 21:00	0.1	5/25/19 21:00	0.2	5/24/20 21:00	0.1
5/25/18 22:00	0.1	5/25/19 22:00	0.3	5/24/20 22:00	0.1
5/25/18 23:00	0.1	5/25/19 23:00	0.2	5/24/20 23:00	0.1
5/26/18 0:00	0.1	5/26/19 0:00	0.3	5/25/20 0:00	0.1
5/26/18 1:00	0.1	5/26/19 1:00	0.3	5/25/20 1:00	0.2
5/26/18 2:00	0.1	5/26/19 2:00	0.6	5/25/20 2:00	0.2
5/26/18 3:00	0.2	5/26/19 3:00	0.6	5/25/20 3:00	0.1
5/26/18 4:00	0.2	5/26/19 4:00	0.5	5/25/20 4:00	0.1
5/26/18 5:00	0.1	5/26/19 5:00	0.2	5/25/20 5:00	0.2
5/26/18 6:00	0.1	5/26/19 6:00	0.2	5/25/20 6:00	0.2
5/26/18 7:00	0.1	5/26/19 7:00	0.2	5/25/20 7:00	0.2
5/26/18 8:00	0.1	5/26/19 8:00	0.2	5/25/20 8:00	0.2
5/26/18 9:00	0.1	5/26/19 9:00	0.2	5/25/20 9:00	0.1
5/26/18 10:00	0.1	5/26/19 10:00	0.2	5/25/20 10:00	0.1
5/26/18 11:00	0.1	5/26/19 11:00	0.2	5/25/20 11:00	0.1
5/26/18 12:00	0.1	5/26/19 12:00	0.2	5/25/20 12:00	0.1
5/26/18 13:00	0.1	5/26/19 13:00	0.2	5/25/20 13:00	0.1
5/26/18 14:00	0.1	5/26/19 14:00	0.2	5/25/20 14:00	0.1
5/26/18 15:00	0.1	5/26/19 15:00	0.1	5/25/20 15:00	0.1
5/26/18 16:00	0.1	5/26/19 16:00	0.1	5/25/20 16:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
5/26/18 17:00	0.1	5/26/19 17:00	0.2	5/25/20 17:00	0.2
5/26/18 18:00	0.1	5/26/19 18:00	0.2	5/25/20 18:00	0.2
5/26/18 19:00	0.1	5/26/19 19:00	0.2	5/25/20 19:00	0.1
5/26/18 20:00	0.2	5/26/19 20:00	0.2	5/25/20 20:00	0.2
5/26/18 21:00	0.1	5/26/19 21:00	0.2	5/25/20 21:00	0.2
5/26/18 22:00	0.1	5/26/19 22:00	0.2	5/25/20 22:00	0.2
5/26/18 23:00	0.1	5/26/19 23:00	0.2	5/25/20 23:00	0.2
5/27/18 0:00	0.1	5/27/19 0:00	0.2	5/26/20 0:00	0.2
5/27/18 1:00	0.1	5/27/19 1:00	0.2	5/26/20 1:00	0.2
5/27/18 2:00	0.1	5/27/19 2:00	0.2	5/26/20 2:00	0.2
5/27/18 3:00	0.1	5/27/19 3:00	0.2	5/26/20 3:00	0.1
5/27/18 4:00	0.1	5/27/19 4:00	0.2	5/26/20 4:00	0.2
5/27/18 5:00	0.2	5/27/19 5:00	0.2	5/26/20 5:00	0.2
5/27/18 6:00	0.2	5/27/19 6:00	0.1	5/26/20 6:00	0.3
5/27/18 7:00	0.2	5/27/19 7:00	0.3	5/26/20 7:00	0.2
5/27/18 8:00	0.2	5/27/19 8:00	0.2	5/26/20 8:00	0.1
5/27/18 9:00	0.1	5/27/19 9:00	0.3	5/26/20 9:00	0.2
5/27/18 10:00	0.1	5/27/19 10:00	0.3	5/26/20 10:00	0.1
5/27/18 11:00	0.1	5/27/19 11:00	0.3	5/26/20 11:00	0.2
5/27/18 12:00	0.1	5/27/19 12:00	0.1	5/26/20 12:00	0.2
5/27/18 13:00	0.1	5/27/19 13:00	0.1	5/26/20 13:00	0.2
5/27/18 14:00	0.1	5/27/19 14:00	0.1	5/26/20 14:00	0.2
5/27/18 15:00	0.1	5/27/19 15:00	0.1	5/26/20 15:00	0.2
5/27/18 16:00	0.1	5/27/19 16:00	0.1	5/26/20 16:00	0.1
5/27/18 17:00	0.1	5/27/19 17:00	0.2	5/26/20 17:00	0.1
5/27/18 18:00	0.1	5/27/19 18:00	0.2	5/26/20 18:00	0.1
5/27/18 19:00	0.2	5/27/19 19:00	0.2	5/26/20 19:00	0.2
5/27/18 20:00	0.2	5/27/19 20:00	0.1	5/26/20 20:00	0.2
5/27/18 21:00	0.2	5/27/19 21:00	0.1	5/26/20 21:00	0.3
5/27/18 22:00	0.1	5/27/19 22:00	0.2	5/26/20 22:00	0.3
5/27/18 23:00	0.1	5/27/19 23:00	0.2	5/26/20 23:00	0.3
5/28/18 0:00	0.2	5/28/19 0:00	0.1	5/27/20 0:00	0.3
5/28/18 1:00	0.2	5/28/19 1:00	0.1	5/27/20 1:00	0.2
5/28/18 2:00	0.2	5/28/19 2:00	0.1	5/27/20 2:00	0.1
5/28/18 3:00	0.2	5/28/19 3:00	0.1	5/27/20 3:00	0.3
5/28/18 4:00	0.2	5/28/19 4:00	0.1	5/27/20 4:00	0.2
5/28/18 5:00	0.2	5/28/19 5:00	0.1	5/27/20 5:00	0.4
5/28/18 6:00	0.2	5/28/19 6:00	0.2	5/27/20 6:00	0.4
5/28/18 7:00	0.2	5/28/19 7:00	0.2	5/27/20 7:00	0.4
5/28/18 8:00	0.1	5/28/19 8:00	0.2	5/27/20 8:00	0.1
5/28/18 9:00	0.1	5/28/19 9:00	0.2	5/27/20 9:00	0.1
5/28/18 10:00	0.2	5/28/19 10:00	0.2	5/27/20 10:00	0.3
5/28/18 11:00	0.2	5/28/19 11:00	0.1	5/27/20 11:00	0.2
5/28/18 12:00	0.2	5/28/19 12:00	0.1	5/27/20 12:00	0.2
5/28/18 13:00	0.2	5/28/19 13:00	0.1	5/27/20 13:00	0.2
5/28/18 14:00	0.2	5/28/19 14:00	0.1	5/27/20 14:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
5/28/18 15:00	0.2	5/28/19 15:00	0.2	5/27/20 15:00	0.3
5/28/18 16:00	0.2	5/28/19 16:00	0.2	5/27/20 16:00	0.3
5/28/18 17:00	0.1	5/28/19 17:00	0.2	5/27/20 17:00	0.3
5/28/18 18:00	0.1	5/28/19 18:00	0.2	5/27/20 18:00	0.3
5/28/18 19:00	0.2	5/28/19 19:00	0.1	5/27/20 19:00	0.2
5/28/18 20:00	0.2	5/28/19 20:00	0.1	5/27/20 20:00	0.3
5/28/18 21:00	0.2	5/28/19 21:00	0.2	5/27/20 21:00	0.3
5/28/18 22:00	0.2	5/28/19 22:00	0.1	5/27/20 22:00	0.3
5/28/18 23:00	0.2	5/28/19 23:00	0.1	5/27/20 23:00	0.2
5/29/18 0:00	0.2	5/29/19 0:00	0.1	5/28/20 0:00	0.3
5/29/18 1:00	0.2	5/29/19 1:00	0.2	5/28/20 1:00	0.3
5/29/18 2:00	0.2	5/29/19 2:00	0.2	5/28/20 2:00	0.2
5/29/18 3:00	0.2	5/29/19 3:00	0.2	5/28/20 3:00	0.3
5/29/18 4:00	0.1	5/29/19 4:00	0.2	5/28/20 4:00	0.3
5/29/18 5:00	0.1	5/29/19 5:00	0.1	5/28/20 5:00	0.3
5/29/18 6:00	0.1	5/29/19 6:00	0.2	5/28/20 6:00	0.2
5/29/18 7:00	0.1	5/29/19 7:00	0.2	5/28/20 7:00	0.2
5/29/18 8:00	0.2	5/29/19 8:00	0.2	5/28/20 8:00	0.2
5/29/18 9:00	0.2	5/29/19 9:00	0.2	5/28/20 9:00	0.1
5/29/18 10:00	0.2	5/29/19 10:00	0.1	5/28/20 10:00	0.2
5/29/18 11:00	0.3	5/29/19 11:00	0.1	5/28/20 11:00	0.1
5/29/18 12:00	0.2	5/29/19 12:00	0.1	5/28/20 12:00	0.2
5/29/18 13:00	0.2	5/29/19 13:00	0.2	5/28/20 13:00	0.2
5/29/18 14:00	0.2	5/29/19 14:00	0.2	5/28/20 14:00	0.3
5/29/18 15:00	0.1	5/29/19 15:00	0.2	5/28/20 15:00	0.3
5/29/18 16:00	0.1	5/29/19 16:00	0.2	5/28/20 16:00	0.4
5/29/18 17:00	0.1	5/29/19 17:00	0.1	5/28/20 17:00	0.3
5/29/18 18:00	0.2	5/29/19 18:00	0.1	5/28/20 18:00	0.3
5/29/18 19:00	0.2	5/29/19 19:00	0.1	5/28/20 19:00	0.2
5/29/18 20:00	0.2	5/29/19 20:00	0.1	5/28/20 20:00	0.3
5/29/18 21:00	0.2	5/29/19 21:00	0.1	5/28/20 21:00	0.2
5/29/18 22:00	0.2	5/29/19 22:00	0.2	5/28/20 22:00	0.4
5/29/18 23:00	0.1	5/29/19 23:00	0.2	5/28/20 23:00	0.3
5/30/18 0:00	0.1	5/30/19 0:00	0.2	5/29/20 0:00	0.1
5/30/18 1:00	0.1	5/30/19 1:00	0.2	5/29/20 1:00	0.1
5/30/18 2:00	0.1	5/30/19 2:00	0.2	5/29/20 2:00	0.4
5/30/18 3:00	0.1	5/30/19 3:00	0.1	5/29/20 3:00	0.3
5/30/18 4:00	0.2	5/30/19 4:00	0.1	5/29/20 4:00	0.3
5/30/18 5:00	0.2	5/30/19 5:00	0.1	5/29/20 5:00	0.3
5/30/18 6:00	0.2	5/30/19 6:00	0.1	5/29/20 6:00	0.3
5/30/18 7:00	0.1	5/30/19 7:00	0.1	5/29/20 7:00	0.2
5/30/18 8:00	0.2	5/30/19 8:00	0.1	5/29/20 8:00	0.2
5/30/18 9:00	0.2	5/30/19 9:00	0.2	5/29/20 9:00	0.1
5/30/18 10:00	0.1	5/30/19 10:00	0.2	5/29/20 10:00	0.2
5/30/18 11:00	0.1	5/30/19 11:00	0.1	5/29/20 11:00	0.2
5/30/18 12:00	0.1	5/30/19 12:00	0.1	5/29/20 12:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
5/30/18 13:00	0.1	5/30/19 13:00	0.2	5/29/20 13:00	0.1
5/30/18 14:00	0.1	5/30/19 14:00	0.1	5/29/20 14:00	0.2
5/30/18 15:00	0.1	5/30/19 15:00	0.1	5/29/20 15:00	0.2
5/30/18 16:00	0.1	5/30/19 16:00	0.1	5/29/20 16:00	0.2
5/30/18 17:00	0.2	5/30/19 17:00	0.2	5/29/20 17:00	0.2
5/30/18 18:00	0.2	5/30/19 18:00	0.1	5/29/20 18:00	0.2
5/30/18 19:00	0.2	5/30/19 19:00	0.1	5/29/20 19:00	0.1
5/30/18 20:00	0.2	5/30/19 20:00	0.1	5/29/20 20:00	0.2
5/30/18 21:00	0.1	5/30/19 21:00	0.2	5/29/20 21:00	0.2
5/30/18 22:00	0.1	5/30/19 22:00	0.1	5/29/20 22:00	0.2
5/30/18 23:00	0.1	5/30/19 23:00	0.1	5/29/20 23:00	0.2
5/31/18 0:00	0.1	5/31/19 0:00	0.2	5/30/20 0:00	0.1
5/31/18 1:00	0.1	5/31/19 1:00	0.2	5/30/20 1:00	0.2
5/31/18 2:00	0.1	5/31/19 2:00	0.2	5/30/20 2:00	0.1
5/31/18 3:00	0.1	5/31/19 3:00	0.2	5/30/20 3:00	0.1
5/31/18 4:00	0.1	5/31/19 4:00	0.2	5/30/20 4:00	0.1
5/31/18 5:00	0.1	5/31/19 5:00	0.3	5/30/20 5:00	0.1
5/31/18 6:00	0.2	5/31/19 6:00	0.3	5/30/20 6:00	0.2
5/31/18 7:00	0.2	5/31/19 7:00	0.3	5/30/20 7:00	0.1
5/31/18 8:00	0.2	5/31/19 8:00	0.3	5/30/20 8:00	0.2
5/31/18 9:00	0.3	5/31/19 9:00	0.4	5/30/20 9:00	0.1
5/31/18 10:00	0.3	5/31/19 10:00	0.3	5/30/20 10:00	0.1
5/31/18 11:00	0.4	5/31/19 11:00	0.3	5/30/20 11:00	0.2
5/31/18 12:00	0.4	5/31/19 12:00	0.2	5/30/20 12:00	0.2
5/31/18 13:00	0.3	5/31/19 13:00	0.2	5/30/20 13:00	0.3
5/31/18 14:00	0.3	5/31/19 14:00	0.2	5/30/20 14:00	0.3
5/31/18 15:00	0.4	5/31/19 15:00	0.1	5/30/20 15:00	0.1
5/31/18 16:00	0.5	5/31/19 16:00	0.2	5/30/20 16:00	0.1
5/31/18 17:00	0.3	5/31/19 17:00	0.1	5/30/20 17:00	0.5
5/31/18 18:00	0.3	5/31/19 18:00	0.1	5/30/20 18:00	0.2
5/31/18 19:00	0.4	5/31/19 19:00	0.2	5/30/20 19:00	0.1
5/31/18 20:00	0.2	5/31/19 20:00	0.1	5/30/20 20:00	0.2
5/31/18 21:00	0.2	5/31/19 21:00	0.2	5/30/20 21:00	0.2
5/31/18 22:00	0.5	5/31/19 22:00	0.2	5/30/20 22:00	0.2
5/31/18 23:00	0.3	5/31/19 23:00	0.2	5/30/20 23:00	0.1
6/1/18 0:00	0.2	6/1/19 0:00	0.2	5/31/20 0:00	0.2
6/1/18 1:00	0.2	6/1/19 1:00	0.2	5/31/20 1:00	0.3
6/1/18 2:00	0.3	6/1/19 2:00	0.2	5/31/20 2:00	0.3
6/1/18 3:00	0.2	6/1/19 3:00	0.2	5/31/20 3:00	0.2
6/1/18 4:00	0.3	6/1/19 4:00	0.2	5/31/20 4:00	0.2
6/1/18 5:00	0.2	6/1/19 5:00	0.1	5/31/20 5:00	0.1
6/1/18 6:00	0.2	6/1/19 6:00	0.1	5/31/20 6:00	0.2
6/1/18 7:00	0.2	6/1/19 7:00	0.1	5/31/20 7:00	0.2
6/1/18 8:00	0.2	6/1/19 8:00	0.1	5/31/20 8:00	0.2
6/1/18 9:00	0.0	6/1/19 9:00	0.1	5/31/20 9:00	0.2
6/1/18 10:00	0.0	6/1/19 10:00	0.1	5/31/20 10:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
6/1/18 11:00	0.0	6/1/19 11:00	0.2	5/31/20 11:00	0.2
6/1/18 12:00	0.1	6/1/19 12:00	0.2	5/31/20 12:00	0.2
6/1/18 13:00	0.3	6/1/19 13:00	0.2	5/31/20 13:00	0.2
6/1/18 14:00	0.2	6/1/19 14:00	0.2	5/31/20 14:00	0.1
6/1/18 15:00	0.2	6/1/19 15:00	0.2	5/31/20 15:00	0.2
6/1/18 16:00	0.2	6/1/19 16:00	0.1	5/31/20 16:00	0.2
6/1/18 17:00	0.2	6/1/19 17:00	0.2	5/31/20 17:00	0.2
6/1/18 18:00	0.2	6/1/19 18:00	0.2	5/31/20 18:00	0.2
6/1/18 19:00	0.1	6/1/19 19:00	0.3	5/31/20 19:00	0.2
6/1/18 20:00	0.1	6/1/19 20:00	0.2	5/31/20 20:00	0.2
6/1/18 21:00	0.1	6/1/19 21:00	0.2	5/31/20 21:00	0.2
6/1/18 22:00	0.1	6/1/19 22:00	0.2	5/31/20 22:00	0.2
6/1/18 23:00	0.1	6/1/19 23:00	0.1	5/31/20 23:00	0.1
6/2/18 0:00	0.1	6/2/19 0:00	0.1	6/1/20 0:00	0.1
6/2/18 1:00	0.1	6/2/19 1:00	0.1	6/1/20 1:00	0.2
6/2/18 2:00	0.1	6/2/19 2:00	0.2	6/1/20 2:00	0.1
6/2/18 3:00	0.2	6/2/19 3:00	0.2	6/1/20 3:00	0.1
6/2/18 4:00	0.2	6/2/19 4:00	0.2	6/1/20 4:00	0.2
6/2/18 5:00	0.2	6/2/19 5:00	0.2	6/1/20 5:00	0.2
6/2/18 6:00	0.2	6/2/19 6:00	0.2	6/1/20 6:00	0.1
6/2/18 7:00	0.2	6/2/19 7:00	0.1	6/1/20 7:00	0.2
6/2/18 8:00	0.2	6/2/19 8:00	0.2	6/1/20 8:00	0.2
6/2/18 9:00	0.2	6/2/19 9:00	0.1	6/1/20 9:00	0.1
6/2/18 10:00	0.2	6/2/19 10:00	0.2	6/1/20 10:00	0.1
6/2/18 11:00	0.2	6/2/19 11:00	0.2	6/1/20 11:00	0.1
6/2/18 12:00	0.2	6/2/19 12:00	0.2	6/1/20 12:00	0.1
6/2/18 13:00	0.2	6/2/19 13:00	0.2	6/1/20 13:00	0.1
6/2/18 14:00	0.2	6/2/19 14:00	0.2	6/1/20 14:00	0.2
6/2/18 15:00	0.3	6/2/19 15:00	0.2	6/1/20 15:00	0.2
6/2/18 16:00	0.2	6/2/19 16:00	0.2	6/1/20 16:00	0.1
6/2/18 17:00	0.1	6/2/19 17:00	0.1	6/1/20 17:00	0.0
6/2/18 18:00	0.1	6/2/19 18:00	0.1	6/1/20 18:00	0.0
6/2/18 19:00	0.1	6/2/19 19:00	0.1	6/1/20 19:00	0.0
6/2/18 20:00	0.2	6/2/19 20:00	0.1	6/1/20 20:00	0.0
6/2/18 21:00	0.2	6/2/19 21:00	0.1	6/1/20 21:00	0.0
6/2/18 22:00	0.2	6/2/19 22:00	0.2	6/1/20 22:00	0.0
6/2/18 23:00	0.1	6/2/19 23:00	0.2	6/1/20 23:00	0.0
6/3/18 0:00	0.2	6/3/19 0:00	0.2	6/2/20 0:00	0.0
6/3/18 1:00	0.2	6/3/19 1:00	0.2	6/2/20 1:00	0.0
6/3/18 2:00	0.2	6/3/19 2:00	0.3	6/2/20 2:00	0.0
6/3/18 3:00	0.2	6/3/19 3:00	0.1	6/2/20 3:00	0.0
6/3/18 4:00	0.2	6/3/19 4:00	0.1	6/2/20 4:00	0.0
6/3/18 5:00	0.2	6/3/19 5:00	0.2	6/2/20 5:00	0.0
6/3/18 6:00	0.2	6/3/19 6:00	0.2	6/2/20 6:00	0.0
6/3/18 7:00	0.2	6/3/19 7:00	0.2	6/2/20 7:00	0.0
6/3/18 8:00	0.2	6/3/19 8:00	0.2	6/2/20 8:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
6/3/18 9:00	0.1	6/3/19 9:00	0.2	6/2/20 9:00	0.0
6/3/18 10:00	0.2	6/3/19 10:00	0.2	6/2/20 10:00	0.0
6/3/18 11:00	0.2	6/3/19 11:00	0.2	6/2/20 11:00	0.0
6/3/18 12:00	0.2	6/3/19 12:00	0.2	6/2/20 12:00	0.0
6/3/18 13:00	0.2	6/3/19 13:00	0.2	6/2/20 13:00	0.0
6/3/18 14:00	0.2	6/3/19 14:00	0.2	6/2/20 14:00	0.0
6/3/18 15:00	0.2	6/3/19 15:00	0.2	6/2/20 15:00	0.0
6/3/18 16:00	0.2	6/3/19 16:00	0.1	6/2/20 16:00	0.0
6/3/18 17:00	0.2	6/3/19 17:00	0.2	6/2/20 17:00	0.0
6/3/18 18:00	0.2	6/3/19 18:00	0.2	6/2/20 18:00	0.0
6/3/18 19:00	0.2	6/3/19 19:00	0.2	6/2/20 19:00	0.0
6/3/18 20:00	0.2	6/3/19 20:00	0.2	6/2/20 20:00	0.0
6/3/18 21:00	0.2	6/3/19 21:00	0.1	6/2/20 21:00	0.0
6/3/18 22:00	0.2	6/3/19 22:00	0.1	6/2/20 22:00	0.0
6/3/18 23:00	0.2	6/3/19 23:00	0.2	6/2/20 23:00	0.0
6/4/18 0:00	0.2	6/4/19 0:00	0.2	6/3/20 0:00	0.0
6/4/18 1:00	0.2	6/4/19 1:00	0.1	6/3/20 1:00	0.0
6/4/18 2:00	0.2	6/4/19 2:00	0.2	6/3/20 2:00	0.0
6/4/18 3:00	0.2	6/4/19 3:00	0.3	6/3/20 3:00	0.0
6/4/18 4:00	0.2	6/4/19 4:00	0.1	6/3/20 4:00	0.0
6/4/18 5:00	0.1	6/4/19 5:00	0.2	6/3/20 5:00	0.0
6/4/18 6:00	0.1	6/4/19 6:00	0.2	6/3/20 6:00	0.0
6/4/18 7:00	0.1	6/4/19 7:00	0.1	6/3/20 7:00	0.0
6/4/18 8:00	0.2	6/4/19 8:00	0.0	6/3/20 8:00	0.0
6/4/18 9:00	0.2	6/4/19 9:00	0.0	6/3/20 9:00	0.0
6/4/18 10:00	0.2	6/4/19 10:00	0.0	6/3/20 10:00	0.0
6/4/18 11:00	0.2	6/4/19 11:00	0.0	6/3/20 11:00	0.0
6/4/18 12:00	0.1	6/4/19 12:00	0.0	6/3/20 12:00	0.0
6/4/18 13:00	0.1	6/4/19 13:00	0.1	6/3/20 13:00	0.0
6/4/18 14:00	0.2	6/4/19 14:00	0.2	6/3/20 14:00	0.0
6/4/18 15:00	0.2	6/4/19 15:00	0.3	6/3/20 15:00	0.0
6/4/18 16:00	0.1	6/4/19 16:00	0.2	6/3/20 16:00	0.0
6/4/18 17:00	0.1	6/4/19 17:00	0.2	6/3/20 17:00	0.0
6/4/18 18:00	0.1	6/4/19 18:00	0.2	6/3/20 18:00	0.0
6/4/18 19:00	0.1	6/4/19 19:00	0.2	6/3/20 19:00	0.0
6/4/18 20:00	0.1	6/4/19 20:00	0.1	6/3/20 20:00	0.0
6/4/18 21:00	0.1	6/4/19 21:00	0.1	6/3/20 21:00	0.0
6/4/18 22:00	0.1	6/4/19 22:00	0.1	6/3/20 22:00	0.0
6/4/18 23:00	0.2	6/4/19 23:00	0.2	6/3/20 23:00	0.0
6/5/18 0:00	0.2	6/5/19 0:00	0.2	6/4/20 0:00	0.0
6/5/18 1:00	0.1	6/5/19 1:00	0.2	6/4/20 1:00	0.0
6/5/18 2:00	0.1	6/5/19 2:00	0.1	6/4/20 2:00	0.0
6/5/18 3:00	0.1	6/5/19 3:00	0.2	6/4/20 3:00	0.0
6/5/18 4:00	0.1	6/5/19 4:00	0.2	6/4/20 4:00	0.0
6/5/18 5:00	0.1	6/5/19 5:00	0.2	6/4/20 5:00	0.0
6/5/18 6:00	0.1	6/5/19 6:00	0.2	6/4/20 6:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
6/5/18 7:00	0.1	6/5/19 7:00	0.1	6/4/20 7:00	0.0
6/5/18 8:00	0.1	6/5/19 8:00	0.2	6/4/20 8:00	0.0
6/5/18 9:00	0.1	6/5/19 9:00	0.1	6/4/20 9:00	0.0
6/5/18 10:00	0.1	6/5/19 10:00	0.1	6/4/20 10:00	0.0
6/5/18 11:00	0.1	6/5/19 11:00	0.1	6/4/20 11:00	0.0
6/5/18 12:00	0.2	6/5/19 12:00	0.1	6/4/20 12:00	0.0
6/5/18 13:00	0.2	6/5/19 13:00	0.1	6/4/20 13:00	0.0
6/5/18 14:00	0.2	6/5/19 14:00	0.1	6/4/20 14:00	0.0
6/5/18 15:00	0.1	6/5/19 15:00	0.1	6/4/20 15:00	0.0
6/5/18 16:00	0.1	6/5/19 16:00	0.2	6/4/20 16:00	0.0
6/5/18 17:00	0.1	6/5/19 17:00	0.2	6/4/20 17:00	0.0
6/5/18 18:00	0.2	6/5/19 18:00	0.2	6/4/20 18:00	0.0
6/5/18 19:00	0.2	6/5/19 19:00	0.2	6/4/20 19:00	0.0
6/5/18 20:00	0.2	6/5/19 20:00	0.1	6/4/20 20:00	0.0
6/5/18 21:00	0.2	6/5/19 21:00	0.2	6/4/20 21:00	0.0
6/5/18 22:00	0.2	6/5/19 22:00	0.1	6/4/20 22:00	0.0
6/5/18 23:00	0.2	6/5/19 23:00	0.1	6/4/20 23:00	0.0
6/6/18 0:00	0.2	6/6/19 0:00	0.1	6/5/20 0:00	0.0
6/6/18 1:00	0.2	6/6/19 1:00	0.1	6/5/20 1:00	0.0
6/6/18 2:00	0.2	6/6/19 2:00	0.1	6/5/20 2:00	0.0
6/6/18 3:00	0.2	6/6/19 3:00	0.2	6/5/20 3:00	0.0
6/6/18 4:00	0.2	6/6/19 4:00	0.2	6/5/20 4:00	0.0
6/6/18 5:00	0.1	6/6/19 5:00	0.2	6/5/20 5:00	0.0
6/6/18 6:00	0.1	6/6/19 6:00	0.2	6/5/20 6:00	0.0
6/6/18 7:00	0.1	6/6/19 7:00	0.3	6/5/20 7:00	0.0
6/6/18 8:00	0.1	6/6/19 8:00	0.3	6/5/20 8:00	0.0
6/6/18 9:00	0.2	6/6/19 9:00	0.2	6/5/20 9:00	0.0
6/6/18 10:00	0.2	6/6/19 10:00	0.2	6/5/20 10:00	0.0
6/6/18 11:00	0.2	6/6/19 11:00	0.2	6/5/20 11:00	0.0
6/6/18 12:00	0.2	6/6/19 12:00	0.2	6/5/20 12:00	0.0
6/6/18 13:00	0.2	6/6/19 13:00	0.1	6/5/20 13:00	0.0
6/6/18 14:00	0.0	6/6/19 14:00	0.2	6/5/20 14:00	0.0
6/6/18 15:00	0.0	6/6/19 15:00	0.2	6/5/20 15:00	0.0
6/6/18 16:00	0.1	6/6/19 16:00	0.2	6/5/20 16:00	0.0
6/6/18 17:00	0.1	6/6/19 17:00	0.2	6/5/20 17:00	0.0
6/6/18 18:00	0.1	6/6/19 18:00	0.2	6/5/20 18:00	0.0
6/6/18 19:00	0.1	6/6/19 19:00	0.2	6/5/20 19:00	0.0
6/6/18 20:00	0.1	6/6/19 20:00	0.1	6/5/20 20:00	0.0
6/6/18 21:00	0.1	6/6/19 21:00	0.1	6/5/20 21:00	0.0
6/6/18 22:00	0.1	6/6/19 22:00	0.1	6/5/20 22:00	0.0
6/6/18 23:00	0.2	6/6/19 23:00	0.1	6/5/20 23:00	0.0
6/7/18 0:00	0.1	6/7/19 0:00	0.1	6/6/20 0:00	0.0
6/7/18 1:00	0.1	6/7/19 1:00	0.1	6/6/20 1:00	0.0
6/7/18 2:00	0.1	6/7/19 2:00	0.1	6/6/20 2:00	0.0
6/7/18 3:00	0.1	6/7/19 3:00	0.1	6/6/20 3:00	0.0
6/7/18 4:00	0.0	6/7/19 4:00	0.1	6/6/20 4:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
6/7/18 5:00	0.0	6/7/19 5:00	0.2	6/6/20 5:00	0.0
6/7/18 6:00	0.1	6/7/19 6:00	0.2	6/6/20 6:00	0.0
6/7/18 7:00	0.1	6/7/19 7:00	0.2	6/6/20 7:00	0.0
6/7/18 8:00	0.1	6/7/19 8:00	0.2	6/6/20 8:00	0.0
6/7/18 9:00	0.1	6/7/19 9:00	0.2	6/6/20 9:00	0.0
6/7/18 10:00	0.1	6/7/19 10:00	0.2	6/6/20 10:00	0.0
6/7/18 11:00	0.1	6/7/19 11:00	0.1	6/6/20 11:00	0.0
6/7/18 12:00	0.1	6/7/19 12:00	0.1	6/6/20 12:00	0.0
6/7/18 13:00	0.2	6/7/19 13:00	0.2	6/6/20 13:00	0.0
6/7/18 14:00	0.2	6/7/19 14:00	0.2	6/6/20 14:00	0.0
6/7/18 15:00	0.1	6/7/19 15:00	0.1	6/6/20 15:00	0.0
6/7/18 16:00	0.1	6/7/19 16:00	0.1	6/6/20 16:00	0.0
6/7/18 17:00	0.1	6/7/19 17:00	0.2	6/6/20 17:00	0.0
6/7/18 18:00	0.2	6/7/19 18:00	0.2	6/6/20 18:00	0.0
6/7/18 19:00	0.2	6/7/19 19:00	0.1	6/6/20 19:00	0.0
6/7/18 20:00	0.2	6/7/19 20:00	0.1	6/6/20 20:00	0.0
6/7/18 21:00	0.1	6/7/19 21:00	0.2	6/6/20 21:00	0.0
6/7/18 22:00	0.1	6/7/19 22:00	0.1	6/6/20 22:00	0.0
6/7/18 23:00	0.1	6/7/19 23:00	0.1	6/6/20 23:00	0.0
6/8/18 0:00	0.1	6/8/19 0:00	0.2	6/7/20 0:00	0.0
6/8/18 1:00	0.2	6/8/19 1:00	0.1	6/7/20 1:00	0.0
6/8/18 2:00	0.2	6/8/19 2:00	0.2	6/7/20 2:00	0.0
6/8/18 3:00	0.2	6/8/19 3:00	0.2	6/7/20 3:00	0.0
6/8/18 4:00	0.1	6/8/19 4:00	0.2	6/7/20 4:00	0.0
6/8/18 5:00	0.2	6/8/19 5:00	0.2	6/7/20 5:00	0.0
6/8/18 6:00	0.1	6/8/19 6:00	0.1	6/7/20 6:00	0.0
6/8/18 7:00	0.2	6/8/19 7:00	0.1	6/7/20 7:00	0.0
6/8/18 8:00	0.2	6/8/19 8:00	0.3	6/7/20 8:00	0.0
6/8/18 9:00	0.2	6/8/19 9:00	0.2	6/7/20 9:00	0.0
6/8/18 10:00	0.2	6/8/19 10:00	0.3	6/7/20 10:00	0.0
6/8/18 11:00	0.2	6/8/19 11:00	0.2	6/7/20 11:00	0.0
6/8/18 12:00	0.1	6/8/19 12:00	0.1	6/7/20 12:00	0.0
6/8/18 13:00	0.1	6/8/19 13:00	0.2	6/7/20 13:00	0.0
6/8/18 14:00	0.1	6/8/19 14:00	0.2	6/7/20 14:00	0.0
6/8/18 15:00	0.2	6/8/19 15:00	0.2	6/7/20 15:00	0.0
6/8/18 16:00	0.2	6/8/19 16:00	0.1	6/7/20 16:00	0.0
6/8/18 17:00	0.2	6/8/19 17:00	0.2	6/7/20 17:00	0.0
6/8/18 18:00	0.1	6/8/19 18:00	0.2	6/7/20 18:00	0.0
6/8/18 19:00	0.0	6/8/19 19:00	0.2	6/7/20 19:00	0.0
6/8/18 20:00	0.3	6/8/19 20:00	0.1	6/7/20 20:00	0.0
6/8/18 21:00	0.3	6/8/19 21:00	0.1	6/7/20 21:00	0.0
6/8/18 22:00	0.2	6/8/19 22:00	0.1	6/7/20 22:00	0.0
6/8/18 23:00	0.1	6/8/19 23:00	0.1	6/7/20 23:00	0.0
6/9/18 0:00	0.1	6/9/19 0:00	0.1	6/8/20 0:00	0.0
6/9/18 1:00	0.1	6/9/19 1:00	0.2	6/8/20 1:00	0.0
6/9/18 2:00	0.1	6/9/19 2:00	0.2	6/8/20 2:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
6/9/18 3:00	0.2	6/9/19 3:00	0.2	6/8/20 3:00	0.0
6/9/18 4:00	0.2	6/9/19 4:00	0.2	6/8/20 4:00	0.0
6/9/18 5:00	0.2	6/9/19 5:00	0.2	6/8/20 5:00	0.0
6/9/18 6:00	0.1	6/9/19 6:00	0.2	6/8/20 6:00	0.0
6/9/18 7:00	0.1	6/9/19 7:00	0.2	6/8/20 7:00	0.0
6/9/18 8:00	0.2	6/9/19 8:00	0.1	6/8/20 8:00	0.0
6/9/18 9:00	0.1	6/9/19 9:00	0.1	6/8/20 9:00	0.0
6/9/18 10:00	0.0	6/9/19 10:00	0.1	6/8/20 10:00	0.0
6/9/18 11:00	0.1	6/9/19 11:00	0.1	6/8/20 11:00	0.0
6/9/18 12:00	0.1	6/9/19 12:00	0.2	6/8/20 12:00	0.0
6/9/18 13:00	0.1	6/9/19 13:00	0.1	6/8/20 13:00	0.0
6/9/18 14:00	0.1	6/9/19 14:00	0.1	6/8/20 14:00	0.0
6/9/18 15:00	0.1	6/9/19 15:00	0.1	6/8/20 15:00	0.0
6/9/18 16:00	0.1	6/9/19 16:00	0.2	6/8/20 16:00	0.0
6/9/18 17:00	0.1	6/9/19 17:00	0.1	6/8/20 17:00	0.0
6/9/18 18:00	0.1	6/9/19 18:00	0.1	6/8/20 18:00	0.0
6/9/18 19:00	0.1	6/9/19 19:00	0.2	6/8/20 19:00	0.0
6/9/18 20:00	0.1	6/9/19 20:00	0.2	6/8/20 20:00	0.0
6/9/18 21:00	0.2	6/9/19 21:00	0.2	6/8/20 21:00	0.0
6/9/18 22:00	0.2	6/9/19 22:00	0.2	6/8/20 22:00	0.0
6/9/18 23:00	0.1	6/9/19 23:00	0.2	6/8/20 23:00	0.0
6/10/18 0:00	0.1	6/10/19 0:00	0.1	6/9/20 0:00	0.0
6/10/18 1:00	0.1	6/10/19 1:00	0.1	6/9/20 1:00	0.0
6/10/18 2:00	0.1	6/10/19 2:00	0.1	6/9/20 2:00	0.0
6/10/18 3:00	0.2	6/10/19 3:00	0.2	6/9/20 3:00	0.0
6/10/18 4:00	0.2	6/10/19 4:00	0.2	6/9/20 4:00	0.0
6/10/18 5:00	0.2	6/10/19 5:00	0.2	6/9/20 5:00	0.0
6/10/18 6:00	0.1	6/10/19 6:00	0.2	6/9/20 6:00	0.0
6/10/18 7:00	0.1	6/10/19 7:00	0.1	6/9/20 7:00	0.0
6/10/18 8:00	0.1	6/10/19 8:00	0.2	6/9/20 8:00	0.0
6/10/18 9:00	0.2	6/10/19 9:00	0.2	6/9/20 9:00	0.0
6/10/18 10:00	0.2	6/10/19 10:00	0.2	6/9/20 10:00	0.0
6/10/18 11:00	0.2	6/10/19 11:00	0.1	6/9/20 11:00	0.0
6/10/18 12:00	0.2	6/10/19 12:00	0.1	6/9/20 12:00	0.0
6/10/18 13:00	0.2	6/10/19 13:00	0.1	6/9/20 13:00	0.0
6/10/18 14:00	0.2	6/10/19 14:00	0.1	6/9/20 14:00	0.0
6/10/18 15:00	0.1	6/10/19 15:00	0.1	6/9/20 15:00	0.0
6/10/18 16:00	0.1	6/10/19 16:00	0.1	6/9/20 16:00	0.0
6/10/18 17:00	0.1	6/10/19 17:00	0.1	6/9/20 17:00	0.0
6/10/18 18:00	0.2	6/10/19 18:00	0.2	6/9/20 18:00	0.0
6/10/18 19:00	0.2	6/10/19 19:00	0.1	6/9/20 19:00	0.0
6/10/18 20:00	0.2	6/10/19 20:00	0.1	6/9/20 20:00	0.0
6/10/18 21:00	0.2	6/10/19 21:00	0.1	6/9/20 21:00	0.0
6/10/18 22:00	0.1	6/10/19 22:00	0.3	6/9/20 22:00	0.0
6/10/18 23:00	0.1	6/10/19 23:00	0.2	6/9/20 23:00	0.0
6/11/18 0:00	0.2	6/11/19 0:00	0.2	6/10/20 0:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
6/11/18 1:00	0.2	6/11/19 1:00	0.2	6/10/20 1:00	0.0
6/11/18 2:00	0.3	6/11/19 2:00	0.1	6/10/20 2:00	0.0
6/11/18 3:00	0.2	6/11/19 3:00	0.1	6/10/20 3:00	0.0
6/11/18 4:00	0.2	6/11/19 4:00	0.2	6/10/20 4:00	0.0
6/11/18 5:00	0.2	6/11/19 5:00	0.2	6/10/20 5:00	0.0
6/11/18 6:00	0.2	6/11/19 6:00	0.1	6/10/20 6:00	0.0
6/11/18 7:00	0.1	6/11/19 7:00	0.2	6/10/20 7:00	0.0
6/11/18 8:00	0.1	6/11/19 8:00	0.1	6/10/20 8:00	0.0
6/11/18 9:00	0.1	6/11/19 9:00	0.2	6/10/20 9:00	0.0
6/11/18 10:00	0.1	6/11/19 10:00	0.2	6/10/20 10:00	0.0
6/11/18 11:00	0.4	6/11/19 11:00	0.2	6/10/20 11:00	0.0
6/11/18 12:00	0.4	6/11/19 12:00	0.2	6/10/20 12:00	0.0
6/11/18 13:00	0.4	6/11/19 13:00	0.2	6/10/20 13:00	0.0
6/11/18 14:00	0.4	6/11/19 14:00	0.2	6/10/20 14:00	0.0
6/11/18 15:00	0.4	6/11/19 15:00	0.2	6/10/20 15:00	0.0
6/11/18 16:00	0.0	6/11/19 16:00	0.2	6/10/20 16:00	0.0
6/11/18 17:00	0.0	6/11/19 17:00	0.2	6/10/20 17:00	0.0
6/11/18 18:00	0.2	6/11/19 18:00	0.2	6/10/20 18:00	0.0
6/11/18 19:00	0.2	6/11/19 19:00	0.1	6/10/20 19:00	0.0
6/11/18 20:00	0.2	6/11/19 20:00	0.1	6/10/20 20:00	0.0
6/11/18 21:00	0.2	6/11/19 21:00	0.2	6/10/20 21:00	0.0
6/11/18 22:00	0.2	6/11/19 22:00	0.2	6/10/20 22:00	0.0
6/11/18 23:00	0.2	6/11/19 23:00	0.3	6/10/20 23:00	0.0
6/12/18 0:00	0.2	6/12/19 0:00	0.2	6/11/20 0:00	0.0
6/12/18 1:00	0.2	6/12/19 1:00	0.2	6/11/20 1:00	0.0
6/12/18 2:00	0.2	6/12/19 2:00	0.2	6/11/20 2:00	0.0
6/12/18 3:00	0.2	6/12/19 3:00	0.2	6/11/20 3:00	0.0
6/12/18 4:00	0.2	6/12/19 4:00	0.2	6/11/20 4:00	0.0
6/12/18 5:00	0.1	6/12/19 5:00	0.2	6/11/20 5:00	0.0
6/12/18 6:00	0.1	6/12/19 6:00	0.2	6/11/20 6:00	0.0
6/12/18 7:00	0.1	6/12/19 7:00	0.1	6/11/20 7:00	0.0
6/12/18 8:00	0.0	6/12/19 8:00	0.1	6/11/20 8:00	0.0
6/12/18 9:00	0.0	6/12/19 9:00	0.2	6/11/20 9:00	0.0
6/12/18 10:00	0.0	6/12/19 10:00	0.1	6/11/20 10:00	0.0
6/12/18 11:00	0.0	6/12/19 11:00	0.1	6/11/20 11:00	0.0
6/12/18 12:00	0.0	6/12/19 12:00	0.1	6/11/20 12:00	0.0
6/12/18 13:00	0.1	6/12/19 13:00	0.1	6/11/20 13:00	0.0
6/12/18 14:00	0.2	6/12/19 14:00	0.1	6/11/20 14:00	0.0
6/12/18 15:00	0.1	6/12/19 15:00	0.2	6/11/20 15:00	0.0
6/12/18 16:00	0.1	6/12/19 16:00	0.1	6/11/20 16:00	0.0
6/12/18 17:00	0.1	6/12/19 17:00	0.2	6/11/20 17:00	0.0
6/12/18 18:00	0.2	6/12/19 18:00	0.2	6/11/20 18:00	0.0
6/12/18 19:00	0.2	6/12/19 19:00	0.2	6/11/20 19:00	0.0
6/12/18 20:00	0.2	6/12/19 20:00	0.2	6/11/20 20:00	0.0
6/12/18 21:00	0.2	6/12/19 21:00	0.1	6/11/20 21:00	0.0
6/12/18 22:00	0.2	6/12/19 22:00	0.1	6/11/20 22:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
6/12/18 23:00	0.2	6/12/19 23:00	0.1	6/11/20 23:00	0.0
6/13/18 0:00	0.2	6/13/19 0:00	0.1	6/12/20 0:00	0.0
6/13/18 1:00	0.2	6/13/19 1:00	0.1	6/12/20 1:00	0.0
6/13/18 2:00	0.1	6/13/19 2:00	0.1	6/12/20 2:00	0.0
6/13/18 3:00	0.1	6/13/19 3:00	0.2	6/12/20 3:00	0.0
6/13/18 4:00	0.2	6/13/19 4:00	0.2	6/12/20 4:00	0.0
6/13/18 5:00	0.2	6/13/19 5:00	0.2	6/12/20 5:00	0.0
6/13/18 6:00	0.2	6/13/19 6:00	0.1	6/12/20 6:00	0.0
6/13/18 7:00	0.1	6/13/19 7:00	0.2	6/12/20 7:00	0.0
6/13/18 8:00	0.2	6/13/19 8:00	0.2	6/12/20 8:00	0.0
6/13/18 9:00	0.2	6/13/19 9:00	0.2	6/12/20 9:00	0.0
6/13/18 10:00	0.2	6/13/19 10:00	0.1	6/12/20 10:00	0.0
6/13/18 11:00	0.1	6/13/19 11:00	0.1	6/12/20 11:00	0.0
6/13/18 12:00	0.1	6/13/19 12:00	0.2	6/12/20 12:00	0.0
6/13/18 13:00	0.1	6/13/19 13:00	0.2	6/12/20 13:00	0.0
6/13/18 14:00	0.2	6/13/19 14:00	0.1	6/12/20 14:00	0.0
6/13/18 15:00	0.2	6/13/19 15:00	0.1	6/12/20 15:00	0.0
6/13/18 16:00	0.1	6/13/19 16:00	0.2	6/12/20 16:00	0.0
6/13/18 17:00	0.1	6/13/19 17:00	0.2	6/12/20 17:00	0.0
6/13/18 18:00	0.1	6/13/19 18:00	0.2	6/12/20 18:00	0.0
6/13/18 19:00	0.1	6/13/19 19:00	0.2	6/12/20 19:00	0.0
6/13/18 20:00	0.1	6/13/19 20:00	0.2	6/12/20 20:00	0.0
6/13/18 21:00	0.2	6/13/19 21:00	0.1	6/12/20 21:00	0.0
6/13/18 22:00	0.1	6/13/19 22:00	0.1	6/12/20 22:00	0.0
6/13/18 23:00	0.1	6/13/19 23:00	0.2	6/12/20 23:00	0.0
6/14/18 0:00	0.1	6/14/19 0:00	0.2	6/13/20 0:00	0.0
6/14/18 1:00	0.1	6/14/19 1:00	0.2	6/13/20 1:00	0.0
6/14/18 2:00	0.1	6/14/19 2:00	0.2	6/13/20 2:00	0.0
6/14/18 3:00	0.1	6/14/19 3:00	0.2	6/13/20 3:00	0.0
6/14/18 4:00	0.1	6/14/19 4:00	0.2	6/13/20 4:00	0.0
6/14/18 5:00	0.2	6/14/19 5:00	0.1	6/13/20 5:00	0.0
6/14/18 6:00	0.1	6/14/19 6:00	0.1	6/13/20 6:00	0.0
6/14/18 7:00	0.2	6/14/19 7:00	0.2	6/13/20 7:00	0.0
6/14/18 8:00	0.2	6/14/19 8:00	0.2	6/13/20 8:00	0.0
6/14/18 9:00	0.2	6/14/19 9:00	0.1	6/13/20 9:00	0.0
6/14/18 10:00	0.2	6/14/19 10:00	0.1	6/13/20 10:00	0.0
6/14/18 11:00	0.1	6/14/19 11:00	0.1	6/13/20 11:00	0.0
6/14/18 12:00	0.1	6/14/19 12:00	0.2	6/13/20 12:00	0.0
6/14/18 13:00	0.1	6/14/19 13:00	0.2	6/13/20 13:00	0.0
6/14/18 14:00	0.1	6/14/19 14:00	0.2	6/13/20 14:00	0.0
6/14/18 15:00	0.1	6/14/19 15:00	0.2	6/13/20 15:00	0.0
6/14/18 16:00	0.1	6/14/19 16:00	0.2	6/13/20 16:00	0.0
6/14/18 17:00	0.1	6/14/19 17:00	0.2	6/13/20 17:00	0.0
6/14/18 18:00	0.1	6/14/19 18:00	0.1	6/13/20 18:00	0.0
6/14/18 19:00	0.1	6/14/19 19:00	0.1	6/13/20 19:00	0.0
6/14/18 20:00	0.1	6/14/19 20:00	0.1	6/13/20 20:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
6/14/18 21:00	0.1	6/14/19 21:00	0.2	6/13/20 21:00	0.0
6/14/18 22:00	0.1	6/14/19 22:00	0.2	6/13/20 22:00	0.0
6/14/18 23:00	0.2	6/14/19 23:00	0.2	6/13/20 23:00	0.0
6/15/18 0:00	0.2	6/15/19 0:00	0.2	6/14/20 0:00	0.0
6/15/18 1:00	0.1	6/15/19 1:00	0.2	6/14/20 1:00	0.0
6/15/18 2:00	0.1	6/15/19 2:00	0.2	6/14/20 2:00	0.0
6/15/18 3:00	0.1	6/15/19 3:00	0.1	6/14/20 3:00	0.0
6/15/18 4:00	0.1	6/15/19 4:00	0.2	6/14/20 4:00	0.0
6/15/18 5:00	0.2	6/15/19 5:00	0.2	6/14/20 5:00	0.0
6/15/18 6:00	0.2	6/15/19 6:00	0.1	6/14/20 6:00	0.0
6/15/18 7:00	0.2	6/15/19 7:00	0.1	6/14/20 7:00	0.0
6/15/18 8:00	0.2	6/15/19 8:00	0.3	6/14/20 8:00	0.0
6/15/18 9:00	0.1	6/15/19 9:00	0.1	6/14/20 9:00	0.0
6/15/18 10:00	0.2	6/15/19 10:00	0.2	6/14/20 10:00	0.0
6/15/18 11:00	0.2	6/15/19 11:00	0.1	6/14/20 11:00	0.0
6/15/18 12:00	0.2	6/15/19 12:00	0.1	6/14/20 12:00	0.0
6/15/18 13:00	0.1	6/15/19 13:00	0.1	6/14/20 13:00	0.0
6/15/18 14:00	0.1	6/15/19 14:00	0.1	6/14/20 14:00	0.0
6/15/18 15:00	0.1	6/15/19 15:00	0.2	6/14/20 15:00	0.0
6/15/18 16:00	0.1	6/15/19 16:00	0.2	6/14/20 16:00	0.0
6/15/18 17:00	0.1	6/15/19 17:00	0.2	6/14/20 17:00	0.0
6/15/18 18:00	0.1	6/15/19 18:00	0.2	6/14/20 18:00	0.0
6/15/18 19:00	0.1	6/15/19 19:00	0.2	6/14/20 19:00	0.0
6/15/18 20:00	0.1	6/15/19 20:00	0.1	6/14/20 20:00	0.0
6/15/18 21:00	0.1	6/15/19 21:00	0.1	6/14/20 21:00	0.0
6/15/18 22:00	0.1	6/15/19 22:00	0.1	6/14/20 22:00	0.0
6/15/18 23:00	0.1	6/15/19 23:00	0.1	6/14/20 23:00	0.0
6/16/18 0:00	0.1	6/16/19 0:00	0.1	6/15/20 0:00	0.0
6/16/18 1:00	0.1	6/16/19 1:00	0.1	6/15/20 1:00	0.0
6/16/18 2:00	0.1	6/16/19 2:00	0.1	6/15/20 2:00	0.0
6/16/18 3:00	0.1	6/16/19 3:00	0.1	6/15/20 3:00	0.0
6/16/18 4:00	0.1	6/16/19 4:00	0.2	6/15/20 4:00	0.0
6/16/18 5:00	0.1	6/16/19 5:00	0.2	6/15/20 5:00	0.0
6/16/18 6:00	0.1	6/16/19 6:00	0.2	6/15/20 6:00	0.0
6/16/18 7:00	0.1	6/16/19 7:00	0.2	6/15/20 7:00	0.0
6/16/18 8:00	0.2	6/16/19 8:00	0.1	6/15/20 8:00	0.0
6/16/18 9:00	0.1	6/16/19 9:00	0.1	6/15/20 9:00	0.0
6/16/18 10:00	0.1	6/16/19 10:00	0.1	6/15/20 10:00	0.0
6/16/18 11:00	0.1	6/16/19 11:00	0.1	6/15/20 11:00	0.0
6/16/18 12:00	0.2	6/16/19 12:00	0.2	6/15/20 12:00	0.0
6/16/18 13:00	0.2	6/16/19 13:00	0.2	6/15/20 13:00	0.0
6/16/18 14:00	0.2	6/16/19 14:00	0.2	6/15/20 14:00	0.0
6/16/18 15:00	0.2	6/16/19 15:00	0.2	6/15/20 15:00	0.0
6/16/18 16:00	0.2	6/16/19 16:00	0.3	6/15/20 16:00	0.0
6/16/18 17:00	0.2	6/16/19 17:00	0.2	6/15/20 17:00	0.0
6/16/18 18:00	0.2	6/16/19 18:00	0.2	6/15/20 18:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
6/16/18 19:00	0.2	6/16/19 19:00	0.2	6/15/20 19:00	0.0
6/16/18 20:00	0.2	6/16/19 20:00	0.2	6/15/20 20:00	0.0
6/16/18 21:00	0.1	6/16/19 21:00	1.1	6/15/20 21:00	0.0
6/16/18 22:00	0.1	6/16/19 22:00	0.3	6/15/20 22:00	0.0
6/16/18 23:00	0.1	6/16/19 23:00	0.2	6/15/20 23:00	0.0
6/17/18 0:00	0.1	6/17/19 0:00	0.2	6/16/20 0:00	0.0
6/17/18 1:00	0.1	6/17/19 1:00	1.1	6/16/20 1:00	0.0
6/17/18 2:00	0.1	6/17/19 2:00	0.7	6/16/20 2:00	0.0
6/17/18 3:00	0.1	6/17/19 3:00	0.3	6/16/20 3:00	0.0
6/17/18 4:00	0.2	6/17/19 4:00	0.3	6/16/20 4:00	0.0
6/17/18 5:00	0.2	6/17/19 5:00	0.2	6/16/20 5:00	0.0
6/17/18 6:00	0.1	6/17/19 6:00	0.2	6/16/20 6:00	0.0
6/17/18 7:00	0.2	6/17/19 7:00	0.1	6/16/20 7:00	0.0
6/17/18 8:00	0.1	6/17/19 8:00	0.2	6/16/20 8:00	0.0
6/17/18 9:00	0.1	6/17/19 9:00	0.1	6/16/20 9:00	0.0
6/17/18 10:00	0.2	6/17/19 10:00	0.1	6/16/20 10:00	0.0
6/17/18 11:00	0.2	6/17/19 11:00	0.1	6/16/20 11:00	0.0
6/17/18 12:00	0.3	6/17/19 12:00	0.1	6/16/20 12:00	0.0
6/17/18 13:00	0.1	6/17/19 13:00	0.2	6/16/20 13:00	0.0
6/17/18 14:00	0.1	6/17/19 14:00	0.2	6/16/20 14:00	0.0
6/17/18 15:00	0.1	6/17/19 15:00	0.4	6/16/20 15:00	0.0
6/17/18 16:00	0.1	6/17/19 16:00	0.2	6/16/20 16:00	0.0
6/17/18 17:00	0.1	6/17/19 17:00	0.1	6/16/20 17:00	0.0
6/17/18 18:00	0.1	6/17/19 18:00	0.1	6/16/20 18:00	0.0
6/17/18 19:00	0.1	6/17/19 19:00	0.2	6/16/20 19:00	0.0
6/17/18 20:00	0.1	6/17/19 20:00	0.1	6/16/20 20:00	0.0
6/17/18 21:00	0.1	6/17/19 21:00	0.1	6/16/20 21:00	0.0
6/17/18 22:00	0.1	6/17/19 22:00	0.2	6/16/20 22:00	0.0
6/17/18 23:00	0.1	6/17/19 23:00	0.2	6/16/20 23:00	0.0
6/18/18 0:00	0.1	6/18/19 0:00	0.2	6/17/20 0:00	0.0
6/18/18 1:00	0.1	6/18/19 1:00	0.2	6/17/20 1:00	0.0
6/18/18 2:00	0.1	6/18/19 2:00	0.2	6/17/20 2:00	0.0
6/18/18 3:00	0.1	6/18/19 3:00	0.1	6/17/20 3:00	0.0
6/18/18 4:00	0.2	6/18/19 4:00	0.1	6/17/20 4:00	0.0
6/18/18 5:00	0.1	6/18/19 5:00	0.1	6/17/20 5:00	0.0
6/18/18 6:00	0.1	6/18/19 6:00	0.1	6/17/20 6:00	0.0
6/18/18 7:00	0.1	6/18/19 7:00	0.1	6/17/20 7:00	0.0
6/18/18 8:00	0.1	6/18/19 8:00	0.2	6/17/20 8:00	0.0
6/18/18 9:00	0.1	6/18/19 9:00	0.2	6/17/20 9:00	0.0
6/18/18 10:00	0.1	6/18/19 10:00	0.2	6/17/20 10:00	0.0
6/18/18 11:00	0.1	6/18/19 11:00	0.3	6/17/20 11:00	0.0
6/18/18 12:00	0.1	6/18/19 12:00	0.1	6/17/20 12:00	0.0
6/18/18 13:00	0.1	6/18/19 13:00	0.1	6/17/20 13:00	0.0
6/18/18 14:00	0.1	6/18/19 14:00	0.2	6/17/20 14:00	0.0
6/18/18 15:00	0.1	6/18/19 15:00	0.2	6/17/20 15:00	0.0
6/18/18 16:00	0.1	6/18/19 16:00	0.2	6/17/20 16:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
6/18/18 17:00	0.1	6/18/19 17:00	0.2	6/17/20 17:00	0.0
6/18/18 18:00	0.2	6/18/19 18:00	0.1	6/17/20 18:00	0.0
6/18/18 19:00	0.1	6/18/19 19:00	0.1	6/17/20 19:00	0.0
6/18/18 20:00	0.1	6/18/19 20:00	0.1	6/17/20 20:00	0.0
6/18/18 21:00	0.1	6/18/19 21:00	0.1	6/17/20 21:00	0.0
6/18/18 22:00	0.1	6/18/19 22:00	0.1	6/17/20 22:00	0.0
6/18/18 23:00	0.1	6/18/19 23:00	0.2	6/17/20 23:00	0.0
6/19/18 0:00	0.1	6/19/19 0:00	0.2	6/18/20 0:00	0.0
6/19/18 1:00	0.1	6/19/19 1:00	0.2	6/18/20 1:00	0.0
6/19/18 2:00	0.1	6/19/19 2:00	0.2	6/18/20 2:00	0.0
6/19/18 3:00	0.1	6/19/19 3:00	0.2	6/18/20 3:00	0.0
6/19/18 4:00	0.1	6/19/19 4:00	0.2	6/18/20 4:00	0.0
6/19/18 5:00	0.2	6/19/19 5:00	0.2	6/18/20 5:00	0.0
6/19/18 6:00	0.2	6/19/19 6:00	0.1	6/18/20 6:00	0.0
6/19/18 7:00	0.2	6/19/19 7:00	0.2	6/18/20 7:00	0.0
6/19/18 8:00	0.1	6/19/19 8:00	0.2	6/18/20 8:00	0.0
6/19/18 9:00	0.3	6/19/19 9:00	0.2	6/18/20 9:00	0.0
6/19/18 10:00	0.2	6/19/19 10:00	0.1	6/18/20 10:00	0.0
6/19/18 11:00	0.2	6/19/19 11:00	0.2	6/18/20 11:00	0.0
6/19/18 12:00	0.3	6/19/19 12:00	0.2	6/18/20 12:00	0.0
6/19/18 13:00	0.2	6/19/19 13:00	0.2	6/18/20 13:00	0.0
6/19/18 14:00	0.2	6/19/19 14:00	0.2	6/18/20 14:00	0.0
6/19/18 15:00	0.3	6/19/19 15:00	0.1	6/18/20 15:00	0.0
6/19/18 16:00	0.2	6/19/19 16:00	0.1	6/18/20 16:00	0.0
6/19/18 17:00	0.1	6/19/19 17:00	0.1	6/18/20 17:00	0.0
6/19/18 18:00	0.1	6/19/19 18:00	0.1	6/18/20 18:00	0.0
6/19/18 19:00	0.1	6/19/19 19:00	0.1	6/18/20 19:00	0.0
6/19/18 20:00	0.1	6/19/19 20:00	0.1	6/18/20 20:00	0.0
6/19/18 21:00	0.2	6/19/19 21:00	0.1	6/18/20 21:00	0.0
6/19/18 22:00	0.2	6/19/19 22:00	0.1	6/18/20 22:00	0.0
6/19/18 23:00	0.2	6/19/19 23:00	0.2	6/18/20 23:00	0.0
6/20/18 0:00	0.2	6/20/19 0:00	0.1	6/19/20 0:00	0.0
6/20/18 1:00	0.2	6/20/19 1:00	0.1	6/19/20 1:00	0.0
6/20/18 2:00	0.2	6/20/19 2:00	0.1	6/19/20 2:00	0.0
6/20/18 3:00	0.2	6/20/19 3:00	0.2	6/19/20 3:00	0.0
6/20/18 4:00	0.1	6/20/19 4:00	0.1	6/19/20 4:00	0.0
6/20/18 5:00	0.1	6/20/19 5:00	0.1	6/19/20 5:00	0.0
6/20/18 6:00	0.1	6/20/19 6:00	0.1	6/19/20 6:00	0.0
6/20/18 7:00	0.1	6/20/19 7:00	0.1	6/19/20 7:00	0.0
6/20/18 8:00	0.2	6/20/19 8:00	0.2	6/19/20 8:00	0.0
6/20/18 9:00	0.2	6/20/19 9:00	0.2	6/19/20 9:00	0.0
6/20/18 10:00	0.2	6/20/19 10:00	0.2	6/19/20 10:00	0.0
6/20/18 11:00	0.2	6/20/19 11:00	0.1	6/19/20 11:00	0.0
6/20/18 12:00	0.2	6/20/19 12:00	0.2	6/19/20 12:00	0.0
6/20/18 13:00	0.3	6/20/19 13:00	0.2	6/19/20 13:00	0.0
6/20/18 14:00	0.3	6/20/19 14:00	0.2	6/19/20 14:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
6/20/18 15:00	0.3	6/20/19 15:00	0.1	6/19/20 15:00	0.0
6/20/18 16:00	0.1	6/20/19 16:00	0.2	6/19/20 16:00	0.0
6/20/18 17:00	0.1	6/20/19 17:00	0.2	6/19/20 17:00	0.0
6/20/18 18:00	0.1	6/20/19 18:00	0.2	6/19/20 18:00	0.0
6/20/18 19:00	0.1	6/20/19 19:00	0.1	6/19/20 19:00	0.0
6/20/18 20:00	0.3	6/20/19 20:00	0.2	6/19/20 20:00	0.0
6/20/18 21:00	0.3	6/20/19 21:00	0.2	6/19/20 21:00	0.0
6/20/18 22:00	0.2	6/20/19 22:00	0.3	6/19/20 22:00	0.0
6/20/18 23:00	0.2	6/20/19 23:00	0.2	6/19/20 23:00	0.0
6/21/18 0:00	0.2	6/21/19 0:00	0.2	6/20/20 0:00	0.0
6/21/18 1:00	0.2	6/21/19 1:00	0.1	6/20/20 1:00	0.0
6/21/18 2:00	0.2	6/21/19 2:00	0.1	6/20/20 2:00	0.0
6/21/18 3:00	0.2	6/21/19 3:00	0.1	6/20/20 3:00	0.0
6/21/18 4:00	0.2	6/21/19 4:00	0.2	6/20/20 4:00	0.0
6/21/18 5:00	0.2	6/21/19 5:00	0.1	6/20/20 5:00	0.0
6/21/18 6:00	0.3	6/21/19 6:00	0.1	6/20/20 6:00	0.0
6/21/18 7:00	0.4	6/21/19 7:00	0.2	6/20/20 7:00	0.0
6/21/18 8:00	0.3	6/21/19 8:00	0.2	6/20/20 8:00	0.0
6/21/18 9:00	0.4	6/21/19 9:00	0.1	6/20/20 9:00	0.0
6/21/18 10:00	0.6	6/21/19 10:00	0.2	6/20/20 10:00	0.0
6/21/18 11:00	0.3	6/21/19 11:00	0.2	6/20/20 11:00	0.0
6/21/18 12:00	0.3	6/21/19 12:00	0.2	6/20/20 12:00	0.0
6/21/18 13:00	0.2	6/21/19 13:00	0.3	6/20/20 13:00	0.0
6/21/18 14:00	0.2	6/21/19 14:00	0.3	6/20/20 14:00	0.0
6/21/18 15:00	0.3	6/21/19 15:00	0.3	6/20/20 15:00	0.0
6/21/18 16:00	0.3	6/21/19 16:00	0.3	6/20/20 16:00	0.0
6/21/18 17:00	0.3	6/21/19 17:00	0.2	6/20/20 17:00	0.0
6/21/18 18:00	0.3	6/21/19 18:00	0.1	6/20/20 18:00	0.0
6/21/18 19:00	0.3	6/21/19 19:00	0.1	6/20/20 19:00	0.0
6/21/18 20:00	0.3	6/21/19 20:00	0.2	6/20/20 20:00	0.0
6/21/18 21:00	0.3	6/21/19 21:00	0.2	6/20/20 21:00	0.0
6/21/18 22:00	0.7	6/21/19 22:00	0.1	6/20/20 22:00	0.0
6/21/18 23:00	0.2	6/21/19 23:00	0.1	6/20/20 23:00	0.0
6/22/18 0:00	0.2	6/22/19 0:00	0.1	6/21/20 0:00	0.0
6/22/18 1:00	0.1	6/22/19 1:00	0.2	6/21/20 1:00	0.0
6/22/18 2:00	0.1	6/22/19 2:00	0.3	6/21/20 2:00	0.0
6/22/18 3:00	0.1	6/22/19 3:00	0.2	6/21/20 3:00	0.0
6/22/18 4:00	0.1	6/22/19 4:00	0.2	6/21/20 4:00	0.0
6/22/18 5:00	0.1	6/22/19 5:00	0.2	6/21/20 5:00	0.0
6/22/18 6:00	0.2	6/22/19 6:00	0.2	6/21/20 6:00	0.0
6/22/18 7:00	0.2	6/22/19 7:00	0.4	6/21/20 7:00	0.0
6/22/18 8:00	0.2	6/22/19 8:00	0.2	6/21/20 8:00	0.0
6/22/18 9:00	0.2	6/22/19 9:00	0.2	6/21/20 9:00	0.0
6/22/18 10:00	0.1	6/22/19 10:00	0.2	6/21/20 10:00	0.0
6/22/18 11:00	0.2	6/22/19 11:00	0.1	6/21/20 11:00	0.0
6/22/18 12:00	0.1	6/22/19 12:00	0.1	6/21/20 12:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
6/22/18 13:00	0.1	6/22/19 13:00	0.2	6/21/20 13:00	0.0
6/22/18 14:00	0.1	6/22/19 14:00	0.2	6/21/20 14:00	0.0
6/22/18 15:00	0.1	6/22/19 15:00	0.1	6/21/20 15:00	0.0
6/22/18 16:00	0.1	6/22/19 16:00	0.2	6/21/20 16:00	0.0
6/22/18 17:00	0.2	6/22/19 17:00	0.2	6/21/20 17:00	0.0
6/22/18 18:00	0.1	6/22/19 18:00	0.2	6/21/20 18:00	0.0
6/22/18 19:00	0.2	6/22/19 19:00	0.2	6/21/20 19:00	0.0
6/22/18 20:00	0.2	6/22/19 20:00	0.1	6/21/20 20:00	0.0
6/22/18 21:00	0.2	6/22/19 21:00	0.2	6/21/20 21:00	0.0
6/22/18 22:00	0.2	6/22/19 22:00	0.1	6/21/20 22:00	0.0
6/22/18 23:00	0.2	6/22/19 23:00	0.2	6/21/20 23:00	0.0
6/23/18 0:00	0.2	6/23/19 0:00	0.2	6/22/20 0:00	0.0
6/23/18 1:00	0.2	6/23/19 1:00	0.2	6/22/20 1:00	0.0
6/23/18 2:00	0.0	6/23/19 2:00	0.1	6/22/20 2:00	0.0
6/23/18 3:00	0.1	6/23/19 3:00	0.1	6/22/20 3:00	0.0
6/23/18 4:00	0.1	6/23/19 4:00	0.2	6/22/20 4:00	0.0
6/23/18 5:00	0.1	6/23/19 5:00	0.1	6/22/20 5:00	0.0
6/23/18 6:00	0.1	6/23/19 6:00	0.2	6/22/20 6:00	0.0
6/23/18 7:00	0.1	6/23/19 7:00	0.2	6/22/20 7:00	0.0
6/23/18 8:00	0.1	6/23/19 8:00	0.2	6/22/20 8:00	0.0
6/23/18 9:00	0.2	6/23/19 9:00	0.2	6/22/20 9:00	0.0
6/23/18 10:00	0.0	6/23/19 10:00	0.2	6/22/20 10:00	0.0
6/23/18 11:00	0.1	6/23/19 11:00	0.2	6/22/20 11:00	0.0
6/23/18 12:00	0.1	6/23/19 12:00	0.2	6/22/20 12:00	0.0
6/23/18 13:00	0.2	6/23/19 13:00	0.2	6/22/20 13:00	0.0
6/23/18 14:00	0.2	6/23/19 14:00	0.1	6/22/20 14:00	0.0
6/23/18 15:00	0.2	6/23/19 15:00	0.1	6/22/20 15:00	0.0
6/23/18 16:00	0.2	6/23/19 16:00	0.1	6/22/20 16:00	0.0
6/23/18 17:00	0.1	6/23/19 17:00	0.1	6/22/20 17:00	0.0
6/23/18 18:00	0.2	6/23/19 18:00	0.1	6/22/20 18:00	0.0
6/23/18 19:00	0.2	6/23/19 19:00	0.2	6/22/20 19:00	0.0
6/23/18 20:00	0.2	6/23/19 20:00	0.2	6/22/20 20:00	0.0
6/23/18 21:00	0.2	6/23/19 21:00	0.2	6/22/20 21:00	0.0
6/23/18 22:00	0.2	6/23/19 22:00	0.1	6/22/20 22:00	0.0
6/23/18 23:00	0.2	6/23/19 23:00	0.2	6/22/20 23:00	0.0
6/24/18 0:00	0.2	6/24/19 0:00	0.2	6/23/20 0:00	0.0
6/24/18 1:00	0.2	6/24/19 1:00	0.2	6/23/20 1:00	0.0
6/24/18 2:00	0.1	6/24/19 2:00	0.1	6/23/20 2:00	0.0
6/24/18 3:00	0.1	6/24/19 3:00	0.1	6/23/20 3:00	0.0
6/24/18 4:00	0.1	6/24/19 4:00	0.2	6/23/20 4:00	0.0
6/24/18 5:00	0.2	6/24/19 5:00	0.2	6/23/20 5:00	0.0
6/24/18 6:00	0.2	6/24/19 6:00	0.2	6/23/20 6:00	0.0
6/24/18 7:00	0.2	6/24/19 7:00	0.2	6/23/20 7:00	0.0
6/24/18 8:00	0.2	6/24/19 8:00	0.2	6/23/20 8:00	0.0
6/24/18 9:00	0.2	6/24/19 9:00	0.2	6/23/20 9:00	0.0
6/24/18 10:00	0.2	6/24/19 10:00	0.2	6/23/20 10:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
6/24/18 11:00	0.1	6/24/19 11:00	0.2	6/23/20 11:00	0.0
6/24/18 12:00	0.1	6/24/19 12:00	0.2	6/23/20 12:00	0.0
6/24/18 13:00	0.1	6/24/19 13:00	0.2	6/23/20 13:00	0.0
6/24/18 14:00	0.2	6/24/19 14:00	0.2	6/23/20 14:00	0.0
6/24/18 15:00	0.2	6/24/19 15:00	0.2	6/23/20 15:00	0.0
6/24/18 16:00	0.2	6/24/19 16:00	0.1	6/23/20 16:00	0.0
6/24/18 17:00	0.2	6/24/19 17:00	0.1	6/23/20 17:00	0.0
6/24/18 18:00	0.2	6/24/19 18:00	0.1	6/23/20 18:00	0.0
6/24/18 19:00	0.2	6/24/19 19:00	0.1	6/23/20 19:00	0.0
6/24/18 20:00	0.1	6/24/19 20:00	0.2	6/23/20 20:00	0.0
6/24/18 21:00	0.2	6/24/19 21:00	0.2	6/23/20 21:00	0.0
6/24/18 22:00	0.2	6/24/19 22:00	0.2	6/23/20 22:00	0.0
6/24/18 23:00	0.2	6/24/19 23:00	0.2	6/23/20 23:00	0.0
6/25/18 0:00	0.1	6/25/19 0:00	0.1	6/24/20 0:00	0.0
6/25/18 1:00	0.1	6/25/19 1:00	0.1	6/24/20 1:00	0.0
6/25/18 2:00	0.1	6/25/19 2:00	0.2	6/24/20 2:00	0.0
6/25/18 3:00	0.2	6/25/19 3:00	0.2	6/24/20 3:00	0.0
6/25/18 4:00	0.2	6/25/19 4:00	0.2	6/24/20 4:00	0.0
6/25/18 5:00	0.2	6/25/19 5:00	0.2	6/24/20 5:00	0.0
6/25/18 6:00	0.2	6/25/19 6:00	0.2	6/24/20 6:00	0.0
6/25/18 7:00	0.1	6/25/19 7:00	0.2	6/24/20 7:00	0.0
6/25/18 8:00	0.2	6/25/19 8:00	0.2	6/24/20 8:00	0.0
6/25/18 9:00	0.2	6/25/19 9:00	11.6	6/24/20 9:00	0.0
6/25/18 10:00	0.3	6/25/19 10:00	11.7	6/24/20 10:00	0.0
6/25/18 11:00	0.2	6/25/19 11:00	7.1	6/24/20 11:00	0.0
6/25/18 12:00	0.2	6/25/19 12:00	0.2	6/24/20 12:00	0.0
6/25/18 13:00	0.0	6/25/19 13:00	0.2	6/24/20 13:00	0.0
6/25/18 14:00	0.1	6/25/19 14:00	0.2	6/24/20 14:00	0.0
6/25/18 15:00	0.1	6/25/19 15:00	0.2	6/24/20 15:00	0.0
6/25/18 16:00	0.2	6/25/19 16:00	0.1	6/24/20 16:00	0.0
6/25/18 17:00	0.1	6/25/19 17:00	0.2	6/24/20 17:00	0.0
6/25/18 18:00	0.1	6/25/19 18:00	0.2	6/24/20 18:00	0.0
6/25/18 19:00	0.1	6/25/19 19:00	0.2	6/24/20 19:00	0.0
6/25/18 20:00	0.1	6/25/19 20:00	0.2	6/24/20 20:00	0.0
6/25/18 21:00	0.1	6/25/19 21:00	0.2	6/24/20 21:00	0.0
6/25/18 22:00	0.2	6/25/19 22:00	0.2	6/24/20 22:00	0.0
6/25/18 23:00	0.2	6/25/19 23:00	0.1	6/24/20 23:00	0.0
6/26/18 0:00	0.2	6/26/19 0:00	0.1	6/25/20 0:00	0.0
6/26/18 1:00	0.2	6/26/19 1:00	0.1	6/25/20 1:00	0.0
6/26/18 2:00	0.2	6/26/19 2:00	0.1	6/25/20 2:00	0.0
6/26/18 3:00	0.2	6/26/19 3:00	0.2	6/25/20 3:00	0.0
6/26/18 4:00	0.2	6/26/19 4:00	0.2	6/25/20 4:00	0.0
6/26/18 5:00	0.1	6/26/19 5:00	0.1	6/25/20 5:00	0.0
6/26/18 6:00	0.1	6/26/19 6:00	0.2	6/25/20 6:00	0.0
6/26/18 7:00	0.1	6/26/19 7:00	0.2	6/25/20 7:00	0.0
6/26/18 8:00	0.1	6/26/19 8:00	0.2	6/25/20 8:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
6/26/18 9:00	0.2	6/26/19 9:00	0.2	6/25/20 9:00	0.0
6/26/18 10:00	0.2	6/26/19 10:00	0.2	6/25/20 10:00	0.0
6/26/18 11:00	0.3	6/26/19 11:00	0.2	6/25/20 11:00	0.0
6/26/18 12:00	0.3	6/26/19 12:00	0.2	6/25/20 12:00	0.0
6/26/18 13:00	0.3	6/26/19 13:00	0.2	6/25/20 13:00	0.0
6/26/18 14:00	0.2	6/26/19 14:00	0.2	6/25/20 14:00	0.0
6/26/18 15:00	0.3	6/26/19 15:00	0.2	6/25/20 15:00	0.0
6/26/18 16:00	0.2	6/26/19 16:00	0.2	6/25/20 16:00	0.0
6/26/18 17:00	0.2	6/26/19 17:00	0.1	6/25/20 17:00	0.0
6/26/18 18:00	0.2	6/26/19 18:00	0.2	6/25/20 18:00	0.0
6/26/18 19:00	0.2	6/26/19 19:00	0.3	6/25/20 19:00	0.0
6/26/18 20:00	0.2	6/26/19 20:00	0.3	6/25/20 20:00	0.0
6/26/18 21:00	0.2	6/26/19 21:00	0.2	6/25/20 21:00	0.0
6/26/18 22:00	0.2	6/26/19 22:00	0.1	6/25/20 22:00	0.0
6/26/18 23:00	0.1	6/26/19 23:00	0.2	6/25/20 23:00	0.0
6/27/18 0:00	0.1	6/27/19 0:00	0.2	6/26/20 0:00	0.0
6/27/18 1:00	0.1	6/27/19 1:00	0.2	6/26/20 1:00	0.0
6/27/18 2:00	0.2	6/27/19 2:00	0.2	6/26/20 2:00	0.0
6/27/18 3:00	0.1	6/27/19 3:00	0.2	6/26/20 3:00	0.0
6/27/18 4:00	0.2	6/27/19 4:00	0.2	6/26/20 4:00	0.0
6/27/18 5:00	0.2	6/27/19 5:00	0.2	6/26/20 5:00	0.0
6/27/18 6:00	0.1	6/27/19 6:00	0.2	6/26/20 6:00	0.0
6/27/18 7:00	0.1	6/27/19 7:00	0.1	6/26/20 7:00	0.0
6/27/18 8:00	0.2	6/27/19 8:00	0.1	6/26/20 8:00	0.0
6/27/18 9:00	0.2	6/27/19 9:00	0.1	6/26/20 9:00	0.0
6/27/18 10:00	0.2	6/27/19 10:00	0.2	6/26/20 10:00	0.0
6/27/18 11:00	0.1	6/27/19 11:00	0.2	6/26/20 11:00	0.0
6/27/18 12:00	0.1	6/27/19 12:00	0.2	6/26/20 12:00	0.0
6/27/18 13:00	0.1	6/27/19 13:00	0.2	6/26/20 13:00	0.0
6/27/18 14:00	0.1	6/27/19 14:00	0.2	6/26/20 14:00	0.0
6/27/18 15:00	0.1	6/27/19 15:00	0.2	6/26/20 15:00	0.0
6/27/18 16:00	0.1	6/27/19 16:00	0.2	6/26/20 16:00	0.0
6/27/18 17:00	0.1	6/27/19 17:00	0.2	6/26/20 17:00	0.0
6/27/18 18:00	0.1	6/27/19 18:00	0.1	6/26/20 18:00	0.0
6/27/18 19:00	0.1	6/27/19 19:00	0.2	6/26/20 19:00	0.0
6/27/18 20:00	0.1	6/27/19 20:00	0.2	6/26/20 20:00	0.0
6/27/18 21:00	0.2	6/27/19 21:00	0.2	6/26/20 21:00	0.0
6/27/18 22:00	0.2	6/27/19 22:00	0.2	6/26/20 22:00	0.0
6/27/18 23:00	0.2	6/27/19 23:00	0.2	6/26/20 23:00	0.0
6/28/18 0:00	0.2	6/28/19 0:00	0.2	6/27/20 0:00	0.0
6/28/18 1:00	0.2	6/28/19 1:00	0.2	6/27/20 1:00	0.0
6/28/18 2:00	0.2	6/28/19 2:00	0.1	6/27/20 2:00	0.0
6/28/18 3:00	0.1	6/28/19 3:00	0.2	6/27/20 3:00	0.0
6/28/18 4:00	0.1	6/28/19 4:00	0.3	6/27/20 4:00	0.0
6/28/18 5:00	0.1	6/28/19 5:00	0.3	6/27/20 5:00	0.0
6/28/18 6:00	0.2	6/28/19 6:00	0.3	6/27/20 6:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
6/28/18 7:00	0.1	6/28/19 7:00	0.3	6/27/20 7:00	0.0
6/28/18 8:00	0.2	6/28/19 8:00	0.3	6/27/20 8:00	0.0
6/28/18 9:00	0.1	6/28/19 9:00	0.2	6/27/20 9:00	0.0
6/28/18 10:00	0.1	6/28/19 10:00	0.3	6/27/20 10:00	0.0
6/28/18 11:00	0.1	6/28/19 11:00	0.3	6/27/20 11:00	0.0
6/28/18 12:00	0.1	6/28/19 12:00	0.3	6/27/20 12:00	0.0
6/28/18 13:00	0.1	6/28/19 13:00	0.3	6/27/20 13:00	0.0
6/28/18 14:00	0.1	6/28/19 14:00	0.3	6/27/20 14:00	0.0
6/28/18 15:00	0.1	6/28/19 15:00	0.1	6/27/20 15:00	0.0
6/28/18 16:00	0.1	6/28/19 16:00	0.2	6/27/20 16:00	0.0
6/28/18 17:00	0.1	6/28/19 17:00	0.1	6/27/20 17:00	0.0
6/28/18 18:00	0.1	6/28/19 18:00	0.2	6/27/20 18:00	0.0
6/28/18 19:00	0.2	6/28/19 19:00	0.3	6/27/20 19:00	0.0
6/28/18 20:00	0.2	6/28/19 20:00	0.3	6/27/20 20:00	0.0
6/28/18 21:00	0.2	6/28/19 21:00	0.2	6/27/20 21:00	0.0
6/28/18 22:00	0.2	6/28/19 22:00	0.2	6/27/20 22:00	0.0
6/28/18 23:00	0.2	6/28/19 23:00	0.3	6/27/20 23:00	0.0
6/29/18 0:00	0.2	6/29/19 0:00	0.3	6/28/20 0:00	0.0
6/29/18 1:00	0.1	6/29/19 1:00	0.3	6/28/20 1:00	0.0
6/29/18 2:00	0.1	6/29/19 2:00	0.3	6/28/20 2:00	0.0
6/29/18 3:00	0.1	6/29/19 3:00	0.3	6/28/20 3:00	0.0
6/29/18 4:00	0.1	6/29/19 4:00	0.3	6/28/20 4:00	0.0
6/29/18 5:00	0.1	6/29/19 5:00	0.3	6/28/20 5:00	0.0
6/29/18 6:00	0.1	6/29/19 6:00	0.2	6/28/20 6:00	0.0
6/29/18 7:00	0.1	6/29/19 7:00	0.2	6/28/20 7:00	0.0
6/29/18 8:00	0.1	6/29/19 8:00	0.3	6/28/20 8:00	0.0
6/29/18 9:00	0.1	6/29/19 9:00	0.3	6/28/20 9:00	0.0
6/29/18 10:00	0.2	6/29/19 10:00	0.1	6/28/20 10:00	0.0
6/29/18 11:00	0.1	6/29/19 11:00	0.3	6/28/20 11:00	0.0
6/29/18 12:00	0.1	6/29/19 12:00	0.3	6/28/20 12:00	0.0
6/29/18 13:00	0.1	6/29/19 13:00	0.3	6/28/20 13:00	0.0
6/29/18 14:00	0.2	6/29/19 14:00	0.3	6/28/20 14:00	0.0
6/29/18 15:00	0.2	6/29/19 15:00	0.3	6/28/20 15:00	0.0
6/29/18 16:00	0.2	6/29/19 16:00	0.2	6/28/20 16:00	0.0
6/29/18 17:00	0.2	6/29/19 17:00	0.3	6/28/20 17:00	0.0
6/29/18 18:00	0.1	6/29/19 18:00	0.3	6/28/20 18:00	0.0
6/29/18 19:00	0.1	6/29/19 19:00	0.3	6/28/20 19:00	0.0
6/29/18 20:00	0.1	6/29/19 20:00	0.3	6/28/20 20:00	0.0
6/29/18 21:00	0.2	6/29/19 21:00	0.2	6/28/20 21:00	0.0
6/29/18 22:00	0.2	6/29/19 22:00	0.3	6/28/20 22:00	0.0
6/29/18 23:00	0.2	6/29/19 23:00	0.3	6/28/20 23:00	0.0
6/30/18 0:00	0.2	6/30/19 0:00	0.2	6/29/20 0:00	0.0
6/30/18 1:00	0.2	6/30/19 1:00	0.2	6/29/20 1:00	0.0
6/30/18 2:00	0.2	6/30/19 2:00	0.2	6/29/20 2:00	0.0
6/30/18 3:00	0.2	6/30/19 3:00	0.2	6/29/20 3:00	0.0
6/30/18 4:00	0.2	6/30/19 4:00	0.2	6/29/20 4:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
6/30/18 5:00	0.2	6/30/19 5:00	0.2	6/29/20 5:00	0.0
6/30/18 6:00	0.3	6/30/19 6:00	0.1	6/29/20 6:00	0.0
6/30/18 7:00	0.3	6/30/19 7:00	0.1	6/29/20 7:00	0.0
6/30/18 8:00	0.3	6/30/19 8:00	0.2	6/29/20 8:00	0.0
6/30/18 9:00	0.3	6/30/19 9:00	0.1	6/29/20 9:00	0.0
6/30/18 10:00	0.2	6/30/19 10:00	0.2	6/29/20 10:00	0.0
6/30/18 11:00	0.1	6/30/19 11:00	0.3	6/29/20 11:00	0.0
6/30/18 12:00	0.1	6/30/19 12:00	0.3	6/29/20 12:00	0.0
6/30/18 13:00	0.1	6/30/19 13:00	0.3	6/29/20 13:00	0.0
6/30/18 14:00	0.1	6/30/19 14:00	0.2	6/29/20 14:00	0.0
6/30/18 15:00	0.2	6/30/19 15:00	0.1	6/29/20 15:00	0.0
6/30/18 16:00	0.2	6/30/19 16:00	0.1	6/29/20 16:00	0.0
6/30/18 17:00	0.2	6/30/19 17:00	0.1	6/29/20 17:00	0.0
6/30/18 18:00	0.2	6/30/19 18:00	0.1	6/29/20 18:00	0.0
6/30/18 19:00	0.6	6/30/19 19:00	0.2	6/29/20 19:00	0.0
6/30/18 20:00	0.4	6/30/19 20:00	0.2	6/29/20 20:00	0.0
6/30/18 21:00	0.4	6/30/19 21:00	0.2	6/29/20 21:00	0.0
6/30/18 22:00	0.4	6/30/19 22:00	0.2	6/29/20 22:00	0.0
6/30/18 23:00	0.4	6/30/19 23:00	0.3	6/29/20 23:00	0.0
7/1/18 0:00	0.4	7/1/19 0:00	0.2	6/30/20 0:00	0.0
7/1/18 1:00	0.1	7/1/19 1:00	0.2	6/30/20 1:00	0.0
7/1/18 2:00	0.1	7/1/19 2:00	0.2	6/30/20 2:00	0.0
7/1/18 3:00	0.1	7/1/19 3:00	0.2	6/30/20 3:00	0.0
7/1/18 4:00	0.2	7/1/19 4:00	0.2	6/30/20 4:00	0.0
7/1/18 5:00	0.2	7/1/19 5:00	0.1	6/30/20 5:00	0.0
7/1/18 6:00	0.2	7/1/19 6:00	0.1	6/30/20 6:00	0.0
7/1/18 7:00	0.2	7/1/19 7:00	0.1	6/30/20 7:00	0.0
7/1/18 8:00	0.2	7/1/19 8:00	0.1	6/30/20 8:00	0.0
7/1/18 9:00	0.2	7/1/19 9:00	0.1	6/30/20 9:00	0.0
7/1/18 10:00	0.2	7/1/19 10:00	0.2	6/30/20 10:00	0.0
7/1/18 11:00	0.3	7/1/19 11:00	0.1	6/30/20 11:00	0.0
7/1/18 12:00	0.2	7/1/19 12:00	0.1	6/30/20 12:00	0.0
7/1/18 13:00	0.2	7/1/19 13:00	0.2	6/30/20 13:00	0.0
7/1/18 14:00	0.1	7/1/19 14:00	0.2	6/30/20 14:00	0.0
7/1/18 15:00	0.1	7/1/19 15:00	0.1	6/30/20 15:00	0.0
7/1/18 16:00	0.1	7/1/19 16:00	0.1	6/30/20 16:00	0.0
7/1/18 17:00	0.1	7/1/19 17:00	0.2	6/30/20 17:00	0.0
7/1/18 18:00	0.2	7/1/19 18:00	0.2	6/30/20 18:00	0.0
7/1/18 19:00	0.2	7/1/19 19:00	0.2	6/30/20 19:00	0.0
7/1/18 20:00	0.2	7/1/19 20:00	0.1	6/30/20 20:00	0.0
7/1/18 21:00	0.2	7/1/19 21:00	0.1	6/30/20 21:00	0.0
7/1/18 22:00	0.2	7/1/19 22:00	0.2	6/30/20 22:00	0.0
7/1/18 23:00	0.2	7/1/19 23:00	0.1	6/30/20 23:00	0.0
7/2/18 0:00	0.2	7/2/19 0:00	0.1	7/1/20 0:00	0.0
7/2/18 1:00	0.1	7/2/19 1:00	0.1	7/1/20 1:00	0.0
7/2/18 2:00	0.2	7/2/19 2:00	0.1	7/1/20 2:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
7/2/18 3:00	0.1	7/2/19 3:00	0.1	7/1/20 3:00	0.0
7/2/18 4:00	0.1	7/2/19 4:00	0.1	7/1/20 4:00	0.0
7/2/18 5:00	0.1	7/2/19 5:00	0.2	7/1/20 5:00	0.0
7/2/18 6:00	0.1	7/2/19 6:00	0.1	7/1/20 6:00	0.0
7/2/18 7:00	0.1	7/2/19 7:00	0.1	7/1/20 7:00	0.0
7/2/18 8:00	0.2	7/2/19 8:00	0.2	7/1/20 8:00	0.0
7/2/18 9:00	0.1	7/2/19 9:00	0.2	7/1/20 9:00	0.0
7/2/18 10:00	0.1	7/2/19 10:00	0.1	7/1/20 10:00	0.0
7/2/18 11:00	0.2	7/2/19 11:00	0.1	7/1/20 11:00	0.0
7/2/18 12:00	0.1	7/2/19 12:00	0.1	7/1/20 12:00	0.0
7/2/18 13:00	0.1	7/2/19 13:00	0.1	7/1/20 13:00	0.0
7/2/18 14:00	0.1	7/2/19 14:00	0.1	7/1/20 14:00	0.0
7/2/18 15:00	0.2	7/2/19 15:00	0.2	7/1/20 15:00	0.0
7/2/18 16:00	0.2	7/2/19 16:00	0.1	7/1/20 16:00	0.0
7/2/18 17:00	0.2	7/2/19 17:00	0.2	7/1/20 17:00	0.0
7/2/18 18:00	0.2	7/2/19 18:00	0.2	7/1/20 18:00	0.0
7/2/18 19:00	0.1	7/2/19 19:00	0.2	7/1/20 19:00	0.0
7/2/18 20:00	0.1	7/2/19 20:00	0.2	7/1/20 20:00	0.0
7/2/18 21:00	0.1	7/2/19 21:00	0.2	7/1/20 21:00	0.0
7/2/18 22:00	0.2	7/2/19 22:00	0.2	7/1/20 22:00	0.0
7/2/18 23:00	0.2	7/2/19 23:00	0.1	7/1/20 23:00	0.0
7/3/18 0:00	0.2	7/3/19 0:00	0.1	7/2/20 0:00	0.0
7/3/18 1:00	0.2	7/3/19 1:00	0.1	7/2/20 1:00	0.0
7/3/18 2:00	0.1	7/3/19 2:00	0.1	7/2/20 2:00	0.0
7/3/18 3:00	0.1	7/3/19 3:00	0.1	7/2/20 3:00	0.0
7/3/18 4:00	0.2	7/3/19 4:00	0.1	7/2/20 4:00	0.0
7/3/18 5:00	0.2	7/3/19 5:00	0.2	7/2/20 5:00	0.0
7/3/18 6:00	0.1	7/3/19 6:00	0.2	7/2/20 6:00	0.0
7/3/18 7:00	0.1	7/3/19 7:00	0.2	7/2/20 7:00	0.0
7/3/18 8:00	0.1	7/3/19 8:00	0.2	7/2/20 8:00	0.0
7/3/18 9:00	0.1	7/3/19 9:00	0.2	7/2/20 9:00	0.0
7/3/18 10:00	0.2	7/3/19 10:00	0.2	7/2/20 10:00	0.0
7/3/18 11:00	0.2	7/3/19 11:00	0.2	7/2/20 11:00	0.0
7/3/18 12:00	0.3	7/3/19 12:00	0.1	7/2/20 12:00	0.0
7/3/18 13:00	0.2	7/3/19 13:00	0.2	7/2/20 13:00	0.0
7/3/18 14:00	0.2	7/3/19 14:00	0.2	7/2/20 14:00	0.0
7/3/18 15:00	0.2	7/3/19 15:00	0.2	7/2/20 15:00	0.0
7/3/18 16:00	0.2	7/3/19 16:00	0.2	7/2/20 16:00	0.0
7/3/18 17:00	0.2	7/3/19 17:00	0.2	7/2/20 17:00	0.0
7/3/18 18:00	0.1	7/3/19 18:00	0.2	7/2/20 18:00	0.0
7/3/18 19:00	0.1	7/3/19 19:00	0.2	7/2/20 19:00	0.0
7/3/18 20:00	0.1	7/3/19 20:00	0.2	7/2/20 20:00	0.0
7/3/18 21:00	0.2	7/3/19 21:00	0.2	7/2/20 21:00	0.0
7/3/18 22:00	0.2	7/3/19 22:00	0.2	7/2/20 22:00	0.0
7/3/18 23:00	0.3	7/3/19 23:00	0.2	7/2/20 23:00	0.0
7/4/18 0:00	0.2	7/4/19 0:00	0.1	7/3/20 0:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
7/4/18 1:00	0.2	7/4/19 1:00	0.1	7/3/20 1:00	0.0
7/4/18 2:00	0.4	7/4/19 2:00	0.2	7/3/20 2:00	0.0
7/4/18 3:00	0.2	7/4/19 3:00	0.1	7/3/20 3:00	0.0
7/4/18 4:00	0.2	7/4/19 4:00	0.2	7/3/20 4:00	0.0
7/4/18 5:00	0.2	7/4/19 5:00	0.2	7/3/20 5:00	0.0
7/4/18 6:00	0.2	7/4/19 6:00	0.1	7/3/20 6:00	0.0
7/4/18 7:00	0.2	7/4/19 7:00	0.2	7/3/20 7:00	0.0
7/4/18 8:00	0.2	7/4/19 8:00	0.2	7/3/20 8:00	0.0
7/4/18 9:00	0.3	7/4/19 9:00	0.2	7/3/20 9:00	0.0
7/4/18 10:00	0.2	7/4/19 10:00	0.2	7/3/20 10:00	0.0
7/4/18 11:00	0.3	7/4/19 11:00	0.2	7/3/20 11:00	0.0
7/4/18 12:00	0.2	7/4/19 12:00	0.2	7/3/20 12:00	0.0
7/4/18 13:00	0.2	7/4/19 13:00	0.2	7/3/20 13:00	0.0
7/4/18 14:00	0.3	7/4/19 14:00	0.2	7/3/20 14:00	0.0
7/4/18 15:00	0.2	7/4/19 15:00	0.1	7/3/20 15:00	0.0
7/4/18 16:00	0.1	7/4/19 16:00	0.1	7/3/20 16:00	0.0
7/4/18 17:00	0.1	7/4/19 17:00	0.1	7/3/20 17:00	0.0
7/4/18 18:00	0.1	7/4/19 18:00	0.1	7/3/20 18:00	0.0
7/4/18 19:00	0.2	7/4/19 19:00	0.1	7/3/20 19:00	0.0
7/4/18 20:00	0.2	7/4/19 20:00	0.1	7/3/20 20:00	0.0
7/4/18 21:00	0.2	7/4/19 21:00	0.1	7/3/20 21:00	0.0
7/4/18 22:00	0.3	7/4/19 22:00	0.2	7/3/20 22:00	0.0
7/4/18 23:00	0.2	7/4/19 23:00	0.2	7/3/20 23:00	0.0
7/5/18 0:00	0.3	7/5/19 0:00	0.2	7/4/20 0:00	0.0
7/5/18 1:00	0.2	7/5/19 1:00	0.2	7/4/20 1:00	0.0
7/5/18 2:00	0.2	7/5/19 2:00	0.2	7/4/20 2:00	0.0
7/5/18 3:00	0.2	7/5/19 3:00	0.1	7/4/20 3:00	0.0
7/5/18 4:00	0.2	7/5/19 4:00	0.1	7/4/20 4:00	0.0
7/5/18 5:00	0.2	7/5/19 5:00	0.1	7/4/20 5:00	0.0
7/5/18 6:00	0.2	7/5/19 6:00	0.1	7/4/20 6:00	0.0
7/5/18 7:00	0.2	7/5/19 7:00	0.1	7/4/20 7:00	0.0
7/5/18 8:00	0.5	7/5/19 8:00	0.1	7/4/20 8:00	0.0
7/5/18 9:00	0.5	7/5/19 9:00	0.1	7/4/20 9:00	0.0
7/5/18 10:00	0.5	7/5/19 10:00	0.2	7/4/20 10:00	0.0
7/5/18 11:00	0.3	7/5/19 11:00	0.2	7/4/20 11:00	0.0
7/5/18 12:00	1.0	7/5/19 12:00	0.2	7/4/20 12:00	0.0
7/5/18 13:00	0.3	7/5/19 13:00	0.1	7/4/20 13:00	0.0
7/5/18 14:00	0.3	7/5/19 14:00	0.1	7/4/20 14:00	0.0
7/5/18 15:00	0.5	7/5/19 15:00	0.1	7/4/20 15:00	0.0
7/5/18 16:00	1.1	7/5/19 16:00	0.1	7/4/20 16:00	0.0
7/5/18 17:00	0.2	7/5/19 17:00	0.1	7/4/20 17:00	0.0
7/5/18 18:00	0.2	7/5/19 18:00	0.1	7/4/20 18:00	0.0
7/5/18 19:00	0.2	7/5/19 19:00	0.1	7/4/20 19:00	0.0
7/5/18 20:00	0.2	7/5/19 20:00	0.1	7/4/20 20:00	0.0
7/5/18 21:00	0.1	7/5/19 21:00	0.1	7/4/20 21:00	0.0
7/5/18 22:00	0.2	7/5/19 22:00	0.1	7/4/20 22:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
7/5/18 23:00	0.2	7/5/19 23:00	0.1	7/4/20 23:00	0.0
7/6/18 0:00	0.1	7/6/19 0:00	0.1	7/5/20 0:00	0.0
7/6/18 1:00	0.2	7/6/19 1:00	0.1	7/5/20 1:00	0.0
7/6/18 2:00	0.2	7/6/19 2:00	0.1	7/5/20 2:00	0.0
7/6/18 3:00	0.2	7/6/19 3:00	0.1	7/5/20 3:00	0.0
7/6/18 4:00	0.3	7/6/19 4:00	0.1	7/5/20 4:00	0.0
7/6/18 5:00	0.1	7/6/19 5:00	0.1	7/5/20 5:00	0.0
7/6/18 6:00	0.1	7/6/19 6:00	0.1	7/5/20 6:00	0.0
7/6/18 7:00	0.1	7/6/19 7:00	0.1	7/5/20 7:00	0.0
7/6/18 8:00	0.1	7/6/19 8:00	0.1	7/5/20 8:00	0.0
7/6/18 9:00	0.2	7/6/19 9:00	0.1	7/5/20 9:00	0.0
7/6/18 10:00	0.2	7/6/19 10:00	0.1	7/5/20 10:00	0.0
7/6/18 11:00	0.2	7/6/19 11:00	0.1	7/5/20 11:00	0.0
7/6/18 12:00	0.2	7/6/19 12:00	0.1	7/5/20 12:00	0.0
7/6/18 13:00	0.2	7/6/19 13:00	0.2	7/5/20 13:00	0.0
7/6/18 14:00	0.1	7/6/19 14:00	0.2	7/5/20 14:00	0.0
7/6/18 15:00	0.1	7/6/19 15:00	0.2	7/5/20 15:00	0.0
7/6/18 16:00	0.1	7/6/19 16:00	0.2	7/5/20 16:00	0.0
7/6/18 17:00	0.1	7/6/19 17:00	0.2	7/5/20 17:00	0.0
7/6/18 18:00	0.1	7/6/19 18:00	0.2	7/5/20 18:00	0.0
7/6/18 19:00	0.1	7/6/19 19:00	0.2	7/5/20 19:00	0.0
7/6/18 20:00	0.4	7/6/19 20:00	0.2	7/5/20 20:00	0.0
7/6/18 21:00	0.2	7/6/19 21:00	0.2	7/5/20 21:00	0.0
7/6/18 22:00	0.1	7/6/19 22:00	0.2	7/5/20 22:00	0.0
7/6/18 23:00	0.2	7/6/19 23:00	0.2	7/5/20 23:00	0.0
7/7/18 0:00	0.3	7/7/19 0:00	0.2	7/6/20 0:00	0.0
7/7/18 1:00	0.2	7/7/19 1:00	0.2	7/6/20 1:00	0.0
7/7/18 2:00	0.3	7/7/19 2:00	0.2	7/6/20 2:00	0.0
7/7/18 3:00	0.2	7/7/19 3:00	0.2	7/6/20 3:00	0.0
7/7/18 4:00	0.2	7/7/19 4:00	0.2	7/6/20 4:00	0.0
7/7/18 5:00	0.2	7/7/19 5:00	0.2	7/6/20 5:00	0.0
7/7/18 6:00	0.2	7/7/19 6:00	0.2	7/6/20 6:00	0.0
7/7/18 7:00	0.2	7/7/19 7:00	0.3	7/6/20 7:00	0.0
7/7/18 8:00	0.2	7/7/19 8:00	0.2	7/6/20 8:00	0.0
7/7/18 9:00	0.2	7/7/19 9:00	0.2	7/6/20 9:00	0.0
7/7/18 10:00	0.2	7/7/19 10:00	0.2	7/6/20 10:00	0.0
7/7/18 11:00	0.2	7/7/19 11:00	0.2	7/6/20 11:00	0.0
7/7/18 12:00	0.2	7/7/19 12:00	0.3	7/6/20 12:00	0.0
7/7/18 13:00	0.2	7/7/19 13:00	0.3	7/6/20 13:00	0.0
7/7/18 14:00	0.1	7/7/19 14:00	0.3	7/6/20 14:00	0.0
7/7/18 15:00	0.1	7/7/19 15:00	0.2	7/6/20 15:00	0.0
7/7/18 16:00	0.2	7/7/19 16:00	0.2	7/6/20 16:00	0.0
7/7/18 17:00	0.3	7/7/19 17:00	0.3	7/6/20 17:00	0.0
7/7/18 18:00	0.3	7/7/19 18:00	0.1	7/6/20 18:00	0.0
7/7/18 19:00	0.3	7/7/19 19:00	0.2	7/6/20 19:00	0.0
7/7/18 20:00	0.2	7/7/19 20:00	0.2	7/6/20 20:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
7/7/18 21:00	0.2	7/7/19 21:00	0.3	7/6/20 21:00	0.0
7/7/18 22:00	0.3	7/7/19 22:00	0.2	7/6/20 22:00	0.0
7/7/18 23:00	0.3	7/7/19 23:00	0.1	7/6/20 23:00	0.0
7/8/18 0:00	0.3	7/8/19 0:00	0.1	7/7/20 0:00	0.0
7/8/18 1:00	0.2	7/8/19 1:00	0.1	7/7/20 1:00	0.0
7/8/18 2:00	0.2	7/8/19 2:00	0.1	7/7/20 2:00	0.0
7/8/18 3:00	0.2	7/8/19 3:00	0.1	7/7/20 3:00	0.0
7/8/18 4:00	0.2	7/8/19 4:00	0.1	7/7/20 4:00	0.0
7/8/18 5:00	0.2	7/8/19 5:00	0.1	7/7/20 5:00	0.0
7/8/18 6:00	0.2	7/8/19 6:00	0.1	7/7/20 6:00	0.0
7/8/18 7:00	0.2	7/8/19 7:00	0.1	7/7/20 7:00	0.0
7/8/18 8:00	0.2	7/8/19 8:00	0.1	7/7/20 8:00	0.0
7/8/18 9:00	0.2	7/8/19 9:00	0.1	7/7/20 9:00	0.0
7/8/18 10:00	0.2	7/8/19 10:00	0.1	7/7/20 10:00	0.0
7/8/18 11:00	0.1	7/8/19 11:00	0.1	7/7/20 11:00	0.0
7/8/18 12:00	0.1	7/8/19 12:00	0.1	7/7/20 12:00	0.0
7/8/18 13:00	0.1	7/8/19 13:00	0.1	7/7/20 13:00	0.0
7/8/18 14:00	0.2	7/8/19 14:00	0.1	7/7/20 14:00	0.0
7/8/18 15:00	0.2	7/8/19 15:00	0.1	7/7/20 15:00	0.0
7/8/18 16:00	0.2	7/8/19 16:00	0.1	7/7/20 16:00	0.0
7/8/18 17:00	0.2	7/8/19 17:00	0.1	7/7/20 17:00	0.0
7/8/18 18:00	0.2	7/8/19 18:00	0.1	7/7/20 18:00	0.0
7/8/18 19:00	0.1	7/8/19 19:00	0.1	7/7/20 19:00	0.0
7/8/18 20:00	0.1	7/8/19 20:00	0.1	7/7/20 20:00	0.0
7/8/18 21:00	0.1	7/8/19 21:00	0.1	7/7/20 21:00	0.0
7/8/18 22:00	0.1	7/8/19 22:00	0.1	7/7/20 22:00	0.0
7/8/18 23:00	0.2	7/8/19 23:00	0.1	7/7/20 23:00	0.0
7/9/18 0:00	0.2	7/9/19 0:00	0.1	7/8/20 0:00	0.0
7/9/18 1:00	0.2	7/9/19 1:00	0.1	7/8/20 1:00	0.0
7/9/18 2:00	0.1	7/9/19 2:00	0.1	7/8/20 2:00	0.0
7/9/18 3:00	0.1	7/9/19 3:00	0.2	7/8/20 3:00	0.0
7/9/18 4:00	0.1	7/9/19 4:00	0.2	7/8/20 4:00	0.0
7/9/18 5:00	0.1	7/9/19 5:00	0.2	7/8/20 5:00	0.0
7/9/18 6:00	0.1	7/9/19 6:00	0.2	7/8/20 6:00	0.0
7/9/18 7:00	0.1	7/9/19 7:00	0.1	7/8/20 7:00	0.0
7/9/18 8:00	0.1	7/9/19 8:00	0.0	7/8/20 8:00	0.0
7/9/18 9:00	0.2	7/9/19 9:00	0.0	7/8/20 9:00	0.0
7/9/18 10:00	0.2	7/9/19 10:00	0.0	7/8/20 10:00	0.0
7/9/18 11:00	0.2	7/9/19 11:00	0.0	7/8/20 11:00	0.0
7/9/18 12:00	0.2	7/9/19 12:00	0.0	7/8/20 12:00	0.0
7/9/18 13:00	0.2	7/9/19 13:00	0.0	7/8/20 13:00	0.0
7/9/18 14:00	0.1	7/9/19 14:00	0.2	7/8/20 14:00	0.0
7/9/18 15:00	0.2	7/9/19 15:00	0.3	7/8/20 15:00	0.0
7/9/18 16:00	0.2	7/9/19 16:00	0.1	7/8/20 16:00	0.0
7/9/18 17:00	0.1	7/9/19 17:00	0.1	7/8/20 17:00	0.0
7/9/18 18:00	0.1	7/9/19 18:00	0.2	7/8/20 18:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
7/9/18 19:00	0.1	7/9/19 19:00	0.1	7/8/20 19:00	0.0
7/9/18 20:00	0.2	7/9/19 20:00	0.1	7/8/20 20:00	0.0
7/9/18 21:00	0.1	7/9/19 21:00	0.1	7/8/20 21:00	0.0
7/9/18 22:00	0.1	7/9/19 22:00	0.2	7/8/20 22:00	0.0
7/9/18 23:00	0.1	7/9/19 23:00	0.2	7/8/20 23:00	0.0
7/10/18 0:00	0.1	7/10/19 0:00	0.2	7/9/20 0:00	0.0
7/10/18 1:00	0.1	7/10/19 1:00	0.2	7/9/20 1:00	0.0
7/10/18 2:00	0.2	7/10/19 2:00	0.2	7/9/20 2:00	0.0
7/10/18 3:00	0.1	7/10/19 3:00	0.2	7/9/20 3:00	0.0
7/10/18 4:00	0.1	7/10/19 4:00	0.2	7/9/20 4:00	0.0
7/10/18 5:00	0.2	7/10/19 5:00	0.2	7/9/20 5:00	0.0
7/10/18 6:00	0.2	7/10/19 6:00	0.1	7/9/20 6:00	0.0
7/10/18 7:00	0.2	7/10/19 7:00	0.2	7/9/20 7:00	0.0
7/10/18 8:00	0.2	7/10/19 8:00	0.2	7/9/20 8:00	0.0
7/10/18 9:00	0.2	7/10/19 9:00	0.1	7/9/20 9:00	0.0
7/10/18 10:00	0.2	7/10/19 10:00	0.2	7/9/20 10:00	0.0
7/10/18 11:00	0.2	7/10/19 11:00	0.2	7/9/20 11:00	0.0
7/10/18 12:00	0.2	7/10/19 12:00	0.2	7/9/20 12:00	0.0
7/10/18 13:00	0.1	7/10/19 13:00	0.1	7/9/20 13:00	0.0
7/10/18 14:00	0.2	7/10/19 14:00	0.2	7/9/20 14:00	0.0
7/10/18 15:00	0.1	7/10/19 15:00	0.2	7/9/20 15:00	0.0
7/10/18 16:00	0.1	7/10/19 16:00	0.1	7/9/20 16:00	0.0
7/10/18 17:00	0.1	7/10/19 17:00	0.1	7/9/20 17:00	0.0
7/10/18 18:00	0.1	7/10/19 18:00	0.2	7/9/20 18:00	0.0
7/10/18 19:00	0.1	7/10/19 19:00	0.2	7/9/20 19:00	0.0
7/10/18 20:00	0.2	7/10/19 20:00	0.2	7/9/20 20:00	0.0
7/10/18 21:00	0.2	7/10/19 21:00	0.2	7/9/20 21:00	0.0
7/10/18 22:00	0.2	7/10/19 22:00	0.1	7/9/20 22:00	0.0
7/10/18 23:00	0.2	7/10/19 23:00	0.1	7/9/20 23:00	0.0
7/11/18 0:00	0.3	7/11/19 0:00	0.1	7/10/20 0:00	0.0
7/11/18 1:00	0.1	7/11/19 1:00	0.1	7/10/20 1:00	0.0
7/11/18 2:00	0.2	7/11/19 2:00	0.1	7/10/20 2:00	0.0
7/11/18 3:00	0.2	7/11/19 3:00	0.1	7/10/20 3:00	0.0
7/11/18 4:00	0.2	7/11/19 4:00	0.2	7/10/20 4:00	0.0
7/11/18 5:00	0.1	7/11/19 5:00	0.2	7/10/20 5:00	0.0
7/11/18 6:00	0.1	7/11/19 6:00	0.2	7/10/20 6:00	0.0
7/11/18 7:00	0.1	7/11/19 7:00	0.1	7/10/20 7:00	0.0
7/11/18 8:00	0.1	7/11/19 8:00	0.2	7/10/20 8:00	0.0
7/11/18 9:00	0.1	7/11/19 9:00	0.2	7/10/20 9:00	0.0
7/11/18 10:00	0.1	7/11/19 10:00	0.2	7/10/20 10:00	0.0
7/11/18 11:00	0.2	7/11/19 11:00	0.2	7/10/20 11:00	0.0
7/11/18 12:00	0.2	7/11/19 12:00	0.2	7/10/20 12:00	0.0
7/11/18 13:00	0.1	7/11/19 13:00	0.2	7/10/20 13:00	0.0
7/11/18 14:00	0.1	7/11/19 14:00	0.2	7/10/20 14:00	0.0
7/11/18 15:00	0.1	7/11/19 15:00	0.2	7/10/20 15:00	0.0
7/11/18 16:00	0.1	7/11/19 16:00	0.2	7/10/20 16:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
7/11/18 17:00	0.1	7/11/19 17:00	0.2	7/10/20 17:00	0.0
7/11/18 18:00	0.1	7/11/19 18:00	0.2	7/10/20 18:00	0.0
7/11/18 19:00	0.1	7/11/19 19:00	0.2	7/10/20 19:00	0.0
7/11/18 20:00	0.2	7/11/19 20:00	0.2	7/10/20 20:00	0.0
7/11/18 21:00	0.2	7/11/19 21:00	0.3	7/10/20 21:00	0.0
7/11/18 22:00	0.2	7/11/19 22:00	0.2	7/10/20 22:00	0.0
7/11/18 23:00	0.2	7/11/19 23:00	0.2	7/10/20 23:00	0.0
7/12/18 0:00	0.2	7/12/19 0:00	0.2	7/11/20 0:00	0.0
7/12/18 1:00	0.1	7/12/19 1:00	0.2	7/11/20 1:00	0.0
7/12/18 2:00	0.1	7/12/19 2:00	0.2	7/11/20 2:00	0.0
7/12/18 3:00	0.1	7/12/19 3:00	0.2	7/11/20 3:00	0.0
7/12/18 4:00	0.1	7/12/19 4:00	0.2	7/11/20 4:00	0.0
7/12/18 5:00	0.1	7/12/19 5:00	0.2	7/11/20 5:00	0.0
7/12/18 6:00	0.1	7/12/19 6:00	0.1	7/11/20 6:00	0.0
7/12/18 7:00	0.2	7/12/19 7:00	0.1	7/11/20 7:00	0.0
7/12/18 8:00	0.2	7/12/19 8:00	0.2	7/11/20 8:00	0.0
7/12/18 9:00	0.2	7/12/19 9:00	0.2	7/11/20 9:00	0.0
7/12/18 10:00	0.1	7/12/19 10:00	0.2	7/11/20 10:00	0.0
7/12/18 11:00	0.2	7/12/19 11:00	0.2	7/11/20 11:00	0.0
7/12/18 12:00	0.1	7/12/19 12:00	0.2	7/11/20 12:00	0.0
7/12/18 13:00	0.1	7/12/19 13:00	0.2	7/11/20 13:00	0.0
7/12/18 14:00	0.1	7/12/19 14:00	0.1	7/11/20 14:00	0.0
7/12/18 15:00	0.1	7/12/19 15:00	0.1	7/11/20 15:00	0.0
7/12/18 16:00	0.1	7/12/19 16:00	0.1	7/11/20 16:00	0.0
7/12/18 17:00	0.1	7/12/19 17:00	0.1	7/11/20 17:00	0.0
7/12/18 18:00	0.1	7/12/19 18:00	0.1	7/11/20 18:00	0.0
7/12/18 19:00	0.1	7/12/19 19:00	0.1	7/11/20 19:00	0.0
7/12/18 20:00	0.1	7/12/19 20:00	0.1	7/11/20 20:00	0.0
7/12/18 21:00	0.1	7/12/19 21:00	0.1	7/11/20 21:00	0.0
7/12/18 22:00	0.2	7/12/19 22:00	0.2	7/11/20 22:00	0.0
7/12/18 23:00	0.1	7/12/19 23:00	0.2	7/11/20 23:00	0.0
7/13/18 0:00	0.1	7/13/19 0:00	0.2	7/12/20 0:00	0.0
7/13/18 1:00	0.1	7/13/19 1:00	0.2	7/12/20 1:00	0.0
7/13/18 2:00	0.1	7/13/19 2:00	0.2	7/12/20 2:00	0.0
7/13/18 3:00	0.2	7/13/19 3:00	0.2	7/12/20 3:00	0.0
7/13/18 4:00	0.2	7/13/19 4:00	0.2	7/12/20 4:00	0.0
7/13/18 5:00	0.1	7/13/19 5:00	0.2	7/12/20 5:00	0.0
7/13/18 6:00	0.1	7/13/19 6:00	0.2	7/12/20 6:00	0.0
7/13/18 7:00	0.1	7/13/19 7:00	0.2	7/12/20 7:00	0.0
7/13/18 8:00	0.2	7/13/19 8:00	0.2	7/12/20 8:00	0.0
7/13/18 9:00	0.2	7/13/19 9:00	0.2	7/12/20 9:00	0.0
7/13/18 10:00	0.2	7/13/19 10:00	0.2	7/12/20 10:00	0.0
7/13/18 11:00	0.2	7/13/19 11:00	0.1	7/12/20 11:00	0.0
7/13/18 12:00	0.2	7/13/19 12:00	0.1	7/12/20 12:00	0.0
7/13/18 13:00	0.1	7/13/19 13:00	0.2	7/12/20 13:00	0.0
7/13/18 14:00	0.1	7/13/19 14:00	0.2	7/12/20 14:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
7/13/18 15:00	0.1	7/13/19 15:00	0.2	7/12/20 15:00	0.0
7/13/18 16:00	0.1	7/13/19 16:00	0.2	7/12/20 16:00	0.0
7/13/18 17:00	0.1	7/13/19 17:00	0.2	7/12/20 17:00	0.0
7/13/18 18:00	0.1	7/13/19 18:00	0.2	7/12/20 18:00	0.0
7/13/18 19:00	0.1	7/13/19 19:00	0.2	7/12/20 19:00	0.0
7/13/18 20:00	0.2	7/13/19 20:00	0.2	7/12/20 20:00	0.0
7/13/18 21:00	0.1	7/13/19 21:00	0.2	7/12/20 21:00	0.0
7/13/18 22:00	0.2	7/13/19 22:00	0.3	7/12/20 22:00	0.0
7/13/18 23:00	0.2	7/13/19 23:00	0.3	7/12/20 23:00	0.0
7/14/18 0:00	0.1	7/14/19 0:00	0.1	7/13/20 0:00	0.0
7/14/18 1:00	0.1	7/14/19 1:00	0.1	7/13/20 1:00	0.0
7/14/18 2:00	0.1	7/14/19 2:00	0.1	7/13/20 2:00	0.0
7/14/18 3:00	0.1	7/14/19 3:00	0.1	7/13/20 3:00	0.0
7/14/18 4:00	0.1	7/14/19 4:00	0.1	7/13/20 4:00	0.0
7/14/18 5:00	0.1	7/14/19 5:00	0.1	7/13/20 5:00	0.0
7/14/18 6:00	0.1	7/14/19 6:00	0.2	7/13/20 6:00	0.0
7/14/18 7:00	0.1	7/14/19 7:00	0.2	7/13/20 7:00	0.0
7/14/18 8:00	0.1	7/14/19 8:00	0.2	7/13/20 8:00	0.0
7/14/18 9:00	0.1	7/14/19 9:00	0.2	7/13/20 9:00	0.0
7/14/18 10:00	0.2	7/14/19 10:00	11.9	7/13/20 10:00	0.0
7/14/18 11:00	0.2	7/14/19 11:00	0.2	7/13/20 11:00	0.0
7/14/18 12:00	0.2	7/14/19 12:00	0.2	7/13/20 12:00	0.0
7/14/18 13:00	0.2	7/14/19 13:00	0.2	7/13/20 13:00	0.0
7/14/18 14:00	0.1	7/14/19 14:00	0.2	7/13/20 14:00	0.0
7/14/18 15:00	0.1	7/14/19 15:00	0.2	7/13/20 15:00	0.0
7/14/18 16:00	0.1	7/14/19 16:00	0.2	7/13/20 16:00	0.0
7/14/18 17:00	0.1	7/14/19 17:00	0.2	7/13/20 17:00	0.0
7/14/18 18:00	0.1	7/14/19 18:00	0.2	7/13/20 18:00	0.0
7/14/18 19:00	0.2	7/14/19 19:00	0.2	7/13/20 19:00	0.0
7/14/18 20:00	0.2	7/14/19 20:00	0.2	7/13/20 20:00	0.0
7/14/18 21:00	0.1	7/14/19 21:00	0.2	7/13/20 21:00	0.0
7/14/18 22:00	0.1	7/14/19 22:00	0.1	7/13/20 22:00	0.0
7/14/18 23:00	0.1	7/14/19 23:00	0.1	7/13/20 23:00	0.0
7/15/18 0:00	0.1	7/15/19 0:00	0.2	7/14/20 0:00	0.0
7/15/18 1:00	0.1	7/15/19 1:00	0.2	7/14/20 1:00	0.0
7/15/18 2:00	0.1	7/15/19 2:00	0.2	7/14/20 2:00	0.0
7/15/18 3:00	0.2	7/15/19 3:00	0.1	7/14/20 3:00	0.0
7/15/18 4:00	0.2	7/15/19 4:00	0.1	7/14/20 4:00	0.0
7/15/18 5:00	0.1	7/15/19 5:00	0.1	7/14/20 5:00	0.0
7/15/18 6:00	0.1	7/15/19 6:00	0.1	7/14/20 6:00	0.0
7/15/18 7:00	0.2	7/15/19 7:00	0.1	7/14/20 7:00	0.0
7/15/18 8:00	0.2	7/15/19 8:00	10.4	7/14/20 8:00	0.0
7/15/18 9:00	0.2	7/15/19 9:00	0.4	7/14/20 9:00	0.0
7/15/18 10:00	0.3	7/15/19 10:00	0.2	7/14/20 10:00	0.0
7/15/18 11:00	0.3	7/15/19 11:00	0.2	7/14/20 11:00	0.0
7/15/18 12:00	0.2	7/15/19 12:00	0.2	7/14/20 12:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
7/15/18 13:00	0.2	7/15/19 13:00	0.2	7/14/20 13:00	0.0
7/15/18 14:00	0.1	7/15/19 14:00	0.2	7/14/20 14:00	0.0
7/15/18 15:00	0.2	7/15/19 15:00	0.2	7/14/20 15:00	0.0
7/15/18 16:00	0.2	7/15/19 16:00	0.2	7/14/20 16:00	0.0
7/15/18 17:00	0.2	7/15/19 17:00	0.3	7/14/20 17:00	0.0
7/15/18 18:00	0.2	7/15/19 18:00	0.3	7/14/20 18:00	0.0
7/15/18 19:00	0.2	7/15/19 19:00	0.2	7/14/20 19:00	0.0
7/15/18 20:00	0.2	7/15/19 20:00	0.1	7/14/20 20:00	0.0
7/15/18 21:00	0.2	7/15/19 21:00	0.2	7/14/20 21:00	0.0
7/15/18 22:00	0.2	7/15/19 22:00	0.2	7/14/20 22:00	0.0
7/15/18 23:00	0.2	7/15/19 23:00	0.2	7/14/20 23:00	0.0
7/16/18 0:00	0.2	7/16/19 0:00	0.1	7/15/20 0:00	0.0
7/16/18 1:00	0.2	7/16/19 1:00	0.1	7/15/20 1:00	0.0
7/16/18 2:00	0.2	7/16/19 2:00	0.2	7/15/20 2:00	0.0
7/16/18 3:00	0.1	7/16/19 3:00	0.1	7/15/20 3:00	0.0
7/16/18 4:00	0.2	7/16/19 4:00	0.1	7/15/20 4:00	0.0
7/16/18 5:00	0.2	7/16/19 5:00	0.1	7/15/20 5:00	0.0
7/16/18 6:00	0.2	7/16/19 6:00	0.1	7/15/20 6:00	0.0
7/16/18 7:00	0.2	7/16/19 7:00	0.1	7/15/20 7:00	0.0
7/16/18 8:00	0.2	7/16/19 8:00	0.3	7/15/20 8:00	0.0
7/16/18 9:00	0.1	7/16/19 9:00	0.2	7/15/20 9:00	0.0
7/16/18 10:00	0.1	7/16/19 10:00	0.3	7/15/20 10:00	0.0
7/16/18 11:00	0.1	7/16/19 11:00	0.2	7/15/20 11:00	0.0
7/16/18 12:00	0.1	7/16/19 12:00	0.2	7/15/20 12:00	0.0
7/16/18 13:00	0.1	7/16/19 13:00	0.3	7/15/20 13:00	0.0
7/16/18 14:00	0.1	7/16/19 14:00	0.2	7/15/20 14:00	0.0
7/16/18 15:00	0.1	7/16/19 15:00	0.2	7/15/20 15:00	0.0
7/16/18 16:00	0.1	7/16/19 16:00	0.2	7/15/20 16:00	0.0
7/16/18 17:00	0.1	7/16/19 17:00	0.2	7/15/20 17:00	0.0
7/16/18 18:00	0.1	7/16/19 18:00	0.2	7/15/20 18:00	0.0
7/16/18 19:00	0.1	7/16/19 19:00	0.1	7/15/20 19:00	0.0
7/16/18 20:00	0.1	7/16/19 20:00	0.1	7/15/20 20:00	0.0
7/16/18 21:00	0.1	7/16/19 21:00	0.2	7/15/20 21:00	0.0
7/16/18 22:00	0.1	7/16/19 22:00	0.2	7/15/20 22:00	0.0
7/16/18 23:00	0.1	7/16/19 23:00	0.2	7/15/20 23:00	0.0
7/17/18 0:00	0.1	7/17/19 0:00	0.2	7/16/20 0:00	0.0
7/17/18 1:00	0.1	7/17/19 1:00	0.2	7/16/20 1:00	0.0
7/17/18 2:00	0.2	7/17/19 2:00	0.2	7/16/20 2:00	0.0
7/17/18 3:00	0.2	7/17/19 3:00	0.2	7/16/20 3:00	0.0
7/17/18 4:00	0.2	7/17/19 4:00	0.3	7/16/20 4:00	0.0
7/17/18 5:00	0.1	7/17/19 5:00	0.3	7/16/20 5:00	0.0
7/17/18 6:00	0.1	7/17/19 6:00	0.3	7/16/20 6:00	0.0
7/17/18 7:00	0.1	7/17/19 7:00	0.3	7/16/20 7:00	0.0
7/17/18 8:00	0.1	7/17/19 8:00	0.2	7/16/20 8:00	0.0
7/17/18 9:00	0.3	7/17/19 9:00	0.2	7/16/20 9:00	0.0
7/17/18 10:00	0.3	7/17/19 10:00	0.1	7/16/20 10:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
7/17/18 11:00	0.2	7/17/19 11:00	0.1	7/16/20 11:00	0.0
7/17/18 12:00	0.2	7/17/19 12:00	0.1	7/16/20 12:00	0.1
7/17/18 13:00	0.2	7/17/19 13:00	0.1	7/16/20 13:00	0.1
7/17/18 14:00	0.1	7/17/19 14:00	0.1	7/16/20 14:00	0.1
7/17/18 15:00	0.2	7/17/19 15:00	0.2	7/16/20 15:00	0.1
7/17/18 16:00	0.2	7/17/19 16:00	0.4	7/16/20 16:00	0.1
7/17/18 17:00	0.2	7/17/19 17:00	0.2	7/16/20 17:00	0.1
7/17/18 18:00	0.2	7/17/19 18:00	0.2	7/16/20 18:00	0.1
7/17/18 19:00	0.2	7/17/19 19:00	0.1	7/16/20 19:00	0.1
7/17/18 20:00	0.1	7/17/19 20:00	0.1	7/16/20 20:00	0.1
7/17/18 21:00	0.1	7/17/19 21:00	0.1	7/16/20 21:00	0.1
7/17/18 22:00	0.1	7/17/19 22:00	0.1	7/16/20 22:00	0.1
7/17/18 23:00	0.2	7/17/19 23:00	0.1	7/16/20 23:00	0.1
7/18/18 0:00	0.2	7/18/19 0:00	0.1	7/17/20 0:00	0.2
7/18/18 1:00	0.2	7/18/19 1:00	0.1	7/17/20 1:00	0.3
7/18/18 2:00	0.2	7/18/19 2:00	0.1	7/17/20 2:00	0.2
7/18/18 3:00	0.1	7/18/19 3:00	0.1	7/17/20 3:00	0.1
7/18/18 4:00	0.1	7/18/19 4:00	0.2	7/17/20 4:00	0.1
7/18/18 5:00	0.1	7/18/19 5:00	0.2	7/17/20 5:00	0.3
7/18/18 6:00	0.1	7/18/19 6:00	0.1	7/17/20 6:00	0.2
7/18/18 7:00	0.1	7/18/19 7:00	0.1	7/17/20 7:00	0.1
7/18/18 8:00	0.1	7/18/19 8:00	0.1	7/17/20 8:00	0.1
7/18/18 9:00	0.2	7/18/19 9:00	0.1	7/17/20 9:00	0.1
7/18/18 10:00	0.1	7/18/19 10:00	0.1	7/17/20 10:00	0.1
7/18/18 11:00	0.1	7/18/19 11:00	0.2	7/17/20 11:00	0.1
7/18/18 12:00	0.1	7/18/19 12:00	0.0	7/17/20 12:00	0.2
7/18/18 13:00	0.1	7/18/19 13:00	0.0	7/17/20 13:00	0.1
7/18/18 14:00	0.2	7/18/19 14:00	0.0	7/17/20 14:00	0.1
7/18/18 15:00	0.1	7/18/19 15:00	0.0	7/17/20 15:00	0.2
7/18/18 16:00	0.3	7/18/19 16:00	0.0	7/17/20 16:00	0.2
7/18/18 17:00	0.3	7/18/19 17:00	0.0	7/17/20 17:00	0.2
7/18/18 18:00	0.3	7/18/19 18:00	0.0	7/17/20 18:00	0.1
7/18/18 19:00	0.2	7/18/19 19:00	0.0	7/17/20 19:00	0.1
7/18/18 20:00	0.2	7/18/19 20:00	0.0	7/17/20 20:00	0.1
7/18/18 21:00	0.6	7/18/19 21:00	0.0	7/17/20 21:00	0.1
7/18/18 22:00	0.6	7/18/19 22:00	0.0	7/17/20 22:00	0.2
7/18/18 23:00	0.2	7/18/19 23:00	0.0	7/17/20 23:00	0.1
7/19/18 0:00	0.3	7/19/19 0:00	0.0	7/18/20 0:00	0.1
7/19/18 1:00	0.6	7/19/19 1:00	0.0	7/18/20 1:00	0.1
7/19/18 2:00	0.5	7/19/19 2:00	0.0	7/18/20 2:00	0.2
7/19/18 3:00	0.3	7/19/19 3:00	0.0	7/18/20 3:00	0.2
7/19/18 4:00	3.2	7/19/19 4:00	0.0	7/18/20 4:00	0.2
7/19/18 5:00	0.3	7/19/19 5:00	0.0	7/18/20 5:00	0.2
7/19/18 6:00	0.3	7/19/19 6:00	0.0	7/18/20 6:00	0.2
7/19/18 7:00	0.6	7/19/19 7:00	0.0	7/18/20 7:00	0.2
7/19/18 8:00	0.5	7/19/19 8:00	0.0	7/18/20 8:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
7/19/18 9:00	0.2	7/19/19 9:00	0.0	7/18/20 9:00	0.2
7/19/18 10:00	0.4	7/19/19 10:00	0.0	7/18/20 10:00	0.2
7/19/18 11:00	0.7	7/19/19 11:00	0.0	7/18/20 11:00	0.1
7/19/18 12:00	0.9	7/19/19 12:00	0.0	7/18/20 12:00	0.1
7/19/18 13:00	0.2	7/19/19 13:00	0.0	7/18/20 13:00	0.1
7/19/18 14:00	0.5	7/19/19 14:00	0.0	7/18/20 14:00	0.1
7/19/18 15:00	0.2	7/19/19 15:00	0.0	7/18/20 15:00	0.1
7/19/18 16:00	0.1	7/19/19 16:00	0.0	7/18/20 16:00	0.1
7/19/18 17:00	0.2	7/19/19 17:00	0.0	7/18/20 17:00	0.1
7/19/18 18:00	0.2	7/19/19 18:00	0.0	7/18/20 18:00	0.1
7/19/18 19:00	0.3	7/19/19 19:00	0.0	7/18/20 19:00	0.2
7/19/18 20:00	0.4	7/19/19 20:00	0.0	7/18/20 20:00	0.2
7/19/18 21:00	0.2	7/19/19 21:00	0.0	7/18/20 21:00	0.1
7/19/18 22:00	0.3	7/19/19 22:00	0.0	7/18/20 22:00	0.2
7/19/18 23:00	0.5	7/19/19 23:00	0.0	7/18/20 23:00	0.2
7/20/18 0:00	0.9	7/20/19 0:00	0.0	7/19/20 0:00	0.2
7/20/18 1:00	0.2	7/20/19 1:00	0.0	7/19/20 1:00	0.2
7/20/18 2:00	0.5	7/20/19 2:00	0.0	7/19/20 2:00	0.2
7/20/18 3:00	0.5	7/20/19 3:00	0.0	7/19/20 3:00	0.1
7/20/18 4:00	0.3	7/20/19 4:00	0.0	7/19/20 4:00	0.1
7/20/18 5:00	0.2	7/20/19 5:00	0.0	7/19/20 5:00	0.2
7/20/18 6:00	0.6	7/20/19 6:00	0.0	7/19/20 6:00	0.1
7/20/18 7:00	0.7	7/20/19 7:00	0.0	7/19/20 7:00	0.1
7/20/18 8:00	0.2	7/20/19 8:00	0.0	7/19/20 8:00	0.2
7/20/18 9:00	0.2	7/20/19 9:00	0.0	7/19/20 9:00	0.2
7/20/18 10:00	0.4	7/20/19 10:00	0.0	7/19/20 10:00	0.2
7/20/18 11:00	1.2	7/20/19 11:00	0.0	7/19/20 11:00	0.2
7/20/18 12:00	0.3	7/20/19 12:00	0.0	7/19/20 12:00	0.2
7/20/18 13:00	0.2	7/20/19 13:00	0.0	7/19/20 13:00	0.2
7/20/18 14:00	0.1	7/20/19 14:00	0.0	7/19/20 14:00	0.2
7/20/18 15:00	0.1	7/20/19 15:00	0.0	7/19/20 15:00	0.1
7/20/18 16:00	0.1	7/20/19 16:00	0.0	7/19/20 16:00	0.1
7/20/18 17:00	0.1	7/20/19 17:00	0.0	7/19/20 17:00	0.1
7/20/18 18:00	0.1	7/20/19 18:00	0.0	7/19/20 18:00	0.1
7/20/18 19:00	0.1	7/20/19 19:00	0.0	7/19/20 19:00	0.1
7/20/18 20:00	0.1	7/20/19 20:00	0.0	7/19/20 20:00	0.3
7/20/18 21:00	0.1	7/20/19 21:00	0.0	7/19/20 21:00	0.2
7/20/18 22:00	0.1	7/20/19 22:00	0.0	7/19/20 22:00	0.2
7/20/18 23:00	0.1	7/20/19 23:00	0.0	7/19/20 23:00	0.2
7/21/18 0:00	0.1	7/21/19 0:00	0.0	7/20/20 0:00	0.2
7/21/18 1:00	0.1	7/21/19 1:00	0.0	7/20/20 1:00	0.1
7/21/18 2:00	0.1	7/21/19 2:00	0.0	7/20/20 2:00	0.1
7/21/18 3:00	0.2	7/21/19 3:00	0.0	7/20/20 3:00	0.1
7/21/18 4:00	0.3	7/21/19 4:00	0.0	7/20/20 4:00	0.1
7/21/18 5:00	0.3	7/21/19 5:00	0.0	7/20/20 5:00	0.1
7/21/18 6:00	0.3	7/21/19 6:00	0.0	7/20/20 6:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
7/21/18 7:00	0.1	7/21/19 7:00	0.0	7/20/20 7:00	0.1
7/21/18 8:00	0.1	7/21/19 8:00	0.0	7/20/20 8:00	0.1
7/21/18 9:00	0.1	7/21/19 9:00	0.0	7/20/20 9:00	0.2
7/21/18 10:00	0.1	7/21/19 10:00	0.0	7/20/20 10:00	0.1
7/21/18 11:00	0.1	7/21/19 11:00	0.0	7/20/20 11:00	0.0
7/21/18 12:00	0.1	7/21/19 12:00	0.0	7/20/20 12:00	0.1
7/21/18 13:00	0.1	7/21/19 13:00	0.0	7/20/20 13:00	0.1
7/21/18 14:00	0.1	7/21/19 14:00	0.0	7/20/20 14:00	0.1
7/21/18 15:00	0.1	7/21/19 15:00	0.0	7/20/20 15:00	0.1
7/21/18 16:00	0.2	7/21/19 16:00	0.0	7/20/20 16:00	0.2
7/21/18 17:00	0.2	7/21/19 17:00	0.0	7/20/20 17:00	0.1
7/21/18 18:00	0.2	7/21/19 18:00	0.0	7/20/20 18:00	0.1
7/21/18 19:00	0.2	7/21/19 19:00	0.0	7/20/20 19:00	0.1
7/21/18 20:00	0.2	7/21/19 20:00	0.0	7/20/20 20:00	0.1
7/21/18 21:00	0.2	7/21/19 21:00	0.0	7/20/20 21:00	0.1
7/21/18 22:00	0.3	7/21/19 22:00	0.0	7/20/20 22:00	0.1
7/21/18 23:00	0.3	7/21/19 23:00	0.0	7/20/20 23:00	0.1
7/22/18 0:00	0.3	7/22/19 0:00	0.0	7/21/20 0:00	0.1
7/22/18 1:00	0.2	7/22/19 1:00	0.0	7/21/20 1:00	0.1
7/22/18 2:00	0.1	7/22/19 2:00	0.0	7/21/20 2:00	0.1
7/22/18 3:00	0.1	7/22/19 3:00	0.0	7/21/20 3:00	0.1
7/22/18 4:00	0.1	7/22/19 4:00	0.0	7/21/20 4:00	0.1
7/22/18 5:00	0.1	7/22/19 5:00	0.0	7/21/20 5:00	0.1
7/22/18 6:00	0.1	7/22/19 6:00	0.0	7/21/20 6:00	0.1
7/22/18 7:00	0.1	7/22/19 7:00	0.0	7/21/20 7:00	0.1
7/22/18 8:00	0.1	7/22/19 8:00	0.0	7/21/20 8:00	0.1
7/22/18 9:00	0.2	7/22/19 9:00	0.0	7/21/20 9:00	4.1
7/22/18 10:00	0.1	7/22/19 10:00	0.0	7/21/20 10:00	0.1
7/22/18 11:00	0.2	7/22/19 11:00	0.0	7/21/20 11:00	0.1
7/22/18 12:00	0.1	7/22/19 12:00	0.0	7/21/20 12:00	0.2
7/22/18 13:00	0.2	7/22/19 13:00	0.0	7/21/20 13:00	0.2
7/22/18 14:00	0.2	7/22/19 14:00	0.0	7/21/20 14:00	0.1
7/22/18 15:00	0.2	7/22/19 15:00	0.0	7/21/20 15:00	0.1
7/22/18 16:00	0.2	7/22/19 16:00	0.0	7/21/20 16:00	0.2
7/22/18 17:00	0.1	7/22/19 17:00	0.0	7/21/20 17:00	9.5
7/22/18 18:00	0.1	7/22/19 18:00	0.0	7/21/20 18:00	0.3
7/22/18 19:00	0.1	7/22/19 19:00	0.0	7/21/20 19:00	0.2
7/22/18 20:00	0.1	7/22/19 20:00	0.0	7/21/20 20:00	0.2
7/22/18 21:00	0.1	7/22/19 21:00	0.0	7/21/20 21:00	0.1
7/22/18 22:00	0.1	7/22/19 22:00	0.0	7/21/20 22:00	0.1
7/22/18 23:00	0.1	7/22/19 23:00	0.0	7/21/20 23:00	0.1
7/23/18 0:00	0.1	7/23/19 0:00	0.0	7/22/20 0:00	0.3
7/23/18 1:00	0.1	7/23/19 1:00	0.0	7/22/20 1:00	0.2
7/23/18 2:00	0.1	7/23/19 2:00	0.0	7/22/20 2:00	0.2
7/23/18 3:00	0.1	7/23/19 3:00	0.0	7/22/20 3:00	0.2
7/23/18 4:00	0.1	7/23/19 4:00	0.0	7/22/20 4:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
7/23/18 5:00	0.1	7/23/19 5:00	0.0	7/22/20 5:00	0.2
7/23/18 6:00	0.1	7/23/19 6:00	0.0	7/22/20 6:00	0.2
7/23/18 7:00	0.3	7/23/19 7:00	0.0	7/22/20 7:00	0.2
7/23/18 8:00	0.1	7/23/19 8:00	0.0	7/22/20 8:00	0.2
7/23/18 9:00	0.0	7/23/19 9:00	0.0	7/22/20 9:00	0.2
7/23/18 10:00	0.0	7/23/19 10:00	0.0	7/22/20 10:00	0.2
7/23/18 11:00	0.1	7/23/19 11:00	0.0	7/22/20 11:00	0.2
7/23/18 12:00	0.1	7/23/19 12:00	0.0	7/22/20 12:00	0.2
7/23/18 13:00	0.1	7/23/19 13:00	0.0	7/22/20 13:00	0.2
7/23/18 14:00	0.1	7/23/19 14:00	0.0	7/22/20 14:00	0.2
7/23/18 15:00	0.1	7/23/19 15:00	0.0	7/22/20 15:00	0.2
7/23/18 16:00	0.0	7/23/19 16:00	0.0	7/22/20 16:00	0.1
7/23/18 17:00	0.1	7/23/19 17:00	0.0	7/22/20 17:00	0.1
7/23/18 18:00	0.1	7/23/19 18:00	0.0	7/22/20 18:00	0.1
7/23/18 19:00	0.2	7/23/19 19:00	0.0	7/22/20 19:00	0.2
7/23/18 20:00	0.2	7/23/19 20:00	0.0	7/22/20 20:00	0.2
7/23/18 21:00	0.2	7/23/19 21:00	0.0	7/22/20 21:00	0.2
7/23/18 22:00	0.2	7/23/19 22:00	0.0	7/22/20 22:00	0.2
7/23/18 23:00	0.2	7/23/19 23:00	0.0	7/22/20 23:00	0.2
7/24/18 0:00	0.2	7/24/19 0:00	0.0	7/23/20 0:00	0.1
7/24/18 1:00	0.1	7/24/19 1:00	0.0	7/23/20 1:00	0.1
7/24/18 2:00	0.2	7/24/19 2:00	0.0	7/23/20 2:00	0.1
7/24/18 3:00	0.2	7/24/19 3:00	0.0	7/23/20 3:00	0.1
7/24/18 4:00	0.2	7/24/19 4:00	0.0	7/23/20 4:00	0.1
7/24/18 5:00	0.2	7/24/19 5:00	0.0	7/23/20 5:00	0.1
7/24/18 6:00	0.2	7/24/19 6:00	0.0	7/23/20 6:00	0.1
7/24/18 7:00	0.2	7/24/19 7:00	0.0	7/23/20 7:00	0.1
7/24/18 8:00	0.2	7/24/19 8:00	0.0	7/23/20 8:00	0.2
7/24/18 9:00	0.2	7/24/19 9:00	0.0	7/23/20 9:00	0.1
7/24/18 10:00	0.1	7/24/19 10:00	0.0	7/23/20 10:00	0.1
7/24/18 11:00	0.1	7/24/19 11:00	0.0	7/23/20 11:00	0.1
7/24/18 12:00	0.1	7/24/19 12:00	0.0	7/23/20 12:00	0.2
7/24/18 13:00	0.1	7/24/19 13:00	0.0	7/23/20 13:00	0.1
7/24/18 14:00	0.1	7/24/19 14:00	0.0	7/23/20 14:00	0.1
7/24/18 15:00	0.1	7/24/19 15:00	0.0	7/23/20 15:00	0.2
7/24/18 16:00	0.1	7/24/19 16:00	0.0	7/23/20 16:00	0.1
7/24/18 17:00	0.1	7/24/19 17:00	0.0	7/23/20 17:00	0.1
7/24/18 18:00	0.1	7/24/19 18:00	0.0	7/23/20 18:00	0.1
7/24/18 19:00	0.2	7/24/19 19:00	0.0	7/23/20 19:00	0.1
7/24/18 20:00	0.1	7/24/19 20:00	0.0	7/23/20 20:00	0.2
7/24/18 21:00	0.1	7/24/19 21:00	0.0	7/23/20 21:00	0.2
7/24/18 22:00	0.1	7/24/19 22:00	0.0	7/23/20 22:00	0.1
7/24/18 23:00	0.1	7/24/19 23:00	0.0	7/23/20 23:00	0.1
7/25/18 0:00	0.1	7/25/19 0:00	0.0	7/24/20 0:00	0.2
7/25/18 1:00	0.1	7/25/19 1:00	0.0	7/24/20 1:00	0.2
7/25/18 2:00	0.1	7/25/19 2:00	0.0	7/24/20 2:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
7/25/18 3:00	0.1	7/25/19 3:00	0.0	7/24/20 3:00	0.2
7/25/18 4:00	0.1	7/25/19 4:00	0.0	7/24/20 4:00	0.2
7/25/18 5:00	0.1	7/25/19 5:00	0.0	7/24/20 5:00	0.2
7/25/18 6:00	0.1	7/25/19 6:00	0.0	7/24/20 6:00	0.1
7/25/18 7:00	0.1	7/25/19 7:00	0.0	7/24/20 7:00	0.1
7/25/18 8:00	0.2	7/25/19 8:00	0.0	7/24/20 8:00	0.1
7/25/18 9:00	0.2	7/25/19 9:00	0.0	7/24/20 9:00	0.1
7/25/18 10:00	0.2	7/25/19 10:00	0.0	7/24/20 10:00	0.1
7/25/18 11:00	0.1	7/25/19 11:00	0.0	7/24/20 11:00	0.1
7/25/18 12:00	0.2	7/25/19 12:00	0.0	7/24/20 12:00	0.1
7/25/18 13:00	0.1	7/25/19 13:00	0.0	7/24/20 13:00	0.1
7/25/18 14:00	0.1	7/25/19 14:00	0.0	7/24/20 14:00	0.1
7/25/18 15:00	0.1	7/25/19 15:00	0.0	7/24/20 15:00	0.1
7/25/18 16:00	0.2	7/25/19 16:00	0.0	7/24/20 16:00	0.1
7/25/18 17:00	0.2	7/25/19 17:00	0.0	7/24/20 17:00	0.1
7/25/18 18:00	0.1	7/25/19 18:00	0.0	7/24/20 18:00	0.1
7/25/18 19:00	0.1	7/25/19 19:00	0.0	7/24/20 19:00	0.1
7/25/18 20:00	0.1	7/25/19 20:00	0.0	7/24/20 20:00	0.1
7/25/18 21:00	0.1	7/25/19 21:00	0.0	7/24/20 21:00	0.1
7/25/18 22:00	0.2	7/25/19 22:00	0.0	7/24/20 22:00	0.1
7/25/18 23:00	0.2	7/25/19 23:00	0.0	7/24/20 23:00	0.1
7/26/18 0:00	0.2	7/26/19 0:00	0.0	7/25/20 0:00	0.1
7/26/18 1:00	0.2	7/26/19 1:00	0.0	7/25/20 1:00	0.2
7/26/18 2:00	0.2	7/26/19 2:00	0.0	7/25/20 2:00	0.2
7/26/18 3:00	0.2	7/26/19 3:00	0.0	7/25/20 3:00	0.2
7/26/18 4:00	0.2	7/26/19 4:00	0.0	7/25/20 4:00	0.2
7/26/18 5:00	0.2	7/26/19 5:00	0.0	7/25/20 5:00	0.1
7/26/18 6:00	0.2	7/26/19 6:00	0.0	7/25/20 6:00	0.2
7/26/18 7:00	0.2	7/26/19 7:00	0.0	7/25/20 7:00	0.2
7/26/18 8:00	0.1	7/26/19 8:00	0.0	7/25/20 8:00	0.1
7/26/18 9:00	0.1	7/26/19 9:00	0.0	7/25/20 9:00	0.1
7/26/18 10:00	0.1	7/26/19 10:00	0.0	7/25/20 10:00	0.1
7/26/18 11:00	0.1	7/26/19 11:00	0.0	7/25/20 11:00	0.2
7/26/18 12:00	0.1	7/26/19 12:00	0.0	7/25/20 12:00	0.2
7/26/18 13:00	0.1	7/26/19 13:00	0.0	7/25/20 13:00	0.2
7/26/18 14:00	0.1	7/26/19 14:00	0.0	7/25/20 14:00	0.1
7/26/18 15:00	0.1	7/26/19 15:00	0.0	7/25/20 15:00	0.1
7/26/18 16:00	0.2	7/26/19 16:00	0.0	7/25/20 16:00	0.2
7/26/18 17:00	0.2	7/26/19 17:00	0.0	7/25/20 17:00	0.1
7/26/18 18:00	0.2	7/26/19 18:00	0.0	7/25/20 18:00	0.2
7/26/18 19:00	0.2	7/26/19 19:00	0.0	7/25/20 19:00	0.1
7/26/18 20:00	0.2	7/26/19 20:00	0.0	7/25/20 20:00	0.1
7/26/18 21:00	0.2	7/26/19 21:00	0.0	7/25/20 21:00	0.1
7/26/18 22:00	0.2	7/26/19 22:00	0.0	7/25/20 22:00	0.1
7/26/18 23:00	0.2	7/26/19 23:00	0.0	7/25/20 23:00	0.1
7/27/18 0:00	0.2	7/27/19 0:00	0.0	7/26/20 0:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
7/27/18 1:00	0.2	7/27/19 1:00	0.0	7/26/20 1:00	0.2
7/27/18 2:00	0.2	7/27/19 2:00	0.0	7/26/20 2:00	0.2
7/27/18 3:00	0.2	7/27/19 3:00	0.0	7/26/20 3:00	0.2
7/27/18 4:00	0.2	7/27/19 4:00	0.0	7/26/20 4:00	0.2
7/27/18 5:00	0.2	7/27/19 5:00	0.0	7/26/20 5:00	0.2
7/27/18 6:00	0.2	7/27/19 6:00	0.0	7/26/20 6:00	0.2
7/27/18 7:00	0.1	7/27/19 7:00	0.0	7/26/20 7:00	0.2
7/27/18 8:00	0.1	7/27/19 8:00	0.0	7/26/20 8:00	0.2
7/27/18 9:00	0.1	7/27/19 9:00	0.0	7/26/20 9:00	0.2
7/27/18 10:00	0.1	7/27/19 10:00	0.0	7/26/20 10:00	0.2
7/27/18 11:00	0.1	7/27/19 11:00	0.0	7/26/20 11:00	0.2
7/27/18 12:00	0.1	7/27/19 12:00	0.0	7/26/20 12:00	0.1
7/27/18 13:00	0.1	7/27/19 13:00	0.0	7/26/20 13:00	0.2
7/27/18 14:00	0.2	7/27/19 14:00	0.0	7/26/20 14:00	0.1
7/27/18 15:00	0.1	7/27/19 15:00	0.0	7/26/20 15:00	0.1
7/27/18 16:00	0.1	7/27/19 16:00	0.0	7/26/20 16:00	0.1
7/27/18 17:00	0.1	7/27/19 17:00	0.0	7/26/20 17:00	0.1
7/27/18 18:00	0.1	7/27/19 18:00	0.0	7/26/20 18:00	0.1
7/27/18 19:00	0.2	7/27/19 19:00	0.0	7/26/20 19:00	0.1
7/27/18 20:00	0.2	7/27/19 20:00	0.0	7/26/20 20:00	0.1
7/27/18 21:00	0.1	7/27/19 21:00	0.0	7/26/20 21:00	0.2
7/27/18 22:00	0.1	7/27/19 22:00	0.0	7/26/20 22:00	0.2
7/27/18 23:00	0.1	7/27/19 23:00	0.0	7/26/20 23:00	0.2
7/28/18 0:00	0.1	7/28/19 0:00	0.0	7/27/20 0:00	0.2
7/28/18 1:00	0.1	7/28/19 1:00	0.0	7/27/20 1:00	0.1
7/28/18 2:00	0.1	7/28/19 2:00	0.0	7/27/20 2:00	0.1
7/28/18 3:00	0.1	7/28/19 3:00	0.0	7/27/20 3:00	0.2
7/28/18 4:00	0.1	7/28/19 4:00	0.0	7/27/20 4:00	0.2
7/28/18 5:00	0.1	7/28/19 5:00	0.0	7/27/20 5:00	0.2
7/28/18 6:00	0.2	7/28/19 6:00	0.0	7/27/20 6:00	0.1
7/28/18 7:00	0.2	7/28/19 7:00	0.0	7/27/20 7:00	0.1
7/28/18 8:00	0.2	7/28/19 8:00	0.0	7/27/20 8:00	0.2
7/28/18 9:00	0.1	7/28/19 9:00	0.0	7/27/20 9:00	0.2
7/28/18 10:00	0.1	7/28/19 10:00	0.0	7/27/20 10:00	0.1
7/28/18 11:00	0.2	7/28/19 11:00	0.0	7/27/20 11:00	0.1
7/28/18 12:00	0.1	7/28/19 12:00	0.0	7/27/20 12:00	0.1
7/28/18 13:00	0.1	7/28/19 13:00	0.0	7/27/20 13:00	0.2
7/28/18 14:00	0.1	7/28/19 14:00	0.0	7/27/20 14:00	0.1
7/28/18 15:00	0.1	7/28/19 15:00	0.0	7/27/20 15:00	0.1
7/28/18 16:00	0.1	7/28/19 16:00	0.0	7/27/20 16:00	0.2
7/28/18 17:00	0.1	7/28/19 17:00	0.0	7/27/20 17:00	0.2
7/28/18 18:00	0.1	7/28/19 18:00	0.0	7/27/20 18:00	0.2
7/28/18 19:00	0.1	7/28/19 19:00	0.0	7/27/20 19:00	0.2
7/28/18 20:00	0.1	7/28/19 20:00	0.0	7/27/20 20:00	0.2
7/28/18 21:00	0.1	7/28/19 21:00	0.0	7/27/20 21:00	0.2
7/28/18 22:00	0.1	7/28/19 22:00	0.0	7/27/20 22:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
7/28/18 23:00	0.1	7/28/19 23:00	0.0	7/27/20 23:00	0.1
7/29/18 0:00	0.1	7/29/19 0:00	0.0	7/28/20 0:00	0.2
7/29/18 1:00	0.1	7/29/19 1:00	0.0	7/28/20 1:00	0.2
7/29/18 2:00	0.1	7/29/19 2:00	0.0	7/28/20 2:00	0.2
7/29/18 3:00	0.1	7/29/19 3:00	0.0	7/28/20 3:00	0.2
7/29/18 4:00	0.1	7/29/19 4:00	0.0	7/28/20 4:00	0.1
7/29/18 5:00	0.1	7/29/19 5:00	0.0	7/28/20 5:00	0.1
7/29/18 6:00	0.1	7/29/19 6:00	0.0	7/28/20 6:00	0.1
7/29/18 7:00	0.1	7/29/19 7:00	0.0	7/28/20 7:00	0.1
7/29/18 8:00	0.2	7/29/19 8:00	0.0	7/28/20 8:00	0.1
7/29/18 9:00	0.2	7/29/19 9:00	0.0	7/28/20 9:00	0.2
7/29/18 10:00	0.1	7/29/19 10:00	0.0	7/28/20 10:00	0.2
7/29/18 11:00	0.1	7/29/19 11:00	0.0	7/28/20 11:00	0.3
7/29/18 12:00	0.1	7/29/19 12:00	0.0	7/28/20 12:00	0.2
7/29/18 13:00	0.1	7/29/19 13:00	0.0	7/28/20 13:00	0.1
7/29/18 14:00	0.1	7/29/19 14:00	0.0	7/28/20 14:00	0.1
7/29/18 15:00	0.1	7/29/19 15:00	0.0	7/28/20 15:00	0.1
7/29/18 16:00	0.1	7/29/19 16:00	0.0	7/28/20 16:00	0.2
7/29/18 17:00	0.1	7/29/19 17:00	0.0	7/28/20 17:00	0.3
7/29/18 18:00	0.2	7/29/19 18:00	0.0	7/28/20 18:00	0.1
7/29/18 19:00	0.2	7/29/19 19:00	0.0	7/28/20 19:00	0.1
7/29/18 20:00	0.1	7/29/19 20:00	0.0	7/28/20 20:00	0.2
7/29/18 21:00	0.1	7/29/19 21:00	0.0	7/28/20 21:00	0.2
7/29/18 22:00	0.1	7/29/19 22:00	0.0	7/28/20 22:00	0.2
7/29/18 23:00	0.1	7/29/19 23:00	0.0	7/28/20 23:00	0.2
7/30/18 0:00	0.1	7/30/19 0:00	0.0	7/29/20 0:00	0.2
7/30/18 1:00	0.2	7/30/19 1:00	0.0	7/29/20 1:00	0.2
7/30/18 2:00	0.2	7/30/19 2:00	0.0	7/29/20 2:00	0.2
7/30/18 3:00	0.2	7/30/19 3:00	0.0	7/29/20 3:00	0.1
7/30/18 4:00	0.2	7/30/19 4:00	0.0	7/29/20 4:00	0.1
7/30/18 5:00	0.2	7/30/19 5:00	0.0	7/29/20 5:00	0.2
7/30/18 6:00	0.1	7/30/19 6:00	0.0	7/29/20 6:00	0.3
7/30/18 7:00	0.1	7/30/19 7:00	0.0	7/29/20 7:00	0.2
7/30/18 8:00	0.1	7/30/19 8:00	0.0	7/29/20 8:00	0.2
7/30/18 9:00	0.1	7/30/19 9:00	0.0	7/29/20 9:00	0.2
7/30/18 10:00	0.1	7/30/19 10:00	0.0	7/29/20 10:00	0.2
7/30/18 11:00	0.1	7/30/19 11:00	0.0	7/29/20 11:00	0.2
7/30/18 12:00	0.1	7/30/19 12:00	0.0	7/29/20 12:00	0.2
7/30/18 13:00	0.1	7/30/19 13:00	0.0	7/29/20 13:00	0.2
7/30/18 14:00	0.1	7/30/19 14:00	0.0	7/29/20 14:00	0.2
7/30/18 15:00	0.1	7/30/19 15:00	0.0	7/29/20 15:00	0.1
7/30/18 16:00	0.2	7/30/19 16:00	0.0	7/29/20 16:00	0.1
7/30/18 17:00	0.1	7/30/19 17:00	0.0	7/29/20 17:00	0.2
7/30/18 18:00	0.1	7/30/19 18:00	0.0	7/29/20 18:00	0.1
7/30/18 19:00	0.1	7/30/19 19:00	0.0	7/29/20 19:00	0.2
7/30/18 20:00	0.1	7/30/19 20:00	0.0	7/29/20 20:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
7/30/18 21:00	0.1	7/30/19 21:00	0.0	7/29/20 21:00	0.1
7/30/18 22:00	0.1	7/30/19 22:00	0.0	7/29/20 22:00	0.2
7/30/18 23:00	0.2	7/30/19 23:00	0.0	7/29/20 23:00	0.3
7/31/18 0:00	0.2	7/31/19 0:00	0.0	7/30/20 0:00	0.2
7/31/18 1:00	0.1	7/31/19 1:00	0.0	7/30/20 1:00	0.1
7/31/18 2:00	0.1	7/31/19 2:00	0.0	7/30/20 2:00	0.2
7/31/18 3:00	0.1	7/31/19 3:00	0.0	7/30/20 3:00	0.3
7/31/18 4:00	0.2	7/31/19 4:00	0.0	7/30/20 4:00	0.3
7/31/18 5:00	0.0	7/31/19 5:00	0.0	7/30/20 5:00	0.3
7/31/18 6:00	0.1	7/31/19 6:00	0.0	7/30/20 6:00	0.2
7/31/18 7:00	0.1	7/31/19 7:00	0.0	7/30/20 7:00	0.2
7/31/18 8:00	0.1	7/31/19 8:00	0.0	7/30/20 8:00	0.1
7/31/18 9:00	0.2	7/31/19 9:00	0.0	7/30/20 9:00	0.3
7/31/18 10:00	0.2	7/31/19 10:00	0.0	7/30/20 10:00	0.2
7/31/18 11:00	0.1	7/31/19 11:00	0.0	7/30/20 11:00	0.2
7/31/18 12:00	0.1	7/31/19 12:00	0.0	7/30/20 12:00	0.2
7/31/18 13:00	0.2	7/31/19 13:00	0.0	7/30/20 13:00	0.2
7/31/18 14:00	0.2	7/31/19 14:00	0.0	7/30/20 14:00	0.2
7/31/18 15:00	0.2	7/31/19 15:00	0.0	7/30/20 15:00	0.2
7/31/18 16:00	0.2	7/31/19 16:00	0.0	7/30/20 16:00	0.2
7/31/18 17:00	0.2	7/31/19 17:00	0.0	7/30/20 17:00	0.2
7/31/18 18:00	0.2	7/31/19 18:00	0.0	7/30/20 18:00	0.3
7/31/18 19:00	0.2	7/31/19 19:00	0.0	7/30/20 19:00	0.4
7/31/18 20:00	0.2	7/31/19 20:00	0.0	7/30/20 20:00	0.4
7/31/18 21:00	0.4	7/31/19 21:00	0.0	7/30/20 21:00	0.2
7/31/18 22:00	19.7	7/31/19 22:00	0.0	7/30/20 22:00	0.3
7/31/18 23:00	0.4	7/31/19 23:00	0.0	7/30/20 23:00	0.2
8/1/18 0:00	0.5	8/1/19 0:00	0.0	7/31/20 0:00	0.2
8/1/18 1:00	21.9	8/1/19 1:00	0.0	7/31/20 1:00	0.2
8/1/18 2:00	0.6	8/1/19 2:00	0.0	7/31/20 2:00	0.2
8/1/18 3:00	0.2	8/1/19 3:00	0.0	7/31/20 3:00	0.2
8/1/18 4:00	0.1	8/1/19 4:00	0.0	7/31/20 4:00	0.6
8/1/18 5:00	0.2	8/1/19 5:00	0.0	7/31/20 5:00	2.1
8/1/18 6:00	0.1	8/1/19 6:00	0.0	7/31/20 6:00	1.4
8/1/18 7:00	0.1	8/1/19 7:00	0.0	7/31/20 7:00	1.1
8/1/18 8:00	0.2	8/1/19 8:00	0.0	7/31/20 8:00	1.2
8/1/18 9:00	0.2	8/1/19 9:00	0.0	7/31/20 9:00	1.1
8/1/18 10:00	0.1	8/1/19 10:00	0.0	7/31/20 10:00	0.1
8/1/18 11:00	0.1	8/1/19 11:00	0.0	7/31/20 11:00	0.8
8/1/18 12:00	0.2	8/1/19 12:00	0.0	7/31/20 12:00	0.8
8/1/18 13:00	0.1	8/1/19 13:00	0.0	7/31/20 13:00	0.9
8/1/18 14:00	0.1	8/1/19 14:00	0.0	7/31/20 14:00	0.3
8/1/18 15:00	0.1	8/1/19 15:00	0.0	7/31/20 15:00	0.2
8/1/18 16:00	0.1	8/1/19 16:00	0.0	7/31/20 16:00	0.2
8/1/18 17:00	0.1	8/1/19 17:00	0.0	7/31/20 17:00	0.3
8/1/18 18:00	0.1	8/1/19 18:00	0.0	7/31/20 18:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
8/1/18 19:00	0.1	8/1/19 19:00	0.0	7/31/20 19:00	0.2
8/1/18 20:00	0.2	8/1/19 20:00	0.0	7/31/20 20:00	0.1
8/1/18 21:00	0.2	8/1/19 21:00	0.0	7/31/20 21:00	0.0
8/1/18 22:00	0.2	8/1/19 22:00	0.0	7/31/20 22:00	0.1
8/1/18 23:00	0.2	8/1/19 23:00	0.0	7/31/20 23:00	0.1
8/2/18 0:00	0.2	8/2/19 0:00	0.0	8/1/20 0:00	0.2
8/2/18 1:00	0.3	8/2/19 1:00	0.0	8/1/20 1:00	0.1
8/2/18 2:00	0.2	8/2/19 2:00	0.0	8/1/20 2:00	0.2
8/2/18 3:00	0.2	8/2/19 3:00	0.0	8/1/20 3:00	0.1
8/2/18 4:00	0.1	8/2/19 4:00	0.0	8/1/20 4:00	0.1
8/2/18 5:00	0.1	8/2/19 5:00	0.0	8/1/20 5:00	0.2
8/2/18 6:00	0.1	8/2/19 6:00	0.0	8/1/20 6:00	0.2
8/2/18 7:00	0.1	8/2/19 7:00	0.0	8/1/20 7:00	0.2
8/2/18 8:00	0.2	8/2/19 8:00	0.0	8/1/20 8:00	0.1
8/2/18 9:00	0.2	8/2/19 9:00	0.0	8/1/20 9:00	0.1
8/2/18 10:00	0.1	8/2/19 10:00	0.0	8/1/20 10:00	0.1
8/2/18 11:00	0.1	8/2/19 11:00	0.0	8/1/20 11:00	0.1
8/2/18 12:00	0.2	8/2/19 12:00	0.0	8/1/20 12:00	0.1
8/2/18 13:00	0.2	8/2/19 13:00	0.0	8/1/20 13:00	0.2
8/2/18 14:00	0.2	8/2/19 14:00	0.0	8/1/20 14:00	0.1
8/2/18 15:00	0.2	8/2/19 15:00	0.0	8/1/20 15:00	0.1
8/2/18 16:00	0.2	8/2/19 16:00	0.0	8/1/20 16:00	0.2
8/2/18 17:00	0.1	8/2/19 17:00	0.0	8/1/20 17:00	0.2
8/2/18 18:00	0.1	8/2/19 18:00	0.0	8/1/20 18:00	0.1
8/2/18 19:00	0.1	8/2/19 19:00	0.0	8/1/20 19:00	0.2
8/2/18 20:00	0.1	8/2/19 20:00	0.0	8/1/20 20:00	0.2
8/2/18 21:00	0.1	8/2/19 21:00	0.0	8/1/20 21:00	0.2
8/2/18 22:00	0.1	8/2/19 22:00	0.0	8/1/20 22:00	0.2
8/2/18 23:00	0.1	8/2/19 23:00	0.0	8/1/20 23:00	0.3
8/3/18 0:00	0.1	8/3/19 0:00	0.0	8/2/20 0:00	0.3
8/3/18 1:00	0.1	8/3/19 1:00	0.0	8/2/20 1:00	0.2
8/3/18 2:00	0.1	8/3/19 2:00	0.0	8/2/20 2:00	0.1
8/3/18 3:00	0.1	8/3/19 3:00	0.0	8/2/20 3:00	0.1
8/3/18 4:00	0.1	8/3/19 4:00	0.0	8/2/20 4:00	0.1
8/3/18 5:00	0.1	8/3/19 5:00	0.0	8/2/20 5:00	0.1
8/3/18 6:00	0.2	8/3/19 6:00	0.0	8/2/20 6:00	0.5
8/3/18 7:00	0.0	8/3/19 7:00	0.0	8/2/20 7:00	0.6
8/3/18 8:00	0.0	8/3/19 8:00	0.0	8/2/20 8:00	1.0
8/3/18 9:00	0.0	8/3/19 9:00	0.0	8/2/20 9:00	1.2
8/3/18 10:00	0.0	8/3/19 10:00	0.0	8/2/20 10:00	1.2
8/3/18 11:00	0.0	8/3/19 11:00	0.0	8/2/20 11:00	1.2
8/3/18 12:00	0.0	8/3/19 12:00	0.0	8/2/20 12:00	1.1
8/3/18 13:00	0.0	8/3/19 13:00	0.0	8/2/20 13:00	1.2
8/3/18 14:00	0.0	8/3/19 14:00	0.0	8/2/20 14:00	0.9
8/3/18 15:00	0.0	8/3/19 15:00	0.0	8/2/20 15:00	0.1
8/3/18 16:00	0.0	8/3/19 16:00	0.0	8/2/20 16:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
8/3/18 17:00	0.0	8/3/19 17:00	0.0	8/2/20 17:00	0.1
8/3/18 18:00	0.0	8/3/19 18:00	0.0	8/2/20 18:00	0.2
8/3/18 19:00	0.0	8/3/19 19:00	0.0	8/2/20 19:00	0.1
8/3/18 20:00	0.0	8/3/19 20:00	0.0	8/2/20 20:00	0.1
8/3/18 21:00	0.0	8/3/19 21:00	0.0	8/2/20 21:00	0.2
8/3/18 22:00	0.0	8/3/19 22:00	0.0	8/2/20 22:00	0.1
8/3/18 23:00	0.0	8/3/19 23:00	0.0	8/2/20 23:00	0.1
8/4/18 0:00	0.0	8/4/19 0:00	0.0	8/3/20 0:00	0.1
8/4/18 1:00	0.0	8/4/19 1:00	0.0	8/3/20 1:00	0.1
8/4/18 2:00	0.0	8/4/19 2:00	0.0	8/3/20 2:00	0.2
8/4/18 3:00	0.0	8/4/19 3:00	0.0	8/3/20 3:00	0.2
8/4/18 4:00	0.0	8/4/19 4:00	0.0	8/3/20 4:00	0.3
8/4/18 5:00	0.0	8/4/19 5:00	0.0	8/3/20 5:00	0.3
8/4/18 6:00	0.0	8/4/19 6:00	0.0	8/3/20 6:00	0.2
8/4/18 7:00	0.0	8/4/19 7:00	0.0	8/3/20 7:00	0.2
8/4/18 8:00	0.0	8/4/19 8:00	0.0	8/3/20 8:00	0.2
8/4/18 9:00	0.0	8/4/19 9:00	0.0	8/3/20 9:00	0.2
8/4/18 10:00	0.0	8/4/19 10:00	0.0	8/3/20 10:00	0.2
8/4/18 11:00	0.0	8/4/19 11:00	0.0	8/3/20 11:00	0.2
8/4/18 12:00	0.0	8/4/19 12:00	0.0	8/3/20 12:00	0.2
8/4/18 13:00	0.0	8/4/19 13:00	0.0	8/3/20 13:00	0.2
8/4/18 14:00	0.0	8/4/19 14:00	0.0	8/3/20 14:00	0.2
8/4/18 15:00	0.0	8/4/19 15:00	0.0	8/3/20 15:00	0.4
8/4/18 16:00	0.0	8/4/19 16:00	0.0	8/3/20 16:00	0.2
8/4/18 17:00	0.0	8/4/19 17:00	0.0	8/3/20 17:00	0.1
8/4/18 18:00	0.0	8/4/19 18:00	0.0	8/3/20 18:00	0.2
8/4/18 19:00	0.0	8/4/19 19:00	0.0	8/3/20 19:00	0.2
8/4/18 20:00	0.0	8/4/19 20:00	0.0	8/3/20 20:00	0.2
8/4/18 21:00	0.0	8/4/19 21:00	0.0	8/3/20 21:00	0.1
8/4/18 22:00	0.0	8/4/19 22:00	0.0	8/3/20 22:00	0.1
8/4/18 23:00	0.0	8/4/19 23:00	0.0	8/3/20 23:00	0.1
8/5/18 0:00	0.0	8/5/19 0:00	0.0	8/4/20 0:00	0.2
8/5/18 1:00	0.0	8/5/19 1:00	0.0	8/4/20 1:00	0.2
8/5/18 2:00	0.0	8/5/19 2:00	0.0	8/4/20 2:00	0.3
8/5/18 3:00	0.0	8/5/19 3:00	0.0	8/4/20 3:00	0.2
8/5/18 4:00	0.0	8/5/19 4:00	0.0	8/4/20 4:00	0.3
8/5/18 5:00	0.0	8/5/19 5:00	0.0	8/4/20 5:00	0.3
8/5/18 6:00	0.0	8/5/19 6:00	0.0	8/4/20 6:00	0.3
8/5/18 7:00	0.0	8/5/19 7:00	0.0	8/4/20 7:00	0.3
8/5/18 8:00	0.0	8/5/19 8:00	0.0	8/4/20 8:00	0.3
8/5/18 9:00	0.0	8/5/19 9:00	0.0	8/4/20 9:00	0.2
8/5/18 10:00	0.0	8/5/19 10:00	0.0	8/4/20 10:00	0.4
8/5/18 11:00	0.0	8/5/19 11:00	0.0	8/4/20 11:00	0.3
8/5/18 12:00	0.0	8/5/19 12:00	0.0	8/4/20 12:00	0.3
8/5/18 13:00	0.0	8/5/19 13:00	0.0	8/4/20 13:00	0.3
8/5/18 14:00	0.0	8/5/19 14:00	0.0	8/4/20 14:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
8/5/18 15:00	0.0	8/5/19 15:00	0.0	8/4/20 15:00	0.2
8/5/18 16:00	0.0	8/5/19 16:00	0.0	8/4/20 16:00	0.3
8/5/18 17:00	0.0	8/5/19 17:00	0.0	8/4/20 17:00	0.3
8/5/18 18:00	0.0	8/5/19 18:00	0.0	8/4/20 18:00	0.2
8/5/18 19:00	0.0	8/5/19 19:00	0.0	8/4/20 19:00	0.2
8/5/18 20:00	0.0	8/5/19 20:00	0.0	8/4/20 20:00	0.3
8/5/18 21:00	0.0	8/5/19 21:00	0.0	8/4/20 21:00	0.3
8/5/18 22:00	0.0	8/5/19 22:00	0.0	8/4/20 22:00	0.1
8/5/18 23:00	0.0	8/5/19 23:00	0.0	8/4/20 23:00	0.1
8/6/18 0:00	0.0	8/6/19 0:00	0.0	8/5/20 0:00	0.3
8/6/18 1:00	0.0	8/6/19 1:00	0.0	8/5/20 1:00	0.2
8/6/18 2:00	0.0	8/6/19 2:00	0.0	8/5/20 2:00	0.2
8/6/18 3:00	0.0	8/6/19 3:00	0.0	8/5/20 3:00	0.2
8/6/18 4:00	0.0	8/6/19 4:00	0.0	8/5/20 4:00	0.2
8/6/18 5:00	0.0	8/6/19 5:00	0.0	8/5/20 5:00	0.3
8/6/18 6:00	0.0	8/6/19 6:00	0.0	8/5/20 6:00	0.1
8/6/18 7:00	0.0	8/6/19 7:00	0.0	8/5/20 7:00	0.2
8/6/18 8:00	0.0	8/6/19 8:00	0.0	8/5/20 8:00	0.3
8/6/18 9:00	0.0	8/6/19 9:00	0.0	8/5/20 9:00	0.3
8/6/18 10:00	0.0	8/6/19 10:00	0.0	8/5/20 10:00	0.1
8/6/18 11:00	0.0	8/6/19 11:00	0.0	8/5/20 11:00	0.1
8/6/18 12:00	0.0	8/6/19 12:00	0.0	8/5/20 12:00	0.3
8/6/18 13:00	0.0	8/6/19 13:00	0.0	8/5/20 13:00	0.2
8/6/18 14:00	0.0	8/6/19 14:00	0.0	8/5/20 14:00	0.2
8/6/18 15:00	0.0	8/6/19 15:00	0.0	8/5/20 15:00	0.2
8/6/18 16:00	0.0	8/6/19 16:00	0.0	8/5/20 16:00	0.2
8/6/18 17:00	0.0	8/6/19 17:00	0.0	8/5/20 17:00	0.2
8/6/18 18:00	0.0	8/6/19 18:00	0.0	8/5/20 18:00	0.1
8/6/18 19:00	0.0	8/6/19 19:00	0.0	8/5/20 19:00	0.2
8/6/18 20:00	0.0	8/6/19 20:00	0.0	8/5/20 20:00	0.2
8/6/18 21:00	0.0	8/6/19 21:00	0.0	8/5/20 21:00	0.3
8/6/18 22:00	0.0	8/6/19 22:00	0.0	8/5/20 22:00	0.2
8/6/18 23:00	0.0	8/6/19 23:00	0.0	8/5/20 23:00	0.3
8/7/18 0:00	0.0	8/7/19 0:00	0.0	8/6/20 0:00	0.3
8/7/18 1:00	0.0	8/7/19 1:00	0.0	8/6/20 1:00	0.3
8/7/18 2:00	0.0	8/7/19 2:00	0.0	8/6/20 2:00	0.2
8/7/18 3:00	0.0	8/7/19 3:00	0.0	8/6/20 3:00	0.2
8/7/18 4:00	0.0	8/7/19 4:00	0.0	8/6/20 4:00	0.2
8/7/18 5:00	0.0	8/7/19 5:00	0.0	8/6/20 5:00	0.2
8/7/18 6:00	0.0	8/7/19 6:00	0.0	8/6/20 6:00	0.2
8/7/18 7:00	0.0	8/7/19 7:00	0.0	8/6/20 7:00	0.2
8/7/18 8:00	0.0	8/7/19 8:00	0.0	8/6/20 8:00	0.2
8/7/18 9:00	0.0	8/7/19 9:00	0.0	8/6/20 9:00	0.1
8/7/18 10:00	0.0	8/7/19 10:00	0.0	8/6/20 10:00	0.2
8/7/18 11:00	0.0	8/7/19 11:00	0.0	8/6/20 11:00	0.1
8/7/18 12:00	0.0	8/7/19 12:00	0.0	8/6/20 12:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
8/7/18 13:00	0.0	8/7/19 13:00	0.0	8/6/20 13:00	0.2
8/7/18 14:00	0.0	8/7/19 14:00	0.0	8/6/20 14:00	0.3
8/7/18 15:00	0.0	8/7/19 15:00	0.0	8/6/20 15:00	0.3
8/7/18 16:00	0.0	8/7/19 16:00	0.0	8/6/20 16:00	0.3
8/7/18 17:00	0.0	8/7/19 17:00	0.0	8/6/20 17:00	0.2
8/7/18 18:00	0.0	8/7/19 18:00	0.0	8/6/20 18:00	0.1
8/7/18 19:00	0.0	8/7/19 19:00	0.0	8/6/20 19:00	0.1
8/7/18 20:00	0.0	8/7/19 20:00	0.0	8/6/20 20:00	0.1
8/7/18 21:00	0.0	8/7/19 21:00	0.0	8/6/20 21:00	0.1
8/7/18 22:00	0.0	8/7/19 22:00	0.0	8/6/20 22:00	0.1
8/7/18 23:00	0.0	8/7/19 23:00	0.0	8/6/20 23:00	0.2
8/8/18 0:00	0.0	8/8/19 0:00	0.0	8/7/20 0:00	0.1
8/8/18 1:00	0.0	8/8/19 1:00	0.0	8/7/20 1:00	0.2
8/8/18 2:00	0.0	8/8/19 2:00	0.0	8/7/20 2:00	0.1
8/8/18 3:00	0.0	8/8/19 3:00	0.0	8/7/20 3:00	0.1
8/8/18 4:00	0.0	8/8/19 4:00	0.0	8/7/20 4:00	0.1
8/8/18 5:00	0.0	8/8/19 5:00	0.0	8/7/20 5:00	0.1
8/8/18 6:00	0.0	8/8/19 6:00	0.0	8/7/20 6:00	0.2
8/8/18 7:00	0.0	8/8/19 7:00	0.0	8/7/20 7:00	0.2
8/8/18 8:00	0.0	8/8/19 8:00	0.0	8/7/20 8:00	0.3
8/8/18 9:00	0.0	8/8/19 9:00	0.0	8/7/20 9:00	0.1
8/8/18 10:00	0.0	8/8/19 10:00	0.0	8/7/20 10:00	0.1
8/8/18 11:00	0.0	8/8/19 11:00	0.0	8/7/20 11:00	0.1
8/8/18 12:00	0.0	8/8/19 12:00	0.0	8/7/20 12:00	0.1
8/8/18 13:00	0.0	8/8/19 13:00	0.0	8/7/20 13:00	0.1
8/8/18 14:00	0.0	8/8/19 14:00	0.0	8/7/20 14:00	0.1
8/8/18 15:00	0.0	8/8/19 15:00	0.0	8/7/20 15:00	0.1
8/8/18 16:00	0.0	8/8/19 16:00	0.0	8/7/20 16:00	0.1
8/8/18 17:00	0.0	8/8/19 17:00	0.0	8/7/20 17:00	0.1
8/8/18 18:00	0.0	8/8/19 18:00	0.0	8/7/20 18:00	0.1
8/8/18 19:00	0.0	8/8/19 19:00	0.0	8/7/20 19:00	0.2
8/8/18 20:00	0.0	8/8/19 20:00	0.0	8/7/20 20:00	0.2
8/8/18 21:00	0.0	8/8/19 21:00	0.0	8/7/20 21:00	0.2
8/8/18 22:00	0.0	8/8/19 22:00	0.0	8/7/20 22:00	0.1
8/8/18 23:00	0.0	8/8/19 23:00	0.0	8/7/20 23:00	0.2
8/9/18 0:00	0.0	8/9/19 0:00	0.0	8/8/20 0:00	0.1
8/9/18 1:00	0.0	8/9/19 1:00	0.0	8/8/20 1:00	0.1
8/9/18 2:00	0.0	8/9/19 2:00	0.0	8/8/20 2:00	0.1
8/9/18 3:00	0.0	8/9/19 3:00	0.0	8/8/20 3:00	0.1
8/9/18 4:00	0.0	8/9/19 4:00	0.0	8/8/20 4:00	0.1
8/9/18 5:00	0.0	8/9/19 5:00	0.0	8/8/20 5:00	0.1
8/9/18 6:00	0.0	8/9/19 6:00	0.0	8/8/20 6:00	0.1
8/9/18 7:00	0.0	8/9/19 7:00	0.0	8/8/20 7:00	0.2
8/9/18 8:00	0.0	8/9/19 8:00	0.0	8/8/20 8:00	0.2
8/9/18 9:00	0.0	8/9/19 9:00	0.0	8/8/20 9:00	0.3
8/9/18 10:00	0.0	8/9/19 10:00	0.0	8/8/20 10:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
8/9/18 11:00	0.0	8/9/19 11:00	0.0	8/8/20 11:00	0.1
8/9/18 12:00	0.0	8/9/19 12:00	0.0	8/8/20 12:00	0.1
8/9/18 13:00	0.0	8/9/19 13:00	0.0	8/8/20 13:00	0.1
8/9/18 14:00	0.0	8/9/19 14:00	0.0	8/8/20 14:00	0.1
8/9/18 15:00	0.0	8/9/19 15:00	0.0	8/8/20 15:00	0.2
8/9/18 16:00	0.0	8/9/19 16:00	0.0	8/8/20 16:00	0.1
8/9/18 17:00	0.0	8/9/19 17:00	0.0	8/8/20 17:00	0.1
8/9/18 18:00	0.0	8/9/19 18:00	0.0	8/8/20 18:00	0.2
8/9/18 19:00	0.0	8/9/19 19:00	0.0	8/8/20 19:00	0.2
8/9/18 20:00	0.0	8/9/19 20:00	0.0	8/8/20 20:00	0.2
8/9/18 21:00	0.0	8/9/19 21:00	0.0	8/8/20 21:00	0.1
8/9/18 22:00	0.0	8/9/19 22:00	0.0	8/8/20 22:00	0.2
8/9/18 23:00	0.0	8/9/19 23:00	0.0	8/8/20 23:00	0.2
8/10/18 0:00	0.0	8/10/19 0:00	0.0	8/9/20 0:00	0.2
8/10/18 1:00	0.0	8/10/19 1:00	0.0	8/9/20 1:00	0.3
8/10/18 2:00	0.0	8/10/19 2:00	0.0	8/9/20 2:00	0.2
8/10/18 3:00	0.0	8/10/19 3:00	0.0	8/9/20 3:00	0.1
8/10/18 4:00	0.0	8/10/19 4:00	0.0	8/9/20 4:00	0.3
8/10/18 5:00	0.0	8/10/19 5:00	0.0	8/9/20 5:00	0.1
8/10/18 6:00	0.0	8/10/19 6:00	0.0	8/9/20 6:00	0.1
8/10/18 7:00	0.0	8/10/19 7:00	0.0	8/9/20 7:00	0.1
8/10/18 8:00	0.0	8/10/19 8:00	0.0	8/9/20 8:00	0.2
8/10/18 9:00	0.0	8/10/19 9:00	0.0	8/9/20 9:00	0.2
8/10/18 10:00	0.0	8/10/19 10:00	0.0	8/9/20 10:00	0.2
8/10/18 11:00	0.0	8/10/19 11:00	0.0	8/9/20 11:00	0.2
8/10/18 12:00	0.0	8/10/19 12:00	0.0	8/9/20 12:00	0.1
8/10/18 13:00	0.0	8/10/19 13:00	0.0	8/9/20 13:00	0.1
8/10/18 14:00	0.0	8/10/19 14:00	0.0	8/9/20 14:00	0.2
8/10/18 15:00	0.0	8/10/19 15:00	0.0	8/9/20 15:00	0.2
8/10/18 16:00	0.0	8/10/19 16:00	0.0	8/9/20 16:00	0.2
8/10/18 17:00	0.0	8/10/19 17:00	0.0	8/9/20 17:00	0.2
8/10/18 18:00	0.0	8/10/19 18:00	0.0	8/9/20 18:00	0.2
8/10/18 19:00	0.0	8/10/19 19:00	0.0	8/9/20 19:00	0.3
8/10/18 20:00	0.0	8/10/19 20:00	0.0	8/9/20 20:00	0.3
8/10/18 21:00	0.0	8/10/19 21:00	0.0	8/9/20 21:00	0.3
8/10/18 22:00	0.0	8/10/19 22:00	0.0	8/9/20 22:00	0.3
8/10/18 23:00	0.0	8/10/19 23:00	0.0	8/9/20 23:00	0.3
8/11/18 0:00	0.0	8/11/19 0:00	0.0	8/10/20 0:00	0.2
8/11/18 1:00	0.0	8/11/19 1:00	0.0	8/10/20 1:00	0.2
8/11/18 2:00	0.0	8/11/19 2:00	0.0	8/10/20 2:00	0.2
8/11/18 3:00	0.0	8/11/19 3:00	0.0	8/10/20 3:00	0.2
8/11/18 4:00	0.0	8/11/19 4:00	0.0	8/10/20 4:00	0.2
8/11/18 5:00	0.0	8/11/19 5:00	0.0	8/10/20 5:00	0.2
8/11/18 6:00	0.0	8/11/19 6:00	0.0	8/10/20 6:00	0.1
8/11/18 7:00	0.0	8/11/19 7:00	0.0	8/10/20 7:00	0.1
8/11/18 8:00	0.0	8/11/19 8:00	0.0	8/10/20 8:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
8/11/18 9:00	0.0	8/11/19 9:00	0.0	8/10/20 9:00	0.1
8/11/18 10:00	0.0	8/11/19 10:00	0.0	8/10/20 10:00	0.1
8/11/18 11:00	0.0	8/11/19 11:00	0.0	8/10/20 11:00	0.1
8/11/18 12:00	0.0	8/11/19 12:00	0.0	8/10/20 12:00	0.1
8/11/18 13:00	0.0	8/11/19 13:00	0.0	8/10/20 13:00	0.1
8/11/18 14:00	0.0	8/11/19 14:00	0.0	8/10/20 14:00	0.1
8/11/18 15:00	0.0	8/11/19 15:00	0.0	8/10/20 15:00	0.1
8/11/18 16:00	0.0	8/11/19 16:00	0.0	8/10/20 16:00	0.1
8/11/18 17:00	0.0	8/11/19 17:00	0.0	8/10/20 17:00	0.3
8/11/18 18:00	0.0	8/11/19 18:00	0.0	8/10/20 18:00	0.2
8/11/18 19:00	0.0	8/11/19 19:00	0.0	8/10/20 19:00	0.1
8/11/18 20:00	0.0	8/11/19 20:00	0.0	8/10/20 20:00	0.1
8/11/18 21:00	0.0	8/11/19 21:00	0.0	8/10/20 21:00	0.2
8/11/18 22:00	0.0	8/11/19 22:00	0.0	8/10/20 22:00	0.1
8/11/18 23:00	0.0	8/11/19 23:00	0.0	8/10/20 23:00	0.2
8/12/18 0:00	0.0	8/12/19 0:00	0.0	8/11/20 0:00	0.1
8/12/18 1:00	0.0	8/12/19 1:00	0.0	8/11/20 1:00	0.1
8/12/18 2:00	0.0	8/12/19 2:00	0.0	8/11/20 2:00	0.2
8/12/18 3:00	0.0	8/12/19 3:00	0.0	8/11/20 3:00	0.2
8/12/18 4:00	0.0	8/12/19 4:00	0.0	8/11/20 4:00	0.2
8/12/18 5:00	0.0	8/12/19 5:00	0.0	8/11/20 5:00	0.1
8/12/18 6:00	0.0	8/12/19 6:00	0.0	8/11/20 6:00	0.1
8/12/18 7:00	0.0	8/12/19 7:00	0.0	8/11/20 7:00	0.1
8/12/18 8:00	0.0	8/12/19 8:00	0.0	8/11/20 8:00	0.2
8/12/18 9:00	0.0	8/12/19 9:00	0.0	8/11/20 9:00	0.3
8/12/18 10:00	0.0	8/12/19 10:00	0.0	8/11/20 10:00	0.3
8/12/18 11:00	0.0	8/12/19 11:00	0.0	8/11/20 11:00	0.5
8/12/18 12:00	0.0	8/12/19 12:00	0.0	8/11/20 12:00	0.1
8/12/18 13:00	0.0	8/12/19 13:00	0.0	8/11/20 13:00	0.1
8/12/18 14:00	0.0	8/12/19 14:00	0.0	8/11/20 14:00	0.1
8/12/18 15:00	0.0	8/12/19 15:00	0.0	8/11/20 15:00	0.2
8/12/18 16:00	0.0	8/12/19 16:00	0.0	8/11/20 16:00	0.2
8/12/18 17:00	0.0	8/12/19 17:00	0.0	8/11/20 17:00	0.1
8/12/18 18:00	0.0	8/12/19 18:00	0.0	8/11/20 18:00	0.1
8/12/18 19:00	0.0	8/12/19 19:00	0.0	8/11/20 19:00	0.3
8/12/18 20:00	0.0	8/12/19 20:00	0.0	8/11/20 20:00	0.2
8/12/18 21:00	0.0	8/12/19 21:00	0.0	8/11/20 21:00	0.2
8/12/18 22:00	0.0	8/12/19 22:00	0.0	8/11/20 22:00	0.2
8/12/18 23:00	0.0	8/12/19 23:00	0.0	8/11/20 23:00	0.3
8/13/18 0:00	0.0	8/13/19 0:00	0.0	8/12/20 0:00	0.1
8/13/18 1:00	0.0	8/13/19 1:00	0.0	8/12/20 1:00	0.2
8/13/18 2:00	0.0	8/13/19 2:00	0.0	8/12/20 2:00	0.2
8/13/18 3:00	0.0	8/13/19 3:00	0.0	8/12/20 3:00	0.2
8/13/18 4:00	0.0	8/13/19 4:00	0.0	8/12/20 4:00	0.2
8/13/18 5:00	0.0	8/13/19 5:00	0.0	8/12/20 5:00	0.2
8/13/18 6:00	0.0	8/13/19 6:00	0.0	8/12/20 6:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
8/13/18 7:00	0.0	8/13/19 7:00	0.0	8/12/20 7:00	0.2
8/13/18 8:00	0.0	8/13/19 8:00	0.0	8/12/20 8:00	0.2
8/13/18 9:00	0.0	8/13/19 9:00	0.0	8/12/20 9:00	0.2
8/13/18 10:00	0.0	8/13/19 10:00	0.0	8/12/20 10:00	0.2
8/13/18 11:00	0.0	8/13/19 11:00	0.0	8/12/20 11:00	0.2
8/13/18 12:00	0.0	8/13/19 12:00	0.0	8/12/20 12:00	0.6
8/13/18 13:00	0.0	8/13/19 13:00	0.0	8/12/20 13:00	0.3
8/13/18 14:00	0.0	8/13/19 14:00	0.0	8/12/20 14:00	0.2
8/13/18 15:00	0.0	8/13/19 15:00	0.0	8/12/20 15:00	0.1
8/13/18 16:00	0.0	8/13/19 16:00	0.0	8/12/20 16:00	0.1
8/13/18 17:00	0.0	8/13/19 17:00	0.0	8/12/20 17:00	0.2
8/13/18 18:00	0.0	8/13/19 18:00	0.0	8/12/20 18:00	0.2
8/13/18 19:00	0.0	8/13/19 19:00	0.0	8/12/20 19:00	0.2
8/13/18 20:00	0.0	8/13/19 20:00	0.0	8/12/20 20:00	0.3
8/13/18 21:00	0.0	8/13/19 21:00	0.0	8/12/20 21:00	0.3
8/13/18 22:00	0.0	8/13/19 22:00	0.0	8/12/20 22:00	0.3
8/13/18 23:00	0.0	8/13/19 23:00	0.0	8/12/20 23:00	0.3
8/14/18 0:00	0.0	8/14/19 0:00	0.0	8/13/20 0:00	0.2
8/14/18 1:00	0.0	8/14/19 1:00	0.0	8/13/20 1:00	0.2
8/14/18 2:00	0.0	8/14/19 2:00	0.0	8/13/20 2:00	0.2
8/14/18 3:00	0.0	8/14/19 3:00	0.0	8/13/20 3:00	0.1
8/14/18 4:00	0.0	8/14/19 4:00	0.0	8/13/20 4:00	0.3
8/14/18 5:00	0.0	8/14/19 5:00	0.0	8/13/20 5:00	0.3
8/14/18 6:00	0.0	8/14/19 6:00	0.0	8/13/20 6:00	0.3
8/14/18 7:00	0.0	8/14/19 7:00	0.0	8/13/20 7:00	0.3
8/14/18 8:00	0.0	8/14/19 8:00	0.0	8/13/20 8:00	0.4
8/14/18 9:00	0.0	8/14/19 9:00	0.0	8/13/20 9:00	0.2
8/14/18 10:00	0.0	8/14/19 10:00	0.0	8/13/20 10:00	0.2
8/14/18 11:00	0.0	8/14/19 11:00	0.0	8/13/20 11:00	0.3
8/14/18 12:00	0.0	8/14/19 12:00	0.0	8/13/20 12:00	0.3
8/14/18 13:00	0.0	8/14/19 13:00	0.0	8/13/20 13:00	0.3
8/14/18 14:00	0.0	8/14/19 14:00	0.0	8/13/20 14:00	0.3
8/14/18 15:00	0.0	8/14/19 15:00	0.0	8/13/20 15:00	0.2
8/14/18 16:00	0.0	8/14/19 16:00	0.0	8/13/20 16:00	0.2
8/14/18 17:00	0.0	8/14/19 17:00	0.0	8/13/20 17:00	0.1
8/14/18 18:00	0.0	8/14/19 18:00	0.0	8/13/20 18:00	0.2
8/14/18 19:00	0.0	8/14/19 19:00	0.0	8/13/20 19:00	0.2
8/14/18 20:00	0.0	8/14/19 20:00	0.0	8/13/20 20:00	0.3
8/14/18 21:00	0.0	8/14/19 21:00	0.0	8/13/20 21:00	0.2
8/14/18 22:00	0.0	8/14/19 22:00	0.0	8/13/20 22:00	0.3
8/14/18 23:00	0.0	8/14/19 23:00	0.0	8/13/20 23:00	0.3
8/15/18 0:00	0.0	8/15/19 0:00	0.0	8/14/20 0:00	0.3
8/15/18 1:00	0.0	8/15/19 1:00	0.0	8/14/20 1:00	0.3
8/15/18 2:00	0.0	8/15/19 2:00	0.0	8/14/20 2:00	0.2
8/15/18 3:00	0.0	8/15/19 3:00	0.0	8/14/20 3:00	0.2
8/15/18 4:00	0.0	8/15/19 4:00	0.0	8/14/20 4:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
8/15/18 5:00	0.0	8/15/19 5:00	0.0	8/14/20 5:00	0.4
8/15/18 6:00	0.0	8/15/19 6:00	0.0	8/14/20 6:00	0.4
8/15/18 7:00	0.0	8/15/19 7:00	0.0	8/14/20 7:00	0.4
8/15/18 8:00	0.0	8/15/19 8:00	0.0	8/14/20 8:00	0.4
8/15/18 9:00	0.0	8/15/19 9:00	0.0	8/14/20 9:00	0.2
8/15/18 10:00	0.0	8/15/19 10:00	0.0	8/14/20 10:00	0.2
8/15/18 11:00	0.0	8/15/19 11:00	0.0	8/14/20 11:00	0.2
8/15/18 12:00	0.0	8/15/19 12:00	0.0	8/14/20 12:00	0.2
8/15/18 13:00	0.0	8/15/19 13:00	0.0	8/14/20 13:00	0.2
8/15/18 14:00	0.0	8/15/19 14:00	0.0	8/14/20 14:00	0.1
8/15/18 15:00	0.0	8/15/19 15:00	0.0	8/14/20 15:00	0.2
8/15/18 16:00	0.0	8/15/19 16:00	0.0	8/14/20 16:00	0.2
8/15/18 17:00	0.0	8/15/19 17:00	0.0	8/14/20 17:00	0.2
8/15/18 18:00	0.0	8/15/19 18:00	0.0	8/14/20 18:00	0.2
8/15/18 19:00	0.0	8/15/19 19:00	0.0	8/14/20 19:00	0.3
8/15/18 20:00	0.0	8/15/19 20:00	0.0	8/14/20 20:00	0.2
8/15/18 21:00	0.0	8/15/19 21:00	0.0	8/14/20 21:00	0.1
8/15/18 22:00	0.0	8/15/19 22:00	0.0	8/14/20 22:00	0.2
8/15/18 23:00	0.0	8/15/19 23:00	0.0	8/14/20 23:00	0.2
8/16/18 0:00	0.0	8/16/19 0:00	0.0	8/15/20 0:00	0.2
8/16/18 1:00	0.0	8/16/19 1:00	0.0	8/15/20 1:00	0.1
8/16/18 2:00	0.0	8/16/19 2:00	0.0	8/15/20 2:00	0.1
8/16/18 3:00	0.0	8/16/19 3:00	0.0	8/15/20 3:00	0.3
8/16/18 4:00	0.0	8/16/19 4:00	0.0	8/15/20 4:00	0.2
8/16/18 5:00	0.0	8/16/19 5:00	0.0	8/15/20 5:00	0.2
8/16/18 6:00	0.0	8/16/19 6:00	0.0	8/15/20 6:00	0.2
8/16/18 7:00	0.0	8/16/19 7:00	0.0	8/15/20 7:00	0.2
8/16/18 8:00	0.0	8/16/19 8:00	0.0	8/15/20 8:00	0.1
8/16/18 9:00	0.0	8/16/19 9:00	0.0	8/15/20 9:00	0.1
8/16/18 10:00	0.0	8/16/19 10:00	0.0	8/15/20 10:00	0.2
8/16/18 11:00	0.0	8/16/19 11:00	0.0	8/15/20 11:00	0.2
8/16/18 12:00	0.0	8/16/19 12:00	0.0	8/15/20 12:00	0.2
8/16/18 13:00	0.0	8/16/19 13:00	0.0	8/15/20 13:00	0.2
8/16/18 14:00	0.0	8/16/19 14:00	0.0	8/15/20 14:00	0.2
8/16/18 15:00	0.0	8/16/19 15:00	0.0	8/15/20 15:00	0.2
8/16/18 16:00	0.0	8/16/19 16:00	0.0	8/15/20 16:00	0.2
8/16/18 17:00	0.0	8/16/19 17:00	0.0	8/15/20 17:00	0.2
8/16/18 18:00	0.0	8/16/19 18:00	0.0	8/15/20 18:00	0.2
8/16/18 19:00	0.0	8/16/19 19:00	0.0	8/15/20 19:00	0.2
8/16/18 20:00	0.0	8/16/19 20:00	0.0	8/15/20 20:00	0.3
8/16/18 21:00	0.0	8/16/19 21:00	0.0	8/15/20 21:00	0.3
8/16/18 22:00	0.0	8/16/19 22:00	0.0	8/15/20 22:00	0.3
8/16/18 23:00	0.0	8/16/19 23:00	0.0	8/15/20 23:00	0.2
8/17/18 0:00	0.0	8/17/19 0:00	0.0	8/16/20 0:00	0.2
8/17/18 1:00	0.0	8/17/19 1:00	0.0	8/16/20 1:00	0.2
8/17/18 2:00	0.0	8/17/19 2:00	0.0	8/16/20 2:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
8/17/18 3:00	0.0	8/17/19 3:00	0.0	8/16/20 3:00	0.2
8/17/18 4:00	0.0	8/17/19 4:00	0.0	8/16/20 4:00	0.1
8/17/18 5:00	0.0	8/17/19 5:00	0.0	8/16/20 5:00	0.3
8/17/18 6:00	0.0	8/17/19 6:00	0.0	8/16/20 6:00	0.3
8/17/18 7:00	0.0	8/17/19 7:00	0.0	8/16/20 7:00	0.3
8/17/18 8:00	0.0	8/17/19 8:00	0.0	8/16/20 8:00	0.3
8/17/18 9:00	0.0	8/17/19 9:00	0.0	8/16/20 9:00	0.3
8/17/18 10:00	0.0	8/17/19 10:00	0.0	8/16/20 10:00	0.3
8/17/18 11:00	0.0	8/17/19 11:00	0.0	8/16/20 11:00	0.3
8/17/18 12:00	0.0	8/17/19 12:00	0.0	8/16/20 12:00	0.3
8/17/18 13:00	0.0	8/17/19 13:00	0.0	8/16/20 13:00	0.2
8/17/18 14:00	0.0	8/17/19 14:00	0.0	8/16/20 14:00	0.1
8/17/18 15:00	0.0	8/17/19 15:00	0.0	8/16/20 15:00	0.2
8/17/18 16:00	0.0	8/17/19 16:00	0.0	8/16/20 16:00	0.2
8/17/18 17:00	0.0	8/17/19 17:00	0.0	8/16/20 17:00	0.2
8/17/18 18:00	0.0	8/17/19 18:00	0.0	8/16/20 18:00	0.3
8/17/18 19:00	0.0	8/17/19 19:00	0.0	8/16/20 19:00	0.2
8/17/18 20:00	0.0	8/17/19 20:00	0.0	8/16/20 20:00	0.2
8/17/18 21:00	0.0	8/17/19 21:00	0.0	8/16/20 21:00	0.2
8/17/18 22:00	0.0	8/17/19 22:00	0.0	8/16/20 22:00	0.2
8/17/18 23:00	0.0	8/17/19 23:00	0.0	8/16/20 23:00	0.2
8/18/18 0:00	0.0	8/18/19 0:00	0.0	8/17/20 0:00	0.2
8/18/18 1:00	0.0	8/18/19 1:00	0.0	8/17/20 1:00	0.2
8/18/18 2:00	0.0	8/18/19 2:00	0.0	8/17/20 2:00	0.1
8/18/18 3:00	0.0	8/18/19 3:00	0.0	8/17/20 3:00	0.1
8/18/18 4:00	0.0	8/18/19 4:00	0.0	8/17/20 4:00	0.1
8/18/18 5:00	0.0	8/18/19 5:00	0.0	8/17/20 5:00	0.2
8/18/18 6:00	0.0	8/18/19 6:00	0.0	8/17/20 6:00	0.2
8/18/18 7:00	0.0	8/18/19 7:00	0.0	8/17/20 7:00	0.2
8/18/18 8:00	0.0	8/18/19 8:00	0.0	8/17/20 8:00	0.3
8/18/18 9:00	0.0	8/18/19 9:00	0.0	8/17/20 9:00	0.2
8/18/18 10:00	0.0	8/18/19 10:00	0.0	8/17/20 10:00	0.2
8/18/18 11:00	0.0	8/18/19 11:00	0.0	8/17/20 11:00	0.2
8/18/18 12:00	0.0	8/18/19 12:00	0.0	8/17/20 12:00	0.2
8/18/18 13:00	0.0	8/18/19 13:00	0.0	8/17/20 13:00	0.1
8/18/18 14:00	0.0	8/18/19 14:00	0.0	8/17/20 14:00	0.1
8/18/18 15:00	0.0	8/18/19 15:00	0.0	8/17/20 15:00	0.2
8/18/18 16:00	0.0	8/18/19 16:00	0.0	8/17/20 16:00	0.2
8/18/18 17:00	0.0	8/18/19 17:00	0.0	8/17/20 17:00	0.2
8/18/18 18:00	0.0	8/18/19 18:00	0.0	8/17/20 18:00	0.2
8/18/18 19:00	0.0	8/18/19 19:00	0.0	8/17/20 19:00	0.2
8/18/18 20:00	0.0	8/18/19 20:00	0.0	8/17/20 20:00	0.2
8/18/18 21:00	0.0	8/18/19 21:00	0.0	8/17/20 21:00	0.2
8/18/18 22:00	0.0	8/18/19 22:00	0.0	8/17/20 22:00	0.2
8/18/18 23:00	0.0	8/18/19 23:00	0.0	8/17/20 23:00	0.4
8/19/18 0:00	0.0	8/19/19 0:00	0.0	8/18/20 0:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
8/19/18 1:00	0.0	8/19/19 1:00	0.0	8/18/20 1:00	0.2
8/19/18 2:00	0.0	8/19/19 2:00	0.0	8/18/20 2:00	0.2
8/19/18 3:00	0.0	8/19/19 3:00	0.0	8/18/20 3:00	0.1
8/19/18 4:00	0.0	8/19/19 4:00	0.0	8/18/20 4:00	0.2
8/19/18 5:00	0.0	8/19/19 5:00	0.0	8/18/20 5:00	0.1
8/19/18 6:00	0.0	8/19/19 6:00	0.0	8/18/20 6:00	0.1
8/19/18 7:00	0.0	8/19/19 7:00	0.0	8/18/20 7:00	0.1
8/19/18 8:00	0.0	8/19/19 8:00	0.0	8/18/20 8:00	0.1
8/19/18 9:00	0.0	8/19/19 9:00	0.0	8/18/20 9:00	0.2
8/19/18 10:00	0.0	8/19/19 10:00	0.0	8/18/20 10:00	0.1
8/19/18 11:00	0.0	8/19/19 11:00	0.0	8/18/20 11:00	0.1
8/19/18 12:00	0.0	8/19/19 12:00	0.0	8/18/20 12:00	0.2
8/19/18 13:00	0.0	8/19/19 13:00	0.0	8/18/20 13:00	0.1
8/19/18 14:00	0.0	8/19/19 14:00	0.0	8/18/20 14:00	0.1
8/19/18 15:00	0.0	8/19/19 15:00	0.0	8/18/20 15:00	0.1
8/19/18 16:00	0.0	8/19/19 16:00	0.0	8/18/20 16:00	0.2
8/19/18 17:00	0.0	8/19/19 17:00	0.0	8/18/20 17:00	0.2
8/19/18 18:00	0.0	8/19/19 18:00	0.0	8/18/20 18:00	0.2
8/19/18 19:00	0.0	8/19/19 19:00	0.0	8/18/20 19:00	0.3
8/19/18 20:00	0.0	8/19/19 20:00	0.0	8/18/20 20:00	0.3
8/19/18 21:00	0.0	8/19/19 21:00	0.0	8/18/20 21:00	0.3
8/19/18 22:00	0.0	8/19/19 22:00	0.0	8/18/20 22:00	0.2
8/19/18 23:00	0.0	8/19/19 23:00	0.0	8/18/20 23:00	0.2
8/20/18 0:00	0.0	8/20/19 0:00	0.0	8/19/20 0:00	0.3
8/20/18 1:00	0.0	8/20/19 1:00	0.0	8/19/20 1:00	0.3
8/20/18 2:00	0.0	8/20/19 2:00	0.0	8/19/20 2:00	0.2
8/20/18 3:00	0.0	8/20/19 3:00	0.0	8/19/20 3:00	0.2
8/20/18 4:00	0.0	8/20/19 4:00	0.0	8/19/20 4:00	0.2
8/20/18 5:00	0.0	8/20/19 5:00	0.0	8/19/20 5:00	0.2
8/20/18 6:00	0.0	8/20/19 6:00	0.0	8/19/20 6:00	0.2
8/20/18 7:00	0.0	8/20/19 7:00	0.0	8/19/20 7:00	0.2
8/20/18 8:00	0.0	8/20/19 8:00	0.0	8/19/20 8:00	0.2
8/20/18 9:00	0.0	8/20/19 9:00	0.0	8/19/20 9:00	0.1
8/20/18 10:00	0.0	8/20/19 10:00	0.0	8/19/20 10:00	0.3
8/20/18 11:00	0.0	8/20/19 11:00	0.0	8/19/20 11:00	0.3
8/20/18 12:00	0.0	8/20/19 12:00	0.0	8/19/20 12:00	0.3
8/20/18 13:00	0.0	8/20/19 13:00	0.0	8/19/20 13:00	0.1
8/20/18 14:00	0.0	8/20/19 14:00	0.0	8/19/20 14:00	0.2
8/20/18 15:00	0.0	8/20/19 15:00	0.0	8/19/20 15:00	0.2
8/20/18 16:00	0.0	8/20/19 16:00	0.0	8/19/20 16:00	0.2
8/20/18 17:00	0.0	8/20/19 17:00	0.0	8/19/20 17:00	0.2
8/20/18 18:00	0.0	8/20/19 18:00	0.0	8/19/20 18:00	0.2
8/20/18 19:00	0.0	8/20/19 19:00	0.0	8/19/20 19:00	0.4
8/20/18 20:00	0.0	8/20/19 20:00	0.0	8/19/20 20:00	0.4
8/20/18 21:00	0.0	8/20/19 21:00	0.0	8/19/20 21:00	0.2
8/20/18 22:00	0.0	8/20/19 22:00	0.0	8/19/20 22:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
8/20/18 23:00	0.0	8/20/19 23:00	0.0	8/19/20 23:00	0.1
8/21/18 0:00	0.0	8/21/19 0:00	0.0	8/20/20 0:00	0.2
8/21/18 1:00	0.0	8/21/19 1:00	0.0	8/20/20 1:00	0.2
8/21/18 2:00	0.0	8/21/19 2:00	0.0	8/20/20 2:00	0.2
8/21/18 3:00	0.0	8/21/19 3:00	0.0	8/20/20 3:00	0.3
8/21/18 4:00	0.0	8/21/19 4:00	0.0	8/20/20 4:00	0.1
8/21/18 5:00	0.0	8/21/19 5:00	0.0	8/20/20 5:00	0.2
8/21/18 6:00	0.0	8/21/19 6:00	0.0	8/20/20 6:00	0.2
8/21/18 7:00	0.0	8/21/19 7:00	0.0	8/20/20 7:00	0.1
8/21/18 8:00	0.0	8/21/19 8:00	0.0	8/20/20 8:00	0.2
8/21/18 9:00	0.0	8/21/19 9:00	0.0	8/20/20 9:00	0.2
8/21/18 10:00	0.0	8/21/19 10:00	0.0	8/20/20 10:00	0.2
8/21/18 11:00	0.0	8/21/19 11:00	0.0	8/20/20 11:00	0.1
8/21/18 12:00	0.0	8/21/19 12:00	0.0	8/20/20 12:00	0.2
8/21/18 13:00	0.0	8/21/19 13:00	0.0	8/20/20 13:00	0.2
8/21/18 14:00	0.0	8/21/19 14:00	0.0	8/20/20 14:00	0.2
8/21/18 15:00	0.0	8/21/19 15:00	0.0	8/20/20 15:00	0.2
8/21/18 16:00	0.0	8/21/19 16:00	0.0	8/20/20 16:00	0.2
8/21/18 17:00	0.0	8/21/19 17:00	0.0	8/20/20 17:00	0.1
8/21/18 18:00	0.0	8/21/19 18:00	0.0	8/20/20 18:00	0.1
8/21/18 19:00	0.0	8/21/19 19:00	0.0	8/20/20 19:00	0.2
8/21/18 20:00	0.0	8/21/19 20:00	0.0	8/20/20 20:00	0.2
8/21/18 21:00	0.0	8/21/19 21:00	0.0	8/20/20 21:00	0.3
8/21/18 22:00	0.0	8/21/19 22:00	0.0	8/20/20 22:00	0.3
8/21/18 23:00	0.0	8/21/19 23:00	0.0	8/20/20 23:00	0.2
8/22/18 0:00	0.0	8/22/19 0:00	0.0	8/21/20 0:00	0.2
8/22/18 1:00	0.0	8/22/19 1:00	0.0	8/21/20 1:00	0.1
8/22/18 2:00	0.0	8/22/19 2:00	0.0	8/21/20 2:00	0.2
8/22/18 3:00	0.0	8/22/19 3:00	0.0	8/21/20 3:00	0.2
8/22/18 4:00	0.0	8/22/19 4:00	0.0	8/21/20 4:00	0.3
8/22/18 5:00	0.0	8/22/19 5:00	0.0	8/21/20 5:00	0.2
8/22/18 6:00	0.0	8/22/19 6:00	0.0	8/21/20 6:00	0.1
8/22/18 7:00	0.0	8/22/19 7:00	0.0	8/21/20 7:00	0.2
8/22/18 8:00	0.0	8/22/19 8:00	0.0	8/21/20 8:00	0.2
8/22/18 9:00	0.0	8/22/19 9:00	0.0	8/21/20 9:00	0.2
8/22/18 10:00	0.0	8/22/19 10:00	0.0	8/21/20 10:00	0.2
8/22/18 11:00	0.0	8/22/19 11:00	0.0	8/21/20 11:00	0.2
8/22/18 12:00	0.0	8/22/19 12:00	0.0	8/21/20 12:00	0.1
8/22/18 13:00	0.0	8/22/19 13:00	0.0	8/21/20 13:00	0.2
8/22/18 14:00	0.0	8/22/19 14:00	0.0	8/21/20 14:00	0.2
8/22/18 15:00	0.0	8/22/19 15:00	0.0	8/21/20 15:00	0.3
8/22/18 16:00	0.0	8/22/19 16:00	0.0	8/21/20 16:00	0.2
8/22/18 17:00	0.0	8/22/19 17:00	0.0	8/21/20 17:00	0.4
8/22/18 18:00	0.0	8/22/19 18:00	0.0	8/21/20 18:00	0.3
8/22/18 19:00	0.0	8/22/19 19:00	0.0	8/21/20 19:00	0.3
8/22/18 20:00	0.0	8/22/19 20:00	0.0	8/21/20 20:00	0.3

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
8/22/18 21:00	0.0	8/22/19 21:00	0.0	8/21/20 21:00	0.3
8/22/18 22:00	0.0	8/22/19 22:00	0.0	8/21/20 22:00	0.3
8/22/18 23:00	0.0	8/22/19 23:00	0.0	8/21/20 23:00	0.2
8/23/18 0:00	0.0	8/23/19 0:00	0.0	8/22/20 0:00	0.2
8/23/18 1:00	0.0	8/23/19 1:00	0.0	8/22/20 1:00	0.3
8/23/18 2:00	0.0	8/23/19 2:00	0.0	8/22/20 2:00	0.2
8/23/18 3:00	0.0	8/23/19 3:00	0.0	8/22/20 3:00	0.2
8/23/18 4:00	0.0	8/23/19 4:00	0.0	8/22/20 4:00	0.4
8/23/18 5:00	0.0	8/23/19 5:00	0.0	8/22/20 5:00	0.3
8/23/18 6:00	0.0	8/23/19 6:00	0.0	8/22/20 6:00	0.3
8/23/18 7:00	0.0	8/23/19 7:00	0.0	8/22/20 7:00	0.3
8/23/18 8:00	0.0	8/23/19 8:00	0.0	8/22/20 8:00	0.2
8/23/18 9:00	0.0	8/23/19 9:00	0.0	8/22/20 9:00	0.1
8/23/18 10:00	0.0	8/23/19 10:00	0.0	8/22/20 10:00	0.2
8/23/18 11:00	0.0	8/23/19 11:00	0.0	8/22/20 11:00	0.2
8/23/18 12:00	0.0	8/23/19 12:00	0.0	8/22/20 12:00	0.3
8/23/18 13:00	0.0	8/23/19 13:00	0.0	8/22/20 13:00	0.3
8/23/18 14:00	0.0	8/23/19 14:00	0.0	8/22/20 14:00	0.3
8/23/18 15:00	0.0	8/23/19 15:00	0.0	8/22/20 15:00	0.3
8/23/18 16:00	0.0	8/23/19 16:00	0.0	8/22/20 16:00	0.5
8/23/18 17:00	0.0	8/23/19 17:00	0.0	8/22/20 17:00	0.3
8/23/18 18:00	0.0	8/23/19 18:00	0.0	8/22/20 18:00	0.3
8/23/18 19:00	0.0	8/23/19 19:00	0.0	8/22/20 19:00	0.2
8/23/18 20:00	0.0	8/23/19 20:00	0.0	8/22/20 20:00	0.2
8/23/18 21:00	0.0	8/23/19 21:00	0.0	8/22/20 21:00	0.2
8/23/18 22:00	0.0	8/23/19 22:00	0.0	8/22/20 22:00	0.2
8/23/18 23:00	0.0	8/23/19 23:00	0.0	8/22/20 23:00	0.2
8/24/18 0:00	0.0	8/24/19 0:00	0.0	8/23/20 0:00	0.3
8/24/18 1:00	0.0	8/24/19 1:00	0.0	8/23/20 1:00	0.2
8/24/18 2:00	0.0	8/24/19 2:00	0.0	8/23/20 2:00	0.2
8/24/18 3:00	0.0	8/24/19 3:00	0.0	8/23/20 3:00	0.4
8/24/18 4:00	0.0	8/24/19 4:00	0.0	8/23/20 4:00	0.5
8/24/18 5:00	0.0	8/24/19 5:00	0.0	8/23/20 5:00	0.4
8/24/18 6:00	0.0	8/24/19 6:00	0.0	8/23/20 6:00	0.2
8/24/18 7:00	0.0	8/24/19 7:00	0.0	8/23/20 7:00	0.2
8/24/18 8:00	0.0	8/24/19 8:00	0.0	8/23/20 8:00	0.7
8/24/18 9:00	0.0	8/24/19 9:00	0.0	8/23/20 9:00	0.2
8/24/18 10:00	0.0	8/24/19 10:00	0.0	8/23/20 10:00	0.2
8/24/18 11:00	0.0	8/24/19 11:00	0.0	8/23/20 11:00	0.2
8/24/18 12:00	0.0	8/24/19 12:00	0.0	8/23/20 12:00	0.2
8/24/18 13:00	0.0	8/24/19 13:00	0.0	8/23/20 13:00	0.1
8/24/18 14:00	0.0	8/24/19 14:00	0.0	8/23/20 14:00	0.2
8/24/18 15:00	0.0	8/24/19 15:00	0.0	8/23/20 15:00	0.1
8/24/18 16:00	0.0	8/24/19 16:00	0.0	8/23/20 16:00	0.1
8/24/18 17:00	0.0	8/24/19 17:00	0.0	8/23/20 17:00	0.1
8/24/18 18:00	0.0	8/24/19 18:00	0.0	8/23/20 18:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
8/24/18 19:00	0.0	8/24/19 19:00	0.0	8/23/20 19:00	0.1
8/24/18 20:00	0.0	8/24/19 20:00	0.0	8/23/20 20:00	0.2
8/24/18 21:00	0.0	8/24/19 21:00	0.0	8/23/20 21:00	0.2
8/24/18 22:00	0.0	8/24/19 22:00	0.0	8/23/20 22:00	0.4
8/24/18 23:00	0.0	8/24/19 23:00	0.0	8/23/20 23:00	0.5
8/25/18 0:00	0.0	8/25/19 0:00	0.0	8/24/20 0:00	0.4
8/25/18 1:00	0.0	8/25/19 1:00	0.0	8/24/20 1:00	0.5
8/25/18 2:00	0.0	8/25/19 2:00	0.0	8/24/20 2:00	0.4
8/25/18 3:00	0.0	8/25/19 3:00	0.0	8/24/20 3:00	0.3
8/25/18 4:00	0.0	8/25/19 4:00	0.0	8/24/20 4:00	0.1
8/25/18 5:00	0.0	8/25/19 5:00	0.0	8/24/20 5:00	0.3
8/25/18 6:00	0.0	8/25/19 6:00	0.0	8/24/20 6:00	0.3
8/25/18 7:00	0.0	8/25/19 7:00	0.0	8/24/20 7:00	0.3
8/25/18 8:00	0.0	8/25/19 8:00	0.0	8/24/20 8:00	0.2
8/25/18 9:00	0.0	8/25/19 9:00	0.0	8/24/20 9:00	0.2
8/25/18 10:00	0.0	8/25/19 10:00	0.0	8/24/20 10:00	0.2
8/25/18 11:00	0.0	8/25/19 11:00	0.0	8/24/20 11:00	0.2
8/25/18 12:00	0.0	8/25/19 12:00	0.0	8/24/20 12:00	0.4
8/25/18 13:00	0.0	8/25/19 13:00	0.0	8/24/20 13:00	0.4
8/25/18 14:00	0.0	8/25/19 14:00	0.0	8/24/20 14:00	0.4
8/25/18 15:00	0.0	8/25/19 15:00	0.0	8/24/20 15:00	0.4
8/25/18 16:00	0.0	8/25/19 16:00	0.0	8/24/20 16:00	0.2
8/25/18 17:00	0.0	8/25/19 17:00	0.0	8/24/20 17:00	0.2
8/25/18 18:00	0.0	8/25/19 18:00	0.0	8/24/20 18:00	0.2
8/25/18 19:00	0.0	8/25/19 19:00	0.0	8/24/20 19:00	0.4
8/25/18 20:00	0.0	8/25/19 20:00	0.0	8/24/20 20:00	0.2
8/25/18 21:00	0.0	8/25/19 21:00	0.0	8/24/20 21:00	0.2
8/25/18 22:00	0.0	8/25/19 22:00	0.0	8/24/20 22:00	0.1
8/25/18 23:00	0.0	8/25/19 23:00	0.0	8/24/20 23:00	0.1
8/26/18 0:00	0.0	8/26/19 0:00	0.0	8/25/20 0:00	0.1
8/26/18 1:00	0.0	8/26/19 1:00	0.0	8/25/20 1:00	0.1
8/26/18 2:00	0.0	8/26/19 2:00	0.0	8/25/20 2:00	0.1
8/26/18 3:00	0.0	8/26/19 3:00	0.0	8/25/20 3:00	0.1
8/26/18 4:00	0.0	8/26/19 4:00	0.0	8/25/20 4:00	0.1
8/26/18 5:00	0.0	8/26/19 5:00	0.0	8/25/20 5:00	0.1
8/26/18 6:00	0.0	8/26/19 6:00	0.0	8/25/20 6:00	0.1
8/26/18 7:00	0.0	8/26/19 7:00	0.0	8/25/20 7:00	0.1
8/26/18 8:00	0.0	8/26/19 8:00	0.0	8/25/20 8:00	0.1
8/26/18 9:00	0.0	8/26/19 9:00	0.0	8/25/20 9:00	0.1
8/26/18 10:00	0.0	8/26/19 10:00	0.0	8/25/20 10:00	0.3
8/26/18 11:00	0.0	8/26/19 11:00	0.0	8/25/20 11:00	0.3
8/26/18 12:00	0.0	8/26/19 12:00	0.0	8/25/20 12:00	0.1
8/26/18 13:00	0.0	8/26/19 13:00	0.0	8/25/20 13:00	0.2
8/26/18 14:00	0.0	8/26/19 14:00	0.0	8/25/20 14:00	0.3
8/26/18 15:00	0.0	8/26/19 15:00	0.0	8/25/20 15:00	0.3
8/26/18 16:00	0.0	8/26/19 16:00	0.0	8/25/20 16:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
8/26/18 17:00	0.0	8/26/19 17:00	0.0	8/25/20 17:00	0.2
8/26/18 18:00	0.0	8/26/19 18:00	0.0	8/25/20 18:00	0.2
8/26/18 19:00	0.0	8/26/19 19:00	0.0	8/25/20 19:00	0.2
8/26/18 20:00	0.0	8/26/19 20:00	0.0	8/25/20 20:00	0.1
8/26/18 21:00	0.0	8/26/19 21:00	0.0	8/25/20 21:00	0.2
8/26/18 22:00	0.0	8/26/19 22:00	0.0	8/25/20 22:00	0.2
8/26/18 23:00	0.0	8/26/19 23:00	0.0	8/25/20 23:00	0.2
8/27/18 0:00	0.0	8/27/19 0:00	0.0	8/26/20 0:00	0.2
8/27/18 1:00	0.0	8/27/19 1:00	0.0	8/26/20 1:00	0.1
8/27/18 2:00	0.0	8/27/19 2:00	0.0	8/26/20 2:00	0.1
8/27/18 3:00	0.0	8/27/19 3:00	0.0	8/26/20 3:00	0.1
8/27/18 4:00	0.0	8/27/19 4:00	0.0	8/26/20 4:00	0.1
8/27/18 5:00	0.0	8/27/19 5:00	0.0	8/26/20 5:00	0.2
8/27/18 6:00	0.0	8/27/19 6:00	0.0	8/26/20 6:00	0.1
8/27/18 7:00	0.0	8/27/19 7:00	0.0	8/26/20 7:00	0.1
8/27/18 8:00	0.0	8/27/19 8:00	0.0	8/26/20 8:00	0.1
8/27/18 9:00	0.0	8/27/19 9:00	0.0	8/26/20 9:00	0.1
8/27/18 10:00	0.0	8/27/19 10:00	0.0	8/26/20 10:00	0.2
8/27/18 11:00	0.0	8/27/19 11:00	0.0	8/26/20 11:00	0.2
8/27/18 12:00	0.0	8/27/19 12:00	0.0	8/26/20 12:00	0.1
8/27/18 13:00	0.0	8/27/19 13:00	0.0	8/26/20 13:00	0.1
8/27/18 14:00	0.0	8/27/19 14:00	0.0	8/26/20 14:00	0.1
8/27/18 15:00	0.0	8/27/19 15:00	0.0	8/26/20 15:00	0.2
8/27/18 16:00	0.0	8/27/19 16:00	0.0	8/26/20 16:00	0.1
8/27/18 17:00	0.0	8/27/19 17:00	0.0	8/26/20 17:00	0.1
8/27/18 18:00	0.0	8/27/19 18:00	0.0	8/26/20 18:00	0.3
8/27/18 19:00	0.0	8/27/19 19:00	0.0	8/26/20 19:00	0.2
8/27/18 20:00	0.0	8/27/19 20:00	0.0	8/26/20 20:00	0.2
8/27/18 21:00	0.0	8/27/19 21:00	0.0	8/26/20 21:00	0.3
8/27/18 22:00	0.0	8/27/19 22:00	0.0	8/26/20 22:00	0.3
8/27/18 23:00	0.0	8/27/19 23:00	0.0	8/26/20 23:00	0.2
8/28/18 0:00	0.0	8/28/19 0:00	0.0	8/27/20 0:00	0.2
8/28/18 1:00	0.0	8/28/19 1:00	0.0	8/27/20 1:00	0.2
8/28/18 2:00	0.0	8/28/19 2:00	0.0	8/27/20 2:00	0.2
8/28/18 3:00	0.0	8/28/19 3:00	0.0	8/27/20 3:00	0.1
8/28/18 4:00	0.0	8/28/19 4:00	0.0	8/27/20 4:00	0.3
8/28/18 5:00	0.0	8/28/19 5:00	0.0	8/27/20 5:00	0.2
8/28/18 6:00	0.0	8/28/19 6:00	0.0	8/27/20 6:00	0.1
8/28/18 7:00	0.0	8/28/19 7:00	0.0	8/27/20 7:00	0.1
8/28/18 8:00	0.0	8/28/19 8:00	0.0	8/27/20 8:00	0.3
8/28/18 9:00	0.0	8/28/19 9:00	0.0	8/27/20 9:00	0.2
8/28/18 10:00	0.0	8/28/19 10:00	0.0	8/27/20 10:00	0.2
8/28/18 11:00	0.0	8/28/19 11:00	0.0	8/27/20 11:00	0.2
8/28/18 12:00	0.0	8/28/19 12:00	0.0	8/27/20 12:00	0.1
8/28/18 13:00	0.0	8/28/19 13:00	0.0	8/27/20 13:00	0.2
8/28/18 14:00	0.0	8/28/19 14:00	0.0	8/27/20 14:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
8/28/18 15:00	0.0	8/28/19 15:00	0.0	8/27/20 15:00	0.2
8/28/18 16:00	0.0	8/28/19 16:00	0.0	8/27/20 16:00	0.2
8/28/18 17:00	0.0	8/28/19 17:00	0.0	8/27/20 17:00	0.2
8/28/18 18:00	0.0	8/28/19 18:00	0.0	8/27/20 18:00	0.2
8/28/18 19:00	0.0	8/28/19 19:00	0.0	8/27/20 19:00	0.4
8/28/18 20:00	0.0	8/28/19 20:00	0.0	8/27/20 20:00	0.4
8/28/18 21:00	0.0	8/28/19 21:00	0.0	8/27/20 21:00	0.2
8/28/18 22:00	0.0	8/28/19 22:00	0.0	8/27/20 22:00	0.2
8/28/18 23:00	0.0	8/28/19 23:00	0.0	8/27/20 23:00	0.2
8/29/18 0:00	0.0	8/29/19 0:00	0.0	8/28/20 0:00	0.2
8/29/18 1:00	0.0	8/29/19 1:00	0.0	8/28/20 1:00	0.3
8/29/18 2:00	0.0	8/29/19 2:00	0.0	8/28/20 2:00	0.4
8/29/18 3:00	0.0	8/29/19 3:00	0.0	8/28/20 3:00	0.3
8/29/18 4:00	0.0	8/29/19 4:00	0.0	8/28/20 4:00	0.3
8/29/18 5:00	0.0	8/29/19 5:00	0.0	8/28/20 5:00	0.3
8/29/18 6:00	0.0	8/29/19 6:00	0.0	8/28/20 6:00	0.5
8/29/18 7:00	0.0	8/29/19 7:00	0.0	8/28/20 7:00	0.3
8/29/18 8:00	0.0	8/29/19 8:00	0.0	8/28/20 8:00	0.1
8/29/18 9:00	0.0	8/29/19 9:00	0.0	8/28/20 9:00	0.2
8/29/18 10:00	0.0	8/29/19 10:00	0.0	8/28/20 10:00	0.4
8/29/18 11:00	0.0	8/29/19 11:00	0.0	8/28/20 11:00	0.4
8/29/18 12:00	0.0	8/29/19 12:00	0.0	8/28/20 12:00	0.4
8/29/18 13:00	0.0	8/29/19 13:00	0.0	8/28/20 13:00	0.4
8/29/18 14:00	0.0	8/29/19 14:00	0.0	8/28/20 14:00	0.2
8/29/18 15:00	0.0	8/29/19 15:00	0.0	8/28/20 15:00	0.1
8/29/18 16:00	0.0	8/29/19 16:00	0.0	8/28/20 16:00	0.1
8/29/18 17:00	0.0	8/29/19 17:00	0.0	8/28/20 17:00	0.3
8/29/18 18:00	0.0	8/29/19 18:00	0.0	8/28/20 18:00	0.6
8/29/18 19:00	0.0	8/29/19 19:00	0.0	8/28/20 19:00	0.3
8/29/18 20:00	0.0	8/29/19 20:00	0.0	8/28/20 20:00	0.2
8/29/18 21:00	0.0	8/29/19 21:00	0.0	8/28/20 21:00	0.2
8/29/18 22:00	0.0	8/29/19 22:00	0.0	8/28/20 22:00	0.1
8/29/18 23:00	0.0	8/29/19 23:00	0.0	8/28/20 23:00	0.1
8/30/18 0:00	0.0	8/30/19 0:00	0.0	8/29/20 0:00	0.2
8/30/18 1:00	0.0	8/30/19 1:00	0.0	8/29/20 1:00	0.2
8/30/18 2:00	0.0	8/30/19 2:00	0.0	8/29/20 2:00	0.2
8/30/18 3:00	0.0	8/30/19 3:00	0.0	8/29/20 3:00	0.2
8/30/18 4:00	0.0	8/30/19 4:00	0.0	8/29/20 4:00	0.1
8/30/18 5:00	0.0	8/30/19 5:00	0.0	8/29/20 5:00	0.1
8/30/18 6:00	0.0	8/30/19 6:00	0.0	8/29/20 6:00	0.2
8/30/18 7:00	0.0	8/30/19 7:00	0.0	8/29/20 7:00	0.2
8/30/18 8:00	0.0	8/30/19 8:00	0.0	8/29/20 8:00	0.2
8/30/18 9:00	0.0	8/30/19 9:00	0.0	8/29/20 9:00	0.2
8/30/18 10:00	0.0	8/30/19 10:00	0.0	8/29/20 10:00	0.2
8/30/18 11:00	0.0	8/30/19 11:00	0.0	8/29/20 11:00	0.2
8/30/18 12:00	0.0	8/30/19 12:00	0.0	8/29/20 12:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
8/30/18 13:00	0.0	8/30/19 13:00	0.0	8/29/20 13:00	0.1
8/30/18 14:00	0.0	8/30/19 14:00	0.0	8/29/20 14:00	0.1
8/30/18 15:00	0.0	8/30/19 15:00	0.0	8/29/20 15:00	0.1
8/30/18 16:00	0.0	8/30/19 16:00	0.0	8/29/20 16:00	0.1
8/30/18 17:00	0.0	8/30/19 17:00	0.0	8/29/20 17:00	0.1
8/30/18 18:00	0.0	8/30/19 18:00	0.0	8/29/20 18:00	0.1
8/30/18 19:00	0.0	8/30/19 19:00	0.0	8/29/20 19:00	0.1
8/30/18 20:00	0.0	8/30/19 20:00	0.0	8/29/20 20:00	0.1
8/30/18 21:00	0.0	8/30/19 21:00	0.0	8/29/20 21:00	0.1
8/30/18 22:00	0.0	8/30/19 22:00	0.0	8/29/20 22:00	0.2
8/30/18 23:00	0.0	8/30/19 23:00	0.0	8/29/20 23:00	0.2
8/31/18 0:00	0.0	8/31/19 0:00	0.0	8/30/20 0:00	0.2
8/31/18 1:00	0.0	8/31/19 1:00	0.0	8/30/20 1:00	0.2
8/31/18 2:00	0.0	8/31/19 2:00	0.0	8/30/20 2:00	0.2
8/31/18 3:00	0.0	8/31/19 3:00	0.0	8/30/20 3:00	0.1
8/31/18 4:00	0.0	8/31/19 4:00	0.0	8/30/20 4:00	0.2
8/31/18 5:00	0.0	8/31/19 5:00	0.0	8/30/20 5:00	0.2
8/31/18 6:00	0.0	8/31/19 6:00	0.0	8/30/20 6:00	0.2
8/31/18 7:00	0.0	8/31/19 7:00	0.0	8/30/20 7:00	0.2
8/31/18 8:00	0.0	8/31/19 8:00	0.0	8/30/20 8:00	0.2
8/31/18 9:00	0.0	8/31/19 9:00	0.0	8/30/20 9:00	0.2
8/31/18 10:00	0.0	8/31/19 10:00	0.0	8/30/20 10:00	0.1
8/31/18 11:00	0.0	8/31/19 11:00	0.0	8/30/20 11:00	0.1
8/31/18 12:00	0.0	8/31/19 12:00	0.0	8/30/20 12:00	0.1
8/31/18 13:00	0.0	8/31/19 13:00	0.0	8/30/20 13:00	0.1
8/31/18 14:00	0.0	8/31/19 14:00	0.0	8/30/20 14:00	0.2
8/31/18 15:00	0.0	8/31/19 15:00	0.0	8/30/20 15:00	0.2
8/31/18 16:00	0.0	8/31/19 16:00	0.0	8/30/20 16:00	0.1
8/31/18 17:00	0.0	8/31/19 17:00	0.0	8/30/20 17:00	0.2
8/31/18 18:00	0.0	8/31/19 18:00	0.0	8/30/20 18:00	0.2
8/31/18 19:00	0.0	8/31/19 19:00	0.0	8/30/20 19:00	0.2
8/31/18 20:00	0.0	8/31/19 20:00	0.0	8/30/20 20:00	0.2
8/31/18 21:00	0.0	8/31/19 21:00	0.0	8/30/20 21:00	0.3
8/31/18 22:00	0.0	8/31/19 22:00	0.0	8/30/20 22:00	0.2
8/31/18 23:00	0.0	8/31/19 23:00	0.0	8/30/20 23:00	0.1
9/1/18 0:00	0.0	9/1/19 0:00	0.0	8/31/20 0:00	0.2
9/1/18 1:00	0.0	9/1/19 1:00	0.0	8/31/20 1:00	0.2
9/1/18 2:00	0.0	9/1/19 2:00	0.0	8/31/20 2:00	0.1
9/1/18 3:00	0.0	9/1/19 3:00	0.0	8/31/20 3:00	0.2
9/1/18 4:00	0.0	9/1/19 4:00	0.0	8/31/20 4:00	0.2
9/1/18 5:00	0.0	9/1/19 5:00	0.0	8/31/20 5:00	0.1
9/1/18 6:00	0.0	9/1/19 6:00	0.0	8/31/20 6:00	0.1
9/1/18 7:00	0.0	9/1/19 7:00	0.0	8/31/20 7:00	0.1
9/1/18 8:00	0.0	9/1/19 8:00	0.0	8/31/20 8:00	0.1
9/1/18 9:00	0.0	9/1/19 9:00	0.0	8/31/20 9:00	0.1
9/1/18 10:00	0.0	9/1/19 10:00	0.0	8/31/20 10:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
9/1/18 11:00	0.0	9/1/19 11:00	0.0	8/31/20 11:00	0.1
9/1/18 12:00	0.0	9/1/19 12:00	0.0	8/31/20 12:00	0.1
9/1/18 13:00	0.0	9/1/19 13:00	0.0	8/31/20 13:00	0.1
9/1/18 14:00	0.0	9/1/19 14:00	0.0	8/31/20 14:00	0.1
9/1/18 15:00	0.0	9/1/19 15:00	0.0	8/31/20 15:00	0.1
9/1/18 16:00	0.0	9/1/19 16:00	0.0	8/31/20 16:00	0.2
9/1/18 17:00	0.0	9/1/19 17:00	0.0	8/31/20 17:00	0.2
9/1/18 18:00	0.0	9/1/19 18:00	0.0	8/31/20 18:00	0.2
9/1/18 19:00	0.0	9/1/19 19:00	0.0	8/31/20 19:00	0.2
9/1/18 20:00	0.0	9/1/19 20:00	0.0	8/31/20 20:00	0.2
9/1/18 21:00	0.0	9/1/19 21:00	0.0	8/31/20 21:00	0.2
9/1/18 22:00	0.0	9/1/19 22:00	0.0	8/31/20 22:00	0.3
9/1/18 23:00	0.0	9/1/19 23:00	0.0	8/31/20 23:00	0.3
9/2/18 0:00	0.0	9/2/19 0:00	0.0	9/1/20 0:00	0.2
9/2/18 1:00	0.0	9/2/19 1:00	0.0	9/1/20 1:00	0.4
9/2/18 2:00	0.0	9/2/19 2:00	0.0	9/1/20 2:00	0.1
9/2/18 3:00	0.0	9/2/19 3:00	0.0	9/1/20 3:00	0.2
9/2/18 4:00	0.0	9/2/19 4:00	0.0	9/1/20 4:00	0.2
9/2/18 5:00	0.0	9/2/19 5:00	0.0	9/1/20 5:00	0.2
9/2/18 6:00	0.0	9/2/19 6:00	0.0	9/1/20 6:00	0.2
9/2/18 7:00	0.0	9/2/19 7:00	0.0	9/1/20 7:00	0.2
9/2/18 8:00	0.0	9/2/19 8:00	0.0	9/1/20 8:00	0.0
9/2/18 9:00	0.0	9/2/19 9:00	0.0	9/1/20 9:00	0.0
9/2/18 10:00	0.0	9/2/19 10:00	0.0	9/1/20 10:00	0.0
9/2/18 11:00	0.0	9/2/19 11:00	0.0	9/1/20 11:00	0.0
9/2/18 12:00	0.0	9/2/19 12:00	0.0	9/1/20 12:00	0.0
9/2/18 13:00	0.0	9/2/19 13:00	0.0	9/1/20 13:00	0.0
9/2/18 14:00	0.0	9/2/19 14:00	0.0	9/1/20 14:00	0.0
9/2/18 15:00	0.0	9/2/19 15:00	0.0	9/1/20 15:00	0.0
9/2/18 16:00	0.0	9/2/19 16:00	0.0	9/1/20 16:00	0.0
9/2/18 17:00	0.0	9/2/19 17:00	0.0	9/1/20 17:00	0.1
9/2/18 18:00	0.0	9/2/19 18:00	0.0	9/1/20 18:00	0.1
9/2/18 19:00	0.0	9/2/19 19:00	0.0	9/1/20 19:00	0.1
9/2/18 20:00	0.0	9/2/19 20:00	0.0	9/1/20 20:00	0.2
9/2/18 21:00	0.0	9/2/19 21:00	0.0	9/1/20 21:00	0.2
9/2/18 22:00	0.0	9/2/19 22:00	0.0	9/1/20 22:00	0.2
9/2/18 23:00	0.0	9/2/19 23:00	0.0	9/1/20 23:00	0.2
9/3/18 0:00	0.0	9/3/19 0:00	0.0	9/2/20 0:00	0.2
9/3/18 1:00	0.0	9/3/19 1:00	0.0	9/2/20 1:00	0.2
9/3/18 2:00	0.0	9/3/19 2:00	0.0	9/2/20 2:00	0.2
9/3/18 3:00	0.0	9/3/19 3:00	0.0	9/2/20 3:00	0.1
9/3/18 4:00	0.0	9/3/19 4:00	0.0	9/2/20 4:00	0.1
9/3/18 5:00	0.0	9/3/19 5:00	0.0	9/2/20 5:00	0.1
9/3/18 6:00	0.0	9/3/19 6:00	0.0	9/2/20 6:00	0.1
9/3/18 7:00	0.0	9/3/19 7:00	0.0	9/2/20 7:00	0.1
9/3/18 8:00	0.0	9/3/19 8:00	0.0	9/2/20 8:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
9/3/18 9:00	0.0	9/3/19 9:00	0.0	9/2/20 9:00	0.2
9/3/18 10:00	0.0	9/3/19 10:00	0.0	9/2/20 10:00	0.1
9/3/18 11:00	0.0	9/3/19 11:00	0.0	9/2/20 11:00	0.1
9/3/18 12:00	0.0	9/3/19 12:00	0.0	9/2/20 12:00	0.1
9/3/18 13:00	0.0	9/3/19 13:00	0.0	9/2/20 13:00	0.1
9/3/18 14:00	0.0	9/3/19 14:00	0.0	9/2/20 14:00	0.2
9/3/18 15:00	0.0	9/3/19 15:00	0.0	9/2/20 15:00	0.2
9/3/18 16:00	0.0	9/3/19 16:00	0.0	9/2/20 16:00	0.2
9/3/18 17:00	0.0	9/3/19 17:00	0.0	9/2/20 17:00	0.2
9/3/18 18:00	0.0	9/3/19 18:00	0.0	9/2/20 18:00	0.1
9/3/18 19:00	0.0	9/3/19 19:00	0.0	9/2/20 19:00	0.1
9/3/18 20:00	0.0	9/3/19 20:00	0.0	9/2/20 20:00	0.1
9/3/18 21:00	0.0	9/3/19 21:00	0.0	9/2/20 21:00	0.1
9/3/18 22:00	0.0	9/3/19 22:00	0.0	9/2/20 22:00	0.1
9/3/18 23:00	0.0	9/3/19 23:00	0.0	9/2/20 23:00	0.1
9/4/18 0:00	0.0	9/4/19 0:00	0.0	9/3/20 0:00	0.1
9/4/18 1:00	0.0	9/4/19 1:00	0.0	9/3/20 1:00	0.1
9/4/18 2:00	0.0	9/4/19 2:00	0.0	9/3/20 2:00	0.2
9/4/18 3:00	0.0	9/4/19 3:00	0.0	9/3/20 3:00	0.2
9/4/18 4:00	0.0	9/4/19 4:00	0.0	9/3/20 4:00	0.2
9/4/18 5:00	0.0	9/4/19 5:00	0.0	9/3/20 5:00	0.1
9/4/18 6:00	0.0	9/4/19 6:00	0.0	9/3/20 6:00	0.1
9/4/18 7:00	0.0	9/4/19 7:00	0.0	9/3/20 7:00	0.1
9/4/18 8:00	0.0	9/4/19 8:00	0.0	9/3/20 8:00	0.1
9/4/18 9:00	0.0	9/4/19 9:00	0.0	9/3/20 9:00	0.1
9/4/18 10:00	0.0	9/4/19 10:00	0.0	9/3/20 10:00	0.1
9/4/18 11:00	0.0	9/4/19 11:00	0.0	9/3/20 11:00	0.1
9/4/18 12:00	0.0	9/4/19 12:00	0.0	9/3/20 12:00	0.2
9/4/18 13:00	0.0	9/4/19 13:00	0.0	9/3/20 13:00	0.2
9/4/18 14:00	0.0	9/4/19 14:00	0.0	9/3/20 14:00	0.2
9/4/18 15:00	0.0	9/4/19 15:00	0.0	9/3/20 15:00	0.2
9/4/18 16:00	0.0	9/4/19 16:00	0.0	9/3/20 16:00	0.1
9/4/18 17:00	0.0	9/4/19 17:00	0.0	9/3/20 17:00	0.1
9/4/18 18:00	0.0	9/4/19 18:00	0.0	9/3/20 18:00	0.1
9/4/18 19:00	0.0	9/4/19 19:00	0.0	9/3/20 19:00	0.1
9/4/18 20:00	0.0	9/4/19 20:00	0.0	9/3/20 20:00	0.2
9/4/18 21:00	0.0	9/4/19 21:00	0.0	9/3/20 21:00	0.1
9/4/18 22:00	0.0	9/4/19 22:00	0.0	9/3/20 22:00	0.1
9/4/18 23:00	0.0	9/4/19 23:00	0.0	9/3/20 23:00	0.1
9/5/18 0:00	0.0	9/5/19 0:00	0.0	9/4/20 0:00	0.1
9/5/18 1:00	0.0	9/5/19 1:00	0.0	9/4/20 1:00	0.1
9/5/18 2:00	0.0	9/5/19 2:00	0.0	9/4/20 2:00	0.1
9/5/18 3:00	0.0	9/5/19 3:00	0.0	9/4/20 3:00	0.1
9/5/18 4:00	0.0	9/5/19 4:00	0.0	9/4/20 4:00	0.2
9/5/18 5:00	0.0	9/5/19 5:00	0.0	9/4/20 5:00	0.2
9/5/18 6:00	0.0	9/5/19 6:00	0.0	9/4/20 6:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
9/5/18 7:00	0.0	9/5/19 7:00	0.0	9/4/20 7:00	0.2
9/5/18 8:00	0.0	9/5/19 8:00	0.0	9/4/20 8:00	0.2
9/5/18 9:00	0.0	9/5/19 9:00	0.0	9/4/20 9:00	0.2
9/5/18 10:00	0.0	9/5/19 10:00	0.0	9/4/20 10:00	0.2
9/5/18 11:00	0.0	9/5/19 11:00	0.0	9/4/20 11:00	0.2
9/5/18 12:00	0.0	9/5/19 12:00	0.0	9/4/20 12:00	0.1
9/5/18 13:00	0.0	9/5/19 13:00	0.0	9/4/20 13:00	0.1
9/5/18 14:00	0.0	9/5/19 14:00	0.0	9/4/20 14:00	0.0
9/5/18 15:00	0.0	9/5/19 15:00	0.0	9/4/20 15:00	0.1
9/5/18 16:00	0.0	9/5/19 16:00	0.0	9/4/20 16:00	0.1
9/5/18 17:00	0.0	9/5/19 17:00	0.0	9/4/20 17:00	0.0
9/5/18 18:00	0.0	9/5/19 18:00	0.0	9/4/20 18:00	0.1
9/5/18 19:00	0.0	9/5/19 19:00	0.0	9/4/20 19:00	0.1
9/5/18 20:00	0.0	9/5/19 20:00	0.0	9/4/20 20:00	0.1
9/5/18 21:00	0.0	9/5/19 21:00	0.0	9/4/20 21:00	0.1
9/5/18 22:00	0.0	9/5/19 22:00	0.0	9/4/20 22:00	0.1
9/5/18 23:00	0.0	9/5/19 23:00	0.0	9/4/20 23:00	0.1
9/6/18 0:00	0.0	9/6/19 0:00	0.0	9/5/20 0:00	0.1
9/6/18 1:00	0.0	9/6/19 1:00	0.0	9/5/20 1:00	0.1
9/6/18 2:00	0.0	9/6/19 2:00	0.0	9/5/20 2:00	0.1
9/6/18 3:00	0.0	9/6/19 3:00	0.0	9/5/20 3:00	0.2
9/6/18 4:00	0.0	9/6/19 4:00	0.0	9/5/20 4:00	0.2
9/6/18 5:00	0.0	9/6/19 5:00	0.0	9/5/20 5:00	0.2
9/6/18 6:00	0.0	9/6/19 6:00	0.0	9/5/20 6:00	0.1
9/6/18 7:00	0.0	9/6/19 7:00	0.0	9/5/20 7:00	0.1
9/6/18 8:00	0.0	9/6/19 8:00	0.0	9/5/20 8:00	0.1
9/6/18 9:00	0.0	9/6/19 9:00	0.0	9/5/20 9:00	0.1
9/6/18 10:00	0.0	9/6/19 10:00	0.0	9/5/20 10:00	0.1
9/6/18 11:00	0.0	9/6/19 11:00	0.0	9/5/20 11:00	0.1
9/6/18 12:00	0.0	9/6/19 12:00	0.0	9/5/20 12:00	0.2
9/6/18 13:00	0.0	9/6/19 13:00	0.0	9/5/20 13:00	0.2
9/6/18 14:00	0.0	9/6/19 14:00	0.0	9/5/20 14:00	0.1
9/6/18 15:00	0.0	9/6/19 15:00	0.0	9/5/20 15:00	0.1
9/6/18 16:00	0.0	9/6/19 16:00	0.0	9/5/20 16:00	0.1
9/6/18 17:00	0.0	9/6/19 17:00	0.0	9/5/20 17:00	0.1
9/6/18 18:00	0.0	9/6/19 18:00	0.0	9/5/20 18:00	0.2
9/6/18 19:00	0.0	9/6/19 19:00	0.0	9/5/20 19:00	0.2
9/6/18 20:00	0.0	9/6/19 20:00	0.0	9/5/20 20:00	0.2
9/6/18 21:00	0.0	9/6/19 21:00	0.0	9/5/20 21:00	0.1
9/6/18 22:00	0.0	9/6/19 22:00	0.0	9/5/20 22:00	0.1
9/6/18 23:00	0.0	9/6/19 23:00	0.0	9/5/20 23:00	0.1
9/7/18 0:00	0.0	9/7/19 0:00	0.0	9/6/20 0:00	0.1
9/7/18 1:00	0.0	9/7/19 1:00	0.0	9/6/20 1:00	0.1
9/7/18 2:00	0.0	9/7/19 2:00	0.0	9/6/20 2:00	0.1
9/7/18 3:00	0.0	9/7/19 3:00	0.0	9/6/20 3:00	0.2
9/7/18 4:00	0.0	9/7/19 4:00	0.0	9/6/20 4:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
9/7/18 5:00	0.0	9/7/19 5:00	0.0	9/6/20 5:00	0.1
9/7/18 6:00	0.0	9/7/19 6:00	0.0	9/6/20 6:00	0.1
9/7/18 7:00	0.0	9/7/19 7:00	0.0	9/6/20 7:00	0.2
9/7/18 8:00	0.0	9/7/19 8:00	0.0	9/6/20 8:00	0.2
9/7/18 9:00	0.0	9/7/19 9:00	0.0	9/6/20 9:00	0.2
9/7/18 10:00	0.0	9/7/19 10:00	0.0	9/6/20 10:00	0.2
9/7/18 11:00	0.0	9/7/19 11:00	0.0	9/6/20 11:00	0.1
9/7/18 12:00	0.0	9/7/19 12:00	0.0	9/6/20 12:00	0.1
9/7/18 13:00	0.0	9/7/19 13:00	0.0	9/6/20 13:00	0.1
9/7/18 14:00	0.0	9/7/19 14:00	0.0	9/6/20 14:00	0.1
9/7/18 15:00	0.0	9/7/19 15:00	0.0	9/6/20 15:00	0.1
9/7/18 16:00	0.0	9/7/19 16:00	0.0	9/6/20 16:00	0.1
9/7/18 17:00	0.0	9/7/19 17:00	0.0	9/6/20 17:00	0.1
9/7/18 18:00	0.0	9/7/19 18:00	0.0	9/6/20 18:00	0.1
9/7/18 19:00	0.0	9/7/19 19:00	0.0	9/6/20 19:00	0.1
9/7/18 20:00	0.0	9/7/19 20:00	0.0	9/6/20 20:00	0.1
9/7/18 21:00	0.0	9/7/19 21:00	0.0	9/6/20 21:00	0.1
9/7/18 22:00	0.0	9/7/19 22:00	0.0	9/6/20 22:00	0.1
9/7/18 23:00	0.0	9/7/19 23:00	0.0	9/6/20 23:00	0.1
9/8/18 0:00	0.0	9/8/19 0:00	0.0	9/7/20 0:00	0.1
9/8/18 1:00	0.0	9/8/19 1:00	0.0	9/7/20 1:00	0.1
9/8/18 2:00	0.0	9/8/19 2:00	0.0	9/7/20 2:00	0.1
9/8/18 3:00	0.0	9/8/19 3:00	0.0	9/7/20 3:00	0.1
9/8/18 4:00	0.0	9/8/19 4:00	0.0	9/7/20 4:00	0.1
9/8/18 5:00	0.0	9/8/19 5:00	0.0	9/7/20 5:00	0.1
9/8/18 6:00	0.0	9/8/19 6:00	0.0	9/7/20 6:00	0.1
9/8/18 7:00	0.0	9/8/19 7:00	0.0	9/7/20 7:00	0.1
9/8/18 8:00	0.0	9/8/19 8:00	0.0	9/7/20 8:00	0.2
9/8/18 9:00	0.0	9/8/19 9:00	0.0	9/7/20 9:00	0.2
9/8/18 10:00	0.0	9/8/19 10:00	0.0	9/7/20 10:00	0.2
9/8/18 11:00	0.0	9/8/19 11:00	0.0	9/7/20 11:00	0.3
9/8/18 12:00	0.0	9/8/19 12:00	0.0	9/7/20 12:00	0.1
9/8/18 13:00	0.0	9/8/19 13:00	0.0	9/7/20 13:00	0.1
9/8/18 14:00	0.0	9/8/19 14:00	0.0	9/7/20 14:00	0.1
9/8/18 15:00	0.0	9/8/19 15:00	0.0	9/7/20 15:00	0.2
9/8/18 16:00	0.0	9/8/19 16:00	0.0	9/7/20 16:00	0.2
9/8/18 17:00	0.0	9/8/19 17:00	0.0	9/7/20 17:00	0.2
9/8/18 18:00	0.0	9/8/19 18:00	0.0	9/7/20 18:00	0.1
9/8/18 19:00	0.0	9/8/19 19:00	0.0	9/7/20 19:00	0.1
9/8/18 20:00	0.0	9/8/19 20:00	0.0	9/7/20 20:00	0.1
9/8/18 21:00	0.0	9/8/19 21:00	0.0	9/7/20 21:00	0.1
9/8/18 22:00	0.0	9/8/19 22:00	0.0	9/7/20 22:00	0.1
9/8/18 23:00	0.0	9/8/19 23:00	0.0	9/7/20 23:00	0.1
9/9/18 0:00	0.0	9/9/19 0:00	0.0	9/8/20 0:00	0.1
9/9/18 1:00	0.0	9/9/19 1:00	0.0	9/8/20 1:00	0.1
9/9/18 2:00	0.0	9/9/19 2:00	0.0	9/8/20 2:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
9/9/18 3:00	0.0	9/9/19 3:00	0.0	9/8/20 3:00	0.1
9/9/18 4:00	0.0	9/9/19 4:00	0.0	9/8/20 4:00	0.1
9/9/18 5:00	0.0	9/9/19 5:00	0.0	9/8/20 5:00	0.1
9/9/18 6:00	0.0	9/9/19 6:00	0.0	9/8/20 6:00	0.1
9/9/18 7:00	0.0	9/9/19 7:00	0.0	9/8/20 7:00	0.1
9/9/18 8:00	0.0	9/9/19 8:00	0.0	9/8/20 8:00	0.1
9/9/18 9:00	0.0	9/9/19 9:00	0.0	9/8/20 9:00	0.2
9/9/18 10:00	0.0	9/9/19 10:00	0.0	9/8/20 10:00	0.1
9/9/18 11:00	0.0	9/9/19 11:00	0.0	9/8/20 11:00	0.1
9/9/18 12:00	0.0	9/9/19 12:00	0.0	9/8/20 12:00	0.1
9/9/18 13:00	0.0	9/9/19 13:00	0.0	9/8/20 13:00	0.1
9/9/18 14:00	0.0	9/9/19 14:00	0.0	9/8/20 14:00	0.1
9/9/18 15:00	0.0	9/9/19 15:00	0.0	9/8/20 15:00	0.1
9/9/18 16:00	0.0	9/9/19 16:00	0.0	9/8/20 16:00	0.1
9/9/18 17:00	0.0	9/9/19 17:00	0.0	9/8/20 17:00	0.2
9/9/18 18:00	0.0	9/9/19 18:00	0.0	9/8/20 18:00	0.2
9/9/18 19:00	0.0	9/9/19 19:00	0.0	9/8/20 19:00	0.2
9/9/18 20:00	0.0	9/9/19 20:00	0.0	9/8/20 20:00	0.2
9/9/18 21:00	0.0	9/9/19 21:00	0.0	9/8/20 21:00	0.2
9/9/18 22:00	0.0	9/9/19 22:00	0.0	9/8/20 22:00	0.2
9/9/18 23:00	0.0	9/9/19 23:00	0.0	9/8/20 23:00	0.1
9/10/18 0:00	0.0	9/10/19 0:00	0.0	9/9/20 0:00	0.1
9/10/18 1:00	0.0	9/10/19 1:00	0.0	9/9/20 1:00	0.1
9/10/18 2:00	0.0	9/10/19 2:00	0.0	9/9/20 2:00	0.1
9/10/18 3:00	0.0	9/10/19 3:00	0.0	9/9/20 3:00	0.1
9/10/18 4:00	0.0	9/10/19 4:00	0.0	9/9/20 4:00	0.1
9/10/18 5:00	0.0	9/10/19 5:00	0.0	9/9/20 5:00	0.1
9/10/18 6:00	0.0	9/10/19 6:00	0.0	9/9/20 6:00	0.1
9/10/18 7:00	0.0	9/10/19 7:00	0.0	9/9/20 7:00	0.1
9/10/18 8:00	0.0	9/10/19 8:00	0.0	9/9/20 8:00	0.1
9/10/18 9:00	0.0	9/10/19 9:00	0.0	9/9/20 9:00	0.1
9/10/18 10:00	0.0	9/10/19 10:00	0.0	9/9/20 10:00	0.2
9/10/18 11:00	0.0	9/10/19 11:00	0.0	9/9/20 11:00	0.2
9/10/18 12:00	0.0	9/10/19 12:00	0.0	9/9/20 12:00	0.2
9/10/18 13:00	0.0	9/10/19 13:00	0.0	9/9/20 13:00	0.1
9/10/18 14:00	0.0	9/10/19 14:00	0.0	9/9/20 14:00	0.2
9/10/18 15:00	0.0	9/10/19 15:00	0.0	9/9/20 15:00	0.2
9/10/18 16:00	0.0	9/10/19 16:00	0.0	9/9/20 16:00	0.1
9/10/18 17:00	0.0	9/10/19 17:00	0.0	9/9/20 17:00	0.1
9/10/18 18:00	0.0	9/10/19 18:00	0.0	9/9/20 18:00	0.0
9/10/18 19:00	0.0	9/10/19 19:00	0.0	9/9/20 19:00	0.1
9/10/18 20:00	0.0	9/10/19 20:00	0.0	9/9/20 20:00	0.1
9/10/18 21:00	0.0	9/10/19 21:00	0.0	9/9/20 21:00	0.1
9/10/18 22:00	0.0	9/10/19 22:00	0.0	9/9/20 22:00	0.1
9/10/18 23:00	0.0	9/10/19 23:00	0.0	9/9/20 23:00	0.1
9/11/18 0:00	0.0	9/11/19 0:00	0.0	9/10/20 0:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
9/11/18 1:00	0.0	9/11/19 1:00	0.0	9/10/20 1:00	0.1
9/11/18 2:00	0.0	9/11/19 2:00	0.0	9/10/20 2:00	0.1
9/11/18 3:00	0.0	9/11/19 3:00	0.0	9/10/20 3:00	0.1
9/11/18 4:00	0.0	9/11/19 4:00	0.0	9/10/20 4:00	0.1
9/11/18 5:00	0.0	9/11/19 5:00	0.0	9/10/20 5:00	0.1
9/11/18 6:00	0.0	9/11/19 6:00	0.0	9/10/20 6:00	0.1
9/11/18 7:00	0.0	9/11/19 7:00	0.0	9/10/20 7:00	0.1
9/11/18 8:00	0.0	9/11/19 8:00	0.0	9/10/20 8:00	0.1
9/11/18 9:00	0.0	9/11/19 9:00	0.0	9/10/20 9:00	0.1
9/11/18 10:00	0.0	9/11/19 10:00	0.0	9/10/20 10:00	0.2
9/11/18 11:00	0.0	9/11/19 11:00	0.0	9/10/20 11:00	0.2
9/11/18 12:00	0.0	9/11/19 12:00	0.0	9/10/20 12:00	0.2
9/11/18 13:00	0.0	9/11/19 13:00	0.0	9/10/20 13:00	0.1
9/11/18 14:00	0.0	9/11/19 14:00	0.0	9/10/20 14:00	0.1
9/11/18 15:00	0.0	9/11/19 15:00	0.0	9/10/20 15:00	0.0
9/11/18 16:00	0.0	9/11/19 16:00	0.0	9/10/20 16:00	0.0
9/11/18 17:00	0.0	9/11/19 17:00	0.0	9/10/20 17:00	0.1
9/11/18 18:00	0.0	9/11/19 18:00	0.0	9/10/20 18:00	0.1
9/11/18 19:00	0.0	9/11/19 19:00	0.0	9/10/20 19:00	0.1
9/11/18 20:00	0.0	9/11/19 20:00	0.0	9/10/20 20:00	0.1
9/11/18 21:00	0.0	9/11/19 21:00	0.0	9/10/20 21:00	0.1
9/11/18 22:00	0.0	9/11/19 22:00	0.0	9/10/20 22:00	0.1
9/11/18 23:00	0.0	9/11/19 23:00	0.0	9/10/20 23:00	0.1
9/12/18 0:00	0.0	9/12/19 0:00	0.0	9/11/20 0:00	0.1
9/12/18 1:00	0.0	9/12/19 1:00	0.0	9/11/20 1:00	0.1
9/12/18 2:00	0.0	9/12/19 2:00	0.0	9/11/20 2:00	0.1
9/12/18 3:00	0.0	9/12/19 3:00	0.0	9/11/20 3:00	0.2
9/12/18 4:00	0.0	9/12/19 4:00	0.0	9/11/20 4:00	0.1
9/12/18 5:00	0.0	9/12/19 5:00	0.0	9/11/20 5:00	0.1
9/12/18 6:00	0.0	9/12/19 6:00	0.0	9/11/20 6:00	0.1
9/12/18 7:00	0.0	9/12/19 7:00	0.0	9/11/20 7:00	0.1
9/12/18 8:00	0.0	9/12/19 8:00	0.0	9/11/20 8:00	0.1
9/12/18 9:00	0.0	9/12/19 9:00	0.0	9/11/20 9:00	0.1
9/12/18 10:00	0.0	9/12/19 10:00	0.0	9/11/20 10:00	0.1
9/12/18 11:00	0.0	9/12/19 11:00	0.0	9/11/20 11:00	0.2
9/12/18 12:00	0.0	9/12/19 12:00	0.0	9/11/20 12:00	0.2
9/12/18 13:00	0.0	9/12/19 13:00	0.0	9/11/20 13:00	0.2
9/12/18 14:00	0.0	9/12/19 14:00	0.0	9/11/20 14:00	0.1
9/12/18 15:00	0.0	9/12/19 15:00	0.0	9/11/20 15:00	0.1
9/12/18 16:00	0.0	9/12/19 16:00	0.0	9/11/20 16:00	0.1
9/12/18 17:00	0.0	9/12/19 17:00	0.0	9/11/20 17:00	0.1
9/12/18 18:00	0.0	9/12/19 18:00	0.0	9/11/20 18:00	0.1
9/12/18 19:00	0.0	9/12/19 19:00	0.0	9/11/20 19:00	0.1
9/12/18 20:00	0.0	9/12/19 20:00	0.0	9/11/20 20:00	0.2
9/12/18 21:00	0.0	9/12/19 21:00	0.0	9/11/20 21:00	0.1
9/12/18 22:00	0.0	9/12/19 22:00	0.0	9/11/20 22:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
9/12/18 23:00	0.0	9/12/19 23:00	0.0	9/11/20 23:00	0.1
9/13/18 0:00	0.0	9/13/19 0:00	0.0	9/12/20 0:00	0.2
9/13/18 1:00	0.0	9/13/19 1:00	0.0	9/12/20 1:00	0.2
9/13/18 2:00	0.0	9/13/19 2:00	0.0	9/12/20 2:00	0.2
9/13/18 3:00	0.0	9/13/19 3:00	0.0	9/12/20 3:00	0.1
9/13/18 4:00	0.0	9/13/19 4:00	0.0	9/12/20 4:00	0.1
9/13/18 5:00	0.0	9/13/19 5:00	0.0	9/12/20 5:00	0.1
9/13/18 6:00	0.0	9/13/19 6:00	0.0	9/12/20 6:00	0.1
9/13/18 7:00	0.0	9/13/19 7:00	0.0	9/12/20 7:00	0.1
9/13/18 8:00	0.0	9/13/19 8:00	0.0	9/12/20 8:00	0.1
9/13/18 9:00	0.0	9/13/19 9:00	0.0	9/12/20 9:00	0.1
9/13/18 10:00	0.0	9/13/19 10:00	0.0	9/12/20 10:00	0.1
9/13/18 11:00	0.0	9/13/19 11:00	0.0	9/12/20 11:00	0.2
9/13/18 12:00	0.0	9/13/19 12:00	0.0	9/12/20 12:00	0.2
9/13/18 13:00	0.0	9/13/19 13:00	0.0	9/12/20 13:00	0.2
9/13/18 14:00	0.0	9/13/19 14:00	0.0	9/12/20 14:00	0.2
9/13/18 15:00	0.0	9/13/19 15:00	0.0	9/12/20 15:00	0.2
9/13/18 16:00	0.0	9/13/19 16:00	0.0	9/12/20 16:00	0.2
9/13/18 17:00	0.0	9/13/19 17:00	0.0	9/12/20 17:00	0.1
9/13/18 18:00	0.0	9/13/19 18:00	0.0	9/12/20 18:00	0.2
9/13/18 19:00	0.0	9/13/19 19:00	0.0	9/12/20 19:00	0.2
9/13/18 20:00	0.0	9/13/19 20:00	0.0	9/12/20 20:00	0.1
9/13/18 21:00	0.0	9/13/19 21:00	0.0	9/12/20 21:00	0.2
9/13/18 22:00	0.0	9/13/19 22:00	0.0	9/12/20 22:00	0.2
9/13/18 23:00	0.0	9/13/19 23:00	0.0	9/12/20 23:00	0.2
9/14/18 0:00	0.0	9/14/19 0:00	0.0	9/13/20 0:00	0.2
9/14/18 1:00	0.0	9/14/19 1:00	0.0	9/13/20 1:00	0.2
9/14/18 2:00	0.0	9/14/19 2:00	0.0	9/13/20 2:00	0.2
9/14/18 3:00	0.0	9/14/19 3:00	0.0	9/13/20 3:00	0.3
9/14/18 4:00	0.0	9/14/19 4:00	0.0	9/13/20 4:00	0.3
9/14/18 5:00	0.0	9/14/19 5:00	0.0	9/13/20 5:00	0.3
9/14/18 6:00	0.0	9/14/19 6:00	0.0	9/13/20 6:00	0.3
9/14/18 7:00	0.0	9/14/19 7:00	0.0	9/13/20 7:00	0.3
9/14/18 8:00	0.0	9/14/19 8:00	0.0	9/13/20 8:00	0.3
9/14/18 9:00	0.0	9/14/19 9:00	0.0	9/13/20 9:00	0.3
9/14/18 10:00	0.0	9/14/19 10:00	0.0	9/13/20 10:00	0.6
9/14/18 11:00	0.0	9/14/19 11:00	0.0	9/13/20 11:00	0.4
9/14/18 12:00	0.0	9/14/19 12:00	0.0	9/13/20 12:00	0.4
9/14/18 13:00	0.0	9/14/19 13:00	0.0	9/13/20 13:00	0.3
9/14/18 14:00	0.0	9/14/19 14:00	0.0	9/13/20 14:00	0.7
9/14/18 15:00	0.0	9/14/19 15:00	0.0	9/13/20 15:00	0.3
9/14/18 16:00	0.0	9/14/19 16:00	0.0	9/13/20 16:00	0.3
9/14/18 17:00	0.0	9/14/19 17:00	0.0	9/13/20 17:00	0.2
9/14/18 18:00	0.0	9/14/19 18:00	0.0	9/13/20 18:00	0.2
9/14/18 19:00	0.0	9/14/19 19:00	0.0	9/13/20 19:00	0.4
9/14/18 20:00	0.0	9/14/19 20:00	0.0	9/13/20 20:00	0.3

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
9/14/18 21:00	0.0	9/14/19 21:00	0.0	9/13/20 21:00	0.8
9/14/18 22:00	0.0	9/14/19 22:00	0.0	9/13/20 22:00	1.0
9/14/18 23:00	0.0	9/14/19 23:00	0.0	9/13/20 23:00	1.1
9/15/18 0:00	0.0	9/15/19 0:00	0.0	9/14/20 0:00	1.0
9/15/18 1:00	0.0	9/15/19 1:00	0.0	9/14/20 1:00	0.7
9/15/18 2:00	0.0	9/15/19 2:00	0.0	9/14/20 2:00	0.3
9/15/18 3:00	0.0	9/15/19 3:00	0.0	9/14/20 3:00	0.2
9/15/18 4:00	0.0	9/15/19 4:00	0.0	9/14/20 4:00	0.2
9/15/18 5:00	0.0	9/15/19 5:00	0.0	9/14/20 5:00	0.2
9/15/18 6:00	0.0	9/15/19 6:00	0.0	9/14/20 6:00	0.1
9/15/18 7:00	0.0	9/15/19 7:00	0.0	9/14/20 7:00	0.1
9/15/18 8:00	0.0	9/15/19 8:00	0.0	9/14/20 8:00	0.2
9/15/18 9:00	0.0	9/15/19 9:00	0.0	9/14/20 9:00	0.3
9/15/18 10:00	0.0	9/15/19 10:00	0.0	9/14/20 10:00	0.2
9/15/18 11:00	0.0	9/15/19 11:00	0.0	9/14/20 11:00	0.1
9/15/18 12:00	0.0	9/15/19 12:00	0.0	9/14/20 12:00	0.1
9/15/18 13:00	0.0	9/15/19 13:00	0.0	9/14/20 13:00	0.2
9/15/18 14:00	0.0	9/15/19 14:00	0.0	9/14/20 14:00	0.1
9/15/18 15:00	0.0	9/15/19 15:00	0.0	9/14/20 15:00	0.2
9/15/18 16:00	0.0	9/15/19 16:00	0.0	9/14/20 16:00	0.2
9/15/18 17:00	0.0	9/15/19 17:00	0.0	9/14/20 17:00	0.2
9/15/18 18:00	0.0	9/15/19 18:00	0.0	9/14/20 18:00	0.2
9/15/18 19:00	0.0	9/15/19 19:00	0.0	9/14/20 19:00	0.1
9/15/18 20:00	0.0	9/15/19 20:00	0.0	9/14/20 20:00	0.2
9/15/18 21:00	0.0	9/15/19 21:00	0.0	9/14/20 21:00	0.2
9/15/18 22:00	0.0	9/15/19 22:00	0.0	9/14/20 22:00	0.1
9/15/18 23:00	0.0	9/15/19 23:00	0.0	9/14/20 23:00	0.1
9/16/18 0:00	0.0	9/16/19 0:00	0.0	9/15/20 0:00	0.2
9/16/18 1:00	0.0	9/16/19 1:00	0.0	9/15/20 1:00	0.1
9/16/18 2:00	0.0	9/16/19 2:00	0.0	9/15/20 2:00	0.3
9/16/18 3:00	0.0	9/16/19 3:00	0.0	9/15/20 3:00	0.1
9/16/18 4:00	0.0	9/16/19 4:00	0.0	9/15/20 4:00	0.1
9/16/18 5:00	0.0	9/16/19 5:00	0.0	9/15/20 5:00	0.1
9/16/18 6:00	0.0	9/16/19 6:00	0.0	9/15/20 6:00	0.1
9/16/18 7:00	0.0	9/16/19 7:00	0.0	9/15/20 7:00	0.2
9/16/18 8:00	0.0	9/16/19 8:00	0.0	9/15/20 8:00	0.2
9/16/18 9:00	0.0	9/16/19 9:00	0.0	9/15/20 9:00	6.5
9/16/18 10:00	0.0	9/16/19 10:00	0.0	9/15/20 10:00	0.1
9/16/18 11:00	0.0	9/16/19 11:00	0.0	9/15/20 11:00	0.1
9/16/18 12:00	0.0	9/16/19 12:00	0.0	9/15/20 12:00	0.2
9/16/18 13:00	0.0	9/16/19 13:00	0.0	9/15/20 13:00	0.2
9/16/18 14:00	0.0	9/16/19 14:00	0.0	9/15/20 14:00	0.1
9/16/18 15:00	0.0	9/16/19 15:00	0.0	9/15/20 15:00	0.2
9/16/18 16:00	0.0	9/16/19 16:00	0.0	9/15/20 16:00	0.2
9/16/18 17:00	0.0	9/16/19 17:00	0.0	9/15/20 17:00	0.2
9/16/18 18:00	0.0	9/16/19 18:00	0.0	9/15/20 18:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
9/16/18 19:00	0.0	9/16/19 19:00	0.0	9/15/20 19:00	0.1
9/16/18 20:00	0.0	9/16/19 20:00	0.0	9/15/20 20:00	0.2
9/16/18 21:00	0.0	9/16/19 21:00	0.0	9/15/20 21:00	0.2
9/16/18 22:00	0.0	9/16/19 22:00	0.0	9/15/20 22:00	0.2
9/16/18 23:00	0.0	9/16/19 23:00	0.0	9/15/20 23:00	0.1
9/17/18 0:00	0.0	9/17/19 0:00	0.0	9/16/20 0:00	0.1
9/17/18 1:00	0.0	9/17/19 1:00	0.0	9/16/20 1:00	0.1
9/17/18 2:00	0.0	9/17/19 2:00	0.0	9/16/20 2:00	0.1
9/17/18 3:00	0.0	9/17/19 3:00	0.0	9/16/20 3:00	0.1
9/17/18 4:00	0.0	9/17/19 4:00	0.0	9/16/20 4:00	0.1
9/17/18 5:00	0.0	9/17/19 5:00	0.0	9/16/20 5:00	0.1
9/17/18 6:00	0.0	9/17/19 6:00	0.0	9/16/20 6:00	0.1
9/17/18 7:00	0.0	9/17/19 7:00	0.0	9/16/20 7:00	0.1
9/17/18 8:00	0.0	9/17/19 8:00	0.0	9/16/20 8:00	0.1
9/17/18 9:00	0.0	9/17/19 9:00	0.0	9/16/20 9:00	0.1
9/17/18 10:00	0.0	9/17/19 10:00	0.0	9/16/20 10:00	0.1
9/17/18 11:00	0.0	9/17/19 11:00	0.0	9/16/20 11:00	0.2
9/17/18 12:00	0.0	9/17/19 12:00	0.0	9/16/20 12:00	0.2
9/17/18 13:00	0.0	9/17/19 13:00	0.0	9/16/20 13:00	0.2
9/17/18 14:00	0.0	9/17/19 14:00	0.0	9/16/20 14:00	0.1
9/17/18 15:00	0.0	9/17/19 15:00	0.0	9/16/20 15:00	0.1
9/17/18 16:00	0.0	9/17/19 16:00	0.0	9/16/20 16:00	0.1
9/17/18 17:00	0.0	9/17/19 17:00	0.0	9/16/20 17:00	0.1
9/17/18 18:00	0.0	9/17/19 18:00	0.0	9/16/20 18:00	0.1
9/17/18 19:00	0.0	9/17/19 19:00	0.0	9/16/20 19:00	0.1
9/17/18 20:00	0.0	9/17/19 20:00	0.0	9/16/20 20:00	0.1
9/17/18 21:00	0.0	9/17/19 21:00	0.0	9/16/20 21:00	0.1
9/17/18 22:00	0.0	9/17/19 22:00	0.0	9/16/20 22:00	0.1
9/17/18 23:00	0.0	9/17/19 23:00	0.0	9/16/20 23:00	0.1
9/18/18 0:00	0.0	9/18/19 0:00	0.0	9/17/20 0:00	0.1
9/18/18 1:00	0.0	9/18/19 1:00	0.0	9/17/20 1:00	0.1
9/18/18 2:00	0.0	9/18/19 2:00	0.0	9/17/20 2:00	0.1
9/18/18 3:00	0.0	9/18/19 3:00	0.0	9/17/20 3:00	0.1
9/18/18 4:00	0.0	9/18/19 4:00	0.0	9/17/20 4:00	0.2
9/18/18 5:00	0.0	9/18/19 5:00	0.0	9/17/20 5:00	0.3
9/18/18 6:00	0.0	9/18/19 6:00	0.0	9/17/20 6:00	0.3
9/18/18 7:00	0.0	9/18/19 7:00	0.0	9/17/20 7:00	0.3
9/18/18 8:00	0.0	9/18/19 8:00	0.0	9/17/20 8:00	0.1
9/18/18 9:00	0.0	9/18/19 9:00	0.0	9/17/20 9:00	0.1
9/18/18 10:00	0.0	9/18/19 10:00	0.0	9/17/20 10:00	0.1
9/18/18 11:00	0.0	9/18/19 11:00	0.0	9/17/20 11:00	0.1
9/18/18 12:00	0.0	9/18/19 12:00	0.0	9/17/20 12:00	0.1
9/18/18 13:00	0.0	9/18/19 13:00	0.0	9/17/20 13:00	0.1
9/18/18 14:00	0.0	9/18/19 14:00	0.0	9/17/20 14:00	0.1
9/18/18 15:00	0.0	9/18/19 15:00	0.0	9/17/20 15:00	0.1
9/18/18 16:00	0.0	9/18/19 16:00	0.0	9/17/20 16:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
9/18/18 17:00	0.0	9/18/19 17:00	0.0	9/17/20 17:00	0.1
9/18/18 18:00	0.0	9/18/19 18:00	0.0	9/17/20 18:00	0.1
9/18/18 19:00	0.0	9/18/19 19:00	0.0	9/17/20 19:00	0.1
9/18/18 20:00	0.0	9/18/19 20:00	0.0	9/17/20 20:00	0.1
9/18/18 21:00	0.0	9/18/19 21:00	0.0	9/17/20 21:00	0.1
9/18/18 22:00	0.0	9/18/19 22:00	0.0	9/17/20 22:00	0.1
9/18/18 23:00	0.0	9/18/19 23:00	0.0	9/17/20 23:00	0.1
9/19/18 0:00	0.0	9/19/19 0:00	0.0	9/18/20 0:00	0.1
9/19/18 1:00	0.0	9/19/19 1:00	0.0	9/18/20 1:00	0.1
9/19/18 2:00	0.0	9/19/19 2:00	0.0	9/18/20 2:00	0.1
9/19/18 3:00	0.0	9/19/19 3:00	0.0	9/18/20 3:00	0.1
9/19/18 4:00	0.0	9/19/19 4:00	0.0	9/18/20 4:00	0.2
9/19/18 5:00	0.0	9/19/19 5:00	0.0	9/18/20 5:00	0.2
9/19/18 6:00	0.0	9/19/19 6:00	0.0	9/18/20 6:00	0.2
9/19/18 7:00	0.0	9/19/19 7:00	0.0	9/18/20 7:00	0.1
9/19/18 8:00	0.0	9/19/19 8:00	0.0	9/18/20 8:00	0.1
9/19/18 9:00	0.0	9/19/19 9:00	0.0	9/18/20 9:00	0.1
9/19/18 10:00	0.0	9/19/19 10:00	0.0	9/18/20 10:00	0.1
9/19/18 11:00	0.0	9/19/19 11:00	0.0	9/18/20 11:00	0.2
9/19/18 12:00	0.0	9/19/19 12:00	0.0	9/18/20 12:00	0.2
9/19/18 13:00	0.0	9/19/19 13:00	0.0	9/18/20 13:00	0.1
9/19/18 14:00	0.0	9/19/19 14:00	0.0	9/18/20 14:00	0.1
9/19/18 15:00	0.0	9/19/19 15:00	0.0	9/18/20 15:00	0.2
9/19/18 16:00	0.0	9/19/19 16:00	0.0	9/18/20 16:00	0.1
9/19/18 17:00	0.0	9/19/19 17:00	0.0	9/18/20 17:00	0.1
9/19/18 18:00	0.0	9/19/19 18:00	0.0	9/18/20 18:00	0.1
9/19/18 19:00	0.0	9/19/19 19:00	0.0	9/18/20 19:00	0.1
9/19/18 20:00	0.0	9/19/19 20:00	0.0	9/18/20 20:00	0.2
9/19/18 21:00	0.0	9/19/19 21:00	0.0	9/18/20 21:00	0.2
9/19/18 22:00	0.0	9/19/19 22:00	0.0	9/18/20 22:00	0.2
9/19/18 23:00	0.0	9/19/19 23:00	0.0	9/18/20 23:00	0.2
9/20/18 0:00	0.0	9/20/19 0:00	0.0	9/19/20 0:00	0.2
9/20/18 1:00	0.0	9/20/19 1:00	0.0	9/19/20 1:00	0.2
9/20/18 2:00	0.0	9/20/19 2:00	0.0	9/19/20 2:00	0.2
9/20/18 3:00	0.0	9/20/19 3:00	0.0	9/19/20 3:00	0.2
9/20/18 4:00	0.0	9/20/19 4:00	0.0	9/19/20 4:00	0.1
9/20/18 5:00	0.0	9/20/19 5:00	0.0	9/19/20 5:00	0.1
9/20/18 6:00	0.0	9/20/19 6:00	0.0	9/19/20 6:00	0.1
9/20/18 7:00	0.0	9/20/19 7:00	0.0	9/19/20 7:00	0.1
9/20/18 8:00	0.0	9/20/19 8:00	0.0	9/19/20 8:00	0.1
9/20/18 9:00	0.0	9/20/19 9:00	0.0	9/19/20 9:00	0.1
9/20/18 10:00	0.0	9/20/19 10:00	0.0	9/19/20 10:00	0.1
9/20/18 11:00	0.0	9/20/19 11:00	0.0	9/19/20 11:00	0.1
9/20/18 12:00	0.0	9/20/19 12:00	0.0	9/19/20 12:00	0.1
9/20/18 13:00	0.0	9/20/19 13:00	0.0	9/19/20 13:00	0.1
9/20/18 14:00	0.0	9/20/19 14:00	0.0	9/19/20 14:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
9/20/18 15:00	0.0	9/20/19 15:00	0.0	9/19/20 15:00	0.1
9/20/18 16:00	0.0	9/20/19 16:00	0.0	9/19/20 16:00	0.2
9/20/18 17:00	0.0	9/20/19 17:00	0.0	9/19/20 17:00	0.1
9/20/18 18:00	0.0	9/20/19 18:00	0.0	9/19/20 18:00	0.1
9/20/18 19:00	0.0	9/20/19 19:00	0.0	9/19/20 19:00	0.2
9/20/18 20:00	0.0	9/20/19 20:00	0.0	9/19/20 20:00	0.3
9/20/18 21:00	0.0	9/20/19 21:00	0.0	9/19/20 21:00	0.3
9/20/18 22:00	0.0	9/20/19 22:00	0.0	9/19/20 22:00	0.4
9/20/18 23:00	0.0	9/20/19 23:00	0.0	9/19/20 23:00	0.3
9/21/18 0:00	0.0	9/21/19 0:00	0.0	9/20/20 0:00	0.3
9/21/18 1:00	0.0	9/21/19 1:00	0.0	9/20/20 1:00	0.2
9/21/18 2:00	0.0	9/21/19 2:00	0.0	9/20/20 2:00	0.3
9/21/18 3:00	0.0	9/21/19 3:00	0.0	9/20/20 3:00	0.3
9/21/18 4:00	0.0	9/21/19 4:00	0.0	9/20/20 4:00	0.3
9/21/18 5:00	0.0	9/21/19 5:00	0.0	9/20/20 5:00	0.2
9/21/18 6:00	0.0	9/21/19 6:00	0.0	9/20/20 6:00	0.2
9/21/18 7:00	0.0	9/21/19 7:00	0.0	9/20/20 7:00	0.2
9/21/18 8:00	0.0	9/21/19 8:00	0.0	9/20/20 8:00	0.3
9/21/18 9:00	0.0	9/21/19 9:00	0.0	9/20/20 9:00	0.3
9/21/18 10:00	0.0	9/21/19 10:00	0.0	9/20/20 10:00	0.3
9/21/18 11:00	0.0	9/21/19 11:00	0.0	9/20/20 11:00	0.2
9/21/18 12:00	0.0	9/21/19 12:00	0.0	9/20/20 12:00	0.2
9/21/18 13:00	0.0	9/21/19 13:00	0.0	9/20/20 13:00	0.2
9/21/18 14:00	0.0	9/21/19 14:00	0.0	9/20/20 14:00	0.2
9/21/18 15:00	0.0	9/21/19 15:00	0.0	9/20/20 15:00	0.3
9/21/18 16:00	0.0	9/21/19 16:00	0.0	9/20/20 16:00	0.3
9/21/18 17:00	0.0	9/21/19 17:00	0.0	9/20/20 17:00	0.2
9/21/18 18:00	0.0	9/21/19 18:00	0.0	9/20/20 18:00	0.1
9/21/18 19:00	0.0	9/21/19 19:00	0.0	9/20/20 19:00	0.1
9/21/18 20:00	0.0	9/21/19 20:00	0.0	9/20/20 20:00	0.3
9/21/18 21:00	0.0	9/21/19 21:00	0.0	9/20/20 21:00	0.2
9/21/18 22:00	0.0	9/21/19 22:00	0.0	9/20/20 22:00	0.2
9/21/18 23:00	0.0	9/21/19 23:00	0.0	9/20/20 23:00	0.2
9/22/18 0:00	0.0	9/22/19 0:00	0.0	9/21/20 0:00	0.2
9/22/18 1:00	0.0	9/22/19 1:00	0.0	9/21/20 1:00	0.2
9/22/18 2:00	0.0	9/22/19 2:00	0.0	9/21/20 2:00	0.2
9/22/18 3:00	0.0	9/22/19 3:00	0.0	9/21/20 3:00	0.2
9/22/18 4:00	0.0	9/22/19 4:00	0.0	9/21/20 4:00	0.2
9/22/18 5:00	0.0	9/22/19 5:00	0.0	9/21/20 5:00	0.2
9/22/18 6:00	0.0	9/22/19 6:00	0.0	9/21/20 6:00	0.2
9/22/18 7:00	0.0	9/22/19 7:00	0.0	9/21/20 7:00	0.2
9/22/18 8:00	0.0	9/22/19 8:00	0.0	9/21/20 8:00	0.2
9/22/18 9:00	0.0	9/22/19 9:00	0.0	9/21/20 9:00	0.3
9/22/18 10:00	0.0	9/22/19 10:00	0.0	9/21/20 10:00	0.3
9/22/18 11:00	0.0	9/22/19 11:00	0.0	9/21/20 11:00	0.2
9/22/18 12:00	0.0	9/22/19 12:00	0.0	9/21/20 12:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
9/22/18 13:00	0.0	9/22/19 13:00	0.0	9/21/20 13:00	0.2
9/22/18 14:00	0.0	9/22/19 14:00	0.0	9/21/20 14:00	0.1
9/22/18 15:00	0.0	9/22/19 15:00	0.0	9/21/20 15:00	0.2
9/22/18 16:00	0.0	9/22/19 16:00	0.0	9/21/20 16:00	0.1
9/22/18 17:00	0.0	9/22/19 17:00	0.0	9/21/20 17:00	0.2
9/22/18 18:00	0.0	9/22/19 18:00	0.0	9/21/20 18:00	0.1
9/22/18 19:00	0.0	9/22/19 19:00	0.0	9/21/20 19:00	0.1
9/22/18 20:00	0.0	9/22/19 20:00	0.0	9/21/20 20:00	0.1
9/22/18 21:00	0.0	9/22/19 21:00	0.0	9/21/20 21:00	0.1
9/22/18 22:00	0.0	9/22/19 22:00	0.0	9/21/20 22:00	0.1
9/22/18 23:00	0.0	9/22/19 23:00	0.0	9/21/20 23:00	0.1
9/23/18 0:00	0.0	9/23/19 0:00	0.0	9/22/20 0:00	0.2
9/23/18 1:00	0.0	9/23/19 1:00	0.0	9/22/20 1:00	0.1
9/23/18 2:00	0.0	9/23/19 2:00	0.0	9/22/20 2:00	0.1
9/23/18 3:00	0.0	9/23/19 3:00	0.0	9/22/20 3:00	0.1
9/23/18 4:00	0.0	9/23/19 4:00	0.0	9/22/20 4:00	0.2
9/23/18 5:00	0.0	9/23/19 5:00	0.0	9/22/20 5:00	0.1
9/23/18 6:00	0.0	9/23/19 6:00	0.0	9/22/20 6:00	0.1
9/23/18 7:00	0.0	9/23/19 7:00	0.0	9/22/20 7:00	0.1
9/23/18 8:00	0.0	9/23/19 8:00	0.0	9/22/20 8:00	0.1
9/23/18 9:00	0.0	9/23/19 9:00	0.0	9/22/20 9:00	0.2
9/23/18 10:00	0.0	9/23/19 10:00	0.0	9/22/20 10:00	0.3
9/23/18 11:00	0.0	9/23/19 11:00	0.0	9/22/20 11:00	0.1
9/23/18 12:00	0.0	9/23/19 12:00	0.0	9/22/20 12:00	0.1
9/23/18 13:00	0.0	9/23/19 13:00	0.0	9/22/20 13:00	0.2
9/23/18 14:00	0.0	9/23/19 14:00	0.0	9/22/20 14:00	0.2
9/23/18 15:00	0.0	9/23/19 15:00	0.0	9/22/20 15:00	0.2
9/23/18 16:00	0.0	9/23/19 16:00	0.0	9/22/20 16:00	0.1
9/23/18 17:00	0.0	9/23/19 17:00	0.0	9/22/20 17:00	0.2
9/23/18 18:00	0.0	9/23/19 18:00	0.0	9/22/20 18:00	0.1
9/23/18 19:00	0.0	9/23/19 19:00	0.0	9/22/20 19:00	0.2
9/23/18 20:00	0.0	9/23/19 20:00	0.0	9/22/20 20:00	0.2
9/23/18 21:00	0.0	9/23/19 21:00	0.0	9/22/20 21:00	0.1
9/23/18 22:00	0.0	9/23/19 22:00	0.0	9/22/20 22:00	0.1
9/23/18 23:00	0.0	9/23/19 23:00	0.0	9/22/20 23:00	0.2
9/24/18 0:00	0.0	9/24/19 0:00	0.0	9/23/20 0:00	0.1
9/24/18 1:00	0.0	9/24/19 1:00	0.0	9/23/20 1:00	0.2
9/24/18 2:00	0.0	9/24/19 2:00	0.0	9/23/20 2:00	0.3
9/24/18 3:00	0.0	9/24/19 3:00	0.0	9/23/20 3:00	1.2
9/24/18 4:00	0.0	9/24/19 4:00	0.0	9/23/20 4:00	1.6
9/24/18 5:00	0.0	9/24/19 5:00	0.0	9/23/20 5:00	1.1
9/24/18 6:00	0.0	9/24/19 6:00	0.0	9/23/20 6:00	1.6
9/24/18 7:00	0.0	9/24/19 7:00	0.0	9/23/20 7:00	1.1
9/24/18 8:00	0.0	9/24/19 8:00	0.0	9/23/20 8:00	1.0
9/24/18 9:00	0.0	9/24/19 9:00	0.0	9/23/20 9:00	0.6
9/24/18 10:00	0.0	9/24/19 10:00	0.0	9/23/20 10:00	0.5

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
9/24/18 11:00	0.0	9/24/19 11:00	0.0	9/23/20 11:00	1.1
9/24/18 12:00	0.0	9/24/19 12:00	0.0	9/23/20 12:00	13.9
9/24/18 13:00	0.0	9/24/19 13:00	0.0	9/23/20 13:00	1.7
9/24/18 14:00	0.0	9/24/19 14:00	0.0	9/23/20 14:00	0.2
9/24/18 15:00	0.0	9/24/19 15:00	0.0	9/23/20 15:00	0.2
9/24/18 16:00	0.0	9/24/19 16:00	0.0	9/23/20 16:00	0.1
9/24/18 17:00	0.0	9/24/19 17:00	0.0	9/23/20 17:00	0.2
9/24/18 18:00	0.0	9/24/19 18:00	0.0	9/23/20 18:00	0.2
9/24/18 19:00	0.0	9/24/19 19:00	0.0	9/23/20 19:00	0.2
9/24/18 20:00	0.0	9/24/19 20:00	0.0	9/23/20 20:00	0.2
9/24/18 21:00	0.0	9/24/19 21:00	0.0	9/23/20 21:00	0.2
9/24/18 22:00	0.0	9/24/19 22:00	0.0	9/23/20 22:00	0.2
9/24/18 23:00	0.0	9/24/19 23:00	0.0	9/23/20 23:00	0.2
9/25/18 0:00	0.0	9/25/19 0:00	0.0	9/24/20 0:00	0.1
9/25/18 1:00	0.0	9/25/19 1:00	0.0	9/24/20 1:00	0.1
9/25/18 2:00	0.0	9/25/19 2:00	0.0	9/24/20 2:00	0.1
9/25/18 3:00	0.0	9/25/19 3:00	0.0	9/24/20 3:00	0.1
9/25/18 4:00	0.0	9/25/19 4:00	0.0	9/24/20 4:00	0.1
9/25/18 5:00	0.0	9/25/19 5:00	0.0	9/24/20 5:00	0.1
9/25/18 6:00	0.0	9/25/19 6:00	0.0	9/24/20 6:00	0.0
9/25/18 7:00	0.0	9/25/19 7:00	0.0	9/24/20 7:00	0.1
9/25/18 8:00	0.0	9/25/19 8:00	0.0	9/24/20 8:00	0.1
9/25/18 9:00	0.0	9/25/19 9:00	0.0	9/24/20 9:00	0.1
9/25/18 10:00	0.0	9/25/19 10:00	0.0	9/24/20 10:00	0.1
9/25/18 11:00	0.0	9/25/19 11:00	0.0	9/24/20 11:00	0.1
9/25/18 12:00	0.0	9/25/19 12:00	0.0	9/24/20 12:00	0.1
9/25/18 13:00	0.0	9/25/19 13:00	0.0	9/24/20 13:00	0.1
9/25/18 14:00	0.0	9/25/19 14:00	0.0	9/24/20 14:00	0.2
9/25/18 15:00	0.0	9/25/19 15:00	0.0	9/24/20 15:00	0.1
9/25/18 16:00	0.0	9/25/19 16:00	0.0	9/24/20 16:00	0.2
9/25/18 17:00	0.0	9/25/19 17:00	0.0	9/24/20 17:00	0.2
9/25/18 18:00	0.0	9/25/19 18:00	0.0	9/24/20 18:00	0.2
9/25/18 19:00	0.0	9/25/19 19:00	0.0	9/24/20 19:00	0.1
9/25/18 20:00	0.0	9/25/19 20:00	0.0	9/24/20 20:00	0.1
9/25/18 21:00	0.0	9/25/19 21:00	0.0	9/24/20 21:00	0.1
9/25/18 22:00	0.0	9/25/19 22:00	0.0	9/24/20 22:00	0.1
9/25/18 23:00	0.0	9/25/19 23:00	0.0	9/24/20 23:00	0.1
9/26/18 0:00	0.0	9/26/19 0:00	0.0	9/25/20 0:00	0.1
9/26/18 1:00	0.0	9/26/19 1:00	0.0	9/25/20 1:00	0.1
9/26/18 2:00	0.0	9/26/19 2:00	0.0	9/25/20 2:00	0.1
9/26/18 3:00	0.0	9/26/19 3:00	0.0	9/25/20 3:00	0.1
9/26/18 4:00	0.0	9/26/19 4:00	0.0	9/25/20 4:00	0.1
9/26/18 5:00	0.0	9/26/19 5:00	0.0	9/25/20 5:00	0.3
9/26/18 6:00	0.0	9/26/19 6:00	0.0	9/25/20 6:00	0.2
9/26/18 7:00	0.0	9/26/19 7:00	0.0	9/25/20 7:00	0.2
9/26/18 8:00	0.0	9/26/19 8:00	0.0	9/25/20 8:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
9/26/18 9:00	0.0	9/26/19 9:00	0.0	9/25/20 9:00	0.2
9/26/18 10:00	0.0	9/26/19 10:00	0.0	9/25/20 10:00	0.2
9/26/18 11:00	0.0	9/26/19 11:00	0.0	9/25/20 11:00	0.1
9/26/18 12:00	0.0	9/26/19 12:00	0.0	9/25/20 12:00	0.3
9/26/18 13:00	0.0	9/26/19 13:00	0.0	9/25/20 13:00	0.2
9/26/18 14:00	0.0	9/26/19 14:00	0.0	9/25/20 14:00	0.2
9/26/18 15:00	0.0	9/26/19 15:00	0.0	9/25/20 15:00	0.2
9/26/18 16:00	0.0	9/26/19 16:00	0.0	9/25/20 16:00	0.2
9/26/18 17:00	0.0	9/26/19 17:00	0.0	9/25/20 17:00	0.2
9/26/18 18:00	0.0	9/26/19 18:00	0.0	9/25/20 18:00	0.2
9/26/18 19:00	0.0	9/26/19 19:00	0.0	9/25/20 19:00	0.2
9/26/18 20:00	0.0	9/26/19 20:00	0.0	9/25/20 20:00	0.2
9/26/18 21:00	0.0	9/26/19 21:00	0.0	9/25/20 21:00	0.2
9/26/18 22:00	0.0	9/26/19 22:00	0.0	9/25/20 22:00	0.2
9/26/18 23:00	0.0	9/26/19 23:00	0.0	9/25/20 23:00	0.2
9/27/18 0:00	0.0	9/27/19 0:00	0.0	9/26/20 0:00	0.1
9/27/18 1:00	0.0	9/27/19 1:00	0.0	9/26/20 1:00	0.1
9/27/18 2:00	0.0	9/27/19 2:00	0.0	9/26/20 2:00	0.2
9/27/18 3:00	0.0	9/27/19 3:00	0.0	9/26/20 3:00	0.2
9/27/18 4:00	0.0	9/27/19 4:00	0.0	9/26/20 4:00	0.1
9/27/18 5:00	0.0	9/27/19 5:00	0.0	9/26/20 5:00	0.1
9/27/18 6:00	0.0	9/27/19 6:00	0.0	9/26/20 6:00	0.1
9/27/18 7:00	0.0	9/27/19 7:00	0.0	9/26/20 7:00	0.1
9/27/18 8:00	0.0	9/27/19 8:00	0.0	9/26/20 8:00	0.1
9/27/18 9:00	0.0	9/27/19 9:00	0.0	9/26/20 9:00	0.1
9/27/18 10:00	0.0	9/27/19 10:00	0.0	9/26/20 10:00	0.1
9/27/18 11:00	0.0	9/27/19 11:00	0.0	9/26/20 11:00	0.1
9/27/18 12:00	0.0	9/27/19 12:00	0.0	9/26/20 12:00	0.1
9/27/18 13:00	0.0	9/27/19 13:00	0.0	9/26/20 13:00	0.1
9/27/18 14:00	0.0	9/27/19 14:00	0.0	9/26/20 14:00	0.2
9/27/18 15:00	0.0	9/27/19 15:00	0.0	9/26/20 15:00	0.2
9/27/18 16:00	0.0	9/27/19 16:00	0.0	9/26/20 16:00	0.2
9/27/18 17:00	0.0	9/27/19 17:00	0.0	9/26/20 17:00	0.1
9/27/18 18:00	0.0	9/27/19 18:00	0.0	9/26/20 18:00	0.1
9/27/18 19:00	0.0	9/27/19 19:00	0.0	9/26/20 19:00	0.1
9/27/18 20:00	0.0	9/27/19 20:00	0.0	9/26/20 20:00	0.1
9/27/18 21:00	0.0	9/27/19 21:00	0.0	9/26/20 21:00	0.1
9/27/18 22:00	0.0	9/27/19 22:00	0.0	9/26/20 22:00	0.1
9/27/18 23:00	0.0	9/27/19 23:00	0.0	9/26/20 23:00	0.1
9/28/18 0:00	0.0	9/28/19 0:00	0.0	9/27/20 0:00	0.1
9/28/18 1:00	0.0	9/28/19 1:00	0.0	9/27/20 1:00	0.1
9/28/18 2:00	0.0	9/28/19 2:00	0.0	9/27/20 2:00	0.1
9/28/18 3:00	0.0	9/28/19 3:00	0.0	9/27/20 3:00	0.1
9/28/18 4:00	0.0	9/28/19 4:00	0.0	9/27/20 4:00	0.1
9/28/18 5:00	0.0	9/28/19 5:00	0.0	9/27/20 5:00	0.1
9/28/18 6:00	0.0	9/28/19 6:00	0.0	9/27/20 6:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
9/28/18 7:00	0.0	9/28/19 7:00	0.0	9/27/20 7:00	0.2
9/28/18 8:00	0.0	9/28/19 8:00	0.0	9/27/20 8:00	0.2
9/28/18 9:00	0.0	9/28/19 9:00	0.0	9/27/20 9:00	0.1
9/28/18 10:00	0.0	9/28/19 10:00	0.0	9/27/20 10:00	0.2
9/28/18 11:00	0.0	9/28/19 11:00	0.0	9/27/20 11:00	0.2
9/28/18 12:00	0.0	9/28/19 12:00	0.0	9/27/20 12:00	0.2
9/28/18 13:00	0.0	9/28/19 13:00	0.0	9/27/20 13:00	0.2
9/28/18 14:00	0.0	9/28/19 14:00	0.0	9/27/20 14:00	0.1
9/28/18 15:00	0.0	9/28/19 15:00	0.0	9/27/20 15:00	0.1
9/28/18 16:00	0.0	9/28/19 16:00	0.0	9/27/20 16:00	0.2
9/28/18 17:00	0.0	9/28/19 17:00	0.0	9/27/20 17:00	0.2
9/28/18 18:00	0.0	9/28/19 18:00	0.0	9/27/20 18:00	0.2
9/28/18 19:00	0.0	9/28/19 19:00	0.0	9/27/20 19:00	0.1
9/28/18 20:00	0.0	9/28/19 20:00	0.0	9/27/20 20:00	0.2
9/28/18 21:00	0.0	9/28/19 21:00	0.0	9/27/20 21:00	0.1
9/28/18 22:00	0.0	9/28/19 22:00	0.0	9/27/20 22:00	0.1
9/28/18 23:00	0.0	9/28/19 23:00	0.0	9/27/20 23:00	0.1
9/29/18 0:00	0.0	9/29/19 0:00	0.0	9/28/20 0:00	0.1
9/29/18 1:00	0.0	9/29/19 1:00	0.0	9/28/20 1:00	0.1
9/29/18 2:00	0.0	9/29/19 2:00	0.0	9/28/20 2:00	0.1
9/29/18 3:00	0.0	9/29/19 3:00	0.0	9/28/20 3:00	0.1
9/29/18 4:00	0.0	9/29/19 4:00	0.0	9/28/20 4:00	0.1
9/29/18 5:00	0.0	9/29/19 5:00	0.0	9/28/20 5:00	0.1
9/29/18 6:00	0.0	9/29/19 6:00	0.0	9/28/20 6:00	0.1
9/29/18 7:00	0.0	9/29/19 7:00	0.0	9/28/20 7:00	0.1
9/29/18 8:00	0.0	9/29/19 8:00	0.0	9/28/20 8:00	0.1
9/29/18 9:00	0.0	9/29/19 9:00	0.0	9/28/20 9:00	0.1
9/29/18 10:00	0.0	9/29/19 10:00	0.0	9/28/20 10:00	0.1
9/29/18 11:00	0.0	9/29/19 11:00	0.0	9/28/20 11:00	0.1
9/29/18 12:00	0.0	9/29/19 12:00	0.0	9/28/20 12:00	0.1
9/29/18 13:00	0.0	9/29/19 13:00	0.0	9/28/20 13:00	0.2
9/29/18 14:00	0.0	9/29/19 14:00	0.0	9/28/20 14:00	0.1
9/29/18 15:00	0.0	9/29/19 15:00	0.0	9/28/20 15:00	0.1
9/29/18 16:00	0.0	9/29/19 16:00	0.0	9/28/20 16:00	0.2
9/29/18 17:00	0.0	9/29/19 17:00	0.0	9/28/20 17:00	0.2
9/29/18 18:00	0.0	9/29/19 18:00	0.0	9/28/20 18:00	0.2
9/29/18 19:00	0.0	9/29/19 19:00	0.0	9/28/20 19:00	0.1
9/29/18 20:00	0.0	9/29/19 20:00	0.0	9/28/20 20:00	0.1
9/29/18 21:00	0.0	9/29/19 21:00	0.0	9/28/20 21:00	0.2
9/29/18 22:00	0.0	9/29/19 22:00	0.0	9/28/20 22:00	0.1
9/29/18 23:00	0.0	9/29/19 23:00	0.0	9/28/20 23:00	0.1
9/30/18 0:00	0.0	9/30/19 0:00	0.0	9/29/20 0:00	0.1
9/30/18 1:00	0.0	9/30/19 1:00	0.0	9/29/20 1:00	0.1
9/30/18 2:00	0.0	9/30/19 2:00	0.0	9/29/20 2:00	0.1
9/30/18 3:00	0.0	9/30/19 3:00	0.0	9/29/20 3:00	0.2
9/30/18 4:00	0.0	9/30/19 4:00	0.0	9/29/20 4:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
9/30/18 5:00	0.0	9/30/19 5:00	0.0	9/29/20 5:00	0.1
9/30/18 6:00	0.0	9/30/19 6:00	0.0	9/29/20 6:00	0.1
9/30/18 7:00	0.0	9/30/19 7:00	0.0	9/29/20 7:00	0.1
9/30/18 8:00	0.0	9/30/19 8:00	0.0	9/29/20 8:00	0.1
9/30/18 9:00	0.0	9/30/19 9:00	0.0	9/29/20 9:00	0.1
9/30/18 10:00	0.0	9/30/19 10:00	0.0	9/29/20 10:00	0.2
9/30/18 11:00	0.0	9/30/19 11:00	0.0	9/29/20 11:00	0.2
9/30/18 12:00	0.0	9/30/19 12:00	0.0	9/29/20 12:00	0.2
9/30/18 13:00	0.0	9/30/19 13:00	0.0	9/29/20 13:00	0.2
9/30/18 14:00	0.0	9/30/19 14:00	0.0	9/29/20 14:00	0.1
9/30/18 15:00	0.0	9/30/19 15:00	0.0	9/29/20 15:00	0.1
9/30/18 16:00	0.0	9/30/19 16:00	0.0	9/29/20 16:00	0.0
9/30/18 17:00	0.0	9/30/19 17:00	0.0	9/29/20 17:00	0.0
9/30/18 18:00	0.0	9/30/19 18:00	0.0	9/29/20 18:00	0.1
9/30/18 19:00	0.0	9/30/19 19:00	0.0	9/29/20 19:00	0.1
9/30/18 20:00	0.0	9/30/19 20:00	0.0	9/29/20 20:00	0.2
9/30/18 21:00	0.0	9/30/19 21:00	0.0	9/29/20 21:00	0.1
9/30/18 22:00	0.0	9/30/19 22:00	0.0	9/29/20 22:00	0.1
9/30/18 23:00	0.0	9/30/19 23:00	0.0	9/29/20 23:00	0.2
10/1/18 0:00	0.0	10/1/19 0:00	0.0	9/30/20 0:00	0.1
10/1/18 1:00	0.0	10/1/19 1:00	0.0	9/30/20 1:00	0.9
10/1/18 2:00	0.0	10/1/19 2:00	0.0	9/30/20 2:00	3.6
10/1/18 3:00	0.0	10/1/19 3:00	0.0	9/30/20 3:00	11.4
10/1/18 4:00	0.0	10/1/19 4:00	0.0	9/30/20 4:00	0.3
10/1/18 5:00	0.0	10/1/19 5:00	0.0	9/30/20 5:00	0.2
10/1/18 6:00	0.0	10/1/19 6:00	0.0	9/30/20 6:00	0.6
10/1/18 7:00	0.0	10/1/19 7:00	0.0	9/30/20 7:00	0.7
10/1/18 8:00	0.0	10/1/19 8:00	0.0	9/30/20 8:00	1.0
10/1/18 9:00	0.0	10/1/19 9:00	0.0	9/30/20 9:00	1.3
10/1/18 10:00	0.0	10/1/19 10:00	0.0	9/30/20 10:00	15.2
10/1/18 11:00	0.0	10/1/19 11:00	0.0	9/30/20 11:00	0.3
10/1/18 12:00	0.0	10/1/19 12:00	0.0	9/30/20 12:00	0.3
10/1/18 13:00	0.0	10/1/19 13:00	0.0	9/30/20 13:00	0.8
10/1/18 14:00	0.0	10/1/19 14:00	0.0	9/30/20 14:00	2.9
10/1/18 15:00	0.0	10/1/19 15:00	0.0	9/30/20 15:00	16.8
10/1/18 16:00	0.0	10/1/19 16:00	0.0	9/30/20 16:00	16.8
10/1/18 17:00	0.0	10/1/19 17:00	0.0	9/30/20 17:00	15.7
10/1/18 18:00	0.0	10/1/19 18:00	0.0	9/30/20 18:00	16.0
10/1/18 19:00	0.0	10/1/19 19:00	0.0	9/30/20 19:00	0.3
10/1/18 20:00	0.0	10/1/19 20:00	0.0	9/30/20 20:00	1.7
10/1/18 21:00	0.0	10/1/19 21:00	0.0	9/30/20 21:00	2.0
10/1/18 22:00	0.0	10/1/19 22:00	0.0	9/30/20 22:00	1.0
10/1/18 23:00	0.0	10/1/19 23:00	0.0	9/30/20 23:00	0.2
10/2/18 0:00	0.0	10/2/19 0:00	0.0	10/1/20 0:00	0.2
10/2/18 1:00	0.0	10/2/19 1:00	0.0	10/1/20 1:00	0.2
10/2/18 2:00	0.0	10/2/19 2:00	0.0	10/1/20 2:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
10/2/18 3:00	0.0	10/2/19 3:00	0.0	10/1/20 3:00	0.1
10/2/18 4:00	0.0	10/2/19 4:00	0.0	10/1/20 4:00	0.1
10/2/18 5:00	0.0	10/2/19 5:00	0.0	10/1/20 5:00	0.1
10/2/18 6:00	0.0	10/2/19 6:00	0.0	10/1/20 6:00	0.1
10/2/18 7:00	0.0	10/2/19 7:00	0.0	10/1/20 7:00	0.1
10/2/18 8:00	0.0	10/2/19 8:00	0.0	10/1/20 8:00	0.2
10/2/18 9:00	0.0	10/2/19 9:00	0.0	10/1/20 9:00	0.2
10/2/18 10:00	0.0	10/2/19 10:00	0.0	10/1/20 10:00	0.1
10/2/18 11:00	0.0	10/2/19 11:00	0.0	10/1/20 11:00	0.1
10/2/18 12:00	0.0	10/2/19 12:00	0.0	10/1/20 12:00	0.1
10/2/18 13:00	0.0	10/2/19 13:00	0.0	10/1/20 13:00	0.1
10/2/18 14:00	0.0	10/2/19 14:00	0.0	10/1/20 14:00	0.1
10/2/18 15:00	0.0	10/2/19 15:00	0.0	10/1/20 15:00	0.1
10/2/18 16:00	0.0	10/2/19 16:00	0.0	10/1/20 16:00	0.1
10/2/18 17:00	0.0	10/2/19 17:00	0.0	10/1/20 17:00	0.1
10/2/18 18:00	0.0	10/2/19 18:00	0.0	10/1/20 18:00	0.1
10/2/18 19:00	0.0	10/2/19 19:00	0.0	10/1/20 19:00	0.1
10/2/18 20:00	0.0	10/2/19 20:00	0.0	10/1/20 20:00	0.1
10/2/18 21:00	0.0	10/2/19 21:00	0.0	10/1/20 21:00	0.1
10/2/18 22:00	0.0	10/2/19 22:00	0.0	10/1/20 22:00	0.1
10/2/18 23:00	0.0	10/2/19 23:00	0.0	10/1/20 23:00	0.1
10/3/18 0:00	0.0	10/3/19 0:00	0.0	10/2/20 0:00	0.1
10/3/18 1:00	0.0	10/3/19 1:00	0.0	10/2/20 1:00	0.1
10/3/18 2:00	0.0	10/3/19 2:00	0.0	10/2/20 2:00	0.1
10/3/18 3:00	0.0	10/3/19 3:00	0.0	10/2/20 3:00	0.2
10/3/18 4:00	0.0	10/3/19 4:00	0.0	10/2/20 4:00	0.2
10/3/18 5:00	0.0	10/3/19 5:00	0.0	10/2/20 5:00	0.2
10/3/18 6:00	0.0	10/3/19 6:00	0.0	10/2/20 6:00	0.1
10/3/18 7:00	0.0	10/3/19 7:00	0.0	10/2/20 7:00	0.1
10/3/18 8:00	0.0	10/3/19 8:00	0.0	10/2/20 8:00	0.1
10/3/18 9:00	0.0	10/3/19 9:00	0.0	10/2/20 9:00	0.1
10/3/18 10:00	0.0	10/3/19 10:00	0.0	10/2/20 10:00	0.1
10/3/18 11:00	0.0	10/3/19 11:00	0.0	10/2/20 11:00	0.1
10/3/18 12:00	0.0	10/3/19 12:00	0.0	10/2/20 12:00	0.2
10/3/18 13:00	0.0	10/3/19 13:00	0.0	10/2/20 13:00	0.1
10/3/18 14:00	0.0	10/3/19 14:00	0.0	10/2/20 14:00	0.1
10/3/18 15:00	0.0	10/3/19 15:00	0.0	10/2/20 15:00	0.2
10/3/18 16:00	0.0	10/3/19 16:00	0.0	10/2/20 16:00	0.1
10/3/18 17:00	0.0	10/3/19 17:00	0.0	10/2/20 17:00	0.1
10/3/18 18:00	0.0	10/3/19 18:00	0.0	10/2/20 18:00	0.1
10/3/18 19:00	0.0	10/3/19 19:00	0.0	10/2/20 19:00	0.1
10/3/18 20:00	0.0	10/3/19 20:00	0.0	10/2/20 20:00	0.1
10/3/18 21:00	0.0	10/3/19 21:00	0.0	10/2/20 21:00	0.1
10/3/18 22:00	0.0	10/3/19 22:00	0.0	10/2/20 22:00	0.1
10/3/18 23:00	0.0	10/3/19 23:00	0.0	10/2/20 23:00	0.2
10/4/18 0:00	0.0	10/4/19 0:00	0.0	10/3/20 0:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
10/4/18 1:00	0.0	10/4/19 1:00	0.0	10/3/20 1:00	0.1
10/4/18 2:00	0.0	10/4/19 2:00	0.0	10/3/20 2:00	0.1
10/4/18 3:00	0.0	10/4/19 3:00	0.0	10/3/20 3:00	0.1
10/4/18 4:00	0.0	10/4/19 4:00	0.0	10/3/20 4:00	0.1
10/4/18 5:00	0.0	10/4/19 5:00	0.0	10/3/20 5:00	0.1
10/4/18 6:00	0.0	10/4/19 6:00	0.0	10/3/20 6:00	0.1
10/4/18 7:00	0.0	10/4/19 7:00	0.0	10/3/20 7:00	0.1
10/4/18 8:00	0.0	10/4/19 8:00	0.0	10/3/20 8:00	0.1
10/4/18 9:00	0.0	10/4/19 9:00	0.0	10/3/20 9:00	0.1
10/4/18 10:00	0.0	10/4/19 10:00	0.0	10/3/20 10:00	0.1
10/4/18 11:00	0.0	10/4/19 11:00	0.0	10/3/20 11:00	0.1
10/4/18 12:00	0.0	10/4/19 12:00	0.0	10/3/20 12:00	0.1
10/4/18 13:00	0.0	10/4/19 13:00	0.0	10/3/20 13:00	0.1
10/4/18 14:00	0.0	10/4/19 14:00	0.0	10/3/20 14:00	0.3
10/4/18 15:00	0.0	10/4/19 15:00	0.0	10/3/20 15:00	0.1
10/4/18 16:00	0.0	10/4/19 16:00	0.0	10/3/20 16:00	0.2
10/4/18 17:00	0.0	10/4/19 17:00	0.0	10/3/20 17:00	0.2
10/4/18 18:00	0.0	10/4/19 18:00	0.0	10/3/20 18:00	0.1
10/4/18 19:00	0.0	10/4/19 19:00	0.0	10/3/20 19:00	0.1
10/4/18 20:00	0.0	10/4/19 20:00	0.0	10/3/20 20:00	0.1
10/4/18 21:00	0.0	10/4/19 21:00	0.0	10/3/20 21:00	0.1
10/4/18 22:00	0.0	10/4/19 22:00	0.0	10/3/20 22:00	0.1
10/4/18 23:00	0.0	10/4/19 23:00	0.0	10/3/20 23:00	0.1
10/5/18 0:00	0.0	10/5/19 0:00	0.0	10/4/20 0:00	0.1
10/5/18 1:00	0.0	10/5/19 1:00	0.0	10/4/20 1:00	0.1
10/5/18 2:00	0.0	10/5/19 2:00	0.0	10/4/20 2:00	0.1
10/5/18 3:00	0.0	10/5/19 3:00	0.0	10/4/20 3:00	0.1
10/5/18 4:00	0.0	10/5/19 4:00	0.0	10/4/20 4:00	0.1
10/5/18 5:00	0.0	10/5/19 5:00	0.0	10/4/20 5:00	0.2
10/5/18 6:00	0.0	10/5/19 6:00	0.0	10/4/20 6:00	0.2
10/5/18 7:00	0.0	10/5/19 7:00	0.0	10/4/20 7:00	0.2
10/5/18 8:00	0.0	10/5/19 8:00	0.0	10/4/20 8:00	0.1
10/5/18 9:00	0.0	10/5/19 9:00	0.0	10/4/20 9:00	0.1
10/5/18 10:00	0.0	10/5/19 10:00	0.0	10/4/20 10:00	0.1
10/5/18 11:00	0.0	10/5/19 11:00	0.0	10/4/20 11:00	0.1
10/5/18 12:00	0.0	10/5/19 12:00	0.0	10/4/20 12:00	0.1
10/5/18 13:00	0.0	10/5/19 13:00	0.0	10/4/20 13:00	0.1
10/5/18 14:00	0.0	10/5/19 14:00	0.0	10/4/20 14:00	0.1
10/5/18 15:00	0.0	10/5/19 15:00	0.0	10/4/20 15:00	0.1
10/5/18 16:00	0.0	10/5/19 16:00	0.0	10/4/20 16:00	0.1
10/5/18 17:00	0.0	10/5/19 17:00	0.0	10/4/20 17:00	0.1
10/5/18 18:00	0.0	10/5/19 18:00	0.0	10/4/20 18:00	0.1
10/5/18 19:00	0.0	10/5/19 19:00	0.0	10/4/20 19:00	0.1
10/5/18 20:00	0.0	10/5/19 20:00	0.0	10/4/20 20:00	0.1
10/5/18 21:00	0.0	10/5/19 21:00	0.0	10/4/20 21:00	0.1
10/5/18 22:00	0.0	10/5/19 22:00	0.0	10/4/20 22:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
10/5/18 23:00	0.0	10/5/19 23:00	0.0	10/4/20 23:00	0.1
10/6/18 0:00	0.0	10/6/19 0:00	0.0	10/5/20 0:00	0.1
10/6/18 1:00	0.0	10/6/19 1:00	0.0	10/5/20 1:00	0.1
10/6/18 2:00	0.0	10/6/19 2:00	0.0	10/5/20 2:00	0.1
10/6/18 3:00	0.0	10/6/19 3:00	0.0	10/5/20 3:00	0.1
10/6/18 4:00	0.0	10/6/19 4:00	0.0	10/5/20 4:00	0.1
10/6/18 5:00	0.0	10/6/19 5:00	0.0	10/5/20 5:00	0.1
10/6/18 6:00	0.0	10/6/19 6:00	0.0	10/5/20 6:00	0.1
10/6/18 7:00	0.0	10/6/19 7:00	0.0	10/5/20 7:00	0.1
10/6/18 8:00	0.0	10/6/19 8:00	0.0	10/5/20 8:00	0.2
10/6/18 9:00	0.0	10/6/19 9:00	0.0	10/5/20 9:00	0.2
10/6/18 10:00	0.0	10/6/19 10:00	0.0	10/5/20 10:00	0.1
10/6/18 11:00	0.0	10/6/19 11:00	0.0	10/5/20 11:00	0.1
10/6/18 12:00	0.0	10/6/19 12:00	0.0	10/5/20 12:00	0.1
10/6/18 13:00	0.0	10/6/19 13:00	0.0	10/5/20 13:00	0.1
10/6/18 14:00	0.0	10/6/19 14:00	0.0	10/5/20 14:00	0.1
10/6/18 15:00	0.0	10/6/19 15:00	0.0	10/5/20 15:00	0.1
10/6/18 16:00	0.0	10/6/19 16:00	0.0	10/5/20 16:00	0.1
10/6/18 17:00	0.0	10/6/19 17:00	0.0	10/5/20 17:00	0.2
10/6/18 18:00	0.0	10/6/19 18:00	0.0	10/5/20 18:00	0.2
10/6/18 19:00	0.0	10/6/19 19:00	0.0	10/5/20 19:00	0.2
10/6/18 20:00	0.0	10/6/19 20:00	0.0	10/5/20 20:00	0.1
10/6/18 21:00	0.0	10/6/19 21:00	0.0	10/5/20 21:00	0.2
10/6/18 22:00	0.0	10/6/19 22:00	0.0	10/5/20 22:00	0.2
10/6/18 23:00	0.0	10/6/19 23:00	0.0	10/5/20 23:00	0.1
10/7/18 0:00	0.0	10/7/19 0:00	0.0	10/6/20 0:00	0.1
10/7/18 1:00	0.0	10/7/19 1:00	0.0	10/6/20 1:00	0.1
10/7/18 2:00	0.0	10/7/19 2:00	0.0	10/6/20 2:00	0.2
10/7/18 3:00	0.0	10/7/19 3:00	0.0	10/6/20 3:00	0.2
10/7/18 4:00	0.0	10/7/19 4:00	0.0	10/6/20 4:00	0.2
10/7/18 5:00	0.0	10/7/19 5:00	0.0	10/6/20 5:00	0.2
10/7/18 6:00	0.0	10/7/19 6:00	0.0	10/6/20 6:00	0.2
10/7/18 7:00	0.0	10/7/19 7:00	0.0	10/6/20 7:00	0.2
10/7/18 8:00	0.0	10/7/19 8:00	0.0	10/6/20 8:00	0.2
10/7/18 9:00	0.0	10/7/19 9:00	0.0	10/6/20 9:00	0.2
10/7/18 10:00	0.0	10/7/19 10:00	0.0	10/6/20 10:00	0.1
10/7/18 11:00	0.0	10/7/19 11:00	0.0	10/6/20 11:00	0.2
10/7/18 12:00	0.0	10/7/19 12:00	0.0	10/6/20 12:00	0.2
10/7/18 13:00	0.0	10/7/19 13:00	0.0	10/6/20 13:00	0.2
10/7/18 14:00	0.0	10/7/19 14:00	0.0	10/6/20 14:00	0.3
10/7/18 15:00	0.0	10/7/19 15:00	0.0	10/6/20 15:00	0.2
10/7/18 16:00	0.0	10/7/19 16:00	0.0	10/6/20 16:00	0.2
10/7/18 17:00	0.0	10/7/19 17:00	0.0	10/6/20 17:00	0.2
10/7/18 18:00	0.0	10/7/19 18:00	0.0	10/6/20 18:00	0.1
10/7/18 19:00	0.0	10/7/19 19:00	0.0	10/6/20 19:00	0.2
10/7/18 20:00	0.0	10/7/19 20:00	0.0	10/6/20 20:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
10/7/18 21:00	0.0	10/7/19 21:00	0.0	10/6/20 21:00	0.1
10/7/18 22:00	0.0	10/7/19 22:00	0.0	10/6/20 22:00	0.1
10/7/18 23:00	0.0	10/7/19 23:00	0.0	10/6/20 23:00	0.1
10/8/18 0:00	0.0	10/8/19 0:00	0.0	10/7/20 0:00	0.1
10/8/18 1:00	0.0	10/8/19 1:00	0.0	10/7/20 1:00	0.1
10/8/18 2:00	0.0	10/8/19 2:00	0.0	10/7/20 2:00	0.1
10/8/18 3:00	0.0	10/8/19 3:00	0.0	10/7/20 3:00	0.2
10/8/18 4:00	0.0	10/8/19 4:00	0.0	10/7/20 4:00	0.2
10/8/18 5:00	0.0	10/8/19 5:00	0.0	10/7/20 5:00	0.2
10/8/18 6:00	0.0	10/8/19 6:00	0.0	10/7/20 6:00	0.1
10/8/18 7:00	0.0	10/8/19 7:00	0.0	10/7/20 7:00	0.1
10/8/18 8:00	0.0	10/8/19 8:00	0.0	10/7/20 8:00	0.1
10/8/18 9:00	0.0	10/8/19 9:00	0.0	10/7/20 9:00	0.1
10/8/18 10:00	0.0	10/8/19 10:00	0.0	10/7/20 10:00	0.1
10/8/18 11:00	0.0	10/8/19 11:00	0.0	10/7/20 11:00	0.1
10/8/18 12:00	0.0	10/8/19 12:00	0.0	10/7/20 12:00	0.1
10/8/18 13:00	0.0	10/8/19 13:00	0.0	10/7/20 13:00	0.1
10/8/18 14:00	0.0	10/8/19 14:00	0.0	10/7/20 14:00	0.1
10/8/18 15:00	0.0	10/8/19 15:00	0.0	10/7/20 15:00	0.1
10/8/18 16:00	0.0	10/8/19 16:00	0.0	10/7/20 16:00	0.1
10/8/18 17:00	0.0	10/8/19 17:00	0.0	10/7/20 17:00	0.2
10/8/18 18:00	0.0	10/8/19 18:00	0.0	10/7/20 18:00	0.2
10/8/18 19:00	0.0	10/8/19 19:00	0.0	10/7/20 19:00	0.2
10/8/18 20:00	0.0	10/8/19 20:00	0.0	10/7/20 20:00	0.2
10/8/18 21:00	0.0	10/8/19 21:00	0.0	10/7/20 21:00	0.1
10/8/18 22:00	0.0	10/8/19 22:00	0.0	10/7/20 22:00	0.1
10/8/18 23:00	0.0	10/8/19 23:00	0.0	10/7/20 23:00	0.1
10/9/18 0:00	0.0	10/9/19 0:00	0.0	10/8/20 0:00	0.1
10/9/18 1:00	0.0	10/9/19 1:00	0.0	10/8/20 1:00	0.1
10/9/18 2:00	0.0	10/9/19 2:00	0.0	10/8/20 2:00	0.2
10/9/18 3:00	0.0	10/9/19 3:00	0.0	10/8/20 3:00	0.2
10/9/18 4:00	0.0	10/9/19 4:00	0.0	10/8/20 4:00	0.1
10/9/18 5:00	0.0	10/9/19 5:00	0.0	10/8/20 5:00	0.1
10/9/18 6:00	0.0	10/9/19 6:00	0.0	10/8/20 6:00	0.1
10/9/18 7:00	0.0	10/9/19 7:00	0.0	10/8/20 7:00	0.1
10/9/18 8:00	0.0	10/9/19 8:00	0.0	10/8/20 8:00	0.1
10/9/18 9:00	0.0	10/9/19 9:00	0.0	10/8/20 9:00	0.1
10/9/18 10:00	0.0	10/9/19 10:00	0.0	10/8/20 10:00	0.1
10/9/18 11:00	0.0	10/9/19 11:00	0.0	10/8/20 11:00	0.1
10/9/18 12:00	0.0	10/9/19 12:00	0.0	10/8/20 12:00	0.1
10/9/18 13:00	0.0	10/9/19 13:00	0.0	10/8/20 13:00	0.1
10/9/18 14:00	0.0	10/9/19 14:00	0.0	10/8/20 14:00	0.1
10/9/18 15:00	0.0	10/9/19 15:00	0.0	10/8/20 15:00	0.2
10/9/18 16:00	0.0	10/9/19 16:00	0.0	10/8/20 16:00	0.2
10/9/18 17:00	0.0	10/9/19 17:00	0.0	10/8/20 17:00	0.2
10/9/18 18:00	0.0	10/9/19 18:00	0.0	10/8/20 18:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
10/9/18 19:00	0.0	10/9/19 19:00	0.0	10/8/20 19:00	0.1
10/9/18 20:00	0.0	10/9/19 20:00	0.0	10/8/20 20:00	0.1
10/9/18 21:00	0.0	10/9/19 21:00	0.0	10/8/20 21:00	0.0
10/9/18 22:00	0.0	10/9/19 22:00	0.0	10/8/20 22:00	0.1
10/9/18 23:00	0.0	10/9/19 23:00	0.0	10/8/20 23:00	0.1
10/10/18 0:00	0.0	10/10/19 0:00	0.0	10/9/20 0:00	0.1
10/10/18 1:00	0.0	10/10/19 1:00	0.0	10/9/20 1:00	0.1
10/10/18 2:00	0.0	10/10/19 2:00	0.0	10/9/20 2:00	0.1
10/10/18 3:00	0.0	10/10/19 3:00	0.0	10/9/20 3:00	0.1
10/10/18 4:00	0.0	10/10/19 4:00	0.0	10/9/20 4:00	0.1
10/10/18 5:00	0.0	10/10/19 5:00	0.0	10/9/20 5:00	0.1
10/10/18 6:00	0.0	10/10/19 6:00	0.0	10/9/20 6:00	0.1
10/10/18 7:00	0.0	10/10/19 7:00	0.0	10/9/20 7:00	0.2
10/10/18 8:00	0.0	10/10/19 8:00	0.0	10/9/20 8:00	0.2
10/10/18 9:00	0.0	10/10/19 9:00	0.0	10/9/20 9:00	0.2
10/10/18 10:00	0.0	10/10/19 10:00	0.0	10/9/20 10:00	0.2
10/10/18 11:00	0.0	10/10/19 11:00	0.0	10/9/20 11:00	0.2
10/10/18 12:00	0.0	10/10/19 12:00	0.0	10/9/20 12:00	0.2
10/10/18 13:00	0.0	10/10/19 13:00	0.0	10/9/20 13:00	0.2
10/10/18 14:00	0.0	10/10/19 14:00	0.0	10/9/20 14:00	0.2
10/10/18 15:00	0.0	10/10/19 15:00	0.0	10/9/20 15:00	0.2
10/10/18 16:00	0.0	10/10/19 16:00	0.0	10/9/20 16:00	0.1
10/10/18 17:00	0.0	10/10/19 17:00	0.0	10/9/20 17:00	0.1
10/10/18 18:00	0.0	10/10/19 18:00	0.0	10/9/20 18:00	0.1
10/10/18 19:00	0.0	10/10/19 19:00	0.0	10/9/20 19:00	0.1
10/10/18 20:00	0.0	10/10/19 20:00	0.0	10/9/20 20:00	0.1
10/10/18 21:00	0.0	10/10/19 21:00	0.0	10/9/20 21:00	0.1
10/10/18 22:00	0.0	10/10/19 22:00	0.0	10/9/20 22:00	0.1
10/10/18 23:00	0.0	10/10/19 23:00	0.0	10/9/20 23:00	0.1
10/11/18 0:00	0.0	10/11/19 0:00	0.0	10/10/20 0:00	0.1
10/11/18 1:00	0.0	10/11/19 1:00	0.0	10/10/20 1:00	0.1
10/11/18 2:00	0.0	10/11/19 2:00	0.0	10/10/20 2:00	0.1
10/11/18 3:00	0.0	10/11/19 3:00	0.0	10/10/20 3:00	0.1
10/11/18 4:00	0.0	10/11/19 4:00	0.0	10/10/20 4:00	0.2
10/11/18 5:00	0.0	10/11/19 5:00	0.0	10/10/20 5:00	0.2
10/11/18 6:00	0.0	10/11/19 6:00	0.0	10/10/20 6:00	0.2
10/11/18 7:00	0.0	10/11/19 7:00	0.0	10/10/20 7:00	0.1
10/11/18 8:00	0.0	10/11/19 8:00	0.0	10/10/20 8:00	0.1
10/11/18 9:00	0.0	10/11/19 9:00	0.0	10/10/20 9:00	0.1
10/11/18 10:00	0.0	10/11/19 10:00	0.0	10/10/20 10:00	0.1
10/11/18 11:00	0.0	10/11/19 11:00	0.0	10/10/20 11:00	0.1
10/11/18 12:00	0.0	10/11/19 12:00	0.0	10/10/20 12:00	0.1
10/11/18 13:00	0.0	10/11/19 13:00	0.0	10/10/20 13:00	0.1
10/11/18 14:00	0.0	10/11/19 14:00	0.0	10/10/20 14:00	0.1
10/11/18 15:00	0.0	10/11/19 15:00	0.0	10/10/20 15:00	0.1
10/11/18 16:00	0.0	10/11/19 16:00	0.0	10/10/20 16:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
10/11/18 17:00	0.0	10/11/19 17:00	0.0	10/10/20 17:00	0.2
10/11/18 18:00	0.0	10/11/19 18:00	0.0	10/10/20 18:00	0.2
10/11/18 19:00	0.0	10/11/19 19:00	0.0	10/10/20 19:00	0.3
10/11/18 20:00	0.0	10/11/19 20:00	0.0	10/10/20 20:00	0.1
10/11/18 21:00	0.0	10/11/19 21:00	0.0	10/10/20 21:00	0.2
10/11/18 22:00	0.0	10/11/19 22:00	0.0	10/10/20 22:00	0.2
10/11/18 23:00	0.0	10/11/19 23:00	0.0	10/10/20 23:00	0.1
10/12/18 0:00	0.0	10/12/19 0:00	0.0	10/11/20 0:00	0.2
10/12/18 1:00	0.0	10/12/19 1:00	0.0	10/11/20 1:00	0.1
10/12/18 2:00	0.0	10/12/19 2:00	0.0	10/11/20 2:00	0.2
10/12/18 3:00	0.0	10/12/19 3:00	0.0	10/11/20 3:00	0.2
10/12/18 4:00	0.0	10/12/19 4:00	0.0	10/11/20 4:00	0.3
10/12/18 5:00	0.0	10/12/19 5:00	0.0	10/11/20 5:00	0.1
10/12/18 6:00	0.0	10/12/19 6:00	0.0	10/11/20 6:00	0.1
10/12/18 7:00	0.0	10/12/19 7:00	0.0	10/11/20 7:00	0.1
10/12/18 8:00	0.0	10/12/19 8:00	0.0	10/11/20 8:00	0.1
10/12/18 9:00	0.0	10/12/19 9:00	0.0	10/11/20 9:00	0.1
10/12/18 10:00	0.0	10/12/19 10:00	0.0	10/11/20 10:00	0.1
10/12/18 11:00	0.0	10/12/19 11:00	0.0	10/11/20 11:00	0.2
10/12/18 12:00	0.0	10/12/19 12:00	0.0	10/11/20 12:00	0.2
10/12/18 13:00	0.0	10/12/19 13:00	0.0	10/11/20 13:00	0.2
10/12/18 14:00	0.0	10/12/19 14:00	0.0	10/11/20 14:00	0.1
10/12/18 15:00	0.0	10/12/19 15:00	0.0	10/11/20 15:00	0.1
10/12/18 16:00	0.0	10/12/19 16:00	0.0	10/11/20 16:00	0.2
10/12/18 17:00	0.0	10/12/19 17:00	0.0	10/11/20 17:00	0.2
10/12/18 18:00	0.0	10/12/19 18:00	0.0	10/11/20 18:00	0.2
10/12/18 19:00	0.0	10/12/19 19:00	0.0	10/11/20 19:00	0.2
10/12/18 20:00	0.0	10/12/19 20:00	0.0	10/11/20 20:00	0.2
10/12/18 21:00	0.0	10/12/19 21:00	0.0	10/11/20 21:00	0.2
10/12/18 22:00	0.0	10/12/19 22:00	0.0	10/11/20 22:00	0.2
10/12/18 23:00	0.0	10/12/19 23:00	0.0	10/11/20 23:00	0.1
10/13/18 0:00	0.0	10/13/19 0:00	0.0	10/12/20 0:00	0.1
10/13/18 1:00	0.0	10/13/19 1:00	0.0	10/12/20 1:00	0.2
10/13/18 2:00	0.0	10/13/19 2:00	0.0	10/12/20 2:00	0.2
10/13/18 3:00	0.0	10/13/19 3:00	0.0	10/12/20 3:00	0.2
10/13/18 4:00	0.0	10/13/19 4:00	0.0	10/12/20 4:00	0.2
10/13/18 5:00	0.0	10/13/19 5:00	0.0	10/12/20 5:00	0.2
10/13/18 6:00	0.0	10/13/19 6:00	0.0	10/12/20 6:00	0.1
10/13/18 7:00	0.0	10/13/19 7:00	0.0	10/12/20 7:00	0.2
10/13/18 8:00	0.0	10/13/19 8:00	0.0	10/12/20 8:00	0.1
10/13/18 9:00	0.0	10/13/19 9:00	0.0	10/12/20 9:00	0.1
10/13/18 10:00	0.0	10/13/19 10:00	0.0	10/12/20 10:00	0.2
10/13/18 11:00	0.0	10/13/19 11:00	0.0	10/12/20 11:00	0.2
10/13/18 12:00	0.0	10/13/19 12:00	0.0	10/12/20 12:00	0.2
10/13/18 13:00	0.0	10/13/19 13:00	0.0	10/12/20 13:00	0.2
10/13/18 14:00	0.0	10/13/19 14:00	0.0	10/12/20 14:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
10/13/18 15:00	0.0	10/13/19 15:00	0.0	10/12/20 15:00	0.1
10/13/18 16:00	0.0	10/13/19 16:00	0.0	10/12/20 16:00	0.1
10/13/18 17:00	0.0	10/13/19 17:00	0.0	10/12/20 17:00	0.2
10/13/18 18:00	0.0	10/13/19 18:00	0.0	10/12/20 18:00	0.2
10/13/18 19:00	0.0	10/13/19 19:00	0.0	10/12/20 19:00	0.2
10/13/18 20:00	0.0	10/13/19 20:00	0.0	10/12/20 20:00	0.2
10/13/18 21:00	0.0	10/13/19 21:00	0.0	10/12/20 21:00	0.2
10/13/18 22:00	0.0	10/13/19 22:00	0.0	10/12/20 22:00	0.2
10/13/18 23:00	0.0	10/13/19 23:00	0.0	10/12/20 23:00	0.7
10/14/18 0:00	0.0	10/14/19 0:00	0.0	10/13/20 0:00	1.2
10/14/18 1:00	0.0	10/14/19 1:00	0.0	10/13/20 1:00	1.3
10/14/18 2:00	0.0	10/14/19 2:00	0.0	10/13/20 2:00	1.2
10/14/18 3:00	0.0	10/14/19 3:00	0.0	10/13/20 3:00	1.5
10/14/18 4:00	0.0	10/14/19 4:00	0.0	10/13/20 4:00	1.8
10/14/18 5:00	0.0	10/14/19 5:00	0.0	10/13/20 5:00	1.9
10/14/18 6:00	0.0	10/14/19 6:00	0.0	10/13/20 6:00	1.5
10/14/18 7:00	0.0	10/14/19 7:00	0.0	10/13/20 7:00	1.3
10/14/18 8:00	0.0	10/14/19 8:00	0.0	10/13/20 8:00	1.4
10/14/18 9:00	0.0	10/14/19 9:00	0.0	10/13/20 9:00	0.4
10/14/18 10:00	0.0	10/14/19 10:00	0.0	10/13/20 10:00	0.2
10/14/18 11:00	0.0	10/14/19 11:00	0.0	10/13/20 11:00	0.7
10/14/18 12:00	0.0	10/14/19 12:00	0.0	10/13/20 12:00	0.4
10/14/18 13:00	0.0	10/14/19 13:00	0.0	10/13/20 13:00	0.3
10/14/18 14:00	0.0	10/14/19 14:00	0.0	10/13/20 14:00	0.2
10/14/18 15:00	0.0	10/14/19 15:00	0.0	10/13/20 15:00	0.2
10/14/18 16:00	0.0	10/14/19 16:00	0.0	10/13/20 16:00	0.1
10/14/18 17:00	0.0	10/14/19 17:00	0.0	10/13/20 17:00	0.1
10/14/18 18:00	0.0	10/14/19 18:00	0.0	10/13/20 18:00	0.1
10/14/18 19:00	0.0	10/14/19 19:00	0.0	10/13/20 19:00	0.2
10/14/18 20:00	0.0	10/14/19 20:00	0.0	10/13/20 20:00	0.2
10/14/18 21:00	0.0	10/14/19 21:00	0.0	10/13/20 21:00	0.1
10/14/18 22:00	0.0	10/14/19 22:00	0.0	10/13/20 22:00	0.1
10/14/18 23:00	0.0	10/14/19 23:00	0.0	10/13/20 23:00	0.1
10/15/18 0:00	0.0	10/15/19 0:00	0.0	10/14/20 0:00	0.1
10/15/18 1:00	0.0	10/15/19 1:00	0.0	10/14/20 1:00	0.1
10/15/18 2:00	0.0	10/15/19 2:00	0.0	10/14/20 2:00	0.2
10/15/18 3:00	0.0	10/15/19 3:00	0.0	10/14/20 3:00	0.1
10/15/18 4:00	0.0	10/15/19 4:00	0.0	10/14/20 4:00	0.1
10/15/18 5:00	0.0	10/15/19 5:00	0.0	10/14/20 5:00	0.2
10/15/18 6:00	0.0	10/15/19 6:00	0.0	10/14/20 6:00	0.2
10/15/18 7:00	0.0	10/15/19 7:00	0.0	10/14/20 7:00	0.2
10/15/18 8:00	0.0	10/15/19 8:00	0.0	10/14/20 8:00	0.3
10/15/18 9:00	0.0	10/15/19 9:00	0.0	10/14/20 9:00	0.2
10/15/18 10:00	0.0	10/15/19 10:00	0.0	10/14/20 10:00	0.2
10/15/18 11:00	0.0	10/15/19 11:00	0.0	10/14/20 11:00	0.1
10/15/18 12:00	0.0	10/15/19 12:00	0.0	10/14/20 12:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
10/15/18 13:00	0.0	10/15/19 13:00	0.0	10/14/20 13:00	0.1
10/15/18 14:00	0.0	10/15/19 14:00	0.0	10/14/20 14:00	0.1
10/15/18 15:00	0.0	10/15/19 15:00	0.0	10/14/20 15:00	0.2
10/15/18 16:00	0.0	10/15/19 16:00	0.0	10/14/20 16:00	0.1
10/15/18 17:00	0.0	10/15/19 17:00	0.0	10/14/20 17:00	0.2
10/15/18 18:00	0.0	10/15/19 18:00	0.0	10/14/20 18:00	0.1
10/15/18 19:00	0.0	10/15/19 19:00	0.0	10/14/20 19:00	0.1
10/15/18 20:00	0.0	10/15/19 20:00	0.0	10/14/20 20:00	0.1
10/15/18 21:00	0.0	10/15/19 21:00	0.0	10/14/20 21:00	0.1
10/15/18 22:00	0.0	10/15/19 22:00	0.0	10/14/20 22:00	0.1
10/15/18 23:00	0.0	10/15/19 23:00	0.0	10/14/20 23:00	0.1
10/16/18 0:00	0.0	10/16/19 0:00	0.0	10/15/20 0:00	0.1
10/16/18 1:00	0.0	10/16/19 1:00	0.0	10/15/20 1:00	0.2
10/16/18 2:00	0.0	10/16/19 2:00	0.0	10/15/20 2:00	0.2
10/16/18 3:00	0.0	10/16/19 3:00	0.0	10/15/20 3:00	0.2
10/16/18 4:00	0.0	10/16/19 4:00	0.0	10/15/20 4:00	0.1
10/16/18 5:00	0.0	10/16/19 5:00	0.0	10/15/20 5:00	0.1
10/16/18 6:00	0.0	10/16/19 6:00	0.0	10/15/20 6:00	0.1
10/16/18 7:00	0.0	10/16/19 7:00	0.0	10/15/20 7:00	0.1
10/16/18 8:00	0.0	10/16/19 8:00	0.0	10/15/20 8:00	0.1
10/16/18 9:00	0.0	10/16/19 9:00	0.0	10/15/20 9:00	0.1
10/16/18 10:00	0.0	10/16/19 10:00	0.0	10/15/20 10:00	0.1
10/16/18 11:00	0.0	10/16/19 11:00	0.0	10/15/20 11:00	0.1
10/16/18 12:00	0.0	10/16/19 12:00	0.0	10/15/20 12:00	0.1
10/16/18 13:00	0.0	10/16/19 13:00	0.0	10/15/20 13:00	0.1
10/16/18 14:00	0.0	10/16/19 14:00	0.0	10/15/20 14:00	0.1
10/16/18 15:00	0.0	10/16/19 15:00	0.0	10/15/20 15:00	0.1
10/16/18 16:00	0.0	10/16/19 16:00	0.0	10/15/20 16:00	0.1
10/16/18 17:00	0.0	10/16/19 17:00	0.0	10/15/20 17:00	0.2
10/16/18 18:00	0.0	10/16/19 18:00	0.0	10/15/20 18:00	0.1
10/16/18 19:00	0.1	10/16/19 19:00	0.0	10/15/20 19:00	0.1
10/16/18 20:00	0.1	10/16/19 20:00	0.0	10/15/20 20:00	0.1
10/16/18 21:00	0.1	10/16/19 21:00	0.0	10/15/20 21:00	0.1
10/16/18 22:00	0.1	10/16/19 22:00	0.0	10/15/20 22:00	0.1
10/16/18 23:00	0.1	10/16/19 23:00	0.0	10/15/20 23:00	0.2
10/17/18 0:00	0.1	10/17/19 0:00	0.0	10/16/20 0:00	0.1
10/17/18 1:00	0.2	10/17/19 1:00	0.0	10/16/20 1:00	0.1
10/17/18 2:00	0.2	10/17/19 2:00	0.0	10/16/20 2:00	0.3
10/17/18 3:00	0.2	10/17/19 3:00	0.0	10/16/20 3:00	0.2
10/17/18 4:00	0.2	10/17/19 4:00	0.0	10/16/20 4:00	0.2
10/17/18 5:00	0.1	10/17/19 5:00	0.0	10/16/20 5:00	0.1
10/17/18 6:00	0.3	10/17/19 6:00	0.0	10/16/20 6:00	0.3
10/17/18 7:00	0.3	10/17/19 7:00	0.0	10/16/20 7:00	0.3
10/17/18 8:00	0.3	10/17/19 8:00	0.0	10/16/20 8:00	0.4
10/17/18 9:00	0.3	10/17/19 9:00	0.0	10/16/20 9:00	0.1
10/17/18 10:00	0.3	10/17/19 10:00	0.0	10/16/20 10:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
10/17/18 11:00	0.3	10/17/19 11:00	0.0	10/16/20 11:00	0.1
10/17/18 12:00	0.2	10/17/19 12:00	0.0	10/16/20 12:00	0.1
10/17/18 13:00	0.2	10/17/19 13:00	0.0	10/16/20 13:00	0.1
10/17/18 14:00	0.2	10/17/19 14:00	0.0	10/16/20 14:00	0.1
10/17/18 15:00	0.3	10/17/19 15:00	0.0	10/16/20 15:00	0.1
10/17/18 16:00	0.2	10/17/19 16:00	0.0	10/16/20 16:00	0.1
10/17/18 17:00	0.2	10/17/19 17:00	0.0	10/16/20 17:00	0.1
10/17/18 18:00	0.2	10/17/19 18:00	0.0	10/16/20 18:00	0.1
10/17/18 19:00	0.2	10/17/19 19:00	0.0	10/16/20 19:00	0.2
10/17/18 20:00	0.2	10/17/19 20:00	0.0	10/16/20 20:00	0.1
10/17/18 21:00	0.1	10/17/19 21:00	0.0	10/16/20 21:00	0.1
10/17/18 22:00	0.1	10/17/19 22:00	0.0	10/16/20 22:00	0.1
10/17/18 23:00	0.1	10/17/19 23:00	0.0	10/16/20 23:00	0.2
10/18/18 0:00	0.2	10/18/19 0:00	0.0	10/17/20 0:00	0.2
10/18/18 1:00	0.1	10/18/19 1:00	0.0	10/17/20 1:00	0.2
10/18/18 2:00	0.2	10/18/19 2:00	0.0	10/17/20 2:00	0.2
10/18/18 3:00	0.2	10/18/19 3:00	0.0	10/17/20 3:00	0.2
10/18/18 4:00	0.2	10/18/19 4:00	0.0	10/17/20 4:00	0.2
10/18/18 5:00	0.2	10/18/19 5:00	0.0	10/17/20 5:00	0.1
10/18/18 6:00	0.2	10/18/19 6:00	0.0	10/17/20 6:00	0.1
10/18/18 7:00	0.2	10/18/19 7:00	0.0	10/17/20 7:00	0.1
10/18/18 8:00	0.2	10/18/19 8:00	0.0	10/17/20 8:00	0.0
10/18/18 9:00	0.2	10/18/19 9:00	0.0	10/17/20 9:00	0.1
10/18/18 10:00	0.2	10/18/19 10:00	0.0	10/17/20 10:00	0.2
10/18/18 11:00	0.1	10/18/19 11:00	0.0	10/17/20 11:00	0.2
10/18/18 12:00	0.2	10/18/19 12:00	0.0	10/17/20 12:00	0.1
10/18/18 13:00	0.2	10/18/19 13:00	0.0	10/17/20 13:00	0.1
10/18/18 14:00	0.2	10/18/19 14:00	0.0	10/17/20 14:00	0.1
10/18/18 15:00	0.2	10/18/19 15:00	0.0	10/17/20 15:00	0.1
10/18/18 16:00	0.1	10/18/19 16:00	0.0	10/17/20 16:00	0.1
10/18/18 17:00	0.2	10/18/19 17:00	0.0	10/17/20 17:00	0.1
10/18/18 18:00	0.2	10/18/19 18:00	0.0	10/17/20 18:00	0.1
10/18/18 19:00	0.2	10/18/19 19:00	0.0	10/17/20 19:00	0.1
10/18/18 20:00	0.2	10/18/19 20:00	0.0	10/17/20 20:00	0.1
10/18/18 21:00	0.2	10/18/19 21:00	0.0	10/17/20 21:00	0.1
10/18/18 22:00	0.2	10/18/19 22:00	0.0	10/17/20 22:00	0.2
10/18/18 23:00	0.2	10/18/19 23:00	0.0	10/17/20 23:00	0.1
10/19/18 0:00	0.2	10/19/19 0:00	0.0	10/18/20 0:00	0.1
10/19/18 1:00	0.3	10/19/19 1:00	0.0	10/18/20 1:00	0.1
10/19/18 2:00	0.2	10/19/19 2:00	0.0	10/18/20 2:00	0.1
10/19/18 3:00	0.3	10/19/19 3:00	0.0	10/18/20 3:00	0.1
10/19/18 4:00	0.2	10/19/19 4:00	0.0	10/18/20 4:00	0.1
10/19/18 5:00	0.2	10/19/19 5:00	0.0	10/18/20 5:00	0.1
10/19/18 6:00	0.1	10/19/19 6:00	0.0	10/18/20 6:00	0.2
10/19/18 7:00	0.1	10/19/19 7:00	0.0	10/18/20 7:00	0.2
10/19/18 8:00	0.1	10/19/19 8:00	0.0	10/18/20 8:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
10/19/18 9:00	0.2	10/19/19 9:00	0.0	10/18/20 9:00	0.1
10/19/18 10:00	0.1	10/19/19 10:00	0.0	10/18/20 10:00	0.1
10/19/18 11:00	0.2	10/19/19 11:00	0.0	10/18/20 11:00	0.1
10/19/18 12:00	0.2	10/19/19 12:00	0.0	10/18/20 12:00	0.1
10/19/18 13:00	0.2	10/19/19 13:00	0.0	10/18/20 13:00	0.1
10/19/18 14:00	0.1	10/19/19 14:00	0.0	10/18/20 14:00	0.1
10/19/18 15:00	0.2	10/19/19 15:00	0.0	10/18/20 15:00	0.1
10/19/18 16:00	0.1	10/19/19 16:00	0.0	10/18/20 16:00	0.1
10/19/18 17:00	0.1	10/19/19 17:00	0.0	10/18/20 17:00	0.1
10/19/18 18:00	0.1	10/19/19 18:00	0.0	10/18/20 18:00	0.1
10/19/18 19:00	0.1	10/19/19 19:00	0.0	10/18/20 19:00	0.1
10/19/18 20:00	0.2	10/19/19 20:00	0.0	10/18/20 20:00	0.2
10/19/18 21:00	0.3	10/19/19 21:00	0.0	10/18/20 21:00	0.1
10/19/18 22:00	0.2	10/19/19 22:00	0.0	10/18/20 22:00	0.2
10/19/18 23:00	0.2	10/19/19 23:00	0.0	10/18/20 23:00	0.2
10/20/18 0:00	0.2	10/20/19 0:00	0.0	10/19/20 0:00	0.2
10/20/18 1:00	0.2	10/20/19 1:00	0.0	10/19/20 1:00	0.1
10/20/18 2:00	0.2	10/20/19 2:00	0.0	10/19/20 2:00	0.1
10/20/18 3:00	0.2	10/20/19 3:00	0.0	10/19/20 3:00	0.1
10/20/18 4:00	0.2	10/20/19 4:00	0.0	10/19/20 4:00	0.1
10/20/18 5:00	0.2	10/20/19 5:00	0.0	10/19/20 5:00	0.1
10/20/18 6:00	0.2	10/20/19 6:00	0.0	10/19/20 6:00	0.1
10/20/18 7:00	0.2	10/20/19 7:00	0.0	10/19/20 7:00	0.1
10/20/18 8:00	0.2	10/20/19 8:00	0.0	10/19/20 8:00	0.3
10/20/18 9:00	0.1	10/20/19 9:00	0.0	10/19/20 9:00	0.2
10/20/18 10:00	0.1	10/20/19 10:00	0.0	10/19/20 10:00	0.2
10/20/18 11:00	0.1	10/20/19 11:00	0.0	10/19/20 11:00	0.2
10/20/18 12:00	0.3	10/20/19 12:00	0.0	10/19/20 12:00	0.2
10/20/18 13:00	0.3	10/20/19 13:00	0.0	10/19/20 13:00	0.2
10/20/18 14:00	0.3	10/20/19 14:00	0.0	10/19/20 14:00	0.2
10/20/18 15:00	0.3	10/20/19 15:00	0.0	10/19/20 15:00	0.2
10/20/18 16:00	0.2	10/20/19 16:00	0.0	10/19/20 16:00	0.2
10/20/18 17:00	0.2	10/20/19 17:00	0.0	10/19/20 17:00	0.2
10/20/18 18:00	0.2	10/20/19 18:00	0.0	10/19/20 18:00	0.2
10/20/18 19:00	0.3	10/20/19 19:00	0.0	10/19/20 19:00	0.4
10/20/18 20:00	0.3	10/20/19 20:00	0.0	10/19/20 20:00	0.1
10/20/18 21:00	0.2	10/20/19 21:00	0.0	10/19/20 21:00	0.1
10/20/18 22:00	0.2	10/20/19 22:00	0.0	10/19/20 22:00	0.1
10/20/18 23:00	0.2	10/20/19 23:00	0.0	10/19/20 23:00	0.2
10/21/18 0:00	0.2	10/21/19 0:00	0.0	10/20/20 0:00	0.2
10/21/18 1:00	0.2	10/21/19 1:00	0.0	10/20/20 1:00	0.3
10/21/18 2:00	0.2	10/21/19 2:00	0.0	10/20/20 2:00	0.2
10/21/18 3:00	0.2	10/21/19 3:00	0.0	10/20/20 3:00	0.2
10/21/18 4:00	0.3	10/21/19 4:00	0.0	10/20/20 4:00	0.2
10/21/18 5:00	0.3	10/21/19 5:00	0.0	10/20/20 5:00	0.1
10/21/18 6:00	0.3	10/21/19 6:00	0.0	10/20/20 6:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
10/21/18 7:00	0.5	10/21/19 7:00	0.0	10/20/20 7:00	0.2
10/21/18 8:00	0.2	10/21/19 8:00	0.0	10/20/20 8:00	0.1
10/21/18 9:00	0.1	10/21/19 9:00	0.0	10/20/20 9:00	0.1
10/21/18 10:00	0.1	10/21/19 10:00	0.0	10/20/20 10:00	0.1
10/21/18 11:00	0.0	10/21/19 11:00	0.0	10/20/20 11:00	0.1
10/21/18 12:00	0.1	10/21/19 12:00	0.0	10/20/20 12:00	0.2
10/21/18 13:00	0.1	10/21/19 13:00	0.0	10/20/20 13:00	0.1
10/21/18 14:00	0.1	10/21/19 14:00	0.0	10/20/20 14:00	0.1
10/21/18 15:00	0.1	10/21/19 15:00	0.0	10/20/20 15:00	0.1
10/21/18 16:00	0.1	10/21/19 16:00	0.0	10/20/20 16:00	0.2
10/21/18 17:00	0.1	10/21/19 17:00	0.0	10/20/20 17:00	0.2
10/21/18 18:00	0.1	10/21/19 18:00	0.0	10/20/20 18:00	0.2
10/21/18 19:00	0.1	10/21/19 19:00	0.0	10/20/20 19:00	0.1
10/21/18 20:00	0.2	10/21/19 20:00	0.0	10/20/20 20:00	0.3
10/21/18 21:00	0.3	10/21/19 21:00	0.0	10/20/20 21:00	0.1
10/21/18 22:00	0.3	10/21/19 22:00	0.0	10/20/20 22:00	0.2
10/21/18 23:00	0.3	10/21/19 23:00	0.0	10/20/20 23:00	0.2
10/22/18 0:00	0.2	10/22/19 0:00	0.0	10/21/20 0:00	0.2
10/22/18 1:00	0.2	10/22/19 1:00	0.0	10/21/20 1:00	0.2
10/22/18 2:00	0.3	10/22/19 2:00	0.0	10/21/20 2:00	0.2
10/22/18 3:00	0.2	10/22/19 3:00	0.0	10/21/20 3:00	0.1
10/22/18 4:00	0.2	10/22/19 4:00	0.0	10/21/20 4:00	0.1
10/22/18 5:00	0.2	10/22/19 5:00	0.0	10/21/20 5:00	0.1
10/22/18 6:00	0.2	10/22/19 6:00	0.0	10/21/20 6:00	0.2
10/22/18 7:00	0.2	10/22/19 7:00	0.0	10/21/20 7:00	0.2
10/22/18 8:00	0.2	10/22/19 8:00	0.0	10/21/20 8:00	0.2
10/22/18 9:00	0.2	10/22/19 9:00	0.0	10/21/20 9:00	0.2
10/22/18 10:00	0.2	10/22/19 10:00	0.0	10/21/20 10:00	0.2
10/22/18 11:00	0.2	10/22/19 11:00	0.0	10/21/20 11:00	0.1
10/22/18 12:00	0.2	10/22/19 12:00	0.0	10/21/20 12:00	0.2
10/22/18 13:00	0.1	10/22/19 13:00	0.0	10/21/20 13:00	0.2
10/22/18 14:00	0.2	10/22/19 14:00	0.0	10/21/20 14:00	0.2
10/22/18 15:00	0.2	10/22/19 15:00	0.0	10/21/20 15:00	0.2
10/22/18 16:00	0.1	10/22/19 16:00	0.0	10/21/20 16:00	0.2
10/22/18 17:00	0.2	10/22/19 17:00	0.0	10/21/20 17:00	0.2
10/22/18 18:00	0.1	10/22/19 18:00	0.0	10/21/20 18:00	0.2
10/22/18 19:00	0.2	10/22/19 19:00	0.0	10/21/20 19:00	0.2
10/22/18 20:00	0.2	10/22/19 20:00	0.0	10/21/20 20:00	0.2
10/22/18 21:00	0.2	10/22/19 21:00	0.0	10/21/20 21:00	0.2
10/22/18 22:00	0.2	10/22/19 22:00	0.0	10/21/20 22:00	0.3
10/22/18 23:00	0.2	10/22/19 23:00	0.0	10/21/20 23:00	0.2
10/23/18 0:00	0.3	10/23/19 0:00	0.0	10/22/20 0:00	0.2
10/23/18 1:00	0.3	10/23/19 1:00	0.0	10/22/20 1:00	0.2
10/23/18 2:00	0.2	10/23/19 2:00	0.0	10/22/20 2:00	0.2
10/23/18 3:00	0.2	10/23/19 3:00	0.0	10/22/20 3:00	0.2
10/23/18 4:00	0.1	10/23/19 4:00	0.0	10/22/20 4:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
10/23/18 5:00	0.1	10/23/19 5:00	0.0	10/22/20 5:00	0.1
10/23/18 6:00	0.2	10/23/19 6:00	0.0	10/22/20 6:00	0.2
10/23/18 7:00	0.1	10/23/19 7:00	0.0	10/22/20 7:00	0.2
10/23/18 8:00	0.1	10/23/19 8:00	0.0	10/22/20 8:00	0.2
10/23/18 9:00	0.1	10/23/19 9:00	0.0	10/22/20 9:00	0.2
10/23/18 10:00	0.1	10/23/19 10:00	0.0	10/22/20 10:00	0.2
10/23/18 11:00	0.2	10/23/19 11:00	0.0	10/22/20 11:00	0.1
10/23/18 12:00	0.2	10/23/19 12:00	0.0	10/22/20 12:00	0.1
10/23/18 13:00	0.2	10/23/19 13:00	0.0	10/22/20 13:00	0.1
10/23/18 14:00	0.2	10/23/19 14:00	0.0	10/22/20 14:00	0.2
10/23/18 15:00	0.1	10/23/19 15:00	0.0	10/22/20 15:00	0.2
10/23/18 16:00	0.2	10/23/19 16:00	0.0	10/22/20 16:00	0.2
10/23/18 17:00	0.1	10/23/19 17:00	0.0	10/22/20 17:00	0.2
10/23/18 18:00	0.1	10/23/19 18:00	0.0	10/22/20 18:00	0.2
10/23/18 19:00	0.2	10/23/19 19:00	0.0	10/22/20 19:00	0.2
10/23/18 20:00	0.2	10/23/19 20:00	0.0	10/22/20 20:00	0.1
10/23/18 21:00	0.2	10/23/19 21:00	0.0	10/22/20 21:00	0.1
10/23/18 22:00	0.2	10/23/19 22:00	0.0	10/22/20 22:00	0.1
10/23/18 23:00	0.2	10/23/19 23:00	0.0	10/22/20 23:00	0.2
10/24/18 0:00	0.2	10/24/19 0:00	0.0	10/23/20 0:00	0.2
10/24/18 1:00	0.2	10/24/19 1:00	0.0	10/23/20 1:00	0.1
10/24/18 2:00	0.1	10/24/19 2:00	0.0	10/23/20 2:00	0.1
10/24/18 3:00	0.2	10/24/19 3:00	0.0	10/23/20 3:00	20.6
10/24/18 4:00	0.1	10/24/19 4:00	0.0	10/23/20 4:00	0.7
10/24/18 5:00	0.2	10/24/19 5:00	0.0	10/23/20 5:00	0.5
10/24/18 6:00	0.2	10/24/19 6:00	0.0	10/23/20 6:00	0.4
10/24/18 7:00	0.2	10/24/19 7:00	0.0	10/23/20 7:00	0.3
10/24/18 8:00	0.1	10/24/19 8:00	0.0	10/23/20 8:00	0.4
10/24/18 9:00	0.4	10/24/19 9:00	0.0	10/23/20 9:00	0.4
10/24/18 10:00	0.2	10/24/19 10:00	0.0	10/23/20 10:00	0.4
10/24/18 11:00	0.2	10/24/19 11:00	0.0	10/23/20 11:00	0.5
10/24/18 12:00	0.2	10/24/19 12:00	0.0	10/23/20 12:00	0.8
10/24/18 13:00	0.2	10/24/19 13:00	0.0	10/23/20 13:00	0.2
10/24/18 14:00	0.1	10/24/19 14:00	0.0	10/23/20 14:00	0.1
10/24/18 15:00	0.1	10/24/19 15:00	0.0	10/23/20 15:00	0.1
10/24/18 16:00	0.1	10/24/19 16:00	0.0	10/23/20 16:00	0.1
10/24/18 17:00	0.2	10/24/19 17:00	0.0	10/23/20 17:00	0.2
10/24/18 18:00	0.1	10/24/19 18:00	0.0	10/23/20 18:00	0.2
10/24/18 19:00	0.1	10/24/19 19:00	0.0	10/23/20 19:00	0.2
10/24/18 20:00	0.1	10/24/19 20:00	0.0	10/23/20 20:00	0.2
10/24/18 21:00	0.1	10/24/19 21:00	0.0	10/23/20 21:00	0.2
10/24/18 22:00	0.2	10/24/19 22:00	0.0	10/23/20 22:00	0.2
10/24/18 23:00	0.2	10/24/19 23:00	0.0	10/23/20 23:00	0.2
10/25/18 0:00	0.2	10/25/19 0:00	0.0	10/24/20 0:00	0.2
10/25/18 1:00	0.2	10/25/19 1:00	0.0	10/24/20 1:00	0.1
10/25/18 2:00	0.1	10/25/19 2:00	0.0	10/24/20 2:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
10/25/18 3:00	0.1	10/25/19 3:00	0.0	10/24/20 3:00	0.1
10/25/18 4:00	0.1	10/25/19 4:00	0.0	10/24/20 4:00	0.2
10/25/18 5:00	0.1	10/25/19 5:00	0.0	10/24/20 5:00	0.2
10/25/18 6:00	0.1	10/25/19 6:00	0.0	10/24/20 6:00	0.2
10/25/18 7:00	0.1	10/25/19 7:00	0.0	10/24/20 7:00	0.2
10/25/18 8:00	0.1	10/25/19 8:00	0.0	10/24/20 8:00	0.2
10/25/18 9:00	0.1	10/25/19 9:00	0.0	10/24/20 9:00	0.1
10/25/18 10:00	0.2	10/25/19 10:00	0.0	10/24/20 10:00	0.2
10/25/18 11:00	0.2	10/25/19 11:00	0.0	10/24/20 11:00	0.1
10/25/18 12:00	0.2	10/25/19 12:00	0.0	10/24/20 12:00	0.1
10/25/18 13:00	0.2	10/25/19 13:00	0.0	10/24/20 13:00	0.2
10/25/18 14:00	0.2	10/25/19 14:00	0.0	10/24/20 14:00	0.1
10/25/18 15:00	0.1	10/25/19 15:00	0.0	10/24/20 15:00	0.1
10/25/18 16:00	0.1	10/25/19 16:00	0.0	10/24/20 16:00	0.1
10/25/18 17:00	0.1	10/25/19 17:00	0.0	10/24/20 17:00	0.1
10/25/18 18:00	0.1	10/25/19 18:00	0.0	10/24/20 18:00	0.2
10/25/18 19:00	0.2	10/25/19 19:00	0.0	10/24/20 19:00	0.1
10/25/18 20:00	0.2	10/25/19 20:00	0.0	10/24/20 20:00	0.2
10/25/18 21:00	0.2	10/25/19 21:00	0.0	10/24/20 21:00	0.2
10/25/18 22:00	0.3	10/25/19 22:00	0.0	10/24/20 22:00	0.1
10/25/18 23:00	0.3	10/25/19 23:00	0.0	10/24/20 23:00	0.1
10/26/18 0:00	0.4	10/26/19 0:00	0.0	10/25/20 0:00	0.1
10/26/18 1:00	1.7	10/26/19 1:00	0.0	10/25/20 1:00	0.1
10/26/18 2:00	0.2	10/26/19 2:00	0.0	10/25/20 2:00	0.1
10/26/18 3:00	0.2	10/26/19 3:00	0.0	10/25/20 3:00	0.1
10/26/18 4:00	0.2	10/26/19 4:00	0.0	10/25/20 4:00	0.2
10/26/18 5:00	0.2	10/26/19 5:00	0.0	10/25/20 5:00	0.2
10/26/18 6:00	0.3	10/26/19 6:00	0.0	10/25/20 6:00	0.1
10/26/18 7:00	0.3	10/26/19 7:00	0.0	10/25/20 7:00	0.1
10/26/18 8:00	0.3	10/26/19 8:00	0.0	10/25/20 8:00	0.1
10/26/18 9:00	0.2	10/26/19 9:00	0.0	10/25/20 9:00	0.1
10/26/18 10:00	0.3	10/26/19 10:00	0.0	10/25/20 10:00	0.1
10/26/18 11:00	0.2	10/26/19 11:00	0.0	10/25/20 11:00	0.2
10/26/18 12:00	0.2	10/26/19 12:00	0.0	10/25/20 12:00	0.1
10/26/18 13:00	0.2	10/26/19 13:00	0.0	10/25/20 13:00	0.1
10/26/18 14:00	0.4	10/26/19 14:00	0.0	10/25/20 14:00	0.1
10/26/18 15:00	0.3	10/26/19 15:00	0.0	10/25/20 15:00	0.1
10/26/18 16:00	0.2	10/26/19 16:00	0.0	10/25/20 16:00	0.1
10/26/18 17:00	0.4	10/26/19 17:00	0.0	10/25/20 17:00	0.1
10/26/18 18:00	0.3	10/26/19 18:00	0.0	10/25/20 18:00	0.1
10/26/18 19:00	0.2	10/26/19 19:00	0.0	10/25/20 19:00	0.1
10/26/18 20:00	0.2	10/26/19 20:00	0.0	10/25/20 20:00	0.1
10/26/18 21:00	0.4	10/26/19 21:00	0.0	10/25/20 21:00	0.1
10/26/18 22:00	0.3	10/26/19 22:00	0.0	10/25/20 22:00	0.2
10/26/18 23:00	0.3	10/26/19 23:00	0.0	10/25/20 23:00	0.1
10/27/18 0:00	0.3	10/27/19 0:00	0.0	10/26/20 0:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
10/27/18 1:00	0.3	10/27/19 1:00	0.0	10/26/20 1:00	0.1
10/27/18 2:00	0.3	10/27/19 2:00	0.0	10/26/20 2:00	0.1
10/27/18 3:00	0.2	10/27/19 3:00	0.0	10/26/20 3:00	0.0
10/27/18 4:00	0.0	10/27/19 4:00	0.0	10/26/20 4:00	0.1
10/27/18 5:00	0.1	10/27/19 5:00	0.0	10/26/20 5:00	0.2
10/27/18 6:00	0.0	10/27/19 6:00	0.0	10/26/20 6:00	0.1
10/27/18 7:00	0.0	10/27/19 7:00	0.0	10/26/20 7:00	0.1
10/27/18 8:00	0.0	10/27/19 8:00	0.0	10/26/20 8:00	0.1
10/27/18 9:00	0.1	10/27/19 9:00	0.0	10/26/20 9:00	0.1
10/27/18 10:00	0.1	10/27/19 10:00	0.0	10/26/20 10:00	0.2
10/27/18 11:00	0.1	10/27/19 11:00	0.0	10/26/20 11:00	0.1
10/27/18 12:00	0.1	10/27/19 12:00	0.0	10/26/20 12:00	0.1
10/27/18 13:00	0.1	10/27/19 13:00	0.0	10/26/20 13:00	0.1
10/27/18 14:00	0.0	10/27/19 14:00	0.0	10/26/20 14:00	0.2
10/27/18 15:00	0.1	10/27/19 15:00	0.0	10/26/20 15:00	0.1
10/27/18 16:00	0.1	10/27/19 16:00	0.0	10/26/20 16:00	0.2
10/27/18 17:00	0.2	10/27/19 17:00	0.0	10/26/20 17:00	0.2
10/27/18 18:00	0.2	10/27/19 18:00	0.0	10/26/20 18:00	0.2
10/27/18 19:00	0.2	10/27/19 19:00	0.0	10/26/20 19:00	0.2
10/27/18 20:00	0.2	10/27/19 20:00	0.0	10/26/20 20:00	0.2
10/27/18 21:00	0.2	10/27/19 21:00	0.0	10/26/20 21:00	0.2
10/27/18 22:00	0.2	10/27/19 22:00	0.0	10/26/20 22:00	0.2
10/27/18 23:00	0.2	10/27/19 23:00	0.0	10/26/20 23:00	0.1
10/28/18 0:00	0.2	10/28/19 0:00	0.0	10/27/20 0:00	0.1
10/28/18 1:00	0.1	10/28/19 1:00	0.0	10/27/20 1:00	0.1
10/28/18 2:00	0.1	10/28/19 2:00	0.0	10/27/20 2:00	0.1
10/28/18 3:00	0.1	10/28/19 3:00	0.0	10/27/20 3:00	0.2
10/28/18 4:00	0.1	10/28/19 4:00	0.0	10/27/20 4:00	0.1
10/28/18 5:00	0.1	10/28/19 5:00	0.0	10/27/20 5:00	0.1
10/28/18 6:00	0.1	10/28/19 6:00	0.0	10/27/20 6:00	0.1
10/28/18 7:00	0.1	10/28/19 7:00	0.0	10/27/20 7:00	0.1
10/28/18 8:00	0.1	10/28/19 8:00	0.0	10/27/20 8:00	0.1
10/28/18 9:00	0.2	10/28/19 9:00	0.0	10/27/20 9:00	0.1
10/28/18 10:00	0.1	10/28/19 10:00	0.0	10/27/20 10:00	0.1
10/28/18 11:00	0.1	10/28/19 11:00	0.0	10/27/20 11:00	0.1
10/28/18 12:00	0.1	10/28/19 12:00	0.0	10/27/20 12:00	0.1
10/28/18 13:00	0.1	10/28/19 13:00	0.1	10/27/20 13:00	0.2
10/28/18 14:00	0.1	10/28/19 14:00	0.1	10/27/20 14:00	0.2
10/28/18 15:00	0.1	10/28/19 15:00	0.0	10/27/20 15:00	0.1
10/28/18 16:00	0.2	10/28/19 16:00	0.1	10/27/20 16:00	0.1
10/28/18 17:00	0.1	10/28/19 17:00	0.1	10/27/20 17:00	0.1
10/28/18 18:00	0.2	10/28/19 18:00	0.1	10/27/20 18:00	0.1
10/28/18 19:00	0.2	10/28/19 19:00	0.1	10/27/20 19:00	0.1
10/28/18 20:00	0.2	10/28/19 20:00	0.1	10/27/20 20:00	0.1
10/28/18 21:00	0.2	10/28/19 21:00	0.1	10/27/20 21:00	0.1
10/28/18 22:00	0.2	10/28/19 22:00	0.1	10/27/20 22:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
10/28/18 23:00	0.2	10/28/19 23:00	0.2	10/27/20 23:00	0.2
10/29/18 0:00	0.1	10/29/19 0:00	0.2	10/28/20 0:00	0.1
10/29/18 1:00	0.1	10/29/19 1:00	0.2	10/28/20 1:00	0.1
10/29/18 2:00	0.1	10/29/19 2:00	0.3	10/28/20 2:00	0.2
10/29/18 3:00	0.1	10/29/19 3:00	0.3	10/28/20 3:00	0.2
10/29/18 4:00	0.2	10/29/19 4:00	0.3	10/28/20 4:00	0.2
10/29/18 5:00	0.1	10/29/19 5:00	0.4	10/28/20 5:00	0.2
10/29/18 6:00	0.1	10/29/19 6:00	0.4	10/28/20 6:00	0.2
10/29/18 7:00	0.1	10/29/19 7:00	0.2	10/28/20 7:00	0.2
10/29/18 8:00	0.2	10/29/19 8:00	0.3	10/28/20 8:00	0.2
10/29/18 9:00	0.2	10/29/19 9:00	0.1	10/28/20 9:00	0.1
10/29/18 10:00	0.1	10/29/19 10:00	0.1	10/28/20 10:00	0.2
10/29/18 11:00	0.2	10/29/19 11:00	0.1	10/28/20 11:00	0.2
10/29/18 12:00	0.1	10/29/19 12:00	0.2	10/28/20 12:00	0.1
10/29/18 13:00	0.2	10/29/19 13:00	0.1	10/28/20 13:00	0.2
10/29/18 14:00	0.2	10/29/19 14:00	0.1	10/28/20 14:00	0.2
10/29/18 15:00	0.2	10/29/19 15:00	0.1	10/28/20 15:00	0.1
10/29/18 16:00	0.2	10/29/19 16:00	0.1	10/28/20 16:00	0.1
10/29/18 17:00	0.2	10/29/19 17:00	0.1	10/28/20 17:00	0.2
10/29/18 18:00	0.2	10/29/19 18:00	0.1	10/28/20 18:00	0.2
10/29/18 19:00	0.2	10/29/19 19:00	0.1	10/28/20 19:00	0.2
10/29/18 20:00	0.2	10/29/19 20:00	0.1	10/28/20 20:00	0.1
10/29/18 21:00	0.2	10/29/19 21:00	0.1	10/28/20 21:00	0.1
10/29/18 22:00	0.2	10/29/19 22:00	0.1	10/28/20 22:00	0.1
10/29/18 23:00	0.2	10/29/19 23:00	0.1	10/28/20 23:00	0.1
10/30/18 0:00	0.2	10/30/19 0:00	0.1	10/29/20 0:00	0.1
10/30/18 1:00	0.2	10/30/19 1:00	0.1	10/29/20 1:00	0.1
10/30/18 2:00	0.1	10/30/19 2:00	0.1	10/29/20 2:00	0.1
10/30/18 3:00	0.1	10/30/19 3:00	0.1	10/29/20 3:00	0.2
10/30/18 4:00	0.1	10/30/19 4:00	0.1	10/29/20 4:00	0.2
10/30/18 5:00	0.1	10/30/19 5:00	0.1	10/29/20 5:00	0.2
10/30/18 6:00	0.1	10/30/19 6:00	0.1	10/29/20 6:00	0.2
10/30/18 7:00	0.1	10/30/19 7:00	0.2	10/29/20 7:00	0.1
10/30/18 8:00	0.2	10/30/19 8:00	0.2	10/29/20 8:00	0.1
10/30/18 9:00	10.0	10/30/19 9:00	0.1	10/29/20 9:00	0.1
10/30/18 10:00	0.1	10/30/19 10:00	0.1	10/29/20 10:00	0.1
10/30/18 11:00	0.1	10/30/19 11:00	0.1	10/29/20 11:00	0.1
10/30/18 12:00	0.1	10/30/19 12:00	0.1	10/29/20 12:00	0.1
10/30/18 13:00	0.1	10/30/19 13:00	0.1	10/29/20 13:00	0.1
10/30/18 14:00	0.1	10/30/19 14:00	0.1	10/29/20 14:00	0.1
10/30/18 15:00	0.1	10/30/19 15:00	0.1	10/29/20 15:00	0.1
10/30/18 16:00	0.1	10/30/19 16:00	0.1	10/29/20 16:00	0.1
10/30/18 17:00	0.1	10/30/19 17:00	0.1	10/29/20 17:00	0.1
10/30/18 18:00	0.1	10/30/19 18:00	0.1	10/29/20 18:00	0.1
10/30/18 19:00	0.1	10/30/19 19:00	0.1	10/29/20 19:00	0.1
10/30/18 20:00	0.1	10/30/19 20:00	0.1	10/29/20 20:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
10/30/18 21:00	0.1	10/30/19 21:00	0.1	10/29/20 21:00	0.1
10/30/18 22:00	0.1	10/30/19 22:00	0.1	10/29/20 22:00	0.1
10/30/18 23:00	0.2	10/30/19 23:00	0.1	10/29/20 23:00	0.1
10/31/18 0:00	0.1	10/31/19 0:00	0.1	10/30/20 0:00	0.1
10/31/18 1:00	0.1	10/31/19 1:00	0.1	10/30/20 1:00	0.1
10/31/18 2:00	0.1	10/31/19 2:00	0.1	10/30/20 2:00	0.1
10/31/18 3:00	0.1	10/31/19 3:00	0.2	10/30/20 3:00	0.1
10/31/18 4:00	0.1	10/31/19 4:00	0.1	10/30/20 4:00	0.1
10/31/18 5:00	0.1	10/31/19 5:00	0.1	10/30/20 5:00	0.1
10/31/18 6:00	0.1	10/31/19 6:00	0.1	10/30/20 6:00	0.1
10/31/18 7:00	0.1	10/31/19 7:00	0.3	10/30/20 7:00	0.1
10/31/18 8:00	0.1	10/31/19 8:00	0.2	10/30/20 8:00	0.1
10/31/18 9:00	0.2	10/31/19 9:00	0.2	10/30/20 9:00	0.1
10/31/18 10:00	0.2	10/31/19 10:00	0.1	10/30/20 10:00	0.1
10/31/18 11:00	0.1	10/31/19 11:00	0.1	10/30/20 11:00	0.1
10/31/18 12:00	0.1	10/31/19 12:00	0.3	10/30/20 12:00	0.2
10/31/18 13:00	0.2	10/31/19 13:00	0.2	10/30/20 13:00	0.2
10/31/18 14:00	0.1	10/31/19 14:00	0.2	10/30/20 14:00	0.2
10/31/18 15:00	0.2	10/31/19 15:00	0.1	10/30/20 15:00	0.2
10/31/18 16:00	0.2	10/31/19 16:00	0.2	10/30/20 16:00	0.2
10/31/18 17:00	0.1	10/31/19 17:00	0.2	10/30/20 17:00	0.2
10/31/18 18:00	0.2	10/31/19 18:00	0.2	10/30/20 18:00	0.1
10/31/18 19:00	0.2	10/31/19 19:00	0.1	10/30/20 19:00	0.1
10/31/18 20:00	0.2	10/31/19 20:00	0.1	10/30/20 20:00	0.1
10/31/18 21:00	0.1	10/31/19 21:00	0.1	10/30/20 21:00	0.1
10/31/18 22:00	0.1	10/31/19 22:00	0.1	10/30/20 22:00	0.2
10/31/18 23:00	0.2	10/31/19 23:00	0.1	10/30/20 23:00	0.2
11/1/18 0:00	0.2	11/1/19 0:00	0.1	10/31/20 0:00	0.2
11/1/18 1:00	0.1	11/1/19 1:00	0.1	10/31/20 1:00	0.1
11/1/18 2:00	0.2	11/1/19 2:00	0.2	10/31/20 2:00	0.1
11/1/18 3:00	0.2	11/1/19 3:00	0.1	10/31/20 3:00	0.1
11/1/18 4:00	0.2	11/1/19 4:00	0.1	10/31/20 4:00	0.1
11/1/18 5:00	0.2	11/1/19 5:00	0.1	10/31/20 5:00	0.1
11/1/18 6:00	0.2	11/1/19 6:00	0.1	10/31/20 6:00	0.1
11/1/18 7:00	0.1	11/1/19 7:00	0.2	10/31/20 7:00	0.2
11/1/18 8:00	0.1	11/1/19 8:00	0.2	10/31/20 8:00	0.2
11/1/18 9:00	0.2	11/1/19 9:00	0.2	10/31/20 9:00	0.1
11/1/18 10:00	0.2	11/1/19 10:00	0.2	10/31/20 10:00	0.2
11/1/18 11:00	0.1	11/1/19 11:00	0.1	10/31/20 11:00	0.2
11/1/18 12:00	0.1	11/1/19 12:00	0.1	10/31/20 12:00	0.1
11/1/18 13:00	0.1	11/1/19 13:00	0.1	10/31/20 13:00	0.2
11/1/18 14:00	0.2	11/1/19 14:00	0.1	10/31/20 14:00	0.1
11/1/18 15:00	0.2	11/1/19 15:00	0.2	10/31/20 15:00	0.1
11/1/18 16:00	0.2	11/1/19 16:00	0.2	10/31/20 16:00	0.1
11/1/18 17:00	0.1	11/1/19 17:00	0.2	10/31/20 17:00	0.1
11/1/18 18:00	0.1	11/1/19 18:00	0.2	10/31/20 18:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
11/1/18 19:00	0.2	11/1/19 19:00	0.2	10/31/20 19:00	0.2
11/1/18 20:00	0.1	11/1/19 20:00	0.1	10/31/20 20:00	0.2
11/1/18 21:00	0.2	11/1/19 21:00	0.1	10/31/20 21:00	0.2
11/1/18 22:00	0.2	11/1/19 22:00	0.2	10/31/20 22:00	0.2
11/1/18 23:00	0.2	11/1/19 23:00	0.1	10/31/20 23:00	0.1
11/2/18 0:00	0.2	11/2/19 0:00	0.1	11/1/20 0:00	0.1
11/2/18 1:00	0.2	11/2/19 1:00	0.1	11/1/20 1:00	0.1
11/2/18 2:00	0.2	11/2/19 2:00	0.2	11/1/20 1:00	0.1
11/2/18 3:00	0.2	11/2/19 3:00	0.1	11/1/20 2:00	0.1
11/2/18 4:00	0.2	11/2/19 4:00	0.1	11/1/20 3:00	0.1
11/2/18 5:00	0.2	11/2/19 5:00	0.1	11/1/20 4:00	0.1
11/2/18 6:00	0.2	11/2/19 6:00	0.1	11/1/20 5:00	0.1
11/2/18 7:00	0.2	11/2/19 7:00	0.1	11/1/20 6:00	0.1
11/2/18 8:00	0.2	11/2/19 8:00	0.1	11/1/20 7:00	0.1
11/2/18 9:00	0.2	11/2/19 9:00	0.2	11/1/20 8:00	0.1
11/2/18 10:00	0.2	11/2/19 10:00	0.1	11/1/20 9:00	0.2
11/2/18 11:00	0.2	11/2/19 11:00	0.1	11/1/20 10:00	0.1
11/2/18 12:00	0.2	11/2/19 12:00	0.1	11/1/20 11:00	0.1
11/2/18 13:00	0.2	11/2/19 13:00	0.2	11/1/20 12:00	0.1
11/2/18 14:00	0.2	11/2/19 14:00	0.2	11/1/20 13:00	0.1
11/2/18 15:00	0.2	11/2/19 15:00	0.2	11/1/20 14:00	0.1
11/2/18 16:00	0.2	11/2/19 16:00	0.1	11/1/20 15:00	0.2
11/2/18 17:00	0.2	11/2/19 17:00	0.1	11/1/20 16:00	0.1
11/2/18 18:00	0.2	11/2/19 18:00	0.1	11/1/20 17:00	0.1
11/2/18 19:00	0.2	11/2/19 19:00	0.2	11/1/20 18:00	0.2
11/2/18 20:00	0.2	11/2/19 20:00	0.1	11/1/20 19:00	0.2
11/2/18 21:00	0.3	11/2/19 21:00	0.1	11/1/20 20:00	0.1
11/2/18 22:00	0.2	11/2/19 22:00	0.2	11/1/20 21:00	0.2
11/2/18 23:00	0.2	11/2/19 23:00	0.7	11/1/20 22:00	0.2
11/3/18 0:00	0.2	11/3/19 0:00	0.3	11/1/20 23:00	0.1
11/3/18 1:00	0.2	11/3/19 1:00	0.2	11/2/20 0:00	0.1
11/3/18 2:00	0.2	11/3/19 1:00	0.2	11/2/20 1:00	0.1
11/3/18 3:00	0.2	11/3/19 2:00	0.2	11/2/20 2:00	0.1
11/3/18 4:00	0.2	11/3/19 3:00	0.2	11/2/20 3:00	0.1
11/3/18 5:00	0.3	11/3/19 4:00	0.2	11/2/20 4:00	0.1
11/3/18 6:00	0.1	11/3/19 5:00	0.2	11/2/20 5:00	0.1
11/3/18 7:00	0.1	11/3/19 6:00	0.2	11/2/20 6:00	0.1
11/3/18 8:00	0.1	11/3/19 7:00	0.2	11/2/20 7:00	0.1
11/3/18 9:00	0.1	11/3/19 8:00	0.2	11/2/20 8:00	0.1
11/3/18 10:00	0.1	11/3/19 9:00	0.2	11/2/20 9:00	0.2
11/3/18 11:00	0.1	11/3/19 10:00	0.2	11/2/20 10:00	0.1
11/3/18 12:00	0.1	11/3/19 11:00	0.1	11/2/20 11:00	0.1
11/3/18 13:00	0.1	11/3/19 12:00	0.1	11/2/20 12:00	0.1
11/3/18 14:00	0.1	11/3/19 13:00	0.2	11/2/20 13:00	0.1
11/3/18 15:00	0.1	11/3/19 14:00	0.1	11/2/20 14:00	0.1
11/3/18 16:00	0.1	11/3/19 15:00	0.1	11/2/20 15:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
11/3/18 17:00	0.1	11/3/19 16:00	0.1	11/2/20 16:00	0.2
11/3/18 18:00	0.1	11/3/19 17:00	0.1	11/2/20 17:00	0.2
11/3/18 19:00	0.1	11/3/19 18:00	0.1	11/2/20 18:00	0.2
11/3/18 20:00	0.1	11/3/19 19:00	0.1	11/2/20 19:00	0.1
11/3/18 21:00	0.1	11/3/19 20:00	0.1	11/2/20 20:00	0.2
11/3/18 22:00	0.1	11/3/19 21:00	0.2	11/2/20 21:00	0.2
11/3/18 23:00	0.1	11/3/19 22:00	0.2	11/2/20 22:00	0.2
11/4/18 0:00	0.1	11/3/19 23:00	0.2	11/2/20 23:00	0.2
11/4/18 1:00	0.3	11/4/19 0:00	0.1	11/3/20 0:00	0.2
11/4/18 1:00	0.3	11/4/19 1:00	0.1	11/3/20 1:00	0.2
11/4/18 2:00	0.3	11/4/19 2:00	0.1	11/3/20 2:00	0.1
11/4/18 3:00	0.2	11/4/19 3:00	0.2	11/3/20 3:00	0.1
11/4/18 4:00	0.2	11/4/19 4:00	0.2	11/3/20 4:00	0.1
11/4/18 5:00	0.2	11/4/19 5:00	0.2	11/3/20 5:00	0.2
11/4/18 6:00	0.1	11/4/19 6:00	0.2	11/3/20 6:00	0.2
11/4/18 7:00	0.1	11/4/19 7:00	0.2	11/3/20 7:00	0.2
11/4/18 8:00	0.1	11/4/19 8:00	0.2	11/3/20 8:00	0.2
11/4/18 9:00	0.1	11/4/19 9:00	0.2	11/3/20 9:00	0.1
11/4/18 10:00	0.1	11/4/19 10:00	0.2	11/3/20 10:00	0.1
11/4/18 11:00	0.1	11/4/19 11:00	0.1	11/3/20 11:00	0.5
11/4/18 12:00	0.1	11/4/19 12:00	0.1	11/3/20 12:00	0.2
11/4/18 13:00	0.1	11/4/19 13:00	0.2	11/3/20 13:00	0.1
11/4/18 14:00	0.2	11/4/19 14:00	0.2	11/3/20 14:00	0.1
11/4/18 15:00	0.2	11/4/19 15:00	0.1	11/3/20 15:00	0.2
11/4/18 16:00	0.2	11/4/19 16:00	0.1	11/3/20 16:00	0.2
11/4/18 17:00	0.2	11/4/19 17:00	0.1	11/3/20 17:00	0.2
11/4/18 18:00	0.2	11/4/19 18:00	0.1	11/3/20 18:00	0.2
11/4/18 19:00	0.2	11/4/19 19:00	0.1	11/3/20 19:00	0.2
11/4/18 20:00	0.2	11/4/19 20:00	0.1	11/3/20 20:00	0.1
11/4/18 21:00	0.2	11/4/19 21:00	0.1	11/3/20 21:00	0.1
11/4/18 22:00	0.3	11/4/19 22:00	0.1	11/3/20 22:00	0.1
11/4/18 23:00	0.3	11/4/19 23:00	0.1	11/3/20 23:00	0.1
11/5/18 0:00	0.3	11/5/19 0:00	0.1	11/4/20 0:00	0.1
11/5/18 1:00	0.3	11/5/19 1:00	0.1	11/4/20 1:00	0.1
11/5/18 2:00	0.3	11/5/19 2:00	0.1	11/4/20 2:00	0.1
11/5/18 3:00	0.3	11/5/19 3:00	0.1	11/4/20 3:00	0.1
11/5/18 4:00	0.3	11/5/19 4:00	0.1	11/4/20 4:00	0.1
11/5/18 5:00	0.3	11/5/19 5:00	0.1	11/4/20 5:00	0.1
11/5/18 6:00	0.3	11/5/19 6:00	0.1	11/4/20 6:00	0.1
11/5/18 7:00	0.3	11/5/19 7:00	0.2	11/4/20 7:00	0.1
11/5/18 8:00	0.3	11/5/19 8:00	0.2	11/4/20 8:00	0.1
11/5/18 9:00	0.3	11/5/19 9:00	0.1	11/4/20 9:00	0.1
11/5/18 10:00	0.3	11/5/19 10:00	0.1	11/4/20 10:00	0.1
11/5/18 11:00	0.3	11/5/19 11:00	0.2	11/4/20 11:00	0.1
11/5/18 12:00	0.3	11/5/19 12:00	0.2	11/4/20 12:00	0.1
11/5/18 13:00	0.1	11/5/19 13:00	0.2	11/4/20 13:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
11/5/18 14:00	0.1	11/5/19 14:00	0.2	11/4/20 14:00	0.1
11/5/18 15:00	0.1	11/5/19 15:00	0.2	11/4/20 15:00	0.1
11/5/18 16:00	0.1	11/5/19 16:00	0.1	11/4/20 16:00	0.1
11/5/18 17:00	0.1	11/5/19 17:00	0.1	11/4/20 17:00	0.1
11/5/18 18:00	0.1	11/5/19 18:00	0.1	11/4/20 18:00	0.1
11/5/18 19:00	0.1	11/5/19 19:00	0.1	11/4/20 19:00	0.1
11/5/18 20:00	0.1	11/5/19 20:00	0.1	11/4/20 20:00	0.1
11/5/18 21:00	0.1	11/5/19 21:00	0.1	11/4/20 21:00	0.1
11/5/18 22:00	0.1	11/5/19 22:00	0.1	11/4/20 22:00	0.1
11/5/18 23:00	0.1	11/5/19 23:00	0.1	11/4/20 23:00	0.1
11/6/18 0:00	0.1	11/6/19 0:00	0.1	11/5/20 0:00	0.1
11/6/18 1:00	0.1	11/6/19 1:00	0.1	11/5/20 1:00	0.1
11/6/18 2:00	0.1	11/6/19 2:00	0.1	11/5/20 2:00	0.1
11/6/18 3:00	0.2	11/6/19 3:00	0.1	11/5/20 3:00	0.1
11/6/18 4:00	0.2	11/6/19 4:00	0.1	11/5/20 4:00	0.2
11/6/18 5:00	0.2	11/6/19 5:00	0.1	11/5/20 5:00	0.2
11/6/18 6:00	0.2	11/6/19 6:00	0.1	11/5/20 6:00	0.1
11/6/18 7:00	0.2	11/6/19 7:00	0.1	11/5/20 7:00	0.1
11/6/18 8:00	0.2	11/6/19 8:00	0.2	11/5/20 8:00	0.1
11/6/18 9:00	0.1	11/6/19 9:00	0.1	11/5/20 9:00	0.1
11/6/18 10:00	0.2	11/6/19 10:00	0.1	11/5/20 10:00	0.1
11/6/18 11:00	0.2	11/6/19 11:00	0.1	11/5/20 11:00	0.1
11/6/18 12:00	0.1	11/6/19 12:00	0.2	11/5/20 12:00	0.1
11/6/18 13:00	0.1	11/6/19 13:00	0.1	11/5/20 13:00	0.1
11/6/18 14:00	0.2	11/6/19 14:00	0.1	11/5/20 14:00	0.1
11/6/18 15:00	0.1	11/6/19 15:00	0.1	11/5/20 15:00	0.1
11/6/18 16:00	0.1	11/6/19 16:00	0.1	11/5/20 16:00	0.1
11/6/18 17:00	0.1	11/6/19 17:00	0.1	11/5/20 17:00	0.1
11/6/18 18:00	0.1	11/6/19 18:00	0.1	11/5/20 18:00	0.1
11/6/18 19:00	0.1	11/6/19 19:00	0.1	11/5/20 19:00	0.1
11/6/18 20:00	0.2	11/6/19 20:00	0.1	11/5/20 20:00	0.1
11/6/18 21:00	0.1	11/6/19 21:00	0.1	11/5/20 21:00	0.1
11/6/18 22:00	0.1	11/6/19 22:00	0.1	11/5/20 22:00	0.1
11/6/18 23:00	0.1	11/6/19 23:00	0.1	11/5/20 23:00	0.1
11/7/18 0:00	0.1	11/7/19 0:00	0.1	11/6/20 0:00	0.1
11/7/18 1:00	0.0	11/7/19 1:00	0.1	11/6/20 1:00	0.1
11/7/18 2:00	0.2	11/7/19 2:00	0.1	11/6/20 2:00	0.1
11/7/18 3:00	0.2	11/7/19 3:00	0.0	11/6/20 3:00	0.1
11/7/18 4:00	0.2	11/7/19 4:00	0.1	11/6/20 4:00	0.1
11/7/18 5:00	0.2	11/7/19 5:00	0.1	11/6/20 5:00	0.1
11/7/18 6:00	0.1	11/7/19 6:00	0.1	11/6/20 6:00	0.1
11/7/18 7:00	0.1	11/7/19 7:00	0.1	11/6/20 7:00	0.1
11/7/18 8:00	0.2	11/7/19 8:00	0.1	11/6/20 8:00	0.1
11/7/18 9:00	0.1	11/7/19 9:00	0.1	11/6/20 9:00	0.1
11/7/18 10:00	0.2	11/7/19 10:00	0.1	11/6/20 10:00	0.1
11/7/18 11:00	0.2	11/7/19 11:00	0.1	11/6/20 11:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
11/7/18 12:00	0.1	11/7/19 12:00	0.1	11/6/20 12:00	0.2
11/7/18 13:00	0.2	11/7/19 13:00	0.1	11/6/20 13:00	0.1
11/7/18 14:00	0.2	11/7/19 14:00	0.1	11/6/20 14:00	0.2
11/7/18 15:00	0.1	11/7/19 15:00	0.1	11/6/20 15:00	0.2
11/7/18 16:00	0.2	11/7/19 16:00	0.1	11/6/20 16:00	0.1
11/7/18 17:00	0.2	11/7/19 17:00	0.1	11/6/20 17:00	0.1
11/7/18 18:00	0.1	11/7/19 18:00	0.1	11/6/20 18:00	0.1
11/7/18 19:00	0.1	11/7/19 19:00	0.1	11/6/20 19:00	0.1
11/7/18 20:00	0.1	11/7/19 20:00	0.1	11/6/20 20:00	0.1
11/7/18 21:00	0.1	11/7/19 21:00	0.1	11/6/20 21:00	0.1
11/7/18 22:00	0.1	11/7/19 22:00	0.1	11/6/20 22:00	0.1
11/7/18 23:00	0.1	11/7/19 23:00	0.1	11/6/20 23:00	0.2
11/8/18 0:00	0.1	11/8/19 0:00	0.0	11/7/20 0:00	0.2
11/8/18 1:00	0.3	11/8/19 1:00	0.0	11/7/20 1:00	0.2
11/8/18 2:00	0.3	11/8/19 2:00	0.1	11/7/20 2:00	0.1
11/8/18 3:00	0.3	11/8/19 3:00	0.1	11/7/20 3:00	0.1
11/8/18 4:00	0.2	11/8/19 4:00	0.1	11/7/20 4:00	0.1
11/8/18 5:00	0.2	11/8/19 5:00	0.1	11/7/20 5:00	0.2
11/8/18 6:00	0.1	11/8/19 6:00	0.1	11/7/20 6:00	0.2
11/8/18 7:00	0.1	11/8/19 7:00	0.2	11/7/20 7:00	0.2
11/8/18 8:00	0.1	11/8/19 8:00	0.1	11/7/20 8:00	0.2
11/8/18 9:00	0.1	11/8/19 9:00	0.2	11/7/20 9:00	0.1
11/8/18 10:00	0.1	11/8/19 10:00	0.2	11/7/20 10:00	0.1
11/8/18 11:00	0.1	11/8/19 11:00	0.2	11/7/20 11:00	0.1
11/8/18 12:00	0.2	11/8/19 12:00	0.2	11/7/20 12:00	0.2
11/8/18 13:00	0.2	11/8/19 13:00	0.3	11/7/20 13:00	0.2
11/8/18 14:00	0.2	11/8/19 14:00	0.2	11/7/20 14:00	0.1
11/8/18 15:00	0.2	11/8/19 15:00	0.2	11/7/20 15:00	0.1
11/8/18 16:00	0.2	11/8/19 16:00	0.2	11/7/20 16:00	0.1
11/8/18 17:00	0.2	11/8/19 17:00	0.2	11/7/20 17:00	0.1
11/8/18 18:00	0.1	11/8/19 18:00	0.2	11/7/20 18:00	0.1
11/8/18 19:00	0.2	11/8/19 19:00	0.2	11/7/20 19:00	0.2
11/8/18 20:00	0.2	11/8/19 20:00	0.2	11/7/20 20:00	0.1
11/8/18 21:00	0.1	11/8/19 21:00	0.2	11/7/20 21:00	0.0
11/8/18 22:00	0.1	11/8/19 22:00	0.3	11/7/20 22:00	0.1
11/8/18 23:00	0.1	11/8/19 23:00	0.2	11/7/20 23:00	0.1
11/9/18 0:00	0.1	11/9/19 0:00	0.1	11/8/20 0:00	0.2
11/9/18 1:00	0.1	11/9/19 1:00	0.1	11/8/20 1:00	0.1
11/9/18 2:00	0.1	11/9/19 2:00	0.1	11/8/20 2:00	0.1
11/9/18 3:00	0.1	11/9/19 3:00	0.1	11/8/20 3:00	0.1
11/9/18 4:00	0.1	11/9/19 4:00	0.1	11/8/20 4:00	0.1
11/9/18 5:00	0.1	11/9/19 5:00	0.1	11/8/20 5:00	0.1
11/9/18 6:00	0.1	11/9/19 6:00	0.0	11/8/20 6:00	0.1
11/9/18 7:00	0.1	11/9/19 7:00	0.0	11/8/20 7:00	0.1
11/9/18 8:00	0.2	11/9/19 8:00	0.1	11/8/20 8:00	0.1
11/9/18 9:00	0.2	11/9/19 9:00	0.1	11/8/20 9:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
11/9/18 10:00	0.2	11/9/19 10:00	0.1	11/8/20 10:00	0.1
11/9/18 11:00	0.2	11/9/19 11:00	0.1	11/8/20 11:00	0.1
11/9/18 12:00	0.2	11/9/19 12:00	0.1	11/8/20 12:00	0.1
11/9/18 13:00	0.3	11/9/19 13:00	0.0	11/8/20 13:00	0.1
11/9/18 14:00	0.3	11/9/19 14:00	0.0	11/8/20 14:00	0.1
11/9/18 15:00	0.1	11/9/19 15:00	0.0	11/8/20 15:00	0.1
11/9/18 16:00	0.3	11/9/19 16:00	0.0	11/8/20 16:00	0.1
11/9/18 17:00	0.2	11/9/19 17:00	0.0	11/8/20 17:00	0.1
11/9/18 18:00	0.2	11/9/19 18:00	0.1	11/8/20 18:00	0.1
11/9/18 19:00	0.2	11/9/19 19:00	0.0	11/8/20 19:00	0.1
11/9/18 20:00	0.1	11/9/19 20:00	0.0	11/8/20 20:00	0.1
11/9/18 21:00	0.1	11/9/19 21:00	0.0	11/8/20 21:00	0.1
11/9/18 22:00	0.1	11/9/19 22:00	0.0	11/8/20 22:00	0.1
11/9/18 23:00	0.1	11/9/19 23:00	0.0	11/8/20 23:00	0.1
11/10/18 0:00	0.1	11/10/19 0:00	0.0	11/9/20 0:00	0.2
11/10/18 1:00	0.1	11/10/19 1:00	0.0	11/9/20 1:00	0.1
11/10/18 2:00	0.1	11/10/19 2:00	0.1	11/9/20 2:00	0.1
11/10/18 3:00	0.1	11/10/19 3:00	0.1	11/9/20 3:00	0.1
11/10/18 4:00	0.1	11/10/19 4:00	0.1	11/9/20 4:00	0.1
11/10/18 5:00	0.2	11/10/19 5:00	0.1	11/9/20 5:00	0.1
11/10/18 6:00	0.1	11/10/19 6:00	0.1	11/9/20 6:00	0.1
11/10/18 7:00	0.1	11/10/19 7:00	0.1	11/9/20 7:00	0.1
11/10/18 8:00	0.1	11/10/19 8:00	0.1	11/9/20 8:00	0.1
11/10/18 9:00	0.4	11/10/19 9:00	0.1	11/9/20 9:00	0.1
11/10/18 10:00	0.3	11/10/19 10:00	0.1	11/9/20 10:00	0.1
11/10/18 11:00	0.3	11/10/19 11:00	0.1	11/9/20 11:00	0.1
11/10/18 12:00	0.2	11/10/19 12:00	0.1	11/9/20 12:00	0.1
11/10/18 13:00	0.3	11/10/19 13:00	0.1	11/9/20 13:00	0.2
11/10/18 14:00	0.3	11/10/19 14:00	0.1	11/9/20 14:00	0.1
11/10/18 15:00	0.3	11/10/19 15:00	0.1	11/9/20 15:00	0.1
11/10/18 16:00	0.3	11/10/19 16:00	0.1	11/9/20 16:00	0.1
11/10/18 17:00	0.3	11/10/19 17:00	0.1	11/9/20 17:00	0.1
11/10/18 18:00	0.2	11/10/19 18:00	0.1	11/9/20 18:00	0.1
11/10/18 19:00	0.1	11/10/19 19:00	0.2	11/9/20 19:00	0.1
11/10/18 20:00	0.2	11/10/19 20:00	0.1	11/9/20 20:00	0.1
11/10/18 21:00	0.2	11/10/19 21:00	0.1	11/9/20 21:00	0.1
11/10/18 22:00	0.1	11/10/19 22:00	0.1	11/9/20 22:00	0.1
11/10/18 23:00	0.1	11/10/19 23:00	0.2	11/9/20 23:00	0.1
11/11/18 0:00	0.2	11/11/19 0:00	0.1	11/10/20 0:00	0.1
11/11/18 1:00	0.2	11/11/19 1:00	0.1	11/10/20 1:00	0.1
11/11/18 2:00	0.2	11/11/19 2:00	0.1	11/10/20 2:00	0.0
11/11/18 3:00	0.2	11/11/19 3:00	0.2	11/10/20 3:00	0.0
11/11/18 4:00	0.2	11/11/19 4:00	0.2	11/10/20 4:00	0.1
11/11/18 5:00	0.2	11/11/19 5:00	0.2	11/10/20 5:00	0.1
11/11/18 6:00	0.2	11/11/19 6:00	0.1	11/10/20 6:00	0.1
11/11/18 7:00	0.2	11/11/19 7:00	0.2	11/10/20 7:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
11/11/18 8:00	0.2	11/11/19 8:00	0.1	11/10/20 8:00	0.1
11/11/18 9:00	0.2	11/11/19 9:00	0.1	11/10/20 9:00	0.1
11/11/18 10:00	0.2	11/11/19 10:00	0.1	11/10/20 10:00	0.2
11/11/18 11:00	0.1	11/11/19 11:00	0.1	11/10/20 11:00	0.1
11/11/18 12:00	0.1	11/11/19 12:00	0.0	11/10/20 12:00	0.1
11/11/18 13:00	0.1	11/11/19 13:00	0.0	11/10/20 13:00	0.2
11/11/18 14:00	0.1	11/11/19 14:00	0.0	11/10/20 14:00	0.2
11/11/18 15:00	0.1	11/11/19 15:00	0.1	11/10/20 15:00	0.2
11/11/18 16:00	0.1	11/11/19 16:00	0.1	11/10/20 16:00	0.1
11/11/18 17:00	0.2	11/11/19 17:00	0.1	11/10/20 17:00	0.1
11/11/18 18:00	0.2	11/11/19 18:00	0.1	11/10/20 18:00	0.1
11/11/18 19:00	0.2	11/11/19 19:00	0.1	11/10/20 19:00	0.1
11/11/18 20:00	0.2	11/11/19 20:00	0.1	11/10/20 20:00	0.1
11/11/18 21:00	0.2	11/11/19 21:00	0.1	11/10/20 21:00	0.1
11/11/18 22:00	0.2	11/11/19 22:00	0.1	11/10/20 22:00	0.1
11/11/18 23:00	0.1	11/11/19 23:00	0.1	11/10/20 23:00	0.2
11/12/18 0:00	0.1	11/12/19 0:00	0.1	11/11/20 0:00	0.1
11/12/18 1:00	0.1	11/12/19 1:00	0.1	11/11/20 1:00	0.1
11/12/18 2:00	0.2	11/12/19 2:00	0.1	11/11/20 2:00	0.1
11/12/18 3:00	0.1	11/12/19 3:00	0.1	11/11/20 3:00	0.1
11/12/18 4:00	0.1	11/12/19 4:00	0.1	11/11/20 4:00	0.1
11/12/18 5:00	0.1	11/12/19 5:00	0.1	11/11/20 5:00	0.1
11/12/18 6:00	0.1	11/12/19 6:00	0.1	11/11/20 6:00	0.1
11/12/18 7:00	0.2	11/12/19 7:00	0.1	11/11/20 7:00	0.1
11/12/18 8:00	0.2	11/12/19 8:00	0.2	11/11/20 8:00	0.1
11/12/18 9:00	0.2	11/12/19 9:00	0.2	11/11/20 9:00	0.1
11/12/18 10:00	0.2	11/12/19 10:00	0.2	11/11/20 10:00	0.2
11/12/18 11:00	0.2	11/12/19 11:00	0.2	11/11/20 11:00	0.2
11/12/18 12:00	0.2	11/12/19 12:00	0.1	11/11/20 12:00	0.1
11/12/18 13:00	0.2	11/12/19 13:00	0.1	11/11/20 13:00	0.2
11/12/18 14:00	0.2	11/12/19 14:00	0.1	11/11/20 14:00	0.2
11/12/18 15:00	0.1	11/12/19 15:00	0.1	11/11/20 15:00	0.2
11/12/18 16:00	0.1	11/12/19 16:00	0.1	11/11/20 16:00	0.2
11/12/18 17:00	0.2	11/12/19 17:00	0.1	11/11/20 17:00	0.2
11/12/18 18:00	0.2	11/12/19 18:00	0.1	11/11/20 18:00	0.2
11/12/18 19:00	0.2	11/12/19 19:00	0.1	11/11/20 19:00	0.2
11/12/18 20:00	0.2	11/12/19 20:00	0.1	11/11/20 20:00	0.1
11/12/18 21:00	0.1	11/12/19 21:00	0.2	11/11/20 21:00	0.1
11/12/18 22:00	0.1	11/12/19 22:00	0.2	11/11/20 22:00	0.2
11/12/18 23:00	0.2	11/12/19 23:00	0.1	11/11/20 23:00	0.2
11/13/18 0:00	0.2	11/13/19 0:00	0.1	11/12/20 0:00	0.2
11/13/18 1:00	0.2	11/13/19 1:00	0.1	11/12/20 1:00	0.2
11/13/18 2:00	0.1	11/13/19 2:00	0.1	11/12/20 2:00	0.2
11/13/18 3:00	0.1	11/13/19 3:00	0.1	11/12/20 3:00	0.2
11/13/18 4:00	0.2	11/13/19 4:00	0.1	11/12/20 4:00	0.1
11/13/18 5:00	0.2	11/13/19 5:00	0.1	11/12/20 5:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
11/13/18 6:00	0.1	11/13/19 6:00	0.1	11/12/20 6:00	0.1
11/13/18 7:00	0.2	11/13/19 7:00	0.1	11/12/20 7:00	0.1
11/13/18 8:00	0.2	11/13/19 8:00	0.1	11/12/20 8:00	0.1
11/13/18 9:00	0.2	11/13/19 9:00	0.1	11/12/20 9:00	0.1
11/13/18 10:00	0.1	11/13/19 10:00	0.1	11/12/20 10:00	0.1
11/13/18 11:00	0.1	11/13/19 11:00	0.1	11/12/20 11:00	0.1
11/13/18 12:00	0.1	11/13/19 12:00	0.1	11/12/20 12:00	0.1
11/13/18 13:00	0.2	11/13/19 13:00	0.1	11/12/20 13:00	0.1
11/13/18 14:00	0.2	11/13/19 14:00	0.0	11/12/20 14:00	0.1
11/13/18 15:00	0.2	11/13/19 15:00	0.1	11/12/20 15:00	0.1
11/13/18 16:00	0.1	11/13/19 16:00	0.1	11/12/20 16:00	0.2
11/13/18 17:00	0.1	11/13/19 17:00	0.1	11/12/20 17:00	0.1
11/13/18 18:00	0.1	11/13/19 18:00	0.1	11/12/20 18:00	0.1
11/13/18 19:00	0.3	11/13/19 19:00	0.1	11/12/20 19:00	0.1
11/13/18 20:00	0.2	11/13/19 20:00	0.1	11/12/20 20:00	0.1
11/13/18 21:00	0.2	11/13/19 21:00	0.1	11/12/20 21:00	0.1
11/13/18 22:00	0.1	11/13/19 22:00	0.1	11/12/20 22:00	0.1
11/13/18 23:00	0.1	11/13/19 23:00	0.1	11/12/20 23:00	0.1
11/14/18 0:00	0.3	11/14/19 0:00	0.1	11/13/20 0:00	0.1
11/14/18 1:00	0.2	11/14/19 1:00	0.1	11/13/20 1:00	0.1
11/14/18 2:00	0.2	11/14/19 2:00	0.1	11/13/20 2:00	0.1
11/14/18 3:00	0.1	11/14/19 3:00	0.1	11/13/20 3:00	0.1
11/14/18 4:00	0.2	11/14/19 4:00	0.1	11/13/20 4:00	0.1
11/14/18 5:00	0.2	11/14/19 5:00	0.1	11/13/20 5:00	0.1
11/14/18 6:00	0.2	11/14/19 6:00	0.1	11/13/20 6:00	0.1
11/14/18 7:00	0.2	11/14/19 7:00	0.1	11/13/20 7:00	0.1
11/14/18 8:00	0.2	11/14/19 8:00	0.1	11/13/20 8:00	0.1
11/14/18 9:00	0.2	11/14/19 9:00	0.1	11/13/20 9:00	0.1
11/14/18 10:00	0.2	11/14/19 10:00	0.1	11/13/20 10:00	0.1
11/14/18 11:00	0.2	11/14/19 11:00	0.0	11/13/20 11:00	0.1
11/14/18 12:00	0.2	11/14/19 12:00	0.0	11/13/20 12:00	0.1
11/14/18 13:00	0.1	11/14/19 13:00	0.1	11/13/20 13:00	0.1
11/14/18 14:00	0.1	11/14/19 14:00	0.1	11/13/20 14:00	0.2
11/14/18 15:00	0.2	11/14/19 15:00	0.1	11/13/20 15:00	0.1
11/14/18 16:00	0.2	11/14/19 16:00	0.1	11/13/20 16:00	0.1
11/14/18 17:00	0.2	11/14/19 17:00	0.1	11/13/20 17:00	0.1
11/14/18 18:00	0.2	11/14/19 18:00	0.0	11/13/20 18:00	0.1
11/14/18 19:00	0.1	11/14/19 19:00	0.0	11/13/20 19:00	0.1
11/14/18 20:00	0.1	11/14/19 20:00	0.0	11/13/20 20:00	0.1
11/14/18 21:00	0.1	11/14/19 21:00	0.0	11/13/20 21:00	0.1
11/14/18 22:00	0.2	11/14/19 22:00	0.0	11/13/20 22:00	0.2
11/14/18 23:00	0.3	11/14/19 23:00	0.0	11/13/20 23:00	0.2
11/15/18 0:00	0.3	11/15/19 0:00	0.0	11/14/20 0:00	0.2
11/15/18 1:00	0.1	11/15/19 1:00	0.0	11/14/20 1:00	0.2
11/15/18 2:00	0.1	11/15/19 2:00	0.0	11/14/20 2:00	0.2
11/15/18 3:00	0.2	11/15/19 3:00	0.0	11/14/20 3:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
11/15/18 4:00	0.2	11/15/19 4:00	0.0	11/14/20 4:00	0.1
11/15/18 5:00	0.2	11/15/19 5:00	0.0	11/14/20 5:00	0.1
11/15/18 6:00	0.2	11/15/19 6:00	0.0	11/14/20 6:00	0.1
11/15/18 7:00	0.2	11/15/19 7:00	0.0	11/14/20 7:00	0.1
11/15/18 8:00	0.3	11/15/19 8:00	0.0	11/14/20 8:00	0.1
11/15/18 9:00	0.1	11/15/19 9:00	0.0	11/14/20 9:00	0.1
11/15/18 10:00	0.1	11/15/19 10:00	0.0	11/14/20 10:00	0.1
11/15/18 11:00	0.1	11/15/19 11:00	0.0	11/14/20 11:00	0.1
11/15/18 12:00	0.1	11/15/19 12:00	0.0	11/14/20 12:00	0.1
11/15/18 13:00	0.1	11/15/19 13:00	0.0	11/14/20 13:00	0.1
11/15/18 14:00	0.1	11/15/19 14:00	0.0	11/14/20 14:00	0.1
11/15/18 15:00	0.1	11/15/19 15:00	0.0	11/14/20 15:00	0.1
11/15/18 16:00	0.1	11/15/19 16:00	0.1	11/14/20 16:00	0.1
11/15/18 17:00	0.1	11/15/19 17:00	0.1	11/14/20 17:00	0.1
11/15/18 18:00	0.2	11/15/19 18:00	0.1	11/14/20 18:00	0.1
11/15/18 19:00	0.1	11/15/19 19:00	0.1	11/14/20 19:00	0.1
11/15/18 20:00	0.1	11/15/19 20:00	0.1	11/14/20 20:00	0.1
11/15/18 21:00	0.1	11/15/19 21:00	0.1	11/14/20 21:00	0.1
11/15/18 22:00	0.0	11/15/19 22:00	0.1	11/14/20 22:00	0.1
11/15/18 23:00	0.4	11/15/19 23:00	0.1	11/14/20 23:00	0.1
11/16/18 0:00	0.6	11/16/19 0:00	0.1	11/15/20 0:00	0.2
11/16/18 1:00	0.6	11/16/19 1:00	0.1	11/15/20 1:00	0.2
11/16/18 2:00	0.6	11/16/19 2:00	0.1	11/15/20 2:00	0.2
11/16/18 3:00	0.6	11/16/19 3:00	0.1	11/15/20 3:00	0.1
11/16/18 4:00	0.6	11/16/19 4:00	0.1	11/15/20 4:00	0.1
11/16/18 5:00	0.4	11/16/19 5:00	0.1	11/15/20 5:00	0.1
11/16/18 6:00	0.4	11/16/19 6:00	0.1	11/15/20 6:00	0.3
11/16/18 7:00	0.6	11/16/19 7:00	0.1	11/15/20 7:00	0.1
11/16/18 8:00	0.6	11/16/19 8:00	0.1	11/15/20 8:00	0.1
11/16/18 9:00	0.6	11/16/19 9:00	0.1	11/15/20 9:00	0.2
11/16/18 10:00	0.6	11/16/19 10:00	0.1	11/15/20 10:00	0.1
11/16/18 11:00	0.6	11/16/19 11:00	0.1	11/15/20 11:00	0.1
11/16/18 12:00	0.7	11/16/19 12:00	0.1	11/15/20 12:00	0.1
11/16/18 13:00	0.2	11/16/19 13:00	0.1	11/15/20 13:00	0.1
11/16/18 14:00	0.1	11/16/19 14:00	0.1	11/15/20 14:00	0.1
11/16/18 15:00	0.1	11/16/19 15:00	0.2	11/15/20 15:00	0.1
11/16/18 16:00	0.2	11/16/19 16:00	0.1	11/15/20 16:00	0.1
11/16/18 17:00	0.2	11/16/19 17:00	0.1	11/15/20 17:00	0.1
11/16/18 18:00	0.2	11/16/19 18:00	0.2	11/15/20 18:00	0.1
11/16/18 19:00	0.2	11/16/19 19:00	0.1	11/15/20 19:00	0.1
11/16/18 20:00	0.1	11/16/19 20:00	0.1	11/15/20 20:00	0.1
11/16/18 21:00	0.1	11/16/19 21:00	0.2	11/15/20 21:00	0.1
11/16/18 22:00	0.2	11/16/19 22:00	0.2	11/15/20 22:00	0.1
11/16/18 23:00	0.2	11/16/19 23:00	0.1	11/15/20 23:00	0.1
11/17/18 0:00	0.2	11/17/19 0:00	0.1	11/16/20 0:00	0.1
11/17/18 1:00	0.1	11/17/19 1:00	0.1	11/16/20 1:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
11/17/18 2:00	0.1	11/17/19 2:00	0.1	11/16/20 2:00	0.2
11/17/18 3:00	0.1	11/17/19 3:00	0.1	11/16/20 3:00	0.1
11/17/18 4:00	0.1	11/17/19 4:00	0.1	11/16/20 4:00	0.1
11/17/18 5:00	0.1	11/17/19 5:00	0.1	11/16/20 5:00	0.2
11/17/18 6:00	0.1	11/17/19 6:00	0.1	11/16/20 6:00	0.1
11/17/18 7:00	0.1	11/17/19 7:00	0.2	11/16/20 7:00	0.1
11/17/18 8:00	0.1	11/17/19 8:00	0.1	11/16/20 8:00	0.1
11/17/18 9:00	0.1	11/17/19 9:00	0.1	11/16/20 9:00	0.2
11/17/18 10:00	0.1	11/17/19 10:00	0.1	11/16/20 10:00	0.2
11/17/18 11:00	0.1	11/17/19 11:00	0.1	11/16/20 11:00	0.1
11/17/18 12:00	0.1	11/17/19 12:00	0.1	11/16/20 12:00	0.2
11/17/18 13:00	0.1	11/17/19 13:00	0.1	11/16/20 13:00	0.2
11/17/18 14:00	0.1	11/17/19 14:00	0.1	11/16/20 14:00	0.2
11/17/18 15:00	0.1	11/17/19 15:00	0.1	11/16/20 15:00	0.1
11/17/18 16:00	0.1	11/17/19 16:00	0.1	11/16/20 16:00	0.1
11/17/18 17:00	0.2	11/17/19 17:00	0.1	11/16/20 17:00	0.1
11/17/18 18:00	0.2	11/17/19 18:00	0.1	11/16/20 18:00	0.1
11/17/18 19:00	0.2	11/17/19 19:00	0.1	11/16/20 19:00	0.2
11/17/18 20:00	0.1	11/17/19 20:00	0.1	11/16/20 20:00	0.1
11/17/18 21:00	0.1	11/17/19 21:00	0.1	11/16/20 21:00	0.1
11/17/18 22:00	0.1	11/17/19 22:00	0.1	11/16/20 22:00	0.1
11/17/18 23:00	0.1	11/17/19 23:00	0.1	11/16/20 23:00	0.2
11/18/18 0:00	0.2	11/18/19 0:00	0.1	11/17/20 0:00	0.1
11/18/18 1:00	0.2	11/18/19 1:00	0.1	11/17/20 1:00	0.1
11/18/18 2:00	0.2	11/18/19 2:00	0.1	11/17/20 2:00	0.1
11/18/18 3:00	0.2	11/18/19 3:00	0.1	11/17/20 3:00	0.1
11/18/18 4:00	0.1	11/18/19 4:00	0.1	11/17/20 4:00	0.1
11/18/18 5:00	0.1	11/18/19 5:00	0.1	11/17/20 5:00	0.1
11/18/18 6:00	0.1	11/18/19 6:00	0.1	11/17/20 6:00	0.1
11/18/18 7:00	0.1	11/18/19 7:00	0.1	11/17/20 7:00	0.1
11/18/18 8:00	0.1	11/18/19 8:00	0.1	11/17/20 8:00	0.1
11/18/18 9:00	0.2	11/18/19 9:00	0.1	11/17/20 9:00	0.2
11/18/18 10:00	0.2	11/18/19 10:00	0.1	11/17/20 10:00	0.2
11/18/18 11:00	0.1	11/18/19 11:00	0.1	11/17/20 11:00	0.2
11/18/18 12:00	0.1	11/18/19 12:00	0.1	11/17/20 12:00	0.2
11/18/18 13:00	0.1	11/18/19 13:00	0.1	11/17/20 13:00	0.2
11/18/18 14:00	0.1	11/18/19 14:00	0.1	11/17/20 14:00	0.1
11/18/18 15:00	0.1	11/18/19 15:00	0.1	11/17/20 15:00	0.1
11/18/18 16:00	0.1	11/18/19 16:00	0.1	11/17/20 16:00	0.1
11/18/18 17:00	0.1	11/18/19 17:00	0.1	11/17/20 17:00	0.1
11/18/18 18:00	0.1	11/18/19 18:00	0.0	11/17/20 18:00	0.2
11/18/18 19:00	0.1	11/18/19 19:00	0.1	11/17/20 19:00	0.2
11/18/18 20:00	0.1	11/18/19 20:00	0.1	11/17/20 20:00	0.3
11/18/18 21:00	0.1	11/18/19 21:00	0.0	11/17/20 21:00	0.1
11/18/18 22:00	0.2	11/18/19 22:00	0.1	11/17/20 22:00	0.1
11/18/18 23:00	0.1	11/18/19 23:00	0.1	11/17/20 23:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
11/19/18 0:00	0.1	11/19/19 0:00	0.1	11/18/20 0:00	0.1
11/19/18 1:00	0.1	11/19/19 1:00	0.1	11/18/20 1:00	0.1
11/19/18 2:00	0.1	11/19/19 2:00	0.1	11/18/20 2:00	0.1
11/19/18 3:00	0.1	11/19/19 3:00	0.1	11/18/20 3:00	0.1
11/19/18 4:00	0.1	11/19/19 4:00	0.1	11/18/20 4:00	0.2
11/19/18 5:00	0.1	11/19/19 5:00	0.1	11/18/20 5:00	0.1
11/19/18 6:00	0.1	11/19/19 6:00	0.0	11/18/20 6:00	0.1
11/19/18 7:00	0.1	11/19/19 7:00	0.1	11/18/20 7:00	0.2
11/19/18 8:00	0.1	11/19/19 8:00	0.0	11/18/20 8:00	0.2
11/19/18 9:00	0.1	11/19/19 9:00	0.1	11/18/20 9:00	0.2
11/19/18 10:00	0.1	11/19/19 10:00	0.2	11/18/20 10:00	0.1
11/19/18 11:00	0.2	11/19/19 11:00	0.1	11/18/20 11:00	0.2
11/19/18 12:00	0.1	11/19/19 12:00	0.0	11/18/20 12:00	0.1
11/19/18 13:00	0.1	11/19/19 13:00	0.0	11/18/20 13:00	0.2
11/19/18 14:00	0.1	11/19/19 14:00	0.0	11/18/20 14:00	0.1
11/19/18 15:00	0.1	11/19/19 15:00	0.1	11/18/20 15:00	0.1
11/19/18 16:00	0.1	11/19/19 16:00	0.1	11/18/20 16:00	0.1
11/19/18 17:00	0.1	11/19/19 17:00	0.1	11/18/20 17:00	0.2
11/19/18 18:00	0.1	11/19/19 18:00	0.0	11/18/20 18:00	0.3
11/19/18 19:00	0.1	11/19/19 19:00	0.1	11/18/20 19:00	0.2
11/19/18 20:00	0.1	11/19/19 20:00	0.1	11/18/20 20:00	0.2
11/19/18 21:00	0.1	11/19/19 21:00	0.1	11/18/20 21:00	0.2
11/19/18 22:00	0.1	11/19/19 22:00	0.1	11/18/20 22:00	0.2
11/19/18 23:00	0.1	11/19/19 23:00	0.1	11/18/20 23:00	0.1
11/20/18 0:00	0.1	11/20/19 0:00	0.1	11/19/20 0:00	0.1
11/20/18 1:00	0.1	11/20/19 1:00	0.1	11/19/20 1:00	0.1
11/20/18 2:00	0.1	11/20/19 2:00	0.1	11/19/20 2:00	0.1
11/20/18 3:00	0.2	11/20/19 3:00	0.1	11/19/20 3:00	0.2
11/20/18 4:00	0.2	11/20/19 4:00	0.1	11/19/20 4:00	0.1
11/20/18 5:00	0.2	11/20/19 5:00	0.1	11/19/20 5:00	0.1
11/20/18 6:00	0.2	11/20/19 6:00	0.1	11/19/20 6:00	0.1
11/20/18 7:00	0.2	11/20/19 7:00	0.1	11/19/20 7:00	0.2
11/20/18 8:00	0.1	11/20/19 8:00	0.1	11/19/20 8:00	0.1
11/20/18 9:00	0.2	11/20/19 9:00	0.1	11/19/20 9:00	0.1
11/20/18 10:00	0.2	11/20/19 10:00	0.1	11/19/20 10:00	0.1
11/20/18 11:00	0.1	11/20/19 11:00	0.1	11/19/20 11:00	0.1
11/20/18 12:00	0.1	11/20/19 12:00	0.1	11/19/20 12:00	0.1
11/20/18 13:00	0.1	11/20/19 13:00	0.1	11/19/20 13:00	0.1
11/20/18 14:00	0.2	11/20/19 14:00	0.1	11/19/20 14:00	0.1
11/20/18 15:00	0.1	11/20/19 15:00	0.1	11/19/20 15:00	0.1
11/20/18 16:00	0.1	11/20/19 16:00	0.0	11/19/20 16:00	0.1
11/20/18 17:00	0.2	11/20/19 17:00	0.0	11/19/20 17:00	0.1
11/20/18 18:00	0.1	11/20/19 18:00	0.1	11/19/20 18:00	0.1
11/20/18 19:00	0.1	11/20/19 19:00	0.1	11/19/20 19:00	0.1
11/20/18 20:00	0.2	11/20/19 20:00	0.1	11/19/20 20:00	0.1
11/20/18 21:00	0.1	11/20/19 21:00	0.1	11/19/20 21:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
11/20/18 22:00	0.2	11/20/19 22:00	0.1	11/19/20 22:00	0.1
11/20/18 23:00	0.2	11/20/19 23:00	0.1	11/19/20 23:00	0.1
11/21/18 0:00	0.1	11/21/19 0:00	0.1	11/20/20 0:00	0.1
11/21/18 1:00	0.1	11/21/19 1:00	0.1	11/20/20 1:00	0.1
11/21/18 2:00	0.1	11/21/19 2:00	0.1	11/20/20 2:00	0.1
11/21/18 3:00	0.1	11/21/19 3:00	0.1	11/20/20 3:00	0.1
11/21/18 4:00	0.1	11/21/19 4:00	0.1	11/20/20 4:00	0.1
11/21/18 5:00	0.1	11/21/19 5:00	0.1	11/20/20 5:00	0.1
11/21/18 6:00	0.1	11/21/19 6:00	0.1	11/20/20 6:00	0.1
11/21/18 7:00	0.1	11/21/19 7:00	0.1	11/20/20 7:00	0.1
11/21/18 8:00	0.2	11/21/19 8:00	0.1	11/20/20 8:00	0.1
11/21/18 9:00	0.2	11/21/19 9:00	0.1	11/20/20 9:00	0.1
11/21/18 10:00	0.2	11/21/19 10:00	0.1	11/20/20 10:00	0.2
11/21/18 11:00	0.1	11/21/19 11:00	0.1	11/20/20 11:00	0.2
11/21/18 12:00	0.1	11/21/19 12:00	0.1	11/20/20 12:00	0.3
11/21/18 13:00	0.1	11/21/19 13:00	0.1	11/20/20 13:00	0.2
11/21/18 14:00	0.1	11/21/19 14:00	0.1	11/20/20 14:00	0.2
11/21/18 15:00	0.1	11/21/19 15:00	0.1	11/20/20 15:00	0.2
11/21/18 16:00	0.1	11/21/19 16:00	0.1	11/20/20 16:00	0.1
11/21/18 17:00	0.2	11/21/19 17:00	0.1	11/20/20 17:00	0.2
11/21/18 18:00	0.2	11/21/19 18:00	0.1	11/20/20 18:00	0.1
11/21/18 19:00	0.2	11/21/19 19:00	0.1	11/20/20 19:00	0.2
11/21/18 20:00	0.2	11/21/19 20:00	0.1	11/20/20 20:00	0.1
11/21/18 21:00	0.1	11/21/19 21:00	0.3	11/20/20 21:00	0.3
11/21/18 22:00	0.1	11/21/19 22:00	0.3	11/20/20 22:00	0.2
11/21/18 23:00	0.1	11/21/19 23:00	0.2	11/20/20 23:00	0.2
11/22/18 0:00	0.2	11/22/19 0:00	0.1	11/21/20 0:00	0.2
11/22/18 1:00	0.2	11/22/19 1:00	0.1	11/21/20 1:00	0.2
11/22/18 2:00	0.2	11/22/19 2:00	0.1	11/21/20 2:00	0.2
11/22/18 3:00	0.2	11/22/19 3:00	0.1	11/21/20 3:00	0.1
11/22/18 4:00	0.2	11/22/19 4:00	0.1	11/21/20 4:00	0.1
11/22/18 5:00	0.2	11/22/19 5:00	0.1	11/21/20 5:00	0.2
11/22/18 6:00	0.1	11/22/19 6:00	0.2	11/21/20 6:00	0.2
11/22/18 7:00	0.1	11/22/19 7:00	0.1	11/21/20 7:00	0.1
11/22/18 8:00	0.1	11/22/19 8:00	0.1	11/21/20 8:00	0.2
11/22/18 9:00	0.2	11/22/19 9:00	0.1	11/21/20 9:00	0.1
11/22/18 10:00	0.3	11/22/19 10:00	0.1	11/21/20 10:00	0.1
11/22/18 11:00	0.2	11/22/19 11:00	0.1	11/21/20 11:00	0.1
11/22/18 12:00	0.2	11/22/19 12:00	0.1	11/21/20 12:00	0.2
11/22/18 13:00	0.2	11/22/19 13:00	0.1	11/21/20 13:00	0.2
11/22/18 14:00	0.1	11/22/19 14:00	0.1	11/21/20 14:00	0.2
11/22/18 15:00	0.1	11/22/19 15:00	0.1	11/21/20 15:00	0.1
11/22/18 16:00	0.1	11/22/19 16:00	0.1	11/21/20 16:00	0.1
11/22/18 17:00	0.1	11/22/19 17:00	0.1	11/21/20 17:00	0.1
11/22/18 18:00	0.1	11/22/19 18:00	0.1	11/21/20 18:00	0.2
11/22/18 19:00	0.2	11/22/19 19:00	0.1	11/21/20 19:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
11/22/18 20:00	0.2	11/22/19 20:00	0.1	11/21/20 20:00	0.2
11/22/18 21:00	0.1	11/22/19 21:00	0.1	11/21/20 21:00	0.2
11/22/18 22:00	0.1	11/22/19 22:00	0.1	11/21/20 22:00	0.1
11/22/18 23:00	0.1	11/22/19 23:00	0.1	11/21/20 23:00	0.1
11/23/18 0:00	0.1	11/23/19 0:00	0.1	11/22/20 0:00	0.3
11/23/18 1:00	0.1	11/23/19 1:00	0.1	11/22/20 1:00	0.2
11/23/18 2:00	0.2	11/23/19 2:00	0.1	11/22/20 2:00	0.2
11/23/18 3:00	0.1	11/23/19 3:00	0.2	11/22/20 3:00	0.2
11/23/18 4:00	0.2	11/23/19 4:00	0.2	11/22/20 4:00	0.2
11/23/18 5:00	0.2	11/23/19 5:00	0.2	11/22/20 5:00	0.3
11/23/18 6:00	0.1	11/23/19 6:00	0.2	11/22/20 6:00	0.2
11/23/18 7:00	0.1	11/23/19 7:00	0.1	11/22/20 7:00	0.2
11/23/18 8:00	0.1	11/23/19 8:00	0.3	11/22/20 8:00	0.2
11/23/18 9:00	0.2	11/23/19 9:00	0.2	11/22/20 9:00	0.1
11/23/18 10:00	0.1	11/23/19 10:00	0.2	11/22/20 10:00	0.1
11/23/18 11:00	0.1	11/23/19 11:00	0.2	11/22/20 11:00	0.1
11/23/18 12:00	0.1	11/23/19 12:00	0.2	11/22/20 12:00	0.1
11/23/18 13:00	0.1	11/23/19 13:00	0.2	11/22/20 13:00	0.2
11/23/18 14:00	0.2	11/23/19 14:00	0.1	11/22/20 14:00	0.1
11/23/18 15:00	0.2	11/23/19 15:00	0.2	11/22/20 15:00	0.1
11/23/18 16:00	0.1	11/23/19 16:00	0.1	11/22/20 16:00	0.1
11/23/18 17:00	0.1	11/23/19 17:00	0.1	11/22/20 17:00	0.1
11/23/18 18:00	0.1	11/23/19 18:00	0.2	11/22/20 18:00	0.1
11/23/18 19:00	0.1	11/23/19 19:00	0.4	11/22/20 19:00	0.2
11/23/18 20:00	0.1	11/23/19 20:00	0.2	11/22/20 20:00	0.1
11/23/18 21:00	0.1	11/23/19 21:00	0.1	11/22/20 21:00	0.1
11/23/18 22:00	0.1	11/23/19 22:00	0.1	11/22/20 22:00	0.1
11/23/18 23:00	0.1	11/23/19 23:00	0.1	11/22/20 23:00	0.2
11/24/18 0:00	0.1	11/24/19 0:00	0.1	11/23/20 0:00	0.2
11/24/18 1:00	0.2	11/24/19 1:00	0.1	11/23/20 1:00	0.1
11/24/18 2:00	0.1	11/24/19 2:00	0.2	11/23/20 2:00	0.1
11/24/18 3:00	0.2	11/24/19 3:00	0.1	11/23/20 3:00	0.1
11/24/18 4:00	0.2	11/24/19 4:00	0.1	11/23/20 4:00	0.1
11/24/18 5:00	0.2	11/24/19 5:00	0.1	11/23/20 5:00	0.1
11/24/18 6:00	0.2	11/24/19 6:00	0.2	11/23/20 6:00	0.1
11/24/18 7:00	0.2	11/24/19 7:00	0.2	11/23/20 7:00	0.1
11/24/18 8:00	0.1	11/24/19 8:00	0.1	11/23/20 8:00	0.3
11/24/18 9:00	0.1	11/24/19 9:00	0.1	11/23/20 9:00	0.2
11/24/18 10:00	0.1	11/24/19 10:00	0.1	11/23/20 10:00	0.2
11/24/18 11:00	0.1	11/24/19 11:00	0.2	11/23/20 11:00	0.2
11/24/18 12:00	0.1	11/24/19 12:00	0.2	11/23/20 12:00	0.2
11/24/18 13:00	0.1	11/24/19 13:00	0.2	11/23/20 13:00	0.1
11/24/18 14:00	0.1	11/24/19 14:00	0.1	11/23/20 14:00	0.1
11/24/18 15:00	0.1	11/24/19 15:00	0.1	11/23/20 15:00	0.1
11/24/18 16:00	0.1	11/24/19 16:00	0.1	11/23/20 16:00	0.1
11/24/18 17:00	0.1	11/24/19 17:00	0.1	11/23/20 17:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
11/24/18 18:00	0.1	11/24/19 18:00	0.1	11/23/20 18:00	0.1
11/24/18 19:00	0.1	11/24/19 19:00	0.1	11/23/20 19:00	0.1
11/24/18 20:00	0.1	11/24/19 20:00	0.1	11/23/20 20:00	0.1
11/24/18 21:00	0.1	11/24/19 21:00	0.1	11/23/20 21:00	0.1
11/24/18 22:00	0.2	11/24/19 22:00	0.1	11/23/20 22:00	0.1
11/24/18 23:00	0.1	11/24/19 23:00	0.1	11/23/20 23:00	0.1
11/25/18 0:00	0.1	11/25/19 0:00	0.0	11/24/20 0:00	0.0
11/25/18 1:00	0.1	11/25/19 1:00	0.0	11/24/20 1:00	0.1
11/25/18 2:00	0.2	11/25/19 2:00	0.1	11/24/20 2:00	0.1
11/25/18 3:00	0.1	11/25/19 3:00	0.0	11/24/20 3:00	0.1
11/25/18 4:00	0.1	11/25/19 4:00	0.1	11/24/20 4:00	0.1
11/25/18 5:00	0.1	11/25/19 5:00	0.0	11/24/20 5:00	0.1
11/25/18 6:00	0.1	11/25/19 6:00	0.0	11/24/20 6:00	0.2
11/25/18 7:00	0.1	11/25/19 7:00	0.1	11/24/20 7:00	0.2
11/25/18 8:00	0.1	11/25/19 8:00	0.1	11/24/20 8:00	0.2
11/25/18 9:00	0.1	11/25/19 9:00	0.0	11/24/20 9:00	0.2
11/25/18 10:00	0.1	11/25/19 10:00	0.1	11/24/20 10:00	0.1
11/25/18 11:00	0.2	11/25/19 11:00	0.1	11/24/20 11:00	0.1
11/25/18 12:00	0.2	11/25/19 12:00	0.1	11/24/20 12:00	0.1
11/25/18 13:00	0.1	11/25/19 13:00	0.0	11/24/20 13:00	0.1
11/25/18 14:00	0.1	11/25/19 14:00	0.1	11/24/20 14:00	0.1
11/25/18 15:00	0.2	11/25/19 15:00	0.1	11/24/20 15:00	0.1
11/25/18 16:00	0.1	11/25/19 16:00	0.1	11/24/20 16:00	0.1
11/25/18 17:00	0.1	11/25/19 17:00	0.1	11/24/20 17:00	0.1
11/25/18 18:00	0.2	11/25/19 18:00	0.1	11/24/20 18:00	0.1
11/25/18 19:00	0.1	11/25/19 19:00	0.1	11/24/20 19:00	0.1
11/25/18 20:00	0.1	11/25/19 20:00	0.1	11/24/20 20:00	0.1
11/25/18 21:00	0.1	11/25/19 21:00	0.1	11/24/20 21:00	0.1
11/25/18 22:00	0.1	11/25/19 22:00	0.1	11/24/20 22:00	0.1
11/25/18 23:00	0.1	11/25/19 23:00	0.1	11/24/20 23:00	0.1
11/26/18 0:00	0.1	11/26/19 0:00	0.0	11/25/20 0:00	0.1
11/26/18 1:00	0.2	11/26/19 1:00	0.1	11/25/20 1:00	0.1
11/26/18 2:00	0.2	11/26/19 2:00	0.1	11/25/20 2:00	0.1
11/26/18 3:00	0.2	11/26/19 3:00	0.1	11/25/20 3:00	0.1
11/26/18 4:00	0.2	11/26/19 4:00	0.1	11/25/20 4:00	0.1
11/26/18 5:00	0.2	11/26/19 5:00	0.0	11/25/20 5:00	0.1
11/26/18 6:00	0.1	11/26/19 6:00	0.0	11/25/20 6:00	0.1
11/26/18 7:00	0.1	11/26/19 7:00	0.1	11/25/20 7:00	0.1
11/26/18 8:00	0.1	11/26/19 8:00	0.2	11/25/20 8:00	0.1
11/26/18 9:00	0.1	11/26/19 9:00	0.2	11/25/20 9:00	0.1
11/26/18 10:00	0.1	11/26/19 10:00	0.1	11/25/20 10:00	0.1
11/26/18 11:00	0.1	11/26/19 11:00	0.1	11/25/20 11:00	0.1
11/26/18 12:00	0.1	11/26/19 12:00	0.1	11/25/20 12:00	0.0
11/26/18 13:00	0.1	11/26/19 13:00	0.1	11/25/20 13:00	0.0
11/26/18 14:00	0.1	11/26/19 14:00	0.1	11/25/20 14:00	0.0
11/26/18 15:00	0.1	11/26/19 15:00	0.1	11/25/20 15:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
11/26/18 16:00	0.1	11/26/19 16:00	0.2	11/25/20 16:00	0.0
11/26/18 17:00	0.1	11/26/19 17:00	0.1	11/25/20 17:00	0.0
11/26/18 18:00	0.1	11/26/19 18:00	0.1	11/25/20 18:00	0.0
11/26/18 19:00	0.3	11/26/19 19:00	0.1	11/25/20 19:00	0.0
11/26/18 20:00	0.1	11/26/19 20:00	0.1	11/25/20 20:00	0.0
11/26/18 21:00	0.1	11/26/19 21:00	0.1	11/25/20 21:00	0.0
11/26/18 22:00	0.1	11/26/19 22:00	0.1	11/25/20 22:00	0.0
11/26/18 23:00	0.1	11/26/19 23:00	0.1	11/25/20 23:00	0.0
11/27/18 0:00	0.1	11/27/19 0:00	0.1	11/26/20 0:00	0.0
11/27/18 1:00	0.1	11/27/19 1:00	0.2	11/26/20 1:00	0.0
11/27/18 2:00	0.1	11/27/19 2:00	0.1	11/26/20 2:00	0.0
11/27/18 3:00	0.1	11/27/19 3:00	0.1	11/26/20 3:00	0.0
11/27/18 4:00	0.1	11/27/19 4:00	0.1	11/26/20 4:00	0.0
11/27/18 5:00	0.1	11/27/19 5:00	0.2	11/26/20 5:00	0.0
11/27/18 6:00	0.1	11/27/19 6:00	0.2	11/26/20 6:00	0.0
11/27/18 7:00	0.1	11/27/19 7:00	0.1	11/26/20 7:00	0.0
11/27/18 8:00	0.2	11/27/19 8:00	0.1	11/26/20 8:00	0.0
11/27/18 9:00	0.2	11/27/19 9:00	0.1	11/26/20 9:00	0.0
11/27/18 10:00	0.2	11/27/19 10:00	0.1	11/26/20 10:00	0.0
11/27/18 11:00	0.1	11/27/19 11:00	0.2	11/26/20 11:00	0.0
11/27/18 12:00	0.1	11/27/19 12:00	0.1	11/26/20 12:00	0.0
11/27/18 13:00	0.2	11/27/19 13:00	0.1	11/26/20 13:00	0.0
11/27/18 14:00	0.1	11/27/19 14:00	0.1	11/26/20 14:00	0.0
11/27/18 15:00	0.2	11/27/19 15:00	0.1	11/26/20 15:00	0.0
11/27/18 16:00	0.2	11/27/19 16:00	0.1	11/26/20 16:00	0.0
11/27/18 17:00	0.2	11/27/19 17:00	0.1	11/26/20 17:00	0.0
11/27/18 18:00	0.1	11/27/19 18:00	0.1	11/26/20 18:00	0.0
11/27/18 19:00	0.2	11/27/19 19:00	0.1	11/26/20 19:00	0.0
11/27/18 20:00	0.2	11/27/19 20:00	0.1	11/26/20 20:00	0.0
11/27/18 21:00	0.2	11/27/19 21:00	0.1	11/26/20 21:00	0.0
11/27/18 22:00	0.2	11/27/19 22:00	0.1	11/26/20 22:00	0.0
11/27/18 23:00	0.1	11/27/19 23:00	0.2	11/26/20 23:00	0.0
11/28/18 0:00	0.1	11/28/19 0:00	0.3	11/27/20 0:00	0.0
11/28/18 1:00	0.1	11/28/19 1:00	0.1	11/27/20 1:00	0.0
11/28/18 2:00	0.1	11/28/19 2:00	0.1	11/27/20 2:00	0.0
11/28/18 3:00	0.1	11/28/19 3:00	0.1	11/27/20 3:00	0.0
11/28/18 4:00	0.1	11/28/19 4:00	0.1	11/27/20 4:00	0.0
11/28/18 5:00	0.1	11/28/19 5:00	0.1	11/27/20 5:00	0.0
11/28/18 6:00	0.1	11/28/19 6:00	0.1	11/27/20 6:00	0.0
11/28/18 7:00	0.1	11/28/19 7:00	0.1	11/27/20 7:00	0.0
11/28/18 8:00	0.1	11/28/19 8:00	0.1	11/27/20 8:00	0.0
11/28/18 9:00	0.1	11/28/19 9:00	0.1	11/27/20 9:00	0.0
11/28/18 10:00	0.2	11/28/19 10:00	0.1	11/27/20 10:00	0.0
11/28/18 11:00	0.2	11/28/19 11:00	0.1	11/27/20 11:00	0.0
11/28/18 12:00	0.1	11/28/19 12:00	0.1	11/27/20 12:00	0.0
11/28/18 13:00	0.1	11/28/19 13:00	0.1	11/27/20 13:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
11/28/18 14:00	0.1	11/28/19 14:00	0.1	11/27/20 14:00	0.0
11/28/18 15:00	0.1	11/28/19 15:00	0.1	11/27/20 15:00	0.0
11/28/18 16:00	0.1	11/28/19 16:00	0.1	11/27/20 16:00	0.0
11/28/18 17:00	0.1	11/28/19 17:00	0.1	11/27/20 17:00	0.0
11/28/18 18:00	0.1	11/28/19 18:00	0.1	11/27/20 18:00	0.0
11/28/18 19:00	0.1	11/28/19 19:00	0.1	11/27/20 19:00	0.0
11/28/18 20:00	0.1	11/28/19 20:00	0.1	11/27/20 20:00	0.0
11/28/18 21:00	0.1	11/28/19 21:00	0.1	11/27/20 21:00	0.0
11/28/18 22:00	0.1	11/28/19 22:00	0.1	11/27/20 22:00	0.0
11/28/18 23:00	0.1	11/28/19 23:00	0.1	11/27/20 23:00	0.0
11/29/18 0:00	0.1	11/29/19 0:00	0.1	11/28/20 0:00	0.0
11/29/18 1:00	0.1	11/29/19 1:00	0.1	11/28/20 1:00	0.0
11/29/18 2:00	0.1	11/29/19 2:00	0.1	11/28/20 2:00	0.0
11/29/18 3:00	0.1	11/29/19 3:00	0.1	11/28/20 3:00	0.0
11/29/18 4:00	0.1	11/29/19 4:00	0.1	11/28/20 4:00	0.0
11/29/18 5:00	0.1	11/29/19 5:00	0.1	11/28/20 5:00	0.0
11/29/18 6:00	0.1	11/29/19 6:00	0.1	11/28/20 6:00	0.0
11/29/18 7:00	0.1	11/29/19 7:00	0.1	11/28/20 7:00	0.0
11/29/18 8:00	0.1	11/29/19 8:00	0.1	11/28/20 8:00	0.0
11/29/18 9:00	0.1	11/29/19 9:00	0.0	11/28/20 9:00	0.0
11/29/18 10:00	0.1	11/29/19 10:00	0.1	11/28/20 10:00	0.0
11/29/18 11:00	0.1	11/29/19 11:00	0.1	11/28/20 11:00	0.0
11/29/18 12:00	0.1	11/29/19 12:00	0.1	11/28/20 12:00	0.0
11/29/18 13:00	0.1	11/29/19 13:00	0.1	11/28/20 13:00	0.0
11/29/18 14:00	0.1	11/29/19 14:00	0.1	11/28/20 14:00	0.0
11/29/18 15:00	0.1	11/29/19 15:00	0.1	11/28/20 15:00	0.0
11/29/18 16:00	0.1	11/29/19 16:00	0.1	11/28/20 16:00	0.0
11/29/18 17:00	0.1	11/29/19 17:00	0.1	11/28/20 17:00	0.0
11/29/18 18:00	0.1	11/29/19 18:00	0.1	11/28/20 18:00	0.0
11/29/18 19:00	0.1	11/29/19 19:00	0.1	11/28/20 19:00	0.0
11/29/18 20:00	0.2	11/29/19 20:00	0.1	11/28/20 20:00	0.0
11/29/18 21:00	0.2	11/29/19 21:00	0.1	11/28/20 21:00	0.0
11/29/18 22:00	0.1	11/29/19 22:00	0.0	11/28/20 22:00	0.0
11/29/18 23:00	0.1	11/29/19 23:00	0.0	11/28/20 23:00	0.0
11/30/18 0:00	0.1	11/30/19 0:00	0.0	11/29/20 0:00	0.0
11/30/18 1:00	0.1	11/30/19 1:00	0.1	11/29/20 1:00	0.0
11/30/18 2:00	0.1	11/30/19 2:00	0.1	11/29/20 2:00	0.0
11/30/18 3:00	0.1	11/30/19 3:00	0.0	11/29/20 3:00	0.0
11/30/18 4:00	0.1	11/30/19 4:00	0.1	11/29/20 4:00	0.0
11/30/18 5:00	0.1	11/30/19 5:00	0.1	11/29/20 5:00	0.0
11/30/18 6:00	0.1	11/30/19 6:00	0.1	11/29/20 6:00	0.0
11/30/18 7:00	0.1	11/30/19 7:00	0.0	11/29/20 7:00	0.0
11/30/18 8:00	0.1	11/30/19 8:00	0.0	11/29/20 8:00	0.0
11/30/18 9:00	0.5	11/30/19 9:00	0.1	11/29/20 9:00	0.0
11/30/18 10:00	0.2	11/30/19 10:00	0.1	11/29/20 10:00	0.0
11/30/18 11:00	0.1	11/30/19 11:00	0.1	11/29/20 11:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
11/30/18 12:00	0.1	11/30/19 12:00	0.1	11/29/20 12:00	0.0
11/30/18 13:00	0.3	11/30/19 13:00	0.1	11/29/20 13:00	0.0
11/30/18 14:00	0.2	11/30/19 14:00	0.1	11/29/20 14:00	0.0
11/30/18 15:00	0.1	11/30/19 15:00	0.1	11/29/20 15:00	0.0
11/30/18 16:00	0.1	11/30/19 16:00	0.1	11/29/20 16:00	0.0
11/30/18 17:00	0.1	11/30/19 17:00	0.1	11/29/20 17:00	0.0
11/30/18 18:00	0.1	11/30/19 18:00	0.1	11/29/20 18:00	0.0
11/30/18 19:00	0.1	11/30/19 19:00	0.1	11/29/20 19:00	0.0
11/30/18 20:00	0.2	11/30/19 20:00	0.1	11/29/20 20:00	0.0
11/30/18 21:00	0.1	11/30/19 21:00	0.1	11/29/20 21:00	0.0
11/30/18 22:00	0.1	11/30/19 22:00	0.1	11/29/20 22:00	0.0
11/30/18 23:00	0.1	11/30/19 23:00	0.1	11/29/20 23:00	0.0
12/1/18 0:00	0.1	12/1/19 0:00	0.1	11/30/20 0:00	0.0
12/1/18 1:00	0.1	12/1/19 1:00	0.1	11/30/20 1:00	0.0
12/1/18 2:00	0.1	12/1/19 2:00	0.1	11/30/20 2:00	0.0
12/1/18 3:00	0.1	12/1/19 3:00	0.2	11/30/20 3:00	0.0
12/1/18 4:00	0.1	12/1/19 4:00	0.1	11/30/20 4:00	0.0
12/1/18 5:00	0.1	12/1/19 5:00	0.0	11/30/20 5:00	0.0
12/1/18 6:00	0.1	12/1/19 6:00	0.1	11/30/20 6:00	0.0
12/1/18 7:00	0.1	12/1/19 7:00	0.1	11/30/20 7:00	0.0
12/1/18 8:00	0.1	12/1/19 8:00	0.1	11/30/20 8:00	0.0
12/1/18 9:00	0.3	12/1/19 9:00	0.1	11/30/20 9:00	0.0
12/1/18 10:00	0.0	12/1/19 10:00	0.1	11/30/20 10:00	0.0
12/1/18 11:00	0.0	12/1/19 11:00	0.1	11/30/20 11:00	0.0
12/1/18 12:00	0.0	12/1/19 12:00	0.1	11/30/20 12:00	0.0
12/1/18 13:00	0.0	12/1/19 13:00	0.1	11/30/20 13:00	0.0
12/1/18 14:00	0.0	12/1/19 14:00	0.1	11/30/20 14:00	0.0
12/1/18 15:00	0.0	12/1/19 15:00	0.1	11/30/20 15:00	0.0
12/1/18 16:00	0.0	12/1/19 16:00	0.1	11/30/20 16:00	0.0
12/1/18 17:00	0.0	12/1/19 17:00	0.1	11/30/20 17:00	0.0
12/1/18 18:00	0.0	12/1/19 18:00	0.1	11/30/20 18:00	0.0
12/1/18 19:00	0.0	12/1/19 19:00	0.1	11/30/20 19:00	0.0
12/1/18 20:00	0.0	12/1/19 20:00	0.1	11/30/20 20:00	0.0
12/1/18 21:00	0.0	12/1/19 21:00	0.1	11/30/20 21:00	0.0
12/1/18 22:00	0.0	12/1/19 22:00	0.1	11/30/20 22:00	0.0
12/1/18 23:00	0.0	12/1/19 23:00	0.1	11/30/20 23:00	0.0
12/2/18 0:00	0.0	12/2/19 0:00	0.1	12/1/20 0:00	0.0
12/2/18 1:00	0.0	12/2/19 1:00	0.1	12/1/20 1:00	0.0
12/2/18 2:00	0.0	12/2/19 2:00	0.1	12/1/20 2:00	0.0
12/2/18 3:00	0.0	12/2/19 3:00	0.0	12/1/20 3:00	0.0
12/2/18 4:00	0.0	12/2/19 4:00	0.0	12/1/20 4:00	0.0
12/2/18 5:00	0.0	12/2/19 5:00	0.0	12/1/20 5:00	0.0
12/2/18 6:00	0.0	12/2/19 6:00	0.1	12/1/20 6:00	0.0
12/2/18 7:00	0.0	12/2/19 7:00	0.1	12/1/20 7:00	0.0
12/2/18 8:00	0.0	12/2/19 8:00	0.1	12/1/20 8:00	0.0
12/2/18 9:00	0.0	12/2/19 9:00	0.1	12/1/20 9:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
12/2/18 10:00	0.0	12/2/19 10:00	0.1	12/1/20 10:00	0.0
12/2/18 11:00	0.0	12/2/19 11:00	0.1	12/1/20 11:00	0.0
12/2/18 12:00	0.0	12/2/19 12:00	0.1	12/1/20 12:00	0.0
12/2/18 13:00	0.0	12/2/19 13:00	0.1	12/1/20 13:00	0.0
12/2/18 14:00	0.0	12/2/19 14:00	0.2	12/1/20 14:00	0.0
12/2/18 15:00	0.0	12/2/19 15:00	0.2	12/1/20 15:00	0.0
12/2/18 16:00	0.0	12/2/19 16:00	0.2	12/1/20 16:00	0.0
12/2/18 17:00	0.0	12/2/19 17:00	0.3	12/1/20 17:00	0.0
12/2/18 18:00	0.0	12/2/19 18:00	0.3	12/1/20 18:00	0.0
12/2/18 19:00	0.0	12/2/19 19:00	0.2	12/1/20 19:00	0.0
12/2/18 20:00	0.0	12/2/19 20:00	0.1	12/1/20 20:00	0.0
12/2/18 21:00	0.0	12/2/19 21:00	0.1	12/1/20 21:00	0.0
12/2/18 22:00	0.0	12/2/19 22:00	0.1	12/1/20 22:00	0.0
12/2/18 23:00	0.0	12/2/19 23:00	0.1	12/1/20 23:00	0.0
12/3/18 0:00	0.0	12/3/19 0:00	0.1	12/2/20 0:00	0.0
12/3/18 1:00	0.0	12/3/19 1:00	0.1	12/2/20 1:00	0.0
12/3/18 2:00	0.0	12/3/19 2:00	0.1	12/2/20 2:00	0.0
12/3/18 3:00	0.0	12/3/19 3:00	0.1	12/2/20 3:00	0.0
12/3/18 4:00	0.0	12/3/19 4:00	0.1	12/2/20 4:00	0.0
12/3/18 5:00	0.0	12/3/19 5:00	0.1	12/2/20 5:00	0.0
12/3/18 6:00	0.0	12/3/19 6:00	0.1	12/2/20 6:00	0.0
12/3/18 7:00	0.0	12/3/19 7:00	0.1	12/2/20 7:00	0.0
12/3/18 8:00	0.0	12/3/19 8:00	0.1	12/2/20 8:00	0.0
12/3/18 9:00	0.0	12/3/19 9:00	6.5	12/2/20 9:00	0.0
12/3/18 10:00	0.0	12/3/19 10:00	0.2	12/2/20 10:00	0.0
12/3/18 11:00	0.0	12/3/19 11:00	0.2	12/2/20 11:00	0.0
12/3/18 12:00	0.0	12/3/19 12:00	0.1	12/2/20 12:00	0.0
12/3/18 13:00	0.0	12/3/19 13:00	0.1	12/2/20 13:00	0.0
12/3/18 14:00	0.0	12/3/19 14:00	0.2	12/2/20 14:00	0.0
12/3/18 15:00	0.0	12/3/19 15:00	0.2	12/2/20 15:00	0.0
12/3/18 16:00	0.0	12/3/19 16:00	0.1	12/2/20 16:00	0.0
12/3/18 17:00	0.0	12/3/19 17:00	0.1	12/2/20 17:00	0.0
12/3/18 18:00	0.0	12/3/19 18:00	0.1	12/2/20 18:00	0.0
12/3/18 19:00	0.0	12/3/19 19:00	0.1	12/2/20 19:00	0.0
12/3/18 20:00	0.0	12/3/19 20:00	0.1	12/2/20 20:00	0.0
12/3/18 21:00	0.0	12/3/19 21:00	0.1	12/2/20 21:00	0.0
12/3/18 22:00	0.0	12/3/19 22:00	0.1	12/2/20 22:00	0.0
12/3/18 23:00	0.0	12/3/19 23:00	0.2	12/2/20 23:00	0.0
12/4/18 0:00	0.0	12/4/19 0:00	0.2	12/3/20 0:00	0.0
12/4/18 1:00	0.0	12/4/19 1:00	0.2	12/3/20 1:00	0.0
12/4/18 2:00	0.0	12/4/19 2:00	0.0	12/3/20 2:00	0.0
12/4/18 3:00	0.0	12/4/19 3:00	0.0	12/3/20 3:00	0.0
12/4/18 4:00	0.0	12/4/19 4:00	0.1	12/3/20 4:00	0.0
12/4/18 5:00	0.0	12/4/19 5:00	0.1	12/3/20 5:00	0.0
12/4/18 6:00	0.0	12/4/19 6:00	0.2	12/3/20 6:00	0.0
12/4/18 7:00	0.0	12/4/19 7:00	0.2	12/3/20 7:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
12/4/18 8:00	0.0	12/4/19 8:00	0.1	12/3/20 8:00	0.0
12/4/18 9:00	0.0	12/4/19 9:00	0.2	12/3/20 9:00	0.0
12/4/18 10:00	0.0	12/4/19 10:00	0.1	12/3/20 10:00	0.0
12/4/18 11:00	0.0	12/4/19 11:00	0.2	12/3/20 11:00	0.0
12/4/18 12:00	0.0	12/4/19 12:00	0.2	12/3/20 12:00	0.0
12/4/18 13:00	0.0	12/4/19 13:00	0.3	12/3/20 13:00	0.0
12/4/18 14:00	0.0	12/4/19 14:00	0.2	12/3/20 14:00	0.0
12/4/18 15:00	0.0	12/4/19 15:00	0.2	12/3/20 15:00	0.0
12/4/18 16:00	0.0	12/4/19 16:00	0.1	12/3/20 16:00	0.0
12/4/18 17:00	0.0	12/4/19 17:00	0.2	12/3/20 17:00	0.0
12/4/18 18:00	0.0	12/4/19 18:00	0.1	12/3/20 18:00	0.0
12/4/18 19:00	0.0	12/4/19 19:00	0.2	12/3/20 19:00	0.0
12/4/18 20:00	0.0	12/4/19 20:00	0.2	12/3/20 20:00	0.0
12/4/18 21:00	0.0	12/4/19 21:00	0.2	12/3/20 21:00	0.0
12/4/18 22:00	0.0	12/4/19 22:00	0.2	12/3/20 22:00	0.0
12/4/18 23:00	0.0	12/4/19 23:00	0.2	12/3/20 23:00	0.0
12/5/18 0:00	0.0	12/5/19 0:00	0.1	12/4/20 0:00	0.0
12/5/18 1:00	0.0	12/5/19 1:00	0.1	12/4/20 1:00	0.0
12/5/18 2:00	0.0	12/5/19 2:00	0.1	12/4/20 2:00	0.0
12/5/18 3:00	0.0	12/5/19 3:00	0.1	12/4/20 3:00	0.0
12/5/18 4:00	0.0	12/5/19 4:00	0.1	12/4/20 4:00	0.0
12/5/18 5:00	0.0	12/5/19 5:00	0.1	12/4/20 5:00	0.0
12/5/18 6:00	0.0	12/5/19 6:00	0.1	12/4/20 6:00	0.0
12/5/18 7:00	0.0	12/5/19 7:00	0.1	12/4/20 7:00	0.0
12/5/18 8:00	0.0	12/5/19 8:00	0.1	12/4/20 8:00	0.0
12/5/18 9:00	0.0	12/5/19 9:00	0.1	12/4/20 9:00	0.0
12/5/18 10:00	0.0	12/5/19 10:00	0.1	12/4/20 10:00	0.0
12/5/18 11:00	0.0	12/5/19 11:00	0.0	12/4/20 11:00	0.0
12/5/18 12:00	0.0	12/5/19 12:00	0.2	12/4/20 12:00	0.0
12/5/18 13:00	0.0	12/5/19 13:00	0.1	12/4/20 13:00	0.0
12/5/18 14:00	0.0	12/5/19 14:00	0.1	12/4/20 14:00	0.0
12/5/18 15:00	0.0	12/5/19 15:00	0.1	12/4/20 15:00	0.0
12/5/18 16:00	0.0	12/5/19 16:00	0.1	12/4/20 16:00	0.0
12/5/18 17:00	0.0	12/5/19 17:00	0.1	12/4/20 17:00	0.0
12/5/18 18:00	0.0	12/5/19 18:00	0.1	12/4/20 18:00	0.0
12/5/18 19:00	0.0	12/5/19 19:00	0.1	12/4/20 19:00	0.0
12/5/18 20:00	0.0	12/5/19 20:00	0.1	12/4/20 20:00	0.0
12/5/18 21:00	0.0	12/5/19 21:00	0.1	12/4/20 21:00	0.0
12/5/18 22:00	0.0	12/5/19 22:00	0.1	12/4/20 22:00	0.0
12/5/18 23:00	0.0	12/5/19 23:00	0.1	12/4/20 23:00	0.0
12/6/18 0:00	0.0	12/6/19 0:00	0.1	12/5/20 0:00	0.0
12/6/18 1:00	0.0	12/6/19 1:00	0.1	12/5/20 1:00	0.0
12/6/18 2:00	0.0	12/6/19 2:00	0.1	12/5/20 2:00	0.0
12/6/18 3:00	0.0	12/6/19 3:00	0.1	12/5/20 3:00	0.0
12/6/18 4:00	0.0	12/6/19 4:00	0.1	12/5/20 4:00	0.0
12/6/18 5:00	0.0	12/6/19 5:00	0.1	12/5/20 5:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
12/6/18 6:00	0.0	12/6/19 6:00	0.1	12/5/20 6:00	0.0
12/6/18 7:00	0.0	12/6/19 7:00	0.1	12/5/20 7:00	0.0
12/6/18 8:00	0.0	12/6/19 8:00	0.1	12/5/20 8:00	0.0
12/6/18 9:00	0.0	12/6/19 9:00	0.1	12/5/20 9:00	0.0
12/6/18 10:00	0.0	12/6/19 10:00	0.1	12/5/20 10:00	0.0
12/6/18 11:00	0.0	12/6/19 11:00	0.1	12/5/20 11:00	0.0
12/6/18 12:00	0.0	12/6/19 12:00	0.1	12/5/20 12:00	0.0
12/6/18 13:00	0.0	12/6/19 13:00	0.1	12/5/20 13:00	0.0
12/6/18 14:00	0.0	12/6/19 14:00	0.1	12/5/20 14:00	0.0
12/6/18 15:00	0.0	12/6/19 15:00	0.1	12/5/20 15:00	0.0
12/6/18 16:00	0.0	12/6/19 16:00	0.1	12/5/20 16:00	0.0
12/6/18 17:00	0.0	12/6/19 17:00	0.1	12/5/20 17:00	0.0
12/6/18 18:00	0.0	12/6/19 18:00	0.1	12/5/20 18:00	0.0
12/6/18 19:00	0.0	12/6/19 19:00	0.1	12/5/20 19:00	0.0
12/6/18 20:00	0.0	12/6/19 20:00	0.1	12/5/20 20:00	0.0
12/6/18 21:00	0.0	12/6/19 21:00	0.1	12/5/20 21:00	0.0
12/6/18 22:00	0.0	12/6/19 22:00	0.1	12/5/20 22:00	0.0
12/6/18 23:00	0.0	12/6/19 23:00	0.1	12/5/20 23:00	0.0
12/7/18 0:00	0.0	12/7/19 0:00	0.1	12/6/20 0:00	0.0
12/7/18 1:00	0.0	12/7/19 1:00	0.0	12/6/20 1:00	0.0
12/7/18 2:00	0.0	12/7/19 2:00	0.0	12/6/20 2:00	0.0
12/7/18 3:00	0.0	12/7/19 3:00	0.1	12/6/20 3:00	0.0
12/7/18 4:00	0.0	12/7/19 4:00	0.1	12/6/20 4:00	0.0
12/7/18 5:00	0.0	12/7/19 5:00	0.1	12/6/20 5:00	0.0
12/7/18 6:00	0.0	12/7/19 6:00	0.1	12/6/20 6:00	0.0
12/7/18 7:00	0.0	12/7/19 7:00	0.1	12/6/20 7:00	0.0
12/7/18 8:00	0.0	12/7/19 8:00	0.1	12/6/20 8:00	0.0
12/7/18 9:00	0.0	12/7/19 9:00	0.1	12/6/20 9:00	0.0
12/7/18 10:00	0.0	12/7/19 10:00	0.1	12/6/20 10:00	0.0
12/7/18 11:00	0.0	12/7/19 11:00	0.1	12/6/20 11:00	0.0
12/7/18 12:00	0.0	12/7/19 12:00	0.0	12/6/20 12:00	0.0
12/7/18 13:00	0.0	12/7/19 13:00	0.0	12/6/20 13:00	0.0
12/7/18 14:00	0.0	12/7/19 14:00	0.0	12/6/20 14:00	0.0
12/7/18 15:00	0.0	12/7/19 15:00	0.1	12/6/20 15:00	0.0
12/7/18 16:00	0.0	12/7/19 16:00	0.2	12/6/20 16:00	0.0
12/7/18 17:00	0.0	12/7/19 17:00	0.1	12/6/20 17:00	0.0
12/7/18 18:00	0.0	12/7/19 18:00	0.1	12/6/20 18:00	0.0
12/7/18 19:00	0.0	12/7/19 19:00	0.1	12/6/20 19:00	0.0
12/7/18 20:00	0.0	12/7/19 20:00	0.1	12/6/20 20:00	0.0
12/7/18 21:00	0.0	12/7/19 21:00	0.1	12/6/20 21:00	0.0
12/7/18 22:00	0.0	12/7/19 22:00	0.1	12/6/20 22:00	0.0
12/7/18 23:00	0.0	12/7/19 23:00	0.2	12/6/20 23:00	0.0
12/8/18 0:00	0.0	12/8/19 0:00	0.1	12/7/20 0:00	0.0
12/8/18 1:00	0.0	12/8/19 1:00	0.1	12/7/20 1:00	0.0
12/8/18 2:00	0.0	12/8/19 2:00	0.1	12/7/20 2:00	0.0
12/8/18 3:00	0.0	12/8/19 3:00	0.1	12/7/20 3:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
12/8/18 4:00	0.0	12/8/19 4:00	0.1	12/7/20 4:00	0.0
12/8/18 5:00	0.0	12/8/19 5:00	0.1	12/7/20 5:00	0.0
12/8/18 6:00	0.0	12/8/19 6:00	0.1	12/7/20 6:00	0.0
12/8/18 7:00	0.0	12/8/19 7:00	0.1	12/7/20 7:00	0.0
12/8/18 8:00	0.0	12/8/19 8:00	0.1	12/7/20 8:00	0.0
12/8/18 9:00	0.0	12/8/19 9:00	0.1	12/7/20 9:00	0.0
12/8/18 10:00	0.0	12/8/19 10:00	0.1	12/7/20 10:00	0.0
12/8/18 11:00	0.0	12/8/19 11:00	0.1	12/7/20 11:00	0.0
12/8/18 12:00	0.0	12/8/19 12:00	0.1	12/7/20 12:00	0.0
12/8/18 13:00	0.0	12/8/19 13:00	0.1	12/7/20 13:00	0.0
12/8/18 14:00	0.0	12/8/19 14:00	0.1	12/7/20 14:00	0.0
12/8/18 15:00	0.0	12/8/19 15:00	0.1	12/7/20 15:00	0.0
12/8/18 16:00	0.0	12/8/19 16:00	0.1	12/7/20 16:00	0.0
12/8/18 17:00	0.0	12/8/19 17:00	0.1	12/7/20 17:00	0.0
12/8/18 18:00	0.0	12/8/19 18:00	0.1	12/7/20 18:00	0.0
12/8/18 19:00	0.0	12/8/19 19:00	0.1	12/7/20 19:00	0.0
12/8/18 20:00	0.0	12/8/19 20:00	0.2	12/7/20 20:00	0.0
12/8/18 21:00	0.0	12/8/19 21:00	0.2	12/7/20 21:00	0.0
12/8/18 22:00	0.0	12/8/19 22:00	0.1	12/7/20 22:00	0.0
12/8/18 23:00	0.0	12/8/19 23:00	0.1	12/7/20 23:00	0.0
12/9/18 0:00	0.0	12/9/19 0:00	0.1	12/8/20 0:00	0.0
12/9/18 1:00	0.0	12/9/19 1:00	0.1	12/8/20 1:00	0.0
12/9/18 2:00	0.0	12/9/19 2:00	0.2	12/8/20 2:00	0.0
12/9/18 3:00	0.0	12/9/19 3:00	0.1	12/8/20 3:00	0.0
12/9/18 4:00	0.0	12/9/19 4:00	0.1	12/8/20 4:00	0.0
12/9/18 5:00	0.0	12/9/19 5:00	0.1	12/8/20 5:00	0.0
12/9/18 6:00	0.0	12/9/19 6:00	0.1	12/8/20 6:00	0.0
12/9/18 7:00	0.0	12/9/19 7:00	0.1	12/8/20 7:00	0.0
12/9/18 8:00	0.0	12/9/19 8:00	0.1	12/8/20 8:00	0.0
12/9/18 9:00	0.0	12/9/19 9:00	0.2	12/8/20 9:00	0.0
12/9/18 10:00	0.0	12/9/19 10:00	0.1	12/8/20 10:00	0.0
12/9/18 11:00	0.0	12/9/19 11:00	0.1	12/8/20 11:00	0.0
12/9/18 12:00	0.0	12/9/19 12:00	0.1	12/8/20 12:00	0.0
12/9/18 13:00	0.0	12/9/19 13:00	0.1	12/8/20 13:00	0.0
12/9/18 14:00	0.0	12/9/19 14:00	0.2	12/8/20 14:00	0.0
12/9/18 15:00	0.0	12/9/19 15:00	0.1	12/8/20 15:00	0.0
12/9/18 16:00	0.0	12/9/19 16:00	0.2	12/8/20 16:00	0.0
12/9/18 17:00	0.0	12/9/19 17:00	0.2	12/8/20 17:00	0.0
12/9/18 18:00	0.0	12/9/19 18:00	0.2	12/8/20 18:00	0.0
12/9/18 19:00	0.0	12/9/19 19:00	0.1	12/8/20 19:00	0.0
12/9/18 20:00	0.0	12/9/19 20:00	0.1	12/8/20 20:00	0.0
12/9/18 21:00	0.0	12/9/19 21:00	0.1	12/8/20 21:00	0.0
12/9/18 22:00	0.0	12/9/19 22:00	0.1	12/8/20 22:00	0.0
12/9/18 23:00	0.0	12/9/19 23:00	0.1	12/8/20 23:00	0.0
12/10/18 0:00	0.0	12/10/19 0:00	0.2	12/9/20 0:00	0.0
12/10/18 1:00	0.0	12/10/19 1:00	0.2	12/9/20 1:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
12/10/18 2:00	0.0	12/10/19 2:00	0.1	12/9/20 2:00	0.0
12/10/18 3:00	0.0	12/10/19 3:00	0.1	12/9/20 3:00	0.0
12/10/18 4:00	0.0	12/10/19 4:00	0.1	12/9/20 4:00	0.0
12/10/18 5:00	0.0	12/10/19 5:00	0.1	12/9/20 5:00	0.0
12/10/18 6:00	0.0	12/10/19 6:00	0.1	12/9/20 6:00	0.0
12/10/18 7:00	0.0	12/10/19 7:00	0.1	12/9/20 7:00	0.0
12/10/18 8:00	0.0	12/10/19 8:00	0.1	12/9/20 8:00	0.0
12/10/18 9:00	0.0	12/10/19 9:00	0.2	12/9/20 9:00	0.0
12/10/18 10:00	0.0	12/10/19 10:00	0.2	12/9/20 10:00	0.0
12/10/18 11:00	0.0	12/10/19 11:00	0.2	12/9/20 11:00	0.0
12/10/18 12:00	0.0	12/10/19 12:00	0.2	12/9/20 12:00	0.0
12/10/18 13:00	0.0	12/10/19 13:00	0.1	12/9/20 13:00	0.0
12/10/18 14:00	0.0	12/10/19 14:00	0.1	12/9/20 14:00	0.0
12/10/18 15:00	0.0	12/10/19 15:00	0.1	12/9/20 15:00	0.0
12/10/18 16:00	0.0	12/10/19 16:00	0.1	12/9/20 16:00	0.0
12/10/18 17:00	0.0	12/10/19 17:00	0.1	12/9/20 17:00	0.0
12/10/18 18:00	0.0	12/10/19 18:00	0.1	12/9/20 18:00	0.0
12/10/18 19:00	0.0	12/10/19 19:00	0.2	12/9/20 19:00	0.0
12/10/18 20:00	0.0	12/10/19 20:00	0.1	12/9/20 20:00	0.0
12/10/18 21:00	0.0	12/10/19 21:00	0.1	12/9/20 21:00	0.0
12/10/18 22:00	0.0	12/10/19 22:00	0.1	12/9/20 22:00	0.0
12/10/18 23:00	0.0	12/10/19 23:00	0.1	12/9/20 23:00	0.0
12/11/18 0:00	0.0	12/11/19 0:00	0.2	12/10/20 0:00	0.0
12/11/18 1:00	0.0	12/11/19 1:00	0.1	12/10/20 1:00	0.0
12/11/18 2:00	0.0	12/11/19 2:00	0.1	12/10/20 2:00	0.0
12/11/18 3:00	0.0	12/11/19 3:00	0.1	12/10/20 3:00	0.0
12/11/18 4:00	0.0	12/11/19 4:00	0.1	12/10/20 4:00	0.0
12/11/18 5:00	0.0	12/11/19 5:00	0.1	12/10/20 5:00	0.0
12/11/18 6:00	0.0	12/11/19 6:00	0.1	12/10/20 6:00	0.0
12/11/18 7:00	0.0	12/11/19 7:00	0.1	12/10/20 7:00	0.0
12/11/18 8:00	0.0	12/11/19 8:00	0.1	12/10/20 8:00	0.0
12/11/18 9:00	0.0	12/11/19 9:00	0.1	12/10/20 9:00	0.0
12/11/18 10:00	0.0	12/11/19 10:00	0.1	12/10/20 10:00	0.0
12/11/18 11:00	0.0	12/11/19 11:00	0.2	12/10/20 11:00	0.0
12/11/18 12:00	0.0	12/11/19 12:00	0.1	12/10/20 12:00	0.0
12/11/18 13:00	0.0	12/11/19 13:00	0.1	12/10/20 13:00	0.0
12/11/18 14:00	0.0	12/11/19 14:00	0.1	12/10/20 14:00	0.0
12/11/18 15:00	0.1	12/11/19 15:00	0.1	12/10/20 15:00	0.0
12/11/18 16:00	0.1	12/11/19 16:00	0.1	12/10/20 16:00	0.0
12/11/18 17:00	0.1	12/11/19 17:00	0.0	12/10/20 17:00	0.0
12/11/18 18:00	0.1	12/11/19 18:00	0.1	12/10/20 18:00	0.0
12/11/18 19:00	0.1	12/11/19 19:00	0.0	12/10/20 19:00	0.0
12/11/18 20:00	0.1	12/11/19 20:00	0.1	12/10/20 20:00	0.0
12/11/18 21:00	0.1	12/11/19 21:00	0.1	12/10/20 21:00	0.0
12/11/18 22:00	0.1	12/11/19 22:00	0.1	12/10/20 22:00	0.0
12/11/18 23:00	0.1	12/11/19 23:00	0.1	12/10/20 23:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
12/12/18 0:00	0.1	12/12/19 0:00	0.1	12/11/20 0:00	0.0
12/12/18 1:00	0.1	12/12/19 1:00	0.1	12/11/20 1:00	0.0
12/12/18 2:00	0.1	12/12/19 2:00	0.1	12/11/20 2:00	0.0
12/12/18 3:00	0.2	12/12/19 3:00	0.1	12/11/20 3:00	0.0
12/12/18 4:00	0.2	12/12/19 4:00	0.0	12/11/20 4:00	0.0
12/12/18 5:00	0.2	12/12/19 5:00	0.0	12/11/20 5:00	0.0
12/12/18 6:00	0.2	12/12/19 6:00	0.2	12/11/20 6:00	0.0
12/12/18 7:00	0.3	12/12/19 7:00	0.2	12/11/20 7:00	0.0
12/12/18 8:00	0.3	12/12/19 8:00	0.2	12/11/20 8:00	0.0
12/12/18 9:00	0.3	12/12/19 9:00	0.1	12/11/20 9:00	0.0
12/12/18 10:00	0.3	12/12/19 10:00	0.1	12/11/20 10:00	0.0
12/12/18 11:00	0.6	12/12/19 11:00	0.1	12/11/20 11:00	0.0
12/12/18 12:00	0.4	12/12/19 12:00	0.1	12/11/20 12:00	0.0
12/12/18 13:00	0.4	12/12/19 13:00	0.1	12/11/20 13:00	2.1
12/12/18 14:00	0.5	12/12/19 14:00	0.1	12/11/20 14:00	0.0
12/12/18 15:00	0.4	12/12/19 15:00	0.1	12/11/20 15:00	0.0
12/12/18 16:00	0.4	12/12/19 16:00	0.1	12/11/20 16:00	0.0
12/12/18 17:00	0.3	12/12/19 17:00	0.1	12/11/20 17:00	0.0
12/12/18 18:00	0.3	12/12/19 18:00	0.1	12/11/20 18:00	0.1
12/12/18 19:00	0.4	12/12/19 19:00	0.2	12/11/20 19:00	0.1
12/12/18 20:00	0.4	12/12/19 20:00	0.2	12/11/20 20:00	0.1
12/12/18 21:00	0.3	12/12/19 21:00	0.1	12/11/20 21:00	0.1
12/12/18 22:00	0.3	12/12/19 22:00	0.1	12/11/20 22:00	0.1
12/12/18 23:00	0.4	12/12/19 23:00	0.1	12/11/20 23:00	0.1
12/13/18 0:00	0.0	12/13/19 0:00	0.1	12/12/20 0:00	0.1
12/13/18 1:00	0.1	12/13/19 1:00	0.1	12/12/20 1:00	0.1
12/13/18 2:00	0.1	12/13/19 2:00	0.1	12/12/20 2:00	0.1
12/13/18 3:00	0.1	12/13/19 3:00	0.1	12/12/20 3:00	0.1
12/13/18 4:00	0.1	12/13/19 4:00	0.1	12/12/20 4:00	0.1
12/13/18 5:00	0.1	12/13/19 5:00	0.1	12/12/20 5:00	0.2
12/13/18 6:00	0.0	12/13/19 6:00	0.1	12/12/20 6:00	0.3
12/13/18 7:00	0.1	12/13/19 7:00	0.1	12/12/20 7:00	0.3
12/13/18 8:00	0.1	12/13/19 8:00	0.1	12/12/20 8:00	0.3
12/13/18 9:00	0.2	12/13/19 9:00	0.1	12/12/20 9:00	0.3
12/13/18 10:00	0.1	12/13/19 10:00	0.1	12/12/20 10:00	0.3
12/13/18 11:00	0.1	12/13/19 11:00	0.1	12/12/20 11:00	0.3
12/13/18 12:00	0.1	12/13/19 12:00	0.1	12/12/20 12:00	0.3
12/13/18 13:00	0.2	12/13/19 13:00	0.2	12/12/20 13:00	0.3
12/13/18 14:00	0.2	12/13/19 14:00	0.1	12/12/20 14:00	0.3
12/13/18 15:00	0.2	12/13/19 15:00	0.1	12/12/20 15:00	0.3
12/13/18 16:00	0.1	12/13/19 16:00	0.2	12/12/20 16:00	0.3
12/13/18 17:00	0.1	12/13/19 17:00	0.1	12/12/20 17:00	0.3
12/13/18 18:00	0.2	12/13/19 18:00	0.0	12/12/20 18:00	0.3
12/13/18 19:00	0.2	12/13/19 19:00	0.0	12/12/20 19:00	0.3
12/13/18 20:00	0.2	12/13/19 20:00	0.1	12/12/20 20:00	0.3
12/13/18 21:00	0.2	12/13/19 21:00	0.2	12/12/20 21:00	0.3

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
12/13/18 22:00	0.1	12/13/19 22:00	0.2	12/12/20 22:00	0.3
12/13/18 23:00	0.1	12/13/19 23:00	0.1	12/12/20 23:00	0.3
12/14/18 0:00	0.1	12/14/19 0:00	0.0	12/13/20 0:00	0.4
12/14/18 1:00	0.1	12/14/19 1:00	0.0	12/13/20 1:00	0.3
12/14/18 2:00	0.1	12/14/19 2:00	0.1	12/13/20 2:00	0.2
12/14/18 3:00	0.1	12/14/19 3:00	0.0	12/13/20 3:00	0.2
12/14/18 4:00	0.1	12/14/19 4:00	0.1	12/13/20 4:00	0.2
12/14/18 5:00	0.1	12/14/19 5:00	0.0	12/13/20 5:00	0.2
12/14/18 6:00	0.1	12/14/19 6:00	0.0	12/13/20 6:00	0.3
12/14/18 7:00	0.1	12/14/19 7:00	0.0	12/13/20 7:00	0.3
12/14/18 8:00	0.1	12/14/19 8:00	0.2	12/13/20 8:00	0.3
12/14/18 9:00	0.1	12/14/19 9:00	0.2	12/13/20 9:00	0.3
12/14/18 10:00	0.1	12/14/19 10:00	0.2	12/13/20 10:00	0.3
12/14/18 11:00	0.1	12/14/19 11:00	0.0	12/13/20 11:00	0.3
12/14/18 12:00	0.1	12/14/19 12:00	0.1	12/13/20 12:00	0.3
12/14/18 13:00	0.1	12/14/19 13:00	0.1	12/13/20 13:00	0.3
12/14/18 14:00	0.1	12/14/19 14:00	0.1	12/13/20 14:00	0.3
12/14/18 15:00	0.1	12/14/19 15:00	0.1	12/13/20 15:00	0.3
12/14/18 16:00	0.1	12/14/19 16:00	0.2	12/13/20 16:00	0.3
12/14/18 17:00	0.1	12/14/19 17:00	0.1	12/13/20 17:00	0.3
12/14/18 18:00	0.2	12/14/19 18:00	0.0	12/13/20 18:00	0.2
12/14/18 19:00	0.2	12/14/19 19:00	0.1	12/13/20 19:00	0.2
12/14/18 20:00	0.2	12/14/19 20:00	0.1	12/13/20 20:00	0.2
12/14/18 21:00	0.2	12/14/19 21:00	0.0	12/13/20 21:00	0.2
12/14/18 22:00	0.1	12/14/19 22:00	0.0	12/13/20 22:00	0.3
12/14/18 23:00	0.1	12/14/19 23:00	0.1	12/13/20 23:00	0.4
12/15/18 0:00	0.1	12/15/19 0:00	0.1	12/14/20 0:00	0.3
12/15/18 1:00	0.1	12/15/19 1:00	0.1	12/14/20 1:00	0.3
12/15/18 2:00	0.1	12/15/19 2:00	0.0	12/14/20 2:00	0.3
12/15/18 3:00	0.0	12/15/19 3:00	0.1	12/14/20 3:00	0.2
12/15/18 4:00	0.1	12/15/19 4:00	0.1	12/14/20 4:00	0.1
12/15/18 5:00	0.1	12/15/19 5:00	0.0	12/14/20 5:00	0.1
12/15/18 6:00	0.1	12/15/19 6:00	0.0	12/14/20 6:00	0.1
12/15/18 7:00	0.1	12/15/19 7:00	0.0	12/14/20 7:00	0.1
12/15/18 8:00	0.2	12/15/19 8:00	0.1	12/14/20 8:00	0.1
12/15/18 9:00	0.1	12/15/19 9:00	0.2	12/14/20 9:00	0.1
12/15/18 10:00	0.1	12/15/19 10:00	0.1	12/14/20 10:00	0.1
12/15/18 11:00	0.2	12/15/19 11:00	0.1	12/14/20 11:00	0.1
12/15/18 12:00	0.1	12/15/19 12:00	0.1	12/14/20 12:00	0.1
12/15/18 13:00	0.1	12/15/19 13:00	0.2	12/14/20 13:00	0.1
12/15/18 14:00	0.1	12/15/19 14:00	0.2	12/14/20 14:00	0.1
12/15/18 15:00	0.1	12/15/19 15:00	0.2	12/14/20 15:00	0.1
12/15/18 16:00	0.1	12/15/19 16:00	0.1	12/14/20 16:00	0.3
12/15/18 17:00	0.1	12/15/19 17:00	0.1	12/14/20 17:00	0.2
12/15/18 18:00	0.1	12/15/19 18:00	0.1	12/14/20 18:00	0.1
12/15/18 19:00	0.1	12/15/19 19:00	0.1	12/14/20 19:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
12/15/18 20:00	0.1	12/15/19 20:00	0.1	12/14/20 20:00	0.3
12/15/18 21:00	0.1	12/15/19 21:00	0.1	12/14/20 21:00	0.1
12/15/18 22:00	0.1	12/15/19 22:00	0.1	12/14/20 22:00	0.2
12/15/18 23:00	0.1	12/15/19 23:00	0.1	12/14/20 23:00	0.2
12/16/18 0:00	0.1	12/16/19 0:00	0.1	12/15/20 0:00	0.2
12/16/18 1:00	0.1	12/16/19 1:00	0.2	12/15/20 1:00	0.3
12/16/18 2:00	0.1	12/16/19 2:00	0.1	12/15/20 2:00	0.3
12/16/18 3:00	0.1	12/16/19 3:00	0.1	12/15/20 3:00	0.3
12/16/18 4:00	0.1	12/16/19 4:00	0.1	12/15/20 4:00	0.3
12/16/18 5:00	0.2	12/16/19 5:00	0.1	12/15/20 5:00	0.2
12/16/18 6:00	0.1	12/16/19 6:00	0.1	12/15/20 6:00	0.1
12/16/18 7:00	0.1	12/16/19 7:00	0.1	12/15/20 7:00	0.1
12/16/18 8:00	0.1	12/16/19 8:00	0.1	12/15/20 8:00	0.1
12/16/18 9:00	0.1	12/16/19 9:00	0.1	12/15/20 9:00	0.1
12/16/18 10:00	0.1	12/16/19 10:00	0.1	12/15/20 10:00	0.1
12/16/18 11:00	0.1	12/16/19 11:00	0.1	12/15/20 11:00	0.1
12/16/18 12:00	0.2	12/16/19 12:00	0.1	12/15/20 12:00	0.2
12/16/18 13:00	0.2	12/16/19 13:00	0.1	12/15/20 13:00	0.2
12/16/18 14:00	0.2	12/16/19 14:00	0.0	12/15/20 14:00	0.2
12/16/18 15:00	0.2	12/16/19 15:00	0.1	12/15/20 15:00	0.2
12/16/18 16:00	0.1	12/16/19 16:00	0.1	12/15/20 16:00	0.2
12/16/18 17:00	0.1	12/16/19 17:00	0.1	12/15/20 17:00	0.1
12/16/18 18:00	0.1	12/16/19 18:00	0.1	12/15/20 18:00	0.1
12/16/18 19:00	0.1	12/16/19 19:00	0.1	12/15/20 19:00	0.1
12/16/18 20:00	0.1	12/16/19 20:00	0.1	12/15/20 20:00	0.1
12/16/18 21:00	0.1	12/16/19 21:00	0.1	12/15/20 21:00	0.1
12/16/18 22:00	0.1	12/16/19 22:00	0.1	12/15/20 22:00	0.1
12/16/18 23:00	0.1	12/16/19 23:00	0.0	12/15/20 23:00	0.1
12/17/18 0:00	0.1	12/17/19 0:00	0.1	12/16/20 0:00	0.1
12/17/18 1:00	0.1	12/17/19 1:00	0.1	12/16/20 1:00	0.1
12/17/18 2:00	0.1	12/17/19 2:00	0.1	12/16/20 2:00	0.1
12/17/18 3:00	0.1	12/17/19 3:00	0.0	12/16/20 3:00	0.1
12/17/18 4:00	0.1	12/17/19 4:00	0.0	12/16/20 4:00	0.2
12/17/18 5:00	0.1	12/17/19 5:00	0.1	12/16/20 5:00	0.2
12/17/18 6:00	0.1	12/17/19 6:00	0.0	12/16/20 6:00	0.2
12/17/18 7:00	0.1	12/17/19 7:00	0.0	12/16/20 7:00	0.2
12/17/18 8:00	0.1	12/17/19 8:00	0.1	12/16/20 8:00	0.2
12/17/18 9:00	0.1	12/17/19 9:00	0.1	12/16/20 9:00	0.3
12/17/18 10:00	0.1	12/17/19 10:00	0.2	12/16/20 10:00	0.2
12/17/18 11:00	0.1	12/17/19 11:00	0.2	12/16/20 11:00	0.2
12/17/18 12:00	0.1	12/17/19 12:00	0.1	12/16/20 12:00	0.2
12/17/18 13:00	0.1	12/17/19 13:00	0.1	12/16/20 13:00	0.2
12/17/18 14:00	0.1	12/17/19 14:00	0.1	12/16/20 14:00	0.1
12/17/18 15:00	0.2	12/17/19 15:00	0.1	12/16/20 15:00	0.2
12/17/18 16:00	0.2	12/17/19 16:00	0.1	12/16/20 16:00	0.2
12/17/18 17:00	0.3	12/17/19 17:00	0.0	12/16/20 17:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
12/17/18 18:00	0.2	12/17/19 18:00	0.0	12/16/20 18:00	0.2
12/17/18 19:00	0.2	12/17/19 19:00	0.0	12/16/20 19:00	0.3
12/17/18 20:00	0.0	12/17/19 20:00	0.1	12/16/20 20:00	0.2
12/17/18 21:00	0.0	12/17/19 21:00	0.1	12/16/20 21:00	0.2
12/17/18 22:00	0.0	12/17/19 22:00	0.1	12/16/20 22:00	0.2
12/17/18 23:00	0.1	12/17/19 23:00	0.1	12/16/20 23:00	0.2
12/18/18 0:00	0.1	12/18/19 0:00	0.1	12/17/20 0:00	0.2
12/18/18 1:00	0.1	12/18/19 1:00	0.1	12/17/20 1:00	0.2
12/18/18 2:00	0.1	12/18/19 2:00	0.1	12/17/20 2:00	0.2
12/18/18 3:00	0.1	12/18/19 3:00	0.1	12/17/20 3:00	0.2
12/18/18 4:00	0.1	12/18/19 4:00	0.1	12/17/20 4:00	0.2
12/18/18 5:00	0.1	12/18/19 5:00	0.1	12/17/20 5:00	0.3
12/18/18 6:00	0.1	12/18/19 6:00	0.2	12/17/20 6:00	0.3
12/18/18 7:00	0.1	12/18/19 7:00	0.1	12/17/20 7:00	0.2
12/18/18 8:00	0.1	12/18/19 8:00	0.1	12/17/20 8:00	0.2
12/18/18 9:00	0.2	12/18/19 9:00	0.1	12/17/20 9:00	0.2
12/18/18 10:00	0.2	12/18/19 10:00	0.1	12/17/20 10:00	0.2
12/18/18 11:00	0.2	12/18/19 11:00	0.0	12/17/20 11:00	0.2
12/18/18 12:00	0.2	12/18/19 12:00	0.0	12/17/20 12:00	0.2
12/18/18 13:00	0.2	12/18/19 13:00	0.2	12/17/20 13:00	0.2
12/18/18 14:00	0.1	12/18/19 14:00	0.2	12/17/20 14:00	0.2
12/18/18 15:00	0.2	12/18/19 15:00	0.1	12/17/20 15:00	0.2
12/18/18 16:00	0.1	12/18/19 16:00	0.2	12/17/20 16:00	0.2
12/18/18 17:00	0.1	12/18/19 17:00	0.2	12/17/20 17:00	0.2
12/18/18 18:00	0.1	12/18/19 18:00	0.2	12/17/20 18:00	0.3
12/18/18 19:00	0.2	12/18/19 19:00	0.2	12/17/20 19:00	0.2
12/18/18 20:00	0.3	12/18/19 20:00	0.2	12/17/20 20:00	0.2
12/18/18 21:00	0.1	12/18/19 21:00	0.1	12/17/20 21:00	0.2
12/18/18 22:00	0.1	12/18/19 22:00	0.1	12/17/20 22:00	0.2
12/18/18 23:00	0.1	12/18/19 23:00	0.2	12/17/20 23:00	0.1
12/19/18 0:00	0.1	12/19/19 0:00	0.1	12/18/20 0:00	0.1
12/19/18 1:00	0.1	12/19/19 1:00	0.1	12/18/20 1:00	0.1
12/19/18 2:00	0.1	12/19/19 2:00	0.2	12/18/20 2:00	0.1
12/19/18 3:00	0.1	12/19/19 3:00	0.1	12/18/20 3:00	0.1
12/19/18 4:00	0.1	12/19/19 4:00	0.1	12/18/20 4:00	0.1
12/19/18 5:00	0.1	12/19/19 5:00	0.1	12/18/20 5:00	0.1
12/19/18 6:00	0.1	12/19/19 6:00	0.1	12/18/20 6:00	0.2
12/19/18 7:00	0.1	12/19/19 7:00	0.1	12/18/20 7:00	0.1
12/19/18 8:00	0.1	12/19/19 8:00	0.1	12/18/20 8:00	0.1
12/19/18 9:00	0.1	12/19/19 9:00	0.1	12/18/20 9:00	0.1
12/19/18 10:00	0.1	12/19/19 10:00	0.1	12/18/20 10:00	0.2
12/19/18 11:00	0.2	12/19/19 11:00	0.1	12/18/20 11:00	0.2
12/19/18 12:00	0.1	12/19/19 12:00	0.1	12/18/20 12:00	0.2
12/19/18 13:00	0.1	12/19/19 13:00	0.1	12/18/20 13:00	0.1
12/19/18 14:00	0.2	12/19/19 14:00	0.1	12/18/20 14:00	0.1
12/19/18 15:00	0.2	12/19/19 15:00	0.1	12/18/20 15:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
12/19/18 16:00	0.2	12/19/19 16:00	0.0	12/18/20 16:00	0.1
12/19/18 17:00	0.2	12/19/19 17:00	0.0	12/18/20 17:00	0.1
12/19/18 18:00	0.2	12/19/19 18:00	0.1	12/18/20 18:00	0.1
12/19/18 19:00	0.2	12/19/19 19:00	0.1	12/18/20 19:00	0.1
12/19/18 20:00	0.2	12/19/19 20:00	0.1	12/18/20 20:00	0.1
12/19/18 21:00	0.2	12/19/19 21:00	0.1	12/18/20 21:00	0.1
12/19/18 22:00	0.1	12/19/19 22:00	0.1	12/18/20 22:00	0.1
12/19/18 23:00	0.1	12/19/19 23:00	0.1	12/18/20 23:00	0.1
12/20/18 0:00	0.1	12/20/19 0:00	0.0	12/19/20 0:00	0.1
12/20/18 1:00	0.2	12/20/19 1:00	0.0	12/19/20 1:00	0.2
12/20/18 2:00	0.1	12/20/19 2:00	0.1	12/19/20 2:00	0.2
12/20/18 3:00	0.1	12/20/19 3:00	0.1	12/19/20 3:00	0.1
12/20/18 4:00	0.1	12/20/19 4:00	0.1	12/19/20 4:00	0.1
12/20/18 5:00	0.1	12/20/19 5:00	0.1	12/19/20 5:00	0.1
12/20/18 6:00	0.1	12/20/19 6:00	0.0	12/19/20 6:00	0.1
12/20/18 7:00	0.1	12/20/19 7:00	0.0	12/19/20 7:00	0.1
12/20/18 8:00	0.1	12/20/19 8:00	0.1	12/19/20 8:00	0.1
12/20/18 9:00	0.2	12/20/19 9:00	0.1	12/19/20 9:00	0.1
12/20/18 10:00	0.2	12/20/19 10:00	0.1	12/19/20 10:00	0.1
12/20/18 11:00	0.1	12/20/19 11:00	0.1	12/19/20 11:00	0.1
12/20/18 12:00	0.2	12/20/19 12:00	0.1	12/19/20 12:00	0.1
12/20/18 13:00	0.2	12/20/19 13:00	0.1	12/19/20 13:00	0.2
12/20/18 14:00	0.1	12/20/19 14:00	0.0	12/19/20 14:00	0.2
12/20/18 15:00	0.1	12/20/19 15:00	0.0	12/19/20 15:00	0.2
12/20/18 16:00	0.0	12/20/19 16:00	0.1	12/19/20 16:00	14.5
12/20/18 17:00	0.1	12/20/19 17:00	0.1	12/19/20 17:00	0.6
12/20/18 18:00	0.2	12/20/19 18:00	0.1	12/19/20 18:00	0.5
12/20/18 19:00	0.2	12/20/19 19:00	0.1	12/19/20 19:00	0.4
12/20/18 20:00	0.2	12/20/19 20:00	0.0	12/19/20 20:00	0.3
12/20/18 21:00	0.1	12/20/19 21:00	0.2	12/19/20 21:00	0.3
12/20/18 22:00	0.2	12/20/19 22:00	0.2	12/19/20 22:00	0.3
12/20/18 23:00	0.1	12/20/19 23:00	0.2	12/19/20 23:00	0.3
12/21/18 0:00	0.1	12/21/19 0:00	0.1	12/20/20 0:00	0.4
12/21/18 1:00	0.1	12/21/19 1:00	0.1	12/20/20 1:00	0.3
12/21/18 2:00	0.1	12/21/19 2:00	0.2	12/20/20 2:00	0.3
12/21/18 3:00	0.0	12/21/19 3:00	0.2	12/20/20 3:00	0.3
12/21/18 4:00	0.2	12/21/19 4:00	0.2	12/20/20 4:00	0.5
12/21/18 5:00	0.2	12/21/19 5:00	0.1	12/20/20 5:00	0.1
12/21/18 6:00	0.2	12/21/19 6:00	0.1	12/20/20 6:00	0.1
12/21/18 7:00	0.1	12/21/19 7:00	0.1	12/20/20 7:00	0.1
12/21/18 8:00	0.1	12/21/19 8:00	0.1	12/20/20 8:00	0.1
12/21/18 9:00	0.1	12/21/19 9:00	0.1	12/20/20 9:00	0.1
12/21/18 10:00	0.2	12/21/19 10:00	0.1	12/20/20 10:00	0.1
12/21/18 11:00	0.2	12/21/19 11:00	0.1	12/20/20 11:00	0.2
12/21/18 12:00	0.1	12/21/19 12:00	0.1	12/20/20 12:00	0.2
12/21/18 13:00	0.1	12/21/19 13:00	0.1	12/20/20 13:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
12/21/18 14:00	0.1	12/21/19 14:00	0.1	12/20/20 14:00	0.2
12/21/18 15:00	0.2	12/21/19 15:00	0.1	12/20/20 15:00	0.2
12/21/18 16:00	0.1	12/21/19 16:00	0.1	12/20/20 16:00	0.1
12/21/18 17:00	0.2	12/21/19 17:00	0.1	12/20/20 17:00	0.1
12/21/18 18:00	0.1	12/21/19 18:00	0.1	12/20/20 18:00	0.1
12/21/18 19:00	0.2	12/21/19 19:00	0.1	12/20/20 19:00	0.2
12/21/18 20:00	0.2	12/21/19 20:00	0.2	12/20/20 20:00	0.2
12/21/18 21:00	0.2	12/21/19 21:00	0.1	12/20/20 21:00	0.2
12/21/18 22:00	0.1	12/21/19 22:00	0.1	12/20/20 22:00	0.1
12/21/18 23:00	0.1	12/21/19 23:00	0.1	12/20/20 23:00	0.2
12/22/18 0:00	0.1	12/22/19 0:00	0.1	12/21/20 0:00	0.2
12/22/18 1:00	0.1	12/22/19 1:00	0.1	12/21/20 1:00	0.1
12/22/18 2:00	0.1	12/22/19 2:00	0.1	12/21/20 2:00	0.1
12/22/18 3:00	0.1	12/22/19 3:00	0.1	12/21/20 3:00	0.1
12/22/18 4:00	0.1	12/22/19 4:00	0.1	12/21/20 4:00	0.1
12/22/18 5:00	0.1	12/22/19 5:00	0.1	12/21/20 5:00	0.2
12/22/18 6:00	0.1	12/22/19 6:00	0.0	12/21/20 6:00	0.2
12/22/18 7:00	0.1	12/22/19 7:00	0.0	12/21/20 7:00	0.2
12/22/18 8:00	0.3	12/22/19 8:00	0.1	12/21/20 8:00	0.2
12/22/18 9:00	0.1	12/22/19 9:00	0.1	12/21/20 9:00	0.1
12/22/18 10:00	0.1	12/22/19 10:00	0.1	12/21/20 10:00	0.2
12/22/18 11:00	0.1	12/22/19 11:00	0.1	12/21/20 11:00	0.2
12/22/18 12:00	0.1	12/22/19 12:00	0.1	12/21/20 12:00	0.1
12/22/18 13:00	0.1	12/22/19 13:00	0.2	12/21/20 13:00	0.2
12/22/18 14:00	0.2	12/22/19 14:00	0.2	12/21/20 14:00	0.2
12/22/18 15:00	0.1	12/22/19 15:00	0.2	12/21/20 15:00	0.1
12/22/18 16:00	0.1	12/22/19 16:00	0.2	12/21/20 16:00	0.2
12/22/18 17:00	0.1	12/22/19 17:00	0.1	12/21/20 17:00	0.1
12/22/18 18:00	0.1	12/22/19 18:00	0.1	12/21/20 18:00	0.1
12/22/18 19:00	0.1	12/22/19 19:00	0.1	12/21/20 19:00	0.1
12/22/18 20:00	0.1	12/22/19 20:00	0.1	12/21/20 20:00	0.1
12/22/18 21:00	0.1	12/22/19 21:00	0.1	12/21/20 21:00	0.2
12/22/18 22:00	0.1	12/22/19 22:00	0.1	12/21/20 22:00	0.1
12/22/18 23:00	0.1	12/22/19 23:00	0.1	12/21/20 23:00	0.1
12/23/18 0:00	0.1	12/23/19 0:00	0.1	12/22/20 0:00	0.1
12/23/18 1:00	0.1	12/23/19 1:00	0.1	12/22/20 1:00	0.1
12/23/18 2:00	0.1	12/23/19 2:00	0.1	12/22/20 2:00	0.2
12/23/18 3:00	0.1	12/23/19 3:00	0.1	12/22/20 3:00	0.1
12/23/18 4:00	0.1	12/23/19 4:00	0.1	12/22/20 4:00	0.1
12/23/18 5:00	0.1	12/23/19 5:00	0.1	12/22/20 5:00	0.1
12/23/18 6:00	0.1	12/23/19 6:00	0.1	12/22/20 6:00	0.2
12/23/18 7:00	0.1	12/23/19 7:00	0.1	12/22/20 7:00	0.1
12/23/18 8:00	0.2	12/23/19 8:00	0.1	12/22/20 8:00	0.0
12/23/18 9:00	0.2	12/23/19 9:00	0.1	12/22/20 9:00	0.0
12/23/18 10:00	0.2	12/23/19 10:00	0.1	12/22/20 10:00	0.0
12/23/18 11:00	0.1	12/23/19 11:00	0.1	12/22/20 11:00	0.0

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
12/23/18 12:00	0.5	12/23/19 12:00	0.1	12/22/20 12:00	0.0
12/23/18 13:00	0.4	12/23/19 13:00	0.1	12/22/20 13:00	0.0
12/23/18 14:00	0.4	12/23/19 14:00	0.1	12/22/20 14:00	0.0
12/23/18 15:00	0.5	12/23/19 15:00	0.1	12/22/20 15:00	0.2
12/23/18 16:00	0.4	12/23/19 16:00	0.1	12/22/20 16:00	0.3
12/23/18 17:00	0.4	12/23/19 17:00	0.1	12/22/20 17:00	0.3
12/23/18 18:00	0.4	12/23/19 18:00	0.1	12/22/20 18:00	0.3
12/23/18 19:00	0.4	12/23/19 19:00	0.2	12/22/20 19:00	0.2
12/23/18 20:00	0.1	12/23/19 20:00	0.2	12/22/20 20:00	0.1
12/23/18 21:00	0.6	12/23/19 21:00	0.2	12/22/20 21:00	0.2
12/23/18 22:00	0.1	12/23/19 22:00	0.0	12/22/20 22:00	0.2
12/23/18 23:00	0.2	12/23/19 23:00	0.1	12/22/20 23:00	0.2
12/24/18 0:00	0.1	12/24/19 0:00	0.1	12/23/20 0:00	0.2
12/24/18 1:00	0.1	12/24/19 1:00	0.1	12/23/20 1:00	0.2
12/24/18 2:00	0.1	12/24/19 2:00	0.1	12/23/20 2:00	0.2
12/24/18 3:00	0.1	12/24/19 3:00	0.0	12/23/20 3:00	0.2
12/24/18 4:00	0.1	12/24/19 4:00	0.1	12/23/20 4:00	0.2
12/24/18 5:00	0.1	12/24/19 5:00	0.1	12/23/20 5:00	0.2
12/24/18 6:00	0.1	12/24/19 6:00	0.1	12/23/20 6:00	0.2
12/24/18 7:00	0.1	12/24/19 7:00	0.1	12/23/20 7:00	0.2
12/24/18 8:00	0.1	12/24/19 8:00	0.1	12/23/20 8:00	0.2
12/24/18 9:00	0.2	12/24/19 9:00	0.2	12/23/20 9:00	0.2
12/24/18 10:00	0.2	12/24/19 10:00	0.1	12/23/20 10:00	0.2
12/24/18 11:00	0.1	12/24/19 11:00	0.0	12/23/20 11:00	0.2
12/24/18 12:00	0.1	12/24/19 12:00	0.0	12/23/20 12:00	0.2
12/24/18 13:00	0.1	12/24/19 13:00	0.0	12/23/20 13:00	0.2
12/24/18 14:00	0.1	12/24/19 14:00	0.0	12/23/20 14:00	0.2
12/24/18 15:00	0.1	12/24/19 15:00	0.1	12/23/20 15:00	0.2
12/24/18 16:00	0.1	12/24/19 16:00	0.1	12/23/20 16:00	0.2
12/24/18 17:00	0.1	12/24/19 17:00	0.1	12/23/20 17:00	0.2
12/24/18 18:00	0.1	12/24/19 18:00	0.1	12/23/20 18:00	0.2
12/24/18 19:00	0.1	12/24/19 19:00	0.1	12/23/20 19:00	0.2
12/24/18 20:00	0.1	12/24/19 20:00	0.1	12/23/20 20:00	0.2
12/24/18 21:00	0.1	12/24/19 21:00	0.1	12/23/20 21:00	0.2
12/24/18 22:00	0.1	12/24/19 22:00	0.1	12/23/20 22:00	0.2
12/24/18 23:00	0.1	12/24/19 23:00	0.1	12/23/20 23:00	0.2
12/25/18 0:00	0.1	12/25/19 0:00	0.1	12/24/20 0:00	0.2
12/25/18 1:00	0.1	12/25/19 1:00	0.1	12/24/20 1:00	0.2
12/25/18 2:00	0.1	12/25/19 2:00	0.1	12/24/20 2:00	0.2
12/25/18 3:00	0.1	12/25/19 3:00	0.1	12/24/20 3:00	0.2
12/25/18 4:00	0.1	12/25/19 4:00	0.1	12/24/20 4:00	0.2
12/25/18 5:00	0.1	12/25/19 5:00	0.1	12/24/20 5:00	0.2
12/25/18 6:00	0.2	12/25/19 6:00	0.1	12/24/20 6:00	0.2
12/25/18 7:00	0.2	12/25/19 7:00	0.1	12/24/20 7:00	0.2
12/25/18 8:00	0.2	12/25/19 8:00	0.1	12/24/20 8:00	0.2
12/25/18 9:00	0.2	12/25/19 9:00	0.1	12/24/20 9:00	0.2

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
12/25/18 10:00	0.2	12/25/19 10:00	0.1	12/24/20 10:00	0.2
12/25/18 11:00	0.2	12/25/19 11:00	0.1	12/24/20 11:00	0.2
12/25/18 12:00	0.2	12/25/19 12:00	0.1	12/24/20 12:00	0.2
12/25/18 13:00	0.1	12/25/19 13:00	0.2	12/24/20 13:00	0.2
12/25/18 14:00	0.1	12/25/19 14:00	0.2	12/24/20 14:00	0.2
12/25/18 15:00	0.1	12/25/19 15:00	0.2	12/24/20 15:00	0.2
12/25/18 16:00	0.2	12/25/19 16:00	0.1	12/24/20 16:00	0.2
12/25/18 17:00	0.2	12/25/19 17:00	0.1	12/24/20 17:00	0.2
12/25/18 18:00	0.1	12/25/19 18:00	0.1	12/24/20 18:00	0.2
12/25/18 19:00	0.1	12/25/19 19:00	0.1	12/24/20 19:00	0.1
12/25/18 20:00	0.2	12/25/19 20:00	0.1	12/24/20 20:00	0.2
12/25/18 21:00	0.2	12/25/19 21:00	0.1	12/24/20 21:00	0.2
12/25/18 22:00	0.2	12/25/19 22:00	0.1	12/24/20 22:00	0.2
12/25/18 23:00	0.2	12/25/19 23:00	0.2	12/24/20 23:00	0.2
12/26/18 0:00	0.2	12/26/19 0:00	0.1	12/25/20 0:00	0.2
12/26/18 1:00	0.3	12/26/19 1:00	0.1	12/25/20 1:00	0.2
12/26/18 2:00	0.1	12/26/19 2:00	0.2	12/25/20 2:00	0.2
12/26/18 3:00	0.1	12/26/19 3:00	0.2	12/25/20 3:00	0.2
12/26/18 4:00	0.1	12/26/19 4:00	0.2	12/25/20 4:00	0.1
12/26/18 5:00	0.2	12/26/19 5:00	0.1	12/25/20 5:00	0.1
12/26/18 6:00	0.2	12/26/19 6:00	0.1	12/25/20 6:00	0.2
12/26/18 7:00	0.1	12/26/19 7:00	0.1	12/25/20 7:00	0.2
12/26/18 8:00	0.1	12/26/19 8:00	0.1	12/25/20 8:00	0.2
12/26/18 9:00	0.2	12/26/19 9:00	0.2	12/25/20 9:00	0.2
12/26/18 10:00	0.2	12/26/19 10:00	0.0	12/25/20 10:00	0.2
12/26/18 11:00	0.2	12/26/19 11:00	0.0	12/25/20 11:00	0.2
12/26/18 12:00	0.2	12/26/19 12:00	0.1	12/25/20 12:00	0.2
12/26/18 13:00	0.2	12/26/19 13:00	0.2	12/25/20 13:00	0.2
12/26/18 14:00	0.2	12/26/19 14:00	0.2	12/25/20 14:00	0.2
12/26/18 15:00	0.2	12/26/19 15:00	0.0	12/25/20 15:00	0.2
12/26/18 16:00	0.2	12/26/19 16:00	0.1	12/25/20 16:00	0.2
12/26/18 17:00	0.1	12/26/19 17:00	0.1	12/25/20 17:00	0.2
12/26/18 18:00	0.1	12/26/19 18:00	0.1	12/25/20 18:00	0.2
12/26/18 19:00	0.2	12/26/19 19:00	0.1	12/25/20 19:00	0.2
12/26/18 20:00	0.2	12/26/19 20:00	0.1	12/25/20 20:00	0.2
12/26/18 21:00	0.2	12/26/19 21:00	0.0	12/25/20 21:00	0.1
12/26/18 22:00	0.2	12/26/19 22:00	0.1	12/25/20 22:00	0.2
12/26/18 23:00	0.2	12/26/19 23:00	0.2	12/25/20 23:00	0.2
12/27/18 0:00	0.2	12/27/19 0:00	0.1	12/26/20 0:00	0.2
12/27/18 1:00	0.2	12/27/19 1:00	0.1	12/26/20 1:00	0.1
12/27/18 2:00	0.2	12/27/19 2:00	0.1	12/26/20 2:00	0.2
12/27/18 3:00	0.1	12/27/19 3:00	0.1	12/26/20 3:00	0.2
12/27/18 4:00	0.1	12/27/19 4:00	0.1	12/26/20 4:00	0.1
12/27/18 5:00	0.1	12/27/19 5:00	0.1	12/26/20 5:00	0.2
12/27/18 6:00	0.1	12/27/19 6:00	0.1	12/26/20 6:00	0.1
12/27/18 7:00	0.1	12/27/19 7:00	0.1	12/26/20 7:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
12/27/18 8:00	0.1	12/27/19 8:00	0.1	12/26/20 8:00	0.2
12/27/18 9:00	0.3	12/27/19 9:00	0.1	12/26/20 9:00	0.2
12/27/18 10:00	0.1	12/27/19 10:00	0.1	12/26/20 10:00	0.2
12/27/18 11:00	0.1	12/27/19 11:00	0.1	12/26/20 11:00	0.2
12/27/18 12:00	0.1	12/27/19 12:00	0.1	12/26/20 12:00	0.2
12/27/18 13:00	0.0	12/27/19 13:00	0.1	12/26/20 13:00	0.1
12/27/18 14:00	0.1	12/27/19 14:00	0.1	12/26/20 14:00	0.2
12/27/18 15:00	0.0	12/27/19 15:00	0.1	12/26/20 15:00	0.2
12/27/18 16:00	0.0	12/27/19 16:00	0.1	12/26/20 16:00	0.2
12/27/18 17:00	0.0	12/27/19 17:00	0.1	12/26/20 17:00	0.2
12/27/18 18:00	0.3	12/27/19 18:00	0.1	12/26/20 18:00	0.2
12/27/18 19:00	0.1	12/27/19 19:00	0.1	12/26/20 19:00	0.2
12/27/18 20:00	0.1	12/27/19 20:00	0.1	12/26/20 20:00	0.1
12/27/18 21:00	0.1	12/27/19 21:00	0.1	12/26/20 21:00	0.1
12/27/18 22:00	0.1	12/27/19 22:00	0.0	12/26/20 22:00	0.1
12/27/18 23:00	0.1	12/27/19 23:00	0.1	12/26/20 23:00	0.2
12/28/18 0:00	0.1	12/28/19 0:00	0.1	12/27/20 0:00	0.2
12/28/18 1:00	0.1	12/28/19 1:00	0.1	12/27/20 1:00	0.2
12/28/18 2:00	0.1	12/28/19 2:00	0.1	12/27/20 2:00	0.1
12/28/18 3:00	0.2	12/28/19 3:00	0.1	12/27/20 3:00	0.2
12/28/18 4:00	0.2	12/28/19 4:00	0.1	12/27/20 4:00	0.2
12/28/18 5:00	0.2	12/28/19 5:00	0.1	12/27/20 5:00	0.2
12/28/18 6:00	0.2	12/28/19 6:00	0.0	12/27/20 6:00	0.2
12/28/18 7:00	0.1	12/28/19 7:00	0.2	12/27/20 7:00	0.2
12/28/18 8:00	0.1	12/28/19 8:00	0.1	12/27/20 8:00	0.2
12/28/18 9:00	0.3	12/28/19 9:00	0.1	12/27/20 9:00	0.2
12/28/18 10:00	0.1	12/28/19 10:00	0.1	12/27/20 10:00	0.2
12/28/18 11:00	0.3	12/28/19 11:00	0.2	12/27/20 11:00	0.1
12/28/18 12:00	0.2	12/28/19 12:00	0.1	12/27/20 12:00	0.2
12/28/18 13:00	0.1	12/28/19 13:00	0.2	12/27/20 13:00	0.2
12/28/18 14:00	0.2	12/28/19 14:00	0.1	12/27/20 14:00	0.2
12/28/18 15:00	0.2	12/28/19 15:00	0.1	12/27/20 15:00	0.2
12/28/18 16:00	0.3	12/28/19 16:00	0.1	12/27/20 16:00	0.2
12/28/18 17:00	0.2	12/28/19 17:00	0.1	12/27/20 17:00	0.2
12/28/18 18:00	0.2	12/28/19 18:00	0.1	12/27/20 18:00	0.2
12/28/18 19:00	0.2	12/28/19 19:00	0.1	12/27/20 19:00	0.2
12/28/18 20:00	0.1	12/28/19 20:00	0.1	12/27/20 20:00	0.2
12/28/18 21:00	0.2	12/28/19 21:00	0.1	12/27/20 21:00	0.1
12/28/18 22:00	0.2	12/28/19 22:00	0.1	12/27/20 22:00	0.1
12/28/18 23:00	0.1	12/28/19 23:00	0.1	12/27/20 23:00	0.1
12/29/18 0:00	0.1	12/29/19 0:00	0.1	12/28/20 0:00	0.2
12/29/18 1:00	0.1	12/29/19 1:00	0.1	12/28/20 1:00	0.2
12/29/18 2:00	0.2	12/29/19 2:00	0.1	12/28/20 2:00	0.2
12/29/18 3:00	0.1	12/29/19 3:00	0.1	12/28/20 3:00	0.2
12/29/18 4:00	0.1	12/29/19 4:00	0.1	12/28/20 4:00	0.2
12/29/18 5:00	0.1	12/29/19 5:00	0.1	12/28/20 5:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)	Hour	B-248-2 (SO_2 lb/hr)
12/29/18 6:00	0.1	12/29/19 6:00	0.1	12/28/20 6:00	0.1
12/29/18 7:00	0.2	12/29/19 7:00	0.2	12/28/20 7:00	0.1
12/29/18 8:00	0.2	12/29/19 8:00	0.2	12/28/20 8:00	0.1
12/29/18 9:00	0.2	12/29/19 9:00	0.1	12/28/20 9:00	0.1
12/29/18 10:00	0.2	12/29/19 10:00	0.1	12/28/20 10:00	0.1
12/29/18 11:00	0.2	12/29/19 11:00	0.2	12/28/20 11:00	0.2
12/29/18 12:00	0.1	12/29/19 12:00	0.2	12/28/20 12:00	0.1
12/29/18 13:00	0.1	12/29/19 13:00	0.2	12/28/20 13:00	0.1
12/29/18 14:00	0.1	12/29/19 14:00	0.1	12/28/20 14:00	0.1
12/29/18 15:00	0.1	12/29/19 15:00	0.1	12/28/20 15:00	0.1
12/29/18 16:00	0.1	12/29/19 16:00	0.1	12/28/20 16:00	0.1
12/29/18 17:00	0.1	12/29/19 17:00	0.1	12/28/20 17:00	0.1
12/29/18 18:00	0.1	12/29/19 18:00	0.1	12/28/20 18:00	0.1
12/29/18 19:00	0.1	12/29/19 19:00	0.1	12/28/20 19:00	0.1
12/29/18 20:00	0.1	12/29/19 20:00	0.1	12/28/20 20:00	0.1
12/29/18 21:00	0.2	12/29/19 21:00	0.1	12/28/20 21:00	0.1
12/29/18 22:00	0.1	12/29/19 22:00	0.1	12/28/20 22:00	0.1
12/29/18 23:00	0.1	12/29/19 23:00	0.1	12/28/20 23:00	0.1
12/30/18 0:00	0.2	12/30/19 0:00	0.1	12/29/20 0:00	0.1
12/30/18 1:00	0.2	12/30/19 1:00	0.1	12/29/20 1:00	0.1
12/30/18 2:00	0.1	12/30/19 2:00	0.1	12/29/20 2:00	0.1
12/30/18 3:00	0.1	12/30/19 3:00	0.1	12/29/20 3:00	0.1
12/30/18 4:00	0.1	12/30/19 4:00	0.1	12/29/20 4:00	0.1
12/30/18 5:00	0.1	12/30/19 5:00	0.1	12/29/20 5:00	0.1
12/30/18 6:00	0.1	12/30/19 6:00	0.1	12/29/20 6:00	0.1
12/30/18 7:00	0.1	12/30/19 7:00	0.1	12/29/20 7:00	0.1
12/30/18 8:00	0.1	12/30/19 8:00	0.0	12/29/20 8:00	0.1
12/30/18 9:00	0.1	12/30/19 9:00	0.0	12/29/20 9:00	0.1
12/30/18 10:00	0.1	12/30/19 10:00	0.1	12/29/20 10:00	0.1
12/30/18 11:00	0.1	12/30/19 11:00	0.1	12/29/20 11:00	0.1
12/30/18 12:00	0.1	12/30/19 12:00	0.1	12/29/20 12:00	0.2
12/30/18 13:00	0.1	12/30/19 13:00	0.0	12/29/20 13:00	0.2
12/30/18 14:00	0.1	12/30/19 14:00	0.0	12/29/20 14:00	0.1
12/30/18 15:00	0.1	12/30/19 15:00	0.1	12/29/20 15:00	0.2
12/30/18 16:00	0.2	12/30/19 16:00	0.1	12/29/20 16:00	0.2
12/30/18 17:00	0.2	12/30/19 17:00	0.1	12/29/20 17:00	0.1
12/30/18 18:00	0.2	12/30/19 18:00	0.1	12/29/20 18:00	0.2
12/30/18 19:00	0.1	12/30/19 19:00	0.1	12/29/20 19:00	0.2
12/30/18 20:00	0.1	12/30/19 20:00	0.1	12/29/20 20:00	0.2
12/30/18 21:00	0.1	12/30/19 21:00	0.1	12/29/20 21:00	0.1
12/30/18 22:00	0.1	12/30/19 22:00	0.0	12/29/20 22:00	0.1
12/30/18 23:00	0.1	12/30/19 23:00	0.0	12/29/20 23:00	0.1
12/31/18 0:00	0.1	12/31/19 0:00	0.1	12/30/20 0:00	0.2
12/31/18 1:00	0.1	12/31/19 1:00	0.1	12/30/20 1:00	0.2
12/31/18 2:00	0.1	12/31/19 2:00	0.1	12/30/20 2:00	0.1
12/31/18 3:00	0.1	12/31/19 3:00	0.1	12/30/20 3:00	0.1

Table F-2: B-248-2 Hourly Emissions, 2018 - 2020

Hour	B-248-2 (SO_2 lb/hr)
12/31/18 4:00	0.1
12/31/18 5:00	0.1
12/31/18 6:00	0.1
12/31/18 7:00	0.1
12/31/18 8:00	0.1
12/31/18 9:00	0.1
12/31/18 10:00	0.1
12/31/18 11:00	0.2
12/31/18 12:00	0.1
12/31/18 13:00	0.2
12/31/18 14:00	0.2
12/31/18 15:00	0.1
12/31/18 16:00	0.1
12/31/18 17:00	0.1
12/31/18 18:00	0.1
12/31/18 19:00	0.1
12/31/18 20:00	0.1
12/31/18 21:00	0.1
12/31/18 22:00	0.1
12/31/18 23:00	0.1
Total (tons)	**0.9**

Hour	B-248-2 (SO_2 lb/hr)
12/31/19 4:00	0.1
12/31/19 5:00	0.1
12/31/19 6:00	0.2
12/31/19 7:00	0.2
12/31/19 8:00	0.2
12/31/19 9:00	0.2
12/31/19 10:00	0.2
12/31/19 11:00	0.1
12/31/19 12:00	0.1
12/31/19 13:00	0.1
12/31/19 14:00	0.1
12/31/19 15:00	0.1
12/31/19 16:00	0.1
12/31/19 17:00	0.1
12/31/19 18:00	0.1
12/31/19 19:00	0.1
12/31/19 20:00	0.1
12/31/19 21:00	0.1
12/31/19 22:00	0.1
12/31/19 23:00	0.1
Total (tons)	**0.5**

Hour	B-248-2 (SO_2 lb/hr)
12/30/20 4:00	0.1
12/30/20 5:00	0.1
12/30/20 6:00	0.1
12/30/20 7:00	0.1
12/30/20 8:00	0.1
12/30/20 9:00	0.2
12/30/20 10:00	0.2
12/30/20 11:00	0.2
12/30/20 12:00	0.2
12/30/20 13:00	0.2
12/30/20 14:00	0.2
12/30/20 15:00	0.2
12/30/20 16:00	0.2
12/30/20 17:00	0.1
12/30/20 18:00	0.1
12/30/20 19:00	0.1
12/30/20 20:00	0.2
12/30/20 21:00	0.2
12/30/20 22:00	0.2
12/30/20 23:00	0.1
12/31/20 0:00	0.1
12/31/20 1:00	0.1
12/31/20 2:00	0.1
12/31/20 3:00	0.2
12/31/20 4:00	0.1
12/31/20 5:00	0.1
12/31/20 6:00	0.1
12/31/20 7:00	0.2
12/31/20 8:00	0.1
12/31/20 9:00	0.1
12/31/20 10:00	0.1
12/31/20 11:00	0.2
12/31/20 12:00	0.1
12/31/20 13:00	0.2
12/31/20 14:00	0.1
12/31/20 15:00	0.2
12/31/20 16:00	0.2
12/31/20 17:00	0.2
12/31/20 18:00	0.2
12/31/20 19:00	0.1
12/31/20 20:00	0.1
12/31/20 21:00	0.1
12/31/20 22:00	0.2
12/31/20 23:00	0.1
Total (tons)	**0.7**

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/1/19 0:00	0.1		
1/1/19 1:00	0.1		
1/1/19 2:00	0.1		
1/1/19 3:00	0.0		
1/1/19 4:00	0.1		
1/1/19 5:00	0.1		
1/1/19 6:00	0.2		
1/1/19 7:00	0.3		
1/1/19 8:00	0.3		
1/1/19 9:00	0.2		
1/1/19 10:00	0.2		
1/1/19 11:00	0.2		
1/1/19 12:00	0.2		
1/1/19 13:00	0.2		
1/1/19 14:00	0.1		
1/1/19 15:00	0.1		
1/1/19 16:00	0.1		
1/1/19 17:00	0.2		
1/1/19 18:00	0.2		
1/1/19 19:00	0.2		
1/1/19 20:00	0.2		
1/1/19 21:00	0.2		
1/1/19 22:00	0.2		
1/1/19 23:00	0.2	0.2	
1/2/19 0:00	0.2	0.2	
1/2/19 1:00	0.2	0.2	
1/2/19 2:00	0.2	0.2	
1/2/19 3:00	0.1	0.2	
1/2/19 4:00	0.2	0.2	
1/2/19 5:00	0.2	0.2	
1/2/19 6:00	0.1	0.2	
1/2/19 7:00	0.1	0.2	
1/2/19 8:00	0.2	0.2	
1/2/19 9:00	0.2	0.2	
1/2/19 10:00	0.2	0.2	
1/2/19 11:00	0.2	0.2	
1/2/19 12:00	0.1	0.2	
1/2/19 13:00	0.1	0.2	
1/2/19 14:00	0.1	0.2	
1/2/19 15:00	0.1	0.2	
1/2/19 16:00	0.1	0.2	

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/2/19 17:00	0.1	0.2	
1/2/19 18:00	0.2	0.2	
1/2/19 19:00	0.1	0.2	
1/2/19 20:00	0.1	0.2	
1/2/19 21:00	0.2	0.2	
1/2/19 22:00	0.2	0.2	
1/2/19 23:00	0.1	0.1	
1/3/19 0:00	0.1	0.1	
1/3/19 1:00	0.1	0.1	
1/3/19 2:00	0.1	0.1	
1/3/19 3:00	0.1	0.1	
1/3/19 4:00	0.1	0.1	
1/3/19 5:00	0.1	0.1	
1/3/19 6:00	0.1	0.1	
1/3/19 7:00	0.1	0.1	
1/3/19 8:00	0.1	0.1	
1/3/19 9:00	0.2	0.1	
1/3/19 10:00	0.1	0.1	
1/3/19 11:00	0.1	0.1	
1/3/19 12:00	0.1	0.1	
1/3/19 13:00	0.1	0.1	
1/3/19 14:00	0.1	0.1	
1/3/19 15:00	0.1	0.1	
1/3/19 16:00	0.1	0.1	
1/3/19 17:00	0.1	0.1	
1/3/19 18:00	0.2	0.1	
1/3/19 19:00	0.1	0.1	
1/3/19 20:00	0.2	0.1	
1/3/19 21:00	0.2	0.1	
1/3/19 22:00	0.1	0.1	
1/3/19 23:00	0.2	0.1	
1/4/19 0:00	0.2	0.1	
1/4/19 1:00	0.2	0.1	
1/4/19 2:00	0.2	0.1	
1/4/19 3:00	0.2	0.1	
1/4/19 4:00	0.2	0.1	
1/4/19 5:00	0.2	0.1	
1/4/19 6:00	0.1	0.1	
1/4/19 7:00	0.1	0.1	
1/4/19 8:00	0.2	0.1	
1/4/19 9:00	0.2	0.1	

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/4/19 10:00	0.2	0.1	
1/4/19 11:00	0.2	0.1	
1/4/19 12:00	0.2	0.2	
1/4/19 13:00	0.1	0.2	
1/4/19 14:00	0.1	0.2	
1/4/19 15:00	0.1	0.2	
1/4/19 16:00	0.2	0.2	
1/4/19 17:00	0.3	0.2	
1/4/19 18:00	0.3	0.2	
1/4/19 19:00	0.3	0.2	
1/4/19 20:00	0.3	0.2	
1/4/19 21:00	0.3	0.2	
1/4/19 22:00	0.3	0.2	
1/4/19 23:00	0.2	0.2	
1/5/19 0:00	0.1	0.2	
1/5/19 1:00	0.1	0.2	
1/5/19 2:00	0.2	0.2	
1/5/19 3:00	0.2	0.2	
1/5/19 4:00	0.2	0.2	
1/5/19 5:00	0.2	0.2	
1/5/19 6:00	0.2	0.2	
1/5/19 7:00	0.1	0.2	
1/5/19 8:00	0.1	0.2	
1/5/19 9:00	0.1	0.2	
1/5/19 10:00	0.2	0.2	
1/5/19 11:00	0.2	0.2	
1/5/19 12:00	0.2	0.2	
1/5/19 13:00	0.2	0.2	
1/5/19 14:00	0.2	0.2	
1/5/19 15:00	0.1	0.2	
1/5/19 16:00	0.1	0.2	
1/5/19 17:00	0.1	0.2	
1/5/19 18:00	0.2	0.2	
1/5/19 19:00	0.3	0.2	
1/5/19 20:00	0.3	0.2	
1/5/19 21:00	0.2	0.2	
1/5/19 22:00	0.2	0.2	
1/5/19 23:00	0.2	0.2	
1/6/19 0:00	0.2	0.2	
1/6/19 1:00	0.2	0.2	
1/6/19 2:00	0.3	0.2	

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/6/19 3:00	0.1	0.2	
1/6/19 4:00	0.2	0.2	
1/6/19 5:00	0.2	0.2	
1/6/19 6:00	0.2	0.2	
1/6/19 7:00	0.6	0.2	
1/6/19 8:00	0.4	0.2	
1/6/19 9:00	0.3	0.2	
1/6/19 10:00	0.3	0.2	
1/6/19 11:00	0.3	0.2	
1/6/19 12:00	0.4	0.2	
1/6/19 13:00	0.4	0.3	
1/6/19 14:00	0.4	0.3	
1/6/19 15:00	0.4	0.3	
1/6/19 16:00	0.5	0.3	
1/6/19 17:00	0.3	0.3	
1/6/19 18:00	0.5	0.3	
1/6/19 19:00	0.2	0.3	
1/6/19 20:00	0.2	0.3	
1/6/19 21:00	0.2	0.3	
1/6/19 22:00	0.1	0.3	
1/6/19 23:00	0.1	0.3	
1/7/19 0:00	0.1	0.3	
1/7/19 1:00	0.1	0.3	
1/7/19 2:00	0.1	0.3	
1/7/19 3:00	0.1	0.3	
1/7/19 4:00	0.1	0.3	
1/7/19 5:00	0.1	0.3	
1/7/19 6:00	0.1	0.3	
1/7/19 7:00	0.2	0.3	
1/7/19 8:00	0.2	0.2	
1/7/19 9:00	0.2	0.2	
1/7/19 10:00	0.1	0.2	
1/7/19 11:00	0.1	0.2	
1/7/19 12:00	0.0	0.2	
1/7/19 13:00	0.0	0.2	
1/7/19 14:00	0.0	0.2	
1/7/19 15:00	0.0	0.2	
1/7/19 16:00	0.0	0.1	
1/7/19 17:00	0.1	0.1	
1/7/19 18:00	0.1	0.1	
1/7/19 19:00	0.1	0.1	

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/7/19 20:00	0.1	0.1	
1/7/19 21:00	0.3	0.1	
1/7/19 22:00	0.2	0.1	
1/7/19 23:00	0.2	0.1	
1/8/19 0:00	0.2	0.1	
1/8/19 1:00	0.2	0.1	
1/8/19 2:00	0.2	0.1	
1/8/19 3:00	0.2	0.1	
1/8/19 4:00	0.2	0.1	
1/8/19 5:00	0.2	0.1	
1/8/19 6:00	0.2	0.1	
1/8/19 7:00	0.3	0.2	
1/8/19 8:00	0.3	0.2	
1/8/19 9:00	0.2	0.2	
1/8/19 10:00	0.2	0.2	
1/8/19 11:00	0.3	0.2	
1/8/19 12:00	0.3	0.2	
1/8/19 13:00	0.4	0.2	
1/8/19 14:00	0.3	0.2	
1/8/19 15:00	0.3	0.2	
1/8/19 16:00	0.2	0.2	
1/8/19 17:00	0.4	0.2	
1/8/19 18:00	0.2	0.2	
1/8/19 19:00	0.3	0.3	
1/8/19 20:00	0.2	0.3	
1/8/19 21:00	0.2	0.3	
1/8/19 22:00	0.2	0.3	
1/8/19 23:00	0.3	0.3	
1/9/19 0:00	0.3	0.3	
1/9/19 1:00	0.2	0.3	
1/9/19 2:00	0.1	0.3	
1/9/19 3:00	0.1	0.3	
1/9/19 4:00	0.1	0.2	
1/9/19 5:00	0.2	0.2	
1/9/19 6:00	0.2	0.2	
1/9/19 7:00	0.4	0.2	
1/9/19 8:00	0.2	0.2	
1/9/19 9:00	0.1	0.2	
1/9/19 10:00	0.1	0.2	
1/9/19 11:00	0.1	0.2	
1/9/19 12:00	0.1	0.2	

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/9/19 13:00	0.2	0.2	
1/9/19 14:00	0.1	0.2	
1/9/19 15:00	0.1	0.2	
1/9/19 16:00	0.1	0.2	
1/9/19 17:00	0.1	0.2	
1/9/19 18:00	0.2	0.2	
1/9/19 19:00	0.2	0.2	
1/9/19 20:00	0.2	0.2	
1/9/19 21:00	0.2	0.2	
1/9/19 22:00	0.1	0.2	
1/9/19 23:00	0.1	0.2	
1/10/19 0:00	0.1	0.2	
1/10/19 1:00	0.1	0.2	
1/10/19 2:00	0.2	0.2	
1/10/19 3:00	0.2	0.2	
1/10/19 4:00	0.2	0.2	
1/10/19 5:00	0.2	0.2	
1/10/19 6:00	0.2	0.2	
1/10/19 7:00	0.2	0.1	
1/10/19 8:00	0.1	0.1	
1/10/19 9:00	0.1	0.1	
1/10/19 10:00	0.1	0.1	
1/10/19 11:00	0.2	0.1	
1/10/19 12:00	0.3	0.2	
1/10/19 13:00	0.2	0.2	
1/10/19 14:00	0.0	0.1	
1/10/19 15:00	0.2	0.1	
1/10/19 16:00	0.2	0.1	
1/10/19 17:00	0.1	0.1	
1/10/19 18:00	0.1	0.1	
1/10/19 19:00	0.1	0.1	
1/10/19 20:00	0.2	0.1	
1/10/19 21:00	0.2	0.1	
1/10/19 22:00	0.2	0.2	
1/10/19 23:00	0.1	0.1	
1/11/19 0:00	0.1	0.1	
1/11/19 1:00	0.1	0.1	
1/11/19 2:00	0.1	0.1	
1/11/19 3:00	0.1	0.1	
1/11/19 4:00	0.1	0.1	
1/11/19 5:00	0.1	0.1	

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/11/19 6:00	0.1	0.1	
1/11/19 7:00	0.1	0.1	
1/11/19 8:00	0.1	0.1	
1/11/19 9:00	0.2	0.1	
1/11/19 10:00	0.1	0.1	
1/11/19 11:00	0.1	0.1	
1/11/19 12:00	0.1	0.1	
1/11/19 13:00	0.1	0.1	
1/11/19 14:00	0.1	0.1	
1/11/19 15:00	0.1	0.1	
1/11/19 16:00	0.1	0.1	
1/11/19 17:00	0.1	0.1	
1/11/19 18:00	0.1	0.1	
1/11/19 19:00	0.1	0.1	
1/11/19 20:00	0.0	0.1	
1/11/19 21:00	0.1	0.1	
1/11/19 22:00	0.1	0.1	
1/11/19 23:00	0.1	0.1	
1/12/19 0:00	0.1	0.1	
1/12/19 1:00	0.1	0.1	
1/12/19 2:00	0.2	0.1	
1/12/19 3:00	0.2	0.1	
1/12/19 4:00	0.2	0.1	
1/12/19 5:00	0.3	0.1	
1/12/19 6:00	0.2	0.1	
1/12/19 7:00	0.2	0.1	
1/12/19 8:00	0.2	0.1	
1/12/19 9:00	0.2	0.1	
1/12/19 10:00	0.2	0.1	
1/12/19 11:00	0.1	0.1	
1/12/19 12:00	0.1	0.1	
1/12/19 13:00	0.2	0.1	
1/12/19 14:00	0.2	0.1	
1/12/19 15:00	0.2	0.1	
1/12/19 16:00	0.2	0.1	
1/12/19 17:00	0.0	0.1	
1/12/19 18:00	0.1	0.1	
1/12/19 19:00	0.1	0.1	
1/12/19 20:00	0.1	0.1	
1/12/19 21:00	0.1	0.1	
1/12/19 22:00	0.2	0.1	

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/12/19 23:00	0.1	0.1	
1/13/19 0:00	0.1	0.2	
1/13/19 1:00	0.1	0.2	
1/13/19 2:00	0.1	0.1	
1/13/19 3:00	0.1	0.1	
1/13/19 4:00	0.1	0.1	
1/13/19 5:00	0.1	0.1	
1/13/19 6:00	0.1	0.1	
1/13/19 7:00	0.2	0.1	
1/13/19 8:00	0.1	0.1	
1/13/19 9:00	0.1	0.1	
1/13/19 10:00	0.1	0.1	
1/13/19 11:00	0.1	0.1	
1/13/19 12:00	0.1	0.1	
1/13/19 13:00	0.1	0.1	
1/13/19 14:00	0.1	0.1	
1/13/19 15:00	0.1	0.1	
1/13/19 16:00	0.2	0.1	
1/13/19 17:00	0.2	0.1	
1/13/19 18:00	0.1	0.1	
1/13/19 19:00	0.1	0.1	
1/13/19 20:00	0.1	0.1	
1/13/19 21:00	0.2	0.1	
1/13/19 22:00	0.1	0.1	
1/13/19 23:00	0.1	0.1	
1/14/19 0:00	0.2	0.1	
1/14/19 1:00	0.1	0.1	
1/14/19 2:00	0.1	0.1	
1/14/19 3:00	0.1	0.1	
1/14/19 4:00	0.1	0.1	
1/14/19 5:00	0.1	0.1	
1/14/19 6:00	0.1	0.1	
1/14/19 7:00	0.1	0.1	
1/14/19 8:00	0.1	0.1	
1/14/19 9:00	0.1	0.1	
1/14/19 10:00	0.1	0.1	
1/14/19 11:00	0.1	0.1	
1/14/19 12:00	0.1	0.1	
1/14/19 13:00	0.1	0.1	
1/14/19 14:00	0.1	0.1	
1/14/19 15:00	0.1	0.1	

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/14/19 16:00	0.1	0.1	
1/14/19 17:00	0.1	0.1	
1/14/19 18:00	0.1	0.1	
1/14/19 19:00	0.1	0.1	
1/14/19 20:00	0.1	0.1	
1/14/19 21:00	0.1	0.1	
1/14/19 22:00	0.2	0.1	
1/14/19 23:00	0.2	0.1	
1/15/19 0:00	0.1	0.1	
1/15/19 1:00	0.1	0.1	
1/15/19 2:00	0.1	0.1	
1/15/19 3:00	0.1	0.1	
1/15/19 4:00	0.1	0.1	
1/15/19 5:00	0.1	0.1	
1/15/19 6:00	0.1	0.1	
1/15/19 7:00	0.1	0.1	
1/15/19 8:00	0.1	0.1	
1/15/19 9:00	0.1	0.1	
1/15/19 10:00	0.2	0.1	
1/15/19 11:00	0.2	0.1	
1/15/19 12:00	0.1	0.1	
1/15/19 13:00	0.1	0.1	
1/15/19 14:00	0.1	0.1	
1/15/19 15:00	0.2	0.1	
1/15/19 16:00	0.1	0.1	
1/15/19 17:00	0.2	0.1	
1/15/19 18:00	0.1	0.1	
1/15/19 19:00	0.1	0.1	
1/15/19 20:00	0.1	0.1	
1/15/19 21:00	0.0	0.1	
1/15/19 22:00	0.0	0.1	
1/15/19 23:00	0.1	0.1	
1/16/19 0:00	0.1	0.1	
1/16/19 1:00	0.1	0.1	
1/16/19 2:00	0.1	0.1	
1/16/19 3:00	0.1	0.1	
1/16/19 4:00	0.2	0.1	
1/16/19 5:00	0.2	0.1	
1/16/19 6:00	0.1	0.1	
1/16/19 7:00	0.1	0.1	
1/16/19 8:00	0.2	0.1	

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/16/19 9:00	0.2	0.1	
1/16/19 10:00	0.1	0.1	
1/16/19 11:00	0.1	0.1	
1/16/19 12:00	0.1	0.1	
1/16/19 13:00	0.1	0.1	
1/16/19 14:00	0.1	0.1	
1/16/19 15:00	0.1	0.1	
1/16/19 16:00	0.1	0.1	
1/16/19 17:00	0.1	0.1	
1/16/19 18:00	0.1	0.1	
1/16/19 19:00	0.2	0.1	
1/16/19 20:00	0.2	0.1	
1/16/19 21:00	0.2	0.1	
1/16/19 22:00	0.2	0.1	
1/16/19 23:00	0.1	0.1	
1/17/19 0:00	0.1	0.1	
1/17/19 1:00	0.2	0.1	
1/17/19 2:00	0.2	0.1	
1/17/19 3:00	0.2	0.1	
1/17/19 4:00	0.2	0.1	
1/17/19 5:00	0.1	0.1	
1/17/19 6:00	0.1	0.1	
1/17/19 7:00	0.1	0.1	
1/17/19 8:00	0.1	0.1	
1/17/19 9:00	0.1	0.1	
1/17/19 10:00	0.1	0.1	
1/17/19 11:00	0.1	0.1	
1/17/19 12:00	0.1	0.1	
1/17/19 13:00	0.2	0.1	
1/17/19 14:00	0.1	0.1	
1/17/19 15:00	0.2	0.1	
1/17/19 16:00	0.2	0.1	
1/17/19 17:00	0.1	0.1	
1/17/19 18:00	0.1	0.1	
1/17/19 19:00	0.1	0.1	
1/17/19 20:00	0.1	0.1	
1/17/19 21:00	0.1	0.1	
1/17/19 22:00	0.1	0.1	
1/17/19 23:00	0.1	0.1	
1/18/19 0:00	0.1	0.1	
1/18/19 1:00	0.1	0.1	

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/18/19 2:00	0.1	0.1	
1/18/19 3:00	0.1	0.1	
1/18/19 4:00	0.1	0.1	
1/18/19 5:00	0.1	0.1	
1/18/19 6:00	0.1	0.1	
1/18/19 7:00	0.1	0.1	
1/18/19 8:00	0.1	0.1	
1/18/19 9:00	0.1	0.1	
1/18/19 10:00	0.1	0.1	
1/18/19 11:00	0.1	0.1	
1/18/19 12:00	0.1	0.1	
1/18/19 13:00	0.3	0.1	
1/18/19 14:00	0.3	0.1	
1/18/19 15:00	0.3	0.1	
1/18/19 16:00	0.2	0.1	
1/18/19 17:00	0.1	0.1	
1/18/19 18:00	0.1	0.1	
1/18/19 19:00	0.2	0.1	
1/18/19 20:00	0.2	0.1	
1/18/19 21:00	0.2	0.1	
1/18/19 22:00	0.1	0.1	
1/18/19 23:00	0.1	0.1	
1/19/19 0:00	0.1	0.1	
1/19/19 1:00	0.1	0.1	
1/19/19 2:00	0.1	0.1	
1/19/19 3:00	0.1	0.1	
1/19/19 4:00	0.2	0.1	
1/19/19 5:00	0.1	0.1	
1/19/19 6:00	0.1	0.1	
1/19/19 7:00	0.1	0.1	
1/19/19 8:00	0.0	0.1	
1/19/19 9:00	0.1	0.1	
1/19/19 10:00	0.1	0.1	
1/19/19 11:00	0.1	0.1	
1/19/19 12:00	0.1	0.1	
1/19/19 13:00	0.1	0.1	
1/19/19 14:00	0.1	0.1	
1/19/19 15:00	0.1	0.1	
1/19/19 16:00	0.1	0.1	
1/19/19 17:00	0.1	0.1	
1/19/19 18:00	0.2	0.1	

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/19/19 19:00	0.2	0.1	
1/19/19 20:00	0.1	0.1	
1/19/19 21:00	0.1	0.1	
1/19/19 22:00	0.1	0.1	
1/19/19 23:00	0.1	0.1	
1/20/19 0:00	0.1	0.1	
1/20/19 1:00	0.1	0.1	
1/20/19 2:00	0.1	0.1	
1/20/19 3:00	0.1	0.1	
1/20/19 4:00	0.1	0.1	
1/20/19 5:00	0.1	0.1	
1/20/19 6:00	0.1	0.1	
1/20/19 7:00	0.1	0.1	
1/20/19 8:00	0.1	0.1	
1/20/19 9:00	0.1	0.1	
1/20/19 10:00	0.1	0.1	
1/20/19 11:00	0.3	0.1	
1/20/19 12:00	0.1	0.1	
1/20/19 13:00	0.1	0.1	
1/20/19 14:00	0.1	0.1	
1/20/19 15:00	0.1	0.1	
1/20/19 16:00	0.1	0.1	
1/20/19 17:00	0.1	0.1	
1/20/19 18:00	0.1	0.1	
1/20/19 19:00	0.1	0.1	
1/20/19 20:00	0.1	0.1	
1/20/19 21:00	0.1	0.1	
1/20/19 22:00	0.1	0.1	
1/20/19 23:00	0.1	0.1	
1/21/19 0:00	0.1	0.1	
1/21/19 1:00	0.2	0.1	
1/21/19 2:00	0.2	0.1	
1/21/19 3:00	0.2	0.1	
1/21/19 4:00	0.1	0.1	
1/21/19 5:00	0.1	0.1	
1/21/19 6:00	0.1	0.1	
1/21/19 7:00	0.1	0.1	
1/21/19 8:00	0.2	0.1	
1/21/19 9:00	0.1	0.1	
1/21/19 10:00	0.1	0.1	
1/21/19 11:00	0.1	0.1	

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/21/19 12:00	0.2	0.1	
1/21/19 13:00	0.2	0.1	
1/21/19 14:00	0.2	0.1	
1/21/19 15:00	0.2	0.1	
1/21/19 16:00	0.1	0.1	
1/21/19 17:00	0.1	0.1	
1/21/19 18:00	0.1	0.1	
1/21/19 19:00	0.1	0.1	
1/21/19 20:00	0.1	0.1	
1/21/19 21:00	0.1	0.1	
1/21/19 22:00	0.1	0.1	
1/21/19 23:00	0.1	0.1	
1/22/19 0:00	0.1	0.1	
1/22/19 1:00	0.1	0.1	
1/22/19 2:00	0.1	0.1	
1/22/19 3:00	0.0	0.1	
1/22/19 4:00	0.0	0.1	
1/22/19 5:00	0.1	0.1	
1/22/19 6:00	0.1	0.1	
1/22/19 7:00	0.1	0.1	
1/22/19 8:00	0.1	0.1	
1/22/19 9:00	0.1	0.1	
1/22/19 10:00	0.2	0.1	
1/22/19 11:00	0.2	0.1	
1/22/19 12:00	0.1	0.1	
1/22/19 13:00	0.1	0.1	
1/22/19 14:00	0.1	0.1	
1/22/19 15:00	0.1	0.1	
1/22/19 16:00	0.1	0.1	
1/22/19 17:00	0.1	0.1	
1/22/19 18:00	0.1	0.1	
1/22/19 19:00	0.1	0.1	
1/22/19 20:00	0.1	0.1	
1/22/19 21:00	0.1	0.1	
1/22/19 22:00	0.1	0.1	
1/22/19 23:00	0.2	0.1	
1/23/19 0:00	0.2	0.1	
1/23/19 1:00	0.2	0.1	
1/23/19 2:00	0.1	0.1	
1/23/19 3:00	0.1	0.1	
1/23/19 4:00	0.1	0.1	

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/23/19 5:00	0.1	0.1	
1/23/19 6:00	0.1	0.1	
1/23/19 7:00	0.1	0.1	
1/23/19 8:00	0.1	0.1	
1/23/19 9:00	0.1	0.1	
1/23/19 10:00	0.1	0.1	
1/23/19 11:00	0.1	0.1	
1/23/19 12:00	0.1	0.1	
1/23/19 13:00	0.1	0.1	
1/23/19 14:00	0.1	0.1	
1/23/19 15:00	0.1	0.1	
1/23/19 16:00	0.1	0.1	
1/23/19 17:00	0.1	0.1	
1/23/19 18:00	0.1	0.1	
1/23/19 19:00	0.1	0.1	
1/23/19 20:00	0.1	0.1	
1/23/19 21:00	0.1	0.1	
1/23/19 22:00	0.2	0.1	
1/23/19 23:00	0.1	0.1	
1/24/19 0:00	0.1	0.1	
1/24/19 1:00	0.1	0.1	
1/24/19 2:00	0.1	0.1	
1/24/19 3:00	0.1	0.1	
1/24/19 4:00	0.1	0.1	
1/24/19 5:00	0.1	0.1	
1/24/19 6:00	0.1	0.1	
1/24/19 7:00	0.1	0.1	
1/24/19 8:00	0.4	0.1	
1/24/19 9:00	0.4	0.1	
1/24/19 10:00	0.4	0.1	
1/24/19 11:00	0.5	0.2	
1/24/19 12:00	0.5	0.2	
1/24/19 13:00	0.5	0.2	
1/24/19 14:00	0.5	0.2	
1/24/19 15:00	0.5	0.2	
1/24/19 16:00	0.5	0.2	
1/24/19 17:00	0.5	0.3	
1/24/19 18:00	0.3	0.3	
1/24/19 19:00	0.1	0.3	
1/24/19 20:00	0.2	0.3	
1/24/19 21:00	0.1	0.3	

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/24/19 22:00	0.1	0.3	
1/24/19 23:00	0.1	0.3	
1/25/19 0:00	0.1	0.3	
1/25/19 1:00	0.1	0.3	
1/25/19 2:00	0.1	0.3	
1/25/19 3:00	0.1	0.3	
1/25/19 4:00	0.1	0.3	
1/25/19 5:00	0.1	0.3	
1/25/19 6:00	0.1	0.3	
1/25/19 7:00	0.1	0.3	
1/25/19 8:00	0.1	0.3	
1/25/19 9:00	0.1	0.3	
1/25/19 10:00	0.2	0.2	
1/25/19 11:00	0.2	0.2	
1/25/19 12:00	0.1	0.2	
1/25/19 13:00	0.1	0.2	
1/25/19 14:00	0.1	0.2	
1/25/19 15:00	0.1	0.2	
1/25/19 16:00	0.2	0.1	
1/25/19 17:00	0.1	0.1	
1/25/19 18:00	0.1	0.1	
1/25/19 19:00	0.1	0.1	
1/25/19 20:00	0.1	0.1	
1/25/19 21:00	0.1	0.1	
1/25/19 22:00	0.1	0.1	
1/25/19 23:00	0.1	0.1	
1/26/19 0:00	0.1	0.1	
1/26/19 1:00	0.1	0.1	
1/26/19 2:00	0.1	0.1	
1/26/19 3:00	0.1	0.1	
1/26/19 4:00	0.1	0.1	
1/26/19 5:00	0.1	0.1	
1/26/19 6:00	0.0	0.1	
1/26/19 7:00	0.2	0.1	
1/26/19 8:00	0.1	0.1	
1/26/19 9:00	0.1	0.1	
1/26/19 10:00	0.1	0.1	
1/26/19 11:00	0.1	0.1	
1/26/19 12:00	0.2	0.1	
1/26/19 13:00	0.2	0.1	
1/26/19 14:00	0.3	0.1	

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/26/19 15:00	0.2	0.1	
1/26/19 16:00	0.2	0.1	
1/26/19 17:00	0.1	0.1	
1/26/19 18:00	0.1	0.1	
1/26/19 19:00	0.1	0.1	
1/26/19 20:00	0.2	0.1	
1/26/19 21:00	0.1	0.1	
1/26/19 22:00	0.1	0.1	
1/26/19 23:00	0.1	0.1	
1/27/19 0:00	0.1	0.1	
1/27/19 1:00	0.1	0.1	
1/27/19 2:00	0.1	0.1	
1/27/19 3:00	0.1	0.1	
1/27/19 4:00	0.1	0.1	
1/27/19 5:00	0.1	0.1	
1/27/19 6:00	0.1	0.1	
1/27/19 7:00	0.1	0.1	
1/27/19 8:00	0.1	0.1	
1/27/19 9:00	0.1	0.1	
1/27/19 10:00	0.1	0.1	
1/27/19 11:00	0.1	0.1	
1/27/19 12:00	0.1	0.1	
1/27/19 13:00	0.1	0.1	
1/27/19 14:00	0.1	0.1	
1/27/19 15:00	0.1	0.1	
1/27/19 16:00	0.1	0.1	
1/27/19 17:00	0.1	0.1	
1/27/19 18:00	0.1	0.1	
1/27/19 19:00	0.1	0.1	
1/27/19 20:00	0.1	0.1	
1/27/19 21:00	0.1	0.1	
1/27/19 22:00	0.2	0.1	
1/27/19 23:00	0.1	0.1	
1/28/19 0:00	0.1	0.1	
1/28/19 1:00	0.1	0.1	
1/28/19 2:00	0.1	0.1	
1/28/19 3:00	0.1	0.1	
1/28/19 4:00	0.1	0.1	
1/28/19 5:00	0.1	0.1	
1/28/19 6:00	0.0	0.1	
1/28/19 7:00	0.0	0.1	

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/28/19 8:00	0.1	0.1	
1/28/19 9:00	0.1	0.1	
1/28/19 10:00	0.2	0.1	
1/28/19 11:00	0.1	0.1	
1/28/19 12:00	0.1	0.1	
1/28/19 13:00	0.1	0.1	
1/28/19 14:00	0.1	0.1	
1/28/19 15:00	0.2	0.1	
1/28/19 16:00	0.1	0.1	
1/28/19 17:00	0.0	0.1	
1/28/19 18:00	0.0	0.1	
1/28/19 19:00	0.0	0.1	
1/28/19 20:00	0.0	0.1	
1/28/19 21:00	0.0	0.1	
1/28/19 22:00	0.0	0.1	
1/28/19 23:00	0.1	0.1	
1/29/19 0:00	0.0	0.1	
1/29/19 1:00	0.0	0.1	
1/29/19 2:00	0.0	0.1	
1/29/19 3:00	0.0	0.1	
1/29/19 4:00	0.0	0.1	
1/29/19 5:00	0.1	0.1	
1/29/19 6:00	0.1	0.1	
1/29/19 7:00	0.1	0.1	
1/29/19 8:00	0.1	0.1	
1/29/19 9:00	0.1	0.1	
1/29/19 10:00	0.1	0.1	
1/29/19 11:00	0.2	0.1	
1/29/19 12:00	0.2	0.1	
1/29/19 13:00	0.1	0.1	
1/29/19 14:00	0.1	0.1	
1/29/19 15:00	0.1	0.1	
1/29/19 16:00	0.1	0.1	
1/29/19 17:00	0.1	0.1	
1/29/19 18:00	0.1	0.1	
1/29/19 19:00	0.1	0.1	
1/29/19 20:00	0.1	0.1	
1/29/19 21:00	0.1	0.1	
1/29/19 22:00	0.1	0.1	
1/29/19 23:00	0.1	0.1	
1/30/19 0:00	0.1	0.1	

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/30/19 1:00	0.1	0.1	
1/30/19 2:00	0.1	0.1	
1/30/19 3:00	0.1	0.1	
1/30/19 4:00	0.1	0.1	
1/30/19 5:00	0.1	0.1	
1/30/19 6:00	0.1	0.1	
1/30/19 7:00	0.1	0.1	
1/30/19 8:00	0.1	0.1	
1/30/19 9:00	0.0	0.1	
1/30/19 10:00	0.0	0.1	
1/30/19 11:00	0.0	0.1	
1/30/19 12:00	0.0	0.1	
1/30/19 13:00	0.0	0.1	
1/30/19 14:00	0.0	0.1	
1/30/19 15:00	0.0	0.1	
1/30/19 16:00	0.0	0.1	
1/30/19 17:00	0.0	0.1	
1/30/19 18:00	0.0	0.1	
1/30/19 19:00	0.1	0.1	
1/30/19 20:00	0.1	0.1	
1/30/19 21:00	0.0	0.1	
1/30/19 22:00	0.1	0.1	
1/30/19 23:00	0.1	0.1	0.1
1/31/19 0:00	0.2	0.1	0.1
1/31/19 1:00	0.2	0.1	0.1
1/31/19 2:00	0.0	0.1	0.1
1/31/19 3:00	0.1	0.1	0.1
1/31/19 4:00	0.1	0.1	0.1
1/31/19 5:00	0.2	0.1	0.1
1/31/19 6:00	0.1	0.1	0.1
1/31/19 7:00	0.1	0.1	0.1
1/31/19 8:00	0.1	0.1	0.1
1/31/19 9:00	0.2	0.1	0.1
1/31/19 10:00	0.1	0.1	0.1
1/31/19 11:00	0.1	0.1	0.1
1/31/19 12:00	0.1	0.1	0.1
1/31/19 13:00	0.2	0.1	0.1
1/31/19 14:00	0.1	0.1	0.1
1/31/19 15:00	0.1	0.1	0.1
1/31/19 16:00	0.1	0.1	0.1
1/31/19 17:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/31/19 18:00	0.2	0.1	0.1
1/31/19 19:00	0.2	0.1	0.1
1/31/19 20:00	0.2	0.1	0.1
1/31/19 21:00	0.1	0.1	0.1
1/31/19 22:00	0.2	0.1	0.1
1/31/19 23:00	0.2	0.1	0.1
2/1/19 0:00	0.1	0.1	0.1
2/1/19 1:00	0.1	0.1	0.1
2/1/19 2:00	0.2	0.1	0.1
2/1/19 3:00	0.1	0.1	0.1
2/1/19 4:00	0.1	0.1	0.1
2/1/19 5:00	0.1	0.1	0.1
2/1/19 6:00	0.1	0.1	0.1
2/1/19 7:00	0.1	0.1	0.1
2/1/19 8:00	0.1	0.1	0.1
2/1/19 9:00	0.1	0.1	0.1
2/1/19 10:00	0.1	0.1	0.1
2/1/19 11:00	0.1	0.1	0.1
2/1/19 12:00	0.1	0.1	0.1
2/1/19 13:00	0.1	0.1	0.1
2/1/19 14:00	0.1	0.1	0.1
2/1/19 15:00	0.1	0.1	0.1
2/1/19 16:00	0.1	0.1	0.1
2/1/19 17:00	0.1	0.1	0.1
2/1/19 18:00	0.1	0.1	0.1
2/1/19 19:00	0.2	0.1	0.1
2/1/19 20:00	0.1	0.1	0.1
2/1/19 21:00	0.2	0.1	0.1
2/1/19 22:00	0.2	0.1	0.1
2/1/19 23:00	0.1	0.1	0.1
2/2/19 0:00	0.1	0.1	0.1
2/2/19 1:00	0.1	0.1	0.1
2/2/19 2:00	0.1	0.1	0.1
2/2/19 3:00	0.1	0.1	0.1
2/2/19 4:00	0.2	0.1	0.1
2/2/19 5:00	0.2	0.1	0.1
2/2/19 6:00	0.2	0.1	0.1
2/2/19 7:00	0.2	0.1	0.1
2/2/19 8:00	0.2	0.1	0.1
2/2/19 9:00	0.2	0.1	0.1
2/2/19 10:00	0.2	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/2/19 11:00	0.2	0.1	0.1
2/2/19 12:00	0.2	0.1	0.1
2/2/19 13:00	0.2	0.1	0.1
2/2/19 14:00	0.1	0.1	0.1
2/2/19 15:00	0.2	0.1	0.1
2/2/19 16:00	0.2	0.1	0.1
2/2/19 17:00	0.1	0.2	0.1
2/2/19 18:00	0.1	0.2	0.1
2/2/19 19:00	0.1	0.1	0.1
2/2/19 20:00	0.1	0.1	0.1
2/2/19 21:00	0.1	0.1	0.1
2/2/19 22:00	0.1	0.1	0.1
2/2/19 23:00	0.1	0.1	0.1
2/3/19 0:00	0.1	0.1	0.1
2/3/19 1:00	0.1	0.1	0.1
2/3/19 2:00	0.1	0.1	0.1
2/3/19 3:00	0.2	0.1	0.1
2/3/19 4:00	0.1	0.1	0.1
2/3/19 5:00	0.1	0.1	0.1
2/3/19 6:00	0.1	0.1	0.1
2/3/19 7:00	0.1	0.1	0.1
2/3/19 8:00	0.1	0.1	0.1
2/3/19 9:00	0.2	0.1	0.1
2/3/19 10:00	0.2	0.1	0.1
2/3/19 11:00	0.2	0.1	0.1
2/3/19 12:00	0.1	0.1	0.1
2/3/19 13:00	0.1	0.1	0.1
2/3/19 14:00	0.1	0.1	0.1
2/3/19 15:00	0.1	0.1	0.1
2/3/19 16:00	0.1	0.1	0.1
2/3/19 17:00	0.1	0.1	0.1
2/3/19 18:00	0.1	0.1	0.1
2/3/19 19:00	0.1	0.1	0.1
2/3/19 20:00	0.1	0.1	0.1
2/3/19 21:00	0.1	0.1	0.1
2/3/19 22:00	0.1	0.1	0.1
2/3/19 23:00	0.1	0.1	0.1
2/4/19 0:00	0.3	0.1	0.1
2/4/19 1:00	0.4	0.1	0.1
2/4/19 2:00	0.3	0.1	0.1
2/4/19 3:00	0.5	0.2	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/4/19 4:00	0.4	0.2	0.1
2/4/19 5:00	0.5	0.2	0.1
2/4/19 6:00	0.4	0.2	0.1
2/4/19 7:00	0.6	0.2	0.1
2/4/19 8:00	0.6	0.3	0.1
2/4/19 9:00	0.3	0.3	0.1
2/4/19 10:00	0.1	0.3	0.1
2/4/19 11:00	0.1	0.2	0.1
2/4/19 12:00	0.3	0.3	0.1
2/4/19 13:00	0.3	0.3	0.1
2/4/19 14:00	0.3	0.3	0.1
2/4/19 15:00	0.2	0.3	0.1
2/4/19 16:00	0.1	0.3	0.1
2/4/19 17:00	0.1	0.3	0.1
2/4/19 18:00	0.3	0.3	0.1
2/4/19 19:00	0.2	0.3	0.1
2/4/19 20:00	0.2	0.3	0.1
2/4/19 21:00	0.2	0.3	0.1
2/4/19 22:00	0.2	0.3	0.1
2/4/19 23:00	0.2	0.3	0.1
2/5/19 0:00	0.2	0.3	0.1
2/5/19 1:00	0.2	0.3	0.1
2/5/19 2:00	0.2	0.3	0.1
2/5/19 3:00	0.1	0.3	0.1
2/5/19 4:00	0.1	0.3	0.1
2/5/19 5:00	0.1	0.2	0.1
2/5/19 6:00	0.1	0.2	0.1
2/5/19 7:00	0.1	0.2	0.1
2/5/19 8:00	0.2	0.2	0.1
2/5/19 9:00	0.1	0.2	0.1
2/5/19 10:00	0.1	0.2	0.1
2/5/19 11:00	0.1	0.2	0.1
2/5/19 12:00	0.1	0.2	0.1
2/5/19 13:00	0.1	0.2	0.1
2/5/19 14:00	0.1	0.2	0.1
2/5/19 15:00	0.1	0.2	0.1
2/5/19 16:00	0.1	0.2	0.1
2/5/19 17:00	0.1	0.2	0.1
2/5/19 18:00	0.1	0.1	0.1
2/5/19 19:00	0.1	0.1	0.1
2/5/19 20:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/5/19 21:00	0.1	0.1	0.1
2/5/19 22:00	0.1	0.1	0.1
2/5/19 23:00	0.1	0.1	0.1
2/6/19 0:00	0.0	0.1	0.1
2/6/19 1:00	0.0	0.1	0.1
2/6/19 2:00	0.0	0.1	0.1
2/6/19 3:00	0.1	0.1	0.1
2/6/19 4:00	0.1	0.1	0.1
2/6/19 5:00	0.1	0.1	0.1
2/6/19 6:00	0.1	0.1	0.1
2/6/19 7:00	0.1	0.1	0.1
2/6/19 8:00	0.1	0.1	0.1
2/6/19 9:00	0.1	0.1	0.1
2/6/19 10:00	0.1	0.1	0.1
2/6/19 11:00	0.1	0.1	0.1
2/6/19 12:00	0.1	0.1	0.1
2/6/19 13:00	0.1	0.1	0.1
2/6/19 14:00	0.1	0.1	0.1
2/6/19 15:00	0.1	0.1	0.1
2/6/19 16:00	0.1	0.1	0.1
2/6/19 17:00	0.1	0.1	0.1
2/6/19 18:00	0.1	0.1	0.1
2/6/19 19:00	0.1	0.1	0.1
2/6/19 20:00	0.1	0.1	0.1
2/6/19 21:00	0.1	0.1	0.1
2/6/19 22:00	0.0	0.1	0.1
2/6/19 23:00	0.0	0.1	0.1
2/7/19 0:00	0.1	0.1	0.1
2/7/19 1:00	0.3	0.1	0.1
2/7/19 2:00	0.3	0.1	0.1
2/7/19 3:00	0.3	0.1	0.1
2/7/19 4:00	0.2	0.1	0.1
2/7/19 5:00	0.3	0.1	0.1
2/7/19 6:00	0.3	0.1	0.1
2/7/19 7:00	0.2	0.1	0.1
2/7/19 8:00	0.1	0.1	0.1
2/7/19 9:00	0.2	0.1	0.1
2/7/19 10:00	0.1	0.1	0.1
2/7/19 11:00	0.1	0.1	0.1
2/7/19 12:00	0.1	0.1	0.1
2/7/19 13:00	0.0	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/7/19 14:00	0.0	0.1	0.1
2/7/19 15:00	0.0	0.1	0.1
2/7/19 16:00	0.1	0.1	0.1
2/7/19 17:00	0.1	0.1	0.1
2/7/19 18:00	0.1	0.1	0.1
2/7/19 19:00	0.1	0.1	0.1
2/7/19 20:00	0.0	0.1	0.1
2/7/19 21:00	0.0	0.1	0.1
2/7/19 22:00	0.0	0.1	0.1
2/7/19 23:00	0.0	0.1	0.1
2/8/19 0:00	0.1	0.1	0.1
2/8/19 1:00	0.1	0.1	0.1
2/8/19 2:00	0.1	0.1	0.1
2/8/19 3:00	0.2	0.1	0.1
2/8/19 4:00	0.1	0.1	0.1
2/8/19 5:00	0.2	0.1	0.1
2/8/19 6:00	0.2	0.1	0.1
2/8/19 7:00	0.2	0.1	0.1
2/8/19 8:00	0.1	0.1	0.1
2/8/19 9:00	0.1	0.1	0.1
2/8/19 10:00	0.1	0.1	0.1
2/8/19 11:00	0.1	0.1	0.1
2/8/19 12:00	0.1	0.1	0.1
2/8/19 13:00	0.1	0.1	0.1
2/8/19 14:00	0.0	0.1	0.1
2/8/19 15:00	0.0	0.1	0.1
2/8/19 16:00	0.0	0.1	0.1
2/8/19 17:00	0.1	0.1	0.1
2/8/19 18:00	0.1	0.1	0.1
2/8/19 19:00	0.1	0.1	0.1
2/8/19 20:00	0.1	0.1	0.1
2/8/19 21:00	0.1	0.1	0.1
2/8/19 22:00	0.1	0.1	0.1
2/8/19 23:00	0.1	0.1	0.1
2/9/19 0:00	0.1	0.1	0.1
2/9/19 1:00	0.1	0.1	0.1
2/9/19 2:00	0.1	0.1	0.1
2/9/19 3:00	0.1	0.1	0.1
2/9/19 4:00	0.0	0.1	0.1
2/9/19 5:00	0.1	0.1	0.1
2/9/19 6:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/9/19 7:00	0.1	0.1	0.1
2/9/19 8:00	0.6	0.1	0.1
2/9/19 9:00	3.1	0.2	0.1
2/9/19 10:00	0.1	0.2	0.1
2/9/19 11:00	0.1	0.2	0.1
2/9/19 12:00	0.5	0.2	0.1
2/9/19 13:00	1.3	0.3	0.1
2/9/19 14:00	1.6	0.4	0.1
2/9/19 15:00	1.2	0.4	0.1
2/9/19 16:00	0.1	0.4	0.1
2/9/19 17:00	0.1	0.4	0.1
2/9/19 18:00	0.1	0.4	0.1
2/9/19 19:00	0.1	0.4	0.1
2/9/19 20:00	0.1	0.4	0.1
2/9/19 21:00	0.1	0.4	0.1
2/9/19 22:00	0.1	0.4	0.1
2/9/19 23:00	0.1	0.4	0.1
2/10/19 0:00	0.1	0.4	0.1
2/10/19 1:00	0.2	0.4	0.1
2/10/19 2:00	0.2	0.4	0.1
2/10/19 3:00	0.1	0.4	0.1
2/10/19 4:00	0.1	0.4	0.1
2/10/19 5:00	0.1	0.4	0.1
2/10/19 6:00	0.1	0.4	0.1
2/10/19 7:00	0.1	0.4	0.1
2/10/19 8:00	0.1	0.4	0.1
2/10/19 9:00	0.0	0.3	0.1
2/10/19 10:00	0.0	0.3	0.1
2/10/19 11:00	0.1	0.3	0.1
2/10/19 12:00	0.1	0.3	0.1
2/10/19 13:00	0.1	0.2	0.1
2/10/19 14:00	0.1	0.1	0.1
2/10/19 15:00	0.1	0.1	0.1
2/10/19 16:00	0.1	0.1	0.1
2/10/19 17:00	0.1	0.1	0.1
2/10/19 18:00	0.1	0.1	0.1
2/10/19 19:00	0.1	0.1	0.1
2/10/19 20:00	0.1	0.1	0.1
2/10/19 21:00	0.1	0.1	0.1
2/10/19 22:00	0.1	0.1	0.1
2/10/19 23:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/11/19 0:00	0.1	0.1	0.1
2/11/19 1:00	0.1	0.1	0.1
2/11/19 2:00	0.1	0.1	0.1
2/11/19 3:00	0.1	0.1	0.1
2/11/19 4:00	0.1	0.1	0.1
2/11/19 5:00	0.1	0.1	0.1
2/11/19 6:00	0.1	0.1	0.1
2/11/19 7:00	0.1	0.1	0.1
2/11/19 8:00	0.1	0.1	0.1
2/11/19 9:00	0.3	0.1	0.1
2/11/19 10:00	0.2	0.1	0.1
2/11/19 11:00	0.2	0.1	0.1
2/11/19 12:00	0.1	0.1	0.1
2/11/19 13:00	0.1	0.1	0.1
2/11/19 14:00	0.1	0.1	0.1
2/11/19 15:00	0.1	0.1	0.1
2/11/19 16:00	0.1	0.1	0.1
2/11/19 17:00	0.1	0.1	0.1
2/11/19 18:00	0.2	0.1	0.1
2/11/19 19:00	0.3	0.1	0.1
2/11/19 20:00	0.3	0.1	0.1
2/11/19 21:00	0.3	0.1	0.1
2/11/19 22:00	0.2	0.1	0.1
2/11/19 23:00	0.2	0.1	0.1
2/12/19 0:00	0.3	0.1	0.1
2/12/19 1:00	0.3	0.2	0.1
2/12/19 2:00	0.2	0.2	0.1
2/12/19 3:00	0.3	0.2	0.1
2/12/19 4:00	0.3	0.2	0.1
2/12/19 5:00	0.3	0.2	0.1
2/12/19 6:00	0.1	0.2	0.1
2/12/19 7:00	0.1	0.2	0.1
2/12/19 8:00	0.2	0.2	0.1
2/12/19 9:00	0.3	0.2	0.1
2/12/19 10:00	0.2	0.2	0.1
2/12/19 11:00	0.3	0.2	0.1
2/12/19 12:00	0.3	0.2	0.1
2/12/19 13:00	0.3	0.2	0.1
2/12/19 14:00	0.1	0.2	0.1
2/12/19 15:00	0.1	0.2	0.1
2/12/19 16:00	0.1	0.2	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/12/19 17:00	0.1	0.2	0.1
2/12/19 18:00	0.1	0.2	0.1
2/12/19 19:00	0.2	0.2	0.1
2/12/19 20:00	0.2	0.2	0.1
2/12/19 21:00	0.2	0.2	0.1
2/12/19 22:00	0.2	0.2	0.1
2/12/19 23:00	0.2	0.2	0.1
2/13/19 0:00	0.1	0.2	0.1
2/13/19 1:00	0.1	0.2	0.1
2/13/19 2:00	0.1	0.2	0.1
2/13/19 3:00	0.1	0.2	0.1
2/13/19 4:00	0.1	0.2	0.1
2/13/19 5:00	0.1	0.2	0.1
2/13/19 6:00	0.1	0.2	0.1
2/13/19 7:00	0.1	0.2	0.1
2/13/19 8:00	0.2	0.2	0.1
2/13/19 9:00	0.1	0.2	0.1
2/13/19 10:00	0.1	0.2	0.1
2/13/19 11:00	0.1	0.1	0.1
2/13/19 12:00	0.0	0.1	0.1
2/13/19 13:00	0.1	0.1	0.1
2/13/19 14:00	0.1	0.1	0.1
2/13/19 15:00	0.1	0.1	0.1
2/13/19 16:00	0.1	0.1	0.1
2/13/19 17:00	0.1	0.1	0.1
2/13/19 18:00	0.1	0.1	0.1
2/13/19 19:00	0.1	0.1	0.1
2/13/19 20:00	0.1	0.1	0.1
2/13/19 21:00	0.2	0.1	0.1
2/13/19 22:00	0.1	0.1	0.1
2/13/19 23:00	0.3	0.1	0.1
2/14/19 0:00	0.1	0.1	0.1
2/14/19 1:00	0.1	0.1	0.1
2/14/19 2:00	0.1	0.1	0.1
2/14/19 3:00	0.1	0.1	0.1
2/14/19 4:00	0.2	0.1	0.1
2/14/19 5:00	0.2	0.1	0.1
2/14/19 6:00	0.1	0.1	0.1
2/14/19 7:00	0.1	0.1	0.1
2/14/19 8:00	0.2	0.1	0.1
2/14/19 9:00	0.2	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/14/19 10:00	0.2	0.1	0.1
2/14/19 11:00	0.1	0.1	0.1
2/14/19 12:00	0.1	0.1	0.1
2/14/19 13:00	0.1	0.1	0.1
2/14/19 14:00	0.2	0.1	0.1
2/14/19 15:00	0.2	0.1	0.1
2/14/19 16:00	0.2	0.1	0.1
2/14/19 17:00	0.2	0.1	0.1
2/14/19 18:00	0.1	0.1	0.1
2/14/19 19:00	0.1	0.1	0.1
2/14/19 20:00	0.1	0.1	0.1
2/14/19 21:00	0.1	0.1	0.1
2/14/19 22:00	0.1	0.1	0.1
2/14/19 23:00	0.1	0.1	0.1
2/15/19 0:00	0.1	0.1	0.1
2/15/19 1:00	0.1	0.1	0.1
2/15/19 2:00	0.1	0.1	0.1
2/15/19 3:00	0.1	0.1	0.1
2/15/19 4:00	0.1	0.1	0.1
2/15/19 5:00	0.1	0.1	0.1
2/15/19 6:00	0.1	0.1	0.1
2/15/19 7:00	0.1	0.1	0.1
2/15/19 8:00	0.1	0.1	0.1
2/15/19 9:00	0.1	0.1	0.1
2/15/19 10:00	0.1	0.1	0.1
2/15/19 11:00	0.2	0.1	0.1
2/15/19 12:00	0.1	0.1	0.1
2/15/19 13:00	0.1	0.1	0.1
2/15/19 14:00	0.1	0.1	0.1
2/15/19 15:00	0.0	0.1	0.1
2/15/19 16:00	0.0	0.1	0.1
2/15/19 17:00	0.0	0.1	0.1
2/15/19 18:00	0.0	0.1	0.1
2/15/19 19:00	0.1	0.1	0.1
2/15/19 20:00	0.1	0.1	0.1
2/15/19 21:00	0.1	0.1	0.1
2/15/19 22:00	0.1	0.1	0.1
2/15/19 23:00	0.1	0.1	0.1
2/16/19 0:00	0.2	0.1	0.1
2/16/19 1:00	0.2	0.1	0.1
2/16/19 2:00	0.2	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/16/19 3:00	0.1	0.1	0.1
2/16/19 4:00	0.2	0.1	0.1
2/16/19 5:00	0.2	0.1	0.1
2/16/19 6:00	0.1	0.1	0.1
2/16/19 7:00	0.1	0.1	0.1
2/16/19 8:00	0.3	0.1	0.1
2/16/19 9:00	0.2	0.1	0.1
2/16/19 10:00	0.2	0.1	0.1
2/16/19 11:00	0.2	0.1	0.1
2/16/19 12:00	0.2	0.1	0.1
2/16/19 13:00	0.2	0.1	0.1
2/16/19 14:00	0.1	0.1	0.1
2/16/19 15:00	0.1	0.1	0.1
2/16/19 16:00	0.2	0.1	0.1
2/16/19 17:00	0.1	0.1	0.1
2/16/19 18:00	0.1	0.2	0.1
2/16/19 19:00	0.1	0.2	0.1
2/16/19 20:00	0.1	0.2	0.1
2/16/19 21:00	0.0	0.2	0.1
2/16/19 22:00	0.1	0.1	0.1
2/16/19 23:00	0.1	0.1	0.1
2/17/19 0:00	0.1	0.1	0.1
2/17/19 1:00	0.1	0.1	0.1
2/17/19 2:00	0.1	0.1	0.1
2/17/19 3:00	0.1	0.1	0.1
2/17/19 4:00	0.1	0.1	0.1
2/17/19 5:00	0.1	0.1	0.1
2/17/19 6:00	0.1	0.1	0.1
2/17/19 7:00	0.1	0.1	0.1
2/17/19 8:00	0.1	0.1	0.1
2/17/19 9:00	0.1	0.1	0.1
2/17/19 10:00	0.1	0.1	0.1
2/17/19 11:00	0.2	0.1	0.1
2/17/19 12:00	0.2	0.1	0.1
2/17/19 13:00	0.2	0.1	0.1
2/17/19 14:00	0.1	0.1	0.1
2/17/19 15:00	0.1	0.1	0.1
2/17/19 16:00	0.1	0.1	0.1
2/17/19 17:00	0.2	0.1	0.1
2/17/19 18:00	0.2	0.1	0.1
2/17/19 19:00	0.2	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/17/19 20:00	0.1	0.1	0.1
2/17/19 21:00	0.1	0.1	0.1
2/17/19 22:00	0.1	0.1	0.1
2/17/19 23:00	0.1	0.1	0.1
2/18/19 0:00	0.1	0.1	0.1
2/18/19 1:00	0.1	0.1	0.1
2/18/19 2:00	0.1	0.1	0.1
2/18/19 3:00	0.1	0.1	0.1
2/18/19 4:00	0.1	0.1	0.1
2/18/19 5:00	0.1	0.1	0.1
2/18/19 6:00	0.1	0.1	0.1
2/18/19 7:00	0.1	0.1	0.1
2/18/19 8:00	0.1	0.1	0.1
2/18/19 9:00	0.1	0.1	0.1
2/18/19 10:00	0.1	0.1	0.1
2/18/19 11:00	0.1	0.1	0.1
2/18/19 12:00	0.1	0.1	0.1
2/18/19 13:00	0.1	0.1	0.1
2/18/19 14:00	0.1	0.1	0.1
2/18/19 15:00	0.1	0.1	0.1
2/18/19 16:00	0.1	0.1	0.1
2/18/19 17:00	0.1	0.1	0.1
2/18/19 18:00	0.1	0.1	0.1
2/18/19 19:00	0.1	0.1	0.1
2/18/19 20:00	0.1	0.1	0.1
2/18/19 21:00	0.1	0.1	0.1
2/18/19 22:00	0.1	0.1	0.1
2/18/19 23:00	0.1	0.1	0.1
2/19/19 0:00	0.1	0.1	0.1
2/19/19 1:00	0.1	0.1	0.1
2/19/19 2:00	0.2	0.1	0.1
2/19/19 3:00	0.1	0.1	0.1
2/19/19 4:00	0.1	0.1	0.1
2/19/19 5:00	0.1	0.1	0.1
2/19/19 6:00	0.1	0.1	0.1
2/19/19 7:00	0.0	0.1	0.1
2/19/19 8:00	0.1	0.1	0.1
2/19/19 9:00	0.1	0.1	0.1
2/19/19 10:00	0.2	0.1	0.1
2/19/19 11:00	0.3	0.1	0.1
2/19/19 12:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/19/19 13:00	0.3	0.1	0.1
2/19/19 14:00	0.5	0.1	0.1
2/19/19 15:00	0.5	0.1	0.1
2/19/19 16:00	0.5	0.2	0.1
2/19/19 17:00	0.5	0.2	0.1
2/19/19 18:00	0.3	0.2	0.1
2/19/19 19:00	0.3	0.2	0.1
2/19/19 20:00	0.4	0.2	0.1
2/19/19 21:00	0.4	0.2	0.1
2/19/19 22:00	0.4	0.2	0.1
2/19/19 23:00	0.4	0.2	0.1
2/20/19 0:00	0.4	0.3	0.1
2/20/19 1:00	0.4	0.3	0.1
2/20/19 2:00	0.3	0.3	0.1
2/20/19 3:00	1.3	0.3	0.1
2/20/19 4:00	0.2	0.3	0.1
2/20/19 5:00	0.2	0.3	0.1
2/20/19 6:00	0.2	0.3	0.1
2/20/19 7:00	0.2	0.3	0.1
2/20/19 8:00	0.2	0.4	0.1
2/20/19 9:00	0.2	0.4	0.1
2/20/19 10:00	0.2	0.4	0.1
2/20/19 11:00	0.1	0.4	0.1
2/20/19 12:00	0.1	0.4	0.1
2/20/19 13:00	0.2	0.3	0.1
2/20/19 14:00	0.2	0.3	0.1
2/20/19 15:00	0.2	0.3	0.1
2/20/19 16:00	0.2	0.3	0.1
2/20/19 17:00	0.2	0.3	0.1
2/20/19 18:00	0.1	0.3	0.1
2/20/19 19:00	0.1	0.3	0.1
2/20/19 20:00	0.1	0.3	0.1
2/20/19 21:00	0.1	0.3	0.1
2/20/19 22:00	0.1	0.2	0.1
2/20/19 23:00	0.1	0.2	0.1
2/21/19 0:00	0.1	0.2	0.1
2/21/19 1:00	0.1	0.2	0.1
2/21/19 2:00	0.1	0.2	0.1
2/21/19 3:00	0.1	0.2	0.1
2/21/19 4:00	0.1	0.2	0.1
2/21/19 5:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/21/19 6:00	0.1	0.1	0.1
2/21/19 7:00	0.1	0.1	0.1
2/21/19 8:00	0.1	0.1	0.1
2/21/19 9:00	0.1	0.1	0.1
2/21/19 10:00	0.1	0.1	0.1
2/21/19 11:00	0.1	0.1	0.1
2/21/19 12:00	0.1	0.1	0.1
2/21/19 13:00	0.1	0.1	0.1
2/21/19 14:00	0.1	0.1	0.1
2/21/19 15:00	0.1	0.1	0.1
2/21/19 16:00	0.1	0.1	0.1
2/21/19 17:00	0.1	0.1	0.1
2/21/19 18:00	0.1	0.1	0.1
2/21/19 19:00	0.2	0.1	0.1
2/21/19 20:00	0.1	0.1	0.1
2/21/19 21:00	0.0	0.1	0.1
2/21/19 22:00	0.0	0.1	0.1
2/21/19 23:00	0.1	0.1	0.1
2/22/19 0:00	0.1	0.1	0.1
2/22/19 1:00	0.1	0.1	0.1
2/22/19 2:00	0.0	0.1	0.1
2/22/19 3:00	0.0	0.1	0.1
2/22/19 4:00	0.0	0.1	0.1
2/22/19 5:00	0.0	0.1	0.1
2/22/19 6:00	0.0	0.1	0.1
2/22/19 7:00	0.1	0.1	0.1
2/22/19 8:00	0.1	0.1	0.1
2/22/19 9:00	0.1	0.1	0.1
2/22/19 10:00	0.0	0.1	0.1
2/22/19 11:00	0.0	0.1	0.1
2/22/19 12:00	0.0	0.1	0.1
2/22/19 13:00	0.1	0.1	0.1
2/22/19 14:00	0.0	0.1	0.1
2/22/19 15:00	0.0	0.1	0.1
2/22/19 16:00	0.1	0.1	0.1
2/22/19 17:00	0.1	0.1	0.1
2/22/19 18:00	0.1	0.1	0.1
2/22/19 19:00	0.1	0.1	0.1
2/22/19 20:00	0.2	0.1	0.1
2/22/19 21:00	0.1	0.1	0.1
2/22/19 22:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/22/19 23:00	0.1	0.1	0.1
2/23/19 0:00	0.1	0.1	0.1
2/23/19 1:00	0.1	0.1	0.1
2/23/19 2:00	0.1	0.1	0.1
2/23/19 3:00	0.1	0.1	0.1
2/23/19 4:00	0.1	0.1	0.1
2/23/19 5:00	0.1	0.1	0.1
2/23/19 6:00	0.1	0.1	0.1
2/23/19 7:00	0.1	0.1	0.1
2/23/19 8:00	0.1	0.1	0.1
2/23/19 9:00	0.1	0.1	0.1
2/23/19 10:00	0.1	0.1	0.1
2/23/19 11:00	0.1	0.1	0.1
2/23/19 12:00	0.1	0.1	0.1
2/23/19 13:00	0.1	0.1	0.1
2/23/19 14:00	0.1	0.1	0.1
2/23/19 15:00	0.1	0.1	0.1
2/23/19 16:00	0.1	0.1	0.1
2/23/19 17:00	0.1	0.1	0.1
2/23/19 18:00	0.1	0.1	0.1
2/23/19 19:00	0.1	0.1	0.1
2/23/19 20:00	0.1	0.1	0.1
2/23/19 21:00	0.1	0.1	0.1
2/23/19 22:00	0.1	0.1	0.1
2/23/19 23:00	0.1	0.1	0.1
2/24/19 0:00	0.1	0.1	0.1
2/24/19 1:00	0.1	0.1	0.1
2/24/19 2:00	0.1	0.1	0.1
2/24/19 3:00	0.1	0.1	0.1
2/24/19 4:00	0.1	0.1	0.1
2/24/19 5:00	0.1	0.1	0.1
2/24/19 6:00	0.1	0.1	0.1
2/24/19 7:00	0.1	0.1	0.1
2/24/19 8:00	0.1	0.1	0.1
2/24/19 9:00	0.1	0.1	0.1
2/24/19 10:00	0.1	0.1	0.1
2/24/19 11:00	0.1	0.1	0.1
2/24/19 12:00	0.1	0.1	0.1
2/24/19 13:00	0.1	0.1	0.1
2/24/19 14:00	0.1	0.1	0.1
2/24/19 15:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/24/19 16:00	0.1	0.1	0.1
2/24/19 17:00	0.1	0.1	0.1
2/24/19 18:00	0.1	0.1	0.1
2/24/19 19:00	0.1	0.1	0.1
2/24/19 20:00	0.1	0.1	0.1
2/24/19 21:00	0.1	0.1	0.1
2/24/19 22:00	0.1	0.1	0.1
2/24/19 23:00	0.2	0.1	0.1
2/25/19 0:00	0.2	0.1	0.1
2/25/19 1:00	0.2	0.1	0.1
2/25/19 2:00	0.1	0.1	0.1
2/25/19 3:00	0.2	0.1	0.1
2/25/19 4:00	0.0	0.1	0.1
2/25/19 5:00	0.0	0.1	0.1
2/25/19 6:00	0.1	0.1	0.1
2/25/19 7:00	0.1	0.1	0.1
2/25/19 8:00	0.1	0.1	0.1
2/25/19 9:00	0.1	0.1	0.1
2/25/19 10:00	0.2	0.1	0.1
2/25/19 11:00	0.2	0.1	0.1
2/25/19 12:00	0.1	0.1	0.1
2/25/19 13:00	0.1	0.1	0.1
2/25/19 14:00	0.1	0.1	0.1
2/25/19 15:00	0.0	0.1	0.1
2/25/19 16:00	0.0	0.1	0.1
2/25/19 17:00	0.2	0.1	0.1
2/25/19 18:00	0.0	0.1	0.1
2/25/19 19:00	0.1	0.1	0.1
2/25/19 20:00	0.1	0.1	0.1
2/25/19 21:00	0.0	0.1	0.1
2/25/19 22:00	0.0	0.1	0.1
2/25/19 23:00	0.1	0.1	0.1
2/26/19 0:00	0.1	0.1	0.1
2/26/19 1:00	0.1	0.1	0.1
2/26/19 2:00	0.1	0.1	0.1
2/26/19 3:00	0.1	0.1	0.1
2/26/19 4:00	0.1	0.1	0.1
2/26/19 5:00	0.1	0.1	0.1
2/26/19 6:00	0.1	0.1	0.1
2/26/19 7:00	0.1	0.1	0.1
2/26/19 8:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/26/19 9:00	0.0	0.1	0.1
2/26/19 10:00	0.3	0.1	0.1
2/26/19 11:00	0.1	0.1	0.1
2/26/19 12:00	0.1	0.1	0.1
2/26/19 13:00	0.1	0.1	0.1
2/26/19 14:00	0.1	0.1	0.1
2/26/19 15:00	0.1	0.1	0.1
2/26/19 16:00	0.1	0.1	0.1
2/26/19 17:00	0.1	0.1	0.1
2/26/19 18:00	0.1	0.1	0.1
2/26/19 19:00	0.1	0.1	0.1
2/26/19 20:00	0.1	0.1	0.1
2/26/19 21:00	0.1	0.1	0.1
2/26/19 22:00	0.1	0.1	0.1
2/26/19 23:00	0.1	0.1	0.1
2/27/19 0:00	0.1	0.1	0.1
2/27/19 1:00	0.1	0.1	0.1
2/27/19 2:00	0.1	0.1	0.1
2/27/19 3:00	0.1	0.1	0.1
2/27/19 4:00	0.1	0.1	0.1
2/27/19 5:00	0.1	0.1	0.1
2/27/19 6:00	0.1	0.1	0.1
2/27/19 7:00	0.1	0.1	0.1
2/27/19 8:00	0.1	0.1	0.1
2/27/19 9:00	0.1	0.1	0.1
2/27/19 10:00	0.3	0.1	0.1
2/27/19 11:00	0.1	0.1	0.1
2/27/19 12:00	0.1	0.1	0.1
2/27/19 13:00	0.1	0.1	0.1
2/27/19 14:00	0.1	0.1	0.1
2/27/19 15:00	0.1	0.1	0.1
2/27/19 16:00	0.1	0.1	0.1
2/27/19 17:00	0.1	0.1	0.1
2/27/19 18:00	0.1	0.1	0.1
2/27/19 19:00	0.1	0.1	0.1
2/27/19 20:00	0.2	0.1	0.1
2/27/19 21:00	0.1	0.1	0.1
2/27/19 22:00	0.2	0.1	0.1
2/27/19 23:00	0.2	0.1	0.1
2/28/19 0:00	0.2	0.1	0.1
2/28/19 1:00	0.2	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/28/19 2:00	0.2	0.1	0.1
2/28/19 3:00	0.1	0.1	0.1
2/28/19 4:00	0.2	0.1	0.1
2/28/19 5:00	0.1	0.1	0.1
2/28/19 6:00	0.1	0.1	0.1
2/28/19 7:00	0.1	0.1	0.1
2/28/19 8:00	0.1	0.1	0.1
2/28/19 9:00	0.2	0.1	0.1
2/28/19 10:00	0.1	0.1	0.1
2/28/19 11:00	0.2	0.1	0.1
2/28/19 12:00	0.2	0.1	0.1
2/28/19 13:00	0.2	0.1	0.1
2/28/19 14:00	0.1	0.1	0.1
2/28/19 15:00	0.1	0.1	0.1
2/28/19 16:00	0.1	0.1	0.1
2/28/19 17:00	0.2	0.1	0.1
2/28/19 18:00	0.1	0.1	0.1
2/28/19 19:00	0.1	0.1	0.1
2/28/19 20:00	0.1	0.1	0.1
2/28/19 21:00	0.1	0.1	0.1
2/28/19 22:00	0.1	0.1	0.1
2/28/19 23:00	0.1	0.1	0.1
3/1/19 0:00	0.1	0.1	0.1
3/1/19 1:00	0.1	0.1	0.1
3/1/19 2:00	0.1	0.1	0.1
3/1/19 3:00	0.1	0.1	0.1
3/1/19 4:00	0.1	0.1	0.1
3/1/19 5:00	0.1	0.1	0.1
3/1/19 6:00	0.1	0.1	0.1
3/1/19 7:00	0.1	0.1	0.1
3/1/19 8:00	0.1	0.1	0.1
3/1/19 9:00	0.1	0.1	0.1
3/1/19 10:00	0.3	0.1	0.1
3/1/19 11:00	0.1	0.1	0.1
3/1/19 12:00	0.1	0.1	0.1
3/1/19 13:00	0.2	0.1	0.1
3/1/19 14:00	0.0	0.1	0.1
3/1/19 15:00	0.0	0.1	0.1
3/1/19 16:00	0.1	0.1	0.1
3/1/19 17:00	0.1	0.1	0.1
3/1/19 18:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/1/19 19:00	0.1	0.1	0.1
3/1/19 20:00	0.2	0.1	0.1
3/1/19 21:00	0.2	0.1	0.1
3/1/19 22:00	0.2	0.1	0.1
3/1/19 23:00	0.2	0.1	0.1
3/2/19 0:00	0.1	0.1	0.1
3/2/19 1:00	0.1	0.1	0.1
3/2/19 2:00	0.1	0.1	0.1
3/2/19 3:00	0.1	0.1	0.1
3/2/19 4:00	0.1	0.1	0.1
3/2/19 5:00	0.1	0.1	0.1
3/2/19 6:00	0.1	0.1	0.1
3/2/19 7:00	0.1	0.1	0.1
3/2/19 8:00	0.1	0.1	0.1
3/2/19 9:00	0.2	0.1	0.1
3/2/19 10:00	0.2	0.1	0.1
3/2/19 11:00	0.1	0.1	0.1
3/2/19 12:00	0.1	0.1	0.1
3/2/19 13:00	0.1	0.1	0.1
3/2/19 14:00	0.1	0.1	0.1
3/2/19 15:00	0.1	0.1	0.1
3/2/19 16:00	0.1	0.1	0.1
3/2/19 17:00	0.0	0.1	0.1
3/2/19 18:00	0.1	0.1	0.1
3/2/19 19:00	0.1	0.1	0.1
3/2/19 20:00	0.1	0.1	0.1
3/2/19 21:00	0.1	0.1	0.1
3/2/19 22:00	0.1	0.1	0.1
3/2/19 23:00	0.1	0.1	0.1
3/3/19 0:00	0.1	0.1	0.1
3/3/19 1:00	0.1	0.1	0.1
3/3/19 2:00	0.1	0.1	0.1
3/3/19 3:00	0.1	0.1	0.1
3/3/19 4:00	0.1	0.1	0.1
3/3/19 5:00	0.1	0.1	0.1
3/3/19 6:00	0.1	0.1	0.1
3/3/19 7:00	0.1	0.1	0.1
3/3/19 8:00	0.2	0.1	0.1
3/3/19 9:00	0.2	0.1	0.1
3/3/19 10:00	0.2	0.1	0.1
3/3/19 11:00	0.2	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/3/19 12:00	0.2	0.1	0.1
3/3/19 13:00	0.2	0.1	0.1
3/3/19 14:00	0.2	0.1	0.1
3/3/19 15:00	0.2	0.1	0.1
3/3/19 16:00	0.2	0.1	0.1
3/3/19 17:00	0.2	0.1	0.1
3/3/19 18:00	0.1	0.1	0.1
3/3/19 19:00	0.1	0.1	0.1
3/3/19 20:00	0.2	0.1	0.1
3/3/19 21:00	0.2	0.1	0.1
3/3/19 22:00	0.1	0.1	0.1
3/3/19 23:00	0.1	0.1	0.1
3/4/19 0:00	0.2	0.1	0.1
3/4/19 1:00	0.2	0.1	0.1
3/4/19 2:00	0.2	0.1	0.1
3/4/19 3:00	0.2	0.2	0.1
3/4/19 4:00	0.2	0.2	0.1
3/4/19 5:00	0.3	0.2	0.1
3/4/19 6:00	0.1	0.2	0.1
3/4/19 7:00	0.1	0.2	0.1
3/4/19 8:00	0.1	0.2	0.1
3/4/19 9:00	0.1	0.2	0.1
3/4/19 10:00	0.1	0.2	0.1
3/4/19 11:00	0.1	0.2	0.1
3/4/19 12:00	0.1	0.2	0.1
3/4/19 13:00	0.1	0.2	0.1
3/4/19 14:00	0.2	0.2	0.1
3/4/19 15:00	0.2	0.2	0.1
3/4/19 16:00	0.1	0.2	0.1
3/4/19 17:00	0.1	0.1	0.1
3/4/19 18:00	0.1	0.1	0.1
3/4/19 19:00	0.1	0.1	0.1
3/4/19 20:00	0.1	0.1	0.1
3/4/19 21:00	0.1	0.1	0.1
3/4/19 22:00	0.1	0.1	0.1
3/4/19 23:00	0.1	0.1	0.1
3/5/19 0:00	0.1	0.1	0.1
3/5/19 1:00	0.1	0.1	0.1
3/5/19 2:00	0.1	0.1	0.1
3/5/19 3:00	0.1	0.1	0.1
3/5/19 4:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/5/19 5:00	0.1	0.1	0.1
3/5/19 6:00	0.1	0.1	0.1
3/5/19 7:00	0.1	0.1	0.1
3/5/19 8:00	0.2	0.1	0.1
3/5/19 9:00	11.7	0.6	0.2
3/5/19 10:00	0.2	0.6	0.2
3/5/19 11:00	0.2	0.6	0.2
3/5/19 12:00	0.1	0.6	0.2
3/5/19 13:00	0.1	0.6	0.2
3/5/19 14:00	0.1	0.6	0.2
3/5/19 15:00	0.1	0.6	0.2
3/5/19 16:00	0.1	0.6	0.2
3/5/19 17:00	0.1	0.6	0.2
3/5/19 18:00	0.1	0.6	0.2
3/5/19 19:00	0.1	0.6	0.2
3/5/19 20:00	0.1	0.6	0.2
3/5/19 21:00	0.1	0.6	0.2
3/5/19 22:00	0.1	0.6	0.2
3/5/19 23:00	0.1	0.6	0.2
3/6/19 0:00	0.1	0.6	0.2
3/6/19 1:00	0.1	0.6	0.2
3/6/19 2:00	0.1	0.6	0.2
3/6/19 3:00	0.2	0.6	0.2
3/6/19 4:00	0.1	0.6	0.2
3/6/19 5:00	0.1	0.6	0.2
3/6/19 6:00	0.1	0.6	0.2
3/6/19 7:00	0.1	0.6	0.2
3/6/19 8:00	0.1	0.6	0.2
3/6/19 9:00	0.1	0.1	0.2
3/6/19 10:00	0.1	0.1	0.2
3/6/19 11:00	0.1	0.1	0.2
3/6/19 12:00	0.1	0.1	0.2
3/6/19 13:00	0.1	0.1	0.2
3/6/19 14:00	0.1	0.1	0.1
3/6/19 15:00	0.1	0.1	0.1
3/6/19 16:00	0.1	0.1	0.1
3/6/19 17:00	0.1	0.1	0.1
3/6/19 18:00	0.1	0.1	0.1
3/6/19 19:00	0.2	0.1	0.1
3/6/19 20:00	0.1	0.1	0.1
3/6/19 21:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/6/19 22:00	0.1	0.1	0.1
3/6/19 23:00	0.1	0.1	0.1
3/7/19 0:00	0.2	0.1	0.1
3/7/19 1:00	0.2	0.1	0.1
3/7/19 2:00	0.2	0.1	0.1
3/7/19 3:00	0.1	0.1	0.1
3/7/19 4:00	0.1	0.1	0.1
3/7/19 5:00	0.2	0.1	0.1
3/7/19 6:00	0.2	0.1	0.1
3/7/19 7:00	0.2	0.1	0.1
3/7/19 8:00	0.2	0.1	0.1
3/7/19 9:00	0.2	0.1	0.1
3/7/19 10:00	0.2	0.1	0.1
3/7/19 11:00	0.1	0.1	0.1
3/7/19 12:00	0.1	0.1	0.1
3/7/19 13:00	0.2	0.1	0.1
3/7/19 14:00	0.2	0.1	0.1
3/7/19 15:00	0.2	0.1	0.1
3/7/19 16:00	0.2	0.2	0.1
3/7/19 17:00	0.2	0.2	0.1
3/7/19 18:00	0.2	0.2	0.1
3/7/19 19:00	0.2	0.2	0.2
3/7/19 20:00	0.2	0.2	0.2
3/7/19 21:00	0.2	0.2	0.2
3/7/19 22:00	0.2	0.2	0.2
3/7/19 23:00	0.2	0.2	0.2
3/8/19 0:00	0.1	0.2	0.2
3/8/19 1:00	0.1	0.2	0.2
3/8/19 2:00	0.1	0.2	0.2
3/8/19 3:00	0.2	0.2	0.2
3/8/19 4:00	0.2	0.2	0.2
3/8/19 5:00	0.2	0.2	0.2
3/8/19 6:00	0.2	0.2	0.2
3/8/19 7:00	0.2	0.2	0.2
3/8/19 8:00	0.2	0.2	0.2
3/8/19 9:00	0.1	0.2	0.2
3/8/19 10:00	0.1	0.1	0.2
3/8/19 11:00	0.1	0.1	0.2
3/8/19 12:00	0.1	0.1	0.2
3/8/19 13:00	0.1	0.1	0.2
3/8/19 14:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/8/19 15:00	0.1	0.1	0.2
3/8/19 16:00	0.1	0.1	0.2
3/8/19 17:00	0.0	0.1	0.2
3/8/19 18:00	0.0	0.1	0.2
3/8/19 19:00	0.1	0.1	0.2
3/8/19 20:00	0.1	0.1	0.2
3/8/19 21:00	0.1	0.1	0.2
3/8/19 22:00	0.1	0.1	0.2
3/8/19 23:00	0.1	0.1	0.2
3/9/19 0:00	0.1	0.1	0.2
3/9/19 1:00	0.1	0.1	0.2
3/9/19 2:00	0.1	0.1	0.2
3/9/19 3:00	0.1	0.1	0.2
3/9/19 4:00	0.1	0.1	0.2
3/9/19 5:00	0.1	0.1	0.2
3/9/19 6:00	0.1	0.1	0.1
3/9/19 7:00	0.1	0.1	0.1
3/9/19 8:00	0.2	0.1	0.1
3/9/19 9:00	0.1	0.1	0.1
3/9/19 10:00	0.1	0.1	0.1
3/9/19 11:00	0.1	0.1	0.1
3/9/19 12:00	0.1	0.1	0.1
3/9/19 13:00	0.1	0.1	0.1
3/9/19 14:00	0.1	0.1	0.1
3/9/19 15:00	0.1	0.1	0.1
3/9/19 16:00	0.1	0.1	0.1
3/9/19 17:00	0.1	0.1	0.1
3/9/19 18:00	0.1	0.1	0.1
3/9/19 19:00	0.1	0.1	0.1
3/9/19 20:00	0.1	0.1	0.2
3/9/19 21:00	0.1	0.1	0.2
3/9/19 22:00	0.1	0.1	0.2
3/9/19 23:00	0.1	0.1	0.2
3/10/19 0:00	0.1	0.1	0.2
3/10/19 1:00	0.2	0.1	0.2
3/10/19 3:00	0.2	0.1	0.2
3/10/19 4:00	0.1	0.1	0.2
3/10/19 5:00	0.1	0.1	0.2
3/10/19 6:00	0.1	0.1	0.2
3/10/19 7:00	0.1	0.1	0.2
3/10/19 8:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/10/19 9:00	0.1	0.1	0.2
3/10/19 10:00	0.1	0.1	0.2
3/10/19 11:00	0.1	0.1	0.2
3/10/19 12:00	0.1	0.1	0.2
3/10/19 13:00	0.1	0.1	0.2
3/10/19 14:00	0.1	0.1	0.2
3/10/19 15:00	0.1	0.1	0.2
3/10/19 16:00	0.1	0.1	0.2
3/10/19 17:00	0.1	0.1	0.2
3/10/19 18:00	0.1	0.1	0.2
3/10/19 19:00	0.1	0.1	0.2
3/10/19 20:00	0.1	0.1	0.2
3/10/19 21:00	0.1	0.1	0.2
3/10/19 22:00	0.2	0.1	0.2
3/10/19 23:00	0.2	0.1	0.2
3/11/19 0:00	0.1	0.1	0.2
3/11/19 1:00	0.1	0.1	0.2
3/11/19 2:00	0.0	0.1	0.2
3/11/19 3:00	0.0	0.1	0.2
3/11/19 4:00	0.0	0.1	0.2
3/11/19 5:00	0.1	0.1	0.2
3/11/19 6:00	0.0	0.1	0.2
3/11/19 7:00	0.1	0.1	0.2
3/11/19 8:00	0.1	0.1	0.2
3/11/19 9:00	0.1	0.1	0.1
3/11/19 10:00	0.1	0.1	0.1
3/11/19 11:00	0.1	0.1	0.1
3/11/19 12:00	0.1	0.1	0.1
3/11/19 13:00	0.0	0.1	0.1
3/11/19 14:00	0.1	0.1	0.1
3/11/19 15:00	0.1	0.1	0.1
3/11/19 16:00	0.1	0.1	0.1
3/11/19 17:00	0.1	0.1	0.1
3/11/19 18:00	0.1	0.1	0.1
3/11/19 19:00	0.1	0.1	0.1
3/11/19 20:00	0.1	0.1	0.1
3/11/19 21:00	0.3	0.1	0.1
3/11/19 22:00	0.2	0.1	0.1
3/11/19 23:00	0.2	0.1	0.1
3/12/19 0:00	0.2	0.1	0.1
3/12/19 1:00	0.2	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/12/19 2:00	0.1	0.1	0.1
3/12/19 3:00	0.1	0.1	0.1
3/12/19 4:00	0.2	0.1	0.1
3/12/19 5:00	0.1	0.1	0.1
3/12/19 6:00	0.1	0.1	0.1
3/12/19 7:00	0.2	0.1	0.1
3/12/19 8:00	0.0	0.1	0.1
3/12/19 9:00	0.0	0.1	0.1
3/12/19 10:00	0.0	0.1	0.1
3/12/19 11:00	0.0	0.1	0.1
3/12/19 12:00	0.0	0.1	0.1
3/12/19 13:00	0.0	0.1	0.1
3/12/19 14:00	0.1	0.1	0.1
3/12/19 15:00	0.2	0.1	0.1
3/12/19 16:00	0.2	0.1	0.1
3/12/19 17:00	0.2	0.1	0.1
3/12/19 18:00	0.2	0.1	0.1
3/12/19 19:00	0.2	0.1	0.1
3/12/19 20:00	0.2	0.1	0.1
3/12/19 21:00	0.2	0.1	0.1
3/12/19 22:00	0.2	0.1	0.1
3/12/19 23:00	0.1	0.1	0.1
3/13/19 0:00	0.1	0.1	0.1
3/13/19 1:00	0.1	0.1	0.1
3/13/19 2:00	0.2	0.1	0.1
3/13/19 3:00	0.1	0.1	0.1
3/13/19 4:00	0.1	0.1	0.1
3/13/19 5:00	0.1	0.1	0.1
3/13/19 6:00	0.1	0.1	0.1
3/13/19 7:00	0.1	0.1	0.1
3/13/19 8:00	0.2	0.1	0.1
3/13/19 9:00	0.1	0.1	0.1
3/13/19 10:00	0.1	0.1	0.1
3/13/19 11:00	0.1	0.1	0.1
3/13/19 12:00	0.1	0.1	0.1
3/13/19 13:00	0.2	0.2	0.1
3/13/19 14:00	0.1	0.2	0.1
3/13/19 15:00	0.1	0.1	0.1
3/13/19 16:00	0.1	0.1	0.1
3/13/19 17:00	0.1	0.1	0.1
3/13/19 18:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/13/19 19:00	0.1	0.1	0.1
3/13/19 20:00	0.2	0.1	0.1
3/13/19 21:00	0.2	0.1	0.1
3/13/19 22:00	0.1	0.1	0.1
3/13/19 23:00	0.1	0.1	0.1
3/14/19 0:00	0.1	0.1	0.1
3/14/19 1:00	0.1	0.1	0.1
3/14/19 2:00	0.0	0.1	0.1
3/14/19 3:00	0.2	0.1	0.1
3/14/19 4:00	0.2	0.1	0.1
3/14/19 5:00	0.2	0.1	0.1
3/14/19 6:00	0.2	0.1	0.1
3/14/19 7:00	0.2	0.1	0.1
3/14/19 8:00	0.2	0.1	0.1
3/14/19 9:00	0.1	0.1	0.1
3/14/19 10:00	0.1	0.1	0.1
3/14/19 11:00	0.1	0.1	0.1
3/14/19 12:00	0.2	0.1	0.1
3/14/19 13:00	0.1	0.1	0.1
3/14/19 14:00	0.1	0.1	0.1
3/14/19 15:00	0.1	0.1	0.1
3/14/19 16:00	0.1	0.1	0.1
3/14/19 17:00	0.1	0.1	0.1
3/14/19 18:00	0.1	0.1	0.1
3/14/19 19:00	0.2	0.1	0.1
3/14/19 20:00	0.2	0.1	0.1
3/14/19 21:00	0.1	0.1	0.1
3/14/19 22:00	0.1	0.1	0.1
3/14/19 23:00	0.1	0.1	0.1
3/15/19 0:00	0.1	0.1	0.1
3/15/19 1:00	0.1	0.1	0.1
3/15/19 2:00	0.2	0.1	0.1
3/15/19 3:00	0.2	0.1	0.1
3/15/19 4:00	0.2	0.1	0.1
3/15/19 5:00	0.1	0.1	0.1
3/15/19 6:00	0.1	0.1	0.1
3/15/19 7:00	0.2	0.1	0.1
3/15/19 8:00	0.2	0.1	0.1
3/15/19 9:00	0.1	0.1	0.1
3/15/19 10:00	0.1	0.1	0.1
3/15/19 11:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/15/19 12:00	0.1	0.1	0.1
3/15/19 13:00	0.1	0.1	0.1
3/15/19 14:00	0.2	0.1	0.1
3/15/19 15:00	0.1	0.1	0.1
3/15/19 16:00	0.1	0.1	0.1
3/15/19 17:00	0.2	0.1	0.1
3/15/19 18:00	0.1	0.1	0.1
3/15/19 19:00	0.1	0.1	0.1
3/15/19 20:00	0.1	0.1	0.1
3/15/19 21:00	0.1	0.1	0.1
3/15/19 22:00	0.1	0.1	0.1
3/15/19 23:00	0.1	0.1	0.1
3/16/19 0:00	0.1	0.1	0.1
3/16/19 1:00	0.1	0.1	0.1
3/16/19 2:00	0.1	0.1	0.1
3/16/19 3:00	0.1	0.1	0.1
3/16/19 4:00	0.1	0.1	0.1
3/16/19 5:00	0.1	0.1	0.1
3/16/19 6:00	0.1	0.1	0.1
3/16/19 7:00	0.1	0.1	0.1
3/16/19 8:00	0.1	0.1	0.1
3/16/19 9:00	0.1	0.1	0.1
3/16/19 10:00	0.1	0.1	0.1
3/16/19 11:00	0.1	0.1	0.1
3/16/19 12:00	0.1	0.1	0.1
3/16/19 13:00	0.1	0.1	0.1
3/16/19 14:00	0.1	0.1	0.1
3/16/19 15:00	0.1	0.1	0.1
3/16/19 16:00	0.1	0.1	0.1
3/16/19 17:00	0.0	0.1	0.1
3/16/19 18:00	0.0	0.1	0.1
3/16/19 19:00	0.1	0.1	0.1
3/16/19 20:00	0.1	0.1	0.1
3/16/19 21:00	0.1	0.1	0.1
3/16/19 22:00	0.1	0.1	0.1
3/16/19 23:00	0.1	0.1	0.1
3/17/19 0:00	0.1	0.1	0.1
3/17/19 1:00	0.1	0.1	0.1
3/17/19 2:00	0.1	0.1	0.1
3/17/19 3:00	0.1	0.1	0.1
3/17/19 4:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/17/19 5:00	0.1	0.1	0.1
3/17/19 6:00	0.2	0.1	0.1
3/17/19 7:00	0.1	0.1	0.1
3/17/19 8:00	0.1	0.1	0.1
3/17/19 9:00	0.1	0.1	0.1
3/17/19 10:00	0.1	0.1	0.1
3/17/19 11:00	0.1	0.1	0.1
3/17/19 12:00	0.1	0.1	0.1
3/17/19 13:00	0.1	0.1	0.1
3/17/19 14:00	0.1	0.1	0.1
3/17/19 15:00	0.1	0.1	0.1
3/17/19 16:00	0.2	0.1	0.1
3/17/19 17:00	0.1	0.1	0.1
3/17/19 18:00	0.2	0.1	0.1
3/17/19 19:00	0.1	0.1	0.1
3/17/19 20:00	0.1	0.1	0.1
3/17/19 21:00	0.1	0.1	0.1
3/17/19 22:00	0.1	0.1	0.1
3/17/19 23:00	0.1	0.1	0.1
3/18/19 0:00	0.1	0.1	0.1
3/18/19 1:00	0.1	0.1	0.1
3/18/19 2:00	0.0	0.1	0.1
3/18/19 3:00	0.0	0.1	0.1
3/18/19 4:00	0.1	0.1	0.1
3/18/19 5:00	0.1	0.1	0.1
3/18/19 6:00	0.1	0.1	0.1
3/18/19 7:00	0.1	0.1	0.1
3/18/19 8:00	0.1	0.1	0.1
3/18/19 9:00	0.1	0.1	0.1
3/18/19 10:00	0.1	0.1	0.1
3/18/19 11:00	0.1	0.1	0.1
3/18/19 12:00	0.0	0.1	0.1
3/18/19 13:00	0.0	0.1	0.1
3/18/19 14:00	0.0	0.1	0.1
3/18/19 15:00	0.1	0.1	0.1
3/18/19 16:00	0.1	0.1	0.1
3/18/19 17:00	0.1	0.1	0.1
3/18/19 18:00	0.0	0.1	0.1
3/18/19 19:00	0.0	0.1	0.1
3/18/19 20:00	0.1	0.1	0.1
3/18/19 21:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/18/19 22:00	0.1	0.1	0.1
3/18/19 23:00	0.1	0.1	0.1
3/19/19 0:00	0.2	0.1	0.1
3/19/19 1:00	0.2	0.1	0.1
3/19/19 2:00	0.2	0.1	0.1
3/19/19 3:00	0.1	0.1	0.1
3/19/19 4:00	0.1	0.1	0.1
3/19/19 5:00	0.1	0.1	0.1
3/19/19 6:00	0.1	0.1	0.1
3/19/19 7:00	0.1	0.1	0.1
3/19/19 8:00	0.1	0.1	0.1
3/19/19 9:00	0.1	0.1	0.1
3/19/19 10:00	0.1	0.1	0.1
3/19/19 11:00	0.1	0.1	0.1
3/19/19 12:00	0.1	0.1	0.1
3/19/19 13:00	0.1	0.1	0.1
3/19/19 14:00	0.1	0.1	0.1
3/19/19 15:00	0.1	0.1	0.1
3/19/19 16:00	0.1	0.1	0.1
3/19/19 17:00	0.1	0.1	0.1
3/19/19 18:00	0.1	0.1	0.1
3/19/19 19:00	0.1	0.1	0.1
3/19/19 20:00	0.1	0.1	0.1
3/19/19 21:00	0.1	0.1	0.1
3/19/19 22:00	0.1	0.1	0.1
3/19/19 23:00	0.1	0.1	0.1
3/20/19 0:00	0.0	0.1	0.1
3/20/19 1:00	0.1	0.1	0.1
3/20/19 2:00	0.1	0.1	0.1
3/20/19 3:00	0.1	0.1	0.1
3/20/19 4:00	0.1	0.1	0.1
3/20/19 5:00	0.1	0.1	0.1
3/20/19 6:00	0.1	0.1	0.1
3/20/19 7:00	0.3	0.1	0.1
3/20/19 8:00	0.3	0.1	0.1
3/20/19 9:00	0.2	0.1	0.1
3/20/19 10:00	0.3	0.1	0.1
3/20/19 11:00	0.2	0.1	0.1
3/20/19 12:00	0.2	0.1	0.1
3/20/19 13:00	0.3	0.1	0.1
3/20/19 14:00	0.3	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/20/19 15:00	0.3	0.2	0.1
3/20/19 16:00	0.3	0.2	0.1
3/20/19 17:00	0.3	0.2	0.1
3/20/19 18:00	0.3	0.2	0.1
3/20/19 19:00	0.3	0.2	0.1
3/20/19 20:00	0.1	0.2	0.1
3/20/19 21:00	0.0	0.2	0.1
3/20/19 22:00	0.1	0.2	0.1
3/20/19 23:00	0.1	0.2	0.1
3/21/19 0:00	0.1	0.2	0.1
3/21/19 1:00	0.1	0.2	0.1
3/21/19 2:00	0.1	0.2	0.1
3/21/19 3:00	0.1	0.2	0.1
3/21/19 4:00	0.1	0.2	0.1
3/21/19 5:00	0.1	0.2	0.1
3/21/19 6:00	0.1	0.2	0.1
3/21/19 7:00	0.1	0.2	0.1
3/21/19 8:00	0.1	0.2	0.1
3/21/19 9:00	0.1	0.2	0.1
3/21/19 10:00	0.0	0.1	0.1
3/21/19 11:00	0.0	0.1	0.1
3/21/19 12:00	0.1	0.1	0.1
3/21/19 13:00	0.1	0.1	0.1
3/21/19 14:00	0.1	0.1	0.1
3/21/19 15:00	0.1	0.1	0.1
3/21/19 16:00	0.1	0.1	0.1
3/21/19 17:00	0.1	0.1	0.1
3/21/19 18:00	0.0	0.1	0.1
3/21/19 19:00	0.1	0.1	0.1
3/21/19 20:00	0.1	0.1	0.1
3/21/19 21:00	0.1	0.1	0.1
3/21/19 22:00	0.1	0.1	0.1
3/21/19 23:00	0.1	0.1	0.1
3/22/19 0:00	0.1	0.1	0.1
3/22/19 1:00	0.1	0.1	0.1
3/22/19 2:00	0.1	0.1	0.1
3/22/19 3:00	0.1	0.1	0.1
3/22/19 4:00	0.1	0.1	0.1
3/22/19 5:00	0.1	0.1	0.1
3/22/19 6:00	0.2	0.1	0.1
3/22/19 7:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/22/19 8:00	0.1	0.1	0.1
3/22/19 9:00	0.1	0.1	0.1
3/22/19 10:00	0.1	0.1	0.1
3/22/19 11:00	0.1	0.1	0.1
3/22/19 12:00	0.1	0.1	0.1
3/22/19 13:00	0.1	0.1	0.1
3/22/19 14:00	0.2	0.1	0.1
3/22/19 15:00	0.2	0.1	0.1
3/22/19 16:00	0.2	0.1	0.1
3/22/19 17:00	0.1	0.1	0.1
3/22/19 18:00	0.1	0.1	0.1
3/22/19 19:00	0.1	0.1	0.1
3/22/19 20:00	0.1	0.1	0.1
3/22/19 21:00	0.1	0.1	0.1
3/22/19 22:00	0.1	0.1	0.1
3/22/19 23:00	0.1	0.1	0.1
3/23/19 0:00	0.1	0.1	0.1
3/23/19 1:00	0.1	0.1	0.1
3/23/19 2:00	0.1	0.1	0.1
3/23/19 3:00	0.1	0.1	0.1
3/23/19 4:00	0.1	0.1	0.1
3/23/19 5:00	0.1	0.1	0.1
3/23/19 6:00	0.1	0.1	0.1
3/23/19 7:00	0.1	0.1	0.1
3/23/19 8:00	0.1	0.1	0.1
3/23/19 9:00	0.1	0.1	0.1
3/23/19 10:00	0.1	0.1	0.1
3/23/19 11:00	0.1	0.1	0.1
3/23/19 12:00	0.1	0.1	0.1
3/23/19 13:00	0.1	0.1	0.1
3/23/19 14:00	0.1	0.1	0.1
3/23/19 15:00	0.1	0.1	0.1
3/23/19 16:00	0.1	0.1	0.1
3/23/19 17:00	0.1	0.1	0.1
3/23/19 18:00	0.0	0.1	0.1
3/23/19 19:00	0.0	0.1	0.1
3/23/19 20:00	0.1	0.1	0.1
3/23/19 21:00	0.1	0.1	0.1
3/23/19 22:00	0.1	0.1	0.1
3/23/19 23:00	0.1	0.1	0.1
3/24/19 0:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/24/19 1:00	0.1	0.1	0.1
3/24/19 2:00	0.1	0.1	0.1
3/24/19 3:00	0.1	0.1	0.1
3/24/19 4:00	0.1	0.1	0.1
3/24/19 5:00	0.1	0.1	0.1
3/24/19 6:00	0.1	0.1	0.1
3/24/19 7:00	0.1	0.1	0.1
3/24/19 8:00	0.1	0.1	0.1
3/24/19 9:00	0.1	0.1	0.1
3/24/19 10:00	0.1	0.1	0.1
3/24/19 11:00	0.2	0.1	0.1
3/24/19 12:00	0.2	0.1	0.1
3/24/19 13:00	0.2	0.1	0.1
3/24/19 14:00	0.2	0.1	0.1
3/24/19 15:00	0.2	0.1	0.1
3/24/19 16:00	0.2	0.1	0.1
3/24/19 17:00	0.2	0.1	0.1
3/24/19 18:00	0.2	0.1	0.1
3/24/19 19:00	0.2	0.1	0.1
3/24/19 20:00	0.2	0.1	0.1
3/24/19 21:00	0.1	0.1	0.1
3/24/19 22:00	0.1	0.1	0.1
3/24/19 23:00	0.2	0.1	0.1
3/25/19 0:00	0.2	0.1	0.1
3/25/19 1:00	0.2	0.2	0.1
3/25/19 2:00	0.1	0.2	0.1
3/25/19 3:00	0.2	0.2	0.1
3/25/19 4:00	0.1	0.2	0.1
3/25/19 5:00	0.1	0.2	0.1
3/25/19 6:00	0.1	0.2	0.1
3/25/19 7:00	0.1	0.2	0.1
3/25/19 8:00	0.1	0.2	0.1
3/25/19 9:00	0.1	0.2	0.1
3/25/19 10:00	0.1	0.2	0.1
3/25/19 11:00	0.1	0.2	0.1
3/25/19 12:00	0.1	0.2	0.1
3/25/19 13:00	0.1	0.1	0.1
3/25/19 14:00	0.1	0.1	0.1
3/25/19 15:00	0.1	0.1	0.1
3/25/19 16:00	0.2	0.1	0.1
3/25/19 17:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/25/19 18:00	0.1	0.1	0.1
3/25/19 19:00	0.1	0.1	0.1
3/25/19 20:00	0.1	0.1	0.1
3/25/19 21:00	0.2	0.1	0.1
3/25/19 22:00	0.2	0.1	0.1
3/25/19 23:00	0.2	0.1	0.1
3/26/19 0:00	0.1	0.1	0.1
3/26/19 1:00	0.1	0.1	0.1
3/26/19 2:00	0.1	0.1	0.1
3/26/19 3:00	0.1	0.1	0.1
3/26/19 4:00	0.1	0.1	0.1
3/26/19 5:00	0.1	0.1	0.1
3/26/19 6:00	0.1	0.1	0.1
3/26/19 7:00	0.1	0.1	0.1
3/26/19 8:00	0.1	0.1	0.1
3/26/19 9:00	0.2	0.1	0.1
3/26/19 10:00	0.2	0.1	0.1
3/26/19 11:00	10.8	0.6	0.1
3/26/19 12:00	0.2	0.6	0.1
3/26/19 13:00	0.1	0.6	0.1
3/26/19 14:00	0.9	0.6	0.2
3/26/19 15:00	0.9	0.7	0.2
3/26/19 16:00	0.2	0.7	0.2
3/26/19 17:00	0.2	0.7	0.2
3/26/19 18:00	0.0	0.6	0.2
3/26/19 19:00	0.0	0.6	0.2
3/26/19 20:00	0.1	0.6	0.2
3/26/19 21:00	0.1	0.6	0.2
3/26/19 22:00	0.1	0.6	0.2
3/26/19 23:00	0.1	0.6	0.2
3/27/19 0:00	0.1	0.6	0.2
3/27/19 1:00	0.1	0.6	0.2
3/27/19 2:00	0.1	0.6	0.2
3/27/19 3:00	0.1	0.6	0.2
3/27/19 4:00	0.1	0.6	0.2
3/27/19 5:00	0.1	0.6	0.2
3/27/19 6:00	0.1	0.6	0.2
3/27/19 7:00	0.1	0.6	0.2
3/27/19 8:00	0.1	0.6	0.2
3/27/19 9:00	0.1	0.6	0.2
3/27/19 10:00	0.1	0.6	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/27/19 11:00	0.1	0.2	0.2
3/27/19 12:00	0.1	0.2	0.2
3/27/19 13:00	0.1	0.2	0.2
3/27/19 14:00	0.1	0.1	0.2
3/27/19 15:00	0.3	0.1	0.2
3/27/19 16:00	0.3	0.1	0.2
3/27/19 17:00	0.2	0.1	0.2
3/27/19 18:00	0.1	0.1	0.2
3/27/19 19:00	0.0	0.1	0.2
3/27/19 20:00	0.2	0.1	0.2
3/27/19 21:00	0.2	0.1	0.2
3/27/19 22:00	0.2	0.1	0.2
3/27/19 23:00	0.1	0.1	0.2
3/28/19 0:00	0.2	0.1	0.2
3/28/19 1:00	0.2	0.1	0.2
3/28/19 2:00	0.0	0.1	0.2
3/28/19 3:00	0.0	0.1	0.2
3/28/19 4:00	0.2	0.1	0.2
3/28/19 5:00	0.2	0.1	0.2
3/28/19 6:00	0.2	0.1	0.2
3/28/19 7:00	0.1	0.1	0.2
3/28/19 8:00	0.1	0.1	0.2
3/28/19 9:00	0.1	0.1	0.2
3/28/19 10:00	0.1	0.1	0.2
3/28/19 11:00	0.2	0.1	0.2
3/28/19 12:00	0.1	0.1	0.2
3/28/19 13:00	0.1	0.1	0.2
3/28/19 14:00	0.1	0.1	0.2
3/28/19 15:00	0.2	0.1	0.2
3/28/19 16:00	0.2	0.1	0.2
3/28/19 17:00	0.2	0.1	0.2
3/28/19 18:00	0.1	0.1	0.2
3/28/19 19:00	0.1	0.1	0.2
3/28/19 20:00	0.2	0.1	0.2
3/28/19 21:00	0.2	0.1	0.2
3/28/19 22:00	0.2	0.1	0.2
3/28/19 23:00	0.2	0.1	0.2
3/29/19 0:00	0.2	0.1	0.2
3/29/19 1:00	0.2	0.1	0.2
3/29/19 2:00	0.2	0.1	0.2
3/29/19 3:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/29/19 4:00	0.1	0.1	0.2
3/29/19 5:00	0.1	0.1	0.2
3/29/19 6:00	0.2	0.1	0.2
3/29/19 7:00	0.2	0.1	0.2
3/29/19 8:00	0.2	0.1	0.2
3/29/19 9:00	0.1	0.1	0.2
3/29/19 10:00	0.1	0.1	0.2
3/29/19 11:00	0.1	0.1	0.2
3/29/19 12:00	0.1	0.1	0.2
3/29/19 13:00	0.1	0.1	0.2
3/29/19 14:00	0.2	0.1	0.2
3/29/19 15:00	0.2	0.1	0.2
3/29/19 16:00	0.2	0.1	0.2
3/29/19 17:00	0.2	0.1	0.2
3/29/19 18:00	0.2	0.1	0.2
3/29/19 19:00	0.2	0.2	0.2
3/29/19 20:00	0.2	0.2	0.2
3/29/19 21:00	0.2	0.2	0.2
3/29/19 22:00	0.2	0.2	0.2
3/29/19 23:00	0.2	0.2	0.2
3/30/19 0:00	0.2	0.2	0.2
3/30/19 1:00	0.2	0.2	0.2
3/30/19 2:00	0.2	0.2	0.2
3/30/19 3:00	0.2	0.2	0.2
3/30/19 4:00	0.2	0.2	0.2
3/30/19 5:00	0.2	0.2	0.2
3/30/19 6:00	0.2	0.2	0.2
3/30/19 7:00	0.2	0.2	0.2
3/30/19 8:00	0.2	0.2	0.2
3/30/19 9:00	0.1	0.2	0.2
3/30/19 10:00	0.1	0.2	0.2
3/30/19 11:00	0.1	0.2	0.2
3/30/19 12:00	0.1	0.2	0.2
3/30/19 13:00	0.1	0.2	0.2
3/30/19 14:00	0.1	0.2	0.2
3/30/19 15:00	0.1	0.2	0.2
3/30/19 16:00	0.1	0.1	0.2
3/30/19 17:00	0.1	0.1	0.2
3/30/19 18:00	0.1	0.1	0.2
3/30/19 19:00	0.1	0.1	0.2
3/30/19 20:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/30/19 21:00	0.1	0.1	0.2
3/30/19 22:00	0.1	0.1	0.2
3/30/19 23:00	0.1	0.1	0.2
3/31/19 0:00	0.1	0.1	0.2
3/31/19 1:00	0.1	0.1	0.2
3/31/19 2:00	0.1	0.1	0.2
3/31/19 3:00	0.1	0.1	0.2
3/31/19 4:00	0.1	0.1	0.2
3/31/19 5:00	0.1	0.1	0.2
3/31/19 6:00	0.1	0.1	0.2
3/31/19 7:00	0.1	0.1	0.2
3/31/19 8:00	0.1	0.1	0.2
3/31/19 9:00	0.1	0.1	0.2
3/31/19 10:00	0.0	0.1	0.2
3/31/19 11:00	0.0	0.1	0.2
3/31/19 12:00	0.0	0.1	0.2
3/31/19 13:00	0.0	0.1	0.2
3/31/19 14:00	0.0	0.1	0.2
3/31/19 15:00	0.1	0.1	0.2
3/31/19 16:00	0.1	0.1	0.2
3/31/19 17:00	0.0	0.1	0.2
3/31/19 18:00	0.0	0.1	0.2
3/31/19 19:00	0.1	0.1	0.2
3/31/19 20:00	0.1	0.1	0.2
3/31/19 21:00	0.1	0.1	0.2
3/31/19 22:00	0.1	0.1	0.2
3/31/19 23:00	0.1	0.1	0.2
4/1/19 0:00	0.1	0.1	0.2
4/1/19 1:00	0.1	0.1	0.2
4/1/19 2:00	0.0	0.1	0.2
4/1/19 3:00	0.1	0.1	0.2
4/1/19 4:00	0.1	0.1	0.2
4/1/19 5:00	0.1	0.1	0.2
4/1/19 6:00	0.1	0.1	0.2
4/1/19 7:00	0.1	0.1	0.2
4/1/19 8:00	0.1	0.1	0.2
4/1/19 9:00	0.1	0.1	0.2
4/1/19 10:00	0.1	0.1	0.2
4/1/19 11:00	0.1	0.1	0.2
4/1/19 12:00	0.1	0.1	0.2
4/1/19 13:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/1/19 14:00	0.1	0.1	0.2
4/1/19 15:00	0.1	0.1	0.2
4/1/19 16:00	0.1	0.1	0.2
4/1/19 17:00	0.2	0.1	0.2
4/1/19 18:00	0.2	0.1	0.2
4/1/19 19:00	0.2	0.1	0.2
4/1/19 20:00	0.1	0.1	0.2
4/1/19 21:00	0.2	0.1	0.2
4/1/19 22:00	0.1	0.1	0.2
4/1/19 23:00	0.1	0.1	0.2
4/2/19 0:00	0.3	0.1	0.2
4/2/19 1:00	0.2	0.1	0.2
4/2/19 2:00	0.1	0.1	0.2
4/2/19 3:00	0.2	0.1	0.2
4/2/19 4:00	0.2	0.1	0.2
4/2/19 5:00	0.2	0.1	0.2
4/2/19 6:00	0.1	0.1	0.2
4/2/19 7:00	0.1	0.1	0.2
4/2/19 8:00	0.2	0.1	0.2
4/2/19 9:00	0.2	0.1	0.2
4/2/19 10:00	0.2	0.2	0.2
4/2/19 11:00	0.2	0.2	0.2
4/2/19 12:00	0.2	0.2	0.2
4/2/19 13:00	0.2	0.2	0.2
4/2/19 14:00	0.2	0.2	0.2
4/2/19 15:00	0.2	0.2	0.2
4/2/19 16:00	0.2	0.2	0.2
4/2/19 17:00	0.1	0.2	0.2
4/2/19 18:00	0.2	0.2	0.2
4/2/19 19:00	0.2	0.2	0.2
4/2/19 20:00	0.2	0.2	0.2
4/2/19 21:00	0.2	0.2	0.2
4/2/19 22:00	0.0	0.2	0.2
4/2/19 23:00	0.0	0.2	0.2
4/3/19 0:00	0.0	0.2	0.2
4/3/19 1:00	0.0	0.2	0.2
4/3/19 2:00	0.0	0.2	0.2
4/3/19 3:00	0.0	0.1	0.2
4/3/19 4:00	0.0	0.1	0.2
4/3/19 5:00	0.0	0.1	0.2
4/3/19 6:00	0.0	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/3/19 7:00	0.0	0.1	0.2
4/3/19 8:00	0.0	0.1	0.2
4/3/19 9:00	0.0	0.1	0.2
4/3/19 10:00	0.0	0.1	0.2
4/3/19 11:00	0.0	0.1	0.2
4/3/19 12:00	0.0	0.1	0.2
4/3/19 13:00	0.0	0.1	0.2
4/3/19 14:00	0.0	0.1	0.2
4/3/19 15:00	0.0	0.1	0.2
4/3/19 16:00	0.0	0.0	0.2
4/3/19 17:00	0.0	0.0	0.2
4/3/19 18:00	0.0	0.0	0.1
4/3/19 19:00	0.0	0.0	0.1
4/3/19 20:00	0.0	0.0	0.1
4/3/19 21:00	0.0	0.0	0.1
4/3/19 22:00	0.0	0.0	0.1
4/3/19 23:00	0.0	0.0	0.1
4/4/19 0:00	0.0	0.0	0.1
4/4/19 1:00	0.0	0.0	0.1
4/4/19 2:00	0.0	0.0	0.1
4/4/19 3:00	0.0	0.0	0.1
4/4/19 4:00	0.0	0.0	0.1
4/4/19 5:00	0.0	0.0	0.1
4/4/19 6:00	0.0	0.0	0.1
4/4/19 7:00	0.0	0.0	0.1
4/4/19 8:00	0.0	0.0	0.1
4/4/19 9:00	0.0	0.0	0.1
4/4/19 10:00	0.0	0.0	0.1
4/4/19 11:00	0.0	0.0	0.1
4/4/19 12:00	0.0	0.0	0.1
4/4/19 13:00	0.0	0.0	0.1
4/4/19 14:00	0.0	0.0	0.1
4/4/19 15:00	0.0	0.0	0.1
4/4/19 16:00	0.0	0.0	0.1
4/4/19 17:00	0.0	0.0	0.1
4/4/19 18:00	0.0	0.0	0.1
4/4/19 19:00	0.0	0.0	0.1
4/4/19 20:00	0.0	0.0	0.1
4/4/19 21:00	0.0	0.0	0.1
4/4/19 22:00	0.0	0.0	0.1
4/4/19 23:00	0.0	0.0	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/5/19 0:00	0.0	0.0	0.1
4/5/19 1:00	0.0	0.0	0.1
4/5/19 2:00	0.0	0.0	0.1
4/5/19 3:00	0.0	0.0	0.1
4/5/19 4:00	0.0	0.0	0.1
4/5/19 5:00	0.0	0.0	0.1
4/5/19 6:00	0.0	0.0	0.1
4/5/19 7:00	0.0	0.0	0.1
4/5/19 8:00	0.0	0.0	0.1
4/5/19 9:00	0.0	0.0	0.1
4/5/19 10:00	0.0	0.0	0.1
4/5/19 11:00	0.0	0.0	0.1
4/5/19 12:00	0.0	0.0	0.1
4/5/19 13:00	0.0	0.0	0.1
4/5/19 14:00	0.0	0.0	0.1
4/5/19 15:00	0.0	0.0	0.1
4/5/19 16:00	0.0	0.0	0.1
4/5/19 17:00	0.0	0.0	0.1
4/5/19 18:00	0.0	0.0	0.1
4/5/19 19:00	0.0	0.0	0.1
4/5/19 20:00	0.0	0.0	0.1
4/5/19 21:00	0.0	0.0	0.1
4/5/19 22:00	0.0	0.0	0.1
4/5/19 23:00	0.0	0.0	0.1
4/6/19 0:00	0.0	0.0	0.1
4/6/19 1:00	0.0	0.0	0.1
4/6/19 2:00	0.0	0.0	0.1
4/6/19 3:00	0.0	0.0	0.1
4/6/19 4:00	0.0	0.0	0.1
4/6/19 5:00	0.0	0.0	0.1
4/6/19 6:00	0.0	0.0	0.1
4/6/19 7:00	0.0	0.0	0.1
4/6/19 8:00	0.0	0.0	0.1
4/6/19 9:00	0.0	0.0	0.1
4/6/19 10:00	0.0	0.0	0.1
4/6/19 11:00	0.0	0.0	0.1
4/6/19 12:00	0.0	0.0	0.1
4/6/19 13:00	0.0	0.0	0.1
4/6/19 14:00	0.0	0.0	0.1
4/6/19 15:00	0.0	0.0	0.1
4/6/19 16:00	0.0	0.0	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/6/19 17:00	0.0	0.0	0.1
4/6/19 18:00	0.0	0.0	0.1
4/6/19 19:00	0.0	0.0	0.1
4/6/19 20:00	0.0	0.0	0.1
4/6/19 21:00	0.0	0.0	0.1
4/6/19 22:00	0.0	0.0	0.1
4/6/19 23:00	0.0	0.0	0.1
4/7/19 0:00	0.0	0.0	0.1
4/7/19 1:00	0.0	0.0	0.1
4/7/19 2:00	0.0	0.0	0.1
4/7/19 3:00	0.0	0.0	0.1
4/7/19 4:00	0.0	0.0	0.1
4/7/19 5:00	0.0	0.0	0.1
4/7/19 6:00	0.0	0.0	0.1
4/7/19 7:00	0.0	0.0	0.1
4/7/19 8:00	0.0	0.0	0.1
4/7/19 9:00	0.0	0.0	0.1
4/7/19 10:00	0.0	0.0	0.1
4/7/19 11:00	0.0	0.0	0.1
4/7/19 12:00	0.0	0.0	0.1
4/7/19 13:00	0.0	0.0	0.1
4/7/19 14:00	0.0	0.0	0.1
4/7/19 15:00	0.0	0.0	0.1
4/7/19 16:00	0.0	0.0	0.1
4/7/19 17:00	0.0	0.0	0.1
4/7/19 18:00	0.0	0.0	0.1
4/7/19 19:00	0.0	0.0	0.1
4/7/19 20:00	0.0	0.0	0.1
4/7/19 21:00	0.0	0.0	0.1
4/7/19 22:00	0.0	0.0	0.1
4/7/19 23:00	0.0	0.0	0.1
4/8/19 0:00	0.0	0.0	0.1
4/8/19 1:00	0.0	0.0	0.1
4/8/19 2:00	0.0	0.0	0.1
4/8/19 3:00	0.0	0.0	0.1
4/8/19 4:00	0.0	0.0	0.1
4/8/19 5:00	0.0	0.0	0.1
4/8/19 6:00	0.0	0.0	0.1
4/8/19 7:00	0.0	0.0	0.1
4/8/19 8:00	0.0	0.0	0.1
4/8/19 9:00	0.0	0.0	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/8/19 10:00	0.0	0.0	0.1
4/8/19 11:00	0.0	0.0	0.1
4/8/19 12:00	0.0	0.0	0.1
4/8/19 13:00	0.0	0.0	0.1
4/8/19 14:00	0.0	0.0	0.1
4/8/19 15:00	0.1	0.0	0.1
4/8/19 16:00	0.1	0.0	0.1
4/8/19 17:00	0.1	0.0	0.1
4/8/19 18:00	0.1	0.0	0.1
4/8/19 19:00	0.1	0.0	0.1
4/8/19 20:00	0.1	0.0	0.1
4/8/19 21:00	0.1	0.0	0.1
4/8/19 22:00	0.1	0.0	0.1
4/8/19 23:00	0.1	0.0	0.1
4/9/19 0:00	0.1	0.0	0.1
4/9/19 1:00	0.1	0.0	0.1
4/9/19 2:00	0.1	0.0	0.1
4/9/19 3:00	0.1	0.0	0.1
4/9/19 4:00	0.2	0.0	0.1
4/9/19 5:00	0.2	0.1	0.1
4/9/19 6:00	0.2	0.1	0.1
4/9/19 7:00	0.2	0.1	0.1
4/9/19 8:00	0.2	0.1	0.1
4/9/19 9:00	0.2	0.1	0.1
4/9/19 10:00	0.1	0.1	0.1
4/9/19 11:00	0.1	0.1	0.1
4/9/19 12:00	0.2	0.1	0.1
4/9/19 13:00	0.2	0.1	0.1
4/9/19 14:00	0.2	0.1	0.1
4/9/19 15:00	0.1	0.1	0.1
4/9/19 16:00	0.0	0.1	0.1
4/9/19 17:00	0.0	0.1	0.1
4/9/19 18:00	0.0	0.1	0.1
4/9/19 19:00	0.1	0.1	0.1
4/9/19 20:00	0.1	0.1	0.1
4/9/19 21:00	0.1	0.1	0.1
4/9/19 22:00	0.1	0.1	0.1
4/9/19 23:00	0.1	0.1	0.1
4/10/19 0:00	0.1	0.1	0.1
4/10/19 1:00	0.3	0.1	0.1
4/10/19 2:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/10/19 3:00	0.1	0.1	0.1
4/10/19 4:00	0.1	0.1	0.1
4/10/19 5:00	0.1	0.1	0.1
4/10/19 6:00	0.1	0.1	0.1
4/10/19 7:00	0.1	0.1	0.1
4/10/19 8:00	0.1	0.1	0.1
4/10/19 9:00	0.1	0.1	0.1
4/10/19 10:00	0.1	0.1	0.1
4/10/19 11:00	0.1	0.1	0.1
4/10/19 12:00	0.1	0.1	0.1
4/10/19 13:00	0.1	0.1	0.1
4/10/19 14:00	0.1	0.1	0.1
4/10/19 15:00	0.1	0.1	0.1
4/10/19 16:00	0.1	0.1	0.1
4/10/19 17:00	0.1	0.1	0.1
4/10/19 18:00	0.1	0.1	0.1
4/10/19 19:00	0.1	0.1	0.1
4/10/19 20:00	0.1	0.1	0.1
4/10/19 21:00	0.1	0.1	0.1
4/10/19 22:00	0.0	0.1	0.1
4/10/19 23:00	0.0	0.1	0.1
4/11/19 0:00	0.1	0.1	0.1
4/11/19 1:00	0.1	0.1	0.1
4/11/19 2:00	0.1	0.1	0.1
4/11/19 3:00	0.0	0.1	0.1
4/11/19 4:00	0.1	0.1	0.1
4/11/19 5:00	0.1	0.1	0.1
4/11/19 6:00	0.1	0.1	0.1
4/11/19 7:00	0.1	0.1	0.1
4/11/19 8:00	0.1	0.1	0.1
4/11/19 9:00	0.1	0.1	0.1
4/11/19 10:00	0.1	0.1	0.1
4/11/19 11:00	0.1	0.1	0.1
4/11/19 12:00	0.1	0.1	0.1
4/11/19 13:00	0.1	0.1	0.1
4/11/19 14:00	0.1	0.1	0.1
4/11/19 15:00	0.1	0.1	0.1
4/11/19 16:00	0.1	0.1	0.1
4/11/19 17:00	0.1	0.1	0.1
4/11/19 18:00	0.1	0.1	0.1
4/11/19 19:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/11/19 20:00	0.1	0.1	0.1
4/11/19 21:00	0.1	0.1	0.1
4/11/19 22:00	0.1	0.1	0.1
4/11/19 23:00	0.1	0.1	0.1
4/12/19 0:00	0.1	0.1	0.1
4/12/19 1:00	0.1	0.1	0.1
4/12/19 2:00	0.1	0.1	0.1
4/12/19 3:00	0.1	0.1	0.1
4/12/19 4:00	0.1	0.1	0.1
4/12/19 5:00	0.1	0.1	0.1
4/12/19 6:00	0.1	0.1	0.1
4/12/19 7:00	0.1	0.1	0.1
4/12/19 8:00	0.0	0.1	0.1
4/12/19 9:00	0.0	0.1	0.1
4/12/19 10:00	0.0	0.1	0.1
4/12/19 11:00	0.0	0.1	0.1
4/12/19 12:00	0.2	0.1	0.1
4/12/19 13:00	0.1	0.1	0.1
4/12/19 14:00	0.1	0.1	0.1
4/12/19 15:00	0.1	0.1	0.1
4/12/19 16:00	0.1	0.1	0.1
4/12/19 17:00	0.1	0.1	0.1
4/12/19 18:00	0.1	0.1	0.1
4/12/19 19:00	0.1	0.1	0.1
4/12/19 20:00	0.1	0.1	0.1
4/12/19 21:00	0.1	0.1	0.1
4/12/19 22:00	0.1	0.1	0.1
4/12/19 23:00	0.1	0.1	0.1
4/13/19 0:00	0.1	0.1	0.1
4/13/19 1:00	0.1	0.1	0.1
4/13/19 2:00	0.1	0.1	0.1
4/13/19 3:00	0.1	0.1	0.1
4/13/19 4:00	0.1	0.1	0.1
4/13/19 5:00	0.2	0.1	0.1
4/13/19 6:00	0.2	0.1	0.1
4/13/19 7:00	0.2	0.1	0.1
4/13/19 8:00	0.2	0.1	0.1
4/13/19 9:00	0.1	0.1	0.1
4/13/19 10:00	0.0	0.1	0.1
4/13/19 11:00	0.0	0.1	0.1
4/13/19 12:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/13/19 13:00	0.1	0.1	0.1
4/13/19 14:00	0.1	0.1	0.1
4/13/19 15:00	0.1	0.1	0.1
4/13/19 16:00	0.1	0.1	0.1
4/13/19 17:00	0.0	0.1	0.1
4/13/19 18:00	0.0	0.1	0.1
4/13/19 19:00	0.0	0.1	0.1
4/13/19 20:00	0.1	0.1	0.1
4/13/19 21:00	0.1	0.1	0.1
4/13/19 22:00	0.1	0.1	0.1
4/13/19 23:00	0.1	0.1	0.1
4/14/19 0:00	0.1	0.1	0.1
4/14/19 1:00	0.1	0.1	0.1
4/14/19 2:00	0.1	0.1	0.1
4/14/19 3:00	0.1	0.1	0.1
4/14/19 4:00	0.1	0.1	0.1
4/14/19 5:00	0.2	0.1	0.1
4/14/19 6:00	0.1	0.1	0.1
4/14/19 7:00	0.1	0.1	0.1
4/14/19 8:00	0.1	0.1	0.1
4/14/19 9:00	0.1	0.1	0.1
4/14/19 10:00	0.1	0.1	0.1
4/14/19 11:00	0.2	0.1	0.1
4/14/19 12:00	0.1	0.1	0.1
4/14/19 13:00	0.1	0.1	0.1
4/14/19 14:00	0.2	0.1	0.1
4/14/19 15:00	0.1	0.1	0.1
4/14/19 16:00	0.1	0.1	0.1
4/14/19 17:00	0.1	0.1	0.1
4/14/19 18:00	0.1	0.1	0.1
4/14/19 19:00	0.1	0.1	0.1
4/14/19 20:00	0.1	0.1	0.1
4/14/19 21:00	0.1	0.1	0.1
4/14/19 22:00	0.2	0.1	0.1
4/14/19 23:00	0.1	0.1	0.1
4/15/19 0:00	0.1	0.1	0.1
4/15/19 1:00	0.1	0.1	0.1
4/15/19 2:00	0.1	0.1	0.1
4/15/19 3:00	0.1	0.1	0.1
4/15/19 4:00	0.1	0.1	0.1
4/15/19 5:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/15/19 6:00	0.1	0.1	0.1
4/15/19 7:00	0.1	0.1	0.1
4/15/19 8:00	0.1	0.1	0.1
4/15/19 9:00	0.1	0.1	0.1
4/15/19 10:00	0.1	0.1	0.1
4/15/19 11:00	0.1	0.1	0.1
4/15/19 12:00	0.1	0.1	0.1
4/15/19 13:00	0.1	0.1	0.1
4/15/19 14:00	0.1	0.1	0.1
4/15/19 15:00	0.1	0.1	0.1
4/15/19 16:00	0.1	0.1	0.1
4/15/19 17:00	0.1	0.1	0.1
4/15/19 18:00	0.1	0.1	0.1
4/15/19 19:00	0.1	0.1	0.1
4/15/19 20:00	0.1	0.1	0.1
4/15/19 21:00	0.1	0.1	0.1
4/15/19 22:00	0.0	0.1	0.1
4/15/19 23:00	0.1	0.1	0.1
4/16/19 0:00	0.1	0.1	0.1
4/16/19 1:00	0.1	0.1	0.1
4/16/19 2:00	0.1	0.1	0.1
4/16/19 3:00	0.0	0.1	0.1
4/16/19 4:00	0.1	0.1	0.1
4/16/19 5:00	0.1	0.1	0.1
4/16/19 6:00	0.1	0.1	0.1
4/16/19 7:00	0.1	0.1	0.1
4/16/19 8:00	0.1	0.1	0.1
4/16/19 9:00	0.1	0.1	0.1
4/16/19 10:00	0.2	0.1	0.1
4/16/19 11:00	0.0	0.1	0.1
4/16/19 12:00	0.1	0.1	0.1
4/16/19 13:00	0.1	0.1	0.1
4/16/19 14:00	0.0	0.1	0.1
4/16/19 15:00	0.0	0.1	0.1
4/16/19 16:00	0.0	0.1	0.1
4/16/19 17:00	0.1	0.1	0.1
4/16/19 18:00	0.0	0.1	0.1
4/16/19 19:00	0.0	0.1	0.1
4/16/19 20:00	0.1	0.1	0.1
4/16/19 21:00	0.1	0.1	0.1
4/16/19 22:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/16/19 23:00		0.1	0.1
4/17/19 0:00		0.1	0.1
4/17/19 1:00		0.1	0.1
4/17/19 2:00		0.1	0.1
4/17/19 3:00		0.1	0.1
4/17/19 4:00		0.1	0.1
4/17/19 5:00		0.1	0.1
4/17/19 6:00		0.1	0.1
4/17/19 7:00		0.1	0.1
4/17/19 8:00	0.3	0.1	0.1
4/17/19 9:00	0.1	0.1	0.1
4/17/19 10:00	0.1	0.1	0.1
4/17/19 11:00	0.1	0.1	0.1
4/17/19 12:00	0.1	0.1	0.1
4/17/19 13:00	0.1	0.1	0.1
4/17/19 14:00	0.1	0.1	0.1
4/17/19 15:00	0.1	0.1	0.1
4/17/19 16:00	0.1	0.1	0.1
4/17/19 17:00	0.1	0.1	0.1
4/17/19 18:00	0.1	0.1	0.1
4/17/19 19:00	0.1	0.1	0.1
4/17/19 20:00	0.1	0.1	0.1
4/17/19 21:00	0.2	0.1	0.1
4/17/19 22:00	0.1	0.1	0.1
4/17/19 23:00	0.1	0.1	0.1
4/18/19 0:00	0.1	0.1	0.1
4/18/19 1:00	0.2	0.1	0.1
4/18/19 2:00	0.2	0.1	0.1
4/18/19 3:00	0.2	0.1	0.1
4/18/19 4:00	0.2	0.1	0.1
4/18/19 5:00	0.2	0.1	0.1
4/18/19 6:00	0.2	0.1	0.1
4/18/19 7:00	0.2	0.1	0.1
4/18/19 8:00	0.1	0.1	0.1
4/18/19 9:00	0.1	0.1	0.1
4/18/19 10:00	0.1	0.1	0.1
4/18/19 11:00	0.1	0.1	0.1
4/18/19 12:00	0.1	0.1	0.1
4/18/19 13:00	0.1	0.1	0.1
4/18/19 14:00	0.1	0.1	0.1
4/18/19 15:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/18/19 16:00	0.1	0.1	0.1
4/18/19 17:00	0.1	0.1	0.1
4/18/19 18:00	0.1	0.1	0.1
4/18/19 19:00	0.1	0.1	0.1
4/18/19 20:00	0.1	0.1	0.1
4/18/19 21:00	0.1	0.1	0.1
4/18/19 22:00	0.1	0.1	0.1
4/18/19 23:00	0.1	0.1	0.1
4/19/19 0:00	0.1	0.1	0.1
4/19/19 1:00	0.1	0.1	0.1
4/19/19 2:00	0.1	0.1	0.1
4/19/19 3:00	0.1	0.1	0.1
4/19/19 4:00	0.1	0.1	0.1
4/19/19 5:00	0.1	0.1	0.1
4/19/19 6:00	0.1	0.1	0.1
4/19/19 7:00	0.1	0.1	0.1
4/19/19 8:00	0.1	0.1	0.1
4/19/19 9:00	0.1	0.1	0.1
4/19/19 10:00	0.1	0.1	0.1
4/19/19 11:00	0.1	0.1	0.1
4/19/19 12:00	0.1	0.1	0.1
4/19/19 13:00	0.1	0.1	0.1
4/19/19 14:00	0.1	0.1	0.1
4/19/19 15:00	0.1	0.1	0.1
4/19/19 16:00	0.1	0.1	0.1
4/19/19 17:00	0.1	0.1	0.1
4/19/19 18:00	0.1	0.1	0.1
4/19/19 19:00	0.1	0.1	0.1
4/19/19 20:00	0.1	0.1	0.1
4/19/19 21:00	0.1	0.1	0.1
4/19/19 22:00	0.1	0.1	0.1
4/19/19 23:00	0.2	0.1	0.1
4/20/19 0:00	0.2	0.1	0.1
4/20/19 1:00	0.2	0.1	0.1
4/20/19 2:00	0.2	0.1	0.1
4/20/19 3:00	0.2	0.1	0.1
4/20/19 4:00	0.2	0.1	0.1
4/20/19 5:00	0.2	0.1	0.1
4/20/19 6:00	0.2	0.1	0.1
4/20/19 7:00	0.2	0.1	0.1
4/20/19 8:00	0.2	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/20/19 9:00	0.3	0.1	0.1
4/20/19 10:00	0.2	0.1	0.1
4/20/19 11:00	0.3	0.1	0.1
4/20/19 12:00	0.3	0.2	0.1
4/20/19 13:00	0.3	0.2	0.1
4/20/19 14:00	0.3	0.2	0.1
4/20/19 15:00	0.3	0.2	0.1
4/20/19 16:00	0.3	0.2	0.1
4/20/19 17:00	0.3	0.2	0.1
4/20/19 18:00	0.3	0.2	0.1
4/20/19 19:00	0.3	0.2	0.1
4/20/19 20:00	0.2	0.2	0.1
4/20/19 21:00	0.2	0.2	0.1
4/20/19 22:00	0.1	0.2	0.1
4/20/19 23:00	0.1	0.2	0.1
4/21/19 0:00	0.1	0.2	0.1
4/21/19 1:00	0.1	0.2	0.1
4/21/19 2:00	0.1	0.2	0.1
4/21/19 3:00	0.1	0.2	0.1
4/21/19 4:00	0.1	0.2	0.1
4/21/19 5:00	0.1	0.2	0.1
4/21/19 6:00	0.1	0.2	0.1
4/21/19 7:00	0.2	0.2	0.1
4/21/19 8:00	0.2	0.2	0.1
4/21/19 9:00	0.1	0.2	0.1
4/21/19 10:00	0.1	0.2	0.1
4/21/19 11:00	0.1	0.2	0.1
4/21/19 12:00	0.1	0.2	0.1
4/21/19 13:00	0.1	0.1	0.1
4/21/19 14:00	0.1	0.1	0.1
4/21/19 15:00	0.2	0.1	0.1
4/21/19 16:00	0.1	0.1	0.1
4/21/19 17:00	0.2	0.1	0.1
4/21/19 18:00	0.2	0.1	0.1
4/21/19 19:00	0.2	0.1	0.1
4/21/19 20:00	0.2	0.1	0.1
4/21/19 21:00	0.2	0.1	0.1
4/21/19 22:00	0.2	0.1	0.1
4/21/19 23:00	0.2	0.1	0.1
4/22/19 0:00	0.2	0.1	0.1
4/22/19 1:00	0.2	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/22/19 2:00	0.2	0.1	0.1
4/22/19 3:00	0.2	0.1	0.1
4/22/19 4:00	0.2	0.2	0.1
4/22/19 5:00	0.2	0.2	0.1
4/22/19 6:00	0.2	0.2	0.1
4/22/19 7:00	0.2	0.2	0.1
4/22/19 8:00	0.2	0.2	0.1
4/22/19 9:00	0.2	0.2	0.1
4/22/19 10:00	0.2	0.2	0.1
4/22/19 11:00	0.2	0.2	0.1
4/22/19 12:00	0.2	0.2	0.1
4/22/19 13:00	0.2	0.2	0.1
4/22/19 14:00	0.2	0.2	0.1
4/22/19 15:00	0.2	0.2	0.1
4/22/19 16:00	0.2	0.2	0.1
4/22/19 17:00	0.2	0.2	0.1
4/22/19 18:00	0.2	0.2	0.1
4/22/19 19:00	0.2	0.2	0.1
4/22/19 20:00	0.2	0.2	0.1
4/22/19 21:00	0.3	0.2	0.1
4/22/19 22:00	0.2	0.2	0.1
4/22/19 23:00	0.2	0.2	0.1
4/23/19 0:00	0.2	0.2	0.1
4/23/19 1:00	0.2	0.2	0.1
4/23/19 2:00	0.2	0.2	0.1
4/23/19 3:00	0.2	0.2	0.1
4/23/19 4:00	0.2	0.2	0.1
4/23/19 5:00	0.1	0.2	0.1
4/23/19 6:00	0.1	0.2	0.1
4/23/19 7:00	0.1	0.2	0.1
4/23/19 8:00	0.1	0.2	0.1
4/23/19 9:00	0.1	0.2	0.1
4/23/19 10:00	0.1	0.2	0.1
4/23/19 11:00	0.2	0.2	0.1
4/23/19 12:00	0.2	0.2	0.1
4/23/19 13:00	0.1	0.2	0.1
4/23/19 14:00	0.1	0.2	0.1
4/23/19 15:00	0.1	0.2	0.1
4/23/19 16:00	0.1	0.2	0.1
4/23/19 17:00	0.1	0.2	0.1
4/23/19 18:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/23/19 19:00	0.1	0.1	0.1
4/23/19 20:00	0.1	0.1	0.1
4/23/19 21:00	0.1	0.1	0.1
4/23/19 22:00	0.1	0.1	0.1
4/23/19 23:00	0.1	0.1	0.1
4/24/19 0:00	0.1	0.1	0.1
4/24/19 1:00	0.1	0.1	0.1
4/24/19 2:00	0.1	0.1	0.1
4/24/19 3:00	0.0	0.1	0.1
4/24/19 4:00	0.1	0.1	0.1
4/24/19 5:00	0.1	0.1	0.1
4/24/19 6:00	0.1	0.1	0.1
4/24/19 7:00	0.1	0.1	0.1
4/24/19 8:00	0.1	0.1	0.1
4/24/19 9:00	0.1	0.1	0.1
4/24/19 10:00	0.1	0.1	0.1
4/24/19 11:00	0.1	0.1	0.1
4/24/19 12:00	0.1	0.1	0.1
4/24/19 13:00	0.1	0.1	0.1
4/24/19 14:00	0.1	0.1	0.1
4/24/19 15:00	0.1	0.1	0.1
4/24/19 16:00	0.1	0.1	0.1
4/24/19 17:00	0.1	0.1	0.1
4/24/19 18:00	0.1	0.1	0.1
4/24/19 19:00	0.2	0.1	0.1
4/24/19 20:00	0.1	0.1	0.1
4/24/19 21:00	0.1	0.1	0.1
4/24/19 22:00	0.2	0.1	0.1
4/24/19 23:00	0.2	0.1	0.1
4/25/19 0:00	0.1	0.1	0.1
4/25/19 1:00	0.1	0.1	0.1
4/25/19 2:00	0.1	0.1	0.1
4/25/19 3:00	0.1	0.1	0.1
4/25/19 4:00	0.1	0.1	0.1
4/25/19 5:00	0.1	0.1	0.1
4/25/19 6:00	0.1	0.1	0.1
4/25/19 7:00	0.1	0.1	0.1
4/25/19 8:00	0.1	0.1	0.1
4/25/19 9:00	0.1	0.1	0.1
4/25/19 10:00	0.1	0.1	0.1
4/25/19 11:00	0.2	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/25/19 12:00	0.0	0.1	0.1
4/25/19 13:00	0.3	0.1	0.1
4/25/19 14:00	0.2	0.1	0.1
4/25/19 15:00	0.2	0.1	0.1
4/25/19 16:00	0.2	0.1	0.1
4/25/19 17:00	0.2	0.1	0.1
4/25/19 18:00	0.2	0.2	0.1
4/25/19 19:00	0.2	0.2	0.1
4/25/19 20:00	0.2	0.2	0.1
4/25/19 21:00	0.2	0.2	0.1
4/25/19 22:00	0.2	0.2	0.1
4/25/19 23:00	0.2	0.2	0.1
4/26/19 0:00	0.2	0.2	0.1
4/26/19 1:00	0.2	0.2	0.1
4/26/19 2:00	0.2	0.2	0.1
4/26/19 3:00	0.3	0.2	0.1
4/26/19 4:00	0.3	0.2	0.1
4/26/19 5:00	0.3	0.2	0.1
4/26/19 6:00	0.3	0.2	0.1
4/26/19 7:00	0.2	0.2	0.1
4/26/19 8:00	0.2	0.2	0.1
4/26/19 9:00	0.2	0.2	0.1
4/26/19 10:00	0.2	0.2	0.1
4/26/19 11:00	0.2	0.2	0.1
4/26/19 12:00	0.2	0.2	0.1
4/26/19 13:00	0.1	0.2	0.1
4/26/19 14:00	0.2	0.2	0.1
4/26/19 15:00	0.2	0.2	0.1
4/26/19 16:00	0.2	0.2	0.1
4/26/19 17:00	0.1	0.2	0.1
4/26/19 18:00	0.2	0.2	0.1
4/26/19 19:00	0.2	0.2	0.1
4/26/19 20:00	0.2	0.2	0.1
4/26/19 21:00	0.2	0.2	0.1
4/26/19 22:00	0.2	0.2	0.1
4/26/19 23:00	0.2	0.2	0.1
4/27/19 0:00	0.2	0.2	0.1
4/27/19 1:00	0.2	0.2	0.1
4/27/19 2:00	0.2	0.2	0.1
4/27/19 3:00	0.2	0.2	0.1
4/27/19 4:00	0.1	0.2	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/27/19 5:00	0.1	0.2	0.1
4/27/19 6:00	0.1	0.2	0.1
4/27/19 7:00	0.1	0.2	0.1
4/27/19 8:00	0.1	0.2	0.1
4/27/19 9:00	0.1	0.2	0.1
4/27/19 10:00	0.1	0.2	0.1
4/27/19 11:00	0.1	0.1	0.1
4/27/19 12:00	0.1	0.1	0.1
4/27/19 13:00	0.1	0.1	0.1
4/27/19 14:00	0.1	0.1	0.1
4/27/19 15:00	0.1	0.1	0.1
4/27/19 16:00	0.1	0.1	0.1
4/27/19 17:00	0.1	0.1	0.1
4/27/19 18:00	0.1	0.1	0.1
4/27/19 19:00	0.1	0.1	0.1
4/27/19 20:00	0.1	0.1	0.1
4/27/19 21:00	0.1	0.1	0.1
4/27/19 22:00	0.1	0.1	0.1
4/27/19 23:00	0.1	0.1	0.1
4/28/19 0:00	0.1	0.1	0.1
4/28/19 1:00	0.1	0.1	0.1
4/28/19 2:00	0.1	0.1	0.1
4/28/19 3:00	0.2	0.1	0.1
4/28/19 4:00	0.2	0.1	0.1
4/28/19 5:00	0.2	0.1	0.1
4/28/19 6:00	0.1	0.1	0.1
4/28/19 7:00	0.1	0.1	0.1
4/28/19 8:00	0.1	0.1	0.1
4/28/19 9:00	0.1	0.1	0.1
4/28/19 10:00	0.1	0.1	0.1
4/28/19 11:00	0.1	0.1	0.1
4/28/19 12:00	0.1	0.1	0.1
4/28/19 13:00	0.1	0.1	0.1
4/28/19 14:00	0.1	0.1	0.1
4/28/19 15:00	0.1	0.1	0.1
4/28/19 16:00	0.1	0.1	0.1
4/28/19 17:00	0.1	0.1	0.1
4/28/19 18:00	0.1	0.1	0.1
4/28/19 19:00	0.1	0.1	0.1
4/28/19 20:00	0.1	0.1	0.1
4/28/19 21:00	0.2	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/28/19 22:00	0.1	0.1	0.1
4/28/19 23:00	0.1	0.1	0.1
4/29/19 0:00	0.1	0.1	0.1
4/29/19 1:00	0.1	0.1	0.1
4/29/19 2:00	0.2	0.1	0.1
4/29/19 3:00	0.2	0.1	0.1
4/29/19 4:00	0.2	0.1	0.1
4/29/19 5:00	0.1	0.1	0.1
4/29/19 6:00	0.1	0.1	0.1
4/29/19 7:00	0.1	0.1	0.1
4/29/19 8:00	0.1	0.1	0.1
4/29/19 9:00	0.1	0.1	0.1
4/29/19 10:00	0.1	0.1	0.1
4/29/19 11:00	0.1	0.1	0.1
4/29/19 12:00	0.1	0.1	0.1
4/29/19 13:00	0.1	0.1	0.1
4/29/19 14:00	0.2	0.1	0.1
4/29/19 15:00	0.2	0.1	0.1
4/29/19 16:00	0.2	0.1	0.1
4/29/19 17:00	0.2	0.1	0.1
4/29/19 18:00	0.1	0.1	0.1
4/29/19 19:00	0.2	0.1	0.1
4/29/19 20:00	0.1	0.1	0.1
4/29/19 21:00	0.1	0.1	0.1
4/29/19 22:00	0.1	0.1	0.1
4/29/19 23:00	0.1	0.1	0.1
4/30/19 0:00	0.1	0.1	0.1
4/30/19 1:00	0.1	0.1	0.1
4/30/19 2:00	0.1	0.1	0.1
4/30/19 3:00	0.1	0.1	0.1
4/30/19 4:00	0.1	0.1	0.1
4/30/19 5:00	0.1	0.1	0.1
4/30/19 6:00	0.1	0.1	0.1
4/30/19 7:00	0.1	0.1	0.1
4/30/19 8:00	0.1	0.1	0.1
4/30/19 9:00	0.2	0.1	0.1
4/30/19 10:00	0.2	0.1	0.1
4/30/19 11:00	0.1	0.1	0.1
4/30/19 12:00	0.1	0.1	0.1
4/30/19 13:00	0.1	0.1	0.1
4/30/19 14:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/30/19 15:00	0.1	0.1	0.1
4/30/19 16:00	0.1	0.1	0.1
4/30/19 17:00	0.1	0.1	0.1
4/30/19 18:00	0.1	0.1	0.1
4/30/19 19:00	0.1	0.1	0.1
4/30/19 20:00	0.1	0.1	0.1
4/30/19 21:00	0.1	0.1	0.1
4/30/19 22:00	0.1	0.1	0.1
4/30/19 23:00	0.1	0.1	0.1
5/1/19 0:00	0.1	0.1	0.1
5/1/19 1:00	0.1	0.1	0.1
5/1/19 2:00	0.1	0.1	0.1
5/1/19 3:00	0.1	0.1	0.1
5/1/19 4:00	0.1	0.1	0.1
5/1/19 5:00	0.1	0.1	0.1
5/1/19 6:00	0.1	0.1	0.1
5/1/19 7:00	0.1	0.1	0.1
5/1/19 8:00	0.2	0.1	0.1
5/1/19 9:00	0.2	0.1	0.1
5/1/19 10:00	0.2	0.1	0.1
5/1/19 11:00	0.2	0.1	0.1
5/1/19 12:00	0.2	0.1	0.1
5/1/19 13:00	0.1	0.1	0.1
5/1/19 14:00	0.1	0.1	0.1
5/1/19 15:00	0.1	0.1	0.1
5/1/19 16:00	0.1	0.1	0.1
5/1/19 17:00	0.1	0.1	0.1
5/1/19 18:00	0.1	0.1	0.1
5/1/19 19:00	0.1	0.1	0.1
5/1/19 20:00	0.1	0.1	0.1
5/1/19 21:00	0.1	0.1	0.1
5/1/19 22:00	0.1	0.1	0.1
5/1/19 23:00	0.1	0.1	0.1
5/2/19 0:00	0.1	0.1	0.1
5/2/19 1:00	0.1	0.1	0.1
5/2/19 2:00	0.1	0.1	0.1
5/2/19 3:00	0.1	0.1	0.1
5/2/19 4:00	0.1	0.1	0.1
5/2/19 5:00	0.1	0.1	0.1
5/2/19 6:00	0.1	0.1	0.1
5/2/19 7:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/2/19 8:00	0.1	0.1	0.1
5/2/19 9:00	0.1	0.1	0.1
5/2/19 10:00	0.1	0.1	0.1
5/2/19 11:00	0.1	0.1	0.1
5/2/19 12:00	0.9	0.1	0.1
5/2/19 13:00	1.2	0.2	0.1
5/2/19 14:00	0.3	0.2	0.1
5/2/19 15:00	0.5	0.2	0.1
5/2/19 16:00	0.4	0.2	0.1
5/2/19 17:00	0.4	0.2	0.1
5/2/19 18:00	0.4	0.2	0.1
5/2/19 19:00	0.4	0.3	0.1
5/2/19 20:00	0.3	0.3	0.1
5/2/19 21:00	0.3	0.3	0.1
5/2/19 22:00	0.3	0.3	0.1
5/2/19 23:00	0.1	0.3	0.1
5/3/19 0:00	0.1	0.3	0.1
5/3/19 1:00	0.1	0.3	0.1
5/3/19 2:00	0.1	0.3	0.1
5/3/19 3:00	0.1	0.3	0.1
5/3/19 4:00	0.1	0.3	0.1
5/3/19 5:00	0.1	0.3	0.1
5/3/19 6:00	0.1	0.3	0.1
5/3/19 7:00	0.1	0.3	0.1
5/3/19 8:00	0.1	0.3	0.1
5/3/19 9:00	0.2	0.3	0.1
5/3/19 10:00	0.1	0.3	0.1
5/3/19 11:00	0.1	0.3	0.1
5/3/19 12:00	0.1	0.3	0.1
5/3/19 13:00	0.1	0.2	0.1
5/3/19 14:00	0.1	0.2	0.1
5/3/19 15:00	0.2	0.2	0.1
5/3/19 16:00	0.1	0.2	0.1
5/3/19 17:00	0.2	0.2	0.1
5/3/19 18:00	0.1	0.2	0.1
5/3/19 19:00	0.1	0.2	0.1
5/3/19 20:00	0.2	0.1	0.1
5/3/19 21:00	0.2	0.1	0.1
5/3/19 22:00	0.2	0.1	0.1
5/3/19 23:00	0.2	0.1	0.1
5/4/19 0:00	0.2	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/4/19 1:00	0.2	0.1	0.1
5/4/19 2:00	0.2	0.1	0.1
5/4/19 3:00	0.2	0.1	0.1
5/4/19 4:00	0.2	0.2	0.1
5/4/19 5:00	0.1	0.2	0.1
5/4/19 6:00	0.2	0.2	0.1
5/4/19 7:00	0.2	0.2	0.1
5/4/19 8:00	0.2	0.2	0.1
5/4/19 9:00	0.2	0.2	0.1
5/4/19 10:00	0.2	0.2	0.1
5/4/19 11:00	0.2	0.2	0.1
5/4/19 12:00	0.2	0.2	0.1
5/4/19 13:00	0.1	0.2	0.1
5/4/19 14:00	0.2	0.2	0.1
5/4/19 15:00	0.1	0.2	0.1
5/4/19 16:00	0.1	0.2	0.1
5/4/19 17:00	0.1	0.2	0.1
5/4/19 18:00	0.1	0.2	0.1
5/4/19 19:00	0.1	0.2	0.1
5/4/19 20:00	0.1	0.2	0.1
5/4/19 21:00	0.1	0.2	0.1
5/4/19 22:00	0.1	0.2	0.1
5/4/19 23:00	0.1	0.1	0.1
5/5/19 0:00	0.1	0.1	0.1
5/5/19 1:00	0.2	0.1	0.1
5/5/19 2:00	0.1	0.1	0.1
5/5/19 3:00	0.1	0.1	0.1
5/5/19 4:00	0.1	0.1	0.1
5/5/19 5:00	0.1	0.1	0.1
5/5/19 6:00	0.1	0.1	0.1
5/5/19 7:00	0.1	0.1	0.1
5/5/19 8:00	0.1	0.1	0.1
5/5/19 9:00	0.1	0.1	0.1
5/5/19 10:00	0.1	0.1	0.1
5/5/19 11:00	0.1	0.1	0.1
5/5/19 12:00	0.1	0.1	0.1
5/5/19 13:00	0.2	0.1	0.1
5/5/19 14:00	0.1	0.1	0.1
5/5/19 15:00	0.1	0.1	0.1
5/5/19 16:00	0.1	0.1	0.1
5/5/19 17:00	0.2	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/5/19 18:00	0.2	0.1	0.1
5/5/19 19:00	0.2	0.1	0.1
5/5/19 20:00	0.2	0.1	0.1
5/5/19 21:00	0.1	0.1	0.1
5/5/19 22:00	0.1	0.1	0.1
5/5/19 23:00	0.1	0.1	0.1
5/6/19 0:00	0.1	0.1	0.1
5/6/19 1:00	0.1	0.1	0.1
5/6/19 2:00	0.1	0.1	0.1
5/6/19 3:00	0.1	0.1	0.1
5/6/19 4:00	0.2	0.1	0.1
5/6/19 5:00	0.2	0.1	0.1
5/6/19 6:00	0.1	0.1	0.1
5/6/19 7:00	0.1	0.1	0.1
5/6/19 8:00	0.1	0.1	0.1
5/6/19 9:00	0.1	0.1	0.1
5/6/19 10:00	0.1	0.1	0.1
5/6/19 11:00	0.1	0.1	0.1
5/6/19 12:00	0.1	0.1	0.1
5/6/19 13:00	0.1	0.1	0.1
5/6/19 14:00	0.1	0.1	0.1
5/6/19 15:00	0.2	0.1	0.1
5/6/19 16:00	0.2	0.1	0.1
5/6/19 17:00	0.2	0.1	0.1
5/6/19 18:00	0.2	0.1	0.1
5/6/19 19:00	0.2	0.1	0.1
5/6/19 20:00	0.2	0.2	0.1
5/6/19 21:00	0.2	0.2	0.1
5/6/19 22:00	0.2	0.2	0.1
5/6/19 23:00	0.2	0.2	0.1
5/7/19 0:00	0.2	0.2	0.1
5/7/19 1:00	0.2	0.2	0.1
5/7/19 2:00	0.3	0.2	0.1
5/7/19 3:00	0.2	0.2	0.1
5/7/19 4:00	0.2	0.2	0.1
5/7/19 5:00	0.2	0.2	0.1
5/7/19 6:00	0.2	0.2	0.1
5/7/19 7:00	0.1	0.2	0.1
5/7/19 8:00	0.2	0.2	0.1
5/7/19 9:00	0.2	0.2	0.1
5/7/19 10:00	0.1	0.2	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/7/19 11:00	0.1	0.2	0.1
5/7/19 12:00	0.2	0.2	0.1
5/7/19 13:00	0.2	0.2	0.1
5/7/19 14:00	0.2	0.2	0.1
5/7/19 15:00	0.1	0.2	0.1
5/7/19 16:00	0.1	0.2	0.1
5/7/19 17:00	0.0	0.2	0.1
5/7/19 18:00	0.2	0.2	0.1
5/7/19 19:00	0.1	0.2	0.1
5/7/19 20:00	0.1	0.2	0.1
5/7/19 21:00	0.1	0.2	0.1
5/7/19 22:00	0.1	0.2	0.1
5/7/19 23:00	0.1	0.2	0.1
5/8/19 0:00	0.1	0.2	0.1
5/8/19 1:00	0.1	0.2	0.1
5/8/19 2:00	0.1	0.1	0.1
5/8/19 3:00	0.1	0.1	0.1
5/8/19 4:00	0.1	0.1	0.1
5/8/19 5:00	0.1	0.1	0.1
5/8/19 6:00	0.1	0.1	0.1
5/8/19 7:00	0.1	0.1	0.1
5/8/19 8:00	0.1	0.1	0.1
5/8/19 9:00	0.1	0.1	0.1
5/8/19 10:00	0.1	0.1	0.1
5/8/19 11:00	0.3	0.1	0.1
5/8/19 12:00	0.2	0.1	0.1
5/8/19 13:00	0.2	0.1	0.1
5/8/19 14:00	0.1	0.1	0.1
5/8/19 15:00	0.1	0.1	0.1
5/8/19 16:00	0.1	0.1	0.1
5/8/19 17:00	0.1	0.1	0.1
5/8/19 18:00	0.2	0.1	0.1
5/8/19 19:00	0.1	0.1	0.1
5/8/19 20:00	0.1	0.1	0.1
5/8/19 21:00	0.1	0.1	0.1
5/8/19 22:00	0.1	0.1	0.1
5/8/19 23:00	0.1	0.1	0.1
5/9/19 0:00	0.1	0.1	0.1
5/9/19 1:00	0.1	0.1	0.1
5/9/19 2:00	0.2	0.1	0.1
5/9/19 3:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/9/19 4:00	0.1	0.1	0.1
5/9/19 5:00	0.1	0.1	0.1
5/9/19 6:00	0.1	0.1	0.1
5/9/19 7:00	0.1	0.1	0.1
5/9/19 8:00	0.1	0.1	0.1
5/9/19 9:00	0.1	0.1	0.1
5/9/19 10:00	0.1	0.1	0.1
5/9/19 11:00	0.1	0.1	0.1
5/9/19 12:00	0.1	0.1	0.1
5/9/19 13:00	0.1	0.1	0.1
5/9/19 14:00	0.1	0.1	0.1
5/9/19 15:00	0.1	0.1	0.1
5/9/19 16:00	0.1	0.1	0.1
5/9/19 17:00	0.1	0.1	0.1
5/9/19 18:00	0.1	0.1	0.1
5/9/19 19:00	0.1	0.1	0.1
5/9/19 20:00	0.1	0.1	0.1
5/9/19 21:00	0.1	0.1	0.1
5/9/19 22:00	0.1	0.1	0.1
5/9/19 23:00	0.1	0.1	0.1
5/10/19 0:00	0.1	0.1	0.1
5/10/19 1:00	0.1	0.1	0.1
5/10/19 2:00	0.1	0.1	0.1
5/10/19 3:00	0.1	0.1	0.1
5/10/19 4:00	0.1	0.1	0.1
5/10/19 5:00	0.1	0.1	0.1
5/10/19 6:00	0.1	0.1	0.1
5/10/19 7:00	0.1	0.1	0.1
5/10/19 8:00	0.2	0.1	0.1
5/10/19 9:00	0.1	0.1	0.1
5/10/19 10:00	0.1	0.1	0.1
5/10/19 11:00	0.2	0.1	0.1
5/10/19 12:00	0.2	0.1	0.1
5/10/19 13:00	0.2	0.1	0.1
5/10/19 14:00	0.2	0.1	0.1
5/10/19 15:00	0.1	0.1	0.1
5/10/19 16:00	0.1	0.1	0.1
5/10/19 17:00	0.1	0.1	0.1
5/10/19 18:00	0.2	0.1	0.1
5/10/19 19:00	0.1	0.1	0.1
5/10/19 20:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/10/19 21:00	0.1	0.1	0.1
5/10/19 22:00	0.1	0.1	0.1
5/10/19 23:00	0.1	0.1	0.1
5/11/19 0:00	0.1	0.1	0.1
5/11/19 1:00	0.1	0.1	0.1
5/11/19 2:00	0.1	0.1	0.1
5/11/19 3:00	0.1	0.1	0.1
5/11/19 4:00	0.1	0.1	0.1
5/11/19 5:00	0.3	0.1	0.1
5/11/19 6:00	0.3	0.1	0.1
5/11/19 7:00	0.2	0.1	0.1
5/11/19 8:00	0.1	0.1	0.1
5/11/19 9:00	0.1	0.1	0.1
5/11/19 10:00	0.1	0.1	0.1
5/11/19 11:00	0.1	0.1	0.1
5/11/19 12:00	0.1	0.1	0.1
5/11/19 13:00	0.1	0.1	0.1
5/11/19 14:00	0.2	0.1	0.1
5/11/19 15:00	0.1	0.1	0.1
5/11/19 16:00	0.1	0.1	0.1
5/11/19 17:00	0.1	0.1	0.1
5/11/19 18:00	0.2	0.1	0.1
5/11/19 19:00	0.1	0.1	0.1
5/11/19 20:00	0.1	0.1	0.1
5/11/19 21:00	0.1	0.1	0.1
5/11/19 22:00	0.1	0.1	0.1
5/11/19 23:00	0.1	0.1	0.1
5/12/19 0:00	0.1	0.1	0.1
5/12/19 1:00	0.1	0.1	0.1
5/12/19 2:00	0.1	0.1	0.1
5/12/19 3:00	0.1	0.1	0.1
5/12/19 4:00	0.1	0.1	0.1
5/12/19 5:00	0.1	0.1	0.1
5/12/19 6:00	0.1	0.1	0.1
5/12/19 7:00	0.1	0.1	0.1
5/12/19 8:00	0.1	0.1	0.1
5/12/19 9:00	0.1	0.1	0.1
5/12/19 10:00	0.1	0.1	0.1
5/12/19 11:00	0.1	0.1	0.1
5/12/19 12:00	0.2	0.1	0.1
5/12/19 13:00	0.2	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/12/19 14:00	0.2	0.1	0.1
5/12/19 15:00	0.2	0.1	0.1
5/12/19 16:00	0.2	0.1	0.1
5/12/19 17:00	0.2	0.1	0.1
5/12/19 18:00	0.2	0.1	0.1
5/12/19 19:00	0.2	0.1	0.1
5/12/19 20:00	0.2	0.1	0.1
5/12/19 21:00	0.2	0.1	0.1
5/12/19 22:00	0.2	0.1	0.1
5/12/19 23:00	0.2	0.1	0.1
5/13/19 0:00	0.2	0.1	0.1
5/13/19 1:00	0.2	0.1	0.1
5/13/19 2:00	0.2	0.1	0.1
5/13/19 3:00	0.2	0.1	0.1
5/13/19 4:00	0.2	0.1	0.1
5/13/19 5:00	0.2	0.1	0.1
5/13/19 6:00	0.3	0.2	0.1
5/13/19 7:00	0.1	0.2	0.1
5/13/19 8:00	0.1	0.2	0.1
5/13/19 9:00	0.1	0.2	0.1
5/13/19 10:00	0.1	0.2	0.1
5/13/19 11:00	0.2	0.2	0.1
5/13/19 12:00	0.2	0.2	0.1
5/13/19 13:00	0.2	0.2	0.1
5/13/19 14:00	0.1	0.2	0.1
5/13/19 15:00	0.1	0.2	0.1
5/13/19 16:00	0.1	0.2	0.1
5/13/19 17:00	0.1	0.2	0.1
5/13/19 18:00	0.1	0.1	0.1
5/13/19 19:00	0.1	0.1	0.1
5/13/19 20:00	0.1	0.1	0.1
5/13/19 21:00	0.1	0.1	0.1
5/13/19 22:00	0.1	0.1	0.1
5/13/19 23:00	0.1	0.1	0.1
5/14/19 0:00	0.1	0.1	0.1
5/14/19 1:00	0.1	0.1	0.1
5/14/19 2:00	0.1	0.1	0.1
5/14/19 3:00	0.1	0.1	0.1
5/14/19 4:00	0.1	0.1	0.1
5/14/19 5:00	0.1	0.1	0.1
5/14/19 6:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/14/19 7:00	0.1	0.1	0.1
5/14/19 8:00	0.2	0.1	0.1
5/14/19 9:00	0.2	0.1	0.1
5/14/19 10:00	0.2	0.1	0.1
5/14/19 11:00	0.2	0.1	0.1
5/14/19 12:00	0.2	0.1	0.1
5/14/19 13:00	0.2	0.1	0.1
5/14/19 14:00	0.2	0.1	0.1
5/14/19 15:00	0.1	0.1	0.1
5/14/19 16:00	0.1	0.1	0.1
5/14/19 17:00	0.1	0.1	0.1
5/14/19 18:00	0.1	0.1	0.1
5/14/19 19:00	0.2	0.1	0.1
5/14/19 20:00	0.2	0.1	0.1
5/14/19 21:00	0.2	0.1	0.1
5/14/19 22:00	0.2	0.1	0.1
5/14/19 23:00	0.2	0.1	0.1
5/15/19 0:00	0.2	0.2	0.1
5/15/19 1:00	0.2	0.2	0.1
5/15/19 2:00	0.2	0.2	0.1
5/15/19 3:00	0.2	0.2	0.1
5/15/19 4:00	0.2	0.2	0.1
5/15/19 5:00	0.2	0.2	0.1
5/15/19 6:00	0.1	0.2	0.1
5/15/19 7:00	0.1	0.2	0.1
5/15/19 8:00	0.1	0.2	0.1
5/15/19 9:00	0.1	0.2	0.1
5/15/19 10:00	0.1	0.2	0.1
5/15/19 11:00	0.1	0.2	0.1
5/15/19 12:00	0.1	0.2	0.1
5/15/19 13:00	0.1	0.2	0.1
5/15/19 14:00	0.1	0.2	0.1
5/15/19 15:00	0.1	0.2	0.1
5/15/19 16:00	0.1	0.2	0.1
5/15/19 17:00	0.1	0.2	0.1
5/15/19 18:00	0.1	0.2	0.1
5/15/19 19:00	0.1	0.2	0.1
5/15/19 20:00	0.1	0.2	0.1
5/15/19 21:00	0.1	0.2	0.1
5/15/19 22:00	0.2	0.2	0.1
5/15/19 23:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/16/19 0:00	0.1	0.1	0.1
5/16/19 1:00	0.1	0.1	0.1
5/16/19 2:00	0.1	0.1	0.1
5/16/19 3:00	0.2	0.1	0.1
5/16/19 4:00	0.1	0.1	0.1
5/16/19 5:00	0.1	0.1	0.1
5/16/19 6:00	0.1	0.1	0.1
5/16/19 7:00	0.1	0.1	0.1
5/16/19 8:00	0.1	0.1	0.1
5/16/19 9:00	0.3	0.1	0.1
5/16/19 10:00	0.3	0.1	0.1
5/16/19 11:00	0.3	0.1	0.1
5/16/19 12:00	0.2	0.1	0.1
5/16/19 13:00	0.2	0.2	0.1
5/16/19 14:00	0.2	0.2	0.1
5/16/19 15:00	0.2	0.2	0.1
5/16/19 16:00	0.2	0.2	0.1
5/16/19 17:00	0.2	0.2	0.1
5/16/19 18:00	0.2	0.2	0.1
5/16/19 19:00	0.2	0.2	0.1
5/16/19 20:00	0.2	0.2	0.1
5/16/19 21:00	0.2	0.2	0.1
5/16/19 22:00	0.2	0.2	0.1
5/16/19 23:00	0.2	0.2	0.1
5/17/19 0:00	0.3	0.2	0.1
5/17/19 1:00	0.1	0.2	0.1
5/17/19 2:00	0.1	0.2	0.1
5/17/19 3:00	0.1	0.2	0.1
5/17/19 4:00	0.1	0.2	0.1
5/17/19 5:00	0.2	0.2	0.1
5/17/19 6:00	0.1	0.2	0.1
5/17/19 7:00	0.2	0.2	0.1
5/17/19 8:00	0.1	0.2	0.1
5/17/19 9:00	0.3	0.2	0.1
5/17/19 10:00	0.2	0.2	0.1
5/17/19 11:00	0.1	0.2	0.1
5/17/19 12:00	0.1	0.2	0.1
5/17/19 13:00	0.1	0.2	0.1
5/17/19 14:00	0.2	0.2	0.1
5/17/19 15:00	0.2	0.2	0.1
5/17/19 16:00	0.2	0.2	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/17/19 17:00	0.2	0.2	0.1
5/17/19 18:00	0.1	0.2	0.1
5/17/19 19:00	0.1	0.2	0.1
5/17/19 20:00	0.1	0.2	0.1
5/17/19 21:00	0.2	0.2	0.1
5/17/19 22:00	0.2	0.2	0.1
5/17/19 23:00	0.2	0.2	0.1
5/18/19 0:00	0.2	0.2	0.1
5/18/19 1:00	0.1	0.2	0.1
5/18/19 2:00	0.1	0.2	0.1
5/18/19 3:00	0.1	0.2	0.1
5/18/19 4:00	0.1	0.1	0.1
5/18/19 5:00	0.1	0.1	0.1
5/18/19 6:00	0.2	0.2	0.1
5/18/19 7:00	0.2	0.2	0.1
5/18/19 8:00	0.2	0.2	0.1
5/18/19 9:00	0.2	0.2	0.1
5/18/19 10:00	0.2	0.2	0.1
5/18/19 11:00	0.2	0.2	0.1
5/18/19 12:00	0.1	0.2	0.1
5/18/19 13:00	0.1	0.2	0.1
5/18/19 14:00	0.2	0.2	0.1
5/18/19 15:00	0.1	0.2	0.1
5/18/19 16:00	0.1	0.2	0.1
5/18/19 17:00	0.4	0.2	0.1
5/18/19 18:00	0.1	0.2	0.1
5/18/19 19:00	0.1	0.2	0.1
5/18/19 20:00	0.1	0.2	0.1
5/18/19 21:00	0.1	0.2	0.1
5/18/19 22:00	0.1	0.2	0.1
5/18/19 23:00	0.1	0.1	0.1
5/19/19 0:00	0.1	0.1	0.1
5/19/19 1:00	0.1	0.1	0.1
5/19/19 2:00	0.1	0.1	0.1
5/19/19 3:00	0.1	0.1	0.1
5/19/19 4:00	0.1	0.1	0.1
5/19/19 5:00	0.1	0.1	0.1
5/19/19 6:00	0.1	0.1	0.1
5/19/19 7:00	0.1	0.1	0.1
5/19/19 8:00	0.1	0.1	0.1
5/19/19 9:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/19/19 10:00	0.2	0.1	0.1
5/19/19 11:00	0.1	0.1	0.1
5/19/19 12:00	0.1	0.1	0.1
5/19/19 13:00	0.1	0.1	0.1
5/19/19 14:00	0.1	0.1	0.1
5/19/19 15:00	0.1	0.1	0.1
5/19/19 16:00	0.1	0.1	0.1
5/19/19 17:00	0.1	0.1	0.1
5/19/19 18:00	0.1	0.1	0.1
5/19/19 19:00	0.1	0.1	0.1
5/19/19 20:00	0.1	0.1	0.1
5/19/19 21:00	0.1	0.1	0.1
5/19/19 22:00	0.1	0.1	0.1
5/19/19 23:00	0.1	0.1	0.1
5/20/19 0:00	0.1	0.1	0.1
5/20/19 1:00	0.1	0.1	0.1
5/20/19 2:00	0.2	0.1	0.1
5/20/19 3:00	0.1	0.1	0.1
5/20/19 4:00	0.1	0.1	0.1
5/20/19 5:00	0.1	0.1	0.1
5/20/19 6:00	0.1	0.1	0.1
5/20/19 7:00	0.1	0.1	0.1
5/20/19 8:00	0.1	0.1	0.1
5/20/19 9:00	0.1	0.1	0.1
5/20/19 10:00	0.1	0.1	0.1
5/20/19 11:00	0.1	0.1	0.1
5/20/19 12:00	0.1	0.1	0.1
5/20/19 13:00	0.1	0.1	0.1
5/20/19 14:00	0.1	0.1	0.1
5/20/19 15:00	0.0	0.1	0.1
5/20/19 16:00	0.1	0.1	0.1
5/20/19 17:00	0.0	0.1	0.1
5/20/19 18:00	0.1	0.1	0.1
5/20/19 19:00	0.1	0.1	0.1
5/20/19 20:00	0.1	0.1	0.1
5/20/19 21:00	0.1	0.1	0.1
5/20/19 22:00	0.1	0.1	0.1
5/20/19 23:00	0.2	0.1	0.1
5/21/19 0:00	0.1	0.1	0.1
5/21/19 1:00	0.1	0.1	0.1
5/21/19 2:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/21/19 3:00	0.1	0.1	0.1
5/21/19 4:00	0.1	0.1	0.1
5/21/19 5:00	0.1	0.1	0.1
5/21/19 6:00	0.1	0.1	0.1
5/21/19 7:00	0.1	0.1	0.1
5/21/19 8:00	0.0	0.1	0.1
5/21/19 9:00	0.2	0.1	0.1
5/21/19 10:00	0.2	0.1	0.1
5/21/19 11:00	0.2	0.1	0.1
5/21/19 12:00	0.1	0.1	0.1
5/21/19 13:00	0.1	0.1	0.1
5/21/19 14:00	0.2	0.1	0.1
5/21/19 15:00	0.2	0.1	0.1
5/21/19 16:00	0.2	0.1	0.1
5/21/19 17:00	0.2	0.1	0.1
5/21/19 18:00	0.2	0.1	0.1
5/21/19 19:00	0.2	0.1	0.1
5/21/19 20:00	0.3	0.1	0.1
5/21/19 21:00	0.2	0.1	0.1
5/21/19 22:00	0.2	0.1	0.1
5/21/19 23:00	0.1	0.1	0.1
5/22/19 0:00	0.1	0.1	0.1
5/22/19 1:00	0.1	0.1	0.1
5/22/19 2:00	0.1	0.1	0.1
5/22/19 3:00	0.1	0.1	0.1
5/22/19 4:00	0.2	0.1	0.1
5/22/19 5:00	0.2	0.1	0.1
5/22/19 6:00	0.1	0.2	0.1
5/22/19 7:00	0.2	0.2	0.1
5/22/19 8:00	0.4	0.2	0.1
5/22/19 9:00	0.6	0.2	0.1
5/22/19 10:00	0.2	0.2	0.1
5/22/19 11:00	0.2	0.2	0.1
5/22/19 12:00	0.3	0.2	0.1
5/22/19 13:00	0.3	0.2	0.1
5/22/19 14:00	0.3	0.2	0.1
5/22/19 15:00	0.3	0.2	0.1
5/22/19 16:00	0.2	0.2	0.1
5/22/19 17:00	0.3	0.2	0.1
5/22/19 18:00	0.2	0.2	0.1
5/22/19 19:00	0.3	0.2	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/22/19 20:00	0.3	0.2	0.1
5/22/19 21:00	0.3	0.2	0.1
5/22/19 22:00	0.3	0.2	0.1
5/22/19 23:00	0.2	0.2	0.1
5/23/19 0:00	0.3	0.2	0.1
5/23/19 1:00	0.1	0.2	0.1
5/23/19 2:00	0.1	0.2	0.1
5/23/19 3:00	0.1	0.2	0.1
5/23/19 4:00	0.1	0.2	0.1
5/23/19 5:00	0.2	0.2	0.1
5/23/19 6:00	0.1	0.2	0.1
5/23/19 7:00	0.1	0.2	0.1
5/23/19 8:00	0.1	0.2	0.1
5/23/19 9:00	0.1	0.2	0.1
5/23/19 10:00	0.1	0.2	0.1
5/23/19 11:00	0.1	0.2	0.1
5/23/19 12:00	0.1	0.2	0.1
5/23/19 13:00	0.1	0.2	0.1
5/23/19 14:00	0.1	0.2	0.1
5/23/19 15:00	0.1	0.2	0.1
5/23/19 16:00	0.1	0.2	0.1
5/23/19 17:00	0.1	0.1	0.1
5/23/19 18:00	0.1	0.1	0.1
5/23/19 19:00	0.1	0.1	0.1
5/23/19 20:00	0.1	0.1	0.1
5/23/19 21:00	0.1	0.1	0.1
5/23/19 22:00	0.1	0.1	0.1
5/23/19 23:00	0.1	0.1	0.1
5/24/19 0:00	0.1	0.1	0.1
5/24/19 1:00	0.1	0.1	0.1
5/24/19 2:00	0.1	0.1	0.1
5/24/19 3:00	0.1	0.1	0.1
5/24/19 4:00	0.2	0.1	0.1
5/24/19 5:00	0.2	0.1	0.1
5/24/19 6:00	0.2	0.1	0.1
5/24/19 7:00	0.1	0.1	0.1
5/24/19 8:00	0.2	0.1	0.1
5/24/19 9:00	0.1	0.1	0.1
5/24/19 10:00	0.1	0.1	0.1
5/24/19 11:00	0.2	0.1	0.1
5/24/19 12:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/24/19 13:00	0.1	0.1	0.1
5/24/19 14:00	0.1	0.1	0.1
5/24/19 15:00	0.1	0.1	0.1
5/24/19 16:00	0.1	0.1	0.1
5/24/19 17:00	0.1	0.1	0.1
5/24/19 18:00	0.1	0.1	0.1
5/24/19 19:00	0.1	0.1	0.1
5/24/19 20:00	0.1	0.1	0.1
5/24/19 21:00	0.1	0.1	0.1
5/24/19 22:00	0.1	0.1	0.1
5/24/19 23:00	0.1	0.1	0.1
5/25/19 0:00	0.1	0.1	0.1
5/25/19 1:00	0.1	0.1	0.1
5/25/19 2:00	0.1	0.1	0.1
5/25/19 3:00	0.2	0.1	0.1
5/25/19 4:00	0.1	0.1	0.1
5/25/19 5:00	0.1	0.1	0.1
5/25/19 6:00	0.1	0.1	0.1
5/25/19 7:00	0.1	0.1	0.1
5/25/19 8:00	0.2	0.1	0.1
5/25/19 9:00	0.2	0.1	0.1
5/25/19 10:00	0.2	0.1	0.1
5/25/19 11:00	0.2	0.1	0.1
5/25/19 12:00	0.1	0.1	0.1
5/25/19 13:00	0.1	0.1	0.1
5/25/19 14:00	0.1	0.1	0.1
5/25/19 15:00	0.1	0.1	0.1
5/25/19 16:00	0.2	0.1	0.1
5/25/19 17:00	0.1	0.1	0.1
5/25/19 18:00	0.1	0.1	0.1
5/25/19 19:00	0.1	0.1	0.1
5/25/19 20:00	0.2	0.1	0.1
5/25/19 21:00	0.2	0.1	0.1
5/25/19 22:00	0.3	0.1	0.1
5/25/19 23:00	0.2	0.2	0.1
5/26/19 0:00	0.3	0.2	0.1
5/26/19 1:00	0.3	0.2	0.1
5/26/19 2:00	0.6	0.2	0.1
5/26/19 3:00	0.6	0.2	0.1
5/26/19 4:00	0.5	0.2	0.1
5/26/19 5:00	0.2	0.2	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/26/19 6:00	0.2	0.2	0.1
5/26/19 7:00	0.2	0.2	0.1
5/26/19 8:00	0.2	0.2	0.1
5/26/19 9:00	0.2	0.2	0.1
5/26/19 10:00	0.2	0.2	0.1
5/26/19 11:00	0.2	0.2	0.1
5/26/19 12:00	0.2	0.2	0.1
5/26/19 13:00	0.2	0.2	0.1
5/26/19 14:00	0.2	0.2	0.1
5/26/19 15:00	0.1	0.2	0.1
5/26/19 16:00	0.1	0.2	0.1
5/26/19 17:00	0.2	0.2	0.1
5/26/19 18:00	0.2	0.2	0.1
5/26/19 19:00	0.2	0.2	0.1
5/26/19 20:00	0.2	0.2	0.1
5/26/19 21:00	0.2	0.2	0.1
5/26/19 22:00	0.2	0.2	0.1
5/26/19 23:00	0.2	0.2	0.1
5/27/19 0:00	0.2	0.2	0.1
5/27/19 1:00	0.2	0.2	0.1
5/27/19 2:00	0.2	0.2	0.1
5/27/19 3:00	0.2	0.2	0.1
5/27/19 4:00	0.2	0.2	0.1
5/27/19 5:00	0.2	0.2	0.1
5/27/19 6:00	0.1	0.2	0.1
5/27/19 7:00	0.3	0.2	0.1
5/27/19 8:00	0.2	0.2	0.1
5/27/19 9:00	0.3	0.2	0.1
5/27/19 10:00	0.3	0.2	0.1
5/27/19 11:00	0.3	0.2	0.1
5/27/19 12:00	0.1	0.2	0.1
5/27/19 13:00	0.1	0.2	0.1
5/27/19 14:00	0.1	0.2	0.1
5/27/19 15:00	0.1	0.2	0.1
5/27/19 16:00	0.1	0.2	0.1
5/27/19 17:00	0.2	0.2	0.1
5/27/19 18:00	0.2	0.2	0.1
5/27/19 19:00	0.2	0.2	0.1
5/27/19 20:00	0.1	0.2	0.1
5/27/19 21:00	0.1	0.2	0.1
5/27/19 22:00	0.2	0.2	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/27/19 23:00	0.2	0.2	0.1
5/28/19 0:00	0.1	0.2	0.1
5/28/19 1:00	0.1	0.2	0.1
5/28/19 2:00	0.1	0.2	0.1
5/28/19 3:00	0.1	0.2	0.1
5/28/19 4:00	0.1	0.2	0.1
5/28/19 5:00	0.1	0.2	0.1
5/28/19 6:00	0.2	0.2	0.1
5/28/19 7:00	0.2	0.2	0.1
5/28/19 8:00	0.2	0.2	0.1
5/28/19 9:00	0.2	0.2	0.1
5/28/19 10:00	0.2	0.2	0.1
5/28/19 11:00	0.1	0.1	0.1
5/28/19 12:00	0.1	0.1	0.1
5/28/19 13:00	0.1	0.1	0.1
5/28/19 14:00	0.1	0.1	0.1
5/28/19 15:00	0.2	0.2	0.1
5/28/19 16:00	0.2	0.2	0.1
5/28/19 17:00	0.2	0.2	0.1
5/28/19 18:00	0.2	0.2	0.1
5/28/19 19:00	0.1	0.1	0.1
5/28/19 20:00	0.1	0.1	0.1
5/28/19 21:00	0.2	0.1	0.1
5/28/19 22:00	0.1	0.1	0.1
5/28/19 23:00	0.1	0.1	0.1
5/29/19 0:00	0.1	0.1	0.1
5/29/19 1:00	0.2	0.1	0.1
5/29/19 2:00	0.2	0.2	0.1
5/29/19 3:00	0.2	0.2	0.1
5/29/19 4:00	0.2	0.2	0.1
5/29/19 5:00	0.1	0.2	0.1
5/29/19 6:00	0.2	0.2	0.1
5/29/19 7:00	0.2	0.2	0.1
5/29/19 8:00	0.2	0.2	0.1
5/29/19 9:00	0.2	0.2	0.1
5/29/19 10:00	0.1	0.2	0.1
5/29/19 11:00	0.1	0.2	0.1
5/29/19 12:00	0.1	0.2	0.1
5/29/19 13:00	0.2	0.2	0.1
5/29/19 14:00	0.2	0.2	0.1
5/29/19 15:00	0.2	0.2	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/29/19 16:00	0.2	0.2	0.1
5/29/19 17:00	0.1	0.2	0.1
5/29/19 18:00	0.1	0.2	0.1
5/29/19 19:00	0.1	0.2	0.1
5/29/19 20:00	0.1	0.2	0.1
5/29/19 21:00	0.1	0.2	0.1
5/29/19 22:00	0.2	0.2	0.1
5/29/19 23:00	0.2	0.2	0.1
5/30/19 0:00	0.2	0.2	0.1
5/30/19 1:00	0.2	0.2	0.1
5/30/19 2:00	0.2	0.2	0.1
5/30/19 3:00	0.1	0.1	0.1
5/30/19 4:00	0.1	0.1	0.1
5/30/19 5:00	0.1	0.1	0.1
5/30/19 6:00	0.1	0.1	0.1
5/30/19 7:00	0.1	0.1	0.1
5/30/19 8:00	0.1	0.1	0.1
5/30/19 9:00	0.2	0.1	0.1
5/30/19 10:00	0.2	0.1	0.1
5/30/19 11:00	0.1	0.1	0.1
5/30/19 12:00	0.1	0.1	0.1
5/30/19 13:00	0.2	0.1	0.1
5/30/19 14:00	0.1	0.1	0.1
5/30/19 15:00	0.1	0.1	0.1
5/30/19 16:00	0.1	0.1	0.1
5/30/19 17:00	0.2	0.1	0.1
5/30/19 18:00	0.1	0.1	0.1
5/30/19 19:00	0.1	0.1	0.2
5/30/19 20:00	0.1	0.1	0.1
5/30/19 21:00	0.2	0.1	0.2
5/30/19 22:00	0.1	0.1	0.2
5/30/19 23:00	0.1	0.1	0.1
5/31/19 0:00	0.2	0.1	0.2
5/31/19 1:00	0.2	0.1	0.2
5/31/19 2:00	0.2	0.1	0.2
5/31/19 3:00	0.2	0.2	0.2
5/31/19 4:00	0.2	0.2	0.2
5/31/19 5:00	0.3	0.2	0.2
5/31/19 6:00	0.3	0.2	0.2
5/31/19 7:00	0.3	0.2	0.2
5/31/19 8:00	0.3	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/31/19 9:00	0.4	0.2	0.2
5/31/19 10:00	0.3	0.2	0.2
5/31/19 11:00	0.3	0.2	0.2
5/31/19 12:00	0.2	0.2	0.2
5/31/19 13:00	0.2	0.2	0.2
5/31/19 14:00	0.2	0.2	0.2
5/31/19 15:00	0.1	0.2	0.2
5/31/19 16:00	0.2	0.2	0.2
5/31/19 17:00	0.1	0.2	0.2
5/31/19 18:00	0.1	0.2	0.2
5/31/19 19:00	0.2	0.2	0.2
5/31/19 20:00	0.1	0.2	0.2
5/31/19 21:00	0.2	0.2	0.2
5/31/19 22:00	0.2	0.2	0.2
5/31/19 23:00	0.2	0.2	0.2
6/1/19 0:00	0.2	0.2	0.2
6/1/19 1:00	0.2	0.2	0.2
6/1/19 2:00	0.2	0.2	0.2
6/1/19 3:00	0.2	0.2	0.2
6/1/19 4:00	0.2	0.2	0.2
6/1/19 5:00	0.1	0.2	0.2
6/1/19 6:00	0.1	0.2	0.2
6/1/19 7:00	0.1	0.2	0.2
6/1/19 8:00	0.1	0.2	0.2
6/1/19 9:00	0.1	0.2	0.2
6/1/19 10:00	0.1	0.2	0.2
6/1/19 11:00	0.2	0.2	0.2
6/1/19 12:00	0.2	0.2	0.2
6/1/19 13:00	0.2	0.2	0.2
6/1/19 14:00	0.2	0.2	0.2
6/1/19 15:00	0.2	0.2	0.2
6/1/19 16:00	0.1	0.2	0.1
6/1/19 17:00	0.2	0.2	0.1
6/1/19 18:00	0.2	0.2	0.1
6/1/19 19:00	0.3	0.2	0.1
6/1/19 20:00	0.2	0.2	0.1
6/1/19 21:00	0.2	0.2	0.1
6/1/19 22:00	0.2	0.2	0.1
6/1/19 23:00	0.1	0.2	0.1
6/2/19 0:00	0.1	0.2	0.1
6/2/19 1:00	0.1	0.2	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/2/19 2:00	0.2	0.2	0.1
6/2/19 3:00	0.2	0.2	0.1
6/2/19 4:00	0.2	0.2	0.1
6/2/19 5:00	0.2	0.2	0.1
6/2/19 6:00	0.2	0.2	0.1
6/2/19 7:00	0.1	0.2	0.1
6/2/19 8:00	0.2	0.2	0.1
6/2/19 9:00	0.1	0.2	0.1
6/2/19 10:00	0.2	0.2	0.1
6/2/19 11:00	0.2	0.2	0.1
6/2/19 12:00	0.2	0.2	0.1
6/2/19 13:00	0.2	0.2	0.1
6/2/19 14:00	0.2	0.2	0.1
6/2/19 15:00	0.2	0.2	0.1
6/2/19 16:00	0.2	0.2	0.1
6/2/19 17:00	0.1	0.2	0.1
6/2/19 18:00	0.1	0.2	0.1
6/2/19 19:00	0.1	0.2	0.1
6/2/19 20:00	0.1	0.2	0.1
6/2/19 21:00	0.1	0.2	0.1
6/2/19 22:00	0.2	0.2	0.1
6/2/19 23:00	0.2	0.2	0.1
6/3/19 0:00	0.2	0.2	0.1
6/3/19 1:00	0.2	0.2	0.1
6/3/19 2:00	0.3	0.2	0.1
6/3/19 3:00	0.1	0.2	0.1
6/3/19 4:00	0.1	0.2	0.1
6/3/19 5:00	0.2	0.2	0.1
6/3/19 6:00	0.2	0.2	0.1
6/3/19 7:00	0.2	0.2	0.1
6/3/19 8:00	0.2	0.2	0.1
6/3/19 9:00	0.2	0.2	0.1
6/3/19 10:00	0.2	0.2	0.1
6/3/19 11:00	0.2	0.2	0.1
6/3/19 12:00	0.2	0.2	0.1
6/3/19 13:00	0.2	0.2	0.1
6/3/19 14:00	0.2	0.2	0.1
6/3/19 15:00	0.2	0.2	0.1
6/3/19 16:00	0.1	0.2	0.1
6/3/19 17:00	0.2	0.2	0.2
6/3/19 18:00	0.2	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/3/19 19:00	0.2	0.2	0.2
6/3/19 20:00	0.2	0.2	0.2
6/3/19 21:00	0.1	0.2	0.2
6/3/19 22:00	0.1	0.2	0.2
6/3/19 23:00	0.2	0.2	0.2
6/4/19 0:00	0.2	0.2	0.2
6/4/19 1:00	0.1	0.2	0.2
6/4/19 2:00	0.2	0.2	0.2
6/4/19 3:00	0.3	0.2	0.2
6/4/19 4:00	0.1	0.2	0.2
6/4/19 5:00	0.2	0.2	0.2
6/4/19 6:00	0.2	0.2	0.2
6/4/19 7:00	0.1	0.2	0.2
6/4/19 8:00	0.0	0.2	0.2
6/4/19 9:00	0.0	0.2	0.2
6/4/19 10:00	0.0	0.2	0.2
6/4/19 11:00	0.0	0.2	0.2
6/4/19 12:00	0.0	0.1	0.2
6/4/19 13:00	0.1	0.1	0.2
6/4/19 14:00	0.2	0.1	0.2
6/4/19 15:00	0.3	0.1	0.2
6/4/19 16:00	0.2	0.1	0.2
6/4/19 17:00	0.2	0.1	0.2
6/4/19 18:00	0.2	0.1	0.2
6/4/19 19:00	0.2	0.1	0.2
6/4/19 20:00	0.1	0.1	0.2
6/4/19 21:00	0.1	0.1	0.2
6/4/19 22:00	0.1	0.1	0.2
6/4/19 23:00	0.2	0.1	0.2
6/5/19 0:00	0.2	0.1	0.2
6/5/19 1:00	0.2	0.1	0.2
6/5/19 2:00	0.1	0.1	0.2
6/5/19 3:00	0.2	0.1	0.2
6/5/19 4:00	0.2	0.1	0.2
6/5/19 5:00	0.2	0.1	0.2
6/5/19 6:00	0.2	0.1	0.2
6/5/19 7:00	0.1	0.1	0.2
6/5/19 8:00	0.2	0.1	0.2
6/5/19 9:00	0.1	0.2	0.2
6/5/19 10:00	0.1	0.2	0.2
6/5/19 11:00	0.1	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/5/19 12:00	0.1	0.2	0.2
6/5/19 13:00	0.1	0.2	0.2
6/5/19 14:00	0.1	0.2	0.2
6/5/19 15:00	0.1	0.2	0.2
6/5/19 16:00	0.2	0.2	0.2
6/5/19 17:00	0.2	0.2	0.2
6/5/19 18:00	0.2	0.2	0.2
6/5/19 19:00	0.2	0.2	0.2
6/5/19 20:00	0.1	0.2	0.2
6/5/19 21:00	0.2	0.2	0.2
6/5/19 22:00	0.1	0.2	0.2
6/5/19 23:00	0.1	0.2	0.2
6/6/19 0:00	0.1	0.2	0.2
6/6/19 1:00	0.1	0.2	0.2
6/6/19 2:00	0.1	0.2	0.2
6/6/19 3:00	0.2	0.2	0.2
6/6/19 4:00	0.2	0.2	0.2
6/6/19 5:00	0.2	0.2	0.2
6/6/19 6:00	0.2	0.2	0.2
6/6/19 7:00	0.3	0.2	0.2
6/6/19 8:00	0.3	0.2	0.2
6/6/19 9:00	0.2	0.2	0.2
6/6/19 10:00	0.2	0.2	0.2
6/6/19 11:00	0.2	0.2	0.2
6/6/19 12:00	0.2	0.2	0.2
6/6/19 13:00	0.1	0.2	0.2
6/6/19 14:00	0.2	0.2	0.2
6/6/19 15:00	0.2	0.2	0.2
6/6/19 16:00	0.2	0.2	0.2
6/6/19 17:00	0.2	0.2	0.2
6/6/19 18:00	0.2	0.2	0.2
6/6/19 19:00	0.2	0.2	0.2
6/6/19 20:00	0.1	0.2	0.2
6/6/19 21:00	0.1	0.2	0.2
6/6/19 22:00	0.1	0.2	0.2
6/6/19 23:00	0.1	0.2	0.2
6/7/19 0:00	0.1	0.2	0.2
6/7/19 1:00	0.1	0.2	0.2
6/7/19 2:00	0.1	0.2	0.2
6/7/19 3:00	0.1	0.2	0.2
6/7/19 4:00	0.1	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/7/19 5:00	0.2	0.2	0.2
6/7/19 6:00	0.2	0.2	0.2
6/7/19 7:00	0.2	0.2	0.2
6/7/19 8:00	0.2	0.2	0.2
6/7/19 9:00	0.2	0.2	0.2
6/7/19 10:00	0.2	0.2	0.2
6/7/19 11:00	0.1	0.2	0.2
6/7/19 12:00	0.1	0.2	0.2
6/7/19 13:00	0.2	0.2	0.2
6/7/19 14:00	0.2	0.2	0.2
6/7/19 15:00	0.1	0.2	0.2
6/7/19 16:00	0.1	0.1	0.2
6/7/19 17:00	0.2	0.1	0.2
6/7/19 18:00	0.2	0.2	0.2
6/7/19 19:00	0.1	0.1	0.2
6/7/19 20:00	0.1	0.1	0.2
6/7/19 21:00	0.2	0.2	0.2
6/7/19 22:00	0.1	0.2	0.2
6/7/19 23:00	0.1	0.2	0.2
6/8/19 0:00	0.2	0.2	0.2
6/8/19 1:00	0.1	0.2	0.2
6/8/19 2:00	0.2	0.2	0.2
6/8/19 3:00	0.2	0.2	0.2
6/8/19 4:00	0.2	0.2	0.2
6/8/19 5:00	0.2	0.2	0.2
6/8/19 6:00	0.1	0.2	0.2
6/8/19 7:00	0.1	0.2	0.2
6/8/19 8:00	0.3	0.2	0.2
6/8/19 9:00	0.2	0.2	0.2
6/8/19 10:00	0.3	0.2	0.2
6/8/19 11:00	0.2	0.2	0.2
6/8/19 12:00	0.1	0.2	0.2
6/8/19 13:00	0.2	0.2	0.2
6/8/19 14:00	0.2	0.2	0.2
6/8/19 15:00	0.2	0.2	0.2
6/8/19 16:00	0.1	0.2	0.2
6/8/19 17:00	0.2	0.2	0.2
6/8/19 18:00	0.2	0.2	0.2
6/8/19 19:00	0.2	0.2	0.2
6/8/19 20:00	0.1	0.2	0.2
6/8/19 21:00	0.1	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/8/19 22:00	0.1	0.2	0.2
6/8/19 23:00	0.1	0.2	0.2
6/9/19 0:00	0.1	0.2	0.2
6/9/19 1:00	0.2	0.2	0.2
6/9/19 2:00	0.2	0.2	0.2
6/9/19 3:00	0.2	0.2	0.2
6/9/19 4:00	0.2	0.2	0.2
6/9/19 5:00	0.2	0.2	0.2
6/9/19 6:00	0.2	0.2	0.2
6/9/19 7:00	0.2	0.2	0.2
6/9/19 8:00	0.1	0.2	0.2
6/9/19 9:00	0.1	0.2	0.2
6/9/19 10:00	0.1	0.2	0.2
6/9/19 11:00	0.1	0.2	0.2
6/9/19 12:00	0.2	0.2	0.2
6/9/19 13:00	0.1	0.2	0.2
6/9/19 14:00	0.1	0.2	0.2
6/9/19 15:00	0.1	0.2	0.2
6/9/19 16:00	0.2	0.2	0.2
6/9/19 17:00	0.1	0.2	0.2
6/9/19 18:00	0.1	0.2	0.2
6/9/19 19:00	0.2	0.2	0.2
6/9/19 20:00	0.2	0.2	0.2
6/9/19 21:00	0.2	0.2	0.2
6/9/19 22:00	0.2	0.2	0.2
6/9/19 23:00	0.2	0.2	0.2
6/10/19 0:00	0.1	0.2	0.2
6/10/19 1:00	0.1	0.2	0.2
6/10/19 2:00	0.1	0.2	0.2
6/10/19 3:00	0.2	0.2	0.2
6/10/19 4:00	0.2	0.2	0.2
6/10/19 5:00	0.2	0.2	0.2
6/10/19 6:00	0.2	0.2	0.2
6/10/19 7:00	0.1	0.1	0.2
6/10/19 8:00	0.2	0.1	0.2
6/10/19 9:00	0.2	0.2	0.2
6/10/19 10:00	0.2	0.2	0.2
6/10/19 11:00	0.1	0.2	0.2
6/10/19 12:00	0.1	0.2	0.2
6/10/19 13:00	0.1	0.2	0.2
6/10/19 14:00	0.1	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/10/19 15:00	0.1	0.2	0.2
6/10/19 16:00	0.1	0.2	0.2
6/10/19 17:00	0.1	0.2	0.2
6/10/19 18:00	0.2	0.2	0.2
6/10/19 19:00	0.1	0.1	0.2
6/10/19 20:00	0.1	0.1	0.2
6/10/19 21:00	0.1	0.1	0.2
6/10/19 22:00	0.3	0.1	0.2
6/10/19 23:00	0.2	0.1	0.2
6/11/19 0:00	0.2	0.1	0.2
6/11/19 1:00	0.2	0.2	0.2
6/11/19 2:00	0.1	0.2	0.2
6/11/19 3:00	0.1	0.1	0.2
6/11/19 4:00	0.2	0.1	0.2
6/11/19 5:00	0.2	0.1	0.2
6/11/19 6:00	0.1	0.1	0.2
6/11/19 7:00	0.2	0.2	0.2
6/11/19 8:00	0.1	0.1	0.2
6/11/19 9:00	0.2	0.2	0.2
6/11/19 10:00	0.2	0.2	0.2
6/11/19 11:00	0.2	0.2	0.2
6/11/19 12:00	0.2	0.2	0.2
6/11/19 13:00	0.2	0.2	0.2
6/11/19 14:00	0.2	0.2	0.2
6/11/19 15:00	0.2	0.2	0.2
6/11/19 16:00	0.2	0.2	0.2
6/11/19 17:00	0.2	0.2	0.2
6/11/19 18:00	0.2	0.2	0.2
6/11/19 19:00	0.1	0.2	0.2
6/11/19 20:00	0.1	0.2	0.2
6/11/19 21:00	0.2	0.2	0.2
6/11/19 22:00	0.2	0.2	0.2
6/11/19 23:00	0.3	0.2	0.2
6/12/19 0:00	0.2	0.2	0.2
6/12/19 1:00	0.2	0.2	0.2
6/12/19 2:00	0.2	0.2	0.2
6/12/19 3:00	0.2	0.2	0.2
6/12/19 4:00	0.2	0.2	0.2
6/12/19 5:00	0.2	0.2	0.2
6/12/19 6:00	0.2	0.2	0.2
6/12/19 7:00	0.1	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/12/19 8:00	0.1	0.2	0.2
6/12/19 9:00	0.2	0.2	0.2
6/12/19 10:00	0.1	0.2	0.2
6/12/19 11:00	0.1	0.2	0.2
6/12/19 12:00	0.1	0.2	0.2
6/12/19 13:00	0.1	0.2	0.2
6/12/19 14:00	0.1	0.2	0.2
6/12/19 15:00	0.2	0.2	0.2
6/12/19 16:00	0.1	0.2	0.2
6/12/19 17:00	0.2	0.2	0.2
6/12/19 18:00	0.2	0.2	0.2
6/12/19 19:00	0.2	0.2	0.2
6/12/19 20:00	0.2	0.2	0.2
6/12/19 21:00	0.1	0.2	0.2
6/12/19 22:00	0.1	0.2	0.2
6/12/19 23:00	0.1	0.2	0.2
6/13/19 0:00	0.1	0.2	0.2
6/13/19 1:00	0.1	0.1	0.2
6/13/19 2:00	0.1	0.1	0.2
6/13/19 3:00	0.2	0.1	0.2
6/13/19 4:00	0.2	0.1	0.2
6/13/19 5:00	0.2	0.1	0.2
6/13/19 6:00	0.1	0.1	0.2
6/13/19 7:00	0.2	0.1	0.2
6/13/19 8:00	0.2	0.2	0.2
6/13/19 9:00	0.2	0.1	0.2
6/13/19 10:00	0.1	0.1	0.2
6/13/19 11:00	0.1	0.1	0.2
6/13/19 12:00	0.2	0.1	0.2
6/13/19 13:00	0.2	0.2	0.2
6/13/19 14:00	0.1	0.2	0.2
6/13/19 15:00	0.1	0.2	0.2
6/13/19 16:00	0.2	0.2	0.2
6/13/19 17:00	0.2	0.2	0.2
6/13/19 18:00	0.2	0.2	0.2
6/13/19 19:00	0.2	0.2	0.2
6/13/19 20:00	0.2	0.2	0.2
6/13/19 21:00	0.1	0.2	0.2
6/13/19 22:00	0.1	0.2	0.2
6/13/19 23:00	0.2	0.2	0.2
6/14/19 0:00	0.2	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/14/19 1:00	0.2	0.2	0.2
6/14/19 2:00	0.2	0.2	0.2
6/14/19 3:00	0.2	0.2	0.2
6/14/19 4:00	0.2	0.2	0.2
6/14/19 5:00	0.1	0.2	0.2
6/14/19 6:00	0.1	0.2	0.2
6/14/19 7:00	0.2	0.2	0.2
6/14/19 8:00	0.2	0.2	0.2
6/14/19 9:00	0.1	0.2	0.2
6/14/19 10:00	0.1	0.2	0.2
6/14/19 11:00	0.1	0.2	0.2
6/14/19 12:00	0.2	0.2	0.2
6/14/19 13:00	0.2	0.2	0.2
6/14/19 14:00	0.2	0.2	0.2
6/14/19 15:00	0.2	0.2	0.2
6/14/19 16:00	0.2	0.2	0.2
6/14/19 17:00	0.2	0.2	0.2
6/14/19 18:00	0.1	0.2	0.2
6/14/19 19:00	0.1	0.2	0.2
6/14/19 20:00	0.1	0.2	0.2
6/14/19 21:00	0.2	0.2	0.2
6/14/19 22:00	0.2	0.2	0.2
6/14/19 23:00	0.2	0.2	0.2
6/15/19 0:00	0.2	0.2	0.2
6/15/19 1:00	0.2	0.2	0.2
6/15/19 2:00	0.2	0.2	0.2
6/15/19 3:00	0.1	0.2	0.2
6/15/19 4:00	0.2	0.2	0.2
6/15/19 5:00	0.2	0.2	0.2
6/15/19 6:00	0.1	0.2	0.2
6/15/19 7:00	0.1	0.2	0.2
6/15/19 8:00	0.3	0.2	0.2
6/15/19 9:00	0.1	0.2	0.2
6/15/19 10:00	0.2	0.2	0.2
6/15/19 11:00	0.1	0.2	0.2
6/15/19 12:00	0.1	0.2	0.2
6/15/19 13:00	0.1	0.2	0.2
6/15/19 14:00	0.1	0.2	0.2
6/15/19 15:00	0.2	0.2	0.2
6/15/19 16:00	0.2	0.2	0.2
6/15/19 17:00	0.2	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/15/19 18:00	0.2	0.2	0.2
6/15/19 19:00	0.2	0.2	0.2
6/15/19 20:00	0.1	0.2	0.2
6/15/19 21:00	0.1	0.2	0.2
6/15/19 22:00	0.1	0.2	0.2
6/15/19 23:00	0.1	0.2	0.2
6/16/19 0:00	0.1	0.1	0.2
6/16/19 1:00	0.1	0.1	0.2
6/16/19 2:00	0.1	0.1	0.2
6/16/19 3:00	0.1	0.1	0.2
6/16/19 4:00	0.2	0.1	0.2
6/16/19 5:00	0.2	0.1	0.2
6/16/19 6:00	0.2	0.1	0.2
6/16/19 7:00	0.2	0.2	0.2
6/16/19 8:00	0.1	0.1	0.2
6/16/19 9:00	0.1	0.1	0.2
6/16/19 10:00	0.1	0.1	0.2
6/16/19 11:00	0.1	0.1	0.2
6/16/19 12:00	0.2	0.1	0.2
6/16/19 13:00	0.2	0.1	0.2
6/16/19 14:00	0.2	0.1	0.2
6/16/19 15:00	0.2	0.1	0.2
6/16/19 16:00	0.3	0.2	0.2
6/16/19 17:00	0.2	0.2	0.2
6/16/19 18:00	0.2	0.2	0.2
6/16/19 19:00	0.2	0.2	0.2
6/16/19 20:00	0.2	0.2	0.2
6/16/19 21:00	1.1	0.2	0.2
6/16/19 22:00	0.3	0.2	0.2
6/16/19 23:00	0.2	0.2	0.2
6/17/19 0:00	0.2	0.2	0.2
6/17/19 1:00	1.1	0.3	0.2
6/17/19 2:00	0.7	0.3	0.2
6/17/19 3:00	0.3	0.3	0.2
6/17/19 4:00	0.3	0.3	0.2
6/17/19 5:00	0.2	0.3	0.2
6/17/19 6:00	0.2	0.3	0.2
6/17/19 7:00	0.1	0.3	0.2
6/17/19 8:00	0.2	0.3	0.2
6/17/19 9:00	0.1	0.3	0.2
6/17/19 10:00	0.1	0.3	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/17/19 11:00	0.1	0.3	0.2
6/17/19 12:00	0.1	0.3	0.2
6/17/19 13:00	0.2	0.3	0.2
6/17/19 14:00	0.2	0.3	0.2
6/17/19 15:00	0.4	0.3	0.2
6/17/19 16:00	0.2	0.3	0.2
6/17/19 17:00	0.1	0.3	0.2
6/17/19 18:00	0.1	0.3	0.2
6/17/19 19:00	0.2	0.3	0.2
6/17/19 20:00	0.1	0.3	0.2
6/17/19 21:00	0.1	0.2	0.2
6/17/19 22:00	0.2	0.2	0.2
6/17/19 23:00	0.2	0.2	0.2
6/18/19 0:00	0.2	0.2	0.2
6/18/19 1:00	0.2	0.2	0.2
6/18/19 2:00	0.2	0.2	0.2
6/18/19 3:00	0.1	0.2	0.2
6/18/19 4:00	0.1	0.2	0.2
6/18/19 5:00	0.1	0.2	0.2
6/18/19 6:00	0.1	0.2	0.2
6/18/19 7:00	0.1	0.2	0.2
6/18/19 8:00	0.2	0.2	0.2
6/18/19 9:00	0.2	0.2	0.2
6/18/19 10:00	0.2	0.2	0.2
6/18/19 11:00	0.3	0.2	0.2
6/18/19 12:00	0.1	0.2	0.2
6/18/19 13:00	0.1	0.2	0.2
6/18/19 14:00	0.2	0.2	0.2
6/18/19 15:00	0.2	0.2	0.2
6/18/19 16:00	0.2	0.2	0.2
6/18/19 17:00	0.2	0.2	0.2
6/18/19 18:00	0.1	0.2	0.2
6/18/19 19:00	0.1	0.2	0.2
6/18/19 20:00	0.1	0.2	0.2
6/18/19 21:00	0.1	0.2	0.2
6/18/19 22:00	0.1	0.2	0.2
6/18/19 23:00	0.2	0.2	0.2
6/19/19 0:00	0.2	0.2	0.2
6/19/19 1:00	0.2	0.2	0.2
6/19/19 2:00	0.2	0.2	0.2
6/19/19 3:00	0.2	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/19/19 4:00	0.2	0.2	0.2
6/19/19 5:00	0.2	0.2	0.2
6/19/19 6:00	0.1	0.2	0.2
6/19/19 7:00	0.2	0.2	0.2
6/19/19 8:00	0.2	0.2	0.2
6/19/19 9:00	0.2	0.2	0.2
6/19/19 10:00	0.1	0.2	0.2
6/19/19 11:00	0.2	0.2	0.2
6/19/19 12:00	0.2	0.2	0.2
6/19/19 13:00	0.2	0.2	0.2
6/19/19 14:00	0.2	0.2	0.2
6/19/19 15:00	0.1	0.2	0.2
6/19/19 16:00	0.1	0.2	0.2
6/19/19 17:00	0.1	0.2	0.2
6/19/19 18:00	0.1	0.2	0.2
6/19/19 19:00	0.1	0.2	0.2
6/19/19 20:00	0.1	0.2	0.2
6/19/19 21:00	0.1	0.2	0.2
6/19/19 22:00	0.1	0.2	0.2
6/19/19 23:00	0.2	0.2	0.2
6/20/19 0:00	0.1	0.2	0.2
6/20/19 1:00	0.1	0.1	0.2
6/20/19 2:00	0.1	0.1	0.2
6/20/19 3:00	0.2	0.1	0.2
6/20/19 4:00	0.1	0.1	0.2
6/20/19 5:00	0.1	0.1	0.2
6/20/19 6:00	0.1	0.1	0.2
6/20/19 7:00	0.1	0.1	0.2
6/20/19 8:00	0.2	0.1	0.2
6/20/19 9:00	0.2	0.1	0.2
6/20/19 10:00	0.2	0.1	0.2
6/20/19 11:00	0.1	0.1	0.2
6/20/19 12:00	0.2	0.1	0.2
6/20/19 13:00	0.2	0.1	0.2
6/20/19 14:00	0.2	0.1	0.2
6/20/19 15:00	0.1	0.1	0.2
6/20/19 16:00	0.2	0.1	0.2
6/20/19 17:00	0.2	0.1	0.2
6/20/19 18:00	0.2	0.1	0.2
6/20/19 19:00	0.1	0.1	0.2
6/20/19 20:00	0.2	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/20/19 21:00	0.2	0.2	0.2
6/20/19 22:00	0.3	0.2	0.2
6/20/19 23:00	0.2	0.2	0.2
6/21/19 0:00	0.2	0.2	0.2
6/21/19 1:00	0.1	0.2	0.2
6/21/19 2:00	0.1	0.2	0.2
6/21/19 3:00	0.1	0.2	0.2
6/21/19 4:00	0.2	0.2	0.2
6/21/19 5:00	0.1	0.2	0.2
6/21/19 6:00	0.1	0.2	0.2
6/21/19 7:00	0.2	0.2	0.2
6/21/19 8:00	0.2	0.2	0.2
6/21/19 9:00	0.1	0.2	0.2
6/21/19 10:00	0.2	0.2	0.2
6/21/19 11:00	0.2	0.2	0.2
6/21/19 12:00	0.2	0.2	0.2
6/21/19 13:00	0.3	0.2	0.2
6/21/19 14:00	0.3	0.2	0.2
6/21/19 15:00	0.3	0.2	0.2
6/21/19 16:00	0.3	0.2	0.2
6/21/19 17:00	0.2	0.2	0.2
6/21/19 18:00	0.1	0.2	0.2
6/21/19 19:00	0.1	0.2	0.2
6/21/19 20:00	0.2	0.2	0.2
6/21/19 21:00	0.2	0.2	0.2
6/21/19 22:00	0.1	0.2	0.2
6/21/19 23:00	0.1	0.2	0.2
6/22/19 0:00	0.1	0.2	0.2
6/22/19 1:00	0.2	0.2	0.2
6/22/19 2:00	0.3	0.2	0.2
6/22/19 3:00	0.2	0.2	0.2
6/22/19 4:00	0.2	0.2	0.2
6/22/19 5:00	0.2	0.2	0.2
6/22/19 6:00	0.2	0.2	0.2
6/22/19 7:00	0.4	0.2	0.2
6/22/19 8:00	0.2	0.2	0.2
6/22/19 9:00	0.2	0.2	0.2
6/22/19 10:00	0.2	0.2	0.2
6/22/19 11:00	0.1	0.2	0.2
6/22/19 12:00	0.1	0.2	0.2
6/22/19 13:00	0.2	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/22/19 14:00	0.2	0.2	0.2
6/22/19 15:00	0.1	0.2	0.2
6/22/19 16:00	0.2	0.2	0.2
6/22/19 17:00	0.2	0.2	0.2
6/22/19 18:00	0.2	0.2	0.2
6/22/19 19:00	0.2	0.2	0.2
6/22/19 20:00	0.1	0.2	0.2
6/22/19 21:00	0.2	0.2	0.2
6/22/19 22:00	0.1	0.2	0.2
6/22/19 23:00	0.2	0.2	0.2
6/23/19 0:00	0.2	0.2	0.2
6/23/19 1:00	0.2	0.2	0.2
6/23/19 2:00	0.1	0.2	0.2
6/23/19 3:00	0.1	0.2	0.2
6/23/19 4:00	0.2	0.2	0.2
6/23/19 5:00	0.1	0.2	0.2
6/23/19 6:00	0.2	0.2	0.2
6/23/19 7:00	0.2	0.2	0.2
6/23/19 8:00	0.2	0.2	0.2
6/23/19 9:00	0.2	0.2	0.2
6/23/19 10:00	0.2	0.2	0.2
6/23/19 11:00	0.2	0.2	0.2
6/23/19 12:00	0.2	0.2	0.2
6/23/19 13:00	0.2	0.2	0.2
6/23/19 14:00	0.1	0.2	0.2
6/23/19 15:00	0.1	0.2	0.2
6/23/19 16:00	0.1	0.2	0.2
6/23/19 17:00	0.1	0.2	0.2
6/23/19 18:00	0.1	0.2	0.2
6/23/19 19:00	0.2	0.2	0.2
6/23/19 20:00	0.2	0.2	0.2
6/23/19 21:00	0.2	0.2	0.2
6/23/19 22:00	0.1	0.2	0.2
6/23/19 23:00	0.2	0.2	0.2
6/24/19 0:00	0.2	0.2	0.2
6/24/19 1:00	0.2	0.2	0.2
6/24/19 2:00	0.1	0.2	0.2
6/24/19 3:00	0.1	0.2	0.2
6/24/19 4:00	0.2	0.2	0.2
6/24/19 5:00	0.2	0.2	0.2
6/24/19 6:00	0.2	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/24/19 7:00	0.2	0.2	0.2
6/24/19 8:00	0.2	0.2	0.2
6/24/19 9:00	0.2	0.2	0.2
6/24/19 10:00	0.2	0.2	0.2
6/24/19 11:00	0.2	0.2	0.2
6/24/19 12:00	0.2	0.2	0.2
6/24/19 13:00	0.2	0.2	0.2
6/24/19 14:00	0.2	0.2	0.2
6/24/19 15:00	0.2	0.2	0.2
6/24/19 16:00	0.1	0.2	0.2
6/24/19 17:00	0.1	0.2	0.2
6/24/19 18:00	0.1	0.2	0.2
6/24/19 19:00	0.1	0.2	0.2
6/24/19 20:00	0.2	0.2	0.2
6/24/19 21:00	0.2	0.2	0.2
6/24/19 22:00	0.2	0.2	0.2
6/24/19 23:00	0.2	0.2	0.2
6/25/19 0:00	0.1	0.2	0.2
6/25/19 1:00	0.1	0.2	0.2
6/25/19 2:00	0.2	0.2	0.2
6/25/19 3:00	0.2	0.2	0.2
6/25/19 4:00	0.2	0.2	0.2
6/25/19 5:00	0.2	0.2	0.2
6/25/19 6:00	0.2	0.2	0.2
6/25/19 7:00	0.2	0.2	0.2
6/25/19 8:00	0.2	0.2	0.2
6/25/19 9:00	11.6	0.7	0.2
6/25/19 10:00	11.7	1.1	0.2
6/25/19 11:00	7.1	1.4	0.2
6/25/19 12:00	0.2	1.4	0.2
6/25/19 13:00	0.2	1.4	0.2
6/25/19 14:00	0.2	1.4	0.2
6/25/19 15:00	0.2	1.4	0.2
6/25/19 16:00	0.1	1.4	0.2
6/25/19 17:00	0.2	1.4	0.2
6/25/19 18:00	0.2	1.4	0.2
6/25/19 19:00	0.2	1.4	0.2
6/25/19 20:00	0.2	1.4	0.2
6/25/19 21:00	0.2	1.4	0.2
6/25/19 22:00	0.2	1.4	0.2
6/25/19 23:00	0.1	1.4	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/26/19 0:00	0.1	1.4	0.2
6/26/19 1:00	0.1	1.4	0.2
6/26/19 2:00	0.1	1.4	0.2
6/26/19 3:00	0.2	1.4	0.2
6/26/19 4:00	0.2	1.4	0.2
6/26/19 5:00	0.1	1.4	0.2
6/26/19 6:00	0.2	1.4	0.2
6/26/19 7:00	0.2	1.4	0.2
6/26/19 8:00	0.2	1.4	0.2
6/26/19 9:00	0.2	0.9	0.2
6/26/19 10:00	0.2	0.5	0.2
6/26/19 11:00	0.2	0.2	0.2
6/26/19 12:00	0.2	0.2	0.2
6/26/19 13:00	0.2	0.2	0.2
6/26/19 14:00	0.2	0.2	0.2
6/26/19 15:00	0.2	0.2	0.2
6/26/19 16:00	0.2	0.2	0.2
6/26/19 17:00	0.1	0.2	0.2
6/26/19 18:00	0.2	0.2	0.2
6/26/19 19:00	0.3	0.2	0.2
6/26/19 20:00	0.3	0.2	0.2
6/26/19 21:00	0.2	0.2	0.2
6/26/19 22:00	0.1	0.2	0.2
6/26/19 23:00	0.2	0.2	0.2
6/27/19 0:00	0.2	0.2	0.2
6/27/19 1:00	0.2	0.2	0.2
6/27/19 2:00	0.2	0.2	0.2
6/27/19 3:00	0.2	0.2	0.2
6/27/19 4:00	0.2	0.2	0.2
6/27/19 5:00	0.2	0.2	0.2
6/27/19 6:00	0.2	0.2	0.2
6/27/19 7:00	0.1	0.2	0.2
6/27/19 8:00	0.1	0.2	0.2
6/27/19 9:00	0.1	0.2	0.2
6/27/19 10:00	0.2	0.2	0.2
6/27/19 11:00	0.2	0.2	0.2
6/27/19 12:00	0.2	0.2	0.2
6/27/19 13:00	0.2	0.2	0.2
6/27/19 14:00	0.2	0.2	0.2
6/27/19 15:00	0.2	0.2	0.2
6/27/19 16:00	0.2	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/27/19 17:00	0.2	0.2	0.2
6/27/19 18:00	0.1	0.2	0.2
6/27/19 19:00	0.2	0.2	0.2
6/27/19 20:00	0.2	0.2	0.2
6/27/19 21:00	0.2	0.2	0.2
6/27/19 22:00	0.2	0.2	0.2
6/27/19 23:00	0.2	0.2	0.2
6/28/19 0:00	0.2	0.2	0.2
6/28/19 1:00	0.2	0.2	0.2
6/28/19 2:00	0.1	0.2	0.2
6/28/19 3:00	0.2	0.2	0.2
6/28/19 4:00	0.3	0.2	0.2
6/28/19 5:00	0.3	0.2	0.2
6/28/19 6:00	0.3	0.2	0.2
6/28/19 7:00	0.3	0.2	0.2
6/28/19 8:00	0.3	0.2	0.2
6/28/19 9:00	0.2	0.2	0.2
6/28/19 10:00	0.3	0.2	0.2
6/28/19 11:00	0.3	0.2	0.2
6/28/19 12:00	0.3	0.2	0.2
6/28/19 13:00	0.3	0.2	0.2
6/28/19 14:00	0.3	0.2	0.2
6/28/19 15:00	0.1	0.2	0.2
6/28/19 16:00	0.2	0.2	0.2
6/28/19 17:00	0.1	0.2	0.2
6/28/19 18:00	0.2	0.2	0.2
6/28/19 19:00	0.3	0.2	0.2
6/28/19 20:00	0.3	0.2	0.2
6/28/19 21:00	0.2	0.2	0.2
6/28/19 22:00	0.2	0.2	0.2
6/28/19 23:00	0.3	0.2	0.2
6/29/19 0:00	0.3	0.2	0.2
6/29/19 1:00	0.3	0.2	0.2
6/29/19 2:00	0.3	0.3	0.2
6/29/19 3:00	0.3	0.3	0.2
6/29/19 4:00	0.3	0.3	0.2
6/29/19 5:00	0.3	0.3	0.2
6/29/19 6:00	0.2	0.3	0.2
6/29/19 7:00	0.2	0.3	0.2
6/29/19 8:00	0.3	0.3	0.2
6/29/19 9:00	0.3	0.3	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/29/19 10:00	0.1	0.2	0.2
6/29/19 11:00	0.3	0.2	0.2
6/29/19 12:00	0.3	0.2	0.2
6/29/19 13:00	0.3	0.2	0.2
6/29/19 14:00	0.3	0.2	0.2
6/29/19 15:00	0.3	0.3	0.2
6/29/19 16:00	0.2	0.3	0.2
6/29/19 17:00	0.3	0.3	0.2
6/29/19 18:00	0.3	0.3	0.2
6/29/19 19:00	0.3	0.3	0.2
6/29/19 20:00	0.3	0.3	0.2
6/29/19 21:00	0.2	0.3	0.2
6/29/19 22:00	0.3	0.3	0.2
6/29/19 23:00	0.3	0.3	0.2
6/30/19 0:00	0.2	0.3	0.2
6/30/19 1:00	0.2	0.3	0.2
6/30/19 2:00	0.2	0.3	0.2
6/30/19 3:00	0.2	0.2	0.2
6/30/19 4:00	0.2	0.2	0.2
6/30/19 5:00	0.2	0.2	0.2
6/30/19 6:00	0.1	0.2	0.2
6/30/19 7:00	0.1	0.2	0.2
6/30/19 8:00	0.2	0.2	0.2
6/30/19 9:00	0.1	0.2	0.2
6/30/19 10:00	0.2	0.2	0.2
6/30/19 11:00	0.3	0.2	0.2
6/30/19 12:00	0.3	0.2	0.2
6/30/19 13:00	0.3	0.2	0.2
6/30/19 14:00	0.2	0.2	0.2
6/30/19 15:00	0.1	0.2	0.2
6/30/19 16:00	0.1	0.2	0.2
6/30/19 17:00	0.1	0.2	0.2
6/30/19 18:00	0.1	0.2	0.2
6/30/19 19:00	0.2	0.2	0.2
6/30/19 20:00	0.2	0.2	0.2
6/30/19 21:00	0.2	0.2	0.2
6/30/19 22:00	0.2	0.2	0.2
6/30/19 23:00	0.3	0.2	0.2
7/1/19 0:00	0.2	0.2	0.2
7/1/19 1:00	0.2	0.2	0.2
7/1/19 2:00	0.2	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/1/19 3:00	0.2	0.2	0.2
7/1/19 4:00	0.2	0.2	0.2
7/1/19 5:00	0.1	0.2	0.2
7/1/19 6:00	0.1	0.2	0.2
7/1/19 7:00	0.1	0.2	0.2
7/1/19 8:00	0.1	0.2	0.2
7/1/19 9:00	0.1	0.2	0.2
7/1/19 10:00	0.2	0.2	0.2
7/1/19 11:00	0.1	0.2	0.2
7/1/19 12:00	0.1	0.2	0.2
7/1/19 13:00	0.2	0.2	0.2
7/1/19 14:00	0.2	0.2	0.2
7/1/19 15:00	0.1	0.2	0.2
7/1/19 16:00	0.1	0.2	0.2
7/1/19 17:00	0.2	0.2	0.2
7/1/19 18:00	0.2	0.2	0.2
7/1/19 19:00	0.2	0.2	0.2
7/1/19 20:00	0.1	0.2	0.2
7/1/19 21:00	0.1	0.2	0.2
7/1/19 22:00	0.2	0.2	0.2
7/1/19 23:00	0.1	0.2	0.2
7/2/19 0:00	0.1	0.2	0.2
7/2/19 1:00	0.1	0.2	0.2
7/2/19 2:00	0.1	0.2	0.2
7/2/19 3:00	0.1	0.1	0.2
7/2/19 4:00	0.1	0.1	0.2
7/2/19 5:00	0.2	0.1	0.2
7/2/19 6:00	0.1	0.1	0.2
7/2/19 7:00	0.1	0.1	0.2
7/2/19 8:00	0.2	0.1	0.2
7/2/19 9:00	0.2	0.1	0.2
7/2/19 10:00	0.1	0.1	0.2
7/2/19 11:00	0.1	0.1	0.2
7/2/19 12:00	0.1	0.1	0.2
7/2/19 13:00	0.1	0.1	0.2
7/2/19 14:00	0.1	0.1	0.2
7/2/19 15:00	0.2	0.1	0.2
7/2/19 16:00	0.1	0.1	0.2
7/2/19 17:00	0.2	0.1	0.2
7/2/19 18:00	0.2	0.1	0.2
7/2/19 19:00	0.2	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/2/19 20:00	0.2	0.1	0.2
7/2/19 21:00	0.2	0.1	0.2
7/2/19 22:00	0.2	0.1	0.2
7/2/19 23:00	0.1	0.1	0.2
7/3/19 0:00	0.1	0.1	0.2
7/3/19 1:00	0.1	0.1	0.2
7/3/19 2:00	0.1	0.1	0.2
7/3/19 3:00	0.1	0.1	0.2
7/3/19 4:00	0.1	0.1	0.2
7/3/19 5:00	0.2	0.1	0.2
7/3/19 6:00	0.2	0.1	0.2
7/3/19 7:00	0.2	0.1	0.2
7/3/19 8:00	0.2	0.1	0.2
7/3/19 9:00	0.2	0.1	0.2
7/3/19 10:00	0.2	0.1	0.2
7/3/19 11:00	0.2	0.1	0.2
7/3/19 12:00	0.1	0.2	0.2
7/3/19 13:00	0.2	0.2	0.2
7/3/19 14:00	0.2	0.2	0.2
7/3/19 15:00	0.2	0.2	0.2
7/3/19 16:00	0.2	0.2	0.2
7/3/19 17:00	0.2	0.2	0.2
7/3/19 18:00	0.2	0.2	0.2
7/3/19 19:00	0.2	0.2	0.2
7/3/19 20:00	0.2	0.2	0.2
7/3/19 21:00	0.2	0.2	0.2
7/3/19 22:00	0.2	0.2	0.2
7/3/19 23:00	0.2	0.2	0.2
7/4/19 0:00	0.1	0.2	0.2
7/4/19 1:00	0.1	0.2	0.2
7/4/19 2:00	0.2	0.2	0.2
7/4/19 3:00	0.1	0.2	0.2
7/4/19 4:00	0.2	0.2	0.2
7/4/19 5:00	0.2	0.2	0.2
7/4/19 6:00	0.1	0.2	0.2
7/4/19 7:00	0.2	0.2	0.2
7/4/19 8:00	0.2	0.2	0.2
7/4/19 9:00	0.2	0.2	0.2
7/4/19 10:00	0.2	0.2	0.2
7/4/19 11:00	0.2	0.2	0.2
7/4/19 12:00	0.2	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/4/19 13:00	0.2	0.2	0.2
7/4/19 14:00	0.2	0.2	0.2
7/4/19 15:00	0.1	0.2	0.2
7/4/19 16:00	0.1	0.2	0.2
7/4/19 17:00	0.1	0.2	0.2
7/4/19 18:00	0.1	0.2	0.2
7/4/19 19:00	0.1	0.2	0.2
7/4/19 20:00	0.1	0.2	0.2
7/4/19 21:00	0.1	0.2	0.2
7/4/19 22:00	0.2	0.2	0.2
7/4/19 23:00	0.2	0.2	0.2
7/5/19 0:00	0.2	0.2	0.2
7/5/19 1:00	0.2	0.2	0.2
7/5/19 2:00	0.2	0.2	0.2
7/5/19 3:00	0.1	0.2	0.2
7/5/19 4:00	0.1	0.2	0.2
7/5/19 5:00	0.1	0.2	0.2
7/5/19 6:00	0.1	0.2	0.2
7/5/19 7:00	0.1	0.2	0.2
7/5/19 8:00	0.1	0.2	0.2
7/5/19 9:00	0.1	0.2	0.2
7/5/19 10:00	0.2	0.2	0.2
7/5/19 11:00	0.2	0.2	0.2
7/5/19 12:00	0.2	0.2	0.2
7/5/19 13:00	0.1	0.1	0.2
7/5/19 14:00	0.1	0.1	0.2
7/5/19 15:00	0.1	0.1	0.2
7/5/19 16:00	0.1	0.1	0.2
7/5/19 17:00	0.1	0.1	0.2
7/5/19 18:00	0.1	0.1	0.2
7/5/19 19:00	0.1	0.1	0.2
7/5/19 20:00	0.1	0.1	0.2
7/5/19 21:00	0.1	0.1	0.2
7/5/19 22:00	0.1	0.1	0.2
7/5/19 23:00	0.1	0.1	0.2
7/6/19 0:00	0.1	0.1	0.2
7/6/19 1:00	0.1	0.1	0.2
7/6/19 2:00	0.1	0.1	0.2
7/6/19 3:00	0.1	0.1	0.2
7/6/19 4:00	0.1	0.1	0.2
7/6/19 5:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/6/19 6:00	0.1	0.1	0.2
7/6/19 7:00	0.1	0.1	0.2
7/6/19 8:00	0.1	0.1	0.2
7/6/19 9:00	0.1	0.1	0.2
7/6/19 10:00	0.1	0.1	0.2
7/6/19 11:00	0.1	0.1	0.2
7/6/19 12:00	0.1	0.1	0.2
7/6/19 13:00	0.2	0.1	0.2
7/6/19 14:00	0.2	0.1	0.2
7/6/19 15:00	0.2	0.1	0.2
7/6/19 16:00	0.2	0.1	0.2
7/6/19 17:00	0.2	0.1	0.2
7/6/19 18:00	0.2	0.1	0.2
7/6/19 19:00	0.2	0.1	0.2
7/6/19 20:00	0.2	0.1	0.2
7/6/19 21:00	0.2	0.1	0.2
7/6/19 22:00	0.2	0.1	0.2
7/6/19 23:00	0.2	0.2	0.2
7/7/19 0:00	0.2	0.2	0.2
7/7/19 1:00	0.2	0.2	0.2
7/7/19 2:00	0.2	0.2	0.2
7/7/19 3:00	0.2	0.2	0.2
7/7/19 4:00	0.2	0.2	0.2
7/7/19 5:00	0.2	0.2	0.2
7/7/19 6:00	0.2	0.2	0.2
7/7/19 7:00	0.3	0.2	0.2
7/7/19 8:00	0.2	0.2	0.2
7/7/19 9:00	0.2	0.2	0.2
7/7/19 10:00	0.2	0.2	0.2
7/7/19 11:00	0.2	0.2	0.2
7/7/19 12:00	0.3	0.2	0.2
7/7/19 13:00	0.3	0.2	0.2
7/7/19 14:00	0.3	0.2	0.2
7/7/19 15:00	0.2	0.2	0.2
7/7/19 16:00	0.2	0.2	0.2
7/7/19 17:00	0.3	0.2	0.2
7/7/19 18:00	0.1	0.2	0.2
7/7/19 19:00	0.2	0.2	0.2
7/7/19 20:00	0.2	0.2	0.2
7/7/19 21:00	0.3	0.2	0.2
7/7/19 22:00	0.2	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/7/19 23:00	0.1	0.2	0.2
7/8/19 0:00	0.1	0.2	0.2
7/8/19 1:00	0.1	0.2	0.2
7/8/19 2:00	0.1	0.2	0.2
7/8/19 3:00	0.1	0.2	0.2
7/8/19 4:00	0.1	0.2	0.2
7/8/19 5:00	0.1	0.2	0.2
7/8/19 6:00	0.1	0.2	0.2
7/8/19 7:00	0.1	0.2	0.2
7/8/19 8:00	0.1	0.2	0.2
7/8/19 9:00	0.1	0.2	0.2
7/8/19 10:00	0.1	0.2	0.2
7/8/19 11:00	0.1	0.2	0.2
7/8/19 12:00	0.1	0.2	0.2
7/8/19 13:00	0.1	0.1	0.2
7/8/19 14:00	0.1	0.1	0.2
7/8/19 15:00	0.1	0.1	0.2
7/8/19 16:00	0.1	0.1	0.2
7/8/19 17:00	0.1	0.1	0.2
7/8/19 18:00	0.1	0.1	0.2
7/8/19 19:00	0.1	0.1	0.2
7/8/19 20:00	0.1	0.1	0.2
7/8/19 21:00	0.1	0.1	0.2
7/8/19 22:00	0.1	0.1	0.2
7/8/19 23:00	0.1	0.1	0.2
7/9/19 0:00	0.1	0.1	0.2
7/9/19 1:00	0.1	0.1	0.2
7/9/19 2:00	0.1	0.1	0.2
7/9/19 3:00	0.2	0.1	0.2
7/9/19 4:00	0.2	0.1	0.2
7/9/19 5:00	0.2	0.1	0.2
7/9/19 6:00	0.2	0.1	0.2
7/9/19 7:00	0.1	0.1	0.2
7/9/19 8:00	0.0	0.1	0.2
7/9/19 9:00	0.0	0.1	0.2
7/9/19 10:00	0.0	0.1	0.2
7/9/19 11:00	0.0	0.1	0.2
7/9/19 12:00	0.0	0.1	0.2
7/9/19 13:00	0.0	0.1	0.2
7/9/19 14:00	0.2	0.1	0.2
7/9/19 15:00	0.3	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/9/19 16:00	0.1	0.1	0.2
7/9/19 17:00	0.1	0.1	0.2
7/9/19 18:00	0.2	0.1	0.2
7/9/19 19:00	0.1	0.1	0.2
7/9/19 20:00	0.1	0.1	0.2
7/9/19 21:00	0.1	0.1	0.2
7/9/19 22:00	0.2	0.1	0.2
7/9/19 23:00	0.2	0.1	0.2
7/10/19 0:00	0.2	0.1	0.2
7/10/19 1:00	0.2	0.1	0.2
7/10/19 2:00	0.2	0.1	0.2
7/10/19 3:00	0.2	0.1	0.2
7/10/19 4:00	0.2	0.1	0.2
7/10/19 5:00	0.2	0.1	0.2
7/10/19 6:00	0.1	0.1	0.2
7/10/19 7:00	0.2	0.1	0.2
7/10/19 8:00	0.2	0.1	0.2
7/10/19 9:00	0.1	0.1	0.2
7/10/19 10:00	0.2	0.1	0.2
7/10/19 11:00	0.2	0.1	0.2
7/10/19 12:00	0.2	0.1	0.2
7/10/19 13:00	0.1	0.2	0.2
7/10/19 14:00	0.2	0.2	0.2
7/10/19 15:00	0.2	0.2	0.2
7/10/19 16:00	0.1	0.2	0.2
7/10/19 17:00	0.1	0.2	0.2
7/10/19 18:00	0.2	0.2	0.2
7/10/19 19:00	0.2	0.2	0.2
7/10/19 20:00	0.2	0.2	0.2
7/10/19 21:00	0.2	0.2	0.2
7/10/19 22:00	0.1	0.2	0.2
7/10/19 23:00	0.1	0.2	0.2
7/11/19 0:00	0.1	0.2	0.2
7/11/19 1:00	0.1	0.2	0.2
7/11/19 2:00	0.1	0.2	0.2
7/11/19 3:00	0.1	0.2	0.2
7/11/19 4:00	0.2	0.2	0.2
7/11/19 5:00	0.2	0.2	0.2
7/11/19 6:00	0.2	0.2	0.2
7/11/19 7:00	0.1	0.2	0.2
7/11/19 8:00	0.2	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/11/19 9:00	0.2	0.2	0.2
7/11/19 10:00	0.2	0.2	0.2
7/11/19 11:00	0.2	0.2	0.2
7/11/19 12:00	0.2	0.2	0.2
7/11/19 13:00	0.2	0.2	0.2
7/11/19 14:00	0.2	0.2	0.2
7/11/19 15:00	0.2	0.2	0.2
7/11/19 16:00	0.2	0.2	0.2
7/11/19 17:00	0.2	0.2	0.2
7/11/19 18:00	0.2	0.2	0.2
7/11/19 19:00	0.2	0.2	0.2
7/11/19 20:00	0.2	0.2	0.2
7/11/19 21:00	0.3	0.2	0.2
7/11/19 22:00	0.2	0.2	0.2
7/11/19 23:00	0.2	0.2	0.2
7/12/19 0:00	0.2	0.2	0.2
7/12/19 1:00	0.2	0.2	0.2
7/12/19 2:00	0.2	0.2	0.2
7/12/19 3:00	0.2	0.2	0.2
7/12/19 4:00	0.2	0.2	0.2
7/12/19 5:00	0.2	0.2	0.2
7/12/19 6:00	0.1	0.2	0.2
7/12/19 7:00	0.1	0.2	0.2
7/12/19 8:00	0.2	0.2	0.2
7/12/19 9:00	0.2	0.2	0.2
7/12/19 10:00	0.2	0.2	0.2
7/12/19 11:00	0.2	0.2	0.2
7/12/19 12:00	0.2	0.2	0.2
7/12/19 13:00	0.2	0.2	0.2
7/12/19 14:00	0.1	0.2	0.2
7/12/19 15:00	0.1	0.2	0.2
7/12/19 16:00	0.1	0.2	0.2
7/12/19 17:00	0.1	0.2	0.2
7/12/19 18:00	0.1	0.2	0.2
7/12/19 19:00	0.1	0.2	0.2
7/12/19 20:00	0.1	0.2	0.2
7/12/19 21:00	0.1	0.2	0.2
7/12/19 22:00	0.2	0.2	0.2
7/12/19 23:00	0.2	0.2	0.2
7/13/19 0:00	0.2	0.2	0.2
7/13/19 1:00	0.2	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/13/19 2:00	0.2	0.2	0.2
7/13/19 3:00	0.2	0.2	0.2
7/13/19 4:00	0.2	0.2	0.2
7/13/19 5:00	0.2	0.2	0.2
7/13/19 6:00	0.2	0.2	0.2
7/13/19 7:00	0.2	0.2	0.2
7/13/19 8:00	0.2	0.2	0.2
7/13/19 9:00	0.2	0.2	0.2
7/13/19 10:00	0.2	0.2	0.2
7/13/19 11:00	0.1	0.2	0.2
7/13/19 12:00	0.1	0.2	0.2
7/13/19 13:00	0.2	0.2	0.2
7/13/19 14:00	0.2	0.2	0.2
7/13/19 15:00	0.2	0.2	0.2
7/13/19 16:00	0.2	0.2	0.2
7/13/19 17:00	0.2	0.2	0.2
7/13/19 18:00	0.2	0.2	0.2
7/13/19 19:00	0.2	0.2	0.2
7/13/19 20:00	0.2	0.2	0.2
7/13/19 21:00	0.2	0.2	0.2
7/13/19 22:00	0.3	0.2	0.2
7/13/19 23:00	0.3	0.2	0.2
7/14/19 0:00	0.1	0.2	0.2
7/14/19 1:00	0.1	0.2	0.2
7/14/19 2:00	0.1	0.2	0.2
7/14/19 3:00	0.1	0.2	0.2
7/14/19 4:00	0.1	0.2	0.2
7/14/19 5:00	0.1	0.2	0.2
7/14/19 6:00	0.2	0.2	0.2
7/14/19 7:00	0.2	0.2	0.2
7/14/19 8:00	0.2	0.2	0.2
7/14/19 9:00	0.2	0.2	0.2
7/14/19 10:00	11.9	0.7	0.2
7/14/19 11:00	0.2	0.7	0.2
7/14/19 12:00	0.2	0.7	0.2
7/14/19 13:00	0.2	0.7	0.2
7/14/19 14:00	0.2	0.7	0.2
7/14/19 15:00	0.2	0.7	0.2
7/14/19 16:00	0.2	0.7	0.2
7/14/19 17:00	0.2	0.7	0.2
7/14/19 18:00	0.2	0.7	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/14/19 19:00	0.2	0.7	0.2
7/14/19 20:00	0.2	0.7	0.2
7/14/19 21:00	0.2	0.7	0.2
7/14/19 22:00	0.1	0.7	0.2
7/14/19 23:00	0.1	0.7	0.2
7/15/19 0:00	0.2	0.7	0.2
7/15/19 1:00	0.2	0.7	0.2
7/15/19 2:00	0.2	0.7	0.2
7/15/19 3:00	0.1	0.7	0.2
7/15/19 4:00	0.1	0.7	0.2
7/15/19 5:00	0.1	0.7	0.2
7/15/19 6:00	0.1	0.7	0.2
7/15/19 7:00	0.1	0.7	0.2
7/15/19 8:00	10.4	1.1	0.2
7/15/19 9:00	0.4	1.1	0.2
7/15/19 10:00	0.2	0.6	0.2
7/15/19 11:00	0.2	0.6	0.2
7/15/19 12:00	0.2	0.6	0.2
7/15/19 13:00	0.2	0.6	0.2
7/15/19 14:00	0.2	0.6	0.2
7/15/19 15:00	0.2	0.6	0.2
7/15/19 16:00	0.2	0.6	0.2
7/15/19 17:00	0.3	0.6	0.2
7/15/19 18:00	0.3	0.6	0.2
7/15/19 19:00	0.2	0.6	0.2
7/15/19 20:00	0.1	0.6	0.2
7/15/19 21:00	0.2	0.6	0.2
7/15/19 22:00	0.2	0.6	0.2
7/15/19 23:00	0.2	0.6	0.2
7/16/19 0:00	0.1	0.6	0.2
7/16/19 1:00	0.1	0.6	0.2
7/16/19 2:00	0.2	0.6	0.2
7/16/19 3:00	0.1	0.6	0.2
7/16/19 4:00	0.1	0.6	0.2
7/16/19 5:00	0.1	0.6	0.2
7/16/19 6:00	0.1	0.6	0.2
7/16/19 7:00	0.1	0.6	0.2
7/16/19 8:00	0.3	0.2	0.2
7/16/19 9:00	0.2	0.2	0.2
7/16/19 10:00	0.3	0.2	0.2
7/16/19 11:00	0.2	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/16/19 12:00	0.2	0.2	0.2
7/16/19 13:00	0.3	0.2	0.2
7/16/19 14:00	0.2	0.2	0.2
7/16/19 15:00	0.2	0.2	0.2
7/16/19 16:00	0.2	0.2	0.2
7/16/19 17:00	0.2	0.2	0.2
7/16/19 18:00	0.2	0.2	0.2
7/16/19 19:00	0.1	0.2	0.2
7/16/19 20:00	0.1	0.2	0.2
7/16/19 21:00	0.2	0.2	0.2
7/16/19 22:00	0.2	0.2	0.2
7/16/19 23:00	0.2	0.2	0.2
7/17/19 0:00	0.2	0.2	0.2
7/17/19 1:00	0.2	0.2	0.2
7/17/19 2:00	0.2	0.2	0.2
7/17/19 3:00	0.2	0.2	0.2
7/17/19 4:00	0.3	0.2	0.2
7/17/19 5:00	0.3	0.2	0.2
7/17/19 6:00	0.3	0.2	0.2
7/17/19 7:00	0.3	0.2	0.2
7/17/19 8:00	0.2	0.2	0.2
7/17/19 9:00	0.2	0.2	0.2
7/17/19 10:00	0.1	0.2	0.2
7/17/19 11:00	0.1	0.2	0.2
7/17/19 12:00	0.1	0.2	0.2
7/17/19 13:00	0.1	0.2	0.2
7/17/19 14:00	0.1	0.2	0.2
7/17/19 15:00	0.2	0.2	0.2
7/17/19 16:00	0.4	0.2	0.2
7/17/19 17:00	0.2	0.2	0.2
7/17/19 18:00	0.2	0.2	0.2
7/17/19 19:00	0.1	0.2	0.2
7/17/19 20:00	0.1	0.2	0.2
7/17/19 21:00	0.1	0.2	0.2
7/17/19 22:00	0.1	0.2	0.2
7/17/19 23:00	0.1	0.2	0.2
7/18/19 0:00	0.1	0.2	0.2
7/18/19 1:00	0.1	0.2	0.2
7/18/19 2:00	0.1	0.2	0.2
7/18/19 3:00	0.1	0.2	0.2
7/18/19 4:00	0.2	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/18/19 5:00	0.2	0.2	0.2
7/18/19 6:00	0.1	0.2	0.2
7/18/19 7:00	0.1	0.2	0.2
7/18/19 8:00	0.1	0.2	0.2
7/18/19 9:00	0.1	0.2	0.2
7/18/19 10:00	0.1	0.2	0.2
7/18/19 11:00	0.2	0.2	0.2
7/18/19 12:00	0.0	0.2	0.2
7/18/19 13:00	0.0	0.1	0.2
7/18/19 14:00	0.0	0.1	0.2
7/18/19 15:00	0.0	0.1	0.2
7/18/19 16:00	0.0	0.1	0.2
7/18/19 17:00	0.0	0.1	0.2
7/18/19 18:00	0.0	0.1	0.2
7/18/19 19:00	0.0	0.1	0.2
7/18/19 20:00	0.0	0.1	0.2
7/18/19 21:00	0.0	0.1	0.2
7/18/19 22:00	0.0	0.1	0.2
7/18/19 23:00	0.0	0.1	0.2
7/19/19 0:00	0.0	0.1	0.2
7/19/19 1:00	0.0	0.1	0.2
7/19/19 2:00	0.0	0.1	0.2
7/19/19 3:00	0.0	0.0	0.2
7/19/19 4:00	0.0	0.0	0.2
7/19/19 5:00	0.0	0.0	0.2
7/19/19 6:00	0.0	0.0	0.2
7/19/19 7:00	0.0	0.0	0.2
7/19/19 8:00	0.0	0.0	0.2
7/19/19 9:00	0.0	0.0	0.2
7/19/19 10:00	0.0	0.0	0.2
7/19/19 11:00	0.0	0.0	0.2
7/19/19 12:00	0.0	0.0	0.2
7/19/19 13:00	0.0	0.0	0.2
7/19/19 14:00	0.0	0.0	0.2
7/19/19 15:00	0.0	0.0	0.2
7/19/19 16:00	0.0	0.0	0.2
7/19/19 17:00	0.0	0.0	0.2
7/19/19 18:00	0.0	0.0	0.2
7/19/19 19:00	0.0	0.0	0.2
7/19/19 20:00	0.0	0.0	0.2
7/19/19 21:00	0.0	0.0	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/19/19 22:00	0.0	0.0	0.2
7/19/19 23:00	0.0	0.0	0.2
7/20/19 0:00	0.0	0.0	0.2
7/20/19 1:00	0.0	0.0	0.2
7/20/19 2:00	0.0	0.0	0.2
7/20/19 3:00	0.0	0.0	0.2
7/20/19 4:00	0.0	0.0	0.2
7/20/19 5:00	0.0	0.0	0.2
7/20/19 6:00	0.0	0.0	0.2
7/20/19 7:00	0.0	0.0	0.2
7/20/19 8:00	0.0	0.0	0.2
7/20/19 9:00	0.0	0.0	0.2
7/20/19 10:00	0.0	0.0	0.2
7/20/19 11:00	0.0	0.0	0.2
7/20/19 12:00	0.0	0.0	0.2
7/20/19 13:00	0.0	0.0	0.2
7/20/19 14:00	0.0	0.0	0.2
7/20/19 15:00	0.0	0.0	0.2
7/20/19 16:00	0.0	0.0	0.2
7/20/19 17:00	0.0	0.0	0.2
7/20/19 18:00	0.0	0.0	0.2
7/20/19 19:00	0.0	0.0	0.2
7/20/19 20:00	0.0	0.0	0.2
7/20/19 21:00	0.0	0.0	0.2
7/20/19 22:00	0.0	0.0	0.2
7/20/19 23:00	0.0	0.0	0.2
7/21/19 0:00	0.0	0.0	0.2
7/21/19 1:00	0.0	0.0	0.2
7/21/19 2:00	0.0	0.0	0.2
7/21/19 3:00	0.0	0.0	0.2
7/21/19 4:00	0.0	0.0	0.2
7/21/19 5:00	0.0	0.0	0.2
7/21/19 6:00	0.0	0.0	0.2
7/21/19 7:00	0.0	0.0	0.2
7/21/19 8:00	0.0	0.0	0.2
7/21/19 9:00	0.0	0.0	0.2
7/21/19 10:00	0.0	0.0	0.2
7/21/19 11:00	0.0	0.0	0.2
7/21/19 12:00	0.0	0.0	0.2
7/21/19 13:00	0.0	0.0	0.2
7/21/19 14:00	0.0	0.0	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/21/19 15:00	0.0	0.0	0.2
7/21/19 16:00	0.0	0.0	0.2
7/21/19 17:00	0.0	0.0	0.2
7/21/19 18:00	0.0	0.0	0.2
7/21/19 19:00	0.0	0.0	0.2
7/21/19 20:00	0.0	0.0	0.2
7/21/19 21:00	0.0	0.0	0.2
7/21/19 22:00	0.0	0.0	0.2
7/21/19 23:00	0.0	0.0	0.2
7/22/19 0:00	0.0	0.0	0.2
7/22/19 1:00	0.0	0.0	0.2
7/22/19 2:00	0.0	0.0	0.2
7/22/19 3:00	0.0	0.0	0.2
7/22/19 4:00	0.0	0.0	0.2
7/22/19 5:00	0.0	0.0	0.2
7/22/19 6:00	0.0	0.0	0.2
7/22/19 7:00	0.0	0.0	0.2
7/22/19 8:00	0.0	0.0	0.2
7/22/19 9:00	0.0	0.0	0.2
7/22/19 10:00	0.0	0.0	0.2
7/22/19 11:00	0.0	0.0	0.2
7/22/19 12:00	0.0	0.0	0.2
7/22/19 13:00	0.0	0.0	0.2
7/22/19 14:00	0.0	0.0	0.2
7/22/19 15:00	0.0	0.0	0.2
7/22/19 16:00	0.0	0.0	0.2
7/22/19 17:00	0.0	0.0	0.2
7/22/19 18:00	0.0	0.0	0.2
7/22/19 19:00	0.0	0.0	0.2
7/22/19 20:00	0.0	0.0	0.2
7/22/19 21:00	0.0	0.0	0.2
7/22/19 22:00	0.0	0.0	0.2
7/22/19 23:00	0.0	0.0	0.2
7/23/19 0:00	0.0	0.0	0.2
7/23/19 1:00	0.0	0.0	0.2
7/23/19 2:00	0.0	0.0	0.2
7/23/19 3:00	0.0	0.0	0.2
7/23/19 4:00	0.0	0.0	0.2
7/23/19 5:00	0.0	0.0	0.2
7/23/19 6:00	0.0	0.0	0.2
7/23/19 7:00	0.0	0.0	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/23/19 8:00	0.0	0.0	0.2
7/23/19 9:00	0.0	0.0	0.2
7/23/19 10:00	0.0	0.0	0.2
7/23/19 11:00	0.0	0.0	0.2
7/23/19 12:00	0.0	0.0	0.2
7/23/19 13:00	0.0	0.0	0.2
7/23/19 14:00	0.0	0.0	0.2
7/23/19 15:00	0.0	0.0	0.2
7/23/19 16:00	0.0	0.0	0.2
7/23/19 17:00	0.0	0.0	0.2
7/23/19 18:00	0.0	0.0	0.2
7/23/19 19:00	0.0	0.0	0.2
7/23/19 20:00	0.0	0.0	0.2
7/23/19 21:00	0.0	0.0	0.2
7/23/19 22:00	0.0	0.0	0.2
7/23/19 23:00	0.0	0.0	0.2
7/24/19 0:00	0.0	0.0	0.2
7/24/19 1:00	0.0	0.0	0.2
7/24/19 2:00	0.0	0.0	0.2
7/24/19 3:00	0.0	0.0	0.2
7/24/19 4:00	0.0	0.0	0.2
7/24/19 5:00	0.0	0.0	0.2
7/24/19 6:00	0.0	0.0	0.2
7/24/19 7:00	0.0	0.0	0.2
7/24/19 8:00	0.0	0.0	0.2
7/24/19 9:00	0.0	0.0	0.2
7/24/19 10:00	0.0	0.0	0.2
7/24/19 11:00	0.0	0.0	0.2
7/24/19 12:00	0.0	0.0	0.2
7/24/19 13:00	0.0	0.0	0.2
7/24/19 14:00	0.0	0.0	0.2
7/24/19 15:00	0.0	0.0	0.2
7/24/19 16:00	0.0	0.0	0.2
7/24/19 17:00	0.0	0.0	0.2
7/24/19 18:00	0.0	0.0	0.2
7/24/19 19:00	0.0	0.0	0.2
7/24/19 20:00	0.0	0.0	0.2
7/24/19 21:00	0.0	0.0	0.2
7/24/19 22:00	0.0	0.0	0.2
7/24/19 23:00	0.0	0.0	0.2
7/25/19 0:00	0.0	0.0	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/25/19 1:00	0.0	0.0	0.2
7/25/19 2:00	0.0	0.0	0.2
7/25/19 3:00	0.0	0.0	0.2
7/25/19 4:00	0.0	0.0	0.2
7/25/19 5:00	0.0	0.0	0.2
7/25/19 6:00	0.0	0.0	0.2
7/25/19 7:00	0.0	0.0	0.2
7/25/19 8:00	0.0	0.0	0.2
7/25/19 9:00	0.0	0.0	0.2
7/25/19 10:00	0.0	0.0	0.2
7/25/19 11:00	0.0	0.0	0.2
7/25/19 12:00	0.0	0.0	0.2
7/25/19 13:00	0.0	0.0	0.2
7/25/19 14:00	0.0	0.0	0.2
7/25/19 15:00	0.0	0.0	0.2
7/25/19 16:00	0.0	0.0	0.2
7/25/19 17:00	0.0	0.0	0.2
7/25/19 18:00	0.0	0.0	0.2
7/25/19 19:00	0.0	0.0	0.2
7/25/19 20:00	0.0	0.0	0.2
7/25/19 21:00	0.0	0.0	0.2
7/25/19 22:00	0.0	0.0	0.2
7/25/19 23:00	0.0	0.0	0.2
7/26/19 0:00	0.0	0.0	0.2
7/26/19 1:00	0.0	0.0	0.2
7/26/19 2:00	0.0	0.0	0.2
7/26/19 3:00	0.0	0.0	0.2
7/26/19 4:00	0.0	0.0	0.2
7/26/19 5:00	0.0	0.0	0.2
7/26/19 6:00	0.0	0.0	0.2
7/26/19 7:00	0.0	0.0	0.2
7/26/19 8:00	0.0	0.0	0.2
7/26/19 9:00	0.0	0.0	0.2
7/26/19 10:00	0.0	0.0	0.2
7/26/19 11:00	0.0	0.0	0.2
7/26/19 12:00	0.0	0.0	0.2
7/26/19 13:00	0.0	0.0	0.2
7/26/19 14:00	0.0	0.0	0.2
7/26/19 15:00	0.0	0.0	0.2
7/26/19 16:00	0.0	0.0	0.2
7/26/19 17:00	0.0	0.0	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/26/19 18:00	0.0	0.0	0.2
7/26/19 19:00	0.0	0.0	0.2
7/26/19 20:00	0.0	0.0	0.2
7/26/19 21:00	0.0	0.0	0.2
7/26/19 22:00	0.0	0.0	0.2
7/26/19 23:00	0.0	0.0	0.2
7/27/19 0:00	0.0	0.0	0.2
7/27/19 1:00	0.0	0.0	0.2
7/27/19 2:00	0.0	0.0	0.2
7/27/19 3:00	0.0	0.0	0.2
7/27/19 4:00	0.0	0.0	0.2
7/27/19 5:00	0.0	0.0	0.2
7/27/19 6:00	0.0	0.0	0.2
7/27/19 7:00	0.0	0.0	0.2
7/27/19 8:00	0.0	0.0	0.2
7/27/19 9:00	0.0	0.0	0.2
7/27/19 10:00	0.0	0.0	0.2
7/27/19 11:00	0.0	0.0	0.2
7/27/19 12:00	0.0	0.0	0.2
7/27/19 13:00	0.0	0.0	0.2
7/27/19 14:00	0.0	0.0	0.2
7/27/19 15:00	0.0	0.0	0.2
7/27/19 16:00	0.0	0.0	0.2
7/27/19 17:00	0.0	0.0	0.2
7/27/19 18:00	0.0	0.0	0.2
7/27/19 19:00	0.0	0.0	0.1
7/27/19 20:00	0.0	0.0	0.1
7/27/19 21:00	0.0	0.0	0.1
7/27/19 22:00	0.0	0.0	0.1
7/27/19 23:00	0.0	0.0	0.1
7/28/19 0:00	0.0	0.0	0.1
7/28/19 1:00	0.0	0.0	0.1
7/28/19 2:00	0.0	0.0	0.1
7/28/19 3:00	0.0	0.0	0.1
7/28/19 4:00	0.0	0.0	0.1
7/28/19 5:00	0.0	0.0	0.1
7/28/19 6:00	0.0	0.0	0.1
7/28/19 7:00	0.0	0.0	0.1
7/28/19 8:00	0.0	0.0	0.1
7/28/19 9:00	0.0	0.0	0.1
7/28/19 10:00	0.0	0.0	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/28/19 11:00	0.0	0.0	0.1
7/28/19 12:00	0.0	0.0	0.1
7/28/19 13:00	0.0	0.0	0.1
7/28/19 14:00	0.0	0.0	0.1
7/28/19 15:00	0.0	0.0	0.1
7/28/19 16:00	0.0	0.0	0.1
7/28/19 17:00	0.0	0.0	0.1
7/28/19 18:00	0.0	0.0	0.1
7/28/19 19:00	0.0	0.0	0.1
7/28/19 20:00	0.0	0.0	0.1
7/28/19 21:00	0.0	0.0	0.1
7/28/19 22:00	0.0	0.0	0.1
7/28/19 23:00	0.0	0.0	0.1
7/29/19 0:00	0.0	0.0	0.1
7/29/19 1:00	0.0	0.0	0.1
7/29/19 2:00	0.0	0.0	0.1
7/29/19 3:00	0.0	0.0	0.1
7/29/19 4:00	0.0	0.0	0.1
7/29/19 5:00	0.0	0.0	0.1
7/29/19 6:00	0.0	0.0	0.1
7/29/19 7:00	0.0	0.0	0.1
7/29/19 8:00	0.0	0.0	0.1
7/29/19 9:00	0.0	0.0	0.1
7/29/19 10:00	0.0	0.0	0.1
7/29/19 11:00	0.0	0.0	0.1
7/29/19 12:00	0.0	0.0	0.1
7/29/19 13:00	0.0	0.0	0.1
7/29/19 14:00	0.0	0.0	0.1
7/29/19 15:00	0.0	0.0	0.1
7/29/19 16:00	0.0	0.0	0.1
7/29/19 17:00	0.0	0.0	0.1
7/29/19 18:00	0.0	0.0	0.1
7/29/19 19:00	0.0	0.0	0.1
7/29/19 20:00	0.0	0.0	0.1
7/29/19 21:00	0.0	0.0	0.1
7/29/19 22:00	0.0	0.0	0.1
7/29/19 23:00	0.0	0.0	0.1
7/30/19 0:00	0.0	0.0	0.1
7/30/19 1:00	0.0	0.0	0.1
7/30/19 2:00	0.0	0.0	0.1
7/30/19 3:00	0.0	0.0	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/30/19 4:00	0.0	0.0	0.1
7/30/19 5:00	0.0	0.0	0.1
7/30/19 6:00	0.0	0.0	0.1
7/30/19 7:00	0.0	0.0	0.1
7/30/19 8:00	0.0	0.0	0.1
7/30/19 9:00	0.0	0.0	0.1
7/30/19 10:00	0.0	0.0	0.1
7/30/19 11:00	0.0	0.0	0.1
7/30/19 12:00	0.0	0.0	0.1
7/30/19 13:00	0.0	0.0	0.1
7/30/19 14:00	0.0	0.0	0.1
7/30/19 15:00	0.0	0.0	0.1
7/30/19 16:00	0.0	0.0	0.1
7/30/19 17:00	0.0	0.0	0.1
7/30/19 18:00	0.0	0.0	0.1
7/30/19 19:00	0.0	0.0	0.1
7/30/19 20:00	0.0	0.0	0.1
7/30/19 21:00	0.0	0.0	0.1
7/30/19 22:00	0.0	0.0	0.1
7/30/19 23:00	0.0	0.0	0.1
7/31/19 0:00	0.0	0.0	0.1
7/31/19 1:00	0.0	0.0	0.1
7/31/19 2:00	0.0	0.0	0.1
7/31/19 3:00	0.0	0.0	0.1
7/31/19 4:00	0.0	0.0	0.1
7/31/19 5:00	0.0	0.0	0.1
7/31/19 6:00	0.0	0.0	0.1
7/31/19 7:00	0.0	0.0	0.1
7/31/19 8:00	0.0	0.0	0.1
7/31/19 9:00	0.0	0.0	0.1
7/31/19 10:00	0.0	0.0	0.1
7/31/19 11:00	0.0	0.0	0.1
7/31/19 12:00	0.0	0.0	0.1
7/31/19 13:00	0.0	0.0	0.1
7/31/19 14:00	0.0	0.0	0.1
7/31/19 15:00	0.0	0.0	0.1
7/31/19 16:00	0.0	0.0	0.1
7/31/19 17:00	0.0	0.0	0.1
7/31/19 18:00	0.0	0.0	0.1
7/31/19 19:00	0.0	0.0	0.1
7/31/19 20:00	0.0	0.0	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/31/19 21:00	0.0	0.0	0.1
7/31/19 22:00	0.0	0.0	0.1
7/31/19 23:00	0.0	0.0	0.1
8/1/19 0:00	0.0	0.0	0.1
8/1/19 1:00	0.0	0.0	0.1
8/1/19 2:00	0.0	0.0	0.1
8/1/19 3:00	0.0	0.0	0.1
8/1/19 4:00	0.0	0.0	0.1
8/1/19 5:00	0.0	0.0	0.1
8/1/19 6:00	0.0	0.0	0.1
8/1/19 7:00	0.0	0.0	0.1
8/1/19 8:00	0.0	0.0	0.1
8/1/19 9:00	0.0	0.0	0.1
8/1/19 10:00	0.0	0.0	0.1
8/1/19 11:00	0.0	0.0	0.1
8/1/19 12:00	0.0	0.0	0.1
8/1/19 13:00	0.0	0.0	0.1
8/1/19 14:00	0.0	0.0	0.1
8/1/19 15:00	0.0	0.0	0.1
8/1/19 16:00	0.0	0.0	0.1
8/1/19 17:00	0.0	0.0	0.1
8/1/19 18:00	0.0	0.0	0.1
8/1/19 19:00	0.0	0.0	0.1
8/1/19 20:00	0.0	0.0	0.1
8/1/19 21:00	0.0	0.0	0.1
8/1/19 22:00	0.0	0.0	0.1
8/1/19 23:00	0.0	0.0	0.1
8/2/19 0:00	0.0	0.0	0.1
8/2/19 1:00	0.0	0.0	0.1
8/2/19 2:00	0.0	0.0	0.1
8/2/19 3:00	0.0	0.0	0.1
8/2/19 4:00	0.0	0.0	0.1
8/2/19 5:00	0.0	0.0	0.1
8/2/19 6:00	0.0	0.0	0.1
8/2/19 7:00	0.0	0.0	0.1
8/2/19 8:00	0.0	0.0	0.1
8/2/19 9:00	0.0	0.0	0.1
8/2/19 10:00	0.0	0.0	0.1
8/2/19 11:00	0.0	0.0	0.1
8/2/19 12:00	0.0	0.0	0.1
8/2/19 13:00	0.0	0.0	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/2/19 14:00	0.0	0.0	0.1
8/2/19 15:00	0.0	0.0	0.1
8/2/19 16:00	0.0	0.0	0.1
8/2/19 17:00	0.0	0.0	0.1
8/2/19 18:00	0.0	0.0	0.1
8/2/19 19:00	0.0	0.0	0.1
8/2/19 20:00	0.0	0.0	0.1
8/2/19 21:00	0.0	0.0	0.1
8/2/19 22:00	0.0	0.0	0.1
8/2/19 23:00	0.0	0.0	0.1
8/3/19 0:00	0.0	0.0	0.1
8/3/19 1:00	0.0	0.0	0.1
8/3/19 2:00	0.0	0.0	0.1
8/3/19 3:00	0.0	0.0	0.1
8/3/19 4:00	0.0	0.0	0.1
8/3/19 5:00	0.0	0.0	0.1
8/3/19 6:00	0.0	0.0	0.1
8/3/19 7:00	0.0	0.0	0.1
8/3/19 8:00	0.0	0.0	0.1
8/3/19 9:00	0.0	0.0	0.1
8/3/19 10:00	0.0	0.0	0.1
8/3/19 11:00	0.0	0.0	0.1
8/3/19 12:00	0.0	0.0	0.1
8/3/19 13:00	0.0	0.0	0.1
8/3/19 14:00	0.0	0.0	0.1
8/3/19 15:00	0.0	0.0	0.1
8/3/19 16:00	0.0	0.0	0.1
8/3/19 17:00	0.0	0.0	0.1
8/3/19 18:00	0.0	0.0	0.1
8/3/19 19:00	0.0	0.0	0.1
8/3/19 20:00	0.0	0.0	0.1
8/3/19 21:00	0.0	0.0	0.1
8/3/19 22:00	0.0	0.0	0.1
8/3/19 23:00	0.0	0.0	0.1
8/4/19 0:00	0.0	0.0	0.1
8/4/19 1:00	0.0	0.0	0.1
8/4/19 2:00	0.0	0.0	0.1
8/4/19 3:00	0.0	0.0	0.1
8/4/19 4:00	0.0	0.0	0.1
8/4/19 5:00	0.0	0.0	0.1
8/4/19 6:00	0.0	0.0	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/4/19 7:00	0.0	0.0	0.1
8/4/19 8:00	0.0	0.0	0.1
8/4/19 9:00	0.0	0.0	0.1
8/4/19 10:00	0.0	0.0	0.1
8/4/19 11:00	0.0	0.0	0.1
8/4/19 12:00	0.0	0.0	0.1
8/4/19 13:00	0.0	0.0	0.1
8/4/19 14:00	0.0	0.0	0.1
8/4/19 15:00	0.0	0.0	0.1
8/4/19 16:00	0.0	0.0	0.1
8/4/19 17:00	0.0	0.0	0.1
8/4/19 18:00	0.0	0.0	0.1
8/4/19 19:00	0.0	0.0	0.1
8/4/19 20:00	0.0	0.0	0.1
8/4/19 21:00	0.0	0.0	0.1
8/4/19 22:00	0.0	0.0	0.1
8/4/19 23:00	0.0	0.0	0.1
8/5/19 0:00	0.0	0.0	0.1
8/5/19 1:00	0.0	0.0	0.1
8/5/19 2:00	0.0	0.0	0.1
8/5/19 3:00	0.0	0.0	0.1
8/5/19 4:00	0.0	0.0	0.1
8/5/19 5:00	0.0	0.0	0.1
8/5/19 6:00	0.0	0.0	0.1
8/5/19 7:00	0.0	0.0	0.1
8/5/19 8:00	0.0	0.0	0.1
8/5/19 9:00	0.0	0.0	0.1
8/5/19 10:00	0.0	0.0	0.1
8/5/19 11:00	0.0	0.0	0.1
8/5/19 12:00	0.0	0.0	0.1
8/5/19 13:00	0.0	0.0	0.1
8/5/19 14:00	0.0	0.0	0.1
8/5/19 15:00	0.0	0.0	0.1
8/5/19 16:00	0.0	0.0	0.1
8/5/19 17:00	0.0	0.0	0.1
8/5/19 18:00	0.0	0.0	0.1
8/5/19 19:00	0.0	0.0	0.1
8/5/19 20:00	0.0	0.0	0.1
8/5/19 21:00	0.0	0.0	0.1
8/5/19 22:00	0.0	0.0	0.1
8/5/19 23:00	0.0	0.0	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/6/19 0:00	0.0	0.0	0.1
8/6/19 1:00	0.0	0.0	0.1
8/6/19 2:00	0.0	0.0	0.1
8/6/19 3:00	0.0	0.0	0.1
8/6/19 4:00	0.0	0.0	0.1
8/6/19 5:00	0.0	0.0	0.1
8/6/19 6:00	0.0	0.0	0.1
8/6/19 7:00	0.0	0.0	0.1
8/6/19 8:00	0.0	0.0	0.1
8/6/19 9:00	0.0	0.0	0.1
8/6/19 10:00	0.0	0.0	0.1
8/6/19 11:00	0.0	0.0	0.1
8/6/19 12:00	0.0	0.0	0.1
8/6/19 13:00	0.0	0.0	0.1
8/6/19 14:00	0.0	0.0	0.1
8/6/19 15:00	0.0	0.0	0.1
8/6/19 16:00	0.0	0.0	0.1
8/6/19 17:00	0.0	0.0	0.1
8/6/19 18:00	0.0	0.0	0.1
8/6/19 19:00	0.0	0.0	0.1
8/6/19 20:00	0.0	0.0	0.1
8/6/19 21:00	0.0	0.0	0.1
8/6/19 22:00	0.0	0.0	0.1
8/6/19 23:00	0.0	0.0	0.1
8/7/19 0:00	0.0	0.0	0.1
8/7/19 1:00	0.0	0.0	0.1
8/7/19 2:00	0.0	0.0	0.1
8/7/19 3:00	0.0	0.0	0.1
8/7/19 4:00	0.0	0.0	0.1
8/7/19 5:00	0.0	0.0	0.1
8/7/19 6:00	0.0	0.0	0.1
8/7/19 7:00	0.0	0.0	0.1
8/7/19 8:00	0.0	0.0	0.1
8/7/19 9:00	0.0	0.0	0.1
8/7/19 10:00	0.0	0.0	0.1
8/7/19 11:00	0.0	0.0	0.1
8/7/19 12:00	0.0	0.0	0.1
8/7/19 13:00	0.0	0.0	0.1
8/7/19 14:00	0.0	0.0	0.1
8/7/19 15:00	0.0	0.0	0.1
8/7/19 16:00	0.0	0.0	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/7/19 17:00	0.0	0.0	0.1
8/7/19 18:00	0.0	0.0	0.1
8/7/19 19:00	0.0	0.0	0.1
8/7/19 20:00	0.0	0.0	0.1
8/7/19 21:00	0.0	0.0	0.1
8/7/19 22:00	0.0	0.0	0.1
8/7/19 23:00	0.0	0.0	0.1
8/8/19 0:00	0.0	0.0	0.1
8/8/19 1:00	0.0	0.0	0.1
8/8/19 2:00	0.0	0.0	0.1
8/8/19 3:00	0.0	0.0	0.1
8/8/19 4:00	0.0	0.0	0.1
8/8/19 5:00	0.0	0.0	0.1
8/8/19 6:00	0.0	0.0	0.1
8/8/19 7:00	0.0	0.0	0.1
8/8/19 8:00	0.0	0.0	0.1
8/8/19 9:00	0.0	0.0	0.1
8/8/19 10:00	0.0	0.0	0.1
8/8/19 11:00	0.0	0.0	0.1
8/8/19 12:00	0.0	0.0	0.1
8/8/19 13:00	0.0	0.0	0.1
8/8/19 14:00	0.0	0.0	0.1
8/8/19 15:00	0.0	0.0	0.1
8/8/19 16:00	0.0	0.0	0.1
8/8/19 17:00	0.0	0.0	0.1
8/8/19 18:00	0.0	0.0	0.1
8/8/19 19:00	0.0	0.0	0.1
8/8/19 20:00	0.0	0.0	0.1
8/8/19 21:00	0.0	0.0	0.1
8/8/19 22:00	0.0	0.0	0.1
8/8/19 23:00	0.0	0.0	0.1
8/9/19 0:00	0.0	0.0	0.1
8/9/19 1:00	0.0	0.0	0.1
8/9/19 2:00	0.0	0.0	0.1
8/9/19 3:00	0.0	0.0	0.1
8/9/19 4:00	0.0	0.0	0.1
8/9/19 5:00	0.0	0.0	0.1
8/9/19 6:00	0.0	0.0	0.1
8/9/19 7:00	0.0	0.0	0.1
8/9/19 8:00	0.0	0.0	0.1
8/9/19 9:00	0.0	0.0	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/9/19 10:00	0.0	0.0	0.1
8/9/19 11:00	0.0	0.0	0.1
8/9/19 12:00	0.0	0.0	0.1
8/9/19 13:00	0.0	0.0	0.1
8/9/19 14:00	0.0	0.0	0.1
8/9/19 15:00	0.0	0.0	0.1
8/9/19 16:00	0.0	0.0	0.1
8/9/19 17:00	0.0	0.0	0.1
8/9/19 18:00	0.0	0.0	0.1
8/9/19 19:00	0.0	0.0	0.1
8/9/19 20:00	0.0	0.0	0.1
8/9/19 21:00	0.0	0.0	0.1
8/9/19 22:00	0.0	0.0	0.1
8/9/19 23:00	0.0	0.0	0.1
8/10/19 0:00	0.0	0.0	0.1
8/10/19 1:00	0.0	0.0	0.1
8/10/19 2:00	0.0	0.0	0.1
8/10/19 3:00	0.0	0.0	0.1
8/10/19 4:00	0.0	0.0	0.1
8/10/19 5:00	0.0	0.0	0.1
8/10/19 6:00	0.0	0.0	0.1
8/10/19 7:00	0.0	0.0	0.1
8/10/19 8:00	0.0	0.0	0.1
8/10/19 9:00	0.0	0.0	0.1
8/10/19 10:00	0.0	0.0	0.1
8/10/19 11:00	0.0	0.0	0.1
8/10/19 12:00	0.0	0.0	0.1
8/10/19 13:00	0.0	0.0	0.1
8/10/19 14:00	0.0	0.0	0.1
8/10/19 15:00	0.0	0.0	0.1
8/10/19 16:00	0.0	0.0	0.1
8/10/19 17:00	0.0	0.0	0.1
8/10/19 18:00	0.0	0.0	0.1
8/10/19 19:00	0.0	0.0	0.1
8/10/19 20:00	0.0	0.0	0.1
8/10/19 21:00	0.0	0.0	0.1
8/10/19 22:00	0.0	0.0	0.1
8/10/19 23:00	0.0	0.0	0.1
8/11/19 0:00	0.0	0.0	0.1
8/11/19 1:00	0.0	0.0	0.1
8/11/19 2:00	0.0	0.0	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/11/19 3:00	0.0	0.0	0.1
8/11/19 4:00	0.0	0.0	0.1
8/11/19 5:00	0.0	0.0	0.1
8/11/19 6:00	0.0	0.0	0.1
8/11/19 7:00	0.0	0.0	0.1
8/11/19 8:00	0.0	0.0	0.1
8/11/19 9:00	0.0	0.0	0.1
8/11/19 10:00	0.0	0.0	0.1
8/11/19 11:00	0.0	0.0	0.1
8/11/19 12:00	0.0	0.0	0.1
8/11/19 13:00	0.0	0.0	0.1
8/11/19 14:00	0.0	0.0	0.1
8/11/19 15:00	0.0	0.0	0.1
8/11/19 16:00	0.0	0.0	0.1
8/11/19 17:00	0.0	0.0	0.1
8/11/19 18:00	0.0	0.0	0.1
8/11/19 19:00	0.0	0.0	0.1
8/11/19 20:00	0.0	0.0	0.1
8/11/19 21:00	0.0	0.0	0.1
8/11/19 22:00	0.0	0.0	0.1
8/11/19 23:00	0.0	0.0	0.1
8/12/19 0:00	0.0	0.0	0.1
8/12/19 1:00	0.0	0.0	0.1
8/12/19 2:00	0.0	0.0	0.1
8/12/19 3:00	0.0	0.0	0.1
8/12/19 4:00	0.0	0.0	0.1
8/12/19 5:00	0.0	0.0	0.1
8/12/19 6:00	0.0	0.0	0.1
8/12/19 7:00	0.0	0.0	0.1
8/12/19 8:00	0.0	0.0	0.1
8/12/19 9:00	0.0	0.0	0.1
8/12/19 10:00	0.0	0.0	0.1
8/12/19 11:00	0.0	0.0	0.1
8/12/19 12:00	0.0	0.0	0.1
8/12/19 13:00	0.0	0.0	0.1
8/12/19 14:00	0.0	0.0	0.1
8/12/19 15:00	0.0	0.0	0.1
8/12/19 16:00	0.0	0.0	0.1
8/12/19 17:00	0.0	0.0	0.1
8/12/19 18:00	0.0	0.0	0.1
8/12/19 19:00	0.0	0.0	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/12/19 20:00	0.0	0.0	0.1
8/12/19 21:00	0.0	0.0	0.1
8/12/19 22:00	0.0	0.0	0.1
8/12/19 23:00	0.0	0.0	0.1
8/13/19 0:00	0.0	0.0	0.1
8/13/19 1:00	0.0	0.0	0.1
8/13/19 2:00	0.0	0.0	0.1
8/13/19 3:00	0.0	0.0	0.1
8/13/19 4:00	0.0	0.0	0.1
8/13/19 5:00	0.0	0.0	0.1
8/13/19 6:00	0.0	0.0	0.1
8/13/19 7:00	0.0	0.0	0.1
8/13/19 8:00	0.0	0.0	0.1
8/13/19 9:00	0.0	0.0	0.1
8/13/19 10:00	0.0	0.0	0.0
8/13/19 11:00	0.0	0.0	0.0
8/13/19 12:00	0.0	0.0	0.0
8/13/19 13:00	0.0	0.0	0.0
8/13/19 14:00	0.0	0.0	0.0
8/13/19 15:00	0.0	0.0	0.0
8/13/19 16:00	0.0	0.0	0.0
8/13/19 17:00	0.0	0.0	0.0
8/13/19 18:00	0.0	0.0	0.0
8/13/19 19:00	0.0	0.0	0.0
8/13/19 20:00	0.0	0.0	0.0
8/13/19 21:00	0.0	0.0	0.0
8/13/19 22:00	0.0	0.0	0.0
8/13/19 23:00	0.0	0.0	0.0
8/14/19 0:00	0.0	0.0	0.0
8/14/19 1:00	0.0	0.0	0.0
8/14/19 2:00	0.0	0.0	0.0
8/14/19 3:00	0.0	0.0	0.0
8/14/19 4:00	0.0	0.0	0.0
8/14/19 5:00	0.0	0.0	0.0
8/14/19 6:00	0.0	0.0	0.0
8/14/19 7:00	0.0	0.0	0.0
8/14/19 8:00	0.0	0.0	0.0
8/14/19 9:00	0.0	0.0	0.0
8/14/19 10:00	0.0	0.0	0.0
8/14/19 11:00	0.0	0.0	0.0
8/14/19 12:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/14/19 13:00	0.0	0.0	0.0
8/14/19 14:00	0.0	0.0	0.0
8/14/19 15:00	0.0	0.0	0.0
8/14/19 16:00	0.0	0.0	0.0
8/14/19 17:00	0.0	0.0	0.0
8/14/19 18:00	0.0	0.0	0.0
8/14/19 19:00	0.0	0.0	0.0
8/14/19 20:00	0.0	0.0	0.0
8/14/19 21:00	0.0	0.0	0.0
8/14/19 22:00	0.0	0.0	0.0
8/14/19 23:00	0.0	0.0	0.0
8/15/19 0:00	0.0	0.0	0.0
8/15/19 1:00	0.0	0.0	0.0
8/15/19 2:00	0.0	0.0	0.0
8/15/19 3:00	0.0	0.0	0.0
8/15/19 4:00	0.0	0.0	0.0
8/15/19 5:00	0.0	0.0	0.0
8/15/19 6:00	0.0	0.0	0.0
8/15/19 7:00	0.0	0.0	0.0
8/15/19 8:00	0.0	0.0	0.0
8/15/19 9:00	0.0	0.0	0.0
8/15/19 10:00	0.0	0.0	0.0
8/15/19 11:00	0.0	0.0	0.0
8/15/19 12:00	0.0	0.0	0.0
8/15/19 13:00	0.0	0.0	0.0
8/15/19 14:00	0.0	0.0	0.0
8/15/19 15:00	0.0	0.0	0.0
8/15/19 16:00	0.0	0.0	0.0
8/15/19 17:00	0.0	0.0	0.0
8/15/19 18:00	0.0	0.0	0.0
8/15/19 19:00	0.0	0.0	0.0
8/15/19 20:00	0.0	0.0	0.0
8/15/19 21:00	0.0	0.0	0.0
8/15/19 22:00	0.0	0.0	0.0
8/15/19 23:00	0.0	0.0	0.0
8/16/19 0:00	0.0	0.0	0.0
8/16/19 1:00	0.0	0.0	0.0
8/16/19 2:00	0.0	0.0	0.0
8/16/19 3:00	0.0	0.0	0.0
8/16/19 4:00	0.0	0.0	0.0
8/16/19 5:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/16/19 6:00	0.0	0.0	0.0
8/16/19 7:00	0.0	0.0	0.0
8/16/19 8:00	0.0	0.0	0.0
8/16/19 9:00	0.0	0.0	0.0
8/16/19 10:00	0.0	0.0	0.0
8/16/19 11:00	0.0	0.0	0.0
8/16/19 12:00	0.0	0.0	0.0
8/16/19 13:00	0.0	0.0	0.0
8/16/19 14:00	0.0	0.0	0.0
8/16/19 15:00	0.0	0.0	0.0
8/16/19 16:00	0.0	0.0	0.0
8/16/19 17:00	0.0	0.0	0.0
8/16/19 18:00	0.0	0.0	0.0
8/16/19 19:00	0.0	0.0	0.0
8/16/19 20:00	0.0	0.0	0.0
8/16/19 21:00	0.0	0.0	0.0
8/16/19 22:00	0.0	0.0	0.0
8/16/19 23:00	0.0	0.0	0.0
8/17/19 0:00	0.0	0.0	0.0
8/17/19 1:00	0.0	0.0	0.0
8/17/19 2:00	0.0	0.0	0.0
8/17/19 3:00	0.0	0.0	0.0
8/17/19 4:00	0.0	0.0	0.0
8/17/19 5:00	0.0	0.0	0.0
8/17/19 6:00	0.0	0.0	0.0
8/17/19 7:00	0.0	0.0	0.0
8/17/19 8:00	0.0	0.0	0.0
8/17/19 9:00	0.0	0.0	0.0
8/17/19 10:00	0.0	0.0	0.0
8/17/19 11:00	0.0	0.0	0.0
8/17/19 12:00	0.0	0.0	0.0
8/17/19 13:00	0.0	0.0	0.0
8/17/19 14:00	0.0	0.0	0.0
8/17/19 15:00	0.0	0.0	0.0
8/17/19 16:00	0.0	0.0	0.0
8/17/19 17:00	0.0	0.0	0.0
8/17/19 18:00	0.0	0.0	0.0
8/17/19 19:00	0.0	0.0	0.0
8/17/19 20:00	0.0	0.0	0.0
8/17/19 21:00	0.0	0.0	0.0
8/17/19 22:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/17/19 23:00	0.0	0.0	0.0
8/18/19 0:00	0.0	0.0	0.0
8/18/19 1:00	0.0	0.0	0.0
8/18/19 2:00	0.0	0.0	0.0
8/18/19 3:00	0.0	0.0	0.0
8/18/19 4:00	0.0	0.0	0.0
8/18/19 5:00	0.0	0.0	0.0
8/18/19 6:00	0.0	0.0	0.0
8/18/19 7:00	0.0	0.0	0.0
8/18/19 8:00	0.0	0.0	0.0
8/18/19 9:00	0.0	0.0	0.0
8/18/19 10:00	0.0	0.0	0.0
8/18/19 11:00	0.0	0.0	0.0
8/18/19 12:00	0.0	0.0	0.0
8/18/19 13:00	0.0	0.0	0.0
8/18/19 14:00	0.0	0.0	0.0
8/18/19 15:00	0.0	0.0	0.0
8/18/19 16:00	0.0	0.0	0.0
8/18/19 17:00	0.0	0.0	0.0
8/18/19 18:00	0.0	0.0	0.0
8/18/19 19:00	0.0	0.0	0.0
8/18/19 20:00	0.0	0.0	0.0
8/18/19 21:00	0.0	0.0	0.0
8/18/19 22:00	0.0	0.0	0.0
8/18/19 23:00	0.0	0.0	0.0
8/19/19 0:00	0.0	0.0	0.0
8/19/19 1:00	0.0	0.0	0.0
8/19/19 2:00	0.0	0.0	0.0
8/19/19 3:00	0.0	0.0	0.0
8/19/19 4:00	0.0	0.0	0.0
8/19/19 5:00	0.0	0.0	0.0
8/19/19 6:00	0.0	0.0	0.0
8/19/19 7:00	0.0	0.0	0.0
8/19/19 8:00	0.0	0.0	0.0
8/19/19 9:00	0.0	0.0	0.0
8/19/19 10:00	0.0	0.0	0.0
8/19/19 11:00	0.0	0.0	0.0
8/19/19 12:00	0.0	0.0	0.0
8/19/19 13:00	0.0	0.0	0.0
8/19/19 14:00	0.0	0.0	0.0
8/19/19 15:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/19/19 16:00	0.0	0.0	0.0
8/19/19 17:00	0.0	0.0	0.0
8/19/19 18:00	0.0	0.0	0.0
8/19/19 19:00	0.0	0.0	0.0
8/19/19 20:00	0.0	0.0	0.0
8/19/19 21:00	0.0	0.0	0.0
8/19/19 22:00	0.0	0.0	0.0
8/19/19 23:00	0.0	0.0	0.0
8/20/19 0:00	0.0	0.0	0.0
8/20/19 1:00	0.0	0.0	0.0
8/20/19 2:00	0.0	0.0	0.0
8/20/19 3:00	0.0	0.0	0.0
8/20/19 4:00	0.0	0.0	0.0
8/20/19 5:00	0.0	0.0	0.0
8/20/19 6:00	0.0	0.0	0.0
8/20/19 7:00	0.0	0.0	0.0
8/20/19 8:00	0.0	0.0	0.0
8/20/19 9:00	0.0	0.0	0.0
8/20/19 10:00	0.0	0.0	0.0
8/20/19 11:00	0.0	0.0	0.0
8/20/19 12:00	0.0	0.0	0.0
8/20/19 13:00	0.0	0.0	0.0
8/20/19 14:00	0.0	0.0	0.0
8/20/19 15:00	0.0	0.0	0.0
8/20/19 16:00	0.0	0.0	0.0
8/20/19 17:00	0.0	0.0	0.0
8/20/19 18:00	0.0	0.0	0.0
8/20/19 19:00	0.0	0.0	0.0
8/20/19 20:00	0.0	0.0	0.0
8/20/19 21:00	0.0	0.0	0.0
8/20/19 22:00	0.0	0.0	0.0
8/20/19 23:00	0.0	0.0	0.0
8/21/19 0:00	0.0	0.0	0.0
8/21/19 1:00	0.0	0.0	0.0
8/21/19 2:00	0.0	0.0	0.0
8/21/19 3:00	0.0	0.0	0.0
8/21/19 4:00	0.0	0.0	0.0
8/21/19 5:00	0.0	0.0	0.0
8/21/19 6:00	0.0	0.0	0.0
8/21/19 7:00	0.0	0.0	0.0
8/21/19 8:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/21/19 9:00	0.0	0.0	0.0
8/21/19 10:00	0.0	0.0	0.0
8/21/19 11:00	0.0	0.0	0.0
8/21/19 12:00	0.0	0.0	0.0
8/21/19 13:00	0.0	0.0	0.0
8/21/19 14:00	0.0	0.0	0.0
8/21/19 15:00	0.0	0.0	0.0
8/21/19 16:00	0.0	0.0	0.0
8/21/19 17:00	0.0	0.0	0.0
8/21/19 18:00	0.0	0.0	0.0
8/21/19 19:00	0.0	0.0	0.0
8/21/19 20:00	0.0	0.0	0.0
8/21/19 21:00	0.0	0.0	0.0
8/21/19 22:00	0.0	0.0	0.0
8/21/19 23:00	0.0	0.0	0.0
8/22/19 0:00	0.0	0.0	0.0
8/22/19 1:00	0.0	0.0	0.0
8/22/19 2:00	0.0	0.0	0.0
8/22/19 3:00	0.0	0.0	0.0
8/22/19 4:00	0.0	0.0	0.0
8/22/19 5:00	0.0	0.0	0.0
8/22/19 6:00	0.0	0.0	0.0
8/22/19 7:00	0.0	0.0	0.0
8/22/19 8:00	0.0	0.0	0.0
8/22/19 9:00	0.0	0.0	0.0
8/22/19 10:00	0.0	0.0	0.0
8/22/19 11:00	0.0	0.0	0.0
8/22/19 12:00	0.0	0.0	0.0
8/22/19 13:00	0.0	0.0	0.0
8/22/19 14:00	0.0	0.0	0.0
8/22/19 15:00	0.0	0.0	0.0
8/22/19 16:00	0.0	0.0	0.0
8/22/19 17:00	0.0	0.0	0.0
8/22/19 18:00	0.0	0.0	0.0
8/22/19 19:00	0.0	0.0	0.0
8/22/19 20:00	0.0	0.0	0.0
8/22/19 21:00	0.0	0.0	0.0
8/22/19 22:00	0.0	0.0	0.0
8/22/19 23:00	0.0	0.0	0.0
8/23/19 0:00	0.0	0.0	0.0
8/23/19 1:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/23/19 2:00	0.0	0.0	0.0
8/23/19 3:00	0.0	0.0	0.0
8/23/19 4:00	0.0	0.0	0.0
8/23/19 5:00	0.0	0.0	0.0
8/23/19 6:00	0.0	0.0	0.0
8/23/19 7:00	0.0	0.0	0.0
8/23/19 8:00	0.0	0.0	0.0
8/23/19 9:00	0.0	0.0	0.0
8/23/19 10:00	0.0	0.0	0.0
8/23/19 11:00	0.0	0.0	0.0
8/23/19 12:00	0.0	0.0	0.0
8/23/19 13:00	0.0	0.0	0.0
8/23/19 14:00	0.0	0.0	0.0
8/23/19 15:00	0.0	0.0	0.0
8/23/19 16:00	0.0	0.0	0.0
8/23/19 17:00	0.0	0.0	0.0
8/23/19 18:00	0.0	0.0	0.0
8/23/19 19:00	0.0	0.0	0.0
8/23/19 20:00	0.0	0.0	0.0
8/23/19 21:00	0.0	0.0	0.0
8/23/19 22:00	0.0	0.0	0.0
8/23/19 23:00	0.0	0.0	0.0
8/24/19 0:00	0.0	0.0	0.0
8/24/19 1:00	0.0	0.0	0.0
8/24/19 2:00	0.0	0.0	0.0
8/24/19 3:00	0.0	0.0	0.0
8/24/19 4:00	0.0	0.0	0.0
8/24/19 5:00	0.0	0.0	0.0
8/24/19 6:00	0.0	0.0	0.0
8/24/19 7:00	0.0	0.0	0.0
8/24/19 8:00	0.0	0.0	0.0
8/24/19 9:00	0.0	0.0	0.0
8/24/19 10:00	0.0	0.0	0.0
8/24/19 11:00	0.0	0.0	0.0
8/24/19 12:00	0.0	0.0	0.0
8/24/19 13:00	0.0	0.0	0.0
8/24/19 14:00	0.0	0.0	0.0
8/24/19 15:00	0.0	0.0	0.0
8/24/19 16:00	0.0	0.0	0.0
8/24/19 17:00	0.0	0.0	0.0
8/24/19 18:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/24/19 19:00	0.0	0.0	0.0
8/24/19 20:00	0.0	0.0	0.0
8/24/19 21:00	0.0	0.0	0.0
8/24/19 22:00	0.0	0.0	0.0
8/24/19 23:00	0.0	0.0	0.0
8/25/19 0:00	0.0	0.0	0.0
8/25/19 1:00	0.0	0.0	0.0
8/25/19 2:00	0.0	0.0	0.0
8/25/19 3:00	0.0	0.0	0.0
8/25/19 4:00	0.0	0.0	0.0
8/25/19 5:00	0.0	0.0	0.0
8/25/19 6:00	0.0	0.0	0.0
8/25/19 7:00	0.0	0.0	0.0
8/25/19 8:00	0.0	0.0	0.0
8/25/19 9:00	0.0	0.0	0.0
8/25/19 10:00	0.0	0.0	0.0
8/25/19 11:00	0.0	0.0	0.0
8/25/19 12:00	0.0	0.0	0.0
8/25/19 13:00	0.0	0.0	0.0
8/25/19 14:00	0.0	0.0	0.0
8/25/19 15:00	0.0	0.0	0.0
8/25/19 16:00	0.0	0.0	0.0
8/25/19 17:00	0.0	0.0	0.0
8/25/19 18:00	0.0	0.0	0.0
8/25/19 19:00	0.0	0.0	0.0
8/25/19 20:00	0.0	0.0	0.0
8/25/19 21:00	0.0	0.0	0.0
8/25/19 22:00	0.0	0.0	0.0
8/25/19 23:00	0.0	0.0	0.0
8/26/19 0:00	0.0	0.0	0.0
8/26/19 1:00	0.0	0.0	0.0
8/26/19 2:00	0.0	0.0	0.0
8/26/19 3:00	0.0	0.0	0.0
8/26/19 4:00	0.0	0.0	0.0
8/26/19 5:00	0.0	0.0	0.0
8/26/19 6:00	0.0	0.0	0.0
8/26/19 7:00	0.0	0.0	0.0
8/26/19 8:00	0.0	0.0	0.0
8/26/19 9:00	0.0	0.0	0.0
8/26/19 10:00	0.0	0.0	0.0
8/26/19 11:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/26/19 12:00	0.0	0.0	0.0
8/26/19 13:00	0.0	0.0	0.0
8/26/19 14:00	0.0	0.0	0.0
8/26/19 15:00	0.0	0.0	0.0
8/26/19 16:00	0.0	0.0	0.0
8/26/19 17:00	0.0	0.0	0.0
8/26/19 18:00	0.0	0.0	0.0
8/26/19 19:00	0.0	0.0	0.0
8/26/19 20:00	0.0	0.0	0.0
8/26/19 21:00	0.0	0.0	0.0
8/26/19 22:00	0.0	0.0	0.0
8/26/19 23:00	0.0	0.0	0.0
8/27/19 0:00	0.0	0.0	0.0
8/27/19 1:00	0.0	0.0	0.0
8/27/19 2:00	0.0	0.0	0.0
8/27/19 3:00	0.0	0.0	0.0
8/27/19 4:00	0.0	0.0	0.0
8/27/19 5:00	0.0	0.0	0.0
8/27/19 6:00	0.0	0.0	0.0
8/27/19 7:00	0.0	0.0	0.0
8/27/19 8:00	0.0	0.0	0.0
8/27/19 9:00	0.0	0.0	0.0
8/27/19 10:00	0.0	0.0	0.0
8/27/19 11:00	0.0	0.0	0.0
8/27/19 12:00	0.0	0.0	0.0
8/27/19 13:00	0.0	0.0	0.0
8/27/19 14:00	0.0	0.0	0.0
8/27/19 15:00	0.0	0.0	0.0
8/27/19 16:00	0.0	0.0	0.0
8/27/19 17:00	0.0	0.0	0.0
8/27/19 18:00	0.0	0.0	0.0
8/27/19 19:00	0.0	0.0	0.0
8/27/19 20:00	0.0	0.0	0.0
8/27/19 21:00	0.0	0.0	0.0
8/27/19 22:00	0.0	0.0	0.0
8/27/19 23:00	0.0	0.0	0.0
8/28/19 0:00	0.0	0.0	0.0
8/28/19 1:00	0.0	0.0	0.0
8/28/19 2:00	0.0	0.0	0.0
8/28/19 3:00	0.0	0.0	0.0
8/28/19 4:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/28/19 5:00	0.0	0.0	0.0
8/28/19 6:00	0.0	0.0	0.0
8/28/19 7:00	0.0	0.0	0.0
8/28/19 8:00	0.0	0.0	0.0
8/28/19 9:00	0.0	0.0	0.0
8/28/19 10:00	0.0	0.0	0.0
8/28/19 11:00	0.0	0.0	0.0
8/28/19 12:00	0.0	0.0	0.0
8/28/19 13:00	0.0	0.0	0.0
8/28/19 14:00	0.0	0.0	0.0
8/28/19 15:00	0.0	0.0	0.0
8/28/19 16:00	0.0	0.0	0.0
8/28/19 17:00	0.0	0.0	0.0
8/28/19 18:00	0.0	0.0	0.0
8/28/19 19:00	0.0	0.0	0.0
8/28/19 20:00	0.0	0.0	0.0
8/28/19 21:00	0.0	0.0	0.0
8/28/19 22:00	0.0	0.0	0.0
8/28/19 23:00	0.0	0.0	0.0
8/29/19 0:00	0.0	0.0	0.0
8/29/19 1:00	0.0	0.0	0.0
8/29/19 2:00	0.0	0.0	0.0
8/29/19 3:00	0.0	0.0	0.0
8/29/19 4:00	0.0	0.0	0.0
8/29/19 5:00	0.0	0.0	0.0
8/29/19 6:00	0.0	0.0	0.0
8/29/19 7:00	0.0	0.0	0.0
8/29/19 8:00	0.0	0.0	0.0
8/29/19 9:00	0.0	0.0	0.0
8/29/19 10:00	0.0	0.0	0.0
8/29/19 11:00	0.0	0.0	0.0
8/29/19 12:00	0.0	0.0	0.0
8/29/19 13:00	0.0	0.0	0.0
8/29/19 14:00	0.0	0.0	0.0
8/29/19 15:00	0.0	0.0	0.0
8/29/19 16:00	0.0	0.0	0.0
8/29/19 17:00	0.0	0.0	0.0
8/29/19 18:00	0.0	0.0	0.0
8/29/19 19:00	0.0	0.0	0.0
8/29/19 20:00	0.0	0.0	0.0
8/29/19 21:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/29/19 22:00	0.0	0.0	0.0
8/29/19 23:00	0.0	0.0	0.0
8/30/19 0:00	0.0	0.0	0.0
8/30/19 1:00	0.0	0.0	0.0
8/30/19 2:00	0.0	0.0	0.0
8/30/19 3:00	0.0	0.0	0.0
8/30/19 4:00	0.0	0.0	0.0
8/30/19 5:00	0.0	0.0	0.0
8/30/19 6:00	0.0	0.0	0.0
8/30/19 7:00	0.0	0.0	0.0
8/30/19 8:00	0.0	0.0	0.0
8/30/19 9:00	0.0	0.0	0.0
8/30/19 10:00	0.0	0.0	0.0
8/30/19 11:00	0.0	0.0	0.0
8/30/19 12:00	0.0	0.0	0.0
8/30/19 13:00	0.0	0.0	0.0
8/30/19 14:00	0.0	0.0	0.0
8/30/19 15:00	0.0	0.0	0.0
8/30/19 16:00	0.0	0.0	0.0
8/30/19 17:00	0.0	0.0	0.0
8/30/19 18:00	0.0	0.0	0.0
8/30/19 19:00	0.0	0.0	0.0
8/30/19 20:00	0.0	0.0	0.0
8/30/19 21:00	0.0	0.0	0.0
8/30/19 22:00	0.0	0.0	0.0
8/30/19 23:00	0.0	0.0	0.0
8/31/19 0:00	0.0	0.0	0.0
8/31/19 1:00	0.0	0.0	0.0
8/31/19 2:00	0.0	0.0	0.0
8/31/19 3:00	0.0	0.0	0.0
8/31/19 4:00	0.0	0.0	0.0
8/31/19 5:00	0.0	0.0	0.0
8/31/19 6:00	0.0	0.0	0.0
8/31/19 7:00	0.0	0.0	0.0
8/31/19 8:00	0.0	0.0	0.0
8/31/19 9:00	0.0	0.0	0.0
8/31/19 10:00	0.0	0.0	0.0
8/31/19 11:00	0.0	0.0	0.0
8/31/19 12:00	0.0	0.0	0.0
8/31/19 13:00	0.0	0.0	0.0
8/31/19 14:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/31/19 15:00	0.0	0.0	0.0
8/31/19 16:00	0.0	0.0	0.0
8/31/19 17:00	0.0	0.0	0.0
8/31/19 18:00	0.0	0.0	0.0
8/31/19 19:00	0.0	0.0	0.0
8/31/19 20:00	0.0	0.0	0.0
8/31/19 21:00	0.0	0.0	0.0
8/31/19 22:00	0.0	0.0	0.0
8/31/19 23:00	0.0	0.0	0.0
9/1/19 0:00	0.0	0.0	0.0
9/1/19 1:00	0.0	0.0	0.0
9/1/19 2:00	0.0	0.0	0.0
9/1/19 3:00	0.0	0.0	0.0
9/1/19 4:00	0.0	0.0	0.0
9/1/19 5:00	0.0	0.0	0.0
9/1/19 6:00	0.0	0.0	0.0
9/1/19 7:00	0.0	0.0	0.0
9/1/19 8:00	0.0	0.0	0.0
9/1/19 9:00	0.0	0.0	0.0
9/1/19 10:00	0.0	0.0	0.0
9/1/19 11:00	0.0	0.0	0.0
9/1/19 12:00	0.0	0.0	0.0
9/1/19 13:00	0.0	0.0	0.0
9/1/19 14:00	0.0	0.0	0.0
9/1/19 15:00	0.0	0.0	0.0
9/1/19 16:00	0.0	0.0	0.0
9/1/19 17:00	0.0	0.0	0.0
9/1/19 18:00	0.0	0.0	0.0
9/1/19 19:00	0.0	0.0	0.0
9/1/19 20:00	0.0	0.0	0.0
9/1/19 21:00	0.0	0.0	0.0
9/1/19 22:00	0.0	0.0	0.0
9/1/19 23:00	0.0	0.0	0.0
9/2/19 0:00	0.0	0.0	0.0
9/2/19 1:00	0.0	0.0	0.0
9/2/19 2:00	0.0	0.0	0.0
9/2/19 3:00	0.0	0.0	0.0
9/2/19 4:00	0.0	0.0	0.0
9/2/19 5:00	0.0	0.0	0.0
9/2/19 6:00	0.0	0.0	0.0
9/2/19 7:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/2/19 8:00	0.0	0.0	0.0
9/2/19 9:00	0.0	0.0	0.0
9/2/19 10:00	0.0	0.0	0.0
9/2/19 11:00	0.0	0.0	0.0
9/2/19 12:00	0.0	0.0	0.0
9/2/19 13:00	0.0	0.0	0.0
9/2/19 14:00	0.0	0.0	0.0
9/2/19 15:00	0.0	0.0	0.0
9/2/19 16:00	0.0	0.0	0.0
9/2/19 17:00	0.0	0.0	0.0
9/2/19 18:00	0.0	0.0	0.0
9/2/19 19:00	0.0	0.0	0.0
9/2/19 20:00	0.0	0.0	0.0
9/2/19 21:00	0.0	0.0	0.0
9/2/19 22:00	0.0	0.0	0.0
9/2/19 23:00	0.0	0.0	0.0
9/3/19 0:00	0.0	0.0	0.0
9/3/19 1:00	0.0	0.0	0.0
9/3/19 2:00	0.0	0.0	0.0
9/3/19 3:00	0.0	0.0	0.0
9/3/19 4:00	0.0	0.0	0.0
9/3/19 5:00	0.0	0.0	0.0
9/3/19 6:00	0.0	0.0	0.0
9/3/19 7:00	0.0	0.0	0.0
9/3/19 8:00	0.0	0.0	0.0
9/3/19 9:00	0.0	0.0	0.0
9/3/19 10:00	0.0	0.0	0.0
9/3/19 11:00	0.0	0.0	0.0
9/3/19 12:00	0.0	0.0	0.0
9/3/19 13:00	0.0	0.0	0.0
9/3/19 14:00	0.0	0.0	0.0
9/3/19 15:00	0.0	0.0	0.0
9/3/19 16:00	0.0	0.0	0.0
9/3/19 17:00	0.0	0.0	0.0
9/3/19 18:00	0.0	0.0	0.0
9/3/19 19:00	0.0	0.0	0.0
9/3/19 20:00	0.0	0.0	0.0
9/3/19 21:00	0.0	0.0	0.0
9/3/19 22:00	0.0	0.0	0.0
9/3/19 23:00	0.0	0.0	0.0
9/4/19 0:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/4/19 1:00	0.0	0.0	0.0
9/4/19 2:00	0.0	0.0	0.0
9/4/19 3:00	0.0	0.0	0.0
9/4/19 4:00	0.0	0.0	0.0
9/4/19 5:00	0.0	0.0	0.0
9/4/19 6:00	0.0	0.0	0.0
9/4/19 7:00	0.0	0.0	0.0
9/4/19 8:00	0.0	0.0	0.0
9/4/19 9:00	0.0	0.0	0.0
9/4/19 10:00	0.0	0.0	0.0
9/4/19 11:00	0.0	0.0	0.0
9/4/19 12:00	0.0	0.0	0.0
9/4/19 13:00	0.0	0.0	0.0
9/4/19 14:00	0.0	0.0	0.0
9/4/19 15:00	0.0	0.0	0.0
9/4/19 16:00	0.0	0.0	0.0
9/4/19 17:00	0.0	0.0	0.0
9/4/19 18:00	0.0	0.0	0.0
9/4/19 19:00	0.0	0.0	0.0
9/4/19 20:00	0.0	0.0	0.0
9/4/19 21:00	0.0	0.0	0.0
9/4/19 22:00	0.0	0.0	0.0
9/4/19 23:00	0.0	0.0	0.0
9/5/19 0:00	0.0	0.0	0.0
9/5/19 1:00	0.0	0.0	0.0
9/5/19 2:00	0.0	0.0	0.0
9/5/19 3:00	0.0	0.0	0.0
9/5/19 4:00	0.0	0.0	0.0
9/5/19 5:00	0.0	0.0	0.0
9/5/19 6:00	0.0	0.0	0.0
9/5/19 7:00	0.0	0.0	0.0
9/5/19 8:00	0.0	0.0	0.0
9/5/19 9:00	0.0	0.0	0.0
9/5/19 10:00	0.0	0.0	0.0
9/5/19 11:00	0.0	0.0	0.0
9/5/19 12:00	0.0	0.0	0.0
9/5/19 13:00	0.0	0.0	0.0
9/5/19 14:00	0.0	0.0	0.0
9/5/19 15:00	0.0	0.0	0.0
9/5/19 16:00	0.0	0.0	0.0
9/5/19 17:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/5/19 18:00	0.0	0.0	0.0
9/5/19 19:00	0.0	0.0	0.0
9/5/19 20:00	0.0	0.0	0.0
9/5/19 21:00	0.0	0.0	0.0
9/5/19 22:00	0.0	0.0	0.0
9/5/19 23:00	0.0	0.0	0.0
9/6/19 0:00	0.0	0.0	0.0
9/6/19 1:00	0.0	0.0	0.0
9/6/19 2:00	0.0	0.0	0.0
9/6/19 3:00	0.0	0.0	0.0
9/6/19 4:00	0.0	0.0	0.0
9/6/19 5:00	0.0	0.0	0.0
9/6/19 6:00	0.0	0.0	0.0
9/6/19 7:00	0.0	0.0	0.0
9/6/19 8:00	0.0	0.0	0.0
9/6/19 9:00	0.0	0.0	0.0
9/6/19 10:00	0.0	0.0	0.0
9/6/19 11:00	0.0	0.0	0.0
9/6/19 12:00	0.0	0.0	0.0
9/6/19 13:00	0.0	0.0	0.0
9/6/19 14:00	0.0	0.0	0.0
9/6/19 15:00	0.0	0.0	0.0
9/6/19 16:00	0.0	0.0	0.0
9/6/19 17:00	0.0	0.0	0.0
9/6/19 18:00	0.0	0.0	0.0
9/6/19 19:00	0.0	0.0	0.0
9/6/19 20:00	0.0	0.0	0.0
9/6/19 21:00	0.0	0.0	0.0
9/6/19 22:00	0.0	0.0	0.0
9/6/19 23:00	0.0	0.0	0.0
9/7/19 0:00	0.0	0.0	0.0
9/7/19 1:00	0.0	0.0	0.0
9/7/19 2:00	0.0	0.0	0.0
9/7/19 3:00	0.0	0.0	0.0
9/7/19 4:00	0.0	0.0	0.0
9/7/19 5:00	0.0	0.0	0.0
9/7/19 6:00	0.0	0.0	0.0
9/7/19 7:00	0.0	0.0	0.0
9/7/19 8:00	0.0	0.0	0.0
9/7/19 9:00	0.0	0.0	0.0
9/7/19 10:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/7/19 11:00	0.0	0.0	0.0
9/7/19 12:00	0.0	0.0	0.0
9/7/19 13:00	0.0	0.0	0.0
9/7/19 14:00	0.0	0.0	0.0
9/7/19 15:00	0.0	0.0	0.0
9/7/19 16:00	0.0	0.0	0.0
9/7/19 17:00	0.0	0.0	0.0
9/7/19 18:00	0.0	0.0	0.0
9/7/19 19:00	0.0	0.0	0.0
9/7/19 20:00	0.0	0.0	0.0
9/7/19 21:00	0.0	0.0	0.0
9/7/19 22:00	0.0	0.0	0.0
9/7/19 23:00	0.0	0.0	0.0
9/8/19 0:00	0.0	0.0	0.0
9/8/19 1:00	0.0	0.0	0.0
9/8/19 2:00	0.0	0.0	0.0
9/8/19 3:00	0.0	0.0	0.0
9/8/19 4:00	0.0	0.0	0.0
9/8/19 5:00	0.0	0.0	0.0
9/8/19 6:00	0.0	0.0	0.0
9/8/19 7:00	0.0	0.0	0.0
9/8/19 8:00	0.0	0.0	0.0
9/8/19 9:00	0.0	0.0	0.0
9/8/19 10:00	0.0	0.0	0.0
9/8/19 11:00	0.0	0.0	0.0
9/8/19 12:00	0.0	0.0	0.0
9/8/19 13:00	0.0	0.0	0.0
9/8/19 14:00	0.0	0.0	0.0
9/8/19 15:00	0.0	0.0	0.0
9/8/19 16:00	0.0	0.0	0.0
9/8/19 17:00	0.0	0.0	0.0
9/8/19 18:00	0.0	0.0	0.0
9/8/19 19:00	0.0	0.0	0.0
9/8/19 20:00	0.0	0.0	0.0
9/8/19 21:00	0.0	0.0	0.0
9/8/19 22:00	0.0	0.0	0.0
9/8/19 23:00	0.0	0.0	0.0
9/9/19 0:00	0.0	0.0	0.0
9/9/19 1:00	0.0	0.0	0.0
9/9/19 2:00	0.0	0.0	0.0
9/9/19 3:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/9/19 4:00	0.0	0.0	0.0
9/9/19 5:00	0.0	0.0	0.0
9/9/19 6:00	0.0	0.0	0.0
9/9/19 7:00	0.0	0.0	0.0
9/9/19 8:00	0.0	0.0	0.0
9/9/19 9:00	0.0	0.0	0.0
9/9/19 10:00	0.0	0.0	0.0
9/9/19 11:00	0.0	0.0	0.0
9/9/19 12:00	0.0	0.0	0.0
9/9/19 13:00	0.0	0.0	0.0
9/9/19 14:00	0.0	0.0	0.0
9/9/19 15:00	0.0	0.0	0.0
9/9/19 16:00	0.0	0.0	0.0
9/9/19 17:00	0.0	0.0	0.0
9/9/19 18:00	0.0	0.0	0.0
9/9/19 19:00	0.0	0.0	0.0
9/9/19 20:00	0.0	0.0	0.0
9/9/19 21:00	0.0	0.0	0.0
9/9/19 22:00	0.0	0.0	0.0
9/9/19 23:00	0.0	0.0	0.0
9/10/19 0:00	0.0	0.0	0.0
9/10/19 1:00	0.0	0.0	0.0
9/10/19 2:00	0.0	0.0	0.0
9/10/19 3:00	0.0	0.0	0.0
9/10/19 4:00	0.0	0.0	0.0
9/10/19 5:00	0.0	0.0	0.0
9/10/19 6:00	0.0	0.0	0.0
9/10/19 7:00	0.0	0.0	0.0
9/10/19 8:00	0.0	0.0	0.0
9/10/19 9:00	0.0	0.0	0.0
9/10/19 10:00	0.0	0.0	0.0
9/10/19 11:00	0.0	0.0	0.0
9/10/19 12:00	0.0	0.0	0.0
9/10/19 13:00	0.0	0.0	0.0
9/10/19 14:00	0.0	0.0	0.0
9/10/19 15:00	0.0	0.0	0.0
9/10/19 16:00	0.0	0.0	0.0
9/10/19 17:00	0.0	0.0	0.0
9/10/19 18:00	0.0	0.0	0.0
9/10/19 19:00	0.0	0.0	0.0
9/10/19 20:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/10/19 21:00	0.0	0.0	0.0
9/10/19 22:00	0.0	0.0	0.0
9/10/19 23:00	0.0	0.0	0.0
9/11/19 0:00	0.0	0.0	0.0
9/11/19 1:00	0.0	0.0	0.0
9/11/19 2:00	0.0	0.0	0.0
9/11/19 3:00	0.0	0.0	0.0
9/11/19 4:00	0.0	0.0	0.0
9/11/19 5:00	0.0	0.0	0.0
9/11/19 6:00	0.0	0.0	0.0
9/11/19 7:00	0.0	0.0	0.0
9/11/19 8:00	0.0	0.0	0.0
9/11/19 9:00	0.0	0.0	0.0
9/11/19 10:00	0.0	0.0	0.0
9/11/19 11:00	0.0	0.0	0.0
9/11/19 12:00	0.0	0.0	0.0
9/11/19 13:00	0.0	0.0	0.0
9/11/19 14:00	0.0	0.0	0.0
9/11/19 15:00	0.0	0.0	0.0
9/11/19 16:00	0.0	0.0	0.0
9/11/19 17:00	0.0	0.0	0.0
9/11/19 18:00	0.0	0.0	0.0
9/11/19 19:00	0.0	0.0	0.0
9/11/19 20:00	0.0	0.0	0.0
9/11/19 21:00	0.0	0.0	0.0
9/11/19 22:00	0.0	0.0	0.0
9/11/19 23:00	0.0	0.0	0.0
9/12/19 0:00	0.0	0.0	0.0
9/12/19 1:00	0.0	0.0	0.0
9/12/19 2:00	0.0	0.0	0.0
9/12/19 3:00	0.0	0.0	0.0
9/12/19 4:00	0.0	0.0	0.0
9/12/19 5:00	0.0	0.0	0.0
9/12/19 6:00	0.0	0.0	0.0
9/12/19 7:00	0.0	0.0	0.0
9/12/19 8:00	0.0	0.0	0.0
9/12/19 9:00	0.0	0.0	0.0
9/12/19 10:00	0.0	0.0	0.0
9/12/19 11:00	0.0	0.0	0.0
9/12/19 12:00	0.0	0.0	0.0
9/12/19 13:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/12/19 14:00	0.0	0.0	0.0
9/12/19 15:00	0.0	0.0	0.0
9/12/19 16:00	0.0	0.0	0.0
9/12/19 17:00	0.0	0.0	0.0
9/12/19 18:00	0.0	0.0	0.0
9/12/19 19:00	0.0	0.0	0.0
9/12/19 20:00	0.0	0.0	0.0
9/12/19 21:00	0.0	0.0	0.0
9/12/19 22:00	0.0	0.0	0.0
9/12/19 23:00	0.0	0.0	0.0
9/13/19 0:00	0.0	0.0	0.0
9/13/19 1:00	0.0	0.0	0.0
9/13/19 2:00	0.0	0.0	0.0
9/13/19 3:00	0.0	0.0	0.0
9/13/19 4:00	0.0	0.0	0.0
9/13/19 5:00	0.0	0.0	0.0
9/13/19 6:00	0.0	0.0	0.0
9/13/19 7:00	0.0	0.0	0.0
9/13/19 8:00	0.0	0.0	0.0
9/13/19 9:00	0.0	0.0	0.0
9/13/19 10:00	0.0	0.0	0.0
9/13/19 11:00	0.0	0.0	0.0
9/13/19 12:00	0.0	0.0	0.0
9/13/19 13:00	0.0	0.0	0.0
9/13/19 14:00	0.0	0.0	0.0
9/13/19 15:00	0.0	0.0	0.0
9/13/19 16:00	0.0	0.0	0.0
9/13/19 17:00	0.0	0.0	0.0
9/13/19 18:00	0.0	0.0	0.0
9/13/19 19:00	0.0	0.0	0.0
9/13/19 20:00	0.0	0.0	0.0
9/13/19 21:00	0.0	0.0	0.0
9/13/19 22:00	0.0	0.0	0.0
9/13/19 23:00	0.0	0.0	0.0
9/14/19 0:00	0.0	0.0	0.0
9/14/19 1:00	0.0	0.0	0.0
9/14/19 2:00	0.0	0.0	0.0
9/14/19 3:00	0.0	0.0	0.0
9/14/19 4:00	0.0	0.0	0.0
9/14/19 5:00	0.0	0.0	0.0
9/14/19 6:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/14/19 7:00	0.0	0.0	0.0
9/14/19 8:00	0.0	0.0	0.0
9/14/19 9:00	0.0	0.0	0.0
9/14/19 10:00	0.0	0.0	0.0
9/14/19 11:00	0.0	0.0	0.0
9/14/19 12:00	0.0	0.0	0.0
9/14/19 13:00	0.0	0.0	0.0
9/14/19 14:00	0.0	0.0	0.0
9/14/19 15:00	0.0	0.0	0.0
9/14/19 16:00	0.0	0.0	0.0
9/14/19 17:00	0.0	0.0	0.0
9/14/19 18:00	0.0	0.0	0.0
9/14/19 19:00	0.0	0.0	0.0
9/14/19 20:00	0.0	0.0	0.0
9/14/19 21:00	0.0	0.0	0.0
9/14/19 22:00	0.0	0.0	0.0
9/14/19 23:00	0.0	0.0	0.0
9/15/19 0:00	0.0	0.0	0.0
9/15/19 1:00	0.0	0.0	0.0
9/15/19 2:00	0.0	0.0	0.0
9/15/19 3:00	0.0	0.0	0.0
9/15/19 4:00	0.0	0.0	0.0
9/15/19 5:00	0.0	0.0	0.0
9/15/19 6:00	0.0	0.0	0.0
9/15/19 7:00	0.0	0.0	0.0
9/15/19 8:00	0.0	0.0	0.0
9/15/19 9:00	0.0	0.0	0.0
9/15/19 10:00	0.0	0.0	0.0
9/15/19 11:00	0.0	0.0	0.0
9/15/19 12:00	0.0	0.0	0.0
9/15/19 13:00	0.0	0.0	0.0
9/15/19 14:00	0.0	0.0	0.0
9/15/19 15:00	0.0	0.0	0.0
9/15/19 16:00	0.0	0.0	0.0
9/15/19 17:00	0.0	0.0	0.0
9/15/19 18:00	0.0	0.0	0.0
9/15/19 19:00	0.0	0.0	0.0
9/15/19 20:00	0.0	0.0	0.0
9/15/19 21:00	0.0	0.0	0.0
9/15/19 22:00	0.0	0.0	0.0
9/15/19 23:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/16/19 0:00	0.0	0.0	0.0
9/16/19 1:00	0.0	0.0	0.0
9/16/19 2:00	0.0	0.0	0.0
9/16/19 3:00	0.0	0.0	0.0
9/16/19 4:00	0.0	0.0	0.0
9/16/19 5:00	0.0	0.0	0.0
9/16/19 6:00	0.0	0.0	0.0
9/16/19 7:00	0.0	0.0	0.0
9/16/19 8:00	0.0	0.0	0.0
9/16/19 9:00	0.0	0.0	0.0
9/16/19 10:00	0.0	0.0	0.0
9/16/19 11:00	0.0	0.0	0.0
9/16/19 12:00	0.0	0.0	0.0
9/16/19 13:00	0.0	0.0	0.0
9/16/19 14:00	0.0	0.0	0.0
9/16/19 15:00	0.0	0.0	0.0
9/16/19 16:00	0.0	0.0	0.0
9/16/19 17:00	0.0	0.0	0.0
9/16/19 18:00	0.0	0.0	0.0
9/16/19 19:00	0.0	0.0	0.0
9/16/19 20:00	0.0	0.0	0.0
9/16/19 21:00	0.0	0.0	0.0
9/16/19 22:00	0.0	0.0	0.0
9/16/19 23:00	0.0	0.0	0.0
9/17/19 0:00	0.0	0.0	0.0
9/17/19 1:00	0.0	0.0	0.0
9/17/19 2:00	0.0	0.0	0.0
9/17/19 3:00	0.0	0.0	0.0
9/17/19 4:00	0.0	0.0	0.0
9/17/19 5:00	0.0	0.0	0.0
9/17/19 6:00	0.0	0.0	0.0
9/17/19 7:00	0.0	0.0	0.0
9/17/19 8:00	0.0	0.0	0.0
9/17/19 9:00	0.0	0.0	0.0
9/17/19 10:00	0.0	0.0	0.0
9/17/19 11:00	0.0	0.0	0.0
9/17/19 12:00	0.0	0.0	0.0
9/17/19 13:00	0.0	0.0	0.0
9/17/19 14:00	0.0	0.0	0.0
9/17/19 15:00	0.0	0.0	0.0
9/17/19 16:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/17/19 17:00	0.0	0.0	0.0
9/17/19 18:00	0.0	0.0	0.0
9/17/19 19:00	0.0	0.0	0.0
9/17/19 20:00	0.0	0.0	0.0
9/17/19 21:00	0.0	0.0	0.0
9/17/19 22:00	0.0	0.0	0.0
9/17/19 23:00	0.0	0.0	0.0
9/18/19 0:00	0.0	0.0	0.0
9/18/19 1:00	0.0	0.0	0.0
9/18/19 2:00	0.0	0.0	0.0
9/18/19 3:00	0.0	0.0	0.0
9/18/19 4:00	0.0	0.0	0.0
9/18/19 5:00	0.0	0.0	0.0
9/18/19 6:00	0.0	0.0	0.0
9/18/19 7:00	0.0	0.0	0.0
9/18/19 8:00	0.0	0.0	0.0
9/18/19 9:00	0.0	0.0	0.0
9/18/19 10:00	0.0	0.0	0.0
9/18/19 11:00	0.0	0.0	0.0
9/18/19 12:00	0.0	0.0	0.0
9/18/19 13:00	0.0	0.0	0.0
9/18/19 14:00	0.0	0.0	0.0
9/18/19 15:00	0.0	0.0	0.0
9/18/19 16:00	0.0	0.0	0.0
9/18/19 17:00	0.0	0.0	0.0
9/18/19 18:00	0.0	0.0	0.0
9/18/19 19:00	0.0	0.0	0.0
9/18/19 20:00	0.0	0.0	0.0
9/18/19 21:00	0.0	0.0	0.0
9/18/19 22:00	0.0	0.0	0.0
9/18/19 23:00	0.0	0.0	0.0
9/19/19 0:00	0.0	0.0	0.0
9/19/19 1:00	0.0	0.0	0.0
9/19/19 2:00	0.0	0.0	0.0
9/19/19 3:00	0.0	0.0	0.0
9/19/19 4:00	0.0	0.0	0.0
9/19/19 5:00	0.0	0.0	0.0
9/19/19 6:00	0.0	0.0	0.0
9/19/19 7:00	0.0	0.0	0.0
9/19/19 8:00	0.0	0.0	0.0
9/19/19 9:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/19/19 10:00	0.0	0.0	0.0
9/19/19 11:00	0.0	0.0	0.0
9/19/19 12:00	0.0	0.0	0.0
9/19/19 13:00	0.0	0.0	0.0
9/19/19 14:00	0.0	0.0	0.0
9/19/19 15:00	0.0	0.0	0.0
9/19/19 16:00	0.0	0.0	0.0
9/19/19 17:00	0.0	0.0	0.0
9/19/19 18:00	0.0	0.0	0.0
9/19/19 19:00	0.0	0.0	0.0
9/19/19 20:00	0.0	0.0	0.0
9/19/19 21:00	0.0	0.0	0.0
9/19/19 22:00	0.0	0.0	0.0
9/19/19 23:00	0.0	0.0	0.0
9/20/19 0:00	0.0	0.0	0.0
9/20/19 1:00	0.0	0.0	0.0
9/20/19 2:00	0.0	0.0	0.0
9/20/19 3:00	0.0	0.0	0.0
9/20/19 4:00	0.0	0.0	0.0
9/20/19 5:00	0.0	0.0	0.0
9/20/19 6:00	0.0	0.0	0.0
9/20/19 7:00	0.0	0.0	0.0
9/20/19 8:00	0.0	0.0	0.0
9/20/19 9:00	0.0	0.0	0.0
9/20/19 10:00	0.0	0.0	0.0
9/20/19 11:00	0.0	0.0	0.0
9/20/19 12:00	0.0	0.0	0.0
9/20/19 13:00	0.0	0.0	0.0
9/20/19 14:00	0.0	0.0	0.0
9/20/19 15:00	0.0	0.0	0.0
9/20/19 16:00	0.0	0.0	0.0
9/20/19 17:00	0.0	0.0	0.0
9/20/19 18:00	0.0	0.0	0.0
9/20/19 19:00	0.0	0.0	0.0
9/20/19 20:00	0.0	0.0	0.0
9/20/19 21:00	0.0	0.0	0.0
9/20/19 22:00	0.0	0.0	0.0
9/20/19 23:00	0.0	0.0	0.0
9/21/19 0:00	0.0	0.0	0.0
9/21/19 1:00	0.0	0.0	0.0
9/21/19 2:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/21/19 3:00	0.0	0.0	0.0
9/21/19 4:00	0.0	0.0	0.0
9/21/19 5:00	0.0	0.0	0.0
9/21/19 6:00	0.0	0.0	0.0
9/21/19 7:00	0.0	0.0	0.0
9/21/19 8:00	0.0	0.0	0.0
9/21/19 9:00	0.0	0.0	0.0
9/21/19 10:00	0.0	0.0	0.0
9/21/19 11:00	0.0	0.0	0.0
9/21/19 12:00	0.0	0.0	0.0
9/21/19 13:00	0.0	0.0	0.0
9/21/19 14:00	0.0	0.0	0.0
9/21/19 15:00	0.0	0.0	0.0
9/21/19 16:00	0.0	0.0	0.0
9/21/19 17:00	0.0	0.0	0.0
9/21/19 18:00	0.0	0.0	0.0
9/21/19 19:00	0.0	0.0	0.0
9/21/19 20:00	0.0	0.0	0.0
9/21/19 21:00	0.0	0.0	0.0
9/21/19 22:00	0.0	0.0	0.0
9/21/19 23:00	0.0	0.0	0.0
9/22/19 0:00	0.0	0.0	0.0
9/22/19 1:00	0.0	0.0	0.0
9/22/19 2:00	0.0	0.0	0.0
9/22/19 3:00	0.0	0.0	0.0
9/22/19 4:00	0.0	0.0	0.0
9/22/19 5:00	0.0	0.0	0.0
9/22/19 6:00	0.0	0.0	0.0
9/22/19 7:00	0.0	0.0	0.0
9/22/19 8:00	0.0	0.0	0.0
9/22/19 9:00	0.0	0.0	0.0
9/22/19 10:00	0.0	0.0	0.0
9/22/19 11:00	0.0	0.0	0.0
9/22/19 12:00	0.0	0.0	0.0
9/22/19 13:00	0.0	0.0	0.0
9/22/19 14:00	0.0	0.0	0.0
9/22/19 15:00	0.0	0.0	0.0
9/22/19 16:00	0.0	0.0	0.0
9/22/19 17:00	0.0	0.0	0.0
9/22/19 18:00	0.0	0.0	0.0
9/22/19 19:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/22/19 20:00	0.0	0.0	0.0
9/22/19 21:00	0.0	0.0	0.0
9/22/19 22:00	0.0	0.0	0.0
9/22/19 23:00	0.0	0.0	0.0
9/23/19 0:00	0.0	0.0	0.0
9/23/19 1:00	0.0	0.0	0.0
9/23/19 2:00	0.0	0.0	0.0
9/23/19 3:00	0.0	0.0	0.0
9/23/19 4:00	0.0	0.0	0.0
9/23/19 5:00	0.0	0.0	0.0
9/23/19 6:00	0.0	0.0	0.0
9/23/19 7:00	0.0	0.0	0.0
9/23/19 8:00	0.0	0.0	0.0
9/23/19 9:00	0.0	0.0	0.0
9/23/19 10:00	0.0	0.0	0.0
9/23/19 11:00	0.0	0.0	0.0
9/23/19 12:00	0.0	0.0	0.0
9/23/19 13:00	0.0	0.0	0.0
9/23/19 14:00	0.0	0.0	0.0
9/23/19 15:00	0.0	0.0	0.0
9/23/19 16:00	0.0	0.0	0.0
9/23/19 17:00	0.0	0.0	0.0
9/23/19 18:00	0.0	0.0	0.0
9/23/19 19:00	0.0	0.0	0.0
9/23/19 20:00	0.0	0.0	0.0
9/23/19 21:00	0.0	0.0	0.0
9/23/19 22:00	0.0	0.0	0.0
9/23/19 23:00	0.0	0.0	0.0
9/24/19 0:00	0.0	0.0	0.0
9/24/19 1:00	0.0	0.0	0.0
9/24/19 2:00	0.0	0.0	0.0
9/24/19 3:00	0.0	0.0	0.0
9/24/19 4:00	0.0	0.0	0.0
9/24/19 5:00	0.0	0.0	0.0
9/24/19 6:00	0.0	0.0	0.0
9/24/19 7:00	0.0	0.0	0.0
9/24/19 8:00	0.0	0.0	0.0
9/24/19 9:00	0.0	0.0	0.0
9/24/19 10:00	0.0	0.0	0.0
9/24/19 11:00	0.0	0.0	0.0
9/24/19 12:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/24/19 13:00	0.0	0.0	0.0
9/24/19 14:00	0.0	0.0	0.0
9/24/19 15:00	0.0	0.0	0.0
9/24/19 16:00	0.0	0.0	0.0
9/24/19 17:00	0.0	0.0	0.0
9/24/19 18:00	0.0	0.0	0.0
9/24/19 19:00	0.0	0.0	0.0
9/24/19 20:00	0.0	0.0	0.0
9/24/19 21:00	0.0	0.0	0.0
9/24/19 22:00	0.0	0.0	0.0
9/24/19 23:00	0.0	0.0	0.0
9/25/19 0:00	0.0	0.0	0.0
9/25/19 1:00	0.0	0.0	0.0
9/25/19 2:00	0.0	0.0	0.0
9/25/19 3:00	0.0	0.0	0.0
9/25/19 4:00	0.0	0.0	0.0
9/25/19 5:00	0.0	0.0	0.0
9/25/19 6:00	0.0	0.0	0.0
9/25/19 7:00	0.0	0.0	0.0
9/25/19 8:00	0.0	0.0	0.0
9/25/19 9:00	0.0	0.0	0.0
9/25/19 10:00	0.0	0.0	0.0
9/25/19 11:00	0.0	0.0	0.0
9/25/19 12:00	0.0	0.0	0.0
9/25/19 13:00	0.0	0.0	0.0
9/25/19 14:00	0.0	0.0	0.0
9/25/19 15:00	0.0	0.0	0.0
9/25/19 16:00	0.0	0.0	0.0
9/25/19 17:00	0.0	0.0	0.0
9/25/19 18:00	0.0	0.0	0.0
9/25/19 19:00	0.0	0.0	0.0
9/25/19 20:00	0.0	0.0	0.0
9/25/19 21:00	0.0	0.0	0.0
9/25/19 22:00	0.0	0.0	0.0
9/25/19 23:00	0.0	0.0	0.0
9/26/19 0:00	0.0	0.0	0.0
9/26/19 1:00	0.0	0.0	0.0
9/26/19 2:00	0.0	0.0	0.0
9/26/19 3:00	0.0	0.0	0.0
9/26/19 4:00	0.0	0.0	0.0
9/26/19 5:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/26/19 6:00	0.0	0.0	0.0
9/26/19 7:00	0.0	0.0	0.0
9/26/19 8:00	0.0	0.0	0.0
9/26/19 9:00	0.0	0.0	0.0
9/26/19 10:00	0.0	0.0	0.0
9/26/19 11:00	0.0	0.0	0.0
9/26/19 12:00	0.0	0.0	0.0
9/26/19 13:00	0.0	0.0	0.0
9/26/19 14:00	0.0	0.0	0.0
9/26/19 15:00	0.0	0.0	0.0
9/26/19 16:00	0.0	0.0	0.0
9/26/19 17:00	0.0	0.0	0.0
9/26/19 18:00	0.0	0.0	0.0
9/26/19 19:00	0.0	0.0	0.0
9/26/19 20:00	0.0	0.0	0.0
9/26/19 21:00	0.0	0.0	0.0
9/26/19 22:00	0.0	0.0	0.0
9/26/19 23:00	0.0	0.0	0.0
9/27/19 0:00	0.0	0.0	0.0
9/27/19 1:00	0.0	0.0	0.0
9/27/19 2:00	0.0	0.0	0.0
9/27/19 3:00	0.0	0.0	0.0
9/27/19 4:00	0.0	0.0	0.0
9/27/19 5:00	0.0	0.0	0.0
9/27/19 6:00	0.0	0.0	0.0
9/27/19 7:00	0.0	0.0	0.0
9/27/19 8:00	0.0	0.0	0.0
9/27/19 9:00	0.0	0.0	0.0
9/27/19 10:00	0.0	0.0	0.0
9/27/19 11:00	0.0	0.0	0.0
9/27/19 12:00	0.0	0.0	0.0
9/27/19 13:00	0.0	0.0	0.0
9/27/19 14:00	0.0	0.0	0.0
9/27/19 15:00	0.0	0.0	0.0
9/27/19 16:00	0.0	0.0	0.0
9/27/19 17:00	0.0	0.0	0.0
9/27/19 18:00	0.0	0.0	0.0
9/27/19 19:00	0.0	0.0	0.0
9/27/19 20:00	0.0	0.0	0.0
9/27/19 21:00	0.0	0.0	0.0
9/27/19 22:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/27/19 23:00	0.0	0.0	0.0
9/28/19 0:00	0.0	0.0	0.0
9/28/19 1:00	0.0	0.0	0.0
9/28/19 2:00	0.0	0.0	0.0
9/28/19 3:00	0.0	0.0	0.0
9/28/19 4:00	0.0	0.0	0.0
9/28/19 5:00	0.0	0.0	0.0
9/28/19 6:00	0.0	0.0	0.0
9/28/19 7:00	0.0	0.0	0.0
9/28/19 8:00	0.0	0.0	0.0
9/28/19 9:00	0.0	0.0	0.0
9/28/19 10:00	0.0	0.0	0.0
9/28/19 11:00	0.0	0.0	0.0
9/28/19 12:00	0.0	0.0	0.0
9/28/19 13:00	0.0	0.0	0.0
9/28/19 14:00	0.0	0.0	0.0
9/28/19 15:00	0.0	0.0	0.0
9/28/19 16:00	0.0	0.0	0.0
9/28/19 17:00	0.0	0.0	0.0
9/28/19 18:00	0.0	0.0	0.0
9/28/19 19:00	0.0	0.0	0.0
9/28/19 20:00	0.0	0.0	0.0
9/28/19 21:00	0.0	0.0	0.0
9/28/19 22:00	0.0	0.0	0.0
9/28/19 23:00	0.0	0.0	0.0
9/29/19 0:00	0.0	0.0	0.0
9/29/19 1:00	0.0	0.0	0.0
9/29/19 2:00	0.0	0.0	0.0
9/29/19 3:00	0.0	0.0	0.0
9/29/19 4:00	0.0	0.0	0.0
9/29/19 5:00	0.0	0.0	0.0
9/29/19 6:00	0.0	0.0	0.0
9/29/19 7:00	0.0	0.0	0.0
9/29/19 8:00	0.0	0.0	0.0
9/29/19 9:00	0.0	0.0	0.0
9/29/19 10:00	0.0	0.0	0.0
9/29/19 11:00	0.0	0.0	0.0
9/29/19 12:00	0.0	0.0	0.0
9/29/19 13:00	0.0	0.0	0.0
9/29/19 14:00	0.0	0.0	0.0
9/29/19 15:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/29/19 16:00	0.0	0.0	0.0
9/29/19 17:00	0.0	0.0	0.0
9/29/19 18:00	0.0	0.0	0.0
9/29/19 19:00	0.0	0.0	0.0
9/29/19 20:00	0.0	0.0	0.0
9/29/19 21:00	0.0	0.0	0.0
9/29/19 22:00	0.0	0.0	0.0
9/29/19 23:00	0.0	0.0	0.0
9/30/19 0:00	0.0	0.0	0.0
9/30/19 1:00	0.0	0.0	0.0
9/30/19 2:00	0.0	0.0	0.0
9/30/19 3:00	0.0	0.0	0.0
9/30/19 4:00	0.0	0.0	0.0
9/30/19 5:00	0.0	0.0	0.0
9/30/19 6:00	0.0	0.0	0.0
9/30/19 7:00	0.0	0.0	0.0
9/30/19 8:00	0.0	0.0	0.0
9/30/19 9:00	0.0	0.0	0.0
9/30/19 10:00	0.0	0.0	0.0
9/30/19 11:00	0.0	0.0	0.0
9/30/19 12:00	0.0	0.0	0.0
9/30/19 13:00	0.0	0.0	0.0
9/30/19 14:00	0.0	0.0	0.0
9/30/19 15:00	0.0	0.0	0.0
9/30/19 16:00	0.0	0.0	0.0
9/30/19 17:00	0.0	0.0	0.0
9/30/19 18:00	0.0	0.0	0.0
9/30/19 19:00	0.0	0.0	0.0
9/30/19 20:00	0.0	0.0	0.0
9/30/19 21:00	0.0	0.0	0.0
9/30/19 22:00	0.0	0.0	0.0
9/30/19 23:00	0.0	0.0	0.0
10/1/19 0:00	0.0	0.0	0.0
10/1/19 1:00	0.0	0.0	0.0
10/1/19 2:00	0.0	0.0	0.0
10/1/19 3:00	0.0	0.0	0.0
10/1/19 4:00	0.0	0.0	0.0
10/1/19 5:00	0.0	0.0	0.0
10/1/19 6:00	0.0	0.0	0.0
10/1/19 7:00	0.0	0.0	0.0
10/1/19 8:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/1/19 9:00	0.0	0.0	0.0
10/1/19 10:00	0.0	0.0	0.0
10/1/19 11:00	0.0	0.0	0.0
10/1/19 12:00	0.0	0.0	0.0
10/1/19 13:00	0.0	0.0	0.0
10/1/19 14:00	0.0	0.0	0.0
10/1/19 15:00	0.0	0.0	0.0
10/1/19 16:00	0.0	0.0	0.0
10/1/19 17:00	0.0	0.0	0.0
10/1/19 18:00	0.0	0.0	0.0
10/1/19 19:00	0.0	0.0	0.0
10/1/19 20:00	0.0	0.0	0.0
10/1/19 21:00	0.0	0.0	0.0
10/1/19 22:00	0.0	0.0	0.0
10/1/19 23:00	0.0	0.0	0.0
10/2/19 0:00	0.0	0.0	0.0
10/2/19 1:00	0.0	0.0	0.0
10/2/19 2:00	0.0	0.0	0.0
10/2/19 3:00	0.0	0.0	0.0
10/2/19 4:00	0.0	0.0	0.0
10/2/19 5:00	0.0	0.0	0.0
10/2/19 6:00	0.0	0.0	0.0
10/2/19 7:00	0.0	0.0	0.0
10/2/19 8:00	0.0	0.0	0.0
10/2/19 9:00	0.0	0.0	0.0
10/2/19 10:00	0.0	0.0	0.0
10/2/19 11:00	0.0	0.0	0.0
10/2/19 12:00	0.0	0.0	0.0
10/2/19 13:00	0.0	0.0	0.0
10/2/19 14:00	0.0	0.0	0.0
10/2/19 15:00	0.0	0.0	0.0
10/2/19 16:00	0.0	0.0	0.0
10/2/19 17:00	0.0	0.0	0.0
10/2/19 18:00	0.0	0.0	0.0
10/2/19 19:00	0.0	0.0	0.0
10/2/19 20:00	0.0	0.0	0.0
10/2/19 21:00	0.0	0.0	0.0
10/2/19 22:00	0.0	0.0	0.0
10/2/19 23:00	0.0	0.0	0.0
10/3/19 0:00	0.0	0.0	0.0
10/3/19 1:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/3/19 2:00	0.0	0.0	0.0
10/3/19 3:00	0.0	0.0	0.0
10/3/19 4:00	0.0	0.0	0.0
10/3/19 5:00	0.0	0.0	0.0
10/3/19 6:00	0.0	0.0	0.0
10/3/19 7:00	0.0	0.0	0.0
10/3/19 8:00	0.0	0.0	0.0
10/3/19 9:00	0.0	0.0	0.0
10/3/19 10:00	0.0	0.0	0.0
10/3/19 11:00	0.0	0.0	0.0
10/3/19 12:00	0.0	0.0	0.0
10/3/19 13:00	0.0	0.0	0.0
10/3/19 14:00	0.0	0.0	0.0
10/3/19 15:00	0.0	0.0	0.0
10/3/19 16:00	0.0	0.0	0.0
10/3/19 17:00	0.0	0.0	0.0
10/3/19 18:00	0.0	0.0	0.0
10/3/19 19:00	0.0	0.0	0.0
10/3/19 20:00	0.0	0.0	0.0
10/3/19 21:00	0.0	0.0	0.0
10/3/19 22:00	0.0	0.0	0.0
10/3/19 23:00	0.0	0.0	0.0
10/4/19 0:00	0.0	0.0	0.0
10/4/19 1:00	0.0	0.0	0.0
10/4/19 2:00	0.0	0.0	0.0
10/4/19 3:00	0.0	0.0	0.0
10/4/19 4:00	0.0	0.0	0.0
10/4/19 5:00	0.0	0.0	0.0
10/4/19 6:00	0.0	0.0	0.0
10/4/19 7:00	0.0	0.0	0.0
10/4/19 8:00	0.0	0.0	0.0
10/4/19 9:00	0.0	0.0	0.0
10/4/19 10:00	0.0	0.0	0.0
10/4/19 11:00	0.0	0.0	0.0
10/4/19 12:00	0.0	0.0	0.0
10/4/19 13:00	0.0	0.0	0.0
10/4/19 14:00	0.0	0.0	0.0
10/4/19 15:00	0.0	0.0	0.0
10/4/19 16:00	0.0	0.0	0.0
10/4/19 17:00	0.0	0.0	0.0
10/4/19 18:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/4/19 19:00	0.0	0.0	0.0
10/4/19 20:00	0.0	0.0	0.0
10/4/19 21:00	0.0	0.0	0.0
10/4/19 22:00	0.0	0.0	0.0
10/4/19 23:00	0.0	0.0	0.0
10/5/19 0:00	0.0	0.0	0.0
10/5/19 1:00	0.0	0.0	0.0
10/5/19 2:00	0.0	0.0	0.0
10/5/19 3:00	0.0	0.0	0.0
10/5/19 4:00	0.0	0.0	0.0
10/5/19 5:00	0.0	0.0	0.0
10/5/19 6:00	0.0	0.0	0.0
10/5/19 7:00	0.0	0.0	0.0
10/5/19 8:00	0.0	0.0	0.0
10/5/19 9:00	0.0	0.0	0.0
10/5/19 10:00	0.0	0.0	0.0
10/5/19 11:00	0.0	0.0	0.0
10/5/19 12:00	0.0	0.0	0.0
10/5/19 13:00	0.0	0.0	0.0
10/5/19 14:00	0.0	0.0	0.0
10/5/19 15:00	0.0	0.0	0.0
10/5/19 16:00	0.0	0.0	0.0
10/5/19 17:00	0.0	0.0	0.0
10/5/19 18:00	0.0	0.0	0.0
10/5/19 19:00	0.0	0.0	0.0
10/5/19 20:00	0.0	0.0	0.0
10/5/19 21:00	0.0	0.0	0.0
10/5/19 22:00	0.0	0.0	0.0
10/5/19 23:00	0.0	0.0	0.0
10/6/19 0:00	0.0	0.0	0.0
10/6/19 1:00	0.0	0.0	0.0
10/6/19 2:00	0.0	0.0	0.0
10/6/19 3:00	0.0	0.0	0.0
10/6/19 4:00	0.0	0.0	0.0
10/6/19 5:00	0.0	0.0	0.0
10/6/19 6:00	0.0	0.0	0.0
10/6/19 7:00	0.0	0.0	0.0
10/6/19 8:00	0.0	0.0	0.0
10/6/19 9:00	0.0	0.0	0.0
10/6/19 10:00	0.0	0.0	0.0
10/6/19 11:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/6/19 12:00	0.0	0.0	0.0
10/6/19 13:00	0.0	0.0	0.0
10/6/19 14:00	0.0	0.0	0.0
10/6/19 15:00	0.0	0.0	0.0
10/6/19 16:00	0.0	0.0	0.0
10/6/19 17:00	0.0	0.0	0.0
10/6/19 18:00	0.0	0.0	0.0
10/6/19 19:00	0.0	0.0	0.0
10/6/19 20:00	0.0	0.0	0.0
10/6/19 21:00	0.0	0.0	0.0
10/6/19 22:00	0.0	0.0	0.0
10/6/19 23:00	0.0	0.0	0.0
10/7/19 0:00	0.0	0.0	0.0
10/7/19 1:00	0.0	0.0	0.0
10/7/19 2:00	0.0	0.0	0.0
10/7/19 3:00	0.0	0.0	0.0
10/7/19 4:00	0.0	0.0	0.0
10/7/19 5:00	0.0	0.0	0.0
10/7/19 6:00	0.0	0.0	0.0
10/7/19 7:00	0.0	0.0	0.0
10/7/19 8:00	0.0	0.0	0.0
10/7/19 9:00	0.0	0.0	0.0
10/7/19 10:00	0.0	0.0	0.0
10/7/19 11:00	0.0	0.0	0.0
10/7/19 12:00	0.0	0.0	0.0
10/7/19 13:00	0.0	0.0	0.0
10/7/19 14:00	0.0	0.0	0.0
10/7/19 15:00	0.0	0.0	0.0
10/7/19 16:00	0.0	0.0	0.0
10/7/19 17:00	0.0	0.0	0.0
10/7/19 18:00	0.0	0.0	0.0
10/7/19 19:00	0.0	0.0	0.0
10/7/19 20:00	0.0	0.0	0.0
10/7/19 21:00	0.0	0.0	0.0
10/7/19 22:00	0.0	0.0	0.0
10/7/19 23:00	0.0	0.0	0.0
10/8/19 0:00	0.0	0.0	0.0
10/8/19 1:00	0.0	0.0	0.0
10/8/19 2:00	0.0	0.0	0.0
10/8/19 3:00	0.0	0.0	0.0
10/8/19 4:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/8/19 5:00	0.0	0.0	0.0
10/8/19 6:00	0.0	0.0	0.0
10/8/19 7:00	0.0	0.0	0.0
10/8/19 8:00	0.0	0.0	0.0
10/8/19 9:00	0.0	0.0	0.0
10/8/19 10:00	0.0	0.0	0.0
10/8/19 11:00	0.0	0.0	0.0
10/8/19 12:00	0.0	0.0	0.0
10/8/19 13:00	0.0	0.0	0.0
10/8/19 14:00	0.0	0.0	0.0
10/8/19 15:00	0.0	0.0	0.0
10/8/19 16:00	0.0	0.0	0.0
10/8/19 17:00	0.0	0.0	0.0
10/8/19 18:00	0.0	0.0	0.0
10/8/19 19:00	0.0	0.0	0.0
10/8/19 20:00	0.0	0.0	0.0
10/8/19 21:00	0.0	0.0	0.0
10/8/19 22:00	0.0	0.0	0.0
10/8/19 23:00	0.0	0.0	0.0
10/9/19 0:00	0.0	0.0	0.0
10/9/19 1:00	0.0	0.0	0.0
10/9/19 2:00	0.0	0.0	0.0
10/9/19 3:00	0.0	0.0	0.0
10/9/19 4:00	0.0	0.0	0.0
10/9/19 5:00	0.0	0.0	0.0
10/9/19 6:00	0.0	0.0	0.0
10/9/19 7:00	0.0	0.0	0.0
10/9/19 8:00	0.0	0.0	0.0
10/9/19 9:00	0.0	0.0	0.0
10/9/19 10:00	0.0	0.0	0.0
10/9/19 11:00	0.0	0.0	0.0
10/9/19 12:00	0.0	0.0	0.0
10/9/19 13:00	0.0	0.0	0.0
10/9/19 14:00	0.0	0.0	0.0
10/9/19 15:00	0.0	0.0	0.0
10/9/19 16:00	0.0	0.0	0.0
10/9/19 17:00	0.0	0.0	0.0
10/9/19 18:00	0.0	0.0	0.0
10/9/19 19:00	0.0	0.0	0.0
10/9/19 20:00	0.0	0.0	0.0
10/9/19 21:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/9/19 22:00	0.0	0.0	0.0
10/9/19 23:00	0.0	0.0	0.0
10/10/19 0:00	0.0	0.0	0.0
10/10/19 1:00	0.0	0.0	0.0
10/10/19 2:00	0.0	0.0	0.0
10/10/19 3:00	0.0	0.0	0.0
10/10/19 4:00	0.0	0.0	0.0
10/10/19 5:00	0.0	0.0	0.0
10/10/19 6:00	0.0	0.0	0.0
10/10/19 7:00	0.0	0.0	0.0
10/10/19 8:00	0.0	0.0	0.0
10/10/19 9:00	0.0	0.0	0.0
10/10/19 10:00	0.0	0.0	0.0
10/10/19 11:00	0.0	0.0	0.0
10/10/19 12:00	0.0	0.0	0.0
10/10/19 13:00	0.0	0.0	0.0
10/10/19 14:00	0.0	0.0	0.0
10/10/19 15:00	0.0	0.0	0.0
10/10/19 16:00	0.0	0.0	0.0
10/10/19 17:00	0.0	0.0	0.0
10/10/19 18:00	0.0	0.0	0.0
10/10/19 19:00	0.0	0.0	0.0
10/10/19 20:00	0.0	0.0	0.0
10/10/19 21:00	0.0	0.0	0.0
10/10/19 22:00	0.0	0.0	0.0
10/10/19 23:00	0.0	0.0	0.0
10/11/19 0:00	0.0	0.0	0.0
10/11/19 1:00	0.0	0.0	0.0
10/11/19 2:00	0.0	0.0	0.0
10/11/19 3:00	0.0	0.0	0.0
10/11/19 4:00	0.0	0.0	0.0
10/11/19 5:00	0.0	0.0	0.0
10/11/19 6:00	0.0	0.0	0.0
10/11/19 7:00	0.0	0.0	0.0
10/11/19 8:00	0.0	0.0	0.0
10/11/19 9:00	0.0	0.0	0.0
10/11/19 10:00	0.0	0.0	0.0
10/11/19 11:00	0.0	0.0	0.0
10/11/19 12:00	0.0	0.0	0.0
10/11/19 13:00	0.0	0.0	0.0
10/11/19 14:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/11/19 15:00	0.0	0.0	0.0
10/11/19 16:00	0.0	0.0	0.0
10/11/19 17:00	0.0	0.0	0.0
10/11/19 18:00	0.0	0.0	0.0
10/11/19 19:00	0.0	0.0	0.0
10/11/19 20:00	0.0	0.0	0.0
10/11/19 21:00	0.0	0.0	0.0
10/11/19 22:00	0.0	0.0	0.0
10/11/19 23:00	0.0	0.0	0.0
10/12/19 0:00	0.0	0.0	0.0
10/12/19 1:00	0.0	0.0	0.0
10/12/19 2:00	0.0	0.0	0.0
10/12/19 3:00	0.0	0.0	0.0
10/12/19 4:00	0.0	0.0	0.0
10/12/19 5:00	0.0	0.0	0.0
10/12/19 6:00	0.0	0.0	0.0
10/12/19 7:00	0.0	0.0	0.0
10/12/19 8:00	0.0	0.0	0.0
10/12/19 9:00	0.0	0.0	0.0
10/12/19 10:00	0.0	0.0	0.0
10/12/19 11:00	0.0	0.0	0.0
10/12/19 12:00	0.0	0.0	0.0
10/12/19 13:00	0.0	0.0	0.0
10/12/19 14:00	0.0	0.0	0.0
10/12/19 15:00	0.0	0.0	0.0
10/12/19 16:00	0.0	0.0	0.0
10/12/19 17:00	0.0	0.0	0.0
10/12/19 18:00	0.0	0.0	0.0
10/12/19 19:00	0.0	0.0	0.0
10/12/19 20:00	0.0	0.0	0.0
10/12/19 21:00	0.0	0.0	0.0
10/12/19 22:00	0.0	0.0	0.0
10/12/19 23:00	0.0	0.0	0.0
10/13/19 0:00	0.0	0.0	0.0
10/13/19 1:00	0.0	0.0	0.0
10/13/19 2:00	0.0	0.0	0.0
10/13/19 3:00	0.0	0.0	0.0
10/13/19 4:00	0.0	0.0	0.0
10/13/19 5:00	0.0	0.0	0.0
10/13/19 6:00	0.0	0.0	0.0
10/13/19 7:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/13/19 8:00	0.0	0.0	0.0
10/13/19 9:00	0.0	0.0	0.0
10/13/19 10:00	0.0	0.0	0.0
10/13/19 11:00	0.0	0.0	0.0
10/13/19 12:00	0.0	0.0	0.0
10/13/19 13:00	0.0	0.0	0.0
10/13/19 14:00	0.0	0.0	0.0
10/13/19 15:00	0.0	0.0	0.0
10/13/19 16:00	0.0	0.0	0.0
10/13/19 17:00	0.0	0.0	0.0
10/13/19 18:00	0.0	0.0	0.0
10/13/19 19:00	0.0	0.0	0.0
10/13/19 20:00	0.0	0.0	0.0
10/13/19 21:00	0.0	0.0	0.0
10/13/19 22:00	0.0	0.0	0.0
10/13/19 23:00	0.0	0.0	0.0
10/14/19 0:00	0.0	0.0	0.0
10/14/19 1:00	0.0	0.0	0.0
10/14/19 2:00	0.0	0.0	0.0
10/14/19 3:00	0.0	0.0	0.0
10/14/19 4:00	0.0	0.0	0.0
10/14/19 5:00	0.0	0.0	0.0
10/14/19 6:00	0.0	0.0	0.0
10/14/19 7:00	0.0	0.0	0.0
10/14/19 8:00	0.0	0.0	0.0
10/14/19 9:00	0.0	0.0	0.0
10/14/19 10:00	0.0	0.0	0.0
10/14/19 11:00	0.0	0.0	0.0
10/14/19 12:00	0.0	0.0	0.0
10/14/19 13:00	0.0	0.0	0.0
10/14/19 14:00	0.0	0.0	0.0
10/14/19 15:00	0.0	0.0	0.0
10/14/19 16:00	0.0	0.0	0.0
10/14/19 17:00	0.0	0.0	0.0
10/14/19 18:00	0.0	0.0	0.0
10/14/19 19:00	0.0	0.0	0.0
10/14/19 20:00	0.0	0.0	0.0
10/14/19 21:00	0.0	0.0	0.0
10/14/19 22:00	0.0	0.0	0.0
10/14/19 23:00	0.0	0.0	0.0
10/15/19 0:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/15/19 1:00	0.0	0.0	0.0
10/15/19 2:00	0.0	0.0	0.0
10/15/19 3:00	0.0	0.0	0.0
10/15/19 4:00	0.0	0.0	0.0
10/15/19 5:00	0.0	0.0	0.0
10/15/19 6:00	0.0	0.0	0.0
10/15/19 7:00	0.0	0.0	0.0
10/15/19 8:00	0.0	0.0	0.0
10/15/19 9:00	0.0	0.0	0.0
10/15/19 10:00	0.0	0.0	0.0
10/15/19 11:00	0.0	0.0	0.0
10/15/19 12:00	0.0	0.0	0.0
10/15/19 13:00	0.0	0.0	0.0
10/15/19 14:00	0.0	0.0	0.0
10/15/19 15:00	0.0	0.0	0.0
10/15/19 16:00	0.0	0.0	0.0
10/15/19 17:00	0.0	0.0	0.0
10/15/19 18:00	0.0	0.0	0.0
10/15/19 19:00	0.0	0.0	0.0
10/15/19 20:00	0.0	0.0	0.0
10/15/19 21:00	0.0	0.0	0.0
10/15/19 22:00	0.0	0.0	0.0
10/15/19 23:00	0.0	0.0	0.0
10/16/19 0:00	0.0	0.0	0.0
10/16/19 1:00	0.0	0.0	0.0
10/16/19 2:00	0.0	0.0	0.0
10/16/19 3:00	0.0	0.0	0.0
10/16/19 4:00	0.0	0.0	0.0
10/16/19 5:00	0.0	0.0	0.0
10/16/19 6:00	0.0	0.0	0.0
10/16/19 7:00	0.0	0.0	0.0
10/16/19 8:00	0.0	0.0	0.0
10/16/19 9:00	0.0	0.0	0.0
10/16/19 10:00	0.0	0.0	0.0
10/16/19 11:00	0.0	0.0	0.0
10/16/19 12:00	0.0	0.0	0.0
10/16/19 13:00	0.0	0.0	0.0
10/16/19 14:00	0.0	0.0	0.0
10/16/19 15:00	0.0	0.0	0.0
10/16/19 16:00	0.0	0.0	0.0
10/16/19 17:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/16/19 18:00	0.0	0.0	0.0
10/16/19 19:00	0.0	0.0	0.0
10/16/19 20:00	0.0	0.0	0.0
10/16/19 21:00	0.0	0.0	0.0
10/16/19 22:00	0.0	0.0	0.0
10/16/19 23:00	0.0	0.0	0.0
10/17/19 0:00	0.0	0.0	0.0
10/17/19 1:00	0.0	0.0	0.0
10/17/19 2:00	0.0	0.0	0.0
10/17/19 3:00	0.0	0.0	0.0
10/17/19 4:00	0.0	0.0	0.0
10/17/19 5:00	0.0	0.0	0.0
10/17/19 6:00	0.0	0.0	0.0
10/17/19 7:00	0.0	0.0	0.0
10/17/19 8:00	0.0	0.0	0.0
10/17/19 9:00	0.0	0.0	0.0
10/17/19 10:00	0.0	0.0	0.0
10/17/19 11:00	0.0	0.0	0.0
10/17/19 12:00	0.0	0.0	0.0
10/17/19 13:00	0.0	0.0	0.0
10/17/19 14:00	0.0	0.0	0.0
10/17/19 15:00	0.0	0.0	0.0
10/17/19 16:00	0.0	0.0	0.0
10/17/19 17:00	0.0	0.0	0.0
10/17/19 18:00	0.0	0.0	0.0
10/17/19 19:00	0.0	0.0	0.0
10/17/19 20:00	0.0	0.0	0.0
10/17/19 21:00	0.0	0.0	0.0
10/17/19 22:00	0.0	0.0	0.0
10/17/19 23:00	0.0	0.0	0.0
10/18/19 0:00	0.0	0.0	0.0
10/18/19 1:00	0.0	0.0	0.0
10/18/19 2:00	0.0	0.0	0.0
10/18/19 3:00	0.0	0.0	0.0
10/18/19 4:00	0.0	0.0	0.0
10/18/19 5:00	0.0	0.0	0.0
10/18/19 6:00	0.0	0.0	0.0
10/18/19 7:00	0.0	0.0	0.0
10/18/19 8:00	0.0	0.0	0.0
10/18/19 9:00	0.0	0.0	0.0
10/18/19 10:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/18/19 11:00	0.0	0.0	0.0
10/18/19 12:00	0.0	0.0	0.0
10/18/19 13:00	0.0	0.0	0.0
10/18/19 14:00	0.0	0.0	0.0
10/18/19 15:00	0.0	0.0	0.0
10/18/19 16:00	0.0	0.0	0.0
10/18/19 17:00	0.0	0.0	0.0
10/18/19 18:00	0.0	0.0	0.0
10/18/19 19:00	0.0	0.0	0.0
10/18/19 20:00	0.0	0.0	0.0
10/18/19 21:00	0.0	0.0	0.0
10/18/19 22:00	0.0	0.0	0.0
10/18/19 23:00	0.0	0.0	0.0
10/19/19 0:00	0.0	0.0	0.0
10/19/19 1:00	0.0	0.0	0.0
10/19/19 2:00	0.0	0.0	0.0
10/19/19 3:00	0.0	0.0	0.0
10/19/19 4:00	0.0	0.0	0.0
10/19/19 5:00	0.0	0.0	0.0
10/19/19 6:00	0.0	0.0	0.0
10/19/19 7:00	0.0	0.0	0.0
10/19/19 8:00	0.0	0.0	0.0
10/19/19 9:00	0.0	0.0	0.0
10/19/19 10:00	0.0	0.0	0.0
10/19/19 11:00	0.0	0.0	0.0
10/19/19 12:00	0.0	0.0	0.0
10/19/19 13:00	0.0	0.0	0.0
10/19/19 14:00	0.0	0.0	0.0
10/19/19 15:00	0.0	0.0	0.0
10/19/19 16:00	0.0	0.0	0.0
10/19/19 17:00	0.0	0.0	0.0
10/19/19 18:00	0.0	0.0	0.0
10/19/19 19:00	0.0	0.0	0.0
10/19/19 20:00	0.0	0.0	0.0
10/19/19 21:00	0.0	0.0	0.0
10/19/19 22:00	0.0	0.0	0.0
10/19/19 23:00	0.0	0.0	0.0
10/20/19 0:00	0.0	0.0	0.0
10/20/19 1:00	0.0	0.0	0.0
10/20/19 2:00	0.0	0.0	0.0
10/20/19 3:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/20/19 4:00	0.0	0.0	0.0
10/20/19 5:00	0.0	0.0	0.0
10/20/19 6:00	0.0	0.0	0.0
10/20/19 7:00	0.0	0.0	0.0
10/20/19 8:00	0.0	0.0	0.0
10/20/19 9:00	0.0	0.0	0.0
10/20/19 10:00	0.0	0.0	0.0
10/20/19 11:00	0.0	0.0	0.0
10/20/19 12:00	0.0	0.0	0.0
10/20/19 13:00	0.0	0.0	0.0
10/20/19 14:00	0.0	0.0	0.0
10/20/19 15:00	0.0	0.0	0.0
10/20/19 16:00	0.0	0.0	0.0
10/20/19 17:00	0.0	0.0	0.0
10/20/19 18:00	0.0	0.0	0.0
10/20/19 19:00	0.0	0.0	0.0
10/20/19 20:00	0.0	0.0	0.0
10/20/19 21:00	0.0	0.0	0.0
10/20/19 22:00	0.0	0.0	0.0
10/20/19 23:00	0.0	0.0	0.0
10/21/19 0:00	0.0	0.0	0.0
10/21/19 1:00	0.0	0.0	0.0
10/21/19 2:00	0.0	0.0	0.0
10/21/19 3:00	0.0	0.0	0.0
10/21/19 4:00	0.0	0.0	0.0
10/21/19 5:00	0.0	0.0	0.0
10/21/19 6:00	0.0	0.0	0.0
10/21/19 7:00	0.0	0.0	0.0
10/21/19 8:00	0.0	0.0	0.0
10/21/19 9:00	0.0	0.0	0.0
10/21/19 10:00	0.0	0.0	0.0
10/21/19 11:00	0.0	0.0	0.0
10/21/19 12:00	0.0	0.0	0.0
10/21/19 13:00	0.0	0.0	0.0
10/21/19 14:00	0.0	0.0	0.0
10/21/19 15:00	0.0	0.0	0.0
10/21/19 16:00	0.0	0.0	0.0
10/21/19 17:00	0.0	0.0	0.0
10/21/19 18:00	0.0	0.0	0.0
10/21/19 19:00	0.0	0.0	0.0
10/21/19 20:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/21/19 21:00	0.0	0.0	0.0
10/21/19 22:00	0.0	0.0	0.0
10/21/19 23:00	0.0	0.0	0.0
10/22/19 0:00	0.0	0.0	0.0
10/22/19 1:00	0.0	0.0	0.0
10/22/19 2:00	0.0	0.0	0.0
10/22/19 3:00	0.0	0.0	0.0
10/22/19 4:00	0.0	0.0	0.0
10/22/19 5:00	0.0	0.0	0.0
10/22/19 6:00	0.0	0.0	0.0
10/22/19 7:00	0.0	0.0	0.0
10/22/19 8:00	0.0	0.0	0.0
10/22/19 9:00	0.0	0.0	0.0
10/22/19 10:00	0.0	0.0	0.0
10/22/19 11:00	0.0	0.0	0.0
10/22/19 12:00	0.0	0.0	0.0
10/22/19 13:00	0.0	0.0	0.0
10/22/19 14:00	0.0	0.0	0.0
10/22/19 15:00	0.0	0.0	0.0
10/22/19 16:00	0.0	0.0	0.0
10/22/19 17:00	0.0	0.0	0.0
10/22/19 18:00	0.0	0.0	0.0
10/22/19 19:00	0.0	0.0	0.0
10/22/19 20:00	0.0	0.0	0.0
10/22/19 21:00	0.0	0.0	0.0
10/22/19 22:00	0.0	0.0	0.0
10/22/19 23:00	0.0	0.0	0.0
10/23/19 0:00	0.0	0.0	0.0
10/23/19 1:00	0.0	0.0	0.0
10/23/19 2:00	0.0	0.0	0.0
10/23/19 3:00	0.0	0.0	0.0
10/23/19 4:00	0.0	0.0	0.0
10/23/19 5:00	0.0	0.0	0.0
10/23/19 6:00	0.0	0.0	0.0
10/23/19 7:00	0.0	0.0	0.0
10/23/19 8:00	0.0	0.0	0.0
10/23/19 9:00	0.0	0.0	0.0
10/23/19 10:00	0.0	0.0	0.0
10/23/19 11:00	0.0	0.0	0.0
10/23/19 12:00	0.0	0.0	0.0
10/23/19 13:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/23/19 14:00	0.0	0.0	0.0
10/23/19 15:00	0.0	0.0	0.0
10/23/19 16:00	0.0	0.0	0.0
10/23/19 17:00	0.0	0.0	0.0
10/23/19 18:00	0.0	0.0	0.0
10/23/19 19:00	0.0	0.0	0.0
10/23/19 20:00	0.0	0.0	0.0
10/23/19 21:00	0.0	0.0	0.0
10/23/19 22:00	0.0	0.0	0.0
10/23/19 23:00	0.0	0.0	0.0
10/24/19 0:00	0.0	0.0	0.0
10/24/19 1:00	0.0	0.0	0.0
10/24/19 2:00	0.0	0.0	0.0
10/24/19 3:00	0.0	0.0	0.0
10/24/19 4:00	0.0	0.0	0.0
10/24/19 5:00	0.0	0.0	0.0
10/24/19 6:00	0.0	0.0	0.0
10/24/19 7:00	0.0	0.0	0.0
10/24/19 8:00	0.0	0.0	0.0
10/24/19 9:00	0.0	0.0	0.0
10/24/19 10:00	0.0	0.0	0.0
10/24/19 11:00	0.0	0.0	0.0
10/24/19 12:00	0.0	0.0	0.0
10/24/19 13:00	0.0	0.0	0.0
10/24/19 14:00	0.0	0.0	0.0
10/24/19 15:00	0.0	0.0	0.0
10/24/19 16:00	0.0	0.0	0.0
10/24/19 17:00	0.0	0.0	0.0
10/24/19 18:00	0.0	0.0	0.0
10/24/19 19:00	0.0	0.0	0.0
10/24/19 20:00	0.0	0.0	0.0
10/24/19 21:00	0.0	0.0	0.0
10/24/19 22:00	0.0	0.0	0.0
10/24/19 23:00	0.0	0.0	0.0
10/25/19 0:00	0.0	0.0	0.0
10/25/19 1:00	0.0	0.0	0.0
10/25/19 2:00	0.0	0.0	0.0
10/25/19 3:00	0.0	0.0	0.0
10/25/19 4:00	0.0	0.0	0.0
10/25/19 5:00	0.0	0.0	0.0
10/25/19 6:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/25/19 7:00	0.0	0.0	0.0
10/25/19 8:00	0.0	0.0	0.0
10/25/19 9:00	0.0	0.0	0.0
10/25/19 10:00	0.0	0.0	0.0
10/25/19 11:00	0.0	0.0	0.0
10/25/19 12:00	0.0	0.0	0.0
10/25/19 13:00	0.0	0.0	0.0
10/25/19 14:00	0.0	0.0	0.0
10/25/19 15:00	0.0	0.0	0.0
10/25/19 16:00	0.0	0.0	0.0
10/25/19 17:00	0.0	0.0	0.0
10/25/19 18:00	0.0	0.0	0.0
10/25/19 19:00	0.0	0.0	0.0
10/25/19 20:00	0.0	0.0	0.0
10/25/19 21:00	0.0	0.0	0.0
10/25/19 22:00	0.0	0.0	0.0
10/25/19 23:00	0.0	0.0	0.0
10/26/19 0:00	0.0	0.0	0.0
10/26/19 1:00	0.0	0.0	0.0
10/26/19 2:00	0.0	0.0	0.0
10/26/19 3:00	0.0	0.0	0.0
10/26/19 4:00	0.0	0.0	0.0
10/26/19 5:00	0.0	0.0	0.0
10/26/19 6:00	0.0	0.0	0.0
10/26/19 7:00	0.0	0.0	0.0
10/26/19 8:00	0.0	0.0	0.0
10/26/19 9:00	0.0	0.0	0.0
10/26/19 10:00	0.0	0.0	0.0
10/26/19 11:00	0.0	0.0	0.0
10/26/19 12:00	0.0	0.0	0.0
10/26/19 13:00	0.0	0.0	0.0
10/26/19 14:00	0.0	0.0	0.0
10/26/19 15:00	0.0	0.0	0.0
10/26/19 16:00	0.0	0.0	0.0
10/26/19 17:00	0.0	0.0	0.0
10/26/19 18:00	0.0	0.0	0.0
10/26/19 19:00	0.0	0.0	0.0
10/26/19 20:00	0.0	0.0	0.0
10/26/19 21:00	0.0	0.0	0.0
10/26/19 22:00	0.0	0.0	0.0
10/26/19 23:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/27/19 0:00	0.0	0.0	0.0
10/27/19 1:00	0.0	0.0	0.0
10/27/19 2:00	0.0	0.0	0.0
10/27/19 3:00	0.0	0.0	0.0
10/27/19 4:00	0.0	0.0	0.0
10/27/19 5:00	0.0	0.0	0.0
10/27/19 6:00	0.0	0.0	0.0
10/27/19 7:00	0.0	0.0	0.0
10/27/19 8:00	0.0	0.0	0.0
10/27/19 9:00	0.0	0.0	0.0
10/27/19 10:00	0.0	0.0	0.0
10/27/19 11:00	0.0	0.0	0.0
10/27/19 12:00	0.0	0.0	0.0
10/27/19 13:00	0.0	0.0	0.0
10/27/19 14:00	0.0	0.0	0.0
10/27/19 15:00	0.0	0.0	0.0
10/27/19 16:00	0.0	0.0	0.0
10/27/19 17:00	0.0	0.0	0.0
10/27/19 18:00	0.0	0.0	0.0
10/27/19 19:00	0.0	0.0	0.0
10/27/19 20:00	0.0	0.0	0.0
10/27/19 21:00	0.0	0.0	0.0
10/27/19 22:00	0.0	0.0	0.0
10/27/19 23:00	0.0	0.0	0.0
10/28/19 0:00	0.0	0.0	0.0
10/28/19 1:00	0.0	0.0	0.0
10/28/19 2:00	0.0	0.0	0.0
10/28/19 3:00	0.0	0.0	0.0
10/28/19 4:00	0.0	0.0	0.0
10/28/19 5:00	0.0	0.0	0.0
10/28/19 6:00	0.0	0.0	0.0
10/28/19 7:00	0.0	0.0	0.0
10/28/19 8:00	0.0	0.0	0.0
10/28/19 9:00	0.0	0.0	0.0
10/28/19 10:00	0.0	0.0	0.0
10/28/19 11:00	0.0	0.0	0.0
10/28/19 12:00	0.0	0.0	0.0
10/28/19 13:00	0.1	0.0	0.0
10/28/19 14:00	0.1	0.0	0.0
10/28/19 15:00	0.0	0.0	0.0
10/28/19 16:00	0.1	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/28/19 17:00	0.1	0.0	0.0
10/28/19 18:00	0.1	0.0	0.0
10/28/19 19:00	0.1	0.0	0.0
10/28/19 20:00	0.1	0.0	0.0
10/28/19 21:00	0.1	0.0	0.0
10/28/19 22:00	0.1	0.0	0.0
10/28/19 23:00	0.2	0.1	0.0
10/29/19 0:00	0.2	0.1	0.0
10/29/19 1:00	0.2	0.1	0.0
10/29/19 2:00	0.3	0.1	0.0
10/29/19 3:00	0.3	0.1	0.0
10/29/19 4:00	0.3	0.1	0.0
10/29/19 5:00	0.4	0.1	0.0
10/29/19 6:00	0.4	0.1	0.0
10/29/19 7:00	0.2	0.2	0.0
10/29/19 8:00	0.3	0.2	0.0
10/29/19 9:00	0.1	0.2	0.0
10/29/19 10:00	0.1	0.2	0.0
10/29/19 11:00	0.1	0.2	0.0
10/29/19 12:00	0.2	0.2	0.0
10/29/19 13:00	0.1	0.2	0.0
10/29/19 14:00	0.1	0.2	0.0
10/29/19 15:00	0.1	0.2	0.0
10/29/19 16:00	0.1	0.2	0.0
10/29/19 17:00	0.1	0.2	0.0
10/29/19 18:00	0.1	0.2	0.0
10/29/19 19:00	0.1	0.2	0.0
10/29/19 20:00	0.1	0.2	0.0
10/29/19 21:00	0.1	0.2	0.0
10/29/19 22:00	0.1	0.2	0.0
10/29/19 23:00	0.1	0.2	0.0
10/30/19 0:00	0.1	0.2	0.0
10/30/19 1:00	0.1	0.2	0.0
10/30/19 2:00	0.1	0.2	0.0
10/30/19 3:00	0.1	0.2	0.0
10/30/19 4:00	0.1	0.2	0.0
10/30/19 5:00	0.1	0.2	0.0
10/30/19 6:00	0.1	0.1	0.0
10/30/19 7:00	0.2	0.1	0.0
10/30/19 8:00	0.2	0.1	0.0
10/30/19 9:00	0.1	0.1	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/30/19 10:00	0.1	0.1	0.0
10/30/19 11:00	0.1	0.1	0.0
10/30/19 12:00	0.1	0.1	0.0
10/30/19 13:00	0.1	0.1	0.0
10/30/19 14:00	0.1	0.1	0.0
10/30/19 15:00	0.1	0.1	0.0
10/30/19 16:00	0.1	0.1	0.0
10/30/19 17:00	0.1	0.1	0.0
10/30/19 18:00	0.1	0.1	0.0
10/30/19 19:00	0.1	0.1	0.0
10/30/19 20:00	0.1	0.1	0.0
10/30/19 21:00	0.1	0.1	0.0
10/30/19 22:00	0.1	0.1	0.0
10/30/19 23:00	0.1	0.1	0.0
10/31/19 0:00	0.1	0.1	0.0
10/31/19 1:00	0.1	0.1	0.0
10/31/19 2:00	0.1	0.1	0.0
10/31/19 3:00	0.2	0.1	0.0
10/31/19 4:00	0.1	0.1	0.0
10/31/19 5:00	0.1	0.1	0.0
10/31/19 6:00	0.1	0.1	0.0
10/31/19 7:00	0.3	0.1	0.0
10/31/19 8:00	0.2	0.1	0.0
10/31/19 9:00	0.2	0.1	0.0
10/31/19 10:00	0.1	0.1	0.0
10/31/19 11:00	0.1	0.1	0.0
10/31/19 12:00	0.3	0.1	0.0
10/31/19 13:00	0.2	0.1	0.0
10/31/19 14:00	0.2	0.1	0.0
10/31/19 15:00	0.1	0.1	0.0
10/31/19 16:00	0.2	0.1	0.0
10/31/19 17:00	0.2	0.1	0.0
10/31/19 18:00	0.2	0.2	0.0
10/31/19 19:00	0.1	0.2	0.0
10/31/19 20:00	0.1	0.2	0.0
10/31/19 21:00	0.1	0.2	0.0
10/31/19 22:00	0.1	0.1	0.0
10/31/19 23:00	0.1	0.1	0.0
11/1/19 0:00	0.1	0.1	0.0
11/1/19 1:00	0.1	0.1	0.0
11/1/19 2:00	0.2	0.2	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/1/19 3:00	0.1	0.1	0.0
11/1/19 4:00	0.1	0.1	0.0
11/1/19 5:00	0.1	0.1	0.0
11/1/19 6:00	0.1	0.1	0.0
11/1/19 7:00	0.2	0.1	0.0
11/1/19 8:00	0.2	0.1	0.0
11/1/19 9:00	0.2	0.1	0.0
11/1/19 10:00	0.2	0.1	0.0
11/1/19 11:00	0.1	0.1	0.0
11/1/19 12:00	0.1	0.1	0.0
11/1/19 13:00	0.1	0.1	0.0
11/1/19 14:00	0.1	0.1	0.0
11/1/19 15:00	0.2	0.1	0.0
11/1/19 16:00	0.2	0.1	0.0
11/1/19 17:00	0.2	0.1	0.0
11/1/19 18:00	0.2	0.1	0.0
11/1/19 19:00	0.2	0.1	0.0
11/1/19 20:00	0.1	0.1	0.0
11/1/19 21:00	0.1	0.1	0.0
11/1/19 22:00	0.2	0.2	0.0
11/1/19 23:00	0.1	0.2	0.0
11/2/19 0:00	0.1	0.1	0.0
11/2/19 1:00	0.1	0.1	0.0
11/2/19 2:00	0.2	0.1	0.0
11/2/19 3:00	0.1	0.2	0.0
11/2/19 4:00	0.1	0.2	0.0
11/2/19 5:00	0.1	0.2	0.0
11/2/19 6:00	0.1	0.2	0.0
11/2/19 7:00	0.1	0.2	0.0
11/2/19 8:00	0.1	0.1	0.0
11/2/19 9:00	0.2	0.1	0.0
11/2/19 10:00	0.1	0.1	0.0
11/2/19 11:00	0.1	0.1	0.0
11/2/19 12:00	0.1	0.1	0.0
11/2/19 13:00	0.2	0.2	0.0
11/2/19 14:00	0.2	0.2	0.0
11/2/19 15:00	0.2	0.2	0.0
11/2/19 16:00	0.1	0.2	0.0
11/2/19 17:00	0.1	0.2	0.0
11/2/19 18:00	0.1	0.1	0.0
11/2/19 19:00	0.2	0.1	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/2/19 20:00	0.1	0.1	0.0
11/2/19 21:00	0.1	0.1	0.0
11/2/19 22:00	0.2	0.1	0.0
11/2/19 23:00	0.7	0.2	0.0
11/3/19 0:00	0.3	0.2	0.0
11/3/19 1:00	0.2	0.2	0.0
11/3/19 1:00	0.2	0.2	0.0
11/3/19 2:00	0.2	0.2	0.0
11/3/19 3:00	0.2	0.2	0.0
11/3/19 4:00	0.2	0.2	0.0
11/3/19 5:00	0.2	0.2	0.0
11/3/19 6:00	0.2	0.2	0.0
11/3/19 7:00	0.2	0.2	0.0
11/3/19 8:00	0.2	0.2	0.0
11/3/19 9:00	0.2	0.2	0.0
11/3/19 10:00	0.2	0.2	0.0
11/3/19 11:00	0.1	0.2	0.0
11/3/19 12:00	0.1	0.2	0.0
11/3/19 13:00	0.2	0.2	0.0
11/3/19 14:00	0.1	0.2	0.0
11/3/19 15:00	0.1	0.2	0.0
11/3/19 16:00	0.1	0.2	0.0
11/3/19 17:00	0.1	0.2	0.0
11/3/19 18:00	0.1	0.2	0.0
11/3/19 19:00	0.1	0.2	0.0
11/3/19 20:00	0.1	0.2	0.0
11/3/19 21:00	0.2	0.2	0.0
11/3/19 22:00	0.2	0.2	0.0
11/3/19 23:00	0.2	0.2	0.0
11/4/19 0:00	0.1	0.2	0.0
11/4/19 1:00	0.1	0.2	0.0
11/4/19 2:00	0.1	0.2	0.0
11/4/19 3:00	0.2	0.2	0.0
11/4/19 4:00	0.2	0.2	0.0
11/4/19 5:00	0.2	0.2	0.0
11/4/19 6:00	0.2	0.2	0.0
11/4/19 7:00	0.2	0.2	0.0
11/4/19 8:00	0.2	0.2	0.0
11/4/19 9:00	0.2	0.2	0.0
11/4/19 10:00	0.2	0.2	0.0
11/4/19 11:00	0.1	0.2	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/4/19 12:00	0.1	0.2	0.0
11/4/19 13:00	0.2	0.2	0.0
11/4/19 14:00	0.2	0.2	0.0
11/4/19 15:00	0.1	0.2	0.0
11/4/19 16:00	0.1	0.2	0.0
11/4/19 17:00	0.1	0.1	0.0
11/4/19 18:00	0.1	0.1	0.0
11/4/19 19:00	0.1	0.1	0.0
11/4/19 20:00	0.1	0.1	0.0
11/4/19 21:00	0.1	0.1	0.0
11/4/19 22:00	0.1	0.1	0.0
11/4/19 23:00	0.1	0.1	0.0
11/5/19 0:00	0.1	0.1	0.0
11/5/19 1:00	0.1	0.1	0.0
11/5/19 2:00	0.1	0.1	0.0
11/5/19 3:00	0.1	0.1	0.0
11/5/19 4:00	0.1	0.1	0.0
11/5/19 5:00	0.1	0.1	0.0
11/5/19 6:00	0.1	0.1	0.0
11/5/19 7:00	0.2	0.1	0.0
11/5/19 8:00	0.2	0.1	0.0
11/5/19 9:00	0.1	0.1	0.0
11/5/19 10:00	0.1	0.1	0.0
11/5/19 11:00	0.2	0.1	0.0
11/5/19 12:00	0.2	0.1	0.0
11/5/19 13:00	0.2	0.1	0.0
11/5/19 14:00	0.2	0.1	0.0
11/5/19 15:00	0.2	0.1	0.0
11/5/19 16:00	0.1	0.1	0.0
11/5/19 17:00	0.1	0.1	0.0
11/5/19 18:00	0.1	0.1	0.0
11/5/19 19:00	0.1	0.1	0.0
11/5/19 20:00	0.1	0.1	0.0
11/5/19 21:00	0.1	0.1	0.0
11/5/19 22:00	0.1	0.1	0.0
11/5/19 23:00	0.1	0.1	0.0
11/6/19 0:00	0.1	0.1	0.0
11/6/19 1:00	0.1	0.1	0.0
11/6/19 2:00	0.1	0.1	0.0
11/6/19 3:00	0.1	0.1	0.0
11/6/19 4:00	0.1	0.1	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/6/19 5:00	0.1	0.1	0.0
11/6/19 6:00	0.1	0.1	0.0
11/6/19 7:00	0.1	0.1	0.0
11/6/19 8:00	0.2	0.1	0.0
11/6/19 9:00	0.1	0.1	0.0
11/6/19 10:00	0.1	0.1	0.0
11/6/19 11:00	0.1	0.1	0.0
11/6/19 12:00	0.2	0.1	0.0
11/6/19 13:00	0.1	0.1	0.0
11/6/19 14:00	0.1	0.1	0.0
11/6/19 15:00	0.1	0.1	0.0
11/6/19 16:00	0.1	0.1	0.0
11/6/19 17:00	0.1	0.1	0.0
11/6/19 18:00	0.1	0.1	0.0
11/6/19 19:00	0.1	0.1	0.0
11/6/19 20:00	0.1	0.1	0.0
11/6/19 21:00	0.1	0.1	0.0
11/6/19 22:00	0.1	0.1	0.0
11/6/19 23:00	0.1	0.1	0.0
11/7/19 0:00	0.1	0.1	0.0
11/7/19 1:00	0.1	0.1	0.0
11/7/19 2:00	0.1	0.1	0.0
11/7/19 3:00	0.0	0.1	0.0
11/7/19 4:00	0.1	0.1	0.0
11/7/19 5:00	0.1	0.1	0.0
11/7/19 6:00	0.1	0.1	0.0
11/7/19 7:00	0.1	0.1	0.0
11/7/19 8:00	0.1	0.1	0.0
11/7/19 9:00	0.1	0.1	0.0
11/7/19 10:00	0.1	0.1	0.0
11/7/19 11:00	0.1	0.1	0.0
11/7/19 12:00	0.1	0.1	0.0
11/7/19 13:00	0.1	0.1	0.0
11/7/19 14:00	0.1	0.1	0.0
11/7/19 15:00	0.1	0.1	0.0
11/7/19 16:00	0.1	0.1	0.0
11/7/19 17:00	0.1	0.1	0.0
11/7/19 18:00	0.1	0.1	0.0
11/7/19 19:00	0.1	0.1	0.0
11/7/19 20:00	0.1	0.1	0.0
11/7/19 21:00	0.1	0.1	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/7/19 22:00	0.1	0.1	0.0
11/7/19 23:00	0.1	0.1	0.0
11/8/19 0:00	0.0	0.1	0.0
11/8/19 1:00	0.0	0.1	0.0
11/8/19 2:00	0.1	0.1	0.0
11/8/19 3:00	0.1	0.1	0.0
11/8/19 4:00	0.1	0.1	0.0
11/8/19 5:00	0.1	0.1	0.0
11/8/19 6:00	0.1	0.1	0.0
11/8/19 7:00	0.2	0.1	0.1
11/8/19 8:00	0.1	0.1	0.1
11/8/19 9:00	0.2	0.1	0.1
11/8/19 10:00	0.2	0.1	0.1
11/8/19 11:00	0.2	0.1	0.1
11/8/19 12:00	0.2	0.1	0.1
11/8/19 13:00	0.3	0.1	0.1
11/8/19 14:00	0.2	0.1	0.1
11/8/19 15:00	0.2	0.1	0.1
11/8/19 16:00	0.2	0.1	0.1
11/8/19 17:00	0.2	0.1	0.1
11/8/19 18:00	0.2	0.1	0.1
11/8/19 19:00	0.2	0.1	0.1
11/8/19 20:00	0.2	0.2	0.1
11/8/19 21:00	0.2	0.2	0.1
11/8/19 22:00	0.3	0.2	0.1
11/8/19 23:00	0.2	0.2	0.1
11/9/19 0:00	0.1	0.2	0.1
11/9/19 1:00	0.1	0.2	0.1
11/9/19 2:00	0.1	0.2	0.1
11/9/19 3:00	0.1	0.2	0.1
11/9/19 4:00	0.1	0.2	0.1
11/9/19 5:00	0.1	0.2	0.1
11/9/19 6:00	0.0	0.2	0.1
11/9/19 7:00	0.0	0.2	0.1
11/9/19 8:00	0.1	0.2	0.1
11/9/19 9:00	0.1	0.2	0.1
11/9/19 10:00	0.1	0.2	0.1
11/9/19 11:00	0.1	0.1	0.1
11/9/19 12:00	0.1	0.1	0.1
11/9/19 13:00	0.0	0.1	0.1
11/9/19 14:00	0.0	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/9/19 15:00	0.0	0.1	0.1
11/9/19 16:00	0.0	0.1	0.1
11/9/19 17:00	0.0	0.1	0.1
11/9/19 18:00	0.1	0.1	0.1
11/9/19 19:00	0.0	0.1	0.1
11/9/19 20:00	0.0	0.1	0.1
11/9/19 21:00	0.0	0.1	0.1
11/9/19 22:00	0.0	0.1	0.1
11/9/19 23:00	0.0	0.1	0.1
11/10/19 0:00	0.0	0.1	0.1
11/10/19 1:00	0.0	0.1	0.1
11/10/19 2:00	0.1	0.1	0.1
11/10/19 3:00	0.1	0.1	0.1
11/10/19 4:00	0.1	0.1	0.1
11/10/19 5:00	0.1	0.1	0.1
11/10/19 6:00	0.1	0.1	0.1
11/10/19 7:00	0.1	0.1	0.1
11/10/19 8:00	0.1	0.1	0.1
11/10/19 9:00	0.1	0.1	0.1
11/10/19 10:00	0.1	0.1	0.1
11/10/19 11:00	0.1	0.1	0.1
11/10/19 12:00	0.1	0.1	0.1
11/10/19 13:00	0.1	0.1	0.1
11/10/19 14:00	0.1	0.1	0.1
11/10/19 15:00	0.1	0.1	0.1
11/10/19 16:00	0.1	0.1	0.1
11/10/19 17:00	0.1	0.1	0.1
11/10/19 18:00	0.1	0.1	0.1
11/10/19 19:00	0.2	0.1	0.1
11/10/19 20:00	0.1	0.1	0.1
11/10/19 21:00	0.1	0.1	0.1
11/10/19 22:00	0.1	0.1	0.1
11/10/19 23:00	0.2	0.1	0.1
11/11/19 0:00	0.1	0.1	0.1
11/11/19 1:00	0.1	0.1	0.1
11/11/19 2:00	0.1	0.1	0.1
11/11/19 3:00	0.2	0.1	0.1
11/11/19 4:00	0.2	0.1	0.1
11/11/19 5:00	0.2	0.1	0.1
11/11/19 6:00	0.1	0.1	0.1
11/11/19 7:00	0.2	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/11/19 8:00	0.1	0.1	0.1
11/11/19 9:00	0.1	0.1	0.1
11/11/19 10:00	0.1	0.1	0.1
11/11/19 11:00	0.1	0.1	0.1
11/11/19 12:00	0.0	0.1	0.1
11/11/19 13:00	0.0	0.1	0.1
11/11/19 14:00	0.0	0.1	0.1
11/11/19 15:00	0.1	0.1	0.1
11/11/19 16:00	0.1	0.1	0.1
11/11/19 17:00	0.1	0.1	0.1
11/11/19 18:00	0.1	0.1	0.1
11/11/19 19:00	0.1	0.1	0.1
11/11/19 20:00	0.1	0.1	0.1
11/11/19 21:00	0.1	0.1	0.1
11/11/19 22:00	0.1	0.1	0.1
11/11/19 23:00	0.1	0.1	0.1
11/12/19 0:00	0.1	0.1	0.1
11/12/19 1:00	0.1	0.1	0.1
11/12/19 2:00	0.1	0.1	0.1
11/12/19 3:00	0.1	0.1	0.1
11/12/19 4:00	0.1	0.1	0.1
11/12/19 5:00	0.1	0.1	0.1
11/12/19 6:00	0.1	0.1	0.1
11/12/19 7:00	0.1	0.1	0.1
11/12/19 8:00	0.2	0.1	0.1
11/12/19 9:00	0.2	0.1	0.1
11/12/19 10:00	0.2	0.1	0.1
11/12/19 11:00	0.2	0.1	0.1
11/12/19 12:00	0.1	0.1	0.1
11/12/19 13:00	0.1	0.1	0.1
11/12/19 14:00	0.1	0.1	0.1
11/12/19 15:00	0.1	0.1	0.1
11/12/19 16:00	0.1	0.1	0.1
11/12/19 17:00	0.1	0.1	0.1
11/12/19 18:00	0.1	0.1	0.1
11/12/19 19:00	0.1	0.1	0.1
11/12/19 20:00	0.1	0.1	0.1
11/12/19 21:00	0.2	0.1	0.1
11/12/19 22:00	0.2	0.1	0.1
11/12/19 23:00	0.1	0.1	0.1
11/13/19 0:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/13/19 1:00	0.1	0.1	0.1
11/13/19 2:00	0.1	0.1	0.1
11/13/19 3:00	0.1	0.1	0.1
11/13/19 4:00	0.1	0.1	0.1
11/13/19 5:00	0.1	0.1	0.1
11/13/19 6:00	0.1	0.1	0.1
11/13/19 7:00	0.1	0.1	0.1
11/13/19 8:00	0.1	0.1	0.1
11/13/19 9:00	0.1	0.1	0.1
11/13/19 10:00	0.1	0.1	0.1
11/13/19 11:00	0.1	0.1	0.1
11/13/19 12:00	0.1	0.1	0.1
11/13/19 13:00	0.1	0.1	0.1
11/13/19 14:00	0.0	0.1	0.1
11/13/19 15:00	0.1	0.1	0.1
11/13/19 16:00	0.1	0.1	0.1
11/13/19 17:00	0.1	0.1	0.1
11/13/19 18:00	0.1	0.1	0.1
11/13/19 19:00	0.1	0.1	0.1
11/13/19 20:00	0.1	0.1	0.1
11/13/19 21:00	0.1	0.1	0.1
11/13/19 22:00	0.1	0.1	0.1
11/13/19 23:00	0.1	0.1	0.1
11/14/19 0:00	0.1	0.1	0.1
11/14/19 1:00	0.1	0.1	0.1
11/14/19 2:00	0.1	0.1	0.1
11/14/19 3:00	0.1	0.1	0.1
11/14/19 4:00	0.1	0.1	0.1
11/14/19 5:00	0.1	0.1	0.1
11/14/19 6:00	0.1	0.1	0.1
11/14/19 7:00	0.1	0.1	0.1
11/14/19 8:00	0.1	0.1	0.1
11/14/19 9:00	0.1	0.1	0.1
11/14/19 10:00	0.1	0.1	0.1
11/14/19 11:00	0.0	0.1	0.1
11/14/19 12:00	0.0	0.1	0.1
11/14/19 13:00	0.1	0.1	0.1
11/14/19 14:00	0.1	0.1	0.1
11/14/19 15:00	0.1	0.1	0.1
11/14/19 16:00	0.1	0.1	0.1
11/14/19 17:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/14/19 18:00	0.0	0.1	0.1
11/14/19 19:00	0.0	0.1	0.1
11/14/19 20:00	0.0	0.1	0.1
11/14/19 21:00	0.0	0.1	0.1
11/14/19 22:00	0.0	0.1	0.1
11/14/19 23:00	0.0	0.1	0.1
11/15/19 0:00	0.0	0.1	0.1
11/15/19 1:00	0.0	0.1	0.1
11/15/19 2:00	0.0	0.1	0.1
11/15/19 3:00	0.0	0.1	0.1
11/15/19 4:00	0.0	0.1	0.1
11/15/19 5:00	0.0	0.1	0.1
11/15/19 6:00	0.0	0.1	0.1
11/15/19 7:00	0.0	0.1	0.1
11/15/19 8:00	0.0	0.0	0.1
11/15/19 9:00	0.0	0.0	0.1
11/15/19 10:00	0.0	0.0	0.1
11/15/19 11:00	0.0	0.0	0.1
11/15/19 12:00	0.0	0.0	0.1
11/15/19 13:00	0.0	0.0	0.1
11/15/19 14:00	0.0	0.0	0.1
11/15/19 15:00	0.0	0.0	0.1
11/15/19 16:00	0.1	0.0	0.1
11/15/19 17:00	0.1	0.0	0.1
11/15/19 18:00	0.1	0.0	0.1
11/15/19 19:00	0.1	0.0	0.1
11/15/19 20:00	0.1	0.1	0.1
11/15/19 21:00	0.1	0.1	0.1
11/15/19 22:00	0.1	0.1	0.1
11/15/19 23:00	0.1	0.1	0.1
11/16/19 0:00	0.1	0.1	0.1
11/16/19 1:00	0.1	0.1	0.1
11/16/19 2:00	0.1	0.1	0.1
11/16/19 3:00	0.1	0.1	0.1
11/16/19 4:00	0.1	0.1	0.1
11/16/19 5:00	0.1	0.1	0.1
11/16/19 6:00	0.1	0.1	0.1
11/16/19 7:00	0.1	0.1	0.1
11/16/19 8:00	0.1	0.1	0.1
11/16/19 9:00	0.1	0.1	0.1
11/16/19 10:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/16/19 11:00	0.1	0.1	0.1
11/16/19 12:00	0.1	0.1	0.1
11/16/19 13:00	0.1	0.1	0.1
11/16/19 14:00	0.1	0.1	0.1
11/16/19 15:00	0.2	0.1	0.1
11/16/19 16:00	0.1	0.1	0.1
11/16/19 17:00	0.1	0.1	0.1
11/16/19 18:00	0.2	0.1	0.1
11/16/19 19:00	0.1	0.1	0.1
11/16/19 20:00	0.1	0.1	0.1
11/16/19 21:00	0.2	0.1	0.1
11/16/19 22:00	0.2	0.1	0.1
11/16/19 23:00	0.1	0.1	0.1
11/17/19 0:00	0.1	0.1	0.1
11/17/19 1:00	0.1	0.1	0.1
11/17/19 2:00	0.1	0.1	0.1
11/17/19 3:00	0.1	0.1	0.1
11/17/19 4:00	0.1	0.1	0.1
11/17/19 5:00	0.1	0.1	0.1
11/17/19 6:00	0.1	0.1	0.1
11/17/19 7:00	0.2	0.1	0.1
11/17/19 8:00	0.1	0.1	0.1
11/17/19 9:00	0.1	0.1	0.1
11/17/19 10:00	0.1	0.1	0.1
11/17/19 11:00	0.1	0.1	0.1
11/17/19 12:00	0.1	0.1	0.1
11/17/19 13:00	0.1	0.1	0.1
11/17/19 14:00	0.1	0.1	0.1
11/17/19 15:00	0.1	0.1	0.1
11/17/19 16:00	0.1	0.1	0.1
11/17/19 17:00	0.1	0.1	0.1
11/17/19 18:00	0.1	0.1	0.1
11/17/19 19:00	0.1	0.1	0.1
11/17/19 20:00	0.1	0.1	0.1
11/17/19 21:00	0.1	0.1	0.1
11/17/19 22:00	0.1	0.1	0.1
11/17/19 23:00	0.1	0.1	0.1
11/18/19 0:00	0.1	0.1	0.1
11/18/19 1:00	0.1	0.1	0.1
11/18/19 2:00	0.1	0.1	0.1
11/18/19 3:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/18/19 4:00	0.1	0.1	0.1
11/18/19 5:00	0.1	0.1	0.1
11/18/19 6:00	0.1	0.1	0.1
11/18/19 7:00	0.1	0.1	0.1
11/18/19 8:00	0.1	0.1	0.1
11/18/19 9:00	0.1	0.1	0.1
11/18/19 10:00	0.1	0.1	0.1
11/18/19 11:00	0.1	0.1	0.1
11/18/19 12:00	0.1	0.1	0.1
11/18/19 13:00	0.1	0.1	0.1
11/18/19 14:00	0.1	0.1	0.1
11/18/19 15:00	0.1	0.1	0.1
11/18/19 16:00	0.1	0.1	0.1
11/18/19 17:00	0.1	0.1	0.1
11/18/19 18:00	0.0	0.1	0.1
11/18/19 19:00	0.1	0.1	0.1
11/18/19 20:00	0.1	0.1	0.1
11/18/19 21:00	0.0	0.1	0.1
11/18/19 22:00	0.1	0.1	0.1
11/18/19 23:00	0.1	0.1	0.1
11/19/19 0:00	0.1	0.1	0.1
11/19/19 1:00	0.1	0.1	0.1
11/19/19 2:00	0.1	0.1	0.1
11/19/19 3:00	0.1	0.1	0.1
11/19/19 4:00	0.1	0.1	0.1
11/19/19 5:00	0.1	0.1	0.1
11/19/19 6:00	0.0	0.1	0.1
11/19/19 7:00	0.1	0.1	0.1
11/19/19 8:00	0.0	0.1	0.1
11/19/19 9:00	0.1	0.1	0.1
11/19/19 10:00	0.2	0.1	0.1
11/19/19 11:00	0.1	0.1	0.1
11/19/19 12:00	0.0	0.1	0.1
11/19/19 13:00	0.0	0.1	0.1
11/19/19 14:00	0.0	0.1	0.1
11/19/19 15:00	0.1	0.1	0.1
11/19/19 16:00	0.1	0.1	0.1
11/19/19 17:00	0.1	0.1	0.1
11/19/19 18:00	0.0	0.1	0.1
11/19/19 19:00	0.1	0.1	0.1
11/19/19 20:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/19/19 21:00	0.1	0.1	0.1
11/19/19 22:00	0.1	0.1	0.1
11/19/19 23:00	0.1	0.1	0.1
11/20/19 0:00	0.1	0.1	0.1
11/20/19 1:00	0.1	0.1	0.1
11/20/19 2:00	0.1	0.1	0.1
11/20/19 3:00	0.1	0.1	0.1
11/20/19 4:00	0.1	0.1	0.1
11/20/19 5:00	0.1	0.1	0.1
11/20/19 6:00	0.1	0.1	0.1
11/20/19 7:00	0.1	0.1	0.1
11/20/19 8:00	0.1	0.1	0.1
11/20/19 9:00	0.1	0.1	0.1
11/20/19 10:00	0.1	0.1	0.1
11/20/19 11:00	0.1	0.1	0.1
11/20/19 12:00	0.1	0.1	0.1
11/20/19 13:00	0.1	0.1	0.1
11/20/19 14:00	0.1	0.1	0.1
11/20/19 15:00	0.1	0.1	0.1
11/20/19 16:00	0.0	0.1	0.1
11/20/19 17:00	0.0	0.1	0.1
11/20/19 18:00	0.1	0.1	0.1
11/20/19 19:00	0.1	0.1	0.1
11/20/19 20:00	0.1	0.1	0.1
11/20/19 21:00	0.1	0.1	0.1
11/20/19 22:00	0.1	0.1	0.1
11/20/19 23:00	0.1	0.1	0.1
11/21/19 0:00	0.1	0.1	0.1
11/21/19 1:00	0.1	0.1	0.1
11/21/19 2:00	0.1	0.1	0.1
11/21/19 3:00	0.1	0.1	0.1
11/21/19 4:00	0.1	0.1	0.1
11/21/19 5:00	0.1	0.1	0.1
11/21/19 6:00	0.1	0.1	0.1
11/21/19 7:00	0.1	0.1	0.1
11/21/19 8:00	0.1	0.1	0.1
11/21/19 9:00	0.1	0.1	0.1
11/21/19 10:00	0.1	0.1	0.1
11/21/19 11:00	0.1	0.1	0.1
11/21/19 12:00	0.1	0.1	0.1
11/21/19 13:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/21/19 14:00	0.1	0.1	0.1
11/21/19 15:00	0.1	0.1	0.1
11/21/19 16:00	0.1	0.1	0.1
11/21/19 17:00	0.1	0.1	0.1
11/21/19 18:00	0.1	0.1	0.1
11/21/19 19:00	0.1	0.1	0.1
11/21/19 20:00	0.1	0.1	0.1
11/21/19 21:00	0.3	0.1	0.1
11/21/19 22:00	0.3	0.1	0.1
11/21/19 23:00	0.2	0.1	0.1
11/22/19 0:00	0.1	0.1	0.1
11/22/19 1:00	0.1	0.1	0.1
11/22/19 2:00	0.1	0.1	0.1
11/22/19 3:00	0.1	0.1	0.1
11/22/19 4:00	0.1	0.1	0.1
11/22/19 5:00	0.1	0.1	0.1
11/22/19 6:00	0.2	0.1	0.1
11/22/19 7:00	0.1	0.1	0.1
11/22/19 8:00	0.1	0.1	0.1
11/22/19 9:00	0.1	0.1	0.1
11/22/19 10:00	0.1	0.1	0.1
11/22/19 11:00	0.1	0.1	0.1
11/22/19 12:00	0.1	0.1	0.1
11/22/19 13:00	0.1	0.1	0.1
11/22/19 14:00	0.1	0.1	0.1
11/22/19 15:00	0.1	0.1	0.1
11/22/19 16:00	0.1	0.1	0.1
11/22/19 17:00	0.1	0.1	0.1
11/22/19 18:00	0.1	0.1	0.1
11/22/19 19:00	0.1	0.1	0.1
11/22/19 20:00	0.1	0.1	0.1
11/22/19 21:00	0.1	0.1	0.1
11/22/19 22:00	0.1	0.1	0.1
11/22/19 23:00	0.1	0.1	0.1
11/23/19 0:00	0.1	0.1	0.1
11/23/19 1:00	0.1	0.1	0.1
11/23/19 2:00	0.1	0.1	0.1
11/23/19 3:00	0.2	0.1	0.1
11/23/19 4:00	0.2	0.1	0.1
11/23/19 5:00	0.2	0.1	0.1
11/23/19 6:00	0.2	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/23/19 7:00	0.1	0.1	0.1
11/23/19 8:00	0.3	0.1	0.1
11/23/19 9:00	0.2	0.1	0.1
11/23/19 10:00	0.2	0.1	0.1
11/23/19 11:00	0.2	0.1	0.1
11/23/19 12:00	0.2	0.1	0.1
11/23/19 13:00	0.2	0.1	0.1
11/23/19 14:00	0.1	0.1	0.1
11/23/19 15:00	0.2	0.1	0.1
11/23/19 16:00	0.1	0.1	0.1
11/23/19 17:00	0.1	0.2	0.1
11/23/19 18:00	0.2	0.2	0.1
11/23/19 19:00	0.4	0.2	0.1
11/23/19 20:00	0.2	0.2	0.1
11/23/19 21:00	0.1	0.2	0.1
11/23/19 22:00	0.1	0.2	0.1
11/23/19 23:00	0.1	0.2	0.1
11/24/19 0:00	0.1	0.2	0.1
11/24/19 1:00	0.1	0.2	0.1
11/24/19 2:00	0.2	0.2	0.1
11/24/19 3:00	0.1	0.2	0.1
11/24/19 4:00	0.1	0.2	0.1
11/24/19 5:00	0.1	0.2	0.1
11/24/19 6:00	0.2	0.2	0.1
11/24/19 7:00	0.2	0.2	0.1
11/24/19 8:00	0.1	0.2	0.1
11/24/19 9:00	0.1	0.2	0.1
11/24/19 10:00	0.1	0.2	0.1
11/24/19 11:00	0.2	0.2	0.1
11/24/19 12:00	0.2	0.2	0.1
11/24/19 13:00	0.2	0.2	0.1
11/24/19 14:00	0.1	0.2	0.1
11/24/19 15:00	0.1	0.2	0.1
11/24/19 16:00	0.1	0.2	0.1
11/24/19 17:00	0.1	0.2	0.1
11/24/19 18:00	0.1	0.1	0.1
11/24/19 19:00	0.1	0.1	0.1
11/24/19 20:00	0.1	0.1	0.1
11/24/19 21:00	0.1	0.1	0.1
11/24/19 22:00	0.1	0.1	0.1
11/24/19 23:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/25/19 0:00	0.0	0.1	0.1
11/25/19 1:00	0.0	0.1	0.1
11/25/19 2:00	0.1	0.1	0.1
11/25/19 3:00	0.0	0.1	0.1
11/25/19 4:00	0.1	0.1	0.1
11/25/19 5:00	0.0	0.1	0.1
11/25/19 6:00	0.0	0.1	0.1
11/25/19 7:00	0.1	0.1	0.1
11/25/19 8:00	0.1	0.1	0.1
11/25/19 9:00	0.0	0.1	0.1
11/25/19 10:00	0.1	0.1	0.1
11/25/19 11:00	0.1	0.1	0.1
11/25/19 12:00	0.1	0.1	0.1
11/25/19 13:00	0.0	0.1	0.1
11/25/19 14:00	0.1	0.1	0.1
11/25/19 15:00	0.1	0.1	0.1
11/25/19 16:00	0.1	0.1	0.1
11/25/19 17:00	0.1	0.1	0.1
11/25/19 18:00	0.1	0.1	0.1
11/25/19 19:00	0.1	0.1	0.1
11/25/19 20:00	0.1	0.1	0.1
11/25/19 21:00	0.1	0.1	0.1
11/25/19 22:00	0.1	0.1	0.1
11/25/19 23:00	0.1	0.1	0.1
11/26/19 0:00	0.0	0.1	0.1
11/26/19 1:00	0.1	0.1	0.1
11/26/19 2:00	0.1	0.1	0.1
11/26/19 3:00	0.1	0.1	0.1
11/26/19 4:00	0.1	0.1	0.1
11/26/19 5:00	0.0	0.1	0.1
11/26/19 6:00	0.0	0.1	0.1
11/26/19 7:00	0.1	0.1	0.1
11/26/19 8:00	0.2	0.1	0.1
11/26/19 9:00	0.2	0.1	0.1
11/26/19 10:00	0.1	0.1	0.1
11/26/19 11:00	0.1	0.1	0.1
11/26/19 12:00	0.1	0.1	0.1
11/26/19 13:00	0.1	0.1	0.1
11/26/19 14:00	0.1	0.1	0.1
11/26/19 15:00	0.1	0.1	0.1
11/26/19 16:00	0.2	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/26/19 17:00	0.1	0.1	0.1
11/26/19 18:00	0.1	0.1	0.1
11/26/19 19:00	0.1	0.1	0.1
11/26/19 20:00	0.1	0.1	0.1
11/26/19 21:00	0.1	0.1	0.1
11/26/19 22:00	0.1	0.1	0.1
11/26/19 23:00	0.1	0.1	0.1
11/27/19 0:00	0.1	0.1	0.1
11/27/19 1:00	0.2	0.1	0.1
11/27/19 2:00	0.1	0.1	0.1
11/27/19 3:00	0.1	0.1	0.1
11/27/19 4:00	0.1	0.1	0.1
11/27/19 5:00	0.2	0.1	0.1
11/27/19 6:00	0.2	0.1	0.1
11/27/19 7:00	0.1	0.1	0.1
11/27/19 8:00	0.1	0.1	0.1
11/27/19 9:00	0.1	0.1	0.1
11/27/19 10:00	0.1	0.1	0.1
11/27/19 11:00	0.2	0.1	0.1
11/27/19 12:00	0.1	0.1	0.1
11/27/19 13:00	0.1	0.1	0.1
11/27/19 14:00	0.1	0.1	0.1
11/27/19 15:00	0.1	0.1	0.1
11/27/19 16:00	0.1	0.1	0.1
11/27/19 17:00	0.1	0.1	0.1
11/27/19 18:00	0.1	0.1	0.1
11/27/19 19:00	0.1	0.1	0.1
11/27/19 20:00	0.1	0.1	0.1
11/27/19 21:00	0.1	0.1	0.1
11/27/19 22:00	0.1	0.1	0.1
11/27/19 23:00	0.2	0.1	0.1
11/28/19 0:00	0.3	0.1	0.1
11/28/19 1:00	0.1	0.1	0.1
11/28/19 2:00	0.1	0.1	0.1
11/28/19 3:00	0.1	0.1	0.1
11/28/19 4:00	0.1	0.1	0.1
11/28/19 5:00	0.1	0.1	0.1
11/28/19 6:00	0.1	0.1	0.1
11/28/19 7:00	0.1	0.1	0.1
11/28/19 8:00	0.1	0.1	0.1
11/28/19 9:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/28/19 10:00	0.1	0.1	0.1
11/28/19 11:00	0.1	0.1	0.1
11/28/19 12:00	0.1	0.1	0.1
11/28/19 13:00	0.1	0.1	0.1
11/28/19 14:00	0.1	0.1	0.1
11/28/19 15:00	0.1	0.1	0.1
11/28/19 16:00	0.1	0.1	0.1
11/28/19 17:00	0.1	0.1	0.1
11/28/19 18:00	0.1	0.1	0.1
11/28/19 19:00	0.1	0.1	0.1
11/28/19 20:00	0.1	0.1	0.1
11/28/19 21:00	0.1	0.1	0.1
11/28/19 22:00	0.1	0.1	0.1
11/28/19 23:00	0.1	0.1	0.1
11/29/19 0:00	0.1	0.1	0.1
11/29/19 1:00	0.1	0.1	0.1
11/29/19 2:00	0.1	0.1	0.1
11/29/19 3:00	0.1	0.1	0.1
11/29/19 4:00	0.1	0.1	0.1
11/29/19 5:00	0.1	0.1	0.1
11/29/19 6:00	0.1	0.1	0.1
11/29/19 7:00	0.1	0.1	0.1
11/29/19 8:00	0.1	0.1	0.1
11/29/19 9:00	0.0	0.1	0.1
11/29/19 10:00	0.1	0.1	0.1
11/29/19 11:00	0.1	0.1	0.1
11/29/19 12:00	0.1	0.1	0.1
11/29/19 13:00	0.1	0.1	0.1
11/29/19 14:00	0.1	0.1	0.1
11/29/19 15:00	0.1	0.1	0.1
11/29/19 16:00	0.1	0.1	0.1
11/29/19 17:00	0.1	0.1	0.1
11/29/19 18:00	0.1	0.1	0.1
11/29/19 19:00	0.1	0.1	0.1
11/29/19 20:00	0.1	0.1	0.1
11/29/19 21:00	0.1	0.1	0.1
11/29/19 22:00	0.0	0.1	0.1
11/29/19 23:00	0.0	0.1	0.1
11/30/19 0:00	0.0	0.1	0.1
11/30/19 1:00	0.1	0.1	0.1
11/30/19 2:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/30/19 3:00	0.0	0.1	0.1
11/30/19 4:00	0.1	0.1	0.1
11/30/19 5:00	0.1	0.1	0.1
11/30/19 6:00	0.1	0.1	0.1
11/30/19 7:00	0.0	0.1	0.1
11/30/19 8:00	0.0	0.1	0.1
11/30/19 9:00	0.1	0.1	0.1
11/30/19 10:00	0.1	0.1	0.1
11/30/19 11:00	0.1	0.1	0.1
11/30/19 12:00	0.1	0.1	0.1
11/30/19 13:00	0.1	0.1	0.1
11/30/19 14:00	0.1	0.1	0.1
11/30/19 15:00	0.1	0.1	0.1
11/30/19 16:00	0.1	0.1	0.1
11/30/19 17:00	0.1	0.1	0.1
11/30/19 18:00	0.1	0.1	0.1
11/30/19 19:00	0.1	0.1	0.1
11/30/19 20:00	0.1	0.1	0.1
11/30/19 21:00	0.1	0.1	0.1
11/30/19 22:00	0.1	0.1	0.1
11/30/19 23:00	0.1	0.1	0.1
12/1/19 0:00	0.1	0.1	0.1
12/1/19 1:00	0.1	0.1	0.1
12/1/19 2:00	0.1	0.1	0.1
12/1/19 3:00	0.2	0.1	0.1
12/1/19 4:00	0.1	0.1	0.1
12/1/19 5:00	0.0	0.1	0.1
12/1/19 6:00	0.1	0.1	0.1
12/1/19 7:00	0.1	0.1	0.1
12/1/19 8:00	0.1	0.1	0.1
12/1/19 9:00	0.1	0.1	0.1
12/1/19 10:00	0.1	0.1	0.1
12/1/19 11:00	0.1	0.1	0.1
12/1/19 12:00	0.1	0.1	0.1
12/1/19 13:00	0.1	0.1	0.1
12/1/19 14:00	0.1	0.1	0.1
12/1/19 15:00	0.1	0.1	0.1
12/1/19 16:00	0.1	0.1	0.1
12/1/19 17:00	0.1	0.1	0.1
12/1/19 18:00	0.1	0.1	0.1
12/1/19 19:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/1/19 20:00	0.1	0.1	0.1
12/1/19 21:00	0.1	0.1	0.1
12/1/19 22:00	0.1	0.1	0.1
12/1/19 23:00	0.1	0.1	0.1
12/2/19 0:00	0.1	0.1	0.1
12/2/19 1:00	0.1	0.1	0.1
12/2/19 2:00	0.1	0.1	0.1
12/2/19 3:00	0.0	0.1	0.1
12/2/19 4:00	0.0	0.1	0.1
12/2/19 5:00	0.0	0.1	0.1
12/2/19 6:00	0.1	0.1	0.1
12/2/19 7:00	0.1	0.1	0.1
12/2/19 8:00	0.1	0.1	0.1
12/2/19 9:00	0.1	0.1	0.1
12/2/19 10:00	0.1	0.1	0.1
12/2/19 11:00	0.1	0.1	0.1
12/2/19 12:00	0.1	0.1	0.1
12/2/19 13:00	0.1	0.1	0.1
12/2/19 14:00	0.2	0.1	0.1
12/2/19 15:00	0.2	0.1	0.1
12/2/19 16:00	0.2	0.1	0.1
12/2/19 17:00	0.3	0.1	0.1
12/2/19 18:00	0.3	0.1	0.1
12/2/19 19:00	0.2	0.1	0.1
12/2/19 20:00	0.1	0.1	0.1
12/2/19 21:00	0.1	0.1	0.1
12/2/19 22:00	0.1	0.1	0.1
12/2/19 23:00	0.1	0.1	0.1
12/3/19 0:00	0.1	0.1	0.1
12/3/19 1:00	0.1	0.1	0.1
12/3/19 2:00	0.1	0.1	0.1
12/3/19 3:00	0.1	0.1	0.1
12/3/19 4:00	0.1	0.1	0.1
12/3/19 5:00	0.1	0.1	0.1
12/3/19 6:00	0.1	0.1	0.1
12/3/19 7:00	0.1	0.1	0.1
12/3/19 8:00	0.1	0.1	0.1
12/3/19 9:00	6.5	0.4	0.1
12/3/19 10:00	0.2	0.4	0.1
12/3/19 11:00	0.2	0.4	0.1
12/3/19 12:00	0.1	0.4	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/3/19 13:00	0.1	0.4	0.1
12/3/19 14:00	0.2	0.4	0.1
12/3/19 15:00	0.2	0.4	0.1
12/3/19 16:00	0.1	0.4	0.1
12/3/19 17:00	0.1	0.4	0.1
12/3/19 18:00	0.1	0.4	0.1
12/3/19 19:00	0.1	0.4	0.1
12/3/19 20:00	0.1	0.4	0.1
12/3/19 21:00	0.1	0.4	0.1
12/3/19 22:00	0.1	0.4	0.1
12/3/19 23:00	0.2	0.4	0.1
12/4/19 0:00	0.2	0.4	0.1
12/4/19 1:00	0.2	0.4	0.1
12/4/19 2:00	0.0	0.4	0.1
12/4/19 3:00	0.0	0.4	0.1
12/4/19 4:00	0.1	0.4	0.1
12/4/19 5:00	0.1	0.4	0.1
12/4/19 6:00	0.2	0.4	0.1
12/4/19 7:00	0.2	0.4	0.1
12/4/19 8:00	0.1	0.4	0.1
12/4/19 9:00	0.2	0.1	0.1
12/4/19 10:00	0.1	0.1	0.1
12/4/19 11:00	0.2	0.1	0.1
12/4/19 12:00	0.2	0.1	0.1
12/4/19 13:00	0.3	0.1	0.1
12/4/19 14:00	0.2	0.1	0.1
12/4/19 15:00	0.2	0.1	0.1
12/4/19 16:00	0.1	0.1	0.1
12/4/19 17:00	0.2	0.1	0.1
12/4/19 18:00	0.1	0.1	0.1
12/4/19 19:00	0.2	0.1	0.1
12/4/19 20:00	0.2	0.1	0.1
12/4/19 21:00	0.2	0.1	0.1
12/4/19 22:00	0.2	0.1	0.1
12/4/19 23:00	0.2	0.1	0.1
12/5/19 0:00	0.1	0.1	0.1
12/5/19 1:00	0.1	0.1	0.1
12/5/19 2:00	0.1	0.1	0.1
12/5/19 3:00	0.1	0.1	0.1
12/5/19 4:00	0.1	0.1	0.1
12/5/19 5:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/5/19 6:00	0.1	0.1	0.1
12/5/19 7:00	0.1	0.1	0.1
12/5/19 8:00	0.1	0.1	0.1
12/5/19 9:00	0.1	0.1	0.1
12/5/19 10:00	0.1	0.1	0.1
12/5/19 11:00	0.0	0.1	0.1
12/5/19 12:00	0.2	0.1	0.1
12/5/19 13:00	0.1	0.1	0.1
12/5/19 14:00	0.1	0.1	0.1
12/5/19 15:00	0.1	0.1	0.1
12/5/19 16:00	0.1	0.1	0.1
12/5/19 17:00	0.1	0.1	0.1
12/5/19 18:00	0.1	0.1	0.1
12/5/19 19:00	0.1	0.1	0.1
12/5/19 20:00	0.1	0.1	0.1
12/5/19 21:00	0.1	0.1	0.1
12/5/19 22:00	0.1	0.1	0.1
12/5/19 23:00	0.1	0.1	0.1
12/6/19 0:00	0.1	0.1	0.1
12/6/19 1:00	0.1	0.1	0.1
12/6/19 2:00	0.1	0.1	0.1
12/6/19 3:00	0.1	0.1	0.1
12/6/19 4:00	0.1	0.1	0.1
12/6/19 5:00	0.1	0.1	0.1
12/6/19 6:00	0.1	0.1	0.1
12/6/19 7:00	0.1	0.1	0.1
12/6/19 8:00	0.1	0.1	0.1
12/6/19 9:00	0.1	0.1	0.1
12/6/19 10:00	0.1	0.1	0.1
12/6/19 11:00	0.1	0.1	0.1
12/6/19 12:00	0.1	0.1	0.1
12/6/19 13:00	0.1	0.1	0.1
12/6/19 14:00	0.1	0.1	0.1
12/6/19 15:00	0.1	0.1	0.1
12/6/19 16:00	0.1	0.1	0.1
12/6/19 17:00	0.1	0.1	0.1
12/6/19 18:00	0.1	0.1	0.1
12/6/19 19:00	0.1	0.1	0.1
12/6/19 20:00	0.1	0.1	0.1
12/6/19 21:00	0.1	0.1	0.1
12/6/19 22:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/6/19 23:00	0.1	0.1	0.1
12/7/19 0:00	0.1	0.1	0.1
12/7/19 1:00	0.0	0.1	0.1
12/7/19 2:00	0.0	0.1	0.1
12/7/19 3:00	0.1	0.1	0.1
12/7/19 4:00	0.1	0.1	0.1
12/7/19 5:00	0.1	0.1	0.1
12/7/19 6:00	0.1	0.1	0.1
12/7/19 7:00	0.1	0.1	0.1
12/7/19 8:00	0.1	0.1	0.1
12/7/19 9:00	0.1	0.1	0.1
12/7/19 10:00	0.1	0.1	0.1
12/7/19 11:00	0.1	0.1	0.1
12/7/19 12:00	0.0	0.1	0.1
12/7/19 13:00	0.0	0.1	0.1
12/7/19 14:00	0.0	0.1	0.1
12/7/19 15:00	0.1	0.1	0.1
12/7/19 16:00	0.2	0.1	0.1
12/7/19 17:00	0.1	0.1	0.1
12/7/19 18:00	0.1	0.1	0.1
12/7/19 19:00	0.1	0.1	0.1
12/7/19 20:00	0.1	0.1	0.1
12/7/19 21:00	0.1	0.1	0.1
12/7/19 22:00	0.1	0.1	0.1
12/7/19 23:00	0.2	0.1	0.1
12/8/19 0:00	0.1	0.1	0.1
12/8/19 1:00	0.1	0.1	0.1
12/8/19 2:00	0.1	0.1	0.1
12/8/19 3:00	0.1	0.1	0.1
12/8/19 4:00	0.1	0.1	0.1
12/8/19 5:00	0.1	0.1	0.1
12/8/19 6:00	0.1	0.1	0.1
12/8/19 7:00	0.1	0.1	0.1
12/8/19 8:00	0.1	0.1	0.1
12/8/19 9:00	0.1	0.1	0.1
12/8/19 10:00	0.1	0.1	0.1
12/8/19 11:00	0.1	0.1	0.1
12/8/19 12:00	0.1	0.1	0.1
12/8/19 13:00	0.1	0.1	0.1
12/8/19 14:00	0.1	0.1	0.1
12/8/19 15:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/8/19 16:00	0.1	0.1	0.1
12/8/19 17:00	0.1	0.1	0.1
12/8/19 18:00	0.1	0.1	0.1
12/8/19 19:00	0.1	0.1	0.1
12/8/19 20:00	0.2	0.1	0.1
12/8/19 21:00	0.2	0.1	0.1
12/8/19 22:00	0.1	0.1	0.1
12/8/19 23:00	0.1	0.1	0.1
12/9/19 0:00	0.1	0.1	0.1
12/9/19 1:00	0.1	0.1	0.1
12/9/19 2:00	0.2	0.1	0.1
12/9/19 3:00	0.1	0.1	0.1
12/9/19 4:00	0.1	0.1	0.1
12/9/19 5:00	0.1	0.1	0.1
12/9/19 6:00	0.1	0.1	0.1
12/9/19 7:00	0.1	0.1	0.1
12/9/19 8:00	0.1	0.1	0.1
12/9/19 9:00	0.2	0.1	0.1
12/9/19 10:00	0.1	0.1	0.1
12/9/19 11:00	0.1	0.1	0.1
12/9/19 12:00	0.1	0.1	0.1
12/9/19 13:00	0.1	0.1	0.1
12/9/19 14:00	0.2	0.1	0.1
12/9/19 15:00	0.1	0.1	0.1
12/9/19 16:00	0.2	0.1	0.1
12/9/19 17:00	0.2	0.1	0.1
12/9/19 18:00	0.2	0.1	0.1
12/9/19 19:00	0.1	0.1	0.1
12/9/19 20:00	0.1	0.1	0.1
12/9/19 21:00	0.1	0.1	0.1
12/9/19 22:00	0.1	0.1	0.1
12/9/19 23:00	0.1	0.1	0.1
12/10/19 0:00	0.2	0.1	0.1
12/10/19 1:00	0.2	0.1	0.1
12/10/19 2:00	0.1	0.1	0.1
12/10/19 3:00	0.1	0.1	0.1
12/10/19 4:00	0.1	0.1	0.1
12/10/19 5:00	0.1	0.1	0.1
12/10/19 6:00	0.1	0.1	0.1
12/10/19 7:00	0.1	0.1	0.1
12/10/19 8:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/10/19 9:00	0.2	0.1	0.1
12/10/19 10:00	0.2	0.1	0.1
12/10/19 11:00	0.2	0.1	0.1
12/10/19 12:00	0.2	0.1	0.1
12/10/19 13:00	0.1	0.1	0.1
12/10/19 14:00	0.1	0.1	0.1
12/10/19 15:00	0.1	0.1	0.1
12/10/19 16:00	0.1	0.1	0.1
12/10/19 17:00	0.1	0.1	0.1
12/10/19 18:00	0.1	0.1	0.1
12/10/19 19:00	0.2	0.1	0.1
12/10/19 20:00	0.1	0.1	0.1
12/10/19 21:00	0.1	0.1	0.1
12/10/19 22:00	0.1	0.1	0.1
12/10/19 23:00	0.1	0.1	0.1
12/11/19 0:00	0.2	0.1	0.1
12/11/19 1:00	0.1	0.1	0.1
12/11/19 2:00	0.1	0.1	0.1
12/11/19 3:00	0.1	0.1	0.1
12/11/19 4:00	0.1	0.1	0.1
12/11/19 5:00	0.1	0.1	0.1
12/11/19 6:00	0.1	0.1	0.1
12/11/19 7:00	0.1	0.1	0.1
12/11/19 8:00	0.1	0.1	0.1
12/11/19 9:00	0.1	0.1	0.1
12/11/19 10:00	0.1	0.1	0.1
12/11/19 11:00	0.2	0.1	0.1
12/11/19 12:00	0.1	0.1	0.1
12/11/19 13:00	0.1	0.1	0.1
12/11/19 14:00	0.1	0.1	0.1
12/11/19 15:00	0.1	0.1	0.1
12/11/19 16:00	0.1	0.1	0.1
12/11/19 17:00	0.0	0.1	0.1
12/11/19 18:00	0.1	0.1	0.1
12/11/19 19:00	0.0	0.1	0.1
12/11/19 20:00	0.1	0.1	0.1
12/11/19 21:00	0.1	0.1	0.1
12/11/19 22:00	0.1	0.1	0.1
12/11/19 23:00	0.1	0.1	0.1
12/12/19 0:00	0.1	0.1	0.1
12/12/19 1:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/12/19 2:00	0.1	0.1	0.1
12/12/19 3:00	0.1	0.1	0.1
12/12/19 4:00	0.0	0.1	0.1
12/12/19 5:00	0.0	0.1	0.1
12/12/19 6:00	0.2	0.1	0.1
12/12/19 7:00	0.2	0.1	0.1
12/12/19 8:00	0.2	0.1	0.1
12/12/19 9:00	0.1	0.1	0.1
12/12/19 10:00	0.1	0.1	0.1
12/12/19 11:00	0.1	0.1	0.1
12/12/19 12:00	0.1	0.1	0.1
12/12/19 13:00	0.1	0.1	0.1
12/12/19 14:00	0.1	0.1	0.1
12/12/19 15:00	0.1	0.1	0.1
12/12/19 16:00	0.1	0.1	0.1
12/12/19 17:00	0.1	0.1	0.1
12/12/19 18:00	0.1	0.1	0.1
12/12/19 19:00	0.2	0.1	0.1
12/12/19 20:00	0.2	0.1	0.1
12/12/19 21:00	0.1	0.1	0.1
12/12/19 22:00	0.1	0.1	0.1
12/12/19 23:00	0.1	0.1	0.1
12/13/19 0:00	0.1	0.1	0.1
12/13/19 1:00	0.1	0.1	0.1
12/13/19 2:00	0.1	0.1	0.1
12/13/19 3:00	0.1	0.1	0.1
12/13/19 4:00	0.1	0.1	0.1
12/13/19 5:00	0.1	0.1	0.1
12/13/19 6:00	0.1	0.1	0.1
12/13/19 7:00	0.1	0.1	0.1
12/13/19 8:00	0.1	0.1	0.1
12/13/19 9:00	0.1	0.1	0.1
12/13/19 10:00	0.1	0.1	0.1
12/13/19 11:00	0.1	0.1	0.1
12/13/19 12:00	0.1	0.1	0.1
12/13/19 13:00	0.2	0.1	0.1
12/13/19 14:00	0.1	0.1	0.1
12/13/19 15:00	0.1	0.1	0.1
12/13/19 16:00	0.2	0.1	0.1
12/13/19 17:00	0.1	0.1	0.1
12/13/19 18:00	0.0	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/13/19 19:00	0.0	0.1	0.1
12/13/19 20:00	0.1	0.1	0.1
12/13/19 21:00	0.2	0.1	0.1
12/13/19 22:00	0.2	0.1	0.1
12/13/19 23:00	0.1	0.1	0.1
12/14/19 0:00	0.0	0.1	0.1
12/14/19 1:00	0.0	0.1	0.1
12/14/19 2:00	0.1	0.1	0.1
12/14/19 3:00	0.0	0.1	0.1
12/14/19 4:00	0.1	0.1	0.1
12/14/19 5:00	0.0	0.1	0.1
12/14/19 6:00	0.0	0.1	0.1
12/14/19 7:00	0.0	0.1	0.1
12/14/19 8:00	0.2	0.1	0.1
12/14/19 9:00	0.2	0.1	0.1
12/14/19 10:00	0.2	0.1	0.1
12/14/19 11:00	0.0	0.1	0.1
12/14/19 12:00	0.1	0.1	0.1
12/14/19 13:00	0.1	0.1	0.1
12/14/19 14:00	0.1	0.1	0.1
12/14/19 15:00	0.1	0.1	0.1
12/14/19 16:00	0.2	0.1	0.1
12/14/19 17:00	0.1	0.1	0.1
12/14/19 18:00	0.0	0.1	0.1
12/14/19 19:00	0.1	0.1	0.1
12/14/19 20:00	0.1	0.1	0.1
12/14/19 21:00	0.0	0.1	0.1
12/14/19 22:00	0.0	0.1	0.1
12/14/19 23:00	0.1	0.1	0.1
12/15/19 0:00	0.1	0.1	0.1
12/15/19 1:00	0.1	0.1	0.1
12/15/19 2:00	0.0	0.1	0.1
12/15/19 3:00	0.1	0.1	0.1
12/15/19 4:00	0.1	0.1	0.1
12/15/19 5:00	0.0	0.1	0.1
12/15/19 6:00	0.0	0.1	0.1
12/15/19 7:00	0.0	0.1	0.1
12/15/19 8:00	0.1	0.1	0.1
12/15/19 9:00	0.2	0.1	0.1
12/15/19 10:00	0.1	0.1	0.1
12/15/19 11:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/15/19 12:00	0.1	0.1	0.1
12/15/19 13:00	0.2	0.1	0.1
12/15/19 14:00	0.2	0.1	0.1
12/15/19 15:00	0.2	0.1	0.1
12/15/19 16:00	0.1	0.1	0.1
12/15/19 17:00	0.1	0.1	0.1
12/15/19 18:00	0.1	0.1	0.1
12/15/19 19:00	0.1	0.1	0.1
12/15/19 20:00	0.1	0.1	0.1
12/15/19 21:00	0.1	0.1	0.1
12/15/19 22:00	0.1	0.1	0.1
12/15/19 23:00	0.1	0.1	0.1
12/16/19 0:00	0.1	0.1	0.1
12/16/19 1:00	0.2	0.1	0.1
12/16/19 2:00	0.1	0.1	0.1
12/16/19 3:00	0.1	0.1	0.1
12/16/19 4:00	0.1	0.1	0.1
12/16/19 5:00	0.1	0.1	0.1
12/16/19 6:00	0.1	0.1	0.1
12/16/19 7:00	0.1	0.1	0.1
12/16/19 8:00	0.1	0.1	0.1
12/16/19 9:00	0.1	0.1	0.1
12/16/19 10:00	0.1	0.1	0.1
12/16/19 11:00	0.1	0.1	0.1
12/16/19 12:00	0.1	0.1	0.1
12/16/19 13:00	0.1	0.1	0.1
12/16/19 14:00	0.0	0.1	0.1
12/16/19 15:00	0.1	0.1	0.1
12/16/19 16:00	0.1	0.1	0.1
12/16/19 17:00	0.1	0.1	0.1
12/16/19 18:00	0.1	0.1	0.1
12/16/19 19:00	0.1	0.1	0.1
12/16/19 20:00	0.1	0.1	0.1
12/16/19 21:00	0.1	0.1	0.1
12/16/19 22:00	0.1	0.1	0.1
12/16/19 23:00	0.0	0.1	0.1
12/17/19 0:00	0.1	0.1	0.1
12/17/19 1:00	0.1	0.1	0.1
12/17/19 2:00	0.1	0.1	0.1
12/17/19 3:00	0.0	0.1	0.1
12/17/19 4:00	0.0	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/17/19 5:00	0.1	0.1	0.1
12/17/19 6:00	0.0	0.1	0.1
12/17/19 7:00	0.0	0.1	0.1
12/17/19 8:00	0.1	0.1	0.1
12/17/19 9:00	0.1	0.1	0.1
12/17/19 10:00	0.2	0.1	0.1
12/17/19 11:00	0.2	0.1	0.1
12/17/19 12:00	0.1	0.1	0.1
12/17/19 13:00	0.1	0.1	0.1
12/17/19 14:00	0.1	0.1	0.1
12/17/19 15:00	0.1	0.1	0.1
12/17/19 16:00	0.1	0.1	0.1
12/17/19 17:00	0.0	0.1	0.1
12/17/19 18:00	0.0	0.1	0.1
12/17/19 19:00	0.0	0.1	0.1
12/17/19 20:00	0.1	0.1	0.1
12/17/19 21:00	0.1	0.1	0.1
12/17/19 22:00	0.1	0.1	0.1
12/17/19 23:00	0.1	0.1	0.1
12/18/19 0:00	0.1	0.1	0.1
12/18/19 1:00	0.1	0.1	0.1
12/18/19 2:00	0.1	0.1	0.1
12/18/19 3:00	0.1	0.1	0.1
12/18/19 4:00	0.1	0.1	0.1
12/18/19 5:00	0.1	0.1	0.1
12/18/19 6:00	0.2	0.1	0.1
12/18/19 7:00	0.1	0.1	0.1
12/18/19 8:00	0.1	0.1	0.1
12/18/19 9:00	0.1	0.1	0.1
12/18/19 10:00	0.1	0.1	0.1
12/18/19 11:00	0.0	0.1	0.1
12/18/19 12:00	0.0	0.1	0.1
12/18/19 13:00	0.2	0.1	0.1
12/18/19 14:00	0.2	0.1	0.1
12/18/19 15:00	0.1	0.1	0.1
12/18/19 16:00	0.2	0.1	0.1
12/18/19 17:00	0.2	0.1	0.1
12/18/19 18:00	0.2	0.1	0.1
12/18/19 19:00	0.2	0.1	0.1
12/18/19 20:00	0.2	0.1	0.1
12/18/19 21:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/18/19 22:00	0.1	0.1	0.1
12/18/19 23:00	0.2	0.1	0.1
12/19/19 0:00	0.1	0.1	0.1
12/19/19 1:00	0.1	0.1	0.1
12/19/19 2:00	0.2	0.1	0.1
12/19/19 3:00	0.1	0.1	0.1
12/19/19 4:00	0.1	0.1	0.1
12/19/19 5:00	0.1	0.1	0.1
12/19/19 6:00	0.1	0.1	0.1
12/19/19 7:00	0.1	0.1	0.1
12/19/19 8:00	0.1	0.1	0.1
12/19/19 9:00	0.1	0.1	0.1
12/19/19 10:00	0.1	0.1	0.1
12/19/19 11:00	0.1	0.1	0.1
12/19/19 12:00	0.1	0.1	0.1
12/19/19 13:00	0.1	0.1	0.1
12/19/19 14:00	0.1	0.1	0.1
12/19/19 15:00	0.1	0.1	0.1
12/19/19 16:00	0.0	0.1	0.1
12/19/19 17:00	0.0	0.1	0.1
12/19/19 18:00	0.1	0.1	0.1
12/19/19 19:00	0.1	0.1	0.1
12/19/19 20:00	0.1	0.1	0.1
12/19/19 21:00	0.1	0.1	0.1
12/19/19 22:00	0.1	0.1	0.1
12/19/19 23:00	0.1	0.1	0.1
12/20/19 0:00	0.0	0.1	0.1
12/20/19 1:00	0.0	0.1	0.1
12/20/19 2:00	0.1	0.1	0.1
12/20/19 3:00	0.1	0.1	0.1
12/20/19 4:00	0.1	0.1	0.1
12/20/19 5:00	0.1	0.1	0.1
12/20/19 6:00	0.0	0.1	0.1
12/20/19 7:00	0.0	0.1	0.1
12/20/19 8:00	0.1	0.1	0.1
12/20/19 9:00	0.1	0.1	0.1
12/20/19 10:00	0.1	0.1	0.1
12/20/19 11:00	0.1	0.1	0.1
12/20/19 12:00	0.1	0.1	0.1
12/20/19 13:00	0.1	0.1	0.1
12/20/19 14:00	0.0	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/20/19 15:00	0.0	0.1	0.1
12/20/19 16:00	0.1	0.1	0.1
12/20/19 17:00	0.1	0.1	0.1
12/20/19 18:00	0.1	0.1	0.1
12/20/19 19:00	0.1	0.1	0.1
12/20/19 20:00	0.0	0.1	0.1
12/20/19 21:00	0.2	0.1	0.1
12/20/19 22:00	0.2	0.1	0.1
12/20/19 23:00	0.2	0.1	0.1
12/21/19 0:00	0.1	0.1	0.1
12/21/19 1:00	0.1	0.1	0.1
12/21/19 2:00	0.2	0.1	0.1
12/21/19 3:00	0.2	0.1	0.1
12/21/19 4:00	0.2	0.1	0.1
12/21/19 5:00	0.1	0.1	0.1
12/21/19 6:00	0.1	0.1	0.1
12/21/19 7:00	0.1	0.1	0.1
12/21/19 8:00	0.1	0.1	0.1
12/21/19 9:00	0.1	0.1	0.1
12/21/19 10:00	0.1	0.1	0.1
12/21/19 11:00	0.1	0.1	0.1
12/21/19 12:00	0.1	0.1	0.1
12/21/19 13:00	0.1	0.1	0.1
12/21/19 14:00	0.1	0.1	0.1
12/21/19 15:00	0.1	0.1	0.1
12/21/19 16:00	0.1	0.1	0.1
12/21/19 17:00	0.1	0.1	0.1
12/21/19 18:00	0.1	0.1	0.1
12/21/19 19:00	0.1	0.1	0.1
12/21/19 20:00	0.2	0.1	0.1
12/21/19 21:00	0.1	0.1	0.1
12/21/19 22:00	0.1	0.1	0.1
12/21/19 23:00	0.1	0.1	0.1
12/22/19 0:00	0.1	0.1	0.1
12/22/19 1:00	0.1	0.1	0.1
12/22/19 2:00	0.1	0.1	0.1
12/22/19 3:00	0.1	0.1	0.1
12/22/19 4:00	0.1	0.1	0.1
12/22/19 5:00	0.1	0.1	0.1
12/22/19 6:00	0.0	0.1	0.1
12/22/19 7:00	0.0	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/22/19 8:00	0.1	0.1	0.1
12/22/19 9:00	0.1	0.1	0.1
12/22/19 10:00	0.1	0.1	0.1
12/22/19 11:00	0.1	0.1	0.1
12/22/19 12:00	0.1	0.1	0.1
12/22/19 13:00	0.2	0.1	0.1
12/22/19 14:00	0.2	0.1	0.1
12/22/19 15:00	0.2	0.1	0.1
12/22/19 16:00	0.2	0.1	0.1
12/22/19 17:00	0.1	0.1	0.1
12/22/19 18:00	0.1	0.1	0.1
12/22/19 19:00	0.1	0.1	0.1
12/22/19 20:00	0.1	0.1	0.1
12/22/19 21:00	0.1	0.1	0.1
12/22/19 22:00	0.1	0.1	0.1
12/22/19 23:00	0.1	0.1	0.1
12/23/19 0:00	0.1	0.1	0.1
12/23/19 1:00	0.1	0.1	0.1
12/23/19 2:00	0.1	0.1	0.1
12/23/19 3:00	0.1	0.1	0.1
12/23/19 4:00	0.1	0.1	0.1
12/23/19 5:00	0.1	0.1	0.1
12/23/19 6:00	0.1	0.1	0.1
12/23/19 7:00	0.1	0.1	0.1
12/23/19 8:00	0.1	0.1	0.1
12/23/19 9:00	0.1	0.1	0.1
12/23/19 10:00	0.1	0.1	0.1
12/23/19 11:00	0.1	0.1	0.1
12/23/19 12:00	0.1	0.1	0.1
12/23/19 13:00	0.1	0.1	0.1
12/23/19 14:00	0.1	0.1	0.1
12/23/19 15:00	0.1	0.1	0.1
12/23/19 16:00	0.1	0.1	0.1
12/23/19 17:00	0.1	0.1	0.1
12/23/19 18:00	0.1	0.1	0.1
12/23/19 19:00	0.2	0.1	0.1
12/23/19 20:00	0.2	0.1	0.1
12/23/19 21:00	0.2	0.1	0.1
12/23/19 22:00	0.0	0.1	0.1
12/23/19 23:00	0.1	0.1	0.1
12/24/19 0:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/24/19 1:00	0.1	0.1	0.1
12/24/19 2:00	0.1	0.1	0.1
12/24/19 3:00	0.0	0.1	0.1
12/24/19 4:00	0.1	0.1	0.1
12/24/19 5:00	0.1	0.1	0.1
12/24/19 6:00	0.1	0.1	0.1
12/24/19 7:00	0.1	0.1	0.1
12/24/19 8:00	0.1	0.1	0.1
12/24/19 9:00	0.2	0.1	0.1
12/24/19 10:00	0.1	0.1	0.1
12/24/19 11:00	0.0	0.1	0.1
12/24/19 12:00	0.0	0.1	0.1
12/24/19 13:00	0.0	0.1	0.1
12/24/19 14:00	0.0	0.1	0.1
12/24/19 15:00	0.1	0.1	0.1
12/24/19 16:00	0.1	0.1	0.1
12/24/19 17:00	0.1	0.1	0.1
12/24/19 18:00	0.1	0.1	0.1
12/24/19 19:00	0.1	0.1	0.1
12/24/19 20:00	0.1	0.1	0.1
12/24/19 21:00	0.1	0.1	0.1
12/24/19 22:00	0.1	0.1	0.1
12/24/19 23:00	0.1	0.1	0.1
12/25/19 0:00	0.1	0.1	0.1
12/25/19 1:00	0.1	0.1	0.1
12/25/19 2:00	0.1	0.1	0.1
12/25/19 3:00	0.1	0.1	0.1
12/25/19 4:00	0.1	0.1	0.1
12/25/19 5:00	0.1	0.1	0.1
12/25/19 6:00	0.1	0.1	0.1
12/25/19 7:00	0.1	0.1	0.1
12/25/19 8:00	0.1	0.1	0.1
12/25/19 9:00	0.1	0.1	0.1
12/25/19 10:00	0.1	0.1	0.1
12/25/19 11:00	0.1	0.1	0.1
12/25/19 12:00	0.1	0.1	0.1
12/25/19 13:00	0.2	0.1	0.1
12/25/19 14:00	0.2	0.1	0.1
12/25/19 15:00	0.2	0.1	0.1
12/25/19 16:00	0.1	0.1	0.1
12/25/19 17:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/25/19 18:00	0.1	0.1	0.1
12/25/19 19:00	0.1	0.1	0.1
12/25/19 20:00	0.1	0.1	0.1
12/25/19 21:00	0.1	0.1	0.1
12/25/19 22:00	0.1	0.1	0.1
12/25/19 23:00	0.2	0.1	0.1
12/26/19 0:00	0.1	0.1	0.1
12/26/19 1:00	0.1	0.1	0.1
12/26/19 2:00	0.2	0.1	0.1
12/26/19 3:00	0.2	0.1	0.1
12/26/19 4:00	0.2	0.1	0.1
12/26/19 5:00	0.1	0.1	0.1
12/26/19 6:00	0.1	0.1	0.1
12/26/19 7:00	0.1	0.1	0.1
12/26/19 8:00	0.1	0.1	0.1
12/26/19 9:00	0.2	0.1	0.1
12/26/19 10:00	0.0	0.1	0.1
12/26/19 11:00	0.0	0.1	0.1
12/26/19 12:00	0.1	0.1	0.1
12/26/19 13:00	0.2	0.1	0.1
12/26/19 14:00	0.2	0.1	0.1
12/26/19 15:00	0.0	0.1	0.1
12/26/19 16:00	0.1	0.1	0.1
12/26/19 17:00	0.1	0.1	0.1
12/26/19 18:00	0.1	0.1	0.1
12/26/19 19:00	0.1	0.1	0.1
12/26/19 20:00	0.1	0.1	0.1
12/26/19 21:00	0.0	0.1	0.1
12/26/19 22:00	0.1	0.1	0.1
12/26/19 23:00	0.2	0.1	0.1
12/27/19 0:00	0.1	0.1	0.1
12/27/19 1:00	0.1	0.1	0.1
12/27/19 2:00	0.1	0.1	0.1
12/27/19 3:00	0.1	0.1	0.1
12/27/19 4:00	0.1	0.1	0.1
12/27/19 5:00	0.1	0.1	0.1
12/27/19 6:00	0.1	0.1	0.1
12/27/19 7:00	0.1	0.1	0.1
12/27/19 8:00	0.1	0.1	0.1
12/27/19 9:00	0.1	0.1	0.1
12/27/19 10:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/27/19 11:00	0.1	0.1	0.1
12/27/19 12:00	0.1	0.1	0.1
12/27/19 13:00	0.1	0.1	0.1
12/27/19 14:00	0.1	0.1	0.1
12/27/19 15:00	0.1	0.1	0.1
12/27/19 16:00	0.1	0.1	0.1
12/27/19 17:00	0.1	0.1	0.1
12/27/19 18:00	0.1	0.1	0.1
12/27/19 19:00	0.1	0.1	0.1
12/27/19 20:00	0.1	0.1	0.1
12/27/19 21:00	0.1	0.1	0.1
12/27/19 22:00	0.0	0.1	0.1
12/27/19 23:00	0.1	0.1	0.1
12/28/19 0:00	0.1	0.1	0.1
12/28/19 1:00	0.1	0.1	0.1
12/28/19 2:00	0.1	0.1	0.1
12/28/19 3:00	0.1	0.1	0.1
12/28/19 4:00	0.1	0.1	0.1
12/28/19 5:00	0.1	0.1	0.1
12/28/19 6:00	0.0	0.1	0.1
12/28/19 7:00	0.2	0.1	0.1
12/28/19 8:00	0.1	0.1	0.1
12/28/19 9:00	0.1	0.1	0.1
12/28/19 10:00	0.1	0.1	0.1
12/28/19 11:00	0.2	0.1	0.1
12/28/19 12:00	0.1	0.1	0.1
12/28/19 13:00	0.2	0.1	0.1
12/28/19 14:00	0.1	0.1	0.1
12/28/19 15:00	0.1	0.1	0.1
12/28/19 16:00	0.1	0.1	0.1
12/28/19 17:00	0.1	0.1	0.1
12/28/19 18:00	0.1	0.1	0.1
12/28/19 19:00	0.1	0.1	0.1
12/28/19 20:00	0.1	0.1	0.1
12/28/19 21:00	0.1	0.1	0.1
12/28/19 22:00	0.1	0.1	0.1
12/28/19 23:00	0.1	0.1	0.1
12/29/19 0:00	0.1	0.1	0.1
12/29/19 1:00	0.1	0.1	0.1
12/29/19 2:00	0.1	0.1	0.1
12/29/19 3:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/29/19 4:00	0.1	0.1	0.1
12/29/19 5:00	0.1	0.1	0.1
12/29/19 6:00	0.1	0.1	0.1
12/29/19 7:00	0.2	0.1	0.1
12/29/19 8:00	0.2	0.1	0.1
12/29/19 9:00	0.1	0.1	0.1
12/29/19 10:00	0.1	0.1	0.1
12/29/19 11:00	0.2	0.1	0.1
12/29/19 12:00	0.2	0.1	0.1
12/29/19 13:00	0.2	0.1	0.1
12/29/19 14:00	0.1	0.1	0.1
12/29/19 15:00	0.1	0.1	0.1
12/29/19 16:00	0.1	0.1	0.1
12/29/19 17:00	0.1	0.1	0.1
12/29/19 18:00	0.1	0.1	0.1
12/29/19 19:00	0.1	0.1	0.1
12/29/19 20:00	0.1	0.1	0.1
12/29/19 21:00	0.1	0.1	0.1
12/29/19 22:00	0.1	0.1	0.1
12/29/19 23:00	0.1	0.1	0.1
12/30/19 0:00	0.1	0.1	0.1
12/30/19 1:00	0.1	0.1	0.1
12/30/19 2:00	0.1	0.1	0.1
12/30/19 3:00	0.1	0.1	0.1
12/30/19 4:00	0.1	0.1	0.1
12/30/19 5:00	0.1	0.1	0.1
12/30/19 6:00	0.1	0.1	0.1
12/30/19 7:00	0.1	0.1	0.1
12/30/19 8:00	0.0	0.1	0.1
12/30/19 9:00	0.0	0.1	0.1
12/30/19 10:00	0.1	0.1	0.1
12/30/19 11:00	0.1	0.1	0.1
12/30/19 12:00	0.1	0.1	0.1
12/30/19 13:00	0.0	0.1	0.1
12/30/19 14:00	0.0	0.1	0.1
12/30/19 15:00	0.1	0.1	0.1
12/30/19 16:00	0.1	0.1	0.1
12/30/19 17:00	0.1	0.1	0.1
12/30/19 18:00	0.1	0.1	0.1
12/30/19 19:00	0.1	0.1	0.1
12/30/19 20:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/30/19 21:00	0.1	0.1	0.1
12/30/19 22:00	0.0	0.1	0.1
12/30/19 23:00	0.0	0.1	0.1
12/31/19 0:00	0.1	0.1	0.1
12/31/19 1:00	0.1	0.1	0.1
12/31/19 2:00	0.1	0.1	0.1
12/31/19 3:00	0.1	0.1	0.1
12/31/19 4:00	0.1	0.1	0.1
12/31/19 5:00	0.1	0.1	0.1
12/31/19 6:00	0.2	0.1	0.1
12/31/19 7:00	0.2	0.1	0.1
12/31/19 8:00	0.2	0.1	0.1
12/31/19 9:00	0.2	0.1	0.1
12/31/19 10:00	0.2	0.1	0.1
12/31/19 11:00	0.1	0.1	0.1
12/31/19 12:00	0.1	0.1	0.1
12/31/19 13:00	0.1	0.1	0.1
12/31/19 14:00	0.1	0.1	0.1
12/31/19 15:00	0.1	0.1	0.1
12/31/19 16:00	0.1	0.1	0.1
12/31/19 17:00	0.1	0.1	0.1
12/31/19 18:00	0.1	0.1	0.1
12/31/19 19:00	0.1	0.1	0.1
12/31/19 20:00	0.1	0.1	0.1
12/31/19 21:00	0.1	0.1	0.1
12/31/19 22:00	0.1	0.1	0.1
12/31/19 23:00	0.1	0.1	0.1
1/1/20 0:00	0.1	0.1	0.1
1/1/20 1:00	0.1	0.1	0.1
1/1/20 2:00	0.1	0.1	0.1
1/1/20 3:00	0.1	0.1	0.1
1/1/20 4:00	0.1	0.1	0.1
1/1/20 5:00	0.2	0.1	0.1
1/1/20 6:00	0.1	0.1	0.1
1/1/20 7:00	0.1	0.1	0.1
1/1/20 8:00	0.1	0.1	0.1
1/1/20 9:00	0.0	0.1	0.1
1/1/20 10:00	0.0	0.1	0.1
1/1/20 11:00	0.1	0.1	0.1
1/1/20 12:00	0.1	0.1	0.1
1/1/20 13:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/1/20 14:00	0.1	0.1	0.1
1/1/20 15:00	0.1	0.1	0.1
1/1/20 16:00	0.1	0.1	0.1
1/1/20 17:00	0.0	0.1	0.1
1/1/20 18:00	0.0	0.1	0.1
1/1/20 19:00	0.1	0.1	0.1
1/1/20 20:00	0.1	0.1	0.1
1/1/20 21:00	0.1	0.1	0.1
1/1/20 22:00	0.1	0.1	0.1
1/1/20 23:00	0.1	0.1	0.1
1/2/20 0:00	0.1	0.1	0.1
1/2/20 1:00	0.1	0.1	0.1
1/2/20 2:00	0.1	0.1	0.1
1/2/20 3:00	0.1	0.1	0.1
1/2/20 4:00	0.1	0.1	0.1
1/2/20 5:00	0.1	0.1	0.1
1/2/20 6:00	0.1	0.1	0.1
1/2/20 7:00	0.1	0.1	0.1
1/2/20 8:00	0.1	0.1	0.1
1/2/20 9:00	0.1	0.1	0.1
1/2/20 10:00	0.0	0.1	0.1
1/2/20 11:00	0.0	0.1	0.1
1/2/20 12:00	0.0	0.1	0.1
1/2/20 13:00	0.1	0.1	0.1
1/2/20 14:00	0.0	0.1	0.1
1/2/20 15:00	0.0	0.1	0.1
1/2/20 16:00	0.1	0.1	0.1
1/2/20 17:00	0.1	0.1	0.1
1/2/20 18:00	0.1	0.1	0.1
1/2/20 19:00	0.3	0.1	0.1
1/2/20 20:00	0.2	0.1	0.1
1/2/20 21:00	0.1	0.1	0.1
1/2/20 22:00	0.1	0.1	0.1
1/2/20 23:00	0.1	0.1	0.1
1/3/20 0:00	0.1	0.1	0.1
1/3/20 1:00	0.1	0.1	0.1
1/3/20 2:00	0.1	0.1	0.1
1/3/20 3:00	0.1	0.1	0.1
1/3/20 4:00	0.1	0.1	0.1
1/3/20 5:00	0.2	0.1	0.1
1/3/20 6:00	0.2	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/3/20 7:00	0.2	0.1	0.1
1/3/20 8:00	0.2	0.1	0.1
1/3/20 9:00	0.1	0.1	0.1
1/3/20 10:00	0.1	0.1	0.1
1/3/20 11:00	0.1	0.1	0.1
1/3/20 12:00	0.1	0.1	0.1
1/3/20 13:00	0.1	0.1	0.1
1/3/20 14:00	0.1	0.1	0.1
1/3/20 15:00	0.2	0.1	0.1
1/3/20 16:00	0.1	0.1	0.1
1/3/20 17:00	0.1	0.1	0.1
1/3/20 18:00	0.1	0.1	0.1
1/3/20 19:00	0.1	0.1	0.1
1/3/20 20:00	0.1	0.1	0.1
1/3/20 21:00	0.1	0.1	0.1
1/3/20 22:00	0.1	0.1	0.1
1/3/20 23:00	0.0	0.1	0.1
1/4/20 0:00	0.0	0.1	0.1
1/4/20 1:00	0.0	0.1	0.1
1/4/20 2:00	0.1	0.1	0.1
1/4/20 3:00	0.1	0.1	0.1
1/4/20 4:00	0.1	0.1	0.1
1/4/20 5:00	0.1	0.1	0.1
1/4/20 6:00	0.1	0.1	0.1
1/4/20 7:00	0.1	0.1	0.1
1/4/20 8:00	0.1	0.1	0.1
1/4/20 9:00	0.0	0.1	0.1
1/4/20 10:00	0.1	0.1	0.1
1/4/20 11:00	0.1	0.1	0.1
1/4/20 12:00	0.1	0.1	0.1
1/4/20 13:00	0.2	0.1	0.1
1/4/20 14:00	0.2	0.1	0.1
1/4/20 15:00	0.2	0.1	0.1
1/4/20 16:00	0.1	0.1	0.1
1/4/20 17:00	0.1	0.1	0.1
1/4/20 18:00	0.0	0.1	0.1
1/4/20 19:00	0.1	0.1	0.1
1/4/20 20:00	0.1	0.1	0.1
1/4/20 21:00	0.2	0.1	0.1
1/4/20 22:00	0.2	0.1	0.1
1/4/20 23:00	0.2	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/5/20 0:00	0.3	0.1	0.1
1/5/20 1:00	0.3	0.1	0.1
1/5/20 2:00	0.2	0.1	0.1
1/5/20 3:00	0.1	0.1	0.1
1/5/20 4:00	0.2	0.1	0.1
1/5/20 5:00	0.1	0.1	0.1
1/5/20 6:00	0.1	0.1	0.1
1/5/20 7:00	0.1	0.1	0.1
1/5/20 8:00	0.1	0.1	0.1
1/5/20 9:00	0.1	0.1	0.1
1/5/20 10:00	0.1	0.1	0.1
1/5/20 11:00	0.1	0.1	0.1
1/5/20 12:00	0.1	0.1	0.1
1/5/20 13:00	0.1	0.1	0.1
1/5/20 14:00	0.1	0.1	0.1
1/5/20 15:00	0.1	0.1	0.1
1/5/20 16:00	0.2	0.1	0.1
1/5/20 17:00	0.2	0.1	0.1
1/5/20 18:00	0.2	0.1	0.1
1/5/20 19:00	0.2	0.1	0.1
1/5/20 20:00	0.2	0.2	0.1
1/5/20 21:00	0.2	0.2	0.1
1/5/20 22:00	0.2	0.2	0.1
1/5/20 23:00	0.2	0.1	0.1
1/6/20 0:00	0.2	0.1	0.1
1/6/20 1:00	0.2	0.1	0.1
1/6/20 2:00	0.2	0.1	0.1
1/6/20 3:00	0.2	0.1	0.1
1/6/20 4:00	0.2	0.1	0.1
1/6/20 5:00	0.2	0.1	0.1
1/6/20 6:00	0.2	0.2	0.1
1/6/20 7:00	0.2	0.2	0.1
1/6/20 8:00	0.1	0.2	0.1
1/6/20 9:00	0.2	0.2	0.1
1/6/20 10:00	0.2	0.2	0.1
1/6/20 11:00	0.2	0.2	0.1
1/6/20 12:00	0.2	0.2	0.1
1/6/20 13:00	0.3	0.2	0.1
1/6/20 14:00	0.3	0.2	0.1
1/6/20 15:00	0.3	0.2	0.1
1/6/20 16:00	0.3	0.2	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/6/20 17:00	0.3	0.2	0.1
1/6/20 18:00	0.2	0.2	0.1
1/6/20 19:00	0.1	0.2	0.1
1/6/20 20:00	0.0	0.2	0.1
1/6/20 21:00	0.0	0.2	0.1
1/6/20 22:00	0.1	0.2	0.1
1/6/20 23:00	0.1	0.2	0.1
1/7/20 0:00	0.1	0.2	0.1
1/7/20 1:00	0.1	0.2	0.1
1/7/20 2:00	0.1	0.2	0.1
1/7/20 3:00	0.0	0.2	0.1
1/7/20 4:00	0.0	0.2	0.1
1/7/20 5:00	0.1	0.2	0.1
1/7/20 6:00	0.0	0.1	0.1
1/7/20 7:00	0.0	0.1	0.1
1/7/20 8:00	0.1	0.1	0.1
1/7/20 9:00	0.1	0.1	0.1
1/7/20 10:00	0.2	0.1	0.1
1/7/20 11:00	0.2	0.1	0.1
1/7/20 12:00	0.0	0.1	0.1
1/7/20 13:00	0.0	0.1	0.1
1/7/20 14:00	0.0	0.1	0.1
1/7/20 15:00	0.1	0.1	0.1
1/7/20 16:00	0.1	0.1	0.1
1/7/20 17:00	0.1	0.1	0.1
1/7/20 18:00	0.1	0.1	0.1
1/7/20 19:00	0.1	0.1	0.1
1/7/20 20:00	0.1	0.1	0.1
1/7/20 21:00	0.0	0.1	0.1
1/7/20 22:00	0.0	0.1	0.1
1/7/20 23:00	0.0	0.1	0.1
1/8/20 0:00	0.0	0.1	0.1
1/8/20 1:00	0.0	0.1	0.1
1/8/20 2:00	0.2	0.1	0.1
1/8/20 3:00	0.2	0.1	0.1
1/8/20 4:00	0.1	0.1	0.1
1/8/20 5:00	0.1	0.1	0.1
1/8/20 6:00	0.2	0.1	0.1
1/8/20 7:00	0.1	0.1	0.1
1/8/20 8:00	0.1	0.1	0.1
1/8/20 9:00	0.2	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/8/20 10:00	0.1	0.1	0.1
1/8/20 11:00	0.1	0.1	0.1
1/8/20 12:00	0.1	0.1	0.1
1/8/20 13:00	0.1	0.1	0.1
1/8/20 14:00	0.1	0.1	0.1
1/8/20 15:00	0.1	0.1	0.1
1/8/20 16:00	0.1	0.1	0.1
1/8/20 17:00	0.1	0.1	0.1
1/8/20 18:00	0.1	0.1	0.1
1/8/20 19:00	0.1	0.1	0.1
1/8/20 20:00	0.0	0.1	0.1
1/8/20 21:00	0.1	0.1	0.1
1/8/20 22:00	0.0	0.1	0.1
1/8/20 23:00	0.0	0.1	0.1
1/9/20 0:00	0.0	0.1	0.1
1/9/20 1:00	0.0	0.1	0.1
1/9/20 2:00	0.0	0.1	0.1
1/9/20 3:00	0.1	0.1	0.1
1/9/20 4:00	0.1	0.1	0.1
1/9/20 5:00	0.1	0.1	0.1
1/9/20 6:00	0.1	0.1	0.1
1/9/20 7:00	0.1	0.1	0.1
1/9/20 8:00	0.0	0.1	0.1
1/9/20 9:00	0.1	0.1	0.1
1/9/20 10:00	0.1	0.1	0.1
1/9/20 11:00	0.0	0.1	0.1
1/9/20 12:00	0.0	0.1	0.1
1/9/20 13:00	0.1	0.1	0.1
1/9/20 14:00	0.1	0.1	0.1
1/9/20 15:00	0.0	0.1	0.1
1/9/20 16:00	0.0	0.1	0.1
1/9/20 17:00	0.1	0.1	0.1
1/9/20 18:00	0.1	0.1	0.1
1/9/20 19:00	0.1	0.1	0.1
1/9/20 20:00	0.1	0.1	0.1
1/9/20 21:00	0.1	0.1	0.1
1/9/20 22:00	0.1	0.1	0.1
1/9/20 23:00	0.1	0.1	0.1
1/10/20 0:00	0.1	0.1	0.1
1/10/20 1:00	0.1	0.1	0.1
1/10/20 2:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/10/20 3:00	0.1	0.1	0.1
1/10/20 4:00	0.1	0.1	0.1
1/10/20 5:00	0.1	0.1	0.1
1/10/20 6:00	0.1	0.1	0.1
1/10/20 7:00	0.1	0.1	0.1
1/10/20 8:00	0.1	0.1	0.1
1/10/20 9:00	0.1	0.1	0.1
1/10/20 10:00	0.1	0.1	0.1
1/10/20 11:00	0.1	0.1	0.1
1/10/20 12:00	0.1	0.1	0.1
1/10/20 13:00	0.1	0.1	0.1
1/10/20 14:00	0.1	0.1	0.1
1/10/20 15:00	0.1	0.1	0.1
1/10/20 16:00	0.1	0.1	0.1
1/10/20 17:00	0.2	0.1	0.1
1/10/20 18:00	0.1	0.1	0.1
1/10/20 19:00	0.1	0.1	0.1
1/10/20 20:00	0.1	0.1	0.1
1/10/20 21:00	0.1	0.1	0.1
1/10/20 22:00	0.1	0.1	0.1
1/10/20 23:00	0.1	0.1	0.1
1/11/20 0:00	0.1	0.1	0.1
1/11/20 1:00	0.1	0.1	0.1
1/11/20 2:00	0.1	0.1	0.1
1/11/20 3:00	0.1	0.1	0.1
1/11/20 4:00	0.1	0.1	0.1
1/11/20 5:00	0.1	0.1	0.1
1/11/20 6:00	0.1	0.1	0.1
1/11/20 7:00	0.1	0.1	0.1
1/11/20 8:00	0.2	0.1	0.1
1/11/20 9:00	0.2	0.1	0.1
1/11/20 10:00	0.2	0.1	0.1
1/11/20 11:00	0.2	0.1	0.1
1/11/20 12:00	0.1	0.1	0.1
1/11/20 13:00	0.1	0.1	0.1
1/11/20 14:00	0.1	0.1	0.1
1/11/20 15:00	0.0	0.1	0.1
1/11/20 16:00	0.1	0.1	0.1
1/11/20 17:00	0.1	0.1	0.1
1/11/20 18:00	0.1	0.1	0.1
1/11/20 19:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/11/20 20:00	0.1	0.1	0.1
1/11/20 21:00	0.1	0.1	0.1
1/11/20 22:00	0.1	0.1	0.1
1/11/20 23:00	0.1	0.1	0.1
1/12/20 0:00	0.1	0.1	0.1
1/12/20 1:00	0.1	0.1	0.1
1/12/20 2:00	0.1	0.1	0.1
1/12/20 3:00	0.1	0.1	0.1
1/12/20 4:00	0.1	0.1	0.1
1/12/20 5:00	0.1	0.1	0.1
1/12/20 6:00	0.1	0.1	0.1
1/12/20 7:00	0.1	0.1	0.1
1/12/20 8:00	0.1	0.1	0.1
1/12/20 9:00	0.1	0.1	0.1
1/12/20 10:00	0.1	0.1	0.1
1/12/20 11:00	0.1	0.1	0.1
1/12/20 12:00	0.1	0.1	0.1
1/12/20 13:00	0.1	0.1	0.1
1/12/20 14:00	0.1	0.1	0.1
1/12/20 15:00	0.0	0.1	0.1
1/12/20 16:00	0.0	0.1	0.1
1/12/20 17:00	0.1	0.1	0.1
1/12/20 18:00	0.1	0.1	0.1
1/12/20 19:00	0.1	0.1	0.1
1/12/20 20:00	0.0	0.1	0.1
1/12/20 21:00	0.0	0.1	0.1
1/12/20 22:00	0.1	0.1	0.1
1/12/20 23:00	0.1	0.1	0.1
1/13/20 0:00	0.1	0.1	0.1
1/13/20 1:00	0.1	0.1	0.1
1/13/20 2:00	0.0	0.1	0.1
1/13/20 3:00	0.0	0.1	0.1
1/13/20 4:00	0.1	0.1	0.1
1/13/20 5:00	0.1	0.1	0.1
1/13/20 6:00	0.1	0.1	0.1
1/13/20 7:00	0.0	0.1	0.1
1/13/20 8:00	0.0	0.1	0.1
1/13/20 9:00	0.0	0.1	0.1
1/13/20 10:00	0.1	0.1	0.1
1/13/20 11:00	0.1	0.1	0.1
1/13/20 12:00	0.0	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/13/20 13:00	0.0	0.1	0.1
1/13/20 14:00	0.1	0.1	0.1
1/13/20 15:00	0.2	0.1	0.1
1/13/20 16:00	0.2	0.1	0.1
1/13/20 17:00	0.2	0.1	0.1
1/13/20 18:00	0.0	0.1	0.1
1/13/20 19:00	0.1	0.1	0.1
1/13/20 20:00	0.1	0.1	0.1
1/13/20 21:00	0.1	0.1	0.1
1/13/20 22:00	0.1	0.1	0.1
1/13/20 23:00	0.1	0.1	0.1
1/14/20 0:00	0.1	0.1	0.1
1/14/20 1:00	0.2	0.1	0.1
1/14/20 2:00	0.0	0.1	0.1
1/14/20 3:00	0.0	0.1	0.1
1/14/20 4:00	0.0	0.1	0.1
1/14/20 5:00	0.0	0.1	0.1
1/14/20 6:00	0.0	0.1	0.1
1/14/20 7:00	0.0	0.1	0.1
1/14/20 8:00	0.1	0.1	0.1
1/14/20 9:00	0.2	0.1	0.1
1/14/20 10:00	0.2	0.1	0.1
1/14/20 11:00	0.0	0.1	0.1
1/14/20 12:00	0.1	0.1	0.1
1/14/20 13:00	0.0	0.1	0.1
1/14/20 14:00	0.0	0.1	0.1
1/14/20 15:00	0.0	0.1	0.1
1/14/20 16:00	0.1	0.1	0.1
1/14/20 17:00	0.1	0.1	0.1
1/14/20 18:00	0.1	0.1	0.1
1/14/20 19:00	0.1	0.1	0.1
1/14/20 20:00	0.0	0.1	0.1
1/14/20 21:00	0.0	0.1	0.1
1/14/20 22:00	0.0	0.1	0.1
1/14/20 23:00	0.1	0.1	0.1
1/15/20 0:00	0.1	0.1	0.1
1/15/20 1:00	0.1	0.1	0.1
1/15/20 2:00	0.1	0.1	0.1
1/15/20 3:00	0.0	0.1	0.1
1/15/20 4:00	0.0	0.1	0.1
1/15/20 5:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/15/20 6:00	0.1	0.1	0.1
1/15/20 7:00	0.1	0.1	0.1
1/15/20 8:00	0.1	0.1	0.1
1/15/20 9:00	0.1	0.1	0.1
1/15/20 10:00	0.1	0.1	0.1
1/15/20 11:00	0.1	0.1	0.1
1/15/20 12:00	0.1	0.1	0.1
1/15/20 13:00	0.1	0.1	0.1
1/15/20 14:00	0.1	0.1	0.1
1/15/20 15:00	0.1	0.1	0.1
1/15/20 16:00	0.1	0.1	0.1
1/15/20 17:00	0.1	0.1	0.1
1/15/20 18:00	0.1	0.1	0.1
1/15/20 19:00	0.1	0.1	0.1
1/15/20 20:00	0.1	0.1	0.1
1/15/20 21:00	0.1	0.1	0.1
1/15/20 22:00	0.0	0.1	0.1
1/15/20 23:00	0.0	0.1	0.1
1/16/20 0:00	0.1	0.1	0.1
1/16/20 1:00	0.0	0.1	0.1
1/16/20 2:00	0.0	0.1	0.1
1/16/20 3:00	0.0	0.1	0.1
1/16/20 4:00	0.0	0.1	0.1
1/16/20 5:00	0.0	0.1	0.1
1/16/20 6:00	0.1	0.1	0.1
1/16/20 7:00	0.1	0.1	0.1
1/16/20 8:00	0.1	0.1	0.1
1/16/20 9:00	0.0	0.1	0.1
1/16/20 10:00	0.0	0.1	0.1
1/16/20 11:00	0.1	0.1	0.1
1/16/20 12:00	0.1	0.1	0.1
1/16/20 13:00	0.1	0.1	0.1
1/16/20 14:00	0.1	0.1	0.1
1/16/20 15:00	0.1	0.1	0.1
1/16/20 16:00	0.1	0.1	0.1
1/16/20 17:00	0.1	0.1	0.1
1/16/20 18:00	0.0	0.1	0.1
1/16/20 19:00	0.0	0.1	0.1
1/16/20 20:00	0.1	0.1	0.1
1/16/20 21:00	0.0	0.1	0.1
1/16/20 22:00	0.0	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/16/20 23:00	0.0	0.1	0.1
1/17/20 0:00	0.0	0.1	0.1
1/17/20 1:00	0.0	0.1	0.1
1/17/20 2:00	0.0	0.1	0.1
1/17/20 3:00	0.0	0.1	0.1
1/17/20 4:00	0.1	0.1	0.1
1/17/20 5:00	0.1	0.1	0.1
1/17/20 6:00	0.1	0.1	0.1
1/17/20 7:00	0.1	0.1	0.1
1/17/20 8:00	0.0	0.1	0.1
1/17/20 9:00	0.1	0.1	0.1
1/17/20 10:00	0.1	0.1	0.1
1/17/20 11:00	0.1	0.1	0.1
1/17/20 12:00	0.1	0.1	0.1
1/17/20 13:00	0.1	0.1	0.1
1/17/20 14:00	0.1	0.1	0.1
1/17/20 15:00	0.1	0.1	0.1
1/17/20 16:00	0.1	0.1	0.1
1/17/20 17:00	0.1	0.1	0.1
1/17/20 18:00	0.1	0.1	0.1
1/17/20 19:00	0.2	0.1	0.1
1/17/20 20:00	0.2	0.1	0.1
1/17/20 21:00	0.2	0.1	0.1
1/17/20 22:00	0.2	0.1	0.1
1/17/20 23:00	0.3	0.1	0.1
1/18/20 0:00	0.2	0.1	0.1
1/18/20 1:00	0.2	0.1	0.1
1/18/20 2:00	0.2	0.1	0.1
1/18/20 3:00	0.3	0.1	0.1
1/18/20 4:00	0.3	0.2	0.1
1/18/20 5:00	0.2	0.2	0.1
1/18/20 6:00	0.2	0.2	0.1
1/18/20 7:00	0.2	0.2	0.1
1/18/20 8:00	0.2	0.2	0.1
1/18/20 9:00	0.2	0.2	0.1
1/18/20 10:00	0.2	0.2	0.1
1/18/20 11:00	0.3	0.2	0.1
1/18/20 12:00	0.2	0.2	0.1
1/18/20 13:00	0.2	0.2	0.1
1/18/20 14:00	0.3	0.2	0.1
1/18/20 15:00	0.3	0.2	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/18/20 16:00	0.2	0.2	0.1
1/18/20 17:00	0.2	0.2	0.1
1/18/20 18:00	0.3	0.2	0.1
1/18/20 19:00	0.1	0.2	0.1
1/18/20 20:00	0.1	0.2	0.1
1/18/20 21:00	0.1	0.2	0.1
1/18/20 22:00	0.0	0.2	0.1
1/18/20 23:00	0.0	0.2	0.1
1/19/20 0:00	0.1	0.2	0.1
1/19/20 1:00	0.0	0.2	0.1
1/19/20 2:00	0.1	0.2	0.1
1/19/20 3:00	0.1	0.2	0.1
1/19/20 4:00	0.1	0.2	0.1
1/19/20 5:00	0.1	0.2	0.1
1/19/20 6:00	0.1	0.1	0.1
1/19/20 7:00	0.0	0.1	0.1
1/19/20 8:00	0.0	0.1	0.1
1/19/20 9:00	0.1	0.1	0.1
1/19/20 10:00	0.1	0.1	0.1
1/19/20 11:00	0.1	0.1	0.1
1/19/20 12:00	0.1	0.1	0.1
1/19/20 13:00	0.1	0.1	0.1
1/19/20 14:00	0.0	0.1	0.1
1/19/20 15:00	0.0	0.1	0.1
1/19/20 16:00	0.1	0.1	0.1
1/19/20 17:00	0.1	0.1	0.1
1/19/20 18:00	0.1	0.1	0.1
1/19/20 19:00	0.1	0.1	0.1
1/19/20 20:00	0.1	0.1	0.1
1/19/20 21:00	0.1	0.1	0.1
1/19/20 22:00	0.1	0.1	0.1
1/19/20 23:00	0.1	0.1	0.1
1/20/20 0:00	0.1	0.1	0.1
1/20/20 1:00	0.0	0.1	0.1
1/20/20 2:00	0.1	0.1	0.1
1/20/20 3:00	0.2	0.1	0.1
1/20/20 4:00	0.2	0.1	0.1
1/20/20 5:00	0.1	0.1	0.1
1/20/20 6:00	0.0	0.1	0.1
1/20/20 7:00	0.0	0.1	0.1
1/20/20 8:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/20/20 9:00	0.1	0.1	0.1
1/20/20 10:00	0.0	0.1	0.1
1/20/20 11:00	0.1	0.1	0.1
1/20/20 12:00	0.2	0.1	0.1
1/20/20 13:00	0.2	0.1	0.1
1/20/20 14:00	0.2	0.1	0.1
1/20/20 15:00	0.2	0.1	0.1
1/20/20 16:00	0.1	0.1	0.1
1/20/20 17:00	0.1	0.1	0.1
1/20/20 18:00	0.1	0.1	0.1
1/20/20 19:00	0.1	0.1	0.1
1/20/20 20:00	0.1	0.1	0.1
1/20/20 21:00	0.0	0.1	0.1
1/20/20 22:00	0.0	0.1	0.1
1/20/20 23:00	0.1	0.1	0.1
1/21/20 0:00	0.0	0.1	0.1
1/21/20 1:00	0.0	0.1	0.1
1/21/20 2:00	0.2	0.1	0.1
1/21/20 3:00	0.0	0.1	0.1
1/21/20 4:00	0.1	0.1	0.1
1/21/20 5:00	0.1	0.1	0.1
1/21/20 6:00	0.1	0.1	0.1
1/21/20 7:00	0.1	0.1	0.1
1/21/20 8:00	0.1	0.1	0.1
1/21/20 9:00	0.1	0.1	0.1
1/21/20 10:00	0.2	0.1	0.1
1/21/20 11:00	0.0	0.1	0.1
1/21/20 12:00	0.0	0.1	0.1
1/21/20 13:00	0.1	0.1	0.1
1/21/20 14:00	0.0	0.1	0.1
1/21/20 15:00	0.0	0.1	0.1
1/21/20 16:00	0.1	0.1	0.1
1/21/20 17:00	0.1	0.1	0.1
1/21/20 18:00	0.2	0.1	0.1
1/21/20 19:00	0.1	0.1	0.1
1/21/20 20:00	0.2	0.1	0.1
1/21/20 21:00	0.1	0.1	0.1
1/21/20 22:00	0.1	0.1	0.1
1/21/20 23:00	0.1	0.1	0.1
1/22/20 0:00	0.1	0.1	0.1
1/22/20 1:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/22/20 2:00	0.0	0.1	0.1
1/22/20 3:00	0.0	0.1	0.1
1/22/20 4:00	0.1	0.1	0.1
1/22/20 5:00	0.1	0.1	0.1
1/22/20 6:00	0.0	0.1	0.1
1/22/20 7:00	0.1	0.1	0.1
1/22/20 8:00	0.1	0.1	0.1
1/22/20 9:00	0.2	0.1	0.1
1/22/20 10:00	0.1	0.1	0.1
1/22/20 11:00	0.1	0.1	0.1
1/22/20 12:00	0.0	0.1	0.1
1/22/20 13:00	0.1	0.1	0.1
1/22/20 14:00	0.1	0.1	0.1
1/22/20 15:00	0.2	0.1	0.1
1/22/20 16:00	0.2	0.1	0.1
1/22/20 17:00	0.1	0.1	0.1
1/22/20 18:00	0.1	0.1	0.1
1/22/20 19:00	0.1	0.1	0.1
1/22/20 20:00	0.2	0.1	0.1
1/22/20 21:00	0.1	0.1	0.1
1/22/20 22:00	0.1	0.1	0.1
1/22/20 23:00	0.1	0.1	0.1
1/23/20 0:00	0.1	0.1	0.1
1/23/20 1:00	0.1	0.1	0.1
1/23/20 2:00	0.1	0.1	0.1
1/23/20 3:00	0.1	0.1	0.1
1/23/20 4:00	0.1	0.1	0.1
1/23/20 5:00	0.1	0.1	0.1
1/23/20 6:00	0.0	0.1	0.1
1/23/20 7:00	0.1	0.1	0.1
1/23/20 8:00	0.1	0.1	0.1
1/23/20 9:00	0.1	0.1	0.1
1/23/20 10:00	0.1	0.1	0.1
1/23/20 11:00	0.1	0.1	0.1
1/23/20 12:00	0.1	0.1	0.1
1/23/20 13:00	0.0	0.1	0.1
1/23/20 14:00	0.0	0.1	0.1
1/23/20 15:00	0.1	0.1	0.1
1/23/20 16:00	0.1	0.1	0.1
1/23/20 17:00	0.1	0.1	0.1
1/23/20 18:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/23/20 19:00	0.1	0.1	0.1
1/23/20 20:00	0.1	0.1	0.1
1/23/20 21:00	0.1	0.1	0.1
1/23/20 22:00	0.1	0.1	0.1
1/23/20 23:00	0.0	0.1	0.1
1/24/20 0:00	0.0	0.1	0.1
1/24/20 1:00	0.0	0.1	0.1
1/24/20 2:00	0.1	0.1	0.1
1/24/20 3:00	0.1	0.1	0.1
1/24/20 4:00	0.2	0.1	0.1
1/24/20 5:00	0.2	0.1	0.1
1/24/20 6:00	0.0	0.1	0.1
1/24/20 7:00	0.0	0.1	0.1
1/24/20 8:00	0.0	0.1	0.1
1/24/20 9:00	0.0	0.1	0.1
1/24/20 10:00	0.0	0.1	0.1
1/24/20 11:00	0.1	0.1	0.1
1/24/20 12:00	0.1	0.1	0.1
1/24/20 13:00	0.2	0.1	0.1
1/24/20 14:00	0.1	0.1	0.1
1/24/20 15:00	0.1	0.1	0.1
1/24/20 16:00	0.1	0.1	0.1
1/24/20 17:00	0.1	0.1	0.1
1/24/20 18:00	0.1	0.1	0.1
1/24/20 19:00	0.1	0.1	0.1
1/24/20 20:00	0.1	0.1	0.1
1/24/20 21:00	0.1	0.1	0.1
1/24/20 22:00	0.1	0.1	0.1
1/24/20 23:00	0.1	0.1	0.1
1/25/20 0:00	0.2	0.1	0.1
1/25/20 1:00	0.2	0.1	0.1
1/25/20 2:00	0.2	0.1	0.1
1/25/20 3:00	0.1	0.1	0.1
1/25/20 4:00	0.1	0.1	0.1
1/25/20 5:00	0.1	0.1	0.1
1/25/20 6:00	0.1	0.1	0.1
1/25/20 7:00	0.3	0.1	0.1
1/25/20 8:00	0.2	0.1	0.1
1/25/20 9:00	0.2	0.1	0.1
1/25/20 10:00	0.2	0.1	0.1
1/25/20 11:00	0.2	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/25/20 12:00	0.3	0.1	0.1
1/25/20 13:00	0.3	0.1	0.1
1/25/20 14:00	0.3	0.2	0.1
1/25/20 15:00	0.3	0.2	0.1
1/25/20 16:00	0.2	0.2	0.1
1/25/20 17:00	0.2	0.2	0.1
1/25/20 18:00	0.2	0.2	0.1
1/25/20 19:00	0.3	0.2	0.1
1/25/20 20:00	0.2	0.2	0.1
1/25/20 21:00	0.2	0.2	0.1
1/25/20 22:00	0.2	0.2	0.1
1/25/20 23:00	0.2	0.2	0.1
1/26/20 0:00	0.1	0.2	0.1
1/26/20 1:00	0.2	0.2	0.1
1/26/20 2:00	0.1	0.2	0.1
1/26/20 3:00	0.0	0.2	0.1
1/26/20 4:00	0.0	0.2	0.1
1/26/20 5:00	0.0	0.2	0.1
1/26/20 6:00	0.1	0.2	0.1
1/26/20 7:00	0.1	0.2	0.1
1/26/20 8:00	0.1	0.2	0.1
1/26/20 9:00	0.1	0.2	0.1
1/26/20 10:00	0.1	0.2	0.1
1/26/20 11:00	0.1	0.2	0.1
1/26/20 12:00	0.1	0.2	0.1
1/26/20 13:00	0.1	0.1	0.1
1/26/20 14:00	0.1	0.1	0.1
1/26/20 15:00	0.0	0.1	0.1
1/26/20 16:00	0.0	0.1	0.1
1/26/20 17:00	0.0	0.1	0.1
1/26/20 18:00	0.1	0.1	0.1
1/26/20 19:00	0.1	0.1	0.1
1/26/20 20:00	0.1	0.1	0.1
1/26/20 21:00	0.1	0.1	0.1
1/26/20 22:00	0.0	0.1	0.1
1/26/20 23:00	0.0	0.1	0.1
1/27/20 0:00	0.0	0.1	0.1
1/27/20 1:00	0.1	0.1	0.1
1/27/20 2:00	0.1	0.1	0.1
1/27/20 3:00	0.1	0.1	0.1
1/27/20 4:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/27/20 5:00	0.1	0.1	0.1
1/27/20 6:00	0.0	0.1	0.1
1/27/20 7:00	0.0	0.1	0.1
1/27/20 8:00	0.1	0.1	0.1
1/27/20 9:00	0.2	0.1	0.1
1/27/20 10:00	0.1	0.1	0.1
1/27/20 11:00	0.1	0.1	0.1
1/27/20 12:00	0.1	0.1	0.1
1/27/20 13:00	0.1	0.1	0.1
1/27/20 14:00	0.1	0.1	0.1
1/27/20 15:00	0.2	0.1	0.1
1/27/20 16:00	0.0	0.1	0.1
1/27/20 17:00	0.0	0.1	0.1
1/27/20 18:00	0.0	0.1	0.1
1/27/20 19:00	0.3	0.1	0.1
1/27/20 20:00	0.1	0.1	0.1
1/27/20 21:00	0.1	0.1	0.1
1/27/20 22:00	0.1	0.1	0.1
1/27/20 23:00	0.0	0.1	0.1
1/28/20 0:00	0.0	0.1	0.1
1/28/20 1:00	0.1	0.1	0.1
1/28/20 2:00	0.1	0.1	0.1
1/28/20 3:00	0.1	0.1	0.1
1/28/20 4:00	0.1	0.1	0.1
1/28/20 5:00	0.1	0.1	0.1
1/28/20 6:00	0.0	0.1	0.1
1/28/20 7:00	0.1	0.1	0.1
1/28/20 8:00	0.2	0.1	0.1
1/28/20 9:00	0.2	0.1	0.1
1/28/20 10:00	0.2	0.1	0.1
1/28/20 11:00	0.1	0.1	0.1
1/28/20 12:00	0.2	0.1	0.1
1/28/20 13:00	0.2	0.1	0.1
1/28/20 14:00	0.2	0.1	0.1
1/28/20 15:00	0.1	0.1	0.1
1/28/20 16:00	0.0	0.1	0.1
1/28/20 17:00	0.1	0.1	0.1
1/28/20 18:00	0.1	0.1	0.1
1/28/20 19:00	0.1	0.1	0.1
1/28/20 20:00	0.1	0.1	0.1
1/28/20 21:00	0.0	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/28/20 22:00	0.1	0.1	0.1
1/28/20 23:00	0.2	0.1	0.1
1/29/20 0:00	0.2	0.1	0.1
1/29/20 1:00	0.1	0.1	0.1
1/29/20 2:00	0.1	0.1	0.1
1/29/20 3:00	0.2	0.1	0.1
1/29/20 4:00	0.1	0.1	0.1
1/29/20 5:00	0.1	0.1	0.1
1/29/20 6:00	0.1	0.1	0.1
1/29/20 7:00	0.2	0.1	0.1
1/29/20 8:00	0.3	0.1	0.1
1/29/20 9:00	0.3	0.1	0.1
1/29/20 10:00	0.1	0.1	0.1
1/29/20 11:00	0.1	0.1	0.1
1/29/20 12:00	0.2	0.1	0.1
1/29/20 13:00	0.1	0.1	0.1
1/29/20 14:00	0.1	0.1	0.1
1/29/20 15:00	0.1	0.1	0.1
1/29/20 16:00	0.2	0.1	0.1
1/29/20 17:00	0.1	0.1	0.1
1/29/20 18:00	0.1	0.1	0.1
1/29/20 19:00	0.2	0.1	0.1
1/29/20 20:00	0.3	0.1	0.1
1/29/20 21:00	0.1	0.1	0.1
1/29/20 22:00	0.1	0.1	0.1
1/29/20 23:00	0.1	0.1	0.1
1/30/20 0:00	0.2	0.1	0.1
1/30/20 1:00	0.1	0.1	0.1
1/30/20 2:00	0.1	0.1	0.1
1/30/20 3:00	0.1	0.1	0.1
1/30/20 4:00	0.1	0.1	0.1
1/30/20 5:00	0.1	0.1	0.1
1/30/20 6:00	0.1	0.1	0.1
1/30/20 7:00	0.1	0.1	0.1
1/30/20 8:00	0.1	0.1	0.1
1/30/20 9:00	0.1	0.1	0.1
1/30/20 10:00	0.1	0.1	0.1
1/30/20 11:00	0.2	0.1	0.1
1/30/20 12:00	0.1	0.1	0.1
1/30/20 13:00	0.1	0.1	0.1
1/30/20 14:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/30/20 15:00	0.1	0.1	0.1
1/30/20 16:00	0.1	0.1	0.1
1/30/20 17:00	0.2	0.1	0.1
1/30/20 18:00	0.3	0.1	0.1
1/30/20 19:00	0.2	0.1	0.1
1/30/20 20:00	0.0	0.1	0.1
1/30/20 21:00	0.1	0.1	0.1
1/30/20 22:00	0.1	0.1	0.1
1/30/20 23:00	0.1	0.1	0.1
1/31/20 0:00	0.1	0.1	0.1
1/31/20 1:00	0.1	0.1	0.1
1/31/20 2:00	0.2	0.1	0.1
1/31/20 3:00	0.1	0.1	0.1
1/31/20 4:00	0.1	0.1	0.1
1/31/20 5:00	0.0	0.1	0.1
1/31/20 6:00	0.0	0.1	0.1
1/31/20 7:00	0.0	0.1	0.1
1/31/20 8:00	0.1	0.1	0.1
1/31/20 9:00	0.1	0.1	0.1
1/31/20 10:00	0.1	0.1	0.1
1/31/20 11:00	0.1	0.1	0.1
1/31/20 12:00	0.2	0.1	0.1
1/31/20 13:00	0.2	0.1	0.1
1/31/20 14:00	0.1	0.1	0.1
1/31/20 15:00	0.1	0.1	0.1
1/31/20 16:00	0.1	0.1	0.1
1/31/20 17:00	0.1	0.1	0.1
1/31/20 18:00	0.1	0.1	0.1
1/31/20 19:00	0.1	0.1	0.1
1/31/20 20:00	0.1	0.1	0.1
1/31/20 21:00	0.1	0.1	0.1
1/31/20 22:00	0.1	0.1	0.1
1/31/20 23:00	0.1	0.1	0.1
2/1/20 0:00	0.1	0.1	0.1
2/1/20 1:00	0.1	0.1	0.1
2/1/20 2:00	0.1	0.1	0.1
2/1/20 3:00	0.1	0.1	0.1
2/1/20 4:00	0.1	0.1	0.1
2/1/20 5:00	0.1	0.1	0.1
2/1/20 6:00	0.1	0.1	0.1
2/1/20 7:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/1/20 8:00	0.1	0.1	0.1
2/1/20 9:00	0.1	0.1	0.1
2/1/20 10:00	0.1	0.1	0.1
2/1/20 11:00	0.1	0.1	0.1
2/1/20 12:00	0.1	0.1	0.1
2/1/20 13:00	0.1	0.1	0.1
2/1/20 14:00	0.1	0.1	0.1
2/1/20 15:00	0.1	0.1	0.1
2/1/20 16:00	0.1	0.1	0.1
2/1/20 17:00	0.1	0.1	0.1
2/1/20 18:00	0.1	0.1	0.1
2/1/20 19:00	0.1	0.1	0.1
2/1/20 20:00	0.1	0.1	0.1
2/1/20 21:00	0.1	0.1	0.1
2/1/20 22:00	0.1	0.1	0.1
2/1/20 23:00	0.1	0.1	0.1
2/2/20 0:00	0.1	0.1	0.1
2/2/20 1:00	0.1	0.1	0.1
2/2/20 2:00	0.1	0.1	0.1
2/2/20 3:00	0.1	0.1	0.1
2/2/20 4:00	0.1	0.1	0.1
2/2/20 5:00	0.1	0.1	0.1
2/2/20 6:00	0.0	0.1	0.1
2/2/20 7:00	0.0	0.1	0.1
2/2/20 8:00	0.1	0.1	0.1
2/2/20 9:00	0.1	0.1	0.1
2/2/20 10:00	0.1	0.1	0.1
2/2/20 11:00	0.1	0.1	0.1
2/2/20 12:00	0.1	0.1	0.1
2/2/20 13:00	0.1	0.1	0.1
2/2/20 14:00	0.1	0.1	0.1
2/2/20 15:00	0.1	0.1	0.1
2/2/20 16:00	0.0	0.1	0.1
2/2/20 17:00	0.0	0.1	0.1
2/2/20 18:00	0.1	0.1	0.1
2/2/20 19:00	0.1	0.1	0.1
2/2/20 20:00	0.1	0.1	0.1
2/2/20 21:00	0.1	0.1	0.1
2/2/20 22:00	0.2	0.1	0.1
2/2/20 23:00	0.2	0.1	0.1
2/3/20 0:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/3/20 1:00	0.1	0.1	0.1
2/3/20 2:00	0.0	0.1	0.1
2/3/20 3:00	0.0	0.1	0.1
2/3/20 4:00	0.0	0.1	0.1
2/3/20 5:00	0.0	0.1	0.1
2/3/20 6:00	0.0	0.1	0.1
2/3/20 7:00	0.1	0.1	0.1
2/3/20 8:00	0.1	0.1	0.1
2/3/20 9:00	0.0	0.1	0.1
2/3/20 10:00	0.1	0.1	0.1
2/3/20 11:00	0.1	0.1	0.1
2/3/20 12:00	0.1	0.1	0.1
2/3/20 13:00	0.1	0.1	0.1
2/3/20 14:00	0.1	0.1	0.1
2/3/20 15:00	0.0	0.1	0.1
2/3/20 16:00	0.0	0.1	0.1
2/3/20 17:00	0.0	0.1	0.1
2/3/20 18:00	0.1	0.1	0.1
2/3/20 19:00	0.1	0.1	0.1
2/3/20 20:00	0.1	0.1	0.1
2/3/20 21:00	0.1	0.1	0.1
2/3/20 22:00	0.2	0.1	0.1
2/3/20 23:00	0.2	0.1	0.1
2/4/20 0:00	0.2	0.1	0.1
2/4/20 1:00	0.1	0.1	0.1
2/4/20 2:00	0.1	0.1	0.1
2/4/20 3:00	0.1	0.1	0.1
2/4/20 4:00	0.1	0.1	0.1
2/4/20 5:00	0.1	0.1	0.1
2/4/20 6:00	0.0	0.1	0.1
2/4/20 7:00	0.0	0.1	0.1
2/4/20 8:00	0.1	0.1	0.1
2/4/20 9:00	0.2	0.1	0.1
2/4/20 10:00	0.2	0.1	0.1
2/4/20 11:00	0.2	0.1	0.1
2/4/20 12:00	0.1	0.1	0.1
2/4/20 13:00	0.1	0.1	0.1
2/4/20 14:00	0.1	0.1	0.1
2/4/20 15:00	0.2	0.1	0.1
2/4/20 16:00	0.2	0.1	0.1
2/4/20 17:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/4/20 18:00	0.1	0.1	0.1
2/4/20 19:00	0.1	0.1	0.1
2/4/20 20:00	0.1	0.1	0.1
2/4/20 21:00	0.1	0.1	0.1
2/4/20 22:00	0.1	0.1	0.1
2/4/20 23:00	0.0	0.1	0.1
2/5/20 0:00	0.0	0.1	0.1
2/5/20 1:00	0.0	0.1	0.1
2/5/20 2:00	0.0	0.1	0.1
2/5/20 3:00	0.1	0.1	0.1
2/5/20 4:00	0.2	0.1	0.1
2/5/20 5:00	0.1	0.1	0.1
2/5/20 6:00	0.2	0.1	0.1
2/5/20 7:00	0.2	0.1	0.1
2/5/20 8:00	0.1	0.1	0.1
2/5/20 9:00	0.1	0.1	0.1
2/5/20 10:00	0.1	0.1	0.1
2/5/20 11:00	0.2	0.1	0.1
2/5/20 12:00	0.2	0.1	0.1
2/5/20 13:00	0.1	0.1	0.1
2/5/20 14:00	0.1	0.1	0.1
2/5/20 15:00	0.1	0.1	0.1
2/5/20 16:00	0.1	0.1	0.1
2/5/20 17:00	0.1	0.1	0.1
2/5/20 18:00	0.1	0.1	0.1
2/5/20 19:00	0.1	0.1	0.1
2/5/20 20:00	0.1	0.1	0.1
2/5/20 21:00	0.2	0.1	0.1
2/5/20 22:00	0.1	0.1	0.1
2/5/20 23:00	0.1	0.1	0.1
2/6/20 0:00	0.2	0.1	0.1
2/6/20 1:00	0.1	0.1	0.1
2/6/20 2:00	0.1	0.1	0.1
2/6/20 3:00	0.1	0.1	0.1
2/6/20 4:00	0.1	0.1	0.1
2/6/20 5:00	0.2	0.1	0.1
2/6/20 6:00	0.1	0.1	0.1
2/6/20 7:00	0.1	0.1	0.1
2/6/20 8:00	0.2	0.1	0.1
2/6/20 9:00	0.2	0.1	0.1
2/6/20 10:00	0.2	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/6/20 11:00	0.2	0.1	0.1
2/6/20 12:00	0.2	0.1	0.1
2/6/20 13:00	0.1	0.1	0.1
2/6/20 14:00	0.1	0.1	0.1
2/6/20 15:00	0.1	0.1	0.1
2/6/20 16:00	0.1	0.1	0.1
2/6/20 17:00	0.1	0.1	0.1
2/6/20 18:00	0.2	0.1	0.1
2/6/20 19:00	0.2	0.1	0.1
2/6/20 20:00	0.1	0.1	0.1
2/6/20 21:00	0.2	0.1	0.1
2/6/20 22:00	0.1	0.1	0.1
2/6/20 23:00	0.0	0.1	0.1
2/7/20 0:00	0.1	0.1	0.1
2/7/20 1:00	0.1	0.1	0.1
2/7/20 2:00	0.1	0.1	0.1
2/7/20 3:00	0.0	0.1	0.1
2/7/20 4:00	0.0	0.1	0.1
2/7/20 5:00	0.0	0.1	0.1
2/7/20 6:00	0.1	0.1	0.1
2/7/20 7:00	0.2	0.1	0.1
2/7/20 8:00	0.1	0.1	0.1
2/7/20 9:00	0.1	0.1	0.1
2/7/20 10:00	0.1	0.1	0.1
2/7/20 11:00	0.1	0.1	0.1
2/7/20 12:00	0.1	0.1	0.1
2/7/20 13:00	0.1	0.1	0.1
2/7/20 14:00	0.1	0.1	0.1
2/7/20 15:00	0.1	0.1	0.1
2/7/20 16:00	0.1	0.1	0.1
2/7/20 17:00	0.1	0.1	0.1
2/7/20 18:00	0.2	0.1	0.1
2/7/20 19:00	0.1	0.1	0.1
2/7/20 20:00	0.1	0.1	0.1
2/7/20 21:00	0.1	0.1	0.1
2/7/20 22:00	0.1	0.1	0.1
2/7/20 23:00	0.2	0.1	0.1
2/8/20 0:00	0.2	0.1	0.1
2/8/20 1:00	0.3	0.1	0.1
2/8/20 2:00	0.1	0.1	0.1
2/8/20 3:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/8/20 4:00	0.2	0.1	0.1
2/8/20 5:00	0.1	0.1	0.1
2/8/20 6:00	0.1	0.1	0.1
2/8/20 7:00	0.1	0.1	0.1
2/8/20 8:00	0.1	0.1	0.1
2/8/20 9:00	0.1	0.1	0.1
2/8/20 10:00	0.2	0.1	0.1
2/8/20 11:00	0.1	0.1	0.1
2/8/20 12:00	0.0	0.1	0.1
2/8/20 13:00	0.0	0.1	0.1
2/8/20 14:00	0.1	0.1	0.1
2/8/20 15:00	0.1	0.1	0.1
2/8/20 16:00	0.1	0.1	0.1
2/8/20 17:00	0.1	0.1	0.1
2/8/20 18:00	0.1	0.1	0.1
2/8/20 19:00	0.1	0.1	0.1
2/8/20 20:00	0.1	0.1	0.1
2/8/20 21:00	0.1	0.1	0.1
2/8/20 22:00	0.1	0.1	0.1
2/8/20 23:00	0.1	0.1	0.1
2/9/20 0:00	0.1	0.1	0.1
2/9/20 1:00	0.1	0.1	0.1
2/9/20 2:00	0.1	0.1	0.1
2/9/20 3:00	0.1	0.1	0.1
2/9/20 4:00	0.1	0.1	0.1
2/9/20 5:00	0.1	0.1	0.1
2/9/20 6:00	0.1	0.1	0.1
2/9/20 7:00	0.1	0.1	0.1
2/9/20 8:00	0.2	0.1	0.1
2/9/20 9:00	0.1	0.1	0.1
2/9/20 10:00	0.1	0.1	0.1
2/9/20 11:00	0.1	0.1	0.1
2/9/20 12:00	0.1	0.1	0.1
2/9/20 13:00	0.1	0.1	0.1
2/9/20 14:00	0.1	0.1	0.1
2/9/20 15:00	0.1	0.1	0.1
2/9/20 16:00	0.1	0.1	0.1
2/9/20 17:00	0.1	0.1	0.1
2/9/20 18:00	0.0	0.1	0.1
2/9/20 19:00	0.1	0.1	0.1
2/9/20 20:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/9/20 21:00	0.1	0.1	0.1
2/9/20 22:00	0.1	0.1	0.1
2/9/20 23:00	0.1	0.1	0.1
2/10/20 0:00	0.1	0.1	0.1
2/10/20 1:00	0.2	0.1	0.1
2/10/20 2:00	0.1	0.1	0.1
2/10/20 3:00	0.1	0.1	0.1
2/10/20 4:00	0.1	0.1	0.1
2/10/20 5:00	0.1	0.1	0.1
2/10/20 6:00	0.1	0.1	0.1
2/10/20 7:00	0.1	0.1	0.1
2/10/20 8:00	0.3	0.1	0.1
2/10/20 9:00	0.2	0.1	0.1
2/10/20 10:00	0.1	0.1	0.1
2/10/20 11:00	0.1	0.1	0.1
2/10/20 12:00	0.2	0.1	0.1
2/10/20 13:00	0.2	0.1	0.1
2/10/20 14:00	0.2	0.1	0.1
2/10/20 15:00	0.2	0.1	0.1
2/10/20 16:00	0.2	0.1	0.1
2/10/20 17:00	0.1	0.1	0.1
2/10/20 18:00	0.1	0.1	0.1
2/10/20 19:00	0.1	0.1	0.1
2/10/20 20:00	0.1	0.1	0.1
2/10/20 21:00	0.1	0.1	0.1
2/10/20 22:00	0.2	0.1	0.1
2/10/20 23:00	0.2	0.1	0.1
2/11/20 0:00	0.1	0.1	0.1
2/11/20 1:00	0.1	0.1	0.1
2/11/20 2:00	0.1	0.1	0.1
2/11/20 3:00	0.1	0.1	0.1
2/11/20 4:00	0.1	0.1	0.1
2/11/20 5:00	0.1	0.1	0.1
2/11/20 6:00	0.2	0.1	0.1
2/11/20 7:00	0.1	0.1	0.1
2/11/20 8:00	0.1	0.1	0.1
2/11/20 9:00	0.2	0.1	0.1
2/11/20 10:00	0.3	0.1	0.1
2/11/20 11:00	0.2	0.1	0.1
2/11/20 12:00	0.2	0.1	0.1
2/11/20 13:00	0.2	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/11/20 14:00	0.2	0.1	0.1
2/11/20 15:00	0.1	0.1	0.1
2/11/20 16:00	0.1	0.1	0.1
2/11/20 17:00	0.0	0.1	0.1
2/11/20 18:00	0.1	0.1	0.1
2/11/20 19:00	0.1	0.1	0.1
2/11/20 20:00	0.1	0.1	0.1
2/11/20 21:00	0.2	0.1	0.1
2/11/20 22:00	0.1	0.1	0.1
2/11/20 23:00	0.0	0.1	0.1
2/12/20 0:00	0.0	0.1	0.1
2/12/20 1:00	0.2	0.1	0.1
2/12/20 2:00	0.2	0.1	0.1
2/12/20 3:00	0.2	0.1	0.1
2/12/20 4:00	0.2	0.1	0.1
2/12/20 5:00	0.1	0.1	0.1
2/12/20 6:00	0.0	0.1	0.1
2/12/20 7:00	0.0	0.1	0.1
2/12/20 8:00	0.1	0.1	0.1
2/12/20 9:00	0.1	0.1	0.1
2/12/20 10:00	0.1	0.1	0.1
2/12/20 11:00	0.1	0.1	0.1
2/12/20 12:00	0.0	0.1	0.1
2/12/20 13:00	0.2	0.1	0.1
2/12/20 14:00	0.2	0.1	0.1
2/12/20 15:00	0.1	0.1	0.1
2/12/20 16:00	0.0	0.1	0.1
2/12/20 17:00	0.1	0.1	0.1
2/12/20 18:00	0.1	0.1	0.1
2/12/20 19:00	0.1	0.1	0.1
2/12/20 20:00	0.1	0.1	0.1
2/12/20 21:00	0.1	0.1	0.1
2/12/20 22:00	0.1	0.1	0.1
2/12/20 23:00	0.1	0.1	0.1
2/13/20 0:00	0.1	0.1	0.1
2/13/20 1:00	0.1	0.1	0.1
2/13/20 2:00	0.1	0.1	0.1
2/13/20 3:00	0.1	0.1	0.1
2/13/20 4:00	0.1	0.1	0.1
2/13/20 5:00	0.1	0.1	0.1
2/13/20 6:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/13/20 7:00	0.1	0.1	0.1
2/13/20 8:00	0.1	0.1	0.1
2/13/20 9:00	0.1	0.1	0.1
2/13/20 10:00	0.1	0.1	0.1
2/13/20 11:00	0.1	0.1	0.1
2/13/20 12:00	0.1	0.1	0.1
2/13/20 13:00	0.1	0.1	0.1
2/13/20 14:00	0.1	0.1	0.1
2/13/20 15:00	0.0	0.1	0.1
2/13/20 16:00	0.1	0.1	0.1
2/13/20 17:00	0.1	0.1	0.1
2/13/20 18:00	0.1	0.1	0.1
2/13/20 19:00	0.1	0.1	0.1
2/13/20 20:00	0.1	0.1	0.1
2/13/20 21:00	0.1	0.1	0.1
2/13/20 22:00	0.1	0.1	0.1
2/13/20 23:00	0.0	0.1	0.1
2/14/20 0:00	0.0	0.1	0.1
2/14/20 1:00	0.1	0.1	0.1
2/14/20 2:00	0.1	0.1	0.1
2/14/20 3:00	0.2	0.1	0.1
2/14/20 4:00	0.2	0.1	0.1
2/14/20 5:00	0.2	0.1	0.1
2/14/20 6:00	0.1	0.1	0.1
2/14/20 7:00	0.1	0.1	0.1
2/14/20 8:00	0.1	0.1	0.1
2/14/20 9:00	0.1	0.1	0.1
2/14/20 10:00	0.1	0.1	0.1
2/14/20 11:00	0.0	0.1	0.1
2/14/20 12:00	0.1	0.1	0.1
2/14/20 13:00	0.1	0.1	0.1
2/14/20 14:00	0.1	0.1	0.1
2/14/20 15:00	0.1	0.1	0.1
2/14/20 16:00	0.1	0.1	0.1
2/14/20 17:00	0.1	0.1	0.1
2/14/20 18:00	0.1	0.1	0.1
2/14/20 19:00	0.1	0.1	0.1
2/14/20 20:00	0.1	0.1	0.1
2/14/20 21:00	0.1	0.1	0.1
2/14/20 22:00	0.1	0.1	0.1
2/14/20 23:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/15/20 0:00	0.1	0.1	0.1
2/15/20 1:00	0.1	0.1	0.1
2/15/20 2:00	0.1	0.1	0.1
2/15/20 3:00	0.1	0.1	0.1
2/15/20 4:00	0.1	0.1	0.1
2/15/20 5:00	0.1	0.1	0.1
2/15/20 6:00	0.1	0.1	0.1
2/15/20 7:00	0.1	0.1	0.1
2/15/20 8:00	0.1	0.1	0.1
2/15/20 9:00	0.1	0.1	0.1
2/15/20 10:00	0.1	0.1	0.1
2/15/20 11:00	0.1	0.1	0.1
2/15/20 12:00	0.2	0.1	0.1
2/15/20 13:00	0.1	0.1	0.1
2/15/20 14:00	0.1	0.1	0.1
2/15/20 15:00	0.2	0.1	0.1
2/15/20 16:00	0.1	0.1	0.1
2/15/20 17:00	0.1	0.1	0.1
2/15/20 18:00	0.1	0.1	0.1
2/15/20 19:00	0.2	0.1	0.1
2/15/20 20:00	0.1	0.1	0.1
2/15/20 21:00	0.2	0.1	0.1
2/15/20 22:00	0.1	0.1	0.1
2/15/20 23:00	0.1	0.1	0.1
2/16/20 0:00	0.2	0.1	0.1
2/16/20 1:00	0.2	0.1	0.1
2/16/20 2:00	0.2	0.1	0.1
2/16/20 3:00	0.2	0.1	0.1
2/16/20 4:00	0.1	0.1	0.1
2/16/20 5:00	0.1	0.1	0.1
2/16/20 6:00	0.1	0.1	0.1
2/16/20 7:00	0.1	0.1	0.1
2/16/20 8:00	0.1	0.1	0.1
2/16/20 9:00	0.1	0.1	0.1
2/16/20 10:00	0.1	0.1	0.1
2/16/20 11:00	0.1	0.1	0.1
2/16/20 12:00	0.1	0.1	0.1
2/16/20 13:00	0.1	0.1	0.1
2/16/20 14:00	0.1	0.1	0.1
2/16/20 15:00	0.1	0.1	0.1
2/16/20 16:00	0.2	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/16/20 17:00	0.1	0.1	0.1
2/16/20 18:00	0.1	0.1	0.1
2/16/20 19:00	0.2	0.1	0.1
2/16/20 20:00	0.1	0.1	0.1
2/16/20 21:00	0.1	0.1	0.1
2/16/20 22:00	0.1	0.1	0.1
2/16/20 23:00	0.1	0.1	0.1
2/17/20 0:00	0.1	0.1	0.1
2/17/20 1:00	0.1	0.1	0.1
2/17/20 2:00	0.1	0.1	0.1
2/17/20 3:00	0.1	0.1	0.1
2/17/20 4:00	0.1	0.1	0.1
2/17/20 5:00	0.1	0.1	0.1
2/17/20 6:00	0.1	0.1	0.1
2/17/20 7:00	0.1	0.1	0.1
2/17/20 8:00	0.1	0.1	0.1
2/17/20 9:00	0.0	0.1	0.1
2/17/20 10:00	0.1	0.1	0.1
2/17/20 11:00	0.0	0.1	0.1
2/17/20 12:00	0.0	0.1	0.1
2/17/20 13:00	0.0	0.1	0.1
2/17/20 14:00	0.1	0.1	0.1
2/17/20 15:00	0.1	0.1	0.1
2/17/20 16:00	0.1	0.1	0.1
2/17/20 17:00	0.1	0.1	0.1
2/17/20 18:00	0.1	0.1	0.1
2/17/20 19:00	0.1	0.1	0.1
2/17/20 20:00	0.0	0.1	0.1
2/17/20 21:00	0.0	0.1	0.1
2/17/20 22:00	0.1	0.1	0.1
2/17/20 23:00	0.0	0.1	0.1
2/18/20 0:00	0.0	0.1	0.1
2/18/20 1:00	0.0	0.1	0.1
2/18/20 2:00	0.1	0.1	0.1
2/18/20 3:00	0.1	0.1	0.1
2/18/20 4:00	0.1	0.1	0.1
2/18/20 5:00	0.1	0.1	0.1
2/18/20 6:00	0.1	0.1	0.1
2/18/20 7:00	0.1	0.1	0.1
2/18/20 8:00	0.1	0.1	0.1
2/18/20 9:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/18/20 10:00	0.2	0.1	0.1
2/18/20 11:00	0.0	0.1	0.1
2/18/20 12:00	0.0	0.1	0.1
2/18/20 13:00	0.1	0.1	0.1
2/18/20 14:00	0.1	0.1	0.1
2/18/20 15:00	0.1	0.1	0.1
2/18/20 16:00	0.1	0.1	0.1
2/18/20 17:00	0.1	0.1	0.1
2/18/20 18:00	0.1	0.1	0.1
2/18/20 19:00	0.1	0.1	0.1
2/18/20 20:00	0.1	0.1	0.1
2/18/20 21:00	0.1	0.1	0.1
2/18/20 22:00	0.0	0.1	0.1
2/18/20 23:00	0.0	0.1	0.1
2/19/20 0:00	0.0	0.1	0.1
2/19/20 1:00	0.1	0.1	0.1
2/19/20 2:00	0.1	0.1	0.1
2/19/20 3:00	0.1	0.1	0.1
2/19/20 4:00	0.1	0.1	0.1
2/19/20 5:00	0.1	0.1	0.1
2/19/20 6:00	0.0	0.1	0.1
2/19/20 7:00	0.1	0.1	0.1
2/19/20 8:00	0.1	0.1	0.1
2/19/20 9:00	0.1	0.1	0.1
2/19/20 10:00	0.1	0.1	0.1
2/19/20 11:00	0.1	0.1	0.1
2/19/20 12:00	0.1	0.1	0.1
2/19/20 13:00	0.1	0.1	0.1
2/19/20 14:00	0.1	0.1	0.1
2/19/20 15:00	0.0	0.1	0.1
2/19/20 16:00	0.1	0.1	0.1
2/19/20 17:00	0.1	0.1	0.1
2/19/20 18:00	0.1	0.1	0.1
2/19/20 19:00	0.0	0.1	0.1
2/19/20 20:00	0.1	0.1	0.1
2/19/20 21:00	0.1	0.1	0.1
2/19/20 22:00	0.2	0.1	0.1
2/19/20 23:00	0.1	0.1	0.1
2/20/20 0:00	0.2	0.1	0.1
2/20/20 1:00	0.2	0.1	0.1
2/20/20 2:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/20/20 3:00	0.1	0.1	0.1
2/20/20 4:00	0.1	0.1	0.1
2/20/20 5:00	0.1	0.1	0.1
2/20/20 6:00	0.1	0.1	0.1
2/20/20 7:00	0.1	0.1	0.1
2/20/20 8:00	0.0	0.1	0.1
2/20/20 9:00	0.0	0.1	0.1
2/20/20 10:00	0.0	0.1	0.1
2/20/20 11:00	0.1	0.1	0.1
2/20/20 12:00	0.1	0.1	0.1
2/20/20 13:00	0.0	0.1	0.1
2/20/20 14:00	0.1	0.1	0.1
2/20/20 15:00	0.1	0.1	0.1
2/20/20 16:00	0.1	0.1	0.1
2/20/20 17:00	0.1	0.1	0.1
2/20/20 18:00	0.1	0.1	0.1
2/20/20 19:00	0.1	0.1	0.1
2/20/20 20:00	0.1	0.1	0.1
2/20/20 21:00	0.1	0.1	0.1
2/20/20 22:00	0.1	0.1	0.1
2/20/20 23:00	0.1	0.1	0.1
2/21/20 0:00	0.2	0.1	0.1
2/21/20 1:00	0.2	0.1	0.1
2/21/20 2:00	0.1	0.1	0.1
2/21/20 3:00	0.1	0.1	0.1
2/21/20 4:00	0.1	0.1	0.1
2/21/20 5:00	0.0	0.1	0.1
2/21/20 6:00	0.0	0.1	0.1
2/21/20 7:00	0.0	0.1	0.1
2/21/20 8:00	0.1	0.1	0.1
2/21/20 9:00	0.0	0.1	0.1
2/21/20 10:00	0.1	0.1	0.1
2/21/20 11:00	0.1	0.1	0.1
2/21/20 12:00	0.1	0.1	0.1
2/21/20 13:00	0.1	0.1	0.1
2/21/20 14:00	0.1	0.1	0.1
2/21/20 15:00	0.1	0.1	0.1
2/21/20 16:00	0.1	0.1	0.1
2/21/20 17:00	0.1	0.1	0.1
2/21/20 18:00	0.1	0.1	0.1
2/21/20 19:00	0.2	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/21/20 20:00	0.1	0.1	0.1
2/21/20 21:00	0.1	0.1	0.1
2/21/20 22:00	0.0	0.1	0.1
2/21/20 23:00	0.1	0.1	0.1
2/22/20 0:00	0.0	0.1	0.1
2/22/20 1:00	0.0	0.1	0.1
2/22/20 2:00	0.0	0.1	0.1
2/22/20 3:00	0.1	0.1	0.1
2/22/20 4:00	0.1	0.1	0.1
2/22/20 5:00	0.1	0.1	0.1
2/22/20 6:00	0.2	0.1	0.1
2/22/20 7:00	0.1	0.1	0.1
2/22/20 8:00	0.1	0.1	0.1
2/22/20 9:00	0.2	0.1	0.1
2/22/20 10:00	0.1	0.1	0.1
2/22/20 11:00	0.1	0.1	0.1
2/22/20 12:00	0.1	0.1	0.1
2/22/20 13:00	0.1	0.1	0.1
2/22/20 14:00	0.1	0.1	0.1
2/22/20 15:00	0.1	0.1	0.1
2/22/20 16:00	0.1	0.1	0.1
2/22/20 17:00	0.1	0.1	0.1
2/22/20 18:00	0.1	0.1	0.1
2/22/20 19:00	0.2	0.1	0.1
2/22/20 20:00	0.2	0.1	0.1
2/22/20 21:00	0.2	0.1	0.1
2/22/20 22:00	0.3	0.1	0.1
2/22/20 23:00	0.3	0.1	0.1
2/23/20 0:00	0.3	0.1	0.1
2/23/20 1:00	0.2	0.2	0.1
2/23/20 2:00	0.2	0.2	0.1
2/23/20 3:00	0.1	0.2	0.1
2/23/20 4:00	0.1	0.2	0.1
2/23/20 5:00	0.2	0.2	0.1
2/23/20 6:00	0.2	0.2	0.1
2/23/20 7:00	0.2	0.2	0.1
2/23/20 8:00	0.2	0.2	0.1
2/23/20 9:00	0.2	0.2	0.1
2/23/20 10:00	0.2	0.2	0.1
2/23/20 11:00	0.1	0.2	0.1
2/23/20 12:00	0.1	0.2	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/23/20 13:00	0.2	0.2	0.1
2/23/20 14:00	0.2	0.2	0.1
2/23/20 15:00	0.2	0.2	0.1
2/23/20 16:00	0.2	0.2	0.1
2/23/20 17:00	0.2	0.2	0.1
2/23/20 18:00	0.1	0.2	0.1
2/23/20 19:00	0.2	0.2	0.1
2/23/20 20:00	0.2	0.2	0.1
2/23/20 21:00	0.2	0.2	0.1
2/23/20 22:00	0.2	0.2	0.1
2/23/20 23:00	0.1	0.2	0.1
2/24/20 0:00	0.1	0.2	0.1
2/24/20 1:00	0.3	0.2	0.1
2/24/20 2:00	0.1	0.2	0.1
2/24/20 3:00	0.2	0.2	0.1
2/24/20 4:00	0.1	0.2	0.1
2/24/20 5:00	0.2	0.2	0.1
2/24/20 6:00	0.2	0.2	0.1
2/24/20 7:00	0.2	0.2	0.1
2/24/20 8:00	0.2	0.2	0.1
2/24/20 9:00	0.2	0.2	0.1
2/24/20 10:00	0.1	0.2	0.1
2/24/20 11:00	0.1	0.2	0.1
2/24/20 12:00	0.1	0.2	0.1
2/24/20 13:00	0.2	0.2	0.1
2/24/20 14:00	0.2	0.2	0.1
2/24/20 15:00	0.1	0.2	0.1
2/24/20 16:00	0.2	0.2	0.1
2/24/20 17:00	0.2	0.2	0.1
2/24/20 18:00	0.2	0.2	0.1
2/24/20 19:00	0.1	0.2	0.1
2/24/20 20:00	0.0	0.1	0.1
2/24/20 21:00	0.0	0.1	0.1
2/24/20 22:00	0.1	0.1	0.1
2/24/20 23:00	0.1	0.1	0.1
2/25/20 0:00	0.1	0.1	0.1
2/25/20 1:00	0.1	0.1	0.1
2/25/20 2:00	0.1	0.1	0.1
2/25/20 3:00	0.0	0.1	0.1
2/25/20 4:00	0.1	0.1	0.1
2/25/20 5:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/25/20 6:00	0.1	0.1	0.1
2/25/20 7:00	0.1	0.1	0.1
2/25/20 8:00	0.2	0.1	0.1
2/25/20 9:00	0.1	0.1	0.1
2/25/20 10:00	0.1	0.1	0.1
2/25/20 11:00	0.1	0.1	0.1
2/25/20 12:00	0.1	0.1	0.1
2/25/20 13:00	0.1	0.1	0.1
2/25/20 14:00	0.1	0.1	0.1
2/25/20 15:00	0.1	0.1	0.1
2/25/20 16:00	0.1	0.1	0.1
2/25/20 17:00	0.1	0.1	0.1
2/25/20 18:00	0.1	0.1	0.1
2/25/20 19:00	0.1	0.1	0.1
2/25/20 20:00	0.1	0.1	0.1
2/25/20 21:00	0.2	0.1	0.1
2/25/20 22:00	0.1	0.1	0.1
2/25/20 23:00	0.1	0.1	0.1
2/26/20 0:00	0.1	0.1	0.1
2/26/20 1:00	0.1	0.1	0.1
2/26/20 2:00	0.1	0.1	0.1
2/26/20 3:00	0.1	0.1	0.1
2/26/20 4:00	0.1	0.1	0.1
2/26/20 5:00	0.1	0.1	0.1
2/26/20 6:00	0.1	0.1	0.1
2/26/20 7:00	0.1	0.1	0.1
2/26/20 8:00	0.2	0.1	0.1
2/26/20 9:00	0.1	0.1	0.1
2/26/20 10:00	0.0	0.1	0.1
2/26/20 11:00	0.1	0.1	0.1
2/26/20 12:00	0.1	0.1	0.1
2/26/20 13:00	0.0	0.1	0.1
2/26/20 14:00	0.0	0.1	0.1
2/26/20 15:00	0.0	0.1	0.1
2/26/20 16:00	0.1	0.1	0.1
2/26/20 17:00	0.1	0.1	0.1
2/26/20 18:00	0.0	0.1	0.1
2/26/20 19:00	0.1	0.1	0.1
2/26/20 20:00	0.1	0.1	0.1
2/26/20 21:00	0.1	0.1	0.1
2/26/20 22:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/26/20 23:00	0.2	0.1	0.1
2/27/20 0:00	0.1	0.1	0.1
2/27/20 1:00	0.1	0.1	0.1
2/27/20 2:00	0.2	0.1	0.1
2/27/20 3:00	0.1	0.1	0.1
2/27/20 4:00	0.1	0.1	0.1
2/27/20 5:00	0.1	0.1	0.1
2/27/20 6:00	0.1	0.1	0.1
2/27/20 7:00	0.1	0.1	0.1
2/27/20 8:00	0.2	0.1	0.1
2/27/20 9:00	0.3	0.1	0.1
2/27/20 10:00	0.1	0.1	0.1
2/27/20 11:00	0.1	0.1	0.1
2/27/20 12:00	0.1	0.1	0.1
2/27/20 13:00	0.1	0.1	0.1
2/27/20 14:00	0.1	0.1	0.1
2/27/20 15:00	0.0	0.1	0.1
2/27/20 16:00	0.0	0.1	0.1
2/27/20 17:00	0.2	0.1	0.1
2/27/20 18:00	0.1	0.1	0.1
2/27/20 19:00	0.1	0.1	0.1
2/27/20 20:00	0.1	0.1	0.1
2/27/20 21:00	0.1	0.1	0.1
2/27/20 22:00	0.1	0.1	0.1
2/27/20 23:00	0.1	0.1	0.1
2/28/20 0:00	0.0	0.1	0.1
2/28/20 1:00	0.0	0.1	0.1
2/28/20 2:00	0.1	0.1	0.1
2/28/20 3:00	0.1	0.1	0.1
2/28/20 4:00	0.1	0.1	0.1
2/28/20 5:00	0.0	0.1	0.1
2/28/20 6:00	0.0	0.1	0.1
2/28/20 7:00	0.0	0.1	0.1
2/28/20 8:00	0.1	0.1	0.1
2/28/20 9:00	0.1	0.1	0.1
2/28/20 10:00	0.2	0.1	0.1
2/28/20 11:00	0.1	0.1	0.1
2/28/20 12:00	0.1	0.1	0.1
2/28/20 13:00	0.1	0.1	0.1
2/28/20 14:00	0.1	0.1	0.1
2/28/20 15:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/28/20 16:00	0.1	0.1	0.1
2/28/20 17:00	0.1	0.1	0.1
2/28/20 18:00	0.1	0.1	0.1
2/28/20 19:00	0.1	0.1	0.1
2/28/20 20:00	0.1	0.1	0.1
2/28/20 21:00	0.1	0.1	0.1
2/28/20 22:00	0.1	0.1	0.1
2/28/20 23:00	0.1	0.1	0.1
2/29/20 0:00	0.1	0.1	0.1
2/29/20 1:00	0.2	0.1	0.1
2/29/20 2:00	0.1	0.1	0.1
2/29/20 3:00	0.1	0.1	0.1
2/29/20 4:00	0.1	0.1	0.1
2/29/20 5:00	0.1	0.1	0.1
2/29/20 6:00	0.1	0.1	0.1
2/29/20 7:00	0.0	0.1	0.1
2/29/20 8:00	0.1	0.1	0.1
2/29/20 9:00	0.2	0.1	0.1
2/29/20 10:00	0.2	0.1	0.1
2/29/20 11:00	0.1	0.1	0.1
2/29/20 12:00	0.1	0.1	0.1
2/29/20 13:00	0.1	0.1	0.1
2/29/20 14:00	0.1	0.1	0.1
2/29/20 15:00	0.1	0.1	0.1
2/29/20 16:00	0.0	0.1	0.1
2/29/20 17:00	0.0	0.1	0.1
2/29/20 18:00	0.1	0.1	0.1
2/29/20 19:00	0.1	0.1	0.1
2/29/20 20:00	0.1	0.1	0.1
2/29/20 21:00	0.2	0.1	0.1
2/29/20 22:00	0.2	0.1	0.1
2/29/20 23:00	0.2	0.1	0.1
3/1/20 0:00	0.1	0.1	0.1
3/1/20 1:00	0.1	0.1	0.1
3/1/20 2:00	0.1	0.1	0.1
3/1/20 3:00	0.1	0.1	0.1
3/1/20 4:00	0.1	0.1	0.1
3/1/20 5:00	0.1	0.1	0.1
3/1/20 6:00	0.1	0.1	0.1
3/1/20 7:00	0.1	0.1	0.1
3/1/20 8:00	0.2	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/1/20 9:00	0.2	0.1	0.1
3/1/20 10:00	0.2	0.1	0.1
3/1/20 11:00	0.1	0.1	0.1
3/1/20 12:00	0.1	0.1	0.1
3/1/20 13:00	0.1	0.1	0.1
3/1/20 14:00	0.1	0.1	0.1
3/1/20 15:00	0.1	0.1	0.1
3/1/20 16:00	0.0	0.1	0.1
3/1/20 17:00	0.1	0.1	0.1
3/1/20 18:00	0.1	0.1	0.1
3/1/20 19:00	0.1	0.1	0.1
3/1/20 20:00	0.1	0.1	0.1
3/1/20 21:00	0.1	0.1	0.1
3/1/20 22:00	0.1	0.1	0.1
3/1/20 23:00	0.1	0.1	0.1
3/2/20 0:00	0.1	0.1	0.1
3/2/20 1:00	0.2	0.1	0.1
3/2/20 2:00	0.2	0.1	0.1
3/2/20 3:00	0.2	0.1	0.1
3/2/20 4:00	0.2	0.1	0.1
3/2/20 5:00	0.1	0.1	0.1
3/2/20 6:00	0.1	0.1	0.1
3/2/20 7:00	0.1	0.1	0.1
3/2/20 8:00	0.1	0.1	0.1
3/2/20 9:00	0.1	0.1	0.1
3/2/20 10:00	0.1	0.1	0.1
3/2/20 11:00	0.1	0.1	0.1
3/2/20 12:00	0.1	0.1	0.1
3/2/20 13:00	0.1	0.1	0.1
3/2/20 14:00	0.1	0.1	0.1
3/2/20 15:00	0.2	0.1	0.1
3/2/20 16:00	0.2	0.1	0.1
3/2/20 17:00	0.1	0.1	0.1
3/2/20 18:00	0.1	0.1	0.1
3/2/20 19:00	0.0	0.1	0.1
3/2/20 20:00	0.0	0.1	0.1
3/2/20 21:00	0.1	0.1	0.1
3/2/20 22:00	0.1	0.1	0.1
3/2/20 23:00	0.1	0.1	0.1
3/3/20 0:00	0.1	0.1	0.1
3/3/20 1:00	0.3	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/3/20 2:00	0.1	0.1	0.1
3/3/20 3:00	0.1	0.1	0.1
3/3/20 4:00	0.2	0.1	0.1
3/3/20 5:00	0.2	0.1	0.1
3/3/20 6:00	0.2	0.1	0.1
3/3/20 7:00	0.1	0.1	0.1
3/3/20 8:00	0.0	0.1	0.1
3/3/20 9:00	0.0	0.1	0.1
3/3/20 10:00	0.0	0.1	0.1
3/3/20 11:00	0.0	0.1	0.1
3/3/20 12:00	0.0	0.1	0.1
3/3/20 13:00	0.0	0.1	0.1
3/3/20 14:00	0.0	0.1	0.1
3/3/20 15:00	0.1	0.1	0.1
3/3/20 16:00	0.1	0.1	0.1
3/3/20 17:00	0.2	0.1	0.1
3/3/20 18:00	0.1	0.1	0.1
3/3/20 19:00	0.1	0.1	0.1
3/3/20 20:00	0.1	0.1	0.1
3/3/20 21:00	0.1	0.1	0.1
3/3/20 22:00	0.1	0.1	0.1
3/3/20 23:00	0.1	0.1	0.1
3/4/20 0:00	0.1	0.1	0.1
3/4/20 1:00	0.1	0.1	0.1
3/4/20 2:00	0.1	0.1	0.1
3/4/20 3:00	0.0	0.1	0.1
3/4/20 4:00	0.0	0.1	0.1
3/4/20 5:00	0.1	0.1	0.1
3/4/20 6:00	0.1	0.1	0.1
3/4/20 7:00	0.1	0.1	0.1
3/4/20 8:00	0.1	0.1	0.1
3/4/20 9:00	0.1	0.1	0.1
3/4/20 10:00	0.1	0.1	0.1
3/4/20 11:00	0.1	0.1	0.1
3/4/20 12:00	0.0	0.1	0.1
3/4/20 13:00	0.0	0.1	0.1
3/4/20 14:00	0.1	0.1	0.1
3/4/20 15:00	0.1	0.1	0.1
3/4/20 16:00	0.1	0.1	0.1
3/4/20 17:00	0.1	0.1	0.1
3/4/20 18:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/4/20 19:00	0.1	0.1	0.1
3/4/20 20:00	0.1	0.1	0.1
3/4/20 21:00	0.0	0.1	0.1
3/4/20 22:00	0.1	0.1	0.1
3/4/20 23:00	0.1	0.1	0.1
3/5/20 0:00	0.1	0.1	0.1
3/5/20 1:00	0.1	0.1	0.1
3/5/20 2:00	0.0	0.1	0.1
3/5/20 3:00	0.0	0.1	0.1
3/5/20 4:00	0.0	0.1	0.1
3/5/20 5:00	0.1	0.1	0.1
3/5/20 6:00	0.1	0.1	0.1
3/5/20 7:00	0.1	0.1	0.1
3/5/20 8:00	0.0	0.1	0.1
3/5/20 9:00	0.0	0.1	0.1
3/5/20 10:00	0.0	0.1	0.1
3/5/20 11:00	0.1	0.1	0.1
3/5/20 12:00	0.0	0.1	0.1
3/5/20 13:00	0.1	0.1	0.1
3/5/20 14:00	0.1	0.1	0.1
3/5/20 15:00	0.1	0.1	0.1
3/5/20 16:00	0.1	0.1	0.1
3/5/20 17:00	0.1	0.1	0.1
3/5/20 18:00	0.0	0.1	0.1
3/5/20 19:00	0.1	0.1	0.1
3/5/20 20:00	0.1	0.1	0.1
3/5/20 21:00	0.1	0.1	0.1
3/5/20 22:00	0.1	0.1	0.1
3/5/20 23:00	0.0	0.1	0.1
3/6/20 0:00	0.0	0.1	0.1
3/6/20 1:00	0.1	0.1	0.1
3/6/20 2:00	0.1	0.1	0.1
3/6/20 3:00	0.1	0.1	0.1
3/6/20 4:00	0.1	0.1	0.1
3/6/20 5:00	0.1	0.1	0.1
3/6/20 6:00	0.1	0.1	0.1
3/6/20 7:00	0.1	0.1	0.1
3/6/20 8:00	0.0	0.1	0.1
3/6/20 9:00	0.0	0.1	0.1
3/6/20 10:00	0.0	0.1	0.1
3/6/20 11:00	0.0	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/6/20 12:00	0.0	0.1	0.1
3/6/20 13:00	0.1	0.1	0.1
3/6/20 14:00	0.1	0.1	0.1
3/6/20 15:00	0.1	0.1	0.1
3/6/20 16:00	0.1	0.1	0.1
3/6/20 17:00	0.1	0.1	0.1
3/6/20 18:00	0.1	0.1	0.1
3/6/20 19:00	0.1	0.1	0.1
3/6/20 20:00	0.0	0.1	0.1
3/6/20 21:00	0.0	0.1	0.1
3/6/20 22:00	0.1	0.1	0.1
3/6/20 23:00	0.1	0.1	0.1
3/7/20 0:00	0.1	0.1	0.1
3/7/20 1:00	0.2	0.1	0.1
3/7/20 2:00	0.1	0.1	0.1
3/7/20 3:00	0.1	0.1	0.1
3/7/20 4:00	0.1	0.1	0.1
3/7/20 5:00	0.1	0.1	0.1
3/7/20 6:00	0.2	0.1	0.1
3/7/20 7:00	0.2	0.1	0.1
3/7/20 8:00	0.2	0.1	0.1
3/7/20 9:00	0.1	0.1	0.1
3/7/20 10:00	0.1	0.1	0.1
3/7/20 11:00	0.1	0.1	0.1
3/7/20 12:00	0.1	0.1	0.1
3/7/20 13:00	0.1	0.1	0.1
3/7/20 14:00	0.1	0.1	0.1
3/7/20 15:00	0.1	0.1	0.1
3/7/20 16:00	0.2	0.1	0.1
3/7/20 17:00	0.1	0.1	0.1
3/7/20 18:00	0.1	0.1	0.1
3/7/20 19:00	0.1	0.1	0.1
3/7/20 20:00	0.1	0.1	0.1
3/7/20 21:00	0.1	0.1	0.1
3/7/20 22:00	0.1	0.1	0.1
3/7/20 23:00	0.1	0.1	0.1
3/8/20 0:00	0.1	0.1	0.1
3/8/20 1:00	0.2	0.1	0.1
3/8/20 3:00	0.2	0.1	0.1
3/8/20 4:00	0.1	0.1	0.1
3/8/20 5:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/8/20 6:00	0.1	0.1	0.1
3/8/20 7:00	0.1	0.1	0.1
3/8/20 8:00	0.1	0.1	0.1
3/8/20 9:00	0.1	0.1	0.1
3/8/20 10:00	0.1	0.1	0.1
3/8/20 11:00	0.1	0.1	0.1
3/8/20 12:00	0.1	0.1	0.1
3/8/20 13:00	0.2	0.1	0.1
3/8/20 14:00	0.2	0.1	0.1
3/8/20 15:00	0.2	0.1	0.1
3/8/20 16:00	0.1	0.1	0.1
3/8/20 17:00	0.1	0.1	0.1
3/8/20 18:00	0.1	0.1	0.1
3/8/20 19:00	0.1	0.1	0.1
3/8/20 20:00	0.1	0.1	0.1
3/8/20 21:00	0.1	0.1	0.1
3/8/20 22:00	0.1	0.1	0.1
3/8/20 23:00	0.2	0.1	0.1
3/9/20 0:00	0.1	0.1	0.1
3/9/20 1:00	0.1	0.1	0.1
3/9/20 2:00	0.1	0.1	0.1
3/9/20 3:00	0.1	0.1	0.1
3/9/20 4:00	0.1	0.1	0.1
3/9/20 5:00	0.1	0.1	0.1
3/9/20 6:00	0.1	0.1	0.1
3/9/20 7:00	0.1	0.1	0.1
3/9/20 8:00	0.1	0.1	0.1
3/9/20 9:00	0.1	0.1	0.1
3/9/20 10:00	0.1	0.1	0.1
3/9/20 11:00	0.1	0.1	0.1
3/9/20 12:00	0.0	0.1	0.1
3/9/20 13:00	0.0	0.1	0.1
3/9/20 14:00	0.0	0.1	0.1
3/9/20 15:00	0.1	0.1	0.1
3/9/20 16:00	0.1	0.1	0.1
3/9/20 17:00	0.1	0.1	0.1
3/9/20 18:00	0.1	0.1	0.1
3/9/20 19:00	0.1	0.1	0.1
3/9/20 20:00	0.1	0.1	0.1
3/9/20 21:00	0.1	0.1	0.1
3/9/20 22:00	0.0	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/9/20 23:00	0.0	0.1	0.1
3/10/20 0:00	0.0	0.1	0.1
3/10/20 1:00	0.1	0.1	0.1
3/10/20 2:00	0.1	0.1	0.1
3/10/20 3:00	0.0	0.1	0.1
3/10/20 4:00	0.0	0.1	0.1
3/10/20 5:00	0.0	0.1	0.1
3/10/20 6:00	0.1	0.1	0.1
3/10/20 7:00	0.0	0.1	0.1
3/10/20 8:00	0.0	0.1	0.1
3/10/20 9:00	0.2	0.1	0.1
3/10/20 10:00	0.2	0.1	0.1
3/10/20 11:00	0.2	0.1	0.1
3/10/20 12:00	0.2	0.1	0.1
3/10/20 13:00	0.2	0.1	0.1
3/10/20 14:00	0.1	0.1	0.1
3/10/20 15:00	0.0	0.1	0.1
3/10/20 16:00	0.1	0.1	0.1
3/10/20 17:00	0.1	0.1	0.1
3/10/20 18:00	0.1	0.1	0.1
3/10/20 19:00	0.1	0.1	0.1
3/10/20 20:00	0.1	0.1	0.1
3/10/20 21:00	0.1	0.1	0.1
3/10/20 22:00	0.1	0.1	0.1
3/10/20 23:00	0.0	0.1	0.1
3/11/20 0:00	0.0	0.1	0.1
3/11/20 1:00	0.0	0.1	0.1
3/11/20 2:00	0.1	0.1	0.1
3/11/20 3:00	0.1	0.1	0.1
3/11/20 4:00	0.1	0.1	0.1
3/11/20 5:00	0.1	0.1	0.1
3/11/20 6:00	0.1	0.1	0.1
3/11/20 7:00	0.1	0.1	0.1
3/11/20 8:00	0.1	0.1	0.1
3/11/20 9:00	0.1	0.1	0.1
3/11/20 10:00	0.0	0.1	0.1
3/11/20 11:00	0.0	0.1	0.1
3/11/20 12:00	0.0	0.1	0.1
3/11/20 13:00	0.1	0.1	0.1
3/11/20 14:00	0.1	0.1	0.1
3/11/20 15:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/11/20 16:00	0.1	0.1	0.1
3/11/20 17:00	0.1	0.1	0.1
3/11/20 18:00	0.1	0.1	0.1
3/11/20 19:00	0.0	0.1	0.1
3/11/20 20:00	0.0	0.1	0.1
3/11/20 21:00	0.1	0.1	0.1
3/11/20 22:00	0.1	0.1	0.1
3/11/20 23:00	0.1	0.1	0.1
3/12/20 0:00	0.1	0.1	0.1
3/12/20 1:00	0.1	0.1	0.1
3/12/20 2:00	0.1	0.1	0.1
3/12/20 3:00	0.1	0.1	0.1
3/12/20 4:00	0.1	0.1	0.1
3/12/20 5:00	0.0	0.1	0.1
3/12/20 6:00	0.0	0.1	0.1
3/12/20 7:00	0.0	0.1	0.1
3/12/20 8:00	0.1	0.1	0.1
3/12/20 9:00	0.1	0.1	0.1
3/12/20 10:00	0.1	0.1	0.1
3/12/20 11:00	0.1	0.1	0.1
3/12/20 12:00	0.1	0.1	0.1
3/12/20 13:00	0.0	0.1	0.1
3/12/20 14:00	0.0	0.1	0.1
3/12/20 15:00	0.0	0.1	0.1
3/12/20 16:00	0.1	0.1	0.1
3/12/20 17:00	0.1	0.1	0.1
3/12/20 18:00	0.0	0.1	0.1
3/12/20 19:00	0.0	0.1	0.1
3/12/20 20:00	0.1	0.1	0.1
3/12/20 21:00	0.2	0.1	0.1
3/12/20 22:00	0.2	0.1	0.1
3/12/20 23:00	0.1	0.1	0.1
3/13/20 0:00	0.1	0.1	0.1
3/13/20 1:00	0.1	0.1	0.1
3/13/20 2:00	0.1	0.1	0.1
3/13/20 3:00	0.1	0.1	0.1
3/13/20 4:00	0.1	0.1	0.1
3/13/20 5:00	0.1	0.1	0.1
3/13/20 6:00	0.1	0.1	0.1
3/13/20 7:00	0.2	0.1	0.1
3/13/20 8:00	0.3	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/13/20 9:00	0.3	0.1	0.1
3/13/20 10:00	0.1	0.1	0.1
3/13/20 11:00	0.0	0.1	0.1
3/13/20 12:00	0.0	0.1	0.1
3/13/20 13:00	0.1	0.1	0.1
3/13/20 14:00	0.1	0.1	0.1
3/13/20 15:00	0.1	0.1	0.1
3/13/20 16:00	0.1	0.1	0.1
3/13/20 17:00	0.1	0.1	0.1
3/13/20 18:00	0.2	0.1	0.1
3/13/20 19:00	0.1	0.1	0.1
3/13/20 20:00	0.1	0.1	0.1
3/13/20 21:00	0.0	0.1	0.1
3/13/20 22:00	0.0	0.1	0.1
3/13/20 23:00	0.0	0.1	0.1
3/14/20 0:00	0.0	0.1	0.1
3/14/20 1:00	0.0	0.1	0.1
3/14/20 2:00	0.0	0.1	0.1
3/14/20 3:00	0.0	0.1	0.1
3/14/20 4:00	0.0	0.1	0.1
3/14/20 5:00	0.0	0.1	0.1
3/14/20 6:00	0.0	0.1	0.1
3/14/20 7:00	0.1	0.1	0.1
3/14/20 8:00	0.1	0.1	0.1
3/14/20 9:00	0.0	0.1	0.1
3/14/20 10:00	0.0	0.1	0.1
3/14/20 11:00	0.0	0.1	0.1
3/14/20 12:00	0.0	0.1	0.1
3/14/20 13:00	0.0	0.1	0.1
3/14/20 14:00	0.1	0.1	0.1
3/14/20 15:00	0.1	0.1	0.1
3/14/20 16:00	0.0	0.1	0.1
3/14/20 17:00	0.0	0.0	0.1
3/14/20 18:00	0.1	0.0	0.1
3/14/20 19:00	0.1	0.0	0.1
3/14/20 20:00	0.0	0.0	0.1
3/14/20 21:00	0.1	0.0	0.1
3/14/20 22:00	0.1	0.0	0.1
3/14/20 23:00	0.0	0.0	0.1
3/15/20 0:00	0.0	0.0	0.1
3/15/20 1:00	0.1	0.0	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/15/20 2:00	0.0	0.0	0.1
3/15/20 3:00	0.0	0.0	0.1
3/15/20 4:00	0.0	0.0	0.1
3/15/20 5:00	0.1	0.0	0.1
3/15/20 6:00	0.1	0.1	0.1
3/15/20 7:00	0.1	0.1	0.1
3/15/20 8:00	0.1	0.1	0.1
3/15/20 9:00	0.1	0.1	0.1
3/15/20 10:00	0.1	0.1	0.1
3/15/20 11:00	0.1	0.1	0.1
3/15/20 12:00	0.1	0.1	0.1
3/15/20 13:00	0.1	0.1	0.1
3/15/20 14:00	0.1	0.1	0.1
3/15/20 15:00	0.1	0.1	0.1
3/15/20 16:00	0.1	0.1	0.1
3/15/20 17:00	0.1	0.1	0.1
3/15/20 18:00	0.1	0.1	0.1
3/15/20 19:00	0.1	0.1	0.1
3/15/20 20:00	0.1	0.1	0.1
3/15/20 21:00	0.1	0.1	0.1
3/15/20 22:00	0.1	0.1	0.1
3/15/20 23:00	0.1	0.1	0.1
3/16/20 0:00	0.1	0.1	0.1
3/16/20 1:00	0.0	0.1	0.1
3/16/20 2:00	0.0	0.1	0.1
3/16/20 3:00	0.0	0.1	0.1
3/16/20 4:00	0.0	0.1	0.1
3/16/20 5:00	0.1	0.1	0.1
3/16/20 6:00	0.1	0.1	0.1
3/16/20 7:00	0.1	0.1	0.1
3/16/20 8:00	0.2	0.1	0.1
3/16/20 9:00	0.1	0.1	0.1
3/16/20 10:00	0.1	0.1	0.1
3/16/20 11:00	0.1	0.1	0.1
3/16/20 12:00	0.1	0.1	0.1
3/16/20 13:00	0.1	0.1	0.1
3/16/20 14:00	0.1	0.1	0.1
3/16/20 15:00	0.1	0.1	0.1
3/16/20 16:00	0.0	0.1	0.1
3/16/20 17:00	0.0	0.1	0.1
3/16/20 18:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/16/20 19:00	0.1	0.1	0.1
3/16/20 20:00	0.1	0.1	0.1
3/16/20 21:00	0.1	0.1	0.1
3/16/20 22:00	0.1	0.1	0.1
3/16/20 23:00	0.1	0.1	0.1
3/17/20 0:00	0.1	0.1	0.1
3/17/20 1:00	0.0	0.1	0.1
3/17/20 2:00	0.0	0.1	0.1
3/17/20 3:00	0.1	0.1	0.1
3/17/20 4:00	0.1	0.1	0.1
3/17/20 5:00	0.1	0.1	0.1
3/17/20 6:00	0.0	0.1	0.1
3/17/20 7:00	0.1	0.1	0.1
3/17/20 8:00	0.1	0.1	0.1
3/17/20 9:00	0.1	0.1	0.1
3/17/20 10:00	0.2	0.1	0.1
3/17/20 11:00	0.2	0.1	0.1
3/17/20 12:00	0.2	0.1	0.1
3/17/20 13:00	0.1	0.1	0.1
3/17/20 14:00	0.1	0.1	0.1
3/17/20 15:00	0.0	0.1	0.1
3/17/20 16:00	0.0	0.1	0.1
3/17/20 17:00	0.1	0.1	0.1
3/17/20 18:00	0.1	0.1	0.1
3/17/20 19:00	0.1	0.1	0.1
3/17/20 20:00	0.1	0.1	0.1
3/17/20 21:00	0.1	0.1	0.1
3/17/20 22:00	0.1	0.1	0.1
3/17/20 23:00	0.1	0.1	0.1
3/18/20 0:00	0.1	0.1	0.1
3/18/20 1:00	0.1	0.1	0.1
3/18/20 2:00	0.1	0.1	0.1
3/18/20 3:00	0.0	0.1	0.1
3/18/20 4:00	0.0	0.1	0.1
3/18/20 5:00	0.1	0.1	0.1
3/18/20 6:00	0.1	0.1	0.1
3/18/20 7:00	0.1	0.1	0.1
3/18/20 8:00	0.1	0.1	0.1
3/18/20 9:00	0.1	0.1	0.1
3/18/20 10:00	0.1	0.1	0.1
3/18/20 11:00	0.2	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/18/20 12:00	0.1	0.1	0.1
3/18/20 13:00	0.1	0.1	0.1
3/18/20 14:00	0.2	0.1	0.1
3/18/20 15:00	0.2	0.1	0.1
3/18/20 16:00	0.2	0.1	0.1
3/18/20 17:00	0.2	0.1	0.1
3/18/20 18:00	0.2	0.1	0.1
3/18/20 19:00	0.1	0.1	0.1
3/18/20 20:00	0.1	0.1	0.1
3/18/20 21:00	0.1	0.1	0.1
3/18/20 22:00	0.2	0.1	0.1
3/18/20 23:00	0.2	0.1	0.1
3/19/20 0:00	0.2	0.1	0.1
3/19/20 1:00	0.2	0.1	0.1
3/19/20 2:00	0.2	0.1	0.1
3/19/20 3:00	0.2	0.1	0.1
3/19/20 4:00	0.1	0.1	0.1
3/19/20 5:00	0.1	0.1	0.1
3/19/20 6:00	0.1	0.1	0.1
3/19/20 7:00	0.2	0.1	0.1
3/19/20 8:00	0.2	0.2	0.1
3/19/20 9:00	0.1	0.2	0.1
3/19/20 10:00	0.1	0.2	0.1
3/19/20 11:00	0.1	0.2	0.1
3/19/20 12:00	0.1	0.2	0.1
3/19/20 13:00	0.1	0.2	0.1
3/19/20 14:00	0.1	0.2	0.1
3/19/20 15:00	0.1	0.1	0.1
3/19/20 16:00	0.0	0.1	0.1
3/19/20 17:00	0.0	0.1	0.1
3/19/20 18:00	0.1	0.1	0.1
3/19/20 19:00	0.1	0.1	0.1
3/19/20 20:00	0.1	0.1	0.1
3/19/20 21:00	0.1	0.1	0.1
3/19/20 22:00	0.1	0.1	0.1
3/19/20 23:00	0.1	0.1	0.1
3/20/20 0:00	0.1	0.1	0.1
3/20/20 1:00	0.1	0.1	0.1
3/20/20 2:00	0.1	0.1	0.1
3/20/20 3:00	0.1	0.1	0.1
3/20/20 4:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/20/20 5:00	0.1	0.1	0.1
3/20/20 6:00	0.1	0.1	0.1
3/20/20 7:00	0.2	0.1	0.1
3/20/20 8:00	0.1	0.1	0.1
3/20/20 9:00	0.1	0.1	0.1
3/20/20 10:00	0.1	0.1	0.1
3/20/20 11:00	0.1	0.1	0.1
3/20/20 12:00	0.1	0.1	0.1
3/20/20 13:00	0.2	0.1	0.1
3/20/20 14:00	0.1	0.1	0.1
3/20/20 15:00	0.1	0.1	0.1
3/20/20 16:00	0.1	0.1	0.1
3/20/20 17:00	0.1	0.1	0.1
3/20/20 18:00	0.1	0.1	0.1
3/20/20 19:00	0.1	0.1	0.1
3/20/20 20:00	0.1	0.1	0.1
3/20/20 21:00	0.2	0.1	0.1
3/20/20 22:00	0.1	0.1	0.1
3/20/20 23:00	0.1	0.1	0.1
3/21/20 0:00	0.2	0.1	0.1
3/21/20 1:00	0.1	0.1	0.1
3/21/20 2:00	0.1	0.1	0.1
3/21/20 3:00	0.1	0.1	0.1
3/21/20 4:00	0.1	0.1	0.1
3/21/20 5:00	0.1	0.1	0.1
3/21/20 6:00	0.1	0.1	0.1
3/21/20 7:00	0.1	0.1	0.1
3/21/20 8:00	0.1	0.1	0.1
3/21/20 9:00	0.1	0.1	0.1
3/21/20 10:00	0.1	0.1	0.1
3/21/20 11:00	0.2	0.1	0.1
3/21/20 12:00	0.1	0.1	0.1
3/21/20 13:00	0.1	0.1	0.1
3/21/20 14:00	0.1	0.1	0.1
3/21/20 15:00	0.1	0.1	0.1
3/21/20 16:00	0.1	0.1	0.1
3/21/20 17:00	0.1	0.1	0.1
3/21/20 18:00	0.4	0.1	0.1
3/21/20 19:00	14.1	0.7	0.1
3/21/20 20:00	14.7	1.3	0.1
3/21/20 21:00	16.0	2.0	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/21/20 22:00	13.9	2.6	0.2
3/21/20 23:00	1.3	2.6	0.2
3/22/20 0:00	0.6	2.6	0.2
3/22/20 1:00	0.2	2.6	0.2
3/22/20 2:00	1.1	2.7	0.2
3/22/20 3:00	0.2	2.7	0.2
3/22/20 4:00	0.2	2.7	0.2
3/22/20 5:00	0.2	2.7	0.2
3/22/20 6:00	0.5	2.7	0.2
3/22/20 7:00	0.3	2.7	0.2
3/22/20 8:00	0.3	2.7	0.2
3/22/20 9:00	0.3	2.7	0.2
3/22/20 10:00	0.3	2.7	0.2
3/22/20 11:00	0.3	2.7	0.2
3/22/20 12:00	0.3	2.7	0.2
3/22/20 13:00	0.3	2.7	0.2
3/22/20 14:00	0.3	2.7	0.2
3/22/20 15:00	0.2	2.8	0.2
3/22/20 16:00	0.2	2.8	0.2
3/22/20 17:00	0.2	2.8	0.2
3/22/20 18:00	0.1	2.7	0.2
3/22/20 19:00	0.1	2.2	0.2
3/22/20 20:00	0.1	1.6	0.2
3/22/20 21:00	0.2	0.9	0.2
3/22/20 22:00	0.1	0.3	0.2
3/22/20 23:00	0.2	0.3	0.2
3/23/20 0:00	0.2	0.3	0.2
3/23/20 1:00	0.2	0.3	0.2
3/23/20 2:00	0.1	0.2	0.2
3/23/20 3:00	0.1	0.2	0.2
3/23/20 4:00	0.0	0.2	0.2
3/23/20 5:00	0.1	0.2	0.2
3/23/20 6:00	0.1	0.2	0.2
3/23/20 7:00	0.1	0.2	0.2
3/23/20 8:00	0.1	0.2	0.2
3/23/20 9:00	0.1	0.2	0.2
3/23/20 10:00	0.1	0.2	0.2
3/23/20 11:00	0.1	0.2	0.2
3/23/20 12:00	0.1	0.1	0.2
3/23/20 13:00	0.1	0.1	0.2
3/23/20 14:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/23/20 15:00	0.1	0.1	0.2
3/23/20 16:00	0.1	0.1	0.2
3/23/20 17:00	0.1	0.1	0.2
3/23/20 18:00	0.1	0.1	0.2
3/23/20 19:00	0.1	0.1	0.2
3/23/20 20:00	0.1	0.1	0.2
3/23/20 21:00	0.0	0.1	0.2
3/23/20 22:00	0.0	0.1	0.2
3/23/20 23:00	0.0	0.1	0.2
3/24/20 0:00	0.1	0.1	0.2
3/24/20 1:00	0.1	0.1	0.2
3/24/20 2:00	0.1	0.1	0.2
3/24/20 3:00	0.1	0.1	0.2
3/24/20 4:00	0.2	0.1	0.2
3/24/20 5:00	0.1	0.1	0.2
3/24/20 6:00	0.0	0.1	0.2
3/24/20 7:00	0.0	0.1	0.2
3/24/20 8:00	0.0	0.1	0.2
3/24/20 9:00	0.2	0.1	0.2
3/24/20 10:00	0.2	0.1	0.2
3/24/20 11:00	0.1	0.1	0.2
3/24/20 12:00	0.1	0.1	0.2
3/24/20 13:00	0.1	0.1	0.2
3/24/20 14:00	0.0	0.1	0.2
3/24/20 15:00	0.0	0.1	0.2
3/24/20 16:00	0.1	0.1	0.2
3/24/20 17:00	0.1	0.1	0.2
3/24/20 18:00	0.1	0.1	0.2
3/24/20 19:00	0.1	0.1	0.2
3/24/20 20:00	0.0	0.1	0.2
3/24/20 21:00	0.0	0.1	0.2
3/24/20 22:00	0.1	0.1	0.2
3/24/20 23:00	0.1	0.1	0.2
3/25/20 0:00	0.1	0.1	0.2
3/25/20 1:00	0.1	0.1	0.2
3/25/20 2:00	0.1	0.1	0.2
3/25/20 3:00	0.1	0.1	0.2
3/25/20 4:00	0.0	0.1	0.2
3/25/20 5:00	0.0	0.1	0.2
3/25/20 6:00	0.0	0.1	0.2
3/25/20 7:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/25/20 8:00	0.1	0.1	0.2
3/25/20 9:00	0.1	0.1	0.2
3/25/20 10:00	0.0	0.1	0.2
3/25/20 11:00	0.0	0.1	0.2
3/25/20 12:00	0.0	0.1	0.2
3/25/20 13:00	0.1	0.1	0.2
3/25/20 14:00	0.1	0.1	0.2
3/25/20 15:00	0.1	0.1	0.2
3/25/20 16:00	0.1	0.1	0.2
3/25/20 17:00	0.1	0.1	0.2
3/25/20 18:00	0.1	0.1	0.2
3/25/20 19:00	0.1	0.1	0.2
3/25/20 20:00	0.0	0.1	0.2
3/25/20 21:00	0.0	0.1	0.2
3/25/20 22:00	0.0	0.1	0.2
3/25/20 23:00	0.1	0.1	0.2
3/26/20 0:00	0.0	0.1	0.2
3/26/20 1:00	0.0	0.1	0.2
3/26/20 2:00	0.0	0.1	0.2
3/26/20 3:00	0.1	0.1	0.2
3/26/20 4:00	0.1	0.1	0.2
3/26/20 5:00	0.1	0.1	0.2
3/26/20 6:00	0.1	0.1	0.2
3/26/20 7:00	0.1	0.1	0.2
3/26/20 8:00	0.1	0.1	0.2
3/26/20 9:00	0.1	0.1	0.2
3/26/20 10:00	0.1	0.1	0.2
3/26/20 11:00	0.1	0.1	0.2
3/26/20 12:00	0.1	0.1	0.2
3/26/20 13:00	0.1	0.1	0.2
3/26/20 14:00	0.0	0.1	0.2
3/26/20 15:00	0.0	0.1	0.2
3/26/20 16:00	0.0	0.1	0.2
3/26/20 17:00	0.1	0.1	0.2
3/26/20 18:00	0.1	0.1	0.2
3/26/20 19:00	0.1	0.1	0.2
3/26/20 20:00	0.0	0.1	0.2
3/26/20 21:00	0.0	0.1	0.2
3/26/20 22:00	0.1	0.1	0.2
3/26/20 23:00	0.0	0.1	0.2
3/27/20 0:00	0.0	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/27/20 1:00	0.1	0.1	0.2
3/27/20 2:00	0.1	0.1	0.2
3/27/20 3:00	0.1	0.1	0.2
3/27/20 4:00	0.1	0.1	0.2
3/27/20 5:00	0.1	0.1	0.2
3/27/20 6:00	0.1	0.1	0.2
3/27/20 7:00	0.0	0.1	0.2
3/27/20 8:00	0.1	0.1	0.2
3/27/20 9:00	0.1	0.1	0.2
3/27/20 10:00	0.1	0.1	0.2
3/27/20 11:00	0.1	0.1	0.2
3/27/20 12:00	0.1	0.1	0.2
3/27/20 13:00	0.1	0.1	0.2
3/27/20 14:00	0.0	0.1	0.2
3/27/20 15:00	0.0	0.1	0.2
3/27/20 16:00	0.1	0.1	0.2
3/27/20 17:00	0.2	0.1	0.2
3/27/20 18:00	0.1	0.1	0.2
3/27/20 19:00	0.2	0.1	0.2
3/27/20 20:00	0.1	0.1	0.2
3/27/20 21:00	0.1	0.1	0.2
3/27/20 22:00	0.1	0.1	0.2
3/27/20 23:00	0.1	0.1	0.2
3/28/20 0:00	0.1	0.1	0.2
3/28/20 1:00	0.1	0.1	0.2
3/28/20 2:00	0.1	0.1	0.2
3/28/20 3:00	0.1	0.1	0.2
3/28/20 4:00	0.1	0.1	0.2
3/28/20 5:00	0.1	0.1	0.2
3/28/20 6:00	0.1	0.1	0.2
3/28/20 7:00	0.1	0.1	0.2
3/28/20 8:00	0.1	0.1	0.2
3/28/20 9:00	0.0	0.1	0.2
3/28/20 10:00	0.0	0.1	0.2
3/28/20 11:00	0.0	0.1	0.2
3/28/20 12:00	0.1	0.1	0.2
3/28/20 13:00	0.1	0.1	0.2
3/28/20 14:00	0.1	0.1	0.2
3/28/20 15:00	0.1	0.1	0.2
3/28/20 16:00	0.0	0.1	0.2
3/28/20 17:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/28/20 18:00	0.1	0.1	0.2
3/28/20 19:00	0.1	0.1	0.2
3/28/20 20:00	0.1	0.1	0.2
3/28/20 21:00	0.0	0.1	0.2
3/28/20 22:00	0.0	0.1	0.2
3/28/20 23:00	0.1	0.1	0.2
3/29/20 0:00	0.1	0.1	0.2
3/29/20 1:00	0.1	0.1	0.2
3/29/20 2:00	0.1	0.1	0.2
3/29/20 3:00	0.1	0.1	0.2
3/29/20 4:00	0.1	0.1	0.2
3/29/20 5:00	0.1	0.1	0.2
3/29/20 6:00	0.0	0.1	0.2
3/29/20 7:00	0.0	0.1	0.2
3/29/20 8:00	0.0	0.1	0.2
3/29/20 9:00	0.0	0.1	0.2
3/29/20 10:00	0.0	0.1	0.2
3/29/20 11:00	0.0	0.1	0.2
3/29/20 12:00	0.0	0.1	0.2
3/29/20 13:00	0.1	0.1	0.2
3/29/20 14:00	0.1	0.1	0.2
3/29/20 15:00	0.1	0.1	0.2
3/29/20 16:00	0.1	0.1	0.2
3/29/20 17:00	0.1	0.1	0.2
3/29/20 18:00	0.2	0.1	0.2
3/29/20 19:00	0.2	0.1	0.2
3/29/20 20:00	0.1	0.1	0.2
3/29/20 21:00	0.1	0.1	0.2
3/29/20 22:00	0.1	0.1	0.2
3/29/20 23:00	0.1	0.1	0.2
3/30/20 0:00	0.1	0.1	0.2
3/30/20 1:00	0.1	0.1	0.2
3/30/20 2:00	0.1	0.1	0.2
3/30/20 3:00	0.1	0.1	0.2
3/30/20 4:00	0.1	0.1	0.2
3/30/20 5:00	0.1	0.1	0.2
3/30/20 6:00	0.1	0.1	0.2
3/30/20 7:00	0.1	0.1	0.2
3/30/20 8:00	0.1	0.1	0.2
3/30/20 9:00	0.2	0.1	0.2
3/30/20 10:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/30/20 11:00	0.2	0.1	0.2
3/30/20 12:00	0.2	0.1	0.2
3/30/20 13:00	0.2	0.1	0.2
3/30/20 14:00	0.1	0.1	0.2
3/30/20 15:00	0.2	0.1	0.2
3/30/20 16:00	0.2	0.1	0.2
3/30/20 17:00	0.2	0.1	0.2
3/30/20 18:00	0.2	0.1	0.2
3/30/20 19:00	0.2	0.1	0.2
3/30/20 20:00	0.1	0.1	0.2
3/30/20 21:00	0.2	0.1	0.2
3/30/20 22:00	0.1	0.1	0.2
3/30/20 23:00	0.1	0.1	0.2
3/31/20 0:00	0.1	0.1	0.2
3/31/20 1:00	0.1	0.1	0.2
3/31/20 2:00	0.1	0.1	0.2
3/31/20 3:00	0.1	0.1	0.2
3/31/20 4:00	0.1	0.1	0.2
3/31/20 5:00	0.1	0.1	0.2
3/31/20 6:00	0.1	0.1	0.2
3/31/20 7:00	0.1	0.1	0.2
3/31/20 8:00	0.2	0.1	0.2
3/31/20 9:00	0.2	0.1	0.2
3/31/20 10:00	0.2	0.1	0.2
3/31/20 11:00	0.2	0.1	0.2
3/31/20 12:00	0.1	0.1	0.2
3/31/20 13:00	0.1	0.1	0.2
3/31/20 14:00	0.2	0.1	0.2
3/31/20 15:00	0.2	0.1	0.2
3/31/20 16:00	0.1	0.1	0.2
3/31/20 17:00	0.2	0.1	0.2
3/31/20 18:00	0.1	0.1	0.2
3/31/20 19:00	0.1	0.1	0.2
3/31/20 20:00	0.3	0.1	0.2
3/31/20 21:00	0.1	0.1	0.2
3/31/20 22:00	0.1	0.1	0.2
3/31/20 23:00	0.1	0.1	0.2
4/1/20 0:00	0.1	0.1	0.2
4/1/20 1:00	0.1	0.1	0.2
4/1/20 2:00	0.1	0.1	0.2
4/1/20 3:00	0.2	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/1/20 4:00	0.1	0.1	0.2
4/1/20 5:00	0.1	0.1	0.2
4/1/20 6:00	0.2	0.1	0.2
4/1/20 7:00	0.2	0.1	0.2
4/1/20 8:00	0.1	0.1	0.2
4/1/20 9:00	0.1	0.1	0.2
4/1/20 10:00	0.1	0.1	0.2
4/1/20 11:00	0.1	0.1	0.2
4/1/20 12:00	0.1	0.1	0.2
4/1/20 13:00	0.1	0.1	0.2
4/1/20 14:00	0.1	0.1	0.2
4/1/20 15:00	0.1	0.1	0.2
4/1/20 16:00	0.1	0.1	0.2
4/1/20 17:00	0.1	0.1	0.2
4/1/20 18:00	0.1	0.1	0.2
4/1/20 19:00	0.1	0.1	0.2
4/1/20 20:00	0.1	0.1	0.2
4/1/20 21:00	0.1	0.1	0.2
4/1/20 22:00	0.1	0.1	0.2
4/1/20 23:00	0.1	0.1	0.2
4/2/20 0:00	0.1	0.1	0.2
4/2/20 1:00	0.1	0.1	0.2
4/2/20 2:00	0.1	0.1	0.2
4/2/20 3:00	0.1	0.1	0.2
4/2/20 4:00	0.1	0.1	0.2
4/2/20 5:00	0.1	0.1	0.2
4/2/20 6:00	0.1	0.1	0.2
4/2/20 7:00	0.1	0.1	0.2
4/2/20 8:00	0.0	0.1	0.2
4/2/20 9:00	0.0	0.1	0.2
4/2/20 10:00	0.0	0.1	0.2
4/2/20 11:00	0.0	0.1	0.2
4/2/20 12:00	0.0	0.1	0.2
4/2/20 13:00	0.0	0.1	0.2
4/2/20 14:00	0.0	0.1	0.2
4/2/20 15:00	0.0	0.1	0.2
4/2/20 16:00	0.0	0.1	0.2
4/2/20 17:00	0.1	0.1	0.2
4/2/20 18:00	0.1	0.1	0.2
4/2/20 19:00	0.1	0.1	0.2
4/2/20 20:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/2/20 21:00	0.0	0.1	0.2
4/2/20 22:00	0.0	0.1	0.2
4/2/20 23:00	0.1	0.1	0.2
4/3/20 0:00	0.0	0.1	0.2
4/3/20 1:00	0.0	0.1	0.2
4/3/20 2:00	0.0	0.1	0.2
4/3/20 3:00	0.0	0.1	0.2
4/3/20 4:00	0.1	0.0	0.2
4/3/20 5:00	0.1	0.0	0.2
4/3/20 6:00	0.1	0.1	0.2
4/3/20 7:00	0.1	0.1	0.2
4/3/20 8:00	0.1	0.1	0.2
4/3/20 9:00	0.1	0.1	0.2
4/3/20 10:00	0.0	0.1	0.2
4/3/20 11:00	0.0	0.1	0.2
4/3/20 12:00	0.0	0.1	0.2
4/3/20 13:00	0.1	0.1	0.2
4/3/20 14:00	0.1	0.1	0.2
4/3/20 15:00	0.1	0.1	0.2
4/3/20 16:00	0.1	0.1	0.2
4/3/20 17:00	0.0	0.1	0.2
4/3/20 18:00	0.0	0.1	0.2
4/3/20 19:00	0.0	0.1	0.2
4/3/20 20:00	0.0	0.1	0.2
4/3/20 21:00	0.1	0.1	0.2
4/3/20 22:00	0.1	0.1	0.2
4/3/20 23:00	0.1	0.1	0.2
4/4/20 0:00	0.0	0.1	0.2
4/4/20 1:00	0.0	0.1	0.2
4/4/20 2:00	0.1	0.1	0.2
4/4/20 3:00	0.1	0.1	0.2
4/4/20 4:00	0.0	0.1	0.2
4/4/20 5:00	0.0	0.1	0.2
4/4/20 6:00	0.0	0.1	0.2
4/4/20 7:00	0.0	0.1	0.2
4/4/20 8:00	0.0	0.1	0.2
4/4/20 9:00	0.0	0.1	0.2
4/4/20 10:00	0.1	0.1	0.2
4/4/20 11:00	0.1	0.1	0.2
4/4/20 12:00	0.1	0.1	0.2
4/4/20 13:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/4/20 14:00	0.1	0.1	0.2
4/4/20 15:00	0.1	0.1	0.2
4/4/20 16:00	0.1	0.1	0.2
4/4/20 17:00	0.1	0.1	0.2
4/4/20 18:00	0.1	0.1	0.2
4/4/20 19:00	0.1	0.1	0.2
4/4/20 20:00	0.1	0.1	0.2
4/4/20 21:00	0.1	0.1	0.2
4/4/20 22:00	0.1	0.1	0.2
4/4/20 23:00	0.1	0.1	0.2
4/5/20 0:00	0.1	0.1	0.2
4/5/20 1:00	0.1	0.1	0.2
4/5/20 2:00	0.1	0.1	0.2
4/5/20 3:00	0.1	0.1	0.2
4/5/20 4:00	0.1	0.1	0.2
4/5/20 5:00	0.1	0.1	0.2
4/5/20 6:00	0.1	0.1	0.2
4/5/20 7:00	0.1	0.1	0.2
4/5/20 8:00	0.1	0.1	0.2
4/5/20 9:00	0.1	0.1	0.2
4/5/20 10:00	0.1	0.1	0.2
4/5/20 11:00	0.0	0.1	0.2
4/5/20 12:00	0.0	0.1	0.2
4/5/20 13:00	0.0	0.1	0.2
4/5/20 14:00	0.1	0.1	0.2
4/5/20 15:00	0.1	0.1	0.2
4/5/20 16:00	0.1	0.1	0.2
4/5/20 17:00	0.1	0.1	0.2
4/5/20 18:00	0.1	0.1	0.2
4/5/20 19:00	0.1	0.1	0.2
4/5/20 20:00	0.0	0.1	0.2
4/5/20 21:00	0.0	0.1	0.2
4/5/20 22:00	0.0	0.1	0.2
4/5/20 23:00	0.1	0.1	0.2
4/6/20 0:00	0.1	0.1	0.2
4/6/20 1:00	0.1	0.1	0.2
4/6/20 2:00	0.1	0.1	0.2
4/6/20 3:00	0.0	0.1	0.2
4/6/20 4:00	0.1	0.1	0.2
4/6/20 5:00	0.0	0.1	0.2
4/6/20 6:00	0.0	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/6/20 7:00	0.0	0.1	0.2
4/6/20 8:00	0.0	0.1	0.2
4/6/20 9:00	0.1	0.1	0.2
4/6/20 10:00	0.0	0.1	0.2
4/6/20 11:00	0.0	0.1	0.2
4/6/20 12:00	0.1	0.1	0.2
4/6/20 13:00	0.1	0.1	0.2
4/6/20 14:00	0.1	0.1	0.2
4/6/20 15:00	0.1	0.1	0.2
4/6/20 16:00	0.1	0.1	0.2
4/6/20 17:00	0.1	0.1	0.2
4/6/20 18:00	0.1	0.1	0.2
4/6/20 19:00	0.1	0.1	0.2
4/6/20 20:00	0.1	0.1	0.2
4/6/20 21:00	0.1	0.1	0.2
4/6/20 22:00	0.1	0.1	0.2
4/6/20 23:00	0.2	0.1	0.2
4/7/20 0:00	0.2	0.1	0.2
4/7/20 1:00	0.3	0.1	0.2
4/7/20 2:00	0.1	0.1	0.2
4/7/20 3:00	0.1	0.1	0.2
4/7/20 4:00	0.1	0.1	0.2
4/7/20 5:00	0.1	0.1	0.2
4/7/20 6:00	0.1	0.1	0.2
4/7/20 7:00	0.1	0.1	0.2
4/7/20 8:00	0.2	0.1	0.2
4/7/20 9:00	0.2	0.1	0.2
4/7/20 10:00	8.9	0.5	0.2
4/7/20 11:00	7.6	0.8	0.2
4/7/20 12:00	5.5	1.0	0.2
4/7/20 13:00	4.3	1.2	0.2
4/7/20 14:00	4.3	1.4	0.2
4/7/20 15:00	4.8	1.6	0.2
4/7/20 16:00	6.8	1.9	0.2
4/7/20 17:00	3.4	2.0	0.2
4/7/20 18:00	1.9	2.1	0.2
4/7/20 19:00	0.1	2.1	0.2
4/7/20 20:00	0.1	2.1	0.2
4/7/20 21:00	0.1	2.1	0.2
4/7/20 22:00	0.2	2.1	0.2
4/7/20 23:00	0.1	2.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/8/20 0:00	0.1	2.1	0.2
4/8/20 1:00	0.1	2.1	0.2
4/8/20 2:00	0.1	2.1	0.2
4/8/20 3:00	0.1	2.1	0.2
4/8/20 4:00	0.1	2.1	0.2
4/8/20 5:00	0.1	2.1	0.2
4/8/20 6:00	0.1	2.1	0.2
4/8/20 7:00	0.1	2.1	0.2
4/8/20 8:00	0.1	2.1	0.2
4/8/20 9:00	0.1	2.0	0.2
4/8/20 10:00	0.1	1.7	0.2
4/8/20 11:00	0.1	1.4	0.2
4/8/20 12:00	0.1	1.1	0.2
4/8/20 13:00	0.1	1.0	0.2
4/8/20 14:00	0.1	0.8	0.2
4/8/20 15:00	0.1	0.6	0.2
4/8/20 16:00	0.1	0.3	0.2
4/8/20 17:00	0.2	0.2	0.2
4/8/20 18:00	0.2	0.1	0.2
4/8/20 19:00	0.1	0.1	0.2
4/8/20 20:00	0.1	0.1	0.2
4/8/20 21:00	0.0	0.1	0.2
4/8/20 22:00	0.1	0.1	0.2
4/8/20 23:00	0.1	0.1	0.2
4/9/20 0:00	0.1	0.1	0.2
4/9/20 1:00	0.0	0.1	0.2
4/9/20 2:00	0.0	0.1	0.2
4/9/20 3:00	0.0	0.1	0.2
4/9/20 4:00	0.1	0.1	0.2
4/9/20 5:00	0.0	0.1	0.2
4/9/20 6:00	0.1	0.1	0.2
4/9/20 7:00	0.1	0.1	0.2
4/9/20 8:00	0.1	0.1	0.2
4/9/20 9:00	0.1	0.1	0.2
4/9/20 10:00	0.1	0.1	0.2
4/9/20 11:00	0.1	0.1	0.2
4/9/20 12:00	0.1	0.1	0.2
4/9/20 13:00	0.1	0.1	0.2
4/9/20 14:00	0.1	0.1	0.2
4/9/20 15:00	0.1	0.1	0.2
4/9/20 16:00	0.0	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/9/20 17:00	0.0	0.1	0.2
4/9/20 18:00	0.0	0.1	0.2
4/9/20 19:00	0.0	0.1	0.2
4/9/20 20:00	0.1	0.1	0.2
4/9/20 21:00	0.0	0.1	0.2
4/9/20 22:00	0.0	0.1	0.2
4/9/20 23:00	0.1	0.1	0.2
4/10/20 0:00	0.1	0.1	0.2
4/10/20 1:00	0.1	0.1	0.2
4/10/20 2:00	0.1	0.1	0.2
4/10/20 3:00	0.1	0.1	0.2
4/10/20 4:00	0.1	0.1	0.2
4/10/20 5:00	0.1	0.1	0.2
4/10/20 6:00	0.2	0.1	0.2
4/10/20 7:00	0.2	0.1	0.2
4/10/20 8:00	0.1	0.1	0.2
4/10/20 9:00	0.1	0.1	0.2
4/10/20 10:00	0.1	0.1	0.2
4/10/20 11:00	0.1	0.1	0.2
4/10/20 12:00	0.2	0.1	0.2
4/10/20 13:00	0.1	0.1	0.2
4/10/20 14:00	0.1	0.1	0.2
4/10/20 15:00	0.1	0.1	0.2
4/10/20 16:00	0.1	0.1	0.2
4/10/20 17:00	0.1	0.1	0.2
4/10/20 18:00	0.1	0.1	0.2
4/10/20 19:00	0.2	0.1	0.2
4/10/20 20:00	0.1	0.1	0.2
4/10/20 21:00	0.1	0.1	0.2
4/10/20 22:00	0.1	0.1	0.2
4/10/20 23:00	0.1	0.1	0.2
4/11/20 0:00	0.1	0.1	0.2
4/11/20 1:00	0.1	0.1	0.2
4/11/20 2:00	0.0	0.1	0.2
4/11/20 3:00	0.0	0.1	0.2
4/11/20 4:00	0.1	0.1	0.2
4/11/20 5:00	0.1	0.1	0.2
4/11/20 6:00	0.1	0.1	0.2
4/11/20 7:00	0.1	0.1	0.2
4/11/20 8:00	0.1	0.1	0.2
4/11/20 9:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/11/20 10:00	0.1	0.1	0.2
4/11/20 11:00	0.1	0.1	0.2
4/11/20 12:00	0.1	0.1	0.2
4/11/20 13:00	0.1	0.1	0.2
4/11/20 14:00	0.0	0.1	0.2
4/11/20 15:00	0.0	0.1	0.2
4/11/20 16:00	0.1	0.1	0.2
4/11/20 17:00	0.1	0.1	0.2
4/11/20 18:00	0.1	0.1	0.2
4/11/20 19:00	0.1	0.1	0.2
4/11/20 20:00	0.1	0.1	0.2
4/11/20 21:00	0.1	0.1	0.2
4/11/20 22:00	0.1	0.1	0.2
4/11/20 23:00	0.1	0.1	0.2
4/12/20 0:00	0.1	0.1	0.2
4/12/20 1:00	0.1	0.1	0.2
4/12/20 2:00	0.4	0.1	0.2
4/12/20 3:00	1.5	0.2	0.2
4/12/20 4:00	0.7	0.2	0.2
4/12/20 5:00	0.9	0.2	0.2
4/12/20 6:00	1.0	0.3	0.3
4/12/20 7:00	0.7	0.3	0.3
4/12/20 8:00	0.6	0.3	0.3
4/12/20 9:00	0.6	0.3	0.3
4/12/20 10:00	0.5	0.4	0.3
4/12/20 11:00	0.6	0.4	0.3
4/12/20 12:00	0.6	0.4	0.3
4/12/20 13:00	0.8	0.4	0.3
4/12/20 14:00	0.7	0.5	0.3
4/12/20 15:00	0.6	0.5	0.3
4/12/20 16:00	0.8	0.5	0.3
4/12/20 17:00	0.6	0.5	0.3
4/12/20 18:00	0.3	0.5	0.3
4/12/20 19:00	0.7	0.6	0.3
4/12/20 20:00	0.1	0.6	0.3
4/12/20 21:00	0.1	0.6	0.3
4/12/20 22:00	0.1	0.6	0.3
4/12/20 23:00	0.1	0.6	0.3
4/13/20 0:00	0.1	0.6	0.3
4/13/20 1:00	0.1	0.6	0.3
4/13/20 2:00	0.1	0.5	0.3

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/13/20 3:00	0.1	0.5	0.3
4/13/20 4:00	0.2	0.5	0.3
4/13/20 5:00	0.2	0.4	0.3
4/13/20 6:00	0.2	0.4	0.3
4/13/20 7:00	0.1	0.4	0.3
4/13/20 8:00	0.2	0.4	0.3
4/13/20 9:00	0.2	0.3	0.3
4/13/20 10:00	0.1	0.3	0.3
4/13/20 11:00	0.1	0.3	0.3
4/13/20 12:00	0.1	0.3	0.3
4/13/20 13:00	0.1	0.2	0.3
4/13/20 14:00	0.1	0.2	0.3
4/13/20 15:00	0.1	0.2	0.3
4/13/20 16:00	0.2	0.2	0.3
4/13/20 17:00	0.2	0.2	0.3
4/13/20 18:00	0.2	0.2	0.3
4/13/20 19:00	0.1	0.1	0.3
4/13/20 20:00	0.1	0.1	0.3
4/13/20 21:00	0.1	0.1	0.3
4/13/20 22:00	0.2	0.1	0.3
4/13/20 23:00	0.1	0.1	0.3
4/14/20 0:00	0.1	0.1	0.3
4/14/20 1:00	0.1	0.1	0.3
4/14/20 2:00	0.2	0.1	0.3
4/14/20 3:00	0.2	0.1	0.3
4/14/20 4:00	0.2	0.1	0.3
4/14/20 5:00	0.2	0.1	0.3
4/14/20 6:00	0.2	0.1	0.3
4/14/20 7:00	0.2	0.1	0.3
4/14/20 8:00	0.2	0.1	0.3
4/14/20 9:00	0.2	0.1	0.3
4/14/20 10:00	0.1	0.1	0.3
4/14/20 11:00	0.1	0.1	0.3
4/14/20 12:00	0.1	0.1	0.3
4/14/20 13:00	0.1	0.1	0.3
4/14/20 14:00	0.1	0.1	0.3
4/14/20 15:00	0.1	0.1	0.3
4/14/20 16:00	0.2	0.1	0.3
4/14/20 17:00	0.1	0.1	0.3
4/14/20 18:00	0.1	0.1	0.3
4/14/20 19:00	0.1	0.1	0.3

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/14/20 20:00	0.2	0.1	0.3
4/14/20 21:00	0.2	0.1	0.3
4/14/20 22:00	0.2	0.1	0.3
4/14/20 23:00	0.2	0.1	0.3
4/15/20 0:00	0.2	0.1	0.3
4/15/20 1:00	0.1	0.1	0.3
4/15/20 2:00	0.1	0.1	0.3
4/15/20 3:00	0.1	0.1	0.3
4/15/20 4:00	0.1	0.1	0.3
4/15/20 5:00	0.1	0.1	0.3
4/15/20 6:00	0.1	0.1	0.3
4/15/20 7:00	0.1	0.1	0.3
4/15/20 8:00	0.1	0.1	0.3
4/15/20 9:00	0.0	0.1	0.3
4/15/20 10:00	0.0	0.1	0.3
4/15/20 11:00	0.0	0.1	0.3
4/15/20 12:00	0.0	0.1	0.3
4/15/20 13:00	0.1	0.1	0.3
4/15/20 14:00	0.1	0.1	0.3
4/15/20 15:00	0.1	0.1	0.3
4/15/20 16:00	0.1	0.1	0.3
4/15/20 17:00	0.1	0.1	0.3
4/15/20 18:00	0.1	0.1	0.3
4/15/20 19:00	0.1	0.1	0.3
4/15/20 20:00	0.1	0.1	0.3
4/15/20 21:00	0.1	0.1	0.3
4/15/20 22:00	0.1	0.1	0.3
4/15/20 23:00	0.0	0.1	0.3
4/16/20 0:00	0.1	0.1	0.3
4/16/20 1:00	0.1	0.1	0.3
4/16/20 2:00	0.1	0.1	0.3
4/16/20 3:00	0.1	0.1	0.3
4/16/20 4:00	0.1	0.1	0.3
4/16/20 5:00	0.1	0.1	0.3
4/16/20 6:00	0.1	0.1	0.3
4/16/20 7:00	0.1	0.1	0.3
4/16/20 8:00	0.1	0.1	0.3
4/16/20 9:00	0.1	0.1	0.3
4/16/20 10:00	0.1	0.1	0.3
4/16/20 11:00	0.1	0.1	0.3
4/16/20 12:00	0.1	0.1	0.3

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/16/20 13:00	0.1	0.1	0.3
4/16/20 14:00	0.1	0.1	0.3
4/16/20 15:00	0.3	0.1	0.3
4/16/20 16:00	0.1	0.1	0.3
4/16/20 17:00	0.6	0.1	0.3
4/16/20 18:00	0.5	0.1	0.3
4/16/20 19:00	0.5	0.2	0.3
4/16/20 20:00	0.6	0.2	0.3
4/16/20 21:00	0.4	0.2	0.3
4/16/20 22:00	0.4	0.2	0.3
4/16/20 23:00	0.4	0.2	0.3
4/17/20 0:00	0.5	0.2	0.3
4/17/20 1:00	0.8	0.3	0.3
4/17/20 2:00	0.7	0.3	0.3
4/17/20 3:00	0.6	0.3	0.3
4/17/20 4:00	0.5	0.3	0.3
4/17/20 5:00	0.5	0.4	0.3
4/17/20 6:00	0.5	0.4	0.3
4/17/20 7:00	0.6	0.4	0.3
4/17/20 8:00	0.3	0.4	0.3
4/17/20 9:00	0.4	0.4	0.3
4/17/20 10:00	0.4	0.4	0.3
4/17/20 11:00	0.3	0.4	0.3
4/17/20 12:00	0.1	0.4	0.3
4/17/20 13:00	0.1	0.4	0.3
4/17/20 14:00	0.1	0.4	0.3
4/17/20 15:00	0.1	0.4	0.3
4/17/20 16:00	0.1	0.4	0.3
4/17/20 17:00	0.1	0.4	0.3
4/17/20 18:00	0.1	0.4	0.3
4/17/20 19:00	0.1	0.4	0.3
4/17/20 20:00	0.1	0.3	0.3
4/17/20 21:00	0.1	0.3	0.3
4/17/20 22:00	0.1	0.3	0.3
4/17/20 23:00	0.1	0.3	0.3
4/18/20 0:00	0.1	0.3	0.3
4/18/20 1:00	0.1	0.3	0.3
4/18/20 2:00	0.1	0.2	0.3
4/18/20 3:00	0.1	0.2	0.3
4/18/20 4:00	0.1	0.2	0.3
4/18/20 5:00	0.1	0.2	0.3

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/18/20 6:00	0.1	0.2	0.3
4/18/20 7:00	0.1	0.1	0.3
4/18/20 8:00	0.1	0.1	0.3
4/18/20 9:00	0.1	0.1	0.3
4/18/20 10:00	0.1	0.1	0.3
4/18/20 11:00	0.1	0.1	0.3
4/18/20 12:00	0.1	0.1	0.3
4/18/20 13:00	0.2	0.1	0.3
4/18/20 14:00	0.1	0.1	0.3
4/18/20 15:00	0.1	0.1	0.3
4/18/20 16:00	0.1	0.1	0.3
4/18/20 17:00	0.1	0.1	0.3
4/18/20 18:00	0.1	0.1	0.3
4/18/20 19:00	0.1	0.1	0.3
4/18/20 20:00	0.1	0.1	0.3
4/18/20 21:00	0.1	0.1	0.3
4/18/20 22:00	0.1	0.1	0.3
4/18/20 23:00	0.1	0.1	0.3
4/19/20 0:00	0.1	0.1	0.3
4/19/20 1:00	0.1	0.1	0.3
4/19/20 2:00	0.1	0.1	0.3
4/19/20 3:00	0.1	0.1	0.3
4/19/20 4:00	0.1	0.1	0.3
4/19/20 5:00	0.1	0.1	0.3
4/19/20 6:00	0.1	0.1	0.3
4/19/20 7:00	0.1	0.1	0.3
4/19/20 8:00	0.1	0.1	0.3
4/19/20 9:00	0.1	0.1	0.3
4/19/20 10:00	0.1	0.1	0.3
4/19/20 11:00	0.1	0.1	0.3
4/19/20 12:00	0.1	0.1	0.3
4/19/20 13:00	0.1	0.1	0.3
4/19/20 14:00	0.1	0.1	0.3
4/19/20 15:00	0.1	0.1	0.3
4/19/20 16:00	0.1	0.1	0.3
4/19/20 17:00	0.1	0.1	0.3
4/19/20 18:00	0.1	0.1	0.3
4/19/20 19:00	0.1	0.1	0.3
4/19/20 20:00	0.1	0.1	0.3
4/19/20 21:00	0.1	0.1	0.3
4/19/20 22:00	0.1	0.1	0.3

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/19/20 23:00	0.1	0.1	0.3
4/20/20 0:00	0.1	0.1	0.3
4/20/20 1:00	0.1	0.1	0.3
4/20/20 2:00	0.1	0.1	0.3
4/20/20 3:00	0.1	0.1	0.3
4/20/20 4:00	0.1	0.1	0.3
4/20/20 5:00	0.1	0.1	0.3
4/20/20 6:00	0.1	0.1	0.3
4/20/20 7:00	0.1	0.1	0.3
4/20/20 8:00	0.1	0.1	0.3
4/20/20 9:00	0.1	0.1	0.3
4/20/20 10:00	0.1	0.1	0.3
4/20/20 11:00	0.1	0.1	0.3
4/20/20 12:00	0.2	0.1	0.3
4/20/20 13:00	0.2	0.1	0.3
4/20/20 14:00	0.1	0.1	0.3
4/20/20 15:00	0.1	0.1	0.3
4/20/20 16:00	0.1	0.1	0.3
4/20/20 17:00	0.1	0.1	0.3
4/20/20 18:00	0.1	0.1	0.3
4/20/20 19:00	0.1	0.1	0.3
4/20/20 20:00	0.1	0.1	0.2
4/20/20 21:00	0.1	0.1	0.2
4/20/20 22:00	0.1	0.1	0.2
4/20/20 23:00	0.1	0.1	0.2
4/21/20 0:00	0.1	0.1	0.2
4/21/20 1:00	0.1	0.1	0.2
4/21/20 2:00	0.2	0.1	0.2
4/21/20 3:00	0.2	0.1	0.2
4/21/20 4:00	0.2	0.1	0.2
4/21/20 5:00	0.2	0.1	0.2
4/21/20 6:00	0.2	0.1	0.2
4/21/20 7:00	0.2	0.1	0.2
4/21/20 8:00	0.2	0.1	0.2
4/21/20 9:00	0.2	0.1	0.2
4/21/20 10:00	0.2	0.1	0.2
4/21/20 11:00	0.1	0.1	0.2
4/21/20 12:00	0.1	0.1	0.2
4/21/20 13:00	0.1	0.1	0.2
4/21/20 14:00	0.1	0.1	0.2
4/21/20 15:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/21/20 16:00	0.1	0.1	0.2
4/21/20 17:00	0.1	0.1	0.2
4/21/20 18:00	0.1	0.1	0.2
4/21/20 19:00	0.2	0.1	0.2
4/21/20 20:00	0.1	0.1	0.2
4/21/20 21:00	0.1	0.1	0.2
4/21/20 22:00	0.1	0.1	0.2
4/21/20 23:00	0.2	0.1	0.2
4/22/20 0:00	0.2	0.1	0.2
4/22/20 1:00	0.1	0.1	0.2
4/22/20 2:00	0.1	0.1	0.2
4/22/20 3:00	0.2	0.1	0.2
4/22/20 4:00	0.1	0.1	0.2
4/22/20 5:00	0.2	0.1	0.2
4/22/20 6:00	0.2	0.1	0.2
4/22/20 7:00	0.2	0.1	0.2
4/22/20 8:00	0.2	0.1	0.2
4/22/20 9:00	0.2	0.1	0.2
4/22/20 10:00	0.2	0.1	0.2
4/22/20 11:00	0.2	0.1	0.2
4/22/20 12:00	0.2	0.1	0.2
4/22/20 13:00	0.2	0.1	0.2
4/22/20 14:00	0.2	0.1	0.2
4/22/20 15:00	0.2	0.1	0.2
4/22/20 16:00	0.2	0.2	0.2
4/22/20 17:00	0.1	0.1	0.2
4/22/20 18:00	0.1	0.1	0.2
4/22/20 19:00	0.1	0.1	0.2
4/22/20 20:00	0.2	0.1	0.2
4/22/20 21:00	0.1	0.2	0.2
4/22/20 22:00	0.1	0.2	0.2
4/22/20 23:00	0.2	0.2	0.2
4/23/20 0:00	0.1	0.2	0.2
4/23/20 1:00	0.1	0.2	0.2
4/23/20 2:00	0.1	0.1	0.2
4/23/20 3:00	0.1	0.1	0.2
4/23/20 4:00	0.1	0.1	0.2
4/23/20 5:00	0.1	0.1	0.2
4/23/20 6:00	0.1	0.1	0.2
4/23/20 7:00	0.1	0.1	0.2
4/23/20 8:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/23/20 9:00	0.1	0.1	0.2
4/23/20 10:00	0.1	0.1	0.2
4/23/20 11:00	0.1	0.1	0.2
4/23/20 12:00	0.1	0.1	0.2
4/23/20 13:00	0.1	0.1	0.2
4/23/20 14:00	0.1	0.1	0.2
4/23/20 15:00	0.1	0.1	0.2
4/23/20 16:00	0.1	0.1	0.2
4/23/20 17:00	0.1	0.1	0.2
4/23/20 18:00	0.1	0.1	0.2
4/23/20 19:00	0.1	0.1	0.2
4/23/20 20:00	0.1	0.1	0.2
4/23/20 21:00	0.1	0.1	0.2
4/23/20 22:00	0.1	0.1	0.2
4/23/20 23:00	0.1	0.1	0.2
4/24/20 0:00	0.1	0.1	0.2
4/24/20 1:00	0.2	0.1	0.2
4/24/20 2:00	0.1	0.1	0.2
4/24/20 3:00	0.1	0.1	0.2
4/24/20 4:00	0.1	0.1	0.2
4/24/20 5:00	0.1	0.1	0.2
4/24/20 6:00	0.1	0.1	0.2
4/24/20 7:00	0.1	0.1	0.2
4/24/20 8:00	0.2	0.1	0.2
4/24/20 9:00	0.2	0.1	0.2
4/24/20 10:00	0.2	0.1	0.2
4/24/20 11:00	0.3	0.2	0.2
4/24/20 12:00	0.4	0.2	0.2
4/24/20 13:00	0.4	0.2	0.2
4/24/20 14:00	0.3	0.2	0.2
4/24/20 15:00	0.4	0.2	0.2
4/24/20 16:00	0.4	0.2	0.2
4/24/20 17:00	0.4	0.2	0.2
4/24/20 18:00	0.4	0.2	0.2
4/24/20 19:00	0.4	0.2	0.2
4/24/20 20:00	0.5	0.2	0.2
4/24/20 21:00	0.5	0.3	0.2
4/24/20 22:00	0.5	0.3	0.2
4/24/20 23:00	0.5	0.3	0.2
4/25/20 0:00	0.5	0.3	0.2
4/25/20 1:00	0.4	0.3	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/25/20 2:00	0.2	0.3	0.2
4/25/20 3:00	0.1	0.3	0.2
4/25/20 4:00	0.1	0.3	0.2
4/25/20 5:00	0.1	0.3	0.2
4/25/20 6:00	0.1	0.3	0.2
4/25/20 7:00	0.1	0.3	0.2
4/25/20 8:00	0.1	0.3	0.2
4/25/20 9:00	0.1	0.3	0.2
4/25/20 10:00	0.1	0.3	0.2
4/25/20 11:00	0.2	0.3	0.2
4/25/20 12:00	0.2	0.3	0.2
4/25/20 13:00	0.2	0.3	0.2
4/25/20 14:00	0.5	0.3	0.2
4/25/20 15:00	0.2	0.3	0.2
4/25/20 16:00	0.1	0.3	0.2
4/25/20 17:00	0.1	0.3	0.2
4/25/20 18:00	0.1	0.2	0.2
4/25/20 19:00	0.1	0.2	0.2
4/25/20 20:00	0.1	0.2	0.2
4/25/20 21:00	0.1	0.2	0.2
4/25/20 22:00	0.1	0.2	0.2
4/25/20 23:00	0.2	0.2	0.2
4/26/20 0:00	0.2	0.2	0.2
4/26/20 1:00	0.2	0.1	0.2
4/26/20 2:00	0.2	0.1	0.2
4/26/20 3:00	0.2	0.1	0.2
4/26/20 4:00	0.2	0.1	0.2
4/26/20 5:00	0.2	0.1	0.2
4/26/20 6:00	0.2	0.1	0.2
4/26/20 7:00	0.2	0.2	0.2
4/26/20 8:00	0.2	0.2	0.2
4/26/20 9:00	0.2	0.2	0.2
4/26/20 10:00	0.2	0.2	0.2
4/26/20 11:00	0.2	0.2	0.2
4/26/20 12:00	0.2	0.2	0.2
4/26/20 13:00	0.2	0.2	0.2
4/26/20 14:00	0.2	0.2	0.2
4/26/20 15:00	0.2	0.2	0.2
4/26/20 16:00	0.1	0.2	0.2
4/26/20 17:00	0.1	0.2	0.2
4/26/20 18:00	0.1	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/26/20 19:00	0.2	0.2	0.2
4/26/20 20:00	0.3	0.2	0.2
4/26/20 21:00	0.2	0.2	0.2
4/26/20 22:00	0.1	0.2	0.2
4/26/20 23:00	0.1	0.2	0.2
4/27/20 0:00	0.2	0.2	0.2
4/27/20 1:00	0.2	0.2	0.2
4/27/20 2:00	0.1	0.2	0.2
4/27/20 3:00	0.1	0.2	0.2
4/27/20 4:00	0.2	0.2	0.2
4/27/20 5:00	0.2	0.2	0.2
4/27/20 6:00	0.2	0.2	0.2
4/27/20 7:00	0.2	0.2	0.2
4/27/20 8:00	0.2	0.2	0.2
4/27/20 9:00	0.2	0.2	0.2
4/27/20 10:00	0.2	0.2	0.2
4/27/20 11:00	0.2	0.2	0.2
4/27/20 12:00	0.1	0.2	0.2
4/27/20 13:00	0.1	0.2	0.2
4/27/20 14:00	0.2	0.2	0.2
4/27/20 15:00	0.1	0.2	0.2
4/27/20 16:00	0.1	0.2	0.2
4/27/20 17:00	0.1	0.2	0.2
4/27/20 18:00	0.1	0.2	0.2
4/27/20 19:00	0.1	0.2	0.2
4/27/20 20:00	0.2	0.2	0.2
4/27/20 21:00	0.1	0.2	0.2
4/27/20 22:00	0.1	0.2	0.2
4/27/20 23:00	0.1	0.2	0.2
4/28/20 0:00	0.1	0.1	0.2
4/28/20 1:00	0.1	0.1	0.2
4/28/20 2:00	0.1	0.1	0.2
4/28/20 3:00	0.1	0.1	0.2
4/28/20 4:00	0.1	0.1	0.2
4/28/20 5:00	0.1	0.1	0.2
4/28/20 6:00	0.1	0.1	0.2
4/28/20 7:00	0.1	0.1	0.2
4/28/20 8:00	0.1	0.1	0.2
4/28/20 9:00	0.2	0.1	0.2
4/28/20 10:00	0.1	0.1	0.2
4/28/20 11:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/28/20 12:00	0.1	0.1	0.2
4/28/20 13:00	0.1	0.1	0.2
4/28/20 14:00	0.1	0.1	0.2
4/28/20 15:00	0.1	0.1	0.2
4/28/20 16:00	0.1	0.1	0.2
4/28/20 17:00	0.1	0.1	0.2
4/28/20 18:00	0.1	0.1	0.2
4/28/20 19:00	0.1	0.1	0.2
4/28/20 20:00	0.1	0.1	0.2
4/28/20 21:00	0.1	0.1	0.2
4/28/20 22:00	0.1	0.1	0.2
4/28/20 23:00	0.1	0.1	0.2
4/29/20 0:00	0.1	0.1	0.2
4/29/20 1:00	0.2	0.1	0.2
4/29/20 2:00	0.1	0.1	0.2
4/29/20 3:00	0.1	0.1	0.2
4/29/20 4:00	0.1	0.1	0.2
4/29/20 5:00	0.2	0.1	0.2
4/29/20 6:00	0.2	0.1	0.2
4/29/20 7:00	0.2	0.1	0.2
4/29/20 8:00	0.2	0.1	0.2
4/29/20 9:00	0.2	0.1	0.2
4/29/20 10:00	0.1	0.1	0.2
4/29/20 11:00	0.1	0.1	0.2
4/29/20 12:00	0.2	0.1	0.2
4/29/20 13:00	0.1	0.1	0.2
4/29/20 14:00	0.2	0.1	0.2
4/29/20 15:00	0.2	0.1	0.2
4/29/20 16:00	0.2	0.1	0.2
4/29/20 17:00	0.1	0.1	0.2
4/29/20 18:00	0.1	0.1	0.2
4/29/20 19:00	0.1	0.1	0.2
4/29/20 20:00	0.2	0.2	0.2
4/29/20 21:00	0.2	0.2	0.2
4/29/20 22:00	0.1	0.2	0.2
4/29/20 23:00	0.2	0.2	0.2
4/30/20 0:00	0.2	0.2	0.2
4/30/20 1:00	0.2	0.2	0.2
4/30/20 2:00	0.2	0.2	0.2
4/30/20 3:00	0.2	0.2	0.2
4/30/20 4:00	0.1	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/30/20 5:00	0.2	0.2	0.2
4/30/20 6:00	0.2	0.2	0.2
4/30/20 7:00	0.1	0.2	0.2
4/30/20 8:00	0.1	0.2	0.2
4/30/20 9:00	0.2	0.2	0.2
4/30/20 10:00	0.1	0.2	0.2
4/30/20 11:00	0.1	0.2	0.2
4/30/20 12:00	0.1	0.2	0.2
4/30/20 13:00	0.1	0.2	0.2
4/30/20 14:00	0.1	0.2	0.2
4/30/20 15:00	0.1	0.2	0.2
4/30/20 16:00	0.1	0.2	0.2
4/30/20 17:00	0.1	0.2	0.2
4/30/20 18:00	0.1	0.2	0.2
4/30/20 19:00	0.0	0.1	0.2
4/30/20 20:00	0.1	0.1	0.2
4/30/20 21:00	0.1	0.1	0.2
4/30/20 22:00	0.1	0.1	0.2
4/30/20 23:00	0.1	0.1	0.2
5/1/20 0:00	0.1	0.1	0.2
5/1/20 1:00	0.1	0.1	0.2
5/1/20 2:00	0.1	0.1	0.2
5/1/20 3:00	0.1	0.1	0.2
5/1/20 4:00	0.1	0.1	0.2
5/1/20 5:00	0.1	0.1	0.2
5/1/20 6:00	0.1	0.1	0.2
5/1/20 7:00	0.1	0.1	0.2
5/1/20 8:00	0.1	0.1	0.2
5/1/20 9:00	0.1	0.1	0.2
5/1/20 10:00	0.1	0.1	0.2
5/1/20 11:00	0.1	0.1	0.2
5/1/20 12:00	0.2	0.1	0.2
5/1/20 13:00	0.2	0.1	0.2
5/1/20 14:00	0.2	0.1	0.2
5/1/20 15:00	0.2	0.1	0.2
5/1/20 16:00	0.1	0.1	0.2
5/1/20 17:00	0.1	0.1	0.2
5/1/20 18:00	0.1	0.1	0.2
5/1/20 19:00	0.1	0.1	0.2
5/1/20 20:00	0.1	0.1	0.2
5/1/20 21:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/1/20 22:00	0.1	0.1	0.2
5/1/20 23:00	0.1	0.1	0.2
5/2/20 0:00	0.1	0.1	0.2
5/2/20 1:00	0.2	0.1	0.2
5/2/20 2:00	0.1	0.1	0.2
5/2/20 3:00	0.1	0.1	0.2
5/2/20 4:00	0.2	0.1	0.2
5/2/20 5:00	0.1	0.1	0.2
5/2/20 6:00	0.1	0.1	0.2
5/2/20 7:00	0.1	0.1	0.2
5/2/20 8:00	0.2	0.1	0.2
5/2/20 9:00	0.1	0.1	0.2
5/2/20 10:00	0.1	0.1	0.2
5/2/20 11:00	0.1	0.1	0.2
5/2/20 12:00	0.1	0.1	0.2
5/2/20 13:00	0.1	0.1	0.2
5/2/20 14:00	0.1	0.1	0.2
5/2/20 15:00	0.1	0.1	0.2
5/2/20 16:00	0.1	0.1	0.2
5/2/20 17:00	0.1	0.1	0.2
5/2/20 18:00	0.1	0.1	0.2
5/2/20 19:00	0.1	0.1	0.2
5/2/20 20:00	0.1	0.1	0.2
5/2/20 21:00	0.1	0.1	0.2
5/2/20 22:00	0.0	0.1	0.2
5/2/20 23:00	0.0	0.1	0.2
5/3/20 0:00	0.1	0.1	0.2
5/3/20 1:00	0.1	0.1	0.2
5/3/20 2:00	0.1	0.1	0.2
5/3/20 3:00	0.1	0.1	0.2
5/3/20 4:00	0.1	0.1	0.2
5/3/20 5:00	0.0	0.1	0.2
5/3/20 6:00	0.0	0.1	0.2
5/3/20 7:00	0.1	0.1	0.2
5/3/20 8:00	0.1	0.1	0.2
5/3/20 9:00	0.1	0.1	0.2
5/3/20 10:00	0.1	0.1	0.2
5/3/20 11:00	0.1	0.1	0.2
5/3/20 12:00	0.1	0.1	0.2
5/3/20 13:00	0.1	0.1	0.2
5/3/20 14:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/3/20 15:00	0.1	0.1	0.2
5/3/20 16:00	0.1	0.1	0.2
5/3/20 17:00	0.1	0.1	0.2
5/3/20 18:00	0.1	0.1	0.2
5/3/20 19:00	0.1	0.1	0.2
5/3/20 20:00	0.2	0.1	0.2
5/3/20 21:00	0.1	0.1	0.2
5/3/20 22:00	0.2	0.1	0.2
5/3/20 23:00	0.2	0.1	0.2
5/4/20 0:00	0.2	0.1	0.2
5/4/20 1:00	0.2	0.1	0.2
5/4/20 2:00	0.2	0.1	0.2
5/4/20 3:00	0.2	0.1	0.2
5/4/20 4:00	0.2	0.1	0.2
5/4/20 5:00	0.2	0.1	0.2
5/4/20 6:00	0.1	0.1	0.2
5/4/20 7:00	0.1	0.1	0.2
5/4/20 8:00	0.2	0.1	0.2
5/4/20 9:00	0.2	0.1	0.2
5/4/20 10:00	0.2	0.2	0.2
5/4/20 11:00	0.2	0.2	0.2
5/4/20 12:00	0.2	0.2	0.2
5/4/20 13:00	0.2	0.2	0.2
5/4/20 14:00	0.2	0.2	0.2
5/4/20 15:00	0.1	0.2	0.2
5/4/20 16:00	0.1	0.2	0.2
5/4/20 17:00	0.2	0.2	0.2
5/4/20 18:00	0.2	0.2	0.2
5/4/20 19:00	0.2	0.2	0.2
5/4/20 20:00	0.2	0.2	0.2
5/4/20 21:00	0.2	0.2	0.2
5/4/20 22:00	0.2	0.2	0.2
5/4/20 23:00	0.3	0.2	0.2
5/5/20 0:00	0.1	0.2	0.2
5/5/20 1:00	0.1	0.2	0.2
5/5/20 2:00	0.1	0.2	0.2
5/5/20 3:00	0.1	0.2	0.2
5/5/20 4:00	0.1	0.2	0.2
5/5/20 5:00	0.1	0.2	0.2
5/5/20 6:00	0.1	0.2	0.2
5/5/20 7:00	0.1	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/5/20 8:00	0.2	0.2	0.2
5/5/20 9:00	0.1	0.2	0.2
5/5/20 10:00	0.1	0.2	0.2
5/5/20 11:00	0.1	0.2	0.2
5/5/20 12:00	0.1	0.1	0.2
5/5/20 13:00	0.2	0.1	0.2
5/5/20 14:00	0.1	0.1	0.2
5/5/20 15:00	0.1	0.1	0.2
5/5/20 16:00	0.1	0.1	0.2
5/5/20 17:00	0.1	0.1	0.2
5/5/20 18:00	0.1	0.1	0.2
5/5/20 19:00	0.1	0.1	0.2
5/5/20 20:00	0.1	0.1	0.2
5/5/20 21:00	0.1	0.1	0.2
5/5/20 22:00	0.1	0.1	0.2
5/5/20 23:00	0.3	0.1	0.2
5/6/20 0:00	0.2	0.1	0.2
5/6/20 1:00	0.2	0.1	0.2
5/6/20 2:00	0.2	0.1	0.2
5/6/20 3:00	0.1	0.1	0.2
5/6/20 4:00	0.1	0.1	0.2
5/6/20 5:00	0.2	0.1	0.2
5/6/20 6:00	0.2	0.1	0.2
5/6/20 7:00	0.2	0.1	0.2
5/6/20 8:00	0.2	0.1	0.2
5/6/20 9:00	0.2	0.1	0.2
5/6/20 10:00	0.2	0.1	0.2
5/6/20 11:00	0.2	0.1	0.2
5/6/20 12:00	0.1	0.1	0.2
5/6/20 13:00	0.1	0.1	0.2
5/6/20 14:00	0.2	0.1	0.2
5/6/20 15:00	0.2	0.2	0.2
5/6/20 16:00	0.2	0.2	0.2
5/6/20 17:00	0.1	0.2	0.2
5/6/20 18:00	0.1	0.2	0.2
5/6/20 19:00	0.1	0.2	0.2
5/6/20 20:00	0.1	0.2	0.2
5/6/20 21:00	0.1	0.2	0.2
5/6/20 22:00	0.2	0.2	0.2
5/6/20 23:00	0.2	0.2	0.2
5/7/20 0:00	0.2	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/7/20 1:00	0.2	0.2	0.2
5/7/20 2:00	0.2	0.2	0.2
5/7/20 3:00	0.2	0.2	0.2
5/7/20 4:00	0.1	0.2	0.2
5/7/20 5:00	0.1	0.2	0.2
5/7/20 6:00	0.1	0.2	0.2
5/7/20 7:00	0.1	0.2	0.2
5/7/20 8:00	0.1	0.2	0.2
5/7/20 9:00	0.2	0.2	0.2
5/7/20 10:00	0.2	0.2	0.2
5/7/20 11:00	0.2	0.2	0.2
5/7/20 12:00	0.2	0.2	0.2
5/7/20 13:00	0.2	0.2	0.2
5/7/20 14:00	0.2	0.2	0.2
5/7/20 15:00	0.2	0.2	0.2
5/7/20 16:00	0.2	0.2	0.2
5/7/20 17:00	0.2	0.2	0.2
5/7/20 18:00	0.1	0.2	0.2
5/7/20 19:00	0.2	0.2	0.2
5/7/20 20:00	0.1	0.2	0.2
5/7/20 21:00	0.1	0.2	0.2
5/7/20 22:00	0.1	0.2	0.2
5/7/20 23:00	0.2	0.2	0.2
5/8/20 0:00	0.2	0.2	0.2
5/8/20 1:00	0.2	0.2	0.2
5/8/20 2:00	0.2	0.2	0.2
5/8/20 3:00	0.2	0.2	0.2
5/8/20 4:00	0.1	0.2	0.2
5/8/20 5:00	0.1	0.2	0.2
5/8/20 6:00	0.2	0.2	0.2
5/8/20 7:00	0.2	0.2	0.2
5/8/20 8:00	0.1	0.2	0.2
5/8/20 9:00	0.1	0.2	0.2
5/8/20 10:00	0.1	0.2	0.2
5/8/20 11:00	0.1	0.2	0.2
5/8/20 12:00	0.1	0.2	0.2
5/8/20 13:00	0.1	0.1	0.2
5/8/20 14:00	0.1	0.1	0.2
5/8/20 15:00	0.1	0.1	0.2
5/8/20 16:00	0.1	0.1	0.2
5/8/20 17:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/8/20 18:00	0.1	0.1	0.2
5/8/20 19:00	0.1	0.1	0.2
5/8/20 20:00	0.1	0.1	0.2
5/8/20 21:00	0.1	0.1	0.2
5/8/20 22:00	0.1	0.1	0.2
5/8/20 23:00	0.1	0.1	0.2
5/9/20 0:00	0.1	0.1	0.2
5/9/20 1:00	0.1	0.1	0.2
5/9/20 2:00	0.1	0.1	0.2
5/9/20 3:00	0.1	0.1	0.2
5/9/20 4:00	0.1	0.1	0.2
5/9/20 5:00	0.1	0.1	0.2
5/9/20 6:00	0.1	0.1	0.2
5/9/20 7:00	0.1	0.1	0.2
5/9/20 8:00	0.1	0.1	0.2
5/9/20 9:00	0.1	0.1	0.2
5/9/20 10:00	0.1	0.1	0.2
5/9/20 11:00	0.1	0.1	0.2
5/9/20 12:00	0.1	0.1	0.2
5/9/20 13:00	0.1	0.1	0.2
5/9/20 14:00	0.1	0.1	0.2
5/9/20 15:00	0.1	0.1	0.2
5/9/20 16:00	0.1	0.1	0.2
5/9/20 17:00	0.1	0.1	0.2
5/9/20 18:00	0.2	0.1	0.2
5/9/20 19:00	0.2	0.1	0.2
5/9/20 20:00	0.2	0.1	0.2
5/9/20 21:00	0.3	0.1	0.2
5/9/20 22:00	0.2	0.1	0.2
5/9/20 23:00	0.1	0.1	0.2
5/10/20 0:00	0.2	0.1	0.2
5/10/20 1:00	0.2	0.1	0.2
5/10/20 2:00	0.1	0.1	0.2
5/10/20 3:00	0.1	0.1	0.2
5/10/20 4:00	0.2	0.1	0.2
5/10/20 5:00	0.1	0.1	0.2
5/10/20 6:00	0.1	0.1	0.2
5/10/20 7:00	0.1	0.1	0.2
5/10/20 8:00	0.2	0.1	0.2
5/10/20 9:00	0.2	0.1	0.2
5/10/20 10:00	0.2	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/10/20 11:00	0.2	0.1	0.2
5/10/20 12:00	0.2	0.1	0.2
5/10/20 13:00	0.1	0.1	0.2
5/10/20 14:00	0.1	0.1	0.2
5/10/20 15:00	0.2	0.1	0.2
5/10/20 16:00	0.2	0.2	0.2
5/10/20 17:00	0.3	0.2	0.2
5/10/20 18:00	0.3	0.2	0.2
5/10/20 19:00	0.1	0.2	0.2
5/10/20 20:00	0.1	0.2	0.2
5/10/20 21:00	0.2	0.2	0.2
5/10/20 22:00	0.2	0.2	0.2
5/10/20 23:00	0.2	0.2	0.2
5/11/20 0:00	0.2	0.2	0.2
5/11/20 1:00	0.1	0.2	0.2
5/11/20 2:00	0.1	0.2	0.2
5/11/20 3:00	0.2	0.2	0.2
5/11/20 4:00	0.2	0.2	0.2
5/11/20 5:00	0.2	0.2	0.2
5/11/20 6:00	0.2	0.2	0.2
5/11/20 7:00	0.4	0.2	0.2
5/11/20 8:00	0.3	0.2	0.2
5/11/20 9:00	0.2	0.2	0.2
5/11/20 10:00	0.3	0.2	0.2
5/11/20 11:00	0.1	0.2	0.2
5/11/20 12:00	0.2	0.2	0.2
5/11/20 13:00	0.2	0.2	0.2
5/11/20 14:00	0.2	0.2	0.2
5/11/20 15:00	0.2	0.2	0.2
5/11/20 16:00	0.2	0.2	0.2
5/11/20 17:00	0.2	0.2	0.2
5/11/20 18:00	0.2	0.2	0.2
5/11/20 19:00	0.2	0.2	0.2
5/11/20 20:00	0.2	0.2	0.2
5/11/20 21:00	0.2	0.2	0.2
5/11/20 22:00	0.2	0.2	0.2
5/11/20 23:00	0.1	0.2	0.2
5/12/20 0:00	0.1	0.2	0.2
5/12/20 1:00	0.1	0.2	0.2
5/12/20 2:00	0.1	0.2	0.2
5/12/20 3:00	0.1	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/12/20 4:00	0.1	0.2	0.2
5/12/20 5:00	0.1	0.2	0.2
5/12/20 6:00	0.2	0.2	0.2
5/12/20 7:00	0.1	0.2	0.2
5/12/20 8:00	0.1	0.2	0.2
5/12/20 9:00	0.1	0.2	0.2
5/12/20 10:00	0.1	0.2	0.2
5/12/20 11:00	0.2	0.2	0.2
5/12/20 12:00	0.1	0.2	0.2
5/12/20 13:00	0.1	0.2	0.2
5/12/20 14:00	0.1	0.2	0.2
5/12/20 15:00	0.1	0.1	0.2
5/12/20 16:00	0.1	0.1	0.2
5/12/20 17:00	0.1	0.1	0.2
5/12/20 18:00	0.1	0.1	0.2
5/12/20 19:00	0.1	0.1	0.2
5/12/20 20:00	0.1	0.1	0.2
5/12/20 21:00	0.1	0.1	0.2
5/12/20 22:00	0.1	0.1	0.2
5/12/20 23:00	0.2	0.1	0.2
5/13/20 0:00	0.2	0.1	0.2
5/13/20 1:00	0.1	0.1	0.2
5/13/20 2:00	0.1	0.1	0.2
5/13/20 3:00	0.1	0.1	0.2
5/13/20 4:00	0.1	0.1	0.2
5/13/20 5:00	0.1	0.1	0.2
5/13/20 6:00	0.2	0.1	0.2
5/13/20 7:00	0.2	0.1	0.2
5/13/20 8:00	0.1	0.1	0.2
5/13/20 9:00	0.1	0.1	0.2
5/13/20 10:00	0.2	0.1	0.2
5/13/20 11:00	0.2	0.1	0.2
5/13/20 12:00	0.2	0.1	0.2
5/13/20 13:00	0.2	0.1	0.2
5/13/20 14:00	0.2	0.1	0.2
5/13/20 15:00	0.1	0.1	0.2
5/13/20 16:00	0.1	0.1	0.2
5/13/20 17:00	0.1	0.1	0.2
5/13/20 18:00	0.1	0.1	0.2
5/13/20 19:00	0.1	0.1	0.2
5/13/20 20:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/13/20 21:00	0.1	0.1	0.2
5/13/20 22:00	0.1	0.1	0.2
5/13/20 23:00	0.1	0.1	0.2
5/14/20 0:00	0.1	0.1	0.2
5/14/20 1:00	0.2	0.1	0.2
5/14/20 2:00	0.1	0.1	0.2
5/14/20 3:00	0.2	0.1	0.2
5/14/20 4:00	0.2	0.1	0.2
5/14/20 5:00	0.2	0.1	0.2
5/14/20 6:00	0.2	0.1	0.2
5/14/20 7:00	0.1	0.1	0.2
5/14/20 8:00	0.1	0.1	0.2
5/14/20 9:00	0.1	0.1	0.2
5/14/20 10:00	0.1	0.1	0.2
5/14/20 11:00	0.1	0.1	0.2
5/14/20 12:00	0.1	0.1	0.2
5/14/20 13:00	0.1	0.1	0.2
5/14/20 14:00	0.1	0.1	0.2
5/14/20 15:00	0.1	0.1	0.2
5/14/20 16:00	0.1	0.1	0.2
5/14/20 17:00	0.1	0.1	0.2
5/14/20 18:00	0.1	0.1	0.2
5/14/20 19:00	0.1	0.1	0.2
5/14/20 20:00	0.1	0.1	0.2
5/14/20 21:00	0.1	0.1	0.2
5/14/20 22:00	0.1	0.1	0.1
5/14/20 23:00	0.1	0.1	0.1
5/15/20 0:00	0.1	0.1	0.1
5/15/20 1:00	0.1	0.1	0.1
5/15/20 2:00	0.1	0.1	0.1
5/15/20 3:00	0.1	0.1	0.1
5/15/20 4:00	0.1	0.1	0.1
5/15/20 5:00	0.1	0.1	0.2
5/15/20 6:00	0.2	0.1	0.2
5/15/20 7:00	0.1	0.1	0.2
5/15/20 8:00	0.1	0.1	0.2
5/15/20 9:00	0.1	0.1	0.2
5/15/20 10:00	0.0	0.1	0.2
5/15/20 11:00	0.2	0.1	0.2
5/15/20 12:00	0.1	0.1	0.2
5/15/20 13:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/15/20 14:00	0.1	0.1	0.2
5/15/20 15:00	0.1	0.1	0.2
5/15/20 16:00	0.1	0.1	0.2
5/15/20 17:00	0.1	0.1	0.2
5/15/20 18:00	0.1	0.1	0.2
5/15/20 19:00	0.1	0.1	0.2
5/15/20 20:00	0.1	0.1	0.2
5/15/20 21:00	0.1	0.1	0.2
5/15/20 22:00	0.1	0.1	0.2
5/15/20 23:00	0.1	0.1	0.2
5/16/20 0:00	0.1	0.1	0.2
5/16/20 1:00	0.1	0.1	0.2
5/16/20 2:00	0.1	0.1	0.2
5/16/20 3:00	0.1	0.1	0.2
5/16/20 4:00	0.1	0.1	0.2
5/16/20 5:00	0.1	0.1	0.2
5/16/20 6:00	0.1	0.1	0.2
5/16/20 7:00	0.1	0.1	0.2
5/16/20 8:00	0.1	0.1	0.2
5/16/20 9:00	0.2	0.1	0.2
5/16/20 10:00	0.2	0.1	0.2
5/16/20 11:00	0.1	0.1	0.2
5/16/20 12:00	0.1	0.1	0.2
5/16/20 13:00	0.1	0.1	0.2
5/16/20 14:00	0.1	0.1	0.2
5/16/20 15:00	0.1	0.1	0.2
5/16/20 16:00	0.1	0.1	0.2
5/16/20 17:00	0.1	0.1	0.2
5/16/20 18:00	0.1	0.1	0.1
5/16/20 19:00	0.1	0.1	0.1
5/16/20 20:00	0.1	0.1	0.1
5/16/20 21:00	0.1	0.1	0.1
5/16/20 22:00	0.1	0.1	0.1
5/16/20 23:00	0.1	0.1	0.1
5/17/20 0:00	0.2	0.1	0.1
5/17/20 1:00	0.1	0.1	0.1
5/17/20 2:00	0.1	0.1	0.1
5/17/20 3:00	0.1	0.1	0.1
5/17/20 4:00	0.1	0.1	0.1
5/17/20 5:00	0.1	0.1	0.1
5/17/20 6:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/17/20 7:00	0.1	0.1	0.1
5/17/20 8:00	0.1	0.1	0.1
5/17/20 9:00	0.1	0.1	0.1
5/17/20 10:00	0.1	0.1	0.1
5/17/20 11:00	0.1	0.1	0.1
5/17/20 12:00	0.1	0.1	0.1
5/17/20 13:00	0.1	0.1	0.1
5/17/20 14:00	0.1	0.1	0.1
5/17/20 15:00	0.2	0.1	0.1
5/17/20 16:00	0.2	0.1	0.1
5/17/20 17:00	0.2	0.1	0.1
5/17/20 18:00	0.2	0.1	0.1
5/17/20 19:00	0.2	0.1	0.1
5/17/20 20:00	0.1	0.1	0.1
5/17/20 21:00	0.2	0.1	0.1
5/17/20 22:00	0.1	0.1	0.1
5/17/20 23:00	0.1	0.1	0.1
5/18/20 0:00	0.1	0.1	0.1
5/18/20 1:00	0.1	0.1	0.1
5/18/20 2:00	0.1	0.1	0.1
5/18/20 3:00	0.1	0.1	0.1
5/18/20 4:00	0.1	0.1	0.1
5/18/20 5:00	0.1	0.1	0.1
5/18/20 6:00	0.1	0.1	0.1
5/18/20 7:00	0.1	0.1	0.1
5/18/20 8:00	0.1	0.1	0.1
5/18/20 9:00	0.1	0.1	0.1
5/18/20 10:00	0.1	0.1	0.1
5/18/20 11:00	0.1	0.1	0.1
5/18/20 12:00	0.1	0.1	0.1
5/18/20 13:00	0.1	0.1	0.1
5/18/20 14:00	0.1	0.1	0.1
5/18/20 15:00	0.1	0.1	0.1
5/18/20 16:00	0.1	0.1	0.1
5/18/20 17:00	0.1	0.1	0.1
5/18/20 18:00	0.1	0.1	0.1
5/18/20 19:00	0.1	0.1	0.1
5/18/20 20:00	0.1	0.1	0.1
5/18/20 21:00	0.1	0.1	0.1
5/18/20 22:00	0.2	0.1	0.1
5/18/20 23:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/19/20 0:00	0.1	0.1	0.1
5/19/20 1:00	0.1	0.1	0.1
5/19/20 2:00	0.1	0.1	0.1
5/19/20 3:00	0.1	0.1	0.1
5/19/20 4:00	0.1	0.1	0.1
5/19/20 5:00	0.1	0.1	0.1
5/19/20 6:00	0.1	0.1	0.1
5/19/20 7:00	0.1	0.1	0.1
5/19/20 8:00	0.1	0.1	0.1
5/19/20 9:00	0.2	0.1	0.1
5/19/20 10:00	0.2	0.1	0.1
5/19/20 11:00	0.1	0.1	0.1
5/19/20 12:00	0.1	0.1	0.1
5/19/20 13:00	0.1	0.1	0.1
5/19/20 14:00	0.3	0.1	0.1
5/19/20 15:00	0.2	0.1	0.1
5/19/20 16:00	0.1	0.1	0.1
5/19/20 17:00	0.1	0.1	0.1
5/19/20 18:00	0.1	0.1	0.1
5/19/20 19:00	0.3	0.1	0.1
5/19/20 20:00	0.2	0.1	0.1
5/19/20 21:00	0.3	0.1	0.1
5/19/20 22:00	0.3	0.1	0.1
5/19/20 23:00	0.2	0.2	0.1
5/20/20 0:00	0.3	0.2	0.1
5/20/20 1:00	0.3	0.2	0.1
5/20/20 2:00	0.2	0.2	0.1
5/20/20 3:00	0.3	0.2	0.1
5/20/20 4:00	0.4	0.2	0.1
5/20/20 5:00	0.3	0.2	0.1
5/20/20 6:00	0.2	0.2	0.1
5/20/20 7:00	0.2	0.2	0.1
5/20/20 8:00	0.2	0.2	0.1
5/20/20 9:00	0.2	0.2	0.1
5/20/20 10:00	0.2	0.2	0.1
5/20/20 11:00	0.4	0.2	0.1
5/20/20 12:00	0.3	0.2	0.1
5/20/20 13:00	0.3	0.2	0.1
5/20/20 14:00	0.2	0.2	0.1
5/20/20 15:00	0.3	0.2	0.1
5/20/20 16:00	0.2	0.2	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/20/20 17:00	0.3	0.3	0.1
5/20/20 18:00	0.3	0.3	0.1
5/20/20 19:00	0.3	0.3	0.1
5/20/20 20:00	0.3	0.3	0.1
5/20/20 21:00	0.2	0.3	0.1
5/20/20 22:00	0.1	0.3	0.1
5/20/20 23:00	0.3	0.3	0.1
5/21/20 0:00	0.2	0.2	0.1
5/21/20 1:00	0.1	0.2	0.1
5/21/20 2:00	0.2	0.2	0.1
5/21/20 3:00	0.2	0.2	0.1
5/21/20 4:00	0.2	0.2	0.1
5/21/20 5:00	0.2	0.2	0.1
5/21/20 6:00	0.3	0.2	0.1
5/21/20 7:00	0.3	0.2	0.1
5/21/20 8:00	0.3	0.2	0.1
5/21/20 9:00	0.2	0.2	0.1
5/21/20 10:00	0.2	0.2	0.1
5/21/20 11:00	0.2	0.2	0.1
5/21/20 12:00	0.4	0.2	0.1
5/21/20 13:00	0.4	0.2	0.1
5/21/20 14:00	0.3	0.3	0.2
5/21/20 15:00	0.2	0.2	0.2
5/21/20 16:00	0.2	0.3	0.2
5/21/20 17:00	0.2	0.2	0.2
5/21/20 18:00	0.2	0.2	0.2
5/21/20 19:00	0.4	0.3	0.2
5/21/20 20:00	0.5	0.3	0.2
5/21/20 21:00	0.4	0.3	0.2
5/21/20 22:00	0.3	0.3	0.2
5/21/20 23:00	0.2	0.3	0.2
5/22/20 0:00	0.3	0.3	0.2
5/22/20 1:00	0.3	0.3	0.2
5/22/20 2:00	0.3	0.3	0.2
5/22/20 3:00	0.3	0.3	0.2
5/22/20 4:00	0.4	0.3	0.2
5/22/20 5:00	0.4	0.3	0.2
5/22/20 6:00	0.4	0.3	0.2
5/22/20 7:00	0.3	0.3	0.2
5/22/20 8:00	0.3	0.3	0.2
5/22/20 9:00	0.2	0.3	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/22/20 10:00	0.1	0.3	0.2
5/22/20 11:00	0.1	0.3	0.2
5/22/20 12:00	0.1	0.3	0.2
5/22/20 13:00	0.1	0.3	0.2
5/22/20 14:00	0.2	0.3	0.2
5/22/20 15:00	0.2	0.3	0.2
5/22/20 16:00	0.2	0.3	0.2
5/22/20 17:00	0.2	0.3	0.2
5/22/20 18:00	0.2	0.3	0.2
5/22/20 19:00	0.3	0.3	0.2
5/22/20 20:00	0.2	0.2	0.2
5/22/20 21:00	0.1	0.2	0.2
5/22/20 22:00	0.2	0.2	0.2
5/22/20 23:00	0.2	0.2	0.2
5/23/20 0:00	0.2	0.2	0.2
5/23/20 1:00	0.2	0.2	0.2
5/23/20 2:00	0.1	0.2	0.2
5/23/20 3:00	0.1	0.2	0.2
5/23/20 4:00	0.2	0.2	0.2
5/23/20 5:00	0.2	0.2	0.2
5/23/20 6:00	0.2	0.2	0.2
5/23/20 7:00	0.1	0.2	0.2
5/23/20 8:00	0.2	0.2	0.2
5/23/20 9:00	0.1	0.2	0.2
5/23/20 10:00	0.1	0.2	0.2
5/23/20 11:00	0.1	0.2	0.2
5/23/20 12:00	0.1	0.2	0.2
5/23/20 13:00	0.1	0.2	0.2
5/23/20 14:00	0.1	0.2	0.2
5/23/20 15:00	0.1	0.2	0.2
5/23/20 16:00	0.1	0.2	0.2
5/23/20 17:00	0.1	0.2	0.2
5/23/20 18:00	0.1	0.1	0.2
5/23/20 19:00	0.2	0.1	0.2
5/23/20 20:00	0.1	0.1	0.2
5/23/20 21:00	0.1	0.1	0.2
5/23/20 22:00	0.1	0.1	0.2
5/23/20 23:00	0.1	0.1	0.2
5/24/20 0:00	0.1	0.1	0.2
5/24/20 1:00	0.1	0.1	0.2
5/24/20 2:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/24/20 3:00	0.1	0.1	0.2
5/24/20 4:00	0.1	0.1	0.2
5/24/20 5:00	0.2	0.1	0.2
5/24/20 6:00	0.2	0.1	0.2
5/24/20 7:00	0.2	0.1	0.2
5/24/20 8:00	0.2	0.1	0.2
5/24/20 9:00	0.2	0.1	0.2
5/24/20 10:00	0.1	0.1	0.2
5/24/20 11:00	0.1	0.1	0.2
5/24/20 12:00	0.1	0.1	0.2
5/24/20 13:00	0.2	0.1	0.2
5/24/20 14:00	0.2	0.1	0.2
5/24/20 15:00	0.1	0.1	0.2
5/24/20 16:00	0.2	0.1	0.2
5/24/20 17:00	0.1	0.1	0.2
5/24/20 18:00	0.1	0.1	0.2
5/24/20 19:00	0.2	0.1	0.2
5/24/20 20:00	0.1	0.1	0.2
5/24/20 21:00	0.1	0.1	0.2
5/24/20 22:00	0.1	0.1	0.2
5/24/20 23:00	0.1	0.1	0.1
5/25/20 0:00	0.1	0.1	0.1
5/25/20 1:00	0.2	0.1	0.1
5/25/20 2:00	0.2	0.1	0.1
5/25/20 3:00	0.1	0.1	0.1
5/25/20 4:00	0.1	0.1	0.1
5/25/20 5:00	0.2	0.1	0.1
5/25/20 6:00	0.2	0.1	0.1
5/25/20 7:00	0.2	0.1	0.1
5/25/20 8:00	0.2	0.1	0.1
5/25/20 9:00	0.1	0.1	0.1
5/25/20 10:00	0.1	0.1	0.1
5/25/20 11:00	0.1	0.1	0.1
5/25/20 12:00	0.1	0.1	0.1
5/25/20 13:00	0.1	0.1	0.1
5/25/20 14:00	0.1	0.1	0.1
5/25/20 15:00	0.1	0.1	0.1
5/25/20 16:00	0.2	0.1	0.1
5/25/20 17:00	0.2	0.1	0.1
5/25/20 18:00	0.2	0.1	0.1
5/25/20 19:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/25/20 20:00	0.2	0.1	0.1
5/25/20 21:00	0.2	0.2	0.1
5/25/20 22:00	0.2	0.2	0.1
5/25/20 23:00	0.2	0.2	0.1
5/26/20 0:00	0.2	0.2	0.1
5/26/20 1:00	0.2	0.2	0.1
5/26/20 2:00	0.2	0.2	0.1
5/26/20 3:00	0.1	0.2	0.1
5/26/20 4:00	0.2	0.2	0.1
5/26/20 5:00	0.2	0.2	0.1
5/26/20 6:00	0.3	0.2	0.1
5/26/20 7:00	0.2	0.2	0.1
5/26/20 8:00	0.1	0.2	0.1
5/26/20 9:00	0.2	0.2	0.1
5/26/20 10:00	0.1	0.2	0.1
5/26/20 11:00	0.2	0.2	0.1
5/26/20 12:00	0.2	0.2	0.1
5/26/20 13:00	0.2	0.2	0.1
5/26/20 14:00	0.2	0.2	0.1
5/26/20 15:00	0.2	0.2	0.1
5/26/20 16:00	0.1	0.2	0.1
5/26/20 17:00	0.1	0.2	0.1
5/26/20 18:00	0.1	0.2	0.1
5/26/20 19:00	0.2	0.2	0.1
5/26/20 20:00	0.2	0.2	0.1
5/26/20 21:00	0.3	0.2	0.1
5/26/20 22:00	0.3	0.2	0.1
5/26/20 23:00	0.3	0.2	0.1
5/27/20 0:00	0.3	0.2	0.1
5/27/20 1:00	0.2	0.2	0.1
5/27/20 2:00	0.1	0.2	0.1
5/27/20 3:00	0.3	0.2	0.2
5/27/20 4:00	0.2	0.2	0.2
5/27/20 5:00	0.4	0.2	0.2
5/27/20 6:00	0.4	0.2	0.2
5/27/20 7:00	0.4	0.2	0.2
5/27/20 8:00	0.1	0.2	0.2
5/27/20 9:00	0.1	0.2	0.2
5/27/20 10:00	0.3	0.2	0.2
5/27/20 11:00	0.2	0.2	0.2
5/27/20 12:00	0.2	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/27/20 13:00	0.2	0.2	0.2
5/27/20 14:00	0.2	0.2	0.2
5/27/20 15:00	0.3	0.2	0.2
5/27/20 16:00	0.3	0.2	0.2
5/27/20 17:00	0.3	0.2	0.2
5/27/20 18:00	0.3	0.3	0.2
5/27/20 19:00	0.2	0.3	0.2
5/27/20 20:00	0.3	0.3	0.2
5/27/20 21:00	0.3	0.3	0.2
5/27/20 22:00	0.3	0.3	0.2
5/27/20 23:00	0.2	0.3	0.2
5/28/20 0:00	0.3	0.3	0.2
5/28/20 1:00	0.3	0.3	0.2
5/28/20 2:00	0.2	0.3	0.2
5/28/20 3:00	0.3	0.3	0.2
5/28/20 4:00	0.3	0.3	0.2
5/28/20 5:00	0.3	0.3	0.2
5/28/20 6:00	0.2	0.3	0.2
5/28/20 7:00	0.2	0.3	0.2
5/28/20 8:00	0.2	0.3	0.2
5/28/20 9:00	0.1	0.3	0.2
5/28/20 10:00	0.2	0.3	0.2
5/28/20 11:00	0.1	0.3	0.2
5/28/20 12:00	0.2	0.3	0.2
5/28/20 13:00	0.2	0.3	0.2
5/28/20 14:00	0.3	0.3	0.2
5/28/20 15:00	0.3	0.3	0.2
5/28/20 16:00	0.4	0.3	0.2
5/28/20 17:00	0.3	0.3	0.2
5/28/20 18:00	0.3	0.3	0.2
5/28/20 19:00	0.2	0.3	0.2
5/28/20 20:00	0.3	0.3	0.2
5/28/20 21:00	0.2	0.2	0.2
5/28/20 22:00	0.4	0.2	0.2
5/28/20 23:00	0.3	0.3	0.2
5/29/20 0:00	0.1	0.2	0.2
5/29/20 1:00	0.1	0.2	0.2
5/29/20 2:00	0.4	0.2	0.2
5/29/20 3:00	0.3	0.2	0.2
5/29/20 4:00	0.3	0.2	0.2
5/29/20 5:00	0.3	0.3	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/29/20 6:00	0.3	0.3	0.2
5/29/20 7:00	0.2	0.3	0.2
5/29/20 8:00	0.2	0.3	0.2
5/29/20 9:00	0.1	0.3	0.2
5/29/20 10:00	0.2	0.3	0.2
5/29/20 11:00	0.2	0.3	0.2
5/29/20 12:00	0.1	0.3	0.2
5/29/20 13:00	0.1	0.3	0.2
5/29/20 14:00	0.2	0.2	0.2
5/29/20 15:00	0.2	0.2	0.2
5/29/20 16:00	0.2	0.2	0.2
5/29/20 17:00	0.2	0.2	0.2
5/29/20 18:00	0.2	0.2	0.2
5/29/20 19:00	0.1	0.2	0.2
5/29/20 20:00	0.2	0.2	0.2
5/29/20 21:00	0.2	0.2	0.2
5/29/20 22:00	0.2	0.2	0.2
5/29/20 23:00	0.2	0.2	0.2
5/30/20 0:00	0.1	0.2	0.2
5/30/20 1:00	0.2	0.2	0.2
5/30/20 2:00	0.1	0.2	0.2
5/30/20 3:00	0.1	0.2	0.2
5/30/20 4:00	0.1	0.2	0.2
5/30/20 5:00	0.1	0.2	0.2
5/30/20 6:00	0.2	0.2	0.2
5/30/20 7:00	0.1	0.2	0.2
5/30/20 8:00	0.2	0.2	0.2
5/30/20 9:00	0.1	0.2	0.2
5/30/20 10:00	0.1	0.1	0.2
5/30/20 11:00	0.2	0.1	0.2
5/30/20 12:00	0.2	0.1	0.2
5/30/20 13:00	0.3	0.2	0.2
5/30/20 14:00	0.3	0.2	0.2
5/30/20 15:00	0.1	0.2	0.2
5/30/20 16:00	0.1	0.2	0.2
5/30/20 17:00	0.5	0.2	0.2
5/30/20 18:00	0.2	0.2	0.2
5/30/20 19:00	0.1	0.2	0.2
5/30/20 20:00	0.2	0.2	0.2
5/30/20 21:00	0.2	0.2	0.2
5/30/20 22:00	0.2	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/30/20 23:00	0.1	0.2	0.2
5/31/20 0:00	0.2	0.2	0.2
5/31/20 1:00	0.3	0.2	0.2
5/31/20 2:00	0.3	0.2	0.2
5/31/20 3:00	0.2	0.2	0.2
5/31/20 4:00	0.2	0.2	0.2
5/31/20 5:00	0.1	0.2	0.2
5/31/20 6:00	0.2	0.2	0.2
5/31/20 7:00	0.2	0.2	0.2
5/31/20 8:00	0.2	0.2	0.2
5/31/20 9:00	0.2	0.2	0.2
5/31/20 10:00	0.2	0.2	0.2
5/31/20 11:00	0.2	0.2	0.2
5/31/20 12:00	0.2	0.2	0.2
5/31/20 13:00	0.2	0.2	0.2
5/31/20 14:00	0.1	0.2	0.2
5/31/20 15:00	0.2	0.2	0.2
5/31/20 16:00	0.2	0.2	0.2
5/31/20 17:00	0.2	0.2	0.2
5/31/20 18:00	0.2	0.2	0.2
5/31/20 19:00	0.2	0.2	0.2
5/31/20 20:00	0.2	0.2	0.2
5/31/20 21:00	0.2	0.2	0.2
5/31/20 22:00	0.2	0.2	0.2
5/31/20 23:00	0.1	0.2	0.2
6/1/20 0:00	0.1	0.2	0.2
6/1/20 1:00	0.2	0.2	0.2
6/1/20 2:00	0.1	0.2	0.2
6/1/20 3:00	0.1	0.2	0.2
6/1/20 4:00	0.2	0.1	0.2
6/1/20 5:00	0.2	0.2	0.2
6/1/20 6:00	0.1	0.2	0.2
6/1/20 7:00	0.2	0.2	0.2
6/1/20 8:00	0.2	0.2	0.2
6/1/20 9:00	0.1	0.2	0.2
6/1/20 10:00	0.1	0.1	0.2
6/1/20 11:00	0.1	0.1	0.2
6/1/20 12:00	0.1	0.1	0.2
6/1/20 13:00	0.1	0.1	0.2
6/1/20 14:00	0.2	0.1	0.2
6/1/20 15:00	0.2	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/1/20 16:00	0.1	0.1	0.2
6/1/20 17:00	0.0	0.1	0.2
6/1/20 18:00	0.0	0.1	0.2
6/1/20 19:00	0.0	0.1	0.2
6/1/20 20:00	0.0	0.1	0.2
6/1/20 21:00	0.0	0.1	0.2
6/1/20 22:00	0.0	0.1	0.2
6/1/20 23:00	0.0	0.1	0.2
6/2/20 0:00	0.0	0.1	0.2
6/2/20 1:00	0.0	0.1	0.2
6/2/20 2:00	0.0	0.1	0.2
6/2/20 3:00	0.0	0.1	0.2
6/2/20 4:00	0.0	0.1	0.2
6/2/20 5:00	0.0	0.1	0.2
6/2/20 6:00	0.0	0.1	0.2
6/2/20 7:00	0.0	0.1	0.2
6/2/20 8:00	0.0	0.0	0.2
6/2/20 9:00	0.0	0.0	0.2
6/2/20 10:00	0.0	0.0	0.2
6/2/20 11:00	0.0	0.0	0.2
6/2/20 12:00	0.0	0.0	0.2
6/2/20 13:00	0.0	0.0	0.2
6/2/20 14:00	0.0	0.0	0.2
6/2/20 15:00	0.0	0.0	0.2
6/2/20 16:00	0.0	0.0	0.2
6/2/20 17:00	0.0	0.0	0.2
6/2/20 18:00	0.0	0.0	0.2
6/2/20 19:00	0.0	0.0	0.2
6/2/20 20:00	0.0	0.0	0.2
6/2/20 21:00	0.0	0.0	0.2
6/2/20 22:00	0.0	0.0	0.2
6/2/20 23:00	0.0	0.0	0.2
6/3/20 0:00	0.0	0.0	0.2
6/3/20 1:00	0.0	0.0	0.2
6/3/20 2:00	0.0	0.0	0.2
6/3/20 3:00	0.0	0.0	0.2
6/3/20 4:00	0.0	0.0	0.2
6/3/20 5:00	0.0	0.0	0.2
6/3/20 6:00	0.0	0.0	0.2
6/3/20 7:00	0.0	0.0	0.2
6/3/20 8:00	0.0	0.0	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/3/20 9:00	0.0	0.0	0.2
6/3/20 10:00	0.0	0.0	0.2
6/3/20 11:00	0.0	0.0	0.2
6/3/20 12:00	0.0	0.0	0.2
6/3/20 13:00	0.0	0.0	0.2
6/3/20 14:00	0.0	0.0	0.2
6/3/20 15:00	0.0	0.0	0.2
6/3/20 16:00	0.0	0.0	0.2
6/3/20 17:00	0.0	0.0	0.2
6/3/20 18:00	0.0	0.0	0.2
6/3/20 19:00	0.0	0.0	0.2
6/3/20 20:00	0.0	0.0	0.2
6/3/20 21:00	0.0	0.0	0.2
6/3/20 22:00	0.0	0.0	0.2
6/3/20 23:00	0.0	0.0	0.2
6/4/20 0:00	0.0	0.0	0.2
6/4/20 1:00	0.0	0.0	0.2
6/4/20 2:00	0.0	0.0	0.2
6/4/20 3:00	0.0	0.0	0.2
6/4/20 4:00	0.0	0.0	0.2
6/4/20 5:00	0.0	0.0	0.2
6/4/20 6:00	0.0	0.0	0.2
6/4/20 7:00	0.0	0.0	0.1
6/4/20 8:00	0.0	0.0	0.1
6/4/20 9:00	0.0	0.0	0.1
6/4/20 10:00	0.0	0.0	0.1
6/4/20 11:00	0.0	0.0	0.1
6/4/20 12:00	0.0	0.0	0.1
6/4/20 13:00	0.0	0.0	0.1
6/4/20 14:00	0.0	0.0	0.1
6/4/20 15:00	0.0	0.0	0.1
6/4/20 16:00	0.0	0.0	0.1
6/4/20 17:00	0.0	0.0	0.1
6/4/20 18:00	0.0	0.0	0.1
6/4/20 19:00	0.0	0.0	0.1
6/4/20 20:00	0.0	0.0	0.1
6/4/20 21:00	0.0	0.0	0.1
6/4/20 22:00	0.0	0.0	0.1
6/4/20 23:00	0.0	0.0	0.1
6/5/20 0:00	0.0	0.0	0.1
6/5/20 1:00	0.0	0.0	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/5/20 2:00	0.0	0.0	0.1
6/5/20 3:00	0.0	0.0	0.1
6/5/20 4:00	0.0	0.0	0.1
6/5/20 5:00	0.0	0.0	0.1
6/5/20 6:00	0.0	0.0	0.1
6/5/20 7:00	0.0	0.0	0.1
6/5/20 8:00	0.0	0.0	0.1
6/5/20 9:00	0.0	0.0	0.1
6/5/20 10:00	0.0	0.0	0.1
6/5/20 11:00	0.0	0.0	0.1
6/5/20 12:00	0.0	0.0	0.1
6/5/20 13:00	0.0	0.0	0.1
6/5/20 14:00	0.0	0.0	0.1
6/5/20 15:00	0.0	0.0	0.1
6/5/20 16:00	0.0	0.0	0.1
6/5/20 17:00	0.0	0.0	0.1
6/5/20 18:00	0.0	0.0	0.1
6/5/20 19:00	0.0	0.0	0.1
6/5/20 20:00	0.0	0.0	0.1
6/5/20 21:00	0.0	0.0	0.1
6/5/20 22:00	0.0	0.0	0.1
6/5/20 23:00	0.0	0.0	0.1
6/6/20 0:00	0.0	0.0	0.1
6/6/20 1:00	0.0	0.0	0.1
6/6/20 2:00	0.0	0.0	0.1
6/6/20 3:00	0.0	0.0	0.1
6/6/20 4:00	0.0	0.0	0.1
6/6/20 5:00	0.0	0.0	0.1
6/6/20 6:00	0.0	0.0	0.1
6/6/20 7:00	0.0	0.0	0.1
6/6/20 8:00	0.0	0.0	0.1
6/6/20 9:00	0.0	0.0	0.1
6/6/20 10:00	0.0	0.0	0.1
6/6/20 11:00	0.0	0.0	0.1
6/6/20 12:00	0.0	0.0	0.1
6/6/20 13:00	0.0	0.0	0.1
6/6/20 14:00	0.0	0.0	0.1
6/6/20 15:00	0.0	0.0	0.1
6/6/20 16:00	0.0	0.0	0.1
6/6/20 17:00	0.0	0.0	0.1
6/6/20 18:00	0.0	0.0	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/6/20 19:00	0.0	0.0	0.1
6/6/20 20:00	0.0	0.0	0.1
6/6/20 21:00	0.0	0.0	0.1
6/6/20 22:00	0.0	0.0	0.1
6/6/20 23:00	0.0	0.0	0.1
6/7/20 0:00	0.0	0.0	0.1
6/7/20 1:00	0.0	0.0	0.1
6/7/20 2:00	0.0	0.0	0.1
6/7/20 3:00	0.0	0.0	0.1
6/7/20 4:00	0.0	0.0	0.1
6/7/20 5:00	0.0	0.0	0.1
6/7/20 6:00	0.0	0.0	0.1
6/7/20 7:00	0.0	0.0	0.1
6/7/20 8:00	0.0	0.0	0.1
6/7/20 9:00	0.0	0.0	0.1
6/7/20 10:00	0.0	0.0	0.1
6/7/20 11:00	0.0	0.0	0.1
6/7/20 12:00	0.0	0.0	0.1
6/7/20 13:00	0.0	0.0	0.1
6/7/20 14:00	0.0	0.0	0.1
6/7/20 15:00	0.0	0.0	0.1
6/7/20 16:00	0.0	0.0	0.1
6/7/20 17:00	0.0	0.0	0.1
6/7/20 18:00	0.0	0.0	0.1
6/7/20 19:00	0.0	0.0	0.1
6/7/20 20:00	0.0	0.0	0.1
6/7/20 21:00	0.0	0.0	0.1
6/7/20 22:00	0.0	0.0	0.1
6/7/20 23:00	0.0	0.0	0.1
6/8/20 0:00	0.0	0.0	0.1
6/8/20 1:00	0.0	0.0	0.1
6/8/20 2:00	0.0	0.0	0.1
6/8/20 3:00	0.0	0.0	0.1
6/8/20 4:00	0.0	0.0	0.1
6/8/20 5:00	0.0	0.0	0.1
6/8/20 6:00	0.0	0.0	0.1
6/8/20 7:00	0.0	0.0	0.1
6/8/20 8:00	0.0	0.0	0.1
6/8/20 9:00	0.0	0.0	0.1
6/8/20 10:00	0.0	0.0	0.1
6/8/20 11:00	0.0	0.0	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/8/20 12:00	0.0	0.0	0.1
6/8/20 13:00	0.0	0.0	0.1
6/8/20 14:00	0.0	0.0	0.1
6/8/20 15:00	0.0	0.0	0.1
6/8/20 16:00	0.0	0.0	0.1
6/8/20 17:00	0.0	0.0	0.1
6/8/20 18:00	0.0	0.0	0.1
6/8/20 19:00	0.0	0.0	0.1
6/8/20 20:00	0.0	0.0	0.1
6/8/20 21:00	0.0	0.0	0.1
6/8/20 22:00	0.0	0.0	0.1
6/8/20 23:00	0.0	0.0	0.1
6/9/20 0:00	0.0	0.0	0.1
6/9/20 1:00	0.0	0.0	0.1
6/9/20 2:00	0.0	0.0	0.1
6/9/20 3:00	0.0	0.0	0.1
6/9/20 4:00	0.0	0.0	0.1
6/9/20 5:00	0.0	0.0	0.1
6/9/20 6:00	0.0	0.0	0.1
6/9/20 7:00	0.0	0.0	0.1
6/9/20 8:00	0.0	0.0	0.1
6/9/20 9:00	0.0	0.0	0.1
6/9/20 10:00	0.0	0.0	0.1
6/9/20 11:00	0.0	0.0	0.1
6/9/20 12:00	0.0	0.0	0.1
6/9/20 13:00	0.0	0.0	0.1
6/9/20 14:00	0.0	0.0	0.1
6/9/20 15:00	0.0	0.0	0.1
6/9/20 16:00	0.0	0.0	0.1
6/9/20 17:00	0.0	0.0	0.1
6/9/20 18:00	0.0	0.0	0.1
6/9/20 19:00	0.0	0.0	0.1
6/9/20 20:00	0.0	0.0	0.1
6/9/20 21:00	0.0	0.0	0.1
6/9/20 22:00	0.0	0.0	0.1
6/9/20 23:00	0.0	0.0	0.1
6/10/20 0:00	0.0	0.0	0.1
6/10/20 1:00	0.0	0.0	0.1
6/10/20 2:00	0.0	0.0	0.1
6/10/20 3:00	0.0	0.0	0.1
6/10/20 4:00	0.0	0.0	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/10/20 5:00	0.0	0.0	0.1
6/10/20 6:00	0.0	0.0	0.1
6/10/20 7:00	0.0	0.0	0.1
6/10/20 8:00	0.0	0.0	0.1
6/10/20 9:00	0.0	0.0	0.1
6/10/20 10:00	0.0	0.0	0.1
6/10/20 11:00	0.0	0.0	0.1
6/10/20 12:00	0.0	0.0	0.1
6/10/20 13:00	0.0	0.0	0.1
6/10/20 14:00	0.0	0.0	0.1
6/10/20 15:00	0.0	0.0	0.1
6/10/20 16:00	0.0	0.0	0.1
6/10/20 17:00	0.0	0.0	0.1
6/10/20 18:00	0.0	0.0	0.1
6/10/20 19:00	0.0	0.0	0.1
6/10/20 20:00	0.0	0.0	0.1
6/10/20 21:00	0.0	0.0	0.1
6/10/20 22:00	0.0	0.0	0.1
6/10/20 23:00	0.0	0.0	0.1
6/11/20 0:00	0.0	0.0	0.1
6/11/20 1:00	0.0	0.0	0.1
6/11/20 2:00	0.0	0.0	0.1
6/11/20 3:00	0.0	0.0	0.1
6/11/20 4:00	0.0	0.0	0.1
6/11/20 5:00	0.0	0.0	0.1
6/11/20 6:00	0.0	0.0	0.1
6/11/20 7:00	0.0	0.0	0.1
6/11/20 8:00	0.0	0.0	0.1
6/11/20 9:00	0.0	0.0	0.1
6/11/20 10:00	0.0	0.0	0.1
6/11/20 11:00	0.0	0.0	0.1
6/11/20 12:00	0.0	0.0	0.1
6/11/20 13:00	0.0	0.0	0.1
6/11/20 14:00	0.0	0.0	0.1
6/11/20 15:00	0.0	0.0	0.1
6/11/20 16:00	0.0	0.0	0.1
6/11/20 17:00	0.0	0.0	0.1
6/11/20 18:00	0.0	0.0	0.1
6/11/20 19:00	0.0	0.0	0.1
6/11/20 20:00	0.0	0.0	0.1
6/11/20 21:00	0.0	0.0	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/11/20 22:00	0.0	0.0	0.1
6/11/20 23:00	0.0	0.0	0.1
6/12/20 0:00	0.0	0.0	0.1
6/12/20 1:00	0.0	0.0	0.1
6/12/20 2:00	0.0	0.0	0.1
6/12/20 3:00	0.0	0.0	0.1
6/12/20 4:00	0.0	0.0	0.1
6/12/20 5:00	0.0	0.0	0.1
6/12/20 6:00	0.0	0.0	0.1
6/12/20 7:00	0.0	0.0	0.1
6/12/20 8:00	0.0	0.0	0.1
6/12/20 9:00	0.0	0.0	0.1
6/12/20 10:00	0.0	0.0	0.1
6/12/20 11:00	0.0	0.0	0.1
6/12/20 12:00	0.0	0.0	0.1
6/12/20 13:00	0.0	0.0	0.1
6/12/20 14:00	0.0	0.0	0.1
6/12/20 15:00	0.0	0.0	0.1
6/12/20 16:00	0.0	0.0	0.1
6/12/20 17:00	0.0	0.0	0.1
6/12/20 18:00	0.0	0.0	0.1
6/12/20 19:00	0.0	0.0	0.1
6/12/20 20:00	0.0	0.0	0.1
6/12/20 21:00	0.0	0.0	0.1
6/12/20 22:00	0.0	0.0	0.1
6/12/20 23:00	0.0	0.0	0.1
6/13/20 0:00	0.0	0.0	0.1
6/13/20 1:00	0.0	0.0	0.1
6/13/20 2:00	0.0	0.0	0.1
6/13/20 3:00	0.0	0.0	0.1
6/13/20 4:00	0.0	0.0	0.1
6/13/20 5:00	0.0	0.0	0.1
6/13/20 6:00	0.0	0.0	0.1
6/13/20 7:00	0.0	0.0	0.1
6/13/20 8:00	0.0	0.0	0.1
6/13/20 9:00	0.0	0.0	0.1
6/13/20 10:00	0.0	0.0	0.1
6/13/20 11:00	0.0	0.0	0.1
6/13/20 12:00	0.0	0.0	0.1
6/13/20 13:00	0.0	0.0	0.1
6/13/20 14:00	0.0	0.0	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/13/20 15:00	0.0	0.0	0.1
6/13/20 16:00	0.0	0.0	0.1
6/13/20 17:00	0.0	0.0	0.1
6/13/20 18:00	0.0	0.0	0.1
6/13/20 19:00	0.0	0.0	0.1
6/13/20 20:00	0.0	0.0	0.1
6/13/20 21:00	0.0	0.0	0.1
6/13/20 22:00	0.0	0.0	0.1
6/13/20 23:00	0.0	0.0	0.1
6/14/20 0:00	0.0	0.0	0.1
6/14/20 1:00	0.0	0.0	0.1
6/14/20 2:00	0.0	0.0	0.1
6/14/20 3:00	0.0	0.0	0.1
6/14/20 4:00	0.0	0.0	0.1
6/14/20 5:00	0.0	0.0	0.1
6/14/20 6:00	0.0	0.0	0.1
6/14/20 7:00	0.0	0.0	0.1
6/14/20 8:00	0.0	0.0	0.1
6/14/20 9:00	0.0	0.0	0.1
6/14/20 10:00	0.0	0.0	0.1
6/14/20 11:00	0.0	0.0	0.1
6/14/20 12:00	0.0	0.0	0.1
6/14/20 13:00	0.0	0.0	0.1
6/14/20 14:00	0.0	0.0	0.1
6/14/20 15:00	0.0	0.0	0.1
6/14/20 16:00	0.0	0.0	0.1
6/14/20 17:00	0.0	0.0	0.1
6/14/20 18:00	0.0	0.0	0.1
6/14/20 19:00	0.0	0.0	0.1
6/14/20 20:00	0.0	0.0	0.1
6/14/20 21:00	0.0	0.0	0.1
6/14/20 22:00	0.0	0.0	0.1
6/14/20 23:00	0.0	0.0	0.1
6/15/20 0:00	0.0	0.0	0.1
6/15/20 1:00	0.0	0.0	0.1
6/15/20 2:00	0.0	0.0	0.1
6/15/20 3:00	0.0	0.0	0.1
6/15/20 4:00	0.0	0.0	0.1
6/15/20 5:00	0.0	0.0	0.1
6/15/20 6:00	0.0	0.0	0.1
6/15/20 7:00	0.0	0.0	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/15/20 8:00	0.0	0.0	0.1
6/15/20 9:00	0.0	0.0	0.1
6/15/20 10:00	0.0	0.0	0.1
6/15/20 11:00	0.0	0.0	0.1
6/15/20 12:00	0.0	0.0	0.1
6/15/20 13:00	0.0	0.0	0.1
6/15/20 14:00	0.0	0.0	0.1
6/15/20 15:00	0.0	0.0	0.1
6/15/20 16:00	0.0	0.0	0.1
6/15/20 17:00	0.0	0.0	0.1
6/15/20 18:00	0.0	0.0	0.1
6/15/20 19:00	0.0	0.0	0.1
6/15/20 20:00	0.0	0.0	0.1
6/15/20 21:00	0.0	0.0	0.1
6/15/20 22:00	0.0	0.0	0.1
6/15/20 23:00	0.0	0.0	0.1
6/16/20 0:00	0.0	0.0	0.1
6/16/20 1:00	0.0	0.0	0.1
6/16/20 2:00	0.0	0.0	0.1
6/16/20 3:00	0.0	0.0	0.1
6/16/20 4:00	0.0	0.0	0.1
6/16/20 5:00	0.0	0.0	0.1
6/16/20 6:00	0.0	0.0	0.1
6/16/20 7:00	0.0	0.0	0.1
6/16/20 8:00	0.0	0.0	0.1
6/16/20 9:00	0.0	0.0	0.1
6/16/20 10:00	0.0	0.0	0.1
6/16/20 11:00	0.0	0.0	0.1
6/16/20 12:00	0.0	0.0	0.1
6/16/20 13:00	0.0	0.0	0.1
6/16/20 14:00	0.0	0.0	0.1
6/16/20 15:00	0.0	0.0	0.1
6/16/20 16:00	0.0	0.0	0.1
6/16/20 17:00	0.0	0.0	0.1
6/16/20 18:00	0.0	0.0	0.1
6/16/20 19:00	0.0	0.0	0.1
6/16/20 20:00	0.0	0.0	0.1
6/16/20 21:00	0.0	0.0	0.1
6/16/20 22:00	0.0	0.0	0.1
6/16/20 23:00	0.0	0.0	0.1
6/17/20 0:00	0.0	0.0	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/17/20 1:00	0.0	0.0	0.1
6/17/20 2:00	0.0	0.0	0.1
6/17/20 3:00	0.0	0.0	0.1
6/17/20 4:00	0.0	0.0	0.1
6/17/20 5:00	0.0	0.0	0.1
6/17/20 6:00	0.0	0.0	0.1
6/17/20 7:00	0.0	0.0	0.1
6/17/20 8:00	0.0	0.0	0.1
6/17/20 9:00	0.0	0.0	0.1
6/17/20 10:00	0.0	0.0	0.1
6/17/20 11:00	0.0	0.0	0.1
6/17/20 12:00	0.0	0.0	0.1
6/17/20 13:00	0.0	0.0	0.1
6/17/20 14:00	0.0	0.0	0.1
6/17/20 15:00	0.0	0.0	0.1
6/17/20 16:00	0.0	0.0	0.1
6/17/20 17:00	0.0	0.0	0.1
6/17/20 18:00	0.0	0.0	0.1
6/17/20 19:00	0.0	0.0	0.1
6/17/20 20:00	0.0	0.0	0.1
6/17/20 21:00	0.0	0.0	0.1
6/17/20 22:00	0.0	0.0	0.1
6/17/20 23:00	0.0	0.0	0.1
6/18/20 0:00	0.0	0.0	0.1
6/18/20 1:00	0.0	0.0	0.1
6/18/20 2:00	0.0	0.0	0.1
6/18/20 3:00	0.0	0.0	0.1
6/18/20 4:00	0.0	0.0	0.1
6/18/20 5:00	0.0	0.0	0.1
6/18/20 6:00	0.0	0.0	0.1
6/18/20 7:00	0.0	0.0	0.1
6/18/20 8:00	0.0	0.0	0.1
6/18/20 9:00	0.0	0.0	0.1
6/18/20 10:00	0.0	0.0	0.1
6/18/20 11:00	0.0	0.0	0.1
6/18/20 12:00	0.0	0.0	0.1
6/18/20 13:00	0.0	0.0	0.1
6/18/20 14:00	0.0	0.0	0.1
6/18/20 15:00	0.0	0.0	0.1
6/18/20 16:00	0.0	0.0	0.1
6/18/20 17:00	0.0	0.0	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/18/20 18:00	0.0	0.0	0.1
6/18/20 19:00	0.0	0.0	0.1
6/18/20 20:00	0.0	0.0	0.1
6/18/20 21:00	0.0	0.0	0.1
6/18/20 22:00	0.0	0.0	0.1
6/18/20 23:00	0.0	0.0	0.1
6/19/20 0:00	0.0	0.0	0.1
6/19/20 1:00	0.0	0.0	0.1
6/19/20 2:00	0.0	0.0	0.1
6/19/20 3:00	0.0	0.0	0.1
6/19/20 4:00	0.0	0.0	0.1
6/19/20 5:00	0.0	0.0	0.1
6/19/20 6:00	0.0	0.0	0.1
6/19/20 7:00	0.0	0.0	0.1
6/19/20 8:00	0.0	0.0	0.1
6/19/20 9:00	0.0	0.0	0.1
6/19/20 10:00	0.0	0.0	0.1
6/19/20 11:00	0.0	0.0	0.1
6/19/20 12:00	0.0	0.0	0.1
6/19/20 13:00	0.0	0.0	0.1
6/19/20 14:00	0.0	0.0	0.1
6/19/20 15:00	0.0	0.0	0.1
6/19/20 16:00	0.0	0.0	0.1
6/19/20 17:00	0.0	0.0	0.1
6/19/20 18:00	0.0	0.0	0.1
6/19/20 19:00	0.0	0.0	0.1
6/19/20 20:00	0.0	0.0	0.1
6/19/20 21:00	0.0	0.0	0.1
6/19/20 22:00	0.0	0.0	0.1
6/19/20 23:00	0.0	0.0	0.1
6/20/20 0:00	0.0	0.0	0.1
6/20/20 1:00	0.0	0.0	0.1
6/20/20 2:00	0.0	0.0	0.1
6/20/20 3:00	0.0	0.0	0.1
6/20/20 4:00	0.0	0.0	0.1
6/20/20 5:00	0.0	0.0	0.1
6/20/20 6:00	0.0	0.0	0.1
6/20/20 7:00	0.0	0.0	0.1
6/20/20 8:00	0.0	0.0	0.1
6/20/20 9:00	0.0	0.0	0.1
6/20/20 10:00	0.0	0.0	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/20/20 11:00	0.0	0.0	0.1
6/20/20 12:00	0.0	0.0	0.1
6/20/20 13:00	0.0	0.0	0.1
6/20/20 14:00	0.0	0.0	0.1
6/20/20 15:00	0.0	0.0	0.1
6/20/20 16:00	0.0	0.0	0.1
6/20/20 17:00	0.0	0.0	0.1
6/20/20 18:00	0.0	0.0	0.1
6/20/20 19:00	0.0	0.0	0.1
6/20/20 20:00	0.0	0.0	0.1
6/20/20 21:00	0.0	0.0	0.1
6/20/20 22:00	0.0	0.0	0.1
6/20/20 23:00	0.0	0.0	0.1
6/21/20 0:00	0.0	0.0	0.1
6/21/20 1:00	0.0	0.0	0.1
6/21/20 2:00	0.0	0.0	0.1
6/21/20 3:00	0.0	0.0	0.1
6/21/20 4:00	0.0	0.0	0.1
6/21/20 5:00	0.0	0.0	0.1
6/21/20 6:00	0.0	0.0	0.1
6/21/20 7:00	0.0	0.0	0.1
6/21/20 8:00	0.0	0.0	0.1
6/21/20 9:00	0.0	0.0	0.1
6/21/20 10:00	0.0	0.0	0.1
6/21/20 11:00	0.0	0.0	0.1
6/21/20 12:00	0.0	0.0	0.1
6/21/20 13:00	0.0	0.0	0.1
6/21/20 14:00	0.0	0.0	0.1
6/21/20 15:00	0.0	0.0	0.1
6/21/20 16:00	0.0	0.0	0.1
6/21/20 17:00	0.0	0.0	0.1
6/21/20 18:00	0.0	0.0	0.1
6/21/20 19:00	0.0	0.0	0.1
6/21/20 20:00	0.0	0.0	0.1
6/21/20 21:00	0.0	0.0	0.1
6/21/20 22:00	0.0	0.0	0.1
6/21/20 23:00	0.0	0.0	0.1
6/22/20 0:00	0.0	0.0	0.1
6/22/20 1:00	0.0	0.0	0.1
6/22/20 2:00	0.0	0.0	0.1
6/22/20 3:00	0.0	0.0	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/22/20 4:00	0.0	0.0	0.1
6/22/20 5:00	0.0	0.0	0.1
6/22/20 6:00	0.0	0.0	0.1
6/22/20 7:00	0.0	0.0	0.1
6/22/20 8:00	0.0	0.0	0.1
6/22/20 9:00	0.0	0.0	0.1
6/22/20 10:00	0.0	0.0	0.1
6/22/20 11:00	0.0	0.0	0.1
6/22/20 12:00	0.0	0.0	0.1
6/22/20 13:00	0.0	0.0	0.1
6/22/20 14:00	0.0	0.0	0.1
6/22/20 15:00	0.0	0.0	0.1
6/22/20 16:00	0.0	0.0	0.1
6/22/20 17:00	0.0	0.0	0.1
6/22/20 18:00	0.0	0.0	0.1
6/22/20 19:00	0.0	0.0	0.1
6/22/20 20:00	0.0	0.0	0.1
6/22/20 21:00	0.0	0.0	0.1
6/22/20 22:00	0.0	0.0	0.1
6/22/20 23:00	0.0	0.0	0.1
6/23/20 0:00	0.0	0.0	0.1
6/23/20 1:00	0.0	0.0	0.1
6/23/20 2:00	0.0	0.0	0.1
6/23/20 3:00	0.0	0.0	0.1
6/23/20 4:00	0.0	0.0	0.1
6/23/20 5:00	0.0	0.0	0.1
6/23/20 6:00	0.0	0.0	0.1
6/23/20 7:00	0.0	0.0	0.1
6/23/20 8:00	0.0	0.0	0.1
6/23/20 9:00	0.0	0.0	0.1
6/23/20 10:00	0.0	0.0	0.1
6/23/20 11:00	0.0	0.0	0.1
6/23/20 12:00	0.0	0.0	0.1
6/23/20 13:00	0.0	0.0	0.1
6/23/20 14:00	0.0	0.0	0.1
6/23/20 15:00	0.0	0.0	0.1
6/23/20 16:00	0.0	0.0	0.1
6/23/20 17:00	0.0	0.0	0.1
6/23/20 18:00	0.0	0.0	0.1
6/23/20 19:00	0.0	0.0	0.1
6/23/20 20:00	0.0	0.0	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/23/20 21:00	0.0	0.0	0.0
6/23/20 22:00	0.0	0.0	0.0
6/23/20 23:00	0.0	0.0	0.0
6/24/20 0:00	0.0	0.0	0.0
6/24/20 1:00	0.0	0.0	0.0
6/24/20 2:00	0.0	0.0	0.0
6/24/20 3:00	0.0	0.0	0.0
6/24/20 4:00	0.0	0.0	0.0
6/24/20 5:00	0.0	0.0	0.0
6/24/20 6:00	0.0	0.0	0.0
6/24/20 7:00	0.0	0.0	0.0
6/24/20 8:00	0.0	0.0	0.0
6/24/20 9:00	0.0	0.0	0.0
6/24/20 10:00	0.0	0.0	0.0
6/24/20 11:00	0.0	0.0	0.0
6/24/20 12:00	0.0	0.0	0.0
6/24/20 13:00	0.0	0.0	0.0
6/24/20 14:00	0.0	0.0	0.0
6/24/20 15:00	0.0	0.0	0.0
6/24/20 16:00	0.0	0.0	0.0
6/24/20 17:00	0.0	0.0	0.0
6/24/20 18:00	0.0	0.0	0.0
6/24/20 19:00	0.0	0.0	0.0
6/24/20 20:00	0.0	0.0	0.0
6/24/20 21:00	0.0	0.0	0.0
6/24/20 22:00	0.0	0.0	0.0
6/24/20 23:00	0.0	0.0	0.0
6/25/20 0:00	0.0	0.0	0.0
6/25/20 1:00	0.0	0.0	0.0
6/25/20 2:00	0.0	0.0	0.0
6/25/20 3:00	0.0	0.0	0.0
6/25/20 4:00	0.0	0.0	0.0
6/25/20 5:00	0.0	0.0	0.0
6/25/20 6:00	0.0	0.0	0.0
6/25/20 7:00	0.0	0.0	0.0
6/25/20 8:00	0.0	0.0	0.0
6/25/20 9:00	0.0	0.0	0.0
6/25/20 10:00	0.0	0.0	0.0
6/25/20 11:00	0.0	0.0	0.0
6/25/20 12:00	0.0	0.0	0.0
6/25/20 13:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/25/20 14:00	0.0	0.0	0.0
6/25/20 15:00	0.0	0.0	0.0
6/25/20 16:00	0.0	0.0	0.0
6/25/20 17:00	0.0	0.0	0.0
6/25/20 18:00	0.0	0.0	0.0
6/25/20 19:00	0.0	0.0	0.0
6/25/20 20:00	0.0	0.0	0.0
6/25/20 21:00	0.0	0.0	0.0
6/25/20 22:00	0.0	0.0	0.0
6/25/20 23:00	0.0	0.0	0.0
6/26/20 0:00	0.0	0.0	0.0
6/26/20 1:00	0.0	0.0	0.0
6/26/20 2:00	0.0	0.0	0.0
6/26/20 3:00	0.0	0.0	0.0
6/26/20 4:00	0.0	0.0	0.0
6/26/20 5:00	0.0	0.0	0.0
6/26/20 6:00	0.0	0.0	0.0
6/26/20 7:00	0.0	0.0	0.0
6/26/20 8:00	0.0	0.0	0.0
6/26/20 9:00	0.0	0.0	0.0
6/26/20 10:00	0.0	0.0	0.0
6/26/20 11:00	0.0	0.0	0.0
6/26/20 12:00	0.0	0.0	0.0
6/26/20 13:00	0.0	0.0	0.0
6/26/20 14:00	0.0	0.0	0.0
6/26/20 15:00	0.0	0.0	0.0
6/26/20 16:00	0.0	0.0	0.0
6/26/20 17:00	0.0	0.0	0.0
6/26/20 18:00	0.0	0.0	0.0
6/26/20 19:00	0.0	0.0	0.0
6/26/20 20:00	0.0	0.0	0.0
6/26/20 21:00	0.0	0.0	0.0
6/26/20 22:00	0.0	0.0	0.0
6/26/20 23:00	0.0	0.0	0.0
6/27/20 0:00	0.0	0.0	0.0
6/27/20 1:00	0.0	0.0	0.0
6/27/20 2:00	0.0	0.0	0.0
6/27/20 3:00	0.0	0.0	0.0
6/27/20 4:00	0.0	0.0	0.0
6/27/20 5:00	0.0	0.0	0.0
6/27/20 6:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/27/20 7:00	0.0	0.0	0.0
6/27/20 8:00	0.0	0.0	0.0
6/27/20 9:00	0.0	0.0	0.0
6/27/20 10:00	0.0	0.0	0.0
6/27/20 11:00	0.0	0.0	0.0
6/27/20 12:00	0.0	0.0	0.0
6/27/20 13:00	0.0	0.0	0.0
6/27/20 14:00	0.0	0.0	0.0
6/27/20 15:00	0.0	0.0	0.0
6/27/20 16:00	0.0	0.0	0.0
6/27/20 17:00	0.0	0.0	0.0
6/27/20 18:00	0.0	0.0	0.0
6/27/20 19:00	0.0	0.0	0.0
6/27/20 20:00	0.0	0.0	0.0
6/27/20 21:00	0.0	0.0	0.0
6/27/20 22:00	0.0	0.0	0.0
6/27/20 23:00	0.0	0.0	0.0
6/28/20 0:00	0.0	0.0	0.0
6/28/20 1:00	0.0	0.0	0.0
6/28/20 2:00	0.0	0.0	0.0
6/28/20 3:00	0.0	0.0	0.0
6/28/20 4:00	0.0	0.0	0.0
6/28/20 5:00	0.0	0.0	0.0
6/28/20 6:00	0.0	0.0	0.0
6/28/20 7:00	0.0	0.0	0.0
6/28/20 8:00	0.0	0.0	0.0
6/28/20 9:00	0.0	0.0	0.0
6/28/20 10:00	0.0	0.0	0.0
6/28/20 11:00	0.0	0.0	0.0
6/28/20 12:00	0.0	0.0	0.0
6/28/20 13:00	0.0	0.0	0.0
6/28/20 14:00	0.0	0.0	0.0
6/28/20 15:00	0.0	0.0	0.0
6/28/20 16:00	0.0	0.0	0.0
6/28/20 17:00	0.0	0.0	0.0
6/28/20 18:00	0.0	0.0	0.0
6/28/20 19:00	0.0	0.0	0.0
6/28/20 20:00	0.0	0.0	0.0
6/28/20 21:00	0.0	0.0	0.0
6/28/20 22:00	0.0	0.0	0.0
6/28/20 23:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/29/20 0:00	0.0	0.0	0.0
6/29/20 1:00	0.0	0.0	0.0
6/29/20 2:00	0.0	0.0	0.0
6/29/20 3:00	0.0	0.0	0.0
6/29/20 4:00	0.0	0.0	0.0
6/29/20 5:00	0.0	0.0	0.0
6/29/20 6:00	0.0	0.0	0.0
6/29/20 7:00	0.0	0.0	0.0
6/29/20 8:00	0.0	0.0	0.0
6/29/20 9:00	0.0	0.0	0.0
6/29/20 10:00	0.0	0.0	0.0
6/29/20 11:00	0.0	0.0	0.0
6/29/20 12:00	0.0	0.0	0.0
6/29/20 13:00	0.0	0.0	0.0
6/29/20 14:00	0.0	0.0	0.0
6/29/20 15:00	0.0	0.0	0.0
6/29/20 16:00	0.0	0.0	0.0
6/29/20 17:00	0.0	0.0	0.0
6/29/20 18:00	0.0	0.0	0.0
6/29/20 19:00	0.0	0.0	0.0
6/29/20 20:00	0.0	0.0	0.0
6/29/20 21:00	0.0	0.0	0.0
6/29/20 22:00	0.0	0.0	0.0
6/29/20 23:00	0.0	0.0	0.0
6/30/20 0:00	0.0	0.0	0.0
6/30/20 1:00	0.0	0.0	0.0
6/30/20 2:00	0.0	0.0	0.0
6/30/20 3:00	0.0	0.0	0.0
6/30/20 4:00	0.0	0.0	0.0
6/30/20 5:00	0.0	0.0	0.0
6/30/20 6:00	0.0	0.0	0.0
6/30/20 7:00	0.0	0.0	0.0
6/30/20 8:00	0.0	0.0	0.0
6/30/20 9:00	0.0	0.0	0.0
6/30/20 10:00	0.0	0.0	0.0
6/30/20 11:00	0.0	0.0	0.0
6/30/20 12:00	0.0	0.0	0.0
6/30/20 13:00	0.0	0.0	0.0
6/30/20 14:00	0.0	0.0	0.0
6/30/20 15:00	0.0	0.0	0.0
6/30/20 16:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/30/20 17:00	0.0	0.0	0.0
6/30/20 18:00	0.0	0.0	0.0
6/30/20 19:00	0.0	0.0	0.0
6/30/20 20:00	0.0	0.0	0.0
6/30/20 21:00	0.0	0.0	0.0
6/30/20 22:00	0.0	0.0	0.0
6/30/20 23:00	0.0	0.0	0.0
7/1/20 0:00	0.0	0.0	0.0
7/1/20 1:00	0.0	0.0	0.0
7/1/20 2:00	0.0	0.0	0.0
7/1/20 3:00	0.0	0.0	0.0
7/1/20 4:00	0.0	0.0	0.0
7/1/20 5:00	0.0	0.0	0.0
7/1/20 6:00	0.0	0.0	0.0
7/1/20 7:00	0.0	0.0	0.0
7/1/20 8:00	0.0	0.0	0.0
7/1/20 9:00	0.0	0.0	0.0
7/1/20 10:00	0.0	0.0	0.0
7/1/20 11:00	0.0	0.0	0.0
7/1/20 12:00	0.0	0.0	0.0
7/1/20 13:00	0.0	0.0	0.0
7/1/20 14:00	0.0	0.0	0.0
7/1/20 15:00	0.0	0.0	0.0
7/1/20 16:00	0.0	0.0	0.0
7/1/20 17:00	0.0	0.0	0.0
7/1/20 18:00	0.0	0.0	0.0
7/1/20 19:00	0.0	0.0	0.0
7/1/20 20:00	0.0	0.0	0.0
7/1/20 21:00	0.0	0.0	0.0
7/1/20 22:00	0.0	0.0	0.0
7/1/20 23:00	0.0	0.0	0.0
7/2/20 0:00	0.0	0.0	0.0
7/2/20 1:00	0.0	0.0	0.0
7/2/20 2:00	0.0	0.0	0.0
7/2/20 3:00	0.0	0.0	0.0
7/2/20 4:00	0.0	0.0	0.0
7/2/20 5:00	0.0	0.0	0.0
7/2/20 6:00	0.0	0.0	0.0
7/2/20 7:00	0.0	0.0	0.0
7/2/20 8:00	0.0	0.0	0.0
7/2/20 9:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/2/20 10:00	0.0	0.0	0.0
7/2/20 11:00	0.0	0.0	0.0
7/2/20 12:00	0.0	0.0	0.0
7/2/20 13:00	0.0	0.0	0.0
7/2/20 14:00	0.0	0.0	0.0
7/2/20 15:00	0.0	0.0	0.0
7/2/20 16:00	0.0	0.0	0.0
7/2/20 17:00	0.0	0.0	0.0
7/2/20 18:00	0.0	0.0	0.0
7/2/20 19:00	0.0	0.0	0.0
7/2/20 20:00	0.0	0.0	0.0
7/2/20 21:00	0.0	0.0	0.0
7/2/20 22:00	0.0	0.0	0.0
7/2/20 23:00	0.0	0.0	0.0
7/3/20 0:00	0.0	0.0	0.0
7/3/20 1:00	0.0	0.0	0.0
7/3/20 2:00	0.0	0.0	0.0
7/3/20 3:00	0.0	0.0	0.0
7/3/20 4:00	0.0	0.0	0.0
7/3/20 5:00	0.0	0.0	0.0
7/3/20 6:00	0.0	0.0	0.0
7/3/20 7:00	0.0	0.0	0.0
7/3/20 8:00	0.0	0.0	0.0
7/3/20 9:00	0.0	0.0	0.0
7/3/20 10:00	0.0	0.0	0.0
7/3/20 11:00	0.0	0.0	0.0
7/3/20 12:00	0.0	0.0	0.0
7/3/20 13:00	0.0	0.0	0.0
7/3/20 14:00	0.0	0.0	0.0
7/3/20 15:00	0.0	0.0	0.0
7/3/20 16:00	0.0	0.0	0.0
7/3/20 17:00	0.0	0.0	0.0
7/3/20 18:00	0.0	0.0	0.0
7/3/20 19:00	0.0	0.0	0.0
7/3/20 20:00	0.0	0.0	0.0
7/3/20 21:00	0.0	0.0	0.0
7/3/20 22:00	0.0	0.0	0.0
7/3/20 23:00	0.0	0.0	0.0
7/4/20 0:00	0.0	0.0	0.0
7/4/20 1:00	0.0	0.0	0.0
7/4/20 2:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/4/20 3:00	0.0	0.0	0.0
7/4/20 4:00	0.0	0.0	0.0
7/4/20 5:00	0.0	0.0	0.0
7/4/20 6:00	0.0	0.0	0.0
7/4/20 7:00	0.0	0.0	0.0
7/4/20 8:00	0.0	0.0	0.0
7/4/20 9:00	0.0	0.0	0.0
7/4/20 10:00	0.0	0.0	0.0
7/4/20 11:00	0.0	0.0	0.0
7/4/20 12:00	0.0	0.0	0.0
7/4/20 13:00	0.0	0.0	0.0
7/4/20 14:00	0.0	0.0	0.0
7/4/20 15:00	0.0	0.0	0.0
7/4/20 16:00	0.0	0.0	0.0
7/4/20 17:00	0.0	0.0	0.0
7/4/20 18:00	0.0	0.0	0.0
7/4/20 19:00	0.0	0.0	0.0
7/4/20 20:00	0.0	0.0	0.0
7/4/20 21:00	0.0	0.0	0.0
7/4/20 22:00	0.0	0.0	0.0
7/4/20 23:00	0.0	0.0	0.0
7/5/20 0:00	0.0	0.0	0.0
7/5/20 1:00	0.0	0.0	0.0
7/5/20 2:00	0.0	0.0	0.0
7/5/20 3:00	0.0	0.0	0.0
7/5/20 4:00	0.0	0.0	0.0
7/5/20 5:00	0.0	0.0	0.0
7/5/20 6:00	0.0	0.0	0.0
7/5/20 7:00	0.0	0.0	0.0
7/5/20 8:00	0.0	0.0	0.0
7/5/20 9:00	0.0	0.0	0.0
7/5/20 10:00	0.0	0.0	0.0
7/5/20 11:00	0.0	0.0	0.0
7/5/20 12:00	0.0	0.0	0.0
7/5/20 13:00	0.0	0.0	0.0
7/5/20 14:00	0.0	0.0	0.0
7/5/20 15:00	0.0	0.0	0.0
7/5/20 16:00	0.0	0.0	0.0
7/5/20 17:00	0.0	0.0	0.0
7/5/20 18:00	0.0	0.0	0.0
7/5/20 19:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/5/20 20:00	0.0	0.0	0.0
7/5/20 21:00	0.0	0.0	0.0
7/5/20 22:00	0.0	0.0	0.0
7/5/20 23:00	0.0	0.0	0.0
7/6/20 0:00	0.0	0.0	0.0
7/6/20 1:00	0.0	0.0	0.0
7/6/20 2:00	0.0	0.0	0.0
7/6/20 3:00	0.0	0.0	0.0
7/6/20 4:00	0.0	0.0	0.0
7/6/20 5:00	0.0	0.0	0.0
7/6/20 6:00	0.0	0.0	0.0
7/6/20 7:00	0.0	0.0	0.0
7/6/20 8:00	0.0	0.0	0.0
7/6/20 9:00	0.0	0.0	0.0
7/6/20 10:00	0.0	0.0	0.0
7/6/20 11:00	0.0	0.0	0.0
7/6/20 12:00	0.0	0.0	0.0
7/6/20 13:00	0.0	0.0	0.0
7/6/20 14:00	0.0	0.0	0.0
7/6/20 15:00	0.0	0.0	0.0
7/6/20 16:00	0.0	0.0	0.0
7/6/20 17:00	0.0	0.0	0.0
7/6/20 18:00	0.0	0.0	0.0
7/6/20 19:00	0.0	0.0	0.0
7/6/20 20:00	0.0	0.0	0.0
7/6/20 21:00	0.0	0.0	0.0
7/6/20 22:00	0.0	0.0	0.0
7/6/20 23:00	0.0	0.0	0.0
7/7/20 0:00	0.0	0.0	0.0
7/7/20 1:00	0.0	0.0	0.0
7/7/20 2:00	0.0	0.0	0.0
7/7/20 3:00	0.0	0.0	0.0
7/7/20 4:00	0.0	0.0	0.0
7/7/20 5:00	0.0	0.0	0.0
7/7/20 6:00	0.0	0.0	0.0
7/7/20 7:00	0.0	0.0	0.0
7/7/20 8:00	0.0	0.0	0.0
7/7/20 9:00	0.0	0.0	0.0
7/7/20 10:00	0.0	0.0	0.0
7/7/20 11:00	0.0	0.0	0.0
7/7/20 12:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/7/20 13:00	0.0	0.0	0.0
7/7/20 14:00	0.0	0.0	0.0
7/7/20 15:00	0.0	0.0	0.0
7/7/20 16:00	0.0	0.0	0.0
7/7/20 17:00	0.0	0.0	0.0
7/7/20 18:00	0.0	0.0	0.0
7/7/20 19:00	0.0	0.0	0.0
7/7/20 20:00	0.0	0.0	0.0
7/7/20 21:00	0.0	0.0	0.0
7/7/20 22:00	0.0	0.0	0.0
7/7/20 23:00	0.0	0.0	0.0
7/8/20 0:00	0.0	0.0	0.0
7/8/20 1:00	0.0	0.0	0.0
7/8/20 2:00	0.0	0.0	0.0
7/8/20 3:00	0.0	0.0	0.0
7/8/20 4:00	0.0	0.0	0.0
7/8/20 5:00	0.0	0.0	0.0
7/8/20 6:00	0.0	0.0	0.0
7/8/20 7:00	0.0	0.0	0.0
7/8/20 8:00	0.0	0.0	0.0
7/8/20 9:00	0.0	0.0	0.0
7/8/20 10:00	0.0	0.0	0.0
7/8/20 11:00	0.0	0.0	0.0
7/8/20 12:00	0.0	0.0	0.0
7/8/20 13:00	0.0	0.0	0.0
7/8/20 14:00	0.0	0.0	0.0
7/8/20 15:00	0.0	0.0	0.0
7/8/20 16:00	0.0	0.0	0.0
7/8/20 17:00	0.0	0.0	0.0
7/8/20 18:00	0.0	0.0	0.0
7/8/20 19:00	0.0	0.0	0.0
7/8/20 20:00	0.0	0.0	0.0
7/8/20 21:00	0.0	0.0	0.0
7/8/20 22:00	0.0	0.0	0.0
7/8/20 23:00	0.0	0.0	0.0
7/9/20 0:00	0.0	0.0	0.0
7/9/20 1:00	0.0	0.0	0.0
7/9/20 2:00	0.0	0.0	0.0
7/9/20 3:00	0.0	0.0	0.0
7/9/20 4:00	0.0	0.0	0.0
7/9/20 5:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/9/20 6:00	0.0	0.0	0.0
7/9/20 7:00	0.0	0.0	0.0
7/9/20 8:00	0.0	0.0	0.0
7/9/20 9:00	0.0	0.0	0.0
7/9/20 10:00	0.0	0.0	0.0
7/9/20 11:00	0.0	0.0	0.0
7/9/20 12:00	0.0	0.0	0.0
7/9/20 13:00	0.0	0.0	0.0
7/9/20 14:00	0.0	0.0	0.0
7/9/20 15:00	0.0	0.0	0.0
7/9/20 16:00	0.0	0.0	0.0
7/9/20 17:00	0.0	0.0	0.0
7/9/20 18:00	0.0	0.0	0.0
7/9/20 19:00	0.0	0.0	0.0
7/9/20 20:00	0.0	0.0	0.0
7/9/20 21:00	0.0	0.0	0.0
7/9/20 22:00	0.0	0.0	0.0
7/9/20 23:00	0.0	0.0	0.0
7/10/20 0:00	0.0	0.0	0.0
7/10/20 1:00	0.0	0.0	0.0
7/10/20 2:00	0.0	0.0	0.0
7/10/20 3:00	0.0	0.0	0.0
7/10/20 4:00	0.0	0.0	0.0
7/10/20 5:00	0.0	0.0	0.0
7/10/20 6:00	0.0	0.0	0.0
7/10/20 7:00	0.0	0.0	0.0
7/10/20 8:00	0.0	0.0	0.0
7/10/20 9:00	0.0	0.0	0.0
7/10/20 10:00	0.0	0.0	0.0
7/10/20 11:00	0.0	0.0	0.0
7/10/20 12:00	0.0	0.0	0.0
7/10/20 13:00	0.0	0.0	0.0
7/10/20 14:00	0.0	0.0	0.0
7/10/20 15:00	0.0	0.0	0.0
7/10/20 16:00	0.0	0.0	0.0
7/10/20 17:00	0.0	0.0	0.0
7/10/20 18:00	0.0	0.0	0.0
7/10/20 19:00	0.0	0.0	0.0
7/10/20 20:00	0.0	0.0	0.0
7/10/20 21:00	0.0	0.0	0.0
7/10/20 22:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/10/20 23:00	0.0	0.0	0.0
7/11/20 0:00	0.0	0.0	0.0
7/11/20 1:00	0.0	0.0	0.0
7/11/20 2:00	0.0	0.0	0.0
7/11/20 3:00	0.0	0.0	0.0
7/11/20 4:00	0.0	0.0	0.0
7/11/20 5:00	0.0	0.0	0.0
7/11/20 6:00	0.0	0.0	0.0
7/11/20 7:00	0.0	0.0	0.0
7/11/20 8:00	0.0	0.0	0.0
7/11/20 9:00	0.0	0.0	0.0
7/11/20 10:00	0.0	0.0	0.0
7/11/20 11:00	0.0	0.0	0.0
7/11/20 12:00	0.0	0.0	0.0
7/11/20 13:00	0.0	0.0	0.0
7/11/20 14:00	0.0	0.0	0.0
7/11/20 15:00	0.0	0.0	0.0
7/11/20 16:00	0.0	0.0	0.0
7/11/20 17:00	0.0	0.0	0.0
7/11/20 18:00	0.0	0.0	0.0
7/11/20 19:00	0.0	0.0	0.0
7/11/20 20:00	0.0	0.0	0.0
7/11/20 21:00	0.0	0.0	0.0
7/11/20 22:00	0.0	0.0	0.0
7/11/20 23:00	0.0	0.0	0.0
7/12/20 0:00	0.0	0.0	0.0
7/12/20 1:00	0.0	0.0	0.0
7/12/20 2:00	0.0	0.0	0.0
7/12/20 3:00	0.0	0.0	0.0
7/12/20 4:00	0.0	0.0	0.0
7/12/20 5:00	0.0	0.0	0.0
7/12/20 6:00	0.0	0.0	0.0
7/12/20 7:00	0.0	0.0	0.0
7/12/20 8:00	0.0	0.0	0.0
7/12/20 9:00	0.0	0.0	0.0
7/12/20 10:00	0.0	0.0	0.0
7/12/20 11:00	0.0	0.0	0.0
7/12/20 12:00	0.0	0.0	0.0
7/12/20 13:00	0.0	0.0	0.0
7/12/20 14:00	0.0	0.0	0.0
7/12/20 15:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/12/20 16:00	0.0	0.0	0.0
7/12/20 17:00	0.0	0.0	0.0
7/12/20 18:00	0.0	0.0	0.0
7/12/20 19:00	0.0	0.0	0.0
7/12/20 20:00	0.0	0.0	0.0
7/12/20 21:00	0.0	0.0	0.0
7/12/20 22:00	0.0	0.0	0.0
7/12/20 23:00	0.0	0.0	0.0
7/13/20 0:00	0.0	0.0	0.0
7/13/20 1:00	0.0	0.0	0.0
7/13/20 2:00	0.0	0.0	0.0
7/13/20 3:00	0.0	0.0	0.0
7/13/20 4:00	0.0	0.0	0.0
7/13/20 5:00	0.0	0.0	0.0
7/13/20 6:00	0.0	0.0	0.0
7/13/20 7:00	0.0	0.0	0.0
7/13/20 8:00	0.0	0.0	0.0
7/13/20 9:00	0.0	0.0	0.0
7/13/20 10:00	0.0	0.0	0.0
7/13/20 11:00	0.0	0.0	0.0
7/13/20 12:00	0.0	0.0	0.0
7/13/20 13:00	0.0	0.0	0.0
7/13/20 14:00	0.0	0.0	0.0
7/13/20 15:00	0.0	0.0	0.0
7/13/20 16:00	0.0	0.0	0.0
7/13/20 17:00	0.0	0.0	0.0
7/13/20 18:00	0.0	0.0	0.0
7/13/20 19:00	0.0	0.0	0.0
7/13/20 20:00	0.0	0.0	0.0
7/13/20 21:00	0.0	0.0	0.0
7/13/20 22:00	0.0	0.0	0.0
7/13/20 23:00	0.0	0.0	0.0
7/14/20 0:00	0.0	0.0	0.0
7/14/20 1:00	0.0	0.0	0.0
7/14/20 2:00	0.0	0.0	0.0
7/14/20 3:00	0.0	0.0	0.0
7/14/20 4:00	0.0	0.0	0.0
7/14/20 5:00	0.0	0.0	0.0
7/14/20 6:00	0.0	0.0	0.0
7/14/20 7:00	0.0	0.0	0.0
7/14/20 8:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/14/20 9:00	0.0	0.0	0.0
7/14/20 10:00	0.0	0.0	0.0
7/14/20 11:00	0.0	0.0	0.0
7/14/20 12:00	0.0	0.0	0.0
7/14/20 13:00	0.0	0.0	0.0
7/14/20 14:00	0.0	0.0	0.0
7/14/20 15:00	0.0	0.0	0.0
7/14/20 16:00	0.0	0.0	0.0
7/14/20 17:00	0.0	0.0	0.0
7/14/20 18:00	0.0	0.0	0.0
7/14/20 19:00	0.0	0.0	0.0
7/14/20 20:00	0.0	0.0	0.0
7/14/20 21:00	0.0	0.0	0.0
7/14/20 22:00	0.0	0.0	0.0
7/14/20 23:00	0.0	0.0	0.0
7/15/20 0:00	0.0	0.0	0.0
7/15/20 1:00	0.0	0.0	0.0
7/15/20 2:00	0.0	0.0	0.0
7/15/20 3:00	0.0	0.0	0.0
7/15/20 4:00	0.0	0.0	0.0
7/15/20 5:00	0.0	0.0	0.0
7/15/20 6:00	0.0	0.0	0.0
7/15/20 7:00	0.0	0.0	0.0
7/15/20 8:00	0.0	0.0	0.0
7/15/20 9:00	0.0	0.0	0.0
7/15/20 10:00	0.0	0.0	0.0
7/15/20 11:00	0.0	0.0	0.0
7/15/20 12:00	0.0	0.0	0.0
7/15/20 13:00	0.0	0.0	0.0
7/15/20 14:00	0.0	0.0	0.0
7/15/20 15:00	0.0	0.0	0.0
7/15/20 16:00	0.0	0.0	0.0
7/15/20 17:00	0.0	0.0	0.0
7/15/20 18:00	0.0	0.0	0.0
7/15/20 19:00	0.0	0.0	0.0
7/15/20 20:00	0.0	0.0	0.0
7/15/20 21:00	0.0	0.0	0.0
7/15/20 22:00	0.0	0.0	0.0
7/15/20 23:00	0.0	0.0	0.0
7/16/20 0:00	0.0	0.0	0.0
7/16/20 1:00	0.0	0.0	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/16/20 2:00	0.0	0.0	0.0
7/16/20 3:00	0.0	0.0	0.0
7/16/20 4:00	0.0	0.0	0.0
7/16/20 5:00	0.0	0.0	0.0
7/16/20 6:00	0.0	0.0	0.0
7/16/20 7:00	0.0	0.0	0.0
7/16/20 8:00	0.0	0.0	0.0
7/16/20 9:00	0.0	0.0	0.0
7/16/20 10:00	0.0	0.0	0.0
7/16/20 11:00	0.0	0.0	0.0
7/16/20 12:00	0.1	0.0	0.0
7/16/20 13:00	0.1	0.0	0.0
7/16/20 14:00	0.1	0.0	0.0
7/16/20 15:00	0.1	0.0	0.0
7/16/20 16:00	0.1	0.0	0.0
7/16/20 17:00	0.1	0.0	0.0
7/16/20 18:00	0.1	0.0	0.0
7/16/20 19:00	0.1	0.0	0.0
7/16/20 20:00	0.1	0.0	0.0
7/16/20 21:00	0.1	0.0	0.0
7/16/20 22:00	0.1	0.1	0.0
7/16/20 23:00	0.1	0.1	0.0
7/17/20 0:00	0.2	0.1	0.0
7/17/20 1:00	0.3	0.1	0.0
7/17/20 2:00	0.2	0.1	0.0
7/17/20 3:00	0.1	0.1	0.0
7/17/20 4:00	0.1	0.1	0.0
7/17/20 5:00	0.3	0.1	0.0
7/17/20 6:00	0.2	0.1	0.0
7/17/20 7:00	0.1	0.1	0.0
7/17/20 8:00	0.1	0.1	0.0
7/17/20 9:00	0.1	0.1	0.0
7/17/20 10:00	0.1	0.1	0.0
7/17/20 11:00	0.1	0.1	0.0
7/17/20 12:00	0.2	0.1	0.0
7/17/20 13:00	0.1	0.1	0.0
7/17/20 14:00	0.1	0.1	0.0
7/17/20 15:00	0.2	0.1	0.0
7/17/20 16:00	0.2	0.2	0.0
7/17/20 17:00	0.2	0.2	0.0
7/17/20 18:00	0.1	0.2	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/17/20 19:00	0.1	0.2	0.0
7/17/20 20:00	0.1	0.2	0.0
7/17/20 21:00	0.1	0.2	0.0
7/17/20 22:00	0.2	0.2	0.0
7/17/20 23:00	0.1	0.2	0.0
7/18/20 0:00	0.1	0.2	0.0
7/18/20 1:00	0.1	0.2	0.0
7/18/20 2:00	0.2	0.2	0.0
7/18/20 3:00	0.2	0.2	0.0
7/18/20 4:00	0.2	0.2	0.0
7/18/20 5:00	0.2	0.2	0.0
7/18/20 6:00	0.2	0.2	0.0
7/18/20 7:00	0.2	0.2	0.0
7/18/20 8:00	0.2	0.2	0.0
7/18/20 9:00	0.2	0.2	0.0
7/18/20 10:00	0.2	0.2	0.0
7/18/20 11:00	0.1	0.2	0.0
7/18/20 12:00	0.1	0.2	0.0
7/18/20 13:00	0.1	0.2	0.0
7/18/20 14:00	0.1	0.2	0.0
7/18/20 15:00	0.1	0.2	0.0
7/18/20 16:00	0.1	0.2	0.0
7/18/20 17:00	0.1	0.2	0.0
7/18/20 18:00	0.1	0.2	0.0
7/18/20 19:00	0.2	0.2	0.0
7/18/20 20:00	0.2	0.2	0.0
7/18/20 21:00	0.1	0.2	0.0
7/18/20 22:00	0.2	0.2	0.0
7/18/20 23:00	0.2	0.2	0.0
7/19/20 0:00	0.2	0.2	0.0
7/19/20 1:00	0.2	0.2	0.0
7/19/20 2:00	0.2	0.2	0.0
7/19/20 3:00	0.1	0.2	0.0
7/19/20 4:00	0.1	0.2	0.0
7/19/20 5:00	0.2	0.2	0.0
7/19/20 6:00	0.1	0.1	0.0
7/19/20 7:00	0.1	0.1	0.0
7/19/20 8:00	0.2	0.1	0.0
7/19/20 9:00	0.2	0.1	0.0
7/19/20 10:00	0.2	0.1	0.0
7/19/20 11:00	0.2	0.1	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/19/20 12:00	0.2	0.1	0.0
7/19/20 13:00	0.2	0.2	0.0
7/19/20 14:00	0.2	0.2	0.0
7/19/20 15:00	0.1	0.2	0.0
7/19/20 16:00	0.1	0.2	0.0
7/19/20 17:00	0.1	0.2	0.0
7/19/20 18:00	0.1	0.2	0.0
7/19/20 19:00	0.1	0.2	0.0
7/19/20 20:00	0.3	0.2	0.0
7/19/20 21:00	0.2	0.2	0.0
7/19/20 22:00	0.2	0.2	0.0
7/19/20 23:00	0.2	0.2	0.0
7/20/20 0:00	0.2	0.2	0.0
7/20/20 1:00	0.1	0.2	0.0
7/20/20 2:00	0.1	0.2	0.0
7/20/20 3:00	0.1	0.2	0.0
7/20/20 4:00	0.1	0.2	0.0
7/20/20 5:00	0.1	0.2	0.0
7/20/20 6:00	0.1	0.2	0.0
7/20/20 7:00	0.1	0.2	0.0
7/20/20 8:00	0.1	0.2	0.0
7/20/20 9:00	0.2	0.2	0.0
7/20/20 10:00	0.1	0.2	0.0
7/20/20 11:00	0.0	0.2	0.0
7/20/20 12:00	0.1	0.1	0.0
7/20/20 13:00	0.1	0.1	0.0
7/20/20 14:00	0.1	0.1	0.0
7/20/20 15:00	0.1	0.1	0.0
7/20/20 16:00	0.2	0.1	0.0
7/20/20 17:00	0.1	0.1	0.0
7/20/20 18:00	0.1	0.1	0.0
7/20/20 19:00	0.1	0.1	0.0
7/20/20 20:00	0.1	0.1	0.0
7/20/20 21:00	0.1	0.1	0.0
7/20/20 22:00	0.1	0.1	0.0
7/20/20 23:00	0.1	0.1	0.0
7/21/20 0:00	0.1	0.1	0.0
7/21/20 1:00	0.1	0.1	0.0
7/21/20 2:00	0.1	0.1	0.0
7/21/20 3:00	0.1	0.1	0.0
7/21/20 4:00	0.1	0.1	0.0

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/21/20 5:00	0.1	0.1	0.0
7/21/20 6:00	0.1	0.1	0.0
7/21/20 7:00	0.1	0.1	0.0
7/21/20 8:00	0.1	0.1	0.0
7/21/20 9:00	4.1	0.3	0.0
7/21/20 10:00	0.1	0.3	0.0
7/21/20 11:00	0.1	0.3	0.0
7/21/20 12:00	0.2	0.3	0.0
7/21/20 13:00	0.2	0.3	0.0
7/21/20 14:00	0.1	0.3	0.0
7/21/20 15:00	0.1	0.3	0.0
7/21/20 16:00	0.2	0.3	0.0
7/21/20 17:00	9.5	0.7	0.0
7/21/20 18:00	0.3	0.7	0.0
7/21/20 19:00	0.2	0.7	0.0
7/21/20 20:00	0.2	0.7	0.0
7/21/20 21:00	0.1	0.7	0.0
7/21/20 22:00	0.1	0.7	0.0
7/21/20 23:00	0.1	0.7	0.0
7/22/20 0:00	0.3	0.7	0.0
7/22/20 1:00	0.2	0.7	0.0
7/22/20 2:00	0.2	0.7	0.0
7/22/20 3:00	0.2	0.7	0.0
7/22/20 4:00	0.2	0.7	0.0
7/22/20 5:00	0.2	0.7	0.0
7/22/20 6:00	0.2	0.7	0.0
7/22/20 7:00	0.2	0.7	0.0
7/22/20 8:00	0.2	0.7	0.0
7/22/20 9:00	0.2	0.6	0.0
7/22/20 10:00	0.2	0.6	0.0
7/22/20 11:00	0.2	0.6	0.0
7/22/20 12:00	0.2	0.6	0.0
7/22/20 13:00	0.2	0.6	0.0
7/22/20 14:00	0.2	0.6	0.0
7/22/20 15:00	0.2	0.6	0.0
7/22/20 16:00	0.1	0.6	0.0
7/22/20 17:00	0.1	0.2	0.0
7/22/20 18:00	0.1	0.2	0.0
7/22/20 19:00	0.2	0.2	0.0
7/22/20 20:00	0.2	0.2	0.1
7/22/20 21:00	0.2	0.2	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/22/20 22:00	0.2	0.2	0.1
7/22/20 23:00	0.2	0.2	0.1
7/23/20 0:00	0.1	0.2	0.1
7/23/20 1:00	0.1	0.2	0.1
7/23/20 2:00	0.1	0.2	0.1
7/23/20 3:00	0.1	0.2	0.1
7/23/20 4:00	0.1	0.2	0.1
7/23/20 5:00	0.1	0.2	0.1
7/23/20 6:00	0.1	0.2	0.1
7/23/20 7:00	0.1	0.2	0.1
7/23/20 8:00	0.2	0.2	0.1
7/23/20 9:00	0.1	0.1	0.1
7/23/20 10:00	0.1	0.1	0.1
7/23/20 11:00	0.1	0.1	0.1
7/23/20 12:00	0.2	0.1	0.1
7/23/20 13:00	0.1	0.1	0.1
7/23/20 14:00	0.1	0.1	0.1
7/23/20 15:00	0.2	0.1	0.1
7/23/20 16:00	0.1	0.1	0.1
7/23/20 17:00	0.1	0.1	0.1
7/23/20 18:00	0.1	0.1	0.1
7/23/20 19:00	0.1	0.1	0.1
7/23/20 20:00	0.2	0.1	0.1
7/23/20 21:00	0.2	0.1	0.1
7/23/20 22:00	0.1	0.1	0.1
7/23/20 23:00	0.1	0.1	0.1
7/24/20 0:00	0.2	0.1	0.1
7/24/20 1:00	0.2	0.1	0.1
7/24/20 2:00	0.1	0.1	0.1
7/24/20 3:00	0.2	0.1	0.1
7/24/20 4:00	0.2	0.1	0.1
7/24/20 5:00	0.2	0.1	0.1
7/24/20 6:00	0.1	0.1	0.1
7/24/20 7:00	0.1	0.1	0.1
7/24/20 8:00	0.1	0.1	0.1
7/24/20 9:00	0.1	0.1	0.1
7/24/20 10:00	0.1	0.1	0.1
7/24/20 11:00	0.1	0.1	0.1
7/24/20 12:00	0.1	0.1	0.1
7/24/20 13:00	0.1	0.1	0.1
7/24/20 14:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/24/20 15:00	0.1	0.1	0.1
7/24/20 16:00	0.1	0.1	0.1
7/24/20 17:00	0.1	0.1	0.1
7/24/20 18:00	0.1	0.1	0.1
7/24/20 19:00	0.1	0.1	0.1
7/24/20 20:00	0.1	0.1	0.1
7/24/20 21:00	0.1	0.1	0.1
7/24/20 22:00	0.1	0.1	0.1
7/24/20 23:00	0.1	0.1	0.1
7/25/20 0:00	0.1	0.1	0.1
7/25/20 1:00	0.2	0.1	0.1
7/25/20 2:00	0.2	0.1	0.1
7/25/20 3:00	0.2	0.1	0.1
7/25/20 4:00	0.2	0.1	0.1
7/25/20 5:00	0.1	0.1	0.1
7/25/20 6:00	0.2	0.1	0.1
7/25/20 7:00	0.2	0.1	0.1
7/25/20 8:00	0.1	0.1	0.1
7/25/20 9:00	0.1	0.1	0.1
7/25/20 10:00	0.1	0.1	0.1
7/25/20 11:00	0.2	0.1	0.1
7/25/20 12:00	0.2	0.1	0.1
7/25/20 13:00	0.2	0.1	0.1
7/25/20 14:00	0.1	0.1	0.1
7/25/20 15:00	0.1	0.1	0.1
7/25/20 16:00	0.2	0.1	0.1
7/25/20 17:00	0.1	0.1	0.1
7/25/20 18:00	0.2	0.1	0.1
7/25/20 19:00	0.1	0.1	0.1
7/25/20 20:00	0.1	0.1	0.1
7/25/20 21:00	0.1	0.1	0.1
7/25/20 22:00	0.1	0.1	0.1
7/25/20 23:00	0.1	0.1	0.1
7/26/20 0:00	0.1	0.1	0.1
7/26/20 1:00	0.2	0.1	0.1
7/26/20 2:00	0.2	0.1	0.1
7/26/20 3:00	0.2	0.1	0.1
7/26/20 4:00	0.2	0.1	0.1
7/26/20 5:00	0.2	0.2	0.1
7/26/20 6:00	0.2	0.2	0.1
7/26/20 7:00	0.2	0.2	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/26/20 8:00	0.2	0.2	0.1
7/26/20 9:00	0.2	0.2	0.1
7/26/20 10:00	0.2	0.2	0.1
7/26/20 11:00	0.2	0.2	0.1
7/26/20 12:00	0.1	0.2	0.1
7/26/20 13:00	0.2	0.2	0.1
7/26/20 14:00	0.1	0.2	0.1
7/26/20 15:00	0.1	0.2	0.1
7/26/20 16:00	0.1	0.2	0.1
7/26/20 17:00	0.1	0.2	0.1
7/26/20 18:00	0.1	0.2	0.1
7/26/20 19:00	0.1	0.2	0.1
7/26/20 20:00	0.1	0.2	0.1
7/26/20 21:00	0.2	0.2	0.1
7/26/20 22:00	0.2	0.2	0.1
7/26/20 23:00	0.2	0.2	0.1
7/27/20 0:00	0.2	0.2	0.1
7/27/20 1:00	0.1	0.2	0.1
7/27/20 2:00	0.1	0.2	0.1
7/27/20 3:00	0.2	0.2	0.1
7/27/20 4:00	0.2	0.2	0.1
7/27/20 5:00	0.2	0.2	0.1
7/27/20 6:00	0.1	0.2	0.1
7/27/20 7:00	0.1	0.2	0.1
7/27/20 8:00	0.2	0.2	0.1
7/27/20 9:00	0.2	0.2	0.1
7/27/20 10:00	0.1	0.2	0.1
7/27/20 11:00	0.1	0.1	0.1
7/27/20 12:00	0.1	0.1	0.1
7/27/20 13:00	0.2	0.1	0.1
7/27/20 14:00	0.1	0.1	0.1
7/27/20 15:00	0.1	0.1	0.1
7/27/20 16:00	0.2	0.1	0.1
7/27/20 17:00	0.2	0.1	0.1
7/27/20 18:00	0.2	0.1	0.1
7/27/20 19:00	0.2	0.2	0.1
7/27/20 20:00	0.2	0.2	0.1
7/27/20 21:00	0.2	0.2	0.1
7/27/20 22:00	0.1	0.1	0.1
7/27/20 23:00	0.1	0.1	0.1
7/28/20 0:00	0.2	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/28/20 1:00	0.2	0.1	0.1
7/28/20 2:00	0.2	0.2	0.1
7/28/20 3:00	0.2	0.2	0.1
7/28/20 4:00	0.1	0.1	0.1
7/28/20 5:00	0.1	0.1	0.1
7/28/20 6:00	0.1	0.1	0.1
7/28/20 7:00	0.1	0.1	0.1
7/28/20 8:00	0.1	0.1	0.1
7/28/20 9:00	0.2	0.1	0.1
7/28/20 10:00	0.2	0.1	0.1
7/28/20 11:00	0.3	0.2	0.1
7/28/20 12:00	0.2	0.2	0.1
7/28/20 13:00	0.1	0.2	0.1
7/28/20 14:00	0.1	0.2	0.1
7/28/20 15:00	0.1	0.2	0.1
7/28/20 16:00	0.2	0.2	0.1
7/28/20 17:00	0.3	0.2	0.1
7/28/20 18:00	0.1	0.2	0.1
7/28/20 19:00	0.1	0.2	0.1
7/28/20 20:00	0.2	0.2	0.1
7/28/20 21:00	0.2	0.2	0.1
7/28/20 22:00	0.2	0.2	0.1
7/28/20 23:00	0.2	0.2	0.1
7/29/20 0:00	0.2	0.2	0.1
7/29/20 1:00	0.2	0.2	0.1
7/29/20 2:00	0.2	0.2	0.1
7/29/20 3:00	0.1	0.2	0.1
7/29/20 4:00	0.1	0.2	0.1
7/29/20 5:00	0.2	0.2	0.1
7/29/20 6:00	0.3	0.2	0.1
7/29/20 7:00	0.2	0.2	0.1
7/29/20 8:00	0.2	0.2	0.1
7/29/20 9:00	0.2	0.2	0.1
7/29/20 10:00	0.2	0.2	0.1
7/29/20 11:00	0.2	0.2	0.1
7/29/20 12:00	0.2	0.2	0.1
7/29/20 13:00	0.2	0.2	0.1
7/29/20 14:00	0.2	0.2	0.1
7/29/20 15:00	0.1	0.2	0.1
7/29/20 16:00	0.1	0.2	0.1
7/29/20 17:00	0.2	0.2	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/29/20 18:00	0.1	0.2	0.1
7/29/20 19:00	0.2	0.2	0.1
7/29/20 20:00	0.1	0.2	0.1
7/29/20 21:00	0.1	0.2	0.1
7/29/20 22:00	0.2	0.2	0.1
7/29/20 23:00	0.3	0.2	0.1
7/30/20 0:00	0.2	0.2	0.1
7/30/20 1:00	0.1	0.2	0.1
7/30/20 2:00	0.2	0.2	0.1
7/30/20 3:00	0.3	0.2	0.1
7/30/20 4:00	0.3	0.2	0.1
7/30/20 5:00	0.3	0.2	0.1
7/30/20 6:00	0.2	0.2	0.1
7/30/20 7:00	0.2	0.2	0.1
7/30/20 8:00	0.1	0.2	0.1
7/30/20 9:00	0.3	0.2	0.1
7/30/20 10:00	0.2	0.2	0.1
7/30/20 11:00	0.2	0.2	0.1
7/30/20 12:00	0.2	0.2	0.1
7/30/20 13:00	0.2	0.2	0.1
7/30/20 14:00	0.2	0.2	0.1
7/30/20 15:00	0.2	0.2	0.1
7/30/20 16:00	0.2	0.2	0.1
7/30/20 17:00	0.2	0.2	0.1
7/30/20 18:00	0.3	0.2	0.1
7/30/20 19:00	0.4	0.2	0.1
7/30/20 20:00	0.4	0.2	0.1
7/30/20 21:00	0.2	0.2	0.1
7/30/20 22:00	0.3	0.2	0.1
7/30/20 23:00	0.2	0.2	0.1
7/31/20 0:00	0.2	0.2	0.1
7/31/20 1:00	0.2	0.2	0.1
7/31/20 2:00	0.2	0.2	0.1
7/31/20 3:00	0.2	0.2	0.1
7/31/20 4:00	0.6	0.2	0.1
7/31/20 5:00	2.1	0.3	0.1
7/31/20 6:00	1.4	0.4	0.1
7/31/20 7:00	1.1	0.4	0.1
7/31/20 8:00	1.2	0.4	0.1
7/31/20 9:00	1.1	0.5	0.1
7/31/20 10:00	0.1	0.5	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/31/20 11:00	0.8	0.5	0.1
7/31/20 12:00	0.8	0.5	0.1
7/31/20 13:00	0.9	0.6	0.1
7/31/20 14:00	0.3	0.6	0.1
7/31/20 15:00	0.2	0.6	0.1
7/31/20 16:00	0.2	0.6	0.1
7/31/20 17:00	0.3	0.6	0.1
7/31/20 18:00	0.1	0.6	0.1
7/31/20 19:00	0.2	0.6	0.1
7/31/20 20:00	0.1	0.5	0.1
7/31/20 21:00	0.0	0.5	0.1
7/31/20 22:00	0.1	0.5	0.1
7/31/20 23:00	0.1	0.5	0.1
8/1/20 0:00	0.2	0.5	0.1
8/1/20 1:00	0.1	0.5	0.1
8/1/20 2:00	0.2	0.5	0.1
8/1/20 3:00	0.1	0.5	0.1
8/1/20 4:00	0.1	0.5	0.1
8/1/20 5:00	0.2	0.4	0.1
8/1/20 6:00	0.2	0.4	0.1
8/1/20 7:00	0.2	0.3	0.1
8/1/20 8:00	0.1	0.3	0.1
8/1/20 9:00	0.1	0.2	0.1
8/1/20 10:00	0.1	0.2	0.1
8/1/20 11:00	0.1	0.2	0.1
8/1/20 12:00	0.1	0.2	0.1
8/1/20 13:00	0.2	0.1	0.1
8/1/20 14:00	0.1	0.1	0.1
8/1/20 15:00	0.1	0.1	0.1
8/1/20 16:00	0.2	0.1	0.1
8/1/20 17:00	0.2	0.1	0.1
8/1/20 18:00	0.1	0.1	0.1
8/1/20 19:00	0.2	0.1	0.1
8/1/20 20:00	0.2	0.1	0.1
8/1/20 21:00	0.2	0.1	0.1
8/1/20 22:00	0.2	0.1	0.1
8/1/20 23:00	0.3	0.2	0.1
8/2/20 0:00	0.3	0.2	0.1
8/2/20 1:00	0.2	0.2	0.1
8/2/20 2:00	0.1	0.2	0.1
8/2/20 3:00	0.1	0.2	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/2/20 4:00	0.1	0.2	0.1
8/2/20 5:00	0.1	0.2	0.1
8/2/20 6:00	0.5	0.2	0.1
8/2/20 7:00	0.6	0.2	0.1
8/2/20 8:00	1.0	0.2	0.1
8/2/20 9:00	1.2	0.3	0.1
8/2/20 10:00	1.2	0.3	0.1
8/2/20 11:00	1.2	0.4	0.1
8/2/20 12:00	1.1	0.4	0.1
8/2/20 13:00	1.2	0.5	0.1
8/2/20 14:00	0.9	0.5	0.1
8/2/20 15:00	0.1	0.5	0.1
8/2/20 16:00	0.1	0.5	0.1
8/2/20 17:00	0.1	0.5	0.1
8/2/20 18:00	0.2	0.5	0.1
8/2/20 19:00	0.1	0.5	0.1
8/2/20 20:00	0.1	0.5	0.1
8/2/20 21:00	0.2	0.5	0.1
8/2/20 22:00	0.1	0.5	0.1
8/2/20 23:00	0.1	0.5	0.1
8/3/20 0:00	0.1	0.5	0.1
8/3/20 1:00	0.1	0.4	0.1
8/3/20 2:00	0.2	0.5	0.1
8/3/20 3:00	0.2	0.5	0.1
8/3/20 4:00	0.3	0.5	0.1
8/3/20 5:00	0.3	0.5	0.1
8/3/20 6:00	0.2	0.5	0.1
8/3/20 7:00	0.2	0.4	0.1
8/3/20 8:00	0.2	0.4	0.1
8/3/20 9:00	0.2	0.4	0.1
8/3/20 10:00	0.2	0.3	0.1
8/3/20 11:00	0.2	0.3	0.1
8/3/20 12:00	0.2	0.2	0.1
8/3/20 13:00	0.2	0.2	0.1
8/3/20 14:00	0.2	0.2	0.1
8/3/20 15:00	0.4	0.2	0.1
8/3/20 16:00	0.2	0.2	0.1
8/3/20 17:00	0.1	0.2	0.1
8/3/20 18:00	0.2	0.2	0.1
8/3/20 19:00	0.2	0.2	0.1
8/3/20 20:00	0.2	0.2	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/3/20 21:00	0.1	0.2	0.1
8/3/20 22:00	0.1	0.2	0.1
8/3/20 23:00	0.1	0.2	0.1
8/4/20 0:00	0.2	0.2	0.1
8/4/20 1:00	0.2	0.2	0.1
8/4/20 2:00	0.3	0.2	0.1
8/4/20 3:00	0.2	0.2	0.1
8/4/20 4:00	0.3	0.2	0.1
8/4/20 5:00	0.3	0.2	0.1
8/4/20 6:00	0.3	0.2	0.1
8/4/20 7:00	0.3	0.2	0.1
8/4/20 8:00	0.3	0.2	0.1
8/4/20 9:00	0.2	0.2	0.1
8/4/20 10:00	0.4	0.2	0.1
8/4/20 11:00	0.3	0.2	0.1
8/4/20 12:00	0.3	0.2	0.1
8/4/20 13:00	0.3	0.2	0.1
8/4/20 14:00	0.2	0.2	0.1
8/4/20 15:00	0.2	0.2	0.1
8/4/20 16:00	0.3	0.2	0.1
8/4/20 17:00	0.3	0.2	0.1
8/4/20 18:00	0.2	0.2	0.1
8/4/20 19:00	0.2	0.2	0.1
8/4/20 20:00	0.3	0.2	0.1
8/4/20 21:00	0.3	0.3	0.1
8/4/20 22:00	0.1	0.3	0.1
8/4/20 23:00	0.1	0.3	0.1
8/5/20 0:00	0.3	0.3	0.1
8/5/20 1:00	0.2	0.3	0.1
8/5/20 2:00	0.2	0.3	0.1
8/5/20 3:00	0.2	0.3	0.1
8/5/20 4:00	0.2	0.2	0.1
8/5/20 5:00	0.3	0.2	0.1
8/5/20 6:00	0.1	0.2	0.1
8/5/20 7:00	0.2	0.2	0.1
8/5/20 8:00	0.3	0.2	0.1
8/5/20 9:00	0.3	0.2	0.1
8/5/20 10:00	0.1	0.2	0.1
8/5/20 11:00	0.1	0.2	0.1
8/5/20 12:00	0.3	0.2	0.1
8/5/20 13:00	0.2	0.2	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/5/20 14:00	0.2	0.2	0.1
8/5/20 15:00	0.2	0.2	0.1
8/5/20 16:00	0.2	0.2	0.2
8/5/20 17:00	0.2	0.2	0.2
8/5/20 18:00	0.1	0.2	0.2
8/5/20 19:00	0.2	0.2	0.2
8/5/20 20:00	0.2	0.2	0.2
8/5/20 21:00	0.3	0.2	0.2
8/5/20 22:00	0.2	0.2	0.2
8/5/20 23:00	0.3	0.2	0.2
8/6/20 0:00	0.3	0.2	0.2
8/6/20 1:00	0.3	0.2	0.2
8/6/20 2:00	0.2	0.2	0.2
8/6/20 3:00	0.2	0.2	0.2
8/6/20 4:00	0.2	0.2	0.2
8/6/20 5:00	0.2	0.2	0.2
8/6/20 6:00	0.2	0.2	0.2
8/6/20 7:00	0.2	0.2	0.2
8/6/20 8:00	0.2	0.2	0.2
8/6/20 9:00	0.1	0.2	0.2
8/6/20 10:00	0.2	0.2	0.2
8/6/20 11:00	0.1	0.2	0.2
8/6/20 12:00	0.1	0.2	0.2
8/6/20 13:00	0.2	0.2	0.2
8/6/20 14:00	0.3	0.2	0.2
8/6/20 15:00	0.3	0.2	0.2
8/6/20 16:00	0.3	0.2	0.2
8/6/20 17:00	0.2	0.2	0.2
8/6/20 18:00	0.1	0.2	0.2
8/6/20 19:00	0.1	0.2	0.2
8/6/20 20:00	0.1	0.2	0.2
8/6/20 21:00	0.1	0.2	0.2
8/6/20 22:00	0.1	0.2	0.2
8/6/20 23:00	0.2	0.2	0.2
8/7/20 0:00	0.1	0.2	0.2
8/7/20 1:00	0.2	0.2	0.2
8/7/20 2:00	0.1	0.2	0.2
8/7/20 3:00	0.1	0.2	0.2
8/7/20 4:00	0.1	0.2	0.2
8/7/20 5:00	0.1	0.2	0.2
8/7/20 6:00	0.2	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/7/20 7:00	0.2	0.2	0.2
8/7/20 8:00	0.3	0.2	0.2
8/7/20 9:00	0.1	0.2	0.2
8/7/20 10:00	0.1	0.2	0.2
8/7/20 11:00	0.1	0.2	0.2
8/7/20 12:00	0.1	0.2	0.2
8/7/20 13:00	0.1	0.1	0.2
8/7/20 14:00	0.1	0.1	0.2
8/7/20 15:00	0.1	0.1	0.2
8/7/20 16:00	0.1	0.1	0.2
8/7/20 17:00	0.1	0.1	0.2
8/7/20 18:00	0.1	0.1	0.2
8/7/20 19:00	0.2	0.1	0.2
8/7/20 20:00	0.2	0.1	0.2
8/7/20 21:00	0.2	0.1	0.2
8/7/20 22:00	0.1	0.1	0.2
8/7/20 23:00	0.2	0.1	0.2
8/8/20 0:00	0.1	0.1	0.2
8/8/20 1:00	0.1	0.1	0.2
8/8/20 2:00	0.1	0.1	0.2
8/8/20 3:00	0.1	0.1	0.2
8/8/20 4:00	0.1	0.1	0.2
8/8/20 5:00	0.1	0.1	0.2
8/8/20 6:00	0.1	0.1	0.2
8/8/20 7:00	0.2	0.1	0.2
8/8/20 8:00	0.2	0.1	0.2
8/8/20 9:00	0.3	0.1	0.2
8/8/20 10:00	0.2	0.1	0.2
8/8/20 11:00	0.1	0.1	0.2
8/8/20 12:00	0.1	0.1	0.2
8/8/20 13:00	0.1	0.1	0.2
8/8/20 14:00	0.1	0.1	0.2
8/8/20 15:00	0.2	0.1	0.2
8/8/20 16:00	0.1	0.2	0.2
8/8/20 17:00	0.1	0.2	0.2
8/8/20 18:00	0.2	0.2	0.2
8/8/20 19:00	0.2	0.2	0.2
8/8/20 20:00	0.2	0.2	0.2
8/8/20 21:00	0.1	0.2	0.2
8/8/20 22:00	0.2	0.2	0.2
8/8/20 23:00	0.2	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/9/20 0:00	0.2	0.2	0.2
8/9/20 1:00	0.3	0.2	0.2
8/9/20 2:00	0.2	0.2	0.2
8/9/20 3:00	0.1	0.2	0.2
8/9/20 4:00	0.3	0.2	0.2
8/9/20 5:00	0.1	0.2	0.2
8/9/20 6:00	0.1	0.2	0.2
8/9/20 7:00	0.1	0.2	0.2
8/9/20 8:00	0.2	0.2	0.2
8/9/20 9:00	0.2	0.2	0.2
8/9/20 10:00	0.2	0.2	0.2
8/9/20 11:00	0.2	0.2	0.2
8/9/20 12:00	0.1	0.2	0.2
8/9/20 13:00	0.1	0.2	0.2
8/9/20 14:00	0.2	0.2	0.2
8/9/20 15:00	0.2	0.2	0.2
8/9/20 16:00	0.2	0.2	0.2
8/9/20 17:00	0.2	0.2	0.2
8/9/20 18:00	0.2	0.2	0.2
8/9/20 19:00	0.3	0.2	0.2
8/9/20 20:00	0.3	0.2	0.2
8/9/20 21:00	0.3	0.2	0.2
8/9/20 22:00	0.3	0.2	0.2
8/9/20 23:00	0.3	0.2	0.2
8/10/20 0:00	0.2	0.2	0.2
8/10/20 1:00	0.2	0.2	0.2
8/10/20 2:00	0.2	0.2	0.2
8/10/20 3:00	0.2	0.2	0.2
8/10/20 4:00	0.2	0.2	0.2
8/10/20 5:00	0.2	0.2	0.2
8/10/20 6:00	0.1	0.2	0.2
8/10/20 7:00	0.1	0.2	0.2
8/10/20 8:00	0.2	0.2	0.2
8/10/20 9:00	0.1	0.2	0.2
8/10/20 10:00	0.1	0.2	0.2
8/10/20 11:00	0.1	0.2	0.2
8/10/20 12:00	0.1	0.2	0.2
8/10/20 13:00	0.1	0.2	0.2
8/10/20 14:00	0.1	0.2	0.2
8/10/20 15:00	0.1	0.2	0.2
8/10/20 16:00	0.1	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/10/20 17:00	0.3	0.2	0.2
8/10/20 18:00	0.2	0.2	0.2
8/10/20 19:00	0.1	0.2	0.2
8/10/20 20:00	0.1	0.2	0.2
8/10/20 21:00	0.2	0.2	0.2
8/10/20 22:00	0.1	0.2	0.2
8/10/20 23:00	0.2	0.2	0.2
8/11/20 0:00	0.1	0.2	0.2
8/11/20 1:00	0.1	0.1	0.2
8/11/20 2:00	0.2	0.1	0.2
8/11/20 3:00	0.2	0.1	0.2
8/11/20 4:00	0.2	0.1	0.2
8/11/20 5:00	0.1	0.1	0.2
8/11/20 6:00	0.1	0.1	0.2
8/11/20 7:00	0.1	0.1	0.2
8/11/20 8:00	0.2	0.1	0.2
8/11/20 9:00	0.3	0.1	0.2
8/11/20 10:00	0.3	0.2	0.2
8/11/20 11:00	0.5	0.2	0.2
8/11/20 12:00	0.1	0.2	0.2
8/11/20 13:00	0.1	0.2	0.2
8/11/20 14:00	0.1	0.2	0.2
8/11/20 15:00	0.2	0.2	0.2
8/11/20 16:00	0.2	0.2	0.2
8/11/20 17:00	0.1	0.2	0.2
8/11/20 18:00	0.1	0.2	0.2
8/11/20 19:00	0.3	0.2	0.2
8/11/20 20:00	0.2	0.2	0.2
8/11/20 21:00	0.2	0.2	0.2
8/11/20 22:00	0.2	0.2	0.2
8/11/20 23:00	0.3	0.2	0.2
8/12/20 0:00	0.1	0.2	0.2
8/12/20 1:00	0.2	0.2	0.2
8/12/20 2:00	0.2	0.2	0.2
8/12/20 3:00	0.2	0.2	0.2
8/12/20 4:00	0.2	0.2	0.2
8/12/20 5:00	0.2	0.2	0.2
8/12/20 6:00	0.2	0.2	0.2
8/12/20 7:00	0.2	0.2	0.2
8/12/20 8:00	0.2	0.2	0.2
8/12/20 9:00	0.2	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/12/20 10:00	0.2	0.2	0.2
8/12/20 11:00	0.2	0.2	0.2
8/12/20 12:00	0.6	0.2	0.2
8/12/20 13:00	0.3	0.2	0.2
8/12/20 14:00	0.2	0.2	0.2
8/12/20 15:00	0.1	0.2	0.2
8/12/20 16:00	0.1	0.2	0.2
8/12/20 17:00	0.2	0.2	0.2
8/12/20 18:00	0.2	0.2	0.2
8/12/20 19:00	0.2	0.2	0.2
8/12/20 20:00	0.3	0.2	0.2
8/12/20 21:00	0.3	0.2	0.2
8/12/20 22:00	0.3	0.2	0.2
8/12/20 23:00	0.3	0.2	0.2
8/13/20 0:00	0.2	0.2	0.2
8/13/20 1:00	0.2	0.2	0.2
8/13/20 2:00	0.2	0.2	0.2
8/13/20 3:00	0.1	0.2	0.2
8/13/20 4:00	0.3	0.2	0.2
8/13/20 5:00	0.3	0.2	0.2
8/13/20 6:00	0.3	0.2	0.2
8/13/20 7:00	0.3	0.2	0.2
8/13/20 8:00	0.4	0.2	0.2
8/13/20 9:00	0.2	0.2	0.2
8/13/20 10:00	0.2	0.2	0.2
8/13/20 11:00	0.3	0.2	0.2
8/13/20 12:00	0.3	0.2	0.2
8/13/20 13:00	0.3	0.2	0.2
8/13/20 14:00	0.3	0.2	0.2
8/13/20 15:00	0.2	0.2	0.2
8/13/20 16:00	0.2	0.2	0.2
8/13/20 17:00	0.1	0.2	0.2
8/13/20 18:00	0.2	0.2	0.2
8/13/20 19:00	0.2	0.2	0.2
8/13/20 20:00	0.3	0.2	0.2
8/13/20 21:00	0.2	0.2	0.2
8/13/20 22:00	0.3	0.2	0.2
8/13/20 23:00	0.3	0.2	0.2
8/14/20 0:00	0.3	0.2	0.2
8/14/20 1:00	0.3	0.2	0.2
8/14/20 2:00	0.2	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/14/20 3:00	0.2	0.3	0.2
8/14/20 4:00	0.2	0.2	0.2
8/14/20 5:00	0.4	0.3	0.2
8/14/20 6:00	0.4	0.3	0.2
8/14/20 7:00	0.4	0.3	0.2
8/14/20 8:00	0.4	0.3	0.2
8/14/20 9:00	0.2	0.3	0.2
8/14/20 10:00	0.2	0.3	0.2
8/14/20 11:00	0.2	0.3	0.2
8/14/20 12:00	0.2	0.3	0.2
8/14/20 13:00	0.2	0.2	0.2
8/14/20 14:00	0.1	0.2	0.2
8/14/20 15:00	0.2	0.2	0.2
8/14/20 16:00	0.2	0.2	0.2
8/14/20 17:00	0.2	0.2	0.2
8/14/20 18:00	0.2	0.2	0.2
8/14/20 19:00	0.3	0.2	0.2
8/14/20 20:00	0.2	0.2	0.2
8/14/20 21:00	0.1	0.2	0.2
8/14/20 22:00	0.2	0.2	0.2
8/14/20 23:00	0.2	0.2	0.2
8/15/20 0:00	0.2	0.2	0.2
8/15/20 1:00	0.1	0.2	0.2
8/15/20 2:00	0.1	0.2	0.2
8/15/20 3:00	0.3	0.2	0.2
8/15/20 4:00	0.2	0.2	0.2
8/15/20 5:00	0.2	0.2	0.2
8/15/20 6:00	0.2	0.2	0.2
8/15/20 7:00	0.2	0.2	0.2
8/15/20 8:00	0.1	0.2	0.2
8/15/20 9:00	0.1	0.2	0.2
8/15/20 10:00	0.2	0.2	0.2
8/15/20 11:00	0.2	0.2	0.2
8/15/20 12:00	0.2	0.2	0.2
8/15/20 13:00	0.2	0.2	0.2
8/15/20 14:00	0.2	0.2	0.2
8/15/20 15:00	0.2	0.2	0.2
8/15/20 16:00	0.2	0.2	0.2
8/15/20 17:00	0.2	0.2	0.2
8/15/20 18:00	0.2	0.2	0.2
8/15/20 19:00	0.2	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/15/20 20:00	0.3	0.2	0.2
8/15/20 21:00	0.3	0.2	0.2
8/15/20 22:00	0.3	0.2	0.2
8/15/20 23:00	0.2	0.2	0.2
8/16/20 0:00	0.2	0.2	0.2
8/16/20 1:00	0.2	0.2	0.2
8/16/20 2:00	0.2	0.2	0.2
8/16/20 3:00	0.2	0.2	0.2
8/16/20 4:00	0.1	0.2	0.2
8/16/20 5:00	0.3	0.2	0.2
8/16/20 6:00	0.3	0.2	0.2
8/16/20 7:00	0.3	0.2	0.2
8/16/20 8:00	0.3	0.2	0.2
8/16/20 9:00	0.3	0.2	0.2
8/16/20 10:00	0.3	0.2	0.2
8/16/20 11:00	0.3	0.2	0.2
8/16/20 12:00	0.3	0.2	0.2
8/16/20 13:00	0.2	0.2	0.2
8/16/20 14:00	0.1	0.2	0.2
8/16/20 15:00	0.2	0.2	0.2
8/16/20 16:00	0.2	0.2	0.2
8/16/20 17:00	0.2	0.2	0.2
8/16/20 18:00	0.3	0.2	0.2
8/16/20 19:00	0.2	0.2	0.2
8/16/20 20:00	0.2	0.2	0.2
8/16/20 21:00	0.2	0.2	0.2
8/16/20 22:00	0.2	0.2	0.2
8/16/20 23:00	0.2	0.2	0.2
8/17/20 0:00	0.2	0.2	0.2
8/17/20 1:00	0.2	0.2	0.2
8/17/20 2:00	0.1	0.2	0.2
8/17/20 3:00	0.1	0.2	0.2
8/17/20 4:00	0.1	0.2	0.2
8/17/20 5:00	0.2	0.2	0.2
8/17/20 6:00	0.2	0.2	0.2
8/17/20 7:00	0.2	0.2	0.2
8/17/20 8:00	0.3	0.2	0.2
8/17/20 9:00	0.2	0.2	0.2
8/17/20 10:00	0.2	0.2	0.2
8/17/20 11:00	0.2	0.2	0.2
8/17/20 12:00	0.2	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/17/20 13:00	0.1	0.2	0.2
8/17/20 14:00	0.1	0.2	0.2
8/17/20 15:00	0.2	0.2	0.2
8/17/20 16:00	0.2	0.2	0.2
8/17/20 17:00	0.2	0.2	0.2
8/17/20 18:00	0.2	0.2	0.2
8/17/20 19:00	0.2	0.2	0.2
8/17/20 20:00	0.2	0.2	0.2
8/17/20 21:00	0.2	0.2	0.2
8/17/20 22:00	0.2	0.2	0.2
8/17/20 23:00	0.4	0.2	0.2
8/18/20 0:00	0.2	0.2	0.2
8/18/20 1:00	0.2	0.2	0.2
8/18/20 2:00	0.2	0.2	0.2
8/18/20 3:00	0.1	0.2	0.2
8/18/20 4:00	0.2	0.2	0.2
8/18/20 5:00	0.1	0.2	0.2
8/18/20 6:00	0.1	0.2	0.2
8/18/20 7:00	0.1	0.2	0.2
8/18/20 8:00	0.1	0.2	0.2
8/18/20 9:00	0.2	0.2	0.2
8/18/20 10:00	0.1	0.2	0.2
8/18/20 11:00	0.1	0.2	0.2
8/18/20 12:00	0.2	0.2	0.2
8/18/20 13:00	0.1	0.2	0.2
8/18/20 14:00	0.1	0.2	0.2
8/18/20 15:00	0.1	0.2	0.2
8/18/20 16:00	0.2	0.2	0.2
8/18/20 17:00	0.2	0.2	0.2
8/18/20 18:00	0.2	0.2	0.2
8/18/20 19:00	0.3	0.2	0.2
8/18/20 20:00	0.3	0.2	0.2
8/18/20 21:00	0.3	0.2	0.2
8/18/20 22:00	0.2	0.2	0.2
8/18/20 23:00	0.2	0.2	0.2
8/19/20 0:00	0.3	0.2	0.2
8/19/20 1:00	0.3	0.2	0.2
8/19/20 2:00	0.2	0.2	0.2
8/19/20 3:00	0.2	0.2	0.2
8/19/20 4:00	0.2	0.2	0.2
8/19/20 5:00	0.2	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/19/20 6:00	0.2	0.2	0.2
8/19/20 7:00	0.2	0.2	0.2
8/19/20 8:00	0.2	0.2	0.2
8/19/20 9:00	0.1	0.2	0.2
8/19/20 10:00	0.3	0.2	0.2
8/19/20 11:00	0.3	0.2	0.2
8/19/20 12:00	0.3	0.2	0.2
8/19/20 13:00	0.1	0.2	0.2
8/19/20 14:00	0.2	0.2	0.2
8/19/20 15:00	0.2	0.2	0.2
8/19/20 16:00	0.2	0.2	0.2
8/19/20 17:00	0.2	0.2	0.2
8/19/20 18:00	0.2	0.2	0.2
8/19/20 19:00	0.4	0.2	0.2
8/19/20 20:00	0.4	0.2	0.2
8/19/20 21:00	0.2	0.2	0.2
8/19/20 22:00	0.2	0.2	0.2
8/19/20 23:00	0.1	0.2	0.2
8/20/20 0:00	0.2	0.2	0.2
8/20/20 1:00	0.2	0.2	0.2
8/20/20 2:00	0.2	0.2	0.2
8/20/20 3:00	0.3	0.2	0.2
8/20/20 4:00	0.1	0.2	0.2
8/20/20 5:00	0.2	0.2	0.2
8/20/20 6:00	0.2	0.2	0.2
8/20/20 7:00	0.1	0.2	0.2
8/20/20 8:00	0.2	0.2	0.2
8/20/20 9:00	0.2	0.2	0.2
8/20/20 10:00	0.2	0.2	0.2
8/20/20 11:00	0.1	0.2	0.2
8/20/20 12:00	0.2	0.2	0.2
8/20/20 13:00	0.2	0.2	0.2
8/20/20 14:00	0.2	0.2	0.2
8/20/20 15:00	0.2	0.2	0.2
8/20/20 16:00	0.2	0.2	0.2
8/20/20 17:00	0.1	0.2	0.2
8/20/20 18:00	0.1	0.2	0.2
8/20/20 19:00	0.2	0.2	0.2
8/20/20 20:00	0.2	0.2	0.2
8/20/20 21:00	0.3	0.2	0.2
8/20/20 22:00	0.3	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/20/20 23:00	0.2	0.2	0.2
8/21/20 0:00	0.2	0.2	0.2
8/21/20 1:00	0.1	0.2	0.2
8/21/20 2:00	0.2	0.2	0.2
8/21/20 3:00	0.2	0.2	0.2
8/21/20 4:00	0.3	0.2	0.2
8/21/20 5:00	0.2	0.2	0.2
8/21/20 6:00	0.1	0.2	0.2
8/21/20 7:00	0.2	0.2	0.2
8/21/20 8:00	0.2	0.2	0.2
8/21/20 9:00	0.2	0.2	0.2
8/21/20 10:00	0.2	0.2	0.2
8/21/20 11:00	0.2	0.2	0.2
8/21/20 12:00	0.1	0.2	0.2
8/21/20 13:00	0.2	0.2	0.2
8/21/20 14:00	0.2	0.2	0.2
8/21/20 15:00	0.3	0.2	0.2
8/21/20 16:00	0.2	0.2	0.2
8/21/20 17:00	0.4	0.2	0.2
8/21/20 18:00	0.3	0.2	0.2
8/21/20 19:00	0.3	0.2	0.2
8/21/20 20:00	0.3	0.2	0.2
8/21/20 21:00	0.3	0.2	0.2
8/21/20 22:00	0.3	0.2	0.2
8/21/20 23:00	0.2	0.2	0.2
8/22/20 0:00	0.2	0.2	0.2
8/22/20 1:00	0.3	0.2	0.2
8/22/20 2:00	0.2	0.2	0.2
8/22/20 3:00	0.2	0.2	0.2
8/22/20 4:00	0.4	0.2	0.2
8/22/20 5:00	0.3	0.2	0.2
8/22/20 6:00	0.3	0.3	0.2
8/22/20 7:00	0.3	0.3	0.2
8/22/20 8:00	0.2	0.3	0.2
8/22/20 9:00	0.1	0.3	0.2
8/22/20 10:00	0.2	0.3	0.2
8/22/20 11:00	0.2	0.3	0.2
8/22/20 12:00	0.3	0.3	0.2
8/22/20 13:00	0.3	0.3	0.2
8/22/20 14:00	0.3	0.3	0.2
8/22/20 15:00	0.3	0.3	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/22/20 16:00	0.5	0.3	0.2
8/22/20 17:00	0.3	0.3	0.2
8/22/20 18:00	0.3	0.3	0.2
8/22/20 19:00	0.2	0.3	0.2
8/22/20 20:00	0.2	0.3	0.2
8/22/20 21:00	0.2	0.3	0.2
8/22/20 22:00	0.2	0.3	0.2
8/22/20 23:00	0.2	0.3	0.2
8/23/20 0:00	0.3	0.3	0.2
8/23/20 1:00	0.2	0.3	0.2
8/23/20 2:00	0.2	0.3	0.2
8/23/20 3:00	0.4	0.3	0.2
8/23/20 4:00	0.5	0.3	0.2
8/23/20 5:00	0.4	0.3	0.2
8/23/20 6:00	0.2	0.3	0.2
8/23/20 7:00	0.2	0.3	0.2
8/23/20 8:00	0.7	0.3	0.2
8/23/20 9:00	0.2	0.3	0.2
8/23/20 10:00	0.2	0.3	0.2
8/23/20 11:00	0.2	0.3	0.2
8/23/20 12:00	0.2	0.3	0.2
8/23/20 13:00	0.1	0.3	0.2
8/23/20 14:00	0.2	0.3	0.2
8/23/20 15:00	0.1	0.3	0.2
8/23/20 16:00	0.1	0.3	0.2
8/23/20 17:00	0.1	0.3	0.2
8/23/20 18:00	0.1	0.2	0.2
8/23/20 19:00	0.1	0.2	0.2
8/23/20 20:00	0.2	0.2	0.2
8/23/20 21:00	0.2	0.2	0.2
8/23/20 22:00	0.4	0.2	0.2
8/23/20 23:00	0.5	0.3	0.2
8/24/20 0:00	0.4	0.3	0.2
8/24/20 1:00	0.5	0.3	0.2
8/24/20 2:00	0.4	0.3	0.2
8/24/20 3:00	0.3	0.3	0.2
8/24/20 4:00	0.1	0.3	0.2
8/24/20 5:00	0.3	0.3	0.2
8/24/20 6:00	0.3	0.3	0.2
8/24/20 7:00	0.3	0.3	0.2
8/24/20 8:00	0.2	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/24/20 9:00	0.2	0.2	0.2
8/24/20 10:00	0.2	0.2	0.2
8/24/20 11:00	0.2	0.2	0.2
8/24/20 12:00	0.4	0.3	0.2
8/24/20 13:00	0.4	0.3	0.2
8/24/20 14:00	0.4	0.3	0.2
8/24/20 15:00	0.4	0.3	0.2
8/24/20 16:00	0.2	0.3	0.2
8/24/20 17:00	0.2	0.3	0.2
8/24/20 18:00	0.2	0.3	0.2
8/24/20 19:00	0.4	0.3	0.2
8/24/20 20:00	0.2	0.3	0.2
8/24/20 21:00	0.2	0.3	0.2
8/24/20 22:00	0.1	0.3	0.2
8/24/20 23:00	0.1	0.3	0.2
8/25/20 0:00	0.1	0.3	0.2
8/25/20 1:00	0.1	0.2	0.2
8/25/20 2:00	0.1	0.2	0.2
8/25/20 3:00	0.1	0.2	0.2
8/25/20 4:00	0.1	0.2	0.2
8/25/20 5:00	0.1	0.2	0.2
8/25/20 6:00	0.1	0.2	0.2
8/25/20 7:00	0.1	0.2	0.2
8/25/20 8:00	0.1	0.2	0.2
8/25/20 9:00	0.1	0.2	0.2
8/25/20 10:00	0.3	0.2	0.2
8/25/20 11:00	0.3	0.2	0.2
8/25/20 12:00	0.1	0.2	0.2
8/25/20 13:00	0.2	0.2	0.2
8/25/20 14:00	0.3	0.2	0.2
8/25/20 15:00	0.3	0.2	0.2
8/25/20 16:00	0.2	0.2	0.2
8/25/20 17:00	0.2	0.2	0.2
8/25/20 18:00	0.2	0.2	0.2
8/25/20 19:00	0.2	0.2	0.2
8/25/20 20:00	0.1	0.2	0.2
8/25/20 21:00	0.2	0.2	0.2
8/25/20 22:00	0.2	0.2	0.2
8/25/20 23:00	0.2	0.2	0.2
8/26/20 0:00	0.2	0.2	0.2
8/26/20 1:00	0.1	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/26/20 2:00	0.1	0.2	0.2
8/26/20 3:00	0.1	0.2	0.2
8/26/20 4:00	0.1	0.2	0.2
8/26/20 5:00	0.2	0.2	0.2
8/26/20 6:00	0.1	0.2	0.2
8/26/20 7:00	0.1	0.2	0.2
8/26/20 8:00	0.1	0.2	0.2
8/26/20 9:00	0.1	0.2	0.2
8/26/20 10:00	0.2	0.2	0.2
8/26/20 11:00	0.2	0.2	0.2
8/26/20 12:00	0.1	0.2	0.2
8/26/20 13:00	0.1	0.2	0.2
8/26/20 14:00	0.1	0.2	0.2
8/26/20 15:00	0.2	0.2	0.2
8/26/20 16:00	0.1	0.2	0.2
8/26/20 17:00	0.1	0.1	0.2
8/26/20 18:00	0.3	0.2	0.2
8/26/20 19:00	0.2	0.2	0.2
8/26/20 20:00	0.2	0.2	0.2
8/26/20 21:00	0.3	0.2	0.2
8/26/20 22:00	0.3	0.2	0.2
8/26/20 23:00	0.2	0.2	0.2
8/27/20 0:00	0.2	0.2	0.2
8/27/20 1:00	0.2	0.2	0.2
8/27/20 2:00	0.2	0.2	0.2
8/27/20 3:00	0.1	0.2	0.2
8/27/20 4:00	0.3	0.2	0.2
8/27/20 5:00	0.2	0.2	0.2
8/27/20 6:00	0.1	0.2	0.2
8/27/20 7:00	0.1	0.2	0.2
8/27/20 8:00	0.3	0.2	0.2
8/27/20 9:00	0.2	0.2	0.2
8/27/20 10:00	0.2	0.2	0.2
8/27/20 11:00	0.2	0.2	0.2
8/27/20 12:00	0.1	0.2	0.2
8/27/20 13:00	0.2	0.2	0.2
8/27/20 14:00	0.2	0.2	0.2
8/27/20 15:00	0.2	0.2	0.2
8/27/20 16:00	0.2	0.2	0.2
8/27/20 17:00	0.2	0.2	0.2
8/27/20 18:00	0.2	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/27/20 19:00	0.4	0.2	0.2
8/27/20 20:00	0.4	0.2	0.2
8/27/20 21:00	0.2	0.2	0.2
8/27/20 22:00	0.2	0.2	0.2
8/27/20 23:00	0.2	0.2	0.2
8/28/20 0:00	0.2	0.2	0.2
8/28/20 1:00	0.3	0.2	0.2
8/28/20 2:00	0.4	0.2	0.2
8/28/20 3:00	0.3	0.2	0.2
8/28/20 4:00	0.3	0.2	0.2
8/28/20 5:00	0.3	0.2	0.2
8/28/20 6:00	0.5	0.3	0.2
8/28/20 7:00	0.3	0.3	0.2
8/28/20 8:00	0.1	0.3	0.2
8/28/20 9:00	0.2	0.3	0.2
8/28/20 10:00	0.4	0.3	0.2
8/28/20 11:00	0.4	0.3	0.2
8/28/20 12:00	0.4	0.3	0.2
8/28/20 13:00	0.4	0.3	0.2
8/28/20 14:00	0.2	0.3	0.2
8/28/20 15:00	0.1	0.3	0.2
8/28/20 16:00	0.1	0.3	0.2
8/28/20 17:00	0.3	0.3	0.2
8/28/20 18:00	0.6	0.3	0.2
8/28/20 19:00	0.3	0.3	0.2
8/28/20 20:00	0.2	0.3	0.2
8/28/20 21:00	0.2	0.3	0.2
8/28/20 22:00	0.1	0.3	0.2
8/28/20 23:00	0.1	0.3	0.2
8/29/20 0:00	0.2	0.3	0.2
8/29/20 1:00	0.2	0.3	0.2
8/29/20 2:00	0.2	0.3	0.2
8/29/20 3:00	0.2	0.3	0.2
8/29/20 4:00	0.1	0.2	0.2
8/29/20 5:00	0.1	0.2	0.2
8/29/20 6:00	0.2	0.2	0.2
8/29/20 7:00	0.2	0.2	0.2
8/29/20 8:00	0.2	0.2	0.2
8/29/20 9:00	0.2	0.2	0.2
8/29/20 10:00	0.2	0.2	0.2
8/29/20 11:00	0.2	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/29/20 12:00	0.1	0.2	0.2
8/29/20 13:00	0.1	0.2	0.2
8/29/20 14:00	0.1	0.2	0.2
8/29/20 15:00	0.1	0.2	0.2
8/29/20 16:00	0.1	0.2	0.2
8/29/20 17:00	0.1	0.2	0.2
8/29/20 18:00	0.1	0.2	0.2
8/29/20 19:00	0.1	0.1	0.2
8/29/20 20:00	0.1	0.1	0.2
8/29/20 21:00	0.1	0.1	0.2
8/29/20 22:00	0.2	0.1	0.2
8/29/20 23:00	0.2	0.1	0.2
8/30/20 0:00	0.2	0.1	0.2
8/30/20 1:00	0.2	0.1	0.2
8/30/20 2:00	0.2	0.1	0.2
8/30/20 3:00	0.1	0.1	0.2
8/30/20 4:00	0.2	0.1	0.2
8/30/20 5:00	0.2	0.1	0.2
8/30/20 6:00	0.2	0.1	0.2
8/30/20 7:00	0.2	0.1	0.2
8/30/20 8:00	0.2	0.1	0.2
8/30/20 9:00	0.2	0.1	0.2
8/30/20 10:00	0.1	0.1	0.2
8/30/20 11:00	0.1	0.1	0.2
8/30/20 12:00	0.1	0.1	0.2
8/30/20 13:00	0.1	0.1	0.2
8/30/20 14:00	0.2	0.2	0.2
8/30/20 15:00	0.2	0.2	0.2
8/30/20 16:00	0.1	0.2	0.2
8/30/20 17:00	0.2	0.2	0.2
8/30/20 18:00	0.2	0.2	0.2
8/30/20 19:00	0.2	0.2	0.2
8/30/20 20:00	0.2	0.2	0.2
8/30/20 21:00	0.3	0.2	0.2
8/30/20 22:00	0.2	0.2	0.2
8/30/20 23:00	0.1	0.2	0.2
8/31/20 0:00	0.2	0.2	0.2
8/31/20 1:00	0.2	0.2	0.2
8/31/20 2:00	0.1	0.2	0.2
8/31/20 3:00	0.2	0.2	0.2
8/31/20 4:00	0.2	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/31/20 5:00	0.1	0.2	0.2
8/31/20 6:00	0.1	0.2	0.2
8/31/20 7:00	0.1	0.2	0.2
8/31/20 8:00	0.1	0.2	0.2
8/31/20 9:00	0.1	0.2	0.2
8/31/20 10:00	0.1	0.2	0.2
8/31/20 11:00	0.1	0.2	0.2
8/31/20 12:00	0.1	0.2	0.2
8/31/20 13:00	0.1	0.2	0.2
8/31/20 14:00	0.1	0.2	0.2
8/31/20 15:00	0.1	0.2	0.2
8/31/20 16:00	0.2	0.2	0.2
8/31/20 17:00	0.2	0.2	0.2
8/31/20 18:00	0.2	0.2	0.2
8/31/20 19:00	0.2	0.2	0.2
8/31/20 20:00	0.2	0.2	0.2
8/31/20 21:00	0.2	0.2	0.2
8/31/20 22:00	0.3	0.2	0.2
8/31/20 23:00	0.3	0.2	0.2
9/1/20 0:00	0.2	0.2	0.2
9/1/20 1:00	0.4	0.2	0.2
9/1/20 2:00	0.1	0.2	0.2
9/1/20 3:00	0.2	0.2	0.2
9/1/20 4:00	0.2	0.2	0.2
9/1/20 5:00	0.2	0.2	0.2
9/1/20 6:00	0.2	0.2	0.2
9/1/20 7:00	0.2	0.2	0.2
9/1/20 8:00	0.0	0.2	0.2
9/1/20 9:00	0.0	0.2	0.2
9/1/20 10:00	0.0	0.2	0.2
9/1/20 11:00	0.0	0.2	0.2
9/1/20 12:00	0.0	0.2	0.2
9/1/20 13:00	0.0	0.2	0.2
9/1/20 14:00	0.0	0.2	0.2
9/1/20 15:00	0.0	0.1	0.2
9/1/20 16:00	0.0	0.1	0.2
9/1/20 17:00	0.1	0.1	0.2
9/1/20 18:00	0.1	0.1	0.2
9/1/20 19:00	0.1	0.1	0.2
9/1/20 20:00	0.2	0.1	0.2
9/1/20 21:00	0.2	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/1/20 22:00	0.2	0.1	0.2
9/1/20 23:00	0.2	0.1	0.2
9/2/20 0:00	0.2	0.1	0.2
9/2/20 1:00	0.2	0.1	0.2
9/2/20 2:00	0.2	0.1	0.2
9/2/20 3:00	0.1	0.1	0.2
9/2/20 4:00	0.1	0.1	0.2
9/2/20 5:00	0.1	0.1	0.2
9/2/20 6:00	0.1	0.1	0.2
9/2/20 7:00	0.1	0.1	0.2
9/2/20 8:00	0.2	0.1	0.2
9/2/20 9:00	0.2	0.1	0.2
9/2/20 10:00	0.1	0.1	0.2
9/2/20 11:00	0.1	0.1	0.2
9/2/20 12:00	0.1	0.1	0.2
9/2/20 13:00	0.1	0.1	0.2
9/2/20 14:00	0.2	0.1	0.2
9/2/20 15:00	0.2	0.1	0.2
9/2/20 16:00	0.2	0.1	0.2
9/2/20 17:00	0.2	0.1	0.2
9/2/20 18:00	0.1	0.1	0.2
9/2/20 19:00	0.1	0.1	0.2
9/2/20 20:00	0.1	0.1	0.2
9/2/20 21:00	0.1	0.1	0.2
9/2/20 22:00	0.1	0.1	0.2
9/2/20 23:00	0.1	0.1	0.2
9/3/20 0:00	0.1	0.1	0.2
9/3/20 1:00	0.1	0.1	0.2
9/3/20 2:00	0.2	0.1	0.2
9/3/20 3:00	0.2	0.1	0.2
9/3/20 4:00	0.2	0.1	0.2
9/3/20 5:00	0.1	0.1	0.2
9/3/20 6:00	0.1	0.1	0.2
9/3/20 7:00	0.1	0.1	0.2
9/3/20 8:00	0.1	0.1	0.2
9/3/20 9:00	0.1	0.1	0.2
9/3/20 10:00	0.1	0.1	0.2
9/3/20 11:00	0.1	0.1	0.2
9/3/20 12:00	0.2	0.1	0.2
9/3/20 13:00	0.2	0.1	0.2
9/3/20 14:00	0.2	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/3/20 15:00	0.2	0.1	0.2
9/3/20 16:00	0.1	0.1	0.2
9/3/20 17:00	0.1	0.1	0.2
9/3/20 18:00	0.1	0.1	0.2
9/3/20 19:00	0.1	0.1	0.2
9/3/20 20:00	0.2	0.1	0.2
9/3/20 21:00	0.1	0.1	0.2
9/3/20 22:00	0.1	0.1	0.2
9/3/20 23:00	0.1	0.1	0.2
9/4/20 0:00	0.1	0.1	0.2
9/4/20 1:00	0.1	0.1	0.2
9/4/20 2:00	0.1	0.1	0.2
9/4/20 3:00	0.1	0.1	0.2
9/4/20 4:00	0.2	0.1	0.2
9/4/20 5:00	0.2	0.1	0.2
9/4/20 6:00	0.2	0.1	0.2
9/4/20 7:00	0.2	0.1	0.2
9/4/20 8:00	0.2	0.1	0.2
9/4/20 9:00	0.2	0.1	0.2
9/4/20 10:00	0.2	0.1	0.2
9/4/20 11:00	0.2	0.1	0.2
9/4/20 12:00	0.1	0.1	0.2
9/4/20 13:00	0.1	0.1	0.2
9/4/20 14:00	0.0	0.1	0.2
9/4/20 15:00	0.1	0.1	0.2
9/4/20 16:00	0.1	0.1	0.2
9/4/20 17:00	0.0	0.1	0.2
9/4/20 18:00	0.1	0.1	0.2
9/4/20 19:00	0.1	0.1	0.2
9/4/20 20:00	0.1	0.1	0.2
9/4/20 21:00	0.1	0.1	0.2
9/4/20 22:00	0.1	0.1	0.2
9/4/20 23:00	0.1	0.1	0.2
9/5/20 0:00	0.1	0.1	0.2
9/5/20 1:00	0.1	0.1	0.2
9/5/20 2:00	0.1	0.1	0.2
9/5/20 3:00	0.2	0.1	0.2
9/5/20 4:00	0.2	0.1	0.2
9/5/20 5:00	0.2	0.1	0.2
9/5/20 6:00	0.1	0.1	0.2
9/5/20 7:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/5/20 8:00	0.1	0.1	0.2
9/5/20 9:00	0.1	0.1	0.2
9/5/20 10:00	0.1	0.1	0.2
9/5/20 11:00	0.1	0.1	0.2
9/5/20 12:00	0.2	0.1	0.2
9/5/20 13:00	0.2	0.1	0.2
9/5/20 14:00	0.1	0.1	0.2
9/5/20 15:00	0.1	0.1	0.2
9/5/20 16:00	0.1	0.1	0.2
9/5/20 17:00	0.1	0.1	0.2
9/5/20 18:00	0.2	0.1	0.2
9/5/20 19:00	0.2	0.1	0.2
9/5/20 20:00	0.2	0.1	0.2
9/5/20 21:00	0.1	0.1	0.2
9/5/20 22:00	0.1	0.1	0.2
9/5/20 23:00	0.1	0.1	0.2
9/6/20 0:00	0.1	0.1	0.2
9/6/20 1:00	0.1	0.1	0.2
9/6/20 2:00	0.1	0.1	0.2
9/6/20 3:00	0.2	0.1	0.2
9/6/20 4:00	0.1	0.1	0.2
9/6/20 5:00	0.1	0.1	0.2
9/6/20 6:00	0.1	0.1	0.2
9/6/20 7:00	0.2	0.1	0.2
9/6/20 8:00	0.2	0.1	0.2
9/6/20 9:00	0.2	0.1	0.2
9/6/20 10:00	0.2	0.1	0.2
9/6/20 11:00	0.1	0.1	0.2
9/6/20 12:00	0.1	0.1	0.2
9/6/20 13:00	0.1	0.1	0.2
9/6/20 14:00	0.1	0.1	0.2
9/6/20 15:00	0.1	0.1	0.2
9/6/20 16:00	0.1	0.1	0.2
9/6/20 17:00	0.1	0.1	0.2
9/6/20 18:00	0.1	0.1	0.2
9/6/20 19:00	0.1	0.1	0.2
9/6/20 20:00	0.1	0.1	0.2
9/6/20 21:00	0.1	0.1	0.2
9/6/20 22:00	0.1	0.1	0.2
9/6/20 23:00	0.1	0.1	0.2
9/7/20 0:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/7/20 1:00	0.1	0.1	0.2
9/7/20 2:00	0.1	0.1	0.2
9/7/20 3:00	0.1	0.1	0.2
9/7/20 4:00	0.1	0.1	0.2
9/7/20 5:00	0.1	0.1	0.2
9/7/20 6:00	0.1	0.1	0.2
9/7/20 7:00	0.1	0.1	0.2
9/7/20 8:00	0.2	0.1	0.2
9/7/20 9:00	0.2	0.1	0.2
9/7/20 10:00	0.2	0.1	0.2
9/7/20 11:00	0.3	0.1	0.2
9/7/20 12:00	0.1	0.1	0.2
9/7/20 13:00	0.1	0.1	0.2
9/7/20 14:00	0.1	0.1	0.2
9/7/20 15:00	0.2	0.1	0.2
9/7/20 16:00	0.2	0.1	0.2
9/7/20 17:00	0.2	0.1	0.2
9/7/20 18:00	0.1	0.1	0.2
9/7/20 19:00	0.1	0.1	0.2
9/7/20 20:00	0.1	0.1	0.2
9/7/20 21:00	0.1	0.1	0.2
9/7/20 22:00	0.1	0.1	0.2
9/7/20 23:00	0.1	0.1	0.2
9/8/20 0:00	0.1	0.1	0.2
9/8/20 1:00	0.1	0.1	0.2
9/8/20 2:00	0.1	0.1	0.2
9/8/20 3:00	0.1	0.1	0.2
9/8/20 4:00	0.1	0.1	0.2
9/8/20 5:00	0.1	0.1	0.2
9/8/20 6:00	0.1	0.1	0.2
9/8/20 7:00	0.1	0.1	0.2
9/8/20 8:00	0.1	0.1	0.2
9/8/20 9:00	0.2	0.1	0.2
9/8/20 10:00	0.1	0.1	0.2
9/8/20 11:00	0.1	0.1	0.2
9/8/20 12:00	0.1	0.1	0.2
9/8/20 13:00	0.1	0.1	0.2
9/8/20 14:00	0.1	0.1	0.2
9/8/20 15:00	0.1	0.1	0.2
9/8/20 16:00	0.1	0.1	0.2
9/8/20 17:00	0.2	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/8/20 18:00	0.2	0.1	0.2
9/8/20 19:00	0.2	0.1	0.2
9/8/20 20:00	0.2	0.1	0.2
9/8/20 21:00	0.2	0.1	0.2
9/8/20 22:00	0.2	0.1	0.2
9/8/20 23:00	0.1	0.1	0.2
9/9/20 0:00	0.1	0.1	0.2
9/9/20 1:00	0.1	0.1	0.2
9/9/20 2:00	0.1	0.1	0.2
9/9/20 3:00	0.1	0.1	0.2
9/9/20 4:00	0.1	0.1	0.2
9/9/20 5:00	0.1	0.1	0.2
9/9/20 6:00	0.1	0.1	0.2
9/9/20 7:00	0.1	0.1	0.2
9/9/20 8:00	0.1	0.1	0.2
9/9/20 9:00	0.1	0.1	0.2
9/9/20 10:00	0.2	0.1	0.2
9/9/20 11:00	0.2	0.1	0.2
9/9/20 12:00	0.2	0.1	0.2
9/9/20 13:00	0.1	0.1	0.2
9/9/20 14:00	0.2	0.1	0.2
9/9/20 15:00	0.2	0.1	0.2
9/9/20 16:00	0.1	0.2	0.2
9/9/20 17:00	0.1	0.1	0.2
9/9/20 18:00	0.0	0.1	0.2
9/9/20 19:00	0.1	0.1	0.2
9/9/20 20:00	0.1	0.1	0.2
9/9/20 21:00	0.1	0.1	0.2
9/9/20 22:00	0.1	0.1	0.2
9/9/20 23:00	0.1	0.1	0.2
9/10/20 0:00	0.1	0.1	0.2
9/10/20 1:00	0.1	0.1	0.2
9/10/20 2:00	0.1	0.1	0.2
9/10/20 3:00	0.1	0.1	0.2
9/10/20 4:00	0.1	0.1	0.2
9/10/20 5:00	0.1	0.1	0.2
9/10/20 6:00	0.1	0.1	0.2
9/10/20 7:00	0.1	0.1	0.2
9/10/20 8:00	0.1	0.1	0.2
9/10/20 9:00	0.1	0.1	0.2
9/10/20 10:00	0.2	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/10/20 11:00	0.2	0.1	0.2
9/10/20 12:00	0.2	0.1	0.2
9/10/20 13:00	0.1	0.1	0.2
9/10/20 14:00	0.1	0.1	0.2
9/10/20 15:00	0.0	0.1	0.2
9/10/20 16:00	0.0	0.1	0.2
9/10/20 17:00	0.1	0.1	0.2
9/10/20 18:00	0.1	0.1	0.2
9/10/20 19:00	0.1	0.1	0.2
9/10/20 20:00	0.1	0.1	0.2
9/10/20 21:00	0.1	0.1	0.2
9/10/20 22:00	0.1	0.1	0.2
9/10/20 23:00	0.1	0.1	0.2
9/11/20 0:00	0.1	0.1	0.2
9/11/20 1:00	0.1	0.1	0.2
9/11/20 2:00	0.1	0.1	0.2
9/11/20 3:00	0.2	0.1	0.2
9/11/20 4:00	0.1	0.1	0.2
9/11/20 5:00	0.1	0.1	0.2
9/11/20 6:00	0.1	0.1	0.2
9/11/20 7:00	0.1	0.1	0.2
9/11/20 8:00	0.1	0.1	0.2
9/11/20 9:00	0.1	0.1	0.2
9/11/20 10:00	0.1	0.1	0.2
9/11/20 11:00	0.2	0.1	0.2
9/11/20 12:00	0.2	0.1	0.2
9/11/20 13:00	0.2	0.1	0.2
9/11/20 14:00	0.1	0.1	0.2
9/11/20 15:00	0.1	0.1	0.2
9/11/20 16:00	0.1	0.1	0.2
9/11/20 17:00	0.1	0.1	0.2
9/11/20 18:00	0.1	0.1	0.2
9/11/20 19:00	0.1	0.1	0.2
9/11/20 20:00	0.2	0.1	0.2
9/11/20 21:00	0.1	0.1	0.2
9/11/20 22:00	0.1	0.1	0.2
9/11/20 23:00	0.1	0.1	0.2
9/12/20 0:00	0.2	0.1	0.2
9/12/20 1:00	0.2	0.1	0.2
9/12/20 2:00	0.2	0.1	0.2
9/12/20 3:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/12/20 4:00	0.1	0.1	0.2
9/12/20 5:00	0.1	0.1	0.2
9/12/20 6:00	0.1	0.1	0.2
9/12/20 7:00	0.1	0.1	0.2
9/12/20 8:00	0.1	0.1	0.2
9/12/20 9:00	0.1	0.1	0.2
9/12/20 10:00	0.1	0.1	0.2
9/12/20 11:00	0.2	0.1	0.2
9/12/20 12:00	0.2	0.1	0.2
9/12/20 13:00	0.2	0.1	0.2
9/12/20 14:00	0.2	0.1	0.2
9/12/20 15:00	0.2	0.1	0.2
9/12/20 16:00	0.2	0.1	0.2
9/12/20 17:00	0.1	0.1	0.2
9/12/20 18:00	0.2	0.1	0.2
9/12/20 19:00	0.2	0.1	0.2
9/12/20 20:00	0.1	0.1	0.2
9/12/20 21:00	0.2	0.1	0.2
9/12/20 22:00	0.2	0.1	0.2
9/12/20 23:00	0.2	0.1	0.2
9/13/20 0:00	0.2	0.1	0.2
9/13/20 1:00	0.2	0.2	0.2
9/13/20 2:00	0.2	0.2	0.2
9/13/20 3:00	0.3	0.2	0.2
9/13/20 4:00	0.3	0.2	0.2
9/13/20 5:00	0.3	0.2	0.2
9/13/20 6:00	0.3	0.2	0.2
9/13/20 7:00	0.3	0.2	0.2
9/13/20 8:00	0.3	0.2	0.2
9/13/20 9:00	0.3	0.2	0.2
9/13/20 10:00	0.6	0.2	0.2
9/13/20 11:00	0.4	0.2	0.2
9/13/20 12:00	0.4	0.2	0.2
9/13/20 13:00	0.3	0.3	0.2
9/13/20 14:00	0.7	0.3	0.2
9/13/20 15:00	0.3	0.3	0.2
9/13/20 16:00	0.3	0.3	0.2
9/13/20 17:00	0.2	0.3	0.2
9/13/20 18:00	0.2	0.3	0.2
9/13/20 19:00	0.4	0.3	0.2
9/13/20 20:00	0.3	0.3	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/13/20 21:00	0.8	0.3	0.2
9/13/20 22:00	1.0	0.4	0.2
9/13/20 23:00	1.1	0.4	0.2
9/14/20 0:00	1.0	0.4	0.2
9/14/20 1:00	0.7	0.5	0.2
9/14/20 2:00	0.3	0.5	0.2
9/14/20 3:00	0.2	0.5	0.2
9/14/20 4:00	0.2	0.5	0.2
9/14/20 5:00	0.2	0.4	0.2
9/14/20 6:00	0.1	0.4	0.2
9/14/20 7:00	0.1	0.4	0.2
9/14/20 8:00	0.2	0.4	0.2
9/14/20 9:00	0.3	0.4	0.2
9/14/20 10:00	0.2	0.4	0.2
9/14/20 11:00	0.1	0.4	0.2
9/14/20 12:00	0.1	0.4	0.2
9/14/20 13:00	0.2	0.4	0.2
9/14/20 14:00	0.1	0.4	0.2
9/14/20 15:00	0.2	0.4	0.2
9/14/20 16:00	0.2	0.3	0.2
9/14/20 17:00	0.2	0.3	0.2
9/14/20 18:00	0.2	0.3	0.2
9/14/20 19:00	0.1	0.3	0.2
9/14/20 20:00	0.2	0.3	0.2
9/14/20 21:00	0.2	0.3	0.2
9/14/20 22:00	0.1	0.3	0.2
9/14/20 23:00	0.1	0.2	0.2
9/15/20 0:00	0.2	0.2	0.2
9/15/20 1:00	0.1	0.2	0.2
9/15/20 2:00	0.3	0.2	0.2
9/15/20 3:00	0.1	0.2	0.2
9/15/20 4:00	0.1	0.2	0.2
9/15/20 5:00	0.1	0.2	0.2
9/15/20 6:00	0.1	0.2	0.2
9/15/20 7:00	0.2	0.2	0.2
9/15/20 8:00	0.2	0.2	0.2
9/15/20 9:00	6.5	0.4	0.2
9/15/20 10:00	0.1	0.4	0.2
9/15/20 11:00	0.1	0.4	0.2
9/15/20 12:00	0.2	0.4	0.2
9/15/20 13:00	0.2	0.4	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/15/20 14:00	0.1	0.4	0.2
9/15/20 15:00	0.2	0.4	0.2
9/15/20 16:00	0.2	0.4	0.2
9/15/20 17:00	0.2	0.4	0.2
9/15/20 18:00	0.2	0.4	0.2
9/15/20 19:00	0.1	0.4	0.2
9/15/20 20:00	0.2	0.4	0.2
9/15/20 21:00	0.2	0.4	0.2
9/15/20 22:00	0.2	0.4	0.2
9/15/20 23:00	0.1	0.4	0.2
9/16/20 0:00	0.1	0.4	0.2
9/16/20 1:00	0.1	0.4	0.2
9/16/20 2:00	0.1	0.4	0.2
9/16/20 3:00	0.1	0.4	0.2
9/16/20 4:00	0.1	0.4	0.2
9/16/20 5:00	0.1	0.4	0.2
9/16/20 6:00	0.1	0.4	0.2
9/16/20 7:00	0.1	0.4	0.2
9/16/20 8:00	0.1	0.4	0.2
9/16/20 9:00	0.1	0.1	0.2
9/16/20 10:00	0.1	0.1	0.2
9/16/20 11:00	0.2	0.1	0.2
9/16/20 12:00	0.2	0.1	0.2
9/16/20 13:00	0.2	0.1	0.2
9/16/20 14:00	0.1	0.1	0.2
9/16/20 15:00	0.1	0.1	0.2
9/16/20 16:00	0.1	0.1	0.2
9/16/20 17:00	0.1	0.1	0.2
9/16/20 18:00	0.1	0.1	0.2
9/16/20 19:00	0.1	0.1	0.2
9/16/20 20:00	0.1	0.1	0.2
9/16/20 21:00	0.1	0.1	0.2
9/16/20 22:00	0.1	0.1	0.2
9/16/20 23:00	0.1	0.1	0.2
9/17/20 0:00	0.1	0.1	0.2
9/17/20 1:00	0.1	0.1	0.2
9/17/20 2:00	0.1	0.1	0.2
9/17/20 3:00	0.1	0.1	0.2
9/17/20 4:00	0.2	0.1	0.2
9/17/20 5:00	0.3	0.1	0.2
9/17/20 6:00	0.3	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/17/20 7:00	0.3	0.1	0.2
9/17/20 8:00	0.1	0.1	0.2
9/17/20 9:00	0.1	0.1	0.2
9/17/20 10:00	0.1	0.1	0.2
9/17/20 11:00	0.1	0.1	0.2
9/17/20 12:00	0.1	0.1	0.2
9/17/20 13:00	0.1	0.1	0.2
9/17/20 14:00	0.1	0.1	0.2
9/17/20 15:00	0.1	0.1	0.2
9/17/20 16:00	0.1	0.1	0.2
9/17/20 17:00	0.1	0.1	0.2
9/17/20 18:00	0.1	0.1	0.2
9/17/20 19:00	0.1	0.1	0.2
9/17/20 20:00	0.1	0.1	0.2
9/17/20 21:00	0.1	0.1	0.2
9/17/20 22:00	0.1	0.1	0.2
9/17/20 23:00	0.1	0.1	0.2
9/18/20 0:00	0.1	0.1	0.2
9/18/20 1:00	0.1	0.1	0.2
9/18/20 2:00	0.1	0.1	0.2
9/18/20 3:00	0.1	0.1	0.2
9/18/20 4:00	0.2	0.1	0.2
9/18/20 5:00	0.2	0.1	0.2
9/18/20 6:00	0.2	0.1	0.2
9/18/20 7:00	0.1	0.1	0.2
9/18/20 8:00	0.1	0.1	0.2
9/18/20 9:00	0.1	0.1	0.2
9/18/20 10:00	0.1	0.1	0.2
9/18/20 11:00	0.2	0.1	0.2
9/18/20 12:00	0.2	0.1	0.2
9/18/20 13:00	0.1	0.1	0.2
9/18/20 14:00	0.1	0.1	0.2
9/18/20 15:00	0.2	0.1	0.2
9/18/20 16:00	0.1	0.1	0.2
9/18/20 17:00	0.1	0.1	0.2
9/18/20 18:00	0.1	0.1	0.2
9/18/20 19:00	0.1	0.1	0.2
9/18/20 20:00	0.2	0.1	0.2
9/18/20 21:00	0.2	0.1	0.2
9/18/20 22:00	0.2	0.1	0.2
9/18/20 23:00	0.2	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/19/20 0:00	0.2	0.1	0.2
9/19/20 1:00	0.2	0.1	0.2
9/19/20 2:00	0.2	0.1	0.2
9/19/20 3:00	0.2	0.1	0.2
9/19/20 4:00	0.1	0.1	0.2
9/19/20 5:00	0.1	0.1	0.2
9/19/20 6:00	0.1	0.1	0.2
9/19/20 7:00	0.1	0.1	0.2
9/19/20 8:00	0.1	0.1	0.2
9/19/20 9:00	0.1	0.1	0.2
9/19/20 10:00	0.1	0.1	0.2
9/19/20 11:00	0.1	0.1	0.2
9/19/20 12:00	0.1	0.1	0.2
9/19/20 13:00	0.1	0.1	0.2
9/19/20 14:00	0.1	0.1	0.2
9/19/20 15:00	0.1	0.1	0.2
9/19/20 16:00	0.2	0.1	0.2
9/19/20 17:00	0.1	0.1	0.2
9/19/20 18:00	0.1	0.1	0.2
9/19/20 19:00	0.2	0.1	0.2
9/19/20 20:00	0.3	0.1	0.2
9/19/20 21:00	0.3	0.2	0.2
9/19/20 22:00	0.4	0.2	0.2
9/19/20 23:00	0.3	0.2	0.2
9/20/20 0:00	0.3	0.2	0.2
9/20/20 1:00	0.2	0.2	0.2
9/20/20 2:00	0.3	0.2	0.2
9/20/20 3:00	0.3	0.2	0.2
9/20/20 4:00	0.3	0.2	0.2
9/20/20 5:00	0.2	0.2	0.2
9/20/20 6:00	0.2	0.2	0.2
9/20/20 7:00	0.2	0.2	0.2
9/20/20 8:00	0.3	0.2	0.2
9/20/20 9:00	0.3	0.2	0.2
9/20/20 10:00	0.3	0.2	0.2
9/20/20 11:00	0.2	0.2	0.2
9/20/20 12:00	0.2	0.2	0.2
9/20/20 13:00	0.2	0.2	0.2
9/20/20 14:00	0.2	0.2	0.2
9/20/20 15:00	0.3	0.2	0.2
9/20/20 16:00	0.3	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/20/20 17:00	0.2	0.3	0.2
9/20/20 18:00	0.1	0.3	0.2
9/20/20 19:00	0.1	0.3	0.2
9/20/20 20:00	0.3	0.3	0.2
9/20/20 21:00	0.2	0.2	0.2
9/20/20 22:00	0.2	0.2	0.2
9/20/20 23:00	0.2	0.2	0.2
9/21/20 0:00	0.2	0.2	0.2
9/21/20 1:00	0.2	0.2	0.2
9/21/20 2:00	0.2	0.2	0.2
9/21/20 3:00	0.2	0.2	0.2
9/21/20 4:00	0.2	0.2	0.2
9/21/20 5:00	0.2	0.2	0.2
9/21/20 6:00	0.2	0.2	0.2
9/21/20 7:00	0.2	0.2	0.2
9/21/20 8:00	0.2	0.2	0.2
9/21/20 9:00	0.3	0.2	0.2
9/21/20 10:00	0.3	0.2	0.2
9/21/20 11:00	0.2	0.2	0.2
9/21/20 12:00	0.2	0.2	0.2
9/21/20 13:00	0.2	0.2	0.2
9/21/20 14:00	0.1	0.2	0.2
9/21/20 15:00	0.2	0.2	0.2
9/21/20 16:00	0.1	0.2	0.2
9/21/20 17:00	0.2	0.2	0.2
9/21/20 18:00	0.1	0.2	0.2
9/21/20 19:00	0.1	0.2	0.2
9/21/20 20:00	0.1	0.2	0.2
9/21/20 21:00	0.1	0.2	0.2
9/21/20 22:00	0.1	0.2	0.2
9/21/20 23:00	0.1	0.2	0.2
9/22/20 0:00	0.2	0.2	0.2
9/22/20 1:00	0.1	0.2	0.2
9/22/20 2:00	0.1	0.2	0.2
9/22/20 3:00	0.1	0.2	0.2
9/22/20 4:00	0.2	0.2	0.2
9/22/20 5:00	0.1	0.2	0.2
9/22/20 6:00	0.1	0.2	0.2
9/22/20 7:00	0.1	0.2	0.2
9/22/20 8:00	0.1	0.2	0.2
9/22/20 9:00	0.2	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/22/20 10:00	0.3	0.2	0.2
9/22/20 11:00	0.1	0.1	0.2
9/22/20 12:00	0.1	0.1	0.2
9/22/20 13:00	0.2	0.1	0.2
9/22/20 14:00	0.2	0.1	0.2
9/22/20 15:00	0.2	0.1	0.2
9/22/20 16:00	0.1	0.1	0.2
9/22/20 17:00	0.2	0.1	0.2
9/22/20 18:00	0.1	0.1	0.2
9/22/20 19:00	0.2	0.1	0.2
9/22/20 20:00	0.2	0.2	0.2
9/22/20 21:00	0.1	0.1	0.2
9/22/20 22:00	0.1	0.1	0.2
9/22/20 23:00	0.2	0.1	0.2
9/23/20 0:00	0.1	0.1	0.2
9/23/20 1:00	0.2	0.2	0.2
9/23/20 2:00	0.3	0.2	0.2
9/23/20 3:00	1.2	0.2	0.2
9/23/20 4:00	1.6	0.3	0.2
9/23/20 5:00	1.1	0.3	0.2
9/23/20 6:00	1.6	0.4	0.2
9/23/20 7:00	1.1	0.4	0.2
9/23/20 8:00	1.0	0.4	0.2
9/23/20 9:00	0.6	0.5	0.2
9/23/20 10:00	0.5	0.5	0.2
9/23/20 11:00	1.1	0.5	0.2
9/23/20 12:00	13.9	1.1	0.2
9/23/20 13:00	1.7	1.1	0.2
9/23/20 14:00	0.2	1.1	0.2
9/23/20 15:00	0.2	1.1	0.2
9/23/20 16:00	0.1	1.1	0.2
9/23/20 17:00	0.2	1.1	0.2
9/23/20 18:00	0.2	1.1	0.2
9/23/20 19:00	0.2	1.2	0.2
9/23/20 20:00	0.2	1.2	0.2
9/23/20 21:00	0.2	1.2	0.2
9/23/20 22:00	0.2	1.2	0.2
9/23/20 23:00	0.2	1.2	0.2
9/24/20 0:00	0.1	1.2	0.2
9/24/20 1:00	0.1	1.2	0.2
9/24/20 2:00	0.1	1.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/24/20 3:00	0.1	1.1	0.2
9/24/20 4:00	0.1	1.0	0.2
9/24/20 5:00	0.1	1.0	0.2
9/24/20 6:00	0.0	0.9	0.2
9/24/20 7:00	0.1	0.9	0.2
9/24/20 8:00	0.1	0.9	0.2
9/24/20 9:00	0.1	0.8	0.2
9/24/20 10:00	0.1	0.8	0.2
9/24/20 11:00	0.1	0.8	0.2
9/24/20 12:00	0.1	0.2	0.2
9/24/20 13:00	0.1	0.1	0.2
9/24/20 14:00	0.2	0.1	0.2
9/24/20 15:00	0.1	0.1	0.2
9/24/20 16:00	0.2	0.1	0.2
9/24/20 17:00	0.2	0.1	0.2
9/24/20 18:00	0.2	0.1	0.2
9/24/20 19:00	0.1	0.1	0.2
9/24/20 20:00	0.1	0.1	0.2
9/24/20 21:00	0.1	0.1	0.2
9/24/20 22:00	0.1	0.1	0.2
9/24/20 23:00	0.1	0.1	0.2
9/25/20 0:00	0.1	0.1	0.2
9/25/20 1:00	0.1	0.1	0.2
9/25/20 2:00	0.1	0.1	0.2
9/25/20 3:00	0.1	0.1	0.2
9/25/20 4:00	0.1	0.1	0.2
9/25/20 5:00	0.3	0.1	0.2
9/25/20 6:00	0.2	0.1	0.2
9/25/20 7:00	0.2	0.1	0.2
9/25/20 8:00	0.2	0.1	0.2
9/25/20 9:00	0.2	0.2	0.2
9/25/20 10:00	0.2	0.2	0.2
9/25/20 11:00	0.1	0.2	0.2
9/25/20 12:00	0.3	0.2	0.2
9/25/20 13:00	0.2	0.2	0.2
9/25/20 14:00	0.2	0.2	0.2
9/25/20 15:00	0.2	0.2	0.2
9/25/20 16:00	0.2	0.2	0.2
9/25/20 17:00	0.2	0.2	0.2
9/25/20 18:00	0.2	0.2	0.2
9/25/20 19:00	0.2	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/25/20 20:00	0.2	0.2	0.2
9/25/20 21:00	0.2	0.2	0.2
9/25/20 22:00	0.2	0.2	0.2
9/25/20 23:00	0.2	0.2	0.2
9/26/20 0:00	0.1	0.2	0.2
9/26/20 1:00	0.1	0.2	0.2
9/26/20 2:00	0.2	0.2	0.2
9/26/20 3:00	0.2	0.2	0.2
9/26/20 4:00	0.1	0.2	0.2
9/26/20 5:00	0.1	0.2	0.2
9/26/20 6:00	0.1	0.2	0.2
9/26/20 7:00	0.1	0.2	0.2
9/26/20 8:00	0.1	0.2	0.2
9/26/20 9:00	0.1	0.2	0.2
9/26/20 10:00	0.1	0.2	0.2
9/26/20 11:00	0.1	0.2	0.2
9/26/20 12:00	0.1	0.2	0.2
9/26/20 13:00	0.1	0.2	0.2
9/26/20 14:00	0.2	0.2	0.2
9/26/20 15:00	0.2	0.2	0.2
9/26/20 16:00	0.2	0.2	0.2
9/26/20 17:00	0.1	0.2	0.2
9/26/20 18:00	0.1	0.1	0.2
9/26/20 19:00	0.1	0.1	0.2
9/26/20 20:00	0.1	0.1	0.2
9/26/20 21:00	0.1	0.1	0.2
9/26/20 22:00	0.1	0.1	0.2
9/26/20 23:00	0.1	0.1	0.2
9/27/20 0:00	0.1	0.1	0.2
9/27/20 1:00	0.1	0.1	0.2
9/27/20 2:00	0.1	0.1	0.2
9/27/20 3:00	0.1	0.1	0.2
9/27/20 4:00	0.1	0.1	0.2
9/27/20 5:00	0.1	0.1	0.2
9/27/20 6:00	0.1	0.1	0.2
9/27/20 7:00	0.2	0.1	0.2
9/27/20 8:00	0.2	0.1	0.2
9/27/20 9:00	0.1	0.1	0.2
9/27/20 10:00	0.2	0.1	0.2
9/27/20 11:00	0.2	0.1	0.2
9/27/20 12:00	0.2	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/27/20 13:00	0.2	0.1	0.2
9/27/20 14:00	0.1	0.1	0.2
9/27/20 15:00	0.1	0.1	0.2
9/27/20 16:00	0.2	0.1	0.2
9/27/20 17:00	0.2	0.1	0.2
9/27/20 18:00	0.2	0.1	0.2
9/27/20 19:00	0.1	0.1	0.2
9/27/20 20:00	0.2	0.1	0.2
9/27/20 21:00	0.1	0.1	0.2
9/27/20 22:00	0.1	0.1	0.2
9/27/20 23:00	0.1	0.1	0.2
9/28/20 0:00	0.1	0.1	0.2
9/28/20 1:00	0.1	0.1	0.2
9/28/20 2:00	0.1	0.1	0.2
9/28/20 3:00	0.1	0.1	0.2
9/28/20 4:00	0.1	0.1	0.2
9/28/20 5:00	0.1	0.1	0.2
9/28/20 6:00	0.1	0.1	0.2
9/28/20 7:00	0.1	0.1	0.2
9/28/20 8:00	0.1	0.1	0.2
9/28/20 9:00	0.1	0.1	0.2
9/28/20 10:00	0.1	0.1	0.2
9/28/20 11:00	0.1	0.1	0.2
9/28/20 12:00	0.1	0.1	0.2
9/28/20 13:00	0.2	0.1	0.2
9/28/20 14:00	0.1	0.1	0.2
9/28/20 15:00	0.1	0.1	0.2
9/28/20 16:00	0.2	0.1	0.2
9/28/20 17:00	0.2	0.1	0.2
9/28/20 18:00	0.2	0.1	0.2
9/28/20 19:00	0.1	0.1	0.2
9/28/20 20:00	0.1	0.1	0.2
9/28/20 21:00	0.2	0.1	0.2
9/28/20 22:00	0.1	0.1	0.2
9/28/20 23:00	0.1	0.1	0.2
9/29/20 0:00	0.1	0.1	0.2
9/29/20 1:00	0.1	0.1	0.2
9/29/20 2:00	0.1	0.1	0.2
9/29/20 3:00	0.2	0.1	0.2
9/29/20 4:00	0.2	0.1	0.2
9/29/20 5:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/29/20 6:00	0.1	0.1	0.2
9/29/20 7:00	0.1	0.1	0.2
9/29/20 8:00	0.1	0.1	0.2
9/29/20 9:00	0.1	0.1	0.2
9/29/20 10:00	0.2	0.1	0.2
9/29/20 11:00	0.2	0.1	0.2
9/29/20 12:00	0.2	0.1	0.2
9/29/20 13:00	0.2	0.1	0.2
9/29/20 14:00	0.1	0.1	0.2
9/29/20 15:00	0.1	0.1	0.2
9/29/20 16:00	0.0	0.1	0.2
9/29/20 17:00	0.0	0.1	0.2
9/29/20 18:00	0.1	0.1	0.2
9/29/20 19:00	0.1	0.1	0.2
9/29/20 20:00	0.2	0.1	0.2
9/29/20 21:00	0.1	0.1	0.2
9/29/20 22:00	0.1	0.1	0.2
9/29/20 23:00	0.2	0.1	0.2
9/30/20 0:00	0.1	0.1	0.2
9/30/20 1:00	0.9	0.2	0.2
9/30/20 2:00	3.6	0.3	0.2
9/30/20 3:00	11.4	0.8	0.2
9/30/20 4:00	0.3	0.8	0.2
9/30/20 5:00	0.2	0.8	0.2
9/30/20 6:00	0.6	0.8	0.2
9/30/20 7:00	0.7	0.8	0.2
9/30/20 8:00	1.0	0.9	0.2
9/30/20 9:00	1.3	0.9	0.2
9/30/20 10:00	15.2	1.5	0.2
9/30/20 11:00	0.3	1.5	0.2
9/30/20 12:00	0.3	1.6	0.2
9/30/20 13:00	0.8	1.6	0.2
9/30/20 14:00	2.9	1.7	0.2
9/30/20 15:00	16.8	2.4	0.3
9/30/20 16:00	16.8	3.1	0.3
9/30/20 17:00	15.7	3.7	0.3
9/30/20 18:00	16.0	4.4	0.3
9/30/20 19:00	0.3	4.4	0.3
9/30/20 20:00	1.7	4.5	0.3
9/30/20 21:00	2.0	4.5	0.3
9/30/20 22:00	1.0	4.6	0.3

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/30/20 23:00	0.2	4.6	0.3
10/1/20 0:00	0.2	4.6	0.3
10/1/20 1:00	0.2	4.6	0.3
10/1/20 2:00	0.2	4.4	0.3
10/1/20 3:00	0.1	3.9	0.3
10/1/20 4:00	0.1	3.9	0.3
10/1/20 5:00	0.1	3.9	0.3
10/1/20 6:00	0.1	3.9	0.3
10/1/20 7:00	0.1	3.9	0.3
10/1/20 8:00	0.2	3.9	0.3
10/1/20 9:00	0.2	3.8	0.3
10/1/20 10:00	0.1	3.2	0.3
10/1/20 11:00	0.1	3.2	0.3
10/1/20 12:00	0.1	3.2	0.3
10/1/20 13:00	0.1	3.1	0.3
10/1/20 14:00	0.1	3.0	0.3
10/1/20 15:00	0.1	2.3	0.3
10/1/20 16:00	0.1	1.6	0.3
10/1/20 17:00	0.1	1.0	0.3
10/1/20 18:00	0.1	0.3	0.3
10/1/20 19:00	0.1	0.3	0.3
10/1/20 20:00	0.1	0.2	0.3
10/1/20 21:00	0.1	0.2	0.3
10/1/20 22:00	0.1	0.1	0.3
10/1/20 23:00	0.1	0.1	0.3
10/2/20 0:00	0.1	0.1	0.3
10/2/20 1:00	0.1	0.1	0.3
10/2/20 2:00	0.1	0.1	0.3
10/2/20 3:00	0.2	0.1	0.3
10/2/20 4:00	0.2	0.1	0.3
10/2/20 5:00	0.2	0.1	0.3
10/2/20 6:00	0.1	0.1	0.3
10/2/20 7:00	0.1	0.1	0.3
10/2/20 8:00	0.1	0.1	0.3
10/2/20 9:00	0.1	0.1	0.3
10/2/20 10:00	0.1	0.1	0.3
10/2/20 11:00	0.1	0.1	0.3
10/2/20 12:00	0.2	0.1	0.3
10/2/20 13:00	0.1	0.1	0.3
10/2/20 14:00	0.1	0.1	0.3
10/2/20 15:00	0.2	0.1	0.3

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/2/20 16:00	0.1	0.1	0.3
10/2/20 17:00	0.1	0.1	0.3
10/2/20 18:00	0.1	0.1	0.3
10/2/20 19:00	0.1	0.1	0.3
10/2/20 20:00	0.1	0.1	0.3
10/2/20 21:00	0.1	0.1	0.3
10/2/20 22:00	0.1	0.1	0.3
10/2/20 23:00	0.2	0.1	0.3
10/3/20 0:00	0.2	0.1	0.3
10/3/20 1:00	0.1	0.1	0.3
10/3/20 2:00	0.1	0.1	0.3
10/3/20 3:00	0.1	0.1	0.3
10/3/20 4:00	0.1	0.1	0.3
10/3/20 5:00	0.1	0.1	0.3
10/3/20 6:00	0.1	0.1	0.3
10/3/20 7:00	0.1	0.1	0.3
10/3/20 8:00	0.1	0.1	0.3
10/3/20 9:00	0.1	0.1	0.3
10/3/20 10:00	0.1	0.1	0.3
10/3/20 11:00	0.1	0.1	0.3
10/3/20 12:00	0.1	0.1	0.3
10/3/20 13:00	0.1	0.1	0.3
10/3/20 14:00	0.3	0.1	0.3
10/3/20 15:00	0.1	0.1	0.3
10/3/20 16:00	0.2	0.1	0.3
10/3/20 17:00	0.2	0.1	0.3
10/3/20 18:00	0.1	0.1	0.3
10/3/20 19:00	0.1	0.1	0.3
10/3/20 20:00	0.1	0.1	0.3
10/3/20 21:00	0.1	0.1	0.3
10/3/20 22:00	0.1	0.1	0.3
10/3/20 23:00	0.1	0.1	0.3
10/4/20 0:00	0.1	0.1	0.3
10/4/20 1:00	0.1	0.1	0.3
10/4/20 2:00	0.1	0.1	0.3
10/4/20 3:00	0.1	0.1	0.3
10/4/20 4:00	0.1	0.1	0.3
10/4/20 5:00	0.2	0.1	0.3
10/4/20 6:00	0.2	0.1	0.3
10/4/20 7:00	0.2	0.1	0.3
10/4/20 8:00	0.1	0.1	0.3

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/4/20 9:00	0.1	0.1	0.3
10/4/20 10:00	0.1	0.1	0.3
10/4/20 11:00	0.1	0.1	0.3
10/4/20 12:00	0.1	0.1	0.3
10/4/20 13:00	0.1	0.1	0.3
10/4/20 14:00	0.1	0.1	0.3
10/4/20 15:00	0.1	0.1	0.3
10/4/20 16:00	0.1	0.1	0.3
10/4/20 17:00	0.1	0.1	0.3
10/4/20 18:00	0.1	0.1	0.3
10/4/20 19:00	0.1	0.1	0.3
10/4/20 20:00	0.1	0.1	0.3
10/4/20 21:00	0.1	0.1	0.3
10/4/20 22:00	0.1	0.1	0.3
10/4/20 23:00	0.1	0.1	0.3
10/5/20 0:00	0.1	0.1	0.3
10/5/20 1:00	0.1	0.1	0.3
10/5/20 2:00	0.1	0.1	0.3
10/5/20 3:00	0.1	0.1	0.3
10/5/20 4:00	0.1	0.1	0.3
10/5/20 5:00	0.1	0.1	0.3
10/5/20 6:00	0.1	0.1	0.3
10/5/20 7:00	0.1	0.1	0.3
10/5/20 8:00	0.2	0.1	0.3
10/5/20 9:00	0.2	0.1	0.3
10/5/20 10:00	0.1	0.1	0.3
10/5/20 11:00	0.1	0.1	0.3
10/5/20 12:00	0.1	0.1	0.3
10/5/20 13:00	0.1	0.1	0.3
10/5/20 14:00	0.1	0.1	0.3
10/5/20 15:00	0.1	0.1	0.3
10/5/20 16:00	0.1	0.1	0.3
10/5/20 17:00	0.2	0.1	0.3
10/5/20 18:00	0.2	0.1	0.3
10/5/20 19:00	0.2	0.1	0.3
10/5/20 20:00	0.1	0.1	0.3
10/5/20 21:00	0.2	0.1	0.3
10/5/20 22:00	0.2	0.1	0.3
10/5/20 23:00	0.1	0.1	0.3
10/6/20 0:00	0.1	0.1	0.3
10/6/20 1:00	0.1	0.1	0.3

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/6/20 2:00	0.2	0.1	0.3
10/6/20 3:00	0.2	0.1	0.3
10/6/20 4:00	0.2	0.1	0.3
10/6/20 5:00	0.2	0.1	0.3
10/6/20 6:00	0.2	0.1	0.3
10/6/20 7:00	0.2	0.2	0.3
10/6/20 8:00	0.2	0.2	0.3
10/6/20 9:00	0.2	0.2	0.3
10/6/20 10:00	0.1	0.2	0.3
10/6/20 11:00	0.2	0.2	0.3
10/6/20 12:00	0.2	0.2	0.3
10/6/20 13:00	0.2	0.2	0.3
10/6/20 14:00	0.3	0.2	0.3
10/6/20 15:00	0.2	0.2	0.3
10/6/20 16:00	0.2	0.2	0.3
10/6/20 17:00	0.2	0.2	0.3
10/6/20 18:00	0.1	0.2	0.3
10/6/20 19:00	0.2	0.2	0.3
10/6/20 20:00	0.2	0.2	0.3
10/6/20 21:00	0.1	0.2	0.3
10/6/20 22:00	0.1	0.2	0.3
10/6/20 23:00	0.1	0.2	0.3
10/7/20 0:00	0.1	0.2	0.3
10/7/20 1:00	0.1	0.2	0.3
10/7/20 2:00	0.1	0.2	0.3
10/7/20 3:00	0.2	0.2	0.3
10/7/20 4:00	0.2	0.2	0.3
10/7/20 5:00	0.2	0.2	0.3
10/7/20 6:00	0.1	0.2	0.3
10/7/20 7:00	0.1	0.2	0.3
10/7/20 8:00	0.1	0.2	0.3
10/7/20 9:00	0.1	0.2	0.3
10/7/20 10:00	0.1	0.2	0.3
10/7/20 11:00	0.1	0.2	0.3
10/7/20 12:00	0.1	0.2	0.3
10/7/20 13:00	0.1	0.2	0.3
10/7/20 14:00	0.1	0.2	0.3
10/7/20 15:00	0.1	0.1	0.3
10/7/20 16:00	0.1	0.1	0.3
10/7/20 17:00	0.2	0.1	0.3
10/7/20 18:00	0.2	0.1	0.3

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/7/20 19:00	0.2	0.1	0.3
10/7/20 20:00	0.2	0.1	0.3
10/7/20 21:00	0.1	0.1	0.3
10/7/20 22:00	0.1	0.1	0.3
10/7/20 23:00	0.1	0.1	0.3
10/8/20 0:00	0.1	0.1	0.3
10/8/20 1:00	0.1	0.1	0.3
10/8/20 2:00	0.2	0.1	0.3
10/8/20 3:00	0.2	0.1	0.3
10/8/20 4:00	0.1	0.1	0.3
10/8/20 5:00	0.1	0.1	0.3
10/8/20 6:00	0.1	0.1	0.3
10/8/20 7:00	0.1	0.1	0.3
10/8/20 8:00	0.1	0.1	0.3
10/8/20 9:00	0.1	0.1	0.3
10/8/20 10:00	0.1	0.1	0.3
10/8/20 11:00	0.1	0.1	0.3
10/8/20 12:00	0.1	0.1	0.3
10/8/20 13:00	0.1	0.1	0.3
10/8/20 14:00	0.1	0.1	0.3
10/8/20 15:00	0.2	0.1	0.3
10/8/20 16:00	0.2	0.1	0.3
10/8/20 17:00	0.2	0.1	0.3
10/8/20 18:00	0.1	0.1	0.3
10/8/20 19:00	0.1	0.1	0.3
10/8/20 20:00	0.1	0.1	0.3
10/8/20 21:00	0.0	0.1	0.3
10/8/20 22:00	0.1	0.1	0.3
10/8/20 23:00	0.1	0.1	0.3
10/9/20 0:00	0.1	0.1	0.3
10/9/20 1:00	0.1	0.1	0.3
10/9/20 2:00	0.1	0.1	0.3
10/9/20 3:00	0.1	0.1	0.3
10/9/20 4:00	0.1	0.1	0.3
10/9/20 5:00	0.1	0.1	0.3
10/9/20 6:00	0.1	0.1	0.3
10/9/20 7:00	0.2	0.1	0.3
10/9/20 8:00	0.2	0.1	0.3
10/9/20 9:00	0.2	0.1	0.3
10/9/20 10:00	0.2	0.1	0.3
10/9/20 11:00	0.2	0.1	0.3

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/9/20 12:00	0.2	0.1	0.3
10/9/20 13:00	0.2	0.1	0.3
10/9/20 14:00	0.2	0.1	0.3
10/9/20 15:00	0.2	0.1	0.3
10/9/20 16:00	0.1	0.1	0.3
10/9/20 17:00	0.1	0.1	0.3
10/9/20 18:00	0.1	0.1	0.3
10/9/20 19:00	0.1	0.1	0.3
10/9/20 20:00	0.1	0.1	0.3
10/9/20 21:00	0.1	0.1	0.3
10/9/20 22:00	0.1	0.1	0.3
10/9/20 23:00	0.1	0.1	0.3
10/10/20 0:00	0.1	0.1	0.3
10/10/20 1:00	0.1	0.1	0.3
10/10/20 2:00	0.1	0.1	0.3
10/10/20 3:00	0.1	0.1	0.3
10/10/20 4:00	0.2	0.1	0.3
10/10/20 5:00	0.2	0.1	0.3
10/10/20 6:00	0.2	0.1	0.3
10/10/20 7:00	0.1	0.1	0.3
10/10/20 8:00	0.1	0.1	0.3
10/10/20 9:00	0.1	0.1	0.3
10/10/20 10:00	0.1	0.1	0.3
10/10/20 11:00	0.1	0.1	0.3
10/10/20 12:00	0.1	0.1	0.3
10/10/20 13:00	0.1	0.1	0.3
10/10/20 14:00	0.1	0.1	0.3
10/10/20 15:00	0.1	0.1	0.3
10/10/20 16:00	0.1	0.1	0.3
10/10/20 17:00	0.2	0.1	0.3
10/10/20 18:00	0.2	0.1	0.3
10/10/20 19:00	0.3	0.1	0.3
10/10/20 20:00	0.1	0.1	0.3
10/10/20 21:00	0.2	0.1	0.3
10/10/20 22:00	0.2	0.1	0.3
10/10/20 23:00	0.1	0.1	0.3
10/11/20 0:00	0.2	0.1	0.3
10/11/20 1:00	0.1	0.1	0.3
10/11/20 2:00	0.2	0.2	0.3
10/11/20 3:00	0.2	0.2	0.3
10/11/20 4:00	0.3	0.2	0.3

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/11/20 5:00	0.1	0.2	0.3
10/11/20 6:00	0.1	0.2	0.3
10/11/20 7:00	0.1	0.2	0.3
10/11/20 8:00	0.1	0.2	0.3
10/11/20 9:00	0.1	0.2	0.3
10/11/20 10:00	0.1	0.2	0.3
10/11/20 11:00	0.2	0.2	0.3
10/11/20 12:00	0.2	0.2	0.3
10/11/20 13:00	0.2	0.2	0.3
10/11/20 14:00	0.1	0.2	0.3
10/11/20 15:00	0.1	0.2	0.3
10/11/20 16:00	0.2	0.2	0.3
10/11/20 17:00	0.2	0.2	0.3
10/11/20 18:00	0.2	0.2	0.3
10/11/20 19:00	0.2	0.2	0.3
10/11/20 20:00	0.2	0.2	0.3
10/11/20 21:00	0.2	0.2	0.3
10/11/20 22:00	0.2	0.1	0.3
10/11/20 23:00	0.1	0.1	0.3
10/12/20 0:00	0.1	0.1	0.3
10/12/20 1:00	0.2	0.1	0.3
10/12/20 2:00	0.2	0.1	0.3
10/12/20 3:00	0.2	0.1	0.3
10/12/20 4:00	0.2	0.1	0.3
10/12/20 5:00	0.2	0.1	0.3
10/12/20 6:00	0.1	0.1	0.3
10/12/20 7:00	0.2	0.1	0.3
10/12/20 8:00	0.1	0.1	0.3
10/12/20 9:00	0.1	0.1	0.3
10/12/20 10:00	0.2	0.2	0.3
10/12/20 11:00	0.2	0.2	0.3
10/12/20 12:00	0.2	0.2	0.3
10/12/20 13:00	0.2	0.2	0.3
10/12/20 14:00	0.2	0.2	0.3
10/12/20 15:00	0.1	0.2	0.3
10/12/20 16:00	0.1	0.2	0.3
10/12/20 17:00	0.2	0.2	0.3
10/12/20 18:00	0.2	0.2	0.3
10/12/20 19:00	0.2	0.2	0.3
10/12/20 20:00	0.2	0.2	0.3
10/12/20 21:00	0.2	0.2	0.3

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/12/20 22:00	0.2	0.2	0.3
10/12/20 23:00	0.7	0.2	0.3
10/13/20 0:00	1.2	0.2	0.4
10/13/20 1:00	1.3	0.3	0.4
10/13/20 2:00	1.2	0.3	0.4
10/13/20 3:00	1.5	0.4	0.4
10/13/20 4:00	1.8	0.4	0.4
10/13/20 5:00	1.9	0.5	0.4
10/13/20 6:00	1.5	0.6	0.4
10/13/20 7:00	1.3	0.6	0.4
10/13/20 8:00	1.4	0.7	0.4
10/13/20 9:00	0.4	0.7	0.4
10/13/20 10:00	0.2	0.7	0.4
10/13/20 11:00	0.7	0.7	0.4
10/13/20 12:00	0.4	0.7	0.4
10/13/20 13:00	0.3	0.7	0.4
10/13/20 14:00	0.2	0.7	0.4
10/13/20 15:00	0.2	0.7	0.4
10/13/20 16:00	0.1	0.7	0.4
10/13/20 17:00	0.1	0.7	0.4
10/13/20 18:00	0.1	0.7	0.4
10/13/20 19:00	0.2	0.7	0.4
10/13/20 20:00	0.2	0.7	0.4
10/13/20 21:00	0.1	0.7	0.4
10/13/20 22:00	0.1	0.7	0.4
10/13/20 23:00	0.1	0.7	0.4
10/14/20 0:00	0.1	0.6	0.4
10/14/20 1:00	0.1	0.6	0.4
10/14/20 2:00	0.2	0.6	0.4
10/14/20 3:00	0.1	0.5	0.4
10/14/20 4:00	0.1	0.4	0.4
10/14/20 5:00	0.2	0.4	0.4
10/14/20 6:00	0.2	0.3	0.4
10/14/20 7:00	0.2	0.3	0.4
10/14/20 8:00	0.3	0.2	0.4
10/14/20 9:00	0.2	0.2	0.4
10/14/20 10:00	0.2	0.2	0.4
10/14/20 11:00	0.1	0.2	0.4
10/14/20 12:00	0.1	0.2	0.4
10/14/20 13:00	0.1	0.2	0.4
10/14/20 14:00	0.1	0.2	0.4

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/14/20 15:00	0.2	0.2	0.4
10/14/20 16:00	0.1	0.2	0.4
10/14/20 17:00	0.2	0.2	0.4
10/14/20 18:00	0.1	0.2	0.4
10/14/20 19:00	0.1	0.2	0.4
10/14/20 20:00	0.1	0.2	0.4
10/14/20 21:00	0.1	0.2	0.4
10/14/20 22:00	0.1	0.2	0.4
10/14/20 23:00	0.1	0.2	0.4
10/15/20 0:00	0.1	0.2	0.4
10/15/20 1:00	0.2	0.2	0.4
10/15/20 2:00	0.2	0.2	0.4
10/15/20 3:00	0.2	0.2	0.4
10/15/20 4:00	0.1	0.2	0.4
10/15/20 5:00	0.1	0.2	0.4
10/15/20 6:00	0.1	0.2	0.4
10/15/20 7:00	0.1	0.1	0.4
10/15/20 8:00	0.1	0.1	0.4
10/15/20 9:00	0.1	0.1	0.3
10/15/20 10:00	0.1	0.1	0.3
10/15/20 11:00	0.1	0.1	0.3
10/15/20 12:00	0.1	0.1	0.3
10/15/20 13:00	0.1	0.1	0.3
10/15/20 14:00	0.1	0.1	0.3
10/15/20 15:00	0.1	0.1	0.3
10/15/20 16:00	0.1	0.1	0.3
10/15/20 17:00	0.2	0.1	0.3
10/15/20 18:00	0.1	0.1	0.3
10/15/20 19:00	0.1	0.1	0.3
10/15/20 20:00	0.1	0.1	0.3
10/15/20 21:00	0.1	0.1	0.3
10/15/20 22:00	0.1	0.1	0.3
10/15/20 23:00	0.2	0.1	0.3
10/16/20 0:00	0.1	0.1	0.3
10/16/20 1:00	0.1	0.1	0.3
10/16/20 2:00	0.3	0.1	0.3
10/16/20 3:00	0.2	0.1	0.3
10/16/20 4:00	0.2	0.1	0.3
10/16/20 5:00	0.1	0.1	0.3
10/16/20 6:00	0.3	0.1	0.3
10/16/20 7:00	0.3	0.2	0.3

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/16/20 8:00	0.4	0.2	0.3
10/16/20 9:00	0.1	0.2	0.3
10/16/20 10:00	0.2	0.2	0.3
10/16/20 11:00	0.1	0.2	0.3
10/16/20 12:00	0.1	0.2	0.3
10/16/20 13:00	0.1	0.2	0.3
10/16/20 14:00	0.1	0.2	0.3
10/16/20 15:00	0.1	0.2	0.3
10/16/20 16:00	0.1	0.2	0.3
10/16/20 17:00	0.1	0.2	0.3
10/16/20 18:00	0.1	0.2	0.3
10/16/20 19:00	0.2	0.2	0.3
10/16/20 20:00	0.1	0.2	0.3
10/16/20 21:00	0.1	0.2	0.3
10/16/20 22:00	0.1	0.2	0.3
10/16/20 23:00	0.2	0.2	0.3
10/17/20 0:00	0.2	0.2	0.3
10/17/20 1:00	0.2	0.2	0.3
10/17/20 2:00	0.2	0.2	0.3
10/17/20 3:00	0.2	0.2	0.3
10/17/20 4:00	0.2	0.2	0.3
10/17/20 5:00	0.1	0.2	0.3
10/17/20 6:00	0.1	0.2	0.3
10/17/20 7:00	0.1	0.1	0.3
10/17/20 8:00	0.0	0.1	0.3
10/17/20 9:00	0.1	0.1	0.3
10/17/20 10:00	0.2	0.1	0.3
10/17/20 11:00	0.2	0.1	0.3
10/17/20 12:00	0.1	0.1	0.3
10/17/20 13:00	0.1	0.1	0.3
10/17/20 14:00	0.1	0.1	0.3
10/17/20 15:00	0.1	0.1	0.3
10/17/20 16:00	0.1	0.1	0.3
10/17/20 17:00	0.1	0.1	0.3
10/17/20 18:00	0.1	0.1	0.3
10/17/20 19:00	0.1	0.1	0.3
10/17/20 20:00	0.1	0.1	0.3
10/17/20 21:00	0.1	0.1	0.3
10/17/20 22:00	0.2	0.1	0.3
10/17/20 23:00	0.1	0.1	0.3
10/18/20 0:00	0.1	0.1	0.3

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/18/20 1:00	0.1	0.1	0.3
10/18/20 2:00	0.1	0.1	0.3
10/18/20 3:00	0.1	0.1	0.3
10/18/20 4:00	0.1	0.1	0.3
10/18/20 5:00	0.1	0.1	0.3
10/18/20 6:00	0.2	0.1	0.3
10/18/20 7:00	0.2	0.1	0.3
10/18/20 8:00	0.2	0.1	0.3
10/18/20 9:00	0.1	0.1	0.3
10/18/20 10:00	0.1	0.1	0.3
10/18/20 11:00	0.1	0.1	0.3
10/18/20 12:00	0.1	0.1	0.3
10/18/20 13:00	0.1	0.1	0.3
10/18/20 14:00	0.1	0.1	0.3
10/18/20 15:00	0.1	0.1	0.3
10/18/20 16:00	0.1	0.1	0.3
10/18/20 17:00	0.1	0.1	0.3
10/18/20 18:00	0.1	0.1	0.3
10/18/20 19:00	0.1	0.1	0.3
10/18/20 20:00	0.2	0.1	0.3
10/18/20 21:00	0.1	0.1	0.3
10/18/20 22:00	0.2	0.1	0.3
10/18/20 23:00	0.2	0.1	0.3
10/19/20 0:00	0.2	0.1	0.3
10/19/20 1:00	0.1	0.1	0.3
10/19/20 2:00	0.1	0.1	0.3
10/19/20 3:00	0.1	0.1	0.3
10/19/20 4:00	0.1	0.1	0.3
10/19/20 5:00	0.1	0.1	0.3
10/19/20 6:00	0.1	0.1	0.3
10/19/20 7:00	0.1	0.1	0.3
10/19/20 8:00	0.3	0.1	0.3
10/19/20 9:00	0.2	0.1	0.3
10/19/20 10:00	0.2	0.1	0.3
10/19/20 11:00	0.2	0.1	0.3
10/19/20 12:00	0.2	0.1	0.3
10/19/20 13:00	0.2	0.1	0.3
10/19/20 14:00	0.2	0.1	0.3
10/19/20 15:00	0.2	0.1	0.3
10/19/20 16:00	0.2	0.2	0.3
10/19/20 17:00	0.2	0.2	0.3

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/19/20 18:00	0.2	0.2	0.3
10/19/20 19:00	0.4	0.2	0.3
10/19/20 20:00	0.1	0.2	0.3
10/19/20 21:00	0.1	0.2	0.3
10/19/20 22:00	0.1	0.2	0.3
10/19/20 23:00	0.2	0.2	0.3
10/20/20 0:00	0.2	0.2	0.3
10/20/20 1:00	0.3	0.2	0.3
10/20/20 2:00	0.2	0.2	0.3
10/20/20 3:00	0.2	0.2	0.3
10/20/20 4:00	0.2	0.2	0.3
10/20/20 5:00	0.1	0.2	0.3
10/20/20 6:00	0.1	0.2	0.3
10/20/20 7:00	0.2	0.2	0.3
10/20/20 8:00	0.1	0.2	0.3
10/20/20 9:00	0.1	0.2	0.3
10/20/20 10:00	0.1	0.2	0.3
10/20/20 11:00	0.1	0.2	0.3
10/20/20 12:00	0.2	0.2	0.3
10/20/20 13:00	0.1	0.2	0.3
10/20/20 14:00	0.1	0.2	0.3
10/20/20 15:00	0.1	0.2	0.3
10/20/20 16:00	0.2	0.2	0.3
10/20/20 17:00	0.2	0.2	0.3
10/20/20 18:00	0.2	0.2	0.3
10/20/20 19:00	0.1	0.2	0.3
10/20/20 20:00	0.3	0.2	0.3
10/20/20 21:00	0.1	0.2	0.3
10/20/20 22:00	0.2	0.2	0.3
10/20/20 23:00	0.2	0.2	0.3
10/21/20 0:00	0.2	0.2	0.3
10/21/20 1:00	0.2	0.2	0.3
10/21/20 2:00	0.2	0.2	0.3
10/21/20 3:00	0.1	0.2	0.3
10/21/20 4:00	0.1	0.2	0.3
10/21/20 5:00	0.1	0.2	0.3
10/21/20 6:00	0.2	0.2	0.3
10/21/20 7:00	0.2	0.2	0.3
10/21/20 8:00	0.2	0.2	0.3
10/21/20 9:00	0.2	0.2	0.3
10/21/20 10:00	0.2	0.2	0.3

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/21/20 11:00	0.1	0.2	0.3
10/21/20 12:00	0.2	0.2	0.3
10/21/20 13:00	0.2	0.2	0.3
10/21/20 14:00	0.2	0.2	0.3
10/21/20 15:00	0.2	0.2	0.3
10/21/20 16:00	0.2	0.2	0.3
10/21/20 17:00	0.2	0.2	0.3
10/21/20 18:00	0.2	0.2	0.3
10/21/20 19:00	0.2	0.2	0.3
10/21/20 20:00	0.2	0.2	0.3
10/21/20 21:00	0.2	0.2	0.3
10/21/20 22:00	0.3	0.2	0.3
10/21/20 23:00	0.2	0.2	0.3
10/22/20 0:00	0.2	0.2	0.3
10/22/20 1:00	0.2	0.2	0.3
10/22/20 2:00	0.2	0.2	0.3
10/22/20 3:00	0.2	0.2	0.3
10/22/20 4:00	0.1	0.2	0.3
10/22/20 5:00	0.1	0.2	0.3
10/22/20 6:00	0.2	0.2	0.3
10/22/20 7:00	0.2	0.2	0.3
10/22/20 8:00	0.2	0.2	0.3
10/22/20 9:00	0.2	0.2	0.3
10/22/20 10:00	0.2	0.2	0.3
10/22/20 11:00	0.1	0.2	0.3
10/22/20 12:00	0.1	0.2	0.3
10/22/20 13:00	0.1	0.2	0.3
10/22/20 14:00	0.2	0.2	0.3
10/22/20 15:00	0.2	0.2	0.3
10/22/20 16:00	0.2	0.2	0.3
10/22/20 17:00	0.2	0.2	0.3
10/22/20 18:00	0.2	0.2	0.3
10/22/20 19:00	0.2	0.2	0.3
10/22/20 20:00	0.1	0.2	0.3
10/22/20 21:00	0.1	0.2	0.3
10/22/20 22:00	0.1	0.2	0.3
10/22/20 23:00	0.2	0.2	0.3
10/23/20 0:00	0.2	0.2	0.3
10/23/20 1:00	0.1	0.2	0.3
10/23/20 2:00	0.1	0.2	0.3
10/23/20 3:00	20.6	1.0	0.4

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/23/20 4:00	0.7	1.0	0.4
10/23/20 5:00	0.5	1.1	0.4
10/23/20 6:00	0.4	1.1	0.4
10/23/20 7:00	0.3	1.1	0.4
10/23/20 8:00	0.4	1.1	0.4
10/23/20 9:00	0.4	1.1	0.4
10/23/20 10:00	0.4	1.1	0.4
10/23/20 11:00	0.5	1.1	0.4
10/23/20 12:00	0.8	1.1	0.3
10/23/20 13:00	0.2	1.1	0.3
10/23/20 14:00	0.1	1.1	0.3
10/23/20 15:00	0.1	1.1	0.3
10/23/20 16:00	0.1	1.1	0.3
10/23/20 17:00	0.2	1.1	0.3
10/23/20 18:00	0.2	1.1	0.3
10/23/20 19:00	0.2	1.1	0.3
10/23/20 20:00	0.2	1.1	0.3
10/23/20 21:00	0.2	1.1	0.3
10/23/20 22:00	0.2	1.1	0.3
10/23/20 23:00	0.2	1.1	0.3
10/24/20 0:00	0.2	1.1	0.3
10/24/20 1:00	0.1	1.1	0.3
10/24/20 2:00	0.1	1.1	0.3
10/24/20 3:00	0.1	0.3	0.3
10/24/20 4:00	0.2	0.3	0.3
10/24/20 5:00	0.2	0.2	0.3
10/24/20 6:00	0.2	0.2	0.3
10/24/20 7:00	0.2	0.2	0.3
10/24/20 8:00	0.2	0.2	0.3
10/24/20 9:00	0.1	0.2	0.3
10/24/20 10:00	0.2	0.2	0.3
10/24/20 11:00	0.1	0.2	0.3
10/24/20 12:00	0.1	0.2	0.3
10/24/20 13:00	0.2	0.2	0.3
10/24/20 14:00	0.1	0.2	0.3
10/24/20 15:00	0.1	0.2	0.3
10/24/20 16:00	0.1	0.2	0.3
10/24/20 17:00	0.1	0.1	0.3
10/24/20 18:00	0.2	0.2	0.3
10/24/20 19:00	0.1	0.2	0.3
10/24/20 20:00	0.2	0.2	0.3

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/24/20 21:00	0.2	0.1	0.3
10/24/20 22:00	0.1	0.1	0.3
10/24/20 23:00	0.1	0.1	0.3
10/25/20 0:00	0.1	0.1	0.3
10/25/20 1:00	0.1	0.1	0.3
10/25/20 2:00	0.1	0.1	0.3
10/25/20 3:00	0.1	0.1	0.3
10/25/20 4:00	0.2	0.1	0.3
10/25/20 5:00	0.2	0.1	0.3
10/25/20 6:00	0.1	0.1	0.3
10/25/20 7:00	0.1	0.1	0.3
10/25/20 8:00	0.1	0.1	0.3
10/25/20 9:00	0.1	0.1	0.3
10/25/20 10:00	0.1	0.1	0.3
10/25/20 11:00	0.2	0.1	0.3
10/25/20 12:00	0.1	0.1	0.3
10/25/20 13:00	0.1	0.1	0.3
10/25/20 14:00	0.1	0.1	0.3
10/25/20 15:00	0.1	0.1	0.3
10/25/20 16:00	0.1	0.1	0.3
10/25/20 17:00	0.1	0.1	0.3
10/25/20 18:00	0.1	0.1	0.3
10/25/20 19:00	0.1	0.1	0.3
10/25/20 20:00	0.1	0.1	0.3
10/25/20 21:00	0.1	0.1	0.3
10/25/20 22:00	0.2	0.1	0.3
10/25/20 23:00	0.1	0.1	0.3
10/26/20 0:00	0.1	0.1	0.3
10/26/20 1:00	0.1	0.1	0.3
10/26/20 2:00	0.1	0.1	0.3
10/26/20 3:00	0.0	0.1	0.3
10/26/20 4:00	0.1	0.1	0.3
10/26/20 5:00	0.2	0.1	0.3
10/26/20 6:00	0.1	0.1	0.3
10/26/20 7:00	0.1	0.1	0.3
10/26/20 8:00	0.1	0.1	0.3
10/26/20 9:00	0.1	0.1	0.3
10/26/20 10:00	0.2	0.1	0.3
10/26/20 11:00	0.1	0.1	0.3
10/26/20 12:00	0.1	0.1	0.3
10/26/20 13:00	0.1	0.1	0.3

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/26/20 14:00	0.2	0.1	0.3
10/26/20 15:00	0.1	0.1	0.3
10/26/20 16:00	0.2	0.1	0.3
10/26/20 17:00	0.2	0.1	0.3
10/26/20 18:00	0.2	0.1	0.3
10/26/20 19:00	0.2	0.1	0.3
10/26/20 20:00	0.2	0.1	0.3
10/26/20 21:00	0.2	0.1	0.3
10/26/20 22:00	0.2	0.1	0.3
10/26/20 23:00	0.1	0.1	0.3
10/27/20 0:00	0.1	0.1	0.3
10/27/20 1:00	0.1	0.1	0.3
10/27/20 2:00	0.1	0.1	0.3
10/27/20 3:00	0.2	0.1	0.3
10/27/20 4:00	0.1	0.1	0.3
10/27/20 5:00	0.1	0.1	0.3
10/27/20 6:00	0.1	0.1	0.3
10/27/20 7:00	0.1	0.1	0.3
10/27/20 8:00	0.1	0.1	0.3
10/27/20 9:00	0.1	0.1	0.3
10/27/20 10:00	0.1	0.1	0.3
10/27/20 11:00	0.1	0.1	0.3
10/27/20 12:00	0.1	0.1	0.3
10/27/20 13:00	0.2	0.1	0.3
10/27/20 14:00	0.2	0.1	0.3
10/27/20 15:00	0.1	0.1	0.3
10/27/20 16:00	0.1	0.1	0.3
10/27/20 17:00	0.1	0.1	0.3
10/27/20 18:00	0.1	0.1	0.3
10/27/20 19:00	0.1	0.1	0.3
10/27/20 20:00	0.1	0.1	0.3
10/27/20 21:00	0.1	0.1	0.3
10/27/20 22:00	0.2	0.1	0.3
10/27/20 23:00	0.2	0.1	0.3
10/28/20 0:00	0.1	0.1	0.3
10/28/20 1:00	0.1	0.1	0.3
10/28/20 2:00	0.2	0.1	0.3
10/28/20 3:00	0.2	0.1	0.3
10/28/20 4:00	0.2	0.1	0.3
10/28/20 5:00	0.2	0.1	0.3
10/28/20 6:00	0.2	0.1	0.3

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/28/20 7:00	0.2	0.1	0.3
10/28/20 8:00	0.2	0.1	0.3
10/28/20 9:00	0.1	0.1	0.3
10/28/20 10:00	0.2	0.1	0.3
10/28/20 11:00	0.2	0.1	0.3
10/28/20 12:00	0.1	0.1	0.3
10/28/20 13:00	0.2	0.1	0.3
10/28/20 14:00	0.2	0.1	0.3
10/28/20 15:00	0.1	0.1	0.3
10/28/20 16:00	0.1	0.1	0.3
10/28/20 17:00	0.2	0.1	0.3
10/28/20 18:00	0.2	0.1	0.3
10/28/20 19:00	0.2	0.2	0.3
10/28/20 20:00	0.1	0.2	0.3
10/28/20 21:00	0.1	0.2	0.3
10/28/20 22:00	0.1	0.1	0.3
10/28/20 23:00	0.1	0.1	0.3
10/29/20 0:00	0.1	0.2	0.3
10/29/20 1:00	0.1	0.1	0.3
10/29/20 2:00	0.1	0.1	0.3
10/29/20 3:00	0.2	0.1	0.3
10/29/20 4:00	0.2	0.1	0.3
10/29/20 5:00	0.2	0.1	0.3
10/29/20 6:00	0.2	0.1	0.3
10/29/20 7:00	0.1	0.1	0.3
10/29/20 8:00	0.1	0.1	0.3
10/29/20 9:00	0.1	0.1	0.3
10/29/20 10:00	0.1	0.1	0.3
10/29/20 11:00	0.1	0.1	0.3
10/29/20 12:00	0.1	0.1	0.3
10/29/20 13:00	0.1	0.1	0.3
10/29/20 14:00	0.1	0.1	0.3
10/29/20 15:00	0.1	0.1	0.3
10/29/20 16:00	0.1	0.1	0.3
10/29/20 17:00	0.1	0.1	0.3
10/29/20 18:00	0.1	0.1	0.3
10/29/20 19:00	0.1	0.1	0.3
10/29/20 20:00	0.1	0.1	0.3
10/29/20 21:00	0.1	0.1	0.3
10/29/20 22:00	0.1	0.1	0.3
10/29/20 23:00	0.1	0.1	0.3

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/30/20 0:00	0.1	0.1	0.3
10/30/20 1:00	0.1	0.1	0.3
10/30/20 2:00	0.1	0.1	0.3
10/30/20 3:00	0.1	0.1	0.3
10/30/20 4:00	0.1	0.1	0.3
10/30/20 5:00	0.1	0.1	0.3
10/30/20 6:00	0.1	0.1	0.3
10/30/20 7:00	0.1	0.1	0.3
10/30/20 8:00	0.1	0.1	0.3
10/30/20 9:00	0.1	0.1	0.3
10/30/20 10:00	0.1	0.1	0.3
10/30/20 11:00	0.1	0.1	0.3
10/30/20 12:00	0.2	0.1	0.3
10/30/20 13:00	0.2	0.1	0.3
10/30/20 14:00	0.2	0.1	0.3
10/30/20 15:00	0.2	0.1	0.3
10/30/20 16:00	0.2	0.1	0.2
10/30/20 17:00	0.2	0.1	0.2
10/30/20 18:00	0.1	0.1	0.2
10/30/20 19:00	0.1	0.1	0.2
10/30/20 20:00	0.1	0.1	0.2
10/30/20 21:00	0.1	0.1	0.2
10/30/20 22:00	0.2	0.1	0.2
10/30/20 23:00	0.2	0.1	0.2
10/31/20 0:00	0.2	0.1	0.2
10/31/20 1:00	0.1	0.1	0.2
10/31/20 2:00	0.1	0.1	0.2
10/31/20 3:00	0.1	0.1	0.2
10/31/20 4:00	0.1	0.1	0.2
10/31/20 5:00	0.1	0.1	0.2
10/31/20 6:00	0.1	0.1	0.2
10/31/20 7:00	0.2	0.1	0.2
10/31/20 8:00	0.2	0.1	0.2
10/31/20 9:00	0.1	0.1	0.2
10/31/20 10:00	0.2	0.1	0.2
10/31/20 11:00	0.2	0.1	0.2
10/31/20 12:00	0.1	0.1	0.2
10/31/20 13:00	0.2	0.1	0.2
10/31/20 14:00	0.1	0.1	0.2
10/31/20 15:00	0.1	0.1	0.2
10/31/20 16:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/31/20 17:00	0.1	0.1	0.2
10/31/20 18:00	0.1	0.1	0.2
10/31/20 19:00	0.2	0.1	0.2
10/31/20 20:00	0.2	0.1	0.2
10/31/20 21:00	0.2	0.1	0.2
10/31/20 22:00	0.2	0.1	0.2
10/31/20 23:00	0.1	0.1	0.2
11/1/20 0:00	0.1	0.1	0.2
11/1/20 1:00	0.1	0.1	0.2
11/1/20 1:00	0.1	0.1	0.2
11/1/20 2:00	0.1	0.1	0.2
11/1/20 3:00	0.1	0.1	0.2
11/1/20 4:00	0.1	0.1	0.2
11/1/20 5:00	0.1	0.1	0.2
11/1/20 6:00	0.1	0.1	0.2
11/1/20 7:00	0.1	0.1	0.2
11/1/20 8:00	0.1	0.1	0.2
11/1/20 9:00	0.2	0.1	0.2
11/1/20 10:00	0.1	0.1	0.2
11/1/20 11:00	0.1	0.1	0.2
11/1/20 12:00	0.1	0.1	0.2
11/1/20 13:00	0.1	0.1	0.2
11/1/20 14:00	0.1	0.1	0.2
11/1/20 15:00	0.2	0.1	0.2
11/1/20 16:00	0.1	0.1	0.2
11/1/20 17:00	0.1	0.1	0.2
11/1/20 18:00	0.2	0.1	0.2
11/1/20 19:00	0.2	0.1	0.2
11/1/20 20:00	0.1	0.1	0.2
11/1/20 21:00	0.2	0.1	0.2
11/1/20 22:00	0.2	0.1	0.2
11/1/20 23:00	0.1	0.1	0.2
11/2/20 0:00	0.1	0.1	0.2
11/2/20 1:00	0.1	0.1	0.2
11/2/20 2:00	0.1	0.1	0.2
11/2/20 3:00	0.1	0.1	0.2
11/2/20 4:00	0.1	0.1	0.2
11/2/20 5:00	0.1	0.1	0.2
11/2/20 6:00	0.1	0.1	0.2
11/2/20 7:00	0.1	0.1	0.2
11/2/20 8:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/2/20 9:00	0.2	0.1	0.2
11/2/20 10:00	0.1	0.1	0.2
11/2/20 11:00	0.1	0.1	0.2
11/2/20 12:00	0.1	0.1	0.2
11/2/20 13:00	0.1	0.1	0.2
11/2/20 14:00	0.1	0.1	0.2
11/2/20 15:00	0.1	0.1	0.2
11/2/20 16:00	0.2	0.1	0.2
11/2/20 17:00	0.2	0.1	0.2
11/2/20 18:00	0.2	0.1	0.2
11/2/20 19:00	0.1	0.1	0.2
11/2/20 20:00	0.2	0.1	0.2
11/2/20 21:00	0.2	0.1	0.2
11/2/20 22:00	0.2	0.1	0.2
11/2/20 23:00	0.2	0.1	0.2
11/3/20 0:00	0.2	0.1	0.2
11/3/20 1:00	0.2	0.1	0.2
11/3/20 2:00	0.1	0.2	0.2
11/3/20 3:00	0.1	0.2	0.2
11/3/20 4:00	0.1	0.2	0.2
11/3/20 5:00	0.2	0.2	0.2
11/3/20 6:00	0.2	0.2	0.2
11/3/20 7:00	0.2	0.2	0.2
11/3/20 8:00	0.2	0.2	0.2
11/3/20 9:00	0.1	0.2	0.2
11/3/20 10:00	0.1	0.2	0.2
11/3/20 11:00	0.5	0.2	0.2
11/3/20 12:00	0.2	0.2	0.2
11/3/20 13:00	0.1	0.2	0.2
11/3/20 14:00	0.1	0.2	0.2
11/3/20 15:00	0.2	0.2	0.2
11/3/20 16:00	0.2	0.2	0.2
11/3/20 17:00	0.2	0.2	0.2
11/3/20 18:00	0.2	0.2	0.2
11/3/20 19:00	0.2	0.2	0.2
11/3/20 20:00	0.1	0.2	0.2
11/3/20 21:00	0.1	0.2	0.2
11/3/20 22:00	0.1	0.2	0.2
11/3/20 23:00	0.1	0.2	0.2
11/4/20 0:00	0.1	0.2	0.2
11/4/20 1:00	0.1	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/4/20 2:00	0.1	0.2	0.2
11/4/20 3:00	0.1	0.2	0.2
11/4/20 4:00	0.1	0.2	0.2
11/4/20 5:00	0.1	0.2	0.2
11/4/20 6:00	0.1	0.2	0.2
11/4/20 7:00	0.1	0.1	0.2
11/4/20 8:00	0.1	0.1	0.2
11/4/20 9:00	0.1	0.1	0.2
11/4/20 10:00	0.1	0.1	0.2
11/4/20 11:00	0.1	0.1	0.2
11/4/20 12:00	0.1	0.1	0.2
11/4/20 13:00	0.1	0.1	0.2
11/4/20 14:00	0.1	0.1	0.2
11/4/20 15:00	0.1	0.1	0.2
11/4/20 16:00	0.1	0.1	0.2
11/4/20 17:00	0.1	0.1	0.2
11/4/20 18:00	0.1	0.1	0.2
11/4/20 19:00	0.1	0.1	0.2
11/4/20 20:00	0.1	0.1	0.2
11/4/20 21:00	0.1	0.1	0.2
11/4/20 22:00	0.1	0.1	0.2
11/4/20 23:00	0.1	0.1	0.2
11/5/20 0:00	0.1	0.1	0.2
11/5/20 1:00	0.1	0.1	0.2
11/5/20 2:00	0.1	0.1	0.2
11/5/20 3:00	0.1	0.1	0.2
11/5/20 4:00	0.2	0.1	0.2
11/5/20 5:00	0.2	0.1	0.2
11/5/20 6:00	0.1	0.1	0.2
11/5/20 7:00	0.1	0.1	0.2
11/5/20 8:00	0.1	0.1	0.2
11/5/20 9:00	0.1	0.1	0.2
11/5/20 10:00	0.1	0.1	0.2
11/5/20 11:00	0.1	0.1	0.2
11/5/20 12:00	0.1	0.1	0.2
11/5/20 13:00	0.1	0.1	0.2
11/5/20 14:00	0.1	0.1	0.2
11/5/20 15:00	0.1	0.1	0.2
11/5/20 16:00	0.1	0.1	0.2
11/5/20 17:00	0.1	0.1	0.2
11/5/20 18:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/5/20 19:00	0.1	0.1	0.2
11/5/20 20:00	0.1	0.1	0.2
11/5/20 21:00	0.1	0.1	0.2
11/5/20 22:00	0.1	0.1	0.2
11/5/20 23:00	0.1	0.1	0.2
11/6/20 0:00	0.1	0.1	0.2
11/6/20 1:00	0.1	0.1	0.2
11/6/20 2:00	0.1	0.1	0.2
11/6/20 3:00	0.1	0.1	0.2
11/6/20 4:00	0.1	0.1	0.2
11/6/20 5:00	0.1	0.1	0.2
11/6/20 6:00	0.1	0.1	0.2
11/6/20 7:00	0.1	0.1	0.2
11/6/20 8:00	0.1	0.1	0.2
11/6/20 9:00	0.1	0.1	0.2
11/6/20 10:00	0.1	0.1	0.2
11/6/20 11:00	0.2	0.1	0.2
11/6/20 12:00	0.2	0.1	0.2
11/6/20 13:00	0.1	0.1	0.2
11/6/20 14:00	0.2	0.1	0.2
11/6/20 15:00	0.2	0.1	0.2
11/6/20 16:00	0.1	0.1	0.2
11/6/20 17:00	0.1	0.1	0.2
11/6/20 18:00	0.1	0.1	0.2
11/6/20 19:00	0.1	0.1	0.2
11/6/20 20:00	0.1	0.1	0.2
11/6/20 21:00	0.1	0.1	0.2
11/6/20 22:00	0.1	0.1	0.2
11/6/20 23:00	0.2	0.1	0.2
11/7/20 0:00	0.2	0.1	0.2
11/7/20 1:00	0.2	0.1	0.2
11/7/20 2:00	0.1	0.1	0.2
11/7/20 3:00	0.1	0.1	0.2
11/7/20 4:00	0.1	0.1	0.2
11/7/20 5:00	0.2	0.1	0.2
11/7/20 6:00	0.2	0.1	0.2
11/7/20 7:00	0.2	0.1	0.2
11/7/20 8:00	0.2	0.1	0.2
11/7/20 9:00	0.1	0.1	0.2
11/7/20 10:00	0.1	0.1	0.2
11/7/20 11:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/7/20 12:00	0.2	0.1	0.2
11/7/20 13:00	0.2	0.1	0.2
11/7/20 14:00	0.1	0.1	0.2
11/7/20 15:00	0.1	0.1	0.2
11/7/20 16:00	0.1	0.1	0.2
11/7/20 17:00	0.1	0.1	0.2
11/7/20 18:00	0.1	0.1	0.2
11/7/20 19:00	0.2	0.1	0.2
11/7/20 20:00	0.1	0.1	0.2
11/7/20 21:00	0.0	0.1	0.2
11/7/20 22:00	0.1	0.1	0.2
11/7/20 23:00	0.1	0.1	0.2
11/8/20 0:00	0.2	0.1	0.2
11/8/20 1:00	0.1	0.1	0.2
11/8/20 2:00	0.1	0.1	0.2
11/8/20 3:00	0.1	0.1	0.2
11/8/20 4:00	0.1	0.1	0.2
11/8/20 5:00	0.1	0.1	0.2
11/8/20 6:00	0.1	0.1	0.2
11/8/20 7:00	0.1	0.1	0.2
11/8/20 8:00	0.1	0.1	0.2
11/8/20 9:00	0.1	0.1	0.2
11/8/20 10:00	0.1	0.1	0.2
11/8/20 11:00	0.1	0.1	0.2
11/8/20 12:00	0.1	0.1	0.2
11/8/20 13:00	0.1	0.1	0.2
11/8/20 14:00	0.1	0.1	0.2
11/8/20 15:00	0.1	0.1	0.2
11/8/20 16:00	0.1	0.1	0.2
11/8/20 17:00	0.1	0.1	0.2
11/8/20 18:00	0.1	0.1	0.2
11/8/20 19:00	0.1	0.1	0.2
11/8/20 20:00	0.1	0.1	0.2
11/8/20 21:00	0.1	0.1	0.2
11/8/20 22:00	0.1	0.1	0.2
11/8/20 23:00	0.1	0.1	0.2
11/9/20 0:00	0.2	0.1	0.2
11/9/20 1:00	0.1	0.1	0.2
11/9/20 2:00	0.1	0.1	0.2
11/9/20 3:00	0.1	0.1	0.2
11/9/20 4:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/9/20 5:00	0.1	0.1	0.2
11/9/20 6:00	0.1	0.1	0.2
11/9/20 7:00	0.1	0.1	0.2
11/9/20 8:00	0.1	0.1	0.2
11/9/20 9:00	0.1	0.1	0.2
11/9/20 10:00	0.1	0.1	0.2
11/9/20 11:00	0.1	0.1	0.2
11/9/20 12:00	0.1	0.1	0.2
11/9/20 13:00	0.2	0.1	0.2
11/9/20 14:00	0.1	0.1	0.2
11/9/20 15:00	0.1	0.1	0.2
11/9/20 16:00	0.1	0.1	0.2
11/9/20 17:00	0.1	0.1	0.2
11/9/20 18:00	0.1	0.1	0.2
11/9/20 19:00	0.1	0.1	0.2
11/9/20 20:00	0.1	0.1	0.2
11/9/20 21:00	0.1	0.1	0.2
11/9/20 22:00	0.1	0.1	0.2
11/9/20 23:00	0.1	0.1	0.2
11/10/20 0:00	0.1	0.1	0.2
11/10/20 1:00	0.1	0.1	0.2
11/10/20 2:00	0.0	0.1	0.2
11/10/20 3:00	0.0	0.1	0.2
11/10/20 4:00	0.1	0.1	0.2
11/10/20 5:00	0.1	0.1	0.2
11/10/20 6:00	0.1	0.1	0.2
11/10/20 7:00	0.1	0.1	0.2
11/10/20 8:00	0.1	0.1	0.2
11/10/20 9:00	0.1	0.1	0.2
11/10/20 10:00	0.2	0.1	0.2
11/10/20 11:00	0.1	0.1	0.2
11/10/20 12:00	0.1	0.1	0.2
11/10/20 13:00	0.2	0.1	0.2
11/10/20 14:00	0.2	0.1	0.2
11/10/20 15:00	0.2	0.1	0.2
11/10/20 16:00	0.1	0.1	0.2
11/10/20 17:00	0.1	0.1	0.2
11/10/20 18:00	0.1	0.1	0.2
11/10/20 19:00	0.1	0.1	0.2
11/10/20 20:00	0.1	0.1	0.2
11/10/20 21:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/10/20 22:00	0.1	0.1	0.2
11/10/20 23:00	0.2	0.1	0.2
11/11/20 0:00	0.1	0.1	0.2
11/11/20 1:00	0.1	0.1	0.2
11/11/20 2:00	0.1	0.1	0.2
11/11/20 3:00	0.1	0.1	0.2
11/11/20 4:00	0.1	0.1	0.2
11/11/20 5:00	0.1	0.1	0.2
11/11/20 6:00	0.1	0.1	0.2
11/11/20 7:00	0.1	0.1	0.2
11/11/20 8:00	0.1	0.1	0.2
11/11/20 9:00	0.1	0.1	0.2
11/11/20 10:00	0.2	0.1	0.2
11/11/20 11:00	0.2	0.1	0.2
11/11/20 12:00	0.1	0.1	0.2
11/11/20 13:00	0.2	0.1	0.2
11/11/20 14:00	0.2	0.1	0.2
11/11/20 15:00	0.2	0.1	0.2
11/11/20 16:00	0.2	0.1	0.2
11/11/20 17:00	0.2	0.1	0.2
11/11/20 18:00	0.2	0.1	0.2
11/11/20 19:00	0.2	0.1	0.2
11/11/20 20:00	0.1	0.1	0.2
11/11/20 21:00	0.1	0.1	0.2
11/11/20 22:00	0.2	0.1	0.2
11/11/20 23:00	0.2	0.1	0.2
11/12/20 0:00	0.2	0.1	0.2
11/12/20 1:00	0.2	0.2	0.2
11/12/20 2:00	0.2	0.2	0.2
11/12/20 3:00	0.2	0.2	0.2
11/12/20 4:00	0.1	0.2	0.2
11/12/20 5:00	0.1	0.2	0.2
11/12/20 6:00	0.1	0.2	0.2
11/12/20 7:00	0.1	0.2	0.2
11/12/20 8:00	0.1	0.2	0.2
11/12/20 9:00	0.1	0.2	0.2
11/12/20 10:00	0.1	0.2	0.2
11/12/20 11:00	0.1	0.2	0.2
11/12/20 12:00	0.1	0.2	0.2
11/12/20 13:00	0.1	0.1	0.2
11/12/20 14:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/12/20 15:00	0.1	0.1	0.2
11/12/20 16:00	0.2	0.1	0.2
11/12/20 17:00	0.1	0.1	0.2
11/12/20 18:00	0.1	0.1	0.2
11/12/20 19:00	0.1	0.1	0.2
11/12/20 20:00	0.1	0.1	0.2
11/12/20 21:00	0.1	0.1	0.2
11/12/20 22:00	0.1	0.1	0.2
11/12/20 23:00	0.1	0.1	0.2
11/13/20 0:00	0.1	0.1	0.2
11/13/20 1:00	0.1	0.1	0.2
11/13/20 2:00	0.1	0.1	0.2
11/13/20 3:00	0.1	0.1	0.2
11/13/20 4:00	0.1	0.1	0.2
11/13/20 5:00	0.1	0.1	0.2
11/13/20 6:00	0.1	0.1	0.2
11/13/20 7:00	0.1	0.1	0.2
11/13/20 8:00	0.1	0.1	0.2
11/13/20 9:00	0.1	0.1	0.2
11/13/20 10:00	0.1	0.1	0.2
11/13/20 11:00	0.1	0.1	0.2
11/13/20 12:00	0.1	0.1	0.2
11/13/20 13:00	0.1	0.1	0.2
11/13/20 14:00	0.2	0.1	0.2
11/13/20 15:00	0.1	0.1	0.2
11/13/20 16:00	0.1	0.1	0.2
11/13/20 17:00	0.1	0.1	0.2
11/13/20 18:00	0.1	0.1	0.2
11/13/20 19:00	0.1	0.1	0.2
11/13/20 20:00	0.1	0.1	0.2
11/13/20 21:00	0.1	0.1	0.2
11/13/20 22:00	0.2	0.1	0.2
11/13/20 23:00	0.2	0.1	0.2
11/14/20 0:00	0.2	0.1	0.2
11/14/20 1:00	0.2	0.1	0.2
11/14/20 2:00	0.2	0.1	0.2
11/14/20 3:00	0.2	0.1	0.2
11/14/20 4:00	0.1	0.1	0.2
11/14/20 5:00	0.1	0.1	0.2
11/14/20 6:00	0.1	0.1	0.2
11/14/20 7:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/14/20 8:00	0.1	0.1	0.2
11/14/20 9:00	0.1	0.1	0.2
11/14/20 10:00	0.1	0.1	0.2
11/14/20 11:00	0.1	0.1	0.2
11/14/20 12:00	0.1	0.1	0.2
11/14/20 13:00	0.1	0.1	0.2
11/14/20 14:00	0.1	0.1	0.2
11/14/20 15:00	0.1	0.1	0.2
11/14/20 16:00	0.1	0.1	0.2
11/14/20 17:00	0.1	0.1	0.2
11/14/20 18:00	0.1	0.1	0.2
11/14/20 19:00	0.1	0.1	0.2
11/14/20 20:00	0.1	0.1	0.2
11/14/20 21:00	0.1	0.1	0.2
11/14/20 22:00	0.1	0.1	0.2
11/14/20 23:00	0.1	0.1	0.2
11/15/20 0:00	0.2	0.1	0.2
11/15/20 1:00	0.2	0.1	0.2
11/15/20 2:00	0.2	0.1	0.2
11/15/20 3:00	0.1	0.1	0.2
11/15/20 4:00	0.1	0.1	0.2
11/15/20 5:00	0.1	0.1	0.2
11/15/20 6:00	0.3	0.1	0.2
11/15/20 7:00	0.1	0.1	0.2
11/15/20 8:00	0.1	0.1	0.2
11/15/20 9:00	0.2	0.1	0.2
11/15/20 10:00	0.1	0.1	0.2
11/15/20 11:00	0.1	0.1	0.2
11/15/20 12:00	0.1	0.1	0.2
11/15/20 13:00	0.1	0.1	0.2
11/15/20 14:00	0.1	0.1	0.2
11/15/20 15:00	0.1	0.1	0.2
11/15/20 16:00	0.1	0.1	0.2
11/15/20 17:00	0.1	0.1	0.2
11/15/20 18:00	0.1	0.1	0.2
11/15/20 19:00	0.1	0.1	0.2
11/15/20 20:00	0.1	0.1	0.2
11/15/20 21:00	0.1	0.1	0.2
11/15/20 22:00	0.1	0.1	0.2
11/15/20 23:00	0.1	0.1	0.2
11/16/20 0:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/16/20 1:00	0.1	0.1	0.2
11/16/20 2:00	0.2	0.1	0.2
11/16/20 3:00	0.1	0.1	0.2
11/16/20 4:00	0.1	0.1	0.2
11/16/20 5:00	0.2	0.1	0.2
11/16/20 6:00	0.1	0.1	0.2
11/16/20 7:00	0.1	0.1	0.2
11/16/20 8:00	0.1	0.1	0.2
11/16/20 9:00	0.2	0.1	0.2
11/16/20 10:00	0.2	0.1	0.2
11/16/20 11:00	0.1	0.1	0.2
11/16/20 12:00	0.2	0.1	0.2
11/16/20 13:00	0.2	0.1	0.2
11/16/20 14:00	0.2	0.1	0.2
11/16/20 15:00	0.1	0.1	0.2
11/16/20 16:00	0.1	0.1	0.2
11/16/20 17:00	0.1	0.1	0.2
11/16/20 18:00	0.1	0.1	0.2
11/16/20 19:00	0.2	0.1	0.2
11/16/20 20:00	0.1	0.1	0.2
11/16/20 21:00	0.1	0.1	0.2
11/16/20 22:00	0.1	0.1	0.2
11/16/20 23:00	0.2	0.1	0.2
11/17/20 0:00	0.1	0.1	0.2
11/17/20 1:00	0.1	0.1	0.2
11/17/20 2:00	0.1	0.1	0.2
11/17/20 3:00	0.1	0.1	0.2
11/17/20 4:00	0.1	0.1	0.2
11/17/20 5:00	0.1	0.1	0.2
11/17/20 6:00	0.1	0.1	0.2
11/17/20 7:00	0.1	0.1	0.2
11/17/20 8:00	0.1	0.1	0.2
11/17/20 9:00	0.2	0.1	0.2
11/17/20 10:00	0.2	0.1	0.2
11/17/20 11:00	0.2	0.1	0.2
11/17/20 12:00	0.2	0.1	0.2
11/17/20 13:00	0.2	0.2	0.2
11/17/20 14:00	0.1	0.1	0.2
11/17/20 15:00	0.1	0.1	0.2
11/17/20 16:00	0.1	0.1	0.2
11/17/20 17:00	0.1	0.1	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/17/20 18:00	0.2	0.1	0.2
11/17/20 19:00	0.2	0.1	0.2
11/17/20 20:00	0.3	0.2	0.2
11/17/20 21:00	0.1	0.2	0.2
11/17/20 22:00	0.1	0.2	0.2
11/17/20 23:00	0.1	0.2	0.2
11/18/20 0:00	0.1	0.1	0.2
11/18/20 1:00	0.1	0.1	0.2
11/18/20 2:00	0.1	0.1	0.2
11/18/20 3:00	0.1	0.1	0.2
11/18/20 4:00	0.2	0.1	0.2
11/18/20 5:00	0.1	0.1	0.2
11/18/20 6:00	0.1	0.1	0.2
11/18/20 7:00	0.2	0.1	0.2
11/18/20 8:00	0.2	0.1	0.2
11/18/20 9:00	0.2	0.1	0.2
11/18/20 10:00	0.1	0.1	0.2
11/18/20 11:00	0.2	0.1	0.2
11/18/20 12:00	0.1	0.1	0.2
11/18/20 13:00	0.2	0.1	0.2
11/18/20 14:00	0.1	0.1	0.2
11/18/20 15:00	0.1	0.1	0.2
11/18/20 16:00	0.1	0.1	0.2
11/18/20 17:00	0.2	0.1	0.2
11/18/20 18:00	0.3	0.1	0.2
11/18/20 19:00	0.2	0.2	0.2
11/18/20 20:00	0.2	0.1	0.2
11/18/20 21:00	0.2	0.1	0.2
11/18/20 22:00	0.2	0.2	0.2
11/18/20 23:00	0.1	0.2	0.2
11/19/20 0:00	0.1	0.1	0.2
11/19/20 1:00	0.1	0.1	0.2
11/19/20 2:00	0.1	0.1	0.2
11/19/20 3:00	0.2	0.2	0.2
11/19/20 4:00	0.1	0.1	0.2
11/19/20 5:00	0.1	0.2	0.2
11/19/20 6:00	0.1	0.2	0.2
11/19/20 7:00	0.2	0.2	0.2
11/19/20 8:00	0.1	0.2	0.2
11/19/20 9:00	0.1	0.2	0.2
11/19/20 10:00	0.1	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/19/20 11:00	0.1	0.1	0.2
11/19/20 12:00	0.1	0.1	0.2
11/19/20 13:00	0.1	0.1	0.2
11/19/20 14:00	0.1	0.1	0.2
11/19/20 15:00	0.1	0.1	0.2
11/19/20 16:00	0.1	0.1	0.2
11/19/20 17:00	0.1	0.1	0.2
11/19/20 18:00	0.1	0.1	0.2
11/19/20 19:00	0.1	0.1	0.2
11/19/20 20:00	0.1	0.1	0.2
11/19/20 21:00	0.1	0.1	0.2
11/19/20 22:00	0.1	0.1	0.2
11/19/20 23:00	0.1	0.1	0.2
11/20/20 0:00	0.1	0.1	0.2
11/20/20 1:00	0.1	0.1	0.2
11/20/20 2:00	0.1	0.1	0.2
11/20/20 3:00	0.1	0.1	0.2
11/20/20 4:00	0.1	0.1	0.2
11/20/20 5:00	0.1	0.1	0.2
11/20/20 6:00	0.1	0.1	0.2
11/20/20 7:00	0.1	0.1	0.2
11/20/20 8:00	0.1	0.1	0.2
11/20/20 9:00	0.1	0.1	0.2
11/20/20 10:00	0.2	0.1	0.2
11/20/20 11:00	0.2	0.1	0.2
11/20/20 12:00	0.3	0.1	0.2
11/20/20 13:00	0.2	0.1	0.2
11/20/20 14:00	0.2	0.1	0.2
11/20/20 15:00	0.2	0.1	0.2
11/20/20 16:00	0.1	0.1	0.2
11/20/20 17:00	0.2	0.1	0.2
11/20/20 18:00	0.1	0.1	0.2
11/20/20 19:00	0.2	0.1	0.2
11/20/20 20:00	0.1	0.1	0.2
11/20/20 21:00	0.3	0.1	0.2
11/20/20 22:00	0.2	0.1	0.2
11/20/20 23:00	0.2	0.1	0.2
11/21/20 0:00	0.2	0.2	0.2
11/21/20 1:00	0.2	0.2	0.2
11/21/20 2:00	0.2	0.2	0.2
11/21/20 3:00	0.1	0.2	0.2

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/21/20 4:00	0.1	0.2	0.2
11/21/20 5:00	0.2	0.2	0.2
11/21/20 6:00	0.2	0.2	0.2
11/21/20 7:00	0.1	0.2	0.2
11/21/20 8:00	0.2	0.2	0.2
11/21/20 9:00	0.1	0.2	0.2
11/21/20 10:00	0.1	0.2	0.2
11/21/20 11:00	0.1	0.2	0.2
11/21/20 12:00	0.2	0.2	0.2
11/21/20 13:00	0.2	0.2	0.2
11/21/20 14:00	0.2	0.2	0.2
11/21/20 15:00	0.1	0.2	0.2
11/21/20 16:00	0.1	0.2	0.2
11/21/20 17:00	0.1	0.2	0.2
11/21/20 18:00	0.2	0.2	0.2
11/21/20 19:00	0.2	0.2	0.2
11/21/20 20:00	0.2	0.2	0.2
11/21/20 21:00	0.2	0.2	0.2
11/21/20 22:00	0.1	0.2	0.2
11/21/20 23:00	0.1	0.2	0.2
11/22/20 0:00	0.3	0.2	0.2
11/22/20 1:00	0.2	0.2	0.2
11/22/20 2:00	0.2	0.2	0.1
11/22/20 3:00	0.2	0.2	0.1
11/22/20 4:00	0.2	0.2	0.1
11/22/20 5:00	0.3	0.2	0.1
11/22/20 6:00	0.2	0.2	0.1
11/22/20 7:00	0.2	0.2	0.1
11/22/20 8:00	0.2	0.2	0.1
11/22/20 9:00	0.1	0.2	0.1
11/22/20 10:00	0.1	0.2	0.1
11/22/20 11:00	0.1	0.2	0.1
11/22/20 12:00	0.1	0.2	0.1
11/22/20 13:00	0.2	0.2	0.1
11/22/20 14:00	0.1	0.2	0.1
11/22/20 15:00	0.1	0.2	0.1
11/22/20 16:00	0.1	0.2	0.1
11/22/20 17:00	0.1	0.2	0.1
11/22/20 18:00	0.1	0.2	0.1
11/22/20 19:00	0.2	0.2	0.1
11/22/20 20:00	0.1	0.2	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/22/20 21:00	0.1	0.2	0.1
11/22/20 22:00	0.1	0.2	0.1
11/22/20 23:00	0.2	0.2	0.1
11/23/20 0:00	0.2	0.2	0.1
11/23/20 1:00	0.1	0.2	0.1
11/23/20 2:00	0.1	0.1	0.1
11/23/20 3:00	0.1	0.1	0.1
11/23/20 4:00	0.1	0.1	0.1
11/23/20 5:00	0.1	0.1	0.1
11/23/20 6:00	0.1	0.1	0.1
11/23/20 7:00	0.1	0.1	0.1
11/23/20 8:00	0.3	0.1	0.1
11/23/20 9:00	0.2	0.1	0.1
11/23/20 10:00	0.2	0.1	0.1
11/23/20 11:00	0.2	0.1	0.1
11/23/20 12:00	0.2	0.1	0.1
11/23/20 13:00	0.1	0.1	0.1
11/23/20 14:00	0.1	0.1	0.1
11/23/20 15:00	0.1	0.1	0.1
11/23/20 16:00	0.1	0.1	0.1
11/23/20 17:00	0.1	0.1	0.1
11/23/20 18:00	0.1	0.1	0.1
11/23/20 19:00	0.1	0.1	0.1
11/23/20 20:00	0.1	0.1	0.1
11/23/20 21:00	0.1	0.1	0.1
11/23/20 22:00	0.1	0.1	0.1
11/23/20 23:00	0.1	0.1	0.1
11/24/20 0:00	0.0	0.1	0.1
11/24/20 1:00	0.1	0.1	0.1
11/24/20 2:00	0.1	0.1	0.1
11/24/20 3:00	0.1	0.1	0.1
11/24/20 4:00	0.1	0.1	0.1
11/24/20 5:00	0.1	0.1	0.1
11/24/20 6:00	0.2	0.1	0.1
11/24/20 7:00	0.2	0.1	0.1
11/24/20 8:00	0.2	0.1	0.1
11/24/20 9:00	0.2	0.1	0.1
11/24/20 10:00	0.1	0.1	0.1
11/24/20 11:00	0.1	0.1	0.1
11/24/20 12:00	0.1	0.1	0.1
11/24/20 13:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/24/20 14:00	0.1	0.1	0.1
11/24/20 15:00	0.1	0.1	0.1
11/24/20 16:00	0.1	0.1	0.1
11/24/20 17:00	0.1	0.1	0.1
11/24/20 18:00	0.1	0.1	0.1
11/24/20 19:00	0.1	0.1	0.1
11/24/20 20:00	0.1	0.1	0.1
11/24/20 21:00	0.1	0.1	0.1
11/24/20 22:00	0.1	0.1	0.1
11/24/20 23:00	0.1	0.1	0.1
11/25/20 0:00	0.1	0.1	0.1
11/25/20 1:00	0.1	0.1	0.1
11/25/20 2:00	0.1	0.1	0.1
11/25/20 3:00	0.1	0.1	0.1
11/25/20 4:00	0.1	0.1	0.1
11/25/20 5:00	0.1	0.1	0.1
11/25/20 6:00	0.1	0.1	0.1
11/25/20 7:00	0.1	0.1	0.1
11/25/20 8:00	0.1	0.1	0.1
11/25/20 9:00	0.1	0.1	0.1
11/25/20 10:00	0.1	0.1	0.1
11/25/20 11:00	0.1	0.1	0.1
11/25/20 12:00	0.0	0.1	0.1
11/25/20 13:00	0.0	0.1	0.1
11/25/20 14:00	0.0	0.1	0.1
11/25/20 15:00	0.0	0.1	0.1
11/25/20 16:00	0.0	0.1	0.1
11/25/20 17:00	0.0	0.1	0.1
11/25/20 18:00	0.0	0.1	0.1
11/25/20 19:00	0.0	0.1	0.1
11/25/20 20:00	0.0	0.1	0.1
11/25/20 21:00	0.0	0.1	0.1
11/25/20 22:00	0.0	0.1	0.1
11/25/20 23:00	0.0	0.1	0.1
11/26/20 0:00	0.0	0.1	0.1
11/26/20 1:00	0.0	0.1	0.1
11/26/20 2:00	0.0	0.0	0.1
11/26/20 3:00	0.0	0.0	0.1
11/26/20 4:00	0.0	0.0	0.1
11/26/20 5:00	0.0	0.0	0.1
11/26/20 6:00	0.0	0.0	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/26/20 7:00	0.0	0.0	0.1
11/26/20 8:00	0.0	0.0	0.1
11/26/20 9:00	0.0	0.0	0.1
11/26/20 10:00	0.0	0.0	0.1
11/26/20 11:00	0.0	0.0	0.1
11/26/20 12:00	0.0	0.0	0.1
11/26/20 13:00	0.0	0.0	0.1
11/26/20 14:00	0.0	0.0	0.1
11/26/20 15:00	0.0	0.0	0.1
11/26/20 16:00	0.0	0.0	0.1
11/26/20 17:00	0.0	0.0	0.1
11/26/20 18:00	0.0	0.0	0.1
11/26/20 19:00	0.0	0.0	0.1
11/26/20 20:00	0.0	0.0	0.1
11/26/20 21:00	0.0	0.0	0.1
11/26/20 22:00	0.0	0.0	0.1
11/26/20 23:00	0.0	0.0	0.1
11/27/20 0:00	0.0	0.0	0.1
11/27/20 1:00	0.0	0.0	0.1
11/27/20 2:00	0.0	0.0	0.1
11/27/20 3:00	0.0	0.0	0.1
11/27/20 4:00	0.0	0.0	0.1
11/27/20 5:00	0.0	0.0	0.1
11/27/20 6:00	0.0	0.0	0.1
11/27/20 7:00	0.0	0.0	0.1
11/27/20 8:00	0.0	0.0	0.1
11/27/20 9:00	0.0	0.0	0.1
11/27/20 10:00	0.0	0.0	0.1
11/27/20 11:00	0.0	0.0	0.1
11/27/20 12:00	0.0	0.0	0.1
11/27/20 13:00	0.0	0.0	0.1
11/27/20 14:00	0.0	0.0	0.1
11/27/20 15:00	0.0	0.0	0.1
11/27/20 16:00	0.0	0.0	0.1
11/27/20 17:00	0.0	0.0	0.1
11/27/20 18:00	0.0	0.0	0.1
11/27/20 19:00	0.0	0.0	0.1
11/27/20 20:00	0.0	0.0	0.1
11/27/20 21:00	0.0	0.0	0.1
11/27/20 22:00	0.0	0.0	0.1
11/27/20 23:00	0.0	0.0	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/28/20 0:00	0.0	0.0	0.1
11/28/20 1:00	0.0	0.0	0.1
11/28/20 2:00	0.0	0.0	0.1
11/28/20 3:00	0.0	0.0	0.1
11/28/20 4:00	0.0	0.0	0.1
11/28/20 5:00	0.0	0.0	0.1
11/28/20 6:00	0.0	0.0	0.1
11/28/20 7:00	0.0	0.0	0.1
11/28/20 8:00	0.0	0.0	0.1
11/28/20 9:00	0.0	0.0	0.1
11/28/20 10:00	0.0	0.0	0.1
11/28/20 11:00	0.0	0.0	0.1
11/28/20 12:00	0.0	0.0	0.1
11/28/20 13:00	0.0	0.0	0.1
11/28/20 14:00	0.0	0.0	0.1
11/28/20 15:00	0.0	0.0	0.1
11/28/20 16:00	0.0	0.0	0.1
11/28/20 17:00	0.0	0.0	0.1
11/28/20 18:00	0.0	0.0	0.1
11/28/20 19:00	0.0	0.0	0.1
11/28/20 20:00	0.0	0.0	0.1
11/28/20 21:00	0.0	0.0	0.1
11/28/20 22:00	0.0	0.0	0.1
11/28/20 23:00	0.0	0.0	0.1
11/29/20 0:00	0.0	0.0	0.1
11/29/20 1:00	0.0	0.0	0.1
11/29/20 2:00	0.0	0.0	0.1
11/29/20 3:00	0.0	0.0	0.1
11/29/20 4:00	0.0	0.0	0.1
11/29/20 5:00	0.0	0.0	0.1
11/29/20 6:00	0.0	0.0	0.1
11/29/20 7:00	0.0	0.0	0.1
11/29/20 8:00	0.0	0.0	0.1
11/29/20 9:00	0.0	0.0	0.1
11/29/20 10:00	0.0	0.0	0.1
11/29/20 11:00	0.0	0.0	0.1
11/29/20 12:00	0.0	0.0	0.1
11/29/20 13:00	0.0	0.0	0.1
11/29/20 14:00	0.0	0.0	0.1
11/29/20 15:00	0.0	0.0	0.1
11/29/20 16:00	0.0	0.0	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/29/20 17:00	0.0	0.0	0.1
11/29/20 18:00	0.0	0.0	0.1
11/29/20 19:00	0.0	0.0	0.1
11/29/20 20:00	0.0	0.0	0.1
11/29/20 21:00	0.0	0.0	0.1
11/29/20 22:00	0.0	0.0	0.1
11/29/20 23:00	0.0	0.0	0.1
11/30/20 0:00	0.0	0.0	0.1
11/30/20 1:00	0.0	0.0	0.1
11/30/20 2:00	0.0	0.0	0.1
11/30/20 3:00	0.0	0.0	0.1
11/30/20 4:00	0.0	0.0	0.1
11/30/20 5:00	0.0	0.0	0.1
11/30/20 6:00	0.0	0.0	0.1
11/30/20 7:00	0.0	0.0	0.1
11/30/20 8:00	0.0	0.0	0.1
11/30/20 9:00	0.0	0.0	0.1
11/30/20 10:00	0.0	0.0	0.1
11/30/20 11:00	0.0	0.0	0.1
11/30/20 12:00	0.0	0.0	0.1
11/30/20 13:00	0.0	0.0	0.1
11/30/20 14:00	0.0	0.0	0.1
11/30/20 15:00	0.0	0.0	0.1
11/30/20 16:00	0.0	0.0	0.1
11/30/20 17:00	0.0	0.0	0.1
11/30/20 18:00	0.0	0.0	0.1
11/30/20 19:00	0.0	0.0	0.1
11/30/20 20:00	0.0	0.0	0.1
11/30/20 21:00	0.0	0.0	0.1
11/30/20 22:00	0.0	0.0	0.1
11/30/20 23:00	0.0	0.0	0.1
12/1/20 0:00	0.0	0.0	0.1
12/1/20 1:00	0.0	0.0	0.1
12/1/20 2:00	0.0	0.0	0.1
12/1/20 3:00	0.0	0.0	0.1
12/1/20 4:00	0.0	0.0	0.1
12/1/20 5:00	0.0	0.0	0.1
12/1/20 6:00	0.0	0.0	0.1
12/1/20 7:00	0.0	0.0	0.1
12/1/20 8:00	0.0	0.0	0.1
12/1/20 9:00	0.0	0.0	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/1/20 10:00	0.0	0.0	0.1
12/1/20 11:00	0.0	0.0	0.1
12/1/20 12:00	0.0	0.0	0.1
12/1/20 13:00	0.0	0.0	0.1
12/1/20 14:00	0.0	0.0	0.1
12/1/20 15:00	0.0	0.0	0.1
12/1/20 16:00	0.0	0.0	0.1
12/1/20 17:00	0.0	0.0	0.1
12/1/20 18:00	0.0	0.0	0.1
12/1/20 19:00	0.0	0.0	0.1
12/1/20 20:00	0.0	0.0	0.1
12/1/20 21:00	0.0	0.0	0.1
12/1/20 22:00	0.0	0.0	0.1
12/1/20 23:00	0.0	0.0	0.1
12/2/20 0:00	0.0	0.0	0.1
12/2/20 1:00	0.0	0.0	0.1
12/2/20 2:00	0.0	0.0	0.1
12/2/20 3:00	0.0	0.0	0.1
12/2/20 4:00	0.0	0.0	0.1
12/2/20 5:00	0.0	0.0	0.1
12/2/20 6:00	0.0	0.0	0.1
12/2/20 7:00	0.0	0.0	0.1
12/2/20 8:00	0.0	0.0	0.1
12/2/20 9:00	0.0	0.0	0.1
12/2/20 10:00	0.0	0.0	0.1
12/2/20 11:00	0.0	0.0	0.1
12/2/20 12:00	0.0	0.0	0.1
12/2/20 13:00	0.0	0.0	0.1
12/2/20 14:00	0.0	0.0	0.1
12/2/20 15:00	0.0	0.0	0.1
12/2/20 16:00	0.0	0.0	0.1
12/2/20 17:00	0.0	0.0	0.1
12/2/20 18:00	0.0	0.0	0.1
12/2/20 19:00	0.0	0.0	0.1
12/2/20 20:00	0.0	0.0	0.1
12/2/20 21:00	0.0	0.0	0.1
12/2/20 22:00	0.0	0.0	0.1
12/2/20 23:00	0.0	0.0	0.1
12/3/20 0:00	0.0	0.0	0.1
12/3/20 1:00	0.0	0.0	0.1
12/3/20 2:00	0.0	0.0	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/3/20 3:00	0.0	0.0	0.1
12/3/20 4:00	0.0	0.0	0.1
12/3/20 5:00	0.0	0.0	0.1
12/3/20 6:00	0.0	0.0	0.1
12/3/20 7:00	0.0	0.0	0.1
12/3/20 8:00	0.0	0.0	0.1
12/3/20 9:00	0.0	0.0	0.1
12/3/20 10:00	0.0	0.0	0.1
12/3/20 11:00	0.0	0.0	0.1
12/3/20 12:00	0.0	0.0	0.1
12/3/20 13:00	0.0	0.0	0.1
12/3/20 14:00	0.0	0.0	0.1
12/3/20 15:00	0.0	0.0	0.1
12/3/20 16:00	0.0	0.0	0.1
12/3/20 17:00	0.0	0.0	0.1
12/3/20 18:00	0.0	0.0	0.1
12/3/20 19:00	0.0	0.0	0.1
12/3/20 20:00	0.0	0.0	0.1
12/3/20 21:00	0.0	0.0	0.1
12/3/20 22:00	0.0	0.0	0.1
12/3/20 23:00	0.0	0.0	0.1
12/4/20 0:00	0.0	0.0	0.1
12/4/20 1:00	0.0	0.0	0.1
12/4/20 2:00	0.0	0.0	0.1
12/4/20 3:00	0.0	0.0	0.1
12/4/20 4:00	0.0	0.0	0.1
12/4/20 5:00	0.0	0.0	0.1
12/4/20 6:00	0.0	0.0	0.1
12/4/20 7:00	0.0	0.0	0.1
12/4/20 8:00	0.0	0.0	0.1
12/4/20 9:00	0.0	0.0	0.1
12/4/20 10:00	0.0	0.0	0.1
12/4/20 11:00	0.0	0.0	0.1
12/4/20 12:00	0.0	0.0	0.1
12/4/20 13:00	0.0	0.0	0.1
12/4/20 14:00	0.0	0.0	0.1
12/4/20 15:00	0.0	0.0	0.1
12/4/20 16:00	0.0	0.0	0.1
12/4/20 17:00	0.0	0.0	0.1
12/4/20 18:00	0.0	0.0	0.1
12/4/20 19:00	0.0	0.0	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/4/20 20:00	0.0	0.0	0.1
12/4/20 21:00	0.0	0.0	0.1
12/4/20 22:00	0.0	0.0	0.1
12/4/20 23:00	0.0	0.0	0.1
12/5/20 0:00	0.0	0.0	0.1
12/5/20 1:00	0.0	0.0	0.1
12/5/20 2:00	0.0	0.0	0.1
12/5/20 3:00	0.0	0.0	0.1
12/5/20 4:00	0.0	0.0	0.1
12/5/20 5:00	0.0	0.0	0.1
12/5/20 6:00	0.0	0.0	0.1
12/5/20 7:00	0.0	0.0	0.1
12/5/20 8:00	0.0	0.0	0.1
12/5/20 9:00	0.0	0.0	0.1
12/5/20 10:00	0.0	0.0	0.1
12/5/20 11:00	0.0	0.0	0.1
12/5/20 12:00	0.0	0.0	0.1
12/5/20 13:00	0.0	0.0	0.1
12/5/20 14:00	0.0	0.0	0.1
12/5/20 15:00	0.0	0.0	0.1
12/5/20 16:00	0.0	0.0	0.1
12/5/20 17:00	0.0	0.0	0.1
12/5/20 18:00	0.0	0.0	0.1
12/5/20 19:00	0.0	0.0	0.1
12/5/20 20:00	0.0	0.0	0.1
12/5/20 21:00	0.0	0.0	0.1
12/5/20 22:00	0.0	0.0	0.1
12/5/20 23:00	0.0	0.0	0.1
12/6/20 0:00	0.0	0.0	0.1
12/6/20 1:00	0.0	0.0	0.1
12/6/20 2:00	0.0	0.0	0.1
12/6/20 3:00	0.0	0.0	0.1
12/6/20 4:00	0.0	0.0	0.1
12/6/20 5:00	0.0	0.0	0.1
12/6/20 6:00	0.0	0.0	0.1
12/6/20 7:00	0.0	0.0	0.1
12/6/20 8:00	0.0	0.0	0.1
12/6/20 9:00	0.0	0.0	0.1
12/6/20 10:00	0.0	0.0	0.1
12/6/20 11:00	0.0	0.0	0.1
12/6/20 12:00	0.0	0.0	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/6/20 13:00	0.0	0.0	0.1
12/6/20 14:00	0.0	0.0	0.1
12/6/20 15:00	0.0	0.0	0.1
12/6/20 16:00	0.0	0.0	0.1
12/6/20 17:00	0.0	0.0	0.1
12/6/20 18:00	0.0	0.0	0.1
12/6/20 19:00	0.0	0.0	0.1
12/6/20 20:00	0.0	0.0	0.1
12/6/20 21:00	0.0	0.0	0.1
12/6/20 22:00	0.0	0.0	0.1
12/6/20 23:00	0.0	0.0	0.1
12/7/20 0:00	0.0	0.0	0.1
12/7/20 1:00	0.0	0.0	0.1
12/7/20 2:00	0.0	0.0	0.1
12/7/20 3:00	0.0	0.0	0.1
12/7/20 4:00	0.0	0.0	0.1
12/7/20 5:00	0.0	0.0	0.1
12/7/20 6:00	0.0	0.0	0.1
12/7/20 7:00	0.0	0.0	0.1
12/7/20 8:00	0.0	0.0	0.1
12/7/20 9:00	0.0	0.0	0.1
12/7/20 10:00	0.0	0.0	0.1
12/7/20 11:00	0.0	0.0	0.1
12/7/20 12:00	0.0	0.0	0.1
12/7/20 13:00	0.0	0.0	0.1
12/7/20 14:00	0.0	0.0	0.1
12/7/20 15:00	0.0	0.0	0.1
12/7/20 16:00	0.0	0.0	0.1
12/7/20 17:00	0.0	0.0	0.1
12/7/20 18:00	0.0	0.0	0.1
12/7/20 19:00	0.0	0.0	0.1
12/7/20 20:00	0.0	0.0	0.1
12/7/20 21:00	0.0	0.0	0.1
12/7/20 22:00	0.0	0.0	0.1
12/7/20 23:00	0.0	0.0	0.1
12/8/20 0:00	0.0	0.0	0.1
12/8/20 1:00	0.0	0.0	0.1
12/8/20 2:00	0.0	0.0	0.1
12/8/20 3:00	0.0	0.0	0.1
12/8/20 4:00	0.0	0.0	0.1
12/8/20 5:00	0.0	0.0	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/8/20 6:00	0.0	0.0	0.1
12/8/20 7:00	0.0	0.0	0.1
12/8/20 8:00	0.0	0.0	0.1
12/8/20 9:00	0.0	0.0	0.1
12/8/20 10:00	0.0	0.0	0.1
12/8/20 11:00	0.0	0.0	0.1
12/8/20 12:00	0.0	0.0	0.1
12/8/20 13:00	0.0	0.0	0.1
12/8/20 14:00	0.0	0.0	0.1
12/8/20 15:00	0.0	0.0	0.1
12/8/20 16:00	0.0	0.0	0.1
12/8/20 17:00	0.0	0.0	0.1
12/8/20 18:00	0.0	0.0	0.1
12/8/20 19:00	0.0	0.0	0.1
12/8/20 20:00	0.0	0.0	0.1
12/8/20 21:00	0.0	0.0	0.1
12/8/20 22:00	0.0	0.0	0.1
12/8/20 23:00	0.0	0.0	0.1
12/9/20 0:00	0.0	0.0	0.1
12/9/20 1:00	0.0	0.0	0.1
12/9/20 2:00	0.0	0.0	0.1
12/9/20 3:00	0.0	0.0	0.1
12/9/20 4:00	0.0	0.0	0.1
12/9/20 5:00	0.0	0.0	0.1
12/9/20 6:00	0.0	0.0	0.1
12/9/20 7:00	0.0	0.0	0.1
12/9/20 8:00	0.0	0.0	0.1
12/9/20 9:00	0.0	0.0	0.1
12/9/20 10:00	0.0	0.0	0.1
12/9/20 11:00	0.0	0.0	0.1
12/9/20 12:00	0.0	0.0	0.1
12/9/20 13:00	0.0	0.0	0.1
12/9/20 14:00	0.0	0.0	0.1
12/9/20 15:00	0.0	0.0	0.1
12/9/20 16:00	0.0	0.0	0.1
12/9/20 17:00	0.0	0.0	0.1
12/9/20 18:00	0.0	0.0	0.1
12/9/20 19:00	0.0	0.0	0.1
12/9/20 20:00	0.0	0.0	0.1
12/9/20 21:00	0.0	0.0	0.1
12/9/20 22:00	0.0	0.0	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/9/20 23:00	0.0	0.0	0.1
12/10/20 0:00	0.0	0.0	0.1
12/10/20 1:00	0.0	0.0	0.1
12/10/20 2:00	0.0	0.0	0.1
12/10/20 3:00	0.0	0.0	0.1
12/10/20 4:00	0.0	0.0	0.1
12/10/20 5:00	0.0	0.0	0.1
12/10/20 6:00	0.0	0.0	0.1
12/10/20 7:00	0.0	0.0	0.1
12/10/20 8:00	0.0	0.0	0.1
12/10/20 9:00	0.0	0.0	0.1
12/10/20 10:00	0.0	0.0	0.1
12/10/20 11:00	0.0	0.0	0.1
12/10/20 12:00	0.0	0.0	0.1
12/10/20 13:00	0.0	0.0	0.1
12/10/20 14:00	0.0	0.0	0.1
12/10/20 15:00	0.0	0.0	0.1
12/10/20 16:00	0.0	0.0	0.1
12/10/20 17:00	0.0	0.0	0.1
12/10/20 18:00	0.0	0.0	0.1
12/10/20 19:00	0.0	0.0	0.1
12/10/20 20:00	0.0	0.0	0.1
12/10/20 21:00	0.0	0.0	0.1
12/10/20 22:00	0.0	0.0	0.1
12/10/20 23:00	0.0	0.0	0.1
12/11/20 0:00	0.0	0.0	0.1
12/11/20 1:00	0.0	0.0	0.1
12/11/20 2:00	0.0	0.0	0.1
12/11/20 3:00	0.0	0.0	0.1
12/11/20 4:00	0.0	0.0	0.1
12/11/20 5:00	0.0	0.0	0.1
12/11/20 6:00	0.0	0.0	0.1
12/11/20 7:00	0.0	0.0	0.1
12/11/20 8:00	0.0	0.0	0.1
12/11/20 9:00	0.0	0.0	0.1
12/11/20 10:00	0.0	0.0	0.1
12/11/20 11:00	0.0	0.0	0.1
12/11/20 12:00	0.0	0.0	0.1
12/11/20 13:00	2.1	0.1	0.1
12/11/20 14:00	0.0	0.1	0.1
12/11/20 15:00	0.0	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/11/20 16:00	0.0	0.1	0.1
12/11/20 17:00	0.0	0.1	0.1
12/11/20 18:00	0.1	0.1	0.1
12/11/20 19:00	0.1	0.1	0.1
12/11/20 20:00	0.1	0.1	0.1
12/11/20 21:00	0.1	0.1	0.1
12/11/20 22:00	0.1	0.1	0.1
12/11/20 23:00	0.1	0.1	0.1
12/12/20 0:00	0.1	0.1	0.1
12/12/20 1:00	0.1	0.1	0.1
12/12/20 2:00	0.1	0.1	0.1
12/12/20 3:00	0.1	0.1	0.1
12/12/20 4:00	0.1	0.1	0.1
12/12/20 5:00	0.2	0.2	0.1
12/12/20 6:00	0.3	0.2	0.1
12/12/20 7:00	0.3	0.2	0.1
12/12/20 8:00	0.3	0.2	0.1
12/12/20 9:00	0.3	0.2	0.1
12/12/20 10:00	0.3	0.2	0.1
12/12/20 11:00	0.3	0.2	0.1
12/12/20 12:00	0.3	0.2	0.1
12/12/20 13:00	0.3	0.2	0.1
12/12/20 14:00	0.3	0.2	0.1
12/12/20 15:00	0.3	0.2	0.1
12/12/20 16:00	0.3	0.2	0.1
12/12/20 17:00	0.3	0.2	0.1
12/12/20 18:00	0.3	0.2	0.1
12/12/20 19:00	0.3	0.2	0.1
12/12/20 20:00	0.3	0.2	0.1
12/12/20 21:00	0.3	0.2	0.1
12/12/20 22:00	0.3	0.2	0.1
12/12/20 23:00	0.3	0.2	0.1
12/13/20 0:00	0.4	0.3	0.1
12/13/20 1:00	0.3	0.3	0.1
12/13/20 2:00	0.2	0.3	0.1
12/13/20 3:00	0.2	0.3	0.1
12/13/20 4:00	0.2	0.3	0.1
12/13/20 5:00	0.2	0.3	0.1
12/13/20 6:00	0.3	0.3	0.1
12/13/20 7:00	0.3	0.3	0.1
12/13/20 8:00	0.3	0.3	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/13/20 9:00	0.3	0.3	0.1
12/13/20 10:00	0.3	0.3	0.1
12/13/20 11:00	0.3	0.3	0.1
12/13/20 12:00	0.3	0.3	0.1
12/13/20 13:00	0.3	0.3	0.1
12/13/20 14:00	0.3	0.3	0.1
12/13/20 15:00	0.3	0.3	0.1
12/13/20 16:00	0.3	0.3	0.1
12/13/20 17:00	0.3	0.3	0.1
12/13/20 18:00	0.2	0.3	0.1
12/13/20 19:00	0.2	0.3	0.1
12/13/20 20:00	0.2	0.3	0.1
12/13/20 21:00	0.2	0.3	0.1
12/13/20 22:00	0.3	0.3	0.1
12/13/20 23:00	0.4	0.3	0.1
12/14/20 0:00	0.3	0.3	0.1
12/14/20 1:00	0.3	0.3	0.1
12/14/20 2:00	0.3	0.3	0.1
12/14/20 3:00	0.2	0.3	0.1
12/14/20 4:00	0.1	0.3	0.1
12/14/20 5:00	0.1	0.3	0.1
12/14/20 6:00	0.1	0.3	0.1
12/14/20 7:00	0.1	0.3	0.1
12/14/20 8:00	0.1	0.2	0.1
12/14/20 9:00	0.1	0.2	0.1
12/14/20 10:00	0.1	0.2	0.1
12/14/20 11:00	0.1	0.2	0.1
12/14/20 12:00	0.1	0.2	0.1
12/14/20 13:00	0.1	0.2	0.1
12/14/20 14:00	0.1	0.2	0.1
12/14/20 15:00	0.1	0.2	0.1
12/14/20 16:00	0.3	0.2	0.1
12/14/20 17:00	0.2	0.2	0.1
12/14/20 18:00	0.1	0.2	0.1
12/14/20 19:00	0.1	0.2	0.1
12/14/20 20:00	0.3	0.2	0.1
12/14/20 21:00	0.1	0.2	0.1
12/14/20 22:00	0.2	0.2	0.1
12/14/20 23:00	0.2	0.2	0.1
12/15/20 0:00	0.2	0.2	0.1
12/15/20 1:00	0.3	0.2	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/15/20 2:00	0.3	0.2	0.1
12/15/20 3:00	0.3	0.2	0.1
12/15/20 4:00	0.3	0.2	0.1
12/15/20 5:00	0.2	0.2	0.1
12/15/20 6:00	0.1	0.2	0.1
12/15/20 7:00	0.1	0.2	0.1
12/15/20 8:00	0.1	0.2	0.1
12/15/20 9:00	0.1	0.2	0.1
12/15/20 10:00	0.1	0.2	0.1
12/15/20 11:00	0.1	0.2	0.1
12/15/20 12:00	0.2	0.2	0.1
12/15/20 13:00	0.2	0.2	0.1
12/15/20 14:00	0.2	0.2	0.1
12/15/20 15:00	0.2	0.2	0.1
12/15/20 16:00	0.2	0.2	0.1
12/15/20 17:00	0.1	0.2	0.1
12/15/20 18:00	0.1	0.2	0.1
12/15/20 19:00	0.1	0.2	0.1
12/15/20 20:00	0.1	0.2	0.1
12/15/20 21:00	0.1	0.2	0.1
12/15/20 22:00	0.1	0.2	0.1
12/15/20 23:00	0.1	0.2	0.1
12/16/20 0:00	0.1	0.2	0.1
12/16/20 1:00	0.1	0.2	0.1
12/16/20 2:00	0.1	0.1	0.1
12/16/20 3:00	0.1	0.1	0.1
12/16/20 4:00	0.2	0.1	0.1
12/16/20 5:00	0.2	0.1	0.1
12/16/20 6:00	0.2	0.1	0.1
12/16/20 7:00	0.2	0.1	0.1
12/16/20 8:00	0.2	0.1	0.1
12/16/20 9:00	0.3	0.1	0.1
12/16/20 10:00	0.2	0.1	0.1
12/16/20 11:00	0.2	0.2	0.1
12/16/20 12:00	0.2	0.2	0.1
12/16/20 13:00	0.2	0.2	0.1
12/16/20 14:00	0.1	0.2	0.1
12/16/20 15:00	0.2	0.2	0.1
12/16/20 16:00	0.2	0.2	0.1
12/16/20 17:00	0.2	0.2	0.1
12/16/20 18:00	0.2	0.2	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/16/20 19:00	0.3	0.2	0.1
12/16/20 20:00	0.2	0.2	0.1
12/16/20 21:00	0.2	0.2	0.1
12/16/20 22:00	0.2	0.2	0.1
12/16/20 23:00	0.2	0.2	0.1
12/17/20 0:00	0.2	0.2	0.1
12/17/20 1:00	0.2	0.2	0.1
12/17/20 2:00	0.2	0.2	0.1
12/17/20 3:00	0.2	0.2	0.1
12/17/20 4:00	0.2	0.2	0.1
12/17/20 5:00	0.3	0.2	0.1
12/17/20 6:00	0.3	0.2	0.1
12/17/20 7:00	0.2	0.2	0.1
12/17/20 8:00	0.2	0.2	0.1
12/17/20 9:00	0.2	0.2	0.1
12/17/20 10:00	0.2	0.2	0.1
12/17/20 11:00	0.2	0.2	0.1
12/17/20 12:00	0.2	0.2	0.1
12/17/20 13:00	0.2	0.2	0.1
12/17/20 14:00	0.2	0.2	0.1
12/17/20 15:00	0.2	0.2	0.1
12/17/20 16:00	0.2	0.2	0.1
12/17/20 17:00	0.2	0.2	0.1
12/17/20 18:00	0.3	0.2	0.1
12/17/20 19:00	0.2	0.2	0.1
12/17/20 20:00	0.2	0.2	0.1
12/17/20 21:00	0.2	0.2	0.1
12/17/20 22:00	0.2	0.2	0.1
12/17/20 23:00	0.1	0.2	0.1
12/18/20 0:00	0.1	0.2	0.1
12/18/20 1:00	0.1	0.2	0.1
12/18/20 2:00	0.1	0.2	0.1
12/18/20 3:00	0.1	0.2	0.1
12/18/20 4:00	0.1	0.2	0.1
12/18/20 5:00	0.1	0.2	0.1
12/18/20 6:00	0.2	0.2	0.1
12/18/20 7:00	0.1	0.2	0.1
12/18/20 8:00	0.1	0.2	0.1
12/18/20 9:00	0.1	0.2	0.1
12/18/20 10:00	0.2	0.2	0.1
12/18/20 11:00	0.2	0.2	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/18/20 12:00	0.2	0.2	0.1
12/18/20 13:00	0.1	0.2	0.1
12/18/20 14:00	0.1	0.2	0.1
12/18/20 15:00	0.1	0.2	0.1
12/18/20 16:00	0.1	0.1	0.1
12/18/20 17:00	0.1	0.1	0.1
12/18/20 18:00	0.1	0.1	0.1
12/18/20 19:00	0.1	0.1	0.1
12/18/20 20:00	0.1	0.1	0.1
12/18/20 21:00	0.1	0.1	0.1
12/18/20 22:00	0.1	0.1	0.1
12/18/20 23:00	0.1	0.1	0.1
12/19/20 0:00	0.1	0.1	0.1
12/19/20 1:00	0.2	0.1	0.1
12/19/20 2:00	0.2	0.1	0.1
12/19/20 3:00	0.1	0.1	0.1
12/19/20 4:00	0.1	0.1	0.1
12/19/20 5:00	0.1	0.1	0.1
12/19/20 6:00	0.1	0.1	0.1
12/19/20 7:00	0.1	0.1	0.1
12/19/20 8:00	0.1	0.1	0.1
12/19/20 9:00	0.1	0.1	0.1
12/19/20 10:00	0.1	0.1	0.1
12/19/20 11:00	0.1	0.1	0.1
12/19/20 12:00	0.1	0.1	0.1
12/19/20 13:00	0.2	0.1	0.1
12/19/20 14:00	0.2	0.1	0.1
12/19/20 15:00	0.2	0.1	0.1
12/19/20 16:00	14.5	0.7	0.1
12/19/20 17:00	0.6	0.8	0.1
12/19/20 18:00	0.5	0.8	0.1
12/19/20 19:00	0.4	0.8	0.1
12/19/20 20:00	0.3	0.8	0.1
12/19/20 21:00	0.3	0.8	0.1
12/19/20 22:00	0.3	0.8	0.1
12/19/20 23:00	0.3	0.8	0.1
12/20/20 0:00	0.4	0.8	0.1
12/20/20 1:00	0.3	0.8	0.1
12/20/20 2:00	0.3	0.8	0.1
12/20/20 3:00	0.3	0.8	0.1
12/20/20 4:00	0.5	0.9	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/20/20 5:00	0.1	0.9	0.1
12/20/20 6:00	0.1	0.9	0.1
12/20/20 7:00	0.1	0.9	0.1
12/20/20 8:00	0.1	0.9	0.1
12/20/20 9:00	0.1	0.9	0.1
12/20/20 10:00	0.1	0.9	0.1
12/20/20 11:00	0.2	0.9	0.1
12/20/20 12:00	0.2	0.9	0.1
12/20/20 13:00	0.2	0.9	0.1
12/20/20 14:00	0.2	0.9	0.1
12/20/20 15:00	0.2	0.9	0.1
12/20/20 16:00	0.1	0.3	0.1
12/20/20 17:00	0.1	0.2	0.1
12/20/20 18:00	0.1	0.2	0.1
12/20/20 19:00	0.2	0.2	0.1
12/20/20 20:00	0.2	0.2	0.1
12/20/20 21:00	0.2	0.2	0.1
12/20/20 22:00	0.1	0.2	0.1
12/20/20 23:00	0.2	0.2	0.1
12/21/20 0:00	0.2	0.2	0.1
12/21/20 1:00	0.1	0.2	0.1
12/21/20 2:00	0.1	0.2	0.1
12/21/20 3:00	0.1	0.2	0.1
12/21/20 4:00	0.1	0.1	0.1
12/21/20 5:00	0.2	0.1	0.1
12/21/20 6:00	0.2	0.2	0.1
12/21/20 7:00	0.2	0.2	0.1
12/21/20 8:00	0.2	0.2	0.1
12/21/20 9:00	0.1	0.2	0.1
12/21/20 10:00	0.2	0.2	0.1
12/21/20 11:00	0.2	0.2	0.1
12/21/20 12:00	0.1	0.2	0.1
12/21/20 13:00	0.2	0.2	0.1
12/21/20 14:00	0.2	0.2	0.1
12/21/20 15:00	0.1	0.2	0.1
12/21/20 16:00	0.2	0.2	0.1
12/21/20 17:00	0.1	0.2	0.1
12/21/20 18:00	0.1	0.2	0.1
12/21/20 19:00	0.1	0.2	0.1
12/21/20 20:00	0.1	0.2	0.1
12/21/20 21:00	0.2	0.2	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/21/20 22:00	0.1	0.2	0.1
12/21/20 23:00	0.1	0.2	0.1
12/22/20 0:00	0.1	0.2	0.1
12/22/20 1:00	0.1	0.2	0.1
12/22/20 2:00	0.2	0.2	0.1
12/22/20 3:00	0.1	0.2	0.1
12/22/20 4:00	0.1	0.2	0.1
12/22/20 5:00	0.1	0.2	0.1
12/22/20 6:00	0.2	0.2	0.1
12/22/20 7:00	0.1	0.1	0.1
12/22/20 8:00	0.0	0.1	0.1
12/22/20 9:00	0.0	0.1	0.1
12/22/20 10:00	0.0	0.1	0.1
12/22/20 11:00	0.0	0.1	0.1
12/22/20 12:00	0.0	0.1	0.1
12/22/20 13:00	0.0	0.1	0.1
12/22/20 14:00	0.0	0.1	0.1
12/22/20 15:00	0.2	0.1	0.1
12/22/20 16:00	0.3	0.1	0.1
12/22/20 17:00	0.3	0.1	0.1
12/22/20 18:00	0.3	0.1	0.1
12/22/20 19:00	0.2	0.1	0.1
12/22/20 20:00	0.1	0.1	0.1
12/22/20 21:00	0.2	0.1	0.1
12/22/20 22:00	0.2	0.1	0.1
12/22/20 23:00	0.2	0.1	0.1
12/23/20 0:00	0.2	0.1	0.1
12/23/20 1:00	0.2	0.1	0.1
12/23/20 2:00	0.2	0.1	0.1
12/23/20 3:00	0.2	0.1	0.1
12/23/20 4:00	0.2	0.1	0.1
12/23/20 5:00	0.2	0.1	0.1
12/23/20 6:00	0.2	0.1	0.1
12/23/20 7:00	0.2	0.1	0.1
12/23/20 8:00	0.2	0.2	0.1
12/23/20 9:00	0.2	0.2	0.1
12/23/20 10:00	0.2	0.2	0.1
12/23/20 11:00	0.2	0.2	0.1
12/23/20 12:00	0.2	0.2	0.1
12/23/20 13:00	0.2	0.2	0.1
12/23/20 14:00	0.2	0.2	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/23/20 15:00	0.2	0.2	0.1
12/23/20 16:00	0.2	0.2	0.1
12/23/20 17:00	0.2	0.2	0.1
12/23/20 18:00	0.2	0.2	0.1
12/23/20 19:00	0.2	0.2	0.1
12/23/20 20:00	0.2	0.2	0.1
12/23/20 21:00	0.2	0.2	0.1
12/23/20 22:00	0.2	0.2	0.1
12/23/20 23:00	0.2	0.2	0.1
12/24/20 0:00	0.2	0.2	0.1
12/24/20 1:00	0.2	0.2	0.1
12/24/20 2:00	0.2	0.2	0.1
12/24/20 3:00	0.2	0.2	0.1
12/24/20 4:00	0.2	0.2	0.1
12/24/20 5:00	0.2	0.2	0.1
12/24/20 6:00	0.2	0.2	0.1
12/24/20 7:00	0.2	0.2	0.1
12/24/20 8:00	0.2	0.2	0.1
12/24/20 9:00	0.2	0.2	0.1
12/24/20 10:00	0.2	0.2	0.1
12/24/20 11:00	0.2	0.2	0.1
12/24/20 12:00	0.2	0.2	0.1
12/24/20 13:00	0.2	0.2	0.1
12/24/20 14:00	0.2	0.2	0.1
12/24/20 15:00	0.2	0.2	0.1
12/24/20 16:00	0.2	0.2	0.1
12/24/20 17:00	0.2	0.2	0.1
12/24/20 18:00	0.2	0.2	0.1
12/24/20 19:00	0.1	0.2	0.1
12/24/20 20:00	0.2	0.2	0.1
12/24/20 21:00	0.2	0.2	0.1
12/24/20 22:00	0.2	0.2	0.1
12/24/20 23:00	0.2	0.2	0.1
12/25/20 0:00	0.2	0.2	0.1
12/25/20 1:00	0.2	0.2	0.1
12/25/20 2:00	0.2	0.2	0.1
12/25/20 3:00	0.2	0.2	0.1
12/25/20 4:00	0.1	0.2	0.1
12/25/20 5:00	0.1	0.2	0.1
12/25/20 6:00	0.2	0.2	0.1
12/25/20 7:00	0.2	0.2	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/25/20 8:00	0.2	0.2	0.1
12/25/20 9:00	0.2	0.2	0.1
12/25/20 10:00	0.2	0.2	0.1
12/25/20 11:00	0.2	0.2	0.1
12/25/20 12:00	0.2	0.2	0.1
12/25/20 13:00	0.2	0.2	0.1
12/25/20 14:00	0.2	0.2	0.1
12/25/20 15:00	0.2	0.2	0.1
12/25/20 16:00	0.2	0.2	0.1
12/25/20 17:00	0.2	0.2	0.1
12/25/20 18:00	0.2	0.2	0.1
12/25/20 19:00	0.2	0.2	0.1
12/25/20 20:00	0.2	0.2	0.1
12/25/20 21:00	0.1	0.2	0.1
12/25/20 22:00	0.2	0.2	0.1
12/25/20 23:00	0.2	0.2	0.1
12/26/20 0:00	0.2	0.2	0.1
12/26/20 1:00	0.1	0.2	0.1
12/26/20 2:00	0.2	0.2	0.1
12/26/20 3:00	0.2	0.2	0.1
12/26/20 4:00	0.1	0.2	0.1
12/26/20 5:00	0.2	0.2	0.1
12/26/20 6:00	0.1	0.2	0.1
12/26/20 7:00	0.1	0.2	0.1
12/26/20 8:00	0.2	0.2	0.1
12/26/20 9:00	0.2	0.2	0.1
12/26/20 10:00	0.2	0.2	0.1
12/26/20 11:00	0.2	0.2	0.1
12/26/20 12:00	0.2	0.2	0.1
12/26/20 13:00	0.1	0.2	0.1
12/26/20 14:00	0.2	0.2	0.1
12/26/20 15:00	0.2	0.2	0.1
12/26/20 16:00	0.2	0.2	0.1
12/26/20 17:00	0.2	0.2	0.1
12/26/20 18:00	0.2	0.2	0.1
12/26/20 19:00	0.2	0.2	0.1
12/26/20 20:00	0.1	0.2	0.1
12/26/20 21:00	0.1	0.2	0.1
12/26/20 22:00	0.1	0.2	0.1
12/26/20 23:00	0.2	0.2	0.1
12/27/20 0:00	0.2	0.2	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/27/20 1:00	0.2	0.2	0.1
12/27/20 2:00	0.1	0.2	0.1
12/27/20 3:00	0.2	0.2	0.1
12/27/20 4:00	0.2	0.2	0.1
12/27/20 5:00	0.2	0.2	0.1
12/27/20 6:00	0.2	0.2	0.1
12/27/20 7:00	0.2	0.2	0.1
12/27/20 8:00	0.2	0.2	0.1
12/27/20 9:00	0.2	0.2	0.1
12/27/20 10:00	0.2	0.2	0.1
12/27/20 11:00	0.1	0.2	0.1
12/27/20 12:00	0.2	0.2	0.1
12/27/20 13:00	0.2	0.2	0.1
12/27/20 14:00	0.2	0.2	0.1
12/27/20 15:00	0.2	0.2	0.1
12/27/20 16:00	0.2	0.2	0.1
12/27/20 17:00	0.2	0.2	0.1
12/27/20 18:00	0.2	0.2	0.1
12/27/20 19:00	0.2	0.2	0.1
12/27/20 20:00	0.2	0.2	0.1
12/27/20 21:00	0.1	0.2	0.1
12/27/20 22:00	0.1	0.2	0.1
12/27/20 23:00	0.1	0.2	0.1
12/28/20 0:00	0.2	0.2	0.1
12/28/20 1:00	0.2	0.2	0.1
12/28/20 2:00	0.2	0.2	0.1
12/28/20 3:00	0.2	0.2	0.1
12/28/20 4:00	0.2	0.2	0.1
12/28/20 5:00	0.1	0.2	0.1
12/28/20 6:00	0.1	0.2	0.1
12/28/20 7:00	0.1	0.2	0.1
12/28/20 8:00	0.1	0.2	0.1
12/28/20 9:00	0.1	0.2	0.1
12/28/20 10:00	0.1	0.2	0.1
12/28/20 11:00	0.2	0.2	0.1
12/28/20 12:00	0.1	0.2	0.1
12/28/20 13:00	0.1	0.2	0.1
12/28/20 14:00	0.1	0.2	0.1
12/28/20 15:00	0.1	0.2	0.1
12/28/20 16:00	0.1	0.2	0.1
12/28/20 17:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/28/20 18:00	0.1	0.1	0.1
12/28/20 19:00	0.1	0.1	0.1
12/28/20 20:00	0.1	0.1	0.1
12/28/20 21:00	0.1	0.1	0.1
12/28/20 22:00	0.1	0.1	0.1
12/28/20 23:00	0.1	0.1	0.1
12/29/20 0:00	0.1	0.1	0.1
12/29/20 1:00	0.1	0.1	0.1
12/29/20 2:00	0.1	0.1	0.1
12/29/20 3:00	0.1	0.1	0.1
12/29/20 4:00	0.1	0.1	0.1
12/29/20 5:00	0.1	0.1	0.1
12/29/20 6:00	0.1	0.1	0.1
12/29/20 7:00	0.1	0.1	0.1
12/29/20 8:00	0.1	0.1	0.1
12/29/20 9:00	0.1	0.1	0.1
12/29/20 10:00	0.1	0.1	0.1
12/29/20 11:00	0.1	0.1	0.1
12/29/20 12:00	0.2	0.1	0.1
12/29/20 13:00	0.2	0.1	0.1
12/29/20 14:00	0.1	0.1	0.1
12/29/20 15:00	0.2	0.1	0.1
12/29/20 16:00	0.2	0.1	0.1
12/29/20 17:00	0.1	0.1	0.1
12/29/20 18:00	0.2	0.1	0.1
12/29/20 19:00	0.2	0.1	0.1
12/29/20 20:00	0.2	0.1	0.1
12/29/20 21:00	0.1	0.1	0.1
12/29/20 22:00	0.1	0.1	0.1
12/29/20 23:00	0.1	0.1	0.1
12/30/20 0:00	0.2	0.1	0.1
12/30/20 1:00	0.2	0.1	0.1
12/30/20 2:00	0.1	0.1	0.1
12/30/20 3:00	0.1	0.1	0.1
12/30/20 4:00	0.1	0.1	0.1
12/30/20 5:00	0.1	0.1	0.1
12/30/20 6:00	0.1	0.1	0.1
12/30/20 7:00	0.1	0.1	0.1
12/30/20 8:00	0.1	0.1	0.1
12/30/20 9:00	0.2	0.1	0.1
12/30/20 10:00	0.2	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/30/20 11:00	0.2	0.2	0.1
12/30/20 12:00	0.2	0.2	0.1
12/30/20 13:00	0.2	0.2	0.1
12/30/20 14:00	0.2	0.2	0.1
12/30/20 15:00	0.2	0.2	0.1
12/30/20 16:00	0.2	0.2	0.1
12/30/20 17:00	0.1	0.2	0.1
12/30/20 18:00	0.1	0.2	0.1
12/30/20 19:00	0.1	0.2	0.1
12/30/20 20:00	0.2	0.2	0.1
12/30/20 21:00	0.2	0.2	0.1
12/30/20 22:00	0.2	0.2	0.1
12/30/20 23:00	0.1	0.2	0.1
12/31/20 0:00	0.1	0.2	0.1
12/31/20 1:00	0.1	0.2	0.1
12/31/20 2:00	0.1	0.2	0.1
12/31/20 3:00	0.2	0.2	0.1
12/31/20 4:00	0.1	0.2	0.1
12/31/20 5:00	0.1	0.2	0.1
12/31/20 6:00	0.1	0.2	0.1
12/31/20 7:00	0.2	0.2	0.1
12/31/20 8:00	0.1	0.2	0.1
12/31/20 9:00	0.1	0.2	0.1
12/31/20 10:00	0.1	0.2	0.1
12/31/20 11:00	0.2	0.2	0.1
12/31/20 12:00	0.1	0.2	0.1
12/31/20 13:00	0.2	0.1	0.1
12/31/20 14:00	0.1	0.1	0.1
12/31/20 15:00	0.2	0.1	0.1
12/31/20 16:00	0.2	0.1	0.1
12/31/20 17:00	0.2	0.1	0.1
12/31/20 18:00	0.2	0.2	0.1
12/31/20 19:00	0.1	0.2	0.1
12/31/20 20:00	0.1	0.1	0.1
12/31/20 21:00	0.1	0.1	0.1
12/31/20 22:00	0.2	0.1	0.1
12/31/20 23:00	0.1	0.1	0.1

Table F-3: Calculation of Compliance Ratio and Emission Limit for B-248-1

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
Average	0.1	0.1	0.1
Max.	20.6	4.6	0.4
99th percentile	0.5	0.8	0.3
Total Hours	2542.0		
# > 20 lb/hr	1		
# > 15.2 lb/hr			0

	Compliance Ratios	CEV	Emission Limit (lb/hr)
24-hour	1.8		
30-day	0.76	20.0	15.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/1/19 0:00	0.1		
1/1/19 1:00	0.1		
1/1/19 2:00	0.1		
1/1/19 3:00	0.1		
1/1/19 4:00	0.1		
1/1/19 5:00	0.1		
1/1/19 6:00	0.1		
1/1/19 7:00	0.1		
1/1/19 8:00	0.1		
1/1/19 9:00	0.2		
1/1/19 10:00	0.4		
1/1/19 11:00	0.1		
1/1/19 12:00	0.1		
1/1/19 13:00	0.1		
1/1/19 14:00	0.1		
1/1/19 15:00	0.1		
1/1/19 16:00	0.1		
1/1/19 17:00	0.2		
1/1/19 18:00	0.3		
1/1/19 19:00	0.2		
1/1/19 20:00	0.1		
1/1/19 21:00	0.2		
1/1/19 22:00	0.1		
1/1/19 23:00	0.1	0.1	
1/2/19 0:00	0.1	0.1	
1/2/19 1:00	0.1	0.1	
1/2/19 2:00	0.1	0.1	
1/2/19 3:00	0.1	0.1	
1/2/19 4:00	0.1	0.1	
1/2/19 5:00	0.1	0.1	
1/2/19 6:00	0.1	0.1	
1/2/19 7:00	0.1	0.1	
1/2/19 8:00	0.1	0.1	
1/2/19 9:00	0.1	0.1	
1/2/19 10:00	0.1	0.1	
1/2/19 11:00	0.2	0.1	
1/2/19 12:00	0.2	0.1	
1/2/19 13:00	0.1	0.1	
1/2/19 14:00	0.1	0.2	
1/2/19 15:00	0.1	0.2	

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/2/19 16:00	0.1	0.2	
1/2/19 17:00	0.1	0.2	
1/2/19 18:00	0.2	0.1	
1/2/19 19:00	0.2	0.1	
1/2/19 20:00	0.2	0.1	
1/2/19 21:00	0.1	0.1	
1/2/19 22:00	0.2	0.1	
1/2/19 23:00	0.2	0.1	
1/3/19 0:00	0.2	0.1	
1/3/19 1:00	0.1	0.1	
1/3/19 2:00	0.2	0.1	
1/3/19 3:00	0.2	0.1	
1/3/19 4:00	0.2	0.2	
1/3/19 5:00	0.2	0.2	
1/3/19 6:00	0.2	0.2	
1/3/19 7:00	0.2	0.2	
1/3/19 8:00	0.2	0.2	
1/3/19 9:00	0.2	0.2	
1/3/19 10:00	0.2	0.2	
1/3/19 11:00	0.2	0.2	
1/3/19 12:00	0.2	0.2	
1/3/19 13:00	0.1	0.2	
1/3/19 14:00	0.2	0.2	
1/3/19 15:00	0.2	0.2	
1/3/19 16:00	0.1	0.2	
1/3/19 17:00	0.1	0.2	
1/3/19 18:00	0.1	0.2	
1/3/19 19:00	0.2	0.2	
1/3/19 20:00	0.1	0.2	
1/3/19 21:00	0.2	0.2	
1/3/19 22:00	0.2	0.2	
1/3/19 23:00	0.2	0.2	
1/4/19 0:00	0.2	0.2	
1/4/19 1:00	0.2	0.2	
1/4/19 2:00	0.2	0.2	
1/4/19 3:00	0.2	0.2	
1/4/19 4:00	0.3	0.2	
1/4/19 5:00	1.6	0.2	
1/4/19 6:00	0.3	0.2	
1/4/19 7:00	0.2	0.2	

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/4/19 8:00	0.2	0.2	
1/4/19 9:00	0.2	0.2	
1/4/19 10:00	0.2	0.2	
1/4/19 11:00	0.2	0.2	
1/4/19 12:00	0.2	0.2	
1/4/19 13:00	0.2	0.2	
1/4/19 14:00	0.2	0.2	
1/4/19 15:00	0.2	0.2	
1/4/19 16:00	0.3	0.3	
1/4/19 17:00	0.2	0.3	
1/4/19 18:00	0.2	0.3	
1/4/19 19:00	0.2	0.3	
1/4/19 20:00	0.2	0.3	
1/4/19 21:00	0.3	0.3	
1/4/19 22:00	6.6	0.5	
1/4/19 23:00	0.3	0.5	
1/5/19 0:00	2.9	0.7	
1/5/19 1:00	0.3	0.7	
1/5/19 2:00	1.1	0.7	
1/5/19 3:00	0.3	0.7	
1/5/19 4:00	0.2	0.7	
1/5/19 5:00	0.2	0.6	
1/5/19 6:00	0.3	0.6	
1/5/19 7:00	0.4	0.7	
1/5/19 8:00	0.6	0.7	
1/5/19 9:00	0.4	0.7	
1/5/19 10:00	0.5	0.7	
1/5/19 11:00	0.2	0.7	
1/5/19 12:00	0.3	0.7	
1/5/19 13:00	0.2	0.7	
1/5/19 14:00	0.5	0.7	
1/5/19 15:00	0.2	0.7	
1/5/19 16:00	0.2	0.7	
1/5/19 17:00	0.6	0.7	
1/5/19 18:00	0.7	0.7	
1/5/19 19:00	0.3	0.7	
1/5/19 20:00	0.4	0.8	
1/5/19 21:00	0.6	0.8	
1/5/19 22:00	0.2	0.5	
1/5/19 23:00	0.3	0.5	

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/6/19 0:00	0.3	0.4	
1/6/19 1:00	0.2	0.4	
1/6/19 2:00	0.2	0.3	
1/6/19 3:00	0.2	0.3	
1/6/19 4:00	0.2	0.3	
1/6/19 5:00	0.2	0.3	
1/6/19 6:00	0.2	0.3	
1/6/19 7:00	0.2	0.3	
1/6/19 8:00	0.2	0.3	
1/6/19 9:00	0.2	0.3	
1/6/19 10:00	0.2	0.3	
1/6/19 11:00	0.2	0.3	
1/6/19 12:00	0.2	0.3	
1/6/19 13:00	0.2	0.3	
1/6/19 14:00	0.2	0.3	
1/6/19 15:00	0.2	0.3	
1/6/19 16:00	0.2	0.3	
1/6/19 17:00	0.2	0.3	
1/6/19 18:00	0.2	0.2	
1/6/19 19:00	0.2	0.2	
1/6/19 20:00	0.2	0.2	
1/6/19 21:00	0.3	0.2	
1/6/19 22:00	0.2	0.2	
1/6/19 23:00	0.2	0.2	
1/7/19 0:00	0.2	0.2	
1/7/19 1:00	0.2	0.2	
1/7/19 2:00	0.3	0.2	
1/7/19 3:00	0.2	0.2	
1/7/19 4:00	0.2	0.2	
1/7/19 5:00	0.4	0.2	
1/7/19 6:00	0.2	0.2	
1/7/19 7:00	0.9	0.2	
1/7/19 8:00	1.8	0.3	
1/7/19 9:00	3.0	0.4	
1/7/19 10:00	0.7	0.5	
1/7/19 11:00	0.8	0.5	
1/7/19 12:00	2.9	0.6	
1/7/19 13:00	0.3	0.6	
1/7/19 14:00	1.9	0.7	
1/7/19 15:00	0.1	0.7	

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/7/19 16:00	0.6	0.7	
1/7/19 17:00	1.9	0.8	
1/7/19 18:00	0.1	0.7	
1/7/19 19:00	0.2	0.7	
1/7/19 20:00	0.2	0.7	
1/7/19 21:00	0.2	0.7	
1/7/19 22:00	0.2	0.7	
1/7/19 23:00	0.2	0.7	
1/8/19 0:00	0.2	0.7	
1/8/19 1:00	0.2	0.7	
1/8/19 2:00	0.9	0.8	
1/8/19 3:00	0.2	0.8	
1/8/19 4:00	0.2	0.8	
1/8/19 5:00	0.2	0.7	
1/8/19 6:00	0.1	0.7	
1/8/19 7:00	0.1	0.7	
1/8/19 8:00	0.2	0.6	
1/8/19 9:00	0.2	0.5	
1/8/19 10:00	0.1	0.5	
1/8/19 11:00	0.1	0.5	
1/8/19 12:00	0.1	0.4	
1/8/19 13:00	0.1	0.3	
1/8/19 14:00	0.1	0.3	
1/8/19 15:00	0.1	0.3	
1/8/19 16:00	0.1	0.3	
1/8/19 17:00	0.1	0.2	
1/8/19 18:00	0.1	0.2	
1/8/19 19:00	0.1	0.2	
1/8/19 20:00	0.1	0.2	
1/8/19 21:00	0.1	0.2	
1/8/19 22:00	0.1	0.2	
1/8/19 23:00	0.1	0.2	
1/9/19 0:00	0.1	0.2	
1/9/19 1:00	0.1	0.2	
1/9/19 2:00	0.1	0.1	
1/9/19 3:00	0.1	0.1	
1/9/19 4:00	0.1	0.1	
1/9/19 5:00	0.2	0.1	
1/9/19 6:00	0.1	0.1	
1/9/19 7:00	0.1	0.1	

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/9/19 8:00	0.3	0.1	
1/9/19 9:00	0.3	0.1	
1/9/19 10:00	0.1	0.1	
1/9/19 11:00	0.1	0.1	
1/9/19 12:00	0.2	0.1	
1/9/19 13:00	0.3	0.1	
1/9/19 14:00	0.1	0.1	
1/9/19 15:00	0.3	0.2	
1/9/19 16:00	0.2	0.2	
1/9/19 17:00	0.1	0.2	
1/9/19 18:00	0.2	0.2	
1/9/19 19:00	0.3	0.2	
1/9/19 20:00	0.3	0.2	
1/9/19 21:00	0.3	0.2	
1/9/19 22:00	0.3	0.2	
1/9/19 23:00	0.3	0.2	
1/10/19 0:00	0.3	0.2	
1/10/19 1:00	0.3	0.2	
1/10/19 2:00	0.3	0.2	
1/10/19 3:00	0.3	0.2	
1/10/19 4:00	0.3	0.2	
1/10/19 5:00	0.3	0.2	
1/10/19 6:00	0.4	0.2	
1/10/19 7:00	0.3	0.3	
1/10/19 8:00	0.3	0.3	
1/10/19 9:00	0.4	0.3	
1/10/19 10:00	0.3	0.3	
1/10/19 11:00	0.4	0.3	
1/10/19 12:00	0.3	0.3	
1/10/19 13:00	0.4	0.3	
1/10/19 14:00	0.3	0.3	
1/10/19 15:00	0.3	0.3	
1/10/19 16:00	0.2	0.3	
1/10/19 17:00	0.2	0.3	
1/10/19 18:00	0.2	0.3	
1/10/19 19:00	0.2	0.3	
1/10/19 20:00	0.2	0.3	
1/10/19 21:00	0.2	0.3	
1/10/19 22:00	0.3	0.3	
1/10/19 23:00	0.3	0.3	

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/11/19 0:00	0.3	0.3	
1/11/19 1:00	0.3	0.3	
1/11/19 2:00	0.2	0.3	
1/11/19 3:00	0.2	0.3	
1/11/19 4:00	0.2	0.3	
1/11/19 5:00	0.2	0.3	
1/11/19 6:00	0.2	0.3	
1/11/19 7:00	0.2	0.2	
1/11/19 8:00	0.2	0.2	
1/11/19 9:00	0.2	0.2	
1/11/19 10:00	0.2	0.2	
1/11/19 11:00	0.2	0.2	
1/11/19 12:00	0.2	0.2	
1/11/19 13:00	0.2	0.2	
1/11/19 14:00	0.2	0.2	
1/11/19 15:00	0.2	0.2	
1/11/19 16:00	0.2	0.2	
1/11/19 17:00	0.2	0.2	
1/11/19 18:00	0.2	0.2	
1/11/19 19:00	0.1	0.2	
1/11/19 20:00	0.1	0.2	
1/11/19 21:00	0.1	0.2	
1/11/19 22:00	0.1	0.2	
1/11/19 23:00	0.1	0.2	
1/12/19 0:00	0.1	0.2	
1/12/19 1:00	0.2	0.2	
1/12/19 2:00	0.1	0.2	
1/12/19 3:00	0.1	0.2	
1/12/19 4:00	0.2	0.2	
1/12/19 5:00	0.1	0.2	
1/12/19 6:00	0.1	0.2	
1/12/19 7:00	3.0	0.3	
1/12/19 8:00	1.3	0.3	
1/12/19 9:00	1.2	0.4	
1/12/19 10:00	0.2	0.4	
1/12/19 11:00	0.1	0.4	
1/12/19 12:00	0.2	0.4	
1/12/19 13:00	0.2	0.4	
1/12/19 14:00	0.2	0.4	
1/12/19 15:00	0.2	0.4	

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/12/19 16:00	0.1	0.4	
1/12/19 17:00	0.1	0.4	
1/12/19 18:00	0.1	0.4	
1/12/19 19:00	0.1	0.4	
1/12/19 20:00	0.1	0.4	
1/12/19 21:00	0.2	0.4	
1/12/19 22:00	0.2	0.4	
1/12/19 23:00	0.1	0.4	
1/13/19 0:00	0.4	0.4	
1/13/19 1:00	0.1	0.4	
1/13/19 2:00	0.3	0.4	
1/13/19 3:00	0.1	0.4	
1/13/19 4:00	0.1	0.4	
1/13/19 5:00	0.1	0.4	
1/13/19 6:00	0.0	0.4	
1/13/19 7:00	0.1	0.3	
1/13/19 8:00	0.2	0.2	
1/13/19 9:00	0.1	0.2	
1/13/19 10:00	0.1	0.2	
1/13/19 11:00	0.1	0.2	
1/13/19 12:00	0.1	0.2	
1/13/19 13:00	0.1	0.2	
1/13/19 14:00	0.2	0.2	
1/13/19 15:00	0.2	0.2	
1/13/19 16:00	0.2	0.2	
1/13/19 17:00	0.1	0.2	
1/13/19 18:00	0.1	0.2	
1/13/19 19:00	0.1	0.2	
1/13/19 20:00	0.1	0.2	
1/13/19 21:00	0.1	0.2	
1/13/19 22:00	0.1	0.1	
1/13/19 23:00	0.1	0.1	
1/14/19 0:00	0.2	0.1	
1/14/19 1:00	0.2	0.1	
1/14/19 2:00	0.2	0.1	
1/14/19 3:00	0.2	0.1	
1/14/19 4:00	0.2	0.1	
1/14/19 5:00	0.2	0.1	
1/14/19 6:00	0.1	0.1	
1/14/19 7:00	0.1	0.1	

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/14/19 8:00	0.2	0.1	
1/14/19 9:00	0.2	0.1	
1/14/19 10:00	0.3	0.2	
1/14/19 11:00	0.2	0.2	
1/14/19 12:00	0.2	0.2	
1/14/19 13:00	0.2	0.2	
1/14/19 14:00	0.2	0.2	
1/14/19 15:00	0.3	0.2	
1/14/19 16:00	0.2	0.2	
1/14/19 17:00	0.2	0.2	
1/14/19 18:00	0.2	0.2	
1/14/19 19:00	0.3	0.2	
1/14/19 20:00	0.2	0.2	
1/14/19 21:00	0.2	0.2	
1/14/19 22:00	0.3	0.2	
1/14/19 23:00	0.3	0.2	
1/15/19 0:00	0.3	0.2	
1/15/19 1:00	0.3	0.2	
1/15/19 2:00	0.3	0.2	
1/15/19 3:00	0.3	0.2	
1/15/19 4:00	0.3	0.2	
1/15/19 5:00	0.2	0.2	
1/15/19 6:00	0.2	0.2	
1/15/19 7:00	0.2	0.2	
1/15/19 8:00	0.0	0.2	
1/15/19 9:00	0.0	0.2	
1/15/19 10:00	0.0	0.2	
1/15/19 11:00	0.0	0.2	
1/15/19 12:00	0.0	0.2	
1/15/19 13:00	0.0	0.2	
1/15/19 14:00	0.0	0.2	
1/15/19 15:00	0.1	0.2	
1/15/19 16:00	0.2	0.2	
1/15/19 17:00	0.4	0.2	
1/15/19 18:00	0.4	0.2	
1/15/19 19:00	0.5	0.2	
1/15/19 20:00	0.5	0.2	
1/15/19 21:00	0.7	0.2	
1/15/19 22:00	0.8	0.2	
1/15/19 23:00	0.8	0.3	

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/16/19 0:00	0.8	0.3	
1/16/19 1:00	0.7	0.3	
1/16/19 2:00	0.7	0.3	
1/16/19 3:00	0.9	0.4	
1/16/19 4:00	0.8	0.4	
1/16/19 5:00	0.9	0.4	
1/16/19 6:00	0.7	0.4	
1/16/19 7:00	1.1	0.5	
1/16/19 8:00	1.2	0.5	
1/16/19 9:00	1.1	0.6	
1/16/19 10:00	0.8	0.6	
1/16/19 11:00	0.5	0.6	
1/16/19 12:00	0.9	0.7	
1/16/19 13:00	1.1	0.7	
1/16/19 14:00	0.9	0.7	
1/16/19 15:00	1.3	0.8	
1/16/19 16:00	0.9	0.8	
1/16/19 17:00	1.2	0.8	
1/16/19 18:00	0.7	0.9	
1/16/19 19:00	0.7	0.9	
1/16/19 20:00	0.7	0.9	
1/16/19 21:00	0.6	0.9	
1/16/19 22:00	1.0	0.9	
1/16/19 23:00	1.0	0.9	
1/17/19 0:00	1.0	0.9	
1/17/19 1:00	1.0	0.9	
1/17/19 2:00	0.9	0.9	
1/17/19 3:00	0.8	0.9	
1/17/19 4:00	0.6	0.9	
1/17/19 5:00	0.3	0.9	
1/17/19 6:00	0.4	0.9	
1/17/19 7:00	0.5	0.8	
1/17/19 8:00	0.7	0.8	
1/17/19 9:00	0.8	0.8	
1/17/19 10:00	0.8	0.8	
1/17/19 11:00	0.7	0.8	
1/17/19 12:00	0.8	0.8	
1/17/19 13:00	0.7	0.8	
1/17/19 14:00	0.8	0.8	
1/17/19 15:00	0.7	0.8	

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/17/19 16:00	0.8	0.8	
1/17/19 17:00	0.9	0.8	
1/17/19 18:00	0.8	0.8	
1/17/19 19:00	1.2	0.8	
1/17/19 20:00	0.9	0.8	
1/17/19 21:00	7.4	1.1	
1/17/19 22:00	7.1	1.3	
1/17/19 23:00	5.2	1.5	
1/18/19 0:00	7.4	1.8	
1/18/19 1:00	7.8	2.0	
1/18/19 2:00	7.5	2.3	
1/18/19 3:00	2.8	2.4	
1/18/19 4:00	10.5	2.8	
1/18/19 5:00	11.2	3.3	
1/18/19 6:00	1.4	3.3	
1/18/19 7:00	7.1	3.6	
1/18/19 8:00	4.6	3.8	
1/18/19 9:00	6.9	4.0	
1/18/19 10:00	35.2	5.4	
1/18/19 11:00	9.6	5.8	
1/18/19 12:00	9.0	6.2	
1/18/19 13:00	9.2	6.5	
1/18/19 14:00	8.8	6.8	
1/18/19 15:00	9.9	7.2	
1/18/19 16:00	4.2	7.4	
1/18/19 17:00	35.7	8.8	
1/18/19 18:00	5.1	9.0	
1/18/19 19:00	5.7	9.2	
1/18/19 20:00	30.5	10.4	
1/18/19 21:00	2.9	10.2	
1/18/19 22:00	17.3	10.6	
1/18/19 23:00	1.7	10.5	
1/19/19 0:00	15.6	10.8	
1/19/19 1:00	2.3	10.6	
1/19/19 2:00	8.9	10.7	
1/19/19 3:00	30.0	11.8	
1/19/19 4:00	3.6	11.5	
1/19/19 5:00	6.2	11.3	
1/19/19 6:00	4.8	11.4	
1/19/19 7:00	4.5	11.3	

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/19/19 8:00	4.6	11.3	
1/19/19 9:00	2.2	11.1	
1/19/19 10:00	2.4	9.8	
1/19/19 11:00	23.0	10.3	
1/19/19 12:00	4.1	10.1	
1/19/19 13:00	5.2	10.0	
1/19/19 14:00	6.5	9.9	
1/19/19 15:00	3.5	9.6	
1/19/19 16:00	1.7	9.5	
1/19/19 17:00	58.5	10.5	
1/19/19 18:00	1.8	10.3	
1/19/19 19:00	3.2	10.2	
1/19/19 20:00	27.1	10.1	
1/19/19 21:00	5.5	10.2	
1/19/19 22:00	5.4	9.7	
1/19/19 23:00	39.3	11.2	
1/20/19 0:00	44.3	12.4	
1/20/19 1:00	27.1	13.5	
1/20/19 2:00	10.0	13.5	
1/20/19 3:00	9.2	12.7	
1/20/19 4:00	7.0	12.8	
1/20/19 5:00	11.5	13.0	
1/20/19 6:00	2.8	12.9	
1/20/19 7:00	3.6	12.9	
1/20/19 8:00	4.3	12.9	
1/20/19 9:00	5.4	13.0	
1/20/19 10:00	3.3	13.1	
1/20/19 11:00	2.4	12.2	
1/20/19 12:00	0.3	12.0	
1/20/19 13:00	0.5	11.8	
1/20/19 14:00	0.6	11.6	
1/20/19 15:00	0.6	11.5	
1/20/19 16:00	0.8	11.4	
1/20/19 17:00	0.7	9.0	
1/20/19 18:00	0.7	9.0	
1/20/19 19:00	0.9	8.9	
1/20/19 20:00	0.7	7.8	
1/20/19 21:00	0.8	7.6	
1/20/19 22:00	0.8	7.4	
1/20/19 23:00	0.7	5.8	

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/21/19 0:00	0.9	4.0	
1/21/19 1:00	0.9	2.9	
1/21/19 2:00	1.0	2.5	
1/21/19 3:00	1.1	2.2	
1/21/19 4:00	1.0	1.9	
1/21/19 5:00	0.9	1.5	
1/21/19 6:00	0.9	1.4	
1/21/19 7:00	0.9	1.3	
1/21/19 8:00	0.8	1.2	
1/21/19 9:00	0.7	1.0	
1/21/19 10:00	0.9	0.9	
1/21/19 11:00	0.8	0.8	
1/21/19 12:00	0.6	0.8	
1/21/19 13:00	0.8	0.8	
1/21/19 14:00	0.7	0.8	
1/21/19 15:00	0.7	0.8	
1/21/19 16:00	0.7	0.8	
1/21/19 17:00	0.7	0.8	
1/21/19 18:00	0.8	0.8	
1/21/19 19:00	0.7	0.8	
1/21/19 20:00	0.7	0.8	
1/21/19 21:00	0.8	0.8	
1/21/19 22:00	0.8	0.8	
1/21/19 23:00	0.8	0.8	
1/22/19 0:00	0.7	0.8	
1/22/19 1:00	0.7	0.8	
1/22/19 2:00	0.7	0.8	
1/22/19 3:00	0.7	0.8	
1/22/19 4:00	0.8	0.8	
1/22/19 5:00	0.7	0.8	
1/22/19 6:00	0.6	0.7	
1/22/19 7:00	0.4	0.7	
1/22/19 8:00	0.5	0.7	
1/22/19 9:00	0.5	0.7	
1/22/19 10:00	0.6	0.7	
1/22/19 11:00	0.2	0.7	
1/22/19 12:00	0.4	0.7	
1/22/19 13:00	0.3	0.6	
		0.6	
1/22/19 16:00	0.4	0.6	

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/22/19 17:00	0.4	0.6	
1/22/19 18:00	0.5	0.6	
1/22/19 19:00	0.6	0.6	
1/22/19 20:00	0.5	0.6	
1/22/19 21:00	0.5	0.6	
1/22/19 22:00	0.4	0.6	
1/22/19 23:00	0.4	0.5	
1/23/19 0:00	0.4	0.5	
1/23/19 1:00	0.5	0.5	
1/23/19 2:00	0.5	0.5	
1/23/19 3:00	0.5	0.5	
1/23/19 4:00	0.4	0.5	
1/23/19 5:00	0.4	0.5	
1/23/19 6:00	0.4	0.4	
1/23/19 7:00	0.3	0.4	
1/23/19 8:00	0.4	0.4	
1/23/19 9:00	0.4	0.4	
1/23/19 10:00	0.4	0.4	
1/23/19 11:00	0.4	0.4	
1/23/19 12:00	0.3	0.4	
1/23/19 13:00	0.3	0.4	
1/23/19 14:00	0.3	0.4	
1/23/19 15:00	0.3	0.4	
1/23/19 16:00	0.3	0.4	
1/23/19 17:00	0.3	0.4	
1/23/19 18:00	0.3	0.4	
1/23/19 19:00	0.3	0.4	
1/23/19 20:00	0.3	0.4	
1/23/19 21:00	0.4	0.4	
1/23/19 22:00	0.4	0.4	
1/23/19 23:00	0.4	0.4	
1/24/19 0:00	0.4	0.4	
1/24/19 1:00	0.5	0.4	
1/24/19 2:00	0.5	0.4	
1/24/19 3:00	0.5	0.4	
1/24/19 4:00	0.5	0.4	
1/24/19 5:00	0.5	0.4	
1/24/19 6:00	0.5	0.4	
1/24/19 7:00	0.5	0.4	
1/24/19 8:00	0.5	0.4	

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/24/19 9:00	0.5	0.4	
1/24/19 10:00	0.6	0.4	
1/24/19 11:00	0.5	0.4	
1/24/19 12:00	0.6	0.4	
1/24/19 13:00	0.6	0.4	
1/24/19 14:00	0.6	0.4	
1/24/19 15:00	0.6	0.5	
1/24/19 16:00	0.8	0.5	
1/24/19 17:00	0.9	0.5	
1/24/19 18:00	0.9	0.5	
1/24/19 19:00	0.7	0.5	
1/24/19 20:00	0.7	0.6	
1/24/19 21:00	0.7	0.6	
1/24/19 22:00	0.6	0.6	
1/24/19 23:00	0.7	0.6	
1/25/19 0:00	0.6	0.6	
1/25/19 1:00	0.6	0.6	
1/25/19 2:00	0.7	0.6	
1/25/19 3:00	0.5	0.6	
1/25/19 4:00	0.5	0.6	
1/25/19 5:00	0.5	0.6	
1/25/19 6:00	0.7	0.6	
1/25/19 7:00	0.8	0.6	
1/25/19 8:00	0.8	0.6	
1/25/19 9:00	0.7	0.7	
1/25/19 10:00	0.7	0.7	
1/25/19 11:00	0.6	0.7	
1/25/19 12:00	0.7	0.7	
1/25/19 13:00	0.6	0.7	
1/25/19 14:00	0.7	0.7	
1/25/19 15:00	0.7	0.7	
1/25/19 16:00	0.7	0.7	
1/25/19 17:00	0.6	0.7	
1/25/19 18:00	0.7	0.7	
1/25/19 19:00	0.7	0.7	
1/25/19 20:00	0.7	0.6	
1/25/19 21:00	0.7	0.6	
1/25/19 22:00	0.8	0.7	
1/25/19 23:00	0.7	0.7	
1/26/19 0:00	0.7	0.7	

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/26/19 1:00	0.7	0.7	
1/26/19 2:00	0.7	0.7	
1/26/19 3:00	0.8	0.7	
1/26/19 4:00	0.7	0.7	
1/26/19 5:00	0.7	0.7	
1/26/19 6:00	0.6	0.7	
1/26/19 7:00	0.5	0.7	
1/26/19 8:00	0.5	0.7	
1/26/19 9:00	0.5	0.7	
1/26/19 10:00	0.5	0.7	
1/26/19 11:00	0.5	0.6	
1/26/19 12:00	0.4	0.6	
1/26/19 13:00	0.5	0.6	
1/26/19 14:00	0.6	0.6	
1/26/19 15:00	0.6	0.6	
1/26/19 16:00	0.6	0.6	
1/26/19 17:00	0.6	0.6	
1/26/19 18:00	0.6	0.6	
1/26/19 19:00	0.6	0.6	
1/26/19 20:00	0.5	0.6	
1/26/19 21:00	0.5	0.6	
1/26/19 22:00	0.5	0.6	
1/26/19 23:00	0.5	0.6	
1/27/19 0:00	0.5	0.6	
1/27/19 1:00	0.5	0.6	
1/27/19 2:00	0.5	0.6	
1/27/19 3:00	0.5	0.5	
1/27/19 4:00	0.5	0.5	
1/27/19 5:00	0.5	0.5	
1/27/19 6:00	0.6	0.5	
1/27/19 7:00	0.6	0.5	
1/27/19 8:00	0.5	0.5	
1/27/19 9:00	0.6	0.5	
1/27/19 10:00	0.6	0.5	
1/27/19 11:00	0.6	0.5	
1/27/19 12:00	0.6	0.5	
1/27/19 13:00	0.5	0.5	
1/27/19 14:00	0.5	0.5	
1/27/19 15:00	0.5	0.5	
1/27/19 16:00	0.5	0.5	

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/27/19 17:00	0.5	0.5	
1/27/19 18:00	0.5	0.5	
1/27/19 19:00	0.5	0.5	
1/27/19 20:00	0.5	0.5	
1/27/19 21:00	0.6	0.5	
1/27/19 22:00	0.5	0.5	
1/27/19 23:00	0.5	0.5	
1/28/19 0:00	0.5	0.5	
1/28/19 1:00	0.6	0.5	
1/28/19 2:00	0.6	0.5	
1/28/19 3:00	0.6	0.5	
1/28/19 4:00	0.5	0.5	
1/28/19 5:00	0.5	0.5	
1/28/19 6:00	0.6	0.5	
1/28/19 7:00	0.6	0.5	
1/28/19 8:00	0.6	0.5	
1/28/19 9:00	0.5	0.5	
1/28/19 10:00	0.6	0.5	
1/28/19 11:00	0.6	0.5	
1/28/19 12:00	0.6	0.5	
1/28/19 13:00	0.6	0.5	
1/28/19 14:00	0.5	0.5	
1/28/19 15:00	0.5	0.5	
1/28/19 16:00	0.5	0.5	
1/28/19 17:00	0.5	0.5	
1/28/19 18:00	0.5	0.5	
1/28/19 19:00	0.5	0.5	
1/28/19 20:00	0.4	0.5	
1/28/19 21:00	0.3	0.5	
1/28/19 22:00	0.4	0.5	
1/28/19 23:00	0.4	0.5	
1/29/19 0:00	0.4	0.5	
1/29/19 1:00	0.3	0.5	
1/29/19 2:00	0.3	0.5	
1/29/19 3:00	0.3	0.5	
1/29/19 4:00	0.4	0.5	
1/29/19 5:00	0.4	0.5	
1/29/19 6:00	0.3	0.5	
1/29/19 7:00	0.4	0.4	
1/29/19 8:00	0.4	0.4	

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/29/19 9:00	0.5	0.4	
1/29/19 10:00	0.7	0.4	
1/29/19 11:00	0.5	0.4	
1/29/19 12:00	0.5	0.4	
1/29/19 13:00	0.5	0.4	
1/29/19 14:00	0.4	0.4	
1/29/19 15:00	0.4	0.4	
1/29/19 16:00	0.5	0.4	
1/29/19 17:00	0.4	0.4	
1/29/19 18:00	0.4	0.4	
1/29/19 19:00	0.5	0.4	
1/29/19 20:00	0.4	0.4	
1/29/19 21:00	0.4	0.4	
1/29/19 22:00	0.6	0.4	
1/29/19 23:00	0.7	0.4	
1/30/19 0:00	0.7	0.5	
1/30/19 1:00	0.6	0.5	
1/30/19 2:00	0.5	0.5	
1/30/19 3:00	0.6	0.5	
1/30/19 4:00	0.6	0.5	
1/30/19 5:00	0.6	0.5	
1/30/19 6:00	0.6	0.5	
1/30/19 7:00	0.5	0.5	
1/30/19 8:00	0.5	0.5	
1/30/19 9:00	0.4	0.5	
1/30/19 10:00	0.5	0.5	
1/30/19 11:00	0.4	0.5	
1/30/19 12:00	0.4	0.5	
1/30/19 13:00	0.4	0.5	
1/30/19 14:00	0.3	0.5	
1/30/19 15:00	0.4	0.5	
1/30/19 16:00	0.4	0.5	
1/30/19 17:00	0.3	0.5	
1/30/19 18:00	0.3	0.5	
1/30/19 19:00	0.3	0.5	
1/30/19 20:00	0.7	0.5	
1/30/19 21:00	0.7	0.5	
1/30/19 22:00	0.8	0.5	
1/30/19 23:00	0.8	0.5	1.3
1/31/19 0:00	0.8	0.5	1.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/31/19 1:00	0.8	0.5	1.3
1/31/19 2:00	0.7	0.5	1.3
1/31/19 3:00	0.6	0.5	1.3
1/31/19 4:00	0.6	0.5	1.3
1/31/19 5:00	0.6	0.5	1.3
1/31/19 6:00	0.6	0.5	1.3
1/31/19 7:00	0.6	0.5	1.3
1/31/19 8:00	0.6	0.5	1.3
1/31/19 9:00	0.5	0.5	1.3
1/31/19 10:00	0.5	0.5	1.3
1/31/19 11:00	0.6	0.6	1.3
1/31/19 12:00	0.5	0.6	1.3
1/31/19 13:00	0.5	0.6	1.3
1/31/19 14:00	0.3	0.6	1.3
1/31/19 15:00	0.3	0.6	1.3
1/31/19 16:00	0.4	0.6	1.3
1/31/19 17:00	0.3	0.6	1.3
1/31/19 18:00	0.3	0.6	1.3
1/31/19 19:00	0.3	0.6	1.3
1/31/19 20:00	0.3	0.5	1.3
1/31/19 21:00	0.3	0.5	1.3
1/31/19 22:00	0.3	0.5	1.3
1/31/19 23:00	0.3	0.5	1.3
2/1/19 0:00	0.3	0.5	1.3
2/1/19 1:00	0.3	0.4	1.3
2/1/19 2:00	0.3	0.4	1.3
2/1/19 3:00	0.3	0.4	1.3
2/1/19 4:00	0.3	0.4	1.3
2/1/19 5:00	0.3	0.4	1.3
2/1/19 6:00	0.3	0.4	1.3
2/1/19 7:00	0.2	0.4	1.3
2/1/19 8:00	0.2	0.3	1.3
2/1/19 9:00	0.3	0.3	1.3
2/1/19 10:00	0.3	0.3	1.3
2/1/19 11:00	0.4	0.3	1.3
2/1/19 12:00	0.4	0.3	1.3
2/1/19 13:00	0.4	0.3	1.3
2/1/19 14:00	0.4	0.3	1.3
2/1/19 15:00	0.4	0.3	1.3
2/1/19 16:00	0.3	0.3	1.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/1/19 17:00	0.4	0.3	1.3
2/1/19 18:00	0.4	0.3	1.3
2/1/19 19:00	0.4	0.3	1.3
2/1/19 20:00	0.4	0.3	1.3
2/1/19 21:00	0.4	0.3	1.3
2/1/19 22:00	0.4	0.3	1.3
2/1/19 23:00	0.4	0.3	1.3
2/2/19 0:00	0.5	0.3	1.3
2/2/19 1:00	0.5	0.4	1.3
2/2/19 2:00	0.5	0.4	1.3
2/2/19 3:00	0.4	0.4	1.3
2/2/19 4:00	0.4	0.4	1.3
2/2/19 5:00	0.4	0.4	1.3
2/2/19 6:00	0.4	0.4	1.3
2/2/19 7:00	0.3	0.4	1.3
2/2/19 8:00	0.4	0.4	1.3
2/2/19 9:00	0.4	0.4	1.3
2/2/19 10:00	0.5	0.4	1.3
2/2/19 11:00	0.4	0.4	1.3
2/2/19 12:00	0.4	0.4	1.3
2/2/19 13:00	0.3	0.4	1.3
2/2/19 14:00	0.3	0.4	1.3
2/2/19 15:00	0.4	0.4	1.3
2/2/19 16:00	0.4	0.4	1.4
2/2/19 17:00	0.4	0.4	1.4
2/2/19 18:00	0.5	0.4	1.4
2/2/19 19:00	0.4	0.4	1.4
2/2/19 20:00	0.4	0.4	1.4
2/2/19 21:00	0.4	0.4	1.4
2/2/19 22:00	0.4	0.4	1.4
2/2/19 23:00	0.4	0.4	1.4
2/3/19 0:00	0.3	0.4	1.4
2/3/19 1:00	0.3	0.4	1.4
2/3/19 2:00	0.4	0.4	1.4
2/3/19 3:00	0.4	0.4	1.4
2/3/19 4:00	0.4	0.4	1.4
2/3/19 5:00	0.3	0.4	1.4
2/3/19 6:00	0.3	0.4	1.4
2/3/19 7:00	0.3	0.4	1.4
2/3/19 8:00	0.4	0.4	1.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/3/19 9:00	0.4	0.4	1.4
2/3/19 10:00	0.4	0.4	1.4
2/3/19 11:00	0.3	0.4	1.4
2/3/19 12:00	0.3	0.4	1.4
2/3/19 13:00	0.4	0.4	1.4
2/3/19 14:00	0.3	0.4	1.4
2/3/19 15:00	0.3	0.4	1.4
2/3/19 16:00	0.3	0.4	1.4
2/3/19 17:00	0.4	0.4	1.4
2/3/19 18:00	0.4	0.4	1.4
2/3/19 19:00	0.4	0.4	1.4
2/3/19 20:00	0.4	0.4	1.4
2/3/19 21:00	0.3	0.3	1.4
2/3/19 22:00	0.2	0.3	1.3
2/3/19 23:00	0.3	0.3	1.3
2/4/19 0:00	0.3	0.3	1.3
2/4/19 1:00	0.3	0.3	1.3
2/4/19 2:00	0.3	0.3	1.3
2/4/19 3:00	0.2	0.3	1.3
2/4/19 4:00	0.2	0.3	1.3
2/4/19 5:00	0.2	0.3	1.3
2/4/19 6:00	0.3	0.3	1.3
2/4/19 7:00	0.3	0.3	1.3
2/4/19 8:00	0.3	0.3	1.3
2/4/19 9:00	0.3	0.3	1.3
2/4/19 10:00	0.3	0.3	1.3
2/4/19 11:00	0.3	0.3	1.3
2/4/19 12:00	0.5	0.3	1.3
2/4/19 13:00	0.3	0.3	1.3
2/4/19 14:00	0.3	0.3	1.3
2/4/19 15:00	0.3	0.3	1.3
2/4/19 16:00	0.3	0.3	1.3
2/4/19 17:00	0.2	0.3	1.3
2/4/19 18:00	0.2	0.3	1.3
2/4/19 19:00	0.3	0.3	1.3
2/4/19 20:00	0.3	0.3	1.3
2/4/19 21:00	0.3	0.3	1.3
2/4/19 22:00	0.3	0.3	1.3
2/4/19 23:00	0.3	0.3	1.3
2/5/19 0:00	0.3	0.3	1.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/5/19 1:00	0.3	0.3	1.3
2/5/19 2:00	0.3	0.3	1.3
2/5/19 3:00	0.3	0.3	1.3
2/5/19 4:00	0.3	0.3	1.3
2/5/19 5:00	0.3	0.3	1.3
2/5/19 6:00	0.2	0.3	1.3
2/5/19 7:00	0.1	0.3	1.3
2/5/19 8:00	0.1	0.3	1.3
2/5/19 9:00	0.2	0.3	1.3
2/5/19 10:00	0.2	0.3	1.3
2/5/19 11:00	0.2	0.3	1.3
2/5/19 12:00	0.1	0.3	1.3
2/5/19 13:00	0.1	0.2	1.3
2/5/19 14:00	0.2	0.2	1.3
2/5/19 15:00	0.1	0.2	1.3
2/5/19 16:00	0.1	0.2	1.3
2/5/19 17:00	0.1	0.2	1.3
2/5/19 18:00	0.1	0.2	1.3
2/5/19 19:00	0.1	0.2	1.3
2/5/19 20:00	0.2	0.2	1.3
2/5/19 21:00	0.2	0.2	1.3
2/5/19 22:00	0.2	0.2	1.3
2/5/19 23:00	0.2	0.2	1.3
2/6/19 0:00	0.1	0.2	1.3
2/6/19 1:00	0.1	0.2	1.3
2/6/19 2:00	0.1	0.2	1.3
2/6/19 3:00	0.1	0.2	1.3
2/6/19 4:00	0.1	0.2	1.3
2/6/19 5:00	0.2	0.2	1.3
2/6/19 6:00	0.3	0.2	1.3
2/6/19 7:00	0.3	0.2	1.3
2/6/19 8:00	0.3	0.2	1.3
2/6/19 9:00	0.2	0.2	1.3
2/6/19 10:00	0.2	0.2	1.3
2/6/19 11:00	0.3	0.2	1.3
2/6/19 12:00	0.3	0.2	1.3
2/6/19 13:00	0.3	0.2	1.3
2/6/19 14:00	0.2	0.2	1.3
2/6/19 15:00	0.3	0.2	1.3
2/6/19 16:00	0.3	0.2	1.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/6/19 17:00	0.3	0.2	1.3
2/6/19 18:00	0.7	0.2	1.3
2/6/19 19:00	0.9	0.3	1.3
2/6/19 20:00	0.4	0.3	1.3
2/6/19 21:00	0.9	0.3	1.3
2/6/19 22:00	0.2	0.3	1.3
2/6/19 23:00	0.4	0.3	1.3
2/7/19 0:00	0.8	0.3	1.3
2/7/19 1:00	0.8	0.4	1.3
2/7/19 2:00	0.5	0.4	1.3
2/7/19 3:00	0.3	0.4	1.3
2/7/19 4:00	0.4	0.4	1.3
2/7/19 5:00	0.3	0.4	1.3
2/7/19 6:00	0.3	0.4	1.3
2/7/19 7:00	0.3	0.4	1.3
2/7/19 8:00	0.3	0.4	1.3
2/7/19 9:00	0.3	0.4	1.3
2/7/19 10:00	0.3	0.4	1.3
2/7/19 11:00	0.3	0.4	1.3
2/7/19 12:00	0.4	0.4	1.3
2/7/19 13:00	0.5	0.4	1.3
2/7/19 14:00	0.5	0.4	1.3
2/7/19 15:00	0.5	0.5	1.3
2/7/19 16:00	0.4	0.5	1.3
2/7/19 17:00	0.3	0.5	1.3
2/7/19 18:00	0.3	0.4	1.3
2/7/19 19:00	0.2	0.4	1.3
2/7/19 20:00	0.2	0.4	1.3
2/7/19 21:00	0.2	0.4	1.3
2/7/19 22:00	0.2	0.4	1.3
2/7/19 23:00	0.2	0.4	1.3
2/8/19 0:00	0.2	0.3	1.3
2/8/19 1:00	0.2	0.3	1.3
2/8/19 2:00	0.2	0.3	1.3
2/8/19 3:00	0.2	0.3	1.3
2/8/19 4:00	0.2	0.3	1.3
2/8/19 5:00	0.2	0.3	1.3
2/8/19 6:00	0.2	0.3	1.3
2/8/19 7:00	0.3	0.3	1.3
2/8/19 8:00	0.3	0.3	1.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/8/19 9:00	0.3	0.3	1.3
2/8/19 10:00	0.3	0.3	1.3
2/8/19 11:00	0.3	0.3	1.3
2/8/19 12:00	0.3	0.3	1.3
2/8/19 13:00	0.3	0.3	1.3
2/8/19 14:00	0.4	0.3	1.3
2/8/19 15:00	0.4	0.3	1.3
2/8/19 16:00	0.2	0.3	1.3
2/8/19 17:00	0.3	0.3	1.3
2/8/19 18:00	0.2	0.3	1.3
2/8/19 19:00	0.3	0.3	1.3
2/8/19 20:00	0.2	0.3	1.3
2/8/19 21:00	0.2	0.3	1.3
2/8/19 22:00	0.3	0.3	1.3
2/8/19 23:00	0.3	0.3	1.3
2/9/19 0:00	0.2	0.3	1.3
2/9/19 1:00	0.2	0.3	1.3
2/9/19 2:00	0.2	0.3	1.3
2/9/19 3:00	0.2	0.3	1.3
2/9/19 4:00	0.2	0.3	1.3
2/9/19 5:00	0.2	0.3	1.3
2/9/19 6:00	0.2	0.3	1.3
2/9/19 7:00	0.2	0.3	1.3
2/9/19 8:00	0.2	0.3	1.3
2/9/19 9:00	0.3	0.3	1.3
2/9/19 10:00	0.2	0.2	1.3
2/9/19 11:00	0.2	0.2	1.3
2/9/19 12:00	0.2	0.2	1.3
2/9/19 13:00	0.2	0.2	1.3
2/9/19 14:00	0.2	0.2	1.3
2/9/19 15:00	0.2	0.2	1.3
2/9/19 16:00	0.2	0.2	1.3
2/9/19 17:00	0.2	0.2	1.3
2/9/19 18:00	0.2	0.2	1.3
2/9/19 19:00	0.2	0.2	1.3
2/9/19 20:00	0.2	0.2	1.3
2/9/19 21:00	0.2	0.2	1.3
2/9/19 22:00	0.2	0.2	1.3
2/9/19 23:00	0.2	0.2	1.3
2/10/19 0:00	0.2	0.2	1.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/10/19 1:00	0.2	0.2	1.3
2/10/19 2:00	0.2	0.2	1.3
2/10/19 3:00	0.2	0.2	1.3
2/10/19 4:00	0.2	0.2	1.3
2/10/19 5:00	0.2	0.2	1.3
2/10/19 6:00	0.2	0.2	1.3
2/10/19 7:00	0.2	0.2	1.3
2/10/19 8:00	0.2	0.2	1.3
2/10/19 9:00	0.2	0.2	1.3
2/10/19 10:00	0.2	0.2	1.3
2/10/19 11:00	0.2	0.2	1.3
2/10/19 12:00	0.2	0.2	1.3
2/10/19 13:00	0.2	0.2	1.3
2/10/19 14:00	0.2	0.2	1.3
2/10/19 15:00	0.2	0.2	1.3
2/10/19 16:00	0.2	0.2	1.3
2/10/19 17:00	0.2	0.2	1.3
2/10/19 18:00	0.2	0.2	1.3
2/10/19 19:00	0.2	0.2	1.3
2/10/19 20:00	0.2	0.2	1.3
2/10/19 21:00	0.2	0.2	1.3
2/10/19 22:00	0.2	0.2	1.3
2/10/19 23:00	0.2	0.2	1.3
2/11/19 0:00	0.2	0.2	1.3
2/11/19 1:00	0.2	0.2	1.3
2/11/19 2:00	0.2	0.2	1.3
2/11/19 3:00	0.2	0.2	1.3
2/11/19 4:00	0.2	0.2	1.3
2/11/19 5:00	0.2	0.2	1.3
2/11/19 6:00	0.1	0.2	1.3
2/11/19 7:00	0.2	0.2	1.3
2/11/19 8:00	0.2	0.2	1.3
2/11/19 9:00	0.3	0.2	1.3
2/11/19 10:00	0.2	0.2	1.3
2/11/19 11:00	0.2	0.2	1.3
2/11/19 12:00	2.8	0.3	1.3
2/11/19 13:00	0.2	0.3	1.3
2/11/19 14:00	0.2	0.3	1.3
2/11/19 15:00	0.2	0.3	1.3
2/11/19 16:00	0.3	0.3	1.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/11/19 17:00	0.3	0.3	1.3
2/11/19 18:00	0.2	0.3	1.3
2/11/19 19:00	0.2	0.3	1.3
2/11/19 20:00	0.2	0.3	1.3
2/11/19 21:00	0.3	0.3	1.3
2/11/19 22:00	0.3	0.3	1.3
2/11/19 23:00	0.3	0.3	1.3
2/12/19 0:00	0.2	0.3	1.3
2/12/19 1:00	0.2	0.3	1.3
2/12/19 2:00	0.2	0.3	1.3
2/12/19 3:00	0.2	0.3	1.3
2/12/19 4:00	0.2	0.3	1.3
2/12/19 5:00	0.2	0.3	1.3
2/12/19 6:00	0.2	0.3	1.3
2/12/19 7:00	0.2	0.3	1.3
2/12/19 8:00	0.2	0.3	1.3
2/12/19 9:00	0.2	0.3	1.3
2/12/19 10:00	0.2	0.3	1.3
2/12/19 11:00	0.2	0.3	1.3
2/12/19 12:00	0.3	0.2	1.3
2/12/19 13:00	0.2	0.2	1.3
2/12/19 14:00	0.2	0.2	1.3
2/12/19 15:00	0.2	0.2	1.3
2/12/19 16:00	0.2	0.2	1.3
2/12/19 17:00	0.2	0.2	1.3
2/12/19 18:00	0.1	0.2	1.3
2/12/19 19:00	0.2	0.2	1.3
2/12/19 20:00	0.1	0.2	1.3
2/12/19 21:00	0.0	0.2	1.3
2/12/19 22:00	0.1	0.2	1.3
2/12/19 23:00	0.2	0.2	1.3
2/13/19 0:00	0.3	0.2	1.3
2/13/19 1:00	0.3	0.2	1.3
2/13/19 2:00	0.2	0.2	1.3
2/13/19 3:00	0.2	0.2	1.3
2/13/19 4:00	0.2	0.2	1.3
2/13/19 5:00	0.2	0.2	1.3
2/13/19 6:00	0.2	0.2	1.3
2/13/19 7:00	0.2	0.2	1.3
2/13/19 8:00	0.2	0.2	1.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/13/19 9:00	0.2	0.2	1.3
2/13/19 10:00	0.3	0.2	1.3
2/13/19 11:00	0.3	0.2	1.3
2/13/19 12:00	0.2	0.2	1.3
2/13/19 13:00	0.3	0.2	1.3
2/13/19 14:00	0.3	0.2	1.3
2/13/19 15:00	0.3	0.2	1.3
2/13/19 16:00	0.3	0.2	1.3
2/13/19 17:00	0.3	0.2	1.3
2/13/19 18:00	0.3	0.2	1.3
2/13/19 19:00	0.3	0.2	1.3
2/13/19 20:00	0.3	0.2	1.3
2/13/19 21:00	0.3	0.2	1.3
2/13/19 22:00	0.3	0.3	1.3
2/13/19 23:00	0.3	0.3	1.3
2/14/19 0:00	0.3	0.3	1.3
2/14/19 1:00	0.3	0.3	1.3
2/14/19 2:00	0.3	0.3	1.3
2/14/19 3:00	0.3	0.3	1.3
2/14/19 4:00	0.3	0.3	1.3
2/14/19 5:00	0.3	0.3	1.3
2/14/19 6:00	0.2	0.3	1.3
2/14/19 7:00	0.3	0.3	1.3
2/14/19 8:00	0.3	0.3	1.3
2/14/19 9:00	0.2	0.3	1.3
2/14/19 10:00	0.2	0.3	1.3
2/14/19 11:00	0.1	0.3	1.3
2/14/19 12:00	0.1	0.3	1.3
2/14/19 13:00	0.1	0.3	1.3
2/14/19 14:00	0.1	0.2	1.3
2/14/19 15:00	0.2	0.2	1.3
2/14/19 16:00	0.2	0.2	1.3
2/14/19 17:00	0.2	0.2	1.3
2/14/19 18:00	0.2	0.2	1.3
2/14/19 19:00	0.2	0.2	1.3
2/14/19 20:00	0.2	0.2	1.3
2/14/19 21:00	0.3	0.2	1.3
2/14/19 22:00	0.3	0.2	1.3
2/14/19 23:00	0.3	0.2	1.3
2/15/19 0:00	0.3	0.2	1.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/15/19 1:00	0.3	0.2	1.3
2/15/19 2:00	0.3	0.2	1.3
2/15/19 3:00	0.4	0.2	1.3
2/15/19 4:00	0.4	0.2	1.3
2/15/19 5:00	0.4	0.2	1.3
2/15/19 6:00	0.3	0.2	1.3
2/15/19 7:00	0.3	0.2	1.3
2/15/19 8:00	0.3	0.2	1.3
2/15/19 9:00	0.3	0.2	1.3
2/15/19 10:00	0.3	0.3	1.3
2/15/19 11:00	0.3	0.3	1.3
2/15/19 12:00	0.3	0.3	1.3
2/15/19 13:00	0.3	0.3	1.3
2/15/19 14:00	0.4	0.3	1.3
2/15/19 15:00	0.3	0.3	1.3
2/15/19 16:00	0.3	0.3	1.3
2/15/19 17:00	0.3	0.3	1.3
2/15/19 18:00	0.3	0.3	1.3
2/15/19 19:00	0.3	0.3	1.3
2/15/19 20:00	0.3	0.3	1.3
2/15/19 21:00	0.3	0.3	1.3
2/15/19 22:00	0.4	0.3	1.3
2/15/19 23:00	0.4	0.3	1.3
2/16/19 0:00	0.4	0.3	1.3
2/16/19 1:00	0.4	0.3	1.3
2/16/19 2:00	0.4	0.3	1.3
2/16/19 3:00	0.4	0.3	1.3
2/16/19 4:00	0.4	0.3	1.3
2/16/19 5:00	0.4	0.3	1.3
2/16/19 6:00	0.3	0.3	1.3
2/16/19 7:00	0.3	0.3	1.3
2/16/19 8:00	0.4	0.3	1.3
2/16/19 9:00	0.4	0.3	1.3
2/16/19 10:00	0.3	0.3	1.3
2/16/19 11:00	0.3	0.3	1.3
2/16/19 12:00	0.4	0.3	1.3
2/16/19 13:00	0.3	0.3	1.3
2/16/19 14:00	0.3	0.3	1.3
2/16/19 15:00	0.3	0.3	1.3
2/16/19 16:00	0.3	0.3	1.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/16/19 17:00	0.3	0.3	1.3
2/16/19 18:00	0.4	0.3	1.3
2/16/19 19:00	0.3	0.3	1.3
2/16/19 20:00	0.3	0.3	1.3
2/16/19 21:00	0.3	0.3	1.3
2/16/19 22:00	0.3	0.3	1.3
2/16/19 23:00	0.3	0.3	1.3
2/17/19 0:00	0.3	0.3	1.3
2/17/19 1:00	0.3	0.3	1.3
2/17/19 2:00	0.3	0.3	1.2
2/17/19 3:00	0.3	0.3	1.2
2/17/19 4:00	0.3	0.3	1.2
2/17/19 5:00	0.3	0.3	1.2
2/17/19 6:00	0.3	0.3	1.2
2/17/19 7:00	0.3	0.3	1.2
2/17/19 8:00	0.3	0.3	1.2
2/17/19 9:00	0.3	0.3	1.2
2/17/19 10:00	0.4	0.3	1.1
2/17/19 11:00	0.4	0.3	1.1
2/17/19 12:00	0.4	0.3	1.1
2/17/19 13:00	0.4	0.3	1.1
2/17/19 14:00	0.3	0.3	1.1
2/17/19 15:00	0.3	0.3	1.1
2/17/19 16:00	0.3	0.3	1.1
2/17/19 17:00	0.2	0.3	1.0
2/17/19 18:00	0.2	0.3	1.0
2/17/19 19:00	0.3	0.3	1.0
2/17/19 20:00	0.3	0.3	1.0
2/17/19 21:00	0.3	0.3	1.0
2/17/19 22:00	0.3	0.3	0.9
2/17/19 23:00	0.3	0.3	0.9
2/18/19 0:00	0.3	0.3	0.9
2/18/19 1:00	0.3	0.3	0.9
2/18/19 2:00	0.3	0.3	0.9
2/18/19 3:00	0.3	0.3	0.9
2/18/19 4:00	0.3	0.3	0.9
2/18/19 5:00	0.3	0.3	0.8
2/18/19 6:00	0.3	0.3	0.8
2/18/19 7:00	0.3	0.3	0.8
2/18/19 8:00	0.4	0.3	0.8

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/18/19 9:00	0.3	0.3	0.8
2/18/19 10:00	0.3	0.3	0.8
2/18/19 11:00	0.4	0.3	0.8
2/18/19 12:00	0.3	0.3	0.8
2/18/19 13:00	0.3	0.3	0.8
2/18/19 14:00	0.3	0.3	0.8
2/18/19 15:00	0.3	0.3	0.8
2/18/19 16:00	0.3	0.3	0.8
2/18/19 17:00	0.3	0.3	0.7
2/18/19 18:00	0.3	0.3	0.7
2/18/19 19:00	0.3	0.3	0.7
2/18/19 20:00	0.3	0.3	0.6
2/18/19 21:00	0.3	0.3	0.6
2/18/19 22:00	0.4	0.3	0.6
2/18/19 23:00	0.4	0.3	0.6
2/19/19 0:00	0.4	0.3	0.5
2/19/19 1:00	0.4	0.3	0.5
2/19/19 2:00	0.4	0.3	0.5
2/19/19 3:00	0.4	0.3	0.4
2/19/19 4:00	0.3	0.3	0.4
2/19/19 5:00	0.3	0.3	0.4
2/19/19 6:00	0.3	0.3	0.4
2/19/19 7:00	0.2	0.3	0.4
2/19/19 8:00	0.2	0.3	0.4
2/19/19 9:00	0.2	0.3	0.4
2/19/19 10:00	0.2	0.3	0.4
2/19/19 11:00	0.2	0.3	0.4
2/19/19 12:00	0.2	0.3	0.4
2/19/19 13:00	0.3	0.3	0.4
2/19/19 14:00	0.3	0.3	0.4
2/19/19 15:00	0.3	0.3	0.4
2/19/19 16:00	0.3	0.3	0.4
2/19/19 17:00	0.2	0.3	0.4
2/19/19 18:00	0.2	0.3	0.4
2/19/19 19:00	0.2	0.3	0.4
2/19/19 20:00	0.2	0.3	0.4
2/19/19 21:00	0.2	0.3	0.4
2/19/19 22:00	0.2	0.3	0.4
2/19/19 23:00	0.2	0.3	0.4
2/20/19 0:00	0.2	0.3	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/20/19 1:00	0.2	0.2	0.4
2/20/19 2:00	0.3	0.2	0.4
2/20/19 3:00	0.3	0.2	0.4
2/20/19 4:00	0.2	0.2	0.4
2/20/19 5:00	0.3	0.2	0.4
2/20/19 6:00	0.3	0.2	0.4
2/20/19 7:00	0.3	0.2	0.4
2/20/19 8:00	0.4	0.2	0.4
2/20/19 9:00	0.2	0.2	0.4
2/20/19 10:00	0.2	0.2	0.4
2/20/19 11:00	0.2	0.2	0.4
2/20/19 12:00	0.2	0.2	0.4
2/20/19 13:00	0.2	0.2	0.4
2/20/19 14:00	0.2	0.2	0.4
2/20/19 15:00	0.2	0.2	0.4
2/20/19 16:00	0.2	0.2	0.4
2/20/19 17:00	0.2	0.2	0.4
2/20/19 18:00	0.1	0.2	0.4
2/20/19 19:00	0.1	0.2	0.4
2/20/19 20:00	0.1	0.2	0.4
2/20/19 21:00	0.1	0.2	0.4
2/20/19 22:00	0.1	0.2	0.4
2/20/19 23:00	0.1	0.2	0.4
2/21/19 0:00	0.1	0.2	0.4
2/21/19 1:00	0.2	0.2	0.4
2/21/19 2:00	0.1	0.2	0.4
2/21/19 3:00	0.2	0.2	0.4
2/21/19 4:00	0.1	0.2	0.4
2/21/19 5:00	0.1	0.2	0.4
2/21/19 6:00	0.1	0.2	0.4
2/21/19 7:00	0.2	0.2	0.4
2/21/19 8:00	0.2	0.1	0.4
2/21/19 9:00	0.2	0.1	0.4
2/21/19 10:00	0.2	0.1	0.4
2/21/19 11:00	0.2	0.1	0.4
2/21/19 12:00	0.2	0.1	0.4
2/21/19 13:00	0.2	0.1	0.4
2/21/19 14:00	0.1	0.1	0.4
2/21/19 15:00	0.2	0.1	0.4
2/21/19 16:00	0.2	0.1	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/21/19 17:00	0.1	0.1	0.4
2/21/19 18:00	0.2	0.1	0.4
2/21/19 19:00	0.1	0.1	0.4
2/21/19 20:00	0.1	0.1	0.4
2/21/19 21:00	0.2	0.1	0.4
2/21/19 22:00	0.1	0.1	0.4
2/21/19 23:00	0.1	0.1	0.4
2/22/19 0:00	0.2	0.1	0.3
2/22/19 1:00	0.2	0.1	0.3
2/22/19 2:00	0.2	0.2	0.3
2/22/19 3:00	0.2	0.2	0.3
2/22/19 4:00	0.2	0.2	0.3
2/22/19 5:00	0.2	0.2	0.3
2/22/19 6:00	0.1	0.2	0.3
2/22/19 7:00	0.2	0.2	0.3
2/22/19 8:00	0.2	0.2	0.3
2/22/19 9:00	0.2	0.2	0.3
2/22/19 10:00	0.2	0.2	0.3
2/22/19 11:00	0.3	0.2	0.3
2/22/19 12:00	0.3	0.2	0.3
2/22/19 13:00	0.2	0.2	0.3
2/22/19 14:00	0.3	0.2	0.3
2/22/19 15:00	0.2	0.2	0.3
2/22/19 16:00	0.2	0.2	0.3
2/22/19 17:00	0.2	0.2	0.3
2/22/19 18:00	0.2	0.2	0.3
2/22/19 19:00	0.2	0.2	0.3
2/22/19 20:00	0.2	0.2	0.3
2/22/19 21:00	0.2	0.2	0.3
2/22/19 22:00	0.2	0.2	0.3
2/22/19 23:00	0.2	0.2	0.3
2/23/19 0:00	0.2	0.2	0.3
2/23/19 1:00	0.2	0.2	0.3
2/23/19 2:00	0.2	0.2	0.3
2/23/19 3:00	0.2	0.2	0.3
2/23/19 4:00	0.2	0.2	0.3
2/23/19 5:00	0.2	0.2	0.3
2/23/19 6:00	0.2	0.2	0.3
2/23/19 7:00	0.2	0.2	0.3
2/23/19 8:00	0.3	0.2	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/23/19 9:00	0.3	0.2	0.3
2/23/19 10:00	0.3	0.2	0.3
2/23/19 11:00	0.2	0.2	0.3
2/23/19 12:00	0.3	0.2	0.3
2/23/19 13:00	0.3	0.2	0.3
2/23/19 14:00	0.3	0.2	0.3
2/23/19 15:00	0.3	0.2	0.3
2/23/19 16:00	0.2	0.2	0.3
2/23/19 17:00	0.2	0.2	0.3
2/23/19 18:00	0.2	0.2	0.3
2/23/19 19:00	0.2	0.2	0.3
2/23/19 20:00	0.3	0.2	0.3
2/23/19 21:00	0.3	0.2	0.3
2/23/19 22:00	0.3	0.2	0.3
2/23/19 23:00	0.3	0.2	0.3
2/24/19 0:00	0.3	0.2	0.3
2/24/19 1:00	0.3	0.3	0.3
2/24/19 2:00	0.3	0.3	0.3
2/24/19 3:00	0.3	0.3	0.3
2/24/19 4:00	0.3	0.3	0.3
2/24/19 5:00	0.4	0.3	0.3
2/24/19 6:00	0.3	0.3	0.3
2/24/19 7:00	0.3	0.3	0.3
2/24/19 8:00	0.3	0.3	0.3
2/24/19 9:00	0.4	0.3	0.3
2/24/19 10:00	0.4	0.3	0.3
2/24/19 11:00	0.4	0.3	0.3
2/24/19 12:00	0.4	0.3	0.3
2/24/19 13:00	0.3	0.3	0.3
2/24/19 14:00	0.3	0.3	0.3
2/24/19 15:00	0.3	0.3	0.3
2/24/19 16:00	0.3	0.3	0.3
2/24/19 17:00	0.4	0.3	0.3
2/24/19 18:00	0.4	0.3	0.3
2/24/19 19:00	0.3	0.3	0.3
2/24/19 20:00	0.3	0.3	0.3
2/24/19 21:00	0.3	0.3	0.3
2/24/19 22:00	0.3	0.3	0.3
2/24/19 23:00	0.2	0.3	0.3
2/25/19 0:00	0.3	0.3	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/25/19 1:00	0.3	0.3	0.3
2/25/19 2:00	0.3	0.3	0.3
2/25/19 3:00	0.2	0.3	0.3
2/25/19 4:00	0.2	0.3	0.3
2/25/19 5:00	0.3	0.3	0.3
2/25/19 6:00	0.3	0.3	0.3
2/25/19 7:00	0.2	0.3	0.3
2/25/19 8:00	0.2	0.3	0.3
2/25/19 9:00	0.2	0.3	0.3
2/25/19 10:00	0.2	0.3	0.3
2/25/19 11:00	0.2	0.3	0.3
2/25/19 12:00	0.2	0.3	0.3
2/25/19 13:00	0.2	0.3	0.3
2/25/19 14:00	0.2	0.3	0.3
2/25/19 15:00	0.2	0.3	0.3
2/25/19 16:00	0.2	0.2	0.3
2/25/19 17:00	0.2	0.2	0.3
2/25/19 18:00	0.1	0.2	0.3
2/25/19 19:00	0.2	0.2	0.3
2/25/19 20:00	0.2	0.2	0.3
2/25/19 21:00	0.2	0.2	0.3
2/25/19 22:00	0.2	0.2	0.3
2/25/19 23:00	0.2	0.2	0.3
2/26/19 0:00	0.2	0.2	0.3
2/26/19 1:00	0.2	0.2	0.3
2/26/19 2:00	0.2	0.2	0.3
2/26/19 3:00	0.2	0.2	0.3
2/26/19 4:00	0.2	0.2	0.3
2/26/19 5:00	0.2	0.2	0.3
2/26/19 6:00	0.2	0.2	0.3
2/26/19 7:00	0.2	0.2	0.3
2/26/19 8:00	0.2	0.2	0.3
2/26/19 9:00	0.2	0.2	0.3
2/26/19 10:00	0.0	0.2	0.3
2/26/19 11:00	0.3	0.2	0.3
2/26/19 12:00	0.2	0.2	0.3
2/26/19 13:00	0.2	0.2	0.3
2/26/19 14:00	0.2	0.2	0.3
2/26/19 15:00	0.2	0.2	0.3
2/26/19 16:00	0.1	0.2	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/26/19 17:00	0.1	0.2	0.3
2/26/19 18:00	0.2	0.2	0.3
2/26/19 19:00	0.2	0.2	0.3
2/26/19 20:00	0.2	0.2	0.3
2/26/19 21:00	0.1	0.2	0.3
2/26/19 22:00	0.1	0.2	0.3
2/26/19 23:00	0.1	0.2	0.3
2/27/19 0:00	0.1	0.2	0.3
2/27/19 1:00	0.1	0.2	0.3
2/27/19 2:00	0.1	0.2	0.3
2/27/19 3:00	0.1	0.2	0.3
2/27/19 4:00	0.1	0.1	0.3
2/27/19 5:00	0.1	0.1	0.3
2/27/19 6:00	0.1	0.1	0.3
2/27/19 7:00	0.1	0.1	0.3
2/27/19 8:00	0.2	0.1	0.3
2/27/19 9:00	0.2	0.1	0.3
2/27/19 10:00	0.2	0.1	0.3
2/27/19 11:00	0.2	0.1	0.3
2/27/19 12:00	0.1	0.1	0.3
2/27/19 13:00	0.1	0.1	0.3
2/27/19 14:00	0.1	0.1	0.3
2/27/19 15:00	0.1	0.1	0.3
2/27/19 16:00	0.1	0.1	0.3
2/27/19 17:00	0.1	0.1	0.3
2/27/19 18:00	0.1	0.1	0.3
2/27/19 19:00	0.1	0.1	0.3
2/27/19 20:00	0.1	0.1	0.3
2/27/19 21:00	0.1	0.1	0.3
2/27/19 22:00	0.1	0.1	0.3
2/27/19 23:00	0.1	0.1	0.3
2/28/19 0:00	0.2	0.1	0.3
2/28/19 1:00	0.2	0.1	0.3
2/28/19 2:00	0.1	0.1	0.3
2/28/19 3:00	0.2	0.1	0.3
2/28/19 4:00	0.2	0.1	0.3
2/28/19 5:00	0.1	0.1	0.3
2/28/19 6:00	0.1	0.1	0.3
2/28/19 7:00	0.2	0.1	0.3
2/28/19 8:00	0.2	0.1	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/28/19 9:00	0.2	0.1	0.3
2/28/19 10:00	0.2	0.1	0.3
2/28/19 11:00	0.2	0.2	0.3
2/28/19 12:00	0.2	0.2	0.3
2/28/19 13:00	0.2	0.2	0.3
2/28/19 14:00	0.2	0.2	0.3
2/28/19 15:00	0.2	0.2	0.3
2/28/19 16:00	0.2	0.2	0.3
2/28/19 17:00	0.1	0.2	0.3
2/28/19 18:00	0.1	0.2	0.3
2/28/19 19:00	0.2	0.2	0.3
2/28/19 20:00	0.2	0.2	0.3
2/28/19 21:00	0.2	0.2	0.3
2/28/19 22:00	0.2	0.2	0.3
2/28/19 23:00	0.3	0.2	0.3
3/1/19 0:00	0.2	0.2	0.3
3/1/19 1:00	0.2	0.2	0.3
3/1/19 2:00	0.1	0.2	0.3
3/1/19 3:00	0.2	0.2	0.3
3/1/19 4:00	0.2	0.2	0.3
3/1/19 5:00	0.2	0.2	0.3
3/1/19 6:00	0.2	0.2	0.3
3/1/19 7:00	0.2	0.2	0.3
3/1/19 8:00	0.2	0.2	0.3
3/1/19 9:00	0.2	0.2	0.3
3/1/19 10:00	0.2	0.2	0.3
3/1/19 11:00	0.4	0.2	0.3
3/1/19 12:00	0.2	0.2	0.3
3/1/19 13:00	0.2	0.2	0.3
3/1/19 14:00	0.2	0.2	0.3
3/1/19 15:00	0.2	0.2	0.3
3/1/19 16:00	0.3	0.2	0.3
3/1/19 17:00	0.2	0.2	0.3
3/1/19 18:00	0.2	0.2	0.3
3/1/19 19:00	0.2	0.2	0.3
3/1/19 20:00	0.3	0.2	0.3
3/1/19 21:00	0.3	0.2	0.3
3/1/19 22:00	0.2	0.2	0.3
3/1/19 23:00	0.2	0.2	0.3
3/2/19 0:00	0.2	0.2	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/2/19 1:00	0.2	0.2	0.3
3/2/19 2:00	0.2	0.2	0.3
3/2/19 3:00	0.2	0.2	0.3
3/2/19 4:00	0.2	0.2	0.3
3/2/19 5:00	0.2	0.2	0.3
3/2/19 6:00	0.1	0.2	0.3
3/2/19 7:00	0.2	0.2	0.3
3/2/19 8:00	0.2	0.2	0.3
3/2/19 9:00	0.2	0.2	0.3
3/2/19 10:00	0.2	0.2	0.3
3/2/19 11:00	0.2	0.2	0.3
3/2/19 12:00	0.2	0.2	0.3
3/2/19 13:00	0.2	0.2	0.3
3/2/19 14:00	0.2	0.2	0.3
3/2/19 15:00	0.2	0.2	0.3
3/2/19 16:00	0.1	0.2	0.3
3/2/19 17:00	0.1	0.2	0.3
3/2/19 18:00	0.2	0.2	0.3
3/2/19 19:00	0.1	0.2	0.3
3/2/19 20:00	0.2	0.2	0.3
3/2/19 21:00	0.2	0.2	0.3
3/2/19 22:00	0.2	0.2	0.3
3/2/19 23:00	0.2	0.2	0.3
3/3/19 0:00	0.3	0.2	0.3
3/3/19 1:00	0.3	0.2	0.3
3/3/19 2:00	0.3	0.2	0.3
3/3/19 3:00	0.3	0.2	0.3
3/3/19 4:00	0.3	0.2	0.3
3/3/19 5:00	0.3	0.2	0.3
3/3/19 6:00	0.3	0.2	0.3
3/3/19 7:00	0.3	0.2	0.3
3/3/19 8:00	0.2	0.2	0.3
3/3/19 9:00	0.2	0.2	0.3
3/3/19 10:00	0.2	0.2	0.3
3/3/19 11:00	0.2	0.2	0.3
3/3/19 12:00	0.2	0.2	0.3
3/3/19 13:00	0.2	0.2	0.3
3/3/19 14:00	0.2	0.2	0.3
3/3/19 15:00	0.2	0.2	0.3
3/3/19 16:00	0.2	0.2	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/3/19 17:00	0.2	0.2	0.3
3/3/19 18:00	0.2	0.2	0.3
3/3/19 19:00	0.2	0.2	0.3
3/3/19 20:00	0.2	0.2	0.3
3/3/19 21:00	0.2	0.2	0.3
3/3/19 22:00	0.2	0.2	0.3
3/3/19 23:00	0.2	0.2	0.3
3/4/19 0:00	0.2	0.2	0.3
3/4/19 1:00	0.2	0.2	0.3
3/4/19 2:00	0.2	0.2	0.3
3/4/19 3:00	0.2	0.2	0.3
3/4/19 4:00	0.2	0.2	0.3
3/4/19 5:00	0.2	0.2	0.3
3/4/19 6:00	0.1	0.2	0.2
3/4/19 7:00	0.2	0.2	0.2
3/4/19 8:00	0.2	0.2	0.2
3/4/19 9:00	0.2	0.2	0.2
3/4/19 10:00	1.3	0.2	0.2
3/4/19 11:00	0.2	0.2	0.2
3/4/19 12:00	0.2	0.2	0.2
3/4/19 13:00	0.2	0.2	0.2
3/4/19 14:00	0.2	0.2	0.2
3/4/19 15:00	0.2	0.2	0.2
3/4/19 16:00	0.2	0.2	0.2
3/4/19 17:00	0.2	0.2	0.2
3/4/19 18:00	0.2	0.2	0.2
3/4/19 19:00	0.2	0.2	0.2
3/4/19 20:00	0.2	0.2	0.2
3/4/19 21:00	0.2	0.2	0.2
3/4/19 22:00	0.2	0.2	0.2
3/4/19 23:00	0.2	0.2	0.2
3/5/19 0:00	0.2	0.2	0.2
3/5/19 1:00	0.2	0.2	0.2
3/5/19 2:00	0.2	0.2	0.2
3/5/19 3:00	0.2	0.2	0.2
3/5/19 4:00	0.2	0.2	0.2
3/5/19 5:00	0.2	0.2	0.2
3/5/19 6:00	0.2	0.2	0.2
3/5/19 7:00	0.2	0.2	0.2
3/5/19 8:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/5/19 9:00	0.3	0.2	0.2
3/5/19 10:00	0.3	0.2	0.2
3/5/19 11:00	0.2	0.2	0.2
3/5/19 12:00	0.2	0.2	0.2
3/5/19 13:00	0.2	0.2	0.2
3/5/19 14:00	0.2	0.2	0.2
3/5/19 15:00	0.2	0.2	0.2
3/5/19 16:00	0.2	0.2	0.2
3/5/19 17:00	0.2	0.2	0.2
3/5/19 18:00	0.2	0.2	0.2
3/5/19 19:00	0.2	0.2	0.2
3/5/19 20:00	0.2	0.2	0.2
3/5/19 21:00	0.2	0.2	0.2
3/5/19 22:00	0.2	0.2	0.2
3/5/19 23:00	0.2	0.2	0.2
3/6/19 0:00	0.2	0.2	0.2
3/6/19 1:00	0.2	0.2	0.2
3/6/19 2:00	0.2	0.2	0.2
3/6/19 3:00	0.2	0.2	0.2
3/6/19 4:00	0.2	0.2	0.2
3/6/19 5:00	0.2	0.2	0.2
3/6/19 6:00	0.1	0.2	0.2
3/6/19 7:00	0.1	0.2	0.2
3/6/19 8:00	0.2	0.2	0.2
3/6/19 9:00	0.2	0.2	0.2
3/6/19 10:00	0.2	0.2	0.2
3/6/19 11:00	0.2	0.2	0.2
3/6/19 12:00	0.2	0.2	0.2
3/6/19 13:00	0.2	0.2	0.2
3/6/19 14:00	0.2	0.2	0.2
3/6/19 15:00	0.2	0.2	0.2
3/6/19 16:00	0.2	0.2	0.2
3/6/19 17:00	0.2	0.2	0.2
3/6/19 18:00	0.2	0.2	0.2
3/6/19 19:00	0.2	0.2	0.2
3/6/19 20:00	0.2	0.2	0.2
3/6/19 21:00	0.2	0.2	0.2
3/6/19 22:00	0.2	0.2	0.2
3/6/19 23:00	0.2	0.2	0.2
3/7/19 0:00	0.1	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/7/19 1:00	0.1	0.2	0.2
3/7/19 2:00	0.1	0.2	0.2
3/7/19 3:00	0.1	0.2	0.2
3/7/19 4:00	0.2	0.2	0.2
3/7/19 5:00	0.2	0.2	0.2
3/7/19 6:00	0.2	0.2	0.2
3/7/19 7:00	0.2	0.2	0.2
3/7/19 8:00	0.2	0.2	0.2
3/7/19 9:00	0.2	0.2	0.2
3/7/19 10:00	0.2	0.2	0.2
3/7/19 11:00	0.2	0.2	0.2
3/7/19 12:00	0.2	0.2	0.2
3/7/19 13:00	0.1	0.2	0.2
3/7/19 14:00	0.1	0.2	0.2
3/7/19 15:00	0.1	0.2	0.2
3/7/19 16:00	0.2	0.2	0.2
3/7/19 17:00	0.2	0.2	0.2
3/7/19 18:00	0.2	0.2	0.2
3/7/19 19:00	0.2	0.2	0.2
3/7/19 20:00	0.2	0.2	0.2
3/7/19 21:00	0.1	0.2	0.2
3/7/19 22:00	0.1	0.2	0.2
3/7/19 23:00	0.1	0.2	0.2
3/8/19 0:00	0.1	0.2	0.2
3/8/19 1:00	0.2	0.2	0.2
3/8/19 2:00	0.1	0.2	0.2
3/8/19 3:00	0.2	0.2	0.2
3/8/19 4:00	0.2	0.2	0.2
3/8/19 5:00	0.2	0.2	0.2
3/8/19 6:00	0.1	0.2	0.2
3/8/19 7:00	0.1	0.2	0.2
3/8/19 8:00	0.2	0.2	0.2
3/8/19 9:00	0.2	0.2	0.2
3/8/19 10:00	0.2	0.2	0.2
3/8/19 11:00	0.3	0.2	0.2
3/8/19 12:00	0.3	0.2	0.2
3/8/19 13:00	0.2	0.2	0.2
3/8/19 14:00	0.2	0.2	0.2
3/8/19 15:00	0.2	0.2	0.2
3/8/19 16:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/8/19 17:00	0.2	0.2	0.2
3/8/19 18:00	0.2	0.2	0.2
3/8/19 19:00	0.2	0.2	0.2
3/8/19 20:00	0.2	0.2	0.2
3/8/19 21:00	0.2	0.2	0.2
3/8/19 22:00	0.2	0.2	0.2
3/8/19 23:00	0.2	0.2	0.2
3/9/19 0:00	0.2	0.2	0.2
3/9/19 1:00	0.2	0.2	0.2
3/9/19 2:00	0.2	0.2	0.2
3/9/19 3:00	0.2	0.2	0.2
3/9/19 4:00	0.2	0.2	0.2
3/9/19 5:00	0.2	0.2	0.2
3/9/19 6:00	0.1	0.2	0.2
3/9/19 7:00	0.1	0.2	0.2
3/9/19 8:00	0.1	0.2	0.2
3/9/19 9:00	0.1	0.2	0.2
3/9/19 10:00	0.1	0.2	0.2
3/9/19 11:00	0.2	0.2	0.2
3/9/19 12:00	0.2	0.2	0.2
3/9/19 13:00	0.2	0.2	0.2
3/9/19 14:00	0.2	0.2	0.2
3/9/19 15:00	0.2	0.2	0.2
3/9/19 16:00	0.1	0.2	0.2
3/9/19 17:00	0.1	0.2	0.2
3/9/19 18:00	0.1	0.2	0.2
3/9/19 19:00	0.2	0.2	0.2
3/9/19 20:00	0.2	0.2	0.2
3/9/19 21:00	0.2	0.2	0.2
3/9/19 22:00	0.1	0.2	0.2
3/9/19 23:00	0.1	0.2	0.2
3/10/19 0:00	0.1	0.2	0.2
3/10/19 1:00	0.1	0.1	0.2
3/10/19 3:00	0.1	0.1	0.2
3/10/19 4:00	0.2	0.1	0.2
3/10/19 5:00	0.2	0.1	0.2
3/10/19 6:00	0.1	0.1	0.2
3/10/19 7:00	0.2	0.1	0.2
3/10/19 8:00	0.2	0.2	0.2
3/10/19 9:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/10/19 10:00	0.2	0.2	0.2
3/10/19 11:00	0.2	0.2	0.2
3/10/19 12:00	0.2	0.2	0.2
3/10/19 13:00	0.2	0.2	0.2
3/10/19 14:00	0.2	0.2	0.2
3/10/19 15:00	0.2	0.2	0.2
3/10/19 16:00	0.2	0.2	0.2
3/10/19 17:00	0.2	0.2	0.2
3/10/19 18:00	0.2	0.2	0.2
3/10/19 19:00	0.2	0.2	0.2
3/10/19 20:00	0.1	0.2	0.2
3/10/19 21:00	0.2	0.2	0.2
3/10/19 22:00	0.2	0.2	0.2
3/10/19 23:00	0.2	0.2	0.2
3/11/19 0:00	0.2	0.2	0.2
3/11/19 1:00	0.2	0.2	0.2
3/11/19 2:00	0.2	0.2	0.2
3/11/19 3:00	0.2	0.2	0.2
3/11/19 4:00	0.2	0.2	0.2
3/11/19 5:00	0.2	0.2	0.2
3/11/19 6:00	0.2	0.2	0.2
3/11/19 7:00	0.2	0.2	0.2
3/11/19 8:00	0.2	0.2	0.2
3/11/19 9:00	0.2	0.2	0.2
3/11/19 10:00	0.2	0.2	0.2
3/11/19 11:00	0.2	0.2	0.2
3/11/19 12:00	0.2	0.2	0.2
3/11/19 13:00	0.2	0.2	0.2
3/11/19 14:00	0.2	0.2	0.2
3/11/19 15:00	0.2	0.2	0.2
3/11/19 16:00	0.2	0.2	0.2
3/11/19 17:00	0.2	0.2	0.2
3/11/19 18:00	0.2	0.2	0.2
3/11/19 19:00	0.2	0.2	0.2
3/11/19 20:00	0.2	0.2	0.2
3/11/19 21:00	0.2	0.2	0.2
3/11/19 22:00	0.2	0.2	0.2
3/11/19 23:00	0.2	0.2	0.2
3/12/19 0:00	0.2	0.2	0.2
3/12/19 1:00	0.3	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/12/19 2:00	0.2	0.2	0.2
3/12/19 3:00	0.3	0.2	0.2
3/12/19 4:00	0.2	0.2	0.2
3/12/19 5:00	0.2	0.2	0.2
3/12/19 6:00	0.2	0.2	0.2
3/12/19 7:00	0.2	0.2	0.2
3/12/19 8:00	0.2	0.2	0.2
3/12/19 9:00	0.3	0.2	0.2
3/12/19 10:00	0.3	0.2	0.2
3/12/19 11:00	0.1	0.2	0.2
3/12/19 12:00	0.1	0.2	0.2
3/12/19 13:00	0.2	0.2	0.2
3/12/19 14:00	0.2	0.2	0.2
3/12/19 15:00	0.2	0.2	0.2
3/12/19 16:00	0.2	0.2	0.2
3/12/19 17:00	0.2	0.2	0.2
3/12/19 18:00	0.2	0.2	0.2
3/12/19 19:00	0.2	0.2	0.2
3/12/19 20:00	0.2	0.2	0.2
3/12/19 21:00	0.2	0.2	0.2
3/12/19 22:00	0.2	0.2	0.2
3/12/19 23:00	0.2	0.2	0.2
3/13/19 0:00	0.2	0.2	0.2
3/13/19 1:00	0.2	0.2	0.2
3/13/19 2:00	0.2	0.2	0.2
3/13/19 3:00	0.2	0.2	0.2
3/13/19 4:00	0.2	0.2	0.2
3/13/19 5:00	0.2	0.2	0.2
3/13/19 6:00	0.2	0.2	0.2
3/13/19 7:00	0.2	0.2	0.2
3/13/19 8:00	0.2	0.2	0.2
3/13/19 9:00	0.2	0.2	0.2
3/13/19 10:00	0.2	0.2	0.2
3/13/19 11:00	0.2	0.2	0.2
3/13/19 12:00	0.2	0.2	0.2
3/13/19 13:00	0.2	0.2	0.2
3/13/19 14:00	0.2	0.2	0.2
3/13/19 15:00	0.2	0.2	0.2
3/13/19 16:00	0.2	0.2	0.2
3/13/19 17:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/13/19 18:00	0.2	0.2	0.2
3/13/19 19:00	0.2	0.2	0.2
3/13/19 20:00	0.2	0.2	0.2
3/13/19 21:00	0.2	0.2	0.2
3/13/19 22:00	0.2	0.2	0.2
3/13/19 23:00	0.2	0.2	0.2
3/14/19 0:00	0.2	0.2	0.2
3/14/19 1:00	0.2	0.2	0.2
3/14/19 2:00	0.2	0.2	0.2
3/14/19 3:00	0.2	0.2	0.2
3/14/19 4:00	0.2	0.2	0.2
3/14/19 5:00	0.2	0.2	0.2
3/14/19 6:00	0.2	0.2	0.2
3/14/19 7:00	0.2	0.2	0.2
3/14/19 8:00	0.2	0.2	0.2
3/14/19 9:00	0.2	0.2	0.2
3/14/19 10:00	0.2	0.2	0.2
3/14/19 11:00	0.3	0.2	0.2
3/14/19 12:00	0.2	0.2	0.2
3/14/19 13:00	0.2	0.2	0.2
3/14/19 14:00	0.2	0.2	0.2
3/14/19 15:00	0.2	0.2	0.2
3/14/19 16:00	0.2	0.2	0.2
3/14/19 17:00	0.1	0.2	0.2
3/14/19 18:00	0.1	0.2	0.2
3/14/19 19:00	0.2	0.2	0.2
3/14/19 20:00	0.1	0.2	0.2
3/14/19 21:00	0.1	0.2	0.2
3/14/19 22:00	0.1	0.2	0.2
3/14/19 23:00	0.1	0.2	0.2
3/15/19 0:00	0.1	0.2	0.2
3/15/19 1:00	0.2	0.2	0.2
3/15/19 2:00	0.2	0.2	0.2
3/15/19 3:00	0.2	0.2	0.2
3/15/19 4:00	0.2	0.2	0.2
3/15/19 5:00	0.2	0.2	0.2
3/15/19 6:00	0.2	0.2	0.2
3/15/19 7:00	0.2	0.2	0.2
3/15/19 8:00	0.2	0.2	0.2
3/15/19 9:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/15/19 10:00	0.2	0.2	0.2
3/15/19 11:00	0.2	0.2	0.2
3/15/19 12:00	0.2	0.2	0.2
3/15/19 13:00	0.2	0.2	0.2
3/15/19 14:00	0.2	0.2	0.2
3/15/19 15:00	0.2	0.2	0.2
3/15/19 16:00	0.1	0.2	0.2
3/15/19 17:00	0.1	0.2	0.2
3/15/19 18:00	0.2	0.2	0.2
3/15/19 19:00	0.2	0.2	0.2
3/15/19 20:00	0.1	0.2	0.2
3/15/19 21:00	0.2	0.2	0.2
3/15/19 22:00	0.1	0.2	0.2
3/15/19 23:00	0.1	0.2	0.2
3/16/19 0:00	0.2	0.2	0.2
3/16/19 1:00	0.1	0.2	0.2
3/16/19 2:00	0.1	0.2	0.2
3/16/19 3:00	0.1	0.2	0.2
3/16/19 4:00	0.1	0.2	0.2
3/16/19 5:00	0.1	0.2	0.2
3/16/19 6:00	0.2	0.2	0.2
3/16/19 7:00	0.2	0.2	0.2
3/16/19 8:00	0.2	0.2	0.2
3/16/19 9:00	0.2	0.2	0.2
3/16/19 10:00	0.2	0.2	0.2
3/16/19 11:00	0.2	0.2	0.2
3/16/19 12:00	0.2	0.2	0.2
3/16/19 13:00	0.2	0.2	0.2
3/16/19 14:00	0.2	0.2	0.2
3/16/19 15:00	0.2	0.2	0.2
3/16/19 16:00	0.2	0.2	0.2
3/16/19 17:00	0.2	0.2	0.2
3/16/19 18:00	0.2	0.2	0.2
3/16/19 19:00	0.2	0.2	0.2
3/16/19 20:00	0.1	0.2	0.2
3/16/19 21:00	0.2	0.2	0.2
3/16/19 22:00	0.2	0.2	0.2
3/16/19 23:00	0.2	0.2	0.2
3/17/19 0:00	0.2	0.2	0.2
3/17/19 1:00	0.3	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/17/19 2:00	0.3	0.2	0.2
3/17/19 3:00	0.3	0.2	0.2
3/17/19 4:00	0.3	0.2	0.2
3/17/19 5:00	0.3	0.2	0.2
3/17/19 6:00	0.3	0.2	0.2
3/17/19 7:00	0.3	0.2	0.2
3/17/19 8:00	0.3	0.2	0.2
3/17/19 9:00	0.3	0.2	0.2
3/17/19 10:00	0.3	0.2	0.2
3/17/19 11:00	0.3	0.2	0.2
3/17/19 12:00	0.2	0.2	0.2
3/17/19 13:00	0.2	0.2	0.2
3/17/19 14:00	0.2	0.2	0.2
3/17/19 15:00	0.2	0.2	0.2
3/17/19 16:00	0.2	0.2	0.2
3/17/19 17:00	0.2	0.2	0.2
3/17/19 18:00	0.2	0.2	0.2
3/17/19 19:00	0.2	0.2	0.2
3/17/19 20:00	0.2	0.3	0.2
3/17/19 21:00	0.2	0.3	0.2
3/17/19 22:00	0.2	0.3	0.2
3/17/19 23:00	0.3	0.3	0.2
3/18/19 0:00	0.3	0.3	0.2
3/18/19 1:00	0.3	0.3	0.2
3/18/19 2:00	0.3	0.3	0.2
3/18/19 3:00	0.3	0.3	0.2
3/18/19 4:00	0.3	0.3	0.2
3/18/19 5:00	0.2	0.3	0.2
3/18/19 6:00	0.3	0.3	0.2
3/18/19 7:00	0.3	0.3	0.2
3/18/19 8:00	0.2	0.3	0.2
3/18/19 9:00	0.2	0.3	0.2
3/18/19 10:00	0.2	0.3	0.2
3/18/19 11:00	0.3	0.3	0.2
3/18/19 12:00	0.3	0.3	0.2
3/18/19 13:00	0.3	0.3	0.2
3/18/19 14:00	0.5	0.3	0.2
3/18/19 15:00	0.4	0.3	0.2
3/18/19 16:00	0.3	0.3	0.2
3/18/19 17:00	0.3	0.3	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/18/19 18:00	0.3	0.3	0.2
3/18/19 19:00	0.3	0.3	0.2
3/18/19 20:00	0.2	0.3	0.2
3/18/19 21:00	0.2	0.3	0.2
3/18/19 22:00	0.2	0.3	0.2
3/18/19 23:00	0.2	0.3	0.2
3/19/19 0:00	0.3	0.3	0.2
3/19/19 1:00	0.2	0.3	0.2
3/19/19 2:00	0.2	0.3	0.2
3/19/19 3:00	0.2	0.3	0.2
3/19/19 4:00	0.2	0.3	0.2
3/19/19 5:00	0.2	0.3	0.2
3/19/19 6:00	0.2	0.3	0.2
3/19/19 7:00	0.2	0.3	0.2
3/19/19 8:00	0.2	0.3	0.2
3/19/19 9:00	0.2	0.3	0.2
3/19/19 10:00	0.2	0.3	0.2
3/19/19 11:00	0.2	0.3	0.2
3/19/19 12:00	0.2	0.3	0.2
3/19/19 13:00	0.2	0.2	0.2
3/19/19 14:00	0.2	0.2	0.2
3/19/19 15:00	0.2	0.2	0.2
3/19/19 16:00	0.2	0.2	0.2
3/19/19 17:00	0.2	0.2	0.2
3/19/19 18:00	0.2	0.2	0.2
3/19/19 19:00	0.2	0.2	0.2
3/19/19 20:00	0.2	0.2	0.2
3/19/19 21:00	0.2	0.2	0.2
3/19/19 22:00	0.2	0.2	0.2
3/19/19 23:00	0.2	0.2	0.2
3/20/19 0:00	0.2	0.2	0.2
3/20/19 1:00	0.2	0.2	0.2
3/20/19 2:00	0.2	0.2	0.2
3/20/19 3:00	0.2	0.2	0.2
3/20/19 4:00	0.2	0.2	0.2
3/20/19 5:00	0.2	0.2	0.2
3/20/19 6:00	0.2	0.2	0.2
3/20/19 7:00	0.2	0.2	0.2
3/20/19 8:00	0.2	0.2	0.2
3/20/19 9:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/20/19 10:00	0.2	0.2	0.2
3/20/19 11:00	0.2	0.2	0.2
3/20/19 12:00	0.2	0.2	0.2
3/20/19 13:00	0.2	0.2	0.2
3/20/19 14:00	0.2	0.2	0.2
3/20/19 15:00	0.2	0.2	0.2
3/20/19 16:00	0.2	0.2	0.2
3/20/19 17:00	0.2	0.2	0.2
3/20/19 18:00	0.1	0.2	0.2
3/20/19 19:00	0.1	0.2	0.2
3/20/19 20:00	0.1	0.2	0.2
3/20/19 21:00	0.1	0.2	0.2
3/20/19 22:00	0.1	0.2	0.2
3/20/19 23:00	0.1	0.2	0.2
3/21/19 0:00	0.1	0.2	0.2
3/21/19 1:00	0.1	0.2	0.2
3/21/19 2:00	0.1	0.2	0.2
3/21/19 3:00	0.1	0.2	0.2
3/21/19 4:00	0.1	0.2	0.2
3/21/19 5:00	0.2	0.2	0.2
3/21/19 6:00	0.2	0.2	0.2
3/21/19 7:00	0.2	0.2	0.2
3/21/19 8:00	0.2	0.2	0.2
3/21/19 9:00	0.3	0.2	0.2
3/21/19 10:00	0.3	0.2	0.2
3/21/19 11:00	0.3	0.2	0.2
3/21/19 12:00	0.3	0.2	0.2
3/21/19 13:00	0.3	0.2	0.2
3/21/19 14:00	0.3	0.2	0.2
3/21/19 15:00	0.3	0.2	0.2
3/21/19 16:00	0.4	0.2	0.2
3/21/19 17:00	0.3	0.2	0.2
3/21/19 18:00	0.3	0.2	0.2
3/21/19 19:00	0.2	0.2	0.2
3/21/19 20:00	0.3	0.2	0.2
3/21/19 21:00	0.3	0.2	0.2
3/21/19 22:00	0.3	0.2	0.2
3/21/19 23:00	0.2	0.2	0.2
3/22/19 0:00	0.3	0.3	0.2
3/22/19 1:00	0.4	0.3	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/22/19 2:00	0.3	0.3	0.2
3/22/19 3:00	0.3	0.3	0.2
3/22/19 4:00	0.3	0.3	0.2
3/22/19 5:00	0.4	0.3	0.2
3/22/19 6:00	0.4	0.3	0.2
3/22/19 7:00	0.4	0.3	0.2
3/22/19 8:00	0.4	0.3	0.2
3/22/19 9:00	0.4	0.3	0.2
3/22/19 10:00	0.3	0.3	0.2
3/22/19 11:00	0.3	0.3	0.2
3/22/19 12:00	0.4	0.3	0.2
3/22/19 13:00	0.3	0.3	0.2
3/22/19 14:00	0.2	0.3	0.2
3/22/19 15:00	0.2	0.3	0.2
3/22/19 16:00	0.2	0.3	0.2
3/22/19 17:00	0.2	0.3	0.2
3/22/19 18:00	0.2	0.3	0.2
3/22/19 19:00	0.2	0.3	0.2
3/22/19 20:00	0.2	0.3	0.2
3/22/19 21:00	0.2	0.3	0.2
3/22/19 22:00	0.2	0.3	0.2
3/22/19 23:00	0.2	0.3	0.2
3/23/19 0:00	0.2	0.3	0.2
3/23/19 1:00	0.2	0.3	0.2
3/23/19 2:00	0.2	0.3	0.2
3/23/19 3:00	0.2	0.3	0.2
3/23/19 4:00	0.2	0.3	0.2
3/23/19 5:00	0.2	0.2	0.2
3/23/19 6:00	0.2	0.2	0.2
3/23/19 7:00	0.2	0.2	0.2
3/23/19 8:00	0.2	0.2	0.2
3/23/19 9:00	0.2	0.2	0.2
3/23/19 10:00	0.2	0.2	0.2
3/23/19 11:00	0.2	0.2	0.2
3/23/19 12:00	0.2	0.2	0.2
3/23/19 13:00	0.1	0.2	0.2
3/23/19 14:00	0.1	0.2	0.2
3/23/19 15:00	0.4	0.2	0.2
3/23/19 16:00	0.1	0.2	0.2
3/23/19 17:00	0.1	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/23/19 18:00	0.1	0.2	0.2
3/23/19 19:00	0.1	0.2	0.2
3/23/19 20:00	0.2	0.2	0.2
3/23/19 21:00	0.2	0.2	0.2
3/23/19 22:00	0.2	0.2	0.2
3/23/19 23:00	0.3	0.2	0.2
3/24/19 0:00	0.2	0.2	0.2
3/24/19 1:00	0.3	0.2	0.2
3/24/19 2:00	0.3	0.2	0.2
3/24/19 3:00	0.2	0.2	0.2
3/24/19 4:00	0.3	0.2	0.2
3/24/19 5:00	0.3	0.2	0.2
3/24/19 6:00	0.2	0.2	0.2
3/24/19 7:00	0.3	0.2	0.2
3/24/19 8:00	0.3	0.2	0.2
3/24/19 9:00	0.4	0.2	0.2
3/24/19 10:00	0.3	0.2	0.2
3/24/19 11:00	0.3	0.2	0.2
3/24/19 12:00	0.3	0.2	0.2
3/24/19 13:00	0.3	0.2	0.2
3/24/19 14:00	0.3	0.3	0.2
3/24/19 15:00	0.3	0.2	0.2
3/24/19 16:00	0.3	0.3	0.2
3/24/19 17:00	0.3	0.3	0.2
3/24/19 18:00	0.3	0.3	0.2
3/24/19 19:00	0.3	0.3	0.2
3/24/19 20:00	0.3	0.3	0.2
3/24/19 21:00	0.3	0.3	0.2
3/24/19 22:00	0.3	0.3	0.2
3/24/19 23:00	0.3	0.3	0.2
3/25/19 0:00	0.2	0.3	0.2
3/25/19 1:00	0.3	0.3	0.2
3/25/19 2:00	0.2	0.3	0.2
3/25/19 3:00	0.2	0.3	0.2
3/25/19 4:00	0.2	0.3	0.2
3/25/19 5:00	0.3	0.3	0.2
3/25/19 6:00	0.3	0.3	0.2
3/25/19 7:00	0.3	0.3	0.2
3/25/19 8:00	0.2	0.3	0.2
3/25/19 9:00	0.2	0.3	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/25/19 10:00	0.3	0.3	0.2
3/25/19 11:00	0.2	0.3	0.2
3/25/19 12:00	0.2	0.3	0.2
3/25/19 13:00	0.2	0.3	0.2
3/25/19 14:00	0.2	0.3	0.2
3/25/19 15:00	0.3	0.3	0.2
3/25/19 16:00	0.3	0.3	0.2
3/25/19 17:00	0.2	0.3	0.2
3/25/19 18:00	0.3	0.2	0.2
3/25/19 19:00	0.3	0.2	0.2
3/25/19 20:00	0.3	0.2	0.2
3/25/19 21:00	0.3	0.2	0.2
3/25/19 22:00	0.4	0.3	0.2
3/25/19 23:00	0.3	0.3	0.2
3/26/19 0:00	0.2	0.3	0.2
3/26/19 1:00	0.2	0.3	0.2
3/26/19 2:00	0.2	0.3	0.2
3/26/19 3:00	0.2	0.2	0.2
3/26/19 4:00	0.3	0.3	0.2
3/26/19 5:00	0.2	0.3	0.2
3/26/19 6:00	0.3	0.3	0.2
3/26/19 7:00	0.2	0.3	0.2
3/26/19 8:00	0.2	0.3	0.2
3/26/19 9:00	0.3	0.3	0.2
3/26/19 10:00	0.2	0.3	0.2
3/26/19 11:00	0.2	0.3	0.2
3/26/19 12:00	0.3	0.3	0.2
3/26/19 13:00	0.3	0.3	0.2
3/26/19 14:00	0.2	0.3	0.2
3/26/19 15:00	0.2	0.3	0.2
3/26/19 16:00	0.2	0.3	0.2
3/26/19 17:00	0.2	0.3	0.2
3/26/19 18:00	0.2	0.3	0.2
3/26/19 19:00	0.2	0.2	0.2
3/26/19 20:00	0.2	0.2	0.2
3/26/19 21:00	0.2	0.2	0.2
3/26/19 22:00	0.2	0.2	0.2
3/26/19 23:00	0.3	0.2	0.2
3/27/19 0:00	0.4	0.2	0.2
3/27/19 1:00	0.4	0.3	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/27/19 2:00	0.4	0.3	0.2
3/27/19 3:00	0.3	0.3	0.2
3/27/19 4:00	0.3	0.3	0.2
3/27/19 5:00	0.3	0.3	0.2
3/27/19 6:00	0.3	0.3	0.2
3/27/19 7:00	0.3	0.3	0.2
3/27/19 8:00	0.3	0.3	0.2
3/27/19 9:00	0.3	0.3	0.2
3/27/19 10:00	0.3	0.3	0.2
3/27/19 11:00	0.3	0.3	0.2
3/27/19 12:00	0.2	0.3	0.2
3/27/19 13:00	0.2	0.3	0.2
3/27/19 14:00	0.2	0.3	0.2
3/27/19 15:00	0.2	0.3	0.2
3/27/19 16:00	0.2	0.3	0.2
3/27/19 17:00	0.1	0.3	0.2
3/27/19 18:00	0.2	0.3	0.2
3/27/19 19:00	0.2	0.3	0.2
3/27/19 20:00	0.2	0.3	0.2
3/27/19 21:00	0.2	0.3	0.2
3/27/19 22:00	0.2	0.3	0.2
3/27/19 23:00	0.2	0.3	0.2
3/28/19 0:00	0.2	0.3	0.2
3/28/19 1:00	0.2	0.2	0.2
3/28/19 2:00	0.2	0.2	0.2
3/28/19 3:00	0.2	0.2	0.2
3/28/19 4:00	0.2	0.2	0.2
3/28/19 5:00	0.2	0.2	0.2
3/28/19 6:00	0.2	0.2	0.2
3/28/19 7:00	0.2	0.2	0.2
3/28/19 8:00	0.2	0.2	0.2
3/28/19 9:00	0.2	0.2	0.2
3/28/19 10:00	0.2	0.2	0.2
3/28/19 11:00	0.2	0.2	0.2
3/28/19 12:00	0.4	0.2	0.2
3/28/19 13:00	0.4	0.2	0.2
3/28/19 14:00	0.4	0.2	0.2
3/28/19 15:00	0.2	0.2	0.2
3/28/19 16:00	0.2	0.2	0.2
3/28/19 17:00	0.3	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/28/19 18:00	0.2	0.2	0.2
3/28/19 19:00	0.3	0.2	0.2
3/28/19 20:00	0.3	0.2	0.2
3/28/19 21:00	0.2	0.2	0.2
3/28/19 22:00	0.2	0.2	0.2
3/28/19 23:00	0.2	0.2	0.2
3/29/19 0:00	0.3	0.2	0.2
3/29/19 1:00	0.3	0.2	0.2
3/29/19 2:00	0.3	0.2	0.2
3/29/19 3:00	0.3	0.3	0.2
3/29/19 4:00	0.3	0.3	0.2
3/29/19 5:00	0.4	0.3	0.2
3/29/19 6:00	0.4	0.3	0.2
3/29/19 7:00	0.5	0.3	0.2
3/29/19 8:00	0.6	0.3	0.2
3/29/19 9:00	0.5	0.3	0.2
3/29/19 10:00	0.4	0.3	0.2
3/29/19 11:00	0.3	0.3	0.2
3/29/19 12:00	0.2	0.3	0.2
3/29/19 13:00	0.2	0.3	0.2
3/29/19 14:00	0.2	0.3	0.2
3/29/19 15:00	0.2	0.3	0.2
3/29/19 16:00	0.3	0.3	0.2
3/29/19 17:00	0.4	0.3	0.2
3/29/19 18:00	0.3	0.3	0.2
3/29/19 19:00	0.3	0.3	0.2
3/29/19 20:00	0.3	0.3	0.2
3/29/19 21:00	0.3	0.3	0.2
3/29/19 22:00	0.3	0.3	0.2
3/29/19 23:00	0.3	0.3	0.2
3/30/19 0:00	0.3	0.3	0.2
3/30/19 1:00	0.3	0.3	0.2
3/30/19 2:00	0.3	0.3	0.2
3/30/19 3:00	0.3	0.3	0.2
3/30/19 4:00	0.2	0.3	0.2
3/30/19 5:00	0.2	0.3	0.2
3/30/19 6:00	0.2	0.3	0.2
3/30/19 7:00	0.2	0.3	0.2
3/30/19 8:00	0.2	0.3	0.2
3/30/19 9:00	0.2	0.3	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/30/19 10:00	0.1	0.3	0.2
3/30/19 11:00	0.1	0.2	0.2
3/30/19 12:00	0.1	0.2	0.2
3/30/19 13:00	0.1	0.2	0.2
3/30/19 14:00	0.1	0.2	0.2
3/30/19 15:00	0.1	0.2	0.2
3/30/19 16:00	0.1	0.2	0.2
3/30/19 17:00	0.1	0.2	0.2
3/30/19 18:00	0.1	0.2	0.2
3/30/19 19:00	0.1	0.2	0.2
3/30/19 20:00	0.1	0.2	0.2
3/30/19 21:00	0.1	0.2	0.2
3/30/19 22:00	0.1	0.2	0.2
3/30/19 23:00	0.1	0.2	0.2
3/31/19 0:00	0.1	0.1	0.2
3/31/19 1:00	0.1	0.1	0.2
3/31/19 2:00	0.1	0.1	0.2
3/31/19 3:00	0.1	0.1	0.2
3/31/19 4:00	0.1	0.1	0.2
3/31/19 5:00	0.1	0.1	0.2
3/31/19 6:00	0.1	0.1	0.2
3/31/19 7:00	0.2	0.1	0.2
3/31/19 8:00	0.2	0.1	0.2
3/31/19 9:00	0.3	0.1	0.2
3/31/19 10:00	0.3	0.1	0.2
3/31/19 11:00	0.3	0.1	0.2
3/31/19 12:00	0.3	0.1	0.2
3/31/19 13:00	0.3	0.1	0.2
3/31/19 14:00	0.2	0.1	0.2
3/31/19 15:00	0.2	0.1	0.2
3/31/19 16:00	0.2	0.2	0.2
3/31/19 17:00	0.2	0.2	0.2
3/31/19 18:00	0.2	0.2	0.2
3/31/19 19:00	0.2	0.2	0.2
3/31/19 20:00	0.2	0.2	0.2
3/31/19 21:00	0.2	0.2	0.2
3/31/19 22:00	0.2	0.2	0.2
3/31/19 23:00	0.2	0.2	0.2
4/1/19 0:00	0.2	0.2	0.2
4/1/19 1:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/1/19 2:00	0.2	0.2	0.2
4/1/19 3:00	0.2	0.2	0.2
4/1/19 4:00	0.2	0.2	0.2
4/1/19 5:00	0.1	0.2	0.2
4/1/19 6:00	0.2	0.2	0.2
4/1/19 7:00	0.1	0.2	0.2
4/1/19 8:00	0.1	0.2	0.2
4/1/19 9:00	0.1	0.2	0.2
4/1/19 10:00	0.1	0.2	0.2
4/1/19 11:00	0.1	0.2	0.2
4/1/19 12:00	0.2	0.2	0.2
4/1/19 13:00	0.2	0.2	0.2
4/1/19 14:00	0.2	0.2	0.2
4/1/19 15:00	0.2	0.2	0.2
4/1/19 16:00	0.3	0.2	0.2
4/1/19 17:00	0.3	0.2	0.2
4/1/19 18:00	0.3	0.2	0.2
4/1/19 19:00	0.2	0.2	0.2
4/1/19 20:00	0.3	0.2	0.2
4/1/19 21:00	0.3	0.2	0.2
4/1/19 22:00	0.2	0.2	0.2
4/1/19 23:00	0.2	0.2	0.2
4/2/19 0:00	0.2	0.2	0.2
4/2/19 1:00	0.2	0.2	0.2
4/2/19 2:00	0.2	0.2	0.2
4/2/19 3:00	0.3	0.2	0.2
4/2/19 4:00	0.3	0.2	0.2
4/2/19 5:00	0.3	0.2	0.2
4/2/19 6:00	0.3	0.2	0.2
4/2/19 7:00	0.3	0.2	0.2
4/2/19 8:00	0.3	0.2	0.2
4/2/19 9:00	0.6	0.3	0.2
4/2/19 10:00	0.4	0.3	0.2
4/2/19 11:00	0.4	0.3	0.2
4/2/19 12:00	0.4	0.3	0.2
4/2/19 13:00	0.4	0.3	0.2
4/2/19 14:00	0.4	0.3	0.2
4/2/19 15:00	0.5	0.3	0.2
4/2/19 16:00	0.5	0.3	0.2
4/2/19 17:00	0.5	0.3	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/2/19 18:00	0.4	0.3	0.2
4/2/19 19:00	0.4	0.3	0.2
4/2/19 20:00	0.4	0.4	0.2
4/2/19 21:00	0.4	0.4	0.2
4/2/19 22:00	0.4	0.4	0.2
4/2/19 23:00	0.3	0.4	0.2
4/3/19 0:00	0.3	0.4	0.2
4/3/19 1:00	0.3	0.4	0.2
4/3/19 2:00	0.3	0.4	0.2
4/3/19 3:00	0.3	0.4	0.2
4/3/19 4:00	0.3	0.4	0.2
4/3/19 5:00	0.3	0.4	0.2
4/3/19 6:00	0.3	0.4	0.2
4/3/19 7:00	0.3	0.4	0.2
4/3/19 8:00	0.3	0.4	0.2
4/3/19 9:00	0.3	0.4	0.2
4/3/19 10:00	0.3	0.4	0.2
4/3/19 11:00	0.3	0.4	0.2
4/3/19 12:00	0.3	0.4	0.2
4/3/19 13:00	0.3	0.4	0.2
4/3/19 14:00	0.2	0.4	0.2
4/3/19 15:00	0.2	0.3	0.2
4/3/19 16:00	0.2	0.3	0.2
4/3/19 17:00	0.2	0.3	0.2
4/3/19 18:00	0.3	0.3	0.2
4/3/19 19:00	0.4	0.3	0.2
4/3/19 20:00	0.4	0.3	0.2
4/3/19 21:00	0.3	0.3	0.2
4/3/19 22:00	0.3	0.3	0.2
4/3/19 23:00	0.3	0.3	0.2
4/4/19 0:00	0.2	0.3	0.2
4/4/19 1:00	0.2	0.3	0.2
4/4/19 2:00	0.2	0.3	0.2
4/4/19 3:00	0.3	0.3	0.2
4/4/19 4:00	0.2	0.3	0.2
4/4/19 5:00	0.2	0.3	0.2
4/4/19 6:00	0.2	0.3	0.2
4/4/19 7:00	0.3	0.3	0.2
4/4/19 8:00	0.3	0.3	0.2
4/4/19 9:00	0.3	0.3	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/4/19 10:00	0.3	0.3	0.2
4/4/19 11:00	0.3	0.3	0.2
4/4/19 12:00	0.4	0.3	0.2
4/4/19 13:00	0.3	0.3	0.2
4/4/19 14:00	0.3	0.3	0.2
4/4/19 15:00	0.3	0.3	0.2
4/4/19 16:00	0.3	0.3	0.2
4/4/19 17:00	0.3	0.3	0.2
4/4/19 18:00	0.3	0.3	0.2
4/4/19 19:00	0.3	0.3	0.2
4/4/19 20:00	0.3	0.3	0.2
4/4/19 21:00	0.3	0.3	0.2
4/4/19 22:00	0.3	0.3	0.2
4/4/19 23:00	0.3	0.3	0.2
4/5/19 0:00	0.3	0.3	0.2
4/5/19 1:00	0.3	0.3	0.2
4/5/19 2:00	0.3	0.3	0.2
4/5/19 3:00	0.3	0.3	0.2
4/5/19 4:00	0.2	0.3	0.2
4/5/19 5:00	0.2	0.3	0.2
4/5/19 6:00	0.3	0.3	0.2
4/5/19 7:00	0.4	0.3	0.2
4/5/19 8:00	0.3	0.3	0.2
4/5/19 9:00	0.3	0.3	0.2
4/5/19 10:00	0.3	0.3	0.2
4/5/19 11:00	0.3	0.3	0.2
4/5/19 12:00	0.3	0.3	0.2
4/5/19 13:00	0.3	0.3	0.2
4/5/19 14:00	0.4	0.3	0.2
4/5/19 15:00	0.3	0.3	0.2
4/5/19 16:00	0.3	0.3	0.2
4/5/19 17:00	0.3	0.3	0.2
4/5/19 18:00	0.3	0.3	0.2
4/5/19 19:00	0.3	0.3	0.2
4/5/19 20:00	0.3	0.3	0.2
4/5/19 21:00	0.3	0.3	0.2
4/5/19 22:00	0.3	0.3	0.2
4/5/19 23:00	0.2	0.3	0.2
4/6/19 0:00	0.3	0.3	0.2
4/6/19 1:00	0.2	0.3	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/6/19 2:00	0.2	0.3	0.2
4/6/19 3:00	0.3	0.3	0.2
4/6/19 4:00	0.3	0.3	0.2
4/6/19 5:00	0.3	0.3	0.2
4/6/19 6:00	0.2	0.3	0.2
4/6/19 7:00	0.3	0.3	0.2
4/6/19 8:00	0.3	0.3	0.2
4/6/19 9:00	0.3	0.3	0.2
4/6/19 10:00	0.4	0.3	0.2
4/6/19 11:00	0.3	0.3	0.2
4/6/19 12:00	0.3	0.3	0.2
4/6/19 13:00	0.3	0.3	0.2
4/6/19 14:00	0.3	0.3	0.2
4/6/19 15:00	0.3	0.3	0.2
4/6/19 16:00	0.3	0.3	0.2
4/6/19 17:00	0.2	0.3	0.2
4/6/19 18:00	0.2	0.3	0.2
4/6/19 19:00	0.2	0.3	0.2
4/6/19 20:00	0.4	0.3	0.2
4/6/19 21:00	0.3	0.3	0.2
4/6/19 22:00	0.4	0.3	0.2
4/6/19 23:00	0.3	0.3	0.2
4/7/19 0:00	0.3	0.3	0.2
4/7/19 1:00	0.3	0.3	0.2
4/7/19 2:00	0.3	0.3	0.2
4/7/19 3:00	0.2	0.3	0.2
4/7/19 4:00	0.3	0.3	0.2
4/7/19 5:00	0.2	0.3	0.2
4/7/19 6:00	0.2	0.3	0.2
4/7/19 7:00	0.3	0.3	0.2
4/7/19 8:00	0.3	0.3	0.2
4/7/19 9:00	0.3	0.3	0.2
4/7/19 10:00	0.4	0.3	0.2
4/7/19 11:00	0.3	0.3	0.2
4/7/19 12:00	0.3	0.3	0.2
4/7/19 13:00	0.3	0.3	0.2
4/7/19 14:00	0.4	0.3	0.2
4/7/19 15:00	0.4	0.3	0.2
4/7/19 16:00	0.3	0.3	0.2
4/7/19 17:00	0.3	0.3	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/7/19 18:00	0.3	0.3	0.2
4/7/19 19:00	0.3	0.3	0.2
4/7/19 20:00	0.3	0.3	0.2
4/7/19 21:00	0.3	0.3	0.2
4/7/19 22:00	0.3	0.3	0.2
4/7/19 23:00	0.3	0.3	0.2
4/8/19 0:00	0.2	0.3	0.2
4/8/19 1:00	0.3	0.3	0.2
4/8/19 2:00	0.3	0.3	0.2
4/8/19 3:00	0.3	0.3	0.2
4/8/19 4:00	0.3	0.3	0.2
4/8/19 5:00	0.3	0.3	0.2
4/8/19 6:00	0.3	0.3	0.2
4/8/19 7:00	0.3	0.3	0.2
4/8/19 8:00	0.3	0.3	0.2
4/8/19 9:00	0.3	0.3	0.2
4/8/19 10:00	0.3	0.3	0.2
4/8/19 11:00	0.3	0.3	0.2
4/8/19 12:00	0.3	0.3	0.2
4/8/19 13:00	0.3	0.3	0.2
4/8/19 14:00	0.4	0.3	0.2
4/8/19 15:00	0.8	0.3	0.2
4/8/19 16:00	0.5	0.3	0.2
4/8/19 17:00	0.5	0.3	0.2
4/8/19 18:00	0.4	0.3	0.2
4/8/19 19:00	0.3	0.3	0.2
4/8/19 20:00	0.3	0.3	0.2
4/8/19 21:00	0.4	0.3	0.2
4/8/19 22:00	0.4	0.3	0.2
4/8/19 23:00	0.5	0.4	0.2
4/9/19 0:00	0.5	0.4	0.2
4/9/19 1:00	0.3	0.4	0.2
4/9/19 2:00	0.3	0.4	0.2
4/9/19 3:00	0.3	0.4	0.2
4/9/19 4:00	0.3	0.4	0.2
4/9/19 5:00	0.3	0.4	0.2
4/9/19 6:00	0.3	0.4	0.2
4/9/19 7:00	0.3	0.4	0.2
4/9/19 8:00	0.3	0.4	0.2
4/9/19 9:00	0.2	0.4	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/9/19 10:00	0.2	0.4	0.2
4/9/19 11:00	0.2	0.4	0.2
4/9/19 12:00	0.3	0.4	0.2
4/9/19 13:00	0.3	0.4	0.2
4/9/19 14:00	0.4	0.4	0.2
4/9/19 15:00	0.4	0.3	0.2
4/9/19 16:00	0.4	0.3	0.2
4/9/19 17:00	0.4	0.3	0.2
4/9/19 18:00	0.3	0.3	0.2
4/9/19 19:00	0.3	0.3	0.2
4/9/19 20:00	0.4	0.3	0.2
4/9/19 21:00	0.3	0.3	0.2
4/9/19 22:00	0.4	0.3	0.2
4/9/19 23:00	0.4	0.3	0.2
4/10/19 0:00	0.4	0.3	0.2
4/10/19 1:00	0.5	0.3	0.2
4/10/19 2:00	0.5	0.3	0.2
4/10/19 3:00	0.4	0.3	0.2
4/10/19 4:00	0.4	0.3	0.2
4/10/19 5:00	0.4	0.3	0.2
4/10/19 6:00	0.4	0.4	0.2
4/10/19 7:00	0.4	0.4	0.2
4/10/19 8:00	0.4	0.4	0.2
4/10/19 9:00	0.5	0.4	0.3
4/10/19 10:00	0.5	0.4	0.3
4/10/19 11:00	0.2	0.4	0.3
4/10/19 12:00	0.3	0.4	0.3
4/10/19 13:00	0.4	0.4	0.3
4/10/19 14:00	0.3	0.4	0.3
4/10/19 15:00	0.2	0.4	0.3
4/10/19 16:00	0.2	0.4	0.3
4/10/19 17:00	0.2	0.4	0.3
4/10/19 18:00	0.2	0.4	0.3
4/10/19 19:00	0.2	0.3	0.3
4/10/19 20:00	0.2	0.3	0.3
4/10/19 21:00	0.2	0.3	0.3
4/10/19 22:00	0.2	0.3	0.3
4/10/19 23:00	0.2	0.3	0.3
4/11/19 0:00	0.2	0.3	0.3
4/11/19 1:00	0.2	0.3	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/11/19 2:00	0.2	0.3	0.3
4/11/19 3:00	0.2	0.3	0.3
4/11/19 4:00	0.4	0.3	0.3
4/11/19 5:00	0.8	0.3	0.3
4/11/19 6:00	0.2	0.3	0.3
4/11/19 7:00	0.5	0.3	0.3
4/11/19 8:00	2.0	0.4	0.3
4/11/19 9:00	0.3	0.4	0.3
4/11/19 10:00	0.2	0.3	0.3
4/11/19 11:00	0.2	0.3	0.3
4/11/19 12:00	0.2	0.3	0.3
4/11/19 13:00	0.2	0.3	0.3
4/11/19 14:00	0.2	0.3	0.3
4/11/19 15:00	0.2	0.3	0.3
4/11/19 16:00	0.2	0.3	0.3
4/11/19 17:00	0.1	0.3	0.3
4/11/19 18:00	0.2	0.3	0.3
4/11/19 19:00	0.3	0.3	0.3
4/11/19 20:00	0.4	0.3	0.3
4/11/19 21:00	0.5	0.4	0.3
4/11/19 22:00	0.8	0.4	0.3
4/11/19 23:00	0.7	0.4	0.3
4/12/19 0:00	0.4	0.4	0.3
4/12/19 1:00	0.5	0.4	0.3
4/12/19 2:00	0.7	0.4	0.3
4/12/19 3:00	0.6	0.5	0.3
4/12/19 4:00	0.5	0.5	0.3
4/12/19 5:00	0.6	0.5	0.3
4/12/19 6:00	0.6	0.5	0.3
4/12/19 7:00	0.5	0.5	0.3
4/12/19 8:00	0.2	0.4	0.3
4/12/19 9:00	0.0	0.4	0.3
4/12/19 10:00	0.0	0.4	0.3
4/12/19 11:00	0.0	0.4	0.3
4/12/19 12:00	0.0	0.3	0.3
4/12/19 13:00	0.2	0.3	0.3
4/12/19 14:00	0.2	0.3	0.3
4/12/19 15:00	0.3	0.3	0.3
4/12/19 16:00	0.2	0.4	0.3
4/12/19 17:00	0.2	0.4	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/12/19 18:00	0.2	0.4	0.3
4/12/19 19:00	0.2	0.3	0.3
4/12/19 20:00	0.2	0.3	0.3
4/12/19 21:00	0.2	0.3	0.3
4/12/19 22:00	0.2	0.3	0.3
4/12/19 23:00	0.2	0.3	0.3
4/13/19 0:00	0.2	0.3	0.3
4/13/19 1:00	0.2	0.3	0.3
4/13/19 2:00	0.2	0.2	0.3
4/13/19 3:00	0.2	0.2	0.3
4/13/19 4:00	0.2	0.2	0.3
4/13/19 5:00	0.2	0.2	0.3
4/13/19 6:00	0.1	0.2	0.3
4/13/19 7:00	0.2	0.2	0.3
4/13/19 8:00	0.2	0.2	0.3
4/13/19 9:00	0.1	0.2	0.3
4/13/19 10:00	0.1	0.2	0.3
4/13/19 11:00	0.1	0.2	0.3
4/13/19 12:00	0.2	0.2	0.3
4/13/19 13:00	0.2	0.2	0.3
4/13/19 14:00	0.3	0.2	0.3
4/13/19 15:00	0.3	0.2	0.3
4/13/19 16:00	0.2	0.2	0.3
4/13/19 17:00	0.3	0.2	0.3
4/13/19 18:00	0.2	0.2	0.3
4/13/19 19:00	0.4	0.2	0.3
4/13/19 20:00	0.4	0.2	0.3
4/13/19 21:00	0.4	0.2	0.3
4/13/19 22:00	0.3	0.2	0.3
4/13/19 23:00	0.3	0.2	0.3
4/14/19 0:00	3.1	0.3	0.3
4/14/19 1:00	2.4	0.4	0.3
4/14/19 2:00	0.2	0.4	0.3
4/14/19 3:00	0.2	0.4	0.3
4/14/19 4:00	0.2	0.4	0.3
4/14/19 5:00	0.2	0.4	0.3
4/14/19 6:00	0.2	0.4	0.3
4/14/19 7:00	0.2	0.4	0.3
4/14/19 8:00	0.2	0.5	0.3
4/14/19 9:00	0.2	0.5	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/14/19 10:00	0.2	0.5	0.3
4/14/19 11:00	0.2	0.5	0.3
4/14/19 12:00	0.2	0.5	0.3
4/14/19 13:00	0.2	0.5	0.3
4/14/19 14:00	0.2	0.5	0.3
4/14/19 15:00	0.2	0.5	0.3
4/14/19 16:00	0.2	0.5	0.3
4/14/19 17:00	0.2	0.4	0.3
4/14/19 18:00	0.2	0.4	0.3
4/14/19 19:00	1.1	0.5	0.3
4/14/19 20:00	1.8	0.5	0.3
4/14/19 21:00	0.2	0.5	0.3
4/14/19 22:00	0.1	0.5	0.3
4/14/19 23:00	0.1	0.5	0.3
4/15/19 0:00	0.1	0.4	0.3
4/15/19 1:00	0.1	0.3	0.3
4/15/19 2:00	0.2	0.3	0.3
4/15/19 3:00	0.2	0.3	0.3
4/15/19 4:00	0.2	0.3	0.3
4/15/19 5:00	0.2	0.3	0.3
4/15/19 6:00	0.2	0.3	0.3
4/15/19 7:00	0.2	0.3	0.3
4/15/19 8:00	0.2	0.3	0.3
4/15/19 9:00	0.2	0.3	0.3
4/15/19 10:00	0.2	0.3	0.3
4/15/19 11:00	0.2	0.3	0.3
4/15/19 12:00	0.2	0.3	0.3
4/15/19 13:00	0.2	0.3	0.3
4/15/19 14:00	0.2	0.3	0.3
4/15/19 15:00	0.2	0.3	0.3
4/15/19 16:00	0.2	0.3	0.3
4/15/19 17:00	0.2	0.3	0.3
4/15/19 18:00	0.2	0.3	0.3
4/15/19 19:00	0.2	0.2	0.3
4/15/19 20:00	0.2	0.2	0.3
4/15/19 21:00	0.2	0.2	0.3
4/15/19 22:00	0.2	0.2	0.3
4/15/19 23:00	0.2	0.2	0.3
4/16/19 0:00	0.2	0.2	0.3
4/16/19 1:00	3.4	0.3	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/16/19 2:00	0.3	0.3	0.3
4/16/19 3:00	0.3	0.3	0.3
4/16/19 4:00	0.2	0.3	0.3
4/16/19 5:00	3.7	0.5	0.3
4/16/19 6:00	0.3	0.5	0.3
4/16/19 7:00	0.3	0.5	0.3
4/16/19 8:00	0.3	0.5	0.3
4/16/19 9:00	0.2	0.5	0.3
4/16/19 10:00	0.2	0.5	0.3
4/16/19 11:00	0.3	0.5	0.3
4/16/19 12:00	0.2	0.5	0.3
4/16/19 13:00	0.2	0.5	0.3
4/16/19 14:00	0.3	0.5	0.3
4/16/19 15:00	4.9	0.7	0.3
4/16/19 16:00	0.3	0.7	0.3
4/16/19 17:00	0.3	0.7	0.3
4/16/19 18:00	0.3	0.7	0.3
4/16/19 19:00	0.2	0.7	0.3
4/16/19 20:00	0.2	0.7	0.3
4/16/19 21:00	0.2	0.7	0.3
4/16/19 22:00	0.2	0.7	0.3
4/16/19 23:00	0.2	0.7	0.3
4/17/19 0:00	0.2	0.7	0.3
4/17/19 1:00	2.6	0.7	0.3
4/17/19 2:00	0.2	0.7	0.3
4/17/19 3:00	0.2	0.7	0.3
4/17/19 4:00	0.3	0.7	0.3
4/17/19 5:00	0.2	0.5	0.3
4/17/19 6:00	0.3	0.5	0.3
4/17/19 7:00	0.3	0.5	0.3
4/17/19 8:00	0.4	0.5	0.3
4/17/19 9:00	0.4	0.5	0.3
4/17/19 10:00	0.3	0.5	0.3
4/17/19 11:00	0.3	0.5	0.3
4/17/19 12:00	0.3	0.6	0.3
4/17/19 13:00	0.3	0.6	0.3
4/17/19 14:00	0.3	0.6	0.3
4/17/19 15:00	0.3	0.4	0.3
4/17/19 16:00	0.3	0.4	0.3
4/17/19 17:00	0.3	0.4	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/17/19 18:00	0.3	0.4	0.3
4/17/19 19:00	0.3	0.4	0.3
4/17/19 20:00	0.3	0.4	0.3
4/17/19 21:00	0.4	0.4	0.3
4/17/19 22:00	0.4	0.4	0.3
4/17/19 23:00	0.4	0.4	0.3
4/18/19 0:00	0.5	0.4	0.3
4/18/19 1:00	0.4	0.3	0.3
4/18/19 2:00	0.4	0.3	0.3
4/18/19 3:00	0.5	0.3	0.3
4/18/19 4:00	0.5	0.3	0.3
4/18/19 5:00	0.5	0.4	0.3
4/18/19 6:00	0.5	0.4	0.3
4/18/19 7:00	0.7	0.4	0.3
4/18/19 8:00	0.7	0.4	0.3
4/18/19 9:00	0.6	0.4	0.3
4/18/19 10:00	0.6	0.4	0.3
4/18/19 11:00	0.6	0.4	0.3
4/18/19 12:00	0.9	0.5	0.3
4/18/19 13:00	0.5	0.5	0.3
4/18/19 14:00	0.3	0.5	0.3
4/18/19 15:00	0.3	0.5	0.3
4/18/19 16:00	0.3	0.5	0.3
4/18/19 17:00	0.3	0.5	0.3
4/18/19 18:00	0.4	0.5	0.3
4/18/19 19:00	0.4	0.5	0.3
4/18/19 20:00	0.4	0.5	0.3
4/18/19 21:00	0.4	0.5	0.3
4/18/19 22:00	0.4	0.5	0.3
4/18/19 23:00	0.4	0.5	0.3
4/19/19 0:00	0.4	0.5	0.3
4/19/19 1:00	0.4	0.5	0.3
4/19/19 2:00	0.4	0.5	0.3
4/19/19 3:00	0.4	0.5	0.3
4/19/19 4:00	0.7	0.5	0.3
4/19/19 5:00	0.5	0.5	0.3
4/19/19 6:00	0.4	0.5	0.3
4/19/19 7:00	0.4	0.5	0.3
4/19/19 8:00	0.4	0.5	0.3
4/19/19 9:00	0.5	0.5	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/19/19 10:00	0.8	0.5	0.3
4/19/19 11:00	0.4	0.5	0.3
4/19/19 12:00	0.4	0.4	0.3
4/19/19 13:00	2.7	0.5	0.3
4/19/19 14:00	0.7	0.5	0.3
4/19/19 15:00	0.4	0.6	0.3
4/19/19 16:00	0.4	0.6	0.3
4/19/19 17:00	0.4	0.6	0.3
4/19/19 18:00	0.4	0.6	0.3
4/19/19 19:00	0.4	0.6	0.3
4/19/19 20:00	0.4	0.6	0.3
4/19/19 21:00	0.4	0.6	0.3
4/19/19 22:00	0.4	0.6	0.3
4/19/19 23:00	0.4	0.6	0.3
4/20/19 0:00	0.4	0.5	0.3
4/20/19 1:00	0.4	0.5	0.3
4/20/19 2:00	0.4	0.5	0.3
4/20/19 3:00	0.4	0.5	0.3
4/20/19 4:00	0.4	0.5	0.3
4/20/19 5:00	0.4	0.5	0.3
4/20/19 6:00	0.4	0.5	0.3
4/20/19 7:00	0.4	0.5	0.3
4/20/19 8:00	0.4	0.5	0.3
4/20/19 9:00	0.4	0.5	0.3
4/20/19 10:00	0.4	0.5	0.3
4/20/19 11:00	0.4	0.5	0.3
4/20/19 12:00	0.5	0.5	0.3
4/20/19 13:00	0.5	0.4	0.3
4/20/19 14:00	0.5	0.4	0.3
4/20/19 15:00	1.6	0.5	0.3
4/20/19 16:00	0.4	0.5	0.3
4/20/19 17:00	0.4	0.5	0.3
4/20/19 18:00	0.4	0.5	0.3
4/20/19 19:00	0.4	0.5	0.3
4/20/19 20:00	0.5	0.5	0.3
4/20/19 21:00	0.4	0.5	0.3
4/20/19 22:00	0.4	0.5	0.3
4/20/19 23:00	0.4	0.5	0.3
4/21/19 0:00	0.4	0.5	0.3
4/21/19 1:00	0.5	0.5	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/21/19 2:00	0.5	0.5	0.3
4/21/19 3:00	1.1	0.5	0.3
4/21/19 4:00	0.6	0.5	0.3
4/21/19 5:00	4.2	0.7	0.3
4/21/19 6:00	1.0	0.7	0.3
4/21/19 7:00	0.5	0.7	0.3
4/21/19 8:00	0.4	0.7	0.3
4/21/19 9:00	0.5	0.7	0.3
4/21/19 10:00	0.5	0.7	0.3
4/21/19 11:00	0.3	0.7	0.3
4/21/19 12:00	0.4	0.7	0.3
4/21/19 13:00	0.3	0.7	0.3
4/21/19 14:00	0.4	0.7	0.3
4/21/19 15:00	0.6	0.7	0.3
4/21/19 16:00	0.5	0.7	0.3
4/21/19 17:00	0.4	0.7	0.3
4/21/19 18:00	0.3	0.7	0.3
4/21/19 19:00	0.3	0.6	0.3
4/21/19 20:00	0.3	0.6	0.3
4/21/19 21:00	0.4	0.6	0.3
4/21/19 22:00	0.4	0.6	0.3
4/21/19 23:00	0.4	0.6	0.3
4/22/19 0:00	0.3	0.6	0.3
4/22/19 1:00	0.4	0.6	0.3
4/22/19 2:00	0.4	0.6	0.3
4/22/19 3:00	0.4	0.6	0.3
4/22/19 4:00	0.5	0.6	0.3
4/22/19 5:00	0.4	0.4	0.3
4/22/19 6:00	0.6	0.4	0.3
4/22/19 7:00	0.9	0.4	0.3
4/22/19 8:00	0.5	0.4	0.3
4/22/19 9:00	0.3	0.4	0.3
4/22/19 10:00	0.4	0.4	0.3
4/22/19 11:00	3.6	0.6	0.3
4/22/19 12:00	0.5	0.6	0.3
4/22/19 13:00	0.4	0.6	0.3
4/22/19 14:00	0.7	0.6	0.3
4/22/19 15:00	0.4	0.6	0.3
4/22/19 16:00	0.4	0.6	0.3
4/22/19 17:00	0.7	0.6	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/22/19 18:00	0.4	0.6	0.3
4/22/19 19:00	0.4	0.6	0.3
4/22/19 20:00	0.3	0.6	0.3
4/22/19 21:00	0.3	0.6	0.3
4/22/19 22:00	0.2	0.6	0.3
4/22/19 23:00	0.3	0.6	0.3
4/23/19 0:00	2.7	0.7	0.4
4/23/19 1:00	0.3	0.7	0.4
4/23/19 2:00	0.7	0.7	0.4
4/23/19 3:00	0.3	0.7	0.4
4/23/19 4:00	0.6	0.7	0.4
4/23/19 5:00	0.4	0.7	0.4
4/23/19 6:00	0.3	0.7	0.4
4/23/19 7:00	0.3	0.6	0.4
4/23/19 8:00	0.3	0.6	0.4
4/23/19 9:00	0.2	0.6	0.4
4/23/19 10:00	0.2	0.6	0.4
4/23/19 11:00	0.1	0.5	0.4
4/23/19 12:00	0.1	0.5	0.4
4/23/19 13:00	0.2	0.5	0.4
4/23/19 14:00	0.3	0.4	0.4
4/23/19 15:00	0.3	0.4	0.4
4/23/19 16:00	0.2	0.4	0.4
4/23/19 17:00	0.2	0.4	0.4
4/23/19 18:00	0.2	0.4	0.4
4/23/19 19:00	0.1	0.4	0.4
4/23/19 20:00	0.1	0.4	0.4
4/23/19 21:00	0.1	0.4	0.4
4/23/19 22:00	0.2	0.4	0.4
4/23/19 23:00	0.1	0.4	0.4
4/24/19 0:00	0.1	0.3	0.3
4/24/19 1:00	0.2	0.2	0.3
4/24/19 2:00	0.2	0.2	0.3
4/24/19 3:00	0.1	0.2	0.3
4/24/19 4:00	0.2	0.2	0.3
4/24/19 5:00	0.2	0.2	0.3
4/24/19 6:00	0.2	0.2	0.3
4/24/19 7:00	0.2	0.2	0.3
4/24/19 8:00	0.2	0.2	0.3
4/24/19 9:00	0.2	0.2	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/24/19 10:00	0.2	0.2	0.3
4/24/19 11:00	0.2	0.2	0.3
4/24/19 12:00	0.1	0.2	0.3
4/24/19 13:00	0.2	0.2	0.3
4/24/19 14:00	0.2	0.2	0.3
4/24/19 15:00	0.2	0.2	0.3
4/24/19 16:00	0.2	0.2	0.3
4/24/19 17:00	0.2	0.2	0.3
4/24/19 18:00	0.2	0.2	0.3
4/24/19 19:00	0.2	0.2	0.3
4/24/19 20:00	0.2	0.2	0.3
4/24/19 21:00	0.2	0.2	0.3
4/24/19 22:00	0.2	0.2	0.3
4/24/19 23:00	0.2	0.2	0.3
4/25/19 0:00	0.2	0.2	0.3
4/25/19 1:00	0.1	0.2	0.3
4/25/19 2:00	0.1	0.2	0.3
4/25/19 3:00	0.1	0.2	0.3
4/25/19 4:00	0.2	0.2	0.3
4/25/19 5:00	0.2	0.2	0.3
4/25/19 6:00	0.1	0.2	0.3
4/25/19 7:00	0.1	0.2	0.3
4/25/19 8:00	0.2	0.2	0.3
4/25/19 9:00	0.2	0.2	0.3
4/25/19 10:00	0.2	0.2	0.3
4/25/19 11:00	0.2	0.2	0.3
4/25/19 12:00	0.2	0.2	0.3
4/25/19 13:00	0.2	0.2	0.3
4/25/19 14:00	0.2	0.2	0.3
4/25/19 15:00	0.2	0.2	0.3
4/25/19 16:00	0.2	0.2	0.3
4/25/19 17:00	0.2	0.2	0.3
4/25/19 18:00	0.1	0.2	0.3
4/25/19 19:00	0.2	0.2	0.3
4/25/19 20:00	0.2	0.2	0.3
4/25/19 21:00	0.2	0.2	0.3
4/25/19 22:00	0.2	0.2	0.3
4/25/19 23:00	0.2	0.2	0.3
4/26/19 0:00	0.2	0.2	0.3
4/26/19 1:00	0.1	0.2	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/26/19 2:00	0.2	0.2	0.3
4/26/19 3:00	0.2	0.2	0.3
4/26/19 4:00	0.1	0.2	0.3
4/26/19 5:00	0.2	0.2	0.3
4/26/19 6:00	2.1	0.3	0.3
4/26/19 7:00	0.2	0.3	0.3
4/26/19 8:00	0.2	0.3	0.3
4/26/19 9:00	0.2	0.3	0.3
4/26/19 10:00	0.2	0.3	0.3
4/26/19 11:00	0.2	0.3	0.3
4/26/19 12:00	0.2	0.3	0.3
4/26/19 13:00	0.2	0.3	0.3
4/26/19 14:00	0.2	0.3	0.3
4/26/19 15:00	0.1	0.3	0.3
4/26/19 16:00	0.2	0.3	0.3
4/26/19 17:00	0.2	0.3	0.3
4/26/19 18:00	0.2	0.3	0.3
4/26/19 19:00	0.3	0.3	0.3
4/26/19 20:00	0.3	0.3	0.3
4/26/19 21:00	0.3	0.3	0.3
4/26/19 22:00	0.3	0.3	0.3
4/26/19 23:00	0.3	0.3	0.3
4/27/19 0:00	0.2	0.3	0.3
4/27/19 1:00	0.2	0.3	0.3
4/27/19 2:00	0.2	0.3	0.3
4/27/19 3:00	0.2	0.3	0.3
4/27/19 4:00	0.2	0.3	0.3
4/27/19 5:00	0.3	0.3	0.3
4/27/19 6:00	0.3	0.2	0.3
4/27/19 7:00	0.3	0.2	0.3
4/27/19 8:00	0.2	0.2	0.3
4/27/19 9:00	0.3	0.2	0.3
4/27/19 10:00	0.2	0.2	0.3
4/27/19 11:00	0.2	0.2	0.3
4/27/19 12:00	0.2	0.2	0.3
4/27/19 13:00	0.2	0.2	0.3
4/27/19 14:00	0.2	0.2	0.3
4/27/19 15:00	0.2	0.2	0.3
4/27/19 16:00	0.2	0.2	0.3
4/27/19 17:00	0.2	0.3	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/27/19 18:00	0.1	0.2	0.3
4/27/19 19:00	0.2	0.2	0.3
4/27/19 20:00	0.2	0.2	0.3
4/27/19 21:00	0.2	0.2	0.3
4/27/19 22:00	0.2	0.2	0.3
4/27/19 23:00	0.2	0.2	0.3
4/28/19 0:00	0.2	0.2	0.3
4/28/19 1:00	0.2	0.2	0.3
4/28/19 2:00	0.2	0.2	0.3
4/28/19 3:00	0.2	0.2	0.3
4/28/19 4:00	0.2	0.2	0.3
4/28/19 5:00	0.3	0.2	0.3
4/28/19 6:00	0.2	0.2	0.3
4/28/19 7:00	0.2	0.2	0.3
4/28/19 8:00	0.2	0.2	0.3
4/28/19 9:00	0.2	0.2	0.3
4/28/19 10:00	0.2	0.2	0.3
4/28/19 11:00	0.2	0.2	0.3
4/28/19 12:00	0.2	0.2	0.3
4/28/19 13:00	0.2	0.2	0.3
4/28/19 14:00	0.2	0.2	0.3
4/28/19 15:00	0.3	0.2	0.3
4/28/19 16:00	0.3	0.2	0.3
4/28/19 17:00	0.2	0.2	0.3
4/28/19 18:00	0.2	0.2	0.3
4/28/19 19:00	0.2	0.2	0.3
4/28/19 20:00	0.1	0.2	0.3
4/28/19 21:00	0.2	0.2	0.3
4/28/19 22:00	0.3	0.2	0.3
4/28/19 23:00	0.3	0.2	0.3
4/29/19 0:00	0.3	0.2	0.3
4/29/19 1:00	0.3	0.2	0.3
4/29/19 2:00	0.3	0.2	0.3
4/29/19 3:00	0.2	0.2	0.3
4/29/19 4:00	0.3	0.2	0.3
4/29/19 5:00	0.3	0.2	0.3
4/29/19 6:00	0.3	0.2	0.3
4/29/19 7:00	0.4	0.2	0.3
4/29/19 8:00	0.4	0.3	0.3
4/29/19 9:00	0.3	0.3	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/29/19 10:00	0.2	0.3	0.3
4/29/19 11:00	0.2	0.3	0.3
4/29/19 12:00	0.3	0.3	0.3
4/29/19 13:00	0.3	0.3	0.3
4/29/19 14:00	0.2	0.3	0.3
4/29/19 15:00	0.2	0.3	0.3
4/29/19 16:00	0.3	0.3	0.3
4/29/19 17:00	0.3	0.3	0.3
4/29/19 18:00	0.3	0.3	0.3
4/29/19 19:00	0.4	0.3	0.3
4/29/19 20:00	0.2	0.3	0.3
4/29/19 21:00	0.2	0.3	0.3
4/29/19 22:00	0.2	0.3	0.3
4/29/19 23:00	0.2	0.3	0.3
4/30/19 0:00	0.3	0.3	0.3
4/30/19 1:00	0.3	0.3	0.3
4/30/19 2:00	0.3	0.3	0.3
4/30/19 3:00	0.3	0.3	0.3
4/30/19 4:00	0.2	0.3	0.3
4/30/19 5:00	0.3	0.3	0.3
4/30/19 6:00	0.2	0.3	0.3
4/30/19 7:00	0.2	0.3	0.3
4/30/19 8:00	0.2	0.3	0.3
4/30/19 9:00	0.2	0.3	0.3
4/30/19 10:00	0.2	0.3	0.3
4/30/19 11:00	0.2	0.3	0.3
4/30/19 12:00	0.2	0.3	0.3
4/30/19 13:00	0.2	0.2	0.3
4/30/19 14:00	0.2	0.2	0.3
4/30/19 15:00	0.3	0.3	0.3
4/30/19 16:00	0.3	0.3	0.3
4/30/19 17:00	0.2	0.3	0.3
4/30/19 18:00	0.2	0.2	0.3
4/30/19 19:00	0.3	0.2	0.3
4/30/19 20:00	0.2	0.2	0.3
4/30/19 21:00	0.2	0.2	0.3
4/30/19 22:00	0.3	0.2	0.3
4/30/19 23:00	0.2	0.2	0.3
5/1/19 0:00	0.3	0.2	0.3
5/1/19 1:00	0.2	0.2	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/1/19 2:00	0.2	0.2	0.3
5/1/19 3:00	0.2	0.2	0.3
5/1/19 4:00	0.2	0.2	0.3
5/1/19 5:00	0.3	0.2	0.3
5/1/19 6:00	0.3	0.2	0.3
5/1/19 7:00	0.3	0.2	0.4
5/1/19 8:00	0.3	0.2	0.4
5/1/19 9:00	0.3	0.3	0.4
5/1/19 10:00	0.3	0.3	0.4
5/1/19 11:00	0.3	0.3	0.4
5/1/19 12:00	0.2	0.3	0.4
5/1/19 13:00	0.4	0.3	0.4
5/1/19 14:00	0.4	0.3	0.4
5/1/19 15:00	0.4	0.3	0.4
5/1/19 16:00	0.2	0.3	0.4
5/1/19 17:00	0.2	0.3	0.4
5/1/19 18:00	0.3	0.3	0.4
5/1/19 19:00	0.2	0.3	0.4
5/1/19 20:00	0.3	0.3	0.4
5/1/19 21:00	0.3	0.3	0.4
5/1/19 22:00	0.2	0.3	0.4
5/1/19 23:00	0.2	0.3	0.4
5/2/19 0:00	0.2	0.3	0.4
5/2/19 1:00	0.2	0.3	0.4
5/2/19 2:00	2.2	0.4	0.4
5/2/19 3:00	3.2	0.5	0.4
5/2/19 4:00	2.9	0.6	0.4
5/2/19 5:00	1.8	0.7	0.4
5/2/19 6:00	0.2	0.6	0.4
5/2/19 7:00	3.4	0.8	0.4
5/2/19 8:00	1.2	0.8	0.4
5/2/19 9:00	0.2	0.8	0.4
5/2/19 10:00	0.2	0.8	0.4
5/2/19 11:00	2.8	0.9	0.4
5/2/19 12:00	0.4	0.9	0.4
5/2/19 13:00	0.3	0.9	0.4
5/2/19 14:00	0.3	0.9	0.4
5/2/19 15:00	0.2	0.9	0.4
5/2/19 16:00	0.2	0.9	0.4
5/2/19 17:00	0.1	0.9	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/2/19 18:00	0.2	0.9	0.4
5/2/19 19:00	0.2	0.9	0.4
5/2/19 20:00	0.2	0.9	0.4
5/2/19 21:00	0.2	0.9	0.4
5/2/19 22:00	0.2	0.9	0.4
5/2/19 23:00	0.2	0.9	0.4
5/3/19 0:00	0.2	0.9	0.4
5/3/19 1:00	0.2	0.9	0.4
5/3/19 2:00	0.2	0.8	0.4
5/3/19 3:00	0.2	0.7	0.4
5/3/19 4:00	0.2	0.6	0.4
5/3/19 5:00	0.2	0.5	0.4
5/3/19 6:00	0.2	0.5	0.4
5/3/19 7:00	0.3	0.4	0.4
5/3/19 8:00	0.2	0.3	0.4
5/3/19 9:00	0.2	0.3	0.4
5/3/19 10:00	0.1	0.3	0.4
5/3/19 11:00	0.1	0.2	0.4
5/3/19 12:00	0.1	0.2	0.4
5/3/19 13:00	0.6	0.2	0.4
5/3/19 14:00	0.7	0.2	0.4
5/3/19 15:00	0.3	0.2	0.4
5/3/19 16:00	0.4	0.2	0.4
5/3/19 17:00	0.3	0.2	0.4
5/3/19 18:00	0.1	0.2	0.4
5/3/19 19:00	0.1	0.2	0.4
5/3/19 20:00	0.1	0.2	0.4
5/3/19 21:00	0.1	0.2	0.4
5/3/19 22:00	0.1	0.2	0.4
5/3/19 23:00	0.2	0.2	0.4
5/4/19 0:00	0.2	0.2	0.4
5/4/19 1:00	0.1	0.2	0.4
5/4/19 2:00	0.1	0.2	0.4
5/4/19 3:00	0.1	0.2	0.4
5/4/19 4:00	0.1	0.2	0.4
5/4/19 5:00	0.1	0.2	0.4
5/4/19 6:00	0.1	0.2	0.4
5/4/19 7:00	0.1	0.2	0.4
5/4/19 8:00	0.2	0.2	0.4
5/4/19 9:00	0.1	0.2	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/4/19 10:00	0.1	0.2	0.4
5/4/19 11:00	0.1	0.2	0.4
5/4/19 12:00	0.1	0.2	0.4
5/4/19 13:00	0.3	0.2	0.4
5/4/19 14:00	0.4	0.2	0.4
5/4/19 15:00	0.2	0.2	0.4
5/4/19 16:00	22.3	1.1	0.4
5/4/19 17:00	0.1	1.1	0.4
5/4/19 18:00	0.1	1.1	0.4
5/4/19 19:00	0.1	1.1	0.4
5/4/19 20:00	0.2	1.1	0.4
5/4/19 21:00	0.2	1.1	0.4
5/4/19 22:00	0.5	1.1	0.4
5/4/19 23:00	0.1	1.1	0.4
5/5/19 0:00	2.3	1.2	0.4
5/5/19 1:00	1.0	1.2	0.4
5/5/19 2:00	0.2	1.2	0.4
5/5/19 3:00	0.2	1.2	0.4
5/5/19 4:00	0.2	1.2	0.4
5/5/19 5:00	0.2	1.2	0.4
5/5/19 6:00	0.2	1.2	0.4
5/5/19 7:00	0.2	1.2	0.4
5/5/19 8:00	0.2	1.2	0.4
5/5/19 9:00	0.2	1.2	0.4
5/5/19 10:00	0.2	1.2	0.4
5/5/19 11:00	0.2	1.2	0.4
5/5/19 12:00	0.2	1.2	0.4
5/5/19 13:00	0.2	1.2	0.4
5/5/19 14:00	0.2	1.2	0.4
5/5/19 15:00	0.3	1.2	0.4
5/5/19 16:00	0.2	0.3	0.4
5/5/19 17:00	0.2	0.3	0.4
5/5/19 18:00	0.1	0.3	0.4
5/5/19 19:00	0.2	0.3	0.4
5/5/19 20:00	0.2	0.3	0.4
5/5/19 21:00	0.2	0.3	0.4
5/5/19 22:00	0.2	0.3	0.4
5/5/19 23:00	0.2	0.3	0.4
5/6/19 0:00	0.2	0.2	0.4
5/6/19 1:00	0.2	0.2	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/6/19 2:00	0.3	0.2	0.4
5/6/19 3:00	0.2	0.2	0.4
5/6/19 4:00	0.2	0.2	0.4
5/6/19 5:00	0.2	0.2	0.4
5/6/19 6:00	0.1	0.2	0.4
5/6/19 7:00	0.2	0.2	0.4
5/6/19 8:00	0.2	0.2	0.4
5/6/19 9:00	0.2	0.2	0.4
5/6/19 10:00	0.2	0.2	0.4
5/6/19 11:00	0.1	0.2	0.4
5/6/19 12:00	0.2	0.2	0.4
5/6/19 13:00	0.2	0.2	0.4
5/6/19 14:00	0.2	0.2	0.4
5/6/19 15:00	0.3	0.2	0.4
5/6/19 16:00	0.2	0.2	0.4
5/6/19 17:00	0.2	0.2	0.4
5/6/19 18:00	0.2	0.2	0.4
5/6/19 19:00	0.1	0.2	0.4
5/6/19 20:00	0.2	0.2	0.4
5/6/19 21:00	0.2	0.2	0.4
5/6/19 22:00	0.3	0.2	0.4
5/6/19 23:00	0.5	0.2	0.4
5/7/19 0:00	0.3	0.2	0.4
5/7/19 1:00	0.3	0.2	0.4
5/7/19 2:00	0.2	0.2	0.4
5/7/19 3:00	0.3	0.2	0.4
5/7/19 4:00	0.3	0.2	0.4
5/7/19 5:00	0.3	0.2	0.4
5/7/19 6:00	0.3	0.2	0.4
5/7/19 7:00	0.2	0.2	0.4
5/7/19 8:00	0.2	0.2	0.4
5/7/19 9:00	0.2	0.2	0.4
5/7/19 10:00	0.2	0.2	0.4
5/7/19 11:00	0.2	0.2	0.4
5/7/19 12:00	0.2	0.2	0.4
5/7/19 13:00	0.2	0.2	0.4
5/7/19 14:00	0.2	0.2	0.4
5/7/19 15:00	0.2	0.2	0.4
5/7/19 16:00	0.2	0.2	0.4
5/7/19 17:00	0.2	0.2	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/7/19 18:00	0.2	0.2	0.4
5/7/19 19:00	0.2	0.2	0.4
5/7/19 20:00	0.2	0.2	0.4
5/7/19 21:00	0.2	0.2	0.4
5/7/19 22:00	0.2	0.2	0.4
5/7/19 23:00	0.2	0.2	0.4
5/8/19 0:00	0.2	0.2	0.4
5/8/19 1:00	0.2	0.2	0.4
5/8/19 2:00	0.2	0.2	0.4
5/8/19 3:00	0.2	0.2	0.4
5/8/19 4:00	0.3	0.2	0.4
5/8/19 5:00	0.2	0.2	0.4
5/8/19 6:00	0.2	0.2	0.4
5/8/19 7:00	0.2	0.2	0.4
5/8/19 8:00	0.2	0.2	0.4
5/8/19 9:00	0.2	0.2	0.4
5/8/19 10:00	0.3	0.2	0.4
5/8/19 11:00	0.2	0.2	0.4
5/8/19 12:00	0.2	0.2	0.4
5/8/19 13:00	0.2	0.2	0.4
5/8/19 14:00	0.2	0.2	0.4
5/8/19 15:00	0.2	0.2	0.4
5/8/19 16:00	0.2	0.2	0.4
5/8/19 17:00	0.2	0.2	0.4
5/8/19 18:00	0.1	0.2	0.4
5/8/19 19:00	0.2	0.2	0.4
5/8/19 20:00	0.2	0.2	0.4
5/8/19 21:00	0.2	0.2	0.4
5/8/19 22:00	0.2	0.2	0.4
5/8/19 23:00	0.2	0.2	0.4
5/9/19 0:00	0.2	0.2	0.4
5/9/19 1:00	0.2	0.2	0.4
5/9/19 2:00	0.2	0.2	0.4
5/9/19 3:00	0.2	0.2	0.4
5/9/19 4:00	0.2	0.2	0.4
5/9/19 5:00	0.2	0.2	0.4
5/9/19 6:00	0.2	0.2	0.4
5/9/19 7:00	0.2	0.2	0.4
5/9/19 8:00	0.2	0.2	0.4
5/9/19 9:00	0.2	0.2	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/9/19 10:00	0.2	0.2	0.4
5/9/19 11:00	0.4	0.2	0.4
5/9/19 12:00	0.2	0.2	0.4
5/9/19 13:00	0.2	0.2	0.4
5/9/19 14:00	0.2	0.2	0.4
5/9/19 15:00	0.2	0.2	0.4
5/9/19 16:00	0.1	0.2	0.4
5/9/19 17:00	0.1	0.2	0.4
5/9/19 18:00	0.2	0.2	0.4
5/9/19 19:00	0.2	0.2	0.4
5/9/19 20:00	0.2	0.2	0.4
5/9/19 21:00	0.2	0.2	0.4
5/9/19 22:00	0.2	0.2	0.4
5/9/19 23:00	0.2	0.2	0.4
5/10/19 0:00	0.2	0.2	0.4
5/10/19 1:00	1.8	0.3	0.4
5/10/19 2:00	1.5	0.3	0.4
5/10/19 3:00	0.2	0.3	0.4
5/10/19 4:00	0.2	0.3	0.4
5/10/19 5:00	0.2	0.3	0.4
5/10/19 6:00	0.2	0.3	0.4
5/10/19 7:00	0.2	0.3	0.4
5/10/19 8:00	0.2	0.3	0.4
5/10/19 9:00	0.2	0.3	0.4
5/10/19 10:00	0.2	0.3	0.4
5/10/19 11:00	0.2	0.3	0.4
5/10/19 12:00	0.2	0.3	0.4
5/10/19 13:00	0.2	0.3	0.4
5/10/19 14:00	0.2	0.3	0.4
5/10/19 15:00	0.2	0.3	0.4
5/10/19 16:00	0.2	0.3	0.4
5/10/19 17:00	0.2	0.3	0.4
5/10/19 18:00	0.2	0.3	0.4
5/10/19 19:00	0.2	0.3	0.4
5/10/19 20:00	0.2	0.3	0.4
5/10/19 21:00	0.2	0.3	0.4
5/10/19 22:00	0.2	0.3	0.4
5/10/19 23:00	0.2	0.3	0.4
5/11/19 0:00	0.2	0.3	0.4
5/11/19 1:00	0.2	0.3	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/11/19 2:00	0.2	0.2	0.4
5/11/19 3:00	0.4	0.2	0.4
5/11/19 4:00	0.3	0.2	0.4
5/11/19 5:00	0.2	0.2	0.4
5/11/19 6:00	0.2	0.2	0.4
5/11/19 7:00	0.2	0.2	0.4
5/11/19 8:00	0.2	0.2	0.4
5/11/19 9:00	0.2	0.2	0.4
5/11/19 10:00	0.2	0.2	0.4
5/11/19 11:00	0.2	0.2	0.4
5/11/19 12:00	0.2	0.2	0.4
5/11/19 13:00	0.2	0.2	0.4
5/11/19 14:00	0.3	0.2	0.4
5/11/19 15:00	0.3	0.2	0.4
5/11/19 16:00	0.3	0.2	0.4
5/11/19 17:00	0.5	0.2	0.4
5/11/19 18:00	0.6	0.3	0.4
5/11/19 19:00	0.4	0.3	0.4
5/11/19 20:00	0.3	0.3	0.4
5/11/19 21:00	0.3	0.3	0.4
5/11/19 22:00	0.3	0.3	0.4
5/11/19 23:00	0.4	0.3	0.4
5/12/19 0:00	0.5	0.3	0.4
5/12/19 1:00	0.5	0.3	0.4
5/12/19 2:00	0.4	0.3	0.4
5/12/19 3:00	0.3	0.3	0.4
5/12/19 4:00	0.3	0.3	0.4
5/12/19 5:00	0.3	0.3	0.4
5/12/19 6:00	0.3	0.3	0.4
5/12/19 7:00	0.3	0.3	0.4
5/12/19 8:00	0.5	0.3	0.4
5/12/19 9:00	0.4	0.3	0.4
5/12/19 10:00	0.3	0.3	0.4
5/12/19 11:00	0.4	0.4	0.4
5/12/19 12:00	0.4	0.4	0.4
5/12/19 13:00	0.6	0.4	0.4
5/12/19 14:00	0.4	0.4	0.4
5/12/19 15:00	0.4	0.4	0.4
5/12/19 16:00	0.4	0.4	0.4
5/12/19 17:00	0.3	0.4	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/12/19 18:00	0.3	0.4	0.4
5/12/19 19:00	0.3	0.4	0.4
5/12/19 20:00	0.2	0.4	0.4
5/12/19 21:00	0.2	0.4	0.4
5/12/19 22:00	0.2	0.3	0.4
5/12/19 23:00	0.2	0.3	0.4
5/13/19 0:00	0.2	0.3	0.4
5/13/19 1:00	0.2	0.3	0.4
5/13/19 2:00	0.3	0.3	0.4
5/13/19 3:00	0.3	0.3	0.4
5/13/19 4:00	0.2	0.3	0.4
5/13/19 5:00	0.2	0.3	0.4
5/13/19 6:00	0.2	0.3	0.4
5/13/19 7:00	0.2	0.3	0.4
5/13/19 8:00	0.2	0.3	0.4
5/13/19 9:00	0.2	0.3	0.4
5/13/19 10:00	0.2	0.3	0.4
5/13/19 11:00	0.2	0.3	0.4
5/13/19 12:00	0.3	0.3	0.4
5/13/19 13:00	0.2	0.2	0.4
5/13/19 14:00	0.2	0.2	0.4
5/13/19 15:00	0.2	0.2	0.4
5/13/19 16:00	0.4	0.2	0.4
5/13/19 17:00	0.4	0.2	0.4
5/13/19 18:00	2.7	0.3	0.4
5/13/19 19:00	0.5	0.3	0.4
5/13/19 20:00	2.3	0.4	0.4
5/13/19 21:00	0.8	0.5	0.4
5/13/19 22:00	2.8	0.6	0.4
5/13/19 23:00	6.7	0.8	0.4
5/14/19 0:00	1.2	0.9	0.4
5/14/19 1:00	0.9	0.9	0.4
5/14/19 2:00	0.6	0.9	0.4
5/14/19 3:00	0.3	0.9	0.4
5/14/19 4:00	0.1	0.9	0.4
5/14/19 5:00	0.1	0.9	0.4
5/14/19 6:00	0.0	0.9	0.4
5/14/19 7:00	0.0	0.9	0.4
5/14/19 8:00	0.0	0.9	0.4
5/14/19 9:00	0.0	0.9	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/14/19 10:00	0.0	0.9	0.4
5/14/19 11:00	0.0	0.9	0.4
5/14/19 12:00	0.0	0.8	0.4
5/14/19 13:00	0.0	0.8	0.4
5/14/19 14:00	0.0	0.8	0.4
5/14/19 15:00	0.1	0.8	0.4
5/14/19 16:00	0.1	0.8	0.4
5/14/19 17:00	0.1	0.8	0.4
5/14/19 18:00	0.3	0.7	0.4
5/14/19 19:00	0.5	0.7	0.4
5/14/19 20:00	0.1	0.6	0.4
5/14/19 21:00	0.6	0.6	0.4
5/14/19 22:00	2.1	0.6	0.4
5/14/19 23:00	10.7	0.7	0.4
5/15/19 0:00	0.7	0.7	0.4
5/15/19 1:00	0.7	0.7	0.4
5/15/19 2:00	0.7	0.7	0.4
5/15/19 3:00	2.7	0.8	0.4
5/15/19 4:00	0.1	0.8	0.4
5/15/19 5:00	0.1	0.8	0.4
5/15/19 6:00	0.1	0.8	0.4
5/15/19 7:00	0.3	0.8	0.4
5/15/19 8:00	0.1	0.8	0.4
5/15/19 9:00	0.0	0.8	0.4
5/15/19 10:00	0.0	0.8	0.4
5/15/19 11:00	0.0	0.8	0.4
5/15/19 12:00	0.0	0.8	0.4
5/15/19 13:00	12.5	1.4	0.4
5/15/19 14:00	3.9	1.5	0.4
5/15/19 15:00	0.1	1.5	0.4
5/15/19 16:00	0.1	1.5	0.4
5/15/19 17:00	0.2	1.5	0.4
5/15/19 18:00	0.1	1.5	0.4
5/15/19 19:00	0.1	1.5	0.4
5/15/19 20:00	0.1	1.5	0.4
5/15/19 21:00	0.2	1.5	0.4
5/15/19 22:00	0.2	1.4	0.4
5/15/19 23:00	0.2	1.0	0.4
5/16/19 0:00	0.2	0.9	0.4
5/16/19 1:00	1.8	1.0	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/16/19 2:00	0.6	1.0	0.4
5/16/19 3:00	0.3	0.9	0.4
5/16/19 4:00	0.1	0.9	0.4
5/16/19 5:00	0.1	0.9	0.4
5/16/19 6:00	0.1	0.9	0.4
5/16/19 7:00	0.2	0.9	0.4
5/16/19 8:00	0.3	0.9	0.4
5/16/19 9:00	0.7	0.9	0.4
5/16/19 10:00	0.1	0.9	0.4
5/16/19 11:00	0.2	0.9	0.4
5/16/19 12:00	0.4	1.0	0.4
5/16/19 13:00	0.3	0.4	0.4
5/16/19 14:00	0.2	0.3	0.4
5/16/19 15:00	0.2	0.3	0.4
5/16/19 16:00	0.3	0.3	0.4
5/16/19 17:00	0.5	0.3	0.4
5/16/19 18:00	0.2	0.3	0.4
5/16/19 19:00	1.6	0.4	0.4
5/16/19 20:00	0.1	0.4	0.4
5/16/19 21:00	0.5	0.4	0.4
5/16/19 22:00	1.8	0.5	0.4
5/16/19 23:00	0.3	0.5	0.4
5/17/19 0:00	0.3	0.5	0.4
5/17/19 1:00	0.2	0.4	0.4
5/17/19 2:00	0.3	0.4	0.4
5/17/19 3:00	0.3	0.4	0.4
5/17/19 4:00	0.3	0.4	0.4
5/17/19 5:00	0.3	0.4	0.4
5/17/19 6:00	0.3	0.4	0.4
5/17/19 7:00	0.3	0.4	0.4
5/17/19 8:00	0.3	0.4	0.4
5/17/19 9:00	0.3	0.4	0.4
5/17/19 10:00	0.3	0.4	0.4
5/17/19 11:00	0.4	0.4	0.4
5/17/19 12:00	0.5	0.4	0.4
5/17/19 13:00	0.6	0.4	0.4
5/17/19 14:00	0.4	0.4	0.4
5/17/19 15:00	0.3	0.4	0.4
5/17/19 16:00	0.3	0.4	0.4
5/17/19 17:00	0.3	0.4	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/17/19 18:00	0.3	0.4	0.4
5/17/19 19:00	0.4	0.4	0.4
5/17/19 20:00	0.6	0.4	0.4
5/17/19 21:00	0.3	0.4	0.4
5/17/19 22:00	0.3	0.3	0.4
5/17/19 23:00	0.3	0.3	0.4
5/18/19 0:00	0.3	0.3	0.4
5/18/19 1:00	0.5	0.4	0.4
5/18/19 2:00	0.4	0.4	0.4
5/18/19 3:00	0.5	0.4	0.4
5/18/19 4:00	0.4	0.4	0.4
5/18/19 5:00	0.2	0.4	0.4
5/18/19 6:00	0.2	0.4	0.4
5/18/19 7:00	0.2	0.4	0.4
5/18/19 8:00	0.2	0.3	0.4
5/18/19 9:00	0.2	0.3	0.4
5/18/19 10:00	0.2	0.3	0.4
5/18/19 11:00	0.2	0.3	0.4
5/18/19 12:00	0.2	0.3	0.4
5/18/19 13:00	0.2	0.3	0.4
5/18/19 14:00	0.2	0.3	0.4
5/18/19 15:00	0.2	0.3	0.4
5/18/19 16:00	0.2	0.3	0.4
5/18/19 17:00	0.2	0.3	0.4
5/18/19 18:00	0.2	0.3	0.4
5/18/19 19:00	0.2	0.3	0.4
5/18/19 20:00	0.2	0.2	0.4
5/18/19 21:00	0.2	0.2	0.4
5/18/19 22:00	0.2	0.2	0.4
5/18/19 23:00	2.1	0.3	0.4
5/19/19 0:00	0.2	0.3	0.4
5/19/19 1:00	0.2	0.3	0.4
5/19/19 2:00	2.4	0.4	0.4
5/19/19 3:00	1.0	0.4	0.4
5/19/19 4:00	0.2	0.4	0.4
5/19/19 5:00	0.4	0.4	0.4
5/19/19 6:00	0.4	0.4	0.4
5/19/19 7:00	0.4	0.4	0.4
5/19/19 8:00	0.3	0.4	0.4
5/19/19 9:00	0.4	0.4	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/19/19 10:00	0.1	0.4	0.4
5/19/19 11:00	1.7	0.5	0.4
5/19/19 12:00	0.2	0.5	0.4
5/19/19 13:00	1.4	0.5	0.4
5/19/19 14:00	0.3	0.6	0.4
5/19/19 15:00	0.1	0.5	0.4
5/19/19 16:00	0.2	0.5	0.4
5/19/19 17:00	0.2	0.6	0.4
5/19/19 18:00	0.2	0.6	0.4
5/19/19 19:00	0.2	0.6	0.4
5/19/19 20:00	0.2	0.6	0.4
5/19/19 21:00	0.2	0.6	0.4
5/19/19 22:00	0.3	0.6	0.4
5/19/19 23:00	0.2	0.5	0.4
5/20/19 0:00	0.2	0.5	0.4
5/20/19 1:00	0.2	0.5	0.4
5/20/19 2:00	0.1	0.4	0.4
5/20/19 3:00	0.2	0.3	0.4
5/20/19 4:00	0.3	0.4	0.4
5/20/19 5:00	0.2	0.3	0.4
5/20/19 6:00	0.2	0.3	0.4
5/20/19 7:00	0.2	0.3	0.4
5/20/19 8:00	0.2	0.3	0.4
5/20/19 9:00	0.2	0.3	0.4
5/20/19 10:00	0.2	0.3	0.4
5/20/19 11:00	0.2	0.3	0.4
5/20/19 12:00	0.3	0.3	0.4
5/20/19 13:00	0.2	0.2	0.4
5/20/19 14:00	0.2	0.2	0.4
5/20/19 15:00	0.2	0.2	0.4
5/20/19 16:00	0.2	0.2	0.4
5/20/19 17:00	0.2	0.2	0.4
5/20/19 18:00	0.1	0.2	0.4
5/20/19 19:00	0.2	0.2	0.4
5/20/19 20:00	0.2	0.2	0.4
5/20/19 21:00	0.2	0.2	0.4
5/20/19 22:00	0.2	0.2	0.4
5/20/19 23:00	0.2	0.2	0.4
5/21/19 0:00	0.1	0.2	0.4
5/21/19 1:00	0.2	0.2	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/21/19 2:00	0.2	0.2	0.4
5/21/19 3:00	0.2	0.2	0.4
5/21/19 4:00	0.2	0.2	0.4
5/21/19 5:00	0.2	0.2	0.4
5/21/19 6:00	0.2	0.2	0.4
5/21/19 7:00	0.2	0.2	0.4
5/21/19 8:00	0.1	0.2	0.4
5/21/19 9:00	0.2	0.2	0.4
5/21/19 10:00	0.2	0.2	0.4
5/21/19 11:00	0.2	0.2	0.4
5/21/19 12:00	0.1	0.2	0.4
5/21/19 13:00	0.1	0.2	0.4
5/21/19 14:00	0.2	0.2	0.4
5/21/19 15:00	0.2	0.2	0.4
5/21/19 16:00	0.2	0.2	0.4
5/21/19 17:00	0.2	0.2	0.4
5/21/19 18:00	0.2	0.2	0.4
5/21/19 19:00	0.1	0.2	0.4
5/21/19 20:00	0.1	0.2	0.4
5/21/19 21:00	0.2	0.2	0.4
5/21/19 22:00	0.2	0.2	0.4
5/21/19 23:00	0.2	0.2	0.4
5/22/19 0:00	0.2	0.2	0.4
5/22/19 1:00	0.2	0.2	0.4
5/22/19 2:00	0.2	0.2	0.4
5/22/19 3:00	0.2	0.2	0.4
5/22/19 4:00	0.7	0.2	0.4
5/22/19 5:00	0.1	0.2	0.4
5/22/19 6:00	0.1	0.2	0.4
5/22/19 7:00	0.1	0.2	0.4
5/22/19 8:00	0.2	0.2	0.4
5/22/19 9:00	0.2	0.2	0.4
5/22/19 10:00	0.1	0.2	0.4
5/22/19 11:00	0.1	0.2	0.4
5/22/19 12:00	0.1	0.2	0.4
5/22/19 13:00	0.1	0.2	0.4
5/22/19 14:00	0.1	0.2	0.4
5/22/19 15:00	0.1	0.2	0.4
5/22/19 16:00	0.1	0.2	0.4
5/22/19 17:00	0.1	0.2	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/22/19 18:00	0.1	0.2	0.4
5/22/19 19:00	0.1	0.2	0.4
5/22/19 20:00	0.1	0.2	0.4
5/22/19 21:00	0.1	0.2	0.4
5/22/19 22:00	0.1	0.2	0.4
5/22/19 23:00	0.1	0.2	0.4
5/23/19 0:00	0.1	0.2	0.4
5/23/19 1:00	0.1	0.2	0.4
5/23/19 2:00	0.1	0.1	0.4
5/23/19 3:00	0.1	0.1	0.4
5/23/19 4:00	0.1	0.1	0.4
5/23/19 5:00	0.1	0.1	0.4
5/23/19 6:00	0.2	0.1	0.4
5/23/19 7:00	0.2	0.1	0.4
5/23/19 8:00	0.2	0.1	0.4
5/23/19 9:00	0.2	0.1	0.4
5/23/19 10:00	0.1	0.1	0.4
5/23/19 11:00	0.2	0.1	0.4
5/23/19 12:00	0.1	0.1	0.4
5/23/19 13:00	0.1	0.1	0.4
5/23/19 14:00	0.2	0.1	0.4
5/23/19 15:00	0.1	0.1	0.4
5/23/19 16:00	0.1	0.1	0.4
5/23/19 17:00	0.1	0.1	0.4
5/23/19 18:00	0.1	0.1	0.4
5/23/19 19:00	0.1	0.1	0.4
5/23/19 20:00	0.2	0.1	0.4
5/23/19 21:00	0.2	0.1	0.4
5/23/19 22:00	0.1	0.1	0.4
5/23/19 23:00	0.1	0.1	0.4
5/24/19 0:00	0.1	0.1	0.4
5/24/19 1:00	0.1	0.1	0.4
5/24/19 2:00	0.1	0.1	0.4
5/24/19 3:00	0.1	0.1	0.4
5/24/19 4:00	0.2	0.1	0.4
5/24/19 5:00	0.3	0.1	0.4
5/24/19 6:00	0.3	0.1	0.4
5/24/19 7:00	0.3	0.1	0.4
5/24/19 8:00	0.3	0.2	0.4
5/24/19 9:00	0.2	0.2	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/24/19 10:00	0.3	0.2	0.4
5/24/19 11:00	0.3	0.2	0.4
5/24/19 12:00	0.2	0.2	0.4
5/24/19 13:00	0.3	0.2	0.4
5/24/19 14:00	0.2	0.2	0.4
5/24/19 15:00	0.3	0.2	0.4
5/24/19 16:00	0.2	0.2	0.4
5/24/19 17:00	0.2	0.2	0.4
5/24/19 18:00	0.2	0.2	0.4
5/24/19 19:00	0.5	0.2	0.4
5/24/19 20:00	0.6	0.2	0.4
5/24/19 21:00	0.4	0.3	0.4
5/24/19 22:00	0.4	0.3	0.4
5/24/19 23:00	0.2	0.3	0.4
5/25/19 0:00	0.3	0.3	0.4
5/25/19 1:00	3.3	0.4	0.4
5/25/19 2:00	0.2	0.4	0.4
5/25/19 3:00	0.4	0.4	0.4
5/25/19 4:00	0.7	0.4	0.4
5/25/19 5:00	0.4	0.5	0.4
5/25/19 6:00	0.2	0.5	0.4
5/25/19 7:00	0.2	0.4	0.4
5/25/19 8:00	0.2	0.4	0.4
5/25/19 9:00	0.2	0.4	0.4
5/25/19 10:00	0.2	0.4	0.4
5/25/19 11:00	0.2	0.4	0.4
5/25/19 12:00	0.2	0.4	0.4
5/25/19 13:00	0.2	0.4	0.4
5/25/19 14:00	0.2	0.4	0.4
5/25/19 15:00	0.2	0.4	0.4
5/25/19 16:00	0.2	0.4	0.4
5/25/19 17:00	0.2	0.4	0.4
5/25/19 18:00	0.2	0.4	0.4
5/25/19 19:00	0.2	0.4	0.4
5/25/19 20:00	0.1	0.4	0.4
5/25/19 21:00	0.2	0.4	0.4
5/25/19 22:00	0.8	0.4	0.4
5/25/19 23:00	0.1	0.4	0.4
5/26/19 0:00	0.4	0.4	0.4
5/26/19 1:00	1.0	0.3	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/26/19 2:00	0.1	0.3	0.4
5/26/19 3:00	0.1	0.3	0.4
5/26/19 4:00	0.1	0.2	0.4
5/26/19 5:00	0.1	0.2	0.4
5/26/19 6:00	0.1	0.2	0.4
5/26/19 7:00	0.1	0.2	0.4
5/26/19 8:00	0.1	0.2	0.4
5/26/19 9:00	0.2	0.2	0.4
5/26/19 10:00	0.2	0.2	0.4
5/26/19 11:00	0.2	0.2	0.4
5/26/19 12:00	0.2	0.2	0.4
5/26/19 13:00	1.1	0.3	0.4
5/26/19 14:00	0.3	0.3	0.4
5/26/19 15:00	0.3	0.3	0.4
5/26/19 16:00	0.4	0.3	0.4
5/26/19 17:00	0.2	0.3	0.4
5/26/19 18:00	0.2	0.3	0.4
5/26/19 19:00	0.6	0.3	0.4
5/26/19 20:00	0.2	0.3	0.4
5/26/19 21:00	0.2	0.3	0.4
5/26/19 22:00	0.7	0.3	0.4
5/26/19 23:00	0.2	0.3	0.4
5/27/19 0:00	0.2	0.3	0.4
5/27/19 1:00	0.2	0.3	0.4
5/27/19 2:00	0.2	0.3	0.4
5/27/19 3:00	0.2	0.3	0.4
5/27/19 4:00	0.2	0.3	0.4
5/27/19 5:00	0.2	0.3	0.4
5/27/19 6:00	0.2	0.3	0.4
5/27/19 7:00	0.2	0.3	0.4
5/27/19 8:00	0.2	0.3	0.4
5/27/19 9:00	0.2	0.3	0.4
5/27/19 10:00	0.2	0.3	0.4
5/27/19 11:00	0.2	0.3	0.4
5/27/19 12:00	0.2	0.3	0.4
5/27/19 13:00	0.3	0.3	0.4
5/27/19 14:00	0.2	0.3	0.4
5/27/19 15:00	0.2	0.3	0.4
5/27/19 16:00	0.4	0.2	0.4
5/27/19 17:00	0.5	0.3	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/27/19 18:00	0.2	0.3	0.4
5/27/19 19:00	0.3	0.3	0.4
5/27/19 20:00	0.4	0.3	0.4
5/27/19 21:00	0.5	0.3	0.4
5/27/19 22:00	0.5	0.3	0.4
5/27/19 23:00	0.3	0.3	0.4
5/28/19 0:00	0.3	0.3	0.4
5/28/19 1:00	1.8	0.3	0.4
5/28/19 2:00	2.7	0.4	0.4
5/28/19 3:00	0.2	0.4	0.4
5/28/19 4:00	0.2	0.4	0.4
5/28/19 5:00	0.2	0.4	0.4
5/28/19 6:00	0.2	0.4	0.4
5/28/19 7:00	0.2	0.4	0.4
5/28/19 8:00	0.1	0.4	0.4
5/28/19 9:00	0.2	0.4	0.4
5/28/19 10:00	0.1	0.4	0.4
5/28/19 11:00	0.1	0.4	0.4
5/28/19 12:00	0.1	0.4	0.4
5/28/19 13:00	0.1	0.4	0.4
5/28/19 14:00	0.1	0.4	0.4
5/28/19 15:00	0.2	0.4	0.4
5/28/19 16:00	0.1	0.4	0.4
5/28/19 17:00	0.2	0.4	0.4
5/28/19 18:00	0.1	0.4	0.4
5/28/19 19:00	0.1	0.4	0.4
5/28/19 20:00	0.2	0.4	0.4
5/28/19 21:00	0.1	0.3	0.4
5/28/19 22:00	0.1	0.3	0.4
5/28/19 23:00	0.1	0.3	0.4
5/29/19 0:00	0.1	0.3	0.4
5/29/19 1:00	0.1	0.2	0.4
5/29/19 2:00	0.1	0.1	0.4
5/29/19 3:00	0.0	0.1	0.4
5/29/19 4:00	0.1	0.1	0.4
5/29/19 5:00	0.1	0.1	0.4
5/29/19 6:00	0.1	0.1	0.4
5/29/19 7:00	0.1	0.1	0.4
5/29/19 8:00	0.1	0.1	0.4
5/29/19 9:00	0.1	0.1	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/29/19 10:00	0.1	0.1	0.4
5/29/19 11:00	0.1	0.1	0.4
5/29/19 12:00	0.1	0.1	0.4
5/29/19 13:00	0.1	0.1	0.4
5/29/19 14:00	0.1	0.1	0.4
5/29/19 15:00	0.1	0.1	0.4
5/29/19 16:00	0.1	0.1	0.4
5/29/19 17:00	0.2	0.1	0.4
5/29/19 18:00	0.2	0.1	0.4
5/29/19 19:00	0.1	0.1	0.4
5/29/19 20:00	0.1	0.1	0.4
5/29/19 21:00	0.2	0.1	0.4
5/29/19 22:00	0.2	0.1	0.4
5/29/19 23:00	0.1	0.1	0.4
5/30/19 0:00	0.1	0.1	0.4
5/30/19 1:00	1.5	0.2	0.4
5/30/19 2:00	1.0	0.2	0.4
5/30/19 3:00	0.3	0.2	0.4
5/30/19 4:00	0.1	0.2	0.4
5/30/19 5:00	0.2	0.2	0.4
5/30/19 6:00	0.2	0.2	0.4
5/30/19 7:00	1.2	0.3	0.4
5/30/19 8:00	0.3	0.3	0.4
5/30/19 9:00	0.2	0.3	0.4
5/30/19 10:00	0.3	0.3	0.4
5/30/19 11:00	0.2	0.3	0.4
5/30/19 12:00	0.4	0.3	0.4
5/30/19 13:00	0.3	0.3	0.4
5/30/19 14:00	0.2	0.3	0.4
5/30/19 15:00	0.2	0.3	0.4
5/30/19 16:00	2.9	0.4	0.4
5/30/19 17:00	0.3	0.4	0.4
5/30/19 18:00	0.2	0.4	0.4
5/30/19 19:00	0.2	0.5	0.4
5/30/19 20:00	0.2	0.5	0.4
5/30/19 21:00	0.2	0.5	0.4
5/30/19 22:00	0.2	0.5	0.4
5/30/19 23:00	0.2	0.5	0.4
5/31/19 0:00	0.2	0.5	0.4
5/31/19 1:00	0.2	0.4	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/31/19 2:00	0.2	0.4	0.4
5/31/19 3:00	0.2	0.4	0.4
5/31/19 4:00	0.2	0.4	0.4
5/31/19 5:00	0.2	0.4	0.4
5/31/19 6:00	0.2	0.4	0.4
5/31/19 7:00	0.2	0.3	0.4
5/31/19 8:00	0.2	0.3	0.4
5/31/19 9:00	0.2	0.3	0.4
5/31/19 10:00	0.3	0.3	0.4
5/31/19 11:00	0.2	0.3	0.4
5/31/19 12:00	0.2	0.3	0.4
5/31/19 13:00	0.2	0.3	0.4
5/31/19 14:00	0.2	0.3	0.4
5/31/19 15:00	0.2	0.3	0.4
5/31/19 16:00	0.2	0.2	0.4
5/31/19 17:00	0.2	0.2	0.4
5/31/19 18:00	0.2	0.2	0.4
5/31/19 19:00	0.2	0.2	0.4
5/31/19 20:00	0.2	0.2	0.4
5/31/19 21:00	0.3	0.2	0.4
5/31/19 22:00	0.2	0.2	0.4
5/31/19 23:00	0.2	0.2	0.4
6/1/19 0:00	0.2	0.2	0.4
6/1/19 1:00	0.2	0.2	0.4
6/1/19 2:00	0.2	0.2	0.4
6/1/19 3:00	0.2	0.2	0.4
6/1/19 4:00	0.2	0.2	0.4
6/1/19 5:00	0.2	0.2	0.4
6/1/19 6:00	0.2	0.2	0.4
6/1/19 7:00	0.3	0.2	0.4
6/1/19 8:00	0.3	0.2	0.4
6/1/19 9:00	0.3	0.2	0.4
6/1/19 10:00	0.3	0.2	0.4
6/1/19 11:00	0.4	0.2	0.4
6/1/19 12:00	0.3	0.2	0.4
6/1/19 13:00	0.3	0.2	0.4
6/1/19 14:00	0.3	0.3	0.4
6/1/19 15:00	0.2	0.3	0.4
6/1/19 16:00	0.2	0.3	0.4
6/1/19 17:00	0.2	0.2	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/1/19 18:00	0.2	0.2	0.4
6/1/19 19:00	0.3	0.2	0.4
6/1/19 20:00	0.3	0.2	0.4
6/1/19 21:00	4.0	0.4	0.4
6/1/19 22:00	1.1	0.4	0.4
6/1/19 23:00	0.4	0.4	0.4
6/2/19 0:00	0.1	0.4	0.4
6/2/19 1:00	0.4	0.5	0.4
6/2/19 2:00	0.5	0.5	0.4
6/2/19 3:00	0.2	0.5	0.4
6/2/19 4:00	1.0	0.5	0.4
6/2/19 5:00	0.2	0.5	0.4
6/2/19 6:00	0.1	0.5	0.4
6/2/19 7:00	0.2	0.5	0.4
6/2/19 8:00	0.2	0.5	0.4
6/2/19 9:00	0.2	0.5	0.4
6/2/19 10:00	0.2	0.5	0.4
6/2/19 11:00	0.1	0.5	0.4
6/2/19 12:00	0.1	0.5	0.4
6/2/19 13:00	0.1	0.4	0.4
6/2/19 14:00	0.1	0.4	0.4
6/2/19 15:00	0.1	0.4	0.4
6/2/19 16:00	0.2	0.4	0.4
6/2/19 17:00	0.2	0.4	0.4
6/2/19 18:00	0.1	0.4	0.4
6/2/19 19:00	0.2	0.4	0.4
6/2/19 20:00	0.2	0.4	0.4
6/2/19 21:00	0.2	0.3	0.4
6/2/19 22:00	0.3	0.2	0.4
6/2/19 23:00	0.5	0.2	0.4
6/3/19 0:00	0.4	0.3	0.4
6/3/19 1:00	0.3	0.2	0.4
6/3/19 2:00	0.3	0.2	0.4
6/3/19 3:00	0.3	0.2	0.4
6/3/19 4:00	0.4	0.2	0.4
6/3/19 5:00	0.5	0.2	0.4
6/3/19 6:00	0.4	0.2	0.4
6/3/19 7:00	0.4	0.3	0.4
6/3/19 8:00	0.4	0.3	0.4
6/3/19 9:00	0.3	0.3	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/3/19 10:00	0.8	0.3	0.4
6/3/19 11:00	0.7	0.3	0.4
6/3/19 12:00	0.5	0.3	0.4
6/3/19 13:00	0.6	0.4	0.4
6/3/19 14:00	0.4	0.4	0.4
6/3/19 15:00	0.4	0.4	0.3
6/3/19 16:00	0.5	0.4	0.3
6/3/19 17:00	0.5	0.4	0.3
6/3/19 18:00	0.4	0.4	0.3
6/3/19 19:00	0.4	0.4	0.3
6/3/19 20:00	0.4	0.4	0.3
6/3/19 21:00	0.4	0.4	0.3
6/3/19 22:00	0.4	0.4	0.3
6/3/19 23:00	0.4	0.4	0.3
6/4/19 0:00	0.4	0.4	0.3
6/4/19 1:00	0.4	0.4	0.3
6/4/19 2:00	0.4	0.4	0.3
6/4/19 3:00	0.4	0.4	0.3
6/4/19 4:00	0.4	0.5	0.3
6/4/19 5:00	0.3	0.4	0.3
6/4/19 6:00	0.3	0.4	0.3
6/4/19 7:00	0.3	0.4	0.3
6/4/19 8:00	0.3	0.4	0.3
6/4/19 9:00	0.2	0.4	0.3
6/4/19 10:00	0.3	0.4	0.3
6/4/19 11:00	0.3	0.4	0.3
6/4/19 12:00	0.3	0.4	0.3
6/4/19 13:00	0.3	0.4	0.3
6/4/19 14:00	0.3	0.4	0.3
6/4/19 15:00	0.3	0.4	0.3
6/4/19 16:00	0.3	0.4	0.3
6/4/19 17:00	0.3	0.3	0.3
6/4/19 18:00	0.2	0.3	0.3
6/4/19 19:00	0.3	0.3	0.3
6/4/19 20:00	0.3	0.3	0.3
6/4/19 21:00	0.3	0.3	0.3
6/4/19 22:00	0.3	0.3	0.3
6/4/19 23:00	0.3	0.3	0.3
6/5/19 0:00	0.3	0.3	0.3
6/5/19 1:00	0.3	0.3	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/5/19 2:00	0.3	0.3	0.3
6/5/19 3:00	0.3	0.3	0.3
6/5/19 4:00	0.3	0.3	0.3
6/5/19 5:00	0.3	0.3	0.3
6/5/19 6:00	0.3	0.3	0.3
6/5/19 7:00	0.3	0.3	0.3
6/5/19 8:00	0.2	0.3	0.3
6/5/19 9:00	0.3	0.3	0.3
6/5/19 10:00	0.2	0.3	0.3
6/5/19 11:00	0.3	0.3	0.3
6/5/19 12:00	0.3	0.3	0.3
6/5/19 13:00	0.2	0.3	0.3
6/5/19 14:00	0.3	0.3	0.3
6/5/19 15:00	0.3	0.3	0.3
6/5/19 16:00	0.3	0.3	0.3
6/5/19 17:00	0.3	0.3	0.3
6/5/19 18:00	0.3	0.3	0.3
6/5/19 19:00	0.3	0.3	0.3
6/5/19 20:00	0.3	0.3	0.3
6/5/19 21:00	0.3	0.3	0.3
6/5/19 22:00	0.2	0.3	0.3
6/5/19 23:00	0.2	0.3	0.3
6/6/19 0:00	0.2	0.3	0.3
6/6/19 1:00	0.2	0.3	0.3
6/6/19 2:00	0.2	0.3	0.3
6/6/19 3:00	0.2	0.3	0.3
6/6/19 4:00	0.2	0.3	0.3
6/6/19 5:00	0.2	0.3	0.3
6/6/19 6:00	0.2	0.3	0.3
6/6/19 7:00	0.2	0.3	0.3
6/6/19 8:00	0.3	0.3	0.3
6/6/19 9:00	0.3	0.3	0.3
6/6/19 10:00	0.3	0.3	0.3
6/6/19 11:00	0.5	0.3	0.3
6/6/19 12:00	1.3	0.3	0.3
6/6/19 13:00	0.2	0.3	0.4
6/6/19 14:00	0.4	0.3	0.4
6/6/19 15:00	0.3	0.3	0.4
6/6/19 16:00	0.2	0.3	0.4
6/6/19 17:00	0.2	0.3	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/6/19 18:00	0.2	0.3	0.4
6/6/19 19:00	0.2	0.3	0.4
6/6/19 20:00	1.3	0.3	0.4
6/6/19 21:00	0.2	0.3	0.4
6/6/19 22:00	0.3	0.3	0.4
6/6/19 23:00	0.3	0.3	0.4
6/7/19 0:00	0.2	0.3	0.4
6/7/19 1:00	0.2	0.3	0.4
6/7/19 2:00	0.2	0.3	0.4
6/7/19 3:00	0.2	0.3	0.4
6/7/19 4:00	0.2	0.3	0.4
6/7/19 5:00	0.3	0.4	0.4
6/7/19 6:00	0.2	0.4	0.4
6/7/19 7:00	0.2	0.4	0.4
6/7/19 8:00	0.3	0.3	0.4
6/7/19 9:00	0.3	0.3	0.4
6/7/19 10:00	0.3	0.3	0.4
6/7/19 11:00	0.3	0.3	0.4
6/7/19 12:00	0.2	0.3	0.4
6/7/19 13:00	0.3	0.3	0.4
6/7/19 14:00	0.2	0.3	0.4
6/7/19 15:00	0.2	0.3	0.4
6/7/19 16:00	0.2	0.3	0.4
6/7/19 17:00	0.2	0.3	0.4
6/7/19 18:00	0.2	0.3	0.4
6/7/19 19:00	0.2	0.3	0.4
6/7/19 20:00	0.2	0.2	0.4
6/7/19 21:00	0.3	0.2	0.4
6/7/19 22:00	0.2	0.2	0.4
6/7/19 23:00	0.2	0.2	0.4
6/8/19 0:00	0.3	0.2	0.4
6/8/19 1:00	0.3	0.2	0.4
6/8/19 2:00	0.2	0.2	0.4
6/8/19 3:00	0.2	0.2	0.4
6/8/19 4:00	0.2	0.2	0.4
6/8/19 5:00	0.2	0.2	0.4
6/8/19 6:00	0.3	0.2	0.4
6/8/19 7:00	0.2	0.2	0.4
6/8/19 8:00	0.2	0.2	0.4
6/8/19 9:00	0.2	0.2	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/8/19 10:00	0.3	0.2	0.4
6/8/19 11:00	0.2	0.2	0.4
6/8/19 12:00	0.2	0.2	0.4
6/8/19 13:00	0.3	0.2	0.4
6/8/19 14:00	0.3	0.2	0.4
6/8/19 15:00	0.3	0.2	0.4
6/8/19 16:00	0.3	0.3	0.4
6/8/19 17:00	0.3	0.3	0.4
6/8/19 18:00	0.3	0.3	0.4
6/8/19 19:00	0.3	0.3	0.4
6/8/19 20:00	0.3	0.3	0.4
6/8/19 21:00	1.9	0.3	0.4
6/8/19 22:00	0.3	0.3	0.4
6/8/19 23:00	0.5	0.3	0.4
6/9/19 0:00	0.4	0.4	0.4
6/9/19 1:00	0.3	0.4	0.4
6/9/19 2:00	0.3	0.4	0.4
6/9/19 3:00	0.2	0.4	0.4
6/9/19 4:00	0.4	0.4	0.4
6/9/19 5:00	0.3	0.4	0.4
6/9/19 6:00	0.3	0.4	0.4
6/9/19 7:00	0.4	0.4	0.4
6/9/19 8:00	0.3	0.4	0.4
6/9/19 9:00	0.3	0.4	0.4
6/9/19 10:00	0.3	0.4	0.4
6/9/19 11:00	0.3	0.4	0.4
6/9/19 12:00	0.3	0.4	0.4
6/9/19 13:00	0.3	0.4	0.4
6/9/19 14:00	0.3	0.4	0.4
6/9/19 15:00	0.3	0.4	0.4
6/9/19 16:00	0.4	0.4	0.4
6/9/19 17:00	0.3	0.4	0.4
6/9/19 18:00	0.3	0.4	0.4
6/9/19 19:00	0.3	0.4	0.4
6/9/19 20:00	0.3	0.4	0.4
6/9/19 21:00	0.3	0.3	0.4
6/9/19 22:00	0.3	0.3	0.4
6/9/19 23:00	0.2	0.3	0.4
6/10/19 0:00	0.2	0.3	0.4
6/10/19 1:00	1.4	0.3	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/10/19 2:00	0.2	0.3	0.4
6/10/19 3:00	0.3	0.3	0.4
6/10/19 4:00	0.2	0.3	0.4
6/10/19 5:00	0.2	0.3	0.4
6/10/19 6:00	0.2	0.3	0.4
6/10/19 7:00	0.2	0.3	0.4
6/10/19 8:00	0.2	0.3	0.4
6/10/19 9:00	0.3	0.3	0.4
6/10/19 10:00	0.3	0.3	0.4
6/10/19 11:00	0.3	0.3	0.4
6/10/19 12:00	0.2	0.3	0.4
6/10/19 13:00	0.3	0.3	0.4
6/10/19 14:00	0.3	0.3	0.4
6/10/19 15:00	0.2	0.3	0.4
6/10/19 16:00	0.2	0.3	0.4
6/10/19 17:00	0.2	0.3	0.4
6/10/19 18:00	0.2	0.3	0.4
6/10/19 19:00	0.2	0.3	0.4
6/10/19 20:00	0.2	0.3	0.4
6/10/19 21:00	0.2	0.3	0.4
6/10/19 22:00	0.2	0.3	0.4
6/10/19 23:00	0.2	0.3	0.4
6/11/19 0:00	0.2	0.3	0.4
6/11/19 1:00	0.2	0.2	0.4
6/11/19 2:00	0.2	0.2	0.4
6/11/19 3:00	0.2	0.2	0.4
6/11/19 4:00	0.2	0.2	0.4
6/11/19 5:00	0.2	0.2	0.4
6/11/19 6:00	0.2	0.2	0.4
6/11/19 7:00	0.2	0.2	0.4
6/11/19 8:00	0.3	0.2	0.4
6/11/19 9:00	0.3	0.2	0.4
6/11/19 10:00	0.2	0.2	0.4
6/11/19 11:00	0.2	0.2	0.4
6/11/19 12:00	0.2	0.2	0.4
6/11/19 13:00	0.2	0.2	0.4
6/11/19 14:00	0.3	0.2	0.4
6/11/19 15:00	0.3	0.2	0.4
6/11/19 16:00	0.3	0.2	0.4
6/11/19 17:00	0.3	0.2	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/11/19 18:00	0.2	0.2	0.4
6/11/19 19:00	0.2	0.2	0.4
6/11/19 20:00	0.2	0.2	0.4
6/11/19 21:00	0.2	0.2	0.4
6/11/19 22:00	0.2	0.2	0.4
6/11/19 23:00	0.2	0.2	0.4
6/12/19 0:00	0.2	0.2	0.4
6/12/19 1:00	0.2	0.2	0.4
6/12/19 2:00	0.2	0.2	0.4
6/12/19 3:00	0.2	0.2	0.4
6/12/19 4:00	0.3	0.2	0.4
6/12/19 5:00	0.3	0.2	0.4
6/12/19 6:00	0.3	0.2	0.4
6/12/19 7:00	0.3	0.2	0.4
6/12/19 8:00	0.3	0.2	0.4
6/12/19 9:00	0.3	0.2	0.4
6/12/19 10:00	0.3	0.2	0.4
6/12/19 11:00	0.3	0.3	0.4
6/12/19 12:00	0.3	0.3	0.4
6/12/19 13:00	0.3	0.3	0.4
6/12/19 14:00	0.4	0.3	0.4
6/12/19 15:00	0.3	0.3	0.4
6/12/19 16:00	0.2	0.3	0.4
6/12/19 17:00	0.2	0.3	0.4
6/12/19 18:00	0.2	0.3	0.4
6/12/19 19:00	0.2	0.3	0.3
6/12/19 20:00	0.2	0.3	0.3
6/12/19 21:00	0.3	0.3	0.3
6/12/19 22:00	0.3	0.3	0.3
6/12/19 23:00	0.3	0.3	0.3
6/13/19 0:00	0.2	0.3	0.3
6/13/19 1:00	0.3	0.3	0.3
6/13/19 2:00	0.3	0.3	0.3
6/13/19 3:00	0.3	0.3	0.3
6/13/19 4:00	0.3	0.3	0.3
6/13/19 5:00	0.2	0.3	0.3
6/13/19 6:00	0.2	0.3	0.3
6/13/19 7:00	0.3	0.3	0.3
6/13/19 8:00	0.3	0.3	0.3
6/13/19 9:00	0.2	0.3	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/13/19 10:00	0.3	0.3	0.3
6/13/19 11:00	0.5	0.3	0.3
6/13/19 12:00	0.2	0.3	0.3
6/13/19 13:00	0.3	0.3	0.3
6/13/19 14:00	0.3	0.3	0.3
6/13/19 15:00	0.2	0.3	0.3
6/13/19 16:00	0.3	0.3	0.3
6/13/19 17:00	0.2	0.3	0.3
6/13/19 18:00	0.2	0.3	0.3
6/13/19 19:00	0.2	0.3	0.3
6/13/19 20:00	0.2	0.3	0.3
6/13/19 21:00	0.3	0.3	0.3
6/13/19 22:00	0.3	0.3	0.3
6/13/19 23:00	0.3	0.3	0.3
6/14/19 0:00	0.3	0.3	0.3
6/14/19 1:00	0.4	0.3	0.3
6/14/19 2:00	1.8	0.3	0.3
6/14/19 3:00	0.3	0.3	0.3
6/14/19 4:00	3.5	0.5	0.3
6/14/19 5:00	0.3	0.5	0.3
6/14/19 6:00	0.3	0.5	0.3
6/14/19 7:00	0.3	0.5	0.3
6/14/19 8:00	0.3	0.5	0.3
6/14/19 9:00	0.3	0.5	0.3
6/14/19 10:00	0.3	0.5	0.3
6/14/19 11:00	0.3	0.5	0.3
6/14/19 12:00	0.3	0.5	0.3
6/14/19 13:00	0.3	0.5	0.3
6/14/19 14:00	0.3	0.5	0.3
6/14/19 15:00	0.3	0.5	0.3
6/14/19 16:00	0.2	0.5	0.3
6/14/19 17:00	0.2	0.5	0.3
6/14/19 18:00	0.2	0.5	0.3
6/14/19 19:00	0.2	0.5	0.3
6/14/19 20:00	0.2	0.5	0.3
6/14/19 21:00	0.2	0.5	0.3
6/14/19 22:00	0.2	0.5	0.3
6/14/19 23:00	0.2	0.5	0.3
6/15/19 0:00	0.2	0.5	0.3
6/15/19 1:00	0.3	0.5	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/15/19 2:00	0.3	0.4	0.3
6/15/19 3:00	0.2	0.4	0.3
6/15/19 4:00	0.2	0.3	0.3
6/15/19 5:00	0.4	0.3	0.3
6/15/19 6:00	0.3	0.3	0.3
6/15/19 7:00	0.3	0.3	0.3
6/15/19 8:00	4.1	0.4	0.3
6/15/19 9:00	0.3	0.4	0.3
6/15/19 10:00	0.3	0.4	0.3
6/15/19 11:00	0.2	0.4	0.3
6/15/19 12:00	0.3	0.4	0.3
6/15/19 13:00	0.3	0.4	0.3
6/15/19 14:00	0.2	0.4	0.3
6/15/19 15:00	0.2	0.4	0.3
6/15/19 16:00	0.2	0.4	0.3
6/15/19 17:00	0.2	0.4	0.3
6/15/19 18:00	0.2	0.4	0.3
6/15/19 19:00	0.2	0.4	0.3
6/15/19 20:00	0.2	0.4	0.3
6/15/19 21:00	0.2	0.4	0.3
6/15/19 22:00	0.2	0.4	0.3
6/15/19 23:00	0.2	0.4	0.3
6/16/19 0:00	0.2	0.4	0.3
6/16/19 1:00	0.2	0.4	0.3
6/16/19 2:00	0.2	0.4	0.3
6/16/19 3:00	0.2	0.4	0.3
6/16/19 4:00	0.2	0.4	0.3
6/16/19 5:00	0.2	0.4	0.3
6/16/19 6:00	0.2	0.4	0.3
6/16/19 7:00	0.2	0.4	0.3
6/16/19 8:00	0.2	0.2	0.3
6/16/19 9:00	0.2	0.2	0.3
6/16/19 10:00	0.2	0.2	0.3
6/16/19 11:00	0.2	0.2	0.3
6/16/19 12:00	0.2	0.2	0.3
6/16/19 13:00	0.2	0.2	0.3
6/16/19 14:00	0.2	0.2	0.3
6/16/19 15:00	0.2	0.2	0.3
6/16/19 16:00	0.2	0.2	0.3
6/16/19 17:00	0.2	0.2	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/16/19 18:00	0.2	0.2	0.3
6/16/19 19:00	0.2	0.2	0.3
6/16/19 20:00	0.2	0.2	0.3
6/16/19 21:00	0.2	0.2	0.3
6/16/19 22:00	0.2	0.2	0.3
6/16/19 23:00	0.2	0.2	0.3
6/17/19 0:00	0.3	0.2	0.3
6/17/19 1:00	0.2	0.2	0.3
6/17/19 2:00	0.2	0.2	0.3
6/17/19 3:00	0.2	0.2	0.3
6/17/19 4:00	0.3	0.2	0.3
6/17/19 5:00	0.3	0.2	0.3
6/17/19 6:00	0.3	0.2	0.3
6/17/19 7:00	0.3	0.2	0.3
6/17/19 8:00	0.3	0.2	0.3
6/17/19 9:00	0.3	0.2	0.3
6/17/19 10:00	0.4	0.2	0.3
6/17/19 11:00	0.3	0.2	0.3
6/17/19 12:00	0.3	0.3	0.3
6/17/19 13:00	0.3	0.3	0.3
6/17/19 14:00	0.3	0.3	0.3
6/17/19 15:00	0.3	0.3	0.3
6/17/19 16:00	0.2	0.3	0.3
6/17/19 17:00	0.2	0.3	0.3
6/17/19 18:00	0.2	0.3	0.3
6/17/19 19:00	0.3	0.3	0.3
6/17/19 20:00	0.3	0.3	0.3
6/17/19 21:00	0.3	0.3	0.3
6/17/19 22:00	0.2	0.3	0.3
6/17/19 23:00	0.3	0.3	0.3
6/18/19 0:00	0.3	0.3	0.3
6/18/19 1:00	0.2	0.3	0.3
6/18/19 2:00	0.2	0.3	0.3
6/18/19 3:00	0.2	0.3	0.3
6/18/19 4:00	0.2	0.3	0.3
6/18/19 5:00	0.2	0.3	0.3
6/18/19 6:00	0.2	0.3	0.3
6/18/19 7:00	0.2	0.3	0.3
6/18/19 8:00	0.2	0.3	0.3
6/18/19 9:00	0.2	0.3	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/18/19 10:00	0.0	0.2	0.3
6/18/19 11:00	0.0	0.2	0.3
6/18/19 12:00	0.0	0.2	0.3
6/18/19 13:00	0.0	0.2	0.3
6/18/19 14:00	0.0	0.2	0.3
6/18/19 15:00	0.7	0.2	0.3
6/18/19 16:00	1.1	0.2	0.3
6/18/19 17:00	1.3	0.3	0.3
6/18/19 18:00	0.9	0.3	0.3
6/18/19 19:00	1.1	0.4	0.3
6/18/19 20:00	0.8	0.4	0.3
6/18/19 21:00	0.7	0.4	0.3
6/18/19 22:00	1.5	0.4	0.3
6/18/19 23:00	1.8	0.5	0.3
6/19/19 0:00	1.3	0.5	0.3
6/19/19 1:00	1.7	0.6	0.3
6/19/19 2:00	2.2	0.7	0.3
6/19/19 3:00	3.6	0.8	0.3
6/19/19 4:00	11.9	1.3	0.3
6/19/19 5:00	7.0	1.6	0.3
6/19/19 6:00	1.5	1.7	0.3
6/19/19 7:00	2.3	1.7	0.3
6/19/19 8:00	12.7	2.3	0.4
6/19/19 9:00	8.8	2.6	0.4
6/19/19 10:00	3.0	2.7	0.4
6/19/19 11:00	2.7	2.9	0.4
6/19/19 12:00	14.7	3.5	0.4
6/19/19 13:00	5.2	3.7	0.4
6/19/19 14:00	5.8	3.9	0.4
6/19/19 15:00	1.5	4.0	0.4
6/19/19 16:00	2.7	4.0	0.4
6/19/19 17:00	3.6	4.1	0.4
6/19/19 18:00	6.3	4.3	0.4
6/19/19 19:00	14.8	4.9	0.4
6/19/19 20:00	4.8	5.1	0.5
6/19/19 21:00	2.0	5.1	0.5
6/19/19 22:00	1.7	5.1	0.5
6/19/19 23:00	1.6	5.1	0.5
6/20/19 0:00	1.6	5.2	0.5
6/20/19 1:00	1.6	5.1	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/20/19 2:00	1.5	5.1	0.5
6/20/19 3:00	1.7	5.0	0.5
6/20/19 4:00	1.8	4.6	0.5
6/20/19 5:00	1.4	4.4	0.5
6/20/19 6:00	1.8	4.4	0.5
6/20/19 7:00	1.1	4.3	0.5
6/20/19 8:00	1.5	3.9	0.5
6/20/19 9:00	1.4	3.6	0.5
6/20/19 10:00	1.7	3.5	0.5
6/20/19 11:00	1.7	3.5	0.5
6/20/19 12:00	2.5	3.0	0.5
6/20/19 13:00	8.0	3.1	0.5
6/20/19 14:00	7.4	3.2	0.5
6/20/19 15:00	9.5	3.5	0.5
6/20/19 16:00	4.0	3.5	0.5
6/20/19 17:00	3.1	3.5	0.5
6/20/19 18:00	6.6	3.5	0.5
6/20/19 19:00	2.6	3.0	0.5
6/20/19 20:00	9.3	3.2	0.6
6/20/19 21:00	2.7	3.2	0.6
6/20/19 22:00	8.0	3.5	0.6
6/20/19 23:00	9.7	3.8	0.6
6/21/19 0:00	4.3	4.0	0.6
6/21/19 1:00	4.9	4.1	0.6
6/21/19 2:00	2.9	4.2	0.6
6/21/19 3:00	14.1	4.7	0.6
6/21/19 4:00	3.5	4.7	0.6
6/21/19 5:00	2.9	4.8	0.6
6/21/19 6:00	9.7	5.1	0.6
6/21/19 7:00	5.9	5.3	0.6
6/21/19 8:00	3.5	5.4	0.7
6/21/19 9:00	2.9	5.5	0.7
6/21/19 10:00	15.7	6.1	0.7
6/21/19 11:00	2.8	6.1	0.7
6/21/19 12:00	3.1	6.1	0.7
6/21/19 13:00	2.7	5.9	0.7
6/21/19 14:00	3.5	5.7	0.7
6/21/19 15:00	3.7	5.5	0.7
6/21/19 16:00	3.6	5.5	0.7
6/21/19 17:00	3.5	5.5	0.7

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/21/19 18:00	3.3	5.4	0.7
6/21/19 19:00	3.5	5.4	0.7
6/21/19 20:00	3.1	5.1	0.7
6/21/19 21:00	2.9	5.1	0.7
6/21/19 22:00	4.5	5.0	0.7
6/21/19 23:00	4.2	4.8	0.7
6/22/19 0:00	3.8	4.8	0.7
6/22/19 1:00	7.9	4.9	0.8
6/22/19 2:00	3.4	4.9	0.8
6/22/19 3:00	2.4	4.4	0.8
6/22/19 4:00	5.3	4.5	0.8
6/22/19 5:00	4.6	4.6	0.8
6/22/19 6:00	1.2	4.2	0.8
6/22/19 7:00	1.5	4.0	0.8
6/22/19 8:00	1.6	3.9	0.8
6/22/19 9:00	2.3	3.9	0.8
6/22/19 10:00	3.0	3.4	0.8
6/22/19 11:00	3.3	3.4	0.8
6/22/19 12:00	3.3	3.4	0.8
6/22/19 13:00	3.8	3.5	0.8
6/22/19 14:00	4.1	3.5	0.8
6/22/19 15:00	3.6	3.5	0.8
6/22/19 16:00	4.2	3.5	0.8
6/22/19 17:00	4.0	3.5	0.8
6/22/19 18:00	10.4	3.8	0.8
6/22/19 19:00	2.5	3.8	0.8
6/22/19 20:00	2.4	3.8	0.8
6/22/19 21:00	2.1	3.7	0.8
6/22/19 22:00	1.6	3.6	0.8
6/22/19 23:00	2.0	3.5	0.9
6/23/19 0:00	1.2	3.4	0.9
6/23/19 1:00	1.3	3.1	0.9
6/23/19 2:00	1.7	3.1	0.9
6/23/19 3:00	1.5	3.0	0.9
6/23/19 4:00	1.5	2.9	0.9
6/23/19 5:00	1.1	2.7	0.9
6/23/19 6:00	1.2	2.7	0.9
6/23/19 7:00	1.5	2.7	0.9
6/23/19 8:00	1.5	2.7	0.9
6/23/19 9:00	1.3	2.7	0.9

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/23/19 10:00	1.2	2.6	0.9
6/23/19 11:00	1.1	2.5	0.9
6/23/19 12:00	1.2	2.4	0.9
6/23/19 13:00	1.6	2.3	0.9
6/23/19 14:00	1.4	2.2	0.9
6/23/19 15:00	1.7	2.1	0.9
6/23/19 16:00	1.2	2.0	0.9
6/23/19 17:00	1.2	1.9	0.9
6/23/19 18:00	1.4	1.5	0.9
6/23/19 19:00	2.1	1.5	0.9
6/23/19 20:00	1.9	1.5	0.9
6/23/19 21:00	1.7	1.5	0.9
6/23/19 22:00	1.5	1.5	0.9
6/23/19 23:00	1.5	1.4	0.9
6/24/19 0:00	1.6	1.5	0.9
6/24/19 1:00	1.6	1.5	0.9
6/24/19 2:00	1.6	1.5	0.9
6/24/19 3:00	1.3	1.5	0.9
6/24/19 4:00	1.7	1.5	0.9
6/24/19 5:00	1.6	1.5	0.9
6/24/19 6:00	1.4	1.5	0.9
6/24/19 7:00	1.6	1.5	0.9
6/24/19 8:00	1.4	1.5	0.9
6/24/19 9:00	1.4	1.5	0.9
6/24/19 10:00	1.2	1.5	0.9
6/24/19 11:00	1.3	1.5	0.9
6/24/19 12:00	1.2	1.5	0.9
6/24/19 13:00	1.3	1.5	0.9
6/24/19 14:00	1.2	1.5	0.9
6/24/19 15:00	1.2	1.5	0.9
6/24/19 16:00	1.3	1.5	0.9
6/24/19 17:00	1.3	1.5	0.9
6/24/19 18:00	1.5	1.5	0.9
6/24/19 19:00	1.5	1.4	0.9
6/24/19 20:00	1.2	1.4	0.9
6/24/19 21:00	1.3	1.4	0.9
6/24/19 22:00	1.2	1.4	0.9
6/24/19 23:00	1.2	1.4	0.9
6/25/19 0:00	1.2	1.4	0.9
6/25/19 1:00	1.3	1.4	0.9

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/25/19 2:00	1.3	1.3	0.9
6/25/19 3:00	1.2	1.3	0.9
6/25/19 4:00	1.4	1.3	0.9
6/25/19 5:00	1.3	1.3	0.9
6/25/19 6:00	1.6	1.3	0.9
6/25/19 7:00	1.3	1.3	0.9
6/25/19 8:00	1.4	1.3	0.9
6/25/19 9:00	1.3	1.3	0.9
6/25/19 10:00	0.8	1.3	0.9
6/25/19 11:00	0.3	1.2	0.9
6/25/19 12:00	0.3	1.2	0.9
6/25/19 13:00	0.3	1.2	0.9
6/25/19 14:00	0.3	1.1	0.9
6/25/19 15:00	0.3	1.1	0.9
6/25/19 16:00	0.3	1.0	0.9
6/25/19 17:00	0.3	1.0	0.9
6/25/19 18:00	0.3	1.0	0.9
6/25/19 19:00	0.3	0.9	0.9
6/25/19 20:00	0.3	0.9	0.9
6/25/19 21:00	0.3	0.8	0.9
6/25/19 22:00	0.3	0.8	0.9
6/25/19 23:00	0.3	0.8	0.9
6/26/19 0:00	0.3	0.7	0.9
6/26/19 1:00	0.3	0.7	0.9
6/26/19 2:00	0.3	0.6	0.9
6/26/19 3:00	0.3	0.6	0.9
6/26/19 4:00	0.3	0.6	0.9
6/26/19 5:00	0.3	0.5	0.9
6/26/19 6:00	0.3	0.5	0.9
6/26/19 7:00	0.3	0.4	0.9
6/26/19 8:00	0.2	0.4	0.9
6/26/19 9:00	0.3	0.3	0.9
6/26/19 10:00	0.4	0.3	0.9
6/26/19 11:00	0.4	0.3	0.9
6/26/19 12:00	0.4	0.3	0.9
6/26/19 13:00	0.4	0.3	0.9
6/26/19 14:00	0.4	0.3	0.9
6/26/19 15:00	0.3	0.3	0.9
6/26/19 16:00	0.3	0.3	0.9
6/26/19 17:00	0.3	0.3	0.9

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/26/19 18:00	0.3	0.3	0.9
6/26/19 19:00	0.5	0.3	0.9
6/26/19 20:00	0.7	0.3	0.9
6/26/19 21:00	1.0	0.4	0.9
6/26/19 22:00	1.2	0.4	0.9
6/26/19 23:00	1.1	0.4	0.9
6/27/19 0:00	1.1	0.5	0.9
6/27/19 1:00	0.9	0.5	0.9
6/27/19 2:00	0.9	0.5	0.9
6/27/19 3:00	1.0	0.6	0.9
6/27/19 4:00	0.6	0.6	0.9
6/27/19 5:00	0.8	0.6	0.9
6/27/19 6:00	0.4	0.6	0.9
6/27/19 7:00	0.3	0.6	0.9
6/27/19 8:00	0.4	0.6	0.9
6/27/19 9:00	0.5	0.6	0.9
6/27/19 10:00	0.5	0.6	0.9
6/27/19 11:00	0.5	0.6	0.9
6/27/19 12:00	0.6	0.6	0.9
6/27/19 13:00	0.5	0.6	0.9
6/27/19 14:00	1.8	0.7	1.0
6/27/19 15:00	0.4	0.7	1.0
6/27/19 16:00	0.5	0.7	1.0
6/27/19 17:00	2.5	0.8	1.0
6/27/19 18:00	0.7	0.8	1.0
6/27/19 19:00	0.7	0.8	1.0
6/27/19 20:00	0.3	0.8	1.0
6/27/19 21:00	0.3	0.8	1.0
6/27/19 22:00	0.4	0.7	1.0
6/27/19 23:00	0.2	0.7	1.0
6/28/19 0:00	0.2	0.7	1.0
6/28/19 1:00	0.2	0.6	1.0
6/28/19 2:00	0.2	0.6	1.0
6/28/19 3:00	0.2	0.6	1.0
6/28/19 4:00	0.2	0.6	1.0
6/28/19 5:00	0.2	0.5	1.0
6/28/19 6:00	0.2	0.5	1.0
6/28/19 7:00	0.2	0.5	1.0
6/28/19 8:00	0.2	0.5	1.0
6/28/19 9:00	0.3	0.5	1.0

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/28/19 10:00	0.2	0.5	1.0
6/28/19 11:00	0.2	0.5	1.0
6/28/19 12:00	0.2	0.5	1.0
6/28/19 13:00	0.3	0.5	1.0
6/28/19 14:00	0.5	0.4	1.0
6/28/19 15:00	0.5	0.4	1.0
6/28/19 16:00	0.7	0.4	1.0
6/28/19 17:00	0.6	0.4	1.0
6/28/19 18:00	0.6	0.3	1.0
6/28/19 19:00	0.6	0.3	1.0
6/28/19 20:00	0.5	0.4	1.0
6/28/19 21:00	0.4	0.4	1.0
6/28/19 22:00	0.7	0.4	1.0
6/28/19 23:00	0.5	0.4	1.0
6/29/19 0:00	0.5	0.4	1.0
6/29/19 1:00	0.6	0.4	1.0
6/29/19 2:00	0.6	0.4	1.0
6/29/19 3:00	0.6	0.4	1.0
6/29/19 4:00	0.5	0.4	1.0
6/29/19 5:00	0.5	0.5	1.0
6/29/19 6:00	0.4	0.5	1.0
6/29/19 7:00	0.7	0.5	1.0
6/29/19 8:00	0.7	0.5	1.0
6/29/19 9:00	0.5	0.5	1.0
6/29/19 10:00	0.3	0.5	1.0
6/29/19 11:00	0.2	0.5	1.0
6/29/19 12:00	0.2	0.5	1.0
6/29/19 13:00	0.3	0.5	1.0
6/29/19 14:00	0.3	0.5	1.0
6/29/19 15:00	0.4	0.5	1.0
6/29/19 16:00	0.5	0.5	1.0
6/29/19 17:00	0.5	0.5	1.0
6/29/19 18:00	0.4	0.5	1.0
6/29/19 19:00	0.5	0.5	1.0
6/29/19 20:00	0.5	0.5	1.0
6/29/19 21:00	0.4	0.5	1.0
6/29/19 22:00	0.5	0.5	1.0
6/29/19 23:00	0.5	0.5	1.0
6/30/19 0:00	4.9	0.6	1.0
6/30/19 1:00	0.3	0.6	1.0

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/30/19 2:00	0.2	0.6	1.0
6/30/19 3:00	0.3	0.6	1.0
6/30/19 4:00	0.3	0.6	1.0
6/30/19 5:00	0.3	0.6	1.0
6/30/19 6:00	0.3	0.6	1.0
6/30/19 7:00	0.5	0.6	1.0
6/30/19 8:00	0.5	0.6	1.0
6/30/19 9:00	0.6	0.6	1.0
6/30/19 10:00	0.6	0.6	1.0
6/30/19 11:00	0.5	0.6	1.0
6/30/19 12:00	0.5	0.6	1.0
6/30/19 13:00	0.9	0.6	1.0
6/30/19 14:00	5.2	0.8	1.0
6/30/19 15:00	1.4	0.9	1.0
6/30/19 16:00	2.1	0.9	1.0
6/30/19 17:00	5.3	1.1	1.0
6/30/19 18:00	1.0	1.2	1.0
6/30/19 19:00	6.1	1.4	1.0
6/30/19 20:00	3.3	1.5	1.0
6/30/19 21:00	3.4	1.6	1.0
6/30/19 22:00	6.1	1.9	1.0
6/30/19 23:00	1.8	1.9	1.0
7/1/19 0:00	6.5	2.0	1.0
7/1/19 1:00	3.6	2.1	1.0
7/1/19 2:00	0.3	2.1	1.0
7/1/19 3:00	4.4	2.3	1.0
7/1/19 4:00	0.4	2.3	1.0
7/1/19 5:00	0.4	2.3	1.0
7/1/19 6:00	0.4	2.3	1.0
7/1/19 7:00	2.5	2.4	1.0
7/1/19 8:00	1.7	2.5	1.0
7/1/19 9:00	0.5	2.5	1.0
7/1/19 10:00	0.6	2.5	1.0
7/1/19 11:00	0.5	2.5	1.0
7/1/19 12:00	0.4	2.5	1.0
7/1/19 13:00	0.7	2.5	1.0
7/1/19 14:00	0.6	2.3	1.1
7/1/19 15:00	0.5	2.2	1.1
7/1/19 16:00	0.5	2.2	1.1
7/1/19 17:00	0.6	2.0	1.1

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/1/19 18:00	0.5	1.9	1.1
7/1/19 19:00	0.5	1.7	1.1
7/1/19 20:00	0.4	1.6	1.0
7/1/19 21:00	0.6	1.5	1.0
7/1/19 22:00	0.5	1.2	1.0
7/1/19 23:00	0.6	1.2	1.0
7/2/19 0:00	0.6	0.9	1.0
7/2/19 1:00	0.6	0.8	1.0
7/2/19 2:00	0.6	0.8	1.0
7/2/19 3:00	0.8	0.7	1.0
7/2/19 4:00	0.9	0.7	1.0
7/2/19 5:00	0.7	0.7	1.0
7/2/19 6:00	0.7	0.7	1.1
7/2/19 7:00	0.7	0.6	1.1
7/2/19 8:00	0.7	0.6	1.1
7/2/19 9:00	0.9	0.6	1.1
7/2/19 10:00	0.8	0.6	1.1
7/2/19 11:00	1.0	0.6	1.1
7/2/19 12:00	0.5	0.6	1.1
7/2/19 13:00	0.5	0.6	1.1
7/2/19 14:00	0.7	0.6	1.1
7/2/19 15:00	0.7	0.7	1.1
7/2/19 16:00	0.7	0.7	1.1
7/2/19 17:00	2.7	0.7	1.1
7/2/19 18:00	2.7	0.8	1.1
7/2/19 19:00	0.4	0.8	1.1
7/2/19 20:00	0.4	0.8	1.1
7/2/19 21:00	0.4	0.8	1.1
7/2/19 22:00	0.4	0.8	1.1
7/2/19 23:00	0.7	0.8	1.1
7/3/19 0:00	0.4	0.8	1.1
7/3/19 1:00	0.5	0.8	1.1
7/3/19 2:00	0.4	0.8	1.1
7/3/19 3:00	0.4	0.8	1.1
7/3/19 4:00	0.4	0.8	1.1
7/3/19 5:00	0.8	0.8	1.1
7/3/19 6:00	0.5	0.8	1.1
7/3/19 7:00	2.8	0.9	1.1
7/3/19 8:00	0.4	0.8	1.1
7/3/19 9:00	1.7	0.9	1.1

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/3/19 10:00	0.5	0.9	1.1
7/3/19 11:00	0.4	0.8	1.1
7/3/19 12:00	0.4	0.8	1.1
7/3/19 13:00	0.4	0.8	1.1
7/3/19 14:00	0.4	0.8	1.1
7/3/19 15:00	0.5	0.8	1.1
7/3/19 16:00	0.4	0.8	1.1
7/3/19 17:00	0.4	0.7	1.1
7/3/19 18:00	0.4	0.6	1.1
7/3/19 19:00	0.5	0.6	1.1
7/3/19 20:00	0.4	0.6	1.1
7/3/19 21:00	0.5	0.6	1.1
7/3/19 22:00	0.4	0.6	1.1
7/3/19 23:00	0.5	0.6	1.1
7/4/19 0:00	0.4	0.6	1.1
7/4/19 1:00	0.5	0.6	1.1
7/4/19 2:00	0.5	0.6	1.1
7/4/19 3:00	0.8	0.6	1.1
7/4/19 4:00	0.6	0.6	1.1
7/4/19 5:00	0.6	0.6	1.1
7/4/19 6:00	0.4	0.6	1.1
7/4/19 7:00	0.5	0.5	1.1
7/4/19 8:00	0.5	0.5	1.1
7/4/19 9:00	0.6	0.5	1.1
7/4/19 10:00	0.5	0.5	1.1
7/4/19 11:00	0.5	0.5	1.1
7/4/19 12:00	0.4	0.5	1.1
7/4/19 13:00	0.5	0.5	1.1
7/4/19 14:00	0.5	0.5	1.1
7/4/19 15:00	0.5	0.5	1.1
7/4/19 16:00	0.5	0.5	1.1
7/4/19 17:00	0.5	0.5	1.1
7/4/19 18:00	0.6	0.5	1.1
7/4/19 19:00	0.4	0.5	1.1
7/4/19 20:00	0.4	0.5	1.1
7/4/19 21:00	0.6	0.5	1.1
7/4/19 22:00	0.6	0.5	1.1
7/4/19 23:00	0.5	0.5	1.1
7/5/19 0:00	0.5	0.5	1.1
7/5/19 1:00	0.4	0.5	1.1

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/5/19 2:00	0.4	0.5	1.1
7/5/19 3:00	0.5	0.5	1.1
7/5/19 4:00	0.4	0.5	1.1
7/5/19 5:00	0.6	0.5	1.1
7/5/19 6:00	0.4	0.5	1.1
7/5/19 7:00	0.4	0.5	1.1
7/5/19 8:00	0.4	0.5	1.1
7/5/19 9:00	0.5	0.5	1.1
7/5/19 10:00	0.6	0.5	1.1
7/5/19 11:00	0.4	0.5	1.1
7/5/19 12:00	0.4	0.5	1.1
7/5/19 13:00	0.4	0.5	1.1
7/5/19 14:00	0.4	0.5	1.1
7/5/19 15:00	0.4	0.5	1.1
7/5/19 16:00	0.4	0.5	1.1
7/5/19 17:00	0.5	0.5	1.1
7/5/19 18:00	0.4	0.5	1.1
7/5/19 19:00	0.4	0.5	1.1
7/5/19 20:00	0.5	0.5	1.1
7/5/19 21:00	0.4	0.4	1.1
7/5/19 22:00	0.5	0.4	1.1
7/5/19 23:00	0.4	0.4	1.1
7/6/19 0:00	0.4	0.4	1.1
7/6/19 1:00	0.4	0.4	1.1
7/6/19 2:00	0.4	0.4	1.1
7/6/19 3:00	0.4	0.4	1.1
7/6/19 4:00	0.5	0.4	1.1
7/6/19 5:00	0.4	0.4	1.1
7/6/19 6:00	0.4	0.4	1.1
7/6/19 7:00	0.4	0.4	1.1
7/6/19 8:00	0.3	0.4	1.1
7/6/19 9:00	0.4	0.4	1.1
7/6/19 10:00	0.3	0.4	1.1
7/6/19 11:00	0.4	0.4	1.1
7/6/19 12:00	0.3	0.4	1.1
7/6/19 13:00	0.3	0.4	1.1
7/6/19 14:00	0.3	0.4	1.1
7/6/19 15:00	0.2	0.4	1.1
7/6/19 16:00	0.2	0.4	1.1
7/6/19 17:00	0.3	0.4	1.1

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/6/19 18:00	0.3	0.4	1.1
7/6/19 19:00	0.3	0.4	1.1
7/6/19 20:00	0.3	0.4	1.1
7/6/19 21:00	0.2	0.3	1.1
7/6/19 22:00	0.2	0.3	1.1
7/6/19 23:00	0.1	0.3	1.1
7/7/19 0:00	0.1	0.3	1.1
7/7/19 1:00	0.1	0.3	1.1
7/7/19 2:00	0.2	0.3	1.1
7/7/19 3:00	0.1	0.3	1.1
7/7/19 4:00	0.1	0.3	1.1
7/7/19 5:00	0.1	0.3	1.1
7/7/19 6:00	0.2	0.2	1.1
7/7/19 7:00	0.2	0.2	1.1
7/7/19 8:00	0.1	0.2	1.1
7/7/19 9:00	0.2	0.2	1.1
7/7/19 10:00	0.2	0.2	1.1
7/7/19 11:00	0.2	0.2	1.1
7/7/19 12:00	0.1	0.2	1.1
7/7/19 13:00	0.1	0.2	1.1
7/7/19 14:00	0.1	0.2	1.1
7/7/19 15:00	0.1	0.2	1.1
7/7/19 16:00	0.1	0.2	1.1
7/7/19 17:00	0.1	0.2	1.1
7/7/19 18:00	0.1	0.2	1.1
7/7/19 19:00	0.1	0.2	1.1
7/7/19 20:00	0.2	0.1	1.1
7/7/19 21:00	0.2	0.1	1.1
7/7/19 22:00	0.1	0.1	1.1
7/7/19 23:00	0.1	0.1	1.1
7/8/19 0:00	0.2	0.1	1.1
7/8/19 1:00	0.2	0.1	1.1
7/8/19 2:00	0.2	0.1	1.1
7/8/19 3:00	0.2	0.1	1.1
7/8/19 4:00	0.2	0.2	1.1
7/8/19 5:00	0.2	0.2	1.1
7/8/19 6:00	0.2	0.2	1.1
7/8/19 7:00	0.2	0.2	1.1
7/8/19 8:00	0.2	0.2	1.1
7/8/19 9:00	0.2	0.2	1.1

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/8/19 10:00	0.1	0.1	1.1
7/8/19 11:00	0.1	0.1	1.1
7/8/19 12:00	0.1	0.1	1.1
7/8/19 13:00	0.1	0.1	1.1
7/8/19 14:00	0.1	0.1	1.1
7/8/19 15:00	0.5	0.2	1.1
7/8/19 16:00	0.5	0.2	1.1
7/8/19 17:00	0.5	0.2	1.1
7/8/19 18:00	0.3	0.2	1.1
7/8/19 19:00	0.1	0.2	1.1
7/8/19 20:00	0.7	0.2	1.1
7/8/19 21:00	0.3	0.2	1.1
7/8/19 22:00	0.6	0.3	1.1
7/8/19 23:00	0.7	0.3	1.1
7/9/19 0:00	0.3	0.3	1.1
7/9/19 1:00	0.3	0.3	1.1
7/9/19 2:00	0.8	0.3	1.1
7/9/19 3:00	0.3	0.3	1.1
7/9/19 4:00	0.6	0.3	1.1
7/9/19 5:00	0.6	0.4	1.1
7/9/19 6:00	0.6	0.4	1.1
7/9/19 7:00	0.2	0.4	1.1
7/9/19 8:00	0.2	0.4	1.1
7/9/19 9:00	0.2	0.4	1.1
7/9/19 10:00	0.5	0.4	1.1
7/9/19 11:00	0.9	0.4	1.1
7/9/19 12:00	0.2	0.4	1.1
7/9/19 13:00	0.2	0.4	1.1
7/9/19 14:00	0.2	0.4	1.1
7/9/19 15:00	0.1	0.4	1.1
7/9/19 16:00	0.1	0.4	1.1
7/9/19 17:00	0.3	0.4	1.1
7/9/19 18:00	0.6	0.4	1.1
7/9/19 19:00	0.8	0.4	1.1
7/9/19 20:00	0.5	0.4	1.1
7/9/19 21:00	0.2	0.4	1.1
7/9/19 22:00	0.2	0.4	1.1
7/9/19 23:00	0.2	0.4	1.1
7/10/19 0:00	0.2	0.4	1.1
7/10/19 1:00	0.1	0.4	1.1

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/10/19 2:00	0.1	0.4	1.1
7/10/19 3:00	0.2	0.3	1.1
7/10/19 4:00	0.2	0.3	1.1
7/10/19 5:00	0.1	0.3	1.1
7/10/19 6:00	0.1	0.3	1.1
7/10/19 7:00	0.2	0.3	1.1
7/10/19 8:00	0.3	0.3	1.1
7/10/19 9:00	0.3	0.3	1.1
7/10/19 10:00	0.4	0.3	1.1
7/10/19 11:00	0.4	0.3	1.1
7/10/19 12:00	0.4	0.3	1.1
7/10/19 13:00	0.4	0.3	1.1
7/10/19 14:00	0.4	0.3	1.1
7/10/19 15:00	0.4	0.3	1.1
7/10/19 16:00	0.4	0.3	1.1
7/10/19 17:00	0.4	0.3	1.1
7/10/19 18:00	0.4	0.3	1.1
7/10/19 19:00	0.3	0.3	1.1
7/10/19 20:00	0.3	0.3	1.1
7/10/19 21:00	0.2	0.3	1.1
7/10/19 22:00	0.3	0.3	1.1
7/10/19 23:00	0.3	0.3	1.1
7/11/19 0:00	0.3	0.3	1.1
7/11/19 1:00	0.3	0.3	1.1
7/11/19 2:00	0.3	0.3	1.1
7/11/19 3:00	0.3	0.3	1.1
7/11/19 4:00	0.3	0.3	1.1
7/11/19 5:00	0.3	0.3	1.1
7/11/19 6:00	0.3	0.3	1.1
7/11/19 7:00	0.3	0.3	1.1
7/11/19 8:00	0.4	0.3	1.1
7/11/19 9:00	0.4	0.3	1.1
7/11/19 10:00	0.2	0.3	1.1
7/11/19 11:00	0.2	0.3	1.1
7/11/19 12:00	0.3	0.3	1.1
7/11/19 13:00	0.3	0.3	1.1
7/11/19 14:00	0.4	0.3	1.1
7/11/19 15:00	0.2	0.3	1.1
7/11/19 16:00	0.2	0.3	1.1
7/11/19 17:00	0.2	0.3	1.1

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/11/19 18:00	0.1	0.3	1.1
7/11/19 19:00	0.1	0.3	1.1
7/11/19 20:00	0.1	0.3	1.1
7/11/19 21:00	0.2	0.3	1.1
7/11/19 22:00	0.2	0.3	1.1
7/11/19 23:00	0.2	0.3	1.1
7/12/19 0:00	0.2	0.2	1.1
7/12/19 1:00	0.2	0.2	1.1
7/12/19 2:00	0.2	0.2	1.1
7/12/19 3:00	0.2	0.2	1.1
7/12/19 4:00	0.1	0.2	1.1
7/12/19 5:00	0.2	0.2	1.1
7/12/19 6:00	0.1	0.2	1.1
7/12/19 7:00	0.1	0.2	1.1
7/12/19 8:00	0.1	0.2	1.1
7/12/19 9:00	0.1	0.2	1.1
7/12/19 10:00	0.1	0.2	1.1
7/12/19 11:00	0.2	0.2	1.1
7/12/19 12:00	0.1	0.2	1.1
7/12/19 13:00	0.1	0.2	1.1
7/12/19 14:00	0.1	0.2	1.1
7/12/19 15:00	0.1	0.2	1.1
7/12/19 16:00	0.1	0.2	1.1
7/12/19 17:00	0.1	0.1	1.1
7/12/19 18:00	0.1	0.1	1.1
7/12/19 19:00	0.1	0.1	1.1
7/12/19 20:00	0.1	0.1	1.1
7/12/19 21:00	0.1	0.1	1.1
7/12/19 22:00	0.1	0.1	1.1
7/12/19 23:00	0.1	0.1	1.1
7/13/19 0:00	0.1	0.1	1.1
7/13/19 1:00	0.1	0.1	1.1
7/13/19 2:00	0.3	0.1	1.1
7/13/19 3:00	0.3	0.1	1.1
7/13/19 4:00	0.3	0.1	1.1
7/13/19 5:00	0.3	0.1	1.1
7/13/19 6:00	0.3	0.2	1.1
7/13/19 7:00	0.3	0.2	1.1
7/13/19 8:00	0.3	0.2	1.1
7/13/19 9:00	0.2	0.2	1.1

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/13/19 10:00	0.2	0.2	1.1
7/13/19 11:00	0.3	0.2	1.1
7/13/19 12:00	0.3	0.2	1.1
7/13/19 13:00	0.2	0.2	1.1
7/13/19 14:00	0.2	0.2	1.1
7/13/19 15:00	0.3	0.2	1.1
7/13/19 16:00	0.4	0.2	1.1
7/13/19 17:00	0.3	0.2	1.1
7/13/19 18:00	0.3	0.2	1.1
7/13/19 19:00	0.4	0.2	1.1
7/13/19 20:00	0.3	0.3	1.1
7/13/19 21:00	0.3	0.3	1.1
7/13/19 22:00	0.2	0.3	1.1
7/13/19 23:00	0.2	0.3	1.1
7/14/19 0:00	0.1	0.3	1.1
7/14/19 1:00	0.1	0.3	1.1
7/14/19 2:00	0.2	0.3	1.1
7/14/19 3:00	0.2	0.3	1.1
7/14/19 4:00	0.1	0.3	1.1
7/14/19 5:00	0.1	0.2	1.1
7/14/19 6:00	0.2	0.2	1.1
7/14/19 7:00	0.2	0.2	1.1
7/14/19 8:00	0.1	0.2	1.1
7/14/19 9:00	0.1	0.2	1.1
7/14/19 10:00	0.1	0.2	1.1
7/14/19 11:00	0.1	0.2	1.1
7/14/19 12:00	0.2	0.2	1.1
7/14/19 13:00	0.1	0.2	1.1
7/14/19 14:00	0.2	0.2	1.1
7/14/19 15:00	0.1	0.2	1.1
7/14/19 16:00	0.1	0.2	1.1
7/14/19 17:00	0.1	0.2	1.1
7/14/19 18:00	0.1	0.2	1.1
7/14/19 19:00	0.2	0.2	1.1
7/14/19 20:00	0.1	0.1	1.1
7/14/19 21:00	0.1	0.1	1.1
7/14/19 22:00	0.1	0.1	1.1
7/14/19 23:00	0.1	0.1	1.1
7/15/19 0:00	0.1	0.1	1.1
7/15/19 1:00	0.1	0.1	1.1

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/15/19 2:00	0.1	0.1	1.1
7/15/19 3:00	0.1	0.1	1.1
7/15/19 4:00	0.1	0.1	1.1
7/15/19 5:00	0.1	0.1	1.1
7/15/19 6:00	0.1	0.1	1.1
7/15/19 7:00	0.1	0.1	1.1
7/15/19 8:00	0.2	0.1	1.1
7/15/19 9:00	0.3	0.1	1.1
7/15/19 10:00	0.2	0.1	1.1
7/15/19 11:00	0.3	0.1	1.1
7/15/19 12:00	0.2	0.1	1.1
7/15/19 13:00	0.3	0.1	1.1
7/15/19 14:00	0.3	0.1	1.1
7/15/19 15:00	0.3	0.1	1.1
7/15/19 16:00	0.3	0.2	1.1
7/15/19 17:00	0.3	0.2	1.1
7/15/19 18:00	0.2	0.2	1.1
7/15/19 19:00	0.3	0.2	1.1
7/15/19 20:00	0.4	0.2	1.1
7/15/19 21:00	0.4	0.2	1.1
7/15/19 22:00	0.3	0.2	1.1
7/15/19 23:00	0.3	0.2	1.1
7/16/19 0:00	0.3	0.2	1.1
7/16/19 1:00	0.2	0.2	1.1
7/16/19 2:00	0.3	0.2	1.1
7/16/19 3:00	0.2	0.2	1.1
7/16/19 4:00	0.3	0.3	1.1
7/16/19 5:00	0.3	0.3	1.1
7/16/19 6:00	0.3	0.3	1.1
7/16/19 7:00	0.3	0.3	1.1
7/16/19 8:00	0.3	0.3	1.1
7/16/19 9:00	0.3	0.3	1.1
7/16/19 10:00	0.3	0.3	1.1
7/16/19 11:00	0.3	0.3	1.1
7/16/19 12:00	0.2	0.3	1.1
7/16/19 13:00	0.2	0.3	1.1
7/16/19 14:00	0.3	0.3	1.1
7/16/19 15:00	0.3	0.3	1.1
7/16/19 16:00	0.3	0.3	1.1
7/16/19 17:00	0.3	0.3	1.1

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/16/19 18:00	0.3	0.3	1.1
7/16/19 19:00	0.2	0.3	1.1
7/16/19 20:00	0.3	0.3	1.1
7/16/19 21:00	0.2	0.3	1.1
7/16/19 22:00	0.2	0.3	1.1
7/16/19 23:00	0.2	0.3	1.1
7/17/19 0:00	0.2	0.3	1.1
7/17/19 1:00	0.2	0.3	1.1
7/17/19 2:00	0.2	0.3	1.1
7/17/19 3:00	0.2	0.2	1.1
7/17/19 4:00	0.2	0.2	1.1
7/17/19 5:00	0.3	0.2	1.1
7/17/19 6:00	0.3	0.2	1.1
7/17/19 7:00	0.2	0.2	1.1
7/17/19 8:00	0.2	0.2	1.1
7/17/19 9:00	0.2	0.2	1.1
7/17/19 10:00	0.2	0.2	1.1
7/17/19 11:00	0.2	0.2	1.1
7/17/19 12:00	0.2	0.2	1.1
7/17/19 13:00	0.2	0.2	1.1
7/17/19 14:00	0.2	0.2	1.1
7/17/19 15:00	0.3	0.2	1.1
7/17/19 16:00	0.3	0.2	1.1
7/17/19 17:00	0.2	0.2	1.1
7/17/19 18:00	0.2	0.2	1.1
7/17/19 19:00	0.3	0.2	1.1
7/17/19 20:00	0.3	0.2	1.1
7/17/19 21:00	0.3	0.2	1.1
7/17/19 22:00	0.3	0.2	1.1
7/17/19 23:00	0.3	0.2	1.1
7/18/19 0:00	0.4	0.2	1.1
7/18/19 1:00	0.3	0.3	1.1
7/18/19 2:00	0.3	0.3	1.1
7/18/19 3:00	0.3	0.3	1.1
7/18/19 4:00	0.4	0.3	1.1
7/18/19 5:00	0.4	0.3	1.1
7/18/19 6:00	0.3	0.3	1.1
7/18/19 7:00	0.3	0.3	1.1
7/18/19 8:00	0.4	0.3	1.1
7/18/19 9:00	0.3	0.3	1.1

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/18/19 10:00	0.3	0.3	1.1
7/18/19 11:00	0.3	0.3	1.1
7/18/19 12:00	0.3	0.3	1.1
7/18/19 13:00	0.4	0.3	1.1
7/18/19 14:00	0.5	0.3	1.1
7/18/19 15:00	0.6	0.3	1.1
7/18/19 16:00	0.6	0.4	1.1
7/18/19 17:00	0.6	0.4	1.1
7/18/19 18:00	0.3	0.4	1.1
7/18/19 19:00	0.3	0.4	1.1
7/18/19 20:00	0.4	0.4	1.1
7/18/19 21:00	0.4	0.4	1.1
7/18/19 22:00	2.2	0.5	1.1
7/18/19 23:00	0.3	0.5	1.1
7/19/19 0:00	0.3	0.5	1.1
7/19/19 1:00	0.5	0.5	1.1
7/19/19 2:00	0.4	0.5	1.0
7/19/19 3:00	0.4	0.5	1.0
7/19/19 4:00	0.4	0.5	1.0
7/19/19 5:00	0.4	0.5	1.0
7/19/19 6:00	0.4	0.5	1.0
7/19/19 7:00	0.4	0.5	1.0
7/19/19 8:00	0.4	0.5	1.0
7/19/19 9:00	0.5	0.5	1.0
7/19/19 10:00	0.5	0.5	1.0
7/19/19 11:00	0.5	0.5	1.0
7/19/19 12:00	0.9	0.5	1.0
7/19/19 13:00	1.2	0.6	1.0
7/19/19 14:00	0.9	0.6	1.0
7/19/19 15:00	0.6	0.6	0.9
7/19/19 16:00	0.5	0.6	0.9
7/19/19 17:00	1.0	0.6	0.9
7/19/19 18:00	1.2	0.6	0.9
7/19/19 19:00	1.1	0.7	0.9
7/19/19 20:00	0.5	0.7	0.9
7/19/19 21:00	3.1	0.8	0.9
7/19/19 22:00	0.5	0.7	0.9
7/19/19 23:00	0.6	0.7	0.9
7/20/19 0:00	0.5	0.7	0.9
7/20/19 1:00	0.4	0.7	0.9

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/20/19 2:00	0.5	0.7	0.9
7/20/19 3:00	1.6	0.8	0.9
7/20/19 4:00	0.6	0.8	0.9
7/20/19 5:00	0.5	0.8	0.9
7/20/19 6:00	0.3	0.8	0.9
7/20/19 7:00	0.4	0.8	0.9
7/20/19 8:00	0.4	0.8	0.9
7/20/19 9:00	0.5	0.8	0.9
7/20/19 10:00	0.5	0.8	0.9
7/20/19 11:00	0.5	0.8	0.9
7/20/19 12:00	0.4	0.8	0.9
7/20/19 13:00	0.4	0.7	0.9
7/20/19 14:00	0.5	0.7	0.9
7/20/19 15:00	0.6	0.7	0.9
7/20/19 16:00	0.4	0.7	0.8
7/20/19 17:00	0.5	0.7	0.8
7/20/19 18:00	0.5	0.7	0.8
7/20/19 19:00	0.7	0.6	0.8
7/20/19 20:00	0.7	0.7	0.8
7/20/19 21:00	0.7	0.6	0.8
7/20/19 22:00	1.0	0.6	0.8
7/20/19 23:00	0.7	0.6	0.8
7/21/19 0:00	0.8	0.6	0.8
7/21/19 1:00	1.2	0.6	0.8
7/21/19 2:00	2.2	0.7	0.8
7/21/19 3:00	0.6	0.7	0.8
7/21/19 4:00	0.5	0.6	0.8
7/21/19 5:00	0.5	0.6	0.8
7/21/19 6:00	0.5	0.7	0.7
7/21/19 7:00	0.5	0.7	0.7
7/21/19 8:00	0.6	0.7	0.7
7/21/19 9:00	0.6	0.7	0.7
7/21/19 10:00	0.4	0.7	0.7
7/21/19 11:00	0.4	0.7	0.7
7/21/19 12:00	0.5	0.7	0.7
7/21/19 13:00	1.8	0.7	0.7
7/21/19 14:00	2.5	0.8	0.7
7/21/19 15:00	0.7	0.8	0.7
7/21/19 16:00	0.5	0.8	0.7
7/21/19 17:00	0.4	0.8	0.7

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/21/19 18:00	0.5	0.8	0.7
7/21/19 19:00	0.6	0.8	0.7
7/21/19 20:00	0.8	0.8	0.7
7/21/19 21:00	1.0	0.8	0.7
7/21/19 22:00	1.0	0.8	0.7
7/21/19 23:00	1.1	0.8	0.7
7/22/19 0:00	1.1	0.9	0.7
7/22/19 1:00	1.0	0.8	0.7
7/22/19 2:00	1.2	0.8	0.7
7/22/19 3:00	0.7	0.8	0.6
7/22/19 4:00	0.5	0.8	0.6
7/22/19 5:00	0.5	0.8	0.6
7/22/19 6:00	0.6	0.8	0.6
7/22/19 7:00	0.6	0.8	0.6
7/22/19 8:00	0.6	0.8	0.6
7/22/19 9:00	0.8	0.8	0.6
7/22/19 10:00	1.0	0.9	0.6
7/22/19 11:00	1.0	0.9	0.6
7/22/19 12:00	1.1	0.9	0.6
7/22/19 13:00	1.1	0.9	0.6
7/22/19 14:00	2.4	0.9	0.6
7/22/19 15:00	1.1	0.9	0.6
7/22/19 16:00	1.0	0.9	0.6
7/22/19 17:00	0.9	0.9	0.6
7/22/19 18:00	1.1	0.9	0.6
7/22/19 19:00	1.0	1.0	0.6
7/22/19 20:00	1.0	1.0	0.6
7/22/19 21:00	0.6	1.0	0.6
7/22/19 22:00	0.6	0.9	0.6
7/22/19 23:00	0.6	0.9	0.6
7/23/19 0:00	0.6	0.9	0.6
7/23/19 1:00	0.7	0.9	0.6
7/23/19 2:00	0.6	0.9	0.6
7/23/19 3:00	0.5	0.8	0.6
7/23/19 4:00	0.5	0.8	0.6
7/23/19 5:00	0.6	0.8	0.6
7/23/19 6:00	0.5	0.8	0.6
7/23/19 7:00	0.4	0.8	0.6
7/23/19 8:00	0.4	0.8	0.6
7/23/19 9:00	0.5	0.8	0.6

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/23/19 10:00	0.5	0.8	0.6
7/23/19 11:00	0.7	0.8	0.6
7/23/19 12:00	0.5	0.8	0.6
7/23/19 13:00	0.4	0.7	0.6
7/23/19 14:00	0.4	0.6	0.6
7/23/19 15:00	0.4	0.6	0.6
7/23/19 16:00	0.4	0.6	0.6
7/23/19 17:00	0.4	0.6	0.6
7/23/19 18:00	0.4	0.5	0.6
7/23/19 19:00	0.4	0.5	0.6
7/23/19 20:00	0.4	0.5	0.6
7/23/19 21:00	0.3	0.5	0.6
7/23/19 22:00	0.4	0.5	0.6
7/23/19 23:00	0.3	0.5	0.5
7/24/19 0:00	0.3	0.5	0.5
7/24/19 1:00	0.4	0.4	0.5
7/24/19 2:00	0.4	0.4	0.5
7/24/19 3:00	0.4	0.4	0.5
7/24/19 4:00	0.4	0.4	0.5
7/24/19 5:00	0.4	0.4	0.5
7/24/19 6:00	0.4	0.4	0.5
7/24/19 7:00	0.4	0.4	0.5
7/24/19 8:00	0.4	0.4	0.5
7/24/19 9:00	0.3	0.4	0.5
7/24/19 10:00	0.3	0.4	0.5
7/24/19 11:00	1.1	0.4	0.5
7/24/19 12:00	1.8	0.5	0.5
7/24/19 13:00	0.4	0.5	0.5
7/24/19 14:00	0.4	0.5	0.5
7/24/19 15:00	0.5	0.5	0.5
7/24/19 16:00	0.4	0.5	0.5
7/24/19 17:00	0.4	0.5	0.5
7/24/19 18:00	0.4	0.5	0.5
7/24/19 19:00	0.4	0.5	0.5
7/24/19 20:00	0.4	0.5	0.5
7/24/19 21:00	0.4	0.5	0.5
7/24/19 22:00	0.4	0.5	0.5
7/24/19 23:00	0.4	0.5	0.5
7/25/19 0:00	0.4	0.5	0.5
7/25/19 1:00	0.4	0.5	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/25/19 2:00	0.4	0.5	0.5
7/25/19 3:00	0.4	0.5	0.5
7/25/19 4:00	0.4	0.5	0.5
7/25/19 5:00	0.4	0.5	0.5
7/25/19 6:00	0.4	0.5	0.5
7/25/19 7:00	0.4	0.5	0.5
7/25/19 8:00	0.4	0.5	0.5
7/25/19 9:00	0.4	0.5	0.5
7/25/19 10:00	0.5	0.5	0.5
7/25/19 11:00	0.5	0.5	0.5
7/25/19 12:00	0.5	0.4	0.5
7/25/19 13:00	0.5	0.4	0.5
7/25/19 14:00	0.4	0.4	0.5
7/25/19 15:00	0.5	0.4	0.5
7/25/19 16:00	2.7	0.5	0.5
7/25/19 17:00	0.6	0.5	0.5
7/25/19 18:00	0.6	0.5	0.5
7/25/19 19:00	0.5	0.5	0.5
7/25/19 20:00	0.5	0.5	0.5
7/25/19 21:00	0.6	0.5	0.5
7/25/19 22:00	0.5	0.6	0.5
7/25/19 23:00	0.5	0.6	0.5
7/26/19 0:00	0.5	0.6	0.5
7/26/19 1:00	0.5	0.6	0.5
7/26/19 2:00	0.5	0.6	0.5
7/26/19 3:00	0.6	0.6	0.5
7/26/19 4:00	0.5	0.6	0.5
7/26/19 5:00	0.6	0.6	0.5
7/26/19 6:00	0.5	0.6	0.5
7/26/19 7:00	0.6	0.6	0.5
7/26/19 8:00	0.5	0.6	0.5
7/26/19 9:00	0.5	0.6	0.5
7/26/19 10:00	0.5	0.6	0.5
7/26/19 11:00	0.6	0.6	0.5
7/26/19 12:00	0.5	0.6	0.5
7/26/19 13:00	2.0	0.7	0.5
7/26/19 14:00	2.6	0.8	0.5
7/26/19 15:00	0.5	0.8	0.5
7/26/19 16:00	0.9	0.7	0.5
7/26/19 17:00	1.3	0.7	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/26/19 18:00	1.9	0.8	0.5
7/26/19 19:00	0.6	0.8	0.5
7/26/19 20:00	0.5	0.8	0.5
7/26/19 21:00	0.5	0.8	0.5
7/26/19 22:00	0.5	0.8	0.5
7/26/19 23:00	0.5	0.8	0.5
7/27/19 0:00	0.6	0.8	0.5
7/27/19 1:00	0.5	0.8	0.5
7/27/19 2:00	0.4	0.8	0.5
7/27/19 3:00	0.4	0.8	0.5
7/27/19 4:00	0.4	0.8	0.5
7/27/19 5:00	0.4	0.8	0.5
7/27/19 6:00	0.4	0.8	0.5
7/27/19 7:00	0.5	0.8	0.5
7/27/19 8:00	0.5	0.8	0.5
7/27/19 9:00	0.5	0.8	0.5
7/27/19 10:00	1.9	0.8	0.5
7/27/19 11:00	0.6	0.8	0.5
7/27/19 12:00	0.6	0.8	0.5
7/27/19 13:00	0.6	0.8	0.5
7/27/19 14:00	0.6	0.7	0.5
7/27/19 15:00	0.6	0.7	0.5
7/27/19 16:00	0.6	0.7	0.5
7/27/19 17:00	0.6	0.6	0.5
7/27/19 18:00	0.6	0.6	0.5
7/27/19 19:00	0.5	0.6	0.5
7/27/19 20:00	0.4	0.6	0.5
7/27/19 21:00	0.4	0.6	0.5
7/27/19 22:00	0.4	0.6	0.5
7/27/19 23:00	1.1	0.6	0.5
7/28/19 0:00	1.0	0.6	0.5
7/28/19 1:00	0.4	0.6	0.5
7/28/19 2:00	0.4	0.6	0.5
7/28/19 3:00	0.4	0.6	0.5
7/28/19 4:00	0.4	0.6	0.5
7/28/19 5:00	0.4	0.6	0.5
7/28/19 6:00	0.4	0.6	0.5
7/28/19 7:00	0.5	0.6	0.5
7/28/19 8:00	0.6	0.6	0.5
7/28/19 9:00	0.6	0.6	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/28/19 10:00	0.5	0.5	0.5
7/28/19 11:00	0.6	0.5	0.5
7/28/19 12:00	0.6	0.5	0.5
7/28/19 13:00	0.6	0.5	0.5
7/28/19 14:00	0.6	0.5	0.5
7/28/19 15:00	0.4	0.5	0.5
7/28/19 16:00	0.4	0.5	0.5
7/28/19 17:00	0.4	0.5	0.5
7/28/19 18:00	0.4	0.5	0.5
7/28/19 19:00	0.4	0.5	0.5
7/28/19 20:00	0.4	0.5	0.5
7/28/19 21:00	0.4	0.5	0.5
7/28/19 22:00	0.4	0.5	0.5
7/28/19 23:00	0.4	0.5	0.5
7/29/19 0:00	0.4	0.5	0.5
7/29/19 1:00	0.5	0.5	0.5
7/29/19 2:00	0.5	0.5	0.5
7/29/19 3:00	0.5	0.5	0.5
7/29/19 4:00	0.4	0.5	0.5
7/29/19 5:00	0.4	0.5	0.5
7/29/19 6:00	0.4	0.5	0.5
7/29/19 7:00	0.4	0.5	0.5
7/29/19 8:00	0.5	0.5	0.5
7/29/19 9:00	0.5	0.5	0.5
7/29/19 10:00	0.4	0.5	0.5
7/29/19 11:00	0.4	0.5	0.5
7/29/19 12:00	0.4	0.4	0.5
7/29/19 13:00	0.5	0.4	0.5
7/29/19 14:00	0.4	0.4	0.5
7/29/19 15:00	0.4	0.4	0.5
7/29/19 16:00	0.4	0.4	0.5
7/29/19 17:00	0.4	0.4	0.5
7/29/19 18:00	0.4	0.4	0.5
7/29/19 19:00	0.4	0.4	0.5
7/29/19 20:00	0.4	0.4	0.5
7/29/19 21:00	0.4	0.4	0.5
7/29/19 22:00	0.5	0.4	0.5
7/29/19 23:00	0.5	0.4	0.5
7/30/19 0:00	0.5	0.4	0.5
7/30/19 1:00	0.4	0.4	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/30/19 2:00	0.4	0.4	0.5
7/30/19 3:00	0.5	0.4	0.5
7/30/19 4:00	0.6	0.4	0.5
7/30/19 5:00	5.1	0.6	0.5
7/30/19 6:00	7.2	0.9	0.5
7/30/19 7:00	14.7	1.5	0.6
7/30/19 8:00	0.6	1.5	0.6
7/30/19 9:00	0.3	1.5	0.6
7/30/19 10:00	0.2	1.5	0.6
7/30/19 11:00	1.0	1.5	0.6
7/30/19 12:00	0.9	1.5	0.6
7/30/19 13:00	0.4	1.5	0.5
7/30/19 14:00	0.4	1.5	0.5
7/30/19 15:00	0.4	1.5	0.5
7/30/19 16:00	0.5	1.5	0.5
7/30/19 17:00	0.4	1.5	0.5
7/30/19 18:00	0.4	1.5	0.5
7/30/19 19:00	0.3	1.5	0.5
7/30/19 20:00	0.3	1.5	0.5
7/30/19 21:00	0.3	1.5	0.5
7/30/19 22:00	0.3	1.5	0.5
7/30/19 23:00	0.3	1.5	0.5
7/31/19 0:00	0.3	1.5	0.5
7/31/19 1:00	0.3	1.5	0.5
7/31/19 2:00	0.3	1.5	0.5
7/31/19 3:00	0.4	1.5	0.5
7/31/19 4:00	0.4	1.5	0.5
7/31/19 5:00	0.8	1.3	0.5
7/31/19 6:00	0.7	1.0	0.5
7/31/19 7:00	0.5	0.5	0.5
7/31/19 8:00	0.5	0.4	0.5
7/31/19 9:00	0.5	0.5	0.5
7/31/19 10:00	0.5	0.5	0.5
7/31/19 11:00	0.5	0.5	0.5
7/31/19 12:00	0.5	0.4	0.5
7/31/19 13:00	0.5	0.4	0.5
7/31/19 14:00	0.4	0.4	0.5
7/31/19 15:00	0.5	0.4	0.5
7/31/19 16:00	0.5	0.4	0.5
7/31/19 17:00	0.5	0.4	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/31/19 18:00	0.4	0.4	0.5
7/31/19 19:00	0.4	0.5	0.5
7/31/19 20:00	0.4	0.5	0.5
7/31/19 21:00	0.3	0.5	0.5
7/31/19 22:00	0.4	0.5	0.5
7/31/19 23:00	0.4	0.5	0.5
8/1/19 0:00	0.5	0.5	0.5
8/1/19 1:00	0.5	0.5	0.5
8/1/19 2:00	0.4	0.5	0.5
8/1/19 3:00	0.4	0.5	0.5
8/1/19 4:00	0.3	0.5	0.5
8/1/19 5:00	0.3	0.5	0.5
8/1/19 6:00	0.3	0.4	0.5
8/1/19 7:00	0.4	0.4	0.5
8/1/19 8:00	0.4	0.4	0.5
8/1/19 9:00	0.3	0.4	0.5
8/1/19 10:00	0.3	0.4	0.5
8/1/19 11:00	0.3	0.4	0.5
8/1/19 12:00	0.3	0.4	0.5
8/1/19 13:00	0.3	0.4	0.5
8/1/19 14:00	0.3	0.4	0.5
8/1/19 15:00	0.3	0.4	0.5
8/1/19 16:00	0.3	0.4	0.5
8/1/19 17:00	0.3	0.4	0.5
8/1/19 18:00	0.2	0.3	0.5
8/1/19 19:00	0.3	0.3	0.5
8/1/19 20:00	0.3	0.3	0.5
8/1/19 21:00	0.3	0.3	0.5
8/1/19 22:00	1.7	0.4	0.5
8/1/19 23:00	2.0	0.5	0.5
8/2/19 0:00	2.0	0.5	0.5
8/2/19 1:00	0.3	0.5	0.5
8/2/19 2:00	0.3	0.5	0.5
8/2/19 3:00	0.3	0.5	0.5
8/2/19 4:00	0.3	0.5	0.5
8/2/19 5:00	0.3	0.5	0.5
8/2/19 6:00	0.3	0.5	0.5
8/2/19 7:00	0.3	0.5	0.5
8/2/19 8:00	0.3	0.5	0.5
8/2/19 9:00	0.3	0.5	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/2/19 10:00	0.3	0.5	0.5
8/2/19 11:00	0.3	0.5	0.5
8/2/19 12:00	0.3	0.5	0.5
8/2/19 13:00	0.3	0.5	0.5
8/2/19 14:00	0.3	0.5	0.5
8/2/19 15:00	0.3	0.5	0.5
8/2/19 16:00	0.3	0.5	0.5
8/2/19 17:00	0.3	0.5	0.5
8/2/19 18:00	0.4	0.5	0.5
8/2/19 19:00	0.3	0.5	0.5
8/2/19 20:00	0.3	0.5	0.5
8/2/19 21:00	0.3	0.5	0.5
8/2/19 22:00	0.2	0.4	0.5
8/2/19 23:00	0.3	0.4	0.5
8/3/19 0:00	0.5	0.3	0.5
8/3/19 1:00	3.3	0.4	0.5
8/3/19 2:00	0.5	0.4	0.5
8/3/19 3:00	0.5	0.4	0.5
8/3/19 4:00	2.0	0.5	0.5
8/3/19 5:00	1.2	0.6	0.5
8/3/19 6:00	0.3	0.6	0.5
8/3/19 7:00	1.5	0.6	0.5
8/3/19 8:00	2.7	0.7	0.5
8/3/19 9:00	1.0	0.7	0.5
8/3/19 10:00	3.1	0.9	0.5
8/3/19 11:00	2.1	0.9	0.5
8/3/19 12:00	1.1	1.0	0.5
8/3/19 13:00	1.8	1.0	0.5
8/3/19 14:00	0.2	1.0	0.5
8/3/19 15:00	0.2	1.0	0.5
8/3/19 16:00	0.3	1.0	0.5
8/3/19 17:00	0.5	1.0	0.5
8/3/19 18:00	0.3	1.0	0.5
8/3/19 19:00	0.4	1.0	0.5
8/3/19 20:00	0.5	1.0	0.5
8/3/19 21:00	0.4	1.0	0.5
8/3/19 22:00	0.3	1.0	0.5
8/3/19 23:00	0.3	1.0	0.5
8/4/19 0:00	0.4	1.0	0.5
8/4/19 1:00	0.3	0.9	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/4/19 2:00	0.3	0.9	0.5
8/4/19 3:00	0.4	0.9	0.5
8/4/19 4:00	0.6	0.8	0.5
8/4/19 5:00	2.1	0.9	0.5
8/4/19 6:00	0.3	0.9	0.5
8/4/19 7:00	0.5	0.8	0.5
8/4/19 8:00	3.3	0.9	0.5
8/4/19 9:00	0.3	0.8	0.5
8/4/19 10:00	0.3	0.7	0.5
8/4/19 11:00	0.3	0.6	0.5
8/4/19 12:00	0.3	0.6	0.5
8/4/19 13:00	0.3	0.5	0.5
8/4/19 14:00	0.3	0.6	0.5
8/4/19 15:00	0.3	0.6	0.5
8/4/19 16:00	0.3	0.6	0.5
8/4/19 17:00	0.3	0.5	0.5
8/4/19 18:00	0.3	0.5	0.5
8/4/19 19:00	0.3	0.5	0.5
8/4/19 20:00	0.3	0.5	0.5
8/4/19 21:00	0.3	0.5	0.5
8/4/19 22:00	0.3	0.5	0.5
8/4/19 23:00	0.3	0.5	0.5
8/5/19 0:00	0.3	0.5	0.5
8/5/19 1:00	0.3	0.5	0.5
8/5/19 2:00	0.3	0.5	0.5
8/5/19 3:00	0.3	0.5	0.5
8/5/19 4:00	0.3	0.5	0.5
8/5/19 5:00	0.2	0.4	0.5
8/5/19 6:00	0.3	0.4	0.5
8/5/19 7:00	0.3	0.4	0.5
8/5/19 8:00	0.3	0.3	0.5
8/5/19 9:00	0.4	0.3	0.5
8/5/19 10:00	0.3	0.3	0.5
8/5/19 11:00	0.4	0.3	0.5
8/5/19 12:00	0.4	0.3	0.5
8/5/19 13:00	0.4	0.3	0.5
8/5/19 14:00	0.4	0.3	0.5
8/5/19 15:00	0.5	0.3	0.5
8/5/19 16:00	0.4	0.3	0.5
8/5/19 17:00	0.4	0.3	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/5/19 18:00	0.4	0.3	0.5
8/5/19 19:00	0.3	0.3	0.5
8/5/19 20:00	0.4	0.3	0.5
8/5/19 21:00	0.4	0.3	0.5
8/5/19 22:00	0.3	0.3	0.5
8/5/19 23:00	0.4	0.4	0.5
8/6/19 0:00	0.4	0.4	0.5
8/6/19 1:00	0.4	0.4	0.5
8/6/19 2:00	0.4	0.4	0.5
8/6/19 3:00	0.4	0.4	0.5
8/6/19 4:00	0.3	0.4	0.5
8/6/19 5:00	0.4	0.4	0.5
8/6/19 6:00	0.4	0.4	0.5
8/6/19 7:00	0.4	0.4	0.5
8/6/19 8:00	0.4	0.4	0.5
8/6/19 9:00	0.4	0.4	0.5
8/6/19 10:00	0.5	0.4	0.5
8/6/19 11:00	0.3	0.4	0.5
8/6/19 12:00	0.3	0.4	0.5
8/6/19 13:00	0.3	0.4	0.5
8/6/19 14:00	0.3	0.4	0.5
8/6/19 15:00	0.4	0.4	0.5
8/6/19 16:00	0.4	0.4	0.5
8/6/19 17:00	0.4	0.4	0.5
8/6/19 18:00	0.4	0.4	0.5
8/6/19 19:00	0.4	0.4	0.5
8/6/19 20:00	0.4	0.4	0.5
8/6/19 21:00	0.4	0.4	0.5
8/6/19 22:00	0.4	0.4	0.5
8/6/19 23:00	0.5	0.4	0.5
8/7/19 0:00	0.5	0.4	0.5
8/7/19 1:00	0.4	0.4	0.5
8/7/19 2:00	0.4	0.4	0.5
8/7/19 3:00	0.4	0.4	0.5
8/7/19 4:00	0.4	0.4	0.5
8/7/19 5:00	0.4	0.4	0.5
8/7/19 6:00	0.5	0.4	0.5
8/7/19 7:00	0.5	0.4	0.5
8/7/19 8:00	0.4	0.4	0.5
8/7/19 9:00	0.4	0.4	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/7/19 10:00	0.4	0.4	0.5
8/7/19 11:00	0.4	0.4	0.5
8/7/19 12:00	0.4	0.4	0.5
8/7/19 13:00	0.4	0.4	0.5
8/7/19 14:00	0.4	0.4	0.5
8/7/19 15:00	0.4	0.4	0.5
8/7/19 16:00	3.1	0.5	0.5
8/7/19 17:00	2.7	0.6	0.5
8/7/19 18:00	0.4	0.6	0.5
8/7/19 19:00	0.3	0.6	0.5
8/7/19 20:00	0.3	0.6	0.5
8/7/19 21:00	0.4	0.6	0.5
8/7/19 22:00	0.4	0.6	0.5
8/7/19 23:00	0.4	0.6	0.5
8/8/19 0:00	0.4	0.6	0.5
8/8/19 1:00	0.5	0.6	0.5
8/8/19 2:00	1.8	0.7	0.5
8/8/19 3:00	0.4	0.7	0.5
8/8/19 4:00	0.4	0.7	0.5
8/8/19 5:00	0.4	0.7	0.5
8/8/19 6:00	0.4	0.7	0.5
8/8/19 7:00	0.4	0.7	0.5
8/8/19 8:00	0.4	0.6	0.5
8/8/19 9:00	0.4	0.7	0.5
8/8/19 10:00	0.3	0.6	0.5
8/8/19 11:00	0.4	0.6	0.5
8/8/19 12:00	0.3	0.6	0.5
8/8/19 13:00	0.3	0.6	0.5
8/8/19 14:00	0.4	0.6	0.5
8/8/19 15:00	0.4	0.6	0.5
8/8/19 16:00	0.5	0.5	0.5
8/8/19 17:00	0.4	0.4	0.5
8/8/19 18:00	0.5	0.4	0.5
8/8/19 19:00	0.4	0.4	0.5
8/8/19 20:00	0.4	0.5	0.5
8/8/19 21:00	0.4	0.5	0.5
8/8/19 22:00	0.4	0.5	0.5
8/8/19 23:00	0.4	0.5	0.5
8/9/19 0:00	0.4	0.5	0.5
8/9/19 1:00	0.3	0.4	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/9/19 2:00	0.3	0.4	0.5
8/9/19 3:00	0.3	0.4	0.5
8/9/19 4:00	0.3	0.4	0.5
8/9/19 5:00	0.3	0.4	0.5
8/9/19 6:00	0.3	0.4	0.5
8/9/19 7:00	0.3	0.4	0.5
8/9/19 8:00	0.3	0.4	0.5
8/9/19 9:00	0.3	0.4	0.5
8/9/19 10:00	0.3	0.4	0.5
8/9/19 11:00	0.3	0.4	0.5
8/9/19 12:00	1.4	0.4	0.5
8/9/19 13:00	0.8	0.4	0.5
8/9/19 14:00	0.4	0.4	0.5
8/9/19 15:00	0.3	0.4	0.5
8/9/19 16:00	0.3	0.4	0.5
8/9/19 17:00	0.3	0.4	0.5
8/9/19 18:00	0.3	0.4	0.5
8/9/19 19:00	0.3	0.4	0.5
8/9/19 20:00	0.3	0.4	0.5
8/9/19 21:00	0.3	0.4	0.5
8/9/19 22:00	0.3	0.4	0.5
8/9/19 23:00	0.3	0.4	0.5
8/10/19 0:00	0.3	0.4	0.5
8/10/19 1:00	0.2	0.4	0.5
8/10/19 2:00	0.3	0.4	0.5
8/10/19 3:00	0.4	0.4	0.5
8/10/19 4:00	0.4	0.4	0.5
8/10/19 5:00	0.4	0.4	0.5
8/10/19 6:00	0.3	0.4	0.5
8/10/19 7:00	0.3	0.4	0.5
8/10/19 8:00	0.3	0.4	0.5
8/10/19 9:00	0.3	0.4	0.5
8/10/19 10:00	0.5	0.4	0.5
8/10/19 11:00	0.5	0.4	0.5
8/10/19 12:00	0.4	0.4	0.5
8/10/19 13:00	0.3	0.3	0.5
8/10/19 14:00	0.3	0.3	0.5
8/10/19 15:00	0.3	0.3	0.5
8/10/19 16:00	0.3	0.3	0.5
8/10/19 17:00	0.3	0.3	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/10/19 18:00	0.3	0.3	0.5
8/10/19 19:00	0.3	0.3	0.5
8/10/19 20:00	0.3	0.3	0.5
8/10/19 21:00	0.3	0.3	0.5
8/10/19 22:00	0.2	0.3	0.5
8/10/19 23:00	0.2	0.3	0.5
8/11/19 0:00	0.3	0.3	0.5
8/11/19 1:00	0.3	0.3	0.5
8/11/19 2:00	0.3	0.3	0.5
8/11/19 3:00	0.3	0.3	0.5
8/11/19 4:00	0.2	0.3	0.5
8/11/19 5:00	0.2	0.3	0.5
8/11/19 6:00	0.2	0.3	0.5
8/11/19 7:00	0.2	0.3	0.5
8/11/19 8:00	0.2	0.3	0.5
8/11/19 9:00	0.2	0.3	0.5
8/11/19 10:00	0.2	0.3	0.5
8/11/19 11:00	0.3	0.3	0.5
8/11/19 12:00	0.3	0.3	0.5
8/11/19 13:00	0.3	0.3	0.5
8/11/19 14:00	0.3	0.3	0.5
8/11/19 15:00	0.3	0.3	0.5
8/11/19 16:00	0.3	0.3	0.5
8/11/19 17:00	0.2	0.3	0.5
8/11/19 18:00	0.3	0.3	0.5
8/11/19 19:00	0.3	0.3	0.5
8/11/19 20:00	0.4	0.3	0.5
8/11/19 21:00	0.4	0.3	0.5
8/11/19 22:00	0.3	0.3	0.5
8/11/19 23:00	0.3	0.3	0.5
8/12/19 0:00	0.4	0.3	0.5
8/12/19 1:00	0.4	0.3	0.5
8/12/19 2:00	0.4	0.3	0.5
8/12/19 3:00	0.4	0.3	0.5
8/12/19 4:00	0.4	0.3	0.5
8/12/19 5:00	0.4	0.3	0.5
8/12/19 6:00	0.4	0.3	0.5
8/12/19 7:00	0.2	0.3	0.5
8/12/19 8:00	0.2	0.3	0.5
8/12/19 9:00	0.2	0.3	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/12/19 10:00	0.2	0.3	0.5
8/12/19 11:00	0.2	0.3	0.5
8/12/19 12:00	0.3	0.3	0.5
8/12/19 13:00	0.2	0.3	0.5
8/12/19 14:00	0.3	0.3	0.5
8/12/19 15:00	0.3	0.3	0.5
8/12/19 16:00	0.2	0.3	0.5
8/12/19 17:00	0.2	0.3	0.5
8/12/19 18:00	0.2	0.3	0.5
8/12/19 19:00	0.3	0.3	0.5
8/12/19 20:00	0.3	0.3	0.5
8/12/19 21:00	0.3	0.3	0.5
8/12/19 22:00	0.3	0.3	0.5
8/12/19 23:00	0.3	0.3	0.5
8/13/19 0:00	0.4	0.3	0.5
8/13/19 1:00	0.6	0.3	0.5
8/13/19 2:00	0.5	0.3	0.5
8/13/19 3:00	0.6	0.3	0.5
8/13/19 4:00	0.8	0.3	0.5
8/13/19 5:00	0.6	0.3	0.5
8/13/19 6:00	0.6	0.4	0.5
8/13/19 7:00	0.7	0.4	0.5
8/13/19 8:00	0.6	0.4	0.5
8/13/19 9:00	0.5	0.4	0.5
8/13/19 10:00	0.6	0.4	0.5
8/13/19 11:00	0.7	0.4	0.5
8/13/19 12:00	0.7	0.5	0.5
8/13/19 13:00	0.7	0.5	0.5
8/13/19 14:00	1.2	0.5	0.5
8/13/19 15:00	7.5	0.8	0.5
8/13/19 16:00	1.0	0.8	0.5
8/13/19 17:00	0.5	0.9	0.5
8/13/19 18:00	0.5	0.9	0.5
8/13/19 19:00	0.4	0.9	0.5
8/13/19 20:00	0.4	0.9	0.5
8/13/19 21:00	0.4	0.9	0.5
8/13/19 22:00	0.3	0.9	0.5
8/13/19 23:00	0.4	0.9	0.5
8/14/19 0:00	0.4	0.9	0.5
8/14/19 1:00	0.4	0.9	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/14/19 2:00	0.4	0.9	0.5
8/14/19 3:00	0.3	0.9	0.5
8/14/19 4:00	0.3	0.8	0.5
8/14/19 5:00	0.3	0.8	0.5
8/14/19 6:00	0.3	0.8	0.5
8/14/19 7:00	0.3	0.8	0.5
8/14/19 8:00	0.3	0.8	0.5
8/14/19 9:00	0.3	0.8	0.5
8/14/19 10:00	0.3	0.8	0.5
8/14/19 11:00	0.3	0.7	0.5
8/14/19 12:00	0.3	0.7	0.5
8/14/19 13:00	0.3	0.7	0.5
8/14/19 14:00	0.3	0.7	0.5
8/14/19 15:00	0.3	0.4	0.5
8/14/19 16:00	0.3	0.3	0.5
8/14/19 17:00	0.4	0.3	0.5
8/14/19 18:00	0.4	0.3	0.5
8/14/19 19:00	0.3	0.3	0.5
8/14/19 20:00	0.3	0.3	0.5
8/14/19 21:00	0.3	0.3	0.5
8/14/19 22:00	0.3	0.3	0.5
8/14/19 23:00	0.3	0.3	0.5
8/15/19 0:00	0.3	0.3	0.5
8/15/19 1:00	0.3	0.3	0.5
8/15/19 2:00	0.3	0.3	0.5
8/15/19 3:00	0.3	0.3	0.5
8/15/19 4:00	0.3	0.3	0.5
8/15/19 5:00	0.3	0.3	0.5
8/15/19 6:00	0.4	0.3	0.5
8/15/19 7:00	0.3	0.3	0.5
8/15/19 8:00	0.3	0.3	0.5
8/15/19 9:00	0.3	0.3	0.5
8/15/19 10:00	0.3	0.3	0.5
8/15/19 11:00	0.5	0.3	0.5
8/15/19 12:00	0.4	0.3	0.5
8/15/19 13:00	0.3	0.3	0.5
8/15/19 14:00	0.3	0.3	0.5
8/15/19 15:00	0.3	0.3	0.5
8/15/19 16:00	0.3	0.3	0.5
8/15/19 17:00	0.3	0.3	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/15/19 18:00	0.3	0.3	0.5
8/15/19 19:00	0.4	0.3	0.5
8/15/19 20:00	0.4	0.3	0.5
8/15/19 21:00	0.3	0.3	0.5
8/15/19 22:00	0.4	0.3	0.6
8/15/19 23:00	0.4	0.3	0.6
8/16/19 0:00	0.4	0.3	0.6
8/16/19 1:00	0.4	0.3	0.6
8/16/19 2:00	0.4	0.4	0.6
8/16/19 3:00	0.4	0.4	0.6
8/16/19 4:00	0.4	0.4	0.6
8/16/19 5:00	0.3	0.4	0.6
8/16/19 6:00	0.3	0.4	0.6
8/16/19 7:00	0.4	0.4	0.6
8/16/19 8:00	0.4	0.4	0.6
8/16/19 9:00	0.5	0.4	0.6
8/16/19 10:00	0.5	0.4	0.6
8/16/19 11:00	0.4	0.4	0.6
8/16/19 12:00	0.4	0.4	0.6
8/16/19 13:00	0.4	0.4	0.6
8/16/19 14:00	0.4	0.4	0.6
8/16/19 15:00	0.4	0.4	0.6
8/16/19 16:00	0.4	0.4	0.6
8/16/19 17:00	0.4	0.4	0.6
8/16/19 18:00	0.4	0.4	0.6
8/16/19 19:00	0.4	0.4	0.6
8/16/19 20:00	0.4	0.4	0.6
8/16/19 21:00	0.4	0.4	0.6
8/16/19 22:00	0.4	0.4	0.6
8/16/19 23:00	0.4	0.4	0.6
8/17/19 0:00	0.4	0.4	0.6
8/17/19 1:00	0.4	0.4	0.6
8/17/19 2:00	0.4	0.4	0.6
8/17/19 3:00	0.4	0.4	0.6
8/17/19 4:00	0.4	0.4	0.6
8/17/19 5:00	0.4	0.4	0.6
8/17/19 6:00	0.4	0.4	0.6
8/17/19 7:00	0.4	0.4	0.6
8/17/19 8:00	0.4	0.4	0.6
8/17/19 9:00	0.4	0.4	0.6

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/17/19 10:00	0.4	0.4	0.6
8/17/19 11:00	0.4	0.4	0.6
8/17/19 12:00	0.4	0.4	0.6
8/17/19 13:00	0.4	0.4	0.6
8/17/19 14:00	0.4	0.4	0.6
8/17/19 15:00	0.4	0.4	0.6
8/17/19 16:00	0.5	0.4	0.6
8/17/19 17:00	0.5	0.4	0.6
8/17/19 18:00	0.5	0.4	0.6
8/17/19 19:00	0.5	0.4	0.6
8/17/19 20:00	0.5	0.4	0.6
8/17/19 21:00	0.5	0.4	0.6
8/17/19 22:00	0.6	0.5	0.6
8/17/19 23:00	0.7	0.5	0.6
8/18/19 0:00	0.6	0.5	0.6
8/18/19 1:00	0.5	0.5	0.6
8/18/19 2:00	0.5	0.5	0.6
8/18/19 3:00	0.5	0.5	0.6
8/18/19 4:00	0.5	0.5	0.6
8/18/19 5:00	0.5	0.5	0.6
8/18/19 6:00	0.6	0.5	0.6
8/18/19 7:00	0.6	0.5	0.6
8/18/19 8:00	0.5	0.5	0.6
8/18/19 9:00	0.5	0.5	0.6
8/18/19 10:00	0.5	0.5	0.6
8/18/19 11:00	0.5	0.5	0.6
8/18/19 12:00	0.5	0.5	0.6
8/18/19 13:00	0.5	0.5	0.6
8/18/19 14:00	0.4	0.5	0.6
8/18/19 15:00	0.4	0.5	0.6
8/18/19 16:00	0.4	0.5	0.6
8/18/19 17:00	0.4	0.5	0.6
8/18/19 18:00	0.4	0.5	0.6
8/18/19 19:00	0.3	0.5	0.6
8/18/19 20:00	0.3	0.5	0.5
8/18/19 21:00	0.4	0.5	0.5
8/18/19 22:00	0.4	0.5	0.5
8/18/19 23:00	0.4	0.5	0.5
8/19/19 0:00	0.4	0.5	0.5
8/19/19 1:00	0.4	0.5	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/19/19 2:00	0.5	0.5	0.5
8/19/19 3:00	1.6	0.5	0.5
8/19/19 4:00	0.4	0.5	0.5
8/19/19 5:00	0.3	0.5	0.5
8/19/19 6:00	0.3	0.5	0.5
8/19/19 7:00	0.4	0.5	0.5
8/19/19 8:00	2.8	0.6	0.6
8/19/19 9:00	0.4	0.6	0.6
8/19/19 10:00	0.4	0.6	0.6
8/19/19 11:00	0.3	0.5	0.6
8/19/19 12:00	0.3	0.5	0.5
8/19/19 13:00	0.3	0.5	0.5
8/19/19 14:00	0.3	0.5	0.5
8/19/19 15:00	0.3	0.5	0.5
8/19/19 16:00	0.3	0.5	0.5
8/19/19 17:00	0.3	0.5	0.5
8/19/19 18:00	0.3	0.5	0.5
8/19/19 19:00	0.4	0.5	0.5
8/19/19 20:00	0.4	0.5	0.5
8/19/19 21:00	0.4	0.5	0.5
8/19/19 22:00	0.4	0.5	0.5
8/19/19 23:00	0.5	0.5	0.5
8/20/19 0:00	0.4	0.5	0.5
8/20/19 1:00	0.4	0.5	0.5
8/20/19 2:00	0.4	0.5	0.5
8/20/19 3:00	0.4	0.5	0.5
8/20/19 4:00	0.4	0.5	0.5
8/20/19 5:00	0.4	0.5	0.5
8/20/19 6:00	0.4	0.5	0.5
8/20/19 7:00	0.4	0.5	0.5
8/20/19 8:00	0.3	0.4	0.5
8/20/19 9:00	0.3	0.4	0.5
8/20/19 10:00	0.5	0.4	0.5
8/20/19 11:00	0.4	0.4	0.5
8/20/19 12:00	0.3	0.4	0.5
8/20/19 13:00	0.4	0.4	0.5
8/20/19 14:00	0.4	0.4	0.5
8/20/19 15:00	0.4	0.4	0.5
8/20/19 16:00	0.4	0.4	0.5
8/20/19 17:00	0.3	0.4	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/20/19 18:00	0.3	0.4	0.5
8/20/19 19:00	0.4	0.4	0.5
8/20/19 20:00	0.4	0.4	0.5
8/20/19 21:00	0.4	0.4	0.5
8/20/19 22:00	0.3	0.4	0.5
8/20/19 23:00	0.3	0.4	0.5
8/21/19 0:00	0.3	0.4	0.5
8/21/19 1:00	0.3	0.4	0.5
8/21/19 2:00	0.3	0.4	0.5
8/21/19 3:00	0.4	0.4	0.5
8/21/19 4:00	0.4	0.4	0.5
8/21/19 5:00	0.4	0.4	0.5
8/21/19 6:00	0.4	0.4	0.5
8/21/19 7:00	0.4	0.4	0.5
8/21/19 8:00	0.5	0.4	0.5
8/21/19 9:00	0.4	0.4	0.5
8/21/19 10:00	0.3	0.4	0.5
8/21/19 11:00	0.3	0.4	0.5
8/21/19 12:00	0.3	0.4	0.5
8/21/19 13:00	0.4	0.4	0.5
8/21/19 14:00	0.3	0.4	0.5
8/21/19 15:00	0.4	0.4	0.5
8/21/19 16:00	0.4	0.4	0.5
8/21/19 17:00	2.7	0.5	0.5
8/21/19 18:00	1.8	0.5	0.5
8/21/19 19:00	0.4	0.5	0.5
8/21/19 20:00	0.4	0.5	0.5
8/21/19 21:00	0.4	0.5	0.5
8/21/19 22:00	0.4	0.5	0.5
8/21/19 23:00	0.4	0.5	0.5
8/22/19 0:00	0.4	0.5	0.5
8/22/19 1:00	0.4	0.5	0.5
8/22/19 2:00	0.4	0.5	0.5
8/22/19 3:00	0.4	0.5	0.5
8/22/19 4:00	0.4	0.5	0.5
8/22/19 5:00	0.4	0.5	0.5
8/22/19 6:00	0.4	0.5	0.5
8/22/19 7:00	0.5	0.5	0.5
8/22/19 8:00	0.4	0.5	0.5
8/22/19 9:00	0.5	0.5	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/22/19 10:00	0.5	0.5	0.5
8/22/19 11:00	0.4	0.6	0.5
8/22/19 12:00	0.3	0.6	0.5
8/22/19 13:00	0.3	0.6	0.5
8/22/19 14:00	0.4	0.6	0.5
8/22/19 15:00	0.4	0.6	0.5
8/22/19 16:00	0.5	0.6	0.5
8/22/19 17:00	0.4	0.5	0.5
8/22/19 18:00	0.5	0.4	0.5
8/22/19 19:00	0.4	0.4	0.5
8/22/19 20:00	0.4	0.4	0.5
8/22/19 21:00	0.4	0.4	0.5
8/22/19 22:00	0.4	0.4	0.5
8/22/19 23:00	0.4	0.4	0.5
8/23/19 0:00	0.4	0.4	0.5
8/23/19 1:00	0.6	0.4	0.5
8/23/19 2:00	0.4	0.4	0.5
8/23/19 3:00	0.4	0.4	0.5
8/23/19 4:00	0.4	0.4	0.5
8/23/19 5:00	0.4	0.4	0.5
8/23/19 6:00	0.4	0.4	0.5
8/23/19 7:00	0.4	0.4	0.5
8/23/19 8:00	0.5	0.4	0.5
8/23/19 9:00	0.5	0.4	0.5
8/23/19 10:00	0.5	0.4	0.5
8/23/19 11:00	0.5	0.4	0.5
8/23/19 12:00	0.5	0.4	0.5
8/23/19 13:00	0.4	0.4	0.5
8/23/19 14:00	0.4	0.4	0.5
8/23/19 15:00	0.4	0.4	0.5
8/23/19 16:00	0.4	0.4	0.5
8/23/19 17:00	0.4	0.4	0.5
8/23/19 18:00	0.4	0.4	0.5
8/23/19 19:00	0.4	0.4	0.5
8/23/19 20:00	0.4	0.4	0.5
8/23/19 21:00	0.4	0.4	0.5
8/23/19 22:00	0.4	0.4	0.5
8/23/19 23:00	0.5	0.4	0.5
8/24/19 0:00	0.5	0.5	0.5
8/24/19 1:00	0.6	0.4	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/24/19 2:00	0.5	0.4	0.5
8/24/19 3:00	0.4	0.4	0.5
8/24/19 4:00	0.4	0.4	0.5
8/24/19 5:00	0.4	0.4	0.5
8/24/19 6:00	0.4	0.4	0.5
8/24/19 7:00	0.4	0.4	0.5
8/24/19 8:00	0.4	0.4	0.5
8/24/19 9:00	0.4	0.4	0.5
8/24/19 10:00	0.4	0.4	0.5
8/24/19 11:00	0.4	0.4	0.5
8/24/19 12:00	0.4	0.4	0.5
8/24/19 13:00	0.4	0.4	0.5
8/24/19 14:00	0.3	0.4	0.5
8/24/19 15:00	0.3	0.4	0.5
8/24/19 16:00	0.3	0.4	0.5
8/24/19 17:00	0.3	0.4	0.5
8/24/19 18:00	0.3	0.4	0.5
8/24/19 19:00	0.4	0.4	0.5
8/24/19 20:00	0.3	0.4	0.5
8/24/19 21:00	0.3	0.4	0.5
8/24/19 22:00	0.4	0.4	0.5
8/24/19 23:00	0.4	0.4	0.5
8/25/19 0:00	0.4	0.4	0.5
8/25/19 1:00	0.4	0.4	0.5
8/25/19 2:00	0.3	0.4	0.5
8/25/19 3:00	0.3	0.4	0.5
8/25/19 4:00	0.4	0.4	0.5
8/25/19 5:00	0.4	0.4	0.5
8/25/19 6:00	0.4	0.4	0.5
8/25/19 7:00	0.4	0.4	0.5
8/25/19 8:00	0.4	0.4	0.5
8/25/19 9:00	0.4	0.4	0.5
8/25/19 10:00	0.4	0.4	0.5
8/25/19 11:00	0.5	0.4	0.5
8/25/19 12:00	0.3	0.4	0.5
8/25/19 13:00	0.3	0.4	0.5
8/25/19 14:00	0.3	0.4	0.5
8/25/19 15:00	0.5	0.4	0.5
8/25/19 16:00	0.5	0.4	0.5
8/25/19 17:00	0.6	0.4	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/25/19 18:00	0.4	0.4	0.5
8/25/19 19:00	0.3	0.4	0.5
8/25/19 20:00	0.4	0.4	0.5
8/25/19 21:00	0.4	0.4	0.5
8/25/19 22:00	0.4	0.4	0.5
8/25/19 23:00	0.4	0.4	0.5
8/26/19 0:00	0.4	0.4	0.5
8/26/19 1:00	0.4	0.4	0.5
8/26/19 2:00	0.4	0.4	0.5
8/26/19 3:00	0.5	0.4	0.5
8/26/19 4:00	0.4	0.4	0.5
8/26/19 5:00	0.4	0.4	0.5
8/26/19 6:00	0.4	0.4	0.5
8/26/19 7:00	0.4	0.4	0.5
8/26/19 8:00	0.4	0.4	0.5
8/26/19 9:00	0.3	0.4	0.5
8/26/19 10:00	0.4	0.4	0.5
8/26/19 11:00	0.2	0.4	0.5
8/26/19 12:00	0.0	0.4	0.5
8/26/19 13:00	0.0	0.4	0.5
8/26/19 14:00	0.0	0.3	0.5
8/26/19 15:00	0.0	0.3	0.5
8/26/19 16:00	0.0	0.3	0.5
8/26/19 17:00	0.0	0.3	0.5
8/26/19 18:00	0.0	0.3	0.5
8/26/19 19:00	0.0	0.3	0.5
8/26/19 20:00	0.0	0.2	0.5
8/26/19 21:00	0.0	0.2	0.5
8/26/19 22:00	0.1	0.2	0.5
8/26/19 23:00	0.2	0.2	0.5
8/27/19 0:00	0.4	0.2	0.5
8/27/19 1:00	0.3	0.2	0.5
8/27/19 2:00	0.2	0.2	0.5
8/27/19 3:00	0.2	0.2	0.5
8/27/19 4:00	0.3	0.2	0.5
8/27/19 5:00	0.3	0.2	0.5
8/27/19 6:00	0.2	0.2	0.5
8/27/19 7:00	0.3	0.2	0.5
8/27/19 8:00	0.3	0.2	0.5
8/27/19 9:00	0.3	0.2	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/27/19 10:00	0.3	0.2	0.5
8/27/19 11:00	0.3	0.2	0.5
8/27/19 12:00	0.2	0.2	0.5
8/27/19 13:00	0.3	0.2	0.5
8/27/19 14:00	0.3	0.2	0.5
8/27/19 15:00	0.3	0.2	0.5
8/27/19 16:00	0.2	0.2	0.5
8/27/19 17:00	0.2	0.2	0.5
8/27/19 18:00	0.2	0.2	0.5
8/27/19 19:00	0.3	0.2	0.5
8/27/19 20:00	0.3	0.3	0.5
8/27/19 21:00	0.4	0.3	0.5
8/27/19 22:00	0.4	0.3	0.5
8/27/19 23:00	0.3	0.3	0.5
8/28/19 0:00	0.3	0.3	0.5
8/28/19 1:00	0.3	0.3	0.5
8/28/19 2:00	0.3	0.3	0.5
8/28/19 3:00	0.2	0.3	0.5
8/28/19 4:00	0.3	0.3	0.5
8/28/19 5:00	0.3	0.3	0.5
8/28/19 6:00	0.2	0.3	0.5
8/28/19 7:00	0.3	0.3	0.5
8/28/19 8:00	0.3	0.3	0.5
8/28/19 9:00	0.2	0.3	0.5
8/28/19 10:00	0.3	0.3	0.5
8/28/19 11:00	0.3	0.3	0.5
8/28/19 12:00	0.3	0.3	0.5
8/28/19 13:00	0.3	0.3	0.5
8/28/19 14:00	0.3	0.3	0.5
8/28/19 15:00	0.3	0.3	0.5
8/28/19 16:00	0.4	0.3	0.5
8/28/19 17:00	0.5	0.3	0.5
8/28/19 18:00	0.5	0.3	0.5
8/28/19 19:00	0.5	0.3	0.5
8/28/19 20:00	0.6	0.3	0.5
8/28/19 21:00	0.6	0.3	0.5
8/28/19 22:00	0.6	0.4	0.5
8/28/19 23:00	0.4	0.4	0.5
8/29/19 0:00	0.4	0.4	0.5
8/29/19 1:00	0.4	0.4	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/29/19 2:00	0.4	0.4	0.5
8/29/19 3:00	0.5	0.4	0.5
8/29/19 4:00	0.5	0.4	0.5
8/29/19 5:00	0.5	0.4	0.5
8/29/19 6:00	0.5	0.4	0.4
8/29/19 7:00	0.5	0.4	0.4
8/29/19 8:00	0.5	0.4	0.4
8/29/19 9:00	0.6	0.4	0.4
8/29/19 10:00	0.6	0.5	0.4
8/29/19 11:00	0.8	0.5	0.4
8/29/19 12:00	1.1	0.5	0.4
8/29/19 13:00	1.8	0.6	0.4
8/29/19 14:00	1.6	0.6	0.4
8/29/19 15:00	1.6	0.7	0.4
8/29/19 16:00	0.7	0.7	0.4
8/29/19 17:00	0.7	0.7	0.4
8/29/19 18:00	1.0	0.7	0.4
8/29/19 19:00	2.4	0.8	0.4
8/29/19 20:00	4.1	0.9	0.5
8/29/19 21:00	3.4	1.1	0.5
8/29/19 22:00	1.0	1.1	0.5
8/29/19 23:00	1.1	1.1	0.5
8/30/19 0:00	0.5	1.1	0.5
8/30/19 1:00	0.8	1.1	0.5
8/30/19 2:00	0.5	1.1	0.5
8/30/19 3:00	1.1	1.2	0.5
8/30/19 4:00	0.4	1.2	0.5
8/30/19 5:00	0.6	1.2	0.5
8/30/19 6:00	0.5	1.2	0.5
8/30/19 7:00	0.4	1.2	0.5
8/30/19 8:00	0.4	1.2	0.5
8/30/19 9:00	0.4	1.2	0.5
8/30/19 10:00	0.4	1.1	0.5
8/30/19 11:00	0.4	1.1	0.5
8/30/19 12:00	0.4	1.1	0.5
8/30/19 13:00	0.4	1.0	0.5
8/30/19 14:00	0.5	1.0	0.5
8/30/19 15:00	0.5	1.0	0.5
8/30/19 16:00	0.5	0.9	0.5
8/30/19 17:00	0.4	0.9	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/30/19 18:00	0.4	0.9	0.5
8/30/19 19:00	0.4	0.8	0.5
8/30/19 20:00	0.5	0.7	0.5
8/30/19 21:00	2.4	0.6	0.5
8/30/19 22:00	0.5	0.6	0.5
8/30/19 23:00	0.4	0.6	0.5
8/31/19 0:00	0.3	0.6	0.5
8/31/19 1:00	0.4	0.5	0.5
8/31/19 2:00	0.4	0.5	0.5
8/31/19 3:00	0.3	0.5	0.5
8/31/19 4:00	0.3	0.5	0.5
8/31/19 5:00	0.3	0.5	0.5
8/31/19 6:00	0.3	0.5	0.5
8/31/19 7:00	0.3	0.5	0.5
8/31/19 8:00	0.4	0.5	0.5
8/31/19 9:00	0.5	0.5	0.5
8/31/19 10:00	0.4	0.5	0.5
8/31/19 11:00	0.4	0.5	0.5
8/31/19 12:00	0.4	0.5	0.5
8/31/19 13:00	0.3	0.5	0.5
8/31/19 14:00	0.3	0.5	0.5
8/31/19 15:00	0.3	0.5	0.5
8/31/19 16:00	0.3	0.5	0.5
8/31/19 17:00	0.4	0.5	0.5
8/31/19 18:00	0.4	0.5	0.5
8/31/19 19:00	0.4	0.5	0.5
8/31/19 20:00	0.4	0.4	0.5
8/31/19 21:00	0.4	0.4	0.5
8/31/19 22:00	0.4	0.4	0.5
8/31/19 23:00	0.4	0.4	0.5
9/1/19 0:00	0.4	0.4	0.5
9/1/19 1:00	0.3	0.4	0.5
9/1/19 2:00	0.3	0.4	0.5
9/1/19 3:00	0.3	0.4	0.5
9/1/19 4:00	0.4	0.4	0.5
9/1/19 5:00	0.4	0.4	0.5
9/1/19 6:00	0.4	0.4	0.5
9/1/19 7:00	0.4	0.4	0.5
9/1/19 8:00	0.5	0.4	0.5
9/1/19 9:00	0.5	0.4	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/1/19 10:00	0.4	0.4	0.5
9/1/19 11:00	0.5	0.4	0.5
9/1/19 12:00	0.4	0.4	0.5
9/1/19 13:00	0.4	0.4	0.5
9/1/19 14:00	0.5	0.4	0.5
9/1/19 15:00	0.5	0.4	0.5
9/1/19 16:00	0.5	0.4	0.5
9/1/19 17:00	0.4	0.4	0.5
9/1/19 18:00	0.4	0.4	0.5
9/1/19 19:00	0.4	0.4	0.5
9/1/19 20:00	0.5	0.4	0.5
9/1/19 21:00	0.5	0.4	0.5
9/1/19 22:00	0.5	0.4	0.5
9/1/19 23:00	0.5	0.4	0.5
9/2/19 0:00	0.5	0.5	0.5
9/2/19 1:00	0.5	0.5	0.5
9/2/19 2:00	0.5	0.5	0.5
9/2/19 3:00	0.5	0.5	0.5
9/2/19 4:00	0.6	0.5	0.5
9/2/19 5:00	0.5	0.5	0.5
9/2/19 6:00	0.5	0.5	0.5
9/2/19 7:00	0.6	0.5	0.5
9/2/19 8:00	0.6	0.5	0.5
9/2/19 9:00	0.6	0.5	0.4
9/2/19 10:00	0.5	0.5	0.4
9/2/19 11:00	0.4	0.5	0.4
9/2/19 12:00	0.4	0.5	0.4
9/2/19 13:00	0.4	0.5	0.4
9/2/19 14:00	0.4	0.5	0.4
9/2/19 15:00	0.5	0.5	0.4
9/2/19 16:00	0.5	0.5	0.4
9/2/19 17:00	0.6	0.5	0.4
9/2/19 18:00	0.6	0.5	0.4
9/2/19 19:00	0.5	0.5	0.4
9/2/19 20:00	0.4	0.5	0.4
9/2/19 21:00	0.4	0.5	0.4
9/2/19 22:00	0.5	0.5	0.4
9/2/19 23:00	0.5	0.5	0.4
9/3/19 0:00	3.4	0.6	0.5
9/3/19 1:00	0.3	0.6	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/3/19 2:00	0.3	0.6	0.5
9/3/19 3:00	0.4	0.6	0.4
9/3/19 4:00	0.4	0.6	0.4
9/3/19 5:00	0.4	0.6	0.4
9/3/19 6:00	0.4	0.6	0.4
9/3/19 7:00	0.4	0.6	0.4
9/3/19 8:00	0.2	0.6	0.4
9/3/19 9:00	0.1	0.5	0.4
9/3/19 10:00	0.1	0.5	0.4
9/3/19 11:00	0.1	0.5	0.4
9/3/19 12:00	0.1	0.5	0.4
9/3/19 13:00	0.1	0.5	0.4
9/3/19 14:00	0.1	0.5	0.4
9/3/19 15:00	0.1	0.5	0.4
9/3/19 16:00	0.2	0.5	0.4
9/3/19 17:00	0.4	0.4	0.4
9/3/19 18:00	0.4	0.4	0.4
9/3/19 19:00	0.3	0.4	0.4
9/3/19 20:00	0.3	0.4	0.4
9/3/19 21:00	0.3	0.4	0.4
9/3/19 22:00	0.4	0.4	0.4
9/3/19 23:00	2.7	0.5	0.4
9/4/19 0:00	0.5	0.4	0.4
9/4/19 1:00	0.4	0.4	0.4
9/4/19 2:00	0.4	0.4	0.4
9/4/19 3:00	0.4	0.4	0.4
9/4/19 4:00	0.5	0.4	0.4
9/4/19 5:00	0.5	0.4	0.4
9/4/19 6:00	0.5	0.4	0.4
9/4/19 7:00	0.4	0.4	0.4
9/4/19 8:00	0.4	0.4	0.4
9/4/19 9:00	0.3	0.4	0.4
9/4/19 10:00	0.4	0.4	0.4
9/4/19 11:00	0.4	0.4	0.4
9/4/19 12:00	0.6	0.5	0.4
9/4/19 13:00	0.6	0.5	0.4
9/4/19 14:00	0.5	0.5	0.4
9/4/19 15:00	0.5	0.5	0.4
9/4/19 16:00	1.0	0.5	0.4
9/4/19 17:00	0.4	0.5	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/4/19 18:00	0.4	0.5	0.4
9/4/19 19:00	0.4	0.5	0.4
9/4/19 20:00	0.4	0.5	0.4
9/4/19 21:00	0.4	0.6	0.4
9/4/19 22:00	0.5	0.6	0.4
9/4/19 23:00	0.4	0.5	0.4
9/5/19 0:00	1.0	0.5	0.4
9/5/19 1:00	0.5	0.5	0.4
9/5/19 2:00	0.5	0.5	0.5
9/5/19 3:00	0.4	0.5	0.5
9/5/19 4:00	0.4	0.5	0.5
9/5/19 5:00	0.4	0.5	0.5
9/5/19 6:00	0.4	0.5	0.5
9/5/19 7:00	0.4	0.5	0.5
9/5/19 8:00	0.3	0.5	0.5
9/5/19 9:00	0.2	0.5	0.4
9/5/19 10:00	0.2	0.5	0.4
9/5/19 11:00	0.2	0.4	0.4
9/5/19 12:00	0.2	0.4	0.4
9/5/19 13:00	0.2	0.4	0.4
9/5/19 14:00	0.2	0.4	0.4
9/5/19 15:00	0.2	0.4	0.4
9/5/19 16:00	0.2	0.4	0.4
9/5/19 17:00	0.2	0.4	0.4
9/5/19 18:00	0.2	0.3	0.4
9/5/19 19:00	0.2	0.3	0.4
9/5/19 20:00	0.2	0.3	0.4
9/5/19 21:00	0.2	0.3	0.4
9/5/19 22:00	0.1	0.3	0.4
9/5/19 23:00	0.1	0.3	0.4
9/6/19 0:00	0.1	0.3	0.4
9/6/19 1:00	0.2	0.2	0.4
9/6/19 2:00	0.1	0.2	0.4
9/6/19 3:00	0.1	0.2	0.4
9/6/19 4:00	0.1	0.2	0.4
9/6/19 5:00	0.2	0.2	0.4
9/6/19 6:00	0.2	0.2	0.4
9/6/19 7:00	0.2	0.2	0.4
9/6/19 8:00	0.2	0.2	0.4
9/6/19 9:00	0.2	0.2	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/6/19 10:00	0.2	0.2	0.4
9/6/19 11:00	0.2	0.2	0.4
9/6/19 12:00	0.1	0.2	0.4
9/6/19 13:00	0.2	0.2	0.4
9/6/19 14:00	0.2	0.2	0.4
9/6/19 15:00	0.3	0.2	0.4
9/6/19 16:00	0.2	0.2	0.4
9/6/19 17:00	0.2	0.2	0.4
9/6/19 18:00	0.2	0.2	0.4
9/6/19 19:00	0.2	0.2	0.4
9/6/19 20:00	0.2	0.2	0.4
9/6/19 21:00	0.2	0.2	0.4
9/6/19 22:00	0.2	0.2	0.4
9/6/19 23:00	0.3	0.2	0.4
9/7/19 0:00	0.3	0.2	0.4
9/7/19 1:00	0.3	0.2	0.4
9/7/19 2:00	0.4	0.2	0.4
9/7/19 3:00	0.4	0.2	0.4
9/7/19 4:00	0.4	0.2	0.4
9/7/19 5:00	0.4	0.2	0.4
9/7/19 6:00	0.4	0.3	0.4
9/7/19 7:00	0.5	0.3	0.4
9/7/19 8:00	0.4	0.3	0.4
9/7/19 9:00	0.4	0.3	0.4
9/7/19 10:00	0.4	0.3	0.4
9/7/19 11:00	0.4	0.3	0.4
9/7/19 12:00	0.5	0.3	0.4
9/7/19 13:00	0.4	0.3	0.4
9/7/19 14:00	0.4	0.3	0.4
9/7/19 15:00	0.6	0.3	0.4
9/7/19 16:00	0.6	0.4	0.4
9/7/19 17:00	0.3	0.4	0.4
9/7/19 18:00	0.4	0.4	0.4
9/7/19 19:00	0.4	0.4	0.4
9/7/19 20:00	0.4	0.4	0.4
9/7/19 21:00	0.4	0.4	0.4
9/7/19 22:00	0.4	0.4	0.4
9/7/19 23:00	0.4	0.4	0.4
9/8/19 0:00	0.5	0.4	0.4
9/8/19 1:00	0.5	0.4	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/8/19 2:00	0.4	0.4	0.4
9/8/19 3:00	0.4	0.4	0.4
9/8/19 4:00	0.3	0.4	0.4
9/8/19 5:00	0.4	0.4	0.4
9/8/19 6:00	0.3	0.4	0.4
9/8/19 7:00	0.3	0.4	0.4
9/8/19 8:00	0.3	0.4	0.4
9/8/19 9:00	0.5	0.4	0.4
9/8/19 10:00	0.5	0.4	0.4
9/8/19 11:00	0.4	0.4	0.4
9/8/19 12:00	0.4	0.4	0.4
9/8/19 13:00	0.4	0.4	0.4
9/8/19 14:00	0.4	0.4	0.4
9/8/19 15:00	0.4	0.4	0.4
9/8/19 16:00	0.5	0.4	0.4
9/8/19 17:00	0.6	0.4	0.4
9/8/19 18:00	0.6	0.4	0.4
9/8/19 19:00	0.4	0.4	0.4
9/8/19 20:00	0.5	0.4	0.4
9/8/19 21:00	0.4	0.4	0.4
9/8/19 22:00	0.4	0.4	0.4
9/8/19 23:00	0.4	0.4	0.4
9/9/19 0:00	0.4	0.4	0.4
9/9/19 1:00	0.4	0.4	0.4
9/9/19 2:00	0.4	0.4	0.4
9/9/19 3:00	0.4	0.4	0.4
9/9/19 4:00	0.4	0.4	0.4
9/9/19 5:00	0.5	0.4	0.4
9/9/19 6:00	0.4	0.4	0.4
9/9/19 7:00	0.4	0.5	0.4
9/9/19 8:00	0.4	0.5	0.4
9/9/19 9:00	0.5	0.5	0.4
9/9/19 10:00	0.4	0.5	0.4
9/9/19 14:00	0.5	0.5	0.4
9/9/19 15:00	0.4	0.5	0.4
9/9/19 16:00	0.4	0.5	0.4
9/9/19 17:00	0.3	0.4	0.4
9/9/19 18:00	0.3	0.4	0.4
9/9/19 19:00	0.5	0.4	0.4
9/9/19 20:00	0.6	0.4	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/9/19 21:00	0.6	0.4	0.4
9/9/19 22:00	0.6	0.4	0.4
9/9/19 23:00	0.6	0.5	0.4
9/10/19 0:00	0.6	0.5	0.4
9/10/19 1:00	0.5	0.5	0.4
9/10/19 2:00	0.6	0.5	0.4
9/10/19 3:00	0.5	0.5	0.4
9/10/19 4:00	0.4	0.5	0.4
9/10/19 5:00	0.3	0.5	0.4
9/10/19 6:00	0.3	0.5	0.4
9/10/19 7:00	0.3	0.5	0.4
9/10/19 8:00	0.4	0.5	0.4
9/10/19 9:00	0.5	0.5	0.4
9/10/19 10:00	0.4	0.5	0.4
9/10/19 11:00	0.4	0.5	0.4
9/10/19 12:00	0.4	0.5	0.4
9/10/19 13:00	0.4	0.5	0.4
9/10/19 14:00	0.3	0.4	0.4
9/10/19 15:00	0.5	0.4	0.4
9/10/19 16:00	0.7	0.5	0.4
9/10/19 17:00	0.7	0.5	0.4
9/10/19 18:00	0.7	0.5	0.4
9/10/19 19:00	0.7	0.5	0.4
9/10/19 20:00	0.7	0.5	0.4
9/10/19 21:00	0.7	0.5	0.4
9/10/19 22:00	0.7	0.5	0.4
9/10/19 23:00	0.7	0.5	0.4
9/11/19 0:00	0.6	0.5	0.4
9/11/19 1:00	0.6	0.5	0.4
9/11/19 2:00	0.6	0.5	0.4
9/11/19 3:00	0.6	0.5	0.4
9/11/19 4:00	0.5	0.5	0.4
9/11/19 5:00	0.5	0.5	0.4
9/11/19 6:00	0.5	0.5	0.4
9/11/19 7:00	0.6	0.6	0.4
9/11/19 8:00	0.6	0.6	0.4
9/11/19 9:00	0.4	0.6	0.4
9/11/19 10:00	0.5	0.6	0.4
9/11/19 11:00	0.4	0.6	0.4
9/11/19 12:00	0.3	0.6	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/11/19 13:00	0.3	0.6	0.4
9/11/19 14:00	0.3	0.6	0.4
9/11/19 15:00	0.3	0.5	0.4
9/11/19 16:00	0.3	0.5	0.4
9/11/19 17:00	0.3	0.5	0.4
9/11/19 18:00	0.2	0.5	0.4
9/11/19 19:00	0.3	0.5	0.4
9/11/19 20:00	0.3	0.5	0.4
9/11/19 21:00	0.3	0.4	0.4
9/11/19 22:00	0.3	0.4	0.4
9/11/19 23:00	0.3	0.4	0.4
9/12/19 0:00	0.3	0.4	0.4
9/12/19 1:00	0.2	0.4	0.4
9/12/19 2:00	0.3	0.4	0.4
9/12/19 3:00	0.3	0.4	0.4
9/12/19 4:00	0.3	0.3	0.4
9/12/19 5:00	0.3	0.3	0.4
9/12/19 6:00	0.3	0.3	0.4
9/12/19 7:00	0.3	0.3	0.4
9/12/19 8:00	0.3	0.3	0.4
9/12/19 9:00	0.4	0.3	0.4
9/12/19 10:00	0.4	0.3	0.4
9/12/19 11:00	0.4	0.3	0.4
9/12/19 12:00	0.4	0.3	0.4
9/12/19 13:00	0.3	0.3	0.4
9/12/19 14:00	0.4	0.3	0.4
9/12/19 15:00	0.4	0.3	0.4
9/12/19 16:00	0.4	0.3	0.4
9/12/19 17:00	0.4	0.3	0.4
9/12/19 18:00	0.4	0.3	0.4
9/12/19 19:00	0.4	0.3	0.4
9/12/19 20:00	0.4	0.3	0.4
9/12/19 21:00	0.4	0.3	0.4
9/12/19 22:00	0.4	0.3	0.4
9/12/19 23:00	0.4	0.3	0.4
9/13/19 0:00	0.4	0.3	0.4
9/13/19 1:00	0.4	0.4	0.4
9/13/19 2:00	0.4	0.4	0.4
9/13/19 3:00	0.3	0.4	0.4
9/13/19 4:00	0.4	0.4	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/13/19 5:00	0.4	0.4	0.4
9/13/19 6:00	0.3	0.4	0.4
9/13/19 7:00	0.4	0.4	0.4
9/13/19 8:00	0.5	0.4	0.4
9/13/19 9:00	0.4	0.4	0.4
9/13/19 10:00	0.4	0.4	0.4
9/13/19 11:00	0.4	0.4	0.4
9/13/19 12:00	0.3	0.4	0.4
9/13/19 13:00	0.3	0.4	0.4
9/13/19 14:00	0.3	0.4	0.4
9/13/19 15:00	0.3	0.4	0.4
9/13/19 16:00	0.3	0.4	0.4
9/13/19 17:00	0.3	0.4	0.4
9/13/19 18:00	0.3	0.4	0.4
9/13/19 19:00	0.4	0.4	0.4
9/13/19 20:00	0.4	0.4	0.4
9/13/19 21:00	0.3	0.4	0.4
9/13/19 22:00	0.2	0.3	0.4
9/13/19 23:00	0.2	0.3	0.4
9/14/19 0:00	0.3	0.3	0.4
9/14/19 1:00	0.3	0.3	0.4
9/14/19 2:00	0.3	0.3	0.4
9/14/19 3:00	0.3	0.3	0.4
9/14/19 4:00	0.3	0.3	0.4
9/14/19 5:00	0.5	0.3	0.4
9/14/19 6:00	0.4	0.3	0.4
9/14/19 7:00	0.3	0.3	0.4
9/14/19 8:00	0.3	0.3	0.4
9/14/19 9:00	0.4	0.3	0.4
9/14/19 10:00	0.3	0.3	0.4
9/14/19 11:00	0.4	0.3	0.4
9/14/19 12:00	0.4	0.3	0.4
9/14/19 13:00	0.5	0.3	0.4
9/14/19 14:00	0.4	0.3	0.4
9/14/19 15:00	0.4	0.3	0.4
9/14/19 16:00	0.4	0.3	0.4
9/14/19 17:00	0.4	0.4	0.4
9/14/19 18:00	0.4	0.4	0.4
9/14/19 19:00	0.4	0.4	0.4
9/14/19 20:00	0.4	0.4	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/14/19 21:00	0.4	0.4	0.4
9/14/19 22:00	0.5	0.4	0.4
9/14/19 23:00	0.5	0.4	0.4
9/15/19 0:00	0.5	0.4	0.4
9/15/19 1:00	0.4	0.4	0.4
9/15/19 2:00	0.4	0.4	0.4
9/15/19 3:00	0.4	0.4	0.4
9/15/19 4:00	0.5	0.4	0.4
9/15/19 5:00	0.5	0.4	0.4
9/15/19 6:00	0.4	0.4	0.4
9/15/19 7:00	0.4	0.4	0.4
9/15/19 8:00	0.4	0.4	0.4
9/15/19 9:00	0.4	0.4	0.4
9/15/19 10:00	0.4	0.4	0.4
9/15/19 11:00	0.4	0.4	0.4
9/15/19 12:00	0.4	0.4	0.4
9/15/19 13:00	0.4	0.4	0.4
9/15/19 14:00	0.3	0.4	0.4
9/15/19 15:00	0.4	0.4	0.4
9/15/19 16:00	0.3	0.4	0.4
9/15/19 17:00	0.3	0.4	0.4
9/15/19 18:00	0.3	0.4	0.4
9/15/19 19:00	0.3	0.4	0.4
9/15/19 20:00	0.4	0.4	0.4
9/15/19 21:00	0.4	0.4	0.4
9/15/19 22:00	0.3	0.4	0.4
9/15/19 23:00	0.3	0.4	0.4
9/16/19 0:00	0.3	0.4	0.4
9/16/19 1:00	0.3	0.4	0.4
9/16/19 2:00	0.3	0.4	0.4
9/16/19 3:00	0.3	0.4	0.4
9/16/19 4:00	0.3	0.4	0.4
9/16/19 5:00	0.3	0.4	0.4
9/16/19 6:00	0.3	0.4	0.4
9/16/19 7:00	0.3	0.3	0.4
9/16/19 8:00	0.3	0.3	0.4
9/16/19 9:00	0.3	0.3	0.4
9/16/19 10:00	0.3	0.3	0.4
9/16/19 11:00	0.4	0.3	0.4
9/16/19 12:00	0.3	0.3	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/16/19 13:00	0.3	0.3	0.4
9/16/19 14:00	0.3	0.3	0.4
9/16/19 15:00	0.4	0.3	0.4
9/16/19 16:00	0.4	0.3	0.4
9/16/19 17:00	0.4	0.3	0.4
9/16/19 18:00	0.4	0.3	0.4
9/16/19 19:00	0.4	0.3	0.4
9/16/19 20:00	0.3	0.3	0.4
9/16/19 21:00	0.3	0.3	0.4
9/16/19 22:00	0.4	0.3	0.4
9/16/19 23:00	0.4	0.3	0.4
9/17/19 0:00	0.4	0.3	0.4
9/17/19 1:00	0.4	0.3	0.4
9/17/19 2:00	0.4	0.3	0.4
9/17/19 3:00	0.3	0.3	0.4
9/17/19 4:00	0.3	0.3	0.4
9/17/19 5:00	0.3	0.3	0.4
9/17/19 6:00	0.3	0.4	0.4
9/17/19 7:00	0.4	0.4	0.4
9/17/19 8:00	0.4	0.4	0.4
9/17/19 9:00	0.6	0.4	0.4
9/17/19 10:00	0.4	0.4	0.4
9/17/19 11:00	0.5	0.4	0.4
9/17/19 12:00	0.4	0.4	0.4
9/17/19 13:00	0.4	0.4	0.4
9/17/19 14:00	17.1	1.1	0.4
9/17/19 15:00	0.3	1.1	0.4
9/17/19 16:00	0.3	1.1	0.4
9/17/19 17:00	0.3	1.1	0.4
9/17/19 18:00	0.3	1.1	0.4
9/17/19 19:00	0.3	1.1	0.4
9/17/19 20:00	0.3	1.1	0.4
9/17/19 21:00	0.3	1.1	0.4
9/17/19 22:00	0.2	1.1	0.4
9/17/19 23:00	0.3	1.0	0.4
9/18/19 0:00	0.3	1.0	0.4
9/18/19 1:00	0.3	1.0	0.4
9/18/19 2:00	0.2	1.0	0.4
9/18/19 3:00	0.2	1.0	0.4
9/18/19 4:00	0.2	1.0	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/18/19 5:00	0.2	1.0	0.4
9/18/19 6:00	0.2	1.0	0.4
9/18/19 7:00	0.2	1.0	0.4
9/18/19 8:00	0.3	1.0	0.4
9/18/19 9:00	0.3	1.0	0.4
9/18/19 10:00	0.3	1.0	0.4
9/18/19 11:00	0.3	1.0	0.4
9/18/19 12:00	0.3	1.0	0.4
9/18/19 13:00	0.3	1.0	0.4
9/18/19 14:00	0.3	0.3	0.4
9/18/19 15:00	0.3	0.3	0.4
9/18/19 16:00	0.3	0.3	0.4
9/18/19 17:00	0.3	0.3	0.4
9/18/19 18:00	0.3	0.3	0.4
9/18/19 19:00	0.3	0.3	0.4
9/18/19 20:00	0.2	0.3	0.4
9/18/19 21:00	0.2	0.3	0.4
9/18/19 22:00	0.2	0.3	0.4
9/18/19 23:00	0.3	0.3	0.4
9/19/19 0:00	0.2	0.3	0.4
9/19/19 1:00	0.3	0.3	0.4
9/19/19 2:00	0.3	0.3	0.4
9/19/19 3:00	0.3	0.3	0.4
9/19/19 4:00	0.3	0.3	0.4
9/19/19 5:00	0.3	0.3	0.4
9/19/19 6:00	0.3	0.3	0.4
9/19/19 7:00	0.3	0.3	0.4
9/19/19 8:00	0.3	0.3	0.4
9/19/19 9:00	0.3	0.3	0.4
9/19/19 10:00	0.3	0.3	0.4
9/19/19 11:00	0.3	0.3	0.4
9/19/19 12:00	0.3	0.3	0.4
9/19/19 13:00	0.3	0.3	0.4
9/19/19 14:00	0.4	0.3	0.4
9/19/19 15:00	0.4	0.3	0.4
9/19/19 16:00	0.3	0.3	0.4
9/19/19 17:00	0.4	0.3	0.4
9/19/19 18:00	0.3	0.3	0.4
9/19/19 19:00	0.3	0.3	0.4
9/19/19 20:00	0.3	0.3	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/19/19 21:00	0.3	0.3	0.4
9/19/19 22:00	0.3	0.3	0.4
9/19/19 23:00	0.3	0.3	0.4
9/20/19 0:00	0.3	0.3	0.4
9/20/19 1:00	0.3	0.3	0.4
9/20/19 2:00	0.3	0.3	0.4
9/20/19 3:00	0.3	0.3	0.4
9/20/19 4:00	0.3	0.3	0.4
9/20/19 5:00	0.3	0.3	0.4
9/20/19 6:00	0.3	0.3	0.4
9/20/19 7:00	0.4	0.3	0.4
9/20/19 8:00	0.4	0.3	0.4
9/20/19 9:00	0.4	0.3	0.4
9/20/19 10:00	0.4	0.3	0.4
9/20/19 11:00	0.4	0.3	0.4
9/20/19 12:00	0.3	0.3	0.4
9/20/19 13:00	0.4	0.3	0.4
9/20/19 14:00	0.4	0.3	0.4
9/20/19 15:00	0.4	0.4	0.4
9/20/19 16:00	0.3	0.4	0.4
9/20/19 17:00	0.3	0.4	0.4
9/20/19 18:00	0.3	0.4	0.4
9/20/19 19:00	0.4	0.4	0.4
9/20/19 20:00	0.3	0.4	0.4
9/20/19 21:00	0.3	0.4	0.4
9/20/19 22:00	0.3	0.4	0.4
9/20/19 23:00	0.4	0.4	0.4
9/21/19 0:00	0.4	0.4	0.4
9/21/19 1:00	0.4	0.4	0.4
9/21/19 2:00	0.3	0.4	0.4
9/21/19 3:00	0.3	0.4	0.4
9/21/19 4:00	0.3	0.4	0.4
9/21/19 5:00	0.3	0.4	0.4
9/21/19 6:00	0.3	0.4	0.4
9/21/19 7:00	0.3	0.4	0.4
9/21/19 8:00	0.4	0.4	0.4
9/21/19 9:00	0.4	0.4	0.4
9/21/19 10:00	0.4	0.4	0.4
9/21/19 11:00	0.3	0.3	0.4
9/21/19 12:00	0.2	0.3	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/21/19 13:00	0.3	0.3	0.4
9/21/19 14:00	0.3	0.3	0.4
9/21/19 15:00	0.4	0.3	0.4
9/21/19 16:00	0.3	0.3	0.4
9/21/19 17:00	0.2	0.3	0.4
9/21/19 18:00	0.2	0.3	0.4
9/21/19 19:00	0.2	0.3	0.4
9/21/19 20:00	0.3	0.3	0.4
9/21/19 21:00	0.6	0.3	0.4
9/21/19 22:00	0.3	0.3	0.4
9/21/19 23:00	0.3	0.3	0.4
9/22/19 0:00	0.4	0.3	0.4
9/22/19 1:00	0.4	0.3	0.4
9/22/19 2:00	0.3	0.3	0.4
9/22/19 3:00	0.3	0.3	0.4
9/22/19 4:00	0.3	0.3	0.4
9/22/19 5:00	0.3	0.3	0.4
9/22/19 6:00	0.3	0.3	0.4
9/22/19 7:00	0.4	0.3	0.4
9/22/19 8:00	0.3	0.3	0.4
9/22/19 9:00	0.3	0.3	0.4
9/22/19 10:00	0.3	0.3	0.4
9/22/19 11:00	0.3	0.3	0.4
9/22/19 12:00	0.3	0.3	0.4
9/22/19 13:00	0.2	0.3	0.4
9/22/19 14:00	0.2	0.3	0.4
9/22/19 15:00	0.2	0.3	0.4
9/22/19 16:00	0.3	0.3	0.4
9/22/19 17:00	0.2	0.3	0.4
9/22/19 18:00	0.2	0.3	0.4
9/22/19 19:00	0.3	0.3	0.4
9/22/19 20:00	0.3	0.3	0.4
9/22/19 21:00	0.3	0.3	0.4
9/22/19 22:00	0.3	0.3	0.4
9/22/19 23:00	0.4	0.3	0.4
9/23/19 0:00	0.4	0.3	0.4
9/23/19 1:00	0.4	0.3	0.4
9/23/19 2:00	0.4	0.3	0.4
9/23/19 3:00	0.4	0.3	0.4
9/23/19 4:00	0.3	0.3	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/23/19 5:00	0.2	0.3	0.4
9/23/19 6:00	0.3	0.3	0.4
9/23/19 7:00	0.3	0.3	0.4
9/23/19 8:00	0.3	0.3	0.4
9/23/19 9:00	0.3	0.3	0.4
9/23/19 10:00	0.4	0.3	0.4
9/23/19 11:00	0.3	0.3	0.4
9/23/19 12:00	0.3	0.3	0.4
9/23/19 13:00	0.3	0.3	0.4
9/23/19 14:00	0.4	0.3	0.4
9/23/19 15:00	0.4	0.3	0.4
9/23/19 16:00	0.4	0.3	0.4
9/23/19 17:00	0.3	0.3	0.4
9/23/19 18:00	0.3	0.3	0.4
9/23/19 19:00	0.3	0.3	0.4
9/23/19 20:00	0.3	0.3	0.4
9/23/19 21:00	0.3	0.3	0.4
9/23/19 22:00	0.3	0.3	0.4
9/23/19 23:00	0.3	0.3	0.4
9/24/19 0:00	0.3	0.3	0.4
9/24/19 1:00	0.3	0.3	0.4
9/24/19 2:00	0.2	0.3	0.4
9/24/19 3:00	0.3	0.3	0.4
9/24/19 4:00	0.3	0.3	0.4
9/24/19 5:00	0.3	0.3	0.4
9/24/19 6:00	0.3	0.3	0.4
9/24/19 7:00	0.3	0.3	0.4
9/24/19 8:00	0.3	0.3	0.4
9/24/19 9:00	0.3	0.3	0.4
9/24/19 10:00	0.8	0.3	0.4
9/24/19 11:00	0.3	0.3	0.4
9/24/19 12:00	0.4	0.3	0.4
9/24/19 13:00	0.5	0.3	0.4
9/24/19 14:00	0.5	0.3	0.4
9/24/19 15:00	0.3	0.3	0.4
9/24/19 16:00	0.3	0.3	0.4
9/24/19 17:00	0.3	0.3	0.4
9/24/19 18:00	0.3	0.3	0.4
9/24/19 19:00	0.3	0.3	0.4
9/24/19 20:00	0.3	0.3	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/24/19 21:00	0.4	0.3	0.4
9/24/19 22:00	0.4	0.3	0.4
9/24/19 23:00	0.4	0.3	0.4
9/25/19 0:00	0.4	0.3	0.4
9/25/19 1:00	0.3	0.3	0.4
9/25/19 2:00	0.4	0.3	0.4
9/25/19 3:00	0.3	0.4	0.4
9/25/19 4:00	0.3	0.4	0.4
9/25/19 5:00	0.3	0.4	0.4
9/25/19 6:00	0.3	0.4	0.4
9/25/19 7:00	0.5	0.4	0.4
9/25/19 8:00	0.5	0.4	0.4
9/25/19 9:00	0.6	0.4	0.4
9/25/19 10:00	0.8	0.4	0.4
9/25/19 11:00	0.4	0.4	0.4
9/25/19 12:00	0.3	0.4	0.4
9/25/19 13:00	0.3	0.4	0.4
9/25/19 14:00	0.3	0.4	0.4
9/25/19 15:00	0.3	0.4	0.4
9/25/19 16:00	0.3	0.4	0.4
9/25/19 17:00	0.3	0.4	0.4
9/25/19 18:00	0.3	0.4	0.4
9/25/19 19:00	0.3	0.4	0.4
9/25/19 20:00	0.4	0.4	0.4
9/25/19 21:00	0.4	0.4	0.4
9/25/19 22:00	0.4	0.4	0.4
9/25/19 23:00	0.4	0.4	0.4
9/26/19 0:00	0.4	0.4	0.4
9/26/19 1:00	0.5	0.4	0.4
9/26/19 2:00	0.4	0.4	0.4
9/26/19 3:00	0.4	0.4	0.4
9/26/19 4:00	0.5	0.4	0.4
9/26/19 5:00	0.4	0.4	0.4
9/26/19 6:00	0.4	0.4	0.4
9/26/19 7:00	0.4	0.4	0.4
9/26/19 8:00	0.3	0.4	0.4
9/26/19 9:00	0.4	0.4	0.4
9/26/19 10:00	0.5	0.4	0.4
9/26/19 11:00	0.4	0.4	0.4
9/26/19 12:00	0.4	0.4	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/26/19 13:00	0.3	0.4	0.4
9/26/19 14:00	0.3	0.4	0.4
9/26/19 15:00	0.3	0.4	0.4
9/26/19 16:00	0.2	0.4	0.4
9/26/19 17:00	0.2	0.4	0.4
9/26/19 18:00	0.2	0.4	0.4
9/26/19 19:00	0.2	0.4	0.4
9/26/19 20:00	0.2	0.3	0.4
9/26/19 21:00	0.3	0.3	0.4
9/26/19 22:00	0.3	0.3	0.4
9/26/19 23:00	0.3	0.3	0.4
9/27/19 0:00	0.3	0.3	0.4
9/27/19 1:00	0.4	0.3	0.4
9/27/19 2:00	0.3	0.3	0.4
9/27/19 3:00	0.3	0.3	0.4
9/27/19 4:00	0.3	0.3	0.4
9/27/19 5:00	0.2	0.3	0.4
9/27/19 6:00	0.3	0.3	0.4
9/27/19 7:00	0.2	0.3	0.4
9/27/19 8:00	0.3	0.3	0.4
9/27/19 9:00	0.3	0.3	0.4
9/27/19 10:00	0.3	0.3	0.4
9/27/19 11:00	0.2	0.3	0.4
9/27/19 12:00	0.2	0.3	0.4
9/27/19 13:00	0.2	0.3	0.4
9/27/19 14:00	0.3	0.3	0.4
9/27/19 15:00	0.3	0.3	0.4
9/27/19 16:00	0.2	0.3	0.4
9/27/19 17:00	0.2	0.3	0.4
9/27/19 18:00	0.2	0.3	0.4
9/27/19 19:00	0.2	0.3	0.4
9/27/19 20:00	0.4	0.3	0.4
9/27/19 21:00	0.3	0.3	0.4
9/27/19 22:00	0.3	0.3	0.4
9/27/19 23:00	0.3	0.3	0.4
9/28/19 0:00	0.3	0.3	0.4
9/28/19 1:00	0.3	0.3	0.4
9/28/19 2:00	0.3	0.3	0.4
9/28/19 3:00	0.5	0.3	0.4
9/28/19 4:00	0.6	0.3	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/28/19 5:00	0.3	0.3	0.4
9/28/19 6:00	0.3	0.3	0.4
9/28/19 7:00	0.3	0.3	0.4
9/28/19 8:00	0.3	0.3	0.4
9/28/19 9:00	0.4	0.3	0.4
9/28/19 10:00	0.4	0.3	0.4
9/28/19 11:00	0.4	0.3	0.4
9/28/19 12:00	0.3	0.3	0.4
9/28/19 13:00	0.4	0.3	0.4
9/28/19 14:00	0.4	0.3	0.4
9/28/19 15:00	0.4	0.3	0.4
9/28/19 16:00	0.4	0.4	0.4
9/28/19 17:00	0.2	0.4	0.4
9/28/19 18:00	0.2	0.4	0.4
9/28/19 19:00	0.3	0.4	0.4
9/28/19 20:00	0.3	0.4	0.4
9/28/19 21:00	0.4	0.4	0.4
9/28/19 22:00	0.4	0.4	0.4
9/28/19 23:00	0.5	0.4	0.4
9/29/19 0:00	0.5	0.4	0.4
9/29/19 1:00	0.5	0.4	0.4
9/29/19 2:00	0.4	0.4	0.4
9/29/19 3:00	0.4	0.4	0.4
9/29/19 4:00	0.3	0.4	0.4
9/29/19 5:00	0.5	0.4	0.4
9/29/19 6:00	0.4	0.4	0.4
9/29/19 7:00	0.4	0.4	0.4
9/29/19 8:00	0.4	0.4	0.4
9/29/19 9:00	0.4	0.4	0.4
9/29/19 10:00	0.4	0.4	0.4
9/29/19 11:00	0.3	0.4	0.4
9/29/19 12:00	0.3	0.4	0.4
9/29/19 13:00	0.3	0.4	0.4
9/29/19 14:00	0.4	0.4	0.4
9/29/19 15:00	0.4	0.4	0.4
9/29/19 16:00	0.3	0.4	0.4
9/29/19 17:00	0.4	0.4	0.4
9/29/19 18:00	0.4	0.4	0.4
9/29/19 19:00	0.3	0.4	0.4
9/29/19 20:00	0.3	0.4	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/29/19 21:00	5.1	0.6	0.4
9/29/19 22:00	1.9	0.6	0.4
9/29/19 23:00	0.3	0.6	0.4
9/30/19 0:00	9.1	1.0	0.4
9/30/19 1:00	0.3	1.0	0.4
9/30/19 2:00	0.2	1.0	0.4
9/30/19 3:00	0.2	1.0	0.4
9/30/19 4:00	0.4	1.0	0.4
9/30/19 5:00	0.4	1.0	0.4
9/30/19 6:00	0.3	1.0	0.4
9/30/19 7:00	0.3	1.0	0.4
9/30/19 8:00	0.3	1.0	0.4
9/30/19 9:00	0.3	1.0	0.4
9/30/19 10:00	0.2	1.0	0.4
9/30/19 11:00	0.2	0.9	0.4
9/30/19 12:00	0.2	0.9	0.4
9/30/19 13:00	0.2	0.9	0.4
9/30/19 14:00	0.2	0.9	0.4
9/30/19 15:00	0.2	0.9	0.4
9/30/19 16:00	0.2	0.9	0.4
9/30/19 17:00	0.2	0.9	0.4
9/30/19 18:00	0.2	0.9	0.4
9/30/19 19:00	0.3	0.9	0.4
9/30/19 20:00	0.3	0.9	0.4
9/30/19 21:00	0.3	0.7	0.4
9/30/19 22:00	0.3	0.6	0.4
9/30/19 23:00	0.2	0.6	0.4
10/1/19 0:00	0.2	0.3	0.4
10/1/19 1:00	0.3	0.3	0.4
10/1/19 2:00	0.3	0.3	0.4
10/1/19 3:00	0.2	0.3	0.4
10/1/19 4:00	0.2	0.3	0.4
10/1/19 5:00	0.2	0.2	0.4
10/1/19 6:00	0.2	0.2	0.4
10/1/19 7:00	0.4	0.2	0.4
10/1/19 8:00	0.3	0.2	0.4
10/1/19 9:00	0.5	0.3	0.4
10/1/19 10:00	0.3	0.3	0.4
10/1/19 11:00	0.2	0.3	0.4
10/1/19 12:00	0.3	0.3	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/1/19 13:00	0.3	0.3	0.4
10/1/19 14:00	0.3	0.3	0.4
10/1/19 15:00	0.3	0.3	0.4
10/1/19 16:00	0.3	0.3	0.4
10/1/19 17:00	0.4	0.3	0.4
10/1/19 18:00	0.4	0.3	0.4
10/1/19 19:00	0.4	0.3	0.4
10/1/19 20:00	0.3	0.3	0.4
10/1/19 21:00	0.3	0.3	0.4
10/1/19 22:00	0.3	0.3	0.4
10/1/19 23:00	0.3	0.3	0.4
10/2/19 0:00	0.3	0.3	0.4
10/2/19 1:00	0.3	0.3	0.4
10/2/19 2:00	0.3	0.3	0.4
10/2/19 3:00	0.3	0.3	0.4
10/2/19 4:00	0.3	0.3	0.4
10/2/19 5:00	0.3	0.3	0.4
10/2/19 6:00	0.3	0.3	0.4
10/2/19 7:00	0.3	0.3	0.4
10/2/19 8:00	0.4	0.3	0.4
10/2/19 9:00	0.3	0.3	0.4
10/2/19 10:00	0.3	0.3	0.4
10/2/19 11:00	0.7	0.3	0.4
10/2/19 12:00	0.9	0.4	0.4
10/2/19 13:00	1.1	0.4	0.4
10/2/19 14:00	1.4	0.5	0.4
10/2/19 15:00	1.3	0.5	0.4
10/2/19 16:00	1.3	0.5	0.4
10/2/19 17:00	0.4	0.5	0.4
10/2/19 18:00	0.7	0.5	0.4
10/2/19 19:00	1.3	0.6	0.4
10/2/19 20:00	1.1	0.6	0.4
10/2/19 21:00	1.4	0.7	0.4
10/2/19 22:00	0.3	0.7	0.4
10/2/19 23:00	0.4	0.7	0.4
10/3/19 0:00	0.4	0.7	0.4
10/3/19 1:00	0.3	0.7	0.4
10/3/19 2:00	0.3	0.7	0.4
10/3/19 3:00	0.3	0.7	0.4
10/3/19 4:00	0.3	0.7	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/3/19 5:00	0.3	0.7	0.4
10/3/19 6:00	0.3	0.7	0.4
10/3/19 7:00	0.3	0.7	0.4
10/3/19 8:00	0.3	0.7	0.4
10/3/19 9:00	0.3	0.7	0.4
10/3/19 10:00	0.3	0.7	0.4
10/3/19 11:00	0.4	0.6	0.4
10/3/19 12:00	0.4	0.6	0.4
10/3/19 13:00	0.4	0.6	0.4
10/3/19 14:00	0.4	0.5	0.4
10/3/19 15:00	0.5	0.5	0.4
10/3/19 16:00	0.5	0.5	0.4
10/3/19 17:00	0.4	0.5	0.4
10/3/19 18:00	0.3	0.5	0.4
10/3/19 19:00	0.3	0.4	0.4
10/3/19 20:00	0.4	0.4	0.4
10/3/19 21:00	0.4	0.4	0.4
10/3/19 22:00	0.4	0.4	0.4
10/3/19 23:00	0.4	0.4	0.4
10/4/19 0:00	0.3	0.4	0.4
10/4/19 1:00	0.3	0.4	0.4
10/4/19 2:00	0.3	0.4	0.4
10/4/19 3:00	0.3	0.4	0.4
10/4/19 4:00	0.3	0.4	0.4
10/4/19 5:00	0.3	0.4	0.4
10/4/19 6:00	0.5	0.4	0.4
10/4/19 7:00	0.3	0.4	0.4
10/4/19 8:00	0.4	0.4	0.4
10/4/19 9:00	0.3	0.4	0.4
10/4/19 10:00	0.4	0.4	0.4
10/4/19 11:00	0.4	0.4	0.4
10/4/19 12:00	0.4	0.4	0.4
10/4/19 13:00	0.4	0.4	0.4
10/4/19 14:00	0.3	0.4	0.4
10/4/19 15:00	0.4	0.4	0.4
10/4/19 16:00	0.3	0.4	0.4
10/4/19 17:00	0.5	0.4	0.4
10/4/19 18:00	0.3	0.4	0.4
10/4/19 19:00	0.4	0.4	0.4
10/4/19 20:00	0.4	0.4	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/4/19 21:00	0.4	0.4	0.4
10/4/19 22:00	0.3	0.4	0.4
10/4/19 23:00	0.3	0.4	0.4
10/5/19 0:00	0.3	0.4	0.4
10/5/19 1:00	0.4	0.4	0.4
10/5/19 2:00	0.4	0.4	0.4
10/5/19 3:00	0.4	0.4	0.4
10/5/19 4:00	0.4	0.4	0.4
10/5/19 5:00	0.3	0.4	0.4
10/5/19 6:00	0.3	0.4	0.4
10/5/19 7:00	0.3	0.4	0.4
10/5/19 8:00	0.3	0.4	0.4
10/5/19 9:00	0.3	0.4	0.4
10/5/19 10:00	0.2	0.4	0.4
10/5/19 11:00	0.2	0.3	0.4
10/5/19 12:00	0.2	0.3	0.4
10/5/19 13:00	0.2	0.3	0.4
10/5/19 14:00	0.2	0.3	0.4
10/5/19 15:00	1.2	0.4	0.4
10/5/19 16:00	0.2	0.4	0.4
10/5/19 17:00	0.2	0.4	0.4
10/5/19 18:00	0.2	0.3	0.4
10/5/19 19:00	0.3	0.3	0.4
10/5/19 20:00	0.3	0.3	0.4
10/5/19 21:00	0.2	0.3	0.4
10/5/19 22:00	0.2	0.3	0.4
10/5/19 23:00	0.2	0.3	0.4
10/6/19 0:00	0.2	0.3	0.4
10/6/19 1:00	0.3	0.3	0.4
10/6/19 2:00	0.3	0.3	0.4
10/6/19 3:00	0.3	0.3	0.4
10/6/19 4:00	0.3	0.3	0.4
10/6/19 5:00	0.2	0.3	0.4
10/6/19 6:00	0.2	0.3	0.4
10/6/19 7:00	0.2	0.3	0.4
10/6/19 8:00	0.4	0.3	0.4
10/6/19 9:00	0.3	0.3	0.4
10/6/19 10:00	0.3	0.3	0.4
10/6/19 11:00	0.3	0.3	0.4
10/6/19 12:00	0.3	0.3	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/6/19 13:00	0.3	0.3	0.4
10/6/19 14:00	0.2	0.3	0.4
10/6/19 15:00	0.3	0.3	0.4
10/6/19 16:00	0.3	0.3	0.4
10/6/19 17:00	0.2	0.3	0.4
10/6/19 18:00	0.3	0.3	0.4
10/6/19 19:00	0.3	0.3	0.4
10/6/19 20:00	0.3	0.3	0.4
10/6/19 21:00	0.2	0.3	0.4
10/6/19 22:00	0.3	0.3	0.4
10/6/19 23:00	0.3	0.3	0.4
10/7/19 0:00	0.4	0.3	0.4
10/7/19 1:00	0.3	0.3	0.4
10/7/19 2:00	0.4	0.3	0.4
10/7/19 3:00	0.4	0.3	0.4
10/7/19 4:00	0.4	0.3	0.4
10/7/19 5:00	0.4	0.3	0.4
10/7/19 6:00	0.4	0.3	0.4
10/7/19 7:00	0.3	0.3	0.4
10/7/19 8:00	0.4	0.3	0.4
10/7/19 9:00	0.3	0.3	0.4
10/7/19 10:00	0.3	0.3	0.4
10/7/19 11:00	0.3	0.3	0.4
10/7/19 12:00	0.3	0.3	0.4
10/7/19 13:00	0.3	0.3	0.4
10/7/19 14:00	0.3	0.3	0.4
10/7/19 15:00	1.3	0.4	0.4
10/7/19 16:00	0.4	0.4	0.4
10/7/19 17:00	0.4	0.4	0.4
10/7/19 18:00	0.4	0.4	0.4
10/7/19 19:00	0.5	0.4	0.4
10/7/19 20:00	0.4	0.4	0.4
10/7/19 21:00	0.5	0.4	0.4
10/7/19 22:00	0.4	0.4	0.4
10/7/19 23:00	0.5	0.4	0.4
10/8/19 0:00	0.4	0.4	0.4
10/8/19 1:00	0.4	0.4	0.4
10/8/19 2:00	0.4	0.4	0.4
10/8/19 3:00	0.4	0.4	0.4
10/8/19 4:00	0.4	0.4	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/8/19 5:00	0.4	0.4	0.4
10/8/19 6:00	0.4	0.4	0.4
10/8/19 7:00	0.4	0.4	0.4
10/8/19 8:00	0.4	0.4	0.4
10/8/19 9:00	0.4	0.4	0.4
10/8/19 10:00	0.4	0.4	0.4
10/8/19 11:00	0.3	0.4	0.4
10/8/19 12:00	0.4	0.4	0.4
10/8/19 13:00	0.4	0.4	0.4
10/8/19 14:00	0.4	0.4	0.4
10/8/19 15:00	0.3	0.4	0.4
10/8/19 16:00	0.3	0.4	0.4
10/8/19 17:00	0.3	0.4	0.4
10/8/19 18:00	0.3	0.4	0.4
10/8/19 19:00	0.4	0.4	0.4
10/8/19 20:00	0.4	0.4	0.4
10/8/19 21:00	0.4	0.4	0.4
10/8/19 22:00	0.4	0.4	0.4
10/8/19 23:00	0.4	0.4	0.4
10/9/19 0:00	0.4	0.4	0.4
10/9/19 1:00	0.4	0.4	0.4
10/9/19 2:00	0.4	0.4	0.4
10/9/19 3:00	0.4	0.4	0.4
10/9/19 4:00	0.3	0.4	0.4
10/9/19 5:00	0.3	0.4	0.4
10/9/19 6:00	0.3	0.4	0.4
10/9/19 7:00	0.3	0.4	0.4
10/9/19 8:00	0.3	0.4	0.4
10/9/19 9:00	0.3	0.4	0.4
10/9/19 10:00	0.2	0.3	0.4
10/9/19 11:00	0.2	0.3	0.4
10/9/19 12:00	0.2	0.3	0.4
10/9/19 13:00	0.2	0.3	0.4
10/9/19 14:00	0.2	0.3	0.4
10/9/19 15:00	0.3	0.3	0.4
10/9/19 16:00	0.3	0.3	0.4
10/9/19 17:00	0.2	0.3	0.4
10/9/19 18:00	0.3	0.3	0.4
10/9/19 19:00	0.3	0.3	0.4
10/9/19 20:00	0.3	0.3	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/9/19 21:00	0.3	0.3	0.4
10/9/19 22:00	0.3	0.3	0.4
10/9/19 23:00	0.3	0.3	0.4
10/10/19 0:00	0.3	0.3	0.4
10/10/19 1:00	0.3	0.3	0.4
10/10/19 2:00	0.5	0.3	0.4
10/10/19 3:00	0.6	0.3	0.4
10/10/19 4:00	0.4	0.3	0.4
10/10/19 5:00	0.4	0.3	0.4
10/10/19 6:00	0.3	0.3	0.4
10/10/19 7:00	0.3	0.3	0.4
10/10/19 8:00	0.3	0.3	0.4
10/10/19 9:00	0.3	0.3	0.4
10/10/19 10:00	0.4	0.3	0.4
10/10/19 11:00	0.3	0.3	0.4
10/10/19 12:00	0.3	0.3	0.4
10/10/19 13:00	0.4	0.3	0.4
10/10/19 14:00	0.4	0.3	0.4
10/10/19 15:00	0.3	0.3	0.4
10/10/19 16:00	0.3	0.3	0.4
10/10/19 17:00	0.3	0.3	0.4
10/10/19 18:00	0.3	0.3	0.4
10/10/19 19:00	0.5	0.4	0.4
10/10/19 20:00	0.3	0.4	0.4
10/10/19 21:00	0.3	0.4	0.4
10/10/19 22:00	0.3	0.4	0.4
10/10/19 23:00	0.3	0.4	0.4
10/11/19 0:00	0.4	0.4	0.4
10/11/19 1:00	0.4	0.4	0.4
10/11/19 2:00	0.4	0.4	0.4
10/11/19 3:00	0.4	0.4	0.4
10/11/19 4:00	0.4	0.4	0.4
10/11/19 5:00	0.3	0.4	0.4
10/11/19 6:00	0.3	0.4	0.4
10/11/19 7:00	0.3	0.3	0.4
10/11/19 8:00	0.2	0.3	0.4
10/11/19 9:00	0.3	0.3	0.4
10/11/19 10:00	0.2	0.3	0.4
10/11/19 11:00	0.3	0.3	0.4
10/11/19 12:00	0.3	0.3	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/11/19 13:00	0.3	0.3	0.4
10/11/19 14:00	0.3	0.3	0.4
10/11/19 15:00	0.2	0.3	0.4
10/11/19 16:00	0.2	0.3	0.4
10/11/19 17:00	0.2	0.3	0.4
10/11/19 18:00	0.3	0.3	0.4
10/11/19 19:00	0.3	0.3	0.4
10/11/19 20:00	0.3	0.3	0.4
10/11/19 21:00	0.3	0.3	0.4
10/11/19 22:00	0.3	0.3	0.4
10/11/19 23:00	0.2	0.3	0.4
10/12/19 0:00	0.3	0.3	0.4
10/12/19 1:00	0.3	0.3	0.4
10/12/19 2:00	0.3	0.3	0.4
10/12/19 3:00	0.4	0.3	0.4
10/12/19 4:00	0.5	0.3	0.4
10/12/19 5:00	0.4	0.3	0.4
10/12/19 6:00	0.9	0.3	0.4
10/12/19 7:00	0.7	0.3	0.4
10/12/19 8:00	0.4	0.3	0.4
10/12/19 9:00	0.5	0.3	0.4
10/12/19 10:00	0.7	0.4	0.4
10/12/19 11:00	0.5	0.4	0.4
10/12/19 12:00	0.4	0.4	0.4
10/12/19 13:00	2.7	0.5	0.4
10/12/19 14:00	0.4	0.5	0.4
10/12/19 15:00	0.4	0.5	0.4
10/12/19 16:00	0.4	0.5	0.4
10/12/19 17:00	0.3	0.5	0.4
10/12/19 18:00	0.3	0.5	0.4
10/12/19 19:00	26.5	1.6	0.4
10/12/19 20:00	21.2	2.5	0.5
10/12/19 21:00	6.2	2.7	0.5
10/12/19 22:00	4.7	2.9	0.5
10/12/19 23:00	3.8	3.0	0.5
10/13/19 0:00	2.7	3.1	0.5
10/13/19 1:00	15.2	3.8	0.5
10/13/19 2:00	0.5	3.8	0.5
10/13/19 3:00	0.6	3.8	0.5
10/13/19 4:00	15.8	4.4	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/13/19 5:00	0.3	4.4	0.5
10/13/19 6:00	0.3	4.4	0.5
10/13/19 7:00	4.2	4.5	0.5
10/13/19 8:00	15.9	5.2	0.6
10/13/19 9:00	0.8	5.2	0.6
10/13/19 10:00	3.7	5.3	0.6
10/13/19 11:00	15.5	5.9	0.6
10/13/19 12:00	1.8	6.0	0.6
10/13/19 13:00	0.2	5.9	0.6
10/13/19 14:00	4.0	6.1	0.6
10/13/19 15:00	0.2	6.0	0.6
10/13/19 16:00	0.2	6.0	0.6
10/13/19 17:00	0.2	6.0	0.6
10/13/19 18:00	0.2	6.0	0.6
10/13/19 19:00	0.2	4.9	0.6
10/13/19 20:00	0.3	4.1	0.6
10/13/19 21:00	0.3	3.8	0.6
10/13/19 22:00	0.3	3.6	0.6
10/13/19 23:00	0.3	3.5	0.6
10/14/19 0:00	0.3	3.4	0.6
10/14/19 1:00	0.3	2.8	0.6
10/14/19 2:00	0.3	2.8	0.6
10/14/19 3:00	0.3	2.7	0.6
10/14/19 4:00	0.4	2.1	0.6
10/14/19 5:00	0.4	2.1	0.6
10/14/19 6:00	0.4	2.1	0.6
10/14/19 7:00	0.3	1.9	0.6
10/14/19 8:00	0.3	1.3	0.6
10/14/19 9:00	0.4	1.3	0.6
10/14/19 10:00	0.3	1.1	0.6
10/14/19 11:00	0.3	0.5	0.6
10/14/19 12:00	0.3	0.4	0.6
10/14/19 13:00	0.3	0.4	0.6
10/14/19 14:00	0.4	0.3	0.6
10/14/19 15:00	0.5	0.3	0.6
10/14/19 16:00	0.6	0.3	0.6
10/14/19 17:00	0.4	0.3	0.6
10/14/19 18:00	0.4	0.3	0.6
10/14/19 19:00	0.4	0.3	0.6
10/14/19 20:00	0.6	0.4	0.6

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/14/19 21:00	0.8	0.4	0.6
10/14/19 22:00	0.5	0.4	0.6
10/14/19 23:00	0.4	0.4	0.6
10/15/19 0:00	3.4	0.5	0.6
10/15/19 1:00	3.7	0.7	0.6
10/15/19 2:00	2.2	0.8	0.6
10/15/19 3:00	0.3	0.8	0.6
10/15/19 4:00	0.3	0.8	0.6
10/15/19 5:00	0.3	0.7	0.6
10/15/19 6:00	0.3	0.7	0.6
10/15/19 7:00	0.3	0.7	0.6
10/15/19 8:00	0.4	0.7	0.6
10/15/19 9:00	0.6	0.7	0.6
10/15/19 10:00	7.2	1.0	0.6
10/15/19 11:00	10.8	1.5	0.6
10/15/19 12:00	11.9	2.0	0.6
10/15/19 13:00	11.8	2.4	0.7
10/15/19 14:00	11.2	2.9	0.7
10/15/19 15:00	11.2	3.3	0.7
10/15/19 16:00	11.3	3.8	0.7
10/15/19 17:00	12.0	4.3	0.7
10/15/19 18:00	11.8	4.7	0.7
10/15/19 19:00	9.1	5.1	0.7
10/15/19 20:00	10.6	5.5	0.8
10/15/19 21:00	11.5	6.0	0.8
10/15/19 22:00	9.4	6.3	0.8
10/15/19 23:00	9.8	6.7	0.8
10/16/19 0:00	9.2	7.0	0.8
10/16/19 1:00	9.6	7.2	0.8
10/16/19 2:00	11.5	7.6	0.8
10/16/19 3:00	12.8	8.1	0.9
10/16/19 4:00	12.0	8.6	0.9
10/16/19 5:00	13.4	9.2	0.9
10/16/19 6:00	11.7	9.6	0.9
10/16/19 7:00	15.3	10.3	0.9
10/16/19 8:00	13.6	10.8	0.9
10/16/19 9:00	12.4	11.3	1.0
10/16/19 10:00	13.0	11.5	1.0
10/16/19 11:00	12.7	11.6	1.0
10/16/19 12:00	11.9	11.6	1.0

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/16/19 13:00	11.3	11.6	1.0
10/16/19 14:00	0.4	11.1	1.0
10/16/19 15:00	0.4	10.7	1.0
10/16/19 16:00	0.4	10.2	1.0
10/16/19 17:00	0.4	9.8	1.0
10/16/19 18:00	0.3	9.3	1.0
10/16/19 19:00	0.4	8.9	1.0
10/16/19 20:00	0.6	8.5	1.0
10/16/19 21:00	0.4	8.0	1.0
10/16/19 22:00	0.3	7.7	1.0
10/16/19 23:00	0.3	7.3	1.0
10/17/19 0:00	0.3	6.9	1.0
10/17/19 1:00	0.3	6.5	1.0
10/17/19 2:00	0.2	6.0	1.0
10/17/19 3:00	0.3	5.5	1.0
10/17/19 4:00	0.3	5.0	1.0
10/17/19 5:00	0.3	4.5	1.0
10/17/19 6:00	0.3	4.0	1.0
10/17/19 7:00	0.3	3.4	1.0
10/17/19 8:00	0.3	2.8	1.0
10/17/19 9:00	0.4	2.3	1.0
10/17/19 10:00	0.3	1.8	1.0
10/17/19 11:00	0.3	1.3	1.0
10/17/19 12:00	0.3	0.8	1.0
10/17/19 13:00	0.3	0.3	1.0
10/17/19 14:00	0.4	0.3	1.0
10/17/19 15:00	0.4	0.3	1.0
10/17/19 16:00	0.4	0.3	1.0
10/17/19 17:00	0.3	0.3	1.0
10/17/19 18:00	0.3	0.3	1.0
10/17/19 19:00	0.3	0.3	1.0
10/17/19 20:00	0.5	0.3	1.0
10/17/19 21:00	0.7	0.3	1.0
10/17/19 22:00	1.9	0.4	1.0
10/17/19 23:00	1.1	0.4	1.0
10/18/19 0:00	0.7	0.5	1.0
10/18/19 1:00	0.9	0.5	1.0
10/18/19 2:00	1.5	0.5	1.0
10/18/19 3:00	1.0	0.6	1.0
10/18/19 4:00	0.7	0.6	1.0

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/18/19 5:00	0.7	0.6	1.0
10/18/19 6:00	0.8	0.6	1.0
10/18/19 7:00	1.0	0.6	1.0
10/18/19 8:00	1.0	0.7	1.0
10/18/19 9:00	0.9	0.7	1.0
10/18/19 10:00	0.9	0.7	1.0
10/18/19 11:00	1.3	0.8	1.0
10/18/19 12:00	1.8	0.8	1.0
10/18/19 13:00	0.8	0.8	1.0
10/18/19 14:00	0.5	0.9	1.0
10/18/19 15:00	0.3	0.8	1.0
10/18/19 16:00	0.8	0.9	1.0
10/18/19 17:00	1.2	0.9	1.0
10/18/19 18:00	0.7	0.9	1.0
10/18/19 19:00	0.5	0.9	1.0
10/18/19 20:00	0.3	0.9	1.0
10/18/19 21:00	0.4	0.9	1.0
10/18/19 22:00	0.3	0.8	1.0
10/18/19 23:00	0.4	0.8	1.0
10/19/19 0:00	0.3	0.8	1.0
10/19/19 1:00	0.3	0.8	1.0
10/19/19 2:00	0.4	0.7	1.0
10/19/19 3:00	0.4	0.7	1.0
10/19/19 4:00	0.7	0.7	1.0
10/19/19 5:00	0.8	0.7	1.0
10/19/19 6:00	0.6	0.7	1.0
10/19/19 7:00	0.6	0.7	1.0
10/19/19 8:00	0.6	0.7	1.0
10/19/19 9:00	0.7	0.7	1.0
10/19/19 10:00	0.8	0.7	1.0
10/19/19 11:00	1.0	0.6	1.0
10/19/19 12:00	1.2	0.6	1.0
10/19/19 13:00	1.9	0.7	1.0
10/19/19 14:00	1.3	0.7	1.0
10/19/19 15:00	1.1	0.7	1.0
10/19/19 16:00	1.1	0.7	1.0
10/19/19 17:00	0.9	0.7	1.0
10/19/19 18:00	1.3	0.8	1.0
10/19/19 19:00	1.4	0.8	1.0
10/19/19 20:00	1.4	0.8	1.0

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/19/19 21:00	0.6	0.8	1.0
10/19/19 22:00	0.5	0.9	1.0
10/19/19 23:00	0.4	0.9	1.0
10/20/19 0:00	0.7	0.9	1.0
10/20/19 1:00	0.6	0.9	1.0
10/20/19 2:00	0.7	0.9	1.0
10/20/19 3:00	0.8	0.9	1.0
10/20/19 4:00	1.1	0.9	1.0
10/20/19 5:00	1.2	0.9	1.0
10/20/19 6:00	0.5	0.9	1.0
10/20/19 7:00	0.5	0.9	1.0
10/20/19 8:00	0.7	0.9	1.0
10/20/19 9:00	1.2	1.0	1.1
10/20/19 10:00	1.3	1.0	1.1
10/20/19 11:00	1.4	1.0	1.1
10/20/19 12:00	1.2	1.0	1.1
10/20/19 13:00	1.0	1.0	1.1
10/20/19 14:00	0.8	0.9	1.1
10/20/19 15:00	0.8	0.9	1.1
10/20/19 16:00	0.8	0.9	1.1
10/20/19 17:00	0.8	0.9	1.1
10/20/19 18:00	0.7	0.9	1.1
10/20/19 19:00	0.8	0.9	1.1
10/20/19 20:00	0.8	0.8	1.1
10/20/19 21:00	0.9	0.8	1.1
10/20/19 22:00	1.0	0.9	1.1
10/20/19 23:00	2.5	1.0	1.1
10/21/19 0:00	1.1	1.0	1.1
10/21/19 1:00	1.1	1.0	1.1
10/21/19 2:00	0.8	1.0	1.1
10/21/19 3:00	0.8	1.0	1.1
10/21/19 4:00	0.5	1.0	1.1
10/21/19 5:00	0.4	0.9	1.1
10/21/19 6:00	0.3	0.9	1.1
10/21/19 7:00	0.4	0.9	1.1
10/21/19 8:00	0.6	0.9	1.1
10/21/19 9:00	0.8	0.9	1.1
10/21/19 10:00	0.8	0.9	1.1
10/21/19 11:00	0.5	0.8	1.1
10/21/19 12:00	0.5	0.8	1.1

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/21/19 13:00	0.4	0.8	1.1
10/21/19 14:00	0.4	0.8	1.1
10/21/19 15:00	0.3	0.8	1.1
10/21/19 16:00	0.4	0.7	1.1
10/21/19 17:00	0.4	0.7	1.1
10/21/19 18:00	0.3	0.7	1.1
10/21/19 19:00	0.4	0.7	1.1
10/21/19 20:00	0.4	0.7	1.1
10/21/19 21:00	0.5	0.6	1.1
10/21/19 22:00	0.4	0.6	1.1
10/21/19 23:00	0.5	0.5	1.1
10/22/19 0:00	0.5	0.5	1.1
10/22/19 1:00	0.5	0.5	1.1
10/22/19 2:00	0.4	0.5	1.1
10/22/19 3:00	0.5	0.5	1.1
10/22/19 4:00	0.5	0.5	1.1
10/22/19 5:00	0.5	0.5	1.1
10/22/19 6:00	0.4	0.5	1.1
10/22/19 7:00	0.4	0.5	1.1
10/22/19 8:00	0.4	0.5	1.1
10/22/19 9:00	0.4	0.4	1.1
10/22/19 10:00	0.3	0.4	1.1
10/22/19 11:00	0.6	0.4	1.1
10/22/19 12:00	0.3	0.4	1.1
10/22/19 13:00	0.3	0.4	1.1
10/22/19 14:00	0.3	0.4	1.1
10/22/19 15:00	0.2	0.4	1.1
10/22/19 16:00	0.3	0.4	1.1
10/22/19 17:00	0.4	0.4	1.1
10/22/19 18:00	0.3	0.4	1.1
10/22/19 19:00	0.3	0.4	1.1
10/22/19 20:00	0.3	0.4	1.1
10/22/19 21:00	0.2	0.4	1.1
10/22/19 22:00	0.2	0.4	1.1
10/22/19 23:00	0.2	0.4	1.1
10/23/19 0:00	0.2	0.4	1.1
10/23/19 1:00	0.2	0.3	1.1
10/23/19 2:00	0.2	0.3	1.1
10/23/19 3:00	0.2	0.3	1.1
10/23/19 4:00	0.2	0.3	1.1

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/23/19 5:00	0.2	0.3	1.1
10/23/19 6:00	0.2	0.3	1.1
10/23/19 7:00	0.3	0.3	1.1
10/23/19 8:00	0.3	0.3	1.1
10/23/19 9:00	0.3	0.3	1.1
10/23/19 10:00	0.3	0.3	1.1
10/23/19 11:00	0.4	0.3	1.1
10/23/19 12:00	0.5	0.3	1.1
10/23/19 13:00	0.5	0.3	1.1
10/23/19 14:00	39.5	1.9	1.1
10/23/19 15:00	15.7	2.6	1.1
10/23/19 16:00	0.2	2.6	1.1
10/23/19 17:00	0.2	2.5	1.1
10/23/19 18:00	0.3	2.6	1.1
10/23/19 19:00	0.4	2.6	1.1
10/23/19 20:00	0.4	2.6	1.1
10/23/19 21:00	0.4	2.6	1.1
10/23/19 22:00	0.5	2.6	1.1
10/23/19 23:00	0.5	2.6	1.1
10/24/19 0:00	0.5	2.6	1.1
10/24/19 1:00	0.4	2.6	1.1
10/24/19 2:00	0.3	2.6	1.1
10/24/19 3:00	0.4	2.6	1.2
10/24/19 4:00	0.4	2.6	1.2
10/24/19 5:00	0.4	2.6	1.2
10/24/19 6:00	0.4	2.6	1.2
10/24/19 7:00	0.3	2.6	1.2
10/24/19 8:00	0.4	2.6	1.2
10/24/19 9:00	0.5	2.7	1.2
10/24/19 10:00	0.5	2.7	1.2
10/24/19 11:00	0.4	2.7	1.2
10/24/19 12:00	0.5	2.7	1.2
10/24/19 13:00	0.5	2.7	1.2
10/24/19 14:00	0.5	1.0	1.2
10/24/19 15:00	0.5	0.4	1.2
10/24/19 16:00	0.5	0.4	1.2
10/24/19 17:00	0.3	0.4	1.2
10/24/19 18:00	0.4	0.4	1.2
10/24/19 19:00	0.4	0.4	1.2
10/24/19 20:00	0.4	0.4	1.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/24/19 21:00	0.5	0.4	1.2
10/24/19 22:00	0.5	0.4	1.2
10/24/19 23:00	5.9	0.6	1.2
10/25/19 0:00	4.1	0.8	1.2
10/25/19 1:00	1.6	0.8	1.2
10/25/19 2:00	0.6	0.9	1.2
10/25/19 3:00	0.7	0.9	1.2
10/25/19 4:00	0.6	0.9	1.2
10/25/19 5:00	0.6	0.9	1.2
10/25/19 6:00	0.4	0.9	1.2
10/25/19 7:00	0.7	0.9	1.2
10/25/19 8:00	0.7	0.9	1.2
10/25/19 9:00	0.7	0.9	1.2
10/25/19 10:00	0.7	0.9	1.2
10/25/19 11:00	0.5	0.9	1.2
10/25/19 12:00	0.8	1.0	1.2
10/25/19 13:00	1.0	1.0	1.2
10/25/19 14:00	0.6	1.0	1.2
10/25/19 15:00	0.6	1.0	1.2
10/25/19 16:00	1.0	1.0	1.2
10/25/19 17:00	1.1	1.0	1.2
10/25/19 18:00	0.4	1.0	1.2
10/25/19 19:00	0.4	1.0	1.2
10/25/19 20:00	0.5	1.1	1.2
10/25/19 21:00	0.6	1.1	1.2
10/25/19 22:00	0.7	1.1	1.2
10/25/19 23:00	0.6	0.9	1.2
10/26/19 0:00	0.6	0.7	1.2
10/26/19 1:00	0.6	0.7	1.2
10/26/19 2:00	0.4	0.7	1.2
10/26/19 3:00	1.3	0.7	1.2
10/26/19 4:00	0.5	0.7	1.2
10/26/19 5:00	0.3	0.7	1.2
10/26/19 6:00	0.4	0.7	1.2
10/26/19 7:00	1.4	0.7	1.2
10/26/19 8:00	0.4	0.7	1.2
10/26/19 9:00	0.4	0.7	1.2
10/26/19 10:00	0.4	0.6	1.2
10/26/19 11:00	0.4	0.6	1.2
10/26/19 12:00	0.5	0.6	1.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/26/19 13:00	0.5	0.6	1.2
10/26/19 14:00	0.6	0.6	1.2
10/26/19 15:00	0.5	0.6	1.2
10/26/19 16:00	0.4	0.6	1.2
10/26/19 17:00	0.4	0.5	1.2
10/26/19 18:00	0.5	0.6	1.2
10/26/19 19:00	0.3	0.5	1.2
10/26/19 20:00	0.3	0.5	1.2
10/26/19 21:00	0.3	0.5	1.2
10/26/19 22:00	0.3	0.5	1.2
10/26/19 23:00	0.3	0.5	1.2
10/27/19 0:00	0.2	0.5	1.2
10/27/19 1:00	0.2	0.5	1.2
10/27/19 2:00	0.3	0.5	1.2
10/27/19 3:00	0.4	0.4	1.2
10/27/19 4:00	0.3	0.4	1.2
10/27/19 5:00	0.3	0.4	1.2
10/27/19 6:00	0.2	0.4	1.2
10/27/19 7:00	0.2	0.4	1.2
10/27/19 8:00	0.2	0.4	1.2
10/27/19 9:00	0.3	0.3	1.2
10/27/19 10:00	0.4	0.3	1.2
10/27/19 11:00	0.3	0.3	1.2
10/27/19 12:00	0.2	0.3	1.2
10/27/19 13:00	0.2	0.3	1.2
10/27/19 14:00	0.3	0.3	1.2
10/27/19 15:00	0.3	0.3	1.2
10/27/19 16:00	0.3	0.3	1.2
10/27/19 17:00	0.3	0.3	1.2
10/27/19 18:00	0.3	0.3	1.2
10/27/19 19:00	0.4	0.3	1.2
10/27/19 20:00	0.4	0.3	1.2
10/27/19 21:00	0.4	0.3	1.2
10/27/19 22:00	0.4	0.3	1.2
10/27/19 23:00	0.3	0.3	1.2
10/28/19 0:00	0.2	0.3	1.2
10/28/19 1:00	0.2	0.3	1.2
10/28/19 2:00	0.3	0.3	1.2
10/28/19 3:00	0.3	0.3	1.2
10/28/19 4:00	0.3	0.3	1.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/28/19 5:00	0.3	0.3	1.2
10/28/19 6:00	0.2	0.3	1.2
10/28/19 7:00	0.2	0.3	1.2
10/28/19 8:00	0.2	0.3	1.2
10/28/19 9:00	0.3	0.3	1.2
10/28/19 10:00	0.1	0.3	1.2
10/28/19 11:00	0.1	0.3	1.2
10/28/19 12:00	0.1	0.3	1.2
10/28/19 13:00	1.5	0.3	1.2
10/28/19 14:00	1.7	0.4	1.2
10/28/19 15:00	0.9	0.4	1.2
10/28/19 16:00	0.7	0.4	1.2
10/28/19 17:00	0.4	0.4	1.2
10/28/19 18:00	0.3	0.4	1.2
10/28/19 19:00	0.3	0.4	1.2
10/28/19 20:00	0.2	0.4	1.2
10/28/19 21:00	0.1	0.4	1.2
10/28/19 22:00	0.2	0.4	1.2
10/28/19 23:00	0.2	0.4	1.2
10/29/19 0:00	0.2	0.4	1.2
10/29/19 1:00	0.2	0.4	1.2
10/29/19 2:00	0.3	0.4	1.2
10/29/19 3:00	0.3	0.4	1.2
10/29/19 4:00	0.3	0.4	1.2
10/29/19 5:00	0.4	0.4	1.2
10/29/19 6:00	0.7	0.4	1.2
10/29/19 7:00	3.3	0.5	1.2
10/29/19 8:00	1.1	0.6	1.2
10/29/19 9:00	0.1	0.6	1.2
10/29/19 10:00	0.0	0.6	1.2
10/29/19 11:00	0.1	0.6	1.2
10/29/19 12:00	0.1	0.6	1.2
10/29/19 13:00	0.1	0.5	1.2
10/29/19 14:00	0.1	0.4	1.2
10/29/19 15:00	0.1	0.4	1.2
10/29/19 16:00	0.3	0.4	1.2
10/29/19 17:00	0.2	0.4	1.2
10/29/19 18:00	0.1	0.4	1.2
10/29/19 19:00	0.1	0.4	1.2
10/29/19 20:00	0.1	0.4	1.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/29/19 21:00	0.2	0.4	1.2
10/29/19 22:00	0.2	0.4	1.2
10/29/19 23:00	0.2	0.4	1.2
10/30/19 0:00	0.1	0.4	1.2
10/30/19 1:00	0.1	0.4	1.2
10/30/19 2:00	0.1	0.4	1.2
10/30/19 3:00	0.1	0.3	1.2
10/30/19 4:00	0.1	0.3	1.2
10/30/19 5:00	0.1	0.3	1.2
10/30/19 6:00	0.1	0.3	1.2
10/30/19 7:00	0.1	0.2	1.2
10/30/19 8:00	0.1	0.1	1.2
10/30/19 9:00	0.1	0.1	1.2
10/30/19 10:00	0.1	0.1	1.2
10/30/19 11:00	0.1	0.1	1.2
10/30/19 12:00	0.1	0.1	1.2
10/30/19 13:00	0.0	0.1	1.2
10/30/19 14:00	0.1	0.1	1.2
10/30/19 15:00	0.1	0.1	1.2
10/30/19 16:00	0.1	0.1	1.2
10/30/19 17:00	0.1	0.1	1.2
10/30/19 18:00	0.1	0.1	1.2
10/30/19 19:00	0.1	0.1	1.2
10/30/19 20:00	0.1	0.1	1.2
10/30/19 21:00	0.1	0.1	1.2
10/30/19 22:00	0.1	0.1	1.2
10/30/19 23:00	1.2	0.1	1.2
10/31/19 0:00	0.2	0.1	1.2
10/31/19 1:00	0.2	0.1	1.2
10/31/19 2:00	0.2	0.1	1.2
10/31/19 3:00	0.2	0.1	1.2
10/31/19 4:00	0.3	0.2	1.2
10/31/19 5:00	0.2	0.2	1.2
10/31/19 6:00	0.2	0.2	1.2
10/31/19 7:00	0.3	0.2	1.2
10/31/19 8:00	0.3	0.2	1.2
10/31/19 9:00	0.6	0.2	1.2
10/31/19 10:00	1.3	0.3	1.2
10/31/19 11:00	1.2	0.3	1.2
10/31/19 12:00	0.2	0.3	1.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/31/19 13:00	0.2	0.3	1.2
10/31/19 14:00	0.2	0.3	1.2
10/31/19 15:00	0.2	0.3	1.2
10/31/19 16:00	0.3	0.3	1.2
10/31/19 17:00	0.4	0.4	1.2
10/31/19 18:00	0.2	0.4	1.2
10/31/19 19:00	0.3	0.4	1.2
10/31/19 20:00	0.3	0.4	1.2
10/31/19 21:00	0.2	0.4	1.2
10/31/19 22:00	0.1	0.4	1.2
10/31/19 23:00	0.1	0.3	1.2
11/1/19 0:00	0.1	0.3	1.2
11/1/19 1:00	0.1	0.3	1.2
11/1/19 2:00	0.1	0.3	1.2
11/1/19 3:00	0.2	0.3	1.2
11/1/19 4:00	0.2	0.3	1.2
11/1/19 5:00	0.1	0.3	1.2
11/1/19 6:00	0.1	0.3	1.2
11/1/19 7:00	0.1	0.3	1.2
11/1/19 8:00	0.2	0.3	1.2
11/1/19 9:00	0.2	0.3	1.2
11/1/19 10:00	0.1	0.2	1.2
11/1/19 11:00	0.1	0.2	1.2
11/1/19 12:00	0.3	0.2	1.2
11/1/19 13:00	0.3	0.2	1.1
11/1/19 14:00	0.1	0.2	1.1
11/1/19 15:00	0.1	0.2	1.1
11/1/19 16:00	0.2	0.2	1.1
11/1/19 17:00	0.2	0.2	1.1
11/1/19 18:00	0.2	0.2	1.1
11/1/19 19:00	0.2	0.2	1.1
11/1/19 20:00	0.4	0.2	1.1
11/1/19 21:00	0.2	0.2	1.1
11/1/19 22:00	0.2	0.2	1.1
11/1/19 23:00	0.2	0.2	1.1
11/2/19 0:00	0.3	0.2	1.1
11/2/19 1:00	0.4	0.2	1.1
11/2/19 2:00	0.1	0.2	1.1
11/2/19 3:00	0.2	0.2	1.1
11/2/19 4:00	0.2	0.2	1.1

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/2/19 5:00	0.1	0.2	1.1
11/2/19 6:00	0.1	0.2	1.1
11/2/19 7:00	0.2	0.2	1.1
11/2/19 8:00	0.2	0.2	1.1
11/2/19 9:00	0.2	0.2	1.1
11/2/19 10:00	0.2	0.2	1.1
11/2/19 11:00	0.2	0.2	1.1
11/2/19 12:00	0.2	0.2	1.1
11/2/19 13:00	0.2	0.2	1.1
11/2/19 14:00	0.2	0.2	1.1
11/2/19 15:00	0.2	0.2	1.1
11/2/19 16:00	0.2	0.2	1.1
11/2/19 17:00	0.2	0.2	1.1
11/2/19 18:00	0.2	0.2	1.1
11/2/19 19:00	0.2	0.2	1.1
11/2/19 20:00	0.2	0.2	1.1
11/2/19 21:00	0.2	0.2	1.1
11/2/19 22:00	0.2	0.2	1.1
11/2/19 23:00	0.2	0.2	1.1
11/3/19 0:00	0.1	0.2	1.1
11/3/19 1:00	0.2	0.2	1.1
11/3/19 1:00	0.1	0.2	1.1
11/3/19 2:00	0.1	0.2	1.1
11/3/19 3:00	0.2	0.2	1.1
11/3/19 4:00	0.2	0.2	1.1
11/3/19 5:00	0.2	0.2	1.1
11/3/19 6:00	0.1	0.2	1.1
11/3/19 7:00	0.2	0.2	1.1
11/3/19 8:00	0.2	0.2	1.1
11/3/19 9:00	0.2	0.2	1.1
11/3/19 10:00	0.2	0.2	1.1
11/3/19 11:00	0.2	0.2	1.1
11/3/19 12:00	0.2	0.2	1.1
11/3/19 13:00	0.2	0.2	1.1
11/3/19 14:00	0.2	0.2	1.1
11/3/19 15:00	0.2	0.2	1.1
11/3/19 16:00	0.2	0.2	1.1
11/3/19 17:00	0.2	0.2	1.1
11/3/19 18:00	0.2	0.2	1.1
11/3/19 19:00	0.1	0.2	1.1

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/3/19 20:00	0.1	0.2	1.1
11/3/19 21:00	0.2	0.2	1.1
11/3/19 22:00	0.3	0.2	1.1
11/3/19 23:00	0.4	0.2	1.1
11/4/19 0:00	0.4	0.2	1.1
11/4/19 1:00	0.4	0.2	1.1
11/4/19 2:00	0.4	0.2	1.1
11/4/19 3:00	0.6	0.2	1.1
11/4/19 4:00	0.4	0.2	1.1
11/4/19 5:00	0.3	0.2	1.1
11/4/19 6:00	0.2	0.3	1.1
11/4/19 7:00	0.3	0.3	1.1
11/4/19 8:00	0.2	0.3	1.1
11/4/19 9:00	0.2	0.3	1.1
11/4/19 10:00	0.2	0.3	1.1
11/4/19 11:00	2.2	0.3	1.1
11/4/19 12:00	1.0	0.4	1.1
11/4/19 13:00	0.1	0.4	1.1
11/4/19 14:00	0.1	0.4	1.1
11/4/19 15:00	0.2	0.4	1.1
11/4/19 16:00	0.2	0.4	1.1
11/4/19 17:00	0.3	0.4	1.1
11/4/19 18:00	0.1	0.4	1.1
11/4/19 19:00	0.2	0.4	1.1
11/4/19 20:00	0.2	0.4	1.1
11/4/19 21:00	0.1	0.4	1.1
11/4/19 22:00	0.2	0.4	1.1
11/4/19 23:00	0.2	0.4	1.1
11/5/19 0:00	0.1	0.4	1.1
11/5/19 1:00	0.2	0.3	1.1
11/5/19 2:00	0.2	0.3	1.1
11/5/19 3:00	0.2	0.3	1.1
11/5/19 4:00	0.1	0.3	1.1
11/5/19 5:00	0.1	0.3	1.1
11/5/19 6:00	0.1	0.3	1.1
11/5/19 7:00	0.1	0.3	1.1
11/5/19 8:00	0.1	0.3	1.1
11/5/19 9:00	0.2	0.3	1.1
11/5/19 10:00	0.2	0.3	1.1
11/5/19 11:00	0.2	0.2	1.1

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/5/19 12:00	0.2	0.2	1.1
11/5/19 13:00	0.1	0.2	1.1
11/5/19 14:00	0.2	0.2	1.1
11/5/19 15:00	0.2	0.2	1.1
11/5/19 16:00	0.3	0.2	1.1
11/5/19 17:00	0.3	0.2	1.1
11/5/19 18:00	0.2	0.2	1.1
11/5/19 19:00	0.5	0.2	1.1
11/5/19 20:00	1.6	0.3	1.1
11/5/19 21:00	1.2	0.3	1.1
11/5/19 22:00	0.2	0.3	1.1
11/5/19 23:00	0.2	0.3	1.1
11/6/19 0:00	0.2	0.3	1.1
11/6/19 1:00	0.2	0.3	1.1
11/6/19 2:00	0.2	0.3	1.1
11/6/19 3:00	0.2	0.3	1.1
11/6/19 4:00	0.2	0.3	1.1
11/6/19 5:00	0.2	0.3	1.1
11/6/19 6:00	0.2	0.3	1.1
11/6/19 7:00	0.2	0.3	1.1
11/6/19 8:00	0.2	0.3	1.1
11/6/19 9:00	0.1	0.3	1.1
11/6/19 10:00	0.1	0.3	1.1
11/6/19 11:00	0.1	0.3	1.1
11/6/19 12:00	0.3	0.3	1.1
11/6/19 13:00	0.5	0.3	1.1
11/6/19 14:00	0.2	0.3	1.1
11/6/19 15:00	0.2	0.3	1.1
11/6/19 16:00	0.9	0.3	1.1
11/6/19 17:00	0.1	0.3	1.1
11/6/19 18:00	0.1	0.3	1.1
11/6/19 19:00	0.1	0.3	1.1
11/6/19 20:00	0.1	0.2	1.1
11/6/19 21:00	0.2	0.2	1.1
11/6/19 22:00	0.2	0.2	1.1
11/6/19 23:00	0.2	0.2	1.1
11/7/19 0:00	0.1	0.2	1.1
11/7/19 1:00	0.2	0.2	1.1
11/7/19 2:00	0.1	0.2	1.1
11/7/19 3:00	0.1	0.2	1.1

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/7/19 4:00	0.1	0.2	1.1
11/7/19 5:00	0.1	0.2	1.1
11/7/19 6:00	0.1	0.2	1.1
11/7/19 7:00	0.1	0.2	1.1
11/7/19 8:00	0.1	0.2	1.1
11/7/19 9:00	0.1	0.2	1.1
11/7/19 10:00	0.1	0.2	1.1
11/7/19 11:00	0.4	0.2	1.1
11/7/19 12:00	0.1	0.2	1.1
11/7/19 13:00	0.1	0.2	1.1
11/7/19 14:00	0.1	0.2	1.1
11/7/19 15:00	0.2	0.2	1.1
11/7/19 16:00	0.2	0.1	1.1
11/7/19 17:00	0.1	0.1	1.1
11/7/19 18:00	0.2	0.2	1.1
11/7/19 19:00	0.2	0.2	1.1
11/7/19 20:00	0.2	0.2	1.1
11/7/19 21:00	0.1	0.2	1.1
11/7/19 22:00	0.1	0.2	1.1
11/7/19 23:00	0.1	0.2	1.1
11/8/19 0:00	0.1	0.1	1.1
11/8/19 1:00	0.1	0.1	1.1
11/8/19 2:00	0.1	0.1	1.1
11/8/19 3:00	0.1	0.1	1.1
11/8/19 4:00	0.1	0.1	1.1
11/8/19 5:00	0.1	0.1	1.1
11/8/19 6:00	0.1	0.1	1.1
11/8/19 7:00	0.1	0.1	1.1
11/8/19 8:00	0.1	0.1	1.1
11/8/19 9:00	0.1	0.1	1.1
11/8/19 10:00	0.3	0.2	1.1
11/8/19 11:00	0.2	0.1	1.1
11/8/19 12:00	0.1	0.1	1.1
11/8/19 13:00	0.1	0.1	1.1
11/8/19 14:00	0.2	0.1	1.1
11/8/19 15:00	0.3	0.1	1.1
11/8/19 16:00	0.2	0.1	1.1
11/8/19 17:00	0.2	0.2	1.1
11/8/19 18:00	0.2	0.2	1.1
11/8/19 19:00	0.2	0.2	1.1

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/8/19 20:00	0.2	0.2	1.1
11/8/19 21:00	0.2	0.2	1.1
11/8/19 22:00	0.3	0.2	1.1
11/8/19 23:00	0.2	0.2	1.1
11/9/19 0:00	0.1	0.2	1.1
11/9/19 1:00	0.1	0.2	1.1
11/9/19 2:00	0.1	0.2	1.1
11/9/19 3:00	0.2	0.2	1.1
11/9/19 4:00	0.2	0.2	1.1
11/9/19 5:00	0.2	0.2	1.1
11/9/19 6:00	0.1	0.2	1.1
11/9/19 7:00	0.1	0.2	1.1
11/9/19 8:00	0.1	0.2	1.1
11/9/19 9:00	1.4	0.2	1.1
11/9/19 10:00	0.1	0.2	1.1
11/9/19 11:00	0.1	0.2	1.1
11/9/19 12:00	0.1	0.2	1.1
11/9/19 13:00	0.1	0.2	1.1
11/9/19 14:00	0.1	0.2	1.1
11/9/19 15:00	0.1	0.2	1.1
11/9/19 16:00	0.1	0.2	1.1
11/9/19 17:00	0.1	0.2	1.1
11/9/19 18:00	0.1	0.2	1.1
11/9/19 19:00	0.1	0.2	1.1
11/9/19 20:00	0.1	0.2	1.1
11/9/19 21:00	0.1	0.2	1.1
11/9/19 22:00	0.1	0.2	1.1
11/9/19 23:00	0.1	0.2	1.1
11/10/19 0:00	0.1	0.2	1.1
11/10/19 1:00	0.1	0.2	1.1
11/10/19 2:00	0.1	0.2	1.1
11/10/19 3:00	0.1	0.2	1.1
11/10/19 4:00	0.1	0.2	1.1
11/10/19 5:00	0.1	0.2	1.1
11/10/19 6:00	0.1	0.2	1.1
11/10/19 7:00	0.1	0.2	1.1
11/10/19 8:00	0.1	0.2	1.1
11/10/19 9:00	0.1	0.1	1.1
11/10/19 10:00	0.1	0.1	1.1
11/10/19 11:00	0.1	0.1	1.1

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/10/19 12:00	0.1	0.1	1.1
11/10/19 13:00	0.1	0.1	1.1
11/10/19 14:00	0.1	0.1	1.1
11/10/19 15:00	0.1	0.1	1.1
11/10/19 16:00	0.1	0.1	1.1
11/10/19 17:00	0.1	0.1	1.1
11/10/19 18:00	0.1	0.1	1.1
11/10/19 19:00	0.1	0.1	1.1
11/10/19 20:00	0.1	0.1	1.1
11/10/19 21:00	0.1	0.1	1.1
11/10/19 22:00	0.1	0.1	1.1
11/10/19 23:00	0.1	0.1	1.1
11/11/19 0:00	0.1	0.1	1.1
11/11/19 1:00	0.1	0.1	1.1
11/11/19 2:00	0.1	0.1	1.1
11/11/19 3:00	0.1	0.1	1.1
11/11/19 4:00	0.1	0.1	1.1
11/11/19 5:00	0.1	0.1	1.1
11/11/19 6:00	0.1	0.1	1.1
11/11/19 7:00	0.1	0.1	1.1
11/11/19 8:00	0.1	0.1	1.1
11/11/19 9:00	0.2	0.1	1.1
11/11/19 10:00	0.1	0.1	1.1
11/11/19 11:00	0.1	0.1	1.1
11/11/19 12:00	0.1	0.1	1.1
11/11/19 13:00	0.1	0.1	1.1
11/11/19 14:00	0.1	0.1	1.1
11/11/19 15:00	0.1	0.1	1.1
11/11/19 16:00	0.0	0.1	1.1
11/11/19 17:00	0.1	0.1	1.1
11/11/19 18:00	0.1	0.1	1.0
11/11/19 19:00	0.2	0.1	1.0
11/11/19 20:00	0.2	0.1	1.0
11/11/19 21:00	0.2	0.1	1.0
11/11/19 22:00	0.2	0.1	1.0
11/11/19 23:00	0.3	0.1	1.0
11/12/19 0:00	0.3	0.1	1.0
11/12/19 1:00	0.4	0.1	1.0
11/12/19 2:00	0.6	0.2	1.0
11/12/19 3:00	0.6	0.2	1.0

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/12/19 4:00	6.3	0.5	1.0
11/12/19 5:00	0.5	0.5	1.0
11/12/19 6:00	1.2	0.5	0.9
11/12/19 7:00	8.4	0.9	1.0
11/12/19 8:00	1.3	0.9	0.9
11/12/19 9:00	4.7	1.1	0.9
11/12/19 10:00	0.5	1.1	0.9
11/12/19 11:00	0.4	1.1	0.9
11/12/19 12:00	0.2	1.1	0.9
11/12/19 13:00	0.8	1.2	0.9
11/12/19 14:00	6.8	1.4	0.9
11/12/19 15:00	0.3	1.4	0.9
11/12/19 16:00	0.2	1.4	0.9
11/12/19 17:00	0.3	1.5	0.9
11/12/19 18:00	0.3	1.5	0.9
11/12/19 19:00	0.3	1.5	0.9
11/12/19 20:00	0.2	1.5	0.9
11/12/19 21:00	0.4	1.5	0.9
11/12/19 22:00	1.1	1.5	0.9
11/12/19 23:00	0.6	1.5	0.9
11/13/19 0:00	2.0	1.6	0.9
11/13/19 1:00	0.3	1.6	0.9
11/13/19 2:00	0.3	1.6	0.9
11/13/19 3:00	0.3	1.6	0.9
11/13/19 4:00	0.3	1.3	0.9
11/13/19 5:00	0.8	1.3	0.9
11/13/19 6:00	0.5	1.3	0.9
11/13/19 7:00	0.7	1.0	0.9
11/13/19 8:00	2.4	1.0	0.9
11/13/19 9:00	4.4	1.0	0.9
11/13/19 10:00	5.1	1.2	1.0
11/13/19 11:00	1.5	1.3	1.0
11/13/19 12:00	4.3	1.4	1.0
11/13/19 13:00	2.0	1.5	1.0
11/13/19 14:00	1.0	1.2	1.0
11/13/19 15:00	2.3	1.3	1.0
11/13/19 16:00	2.2	1.4	1.0
11/13/19 17:00	3.7	1.5	1.0
11/13/19 18:00	0.2	1.5	1.0
11/13/19 19:00	0.2	1.5	1.0

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/13/19 20:00	0.2	1.5	1.0
11/13/19 21:00	0.2	1.5	1.0
11/13/19 22:00	0.2	1.5	1.0
11/13/19 23:00	0.2	1.5	1.0
11/14/19 0:00	0.2	1.4	1.0
11/14/19 1:00	0.3	1.4	1.0
11/14/19 2:00	0.2	1.4	1.0
11/14/19 3:00	0.3	1.4	1.0
11/14/19 4:00	0.4	1.4	1.0
11/14/19 5:00	0.2	1.4	1.0
11/14/19 6:00	0.2	1.3	1.0
11/14/19 7:00	0.5	1.3	1.0
11/14/19 8:00	0.5	1.3	1.0
11/14/19 9:00	0.3	1.1	0.9
11/14/19 10:00	0.5	0.9	0.9
11/14/19 11:00	0.4	0.9	0.9
11/14/19 12:00	0.6	0.7	0.9
11/14/19 13:00	0.5	0.6	0.9
11/14/19 14:00	0.3	0.6	0.9
11/14/19 15:00	0.4	0.5	0.8
11/14/19 16:00	0.3	0.5	0.8
11/14/19 17:00	2.0	0.4	0.8
11/14/19 18:00	1.3	0.4	0.8
11/14/19 19:00	0.1	0.4	0.8
11/14/19 20:00	0.1	0.4	0.8
11/14/19 21:00	0.2	0.4	0.8
11/14/19 22:00	0.4	0.4	0.8
11/14/19 23:00	0.2	0.4	0.7
11/15/19 0:00	0.2	0.4	0.7
11/15/19 1:00	0.2	0.4	0.7
11/15/19 2:00	0.2	0.4	0.7
11/15/19 3:00	0.2	0.4	0.7
11/15/19 4:00	0.2	0.4	0.7
11/15/19 5:00	0.2	0.4	0.6
11/15/19 6:00	0.2	0.4	0.6
11/15/19 7:00	0.2	0.4	0.6
11/15/19 8:00	0.2	0.4	0.6
11/15/19 9:00	0.2	0.4	0.6
11/15/19 10:00	0.2	0.4	0.5
11/15/19 11:00	0.2	0.4	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/15/19 12:00	0.2	0.3	0.5
11/15/19 13:00	0.1	0.3	0.5
11/15/19 14:00	0.2	0.3	0.5
11/15/19 15:00	0.1	0.3	0.5
11/15/19 16:00	0.2	0.3	0.5
11/15/19 17:00	0.2	0.2	0.5
11/15/19 18:00	0.2	0.2	0.5
11/15/19 19:00	0.2	0.2	0.5
11/15/19 20:00	0.2	0.2	0.5
11/15/19 21:00	0.2	0.2	0.5
11/15/19 22:00	0.2	0.2	0.5
11/15/19 23:00	0.2	0.2	0.5
11/16/19 0:00	0.2	0.2	0.5
11/16/19 1:00	0.2	0.2	0.5
11/16/19 2:00	0.2	0.2	0.5
11/16/19 3:00	0.2	0.2	0.5
11/16/19 4:00	0.1	0.2	0.5
11/16/19 5:00	0.1	0.2	0.5
11/16/19 6:00	0.1	0.2	0.5
11/16/19 7:00	0.1	0.2	0.5
11/16/19 8:00	0.1	0.2	0.5
11/16/19 9:00	0.3	0.2	0.5
11/16/19 10:00	0.1	0.2	0.5
11/16/19 11:00	0.2	0.2	0.5
11/16/19 12:00	0.1	0.2	0.5
11/16/19 13:00	0.1	0.2	0.5
11/16/19 14:00	0.1	0.2	0.5
11/16/19 15:00	0.1	0.2	0.5
11/16/19 16:00	0.1	0.2	0.5
11/16/19 17:00	0.1	0.2	0.5
11/16/19 18:00	0.1	0.2	0.5
11/16/19 19:00	0.1	0.2	0.5
11/16/19 20:00	0.1	0.2	0.5
11/16/19 21:00	0.1	0.2	0.5
11/16/19 22:00	0.1	0.1	0.5
11/16/19 23:00	0.1	0.1	0.5
11/17/19 0:00	0.1	0.1	0.5
11/17/19 1:00	0.1	0.1	0.5
11/17/19 2:00	0.1	0.1	0.5
11/17/19 3:00	0.1	0.1	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/17/19 4:00	0.1	0.1	0.5
11/17/19 5:00	0.1	0.1	0.5
11/17/19 6:00	0.1	0.1	0.5
11/17/19 7:00	0.1	0.1	0.5
11/17/19 8:00	0.1	0.1	0.5
11/17/19 9:00	0.1	0.1	0.5
11/17/19 10:00	0.2	0.1	0.5
11/17/19 11:00	3.3	0.3	0.5
11/17/19 12:00	0.6	0.3	0.5
11/17/19 13:00	2.9	0.4	0.5
11/17/19 14:00	0.1	0.4	0.5
11/17/19 15:00	0.1	0.4	0.5
11/17/19 16:00	0.1	0.4	0.5
11/17/19 17:00	2.9	0.5	0.5
11/17/19 18:00	0.1	0.5	0.5
11/17/19 19:00	0.1	0.5	0.5
11/17/19 20:00	0.2	0.5	0.5
11/17/19 21:00	0.2	0.5	0.5
11/17/19 22:00	0.2	0.5	0.5
11/17/19 23:00	0.2	0.5	0.5
11/18/19 0:00	0.2	0.5	0.5
11/18/19 1:00	0.2	0.5	0.5
11/18/19 2:00	0.2	0.5	0.5
11/18/19 3:00	0.2	0.5	0.5
11/18/19 4:00	0.2	0.5	0.5
11/18/19 5:00	0.2	0.5	0.5
11/18/19 6:00	0.2	0.5	0.5
11/18/19 7:00	0.2	0.5	0.5
11/18/19 8:00	0.2	0.5	0.5
11/18/19 9:00	0.2	0.5	0.5
11/18/19 10:00	0.2	0.5	0.5
11/18/19 11:00	0.3	0.4	0.5
11/18/19 12:00	0.2	0.4	0.5
11/18/19 13:00	0.2	0.3	0.5
11/18/19 14:00	0.2	0.3	0.5
11/18/19 15:00	0.2	0.3	0.5
11/18/19 16:00	0.2	0.3	0.5
11/18/19 17:00	0.2	0.2	0.5
11/18/19 18:00	0.3	0.2	0.5
11/18/19 19:00	0.3	0.2	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/18/19 20:00	0.2	0.2	0.5
11/18/19 21:00	0.3	0.2	0.5
11/18/19 22:00	0.3	0.2	0.5
11/18/19 23:00	0.3	0.2	0.5
11/19/19 0:00	0.3	0.2	0.5
11/19/19 1:00	0.4	0.2	0.5
11/19/19 2:00	0.6	0.2	0.5
11/19/19 3:00	0.6	0.3	0.5
11/19/19 4:00	0.5	0.3	0.5
11/19/19 5:00	0.8	0.3	0.5
11/19/19 6:00	0.5	0.3	0.5
11/19/19 7:00	0.4	0.3	0.5
11/19/19 8:00	0.2	0.3	0.5
11/19/19 9:00	0.0	0.3	0.5
11/19/19 10:00	0.0	0.3	0.5
11/19/19 11:00	0.0	0.3	0.5
11/19/19 12:00	0.0	0.3	0.5
11/19/19 13:00	0.0	0.3	0.5
11/19/19 14:00	0.0	0.3	0.5
11/19/19 15:00	0.0	0.3	0.5
11/19/19 16:00	0.0	0.3	0.5
11/19/19 17:00	2.4	0.3	0.5
11/19/19 18:00	10.5	0.8	0.5
11/19/19 19:00	15.1	1.4	0.5
11/19/19 20:00	17.8	2.1	0.5
11/19/19 21:00	59.4	4.6	0.6
11/19/19 22:00	35.2	6.0	0.7
11/19/19 23:00	5.8	6.3	0.7
11/20/19 0:00	6.9	6.5	0.7
11/20/19 1:00	9.4	6.9	0.7
11/20/19 2:00	8.1	7.2	0.7
11/20/19 3:00	9.3	7.6	0.7
11/20/19 4:00	9.7	8.0	0.7
11/20/19 5:00	10.8	8.4	0.7
11/20/19 6:00	9.1	8.8	0.7
11/20/19 7:00	9.0	9.1	0.8
11/20/19 8:00	2.4	9.2	0.8
11/20/19 9:00	0.8	9.2	0.8
11/20/19 10:00	5.2	9.5	0.8
11/20/19 11:00	1.7	9.5	0.8

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/20/19 12:00	0.8	9.6	0.8
11/20/19 13:00	3.9	9.7	0.8
11/20/19 14:00	0.4	9.7	0.8
11/20/19 15:00	1.4	9.8	0.8
11/20/19 16:00	0.9	9.8	0.8
11/20/19 17:00	1.5	9.8	0.8
11/20/19 18:00	0.7	9.4	0.8
11/20/19 19:00	0.8	8.8	0.8
11/20/19 20:00	1.0	8.1	0.8
11/20/19 21:00	1.0	5.7	0.8
11/20/19 22:00	1.4	4.3	0.8
11/20/19 23:00	0.2	4.0	0.8
11/21/19 0:00	1.2	3.8	0.8
11/21/19 1:00	1.1	3.4	0.8
11/21/19 2:00	0.6	3.1	0.8
11/21/19 3:00	0.2	2.8	0.8
11/21/19 4:00	0.2	2.4	0.8
11/21/19 5:00	0.1	1.9	0.8
11/21/19 6:00	0.1	1.5	0.8
11/21/19 7:00	0.1	1.2	0.8
11/21/19 8:00	0.1	1.1	0.8
11/21/19 9:00	0.0	1.0	0.8
11/21/19 10:00	0.0	0.8	0.8
11/21/19 11:00	0.0	0.7	0.8
11/21/19 12:00	0.0	0.7	0.8
11/21/19 13:00	0.0	0.6	0.8
11/21/19 14:00	0.0	0.5	0.8
11/21/19 15:00	0.0	0.5	0.8
11/21/19 16:00	0.0	0.4	0.8
11/21/19 17:00	0.1	0.4	0.8
11/21/19 18:00	0.1	0.3	0.8
11/21/19 19:00	0.2	0.3	0.8
11/21/19 20:00	1.1	0.3	0.8
11/21/19 21:00	1.1	0.3	0.8
11/21/19 22:00	0.8	0.3	0.8
11/21/19 23:00	3.5	0.4	0.8
11/22/19 0:00	4.3	0.6	0.8
11/22/19 1:00	4.7	0.7	0.8
11/22/19 2:00	1.1	0.7	0.8
11/22/19 3:00	1.9	0.8	0.8

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/22/19 4:00	1.1	0.9	0.8
11/22/19 5:00	1.2	0.9	0.8
11/22/19 6:00	1.6	1.0	0.8
11/22/19 7:00	0.9	1.0	0.8
11/22/19 8:00	2.2	1.1	0.8
11/22/19 9:00	1.7	1.2	0.8
11/22/19 10:00	1.9	1.2	0.8
11/22/19 11:00	2.3	1.3	0.8
11/22/19 12:00	2.4	1.4	0.8
11/22/19 13:00	2.0	1.5	0.7
11/22/19 14:00	9.4	1.9	0.8
11/22/19 15:00	7.1	2.2	0.8
11/22/19 16:00	6.6	2.5	0.8
11/22/19 17:00	1.7	2.5	0.8
11/22/19 18:00	0.9	2.6	0.8
11/22/19 19:00	2.7	2.7	0.8
11/22/19 20:00	2.7	2.7	0.8
11/22/19 21:00	0.2	2.7	0.8
11/22/19 22:00	2.0	2.7	0.8
11/22/19 23:00	2.1	2.7	0.8
11/23/19 0:00	0.8	2.5	0.8
11/23/19 1:00	1.9	2.4	0.8
11/23/19 2:00	2.6	2.5	0.8
11/23/19 3:00	1.0	2.4	0.8
11/23/19 4:00	1.8	2.5	0.8
11/23/19 5:00	2.6	2.5	0.8
11/23/19 6:00	1.9	2.6	0.8
11/23/19 7:00	1.1	2.6	0.8
11/23/19 8:00	0.9	2.5	0.8
11/23/19 9:00	1.5	2.5	0.8
11/23/19 10:00	0.4	2.4	0.8
11/23/19 11:00	0.2	2.3	0.8
11/23/19 12:00	0.2	2.3	0.8
11/23/19 13:00	0.1	2.2	0.8
11/23/19 14:00	0.2	1.8	0.8
11/23/19 15:00	0.1	1.5	0.8
11/23/19 16:00	0.2	1.2	0.8
11/23/19 17:00	0.2	1.2	0.8
11/23/19 18:00	0.2	1.1	0.8
11/23/19 19:00	0.2	1.0	0.8

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/23/19 20:00	0.2	0.9	0.8
11/23/19 21:00	0.2	0.9	0.8
11/23/19 22:00	0.2	0.9	0.8
11/23/19 23:00	0.2	0.8	0.8
11/24/19 0:00	0.2	0.8	0.8
11/24/19 1:00	0.2	0.7	0.8
11/24/19 2:00	0.2	0.6	0.8
11/24/19 3:00	0.2	0.5	0.8
11/24/19 4:00	0.2	0.5	0.8
11/24/19 5:00	0.2	0.4	0.8
11/24/19 6:00	0.2	0.3	0.8
11/24/19 7:00	0.1	0.3	0.8
11/24/19 8:00	0.2	0.2	0.8
11/24/19 9:00	0.2	0.2	0.8
11/24/19 10:00	0.3	0.2	0.8
11/24/19 11:00	0.3	0.2	0.8
11/24/19 12:00	0.2	0.2	0.8
11/24/19 13:00	0.2	0.2	0.8
11/24/19 14:00	0.2	0.2	0.8
11/24/19 15:00	0.3	0.2	0.8
11/24/19 16:00	0.3	0.2	0.8
11/24/19 17:00	0.2	0.2	0.8
11/24/19 18:00	0.3	0.2	0.8
11/24/19 19:00	0.2	0.2	0.8
11/24/19 20:00	0.3	0.2	0.8
11/24/19 21:00	0.3	0.2	0.8
11/24/19 22:00	0.2	0.2	0.8
11/24/19 23:00	0.2	0.2	0.8
11/25/19 0:00	0.2	0.2	0.8
11/25/19 1:00	0.2	0.2	0.8
11/25/19 2:00	0.3	0.2	0.8
11/25/19 3:00	0.2	0.2	0.8
11/25/19 4:00	0.2	0.2	0.8
11/25/19 5:00	0.2	0.2	0.8
11/25/19 6:00	0.2	0.2	0.8
11/25/19 7:00	0.2	0.2	0.8
11/25/19 8:00	0.2	0.2	0.8
11/25/19 9:00	0.2	0.2	0.8
11/25/19 10:00	0.2	0.2	0.8
11/25/19 11:00	0.2	0.2	0.8

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/25/19 12:00	0.1	0.2	0.8
11/25/19 13:00	0.2	0.2	0.8
11/25/19 14:00	0.2	0.2	0.8
11/25/19 15:00	0.3	0.2	0.8
11/25/19 16:00	0.2	0.2	0.8
11/25/19 17:00	0.2	0.2	0.8
11/25/19 18:00	0.2	0.2	0.8
11/25/19 19:00	0.2	0.2	0.8
11/25/19 20:00	0.2	0.2	0.8
11/25/19 21:00	0.2	0.2	0.8
11/25/19 22:00	0.2	0.2	0.8
11/25/19 23:00	0.2	0.2	0.8
11/26/19 0:00	0.3	0.2	0.8
11/26/19 1:00	0.2	0.2	0.8
11/26/19 2:00	0.2	0.2	0.8
11/26/19 3:00	0.2	0.2	0.8
11/26/19 4:00	0.2	0.2	0.8
11/26/19 5:00	0.3	0.2	0.8
11/26/19 6:00	0.2	0.2	0.8
11/26/19 7:00	0.1	0.2	0.8
11/26/19 8:00	0.2	0.2	0.8
11/26/19 9:00	0.3	0.2	0.8
11/26/19 10:00	0.2	0.2	0.8
11/26/19 11:00	0.1	0.2	0.8
11/26/19 12:00	0.2	0.2	0.8
11/26/19 13:00	0.2	0.2	0.8
11/26/19 14:00	0.2	0.2	0.8
11/26/19 15:00	0.2	0.2	0.8
11/26/19 16:00	0.1	0.2	0.8
11/26/19 17:00	0.1	0.2	0.8
11/26/19 18:00	0.1	0.2	0.8
11/26/19 19:00	0.1	0.2	0.8
11/26/19 20:00	0.2	0.2	0.8
11/26/19 21:00	0.2	0.2	0.8
11/26/19 22:00	0.2	0.2	0.8
11/26/19 23:00	0.2	0.2	0.8
11/27/19 0:00	0.2	0.2	0.8
11/27/19 1:00	0.2	0.2	0.8
11/27/19 2:00	0.2	0.2	0.8
11/27/19 3:00	0.2	0.2	0.8

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/27/19 4:00	0.2	0.2	0.8
11/27/19 5:00	0.2	0.2	0.8
11/27/19 6:00	0.2	0.2	0.8
11/27/19 7:00	0.3	0.2	0.8
11/27/19 8:00	0.2	0.2	0.8
11/27/19 9:00	0.2	0.2	0.8
11/27/19 10:00	0.2	0.2	0.8
11/27/19 11:00	0.3	0.2	0.8
11/27/19 12:00	0.3	0.2	0.8
11/27/19 13:00	0.3	0.2	0.8
11/27/19 14:00	0.2	0.2	0.8
11/27/19 15:00	0.2	0.2	0.7
11/27/19 16:00	0.2	0.2	0.7
11/27/19 17:00	0.1	0.2	0.7
11/27/19 18:00	0.2	0.2	0.7
11/27/19 19:00	0.2	0.2	0.7
11/27/19 20:00	0.2	0.2	0.7
11/27/19 21:00	0.2	0.2	0.7
11/27/19 22:00	0.2	0.2	0.7
11/27/19 23:00	0.2	0.2	0.7
11/28/19 0:00	0.2	0.2	0.7
11/28/19 1:00	0.2	0.2	0.7
11/28/19 2:00	0.2	0.2	0.7
11/28/19 3:00	0.1	0.2	0.7
11/28/19 4:00	0.1	0.2	0.7
11/28/19 5:00	0.0	0.2	0.7
11/28/19 6:00	0.0	0.2	0.7
11/28/19 7:00	0.1	0.2	0.7
11/28/19 8:00	0.1	0.2	0.7
11/28/19 9:00	0.1	0.2	0.7
11/28/19 10:00	0.1	0.2	0.7
11/28/19 11:00	0.1	0.1	0.7
11/28/19 12:00	0.1	0.1	0.7
11/28/19 13:00	0.1	0.1	0.7
11/28/19 14:00	0.1	0.1	0.7
11/28/19 15:00	0.1	0.1	0.7
11/28/19 16:00	0.1	0.1	0.7
11/28/19 17:00	0.1	0.1	0.7
11/28/19 18:00	0.1	0.1	0.7
11/28/19 19:00	0.1	0.1	0.7

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/28/19 20:00	0.1	0.1	0.7
11/28/19 21:00	0.2	0.1	0.7
11/28/19 22:00	0.2	0.1	0.7
11/28/19 23:00	0.1	0.1	0.7
11/29/19 0:00	0.2	0.1	0.7
11/29/19 1:00	0.1	0.1	0.7
11/29/19 2:00	0.1	0.1	0.7
11/29/19 3:00	0.1	0.1	0.7
11/29/19 4:00	0.1	0.1	0.7
11/29/19 5:00	0.1	0.1	0.7
11/29/19 6:00	0.1	0.1	0.7
11/29/19 7:00	0.1	0.1	0.7
11/29/19 8:00	0.2	0.1	0.7
11/29/19 9:00	0.2	0.1	0.7
11/29/19 10:00	0.2	0.1	0.7
11/29/19 11:00	0.2	0.1	0.7
11/29/19 12:00	0.2	0.1	0.7
11/29/19 13:00	0.2	0.1	0.7
11/29/19 14:00	0.1	0.1	0.7
11/29/19 15:00	0.1	0.1	0.7
11/29/19 16:00	0.1	0.1	0.7
11/29/19 17:00	0.1	0.1	0.7
11/29/19 18:00	0.1	0.1	0.7
11/29/19 19:00	0.1	0.1	0.7
11/29/19 20:00	0.2	0.1	0.7
11/29/19 21:00	0.1	0.1	0.7
11/29/19 22:00	0.1	0.1	0.7
11/29/19 23:00	0.1	0.1	0.7
11/30/19 0:00	0.1	0.1	0.7
11/30/19 1:00	0.1	0.1	0.7
11/30/19 2:00	0.1	0.1	0.7
11/30/19 3:00	0.1	0.1	0.7
11/30/19 4:00	0.1	0.1	0.7
11/30/19 5:00	0.2	0.1	0.7
11/30/19 6:00	0.1	0.1	0.7
11/30/19 7:00	0.1	0.1	0.7
11/30/19 8:00	0.2	0.1	0.7
11/30/19 9:00	0.3	0.1	0.7
11/30/19 10:00	0.2	0.1	0.7
11/30/19 11:00	0.2	0.1	0.7

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/30/19 12:00	0.1	0.1	0.7
11/30/19 13:00	0.2	0.1	0.7
11/30/19 14:00	0.2	0.1	0.7
11/30/19 15:00	0.1	0.1	0.7
11/30/19 16:00	0.2	0.1	0.7
11/30/19 17:00	0.3	0.1	0.7
11/30/19 18:00	0.1	0.2	0.7
11/30/19 19:00	0.1	0.2	0.7
11/30/19 20:00	0.1	0.2	0.7
11/30/19 21:00	0.1	0.2	0.7
11/30/19 22:00	0.1	0.2	0.7
11/30/19 23:00	0.1	0.2	0.7
12/1/19 0:00	0.1	0.2	0.7
12/1/19 1:00	0.1	0.2	0.7
12/1/19 2:00	0.1	0.2	0.7
12/1/19 3:00	0.1	0.2	0.7
12/1/19 4:00	0.1	0.2	0.7
12/1/19 5:00	0.1	0.2	0.7
12/1/19 6:00	0.1	0.2	0.7
12/1/19 7:00	0.1	0.2	0.7
12/1/19 8:00	0.1	0.2	0.7
12/1/19 9:00	0.1	0.2	0.7
12/1/19 10:00	0.1	0.2	0.7
12/1/19 11:00	0.2	0.2	0.7
12/1/19 12:00	0.1	0.2	0.7
12/1/19 13:00	0.2	0.2	0.7
12/1/19 14:00	0.1	0.1	0.7
12/1/19 15:00	0.1	0.1	0.7
12/1/19 16:00	0.1	0.1	0.7
12/1/19 17:00	0.1	0.1	0.7
12/1/19 18:00	0.2	0.1	0.7
12/1/19 19:00	0.1	0.1	0.7
12/1/19 20:00	0.1	0.1	0.7
12/1/19 21:00	0.1	0.1	0.7
12/1/19 22:00	0.2	0.1	0.7
12/1/19 23:00	0.2	0.1	0.7
12/2/19 0:00	0.2	0.1	0.7
12/2/19 1:00	0.2	0.1	0.7
12/2/19 2:00	0.2	0.1	0.7
12/2/19 3:00	0.2	0.1	0.7

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/2/19 4:00	0.2	0.2	0.7
12/2/19 5:00	0.2	0.2	0.7
12/2/19 6:00	0.2	0.2	0.7
12/2/19 7:00	0.2	0.2	0.7
12/2/19 8:00	0.2	0.2	0.7
12/2/19 9:00	0.2	0.2	0.7
12/2/19 10:00	0.1	0.2	0.7
12/2/19 11:00	0.1	0.2	0.7
12/2/19 12:00	0.1	0.2	0.7
12/2/19 13:00	0.1	0.2	0.7
12/2/19 14:00	0.1	0.2	0.7
12/2/19 15:00	0.1	0.2	0.7
12/2/19 16:00	0.2	0.2	0.7
12/2/19 17:00	0.2	0.2	0.7
12/2/19 18:00	0.1	0.2	0.7
12/2/19 19:00	0.1	0.2	0.7
12/2/19 20:00	0.1	0.2	0.7
12/2/19 21:00	0.1	0.2	0.7
12/2/19 22:00	0.2	0.2	0.7
12/2/19 23:00	0.2	0.2	0.7
12/3/19 0:00	0.2	0.2	0.7
12/3/19 1:00	0.1	0.2	0.7
12/3/19 2:00	0.1	0.2	0.7
12/3/19 3:00	0.1	0.2	0.7
12/3/19 4:00	0.1	0.2	0.7
12/3/19 5:00	0.1	0.2	0.7
12/3/19 6:00	0.1	0.2	0.7
12/3/19 7:00	0.2	0.2	0.7
12/3/19 8:00	0.3	0.2	0.7
12/3/19 9:00	0.2	0.2	0.7
12/3/19 10:00	0.2	0.2	0.7
12/3/19 11:00	0.2	0.2	0.7
12/3/19 12:00	0.4	0.2	0.7
12/3/19 13:00	0.1	0.2	0.7
12/3/19 14:00	0.1	0.2	0.7
12/3/19 15:00	0.2	0.2	0.7
12/3/19 16:00	0.1	0.2	0.7
12/3/19 17:00	0.1	0.2	0.7
12/3/19 18:00	0.1	0.2	0.7
12/3/19 19:00	0.1	0.2	0.7

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/3/19 20:00	0.1	0.2	0.7
12/3/19 21:00	0.2	0.2	0.7
12/3/19 22:00	0.1	0.2	0.7
12/3/19 23:00	0.1	0.2	0.7
12/4/19 0:00	0.1	0.2	0.7
12/4/19 1:00	0.1	0.2	0.7
12/4/19 2:00	0.1	0.2	0.7
12/4/19 3:00	0.1	0.1	0.7
12/4/19 4:00	0.1	0.1	0.7
12/4/19 5:00	0.1	0.2	0.7
12/4/19 6:00	0.1	0.2	0.7
12/4/19 7:00	0.1	0.1	0.7
12/4/19 8:00	0.1	0.1	0.7
12/4/19 9:00	0.1	0.1	0.7
12/4/19 10:00	0.1	0.1	0.7
12/4/19 11:00	0.1	0.1	0.7
12/4/19 12:00	0.1	0.1	0.7
12/4/19 13:00	0.1	0.1	0.7
12/4/19 14:00	0.1	0.1	0.7
12/4/19 15:00	0.1	0.1	0.7
12/4/19 16:00	0.2	0.1	0.7
12/4/19 17:00	0.2	0.1	0.7
12/4/19 18:00	0.2	0.1	0.7
12/4/19 19:00	0.2	0.1	0.7
12/4/19 20:00	0.2	0.1	0.7
12/4/19 21:00	0.2	0.1	0.7
12/4/19 22:00	0.2	0.1	0.7
12/4/19 23:00	0.2	0.1	0.7
12/5/19 0:00	0.2	0.1	0.7
12/5/19 1:00	0.1	0.1	0.7
12/5/19 2:00	0.1	0.1	0.7
12/5/19 3:00	0.1	0.1	0.7
12/5/19 4:00	0.1	0.1	0.7
12/5/19 5:00	0.2	0.1	0.7
12/5/19 6:00	0.2	0.1	0.7
12/5/19 7:00	0.2	0.2	0.7
12/5/19 8:00	0.3	0.2	0.7
12/5/19 9:00	0.2	0.2	0.7
12/5/19 10:00	0.2	0.2	0.7
12/5/19 11:00	0.2	0.2	0.7

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/5/19 12:00	0.3	0.2	0.7
12/5/19 13:00	0.2	0.2	0.7
12/5/19 14:00	0.2	0.2	0.7
12/5/19 15:00	0.2	0.2	0.7
12/5/19 16:00	0.3	0.2	0.7
12/5/19 17:00	0.3	0.2	0.7
12/5/19 18:00	0.1	0.2	0.7
12/5/19 19:00	0.1	0.2	0.7
12/5/19 20:00	0.2	0.2	0.7
12/5/19 21:00	0.2	0.2	0.7
12/5/19 22:00	0.2	0.2	0.7
12/5/19 23:00	0.2	0.2	0.7
12/6/19 0:00	0.4	0.2	0.7
12/6/19 1:00	2.5	0.3	0.7
12/6/19 2:00	0.4	0.3	0.7
12/6/19 3:00	0.3	0.3	0.7
12/6/19 4:00	0.2	0.3	0.7
12/6/19 5:00	0.7	0.3	0.7
12/6/19 6:00	0.3	0.3	0.7
12/6/19 7:00	0.5	0.4	0.7
12/6/19 8:00	0.3	0.4	0.7
12/6/19 9:00	0.3	0.4	0.7
12/6/19 10:00	0.2	0.4	0.7
12/6/19 11:00	0.3	0.4	0.7
12/6/19 12:00	0.4	0.4	0.7
12/6/19 13:00	0.4	0.4	0.7
12/6/19 14:00	0.3	0.4	0.7
12/6/19 15:00	0.3	0.4	0.7
12/6/19 16:00	0.3	0.4	0.7
12/6/19 17:00	0.2	0.4	0.7
12/6/19 18:00	0.2	0.4	0.7
12/6/19 19:00	0.3	0.4	0.7
12/6/19 20:00	0.5	0.4	0.7
12/6/19 21:00	0.4	0.4	0.7
12/6/19 22:00	0.3	0.4	0.7
12/6/19 23:00	0.2	0.4	0.7
12/7/19 0:00	0.2	0.4	0.7
12/7/19 1:00	0.2	0.3	0.7
12/7/19 2:00	0.2	0.3	0.7
12/7/19 3:00	0.2	0.3	0.7

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/7/19 4:00	0.2	0.3	0.7
12/7/19 5:00	0.2	0.3	0.7
12/7/19 6:00	0.2	0.3	0.7
12/7/19 7:00	0.2	0.3	0.7
12/7/19 8:00	0.2	0.3	0.7
12/7/19 9:00	0.2	0.3	0.7
12/7/19 10:00	0.3	0.3	0.7
12/7/19 11:00	1.1	0.3	0.7
12/7/19 12:00	0.1	0.3	0.7
12/7/19 13:00	0.2	0.3	0.7
12/7/19 14:00	0.2	0.3	0.7
12/7/19 15:00	0.2	0.3	0.7
12/7/19 16:00	0.3	0.3	0.7
12/7/19 17:00	0.2	0.3	0.7
12/7/19 18:00	0.2	0.3	0.7
12/7/19 19:00	0.2	0.3	0.7
12/7/19 20:00	0.3	0.3	0.7
12/7/19 21:00	0.2	0.3	0.7
12/7/19 22:00	0.2	0.3	0.7
12/7/19 23:00	0.1	0.2	0.7
12/8/19 0:00	0.2	0.2	0.7
12/8/19 1:00	0.2	0.2	0.7
12/8/19 2:00	0.1	0.2	0.7
12/8/19 3:00	0.1	0.2	0.7
12/8/19 4:00	0.2	0.2	0.7
12/8/19 5:00	0.1	0.2	0.7
12/8/19 6:00	0.1	0.2	0.7
12/8/19 7:00	0.1	0.2	0.7
12/8/19 8:00	0.1	0.2	0.7
12/8/19 9:00	0.2	0.2	0.7
12/8/19 10:00	0.2	0.2	0.7
12/8/19 11:00	0.1	0.2	0.7
12/8/19 12:00	0.1	0.2	0.7
12/8/19 13:00	0.2	0.2	0.7
12/8/19 14:00	0.5	0.2	0.7
12/8/19 15:00	0.2	0.2	0.7
12/8/19 16:00	0.2	0.2	0.7
12/8/19 17:00	0.3	0.2	0.7
12/8/19 18:00	0.4	0.2	0.7
12/8/19 19:00	0.3	0.2	0.7

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/8/19 20:00	0.2	0.2	0.7
12/8/19 21:00	2.6	0.3	0.7
12/8/19 22:00	4.1	0.5	0.7
12/8/19 23:00	0.3	0.5	0.7
12/9/19 0:00	3.2	0.6	0.7
12/9/19 1:00	2.0	0.7	0.7
12/9/19 2:00	2.9	0.8	0.8
12/9/19 3:00	1.7	0.8	0.8
12/9/19 4:00	0.9	0.9	0.8
12/9/19 5:00	0.2	0.9	0.8
12/9/19 6:00	0.2	0.9	0.8
12/9/19 7:00	0.2	0.9	0.8
12/9/19 8:00	0.2	0.9	0.8
12/9/19 9:00	0.2	0.9	0.8
12/9/19 10:00	0.2	0.9	0.8
12/9/19 11:00	0.3	0.9	0.8
12/9/19 12:00	0.2	0.9	0.8
12/9/19 13:00	0.2	0.9	0.8
12/9/19 14:00	0.2	0.9	0.8
12/9/19 15:00	0.2	0.9	0.8
12/9/19 16:00	0.2	0.9	0.8
12/9/19 17:00	0.2	0.9	0.8
12/9/19 18:00	0.2	0.9	0.8
12/9/19 19:00	0.2	0.9	0.8
12/9/19 20:00	0.2	0.9	0.8
12/9/19 21:00	0.2	0.8	0.8
12/9/19 22:00	0.2	0.6	0.8
12/9/19 23:00	0.2	0.6	0.8
12/10/19 0:00	0.2	0.5	0.8
12/10/19 1:00	0.1	0.4	0.8
12/10/19 2:00	0.1	0.3	0.8
12/10/19 3:00	0.2	0.2	0.8
12/10/19 4:00	0.2	0.2	0.8
12/10/19 5:00	0.2	0.2	0.8
12/10/19 6:00	0.2	0.2	0.8
12/10/19 7:00	0.2	0.2	0.8
12/10/19 8:00	0.2	0.2	0.8
12/10/19 9:00	0.2	0.2	0.8
12/10/19 10:00	0.3	0.2	0.8
12/10/19 11:00	9.3	0.6	0.8

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/10/19 12:00	9.1	0.9	0.8
12/10/19 13:00	8.9	1.3	0.8
12/10/19 14:00	8.8	1.7	0.8
12/10/19 15:00	9.2	2.0	0.8
12/10/19 16:00	9.9	2.4	0.8
12/10/19 17:00	8.3	2.8	0.8
12/10/19 18:00	9.0	3.2	0.9
12/10/19 19:00	9.3	3.5	0.9
12/10/19 20:00	8.7	3.9	0.9
12/10/19 21:00	8.7	4.2	0.9
12/10/19 22:00	9.7	4.6	0.9
12/10/19 23:00	9.7	5.0	0.9
12/11/19 0:00	9.3	5.4	0.9
12/11/19 1:00	10.0	5.8	0.9
12/11/19 2:00	8.6	6.2	1.0
12/11/19 3:00	10.0	6.6	1.0
12/11/19 4:00	9.7	7.0	1.0
12/11/19 5:00	9.8	7.4	1.0
12/11/19 6:00	8.3	7.7	1.0
12/11/19 7:00	8.6	8.1	1.0
12/11/19 8:00	11.0	8.5	1.0
12/11/19 9:00	12.6	9.0	1.1
12/11/19 10:00	13.2	9.6	1.1
12/11/19 11:00	12.9	9.7	1.1
12/11/19 12:00	13.0	9.9	1.1
12/11/19 13:00	13.4	10.1	1.1
12/11/19 14:00	13.3	10.3	1.1
12/11/19 15:00	11.0	10.3	1.2
12/11/19 16:00	5.5	10.1	1.2
12/11/19 17:00	1.7	9.9	1.2
12/11/19 18:00	2.7	9.6	1.2
12/11/19 19:00	9.0	9.6	1.2
12/11/19 20:00	9.6	9.6	1.2
12/11/19 21:00	9.2	9.7	1.2
12/11/19 22:00	9.0	9.6	1.2
12/11/19 23:00	9.1	9.6	1.2
12/12/19 0:00	10.5	9.7	1.3
12/12/19 1:00	7.2	9.5	1.3
12/12/19 2:00	7.2	9.5	1.3
12/12/19 3:00	6.7	9.3	1.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/12/19 4:00	9.7	9.3	1.3
12/12/19 5:00	10.2	9.4	1.3
12/12/19 6:00	10.0	9.4	1.3
12/12/19 7:00	8.4	9.4	1.3
12/12/19 8:00	9.1	9.3	1.3
12/12/19 9:00	8.1	9.1	1.3
12/12/19 10:00	8.4	8.9	1.3
		8.8	1.3
		8.6	1.3
12/12/19 13:00	0.3	8.0	1.3
12/12/19 14:00	0.3	7.4	1.3
12/12/19 15:00	0.2	6.9	1.3
12/12/19 16:00	0.2	6.7	1.3
12/12/19 17:00	0.2	6.6	1.3
12/12/19 18:00	0.1	6.5	1.3
12/12/19 19:00	0.1	6.1	1.3
12/12/19 20:00	0.2	5.7	1.3
12/12/19 21:00	0.2	5.2	1.3
12/12/19 22:00	0.2	4.8	1.3
12/12/19 23:00	0.2	4.4	1.3
12/13/19 0:00	0.1	4.0	1.3
12/13/19 1:00	0.2	3.6	1.3
12/13/19 2:00	0.1	3.3	1.3
12/13/19 3:00	0.1	3.0	1.3
12/13/19 4:00	0.1	2.6	1.3
12/13/19 5:00	0.1	2.1	1.3
12/13/19 6:00	0.1	1.7	1.3
12/13/19 7:00	0.1	1.3	1.3
12/13/19 8:00	0.1	0.9	1.3
12/13/19 9:00	0.2	0.5	1.3
12/13/19 10:00	0.2	0.2	1.3
12/13/19 11:00	0.2	0.2	1.3
12/13/19 12:00	0.2	0.2	1.3
12/13/19 13:00	0.2	0.2	1.3
12/13/19 14:00	0.2	0.2	1.3
12/13/19 15:00	0.2	0.2	1.3
12/13/19 16:00	0.2	0.2	1.3
12/13/19 17:00	0.2	0.2	1.3
12/13/19 18:00	0.2	0.2	1.3
12/13/19 19:00	0.2	0.2	1.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/13/19 20:00	0.2	0.2	1.3
12/13/19 21:00	0.2	0.2	1.3
12/13/19 22:00	0.2	0.2	1.3
12/13/19 23:00	0.2	0.2	1.3
12/14/19 0:00	0.2	0.2	1.3
12/14/19 1:00	0.2	0.2	1.3
12/14/19 2:00	2.0	0.2	1.3
12/14/19 3:00	0.2	0.2	1.3
12/14/19 4:00	0.2	0.2	1.3
12/14/19 5:00	0.2	0.2	1.3
12/14/19 6:00	0.2	0.2	1.3
12/14/19 7:00	0.2	0.3	1.3
12/14/19 8:00	0.2	0.3	1.3
12/14/19 9:00	0.2	0.3	1.3
12/14/19 10:00	0.2	0.3	1.3
12/14/19 11:00	0.2	0.3	1.3
12/14/19 12:00	0.2	0.3	1.3
12/14/19 13:00	0.2	0.3	1.3
12/14/19 14:00	0.2	0.3	1.3
12/14/19 15:00	0.2	0.3	1.3
12/14/19 16:00	0.2	0.3	1.3
12/14/19 17:00	0.2	0.3	1.3
12/14/19 18:00	0.2	0.3	1.3
12/14/19 19:00	0.2	0.3	1.3
12/14/19 20:00	0.2	0.3	1.3
12/14/19 21:00	0.6	0.3	1.3
12/14/19 22:00	0.2	0.3	1.3
12/14/19 23:00	0.2	0.3	1.3
12/15/19 0:00	0.1	0.3	1.3
12/15/19 1:00	0.2	0.3	1.3
12/15/19 2:00	0.1	0.2	1.3
12/15/19 3:00	0.2	0.2	1.3
12/15/19 4:00	0.2	0.2	1.3
12/15/19 5:00	0.2	0.2	1.3
12/15/19 6:00	0.2	0.2	1.3
12/15/19 7:00	0.2	0.2	1.3
12/15/19 8:00	0.2	0.2	1.3
12/15/19 9:00	0.2	0.2	1.3
12/15/19 10:00	0.2	0.2	1.3
12/15/19 11:00	0.1	0.2	1.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/15/19 12:00	0.2	0.2	1.3
12/15/19 13:00	0.1	0.2	1.3
12/15/19 14:00	0.1	0.2	1.3
12/15/19 15:00	0.1	0.2	1.3
12/15/19 16:00	0.2	0.2	1.3
12/15/19 17:00	0.1	0.2	1.3
12/15/19 18:00	0.1	0.2	1.3
12/15/19 19:00	0.1	0.2	1.3
12/15/19 20:00	0.1	0.2	1.3
12/15/19 21:00	0.1	0.2	1.3
12/15/19 22:00	0.1	0.1	1.3
12/15/19 23:00	0.2	0.1	1.3
12/16/19 0:00	0.2	0.2	1.3
12/16/19 1:00	0.2	0.2	1.3
12/16/19 2:00	0.2	0.2	1.3
12/16/19 3:00	0.2	0.2	1.3
12/16/19 4:00	0.2	0.2	1.3
12/16/19 5:00	0.2	0.2	1.3
12/16/19 6:00	0.2	0.2	1.3
12/16/19 7:00	0.2	0.2	1.3
12/16/19 8:00	0.2	0.2	1.3
12/16/19 9:00	0.2	0.2	1.3
12/16/19 10:00	0.3	0.2	1.3
12/16/19 11:00	3.6	0.3	1.3
12/16/19 12:00	0.3	0.3	1.3
12/16/19 13:00	0.3	0.3	1.3
12/16/19 14:00	0.3	0.3	1.3
12/16/19 15:00	0.3	0.3	1.3
12/16/19 16:00	0.3	0.3	1.3
12/16/19 17:00	0.3	0.3	1.3
12/16/19 18:00	0.3	0.4	1.3
12/16/19 19:00	0.3	0.4	1.3
12/16/19 20:00	0.3	0.4	1.3
12/16/19 21:00	0.3	0.4	1.3
12/16/19 22:00	0.3	0.4	1.3
12/16/19 23:00	0.2	0.4	1.3
12/17/19 0:00	0.2	0.4	1.3
12/17/19 1:00	0.3	0.4	1.3
12/17/19 2:00	0.3	0.4	1.3
12/17/19 3:00	0.3	0.4	1.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/17/19 4:00	0.3	0.4	1.3
12/17/19 5:00	0.3	0.4	1.3
12/17/19 6:00	0.3	0.4	1.3
12/17/19 7:00	0.3	0.4	1.3
12/17/19 8:00	0.3	0.4	1.3
12/17/19 9:00	0.3	0.4	1.3
12/17/19 10:00	0.3	0.4	1.3
12/17/19 11:00	0.1	0.3	1.3
12/17/19 12:00	0.2	0.3	1.3
12/17/19 13:00	0.3	0.3	1.3
12/17/19 14:00	0.3	0.3	1.3
12/17/19 15:00	0.2	0.3	1.3
12/17/19 16:00	0.2	0.3	1.3
12/17/19 17:00	0.2	0.3	1.3
12/17/19 18:00	0.2	0.2	1.3
12/17/19 19:00	0.2	0.2	1.3
12/17/19 20:00	0.2	0.2	1.3
12/17/19 21:00	0.2	0.2	1.3
12/17/19 22:00	0.2	0.2	1.3
12/17/19 23:00	0.2	0.2	1.3
12/18/19 0:00	0.2	0.2	1.3
12/18/19 1:00	0.2	0.2	1.3
12/18/19 2:00	0.1	0.2	1.3
12/18/19 3:00	0.2	0.2	1.3
12/18/19 4:00	0.2	0.2	1.3
12/18/19 5:00	0.2	0.2	1.3
12/18/19 6:00	0.2	0.2	1.3
12/18/19 7:00	0.2	0.2	1.3
12/18/19 8:00	0.2	0.2	1.3
12/18/19 9:00	0.2	0.2	1.3
12/18/19 10:00	0.2	0.2	1.3
12/18/19 11:00	0.2	0.2	1.3
12/18/19 12:00	0.2	0.2	1.3
12/18/19 13:00	0.2	0.2	1.3
12/18/19 14:00	0.2	0.2	1.3
12/18/19 15:00	0.2	0.2	1.3
12/18/19 16:00	0.2	0.2	1.3
12/18/19 17:00	0.2	0.2	1.3
12/18/19 18:00	0.1	0.2	1.3
12/18/19 19:00	0.2	0.2	1.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/18/19 20:00	0.2	0.2	1.3
12/18/19 21:00	0.1	0.2	1.3
12/18/19 22:00	0.1	0.2	1.3
12/18/19 23:00	0.2	0.2	1.3
12/19/19 0:00	0.2	0.2	1.3
12/19/19 1:00	0.2	0.2	1.3
12/19/19 2:00	0.2	0.2	1.3
12/19/19 3:00	0.2	0.2	1.3
12/19/19 4:00	0.2	0.2	1.3
12/19/19 5:00	0.2	0.2	1.3
12/19/19 6:00	0.1	0.2	1.3
12/19/19 7:00	0.2	0.2	1.3
12/19/19 8:00	0.1	0.2	1.3
12/19/19 9:00	0.1	0.2	1.3
12/19/19 10:00	0.1	0.2	1.3
12/19/19 11:00	0.2	0.2	1.3
12/19/19 12:00	0.2	0.2	1.3
12/19/19 13:00	0.2	0.2	1.3
12/19/19 14:00	0.2	0.2	1.3
12/19/19 15:00	0.2	0.2	1.3
12/19/19 16:00	0.2	0.2	1.3
12/19/19 17:00	0.1	0.2	1.3
12/19/19 18:00	0.2	0.2	1.2
12/19/19 19:00	0.2	0.2	1.2
12/19/19 20:00	0.2	0.2	1.1
12/19/19 21:00	0.2	0.2	1.1
12/19/19 22:00	0.2	0.2	1.1
12/19/19 23:00	0.2	0.2	1.1
12/20/19 0:00	0.2	0.2	1.0
12/20/19 1:00	0.2	0.2	1.0
12/20/19 2:00	0.2	0.2	1.0
12/20/19 3:00	0.2	0.2	1.0
12/20/19 4:00	0.2	0.2	1.0
12/20/19 5:00	0.1	0.2	1.0
12/20/19 6:00	0.1	0.2	1.0
12/20/19 7:00	0.1	0.2	1.0
12/20/19 8:00	0.1	0.2	1.0
12/20/19 9:00	0.1	0.2	1.0
12/20/19 10:00	0.1	0.2	1.0
12/20/19 11:00	0.1	0.2	1.0

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/20/19 12:00	0.1	0.1	0.9
12/20/19 13:00	0.1	0.1	0.9
12/20/19 14:00	0.1	0.1	0.9
12/20/19 15:00	0.1	0.1	0.9
12/20/19 16:00	0.1	0.1	0.9
12/20/19 17:00	0.1	0.1	0.9
12/20/19 18:00	0.1	0.1	0.9
12/20/19 19:00	0.1	0.1	0.9
12/20/19 20:00	0.1	0.1	0.9
12/20/19 21:00	0.1	0.1	0.9
12/20/19 22:00	0.1	0.1	0.9
12/20/19 23:00	0.1	0.1	0.9
12/21/19 0:00	0.1	0.1	0.9
12/21/19 1:00	0.1	0.1	0.9
12/21/19 2:00	0.1	0.1	0.9
12/21/19 3:00	0.1	0.1	0.9
12/21/19 4:00	0.1	0.1	0.9
12/21/19 5:00	0.1	0.1	0.9
12/21/19 6:00	0.1	0.1	0.9
12/21/19 7:00	0.1	0.1	0.9
12/21/19 8:00	0.2	0.1	0.9
12/21/19 9:00	0.2	0.1	0.9
12/21/19 10:00	0.1	0.1	0.9
12/21/19 11:00	0.1	0.1	0.9
12/21/19 12:00	0.1	0.1	0.9
12/21/19 13:00	0.2	0.1	0.9
12/21/19 14:00	0.1	0.1	0.9
12/21/19 15:00	0.1	0.1	0.9
12/21/19 16:00	0.1	0.1	0.9
12/21/19 17:00	0.1	0.1	0.9
12/21/19 18:00	0.1	0.1	0.9
12/21/19 19:00	0.1	0.1	0.9
12/21/19 20:00	0.1	0.1	0.9
12/21/19 21:00	0.2	0.1	0.9
12/21/19 22:00	0.2	0.1	0.9
12/21/19 23:00	0.2	0.1	0.9
12/22/19 0:00	0.2	0.1	0.9
12/22/19 1:00	0.2	0.1	0.9
12/22/19 2:00	0.2	0.1	0.9
12/22/19 3:00	0.3	0.2	0.9

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/22/19 4:00	0.3	0.2	0.9
12/22/19 5:00	0.3	0.2	0.9
12/22/19 6:00	0.3	0.2	0.9
12/22/19 7:00	0.3	0.2	0.9
12/22/19 8:00	0.3	0.2	0.9
12/22/19 9:00	0.3	0.2	0.9
12/22/19 10:00	0.3	0.2	0.9
12/22/19 11:00	0.3	0.2	0.9
12/22/19 12:00	0.2	0.2	0.9
12/22/19 13:00	0.2	0.2	0.9
12/22/19 14:00	0.3	0.2	0.9
12/22/19 15:00	0.2	0.2	0.9
12/22/19 16:00	0.2	0.2	0.9
12/22/19 17:00	0.2	0.2	0.9
12/22/19 18:00	0.1	0.2	0.9
12/22/19 19:00	0.2	0.2	0.8
12/22/19 20:00	0.2	0.2	0.8
12/22/19 21:00	0.2	0.2	0.8
12/22/19 22:00	0.2	0.2	0.8
12/22/19 23:00	0.2	0.2	0.8
12/23/19 0:00	0.2	0.2	0.8
12/23/19 1:00	0.2	0.2	0.8
12/23/19 2:00	0.2	0.2	0.8
12/23/19 3:00	0.2	0.2	0.8
12/23/19 4:00	0.2	0.2	0.8
12/23/19 5:00	0.1	0.2	0.8
12/23/19 6:00	0.1	0.2	0.8
12/23/19 7:00	0.2	0.2	0.8
12/23/19 8:00	0.2	0.2	0.8
12/23/19 9:00	0.2	0.2	0.8
12/23/19 10:00	0.2	0.2	0.8
12/23/19 11:00	1.2	0.2	0.8
12/23/19 12:00	0.2	0.2	0.8
12/23/19 13:00	0.2	0.2	0.8
12/23/19 14:00	0.2	0.2	0.8
12/23/19 15:00	0.2	0.2	0.8
12/23/19 16:00	0.2	0.2	0.8
12/23/19 17:00	0.2	0.2	0.8
12/23/19 18:00	0.1	0.2	0.8
12/23/19 19:00	0.2	0.2	0.8

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/23/19 20:00	0.1	0.2	0.8
12/23/19 21:00	0.1	0.2	0.8
12/23/19 22:00	0.1	0.2	0.8
12/23/19 23:00	0.1	0.2	0.8
12/24/19 0:00	0.2	0.2	0.8
12/24/19 1:00	0.2	0.2	0.8
12/24/19 2:00	0.2	0.2	0.8
12/24/19 3:00	0.1	0.2	0.8
12/24/19 4:00	0.1	0.2	0.8
12/24/19 5:00	0.2	0.2	0.8
12/24/19 6:00	0.1	0.2	0.8
12/24/19 7:00	0.1	0.2	0.8
12/24/19 8:00	0.2	0.2	0.8
12/24/19 9:00	0.1	0.2	0.8
12/24/19 10:00	0.1	0.2	0.8
12/24/19 11:00	0.2	0.2	0.8
12/24/19 12:00	0.2	0.2	0.8
12/24/19 13:00	0.2	0.2	0.8
12/24/19 14:00	0.1	0.1	0.8
12/24/19 15:00	0.2	0.1	0.8
12/24/19 16:00	0.2	0.1	0.8
12/24/19 17:00	0.2	0.1	0.8
12/24/19 18:00	0.1	0.1	0.8
12/24/19 19:00	0.2	0.1	0.8
12/24/19 20:00	0.1	0.1	0.8
12/24/19 21:00	0.2	0.1	0.8
12/24/19 22:00	0.2	0.2	0.8
12/24/19 23:00	0.2	0.2	0.8
12/25/19 0:00	0.3	0.2	0.8
12/25/19 1:00	0.3	0.2	0.8
12/25/19 2:00	0.2	0.2	0.8
12/25/19 3:00	0.2	0.2	0.8
12/25/19 4:00	0.2	0.2	0.8
12/25/19 5:00	0.2	0.2	0.8
12/25/19 6:00	0.2	0.2	0.8
12/25/19 7:00	0.3	0.2	0.8
12/25/19 8:00	0.2	0.2	0.8
12/25/19 9:00	0.2	0.2	0.8
12/25/19 10:00	0.3	0.2	0.8
12/25/19 11:00	0.2	0.2	0.8

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/25/19 12:00	0.2	0.2	0.8
12/25/19 13:00	0.2	0.2	0.8
12/25/19 14:00	0.2	0.2	0.8
12/25/19 15:00	0.2	0.2	0.8
12/25/19 16:00	0.3	0.2	0.8
12/25/19 17:00	0.2	0.2	0.8
12/25/19 18:00	0.2	0.2	0.8
12/25/19 19:00	0.2	0.2	0.8
12/25/19 20:00	0.2	0.2	0.8
12/25/19 21:00	0.2	0.2	0.8
12/25/19 22:00	0.2	0.2	0.8
12/25/19 23:00	0.2	0.2	0.8
12/26/19 0:00	0.2	0.2	0.8
12/26/19 1:00	0.2	0.2	0.8
12/26/19 2:00	0.2	0.2	0.8
12/26/19 3:00	0.1	0.2	0.8
12/26/19 4:00	0.1	0.2	0.8
12/26/19 5:00	0.1	0.2	0.8
12/26/19 6:00	0.1	0.2	0.8
12/26/19 7:00	0.2	0.2	0.8
12/26/19 8:00	0.1	0.2	0.8
12/26/19 9:00	0.1	0.2	0.8
12/26/19 10:00	0.1	0.2	0.8
12/26/19 11:00	0.0	0.2	0.8
12/26/19 12:00	0.1	0.2	0.8
12/26/19 13:00	0.1	0.2	0.8
12/26/19 14:00	0.2	0.2	0.8
12/26/19 15:00	0.2	0.2	0.8
12/26/19 16:00	0.2	0.2	0.8
12/26/19 17:00	0.2	0.2	0.8
12/26/19 18:00	0.2	0.2	0.8
12/26/19 19:00	0.2	0.2	0.8
12/26/19 20:00	0.2	0.2	0.8
12/26/19 21:00	0.2	0.2	0.8
12/26/19 22:00	0.1	0.2	0.8
12/26/19 23:00	0.1	0.1	0.8
12/27/19 0:00	0.1	0.1	0.8
12/27/19 1:00	0.1	0.1	0.8
12/27/19 2:00	0.1	0.1	0.8
12/27/19 3:00	0.1	0.1	0.8

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/27/19 4:00	0.1	0.1	0.8
12/27/19 5:00	0.1	0.1	0.8
12/27/19 6:00	0.1	0.1	0.8
12/27/19 7:00	0.1	0.1	0.8
12/27/19 8:00	0.1	0.1	0.8
12/27/19 9:00	0.1	0.1	0.8
12/27/19 10:00	0.2	0.1	0.8
12/27/19 11:00	0.1	0.1	0.8
12/27/19 12:00	0.1	0.1	0.8
12/27/19 13:00	0.2	0.1	0.8
12/27/19 14:00	0.2	0.1	0.8
12/27/19 15:00	0.2	0.1	0.8
12/27/19 16:00	0.1	0.1	0.8
12/27/19 17:00	0.2	0.1	0.8
12/27/19 18:00	0.1	0.1	0.8
12/27/19 19:00	0.2	0.1	0.8
12/27/19 20:00	0.2	0.1	0.8
12/27/19 21:00	0.1	0.1	0.8
12/27/19 22:00	0.1	0.1	0.8
12/27/19 23:00	0.1	0.1	0.8
12/28/19 0:00	0.1	0.1	0.8
12/28/19 1:00	0.1	0.1	0.8
12/28/19 2:00	0.1	0.1	0.8
12/28/19 3:00	0.1	0.1	0.8
12/28/19 4:00	0.1	0.1	0.8
12/28/19 5:00	0.1	0.1	0.8
12/28/19 6:00	0.1	0.1	0.8
12/28/19 7:00	0.1	0.1	0.8
12/28/19 8:00	0.1	0.1	0.8
12/28/19 9:00	0.1	0.1	0.8
12/28/19 10:00	0.1	0.1	0.8
12/28/19 11:00	0.2	0.2	0.8
12/28/19 12:00	0.2	0.2	0.8
12/28/19 13:00	0.2	0.2	0.8
12/28/19 14:00	0.2	0.2	0.8
12/28/19 15:00	0.2	0.2	0.8
12/28/19 16:00	0.2	0.2	0.8
12/28/19 17:00	0.2	0.2	0.8
12/28/19 18:00	0.2	0.2	0.8
12/28/19 19:00	0.2	0.2	0.8

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/28/19 20:00	0.2	0.2	0.8
12/28/19 21:00	0.2	0.2	0.8
12/28/19 22:00	0.2	0.2	0.8
12/28/19 23:00	0.1	0.2	0.8
12/29/19 0:00	0.2	0.2	0.8
12/29/19 1:00	0.2	0.2	0.8
12/29/19 2:00	0.2	0.2	0.8
12/29/19 3:00	0.2	0.2	0.8
12/29/19 4:00	0.2	0.2	0.8
12/29/19 5:00	0.2	0.2	0.8
12/29/19 6:00	0.2	0.2	0.8
12/29/19 7:00	0.2	0.2	0.8
12/29/19 8:00	0.2	0.2	0.8
12/29/19 9:00	0.2	0.2	0.8
12/29/19 10:00	0.2	0.2	0.8
12/29/19 11:00	0.2	0.2	0.8
12/29/19 12:00	0.2	0.2	0.8
12/29/19 13:00	0.2	0.2	0.8
12/29/19 14:00	0.2	0.2	0.8
12/29/19 15:00	0.2	0.2	0.8
12/29/19 16:00	0.2	0.2	0.8
12/29/19 17:00	0.2	0.2	0.8
12/29/19 18:00	0.1	0.2	0.8
12/29/19 19:00	0.1	0.2	0.8
12/29/19 20:00	0.1	0.2	0.8
12/29/19 21:00	0.1	0.2	0.8
12/29/19 22:00	0.1	0.2	0.8
12/29/19 23:00	0.1	0.2	0.8
12/30/19 0:00	0.1	0.2	0.8
12/30/19 1:00	0.1	0.2	0.8
12/30/19 2:00	0.1	0.2	0.8
12/30/19 3:00	0.1	0.2	0.8
12/30/19 4:00	0.1	0.2	0.8
12/30/19 5:00	0.1	0.1	0.8
12/30/19 6:00	0.1	0.1	0.8
12/30/19 7:00	0.1	0.1	0.8
12/30/19 8:00	0.1	0.1	0.8
12/30/19 9:00	0.1	0.1	0.8
12/30/19 10:00	0.1	0.1	0.8
12/30/19 11:00	0.1	0.1	0.8

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/30/19 12:00	0.2	0.1	0.8
12/30/19 13:00	0.2	0.1	0.8
12/30/19 14:00	0.2	0.1	0.8
12/30/19 15:00	0.2	0.1	0.8
12/30/19 16:00	0.2	0.1	0.8
12/30/19 17:00	0.2	0.1	0.8
12/30/19 18:00	0.2	0.1	0.8
12/30/19 19:00	0.2	0.1	0.8
12/30/19 20:00	0.2	0.1	0.8
12/30/19 21:00	0.2	0.1	0.8
12/30/19 22:00	0.2	0.1	0.8
12/30/19 23:00	0.2	0.1	0.8
12/31/19 0:00	0.2	0.2	0.8
12/31/19 1:00	0.2	0.2	0.8
12/31/19 2:00	0.2	0.2	0.8
12/31/19 3:00	0.2	0.2	0.8
12/31/19 4:00	0.2	0.2	0.8
12/31/19 5:00	0.2	0.2	0.8
12/31/19 6:00	0.2	0.2	0.8
12/31/19 7:00	0.2	0.2	0.8
12/31/19 8:00	0.2	0.2	0.8
12/31/19 9:00	0.2	0.2	0.8
12/31/19 10:00	0.2	0.2	0.8
12/31/19 11:00	0.2	0.2	0.8
12/31/19 12:00	0.2	0.2	0.8
12/31/19 13:00	0.2	0.2	0.8
12/31/19 14:00	0.2	0.2	0.8
12/31/19 15:00	0.2	0.2	0.8
12/31/19 16:00	0.2	0.2	0.8
12/31/19 17:00	0.2	0.2	0.8
12/31/19 18:00	0.2	0.2	0.8
12/31/19 19:00	0.2	0.2	0.8
12/31/19 20:00	0.2	0.2	0.8
12/31/19 21:00	0.2	0.2	0.8
12/31/19 22:00	0.2	0.2	0.8
12/31/19 23:00	0.2	0.2	0.8
1/1/20 0:00	0.2	0.2	0.8
1/1/20 1:00	0.2	0.2	0.8
1/1/20 2:00	0.3	0.2	0.8
1/1/20 3:00	0.3	0.2	0.8

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/1/20 4:00	0.3	0.2	0.8
1/1/20 5:00	0.3	0.2	0.8
1/1/20 6:00	0.3	0.2	0.8
1/1/20 7:00	0.2	0.2	0.8
1/1/20 8:00	0.2	0.2	0.8
1/1/20 9:00	0.2	0.2	0.8
1/1/20 10:00	0.2	0.2	0.8
1/1/20 11:00	0.2	0.2	0.8
1/1/20 12:00	0.2	0.2	0.8
1/1/20 13:00	0.2	0.2	0.8
1/1/20 14:00	0.2	0.2	0.8
1/1/20 15:00	0.2	0.2	0.8
1/1/20 16:00	0.2	0.2	0.8
1/1/20 17:00	0.2	0.2	0.8
1/1/20 18:00	0.2	0.2	0.8
1/1/20 19:00	0.2	0.2	0.8
1/1/20 20:00	0.2	0.2	0.8
1/1/20 21:00	0.3	0.2	0.8
1/1/20 22:00	0.2	0.2	0.8
1/1/20 23:00	0.2	0.2	0.8
1/2/20 0:00	0.2	0.2	0.8
1/2/20 1:00	0.2	0.2	0.8
1/2/20 2:00	0.2	0.2	0.8
1/2/20 3:00	0.2	0.2	0.8
1/2/20 4:00	0.2	0.2	0.8
1/2/20 5:00	0.2	0.2	0.8
1/2/20 6:00	0.2	0.2	0.8
1/2/20 7:00	0.2	0.2	0.8
1/2/20 8:00	0.2	0.2	0.8
1/2/20 9:00	0.3	0.2	0.8
1/2/20 10:00	0.2	0.2	0.8
1/2/20 11:00	0.2	0.2	0.8
1/2/20 12:00	0.2	0.2	0.8
1/2/20 13:00	0.2	0.2	0.8
1/2/20 14:00	0.2	0.2	0.8
1/2/20 15:00	0.2	0.2	0.8
1/2/20 16:00	0.2	0.2	0.8
1/2/20 17:00	0.2	0.2	0.8
1/2/20 18:00	0.2	0.2	0.8
1/2/20 19:00	0.2	0.2	0.8

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/2/20 20:00	0.2	0.2	0.8
1/2/20 21:00	0.2	0.2	0.8
1/2/20 22:00	0.2	0.2	0.8
1/2/20 23:00	0.2	0.2	0.8
1/3/20 0:00	0.2	0.2	0.8
1/3/20 1:00	0.1	0.2	0.8
1/3/20 2:00	0.2	0.2	0.8
1/3/20 3:00	0.2	0.2	0.8
1/3/20 4:00	0.2	0.2	0.8
1/3/20 5:00	0.3	0.2	0.8
1/3/20 6:00	0.2	0.2	0.8
1/3/20 7:00	0.2	0.2	0.8
1/3/20 8:00	0.3	0.2	0.8
1/3/20 9:00	0.3	0.2	0.8
1/3/20 10:00	0.2	0.2	0.8
1/3/20 11:00	0.2	0.2	0.8
1/3/20 12:00	0.2	0.2	0.8
1/3/20 13:00	0.2	0.2	0.8
1/3/20 14:00	0.2	0.2	0.8
1/3/20 15:00	0.3	0.2	0.8
1/3/20 16:00	0.2	0.2	0.8
1/3/20 17:00	0.1	0.2	0.8
1/3/20 18:00	0.2	0.2	0.8
1/3/20 19:00	0.1	0.2	0.8
1/3/20 20:00	0.2	0.2	0.8
1/3/20 21:00	0.2	0.2	0.8
1/3/20 22:00	0.2	0.2	0.8
1/3/20 23:00	0.2	0.2	0.8
1/4/20 0:00	0.2	0.2	0.8
1/4/20 1:00	0.2	0.2	0.8
1/4/20 2:00	0.2	0.2	0.8
1/4/20 3:00	0.2	0.2	0.8
1/4/20 4:00	0.2	0.2	0.8
1/4/20 5:00	0.1	0.2	0.8
1/4/20 6:00	0.1	0.2	0.8
1/4/20 7:00	0.2	0.2	0.8
1/4/20 8:00	0.2	0.2	0.8
1/4/20 9:00	0.2	0.2	0.8
1/4/20 10:00	0.2	0.2	0.8
1/4/20 11:00	0.3	0.2	0.8

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/4/20 12:00	0.3	0.2	0.8
1/4/20 13:00	0.3	0.2	0.8
1/4/20 14:00	0.3	0.2	0.8
1/4/20 15:00	0.3	0.2	0.8
1/4/20 16:00	0.3	0.2	0.8
1/4/20 17:00	0.3	0.2	0.8
1/4/20 18:00	0.3	0.2	0.8
1/4/20 19:00	0.3	0.2	0.8
1/4/20 20:00	0.3	0.2	0.8
1/4/20 21:00	0.3	0.2	0.8
1/4/20 22:00	0.3	0.2	0.8
1/4/20 23:00	0.2	0.2	0.8
1/5/20 0:00	0.2	0.2	0.8
1/5/20 1:00	0.2	0.2	0.8
1/5/20 2:00	0.2	0.2	0.8
1/5/20 3:00	0.1	0.2	0.8
1/5/20 4:00	0.2	0.2	0.8
1/5/20 5:00	0.1	0.2	0.8
1/5/20 6:00	0.1	0.2	0.8
1/5/20 7:00	0.1	0.2	0.8
1/5/20 8:00	0.0	0.2	0.8
1/5/20 9:00	0.1	0.2	0.8
1/5/20 10:00	0.1	0.2	0.8
1/5/20 11:00	0.1	0.2	0.8
1/5/20 12:00	0.1	0.2	0.8
1/5/20 13:00	0.1	0.2	0.8
1/5/20 14:00	0.1	0.2	0.8
1/5/20 15:00	0.1	0.2	0.8
1/5/20 16:00	0.1	0.2	0.8
1/5/20 17:00	0.1	0.2	0.8
1/5/20 18:00	0.1	0.1	0.8
1/5/20 19:00	0.1	0.1	0.8
1/5/20 20:00	0.1	0.1	0.8
1/5/20 21:00	0.1	0.1	0.8
1/5/20 22:00	0.1	0.1	0.8
1/5/20 23:00	0.1	0.1	0.8
1/6/20 0:00	0.1	0.1	0.8
1/6/20 1:00	0.2	0.1	0.8
1/6/20 2:00	0.1	0.1	0.8
1/6/20 3:00	0.1	0.1	0.8

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/6/20 4:00	0.1	0.1	0.8
1/6/20 5:00	0.1	0.1	0.8
1/6/20 6:00	0.1	0.1	0.8
1/6/20 7:00	0.1	0.1	0.8
1/6/20 8:00	0.1	0.1	0.8
1/6/20 9:00	0.1	0.1	0.8
1/6/20 10:00	0.1	0.1	0.8
1/6/20 11:00	0.1	0.1	0.8
1/6/20 12:00	0.1	0.1	0.8
1/6/20 13:00	0.1	0.1	0.8
1/6/20 14:00	0.1	0.1	0.8
1/6/20 15:00	0.1	0.1	0.8
1/6/20 16:00	0.1	0.1	0.8
1/6/20 17:00	0.1	0.1	0.8
1/6/20 18:00	0.1	0.1	0.8
1/6/20 19:00	0.1	0.1	0.8
1/6/20 20:00	0.1	0.1	0.8
1/6/20 21:00	0.1	0.1	0.8
1/6/20 22:00	0.1	0.1	0.8
1/6/20 23:00	0.1	0.1	0.8
1/7/20 0:00	0.1	0.1	0.8
1/7/20 1:00	0.1	0.1	0.8
1/7/20 2:00	0.1	0.1	0.8
1/7/20 3:00	0.1	0.1	0.8
1/7/20 4:00	0.1	0.1	0.8
1/7/20 5:00	0.1	0.1	0.8
1/7/20 6:00	0.1	0.1	0.8
1/7/20 7:00	0.1	0.1	0.8
1/7/20 8:00	0.1	0.1	0.8
1/7/20 9:00	0.1	0.1	0.8
1/7/20 10:00	0.1	0.1	0.8
1/7/20 11:00	0.1	0.1	0.8
1/7/20 12:00	0.1	0.1	0.8
1/7/20 13:00	0.1	0.1	0.8
1/7/20 14:00	0.1	0.1	0.8
1/7/20 15:00	0.1	0.1	0.8
1/7/20 16:00	0.2	0.1	0.8
1/7/20 17:00	0.1	0.1	0.8
1/7/20 18:00	0.1	0.1	0.8
1/7/20 19:00	0.2	0.1	0.8

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/7/20 20:00	0.1	0.1	0.8
1/7/20 21:00	0.1	0.1	0.8
1/7/20 22:00	0.1	0.1	0.8
1/7/20 23:00	0.2	0.1	0.8
1/8/20 0:00	0.2	0.1	0.8
1/8/20 1:00	0.2	0.1	0.8
1/8/20 2:00	0.1	0.1	0.8
1/8/20 3:00	0.1	0.1	0.8
1/8/20 4:00	0.1	0.1	0.8
1/8/20 5:00	0.1	0.1	0.8
1/8/20 6:00	0.1	0.1	0.8
1/8/20 7:00	0.1	0.1	0.8
1/8/20 8:00	0.1	0.1	0.8
1/8/20 9:00	0.1	0.1	0.8
1/8/20 10:00	0.1	0.1	0.8
1/8/20 11:00	0.2	0.1	0.8
1/8/20 12:00	0.1	0.1	0.8
1/8/20 13:00	0.1	0.1	0.8
1/8/20 14:00	0.1	0.1	0.8
1/8/20 15:00	0.1	0.1	0.8
1/8/20 16:00	0.1	0.1	0.8
1/8/20 17:00	0.1	0.1	0.8
1/8/20 18:00	0.1	0.1	0.8
1/8/20 19:00	0.1	0.1	0.8
1/8/20 20:00	0.1	0.1	0.8
1/8/20 21:00	0.1	0.1	0.8
1/8/20 22:00	0.1	0.1	0.8
1/8/20 23:00	0.1	0.1	0.8
1/9/20 0:00	0.1	0.1	0.8
1/9/20 1:00	0.1	0.1	0.8
1/9/20 2:00	0.1	0.1	0.8
1/9/20 3:00	0.1	0.1	0.8
1/9/20 4:00	0.1	0.1	0.8
1/9/20 5:00	0.1	0.1	0.8
1/9/20 6:00	0.1	0.1	0.8
1/9/20 7:00	0.1	0.1	0.8
1/9/20 8:00	0.2	0.1	0.8
1/9/20 9:00	0.2	0.1	0.8
1/9/20 10:00	0.1	0.1	0.8
1/9/20 11:00	0.9	0.1	0.8

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/9/20 12:00	0.7	0.2	0.8
1/9/20 13:00	0.7	0.2	0.7
1/9/20 14:00	0.2	0.2	0.7
1/9/20 15:00	0.6	0.2	0.7
1/9/20 16:00	0.1	0.2	0.7
1/9/20 17:00	0.2	0.2	0.7
1/9/20 18:00	0.7	0.2	0.7
1/9/20 19:00	1.5	0.3	0.7
1/9/20 20:00	0.2	0.3	0.7
1/9/20 21:00	0.1	0.3	0.6
1/9/20 22:00	0.1	0.3	0.6
1/9/20 23:00	0.2	0.3	0.6
1/10/20 0:00	0.2	0.3	0.6
1/10/20 1:00	0.8	0.3	0.6
1/10/20 2:00	0.8	0.4	0.6
1/10/20 3:00	1.5	0.4	0.6
1/10/20 4:00	0.1	0.4	0.6
1/10/20 5:00	0.1	0.4	0.5
1/10/20 6:00	1.3	0.5	0.5
1/10/20 7:00	0.8	0.5	0.5
1/10/20 8:00	1.0	0.5	0.5
1/10/20 9:00	0.9	0.6	0.5
1/10/20 10:00	0.1	0.6	0.5
1/10/20 11:00	1.9	0.6	0.5
1/10/20 12:00	1.0	0.6	0.4
1/10/20 13:00	0.8	0.6	0.4
1/10/20 14:00	1.6	0.7	0.4
1/10/20 15:00	0.1	0.7	0.4
1/10/20 16:00	1.6	0.7	0.4
1/10/20 17:00	0.8	0.8	0.4
1/10/20 18:00	1.5	0.8	0.4
1/10/20 19:00	0.1	0.7	0.4
1/10/20 20:00	0.8	0.8	0.4
1/10/20 21:00	0.8	0.8	0.4
1/10/20 22:00	0.7	0.8	0.3
1/10/20 23:00	0.7	0.8	0.3
1/11/20 0:00	0.7	0.9	0.3
1/11/20 1:00	1.5	0.9	0.3
1/11/20 2:00	1.6	0.9	0.3
1/11/20 3:00	2.2	0.9	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/11/20 4:00	1.5	1.0	0.3
1/11/20 5:00	1.1	1.0	0.3
1/11/20 6:00	0.9	1.0	0.3
1/11/20 7:00	0.8	1.0	0.2
1/11/20 8:00	0.8	1.0	0.2
1/11/20 9:00	0.8	1.0	0.2
1/11/20 10:00	0.1	1.0	0.2
1/11/20 11:00	1.3	1.0	0.2
1/11/20 12:00	0.1	1.0	0.2
1/11/20 13:00	0.8	1.0	0.2
1/11/20 14:00	0.7	0.9	0.2
1/11/20 15:00	0.4	0.9	0.2
1/11/20 16:00	0.8	0.9	0.2
1/11/20 17:00	1.0	0.9	0.2
1/11/20 18:00	1.0	0.9	0.2
1/11/20 19:00	0.8	0.9	0.2
1/11/20 20:00	0.8	0.9	0.2
1/11/20 21:00	0.1	0.9	0.2
1/11/20 22:00	1.7	0.9	0.2
1/11/20 23:00	1.6	1.0	0.2
1/12/20 0:00	1.8	1.0	0.2
1/12/20 1:00	1.6	1.0	0.2
1/12/20 2:00	1.4	1.0	0.2
1/12/20 3:00	1.1	1.0	0.2
1/12/20 4:00	0.9	0.9	0.2
1/12/20 5:00	1.5	1.0	0.2
1/12/20 6:00	0.7	0.9	0.2
1/12/20 7:00	0.2	0.9	0.2
1/12/20 8:00	0.2	0.9	0.2
1/12/20 9:00	0.2	0.9	0.2
1/12/20 10:00	0.2	0.9	0.2
1/12/20 11:00	0.2	0.8	0.2
1/12/20 12:00	0.2	0.8	0.2
1/12/20 13:00	0.2	0.8	0.2
1/12/20 14:00	0.2	0.8	0.2
1/12/20 15:00	0.2	0.8	0.2
1/12/20 16:00	0.2	0.8	0.2
1/12/20 17:00	0.2	0.7	0.2
1/12/20 18:00	0.2	0.7	0.2
1/12/20 19:00	0.2	0.7	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/12/20 20:00	0.1	0.6	0.2
1/12/20 21:00	0.2	0.6	0.2
1/12/20 22:00	0.2	0.6	0.2
1/12/20 23:00	0.2	0.5	0.2
1/13/20 0:00	0.2	0.5	0.2
1/13/20 1:00	0.2	0.4	0.2
1/13/20 2:00	0.2	0.3	0.2
1/13/20 3:00	0.2	0.3	0.2
1/13/20 4:00	0.2	0.3	0.2
1/13/20 5:00	0.1	0.2	0.2
1/13/20 6:00	0.1	0.2	0.2
1/13/20 7:00	0.1	0.2	0.2
1/13/20 8:00	0.1	0.2	0.2
1/13/20 9:00	0.1	0.2	0.2
1/13/20 10:00	0.1	0.2	0.2
1/13/20 11:00	0.1	0.2	0.2
1/13/20 12:00	0.1	0.2	0.2
1/13/20 13:00	0.1	0.2	0.2
1/13/20 14:00	0.1	0.2	0.2
1/13/20 15:00	0.1	0.2	0.2
1/13/20 16:00	0.1	0.2	0.2
1/13/20 17:00	0.1	0.2	0.2
1/13/20 18:00	0.1	0.2	0.2
1/13/20 19:00	0.1	0.1	0.2
1/13/20 20:00	0.1	0.1	0.2
1/13/20 21:00	0.1	0.1	0.2
1/13/20 22:00	0.1	0.1	0.2
1/13/20 23:00	0.1	0.1	0.2
1/14/20 0:00	0.1	0.1	0.2
1/14/20 1:00	0.1	0.1	0.2
1/14/20 2:00	0.1	0.1	0.2
1/14/20 3:00	0.1	0.1	0.2
1/14/20 4:00	0.1	0.1	0.2
1/14/20 5:00	0.1	0.1	0.2
1/14/20 6:00	0.1	0.1	0.2
1/14/20 7:00	0.1	0.1	0.2
1/14/20 8:00	0.1	0.1	0.2
1/14/20 9:00	0.1	0.1	0.2
1/14/20 10:00	0.1	0.1	0.2
1/14/20 11:00	0.0	0.1	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/14/20 12:00	0.1	0.1	0.2
1/14/20 13:00	0.1	0.1	0.2
1/14/20 14:00	0.1	0.1	0.2
1/14/20 15:00	0.1	0.1	0.2
1/14/20 16:00	0.0	0.1	0.2
1/14/20 17:00	0.0	0.1	0.2
1/14/20 18:00	0.0	0.1	0.2
1/14/20 19:00	0.0	0.1	0.2
1/14/20 20:00	0.0	0.1	0.2
1/14/20 21:00	0.1	0.1	0.2
1/14/20 22:00	0.1	0.1	0.2
1/14/20 23:00	0.1	0.1	0.2
1/15/20 0:00	0.1	0.1	0.2
1/15/20 1:00	0.1	0.1	0.2
1/15/20 2:00	0.1	0.1	0.2
1/15/20 3:00	0.1	0.1	0.2
1/15/20 4:00	0.1	0.1	0.2
1/15/20 5:00	0.1	0.1	0.2
1/15/20 6:00	0.1	0.1	0.2
1/15/20 7:00	0.1	0.1	0.2
1/15/20 8:00	0.1	0.1	0.2
1/15/20 9:00	0.1	0.1	0.2
1/15/20 10:00	0.1	0.1	0.2
1/15/20 11:00	0.1	0.1	0.2
1/15/20 12:00	0.1	0.1	0.2
1/15/20 13:00	0.1	0.1	0.2
1/15/20 14:00	0.1	0.1	0.2
1/15/20 15:00	0.1	0.1	0.2
1/15/20 16:00	0.1	0.1	0.2
1/15/20 17:00	0.1	0.1	0.2
1/15/20 18:00	0.1	0.1	0.2
1/15/20 19:00	0.1	0.1	0.2
1/15/20 20:00	0.1	0.1	0.2
1/15/20 21:00	0.1	0.1	0.2
1/15/20 22:00	0.1	0.1	0.2
1/15/20 23:00	0.1	0.1	0.2
1/16/20 0:00	0.1	0.1	0.2
1/16/20 1:00	0.1	0.1	0.2
1/16/20 2:00	0.1	0.1	0.2
1/16/20 3:00	0.1	0.1	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/16/20 4:00	0.1	0.1	0.2
1/16/20 5:00	0.2	0.1	0.2
1/16/20 6:00	0.2	0.1	0.2
1/16/20 7:00	0.2	0.1	0.2
1/16/20 8:00	0.2	0.1	0.2
1/16/20 9:00	0.1	0.1	0.2
1/16/20 10:00	0.1	0.1	0.2
1/16/20 11:00	0.1	0.1	0.2
1/16/20 12:00	0.1	0.1	0.2
1/16/20 13:00	0.1	0.1	0.2
1/16/20 14:00	0.1	0.1	0.2
1/16/20 15:00	0.1	0.1	0.2
1/16/20 16:00	0.1	0.1	0.2
1/16/20 17:00	0.1	0.1	0.2
1/16/20 18:00	0.1	0.1	0.2
1/16/20 19:00	0.1	0.1	0.2
1/16/20 20:00	0.1	0.1	0.2
1/16/20 21:00	0.1	0.1	0.2
1/16/20 22:00	0.1	0.1	0.2
1/16/20 23:00	0.1	0.1	0.2
1/17/20 0:00	0.2	0.1	0.2
1/17/20 1:00	0.2	0.1	0.2
1/17/20 2:00	0.2	0.1	0.2
1/17/20 3:00	0.2	0.1	0.2
1/17/20 4:00	0.1	0.1	0.2
1/17/20 5:00	0.2	0.1	0.2
1/17/20 6:00	0.2	0.1	0.2
1/17/20 7:00	0.2	0.1	0.2
1/17/20 8:00	0.2	0.1	0.2
1/17/20 9:00	0.2	0.1	0.2
1/17/20 10:00	0.2	0.2	0.2
1/17/20 11:00	0.2	0.2	0.2
1/17/20 12:00	0.2	0.2	0.2
1/17/20 13:00	0.2	0.2	0.2
1/17/20 14:00	0.2	0.2	0.2
1/17/20 15:00	0.2	0.2	0.2
1/17/20 16:00	0.2	0.2	0.2
1/17/20 17:00	0.2	0.2	0.2
1/17/20 18:00	0.1	0.2	0.2
1/17/20 19:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/17/20 20:00	0.2	0.2	0.2
1/17/20 21:00	0.2	0.2	0.2
1/17/20 22:00	0.2	0.2	0.2
1/17/20 23:00	0.1	0.2	0.2
1/18/20 0:00	0.2	0.2	0.2
1/18/20 1:00	0.2	0.2	0.2
1/18/20 2:00	0.2	0.2	0.2
1/18/20 3:00	0.2	0.2	0.2
1/18/20 4:00	0.2	0.2	0.2
1/18/20 5:00	0.2	0.2	0.2
1/18/20 6:00	0.2	0.2	0.2
1/18/20 7:00	0.2	0.2	0.2
1/18/20 8:00	0.2	0.2	0.2
1/18/20 9:00	0.2	0.2	0.2
1/18/20 10:00	0.2	0.2	0.2
1/18/20 11:00	0.2	0.2	0.2
1/18/20 12:00	0.2	0.2	0.2
1/18/20 13:00	0.2	0.2	0.2
1/18/20 14:00	0.2	0.2	0.2
1/18/20 15:00	0.2	0.2	0.2
1/18/20 16:00	0.2	0.2	0.2
1/18/20 17:00	0.2	0.2	0.2
1/18/20 18:00	0.2	0.2	0.2
1/18/20 19:00	0.2	0.2	0.2
1/18/20 20:00	0.1	0.2	0.2
1/18/20 21:00	0.1	0.2	0.2
1/18/20 22:00	0.1	0.2	0.2
1/18/20 23:00	0.1	0.2	0.2
1/19/20 0:00	0.1	0.2	0.2
1/19/20 1:00	0.1	0.2	0.2
1/19/20 2:00	0.1	0.2	0.2
1/19/20 3:00	0.1	0.2	0.2
1/19/20 4:00	0.1	0.2	0.2
1/19/20 5:00	0.1	0.2	0.2
1/19/20 6:00	0.1	0.2	0.2
1/19/20 7:00	0.1	0.1	0.2
1/19/20 8:00	0.1	0.1	0.2
1/19/20 9:00	0.1	0.1	0.2
1/19/20 10:00	0.1	0.1	0.2
1/19/20 11:00	0.1	0.1	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/19/20 12:00	0.1	0.1	0.2
1/19/20 13:00	0.1	0.1	0.2
1/19/20 14:00	0.1	0.1	0.2
1/19/20 15:00	0.1	0.1	0.2
1/19/20 16:00	0.1	0.1	0.2
1/19/20 17:00	0.1	0.1	0.2
1/19/20 18:00	0.1	0.1	0.2
1/19/20 19:00	0.1	0.1	0.2
1/19/20 20:00	0.1	0.1	0.2
1/19/20 21:00	0.1	0.1	0.2
1/19/20 22:00	0.1	0.1	0.2
1/19/20 23:00	0.1	0.1	0.2
1/20/20 0:00	0.1	0.1	0.2
1/20/20 1:00	0.1	0.1	0.2
1/20/20 2:00	0.1	0.1	0.2
1/20/20 3:00	0.1	0.1	0.2
1/20/20 4:00	0.1	0.1	0.2
1/20/20 5:00	0.1	0.1	0.2
1/20/20 6:00	0.1	0.1	0.2
1/20/20 7:00	0.2	0.1	0.2
1/20/20 8:00	0.2	0.1	0.2
1/20/20 9:00	0.2	0.1	0.2
1/20/20 10:00	0.2	0.1	0.2
1/20/20 11:00	0.2	0.1	0.2
1/20/20 12:00	0.2	0.1	0.2
1/20/20 13:00	0.2	0.1	0.2
1/20/20 14:00	0.2	0.1	0.2
1/20/20 15:00	0.3	0.1	0.2
1/20/20 16:00	0.3	0.1	0.2
1/20/20 17:00	0.2	0.2	0.2
1/20/20 18:00	0.2	0.2	0.2
1/20/20 19:00	0.2	0.2	0.2
1/20/20 20:00	0.2	0.2	0.2
1/20/20 21:00	0.2	0.2	0.2
1/20/20 22:00	0.2	0.2	0.2
1/20/20 23:00	0.2	0.2	0.2
1/21/20 0:00	0.2	0.2	0.2
1/21/20 1:00	0.2	0.2	0.2
1/21/20 2:00	0.3	0.2	0.2
1/21/20 3:00	0.3	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/21/20 4:00	0.3	0.2	0.2
1/21/20 5:00	0.3	0.2	0.2
1/21/20 6:00	0.2	0.2	0.2
1/21/20 7:00	0.2	0.2	0.2
1/21/20 8:00	0.3	0.2	0.2
1/21/20 9:00	0.2	0.2	0.2
1/21/20 10:00	0.1	0.2	0.2
1/21/20 11:00	0.1	0.2	0.2
1/21/20 12:00	0.1	0.2	0.2
1/21/20 13:00	0.2	0.2	0.2
1/21/20 14:00	0.1	0.2	0.2
1/21/20 15:00	0.2	0.2	0.2
1/21/20 16:00	0.1	0.2	0.2
1/21/20 17:00	0.1	0.2	0.2
1/21/20 18:00	0.1	0.2	0.2
1/21/20 19:00	0.1	0.2	0.2
1/21/20 20:00	0.1	0.2	0.2
1/21/20 21:00	0.1	0.2	0.2
1/21/20 22:00	0.1	0.2	0.2
1/21/20 23:00	0.1	0.2	0.2
1/22/20 0:00	0.1	0.2	0.2
1/22/20 1:00	0.1	0.2	0.2
1/22/20 2:00	0.1	0.2	0.2
1/22/20 3:00	0.1	0.1	0.2
1/22/20 4:00	0.1	0.1	0.2
1/22/20 5:00	0.1	0.1	0.2
1/22/20 6:00	0.1	0.1	0.2
1/22/20 7:00	0.1	0.1	0.2
1/22/20 8:00	0.1	0.1	0.2
1/22/20 9:00	0.2	0.1	0.2
1/22/20 10:00	0.2	0.1	0.2
1/22/20 11:00	0.2	0.1	0.2
1/22/20 12:00	0.2	0.1	0.2
1/22/20 13:00	0.2	0.1	0.2
1/22/20 14:00	0.2	0.1	0.2
1/22/20 15:00	0.2	0.1	0.2
1/22/20 16:00	0.2	0.1	0.2
1/22/20 17:00	0.2	0.1	0.2
1/22/20 18:00	0.2	0.1	0.2
1/22/20 19:00	0.3	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/22/20 20:00	0.3	0.2	0.2
1/22/20 21:00	0.3	0.2	0.2
1/22/20 22:00	0.3	0.2	0.2
1/22/20 23:00	0.3	0.2	0.2
1/23/20 0:00	0.3	0.2	0.2
1/23/20 1:00	0.2	0.2	0.2
1/23/20 2:00	0.3	0.2	0.2
1/23/20 3:00	0.3	0.2	0.2
1/23/20 4:00	0.3	0.2	0.2
1/23/20 5:00	0.3	0.2	0.2
1/23/20 6:00	0.2	0.2	0.2
1/23/20 7:00	0.3	0.2	0.2
1/23/20 8:00	0.2	0.2	0.2
1/23/20 9:00	0.3	0.2	0.2
1/23/20 10:00	0.3	0.2	0.2
1/23/20 11:00	0.3	0.2	0.2
1/23/20 12:00	0.4	0.3	0.2
1/23/20 13:00	0.2	0.3	0.2
1/23/20 14:00	0.2	0.3	0.2
1/23/20 15:00	0.2	0.3	0.2
1/23/20 16:00	0.1	0.3	0.2
1/23/20 17:00	0.2	0.2	0.2
1/23/20 18:00	0.2	0.2	0.2
1/23/20 19:00	0.2	0.2	0.2
1/23/20 20:00	0.2	0.2	0.2
1/23/20 21:00	0.1	0.2	0.2
1/23/20 22:00	0.1	0.2	0.2
1/23/20 23:00	0.2	0.2	0.2
1/24/20 0:00	0.2	0.2	0.2
1/24/20 1:00	0.1	0.2	0.2
1/24/20 2:00	0.2	0.2	0.2
1/24/20 3:00	0.2	0.2	0.2
1/24/20 4:00	0.1	0.2	0.2
1/24/20 5:00	0.1	0.2	0.2
1/24/20 6:00	0.1	0.2	0.2
1/24/20 7:00	0.2	0.2	0.2
1/24/20 8:00	0.1	0.2	0.2
1/24/20 9:00	0.2	0.2	0.2
1/24/20 10:00	0.2	0.2	0.2
1/24/20 11:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/24/20 12:00	0.2	0.2	0.2
1/24/20 13:00	0.2	0.2	0.2
1/24/20 14:00	0.2	0.2	0.2
1/24/20 15:00	0.2	0.2	0.2
1/24/20 16:00	0.2	0.2	0.2
1/24/20 17:00	0.2	0.2	0.2
1/24/20 18:00	0.2	0.2	0.2
1/24/20 19:00	0.2	0.2	0.2
1/24/20 20:00	0.2	0.2	0.2
1/24/20 21:00	0.2	0.2	0.2
1/24/20 22:00	0.2	0.2	0.2
1/24/20 23:00	0.2	0.2	0.2
1/25/20 0:00	0.3	0.2	0.2
1/25/20 1:00	0.2	0.2	0.2
1/25/20 2:00	0.2	0.2	0.2
1/25/20 3:00	0.2	0.2	0.2
1/25/20 4:00	0.2	0.2	0.2
1/25/20 5:00	0.1	0.2	0.2
1/25/20 6:00	0.1	0.2	0.2
1/25/20 7:00	0.2	0.2	0.2
1/25/20 8:00	0.2	0.2	0.2
1/25/20 9:00	0.3	0.2	0.2
1/25/20 10:00	0.2	0.2	0.2
1/25/20 11:00	0.2	0.2	0.2
1/25/20 12:00	0.2	0.2	0.2
1/25/20 13:00	0.2	0.2	0.2
1/25/20 14:00	0.3	0.2	0.2
1/25/20 15:00	0.4	0.2	0.2
1/25/20 16:00	0.4	0.2	0.2
1/25/20 17:00	0.4	0.2	0.2
1/25/20 18:00	0.4	0.2	0.2
1/25/20 19:00	0.3	0.2	0.2
1/25/20 20:00	0.4	0.2	0.2
1/25/20 21:00	0.4	0.3	0.2
1/25/20 22:00	0.4	0.3	0.2
1/25/20 23:00	0.4	0.3	0.2
1/26/20 0:00	0.4	0.3	0.2
1/26/20 1:00	0.4	0.3	0.2
1/26/20 2:00	0.2	0.3	0.2
1/26/20 3:00	0.2	0.3	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/26/20 4:00	0.2	0.3	0.2
1/26/20 5:00	0.2	0.3	0.2
1/26/20 6:00	0.2	0.3	0.2
1/26/20 7:00	0.2	0.3	0.2
1/26/20 8:00	0.2	0.3	0.2
1/26/20 9:00	0.2	0.3	0.2
1/26/20 10:00	0.2	0.3	0.2
1/26/20 11:00	0.2	0.3	0.2
1/26/20 12:00	0.2	0.3	0.2
1/26/20 13:00	0.3	0.3	0.2
1/26/20 14:00	0.3	0.3	0.2
1/26/20 15:00	0.3	0.3	0.2
1/26/20 16:00	0.3	0.3	0.2
1/26/20 17:00	0.3	0.3	0.2
1/26/20 18:00	0.2	0.3	0.2
1/26/20 19:00	0.2	0.3	0.2
1/26/20 20:00	0.2	0.3	0.2
1/26/20 21:00	0.2	0.3	0.2
1/26/20 22:00	0.1	0.2	0.2
1/26/20 23:00	0.2	0.2	0.2
1/27/20 0:00	0.2	0.2	0.2
1/27/20 1:00	0.2	0.2	0.2
1/27/20 2:00	0.2	0.2	0.2
1/27/20 3:00	0.2	0.2	0.2
1/27/20 4:00	0.2	0.2	0.2
1/27/20 5:00	0.1	0.2	0.2
1/27/20 6:00	0.1	0.2	0.2
1/27/20 7:00	0.1	0.2	0.2
1/27/20 8:00	0.1	0.2	0.2
1/27/20 9:00	0.1	0.2	0.2
1/27/20 10:00	0.2	0.2	0.2
1/27/20 11:00	0.2	0.2	0.2
1/27/20 12:00	0.2	0.2	0.2
1/27/20 13:00	0.2	0.2	0.2
1/27/20 14:00	0.2	0.2	0.2
1/27/20 15:00	0.2	0.2	0.2
1/27/20 16:00	0.1	0.2	0.2
1/27/20 17:00	0.1	0.2	0.2
1/27/20 18:00	0.1	0.2	0.2
1/27/20 19:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/27/20 20:00	0.1	0.2	0.2
1/27/20 21:00	0.2	0.2	0.2
1/27/20 22:00	0.2	0.2	0.2
1/27/20 23:00	0.2	0.2	0.2
1/28/20 0:00	0.2	0.2	0.2
1/28/20 1:00	0.5	0.2	0.2
1/28/20 2:00	0.5	0.2	0.2
1/28/20 3:00	0.5	0.2	0.2
1/28/20 4:00	0.5	0.2	0.2
1/28/20 5:00	0.5	0.2	0.2
1/28/20 6:00	0.5	0.2	0.2
1/28/20 7:00	0.4	0.2	0.2
1/28/20 8:00	0.4	0.3	0.2
1/28/20 9:00	0.2	0.3	0.2
1/28/20 10:00	0.3	0.3	0.2
1/28/20 11:00	0.5	0.3	0.2
1/28/20 12:00	0.4	0.3	0.2
1/28/20 13:00	0.5	0.3	0.2
1/28/20 14:00	0.5	0.3	0.2
1/28/20 15:00	0.4	0.3	0.2
1/28/20 16:00	0.5	0.3	0.2
1/28/20 17:00	0.4	0.4	0.2
1/28/20 18:00	0.4	0.4	0.2
1/28/20 19:00	0.2	0.4	0.2
1/28/20 20:00	0.2	0.4	0.2
1/28/20 21:00	0.2	0.4	0.2
1/28/20 22:00	0.2	0.4	0.2
1/28/20 23:00	0.2	0.4	0.2
1/29/20 0:00	0.2	0.4	0.2
1/29/20 1:00	0.2	0.4	0.2
1/29/20 2:00	0.2	0.4	0.2
1/29/20 3:00	0.2	0.3	0.2
1/29/20 4:00	0.2	0.3	0.2
1/29/20 5:00	0.2	0.3	0.2
1/29/20 6:00	0.2	0.3	0.2
1/29/20 7:00	0.2	0.3	0.2
1/29/20 8:00	0.2	0.3	0.2
1/29/20 9:00	0.2	0.3	0.2
1/29/20 10:00	0.2	0.3	0.2
1/29/20 11:00	0.5	0.3	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/29/20 12:00	0.2	0.3	0.2
1/29/20 13:00	0.2	0.3	0.2
1/29/20 14:00	0.2	0.3	0.2
1/29/20 15:00	0.2	0.3	0.2
1/29/20 16:00	0.2	0.2	0.2
1/29/20 17:00	0.2	0.2	0.2
1/29/20 18:00	0.2	0.2	0.2
1/29/20 19:00	0.2	0.2	0.2
1/29/20 20:00	0.2	0.2	0.2
1/29/20 21:00	0.2	0.2	0.2
1/29/20 22:00	0.2	0.2	0.2
1/29/20 23:00	0.1	0.2	0.2
1/30/20 0:00	0.2	0.2	0.2
1/30/20 1:00	0.1	0.2	0.2
1/30/20 2:00	0.1	0.2	0.2
1/30/20 3:00	0.2	0.2	0.2
1/30/20 4:00	0.2	0.2	0.2
1/30/20 5:00	0.1	0.2	0.2
1/30/20 6:00	0.1	0.2	0.2
1/30/20 7:00	0.1	0.2	0.2
1/30/20 8:00	0.2	0.2	0.2
1/30/20 9:00	0.1	0.2	0.2
1/30/20 10:00	0.1	0.2	0.2
1/30/20 11:00	0.1	0.2	0.2
1/30/20 12:00	0.1	0.2	0.2
1/30/20 13:00	0.1	0.2	0.2
1/30/20 14:00	0.1	0.2	0.2
1/30/20 15:00	0.1	0.2	0.2
1/30/20 16:00	0.1	0.1	0.2
1/30/20 17:00	0.1	0.1	0.2
1/30/20 18:00	0.1	0.1	0.2
1/30/20 19:00	0.1	0.1	0.2
1/30/20 20:00	0.1	0.1	0.2
1/30/20 21:00	0.1	0.1	0.2
1/30/20 22:00	0.1	0.1	0.2
1/30/20 23:00	0.1	0.1	0.2
1/31/20 0:00	0.1	0.1	0.2
1/31/20 1:00	0.1	0.1	0.2
1/31/20 2:00	0.1	0.1	0.2
1/31/20 3:00	0.1	0.1	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
1/31/20 4:00	0.1	0.1	0.2
1/31/20 5:00	0.1	0.1	0.2
1/31/20 6:00	0.1	0.1	0.2
1/31/20 7:00	0.1	0.1	0.2
1/31/20 8:00	0.1	0.1	0.2
1/31/20 9:00	0.2	0.1	0.2
1/31/20 10:00	0.2	0.1	0.2
1/31/20 11:00	0.2	0.1	0.2
1/31/20 12:00	0.2	0.1	0.2
1/31/20 13:00	0.2	0.1	0.2
1/31/20 14:00	0.2	0.1	0.2
1/31/20 15:00	0.2	0.1	0.2
1/31/20 16:00	0.2	0.1	0.2
1/31/20 17:00	0.2	0.1	0.2
1/31/20 18:00	0.2	0.1	0.2
1/31/20 19:00	0.2	0.1	0.2
1/31/20 20:00	0.2	0.1	0.2
1/31/20 21:00	0.2	0.2	0.2
1/31/20 22:00	0.2	0.2	0.2
1/31/20 23:00	0.2	0.2	0.2
2/1/20 0:00	0.2	0.2	0.2
2/1/20 1:00	0.2	0.2	0.2
2/1/20 2:00	0.1	0.2	0.2
2/1/20 3:00	0.1	0.2	0.2
2/1/20 4:00	0.1	0.2	0.2
2/1/20 5:00	0.1	0.2	0.2
2/1/20 6:00	0.2	0.2	0.2
2/1/20 7:00	0.3	0.2	0.2
2/1/20 8:00	0.3	0.2	0.2
2/1/20 9:00	0.3	0.2	0.2
2/1/20 10:00	0.2	0.2	0.2
2/1/20 11:00	0.1	0.2	0.2
2/1/20 12:00	0.2	0.2	0.2
2/1/20 13:00	0.2	0.2	0.2
2/1/20 14:00	0.2	0.2	0.2
2/1/20 15:00	0.2	0.2	0.2
2/1/20 16:00	0.2	0.2	0.2
2/1/20 17:00	0.2	0.2	0.2
2/1/20 18:00	0.1	0.2	0.2
2/1/20 19:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/1/20 20:00	0.1	0.2	0.2
2/1/20 21:00	0.1	0.2	0.2
2/1/20 22:00	0.1	0.2	0.2
2/1/20 23:00	0.1	0.2	0.2
2/2/20 0:00	0.1	0.2	0.2
2/2/20 1:00	0.1	0.2	0.2
2/2/20 2:00	0.1	0.2	0.2
2/2/20 3:00	0.1	0.2	0.2
2/2/20 4:00	0.1	0.2	0.2
2/2/20 5:00	0.1	0.2	0.2
2/2/20 6:00	0.1	0.2	0.2
2/2/20 7:00	0.2	0.2	0.2
2/2/20 8:00	0.1	0.2	0.2
2/2/20 9:00	0.2	0.1	0.2
2/2/20 10:00	0.2	0.1	0.2
2/2/20 11:00	0.1	0.1	0.2
2/2/20 12:00	0.1	0.1	0.2
2/2/20 13:00	0.2	0.1	0.2
2/2/20 14:00	0.1	0.1	0.2
2/2/20 15:00	0.1	0.1	0.2
2/2/20 16:00	0.1	0.1	0.2
2/2/20 17:00	0.1	0.1	0.2
2/2/20 18:00	0.1	0.1	0.2
2/2/20 19:00	0.1	0.1	0.2
2/2/20 20:00	0.1	0.1	0.2
2/2/20 21:00	0.1	0.1	0.2
2/2/20 22:00	0.1	0.1	0.2
2/2/20 23:00	0.1	0.1	0.2
2/3/20 0:00	0.2	0.1	0.2
2/3/20 1:00	0.1	0.1	0.2
2/3/20 2:00	0.2	0.1	0.2
2/3/20 3:00	0.1	0.1	0.2
2/3/20 4:00	0.1	0.1	0.2
2/3/20 5:00	0.1	0.1	0.2
2/3/20 6:00	0.1	0.1	0.2
2/3/20 7:00	0.2	0.1	0.2
2/3/20 8:00	0.1	0.1	0.2
2/3/20 9:00	0.1	0.1	0.2
2/3/20 10:00	0.1	0.1	0.2
2/3/20 11:00	0.1	0.1	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/3/20 12:00	0.1	0.1	0.2
2/3/20 13:00	0.1	0.1	0.2
2/3/20 14:00	0.1	0.1	0.2
2/3/20 15:00	0.1	0.1	0.2
2/3/20 16:00	0.1	0.1	0.2
2/3/20 17:00	0.1	0.1	0.2
2/3/20 18:00	0.1	0.1	0.2
2/3/20 19:00	0.1	0.1	0.2
2/3/20 20:00	0.1	0.1	0.2
2/3/20 21:00	0.1	0.1	0.2
2/3/20 22:00	0.1	0.1	0.2
2/3/20 23:00	0.1	0.1	0.2
2/4/20 0:00	0.1	0.1	0.2
2/4/20 1:00	0.1	0.1	0.2
2/4/20 2:00	0.1	0.1	0.2
2/4/20 3:00	0.1	0.1	0.2
2/4/20 4:00	0.1	0.1	0.2
2/4/20 5:00	0.1	0.1	0.2
2/4/20 6:00	0.1	0.1	0.2
2/4/20 7:00	0.2	0.1	0.2
2/4/20 8:00	0.1	0.1	0.2
2/4/20 9:00	0.1	0.1	0.2
2/4/20 10:00	0.2	0.1	0.2
2/4/20 11:00	0.2	0.1	0.2
2/4/20 12:00	0.2	0.1	0.2
2/4/20 13:00	0.2	0.1	0.2
2/4/20 14:00	0.2	0.1	0.2
2/4/20 15:00	0.2	0.1	0.2
2/4/20 16:00	0.2	0.1	0.2
2/4/20 17:00	0.2	0.1	0.2
2/4/20 18:00	0.1	0.2	0.2
2/4/20 19:00	0.2	0.2	0.2
2/4/20 20:00	0.2	0.2	0.2
2/4/20 21:00	0.2	0.2	0.2
2/4/20 22:00	0.2	0.2	0.2
2/4/20 23:00	0.3	0.2	0.2
2/5/20 0:00	0.3	0.2	0.2
2/5/20 1:00	0.3	0.2	0.2
2/5/20 2:00	0.3	0.2	0.2
2/5/20 3:00	0.3	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/5/20 4:00	0.4	0.2	0.2
2/5/20 5:00	0.3	0.2	0.2
2/5/20 6:00	0.3	0.2	0.2
2/5/20 7:00	0.3	0.2	0.2
2/5/20 8:00	0.2	0.2	0.2
2/5/20 9:00	0.2	0.2	0.2
2/5/20 10:00	0.2	0.2	0.2
2/5/20 11:00	0.2	0.2	0.2
2/5/20 12:00	0.2	0.2	0.2
2/5/20 13:00	0.2	0.2	0.2
2/5/20 14:00	0.2	0.2	0.2
2/5/20 15:00	0.3	0.2	0.2
2/5/20 16:00	0.3	0.3	0.2
2/5/20 17:00	0.3	0.3	0.2
2/5/20 18:00	0.2	0.3	0.2
2/5/20 19:00	0.3	0.3	0.2
2/5/20 20:00	0.3	0.3	0.2
2/5/20 21:00	0.3	0.3	0.2
2/5/20 22:00	0.3	0.3	0.2
2/5/20 23:00	0.3	0.3	0.2
2/6/20 0:00	0.3	0.3	0.2
2/6/20 1:00	0.2	0.3	0.2
2/6/20 2:00	0.2	0.3	0.2
2/6/20 3:00	0.3	0.3	0.2
2/6/20 4:00	0.2	0.3	0.2
2/6/20 5:00	0.2	0.3	0.2
2/6/20 6:00	0.2	0.3	0.2
2/6/20 7:00	0.2	0.3	0.2
2/6/20 8:00	0.3	0.3	0.2
2/6/20 9:00	0.3	0.3	0.2
2/6/20 10:00	0.5	0.3	0.2
2/6/20 11:00	0.6	0.3	0.2
2/6/20 12:00	0.5	0.3	0.2
2/6/20 13:00	0.3	0.3	0.2
2/6/20 14:00	0.3	0.3	0.2
2/6/20 15:00	0.3	0.3	0.2
2/6/20 16:00	0.3	0.3	0.2
2/6/20 17:00	0.3	0.3	0.2
2/6/20 18:00	0.3	0.3	0.2
2/6/20 19:00	0.3	0.3	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/6/20 20:00	0.3	0.3	0.2
2/6/20 21:00	0.3	0.3	0.2
2/6/20 22:00	0.3	0.3	0.2
2/6/20 23:00	0.2	0.3	0.2
2/7/20 0:00	0.3	0.3	0.2
2/7/20 1:00	0.2	0.3	0.2
2/7/20 2:00	0.2	0.3	0.2
2/7/20 3:00	0.2	0.3	0.2
2/7/20 4:00	0.2	0.3	0.2
2/7/20 5:00	0.3	0.3	0.2
2/7/20 6:00	0.2	0.3	0.2
2/7/20 7:00	0.3	0.3	0.2
2/7/20 8:00	0.2	0.3	0.2
2/7/20 9:00	0.3	0.3	0.2
2/7/20 10:00	0.2	0.3	0.2
2/7/20 11:00	0.3	0.3	0.2
2/7/20 12:00	0.3	0.3	0.2
2/7/20 13:00	0.3	0.3	0.2
2/7/20 14:00	0.2	0.3	0.2
2/7/20 15:00	0.2	0.3	0.2
2/7/20 16:00	0.2	0.2	0.2
2/7/20 17:00	0.2	0.2	0.2
2/7/20 18:00	0.2	0.2	0.2
2/7/20 19:00	0.2	0.2	0.2
2/7/20 20:00	0.2	0.2	0.2
2/7/20 21:00	0.2	0.2	0.2
2/7/20 22:00	0.2	0.2	0.2
2/7/20 23:00	0.2	0.2	0.2
2/8/20 0:00	0.2	0.2	0.2
2/8/20 1:00	0.1	0.2	0.2
2/8/20 2:00	0.2	0.2	0.2
2/8/20 3:00	0.2	0.2	0.2
2/8/20 4:00	0.2	0.2	0.2
2/8/20 5:00	0.1	0.2	0.2
2/8/20 6:00	0.1	0.2	0.2
2/8/20 7:00	0.2	0.2	0.2
2/8/20 8:00	0.1	0.2	0.2
2/8/20 9:00	0.1	0.2	0.2
2/8/20 10:00	0.2	0.2	0.2
2/8/20 11:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/8/20 12:00	0.1	0.2	0.2
2/8/20 13:00	0.2	0.2	0.2
2/8/20 14:00	0.2	0.2	0.2
2/8/20 15:00	0.2	0.2	0.2
2/8/20 16:00	0.2	0.2	0.2
2/8/20 17:00	0.2	0.2	0.2
2/8/20 18:00	0.2	0.2	0.2
2/8/20 19:00	0.2	0.2	0.2
2/8/20 20:00	0.3	0.2	0.2
2/8/20 21:00	0.3	0.2	0.2
2/8/20 22:00	0.3	0.2	0.2
2/8/20 23:00	0.3	0.2	0.2
2/9/20 0:00	0.2	0.2	0.2
2/9/20 1:00	0.2	0.2	0.2
2/9/20 2:00	0.2	0.2	0.2
2/9/20 3:00	0.3	0.2	0.2
2/9/20 4:00	0.3	0.2	0.2
2/9/20 5:00	0.3	0.2	0.2
2/9/20 6:00	0.3	0.2	0.2
2/9/20 7:00	0.3	0.2	0.2
2/9/20 8:00	0.3	0.2	0.2
2/9/20 9:00	0.3	0.2	0.2
2/9/20 10:00	0.3	0.2	0.2
2/9/20 11:00	0.2	0.2	0.2
2/9/20 12:00	0.2	0.3	0.2
2/9/20 13:00	0.2	0.3	0.2
2/9/20 14:00	0.2	0.3	0.2
2/9/20 15:00	0.3	0.3	0.2
2/9/20 16:00	0.2	0.3	0.2
2/9/20 17:00	0.2	0.3	0.2
2/9/20 18:00	0.2	0.3	0.2
2/9/20 19:00	0.2	0.3	0.2
2/9/20 20:00	0.2	0.3	0.2
2/9/20 21:00	0.2	0.3	0.2
2/9/20 22:00	0.2	0.2	0.2
2/9/20 23:00	0.2	0.2	0.2
2/10/20 0:00	0.2	0.2	0.2
2/10/20 1:00	0.2	0.2	0.2
2/10/20 2:00	0.2	0.2	0.2
2/10/20 3:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/10/20 4:00	0.2	0.2	0.2
2/10/20 5:00	0.2	0.2	0.2
2/10/20 6:00	0.1	0.2	0.2
2/10/20 7:00	0.1	0.2	0.2
2/10/20 8:00	0.2	0.2	0.2
2/10/20 9:00	0.1	0.2	0.2
2/10/20 10:00	0.1	0.2	0.2
2/10/20 11:00	0.2	0.2	0.2
2/10/20 12:00	0.2	0.2	0.2
2/10/20 13:00	0.1	0.2	0.2
2/10/20 14:00	0.2	0.2	0.2
2/10/20 15:00	0.1	0.2	0.2
2/10/20 16:00	0.1	0.2	0.2
2/10/20 17:00	0.1	0.2	0.2
2/10/20 18:00	0.1	0.2	0.2
2/10/20 19:00	0.1	0.2	0.2
2/10/20 20:00	0.2	0.2	0.2
2/10/20 21:00	0.2	0.2	0.2
2/10/20 22:00	0.1	0.2	0.2
2/10/20 23:00	0.1	0.2	0.2
2/11/20 0:00	0.1	0.2	0.2
2/11/20 1:00	0.1	0.1	0.2
2/11/20 2:00	0.1	0.1	0.2
2/11/20 3:00	0.1	0.1	0.2
2/11/20 4:00	0.1	0.1	0.2
2/11/20 5:00	0.1	0.1	0.2
2/11/20 6:00	0.1	0.1	0.2
2/11/20 7:00	0.0	0.1	0.2
2/11/20 8:00	0.0	0.1	0.2
2/11/20 9:00	0.0	0.1	0.2
2/11/20 10:00	0.1	0.1	0.2
2/11/20 11:00	0.1	0.1	0.2
2/11/20 12:00	0.1	0.1	0.2
2/11/20 13:00	0.2	0.1	0.2
2/11/20 14:00	0.2	0.1	0.2
2/11/20 15:00	0.2	0.1	0.2
2/11/20 16:00	0.2	0.1	0.2
2/11/20 17:00	0.2	0.1	0.2
2/11/20 18:00	0.2	0.1	0.2
2/11/20 19:00	0.2	0.1	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/11/20 20:00	0.2	0.1	0.2
2/11/20 21:00	0.2	0.1	0.2
2/11/20 22:00	0.2	0.1	0.2
2/11/20 23:00	0.2	0.1	0.2
2/12/20 0:00	0.2	0.1	0.2
2/12/20 1:00	0.2	0.2	0.2
2/12/20 2:00	0.2	0.2	0.2
2/12/20 3:00	0.2	0.2	0.2
2/12/20 4:00	0.2	0.2	0.2
2/12/20 5:00	0.2	0.2	0.2
2/12/20 6:00	0.2	0.2	0.2
2/12/20 7:00	0.2	0.2	0.2
2/12/20 8:00	0.2	0.2	0.2
2/12/20 9:00	0.2	0.2	0.2
2/12/20 10:00	0.2	0.2	0.2
2/12/20 11:00	0.2	0.2	0.2
2/12/20 12:00	0.2	0.2	0.2
2/12/20 13:00	0.1	0.2	0.2
2/12/20 14:00	0.2	0.2	0.2
2/12/20 15:00	0.2	0.2	0.2
2/12/20 16:00	0.2	0.2	0.2
2/12/20 17:00	0.2	0.2	0.2
2/12/20 18:00	0.2	0.2	0.2
2/12/20 19:00	0.2	0.2	0.2
2/12/20 20:00	0.2	0.2	0.2
2/12/20 21:00	0.2	0.2	0.2
2/12/20 22:00	0.2	0.2	0.2
2/12/20 23:00	0.2	0.2	0.2
2/13/20 0:00	0.2	0.2	0.2
2/13/20 1:00	0.2	0.2	0.2
2/13/20 2:00	0.2	0.2	0.2
2/13/20 3:00	0.2	0.2	0.2
2/13/20 4:00	0.2	0.2	0.2
2/13/20 5:00	0.2	0.2	0.2
2/13/20 6:00	0.2	0.2	0.2
2/13/20 7:00	0.2	0.2	0.2
2/13/20 8:00	0.2	0.2	0.2
2/13/20 9:00	0.2	0.2	0.2
2/13/20 10:00	0.3	0.2	0.2
2/13/20 11:00	0.3	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/13/20 12:00	0.3	0.2	0.2
2/13/20 13:00	0.3	0.2	0.2
2/13/20 14:00	0.3	0.2	0.2
2/13/20 15:00	0.1	0.2	0.2
2/13/20 16:00	0.2	0.2	0.2
2/13/20 17:00	0.2	0.2	0.2
2/13/20 18:00	0.2	0.2	0.2
2/13/20 19:00	0.3	0.2	0.2
2/13/20 20:00	0.3	0.2	0.2
2/13/20 21:00	0.3	0.2	0.2
2/13/20 22:00	0.3	0.2	0.2
2/13/20 23:00	0.3	0.2	0.2
2/14/20 0:00	0.3	0.2	0.2
2/14/20 1:00	0.3	0.2	0.2
2/14/20 2:00	0.2	0.3	0.2
2/14/20 3:00	0.2	0.3	0.2
2/14/20 4:00	0.2	0.3	0.2
2/14/20 5:00	0.2	0.3	0.2
2/14/20 6:00	0.2	0.3	0.2
2/14/20 7:00	0.2	0.3	0.2
2/14/20 8:00	0.1	0.2	0.2
2/14/20 9:00	0.1	0.2	0.2
2/14/20 10:00	0.1	0.2	0.2
2/14/20 11:00	0.1	0.2	0.2
2/14/20 12:00	0.1	0.2	0.2
2/14/20 13:00	0.1	0.2	0.2
2/14/20 14:00	0.1	0.2	0.2
2/14/20 15:00	0.1	0.2	0.2
2/14/20 16:00	0.1	0.2	0.2
2/14/20 17:00	0.1	0.2	0.2
2/14/20 18:00	0.1	0.2	0.2
2/14/20 19:00	0.1	0.2	0.2
2/14/20 20:00	0.1	0.2	0.2
2/14/20 21:00	0.1	0.2	0.2
2/14/20 22:00	0.1	0.2	0.2
2/14/20 23:00	0.1	0.1	0.2
2/15/20 0:00	0.2	0.1	0.2
2/15/20 1:00	0.3	0.1	0.2
2/15/20 2:00	0.2	0.1	0.2
2/15/20 3:00	0.2	0.1	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/15/20 4:00	0.2	0.1	0.2
2/15/20 5:00	0.2	0.1	0.2
2/15/20 6:00	0.1	0.1	0.2
2/15/20 7:00	0.2	0.1	0.2
2/15/20 8:00	0.2	0.1	0.2
2/15/20 9:00	0.2	0.1	0.2
2/15/20 10:00	0.2	0.1	0.2
2/15/20 11:00	0.2	0.2	0.2
2/15/20 12:00	0.2	0.2	0.2
2/15/20 13:00	0.2	0.2	0.2
2/15/20 14:00	0.2	0.2	0.2
2/15/20 15:00	0.1	0.2	0.2
2/15/20 16:00	0.1	0.2	0.2
2/15/20 17:00	0.1	0.2	0.2
2/15/20 18:00	0.1	0.2	0.2
2/15/20 19:00	0.2	0.2	0.2
2/15/20 20:00	0.1	0.2	0.2
2/15/20 21:00	0.2	0.2	0.2
2/15/20 22:00	0.1	0.2	0.2
2/15/20 23:00	0.1	0.2	0.2
2/16/20 0:00	0.1	0.2	0.2
2/16/20 1:00	0.1	0.2	0.2
2/16/20 2:00	0.2	0.2	0.2
2/16/20 3:00	0.2	0.2	0.2
2/16/20 4:00	0.2	0.2	0.2
2/16/20 5:00	0.1	0.2	0.2
2/16/20 6:00	0.2	0.2	0.2
2/16/20 7:00	0.2	0.2	0.2
2/16/20 8:00	0.2	0.2	0.2
2/16/20 9:00	0.1	0.2	0.2
2/16/20 10:00	0.1	0.2	0.2
2/16/20 11:00	0.1	0.2	0.2
2/16/20 12:00	0.1	0.2	0.2
2/16/20 13:00	0.1	0.2	0.2
2/16/20 14:00	0.1	0.1	0.2
2/16/20 15:00	0.1	0.1	0.2
2/16/20 16:00	0.2	0.1	0.2
2/16/20 17:00	0.1	0.1	0.2
2/16/20 18:00	0.1	0.1	0.2
2/16/20 19:00	0.2	0.1	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/16/20 20:00	0.1	0.1	0.2
2/16/20 21:00	0.1	0.1	0.2
2/16/20 22:00	0.2	0.2	0.2
2/16/20 23:00	0.2	0.2	0.2
2/17/20 0:00	0.3	0.2	0.2
2/17/20 1:00	0.2	0.2	0.2
2/17/20 2:00	0.2	0.2	0.2
2/17/20 3:00	0.2	0.2	0.2
2/17/20 4:00	0.2	0.2	0.2
2/17/20 5:00	0.2	0.2	0.2
2/17/20 6:00	0.2	0.2	0.2
2/17/20 7:00	0.2	0.2	0.2
2/17/20 8:00	0.2	0.2	0.2
2/17/20 9:00	0.1	0.2	0.2
2/17/20 10:00	0.2	0.2	0.2
2/17/20 11:00	0.1	0.2	0.2
2/17/20 12:00	0.1	0.2	0.2
2/17/20 13:00	0.1	0.2	0.2
2/17/20 14:00	0.1	0.1	0.2
2/17/20 15:00	0.1	0.1	0.2
2/17/20 16:00	0.1	0.1	0.2
2/17/20 17:00	0.1	0.1	0.2
2/17/20 18:00	0.1	0.1	0.2
2/17/20 19:00	0.2	0.1	0.2
2/17/20 20:00	0.2	0.1	0.2
2/17/20 21:00	0.2	0.1	0.2
2/17/20 22:00	0.3	0.2	0.2
2/17/20 23:00	0.2	0.2	0.2
2/18/20 0:00	0.2	0.2	0.2
2/18/20 1:00	0.2	0.2	0.2
2/18/20 2:00	0.3	0.2	0.2
2/18/20 3:00	0.2	0.2	0.2
2/18/20 4:00	0.1	0.2	0.2
2/18/20 5:00	0.1	0.2	0.2
2/18/20 6:00	0.1	0.1	0.2
2/18/20 7:00	0.1	0.1	0.2
2/18/20 8:00	0.1	0.1	0.2
2/18/20 9:00	0.1	0.1	0.2
2/18/20 10:00	0.1	0.1	0.2
2/18/20 11:00	0.1	0.1	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/18/20 12:00	0.1	0.1	0.2
2/18/20 13:00	0.1	0.1	0.2
2/18/20 14:00	0.2	0.1	0.2
2/18/20 15:00	0.2	0.1	0.2
2/18/20 16:00	0.2	0.2	0.2
2/18/20 17:00	0.3	0.2	0.2
2/18/20 18:00	0.2	0.2	0.2
2/18/20 19:00	0.2	0.2	0.2
2/18/20 20:00	0.2	0.2	0.2
2/18/20 21:00	0.2	0.2	0.2
2/18/20 22:00	0.2	0.2	0.2
2/18/20 23:00	0.2	0.2	0.2
2/19/20 0:00	0.2	0.2	0.2
2/19/20 1:00	0.2	0.2	0.2
2/19/20 2:00	0.2	0.2	0.2
2/19/20 3:00	0.2	0.2	0.2
2/19/20 4:00	0.2	0.2	0.2
2/19/20 5:00	0.2	0.2	0.2
2/19/20 6:00	0.2	0.2	0.2
2/19/20 7:00	0.2	0.2	0.2
2/19/20 8:00	0.3	0.2	0.2
2/19/20 9:00	0.3	0.2	0.2
2/19/20 10:00	0.3	0.2	0.2
2/19/20 11:00	0.3	0.2	0.2
2/19/20 12:00	0.3	0.2	0.2
2/19/20 13:00	0.3	0.2	0.2
2/19/20 14:00	0.2	0.2	0.2
2/19/20 15:00	0.2	0.2	0.2
2/19/20 16:00	0.2	0.2	0.2
2/19/20 17:00	0.2	0.2	0.2
2/19/20 18:00	0.2	0.2	0.2
2/19/20 19:00	0.2	0.2	0.2
2/19/20 20:00	0.2	0.2	0.2
2/19/20 21:00	0.2	0.2	0.2
2/19/20 22:00	0.2	0.2	0.2
2/19/20 23:00	0.2	0.2	0.2
2/20/20 0:00	0.2	0.2	0.2
2/20/20 1:00	0.2	0.2	0.2
2/20/20 2:00	0.1	0.2	0.2
2/20/20 3:00	0.1	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/20/20 4:00	0.1	0.2	0.2
2/20/20 5:00	0.1	0.2	0.2
2/20/20 6:00	0.1	0.2	0.2
2/20/20 7:00	0.1	0.2	0.2
2/20/20 8:00	0.1	0.2	0.2
2/20/20 9:00	0.1	0.2	0.2
2/20/20 10:00	0.2	0.2	0.2
2/20/20 11:00	0.2	0.2	0.2
2/20/20 12:00	0.2	0.2	0.2
2/20/20 13:00	0.2	0.2	0.2
2/20/20 14:00	0.3	0.2	0.2
2/20/20 15:00	0.2	0.2	0.2
2/20/20 16:00	0.2	0.2	0.2
2/20/20 17:00	0.2	0.2	0.2
2/20/20 18:00	0.2	0.2	0.2
2/20/20 19:00	0.3	0.2	0.2
2/20/20 20:00	0.3	0.2	0.2
2/20/20 21:00	0.3	0.2	0.2
2/20/20 22:00	0.3	0.2	0.2
2/20/20 23:00	0.3	0.2	0.2
2/21/20 0:00	0.3	0.2	0.2
2/21/20 1:00	0.2	0.2	0.2
2/21/20 2:00	0.2	0.2	0.2
2/21/20 3:00	0.2	0.2	0.2
2/21/20 4:00	0.2	0.2	0.2
2/21/20 5:00	0.2	0.2	0.2
2/21/20 6:00	0.1	0.2	0.2
2/21/20 7:00	0.1	0.2	0.2
2/21/20 8:00	0.2	0.2	0.2
2/21/20 9:00	0.2	0.2	0.2
2/21/20 10:00	0.2	0.2	0.2
2/21/20 11:00	0.2	0.2	0.2
2/21/20 12:00	0.2	0.2	0.2
2/21/20 13:00	0.2	0.2	0.2
2/21/20 14:00	0.2	0.2	0.2
2/21/20 15:00	0.2	0.2	0.2
2/21/20 16:00	0.2	0.2	0.2
2/21/20 17:00	0.1	0.2	0.2
2/21/20 18:00	0.1	0.2	0.2
2/21/20 19:00	0.1	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/21/20 20:00	0.1	0.2	0.2
2/21/20 21:00	0.1	0.2	0.2
2/21/20 22:00	0.1	0.2	0.2
2/21/20 23:00	0.1	0.2	0.2
2/22/20 0:00	0.1	0.2	0.2
2/22/20 1:00	0.1	0.2	0.2
2/22/20 2:00	0.2	0.2	0.2
2/22/20 3:00	0.2	0.2	0.2
2/22/20 4:00	0.2	0.2	0.2
2/22/20 5:00	0.2	0.2	0.2
2/22/20 6:00	0.2	0.2	0.2
2/22/20 7:00	0.2	0.2	0.2
2/22/20 8:00	0.2	0.2	0.2
2/22/20 9:00	0.2	0.2	0.2
2/22/20 10:00	0.2	0.2	0.2
2/22/20 11:00	0.2	0.2	0.2
2/22/20 12:00	0.2	0.2	0.2
2/22/20 13:00	0.2	0.2	0.2
2/22/20 14:00	0.2	0.2	0.2
2/22/20 15:00	0.2	0.2	0.2
2/22/20 16:00	0.2	0.2	0.2
2/22/20 17:00	0.2	0.2	0.2
2/22/20 18:00	0.2	0.2	0.2
2/22/20 19:00	0.2	0.2	0.2
2/22/20 20:00	0.2	0.2	0.2
2/22/20 21:00	0.2	0.2	0.2
2/22/20 22:00	0.2	0.2	0.2
2/22/20 23:00	0.2	0.2	0.2
2/23/20 0:00	0.2	0.2	0.2
2/23/20 1:00	0.2	0.2	0.2
2/23/20 2:00	0.3	0.2	0.2
2/23/20 3:00	0.3	0.2	0.2
2/23/20 4:00	0.2	0.2	0.2
2/23/20 5:00	0.2	0.2	0.2
2/23/20 6:00	0.2	0.2	0.2
2/23/20 7:00	0.2	0.2	0.2
2/23/20 8:00	0.2	0.2	0.2
2/23/20 9:00	0.2	0.2	0.2
2/23/20 10:00	0.2	0.2	0.2
2/23/20 11:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/23/20 12:00	0.2	0.2	0.2
2/23/20 13:00	0.2	0.2	0.2
2/23/20 14:00	0.2	0.2	0.2
2/23/20 15:00	0.2	0.2	0.2
2/23/20 16:00	0.2	0.2	0.2
2/23/20 17:00	0.2	0.2	0.2
2/23/20 18:00	0.2	0.2	0.2
2/23/20 19:00	0.2	0.2	0.2
2/23/20 20:00	0.3	0.2	0.2
2/23/20 21:00	0.3	0.2	0.2
2/23/20 22:00	0.3	0.2	0.2
2/23/20 23:00	0.3	0.2	0.2
2/24/20 0:00	0.3	0.2	0.2
2/24/20 1:00	0.3	0.2	0.2
2/24/20 2:00	0.2	0.2	0.2
2/24/20 3:00	0.2	0.2	0.2
2/24/20 4:00	0.2	0.2	0.2
2/24/20 5:00	0.1	0.2	0.2
2/24/20 6:00	0.1	0.2	0.2
2/24/20 7:00	0.1	0.2	0.2
2/24/20 8:00	0.2	0.2	0.2
2/24/20 9:00	0.2	0.2	0.2
2/24/20 10:00	0.1	0.2	0.2
2/24/20 11:00	0.1	0.2	0.2
2/24/20 12:00	0.1	0.2	0.2
2/24/20 13:00	0.1	0.2	0.2
2/24/20 14:00	0.1	0.2	0.2
2/24/20 15:00	0.1	0.2	0.2
2/24/20 16:00	0.1	0.2	0.2
2/24/20 17:00	0.1	0.2	0.2
2/24/20 18:00	0.1	0.2	0.2
2/24/20 19:00	0.1	0.2	0.2
2/24/20 20:00	0.1	0.2	0.2
2/24/20 21:00	0.1	0.1	0.2
2/24/20 22:00	0.1	0.1	0.2
2/24/20 23:00	0.1	0.1	0.2
2/25/20 0:00	0.1	0.1	0.2
2/25/20 1:00	0.2	0.1	0.2
2/25/20 2:00	0.2	0.1	0.2
2/25/20 3:00	0.2	0.1	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/25/20 4:00	0.2	0.1	0.2
2/25/20 5:00	0.2	0.1	0.2
2/25/20 6:00	0.2	0.1	0.2
2/25/20 7:00	0.2	0.1	0.2
2/25/20 8:00	0.2	0.1	0.2
2/25/20 9:00	0.1	0.1	0.2
2/25/20 10:00	0.2	0.1	0.2
2/25/20 11:00	0.2	0.1	0.2
2/25/20 12:00	0.2	0.1	0.2
2/25/20 13:00	0.2	0.1	0.2
2/25/20 14:00	0.2	0.1	0.2
2/25/20 15:00	0.2	0.1	0.2
2/25/20 16:00	0.2	0.2	0.2
2/25/20 17:00	0.4	0.2	0.2
2/25/20 18:00	0.4	0.2	0.2
2/25/20 19:00	0.4	0.2	0.2
2/25/20 20:00	0.4	0.2	0.2
2/25/20 21:00	0.4	0.2	0.2
2/25/20 22:00	0.4	0.2	0.2
2/25/20 23:00	0.4	0.2	0.2
2/26/20 0:00	0.4	0.3	0.2
2/26/20 1:00	0.4	0.3	0.2
2/26/20 2:00	0.3	0.3	0.2
2/26/20 3:00	0.3	0.3	0.2
2/26/20 4:00	0.3	0.3	0.2
2/26/20 5:00	0.3	0.3	0.2
2/26/20 6:00	0.2	0.3	0.2
2/26/20 7:00	0.2	0.3	0.2
2/26/20 8:00	0.2	0.3	0.2
2/26/20 9:00	0.2	0.3	0.2
2/26/20 10:00	0.2	0.3	0.2
2/26/20 11:00	0.2	0.3	0.2
2/26/20 12:00	0.2	0.3	0.2
2/26/20 13:00	0.2	0.3	0.2
2/26/20 14:00	0.2	0.3	0.2
2/26/20 15:00	0.2	0.3	0.2
2/26/20 16:00	0.2	0.3	0.2
2/26/20 17:00	0.2	0.3	0.2
2/26/20 18:00	0.2	0.3	0.2
2/26/20 19:00	0.2	0.3	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/26/20 20:00	0.3	0.3	0.2
2/26/20 21:00	0.3	0.3	0.2
2/26/20 22:00	0.2	0.3	0.2
2/26/20 23:00	0.2	0.2	0.2
2/27/20 0:00	0.1	0.2	0.2
2/27/20 1:00	0.1	0.2	0.2
2/27/20 2:00	0.1	0.2	0.2
2/27/20 3:00	0.1	0.2	0.2
2/27/20 4:00	0.2	0.2	0.2
2/27/20 5:00	0.2	0.2	0.2
2/27/20 6:00	0.1	0.2	0.2
2/27/20 7:00	0.1	0.2	0.2
2/27/20 8:00	0.1	0.2	0.2
2/27/20 9:00	0.2	0.2	0.2
2/27/20 10:00	0.2	0.2	0.2
2/27/20 11:00	0.2	0.2	0.2
2/27/20 12:00	0.2	0.2	0.2
2/27/20 13:00	0.2	0.2	0.2
2/27/20 14:00	0.2	0.2	0.2
2/27/20 15:00	0.2	0.2	0.2
2/27/20 16:00	0.2	0.2	0.2
2/27/20 17:00	0.2	0.2	0.2
2/27/20 18:00	0.2	0.2	0.2
2/27/20 19:00	0.2	0.2	0.2
2/27/20 20:00	0.2	0.2	0.2
2/27/20 21:00	0.2	0.2	0.2
2/27/20 22:00	0.2	0.2	0.2
2/27/20 23:00	0.3	0.2	0.2
2/28/20 0:00	0.3	0.2	0.2
2/28/20 1:00	0.3	0.2	0.2
2/28/20 2:00	0.3	0.2	0.2
2/28/20 3:00	0.4	0.2	0.2
2/28/20 4:00	0.4	0.2	0.2
2/28/20 5:00	0.4	0.2	0.2
2/28/20 6:00	0.4	0.2	0.2
2/28/20 7:00	0.4	0.3	0.2
2/28/20 8:00	0.4	0.3	0.2
2/28/20 9:00	0.3	0.3	0.2
2/28/20 10:00	0.3	0.3	0.2
2/28/20 11:00	0.4	0.3	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
2/28/20 12:00	0.4	0.3	0.2
2/28/20 13:00	0.4	0.3	0.2
2/28/20 14:00	0.5	0.3	0.2
2/28/20 15:00	0.5	0.3	0.2
2/28/20 16:00	0.4	0.3	0.2
2/28/20 17:00	0.3	0.3	0.2
2/28/20 18:00	0.3	0.3	0.2
2/28/20 19:00	0.3	0.4	0.2
2/28/20 20:00	0.4	0.4	0.2
2/28/20 21:00	0.4	0.4	0.2
2/28/20 22:00	0.4	0.4	0.2
2/28/20 23:00	0.4	0.4	0.2
2/29/20 0:00	0.4	0.4	0.2
2/29/20 1:00	0.3	0.4	0.2
2/29/20 2:00	0.3	0.4	0.2
2/29/20 3:00	0.3	0.4	0.2
2/29/20 4:00	0.3	0.4	0.2
2/29/20 5:00	0.3	0.4	0.2
2/29/20 6:00	0.2	0.4	0.2
2/29/20 7:00	0.2	0.3	0.2
2/29/20 8:00	0.2	0.3	0.2
2/29/20 9:00	0.2	0.3	0.2
2/29/20 10:00	0.1	0.3	0.2
2/29/20 11:00	0.1	0.3	0.2
2/29/20 12:00	0.1	0.3	0.2
2/29/20 13:00	0.1	0.3	0.2
2/29/20 14:00	0.1	0.3	0.2
2/29/20 15:00	0.1	0.3	0.2
2/29/20 16:00	0.2	0.3	0.2
2/29/20 17:00	0.2	0.2	0.2
2/29/20 18:00	0.1	0.2	0.2
2/29/20 19:00	0.1	0.2	0.2
2/29/20 20:00	0.2	0.2	0.2
2/29/20 21:00	0.2	0.2	0.2
2/29/20 22:00	1.3	0.2	0.2
2/29/20 23:00	75.7	3.4	0.3
3/1/20 0:00	3.8	3.5	0.3
3/1/20 1:00	2.5	3.6	0.3
3/1/20 2:00	0.2	3.6	0.3
3/1/20 3:00	0.2	3.6	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/1/20 4:00	0.2	3.6	0.3
3/1/20 5:00	0.1	3.6	0.3
3/1/20 6:00	0.2	3.6	0.3
3/1/20 7:00	0.2	3.6	0.3
3/1/20 8:00	0.2	3.6	0.3
3/1/20 9:00	0.2	3.6	0.3
3/1/20 10:00	0.2	3.6	0.3
3/1/20 11:00	0.2	3.6	0.3
3/1/20 12:00	0.2	3.6	0.3
3/1/20 13:00	0.2	3.6	0.3
3/1/20 14:00	0.2	3.6	0.3
3/1/20 15:00	0.2	3.6	0.3
3/1/20 16:00	0.2	3.6	0.3
3/1/20 17:00	0.2	3.6	0.3
3/1/20 18:00	0.2	3.6	0.3
3/1/20 19:00	0.2	3.6	0.3
3/1/20 20:00	0.3	3.6	0.3
3/1/20 21:00	0.3	3.6	0.3
3/1/20 22:00	0.2	3.6	0.3
3/1/20 23:00	0.2	0.4	0.3
3/2/20 0:00	0.1	0.3	0.3
3/2/20 1:00	0.1	0.2	0.3
3/2/20 2:00	0.1	0.2	0.3
3/2/20 3:00	0.1	0.2	0.3
3/2/20 4:00	0.1	0.2	0.3
3/2/20 5:00	0.1	0.2	0.3
3/2/20 6:00	0.1	0.2	0.3
3/2/20 7:00	0.1	0.2	0.3
3/2/20 8:00	0.1	0.1	0.3
3/2/20 9:00	0.1	0.1	0.3
3/2/20 10:00	0.1	0.1	0.3
3/2/20 11:00	0.1	0.1	0.3
3/2/20 12:00	0.1	0.1	0.3
3/2/20 13:00	0.1	0.1	0.3
3/2/20 14:00	0.1	0.1	0.3
3/2/20 15:00	0.1	0.1	0.3
3/2/20 16:00	0.1	0.1	0.3
3/2/20 17:00	0.1	0.1	0.3
3/2/20 18:00	0.1	0.1	0.3
3/2/20 19:00	0.2	0.1	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/2/20 20:00	0.2	0.1	0.3
3/2/20 21:00	0.1	0.1	0.3
3/2/20 22:00	0.2	0.1	0.3
3/2/20 23:00	0.1	0.1	0.3
3/3/20 0:00	0.1	0.1	0.3
3/3/20 1:00	0.2	0.1	0.3
3/3/20 2:00	0.3	0.1	0.3
3/3/20 3:00	0.6	0.1	0.3
3/3/20 4:00	0.1	0.1	0.3
3/3/20 5:00	0.1	0.1	0.3
3/3/20 6:00	0.1	0.1	0.3
3/3/20 7:00	0.1	0.1	0.3
3/3/20 8:00	0.1	0.1	0.3
3/3/20 9:00	0.2	0.1	0.3
3/3/20 10:00	0.2	0.2	0.3
3/3/20 11:00	0.2	0.2	0.3
3/3/20 12:00	0.1	0.2	0.3
3/3/20 13:00	0.1	0.2	0.3
3/3/20 14:00	0.1	0.2	0.3
3/3/20 15:00	0.1	0.2	0.3
3/3/20 16:00	0.1	0.2	0.3
3/3/20 17:00	0.1	0.2	0.3
3/3/20 18:00	0.1	0.2	0.3
3/3/20 19:00	0.1	0.2	0.3
3/3/20 20:00	0.1	0.2	0.3
3/3/20 21:00	0.1	0.2	0.3
3/3/20 22:00	0.1	0.1	0.3
3/3/20 23:00	0.1	0.1	0.3
3/4/20 0:00	0.1	0.1	0.3
3/4/20 1:00	0.1	0.1	0.3
3/4/20 2:00	0.1	0.1	0.3
3/4/20 3:00	0.1	0.1	0.3
3/4/20 4:00	0.1	0.1	0.3
3/4/20 5:00	0.1	0.1	0.3
3/4/20 6:00	0.1	0.1	0.3
3/4/20 7:00	0.1	0.1	0.3
3/4/20 8:00	0.0	0.1	0.3
3/4/20 9:00	0.1	0.1	0.3
3/4/20 10:00	0.1	0.1	0.3
3/4/20 11:00	0.1	0.1	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/4/20 12:00	0.1	0.1	0.3
3/4/20 13:00	0.1	0.1	0.3
3/4/20 14:00	0.1	0.1	0.3
3/4/20 15:00	0.1	0.1	0.3
3/4/20 16:00	0.1	0.1	0.3
3/4/20 17:00	0.1	0.1	0.3
3/4/20 18:00	0.1	0.1	0.3
3/4/20 19:00	0.1	0.1	0.3
3/4/20 20:00	0.1	0.1	0.3
3/4/20 21:00	0.1	0.1	0.3
3/4/20 22:00	0.1	0.1	0.3
3/4/20 23:00	0.1	0.1	0.3
3/5/20 0:00	0.1	0.1	0.3
3/5/20 1:00	0.1	0.1	0.3
3/5/20 2:00	0.1	0.1	0.3
3/5/20 3:00	0.1	0.1	0.3
3/5/20 4:00	0.1	0.1	0.3
3/5/20 5:00	0.1	0.1	0.3
3/5/20 6:00	0.4	0.1	0.3
3/5/20 7:00	0.4	0.1	0.3
3/5/20 8:00	0.6	0.1	0.3
3/5/20 9:00	0.4	0.2	0.3
3/5/20 10:00	0.9	0.2	0.3
3/5/20 11:00	1.1	0.2	0.3
3/5/20 12:00	1.4	0.3	0.3
3/5/20 13:00	0.8	0.3	0.3
3/5/20 14:00	0.8	0.3	0.3
3/5/20 15:00	0.9	0.4	0.3
3/5/20 16:00	1.3	0.4	0.3
3/5/20 17:00	0.1	0.4	0.3
3/5/20 18:00	0.1	0.4	0.3
3/5/20 19:00	0.1	0.4	0.3
3/5/20 20:00	0.1	0.4	0.3
3/5/20 21:00	0.1	0.4	0.3
3/5/20 22:00	0.2	0.4	0.3
3/5/20 23:00	0.2	0.4	0.3
3/6/20 0:00	0.2	0.4	0.3
3/6/20 1:00	0.1	0.4	0.3
3/6/20 2:00	0.1	0.4	0.3
3/6/20 3:00	0.1	0.4	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/6/20 4:00	0.1	0.4	0.3
3/6/20 5:00	0.2	0.5	0.3
3/6/20 6:00	0.2	0.4	0.3
3/6/20 7:00	0.3	0.4	0.3
3/6/20 8:00	0.2	0.4	0.3
3/6/20 9:00	0.1	0.4	0.3
3/6/20 10:00	0.1	0.4	0.3
3/6/20 11:00	0.1	0.3	0.3
3/6/20 12:00	0.1	0.3	0.3
3/6/20 13:00	0.1	0.2	0.3
3/6/20 14:00	0.1	0.2	0.3
3/6/20 15:00	0.1	0.2	0.3
3/6/20 16:00	0.1	0.1	0.3
3/6/20 17:00	0.1	0.1	0.3
3/6/20 18:00	0.1	0.1	0.3
3/6/20 19:00	0.1	0.1	0.3
3/6/20 20:00	0.1	0.1	0.3
3/6/20 21:00	0.1	0.1	0.3
3/6/20 22:00	0.1	0.1	0.3
3/6/20 23:00	0.1	0.1	0.3
3/7/20 0:00	0.1	0.1	0.3
3/7/20 1:00	0.1	0.1	0.3
3/7/20 2:00	0.2	0.1	0.3
3/7/20 3:00	0.2	0.1	0.3
3/7/20 4:00	0.1	0.1	0.3
3/7/20 5:00	0.1	0.1	0.3
3/7/20 6:00	0.1	0.1	0.3
3/7/20 7:00	0.1	0.1	0.3
3/7/20 8:00	0.1	0.1	0.3
3/7/20 9:00	0.1	0.1	0.3
3/7/20 10:00	0.1	0.1	0.3
3/7/20 11:00	0.1	0.1	0.3
3/7/20 12:00	0.1	0.1	0.3
3/7/20 13:00	0.1	0.1	0.3
3/7/20 14:00	0.2	0.1	0.3
3/7/20 15:00	0.1	0.1	0.3
3/7/20 16:00	0.1	0.1	0.3
3/7/20 17:00	0.1	0.1	0.3
3/7/20 18:00	0.1	0.1	0.3
3/7/20 19:00	0.1	0.1	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/7/20 20:00	0.1	0.1	0.3
3/7/20 21:00	0.1	0.1	0.3
3/7/20 22:00	0.1	0.1	0.3
3/7/20 23:00	0.1	0.1	0.3
3/8/20 0:00	0.1	0.1	0.3
3/8/20 1:00	0.1	0.1	0.3
3/8/20 3:00	0.1	0.1	0.3
3/8/20 4:00	0.1	0.1	0.3
3/8/20 5:00	0.1	0.1	0.3
3/8/20 6:00	0.1	0.1	0.3
3/8/20 7:00	0.1	0.1	0.3
3/8/20 8:00	0.1	0.1	0.3
3/8/20 9:00	0.1	0.1	0.3
3/8/20 10:00	0.1	0.1	0.3
3/8/20 11:00	0.1	0.1	0.3
3/8/20 12:00	0.1	0.1	0.3
3/8/20 13:00	0.1	0.1	0.3
3/8/20 14:00	0.1	0.1	0.3
3/8/20 15:00	0.1	0.1	0.3
3/8/20 16:00	0.1	0.1	0.3
3/8/20 17:00	0.1	0.1	0.3
3/8/20 18:00	0.1	0.1	0.3
3/8/20 19:00	0.1	0.1	0.3
3/8/20 20:00	0.1	0.1	0.3
3/8/20 21:00	0.1	0.1	0.3
3/8/20 22:00	0.1	0.1	0.3
3/8/20 23:00	0.1	0.1	0.3
3/9/20 0:00	0.1	0.1	0.3
3/9/20 1:00	0.1	0.1	0.3
3/9/20 2:00	0.2	0.1	0.3
3/9/20 3:00	0.2	0.1	0.3
3/9/20 4:00	0.2	0.1	0.3
3/9/20 5:00	0.2	0.1	0.3
3/9/20 6:00	0.1	0.1	0.3
3/9/20 7:00	0.1	0.1	0.3
3/9/20 8:00	0.1	0.1	0.3
3/9/20 9:00	0.1	0.1	0.3
3/9/20 10:00	0.1	0.1	0.3
3/9/20 11:00	0.1	0.1	0.3
3/9/20 12:00	0.1	0.1	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/9/20 13:00	0.1	0.1	0.3
3/9/20 14:00	0.1	0.1	0.3
3/9/20 15:00	0.1	0.1	0.3
3/9/20 16:00	0.2	0.1	0.3
3/9/20 17:00	0.1	0.1	0.3
3/9/20 18:00	0.1	0.1	0.3
3/9/20 19:00	0.2	0.1	0.3
3/9/20 20:00	0.2	0.1	0.3
3/9/20 21:00	0.1	0.1	0.3
3/9/20 22:00	0.2	0.1	0.3
3/9/20 23:00	0.2	0.1	0.3
3/10/20 0:00	0.2	0.1	0.3
3/10/20 1:00	0.1	0.1	0.3
3/10/20 2:00	0.1	0.1	0.3
3/10/20 3:00	0.1	0.1	0.3
3/10/20 4:00	0.1	0.1	0.3
3/10/20 5:00	0.1	0.1	0.3
3/10/20 6:00	0.1	0.1	0.3
3/10/20 7:00	0.1	0.1	0.3
3/10/20 8:00	0.2	0.1	0.3
3/10/20 9:00	0.2	0.1	0.3
3/10/20 10:00	0.2	0.1	0.3
3/10/20 11:00	0.2	0.1	0.3
3/10/20 12:00	0.2	0.1	0.3
3/10/20 13:00	0.2	0.1	0.3
3/10/20 14:00	0.2	0.1	0.3
3/10/20 15:00	0.2	0.2	0.3
3/10/20 16:00	0.2	0.2	0.3
3/10/20 17:00	0.2	0.2	0.3
3/10/20 18:00	0.2	0.2	0.3
3/10/20 19:00	0.2	0.2	0.3
3/10/20 20:00	0.2	0.2	0.3
3/10/20 21:00	0.2	0.2	0.3
3/10/20 22:00	0.2	0.2	0.3
3/10/20 23:00	0.1	0.2	0.3
3/11/20 0:00	0.2	0.2	0.3
3/11/20 1:00	0.1	0.2	0.3
3/11/20 2:00	0.1	0.2	0.3
3/11/20 3:00	0.1	0.2	0.3
3/11/20 4:00	0.2	0.2	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/11/20 5:00	0.2	0.2	0.3
3/11/20 6:00	0.1	0.2	0.3
3/11/20 7:00	0.2	0.2	0.3
3/11/20 8:00	0.1	0.2	0.3
3/11/20 9:00	0.2	0.2	0.3
3/11/20 10:00	0.2	0.2	0.3
3/11/20 11:00	0.2	0.2	0.3
3/11/20 12:00	0.2	0.2	0.3
3/11/20 13:00	0.2	0.2	0.3
3/11/20 14:00	0.2	0.2	0.3
3/11/20 15:00	0.1	0.2	0.3
3/11/20 16:00	0.2	0.2	0.3
3/11/20 17:00	0.1	0.2	0.3
3/11/20 18:00	0.2	0.2	0.3
3/11/20 19:00	0.2	0.2	0.3
3/11/20 20:00	0.2	0.2	0.3
3/11/20 21:00	0.1	0.2	0.3
3/11/20 22:00	0.2	0.2	0.3
3/11/20 23:00	0.2	0.2	0.3
3/12/20 0:00	0.2	0.2	0.3
3/12/20 1:00	0.2	0.2	0.3
3/12/20 2:00	0.2	0.2	0.3
3/12/20 3:00	0.2	0.2	0.3
3/12/20 4:00	0.2	0.2	0.3
3/12/20 5:00	0.1	0.2	0.3
3/12/20 6:00	0.1	0.2	0.3
3/12/20 7:00	0.1	0.2	0.3
3/12/20 8:00	0.1	0.2	0.3
3/12/20 9:00	0.1	0.1	0.3
3/12/20 10:00	0.1	0.1	0.3
3/12/20 11:00	0.1	0.1	0.3
3/12/20 12:00	0.1	0.1	0.3
3/12/20 13:00	0.1	0.1	0.3
3/12/20 14:00	0.1	0.1	0.3
3/12/20 15:00	0.1	0.1	0.3
3/12/20 16:00	0.1	0.1	0.3
3/12/20 17:00	0.1	0.1	0.3
3/12/20 18:00	0.1	0.1	0.3
3/12/20 19:00	0.1	0.1	0.3
3/12/20 20:00	0.1	0.1	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/12/20 21:00	0.2	0.1	0.3
3/12/20 22:00	0.2	0.1	0.3
3/12/20 23:00	0.2	0.1	0.3
3/13/20 0:00	0.2	0.1	0.3
3/13/20 1:00	0.1	0.1	0.3
3/13/20 2:00	0.1	0.1	0.3
3/13/20 3:00	0.2	0.1	0.3
3/13/20 4:00	0.1	0.1	0.3
3/13/20 5:00	0.1	0.1	0.3
3/13/20 6:00	0.1	0.1	0.3
3/13/20 7:00	0.1	0.1	0.3
3/13/20 8:00	0.1	0.1	0.3
3/13/20 9:00	0.1	0.1	0.3
3/13/20 10:00	0.1	0.1	0.3
3/13/20 11:00	0.1	0.1	0.3
3/13/20 12:00	0.1	0.1	0.3
3/13/20 13:00	0.1	0.1	0.3
3/13/20 14:00	0.1	0.1	0.3
3/13/20 15:00	0.1	0.1	0.3
3/13/20 16:00	0.1	0.1	0.3
3/13/20 17:00	0.1	0.1	0.3
3/13/20 18:00	0.1	0.1	0.3
3/13/20 19:00	0.1	0.1	0.3
3/13/20 20:00	0.1	0.1	0.3
3/13/20 21:00	0.1	0.1	0.3
3/13/20 22:00	0.1	0.1	0.3
3/13/20 23:00	0.1	0.1	0.3
3/14/20 0:00	0.1	0.1	0.3
3/14/20 1:00	0.1	0.1	0.3
3/14/20 2:00	0.1	0.1	0.3
3/14/20 3:00	0.1	0.1	0.3
3/14/20 4:00	0.1	0.1	0.3
3/14/20 5:00	0.1	0.1	0.3
3/14/20 6:00	0.1	0.1	0.3
3/14/20 7:00	0.1	0.1	0.3
3/14/20 8:00	0.1	0.1	0.3
3/14/20 9:00	0.1	0.1	0.3
3/14/20 10:00	0.1	0.1	0.3
3/14/20 11:00	0.1	0.1	0.3
3/14/20 12:00	0.1	0.1	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/14/20 13:00	0.1	0.1	0.3
3/14/20 14:00	0.1	0.1	0.3
3/14/20 15:00	0.1	0.1	0.3
3/14/20 16:00	0.1	0.1	0.3
3/14/20 17:00	0.1	0.1	0.3
3/14/20 18:00	0.1	0.1	0.3
3/14/20 19:00	0.1	0.1	0.3
3/14/20 20:00	0.1	0.1	0.3
3/14/20 21:00	0.1	0.1	0.3
3/14/20 22:00	0.0	0.1	0.3
3/14/20 23:00	0.0	0.1	0.3
3/15/20 0:00	0.0	0.1	0.3
3/15/20 1:00	0.1	0.1	0.3
3/15/20 2:00	0.1	0.1	0.3
3/15/20 3:00	0.1	0.1	0.3
3/15/20 4:00	0.1	0.1	0.3
3/15/20 5:00	0.1	0.1	0.3
3/15/20 6:00	0.1	0.1	0.3
3/15/20 7:00	0.1	0.1	0.3
3/15/20 8:00	0.1	0.1	0.3
3/15/20 9:00	0.1	0.1	0.3
3/15/20 10:00	0.1	0.1	0.3
3/15/20 11:00	0.0	0.1	0.3
3/15/20 12:00	0.2	0.1	0.3
3/15/20 13:00	0.3	0.1	0.3
3/15/20 14:00	0.3	0.1	0.3
3/15/20 15:00	0.2	0.1	0.3
3/15/20 16:00	0.3	0.1	0.3
3/15/20 17:00	0.3	0.1	0.3
3/15/20 18:00	0.3	0.1	0.3
3/15/20 19:00	0.3	0.1	0.3
3/15/20 20:00	0.4	0.2	0.3
3/15/20 21:00	0.4	0.2	0.3
3/15/20 22:00	0.4	0.2	0.3
3/15/20 23:00	0.4	0.2	0.3
3/16/20 0:00	0.4	0.2	0.3
3/16/20 1:00	0.4	0.2	0.3
3/16/20 2:00	0.4	0.2	0.3
3/16/20 3:00	0.4	0.3	0.3
3/16/20 4:00	0.4	0.3	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/16/20 5:00	0.4	0.3	0.3
3/16/20 6:00	0.4	0.3	0.3
3/16/20 7:00	0.4	0.3	0.3
3/16/20 8:00	0.3	0.3	0.3
3/16/20 9:00	0.3	0.3	0.3
3/16/20 10:00	0.3	0.3	0.3
3/16/20 11:00	0.3	0.3	0.3
3/16/20 12:00	0.4	0.3	0.3
3/16/20 13:00	0.2	0.3	0.3
3/16/20 14:00	0.1	0.3	0.3
3/16/20 15:00	0.1	0.3	0.3
3/16/20 16:00	0.1	0.3	0.3
3/16/20 17:00	0.1	0.3	0.3
3/16/20 18:00	0.1	0.3	0.3
3/16/20 19:00	0.1	0.3	0.3
3/16/20 20:00	0.1	0.3	0.3
3/16/20 21:00	0.1	0.3	0.3
3/16/20 22:00	0.1	0.3	0.3
3/16/20 23:00	0.1	0.3	0.3
3/17/20 0:00	0.1	0.2	0.3
3/17/20 1:00	0.1	0.2	0.3
3/17/20 2:00	0.1	0.2	0.3
3/17/20 3:00	0.1	0.2	0.3
3/17/20 4:00	0.1	0.2	0.3
3/17/20 5:00	0.1	0.2	0.3
3/17/20 6:00	0.1	0.2	0.3
3/17/20 7:00	0.1	0.2	0.3
3/17/20 8:00	0.1	0.2	0.3
3/17/20 9:00	0.1	0.2	0.3
3/17/20 10:00	0.2	0.1	0.3
3/17/20 11:00	0.5	0.2	0.3
3/17/20 12:00	0.3	0.2	0.3
3/17/20 13:00	0.3	0.2	0.3
3/17/20 14:00	0.2	0.2	0.3
3/17/20 15:00	0.2	0.2	0.3
3/17/20 16:00	0.2	0.2	0.3
3/17/20 17:00	0.2	0.2	0.3
3/17/20 18:00	0.2	0.2	0.3
3/17/20 19:00	0.2	0.2	0.3
3/17/20 20:00	0.1	0.2	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/17/20 21:00	0.2	0.2	0.3
3/17/20 22:00	0.2	0.2	0.3
3/17/20 23:00	0.2	0.2	0.3
3/18/20 0:00	0.2	0.2	0.3
3/18/20 1:00	0.2	0.2	0.3
3/18/20 2:00	0.2	0.2	0.3
3/18/20 3:00	0.1	0.2	0.3
3/18/20 4:00	0.1	0.2	0.3
3/18/20 5:00	0.1	0.2	0.3
3/18/20 6:00	0.1	0.2	0.3
3/18/20 7:00	0.1	0.2	0.3
3/18/20 8:00	0.1	0.2	0.3
3/18/20 9:00	0.2	0.2	0.3
3/18/20 10:00	0.1	0.2	0.3
3/18/20 11:00	0.1	0.2	0.3
3/18/20 12:00	0.1	0.2	0.3
3/18/20 13:00	0.1	0.2	0.3
3/18/20 14:00	0.2	0.2	0.3
3/18/20 15:00	0.2	0.2	0.3
3/18/20 16:00	0.2	0.2	0.3
3/18/20 17:00	0.2	0.2	0.3
3/18/20 18:00	0.2	0.2	0.3
3/18/20 19:00	0.2	0.2	0.3
3/18/20 20:00	0.2	0.2	0.3
3/18/20 21:00	0.2	0.2	0.3
3/18/20 22:00	0.3	0.2	0.3
3/18/20 23:00	0.3	0.2	0.3
3/19/20 0:00	0.4	0.2	0.3
3/19/20 1:00	0.4	0.2	0.3
3/19/20 2:00	0.4	0.2	0.3
3/19/20 3:00	0.4	0.2	0.3
3/19/20 4:00	0.4	0.2	0.3
3/19/20 5:00	0.4	0.2	0.3
3/19/20 6:00	0.4	0.2	0.3
3/19/20 7:00	0.4	0.3	0.3
3/19/20 8:00	0.4	0.3	0.3
3/19/20 9:00	0.3	0.3	0.3
3/19/20 10:00	0.4	0.3	0.3
3/19/20 11:00	0.4	0.3	0.3
3/19/20 12:00	0.4	0.3	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/19/20 13:00	0.4	0.3	0.3
3/19/20 14:00	0.3	0.3	0.3
3/19/20 15:00	0.3	0.3	0.3
3/19/20 16:00	0.3	0.3	0.3
3/19/20 17:00	0.4	0.3	0.3
3/19/20 18:00	0.3	0.3	0.3
3/19/20 19:00	0.4	0.3	0.3
3/19/20 20:00	0.5	0.4	0.3
3/19/20 21:00	0.5	0.4	0.3
3/19/20 22:00	0.4	0.4	0.3
3/19/20 23:00	0.4	0.4	0.3
3/20/20 0:00	0.5	0.4	0.3
3/20/20 1:00	0.5	0.4	0.3
3/20/20 2:00	0.5	0.4	0.3
3/20/20 3:00	0.5	0.4	0.3
3/20/20 4:00	0.4	0.4	0.3
3/20/20 5:00	0.4	0.4	0.3
3/20/20 6:00	0.4	0.4	0.3
3/20/20 7:00	0.3	0.4	0.3
3/20/20 8:00	0.3	0.4	0.3
3/20/20 9:00	0.3	0.4	0.3
3/20/20 10:00	0.3	0.4	0.3
3/20/20 11:00	0.3	0.4	0.3
3/20/20 12:00	0.3	0.4	0.3
3/20/20 13:00	0.3	0.4	0.3
3/20/20 14:00	0.3	0.4	0.3
3/20/20 15:00	0.1	0.4	0.3
3/20/20 16:00	0.2	0.4	0.3
3/20/20 17:00	0.2	0.3	0.3
3/20/20 18:00	0.2	0.3	0.3
3/20/20 19:00	0.1	0.3	0.3
3/20/20 20:00	0.2	0.3	0.3
3/20/20 21:00	0.2	0.3	0.3
3/20/20 22:00	0.2	0.3	0.3
3/20/20 23:00	0.2	0.3	0.3
3/21/20 0:00	0.2	0.3	0.3
3/21/20 1:00	0.2	0.3	0.3
3/21/20 2:00	0.2	0.2	0.3
3/21/20 3:00	0.2	0.2	0.3
3/21/20 4:00	0.1	0.2	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/21/20 5:00	0.2	0.2	0.3
3/21/20 6:00	0.1	0.2	0.3
3/21/20 7:00	0.1	0.2	0.3
3/21/20 8:00	0.1	0.2	0.3
3/21/20 9:00	0.2	0.2	0.3
3/21/20 10:00	0.1	0.2	0.3
3/21/20 11:00	0.1	0.2	0.3
3/21/20 12:00	0.1	0.2	0.3
3/21/20 13:00	0.1	0.2	0.3
3/21/20 14:00	0.1	0.2	0.3
3/21/20 15:00	0.1	0.2	0.3
3/21/20 16:00	0.1	0.1	0.3
3/21/20 17:00	0.1	0.1	0.3
3/21/20 18:00	0.1	0.1	0.3
3/21/20 19:00	0.1	0.1	0.3
3/21/20 20:00	0.1	0.1	0.3
3/21/20 21:00	0.1	0.1	0.3
3/21/20 22:00	0.0	0.1	0.3
3/21/20 23:00	0.1	0.1	0.3
3/22/20 0:00	0.1	0.1	0.3
3/22/20 1:00	0.1	0.1	0.3
3/22/20 2:00	0.1	0.1	0.3
3/22/20 3:00	0.1	0.1	0.3
3/22/20 4:00	0.1	0.1	0.3
3/22/20 5:00	0.1	0.1	0.3
3/22/20 6:00	0.1	0.1	0.3
3/22/20 7:00	0.1	0.1	0.3
3/22/20 8:00	0.1	0.1	0.3
3/22/20 9:00	0.1	0.1	0.3
3/22/20 10:00	0.1	0.1	0.3
3/22/20 11:00	0.1	0.1	0.3
3/22/20 12:00	0.1	0.1	0.3
3/22/20 13:00	0.1	0.1	0.3
3/22/20 14:00	0.1	0.1	0.3
3/22/20 15:00	0.1	0.1	0.3
3/22/20 16:00	0.1	0.1	0.3
3/22/20 17:00	0.1	0.1	0.3
3/22/20 18:00	0.2	0.1	0.3
3/22/20 19:00	0.2	0.1	0.3
3/22/20 20:00	0.1	0.1	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/22/20 21:00	0.2	0.1	0.3
3/22/20 22:00	0.1	0.1	0.3
3/22/20 23:00	0.2	0.1	0.3
3/23/20 0:00	0.2	0.1	0.3
3/23/20 1:00	0.2	0.1	0.3
3/23/20 2:00	0.1	0.1	0.3
3/23/20 3:00	0.1	0.1	0.3
3/23/20 4:00	0.2	0.1	0.3
3/23/20 5:00	0.2	0.1	0.3
3/23/20 6:00	0.1	0.1	0.3
3/23/20 7:00	0.2	0.1	0.3
3/23/20 8:00	0.1	0.1	0.3
3/23/20 9:00	0.1	0.1	0.3
3/23/20 10:00	0.1	0.1	0.3
3/23/20 11:00	0.2	0.1	0.3
3/23/20 12:00	0.2	0.1	0.3
3/23/20 13:00	0.2	0.1	0.3
3/23/20 14:00	0.2	0.2	0.3
3/23/20 15:00	0.2	0.2	0.3
3/23/20 16:00	0.2	0.2	0.3
3/23/20 17:00	0.1	0.2	0.3
3/23/20 18:00	0.2	0.2	0.3
3/23/20 19:00	0.2	0.2	0.3
3/23/20 20:00	0.2	0.2	0.3
3/23/20 21:00	0.2	0.2	0.3
3/23/20 22:00	0.2	0.2	0.3
3/23/20 23:00	0.2	0.2	0.3
3/24/20 0:00	0.2	0.2	0.3
3/24/20 1:00	0.2	0.2	0.3
3/24/20 2:00	0.2	0.2	0.3
3/24/20 3:00	0.2	0.2	0.3
3/24/20 4:00	0.2	0.2	0.3
3/24/20 5:00	0.1	0.2	0.3
3/24/20 6:00	0.1	0.2	0.3
3/24/20 7:00	0.1	0.2	0.3
3/24/20 8:00	0.1	0.2	0.3
3/24/20 9:00	0.2	0.2	0.3
3/24/20 10:00	0.2	0.2	0.3
3/24/20 11:00	0.2	0.2	0.3
3/24/20 12:00	0.2	0.2	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/24/20 13:00	0.2	0.2	0.3
3/24/20 14:00	0.2	0.2	0.3
3/24/20 15:00	0.2	0.2	0.3
3/24/20 16:00	0.2	0.2	0.3
3/24/20 17:00	0.2	0.2	0.3
3/24/20 18:00	0.2	0.2	0.3
3/24/20 19:00	0.2	0.2	0.3
3/24/20 20:00	0.2	0.2	0.3
3/24/20 21:00	0.2	0.2	0.3
3/24/20 22:00	0.1	0.2	0.3
3/24/20 23:00	0.1	0.2	0.3
3/25/20 0:00	0.1	0.2	0.3
3/25/20 1:00	0.1	0.2	0.3
3/25/20 2:00	0.1	0.2	0.3
3/25/20 3:00	0.2	0.2	0.3
3/25/20 4:00	0.0	0.2	0.3
3/25/20 5:00	0.1	0.1	0.3
3/25/20 6:00	0.1	0.1	0.3
3/25/20 7:00	0.1	0.1	0.3
3/25/20 8:00	0.2	0.1	0.3
3/25/20 9:00	0.1	0.1	0.3
3/25/20 10:00	0.1	0.1	0.3
3/25/20 11:00	0.1	0.1	0.3
3/25/20 12:00	0.1	0.1	0.3
3/25/20 13:00	0.1	0.1	0.3
3/25/20 14:00	0.1	0.1	0.3
3/25/20 15:00	0.1	0.1	0.3
3/25/20 16:00	0.1	0.1	0.3
3/25/20 17:00	0.1	0.1	0.3
3/25/20 18:00	0.1	0.1	0.3
3/25/20 19:00	0.1	0.1	0.3
3/25/20 20:00	0.1	0.1	0.3
3/25/20 21:00	0.1	0.1	0.3
3/25/20 22:00	0.1	0.1	0.3
3/25/20 23:00	0.1	0.1	0.3
3/26/20 0:00	0.1	0.1	0.3
3/26/20 1:00	0.1	0.1	0.3
3/26/20 2:00	0.1	0.1	0.3
3/26/20 3:00	0.1	0.1	0.3
3/26/20 4:00	0.1	0.1	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/26/20 5:00	0.1	0.1	0.3
3/26/20 6:00	0.1	0.1	0.3
3/26/20 7:00	0.1	0.1	0.3
3/26/20 8:00	0.1	0.1	0.3
3/26/20 9:00	0.1	0.1	0.3
3/26/20 10:00	0.2	0.1	0.3
3/26/20 11:00	0.1	0.1	0.3
3/26/20 12:00	0.1	0.1	0.3
3/26/20 13:00	0.1	0.1	0.3
3/26/20 14:00	0.1	0.1	0.3
3/26/20 15:00	0.1	0.1	0.3
3/26/20 16:00	0.1	0.1	0.3
3/26/20 17:00	0.1	0.1	0.3
3/26/20 18:00	0.1	0.1	0.3
3/26/20 19:00	0.1	0.1	0.3
3/26/20 20:00	0.1	0.1	0.3
3/26/20 21:00	0.1	0.1	0.3
3/26/20 22:00	0.1	0.1	0.3
3/26/20 23:00	0.1	0.1	0.3
3/27/20 0:00	0.1	0.1	0.3
3/27/20 1:00	0.1	0.1	0.3
3/27/20 2:00	0.1	0.1	0.3
3/27/20 3:00	0.1	0.1	0.3
3/27/20 4:00	0.0	0.1	0.3
3/27/20 5:00	0.1	0.1	0.3
3/27/20 6:00	0.1	0.1	0.3
3/27/20 7:00	0.0	0.1	0.3
3/27/20 8:00	0.1	0.1	0.3
3/27/20 9:00	0.1	0.1	0.3
3/27/20 10:00	0.1	0.1	0.3
3/27/20 11:00	0.1	0.1	0.3
3/27/20 12:00	0.1	0.1	0.3
3/27/20 13:00	0.0	0.1	0.3
3/27/20 14:00	0.1	0.1	0.3
3/27/20 15:00	0.1	0.1	0.3
3/27/20 16:00	0.1	0.1	0.3
3/27/20 17:00	0.1	0.1	0.3
3/27/20 18:00	0.1	0.1	0.3
3/27/20 19:00	0.1	0.1	0.3
3/27/20 20:00	0.1	0.1	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/27/20 21:00	0.1	0.1	0.3
3/27/20 22:00	0.1	0.1	0.3
3/27/20 23:00	0.1	0.1	0.3
3/28/20 0:00	0.2	0.1	0.3
3/28/20 1:00	0.1	0.1	0.3
3/28/20 2:00	0.2	0.1	0.3
3/28/20 3:00	0.2	0.1	0.3
3/28/20 4:00	0.1	0.1	0.3
3/28/20 5:00	0.1	0.1	0.3
3/28/20 6:00	0.1	0.1	0.3
3/28/20 7:00	0.1	0.1	0.3
3/28/20 8:00	0.1	0.1	0.3
3/28/20 9:00	0.1	0.1	0.3
3/28/20 10:00	0.1	0.1	0.3
3/28/20 11:00	0.1	0.1	0.3
3/28/20 12:00	0.1	0.1	0.3
3/28/20 13:00	0.1	0.1	0.3
3/28/20 14:00	0.1	0.1	0.3
3/28/20 15:00	0.1	0.1	0.3
3/28/20 16:00	0.1	0.1	0.3
3/28/20 17:00	0.2	0.1	0.3
3/28/20 18:00	0.2	0.1	0.3
3/28/20 19:00	0.2	0.1	0.3
3/28/20 20:00	0.2	0.1	0.3
3/28/20 21:00	0.2	0.1	0.3
3/28/20 22:00	0.2	0.1	0.3
3/28/20 23:00	0.2	0.1	0.3
3/29/20 0:00	0.2	0.1	0.3
3/29/20 1:00	0.2	0.1	0.3
3/29/20 2:00	0.2	0.1	0.3
3/29/20 3:00	0.2	0.1	0.3
3/29/20 4:00	0.2	0.1	0.3
3/29/20 5:00	0.2	0.1	0.3
3/29/20 6:00	0.2	0.1	0.3
3/29/20 7:00	0.1	0.1	0.3
3/29/20 8:00	0.1	0.1	0.3
3/29/20 9:00	0.1	0.1	0.3
3/29/20 10:00	0.1	0.1	0.3
3/29/20 11:00	0.1	0.1	0.3
3/29/20 12:00	0.1	0.1	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/29/20 13:00	0.1	0.1	0.3
3/29/20 14:00	0.0	0.1	0.3
3/29/20 15:00	0.1	0.1	0.3
3/29/20 16:00	0.1	0.1	0.3
3/29/20 17:00	0.1	0.1	0.3
3/29/20 18:00	0.1	0.1	0.3
3/29/20 19:00	0.1	0.1	0.3
3/29/20 20:00	0.1	0.1	0.3
3/29/20 21:00	0.1	0.1	0.3
3/29/20 22:00	0.1	0.1	0.3
3/29/20 23:00	0.1	0.1	0.3
3/30/20 0:00	0.1	0.1	0.3
3/30/20 1:00	0.1	0.1	0.3
3/30/20 2:00	0.1	0.1	0.3
3/30/20 3:00	0.1	0.1	0.3
3/30/20 4:00	0.1	0.1	0.3
3/30/20 5:00	0.1	0.1	0.3
3/30/20 6:00	0.1	0.1	0.3
3/30/20 7:00	0.1	0.1	0.3
3/30/20 8:00	0.1	0.1	0.3
3/30/20 9:00	0.1	0.1	0.3
3/30/20 10:00	0.1	0.1	0.3
3/30/20 11:00	0.1	0.1	0.3
3/30/20 12:00	0.1	0.1	0.3
3/30/20 13:00	0.1	0.1	0.3
3/30/20 14:00	0.2	0.1	0.3
3/30/20 15:00	0.2	0.1	0.3
3/30/20 16:00	0.1	0.1	0.3
3/30/20 17:00	0.2	0.1	0.3
3/30/20 18:00	0.2	0.1	0.3
3/30/20 19:00	0.2	0.1	0.3
3/30/20 20:00	0.1	0.1	0.3
3/30/20 21:00	0.1	0.1	0.3
3/30/20 22:00	0.1	0.1	0.3
3/30/20 23:00	0.1	0.1	0.2
3/31/20 0:00	0.1	0.1	0.2
3/31/20 1:00	0.1	0.1	0.2
3/31/20 2:00	0.1	0.1	0.2
3/31/20 3:00	0.1	0.1	0.2
3/31/20 4:00	0.1	0.1	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
3/31/20 5:00	0.1	0.1	0.2
3/31/20 6:00	0.1	0.1	0.2
3/31/20 7:00	0.1	0.1	0.2
3/31/20 8:00	0.2	0.1	0.2
3/31/20 9:00	0.1	0.1	0.2
3/31/20 10:00	0.1	0.1	0.2
3/31/20 11:00	0.1	0.1	0.2
3/31/20 12:00	0.1	0.1	0.2
3/31/20 13:00	0.1	0.1	0.2
3/31/20 14:00	0.1	0.1	0.2
3/31/20 15:00	0.1	0.1	0.2
3/31/20 16:00	0.1	0.1	0.2
3/31/20 17:00	0.1	0.1	0.2
3/31/20 18:00	0.1	0.1	0.2
3/31/20 19:00	0.1	0.1	0.2
3/31/20 20:00	0.2	0.1	0.2
3/31/20 21:00	0.2	0.1	0.2
3/31/20 22:00	0.1	0.1	0.2
3/31/20 23:00	0.2	0.1	0.2
4/1/20 0:00	0.1	0.1	0.2
4/1/20 1:00	0.1	0.1	0.2
4/1/20 2:00	0.1	0.1	0.2
4/1/20 3:00	0.1	0.1	0.2
4/1/20 4:00	0.1	0.1	0.2
4/1/20 5:00	0.1	0.1	0.2
4/1/20 6:00	0.1	0.1	0.2
4/1/20 7:00	0.1	0.1	0.2
4/1/20 8:00	0.1	0.1	0.2
4/1/20 9:00	0.1	0.1	0.2
4/1/20 10:00	0.1	0.1	0.2
4/1/20 11:00	0.1	0.1	0.2
4/1/20 12:00	0.1	0.1	0.2
4/1/20 13:00	0.1	0.1	0.2
4/1/20 14:00	0.1	0.1	0.2
4/1/20 15:00	0.1	0.1	0.2
4/1/20 16:00	0.1	0.1	0.2
4/1/20 17:00	0.1	0.1	0.2
4/1/20 18:00	0.0	0.1	0.2
4/1/20 19:00	0.1	0.1	0.2
4/1/20 20:00	0.1	0.1	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/1/20 21:00	0.1	0.1	0.2
4/1/20 22:00	0.1	0.1	0.2
4/1/20 23:00	0.1	0.1	0.2
4/2/20 0:00	0.1	0.1	0.2
4/2/20 1:00	0.1	0.1	0.2
4/2/20 2:00	0.1	0.1	0.2
4/2/20 3:00	0.1	0.1	0.2
4/2/20 4:00	0.1	0.1	0.2
4/2/20 5:00	0.1	0.1	0.2
4/2/20 6:00	0.1	0.1	0.2
4/2/20 7:00	0.1	0.1	0.2
4/2/20 8:00	0.2	0.1	0.2
4/2/20 9:00	0.1	0.1	0.2
4/2/20 10:00	0.1	0.1	0.2
4/2/20 11:00	0.1	0.1	0.2
4/2/20 12:00	0.1	0.1	0.2
4/2/20 13:00	0.1	0.1	0.2
4/2/20 14:00	0.2	0.1	0.2
4/2/20 15:00	0.2	0.1	0.2
4/2/20 16:00	0.2	0.1	0.2
4/2/20 17:00	0.2	0.1	0.2
4/2/20 18:00	0.2	0.1	0.2
4/2/20 19:00	0.2	0.1	0.2
4/2/20 20:00	0.2	0.1	0.2
4/2/20 21:00	0.2	0.1	0.2
4/2/20 22:00	0.2	0.2	0.2
4/2/20 23:00	0.2	0.2	0.2
4/3/20 0:00	0.2	0.2	0.2
4/3/20 1:00	0.2	0.2	0.2
4/3/20 2:00	0.2	0.2	0.2
4/3/20 3:00	0.3	0.2	0.2
4/3/20 4:00	0.2	0.2	0.2
4/3/20 5:00	0.2	0.2	0.2
4/3/20 6:00	0.2	0.2	0.2
4/3/20 7:00	0.3	0.2	0.2
4/3/20 8:00	0.3	0.2	0.2
4/3/20 9:00	0.3	0.2	0.2
4/3/20 10:00	0.2	0.2	0.2
4/3/20 11:00	0.2	0.2	0.2
4/3/20 12:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/3/20 13:00	0.2	0.2	0.2
4/3/20 14:00	0.4	0.2	0.2
4/3/20 15:00	0.4	0.2	0.2
4/3/20 16:00	0.3	0.3	0.2
4/3/20 17:00	0.3	0.3	0.2
4/3/20 18:00	0.3	0.3	0.2
4/3/20 19:00	0.3	0.3	0.2
4/3/20 20:00	0.3	0.3	0.2
4/3/20 21:00	0.3	0.3	0.2
4/3/20 22:00	0.3	0.3	0.2
4/3/20 23:00	0.3	0.3	0.2
4/4/20 0:00	0.2	0.3	0.2
4/4/20 1:00	0.2	0.3	0.2
4/4/20 2:00	0.2	0.3	0.2
4/4/20 3:00	0.2	0.3	0.2
4/4/20 4:00	0.2	0.3	0.2
4/4/20 5:00	0.2	0.3	0.2
4/4/20 6:00	0.2	0.3	0.2
4/4/20 7:00	0.2	0.3	0.2
4/4/20 8:00	0.2	0.3	0.2
4/4/20 9:00	0.2	0.3	0.2
4/4/20 10:00	0.1	0.3	0.2
4/4/20 11:00	0.2	0.3	0.2
4/4/20 12:00	0.2	0.3	0.2
4/4/20 13:00	0.2	0.2	0.2
4/4/20 14:00	0.2	0.2	0.2
4/4/20 15:00	0.2	0.2	0.2
4/4/20 16:00	0.2	0.2	0.2
4/4/20 17:00	0.2	0.2	0.2
4/4/20 18:00	0.2	0.2	0.2
4/4/20 19:00	0.2	0.2	0.2
4/4/20 20:00	0.2	0.2	0.2
4/4/20 21:00	0.2	0.2	0.2
4/4/20 22:00	0.2	0.2	0.2
4/4/20 23:00	0.2	0.2	0.2
4/5/20 0:00	0.2	0.2	0.2
4/5/20 1:00	0.2	0.2	0.2
4/5/20 2:00	0.2	0.2	0.2
4/5/20 3:00	0.2	0.2	0.2
4/5/20 4:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/5/20 5:00	0.2	0.2	0.2
4/5/20 6:00	0.2	0.2	0.2
4/5/20 7:00	0.2	0.2	0.2
4/5/20 8:00	0.2	0.2	0.2
4/5/20 9:00	0.2	0.2	0.2
4/5/20 10:00	0.2	0.2	0.2
4/5/20 11:00	0.2	0.2	0.2
4/5/20 12:00	0.2	0.2	0.2
4/5/20 13:00	0.2	0.2	0.2
4/5/20 14:00	0.2	0.2	0.2
4/5/20 15:00	0.1	0.2	0.2
4/5/20 16:00	0.1	0.2	0.2
4/5/20 17:00	0.1	0.2	0.2
4/5/20 18:00	0.1	0.2	0.2
4/5/20 19:00	0.1	0.2	0.2
4/5/20 20:00	0.1	0.2	0.2
4/5/20 21:00	0.1	0.2	0.2
4/5/20 22:00	0.1	0.2	0.2
4/5/20 23:00	0.2	0.2	0.2
4/6/20 0:00	0.2	0.2	0.2
4/6/20 1:00	0.1	0.2	0.2
4/6/20 2:00	0.1	0.2	0.2
4/6/20 3:00	0.2	0.2	0.2
4/6/20 4:00	0.1	0.2	0.2
4/6/20 5:00	0.2	0.2	0.2
4/6/20 6:00	0.1	0.2	0.2
4/6/20 7:00	0.2	0.2	0.2
4/6/20 8:00	0.2	0.2	0.2
4/6/20 9:00	0.2	0.2	0.2
4/6/20 10:00	0.1	0.2	0.2
4/6/20 11:00	0.2	0.2	0.2
4/6/20 12:00	0.1	0.1	0.2
4/6/20 13:00	0.1	0.1	0.2
4/6/20 14:00	0.1	0.1	0.2
4/6/20 15:00	0.2	0.1	0.2
4/6/20 16:00	0.2	0.1	0.2
4/6/20 17:00	0.2	0.1	0.2
4/6/20 18:00	0.2	0.1	0.2
4/6/20 19:00	0.2	0.1	0.2
4/6/20 20:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/6/20 21:00	0.2	0.2	0.2
4/6/20 22:00	0.2	0.2	0.2
4/6/20 23:00	0.2	0.2	0.2
4/7/20 0:00	0.2	0.2	0.2
4/7/20 1:00	0.2	0.2	0.2
4/7/20 2:00	0.3	0.2	0.2
4/7/20 3:00	0.2	0.2	0.2
4/7/20 4:00	0.2	0.2	0.2
4/7/20 5:00	0.2	0.2	0.2
4/7/20 6:00	0.2	0.2	0.2
4/7/20 7:00	0.2	0.2	0.2
4/7/20 8:00	0.2	0.2	0.2
4/7/20 9:00	0.2	0.2	0.2
4/7/20 10:00	0.2	0.2	0.2
4/7/20 11:00	0.2	0.2	0.2
4/7/20 12:00	0.2	0.2	0.2
4/7/20 13:00	0.2	0.2	0.2
4/7/20 14:00	0.2	0.2	0.2
4/7/20 15:00	0.2	0.2	0.2
4/7/20 16:00	0.2	0.2	0.2
4/7/20 17:00	0.3	0.2	0.2
4/7/20 18:00	0.3	0.2	0.2
4/7/20 19:00	0.3	0.2	0.2
4/7/20 20:00	0.3	0.2	0.2
4/7/20 21:00	0.4	0.2	0.2
4/7/20 22:00	0.4	0.2	0.2
4/7/20 23:00	0.4	0.2	0.2
4/8/20 0:00	0.4	0.3	0.2
4/8/20 1:00	0.4	0.3	0.2
4/8/20 2:00	0.4	0.3	0.2
4/8/20 3:00	0.4	0.3	0.2
4/8/20 4:00	0.4	0.3	0.2
4/8/20 5:00	0.2	0.3	0.2
4/8/20 6:00	0.4	0.3	0.2
4/8/20 7:00	0.4	0.3	0.2
4/8/20 8:00	0.4	0.3	0.2
4/8/20 9:00	0.3	0.3	0.2
4/8/20 10:00	0.4	0.3	0.2
4/8/20 11:00	0.3	0.3	0.2
4/8/20 12:00	0.3	0.3	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/8/20 13:00	0.3	0.3	0.2
4/8/20 14:00	0.3	0.3	0.2
4/8/20 15:00	0.3	0.3	0.2
4/8/20 16:00	0.3	0.3	0.2
4/8/20 17:00	0.3	0.3	0.2
4/8/20 18:00	0.3	0.3	0.2
4/8/20 19:00	0.3	0.3	0.2
4/8/20 20:00	0.3	0.3	0.2
4/8/20 21:00	0.3	0.3	0.2
4/8/20 22:00	0.3	0.3	0.2
4/8/20 23:00	0.3	0.3	0.2
4/9/20 0:00	0.3	0.3	0.2
4/9/20 1:00	0.3	0.3	0.2
4/9/20 2:00	0.4	0.3	0.2
4/9/20 3:00	0.3	0.3	0.2
4/9/20 4:00	0.3	0.3	0.2
4/9/20 5:00	0.3	0.3	0.2
4/9/20 6:00	0.3	0.3	0.2
4/9/20 7:00	0.4	0.3	0.2
4/9/20 8:00	0.5	0.3	0.2
4/9/20 9:00	0.5	0.3	0.2
4/9/20 10:00	0.4	0.3	0.2
4/9/20 11:00	0.3	0.3	0.2
4/9/20 12:00	0.3	0.3	0.2
4/9/20 13:00	0.4	0.3	0.2
4/9/20 14:00	0.4	0.3	0.2
4/9/20 15:00	0.4	0.3	0.2
4/9/20 16:00	0.4	0.3	0.2
4/9/20 17:00	0.4	0.4	0.2
4/9/20 18:00	0.4	0.4	0.2
4/9/20 19:00	0.4	0.4	0.2
4/9/20 20:00	0.4	0.4	0.2
4/9/20 21:00	0.4	0.4	0.2
4/9/20 22:00	0.4	0.4	0.2
4/9/20 23:00	0.4	0.4	0.2
4/10/20 0:00	0.4	0.4	0.2
4/10/20 1:00	0.4	0.4	0.2
4/10/20 2:00	0.4	0.4	0.2
4/10/20 3:00	0.4	0.4	0.2
4/10/20 4:00	0.4	0.4	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/10/20 5:00	0.4	0.4	0.2
4/10/20 6:00	0.4	0.4	0.2
4/10/20 7:00	0.4	0.4	0.2
4/10/20 8:00	0.4	0.4	0.2
4/10/20 9:00	0.4	0.4	0.2
4/10/20 10:00	0.4	0.4	0.2
4/10/20 11:00	0.3	0.4	0.2
4/10/20 12:00	0.4	0.4	0.2
4/10/20 13:00	0.4	0.4	0.2
4/10/20 14:00	0.4	0.4	0.2
4/10/20 15:00	0.4	0.4	0.2
4/10/20 16:00	0.4	0.4	0.2
4/10/20 17:00	0.4	0.4	0.2
4/10/20 18:00	0.4	0.4	0.2
4/10/20 19:00	0.4	0.4	0.2
4/10/20 20:00	0.4	0.4	0.2
4/10/20 21:00	0.4	0.4	0.2
4/10/20 22:00	0.4	0.4	0.2
4/10/20 23:00	0.4	0.4	0.2
4/11/20 0:00	0.3	0.4	0.2
4/11/20 1:00	0.3	0.4	0.2
4/11/20 2:00	0.3	0.4	0.2
4/11/20 3:00	0.3	0.4	0.2
4/11/20 4:00	0.3	0.4	0.2
4/11/20 5:00	0.3	0.4	0.2
4/11/20 6:00	0.3	0.4	0.2
4/11/20 7:00	0.3	0.4	0.2
4/11/20 8:00	0.3	0.4	0.2
4/11/20 9:00	0.3	0.4	0.2
4/11/20 10:00	0.3	0.4	0.2
4/11/20 11:00	0.3	0.4	0.2
4/11/20 12:00	0.3	0.4	0.2
4/11/20 13:00	0.1	0.3	0.2
4/11/20 14:00	0.1	0.3	0.2
4/11/20 15:00	0.2	0.3	0.2
4/11/20 16:00	0.2	0.3	0.2
4/11/20 17:00	0.1	0.3	0.2
4/11/20 18:00	0.2	0.3	0.2
4/11/20 19:00	0.2	0.3	0.2
4/11/20 20:00	0.2	0.3	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/11/20 21:00	0.2	0.3	0.2
4/11/20 22:00	0.3	0.3	0.2
4/11/20 23:00	0.3	0.3	0.2
4/12/20 0:00	0.2	0.3	0.2
4/12/20 1:00	0.3	0.3	0.2
4/12/20 2:00	0.2	0.3	0.2
4/12/20 3:00	0.2	0.2	0.2
4/12/20 4:00	0.2	0.2	0.2
4/12/20 5:00	0.2	0.2	0.2
4/12/20 6:00	0.2	0.2	0.2
4/12/20 7:00	0.2	0.2	0.2
4/12/20 8:00	0.2	0.2	0.2
4/12/20 9:00	0.2	0.2	0.2
4/12/20 10:00	0.2	0.2	0.2
4/12/20 11:00	0.2	0.2	0.2
4/12/20 12:00	0.2	0.2	0.2
4/12/20 13:00	0.3	0.2	0.2
4/12/20 14:00	0.3	0.2	0.2
4/12/20 15:00	0.2	0.2	0.2
4/12/20 16:00	0.2	0.2	0.2
4/12/20 17:00	0.2	0.2	0.2
4/12/20 18:00	0.2	0.2	0.2
4/12/20 19:00	0.2	0.2	0.2
4/12/20 20:00	0.2	0.2	0.2
4/12/20 21:00	0.2	0.2	0.2
4/12/20 22:00	0.2	0.2	0.2
4/12/20 23:00	0.2	0.2	0.2
4/13/20 0:00	0.1	0.2	0.2
4/13/20 1:00	0.2	0.2	0.2
4/13/20 2:00	0.2	0.2	0.2
4/13/20 3:00	0.2	0.2	0.2
4/13/20 4:00	0.2	0.2	0.2
4/13/20 5:00	0.2	0.2	0.2
4/13/20 6:00	0.2	0.2	0.2
4/13/20 7:00	0.2	0.2	0.2
4/13/20 8:00	0.2	0.2	0.2
4/13/20 9:00	0.2	0.2	0.2
4/13/20 10:00	0.2	0.2	0.2
4/13/20 11:00	0.2	0.2	0.2
4/13/20 12:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/13/20 13:00	0.2	0.2	0.2
4/13/20 14:00	1.7	0.2	0.2
4/13/20 15:00	0.9	0.3	0.2
4/13/20 16:00	1.7	0.3	0.2
4/13/20 17:00	0.2	0.3	0.2
4/13/20 18:00	0.2	0.3	0.2
4/13/20 19:00	0.2	0.3	0.2
4/13/20 20:00	0.2	0.3	0.2
4/13/20 21:00	0.2	0.3	0.2
4/13/20 22:00	0.2	0.3	0.2
4/13/20 23:00	0.2	0.3	0.2
4/14/20 0:00	0.2	0.3	0.2
4/14/20 1:00	0.2	0.3	0.2
4/14/20 2:00	0.2	0.3	0.2
4/14/20 3:00	0.2	0.3	0.2
4/14/20 4:00	0.2	0.3	0.2
4/14/20 5:00	0.1	0.3	0.2
4/14/20 6:00	0.1	0.3	0.2
4/14/20 7:00	0.2	0.3	0.2
4/14/20 8:00	0.1	0.3	0.2
4/14/20 9:00	0.1	0.3	0.2
4/14/20 10:00	0.2	0.3	0.2
4/14/20 11:00	0.1	0.3	0.2
4/14/20 12:00	0.1	0.3	0.2
4/14/20 13:00	0.2	0.3	0.2
4/14/20 14:00	0.2	0.3	0.2
4/14/20 15:00	0.1	0.2	0.2
4/14/20 16:00	0.1	0.2	0.2
4/14/20 17:00	0.1	0.2	0.2
4/14/20 18:00	0.1	0.2	0.2
4/14/20 19:00	0.1	0.2	0.2
4/14/20 20:00	0.1	0.2	0.2
4/14/20 21:00	0.1	0.2	0.2
4/14/20 22:00	0.1	0.1	0.2
4/14/20 23:00	0.1	0.1	0.2
4/15/20 0:00	0.2	0.1	0.2
4/15/20 1:00	0.1	0.1	0.2
4/15/20 2:00	0.1	0.1	0.2
4/15/20 3:00	0.2	0.1	0.2
4/15/20 4:00	0.2	0.1	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/15/20 5:00	0.2	0.1	0.2
4/15/20 6:00	0.2	0.1	0.2
4/15/20 7:00	0.1	0.1	0.2
4/15/20 8:00	0.1	0.1	0.2
4/15/20 9:00	0.2	0.1	0.2
4/15/20 10:00	0.1	0.1	0.2
4/15/20 11:00	0.1	0.1	0.2
4/15/20 12:00	0.1	0.1	0.2
4/15/20 13:00	0.1	0.1	0.2
4/15/20 14:00	0.1	0.1	0.2
4/15/20 15:00	0.1	0.1	0.2
4/15/20 16:00	0.2	0.1	0.2
4/15/20 17:00	0.2	0.2	0.2
4/15/20 18:00	0.2	0.2	0.2
4/15/20 19:00	0.2	0.2	0.2
4/15/20 20:00	0.2	0.2	0.2
4/15/20 21:00	0.2	0.2	0.2
4/15/20 22:00	0.2	0.2	0.2
4/15/20 23:00	0.2	0.2	0.2
4/16/20 0:00	0.2	0.2	0.2
4/16/20 1:00	0.2	0.2	0.2
4/16/20 2:00	0.2	0.2	0.2
4/16/20 3:00	0.2	0.2	0.2
4/16/20 4:00	0.2	0.2	0.2
4/16/20 5:00	0.2	0.2	0.2
4/16/20 6:00	0.1	0.2	0.2
4/16/20 7:00	0.2	0.2	0.2
4/16/20 8:00	0.2	0.2	0.2
4/16/20 9:00	0.2	0.2	0.2
4/16/20 10:00	0.2	0.2	0.2
4/16/20 11:00	0.2	0.2	0.2
4/16/20 12:00	0.2	0.2	0.2
4/16/20 13:00	0.2	0.2	0.2
4/16/20 14:00	0.1	0.2	0.2
4/16/20 15:00	0.1	0.2	0.2
4/16/20 16:00	0.1	0.2	0.2
4/16/20 17:00	0.3	0.2	0.2
4/16/20 18:00	0.6	0.2	0.2
4/16/20 19:00	0.8	0.2	0.2
4/16/20 20:00	0.6	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/16/20 21:00	0.7	0.3	0.2
4/16/20 22:00	0.9	0.3	0.2
4/16/20 23:00	0.6	0.3	0.2
4/17/20 0:00	0.5	0.3	0.2
4/17/20 1:00	0.7	0.3	0.2
4/17/20 2:00	0.3	0.4	0.2
4/17/20 3:00	0.6	0.4	0.2
4/17/20 4:00	0.7	0.4	0.2
4/17/20 5:00	0.3	0.4	0.2
4/17/20 6:00	0.1	0.4	0.2
4/17/20 7:00	0.5	0.4	0.2
4/17/20 8:00	0.6	0.4	0.2
4/17/20 9:00	1.0	0.5	0.2
4/17/20 10:00	0.7	0.5	0.2
4/17/20 11:00	0.6	0.5	0.2
4/17/20 12:00	0.3	0.5	0.2
4/17/20 13:00	0.7	0.5	0.2
4/17/20 14:00	0.1	0.5	0.2
4/17/20 15:00	0.1	0.5	0.2
4/17/20 16:00	0.2	0.5	0.2
4/17/20 17:00	0.1	0.5	0.2
4/17/20 18:00	0.1	0.5	0.2
4/17/20 19:00	0.1	0.5	0.2
4/17/20 20:00	0.1	0.5	0.2
4/17/20 21:00	0.1	0.4	0.2
4/17/20 22:00	0.1	0.4	0.2
4/17/20 23:00	0.1	0.4	0.2
4/18/20 0:00	0.1	0.4	0.2
4/18/20 1:00	0.1	0.3	0.2
4/18/20 2:00	0.1	0.3	0.2
4/18/20 3:00	0.1	0.3	0.2
4/18/20 4:00	0.1	0.3	0.2
4/18/20 5:00	0.1	0.3	0.2
4/18/20 6:00	0.1	0.3	0.2
4/18/20 7:00	0.1	0.2	0.2
4/18/20 8:00	0.1	0.2	0.2
4/18/20 9:00	0.1	0.2	0.2
4/18/20 10:00	0.1	0.2	0.2
4/18/20 11:00	0.1	0.2	0.2
4/18/20 12:00	0.1	0.1	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/18/20 13:00	0.2	0.1	0.2
4/18/20 14:00	0.2	0.1	0.2
4/18/20 15:00	0.2	0.1	0.2
4/18/20 16:00	0.2	0.1	0.2
4/18/20 17:00	0.2	0.1	0.2
4/18/20 18:00	0.1	0.1	0.2
4/18/20 19:00	0.2	0.1	0.2
4/18/20 20:00	0.2	0.1	0.2
4/18/20 21:00	0.2	0.1	0.2
4/18/20 22:00	0.2	0.1	0.2
4/18/20 23:00	0.1	0.1	0.2
4/19/20 0:00	0.1	0.1	0.2
4/19/20 1:00	0.2	0.1	0.2
4/19/20 2:00	0.3	0.2	0.2
4/19/20 3:00	0.2	0.2	0.2
4/19/20 4:00	0.2	0.2	0.2
4/19/20 5:00	0.3	0.2	0.2
4/19/20 6:00	0.2	0.2	0.2
4/19/20 7:00	0.2	0.2	0.2
4/19/20 8:00	0.3	0.2	0.2
4/19/20 9:00	0.3	0.2	0.2
4/19/20 10:00	0.2	0.2	0.2
4/19/20 11:00	0.2	0.2	0.2
4/19/20 12:00	0.2	0.2	0.2
4/19/20 13:00	0.3	0.2	0.2
4/19/20 14:00	0.2	0.2	0.2
4/19/20 15:00	0.3	0.2	0.2
4/19/20 16:00	0.2	0.2	0.2
4/19/20 17:00	0.1	0.2	0.2
4/19/20 18:00	0.1	0.2	0.2
4/19/20 19:00	0.1	0.2	0.2
4/19/20 20:00	0.1	0.2	0.2
4/19/20 21:00	0.1	0.2	0.2
4/19/20 22:00	0.1	0.2	0.2
4/19/20 23:00	0.1	0.2	0.2
4/20/20 0:00	0.1	0.2	0.2
4/20/20 1:00	0.1	0.2	0.2
4/20/20 2:00	0.1	0.2	0.2
4/20/20 3:00	0.1	0.2	0.2
4/20/20 4:00	0.1	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/20/20 5:00	0.1	0.2	0.2
4/20/20 6:00	0.1	0.2	0.2
4/20/20 7:00	0.1	0.2	0.2
4/20/20 8:00	0.1	0.2	0.2
4/20/20 9:00	0.1	0.1	0.2
4/20/20 10:00	0.1	0.1	0.2
4/20/20 11:00	0.1	0.1	0.2
4/20/20 12:00	0.1	0.1	0.2
4/20/20 13:00	0.1	0.1	0.2
4/20/20 14:00	0.1	0.1	0.2
4/20/20 15:00	0.1	0.1	0.2
4/20/20 16:00	0.1	0.1	0.2
4/20/20 17:00	0.1	0.1	0.2
4/20/20 18:00	0.1	0.1	0.2
4/20/20 19:00	0.2	0.1	0.2
4/20/20 20:00	0.1	0.1	0.2
4/20/20 21:00	0.1	0.1	0.2
4/20/20 22:00	0.1	0.1	0.2
4/20/20 23:00	0.1	0.1	0.2
4/21/20 0:00	0.1	0.1	0.2
4/21/20 1:00	0.1	0.1	0.2
4/21/20 2:00	0.1	0.1	0.2
4/21/20 3:00	0.1	0.1	0.2
4/21/20 4:00	0.2	0.1	0.2
4/21/20 5:00	0.1	0.1	0.2
4/21/20 6:00	0.1	0.1	0.2
4/21/20 7:00	0.1	0.1	0.2
4/21/20 8:00	0.1	0.1	0.2
4/21/20 9:00	0.1	0.1	0.2
4/21/20 10:00	0.3	0.1	0.2
4/21/20 11:00	0.3	0.1	0.2
4/21/20 12:00	0.5	0.1	0.2
4/21/20 13:00	0.7	0.2	0.2
4/21/20 14:00	0.7	0.2	0.2
4/21/20 15:00	0.5	0.2	0.2
4/21/20 16:00	0.7	0.2	0.2
4/21/20 17:00	0.6	0.2	0.2
4/21/20 18:00	0.5	0.3	0.2
4/21/20 19:00	0.7	0.3	0.2
4/21/20 20:00	0.5	0.3	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/21/20 21:00	0.5	0.3	0.2
4/21/20 22:00	0.6	0.3	0.2
4/21/20 23:00	0.3	0.3	0.2
4/22/20 0:00	0.5	0.4	0.2
4/22/20 1:00	0.5	0.4	0.2
4/22/20 2:00	0.9	0.4	0.2
4/22/20 3:00	0.7	0.4	0.2
4/22/20 4:00	0.9	0.5	0.2
4/22/20 5:00	0.7	0.5	0.2
4/22/20 6:00	0.1	0.5	0.2
4/22/20 7:00	0.1	0.5	0.2
4/22/20 8:00	0.1	0.5	0.2
4/22/20 9:00	0.1	0.5	0.2
4/22/20 10:00	0.1	0.5	0.2
4/22/20 11:00	0.1	0.5	0.2
4/22/20 12:00	0.2	0.5	0.2
4/22/20 13:00	0.3	0.4	0.2
4/22/20 14:00	0.3	0.4	0.2
4/22/20 15:00	0.3	0.4	0.2
4/22/20 16:00	0.4	0.4	0.2
4/22/20 17:00	0.5	0.4	0.2
4/22/20 18:00	0.5	0.4	0.2
4/22/20 19:00	0.5	0.4	0.2
4/22/20 20:00	0.5	0.4	0.2
4/22/20 21:00	0.4	0.4	0.2
4/22/20 22:00	0.4	0.4	0.2
4/22/20 23:00	0.5	0.4	0.2
4/23/20 0:00	0.5	0.4	0.2
4/23/20 1:00	0.4	0.4	0.2
4/23/20 2:00	0.4	0.4	0.2
4/23/20 3:00	0.4	0.4	0.2
4/23/20 4:00	0.5	0.3	0.2
4/23/20 5:00	0.4	0.3	0.2
4/23/20 6:00	0.4	0.3	0.2
4/23/20 7:00	0.5	0.4	0.2
4/23/20 8:00	0.4	0.4	0.2
4/23/20 9:00	0.4	0.4	0.2
4/23/20 10:00	0.4	0.4	0.2
4/23/20 11:00	0.5	0.4	0.2
4/23/20 12:00	0.5	0.4	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/23/20 13:00	0.3	0.4	0.2
4/23/20 14:00	0.3	0.4	0.2
4/23/20 15:00	0.3	0.4	0.2
4/23/20 16:00	0.2	0.4	0.2
4/23/20 17:00	0.2	0.4	0.2
4/23/20 18:00	0.3	0.4	0.2
4/23/20 19:00	0.3	0.4	0.2
4/23/20 20:00	0.3	0.4	0.2
4/23/20 21:00	0.2	0.4	0.2
4/23/20 22:00	0.2	0.4	0.2
4/23/20 23:00	0.2	0.4	0.2
4/24/20 0:00	0.2	0.3	0.2
4/24/20 1:00	0.2	0.3	0.2
4/24/20 2:00	0.2	0.3	0.2
4/24/20 3:00	0.2	0.3	0.2
4/24/20 4:00	0.2	0.3	0.2
4/24/20 5:00	0.2	0.3	0.2
4/24/20 6:00	0.2	0.3	0.2
4/24/20 7:00	0.2	0.3	0.2
4/24/20 8:00	0.2	0.3	0.2
4/24/20 9:00	0.2	0.2	0.2
4/24/20 10:00	0.2	0.2	0.2
4/24/20 11:00	0.2	0.2	0.2
4/24/20 12:00	0.2	0.2	0.2
4/24/20 13:00	0.2	0.2	0.2
4/24/20 14:00	0.2	0.2	0.2
4/24/20 15:00	0.3	0.2	0.2
4/24/20 16:00	0.2	0.2	0.2
4/24/20 17:00	0.2	0.2	0.2
4/24/20 18:00	0.2	0.2	0.2
4/24/20 19:00	0.2	0.2	0.2
4/24/20 20:00	0.2	0.2	0.2
4/24/20 21:00	0.2	0.2	0.2
4/24/20 22:00	0.3	0.2	0.2
4/24/20 23:00	0.2	0.2	0.2
4/25/20 0:00	0.2	0.2	0.2
4/25/20 1:00	0.2	0.2	0.2
4/25/20 2:00	0.2	0.2	0.2
4/25/20 3:00	0.2	0.2	0.2
4/25/20 4:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/25/20 5:00	0.1	0.2	0.2
4/25/20 6:00	0.2	0.2	0.2
4/25/20 7:00	0.2	0.2	0.2
4/25/20 8:00	0.2	0.2	0.2
4/25/20 9:00	0.1	0.2	0.2
4/25/20 10:00	0.3	0.2	0.2
4/25/20 11:00	0.3	0.2	0.2
4/25/20 12:00	0.2	0.2	0.2
4/25/20 13:00	0.2	0.2	0.2
4/25/20 14:00	0.3	0.2	0.2
4/25/20 15:00	0.2	0.2	0.2
4/25/20 16:00	0.2	0.2	0.2
4/25/20 17:00	0.2	0.2	0.2
4/25/20 18:00	0.1	0.2	0.2
4/25/20 19:00	0.2	0.2	0.2
4/25/20 20:00	0.2	0.2	0.2
4/25/20 21:00	0.2	0.2	0.2
4/25/20 22:00	0.2	0.2	0.2
4/25/20 23:00	0.1	0.2	0.2
4/26/20 0:00	0.2	0.2	0.2
4/26/20 1:00	0.2	0.2	0.2
4/26/20 2:00	0.2	0.2	0.2
4/26/20 3:00	0.2	0.2	0.2
4/26/20 4:00	0.1	0.2	0.2
4/26/20 5:00	0.2	0.2	0.2
4/26/20 6:00	0.2	0.2	0.2
4/26/20 7:00	0.2	0.2	0.2
4/26/20 8:00	0.2	0.2	0.2
4/26/20 9:00	0.2	0.2	0.2
4/26/20 10:00	0.2	0.2	0.2
4/26/20 11:00	0.2	0.2	0.2
4/26/20 12:00	0.2	0.2	0.2
4/26/20 13:00	0.2	0.2	0.2
4/26/20 14:00	0.2	0.2	0.2
4/26/20 15:00	0.2	0.2	0.2
4/26/20 16:00	0.3	0.2	0.2
4/26/20 17:00	0.2	0.2	0.2
4/26/20 18:00	0.1	0.2	0.2
4/26/20 19:00	0.2	0.2	0.2
4/26/20 20:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/26/20 21:00	0.2	0.2	0.2
4/26/20 22:00	0.2	0.2	0.2
4/26/20 23:00	0.2	0.2	0.2
4/27/20 0:00	0.2	0.2	0.2
4/27/20 1:00	0.2	0.2	0.2
4/27/20 2:00	0.1	0.2	0.2
4/27/20 3:00	0.1	0.2	0.2
4/27/20 4:00	0.1	0.2	0.2
4/27/20 5:00	0.1	0.2	0.2
4/27/20 6:00	0.1	0.2	0.2
4/27/20 7:00	0.1	0.2	0.2
4/27/20 8:00	0.2	0.2	0.2
4/27/20 9:00	0.2	0.2	0.2
4/27/20 10:00	0.2	0.2	0.2
4/27/20 11:00	0.2	0.2	0.2
4/27/20 12:00	0.2	0.2	0.2
4/27/20 13:00	0.2	0.2	0.2
4/27/20 14:00	0.2	0.2	0.2
4/27/20 15:00	0.2	0.2	0.2
4/27/20 16:00	0.2	0.2	0.2
4/27/20 17:00	0.1	0.2	0.2
4/27/20 18:00	0.2	0.2	0.2
4/27/20 19:00	0.2	0.2	0.2
4/27/20 20:00	0.4	0.2	0.2
4/27/20 21:00	0.5	0.2	0.2
4/27/20 22:00	0.5	0.2	0.2
4/27/20 23:00	0.5	0.2	0.2
4/28/20 0:00	0.5	0.2	0.2
4/28/20 1:00	0.5	0.2	0.2
4/28/20 2:00	0.5	0.3	0.2
4/28/20 3:00	0.5	0.3	0.2
4/28/20 4:00	0.4	0.3	0.2
4/28/20 5:00	0.3	0.3	0.2
4/28/20 6:00	0.3	0.3	0.2
4/28/20 7:00	0.4	0.3	0.2
4/28/20 8:00	0.3	0.3	0.2
4/28/20 9:00	0.2	0.3	0.2
4/28/20 10:00	0.3	0.3	0.2
4/28/20 11:00	0.4	0.3	0.2
4/28/20 12:00	0.4	0.3	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/28/20 13:00	0.5	0.4	0.2
4/28/20 14:00	0.4	0.4	0.2
4/28/20 15:00	0.4	0.4	0.2
4/28/20 16:00	0.4	0.4	0.2
4/28/20 17:00	0.3	0.4	0.2
4/28/20 18:00	0.3	0.4	0.2
4/28/20 19:00	0.3	0.4	0.2
4/28/20 20:00	0.2	0.4	0.2
4/28/20 21:00	0.2	0.4	0.2
4/28/20 22:00	0.3	0.4	0.2
4/28/20 23:00	0.3	0.4	0.2
4/29/20 0:00	0.3	0.4	0.2
4/29/20 1:00	0.3	0.3	0.2
4/29/20 2:00	0.3	0.3	0.2
4/29/20 3:00	0.3	0.3	0.2
4/29/20 4:00	0.3	0.3	0.2
4/29/20 5:00	0.3	0.3	0.2
4/29/20 6:00	0.3	0.3	0.2
4/29/20 7:00	0.3	0.3	0.2
4/29/20 8:00	0.3	0.3	0.2
4/29/20 9:00	0.3	0.3	0.2
4/29/20 10:00	0.3	0.3	0.2
4/29/20 11:00	0.3	0.3	0.2
4/29/20 12:00	0.3	0.3	0.2
4/29/20 13:00	0.3	0.3	0.2
4/29/20 14:00	0.3	0.3	0.2
4/29/20 15:00	0.3	0.3	0.2
4/29/20 16:00	0.3	0.3	0.2
4/29/20 17:00	0.3	0.3	0.2
4/29/20 18:00	0.2	0.3	0.2
4/29/20 19:00	0.3	0.3	0.2
4/29/20 20:00	0.3	0.3	0.2
4/29/20 21:00	0.2	0.3	0.2
4/29/20 22:00	0.2	0.3	0.2
4/29/20 23:00	0.1	0.3	0.2
4/30/20 0:00	0.1	0.3	0.2
4/30/20 1:00	0.1	0.3	0.2
4/30/20 2:00	0.1	0.2	0.2
4/30/20 3:00	0.1	0.2	0.2
4/30/20 4:00	0.1	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
4/30/20 5:00	0.2	0.2	0.2
4/30/20 6:00	0.2	0.2	0.2
4/30/20 7:00	0.2	0.2	0.2
4/30/20 8:00	0.2	0.2	0.2
4/30/20 9:00	0.2	0.2	0.2
4/30/20 10:00	0.2	0.2	0.2
4/30/20 11:00	0.2	0.2	0.2
4/30/20 12:00	0.2	0.2	0.2
4/30/20 13:00	0.2	0.2	0.2
4/30/20 14:00	0.2	0.2	0.2
4/30/20 15:00	0.2	0.2	0.2
4/30/20 16:00	0.2	0.2	0.2
4/30/20 17:00	0.2	0.2	0.2
4/30/20 18:00	0.2	0.2	0.2
4/30/20 19:00	0.2	0.2	0.2
4/30/20 20:00	0.2	0.2	0.2
4/30/20 21:00	0.2	0.2	0.2
4/30/20 22:00	0.2	0.2	0.2
4/30/20 23:00	0.2	0.2	0.2
5/1/20 0:00	0.1	0.2	0.2
5/1/20 1:00	0.2	0.2	0.2
5/1/20 2:00	0.2	0.2	0.2
5/1/20 3:00	0.2	0.2	0.2
5/1/20 4:00	0.2	0.2	0.2
5/1/20 5:00	0.1	0.2	0.2
5/1/20 6:00	0.0	0.2	0.2
5/1/20 7:00	0.1	0.2	0.2
5/1/20 8:00	0.1	0.2	0.2
5/1/20 9:00	0.1	0.2	0.2
5/1/20 10:00	0.0	0.2	0.2
5/1/20 11:00	0.0	0.1	0.2
5/1/20 12:00	0.1	0.1	0.2
5/1/20 13:00	0.1	0.1	0.2
5/1/20 14:00	0.1	0.1	0.2
5/1/20 15:00	0.1	0.1	0.2
5/1/20 16:00	0.0	0.1	0.2
5/1/20 17:00	0.0	0.1	0.2
5/1/20 18:00	0.0	0.1	0.2
5/1/20 19:00	0.1	0.1	0.2
5/1/20 20:00	0.1	0.1	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/1/20 21:00	0.2	0.1	0.2
5/1/20 22:00	0.1	0.1	0.2
5/1/20 23:00	0.1	0.1	0.2
5/2/20 0:00	0.1	0.1	0.2
5/2/20 1:00	0.1	0.1	0.2
5/2/20 2:00	0.1	0.1	0.2
5/2/20 3:00	0.1	0.1	0.2
5/2/20 4:00	0.0	0.1	0.2
5/2/20 5:00	0.0	0.1	0.2
5/2/20 6:00	0.0	0.1	0.2
5/2/20 7:00	0.1	0.1	0.2
5/2/20 8:00	0.1	0.1	0.2
5/2/20 9:00	0.1	0.1	0.2
5/2/20 10:00	0.1	0.1	0.2
5/2/20 11:00	0.2	0.1	0.2
5/2/20 12:00	0.1	0.1	0.2
5/2/20 13:00	0.1	0.1	0.2
5/2/20 14:00	0.1	0.1	0.2
5/2/20 15:00	0.1	0.1	0.2
5/2/20 16:00	0.1	0.1	0.2
5/2/20 17:00	0.1	0.1	0.2
5/2/20 18:00	0.1	0.1	0.2
5/2/20 19:00	0.1	0.1	0.2
5/2/20 20:00	0.1	0.1	0.2
5/2/20 21:00	0.1	0.1	0.2
5/2/20 22:00	0.1	0.1	0.2
5/2/20 23:00	0.1	0.1	0.2
5/3/20 0:00	0.1	0.1	0.2
5/3/20 1:00	0.1	0.1	0.2
5/3/20 2:00	0.1	0.1	0.2
5/3/20 3:00	0.1	0.1	0.2
5/3/20 4:00	0.1	0.1	0.2
5/3/20 5:00	0.1	0.1	0.2
5/3/20 6:00	0.1	0.1	0.2
5/3/20 7:00	0.1	0.1	0.2
5/3/20 8:00	0.1	0.1	0.2
5/3/20 9:00	0.1	0.1	0.2
5/3/20 10:00	0.1	0.1	0.2
5/3/20 11:00	0.1	0.1	0.2
5/3/20 12:00	0.1	0.1	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/3/20 13:00	0.1	0.1	0.2
5/3/20 14:00	0.1	0.1	0.2
5/3/20 15:00	0.1	0.1	0.2
5/3/20 16:00	0.2	0.1	0.2
5/3/20 17:00	0.2	0.1	0.2
5/3/20 18:00	0.2	0.1	0.2
5/3/20 19:00	0.2	0.1	0.2
5/3/20 20:00	0.2	0.1	0.2
5/3/20 21:00	0.2	0.1	0.2
5/3/20 22:00	0.2	0.1	0.2
5/3/20 23:00	0.2	0.1	0.2
5/4/20 0:00	0.2	0.1	0.2
5/4/20 1:00	0.2	0.1	0.2
5/4/20 2:00	0.2	0.1	0.2
5/4/20 3:00	0.2	0.1	0.2
5/4/20 4:00	0.2	0.1	0.2
5/4/20 5:00	0.2	0.1	0.2
5/4/20 6:00	0.2	0.2	0.2
5/4/20 7:00	0.2	0.2	0.2
5/4/20 8:00	0.2	0.2	0.2
5/4/20 9:00	0.1	0.2	0.2
5/4/20 10:00	0.1	0.2	0.2
5/4/20 11:00	0.2	0.2	0.2
5/4/20 12:00	0.2	0.2	0.2
5/4/20 13:00	0.2	0.2	0.2
5/4/20 14:00	0.1	0.2	0.2
5/4/20 15:00	0.1	0.2	0.2
5/4/20 16:00	0.2	0.2	0.2
5/4/20 17:00	0.1	0.2	0.2
5/4/20 18:00	0.1	0.2	0.2
5/4/20 19:00	0.1	0.2	0.2
5/4/20 20:00	0.1	0.2	0.2
5/4/20 21:00	0.1	0.1	0.2
5/4/20 22:00	0.1	0.1	0.2
5/4/20 23:00	0.1	0.1	0.2
5/5/20 0:00	0.1	0.1	0.2
5/5/20 1:00	0.1	0.1	0.2
5/5/20 2:00	0.1	0.1	0.2
5/5/20 3:00	0.1	0.1	0.2
5/5/20 4:00	0.1	0.1	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/5/20 5:00	0.1	0.1	0.2
5/5/20 6:00	0.1	0.1	0.2
5/5/20 7:00	0.9	0.1	0.2
5/5/20 8:00	0.8	0.2	0.2
5/5/20 9:00	0.1	0.2	0.2
5/5/20 10:00	0.2	0.2	0.2
5/5/20 11:00	0.2	0.2	0.2
5/5/20 12:00	0.2	0.2	0.2
5/5/20 13:00	0.4	0.2	0.2
5/5/20 14:00	0.6	0.2	0.2
5/5/20 15:00	0.5	0.2	0.2
5/5/20 16:00	0.7	0.2	0.2
5/5/20 17:00	0.0	0.2	0.2
5/5/20 18:00	0.0	0.2	0.2
5/5/20 19:00	0.7	0.3	0.2
5/5/20 20:00	0.7	0.3	0.2
5/5/20 21:00	0.3	0.3	0.2
5/5/20 22:00	0.1	0.3	0.2
5/5/20 23:00	0.5	0.3	0.2
5/6/20 0:00	0.9	0.3	0.2
5/6/20 1:00	0.5	0.4	0.2
5/6/20 2:00	0.8	0.4	0.2
5/6/20 3:00	0.8	0.4	0.2
5/6/20 4:00	0.1	0.4	0.2
5/6/20 5:00	0.1	0.4	0.2
5/6/20 6:00	0.0	0.4	0.2
5/6/20 7:00	0.1	0.4	0.2
5/6/20 8:00	0.1	0.4	0.2
5/6/20 9:00	0.1	0.4	0.2
5/6/20 10:00	0.1	0.4	0.2
5/6/20 11:00	0.1	0.3	0.2
5/6/20 12:00	0.1	0.3	0.2
5/6/20 13:00	0.1	0.3	0.2
5/6/20 14:00	0.0	0.3	0.2
5/6/20 15:00	0.1	0.3	0.2
5/6/20 16:00	0.1	0.3	0.2
5/6/20 17:00	0.1	0.3	0.2
5/6/20 18:00	0.1	0.3	0.2
5/6/20 19:00	0.1	0.2	0.2
5/6/20 20:00	0.1	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/6/20 21:00	0.1	0.2	0.2
5/6/20 22:00	0.1	0.2	0.2
5/6/20 23:00	0.1	0.2	0.2
5/7/20 0:00	0.1	0.2	0.2
5/7/20 1:00	0.1	0.1	0.2
5/7/20 2:00	0.1	0.1	0.2
5/7/20 3:00	0.1	0.1	0.2
5/7/20 4:00	0.1	0.1	0.2
5/7/20 5:00	0.1	0.1	0.2
5/7/20 6:00	0.1	0.1	0.2
5/7/20 7:00	0.1	0.1	0.2
5/7/20 8:00	0.1	0.1	0.2
5/7/20 9:00	0.1	0.1	0.2
5/7/20 10:00	0.1	0.1	0.2
5/7/20 11:00	0.1	0.1	0.2
5/7/20 12:00	0.1	0.1	0.2
5/7/20 13:00	0.1	0.1	0.2
5/7/20 14:00	0.1	0.1	0.2
5/7/20 15:00	0.1	0.1	0.2
5/7/20 16:00	0.1	0.1	0.2
5/7/20 17:00	0.1	0.1	0.2
5/7/20 18:00	0.2	0.1	0.2
5/7/20 19:00	0.2	0.1	0.2
5/7/20 20:00	0.2	0.1	0.2
5/7/20 21:00	0.2	0.1	0.2
5/7/20 22:00	0.1	0.1	0.2
5/7/20 23:00	0.1	0.1	0.2
5/8/20 0:00	0.2	0.1	0.2
5/8/20 1:00	0.1	0.1	0.2
5/8/20 2:00	0.2	0.1	0.2
5/8/20 3:00	0.1	0.1	0.2
5/8/20 4:00	0.2	0.1	0.2
5/8/20 5:00	0.1	0.1	0.2
5/8/20 6:00	0.1	0.1	0.2
5/8/20 7:00	0.2	0.1	0.2
5/8/20 8:00	0.1	0.1	0.2
5/8/20 9:00	0.1	0.1	0.2
5/8/20 10:00	0.1	0.1	0.2
5/8/20 11:00	0.1	0.1	0.2
5/8/20 12:00	0.2	0.1	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/8/20 13:00	0.1	0.1	0.2
5/8/20 14:00	0.1	0.1	0.2
5/8/20 15:00	0.2	0.1	0.2
5/8/20 16:00	0.2	0.2	0.2
5/8/20 17:00	0.1	0.2	0.2
5/8/20 18:00	0.2	0.2	0.2
5/8/20 19:00	0.2	0.1	0.2
5/8/20 20:00	0.2	0.1	0.2
5/8/20 21:00	0.2	0.1	0.2
5/8/20 22:00	0.2	0.1	0.2
5/8/20 23:00	0.2	0.2	0.2
5/9/20 0:00	0.2	0.2	0.2
5/9/20 1:00	0.2	0.2	0.2
5/9/20 2:00	0.3	0.2	0.2
5/9/20 3:00	0.3	0.2	0.2
5/9/20 4:00	0.3	0.2	0.2
5/9/20 5:00	0.3	0.2	0.2
5/9/20 6:00	0.3	0.2	0.2
5/9/20 7:00	0.3	0.2	0.2
5/9/20 8:00	0.2	0.2	0.2
5/9/20 9:00	0.3	0.2	0.2
5/9/20 10:00	0.2	0.2	0.2
5/9/20 11:00	0.3	0.2	0.2
5/9/20 12:00	0.3	0.2	0.2
5/9/20 13:00	0.3	0.2	0.2
5/9/20 14:00	0.3	0.2	0.2
5/9/20 15:00	0.3	0.2	0.2
5/9/20 16:00	0.2	0.2	0.2
5/9/20 17:00	0.2	0.2	0.2
5/9/20 18:00	0.2	0.2	0.2
5/9/20 19:00	0.2	0.2	0.2
5/9/20 20:00	0.2	0.2	0.2
5/9/20 21:00	0.2	0.2	0.2
5/9/20 22:00	0.2	0.2	0.2
5/9/20 23:00	0.2	0.2	0.2
5/10/20 0:00	0.2	0.2	0.2
5/10/20 1:00	0.2	0.2	0.2
5/10/20 2:00	0.2	0.2	0.2
5/10/20 3:00	0.2	0.2	0.2
5/10/20 4:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/10/20 5:00	0.2	0.2	0.2
5/10/20 6:00	0.2	0.2	0.2
5/10/20 7:00	0.3	0.2	0.2
5/10/20 8:00	0.3	0.2	0.2
5/10/20 9:00	0.2	0.2	0.2
5/10/20 10:00	0.3	0.2	0.2
5/10/20 11:00	0.3	0.2	0.2
5/10/20 12:00	0.2	0.2	0.2
5/10/20 13:00	0.2	0.2	0.2
5/10/20 14:00	0.3	0.2	0.2
5/10/20 15:00	0.3	0.2	0.2
5/10/20 16:00	0.2	0.2	0.2
5/10/20 17:00	0.1	0.2	0.2
5/10/20 18:00	0.1	0.2	0.2
5/10/20 19:00	0.1	0.2	0.2
5/10/20 20:00	0.1	0.2	0.2
5/10/20 21:00	0.1	0.2	0.2
5/10/20 22:00	0.1	0.2	0.2
5/10/20 23:00	0.1	0.2	0.2
5/11/20 0:00	0.1	0.2	0.2
5/11/20 1:00	0.1	0.2	0.2
5/11/20 2:00	0.1	0.2	0.2
5/11/20 3:00	0.1	0.2	0.2
5/11/20 4:00	0.1	0.2	0.2
5/11/20 5:00	0.1	0.2	0.2
5/11/20 6:00	0.1	0.2	0.2
5/11/20 7:00	0.1	0.2	0.2
5/11/20 8:00	0.1	0.1	0.2
5/11/20 9:00	0.1	0.1	0.2
5/11/20 10:00	0.1	0.1	0.2
5/11/20 11:00	0.1	0.1	0.2
5/11/20 12:00	0.2	0.1	0.2
5/11/20 13:00	0.2	0.1	0.2
5/11/20 14:00	0.3	0.1	0.2
5/11/20 15:00	0.3	0.1	0.2
5/11/20 16:00	0.3	0.1	0.2
5/11/20 17:00	0.4	0.1	0.2
5/11/20 18:00	0.4	0.2	0.2
5/11/20 19:00	0.4	0.2	0.2
5/11/20 20:00	0.4	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/11/20 21:00	0.4	0.2	0.2
5/11/20 22:00	0.2	0.2	0.2
5/11/20 23:00	0.1	0.2	0.2
5/12/20 0:00	0.1	0.2	0.2
5/12/20 1:00	0.1	0.2	0.2
5/12/20 2:00	0.1	0.2	0.2
5/12/20 3:00	0.1	0.2	0.2
5/12/20 4:00	0.1	0.2	0.2
5/12/20 5:00	0.1	0.2	0.2
5/12/20 6:00	0.1	0.2	0.2
5/12/20 7:00	0.1	0.2	0.2
5/12/20 8:00	0.1	0.2	0.2
5/12/20 9:00	0.1	0.2	0.2
5/12/20 10:00	0.1	0.2	0.2
5/12/20 11:00	0.1	0.2	0.2
5/12/20 12:00	0.1	0.2	0.2
5/12/20 13:00	0.1	0.2	0.2
5/12/20 14:00	0.1	0.2	0.2
5/12/20 15:00	0.1	0.2	0.2
5/12/20 16:00	0.1	0.2	0.2
5/12/20 17:00	0.1	0.1	0.2
5/12/20 18:00	0.1	0.1	0.2
5/12/20 19:00	0.2	0.1	0.2
5/12/20 20:00	0.1	0.1	0.2
5/12/20 21:00	0.1	0.1	0.2
5/12/20 22:00	0.2	0.1	0.2
5/12/20 23:00	0.1	0.1	0.2
5/13/20 0:00	0.2	0.1	0.2
5/13/20 1:00	0.1	0.1	0.2
5/13/20 2:00	0.1	0.1	0.2
5/13/20 3:00	0.1	0.1	0.2
5/13/20 4:00	0.1	0.1	0.2
5/13/20 5:00	0.1	0.1	0.2
5/13/20 6:00	0.1	0.1	0.2
5/13/20 7:00	0.1	0.1	0.2
5/13/20 8:00	0.1	0.1	0.2
5/13/20 9:00	0.1	0.1	0.2
5/13/20 10:00	0.1	0.1	0.2
5/13/20 11:00	0.2	0.1	0.2
5/13/20 12:00	0.2	0.1	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/13/20 13:00	1.9	0.2	0.2
5/13/20 14:00	1.1	0.2	0.2
5/13/20 15:00	0.2	0.2	0.2
5/13/20 16:00	0.2	0.3	0.2
5/13/20 17:00	0.3	0.3	0.2
5/13/20 18:00	0.3	0.3	0.2
5/13/20 19:00	0.2	0.3	0.2
5/13/20 20:00	0.2	0.3	0.2
5/13/20 21:00	0.2	0.3	0.2
5/13/20 22:00	0.2	0.3	0.2
5/13/20 23:00	0.2	0.3	0.2
5/14/20 0:00	0.2	0.3	0.2
5/14/20 1:00	0.2	0.3	0.2
5/14/20 2:00	0.2	0.3	0.2
5/14/20 3:00	0.3	0.3	0.2
5/14/20 4:00	0.3	0.3	0.2
5/14/20 5:00	0.2	0.3	0.2
5/14/20 6:00	0.3	0.3	0.2
5/14/20 7:00	0.3	0.3	0.2
5/14/20 8:00	0.3	0.3	0.2
5/14/20 9:00	0.3	0.3	0.2
5/14/20 10:00	0.3	0.4	0.2
5/14/20 11:00	0.3	0.4	0.2
5/14/20 12:00	0.3	0.4	0.2
5/14/20 13:00	0.3	0.3	0.2
5/14/20 14:00	0.1	0.3	0.2
5/14/20 15:00	0.2	0.3	0.2
5/14/20 16:00	0.2	0.2	0.2
5/14/20 17:00	0.1	0.2	0.2
5/14/20 18:00	0.1	0.2	0.2
5/14/20 19:00	0.2	0.2	0.2
5/14/20 20:00	0.2	0.2	0.2
5/14/20 21:00	0.1	0.2	0.2
5/14/20 22:00	0.1	0.2	0.2
5/14/20 23:00	0.1	0.2	0.2
5/15/20 0:00	0.1	0.2	0.2
5/15/20 1:00	0.1	0.2	0.2
5/15/20 2:00	0.1	0.2	0.2
5/15/20 3:00	0.1	0.2	0.2
5/15/20 4:00	0.1	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/15/20 5:00	0.1	0.2	0.2
5/15/20 6:00	0.1	0.2	0.2
5/15/20 7:00	0.1	0.2	0.2
5/15/20 8:00	0.1	0.2	0.2
5/15/20 9:00	0.2	0.2	0.2
5/15/20 10:00	0.2	0.2	0.2
5/15/20 11:00	0.2	0.1	0.2
5/15/20 12:00	0.2	0.1	0.2
5/15/20 13:00	0.2	0.1	0.2
5/15/20 14:00	0.2	0.1	0.2
5/15/20 15:00	0.2	0.1	0.2
5/15/20 16:00	0.2	0.1	0.2
5/15/20 17:00	0.2	0.1	0.2
5/15/20 18:00	0.3	0.2	0.2
5/15/20 19:00	0.4	0.2	0.2
5/15/20 20:00	0.4	0.2	0.2
5/15/20 21:00	0.3	0.2	0.2
5/15/20 22:00	0.4	0.2	0.2
5/15/20 23:00	0.3	0.2	0.2
5/16/20 0:00	0.3	0.2	0.2
5/16/20 1:00	0.3	0.2	0.2
5/16/20 2:00	0.3	0.2	0.2
5/16/20 3:00	0.3	0.2	0.2
5/16/20 4:00	0.3	0.2	0.2
5/16/20 5:00	0.3	0.2	0.2
5/16/20 6:00	0.3	0.3	0.2
5/16/20 7:00	0.3	0.3	0.2
5/16/20 8:00	0.3	0.3	0.2
5/16/20 9:00	0.3	0.3	0.2
5/16/20 10:00	0.2	0.3	0.2
5/16/20 11:00	0.1	0.3	0.2
5/16/20 12:00	0.1	0.3	0.2
5/16/20 13:00	0.1	0.3	0.2
5/16/20 14:00	0.1	0.3	0.2
5/16/20 15:00	0.1	0.3	0.2
5/16/20 16:00	0.1	0.3	0.2
5/16/20 17:00	0.1	0.3	0.2
5/16/20 18:00	0.1	0.2	0.2
5/16/20 19:00	0.1	0.2	0.2
5/16/20 20:00	0.1	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/16/20 21:00	0.1	0.2	0.2
5/16/20 22:00	0.1	0.2	0.2
5/16/20 23:00	0.1	0.2	0.2
5/17/20 0:00	0.1	0.2	0.2
5/17/20 1:00	0.1	0.2	0.2
5/17/20 2:00	0.1	0.2	0.2
5/17/20 3:00	0.1	0.2	0.2
5/17/20 4:00	0.1	0.2	0.2
5/17/20 5:00	0.1	0.1	0.2
5/17/20 6:00	0.3	0.1	0.2
5/17/20 7:00	0.3	0.1	0.2
5/17/20 8:00	0.3	0.1	0.2
5/17/20 9:00	0.3	0.1	0.2
5/17/20 10:00	0.3	0.2	0.2
5/17/20 11:00	0.3	0.2	0.2
5/17/20 12:00	0.3	0.2	0.2
5/17/20 13:00	0.3	0.2	0.2
5/17/20 14:00	0.2	0.2	0.2
5/17/20 15:00	0.3	0.2	0.2
5/17/20 16:00	0.4	0.2	0.2
5/17/20 17:00	0.3	0.2	0.2
5/17/20 18:00	0.3	0.2	0.2
5/17/20 19:00	0.4	0.2	0.2
5/17/20 20:00	0.4	0.2	0.2
5/17/20 21:00	0.3	0.2	0.2
5/17/20 22:00	0.3	0.3	0.2
5/17/20 23:00	0.3	0.3	0.2
5/18/20 0:00	0.3	0.3	0.2
5/18/20 1:00	0.4	0.3	0.2
5/18/20 2:00	0.3	0.3	0.2
5/18/20 3:00	0.3	0.3	0.2
5/18/20 4:00	0.3	0.3	0.2
5/18/20 5:00	0.2	0.3	0.2
5/18/20 6:00	0.1	0.3	0.2
5/18/20 7:00	0.2	0.3	0.2
5/18/20 8:00	0.1	0.3	0.2
5/18/20 9:00	0.1	0.3	0.2
5/18/20 10:00	0.1	0.3	0.2
5/18/20 11:00	0.1	0.3	0.2
5/18/20 12:00	0.1	0.3	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/18/20 13:00	0.1	0.3	0.2
5/18/20 14:00	0.1	0.2	0.2
5/18/20 15:00	0.1	0.2	0.2
5/18/20 16:00	0.1	0.2	0.2
5/18/20 17:00	0.1	0.2	0.2
5/18/20 18:00	0.1	0.2	0.2
5/18/20 19:00	0.1	0.2	0.2
5/18/20 20:00	0.1	0.2	0.2
5/18/20 21:00	0.1	0.2	0.2
5/18/20 22:00	0.1	0.2	0.2
5/18/20 23:00	0.2	0.2	0.2
5/19/20 0:00	0.1	0.2	0.2
5/19/20 1:00	0.1	0.1	0.2
5/19/20 2:00	0.1	0.1	0.2
5/19/20 3:00	0.1	0.1	0.2
5/19/20 4:00	0.1	0.1	0.2
5/19/20 5:00	0.1	0.1	0.2
5/19/20 6:00	0.1	0.1	0.2
5/19/20 7:00	0.1	0.1	0.2
5/19/20 8:00	0.0	0.1	0.2
5/19/20 9:00	0.0	0.1	0.2
5/19/20 10:00	0.1	0.1	0.2
5/19/20 11:00	0.1	0.1	0.2
5/19/20 12:00	0.1	0.1	0.2
5/19/20 13:00	0.1	0.1	0.2
5/19/20 14:00	0.2	0.1	0.2
5/19/20 15:00	0.2	0.1	0.2
5/19/20 16:00	0.2	0.1	0.2
5/19/20 17:00	0.2	0.1	0.2
5/19/20 18:00	0.2	0.1	0.2
5/19/20 19:00	0.2	0.1	0.2
5/19/20 20:00	0.2	0.1	0.2
5/19/20 21:00	0.2	0.1	0.2
5/19/20 22:00	0.2	0.1	0.2
5/19/20 23:00	0.2	0.1	0.2
5/20/20 0:00	0.2	0.1	0.2
5/20/20 1:00	0.2	0.1	0.2
5/20/20 2:00	0.2	0.1	0.2
5/20/20 3:00	0.2	0.1	0.2
5/20/20 4:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/20/20 5:00	0.2	0.2	0.2
5/20/20 6:00	0.2	0.2	0.2
5/20/20 7:00	0.2	0.2	0.2
5/20/20 8:00	0.2	0.2	0.2
5/20/20 9:00	0.2	0.2	0.2
5/20/20 10:00	0.3	0.2	0.2
5/20/20 11:00	0.2	0.2	0.2
5/20/20 12:00	0.2	0.2	0.2
5/20/20 13:00	0.2	0.2	0.2
5/20/20 14:00	0.2	0.2	0.2
5/20/20 15:00	0.2	0.2	0.2
5/20/20 16:00	0.2	0.2	0.2
5/20/20 17:00	0.2	0.2	0.2
5/20/20 18:00	0.2	0.2	0.2
5/20/20 19:00	0.2	0.2	0.2
5/20/20 20:00	0.3	0.2	0.2
5/20/20 21:00	0.3	0.2	0.2
5/20/20 22:00	0.2	0.2	0.2
5/20/20 23:00	0.2	0.2	0.2
5/21/20 0:00	0.2	0.2	0.2
5/21/20 1:00	0.2	0.2	0.2
5/21/20 2:00	0.2	0.2	0.2
5/21/20 3:00	0.2	0.2	0.2
5/21/20 4:00	0.2	0.2	0.2
5/21/20 5:00	0.2	0.2	0.2
5/21/20 6:00	0.2	0.2	0.2
5/21/20 7:00	0.2	0.2	0.2
5/21/20 8:00	0.2	0.2	0.2
5/21/20 9:00	0.2	0.2	0.2
5/21/20 10:00	0.2	0.2	0.2
5/21/20 11:00	0.2	0.2	0.2
5/21/20 12:00	0.1	0.2	0.2
5/21/20 13:00	0.1	0.2	0.2
5/21/20 14:00	0.2	0.2	0.2
5/21/20 15:00	0.2	0.2	0.2
5/21/20 16:00	0.2	0.2	0.2
5/21/20 17:00	0.2	0.2	0.2
5/21/20 18:00	0.2	0.2	0.2
5/21/20 19:00	0.2	0.2	0.2
5/21/20 20:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/21/20 21:00	0.2	0.2	0.2
5/21/20 22:00	0.2	0.2	0.2
5/21/20 23:00	0.2	0.2	0.2
5/22/20 0:00	0.2	0.2	0.2
5/22/20 1:00	0.2	0.2	0.2
5/22/20 2:00	0.3	0.2	0.2
5/22/20 3:00	3.0	0.3	0.2
5/22/20 4:00	1.1	0.3	0.2
5/22/20 5:00	0.2	0.3	0.2
5/22/20 6:00	0.3	0.3	0.2
5/22/20 7:00	0.3	0.3	0.2
5/22/20 8:00	0.3	0.3	0.2
5/22/20 9:00	0.2	0.3	0.2
5/22/20 10:00	0.4	0.4	0.2
5/22/20 11:00	0.3	0.4	0.2
5/22/20 12:00	0.3	0.4	0.2
5/22/20 13:00	0.3	0.4	0.2
5/22/20 14:00	0.3	0.4	0.2
5/22/20 15:00	0.3	0.4	0.2
5/22/20 16:00	0.3	0.4	0.2
5/22/20 17:00	0.3	0.4	0.2
5/22/20 18:00	0.3	0.4	0.2
5/22/20 19:00	0.3	0.4	0.2
5/22/20 20:00	0.3	0.4	0.2
5/22/20 21:00	0.3	0.4	0.2
5/22/20 22:00	0.3	0.4	0.2
5/22/20 23:00	0.3	0.4	0.2
5/23/20 0:00	0.3	0.4	0.2
5/23/20 1:00	0.3	0.4	0.2
5/23/20 2:00	0.1	0.4	0.2
5/23/20 3:00	0.1	0.3	0.2
5/23/20 4:00	0.1	0.3	0.2
5/23/20 5:00	0.2	0.3	0.2
5/23/20 6:00	0.1	0.3	0.2
5/23/20 7:00	0.1	0.2	0.2
5/23/20 8:00	0.1	0.2	0.2
5/23/20 9:00	0.2	0.2	0.2
5/23/20 10:00	0.1	0.2	0.2
5/23/20 11:00	0.1	0.2	0.2
5/23/20 12:00	0.1	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/23/20 13:00	0.1	0.2	0.2
5/23/20 14:00	0.1	0.2	0.2
5/23/20 15:00	0.2	0.2	0.2
5/23/20 16:00	0.2	0.2	0.2
5/23/20 17:00	0.1	0.2	0.2
5/23/20 18:00	0.1	0.2	0.2
5/23/20 19:00	0.1	0.2	0.2
5/23/20 20:00	0.1	0.2	0.2
5/23/20 21:00	0.2	0.2	0.2
5/23/20 22:00	0.1	0.2	0.2
5/23/20 23:00	0.1	0.1	0.2
5/24/20 0:00	0.1	0.1	0.2
5/24/20 1:00	0.1	0.1	0.2
5/24/20 2:00	0.2	0.1	0.2
5/24/20 3:00	0.2	0.1	0.2
5/24/20 4:00	0.2	0.1	0.2
5/24/20 5:00	0.2	0.1	0.2
5/24/20 6:00	0.2	0.1	0.2
5/24/20 7:00	0.1	0.1	0.2
5/24/20 8:00	0.1	0.1	0.2
5/24/20 9:00	0.1	0.1	0.2
5/24/20 10:00	0.2	0.1	0.2
5/24/20 11:00	0.1	0.1	0.2
5/24/20 12:00	0.1	0.1	0.2
5/24/20 13:00	0.1	0.1	0.2
5/24/20 14:00	0.1	0.1	0.2
5/24/20 15:00	0.1	0.1	0.2
5/24/20 16:00	0.1	0.1	0.2
5/24/20 17:00	0.1	0.1	0.2
5/24/20 18:00	0.1	0.1	0.2
5/24/20 19:00	0.1	0.1	0.2
5/24/20 20:00	0.1	0.1	0.2
5/24/20 21:00	0.1	0.1	0.2
5/24/20 22:00	0.1	0.1	0.2
5/24/20 23:00	0.1	0.1	0.2
5/25/20 0:00	0.1	0.1	0.2
5/25/20 1:00	0.1	0.1	0.2
5/25/20 2:00	0.2	0.1	0.2
5/25/20 3:00	0.1	0.1	0.2
5/25/20 4:00	0.1	0.1	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/25/20 5:00	0.1	0.1	0.2
5/25/20 6:00	0.1	0.1	0.2
5/25/20 7:00	0.1	0.1	0.2
5/25/20 8:00	0.1	0.1	0.2
5/25/20 9:00	0.2	0.1	0.2
5/25/20 10:00	0.1	0.1	0.2
5/25/20 11:00	0.1	0.1	0.2
5/25/20 12:00	0.1	0.1	0.2
5/25/20 13:00	0.1	0.1	0.2
5/25/20 14:00	0.1	0.1	0.2
5/25/20 15:00	0.1	0.1	0.2
5/25/20 16:00	0.1	0.1	0.2
5/25/20 17:00	0.1	0.1	0.2
5/25/20 18:00	0.1	0.1	0.2
5/25/20 19:00	0.1	0.1	0.2
5/25/20 20:00	0.1	0.1	0.2
5/25/20 21:00	0.1	0.1	0.2
5/25/20 22:00	0.1	0.1	0.2
5/25/20 23:00	0.1	0.1	0.2
5/26/20 0:00	0.1	0.1	0.2
5/26/20 1:00	0.1	0.1	0.2
5/26/20 2:00	0.1	0.1	0.2
5/26/20 3:00	0.1	0.1	0.2
5/26/20 4:00	0.1	0.1	0.2
5/26/20 5:00	0.1	0.1	0.2
5/26/20 6:00	0.1	0.1	0.2
5/26/20 7:00	0.1	0.1	0.2
5/26/20 8:00	0.1	0.1	0.2
5/26/20 17:00	0.1	0.1	0.2
5/26/20 18:00	0.1	0.1	0.2
5/26/20 19:00	0.1	0.1	0.2
5/26/20 20:00	0.1	0.1	0.2
5/26/20 21:00	0.1	0.1	0.2
5/26/20 22:00	0.2	0.1	0.2
5/26/20 23:00	0.2	0.1	0.2
5/27/20 0:00	0.3	0.1	0.2
5/27/20 1:00	0.3	0.1	0.2
5/27/20 2:00	0.3	0.1	0.2
5/27/20 3:00	0.3	0.1	0.2
5/27/20 4:00	0.3	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/27/20 5:00	0.3	0.2	0.2
5/27/20 6:00	0.3	0.2	0.2
5/27/20 7:00	0.3	0.2	0.2
5/27/20 8:00	0.3	0.2	0.2
5/27/20 9:00	0.3	0.2	0.2
5/27/20 10:00	0.3	0.2	0.2
5/27/20 11:00	0.2	0.2	0.2
5/27/20 12:00	0.8	0.2	0.2
5/27/20 13:00	0.3	0.2	0.2
5/27/20 14:00	0.3	0.3	0.2
5/27/20 15:00	0.3	0.3	0.2
5/27/20 16:00	0.3	0.3	0.2
5/27/20 17:00	0.2	0.3	0.2
5/27/20 18:00	0.2	0.3	0.2
5/27/20 19:00	0.2	0.3	0.2
5/27/20 20:00	0.2	0.3	0.2
5/27/20 21:00	0.2	0.3	0.2
5/27/20 22:00	0.2	0.3	0.2
5/27/20 23:00	0.2	0.3	0.2
5/28/20 0:00	0.2	0.3	0.2
5/28/20 1:00	0.2	0.3	0.2
5/28/20 2:00	0.2	0.3	0.2
5/28/20 3:00	0.2	0.3	0.2
5/28/20 4:00	0.2	0.3	0.2
5/28/20 5:00	0.2	0.3	0.2
5/28/20 6:00	0.2	0.3	0.2
5/28/20 7:00	0.2	0.2	0.2
5/28/20 8:00	0.2	0.2	0.2
5/28/20 9:00	0.2	0.2	0.2
5/28/20 10:00	0.2	0.2	0.2
5/28/20 11:00	0.2	0.2	0.2
5/28/20 12:00	0.2	0.2	0.2
5/28/20 13:00	0.1	0.2	0.2
5/28/20 14:00	0.2	0.2	0.2
5/28/20 15:00	0.2	0.2	0.2
5/28/20 16:00	0.2	0.2	0.2
5/28/20 17:00	0.2	0.2	0.2
5/28/20 18:00	0.2	0.2	0.2
5/28/20 19:00	0.2	0.2	0.2
5/28/20 20:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/28/20 21:00	0.2	0.2	0.2
5/28/20 22:00	0.3	0.2	0.2
5/28/20 23:00	0.2	0.2	0.2
5/29/20 0:00	0.2	0.2	0.2
5/29/20 1:00	0.2	0.2	0.2
5/29/20 2:00	0.2	0.2	0.2
5/29/20 3:00	0.2	0.2	0.2
5/29/20 4:00	0.2	0.2	0.2
5/29/20 5:00	0.2	0.2	0.2
5/29/20 6:00	0.1	0.2	0.2
5/29/20 7:00	0.2	0.2	0.2
5/29/20 8:00	0.2	0.2	0.2
5/29/20 9:00	0.2	0.2	0.2
5/29/20 10:00	0.2	0.2	0.2
5/29/20 11:00	0.2	0.2	0.2
5/29/20 12:00	0.2	0.2	0.2
5/29/20 13:00	0.2	0.2	0.2
5/29/20 14:00	0.2	0.2	0.2
5/29/20 15:00	0.2	0.2	0.2
5/29/20 16:00	0.2	0.2	0.2
5/29/20 17:00	0.1	0.2	0.2
5/29/20 18:00	0.1	0.2	0.2
5/29/20 19:00	0.1	0.2	0.2
5/29/20 20:00	0.1	0.2	0.2
5/29/20 21:00	0.1	0.2	0.2
5/29/20 22:00	0.1	0.2	0.2
5/29/20 23:00	0.1	0.2	0.2
5/30/20 0:00	0.1	0.1	0.2
5/30/20 1:00	0.1	0.1	0.2
5/30/20 2:00	0.1	0.1	0.2
5/30/20 3:00	0.1	0.1	0.2
5/30/20 4:00	0.1	0.1	0.2
5/30/20 5:00	0.1	0.1	0.2
5/30/20 6:00	0.1	0.1	0.2
5/30/20 7:00	0.2	0.1	0.2
5/30/20 8:00	0.1	0.1	0.2
5/30/20 9:00	0.2	0.1	0.2
5/30/20 10:00	0.1	0.1	0.2
5/30/20 11:00	0.2	0.1	0.2
5/30/20 12:00	0.2	0.1	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
5/30/20 13:00	0.2	0.1	0.2
5/30/20 14:00	0.2	0.1	0.2
5/30/20 15:00	0.2	0.1	0.2
5/30/20 16:00	0.2	0.1	0.2
5/30/20 17:00	0.2	0.1	0.2
5/30/20 18:00	0.2	0.1	0.2
5/30/20 19:00	0.2	0.1	0.2
5/30/20 20:00	0.2	0.1	0.2
5/30/20 21:00	0.2	0.1	0.2
5/30/20 22:00	0.2	0.1	0.2
5/30/20 23:00	0.2	0.1	0.2
5/31/20 0:00	0.1	0.1	0.2
5/31/20 1:00	0.2	0.2	0.2
5/31/20 2:00	0.2	0.2	0.2
5/31/20 3:00	0.1	0.2	0.2
5/31/20 4:00	0.2	0.2	0.2
5/31/20 5:00	0.2	0.2	0.2
5/31/20 6:00	0.2	0.2	0.2
5/31/20 7:00	0.2	0.2	0.2
5/31/20 8:00	0.2	0.2	0.2
5/31/20 9:00	0.2	0.2	0.2
5/31/20 10:00	0.2	0.2	0.2
5/31/20 11:00	0.2	0.2	0.2
5/31/20 12:00	0.2	0.2	0.2
5/31/20 13:00	0.2	0.2	0.2
5/31/20 14:00	0.2	0.2	0.2
5/31/20 15:00	0.2	0.2	0.2
5/31/20 16:00	0.2	0.2	0.2
5/31/20 17:00	0.2	0.2	0.2
5/31/20 18:00	0.2	0.2	0.2
5/31/20 19:00	0.1	0.2	0.2
5/31/20 20:00	0.2	0.2	0.2
5/31/20 21:00	0.2	0.2	0.2
5/31/20 22:00	0.2	0.2	0.2
5/31/20 23:00	0.2	0.2	0.2
6/1/20 0:00	0.2	0.2	0.2
6/1/20 1:00	0.2	0.2	0.2
6/1/20 2:00	0.2	0.2	0.2
6/1/20 3:00	0.2	0.2	0.2
6/1/20 4:00	0.1	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/1/20 5:00	0.1	0.2	0.2
6/1/20 6:00	0.1	0.2	0.2
6/1/20 7:00	0.1	0.2	0.2
6/1/20 8:00	0.1	0.2	0.2
6/1/20 9:00	0.1	0.2	0.2
6/1/20 10:00	0.1	0.2	0.2
6/1/20 11:00	0.2	0.2	0.2
6/1/20 12:00	0.1	0.2	0.2
6/1/20 13:00	0.1	0.1	0.2
6/1/20 14:00	0.1	0.1	0.2
6/1/20 15:00	0.1	0.1	0.2
6/1/20 16:00	0.0	0.1	0.2
6/1/20 17:00	0.1	0.1	0.2
6/1/20 18:00	0.1	0.1	0.2
6/1/20 19:00	0.0	0.1	0.2
6/1/20 20:00	0.0	0.1	0.2
6/1/20 21:00	0.0	0.1	0.2
6/1/20 22:00	0.0	0.1	0.2
6/1/20 23:00	0.1	0.1	0.2
6/2/20 0:00	0.1	0.1	0.2
6/2/20 1:00	0.1	0.1	0.2
6/2/20 2:00	0.1	0.1	0.2
6/2/20 3:00	0.1	0.1	0.2
6/2/20 4:00	0.1	0.1	0.2
6/2/20 5:00	0.1	0.1	0.2
6/2/20 6:00	0.1	0.1	0.2
6/2/20 7:00	0.1	0.1	0.2
6/2/20 8:00	0.1	0.1	0.2
6/2/20 9:00	0.1	0.1	0.2
6/2/20 10:00	0.1	0.1	0.2
6/2/20 11:00	0.1	0.1	0.2
6/2/20 12:00	0.1	0.1	0.2
6/2/20 13:00	0.1	0.1	0.2
6/2/20 14:00	0.2	0.1	0.2
6/2/20 15:00	0.2	0.1	0.2
6/2/20 16:00	0.2	0.1	0.2
6/2/20 17:00	0.2	0.1	0.2
6/2/20 18:00	0.2	0.1	0.2
6/2/20 19:00	0.1	0.1	0.2
6/2/20 20:00	0.2	0.1	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/2/20 21:00	0.3	0.1	0.2
6/2/20 22:00	0.3	0.1	0.2
6/2/20 23:00	0.2	0.1	0.2
6/3/20 0:00	0.2	0.1	0.2
6/3/20 1:00	0.2	0.2	0.2
6/3/20 2:00	0.2	0.2	0.2
6/3/20 3:00	0.2	0.2	0.2
6/3/20 4:00	0.2	0.2	0.2
6/3/20 5:00	0.2	0.2	0.2
6/3/20 6:00	0.2	0.2	0.2
6/3/20 7:00	0.2	0.2	0.2
6/3/20 8:00	0.2	0.2	0.2
6/3/20 9:00	0.2	0.2	0.2
6/3/20 10:00	0.2	0.2	0.2
6/3/20 11:00	0.1	0.2	0.2
6/3/20 12:00	0.1	0.2	0.2
6/3/20 13:00	0.1	0.2	0.2
6/3/20 14:00	0.1	0.2	0.2
6/3/20 15:00	0.1	0.2	0.2
6/3/20 16:00	0.1	0.2	0.2
6/3/20 17:00	0.1	0.2	0.2
6/3/20 18:00	0.1	0.2	0.2
6/3/20 19:00	0.1	0.2	0.2
6/3/20 20:00	0.2	0.2	0.2
6/3/20 21:00	0.2	0.2	0.2
6/3/20 22:00	0.2	0.2	0.2
6/3/20 23:00	0.2	0.2	0.2
6/4/20 0:00	0.1	0.2	0.2
6/4/20 1:00	0.1	0.2	0.2
6/4/20 2:00	0.1	0.2	0.2
6/4/20 3:00	0.1	0.2	0.2
6/4/20 4:00	0.1	0.1	0.2
6/4/20 5:00	0.0	0.1	0.2
6/4/20 6:00	0.0	0.1	0.2
6/4/20 7:00	0.0	0.1	0.2
6/4/20 8:00	0.1	0.1	0.2
6/4/20 9:00	0.1	0.1	0.2
6/4/20 10:00	0.1	0.1	0.2
6/4/20 11:00	0.1	0.1	0.2
6/4/20 12:00	0.1	0.1	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/4/20 13:00	0.1	0.1	0.2
6/4/20 14:00	0.1	0.1	0.2
6/4/20 15:00	0.1	0.1	0.2
6/4/20 16:00	0.1	0.1	0.2
6/4/20 17:00	0.1	0.1	0.2
6/4/20 18:00	0.1	0.1	0.2
6/4/20 19:00	0.1	0.1	0.2
6/4/20 20:00	0.1	0.1	0.2
6/4/20 21:00	0.1	0.1	0.2
6/4/20 22:00	0.1	0.1	0.2
6/4/20 23:00	0.1	0.1	0.2
6/5/20 0:00	0.1	0.1	0.2
6/5/20 1:00	0.1	0.1	0.2
6/5/20 2:00	0.1	0.1	0.2
6/5/20 3:00	0.1	0.1	0.2
6/5/20 4:00	0.1	0.1	0.2
6/5/20 5:00	0.2	0.1	0.2
6/5/20 6:00	0.1	0.1	0.2
6/5/20 7:00	0.1	0.1	0.2
6/5/20 8:00	0.1	0.1	0.2
6/5/20 9:00	0.1	0.1	0.2
6/5/20 10:00	0.1	0.1	0.2
6/5/20 11:00	0.2	0.1	0.2
6/5/20 12:00	0.1	0.1	0.2
6/5/20 13:00	0.1	0.1	0.2
6/5/20 14:00	0.1	0.1	0.2
6/5/20 15:00	0.1	0.1	0.2
6/5/20 16:00	0.1	0.1	0.2
6/5/20 17:00	0.1	0.1	0.2
6/5/20 18:00	0.1	0.1	0.2
6/5/20 19:00	0.1	0.1	0.2
6/5/20 20:00	0.1	0.1	0.2
6/5/20 21:00	0.1	0.1	0.2
6/5/20 22:00	0.1	0.1	0.2
6/5/20 23:00	0.1	0.1	0.2
6/6/20 0:00	0.1	0.1	0.2
6/6/20 1:00	0.1	0.1	0.2
6/6/20 2:00	0.1	0.1	0.2
6/6/20 3:00	0.1	0.1	0.2
6/6/20 4:00	0.0	0.1	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/6/20 5:00	0.1	0.1	0.2
6/6/20 6:00	0.1	0.1	0.2
6/6/20 7:00	0.2	0.1	0.2
6/6/20 8:00	0.2	0.1	0.2
6/6/20 9:00	0.2	0.1	0.2
6/6/20 10:00	0.2	0.1	0.2
6/6/20 11:00	0.2	0.1	0.2
6/6/20 12:00	0.2	0.1	0.2
6/6/20 13:00	0.2	0.1	0.2
6/6/20 14:00	0.2	0.1	0.2
6/6/20 15:00	0.2	0.1	0.2
6/6/20 16:00	0.2	0.1	0.2
6/6/20 17:00	0.1	0.1	0.2
6/6/20 18:00	0.1	0.1	0.2
6/6/20 19:00	0.1	0.1	0.2
6/6/20 20:00	0.2	0.1	0.2
6/6/20 21:00	0.2	0.1	0.2
6/6/20 22:00	0.2	0.1	0.2
6/6/20 23:00	0.2	0.2	0.2
6/7/20 0:00	0.3	0.2	0.2
6/7/20 1:00	0.3	0.2	0.2
6/7/20 2:00	0.2	0.2	0.2
6/7/20 3:00	0.2	0.2	0.2
6/7/20 4:00	0.1	0.2	0.2
6/7/20 5:00	0.2	0.2	0.2
6/7/20 6:00	0.2	0.2	0.2
6/7/20 7:00	0.2	0.2	0.2
6/7/20 8:00	0.2	0.2	0.2
6/7/20 9:00	0.3	0.2	0.2
6/7/20 10:00	0.3	0.2	0.2
6/7/20 11:00	0.3	0.2	0.2
6/7/20 12:00	0.3	0.2	0.2
6/7/20 13:00	0.3	0.2	0.2
6/7/20 14:00	0.2	0.2	0.2
6/7/20 15:00	0.1	0.2	0.2
6/7/20 16:00	0.1	0.2	0.2
6/7/20 17:00	0.1	0.2	0.2
6/7/20 18:00	0.1	0.2	0.2
6/7/20 19:00	0.1	0.2	0.2
6/7/20 20:00	0.1	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/7/20 21:00	0.1	0.2	0.2
6/7/20 22:00	0.1	0.2	0.2
6/7/20 23:00	0.1	0.2	0.2
6/8/20 0:00	0.1	0.2	0.2
6/8/20 1:00	0.1	0.2	0.2
6/8/20 2:00	0.1	0.2	0.2
6/8/20 3:00	0.1	0.2	0.2
6/8/20 4:00	0.1	0.2	0.2
6/8/20 5:00	0.1	0.2	0.2
6/8/20 6:00	0.1	0.2	0.2
6/8/20 7:00	0.1	0.2	0.2
6/8/20 8:00	0.1	0.1	0.2
6/8/20 9:00	0.2	0.1	0.2
6/8/20 10:00	0.2	0.1	0.2
6/8/20 11:00	0.2	0.1	0.2
6/8/20 12:00	0.2	0.1	0.2
6/8/20 13:00	0.2	0.1	0.2
6/8/20 14:00	0.2	0.1	0.2
6/8/20 15:00	0.1	0.1	0.2
6/8/20 16:00	0.2	0.1	0.2
6/8/20 17:00	0.3	0.1	0.2
6/8/20 18:00	0.2	0.1	0.2
6/8/20 19:00	0.2	0.1	0.2
6/8/20 20:00	0.2	0.1	0.2
6/8/20 21:00	0.2	0.2	0.2
6/8/20 22:00	0.2	0.2	0.2
6/8/20 23:00	0.2	0.2	0.2
6/9/20 0:00	0.2	0.2	0.2
6/9/20 1:00	0.1	0.2	0.2
6/9/20 2:00	0.1	0.2	0.2
6/9/20 3:00	0.1	0.2	0.2
6/9/20 4:00	0.2	0.2	0.2
6/9/20 5:00	0.2	0.2	0.2
6/9/20 6:00	0.2	0.2	0.2
6/9/20 7:00	0.2	0.2	0.2
6/9/20 8:00	0.2	0.2	0.2
6/9/20 9:00	0.2	0.2	0.2
6/9/20 10:00	0.1	0.2	0.2
6/9/20 11:00	0.1	0.2	0.2
6/9/20 12:00	0.1	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/9/20 13:00	0.2	0.2	0.2
6/9/20 14:00	0.1	0.2	0.2
6/9/20 15:00	0.1	0.2	0.2
6/9/20 16:00	0.1	0.2	0.2
6/9/20 17:00	0.2	0.2	0.2
6/9/20 18:00	0.2	0.2	0.2
6/9/20 19:00	0.2	0.2	0.2
6/9/20 20:00	0.2	0.2	0.2
6/9/20 21:00	0.2	0.2	0.2
6/9/20 22:00	0.2	0.2	0.2
6/9/20 23:00	0.2	0.2	0.2
6/10/20 0:00	0.2	0.2	0.2
6/10/20 1:00	0.2	0.2	0.2
6/10/20 2:00	0.2	0.2	0.2
6/10/20 3:00	0.1	0.2	0.2
6/10/20 4:00	0.2	0.2	0.2
6/10/20 5:00	0.2	0.2	0.2
6/10/20 6:00	0.2	0.2	0.2
6/10/20 7:00	0.2	0.2	0.2
6/10/20 8:00	0.1	0.2	0.2
6/10/20 9:00	0.1	0.2	0.2
6/10/20 10:00	0.1	0.2	0.2
6/10/20 11:00	0.2	0.2	0.2
6/10/20 12:00	0.2	0.2	0.2
6/10/20 13:00	0.2	0.2	0.2
6/10/20 14:00	0.1	0.2	0.2
6/10/20 15:00	0.1	0.2	0.2
6/10/20 16:00	0.1	0.2	0.2
6/10/20 17:00	0.1	0.2	0.2
6/10/20 18:00	0.1	0.2	0.2
6/10/20 19:00	0.1	0.2	0.2
6/10/20 20:00	0.1	0.2	0.2
6/10/20 21:00	0.1	0.2	0.2
6/10/20 22:00	0.1	0.2	0.2
6/10/20 23:00	0.2	0.2	0.2
6/11/20 0:00	0.2	0.2	0.2
6/11/20 1:00	0.2	0.1	0.2
6/11/20 2:00	0.1	0.1	0.2
6/11/20 3:00	0.2	0.2	0.2
6/11/20 4:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/11/20 5:00	0.3	0.2	0.2
6/11/20 6:00	0.5	0.2	0.2
6/11/20 7:00	0.2	0.2	0.2
6/11/20 8:00	0.2	0.2	0.2
6/11/20 9:00	0.3	0.2	0.2
6/11/20 10:00	0.4	0.2	0.2
6/11/20 11:00	0.2	0.2	0.2
6/11/20 12:00	0.2	0.2	0.2
6/11/20 13:00	0.4	0.2	0.2
6/11/20 14:00	0.4	0.2	0.2
6/11/20 15:00	0.5	0.2	0.2
6/11/20 16:00	0.3	0.2	0.2
6/11/20 17:00	0.3	0.3	0.2
6/11/20 18:00	0.2	0.3	0.2
6/11/20 19:00	0.2	0.3	0.2
6/11/20 20:00	0.5	0.3	0.2
6/11/20 21:00	0.2	0.3	0.2
6/11/20 22:00	0.2	0.3	0.2
6/11/20 23:00	0.2	0.3	0.2
6/12/20 0:00	0.2	0.3	0.2
6/12/20 1:00	0.2	0.3	0.2
6/12/20 2:00	0.2	0.3	0.2
6/12/20 3:00	0.2	0.3	0.2
6/12/20 4:00	0.3	0.3	0.2
6/12/20 5:00	0.4	0.3	0.2
6/12/20 6:00	0.5	0.3	0.2
6/12/20 7:00	0.5	0.3	0.2
6/12/20 8:00	0.5	0.3	0.2
6/12/20 9:00	0.5	0.3	0.2
6/12/20 10:00	0.4	0.3	0.2
6/12/20 11:00	0.4	0.3	0.2
6/12/20 12:00	0.4	0.3	0.2
6/12/20 13:00	0.4	0.3	0.2
6/12/20 14:00	0.4	0.3	0.2
6/12/20 15:00	0.5	0.3	0.2
6/12/20 16:00	0.3	0.3	0.2
6/12/20 17:00	0.3	0.3	0.2
6/12/20 18:00	0.3	0.3	0.2
6/12/20 19:00	0.5	0.3	0.2
6/12/20 20:00	0.3	0.3	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/12/20 21:00	0.3	0.3	0.2
6/12/20 22:00	0.3	0.3	0.2
6/12/20 23:00	0.4	0.3	0.2
6/13/20 0:00	0.6	0.4	0.2
6/13/20 1:00	0.5	0.4	0.2
6/13/20 2:00	0.5	0.4	0.2
6/13/20 3:00	0.6	0.4	0.2
6/13/20 4:00	0.5	0.4	0.2
6/13/20 5:00	0.5	0.4	0.2
6/13/20 6:00	0.6	0.4	0.2
6/13/20 7:00	0.3	0.4	0.2
6/13/20 8:00	0.4	0.4	0.2
6/13/20 9:00	0.5	0.4	0.2
6/13/20 10:00	0.4	0.4	0.2
6/13/20 11:00	0.6	0.4	0.2
6/13/20 12:00	0.3	0.4	0.2
6/13/20 13:00	0.4	0.4	0.2
6/13/20 14:00	0.3	0.4	0.2
6/13/20 15:00	0.2	0.4	0.2
6/13/20 16:00	0.3	0.4	0.2
6/13/20 17:00	0.3	0.4	0.2
6/13/20 18:00	0.2	0.4	0.2
6/13/20 19:00	0.2	0.4	0.2
6/13/20 20:00	0.2	0.4	0.2
6/13/20 21:00	0.2	0.4	0.2
6/13/20 22:00	0.2	0.4	0.2
6/13/20 23:00	0.2	0.4	0.2
6/14/20 0:00	0.2	0.4	0.2
6/14/20 1:00	0.2	0.4	0.2
6/14/20 2:00	0.2	0.3	0.2
6/14/20 3:00	0.2	0.3	0.2
6/14/20 4:00	0.2	0.3	0.2
6/14/20 5:00	0.2	0.3	0.2
6/14/20 6:00	0.2	0.3	0.2
6/14/20 7:00	0.2	0.3	0.2
6/14/20 8:00	0.2	0.3	0.2
6/14/20 9:00	0.2	0.3	0.2
6/14/20 10:00	0.2	0.2	0.2
6/14/20 11:00	0.2	0.2	0.2
6/14/20 12:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/14/20 13:00	0.2	0.2	0.2
6/14/20 14:00	0.2	0.2	0.2
6/14/20 15:00	0.2	0.2	0.2
6/14/20 16:00	0.2	0.2	0.2
6/14/20 17:00	0.2	0.2	0.2
6/14/20 18:00	0.2	0.2	0.2
6/14/20 19:00	0.3	0.2	0.2
6/14/20 20:00	0.3	0.2	0.2
6/14/20 21:00	0.3	0.2	0.2
6/14/20 22:00	0.3	0.2	0.2
6/14/20 23:00	0.3	0.2	0.2
6/15/20 0:00	0.2	0.2	0.2
6/15/20 1:00	0.2	0.2	0.2
6/15/20 2:00	0.2	0.2	0.2
6/15/20 3:00	0.2	0.2	0.2
6/15/20 4:00	0.2	0.2	0.2
6/15/20 5:00	0.2	0.2	0.2
6/15/20 6:00	0.2	0.2	0.2
6/15/20 7:00	0.3	0.2	0.2
6/15/20 8:00	0.3	0.2	0.2
6/15/20 9:00	0.3	0.2	0.2
6/15/20 10:00	0.3	0.2	0.2
6/15/20 11:00	0.3	0.2	0.2
6/15/20 12:00	0.4	0.3	0.2
6/15/20 13:00	0.5	0.3	0.2
6/15/20 14:00	0.5	0.3	0.2
6/15/20 15:00	0.5	0.3	0.2
6/15/20 16:00	0.5	0.3	0.2
6/15/20 17:00	0.5	0.3	0.2
6/15/20 18:00	0.4	0.3	0.2
6/15/20 19:00	0.4	0.3	0.2
6/15/20 20:00	0.4	0.3	0.2
6/15/20 21:00	0.4	0.3	0.2
6/15/20 22:00	0.4	0.3	0.2
6/15/20 23:00	0.4	0.4	0.2
6/16/20 0:00	0.4	0.4	0.2
6/16/20 1:00	0.4	0.4	0.2
6/16/20 2:00	0.4	0.4	0.2
6/16/20 3:00	0.3	0.4	0.2
6/16/20 4:00	0.3	0.4	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/16/20 5:00	0.3	0.4	0.2
6/16/20 6:00	0.3	0.4	0.2
6/16/20 7:00	0.3	0.4	0.2
6/16/20 8:00	0.3	0.4	0.2
6/16/20 9:00	0.3	0.4	0.2
6/16/20 10:00	0.1	0.4	0.2
6/16/20 11:00	0.2	0.4	0.2
6/16/20 12:00	0.3	0.4	0.2
6/16/20 13:00	0.2	0.3	0.2
6/16/20 14:00	0.2	0.3	0.2
6/16/20 15:00	0.1	0.3	0.2
6/16/20 16:00	0.2	0.3	0.2
6/16/20 17:00	0.2	0.3	0.2
6/16/20 18:00	0.2	0.3	0.2
6/16/20 19:00	0.2	0.3	0.2
6/16/20 20:00	0.2	0.3	0.2
6/16/20 21:00	0.1	0.3	0.2
6/16/20 22:00	0.1	0.2	0.2
6/16/20 23:00	0.2	0.2	0.2
6/17/20 0:00	0.3	0.2	0.2
6/17/20 1:00	0.2	0.2	0.2
6/17/20 2:00	0.2	0.2	0.2
6/17/20 3:00	0.1	0.2	0.2
6/17/20 4:00	0.1	0.2	0.2
6/17/20 5:00	0.1	0.2	0.2
6/17/20 6:00	0.3	0.2	0.2
6/17/20 7:00	0.2	0.2	0.2
6/17/20 8:00	0.2	0.2	0.2
6/17/20 9:00	0.2	0.2	0.2
6/17/20 10:00	0.2	0.2	0.2
6/17/20 11:00	0.2	0.2	0.2
6/17/20 12:00	0.2	0.2	0.2
6/17/20 13:00	0.2	0.2	0.2
6/17/20 14:00	0.2	0.2	0.2
6/17/20 15:00	0.2	0.2	0.2
6/17/20 16:00	0.2	0.2	0.2
6/17/20 17:00	0.2	0.2	0.2
6/17/20 18:00	0.1	0.2	0.2
6/17/20 19:00	0.1	0.2	0.2
6/17/20 20:00	0.1	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/17/20 21:00	0.1	0.2	0.2
6/17/20 22:00	0.1	0.2	0.2
6/17/20 23:00	0.2	0.2	0.2
6/18/20 0:00	0.2	0.2	0.2
6/18/20 1:00	0.1	0.2	0.2
6/18/20 2:00	0.1	0.2	0.2
6/18/20 3:00	0.2	0.2	0.2
6/18/20 4:00	0.1	0.2	0.2
6/18/20 5:00	0.1	0.2	0.2
6/18/20 6:00	0.1	0.2	0.2
6/18/20 7:00	0.1	0.1	0.2
6/18/20 8:00	0.2	0.1	0.2
6/18/20 9:00	0.1	0.1	0.2
6/18/20 10:00	0.1	0.1	0.2
6/18/20 11:00	0.1	0.1	0.2
6/18/20 12:00	0.1	0.1	0.2
6/18/20 13:00	0.2	0.1	0.2
6/18/20 14:00	0.2	0.1	0.2
6/18/20 15:00	0.1	0.1	0.2
6/18/20 16:00	0.1	0.1	0.2
6/18/20 17:00	0.1	0.1	0.2
6/18/20 18:00	0.1	0.1	0.2
6/18/20 19:00	0.1	0.1	0.2
6/18/20 20:00	0.1	0.1	0.2
6/18/20 21:00	0.1	0.1	0.2
6/18/20 22:00	0.1	0.1	0.2
6/18/20 23:00	0.1	0.1	0.2
6/19/20 0:00	0.1	0.1	0.2
6/19/20 1:00	0.1	0.1	0.2
6/19/20 2:00	0.1	0.1	0.2
6/19/20 3:00	0.1	0.1	0.2
6/19/20 4:00	0.1	0.1	0.2
6/19/20 5:00	0.1	0.1	0.2
6/19/20 6:00	0.1	0.1	0.2
6/19/20 7:00	0.1	0.1	0.2
6/19/20 8:00	0.1	0.1	0.2
6/19/20 9:00	0.1	0.1	0.2
6/19/20 10:00	0.1	0.1	0.2
6/19/20 11:00	0.1	0.1	0.2
6/19/20 12:00	0.1	0.1	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/19/20 13:00	0.1	0.1	0.2
6/19/20 14:00	0.1	0.1	0.2
6/19/20 15:00	0.1	0.1	0.2
6/19/20 16:00	0.1	0.1	0.2
6/19/20 17:00	0.1	0.1	0.2
6/19/20 18:00	0.1	0.1	0.2
6/19/20 19:00	0.1	0.1	0.2
6/19/20 20:00	0.1	0.1	0.2
6/19/20 21:00	0.1	0.1	0.2
6/19/20 22:00	0.1	0.1	0.2
6/19/20 23:00	0.1	0.1	0.2
6/20/20 0:00	0.0	0.1	0.2
6/20/20 1:00	0.0	0.1	0.2
6/20/20 2:00	0.0	0.1	0.2
6/20/20 3:00	0.1	0.1	0.2
6/20/20 4:00	0.1	0.1	0.2
6/20/20 5:00	0.1	0.1	0.2
6/20/20 6:00	0.1	0.1	0.2
6/20/20 7:00	0.1	0.1	0.2
6/20/20 8:00	0.1	0.1	0.2
6/20/20 9:00	0.1	0.1	0.2
6/20/20 10:00	0.1	0.1	0.2
6/20/20 11:00	0.1	0.1	0.2
6/20/20 12:00	0.1	0.1	0.2
6/20/20 13:00	0.1	0.1	0.2
6/20/20 14:00	0.1	0.1	0.2
6/20/20 15:00	0.1	0.1	0.2
6/20/20 16:00	0.1	0.1	0.2
6/20/20 17:00	0.1	0.1	0.2
6/20/20 18:00	0.1	0.1	0.2
6/20/20 19:00	0.1	0.1	0.2
6/20/20 20:00	0.1	0.1	0.2
6/20/20 21:00	0.1	0.1	0.2
6/20/20 22:00	0.1	0.1	0.2
6/20/20 23:00	0.1	0.1	0.2
6/21/20 0:00	0.1	0.1	0.2
6/21/20 1:00	0.1	0.1	0.2
6/21/20 2:00	0.1	0.1	0.2
6/21/20 3:00	0.1	0.1	0.2
6/21/20 4:00	0.1	0.1	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/21/20 5:00	0.1	0.1	0.2
6/21/20 6:00	0.1	0.1	0.2
6/21/20 7:00	0.1	0.1	0.2
6/21/20 8:00	0.1	0.1	0.2
6/21/20 9:00	0.1	0.1	0.2
6/21/20 10:00	0.1	0.1	0.2
6/21/20 11:00	0.1	0.1	0.2
6/21/20 12:00	0.1	0.1	0.2
6/21/20 13:00	0.1	0.1	0.2
6/21/20 14:00	0.1	0.1	0.2
6/21/20 15:00	0.1	0.1	0.2
6/21/20 16:00	0.0	0.1	0.2
6/21/20 17:00	0.0	0.1	0.2
6/21/20 18:00	0.1	0.1	0.2
6/21/20 19:00	0.2	0.1	0.2
6/21/20 20:00	0.1	0.1	0.2
6/21/20 21:00	0.1	0.1	0.2
6/21/20 22:00	0.1	0.1	0.2
6/21/20 23:00	0.1	0.1	0.2
6/22/20 0:00	0.1	0.1	0.2
6/22/20 1:00	0.1	0.1	0.2
6/22/20 2:00	0.1	0.1	0.2
6/22/20 3:00	0.1	0.1	0.2
6/22/20 4:00	0.1	0.1	0.2
6/22/20 5:00	0.1	0.1	0.2
6/22/20 6:00	0.2	0.1	0.2
6/22/20 7:00	0.2	0.1	0.2
6/22/20 8:00	0.1	0.1	0.2
6/22/20 9:00	0.1	0.1	0.2
6/22/20 10:00	0.1	0.1	0.2
6/22/20 11:00	0.1	0.1	0.2
6/22/20 12:00	0.1	0.1	0.2
6/22/20 13:00	0.1	0.1	0.2
6/22/20 14:00	0.1	0.1	0.2
6/22/20 15:00	0.1	0.1	0.2
6/22/20 16:00	0.1	0.1	0.2
6/22/20 17:00	0.1	0.1	0.2
6/22/20 18:00	0.1	0.1	0.2
6/22/20 19:00	0.1	0.1	0.2
6/22/20 20:00	0.1	0.1	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/22/20 21:00	0.1	0.1	0.2
6/22/20 22:00	0.1	0.1	0.2
6/22/20 23:00	0.1	0.1	0.2
6/23/20 0:00	0.1	0.1	0.2
6/23/20 1:00	0.1	0.1	0.2
6/23/20 2:00	0.1	0.1	0.2
6/23/20 3:00	0.1	0.1	0.2
6/23/20 4:00	0.1	0.1	0.2
6/23/20 5:00	0.1	0.1	0.2
6/23/20 6:00	0.1	0.1	0.2
6/23/20 7:00	0.1	0.1	0.2
6/23/20 8:00	0.1	0.1	0.2
6/23/20 9:00	0.1	0.1	0.2
6/23/20 10:00	0.1	0.1	0.2
6/23/20 11:00	0.1	0.1	0.2
6/23/20 12:00	0.1	0.1	0.2
6/23/20 13:00	0.1	0.1	0.2
6/23/20 14:00	0.2	0.1	0.2
6/23/20 15:00	0.3	0.1	0.2
6/23/20 16:00	0.3	0.1	0.2
6/23/20 17:00	0.2	0.1	0.2
6/23/20 18:00	0.3	0.1	0.2
6/23/20 19:00	0.3	0.1	0.2
6/23/20 20:00	0.1	0.1	0.2
6/23/20 21:00	0.3	0.2	0.2
6/23/20 22:00	0.3	0.2	0.2
6/23/20 23:00	0.3	0.2	0.2
6/24/20 0:00	0.3	0.2	0.2
6/24/20 1:00	0.1	0.2	0.2
6/24/20 2:00	0.0	0.2	0.2
6/24/20 3:00	0.2	0.2	0.2
6/24/20 4:00	0.3	0.2	0.2
6/24/20 5:00	0.3	0.2	0.2
6/24/20 6:00	0.3	0.2	0.2
6/24/20 7:00	0.3	0.2	0.2
6/24/20 8:00	0.2	0.2	0.2
6/24/20 9:00	0.1	0.2	0.2
6/24/20 10:00	0.1	0.2	0.2
6/24/20 11:00	0.2	0.2	0.2
6/24/20 12:00	0.1	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/24/20 13:00	0.0	0.2	0.2
6/24/20 14:00	0.0	0.2	0.2
6/24/20 15:00	0.0	0.2	0.2
6/24/20 16:00	0.0	0.2	0.2
6/24/20 17:00	0.0	0.2	0.2
6/24/20 18:00	0.0	0.2	0.2
6/24/20 19:00	0.0	0.1	0.2
6/24/20 20:00	0.0	0.1	0.2
6/24/20 21:00	0.0	0.1	0.2
6/24/20 22:00	0.1	0.1	0.2
6/24/20 23:00	0.1	0.1	0.2
6/25/20 0:00	0.1	0.1	0.2
6/25/20 1:00	0.1	0.1	0.2
6/25/20 2:00	0.1	0.1	0.2
6/25/20 3:00	0.1	0.1	0.2
6/25/20 4:00	0.1	0.1	0.2
6/25/20 5:00	0.1	0.1	0.2
6/25/20 6:00	0.1	0.1	0.2
6/25/20 7:00	0.1	0.1	0.2
6/25/20 8:00	0.1	0.1	0.2
6/25/20 9:00	0.1	0.1	0.2
6/25/20 10:00	0.1	0.1	0.2
6/25/20 11:00	0.1	0.1	0.2
6/25/20 12:00	0.3	0.1	0.2
6/25/20 13:00	0.3	0.1	0.2
6/25/20 14:00	0.2	0.1	0.2
6/25/20 15:00	0.1	0.1	0.2
6/25/20 16:00	0.1	0.1	0.2
6/25/20 17:00	0.1	0.1	0.2
6/25/20 18:00	0.0	0.1	0.2
6/25/20 19:00	0.1	0.1	0.2
6/25/20 20:00	0.1	0.1	0.2
6/25/20 21:00	0.1	0.1	0.2
6/25/20 22:00	0.2	0.1	0.2
6/25/20 23:00	0.1	0.1	0.2
6/26/20 0:00	0.1	0.1	0.2
6/26/20 1:00	0.2	0.1	0.2
6/26/20 2:00	0.1	0.1	0.2
6/26/20 3:00	0.1	0.1	0.2
6/26/20 4:00	0.0	0.1	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/26/20 5:00	0.1	0.1	0.2
6/26/20 6:00	0.1	0.1	0.2
6/26/20 7:00	0.1	0.1	0.2
6/26/20 8:00	0.2	0.1	0.2
6/26/20 9:00	0.2	0.1	0.2
6/26/20 10:00	0.2	0.1	0.2
6/26/20 11:00	0.2	0.1	0.2
6/26/20 12:00	0.3	0.1	0.2
6/26/20 13:00	0.3	0.1	0.2
6/26/20 14:00	0.2	0.1	0.2
6/26/20 15:00	0.2	0.1	0.2
6/26/20 16:00	0.2	0.1	0.2
6/26/20 17:00	0.2	0.2	0.2
6/26/20 18:00	0.3	0.2	0.2
6/26/20 19:00	0.2	0.2	0.2
6/26/20 20:00	0.2	0.2	0.2
6/26/20 21:00	0.3	0.2	0.2
6/26/20 22:00	0.2	0.2	0.2
6/26/20 23:00	0.2	0.2	0.2
6/27/20 0:00	0.2	0.2	0.2
6/27/20 1:00	0.2	0.2	0.2
6/27/20 2:00	0.2	0.2	0.2
6/27/20 3:00	0.2	0.2	0.2
6/27/20 4:00	0.2	0.2	0.2
6/27/20 5:00	0.2	0.2	0.2
6/27/20 6:00	0.2	0.2	0.2
6/27/20 7:00	0.2	0.2	0.2
6/27/20 8:00	0.3	0.2	0.2
6/27/20 9:00	0.3	0.2	0.2
6/27/20 10:00	0.3	0.2	0.2
6/27/20 11:00	0.2	0.2	0.2
6/27/20 12:00	0.2	0.2	0.2
6/27/20 13:00	0.3	0.2	0.2
6/27/20 14:00	0.4	0.2	0.2
6/27/20 15:00	0.4	0.2	0.2
6/27/20 16:00	0.2	0.2	0.2
6/27/20 17:00	0.2	0.2	0.2
6/27/20 18:00	0.2	0.2	0.2
6/27/20 19:00	0.2	0.2	0.2
6/27/20 20:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/27/20 21:00	0.2	0.2	0.2
6/27/20 22:00	0.2	0.2	0.2
6/27/20 23:00	0.2	0.2	0.2
6/28/20 0:00	0.2	0.2	0.2
6/28/20 1:00	0.2	0.2	0.2
6/28/20 2:00	0.3	0.2	0.2
6/28/20 3:00	0.3	0.2	0.2
6/28/20 4:00	0.2	0.2	0.2
6/28/20 5:00	0.2	0.2	0.2
6/28/20 6:00	0.2	0.2	0.2
6/28/20 7:00	0.2	0.2	0.2
6/28/20 8:00	0.3	0.2	0.2
6/28/20 9:00	0.3	0.2	0.2
6/28/20 10:00	0.2	0.2	0.2
6/28/20 11:00	0.2	0.2	0.2
6/28/20 12:00	0.2	0.2	0.2
6/28/20 13:00	0.2	0.2	0.2
6/28/20 14:00	0.3	0.2	0.2
6/28/20 15:00	0.2	0.2	0.2
6/28/20 16:00	0.2	0.2	0.2
6/28/20 17:00	0.2	0.2	0.2
6/28/20 18:00	0.2	0.2	0.2
6/28/20 19:00	0.3	0.2	0.2
6/28/20 20:00	0.2	0.2	0.2
6/28/20 21:00	0.2	0.2	0.2
6/28/20 22:00	0.2	0.2	0.2
6/28/20 23:00	0.3	0.2	0.2
6/29/20 0:00	0.3	0.2	0.2
6/29/20 1:00	0.3	0.2	0.2
6/29/20 2:00	0.2	0.2	0.2
6/29/20 3:00	0.2	0.2	0.2
6/29/20 4:00	0.3	0.2	0.2
6/29/20 5:00	0.3	0.2	0.2
6/29/20 6:00	0.3	0.2	0.2
6/29/20 7:00	0.3	0.3	0.2
6/29/20 8:00	0.3	0.3	0.2
6/29/20 9:00	0.3	0.3	0.2
6/29/20 10:00	0.3	0.3	0.2
6/29/20 11:00	0.3	0.3	0.2
6/29/20 12:00	0.3	0.3	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
6/29/20 13:00	0.3	0.3	0.2
6/29/20 14:00	0.3	0.3	0.2
6/29/20 15:00	0.3	0.3	0.2
6/29/20 16:00	0.3	0.3	0.2
6/29/20 17:00	0.3	0.3	0.2
6/29/20 18:00	0.3	0.3	0.2
6/29/20 19:00	0.3	0.3	0.2
6/29/20 20:00	0.3	0.3	0.2
6/29/20 21:00	0.3	0.3	0.2
6/29/20 22:00	0.4	0.3	0.2
6/29/20 23:00	0.4	0.3	0.2
6/30/20 0:00	0.3	0.3	0.2
6/30/20 1:00	0.4	0.3	0.2
6/30/20 2:00	0.3	0.3	0.2
6/30/20 3:00	0.3	0.3	0.2
6/30/20 4:00	0.2	0.3	0.2
6/30/20 5:00	0.3	0.3	0.2
6/30/20 6:00	0.3	0.3	0.2
6/30/20 7:00	0.3	0.3	0.2
6/30/20 8:00	0.3	0.3	0.2
6/30/20 9:00	0.3	0.3	0.2
6/30/20 10:00	0.2	0.3	0.2
6/30/20 11:00	0.3	0.3	0.2
6/30/20 12:00	0.2	0.3	0.2
6/30/20 13:00	0.3	0.3	0.2
6/30/20 14:00	0.3	0.3	0.2
6/30/20 15:00	0.3	0.3	0.2
6/30/20 16:00	0.3	0.3	0.2
6/30/20 17:00	0.3	0.3	0.2
6/30/20 18:00	0.2	0.3	0.2
6/30/20 19:00	0.2	0.3	0.2
6/30/20 20:00	0.2	0.3	0.2
6/30/20 21:00	0.2	0.3	0.2
6/30/20 22:00	0.2	0.3	0.2
6/30/20 23:00	0.3	0.3	0.2
7/1/20 0:00	0.3	0.3	0.2
7/1/20 1:00	0.3	0.3	0.2
7/1/20 2:00	0.4	0.3	0.2
7/1/20 3:00	0.4	0.3	0.2
7/1/20 4:00	0.4	0.3	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/1/20 5:00	0.4	0.3	0.2
7/1/20 6:00	0.5	0.3	0.2
7/1/20 7:00	0.5	0.3	0.2
7/1/20 8:00	0.6	0.3	0.2
7/1/20 9:00	0.5	0.3	0.2
7/1/20 10:00	0.6	0.3	0.2
7/1/20 11:00	0.5	0.4	0.2
7/1/20 12:00	0.6	0.4	0.2
7/1/20 13:00	0.6	0.4	0.2
7/1/20 14:00	0.6	0.4	0.2
7/1/20 15:00	0.4	0.4	0.2
7/1/20 16:00	0.5	0.4	0.2
7/1/20 17:00	0.4	0.4	0.2
7/1/20 18:00	0.4	0.4	0.2
7/1/20 19:00	0.6	0.4	0.2
7/1/20 20:00	0.6	0.4	0.2
7/1/20 21:00	0.6	0.5	0.2
7/1/20 22:00	0.5	0.5	0.2
7/1/20 23:00	0.5	0.5	0.2
7/2/20 0:00	0.4	0.5	0.2
7/2/20 1:00	0.3	0.5	0.2
7/2/20 2:00	0.2	0.5	0.2
7/2/20 3:00	0.3	0.5	0.2
7/2/20 4:00	0.3	0.5	0.2
7/2/20 5:00	0.3	0.5	0.2
7/2/20 6:00	0.3	0.5	0.2
7/2/20 7:00	0.3	0.4	0.2
7/2/20 8:00	0.3	0.4	0.2
7/2/20 9:00	0.2	0.4	0.2
7/2/20 10:00	0.2	0.4	0.2
7/2/20 11:00	0.2	0.4	0.2
7/2/20 12:00	0.2	0.4	0.2
7/2/20 13:00	0.2	0.4	0.2
7/2/20 14:00	0.3	0.4	0.2
7/2/20 15:00	0.3	0.3	0.2
7/2/20 16:00	0.3	0.3	0.2
7/2/20 17:00	0.3	0.3	0.2
7/2/20 18:00	0.3	0.3	0.2
7/2/20 19:00	0.3	0.3	0.2
7/2/20 20:00	0.2	0.3	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/2/20 21:00	0.3	0.3	0.2
7/2/20 22:00	0.3	0.3	0.2
7/2/20 23:00	0.3	0.3	0.2
7/3/20 0:00	0.3	0.3	0.2
7/3/20 1:00	0.3	0.3	0.2
7/3/20 2:00	0.2	0.3	0.2
7/3/20 3:00	0.2	0.3	0.2
7/3/20 4:00	0.2	0.3	0.2
7/3/20 5:00	0.2	0.3	0.2
7/3/20 6:00	0.3	0.3	0.2
7/3/20 7:00	0.3	0.3	0.2
7/3/20 8:00	0.3	0.3	0.2
7/3/20 9:00	0.3	0.3	0.2
7/3/20 10:00	0.3	0.3	0.2
7/3/20 11:00	0.2	0.3	0.2
7/3/20 12:00	0.3	0.3	0.2
7/3/20 13:00	0.3	0.3	0.2
7/3/20 14:00	0.2	0.3	0.2
7/3/20 15:00	0.2	0.3	0.2
7/3/20 16:00	0.3	0.3	0.2
7/3/20 17:00	0.3	0.3	0.2
7/3/20 18:00	0.3	0.3	0.2
7/3/20 19:00	0.2	0.3	0.2
7/3/20 20:00	0.3	0.3	0.2
7/3/20 21:00	0.3	0.3	0.2
7/3/20 22:00	0.3	0.3	0.2
7/3/20 23:00	0.3	0.3	0.2
7/4/20 0:00	0.2	0.3	0.2
7/4/20 1:00	0.2	0.3	0.2
7/4/20 2:00	0.2	0.2	0.2
7/4/20 3:00	0.2	0.2	0.2
7/4/20 4:00	0.2	0.2	0.2
7/4/20 5:00	0.2	0.2	0.2
7/4/20 6:00	0.4	0.3	0.2
7/4/20 7:00	0.3	0.3	0.2
7/4/20 8:00	0.3	0.3	0.2
7/4/20 9:00	0.3	0.3	0.2
7/4/20 10:00	0.3	0.3	0.2
7/4/20 11:00	0.3	0.3	0.2
7/4/20 12:00	0.2	0.3	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/4/20 13:00	0.2	0.3	0.2
7/4/20 14:00	0.2	0.3	0.2
7/4/20 15:00	0.2	0.3	0.2
7/4/20 16:00	0.2	0.3	0.2
7/4/20 17:00	0.2	0.2	0.2
7/4/20 18:00	0.2	0.2	0.2
7/4/20 19:00	0.1	0.2	0.2
7/4/20 20:00	0.2	0.2	0.2
7/4/20 21:00	0.2	0.2	0.2
7/4/20 22:00	0.2	0.2	0.2
7/4/20 23:00	0.1	0.2	0.2
7/5/20 0:00	0.1	0.2	0.2
7/5/20 1:00	0.1	0.2	0.2
7/5/20 2:00	0.1	0.2	0.2
7/5/20 3:00	0.1	0.2	0.2
7/5/20 4:00	0.1	0.2	0.2
7/5/20 5:00	0.2	0.2	0.2
7/5/20 6:00	0.2	0.2	0.2
7/5/20 7:00	0.2	0.2	0.2
7/5/20 8:00	0.2	0.2	0.2
7/5/20 9:00	0.1	0.2	0.2
7/5/20 10:00	0.1	0.2	0.2
7/5/20 11:00	0.0	0.2	0.2
7/5/20 12:00	0.0	0.1	0.2
7/5/20 13:00	0.1	0.1	0.2
7/5/20 14:00	0.1	0.1	0.2
7/5/20 15:00	0.2	0.1	0.2
7/5/20 16:00	0.1	0.1	0.2
7/5/20 17:00	0.1	0.1	0.2
7/5/20 18:00	0.1	0.1	0.2
7/5/20 19:00	0.1	0.1	0.2
7/5/20 20:00	0.1	0.1	0.2
7/5/20 21:00	0.1	0.1	0.2
7/5/20 22:00	0.1	0.1	0.2
7/5/20 23:00	0.1	0.1	0.2
7/6/20 0:00	0.1	0.1	0.2
7/6/20 1:00	0.1	0.1	0.2
7/6/20 2:00	0.1	0.1	0.2
7/6/20 3:00	0.1	0.1	0.2
7/6/20 4:00	0.1	0.1	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/6/20 5:00	0.1	0.1	0.2
7/6/20 6:00	0.1	0.1	0.2
7/6/20 7:00	0.2	0.1	0.2
7/6/20 8:00	0.2	0.1	0.2
7/6/20 9:00	0.2	0.1	0.2
7/6/20 10:00	0.1	0.1	0.2
7/6/20 11:00	0.1	0.1	0.2
7/6/20 12:00	0.1	0.1	0.2
7/6/20 13:00	0.1	0.1	0.2
7/6/20 14:00	0.1	0.1	0.2
7/6/20 15:00	0.1	0.1	0.2
7/6/20 16:00	0.0	0.1	0.2
7/6/20 17:00	0.1	0.1	0.2
7/6/20 18:00	0.0	0.1	0.2
7/6/20 19:00	0.1	0.1	0.2
7/6/20 20:00	0.1	0.1	0.2
7/6/20 21:00	0.1	0.1	0.2
7/6/20 22:00	0.1	0.1	0.2
7/6/20 23:00	0.1	0.1	0.2
7/7/20 0:00	0.0	0.1	0.2
7/7/20 1:00	0.0	0.1	0.2
7/7/20 2:00	0.1	0.1	0.2
7/7/20 3:00	0.1	0.1	0.2
7/7/20 4:00	0.1	0.1	0.2
7/7/20 5:00	0.2	0.1	0.2
7/7/20 6:00	0.2	0.1	0.2
7/7/20 7:00	0.2	0.1	0.2
7/7/20 8:00	0.1	0.1	0.2
7/7/20 9:00	0.2	0.1	0.2
7/7/20 10:00	0.1	0.1	0.2
7/7/20 11:00	0.2	0.1	0.2
7/7/20 12:00	0.1	0.1	0.2
7/7/20 13:00	0.2	0.1	0.2
7/7/20 14:00	0.2	0.1	0.2
7/7/20 15:00	0.2	0.1	0.2
7/7/20 16:00	0.2	0.1	0.2
7/7/20 17:00	0.3	0.1	0.2
7/7/20 18:00	0.2	0.1	0.2
7/7/20 19:00	0.2	0.2	0.2
7/7/20 20:00	0.3	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/7/20 21:00	0.2	0.2	0.2
7/7/20 22:00	0.2	0.2	0.2
7/7/20 23:00	0.2	0.2	0.2
7/8/20 0:00	0.3	0.2	0.2
7/8/20 1:00	0.3	0.2	0.2
7/8/20 2:00	0.2	0.2	0.2
7/8/20 3:00	0.2	0.2	0.2
7/8/20 4:00	0.3	0.2	0.2
7/8/20 5:00	0.3	0.2	0.2
7/8/20 6:00	0.3	0.2	0.2
7/8/20 7:00	0.3	0.2	0.2
7/8/20 8:00	0.3	0.2	0.2
7/8/20 9:00	0.2	0.2	0.2
7/8/20 10:00	0.2	0.2	0.2
7/8/20 11:00	0.2	0.2	0.2
7/8/20 12:00	0.2	0.2	0.2
7/8/20 13:00	0.2	0.2	0.2
7/8/20 14:00	0.1	0.2	0.2
7/8/20 15:00	0.2	0.2	0.2
7/8/20 16:00	0.3	0.2	0.2
7/8/20 17:00	0.3	0.2	0.2
7/8/20 18:00	0.2	0.2	0.2
7/8/20 19:00	0.2	0.2	0.2
7/8/20 20:00	0.2	0.2	0.2
7/8/20 21:00	0.2	0.2	0.2
7/8/20 22:00	0.2	0.2	0.2
7/8/20 23:00	0.2	0.2	0.2
7/9/20 0:00	0.2	0.2	0.2
7/9/20 1:00	0.2	0.2	0.2
7/9/20 2:00	0.2	0.2	0.2
7/9/20 3:00	0.3	0.2	0.2
7/9/20 4:00	0.3	0.2	0.2
7/9/20 5:00	0.3	0.2	0.2
7/9/20 6:00	0.3	0.2	0.2
7/9/20 7:00	0.3	0.2	0.2
7/9/20 8:00	0.3	0.2	0.2
7/9/20 9:00	0.3	0.2	0.2
7/9/20 10:00	0.2	0.2	0.2
7/9/20 11:00	0.2	0.2	0.2
7/9/20 12:00	0.3	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/9/20 13:00	0.3	0.2	0.2
7/9/20 14:00	0.3	0.3	0.2
7/9/20 15:00	0.3	0.3	0.2
7/9/20 16:00	0.4	0.3	0.2
7/9/20 17:00	0.4	0.3	0.2
7/9/20 18:00	0.4	0.3	0.2
7/9/20 19:00	0.4	0.3	0.2
7/9/20 20:00	0.4	0.3	0.2
7/9/20 21:00	0.3	0.3	0.2
7/9/20 22:00	0.2	0.3	0.2
7/9/20 23:00	0.2	0.3	0.2
7/10/20 0:00	0.2	0.3	0.2
7/10/20 1:00	0.4	0.3	0.2
7/10/20 2:00	0.3	0.3	0.2
7/10/20 3:00	0.3	0.3	0.2
7/10/20 4:00	0.3	0.3	0.2
7/10/20 5:00	0.2	0.3	0.2
7/10/20 6:00	0.2	0.3	0.2
7/10/20 7:00	0.3	0.3	0.2
7/10/20 8:00	0.3	0.3	0.2
7/10/20 9:00	0.3	0.3	0.2
7/10/20 10:00	0.3	0.3	0.2
7/10/20 11:00	0.4	0.3	0.2
7/10/20 12:00	0.4	0.3	0.2
7/10/20 13:00	0.3	0.3	0.2
7/10/20 14:00	0.4	0.3	0.2
7/10/20 15:00	0.4	0.3	0.2
7/10/20 16:00	0.4	0.3	0.2
7/10/20 17:00	0.3	0.3	0.2
7/10/20 18:00	0.4	0.3	0.2
7/10/20 19:00	0.4	0.3	0.2
7/10/20 20:00	0.4	0.3	0.2
7/10/20 21:00	0.4	0.3	0.2
7/10/20 22:00	0.3	0.3	0.2
7/10/20 23:00	0.3	0.3	0.2
7/11/20 0:00	0.3	0.3	0.2
7/11/20 1:00	0.3	0.3	0.2
7/11/20 2:00	0.4	0.3	0.2
7/11/20 3:00	0.3	0.3	0.2
7/11/20 4:00	0.3	0.3	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/11/20 5:00	0.3	0.3	0.2
7/11/20 6:00	0.3	0.3	0.2
7/11/20 7:00	0.3	0.3	0.2
7/11/20 8:00	0.4	0.3	0.2
7/11/20 9:00	0.3	0.3	0.2
7/11/20 10:00	0.3	0.3	0.2
7/11/20 11:00	0.2	0.3	0.2
7/11/20 12:00	0.2	0.3	0.2
7/11/20 13:00	0.2	0.3	0.2
7/11/20 14:00	0.2	0.3	0.2
7/11/20 15:00	0.2	0.3	0.2
7/11/20 16:00	0.2	0.3	0.2
7/11/20 17:00	0.2	0.3	0.2
7/11/20 18:00	0.2	0.3	0.2
7/11/20 19:00	0.2	0.3	0.2
7/11/20 20:00	0.3	0.3	0.2
7/11/20 21:00	0.3	0.3	0.2
7/11/20 22:00	0.3	0.3	0.2
7/11/20 23:00	0.3	0.3	0.2
7/12/20 0:00	0.4	0.3	0.2
7/12/20 1:00	0.3	0.3	0.2
7/12/20 2:00	0.3	0.3	0.2
7/12/20 3:00	0.3	0.3	0.2
7/12/20 4:00	0.3	0.3	0.2
7/12/20 5:00	0.3	0.3	0.2
7/12/20 6:00	0.2	0.3	0.2
7/12/20 7:00	0.2	0.3	0.2
7/12/20 8:00	0.3	0.3	0.2
7/12/20 9:00	0.3	0.3	0.2
7/12/20 10:00	0.3	0.3	0.2
7/12/20 11:00	0.3	0.3	0.2
7/12/20 12:00	0.3	0.3	0.2
7/12/20 13:00	0.3	0.3	0.2
7/12/20 14:00	0.4	0.3	0.2
7/12/20 15:00	0.3	0.3	0.2
7/12/20 16:00	0.3	0.3	0.2
7/12/20 17:00	0.3	0.3	0.2
7/12/20 18:00	0.3	0.3	0.2
7/12/20 19:00	0.3	0.3	0.2
7/12/20 20:00	0.3	0.3	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/12/20 21:00	0.3	0.3	0.2
7/12/20 22:00	0.3	0.3	0.2
7/12/20 23:00	0.2	0.3	0.2
7/13/20 0:00	0.3	0.3	0.2
7/13/20 1:00	0.3	0.3	0.2
7/13/20 2:00	0.3	0.3	0.2
7/13/20 3:00	0.2	0.3	0.2
7/13/20 4:00	0.2	0.3	0.2
7/13/20 5:00	0.2	0.3	0.2
7/13/20 6:00	0.2	0.3	0.2
7/13/20 7:00	0.3	0.3	0.2
7/13/20 8:00	0.3	0.3	0.2
7/13/20 9:00	0.3	0.3	0.2
7/13/20 10:00	0.3	0.3	0.2
7/13/20 11:00	0.3	0.3	0.2
7/13/20 12:00	0.3	0.3	0.2
7/13/20 13:00	0.4	0.3	0.2
7/13/20 14:00	0.3	0.3	0.2
7/13/20 15:00	0.3	0.3	0.2
7/13/20 16:00	0.3	0.3	0.2
7/13/20 17:00	0.3	0.3	0.2
7/13/20 18:00	0.3	0.3	0.2
7/13/20 19:00	0.3	0.3	0.2
7/13/20 20:00	0.3	0.3	0.2
7/13/20 21:00	0.4	0.3	0.2
7/13/20 22:00	0.4	0.3	0.2
7/13/20 23:00	0.4	0.3	0.2
7/14/20 0:00	0.4	0.3	0.2
7/14/20 1:00	0.4	0.3	0.2
7/14/20 2:00	0.4	0.3	0.2
7/14/20 3:00	0.4	0.3	0.2
7/14/20 4:00	0.4	0.3	0.2
7/14/20 5:00	0.3	0.3	0.2
7/14/20 6:00	0.3	0.3	0.2
7/14/20 7:00	0.4	0.4	0.2
7/14/20 8:00	0.4	0.4	0.2
7/14/20 9:00	0.3	0.4	0.2
7/14/20 10:00	0.4	0.4	0.2
7/14/20 11:00	0.3	0.4	0.2
7/14/20 12:00	0.3	0.4	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/14/20 13:00	0.3	0.4	0.2
7/14/20 14:00	0.5	0.4	0.2
7/14/20 15:00	0.5	0.4	0.2
7/14/20 16:00	0.4	0.4	0.2
7/14/20 17:00	0.5	0.4	0.2
7/14/20 18:00	0.4	0.4	0.2
7/14/20 19:00	0.4	0.4	0.2
7/14/20 20:00	0.5	0.4	0.2
7/14/20 21:00	0.5	0.4	0.2
7/14/20 22:00	0.5	0.4	0.2
7/14/20 23:00	0.5	0.4	0.2
7/15/20 0:00	0.4	0.4	0.2
7/15/20 1:00	0.4	0.4	0.2
7/15/20 2:00	0.4	0.4	0.2
7/15/20 3:00	0.4	0.4	0.2
7/15/20 4:00	0.4	0.4	0.2
7/15/20 5:00	0.4	0.4	0.2
7/15/20 6:00	0.4	0.4	0.2
7/15/20 7:00	0.4	0.4	0.2
7/15/20 8:00	0.5	0.4	0.2
7/15/20 9:00	0.5	0.4	0.2
7/15/20 10:00	0.5	0.4	0.2
7/15/20 11:00	0.4	0.4	0.2
7/15/20 12:00	0.4	0.4	0.2
7/15/20 13:00	0.4	0.4	0.2
7/15/20 14:00	0.4	0.4	0.2
7/15/20 15:00	0.4	0.4	0.2
7/15/20 16:00	0.4	0.4	0.2
7/15/20 17:00	0.4	0.4	0.2
7/15/20 18:00	0.4	0.4	0.2
7/15/20 19:00	0.3	0.4	0.2
7/15/20 20:00	0.4	0.4	0.2
7/15/20 21:00	0.4	0.4	0.2
7/15/20 22:00	0.4	0.4	0.2
7/15/20 23:00	0.4	0.4	0.2
7/16/20 0:00	0.4	0.4	0.2
7/16/20 1:00	0.4	0.4	0.2
7/16/20 2:00	0.4	0.4	0.2
7/16/20 3:00	0.4	0.4	0.2
7/16/20 4:00	0.4	0.4	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/16/20 5:00	0.4	0.4	0.2
7/16/20 6:00	0.4	0.4	0.2
7/16/20 7:00	0.4	0.4	0.2
7/16/20 8:00	0.4	0.4	0.2
7/16/20 9:00	0.4	0.4	0.2
7/16/20 10:00	0.4	0.4	0.2
7/16/20 11:00	0.4	0.4	0.2
7/16/20 12:00	0.4	0.4	0.2
7/16/20 13:00	0.4	0.4	0.2
7/16/20 14:00	0.4	0.4	0.2
7/16/20 15:00	0.4	0.4	0.2
7/16/20 16:00	0.4	0.4	0.2
7/16/20 17:00	0.3	0.4	0.2
7/16/20 18:00	0.3	0.4	0.2
7/16/20 19:00	0.4	0.4	0.2
7/16/20 20:00	0.3	0.4	0.2
7/16/20 21:00	0.3	0.4	0.2
7/16/20 22:00	0.4	0.4	0.2
7/16/20 23:00	0.5	0.4	0.2
7/17/20 0:00	0.4	0.4	0.2
7/17/20 1:00	0.4	0.4	0.2
7/17/20 2:00	0.3	0.4	0.2
7/17/20 3:00	0.2	0.4	0.2
7/17/20 4:00	0.2	0.4	0.2
7/17/20 5:00	0.2	0.4	0.2
7/17/20 6:00	0.2	0.4	0.2
7/17/20 7:00	0.2	0.3	0.2
7/17/20 8:00	0.2	0.3	0.2
7/17/20 9:00	0.2	0.3	0.2
7/17/20 10:00	0.2	0.3	0.2
7/17/20 11:00	0.3	0.3	0.2
7/17/20 12:00	0.3	0.3	0.2
7/17/20 13:00	0.3	0.3	0.2
7/17/20 14:00	0.3	0.3	0.2
7/17/20 15:00	0.2	0.3	0.2
7/17/20 16:00	0.1	0.3	0.2
7/17/20 17:00	0.1	0.3	0.2
7/17/20 18:00	0.2	0.3	0.2
7/17/20 19:00	0.2	0.3	0.2
7/17/20 20:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/17/20 21:00	0.2	0.2	0.2
7/17/20 22:00	0.2	0.2	0.2
7/17/20 23:00	0.2	0.2	0.2
7/18/20 0:00	0.2	0.2	0.2
7/18/20 1:00	0.2	0.2	0.2
7/18/20 2:00	0.2	0.2	0.2
7/18/20 3:00	0.2	0.2	0.2
7/18/20 4:00	0.1	0.2	0.2
7/18/20 5:00	0.2	0.2	0.2
7/18/20 6:00	0.2	0.2	0.2
7/18/20 7:00	0.2	0.2	0.2
7/18/20 8:00	0.2	0.2	0.2
7/18/20 9:00	0.2	0.2	0.2
7/18/20 10:00	0.2	0.2	0.2
7/18/20 11:00	0.2	0.2	0.2
7/18/20 12:00	0.2	0.2	0.2
7/18/20 13:00	0.2	0.2	0.2
7/18/20 14:00	0.2	0.2	0.2
7/18/20 15:00	0.2	0.2	0.2
7/18/20 16:00	0.2	0.2	0.2
7/18/20 17:00	0.2	0.2	0.2
7/18/20 18:00	0.2	0.2	0.2
7/18/20 19:00	0.1	0.2	0.2
7/18/20 20:00	0.1	0.2	0.2
7/18/20 21:00	0.1	0.2	0.2
7/18/20 22:00	0.2	0.2	0.2
7/18/20 23:00	0.1	0.2	0.2
7/19/20 0:00	0.2	0.2	0.2
7/19/20 1:00	0.2	0.2	0.2
7/19/20 2:00	0.2	0.2	0.2
7/19/20 3:00	0.1	0.2	0.2
7/19/20 4:00	0.1	0.2	0.2
7/19/20 5:00	0.1	0.2	0.2
7/19/20 6:00	0.2	0.2	0.2
7/19/20 7:00	0.2	0.2	0.2
7/19/20 8:00	0.1	0.2	0.2
7/19/20 9:00	0.2	0.2	0.2
7/19/20 10:00	0.1	0.2	0.2
7/19/20 11:00	0.1	0.2	0.2
7/19/20 12:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/19/20 13:00	0.1	0.2	0.2
7/19/20 14:00	0.1	0.2	0.2
7/19/20 15:00	0.2	0.2	0.2
7/19/20 16:00	0.2	0.2	0.2
7/19/20 17:00	0.2	0.2	0.2
7/19/20 18:00	0.2	0.2	0.2
7/19/20 19:00	0.1	0.2	0.2
7/19/20 20:00	0.0	0.1	0.2
7/19/20 21:00	0.0	0.1	0.2
7/19/20 22:00	0.0	0.1	0.2
7/19/20 23:00	0.1	0.1	0.2
7/20/20 0:00	0.1	0.1	0.2
7/20/20 1:00	0.1	0.1	0.2
7/20/20 2:00	0.1	0.1	0.2
7/20/20 3:00	0.1	0.1	0.2
7/20/20 4:00	0.2	0.1	0.2
7/20/20 5:00	0.2	0.1	0.2
7/20/20 6:00	0.2	0.1	0.2
7/20/20 7:00	0.2	0.1	0.2
7/20/20 8:00	0.2	0.1	0.2
7/20/20 9:00	0.2	0.1	0.2
7/20/20 10:00	0.2	0.1	0.2
7/20/20 11:00	0.2	0.1	0.2
7/20/20 12:00	0.2	0.1	0.2
7/20/20 13:00	0.2	0.1	0.2
7/20/20 14:00	0.1	0.1	0.2
7/20/20 15:00	0.0	0.1	0.2
7/20/20 16:00	0.0	0.1	0.2
7/20/20 17:00	0.0	0.1	0.2
7/20/20 18:00	0.0	0.1	0.2
7/20/20 19:00	0.0	0.1	0.2
7/20/20 20:00	0.0	0.1	0.2
7/20/20 21:00	0.0	0.1	0.2
7/20/20 22:00	0.0	0.1	0.2
7/20/20 23:00	0.1	0.1	0.2
7/21/20 0:00	0.1	0.1	0.2
7/21/20 1:00	0.1	0.1	0.2
7/21/20 2:00	0.1	0.1	0.2
7/21/20 3:00	0.1	0.1	0.2
7/21/20 4:00	0.1	0.1	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/21/20 5:00	0.1	0.1	0.2
7/21/20 6:00	0.1	0.1	0.2
7/21/20 7:00	0.1	0.1	0.2
7/21/20 8:00	0.1	0.1	0.2
7/21/20 9:00	0.1	0.1	0.2
7/21/20 10:00	0.1	0.1	0.2
7/21/20 11:00	0.2	0.1	0.2
7/21/20 12:00	0.3	0.1	0.2
7/21/20 13:00	0.3	0.1	0.2
7/21/20 14:00	0.3	0.1	0.2
7/21/20 15:00	0.3	0.1	0.2
7/21/20 16:00	0.3	0.1	0.2
7/21/20 17:00	0.3	0.1	0.2
7/21/20 18:00	0.3	0.1	0.2
7/21/20 19:00	0.3	0.2	0.2
7/21/20 20:00	0.3	0.2	0.2
7/21/20 21:00	0.2	0.2	0.2
7/21/20 22:00	0.3	0.2	0.2
7/21/20 23:00	0.3	0.2	0.2
7/22/20 0:00	0.3	0.2	0.2
7/22/20 1:00	0.3	0.2	0.2
7/22/20 2:00	0.3	0.2	0.2
7/22/20 3:00	0.3	0.2	0.2
7/22/20 4:00	0.2	0.2	0.2
7/22/20 5:00	0.2	0.2	0.2
7/22/20 6:00	0.2	0.2	0.2
7/22/20 7:00	0.2	0.2	0.2
7/22/20 8:00	0.2	0.2	0.2
7/22/20 9:00	0.3	0.3	0.2
7/22/20 10:00	0.1	0.3	0.2
7/22/20 11:00	0.1	0.2	0.2
7/22/20 12:00	0.1	0.2	0.2
7/22/20 13:00	0.3	0.2	0.2
7/22/20 14:00	0.3	0.2	0.2
7/22/20 15:00	0.1	0.2	0.2
7/22/20 16:00	0.1	0.2	0.2
7/22/20 17:00	0.1	0.2	0.2
7/22/20 18:00	0.1	0.2	0.2
7/22/20 19:00	0.1	0.2	0.2
7/22/20 20:00	0.1	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/22/20 21:00	0.1	0.2	0.2
7/22/20 22:00	0.1	0.2	0.2
7/22/20 23:00	0.1	0.2	0.2
7/23/20 0:00	0.1	0.2	0.2
7/23/20 1:00	0.1	0.2	0.2
7/23/20 2:00	0.1	0.2	0.2
7/23/20 3:00	0.1	0.2	0.2
7/23/20 4:00	0.1	0.2	0.2
7/23/20 5:00	0.1	0.1	0.2
7/23/20 6:00	0.1	0.1	0.2
7/23/20 7:00	0.1	0.1	0.2
7/23/20 8:00	0.1	0.1	0.2
7/23/20 9:00	0.1	0.1	0.2
7/23/20 10:00	0.3	0.1	0.2
7/23/20 11:00	0.4	0.1	0.2
7/23/20 12:00	0.1	0.1	0.2
7/23/20 13:00	0.2	0.1	0.2
7/23/20 14:00	0.3	0.1	0.2
7/23/20 15:00	0.1	0.1	0.2
7/23/20 16:00	0.1	0.1	0.2
7/23/20 17:00	0.1	0.1	0.2
7/23/20 18:00	0.1	0.1	0.2
7/23/20 19:00	0.2	0.1	0.2
7/23/20 20:00	0.2	0.1	0.2
7/23/20 21:00	0.2	0.1	0.2
7/23/20 22:00	0.2	0.1	0.2
7/23/20 23:00	0.2	0.2	0.2
7/24/20 0:00	0.2	0.2	0.2
7/24/20 1:00	0.2	0.2	0.2
7/24/20 2:00	0.2	0.2	0.2
7/24/20 3:00	0.1	0.2	0.2
7/24/20 4:00	0.2	0.2	0.2
7/24/20 5:00	0.2	0.2	0.2
7/24/20 6:00	0.1	0.2	0.2
7/24/20 7:00	0.2	0.2	0.2
7/24/20 8:00	0.2	0.2	0.2
7/24/20 9:00	0.2	0.2	0.2
7/24/20 10:00	0.2	0.2	0.2
7/24/20 11:00	0.1	0.2	0.2
7/24/20 12:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/24/20 13:00	0.2	0.2	0.2
7/24/20 14:00	0.1	0.2	0.2
7/24/20 15:00	0.1	0.2	0.2
7/24/20 16:00	0.1	0.2	0.2
7/24/20 17:00	0.1	0.2	0.2
7/24/20 18:00	0.1	0.2	0.2
7/24/20 19:00	0.1	0.2	0.2
7/24/20 20:00	0.1	0.1	0.2
7/24/20 21:00	0.1	0.1	0.2
7/24/20 22:00	0.1	0.1	0.2
7/24/20 23:00	0.1	0.1	0.2
7/25/20 0:00	0.1	0.1	0.2
7/25/20 1:00	0.1	0.1	0.2
7/25/20 2:00	0.1	0.1	0.2
7/25/20 3:00	0.1	0.1	0.2
7/25/20 4:00	0.1	0.1	0.2
7/25/20 5:00	0.1	0.1	0.2
7/25/20 6:00	0.1	0.1	0.2
7/25/20 7:00	0.1	0.1	0.2
7/25/20 8:00	0.1	0.1	0.2
7/25/20 9:00	0.2	0.1	0.2
7/25/20 10:00	0.1	0.1	0.2
7/25/20 11:00	0.2	0.1	0.2
7/25/20 12:00	0.2	0.1	0.2
7/25/20 13:00	0.2	0.1	0.2
7/25/20 14:00	0.2	0.1	0.2
7/25/20 15:00	0.2	0.1	0.2
7/25/20 16:00	0.2	0.1	0.2
7/25/20 17:00	0.2	0.1	0.2
7/25/20 18:00	0.2	0.1	0.2
7/25/20 19:00	0.2	0.1	0.2
7/25/20 20:00	0.2	0.1	0.2
7/25/20 21:00	0.2	0.1	0.2
7/25/20 22:00	0.2	0.1	0.2
7/25/20 23:00	0.2	0.2	0.2
7/26/20 0:00	0.2	0.2	0.2
7/26/20 1:00	0.2	0.2	0.2
7/26/20 2:00	0.2	0.2	0.2
7/26/20 3:00	0.1	0.2	0.2
7/26/20 4:00	0.1	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/26/20 5:00	0.1	0.2	0.2
7/26/20 6:00	0.1	0.2	0.2
7/26/20 7:00	0.1	0.2	0.2
7/26/20 8:00	0.1	0.2	0.2
7/26/20 9:00	0.2	0.2	0.2
7/26/20 10:00	0.3	0.2	0.2
7/26/20 11:00	0.3	0.2	0.2
7/26/20 12:00	0.3	0.2	0.2
7/26/20 13:00	0.3	0.2	0.2
7/26/20 14:00	0.3	0.2	0.2
7/26/20 15:00	0.2	0.2	0.2
7/26/20 16:00	0.3	0.2	0.2
7/26/20 17:00	0.3	0.2	0.2
7/26/20 18:00	0.3	0.2	0.2
7/26/20 19:00	0.3	0.2	0.2
7/26/20 20:00	0.3	0.2	0.2
7/26/20 21:00	0.3	0.2	0.2
7/26/20 22:00	0.3	0.2	0.2
7/26/20 23:00	0.4	0.2	0.2
7/27/20 0:00	0.4	0.2	0.2
7/27/20 1:00	0.3	0.2	0.2
7/27/20 2:00	0.4	0.3	0.2
7/27/20 3:00	0.4	0.3	0.2
7/27/20 4:00	0.4	0.3	0.2
7/27/20 5:00	0.1	0.3	0.2
7/27/20 6:00	0.1	0.3	0.2
7/27/20 7:00	0.1	0.3	0.2
7/27/20 8:00	0.1	0.3	0.2
7/27/20 9:00	0.1	0.3	0.2
7/27/20 10:00	0.2	0.3	0.2
7/27/20 11:00	0.1	0.3	0.2
7/27/20 12:00	0.2	0.3	0.2
7/27/20 13:00	0.1	0.2	0.2
7/27/20 14:00	0.1	0.2	0.2
7/27/20 15:00	0.1	0.2	0.2
7/27/20 16:00	0.1	0.2	0.2
7/27/20 17:00	0.1	0.2	0.2
7/27/20 18:00	0.1	0.2	0.2
7/27/20 19:00	0.1	0.2	0.2
7/27/20 20:00	0.1	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/27/20 21:00	0.1	0.2	0.2
7/27/20 22:00	0.1	0.2	0.2
7/27/20 23:00	0.1	0.2	0.2
7/28/20 0:00	0.1	0.1	0.2
7/28/20 1:00	0.2	0.1	0.2
7/28/20 2:00	0.2	0.1	0.2
7/28/20 3:00	0.2	0.1	0.2
7/28/20 4:00	0.1	0.1	0.2
7/28/20 5:00	0.1	0.1	0.2
7/28/20 6:00	0.1	0.1	0.2
7/28/20 7:00	0.1	0.1	0.2
7/28/20 8:00	0.1	0.1	0.2
7/28/20 9:00	0.2	0.1	0.2
7/28/20 10:00	0.2	0.1	0.2
7/28/20 11:00	0.2	0.1	0.2
7/28/20 12:00	0.1	0.1	0.2
7/28/20 13:00	0.2	0.1	0.2
7/28/20 14:00	0.2	0.1	0.2
7/28/20 15:00	0.2	0.1	0.2
7/28/20 16:00	0.2	0.1	0.2
7/28/20 17:00	0.3	0.2	0.2
7/28/20 18:00	0.2	0.2	0.2
7/28/20 19:00	0.2	0.2	0.2
7/28/20 20:00	0.2	0.2	0.2
7/28/20 21:00	0.2	0.2	0.2
7/28/20 22:00	0.2	0.2	0.2
7/28/20 23:00	0.2	0.2	0.2
7/29/20 0:00	0.2	0.2	0.2
7/29/20 1:00	0.2	0.2	0.2
7/29/20 2:00	0.2	0.2	0.2
7/29/20 3:00	0.2	0.2	0.2
7/29/20 4:00	0.2	0.2	0.2
7/29/20 5:00	0.2	0.2	0.2
7/29/20 6:00	0.2	0.2	0.2
7/29/20 7:00	0.2	0.2	0.2
7/29/20 8:00	0.2	0.2	0.2
7/29/20 9:00	0.2	0.2	0.2
7/29/20 10:00	0.2	0.2	0.2
7/29/20 11:00	0.2	0.2	0.2
7/29/20 12:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/29/20 13:00	0.2	0.2	0.2
7/29/20 14:00	0.2	0.2	0.2
7/29/20 15:00	0.2	0.2	0.2
7/29/20 16:00	0.2	0.2	0.2
7/29/20 17:00	0.2	0.2	0.2
7/29/20 18:00	0.2	0.2	0.2
7/29/20 19:00	0.2	0.2	0.2
7/29/20 20:00	0.2	0.2	0.2
7/29/20 21:00	0.2	0.2	0.2
7/29/20 22:00	0.2	0.2	0.2
7/29/20 23:00	0.2	0.2	0.2
7/30/20 0:00	0.3	0.2	0.2
7/30/20 1:00	0.2	0.2	0.2
7/30/20 2:00	0.2	0.2	0.2
7/30/20 3:00	0.2	0.2	0.2
7/30/20 4:00	0.2	0.2	0.2
7/30/20 5:00	0.3	0.2	0.2
7/30/20 6:00	0.2	0.2	0.2
7/30/20 7:00	0.2	0.2	0.2
7/30/20 8:00	0.2	0.2	0.2
7/30/20 9:00	0.2	0.2	0.2
7/30/20 10:00	0.2	0.2	0.2
7/30/20 11:00	0.2	0.2	0.2
7/30/20 12:00	0.2	0.2	0.2
7/30/20 13:00	0.2	0.2	0.2
7/30/20 14:00	0.2	0.2	0.2
7/30/20 15:00	0.2	0.2	0.2
7/30/20 16:00	0.2	0.2	0.2
7/30/20 17:00	0.2	0.2	0.2
7/30/20 18:00	0.2	0.2	0.2
7/30/20 19:00	0.2	0.2	0.2
7/30/20 20:00	0.2	0.2	0.2
7/30/20 21:00	0.3	0.2	0.2
7/30/20 22:00	0.2	0.2	0.2
7/30/20 23:00	0.2	0.2	0.2
7/31/20 0:00	0.2	0.2	0.2
7/31/20 1:00	0.2	0.2	0.2
7/31/20 2:00	0.2	0.2	0.2
7/31/20 3:00	0.1	0.2	0.2
7/31/20 4:00	0.1	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
7/31/20 5:00	0.1	0.2	0.2
7/31/20 6:00	0.1	0.2	0.2
7/31/20 7:00	0.1	0.2	0.2
7/31/20 8:00	0.2	0.2	0.2
7/31/20 9:00	0.2	0.2	0.2
7/31/20 10:00	0.2	0.2	0.2
7/31/20 11:00	0.1	0.2	0.2
7/31/20 12:00	0.1	0.2	0.2
7/31/20 13:00	0.1	0.2	0.2
7/31/20 14:00	0.1	0.2	0.2
7/31/20 15:00	0.1	0.2	0.2
7/31/20 16:00	0.1	0.2	0.2
7/31/20 17:00	0.1	0.2	0.2
7/31/20 18:00	0.1	0.2	0.2
7/31/20 19:00	0.1	0.2	0.2
7/31/20 20:00	0.2	0.2	0.2
7/31/20 21:00	0.2	0.2	0.2
7/31/20 22:00	0.2	0.1	0.2
7/31/20 23:00	0.2	0.1	0.2
8/1/20 0:00	0.1	0.1	0.2
8/1/20 1:00	0.1	0.1	0.2
8/1/20 2:00	0.1	0.1	0.2
8/1/20 3:00	0.1	0.1	0.2
8/1/20 4:00	0.1	0.1	0.2
8/1/20 5:00	0.1	0.1	0.2
8/1/20 6:00	0.2	0.1	0.2
8/1/20 7:00	0.2	0.1	0.2
8/1/20 8:00	0.2	0.1	0.2
8/1/20 9:00	0.2	0.1	0.2
8/1/20 10:00	0.2	0.1	0.2
8/1/20 11:00	0.2	0.1	0.2
8/1/20 12:00	0.2	0.1	0.2
8/1/20 13:00	0.2	0.1	0.2
8/1/20 14:00	0.2	0.2	0.2
8/1/20 15:00	0.2	0.2	0.2
8/1/20 16:00	0.2	0.2	0.2
8/1/20 17:00	0.2	0.2	0.2
8/1/20 18:00	0.2	0.2	0.2
8/1/20 19:00	0.2	0.2	0.2
8/1/20 20:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/1/20 21:00	0.3	0.2	0.2
8/1/20 22:00	0.2	0.2	0.2
8/1/20 23:00	0.2	0.2	0.2
8/2/20 0:00	0.2	0.2	0.2
8/2/20 1:00	0.2	0.2	0.2
8/2/20 2:00	0.2	0.2	0.2
8/2/20 3:00	0.2	0.2	0.2
8/2/20 4:00	0.2	0.2	0.2
8/2/20 5:00	0.2	0.2	0.2
8/2/20 6:00	0.2	0.2	0.2
8/2/20 7:00	0.2	0.2	0.2
8/2/20 8:00	0.2	0.2	0.2
8/2/20 9:00	0.2	0.2	0.2
8/2/20 10:00	0.3	0.2	0.2
8/2/20 11:00	0.2	0.2	0.2
8/2/20 12:00	0.2	0.2	0.2
8/2/20 13:00	0.2	0.2	0.2
8/2/20 14:00	0.2	0.2	0.2
8/2/20 15:00	0.2	0.2	0.2
8/2/20 16:00	0.2	0.2	0.2
8/2/20 17:00	0.2	0.2	0.2
8/2/20 18:00	0.2	0.2	0.2
8/2/20 19:00	0.2	0.2	0.2
8/2/20 20:00	0.2	0.2	0.2
8/2/20 21:00	0.2	0.2	0.2
8/2/20 22:00	0.2	0.2	0.2
8/2/20 23:00	0.2	0.2	0.2
8/3/20 0:00	0.3	0.2	0.2
8/3/20 1:00	0.3	0.2	0.2
8/3/20 2:00	0.3	0.2	0.2
8/3/20 3:00	0.3	0.2	0.2
8/3/20 4:00	0.3	0.2	0.2
8/3/20 5:00	0.3	0.2	0.2
8/3/20 6:00	0.2	0.2	0.2
8/3/20 7:00	0.2	0.2	0.2
8/3/20 8:00	0.2	0.2	0.2
8/3/20 9:00	0.2	0.2	0.2
8/3/20 10:00	0.2	0.2	0.2
8/3/20 11:00	0.2	0.2	0.2
8/3/20 12:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/3/20 13:00	0.2	0.2	0.2
8/3/20 14:00	0.2	0.2	0.2
8/3/20 15:00	0.3	0.2	0.2
8/3/20 16:00	0.2	0.2	0.2
8/3/20 17:00	0.2	0.2	0.2
8/3/20 18:00	0.2	0.2	0.2
8/3/20 19:00	0.2	0.2	0.2
8/3/20 20:00	0.2	0.2	0.2
8/3/20 21:00	0.2	0.2	0.2
8/3/20 22:00	0.2	0.2	0.2
8/3/20 23:00	0.2	0.2	0.2
8/4/20 0:00	0.2	0.2	0.2
8/4/20 1:00	0.2	0.2	0.2
8/4/20 2:00	0.2	0.2	0.2
8/4/20 3:00	0.3	0.2	0.2
8/4/20 4:00	0.3	0.2	0.2
8/4/20 5:00	0.3	0.2	0.2
8/4/20 6:00	0.2	0.2	0.2
8/4/20 7:00	0.2	0.2	0.2
8/4/20 8:00	0.3	0.2	0.2
8/4/20 9:00	0.3	0.2	0.2
8/4/20 10:00	0.3	0.2	0.2
8/4/20 11:00	2.4	0.3	0.2
8/4/20 12:00	3.3	0.4	0.2
8/4/20 13:00	0.2	0.4	0.2
8/4/20 14:00	0.2	0.4	0.2
8/4/20 15:00	0.2	0.4	0.2
8/4/20 16:00	0.3	0.4	0.2
8/4/20 17:00	0.2	0.5	0.2
8/4/20 18:00	0.2	0.5	0.2
8/4/20 19:00	0.3	0.5	0.2
8/4/20 20:00	0.3	0.5	0.2
8/4/20 21:00	0.2	0.5	0.2
8/4/20 22:00	0.2	0.5	0.2
8/4/20 23:00	0.2	0.5	0.2
8/5/20 0:00	0.2	0.5	0.2
8/5/20 1:00	0.2	0.5	0.2
8/5/20 2:00	0.3	0.5	0.2
8/5/20 3:00	0.2	0.5	0.2
8/5/20 4:00	0.2	0.5	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/5/20 5:00	0.2	0.5	0.2
8/5/20 6:00	0.2	0.5	0.2
8/5/20 7:00	0.3	0.5	0.2
8/5/20 8:00	0.2	0.5	0.2
8/5/20 9:00	0.3	0.5	0.2
8/5/20 10:00	0.3	0.5	0.2
8/5/20 11:00	0.3	0.4	0.2
8/5/20 12:00	0.2	0.2	0.2
8/5/20 13:00	0.3	0.2	0.2
8/5/20 14:00	0.3	0.2	0.2
8/5/20 15:00	0.3	0.2	0.2
8/5/20 16:00	0.3	0.2	0.2
8/5/20 17:00	0.3	0.2	0.2
8/5/20 18:00	0.3	0.3	0.2
8/5/20 19:00	0.3	0.3	0.2
8/5/20 20:00	0.3	0.2	0.2
8/5/20 21:00	0.3	0.2	0.2
8/5/20 22:00	0.3	0.3	0.2
8/5/20 23:00	0.3	0.3	0.2
8/6/20 0:00	0.3	0.3	0.2
8/6/20 1:00	0.2	0.3	0.2
8/6/20 2:00	0.3	0.3	0.2
8/6/20 3:00	0.3	0.3	0.2
8/6/20 4:00	0.2	0.3	0.2
8/6/20 5:00	0.2	0.3	0.2
8/6/20 6:00	0.2	0.3	0.2
8/6/20 7:00	0.3	0.3	0.2
8/6/20 8:00	0.6	0.3	0.2
8/6/20 9:00	0.4	0.3	0.2
8/6/20 10:00	0.3	0.3	0.2
8/6/20 11:00	0.4	0.3	0.2
8/6/20 12:00	0.2	0.3	0.2
8/6/20 13:00	0.2	0.3	0.2
8/6/20 14:00	0.2	0.3	0.2
8/6/20 15:00	0.2	0.3	0.2
8/6/20 16:00	0.2	0.3	0.2
8/6/20 17:00	0.3	0.3	0.2
8/6/20 18:00	0.4	0.3	0.2
8/6/20 19:00	0.4	0.3	0.2
8/6/20 20:00	0.4	0.3	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/6/20 21:00	0.4	0.3	0.2
8/6/20 22:00	0.4	0.3	0.2
8/6/20 23:00	0.4	0.3	0.2
8/7/20 0:00	0.4	0.3	0.2
8/7/20 1:00	0.4	0.3	0.2
8/7/20 2:00	0.4	0.3	0.2
8/7/20 3:00	0.4	0.3	0.2
8/7/20 4:00	0.3	0.3	0.2
8/7/20 5:00	0.3	0.3	0.2
8/7/20 6:00	0.3	0.3	0.2
8/7/20 7:00	0.3	0.3	0.2
8/7/20 8:00	0.4	0.3	0.2
8/7/20 9:00	0.3	0.3	0.2
8/7/20 10:00	0.3	0.3	0.2
8/7/20 11:00	0.3	0.3	0.2
8/7/20 12:00	0.3	0.3	0.2
8/7/20 13:00	0.3	0.3	0.2
8/7/20 14:00	0.3	0.3	0.2
8/7/20 15:00	0.2	0.3	0.2
8/7/20 16:00	0.3	0.3	0.2
8/7/20 17:00	0.3	0.3	0.2
8/7/20 18:00	0.2	0.3	0.2
8/7/20 19:00	0.2	0.3	0.2
8/7/20 20:00	0.3	0.3	0.2
8/7/20 21:00	0.3	0.3	0.2
8/7/20 22:00	0.2	0.3	0.2
8/7/20 23:00	0.2	0.3	0.2
8/8/20 0:00	0.2	0.3	0.2
8/8/20 1:00	0.2	0.3	0.2
8/8/20 2:00	0.2	0.3	0.2
8/8/20 3:00	0.2	0.3	0.2
8/8/20 4:00	0.2	0.3	0.2
8/8/20 5:00	0.1	0.2	0.2
8/8/20 6:00	0.2	0.2	0.2
8/8/20 7:00	0.2	0.2	0.2
8/8/20 8:00	0.2	0.2	0.2
8/8/20 9:00	0.2	0.2	0.2
8/8/20 10:00	0.2	0.2	0.2
8/8/20 11:00	0.2	0.2	0.2
8/8/20 12:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/8/20 13:00	0.2	0.2	0.2
8/8/20 14:00	0.1	0.2	0.2
8/8/20 15:00	0.2	0.2	0.2
8/8/20 16:00	0.2	0.2	0.2
8/8/20 17:00	0.1	0.2	0.2
8/8/20 18:00	0.1	0.2	0.2
8/8/20 19:00	0.2	0.2	0.2
8/8/20 20:00	0.2	0.2	0.2
8/8/20 21:00	0.2	0.2	0.2
8/8/20 22:00	0.2	0.2	0.2
8/8/20 23:00	0.2	0.2	0.2
8/9/20 0:00	0.2	0.2	0.2
8/9/20 1:00	0.2	0.2	0.2
8/9/20 2:00	0.2	0.2	0.2
8/9/20 3:00	0.2	0.2	0.2
8/9/20 4:00	0.2	0.2	0.2
8/9/20 5:00	0.2	0.2	0.2
8/9/20 6:00	0.2	0.2	0.2
8/9/20 7:00	0.2	0.2	0.2
8/9/20 8:00	0.2	0.2	0.2
8/9/20 9:00	0.2	0.2	0.2
8/9/20 10:00	0.2	0.2	0.2
8/9/20 11:00	0.2	0.2	0.2
8/9/20 12:00	0.2	0.2	0.2
8/9/20 13:00	0.2	0.2	0.2
8/9/20 14:00	0.2	0.2	0.2
8/9/20 15:00	0.2	0.2	0.2
8/9/20 16:00	0.2	0.2	0.2
8/9/20 17:00	0.2	0.2	0.2
8/9/20 18:00	0.2	0.2	0.2
8/9/20 19:00	0.2	0.2	0.2
8/9/20 20:00	0.1	0.2	0.2
8/9/20 21:00	0.2	0.2	0.2
8/9/20 22:00	0.1	0.2	0.2
8/9/20 23:00	0.1	0.2	0.2
8/10/20 0:00	0.2	0.2	0.2
8/10/20 1:00	0.2	0.2	0.2
8/10/20 2:00	0.2	0.2	0.2
8/10/20 3:00	0.2	0.2	0.2
8/10/20 4:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/10/20 5:00	0.2	0.2	0.2
8/10/20 6:00	0.2	0.2	0.2
8/10/20 7:00	0.2	0.2	0.2
8/10/20 8:00	0.2	0.2	0.2
8/10/20 9:00	0.2	0.2	0.2
8/10/20 10:00	0.2	0.2	0.2
8/10/20 11:00	0.1	0.2	0.2
8/10/20 12:00	0.1	0.2	0.2
8/10/20 13:00	0.1	0.2	0.2
8/10/20 14:00	0.1	0.2	0.2
8/10/20 15:00	0.1	0.2	0.2
8/10/20 16:00	0.1	0.1	0.2
8/10/20 17:00	0.1	0.1	0.2
8/10/20 18:00	0.1	0.1	0.2
8/10/20 19:00	0.2	0.1	0.2
8/10/20 20:00	0.1	0.1	0.2
8/10/20 21:00	0.1	0.1	0.2
8/10/20 22:00	0.1	0.1	0.2
8/10/20 23:00	0.1	0.1	0.2
8/11/20 0:00	0.1	0.1	0.2
8/11/20 1:00	0.2	0.1	0.2
8/11/20 2:00	0.1	0.1	0.2
8/11/20 3:00	0.1	0.1	0.2
8/11/20 4:00	0.1	0.1	0.2
8/11/20 5:00	0.2	0.1	0.2
8/11/20 6:00	0.1	0.1	0.2
8/11/20 7:00	0.1	0.1	0.2
8/11/20 8:00	0.1	0.1	0.2
8/11/20 9:00	0.2	0.1	0.2
8/11/20 10:00	0.1	0.1	0.2
8/11/20 11:00	0.1	0.1	0.2
8/11/20 12:00	0.1	0.1	0.2
8/11/20 13:00	0.1	0.1	0.2
8/11/20 14:00	0.1	0.1	0.2
8/11/20 15:00	0.1	0.1	0.2
8/11/20 16:00	0.1	0.1	0.2
8/11/20 17:00	0.1	0.1	0.2
8/11/20 18:00	0.1	0.1	0.2
8/11/20 19:00	0.2	0.1	0.2
8/11/20 20:00	0.2	0.1	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/11/20 21:00	0.2	0.1	0.2
8/11/20 22:00	0.2	0.1	0.2
8/11/20 23:00	0.2	0.1	0.2
8/12/20 0:00	0.2	0.1	0.2
8/12/20 1:00	0.2	0.1	0.2
8/12/20 2:00	0.2	0.1	0.2
8/12/20 3:00	0.2	0.1	0.2
8/12/20 4:00	0.2	0.1	0.2
8/12/20 5:00	0.2	0.1	0.2
8/12/20 6:00	0.1	0.1	0.2
8/12/20 7:00	0.1	0.2	0.2
8/12/20 8:00	0.1	0.2	0.2
8/12/20 9:00	0.1	0.1	0.2
8/12/20 10:00	0.1	0.1	0.2
8/12/20 11:00	0.1	0.1	0.2
8/12/20 12:00	0.1	0.1	0.2
8/12/20 13:00	0.2	0.1	0.2
8/12/20 14:00	0.2	0.2	0.2
8/12/20 15:00	0.2	0.2	0.2
8/12/20 16:00	0.2	0.2	0.2
8/12/20 17:00	0.1	0.2	0.2
8/12/20 18:00	0.1	0.2	0.2
8/12/20 19:00	0.2	0.2	0.2
8/12/20 20:00	0.2	0.2	0.2
8/12/20 21:00	0.2	0.2	0.2
8/12/20 22:00	0.2	0.2	0.2
8/12/20 23:00	0.2	0.2	0.2
8/13/20 0:00	0.2	0.2	0.2
8/13/20 1:00	0.1	0.2	0.2
8/13/20 2:00	0.1	0.1	0.2
8/13/20 3:00	0.1	0.1	0.2
8/13/20 4:00	0.1	0.1	0.2
8/13/20 5:00	0.2	0.1	0.2
8/13/20 6:00	0.2	0.1	0.2
8/13/20 7:00	0.2	0.1	0.2
8/13/20 8:00	0.2	0.1	0.2
8/13/20 9:00	0.1	0.1	0.2
8/13/20 10:00	0.2	0.2	0.2
8/13/20 11:00	0.1	0.2	0.2
8/13/20 12:00	0.1	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/13/20 13:00	0.2	0.2	0.2
8/13/20 14:00	0.2	0.2	0.2
8/13/20 15:00	0.2	0.2	0.2
8/13/20 16:00	0.2	0.2	0.2
8/13/20 17:00	0.2	0.2	0.2
8/13/20 18:00	0.2	0.2	0.2
8/13/20 19:00	0.2	0.2	0.2
8/13/20 20:00	0.2	0.2	0.2
8/13/20 21:00	0.2	0.2	0.2
8/13/20 22:00	0.3	0.2	0.2
8/13/20 23:00	0.2	0.2	0.2
8/14/20 0:00	0.2	0.2	0.2
8/14/20 1:00	0.2	0.2	0.2
8/14/20 2:00	0.2	0.2	0.2
8/14/20 3:00	0.2	0.2	0.2
8/14/20 4:00	0.2	0.2	0.2
8/14/20 5:00	0.2	0.2	0.2
8/14/20 6:00	0.2	0.2	0.2
8/14/20 7:00	0.2	0.2	0.2
8/14/20 8:00	0.2	0.2	0.2
8/14/20 9:00	0.2	0.2	0.2
8/14/20 10:00	0.2	0.2	0.2
8/14/20 11:00	0.3	0.2	0.2
8/14/20 12:00	0.2	0.2	0.2
8/14/20 13:00	0.2	0.2	0.2
8/14/20 14:00	0.2	0.2	0.2
8/14/20 15:00	0.2	0.2	0.2
8/14/20 16:00	0.2	0.2	0.2
8/14/20 17:00	0.2	0.2	0.2
8/14/20 18:00	0.2	0.2	0.2
8/14/20 19:00	0.2	0.2	0.2
8/14/20 20:00	0.2	0.2	0.2
8/14/20 21:00	0.2	0.2	0.2
8/14/20 22:00	0.2	0.2	0.2
8/14/20 23:00	0.2	0.2	0.2
8/15/20 0:00	0.2	0.2	0.2
8/15/20 1:00	0.2	0.2	0.2
8/15/20 2:00	0.2	0.2	0.2
8/15/20 3:00	0.2	0.2	0.2
8/15/20 4:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/15/20 5:00	0.2	0.2	0.2
8/15/20 6:00	0.2	0.2	0.2
8/15/20 7:00	0.2	0.2	0.2
8/15/20 8:00	0.2	0.2	0.2
8/15/20 9:00	0.2	0.2	0.2
8/15/20 10:00	0.2	0.2	0.2
8/15/20 11:00	0.2	0.2	0.2
8/15/20 12:00	0.2	0.2	0.2
8/15/20 13:00	0.2	0.2	0.2
8/15/20 14:00	0.2	0.2	0.2
8/15/20 15:00	0.2	0.2	0.2
8/15/20 16:00	0.2	0.2	0.2
8/15/20 17:00	0.2	0.2	0.2
8/15/20 18:00	0.2	0.2	0.2
8/15/20 19:00	0.2	0.2	0.2
8/15/20 20:00	0.2	0.2	0.2
8/15/20 21:00	0.2	0.2	0.2
8/15/20 22:00	0.2	0.2	0.2
8/15/20 23:00	0.2	0.2	0.2
8/16/20 0:00	0.1	0.2	0.2
8/16/20 1:00	0.2	0.2	0.2
8/16/20 2:00	0.2	0.2	0.2
8/16/20 3:00	0.2	0.2	0.2
8/16/20 4:00	0.1	0.2	0.2
8/16/20 5:00	0.2	0.2	0.2
8/16/20 6:00	0.1	0.2	0.2
8/16/20 7:00	0.1	0.2	0.2
8/16/20 8:00	0.0	0.2	0.2
8/16/20 9:00	0.0	0.2	0.2
8/16/20 10:00	0.0	0.1	0.2
8/16/20 11:00	0.0	0.1	0.2
8/16/20 12:00	0.0	0.1	0.2
8/16/20 13:00	0.0	0.1	0.2
8/16/20 14:00	0.0	0.1	0.2
8/16/20 15:00	0.0	0.1	0.2
8/16/20 16:00	0.0	0.1	0.2
8/16/20 17:00	0.0	0.1	0.2
8/16/20 18:00	0.0	0.1	0.2
8/16/20 19:00	0.0	0.1	0.2
8/16/20 20:00	0.0	0.1	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/16/20 21:00	0.0	0.1	0.2
8/16/20 22:00	0.0	0.1	0.2
8/16/20 23:00	0.0	0.0	0.2
8/17/20 0:00	0.0	0.0	0.2
8/17/20 1:00	0.0	0.0	0.2
8/17/20 2:00	0.0	0.0	0.2
8/17/20 3:00	0.0	0.0	0.2
8/17/20 4:00	0.0	0.0	0.2
8/17/20 5:00	0.0	0.0	0.2
8/17/20 6:00	0.0	0.0	0.2
8/17/20 7:00	0.0	0.0	0.2
8/17/20 8:00	0.0	0.0	0.2
8/17/20 9:00	0.0	0.0	0.2
8/17/20 10:00	0.0	0.0	0.2
8/17/20 11:00	0.0	0.0	0.2
8/17/20 12:00	0.0	0.0	0.2
8/17/20 13:00	0.0	0.0	0.2
8/17/20 14:00	0.0	0.0	0.2
8/17/20 15:00	0.0	0.0	0.2
8/17/20 16:00	0.0	0.0	0.2
8/17/20 17:00	0.0	0.0	0.2
8/17/20 18:00	0.0	0.0	0.2
8/17/20 19:00	0.0	0.0	0.2
8/17/20 20:00	0.0	0.0	0.2
8/17/20 21:00	0.0	0.0	0.2
8/17/20 22:00	0.0	0.0	0.2
8/17/20 23:00	0.0	0.0	0.2
8/18/20 0:00	0.0	0.0	0.2
8/18/20 1:00	0.0	0.0	0.2
8/18/20 2:00	0.0	0.0	0.2
8/18/20 3:00	0.0	0.0	0.2
8/18/20 4:00	0.0	0.0	0.2
8/18/20 5:00	0.1	0.0	0.2
8/18/20 6:00	0.1	0.0	0.2
8/18/20 7:00	0.1	0.0	0.2
8/18/20 8:00	0.1	0.0	0.2
8/18/20 9:00	0.1	0.0	0.2
8/18/20 10:00	0.2	0.0	0.2
8/18/20 11:00	0.1	0.0	0.2
8/18/20 12:00	0.1	0.0	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/18/20 13:00	0.0	0.0	0.2
8/18/20 14:00	0.1	0.0	0.2
8/18/20 15:00	0.1	0.1	0.2
8/18/20 16:00	0.1	0.1	0.2
8/18/20 17:00	0.1	0.1	0.2
8/18/20 18:00	0.1	0.1	0.2
8/18/20 19:00	0.1	0.1	0.2
8/18/20 20:00	0.1	0.1	0.2
8/18/20 21:00	0.1	0.1	0.2
8/18/20 22:00	0.1	0.1	0.2
8/18/20 23:00	0.1	0.1	0.2
8/19/20 0:00	0.1	0.1	0.2
8/19/20 1:00	0.1	0.1	0.2
8/19/20 2:00	0.1	0.1	0.2
8/19/20 3:00	0.1	0.1	0.2
8/19/20 4:00	0.1	0.1	0.2
8/19/20 5:00	0.1	0.1	0.2
8/19/20 6:00	0.1	0.1	0.2
8/19/20 7:00	0.1	0.1	0.2
8/19/20 8:00	0.1	0.1	0.2
8/19/20 9:00	0.2	0.1	0.2
8/19/20 10:00	0.2	0.1	0.2
8/19/20 11:00	0.2	0.1	0.2
8/19/20 12:00	0.2	0.1	0.2
8/19/20 13:00	0.2	0.1	0.2
8/19/20 14:00	0.2	0.1	0.2
8/19/20 15:00	0.2	0.1	0.2
8/19/20 16:00	0.2	0.1	0.2
8/19/20 17:00	0.1	0.1	0.2
8/19/20 18:00	0.2	0.1	0.2
8/19/20 19:00	0.2	0.1	0.2
8/19/20 20:00	0.2	0.1	0.2
8/19/20 21:00	0.2	0.1	0.2
8/19/20 22:00	0.2	0.1	0.2
8/19/20 23:00	0.2	0.1	0.2
8/20/20 0:00	0.2	0.2	0.2
8/20/20 1:00	0.2	0.2	0.2
8/20/20 2:00	0.2	0.2	0.2
8/20/20 3:00	0.2	0.2	0.2
8/20/20 4:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/20/20 5:00	0.2	0.2	0.2
8/20/20 6:00	0.2	0.2	0.2
8/20/20 7:00	0.2	0.2	0.2
8/20/20 8:00	0.2	0.2	0.2
8/20/20 9:00	0.2	0.2	0.2
8/20/20 10:00	0.2	0.2	0.2
8/20/20 11:00	0.2	0.2	0.2
8/20/20 12:00	0.2	0.2	0.2
8/20/20 13:00	0.2	0.2	0.2
8/20/20 14:00	0.2	0.2	0.2
8/20/20 15:00	0.2	0.2	0.2
8/20/20 16:00	0.2	0.2	0.2
8/20/20 17:00	0.2	0.2	0.2
8/20/20 18:00	0.2	0.2	0.2
8/20/20 19:00	0.2	0.2	0.2
8/20/20 20:00	0.2	0.2	0.2
8/20/20 21:00	0.1	0.2	0.2
8/20/20 22:00	0.2	0.2	0.2
8/20/20 23:00	0.1	0.2	0.2
8/21/20 0:00	0.1	0.2	0.2
8/21/20 1:00	0.1	0.2	0.2
8/21/20 2:00	0.2	0.2	0.2
8/21/20 3:00	0.2	0.2	0.2
8/21/20 4:00	0.2	0.2	0.2
8/21/20 5:00	0.2	0.2	0.2
8/21/20 6:00	0.2	0.2	0.2
8/21/20 7:00	0.2	0.2	0.2
8/21/20 8:00	0.2	0.2	0.2
8/21/20 9:00	0.2	0.2	0.2
8/21/20 10:00	0.1	0.2	0.2
8/21/20 11:00	0.1	0.2	0.2
8/21/20 12:00	0.2	0.2	0.2
8/21/20 13:00	0.2	0.2	0.2
8/21/20 14:00	0.2	0.2	0.2
8/21/20 15:00	0.2	0.2	0.2
8/21/20 16:00	0.2	0.2	0.2
8/21/20 17:00	0.2	0.2	0.2
8/21/20 18:00	0.2	0.2	0.2
8/21/20 19:00	0.2	0.2	0.2
8/21/20 20:00	0.2	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/21/20 21:00	0.2	0.2	0.2
8/21/20 22:00	0.2	0.2	0.2
8/21/20 23:00	0.3	0.2	0.2
8/22/20 0:00	0.2	0.2	0.2
8/22/20 1:00	0.3	0.2	0.2
8/22/20 2:00	0.2	0.2	0.2
8/22/20 3:00	0.2	0.2	0.2
8/22/20 4:00	0.2	0.2	0.2
8/22/20 5:00	0.3	0.2	0.2
8/22/20 6:00	0.2	0.2	0.2
8/22/20 7:00	0.2	0.2	0.2
8/22/20 8:00	0.2	0.2	0.2
8/22/20 9:00	0.2	0.2	0.2
8/22/20 10:00	0.2	0.2	0.2
8/22/20 11:00	0.2	0.2	0.2
8/22/20 12:00	0.2	0.2	0.2
8/22/20 13:00	0.2	0.2	0.2
8/22/20 14:00	0.2	0.2	0.2
8/22/20 15:00	0.2	0.2	0.2
8/22/20 16:00	0.2	0.2	0.2
8/22/20 17:00	0.2	0.2	0.2
8/22/20 18:00	0.2	0.2	0.2
8/22/20 19:00	0.2	0.2	0.2
8/22/20 20:00	0.1	0.2	0.2
8/22/20 21:00	0.2	0.2	0.2
8/22/20 22:00	0.2	0.2	0.2
8/22/20 23:00	0.2	0.2	0.2
8/23/20 0:00	0.2	0.2	0.2
8/23/20 1:00	0.2	0.2	0.2
8/23/20 2:00	0.2	0.2	0.2
8/23/20 3:00	0.2	0.2	0.2
8/23/20 4:00	0.3	0.2	0.2
8/23/20 5:00	0.3	0.2	0.2
8/23/20 6:00	0.4	0.2	0.2
8/23/20 7:00	0.3	0.2	0.2
8/23/20 8:00	0.4	0.2	0.2
8/23/20 9:00	0.4	0.2	0.2
8/23/20 10:00	0.4	0.2	0.2
8/23/20 11:00	0.4	0.2	0.2
8/23/20 12:00	0.4	0.2	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/23/20 13:00	0.4	0.3	0.2
8/23/20 14:00	0.4	0.3	0.2
8/23/20 15:00	0.4	0.3	0.2
8/23/20 16:00	0.4	0.3	0.2
8/23/20 17:00	0.4	0.3	0.2
8/23/20 18:00	0.4	0.3	0.2
8/23/20 19:00	0.4	0.3	0.2
8/23/20 20:00	0.4	0.3	0.2
8/23/20 21:00	0.4	0.3	0.2
8/23/20 22:00	0.4	0.3	0.2
8/23/20 23:00	0.2	0.3	0.2
8/24/20 0:00	0.1	0.3	0.2
8/24/20 1:00	0.1	0.3	0.2
8/24/20 2:00	0.1	0.3	0.2
8/24/20 3:00	0.1	0.3	0.2
8/24/20 4:00	0.1	0.3	0.2
8/24/20 5:00	0.1	0.3	0.2
8/24/20 6:00	0.1	0.3	0.2
8/24/20 7:00	0.1	0.3	0.2
8/24/20 8:00	0.1	0.3	0.2
8/24/20 9:00	0.1	0.3	0.2
8/24/20 10:00	0.1	0.3	0.2
8/24/20 11:00	0.1	0.3	0.2
8/24/20 12:00	0.1	0.2	0.2
8/24/20 13:00	0.1	0.2	0.2
8/24/20 14:00	0.1	0.2	0.2
8/24/20 15:00	0.1	0.2	0.2
8/24/20 16:00	0.1	0.2	0.2
8/24/20 17:00	0.1	0.2	0.2
8/24/20 18:00	0.1	0.2	0.2
8/24/20 19:00	0.1	0.2	0.2
8/24/20 20:00	0.1	0.2	0.2
8/24/20 21:00	0.1	0.1	0.2
8/24/20 22:00	0.1	0.1	0.2
8/24/20 23:00	0.1	0.1	0.2
8/25/20 0:00	0.1	0.1	0.2
8/25/20 1:00	0.1	0.1	0.2
8/25/20 2:00	0.1	0.1	0.2
8/25/20 3:00	0.1	0.1	0.2
8/25/20 4:00	0.1	0.1	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/25/20 5:00	0.1	0.1	0.2
8/25/20 6:00	0.1	0.1	0.2
8/25/20 7:00	0.1	0.1	0.2
8/25/20 8:00	0.1	0.1	0.2
8/25/20 9:00	0.2	0.1	0.2
8/25/20 10:00	0.1	0.1	0.2
8/25/20 11:00	0.1	0.1	0.2
8/25/20 12:00	0.1	0.1	0.2
8/25/20 13:00	0.1	0.1	0.2
8/25/20 14:00	0.1	0.1	0.2
8/25/20 15:00	0.1	0.1	0.2
8/25/20 16:00	0.2	0.1	0.2
8/25/20 17:00	0.2	0.1	0.2
8/25/20 18:00	0.1	0.1	0.2
8/25/20 19:00	0.2	0.1	0.2
8/25/20 20:00	0.2	0.1	0.2
8/25/20 21:00	0.2	0.1	0.2
8/25/20 22:00	0.2	0.1	0.2
8/25/20 23:00	0.2	0.1	0.2
8/26/20 0:00	0.3	0.1	0.2
8/26/20 1:00	0.4	0.1	0.2
8/26/20 2:00	0.4	0.2	0.2
8/26/20 3:00	0.4	0.2	0.2
8/26/20 4:00	0.3	0.2	0.2
8/26/20 5:00	0.3	0.2	0.2
8/26/20 6:00	0.3	0.2	0.2
8/26/20 7:00	0.4	0.2	0.2
8/26/20 8:00	0.4	0.2	0.2
8/26/20 9:00	31.8	1.5	0.2
8/26/20 10:00	0.4	1.6	0.2
8/26/20 11:00	0.4	1.6	0.2
8/26/20 12:00	0.3	1.6	0.2
8/26/20 13:00	0.3	1.6	0.2
8/26/20 14:00	0.2	1.6	0.2
8/26/20 15:00	0.3	1.6	0.2
8/26/20 16:00	0.3	1.6	0.2
8/26/20 17:00	0.4	1.6	0.2
8/26/20 18:00	0.3	1.6	0.2
8/26/20 19:00	1.9	1.7	0.2
8/26/20 20:00	0.3	1.7	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/26/20 21:00	0.3	1.7	0.2
8/26/20 22:00	0.3	1.7	0.2
8/26/20 23:00	0.3	1.7	0.2
8/27/20 0:00	0.3	1.7	0.2
8/27/20 1:00	0.3	1.7	0.2
8/27/20 2:00	0.3	1.7	0.2
8/27/20 3:00	0.3	1.7	0.2
8/27/20 4:00	0.3	1.7	0.2
8/27/20 5:00	0.3	1.7	0.2
8/27/20 6:00	0.3	1.7	0.2
8/27/20 7:00	0.2	1.7	0.2
8/27/20 8:00	0.3	1.7	0.2
8/27/20 9:00	0.3	0.4	0.2
8/27/20 10:00	0.4	0.4	0.2
8/27/20 11:00	0.2	0.4	0.2
8/27/20 12:00	0.3	0.4	0.2
8/27/20 13:00	0.3	0.4	0.2
8/27/20 14:00	0.3	0.4	0.2
8/27/20 15:00	0.2	0.4	0.2
8/27/20 16:00	0.2	0.3	0.2
8/27/20 17:00	0.2	0.3	0.2
8/27/20 18:00	0.3	0.3	0.2
8/27/20 19:00	0.4	0.3	0.2
8/27/20 20:00	0.3	0.3	0.2
8/27/20 21:00	0.3	0.3	0.2
8/27/20 22:00	0.3	0.3	0.2
8/27/20 23:00	0.3	0.3	0.2
8/28/20 0:00	0.2	0.3	0.2
8/28/20 1:00	0.2	0.3	0.2
8/28/20 2:00	0.3	0.3	0.2
8/28/20 3:00	0.3	0.3	0.2
8/28/20 4:00	0.3	0.3	0.2
8/28/20 5:00	0.3	0.3	0.2
8/28/20 6:00	0.3	0.3	0.2
8/28/20 7:00	0.3	0.3	0.2
8/28/20 8:00	0.3	0.3	0.2
8/28/20 9:00	0.3	0.3	0.2
8/28/20 10:00	0.3	0.3	0.2
8/28/20 11:00	0.3	0.3	0.2
8/28/20 12:00	0.3	0.3	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/28/20 13:00	0.3	0.3	0.2
8/28/20 14:00	0.3	0.3	0.2
8/28/20 15:00	0.3	0.3	0.2
8/28/20 16:00	0.3	0.3	0.2
8/28/20 17:00	0.3	0.3	0.2
8/28/20 18:00	0.3	0.3	0.2
8/28/20 19:00	0.3	0.3	0.2
8/28/20 20:00	0.3	0.3	0.2
8/28/20 21:00	0.3	0.3	0.2
8/28/20 22:00	0.3	0.3	0.2
8/28/20 23:00	0.4	0.3	0.2
8/29/20 0:00	0.3	0.3	0.2
8/29/20 1:00	0.3	0.3	0.2
8/29/20 2:00	0.3	0.3	0.2
8/29/20 3:00	0.3	0.3	0.2
8/29/20 4:00	0.3	0.3	0.2
8/29/20 5:00	0.3	0.3	0.2
8/29/20 6:00	0.3	0.3	0.2
8/29/20 7:00	0.2	0.3	0.2
8/29/20 8:00	0.3	0.3	0.2
8/29/20 9:00	0.3	0.3	0.2
8/29/20 10:00	0.3	0.3	0.2
8/29/20 11:00	0.3	0.3	0.2
8/29/20 12:00	0.3	0.3	0.2
8/29/20 13:00	0.3	0.3	0.2
8/29/20 14:00	0.3	0.3	0.2
8/29/20 15:00	0.3	0.3	0.2
8/29/20 16:00	0.3	0.3	0.2
8/29/20 17:00	0.3	0.3	0.2
8/29/20 18:00	0.3	0.3	0.2
8/29/20 19:00	0.3	0.3	0.2
8/29/20 20:00	0.3	0.3	0.2
8/29/20 21:00	0.3	0.3	0.2
8/29/20 22:00	0.3	0.3	0.2
8/29/20 23:00	0.3	0.3	0.2
8/30/20 0:00	0.3	0.3	0.2
8/30/20 1:00	0.3	0.3	0.2
8/30/20 2:00	0.3	0.3	0.2
8/30/20 3:00	0.3	0.3	0.2
8/30/20 4:00	0.3	0.3	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/30/20 5:00	0.3	0.3	0.2
8/30/20 6:00	0.3	0.3	0.2
8/30/20 7:00	0.3	0.3	0.2
8/30/20 8:00	0.3	0.3	0.2
8/30/20 9:00	0.3	0.3	0.2
8/30/20 10:00	0.3	0.3	0.2
8/30/20 11:00	0.3	0.3	0.2
8/30/20 12:00	0.3	0.3	0.2
8/30/20 13:00	0.3	0.3	0.2
8/30/20 14:00	0.3	0.3	0.3
8/30/20 15:00	0.3	0.3	0.3
8/30/20 16:00	0.3	0.3	0.3
8/30/20 17:00	0.3	0.3	0.3
8/30/20 18:00	0.3	0.3	0.3
8/30/20 19:00	0.3	0.3	0.3
8/30/20 20:00	0.2	0.3	0.3
8/30/20 21:00	0.3	0.3	0.3
8/30/20 22:00	0.3	0.3	0.3
8/30/20 23:00	0.3	0.3	0.3
8/31/20 0:00	0.2	0.3	0.3
8/31/20 1:00	0.2	0.3	0.3
8/31/20 2:00	0.3	0.3	0.3
8/31/20 3:00	0.2	0.3	0.3
8/31/20 4:00	0.2	0.3	0.3
8/31/20 5:00	0.3	0.3	0.3
8/31/20 6:00	0.2	0.3	0.3
8/31/20 7:00	0.3	0.3	0.3
8/31/20 8:00	0.2	0.3	0.3
8/31/20 9:00	0.1	0.3	0.3
8/31/20 10:00	0.2	0.2	0.3
8/31/20 11:00	0.1	0.2	0.3
8/31/20 12:00	0.1	0.2	0.3
8/31/20 13:00	0.2	0.2	0.3
8/31/20 14:00	0.1	0.2	0.3
8/31/20 15:00	0.1	0.2	0.3
8/31/20 16:00	0.1	0.2	0.3
8/31/20 17:00	0.2	0.2	0.3
8/31/20 18:00	0.1	0.2	0.3
8/31/20 19:00	0.2	0.2	0.3
8/31/20 20:00	0.2	0.2	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
8/31/20 21:00	0.1	0.2	0.3
8/31/20 22:00	0.2	0.2	0.3
8/31/20 23:00	0.2	0.2	0.3
9/1/20 0:00	0.2	0.2	0.3
9/1/20 1:00	0.2	0.2	0.3
9/1/20 2:00	0.2	0.2	0.3
9/1/20 3:00	0.2	0.2	0.3
9/1/20 4:00	0.2	0.2	0.3
9/1/20 5:00	0.1	0.2	0.3
9/1/20 6:00	0.1	0.2	0.3
9/1/20 7:00	0.1	0.2	0.3
9/1/20 8:00	0.1	0.1	0.3
9/1/20 9:00	0.2	0.2	0.3
9/1/20 10:00	0.2	0.2	0.3
9/1/20 11:00	0.1	0.2	0.3
9/1/20 12:00	0.2	0.2	0.3
9/1/20 13:00	0.2	0.2	0.3
9/1/20 14:00	0.2	0.2	0.3
9/1/20 15:00	0.2	0.2	0.3
9/1/20 16:00	0.2	0.2	0.3
9/1/20 17:00	0.2	0.2	0.3
9/1/20 18:00	0.2	0.2	0.3
9/1/20 19:00	0.3	0.2	0.3
9/1/20 20:00	0.2	0.2	0.3
9/1/20 21:00	0.3	0.2	0.3
9/1/20 22:00	0.3	0.2	0.3
9/1/20 23:00	0.2	0.2	0.3
9/2/20 0:00	0.2	0.2	0.3
9/2/20 1:00	0.3	0.2	0.3
9/2/20 2:00	0.2	0.2	0.3
9/2/20 3:00	0.2	0.2	0.3
9/2/20 4:00	0.2	0.2	0.3
9/2/20 5:00	0.2	0.2	0.3
9/2/20 6:00	0.2	0.2	0.3
9/2/20 7:00	0.2	0.2	0.3
9/2/20 8:00	0.2	0.2	0.3
9/2/20 9:00	0.2	0.2	0.3
9/2/20 10:00	0.2	0.2	0.3
9/2/20 11:00	0.2	0.2	0.3
9/2/20 12:00	0.2	0.2	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/2/20 13:00	0.2	0.2	0.3
9/2/20 14:00	0.2	0.2	0.3
9/2/20 15:00	0.2	0.2	0.3
9/2/20 16:00	0.2	0.2	0.3
9/2/20 17:00	0.2	0.2	0.3
9/2/20 18:00	0.2	0.2	0.3
9/2/20 19:00	0.3	0.2	0.3
9/2/20 20:00	0.3	0.2	0.3
9/2/20 21:00	0.3	0.2	0.3
9/2/20 22:00	0.3	0.2	0.3
9/2/20 23:00	0.3	0.2	0.3
9/3/20 0:00	0.3	0.2	0.3
9/3/20 1:00	0.3	0.2	0.3
9/3/20 2:00	0.3	0.2	0.3
9/3/20 3:00	0.3	0.2	0.3
9/3/20 4:00	0.3	0.2	0.3
9/3/20 5:00	0.3	0.2	0.3
9/3/20 6:00	0.3	0.2	0.3
9/3/20 7:00	0.3	0.3	0.3
9/3/20 8:00	0.3	0.3	0.3
9/3/20 9:00	0.3	0.3	0.3
9/3/20 10:00	0.3	0.3	0.2
9/3/20 11:00	0.3	0.3	0.2
9/3/20 12:00	0.3	0.3	0.2
9/3/20 13:00	0.3	0.3	0.2
9/3/20 14:00	0.3	0.3	0.2
9/3/20 15:00	0.3	0.3	0.2
9/3/20 16:00	0.3	0.3	0.2
9/3/20 17:00	0.3	0.3	0.2
9/3/20 18:00	0.3	0.3	0.2
9/3/20 19:00	0.3	0.3	0.2
9/3/20 20:00	0.3	0.3	0.2
9/3/20 21:00	0.4	0.3	0.2
9/3/20 22:00	0.4	0.3	0.2
9/3/20 23:00	0.4	0.3	0.2
9/4/20 0:00	0.4	0.3	0.2
9/4/20 1:00	0.4	0.3	0.2
9/4/20 2:00	0.4	0.3	0.2
9/4/20 3:00	0.3	0.3	0.2
9/4/20 4:00	0.3	0.3	0.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/4/20 5:00	0.3	0.3	0.2
9/4/20 6:00	0.4	0.3	0.2
9/4/20 7:00	0.4	0.3	0.2
9/4/20 8:00	0.4	0.3	0.2
9/4/20 9:00	0.4	0.3	0.2
9/4/20 10:00	0.4	0.4	0.2
9/4/20 11:00	0.4	0.4	0.2
9/4/20 12:00	0.3	0.4	0.2
9/4/20 13:00	0.3	0.4	0.2
9/4/20 14:00	0.3	0.4	0.2
9/4/20 15:00	0.3	0.4	0.2
9/4/20 16:00	0.3	0.4	0.2
9/4/20 17:00	0.4	0.4	0.2
9/4/20 18:00	0.3	0.4	0.2
9/4/20 19:00	0.3	0.4	0.2
9/4/20 20:00	0.3	0.4	0.2
9/4/20 21:00	0.3	0.4	0.2
9/4/20 22:00	0.4	0.4	0.2
9/4/20 23:00	0.4	0.4	0.2
9/5/20 0:00	0.5	0.4	0.3
9/5/20 1:00	0.5	0.4	0.3
9/5/20 2:00	0.5	0.4	0.3
9/5/20 3:00	0.4	0.4	0.3
9/5/20 4:00	0.4	0.4	0.3
9/5/20 5:00	0.3	0.4	0.3
9/5/20 6:00	0.3	0.4	0.3
9/5/20 7:00	0.4	0.4	0.3
9/5/20 8:00	0.4	0.4	0.3
9/5/20 9:00	0.5	0.4	0.3
9/5/20 10:00	0.5	0.4	0.3
9/5/20 11:00	0.4	0.4	0.3
9/5/20 12:00	0.4	0.4	0.3
9/5/20 13:00	0.4	0.4	0.3
9/5/20 14:00	0.3	0.4	0.3
9/5/20 15:00	0.4	0.4	0.3
9/5/20 16:00	0.4	0.4	0.3
9/5/20 17:00	0.5	0.4	0.3
9/5/20 18:00	0.4	0.4	0.3
9/5/20 19:00	0.3	0.4	0.3
9/5/20 20:00	0.4	0.4	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/5/20 21:00	0.4	0.4	0.3
9/5/20 22:00	0.4	0.4	0.3
9/5/20 23:00	0.3	0.4	0.3
9/6/20 0:00	0.4	0.4	0.3
9/6/20 1:00	0.3	0.4	0.3
9/6/20 2:00	0.3	0.4	0.3
9/6/20 3:00	0.4	0.4	0.3
9/6/20 4:00	0.4	0.4	0.3
9/6/20 5:00	0.4	0.4	0.3
9/6/20 6:00	0.3	0.4	0.3
9/6/20 7:00	0.4	0.4	0.3
9/6/20 8:00	0.4	0.4	0.3
9/6/20 9:00	0.3	0.4	0.3
9/6/20 10:00	0.3	0.4	0.3
9/6/20 11:00	0.3	0.4	0.3
9/6/20 12:00	0.2	0.4	0.3
9/6/20 13:00	0.3	0.4	0.3
9/6/20 14:00	0.3	0.4	0.3
9/6/20 15:00	0.3	0.4	0.3
9/6/20 16:00	0.3	0.3	0.3
9/6/20 17:00	0.3	0.3	0.3
9/6/20 18:00	0.2	0.3	0.3
9/6/20 19:00	0.3	0.3	0.3
9/6/20 20:00	0.3	0.3	0.3
9/6/20 21:00	0.3	0.3	0.3
9/6/20 22:00	0.3	0.3	0.3
9/6/20 23:00	0.3	0.3	0.3
9/7/20 0:00	0.3	0.3	0.3
9/7/20 1:00	0.3	0.3	0.3
9/7/20 2:00	0.3	0.3	0.3
9/7/20 3:00	0.3	0.3	0.3
9/7/20 4:00	0.3	0.3	0.3
9/7/20 5:00	0.3	0.3	0.3
9/7/20 6:00	0.3	0.3	0.3
9/7/20 7:00	0.3	0.3	0.3
9/7/20 8:00	0.4	0.3	0.3
9/7/20 9:00	0.4	0.3	0.3
9/7/20 10:00	0.4	0.3	0.3
9/7/20 11:00	0.2	0.3	0.3
9/7/20 12:00	1.4	0.3	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/7/20 13:00	1.5	0.4	0.3
9/7/20 14:00	0.3	0.4	0.3
9/7/20 15:00	0.5	0.4	0.3
9/7/20 16:00	2.5	0.5	0.3
9/7/20 17:00	0.3	0.5	0.3
9/7/20 18:00	0.2	0.5	0.3
9/7/20 19:00	0.2	0.5	0.3
9/7/20 20:00	0.3	0.5	0.3
9/7/20 21:00	0.3	0.5	0.3
9/7/20 22:00	0.2	0.5	0.3
9/7/20 23:00	0.2	0.5	0.3
9/8/20 0:00	0.3	0.5	0.3
9/8/20 1:00	0.3	0.5	0.3
9/8/20 2:00	0.3	0.5	0.3
9/8/20 3:00	0.3	0.5	0.3
9/8/20 4:00	0.3	0.5	0.3
9/8/20 5:00	0.3	0.5	0.3
9/8/20 6:00	0.2	0.5	0.3
9/8/20 7:00	0.2	0.5	0.3
9/8/20 8:00	0.2	0.5	0.3
9/8/20 9:00	0.2	0.5	0.3
9/8/20 10:00	0.3	0.5	0.3
9/8/20 11:00	0.3	0.5	0.3
9/8/20 12:00	0.2	0.4	0.3
9/8/20 13:00	0.3	0.4	0.3
9/8/20 14:00	0.4	0.4	0.3
9/8/20 15:00	0.3	0.4	0.3
9/8/20 16:00	0.3	0.3	0.3
9/8/20 17:00	0.3	0.3	0.3
9/8/20 18:00	0.4	0.3	0.3
9/8/20 19:00	0.4	0.3	0.3
9/8/20 20:00	0.4	0.3	0.3
9/8/20 21:00	0.4	0.3	0.3
9/8/20 22:00	0.4	0.3	0.3
9/8/20 23:00	0.3	0.3	0.3
9/9/20 0:00	0.3	0.3	0.3
9/9/20 1:00	0.3	0.3	0.3
9/9/20 2:00	0.3	0.3	0.3
9/9/20 3:00	0.4	0.3	0.3
9/9/20 4:00	0.3	0.3	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/9/20 5:00	0.3	0.3	0.3
9/9/20 6:00	0.3	0.3	0.3
9/9/20 7:00	0.4	0.3	0.3
9/9/20 8:00	0.4	0.3	0.3
9/9/20 9:00	0.4	0.3	0.3
9/9/20 10:00	0.4	0.3	0.3
9/9/20 11:00	0.4	0.3	0.3
9/9/20 12:00	0.4	0.4	0.3
9/9/20 13:00	0.4	0.4	0.3
9/9/20 14:00	0.4	0.4	0.3
9/9/20 15:00	0.4	0.4	0.3
9/9/20 16:00	0.4	0.4	0.3
9/9/20 17:00	0.3	0.4	0.3
9/9/20 18:00	0.3	0.4	0.3
9/9/20 19:00	0.4	0.4	0.3
9/9/20 20:00	0.4	0.4	0.3
9/9/20 21:00	0.3	0.4	0.3
9/9/20 22:00	0.3	0.4	0.3
9/9/20 23:00	0.3	0.4	0.3
9/10/20 0:00	0.3	0.3	0.3
9/10/20 1:00	0.3	0.3	0.3
9/10/20 2:00	0.3	0.3	0.3
9/10/20 3:00	0.3	0.3	0.3
9/10/20 4:00	0.3	0.3	0.3
9/10/20 5:00	0.3	0.3	0.3
9/10/20 6:00	0.3	0.3	0.3
9/10/20 7:00	0.4	0.3	0.3
9/10/20 8:00	0.4	0.3	0.3
9/10/20 9:00	0.3	0.3	0.3
9/10/20 10:00	0.5	0.3	0.3
9/10/20 11:00	0.6	0.4	0.3
9/10/20 12:00	0.4	0.4	0.3
9/10/20 13:00	0.3	0.3	0.3
9/10/20 14:00	0.3	0.3	0.3
9/10/20 15:00	0.3	0.3	0.3
9/10/20 16:00	0.4	0.3	0.3
9/10/20 17:00	0.4	0.3	0.3
9/10/20 18:00	0.3	0.3	0.3
9/10/20 19:00	0.4	0.3	0.3
9/10/20 20:00	0.4	0.4	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/10/20 21:00	0.5	0.4	0.3
9/10/20 22:00	0.5	0.4	0.3
9/10/20 23:00	0.4	0.4	0.3
9/11/20 0:00	0.4	0.4	0.3
9/11/20 1:00	0.5	0.4	0.3
9/11/20 2:00	0.5	0.4	0.3
9/11/20 3:00	0.4	0.4	0.3
9/11/20 4:00	0.5	0.4	0.3
9/11/20 5:00	0.5	0.4	0.3
9/11/20 6:00	0.4	0.4	0.3
9/11/20 7:00	0.4	0.4	0.3
9/11/20 8:00	0.5	0.4	0.3
9/11/20 9:00	0.5	0.4	0.3
9/11/20 10:00	0.5	0.4	0.3
9/11/20 11:00	0.5	0.4	0.3
9/11/20 12:00	0.4	0.4	0.3
9/11/20 13:00	0.4	0.4	0.3
9/11/20 14:00	0.4	0.4	0.3
9/11/20 15:00	0.4	0.4	0.3
9/11/20 16:00	0.4	0.4	0.3
9/11/20 17:00	0.4	0.4	0.3
9/11/20 18:00	0.3	0.4	0.3
9/11/20 19:00	0.4	0.4	0.3
9/11/20 20:00	0.4	0.4	0.3
9/11/20 21:00	0.5	0.4	0.3
9/11/20 22:00	0.4	0.4	0.3
9/11/20 23:00	0.3	0.4	0.3
9/12/20 0:00	0.4	0.4	0.3
9/12/20 1:00	0.4	0.4	0.3
9/12/20 2:00	0.3	0.4	0.3
9/12/20 3:00	0.3	0.4	0.3
9/12/20 4:00	0.3	0.4	0.3
9/12/20 5:00	0.3	0.4	0.3
9/12/20 6:00	0.2	0.4	0.3
9/12/20 7:00	0.3	0.4	0.3
9/12/20 8:00	0.3	0.4	0.3
9/12/20 9:00	0.4	0.4	0.3
9/12/20 10:00	0.3	0.4	0.3
9/12/20 11:00	0.3	0.4	0.3
9/12/20 12:00	0.3	0.4	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/12/20 13:00	0.3	0.4	0.3
9/12/20 14:00	0.3	0.3	0.3
9/12/20 15:00	0.3	0.3	0.3
9/12/20 16:00	0.4	0.3	0.3
9/12/20 17:00	0.4	0.3	0.3
9/12/20 18:00	0.3	0.3	0.3
9/12/20 19:00	0.3	0.3	0.3
9/12/20 20:00	0.3	0.3	0.3
9/12/20 21:00	0.4	0.3	0.3
9/12/20 22:00	0.4	0.3	0.3
9/12/20 23:00	0.3	0.3	0.3
9/13/20 0:00	0.3	0.3	0.3
9/13/20 1:00	0.2	0.3	0.3
9/13/20 2:00	0.2	0.3	0.3
9/13/20 3:00	0.2	0.3	0.3
9/13/20 4:00	0.2	0.3	0.3
9/13/20 5:00	0.2	0.3	0.3
9/13/20 6:00	0.2	0.3	0.3
9/13/20 7:00	0.2	0.3	0.3
9/13/20 8:00	0.2	0.3	0.3
9/13/20 9:00	0.2	0.3	0.3
9/13/20 10:00	0.2	0.3	0.3
9/13/20 11:00	0.2	0.3	0.3
9/13/20 12:00	0.2	0.3	0.3
9/13/20 13:00	0.2	0.3	0.3
9/13/20 14:00	0.1	0.3	0.3
9/13/20 15:00	0.1	0.2	0.3
9/13/20 16:00	0.1	0.2	0.3
9/13/20 17:00	0.1	0.2	0.3
9/13/20 18:00	0.1	0.2	0.3
9/13/20 19:00	0.1	0.2	0.3
9/13/20 20:00	0.1	0.2	0.3
9/13/20 21:00	0.1	0.2	0.3
9/13/20 22:00	0.1	0.2	0.3
9/13/20 23:00	0.1	0.2	0.3
9/14/20 0:00	0.1	0.1	0.3
9/14/20 1:00	0.1	0.1	0.3
9/14/20 2:00	0.1	0.1	0.3
9/14/20 3:00	0.1	0.1	0.3
9/14/20 4:00	0.1	0.1	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/14/20 5:00	0.1	0.1	0.3
9/14/20 6:00	0.1	0.1	0.3
9/14/20 7:00	0.1	0.1	0.3
9/14/20 8:00	0.1	0.1	0.3
9/14/20 9:00	0.1	0.1	0.3
9/14/20 10:00	0.1	0.1	0.3
9/14/20 11:00	0.1	0.1	0.3
9/14/20 12:00	0.1	0.1	0.3
9/14/20 13:00	0.1	0.1	0.3
9/14/20 14:00	0.1	0.1	0.3
9/14/20 15:00	0.1	0.1	0.3
9/14/20 16:00	0.1	0.1	0.3
9/14/20 17:00	0.1	0.1	0.3
9/14/20 18:00	0.1	0.1	0.3
9/14/20 19:00	0.1	0.1	0.3
9/14/20 20:00	0.1	0.1	0.3
9/14/20 21:00	0.1	0.1	0.3
9/14/20 22:00	0.1	0.1	0.3
9/14/20 23:00	0.1	0.1	0.3
9/15/20 0:00	0.1	0.1	0.3
9/15/20 1:00	0.1	0.1	0.3
9/15/20 2:00	0.1	0.1	0.3
9/15/20 3:00	0.1	0.1	0.3
9/15/20 4:00	0.1	0.1	0.3
9/15/20 5:00	0.1	0.1	0.3
9/15/20 6:00	0.1	0.1	0.3
9/15/20 7:00	0.1	0.1	0.3
9/15/20 8:00	0.1	0.1	0.3
9/15/20 9:00	0.1	0.1	0.3
9/15/20 10:00	0.1	0.1	0.3
9/15/20 11:00	0.1	0.1	0.3
9/15/20 12:00	0.1	0.1	0.3
9/15/20 13:00	0.1	0.1	0.3
9/15/20 14:00	0.1	0.1	0.3
9/15/20 15:00	0.1	0.1	0.3
9/15/20 16:00	0.1	0.1	0.3
9/15/20 17:00	0.1	0.1	0.3
9/15/20 18:00	0.1	0.1	0.3
9/15/20 19:00	0.1	0.1	0.3
9/15/20 20:00	0.1	0.1	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/15/20 21:00	0.1	0.1	0.3
9/15/20 22:00	0.1	0.1	0.3
9/15/20 23:00	0.7	0.1	0.3
9/16/20 0:00	0.2	0.1	0.3
9/16/20 1:00	0.1	0.1	0.3
9/16/20 2:00	0.1	0.1	0.3
9/16/20 3:00	0.1	0.1	0.3
9/16/20 4:00	0.1	0.1	0.3
9/16/20 5:00	0.1	0.1	0.3
9/16/20 6:00	0.1	0.1	0.3
9/16/20 7:00	0.1	0.1	0.3
9/16/20 8:00	0.1	0.1	0.3
9/16/20 9:00	0.1	0.1	0.3
9/16/20 10:00	0.2	0.1	0.3
9/16/20 11:00	0.1	0.1	0.3
9/16/20 12:00	0.1	0.1	0.3
9/16/20 13:00	0.1	0.1	0.3
9/16/20 14:00	0.1	0.1	0.3
9/16/20 15:00	0.1	0.1	0.3
9/16/20 16:00	0.1	0.1	0.3
9/16/20 17:00	2.1	0.2	0.3
9/16/20 18:00	1.1	0.3	0.3
9/16/20 19:00	1.9	0.3	0.3
9/16/20 20:00	1.1	0.4	0.3
9/16/20 21:00	1.7	0.4	0.3
9/16/20 22:00	1.2	0.5	0.3
9/16/20 23:00	0.9	0.5	0.3
9/17/20 0:00	2.0	0.6	0.3
9/17/20 1:00	1.1	0.6	0.3
9/17/20 2:00	4.7	0.8	0.3
9/17/20 3:00	0.1	0.8	0.3
9/17/20 4:00	0.2	0.8	0.3
9/17/20 5:00	0.2	0.8	0.3
9/17/20 6:00	0.1	0.8	0.3
9/17/20 7:00	0.2	0.8	0.3
9/17/20 8:00	0.3	0.8	0.3
9/17/20 9:00	0.1	0.8	0.3
9/17/20 10:00	0.2	0.8	0.3
9/17/20 11:00	0.3	0.8	0.3
9/17/20 12:00	0.2	0.8	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/17/20 13:00	0.3	0.8	0.3
9/17/20 14:00	0.2	0.8	0.3
9/17/20 15:00	0.2	0.9	0.3
9/17/20 16:00	0.2	0.9	0.3
9/17/20 17:00	0.2	0.8	0.3
9/17/20 18:00	0.2	0.7	0.3
9/17/20 19:00	1.7	0.7	0.3
9/17/20 20:00	0.7	0.7	0.3
9/17/20 21:00	0.9	0.7	0.3
9/17/20 22:00	0.9	0.7	0.3
9/17/20 23:00	0.9	0.7	0.3
9/18/20 0:00	0.5	0.6	0.3
9/18/20 1:00	0.1	0.6	0.3
9/18/20 2:00	0.2	0.4	0.3
9/18/20 3:00	0.2	0.4	0.3
9/18/20 4:00	0.1	0.4	0.3
9/18/20 5:00	0.2	0.4	0.3
9/18/20 6:00	0.2	0.4	0.3
9/18/20 7:00	0.2	0.4	0.3
9/18/20 8:00	0.1	0.4	0.3
9/18/20 9:00	0.2	0.4	0.3
9/18/20 10:00	0.2	0.4	0.3
9/18/20 11:00	0.2	0.4	0.3
9/18/20 12:00	0.2	0.4	0.3
9/18/20 13:00	0.2	0.4	0.3
9/18/20 14:00	0.2	0.4	0.3
9/18/20 15:00	0.1	0.4	0.3
9/18/20 16:00	0.1	0.4	0.3
9/18/20 17:00	0.1	0.4	0.3
9/18/20 18:00	0.1	0.4	0.3
9/18/20 19:00	0.1	0.3	0.3
9/18/20 20:00	0.1	0.3	0.3
9/18/20 21:00	0.2	0.2	0.3
9/18/20 22:00	0.2	0.2	0.3
9/18/20 23:00	0.2	0.2	0.3
9/19/20 0:00	0.2	0.2	0.3
9/19/20 1:00	0.2	0.2	0.3
9/19/20 2:00	0.2	0.2	0.3
9/19/20 3:00	0.2	0.2	0.3
9/19/20 4:00	0.1	0.2	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/19/20 5:00	0.1	0.2	0.3
9/19/20 6:00	0.1	0.2	0.3
9/19/20 7:00	0.1	0.2	0.3
9/19/20 8:00	0.2	0.2	0.3
9/19/20 9:00	0.2	0.2	0.3
9/19/20 10:00	0.2	0.2	0.3
9/19/20 11:00	0.1	0.2	0.3
9/19/20 12:00	0.2	0.2	0.3
9/19/20 13:00	0.2	0.2	0.3
9/19/20 14:00	0.2	0.2	0.3
9/19/20 15:00	0.2	0.2	0.3
9/19/20 16:00	0.2	0.2	0.3
9/19/20 17:00	0.1	0.2	0.3
9/19/20 18:00	0.1	0.2	0.3
9/19/20 19:00	0.1	0.2	0.3
9/19/20 20:00	0.2	0.2	0.3
9/19/20 21:00	0.2	0.2	0.3
9/19/20 22:00	0.1	0.2	0.3
9/19/20 23:00	0.2	0.2	0.3
9/20/20 0:00	0.2	0.2	0.3
9/20/20 1:00	0.2	0.2	0.3
9/20/20 2:00	0.2	0.2	0.3
9/20/20 3:00	0.2	0.2	0.3
9/20/20 4:00	0.1	0.2	0.3
9/20/20 5:00	0.1	0.2	0.3
9/20/20 6:00	0.2	0.2	0.3
9/20/20 7:00	0.2	0.2	0.3
9/20/20 8:00	0.2	0.2	0.3
9/20/20 9:00	0.2	0.2	0.3
9/20/20 10:00	0.1	0.2	0.3
9/20/20 11:00	0.2	0.2	0.3
9/20/20 12:00	0.2	0.2	0.3
9/20/20 13:00	0.1	0.2	0.3
9/20/20 14:00	0.1	0.2	0.3
9/20/20 15:00	0.1	0.2	0.3
9/20/20 16:00	0.2	0.2	0.3
9/20/20 17:00	0.1	0.2	0.3
9/20/20 18:00	0.1	0.2	0.3
9/20/20 19:00	0.1	0.2	0.3
9/20/20 20:00	0.1	0.2	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/20/20 21:00	0.1	0.2	0.3
9/20/20 22:00	0.2	0.2	0.3
9/20/20 23:00	0.2	0.2	0.3
9/21/20 0:00	0.2	0.2	0.3
9/21/20 1:00	0.2	0.2	0.3
9/21/20 2:00	0.2	0.2	0.3
9/21/20 3:00	0.2	0.2	0.3
9/21/20 4:00	0.2	0.2	0.3
9/21/20 5:00	0.2	0.2	0.3
9/21/20 6:00	0.2	0.2	0.3
9/21/20 7:00	0.2	0.2	0.3
9/21/20 8:00	0.2	0.2	0.3
9/21/20 9:00	3.0	0.3	0.3
9/21/20 10:00	0.2	0.3	0.3
9/21/20 11:00	0.2	0.3	0.3
9/21/20 12:00	1.9	0.4	0.3
9/21/20 13:00	1.4	0.4	0.3
9/21/20 14:00	0.1	0.4	0.3
9/21/20 15:00	0.2	0.4	0.3
9/21/20 16:00	0.2	0.4	0.3
9/21/20 17:00	0.1	0.4	0.3
9/21/20 18:00	0.1	0.4	0.3
9/21/20 19:00	0.2	0.4	0.3
9/21/20 20:00	0.2	0.4	0.3
9/21/20 21:00	0.2	0.4	0.3
9/21/20 22:00	0.1	0.4	0.3
9/21/20 23:00	0.1	0.4	0.3
9/22/20 0:00	0.1	0.4	0.3
9/22/20 1:00	0.1	0.4	0.3
9/22/20 2:00	0.1	0.4	0.3
9/22/20 3:00	0.1	0.4	0.3
9/22/20 4:00	0.1	0.4	0.3
9/22/20 5:00	0.1	0.4	0.3
9/22/20 6:00	0.1	0.4	0.3
9/22/20 7:00	0.1	0.4	0.3
9/22/20 8:00	0.1	0.4	0.3
9/22/20 9:00	0.1	0.3	0.3
9/22/20 10:00	0.1	0.2	0.3
9/22/20 11:00	0.1	0.2	0.3
9/22/20 12:00	0.1	0.2	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/22/20 13:00	0.1	0.1	0.3
9/22/20 14:00	0.1	0.1	0.3
9/22/20 15:00	0.1	0.1	0.3
9/22/20 16:00	0.2	0.1	0.3
9/22/20 17:00	0.2	0.1	0.3
9/22/20 18:00	0.2	0.1	0.3
9/22/20 19:00	0.2	0.1	0.3
9/22/20 20:00	0.2	0.1	0.3
9/22/20 21:00	0.2	0.1	0.3
9/22/20 22:00	0.3	0.1	0.3
9/22/20 23:00	0.3	0.1	0.3
9/23/20 0:00	0.2	0.1	0.3
9/23/20 1:00	0.2	0.1	0.3
9/23/20 2:00	0.2	0.1	0.3
9/23/20 3:00	0.2	0.1	0.3
9/23/20 4:00	0.2	0.2	0.3
9/23/20 5:00	0.1	0.2	0.3
9/23/20 6:00	0.1	0.2	0.3
9/23/20 7:00	0.2	0.2	0.3
9/23/20 8:00	0.2	0.2	0.3
9/23/20 9:00	0.1	0.2	0.3
9/23/20 10:00	0.1	0.2	0.3
9/23/20 11:00	0.1	0.2	0.3
9/23/20 12:00	0.2	0.2	0.3
9/23/20 13:00	0.1	0.2	0.3
9/23/20 14:00	0.2	0.2	0.3
9/23/20 15:00	0.2	0.2	0.3
9/23/20 16:00	0.2	0.2	0.3
9/23/20 17:00	0.2	0.2	0.3
9/23/20 18:00	0.1	0.2	0.3
9/23/20 19:00	0.2	0.2	0.3
9/23/20 20:00	0.2	0.2	0.3
9/23/20 21:00	0.1	0.2	0.3
9/23/20 22:00	0.3	0.2	0.3
9/23/20 23:00	2.3	0.3	0.3
9/24/20 0:00	0.1	0.3	0.3
9/24/20 1:00	0.1	0.2	0.3
9/24/20 2:00	0.1	0.2	0.3
9/24/20 3:00	0.1	0.2	0.3
9/24/20 4:00	0.2	0.2	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/24/20 5:00	0.5	0.3	0.3
9/24/20 6:00	0.1	0.3	0.3
9/24/20 7:00	1.4	0.3	0.3
9/24/20 8:00	0.2	0.3	0.3
9/24/20 9:00	0.3	0.3	0.3
9/24/20 10:00	1.4	0.4	0.3
9/24/20 11:00	0.2	0.4	0.3
9/24/20 12:00	1.5	0.4	0.3
9/24/20 13:00	0.2	0.4	0.3
9/24/20 14:00	0.2	0.4	0.3
9/24/20 15:00	0.2	0.4	0.3
9/24/20 16:00	0.3	0.4	0.3
9/24/20 17:00	0.2	0.4	0.3
9/24/20 18:00	0.2	0.4	0.3
9/24/20 19:00	0.2	0.4	0.3
9/24/20 20:00	2.4	0.5	0.3
9/24/20 21:00	1.2	0.6	0.3
9/24/20 22:00	0.2	0.6	0.3
9/24/20 23:00	2.2	0.6	0.4
9/25/20 0:00	0.3	0.6	0.4
9/25/20 1:00	0.4	0.6	0.4
9/25/20 2:00	2.8	0.7	0.4
9/25/20 3:00	0.3	0.7	0.4
9/25/20 4:00	0.3	0.7	0.4
9/25/20 5:00	0.3	0.7	0.4
9/25/20 6:00	1.9	0.8	0.4
9/25/20 7:00	0.4	0.7	0.4
9/25/20 8:00	0.3	0.8	0.3
9/25/20 9:00	0.3	0.8	0.3
9/25/20 10:00	0.3	0.7	0.3
9/25/20 11:00	1.3	0.8	0.3
9/25/20 12:00	0.3	0.7	0.3
9/25/20 13:00	0.2	0.7	0.3
9/25/20 14:00	0.3	0.7	0.3
9/25/20 15:00	0.3	0.7	0.3
9/25/20 16:00	1.2	0.8	0.3
9/25/20 17:00	0.3	0.8	0.3
9/25/20 18:00	4.6	0.9	0.3
9/25/20 19:00	0.3	0.9	0.3
9/25/20 20:00	3.7	1.0	0.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/25/20 21:00	1.4	1.0	0.3
9/25/20 22:00	0.4	1.0	0.3
9/25/20 23:00	0.6	0.9	0.3
9/26/20 0:00	0.3	0.9	0.3
9/26/20 1:00	0.3	0.9	0.3
9/26/20 2:00	0.4	0.8	0.3
9/26/20 3:00	0.3	0.8	0.3
9/26/20 4:00	1.9	0.9	0.3
9/26/20 5:00	2.4	1.0	0.3
9/26/20 6:00	0.4	0.9	0.3
9/26/20 7:00	0.4	0.9	0.3
9/26/20 8:00	0.4	0.9	0.3
9/26/20 9:00	0.4	0.9	0.3
9/26/20 10:00	0.4	0.9	0.3
9/26/20 11:00	0.4	0.9	0.3
9/26/20 12:00	0.4	0.9	0.3
9/26/20 13:00	0.5	0.9	0.3
9/26/20 14:00	0.6	0.9	0.3
9/26/20 15:00	0.4	0.9	0.3
9/26/20 16:00	0.3	0.9	0.3
9/26/20 17:00	0.3	0.9	0.3
9/26/20 18:00	0.3	0.7	0.3
9/26/20 19:00	0.3	0.7	0.3
9/26/20 20:00	0.4	0.6	0.3
9/26/20 21:00	0.3	0.5	0.3
9/26/20 22:00	0.4	0.5	0.3
9/26/20 23:00	0.4	0.5	0.3
9/27/20 0:00	2.3	0.6	0.3
9/27/20 1:00	0.5	0.6	0.3
9/27/20 2:00	3.5	0.7	0.3
9/27/20 3:00	1.2	0.8	0.3
9/27/20 4:00	0.4	0.7	0.3
9/27/20 5:00	0.5	0.6	0.3
9/27/20 6:00	0.5	0.6	0.3
9/27/20 7:00	2.5	0.7	0.3
9/27/20 8:00	2.0	0.8	0.3
9/27/20 9:00	0.6	0.8	0.3
9/27/20 10:00	0.5	0.8	0.3
9/27/20 11:00	0.8	0.8	0.3
9/27/20 12:00	0.5	0.8	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/27/20 13:00	0.5	0.8	0.4
9/27/20 14:00	0.5	0.8	0.4
9/27/20 15:00	0.5	0.8	0.4
9/27/20 16:00	0.7	0.9	0.4
9/27/20 17:00	0.7	0.9	0.4
9/27/20 18:00	2.1	0.9	0.4
9/27/20 19:00	3.6	1.1	0.4
9/27/20 20:00	2.2	1.2	0.4
9/27/20 21:00	2.2	1.2	0.4
9/27/20 22:00	1.8	1.3	0.4
9/27/20 23:00	2.5	1.4	0.4
9/28/20 0:00	3.2	1.4	0.4
9/28/20 1:00	0.9	1.4	0.4
9/28/20 2:00	29.2	2.5	0.4
9/28/20 3:00	0.6	2.5	0.4
9/28/20 4:00	0.6	2.5	0.4
9/28/20 5:00	0.6	2.5	0.4
9/28/20 6:00	0.4	2.5	0.4
9/28/20 7:00	2.3	2.5	0.4
9/28/20 8:00	2.1	2.5	0.4
9/28/20 9:00	1.9	2.5	0.4
9/28/20 10:00	2.2	2.6	0.4
9/28/20 11:00	0.6	2.6	0.4
9/28/20 12:00	1.4	2.6	0.4
9/28/20 13:00	0.4	2.6	0.4
9/28/20 14:00	0.4	2.6	0.4
9/28/20 15:00	0.4	2.6	0.4
9/28/20 16:00	0.4	2.6	0.4
9/28/20 17:00	0.4	2.6	0.4
9/28/20 18:00	0.4	2.5	0.4
9/28/20 19:00	0.4	2.4	0.4
9/28/20 20:00	0.4	2.3	0.4
9/28/20 21:00	0.3	2.2	0.4
9/28/20 22:00	0.3	2.2	0.4
9/28/20 23:00	0.3	2.1	0.4
9/29/20 0:00	0.4	2.0	0.4
9/29/20 1:00	0.3	1.9	0.4
9/29/20 2:00	0.4	0.7	0.4
9/29/20 3:00	0.4	0.7	0.4
9/29/20 4:00	0.4	0.7	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/29/20 5:00	0.4	0.7	0.4
9/29/20 6:00	0.4	0.7	0.4
9/29/20 7:00	0.4	0.6	0.4
9/29/20 8:00	0.4	0.6	0.4
9/29/20 9:00	0.4	0.5	0.4
9/29/20 10:00	0.5	0.4	0.4
9/29/20 11:00	0.4	0.4	0.4
9/29/20 12:00	0.4	0.4	0.4
9/29/20 13:00	0.4	0.4	0.4
9/29/20 14:00	0.4	0.4	0.4
9/29/20 15:00	0.4	0.4	0.4
9/29/20 16:00	0.4	0.4	0.4
9/29/20 17:00	0.4	0.4	0.4
9/29/20 18:00	0.3	0.4	0.4
9/29/20 19:00	0.3	0.4	0.4
9/29/20 20:00	0.3	0.4	0.4
9/29/20 21:00	0.3	0.4	0.4
9/29/20 22:00	0.3	0.4	0.4
9/29/20 23:00	0.3	0.4	0.4
9/30/20 0:00	0.4	0.4	0.4
9/30/20 1:00	0.4	0.4	0.4
9/30/20 2:00	0.4	0.4	0.4
9/30/20 3:00	0.5	0.4	0.4
9/30/20 4:00	0.4	0.4	0.4
9/30/20 5:00	0.4	0.4	0.4
9/30/20 6:00	0.4	0.4	0.4
9/30/20 7:00	0.4	0.4	0.4
9/30/20 8:00	0.4	0.4	0.4
9/30/20 9:00	0.4	0.4	0.4
9/30/20 10:00	0.5	0.4	0.4
9/30/20 11:00	0.5	0.4	0.4
9/30/20 12:00	0.4	0.4	0.4
9/30/20 13:00	0.5	0.4	0.4
9/30/20 14:00	0.7	0.4	0.4
9/30/20 15:00	2.3	0.5	0.4
9/30/20 16:00	1.3	0.5	0.4
9/30/20 17:00	0.4	0.5	0.4
9/30/20 18:00	0.4	0.5	0.4
9/30/20 19:00	2.4	0.6	0.4
9/30/20 20:00	6.2	0.9	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
9/30/20 21:00	0.6	0.9	0.5
9/30/20 22:00	4.3	1.0	0.5
9/30/20 23:00	0.5	1.0	0.5
10/1/20 0:00	2.0	1.1	0.5
10/1/20 1:00	1.0	1.1	0.5
10/1/20 2:00	3.7	1.3	0.5
10/1/20 3:00	0.3	1.3	0.5
10/1/20 4:00	0.3	1.3	0.5
10/1/20 5:00	0.7	1.3	0.5
10/1/20 6:00	0.3	1.3	0.5
10/1/20 7:00	0.3	1.3	0.5
10/1/20 8:00	0.3	1.3	0.5
10/1/20 9:00	0.3	1.3	0.5
10/1/20 10:00	0.3	1.3	0.5
10/1/20 11:00	0.3	1.2	0.5
10/1/20 12:00	0.3	1.2	0.5
10/1/20 13:00	0.2	1.2	0.5
10/1/20 14:00	0.3	1.2	0.5
10/1/20 15:00	0.2	1.1	0.5
10/1/20 16:00	0.2	1.1	0.5
10/1/20 17:00	0.2	1.1	0.5
10/1/20 18:00	0.2	1.1	0.5
10/1/20 19:00	0.2	1.0	0.5
10/1/20 20:00	0.4	0.7	0.5
10/1/20 21:00	0.3	0.7	0.5
10/1/20 22:00	0.4	0.6	0.5
10/1/20 23:00	0.3	0.5	0.5
10/2/20 0:00	0.2	0.5	0.5
10/2/20 1:00	0.2	0.4	0.5
10/2/20 2:00	0.2	0.3	0.5
10/2/20 3:00	0.2	0.3	0.5
10/2/20 4:00	0.3	0.3	0.5
10/2/20 5:00	0.3	0.3	0.5
10/2/20 6:00	0.2	0.3	0.5
10/2/20 7:00	0.2	0.3	0.5
10/2/20 8:00	0.2	0.3	0.5
10/2/20 9:00	0.2	0.3	0.5
10/2/20 10:00	0.2	0.2	0.5
10/2/20 11:00	0.2	0.2	0.5
10/2/20 12:00	0.2	0.2	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/2/20 13:00	0.2	0.2	0.5
10/2/20 14:00	0.2	0.2	0.5
10/2/20 15:00	0.2	0.2	0.5
10/2/20 16:00	0.2	0.2	0.5
10/2/20 17:00	0.2	0.2	0.5
10/2/20 18:00	0.2	0.2	0.5
10/2/20 19:00	0.2	0.2	0.5
10/2/20 20:00	0.2	0.2	0.5
10/2/20 21:00	0.3	0.2	0.5
10/2/20 22:00	0.2	0.2	0.5
10/2/20 23:00	0.2	0.2	0.5
10/3/20 0:00	0.1	0.2	0.5
10/3/20 1:00	0.1	0.2	0.5
10/3/20 2:00	0.1	0.2	0.5
10/3/20 3:00	0.1	0.2	0.5
10/3/20 4:00	0.1	0.2	0.5
10/3/20 5:00	0.1	0.2	0.5
10/3/20 6:00	0.1	0.2	0.5
10/3/20 7:00	0.1	0.2	0.5
10/3/20 8:00	0.1	0.2	0.5
10/3/20 9:00	0.1	0.2	0.5
10/3/20 10:00	0.1	0.2	0.5
10/3/20 11:00	0.1	0.2	0.5
10/3/20 12:00	0.1	0.2	0.5
10/3/20 13:00	0.1	0.1	0.5
10/3/20 14:00	0.1	0.1	0.5
10/3/20 15:00	0.2	0.1	0.5
10/3/20 16:00	0.1	0.1	0.5
10/3/20 17:00	0.1	0.1	0.5
10/3/20 18:00	0.1	0.1	0.5
10/3/20 19:00	0.1	0.1	0.5
10/3/20 20:00	0.1	0.1	0.5
10/3/20 21:00	0.1	0.1	0.5
10/3/20 22:00	0.1	0.1	0.5
10/3/20 23:00	0.1	0.1	0.5
10/4/20 0:00	0.1	0.1	0.5
10/4/20 1:00	0.1	0.1	0.5
10/4/20 2:00	0.1	0.1	0.5
10/4/20 3:00	0.1	0.1	0.5
10/4/20 4:00	0.1	0.1	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/4/20 5:00	0.1	0.1	0.5
10/4/20 6:00	0.1	0.1	0.5
10/4/20 7:00	0.1	0.1	0.5
10/4/20 8:00	0.1	0.1	0.5
10/4/20 9:00	0.1	0.1	0.5
10/4/20 10:00	1.5	0.2	0.5
10/4/20 11:00	2.4	0.3	0.5
10/4/20 12:00	4.3	0.4	0.5
10/4/20 13:00	3.9	0.6	0.5
10/4/20 14:00	0.2	0.6	0.5
10/4/20 15:00	0.1	0.6	0.5
10/4/20 16:00	0.1	0.6	0.5
10/4/20 17:00	0.2	0.6	0.5
10/4/20 18:00	0.2	0.6	0.5
10/4/20 19:00	0.5	0.6	0.5
10/4/20 20:00	0.1	0.6	0.5
10/4/20 21:00	3.6	0.8	0.5
10/4/20 22:00	0.5	0.8	0.5
10/4/20 23:00	0.1	0.8	0.5
10/5/20 0:00	0.1	0.8	0.5
10/5/20 1:00	0.1	0.8	0.5
10/5/20 2:00	0.1	0.8	0.5
10/5/20 3:00	0.1	0.8	0.5
10/5/20 4:00	0.1	0.8	0.5
10/5/20 5:00	0.1	0.8	0.5
10/5/20 6:00	0.1	0.8	0.5
10/5/20 7:00	0.3	0.8	0.5
10/5/20 8:00	4.4	1.0	0.5
10/5/20 9:00	3.2	1.1	0.5
10/5/20 10:00	0.4	1.0	0.5
10/5/20 11:00	0.1	0.9	0.5
10/5/20 12:00	0.1	0.8	0.5
10/5/20 13:00	0.1	0.6	0.5
10/5/20 14:00	0.1	0.6	0.5
10/5/20 15:00	0.2	0.6	0.5
10/5/20 16:00	0.2	0.6	0.5
10/5/20 17:00	0.1	0.6	0.5
10/5/20 18:00	0.2	0.6	0.5
10/5/20 19:00	0.2	0.6	0.5
10/5/20 20:00	0.2	0.6	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/5/20 21:00	0.2	0.5	0.5
10/5/20 22:00	0.2	0.5	0.5
10/5/20 23:00	0.2	0.5	0.5
10/6/20 0:00	0.2	0.5	0.5
10/6/20 1:00	0.2	0.5	0.5
10/6/20 2:00	0.3	0.5	0.5
10/6/20 3:00	3.1	0.6	0.5
10/6/20 4:00	3.7	0.8	0.5
10/6/20 5:00	2.7	0.9	0.5
10/6/20 6:00	0.2	0.9	0.5
10/6/20 7:00	0.6	0.9	0.5
10/6/20 8:00	0.0	0.7	0.5
10/6/20 9:00	0.1	0.6	0.5
10/6/20 10:00	0.2	0.6	0.5
10/6/20 11:00	0.2	0.6	0.5
10/6/20 12:00	0.1	0.6	0.5
10/6/20 13:00	0.2	0.6	0.5
10/6/20 14:00	0.1	0.6	0.5
10/6/20 15:00	0.2	0.6	0.5
10/6/20 16:00	3.1	0.7	0.5
10/6/20 17:00	0.2	0.7	0.5
10/6/20 18:00	2.7	0.8	0.5
10/6/20 19:00	0.2	0.8	0.5
10/6/20 20:00	3.2	0.9	0.5
10/6/20 21:00	3.8	1.1	0.5
10/6/20 22:00	1.4	1.1	0.5
10/6/20 23:00	2.8	1.2	0.5
10/7/20 0:00	2.4	1.3	0.5
10/7/20 1:00	1.8	1.4	0.5
10/7/20 2:00	0.9	1.4	0.5
10/7/20 3:00	2.9	1.4	0.5
10/7/20 4:00	0.1	1.3	0.5
10/7/20 5:00	0.1	1.1	0.5
10/7/20 6:00	0.1	1.1	0.5
10/7/20 7:00	0.1	1.1	0.5
10/7/20 8:00	0.1	1.1	0.5
10/7/20 9:00	0.2	1.1	0.5
10/7/20 10:00	30.7	2.4	0.6
10/7/20 11:00	2.1	2.5	0.6
10/7/20 12:00	0.2	2.5	0.6

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/7/20 13:00	0.1	2.5	0.6
10/7/20 14:00	0.1	2.5	0.6
10/7/20 15:00	0.1	2.5	0.6
10/7/20 16:00	0.1	2.3	0.6
10/7/20 17:00	0.1	2.3	0.6
10/7/20 18:00	0.1	2.2	0.6
10/7/20 19:00	0.1	2.2	0.6
10/7/20 20:00	0.1	2.1	0.6
10/7/20 21:00	0.1	2.0	0.6
10/7/20 22:00	0.1	1.9	0.6
10/7/20 23:00	0.1	1.8	0.6
10/8/20 0:00	0.1	1.7	0.6
10/8/20 1:00	0.1	1.6	0.6
10/8/20 2:00	0.1	1.6	0.6
10/8/20 3:00	0.1	1.5	0.6
10/8/20 4:00	0.1	1.5	0.6
10/8/20 5:00	0.1	1.5	0.6
10/8/20 6:00	0.1	1.5	0.6
10/8/20 7:00	0.1	1.5	0.6
10/8/20 8:00	0.1	1.5	0.6
10/8/20 9:00	0.1	1.5	0.6
10/8/20 10:00	0.1	0.2	0.6
10/8/20 11:00	0.1	0.1	0.6
10/8/20 12:00	0.1	0.1	0.6
10/8/20 13:00	0.1	0.1	0.6
10/8/20 14:00	0.1	0.1	0.6
10/8/20 15:00	0.1	0.1	0.6
10/8/20 16:00	0.2	0.1	0.6
10/8/20 17:00	0.2	0.1	0.6
10/8/20 18:00	0.2	0.1	0.6
10/8/20 19:00	0.2	0.1	0.6
10/8/20 20:00	0.2	0.1	0.6
10/8/20 21:00	0.2	0.1	0.6
10/8/20 22:00	0.2	0.1	0.6
10/8/20 23:00	0.2	0.1	0.6
10/9/20 0:00	0.1	0.1	0.5
10/9/20 1:00	0.1	0.1	0.5
10/9/20 2:00	0.1	0.1	0.5
10/9/20 3:00	0.1	0.1	0.5
10/9/20 4:00	0.1	0.1	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/9/20 5:00	0.2	0.1	0.5
10/9/20 6:00	0.2	0.1	0.5
10/9/20 7:00	0.2	0.2	0.5
10/9/20 8:00	0.2	0.2	0.5
10/9/20 9:00	0.2	0.2	0.5
10/9/20 10:00	0.2	0.2	0.5
10/9/20 11:00	0.2	0.2	0.5
10/9/20 12:00	0.2	0.2	0.5
10/9/20 13:00	0.2	0.2	0.5
10/9/20 14:00	0.2	0.2	0.5
10/9/20 15:00	0.2	0.2	0.5
10/9/20 16:00	0.2	0.2	0.5
10/9/20 17:00	0.2	0.2	0.5
10/9/20 18:00	0.2	0.2	0.5
10/9/20 19:00	0.2	0.2	0.5
10/9/20 20:00	0.2	0.2	0.5
10/9/20 21:00	0.2	0.2	0.5
10/9/20 22:00	0.2	0.2	0.5
10/9/20 23:00	0.3	0.2	0.5
10/10/20 0:00	0.3	0.2	0.5
10/10/20 1:00	0.3	0.2	0.5
10/10/20 2:00	0.3	0.2	0.5
10/10/20 3:00	0.3	0.2	0.5
10/10/20 4:00	3.0	0.3	0.5
10/10/20 5:00	4.3	0.5	0.6
10/10/20 6:00	0.3	0.5	0.6
10/10/20 7:00	1.0	0.5	0.6
10/10/20 8:00	5.6	0.8	0.6
10/10/20 9:00	0.4	0.8	0.6
10/10/20 10:00	5.4	1.0	0.6
10/10/20 11:00	3.8	1.1	0.6
10/10/20 12:00	0.3	1.1	0.6
10/10/20 13:00	0.3	1.1	0.6
10/10/20 14:00	0.2	1.1	0.6
10/10/20 15:00	0.3	1.1	0.6
10/10/20 16:00	0.3	1.2	0.6
10/10/20 17:00	0.3	1.2	0.6
10/10/20 18:00	0.3	1.2	0.6
10/10/20 19:00	0.3	1.2	0.6
10/10/20 20:00	0.4	1.2	0.6

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/10/20 21:00	6.3	1.4	0.6
10/10/20 22:00	0.6	1.4	0.6
10/10/20 23:00	6.4	1.7	0.6
10/11/20 0:00	2.5	1.8	0.6
10/11/20 1:00	0.1	1.8	0.6
10/11/20 2:00	0.2	1.8	0.6
10/11/20 3:00	0.2	1.8	0.6
10/11/20 4:00	0.1	1.7	0.6
10/11/20 5:00	0.1	1.5	0.6
10/11/20 6:00	0.1	1.5	0.6
10/11/20 7:00	0.1	1.4	0.6
10/11/20 8:00	0.1	1.2	0.6
10/11/20 9:00	0.1	1.2	0.6
10/11/20 10:00	0.1	1.0	0.6
10/11/20 11:00	0.1	0.8	0.6
10/11/20 12:00	0.1	0.8	0.6
10/11/20 13:00	0.1	0.8	0.6
10/11/20 14:00	0.1	0.8	0.6
10/11/20 15:00	0.1	0.8	0.6
10/11/20 16:00	0.1	0.8	0.6
10/11/20 17:00	0.1	0.8	0.6
10/11/20 18:00	0.1	0.8	0.6
10/11/20 19:00	0.1	0.8	0.6
10/11/20 20:00	0.1	0.8	0.6
10/11/20 21:00	0.1	0.5	0.6
10/11/20 22:00	0.1	0.5	0.6
10/11/20 23:00	0.1	0.2	0.6
10/12/20 0:00	0.2	0.1	0.6
10/12/20 1:00	0.2	0.1	0.6
10/12/20 2:00	4.1	0.3	0.6
10/12/20 3:00	5.7	0.5	0.6
10/12/20 4:00	3.6	0.7	0.6
10/12/20 5:00	0.1	0.7	0.6
10/12/20 6:00	5.3	0.9	0.6
10/12/20 7:00	0.6	0.9	0.6
10/12/20 8:00	0.2	0.9	0.6
10/12/20 9:00	0.1	0.9	0.6
10/12/20 10:00	2.4	1.0	0.6
10/12/20 11:00	1.3	1.1	0.6
10/12/20 12:00	0.1	1.1	0.6

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/12/20 13:00	0.2	1.1	0.6
10/12/20 14:00	0.2	1.1	0.6
10/12/20 15:00	0.5	1.1	0.6
10/12/20 16:00	1.6	1.1	0.6
10/12/20 17:00	0.1	1.1	0.6
10/12/20 18:00	0.1	1.1	0.6
10/12/20 19:00	0.2	1.1	0.6
10/12/20 20:00	0.1	1.1	0.6
10/12/20 21:00	0.1	1.1	0.6
10/12/20 22:00	0.1	1.1	0.6
10/12/20 23:00	2.1	1.2	0.6
10/13/20 0:00	0.3	1.2	0.6
10/13/20 1:00	0.1	1.2	0.6
10/13/20 2:00	0.2	1.1	0.6
10/13/20 3:00	0.2	0.8	0.6
10/13/20 4:00	0.1	0.7	0.6
10/13/20 5:00	0.1	0.7	0.6
10/13/20 6:00	0.1	0.5	0.6
10/13/20 7:00	0.1	0.5	0.6
10/13/20 8:00	0.1	0.5	0.6
10/13/20 9:00	0.1	0.5	0.6
10/13/20 10:00	0.1	0.4	0.6
10/13/20 11:00	0.1	0.3	0.6
10/13/20 12:00	0.2	0.3	0.6
10/13/20 13:00	0.2	0.3	0.6
10/13/20 14:00	0.2	0.3	0.6
10/13/20 15:00	0.2	0.3	0.6
10/13/20 16:00	0.2	0.2	0.6
10/13/20 17:00	0.2	0.2	0.6
10/13/20 18:00	0.1	0.2	0.6
10/13/20 19:00	0.2	0.2	0.6
10/13/20 20:00	0.2	0.2	0.6
10/13/20 21:00	0.2	0.2	0.6
10/13/20 22:00	14.0	0.8	0.6
10/13/20 23:00	48.8	2.8	0.7
10/14/20 0:00	70.9	5.7	0.8
10/14/20 1:00	65.1	8.4	0.9
10/14/20 2:00	58.6	10.8	1.0
10/14/20 3:00	30.8	12.1	1.0
10/14/20 4:00	9.4	12.5	1.0

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/14/20 5:00	24.3	13.5	1.1
10/14/20 6:00	0.1	13.5	1.1
10/14/20 7:00	16.8	14.2	1.1
10/14/20 8:00	3.3	14.3	1.1
10/14/20 9:00	2.2	14.4	1.1
10/14/20 10:00	0.3	14.4	1.1
10/14/20 11:00	5.8	14.7	1.1
10/14/20 12:00	0.4	14.7	1.1
10/14/20 13:00	0.6	14.7	1.1
10/14/20 14:00	3.2	14.8	1.1
10/14/20 15:00	8.6	15.2	1.1
10/14/20 16:00	11.2	15.6	1.1
10/14/20 17:00	1.6	15.7	1.1
10/14/20 18:00	0.8	15.7	1.1
10/14/20 19:00	2.2	15.8	1.1
10/14/20 20:00	5.5	16.0	1.1
10/14/20 21:00	1.8	16.1	1.1
10/14/20 22:00	6.9	15.8	1.2
10/14/20 23:00	3.0	13.9	1.2
10/15/20 0:00	2.9	11.1	1.2
10/15/20 1:00	0.2	8.3	1.2
10/15/20 2:00	5.0	6.1	1.2
10/15/20 3:00	2.6	4.9	1.2
10/15/20 4:00	0.4	4.6	1.2
10/15/20 5:00	0.9	3.6	1.2
10/15/20 6:00	1.8	3.7	1.2
10/15/20 7:00	0.6	3.0	1.2
10/15/20 8:00	6.5	3.1	1.2
10/15/20 9:00	1.9	3.1	1.2
10/15/20 10:00	2.3	3.2	1.2
10/15/20 11:00	0.2	3.0	1.2
10/15/20 12:00	0.6	3.0	1.2
10/15/20 13:00	0.4	3.0	1.2
10/15/20 14:00	0.9	2.9	1.2
10/15/20 15:00	0.7	2.5	1.2
10/15/20 16:00	1.1	2.1	1.2
10/15/20 17:00	0.2	2.1	1.2
10/15/20 18:00	0.2	2.0	1.2
10/15/20 19:00	1.2	2.0	1.2
10/15/20 20:00	2.5	1.9	1.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/15/20 21:00	1.6	1.9	1.2
10/15/20 22:00	2.7	1.7	1.2
10/15/20 23:00	0.2	1.6	1.2
10/16/20 0:00	0.2	1.5	1.2
10/16/20 1:00	0.2	1.5	1.2
10/16/20 2:00	0.2	1.3	1.2
10/16/20 3:00	0.2	1.2	1.2
10/16/20 4:00	0.2	1.1	1.2
10/16/20 5:00	0.2	1.1	1.2
10/16/20 6:00	0.2	1.0	1.2
10/16/20 7:00	0.2	1.0	1.2
10/16/20 8:00	0.2	0.8	1.2
10/16/20 9:00	1.8	0.8	1.2
10/16/20 10:00	0.2	0.7	1.2
10/16/20 11:00	0.3	0.7	1.2
10/16/20 12:00	0.2	0.7	1.2
10/16/20 13:00	0.2	0.6	1.2
10/16/20 14:00	0.2	0.6	1.2
10/16/20 15:00	0.2	0.6	1.2
10/16/20 16:00	0.2	0.6	1.2
10/16/20 17:00	0.2	0.6	1.2
10/16/20 18:00	0.2	0.6	1.2
10/16/20 19:00	0.2	0.5	1.2
10/16/20 20:00	0.2	0.4	1.2
10/16/20 21:00	0.2	0.4	1.2
10/16/20 22:00	0.2	0.3	1.2
10/16/20 23:00	0.3	0.3	1.2
10/17/20 0:00	0.3	0.3	1.2
10/17/20 1:00	0.3	0.3	1.2
10/17/20 2:00	3.4	0.4	1.2
10/17/20 3:00	0.2	0.4	1.2
10/17/20 4:00	6.3	0.7	1.2
10/17/20 5:00	3.5	0.8	1.2
10/17/20 6:00	5.8	1.0	1.2
10/17/20 7:00	6.2	1.3	1.2
10/17/20 8:00	1.4	1.3	1.2
10/17/20 9:00	1.5	1.3	1.2
10/17/20 10:00	6.9	1.6	1.2
10/17/20 11:00	0.2	1.6	1.2
10/17/20 12:00	0.2	1.6	1.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/17/20 13:00	0.2	1.6	1.2
10/17/20 14:00	0.2	1.6	1.2
10/17/20 15:00	0.2	1.6	1.2
10/17/20 16:00	0.2	1.6	1.2
10/17/20 17:00	0.2	1.6	1.2
10/17/20 18:00	0.2	1.6	1.2
10/17/20 19:00	0.2	1.6	1.2
10/17/20 20:00	0.2	1.6	1.2
10/17/20 21:00	0.2	1.6	1.2
10/17/20 22:00	0.2	1.6	1.2
10/17/20 23:00	0.2	1.6	1.2
10/18/20 0:00	0.2	1.6	1.2
10/18/20 1:00	0.2	1.6	1.2
10/18/20 2:00	0.2	1.5	1.2
10/18/20 3:00	0.2	1.5	1.2
10/18/20 4:00	0.2	1.2	1.2
10/18/20 5:00	0.2	1.1	1.2
10/18/20 6:00	0.2	0.8	1.2
10/18/20 7:00	0.2	0.6	1.2
10/18/20 8:00	0.6	0.6	1.2
10/18/20 9:00	0.6	0.5	1.2
10/18/20 10:00	0.3	0.2	1.2
10/18/20 11:00	0.3	0.3	1.2
10/18/20 12:00	0.3	0.3	1.2
10/18/20 13:00	0.3	0.3	1.2
10/18/20 14:00	0.3	0.3	1.2
10/18/20 15:00	0.3	0.3	1.2
10/18/20 16:00	0.3	0.3	1.2
10/18/20 17:00	0.3	0.3	1.2
10/18/20 18:00	0.3	0.3	1.2
10/18/20 19:00	0.3	0.3	1.2
10/18/20 20:00	0.2	0.3	1.2
10/18/20 21:00	0.3	0.3	1.2
10/18/20 22:00	0.2	0.3	1.2
10/18/20 23:00	0.2	0.3	1.2
10/19/20 0:00	0.4	0.3	1.2
10/19/20 1:00	0.2	0.3	1.2
10/19/20 2:00	0.2	0.3	1.2
10/19/20 3:00	0.2	0.3	1.2
10/19/20 4:00	0.2	0.3	1.2

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/19/20 5:00	0.2	0.3	1.2
10/19/20 6:00	0.2	0.3	1.2
10/19/20 7:00	0.2	0.3	1.2
10/19/20 8:00	0.2	0.3	1.2
10/19/20 9:00	0.2	0.2	1.2
10/19/20 10:00	0.2	0.2	1.2
10/19/20 11:00	0.2	0.2	1.2
10/19/20 12:00	0.2	0.2	1.2
10/19/20 13:00	0.2	0.2	1.2
10/19/20 14:00	0.2	0.2	1.2
10/19/20 15:00	0.2	0.2	1.2
10/19/20 16:00	0.3	0.2	1.2
10/19/20 17:00	0.2	0.2	1.2
10/19/20 18:00	0.2	0.2	1.2
10/19/20 19:00	0.2	0.2	1.2
10/19/20 20:00	0.2	0.2	1.2
10/19/20 21:00	0.3	0.2	1.2
10/19/20 22:00	0.2	0.2	1.2
10/19/20 23:00	0.3	0.2	1.2
10/20/20 0:00	0.2	0.2	1.2
10/20/20 1:00	0.2	0.2	1.2
10/20/20 2:00	0.2	0.2	1.2
10/20/20 3:00	0.3	0.2	1.2
10/20/20 4:00	0.3	0.2	1.2
10/20/20 5:00	0.2	0.2	1.2
10/20/20 6:00	0.3	0.2	1.2
10/20/20 7:00	0.3	0.2	1.2
10/20/20 8:00	5.2	0.4	1.2
10/20/20 9:00	0.2	0.4	1.2
10/20/20 10:00	0.2	0.4	1.2
10/20/20 11:00	0.2	0.4	1.2
10/20/20 12:00	0.3	0.4	1.2
10/20/20 13:00	0.2	0.4	1.2
10/20/20 14:00	0.2	0.4	1.2
10/20/20 15:00	1.3	0.5	1.2
10/20/20 16:00	3.1	0.6	1.3
10/20/20 17:00	0.6	0.6	1.3
10/20/20 18:00	0.2	0.6	1.3
10/20/20 19:00	9.7	1.0	1.3
10/20/20 20:00	2.1	1.1	1.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/20/20 21:00	1.5	1.1	1.3
10/20/20 22:00	2.3	1.2	1.3
10/20/20 23:00	10.8	1.7	1.3
10/21/20 0:00	10.6	2.1	1.3
10/21/20 1:00	6.7	2.4	1.3
10/21/20 2:00	10.4	2.8	1.3
10/21/20 3:00	3.9	2.9	1.3
10/21/20 4:00	7.8	3.3	1.3
10/21/20 5:00	0.4	3.3	1.3
10/21/20 6:00	0.4	3.3	1.3
10/21/20 7:00	0.4	3.3	1.3
10/21/20 8:00	2.5	3.2	1.3
10/21/20 9:00	5.6	3.4	1.3
10/21/20 10:00	0.3	3.4	1.3
10/21/20 11:00	0.3	3.4	1.3
10/21/20 12:00	0.3	3.4	1.3
10/21/20 13:00	6.0	3.6	1.4
10/21/20 14:00	0.3	3.6	1.4
10/21/20 15:00	1.1	3.6	1.4
10/21/20 16:00	1.7	3.6	1.4
10/21/20 17:00	1.5	3.6	1.4
10/21/20 18:00	1.0	3.6	1.4
10/21/20 19:00	1.0	3.3	1.4
10/21/20 20:00	1.2	3.2	1.4
10/21/20 21:00	1.4	3.2	1.4
10/21/20 22:00	1.1	3.2	1.4
10/21/20 23:00	7.4	3.0	1.4
10/22/20 0:00	0.6	2.6	1.4
10/22/20 1:00	8.1	2.7	1.4
10/22/20 2:00	0.5	2.3	1.4
10/22/20 3:00	0.5	2.1	1.4
10/22/20 4:00	0.5	1.8	1.4
10/22/20 5:00	0.5	1.8	1.4
10/22/20 6:00	0.6	1.8	1.4
10/22/20 7:00	0.6	1.8	1.4
10/22/20 8:00	0.8	1.8	1.4
10/22/20 9:00	0.7	1.6	1.4
10/22/20 10:00	0.7	1.6	1.4
10/22/20 11:00	0.6	1.6	1.4
10/22/20 12:00	0.6	1.6	1.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/22/20 13:00	0.6	1.4	1.4
10/22/20 14:00	0.6	1.4	1.4
10/22/20 15:00	0.7	1.4	1.4
10/22/20 16:00	0.7	1.3	1.4
10/22/20 17:00	0.7	1.3	1.4
10/22/20 18:00	0.7	1.3	1.4
10/22/20 19:00	0.7	1.3	1.4
10/22/20 20:00	0.7	1.3	1.4
10/22/20 21:00	0.8	1.2	1.4
10/22/20 22:00	0.7	1.2	1.4
10/22/20 23:00	0.6	1.0	1.4
10/23/20 0:00	0.6	1.0	1.4
10/23/20 1:00	0.6	0.6	1.4
10/23/20 2:00	0.6	0.6	1.4
10/23/20 3:00	0.6	0.7	1.4
10/23/20 4:00	0.7	0.7	1.4
10/23/20 5:00	0.6	0.7	1.4
10/23/20 6:00	0.6	0.7	1.4
10/23/20 7:00	0.5	0.7	1.4
10/23/20 8:00	0.5	0.7	1.4
10/23/20 9:00	0.5	0.6	1.4
10/23/20 10:00	0.6	0.6	1.4
10/23/20 11:00	0.6	0.6	1.4
10/23/20 12:00	0.6	0.6	1.4
10/23/20 13:00	0.7	0.6	1.4
10/23/20 14:00	0.7	0.6	1.4
10/23/20 15:00	0.7	0.6	1.4
10/23/20 16:00	0.7	0.6	1.4
10/23/20 17:00	0.7	0.6	1.4
10/23/20 18:00	0.7	0.6	1.4
10/23/20 19:00	0.7	0.6	1.4
10/23/20 20:00	0.7	0.6	1.4
10/23/20 21:00	0.6	0.6	1.4
10/23/20 22:00	0.6	0.6	1.4
10/23/20 23:00	0.6	0.6	1.4
10/24/20 0:00	0.6	0.6	1.4
10/24/20 1:00	0.7	0.6	1.4
10/24/20 2:00	0.7	0.6	1.4
10/24/20 3:00	0.6	0.6	1.4
10/24/20 4:00	0.6	0.6	1.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/24/20 5:00	0.5	0.6	1.4
10/24/20 6:00	0.6	0.6	1.4
10/24/20 7:00	0.6	0.6	1.4
10/24/20 8:00	0.6	0.6	1.4
10/24/20 9:00	0.6	0.6	1.4
10/24/20 10:00	0.6	0.6	1.4
10/24/20 11:00	0.6	0.6	1.4
10/24/20 12:00	0.6	0.6	1.4
10/24/20 13:00	0.6	0.6	1.4
10/24/20 14:00	0.6	0.6	1.4
10/24/20 15:00	0.6	0.6	1.4
10/24/20 16:00	0.6	0.6	1.4
10/24/20 17:00	0.6	0.6	1.4
10/24/20 18:00	0.5	0.6	1.4
10/24/20 19:00	0.4	0.6	1.4
10/24/20 20:00	0.5	0.6	1.4
10/24/20 21:00	0.7	0.6	1.4
10/24/20 22:00	0.7	0.6	1.4
10/24/20 23:00	0.7	0.6	1.4
10/25/20 0:00	0.7	0.6	1.4
10/25/20 1:00	0.4	0.6	1.4
10/25/20 2:00	0.5	0.6	1.4
10/25/20 3:00	0.6	0.6	1.4
10/25/20 4:00	0.6	0.6	1.4
10/25/20 5:00	0.6	0.6	1.4
10/25/20 6:00	0.8	0.6	1.4
10/25/20 7:00	0.7	0.6	1.4
10/25/20 8:00	0.8	0.6	1.4
10/25/20 9:00	0.7	0.6	1.4
10/25/20 10:00	0.8	0.6	1.4
10/25/20 11:00	0.7	0.6	1.4
10/25/20 12:00	0.7	0.6	1.4
10/25/20 13:00	0.7	0.6	1.4
10/25/20 14:00	0.7	0.6	1.4
10/25/20 15:00	0.6	0.6	1.4
10/25/20 16:00	0.6	0.6	1.4
10/25/20 17:00	0.6	0.6	1.4
10/25/20 18:00	0.7	0.6	1.4
10/25/20 19:00	0.8	0.7	1.4
10/25/20 20:00	0.6	0.7	1.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/25/20 21:00	0.7	0.7	1.4
10/25/20 22:00	0.8	0.7	1.4
10/25/20 23:00	0.7	0.7	1.4
10/26/20 0:00	0.8	0.7	1.4
10/26/20 1:00	0.8	0.7	1.4
10/26/20 2:00	0.8	0.7	1.4
10/26/20 3:00	0.7	0.7	1.4
10/26/20 4:00	0.7	0.7	1.4
10/26/20 5:00	0.6	0.7	1.4
10/26/20 6:00	0.6	0.7	1.4
10/26/20 7:00	0.7	0.7	1.4
10/26/20 8:00	0.7	0.7	1.4
10/26/20 9:00	0.7	0.7	1.4
10/26/20 10:00	0.8	0.7	1.4
10/26/20 11:00	0.7	0.7	1.4
10/26/20 12:00	0.7	0.7	1.4
10/26/20 13:00	0.7	0.7	1.4
10/26/20 14:00	0.6	0.7	1.4
10/26/20 15:00	0.6	0.7	1.4
10/26/20 16:00	0.7	0.7	1.4
10/26/20 17:00	0.8	0.7	1.4
10/26/20 18:00	0.7	0.7	1.4
10/26/20 19:00	0.6	0.7	1.4
10/26/20 20:00	0.7	0.7	1.4
10/26/20 21:00	0.7	0.7	1.4
10/26/20 22:00	0.7	0.7	1.4
10/26/20 23:00	0.7	0.7	1.4
10/27/20 0:00	0.7	0.7	1.4
10/27/20 1:00	0.7	0.7	1.4
10/27/20 2:00	0.7	0.7	1.4
10/27/20 3:00	0.7	0.7	1.4
10/27/20 4:00	0.6	0.7	1.4
10/27/20 5:00	0.5	0.7	1.4
10/27/20 6:00	0.7	0.7	1.4
10/27/20 7:00	0.7	0.7	1.4
10/27/20 8:00	0.8	0.7	1.4
10/27/20 9:00	0.8	0.7	1.4
10/27/20 10:00	0.7	0.7	1.4
10/27/20 11:00	0.6	0.7	1.4
10/27/20 12:00	0.6	0.7	1.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/27/20 13:00	0.6	0.7	1.4
10/27/20 14:00	0.7	0.7	1.4
10/27/20 15:00	0.8	0.7	1.4
10/27/20 16:00	0.7	0.7	1.4
10/27/20 17:00	0.8	0.7	1.4
10/27/20 18:00	0.7	0.7	1.4
10/27/20 19:00	0.7	0.7	1.4
10/27/20 20:00	0.7	0.7	1.4
10/27/20 21:00	0.6	0.7	1.4
10/27/20 22:00	0.7	0.7	1.4
10/27/20 23:00	0.7	0.7	1.4
10/28/20 0:00	0.7	0.7	1.4
10/28/20 1:00	0.7	0.7	1.3
10/28/20 2:00	0.7	0.7	1.3
10/28/20 3:00	0.6	0.7	1.3
10/28/20 4:00	0.5	0.7	1.3
10/28/20 5:00	0.6	0.7	1.3
10/28/20 6:00	0.7	0.7	1.3
10/28/20 7:00	0.8	0.7	1.3
10/28/20 8:00	0.8	0.7	1.3
10/28/20 9:00	0.7	0.7	1.3
10/28/20 10:00	0.7	0.7	1.3
10/28/20 11:00	0.6	0.7	1.3
10/28/20 12:00	0.7	0.7	1.3
10/28/20 13:00	0.7	0.7	1.3
10/28/20 14:00	0.7	0.7	1.3
10/28/20 15:00	0.7	0.7	1.3
10/28/20 16:00	0.7	0.7	1.3
10/28/20 17:00	0.7	0.7	1.3
10/28/20 18:00	0.7	0.7	1.3
10/28/20 19:00	0.7	0.7	1.3
10/28/20 20:00	0.7	0.7	1.3
10/28/20 21:00	0.7	0.7	1.3
10/28/20 22:00	0.8	0.7	1.3
10/28/20 23:00	0.8	0.7	1.3
10/29/20 0:00	0.7	0.7	1.3
10/29/20 1:00	0.6	0.7	1.3
10/29/20 2:00	0.5	0.7	1.3
10/29/20 3:00	0.4	0.7	1.3
10/29/20 4:00	0.5	0.7	1.3

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/29/20 5:00	0.5	0.7	1.3
10/29/20 6:00	0.5	0.7	1.3
10/29/20 7:00	0.4	0.7	1.3
10/29/20 8:00	0.5	0.6	1.3
10/29/20 9:00	0.4	0.6	1.3
10/29/20 10:00	0.5	0.6	1.3
10/29/20 11:00	0.5	0.6	1.3
10/29/20 12:00	0.5	0.6	1.3
10/29/20 13:00	0.4	0.6	1.3
10/29/20 14:00	0.8	0.6	1.3
10/29/20 15:00	12.8	1.1	1.4
10/29/20 16:00	11.5	1.6	1.4
10/29/20 17:00	12.6	2.0	1.4
10/29/20 18:00	12.4	2.5	1.4
10/29/20 19:00	14.8	3.1	1.4
10/29/20 20:00	10.0	3.5	1.4
10/29/20 21:00	14.3	4.1	1.5
10/29/20 22:00	4.6	4.2	1.5
10/29/20 23:00	14.4	4.8	1.5
10/30/20 0:00	4.6	5.0	1.5
10/30/20 1:00	11.0	5.4	1.5
10/30/20 2:00	14.4	6.0	1.5
10/30/20 3:00	7.6	6.3	1.5
10/30/20 4:00	1.6	6.3	1.5
10/30/20 5:00	6.1	6.6	1.6
10/30/20 6:00	2.7	6.6	1.6
10/30/20 7:00	3.3	6.8	1.6
10/30/20 8:00	6.7	7.0	1.6
10/30/20 9:00	0.4	7.0	1.6
10/30/20 10:00	0.4	7.0	1.6
10/30/20 11:00	0.3	7.0	1.6
10/30/20 12:00	0.3	7.0	1.6
10/30/20 13:00	0.2	7.0	1.6
10/30/20 14:00	0.2	7.0	1.6
10/30/20 15:00	0.2	6.4	1.6
10/30/20 16:00	0.2	6.0	1.6
10/30/20 17:00	0.2	5.5	1.6
10/30/20 18:00	0.2	5.0	1.6
10/30/20 19:00	0.2	4.3	1.5
10/30/20 20:00	0.2	3.9	1.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
10/30/20 21:00	0.2	3.3	1.5
10/30/20 22:00	0.2	3.2	1.5
10/30/20 23:00	0.2	2.6	1.5
10/31/20 0:00	6.8	2.7	1.5
10/31/20 1:00	7.3	2.5	1.6
10/31/20 2:00	7.8	2.2	1.6
10/31/20 3:00	1.4	2.0	1.6
10/31/20 4:00	1.4	2.0	1.6
10/31/20 5:00	1.1	1.8	1.6
10/31/20 6:00	0.9	1.7	1.6
10/31/20 7:00	0.9	1.6	1.6
10/31/20 8:00	0.9	1.3	1.6
10/31/20 9:00	1.1	1.4	1.6
10/31/20 10:00	3.2	1.5	1.6
10/31/20 11:00	0.5	1.5	1.6
10/31/20 12:00	0.3	1.5	1.6
10/31/20 13:00	0.3	1.5	1.6
10/31/20 14:00	0.2	1.5	1.6
10/31/20 15:00	0.2	1.5	1.6
10/31/20 16:00	0.2	1.5	1.6
10/31/20 17:00	0.2	1.5	1.6
10/31/20 18:00	0.2	1.5	1.6
10/31/20 19:00	0.2	1.5	1.6
10/31/20 20:00	0.2	1.5	1.6
10/31/20 21:00	0.2	1.5	1.6
10/31/20 22:00	0.2	1.5	1.6
10/31/20 23:00	0.2	1.5	1.6
11/1/20 0:00	0.2	1.2	1.6
11/1/20 1:00	0.2	0.9	1.6
11/1/20 1:00	0.2	0.6	1.6
11/1/20 2:00	0.2	0.6	1.6
11/1/20 3:00	0.2	0.5	1.6
11/1/20 4:00	0.2	0.5	1.6
11/1/20 5:00	0.2	0.4	1.6
11/1/20 6:00	0.2	0.4	1.6
11/1/20 7:00	0.2	0.4	1.6
11/1/20 8:00	0.2	0.3	1.6
11/1/20 9:00	0.2	0.2	1.6
11/1/20 10:00	0.2	0.2	1.6
11/1/20 11:00	0.2	0.2	1.6

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/1/20 12:00	0.2	0.2	1.6
11/1/20 13:00	0.2	0.2	1.6
11/1/20 14:00	0.2	0.2	1.6
11/1/20 15:00	0.2	0.2	1.6
11/1/20 16:00	0.2	0.2	1.6
11/1/20 17:00	0.2	0.2	1.6
11/1/20 18:00	0.2	0.2	1.6
11/1/20 19:00	0.3	0.2	1.6
11/1/20 20:00	0.3	0.2	1.6
11/1/20 21:00	0.3	0.2	1.6
11/1/20 22:00	0.3	0.2	1.6
11/1/20 23:00	0.3	0.2	1.6
11/2/20 0:00	0.3	0.2	1.6
11/2/20 1:00	0.2	0.2	1.6
11/2/20 2:00	0.2	0.2	1.6
11/2/20 3:00	0.2	0.2	1.6
11/2/20 4:00	0.2	0.2	1.6
11/2/20 5:00	0.2	0.2	1.6
11/2/20 6:00	0.2	0.2	1.6
11/2/20 7:00	0.2	0.2	1.6
11/2/20 8:00	0.2	0.2	1.6
11/2/20 9:00	0.2	0.2	1.6
11/2/20 10:00	0.2	0.2	1.6
11/2/20 11:00	0.1	0.2	1.6
11/2/20 12:00	0.1	0.2	1.6
11/2/20 13:00	0.1	0.2	1.6
11/2/20 14:00	0.1	0.2	1.6
11/2/20 15:00	0.1	0.2	1.6
11/2/20 16:00	0.2	0.2	1.6
11/2/20 17:00	0.2	0.2	1.6
11/2/20 18:00	0.1	0.2	1.6
11/2/20 19:00	0.2	0.2	1.6
11/2/20 20:00	0.2	0.2	1.6
11/2/20 21:00	0.2	0.2	1.6
11/2/20 22:00	0.2	0.2	1.6
11/2/20 23:00	0.2	0.2	1.6
11/3/20 0:00	0.2	0.2	1.6
11/3/20 1:00	0.2	0.2	1.6
11/3/20 2:00	0.2	0.2	1.6
11/3/20 3:00	0.2	0.2	1.6

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/3/20 4:00	0.2	0.2	1.6
11/3/20 5:00	0.2	0.2	1.6
11/3/20 6:00	0.2	0.2	1.6
11/3/20 7:00	0.2	0.2	1.6
11/3/20 8:00	0.2	0.2	1.6
11/3/20 9:00	0.2	0.2	1.6
11/3/20 10:00	0.1	0.2	1.6
11/3/20 11:00	0.2	0.2	1.6
11/3/20 12:00	0.2	0.2	1.6
11/3/20 13:00	0.3	0.2	1.6
11/3/20 14:00	0.3	0.2	1.6
11/3/20 15:00	0.3	0.2	1.6
11/3/20 16:00	0.3	0.2	1.6
11/3/20 17:00	0.3	0.2	1.6
11/3/20 18:00	0.3	0.2	1.6
11/3/20 19:00	0.3	0.2	1.6
11/3/20 20:00	0.3	0.2	1.6
11/3/20 21:00	0.3	0.2	1.6
11/3/20 22:00	0.3	0.2	1.6
11/3/20 23:00	0.3	0.2	1.6
11/4/20 0:00	0.4	0.2	1.6
11/4/20 1:00	0.4	0.3	1.6
11/4/20 2:00	0.4	0.3	1.6
11/4/20 3:00	0.4	0.3	1.6
11/4/20 4:00	0.4	0.3	1.6
11/4/20 5:00	0.4	0.3	1.6
11/4/20 6:00	0.4	0.3	1.6
11/4/20 7:00	0.4	0.3	1.6
11/4/20 8:00	0.4	0.3	1.6
11/4/20 9:00	0.4	0.3	1.6
11/4/20 10:00	0.5	0.3	1.6
11/4/20 11:00	0.5	0.4	1.6
11/4/20 12:00	0.5	0.4	1.6
11/4/20 13:00	0.5	0.4	1.6
11/4/20 14:00	0.4	0.4	1.6
11/4/20 15:00	0.4	0.4	1.6
11/4/20 16:00	0.4	0.4	1.6
11/4/20 17:00	0.4	0.4	1.6
11/4/20 18:00	0.3	0.4	1.6
11/4/20 19:00	0.4	0.4	1.6

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/4/20 20:00	0.4	0.4	1.6
11/4/20 21:00	0.4	0.4	1.6
11/4/20 22:00	0.4	0.4	1.6
11/4/20 23:00	0.4	0.4	1.6
11/5/20 0:00	0.4	0.4	1.6
11/5/20 1:00	0.4	0.4	1.6
11/5/20 2:00	0.4	0.4	1.5
11/5/20 3:00	0.4	0.4	1.5
11/5/20 4:00	0.3	0.4	1.5
11/5/20 5:00	0.1	0.4	1.5
11/5/20 6:00	0.3	0.4	1.5
11/5/20 7:00	0.3	0.4	1.5
11/5/20 8:00	0.3	0.4	1.5
11/5/20 9:00	0.3	0.4	1.5
11/5/20 10:00	0.3	0.4	1.5
11/5/20 11:00	0.3	0.4	1.5
11/5/20 12:00	0.2	0.3	1.5
11/5/20 13:00	0.2	0.3	1.5
11/5/20 14:00	0.2	0.3	1.5
11/5/20 15:00	0.2	0.3	1.5
11/5/20 16:00	0.2	0.3	1.5
11/5/20 17:00	0.2	0.3	1.5
11/5/20 18:00	0.3	0.3	1.5
11/5/20 19:00	0.3	0.3	1.5
11/5/20 20:00	0.3	0.3	1.5
11/5/20 21:00	0.3	0.3	1.5
11/5/20 22:00	0.3	0.3	1.5
11/5/20 23:00	0.3	0.3	1.5
11/6/20 0:00	0.3	0.3	1.5
11/6/20 1:00	0.3	0.3	1.5
11/6/20 2:00	0.3	0.3	1.5
11/6/20 3:00	0.3	0.3	1.5
11/6/20 4:00	0.3	0.3	1.5
11/6/20 5:00	0.3	0.3	1.5
11/6/20 6:00	0.3	0.3	1.5
11/6/20 7:00	0.4	0.3	1.5
11/6/20 8:00	0.4	0.3	1.5
11/6/20 9:00	0.4	0.3	1.5
11/6/20 10:00	0.4	0.3	1.5
11/6/20 11:00	0.4	0.3	1.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/6/20 12:00	0.4	0.3	1.5
11/6/20 13:00	0.4	0.3	1.5
11/6/20 14:00	0.4	0.3	1.5
11/6/20 15:00	0.4	0.3	1.5
11/6/20 16:00	0.4	0.3	1.5
11/6/20 17:00	0.4	0.3	1.5
11/6/20 18:00	0.3	0.3	1.5
11/6/20 19:00	0.3	0.3	1.5
11/6/20 20:00	0.3	0.3	1.5
11/6/20 21:00	0.2	0.3	1.5
11/6/20 22:00	0.2	0.3	1.5
11/6/20 23:00	0.2	0.3	1.5
11/7/20 0:00	0.2	0.3	1.5
11/7/20 1:00	0.2	0.3	1.5
11/7/20 2:00	0.3	0.3	1.5
11/7/20 3:00	1.0	0.4	1.5
11/7/20 4:00	1.1	0.4	1.5
11/7/20 5:00	0.3	0.4	1.5
11/7/20 6:00	0.3	0.4	1.5
11/7/20 7:00	0.3	0.4	1.5
11/7/20 8:00	0.2	0.4	1.5
11/7/20 9:00	0.2	0.4	1.5
11/7/20 10:00	0.3	0.4	1.5
11/7/20 11:00	0.3	0.4	1.5
11/7/20 12:00	0.2	0.3	1.5
11/7/20 13:00	0.2	0.3	1.5
11/7/20 14:00	0.2	0.3	1.5
11/7/20 15:00	0.2	0.3	1.5
11/7/20 16:00	0.2	0.3	1.5
11/7/20 17:00	0.3	0.3	1.5
11/7/20 18:00	0.3	0.3	1.5
11/7/20 19:00	0.2	0.3	1.5
11/7/20 20:00	0.2	0.3	1.5
11/7/20 21:00	0.3	0.3	1.5
11/7/20 22:00	0.2	0.3	1.5
11/7/20 23:00	0.2	0.3	1.5
11/8/20 0:00	0.2	0.3	1.5
11/8/20 1:00	0.1	0.3	1.5
11/8/20 2:00	0.2	0.3	1.5
11/8/20 3:00	0.2	0.3	1.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/8/20 4:00	0.2	0.2	1.5
11/8/20 5:00	0.2	0.2	1.5
11/8/20 6:00	0.2	0.2	1.5
11/8/20 7:00	0.2	0.2	1.5
11/8/20 8:00	0.3	0.2	1.5
11/8/20 9:00	0.2	0.2	1.5
11/8/20 10:00	0.3	0.2	1.5
11/8/20 11:00	0.3	0.2	1.5
11/8/20 12:00	0.2	0.2	1.5
11/8/20 13:00	0.2	0.2	1.5
11/8/20 14:00	0.3	0.2	1.5
11/8/20 15:00	0.2	0.2	1.5
11/8/20 16:00	0.2	0.2	1.5
11/8/20 17:00	0.2	0.2	1.5
11/8/20 18:00	0.3	0.2	1.5
11/8/20 19:00	0.3	0.2	1.5
11/8/20 20:00	0.2	0.2	1.5
11/8/20 21:00	0.3	0.2	1.5
11/8/20 22:00	0.3	0.2	1.5
11/8/20 23:00	0.3	0.2	1.5
11/9/20 0:00	0.3	0.2	1.5
11/9/20 1:00	0.3	0.2	1.5
11/9/20 2:00	0.3	0.3	1.5
11/9/20 3:00	0.3	0.3	1.5
11/9/20 4:00	0.2	0.3	1.5
11/9/20 5:00	0.3	0.3	1.5
11/9/20 6:00	0.2	0.3	1.5
11/9/20 7:00	0.2	0.3	1.5
11/9/20 8:00	0.2	0.3	1.5
11/9/20 9:00	0.2	0.3	1.5
11/9/20 10:00	0.2	0.3	1.5
11/9/20 11:00	0.2	0.3	1.5
11/9/20 12:00	0.2	0.3	1.5
11/9/20 13:00	1.1	0.3	1.5
11/9/20 14:00	5.3	0.5	1.5
11/9/20 15:00	6.5	0.8	1.5
11/9/20 16:00	0.3	0.8	1.5
11/9/20 17:00	0.3	0.8	1.5
11/9/20 18:00	0.2	0.8	1.5
11/9/20 19:00	0.2	0.8	1.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/9/20 20:00	0.2	0.8	1.5
11/9/20 21:00	0.2	0.8	1.5
11/9/20 22:00	0.2	0.8	1.4
11/9/20 23:00	0.2	0.7	1.4
11/10/20 0:00	0.2	0.7	1.4
11/10/20 1:00	0.2	0.7	1.5
11/10/20 2:00	0.2	0.7	1.5
11/10/20 3:00	0.2	0.7	1.5
11/10/20 4:00	0.2	0.7	1.5
11/10/20 5:00	0.2	0.7	1.5
11/10/20 6:00	0.1	0.7	1.5
11/10/20 7:00	0.1	0.7	1.5
11/10/20 8:00	0.1	0.7	1.5
11/10/20 9:00	0.1	0.7	1.5
11/10/20 10:00	0.1	0.7	1.5
11/10/20 11:00	0.3	0.7	1.5
11/10/20 12:00	0.3	0.7	1.5
11/10/20 13:00	0.3	0.7	1.5
11/10/20 14:00	0.3	0.5	1.5
11/10/20 15:00	0.3	0.2	1.5
11/10/20 16:00	0.3	0.2	1.5
11/10/20 17:00	0.3	0.2	1.5
11/10/20 18:00	0.3	0.2	1.5
11/10/20 19:00	0.2	0.2	1.5
11/10/20 20:00	0.2	0.2	1.5
11/10/20 21:00	0.3	0.2	1.5
11/10/20 22:00	0.3	0.2	1.5
11/10/20 23:00	0.3	0.2	1.5
11/11/20 0:00	0.2	0.2	1.4
11/11/20 1:00	0.3	0.2	1.4
11/11/20 2:00	0.3	0.2	1.4
11/11/20 3:00	0.2	0.2	1.4
11/11/20 4:00	0.2	0.2	1.4
11/11/20 5:00	0.2	0.2	1.4
11/11/20 6:00	0.3	0.2	1.4
11/11/20 7:00	0.2	0.2	1.4
11/11/20 8:00	0.2	0.2	1.4
11/11/20 9:00	0.3	0.3	1.4
11/11/20 10:00	0.2	0.3	1.4
11/11/20 11:00	0.3	0.3	1.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/11/20 12:00	0.2	0.3	1.4
11/11/20 13:00	0.1	0.2	1.4
11/11/20 14:00	0.1	0.2	1.4
11/11/20 15:00	0.1	0.2	1.4
11/11/20 16:00	0.1	0.2	1.4
11/11/20 17:00	0.1	0.2	1.4
11/11/20 18:00	0.1	0.2	1.4
11/11/20 19:00	0.1	0.2	1.4
11/11/20 20:00	0.2	0.2	1.4
11/11/20 21:00	0.2	0.2	1.4
11/11/20 22:00	0.2	0.2	1.4
11/11/20 23:00	0.2	0.2	1.4
11/12/20 0:00	0.2	0.2	1.4
11/12/20 1:00	0.2	0.2	1.4
11/12/20 2:00	0.2	0.2	1.4
11/12/20 3:00	0.2	0.2	1.4
11/12/20 4:00	0.2	0.2	1.4
11/12/20 5:00	0.2	0.2	1.4
11/12/20 6:00	0.2	0.2	1.4
11/12/20 7:00	0.2	0.2	1.4
11/12/20 8:00	0.2	0.2	1.4
11/12/20 9:00	0.3	0.2	1.4
11/12/20 10:00	0.2	0.2	1.4
11/12/20 11:00	0.2	0.2	1.4
11/12/20 12:00	0.2	0.2	1.4
11/12/20 13:00	0.2	0.2	1.4
11/12/20 14:00	0.2	0.2	1.4
11/12/20 15:00	0.2	0.2	1.4
11/12/20 16:00	0.2	0.2	1.4
11/12/20 17:00	0.2	0.2	1.4
11/12/20 18:00	0.3	0.2	1.4
11/12/20 19:00	0.3	0.2	1.4
11/12/20 20:00	0.2	0.2	1.4
11/12/20 21:00	0.2	0.2	1.3
11/12/20 22:00	0.3	0.2	1.2
11/12/20 23:00	0.2	0.2	1.1
11/13/20 0:00	0.2	0.2	1.1
11/13/20 1:00	0.2	0.2	1.0
11/13/20 2:00	0.3	0.2	1.0
11/13/20 3:00	0.2	0.2	1.0

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/13/20 4:00	0.2	0.2	1.0
11/13/20 5:00	0.2	0.2	1.0
11/13/20 6:00	0.1	0.2	0.9
11/13/20 7:00	0.2	0.2	0.9
11/13/20 8:00	0.2	0.2	0.9
11/13/20 9:00	0.2	0.2	0.9
11/13/20 10:00	0.2	0.2	0.9
11/13/20 11:00	0.2	0.2	0.9
11/13/20 12:00	0.2	0.2	0.9
11/13/20 13:00	0.2	0.2	0.9
11/13/20 14:00	0.2	0.2	0.9
11/13/20 15:00	0.2	0.2	0.9
11/13/20 16:00	0.2	0.2	0.9
11/13/20 17:00	0.2	0.2	0.9
11/13/20 18:00	0.2	0.2	0.9
11/13/20 19:00	0.2	0.2	0.9
11/13/20 20:00	0.2	0.2	0.9
11/13/20 21:00	0.2	0.2	0.9
11/13/20 22:00	0.2	0.2	0.9
11/13/20 23:00	0.2	0.2	0.9
11/14/20 0:00	0.2	0.2	0.9
11/14/20 1:00	0.2	0.2	0.9
11/14/20 2:00	0.3	0.2	0.9
11/14/20 3:00	0.3	0.2	0.9
11/14/20 4:00	0.2	0.2	0.9
11/14/20 5:00	0.2	0.2	0.9
11/14/20 6:00	0.2	0.2	0.9
11/14/20 7:00	0.2	0.2	0.8
11/14/20 8:00	0.2	0.2	0.8
11/14/20 9:00	0.2	0.2	0.8
11/14/20 10:00	0.3	0.2	0.8
11/14/20 11:00	0.3	0.2	0.8
11/14/20 12:00	0.2	0.2	0.8
11/14/20 13:00	0.3	0.2	0.8
11/14/20 14:00	0.3	0.2	0.8
11/14/20 15:00	0.3	0.2	0.8
11/14/20 16:00	0.3	0.2	0.8
11/14/20 17:00	0.4	0.2	0.8
11/14/20 18:00	0.4	0.2	0.8
11/14/20 19:00	0.5	0.3	0.8

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/14/20 20:00	0.5	0.3	0.8
11/14/20 21:00	0.4	0.3	0.8
11/14/20 22:00	0.5	0.3	0.8
11/14/20 23:00	0.5	0.3	0.8
11/15/20 0:00	0.5	0.3	0.8
11/15/20 1:00	0.5	0.3	0.8
11/15/20 2:00	0.5	0.3	0.8
11/15/20 3:00	0.4	0.3	0.8
11/15/20 4:00	0.3	0.3	0.8
11/15/20 5:00	0.2	0.3	0.8
11/15/20 6:00	0.2	0.3	0.8
11/15/20 7:00	0.2	0.3	0.8
11/15/20 8:00	0.2	0.3	0.8
11/15/20 9:00	0.2	0.3	0.8
11/15/20 10:00	0.2	0.3	0.8
11/15/20 11:00	0.2	0.3	0.8
11/15/20 12:00	0.2	0.3	0.8
11/15/20 13:00	0.2	0.3	0.8
11/15/20 14:00	0.2	0.3	0.8
11/15/20 15:00	0.2	0.3	0.8
11/15/20 16:00	0.2	0.3	0.8
11/15/20 17:00	0.2	0.3	0.8
11/15/20 18:00	0.2	0.3	0.8
11/15/20 19:00	0.2	0.3	0.8
11/15/20 20:00	0.2	0.3	0.8
11/15/20 21:00	0.3	0.3	0.8
11/15/20 22:00	0.2	0.3	0.8
11/15/20 23:00	0.2	0.2	0.8
11/16/20 0:00	0.2	0.2	0.8
11/16/20 1:00	0.3	0.2	0.8
11/16/20 2:00	0.2	0.2	0.8
11/16/20 3:00	0.2	0.2	0.8
11/16/20 4:00	0.2	0.2	0.8
11/16/20 5:00	0.2	0.2	0.8
11/16/20 6:00	0.2	0.2	0.8
11/16/20 7:00	0.3	0.2	0.8
11/16/20 8:00	0.3	0.2	0.8
11/16/20 9:00	0.2	0.2	0.8
11/16/20 10:00	0.3	0.2	0.8
11/16/20 11:00	0.2	0.2	0.8

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/16/20 12:00	0.3	0.2	0.8
11/16/20 13:00	0.2	0.2	0.8
11/16/20 14:00	0.2	0.2	0.8
11/16/20 15:00	0.2	0.2	0.8
11/16/20 16:00	0.2	0.2	0.8
11/16/20 17:00	0.2	0.2	0.8
11/16/20 18:00	0.2	0.2	0.8
11/16/20 19:00	0.2	0.2	0.8
11/16/20 20:00	0.2	0.2	0.8
11/16/20 21:00	0.2	0.2	0.8
11/16/20 22:00	0.2	0.2	0.8
11/16/20 23:00	0.2	0.2	0.8
11/17/20 0:00	0.2	0.2	0.8
11/17/20 1:00	0.2	0.2	0.8
11/17/20 2:00	0.2	0.2	0.8
11/17/20 3:00	0.2	0.2	0.8
11/17/20 4:00	0.2	0.2	0.8
11/17/20 5:00	0.2	0.2	0.8
11/17/20 6:00	0.2	0.2	0.8
11/17/20 7:00	0.1	0.2	0.8
11/17/20 8:00	0.0	0.2	0.8
11/17/20 9:00	0.0	0.2	0.8
11/17/20 10:00	0.0	0.2	0.8
11/17/20 11:00	0.0	0.2	0.8
11/17/20 12:00	0.0	0.2	0.8
11/17/20 13:00	0.0	0.1	0.8
11/17/20 14:00	0.0	0.1	0.8
11/17/20 15:00	0.0	0.1	0.8
11/17/20 16:00	0.1	0.1	0.8
11/17/20 17:00	0.3	0.1	0.8
11/17/20 18:00	0.3	0.1	0.8
11/17/20 19:00	0.3	0.1	0.8
11/17/20 20:00	0.3	0.1	0.8
11/17/20 21:00	0.2	0.1	0.8
11/17/20 22:00	0.3	0.1	0.8
11/17/20 23:00	0.3	0.1	0.8
11/18/20 0:00	0.3	0.2	0.8
11/18/20 1:00	0.4	0.2	0.8
11/18/20 2:00	0.3	0.2	0.8
11/18/20 3:00	0.4	0.2	0.8

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/18/20 4:00	0.4	0.2	0.8
11/18/20 5:00	0.4	0.2	0.8
11/18/20 6:00	0.4	0.2	0.8
11/18/20 7:00	0.4	0.2	0.8
11/18/20 8:00	0.4	0.2	0.8
11/18/20 9:00	0.4	0.2	0.8
11/18/20 10:00	0.4	0.3	0.8
11/18/20 11:00	0.4	0.3	0.8
11/18/20 12:00	0.4	0.3	0.8
11/18/20 13:00	0.4	0.3	0.8
11/18/20 14:00	0.4	0.3	0.8
11/18/20 15:00	0.4	0.3	0.8
11/18/20 16:00	0.4	0.4	0.8
11/18/20 17:00	0.4	0.4	0.8
11/18/20 18:00	0.4	0.4	0.8
11/18/20 19:00	0.4	0.4	0.8
11/18/20 20:00	0.4	0.4	0.8
11/18/20 21:00	0.4	0.4	0.8
11/18/20 22:00	0.4	0.4	0.8
11/18/20 23:00	0.4	0.4	0.8
11/19/20 0:00	0.4	0.4	0.8
11/19/20 1:00	0.4	0.4	0.8
11/19/20 2:00	0.2	0.4	0.8
11/19/20 3:00	0.3	0.4	0.8
11/19/20 4:00	0.3	0.4	0.8
11/19/20 5:00	0.3	0.4	0.8
11/19/20 6:00	0.3	0.4	0.8
11/19/20 7:00	0.4	0.4	0.8
11/19/20 8:00	0.4	0.4	0.8
11/19/20 9:00	0.3	0.4	0.8
11/19/20 10:00	0.4	0.4	0.8
11/19/20 11:00	0.3	0.4	0.8
11/19/20 12:00	0.3	0.4	0.8
11/19/20 13:00	0.3	0.4	0.8
11/19/20 14:00	0.2	0.3	0.8
11/19/20 15:00	0.2	0.3	0.8
11/19/20 16:00	0.1	0.3	0.8
11/19/20 17:00	0.2	0.3	0.8
11/19/20 18:00	0.2	0.3	0.8
11/19/20 19:00	0.1	0.3	0.8

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/19/20 20:00	0.1	0.3	0.8
11/19/20 21:00	0.1	0.3	0.7
11/19/20 22:00	0.1	0.3	0.7
11/19/20 23:00	0.1	0.3	0.7
11/20/20 0:00	0.1	0.2	0.7
11/20/20 1:00	0.1	0.2	0.7
11/20/20 2:00	0.1	0.2	0.7
11/20/20 3:00	0.1	0.2	0.7
11/20/20 4:00	0.1	0.2	0.7
11/20/20 5:00	0.2	0.2	0.7
11/20/20 6:00	0.2	0.2	0.7
11/20/20 7:00	0.2	0.2	0.7
11/20/20 8:00	0.2	0.2	0.7
11/20/20 9:00	0.1	0.2	0.7
11/20/20 10:00	0.1	0.2	0.7
11/20/20 11:00	0.1	0.2	0.7
11/20/20 12:00	0.2	0.2	0.7
11/20/20 13:00	0.2	0.1	0.7
11/20/20 14:00	0.1	0.1	0.7
11/20/20 15:00	0.2	0.1	0.7
11/20/20 16:00	0.2	0.1	0.7
11/20/20 17:00	0.1	0.1	0.7
11/20/20 18:00	0.1	0.1	0.7
11/20/20 19:00	0.2	0.1	0.7
11/20/20 20:00	0.1	0.1	0.7
11/20/20 21:00	0.2	0.1	0.6
11/20/20 22:00	0.2	0.1	0.6
11/20/20 23:00	0.2	0.2	0.6
11/21/20 0:00	0.3	0.2	0.6
11/21/20 1:00	10.6	0.6	0.6
11/21/20 2:00	3.6	0.7	0.7
11/21/20 3:00	5.4	1.0	0.7
11/21/20 4:00	0.3	1.0	0.7
11/21/20 5:00	0.3	1.0	0.7
11/21/20 6:00	0.3	1.0	0.7
11/21/20 7:00	0.3	1.0	0.7
11/21/20 8:00	0.3	1.0	0.7
11/21/20 9:00	0.3	1.0	0.7
11/21/20 10:00	0.3	1.0	0.7
11/21/20 11:00	0.3	1.0	0.7

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/21/20 12:00	0.2	1.0	0.7
11/21/20 13:00	0.2	1.0	0.7
11/21/20 14:00	0.3	1.0	0.7
11/21/20 15:00	0.3	1.0	0.7
11/21/20 16:00	0.3	1.0	0.7
11/21/20 17:00	0.2	1.0	0.7
11/21/20 18:00	0.2	1.0	0.6
11/21/20 19:00	0.2	1.0	0.6
11/21/20 20:00	0.1	1.0	0.6
11/21/20 21:00	0.1	1.0	0.6
11/21/20 22:00	0.1	1.0	0.6
11/21/20 23:00	0.1	1.0	0.6
11/22/20 0:00	0.2	1.0	0.6
11/22/20 1:00	0.2	0.6	0.6
11/22/20 2:00	0.2	0.4	0.6
11/22/20 3:00	0.2	0.2	0.6
11/22/20 4:00	0.2	0.2	0.6
11/22/20 5:00	0.2	0.2	0.6
11/22/20 6:00	0.2	0.2	0.6
11/22/20 7:00	0.3	0.2	0.6
11/22/20 8:00	0.3	0.2	0.6
11/22/20 9:00	0.3	0.2	0.6
11/22/20 10:00	0.3	0.2	0.6
11/22/20 11:00	0.3	0.2	0.6
11/22/20 12:00	0.3	0.2	0.6
11/22/20 13:00	0.3	0.2	0.6
11/22/20 14:00	0.3	0.2	0.6
11/22/20 15:00	0.3	0.2	0.6
11/22/20 16:00	0.8	0.3	0.6
11/22/20 17:00	0.3	0.3	0.6
11/22/20 18:00	0.3	0.3	0.6
11/22/20 19:00	0.3	0.3	0.6
11/22/20 20:00	0.4	0.3	0.6
11/22/20 21:00	0.4	0.3	0.6
11/22/20 22:00	0.4	0.3	0.6
11/22/20 23:00	0.4	0.3	0.6
11/23/20 0:00	0.4	0.3	0.6
11/23/20 1:00	0.4	0.3	0.6
11/23/20 2:00	0.5	0.3	0.6
11/23/20 3:00	0.4	0.3	0.6

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/23/20 4:00	0.4	0.4	0.6
11/23/20 5:00	0.4	0.4	0.6
11/23/20 6:00	0.5	0.4	0.6
11/23/20 7:00	0.5	0.4	0.6
11/23/20 8:00	0.6	0.4	0.6
11/23/20 9:00	0.5	0.4	0.6
11/23/20 10:00	0.5	0.4	0.6
11/23/20 11:00	0.6	0.4	0.6
11/23/20 12:00	0.5	0.4	0.6
11/23/20 13:00	0.5	0.4	0.6
11/23/20 14:00	0.5	0.5	0.6
11/23/20 15:00	0.5	0.5	0.6
11/23/20 16:00	0.2	0.4	0.6
11/23/20 17:00	0.3	0.4	0.6
11/23/20 18:00	6.6	0.7	0.6
11/23/20 19:00	11.5	1.2	0.7
11/23/20 20:00	0.7	1.2	0.7
11/23/20 21:00	0.7	1.2	0.7
11/23/20 22:00	0.7	1.2	0.7
11/23/20 23:00	0.7	1.2	0.7
11/24/20 0:00	0.7	1.2	0.7
11/24/20 1:00	0.6	1.2	0.7
11/24/20 2:00	0.7	1.2	0.7
11/24/20 3:00	0.6	1.2	0.7
11/24/20 4:00	0.5	1.3	0.7
11/24/20 5:00	0.5	1.3	0.7
11/24/20 6:00	0.5	1.3	0.7
11/24/20 7:00	0.5	1.3	0.7
11/24/20 8:00	0.5	1.3	0.7
11/24/20 9:00	0.4	1.3	0.7
11/24/20 10:00	0.4	1.2	0.7
11/24/20 11:00	0.5	1.2	0.7
11/24/20 12:00	0.5	1.2	0.7
11/24/20 13:00	0.5	1.2	0.7
11/24/20 14:00	0.6	1.3	0.7
11/24/20 15:00	0.6	1.3	0.7
11/24/20 16:00	0.4	1.3	0.7
11/24/20 17:00	0.5	1.3	0.7
11/24/20 18:00	0.5	1.0	0.7
11/24/20 19:00	0.5	0.6	0.7

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/24/20 20:00	0.5	0.5	0.7
11/24/20 21:00	0.5	0.5	0.7
11/24/20 22:00	0.5	0.5	0.7
11/24/20 23:00	0.5	0.5	0.7
11/25/20 0:00	0.5	0.5	0.7
11/25/20 1:00	0.5	0.5	0.7
11/25/20 2:00	0.5	0.5	0.6
11/25/20 3:00	0.4	0.5	0.6
11/25/20 4:00	0.4	0.5	0.6
11/25/20 5:00	0.4	0.5	0.6
11/25/20 6:00	0.4	0.5	0.6
11/25/20 7:00	0.4	0.5	0.6
11/25/20 8:00	0.4	0.5	0.6
11/25/20 9:00	0.4	0.5	0.6
11/25/20 10:00	0.4	0.5	0.6
11/25/20 11:00	0.4	0.5	0.6
11/25/20 12:00	0.4	0.5	0.6
11/25/20 13:00	0.4	0.5	0.6
11/25/20 14:00	0.4	0.5	0.6
11/25/20 15:00	0.5	0.4	0.6
11/25/20 16:00	0.4	0.5	0.6
11/25/20 17:00	0.4	0.4	0.6
11/25/20 18:00	0.5	0.4	0.6
11/25/20 19:00	0.5	0.4	0.6
11/25/20 20:00	0.5	0.4	0.6
11/25/20 21:00	0.5	0.4	0.6
11/25/20 22:00	0.4	0.4	0.6
11/25/20 23:00	0.4	0.4	0.6
11/26/20 0:00	0.5	0.4	0.6
11/26/20 1:00	0.4	0.4	0.6
11/26/20 2:00	0.4	0.4	0.6
11/26/20 3:00	0.4	0.4	0.6
11/26/20 4:00	0.5	0.4	0.6
11/26/20 5:00	0.5	0.4	0.6
11/26/20 6:00	0.4	0.4	0.6
11/26/20 7:00	0.5	0.4	0.6
11/26/20 8:00	0.4	0.4	0.6
11/26/20 9:00	0.4	0.4	0.6
11/26/20 10:00	0.5	0.5	0.6
11/26/20 11:00	0.4	0.5	0.6

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/26/20 12:00	0.5	0.5	0.6
11/26/20 13:00	0.5	0.5	0.6
11/26/20 14:00	0.5	0.5	0.6
11/26/20 15:00	0.4	0.5	0.6
11/26/20 16:00	0.4	0.5	0.6
11/26/20 17:00	0.4	0.5	0.6
11/26/20 18:00	0.5	0.5	0.6
11/26/20 19:00	0.5	0.5	0.6
11/26/20 20:00	0.5	0.5	0.6
11/26/20 21:00	0.5	0.5	0.6
11/26/20 22:00	0.5	0.5	0.6
11/26/20 23:00	0.5	0.5	0.6
11/27/20 0:00	0.5	0.5	0.6
11/27/20 1:00	0.5	0.5	0.6
11/27/20 2:00	5.5	0.7	0.6
11/27/20 3:00	2.9	0.8	0.6
11/27/20 4:00	7.3	1.1	0.7
11/27/20 5:00	5.0	1.2	0.7
11/27/20 6:00	0.4	1.2	0.7
11/27/20 7:00	9.4	1.6	0.7
11/27/20 8:00	5.1	1.8	0.7
11/27/20 9:00	6.5	2.1	0.7
11/27/20 10:00	6.5	2.3	0.7
11/27/20 11:00	7.2	2.6	0.7
11/27/20 12:00	4.5	2.8	0.7
11/27/20 13:00	7.5	3.1	0.7
11/27/20 14:00	4.1	3.2	0.7
11/27/20 15:00	5.5	3.4	0.7
11/27/20 16:00	9.9	3.8	0.7
11/27/20 17:00	1.4	3.9	0.7
11/27/20 18:00	7.8	4.2	0.8
11/27/20 19:00	2.5	4.3	0.8
11/27/20 20:00	2.8	4.4	0.8
11/27/20 21:00	0.8	4.4	0.8
11/27/20 22:00	0.5	4.4	0.8
11/27/20 23:00	0.5	4.4	0.8
11/28/20 0:00	0.4	4.4	0.8
11/28/20 1:00	0.3	4.3	0.8
11/28/20 2:00	0.4	4.1	0.8
11/28/20 3:00	0.4	4.0	0.8

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/28/20 4:00	0.4	3.7	0.8
11/28/20 5:00	0.4	3.6	0.8
11/28/20 6:00	0.4	3.6	0.8
11/28/20 7:00	0.4	3.2	0.8
11/28/20 8:00	0.5	3.0	0.8
11/28/20 9:00	0.4	2.7	0.8
11/28/20 10:00	0.4	2.5	0.8
11/28/20 11:00	0.6	2.2	0.8
11/28/20 12:00	0.4	2.0	0.8
11/28/20 13:00	0.4	1.7	0.7
11/28/20 14:00	0.6	1.6	0.7
11/28/20 15:00	0.4	1.4	0.7
11/28/20 16:00	0.5	1.0	0.7
11/28/20 17:00	0.4	0.9	0.7
11/28/20 18:00	0.4	0.6	0.7
11/28/20 19:00	0.4	0.5	0.6
11/28/20 20:00	0.5	0.4	0.6
11/28/20 21:00	0.6	0.4	0.6
11/28/20 22:00	0.5	0.4	0.6
11/28/20 23:00	0.5	0.4	0.6
11/29/20 0:00	0.4	0.4	0.6
11/29/20 1:00	0.5	0.5	0.6
11/29/20 2:00	0.5	0.5	0.6
11/29/20 3:00	0.5	0.5	0.6
11/29/20 4:00	0.4	0.5	0.5
11/29/20 5:00	0.3	0.5	0.5
11/29/20 6:00	0.3	0.5	0.5
11/29/20 7:00	0.4	0.5	0.5
11/29/20 8:00	0.4	0.4	0.5
11/29/20 9:00	0.4	0.5	0.5
11/29/20 10:00	0.4	0.4	0.5
11/29/20 11:00	0.3	0.4	0.5
11/29/20 12:00	0.4	0.4	0.5
11/29/20 13:00	0.4	0.4	0.5
11/29/20 14:00	0.3	0.4	0.5
11/29/20 15:00	0.2	0.4	0.5
11/29/20 16:00	0.2	0.4	0.5
11/29/20 17:00	0.2	0.4	0.5
11/29/20 18:00	0.4	0.4	0.5
11/29/20 19:00	0.4	0.4	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
11/29/20 20:00	0.4	0.4	0.5
11/29/20 21:00	0.4	0.4	0.5
11/29/20 22:00	0.5	0.4	0.5
11/29/20 23:00	0.5	0.4	0.5
11/30/20 0:00	0.5	0.4	0.5
11/30/20 1:00	0.4	0.4	0.5
11/30/20 2:00	0.4	0.4	0.5
11/30/20 3:00	0.4	0.4	0.5
11/30/20 4:00	0.3	0.4	0.5
11/30/20 5:00	0.4	0.4	0.5
11/30/20 6:00	0.4	0.4	0.5
11/30/20 7:00	0.4	0.4	0.5
11/30/20 8:00	0.5	0.4	0.5
11/30/20 9:00	0.4	0.4	0.5
11/30/20 10:00	0.4	0.4	0.5
11/30/20 11:00	0.3	0.4	0.5
11/30/20 12:00	0.4	0.4	0.5
11/30/20 13:00	0.4	0.4	0.5
11/30/20 14:00	0.4	0.4	0.5
11/30/20 15:00	0.4	0.4	0.5
11/30/20 16:00	0.4	0.4	0.5
11/30/20 17:00	0.3	0.4	0.5
11/30/20 18:00	0.3	0.4	0.5
11/30/20 19:00	0.4	0.4	0.5
11/30/20 20:00	0.4	0.4	0.5
11/30/20 21:00	0.4	0.4	0.5
11/30/20 22:00	0.5	0.4	0.5
11/30/20 23:00	0.4	0.4	0.5
12/1/20 0:00	0.4	0.4	0.5
12/1/20 1:00	0.4	0.4	0.5
12/1/20 2:00	0.3	0.4	0.5
12/1/20 3:00	0.3	0.4	0.5
12/1/20 4:00	0.3	0.4	0.5
12/1/20 5:00	0.4	0.4	0.5
12/1/20 6:00	0.4	0.4	0.5
12/1/20 7:00	0.4	0.4	0.5
12/1/20 8:00	0.5	0.4	0.5
12/1/20 9:00	0.4	0.4	0.5
12/1/20 10:00	0.4	0.4	0.5
12/1/20 11:00	0.6	0.4	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/1/20 12:00	0.4	0.4	0.5
12/1/20 13:00	0.4	0.4	0.5
12/1/20 14:00	0.5	0.4	0.5
12/1/20 15:00	0.5	0.4	0.5
12/1/20 16:00	0.5	0.4	0.5
12/1/20 17:00	0.5	0.4	0.5
12/1/20 18:00	0.6	0.4	0.5
12/1/20 19:00	0.6	0.4	0.5
12/1/20 20:00	0.6	0.5	0.5
12/1/20 21:00	0.5	0.5	0.5
12/1/20 22:00	0.5	0.5	0.5
12/1/20 23:00	0.5	0.5	0.5
12/2/20 0:00	0.5	0.5	0.5
12/2/20 1:00	0.5	0.5	0.5
12/2/20 2:00	0.4	0.5	0.5
12/2/20 3:00	0.4	0.5	0.5
12/2/20 4:00	0.5	0.5	0.5
12/2/20 5:00	0.5	0.5	0.5
12/2/20 6:00	0.5	0.5	0.5
12/2/20 7:00	0.6	0.5	0.5
12/2/20 8:00	0.5	0.5	0.5
12/2/20 9:00	0.6	0.5	0.5
12/2/20 10:00	0.6	0.5	0.5
12/2/20 11:00	0.6	0.5	0.5
12/2/20 12:00	0.6	0.5	0.5
12/2/20 13:00	0.6	0.5	0.5
12/2/20 14:00	0.5	0.5	0.5
12/2/20 15:00	0.6	0.5	0.5
12/2/20 16:00	0.4	0.5	0.5
12/2/20 17:00	0.5	0.5	0.5
12/2/20 18:00	0.5	0.5	0.5
12/2/20 19:00	0.4	0.5	0.5
12/2/20 20:00	0.4	0.5	0.5
12/2/20 21:00	0.5	0.5	0.5
12/2/20 22:00	0.5	0.5	0.5
12/2/20 23:00	0.5	0.5	0.5
12/3/20 0:00	0.5	0.5	0.5
12/3/20 1:00	0.5	0.5	0.5
12/3/20 2:00	0.5	0.5	0.5
12/3/20 3:00	0.5	0.5	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/3/20 4:00	0.5	0.5	0.5
12/3/20 5:00	0.5	0.5	0.5
12/3/20 6:00	0.4	0.5	0.5
12/3/20 7:00	0.4	0.5	0.5
12/3/20 8:00	0.4	0.5	0.5
12/3/20 9:00	0.5	0.5	0.5
12/3/20 10:00	0.5	0.5	0.5
12/3/20 11:00	0.4	0.5	0.5
12/3/20 12:00	0.4	0.5	0.5
12/3/20 13:00	0.3	0.5	0.5
12/3/20 14:00	0.3	0.5	0.5
12/3/20 15:00	0.5	0.5	0.5
12/3/20 16:00	0.5	0.5	0.5
12/3/20 17:00	0.5	0.5	0.5
12/3/20 18:00	0.4	0.5	0.5
12/3/20 19:00	0.4	0.5	0.5
12/3/20 20:00	0.5	0.5	0.5
12/3/20 21:00	0.5	0.5	0.5
12/3/20 22:00	0.5	0.5	0.5
12/3/20 23:00	0.5	0.5	0.5
12/4/20 0:00	0.5	0.5	0.5
12/4/20 1:00	0.4	0.5	0.5
12/4/20 2:00	0.5	0.5	0.5
12/4/20 3:00	0.4	0.5	0.5
12/4/20 4:00	0.4	0.4	0.5
12/4/20 5:00	0.5	0.4	0.5
12/4/20 6:00	0.5	0.5	0.5
12/4/20 7:00	0.5	0.5	0.5
12/4/20 8:00	0.4	0.5	0.5
12/4/20 9:00	0.4	0.4	0.5
12/4/20 10:00	0.4	0.4	0.5
12/4/20 11:00	0.4	0.4	0.5
12/4/20 12:00	0.5	0.4	0.5
12/4/20 13:00	0.5	0.5	0.5
12/4/20 14:00	0.5	0.5	0.5
12/4/20 15:00	0.5	0.5	0.5
12/4/20 16:00	0.4	0.5	0.5
12/4/20 17:00	0.4	0.5	0.5
12/4/20 18:00	0.6	0.5	0.5
12/4/20 19:00	0.6	0.5	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/4/20 20:00	0.5	0.5	0.5
12/4/20 21:00	0.6	0.5	0.5
12/4/20 22:00	0.6	0.5	0.5
12/4/20 23:00	0.7	0.5	0.5
12/5/20 0:00	0.6	0.5	0.5
12/5/20 1:00	0.6	0.5	0.5
12/5/20 2:00	0.5	0.5	0.5
12/5/20 3:00	0.5	0.5	0.5
12/5/20 4:00	0.6	0.5	0.5
12/5/20 5:00	0.5	0.5	0.5
12/5/20 6:00	0.6	0.5	0.5
12/5/20 7:00	0.6	0.5	0.5
12/5/20 8:00	0.6	0.5	0.5
12/5/20 9:00	0.6	0.5	0.5
12/5/20 10:00	0.4	0.5	0.5
12/5/20 11:00	0.5	0.5	0.5
12/5/20 12:00	0.4	0.5	0.5
12/5/20 13:00	0.4	0.5	0.5
12/5/20 14:00	0.4	0.5	0.5
12/5/20 15:00	0.5	0.5	0.5
12/5/20 16:00	0.6	0.5	0.5
12/5/20 17:00	0.5	0.5	0.5
12/5/20 18:00	0.4	0.5	0.5
12/5/20 19:00	0.4	0.5	0.5
12/5/20 20:00	0.5	0.5	0.5
12/5/20 21:00	0.4	0.5	0.5
12/5/20 22:00	0.4	0.5	0.5
12/5/20 23:00	0.4	0.5	0.5
12/6/20 0:00	0.4	0.5	0.5
12/6/20 1:00	0.4	0.5	0.5
12/6/20 2:00	0.3	0.5	0.5
12/6/20 3:00	0.4	0.5	0.5
12/6/20 4:00	0.4	0.5	0.5
12/6/20 5:00	0.4	0.4	0.5
12/6/20 6:00	0.4	0.4	0.5
12/6/20 7:00	0.3	0.4	0.5
12/6/20 8:00	0.3	0.4	0.5
12/6/20 9:00	0.4	0.4	0.5
12/6/20 10:00	0.4	0.4	0.5
12/6/20 11:00	0.4	0.4	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/6/20 12:00	0.4	0.4	0.5
12/6/20 13:00	0.4	0.4	0.5
12/6/20 14:00	0.4	0.4	0.5
12/6/20 15:00	0.3	0.4	0.5
12/6/20 16:00	0.3	0.4	0.5
12/6/20 17:00	0.4	0.4	0.5
12/6/20 18:00	0.4	0.4	0.5
12/6/20 19:00	0.4	0.4	0.5
12/6/20 20:00	0.4	0.4	0.5
12/6/20 21:00	0.4	0.4	0.5
12/6/20 22:00	0.4	0.4	0.5
12/6/20 23:00	0.4	0.4	0.5
12/7/20 0:00	0.4	0.4	0.5
12/7/20 1:00	6.4	0.6	0.5
12/7/20 2:00	0.4	0.6	0.5
12/7/20 3:00	0.4	0.6	0.5
12/7/20 4:00	0.4	0.6	0.5
12/7/20 5:00	5.4	0.8	0.6
12/7/20 6:00	6.9	1.1	0.6
12/7/20 7:00	0.4	1.1	0.6
12/7/20 8:00	0.4	1.1	0.6
12/7/20 9:00	0.4	1.1	0.6
12/7/20 10:00	0.4	1.1	0.6
12/7/20 11:00	0.4	1.1	0.6
12/7/20 12:00	0.4	1.1	0.6
12/7/20 13:00	0.4	1.1	0.6
12/7/20 14:00	0.4	1.1	0.6
12/7/20 15:00	0.4	1.1	0.6
12/7/20 16:00	0.5	1.1	0.6
12/7/20 17:00	0.5	1.1	0.6
12/7/20 18:00	0.5	1.1	0.6
12/7/20 19:00	0.5	1.1	0.6
12/7/20 20:00	0.5	1.1	0.6
12/7/20 21:00	0.5	1.1	0.6
12/7/20 22:00	0.5	1.1	0.6
12/7/20 23:00	0.5	1.2	0.6
12/8/20 0:00	0.5	1.2	0.6
12/8/20 1:00	0.4	0.9	0.6
12/8/20 2:00	0.4	0.9	0.6
12/8/20 3:00	0.5	0.9	0.6

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/8/20 4:00	0.5	0.9	0.6
12/8/20 5:00	0.5	0.7	0.6
12/8/20 6:00	0.4	0.4	0.6
12/8/20 7:00	0.4	0.4	0.6
12/8/20 8:00	0.4	0.4	0.6
12/8/20 9:00	0.3	0.4	0.6
12/8/20 10:00	0.5	0.4	0.6
12/8/20 11:00	0.4	0.4	0.6
12/8/20 12:00	0.4	0.4	0.6
12/8/20 13:00	0.5	0.4	0.6
12/8/20 14:00	0.4	0.4	0.6
12/8/20 15:00	0.4	0.4	0.6
12/8/20 16:00	0.5	0.4	0.6
12/8/20 17:00	0.6	0.5	0.6
12/8/20 18:00	0.5	0.4	0.6
12/8/20 19:00	0.6	0.5	0.6
12/8/20 20:00	0.5	0.5	0.6
12/8/20 21:00	0.4	0.4	0.6
12/8/20 22:00	0.5	0.4	0.6
12/8/20 23:00	0.4	0.4	0.6
12/9/20 0:00	0.5	0.4	0.6
12/9/20 1:00	0.5	0.5	0.6
12/9/20 2:00	0.7	0.5	0.6
12/9/20 3:00	0.7	0.5	0.6
12/9/20 4:00	0.5	0.5	0.6
12/9/20 5:00	0.5	0.5	0.6
12/9/20 6:00	0.7	0.5	0.6
12/9/20 7:00	0.7	0.5	0.6
12/9/20 8:00	0.6	0.5	0.6
12/9/20 9:00	0.6	0.5	0.6
12/9/20 10:00	0.7	0.5	0.6
12/9/20 11:00	0.8	0.5	0.6
12/9/20 12:00	0.8	0.6	0.6
12/9/20 13:00	0.8	0.6	0.6
12/9/20 14:00	0.6	0.6	0.6
12/9/20 15:00	1.2	0.6	0.6
12/9/20 16:00	0.5	0.6	0.6
12/9/20 17:00	0.5	0.6	0.6
12/9/20 18:00	0.4	0.6	0.6
12/9/20 19:00	0.4	0.6	0.6

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/9/20 20:00	0.5	0.6	0.6
12/9/20 21:00	0.4	0.6	0.6
12/9/20 22:00	0.4	0.6	0.6
12/9/20 23:00	0.4	0.6	0.6
12/10/20 0:00	0.5	0.6	0.6
12/10/20 1:00	0.4	0.6	0.6
12/10/20 2:00	0.5	0.6	0.6
12/10/20 3:00	0.4	0.6	0.6
12/10/20 4:00	0.4	0.6	0.6
12/10/20 5:00	0.4	0.6	0.6
12/10/20 6:00	0.3	0.6	0.6
12/10/20 7:00	0.3	0.5	0.6
12/10/20 8:00	0.3	0.5	0.6
12/10/20 9:00	0.3	0.5	0.6
12/10/20 10:00	0.3	0.5	0.6
12/10/20 11:00	0.4	0.5	0.6
12/10/20 12:00	0.3	0.5	0.6
12/10/20 13:00	0.3	0.4	0.6
12/10/20 14:00	0.3	0.4	0.6
12/10/20 15:00	0.3	0.4	0.6
12/10/20 16:00	0.3	0.4	0.6
12/10/20 17:00	0.3	0.4	0.6
12/10/20 18:00	0.3	0.4	0.6
12/10/20 19:00	0.3	0.4	0.6
12/10/20 20:00	0.3	0.4	0.6
12/10/20 21:00	0.3	0.4	0.6
12/10/20 22:00	0.4	0.4	0.6
12/10/20 23:00	0.3	0.3	0.6
12/11/20 0:00	0.3	0.3	0.6
12/11/20 1:00	0.4	0.3	0.6
12/11/20 2:00	0.3	0.3	0.6
12/11/20 3:00	0.3	0.3	0.6
12/11/20 4:00	0.3	0.3	0.6
12/11/20 5:00	0.4	0.3	0.6
12/11/20 6:00	0.4	0.3	0.6
12/11/20 7:00	0.4	0.3	0.6
12/11/20 8:00	0.4	0.3	0.6
12/11/20 9:00	0.4	0.3	0.6
12/11/20 10:00	0.4	0.3	0.6
12/11/20 11:00	0.4	0.3	0.6

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/11/20 12:00	0.5	0.3	0.6
12/11/20 13:00	0.7	0.4	0.6
12/11/20 14:00	0.7	0.4	0.6
12/11/20 15:00	0.7	0.4	0.6
12/11/20 16:00	0.8	0.4	0.6
12/11/20 17:00	0.7	0.4	0.6
12/11/20 18:00	0.7	0.5	0.6
12/11/20 19:00	0.7	0.5	0.6
12/11/20 20:00	0.7	0.5	0.6
12/11/20 21:00	0.7	0.5	0.6
12/11/20 22:00	0.6	0.5	0.6
12/11/20 23:00	0.7	0.5	0.6
12/12/20 0:00	1.1	0.6	0.6
12/12/20 1:00	0.7	0.6	0.6
12/12/20 2:00	0.6	0.6	0.6
12/12/20 3:00	1.5	0.6	0.6
12/12/20 4:00	1.9	0.7	0.6
12/12/20 5:00	0.7	0.7	0.6
12/12/20 6:00	1.1	0.7	0.6
12/12/20 7:00	2.3	0.8	0.6
12/12/20 8:00	1.6	0.9	0.6
12/12/20 9:00	0.9	0.9	0.6
12/12/20 10:00	1.8	0.9	0.6
12/12/20 11:00	2.4	1.0	0.6
12/12/20 12:00	2.6	1.1	0.6
12/12/20 13:00	2.6	1.2	0.6
12/12/20 14:00	0.6	1.2	0.6
12/12/20 15:00	0.5	1.2	0.6
12/12/20 16:00	0.5	1.2	0.6
12/12/20 17:00	0.5	1.2	0.6
12/12/20 18:00	0.5	1.2	0.6
12/12/20 19:00	0.5	1.2	0.6
12/12/20 20:00	0.5	1.1	0.6
12/12/20 21:00	0.5	1.1	0.6
12/12/20 22:00	0.5	1.1	0.6
12/12/20 23:00	0.5	1.1	0.6
12/13/20 0:00	0.5	1.1	0.6
12/13/20 1:00	0.5	1.1	0.6
12/13/20 2:00	0.5	1.1	0.6
12/13/20 3:00	0.5	1.0	0.6

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/13/20 4:00	0.5	1.0	0.6
12/13/20 5:00	0.5	1.0	0.6
12/13/20 6:00	0.5	1.0	0.6
12/13/20 7:00	0.5	0.9	0.6
12/13/20 8:00	0.5	0.8	0.6
12/13/20 9:00	0.4	0.8	0.6
12/13/20 10:00	0.4	0.8	0.6
12/13/20 11:00	0.4	0.7	0.6
12/13/20 12:00	0.4	0.6	0.6
12/13/20 13:00	0.4	0.5	0.6
12/13/20 14:00	0.4	0.5	0.6
12/13/20 15:00	0.5	0.5	0.6
12/13/20 16:00	0.7	0.5	0.6
12/13/20 17:00	0.7	0.5	0.6
12/13/20 18:00	0.7	0.5	0.6
12/13/20 19:00	0.7	0.5	0.6
12/13/20 20:00	0.7	0.5	0.6
12/13/20 21:00	0.7	0.5	0.6
12/13/20 22:00	0.7	0.5	0.6
12/13/20 23:00	0.7	0.5	0.6
12/14/20 0:00	0.7	0.5	0.6
12/14/20 1:00	0.7	0.5	0.6
12/14/20 2:00	0.7	0.6	0.6
12/14/20 3:00	0.7	0.6	0.6
12/14/20 4:00	0.7	0.6	0.6
12/14/20 5:00	0.4	0.6	0.6
12/14/20 6:00	0.1	0.6	0.6
12/14/20 7:00	0.1	0.5	0.6
12/14/20 8:00	0.2	0.5	0.6
12/14/20 9:00	0.2	0.5	0.6
12/14/20 10:00	0.5	0.5	0.6
12/14/20 11:00	0.6	0.5	0.6
12/14/20 12:00	0.5	0.5	0.6
12/14/20 13:00	0.6	0.6	0.6
12/14/20 14:00	0.6	0.6	0.6
12/14/20 15:00	0.5	0.6	0.6
12/14/20 16:00	0.7	0.6	0.6
12/14/20 17:00	0.7	0.6	0.6
12/14/20 18:00	0.6	0.6	0.6
12/14/20 19:00	0.7	0.6	0.6

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/14/20 20:00	0.8	0.6	0.6
12/14/20 21:00	0.7	0.6	0.6
12/14/20 22:00	0.7	0.6	0.6
12/14/20 23:00	0.8	0.6	0.6
12/15/20 0:00	0.8	0.6	0.6
12/15/20 1:00	0.7	0.6	0.6
12/15/20 2:00	0.7	0.6	0.6
12/15/20 3:00	0.7	0.6	0.6
12/15/20 4:00	0.7	0.6	0.6
12/15/20 7:00	0.7	0.6	0.6
12/15/20 9:00	0.6	0.6	0.6
12/15/20 10:00	0.9	0.6	0.6
12/15/20 11:00	0.5	0.6	0.6
12/15/20 12:00	0.6	0.7	0.6
12/15/20 13:00	0.7	0.7	0.6
12/15/20 14:00	0.6	0.7	0.6
12/15/20 15:00	0.5	0.7	0.6
12/15/20 16:00	0.5	0.7	0.6
12/15/20 17:00	0.5	0.7	0.6
12/15/20 18:00	0.5	0.7	0.6
12/15/20 19:00	0.5	0.6	0.6
12/15/20 20:00	0.5	0.6	0.6
12/15/20 21:00	0.5	0.6	0.6
12/15/20 22:00	0.5	0.6	0.6
12/15/20 23:00	0.5	0.6	0.6
12/16/20 0:00	0.5	0.6	0.6
12/16/20 1:00	0.4	0.6	0.6
12/16/20 2:00	0.4	0.6	0.6
12/16/20 3:00	0.4	0.6	0.6
12/16/20 4:00	0.3	0.5	0.6
12/16/20 5:00	0.3	0.5	0.6
12/16/20 6:00	0.2	0.5	0.6
12/16/20 7:00	0.3	0.5	0.6
12/16/20 8:00	0.4	0.5	0.6
12/16/20 9:00	0.3	0.5	0.6
12/16/20 10:00	0.4	0.4	0.6
12/16/20 11:00	0.3	0.4	0.6
12/16/20 12:00	0.2	0.4	0.6
12/16/20 13:00	0.2	0.4	0.6
12/16/20 14:00	0.2	0.4	0.6

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/16/20 15:00	0.3	0.4	0.6
12/16/20 16:00	0.3	0.4	0.6
12/16/20 17:00	0.4	0.4	0.6
12/16/20 18:00	0.4	0.4	0.6
12/16/20 19:00	0.3	0.4	0.6
12/16/20 20:00	0.4	0.3	0.6
12/16/20 21:00	0.3	0.3	0.6
12/16/20 22:00	0.3	0.3	0.6
12/16/20 23:00	0.4	0.3	0.6
12/17/20 0:00	0.4	0.3	0.6
12/17/20 1:00	0.4	0.3	0.7
12/17/20 2:00	0.4	0.3	0.7
12/17/20 3:00	0.4	0.3	0.7
12/17/20 4:00	0.3	0.3	0.7
12/17/20 5:00	0.3	0.3	0.7
12/17/20 6:00	0.3	0.3	0.7
12/17/20 7:00	0.3	0.3	0.7
12/17/20 8:00	0.4	0.3	0.7
12/17/20 9:00	0.3	0.3	0.7
12/17/20 10:00	0.5	0.3	0.7
12/17/20 11:00	0.7	0.3	0.7
12/17/20 12:00	0.5	0.4	0.7
12/17/20 13:00	1.1	0.4	0.7
12/17/20 14:00	1.4	0.4	0.7
12/17/20 15:00	2.1	0.5	0.7
12/17/20 16:00	0.6	0.5	0.7
12/17/20 17:00	0.6	0.5	0.7
12/17/20 18:00	0.6	0.6	0.7
12/17/20 19:00	0.6	0.6	0.7
12/17/20 20:00	0.5	0.6	0.7
12/17/20 21:00	0.5	0.6	0.7
12/17/20 22:00	0.5	0.6	0.7
12/17/20 23:00	0.5	0.6	0.7
12/18/20 0:00	0.5	0.6	0.7
12/18/20 1:00	0.5	0.6	0.7
12/18/20 2:00	0.6	0.6	0.7
12/18/20 3:00	0.6	0.6	0.7
12/18/20 4:00	0.6	0.6	0.7
12/18/20 5:00	0.6	0.6	0.7
12/18/20 6:00	0.6	0.7	0.7

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/18/20 7:00	0.6	0.7	0.7
12/18/20 8:00	0.4	0.7	0.7
12/18/20 9:00	0.4	0.7	0.7
12/18/20 10:00	0.5	0.7	0.7
12/18/20 11:00	0.4	0.7	0.7
12/18/20 12:00	0.4	0.7	0.7
12/18/20 13:00	0.3	0.6	0.7
12/18/20 14:00	0.3	0.6	0.7
12/18/20 15:00	0.3	0.5	0.7
12/18/20 16:00	0.3	0.5	0.7
12/18/20 17:00	0.2	0.5	0.7
12/18/20 18:00	0.2	0.5	0.7
12/18/20 19:00	0.2	0.4	0.7
12/18/20 20:00	0.2	0.4	0.7
12/18/20 21:00	0.2	0.4	0.7
12/18/20 22:00	0.2	0.4	0.7
12/18/20 23:00	0.2	0.4	0.7
12/19/20 0:00	0.2	0.4	0.7
12/19/20 1:00	0.2	0.4	0.7
12/19/20 2:00	0.2	0.3	0.7
12/19/20 3:00	0.2	0.3	0.7
12/19/20 4:00	0.2	0.3	0.7
12/19/20 5:00	0.2	0.3	0.7
12/19/20 6:00	0.2	0.3	0.7
12/19/20 7:00	0.2	0.3	0.7
12/19/20 8:00	0.2	0.3	0.7
12/19/20 9:00	0.2	0.3	0.7
12/19/20 10:00	0.2	0.3	0.7
12/19/20 11:00	0.2	0.2	0.7
12/19/20 12:00	0.2	0.2	0.7
12/19/20 13:00	0.2	0.2	0.7
12/19/20 14:00	0.2	0.2	0.7
12/19/20 15:00	0.2	0.2	0.7
12/19/20 16:00	0.2	0.2	0.7
12/19/20 17:00	0.2	0.2	0.7
12/19/20 18:00	0.2	0.2	0.7
12/19/20 19:00	0.2	0.2	0.7
12/19/20 20:00	0.2	0.2	0.7
12/19/20 21:00	0.2	0.2	0.7
12/19/20 22:00	0.2	0.2	0.7

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/19/20 23:00	0.2	0.2	0.7
12/20/20 0:00	0.2	0.2	0.7
12/20/20 1:00	0.2	0.2	0.7
12/20/20 2:00	0.2	0.2	0.7
12/20/20 3:00	0.2	0.2	0.7
12/20/20 4:00	0.2	0.2	0.7
12/20/20 5:00	0.2	0.2	0.7
12/20/20 6:00	0.2	0.2	0.7
12/20/20 7:00	0.2	0.2	0.7
12/20/20 8:00	0.2	0.2	0.7
12/20/20 9:00	0.2	0.2	0.7
12/20/20 10:00	0.2	0.2	0.7
12/20/20 11:00	0.2	0.2	0.7
12/20/20 12:00	0.2	0.2	0.7
12/20/20 13:00	0.2	0.2	0.7
12/20/20 14:00	0.2	0.2	0.7
12/20/20 15:00	0.2	0.2	0.7
12/20/20 16:00	0.2	0.2	0.7
12/20/20 17:00	0.2	0.2	0.7
12/20/20 18:00	0.2	0.2	0.7
12/20/20 19:00	0.2	0.2	0.7
12/20/20 20:00	0.2	0.2	0.7
12/20/20 21:00	0.2	0.2	0.7
12/20/20 22:00	0.2	0.2	0.7
12/20/20 23:00	0.2	0.2	0.7
12/21/20 0:00	0.2	0.2	0.7
12/21/20 1:00	0.2	0.2	0.7
12/21/20 2:00	0.3	0.2	0.7
12/21/20 3:00	0.3	0.2	0.7
12/21/20 4:00	0.3	0.2	0.6
12/21/20 5:00	0.2	0.2	0.6
12/21/20 6:00	0.2	0.2	0.6
12/21/20 7:00	0.2	0.2	0.6
12/21/20 8:00	0.3	0.2	0.6
12/21/20 9:00	0.2	0.2	0.6
12/21/20 10:00	0.2	0.2	0.6
12/21/20 11:00	0.2	0.2	0.6
12/21/20 12:00	0.2	0.2	0.6
12/21/20 13:00	0.1	0.2	0.6
12/21/20 14:00	0.2	0.2	0.6

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/21/20 15:00	0.2	0.2	0.6
12/21/20 16:00	0.2	0.2	0.6
12/21/20 17:00	0.2	0.2	0.6
12/21/20 18:00	0.2	0.2	0.6
12/21/20 19:00	0.2	0.2	0.6
12/21/20 20:00	0.2	0.2	0.6
12/21/20 21:00	0.2	0.2	0.6
12/21/20 22:00	0.2	0.2	0.6
12/21/20 23:00	0.2	0.2	0.6
12/22/20 0:00	0.2	0.2	0.6
12/22/20 1:00	0.2	0.2	0.6
12/22/20 2:00	0.2	0.2	0.6
12/22/20 3:00	0.2	0.2	0.6
12/22/20 4:00	0.2	0.2	0.6
12/22/20 5:00	0.2	0.2	0.6
12/22/20 6:00	0.2	0.2	0.6
12/22/20 7:00	0.3	0.2	0.6
12/22/20 8:00	0.3	0.2	0.6
12/22/20 9:00	0.2	0.2	0.6
12/22/20 10:00	0.4	0.2	0.6
12/22/20 11:00	0.2	0.2	0.6
12/22/20 12:00	0.2	0.2	0.6
12/22/20 13:00	0.2	0.2	0.6
12/22/20 14:00	0.2	0.2	0.6
12/22/20 15:00	0.2	0.2	0.6
12/22/20 16:00	0.2	0.2	0.6
12/22/20 17:00	0.2	0.2	0.6
12/22/20 18:00	0.2	0.2	0.6
12/22/20 19:00	0.2	0.2	0.6
12/22/20 20:00	0.2	0.2	0.6
12/22/20 21:00	0.2	0.2	0.6
12/22/20 22:00	0.2	0.2	0.6
12/22/20 23:00	0.2	0.2	0.6
12/23/20 0:00	0.2	0.2	0.6
12/23/20 1:00	0.2	0.2	0.6
12/23/20 2:00	0.2	0.2	0.6
12/23/20 3:00	0.2	0.2	0.6
12/23/20 4:00	0.2	0.2	0.6
12/23/20 5:00	0.2	0.2	0.6
12/23/20 6:00	0.2	0.2	0.6

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/23/20 7:00	0.2	0.2	0.6
12/23/20 8:00	0.2	0.2	0.6
12/23/20 9:00	0.2	0.2	0.6
12/23/20 10:00	0.2	0.2	0.6
12/23/20 11:00	0.2	0.2	0.6
12/23/20 12:00	0.2	0.2	0.6
12/23/20 13:00	0.2	0.2	0.6
12/23/20 14:00	0.2	0.2	0.6
12/23/20 15:00	0.2	0.2	0.6
12/23/20 16:00	0.2	0.2	0.6
12/23/20 17:00	0.2	0.2	0.6
12/23/20 18:00	0.2	0.2	0.6
12/23/20 19:00	0.2	0.2	0.6
12/23/20 20:00	0.2	0.2	0.6
12/23/20 21:00	0.2	0.2	0.6
12/23/20 22:00	0.2	0.2	0.6
12/23/20 23:00	0.2	0.2	0.6
12/24/20 0:00	0.2	0.2	0.6
12/24/20 1:00	0.2	0.2	0.6
12/24/20 2:00	0.2	0.2	0.6
12/24/20 3:00	0.2	0.2	0.6
12/24/20 4:00	0.2	0.2	0.6
12/24/20 5:00	0.2	0.2	0.6
12/24/20 6:00	0.2	0.2	0.6
12/24/20 7:00	0.2	0.2	0.6
12/24/20 8:00	0.2	0.2	0.6
12/24/20 9:00	0.2	0.2	0.6
12/24/20 10:00	0.2	0.2	0.6
12/24/20 11:00	0.2	0.2	0.6
12/24/20 12:00	0.3	0.2	0.6
12/24/20 13:00	0.2	0.2	0.6
12/24/20 14:00	0.9	0.2	0.6
12/24/20 15:00	1.7	0.3	0.6
12/24/20 16:00	0.3	0.3	0.6
12/24/20 17:00	0.2	0.3	0.6
12/24/20 18:00	0.2	0.3	0.6
12/24/20 19:00	0.2	0.3	0.6
12/24/20 20:00	0.2	0.3	0.6
12/24/20 21:00	0.2	0.3	0.6
12/24/20 22:00	0.2	0.3	0.6

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/24/20 23:00	0.2	0.3	0.6
12/25/20 0:00	0.2	0.3	0.6
12/25/20 1:00	0.3	0.3	0.6
12/25/20 2:00	0.2	0.3	0.6
12/25/20 3:00	0.3	0.3	0.6
12/25/20 4:00	0.3	0.3	0.6
12/25/20 5:00	0.2	0.3	0.6
12/25/20 6:00	0.2	0.3	0.6
12/25/20 7:00	0.3	0.3	0.6
12/25/20 8:00	0.2	0.3	0.6
12/25/20 9:00	0.2	0.3	0.6
12/25/20 10:00	0.2	0.3	0.6
12/25/20 11:00	0.2	0.3	0.6
12/25/20 12:00	0.2	0.3	0.6
12/25/20 13:00	0.2	0.3	0.6
12/25/20 14:00	0.2	0.3	0.6
12/25/20 15:00	0.2	0.2	0.6
12/25/20 16:00	0.2	0.2	0.6
12/25/20 17:00	0.2	0.2	0.6
12/25/20 18:00	0.2	0.2	0.6
12/25/20 19:00	0.2	0.2	0.6
12/25/20 20:00	0.2	0.2	0.6
12/25/20 21:00	0.2	0.2	0.6
12/25/20 22:00	0.2	0.2	0.6
12/25/20 23:00	0.2	0.2	0.6
12/26/20 0:00	0.2	0.2	0.6
12/26/20 1:00	0.2	0.2	0.6
12/26/20 2:00	0.2	0.2	0.6
12/26/20 3:00	0.2	0.2	0.6
12/26/20 4:00	0.1	0.2	0.6
12/26/20 5:00	0.2	0.2	0.6
12/26/20 6:00	0.2	0.2	0.6
12/26/20 7:00	0.2	0.2	0.6
12/26/20 8:00	0.2	0.2	0.6
12/26/20 9:00	0.2	0.2	0.6
12/26/20 10:00	0.2	0.2	0.6
12/26/20 11:00	0.2	0.2	0.6
12/26/20 12:00	0.2	0.2	0.6
12/26/20 13:00	0.3	0.2	0.6
12/26/20 14:00	0.3	0.2	0.6

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/26/20 15:00	0.2	0.2	0.6
12/26/20 16:00	0.2	0.2	0.6
12/26/20 17:00	0.2	0.2	0.6
12/26/20 18:00	0.2	0.2	0.6
12/26/20 19:00	0.2	0.2	0.6
12/26/20 20:00	0.2	0.2	0.6
12/26/20 21:00	0.2	0.2	0.6
12/26/20 22:00	0.2	0.2	0.6
12/26/20 23:00	0.2	0.2	0.6
12/27/20 0:00	0.2	0.2	0.6
12/27/20 1:00	0.2	0.2	0.6
12/27/20 2:00	0.2	0.2	0.6
12/27/20 3:00	0.2	0.2	0.6
12/27/20 4:00	0.2	0.2	0.6
12/27/20 5:00	0.2	0.2	0.6
12/27/20 6:00	0.2	0.2	0.6
12/27/20 7:00	0.2	0.2	0.6
12/27/20 8:00	0.2	0.2	0.6
12/27/20 9:00	0.2	0.2	0.5
12/27/20 10:00	0.2	0.2	0.5
12/27/20 11:00	0.2	0.2	0.5
12/27/20 12:00	0.2	0.2	0.5
12/27/20 13:00	0.2	0.2	0.5
12/27/20 14:00	0.2	0.2	0.5
12/27/20 15:00	0.2	0.2	0.5
12/27/20 16:00	0.2	0.2	0.5
12/27/20 17:00	0.2	0.2	0.5
12/27/20 18:00	0.2	0.2	0.5
12/27/20 19:00	0.2	0.2	0.5
12/27/20 20:00	0.2	0.2	0.4
12/27/20 21:00	0.2	0.2	0.4
12/27/20 22:00	0.2	0.2	0.4
12/27/20 23:00	0.3	0.2	0.4
12/28/20 0:00	0.2	0.2	0.4
12/28/20 1:00	0.3	0.2	0.4
12/28/20 2:00	0.2	0.2	0.4
12/28/20 3:00	0.2	0.2	0.4
12/28/20 4:00	0.2	0.2	0.4
12/28/20 5:00	0.2	0.2	0.4
12/28/20 6:00	0.2	0.2	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/28/20 7:00	0.3	0.2	0.4
12/28/20 8:00	0.2	0.2	0.4
12/28/20 9:00	0.2	0.2	0.4
12/28/20 10:00	0.2	0.2	0.4
12/28/20 11:00	0.2	0.2	0.4
12/28/20 12:00	0.2	0.2	0.4
12/28/20 13:00	0.3	0.2	0.4
12/28/20 14:00	0.3	0.2	0.4
12/28/20 15:00	0.3	0.2	0.4
12/28/20 16:00	0.3	0.2	0.4
12/28/20 17:00	0.3	0.2	0.4
12/28/20 18:00	0.2	0.2	0.4
12/28/20 19:00	0.3	0.2	0.4
12/28/20 20:00	0.3	0.2	0.4
12/28/20 21:00	0.3	0.2	0.4
12/28/20 22:00	0.3	0.2	0.4
12/28/20 23:00	0.3	0.2	0.4
12/29/20 0:00	0.4	0.2	0.4
12/29/20 1:00	0.4	0.3	0.4
12/29/20 2:00	0.4	0.3	0.4
12/29/20 3:00	0.4	0.3	0.4
12/29/20 4:00	0.4	0.3	0.4
12/29/20 5:00	0.4	0.3	0.4
12/29/20 6:00	0.5	0.3	0.4
12/29/20 7:00	0.5	0.3	0.4
12/29/20 8:00	0.5	0.3	0.4
12/29/20 9:00	0.5	0.3	0.4
12/29/20 10:00	0.5	0.3	0.4
12/29/20 17:00	0.5	0.3	0.4
12/29/20 18:00	0.4	0.4	0.4
12/29/20 19:00	0.4	0.4	0.4
12/29/20 20:00	0.4	0.4	0.4
12/29/20 21:00	0.4	0.4	0.4
12/29/20 22:00	3.3	0.5	0.4
12/29/20 23:00	1.2	0.5	0.4
12/30/20 0:00	0.5	0.6	0.4
12/30/20 1:00	0.5	0.6	0.4
12/30/20 2:00	0.5	0.6	0.4
12/30/20 3:00	0.4	0.6	0.4
12/30/20 4:00	0.5	0.6	0.4

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/30/20 5:00	0.4	0.6	0.4
12/30/20 6:00	0.4	0.6	0.4
12/30/20 7:00	0.5	0.6	0.4
12/30/20 8:00	0.6	0.6	0.4
12/30/20 9:00	0.5	0.6	0.4
12/30/20 10:00	0.5	0.6	0.4
12/30/20 11:00	0.8	0.6	0.4
12/30/20 12:00	0.6	0.6	0.4
12/30/20 13:00	0.5	0.6	0.4
12/30/20 14:00	0.5	0.6	0.4
12/30/20 15:00	0.5	0.6	0.4
12/30/20 16:00	0.5	0.6	0.4
12/30/20 17:00	0.5	0.6	0.4
12/30/20 18:00	0.5	0.6	0.4
12/30/20 19:00	0.5	0.6	0.4
12/30/20 20:00	0.5	0.6	0.4
12/30/20 21:00	0.5	0.6	0.4
12/30/20 22:00	0.5	0.5	0.4
12/30/20 23:00	0.5	0.5	0.4
12/31/20 0:00	0.5	0.5	0.4
12/31/20 1:00	0.5	0.5	0.4
12/31/20 2:00	0.5	0.5	0.4
12/31/20 3:00	0.5	0.5	0.4
12/31/20 4:00	0.6	0.5	0.4
12/31/20 5:00	0.7	0.5	0.4
12/31/20 6:00	0.6	0.5	0.4
12/31/20 7:00	0.6	0.5	0.4
12/31/20 8:00	1.1	0.6	0.4
12/31/20 9:00	0.8	0.6	0.4
12/31/20 10:00	0.5	0.6	0.4
12/31/20 11:00	1.6	0.6	0.5
12/31/20 12:00	0.7	0.6	0.5
12/31/20 13:00	0.6	0.6	0.5
12/31/20 14:00	0.6	0.6	0.5
12/31/20 15:00	0.6	0.6	0.5
12/31/20 16:00	0.6	0.6	0.5
12/31/20 17:00	0.6	0.6	0.5
12/31/20 18:00	0.6	0.6	0.5
12/31/20 19:00	0.6	0.6	0.5
12/31/20 20:00	0.6	0.7	0.5

Table F-4: Calculation of Compliance Ratio and Emission Limit for B-248-2

Hour	SO_2 Emission Rate (lb/hr)	24-hr Average SO_2 Emission Rate (lb/hr)	30-Day Average SO_2 Emission Rate (lb/hr)
12/31/20 21:00	0.6	0.7	0.5
12/31/20 22:00	0.6	0.7	0.5
12/31/20 23:00	0.6	0.7	0.5
Count	17520		
Average	0.5	0.5	0.5
Max.	75.7	16.1	1.6
99th percentile	7.5	6.6	1.5
# > 10 lb/hr	102		0
% > 10 lb/hr	0.58%		
# > 2.0 lb/hr			0

	Compliance Ratios	CEV (lb/hr)	Emission Limit (lb/hr)
24-hour	0.9	10	8.8
30-day	0.2	10	2.0

Attachment G

SO2 Emissions from B-351-5 Flare

Table of Contents for Attachment G

Attachment G1	Flare Hourly Emissions, 2017 through 2020
Attachment G2	Flare Hourly Emissions, 2021 through 2023
Attachment G3	Flare Hourly Emissions, January 1 through August 31, 2024

Attachment G1
Flare Hourly Emissions, 2017 through 2020

Flare emissions, 2017-2020

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/1/2017 0:00	0.0		1/1/2018 0:00	shutdown		1/1/2019 0:00	0.0		1/1/2020 0:00	0.0	
1/1/2017 1:00	0.0		1/1/2018 1:00	shutdown		1/1/2019 1:00	0.0		1/1/2020 1:00	0.0	
1/1/2017 2:00	0.0		1/1/2018 2:00	shutdown		1/1/2019 2:00	0.0		1/1/2020 2:00	0.0	
1/1/2017 3:00	0.0		1/1/2018 3:00	shutdown		1/1/2019 3:00	0.0		1/1/2020 3:00	0.0	
1/1/2017 4:00	0.0		1/1/2018 4:00	shutdown		1/1/2019 4:00	0.0		1/1/2020 4:00	0.0	
1/1/2017 5:00	0.0		1/1/2018 5:00	shutdown		1/1/2019 5:00	0.0		1/1/2020 5:00	0.0	
1/1/2017 6:00	0.0		1/1/2018 6:00	shutdown		1/1/2019 6:00	0.0		1/1/2020 6:00	0.0	
1/1/2017 7:00	0.0		1/1/2018 7:00	shutdown		1/1/2019 7:00	0.0		1/1/2020 7:00	0.0	
1/1/2017 8:00	0.0		1/1/2018 8:00	shutdown		1/1/2019 8:00	0.0		1/1/2020 8:00	0.0	
1/1/2017 9:00	0.0		1/1/2018 9:00	shutdown		1/1/2019 9:00	0.0		1/1/2020 9:00	0.0	
1/1/2017 10:00	0.0		1/1/2018 10:00	shutdown		1/1/2019 10:00	0.0		1/1/2020 10:00	0.0	
1/1/2017 11:00	0.0		1/1/2018 11:00	shutdown		1/1/2019 11:00	0.0		1/1/2020 11:00	0.0	
1/1/2017 12:00	0.0		1/1/2018 12:00	shutdown		1/1/2019 12:00	0.0		1/1/2020 12:00	0.0	
1/1/2017 13:00	0.0		1/1/2018 13:00	shutdown		1/1/2019 13:00	0.0		1/1/2020 13:00	0.0	
1/1/2017 14:00	0.0		1/1/2018 14:00	shutdown		1/1/2019 14:00	0.0		1/1/2020 14:00	0.0	
1/1/2017 15:00	0.0		1/1/2018 15:00	shutdown		1/1/2019 15:00	0.0		1/1/2020 15:00	0.0	
1/1/2017 16:00	0.0		1/1/2018 16:00	shutdown		1/1/2019 16:00	0.0		1/1/2020 16:00	0.0	
1/1/2017 17:00	0.0		1/1/2018 17:00	shutdown		1/1/2019 17:00	0.0		1/1/2020 17:00	0.0	
1/1/2017 18:00	0.0		1/1/2018 18:00	shutdown		1/1/2019 18:00	0.0		1/1/2020 18:00	0.0	
1/1/2017 19:00	0.0		1/1/2018 19:00	shutdown		1/1/2019 19:00	0.0		1/1/2020 19:00	0.0	
1/1/2017 20:00	0.0		1/1/2018 20:00	shutdown		1/1/2019 20:00	0.0		1/1/2020 20:00	0.0	
1/1/2017 21:00	0.0		1/1/2018 21:00	shutdown		1/1/2019 21:00	0.0		1/1/2020 21:00	0.0	
1/1/2017 22:00	0.0		1/1/2018 22:00	shutdown		1/1/2019 22:00	0.0		1/1/2020 22:00	0.0	
1/1/2017 23:00	0.0	0.0	1/1/2018 23:00	shutdown	0.0	1/1/2019 23:00	0.0	0.0	1/1/2020 23:00	0.0	0.0
1/2/2017 0:00	0.0		1/2/2018 0:00	shutdown		1/2/2019 0:00	0.0		1/2/2020 0:00	0.0	
1/2/2017 1:00	0.0		1/2/2018 1:00	shutdown		1/2/2019 1:00	0.0		1/2/2020 1:00	0.0	
1/2/2017 2:00	0.0		1/2/2018 2:00	shutdown		1/2/2019 2:00	0.0		1/2/2020 2:00	0.0	
1/2/2017 3:00	0.0		1/2/2018 3:00	shutdown		1/2/2019 3:00	0.0		1/2/2020 3:00	0.0	
1/2/2017 4:00	0.0		1/2/2018 4:00	shutdown		1/2/2019 4:00	0.0		1/2/2020 4:00	0.0	
1/2/2017 5:00	0.0		1/2/2018 5:00	shutdown		1/2/2019 5:00	0.0		1/2/2020 5:00	0.0	
1/2/2017 6:00	0.0		1/2/2018 6:00	shutdown		1/2/2019 6:00	0.0		1/2/2020 6:00	0.0	
1/2/2017 7:00	0.0		1/2/2018 7:00	shutdown		1/2/2019 7:00	0.0		1/2/2020 7:00	0.0	
1/2/2017 8:00	0.0		1/2/2018 8:00	shutdown		1/2/2019 8:00	0.0		1/2/2020 8:00	0.0	
1/2/2017 9:00	0.0		1/2/2018 9:00	shutdown		1/2/2019 9:00	0.0		1/2/2020 9:00	0.0	
1/2/2017 10:00	0.0		1/2/2018 10:00	shutdown		1/2/2019 10:00	0.0		1/2/2020 10:00	0.0	
1/2/2017 11:00	0.0		1/2/2018 11:00	shutdown		1/2/2019 11:00	0.0		1/2/2020 11:00	0.0	
1/2/2017 12:00	0.0		1/2/2018 12:00	shutdown		1/2/2019 12:00	0.0		1/2/2020 12:00	0.0	
1/2/2017 13:00	0.0		1/2/2018 13:00	shutdown		1/2/2019 13:00	0.0		1/2/2020 13:00	0.0	
1/2/2017 14:00	0.0		1/2/2018 14:00	shutdown		1/2/2019 14:00	0.0		1/2/2020 14:00	0.0	
1/2/2017 15:00	0.0		1/2/2018 15:00	shutdown		1/2/2019 15:00	0.0		1/2/2020 15:00	0.0	
1/2/2017 16:00	0.0		1/2/2018 16:00	shutdown		1/2/2019 16:00	0.0		1/2/2020 16:00	0.0	
1/2/2017 17:00	0.0		1/2/2018 17:00	shutdown		1/2/2019 17:00	0.0		1/2/2020 17:00	0.0	
1/2/2017 18:00	0.0		1/2/2018 18:00	shutdown		1/2/2019 18:00	0.0		1/2/2020 18:00	0.0	
1/2/2017 19:00	0.0		1/2/2018 19:00	shutdown		1/2/2019 19:00	0.0		1/2/2020 19:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/2/2017 20:00	0.0		1/2/2018 20:00	shutdown		1/2/2019 20:00	0.0		1/2/2020 20:00	0.0	
1/2/2017 21:00	0.0		1/2/2018 21:00	shutdown		1/2/2019 21:00	0.0		1/2/2020 21:00	0.0	
1/2/2017 22:00	0.0		1/2/2018 22:00	shutdown		1/2/2019 22:00	0.0		1/2/2020 22:00	0.0	
1/2/2017 23:00	0.0	0.0	1/2/2018 23:00	shutdown	0.0	1/2/2019 23:00	0.0	0.0	1/2/2020 23:00	0.0	0.0
1/3/2017 0:00	0.0		1/3/2018 0:00	shutdown		1/3/2019 0:00	0.0		1/3/2020 0:00	0.0	
1/3/2017 1:00	0.0		1/3/2018 1:00	shutdown		1/3/2019 1:00	0.0		1/3/2020 1:00	0.0	
1/3/2017 2:00	0.0		1/3/2018 2:00	shutdown		1/3/2019 2:00	0.0		1/3/2020 2:00	0.0	
1/3/2017 3:00	0.0		1/3/2018 3:00	shutdown		1/3/2019 3:00	0.0		1/3/2020 3:00	0.0	
1/3/2017 4:00	0.0		1/3/2018 4:00	shutdown		1/3/2019 4:00	0.0		1/3/2020 4:00	0.0	
1/3/2017 5:00	0.0		1/3/2018 5:00	shutdown		1/3/2019 5:00	0.0		1/3/2020 5:00	0.0	
1/3/2017 6:00	0.0		1/3/2018 6:00	shutdown		1/3/2019 6:00	0.0		1/3/2020 6:00	0.0	
1/3/2017 7:00	0.0		1/3/2018 7:00	shutdown		1/3/2019 7:00	0.0		1/3/2020 7:00	0.0	
1/3/2017 8:00	0.0		1/3/2018 8:00	shutdown		1/3/2019 8:00	0.0		1/3/2020 8:00	0.0	
1/3/2017 9:00	0.0		1/3/2018 9:00	shutdown		1/3/2019 9:00	0.0		1/3/2020 9:00	0.0	
1/3/2017 10:00	0.0		1/3/2018 10:00	shutdown		1/3/2019 10:00	0.0		1/3/2020 10:00	0.0	
1/3/2017 11:00	0.0		1/3/2018 11:00	shutdown		1/3/2019 11:00	0.0		1/3/2020 11:00	0.0	
1/3/2017 12:00	0.0		1/3/2018 12:00	shutdown		1/3/2019 12:00	0.0		1/3/2020 12:00	0.0	
1/3/2017 13:00	0.0		1/3/2018 13:00	shutdown		1/3/2019 13:00	0.0		1/3/2020 13:00	0.0	
1/3/2017 14:00	0.0		1/3/2018 14:00	shutdown		1/3/2019 14:00	0.0		1/3/2020 14:00	0.0	
1/3/2017 15:00	0.0		1/3/2018 15:00	shutdown		1/3/2019 15:00	0.0		1/3/2020 15:00	0.0	
1/3/2017 16:00	0.0		1/3/2018 16:00	shutdown		1/3/2019 16:00	0.0		1/3/2020 16:00	0.0	
1/3/2017 17:00	0.0		1/3/2018 17:00	shutdown		1/3/2019 17:00	0.0		1/3/2020 17:00	0.0	
1/3/2017 18:00	0.0		1/3/2018 18:00	shutdown		1/3/2019 18:00	0.0		1/3/2020 18:00	0.0	
1/3/2017 19:00	0.0		1/3/2018 19:00	shutdown		1/3/2019 19:00	0.0		1/3/2020 19:00	0.0	
1/3/2017 20:00	0.0		1/3/2018 20:00	shutdown		1/3/2019 20:00	0.0		1/3/2020 20:00	0.0	
1/3/2017 21:00	0.0		1/3/2018 21:00	shutdown		1/3/2019 21:00	0.0		1/3/2020 21:00	0.0	
1/3/2017 22:00	0.0		1/3/2018 22:00	shutdown		1/3/2019 22:00	0.0		1/3/2020 22:00	0.0	
1/3/2017 23:00	0.0	0.0	1/3/2018 23:00	shutdown	0.0	1/3/2019 23:00	0.0	0.0	1/3/2020 23:00	0.0	0.0
1/4/2017 0:00	0.0		1/4/2018 0:00	shutdown		1/4/2019 0:00	0.0		1/4/2020 0:00	0.0	
1/4/2017 1:00	0.0		1/4/2018 1:00	shutdown		1/4/2019 1:00	0.0		1/4/2020 1:00	0.0	
1/4/2017 2:00	0.0		1/4/2018 2:00	shutdown		1/4/2019 2:00	0.0		1/4/2020 2:00	0.0	
1/4/2017 3:00	0.0		1/4/2018 3:00	shutdown		1/4/2019 3:00	0.0		1/4/2020 3:00	0.0	
1/4/2017 4:00	0.0		1/4/2018 4:00	shutdown		1/4/2019 4:00	0.0		1/4/2020 4:00	0.0	
1/4/2017 5:00	0.0		1/4/2018 5:00	shutdown		1/4/2019 5:00	0.0		1/4/2020 5:00	0.0	
1/4/2017 6:00	0.0		1/4/2018 6:00	shutdown		1/4/2019 6:00	0.0		1/4/2020 6:00	0.0	
1/4/2017 7:00	0.0		1/4/2018 7:00	shutdown		1/4/2019 7:00	0.0		1/4/2020 7:00	0.0	
1/4/2017 8:00	0.0		1/4/2018 8:00	shutdown		1/4/2019 8:00	0.0		1/4/2020 8:00	0.0	
1/4/2017 9:00	0.0		1/4/2018 9:00	shutdown		1/4/2019 9:00	0.0		1/4/2020 9:00	0.0	
1/4/2017 10:00	0.0		1/4/2018 10:00	shutdown		1/4/2019 10:00	0.0		1/4/2020 10:00	0.0	
1/4/2017 11:00	0.0		1/4/2018 11:00	shutdown		1/4/2019 11:00	0.0		1/4/2020 11:00	0.0	
1/4/2017 12:00	0.0		1/4/2018 12:00	shutdown		1/4/2019 12:00	0.0		1/4/2020 12:00	0.0	
1/4/2017 13:00	0.0		1/4/2018 13:00	shutdown		1/4/2019 13:00	0.0		1/4/2020 13:00	0.0	
1/4/2017 14:00	0.0		1/4/2018 14:00	shutdown		1/4/2019 14:00	0.0		1/4/2020 14:00	0.0	
1/4/2017 15:00	0.0		1/4/2018 15:00	shutdown		1/4/2019 15:00	0.0		1/4/2020 15:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/4/2017 16:00	0.0		1/4/2018 16:00	shutdown		1/4/2019 16:00	0.0		1/4/2020 16:00	0.0	
1/4/2017 17:00	0.0		1/4/2018 17:00	shutdown		1/4/2019 17:00	0.0		1/4/2020 17:00	0.0	
1/4/2017 18:00	0.0		1/4/2018 18:00	shutdown		1/4/2019 18:00	0.0		1/4/2020 18:00	0.0	
1/4/2017 19:00	0.0		1/4/2018 19:00	shutdown		1/4/2019 19:00	0.0		1/4/2020 19:00	0.0	
1/4/2017 20:00	0.0		1/4/2018 20:00	shutdown		1/4/2019 20:00	0.0		1/4/2020 20:00	0.0	
1/4/2017 21:00	0.0		1/4/2018 21:00	shutdown		1/4/2019 21:00	0.0		1/4/2020 21:00	0.0	
1/4/2017 22:00	0.0		1/4/2018 22:00	shutdown		1/4/2019 22:00	0.0		1/4/2020 22:00	0.0	
1/4/2017 23:00	0.0	0.0	1/4/2018 23:00	shutdown	0.0	1/4/2019 23:00	0.0	0.0	1/4/2020 23:00	0.0	0.0
1/5/2017 0:00	0.0		1/5/2018 0:00	shutdown		1/5/2019 0:00	0.0		1/5/2020 0:00	0.0	
1/5/2017 1:00	0.0		1/5/2018 1:00	shutdown		1/5/2019 1:00	0.0		1/5/2020 1:00	0.0	
1/5/2017 2:00	0.0		1/5/2018 2:00	shutdown		1/5/2019 2:00	0.0		1/5/2020 2:00	0.0	
1/5/2017 3:00	0.0		1/5/2018 3:00	shutdown		1/5/2019 3:00	0.0		1/5/2020 3:00	0.0	
1/5/2017 4:00	0.0		1/5/2018 4:00	shutdown		1/5/2019 4:00	0.0		1/5/2020 4:00	0.0	
1/5/2017 5:00	0.0		1/5/2018 5:00	shutdown		1/5/2019 5:00	0.0		1/5/2020 5:00	0.0	
1/5/2017 6:00	0.0		1/5/2018 6:00	shutdown		1/5/2019 6:00	0.0		1/5/2020 6:00	0.0	
1/5/2017 7:00	0.0		1/5/2018 7:00	shutdown		1/5/2019 7:00	0.0		1/5/2020 7:00	0.0	
1/5/2017 8:00	0.0		1/5/2018 8:00	shutdown		1/5/2019 8:00	0.0		1/5/2020 8:00	0.0	
1/5/2017 9:00	0.0		1/5/2018 9:00	shutdown		1/5/2019 9:00	0.0		1/5/2020 9:00	0.0	
1/5/2017 10:00	0.0		1/5/2018 10:00	shutdown		1/5/2019 10:00	0.0		1/5/2020 10:00	0.0	
1/5/2017 11:00	0.0		1/5/2018 11:00	shutdown		1/5/2019 11:00	0.0		1/5/2020 11:00	0.0	
1/5/2017 12:00	0.0		1/5/2018 12:00	shutdown		1/5/2019 12:00	0.0		1/5/2020 12:00	0.0	
1/5/2017 13:00	0.0		1/5/2018 13:00	shutdown		1/5/2019 13:00	0.0		1/5/2020 13:00	0.0	
1/5/2017 14:00	0.0		1/5/2018 14:00	shutdown		1/5/2019 14:00	0.0		1/5/2020 14:00	0.0	
1/5/2017 15:00	0.0		1/5/2018 15:00	shutdown		1/5/2019 15:00	0.0		1/5/2020 15:00	0.0	
1/5/2017 16:00	0.0		1/5/2018 16:00	shutdown		1/5/2019 16:00	0.0		1/5/2020 16:00	0.0	
1/5/2017 17:00	0.0		1/5/2018 17:00	shutdown		1/5/2019 17:00	0.0		1/5/2020 17:00	0.0	
1/5/2017 18:00	0.0		1/5/2018 18:00	shutdown		1/5/2019 18:00	0.0		1/5/2020 18:00	0.0	
1/5/2017 19:00	0.0		1/5/2018 19:00	shutdown		1/5/2019 19:00	0.0		1/5/2020 19:00	0.0	
1/5/2017 20:00	0.0		1/5/2018 20:00	shutdown		1/5/2019 20:00	0.0		1/5/2020 20:00	0.0	
1/5/2017 21:00	0.0		1/5/2018 21:00	shutdown		1/5/2019 21:00	0.0		1/5/2020 21:00	0.0	
1/5/2017 22:00	0.0		1/5/2018 22:00	shutdown		1/5/2019 22:00	0.0		1/5/2020 22:00	0.0	
1/5/2017 23:00	0.0	0.0	1/5/2018 23:00	shutdown	0.0	1/5/2019 23:00	0.0	0.0	1/5/2020 23:00	0.0	0.0
1/6/2017 0:00	0.0		1/6/2018 0:00	shutdown		1/6/2019 0:00	0.0		1/6/2020 0:00	0.0	
1/6/2017 1:00	0.0		1/6/2018 1:00	shutdown		1/6/2019 1:00	0.0		1/6/2020 1:00	0.0	
1/6/2017 2:00	0.0		1/6/2018 2:00	shutdown		1/6/2019 2:00	0.0		1/6/2020 2:00	0.0	
1/6/2017 3:00	0.0		1/6/2018 3:00	shutdown		1/6/2019 3:00	0.0		1/6/2020 3:00	0.0	
1/6/2017 4:00	0.0		1/6/2018 4:00	shutdown		1/6/2019 4:00	0.0		1/6/2020 4:00	0.0	
1/6/2017 5:00	0.0		1/6/2018 5:00	shutdown		1/6/2019 5:00	0.0		1/6/2020 5:00	0.0	
1/6/2017 6:00	0.0		1/6/2018 6:00	shutdown		1/6/2019 6:00	0.0		1/6/2020 6:00	0.0	
1/6/2017 7:00	0.0		1/6/2018 7:00	shutdown		1/6/2019 7:00	0.0		1/6/2020 7:00	0.0	
1/6/2017 8:00	0.0		1/6/2018 8:00	shutdown		1/6/2019 8:00	0.0		1/6/2020 8:00	0.0	
1/6/2017 9:00	0.0		1/6/2018 9:00	shutdown		1/6/2019 9:00	0.0		1/6/2020 9:00	0.0	
1/6/2017 10:00	0.0		1/6/2018 10:00	shutdown		1/6/2019 10:00	0.0		1/6/2020 10:00	0.0	
1/6/2017 11:00	0.0		1/6/2018 11:00	shutdown		1/6/2019 11:00	0.0		1/6/2020 11:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/6/2017 12:00	0.0		1/6/2018 12:00	shutdown		1/6/2019 12:00	0.0		1/6/2020 12:00	0.0	
1/6/2017 13:00	0.0		1/6/2018 13:00	shutdown		1/6/2019 13:00	0.0		1/6/2020 13:00	0.0	
1/6/2017 14:00	0.0		1/6/2018 14:00	shutdown		1/6/2019 14:00	0.0		1/6/2020 14:00	0.0	
1/6/2017 15:00	0.0		1/6/2018 15:00	shutdown		1/6/2019 15:00	0.0		1/6/2020 15:00	0.0	
1/6/2017 16:00	0.0		1/6/2018 16:00	shutdown		1/6/2019 16:00	0.0		1/6/2020 16:00	0.0	
1/6/2017 17:00	0.0		1/6/2018 17:00	shutdown		1/6/2019 17:00	0.0		1/6/2020 17:00	0.0	
1/6/2017 18:00	0.0		1/6/2018 18:00	shutdown		1/6/2019 18:00	0.0		1/6/2020 18:00	0.0	
1/6/2017 19:00	0.0		1/6/2018 19:00	shutdown		1/6/2019 19:00	0.0		1/6/2020 19:00	0.0	
1/6/2017 20:00	0.0		1/6/2018 20:00	shutdown		1/6/2019 20:00	0.0		1/6/2020 20:00	76.8	
1/6/2017 21:00	0.0		1/6/2018 21:00	shutdown		1/6/2019 21:00	0.0		1/6/2020 21:00	0.0	
1/6/2017 22:00	0.0		1/6/2018 22:00	shutdown		1/6/2019 22:00	0.0		1/6/2020 22:00	0.0	
1/6/2017 23:00	0.0	0.0	1/6/2018 23:00	shutdown	0.0	1/6/2019 23:00	0.0	0.0	1/6/2020 23:00	0.0	76.8
1/7/2017 0:00	0.0		1/7/2018 0:00	shutdown		1/7/2019 0:00	0.0		1/7/2020 0:00	0.0	
1/7/2017 1:00	0.0		1/7/2018 1:00	shutdown		1/7/2019 1:00	0.0		1/7/2020 1:00	0.0	
1/7/2017 2:00	0.0		1/7/2018 2:00	shutdown		1/7/2019 2:00	0.0		1/7/2020 2:00	0.0	
1/7/2017 3:00	0.0		1/7/2018 3:00	shutdown		1/7/2019 3:00	0.0		1/7/2020 3:00	0.0	
1/7/2017 4:00	0.0		1/7/2018 4:00	shutdown		1/7/2019 4:00	0.0		1/7/2020 4:00	0.0	
1/7/2017 5:00	0.0		1/7/2018 5:00	shutdown		1/7/2019 5:00	0.0		1/7/2020 5:00	0.0	
1/7/2017 6:00	0.0		1/7/2018 6:00	shutdown		1/7/2019 6:00	0.0		1/7/2020 6:00	0.0	
1/7/2017 7:00	0.0		1/7/2018 7:00	shutdown		1/7/2019 7:00	0.0		1/7/2020 7:00	0.0	
1/7/2017 8:00	0.0		1/7/2018 8:00	shutdown		1/7/2019 8:00	0.0		1/7/2020 8:00	0.0	
1/7/2017 9:00	0.0		1/7/2018 9:00	shutdown		1/7/2019 9:00	0.0		1/7/2020 9:00	0.0	
1/7/2017 10:00	0.0		1/7/2018 10:00	shutdown		1/7/2019 10:00	0.0		1/7/2020 10:00	0.0	
1/7/2017 11:00	0.0		1/7/2018 11:00	shutdown		1/7/2019 11:00	0.0		1/7/2020 11:00	0.0	
1/7/2017 12:00	0.0		1/7/2018 12:00	shutdown		1/7/2019 12:00	0.0		1/7/2020 12:00	0.0	
1/7/2017 13:00	0.0		1/7/2018 13:00	shutdown		1/7/2019 13:00	0.0		1/7/2020 13:00	0.0	
1/7/2017 14:00	0.0		1/7/2018 14:00	shutdown		1/7/2019 14:00	185.3		1/7/2020 14:00	0.0	
1/7/2017 15:00	0.0		1/7/2018 15:00	shutdown		1/7/2019 15:00	60.3		1/7/2020 15:00	0.0	
1/7/2017 16:00	0.0		1/7/2018 16:00	shutdown		1/7/2019 16:00	0.0		1/7/2020 16:00	0.0	
1/7/2017 17:00	0.0		1/7/2018 17:00	shutdown		1/7/2019 17:00	0.0		1/7/2020 17:00	0.0	
1/7/2017 18:00	0.0		1/7/2018 18:00	shutdown		1/7/2019 18:00	0.0		1/7/2020 18:00	0.0	
1/7/2017 19:00	0.0		1/7/2018 19:00	shutdown		1/7/2019 19:00	0.0		1/7/2020 19:00	0.0	
1/7/2017 20:00	0.0		1/7/2018 20:00	shutdown		1/7/2019 20:00	0.0		1/7/2020 20:00	0.0	
1/7/2017 21:00	0.0		1/7/2018 21:00	shutdown		1/7/2019 21:00	0.0		1/7/2020 21:00	0.0	
1/7/2017 22:00	0.0		1/7/2018 22:00	shutdown		1/7/2019 22:00	0.0		1/7/2020 22:00	0.0	
1/7/2017 23:00	0.0	0.0	1/7/2018 23:00	shutdown	0.0	1/7/2019 23:00	0.0	185.3	1/7/2020 23:00	0.0	0.0
1/8/2017 0:00	0.0		1/8/2018 0:00	shutdown		1/8/2019 0:00	0.0		1/8/2020 0:00	0.0	
1/8/2017 1:00	0.0		1/8/2018 1:00	shutdown		1/8/2019 1:00	0.0		1/8/2020 1:00	0.0	
1/8/2017 2:00	0.0		1/8/2018 2:00	shutdown		1/8/2019 2:00	0.0		1/8/2020 2:00	0.0	
1/8/2017 3:00	0.0		1/8/2018 3:00	shutdown		1/8/2019 3:00	0.0		1/8/2020 3:00	0.0	
1/8/2017 4:00	0.0		1/8/2018 4:00	shutdown		1/8/2019 4:00	0.0		1/8/2020 4:00	0.0	
1/8/2017 5:00	0.0		1/8/2018 5:00	shutdown		1/8/2019 5:00	0.0		1/8/2020 5:00	0.0	
1/8/2017 6:00	0.0		1/8/2018 6:00	shutdown		1/8/2019 6:00	0.0		1/8/2020 6:00	0.0	
1/8/2017 7:00	0.0		1/8/2018 7:00	shutdown		1/8/2019 7:00	0.0		1/8/2020 7:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/8/2017 8:00	0.0		1/8/2018 8:00	shutdown		1/8/2019 8:00	0.0		1/8/2020 8:00	0.0	
1/8/2017 9:00	0.0		1/8/2018 9:00	shutdown		1/8/2019 9:00	0.0		1/8/2020 9:00	0.0	
1/8/2017 10:00	0.0		1/8/2018 10:00	shutdown		1/8/2019 10:00	0.0		1/8/2020 10:00	0.0	
1/8/2017 11:00	0.0		1/8/2018 11:00	shutdown		1/8/2019 11:00	21.0		1/8/2020 11:00	0.0	
1/8/2017 12:00	0.0		1/8/2018 12:00	shutdown		1/8/2019 12:00	0.0		1/8/2020 12:00	0.0	
1/8/2017 13:00	0.0		1/8/2018 13:00	shutdown		1/8/2019 13:00	0.0		1/8/2020 13:00	0.0	
1/8/2017 14:00	0.0		1/8/2018 14:00	shutdown		1/8/2019 14:00	0.0		1/8/2020 14:00	0.0	
1/8/2017 15:00	0.0		1/8/2018 15:00	shutdown		1/8/2019 15:00	0.0		1/8/2020 15:00	0.0	
1/8/2017 16:00	0.0		1/8/2018 16:00	shutdown		1/8/2019 16:00	0.0		1/8/2020 16:00	0.0	
1/8/2017 17:00	0.0		1/8/2018 17:00	shutdown		1/8/2019 17:00	0.0		1/8/2020 17:00	0.0	
1/8/2017 18:00	0.0		1/8/2018 18:00	shutdown		1/8/2019 18:00	0.0		1/8/2020 18:00	0.0	
1/8/2017 19:00	0.0		1/8/2018 19:00	shutdown		1/8/2019 19:00	0.0		1/8/2020 19:00	0.0	
1/8/2017 20:00	0.0		1/8/2018 20:00	shutdown		1/8/2019 20:00	0.0		1/8/2020 20:00	0.0	
1/8/2017 21:00	0.0		1/8/2018 21:00	shutdown		1/8/2019 21:00	0.0		1/8/2020 21:00	0.0	
1/8/2017 22:00	0.0		1/8/2018 22:00	shutdown		1/8/2019 22:00	0.0		1/8/2020 22:00	0.0	
1/8/2017 23:00	0.0	0.0	1/8/2018 23:00	shutdown	0.0	1/8/2019 23:00	0.0	21.0	1/8/2020 23:00	0.0	0.0
1/9/2017 0:00	0.0		1/9/2018 0:00	shutdown		1/9/2019 0:00	0.0		1/9/2020 0:00	0.0	
1/9/2017 1:00	0.0		1/9/2018 1:00	shutdown		1/9/2019 1:00	0.0		1/9/2020 1:00	0.0	
1/9/2017 2:00	0.0		1/9/2018 2:00	shutdown		1/9/2019 2:00	0.0		1/9/2020 2:00	0.0	
1/9/2017 3:00	0.0		1/9/2018 3:00	shutdown		1/9/2019 3:00	0.0		1/9/2020 3:00	0.0	
1/9/2017 4:00	0.0		1/9/2018 4:00	shutdown		1/9/2019 4:00	0.0		1/9/2020 4:00	0.0	
1/9/2017 5:00	0.0		1/9/2018 5:00	shutdown		1/9/2019 5:00	0.0		1/9/2020 5:00	0.0	
1/9/2017 6:00	0.0		1/9/2018 6:00	shutdown		1/9/2019 6:00	0.0		1/9/2020 6:00	0.0	
1/9/2017 7:00	0.0		1/9/2018 7:00	shutdown		1/9/2019 7:00	0.0		1/9/2020 7:00	0.0	
1/9/2017 8:00	0.0		1/9/2018 8:00	shutdown		1/9/2019 8:00	0.0		1/9/2020 8:00	0.0	
1/9/2017 9:00	0.0		1/9/2018 9:00	shutdown		1/9/2019 9:00	0.0		1/9/2020 9:00	0.0	
1/9/2017 10:00	0.0		1/9/2018 10:00	shutdown		1/9/2019 10:00	0.0		1/9/2020 10:00	0.0	
1/9/2017 11:00	0.0		1/9/2018 11:00	shutdown		1/9/2019 11:00	0.0		1/9/2020 11:00	0.0	
1/9/2017 12:00	0.0		1/9/2018 12:00	shutdown		1/9/2019 12:00	0.0		1/9/2020 12:00	0.0	
1/9/2017 13:00	0.0		1/9/2018 13:00	shutdown		1/9/2019 13:00	0.0		1/9/2020 13:00	0.0	
1/9/2017 14:00	0.0		1/9/2018 14:00	shutdown		1/9/2019 14:00	0.0		1/9/2020 14:00	0.0	
1/9/2017 15:00	0.0		1/9/2018 15:00	shutdown		1/9/2019 15:00	0.0		1/9/2020 15:00	0.0	
1/9/2017 16:00	0.0		1/9/2018 16:00	shutdown		1/9/2019 16:00	0.0		1/9/2020 16:00	0.0	
1/9/2017 17:00	0.0		1/9/2018 17:00	shutdown		1/9/2019 17:00	0.3		1/9/2020 17:00	0.0	
1/9/2017 18:00	0.0		1/9/2018 18:00	shutdown		1/9/2019 18:00	0.0		1/9/2020 18:00	0.0	
1/9/2017 19:00	0.0		1/9/2018 19:00	shutdown		1/9/2019 19:00	0.0		1/9/2020 19:00	0.0	
1/9/2017 20:00	0.0		1/9/2018 20:00	shutdown		1/9/2019 20:00	0.0		1/9/2020 20:00	0.0	
1/9/2017 21:00	0.0		1/9/2018 21:00	shutdown		1/9/2019 21:00	0.0		1/9/2020 21:00	0.0	
1/9/2017 22:00	0.0		1/9/2018 22:00	shutdown		1/9/2019 22:00	0.0		1/9/2020 22:00	0.0	
1/9/2017 23:00	0.0	0.0	1/9/2018 23:00	shutdown	0.0	1/9/2019 23:00	0.0	0.3	1/9/2020 23:00	0.0	0.0
1/10/2017 0:00	0.0		1/10/2018 0:00	shutdown		1/10/2019 0:00	0.0		1/10/2020 0:00	0.0	
1/10/2017 1:00	0.0		1/10/2018 1:00	shutdown		1/10/2019 1:00	0.0		1/10/2020 1:00	0.0	
1/10/2017 2:00	0.0		1/10/2018 2:00	shutdown		1/10/2019 2:00	0.0		1/10/2020 2:00	0.0	
1/10/2017 3:00	0.0		1/10/2018 3:00	shutdown		1/10/2019 3:00	0.0		1/10/2020 3:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/10/2017 4:00	0.0		1/10/2018 4:00	shutdown		1/10/2019 4:00	0.0		1/10/2020 4:00	0.0	
1/10/2017 5:00	0.0		1/10/2018 5:00	shutdown		1/10/2019 5:00	0.0		1/10/2020 5:00	0.0	
1/10/2017 6:00	0.0		1/10/2018 6:00	shutdown		1/10/2019 6:00	0.0		1/10/2020 6:00	0.0	
1/10/2017 7:00	0.0		1/10/2018 7:00	shutdown		1/10/2019 7:00	0.0		1/10/2020 7:00	0.0	
1/10/2017 8:00	0.0		1/10/2018 8:00	shutdown		1/10/2019 8:00	0.0		1/10/2020 8:00	0.0	
1/10/2017 9:00	0.0		1/10/2018 9:00	shutdown		1/10/2019 9:00	0.0		1/10/2020 9:00	0.0	
1/10/2017 10:00	0.0		1/10/2018 10:00	shutdown		1/10/2019 10:00	0.0		1/10/2020 10:00	0.0	
1/10/2017 11:00	0.0		1/10/2018 11:00	shutdown		1/10/2019 11:00	0.0		1/10/2020 11:00	0.0	
1/10/2017 12:00	0.0		1/10/2018 12:00	shutdown		1/10/2019 12:00	0.0		1/10/2020 12:00	0.0	
1/10/2017 13:00	0.0		1/10/2018 13:00	shutdown		1/10/2019 13:00	0.0		1/10/2020 13:00	0.0	
1/10/2017 14:00	0.0		1/10/2018 14:00	shutdown		1/10/2019 14:00	0.0		1/10/2020 14:00	0.0	
1/10/2017 15:00	0.0		1/10/2018 15:00	shutdown		1/10/2019 15:00	0.0		1/10/2020 15:00	0.0	
1/10/2017 16:00	0.0		1/10/2018 16:00	shutdown		1/10/2019 16:00	0.0		1/10/2020 16:00	0.0	
1/10/2017 17:00	0.0		1/10/2018 17:00	shutdown		1/10/2019 17:00	0.0		1/10/2020 17:00	0.0	
1/10/2017 18:00	0.0		1/10/2018 18:00	shutdown		1/10/2019 18:00	0.0		1/10/2020 18:00	0.0	
1/10/2017 19:00	0.0		1/10/2018 19:00	shutdown		1/10/2019 19:00	0.0		1/10/2020 19:00	0.0	
1/10/2017 20:00	0.0		1/10/2018 20:00	shutdown		1/10/2019 20:00	0.0		1/10/2020 20:00	0.0	
1/10/2017 21:00	0.0		1/10/2018 21:00	shutdown		1/10/2019 21:00	0.0		1/10/2020 21:00	0.0	
1/10/2017 22:00	0.0		1/10/2018 22:00	shutdown		1/10/2019 22:00	0.0		1/10/2020 22:00	0.0	
1/10/2017 23:00	0.0	0.0	1/10/2018 23:00	shutdown	0.0	1/10/2019 23:00	0.0	0.0	1/10/2020 23:00	0.0	0.0
1/11/2017 0:00	0.0		1/11/2018 0:00	shutdown		1/11/2019 0:00	0.0		1/11/2020 0:00	0.0	
1/11/2017 1:00	0.0		1/11/2018 1:00	shutdown		1/11/2019 1:00	0.0		1/11/2020 1:00	0.0	
1/11/2017 2:00	0.0		1/11/2018 2:00	shutdown		1/11/2019 2:00	0.0		1/11/2020 2:00	0.0	
1/11/2017 3:00	0.0		1/11/2018 3:00	shutdown		1/11/2019 3:00	0.0		1/11/2020 3:00	0.0	
1/11/2017 4:00	0.0		1/11/2018 4:00	shutdown		1/11/2019 4:00	0.0		1/11/2020 4:00	0.0	
1/11/2017 5:00	0.0		1/11/2018 5:00	shutdown		1/11/2019 5:00	0.0		1/11/2020 5:00	0.0	
1/11/2017 6:00	0.0		1/11/2018 6:00	shutdown		1/11/2019 6:00	0.0		1/11/2020 6:00	0.0	
1/11/2017 7:00	0.0		1/11/2018 7:00	shutdown		1/11/2019 7:00	0.0		1/11/2020 7:00	0.0	
1/11/2017 8:00	0.0		1/11/2018 8:00	shutdown		1/11/2019 8:00	0.0		1/11/2020 8:00	0.0	
1/11/2017 9:00	0.0		1/11/2018 9:00	shutdown		1/11/2019 9:00	0.0		1/11/2020 9:00	0.0	
1/11/2017 10:00	0.0		1/11/2018 10:00	shutdown		1/11/2019 10:00	0.0		1/11/2020 10:00	0.0	
1/11/2017 11:00	0.0		1/11/2018 11:00	shutdown		1/11/2019 11:00	0.0		1/11/2020 11:00	0.0	
1/11/2017 12:00	0.0		1/11/2018 12:00	shutdown		1/11/2019 12:00	0.0		1/11/2020 12:00	0.0	
1/11/2017 13:00	0.0		1/11/2018 13:00	shutdown		1/11/2019 13:00	0.0		1/11/2020 13:00	0.0	
1/11/2017 14:00	0.0		1/11/2018 14:00	shutdown		1/11/2019 14:00	0.0		1/11/2020 14:00	0.0	
1/11/2017 15:00	0.0		1/11/2018 15:00	shutdown		1/11/2019 15:00	0.0		1/11/2020 15:00	0.0	
1/11/2017 16:00	0.0		1/11/2018 16:00	shutdown		1/11/2019 16:00	0.0		1/11/2020 16:00	0.0	
1/11/2017 17:00	0.0		1/11/2018 17:00	shutdown		1/11/2019 17:00	0.0		1/11/2020 17:00	0.0	
1/11/2017 18:00	0.0		1/11/2018 18:00	shutdown		1/11/2019 18:00	0.0		1/11/2020 18:00	0.0	
1/11/2017 19:00	0.0		1/11/2018 19:00	shutdown		1/11/2019 19:00	0.0		1/11/2020 19:00	0.0	
1/11/2017 20:00	0.0		1/11/2018 20:00	shutdown		1/11/2019 20:00	0.0		1/11/2020 20:00	0.0	
1/11/2017 21:00	0.0		1/11/2018 21:00	shutdown		1/11/2019 21:00	0.0		1/11/2020 21:00	0.0	
1/11/2017 22:00	0.0		1/11/2018 22:00	shutdown		1/11/2019 22:00	0.0		1/11/2020 22:00	0.0	
1/11/2017 23:00	0.0	0.0	1/11/2018 23:00	shutdown	0.0	1/11/2019 23:00	0.0	0.0	1/11/2020 23:00	0.0	0.0

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/12/2017 0:00	0.0		1/12/2018 0:00	shutdown		1/12/2019 0:00	0.0		1/12/2020 0:00	0.0	
1/12/2017 1:00	0.0		1/12/2018 1:00	shutdown		1/12/2019 1:00	0.0		1/12/2020 1:00	0.0	
1/12/2017 2:00	0.0		1/12/2018 2:00	shutdown		1/12/2019 2:00	0.0		1/12/2020 2:00	0.0	
1/12/2017 3:00	0.0		1/12/2018 3:00	shutdown		1/12/2019 3:00	0.0		1/12/2020 3:00	0.0	
1/12/2017 4:00	0.0		1/12/2018 4:00	shutdown		1/12/2019 4:00	0.0		1/12/2020 4:00	0.0	
1/12/2017 5:00	0.0		1/12/2018 5:00	shutdown		1/12/2019 5:00	0.0		1/12/2020 5:00	0.0	
1/12/2017 6:00	0.0		1/12/2018 6:00	shutdown		1/12/2019 6:00	0.0		1/12/2020 6:00	0.0	
1/12/2017 7:00	0.0		1/12/2018 7:00	shutdown		1/12/2019 7:00	0.0		1/12/2020 7:00	0.0	
1/12/2017 8:00	0.0		1/12/2018 8:00	shutdown		1/12/2019 8:00	0.0		1/12/2020 8:00	0.0	
1/12/2017 9:00	0.0		1/12/2018 9:00	shutdown		1/12/2019 9:00	0.0		1/12/2020 9:00	0.0	
1/12/2017 10:00	0.0		1/12/2018 10:00	shutdown		1/12/2019 10:00	0.0		1/12/2020 10:00	0.0	
1/12/2017 11:00	0.0		1/12/2018 11:00	shutdown		1/12/2019 11:00	0.0		1/12/2020 11:00	0.0	
1/12/2017 12:00	0.0		1/12/2018 12:00	shutdown		1/12/2019 12:00	0.0		1/12/2020 12:00	0.0	
1/12/2017 13:00	0.0		1/12/2018 13:00	shutdown		1/12/2019 13:00	0.0		1/12/2020 13:00	0.0	
1/12/2017 14:00	0.0		1/12/2018 14:00	shutdown		1/12/2019 14:00	0.0		1/12/2020 14:00	0.0	
1/12/2017 15:00	0.0		1/12/2018 15:00	shutdown		1/12/2019 15:00	0.0		1/12/2020 15:00	0.0	
1/12/2017 16:00	0.0		1/12/2018 16:00	shutdown		1/12/2019 16:00	0.0		1/12/2020 16:00	0.0	
1/12/2017 17:00	0.0		1/12/2018 17:00	shutdown		1/12/2019 17:00	0.0		1/12/2020 17:00	0.0	
1/12/2017 18:00	0.0		1/12/2018 18:00	shutdown		1/12/2019 18:00	0.0		1/12/2020 18:00	0.0	
1/12/2017 19:00	0.0		1/12/2018 19:00	shutdown		1/12/2019 19:00	0.0		1/12/2020 19:00	0.0	
1/12/2017 20:00	0.0		1/12/2018 20:00	shutdown		1/12/2019 20:00	0.0		1/12/2020 20:00	0.0	
1/12/2017 21:00	0.0		1/12/2018 21:00	shutdown		1/12/2019 21:00	0.0		1/12/2020 21:00	0.0	
1/12/2017 22:00	0.0		1/12/2018 22:00	shutdown		1/12/2019 22:00	0.0		1/12/2020 22:00	0.0	
1/12/2017 23:00	0.0	0.0	1/12/2018 23:00	shutdown	0.0	1/12/2019 23:00	0.0	0.0	1/12/2020 23:00	0.0	0.0
1/13/2017 0:00	0.0		1/13/2018 0:00	shutdown		1/13/2019 0:00	0.0		1/13/2020 0:00	0.0	
1/13/2017 1:00	0.0		1/13/2018 1:00	shutdown		1/13/2019 1:00	0.0		1/13/2020 1:00	0.0	
1/13/2017 2:00	0.0		1/13/2018 2:00	shutdown		1/13/2019 2:00	0.0		1/13/2020 2:00	0.0	
1/13/2017 3:00	0.0		1/13/2018 3:00	shutdown		1/13/2019 3:00	0.0		1/13/2020 3:00	0.0	
1/13/2017 4:00	0.0		1/13/2018 4:00	shutdown		1/13/2019 4:00	0.0		1/13/2020 4:00	0.0	
1/13/2017 5:00	0.0		1/13/2018 5:00	shutdown		1/13/2019 5:00	0.0		1/13/2020 5:00	0.0	
1/13/2017 6:00	0.0		1/13/2018 6:00	shutdown		1/13/2019 6:00	0.0		1/13/2020 6:00	0.0	
1/13/2017 7:00	0.0		1/13/2018 7:00	shutdown		1/13/2019 7:00	0.0		1/13/2020 7:00	0.0	
1/13/2017 8:00	0.0		1/13/2018 8:00	shutdown		1/13/2019 8:00	0.0		1/13/2020 8:00	0.0	
1/13/2017 9:00	0.0		1/13/2018 9:00	shutdown		1/13/2019 9:00	0.0		1/13/2020 9:00	0.0	
1/13/2017 10:00	0.0		1/13/2018 10:00	shutdown		1/13/2019 10:00	0.0		1/13/2020 10:00	0.0	
1/13/2017 11:00	0.0		1/13/2018 11:00	shutdown		1/13/2019 11:00	0.0		1/13/2020 11:00	0.0	
1/13/2017 12:00	0.0		1/13/2018 12:00	shutdown		1/13/2019 12:00	0.0		1/13/2020 12:00	0.0	
1/13/2017 13:00	0.0		1/13/2018 13:00	shutdown		1/13/2019 13:00	0.0		1/13/2020 13:00	0.0	
1/13/2017 14:00	0.0		1/13/2018 14:00	shutdown		1/13/2019 14:00	0.0		1/13/2020 14:00	0.0	
1/13/2017 15:00	0.0		1/13/2018 15:00	shutdown		1/13/2019 15:00	0.0		1/13/2020 15:00	0.0	
1/13/2017 16:00	0.0		1/13/2018 16:00	shutdown		1/13/2019 16:00	0.0		1/13/2020 16:00	0.0	
1/13/2017 17:00	0.0		1/13/2018 17:00	shutdown		1/13/2019 17:00	0.0		1/13/2020 17:00	0.0	
1/13/2017 18:00	0.0		1/13/2018 18:00	shutdown		1/13/2019 18:00	0.0		1/13/2020 18:00	0.0	
1/13/2017 19:00	0.0		1/13/2018 19:00	shutdown		1/13/2019 19:00	0.0		1/13/2020 19:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/13/2017 20:00	0.0		1/13/2018 20:00	shutdown		1/13/2019 20:00	0.0		1/13/2020 20:00	0.0	
1/13/2017 21:00	0.0		1/13/2018 21:00	shutdown		1/13/2019 21:00	0.0		1/13/2020 21:00	0.0	
1/13/2017 22:00	0.0		1/13/2018 22:00	shutdown		1/13/2019 22:00	0.0		1/13/2020 22:00	0.0	
1/13/2017 23:00	0.0	0.0	1/13/2018 23:00	shutdown	0.0	1/13/2019 23:00	0.0	0.0	1/13/2020 23:00	0.0	0.0
1/14/2017 0:00	0.0		1/14/2018 0:00	shutdown		1/14/2019 0:00	0.0		1/14/2020 0:00	0.0	
1/14/2017 1:00	0.0		1/14/2018 1:00	shutdown		1/14/2019 1:00	0.0		1/14/2020 1:00	0.0	
1/14/2017 2:00	0.0		1/14/2018 2:00	shutdown		1/14/2019 2:00	0.0		1/14/2020 2:00	0.0	
1/14/2017 3:00	0.0		1/14/2018 3:00	shutdown		1/14/2019 3:00	0.0		1/14/2020 3:00	0.0	
1/14/2017 4:00	0.0		1/14/2018 4:00	shutdown		1/14/2019 4:00	0.0		1/14/2020 4:00	0.0	
1/14/2017 5:00	0.0		1/14/2018 5:00	shutdown		1/14/2019 5:00	0.0		1/14/2020 5:00	0.0	
1/14/2017 6:00	0.0		1/14/2018 6:00	shutdown		1/14/2019 6:00	0.0		1/14/2020 6:00	0.0	
1/14/2017 7:00	0.0		1/14/2018 7:00	shutdown		1/14/2019 7:00	0.0		1/14/2020 7:00	0.0	
1/14/2017 8:00	0.0		1/14/2018 8:00	shutdown		1/14/2019 8:00	0.0		1/14/2020 8:00	0.0	
1/14/2017 9:00	0.0		1/14/2018 9:00	shutdown		1/14/2019 9:00	0.0		1/14/2020 9:00	0.0	
1/14/2017 10:00	0.0		1/14/2018 10:00	shutdown		1/14/2019 10:00	0.0		1/14/2020 10:00	0.0	
1/14/2017 11:00	0.0		1/14/2018 11:00	shutdown		1/14/2019 11:00	0.0		1/14/2020 11:00	0.0	
1/14/2017 12:00	0.0		1/14/2018 12:00	shutdown		1/14/2019 12:00	0.0		1/14/2020 12:00	0.0	
1/14/2017 13:00	0.0		1/14/2018 13:00	shutdown		1/14/2019 13:00	0.0		1/14/2020 13:00	0.0	
1/14/2017 14:00	0.0		1/14/2018 14:00	shutdown		1/14/2019 14:00	0.0		1/14/2020 14:00	0.0	
1/14/2017 15:00	0.0		1/14/2018 15:00	shutdown		1/14/2019 15:00	0.0		1/14/2020 15:00	0.0	
1/14/2017 16:00	0.0		1/14/2018 16:00	shutdown		1/14/2019 16:00	0.0		1/14/2020 16:00	0.0	
1/14/2017 17:00	0.0		1/14/2018 17:00	shutdown		1/14/2019 17:00	0.0		1/14/2020 17:00	0.0	
1/14/2017 18:00	0.0		1/14/2018 18:00	shutdown		1/14/2019 18:00	0.0		1/14/2020 18:00	0.0	
1/14/2017 19:00	0.0		1/14/2018 19:00	shutdown		1/14/2019 19:00	0.0		1/14/2020 19:00	0.0	
1/14/2017 20:00	0.0		1/14/2018 20:00	shutdown		1/14/2019 20:00	0.0		1/14/2020 20:00	0.0	
1/14/2017 21:00	0.0		1/14/2018 21:00	shutdown		1/14/2019 21:00	0.0		1/14/2020 21:00	0.0	
1/14/2017 22:00	0.0		1/14/2018 22:00	shutdown		1/14/2019 22:00	0.0		1/14/2020 22:00	0.0	
1/14/2017 23:00	0.0	0.0	1/14/2018 23:00	shutdown	0.0	1/14/2019 23:00	0.0	0.0	1/14/2020 23:00	0.0	0.0
1/15/2017 0:00	0.0		1/15/2018 0:00	shutdown		1/15/2019 0:00	0.0		1/15/2020 0:00	0.0	
1/15/2017 1:00	0.0		1/15/2018 1:00	shutdown		1/15/2019 1:00	0.0		1/15/2020 1:00	0.0	
1/15/2017 2:00	0.0		1/15/2018 2:00	shutdown		1/15/2019 2:00	0.0		1/15/2020 2:00	0.0	
1/15/2017 3:00	0.0		1/15/2018 3:00	shutdown		1/15/2019 3:00	0.0		1/15/2020 3:00	0.0	
1/15/2017 4:00	0.0		1/15/2018 4:00	shutdown		1/15/2019 4:00	0.0		1/15/2020 4:00	0.0	
1/15/2017 5:00	0.0		1/15/2018 5:00	shutdown		1/15/2019 5:00	0.0		1/15/2020 5:00	0.0	
1/15/2017 6:00	0.0		1/15/2018 6:00	shutdown		1/15/2019 6:00	0.0		1/15/2020 6:00	0.0	
1/15/2017 7:00	0.0		1/15/2018 7:00	shutdown		1/15/2019 7:00	0.0		1/15/2020 7:00	0.0	
1/15/2017 8:00	0.0		1/15/2018 8:00	shutdown		1/15/2019 8:00	0.0		1/15/2020 8:00	0.0	
1/15/2017 9:00	0.0		1/15/2018 9:00	shutdown		1/15/2019 9:00	0.0		1/15/2020 9:00	0.0	
1/15/2017 10:00	0.0		1/15/2018 10:00	shutdown		1/15/2019 10:00	0.0		1/15/2020 10:00	0.0	
1/15/2017 11:00	0.0		1/15/2018 11:00	shutdown		1/15/2019 11:00	0.0		1/15/2020 11:00	0.0	
1/15/2017 12:00	0.0		1/15/2018 12:00	shutdown		1/15/2019 12:00	0.0		1/15/2020 12:00	0.0	
1/15/2017 13:00	0.0		1/15/2018 13:00	shutdown		1/15/2019 13:00	0.0		1/15/2020 13:00	0.0	
1/15/2017 14:00	0.0		1/15/2018 14:00	shutdown		1/15/2019 14:00	0.0		1/15/2020 14:00	0.0	
1/15/2017 15:00	0.0		1/15/2018 15:00	shutdown		1/15/2019 15:00	0.0		1/15/2020 15:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/15/2017 16:00	0.0		1/15/2018 16:00	shutdown		1/15/2019 16:00	0.0		1/15/2020 16:00	0.0	
1/15/2017 17:00	0.0		1/15/2018 17:00	shutdown		1/15/2019 17:00	0.0		1/15/2020 17:00	0.0	
1/15/2017 18:00	0.0		1/15/2018 18:00	shutdown		1/15/2019 18:00	0.0		1/15/2020 18:00	0.0	
1/15/2017 19:00	0.0		1/15/2018 19:00	shutdown		1/15/2019 19:00	0.0		1/15/2020 19:00	0.0	
1/15/2017 20:00	0.0		1/15/2018 20:00	shutdown		1/15/2019 20:00	0.0		1/15/2020 20:00	0.0	
1/15/2017 21:00	0.0		1/15/2018 21:00	shutdown		1/15/2019 21:00	0.0		1/15/2020 21:00	0.0	
1/15/2017 22:00	0.0		1/15/2018 22:00	shutdown		1/15/2019 22:00	0.0		1/15/2020 22:00	0.0	
1/15/2017 23:00	0.0	0.0	1/15/2018 23:00	shutdown	0.0	1/15/2019 23:00	0.0	0.0	1/15/2020 23:00	0.0	0.0
1/16/2017 0:00	0.0		1/16/2018 0:00	shutdown		1/16/2019 0:00	0.0		1/16/2020 0:00	0.0	
1/16/2017 1:00	0.0		1/16/2018 1:00	shutdown		1/16/2019 1:00	0.0		1/16/2020 1:00	0.0	
1/16/2017 2:00	0.0		1/16/2018 2:00	shutdown		1/16/2019 2:00	0.0		1/16/2020 2:00	0.0	
1/16/2017 3:00	0.0		1/16/2018 3:00	shutdown		1/16/2019 3:00	0.0		1/16/2020 3:00	0.0	
1/16/2017 4:00	0.0		1/16/2018 4:00	shutdown		1/16/2019 4:00	0.0		1/16/2020 4:00	0.0	
1/16/2017 5:00	0.0		1/16/2018 5:00	shutdown		1/16/2019 5:00	0.0		1/16/2020 5:00	0.0	
1/16/2017 6:00	0.0		1/16/2018 6:00	shutdown		1/16/2019 6:00	0.0		1/16/2020 6:00	0.0	
1/16/2017 7:00	0.0		1/16/2018 7:00	shutdown		1/16/2019 7:00	0.0		1/16/2020 7:00	0.0	
1/16/2017 8:00	0.0		1/16/2018 8:00	shutdown		1/16/2019 8:00	0.0		1/16/2020 8:00	0.0	
1/16/2017 9:00	0.0		1/16/2018 9:00	shutdown		1/16/2019 9:00	21.7		1/16/2020 9:00	0.0	
1/16/2017 10:00	0.0		1/16/2018 10:00	shutdown		1/16/2019 10:00	0.0		1/16/2020 10:00	0.0	
1/16/2017 11:00	0.0		1/16/2018 11:00	shutdown		1/16/2019 11:00	0.0		1/16/2020 11:00	0.0	
1/16/2017 12:00	0.0		1/16/2018 12:00	shutdown		1/16/2019 12:00	0.0		1/16/2020 12:00	0.0	
1/16/2017 13:00	0.0		1/16/2018 13:00	shutdown		1/16/2019 13:00	0.0		1/16/2020 13:00	0.0	
1/16/2017 14:00	0.0		1/16/2018 14:00	shutdown		1/16/2019 14:00	0.0		1/16/2020 14:00	0.0	
1/16/2017 15:00	0.0		1/16/2018 15:00	shutdown		1/16/2019 15:00	0.0		1/16/2020 15:00	0.0	
1/16/2017 16:00	0.0		1/16/2018 16:00	shutdown		1/16/2019 16:00	0.0		1/16/2020 16:00	0.0	
1/16/2017 17:00	0.0		1/16/2018 17:00	shutdown		1/16/2019 17:00	0.0		1/16/2020 17:00	0.0	
1/16/2017 18:00	0.0		1/16/2018 18:00	shutdown		1/16/2019 18:00	0.0		1/16/2020 18:00	0.0	
1/16/2017 19:00	0.0		1/16/2018 19:00	shutdown		1/16/2019 19:00	0.0		1/16/2020 19:00	0.0	
1/16/2017 20:00	0.0		1/16/2018 20:00	shutdown		1/16/2019 20:00	0.0		1/16/2020 20:00	0.0	
1/16/2017 21:00	0.0		1/16/2018 21:00	shutdown		1/16/2019 21:00	0.0		1/16/2020 21:00	0.0	
1/16/2017 22:00	0.0		1/16/2018 22:00	shutdown		1/16/2019 22:00	0.0		1/16/2020 22:00	0.0	
1/16/2017 23:00	0.0	0.0	1/16/2018 23:00	shutdown	0.0	1/16/2019 23:00	0.0	21.7	1/16/2020 23:00	0.0	0.0
1/17/2017 0:00	0.0		1/17/2018 0:00	shutdown		1/17/2019 0:00	0.0		1/17/2020 0:00	0.0	
1/17/2017 1:00	0.0		1/17/2018 1:00	shutdown		1/17/2019 1:00	0.0		1/17/2020 1:00	0.0	
1/17/2017 2:00	0.0		1/17/2018 2:00	shutdown		1/17/2019 2:00	0.0		1/17/2020 2:00	0.0	
1/17/2017 3:00	0.0		1/17/2018 3:00	shutdown		1/17/2019 3:00	0.0		1/17/2020 3:00	0.0	
1/17/2017 4:00	0.0		1/17/2018 4:00	shutdown		1/17/2019 4:00	0.0		1/17/2020 4:00	0.0	
1/17/2017 5:00	0.0		1/17/2018 5:00	shutdown		1/17/2019 5:00	0.0		1/17/2020 5:00	0.0	
1/17/2017 6:00	0.0		1/17/2018 6:00	shutdown		1/17/2019 6:00	0.0		1/17/2020 6:00	0.0	
1/17/2017 7:00	0.0		1/17/2018 7:00	shutdown		1/17/2019 7:00	0.0		1/17/2020 7:00	0.0	
1/17/2017 8:00	0.0		1/17/2018 8:00	shutdown		1/17/2019 8:00	0.0		1/17/2020 8:00	0.0	
1/17/2017 9:00	0.0		1/17/2018 9:00	shutdown		1/17/2019 9:00	0.0		1/17/2020 9:00	0.0	
1/17/2017 10:00	0.0		1/17/2018 10:00	shutdown		1/17/2019 10:00	0.0		1/17/2020 10:00	0.0	
1/17/2017 11:00	0.0		1/17/2018 11:00	shutdown		1/17/2019 11:00	0.0		1/17/2020 11:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/17/2017 12:00	0.0		1/17/2018 12:00	shutdown		1/17/2019 12:00	0.0		1/17/2020 12:00	0.0	
1/17/2017 13:00	0.0		1/17/2018 13:00	shutdown		1/17/2019 13:00	0.0		1/17/2020 13:00	0.0	
1/17/2017 14:00	0.0		1/17/2018 14:00	shutdown		1/17/2019 14:00	0.0		1/17/2020 14:00	0.0	
1/17/2017 15:00	0.0		1/17/2018 15:00	shutdown		1/17/2019 15:00	0.0		1/17/2020 15:00	0.0	
1/17/2017 16:00	0.0		1/17/2018 16:00	shutdown		1/17/2019 16:00	0.0		1/17/2020 16:00	0.0	
1/17/2017 17:00	0.0		1/17/2018 17:00	shutdown		1/17/2019 17:00	0.0		1/17/2020 17:00	0.0	
1/17/2017 18:00	0.0		1/17/2018 18:00	shutdown		1/17/2019 18:00	0.0		1/17/2020 18:00	0.0	
1/17/2017 19:00	0.0		1/17/2018 19:00	shutdown		1/17/2019 19:00	0.0		1/17/2020 19:00	0.0	
1/17/2017 20:00	0.0		1/17/2018 20:00	shutdown		1/17/2019 20:00	0.0		1/17/2020 20:00	0.0	
1/17/2017 21:00	0.0		1/17/2018 21:00	shutdown		1/17/2019 21:00	0.0		1/17/2020 21:00	0.0	
1/17/2017 22:00	0.0		1/17/2018 22:00	shutdown		1/17/2019 22:00	0.0		1/17/2020 22:00	0.0	
1/17/2017 23:00	0.0	0.0	1/17/2018 23:00	shutdown	0.0	1/17/2019 23:00	0.0	0.0	1/17/2020 23:00	0.0	0.0
1/18/2017 0:00	0.0		1/18/2018 0:00	shutdown		1/18/2019 0:00	0.0		1/18/2020 0:00	0.0	
1/18/2017 1:00	0.0		1/18/2018 1:00	shutdown		1/18/2019 1:00	0.0		1/18/2020 1:00	0.0	
1/18/2017 2:00	0.0		1/18/2018 2:00	shutdown		1/18/2019 2:00	0.0		1/18/2020 2:00	0.0	
1/18/2017 3:00	0.0		1/18/2018 3:00	shutdown		1/18/2019 3:00	0.0		1/18/2020 3:00	0.0	
1/18/2017 4:00	0.0		1/18/2018 4:00	shutdown		1/18/2019 4:00	0.0		1/18/2020 4:00	0.0	
1/18/2017 5:00	0.0		1/18/2018 5:00	shutdown		1/18/2019 5:00	0.0		1/18/2020 5:00	0.0	
1/18/2017 6:00	0.0		1/18/2018 6:00	shutdown		1/18/2019 6:00	0.0		1/18/2020 6:00	0.0	
1/18/2017 7:00	0.0		1/18/2018 7:00	shutdown		1/18/2019 7:00	0.0		1/18/2020 7:00	0.0	
1/18/2017 8:00	0.0		1/18/2018 8:00	shutdown		1/18/2019 8:00	0.0		1/18/2020 8:00	0.0	
1/18/2017 9:00	0.0		1/18/2018 9:00	shutdown		1/18/2019 9:00	0.0		1/18/2020 9:00	0.0	
1/18/2017 10:00	0.0		1/18/2018 10:00	shutdown		1/18/2019 10:00	0.0		1/18/2020 10:00	0.0	
1/18/2017 11:00	0.0		1/18/2018 11:00	shutdown		1/18/2019 11:00	0.0		1/18/2020 11:00	0.0	
1/18/2017 12:00	0.0		1/18/2018 12:00	shutdown		1/18/2019 12:00	0.0		1/18/2020 12:00	0.0	
1/18/2017 13:00	0.0		1/18/2018 13:00	shutdown		1/18/2019 13:00	0.0		1/18/2020 13:00	0.0	
1/18/2017 14:00	0.0		1/18/2018 14:00	shutdown		1/18/2019 14:00	0.0		1/18/2020 14:00	0.0	
1/18/2017 15:00	0.0		1/18/2018 15:00	shutdown		1/18/2019 15:00	0.0		1/18/2020 15:00	0.0	
1/18/2017 16:00	0.0		1/18/2018 16:00	shutdown		1/18/2019 16:00	0.0		1/18/2020 16:00	0.0	
1/18/2017 17:00	0.0		1/18/2018 17:00	shutdown		1/18/2019 17:00	0.0		1/18/2020 17:00	0.0	
1/18/2017 18:00	0.0		1/18/2018 18:00	shutdown		1/18/2019 18:00	0.0		1/18/2020 18:00	0.0	
1/18/2017 19:00	0.0		1/18/2018 19:00	shutdown		1/18/2019 19:00	0.0		1/18/2020 19:00	0.0	
1/18/2017 20:00	0.0		1/18/2018 20:00	shutdown		1/18/2019 20:00	0.0		1/18/2020 20:00	0.0	
1/18/2017 21:00	0.0		1/18/2018 21:00	shutdown		1/18/2019 21:00	0.0		1/18/2020 21:00	0.0	
1/18/2017 22:00	0.0		1/18/2018 22:00	shutdown		1/18/2019 22:00	0.0		1/18/2020 22:00	0.0	
1/18/2017 23:00	0.0	0.0	1/18/2018 23:00	shutdown	0.0	1/18/2019 23:00	0.0	0.0	1/18/2020 23:00	0.0	0.0
1/19/2017 0:00	0.0		1/19/2018 0:00	shutdown		1/19/2019 0:00	0.0		1/19/2020 0:00	0.0	
1/19/2017 1:00	0.0		1/19/2018 1:00	shutdown		1/19/2019 1:00	0.0		1/19/2020 1:00	0.0	
1/19/2017 2:00	0.0		1/19/2018 2:00	shutdown		1/19/2019 2:00	0.0		1/19/2020 2:00	0.0	
1/19/2017 3:00	0.0		1/19/2018 3:00	shutdown		1/19/2019 3:00	0.0		1/19/2020 3:00	0.0	
1/19/2017 4:00	0.0		1/19/2018 4:00	shutdown		1/19/2019 4:00	0.0		1/19/2020 4:00	0.0	
1/19/2017 5:00	0.0		1/19/2018 5:00	shutdown		1/19/2019 5:00	0.0		1/19/2020 5:00	0.0	
1/19/2017 6:00	0.0		1/19/2018 6:00	shutdown		1/19/2019 6:00	0.0		1/19/2020 6:00	0.0	
1/19/2017 7:00	0.0		1/19/2018 7:00	shutdown		1/19/2019 7:00	0.0		1/19/2020 7:00	0.0	

Date	2017 Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	2018 Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	2019 Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	2020 Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/19/2017 8:00	0.0		1/19/2018 8:00	shutdown		1/19/2019 8:00	0.0		1/19/2020 8:00	0.0	
1/19/2017 9:00	0.0		1/19/2018 9:00	shutdown		1/19/2019 9:00	0.0		1/19/2020 9:00	0.0	
1/19/2017 10:00	0.0		1/19/2018 10:00	shutdown		1/19/2019 10:00	0.0		1/19/2020 10:00	0.0	
1/19/2017 11:00	0.0		1/19/2018 11:00	shutdown		1/19/2019 11:00	0.0		1/19/2020 11:00	0.0	
1/19/2017 12:00	0.0		1/19/2018 12:00	shutdown		1/19/2019 12:00	0.0		1/19/2020 12:00	0.0	
1/19/2017 13:00	0.0		1/19/2018 13:00	shutdown		1/19/2019 13:00	0.0		1/19/2020 13:00	0.0	
1/19/2017 14:00	0.0		1/19/2018 14:00	shutdown		1/19/2019 14:00	0.0		1/19/2020 14:00	0.0	
1/19/2017 15:00	0.0		1/19/2018 15:00	shutdown		1/19/2019 15:00	0.0		1/19/2020 15:00	0.0	
1/19/2017 16:00	0.0		1/19/2018 16:00	shutdown		1/19/2019 16:00	0.0		1/19/2020 16:00	0.0	
1/19/2017 17:00	0.0		1/19/2018 17:00	shutdown		1/19/2019 17:00	0.0		1/19/2020 17:00	0.0	
1/19/2017 18:00	0.0		1/19/2018 18:00	shutdown		1/19/2019 18:00	0.0		1/19/2020 18:00	0.0	
1/19/2017 19:00	0.0		1/19/2018 19:00	shutdown		1/19/2019 19:00	0.0		1/19/2020 19:00	0.0	
1/19/2017 20:00	0.0		1/19/2018 20:00	shutdown		1/19/2019 20:00	0.0		1/19/2020 20:00	0.0	
1/19/2017 21:00	0.0		1/19/2018 21:00	shutdown		1/19/2019 21:00	0.0		1/19/2020 21:00	0.0	
1/19/2017 22:00	0.0		1/19/2018 22:00	shutdown		1/19/2019 22:00	0.0		1/19/2020 22:00	0.0	
1/19/2017 23:00	0.0	0.0	1/19/2018 23:00	shutdown	0.0	1/19/2019 23:00	0.0	0.0	1/19/2020 23:00	0.0	0.0
1/20/2017 0:00	0.0		1/20/2018 0:00	0.0		1/20/2019 0:00	0.0		1/20/2020 0:00	0.0	
1/20/2017 1:00	0.0		1/20/2018 1:00	0.0		1/20/2019 1:00	0.0		1/20/2020 1:00	0.0	
1/20/2017 2:00	0.0		1/20/2018 2:00	0.0		1/20/2019 2:00	0.0		1/20/2020 2:00	0.0	
1/20/2017 3:00	0.0		1/20/2018 3:00	0.0		1/20/2019 3:00	0.0		1/20/2020 3:00	0.0	
1/20/2017 4:00	0.0		1/20/2018 4:00	0.0		1/20/2019 4:00	0.0		1/20/2020 4:00	0.0	
1/20/2017 5:00	0.0		1/20/2018 5:00	0.0		1/20/2019 5:00	0.0		1/20/2020 5:00	0.0	
1/20/2017 6:00	0.0		1/20/2018 6:00	0.0		1/20/2019 6:00	0.0		1/20/2020 6:00	0.0	
1/20/2017 7:00	0.0		1/20/2018 7:00	0.0		1/20/2019 7:00	0.0		1/20/2020 7:00	0.0	
1/20/2017 8:00	0.0		1/20/2018 8:00	0.0		1/20/2019 8:00	0.0		1/20/2020 8:00	0.0	
1/20/2017 9:00	0.0		1/20/2018 9:00	0.0		1/20/2019 9:00	0.0		1/20/2020 9:00	0.0	
1/20/2017 10:00	0.0		1/20/2018 10:00	0.0		1/20/2019 10:00	0.0		1/20/2020 10:00	0.0	
1/20/2017 11:00	0.0		1/20/2018 11:00	0.0		1/20/2019 11:00	0.0		1/20/2020 11:00	0.0	
1/20/2017 12:00	0.0		1/20/2018 12:00	0.0		1/20/2019 12:00	0.0		1/20/2020 12:00	0.0	
1/20/2017 13:00	0.0		1/20/2018 13:00	0.0		1/20/2019 13:00	0.0		1/20/2020 13:00	0.0	
1/20/2017 14:00	0.0		1/20/2018 14:00	0.0		1/20/2019 14:00	0.0		1/20/2020 14:00	0.0	
1/20/2017 15:00	0.0		1/20/2018 15:00	0.0		1/20/2019 15:00	0.0		1/20/2020 15:00	0.0	
1/20/2017 16:00	0.0		1/20/2018 16:00	0.0		1/20/2019 16:00	0.0		1/20/2020 16:00	0.0	
1/20/2017 17:00	0.0		1/20/2018 17:00	0.0		1/20/2019 17:00	0.0		1/20/2020 17:00	0.0	
1/20/2017 18:00	0.0		1/20/2018 18:00	0.0		1/20/2019 18:00	0.0		1/20/2020 18:00	0.0	
1/20/2017 19:00	0.0		1/20/2018 19:00	0.0		1/20/2019 19:00	0.0		1/20/2020 19:00	0.0	
1/20/2017 20:00	0.0		1/20/2018 20:00	0.0		1/20/2019 20:00	0.0		1/20/2020 20:00	0.0	
1/20/2017 21:00	0.0		1/20/2018 21:00	0.0		1/20/2019 21:00	0.0		1/20/2020 21:00	0.0	
1/20/2017 22:00	0.0		1/20/2018 22:00	0.0		1/20/2019 22:00	0.0		1/20/2020 22:00	0.0	
1/20/2017 23:00	0.0	0.0	1/20/2018 23:00	0.0	0.0	1/20/2019 23:00	0.0	0.0	1/20/2020 23:00	0.0	0.0
1/21/2017 0:00	0.0		1/21/2018 0:00	0.0		1/21/2019 0:00	0.0		1/21/2020 0:00	0.0	
1/21/2017 1:00	0.0		1/21/2018 1:00	0.0		1/21/2019 1:00	0.0		1/21/2020 1:00	0.0	
1/21/2017 2:00	0.0		1/21/2018 2:00	0.0		1/21/2019 2:00	0.0		1/21/2020 2:00	0.0	
1/21/2017 3:00	0.0		1/21/2018 3:00	0.0		1/21/2019 3:00	0.0		1/21/2020 3:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/21/2017 4:00	0.0		1/21/2018 4:00	0.0		1/21/2019 4:00	0.0		1/21/2020 4:00	0.0	
1/21/2017 5:00	0.0		1/21/2018 5:00	0.0		1/21/2019 5:00	0.0		1/21/2020 5:00	0.0	
1/21/2017 6:00	0.0		1/21/2018 6:00	0.0		1/21/2019 6:00	0.0		1/21/2020 6:00	0.0	
1/21/2017 7:00	0.0		1/21/2018 7:00	0.0		1/21/2019 7:00	0.0		1/21/2020 7:00	0.0	
1/21/2017 8:00	0.0		1/21/2018 8:00	0.0		1/21/2019 8:00	0.0		1/21/2020 8:00	0.0	
1/21/2017 9:00	0.0		1/21/2018 9:00	0.0		1/21/2019 9:00	0.0		1/21/2020 9:00	0.0	
1/21/2017 10:00	0.0		1/21/2018 10:00	0.0		1/21/2019 10:00	0.0		1/21/2020 10:00	0.0	
1/21/2017 11:00	0.0		1/21/2018 11:00	0.0		1/21/2019 11:00	0.0		1/21/2020 11:00	0.0	
1/21/2017 12:00	0.0		1/21/2018 12:00	0.0		1/21/2019 12:00	0.0		1/21/2020 12:00	0.0	
1/21/2017 13:00	0.0		1/21/2018 13:00	0.0		1/21/2019 13:00	0.0		1/21/2020 13:00	0.0	
1/21/2017 14:00	0.0		1/21/2018 14:00	0.0		1/21/2019 14:00	0.0		1/21/2020 14:00	0.0	
1/21/2017 15:00	0.0		1/21/2018 15:00	0.0		1/21/2019 15:00	0.0		1/21/2020 15:00	0.0	
1/21/2017 16:00	0.0		1/21/2018 16:00	0.0		1/21/2019 16:00	0.0		1/21/2020 16:00	0.0	
1/21/2017 17:00	0.0		1/21/2018 17:00	0.0		1/21/2019 17:00	0.0		1/21/2020 17:00	0.0	
1/21/2017 18:00	0.0		1/21/2018 18:00	0.0		1/21/2019 18:00	0.0		1/21/2020 18:00	0.0	
1/21/2017 19:00	0.0		1/21/2018 19:00	0.0		1/21/2019 19:00	0.0		1/21/2020 19:00	0.0	
1/21/2017 20:00	0.0		1/21/2018 20:00	0.0		1/21/2019 20:00	0.0		1/21/2020 20:00	0.0	
1/21/2017 21:00	0.0		1/21/2018 21:00	0.0		1/21/2019 21:00	0.0		1/21/2020 21:00	0.0	
1/21/2017 22:00	0.0		1/21/2018 22:00	0.0		1/21/2019 22:00	0.0		1/21/2020 22:00	0.0	
1/21/2017 23:00	0.0	0.0	1/21/2018 23:00	0.0	0.0	1/21/2019 23:00	0.0	0.0	1/21/2020 23:00	0.0	0.0
1/22/2017 0:00	0.0		1/22/2018 0:00	0.0		1/22/2019 0:00	0.0		1/22/2020 0:00	0.0	
1/22/2017 1:00	0.0		1/22/2018 1:00	0.0		1/22/2019 1:00	0.0		1/22/2020 1:00	0.0	
1/22/2017 2:00	0.0		1/22/2018 2:00	0.0		1/22/2019 2:00	0.0		1/22/2020 2:00	0.0	
1/22/2017 3:00	0.0		1/22/2018 3:00	0.0		1/22/2019 3:00	0.0		1/22/2020 3:00	0.0	
1/22/2017 4:00	0.0		1/22/2018 4:00	0.0		1/22/2019 4:00	0.0		1/22/2020 4:00	0.0	
1/22/2017 5:00	0.0		1/22/2018 5:00	0.0		1/22/2019 5:00	0.0		1/22/2020 5:00	0.0	
1/22/2017 6:00	0.0		1/22/2018 6:00	0.0		1/22/2019 6:00	0.0		1/22/2020 6:00	0.0	
1/22/2017 7:00	0.0		1/22/2018 7:00	0.0		1/22/2019 7:00	0.0		1/22/2020 7:00	0.0	
1/22/2017 8:00	0.0		1/22/2018 8:00	0.0		1/22/2019 8:00	0.0		1/22/2020 8:00	0.0	
1/22/2017 9:00	0.0		1/22/2018 9:00	0.0		1/22/2019 9:00	0.0		1/22/2020 9:00	0.0	
1/22/2017 10:00	0.0		1/22/2018 10:00	0.0		1/22/2019 10:00	0.0		1/22/2020 10:00	0.0	
1/22/2017 11:00	0.0		1/22/2018 11:00	0.0		1/22/2019 11:00	0.0		1/22/2020 11:00	0.0	
1/22/2017 12:00	0.0		1/22/2018 12:00	0.0		1/22/2019 12:00	0.0		1/22/2020 12:00	0.0	
1/22/2017 13:00	0.0		1/22/2018 13:00	0.0		1/22/2019 13:00	0.0		1/22/2020 13:00	0.0	
1/22/2017 14:00	0.0		1/22/2018 14:00	0.0		1/22/2019 14:00	0.0		1/22/2020 14:00	0.0	
1/22/2017 15:00	0.0		1/22/2018 15:00	0.0		1/22/2019 15:00	0.0		1/22/2020 15:00	0.0	
1/22/2017 16:00	0.0		1/22/2018 16:00	0.0		1/22/2019 16:00	0.0		1/22/2020 16:00	0.0	
1/22/2017 17:00	0.0		1/22/2018 17:00	0.0		1/22/2019 17:00	0.0		1/22/2020 17:00	0.0	
1/22/2017 18:00	0.0		1/22/2018 18:00	0.0		1/22/2019 18:00	0.0		1/22/2020 18:00	0.0	
1/22/2017 19:00	0.0		1/22/2018 19:00	0.0		1/22/2019 19:00	0.0		1/22/2020 19:00	0.0	
1/22/2017 20:00	0.0		1/22/2018 20:00	0.0		1/22/2019 20:00	0.0		1/22/2020 20:00	0.0	
1/22/2017 21:00	0.0		1/22/2018 21:00	0.0		1/22/2019 21:00	0.0		1/22/2020 21:00	0.0	
1/22/2017 22:00	0.0		1/22/2018 22:00	0.0		1/22/2019 22:00	0.0		1/22/2020 22:00	0.0	
1/22/2017 23:00	0.0	0.0	1/22/2018 23:00	0.0	0.0	1/22/2019 23:00	0.0	0.0	1/22/2020 23:00	0.0	0.0

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/23/2017 0:00	0.0		1/23/2018 0:00	0.1		1/23/2019 0:00	0.0		1/23/2020 0:00	0.0	
1/23/2017 1:00	0.0		1/23/2018 1:00	0.2		1/23/2019 1:00	0.0		1/23/2020 1:00	0.0	
1/23/2017 2:00	0.0		1/23/2018 2:00	0.3		1/23/2019 2:00	0.0		1/23/2020 2:00	0.0	
1/23/2017 3:00	0.0		1/23/2018 3:00	0.5		1/23/2019 3:00	0.0		1/23/2020 3:00	0.0	
1/23/2017 4:00	0.0		1/23/2018 4:00	0.8		1/23/2019 4:00	0.0		1/23/2020 4:00	0.0	
1/23/2017 5:00	0.0		1/23/2018 5:00	1.2		1/23/2019 5:00	0.0		1/23/2020 5:00	0.0	
1/23/2017 6:00	0.0		1/23/2018 6:00	1.3		1/23/2019 6:00	0.0		1/23/2020 6:00	0.0	
1/23/2017 7:00	0.0		1/23/2018 7:00	1.2		1/23/2019 7:00	0.0		1/23/2020 7:00	0.0	
1/23/2017 8:00	0.0		1/23/2018 8:00	1.3		1/23/2019 8:00	0.0		1/23/2020 8:00	0.0	
1/23/2017 9:00	0.0		1/23/2018 9:00	1.3		1/23/2019 9:00	0.0		1/23/2020 9:00	0.0	
1/23/2017 10:00	0.0		1/23/2018 10:00	1.4		1/23/2019 10:00	0.0		1/23/2020 10:00	0.0	
1/23/2017 11:00	0.0		1/23/2018 11:00	1.4		1/23/2019 11:00	0.0		1/23/2020 11:00	0.0	
1/23/2017 12:00	0.0		1/23/2018 12:00	1.5		1/23/2019 12:00	0.0		1/23/2020 12:00	0.0	
1/23/2017 13:00	0.0		1/23/2018 13:00	1.6		1/23/2019 13:00	0.0		1/23/2020 13:00	0.0	
1/23/2017 14:00	0.0		1/23/2018 14:00	1.8		1/23/2019 14:00	0.0		1/23/2020 14:00	0.0	
1/23/2017 15:00	0.0		1/23/2018 15:00	1.8		1/23/2019 15:00	0.0		1/23/2020 15:00	0.0	
1/23/2017 16:00	0.0		1/23/2018 16:00	1.8		1/23/2019 16:00	0.0		1/23/2020 16:00	0.0	
1/23/2017 17:00	0.0		1/23/2018 17:00	2.0		1/23/2019 17:00	0.0		1/23/2020 17:00	0.0	
1/23/2017 18:00	0.0		1/23/2018 18:00	2.3		1/23/2019 18:00	0.0		1/23/2020 18:00	0.0	
1/23/2017 19:00	0.0		1/23/2018 19:00	2.3		1/23/2019 19:00	0.0		1/23/2020 19:00	0.0	
1/23/2017 20:00	0.0		1/23/2018 20:00	2.4		1/23/2019 20:00	0.0		1/23/2020 20:00	0.0	
1/23/2017 21:00	0.0		1/23/2018 21:00	2.4		1/23/2019 21:00	0.0		1/23/2020 21:00	0.0	
1/23/2017 22:00	0.0		1/23/2018 22:00	2.5		1/23/2019 22:00	0.0		1/23/2020 22:00	0.0	
1/23/2017 23:00	0.0	0.0	1/23/2018 23:00	2.7	2.7	1/23/2019 23:00	0.0	0.0	1/23/2020 23:00	0.0	0.0
1/24/2017 0:00	0.0		1/24/2018 0:00	3.0		1/24/2019 0:00	0.0		1/24/2020 0:00	0.0	
1/24/2017 1:00	0.0		1/24/2018 1:00	3.3		1/24/2019 1:00	0.0		1/24/2020 1:00	0.0	
1/24/2017 2:00	0.0		1/24/2018 2:00	3.5		1/24/2019 2:00	0.0		1/24/2020 2:00	0.0	
1/24/2017 3:00	0.0		1/24/2018 3:00	3.6		1/24/2019 3:00	0.0		1/24/2020 3:00	0.0	
1/24/2017 4:00	0.0		1/24/2018 4:00	3.6		1/24/2019 4:00	0.0		1/24/2020 4:00	0.0	
1/24/2017 5:00	0.0		1/24/2018 5:00	3.6		1/24/2019 5:00	0.0		1/24/2020 5:00	0.0	
1/24/2017 6:00	0.0		1/24/2018 6:00	3.6		1/24/2019 6:00	0.0		1/24/2020 6:00	0.0	
1/24/2017 7:00	0.0		1/24/2018 7:00	3.6		1/24/2019 7:00	0.0		1/24/2020 7:00	0.0	
1/24/2017 8:00	0.0		1/24/2018 8:00	3.7		1/24/2019 8:00	0.0		1/24/2020 8:00	0.0	
1/24/2017 9:00	0.0		1/24/2018 9:00	3.6		1/24/2019 9:00	0.0		1/24/2020 9:00	0.0	
1/24/2017 10:00	0.0		1/24/2018 10:00	3.7		1/24/2019 10:00	0.0		1/24/2020 10:00	0.0	
1/24/2017 11:00	0.0		1/24/2018 11:00	3.7		1/24/2019 11:00	0.0		1/24/2020 11:00	0.0	
1/24/2017 12:00	0.0		1/24/2018 12:00	3.7		1/24/2019 12:00	0.0		1/24/2020 12:00	0.0	
1/24/2017 13:00	0.0		1/24/2018 13:00	3.7		1/24/2019 13:00	0.0		1/24/2020 13:00	0.0	
1/24/2017 14:00	0.0		1/24/2018 14:00	3.7		1/24/2019 14:00	0.0		1/24/2020 14:00	0.0	
1/24/2017 15:00	0.0		1/24/2018 15:00	14.8		1/24/2019 15:00	0.0		1/24/2020 15:00	0.0	
1/24/2017 16:00	0.0		1/24/2018 16:00	14.8		1/24/2019 16:00	0.0		1/24/2020 16:00	0.0	
1/24/2017 17:00	0.0		1/24/2018 17:00	14.8		1/24/2019 17:00	0.0		1/24/2020 17:00	0.0	
1/24/2017 18:00	0.0		1/24/2018 18:00	14.8		1/24/2019 18:00	0.0		1/24/2020 18:00	0.0	
1/24/2017 19:00	0.0		1/24/2018 19:00	14.8		1/24/2019 19:00	0.0		1/24/2020 19:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/24/2017 20:00	0.0		1/24/2018 20:00	14.8		1/24/2019 20:00	0.0		1/24/2020 20:00	0.0	
1/24/2017 21:00	0.0		1/24/2018 21:00	14.8		1/24/2019 21:00	0.0		1/24/2020 21:00	0.0	
1/24/2017 22:00	0.0		1/24/2018 22:00	14.8		1/24/2019 22:00	0.0		1/24/2020 22:00	0.0	
1/24/2017 23:00	0.0	0.0	1/24/2018 23:00	14.8	14.8	1/24/2019 23:00	0.0	0.0	1/24/2020 23:00	0.0	0.0
1/25/2017 0:00	0.0		1/25/2018 0:00	14.8		1/25/2019 0:00	0.0		1/25/2020 0:00	0.0	
1/25/2017 1:00	0.0		1/25/2018 1:00	14.9		1/25/2019 1:00	0.0		1/25/2020 1:00	0.0	
1/25/2017 2:00	0.0		1/25/2018 2:00	14.9		1/25/2019 2:00	0.0		1/25/2020 2:00	0.0	
1/25/2017 3:00	0.0		1/25/2018 3:00	14.9		1/25/2019 3:00	0.0		1/25/2020 3:00	0.0	
1/25/2017 4:00	0.0		1/25/2018 4:00	14.6		1/25/2019 4:00	0.0		1/25/2020 4:00	0.0	
1/25/2017 5:00	0.0		1/25/2018 5:00	14.6		1/25/2019 5:00	0.0		1/25/2020 5:00	0.0	
1/25/2017 6:00	0.0		1/25/2018 6:00	14.6		1/25/2019 6:00	0.0		1/25/2020 6:00	0.0	
1/25/2017 7:00	0.0		1/25/2018 7:00	14.9		1/25/2019 7:00	0.0		1/25/2020 7:00	0.0	
1/25/2017 8:00	0.0		1/25/2018 8:00	15.0		1/25/2019 8:00	0.0		1/25/2020 8:00	0.0	
1/25/2017 9:00	0.0		1/25/2018 9:00	0.0		1/25/2019 9:00	0.0		1/25/2020 9:00	0.0	
1/25/2017 10:00	0.0		1/25/2018 10:00	0.0		1/25/2019 10:00	0.0		1/25/2020 10:00	0.0	
1/25/2017 11:00	0.0		1/25/2018 11:00	0.0		1/25/2019 11:00	0.0		1/25/2020 11:00	0.0	
1/25/2017 12:00	0.0		1/25/2018 12:00	0.0		1/25/2019 12:00	0.0		1/25/2020 12:00	0.0	
1/25/2017 13:00	0.0		1/25/2018 13:00	0.0		1/25/2019 13:00	0.0		1/25/2020 13:00	0.0	
1/25/2017 14:00	0.0		1/25/2018 14:00	0.0		1/25/2019 14:00	0.0		1/25/2020 14:00	0.0	
1/25/2017 15:00	0.0		1/25/2018 15:00	0.0		1/25/2019 15:00	0.0		1/25/2020 15:00	0.0	
1/25/2017 16:00	0.0		1/25/2018 16:00	0.0		1/25/2019 16:00	0.0		1/25/2020 16:00	0.0	
1/25/2017 17:00	0.0		1/25/2018 17:00	0.0		1/25/2019 17:00	0.0		1/25/2020 17:00	0.0	
1/25/2017 18:00	0.0		1/25/2018 18:00	0.0		1/25/2019 18:00	0.0		1/25/2020 18:00	0.0	
1/25/2017 19:00	0.0		1/25/2018 19:00	0.0		1/25/2019 19:00	0.0		1/25/2020 19:00	0.0	
1/25/2017 20:00	0.0		1/25/2018 20:00	0.0		1/25/2019 20:00	0.0		1/25/2020 20:00	0.0	
1/25/2017 21:00	0.0		1/25/2018 21:00	0.0		1/25/2019 21:00	0.0		1/25/2020 21:00	0.0	
1/25/2017 22:00	0.0		1/25/2018 22:00	0.0		1/25/2019 22:00	0.0		1/25/2020 22:00	0.0	
1/25/2017 23:00	13.3	13.3	1/25/2018 23:00	1.2	15.0	1/25/2019 23:00	0.0	0.0	1/25/2020 23:00	0.0	0.0
1/26/2017 0:00	0.0		1/26/2018 0:00	0.0		1/26/2019 0:00	0.0		1/26/2020 0:00	0.0	
1/26/2017 1:00	0.0		1/26/2018 1:00	0.0		1/26/2019 1:00	0.0		1/26/2020 1:00	0.0	
1/26/2017 2:00	0.0		1/26/2018 2:00	0.0		1/26/2019 2:00	0.0		1/26/2020 2:00	0.0	
1/26/2017 3:00	0.0		1/26/2018 3:00	0.0		1/26/2019 3:00	0.0		1/26/2020 3:00	0.0	
1/26/2017 4:00	0.0		1/26/2018 4:00	0.0		1/26/2019 4:00	0.0		1/26/2020 4:00	0.0	
1/26/2017 5:00	0.0		1/26/2018 5:00	0.0		1/26/2019 5:00	0.0		1/26/2020 5:00	0.0	
1/26/2017 6:00	0.0		1/26/2018 6:00	0.0		1/26/2019 6:00	0.0		1/26/2020 6:00	0.0	
1/26/2017 7:00	0.0		1/26/2018 7:00	0.0		1/26/2019 7:00	0.0		1/26/2020 7:00	0.0	
1/26/2017 8:00	0.0		1/26/2018 8:00	0.0		1/26/2019 8:00	0.0		1/26/2020 8:00	0.0	
1/26/2017 9:00	0.0		1/26/2018 9:00	0.0		1/26/2019 9:00	0.0		1/26/2020 9:00	0.0	
1/26/2017 10:00	0.0		1/26/2018 10:00	0.0		1/26/2019 10:00	0.0		1/26/2020 10:00	0.0	
1/26/2017 11:00	0.0		1/26/2018 11:00	0.0		1/26/2019 11:00	0.0		1/26/2020 11:00	0.0	
1/26/2017 12:00	0.0		1/26/2018 12:00	0.0		1/26/2019 12:00	0.0		1/26/2020 12:00	0.0	
1/26/2017 13:00	0.0		1/26/2018 13:00	0.0		1/26/2019 13:00	0.0		1/26/2020 13:00	0.0	
1/26/2017 14:00	0.0		1/26/2018 14:00	0.0		1/26/2019 14:00	0.0		1/26/2020 14:00	0.0	
1/26/2017 15:00	0.0		1/26/2018 15:00	0.0		1/26/2019 15:00	0.0		1/26/2020 15:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/26/2017 16:00	0.0		1/26/2018 16:00	0.0		1/26/2019 16:00	0.0		1/26/2020 16:00	0.0	
1/26/2017 17:00	0.0		1/26/2018 17:00	0.0		1/26/2019 17:00	0.0		1/26/2020 17:00	0.0	
1/26/2017 18:00	0.0		1/26/2018 18:00	0.0		1/26/2019 18:00	0.0		1/26/2020 18:00	0.0	
1/26/2017 19:00	0.0		1/26/2018 19:00	0.0		1/26/2019 19:00	0.0		1/26/2020 19:00	0.0	
1/26/2017 20:00	0.0		1/26/2018 20:00	0.0		1/26/2019 20:00	0.0		1/26/2020 20:00	0.0	
1/26/2017 21:00	0.0		1/26/2018 21:00	0.0		1/26/2019 21:00	0.0		1/26/2020 21:00	0.0	
1/26/2017 22:00	0.0		1/26/2018 22:00	0.0		1/26/2019 22:00	0.0		1/26/2020 22:00	0.0	
1/26/2017 23:00	0.0	0.0	1/26/2018 23:00	0.0	0.0	1/26/2019 23:00	0.0	0.0	1/26/2020 23:00	0.0	0.0
1/27/2017 0:00	0.0		1/27/2018 0:00	0.0		1/27/2019 0:00	0.0		1/27/2020 0:00	0.0	
1/27/2017 1:00	0.0		1/27/2018 1:00	0.0		1/27/2019 1:00	0.0		1/27/2020 1:00	0.0	
1/27/2017 2:00	0.0		1/27/2018 2:00	0.0		1/27/2019 2:00	0.0		1/27/2020 2:00	0.0	
1/27/2017 3:00	0.0		1/27/2018 3:00	0.0		1/27/2019 3:00	0.0		1/27/2020 3:00	0.0	
1/27/2017 4:00	0.0		1/27/2018 4:00	0.0		1/27/2019 4:00	0.0		1/27/2020 4:00	0.0	
1/27/2017 5:00	0.0		1/27/2018 5:00	0.0		1/27/2019 5:00	0.0		1/27/2020 5:00	0.0	
1/27/2017 6:00	0.0		1/27/2018 6:00	0.0		1/27/2019 6:00	0.0		1/27/2020 6:00	0.0	
1/27/2017 7:00	0.0		1/27/2018 7:00	0.0		1/27/2019 7:00	0.0		1/27/2020 7:00	0.0	
1/27/2017 8:00	0.0		1/27/2018 8:00	0.0		1/27/2019 8:00	0.0		1/27/2020 8:00	0.0	
1/27/2017 9:00	0.0		1/27/2018 9:00	0.0		1/27/2019 9:00	0.0		1/27/2020 9:00	0.0	
1/27/2017 10:00	0.0		1/27/2018 10:00	0.0		1/27/2019 10:00	0.0		1/27/2020 10:00	0.0	
1/27/2017 11:00	0.0		1/27/2018 11:00	0.0		1/27/2019 11:00	0.0		1/27/2020 11:00	0.0	
1/27/2017 12:00	0.0		1/27/2018 12:00	0.0		1/27/2019 12:00	0.0		1/27/2020 12:00	0.0	
1/27/2017 13:00	0.0		1/27/2018 13:00	0.0		1/27/2019 13:00	0.0		1/27/2020 13:00	0.0	
1/27/2017 14:00	0.0		1/27/2018 14:00	0.0		1/27/2019 14:00	0.0		1/27/2020 14:00	0.0	
1/27/2017 15:00	0.0		1/27/2018 15:00	0.0		1/27/2019 15:00	0.0		1/27/2020 15:00	0.0	
1/27/2017 16:00	0.0		1/27/2018 16:00	0.0		1/27/2019 16:00	0.0		1/27/2020 16:00	0.0	
1/27/2017 17:00	0.0		1/27/2018 17:00	0.0		1/27/2019 17:00	0.0		1/27/2020 17:00	0.0	
1/27/2017 18:00	0.0		1/27/2018 18:00	0.0		1/27/2019 18:00	0.0		1/27/2020 18:00	0.0	
1/27/2017 19:00	0.0		1/27/2018 19:00	0.0		1/27/2019 19:00	0.0		1/27/2020 19:00	0.0	
1/27/2017 20:00	0.0		1/27/2018 20:00	0.0		1/27/2019 20:00	0.0		1/27/2020 20:00	0.0	
1/27/2017 21:00	0.0		1/27/2018 21:00	0.0		1/27/2019 21:00	0.0		1/27/2020 21:00	2.4	
1/27/2017 22:00	0.0		1/27/2018 22:00	0.0		1/27/2019 22:00	0.0		1/27/2020 22:00	0.0	
1/27/2017 23:00	0.0	0.0	1/27/2018 23:00	0.0	0.0	1/27/2019 23:00	0.0	0.0	1/27/2020 23:00	0.0	2.4
1/28/2017 0:00	0.0		1/28/2018 0:00	0.0		1/28/2019 0:00	0.0		1/28/2020 0:00	0.0	
1/28/2017 1:00	0.0		1/28/2018 1:00	0.0		1/28/2019 1:00	0.0		1/28/2020 1:00	0.0	
1/28/2017 2:00	0.0		1/28/2018 2:00	0.0		1/28/2019 2:00	0.0		1/28/2020 2:00	0.0	
1/28/2017 3:00	0.0		1/28/2018 3:00	0.0		1/28/2019 3:00	0.0		1/28/2020 3:00	0.0	
1/28/2017 4:00	0.0		1/28/2018 4:00	0.0		1/28/2019 4:00	0.0		1/28/2020 4:00	0.0	
1/28/2017 5:00	0.0		1/28/2018 5:00	0.0		1/28/2019 5:00	0.0		1/28/2020 5:00	0.0	
1/28/2017 6:00	0.0		1/28/2018 6:00	0.0		1/28/2019 6:00	0.0		1/28/2020 6:00	0.0	
1/28/2017 7:00	0.0		1/28/2018 7:00	0.0		1/28/2019 7:00	0.0		1/28/2020 7:00	0.0	
1/28/2017 8:00	0.0		1/28/2018 8:00	0.0		1/28/2019 8:00	0.0		1/28/2020 8:00	0.0	
1/28/2017 9:00	0.0		1/28/2018 9:00	0.0		1/28/2019 9:00	0.0		1/28/2020 9:00	0.0	
1/28/2017 10:00	0.0		1/28/2018 10:00	0.0		1/28/2019 10:00	0.0		1/28/2020 10:00	0.0	
1/28/2017 11:00	0.0		1/28/2018 11:00	0.0		1/28/2019 11:00	0.0		1/28/2020 11:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/28/2017 12:00	0.0		1/28/2018 12:00	0.0		1/28/2019 12:00	0.0		1/28/2020 12:00	0.0	
1/28/2017 13:00	0.0		1/28/2018 13:00	0.0		1/28/2019 13:00	0.0		1/28/2020 13:00	0.0	
1/28/2017 14:00	0.0		1/28/2018 14:00	0.0		1/28/2019 14:00	0.0		1/28/2020 14:00	0.0	
1/28/2017 15:00	0.0		1/28/2018 15:00	0.0		1/28/2019 15:00	0.0		1/28/2020 15:00	0.0	
1/28/2017 16:00	0.0		1/28/2018 16:00	0.0		1/28/2019 16:00	0.0		1/28/2020 16:00	0.0	
1/28/2017 17:00	0.0		1/28/2018 17:00	0.0		1/28/2019 17:00	0.0		1/28/2020 17:00	0.0	
1/28/2017 18:00	0.0		1/28/2018 18:00	0.0		1/28/2019 18:00	0.0		1/28/2020 18:00	0.0	
1/28/2017 19:00	0.0		1/28/2018 19:00	0.0		1/28/2019 19:00	0.0		1/28/2020 19:00	0.0	
1/28/2017 20:00	0.0		1/28/2018 20:00	0.0		1/28/2019 20:00	0.0		1/28/2020 20:00	0.0	
1/28/2017 21:00	0.0		1/28/2018 21:00	0.0		1/28/2019 21:00	0.0		1/28/2020 21:00	0.0	
1/28/2017 22:00	0.0		1/28/2018 22:00	0.0		1/28/2019 22:00	0.0		1/28/2020 22:00	0.0	
1/28/2017 23:00	0.0	0.0	1/28/2018 23:00	0.0	0.0	1/28/2019 23:00	0.0	0.0	1/28/2020 23:00	0.0	0.0
1/29/2017 0:00	0.0		1/29/2018 0:00	0.0		1/29/2019 0:00	0.0		1/29/2020 0:00	0.0	
1/29/2017 1:00	0.0		1/29/2018 1:00	0.0		1/29/2019 1:00	0.0		1/29/2020 1:00	0.0	
1/29/2017 2:00	0.0		1/29/2018 2:00	0.0		1/29/2019 2:00	0.0		1/29/2020 2:00	0.0	
1/29/2017 3:00	0.0		1/29/2018 3:00	0.0		1/29/2019 3:00	0.0		1/29/2020 3:00	0.0	
1/29/2017 4:00	0.0		1/29/2018 4:00	0.0		1/29/2019 4:00	0.0		1/29/2020 4:00	0.0	
1/29/2017 5:00	0.0		1/29/2018 5:00	0.0		1/29/2019 5:00	0.0		1/29/2020 5:00	0.0	
1/29/2017 6:00	0.0		1/29/2018 6:00	0.0		1/29/2019 6:00	0.0		1/29/2020 6:00	0.0	
1/29/2017 7:00	0.0		1/29/2018 7:00	0.0		1/29/2019 7:00	0.0		1/29/2020 7:00	0.0	
1/29/2017 8:00	0.0		1/29/2018 8:00	0.0		1/29/2019 8:00	0.0		1/29/2020 8:00	0.0	
1/29/2017 9:00	0.0		1/29/2018 9:00	0.0		1/29/2019 9:00	0.0		1/29/2020 9:00	0.0	
1/29/2017 10:00	0.0		1/29/2018 10:00	0.0		1/29/2019 10:00	0.0		1/29/2020 10:00	0.0	
1/29/2017 11:00	0.0		1/29/2018 11:00	0.0		1/29/2019 11:00	0.0		1/29/2020 11:00	0.0	
1/29/2017 12:00	0.0		1/29/2018 12:00	0.0		1/29/2019 12:00	0.0		1/29/2020 12:00	0.0	
1/29/2017 13:00	0.0		1/29/2018 13:00	0.0		1/29/2019 13:00	0.0		1/29/2020 13:00	0.0	
1/29/2017 14:00	0.0		1/29/2018 14:00	0.0		1/29/2019 14:00	0.0		1/29/2020 14:00	0.0	
1/29/2017 15:00	0.0		1/29/2018 15:00	0.0		1/29/2019 15:00	0.0		1/29/2020 15:00	0.0	
1/29/2017 16:00	0.0		1/29/2018 16:00	0.0		1/29/2019 16:00	0.0		1/29/2020 16:00	0.0	
1/29/2017 17:00	0.0		1/29/2018 17:00	0.0		1/29/2019 17:00	0.0		1/29/2020 17:00	0.0	
1/29/2017 18:00	0.0		1/29/2018 18:00	0.0		1/29/2019 18:00	0.0		1/29/2020 18:00	0.0	
1/29/2017 19:00	0.0		1/29/2018 19:00	0.0		1/29/2019 19:00	0.0		1/29/2020 19:00	0.0	
1/29/2017 20:00	0.7		1/29/2018 20:00	0.0		1/29/2019 20:00	0.0		1/29/2020 20:00	0.0	
1/29/2017 21:00	0.0		1/29/2018 21:00	0.0		1/29/2019 21:00	0.0		1/29/2020 21:00	0.0	
1/29/2017 22:00	0.0		1/29/2018 22:00	0.0		1/29/2019 22:00	0.0		1/29/2020 22:00	0.0	
1/29/2017 23:00	0.0	0.7	1/29/2018 23:00	0.0	0.0	1/29/2019 23:00	0.0	0.0	1/29/2020 23:00	0.0	0.0
1/30/2017 0:00	0.0		1/30/2018 0:00	0.0		1/30/2019 0:00	0.0		1/30/2020 0:00	0.0	
1/30/2017 1:00	0.0		1/30/2018 1:00	0.0		1/30/2019 1:00	0.0		1/30/2020 1:00	0.0	
1/30/2017 2:00	0.0		1/30/2018 2:00	0.0		1/30/2019 2:00	0.0		1/30/2020 2:00	0.0	
1/30/2017 3:00	0.0		1/30/2018 3:00	0.0		1/30/2019 3:00	0.0		1/30/2020 3:00	0.0	
1/30/2017 4:00	0.0		1/30/2018 4:00	0.0		1/30/2019 4:00	0.0		1/30/2020 4:00	0.0	
1/30/2017 5:00	0.0		1/30/2018 5:00	0.0		1/30/2019 5:00	0.0		1/30/2020 5:00	0.0	
1/30/2017 6:00	0.0		1/30/2018 6:00	0.0		1/30/2019 6:00	0.0		1/30/2020 6:00	0.0	
1/30/2017 7:00	0.0		1/30/2018 7:00	0.0		1/30/2019 7:00	0.0		1/30/2020 7:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/30/2017 8:00	0.0		1/30/2018 8:00	0.0		1/30/2019 8:00	0.0		1/30/2020 8:00	0.0	
1/30/2017 9:00	0.0		1/30/2018 9:00	0.0		1/30/2019 9:00	0.0		1/30/2020 9:00	0.0	
1/30/2017 10:00	0.0		1/30/2018 10:00	0.0		1/30/2019 10:00	0.0		1/30/2020 10:00	0.0	
1/30/2017 11:00	0.0		1/30/2018 11:00	0.0		1/30/2019 11:00	0.0		1/30/2020 11:00	0.0	
1/30/2017 12:00	0.0		1/30/2018 12:00	0.0		1/30/2019 12:00	0.0		1/30/2020 12:00	0.0	
1/30/2017 13:00	0.0		1/30/2018 13:00	0.0		1/30/2019 13:00	0.0		1/30/2020 13:00	0.0	
1/30/2017 14:00	0.0		1/30/2018 14:00	0.0		1/30/2019 14:00	0.0		1/30/2020 14:00	0.0	
1/30/2017 15:00	17.3		1/30/2018 15:00	0.0		1/30/2019 15:00	0.0		1/30/2020 15:00	0.0	
1/30/2017 16:00	288.8		1/30/2018 16:00	0.0		1/30/2019 16:00	0.0		1/30/2020 16:00	0.0	
1/30/2017 17:00	0.0		1/30/2018 17:00	0.0		1/30/2019 17:00	0.0		1/30/2020 17:00	0.0	
1/30/2017 18:00	0.0		1/30/2018 18:00	0.0		1/30/2019 18:00	0.0		1/30/2020 18:00	0.0	
1/30/2017 19:00	0.0		1/30/2018 19:00	0.0		1/30/2019 19:00	0.0		1/30/2020 19:00	0.0	
1/30/2017 20:00	0.0		1/30/2018 20:00	0.0		1/30/2019 20:00	0.0		1/30/2020 20:00	0.0	
1/30/2017 21:00	0.0		1/30/2018 21:00	0.0		1/30/2019 21:00	0.0		1/30/2020 21:00	0.0	
1/30/2017 22:00	0.0		1/30/2018 22:00	0.0		1/30/2019 22:00	0.0		1/30/2020 22:00	0.0	
1/30/2017 23:00	0.0	288.8	1/30/2018 23:00	0.0	0.0	1/30/2019 23:00	0.0	0.0	1/30/2020 23:00	0.0	0.0
1/31/2017 0:00	0.0		1/31/2018 0:00	0.0		1/31/2019 0:00	0.0		1/31/2020 0:00	0.0	
1/31/2017 1:00	0.0		1/31/2018 1:00	0.0		1/31/2019 1:00	0.0		1/31/2020 1:00	0.0	
1/31/2017 2:00	0.0		1/31/2018 2:00	0.0		1/31/2019 2:00	0.0		1/31/2020 2:00	0.0	
1/31/2017 3:00	0.0		1/31/2018 3:00	0.0		1/31/2019 3:00	0.0		1/31/2020 3:00	0.0	
1/31/2017 4:00	0.0		1/31/2018 4:00	0.0		1/31/2019 4:00	0.0		1/31/2020 4:00	0.0	
1/31/2017 5:00	0.0		1/31/2018 5:00	0.0		1/31/2019 5:00	0.0		1/31/2020 5:00	0.0	
1/31/2017 6:00	0.0		1/31/2018 6:00	0.0		1/31/2019 6:00	0.0		1/31/2020 6:00	0.0	
1/31/2017 7:00	0.0		1/31/2018 7:00	0.0		1/31/2019 7:00	0.0		1/31/2020 7:00	0.0	
1/31/2017 8:00	0.0		1/31/2018 8:00	0.0		1/31/2019 8:00	0.0		1/31/2020 8:00	0.0	
1/31/2017 9:00	0.0		1/31/2018 9:00	0.0		1/31/2019 9:00	0.0		1/31/2020 9:00	0.0	
1/31/2017 10:00	0.0		1/31/2018 10:00	0.0		1/31/2019 10:00	0.0		1/31/2020 10:00	0.0	
1/31/2017 11:00	0.0		1/31/2018 11:00	0.0		1/31/2019 11:00	0.0		1/31/2020 11:00	0.0	
1/31/2017 12:00	0.0		1/31/2018 12:00	0.0		1/31/2019 12:00	0.0		1/31/2020 12:00	0.0	
1/31/2017 13:00	0.0		1/31/2018 13:00	0.0		1/31/2019 13:00	0.0		1/31/2020 13:00	0.0	
1/31/2017 14:00	0.0		1/31/2018 14:00	0.0		1/31/2019 14:00	0.0		1/31/2020 14:00	0.0	
1/31/2017 15:00	0.0		1/31/2018 15:00	0.0		1/31/2019 15:00	0.0		1/31/2020 15:00	0.0	
1/31/2017 16:00	0.0		1/31/2018 16:00	0.0		1/31/2019 16:00	0.0		1/31/2020 16:00	0.0	
1/31/2017 17:00	0.0		1/31/2018 17:00	0.0		1/31/2019 17:00	0.0		1/31/2020 17:00	0.0	
1/31/2017 18:00	0.0		1/31/2018 18:00	0.0		1/31/2019 18:00	0.0		1/31/2020 18:00	0.0	
1/31/2017 19:00	0.0		1/31/2018 19:00	0.0		1/31/2019 19:00	0.0		1/31/2020 19:00	0.0	
1/31/2017 20:00	0.0		1/31/2018 20:00	0.0		1/31/2019 20:00	0.0		1/31/2020 20:00	0.0	
1/31/2017 21:00	0.0		1/31/2018 21:00	123.4		1/31/2019 21:00	0.0		1/31/2020 21:00	0.0	
1/31/2017 22:00	0.0		1/31/2018 22:00	159.8		1/31/2019 22:00	0.0		1/31/2020 22:00	0.0	
1/31/2017 23:00	0.0	0.0	1/31/2018 23:00	0.0	159.8	1/31/2019 23:00	0.0	0.0	1/31/2020 23:00	0.0	0.0
2/1/2017 0:00	0.0		2/1/2018 0:00	0.0		2/1/2019 0:00	0.0		2/1/2020 0:00	0.0	
2/1/2017 1:00	0.0		2/1/2018 1:00	0.0		2/1/2019 1:00	0.0		2/1/2020 1:00	0.0	
2/1/2017 2:00	0.0		2/1/2018 2:00	0.0		2/1/2019 2:00	0.0		2/1/2020 2:00	0.0	
2/1/2017 3:00	0.0		2/1/2018 3:00	0.0		2/1/2019 3:00	0.0		2/1/2020 3:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/1/2017 4:00	0.0		2/1/2018 4:00	0.0		2/1/2019 4:00	0.0		2/1/2020 4:00	0.0	
2/1/2017 5:00	0.0		2/1/2018 5:00	0.0		2/1/2019 5:00	0.0		2/1/2020 5:00	0.0	
2/1/2017 6:00	0.0		2/1/2018 6:00	0.0		2/1/2019 6:00	0.0		2/1/2020 6:00	0.0	
2/1/2017 7:00	0.0		2/1/2018 7:00	0.0		2/1/2019 7:00	0.0		2/1/2020 7:00	0.0	
2/1/2017 8:00	0.0		2/1/2018 8:00	0.0		2/1/2019 8:00	0.0		2/1/2020 8:00	0.0	
2/1/2017 9:00	0.0		2/1/2018 9:00	0.0		2/1/2019 9:00	0.0		2/1/2020 9:00	0.0	
2/1/2017 10:00	0.0		2/1/2018 10:00	0.0		2/1/2019 10:00	0.0		2/1/2020 10:00	0.0	
2/1/2017 11:00	0.0		2/1/2018 11:00	0.0		2/1/2019 11:00	0.0		2/1/2020 11:00	0.0	
2/1/2017 12:00	0.0		2/1/2018 12:00	0.0		2/1/2019 12:00	0.0		2/1/2020 12:00	0.0	
2/1/2017 13:00	0.0		2/1/2018 13:00	0.0		2/1/2019 13:00	0.0		2/1/2020 13:00	0.0	
2/1/2017 14:00	0.0		2/1/2018 14:00	0.0		2/1/2019 14:00	0.0		2/1/2020 14:00	0.0	
2/1/2017 15:00	0.0		2/1/2018 15:00	0.0		2/1/2019 15:00	0.0		2/1/2020 15:00	0.0	
2/1/2017 16:00	40.2		2/1/2018 16:00	0.0		2/1/2019 16:00	0.0		2/1/2020 16:00	0.0	
2/1/2017 17:00	354.1		2/1/2018 17:00	0.0		2/1/2019 17:00	0.0		2/1/2020 17:00	0.0	
2/1/2017 18:00	0.0		2/1/2018 18:00	0.0		2/1/2019 18:00	0.0		2/1/2020 18:00	0.0	
2/1/2017 19:00	0.0		2/1/2018 19:00	0.0		2/1/2019 19:00	0.0		2/1/2020 19:00	0.0	
2/1/2017 20:00	0.0		2/1/2018 20:00	0.0		2/1/2019 20:00	0.0		2/1/2020 20:00	0.0	
2/1/2017 21:00	0.0		2/1/2018 21:00	0.0		2/1/2019 21:00	0.0		2/1/2020 21:00	0.0	
2/1/2017 22:00	0.0		2/1/2018 22:00	0.0		2/1/2019 22:00	0.0		2/1/2020 22:00	0.0	
2/1/2017 23:00	0.0	354.1	2/1/2018 23:00	0.0	0.0	2/1/2019 23:00	0.0	0.0	2/1/2020 23:00	0.0	0.0
2/2/2017 0:00	0.0		2/2/2018 0:00	0.0		2/2/2019 0:00	0.0		2/2/2020 0:00	0.0	
2/2/2017 1:00	0.0		2/2/2018 1:00	0.0		2/2/2019 1:00	0.0		2/2/2020 1:00	0.0	
2/2/2017 2:00	0.0		2/2/2018 2:00	0.0		2/2/2019 2:00	0.0		2/2/2020 2:00	0.0	
2/2/2017 3:00	0.0		2/2/2018 3:00	0.0		2/2/2019 3:00	0.0		2/2/2020 3:00	0.0	
2/2/2017 4:00	301.7		2/2/2018 4:00	0.0		2/2/2019 4:00	0.0		2/2/2020 4:00	0.0	
2/2/2017 5:00	85.2		2/2/2018 5:00	0.0		2/2/2019 5:00	0.0		2/2/2020 5:00	0.0	
2/2/2017 6:00	3615.6		2/2/2018 6:00	0.0		2/2/2019 6:00	0.0		2/2/2020 6:00	0.0	
2/2/2017 7:00	2533.9		2/2/2018 7:00	0.0		2/2/2019 7:00	0.0		2/2/2020 7:00	0.0	
2/2/2017 8:00	1522.2		2/2/2018 8:00	0.0		2/2/2019 8:00	0.0		2/2/2020 8:00	0.0	
2/2/2017 9:00	1071.2		2/2/2018 9:00	0.0		2/2/2019 9:00	0.0		2/2/2020 9:00	0.0	
2/2/2017 10:00	542.1		2/2/2018 10:00	0.0		2/2/2019 10:00	0.0		2/2/2020 10:00	0.0	
2/2/2017 11:00	1284.7		2/2/2018 11:00	0.0		2/2/2019 11:00	0.0		2/2/2020 11:00	0.0	
2/2/2017 12:00	70.0		2/2/2018 12:00	0.0		2/2/2019 12:00	0.0		2/2/2020 12:00	0.0	
2/2/2017 13:00	70.0		2/2/2018 13:00	0.0		2/2/2019 13:00	0.0		2/2/2020 13:00	0.0	
2/2/2017 14:00	69.5		2/2/2018 14:00	0.0		2/2/2019 14:00	0.0		2/2/2020 14:00	0.0	
2/2/2017 15:00	70.0		2/2/2018 15:00	0.0		2/2/2019 15:00	0.0		2/2/2020 15:00	0.0	
2/2/2017 16:00	70.0		2/2/2018 16:00	0.0		2/2/2019 16:00	0.0		2/2/2020 16:00	0.0	
2/2/2017 17:00	70.0		2/2/2018 17:00	0.0		2/2/2019 17:00	0.0		2/2/2020 17:00	0.0	
2/2/2017 18:00	69.9		2/2/2018 18:00	0.0		2/2/2019 18:00	0.0		2/2/2020 18:00	0.0	
2/2/2017 19:00	69.8		2/2/2018 19:00	0.0		2/2/2019 19:00	0.0		2/2/2020 19:00	0.0	
2/2/2017 20:00	69.7		2/2/2018 20:00	0.0		2/2/2019 20:00	0.0		2/2/2020 20:00	0.0	
2/2/2017 21:00	69.4		2/2/2018 21:00	0.0		2/2/2019 21:00	0.0		2/2/2020 21:00	0.0	
2/2/2017 22:00	69.4		2/2/2018 22:00	0.0		2/2/2019 22:00	0.0		2/2/2020 22:00	0.0	
2/2/2017 23:00	69.3	3615.6	2/2/2018 23:00	0.0	0.0	2/2/2019 23:00	0.0	0.0	2/2/2020 23:00	0.0	0.0

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/3/2017 0:00	69.3		2/3/2018 0:00	0.0		2/3/2019 0:00	0.0		2/3/2020 0:00	0.0	
2/3/2017 1:00	69.3		2/3/2018 1:00	0.0		2/3/2019 1:00	0.0		2/3/2020 1:00	0.0	
2/3/2017 2:00	69.3		2/3/2018 2:00	0.0		2/3/2019 2:00	0.0		2/3/2020 2:00	0.0	
2/3/2017 3:00	69.3		2/3/2018 3:00	0.0		2/3/2019 3:00	0.0		2/3/2020 3:00	0.0	
2/3/2017 4:00	69.3		2/3/2018 4:00	0.0		2/3/2019 4:00	0.0		2/3/2020 4:00	0.0	
2/3/2017 5:00	69.3		2/3/2018 5:00	0.0		2/3/2019 5:00	0.0		2/3/2020 5:00	0.0	
2/3/2017 6:00	69.3		2/3/2018 6:00	0.0		2/3/2019 6:00	0.0		2/3/2020 6:00	0.0	
2/3/2017 7:00	69.4		2/3/2018 7:00	0.0		2/3/2019 7:00	0.0		2/3/2020 7:00	0.0	
2/3/2017 8:00	69.3		2/3/2018 8:00	0.0		2/3/2019 8:00	0.0		2/3/2020 8:00	0.0	
2/3/2017 9:00	69.3		2/3/2018 9:00	0.0		2/3/2019 9:00	0.0		2/3/2020 9:00	0.0	
2/3/2017 10:00	69.3		2/3/2018 10:00	0.0		2/3/2019 10:00	0.0		2/3/2020 10:00	0.0	
2/3/2017 11:00	69.3		2/3/2018 11:00	0.0		2/3/2019 11:00	0.0		2/3/2020 11:00	0.0	
2/3/2017 12:00	69.3		2/3/2018 12:00	0.0		2/3/2019 12:00	0.0		2/3/2020 12:00	0.0	
2/3/2017 13:00	69.2		2/3/2018 13:00	0.0		2/3/2019 13:00	0.0		2/3/2020 13:00	0.0	
2/3/2017 14:00	69.2		2/3/2018 14:00	0.0		2/3/2019 14:00	0.0		2/3/2020 14:00	0.0	
2/3/2017 15:00	69.3		2/3/2018 15:00	0.0		2/3/2019 15:00	0.0		2/3/2020 15:00	0.0	
2/3/2017 16:00	69.3		2/3/2018 16:00	0.0		2/3/2019 16:00	0.0		2/3/2020 16:00	0.0	
2/3/2017 17:00	69.3		2/3/2018 17:00	0.0		2/3/2019 17:00	0.0		2/3/2020 17:00	0.0	
2/3/2017 18:00	69.2		2/3/2018 18:00	0.0		2/3/2019 18:00	0.0		2/3/2020 18:00	0.0	
2/3/2017 19:00	69.3		2/3/2018 19:00	0.0		2/3/2019 19:00	141.0		2/3/2020 19:00	0.0	
2/3/2017 20:00	69.2		2/3/2018 20:00	0.0		2/3/2019 20:00	0.0		2/3/2020 20:00	0.0	
2/3/2017 21:00	69.1		2/3/2018 21:00	0.0		2/3/2019 21:00	0.0		2/3/2020 21:00	0.0	
2/3/2017 22:00	69.1		2/3/2018 22:00	0.0		2/3/2019 22:00	0.0		2/3/2020 22:00	0.0	
2/3/2017 23:00	69.2	69.4	2/3/2018 23:00	0.0	0.0	2/3/2019 23:00	0.0	141.0	2/3/2020 23:00	0.0	0.0
2/4/2017 0:00	69.0		2/4/2018 0:00	0.0		2/4/2019 0:00	0.0		2/4/2020 0:00	0.0	
2/4/2017 1:00	68.4		2/4/2018 1:00	0.0		2/4/2019 1:00	0.0		2/4/2020 1:00	0.0	
2/4/2017 2:00	68.4		2/4/2018 2:00	0.0		2/4/2019 2:00	0.0		2/4/2020 2:00	0.0	
2/4/2017 3:00	68.4		2/4/2018 3:00	0.0		2/4/2019 3:00	0.0		2/4/2020 3:00	0.0	
2/4/2017 4:00	68.7		2/4/2018 4:00	0.0		2/4/2019 4:00	0.0		2/4/2020 4:00	0.0	
2/4/2017 5:00	68.8		2/4/2018 5:00	0.0		2/4/2019 5:00	0.0		2/4/2020 5:00	0.0	
2/4/2017 6:00	68.5		2/4/2018 6:00	0.0		2/4/2019 6:00	0.0		2/4/2020 6:00	0.0	
2/4/2017 7:00	68.4		2/4/2018 7:00	0.0		2/4/2019 7:00	0.0		2/4/2020 7:00	0.0	
2/4/2017 8:00	69.1		2/4/2018 8:00	0.0		2/4/2019 8:00	0.0		2/4/2020 8:00	0.0	
2/4/2017 9:00	69.3		2/4/2018 9:00	0.0		2/4/2019 9:00	0.0		2/4/2020 9:00	0.0	
2/4/2017 10:00	69.1		2/4/2018 10:00	0.0		2/4/2019 10:00	0.0		2/4/2020 10:00	0.0	
2/4/2017 11:00	68.9		2/4/2018 11:00	0.0		2/4/2019 11:00	0.0		2/4/2020 11:00	0.0	
2/4/2017 12:00	68.3		2/4/2018 12:00	0.0		2/4/2019 12:00	0.0		2/4/2020 12:00	0.0	
2/4/2017 13:00	68.3		2/4/2018 13:00	0.0		2/4/2019 13:00	0.0		2/4/2020 13:00	0.0	
2/4/2017 14:00	68.3		2/4/2018 14:00	0.0		2/4/2019 14:00	0.0		2/4/2020 14:00	0.0	
2/4/2017 15:00	68.3		2/4/2018 15:00	0.0		2/4/2019 15:00	0.0		2/4/2020 15:00	0.0	
2/4/2017 16:00	68.3		2/4/2018 16:00	0.0		2/4/2019 16:00	0.0		2/4/2020 16:00	0.0	
2/4/2017 17:00	68.3		2/4/2018 17:00	0.0		2/4/2019 17:00	0.0		2/4/2020 17:00	0.0	
2/4/2017 18:00	68.3		2/4/2018 18:00	0.0		2/4/2019 18:00	0.0		2/4/2020 18:00	0.0	
2/4/2017 19:00	68.3		2/4/2018 19:00	0.0		2/4/2019 19:00	0.0		2/4/2020 19:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/4/2017 20:00	68.3		2/4/2018 20:00	0.0		2/4/2019 20:00	0.0		2/4/2020 20:00	0.0	
2/4/2017 21:00	68.3		2/4/2018 21:00	0.0		2/4/2019 21:00	0.0		2/4/2020 21:00	0.0	
2/4/2017 22:00	68.2		2/4/2018 22:00	0.0		2/4/2019 22:00	0.0		2/4/2020 22:00	0.0	
2/4/2017 23:00	67.6	69.3	2/4/2018 23:00	0.0	0.0	2/4/2019 23:00	0.0	0.0	2/4/2020 23:00	0.0	0.0
2/5/2017 0:00	67.6		2/5/2018 0:00	0.0		2/5/2019 0:00	0.0		2/5/2020 0:00	0.0	
2/5/2017 1:00	67.6		2/5/2018 1:00	0.0		2/5/2019 1:00	0.0		2/5/2020 1:00	0.0	
2/5/2017 2:00	70.1		2/5/2018 2:00	0.0		2/5/2019 2:00	0.0		2/5/2020 2:00	0.0	
2/5/2017 3:00	67.6		2/5/2018 3:00	0.0		2/5/2019 3:00	0.0		2/5/2020 3:00	0.0	
2/5/2017 4:00	67.6		2/5/2018 4:00	0.0		2/5/2019 4:00	0.0		2/5/2020 4:00	0.0	
2/5/2017 5:00	67.6		2/5/2018 5:00	0.0		2/5/2019 5:00	0.0		2/5/2020 5:00	0.0	
2/5/2017 6:00	67.3		2/5/2018 6:00	0.0		2/5/2019 6:00	0.0		2/5/2020 6:00	0.0	
2/5/2017 7:00	67.5		2/5/2018 7:00	0.0		2/5/2019 7:00	0.0		2/5/2020 7:00	0.0	
2/5/2017 8:00	67.5		2/5/2018 8:00	0.0		2/5/2019 8:00	0.0		2/5/2020 8:00	0.0	
2/5/2017 9:00	67.0		2/5/2018 9:00	0.0		2/5/2019 9:00	0.0		2/5/2020 9:00	0.0	
2/5/2017 10:00	66.9		2/5/2018 10:00	0.0		2/5/2019 10:00	0.0		2/5/2020 10:00	0.0	
2/5/2017 11:00	67.1		2/5/2018 11:00	0.0		2/5/2019 11:00	0.0		2/5/2020 11:00	0.0	
2/5/2017 12:00	66.9		2/5/2018 12:00	0.0		2/5/2019 12:00	0.0		2/5/2020 12:00	0.0	
2/5/2017 13:00	66.9		2/5/2018 13:00	0.0		2/5/2019 13:00	0.0		2/5/2020 13:00	0.0	
2/5/2017 14:00	66.9		2/5/2018 14:00	0.0		2/5/2019 14:00	0.0		2/5/2020 14:00	0.0	
2/5/2017 15:00	67.0		2/5/2018 15:00	0.0		2/5/2019 15:00	0.0		2/5/2020 15:00	0.0	
2/5/2017 16:00	66.9		2/5/2018 16:00	0.0		2/5/2019 16:00	0.0		2/5/2020 16:00	0.0	
2/5/2017 17:00	66.9		2/5/2018 17:00	0.0		2/5/2019 17:00	0.0		2/5/2020 17:00	0.0	
2/5/2017 18:00	66.9		2/5/2018 18:00	0.0		2/5/2019 18:00	0.0		2/5/2020 18:00	0.0	
2/5/2017 19:00	66.9		2/5/2018 19:00	0.0		2/5/2019 19:00	0.0		2/5/2020 19:00	0.0	
2/5/2017 20:00	66.9		2/5/2018 20:00	0.0		2/5/2019 20:00	0.0		2/5/2020 20:00	0.0	
2/5/2017 21:00	66.9		2/5/2018 21:00	0.0		2/5/2019 21:00	0.0		2/5/2020 21:00	0.0	
2/5/2017 22:00	66.9		2/5/2018 22:00	0.0		2/5/2019 22:00	0.0		2/5/2020 22:00	0.0	
2/5/2017 23:00	66.9	70.1	2/5/2018 23:00	0.0	0.0	2/5/2019 23:00	0.0	0.0	2/5/2020 23:00	0.0	0.0
2/6/2017 0:00	66.9		2/6/2018 0:00	0.0		2/6/2019 0:00	0.0		2/6/2020 0:00	0.0	
2/6/2017 1:00	66.9		2/6/2018 1:00	0.0		2/6/2019 1:00	0.0		2/6/2020 1:00	0.0	
2/6/2017 2:00	66.9		2/6/2018 2:00	0.0		2/6/2019 2:00	0.0		2/6/2020 2:00	0.0	
2/6/2017 3:00	67.0		2/6/2018 3:00	0.0		2/6/2019 3:00	0.0		2/6/2020 3:00	0.0	
2/6/2017 4:00	67.3		2/6/2018 4:00	0.0		2/6/2019 4:00	0.0		2/6/2020 4:00	0.0	
2/6/2017 5:00	67.0		2/6/2018 5:00	0.0		2/6/2019 5:00	0.0		2/6/2020 5:00	0.0	
2/6/2017 6:00	67.2		2/6/2018 6:00	0.0		2/6/2019 6:00	0.0		2/6/2020 6:00	0.0	
2/6/2017 7:00	67.6		2/6/2018 7:00	0.0		2/6/2019 7:00	0.0		2/6/2020 7:00	0.0	
2/6/2017 8:00	67.9		2/6/2018 8:00	0.0		2/6/2019 8:00	0.0		2/6/2020 8:00	0.0	
2/6/2017 9:00	67.6		2/6/2018 9:00	0.0		2/6/2019 9:00	0.0		2/6/2020 9:00	0.0	
2/6/2017 10:00	67.6		2/6/2018 10:00	0.0		2/6/2019 10:00	0.0		2/6/2020 10:00	0.0	
2/6/2017 11:00	67.5		2/6/2018 11:00	0.0		2/6/2019 11:00	0.0		2/6/2020 11:00	0.0	
2/6/2017 12:00	67.6		2/6/2018 12:00	0.0		2/6/2019 12:00	0.0		2/6/2020 12:00	0.0	
2/6/2017 13:00	67.6		2/6/2018 13:00	0.0		2/6/2019 13:00	0.0		2/6/2020 13:00	0.0	
2/6/2017 14:00	67.6		2/6/2018 14:00	0.0		2/6/2019 14:00	0.0		2/6/2020 14:00	0.0	
2/6/2017 15:00	67.6		2/6/2018 15:00	0.0		2/6/2019 15:00	0.0		2/6/2020 15:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/6/2017 16:00	67.5		2/6/2018 16:00	0.0		2/6/2019 16:00	0.0		2/6/2020 16:00	0.0	
2/6/2017 17:00	0.0		2/6/2018 17:00	0.0		2/6/2019 17:00	0.0		2/6/2020 17:00	0.0	
2/6/2017 18:00	0.0		2/6/2018 18:00	0.0		2/6/2019 18:00	0.0		2/6/2020 18:00	0.0	
2/6/2017 19:00	0.0		2/6/2018 19:00	0.0		2/6/2019 19:00	0.0		2/6/2020 19:00	0.0	
2/6/2017 20:00	0.0		2/6/2018 20:00	0.0		2/6/2019 20:00	0.0		2/6/2020 20:00	0.0	
2/6/2017 21:00	0.0		2/6/2018 21:00	0.0		2/6/2019 21:00	0.0		2/6/2020 21:00	0.0	
2/6/2017 22:00	0.0		2/6/2018 22:00	0.0		2/6/2019 22:00	0.0		2/6/2020 22:00	0.0	
2/6/2017 23:00	0.0	67.9	2/6/2018 23:00	0.0	0.0	2/6/2019 23:00	0.0	0.0	2/6/2020 23:00	0.0	0.0
2/7/2017 0:00	0.0		2/7/2018 0:00	0.0		2/7/2019 0:00	0.0		2/7/2020 0:00	0.0	
2/7/2017 1:00	0.0		2/7/2018 1:00	0.0		2/7/2019 1:00	0.0		2/7/2020 1:00	0.0	
2/7/2017 2:00	0.0		2/7/2018 2:00	0.0		2/7/2019 2:00	0.0		2/7/2020 2:00	0.0	
2/7/2017 3:00	0.0		2/7/2018 3:00	0.0		2/7/2019 3:00	0.0		2/7/2020 3:00	0.0	
2/7/2017 4:00	0.0		2/7/2018 4:00	0.0		2/7/2019 4:00	0.0		2/7/2020 4:00	0.0	
2/7/2017 5:00	0.0		2/7/2018 5:00	0.0		2/7/2019 5:00	0.0		2/7/2020 5:00	0.0	
2/7/2017 6:00	0.0		2/7/2018 6:00	0.0		2/7/2019 6:00	0.0		2/7/2020 6:00	0.0	
2/7/2017 7:00	0.0		2/7/2018 7:00	0.0		2/7/2019 7:00	0.0		2/7/2020 7:00	0.0	
2/7/2017 8:00	0.0		2/7/2018 8:00	0.0		2/7/2019 8:00	0.0		2/7/2020 8:00	0.0	
2/7/2017 9:00	0.0		2/7/2018 9:00	0.0		2/7/2019 9:00	0.0		2/7/2020 9:00	0.0	
2/7/2017 10:00	0.0		2/7/2018 10:00	0.0		2/7/2019 10:00	0.0		2/7/2020 10:00	0.0	
2/7/2017 11:00	0.0		2/7/2018 11:00	0.0		2/7/2019 11:00	0.0		2/7/2020 11:00	0.0	
2/7/2017 12:00	0.0		2/7/2018 12:00	0.0		2/7/2019 12:00	0.0		2/7/2020 12:00	0.0	
2/7/2017 13:00	0.0		2/7/2018 13:00	0.0		2/7/2019 13:00	0.0		2/7/2020 13:00	0.0	
2/7/2017 14:00	0.0		2/7/2018 14:00	0.0		2/7/2019 14:00	0.0		2/7/2020 14:00	0.0	
2/7/2017 15:00	0.0		2/7/2018 15:00	0.0		2/7/2019 15:00	0.0		2/7/2020 15:00	0.0	
2/7/2017 16:00	0.0		2/7/2018 16:00	0.0		2/7/2019 16:00	0.0		2/7/2020 16:00	0.0	
2/7/2017 17:00	0.0		2/7/2018 17:00	0.0		2/7/2019 17:00	0.0		2/7/2020 17:00	0.0	
2/7/2017 18:00	0.0		2/7/2018 18:00	0.0		2/7/2019 18:00	0.0		2/7/2020 18:00	0.0	
2/7/2017 19:00	0.0		2/7/2018 19:00	0.0		2/7/2019 19:00	0.0		2/7/2020 19:00	0.0	
2/7/2017 20:00	0.0		2/7/2018 20:00	0.0		2/7/2019 20:00	0.0		2/7/2020 20:00	0.0	
2/7/2017 21:00	0.0		2/7/2018 21:00	0.0		2/7/2019 21:00	0.0		2/7/2020 21:00	0.0	
2/7/2017 22:00	0.0		2/7/2018 22:00	0.0		2/7/2019 22:00	0.0		2/7/2020 22:00	0.0	
2/7/2017 23:00	0.0	0.0	2/7/2018 23:00	0.0	0.0	2/7/2019 23:00	0.0	0.0	2/7/2020 23:00	0.0	0.0
2/8/2017 0:00	0.0		2/8/2018 0:00	0.0		2/8/2019 0:00	0.0		2/8/2020 0:00	0.0	
2/8/2017 1:00	0.0		2/8/2018 1:00	0.0		2/8/2019 1:00	0.0		2/8/2020 1:00	0.0	
2/8/2017 2:00	0.0		2/8/2018 2:00	0.0		2/8/2019 2:00	0.0		2/8/2020 2:00	0.0	
2/8/2017 3:00	0.0		2/8/2018 3:00	0.0		2/8/2019 3:00	0.0		2/8/2020 3:00	0.0	
2/8/2017 4:00	0.0		2/8/2018 4:00	0.0		2/8/2019 4:00	0.0		2/8/2020 4:00	0.0	
2/8/2017 5:00	0.0		2/8/2018 5:00	0.0		2/8/2019 5:00	0.0		2/8/2020 5:00	0.0	
2/8/2017 6:00	0.0		2/8/2018 6:00	0.0		2/8/2019 6:00	0.0		2/8/2020 6:00	0.0	
2/8/2017 7:00	0.0		2/8/2018 7:00	0.0		2/8/2019 7:00	0.0		2/8/2020 7:00	0.0	
2/8/2017 8:00	0.0		2/8/2018 8:00	0.0		2/8/2019 8:00	0.0		2/8/2020 8:00	0.0	
2/8/2017 9:00	0.0		2/8/2018 9:00	0.0		2/8/2019 9:00	0.0		2/8/2020 9:00	0.0	
2/8/2017 10:00	0.0		2/8/2018 10:00	0.0		2/8/2019 10:00	0.0		2/8/2020 10:00	0.0	
2/8/2017 11:00	0.0		2/8/2018 11:00	0.0		2/8/2019 11:00	0.0		2/8/2020 11:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/8/2017 12:00	0.0		2/8/2018 12:00	0.0		2/8/2019 12:00	0.0		2/8/2020 12:00	0.0	
2/8/2017 13:00	0.0		2/8/2018 13:00	0.0		2/8/2019 13:00	0.0		2/8/2020 13:00	0.0	
2/8/2017 14:00	0.0		2/8/2018 14:00	0.0		2/8/2019 14:00	0.0		2/8/2020 14:00	0.0	
2/8/2017 15:00	0.0		2/8/2018 15:00	0.0		2/8/2019 15:00	0.0		2/8/2020 15:00	0.0	
2/8/2017 16:00	0.0		2/8/2018 16:00	0.0		2/8/2019 16:00	0.0		2/8/2020 16:00	0.0	
2/8/2017 17:00	0.0		2/8/2018 17:00	0.0		2/8/2019 17:00	0.0		2/8/2020 17:00	0.0	
2/8/2017 18:00	0.0		2/8/2018 18:00	0.0		2/8/2019 18:00	0.0		2/8/2020 18:00	0.0	
2/8/2017 19:00	0.0		2/8/2018 19:00	0.0		2/8/2019 19:00	0.0		2/8/2020 19:00	0.0	
2/8/2017 20:00	0.0		2/8/2018 20:00	0.0		2/8/2019 20:00	0.0		2/8/2020 20:00	0.0	
2/8/2017 21:00	0.0		2/8/2018 21:00	0.0		2/8/2019 21:00	0.0		2/8/2020 21:00	0.0	
2/8/2017 22:00	0.0		2/8/2018 22:00	0.0		2/8/2019 22:00	0.0		2/8/2020 22:00	0.0	
2/8/2017 23:00	0.0	0.0	2/8/2018 23:00	0.0	0.0	2/8/2019 23:00	0.0	0.0	2/8/2020 23:00	0.0	0.0
2/9/2017 0:00	0.0		2/9/2018 0:00	0.0		2/9/2019 0:00	0.0		2/9/2020 0:00	0.0	
2/9/2017 1:00	0.0		2/9/2018 1:00	0.0		2/9/2019 1:00	0.0		2/9/2020 1:00	0.0	
2/9/2017 2:00	0.0		2/9/2018 2:00	0.0		2/9/2019 2:00	0.0		2/9/2020 2:00	0.0	
2/9/2017 3:00	0.0		2/9/2018 3:00	0.0		2/9/2019 3:00	0.0		2/9/2020 3:00	0.0	
2/9/2017 4:00	0.0		2/9/2018 4:00	0.0		2/9/2019 4:00	0.0		2/9/2020 4:00	0.0	
2/9/2017 5:00	0.0		2/9/2018 5:00	0.0		2/9/2019 5:00	0.0		2/9/2020 5:00	0.0	
2/9/2017 6:00	0.0		2/9/2018 6:00	0.0		2/9/2019 6:00	0.0		2/9/2020 6:00	0.0	
2/9/2017 7:00	0.0		2/9/2018 7:00	0.0		2/9/2019 7:00	0.0		2/9/2020 7:00	0.0	
2/9/2017 8:00	0.0		2/9/2018 8:00	0.0		2/9/2019 8:00	0.0		2/9/2020 8:00	0.0	
2/9/2017 9:00	0.0		2/9/2018 9:00	0.0		2/9/2019 9:00	0.0		2/9/2020 9:00	0.0	
2/9/2017 10:00	0.0		2/9/2018 10:00	0.0		2/9/2019 10:00	0.0		2/9/2020 10:00	0.0	
2/9/2017 11:00	0.0		2/9/2018 11:00	0.0		2/9/2019 11:00	0.0		2/9/2020 11:00	0.0	
2/9/2017 12:00	0.0		2/9/2018 12:00	0.0		2/9/2019 12:00	0.0		2/9/2020 12:00	0.0	
2/9/2017 13:00	0.0		2/9/2018 13:00	0.0		2/9/2019 13:00	0.0		2/9/2020 13:00	0.0	
2/9/2017 14:00	0.0		2/9/2018 14:00	0.0		2/9/2019 14:00	0.0		2/9/2020 14:00	0.0	
2/9/2017 15:00	0.0		2/9/2018 15:00	0.0		2/9/2019 15:00	0.0		2/9/2020 15:00	0.0	
2/9/2017 16:00	0.0		2/9/2018 16:00	0.0		2/9/2019 16:00	0.0		2/9/2020 16:00	0.0	
2/9/2017 17:00	0.0		2/9/2018 17:00	0.0		2/9/2019 17:00	0.0		2/9/2020 17:00	0.0	
2/9/2017 18:00	0.0		2/9/2018 18:00	0.0		2/9/2019 18:00	0.0		2/9/2020 18:00	0.0	
2/9/2017 19:00	0.0		2/9/2018 19:00	0.0		2/9/2019 19:00	0.0		2/9/2020 19:00	0.0	
2/9/2017 20:00	0.0		2/9/2018 20:00	0.0		2/9/2019 20:00	0.0		2/9/2020 20:00	0.0	
2/9/2017 21:00	0.0		2/9/2018 21:00	0.0		2/9/2019 21:00	0.0		2/9/2020 21:00	0.0	
2/9/2017 22:00	0.0		2/9/2018 22:00	0.0		2/9/2019 22:00	0.0		2/9/2020 22:00	0.0	
2/9/2017 23:00	0.0	0.0	2/9/2018 23:00	0.0	0.0	2/9/2019 23:00	0.0	0.0	2/9/2020 23:00	0.0	0.0
2/10/2017 0:00	0.0		2/10/2018 0:00	0.0		2/10/2019 0:00	0.0		2/10/2020 0:00	0.0	
2/10/2017 1:00	0.0		2/10/2018 1:00	0.0		2/10/2019 1:00	0.0		2/10/2020 1:00	0.0	
2/10/2017 2:00	0.0		2/10/2018 2:00	0.0		2/10/2019 2:00	0.0		2/10/2020 2:00	0.0	
2/10/2017 3:00	0.0		2/10/2018 3:00	0.0		2/10/2019 3:00	0.0		2/10/2020 3:00	0.0	
2/10/2017 4:00	0.0		2/10/2018 4:00	0.0		2/10/2019 4:00	0.0		2/10/2020 4:00	0.0	
2/10/2017 5:00	0.0		2/10/2018 5:00	0.0		2/10/2019 5:00	0.0		2/10/2020 5:00	0.0	
2/10/2017 6:00	0.0		2/10/2018 6:00	0.0		2/10/2019 6:00	0.0		2/10/2020 6:00	0.0	
2/10/2017 7:00	0.0		2/10/2018 7:00	0.0		2/10/2019 7:00	0.0		2/10/2020 7:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/10/2017 8:00	0.0		2/10/2018 8:00	0.0		2/10/2019 8:00	0.0		2/10/2020 8:00	0.0	
2/10/2017 9:00	0.0		2/10/2018 9:00	0.0		2/10/2019 9:00	0.0		2/10/2020 9:00	0.0	
2/10/2017 10:00	0.0		2/10/2018 10:00	0.0		2/10/2019 10:00	0.0		2/10/2020 10:00	0.0	
2/10/2017 11:00	0.0		2/10/2018 11:00	0.0		2/10/2019 11:00	0.0		2/10/2020 11:00	0.0	
2/10/2017 12:00	0.0		2/10/2018 12:00	0.0		2/10/2019 12:00	0.0		2/10/2020 12:00	0.0	
2/10/2017 13:00	0.0		2/10/2018 13:00	0.0		2/10/2019 13:00	0.0		2/10/2020 13:00	0.0	
2/10/2017 14:00	0.0		2/10/2018 14:00	0.0		2/10/2019 14:00	0.0		2/10/2020 14:00	0.0	
2/10/2017 15:00	0.0		2/10/2018 15:00	0.0		2/10/2019 15:00	0.0		2/10/2020 15:00	0.0	
2/10/2017 16:00	0.0		2/10/2018 16:00	0.0		2/10/2019 16:00	0.0		2/10/2020 16:00	0.0	
2/10/2017 17:00	0.0		2/10/2018 17:00	0.0		2/10/2019 17:00	0.0		2/10/2020 17:00	0.0	
2/10/2017 18:00	0.0		2/10/2018 18:00	0.0		2/10/2019 18:00	0.0		2/10/2020 18:00	0.0	
2/10/2017 19:00	0.0		2/10/2018 19:00	0.0		2/10/2019 19:00	0.0		2/10/2020 19:00	0.0	
2/10/2017 20:00	0.0		2/10/2018 20:00	0.0		2/10/2019 20:00	0.0		2/10/2020 20:00	0.0	
2/10/2017 21:00	0.0		2/10/2018 21:00	0.0		2/10/2019 21:00	0.0		2/10/2020 21:00	0.0	
2/10/2017 22:00	0.0		2/10/2018 22:00	0.0		2/10/2019 22:00	0.0		2/10/2020 22:00	0.0	
2/10/2017 23:00	0.0	0.0	2/10/2018 23:00	0.0	0.0	2/10/2019 23:00	0.0	0.0	2/10/2020 23:00	0.0	0.0
2/11/2017 0:00	0.0		2/11/2018 0:00	0.0		2/11/2019 0:00	0.0		2/11/2020 0:00	0.0	
2/11/2017 1:00	0.0		2/11/2018 1:00	0.0		2/11/2019 1:00	0.0		2/11/2020 1:00	0.0	
2/11/2017 2:00	0.0		2/11/2018 2:00	0.0		2/11/2019 2:00	0.0		2/11/2020 2:00	0.0	
2/11/2017 3:00	0.0		2/11/2018 3:00	0.0		2/11/2019 3:00	0.0		2/11/2020 3:00	0.0	
2/11/2017 4:00	0.0		2/11/2018 4:00	0.0		2/11/2019 4:00	0.0		2/11/2020 4:00	0.0	
2/11/2017 5:00	0.0		2/11/2018 5:00	0.0		2/11/2019 5:00	0.0		2/11/2020 5:00	0.0	
2/11/2017 6:00	0.0		2/11/2018 6:00	0.0		2/11/2019 6:00	0.0		2/11/2020 6:00	0.0	
2/11/2017 7:00	0.0		2/11/2018 7:00	0.0		2/11/2019 7:00	0.0		2/11/2020 7:00	0.0	
2/11/2017 8:00	0.0		2/11/2018 8:00	0.0		2/11/2019 8:00	0.0		2/11/2020 8:00	0.0	
2/11/2017 9:00	0.0		2/11/2018 9:00	0.0		2/11/2019 9:00	0.0		2/11/2020 9:00	0.0	
2/11/2017 10:00	0.0		2/11/2018 10:00	0.0		2/11/2019 10:00	0.0		2/11/2020 10:00	0.0	
2/11/2017 11:00	0.0		2/11/2018 11:00	0.0		2/11/2019 11:00	0.0		2/11/2020 11:00	0.0	
2/11/2017 12:00	0.0		2/11/2018 12:00	0.0		2/11/2019 12:00	0.0		2/11/2020 12:00	0.0	
2/11/2017 13:00	0.0		2/11/2018 13:00	0.0		2/11/2019 13:00	0.0		2/11/2020 13:00	0.0	
2/11/2017 14:00	0.0		2/11/2018 14:00	0.0		2/11/2019 14:00	0.0		2/11/2020 14:00	0.0	
2/11/2017 15:00	0.0		2/11/2018 15:00	0.0		2/11/2019 15:00	0.0		2/11/2020 15:00	0.0	
2/11/2017 16:00	0.0		2/11/2018 16:00	0.0		2/11/2019 16:00	0.0		2/11/2020 16:00	0.0	
2/11/2017 17:00	0.0		2/11/2018 17:00	0.0		2/11/2019 17:00	0.0		2/11/2020 17:00	0.0	
2/11/2017 18:00	0.0		2/11/2018 18:00	0.0		2/11/2019 18:00	0.0		2/11/2020 18:00	0.0	
2/11/2017 19:00	0.0		2/11/2018 19:00	0.0		2/11/2019 19:00	0.0		2/11/2020 19:00	0.0	
2/11/2017 20:00	0.0		2/11/2018 20:00	0.0		2/11/2019 20:00	0.0		2/11/2020 20:00	0.0	
2/11/2017 21:00	0.0		2/11/2018 21:00	0.0		2/11/2019 21:00	0.0		2/11/2020 21:00	0.0	
2/11/2017 22:00	0.0		2/11/2018 22:00	0.0		2/11/2019 22:00	0.0		2/11/2020 22:00	0.0	
2/11/2017 23:00	0.0	0.0	2/11/2018 23:00	0.0	0.0	2/11/2019 23:00	0.0	0.0	2/11/2020 23:00	0.0	0.0
2/12/2017 0:00	0.0		2/12/2018 0:00	0.0		2/12/2019 0:00	0.0		2/12/2020 0:00	0.0	
2/12/2017 1:00	0.0		2/12/2018 1:00	0.0		2/12/2019 1:00	0.0		2/12/2020 1:00	0.0	
2/12/2017 2:00	0.0		2/12/2018 2:00	0.0		2/12/2019 2:00	0.0		2/12/2020 2:00	0.0	
2/12/2017 3:00	0.0		2/12/2018 3:00	0.0		2/12/2019 3:00	0.0		2/12/2020 3:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/12/2017 4:00	0.0		2/12/2018 4:00	0.0		2/12/2019 4:00	0.0		2/12/2020 4:00	0.0	
2/12/2017 5:00	0.0		2/12/2018 5:00	0.0		2/12/2019 5:00	0.0		2/12/2020 5:00	0.0	
2/12/2017 6:00	0.0		2/12/2018 6:00	0.0		2/12/2019 6:00	0.0		2/12/2020 6:00	0.0	
2/12/2017 7:00	0.0		2/12/2018 7:00	0.0		2/12/2019 7:00	0.0		2/12/2020 7:00	0.0	
2/12/2017 8:00	0.0		2/12/2018 8:00	0.0		2/12/2019 8:00	0.0		2/12/2020 8:00	0.0	
2/12/2017 9:00	0.0		2/12/2018 9:00	0.0		2/12/2019 9:00	0.0		2/12/2020 9:00	0.0	
2/12/2017 10:00	0.0		2/12/2018 10:00	0.0		2/12/2019 10:00	0.0		2/12/2020 10:00	0.0	
2/12/2017 11:00	0.0		2/12/2018 11:00	0.0		2/12/2019 11:00	0.0		2/12/2020 11:00	0.0	
2/12/2017 12:00	0.0		2/12/2018 12:00	0.0		2/12/2019 12:00	0.0		2/12/2020 12:00	0.0	
2/12/2017 13:00	0.0		2/12/2018 13:00	0.0		2/12/2019 13:00	0.0		2/12/2020 13:00	0.0	
2/12/2017 14:00	0.0		2/12/2018 14:00	0.0		2/12/2019 14:00	0.0		2/12/2020 14:00	0.0	
2/12/2017 15:00	0.0		2/12/2018 15:00	0.0		2/12/2019 15:00	0.0		2/12/2020 15:00	0.0	
2/12/2017 16:00	0.0		2/12/2018 16:00	0.0		2/12/2019 16:00	0.0		2/12/2020 16:00	0.0	
2/12/2017 17:00	0.0		2/12/2018 17:00	0.0		2/12/2019 17:00	0.0		2/12/2020 17:00	0.0	
2/12/2017 18:00	0.0		2/12/2018 18:00	0.0		2/12/2019 18:00	0.0		2/12/2020 18:00	0.0	
2/12/2017 19:00	0.0		2/12/2018 19:00	0.0		2/12/2019 19:00	0.0		2/12/2020 19:00	0.0	
2/12/2017 20:00	0.0		2/12/2018 20:00	0.0		2/12/2019 20:00	0.0		2/12/2020 20:00	0.0	
2/12/2017 21:00	0.0		2/12/2018 21:00	0.0		2/12/2019 21:00	0.0		2/12/2020 21:00	0.0	
2/12/2017 22:00	0.0		2/12/2018 22:00	0.0		2/12/2019 22:00	0.0		2/12/2020 22:00	0.0	
2/12/2017 23:00	0.0	0.0	2/12/2018 23:00	0.0	0.0	2/12/2019 23:00	0.0	0.0	2/12/2020 23:00	0.0	0.0
2/13/2017 0:00	0.0		2/13/2018 0:00	0.0		2/13/2019 0:00	0.0		2/13/2020 0:00	0.0	
2/13/2017 1:00	0.0		2/13/2018 1:00	0.0		2/13/2019 1:00	0.0		2/13/2020 1:00	0.0	
2/13/2017 2:00	0.0		2/13/2018 2:00	0.0		2/13/2019 2:00	0.0		2/13/2020 2:00	0.0	
2/13/2017 3:00	0.0		2/13/2018 3:00	0.0		2/13/2019 3:00	0.0		2/13/2020 3:00	0.0	
2/13/2017 4:00	0.0		2/13/2018 4:00	0.0		2/13/2019 4:00	0.0		2/13/2020 4:00	0.0	
2/13/2017 5:00	0.0		2/13/2018 5:00	0.0		2/13/2019 5:00	0.0		2/13/2020 5:00	0.0	
2/13/2017 6:00	0.0		2/13/2018 6:00	0.0		2/13/2019 6:00	0.0		2/13/2020 6:00	0.0	
2/13/2017 7:00	0.0		2/13/2018 7:00	0.0		2/13/2019 7:00	0.0		2/13/2020 7:00	0.0	
2/13/2017 8:00	0.0		2/13/2018 8:00	0.0		2/13/2019 8:00	0.0		2/13/2020 8:00	0.0	
2/13/2017 9:00	0.0		2/13/2018 9:00	0.0		2/13/2019 9:00	0.0		2/13/2020 9:00	0.0	
2/13/2017 10:00	0.0		2/13/2018 10:00	0.0		2/13/2019 10:00	0.0		2/13/2020 10:00	0.0	
2/13/2017 11:00	0.0		2/13/2018 11:00	0.0		2/13/2019 11:00	0.0		2/13/2020 11:00	0.0	
2/13/2017 12:00	0.0		2/13/2018 12:00	0.0		2/13/2019 12:00	0.0		2/13/2020 12:00	0.0	
2/13/2017 13:00	0.0		2/13/2018 13:00	0.0		2/13/2019 13:00	0.0		2/13/2020 13:00	0.0	
2/13/2017 14:00	0.0		2/13/2018 14:00	0.0		2/13/2019 14:00	0.0		2/13/2020 14:00	0.0	
2/13/2017 15:00	0.0		2/13/2018 15:00	0.0		2/13/2019 15:00	0.0		2/13/2020 15:00	0.0	
2/13/2017 16:00	0.0		2/13/2018 16:00	0.0		2/13/2019 16:00	0.0		2/13/2020 16:00	0.0	
2/13/2017 17:00	0.0		2/13/2018 17:00	0.0		2/13/2019 17:00	0.0		2/13/2020 17:00	0.0	
2/13/2017 18:00	0.0		2/13/2018 18:00	0.0		2/13/2019 18:00	0.0		2/13/2020 18:00	0.0	
2/13/2017 19:00	0.0		2/13/2018 19:00	0.0		2/13/2019 19:00	0.0		2/13/2020 19:00	0.0	
2/13/2017 20:00	0.0		2/13/2018 20:00	0.0		2/13/2019 20:00	0.0		2/13/2020 20:00	0.0	
2/13/2017 21:00	0.0		2/13/2018 21:00	0.0		2/13/2019 21:00	0.0		2/13/2020 21:00	0.0	
2/13/2017 22:00	0.0		2/13/2018 22:00	0.0		2/13/2019 22:00	0.0		2/13/2020 22:00	0.0	
2/13/2017 23:00	0.0	0.0	2/13/2018 23:00	0.0	0.0	2/13/2019 23:00	0.0	0.0	2/13/2020 23:00	0.0	0.0

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/14/2017 0:00	0.0		2/14/2018 0:00	0.0		2/14/2019 0:00	0.0		2/14/2020 0:00	0.0	
2/14/2017 1:00	0.0		2/14/2018 1:00	0.0		2/14/2019 1:00	0.0		2/14/2020 1:00	0.0	
2/14/2017 2:00	0.0		2/14/2018 2:00	0.0		2/14/2019 2:00	0.0		2/14/2020 2:00	0.0	
2/14/2017 3:00	0.0		2/14/2018 3:00	0.0		2/14/2019 3:00	0.0		2/14/2020 3:00	0.0	
2/14/2017 4:00	0.0		2/14/2018 4:00	0.0		2/14/2019 4:00	0.0		2/14/2020 4:00	0.0	
2/14/2017 5:00	0.0		2/14/2018 5:00	0.0		2/14/2019 5:00	0.0		2/14/2020 5:00	0.0	
2/14/2017 6:00	0.0		2/14/2018 6:00	0.0		2/14/2019 6:00	0.0		2/14/2020 6:00	0.0	
2/14/2017 7:00	0.0		2/14/2018 7:00	0.0		2/14/2019 7:00	0.0		2/14/2020 7:00	0.0	
2/14/2017 8:00	0.0		2/14/2018 8:00	0.0		2/14/2019 8:00	0.0		2/14/2020 8:00	0.0	
2/14/2017 9:00	0.0		2/14/2018 9:00	0.0		2/14/2019 9:00			2/14/2020 9:00	0.0	
2/14/2017 10:00	0.0		2/14/2018 10:00	0.0		2/14/2019 10:00	0.0		2/14/2020 10:00	0.0	
2/14/2017 11:00	0.0		2/14/2018 11:00	0.0		2/14/2019 11:00	0.0		2/14/2020 11:00	0.0	
2/14/2017 12:00	0.0		2/14/2018 12:00	0.0		2/14/2019 12:00	0.0		2/14/2020 12:00	0.0	
2/14/2017 13:00	0.0		2/14/2018 13:00	0.0		2/14/2019 13:00	0.0		2/14/2020 13:00	0.0	
2/14/2017 14:00	0.0		2/14/2018 14:00	0.0		2/14/2019 14:00	0.0		2/14/2020 14:00	0.0	
2/14/2017 15:00	0.0		2/14/2018 15:00	0.0		2/14/2019 15:00	0.0		2/14/2020 15:00	0.0	
2/14/2017 16:00	0.0		2/14/2018 16:00	0.0		2/14/2019 16:00	0.0		2/14/2020 16:00	0.0	
2/14/2017 17:00	0.0		2/14/2018 17:00	0.0		2/14/2019 17:00	0.0		2/14/2020 17:00	0.0	
2/14/2017 18:00	0.0		2/14/2018 18:00	0.0		2/14/2019 18:00	0.0		2/14/2020 18:00	0.0	
2/14/2017 19:00	0.0		2/14/2018 19:00	0.0		2/14/2019 19:00	0.0		2/14/2020 19:00	0.0	
2/14/2017 20:00	0.0		2/14/2018 20:00	0.0		2/14/2019 20:00	0.0		2/14/2020 20:00	0.0	
2/14/2017 21:00	0.0		2/14/2018 21:00	0.0		2/14/2019 21:00	0.0		2/14/2020 21:00	0.0	
2/14/2017 22:00	0.0		2/14/2018 22:00	0.0		2/14/2019 22:00	0.0		2/14/2020 22:00	0.0	
2/14/2017 23:00	0.0	0.0	2/14/2018 23:00	0.0	0.0	2/14/2019 23:00	0.0	0.0	2/14/2020 23:00	0.0	0.0
2/15/2017 0:00	0.0		2/15/2018 0:00	0.0		2/15/2019 0:00	0.0		2/15/2020 0:00	0.0	
2/15/2017 1:00	0.0		2/15/2018 1:00	0.0		2/15/2019 1:00	0.0		2/15/2020 1:00	0.0	
2/15/2017 2:00	0.0		2/15/2018 2:00	0.0		2/15/2019 2:00	0.0		2/15/2020 2:00	0.0	
2/15/2017 3:00	0.0		2/15/2018 3:00	0.0		2/15/2019 3:00	0.0		2/15/2020 3:00	0.0	
2/15/2017 4:00	0.0		2/15/2018 4:00	0.0		2/15/2019 4:00	0.0		2/15/2020 4:00	0.0	
2/15/2017 5:00	0.0		2/15/2018 5:00	0.0		2/15/2019 5:00	0.0		2/15/2020 5:00	0.0	
2/15/2017 6:00	0.0		2/15/2018 6:00	0.0		2/15/2019 6:00	0.0		2/15/2020 6:00	0.0	
2/15/2017 7:00	0.0		2/15/2018 7:00	0.0		2/15/2019 7:00	0.0		2/15/2020 7:00	0.0	
2/15/2017 8:00	0.0		2/15/2018 8:00	0.0		2/15/2019 8:00	0.0		2/15/2020 8:00	0.0	
2/15/2017 9:00	0.0		2/15/2018 9:00	0.0		2/15/2019 9:00	0.0		2/15/2020 9:00	0.0	
2/15/2017 10:00	0.0		2/15/2018 10:00	0.0		2/15/2019 10:00	0.0		2/15/2020 10:00	0.0	
2/15/2017 11:00	0.0		2/15/2018 11:00	0.0		2/15/2019 11:00	0.0		2/15/2020 11:00	0.0	
2/15/2017 12:00	0.0		2/15/2018 12:00	0.0		2/15/2019 12:00	0.0		2/15/2020 12:00	0.0	
2/15/2017 13:00	0.0		2/15/2018 13:00	0.0		2/15/2019 13:00	0.0		2/15/2020 13:00	0.0	
2/15/2017 14:00	0.0		2/15/2018 14:00	0.0		2/15/2019 14:00	0.0		2/15/2020 14:00	0.0	
2/15/2017 15:00	0.0		2/15/2018 15:00	0.0		2/15/2019 15:00	0.0		2/15/2020 15:00	0.0	
2/15/2017 16:00	0.0		2/15/2018 16:00	0.0		2/15/2019 16:00	0.0		2/15/2020 16:00	0.0	
2/15/2017 17:00	0.0		2/15/2018 17:00	0.0		2/15/2019 17:00	0.0		2/15/2020 17:00	0.0	
2/15/2017 18:00	0.0		2/15/2018 18:00	0.0		2/15/2019 18:00	0.0		2/15/2020 18:00	0.0	
2/15/2017 19:00	0.0		2/15/2018 19:00	0.0		2/15/2019 19:00	0.0		2/15/2020 19:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/15/2017 20:00	0.0		2/15/2018 20:00	0.0		2/15/2019 20:00	0.0		2/15/2020 20:00	0.0	
2/15/2017 21:00	0.0		2/15/2018 21:00	0.0		2/15/2019 21:00	0.0		2/15/2020 21:00	0.0	
2/15/2017 22:00	0.0		2/15/2018 22:00	0.0		2/15/2019 22:00	0.0		2/15/2020 22:00	0.0	
2/15/2017 23:00	0.0	0.0	2/15/2018 23:00	0.0	0.0	2/15/2019 23:00	0.0	0.0	2/15/2020 23:00	0.0	0.0
2/16/2017 0:00	0.0		2/16/2018 0:00	0.0		2/16/2019 0:00	0.0		2/16/2020 0:00	0.0	
2/16/2017 1:00	0.0		2/16/2018 1:00	0.0		2/16/2019 1:00	0.0		2/16/2020 1:00	0.0	
2/16/2017 2:00	0.0		2/16/2018 2:00	0.0		2/16/2019 2:00	0.0		2/16/2020 2:00	0.0	
2/16/2017 3:00	0.0		2/16/2018 3:00	0.0		2/16/2019 3:00	0.0		2/16/2020 3:00	0.0	
2/16/2017 4:00	0.0		2/16/2018 4:00	0.0		2/16/2019 4:00	0.0		2/16/2020 4:00	0.0	
2/16/2017 5:00	0.0		2/16/2018 5:00	0.0		2/16/2019 5:00	0.0		2/16/2020 5:00	0.0	
2/16/2017 6:00	0.0		2/16/2018 6:00	0.0		2/16/2019 6:00	0.0		2/16/2020 6:00	0.0	
2/16/2017 7:00	0.0		2/16/2018 7:00	0.0		2/16/2019 7:00	0.0		2/16/2020 7:00	0.0	
2/16/2017 8:00	0.0		2/16/2018 8:00	0.0		2/16/2019 8:00	0.0		2/16/2020 8:00	0.0	
2/16/2017 9:00	0.0		2/16/2018 9:00	0.0		2/16/2019 9:00	0.0		2/16/2020 9:00	0.0	
2/16/2017 10:00	0.0		2/16/2018 10:00	0.0		2/16/2019 10:00	0.0		2/16/2020 10:00	0.0	
2/16/2017 11:00	0.0		2/16/2018 11:00	0.0		2/16/2019 11:00	0.0		2/16/2020 11:00	0.0	
2/16/2017 12:00	0.0		2/16/2018 12:00	0.0		2/16/2019 12:00	0.0		2/16/2020 12:00	0.0	
2/16/2017 13:00	0.0		2/16/2018 13:00	0.0		2/16/2019 13:00	0.0		2/16/2020 13:00	0.0	
2/16/2017 14:00	0.0		2/16/2018 14:00	0.0		2/16/2019 14:00	0.0		2/16/2020 14:00	0.0	
2/16/2017 15:00	0.0		2/16/2018 15:00	0.0		2/16/2019 15:00	0.0		2/16/2020 15:00	0.0	
2/16/2017 16:00	0.0		2/16/2018 16:00	0.0		2/16/2019 16:00	0.0		2/16/2020 16:00	0.0	
2/16/2017 17:00	0.0		2/16/2018 17:00	0.0		2/16/2019 17:00	0.0		2/16/2020 17:00	0.0	
2/16/2017 18:00	0.0		2/16/2018 18:00	0.0		2/16/2019 18:00	0.0		2/16/2020 18:00	0.0	
2/16/2017 19:00	0.0		2/16/2018 19:00	0.0		2/16/2019 19:00	0.0		2/16/2020 19:00	0.0	
2/16/2017 20:00	0.0		2/16/2018 20:00	0.0		2/16/2019 20:00	0.0		2/16/2020 20:00	0.0	
2/16/2017 21:00	0.0		2/16/2018 21:00	0.0		2/16/2019 21:00	0.0		2/16/2020 21:00	0.0	
2/16/2017 22:00	0.0		2/16/2018 22:00	0.0		2/16/2019 22:00	0.0		2/16/2020 22:00	0.0	
2/16/2017 23:00	0.0	0.0	2/16/2018 23:00	0.0	0.0	2/16/2019 23:00	0.0	0.0	2/16/2020 23:00	0.0	0.0
2/17/2017 0:00	0.0		2/17/2018 0:00	0.0		2/17/2019 0:00	0.0		2/17/2020 0:00	0.0	
2/17/2017 1:00	0.0		2/17/2018 1:00	0.0		2/17/2019 1:00	0.0		2/17/2020 1:00	0.0	
2/17/2017 2:00	0.0		2/17/2018 2:00	0.0		2/17/2019 2:00	0.0		2/17/2020 2:00	0.0	
2/17/2017 3:00	0.0		2/17/2018 3:00	0.0		2/17/2019 3:00	0.0		2/17/2020 3:00	0.0	
2/17/2017 4:00	0.0		2/17/2018 4:00	0.0		2/17/2019 4:00	0.0		2/17/2020 4:00	0.0	
2/17/2017 5:00	0.0		2/17/2018 5:00	0.0		2/17/2019 5:00	0.0		2/17/2020 5:00	0.0	
2/17/2017 6:00	0.0		2/17/2018 6:00	0.0		2/17/2019 6:00	0.0		2/17/2020 6:00	0.0	
2/17/2017 7:00	0.0		2/17/2018 7:00	0.0		2/17/2019 7:00	0.0		2/17/2020 7:00	0.0	
2/17/2017 8:00	0.0		2/17/2018 8:00	0.0		2/17/2019 8:00	0.0		2/17/2020 8:00	0.0	
2/17/2017 9:00	0.0		2/17/2018 9:00	0.0		2/17/2019 9:00	0.0		2/17/2020 9:00	0.0	
2/17/2017 10:00	0.0		2/17/2018 10:00	0.0		2/17/2019 10:00	0.0		2/17/2020 10:00	0.0	
2/17/2017 11:00	0.0		2/17/2018 11:00	0.0		2/17/2019 11:00	0.0		2/17/2020 11:00	0.0	
2/17/2017 12:00	0.0		2/17/2018 12:00	0.0		2/17/2019 12:00	0.0		2/17/2020 12:00	0.0	
2/17/2017 13:00	0.0		2/17/2018 13:00	0.0		2/17/2019 13:00	0.0		2/17/2020 13:00	0.0	
2/17/2017 14:00	0.0		2/17/2018 14:00	0.0		2/17/2019 14:00	0.0		2/17/2020 14:00	0.0	
2/17/2017 15:00	0.0		2/17/2018 15:00	0.0		2/17/2019 15:00	0.0		2/17/2020 15:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/17/2017 16:00	0.0		2/17/2018 16:00	0.0		2/17/2019 16:00	0.0		2/17/2020 16:00	0.0	
2/17/2017 17:00	0.0		2/17/2018 17:00	0.0		2/17/2019 17:00	0.0		2/17/2020 17:00	0.0	
2/17/2017 18:00	0.0		2/17/2018 18:00	0.0		2/17/2019 18:00	0.0		2/17/2020 18:00	0.0	
2/17/2017 19:00	0.0		2/17/2018 19:00	0.0		2/17/2019 19:00	0.0		2/17/2020 19:00	0.0	
2/17/2017 20:00	0.0		2/17/2018 20:00	0.0		2/17/2019 20:00	0.0		2/17/2020 20:00	0.0	
2/17/2017 21:00	0.0		2/17/2018 21:00	0.0		2/17/2019 21:00	0.0		2/17/2020 21:00	0.0	
2/17/2017 22:00	0.0		2/17/2018 22:00	0.0		2/17/2019 22:00	0.0		2/17/2020 22:00	0.0	
2/17/2017 23:00	0.0	0.0	2/17/2018 23:00	0.0	0.0	2/17/2019 23:00	0.0	0.0	2/17/2020 23:00	0.0	0.0
2/18/2017 0:00	0.0		2/18/2018 0:00	0.0		2/18/2019 0:00	0.0		2/18/2020 0:00	0.0	
2/18/2017 1:00	0.0		2/18/2018 1:00	0.0		2/18/2019 1:00	0.0		2/18/2020 1:00	0.0	
2/18/2017 2:00	0.0		2/18/2018 2:00	0.0		2/18/2019 2:00	0.0		2/18/2020 2:00	0.0	
2/18/2017 3:00	0.0		2/18/2018 3:00	0.0		2/18/2019 3:00	0.0		2/18/2020 3:00	0.0	
2/18/2017 4:00	0.0		2/18/2018 4:00	0.0		2/18/2019 4:00	0.0		2/18/2020 4:00	0.0	
2/18/2017 5:00	0.0		2/18/2018 5:00	0.0		2/18/2019 5:00	0.0		2/18/2020 5:00	0.0	
2/18/2017 6:00	0.0		2/18/2018 6:00	0.0		2/18/2019 6:00	0.0		2/18/2020 6:00	0.0	
2/18/2017 7:00	0.0		2/18/2018 7:00	0.0		2/18/2019 7:00	0.0		2/18/2020 7:00	0.0	
2/18/2017 8:00	0.0		2/18/2018 8:00	0.0		2/18/2019 8:00	0.0		2/18/2020 8:00	0.0	
2/18/2017 9:00	0.0		2/18/2018 9:00	0.0		2/18/2019 9:00	0.0		2/18/2020 9:00	0.0	
2/18/2017 10:00	0.0		2/18/2018 10:00	0.0		2/18/2019 10:00	0.0		2/18/2020 10:00	0.0	
2/18/2017 11:00	0.0		2/18/2018 11:00	0.0		2/18/2019 11:00	0.0		2/18/2020 11:00	0.0	
2/18/2017 12:00	0.0		2/18/2018 12:00	0.0		2/18/2019 12:00	0.0		2/18/2020 12:00	0.0	
2/18/2017 13:00	0.0		2/18/2018 13:00	0.0		2/18/2019 13:00	0.0		2/18/2020 13:00	0.0	
2/18/2017 14:00	0.0		2/18/2018 14:00	0.0		2/18/2019 14:00	0.0		2/18/2020 14:00	0.0	
2/18/2017 15:00	0.0		2/18/2018 15:00	0.0		2/18/2019 15:00	0.0		2/18/2020 15:00	0.0	
2/18/2017 16:00	0.0		2/18/2018 16:00	0.0		2/18/2019 16:00	0.0		2/18/2020 16:00	0.0	
2/18/2017 17:00	0.0		2/18/2018 17:00	0.0		2/18/2019 17:00	0.0		2/18/2020 17:00	0.0	
2/18/2017 18:00	0.0		2/18/2018 18:00	0.0		2/18/2019 18:00	0.0		2/18/2020 18:00	0.0	
2/18/2017 19:00	0.0		2/18/2018 19:00	0.0		2/18/2019 19:00	0.0		2/18/2020 19:00	0.0	
2/18/2017 20:00	0.0		2/18/2018 20:00	0.0		2/18/2019 20:00	0.0		2/18/2020 20:00	0.0	
2/18/2017 21:00	0.0		2/18/2018 21:00	0.0		2/18/2019 21:00	0.0		2/18/2020 21:00	0.0	
2/18/2017 22:00	0.0		2/18/2018 22:00	0.0		2/18/2019 22:00	0.0		2/18/2020 22:00	0.0	
2/18/2017 23:00	0.0	0.0	2/18/2018 23:00	0.0	0.0	2/18/2019 23:00	0.0	0.0	2/18/2020 23:00	0.0	0.0
2/19/2017 0:00	0.0		2/19/2018 0:00	0.0		2/19/2019 0:00	0.0		2/19/2020 0:00	0.0	
2/19/2017 1:00	0.0		2/19/2018 1:00	0.0		2/19/2019 1:00	0.0		2/19/2020 1:00	0.0	
2/19/2017 2:00	0.0		2/19/2018 2:00	0.0		2/19/2019 2:00	0.0		2/19/2020 2:00	0.0	
2/19/2017 3:00	0.0		2/19/2018 3:00	0.0		2/19/2019 3:00	0.0		2/19/2020 3:00	0.0	
2/19/2017 4:00	0.0		2/19/2018 4:00	0.0		2/19/2019 4:00	0.0		2/19/2020 4:00	0.0	
2/19/2017 5:00	0.0		2/19/2018 5:00	0.0		2/19/2019 5:00	0.0		2/19/2020 5:00	0.0	
2/19/2017 6:00	0.0		2/19/2018 6:00	0.0		2/19/2019 6:00	0.0		2/19/2020 6:00	0.0	
2/19/2017 7:00	0.0		2/19/2018 7:00	0.0		2/19/2019 7:00	0.0		2/19/2020 7:00	0.0	
2/19/2017 8:00	0.0		2/19/2018 8:00	0.0		2/19/2019 8:00	0.0		2/19/2020 8:00	0.0	
2/19/2017 9:00	0.0		2/19/2018 9:00	0.0		2/19/2019 9:00	0.0		2/19/2020 9:00	0.0	
2/19/2017 10:00	0.0		2/19/2018 10:00	0.0		2/19/2019 10:00	0.0		2/19/2020 10:00	0.0	
2/19/2017 11:00	0.0		2/19/2018 11:00	0.0		2/19/2019 11:00	0.0		2/19/2020 11:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/19/2017 12:00	0.0		2/19/2018 12:00	0.0		2/19/2019 12:00	0.0		2/19/2020 12:00	0.0	
2/19/2017 13:00	0.0		2/19/2018 13:00	0.0		2/19/2019 13:00	0.0		2/19/2020 13:00	0.0	
2/19/2017 14:00	0.0		2/19/2018 14:00	0.0		2/19/2019 14:00	0.0		2/19/2020 14:00	0.0	
2/19/2017 15:00	0.0		2/19/2018 15:00	0.0		2/19/2019 15:00	0.0		2/19/2020 15:00	0.0	
2/19/2017 16:00	0.0		2/19/2018 16:00	0.0		2/19/2019 16:00	0.0		2/19/2020 16:00	0.0	
2/19/2017 17:00	0.0		2/19/2018 17:00	0.0		2/19/2019 17:00	0.0		2/19/2020 17:00	0.0	
2/19/2017 18:00	0.0		2/19/2018 18:00	0.0		2/19/2019 18:00	0.0		2/19/2020 18:00	0.0	
2/19/2017 19:00	0.0		2/19/2018 19:00	0.0		2/19/2019 19:00	0.0		2/19/2020 19:00	0.0	
2/19/2017 20:00	0.0		2/19/2018 20:00	0.0		2/19/2019 20:00	0.0		2/19/2020 20:00	0.0	
2/19/2017 21:00	0.0		2/19/2018 21:00	0.0		2/19/2019 21:00	0.0		2/19/2020 21:00	0.0	
2/19/2017 22:00	0.0		2/19/2018 22:00	0.0		2/19/2019 22:00	0.0		2/19/2020 22:00	0.0	
2/19/2017 23:00	0.0	0.0	2/19/2018 23:00	0.0	0.0	2/19/2019 23:00	0.0	0.0	2/19/2020 23:00	0.0	0.0
2/20/2017 0:00	0.0		2/20/2018 0:00	0.0		2/20/2019 0:00	0.0		2/20/2020 0:00	0.0	
2/20/2017 1:00	0.0		2/20/2018 1:00	0.0		2/20/2019 1:00	0.0		2/20/2020 1:00	0.0	
2/20/2017 2:00	0.0		2/20/2018 2:00	0.0		2/20/2019 2:00	0.0		2/20/2020 2:00	0.0	
2/20/2017 3:00	0.0		2/20/2018 3:00	0.0		2/20/2019 3:00	0.0		2/20/2020 3:00	0.0	
2/20/2017 4:00	0.0		2/20/2018 4:00	0.0		2/20/2019 4:00	0.0		2/20/2020 4:00	0.0	
2/20/2017 5:00	0.0		2/20/2018 5:00	0.0		2/20/2019 5:00	0.0		2/20/2020 5:00	0.0	
2/20/2017 6:00	0.0		2/20/2018 6:00	0.0		2/20/2019 6:00	0.0		2/20/2020 6:00	0.0	
2/20/2017 7:00	0.0		2/20/2018 7:00	0.0		2/20/2019 7:00	0.0		2/20/2020 7:00	0.0	
2/20/2017 8:00	0.0		2/20/2018 8:00	0.0		2/20/2019 8:00	0.0		2/20/2020 8:00	0.0	
2/20/2017 9:00	0.0		2/20/2018 9:00	0.0		2/20/2019 9:00	0.0		2/20/2020 9:00	0.0	
2/20/2017 10:00	0.0		2/20/2018 10:00	0.0		2/20/2019 10:00	0.0		2/20/2020 10:00	0.0	
2/20/2017 11:00	0.0		2/20/2018 11:00	0.0		2/20/2019 11:00	0.0		2/20/2020 11:00	0.0	
2/20/2017 12:00	0.0		2/20/2018 12:00	0.0		2/20/2019 12:00	0.0		2/20/2020 12:00	0.0	
2/20/2017 13:00	0.0		2/20/2018 13:00	0.0		2/20/2019 13:00	0.0		2/20/2020 13:00	0.0	
2/20/2017 14:00	0.0		2/20/2018 14:00	0.0		2/20/2019 14:00	0.0		2/20/2020 14:00	0.0	
2/20/2017 15:00	0.0		2/20/2018 15:00	0.0		2/20/2019 15:00	0.0		2/20/2020 15:00	0.0	
2/20/2017 16:00	0.0		2/20/2018 16:00	0.0		2/20/2019 16:00	0.0		2/20/2020 16:00	0.0	
2/20/2017 17:00	0.0		2/20/2018 17:00	0.0		2/20/2019 17:00	0.0		2/20/2020 17:00	0.0	
2/20/2017 18:00	0.0		2/20/2018 18:00	0.0		2/20/2019 18:00	0.0		2/20/2020 18:00	0.0	
2/20/2017 19:00	0.0		2/20/2018 19:00	0.0		2/20/2019 19:00	0.0		2/20/2020 19:00	0.0	
2/20/2017 20:00	0.0		2/20/2018 20:00	0.0		2/20/2019 20:00	0.0		2/20/2020 20:00	0.0	
2/20/2017 21:00	0.0		2/20/2018 21:00	0.0		2/20/2019 21:00	0.0		2/20/2020 21:00	0.0	
2/20/2017 22:00	0.0		2/20/2018 22:00	0.0		2/20/2019 22:00	0.0		2/20/2020 22:00	0.0	
2/20/2017 23:00	0.0	0.0	2/20/2018 23:00	0.0	0.0	2/20/2019 23:00	0.0	0.0	2/20/2020 23:00	0.0	0.0
2/21/2017 0:00	0.0		2/21/2018 0:00	0.0		2/21/2019 0:00	0.0		2/21/2020 0:00	0.0	
2/21/2017 1:00	0.0		2/21/2018 1:00	0.0		2/21/2019 1:00	0.0		2/21/2020 1:00	0.0	
2/21/2017 2:00	0.0		2/21/2018 2:00	0.0		2/21/2019 2:00	0.0		2/21/2020 2:00	0.0	
2/21/2017 3:00	0.0		2/21/2018 3:00	0.0		2/21/2019 3:00	0.0		2/21/2020 3:00	0.0	
2/21/2017 4:00	0.0		2/21/2018 4:00	0.0		2/21/2019 4:00	0.0		2/21/2020 4:00	0.0	
2/21/2017 5:00	0.0		2/21/2018 5:00	0.0		2/21/2019 5:00	0.0		2/21/2020 5:00	0.0	
2/21/2017 6:00	0.0		2/21/2018 6:00	0.0		2/21/2019 6:00	0.0		2/21/2020 6:00	0.0	
2/21/2017 7:00	0.0		2/21/2018 7:00	0.0		2/21/2019 7:00	0.0		2/21/2020 7:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/21/2017 8:00	0.0		2/21/2018 8:00	0.0		2/21/2019 8:00	0.0		2/21/2020 8:00	0.0	
2/21/2017 9:00	0.0		2/21/2018 9:00	0.0		2/21/2019 9:00	0.0		2/21/2020 9:00	0.0	
2/21/2017 10:00	0.0		2/21/2018 10:00	0.0		2/21/2019 10:00	0.0		2/21/2020 10:00	0.0	
2/21/2017 11:00	0.0		2/21/2018 11:00	0.0		2/21/2019 11:00	0.0		2/21/2020 11:00	0.0	
2/21/2017 12:00	0.0		2/21/2018 12:00	0.0		2/21/2019 12:00	0.0		2/21/2020 12:00	0.0	
2/21/2017 13:00	0.0		2/21/2018 13:00	0.0		2/21/2019 13:00	0.0		2/21/2020 13:00	0.0	
2/21/2017 14:00	0.0		2/21/2018 14:00	0.0		2/21/2019 14:00	0.0		2/21/2020 14:00	0.0	
2/21/2017 15:00	0.0		2/21/2018 15:00	0.0		2/21/2019 15:00	0.0		2/21/2020 15:00	0.0	
2/21/2017 16:00	0.0		2/21/2018 16:00	0.0		2/21/2019 16:00	0.0		2/21/2020 16:00	0.0	
2/21/2017 17:00	0.0		2/21/2018 17:00	0.0		2/21/2019 17:00	0.0		2/21/2020 17:00	0.0	
2/21/2017 18:00	0.0		2/21/2018 18:00	0.0		2/21/2019 18:00	0.0		2/21/2020 18:00	0.0	
2/21/2017 19:00	0.0		2/21/2018 19:00	0.0		2/21/2019 19:00	0.0		2/21/2020 19:00	0.0	
2/21/2017 20:00	0.0		2/21/2018 20:00	0.0		2/21/2019 20:00	0.0		2/21/2020 20:00	0.0	
2/21/2017 21:00	0.0		2/21/2018 21:00	0.0		2/21/2019 21:00	0.0		2/21/2020 21:00	0.0	
2/21/2017 22:00	0.0		2/21/2018 22:00	0.0		2/21/2019 22:00	0.0		2/21/2020 22:00	0.0	
2/21/2017 23:00	0.0	0.0	2/21/2018 23:00	0.0	0.0	2/21/2019 23:00	0.0	0.0	2/21/2020 23:00	0.0	0.0
2/22/2017 0:00	0.0		2/22/2018 0:00	0.0		2/22/2019 0:00	0.0		2/22/2020 0:00	0.0	
2/22/2017 1:00	0.0		2/22/2018 1:00	0.0		2/22/2019 1:00	0.0		2/22/2020 1:00	0.0	
2/22/2017 2:00	0.0		2/22/2018 2:00	0.0		2/22/2019 2:00	0.0		2/22/2020 2:00	0.0	
2/22/2017 3:00	0.0		2/22/2018 3:00	0.0		2/22/2019 3:00	0.0		2/22/2020 3:00	0.0	
2/22/2017 4:00	0.0		2/22/2018 4:00	0.0		2/22/2019 4:00	0.0		2/22/2020 4:00	0.0	
2/22/2017 5:00	0.0		2/22/2018 5:00	0.0		2/22/2019 5:00	0.0		2/22/2020 5:00	0.0	
2/22/2017 6:00	0.0		2/22/2018 6:00	0.0		2/22/2019 6:00	0.0		2/22/2020 6:00	0.0	
2/22/2017 7:00	0.0		2/22/2018 7:00	0.0		2/22/2019 7:00	0.0		2/22/2020 7:00	0.0	
2/22/2017 8:00	0.0		2/22/2018 8:00	0.0		2/22/2019 8:00	0.0		2/22/2020 8:00	0.0	
2/22/2017 9:00	0.0		2/22/2018 9:00	0.0		2/22/2019 9:00	0.0		2/22/2020 9:00	0.0	
2/22/2017 10:00	0.0		2/22/2018 10:00	0.0		2/22/2019 10:00	0.0		2/22/2020 10:00	0.0	
2/22/2017 11:00	0.0		2/22/2018 11:00	0.0		2/22/2019 11:00	0.0		2/22/2020 11:00	0.0	
2/22/2017 12:00	0.0		2/22/2018 12:00	0.0		2/22/2019 12:00	0.0		2/22/2020 12:00	0.0	
2/22/2017 13:00	0.0		2/22/2018 13:00	0.0		2/22/2019 13:00	0.0		2/22/2020 13:00	0.0	
2/22/2017 14:00	0.0		2/22/2018 14:00	0.0		2/22/2019 14:00	0.0		2/22/2020 14:00	0.0	
2/22/2017 15:00	0.0		2/22/2018 15:00	0.0		2/22/2019 15:00	0.0		2/22/2020 15:00	0.0	
2/22/2017 16:00	0.0		2/22/2018 16:00	0.0		2/22/2019 16:00	0.0		2/22/2020 16:00	0.0	
2/22/2017 17:00	0.0		2/22/2018 17:00	0.0		2/22/2019 17:00	0.0		2/22/2020 17:00	0.0	
2/22/2017 18:00	0.0		2/22/2018 18:00	0.0		2/22/2019 18:00	0.0		2/22/2020 18:00	0.0	
2/22/2017 19:00	0.0		2/22/2018 19:00	0.0		2/22/2019 19:00	0.0		2/22/2020 19:00	0.0	
2/22/2017 20:00	0.0		2/22/2018 20:00	0.0		2/22/2019 20:00	0.0		2/22/2020 20:00	0.0	
2/22/2017 21:00	0.0		2/22/2018 21:00	0.0		2/22/2019 21:00	0.0		2/22/2020 21:00	0.0	
2/22/2017 22:00	0.0		2/22/2018 22:00	0.0		2/22/2019 22:00	0.0		2/22/2020 22:00	0.0	
2/22/2017 23:00	0.0	0.0	2/22/2018 23:00	0.0	0.0	2/22/2019 23:00	0.0	0.0	2/22/2020 23:00	0.0	0.0
2/23/2017 0:00	0.0		2/23/2018 0:00	0.0		2/23/2019 0:00	0.0		2/23/2020 0:00	0.0	
2/23/2017 1:00	0.0		2/23/2018 1:00	0.0		2/23/2019 1:00	0.0		2/23/2020 1:00	0.0	
2/23/2017 2:00	0.0		2/23/2018 2:00	0.0		2/23/2019 2:00	0.0		2/23/2020 2:00	0.0	
2/23/2017 3:00	0.0		2/23/2018 3:00	0.0		2/23/2019 3:00	0.0		2/23/2020 3:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/23/2017 4:00	0.0		2/23/2018 4:00	0.0		2/23/2019 4:00	0.0		2/23/2020 4:00	0.0	
2/23/2017 5:00	0.0		2/23/2018 5:00	0.0		2/23/2019 5:00	0.0		2/23/2020 5:00	0.0	
2/23/2017 6:00	0.0		2/23/2018 6:00	0.0		2/23/2019 6:00	0.0		2/23/2020 6:00	0.0	
2/23/2017 7:00	0.0		2/23/2018 7:00	0.0		2/23/2019 7:00	0.0		2/23/2020 7:00	0.0	
2/23/2017 8:00	0.0		2/23/2018 8:00	0.0		2/23/2019 8:00	0.0		2/23/2020 8:00	0.0	
2/23/2017 9:00	0.0		2/23/2018 9:00	0.0		2/23/2019 9:00	0.0		2/23/2020 9:00	0.0	
2/23/2017 10:00	0.0		2/23/2018 10:00	0.0		2/23/2019 10:00	0.0		2/23/2020 10:00	0.0	
2/23/2017 11:00	0.0		2/23/2018 11:00	0.0		2/23/2019 11:00	0.0		2/23/2020 11:00	0.0	
2/23/2017 12:00	0.0		2/23/2018 12:00	0.0		2/23/2019 12:00	0.0		2/23/2020 12:00	0.0	
2/23/2017 13:00	0.0		2/23/2018 13:00	0.0		2/23/2019 13:00	0.0		2/23/2020 13:00	0.0	
2/23/2017 14:00	0.0		2/23/2018 14:00	0.0		2/23/2019 14:00	0.0		2/23/2020 14:00	0.0	
2/23/2017 15:00	0.0		2/23/2018 15:00	0.0		2/23/2019 15:00	0.0		2/23/2020 15:00	0.0	
2/23/2017 16:00	0.0		2/23/2018 16:00	0.0		2/23/2019 16:00	0.0		2/23/2020 16:00	0.0	
2/23/2017 17:00	0.0		2/23/2018 17:00	0.0		2/23/2019 17:00	0.0		2/23/2020 17:00	0.0	
2/23/2017 18:00	0.0		2/23/2018 18:00	0.0		2/23/2019 18:00	0.0		2/23/2020 18:00	0.0	
2/23/2017 19:00	0.0		2/23/2018 19:00	0.0		2/23/2019 19:00	0.0		2/23/2020 19:00	0.0	
2/23/2017 20:00	0.0		2/23/2018 20:00	0.0		2/23/2019 20:00	0.0		2/23/2020 20:00	0.0	
2/23/2017 21:00	0.0		2/23/2018 21:00	0.0		2/23/2019 21:00	0.0		2/23/2020 21:00	0.0	
2/23/2017 22:00	0.0		2/23/2018 22:00	0.0		2/23/2019 22:00	0.0		2/23/2020 22:00	0.0	
2/23/2017 23:00	0.0	0.0	2/23/2018 23:00	0.0	0.0	2/23/2019 23:00	0.0	0.0	2/23/2020 23:00	0.0	0.0
2/24/2017 0:00	0.0		2/24/2018 0:00	0.0		2/24/2019 0:00	0.0		2/24/2020 0:00	0.0	
2/24/2017 1:00	0.0		2/24/2018 1:00	0.0		2/24/2019 1:00	0.0		2/24/2020 1:00	0.0	
2/24/2017 2:00	0.0		2/24/2018 2:00	0.0		2/24/2019 2:00	0.0		2/24/2020 2:00	0.0	
2/24/2017 3:00	0.0		2/24/2018 3:00	0.0		2/24/2019 3:00	0.0		2/24/2020 3:00	0.0	
2/24/2017 4:00	0.0		2/24/2018 4:00	0.0		2/24/2019 4:00	0.0		2/24/2020 4:00	0.0	
2/24/2017 5:00	0.0		2/24/2018 5:00	0.0		2/24/2019 5:00	0.0		2/24/2020 5:00	0.0	
2/24/2017 6:00	0.0		2/24/2018 6:00	0.0		2/24/2019 6:00	0.0		2/24/2020 6:00	0.0	
2/24/2017 7:00	0.0		2/24/2018 7:00	0.0		2/24/2019 7:00	0.0		2/24/2020 7:00	0.0	
2/24/2017 8:00	0.0		2/24/2018 8:00	0.0		2/24/2019 8:00	0.0		2/24/2020 8:00	0.0	
2/24/2017 9:00	0.0		2/24/2018 9:00	0.0		2/24/2019 9:00	0.0		2/24/2020 9:00	0.0	
2/24/2017 10:00	0.0		2/24/2018 10:00	0.0		2/24/2019 10:00	0.0		2/24/2020 10:00	0.0	
2/24/2017 11:00	0.0		2/24/2018 11:00	0.0		2/24/2019 11:00	0.0		2/24/2020 11:00	0.0	
2/24/2017 12:00	0.0		2/24/2018 12:00	0.0		2/24/2019 12:00	0.0		2/24/2020 12:00	0.0	
2/24/2017 13:00	0.0		2/24/2018 13:00	0.0		2/24/2019 13:00	0.0		2/24/2020 13:00	0.0	
2/24/2017 14:00	0.0		2/24/2018 14:00	0.0		2/24/2019 14:00	0.0		2/24/2020 14:00	0.0	
2/24/2017 15:00	0.0		2/24/2018 15:00	0.0		2/24/2019 15:00	0.0		2/24/2020 15:00	0.0	
2/24/2017 16:00	0.0		2/24/2018 16:00	0.0		2/24/2019 16:00	0.0		2/24/2020 16:00	0.0	
2/24/2017 17:00	0.0		2/24/2018 17:00	0.0		2/24/2019 17:00	0.0		2/24/2020 17:00	0.0	
2/24/2017 18:00	0.0		2/24/2018 18:00	0.0		2/24/2019 18:00	0.0		2/24/2020 18:00	0.0	
2/24/2017 19:00	0.0		2/24/2018 19:00	0.0		2/24/2019 19:00	0.0		2/24/2020 19:00	0.0	
2/24/2017 20:00	0.0		2/24/2018 20:00	0.0		2/24/2019 20:00	0.0		2/24/2020 20:00	0.0	
2/24/2017 21:00	0.0		2/24/2018 21:00	0.0		2/24/2019 21:00	0.0		2/24/2020 21:00	0.0	
2/24/2017 22:00	0.0		2/24/2018 22:00	0.0		2/24/2019 22:00	0.0		2/24/2020 22:00	0.0	
2/24/2017 23:00	0.0	0.0	2/24/2018 23:00	0.0	0.0	2/24/2019 23:00	0.0	0.0	2/24/2020 23:00	0.0	0.0

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/25/2017 0:00	0.0		2/25/2018 0:00	0.0		2/25/2019 0:00	0.0		2/25/2020 0:00	0.0	
2/25/2017 1:00	0.0		2/25/2018 1:00	0.0		2/25/2019 1:00	0.0		2/25/2020 1:00	0.0	
2/25/2017 2:00	0.0		2/25/2018 2:00	0.0		2/25/2019 2:00	0.0		2/25/2020 2:00	0.0	
2/25/2017 3:00	0.0		2/25/2018 3:00	0.0		2/25/2019 3:00	0.0		2/25/2020 3:00	0.0	
2/25/2017 4:00	0.0		2/25/2018 4:00	0.0		2/25/2019 4:00	0.0		2/25/2020 4:00	0.0	
2/25/2017 5:00	0.0		2/25/2018 5:00	0.0		2/25/2019 5:00	0.0		2/25/2020 5:00	0.0	
2/25/2017 6:00	0.0		2/25/2018 6:00	0.0		2/25/2019 6:00	0.0		2/25/2020 6:00	0.0	
2/25/2017 7:00	0.0		2/25/2018 7:00	0.0		2/25/2019 7:00	0.0		2/25/2020 7:00	0.0	
2/25/2017 8:00	0.0		2/25/2018 8:00	0.0		2/25/2019 8:00	0.0		2/25/2020 8:00	0.0	
2/25/2017 9:00	0.0		2/25/2018 9:00	0.0		2/25/2019 9:00	0.0		2/25/2020 9:00	0.0	
2/25/2017 10:00	0.0		2/25/2018 10:00	0.0		2/25/2019 10:00	0.0		2/25/2020 10:00	0.0	
2/25/2017 11:00	0.0		2/25/2018 11:00	0.0		2/25/2019 11:00	0.0		2/25/2020 11:00	0.0	
2/25/2017 12:00	0.0		2/25/2018 12:00	0.0		2/25/2019 12:00	0.0		2/25/2020 12:00	0.0	
2/25/2017 13:00	0.0		2/25/2018 13:00	0.0		2/25/2019 13:00	0.0		2/25/2020 13:00	0.0	
2/25/2017 14:00	0.0		2/25/2018 14:00	0.0		2/25/2019 14:00	0.0		2/25/2020 14:00	0.0	
2/25/2017 15:00	0.0		2/25/2018 15:00	0.0		2/25/2019 15:00	0.0		2/25/2020 15:00	0.0	
2/25/2017 16:00	0.0		2/25/2018 16:00	0.0		2/25/2019 16:00	0.0		2/25/2020 16:00	0.0	
2/25/2017 17:00	0.0		2/25/2018 17:00	0.0		2/25/2019 17:00	0.0		2/25/2020 17:00	0.0	
2/25/2017 18:00	0.0		2/25/2018 18:00	0.0		2/25/2019 18:00	0.0		2/25/2020 18:00	0.0	
2/25/2017 19:00	0.0		2/25/2018 19:00	0.0		2/25/2019 19:00	0.0		2/25/2020 19:00	0.0	
2/25/2017 20:00	0.0		2/25/2018 20:00	0.0		2/25/2019 20:00	0.0		2/25/2020 20:00	0.0	
2/25/2017 21:00	0.0		2/25/2018 21:00	0.0		2/25/2019 21:00	0.0		2/25/2020 21:00	0.0	
2/25/2017 22:00	0.0		2/25/2018 22:00	0.0		2/25/2019 22:00	0.0		2/25/2020 22:00	0.0	
2/25/2017 23:00	0.0	0.0	2/25/2018 23:00	0.0	0.0	2/25/2019 23:00	0.0	0.0	2/25/2020 23:00	0.0	0.0
2/26/2017 0:00	0.0		2/26/2018 0:00	0.0		2/26/2019 0:00	0.0		2/26/2020 0:00	0.0	
2/26/2017 1:00	0.0		2/26/2018 1:00	0.0		2/26/2019 1:00	0.0		2/26/2020 1:00	0.0	
2/26/2017 2:00	0.0		2/26/2018 2:00	0.0		2/26/2019 2:00	0.0		2/26/2020 2:00	0.0	
2/26/2017 3:00	0.0		2/26/2018 3:00	0.0		2/26/2019 3:00	0.0		2/26/2020 3:00	0.0	
2/26/2017 4:00	0.0		2/26/2018 4:00	0.0		2/26/2019 4:00	0.0		2/26/2020 4:00	0.0	
2/26/2017 5:00	0.0		2/26/2018 5:00	0.0		2/26/2019 5:00	0.0		2/26/2020 5:00	0.0	
2/26/2017 6:00	0.0		2/26/2018 6:00	0.0		2/26/2019 6:00	0.0		2/26/2020 6:00	0.0	
2/26/2017 7:00	0.0		2/26/2018 7:00	0.0		2/26/2019 7:00	0.0		2/26/2020 7:00	0.0	
2/26/2017 8:00	0.0		2/26/2018 8:00	0.0		2/26/2019 8:00	0.0		2/26/2020 8:00	0.0	
2/26/2017 9:00	0.0		2/26/2018 9:00	0.0		2/26/2019 9:00	0.0		2/26/2020 9:00	0.0	
2/26/2017 10:00	0.0		2/26/2018 10:00	0.0		2/26/2019 10:00	0.0		2/26/2020 10:00	0.0	
2/26/2017 11:00	0.0		2/26/2018 11:00	0.0		2/26/2019 11:00	0.0		2/26/2020 11:00	0.0	
2/26/2017 12:00	0.0		2/26/2018 12:00	0.0		2/26/2019 12:00	0.0		2/26/2020 12:00	0.0	
2/26/2017 13:00	0.0		2/26/2018 13:00	0.0		2/26/2019 13:00	0.0		2/26/2020 13:00	0.0	
2/26/2017 14:00	0.0		2/26/2018 14:00	0.0		2/26/2019 14:00	0.0		2/26/2020 14:00	0.0	
2/26/2017 15:00	0.0		2/26/2018 15:00	0.0		2/26/2019 15:00	0.0		2/26/2020 15:00	0.0	
2/26/2017 16:00	0.0		2/26/2018 16:00	0.0		2/26/2019 16:00	0.0		2/26/2020 16:00	0.0	
2/26/2017 17:00	0.0		2/26/2018 17:00	0.0		2/26/2019 17:00	0.0		2/26/2020 17:00	0.0	
2/26/2017 18:00	0.0		2/26/2018 18:00	0.0		2/26/2019 18:00	0.0		2/26/2020 18:00	0.0	
2/26/2017 19:00	0.0		2/26/2018 19:00	0.0		2/26/2019 19:00	0.0		2/26/2020 19:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/26/2017 20:00	0.0		2/26/2018 20:00	0.0		2/26/2019 20:00	0.0		2/26/2020 20:00	0.0	
2/26/2017 21:00	0.0		2/26/2018 21:00	0.0		2/26/2019 21:00	0.0		2/26/2020 21:00	0.0	
2/26/2017 22:00	0.0		2/26/2018 22:00	0.0		2/26/2019 22:00	0.0		2/26/2020 22:00	0.0	
2/26/2017 23:00	0.0	0.0	2/26/2018 23:00	0.0	0.0	2/26/2019 23:00	0.0	0.0	2/26/2020 23:00	0.0	0.0
2/27/2017 0:00	0.0		2/27/2018 0:00	0.0		2/27/2019 0:00	0.0		2/27/2020 0:00	0.0	
2/27/2017 1:00	0.0		2/27/2018 1:00	0.0		2/27/2019 1:00	0.0		2/27/2020 1:00	0.0	
2/27/2017 2:00	0.0		2/27/2018 2:00	0.0		2/27/2019 2:00	0.0		2/27/2020 2:00	0.0	
2/27/2017 3:00	0.0		2/27/2018 3:00	0.0		2/27/2019 3:00	0.0		2/27/2020 3:00	0.0	
2/27/2017 4:00	0.0		2/27/2018 4:00	0.0		2/27/2019 4:00	0.0		2/27/2020 4:00	0.0	
2/27/2017 5:00	0.0		2/27/2018 5:00	0.0		2/27/2019 5:00	0.0		2/27/2020 5:00	0.0	
2/27/2017 6:00	0.0		2/27/2018 6:00	0.0		2/27/2019 6:00	0.0		2/27/2020 6:00	0.0	
2/27/2017 7:00	0.0		2/27/2018 7:00	0.0		2/27/2019 7:00	0.0		2/27/2020 7:00	0.0	
2/27/2017 8:00	0.0		2/27/2018 8:00	0.0		2/27/2019 8:00	0.0		2/27/2020 8:00	0.0	
2/27/2017 9:00	0.0		2/27/2018 9:00	0.0		2/27/2019 9:00	0.0		2/27/2020 9:00	0.0	
2/27/2017 10:00	0.0		2/27/2018 10:00	0.0		2/27/2019 10:00	0.0		2/27/2020 10:00	0.0	
2/27/2017 11:00	0.0		2/27/2018 11:00	0.0		2/27/2019 11:00	0.0		2/27/2020 11:00	0.0	
2/27/2017 12:00	0.0		2/27/2018 12:00	0.0		2/27/2019 12:00	0.0		2/27/2020 12:00	0.0	
2/27/2017 13:00	0.0		2/27/2018 13:00	0.0		2/27/2019 13:00	0.0		2/27/2020 13:00	0.0	
2/27/2017 14:00	0.0		2/27/2018 14:00	0.0		2/27/2019 14:00	0.0		2/27/2020 14:00	0.0	
2/27/2017 15:00	0.0		2/27/2018 15:00	0.0		2/27/2019 15:00	0.0		2/27/2020 15:00	0.0	
2/27/2017 16:00	0.0		2/27/2018 16:00	0.0		2/27/2019 16:00	0.0		2/27/2020 16:00	0.0	
2/27/2017 17:00	0.0		2/27/2018 17:00	0.0		2/27/2019 17:00	0.0		2/27/2020 17:00	0.0	
2/27/2017 18:00	0.0		2/27/2018 18:00	0.0		2/27/2019 18:00	0.0		2/27/2020 18:00	0.0	
2/27/2017 19:00	0.0		2/27/2018 19:00	0.0		2/27/2019 19:00	0.0		2/27/2020 19:00	0.0	
2/27/2017 20:00	0.0		2/27/2018 20:00	0.0		2/27/2019 20:00	0.0		2/27/2020 20:00	0.0	
2/27/2017 21:00	0.0		2/27/2018 21:00	0.0		2/27/2019 21:00	0.0		2/27/2020 21:00	0.0	
2/27/2017 22:00	0.0		2/27/2018 22:00	0.0		2/27/2019 22:00	0.0		2/27/2020 22:00	0.0	
2/27/2017 23:00	0.0	0.0	2/27/2018 23:00	0.0	0.0	2/27/2019 23:00	0.0	0.0	2/27/2020 23:00	0.0	0.0
2/28/2017 0:00	0.0		2/28/2018 0:00	0.0		2/28/2019 0:00	0.0		2/28/2020 0:00	0.0	
2/28/2017 1:00	0.0		2/28/2018 1:00	0.0		2/28/2019 1:00	0.0		2/28/2020 1:00	0.0	
2/28/2017 2:00	0.0		2/28/2018 2:00	0.0		2/28/2019 2:00	0.0		2/28/2020 2:00	0.0	
2/28/2017 3:00	0.0		2/28/2018 3:00	0.0		2/28/2019 3:00	0.0		2/28/2020 3:00	0.0	
2/28/2017 4:00	0.0		2/28/2018 4:00	0.0		2/28/2019 4:00	0.0		2/28/2020 4:00	0.0	
2/28/2017 5:00	0.0		2/28/2018 5:00	0.0		2/28/2019 5:00	0.0		2/28/2020 5:00	0.0	
2/28/2017 6:00	0.0		2/28/2018 6:00	0.0		2/28/2019 6:00	0.0		2/28/2020 6:00	0.0	
2/28/2017 7:00	0.0		2/28/2018 7:00	0.0		2/28/2019 7:00	0.0		2/28/2020 7:00	0.0	
2/28/2017 8:00	0.0		2/28/2018 8:00	0.0		2/28/2019 8:00	0.0		2/28/2020 8:00	0.0	
2/28/2017 9:00	0.0		2/28/2018 9:00	0.0		2/28/2019 9:00	0.0		2/28/2020 9:00	0.0	
2/28/2017 10:00	0.0		2/28/2018 10:00	0.0		2/28/2019 10:00	0.0		2/28/2020 10:00	0.0	
2/28/2017 11:00	0.0		2/28/2018 11:00	0.0		2/28/2019 11:00	0.0		2/28/2020 11:00	0.0	
2/28/2017 12:00	0.0		2/28/2018 12:00	0.0		2/28/2019 12:00	0.0		2/28/2020 12:00	0.0	
2/28/2017 13:00	0.0		2/28/2018 13:00	0.0		2/28/2019 13:00	0.0		2/28/2020 13:00	0.0	
2/28/2017 14:00	0.0		2/28/2018 14:00	0.0		2/28/2019 14:00	0.0		2/28/2020 14:00	0.0	
2/28/2017 15:00	0.0		2/28/2018 15:00	0.0		2/28/2019 15:00	0.0		2/28/2020 15:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/28/2017 16:00	0.0		2/28/2018 16:00	0.0		2/28/2019 16:00	0.0		2/28/2020 16:00	0.0	
2/28/2017 17:00	0.0		2/28/2018 17:00	0.0		2/28/2019 17:00	0.0		2/28/2020 17:00	0.0	
2/28/2017 18:00	0.0		2/28/2018 18:00	0.0		2/28/2019 18:00	0.0		2/28/2020 18:00	0.0	
2/28/2017 19:00	0.0		2/28/2018 19:00	0.0		2/28/2019 19:00	0.0		2/28/2020 19:00	0.0	
2/28/2017 20:00	0.0		2/28/2018 20:00	0.0		2/28/2019 20:00	0.0		2/28/2020 20:00	0.0	
2/28/2017 21:00	0.0		2/28/2018 21:00	0.0		2/28/2019 21:00	0.0		2/28/2020 21:00	0.0	
2/28/2017 22:00	0.0		2/28/2018 22:00	0.0		2/28/2019 22:00	0.0		2/28/2020 22:00	0.0	
2/28/2017 23:00	0.0	0.0	2/28/2018 23:00	0.0	0.0	2/28/2019 23:00	0.0	0.0	2/28/2020 23:00	0.0	0.0
3/1/2017 0:00	0.0		3/1/2018 0:00	0.0		3/1/2019 0:00	0.0		2/29/2020 0:00	0.0	
3/1/2017 1:00	0.0		3/1/2018 1:00	0.0		3/1/2019 1:00	0.0		2/29/2020 1:00	0.0	
3/1/2017 2:00	0.0		3/1/2018 2:00	0.0		3/1/2019 2:00	0.0		2/29/2020 2:00	0.0	
3/1/2017 3:00	0.0		3/1/2018 3:00	0.0		3/1/2019 3:00	0.0		2/29/2020 3:00	0.0	
3/1/2017 4:00	0.0		3/1/2018 4:00	0.0		3/1/2019 4:00	0.0		2/29/2020 4:00	0.0	
3/1/2017 5:00	0.0		3/1/2018 5:00	0.0		3/1/2019 5:00	0.0		2/29/2020 5:00	0.0	
3/1/2017 6:00	0.0		3/1/2018 6:00	0.0		3/1/2019 6:00	0.0		2/29/2020 6:00	0.0	
3/1/2017 7:00	0.0		3/1/2018 7:00	0.0		3/1/2019 7:00	0.0		2/29/2020 7:00	0.0	
3/1/2017 8:00	0.0		3/1/2018 8:00	0.0		3/1/2019 8:00	0.0		2/29/2020 8:00	0.0	
3/1/2017 9:00	0.0		3/1/2018 9:00	0.0		3/1/2019 9:00	0.0		2/29/2020 9:00	0.0	
3/1/2017 10:00	0.0		3/1/2018 10:00	0.0		3/1/2019 10:00	0.0		2/29/2020 10:00	0.0	
3/1/2017 11:00	0.0		3/1/2018 11:00	0.0		3/1/2019 11:00	0.0		2/29/2020 11:00	0.0	
3/1/2017 12:00	0.0		3/1/2018 12:00	0.0		3/1/2019 12:00	0.0		2/29/2020 12:00	0.0	
3/1/2017 13:00	0.0		3/1/2018 13:00	0.0		3/1/2019 13:00	0.0		2/29/2020 13:00	0.0	
3/1/2017 14:00	0.0		3/1/2018 14:00	0.0		3/1/2019 14:00	0.0		2/29/2020 14:00	0.0	
3/1/2017 15:00	0.0		3/1/2018 15:00	0.0		3/1/2019 15:00	0.0		2/29/2020 15:00	0.0	
3/1/2017 16:00	0.0		3/1/2018 16:00	0.0		3/1/2019 16:00	0.0		2/29/2020 16:00	0.0	
3/1/2017 17:00	0.0		3/1/2018 17:00	0.0		3/1/2019 17:00	0.0		2/29/2020 17:00	0.0	
3/1/2017 18:00	0.0		3/1/2018 18:00	0.0		3/1/2019 18:00	0.0		2/29/2020 18:00	0.0	
3/1/2017 19:00	0.0		3/1/2018 19:00	0.0		3/1/2019 19:00	0.0		2/29/2020 19:00	0.0	
3/1/2017 20:00	0.0		3/1/2018 20:00	0.0		3/1/2019 20:00	0.0		2/29/2020 20:00	0.0	
3/1/2017 21:00	0.0		3/1/2018 21:00	0.0		3/1/2019 21:00	0.0		2/29/2020 21:00	0.0	
3/1/2017 22:00	0.0		3/1/2018 22:00	0.0		3/1/2019 22:00	0.0		2/29/2020 22:00	0.0	
3/1/2017 23:00	0.0	0.0	3/1/2018 23:00	0.0	0.0	3/1/2019 23:00	0.0	0.0	2/29/2020 23:00	0.0	0.0
3/2/2017 0:00	0.0		3/2/2018 0:00	0.0		3/2/2019 0:00	0.0		3/1/2020 0:00	0.0	
3/2/2017 1:00	0.0		3/2/2018 1:00	0.0		3/2/2019 1:00	0.0		3/1/2020 1:00	0.0	
3/2/2017 2:00	0.0		3/2/2018 2:00	0.0		3/2/2019 2:00	69.1		3/1/2020 2:00	0.0	
3/2/2017 3:00	0.0		3/2/2018 3:00	0.0		3/2/2019 3:00	0.0		3/1/2020 3:00	0.0	
3/2/2017 4:00	0.0		3/2/2018 4:00	0.0		3/2/2019 4:00	0.0		3/1/2020 4:00	0.0	
3/2/2017 5:00	0.0		3/2/2018 5:00	0.0		3/2/2019 5:00	0.0		3/1/2020 5:00	0.0	
3/2/2017 6:00	0.0		3/2/2018 6:00	0.0		3/2/2019 6:00	0.0		3/1/2020 6:00	0.0	
3/2/2017 7:00	0.0		3/2/2018 7:00	0.0		3/2/2019 7:00	0.0		3/1/2020 7:00	0.0	
3/2/2017 8:00	0.0		3/2/2018 8:00	0.0		3/2/2019 8:00	0.0		3/1/2020 8:00	0.0	
3/2/2017 9:00	0.0		3/2/2018 9:00	0.0		3/2/2019 9:00	0.0		3/1/2020 9:00	0.0	
3/2/2017 10:00	0.0		3/2/2018 10:00	0.0		3/2/2019 10:00	0.0		3/1/2020 10:00	0.0	
3/2/2017 11:00	0.0		3/2/2018 11:00	0.0		3/2/2019 11:00	0.0		3/1/2020 11:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/2/2017 12:00	0.0		3/2/2018 12:00	0.0		3/2/2019 12:00	0.0		3/1/2020 12:00	0.0	
3/2/2017 13:00	0.0		3/2/2018 13:00	0.0		3/2/2019 13:00	0.0		3/1/2020 13:00	0.0	
3/2/2017 14:00	0.0		3/2/2018 14:00	0.0		3/2/2019 14:00	0.0		3/1/2020 14:00	0.0	
3/2/2017 15:00	0.0		3/2/2018 15:00	0.0		3/2/2019 15:00	0.0		3/1/2020 15:00	0.0	
3/2/2017 16:00	0.0		3/2/2018 16:00	0.0		3/2/2019 16:00	0.0		3/1/2020 16:00	0.0	
3/2/2017 17:00	0.0		3/2/2018 17:00	0.0		3/2/2019 17:00	0.0		3/1/2020 17:00	0.0	
3/2/2017 18:00	0.0		3/2/2018 18:00	0.0		3/2/2019 18:00	0.0		3/1/2020 18:00	0.0	
3/2/2017 19:00	0.0		3/2/2018 19:00	0.0		3/2/2019 19:00	0.0		3/1/2020 19:00	0.0	
3/2/2017 20:00	0.0		3/2/2018 20:00	0.0		3/2/2019 20:00	0.0		3/1/2020 20:00	0.0	
3/2/2017 21:00	0.0		3/2/2018 21:00	0.0		3/2/2019 21:00	0.0		3/1/2020 21:00	0.0	
3/2/2017 22:00	0.0		3/2/2018 22:00	0.0		3/2/2019 22:00	0.0		3/1/2020 22:00	0.0	
3/2/2017 23:00	0.0	0.0	3/2/2018 23:00	0.0	0.0	3/2/2019 23:00	0.0	69.1	3/1/2020 23:00	0.0	0.0
3/3/2017 0:00	0.0		3/3/2018 0:00	0.0		3/3/2019 0:00	0.0		3/2/2020 0:00	0.0	
3/3/2017 1:00	0.0		3/3/2018 1:00	0.0		3/3/2019 1:00	0.0		3/2/2020 1:00	0.0	
3/3/2017 2:00	0.0		3/3/2018 2:00	0.0		3/3/2019 2:00	0.0		3/2/2020 2:00	0.0	
3/3/2017 3:00	0.0		3/3/2018 3:00	0.0		3/3/2019 3:00	0.0		3/2/2020 3:00	0.0	
3/3/2017 4:00	0.0		3/3/2018 4:00	0.0		3/3/2019 4:00	0.0		3/2/2020 4:00	0.0	
3/3/2017 5:00	0.0		3/3/2018 5:00	0.0		3/3/2019 5:00	0.0		3/2/2020 5:00	0.0	
3/3/2017 6:00	0.0		3/3/2018 6:00	0.0		3/3/2019 6:00	0.0		3/2/2020 6:00	0.0	
3/3/2017 7:00	0.0		3/3/2018 7:00	0.0		3/3/2019 7:00	0.0		3/2/2020 7:00	0.0	
3/3/2017 8:00	0.0		3/3/2018 8:00	0.0		3/3/2019 8:00	0.0		3/2/2020 8:00	0.0	
3/3/2017 9:00	0.0		3/3/2018 9:00	0.0		3/3/2019 9:00	0.0		3/2/2020 9:00	0.0	
3/3/2017 10:00	0.0		3/3/2018 10:00	0.0		3/3/2019 10:00	0.0		3/2/2020 10:00	0.0	
3/3/2017 11:00	0.0		3/3/2018 11:00	0.0		3/3/2019 11:00	0.0		3/2/2020 11:00	0.0	
3/3/2017 12:00	0.0		3/3/2018 12:00	0.0		3/3/2019 12:00	0.0		3/2/2020 12:00	0.0	
3/3/2017 13:00	0.0		3/3/2018 13:00	0.0		3/3/2019 13:00	0.0		3/2/2020 13:00	0.0	
3/3/2017 14:00	0.0		3/3/2018 14:00	0.0		3/3/2019 14:00	0.0		3/2/2020 14:00	0.0	
3/3/2017 15:00	0.0		3/3/2018 15:00	0.0		3/3/2019 15:00	0.0		3/2/2020 15:00	0.0	
3/3/2017 16:00	0.0		3/3/2018 16:00	0.0		3/3/2019 16:00	0.0		3/2/2020 16:00	0.0	
3/3/2017 17:00	0.0		3/3/2018 17:00	0.0		3/3/2019 17:00	0.0		3/2/2020 17:00	0.0	
3/3/2017 18:00	0.0		3/3/2018 18:00	0.0		3/3/2019 18:00	0.0		3/2/2020 18:00	0.0	
3/3/2017 19:00	0.0		3/3/2018 19:00	0.0		3/3/2019 19:00	0.0		3/2/2020 19:00	0.0	
3/3/2017 20:00	0.0		3/3/2018 20:00	0.0		3/3/2019 20:00	0.0		3/2/2020 20:00	0.0	
3/3/2017 21:00	0.0		3/3/2018 21:00	0.0		3/3/2019 21:00	0.0		3/2/2020 21:00	0.0	
3/3/2017 22:00	0.0		3/3/2018 22:00	0.0		3/3/2019 22:00	0.0		3/2/2020 22:00	0.0	
3/3/2017 23:00	0.0	0.0	3/3/2018 23:00	0.0	0.0	3/3/2019 23:00	0.0	0.0	3/2/2020 23:00	0.0	0.0
3/4/2017 0:00	0.0		3/4/2018 0:00	0.0		3/4/2019 0:00	0.0		3/3/2020 0:00	0.0	
3/4/2017 1:00	0.0		3/4/2018 1:00	0.0		3/4/2019 1:00	0.0		3/3/2020 1:00	0.0	
3/4/2017 2:00	0.0		3/4/2018 2:00	0.0		3/4/2019 2:00	0.0		3/3/2020 2:00	0.0	
3/4/2017 3:00	0.0		3/4/2018 3:00	0.0		3/4/2019 3:00	0.0		3/3/2020 3:00	0.0	
3/4/2017 4:00	0.0		3/4/2018 4:00	0.0		3/4/2019 4:00	0.0		3/3/2020 4:00	0.0	
3/4/2017 5:00	0.0		3/4/2018 5:00	0.0		3/4/2019 5:00	0.0		3/3/2020 5:00	0.0	
3/4/2017 6:00	0.0		3/4/2018 6:00	0.0		3/4/2019 6:00	0.0		3/3/2020 6:00	0.0	
3/4/2017 7:00	0.0		3/4/2018 7:00	0.0		3/4/2019 7:00	0.0		3/3/2020 7:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/4/2017 8:00	0.0		3/4/2018 8:00	0.0		3/4/2019 8:00	0.0		3/3/2020 8:00	0.0	
3/4/2017 9:00	0.0		3/4/2018 9:00	0.0		3/4/2019 9:00	0.0		3/3/2020 9:00	0.0	
3/4/2017 10:00	0.0		3/4/2018 10:00	0.0		3/4/2019 10:00	0.0		3/3/2020 10:00	0.0	
3/4/2017 11:00	0.0		3/4/2018 11:00	0.0		3/4/2019 11:00	0.0		3/3/2020 11:00	0.0	
3/4/2017 12:00	0.0		3/4/2018 12:00	0.0		3/4/2019 12:00	0.0		3/3/2020 12:00	0.0	
3/4/2017 13:00	0.0		3/4/2018 13:00	0.0		3/4/2019 13:00	0.0		3/3/2020 13:00	0.0	
3/4/2017 14:00	0.0		3/4/2018 14:00	0.0		3/4/2019 14:00	0.0		3/3/2020 14:00	0.0	
3/4/2017 15:00	0.0		3/4/2018 15:00	0.0		3/4/2019 15:00	0.0		3/3/2020 15:00	0.0	
3/4/2017 16:00	0.0		3/4/2018 16:00	0.0		3/4/2019 16:00	0.0		3/3/2020 16:00	0.0	
3/4/2017 17:00	0.0		3/4/2018 17:00	0.0		3/4/2019 17:00	0.0		3/3/2020 17:00	0.0	
3/4/2017 18:00	0.0		3/4/2018 18:00	0.0		3/4/2019 18:00	0.0		3/3/2020 18:00	0.0	
3/4/2017 19:00	0.0		3/4/2018 19:00	0.0		3/4/2019 19:00	0.0		3/3/2020 19:00	0.0	
3/4/2017 20:00	0.0		3/4/2018 20:00	0.0		3/4/2019 20:00	0.0		3/3/2020 20:00	0.0	
3/4/2017 21:00	0.0		3/4/2018 21:00	0.0		3/4/2019 21:00	0.0		3/3/2020 21:00	0.0	
3/4/2017 22:00	0.0		3/4/2018 22:00	0.0		3/4/2019 22:00	0.0		3/3/2020 22:00	0.0	
3/4/2017 23:00	0.0	0.0	3/4/2018 23:00	0.0	0.0	3/4/2019 23:00	0.0	0.0	3/3/2020 23:00	0.0	0.0
3/5/2017 0:00	0.0		3/5/2018 0:00	0.0		3/5/2019 0:00	0.0		3/4/2020 0:00	0.0	
3/5/2017 1:00	0.0		3/5/2018 1:00	0.0		3/5/2019 1:00	0.0		3/4/2020 1:00	0.0	
3/5/2017 2:00	0.0		3/5/2018 2:00	0.0		3/5/2019 2:00	0.0		3/4/2020 2:00	0.0	
3/5/2017 3:00	0.0		3/5/2018 3:00	0.0		3/5/2019 3:00	0.0		3/4/2020 3:00	0.0	
3/5/2017 4:00	0.0		3/5/2018 4:00	0.0		3/5/2019 4:00	0.0		3/4/2020 4:00	0.0	
3/5/2017 5:00	0.0		3/5/2018 5:00	0.0		3/5/2019 5:00	0.0		3/4/2020 5:00	0.0	
3/5/2017 6:00	0.0		3/5/2018 6:00	0.0		3/5/2019 6:00	0.0		3/4/2020 6:00	0.0	
3/5/2017 7:00	0.0		3/5/2018 7:00	0.0		3/5/2019 7:00	0.0		3/4/2020 7:00	0.0	
3/5/2017 8:00	0.0		3/5/2018 8:00	0.0		3/5/2019 8:00	0.0		3/4/2020 8:00	0.0	
3/5/2017 9:00	0.0		3/5/2018 9:00	0.0		3/5/2019 9:00	0.0		3/4/2020 9:00	0.0	
3/5/2017 10:00	0.0		3/5/2018 10:00	0.0		3/5/2019 10:00	0.0		3/4/2020 10:00	0.0	
3/5/2017 11:00	0.0		3/5/2018 11:00	0.0		3/5/2019 11:00	0.0		3/4/2020 11:00	0.0	
3/5/2017 12:00	0.0		3/5/2018 12:00	0.0		3/5/2019 12:00	0.0		3/4/2020 12:00	0.0	
3/5/2017 13:00	0.0		3/5/2018 13:00	0.0		3/5/2019 13:00	0.0		3/4/2020 13:00	0.0	
3/5/2017 14:00	0.0		3/5/2018 14:00	0.0		3/5/2019 14:00	0.0		3/4/2020 14:00	0.0	
3/5/2017 15:00	0.0		3/5/2018 15:00	0.0		3/5/2019 15:00	0.0		3/4/2020 15:00	0.0	
3/5/2017 16:00	0.0		3/5/2018 16:00	0.0		3/5/2019 16:00	0.0		3/4/2020 16:00	0.0	
3/5/2017 17:00	0.0		3/5/2018 17:00	0.0		3/5/2019 17:00	0.0		3/4/2020 17:00	0.0	
3/5/2017 18:00	0.0		3/5/2018 18:00	0.0		3/5/2019 18:00	0.0		3/4/2020 18:00	0.0	
3/5/2017 19:00	0.0		3/5/2018 19:00	0.0		3/5/2019 19:00	0.0		3/4/2020 19:00	0.0	
3/5/2017 20:00	0.0		3/5/2018 20:00	0.0		3/5/2019 20:00	0.0		3/4/2020 20:00	0.0	
3/5/2017 21:00	0.0		3/5/2018 21:00	0.0		3/5/2019 21:00	0.0		3/4/2020 21:00	0.0	
3/5/2017 22:00	0.0		3/5/2018 22:00	0.0		3/5/2019 22:00	0.0		3/4/2020 22:00	0.0	
3/5/2017 23:00	0.0	0.0	3/5/2018 23:00	0.0	0.0	3/5/2019 23:00	0.0	0.0	3/4/2020 23:00	0.0	0.0
3/6/2017 0:00	0.0		3/6/2018 0:00	0.0		3/6/2019 0:00	0.0		3/5/2020 0:00	0.0	
3/6/2017 1:00	0.0		3/6/2018 1:00	0.0		3/6/2019 1:00	0.0		3/5/2020 1:00	0.0	
3/6/2017 2:00	0.0		3/6/2018 2:00	0.0		3/6/2019 2:00	0.0		3/5/2020 2:00	0.0	
3/6/2017 3:00	0.0		3/6/2018 3:00	0.0		3/6/2019 3:00	0.0		3/5/2020 3:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/6/2017 4:00	0.0		3/6/2018 4:00	0.0		3/6/2019 4:00	0.0		3/5/2020 4:00	0.0	
3/6/2017 5:00	0.0		3/6/2018 5:00	0.0		3/6/2019 5:00	0.0		3/5/2020 5:00	0.0	
3/6/2017 6:00	0.0		3/6/2018 6:00	0.0		3/6/2019 6:00	0.0		3/5/2020 6:00	0.0	
3/6/2017 7:00	0.0		3/6/2018 7:00	0.0		3/6/2019 7:00	0.0		3/5/2020 7:00	0.0	
3/6/2017 8:00	0.0		3/6/2018 8:00	0.0		3/6/2019 8:00	0.0		3/5/2020 8:00	0.0	
3/6/2017 9:00	0.0		3/6/2018 9:00	0.0		3/6/2019 9:00	0.0		3/5/2020 9:00	0.0	
3/6/2017 10:00	0.0		3/6/2018 10:00	0.0		3/6/2019 10:00	0.0		3/5/2020 10:00	0.0	
3/6/2017 11:00	0.0		3/6/2018 11:00	0.0		3/6/2019 11:00	0.0		3/5/2020 11:00	0.0	
3/6/2017 12:00	0.0		3/6/2018 12:00	0.0		3/6/2019 12:00	0.0		3/5/2020 12:00	0.0	
3/6/2017 13:00	0.0		3/6/2018 13:00	0.0		3/6/2019 13:00	0.0		3/5/2020 13:00	0.0	
3/6/2017 14:00	0.0		3/6/2018 14:00	0.0		3/6/2019 14:00	0.0		3/5/2020 14:00	0.0	
3/6/2017 15:00	0.0		3/6/2018 15:00	0.0		3/6/2019 15:00	0.0		3/5/2020 15:00	0.0	
3/6/2017 16:00	0.0		3/6/2018 16:00	0.0		3/6/2019 16:00	0.0		3/5/2020 16:00	0.0	
3/6/2017 17:00	0.0		3/6/2018 17:00	0.0		3/6/2019 17:00	0.0		3/5/2020 17:00	0.0	
3/6/2017 18:00	0.0		3/6/2018 18:00	0.0		3/6/2019 18:00	0.0		3/5/2020 18:00	0.0	
3/6/2017 19:00	0.0		3/6/2018 19:00	0.0		3/6/2019 19:00	0.0		3/5/2020 19:00	0.0	
3/6/2017 20:00	0.0		3/6/2018 20:00	0.0		3/6/2019 20:00	0.0		3/5/2020 20:00	0.0	
3/6/2017 21:00	0.0		3/6/2018 21:00	0.0		3/6/2019 21:00	0.0		3/5/2020 21:00	0.0	
3/6/2017 22:00	0.0		3/6/2018 22:00	0.0		3/6/2019 22:00	0.0		3/5/2020 22:00	0.0	
3/6/2017 23:00	0.0	0.0	3/6/2018 23:00	0.0	0.0	3/6/2019 23:00	0.0	0.0	3/5/2020 23:00	0.0	0.0
3/7/2017 0:00	0.0		3/7/2018 0:00	0.0		3/7/2019 0:00	0.0		3/6/2020 0:00	0.0	
3/7/2017 1:00	0.0		3/7/2018 1:00	0.0		3/7/2019 1:00	0.0		3/6/2020 1:00	0.0	
3/7/2017 2:00	0.0		3/7/2018 2:00	0.0		3/7/2019 2:00	0.0		3/6/2020 2:00	0.0	
3/7/2017 3:00	0.0		3/7/2018 3:00	0.0		3/7/2019 3:00	0.0		3/6/2020 3:00	0.0	
3/7/2017 4:00	0.0		3/7/2018 4:00	0.0		3/7/2019 4:00	0.0		3/6/2020 4:00	0.0	
3/7/2017 5:00	0.0		3/7/2018 5:00	0.0		3/7/2019 5:00	0.0		3/6/2020 5:00	0.0	
3/7/2017 6:00	0.0		3/7/2018 6:00	0.0		3/7/2019 6:00	0.0		3/6/2020 6:00	0.0	
3/7/2017 7:00	0.0		3/7/2018 7:00	0.0		3/7/2019 7:00	5.4		3/6/2020 7:00	0.0	
3/7/2017 8:00	0.0		3/7/2018 8:00	0.0		3/7/2019 8:00	10.3		3/6/2020 8:00	0.0	
3/7/2017 9:00	0.0		3/7/2018 9:00	0.0		3/7/2019 9:00	0.0		3/6/2020 9:00	0.0	
3/7/2017 10:00	0.0		3/7/2018 10:00	0.0		3/7/2019 10:00	0.0		3/6/2020 10:00	0.0	
3/7/2017 11:00	0.0		3/7/2018 11:00	0.0		3/7/2019 11:00	0.0		3/6/2020 11:00	0.0	
3/7/2017 12:00	0.0		3/7/2018 12:00	0.0		3/7/2019 12:00	0.0		3/6/2020 12:00	0.0	
3/7/2017 13:00	0.0		3/7/2018 13:00	0.0		3/7/2019 13:00	0.0		3/6/2020 13:00	0.0	
3/7/2017 14:00	0.0		3/7/2018 14:00	0.0		3/7/2019 14:00	0.0		3/6/2020 14:00	0.0	
3/7/2017 15:00	0.0		3/7/2018 15:00	0.0		3/7/2019 15:00	0.0		3/6/2020 15:00	0.0	
3/7/2017 16:00	0.0		3/7/2018 16:00	0.0		3/7/2019 16:00	0.0		3/6/2020 16:00	0.0	
3/7/2017 17:00	0.0		3/7/2018 17:00	0.0		3/7/2019 17:00	0.0		3/6/2020 17:00	0.0	
3/7/2017 18:00	0.0		3/7/2018 18:00	0.0		3/7/2019 18:00	0.0		3/6/2020 18:00	0.0	
3/7/2017 19:00	0.0		3/7/2018 19:00	0.0		3/7/2019 19:00	0.0		3/6/2020 19:00	0.0	
3/7/2017 20:00	0.0		3/7/2018 20:00	0.0		3/7/2019 20:00	0.0		3/6/2020 20:00	0.0	
3/7/2017 21:00	0.0		3/7/2018 21:00	0.0		3/7/2019 21:00	0.0		3/6/2020 21:00	0.0	
3/7/2017 22:00	0.0		3/7/2018 22:00	0.0		3/7/2019 22:00	0.0		3/6/2020 22:00	0.0	
3/7/2017 23:00	0.0	0.0	3/7/2018 23:00	0.0	0.0	3/7/2019 23:00	0.0	10.3	3/6/2020 23:00	0.0	0.0

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/8/2017 0:00	0.0		3/8/2018 0:00	0.0		3/8/2019 0:00	0.0		3/7/2020 0:00	0.0	
3/8/2017 1:00	0.0		3/8/2018 1:00	0.0		3/8/2019 1:00	0.0		3/7/2020 1:00	0.0	
3/8/2017 2:00	0.0		3/8/2018 2:00	0.0		3/8/2019 2:00	0.0		3/7/2020 2:00	0.0	
3/8/2017 3:00	0.0		3/8/2018 3:00	0.0		3/8/2019 3:00	0.0		3/7/2020 3:00	0.0	
3/8/2017 4:00	0.0		3/8/2018 4:00	0.0		3/8/2019 4:00	0.0		3/7/2020 4:00	0.0	
3/8/2017 5:00	0.0		3/8/2018 5:00	0.0		3/8/2019 5:00	0.0		3/7/2020 5:00	0.0	
3/8/2017 6:00	0.0		3/8/2018 6:00	0.0		3/8/2019 6:00	0.0		3/7/2020 6:00	0.0	
3/8/2017 7:00	0.0		3/8/2018 7:00	0.0		3/8/2019 7:00	0.0		3/7/2020 7:00	0.0	
3/8/2017 8:00	0.0		3/8/2018 8:00	0.0		3/8/2019 8:00	0.0		3/7/2020 8:00	0.0	
3/8/2017 9:00	0.0		3/8/2018 9:00	0.0		3/8/2019 9:00	0.0		3/7/2020 9:00	0.0	
3/8/2017 10:00	0.0		3/8/2018 10:00	0.0		3/8/2019 10:00	0.0		3/7/2020 10:00	0.0	
3/8/2017 11:00	0.0		3/8/2018 11:00	0.0		3/8/2019 11:00	0.0		3/7/2020 11:00	0.0	
3/8/2017 12:00	0.0		3/8/2018 12:00	0.0		3/8/2019 12:00	0.0		3/7/2020 12:00	0.0	
3/8/2017 13:00	0.0		3/8/2018 13:00	0.0		3/8/2019 13:00	0.0		3/7/2020 13:00	0.0	
3/8/2017 14:00	0.0		3/8/2018 14:00	0.0		3/8/2019 14:00	0.0		3/7/2020 14:00	0.0	
3/8/2017 15:00	0.0		3/8/2018 15:00	0.0		3/8/2019 15:00	0.0		3/7/2020 15:00	0.0	
3/8/2017 16:00	0.0		3/8/2018 16:00	0.0		3/8/2019 16:00	0.0		3/7/2020 16:00	0.0	
3/8/2017 17:00	0.0		3/8/2018 17:00	0.0		3/8/2019 17:00	0.0		3/7/2020 17:00	0.0	
3/8/2017 18:00	0.0		3/8/2018 18:00	0.0		3/8/2019 18:00	0.0		3/7/2020 18:00	0.0	
3/8/2017 19:00	0.0		3/8/2018 19:00	0.0		3/8/2019 19:00	0.0		3/7/2020 19:00	0.0	
3/8/2017 20:00	0.0		3/8/2018 20:00	0.0		3/8/2019 20:00	0.0		3/7/2020 20:00	0.0	
3/8/2017 21:00	0.0		3/8/2018 21:00	0.0		3/8/2019 21:00	0.0		3/7/2020 21:00	0.0	
3/8/2017 22:00	0.0		3/8/2018 22:00	0.0		3/8/2019 22:00	0.0		3/7/2020 22:00	0.0	
3/8/2017 23:00	0.0	0.0	3/8/2018 23:00	0.0	0.0	3/8/2019 23:00	0.0	0.0	3/7/2020 23:00	0.0	0.0
3/9/2017 0:00	0.0		3/9/2018 0:00	0.0		3/9/2019 0:00	0.0		3/8/2020 0:00	0.0	
3/9/2017 1:00	0.0		3/9/2018 1:00	0.0		3/9/2019 1:00	0.0		3/8/2020 1:00	0.0	
3/9/2017 2:00	0.0		3/9/2018 2:00	0.0		3/9/2019 2:00	0.0		3/8/2020 2:00	0.0	
3/9/2017 3:00	0.0		3/9/2018 3:00	0.0		3/9/2019 3:00	0.0		3/8/2020 3:00	0.0	
3/9/2017 4:00	0.0		3/9/2018 4:00	0.0		3/9/2019 4:00	0.0		3/8/2020 4:00	0.0	
3/9/2017 5:00	0.0		3/9/2018 5:00	0.0		3/9/2019 5:00	0.0		3/8/2020 5:00	0.0	
3/9/2017 6:00	0.0		3/9/2018 6:00	0.0		3/9/2019 6:00	0.0		3/8/2020 6:00	0.0	
3/9/2017 7:00	0.0		3/9/2018 7:00	0.0		3/9/2019 7:00	0.0		3/8/2020 7:00	0.0	
3/9/2017 8:00	0.0		3/9/2018 8:00	0.0		3/9/2019 8:00	0.0		3/8/2020 8:00	0.0	
3/9/2017 9:00	0.0		3/9/2018 9:00	0.0		3/9/2019 9:00	0.0		3/8/2020 9:00	0.0	
3/9/2017 10:00	0.0		3/9/2018 10:00	0.0		3/9/2019 10:00	0.0		3/8/2020 10:00	0.0	
3/9/2017 11:00	0.0		3/9/2018 11:00	0.0		3/9/2019 11:00	0.0		3/8/2020 11:00	0.0	
3/9/2017 12:00	0.0		3/9/2018 12:00	0.0		3/9/2019 12:00	0.0		3/8/2020 12:00	0.0	
3/9/2017 13:00	0.0		3/9/2018 13:00	0.0		3/9/2019 13:00	0.0		3/8/2020 13:00	0.0	
3/9/2017 14:00	0.0		3/9/2018 14:00	0.0		3/9/2019 14:00	0.0		3/8/2020 14:00	0.0	
3/9/2017 15:00	0.0		3/9/2018 15:00	0.0		3/9/2019 15:00	0.0		3/8/2020 15:00	0.0	
3/9/2017 16:00	0.0		3/9/2018 16:00	0.0		3/9/2019 16:00	0.0		3/8/2020 16:00	0.0	
3/9/2017 17:00	0.0		3/9/2018 17:00	0.0		3/9/2019 17:00	0.0		3/8/2020 17:00	0.0	
3/9/2017 18:00	0.0		3/9/2018 18:00	0.0		3/9/2019 18:00	0.0		3/8/2020 18:00	0.0	
3/9/2017 19:00	0.0		3/9/2018 19:00	0.0		3/9/2019 19:00	0.0		3/8/2020 19:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/9/2017 20:00	0.0		3/9/2018 20:00	0.0		3/9/2019 20:00	0.0		3/8/2020 20:00	0.0	
3/9/2017 21:00	0.0		3/9/2018 21:00	0.0		3/9/2019 21:00	0.0		3/8/2020 21:00	0.0	
3/9/2017 22:00	0.0		3/9/2018 22:00	0.0		3/9/2019 22:00	0.0		3/8/2020 22:00	0.0	
3/9/2017 23:00	0.0	0.0	3/9/2018 23:00	0.0	0.0	3/9/2019 23:00	0.0	0.0	3/8/2020 23:00	0.0	0.0
3/10/2017 0:00	0.0		3/10/2018 0:00	0.0		3/10/2019 0:00	0.0		3/9/2020 0:00	0.0	
3/10/2017 1:00	0.0		3/10/2018 1:00	0.0		3/10/2019 1:00	0.0		3/9/2020 1:00	0.0	
3/10/2017 2:00	0.0		3/10/2018 2:00	0.0		3/10/2019 2:00	0.0		3/9/2020 2:00	0.0	
3/10/2017 3:00	0.0		3/10/2018 3:00	0.0		3/10/2019 3:00	0.0		3/9/2020 3:00	0.0	
3/10/2017 4:00	0.0		3/10/2018 4:00	0.0		3/10/2019 4:00	0.0		3/9/2020 4:00	0.0	
3/10/2017 5:00	0.0		3/10/2018 5:00	0.0		3/10/2019 5:00	0.0		3/9/2020 5:00	0.0	
3/10/2017 6:00	0.0		3/10/2018 6:00	0.0		3/10/2019 6:00	0.0		3/9/2020 6:00	0.0	
3/10/2017 7:00	0.0		3/10/2018 7:00	0.0		3/10/2019 7:00	6.1		3/9/2020 7:00	0.0	
3/10/2017 8:00	0.0		3/10/2018 8:00	0.0		3/10/2019 8:00	6.2		3/9/2020 8:00	0.0	
3/10/2017 9:00	0.0		3/10/2018 9:00	0.0		3/10/2019 9:00	6.1		3/9/2020 9:00	0.0	
3/10/2017 10:00	0.0		3/10/2018 10:00	0.0		3/10/2019 10:00	6.1		3/9/2020 10:00	0.0	
3/10/2017 11:00	0.0		3/10/2018 11:00	0.0		3/10/2019 11:00	6.3		3/9/2020 11:00	0.0	
3/10/2017 12:00	0.0		3/10/2018 12:00	0.0		3/10/2019 12:00	6.4		3/9/2020 12:00	0.0	
3/10/2017 13:00	0.0		3/10/2018 13:00	0.0		3/10/2019 13:00	6.5		3/9/2020 13:00	0.0	
3/10/2017 14:00	0.0		3/10/2018 14:00	0.0		3/10/2019 14:00	6.5		3/9/2020 14:00	0.0	
3/10/2017 15:00	0.0		3/10/2018 15:00	0.0		3/10/2019 15:00	6.5		3/9/2020 15:00	0.0	
3/10/2017 16:00	0.0		3/10/2018 16:00	0.0		3/10/2019 16:00	6.4		3/9/2020 16:00	0.0	
3/10/2017 17:00	0.0		3/10/2018 17:00	0.0		3/10/2019 17:00	6.4		3/9/2020 17:00	0.0	
3/10/2017 18:00	0.0		3/10/2018 18:00	0.0		3/10/2019 18:00	6.4		3/9/2020 18:00	0.0	
3/10/2017 19:00	0.0		3/10/2018 19:00	0.0		3/10/2019 19:00	6.7		3/9/2020 19:00	0.0	
3/10/2017 20:00	0.0		3/10/2018 20:00	0.0		3/10/2019 20:00	6.5		3/9/2020 20:00	0.0	
3/10/2017 21:00	0.0		3/10/2018 21:00	0.0		3/10/2019 21:00	6.3		3/9/2020 21:00	0.0	
3/10/2017 22:00	0.0		3/10/2018 22:00	0.0		3/10/2019 22:00	6.2		3/9/2020 22:00	0.0	
3/10/2017 23:00	0.0	0.0	3/10/2018 23:00	0.0	0.0	3/10/2019 23:00	6.2	6.7	3/9/2020 23:00	0.0	0.0
3/11/2017 0:00	0.0		3/11/2018 0:00	0.0		3/11/2019 0:00	6.2		3/10/2020 0:00	0.0	
3/11/2017 1:00	0.0		3/11/2018 1:00	0.0		3/11/2019 1:00	6.2		3/10/2020 1:00	0.0	
3/11/2017 2:00	0.0		3/11/2018 2:00	0.0		3/11/2019 2:00	6.2		3/10/2020 2:00	0.0	
3/11/2017 3:00	0.0		3/11/2018 3:00	0.0		3/11/2019 3:00	6.2		3/10/2020 3:00	0.0	
3/11/2017 4:00	0.0		3/11/2018 4:00	0.0		3/11/2019 4:00	6.2		3/10/2020 4:00	0.0	
3/11/2017 5:00	0.0		3/11/2018 5:00	0.0		3/11/2019 5:00	6.2		3/10/2020 5:00	0.0	
3/11/2017 6:00	0.0		3/11/2018 6:00	0.0		3/11/2019 6:00	6.2		3/10/2020 6:00	0.0	
3/11/2017 7:00	0.0		3/11/2018 7:00	0.0		3/11/2019 7:00	6.3		3/10/2020 7:00	0.0	
3/11/2017 8:00	0.0		3/11/2018 8:00	0.0		3/11/2019 8:00	6.3		3/10/2020 8:00	0.0	
3/11/2017 9:00	0.0		3/11/2018 9:00	0.0		3/11/2019 9:00	6.2		3/10/2020 9:00	0.0	
3/11/2017 10:00	0.0		3/11/2018 10:00	0.0		3/11/2019 10:00	6.3		3/10/2020 10:00	0.0	
3/11/2017 11:00	0.0		3/11/2018 11:00	0.0		3/11/2019 11:00	6.1		3/10/2020 11:00	0.0	
3/11/2017 12:00	0.0		3/11/2018 12:00	0.0		3/11/2019 12:00	6.2		3/10/2020 12:00	0.0	
3/11/2017 13:00	0.0		3/11/2018 13:00	0.0		3/11/2019 13:00	6.1		3/10/2020 13:00	0.0	
3/11/2017 14:00	0.0		3/11/2018 14:00	0.0		3/11/2019 14:00	5.8		3/10/2020 14:00	0.0	
3/11/2017 15:00	0.0		3/11/2018 15:00	0.0		3/11/2019 15:00	5.9		3/10/2020 15:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/11/2017 16:00	0.0		3/11/2018 16:00	0.0		3/11/2019 16:00	5.9		3/10/2020 16:00	0.0	
3/11/2017 17:00	0.0		3/11/2018 17:00	0.0		3/11/2019 17:00	5.9		3/10/2020 17:00	0.0	
3/11/2017 18:00	0.0		3/11/2018 18:00	0.0		3/11/2019 18:00	5.9		3/10/2020 18:00	0.0	
3/11/2017 19:00	0.0		3/11/2018 19:00	0.0		3/11/2019 19:00	14.9		3/10/2020 19:00	0.0	
3/11/2017 20:00	0.0		3/11/2018 20:00	0.0		3/11/2019 20:00	23.9		3/10/2020 20:00	0.0	
3/11/2017 21:00	0.0		3/11/2018 21:00	0.0		3/11/2019 21:00	23.8		3/10/2020 21:00	0.0	
3/11/2017 22:00	0.0		3/11/2018 22:00	0.0		3/11/2019 22:00	23.9		3/10/2020 22:00	0.0	
3/11/2017 23:00	0.0	0.0	3/11/2018 23:00	0.0	0.0	3/11/2019 23:00	24.0	24.0	3/10/2020 23:00	0.0	0.0
3/12/2017 0:00	0.0		3/12/2018 0:00	0.0		3/12/2019 0:00	24.3		3/11/2020 0:00	0.0	
3/12/2017 1:00	0.0		3/12/2018 1:00	0.0		3/12/2019 1:00	24.3		3/11/2020 1:00	0.0	
3/12/2017 2:00	0.0		3/12/2018 2:00	0.0		3/12/2019 2:00	24.2		3/11/2020 2:00	0.0	
3/12/2017 3:00	0.0		3/12/2018 3:00	0.0		3/12/2019 3:00	24.3		3/11/2020 3:00	0.0	
3/12/2017 4:00	0.0		3/12/2018 4:00	0.0		3/12/2019 4:00	24.3		3/11/2020 4:00	0.0	
3/12/2017 5:00	0.0		3/12/2018 5:00	0.0		3/12/2019 5:00	24.3		3/11/2020 5:00	0.0	
3/12/2017 6:00	0.0		3/12/2018 6:00	0.0		3/12/2019 6:00	24.4		3/11/2020 6:00	0.0	
3/12/2017 7:00	0.0		3/12/2018 7:00	0.0		3/12/2019 7:00	24.5		3/11/2020 7:00	0.0	
3/12/2017 8:00	0.0		3/12/2018 8:00	0.0		3/12/2019 8:00	24.3		3/11/2020 8:00	0.0	
3/12/2017 9:00	0.0		3/12/2018 9:00	0.0		3/12/2019 9:00	15.9		3/11/2020 9:00	0.0	
3/12/2017 10:00	0.0		3/12/2018 10:00	0.0		3/12/2019 10:00	0.0		3/11/2020 10:00	0.0	
3/12/2017 11:00	0.0		3/12/2018 11:00	0.0		3/12/2019 11:00	0.0		3/11/2020 11:00	0.0	
3/12/2017 12:00	0.0		3/12/2018 12:00	0.0		3/12/2019 12:00	0.0		3/11/2020 12:00	0.0	
3/12/2017 13:00	0.0		3/12/2018 13:00	0.0		3/12/2019 13:00	0.0		3/11/2020 13:00	0.0	
3/12/2017 14:00	0.0		3/12/2018 14:00	0.0		3/12/2019 14:00	0.0		3/11/2020 14:00	0.0	
3/12/2017 15:00	0.0		3/12/2018 15:00	0.0		3/12/2019 15:00	0.0		3/11/2020 15:00	0.0	
3/12/2017 16:00	0.0		3/12/2018 16:00	0.0		3/12/2019 16:00	0.0		3/11/2020 16:00	0.0	
3/12/2017 17:00	0.0		3/12/2018 17:00	0.0		3/12/2019 17:00	0.0		3/11/2020 17:00	0.0	
3/12/2017 18:00	0.0		3/12/2018 18:00	0.0		3/12/2019 18:00	0.0		3/11/2020 18:00	0.0	
3/12/2017 19:00	0.0		3/12/2018 19:00	0.0		3/12/2019 19:00	0.0		3/11/2020 19:00	0.0	
3/12/2017 20:00	0.0		3/12/2018 20:00	0.0		3/12/2019 20:00	0.0		3/11/2020 20:00	0.0	
3/12/2017 21:00	0.0		3/12/2018 21:00	0.0		3/12/2019 21:00	0.0		3/11/2020 21:00	0.0	
3/12/2017 22:00	0.0		3/12/2018 22:00	0.0		3/12/2019 22:00	0.0		3/11/2020 22:00	0.0	
3/12/2017 23:00	0.0	0.0	3/12/2018 23:00	0.0	0.0	3/12/2019 23:00	0.0	24.5	3/11/2020 23:00	0.0	0.0
3/13/2017 0:00	0.0		3/13/2018 0:00	0.0		3/13/2019 0:00	0.0		3/12/2020 0:00	0.0	
3/13/2017 1:00	0.0		3/13/2018 1:00	0.0		3/13/2019 1:00	0.0		3/12/2020 1:00	0.0	
3/13/2017 2:00	0.0		3/13/2018 2:00	0.0		3/13/2019 2:00	0.0		3/12/2020 2:00	0.0	
3/13/2017 3:00	0.0		3/13/2018 3:00	0.0		3/13/2019 3:00	0.0		3/12/2020 3:00	0.0	
3/13/2017 4:00	0.0		3/13/2018 4:00	0.0		3/13/2019 4:00	0.0		3/12/2020 4:00	0.0	
3/13/2017 5:00	0.0		3/13/2018 5:00	0.0		3/13/2019 5:00	0.0		3/12/2020 5:00	0.0	
3/13/2017 6:00	0.0		3/13/2018 6:00	0.0		3/13/2019 6:00	0.0		3/12/2020 6:00	0.0	
3/13/2017 7:00	0.0		3/13/2018 7:00	0.0		3/13/2019 7:00	0.0		3/12/2020 7:00	0.0	
3/13/2017 8:00	0.0		3/13/2018 8:00	0.0		3/13/2019 8:00	0.0		3/12/2020 8:00	0.0	
3/13/2017 9:00	0.0		3/13/2018 9:00	0.0		3/13/2019 9:00	0.0		3/12/2020 9:00	0.0	
3/13/2017 10:00	0.0		3/13/2018 10:00	0.0		3/13/2019 10:00	0.0		3/12/2020 10:00	0.0	
3/13/2017 11:00	0.0		3/13/2018 11:00	0.0		3/13/2019 11:00	0.0		3/12/2020 11:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/13/2017 12:00	0.0		3/13/2018 12:00	0.0		3/13/2019 12:00	0.0		3/12/2020 12:00	0.0	
3/13/2017 13:00	0.0		3/13/2018 13:00	0.0		3/13/2019 13:00	0.0		3/12/2020 13:00	0.0	
3/13/2017 14:00	0.0		3/13/2018 14:00	0.0		3/13/2019 14:00	0.0		3/12/2020 14:00	0.0	
3/13/2017 15:00	0.0		3/13/2018 15:00	0.0		3/13/2019 15:00	0.0		3/12/2020 15:00	0.0	
3/13/2017 16:00	0.0		3/13/2018 16:00	0.0		3/13/2019 16:00	0.0		3/12/2020 16:00	0.0	
3/13/2017 17:00	0.0		3/13/2018 17:00	0.0		3/13/2019 17:00	0.0		3/12/2020 17:00	0.0	
3/13/2017 18:00	0.0		3/13/2018 18:00	0.0		3/13/2019 18:00	0.0		3/12/2020 18:00	0.0	
3/13/2017 19:00	0.0		3/13/2018 19:00	0.0		3/13/2019 19:00	0.0		3/12/2020 19:00	0.0	
3/13/2017 20:00	0.0		3/13/2018 20:00	0.0		3/13/2019 20:00	0.0		3/12/2020 20:00	0.0	
3/13/2017 21:00	0.0		3/13/2018 21:00	0.0		3/13/2019 21:00	0.0		3/12/2020 21:00	0.0	
3/13/2017 22:00	0.0		3/13/2018 22:00	0.0		3/13/2019 22:00	0.0		3/12/2020 22:00	0.0	
3/13/2017 23:00	0.0	0.0	3/13/2018 23:00	0.0	0.0	3/13/2019 23:00	0.0	0.0	3/12/2020 23:00	0.0	0.0
3/14/2017 0:00	0.0		3/14/2018 0:00	0.0		3/14/2019 0:00	0.0		3/13/2020 0:00	0.0	
3/14/2017 1:00	0.0		3/14/2018 1:00	0.0		3/14/2019 1:00	0.0		3/13/2020 1:00	0.0	
3/14/2017 2:00	0.0		3/14/2018 2:00	0.0		3/14/2019 2:00	0.0		3/13/2020 2:00	0.0	
3/14/2017 3:00	0.0		3/14/2018 3:00	0.0		3/14/2019 3:00	0.0		3/13/2020 3:00	0.0	
3/14/2017 4:00	0.0		3/14/2018 4:00	0.0		3/14/2019 4:00	0.0		3/13/2020 4:00	0.0	
3/14/2017 5:00	0.0		3/14/2018 5:00	0.0		3/14/2019 5:00	0.0		3/13/2020 5:00	0.0	
3/14/2017 6:00	0.0		3/14/2018 6:00	0.0		3/14/2019 6:00	0.0		3/13/2020 6:00	0.0	
3/14/2017 7:00	0.0		3/14/2018 7:00	0.0		3/14/2019 7:00	0.0		3/13/2020 7:00	0.0	
3/14/2017 8:00	0.0		3/14/2018 8:00	0.0		3/14/2019 8:00	0.0		3/13/2020 8:00	0.0	
3/14/2017 9:00	0.0		3/14/2018 9:00	0.0		3/14/2019 9:00	0.0		3/13/2020 9:00	0.0	
3/14/2017 10:00	0.0		3/14/2018 10:00	0.0		3/14/2019 10:00	0.0		3/13/2020 10:00	0.0	
3/14/2017 11:00	0.0		3/14/2018 11:00	0.0		3/14/2019 11:00	0.0		3/13/2020 11:00	0.0	
3/14/2017 12:00	0.0		3/14/2018 12:00	0.0		3/14/2019 12:00	0.0		3/13/2020 12:00	0.0	
3/14/2017 13:00	0.0		3/14/2018 13:00	0.0		3/14/2019 13:00	0.0		3/13/2020 13:00	0.0	
3/14/2017 14:00	0.0		3/14/2018 14:00	0.0		3/14/2019 14:00	0.0		3/13/2020 14:00	0.0	
3/14/2017 15:00	0.0		3/14/2018 15:00	0.0		3/14/2019 15:00	0.0		3/13/2020 15:00	0.0	
3/14/2017 16:00	0.0		3/14/2018 16:00	0.0		3/14/2019 16:00	0.0		3/13/2020 16:00	0.0	
3/14/2017 17:00	0.0		3/14/2018 17:00	0.0		3/14/2019 17:00	0.0		3/13/2020 17:00	0.0	
3/14/2017 18:00	0.0		3/14/2018 18:00	0.0		3/14/2019 18:00	0.0		3/13/2020 18:00	0.0	
3/14/2017 19:00	0.0		3/14/2018 19:00	0.0		3/14/2019 19:00	0.0		3/13/2020 19:00	0.0	
3/14/2017 20:00	0.0		3/14/2018 20:00	0.0		3/14/2019 20:00	0.0		3/13/2020 20:00	0.0	
3/14/2017 21:00	0.0		3/14/2018 21:00	0.0		3/14/2019 21:00	0.0		3/13/2020 21:00	0.0	
3/14/2017 22:00	0.0		3/14/2018 22:00	0.0		3/14/2019 22:00	0.0		3/13/2020 22:00	0.0	
3/14/2017 23:00	0.0	0.0	3/14/2018 23:00	0.0	0.0	3/14/2019 23:00	0.0	0.0	3/13/2020 23:00	0.0	0.0
3/15/2017 0:00	0.0		3/15/2018 0:00	0.0		3/15/2019 0:00	0.0		3/14/2020 0:00	0.0	
3/15/2017 1:00	0.0		3/15/2018 1:00	0.0		3/15/2019 1:00	0.0		3/14/2020 1:00	0.0	
3/15/2017 2:00	0.0		3/15/2018 2:00	0.0		3/15/2019 2:00	0.0		3/14/2020 2:00	0.0	
3/15/2017 3:00	0.0		3/15/2018 3:00	0.0		3/15/2019 3:00	0.0		3/14/2020 3:00	0.0	
3/15/2017 4:00	0.0		3/15/2018 4:00	0.0		3/15/2019 4:00	0.0		3/14/2020 4:00	0.0	
3/15/2017 5:00	0.0		3/15/2018 5:00	0.0		3/15/2019 5:00	0.0		3/14/2020 5:00	0.0	
3/15/2017 6:00	0.0		3/15/2018 6:00	0.0		3/15/2019 6:00	0.0		3/14/2020 6:00	0.0	
3/15/2017 7:00	0.0		3/15/2018 7:00	0.0		3/15/2019 7:00	0.0		3/14/2020 7:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/15/2017 8:00	0.0		3/15/2018 8:00	0.0		3/15/2019 8:00	0.0		3/14/2020 8:00	0.0	
3/15/2017 9:00	0.0		3/15/2018 9:00	0.0		3/15/2019 9:00	0.0		3/14/2020 9:00	0.0	
3/15/2017 10:00	0.0		3/15/2018 10:00	0.0		3/15/2019 10:00	0.0		3/14/2020 10:00	0.0	
3/15/2017 11:00	0.0		3/15/2018 11:00	0.0		3/15/2019 11:00	0.0		3/14/2020 11:00	0.0	
3/15/2017 12:00	0.0		3/15/2018 12:00	0.0		3/15/2019 12:00	0.0		3/14/2020 12:00	0.0	
3/15/2017 13:00	0.0		3/15/2018 13:00	0.0		3/15/2019 13:00	0.0		3/14/2020 13:00	0.0	
3/15/2017 14:00	0.0		3/15/2018 14:00	0.0		3/15/2019 14:00	0.0		3/14/2020 14:00	0.0	
3/15/2017 15:00	0.0		3/15/2018 15:00	0.0		3/15/2019 15:00	0.0		3/14/2020 15:00	0.0	
3/15/2017 16:00	0.0		3/15/2018 16:00	0.0		3/15/2019 16:00	0.0		3/14/2020 16:00	0.0	
3/15/2017 17:00	0.0		3/15/2018 17:00	0.0		3/15/2019 17:00	0.0		3/14/2020 17:00	0.0	
3/15/2017 18:00	0.0		3/15/2018 18:00	0.0		3/15/2019 18:00	0.0		3/14/2020 18:00	0.0	
3/15/2017 19:00	0.0		3/15/2018 19:00	0.0		3/15/2019 19:00	0.0		3/14/2020 19:00	0.0	
3/15/2017 20:00	0.0		3/15/2018 20:00	0.0		3/15/2019 20:00	0.0		3/14/2020 20:00	0.0	
3/15/2017 21:00	0.0		3/15/2018 21:00	0.0		3/15/2019 21:00	0.0		3/14/2020 21:00	0.0	
3/15/2017 22:00	0.0		3/15/2018 22:00	0.0		3/15/2019 22:00	0.0		3/14/2020 22:00	0.0	
3/15/2017 23:00	0.0	0.0	3/15/2018 23:00	0.0	0.0	3/15/2019 23:00	0.0	0.0	3/14/2020 23:00	0.0	0.0
3/16/2017 0:00	0.0		3/16/2018 0:00	0.0		3/16/2019 0:00	0.0		3/15/2020 0:00	0.0	
3/16/2017 1:00	0.0		3/16/2018 1:00	0.0		3/16/2019 1:00	0.0		3/15/2020 1:00	0.0	
3/16/2017 2:00	0.0		3/16/2018 2:00	0.0		3/16/2019 2:00	0.0		3/15/2020 2:00	0.0	
3/16/2017 3:00	0.0		3/16/2018 3:00	0.0		3/16/2019 3:00	0.0		3/15/2020 3:00	0.0	
3/16/2017 4:00	0.0		3/16/2018 4:00	0.0		3/16/2019 4:00	0.0		3/15/2020 4:00	0.0	
3/16/2017 5:00	0.0		3/16/2018 5:00	0.0		3/16/2019 5:00	0.0		3/15/2020 5:00	0.0	
3/16/2017 6:00	0.0		3/16/2018 6:00	0.0		3/16/2019 6:00	0.0		3/15/2020 6:00	0.0	
3/16/2017 7:00	0.0		3/16/2018 7:00	0.0		3/16/2019 7:00	0.0		3/15/2020 7:00	0.0	
3/16/2017 8:00	0.0		3/16/2018 8:00	0.0		3/16/2019 8:00	0.0		3/15/2020 8:00	0.0	
3/16/2017 9:00	0.0		3/16/2018 9:00	0.0		3/16/2019 9:00	0.0		3/15/2020 9:00	0.0	
3/16/2017 10:00	0.0		3/16/2018 10:00	0.0		3/16/2019 10:00	0.0		3/15/2020 10:00	0.0	
3/16/2017 11:00	0.0		3/16/2018 11:00	0.0		3/16/2019 11:00	0.0		3/15/2020 11:00	0.0	
3/16/2017 12:00	0.0		3/16/2018 12:00	0.0		3/16/2019 12:00	0.0		3/15/2020 12:00	0.0	
3/16/2017 13:00	0.0		3/16/2018 13:00	0.0		3/16/2019 13:00	0.0		3/15/2020 13:00	0.0	
3/16/2017 14:00	0.0		3/16/2018 14:00	0.0		3/16/2019 14:00	0.0		3/15/2020 14:00	0.0	
3/16/2017 15:00	0.0		3/16/2018 15:00	0.0		3/16/2019 15:00	0.0		3/15/2020 15:00	0.0	
3/16/2017 16:00	0.0		3/16/2018 16:00	0.0		3/16/2019 16:00	0.0		3/15/2020 16:00	0.0	
3/16/2017 17:00	0.0		3/16/2018 17:00	0.0		3/16/2019 17:00	0.0		3/15/2020 17:00	0.0	
3/16/2017 18:00	0.0		3/16/2018 18:00	0.0		3/16/2019 18:00	0.0		3/15/2020 18:00	0.0	
3/16/2017 19:00	0.0		3/16/2018 19:00	0.0		3/16/2019 19:00	0.0		3/15/2020 19:00	0.0	
3/16/2017 20:00	0.0		3/16/2018 20:00	0.0		3/16/2019 20:00	0.0		3/15/2020 20:00	0.0	
3/16/2017 21:00	9.5		3/16/2018 21:00	0.0		3/16/2019 21:00	0.0		3/15/2020 21:00	0.0	
3/16/2017 22:00	2729.6		3/16/2018 22:00	0.0		3/16/2019 22:00	0.0		3/15/2020 22:00	0.0	
3/16/2017 23:00	580.1	2729.6	3/16/2018 23:00	0.0	0.0	3/16/2019 23:00	0.0	0.0	3/15/2020 23:00	0.0	0.0
3/17/2017 0:00	79.5		3/17/2018 0:00	0.0		3/17/2019 0:00	0.0		3/16/2020 0:00	0.0	
3/17/2017 1:00	240.4		3/17/2018 1:00	0.0		3/17/2019 1:00	0.0		3/16/2020 1:00	0.0	
3/17/2017 2:00	0.0		3/17/2018 2:00	0.0		3/17/2019 2:00	0.0		3/16/2020 2:00	0.0	
3/17/2017 3:00	0.6		3/17/2018 3:00	0.0		3/17/2019 3:00	0.0		3/16/2020 3:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/17/2017 4:00	50.2		3/17/2018 4:00	0.0		3/17/2019 4:00	0.0		3/16/2020 4:00	0.0	
3/17/2017 5:00	0.0		3/17/2018 5:00	0.0		3/17/2019 5:00	0.0		3/16/2020 5:00	0.0	
3/17/2017 6:00	0.2		3/17/2018 6:00	0.0		3/17/2019 6:00	0.0		3/16/2020 6:00	0.0	
3/17/2017 7:00	3.1		3/17/2018 7:00	0.0		3/17/2019 7:00	0.0		3/16/2020 7:00	0.0	
3/17/2017 8:00	0.0		3/17/2018 8:00	0.0		3/17/2019 8:00	0.0		3/16/2020 8:00	0.0	
3/17/2017 9:00	0.0		3/17/2018 9:00	0.0		3/17/2019 9:00	0.0		3/16/2020 9:00	0.0	
3/17/2017 10:00	0.0		3/17/2018 10:00	0.0		3/17/2019 10:00	0.0		3/16/2020 10:00	0.0	
3/17/2017 11:00	0.0		3/17/2018 11:00	0.0		3/17/2019 11:00	0.0		3/16/2020 11:00	0.0	
3/17/2017 12:00	0.0		3/17/2018 12:00	0.0		3/17/2019 12:00	0.0		3/16/2020 12:00	0.0	
3/17/2017 13:00	0.0		3/17/2018 13:00	0.0		3/17/2019 13:00	0.0		3/16/2020 13:00	0.0	
3/17/2017 14:00	0.0		3/17/2018 14:00	0.0		3/17/2019 14:00	0.0		3/16/2020 14:00	0.0	
3/17/2017 15:00	0.0		3/17/2018 15:00	0.0		3/17/2019 15:00	0.0		3/16/2020 15:00	0.0	
3/17/2017 16:00	0.0		3/17/2018 16:00	0.0		3/17/2019 16:00	0.0		3/16/2020 16:00	0.0	
3/17/2017 17:00	0.0		3/17/2018 17:00	0.0		3/17/2019 17:00	0.0		3/16/2020 17:00	0.0	
3/17/2017 18:00	0.0		3/17/2018 18:00	0.0		3/17/2019 18:00	0.0		3/16/2020 18:00	0.0	
3/17/2017 19:00	0.0		3/17/2018 19:00	0.0		3/17/2019 19:00	0.0		3/16/2020 19:00	0.0	
3/17/2017 20:00	0.0		3/17/2018 20:00	0.0		3/17/2019 20:00	0.0		3/16/2020 20:00	0.0	
3/17/2017 21:00	0.0		3/17/2018 21:00	0.0		3/17/2019 21:00	0.0		3/16/2020 21:00	0.0	
3/17/2017 22:00	0.0		3/17/2018 22:00	0.0		3/17/2019 22:00	0.0		3/16/2020 22:00	0.0	
3/17/2017 23:00	0.0	240.4	3/17/2018 23:00	0.0	0.0	3/17/2019 23:00	0.0	0.0	3/16/2020 23:00	0.0	0.0
3/18/2017 0:00	0.0		3/18/2018 0:00	26.9		3/18/2019 0:00	0.0		3/17/2020 0:00	0.0	
3/18/2017 1:00	0.0		3/18/2018 1:00	526.2		3/18/2019 1:00	0.0		3/17/2020 1:00	0.0	
3/18/2017 2:00	0.0		3/18/2018 2:00	55.1		3/18/2019 2:00	0.0		3/17/2020 2:00	0.0	
3/18/2017 3:00	0.0		3/18/2018 3:00	0.0		3/18/2019 3:00	0.0		3/17/2020 3:00	0.0	
3/18/2017 4:00	0.0		3/18/2018 4:00	0.0		3/18/2019 4:00	0.0		3/17/2020 4:00	0.0	
3/18/2017 5:00	0.0		3/18/2018 5:00	0.0		3/18/2019 5:00	0.0		3/17/2020 5:00	0.0	
3/18/2017 6:00	0.0		3/18/2018 6:00	0.0		3/18/2019 6:00	0.0		3/17/2020 6:00	0.0	
3/18/2017 7:00	0.0		3/18/2018 7:00	0.0		3/18/2019 7:00	0.0		3/17/2020 7:00	0.0	
3/18/2017 8:00	0.0		3/18/2018 8:00	0.0		3/18/2019 8:00	0.0		3/17/2020 8:00	0.0	
3/18/2017 9:00	15.0		3/18/2018 9:00	0.0		3/18/2019 9:00	0.0		3/17/2020 9:00	0.0	
3/18/2017 10:00	0.1		3/18/2018 10:00	0.0		3/18/2019 10:00	0.0		3/17/2020 10:00	0.0	
3/18/2017 11:00	0.0		3/18/2018 11:00	0.0		3/18/2019 11:00	0.0		3/17/2020 11:00	0.0	
3/18/2017 12:00	0.0		3/18/2018 12:00	0.0		3/18/2019 12:00	0.0		3/17/2020 12:00	0.0	
3/18/2017 13:00	146.0		3/18/2018 13:00	0.0		3/18/2019 13:00	0.0		3/17/2020 13:00	0.0	
3/18/2017 14:00	108.9		3/18/2018 14:00	0.0		3/18/2019 14:00	0.0		3/17/2020 14:00	0.0	
3/18/2017 15:00	0.0		3/18/2018 15:00	0.0		3/18/2019 15:00	0.0		3/17/2020 15:00	0.0	
3/18/2017 16:00	0.0		3/18/2018 16:00	0.0		3/18/2019 16:00	0.0		3/17/2020 16:00	0.0	
3/18/2017 17:00	0.0		3/18/2018 17:00	0.0		3/18/2019 17:00	0.0		3/17/2020 17:00	0.0	
3/18/2017 18:00	0.0		3/18/2018 18:00	0.0		3/18/2019 18:00	0.0		3/17/2020 18:00	0.0	
3/18/2017 19:00	0.0		3/18/2018 19:00	0.0		3/18/2019 19:00	0.0		3/17/2020 19:00	0.0	
3/18/2017 20:00	0.0		3/18/2018 20:00	0.0		3/18/2019 20:00	0.0		3/17/2020 20:00	0.0	
3/18/2017 21:00	0.0		3/18/2018 21:00	0.0		3/18/2019 21:00	0.0		3/17/2020 21:00	0.0	
3/18/2017 22:00	0.0		3/18/2018 22:00	0.0		3/18/2019 22:00	0.0		3/17/2020 22:00	0.0	
3/18/2017 23:00	0.0	146.0	3/18/2018 23:00	0.0	526.2	3/18/2019 23:00	0.0	0.0	3/17/2020 23:00	0.0	0.0

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/19/2017 0:00	0.0		3/19/2018 0:00	0.0		3/19/2019 0:00	0.0		3/18/2020 0:00	0.0	
3/19/2017 1:00	0.0		3/19/2018 1:00	0.0		3/19/2019 1:00	0.0		3/18/2020 1:00	0.0	
3/19/2017 2:00	0.0		3/19/2018 2:00	0.0		3/19/2019 2:00	0.0		3/18/2020 2:00	0.0	
3/19/2017 3:00	0.0		3/19/2018 3:00	0.0		3/19/2019 3:00	0.0		3/18/2020 3:00	0.0	
3/19/2017 4:00	0.0		3/19/2018 4:00	0.0		3/19/2019 4:00	0.0		3/18/2020 4:00	0.0	
3/19/2017 5:00	0.0		3/19/2018 5:00	0.0		3/19/2019 5:00	0.0		3/18/2020 5:00	0.0	
3/19/2017 6:00	0.0		3/19/2018 6:00	0.0		3/19/2019 6:00	0.0		3/18/2020 6:00	0.0	
3/19/2017 7:00	0.0		3/19/2018 7:00	0.0		3/19/2019 7:00	0.0		3/18/2020 7:00	0.0	
3/19/2017 8:00	0.0		3/19/2018 8:00	0.0		3/19/2019 8:00	0.0		3/18/2020 8:00	0.0	
3/19/2017 9:00	0.0		3/19/2018 9:00	0.0		3/19/2019 9:00	0.0		3/18/2020 9:00	0.0	
3/19/2017 10:00	0.0		3/19/2018 10:00	0.0		3/19/2019 10:00	0.0		3/18/2020 10:00	0.0	
3/19/2017 11:00	0.0		3/19/2018 11:00	0.0		3/19/2019 11:00	0.0		3/18/2020 11:00	0.0	
3/19/2017 12:00	9.9		3/19/2018 12:00	0.0		3/19/2019 12:00	0.0		3/18/2020 12:00	0.0	
3/19/2017 13:00	0.0		3/19/2018 13:00	0.0		3/19/2019 13:00	0.0		3/18/2020 13:00	0.0	
3/19/2017 14:00	0.0		3/19/2018 14:00	0.0		3/19/2019 14:00	0.0		3/18/2020 14:00	0.0	
3/19/2017 15:00	0.0		3/19/2018 15:00	0.0		3/19/2019 15:00	0.0		3/18/2020 15:00	0.0	
3/19/2017 16:00	0.0		3/19/2018 16:00	0.0		3/19/2019 16:00	0.0		3/18/2020 16:00	0.0	
3/19/2017 17:00	0.0		3/19/2018 17:00	0.0		3/19/2019 17:00	0.0		3/18/2020 17:00	0.0	
3/19/2017 18:00	0.0		3/19/2018 18:00	0.0		3/19/2019 18:00	0.0		3/18/2020 18:00	0.0	
3/19/2017 19:00	0.0		3/19/2018 19:00	0.0		3/19/2019 19:00	0.0		3/18/2020 19:00	0.0	
3/19/2017 20:00	0.0		3/19/2018 20:00	0.0		3/19/2019 20:00	0.0		3/18/2020 20:00	0.0	
3/19/2017 21:00	0.0		3/19/2018 21:00	0.0		3/19/2019 21:00	0.0		3/18/2020 21:00	0.0	
3/19/2017 22:00	0.0		3/19/2018 22:00	0.0		3/19/2019 22:00	0.0		3/18/2020 22:00	0.0	
3/19/2017 23:00	0.0	9.9	3/19/2018 23:00	0.0	0.0	3/19/2019 23:00	0.0	0.0	3/18/2020 23:00	0.0	0.0
3/20/2017 0:00	0.0		3/20/2018 0:00	0.0		3/20/2019 0:00	0.0		3/19/2020 0:00	0.0	
3/20/2017 1:00	0.0		3/20/2018 1:00	0.0		3/20/2019 1:00	0.0		3/19/2020 1:00	0.0	
3/20/2017 2:00	0.0		3/20/2018 2:00	0.0		3/20/2019 2:00	0.0		3/19/2020 2:00	0.0	
3/20/2017 3:00	0.0		3/20/2018 3:00	0.0		3/20/2019 3:00	0.0		3/19/2020 3:00	0.0	
3/20/2017 4:00	0.0		3/20/2018 4:00	0.0		3/20/2019 4:00	0.0		3/19/2020 4:00	0.0	
3/20/2017 5:00	0.0		3/20/2018 5:00	0.0		3/20/2019 5:00	0.0		3/19/2020 5:00	0.0	
3/20/2017 6:00	0.0		3/20/2018 6:00	0.0		3/20/2019 6:00	0.0		3/19/2020 6:00	0.0	
3/20/2017 7:00	0.0		3/20/2018 7:00	0.0		3/20/2019 7:00	0.0		3/19/2020 7:00	0.0	
3/20/2017 8:00	0.0		3/20/2018 8:00	0.0		3/20/2019 8:00	0.0		3/19/2020 8:00	0.0	
3/20/2017 9:00	0.0		3/20/2018 9:00	0.0		3/20/2019 9:00	0.0		3/19/2020 9:00	0.0	
3/20/2017 10:00	0.0		3/20/2018 10:00	0.0		3/20/2019 10:00	0.0		3/19/2020 10:00	0.0	
3/20/2017 11:00	0.0		3/20/2018 11:00	0.0		3/20/2019 11:00	0.0		3/19/2020 11:00	0.0	
3/20/2017 12:00	0.0		3/20/2018 12:00	0.0		3/20/2019 12:00	0.0		3/19/2020 12:00	0.0	
3/20/2017 13:00	0.0		3/20/2018 13:00	0.0		3/20/2019 13:00	0.0		3/19/2020 13:00	0.0	
3/20/2017 14:00	0.0		3/20/2018 14:00	0.0		3/20/2019 14:00	0.0		3/19/2020 14:00	0.0	
3/20/2017 15:00	0.0		3/20/2018 15:00	0.0		3/20/2019 15:00	0.0		3/19/2020 15:00	0.0	
3/20/2017 16:00	0.0		3/20/2018 16:00	0.0		3/20/2019 16:00	0.0		3/19/2020 16:00	0.0	
3/20/2017 17:00	0.0		3/20/2018 17:00	0.0		3/20/2019 17:00	0.0		3/19/2020 17:00	0.0	
3/20/2017 18:00	0.0		3/20/2018 18:00	0.0		3/20/2019 18:00	0.0		3/19/2020 18:00	0.0	
3/20/2017 19:00	0.0		3/20/2018 19:00	0.0		3/20/2019 19:00	0.0		3/19/2020 19:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/20/2017 20:00	0.0		3/20/2018 20:00	0.0		3/20/2019 20:00	0.0		3/19/2020 20:00	0.0	
3/20/2017 21:00	0.0		3/20/2018 21:00	0.0		3/20/2019 21:00	0.0		3/19/2020 21:00	0.0	
3/20/2017 22:00	0.0		3/20/2018 22:00	0.0		3/20/2019 22:00	0.0		3/19/2020 22:00	0.0	
3/20/2017 23:00	0.0	0.0	3/20/2018 23:00	0.0	0.0	3/20/2019 23:00	0.0	0.0	3/19/2020 23:00	0.0	0.0
3/21/2017 0:00	0.0		3/21/2018 0:00	0.0		3/21/2019 0:00	0.0		3/20/2020 0:00	0.0	
3/21/2017 1:00	0.0		3/21/2018 1:00	0.0		3/21/2019 1:00	0.0		3/20/2020 1:00	0.0	
3/21/2017 2:00	0.0		3/21/2018 2:00	0.0		3/21/2019 2:00	0.0		3/20/2020 2:00	0.0	
3/21/2017 3:00	0.0		3/21/2018 3:00	0.0		3/21/2019 3:00	0.0		3/20/2020 3:00	0.0	
3/21/2017 4:00	0.0		3/21/2018 4:00	0.0		3/21/2019 4:00	0.0		3/20/2020 4:00	0.0	
3/21/2017 5:00	0.0		3/21/2018 5:00	0.0		3/21/2019 5:00	0.0		3/20/2020 5:00	0.0	
3/21/2017 6:00	0.0		3/21/2018 6:00	0.0		3/21/2019 6:00	0.0		3/20/2020 6:00	0.0	
3/21/2017 7:00	0.0		3/21/2018 7:00	0.0		3/21/2019 7:00	0.0		3/20/2020 7:00	0.0	
3/21/2017 8:00	0.0		3/21/2018 8:00	0.0		3/21/2019 8:00	0.0		3/20/2020 8:00	0.0	
3/21/2017 9:00	0.0		3/21/2018 9:00	0.0		3/21/2019 9:00	0.0		3/20/2020 9:00	0.0	
3/21/2017 10:00	0.0		3/21/2018 10:00	0.0		3/21/2019 10:00	0.0		3/20/2020 10:00	0.0	
3/21/2017 11:00	0.0		3/21/2018 11:00	0.0		3/21/2019 11:00	0.0		3/20/2020 11:00	0.0	
3/21/2017 12:00	0.0		3/21/2018 12:00	0.0		3/21/2019 12:00	0.0		3/20/2020 12:00	0.0	
3/21/2017 13:00	0.0		3/21/2018 13:00	0.0		3/21/2019 13:00	0.0		3/20/2020 13:00	0.0	
3/21/2017 14:00	0.0		3/21/2018 14:00	0.0		3/21/2019 14:00	0.0		3/20/2020 14:00	0.0	
3/21/2017 15:00	0.0		3/21/2018 15:00	0.0		3/21/2019 15:00	0.0		3/20/2020 15:00	0.0	
3/21/2017 16:00	0.0		3/21/2018 16:00	0.0		3/21/2019 16:00	0.0		3/20/2020 16:00	0.0	
3/21/2017 17:00	0.0		3/21/2018 17:00	0.0		3/21/2019 17:00	0.0		3/20/2020 17:00	0.0	
3/21/2017 18:00	0.0		3/21/2018 18:00	0.0		3/21/2019 18:00	0.0		3/20/2020 18:00	0.0	
3/21/2017 19:00	0.0		3/21/2018 19:00	0.0		3/21/2019 19:00	0.0		3/20/2020 19:00	0.0	
3/21/2017 20:00	0.0		3/21/2018 20:00	0.0		3/21/2019 20:00	0.0		3/20/2020 20:00	0.0	
3/21/2017 21:00	0.0		3/21/2018 21:00	0.0		3/21/2019 21:00	0.0		3/20/2020 21:00	0.0	
3/21/2017 22:00	0.0		3/21/2018 22:00	0.0		3/21/2019 22:00	0.0		3/20/2020 22:00	0.0	
3/21/2017 23:00	0.0	0.0	3/21/2018 23:00	0.0	0.0	3/21/2019 23:00	0.0	0.0	3/20/2020 23:00	0.0	0.0
3/22/2017 0:00	0.0		3/22/2018 0:00	0.0		3/22/2019 0:00	0.0		3/21/2020 0:00	0.0	
3/22/2017 1:00	0.0		3/22/2018 1:00	0.0		3/22/2019 1:00	0.0		3/21/2020 1:00	0.0	
3/22/2017 2:00	0.0		3/22/2018 2:00	0.0		3/22/2019 2:00	0.0		3/21/2020 2:00	0.0	
3/22/2017 3:00	0.0		3/22/2018 3:00	0.0		3/22/2019 3:00	0.0		3/21/2020 3:00	0.0	
3/22/2017 4:00	0.0		3/22/2018 4:00	0.0		3/22/2019 4:00	0.0		3/21/2020 4:00	0.0	
3/22/2017 5:00	0.0		3/22/2018 5:00	0.0		3/22/2019 5:00	0.0		3/21/2020 5:00	0.0	
3/22/2017 6:00	0.0		3/22/2018 6:00	0.0		3/22/2019 6:00	0.0		3/21/2020 6:00	0.0	
3/22/2017 7:00	0.0		3/22/2018 7:00	0.0		3/22/2019 7:00	0.0		3/21/2020 7:00	0.0	
3/22/2017 8:00	0.0		3/22/2018 8:00	0.0		3/22/2019 8:00	0.0		3/21/2020 8:00	0.0	
3/22/2017 9:00	0.0		3/22/2018 9:00	0.0		3/22/2019 9:00	0.0		3/21/2020 9:00	0.0	
3/22/2017 10:00	0.0		3/22/2018 10:00	0.0		3/22/2019 10:00	0.0		3/21/2020 10:00	0.0	
3/22/2017 11:00	0.0		3/22/2018 11:00	0.0		3/22/2019 11:00	0.0		3/21/2020 11:00	0.0	
3/22/2017 12:00	0.0		3/22/2018 12:00	0.0		3/22/2019 12:00	0.0		3/21/2020 12:00	0.0	
3/22/2017 13:00	0.0		3/22/2018 13:00	0.0		3/22/2019 13:00	0.0		3/21/2020 13:00	0.0	
3/22/2017 14:00	0.0		3/22/2018 14:00	0.0		3/22/2019 14:00	0.0		3/21/2020 14:00	0.0	
3/22/2017 15:00	0.0		3/22/2018 15:00	0.0		3/22/2019 15:00	0.0		3/21/2020 15:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/22/2017 16:00	0.0		3/22/2018 16:00	0.0		3/22/2019 16:00	0.0		3/21/2020 16:00	0.0	
3/22/2017 17:00	0.0		3/22/2018 17:00	0.0		3/22/2019 17:00	0.0		3/21/2020 17:00	0.0	
3/22/2017 18:00	0.0		3/22/2018 18:00	0.0		3/22/2019 18:00	0.0		3/21/2020 18:00	0.0	
3/22/2017 19:00	0.0		3/22/2018 19:00	1146.2		3/22/2019 19:00	0.0		3/21/2020 19:00	0.0	
3/22/2017 20:00	0.0		3/22/2018 20:00	693.0		3/22/2019 20:00	0.0		3/21/2020 20:00	0.0	
3/22/2017 21:00	0.0		3/22/2018 21:00	136.4		3/22/2019 21:00	0.0		3/21/2020 21:00	0.0	
3/22/2017 22:00	0.0		3/22/2018 22:00	26.1		3/22/2019 22:00	0.0		3/21/2020 22:00	0.0	
3/22/2017 23:00	0.0	0.0	3/22/2018 23:00	25.6	1146.2	3/22/2019 23:00	0.0	0.0	3/21/2020 23:00	0.0	0.0
3/23/2017 0:00	0.0		3/23/2018 0:00	24.5		3/23/2019 0:00	0.0		3/22/2020 0:00	0.0	
3/23/2017 1:00	0.0		3/23/2018 1:00	1.5		3/23/2019 1:00	0.0		3/22/2020 1:00	0.0	
3/23/2017 2:00	0.0		3/23/2018 2:00	0.0		3/23/2019 2:00	0.0		3/22/2020 2:00	0.0	
3/23/2017 3:00	0.0		3/23/2018 3:00	0.0		3/23/2019 3:00	0.0		3/22/2020 3:00	0.0	
3/23/2017 4:00	857.3		3/23/2018 4:00	0.0		3/23/2019 4:00	0.0		3/22/2020 4:00	0.0	
3/23/2017 5:00	1642.6		3/23/2018 5:00	7.2		3/23/2019 5:00	0.0		3/22/2020 5:00	0.0	
3/23/2017 6:00	282.8		3/23/2018 6:00	0.0		3/23/2019 6:00	0.0		3/22/2020 6:00	0.0	
3/23/2017 7:00	67.7		3/23/2018 7:00	0.0		3/23/2019 7:00	0.0		3/22/2020 7:00	0.0	
3/23/2017 8:00	0.0		3/23/2018 8:00	0.0		3/23/2019 8:00	0.0		3/22/2020 8:00	0.0	
3/23/2017 9:00	0.0		3/23/2018 9:00	0.0		3/23/2019 9:00	0.0		3/22/2020 9:00	0.0	
3/23/2017 10:00	0.0		3/23/2018 10:00	0.0		3/23/2019 10:00	0.0		3/22/2020 10:00	0.0	
3/23/2017 11:00	0.0		3/23/2018 11:00	0.0		3/23/2019 11:00	0.0		3/22/2020 11:00	0.0	
3/23/2017 12:00	0.0		3/23/2018 12:00	0.0		3/23/2019 12:00	0.0		3/22/2020 12:00	0.0	
3/23/2017 13:00	0.0		3/23/2018 13:00	0.0		3/23/2019 13:00	0.0		3/22/2020 13:00	0.0	
3/23/2017 14:00	0.0		3/23/2018 14:00	0.0		3/23/2019 14:00	0.0		3/22/2020 14:00	0.0	
3/23/2017 15:00	0.0		3/23/2018 15:00	0.0		3/23/2019 15:00	0.0		3/22/2020 15:00	0.0	
3/23/2017 16:00	0.0		3/23/2018 16:00	0.0		3/23/2019 16:00	0.0		3/22/2020 16:00	0.0	
3/23/2017 17:00	0.0		3/23/2018 17:00	0.0		3/23/2019 17:00	0.0		3/22/2020 17:00	0.0	
3/23/2017 18:00	5.8		3/23/2018 18:00	0.0		3/23/2019 18:00	0.0		3/22/2020 18:00	0.0	
3/23/2017 19:00	0.0		3/23/2018 19:00	0.0		3/23/2019 19:00	0.0		3/22/2020 19:00	0.0	
3/23/2017 20:00	0.0		3/23/2018 20:00	0.0		3/23/2019 20:00	0.0		3/22/2020 20:00	0.0	
3/23/2017 21:00	0.0		3/23/2018 21:00	0.0		3/23/2019 21:00	0.0		3/22/2020 21:00	0.0	
3/23/2017 22:00	0.0		3/23/2018 22:00	0.0		3/23/2019 22:00	0.0		3/22/2020 22:00	0.0	
3/23/2017 23:00	0.0	1642.6	3/23/2018 23:00	0.0	24.5	3/23/2019 23:00	0.0	0.0	3/22/2020 23:00	0.0	0.0
3/24/2017 0:00	0.0		3/24/2018 0:00	0.0		3/24/2019 0:00	0.0		3/23/2020 0:00	0.0	
3/24/2017 1:00	0.0		3/24/2018 1:00	0.0		3/24/2019 1:00	0.0		3/23/2020 1:00	0.0	
3/24/2017 2:00	0.0		3/24/2018 2:00	0.0		3/24/2019 2:00	0.0		3/23/2020 2:00	0.0	
3/24/2017 3:00	0.0		3/24/2018 3:00	0.0		3/24/2019 3:00	0.0		3/23/2020 3:00	0.0	
3/24/2017 4:00	0.0		3/24/2018 4:00	0.0		3/24/2019 4:00	0.0		3/23/2020 4:00	0.0	
3/24/2017 5:00	0.0		3/24/2018 5:00	0.0		3/24/2019 5:00	0.0		3/23/2020 5:00	0.0	
3/24/2017 6:00	0.0		3/24/2018 6:00	0.0		3/24/2019 6:00	0.0		3/23/2020 6:00	0.0	
3/24/2017 7:00	0.0		3/24/2018 7:00	0.0		3/24/2019 7:00	0.0		3/23/2020 7:00	0.0	
3/24/2017 8:00	0.0		3/24/2018 8:00	0.0		3/24/2019 8:00	0.0		3/23/2020 8:00	0.0	
3/24/2017 9:00	0.0		3/24/2018 9:00	0.0		3/24/2019 9:00	0.0		3/23/2020 9:00	0.0	
3/24/2017 10:00	0.0		3/24/2018 10:00	0.0		3/24/2019 10:00	0.0		3/23/2020 10:00	0.0	
3/24/2017 11:00	0.3		3/24/2018 11:00	0.0		3/24/2019 11:00	0.0		3/23/2020 11:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/24/2017 12:00	0.7		3/24/2018 12:00	0.0		3/24/2019 12:00	0.0		3/23/2020 12:00	0.0	
3/24/2017 13:00	0.8		3/24/2018 13:00	0.0		3/24/2019 13:00	0.0		3/23/2020 13:00	0.0	
3/24/2017 14:00	1.2		3/24/2018 14:00	0.0		3/24/2019 14:00	0.0		3/23/2020 14:00	0.0	
3/24/2017 15:00	1.0		3/24/2018 15:00	0.0		3/24/2019 15:00	0.0		3/23/2020 15:00	0.0	
3/24/2017 16:00	1.0		3/24/2018 16:00	0.0		3/24/2019 16:00	0.0		3/23/2020 16:00	0.0	
3/24/2017 17:00	2.7		3/24/2018 17:00	0.0		3/24/2019 17:00	0.0		3/23/2020 17:00	0.0	
3/24/2017 18:00	4.3		3/24/2018 18:00	0.0		3/24/2019 18:00	0.0		3/23/2020 18:00	0.0	
3/24/2017 19:00	4.5		3/24/2018 19:00	0.0		3/24/2019 19:00	0.0		3/23/2020 19:00	0.0	
3/24/2017 20:00	4.7		3/24/2018 20:00	0.0		3/24/2019 20:00	0.0		3/23/2020 20:00	0.0	
3/24/2017 21:00	5.6		3/24/2018 21:00	0.0		3/24/2019 21:00	0.0		3/23/2020 21:00	0.0	
3/24/2017 22:00	7.0		3/24/2018 22:00	0.0		3/24/2019 22:00	0.0		3/23/2020 22:00	0.0	
3/24/2017 23:00	7.4	7.4	3/24/2018 23:00	0.0	0.0	3/24/2019 23:00	0.0	0.0	3/23/2020 23:00	0.0	0.0
3/25/2017 0:00	7.4		3/25/2018 0:00	0.0		3/25/2019 0:00	0.0		3/24/2020 0:00	0.0	
3/25/2017 1:00	7.8		3/25/2018 1:00	0.0		3/25/2019 1:00	0.0		3/24/2020 1:00	0.0	
3/25/2017 2:00	8.9		3/25/2018 2:00	0.0		3/25/2019 2:00	0.0		3/24/2020 2:00	0.0	
3/25/2017 3:00	9.9		3/25/2018 3:00	0.0		3/25/2019 3:00	0.0		3/24/2020 3:00	0.0	
3/25/2017 4:00	10.2		3/25/2018 4:00	0.0		3/25/2019 4:00	0.0		3/24/2020 4:00	0.0	
3/25/2017 5:00	10.6		3/25/2018 5:00	0.0		3/25/2019 5:00	0.0		3/24/2020 5:00	0.0	
3/25/2017 6:00	11.9		3/25/2018 6:00	0.0		3/25/2019 6:00	0.0		3/24/2020 6:00	0.0	
3/25/2017 7:00	12.8		3/25/2018 7:00	0.0		3/25/2019 7:00	0.0		3/24/2020 7:00	0.0	
3/25/2017 8:00	14.0		3/25/2018 8:00	0.0		3/25/2019 8:00	0.0		3/24/2020 8:00	0.0	
3/25/2017 9:00	15.9		3/25/2018 9:00	0.0		3/25/2019 9:00	0.0		3/24/2020 9:00	0.0	
3/25/2017 10:00	18.2		3/25/2018 10:00	0.0		3/25/2019 10:00	0.0		3/24/2020 10:00	0.0	
3/25/2017 11:00	18.5		3/25/2018 11:00	0.0		3/25/2019 11:00	0.0		3/24/2020 11:00	0.0	
3/25/2017 12:00	19.9		3/25/2018 12:00	0.0		3/25/2019 12:00	0.0		3/24/2020 12:00	0.0	
3/25/2017 13:00	21.3		3/25/2018 13:00	0.0		3/25/2019 13:00	0.0		3/24/2020 13:00	0.0	
3/25/2017 14:00	21.0		3/25/2018 14:00	0.0		3/25/2019 14:00	0.0		3/24/2020 14:00	0.0	
3/25/2017 15:00	20.9		3/25/2018 15:00	0.0		3/25/2019 15:00	0.0		3/24/2020 15:00	0.0	
3/25/2017 16:00	20.9		3/25/2018 16:00	0.0		3/25/2019 16:00	0.0		3/24/2020 16:00	0.0	
3/25/2017 17:00	21.0		3/25/2018 17:00	0.0		3/25/2019 17:00	0.0		3/24/2020 17:00	0.0	
3/25/2017 18:00	21.0		3/25/2018 18:00	0.0		3/25/2019 18:00	0.0		3/24/2020 18:00	0.0	
3/25/2017 19:00	21.1		3/25/2018 19:00	0.0		3/25/2019 19:00	0.0		3/24/2020 19:00	0.0	
3/25/2017 20:00	21.2		3/25/2018 20:00	0.0		3/25/2019 20:00	0.0		3/24/2020 20:00	0.0	
3/25/2017 21:00	21.3		3/25/2018 21:00	0.0		3/25/2019 21:00	0.0		3/24/2020 21:00	0.0	
3/25/2017 22:00	21.1		3/25/2018 22:00	0.0		3/25/2019 22:00	0.0		3/24/2020 22:00	0.0	
3/25/2017 23:00	21.0	21.3	3/25/2018 23:00	0.0	0.0	3/25/2019 23:00	0.0	0.0	3/24/2020 23:00	0.0	0.0
3/26/2017 0:00	21.0		3/26/2018 0:00	0.0		3/26/2019 0:00	0.0		3/25/2020 0:00	0.0	
3/26/2017 1:00	21.0		3/26/2018 1:00	0.0		3/26/2019 1:00	0.0		3/25/2020 1:00	0.0	
3/26/2017 2:00	21.0		3/26/2018 2:00	0.0		3/26/2019 2:00	0.0		3/25/2020 2:00	0.0	
3/26/2017 3:00	20.9		3/26/2018 3:00	0.0		3/26/2019 3:00	0.0		3/25/2020 3:00	0.0	
3/26/2017 4:00	20.9		3/26/2018 4:00	0.0		3/26/2019 4:00	0.0		3/25/2020 4:00	0.0	
3/26/2017 5:00	20.8		3/26/2018 5:00	0.0		3/26/2019 5:00	0.0		3/25/2020 5:00	0.0	
3/26/2017 6:00	20.6		3/26/2018 6:00	0.0		3/26/2019 6:00	0.0		3/25/2020 6:00	0.0	
3/26/2017 7:00	20.6		3/26/2018 7:00	0.0		3/26/2019 7:00	0.0		3/25/2020 7:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/26/2017 8:00	18.6		3/26/2018 8:00	0.0		3/26/2019 8:00	0.0		3/25/2020 8:00	0.0	
3/26/2017 9:00	0.0		3/26/2018 9:00	0.0		3/26/2019 9:00	0.0		3/25/2020 9:00	0.0	
3/26/2017 10:00	8.3		3/26/2018 10:00	0.0		3/26/2019 10:00	0.0		3/25/2020 10:00	0.0	
3/26/2017 11:00	0.0		3/26/2018 11:00	0.0		3/26/2019 11:00	0.0		3/25/2020 11:00	0.0	
3/26/2017 12:00	0.0		3/26/2018 12:00	0.0		3/26/2019 12:00	0.0		3/25/2020 12:00	0.0	
3/26/2017 13:00	0.0		3/26/2018 13:00	0.0		3/26/2019 13:00	0.0		3/25/2020 13:00	0.0	
3/26/2017 14:00	0.0		3/26/2018 14:00	0.0		3/26/2019 14:00	0.0		3/25/2020 14:00	0.0	
3/26/2017 15:00	0.0		3/26/2018 15:00	0.0		3/26/2019 15:00	0.0		3/25/2020 15:00	0.0	
3/26/2017 16:00	0.0		3/26/2018 16:00	0.0		3/26/2019 16:00	0.0		3/25/2020 16:00	0.0	
3/26/2017 17:00	0.0		3/26/2018 17:00	0.0		3/26/2019 17:00	0.0		3/25/2020 17:00	0.0	
3/26/2017 18:00	0.0		3/26/2018 18:00	0.0		3/26/2019 18:00	0.0		3/25/2020 18:00	0.0	
3/26/2017 19:00	0.0		3/26/2018 19:00	0.0		3/26/2019 19:00	0.0		3/25/2020 19:00	0.0	
3/26/2017 20:00	0.0		3/26/2018 20:00	0.0		3/26/2019 20:00	0.0		3/25/2020 20:00	0.0	
3/26/2017 21:00	0.0		3/26/2018 21:00	0.0		3/26/2019 21:00	0.0		3/25/2020 21:00	0.0	
3/26/2017 22:00	0.0		3/26/2018 22:00	0.0		3/26/2019 22:00	0.0		3/25/2020 22:00	0.0	
3/26/2017 23:00	0.0	21.0	3/26/2018 23:00	0.0	0.0	3/26/2019 23:00	0.0	0.0	3/25/2020 23:00	0.0	0.0
3/27/2017 0:00	0.0		3/27/2018 0:00	0.0		3/27/2019 0:00	0.0		3/26/2020 0:00	0.0	
3/27/2017 1:00	0.0		3/27/2018 1:00	0.0		3/27/2019 1:00	0.0		3/26/2020 1:00	0.0	
3/27/2017 2:00	0.0		3/27/2018 2:00	0.0		3/27/2019 2:00	0.0		3/26/2020 2:00	0.0	
3/27/2017 3:00	0.0		3/27/2018 3:00	0.0		3/27/2019 3:00	0.0		3/26/2020 3:00	0.0	
3/27/2017 4:00	0.0		3/27/2018 4:00	0.0		3/27/2019 4:00	0.0		3/26/2020 4:00	0.0	
3/27/2017 5:00	0.0		3/27/2018 5:00	0.0		3/27/2019 5:00	0.0		3/26/2020 5:00	0.0	
3/27/2017 6:00	0.0		3/27/2018 6:00	0.0		3/27/2019 6:00	0.0		3/26/2020 6:00	0.0	
3/27/2017 7:00	0.0		3/27/2018 7:00	0.0		3/27/2019 7:00	0.0		3/26/2020 7:00	0.0	
3/27/2017 8:00	0.0		3/27/2018 8:00	0.0		3/27/2019 8:00	0.0		3/26/2020 8:00	0.0	
3/27/2017 9:00	0.0		3/27/2018 9:00	0.0		3/27/2019 9:00	0.0		3/26/2020 9:00	0.0	
3/27/2017 10:00	0.0		3/27/2018 10:00	0.0		3/27/2019 10:00	0.0		3/26/2020 10:00	0.0	
3/27/2017 11:00	0.0		3/27/2018 11:00	0.0		3/27/2019 11:00	0.0		3/26/2020 11:00	0.0	
3/27/2017 12:00	0.0		3/27/2018 12:00	0.0		3/27/2019 12:00	0.0		3/26/2020 12:00	0.0	
3/27/2017 13:00	0.0		3/27/2018 13:00	0.0		3/27/2019 13:00	0.0		3/26/2020 13:00	0.0	
3/27/2017 14:00	0.0		3/27/2018 14:00	0.0		3/27/2019 14:00	0.0		3/26/2020 14:00	0.0	
3/27/2017 15:00	0.0		3/27/2018 15:00	0.0		3/27/2019 15:00	0.0		3/26/2020 15:00	0.0	
3/27/2017 16:00	0.0		3/27/2018 16:00	0.0		3/27/2019 16:00	0.0		3/26/2020 16:00	0.0	
3/27/2017 17:00	0.0		3/27/2018 17:00	0.0		3/27/2019 17:00	0.0		3/26/2020 17:00	0.0	
3/27/2017 18:00	0.0		3/27/2018 18:00	0.0		3/27/2019 18:00	0.0		3/26/2020 18:00	0.0	
3/27/2017 19:00	0.0		3/27/2018 19:00	0.0		3/27/2019 19:00	0.0		3/26/2020 19:00	0.0	
3/27/2017 20:00	0.0		3/27/2018 20:00	0.0		3/27/2019 20:00	0.0		3/26/2020 20:00	0.0	
3/27/2017 21:00	0.0		3/27/2018 21:00	0.0		3/27/2019 21:00	0.0		3/26/2020 21:00	0.0	
3/27/2017 22:00	0.0		3/27/2018 22:00	0.0		3/27/2019 22:00	0.0		3/26/2020 22:00	0.0	
3/27/2017 23:00	0.0	0.0	3/27/2018 23:00	461.6	461.6	3/27/2019 23:00	0.0	0.0	3/26/2020 23:00	0.0	0.0
3/28/2017 0:00	0.0		3/28/2018 0:00	30.0		3/28/2019 0:00	0.0		3/27/2020 0:00	0.0	
3/28/2017 1:00	0.0		3/28/2018 1:00	0.0		3/28/2019 1:00	0.0		3/27/2020 1:00	0.0	
3/28/2017 2:00	0.0		3/28/2018 2:00	0.0		3/28/2019 2:00	0.0		3/27/2020 2:00	0.0	
3/28/2017 3:00	0.0		3/28/2018 3:00	0.0		3/28/2019 3:00	0.0		3/27/2020 3:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/28/2017 4:00	0.0		3/28/2018 4:00	0.0		3/28/2019 4:00	0.0		3/27/2020 4:00	0.0	
3/28/2017 5:00	0.0		3/28/2018 5:00	0.3		3/28/2019 5:00	0.0		3/27/2020 5:00	0.0	
3/28/2017 6:00	0.0		3/28/2018 6:00	0.0		3/28/2019 6:00	0.0		3/27/2020 6:00	0.0	
3/28/2017 7:00	0.0		3/28/2018 7:00	0.0		3/28/2019 7:00	0.0		3/27/2020 7:00	0.0	
3/28/2017 8:00	0.0		3/28/2018 8:00	0.0		3/28/2019 8:00	0.0		3/27/2020 8:00	0.0	
3/28/2017 9:00	0.0		3/28/2018 9:00	0.0		3/28/2019 9:00	0.0		3/27/2020 9:00	0.0	
3/28/2017 10:00	0.0		3/28/2018 10:00	0.0		3/28/2019 10:00	0.0		3/27/2020 10:00	0.0	
3/28/2017 11:00	0.0		3/28/2018 11:00	0.0		3/28/2019 11:00	0.0		3/27/2020 11:00	0.0	
3/28/2017 12:00	0.0		3/28/2018 12:00	0.0		3/28/2019 12:00	0.0		3/27/2020 12:00	0.0	
3/28/2017 13:00	0.0		3/28/2018 13:00	0.0		3/28/2019 13:00	0.0		3/27/2020 13:00	0.0	
3/28/2017 14:00	0.0		3/28/2018 14:00	0.0		3/28/2019 14:00	0.0		3/27/2020 14:00	0.0	
3/28/2017 15:00	0.0		3/28/2018 15:00	0.0		3/28/2019 15:00	0.0		3/27/2020 15:00	0.0	
3/28/2017 16:00	0.0		3/28/2018 16:00	0.0		3/28/2019 16:00	0.0		3/27/2020 16:00	0.0	
3/28/2017 17:00	0.0		3/28/2018 17:00	0.0		3/28/2019 17:00	0.0		3/27/2020 17:00	0.0	
3/28/2017 18:00	0.0		3/28/2018 18:00	0.0		3/28/2019 18:00	0.0		3/27/2020 18:00	0.0	
3/28/2017 19:00	0.0		3/28/2018 19:00	0.0		3/28/2019 19:00	0.0		3/27/2020 19:00	0.0	
3/28/2017 20:00	0.0		3/28/2018 20:00	0.0		3/28/2019 20:00	0.0		3/27/2020 20:00	0.0	
3/28/2017 21:00	0.0		3/28/2018 21:00	0.0		3/28/2019 21:00	0.0		3/27/2020 21:00	0.0	
3/28/2017 22:00	0.0		3/28/2018 22:00	0.0		3/28/2019 22:00	0.0		3/27/2020 22:00	0.0	
3/28/2017 23:00	0.0	0.0	3/28/2018 23:00	0.0	30.0	3/28/2019 23:00	0.0	0.0	3/27/2020 23:00	0.0	0.0
3/29/2017 0:00	0.0		3/29/2018 0:00	0.0		3/29/2019 0:00	0.0		3/28/2020 0:00	0.0	
3/29/2017 1:00	0.0		3/29/2018 1:00	0.0		3/29/2019 1:00	0.0		3/28/2020 1:00	0.0	
3/29/2017 2:00	0.0		3/29/2018 2:00	0.0		3/29/2019 2:00	0.0		3/28/2020 2:00	0.0	
3/29/2017 3:00	0.0		3/29/2018 3:00	0.0		3/29/2019 3:00	0.0		3/28/2020 3:00	0.0	
3/29/2017 4:00	0.0		3/29/2018 4:00	0.0		3/29/2019 4:00	0.0		3/28/2020 4:00	0.0	
3/29/2017 5:00	0.0		3/29/2018 5:00	0.0		3/29/2019 5:00	0.0		3/28/2020 5:00	0.0	
3/29/2017 6:00	0.0		3/29/2018 6:00	0.0		3/29/2019 6:00	0.0		3/28/2020 6:00	0.0	
3/29/2017 7:00	0.0		3/29/2018 7:00	0.0		3/29/2019 7:00	0.0		3/28/2020 7:00	0.0	
3/29/2017 8:00	0.0		3/29/2018 8:00	0.0		3/29/2019 8:00	0.0		3/28/2020 8:00	0.0	
3/29/2017 9:00	0.0		3/29/2018 9:00	0.0		3/29/2019 9:00	0.0		3/28/2020 9:00	0.0	
3/29/2017 10:00	0.0		3/29/2018 10:00	0.0		3/29/2019 10:00	0.0		3/28/2020 10:00	0.0	
3/29/2017 11:00	0.0		3/29/2018 11:00	0.0		3/29/2019 11:00	0.0		3/28/2020 11:00	0.0	
3/29/2017 12:00	0.0		3/29/2018 12:00	0.0		3/29/2019 12:00	0.0		3/28/2020 12:00	0.0	
3/29/2017 13:00	0.0		3/29/2018 13:00	0.0		3/29/2019 13:00	0.0		3/28/2020 13:00	0.0	
3/29/2017 14:00	0.0		3/29/2018 14:00	0.0		3/29/2019 14:00	0.0		3/28/2020 14:00	0.0	
3/29/2017 15:00	0.0		3/29/2018 15:00	0.0		3/29/2019 15:00	0.0		3/28/2020 15:00	0.0	
3/29/2017 16:00	0.0		3/29/2018 16:00	0.0		3/29/2019 16:00	0.0		3/28/2020 16:00	0.0	
3/29/2017 17:00	0.0		3/29/2018 17:00	0.0		3/29/2019 17:00	0.0		3/28/2020 17:00	0.0	
3/29/2017 18:00	0.0		3/29/2018 18:00	0.0		3/29/2019 18:00	0.0		3/28/2020 18:00	0.0	
3/29/2017 19:00	0.0		3/29/2018 19:00	0.0		3/29/2019 19:00	0.0		3/28/2020 19:00	0.0	
3/29/2017 20:00	0.0		3/29/2018 20:00	0.0		3/29/2019 20:00	0.0		3/28/2020 20:00	0.0	
3/29/2017 21:00	0.0		3/29/2018 21:00	0.0		3/29/2019 21:00	0.0		3/28/2020 21:00	0.0	
3/29/2017 22:00	0.0		3/29/2018 22:00	0.0		3/29/2019 22:00	0.0		3/28/2020 22:00	0.0	
3/29/2017 23:00	0.0	0.0	3/29/2018 23:00	0.0	0.0	3/29/2019 23:00	0.0	0.0	3/28/2020 23:00	0.0	0.0

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/30/2017 0:00	0.0		3/30/2018 0:00	0.0		3/30/2019 0:00	0.0		3/29/2020 0:00	0.0	
3/30/2017 1:00	0.0		3/30/2018 1:00	0.0		3/30/2019 1:00	0.0		3/29/2020 1:00	0.0	
3/30/2017 2:00	0.0		3/30/2018 2:00	0.0		3/30/2019 2:00	0.0		3/29/2020 2:00	0.0	
3/30/2017 3:00	0.0		3/30/2018 3:00	0.0		3/30/2019 3:00	0.0		3/29/2020 3:00	0.0	
3/30/2017 4:00	0.0		3/30/2018 4:00	0.0		3/30/2019 4:00	0.0		3/29/2020 4:00	0.0	
3/30/2017 5:00	0.0		3/30/2018 5:00	0.0		3/30/2019 5:00	0.0		3/29/2020 5:00	0.0	
3/30/2017 6:00	0.0		3/30/2018 6:00	0.0		3/30/2019 6:00	0.0		3/29/2020 6:00	0.0	
3/30/2017 7:00	0.0		3/30/2018 7:00	0.0		3/30/2019 7:00	0.0		3/29/2020 7:00	0.0	
3/30/2017 8:00	0.0		3/30/2018 8:00	0.0		3/30/2019 8:00	0.0		3/29/2020 8:00	0.0	
3/30/2017 9:00	0.0		3/30/2018 9:00	0.0		3/30/2019 9:00	0.0		3/29/2020 9:00	0.0	
3/30/2017 10:00	0.0		3/30/2018 10:00	0.0		3/30/2019 10:00	0.0		3/29/2020 10:00	0.0	
3/30/2017 11:00	0.0		3/30/2018 11:00	0.0		3/30/2019 11:00	0.0		3/29/2020 11:00	0.0	
3/30/2017 12:00	0.0		3/30/2018 12:00	0.0		3/30/2019 12:00	0.0		3/29/2020 12:00	0.0	
3/30/2017 13:00	0.0		3/30/2018 13:00	0.0		3/30/2019 13:00	0.0		3/29/2020 13:00	0.0	
3/30/2017 14:00	0.0		3/30/2018 14:00	0.0		3/30/2019 14:00	0.0		3/29/2020 14:00	0.0	
3/30/2017 15:00	0.0		3/30/2018 15:00	0.0		3/30/2019 15:00	0.0		3/29/2020 15:00	0.0	
3/30/2017 16:00	0.0		3/30/2018 16:00	0.0		3/30/2019 16:00	0.0		3/29/2020 16:00	0.0	
3/30/2017 17:00	0.0		3/30/2018 17:00	0.0		3/30/2019 17:00	0.0		3/29/2020 17:00	0.0	
3/30/2017 18:00	0.0		3/30/2018 18:00	0.0		3/30/2019 18:00	0.0		3/29/2020 18:00	0.0	
3/30/2017 19:00	0.0		3/30/2018 19:00	0.0		3/30/2019 19:00	0.0		3/29/2020 19:00	0.0	
3/30/2017 20:00	0.0		3/30/2018 20:00	0.0		3/30/2019 20:00	0.0		3/29/2020 20:00	0.0	
3/30/2017 21:00	0.0		3/30/2018 21:00	0.0		3/30/2019 21:00	0.0		3/29/2020 21:00	0.0	
3/30/2017 22:00	0.0		3/30/2018 22:00	0.0		3/30/2019 22:00	0.0		3/29/2020 22:00	0.0	
3/30/2017 23:00	0.0	0.0	3/30/2018 23:00	0.0	0.0	3/30/2019 23:00	0.0	0.0	3/29/2020 23:00	0.0	0.0
3/31/2017 0:00	0.0		3/31/2018 0:00	0.0		3/31/2019 0:00	0.0		3/30/2020 0:00	0.0	
3/31/2017 1:00	0.0		3/31/2018 1:00	0.0		3/31/2019 1:00	0.0		3/30/2020 1:00	0.0	
3/31/2017 2:00	0.0		3/31/2018 2:00	0.0		3/31/2019 2:00	0.0		3/30/2020 2:00	0.0	
3/31/2017 3:00	0.0		3/31/2018 3:00	0.0		3/31/2019 3:00	0.0		3/30/2020 3:00	0.0	
3/31/2017 4:00	0.0		3/31/2018 4:00	0.0		3/31/2019 4:00	0.0		3/30/2020 4:00	0.0	
3/31/2017 5:00	0.0		3/31/2018 5:00	0.0		3/31/2019 5:00	0.0		3/30/2020 5:00	0.0	
3/31/2017 6:00	0.0		3/31/2018 6:00	0.0		3/31/2019 6:00	0.0		3/30/2020 6:00	0.0	
3/31/2017 7:00	0.0		3/31/2018 7:00	0.0		3/31/2019 7:00	0.0		3/30/2020 7:00	0.0	
3/31/2017 8:00	0.0		3/31/2018 8:00	0.0		3/31/2019 8:00	0.0		3/30/2020 8:00	0.0	
3/31/2017 9:00	0.0		3/31/2018 9:00	0.0		3/31/2019 9:00	0.0		3/30/2020 9:00	0.0	
3/31/2017 10:00	0.0		3/31/2018 10:00	0.0		3/31/2019 10:00	0.0		3/30/2020 10:00	0.0	
3/31/2017 11:00	0.0		3/31/2018 11:00	0.0		3/31/2019 11:00	0.0		3/30/2020 11:00	0.0	
3/31/2017 12:00	0.0		3/31/2018 12:00	0.0		3/31/2019 12:00	0.0		3/30/2020 12:00	0.0	
3/31/2017 13:00	0.0		3/31/2018 13:00	0.0		3/31/2019 13:00	0.0		3/30/2020 13:00	0.0	
3/31/2017 14:00	0.0		3/31/2018 14:00	0.0		3/31/2019 14:00	0.0		3/30/2020 14:00	0.0	
3/31/2017 15:00	0.0		3/31/2018 15:00	0.0		3/31/2019 15:00	0.0		3/30/2020 15:00	0.0	
3/31/2017 16:00	0.0		3/31/2018 16:00	0.0		3/31/2019 16:00	0.0		3/30/2020 16:00	0.0	
3/31/2017 17:00	0.0		3/31/2018 17:00	0.0		3/31/2019 17:00	0.0		3/30/2020 17:00	0.0	
3/31/2017 18:00	0.0		3/31/2018 18:00	0.0		3/31/2019 18:00	0.0		3/30/2020 18:00	0.0	
3/31/2017 19:00	0.0		3/31/2018 19:00	0.0		3/31/2019 19:00	0.0		3/30/2020 19:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/31/2017 20:00	0.0		3/31/2018 20:00	0.0		3/31/2019 20:00	0.0		3/30/2020 20:00	0.0	
3/31/2017 21:00	0.0		3/31/2018 21:00	0.0		3/31/2019 21:00	0.0		3/30/2020 21:00	0.0	
3/31/2017 22:00	0.0		3/31/2018 22:00	0.0		3/31/2019 22:00	0.0		3/30/2020 22:00	0.0	
3/31/2017 23:00	0.0	0.0	3/31/2018 23:00	0.0	0.0	3/31/2019 23:00	0.0	0.0	3/30/2020 23:00	0.0	0.0
4/1/2017 0:00	0.0		4/1/2018 0:00	0.0		4/1/2019 0:00	0.0		3/31/2020 0:00	0.0	
4/1/2017 1:00	0.0		4/1/2018 1:00	0.0		4/1/2019 1:00	0.0		3/31/2020 1:00	0.0	
4/1/2017 2:00	0.0		4/1/2018 2:00	0.0		4/1/2019 2:00	0.0		3/31/2020 2:00	0.0	
4/1/2017 3:00	0.0		4/1/2018 3:00	0.0		4/1/2019 3:00	0.0		3/31/2020 3:00	0.0	
4/1/2017 4:00	0.0		4/1/2018 4:00	0.0		4/1/2019 4:00	0.0		3/31/2020 4:00	0.0	
4/1/2017 5:00	0.0		4/1/2018 5:00	0.0		4/1/2019 5:00	0.0		3/31/2020 5:00	0.0	
4/1/2017 6:00	0.0		4/1/2018 6:00	0.0		4/1/2019 6:00	0.0		3/31/2020 6:00	0.0	
4/1/2017 7:00	0.0		4/1/2018 7:00	0.0		4/1/2019 7:00	0.0		3/31/2020 7:00	0.0	
4/1/2017 8:00	0.0		4/1/2018 8:00	0.0		4/1/2019 8:00	0.0		3/31/2020 8:00	0.0	
4/1/2017 9:00	0.0		4/1/2018 9:00	0.0		4/1/2019 9:00	0.0		3/31/2020 9:00	0.0	
4/1/2017 10:00	0.0		4/1/2018 10:00	0.0		4/1/2019 10:00	0.0		3/31/2020 10:00	0.0	
4/1/2017 11:00	0.0		4/1/2018 11:00	0.0		4/1/2019 11:00	0.0		3/31/2020 11:00	0.0	
4/1/2017 12:00	0.0		4/1/2018 12:00	0.0		4/1/2019 12:00	0.0		3/31/2020 12:00	0.0	
4/1/2017 13:00	0.0		4/1/2018 13:00	0.0		4/1/2019 13:00	0.0		3/31/2020 13:00	0.0	
4/1/2017 14:00	0.0		4/1/2018 14:00	0.0		4/1/2019 14:00	0.0		3/31/2020 14:00	0.0	
4/1/2017 15:00	0.0		4/1/2018 15:00	0.0		4/1/2019 15:00	0.0		3/31/2020 15:00	0.0	
4/1/2017 16:00	0.0		4/1/2018 16:00	0.0		4/1/2019 16:00	0.0		3/31/2020 16:00	0.0	
4/1/2017 17:00	0.0		4/1/2018 17:00	0.0		4/1/2019 17:00	0.0		3/31/2020 17:00	0.0	
4/1/2017 18:00	0.0		4/1/2018 18:00	0.0		4/1/2019 18:00	0.0		3/31/2020 18:00	0.0	
4/1/2017 19:00	0.0		4/1/2018 19:00	0.0		4/1/2019 19:00	0.0		3/31/2020 19:00	0.0	
4/1/2017 20:00	0.0		4/1/2018 20:00	0.0		4/1/2019 20:00	0.0		3/31/2020 20:00	0.0	
4/1/2017 21:00	0.0		4/1/2018 21:00	0.0		4/1/2019 21:00	0.0		3/31/2020 21:00	0.0	
4/1/2017 22:00	0.0		4/1/2018 22:00	0.0		4/1/2019 22:00	0.0		3/31/2020 22:00	0.0	
4/1/2017 23:00	0.0	0.0	4/1/2018 23:00	0.0	0.0	4/1/2019 23:00	0.0	0.0	3/31/2020 23:00	0.0	0.0
4/2/2017 0:00	0.0		4/2/2018 0:00	0.0		4/2/2019 0:00	0.0		4/1/2020 0:00	0.0	
4/2/2017 1:00	0.0		4/2/2018 1:00	0.0		4/2/2019 1:00	0.0		4/1/2020 1:00	0.0	
4/2/2017 2:00	0.0		4/2/2018 2:00	0.0		4/2/2019 2:00	0.0		4/1/2020 2:00	0.0	
4/2/2017 3:00	0.0		4/2/2018 3:00	0.0		4/2/2019 3:00	0.0		4/1/2020 3:00	0.0	
4/2/2017 4:00	0.0		4/2/2018 4:00	0.0		4/2/2019 4:00	0.0		4/1/2020 4:00	0.0	
4/2/2017 5:00	0.0		4/2/2018 5:00	0.0		4/2/2019 5:00	0.0		4/1/2020 5:00	0.0	
4/2/2017 6:00	0.0		4/2/2018 6:00	0.0		4/2/2019 6:00	0.0		4/1/2020 6:00	0.0	
4/2/2017 7:00	0.0		4/2/2018 7:00	0.0		4/2/2019 7:00	0.0		4/1/2020 7:00	0.0	
4/2/2017 8:00	0.0		4/2/2018 8:00	0.0		4/2/2019 8:00	0.0		4/1/2020 8:00	0.0	
4/2/2017 9:00	0.0		4/2/2018 9:00	0.0		4/2/2019 9:00	0.0		4/1/2020 9:00	0.0	
4/2/2017 10:00	0.0		4/2/2018 10:00	0.0		4/2/2019 10:00	0.0		4/1/2020 10:00	0.0	
4/2/2017 11:00	0.0		4/2/2018 11:00	0.0		4/2/2019 11:00	0.0		4/1/2020 11:00	0.0	
4/2/2017 12:00	0.0		4/2/2018 12:00	0.0		4/2/2019 12:00	0.0		4/1/2020 12:00	0.0	
4/2/2017 13:00	0.0		4/2/2018 13:00	0.0		4/2/2019 13:00	0.0		4/1/2020 13:00	0.0	
4/2/2017 14:00	0.0		4/2/2018 14:00	0.0		4/2/2019 14:00	0.0		4/1/2020 14:00	0.0	
4/2/2017 15:00	0.0		4/2/2018 15:00	0.0		4/2/2019 15:00	0.0		4/1/2020 15:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/2/2017 16:00	0.0		4/2/2018 16:00	0.0		4/2/2019 16:00	0.0		4/1/2020 16:00	0.0	
4/2/2017 17:00	0.0		4/2/2018 17:00	0.0		4/2/2019 17:00	0.0		4/1/2020 17:00	0.0	
4/2/2017 18:00	0.0		4/2/2018 18:00	0.0		4/2/2019 18:00	0.0		4/1/2020 18:00	0.0	
4/2/2017 19:00	0.0		4/2/2018 19:00	0.0		4/2/2019 19:00	0.0		4/1/2020 19:00	0.0	
4/2/2017 20:00	0.0		4/2/2018 20:00	0.0		4/2/2019 20:00	0.0		4/1/2020 20:00	0.0	
4/2/2017 21:00	0.0		4/2/2018 21:00	0.0		4/2/2019 21:00	0.0		4/1/2020 21:00	0.0	
4/2/2017 22:00	0.0		4/2/2018 22:00	0.0		4/2/2019 22:00	0.0		4/1/2020 22:00	0.0	
4/2/2017 23:00	0.0	0.0	4/2/2018 23:00	0.0	0.0	4/2/2019 23:00	0.0	0.0	4/1/2020 23:00	0.0	0.0
4/3/2017 0:00	0.0		4/3/2018 0:00	0.0		4/3/2019 0:00	0.0		4/2/2020 0:00	0.0	
4/3/2017 1:00	0.0		4/3/2018 1:00	0.0		4/3/2019 1:00	0.0		4/2/2020 1:00	0.0	
4/3/2017 2:00	0.0		4/3/2018 2:00	0.0		4/3/2019 2:00	0.0		4/2/2020 2:00	0.0	
4/3/2017 3:00	0.0		4/3/2018 3:00	0.0		4/3/2019 3:00	0.0		4/2/2020 3:00	0.0	
4/3/2017 4:00	0.0		4/3/2018 4:00	0.0		4/3/2019 4:00	0.0		4/2/2020 4:00	0.0	
4/3/2017 5:00	0.0		4/3/2018 5:00	0.0		4/3/2019 5:00	0.0		4/2/2020 5:00	0.0	
4/3/2017 6:00	0.0		4/3/2018 6:00	0.0		4/3/2019 6:00	0.0		4/2/2020 6:00	0.0	
4/3/2017 7:00	0.0		4/3/2018 7:00	0.0		4/3/2019 7:00	0.0		4/2/2020 7:00	0.0	
4/3/2017 8:00	0.0		4/3/2018 8:00	0.0		4/3/2019 8:00	0.0		4/2/2020 8:00	0.0	
4/3/2017 9:00	0.0		4/3/2018 9:00	0.0		4/3/2019 9:00	0.0		4/2/2020 9:00	0.0	
4/3/2017 10:00	0.0		4/3/2018 10:00	0.0		4/3/2019 10:00	0.0		4/2/2020 10:00	0.0	
4/3/2017 11:00	0.0		4/3/2018 11:00	0.0		4/3/2019 11:00	0.0		4/2/2020 11:00	0.0	
4/3/2017 12:00	0.0		4/3/2018 12:00	0.0		4/3/2019 12:00	0.0		4/2/2020 12:00	0.0	
4/3/2017 13:00	0.0		4/3/2018 13:00	0.0		4/3/2019 13:00	0.0		4/2/2020 13:00	0.0	
4/3/2017 14:00	0.0		4/3/2018 14:00	0.0		4/3/2019 14:00	0.0		4/2/2020 14:00	0.0	
4/3/2017 15:00	0.0		4/3/2018 15:00	0.0		4/3/2019 15:00	0.0		4/2/2020 15:00	0.0	
4/3/2017 16:00	0.0		4/3/2018 16:00	0.0		4/3/2019 16:00	0.0		4/2/2020 16:00	0.0	
4/3/2017 17:00	0.0		4/3/2018 17:00	0.0		4/3/2019 17:00	0.0		4/2/2020 17:00	0.0	
4/3/2017 18:00	0.0		4/3/2018 18:00	0.0		4/3/2019 18:00	0.0		4/2/2020 18:00	0.0	
4/3/2017 19:00	0.0		4/3/2018 19:00	0.0		4/3/2019 19:00	0.0		4/2/2020 19:00	0.0	
4/3/2017 20:00	0.0		4/3/2018 20:00	0.0		4/3/2019 20:00	0.0		4/2/2020 20:00	0.0	
4/3/2017 21:00	0.0		4/3/2018 21:00	0.0		4/3/2019 21:00	0.0		4/2/2020 21:00	0.0	
4/3/2017 22:00	0.0		4/3/2018 22:00	0.0		4/3/2019 22:00	0.0		4/2/2020 22:00	0.0	
4/3/2017 23:00	0.0	0.0	4/3/2018 23:00	0.0	0.0	4/3/2019 23:00	0.0	0.0	4/2/2020 23:00	0.0	0.0
4/4/2017 0:00	0.0		4/4/2018 0:00	0.0		4/4/2019 0:00	0.0		4/3/2020 0:00	0.0	
4/4/2017 1:00	0.0		4/4/2018 1:00	0.0		4/4/2019 1:00	0.0		4/3/2020 1:00	0.0	
4/4/2017 2:00	0.0		4/4/2018 2:00	0.0		4/4/2019 2:00	0.0		4/3/2020 2:00	0.0	
4/4/2017 3:00	0.0		4/4/2018 3:00	0.0		4/4/2019 3:00	0.0		4/3/2020 3:00	0.0	
4/4/2017 4:00	0.0		4/4/2018 4:00	0.0		4/4/2019 4:00	0.0		4/3/2020 4:00	0.0	
4/4/2017 5:00	0.0		4/4/2018 5:00	0.0		4/4/2019 5:00	0.0		4/3/2020 5:00	0.0	
4/4/2017 6:00	0.0		4/4/2018 6:00	0.0		4/4/2019 6:00	0.0		4/3/2020 6:00	0.0	
4/4/2017 7:00	0.0		4/4/2018 7:00	0.0		4/4/2019 7:00	0.0		4/3/2020 7:00	0.0	
4/4/2017 8:00	0.0		4/4/2018 8:00	0.0		4/4/2019 8:00	0.0		4/3/2020 8:00	0.0	
4/4/2017 9:00	0.0		4/4/2018 9:00	0.0		4/4/2019 9:00	0.0		4/3/2020 9:00	0.0	
4/4/2017 10:00	0.0		4/4/2018 10:00	0.0		4/4/2019 10:00	0.0		4/3/2020 10:00	0.0	
4/4/2017 11:00	0.0		4/4/2018 11:00	0.0		4/4/2019 11:00	0.0		4/3/2020 11:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/4/2017 12:00	0.0		4/4/2018 12:00	0.0		4/4/2019 12:00	0.0		4/3/2020 12:00	0.0	
4/4/2017 13:00	0.0		4/4/2018 13:00	0.0		4/4/2019 13:00	0.0		4/3/2020 13:00	0.0	
4/4/2017 14:00	0.0		4/4/2018 14:00	0.0		4/4/2019 14:00	0.0		4/3/2020 14:00	0.0	
4/4/2017 15:00	0.0		4/4/2018 15:00	0.0		4/4/2019 15:00	0.0		4/3/2020 15:00	0.0	
4/4/2017 16:00	0.0		4/4/2018 16:00	0.0		4/4/2019 16:00	0.0		4/3/2020 16:00	0.0	
4/4/2017 17:00	0.0		4/4/2018 17:00	0.0		4/4/2019 17:00	0.0		4/3/2020 17:00	0.0	
4/4/2017 18:00	0.0		4/4/2018 18:00	0.0		4/4/2019 18:00	0.0		4/3/2020 18:00	0.0	
4/4/2017 19:00	0.0		4/4/2018 19:00	0.0		4/4/2019 19:00	0.0		4/3/2020 19:00	0.0	
4/4/2017 20:00	0.0		4/4/2018 20:00	0.0		4/4/2019 20:00	0.0		4/3/2020 20:00	0.0	
4/4/2017 21:00	0.0		4/4/2018 21:00	0.0		4/4/2019 21:00	0.0		4/3/2020 21:00	0.0	
4/4/2017 22:00	0.0		4/4/2018 22:00	0.0		4/4/2019 22:00	0.0		4/3/2020 22:00	0.0	
4/4/2017 23:00	0.0	0.0	4/4/2018 23:00	0.0	0.0	4/4/2019 23:00	0.0	0.0	4/3/2020 23:00	0.0	0.0
4/5/2017 0:00	0.0		4/5/2018 0:00	0.0		4/5/2019 0:00	0.0		4/4/2020 0:00	0.0	
4/5/2017 1:00	0.0		4/5/2018 1:00	0.0		4/5/2019 1:00	0.0		4/4/2020 1:00	0.0	
4/5/2017 2:00	0.0		4/5/2018 2:00	0.0		4/5/2019 2:00	0.0		4/4/2020 2:00	0.0	
4/5/2017 3:00	0.0		4/5/2018 3:00	0.0		4/5/2019 3:00	0.0		4/4/2020 3:00	0.0	
4/5/2017 4:00	0.0		4/5/2018 4:00	0.0		4/5/2019 4:00	0.0		4/4/2020 4:00	0.0	
4/5/2017 5:00	0.0		4/5/2018 5:00	0.0		4/5/2019 5:00	0.0		4/4/2020 5:00	0.0	
4/5/2017 6:00	0.0		4/5/2018 6:00	0.0		4/5/2019 6:00	0.0		4/4/2020 6:00	0.0	
4/5/2017 7:00	0.0		4/5/2018 7:00	0.0		4/5/2019 7:00	0.0		4/4/2020 7:00	0.0	
4/5/2017 8:00	0.0		4/5/2018 8:00	0.0		4/5/2019 8:00	0.0		4/4/2020 8:00	0.0	
4/5/2017 9:00	0.0		4/5/2018 9:00	0.0		4/5/2019 9:00	0.0		4/4/2020 9:00	0.0	
4/5/2017 10:00	0.0		4/5/2018 10:00	0.0		4/5/2019 10:00	0.0		4/4/2020 10:00	0.0	
4/5/2017 11:00	0.0		4/5/2018 11:00	0.0		4/5/2019 11:00	0.0		4/4/2020 11:00	0.0	
4/5/2017 12:00	0.0		4/5/2018 12:00	0.0		4/5/2019 12:00	0.0		4/4/2020 12:00	0.0	
4/5/2017 13:00	0.0		4/5/2018 13:00	0.0		4/5/2019 13:00	0.0		4/4/2020 13:00	0.0	
4/5/2017 14:00	0.0		4/5/2018 14:00	0.0		4/5/2019 14:00	0.0		4/4/2020 14:00	0.0	
4/5/2017 15:00	0.0		4/5/2018 15:00	0.0		4/5/2019 15:00	0.0		4/4/2020 15:00	0.0	
4/5/2017 16:00	0.0		4/5/2018 16:00	0.0		4/5/2019 16:00	0.0		4/4/2020 16:00	0.0	
4/5/2017 17:00	0.0		4/5/2018 17:00	0.0		4/5/2019 17:00	0.0		4/4/2020 17:00	0.0	
4/5/2017 18:00	0.0		4/5/2018 18:00	0.0		4/5/2019 18:00	0.0		4/4/2020 18:00	0.0	
4/5/2017 19:00	0.0		4/5/2018 19:00	0.0		4/5/2019 19:00	0.0		4/4/2020 19:00	0.0	
4/5/2017 20:00	0.0		4/5/2018 20:00	0.0		4/5/2019 20:00	0.0		4/4/2020 20:00	0.0	
4/5/2017 21:00	0.0		4/5/2018 21:00	0.0		4/5/2019 21:00	0.0		4/4/2020 21:00	0.0	
4/5/2017 22:00	0.0		4/5/2018 22:00	0.0		4/5/2019 22:00	0.0		4/4/2020 22:00	0.0	
4/5/2017 23:00	0.0	0.0	4/5/2018 23:00	0.0	0.0	4/5/2019 23:00	0.0	0.0	4/4/2020 23:00	0.0	0.0
4/6/2017 0:00	0.0		4/6/2018 0:00	0.0		4/6/2019 0:00	0.0		4/5/2020 0:00	0.0	
4/6/2017 1:00	0.0		4/6/2018 1:00	0.0		4/6/2019 1:00	0.0		4/5/2020 1:00	0.0	
4/6/2017 2:00	0.0		4/6/2018 2:00	0.0		4/6/2019 2:00	0.0		4/5/2020 2:00	0.0	
4/6/2017 3:00	0.0		4/6/2018 3:00	0.0		4/6/2019 3:00	0.0		4/5/2020 3:00	0.0	
4/6/2017 4:00	0.0		4/6/2018 4:00	0.0		4/6/2019 4:00	0.0		4/5/2020 4:00	0.0	
4/6/2017 5:00	0.0		4/6/2018 5:00	0.0		4/6/2019 5:00	0.0		4/5/2020 5:00	0.0	
4/6/2017 6:00	0.0		4/6/2018 6:00	0.0		4/6/2019 6:00	0.0		4/5/2020 6:00	0.0	
4/6/2017 7:00	0.0		4/6/2018 7:00	0.0		4/6/2019 7:00	0.0		4/5/2020 7:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/6/2017 8:00	0.0		4/6/2018 8:00	0.0		4/6/2019 8:00	0.0		4/5/2020 8:00	0.0	
4/6/2017 9:00	0.0		4/6/2018 9:00	0.0		4/6/2019 9:00	0.0		4/5/2020 9:00	0.0	
4/6/2017 10:00	0.0		4/6/2018 10:00	0.0		4/6/2019 10:00	0.0		4/5/2020 10:00	0.0	
4/6/2017 11:00	0.0		4/6/2018 11:00	0.0		4/6/2019 11:00	0.0		4/5/2020 11:00	0.0	
4/6/2017 12:00	0.0		4/6/2018 12:00	0.0		4/6/2019 12:00	0.0		4/5/2020 12:00	0.0	
4/6/2017 13:00	0.0		4/6/2018 13:00	0.0		4/6/2019 13:00	0.0		4/5/2020 13:00	0.0	
4/6/2017 14:00	0.0		4/6/2018 14:00	0.0		4/6/2019 14:00	0.0		4/5/2020 14:00	0.0	
4/6/2017 15:00	0.0		4/6/2018 15:00	0.0		4/6/2019 15:00	0.0		4/5/2020 15:00	0.0	
4/6/2017 16:00	0.0		4/6/2018 16:00	0.0		4/6/2019 16:00	0.0		4/5/2020 16:00	0.0	
4/6/2017 17:00	0.0		4/6/2018 17:00	0.0		4/6/2019 17:00	0.0		4/5/2020 17:00	0.0	
4/6/2017 18:00	0.0		4/6/2018 18:00	0.0		4/6/2019 18:00	0.0		4/5/2020 18:00	0.0	
4/6/2017 19:00	0.0		4/6/2018 19:00	0.0		4/6/2019 19:00	0.0		4/5/2020 19:00	0.0	
4/6/2017 20:00	0.0		4/6/2018 20:00	0.0		4/6/2019 20:00	0.0		4/5/2020 20:00	0.0	
4/6/2017 21:00	0.0		4/6/2018 21:00	0.0		4/6/2019 21:00	0.0		4/5/2020 21:00	0.0	
4/6/2017 22:00	0.0		4/6/2018 22:00	0.0		4/6/2019 22:00	0.0		4/5/2020 22:00	0.0	
4/6/2017 23:00	0.0	0.0	4/6/2018 23:00	0.0	0.0	4/6/2019 23:00	0.0	0.0	4/5/2020 23:00	0.0	0.0
4/7/2017 0:00	0.0		4/7/2018 0:00	0.0		4/7/2019 0:00	0.0		4/6/2020 0:00	0.0	
4/7/2017 1:00	0.0		4/7/2018 1:00	0.0		4/7/2019 1:00	0.0		4/6/2020 1:00	0.0	
4/7/2017 2:00	0.0		4/7/2018 2:00	0.0		4/7/2019 2:00	0.0		4/6/2020 2:00	0.0	
4/7/2017 3:00	0.0		4/7/2018 3:00	0.0		4/7/2019 3:00	0.0		4/6/2020 3:00	0.0	
4/7/2017 4:00	0.0		4/7/2018 4:00	0.0		4/7/2019 4:00	0.0		4/6/2020 4:00	0.0	
4/7/2017 5:00	0.0		4/7/2018 5:00	0.0		4/7/2019 5:00	0.0		4/6/2020 5:00	0.0	
4/7/2017 6:00	0.0		4/7/2018 6:00	0.0		4/7/2019 6:00	0.0		4/6/2020 6:00	0.0	
4/7/2017 7:00	0.0		4/7/2018 7:00	0.0		4/7/2019 7:00	0.0		4/6/2020 7:00	0.0	
4/7/2017 8:00	0.0		4/7/2018 8:00	0.0		4/7/2019 8:00	0.0		4/6/2020 8:00	0.0	
4/7/2017 9:00	0.0		4/7/2018 9:00	0.0		4/7/2019 9:00	0.0		4/6/2020 9:00	0.0	
4/7/2017 10:00	0.0		4/7/2018 10:00	0.0		4/7/2019 10:00	0.0		4/6/2020 10:00	0.0	
4/7/2017 11:00	0.0		4/7/2018 11:00	0.0		4/7/2019 11:00	0.0		4/6/2020 11:00	0.0	
4/7/2017 12:00	0.0		4/7/2018 12:00	0.0		4/7/2019 12:00	0.0		4/6/2020 12:00	0.0	
4/7/2017 13:00	0.0		4/7/2018 13:00	0.0		4/7/2019 13:00	0.0		4/6/2020 13:00	0.0	
4/7/2017 14:00	0.0		4/7/2018 14:00	0.0		4/7/2019 14:00	0.0		4/6/2020 14:00	0.0	
4/7/2017 15:00	0.0		4/7/2018 15:00	0.0		4/7/2019 15:00	0.0		4/6/2020 15:00	0.0	
4/7/2017 16:00	0.0		4/7/2018 16:00	0.0		4/7/2019 16:00	0.0		4/6/2020 16:00	0.0	
4/7/2017 17:00	0.0		4/7/2018 17:00	0.0		4/7/2019 17:00	0.0		4/6/2020 17:00	0.0	
4/7/2017 18:00	0.0		4/7/2018 18:00	0.0		4/7/2019 18:00	0.0		4/6/2020 18:00	0.0	
4/7/2017 19:00	0.0		4/7/2018 19:00	0.0		4/7/2019 19:00	0.0		4/6/2020 19:00	0.0	
4/7/2017 20:00	0.0		4/7/2018 20:00	0.0		4/7/2019 20:00	0.0		4/6/2020 20:00	0.0	
4/7/2017 21:00	0.0		4/7/2018 21:00	0.0		4/7/2019 21:00	0.0		4/6/2020 21:00	0.0	
4/7/2017 22:00	0.0		4/7/2018 22:00	0.0		4/7/2019 22:00	0.0		4/6/2020 22:00	0.0	
4/7/2017 23:00	0.0	0.0	4/7/2018 23:00	0.0	0.0	4/7/2019 23:00	0.0	0.0	4/6/2020 23:00	0.0	0.0
4/8/2017 0:00	0.0		4/8/2018 0:00	0.0		4/8/2019 0:00	0.0		4/7/2020 0:00	0.0	
4/8/2017 1:00	0.0		4/8/2018 1:00	0.0		4/8/2019 1:00	0.0		4/7/2020 1:00	0.0	
4/8/2017 2:00	0.0		4/8/2018 2:00	0.0		4/8/2019 2:00	0.0		4/7/2020 2:00	0.0	
4/8/2017 3:00	0.0		4/8/2018 3:00	0.0		4/8/2019 3:00	0.0		4/7/2020 3:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/8/2017 4:00	0.0		4/8/2018 4:00	0.0		4/8/2019 4:00	0.0		4/7/2020 4:00	0.0	
4/8/2017 5:00	0.0		4/8/2018 5:00	0.0		4/8/2019 5:00	0.0		4/7/2020 5:00	0.0	
4/8/2017 6:00	0.0		4/8/2018 6:00	0.0		4/8/2019 6:00	0.0		4/7/2020 6:00	0.0	
4/8/2017 7:00	0.0		4/8/2018 7:00	0.0		4/8/2019 7:00	0.0		4/7/2020 7:00	0.0	
4/8/2017 8:00	0.0		4/8/2018 8:00	0.0		4/8/2019 8:00	0.0		4/7/2020 8:00	0.0	
4/8/2017 9:00	0.0		4/8/2018 9:00	0.0		4/8/2019 9:00	0.0		4/7/2020 9:00	0.0	
4/8/2017 10:00	0.0		4/8/2018 10:00	0.0		4/8/2019 10:00	0.0		4/7/2020 10:00	0.0	
4/8/2017 11:00	0.0		4/8/2018 11:00	0.0		4/8/2019 11:00	0.0		4/7/2020 11:00	0.0	
4/8/2017 12:00	0.0		4/8/2018 12:00	0.0		4/8/2019 12:00	0.0		4/7/2020 12:00	0.0	
4/8/2017 13:00	0.0		4/8/2018 13:00	0.0		4/8/2019 13:00	0.0		4/7/2020 13:00	0.0	
4/8/2017 14:00	0.0		4/8/2018 14:00	0.0		4/8/2019 14:00	0.0		4/7/2020 14:00	0.0	
4/8/2017 15:00	0.0		4/8/2018 15:00	0.0		4/8/2019 15:00	0.0		4/7/2020 15:00	0.0	
4/8/2017 16:00	0.0		4/8/2018 16:00	0.0		4/8/2019 16:00	0.0		4/7/2020 16:00	0.0	
4/8/2017 17:00	0.0		4/8/2018 17:00	0.0		4/8/2019 17:00	0.0		4/7/2020 17:00	0.0	
4/8/2017 18:00	0.0		4/8/2018 18:00	0.0		4/8/2019 18:00	0.0		4/7/2020 18:00	0.0	
4/8/2017 19:00	0.0		4/8/2018 19:00	0.0		4/8/2019 19:00	0.0		4/7/2020 19:00	0.0	
4/8/2017 20:00	0.0		4/8/2018 20:00	0.0		4/8/2019 20:00	0.0		4/7/2020 20:00	0.0	
4/8/2017 21:00	0.0		4/8/2018 21:00	0.0		4/8/2019 21:00	0.0		4/7/2020 21:00	0.0	
4/8/2017 22:00	0.0		4/8/2018 22:00	0.0		4/8/2019 22:00	0.0		4/7/2020 22:00	0.0	
4/8/2017 23:00	0.0	0.0	4/8/2018 23:00	0.0	0.0	4/8/2019 23:00	0.0	0.0	4/7/2020 23:00	0.0	0.0
4/9/2017 0:00	0.0		4/9/2018 0:00	0.0		4/9/2019 0:00	0.0		4/8/2020 0:00	0.0	
4/9/2017 1:00	0.0		4/9/2018 1:00	0.0		4/9/2019 1:00	0.0		4/8/2020 1:00	0.0	
4/9/2017 2:00	0.0		4/9/2018 2:00	0.0		4/9/2019 2:00	0.0		4/8/2020 2:00	0.0	
4/9/2017 3:00	0.0		4/9/2018 3:00	0.0		4/9/2019 3:00	0.0		4/8/2020 3:00	0.0	
4/9/2017 4:00	0.0		4/9/2018 4:00	0.0		4/9/2019 4:00	0.0		4/8/2020 4:00	0.0	
4/9/2017 5:00	0.0		4/9/2018 5:00	0.0		4/9/2019 5:00	0.0		4/8/2020 5:00	0.0	
4/9/2017 6:00	0.0		4/9/2018 6:00	0.0		4/9/2019 6:00	0.0		4/8/2020 6:00	0.0	
4/9/2017 7:00	0.0		4/9/2018 7:00	0.0		4/9/2019 7:00	0.0		4/8/2020 7:00	0.0	
4/9/2017 8:00	0.0		4/9/2018 8:00	0.0		4/9/2019 8:00	0.0		4/8/2020 8:00	0.0	
4/9/2017 9:00	0.0		4/9/2018 9:00	0.0		4/9/2019 9:00	0.0		4/8/2020 9:00	0.0	
4/9/2017 10:00	0.0		4/9/2018 10:00	0.0		4/9/2019 10:00	0.0		4/8/2020 10:00	0.0	
4/9/2017 11:00	0.0		4/9/2018 11:00	0.0		4/9/2019 11:00	0.0		4/8/2020 11:00	0.0	
4/9/2017 12:00	0.0		4/9/2018 12:00	0.0		4/9/2019 12:00	0.0		4/8/2020 12:00	0.0	
4/9/2017 13:00	0.0		4/9/2018 13:00	0.0		4/9/2019 13:00	0.0		4/8/2020 13:00	0.0	
4/9/2017 14:00	0.0		4/9/2018 14:00	0.0		4/9/2019 14:00	0.0		4/8/2020 14:00	0.0	
4/9/2017 15:00	0.0		4/9/2018 15:00	0.0		4/9/2019 15:00	0.0		4/8/2020 15:00	0.0	
4/9/2017 16:00	0.0		4/9/2018 16:00	0.0		4/9/2019 16:00	0.0		4/8/2020 16:00	0.0	
4/9/2017 17:00	0.0		4/9/2018 17:00	0.0		4/9/2019 17:00	0.0		4/8/2020 17:00	0.0	
4/9/2017 18:00	0.0		4/9/2018 18:00	0.0		4/9/2019 18:00	0.0		4/8/2020 18:00	0.0	
4/9/2017 19:00	0.0		4/9/2018 19:00	0.0		4/9/2019 19:00	0.0		4/8/2020 19:00	0.0	
4/9/2017 20:00	0.0		4/9/2018 20:00	0.0		4/9/2019 20:00	0.0		4/8/2020 20:00	0.0	
4/9/2017 21:00	0.0		4/9/2018 21:00	0.0		4/9/2019 21:00	0.0		4/8/2020 21:00	0.0	
4/9/2017 22:00	0.0		4/9/2018 22:00	0.0		4/9/2019 22:00	0.0		4/8/2020 22:00	0.0	
4/9/2017 23:00	0.0	0.0	4/9/2018 23:00	0.0	0.0	4/9/2019 23:00	0.0	0.0	4/8/2020 23:00	0.0	0.0

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/10/2017 0:00	0.0		4/10/2018 0:00	0.0		4/10/2019 0:00	0.0		4/9/2020 0:00	0.0	
4/10/2017 1:00	0.0		4/10/2018 1:00	0.0		4/10/2019 1:00	0.0		4/9/2020 1:00	0.0	
4/10/2017 2:00	0.0		4/10/2018 2:00	0.0		4/10/2019 2:00	0.0		4/9/2020 2:00	0.0	
4/10/2017 3:00	0.0		4/10/2018 3:00	0.0		4/10/2019 3:00	0.0		4/9/2020 3:00	0.0	
4/10/2017 4:00	0.0		4/10/2018 4:00	0.0		4/10/2019 4:00	0.0		4/9/2020 4:00	0.0	
4/10/2017 5:00	0.0		4/10/2018 5:00	0.0		4/10/2019 5:00	0.0		4/9/2020 5:00	0.0	
4/10/2017 6:00	0.0		4/10/2018 6:00	0.0		4/10/2019 6:00	0.0		4/9/2020 6:00	0.0	
4/10/2017 7:00	0.0		4/10/2018 7:00	0.0		4/10/2019 7:00	0.0		4/9/2020 7:00	0.0	
4/10/2017 8:00	0.0		4/10/2018 8:00	0.0		4/10/2019 8:00	0.0		4/9/2020 8:00	0.0	
4/10/2017 9:00	0.0		4/10/2018 9:00	0.0		4/10/2019 9:00	0.0		4/9/2020 9:00	0.0	
4/10/2017 10:00	0.0		4/10/2018 10:00	0.0		4/10/2019 10:00	0.0		4/9/2020 10:00	0.0	
4/10/2017 11:00	0.0		4/10/2018 11:00	0.0		4/10/2019 11:00	0.0		4/9/2020 11:00	0.0	
4/10/2017 12:00	0.0		4/10/2018 12:00	0.0		4/10/2019 12:00	0.0		4/9/2020 12:00	0.0	
4/10/2017 13:00	0.0		4/10/2018 13:00	0.0		4/10/2019 13:00	0.0		4/9/2020 13:00	0.0	
4/10/2017 14:00	0.0		4/10/2018 14:00	0.0		4/10/2019 14:00	0.0		4/9/2020 14:00	0.0	
4/10/2017 15:00	0.0		4/10/2018 15:00	0.0		4/10/2019 15:00	0.0		4/9/2020 15:00	0.0	
4/10/2017 16:00	0.0		4/10/2018 16:00	0.0		4/10/2019 16:00	0.0		4/9/2020 16:00	0.0	
4/10/2017 17:00	0.0		4/10/2018 17:00	0.0		4/10/2019 17:00	0.0		4/9/2020 17:00	0.0	
4/10/2017 18:00	0.0		4/10/2018 18:00	0.0		4/10/2019 18:00	0.0		4/9/2020 18:00	0.0	
4/10/2017 19:00	0.0		4/10/2018 19:00	0.0		4/10/2019 19:00	0.0		4/9/2020 19:00	0.0	
4/10/2017 20:00	0.0		4/10/2018 20:00	0.0		4/10/2019 20:00	0.0		4/9/2020 20:00	0.0	
4/10/2017 21:00	0.0		4/10/2018 21:00	0.0		4/10/2019 21:00	0.0		4/9/2020 21:00	0.0	
4/10/2017 22:00	0.0		4/10/2018 22:00	0.0		4/10/2019 22:00	0.0		4/9/2020 22:00	0.0	
4/10/2017 23:00	0.0	0.0	4/10/2018 23:00	0.0	0.0	4/10/2019 23:00	0.0	0.0	4/9/2020 23:00	0.0	0.0
4/11/2017 0:00	0.0		4/11/2018 0:00	0.0		4/11/2019 0:00	0.0		4/10/2020 0:00	0.0	
4/11/2017 1:00	0.0		4/11/2018 1:00	0.0		4/11/2019 1:00	0.0		4/10/2020 1:00	0.0	
4/11/2017 2:00	0.0		4/11/2018 2:00	0.0		4/11/2019 2:00	0.0		4/10/2020 2:00	0.0	
4/11/2017 3:00	0.0		4/11/2018 3:00	0.0		4/11/2019 3:00	0.0		4/10/2020 3:00	0.0	
4/11/2017 4:00	0.0		4/11/2018 4:00	0.0		4/11/2019 4:00	0.0		4/10/2020 4:00	0.0	
4/11/2017 5:00	0.0		4/11/2018 5:00	0.0		4/11/2019 5:00	0.0		4/10/2020 5:00	0.0	
4/11/2017 6:00	0.0		4/11/2018 6:00	0.0		4/11/2019 6:00	0.0		4/10/2020 6:00	0.0	
4/11/2017 7:00	0.0		4/11/2018 7:00	0.0		4/11/2019 7:00	0.0		4/10/2020 7:00	0.0	
4/11/2017 8:00	0.0		4/11/2018 8:00	0.0		4/11/2019 8:00	0.0		4/10/2020 8:00	0.0	
4/11/2017 9:00	0.0		4/11/2018 9:00	0.0		4/11/2019 9:00	0.0		4/10/2020 9:00	0.0	
4/11/2017 10:00	0.0		4/11/2018 10:00	0.0		4/11/2019 10:00	0.0		4/10/2020 10:00	0.0	
4/11/2017 11:00	0.0		4/11/2018 11:00	0.0		4/11/2019 11:00	0.0		4/10/2020 11:00	0.0	
4/11/2017 12:00	0.0		4/11/2018 12:00	0.0		4/11/2019 12:00	0.0		4/10/2020 12:00	0.0	
4/11/2017 13:00	0.0		4/11/2018 13:00	0.0		4/11/2019 13:00	0.0		4/10/2020 13:00	0.0	
4/11/2017 14:00	0.0		4/11/2018 14:00	0.0		4/11/2019 14:00	0.0		4/10/2020 14:00	0.0	
4/11/2017 15:00	0.0		4/11/2018 15:00	0.0		4/11/2019 15:00	0.0		4/10/2020 15:00	0.0	
4/11/2017 16:00	0.0		4/11/2018 16:00	0.0		4/11/2019 16:00	0.0		4/10/2020 16:00	0.0	
4/11/2017 17:00	0.0		4/11/2018 17:00	0.0		4/11/2019 17:00	0.0		4/10/2020 17:00	0.0	
4/11/2017 18:00	0.0		4/11/2018 18:00	0.0		4/11/2019 18:00	0.0		4/10/2020 18:00	0.0	
4/11/2017 19:00	0.0		4/11/2018 19:00	0.0		4/11/2019 19:00	0.0		4/10/2020 19:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/11/2017 20:00	0.0		4/11/2018 20:00	0.0		4/11/2019 20:00	0.0		4/10/2020 20:00	0.0	
4/11/2017 21:00	0.0		4/11/2018 21:00	0.0		4/11/2019 21:00	0.0		4/10/2020 21:00	0.0	
4/11/2017 22:00	0.0		4/11/2018 22:00	0.0		4/11/2019 22:00	0.0		4/10/2020 22:00	0.0	
4/11/2017 23:00	0.0	0.0	4/11/2018 23:00	0.0	0.0	4/11/2019 23:00	0.0	0.0	4/10/2020 23:00	0.0	0.0
4/12/2017 0:00	0.0		4/12/2018 0:00	0.0		4/12/2019 0:00	0.0		4/11/2020 0:00	0.0	
4/12/2017 1:00	0.0		4/12/2018 1:00	0.0		4/12/2019 1:00	0.0		4/11/2020 1:00	0.0	
4/12/2017 2:00	0.0		4/12/2018 2:00	0.0		4/12/2019 2:00	0.0		4/11/2020 2:00	0.0	
4/12/2017 3:00	0.0		4/12/2018 3:00	0.0		4/12/2019 3:00	0.0		4/11/2020 3:00	0.0	
4/12/2017 4:00	0.0		4/12/2018 4:00	0.0		4/12/2019 4:00	0.0		4/11/2020 4:00	0.0	
4/12/2017 5:00	0.0		4/12/2018 5:00	0.0		4/12/2019 5:00	0.0		4/11/2020 5:00	0.0	
4/12/2017 6:00	0.0		4/12/2018 6:00	0.0		4/12/2019 6:00	0.0		4/11/2020 6:00	0.0	
4/12/2017 7:00	0.0		4/12/2018 7:00	0.0		4/12/2019 7:00	0.0		4/11/2020 7:00	0.0	
4/12/2017 8:00	0.0		4/12/2018 8:00	0.0		4/12/2019 8:00	0.0		4/11/2020 8:00	0.0	
4/12/2017 9:00	0.0		4/12/2018 9:00	0.0		4/12/2019 9:00	0.0		4/11/2020 9:00	0.0	
4/12/2017 10:00	0.0		4/12/2018 10:00	0.0		4/12/2019 10:00	0.0		4/11/2020 10:00	0.0	
4/12/2017 11:00	0.0		4/12/2018 11:00	0.0		4/12/2019 11:00	0.0		4/11/2020 11:00	0.0	
4/12/2017 12:00	0.0		4/12/2018 12:00	0.0		4/12/2019 12:00	0.0		4/11/2020 12:00	0.0	
4/12/2017 13:00	0.0		4/12/2018 13:00	0.0		4/12/2019 13:00	0.0		4/11/2020 13:00	0.0	
4/12/2017 14:00	0.0		4/12/2018 14:00	0.0		4/12/2019 14:00	0.0		4/11/2020 14:00	0.0	
4/12/2017 15:00	0.0		4/12/2018 15:00	1.1		4/12/2019 15:00	0.0		4/11/2020 15:00	0.0	
4/12/2017 16:00	0.0		4/12/2018 16:00	2763.9		4/12/2019 16:00	0.0		4/11/2020 16:00	0.0	
4/12/2017 17:00	0.0		4/12/2018 17:00	2654.6		4/12/2019 17:00	0.0		4/11/2020 17:00	0.0	
4/12/2017 18:00	0.0		4/12/2018 18:00	2700.1		4/12/2019 18:00	0.0		4/11/2020 18:00	0.0	
4/12/2017 19:00	0.0		4/12/2018 19:00	2654.6		4/12/2019 19:00	0.0		4/11/2020 19:00	0.0	
4/12/2017 20:00	0.0		4/12/2018 20:00	2654.6		4/12/2019 20:00	0.0		4/11/2020 20:00	0.0	
4/12/2017 21:00	0.0		4/12/2018 21:00	2654.6		4/12/2019 21:00	0.0		4/11/2020 21:00	0.0	
4/12/2017 22:00	0.0		4/12/2018 22:00	2659.0		4/12/2019 22:00	0.0		4/11/2020 22:00	0.0	
4/12/2017 23:00	0.0	0.0	4/12/2018 23:00	2654.6	2763.9	4/12/2019 23:00	0.0	0.0	4/11/2020 23:00	0.0	0.0
4/13/2017 0:00	0.0		4/13/2018 0:00	2777.0		4/13/2019 0:00	0.0		4/12/2020 0:00	0.0	
4/13/2017 1:00	0.0		4/13/2018 1:00	0.0		4/13/2019 1:00	0.0		4/12/2020 1:00	0.0	
4/13/2017 2:00	0.0		4/13/2018 2:00	0.0		4/13/2019 2:00	0.0		4/12/2020 2:00	0.0	
4/13/2017 3:00	0.0		4/13/2018 3:00	0.0		4/13/2019 3:00	0.0		4/12/2020 3:00	0.0	
4/13/2017 4:00	0.0		4/13/2018 4:00	0.0		4/13/2019 4:00	0.0		4/12/2020 4:00	0.0	
4/13/2017 5:00	0.0		4/13/2018 5:00	0.0		4/13/2019 5:00	0.0		4/12/2020 5:00	0.0	
4/13/2017 6:00	0.0		4/13/2018 6:00	0.0		4/13/2019 6:00	0.0		4/12/2020 6:00	0.0	
4/13/2017 7:00	0.0		4/13/2018 7:00	0.0		4/13/2019 7:00	0.0		4/12/2020 7:00	0.0	
4/13/2017 8:00	0.0		4/13/2018 8:00	0.0		4/13/2019 8:00	0.0		4/12/2020 8:00	0.0	
4/13/2017 9:00	0.0		4/13/2018 9:00	0.0		4/13/2019 9:00	0.0		4/12/2020 9:00	0.0	
4/13/2017 10:00	0.0		4/13/2018 10:00	0.0		4/13/2019 10:00	0.0		4/12/2020 10:00	0.0	
4/13/2017 11:00	0.0		4/13/2018 11:00	0.0		4/13/2019 11:00	0.0		4/12/2020 11:00	0.0	
4/13/2017 12:00	0.0		4/13/2018 12:00	0.0		4/13/2019 12:00	0.0		4/12/2020 12:00	0.0	
4/13/2017 13:00	0.0		4/13/2018 13:00	0.0		4/13/2019 13:00	0.0		4/12/2020 13:00	0.0	
4/13/2017 14:00	0.0		4/13/2018 14:00	0.0		4/13/2019 14:00	0.0		4/12/2020 14:00	0.0	
4/13/2017 15:00	0.0		4/13/2018 15:00	0.0		4/13/2019 15:00	0.0		4/12/2020 15:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/13/2017 16:00	0.0		4/13/2018 16:00	0.0		4/13/2019 16:00	0.0		4/12/2020 16:00	0.0	
4/13/2017 17:00	0.0		4/13/2018 17:00	0.0		4/13/2019 17:00	0.0		4/12/2020 17:00	0.0	
4/13/2017 18:00	0.0		4/13/2018 18:00	0.0		4/13/2019 18:00	0.0		4/12/2020 18:00	0.0	
4/13/2017 19:00	0.0		4/13/2018 19:00	0.0		4/13/2019 19:00	0.0		4/12/2020 19:00	22.5	
4/13/2017 20:00	0.0		4/13/2018 20:00	0.0		4/13/2019 20:00	0.0		4/12/2020 20:00	0.0	
4/13/2017 21:00	0.0		4/13/2018 21:00	0.0		4/13/2019 21:00	0.0		4/12/2020 21:00	0.0	
4/13/2017 22:00	0.0		4/13/2018 22:00	0.0		4/13/2019 22:00	0.0		4/12/2020 22:00	0.0	
4/13/2017 23:00	0.0	0.0	4/13/2018 23:00	0.0	2777.0	4/13/2019 23:00	0.0	0.0	4/12/2020 23:00	0.0	22.5
4/14/2017 0:00	0.0		4/14/2018 0:00	0.0		4/14/2019 0:00	0.0		4/13/2020 0:00	0.0	
4/14/2017 1:00	0.0		4/14/2018 1:00	0.0		4/14/2019 1:00	0.0		4/13/2020 1:00	0.0	
4/14/2017 2:00	0.0		4/14/2018 2:00	0.0		4/14/2019 2:00	0.0		4/13/2020 2:00	0.0	
4/14/2017 3:00	0.0		4/14/2018 3:00	0.0		4/14/2019 3:00	0.0		4/13/2020 3:00	0.0	
4/14/2017 4:00	0.0		4/14/2018 4:00	0.0		4/14/2019 4:00	0.0		4/13/2020 4:00	0.0	
4/14/2017 5:00	0.0		4/14/2018 5:00	0.0		4/14/2019 5:00	0.0		4/13/2020 5:00	0.0	
4/14/2017 6:00	0.0		4/14/2018 6:00	0.0		4/14/2019 6:00	0.0		4/13/2020 6:00	360.1	
4/14/2017 7:00	0.0		4/14/2018 7:00	0.0		4/14/2019 7:00	0.0		4/13/2020 7:00	419.1	
4/14/2017 8:00	0.0		4/14/2018 8:00	0.0		4/14/2019 8:00	0.0		4/13/2020 8:00	169.8	
4/14/2017 9:00	0.0		4/14/2018 9:00	0.0		4/14/2019 9:00	0.0		4/13/2020 9:00	0.0	
4/14/2017 10:00	0.0		4/14/2018 10:00	0.0		4/14/2019 10:00	0.0		4/13/2020 10:00	0.0	
4/14/2017 11:00	0.0		4/14/2018 11:00	0.0		4/14/2019 11:00	0.0		4/13/2020 11:00	0.0	
4/14/2017 12:00	0.0		4/14/2018 12:00	0.0		4/14/2019 12:00	0.0		4/13/2020 12:00	0.0	
4/14/2017 13:00	0.0		4/14/2018 13:00	0.0		4/14/2019 13:00	0.0		4/13/2020 13:00	0.0	
4/14/2017 14:00	0.0		4/14/2018 14:00	0.0		4/14/2019 14:00	0.0		4/13/2020 14:00	0.0	
4/14/2017 15:00	0.0		4/14/2018 15:00	0.0		4/14/2019 15:00	0.0		4/13/2020 15:00	23.3	
4/14/2017 16:00	0.0		4/14/2018 16:00	0.0		4/14/2019 16:00	0.0		4/13/2020 16:00	0.0	
4/14/2017 17:00	0.0		4/14/2018 17:00	0.0		4/14/2019 17:00	0.0		4/13/2020 17:00	0.0	
4/14/2017 18:00	0.0		4/14/2018 18:00	0.0		4/14/2019 18:00	0.0		4/13/2020 18:00	0.0	
4/14/2017 19:00	0.0		4/14/2018 19:00	0.0		4/14/2019 19:00	0.0		4/13/2020 19:00	0.0	
4/14/2017 20:00	0.0		4/14/2018 20:00	0.0		4/14/2019 20:00	0.0		4/13/2020 20:00	0.0	
4/14/2017 21:00	0.0		4/14/2018 21:00	0.0		4/14/2019 21:00	0.0		4/13/2020 21:00	0.0	
4/14/2017 22:00	0.0		4/14/2018 22:00	0.0		4/14/2019 22:00	0.0		4/13/2020 22:00	0.0	
4/14/2017 23:00	0.0	0.0	4/14/2018 23:00	0.0	0.0	4/14/2019 23:00	0.0	0.0	4/13/2020 23:00	0.0	419.1
4/15/2017 0:00	0.0		4/15/2018 0:00	0.0		4/15/2019 0:00	0.0		4/14/2020 0:00	0.0	
4/15/2017 1:00	0.0		4/15/2018 1:00	0.0		4/15/2019 1:00	0.0		4/14/2020 1:00	0.0	
4/15/2017 2:00	0.0		4/15/2018 2:00	0.0		4/15/2019 2:00	0.0		4/14/2020 2:00	0.0	
4/15/2017 3:00	0.0		4/15/2018 3:00	0.0		4/15/2019 3:00	0.0		4/14/2020 3:00	0.0	
4/15/2017 4:00	0.0		4/15/2018 4:00	0.0		4/15/2019 4:00	0.0		4/14/2020 4:00	0.0	
4/15/2017 5:00	0.0		4/15/2018 5:00	0.0		4/15/2019 5:00	0.0		4/14/2020 5:00	0.0	
4/15/2017 6:00	0.0		4/15/2018 6:00	0.0		4/15/2019 6:00	0.0		4/14/2020 6:00	0.0	
4/15/2017 7:00	0.0		4/15/2018 7:00	0.0		4/15/2019 7:00	0.0		4/14/2020 7:00	0.0	
4/15/2017 8:00	0.0		4/15/2018 8:00	0.0		4/15/2019 8:00	0.0		4/14/2020 8:00	0.0	
4/15/2017 9:00	0.0		4/15/2018 9:00	0.0		4/15/2019 9:00	0.0		4/14/2020 9:00	0.0	
4/15/2017 10:00	0.0		4/15/2018 10:00	0.0		4/15/2019 10:00	0.0		4/14/2020 10:00	0.0	
4/15/2017 11:00	0.0		4/15/2018 11:00	0.0		4/15/2019 11:00	0.0		4/14/2020 11:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/15/2017 12:00	0.0		4/15/2018 12:00	0.0		4/15/2019 12:00	0.0		4/14/2020 12:00	0.0	
4/15/2017 13:00	0.0		4/15/2018 13:00	0.0		4/15/2019 13:00	0.0		4/14/2020 13:00	0.0	
4/15/2017 14:00	0.0		4/15/2018 14:00	0.0		4/15/2019 14:00	0.0		4/14/2020 14:00	0.0	
4/15/2017 15:00	0.0		4/15/2018 15:00	0.0		4/15/2019 15:00	0.0		4/14/2020 15:00	0.0	
4/15/2017 16:00	0.0		4/15/2018 16:00	0.0		4/15/2019 16:00	0.0		4/14/2020 16:00	0.0	
4/15/2017 17:00	0.0		4/15/2018 17:00	0.0		4/15/2019 17:00	0.0		4/14/2020 17:00	0.0	
4/15/2017 18:00	0.0		4/15/2018 18:00	0.0		4/15/2019 18:00	0.0		4/14/2020 18:00	0.0	
4/15/2017 19:00	0.0		4/15/2018 19:00	0.0		4/15/2019 19:00	0.0		4/14/2020 19:00	0.0	
4/15/2017 20:00	0.0		4/15/2018 20:00	0.0		4/15/2019 20:00	0.0		4/14/2020 20:00	0.0	
4/15/2017 21:00	0.0		4/15/2018 21:00	0.0		4/15/2019 21:00	0.0		4/14/2020 21:00	0.0	
4/15/2017 22:00	0.0		4/15/2018 22:00	0.0		4/15/2019 22:00	0.0		4/14/2020 22:00	0.0	
4/15/2017 23:00	0.0	0.0	4/15/2018 23:00	0.0	0.0	4/15/2019 23:00	0.0	0.0	4/14/2020 23:00	0.0	0.0
4/16/2017 0:00	0.0		4/16/2018 0:00	0.0		4/16/2019 0:00	0.0		4/15/2020 0:00	0.0	
4/16/2017 1:00	0.0		4/16/2018 1:00	0.0		4/16/2019 1:00	0.0		4/15/2020 1:00	0.0	
4/16/2017 2:00	0.0		4/16/2018 2:00	0.0		4/16/2019 2:00	0.0		4/15/2020 2:00	0.0	
4/16/2017 3:00	0.0		4/16/2018 3:00	0.0		4/16/2019 3:00	0.0		4/15/2020 3:00	0.0	
4/16/2017 4:00	0.0		4/16/2018 4:00	0.0		4/16/2019 4:00	0.0		4/15/2020 4:00	0.0	
4/16/2017 5:00	0.0		4/16/2018 5:00	0.0		4/16/2019 5:00	0.0		4/15/2020 5:00	0.0	
4/16/2017 6:00	0.0		4/16/2018 6:00	0.0		4/16/2019 6:00	0.0		4/15/2020 6:00	0.0	
4/16/2017 7:00	0.0		4/16/2018 7:00	0.0		4/16/2019 7:00	0.0		4/15/2020 7:00	0.0	
4/16/2017 8:00	0.0		4/16/2018 8:00	0.0		4/16/2019 8:00	0.0		4/15/2020 8:00	0.0	
4/16/2017 9:00	0.0		4/16/2018 9:00	0.0		4/16/2019 9:00	0.0		4/15/2020 9:00	0.0	
4/16/2017 10:00	0.0		4/16/2018 10:00	0.0		4/16/2019 10:00	0.0		4/15/2020 10:00	0.0	
4/16/2017 11:00	0.0		4/16/2018 11:00	0.0		4/16/2019 11:00	0.0		4/15/2020 11:00	0.0	
4/16/2017 12:00	0.0		4/16/2018 12:00	0.0		4/16/2019 12:00	0.0		4/15/2020 12:00	0.0	
4/16/2017 13:00	0.0		4/16/2018 13:00	0.0		4/16/2019 13:00	0.0		4/15/2020 13:00	0.0	
4/16/2017 14:00	0.0		4/16/2018 14:00	0.0		4/16/2019 14:00	0.0		4/15/2020 14:00	0.0	
4/16/2017 15:00	0.0		4/16/2018 15:00	0.0		4/16/2019 15:00	0.0		4/15/2020 15:00	0.0	
4/16/2017 16:00	0.0		4/16/2018 16:00	0.0		4/16/2019 16:00	0.0		4/15/2020 16:00	0.0	
4/16/2017 17:00	0.0		4/16/2018 17:00	0.0		4/16/2019 17:00	0.0		4/15/2020 17:00	0.0	
4/16/2017 18:00	0.0		4/16/2018 18:00	0.0		4/16/2019 18:00	0.0		4/15/2020 18:00	0.0	
4/16/2017 19:00	0.0		4/16/2018 19:00	0.0		4/16/2019 19:00	0.0		4/15/2020 19:00	0.0	
4/16/2017 20:00	0.0		4/16/2018 20:00	0.0		4/16/2019 20:00	0.0		4/15/2020 20:00	0.0	
4/16/2017 21:00	0.0		4/16/2018 21:00	0.0		4/16/2019 21:00	0.0		4/15/2020 21:00	0.0	
4/16/2017 22:00	0.0		4/16/2018 22:00	0.0		4/16/2019 22:00	0.0		4/15/2020 22:00	0.0	
4/16/2017 23:00	0.0	0.0	4/16/2018 23:00	0.0	0.0	4/16/2019 23:00	0.0	0.0	4/15/2020 23:00	0.0	0.0
4/17/2017 0:00	0.0		4/17/2018 0:00	0.0		4/17/2019 0:00	0.0		4/16/2020 0:00	0.0	
4/17/2017 1:00	0.0		4/17/2018 1:00	0.0		4/17/2019 1:00	0.0		4/16/2020 1:00	0.0	
4/17/2017 2:00	0.0		4/17/2018 2:00	0.0		4/17/2019 2:00	0.0		4/16/2020 2:00	0.0	
4/17/2017 3:00	0.0		4/17/2018 3:00	0.0		4/17/2019 3:00	0.0		4/16/2020 3:00	0.0	
4/17/2017 4:00	0.0		4/17/2018 4:00	0.0		4/17/2019 4:00	0.0		4/16/2020 4:00	0.0	
4/17/2017 5:00	0.0		4/17/2018 5:00	0.0		4/17/2019 5:00	0.0		4/16/2020 5:00	0.0	
4/17/2017 6:00	0.0		4/17/2018 6:00	0.0		4/17/2019 6:00	0.0		4/16/2020 6:00	0.0	
4/17/2017 7:00	0.0		4/17/2018 7:00	0.0		4/17/2019 7:00	0.0		4/16/2020 7:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/17/2017 8:00	0.0		4/17/2018 8:00	0.0		4/17/2019 8:00	0.0		4/16/2020 8:00	0.0	
4/17/2017 9:00	0.0		4/17/2018 9:00	0.0		4/17/2019 9:00	0.0		4/16/2020 9:00	0.0	
4/17/2017 10:00	0.0		4/17/2018 10:00	0.0		4/17/2019 10:00	0.0		4/16/2020 10:00	0.0	
4/17/2017 11:00	0.0		4/17/2018 11:00	0.0		4/17/2019 11:00	0.0		4/16/2020 11:00	0.0	
4/17/2017 12:00	0.0		4/17/2018 12:00	0.0		4/17/2019 12:00	0.0		4/16/2020 12:00	0.0	
4/17/2017 13:00	0.0		4/17/2018 13:00	0.0		4/17/2019 13:00	0.0		4/16/2020 13:00	0.0	
4/17/2017 14:00	236.5		4/17/2018 14:00	0.0		4/17/2019 14:00	0.0		4/16/2020 14:00	0.0	
4/17/2017 15:00	175.9		4/17/2018 15:00	0.0		4/17/2019 15:00	0.0		4/16/2020 15:00	0.0	
4/17/2017 16:00	0.0		4/17/2018 16:00	0.0		4/17/2019 16:00	0.0		4/16/2020 16:00	0.0	
4/17/2017 17:00	0.0		4/17/2018 17:00	0.0		4/17/2019 17:00	0.0		4/16/2020 17:00	0.0	
4/17/2017 18:00	0.0		4/17/2018 18:00	0.0		4/17/2019 18:00	0.0		4/16/2020 18:00	0.0	
4/17/2017 19:00	0.0		4/17/2018 19:00	0.0		4/17/2019 19:00	0.0		4/16/2020 19:00	0.0	
4/17/2017 20:00	0.0		4/17/2018 20:00	0.0		4/17/2019 20:00	0.0		4/16/2020 20:00	0.0	
4/17/2017 21:00	0.0		4/17/2018 21:00	0.0		4/17/2019 21:00	0.0		4/16/2020 21:00	0.0	
4/17/2017 22:00	0.0		4/17/2018 22:00	41.4		4/17/2019 22:00	0.0		4/16/2020 22:00	0.0	
4/17/2017 23:00	0.0	236.5	4/17/2018 23:00	0.0	41.4	4/17/2019 23:00	0.0	0.0	4/16/2020 23:00	0.0	0.0
4/18/2017 0:00	6.2		4/18/2018 0:00	0.0		4/18/2019 0:00	0.0		4/17/2020 0:00	0.0	
4/18/2017 1:00	2.9		4/18/2018 1:00	0.0		4/18/2019 1:00	0.0		4/17/2020 1:00	124.9	
4/18/2017 2:00	0.0		4/18/2018 2:00	0.0		4/18/2019 2:00	0.0		4/17/2020 2:00	1.1	
4/18/2017 3:00	0.0		4/18/2018 3:00	0.0		4/18/2019 3:00	0.0		4/17/2020 3:00	0.0	
4/18/2017 4:00	0.0		4/18/2018 4:00	0.0		4/18/2019 4:00	0.0		4/17/2020 4:00	0.0	
4/18/2017 5:00	0.0		4/18/2018 5:00	0.0		4/18/2019 5:00	0.0		4/17/2020 5:00	0.0	
4/18/2017 6:00	0.0		4/18/2018 6:00	0.0		4/18/2019 6:00	0.0		4/17/2020 6:00	0.0	
4/18/2017 7:00	0.0		4/18/2018 7:00	0.0		4/18/2019 7:00	0.0		4/17/2020 7:00	0.0	
4/18/2017 8:00	0.0		4/18/2018 8:00	0.0		4/18/2019 8:00	0.0		4/17/2020 8:00	0.0	
4/18/2017 9:00	0.0		4/18/2018 9:00	0.0		4/18/2019 9:00	0.0		4/17/2020 9:00	0.0	
4/18/2017 10:00	0.0		4/18/2018 10:00	0.0		4/18/2019 10:00	0.0		4/17/2020 10:00	0.0	
4/18/2017 11:00	0.0		4/18/2018 11:00	0.0		4/18/2019 11:00	0.0		4/17/2020 11:00	0.0	
4/18/2017 12:00	0.0		4/18/2018 12:00	0.0		4/18/2019 12:00	0.0		4/17/2020 12:00	0.0	
4/18/2017 13:00	0.0		4/18/2018 13:00	0.0		4/18/2019 13:00	0.0		4/17/2020 13:00	0.0	
4/18/2017 14:00	0.0		4/18/2018 14:00	0.0		4/18/2019 14:00	0.0		4/17/2020 14:00	0.0	
4/18/2017 15:00	0.0		4/18/2018 15:00	0.0		4/18/2019 15:00	0.0		4/17/2020 15:00	0.0	
4/18/2017 16:00	0.0		4/18/2018 16:00	0.0		4/18/2019 16:00	0.0		4/17/2020 16:00	0.0	
4/18/2017 17:00	0.0		4/18/2018 17:00	0.0		4/18/2019 17:00	0.0		4/17/2020 17:00	0.0	
4/18/2017 18:00	0.0		4/18/2018 18:00	0.0		4/18/2019 18:00	0.0		4/17/2020 18:00	0.0	
4/18/2017 19:00	0.0		4/18/2018 19:00	0.0		4/18/2019 19:00	0.0		4/17/2020 19:00	0.0	
4/18/2017 20:00	0.0		4/18/2018 20:00	0.0		4/18/2019 20:00	0.0		4/17/2020 20:00	0.0	
4/18/2017 21:00	0.0		4/18/2018 21:00	0.0		4/18/2019 21:00	0.0		4/17/2020 21:00	0.0	
4/18/2017 22:00	0.0		4/18/2018 22:00	0.0		4/18/2019 22:00	0.0		4/17/2020 22:00	0.0	
4/18/2017 23:00	0.0	6.2	4/18/2018 23:00	0.0	0.0	4/18/2019 23:00	0.0	0.0	4/17/2020 23:00	0.0	124.9
4/19/2017 0:00	0.0		4/19/2018 0:00	0.0		4/19/2019 0:00	0.0		4/18/2020 0:00	0.0	
4/19/2017 1:00	0.0		4/19/2018 1:00	0.0		4/19/2019 1:00	0.0		4/18/2020 1:00	0.0	
4/19/2017 2:00	0.0		4/19/2018 2:00	0.0		4/19/2019 2:00	0.0		4/18/2020 2:00	0.0	
4/19/2017 3:00	0.0		4/19/2018 3:00	0.0		4/19/2019 3:00	0.0		4/18/2020 3:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/19/2017 4:00	0.0		4/19/2018 4:00	0.0		4/19/2019 4:00	0.0		4/18/2020 4:00	0.0	
4/19/2017 5:00	0.0		4/19/2018 5:00	0.0		4/19/2019 5:00	0.0		4/18/2020 5:00	0.0	
4/19/2017 6:00	0.0		4/19/2018 6:00	0.0		4/19/2019 6:00	0.0		4/18/2020 6:00	0.0	
4/19/2017 7:00	0.0		4/19/2018 7:00	0.0		4/19/2019 7:00	0.0		4/18/2020 7:00	0.0	
4/19/2017 8:00	0.0		4/19/2018 8:00	0.0		4/19/2019 8:00	0.0		4/18/2020 8:00	0.0	
4/19/2017 9:00	0.0		4/19/2018 9:00	0.0		4/19/2019 9:00	0.0		4/18/2020 9:00	0.0	
4/19/2017 10:00	0.0		4/19/2018 10:00	0.0		4/19/2019 10:00	0.0		4/18/2020 10:00	0.0	
4/19/2017 11:00	0.0		4/19/2018 11:00	0.0		4/19/2019 11:00	0.0		4/18/2020 11:00	0.0	
4/19/2017 12:00	0.0		4/19/2018 12:00	0.0		4/19/2019 12:00	0.0		4/18/2020 12:00	0.0	
4/19/2017 13:00	0.0		4/19/2018 13:00	0.0		4/19/2019 13:00	0.0		4/18/2020 13:00	0.0	
4/19/2017 14:00	0.0		4/19/2018 14:00	0.0		4/19/2019 14:00	0.0		4/18/2020 14:00	0.0	
4/19/2017 15:00	0.0		4/19/2018 15:00	0.0		4/19/2019 15:00	0.0		4/18/2020 15:00	0.0	
4/19/2017 16:00	0.0		4/19/2018 16:00	0.0		4/19/2019 16:00	0.0		4/18/2020 16:00	0.0	
4/19/2017 17:00	0.0		4/19/2018 17:00	0.0		4/19/2019 17:00	0.0		4/18/2020 17:00	0.0	
4/19/2017 18:00	0.0		4/19/2018 18:00	0.0		4/19/2019 18:00	0.0		4/18/2020 18:00	0.0	
4/19/2017 19:00	0.0		4/19/2018 19:00	0.0		4/19/2019 19:00	0.0		4/18/2020 19:00	0.0	
4/19/2017 20:00	0.0		4/19/2018 20:00	0.0		4/19/2019 20:00	0.0		4/18/2020 20:00	0.0	
4/19/2017 21:00	0.0		4/19/2018 21:00	0.0		4/19/2019 21:00	0.0		4/18/2020 21:00	0.0	
4/19/2017 22:00	0.0		4/19/2018 22:00	0.0		4/19/2019 22:00	0.0		4/18/2020 22:00	0.0	
4/19/2017 23:00	0.0	0.0	4/19/2018 23:00	0.0	0.0	4/19/2019 23:00	0.0	0.0	4/18/2020 23:00	0.0	0.0
4/20/2017 0:00	0.0		4/20/2018 0:00	0.0		4/20/2019 0:00	0.0		4/19/2020 0:00	0.0	
4/20/2017 1:00	0.0		4/20/2018 1:00	0.0		4/20/2019 1:00	0.0		4/19/2020 1:00	0.3	
4/20/2017 2:00	0.0		4/20/2018 2:00	0.0		4/20/2019 2:00	0.0		4/19/2020 2:00	0.0	
4/20/2017 3:00	0.0		4/20/2018 3:00	0.0		4/20/2019 3:00	0.0		4/19/2020 3:00	0.0	
4/20/2017 4:00	0.0		4/20/2018 4:00	0.0		4/20/2019 4:00	0.0		4/19/2020 4:00	0.0	
4/20/2017 5:00	0.0		4/20/2018 5:00	0.0		4/20/2019 5:00	0.0		4/19/2020 5:00	0.0	
4/20/2017 6:00	0.0		4/20/2018 6:00	0.0		4/20/2019 6:00	0.0		4/19/2020 6:00	0.0	
4/20/2017 7:00	0.0		4/20/2018 7:00	0.0		4/20/2019 7:00	0.0		4/19/2020 7:00	0.0	
4/20/2017 8:00	0.0		4/20/2018 8:00	0.0		4/20/2019 8:00	0.0		4/19/2020 8:00	0.0	
4/20/2017 9:00	0.0		4/20/2018 9:00	0.0		4/20/2019 9:00	0.0		4/19/2020 9:00	0.0	
4/20/2017 10:00	0.0		4/20/2018 10:00	0.0		4/20/2019 10:00	0.0		4/19/2020 10:00	0.0	
4/20/2017 11:00	0.0		4/20/2018 11:00	0.0		4/20/2019 11:00	0.0		4/19/2020 11:00	0.0	
4/20/2017 12:00	0.0		4/20/2018 12:00	0.0		4/20/2019 12:00	0.0		4/19/2020 12:00	0.0	
4/20/2017 13:00	61.6		4/20/2018 13:00	0.0		4/20/2019 13:00	0.0		4/19/2020 13:00	0.0	
4/20/2017 14:00	743.0		4/20/2018 14:00	0.0		4/20/2019 14:00	0.0		4/19/2020 14:00	0.0	
4/20/2017 15:00	82.4		4/20/2018 15:00	0.0		4/20/2019 15:00	0.0		4/19/2020 15:00	0.0	
4/20/2017 16:00	0.0		4/20/2018 16:00	0.0		4/20/2019 16:00	0.0		4/19/2020 16:00	0.0	
4/20/2017 17:00	0.0		4/20/2018 17:00	0.0		4/20/2019 17:00	0.0		4/19/2020 17:00	0.0	
4/20/2017 18:00	0.0		4/20/2018 18:00	0.0		4/20/2019 18:00	0.0		4/19/2020 18:00	0.0	
4/20/2017 19:00	1.9		4/20/2018 19:00	0.0		4/20/2019 19:00	0.0		4/19/2020 19:00	0.0	
4/20/2017 20:00	0.0		4/20/2018 20:00	0.0		4/20/2019 20:00	0.0		4/19/2020 20:00	0.0	
4/20/2017 21:00	0.0		4/20/2018 21:00	0.0		4/20/2019 21:00	0.0		4/19/2020 21:00	0.0	
4/20/2017 22:00	0.0		4/20/2018 22:00	0.0		4/20/2019 22:00	0.0		4/19/2020 22:00	0.0	
4/20/2017 23:00	0.0	743.0	4/20/2018 23:00	0.0	0.0	4/20/2019 23:00	0.0	0.0	4/19/2020 23:00	0.0	0.3

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/21/2017 0:00	0.0		4/21/2018 0:00	0.0		4/21/2019 0:00	0.0		4/20/2020 0:00	0.0	
4/21/2017 1:00	0.0		4/21/2018 1:00	0.0		4/21/2019 1:00	0.0		4/20/2020 1:00	0.0	
4/21/2017 2:00	0.0		4/21/2018 2:00	0.0		4/21/2019 2:00	0.0		4/20/2020 2:00	0.0	
4/21/2017 3:00	0.0		4/21/2018 3:00	0.0		4/21/2019 3:00	0.0		4/20/2020 3:00	0.0	
4/21/2017 4:00	0.0		4/21/2018 4:00	0.0		4/21/2019 4:00	0.0		4/20/2020 4:00	0.0	
4/21/2017 5:00	0.0		4/21/2018 5:00	0.0		4/21/2019 5:00	0.0		4/20/2020 5:00	0.0	
4/21/2017 6:00	0.0		4/21/2018 6:00	0.0		4/21/2019 6:00	0.0		4/20/2020 6:00	0.0	
4/21/2017 7:00	0.0		4/21/2018 7:00	0.0		4/21/2019 7:00	0.0		4/20/2020 7:00	0.0	
4/21/2017 8:00	0.0		4/21/2018 8:00	0.0		4/21/2019 8:00	0.0		4/20/2020 8:00	0.0	
4/21/2017 9:00	0.0		4/21/2018 9:00	0.0		4/21/2019 9:00	0.0		4/20/2020 9:00	0.0	
4/21/2017 10:00	0.0		4/21/2018 10:00	0.0		4/21/2019 10:00	0.0		4/20/2020 10:00	0.0	
4/21/2017 11:00	0.0		4/21/2018 11:00	0.0		4/21/2019 11:00	0.0		4/20/2020 11:00	0.0	
4/21/2017 12:00	0.0		4/21/2018 12:00	0.0		4/21/2019 12:00	0.0		4/20/2020 12:00	0.0	
4/21/2017 13:00	0.0		4/21/2018 13:00	0.0		4/21/2019 13:00	0.0		4/20/2020 13:00	0.0	
4/21/2017 14:00	0.0		4/21/2018 14:00	0.0		4/21/2019 14:00	0.0		4/20/2020 14:00	0.0	
4/21/2017 15:00	0.0		4/21/2018 15:00	0.0		4/21/2019 15:00	0.0		4/20/2020 15:00	0.0	
4/21/2017 16:00	0.0		4/21/2018 16:00	0.0		4/21/2019 16:00	0.0		4/20/2020 16:00	0.0	
4/21/2017 17:00	0.0		4/21/2018 17:00	0.0		4/21/2019 17:00	0.0		4/20/2020 17:00	0.0	
4/21/2017 18:00	0.0		4/21/2018 18:00	0.0		4/21/2019 18:00	0.0		4/20/2020 18:00	0.0	
4/21/2017 19:00	0.0		4/21/2018 19:00	0.0		4/21/2019 19:00	0.0		4/20/2020 19:00	0.0	
4/21/2017 20:00	0.0		4/21/2018 20:00	0.0		4/21/2019 20:00	0.0		4/20/2020 20:00	0.0	
4/21/2017 21:00	0.0		4/21/2018 21:00	0.0		4/21/2019 21:00	0.0		4/20/2020 21:00	0.0	
4/21/2017 22:00	0.0		4/21/2018 22:00	0.0		4/21/2019 22:00	0.0		4/20/2020 22:00	0.0	
4/21/2017 23:00	0.0	0.0	4/21/2018 23:00	0.0	0.0	4/21/2019 23:00	0.0	0.0	4/20/2020 23:00	0.0	0.0
4/22/2017 0:00	0.0		4/22/2018 0:00	0.0		4/22/2019 0:00	0.0		4/21/2020 0:00	0.0	
4/22/2017 1:00	0.0		4/22/2018 1:00	0.0		4/22/2019 1:00	0.0		4/21/2020 1:00	0.0	
4/22/2017 2:00	0.0		4/22/2018 2:00	0.0		4/22/2019 2:00	0.0		4/21/2020 2:00	0.0	
4/22/2017 3:00	0.0		4/22/2018 3:00	0.0		4/22/2019 3:00	0.0		4/21/2020 3:00	0.0	
4/22/2017 4:00	0.0		4/22/2018 4:00	0.0		4/22/2019 4:00	0.0		4/21/2020 4:00	0.0	
4/22/2017 5:00	0.0		4/22/2018 5:00	0.0		4/22/2019 5:00	0.0		4/21/2020 5:00	0.0	
4/22/2017 6:00	0.0		4/22/2018 6:00	0.0		4/22/2019 6:00	0.0		4/21/2020 6:00	0.0	
4/22/2017 7:00	0.0		4/22/2018 7:00	0.0		4/22/2019 7:00	0.0		4/21/2020 7:00	0.0	
4/22/2017 8:00	0.0		4/22/2018 8:00	0.0		4/22/2019 8:00	0.0		4/21/2020 8:00	0.0	
4/22/2017 9:00	0.0		4/22/2018 9:00	0.0		4/22/2019 9:00	0.0		4/21/2020 9:00	0.0	
4/22/2017 10:00	0.0		4/22/2018 10:00	0.0		4/22/2019 10:00	0.0		4/21/2020 10:00	0.0	
4/22/2017 11:00	0.0		4/22/2018 11:00	0.0		4/22/2019 11:00	0.0		4/21/2020 11:00	0.0	
4/22/2017 12:00	0.0		4/22/2018 12:00	0.0		4/22/2019 12:00	0.0		4/21/2020 12:00	0.0	
4/22/2017 13:00	0.0		4/22/2018 13:00	0.0		4/22/2019 13:00	0.0		4/21/2020 13:00	0.0	
4/22/2017 14:00	0.0		4/22/2018 14:00	0.0		4/22/2019 14:00	0.0		4/21/2020 14:00	0.0	
4/22/2017 15:00	0.0		4/22/2018 15:00	0.0		4/22/2019 15:00	0.0		4/21/2020 15:00	0.0	
4/22/2017 16:00	0.0		4/22/2018 16:00	0.0		4/22/2019 16:00	0.0		4/21/2020 16:00	0.0	
4/22/2017 17:00	0.0		4/22/2018 17:00	0.0		4/22/2019 17:00	0.0		4/21/2020 17:00	0.0	
4/22/2017 18:00	0.0		4/22/2018 18:00	0.0		4/22/2019 18:00	0.0		4/21/2020 18:00	0.0	
4/22/2017 19:00	0.0		4/22/2018 19:00	0.0		4/22/2019 19:00	0.0		4/21/2020 19:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/22/2017 20:00	0.0		4/22/2018 20:00	0.0		4/22/2019 20:00	0.0		4/21/2020 20:00	0.0	
4/22/2017 21:00	0.0		4/22/2018 21:00	0.0		4/22/2019 21:00	0.0		4/21/2020 21:00	0.0	
4/22/2017 22:00	0.0		4/22/2018 22:00	0.0		4/22/2019 22:00	0.0		4/21/2020 22:00	0.0	
4/22/2017 23:00	0.0	0.0	4/22/2018 23:00	0.0	0.0	4/22/2019 23:00	0.0	0.0	4/21/2020 23:00	0.0	0.0
4/23/2017 0:00	0.0		4/23/2018 0:00	0.0		4/23/2019 0:00	0.0		4/22/2020 0:00	0.0	
4/23/2017 1:00	0.0		4/23/2018 1:00	0.0		4/23/2019 1:00	0.0		4/22/2020 1:00	0.0	
4/23/2017 2:00	0.0		4/23/2018 2:00	0.0		4/23/2019 2:00	0.0		4/22/2020 2:00	0.0	
4/23/2017 3:00	0.0		4/23/2018 3:00	0.0		4/23/2019 3:00	0.0		4/22/2020 3:00	0.0	
4/23/2017 4:00	0.0		4/23/2018 4:00	0.0		4/23/2019 4:00	0.0		4/22/2020 4:00	0.0	
4/23/2017 5:00	0.0		4/23/2018 5:00	0.0		4/23/2019 5:00	0.0		4/22/2020 5:00	0.0	
4/23/2017 6:00	0.0		4/23/2018 6:00	0.0		4/23/2019 6:00	0.0		4/22/2020 6:00	0.0	
4/23/2017 7:00	0.0		4/23/2018 7:00	0.0		4/23/2019 7:00	0.0		4/22/2020 7:00	0.0	
4/23/2017 8:00	0.0		4/23/2018 8:00	0.0		4/23/2019 8:00	0.0		4/22/2020 8:00	0.0	
4/23/2017 9:00	0.0		4/23/2018 9:00	0.0		4/23/2019 9:00	0.0		4/22/2020 9:00	0.0	
4/23/2017 10:00	0.0		4/23/2018 10:00	0.0		4/23/2019 10:00	0.0		4/22/2020 10:00	0.0	
4/23/2017 11:00	0.0		4/23/2018 11:00	0.0		4/23/2019 11:00	0.0		4/22/2020 11:00	0.0	
4/23/2017 12:00	0.0		4/23/2018 12:00	0.0		4/23/2019 12:00	0.0		4/22/2020 12:00	0.0	
4/23/2017 13:00	0.0		4/23/2018 13:00	0.0		4/23/2019 13:00	0.0		4/22/2020 13:00	0.0	
4/23/2017 14:00	0.0		4/23/2018 14:00	0.0		4/23/2019 14:00	0.0		4/22/2020 14:00	0.0	
4/23/2017 15:00	0.0		4/23/2018 15:00	0.0		4/23/2019 15:00	0.0		4/22/2020 15:00	0.0	
4/23/2017 16:00	0.0		4/23/2018 16:00	0.0		4/23/2019 16:00	0.0		4/22/2020 16:00	0.0	
4/23/2017 17:00	0.0		4/23/2018 17:00	0.0		4/23/2019 17:00	0.0		4/22/2020 17:00	0.0	
4/23/2017 18:00	0.0		4/23/2018 18:00	0.0		4/23/2019 18:00	0.0		4/22/2020 18:00	0.0	
4/23/2017 19:00	0.0		4/23/2018 19:00	0.0		4/23/2019 19:00	0.0		4/22/2020 19:00	0.0	
4/23/2017 20:00	0.0		4/23/2018 20:00	0.0		4/23/2019 20:00	0.0		4/22/2020 20:00	0.0	
4/23/2017 21:00	0.0		4/23/2018 21:00	0.0		4/23/2019 21:00	0.0		4/22/2020 21:00	0.0	
4/23/2017 22:00	0.0		4/23/2018 22:00	0.0		4/23/2019 22:00	0.0		4/22/2020 22:00	0.0	
4/23/2017 23:00	0.0	0.0	4/23/2018 23:00	0.0	0.0	4/23/2019 23:00	0.0	0.0	4/22/2020 23:00	0.0	0.0
4/24/2017 0:00	0.0		4/24/2018 0:00	0.0		4/24/2019 0:00	0.0		4/23/2020 0:00	0.0	
4/24/2017 1:00	0.0		4/24/2018 1:00	0.0		4/24/2019 1:00	0.0		4/23/2020 1:00	0.0	
4/24/2017 2:00	0.0		4/24/2018 2:00	23.8		4/24/2019 2:00	0.0		4/23/2020 2:00	0.0	
4/24/2017 3:00	0.0		4/24/2018 3:00	23.3		4/24/2019 3:00	0.0		4/23/2020 3:00	0.0	
4/24/2017 4:00	0.0		4/24/2018 4:00	24.3		4/24/2019 4:00	0.0		4/23/2020 4:00	0.0	
4/24/2017 5:00	0.0		4/24/2018 5:00	5.5		4/24/2019 5:00	0.0		4/23/2020 5:00	0.0	
4/24/2017 6:00	0.0		4/24/2018 6:00	0.0		4/24/2019 6:00	0.0		4/23/2020 6:00	0.0	
4/24/2017 7:00	0.0		4/24/2018 7:00	0.0		4/24/2019 7:00	0.0		4/23/2020 7:00	0.0	
4/24/2017 8:00	0.0		4/24/2018 8:00	0.0		4/24/2019 8:00	0.0		4/23/2020 8:00	0.0	
4/24/2017 9:00	0.0		4/24/2018 9:00	0.0		4/24/2019 9:00	0.0		4/23/2020 9:00	0.0	
4/24/2017 10:00	0.0		4/24/2018 10:00	0.0		4/24/2019 10:00	0.0		4/23/2020 10:00	0.0	
4/24/2017 11:00	0.0		4/24/2018 11:00	0.0		4/24/2019 11:00	0.0		4/23/2020 11:00	0.0	
4/24/2017 12:00	0.0		4/24/2018 12:00	0.0		4/24/2019 12:00	0.0		4/23/2020 12:00	0.0	
4/24/2017 13:00	0.0		4/24/2018 13:00	0.0		4/24/2019 13:00	0.0		4/23/2020 13:00	0.0	
4/24/2017 14:00	0.0		4/24/2018 14:00	0.0		4/24/2019 14:00	0.0		4/23/2020 14:00	0.0	
4/24/2017 15:00	0.0		4/24/2018 15:00	0.0		4/24/2019 15:00	0.0		4/23/2020 15:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/24/2017 16:00	0.0		4/24/2018 16:00	0.0		4/24/2019 16:00	0.0		4/23/2020 16:00	0.0	
4/24/2017 17:00	0.0		4/24/2018 17:00	0.0		4/24/2019 17:00	0.0		4/23/2020 17:00	0.0	
4/24/2017 18:00	0.0		4/24/2018 18:00	0.0		4/24/2019 18:00	0.0		4/23/2020 18:00	0.0	
4/24/2017 19:00	0.0		4/24/2018 19:00	0.0		4/24/2019 19:00	0.0		4/23/2020 19:00	0.0	
4/24/2017 20:00	0.0		4/24/2018 20:00	0.0		4/24/2019 20:00	0.0		4/23/2020 20:00	0.0	
4/24/2017 21:00	0.0		4/24/2018 21:00	0.0		4/24/2019 21:00	0.0		4/23/2020 21:00	0.0	
4/24/2017 22:00	0.0		4/24/2018 22:00	0.0		4/24/2019 22:00	0.0		4/23/2020 22:00	0.0	
4/24/2017 23:00	0.0	0.0	4/24/2018 23:00	0.0	24.3	4/24/2019 23:00	0.0	0.0	4/23/2020 23:00	0.0	0.0
4/25/2017 0:00	0.0		4/25/2018 0:00	0.0		4/25/2019 0:00	0.0		4/24/2020 0:00	0.0	
4/25/2017 1:00	0.0		4/25/2018 1:00	0.0		4/25/2019 1:00	0.0		4/24/2020 1:00	0.0	
4/25/2017 2:00	0.0		4/25/2018 2:00	0.0		4/25/2019 2:00	0.0		4/24/2020 2:00	0.0	
4/25/2017 3:00	0.0		4/25/2018 3:00	0.0		4/25/2019 3:00	0.0		4/24/2020 3:00	0.0	
4/25/2017 4:00	0.0		4/25/2018 4:00	0.0		4/25/2019 4:00	0.0		4/24/2020 4:00	0.0	
4/25/2017 5:00	0.0		4/25/2018 5:00	0.0		4/25/2019 5:00	0.0		4/24/2020 5:00	0.0	
4/25/2017 6:00	0.0		4/25/2018 6:00	0.0		4/25/2019 6:00	0.0		4/24/2020 6:00	0.0	
4/25/2017 7:00	0.0		4/25/2018 7:00	0.0		4/25/2019 7:00	0.0		4/24/2020 7:00	0.0	
4/25/2017 8:00	0.0		4/25/2018 8:00	0.0		4/25/2019 8:00	0.0		4/24/2020 8:00	0.0	
4/25/2017 9:00	0.0		4/25/2018 9:00	0.0		4/25/2019 9:00	0.0		4/24/2020 9:00	0.0	
4/25/2017 10:00	0.0		4/25/2018 10:00	0.0		4/25/2019 10:00	0.0		4/24/2020 10:00	0.0	
4/25/2017 11:00	0.0		4/25/2018 11:00	0.0		4/25/2019 11:00	0.0		4/24/2020 11:00	0.0	
4/25/2017 12:00	0.0		4/25/2018 12:00	0.0		4/25/2019 12:00	0.0		4/24/2020 12:00	0.0	
4/25/2017 13:00	0.0		4/25/2018 13:00	0.0		4/25/2019 13:00	0.0		4/24/2020 13:00	0.0	
4/25/2017 14:00	0.0		4/25/2018 14:00	0.0		4/25/2019 14:00	0.0		4/24/2020 14:00	0.0	
4/25/2017 15:00	0.0		4/25/2018 15:00	0.0		4/25/2019 15:00	0.0		4/24/2020 15:00	0.0	
4/25/2017 16:00	0.0		4/25/2018 16:00	0.0		4/25/2019 16:00	0.0		4/24/2020 16:00	0.0	
4/25/2017 17:00	0.0		4/25/2018 17:00	0.0		4/25/2019 17:00	0.0		4/24/2020 17:00	0.0	
4/25/2017 18:00	0.0		4/25/2018 18:00	0.0		4/25/2019 18:00	0.0		4/24/2020 18:00	0.0	
4/25/2017 19:00	0.0		4/25/2018 19:00	0.0		4/25/2019 19:00	0.0		4/24/2020 19:00	0.0	
4/25/2017 20:00	0.0		4/25/2018 20:00	0.0		4/25/2019 20:00	0.0		4/24/2020 20:00	0.0	
4/25/2017 21:00	0.0		4/25/2018 21:00	0.0		4/25/2019 21:00	0.0		4/24/2020 21:00	0.0	
4/25/2017 22:00	0.0		4/25/2018 22:00	0.0		4/25/2019 22:00	0.0		4/24/2020 22:00	0.0	
4/25/2017 23:00	0.0	0.0	4/25/2018 23:00	0.0	0.0	4/25/2019 23:00	0.0	0.0	4/24/2020 23:00	0.0	0.0
4/26/2017 0:00	0.0		4/26/2018 0:00	0.0		4/26/2019 0:00	0.0		4/25/2020 0:00	0.0	
4/26/2017 1:00	0.0		4/26/2018 1:00	0.0		4/26/2019 1:00	0.0		4/25/2020 1:00	0.0	
4/26/2017 2:00	0.0		4/26/2018 2:00	0.0		4/26/2019 2:00	0.0		4/25/2020 2:00	0.0	
4/26/2017 3:00	0.0		4/26/2018 3:00	0.0		4/26/2019 3:00	0.0		4/25/2020 3:00	0.0	
4/26/2017 4:00	0.0		4/26/2018 4:00	0.0		4/26/2019 4:00	0.0		4/25/2020 4:00	0.0	
4/26/2017 5:00	0.0		4/26/2018 5:00	0.0		4/26/2019 5:00	0.0		4/25/2020 5:00	0.0	
4/26/2017 6:00	0.0		4/26/2018 6:00	0.0		4/26/2019 6:00	0.0		4/25/2020 6:00	0.0	
4/26/2017 7:00	0.0		4/26/2018 7:00	0.0		4/26/2019 7:00	0.0		4/25/2020 7:00	0.0	
4/26/2017 8:00	0.0		4/26/2018 8:00	0.0		4/26/2019 8:00	0.0		4/25/2020 8:00	0.0	
4/26/2017 9:00	0.0		4/26/2018 9:00	0.0		4/26/2019 9:00	0.0		4/25/2020 9:00	0.0	
4/26/2017 10:00	0.0		4/26/2018 10:00	0.0		4/26/2019 10:00	0.0		4/25/2020 10:00	0.0	
4/26/2017 11:00	0.0		4/26/2018 11:00	0.0		4/26/2019 11:00	0.0		4/25/2020 11:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/26/2017 12:00	0.0		4/26/2018 12:00	0.0		4/26/2019 12:00	0.0		4/25/2020 12:00	0.0	
4/26/2017 13:00	0.0		4/26/2018 13:00	0.0		4/26/2019 13:00	8.2		4/25/2020 13:00	0.0	
4/26/2017 14:00	0.0		4/26/2018 14:00	0.0		4/26/2019 14:00	0.0		4/25/2020 14:00	0.0	
4/26/2017 15:00	0.0		4/26/2018 15:00	0.0		4/26/2019 15:00	0.0		4/25/2020 15:00	0.0	
4/26/2017 16:00	0.0		4/26/2018 16:00	0.0		4/26/2019 16:00	0.0		4/25/2020 16:00	0.0	
4/26/2017 17:00	0.0		4/26/2018 17:00	0.0		4/26/2019 17:00	0.0		4/25/2020 17:00	0.0	
4/26/2017 18:00	0.0		4/26/2018 18:00	0.0		4/26/2019 18:00	0.0		4/25/2020 18:00	0.0	
4/26/2017 19:00	0.0		4/26/2018 19:00	0.0		4/26/2019 19:00	0.0		4/25/2020 19:00	0.0	
4/26/2017 20:00	0.0		4/26/2018 20:00	0.0		4/26/2019 20:00	0.0		4/25/2020 20:00	0.0	
4/26/2017 21:00	0.0		4/26/2018 21:00	0.0		4/26/2019 21:00	0.0		4/25/2020 21:00	0.0	
4/26/2017 22:00	0.0		4/26/2018 22:00	0.0		4/26/2019 22:00	0.0		4/25/2020 22:00	0.0	
4/26/2017 23:00	0.0	0.0	4/26/2018 23:00	0.0	0.0	4/26/2019 23:00	0.0	8.2	4/25/2020 23:00	0.0	0.0
4/27/2017 0:00	0.0		4/27/2018 0:00	0.0		4/27/2019 0:00	0.0		4/26/2020 0:00	0.0	
4/27/2017 1:00	0.0		4/27/2018 1:00	0.0		4/27/2019 1:00	0.0		4/26/2020 1:00	0.0	
4/27/2017 2:00	0.0		4/27/2018 2:00	0.0		4/27/2019 2:00	0.0		4/26/2020 2:00	0.0	
4/27/2017 3:00	0.0		4/27/2018 3:00	0.0		4/27/2019 3:00	0.0		4/26/2020 3:00	0.0	
4/27/2017 4:00	0.0		4/27/2018 4:00	0.0		4/27/2019 4:00	0.0		4/26/2020 4:00	0.0	
4/27/2017 5:00	0.0		4/27/2018 5:00	0.0		4/27/2019 5:00	0.0		4/26/2020 5:00	0.0	
4/27/2017 6:00	0.0		4/27/2018 6:00	0.0		4/27/2019 6:00	0.0		4/26/2020 6:00	0.0	
4/27/2017 7:00	0.0		4/27/2018 7:00	0.0		4/27/2019 7:00	0.0		4/26/2020 7:00	0.0	
4/27/2017 8:00	0.0		4/27/2018 8:00	0.0		4/27/2019 8:00	0.0		4/26/2020 8:00	0.0	
4/27/2017 9:00	0.0		4/27/2018 9:00	0.0		4/27/2019 9:00	0.0		4/26/2020 9:00	0.0	
4/27/2017 10:00	0.0		4/27/2018 10:00	0.0		4/27/2019 10:00	0.0		4/26/2020 10:00	0.0	
4/27/2017 11:00	0.0		4/27/2018 11:00	0.0		4/27/2019 11:00	0.0		4/26/2020 11:00	0.0	
4/27/2017 12:00	0.0		4/27/2018 12:00	0.0		4/27/2019 12:00	0.0		4/26/2020 12:00	0.0	
4/27/2017 13:00	0.0		4/27/2018 13:00	0.0		4/27/2019 13:00	0.0		4/26/2020 13:00	0.0	
4/27/2017 14:00	0.0		4/27/2018 14:00	0.0		4/27/2019 14:00	0.0		4/26/2020 14:00	0.0	
4/27/2017 15:00	0.0		4/27/2018 15:00	0.0		4/27/2019 15:00	0.0		4/26/2020 15:00	0.0	
4/27/2017 16:00	0.0		4/27/2018 16:00	0.0		4/27/2019 16:00	0.0		4/26/2020 16:00	0.0	
4/27/2017 17:00	0.0		4/27/2018 17:00	0.0		4/27/2019 17:00	0.0		4/26/2020 17:00	0.0	
4/27/2017 18:00	0.0		4/27/2018 18:00	0.0		4/27/2019 18:00	0.0		4/26/2020 18:00	0.0	
4/27/2017 19:00	0.0		4/27/2018 19:00	0.0		4/27/2019 19:00	0.0		4/26/2020 19:00	0.0	
4/27/2017 20:00	0.0		4/27/2018 20:00	0.0		4/27/2019 20:00	0.0		4/26/2020 20:00	0.0	
4/27/2017 21:00	0.0		4/27/2018 21:00	0.0		4/27/2019 21:00	0.0		4/26/2020 21:00	0.0	
4/27/2017 22:00	0.0		4/27/2018 22:00	0.0		4/27/2019 22:00	0.0		4/26/2020 22:00	0.0	
4/27/2017 23:00	0.0	0.0	4/27/2018 23:00	0.0	0.0	4/27/2019 23:00	0.0	0.0	4/26/2020 23:00	0.0	0.0
4/28/2017 0:00	0.0		4/28/2018 0:00	0.0		4/28/2019 0:00	0.0		4/27/2020 0:00	0.0	
4/28/2017 1:00	0.0		4/28/2018 1:00	0.0		4/28/2019 1:00	0.0		4/27/2020 1:00	0.0	
4/28/2017 2:00	0.0		4/28/2018 2:00	0.0		4/28/2019 2:00	0.0		4/27/2020 2:00	0.0	
4/28/2017 3:00	0.0		4/28/2018 3:00	0.0		4/28/2019 3:00	0.0		4/27/2020 3:00	0.0	
4/28/2017 4:00	0.0		4/28/2018 4:00	0.0		4/28/2019 4:00	0.0		4/27/2020 4:00	0.0	
4/28/2017 5:00	0.0		4/28/2018 5:00	0.0		4/28/2019 5:00	0.0		4/27/2020 5:00	0.0	
4/28/2017 6:00	0.0		4/28/2018 6:00	0.0		4/28/2019 6:00	0.0		4/27/2020 6:00	0.0	
4/28/2017 7:00	0.0		4/28/2018 7:00	0.0		4/28/2019 7:00	0.0		4/27/2020 7:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/28/2017 8:00	0.0		4/28/2018 8:00	0.0		4/28/2019 8:00	0.0		4/27/2020 8:00	0.0	
4/28/2017 9:00	0.0		4/28/2018 9:00	0.0		4/28/2019 9:00	0.0		4/27/2020 9:00	0.0	
4/28/2017 10:00	0.0		4/28/2018 10:00	0.0		4/28/2019 10:00	0.0		4/27/2020 10:00	0.0	
4/28/2017 11:00	0.0		4/28/2018 11:00	0.0		4/28/2019 11:00	0.0		4/27/2020 11:00	0.0	
4/28/2017 12:00	0.0		4/28/2018 12:00	0.0		4/28/2019 12:00	0.0		4/27/2020 12:00	0.0	
4/28/2017 13:00	0.0		4/28/2018 13:00	0.0		4/28/2019 13:00	0.0		4/27/2020 13:00	0.0	
4/28/2017 14:00	0.0		4/28/2018 14:00	0.0		4/28/2019 14:00	0.0		4/27/2020 14:00	0.0	
4/28/2017 15:00	0.0		4/28/2018 15:00	0.0		4/28/2019 15:00	0.0		4/27/2020 15:00	0.0	
4/28/2017 16:00	0.0		4/28/2018 16:00	0.0		4/28/2019 16:00	0.0		4/27/2020 16:00	0.0	
4/28/2017 17:00	0.0		4/28/2018 17:00	0.0		4/28/2019 17:00	0.0		4/27/2020 17:00	0.0	
4/28/2017 18:00	0.0		4/28/2018 18:00	0.0		4/28/2019 18:00	0.0		4/27/2020 18:00	0.0	
4/28/2017 19:00	0.0		4/28/2018 19:00	0.0		4/28/2019 19:00	0.0		4/27/2020 19:00	0.0	
4/28/2017 20:00	0.0		4/28/2018 20:00	0.0		4/28/2019 20:00	0.0		4/27/2020 20:00	0.0	
4/28/2017 21:00	0.0		4/28/2018 21:00	0.0		4/28/2019 21:00	0.0		4/27/2020 21:00	0.0	
4/28/2017 22:00	0.0		4/28/2018 22:00	0.0		4/28/2019 22:00	0.0		4/27/2020 22:00	0.0	
4/28/2017 23:00	0.0	0.0	4/28/2018 23:00	0.0	0.0	4/28/2019 23:00	0.0	0.0	4/27/2020 23:00	0.0	0.0
4/29/2017 0:00	0.0		4/29/2018 0:00	0.0		4/29/2019 0:00	0.0		4/28/2020 0:00	0.0	
4/29/2017 1:00	0.0		4/29/2018 1:00	0.0		4/29/2019 1:00	0.0		4/28/2020 1:00	0.0	
4/29/2017 2:00	0.0		4/29/2018 2:00	0.0		4/29/2019 2:00	0.0		4/28/2020 2:00	0.0	
4/29/2017 3:00	0.0		4/29/2018 3:00	0.0		4/29/2019 3:00	0.0		4/28/2020 3:00	0.0	
4/29/2017 4:00	0.0		4/29/2018 4:00	0.0		4/29/2019 4:00	0.0		4/28/2020 4:00	0.0	
4/29/2017 5:00	0.0		4/29/2018 5:00	0.0		4/29/2019 5:00	0.0		4/28/2020 5:00	0.0	
4/29/2017 6:00	0.0		4/29/2018 6:00	0.0		4/29/2019 6:00	0.0		4/28/2020 6:00	0.0	
4/29/2017 7:00	0.0		4/29/2018 7:00	0.0		4/29/2019 7:00	0.0		4/28/2020 7:00	0.0	
4/29/2017 8:00	0.0		4/29/2018 8:00	0.0		4/29/2019 8:00	0.0		4/28/2020 8:00	0.0	
4/29/2017 9:00	0.0		4/29/2018 9:00	0.0		4/29/2019 9:00	4.3		4/28/2020 9:00	0.0	
4/29/2017 10:00	0.0		4/29/2018 10:00	0.0		4/29/2019 10:00	0.0		4/28/2020 10:00	0.0	
4/29/2017 11:00	0.0		4/29/2018 11:00	0.0		4/29/2019 11:00	0.0		4/28/2020 11:00	0.0	
4/29/2017 12:00	0.0		4/29/2018 12:00	0.0		4/29/2019 12:00	0.0		4/28/2020 12:00	0.0	
4/29/2017 13:00	0.0		4/29/2018 13:00	0.0		4/29/2019 13:00	0.0		4/28/2020 13:00	0.0	
4/29/2017 14:00	0.0		4/29/2018 14:00	0.0		4/29/2019 14:00	0.0		4/28/2020 14:00	0.0	
4/29/2017 15:00	0.0		4/29/2018 15:00	0.0		4/29/2019 15:00	0.0		4/28/2020 15:00	0.0	
4/29/2017 16:00	0.0		4/29/2018 16:00	0.0		4/29/2019 16:00	0.0		4/28/2020 16:00	0.0	
4/29/2017 17:00	0.0		4/29/2018 17:00	0.0		4/29/2019 17:00	0.0		4/28/2020 17:00	0.0	
4/29/2017 18:00	0.0		4/29/2018 18:00	0.0		4/29/2019 18:00	0.0		4/28/2020 18:00	0.0	
4/29/2017 19:00	0.0		4/29/2018 19:00	0.0		4/29/2019 19:00	0.0		4/28/2020 19:00	0.0	
4/29/2017 20:00	0.0		4/29/2018 20:00	0.0		4/29/2019 20:00	0.0		4/28/2020 20:00	0.0	
4/29/2017 21:00	0.0		4/29/2018 21:00	0.0		4/29/2019 21:00	0.0		4/28/2020 21:00	0.0	
4/29/2017 22:00	0.0		4/29/2018 22:00	0.0		4/29/2019 22:00	0.0		4/28/2020 22:00	0.0	
4/29/2017 23:00	0.0	0.0	4/29/2018 23:00	0.0	0.0	4/29/2019 23:00	0.0	4.3	4/28/2020 23:00	0.0	0.0
4/30/2017 0:00	0.0		4/30/2018 0:00	0.0		4/30/2019 0:00	0.0		4/29/2020 0:00	0.0	
4/30/2017 1:00	0.0		4/30/2018 1:00	0.0		4/30/2019 1:00	0.0		4/29/2020 1:00	0.0	
4/30/2017 2:00	0.0		4/30/2018 2:00	0.0		4/30/2019 2:00	0.0		4/29/2020 2:00	0.0	
4/30/2017 3:00	0.0		4/30/2018 3:00	0.0		4/30/2019 3:00	0.0		4/29/2020 3:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/30/2017 4:00	0.0		4/30/2018 4:00	0.0		4/30/2019 4:00	0.0		4/29/2020 4:00	0.0	
4/30/2017 5:00	0.0		4/30/2018 5:00	0.0		4/30/2019 5:00	0.0		4/29/2020 5:00	0.0	
4/30/2017 6:00	0.0		4/30/2018 6:00	0.0		4/30/2019 6:00	0.0		4/29/2020 6:00	0.0	
4/30/2017 7:00	0.0		4/30/2018 7:00	0.0		4/30/2019 7:00	0.0		4/29/2020 7:00	0.0	
4/30/2017 8:00	0.0		4/30/2018 8:00	0.0		4/30/2019 8:00	0.0		4/29/2020 8:00	0.0	
4/30/2017 9:00	0.0		4/30/2018 9:00	0.0		4/30/2019 9:00	0.0		4/29/2020 9:00	0.0	
4/30/2017 10:00	0.0		4/30/2018 10:00	0.0		4/30/2019 10:00	0.0		4/29/2020 10:00	0.0	
4/30/2017 11:00	0.0		4/30/2018 11:00	0.0		4/30/2019 11:00	0.0		4/29/2020 11:00	0.0	
4/30/2017 12:00	0.0		4/30/2018 12:00	0.0		4/30/2019 12:00	0.0		4/29/2020 12:00	0.0	
4/30/2017 13:00	0.0		4/30/2018 13:00	0.0		4/30/2019 13:00	0.0		4/29/2020 13:00	0.0	
4/30/2017 14:00	0.0		4/30/2018 14:00	0.0		4/30/2019 14:00	0.0		4/29/2020 14:00	0.0	
4/30/2017 15:00	0.0		4/30/2018 15:00	0.0		4/30/2019 15:00	0.0		4/29/2020 15:00	0.0	
4/30/2017 16:00	0.0		4/30/2018 16:00	0.0		4/30/2019 16:00	0.0		4/29/2020 16:00	0.0	
4/30/2017 17:00	0.0		4/30/2018 17:00	0.0		4/30/2019 17:00	0.0		4/29/2020 17:00	0.0	
4/30/2017 18:00	0.0		4/30/2018 18:00	0.0		4/30/2019 18:00	0.0		4/29/2020 18:00	0.0	
4/30/2017 19:00	0.0		4/30/2018 19:00	0.0		4/30/2019 19:00	0.0		4/29/2020 19:00	0.0	
4/30/2017 20:00	0.0		4/30/2018 20:00	0.0		4/30/2019 20:00	0.0		4/29/2020 20:00	0.0	
4/30/2017 21:00	0.0		4/30/2018 21:00	0.0		4/30/2019 21:00	0.0		4/29/2020 21:00	0.0	
4/30/2017 22:00	0.0		4/30/2018 22:00	0.0		4/30/2019 22:00	0.0		4/29/2020 22:00	0.0	
4/30/2017 23:00	0.0	0.0	4/30/2018 23:00	0.0	0.0	4/30/2019 23:00	0.0	0.0	4/29/2020 23:00	0.0	0.0
5/1/2017 0:00	0.0		5/1/2018 0:00	0.0		5/1/2019 0:00	0.0		4/30/2020 0:00	0.0	
5/1/2017 1:00	0.0		5/1/2018 1:00	0.0		5/1/2019 1:00	0.0		4/30/2020 1:00	0.0	
5/1/2017 2:00	0.0		5/1/2018 2:00	0.0		5/1/2019 2:00	0.0		4/30/2020 2:00	0.0	
5/1/2017 3:00	0.0		5/1/2018 3:00	0.0		5/1/2019 3:00	0.0		4/30/2020 3:00	0.0	
5/1/2017 4:00	0.0		5/1/2018 4:00	0.0		5/1/2019 4:00	0.0		4/30/2020 4:00	0.0	
5/1/2017 5:00	0.0		5/1/2018 5:00	0.0		5/1/2019 5:00	0.0		4/30/2020 5:00	0.0	
5/1/2017 6:00	0.0		5/1/2018 6:00	0.0		5/1/2019 6:00	0.0		4/30/2020 6:00	0.0	
5/1/2017 7:00	0.0		5/1/2018 7:00	0.0		5/1/2019 7:00	0.0		4/30/2020 7:00	0.0	
5/1/2017 8:00	0.0		5/1/2018 8:00	0.0		5/1/2019 8:00	0.0		4/30/2020 8:00	0.0	
5/1/2017 9:00	0.0		5/1/2018 9:00	0.0		5/1/2019 9:00	0.0		4/30/2020 9:00	0.0	
5/1/2017 10:00	0.0		5/1/2018 10:00	0.0		5/1/2019 10:00	0.0		4/30/2020 10:00	0.0	
5/1/2017 11:00	0.0		5/1/2018 11:00	0.0		5/1/2019 11:00	0.0		4/30/2020 11:00	69.3	
5/1/2017 12:00	0.0		5/1/2018 12:00	0.0		5/1/2019 12:00	0.0		4/30/2020 12:00	0.0	
5/1/2017 13:00	0.0		5/1/2018 13:00	0.0		5/1/2019 13:00	0.0		4/30/2020 13:00	0.0	
5/1/2017 14:00	0.0		5/1/2018 14:00	0.0		5/1/2019 14:00	0.0		4/30/2020 14:00	0.0	
5/1/2017 15:00	0.0		5/1/2018 15:00	0.0		5/1/2019 15:00	0.0		4/30/2020 15:00	0.0	
5/1/2017 16:00	0.0		5/1/2018 16:00	0.0		5/1/2019 16:00	0.0		4/30/2020 16:00	0.0	
5/1/2017 17:00	0.0		5/1/2018 17:00	0.0		5/1/2019 17:00	0.0		4/30/2020 17:00	0.0	
5/1/2017 18:00	0.0		5/1/2018 18:00	0.0		5/1/2019 18:00	0.0		4/30/2020 18:00	0.0	
5/1/2017 19:00	0.0		5/1/2018 19:00	0.0		5/1/2019 19:00	0.0		4/30/2020 19:00	0.0	
5/1/2017 20:00	0.0		5/1/2018 20:00	0.0		5/1/2019 20:00	0.0		4/30/2020 20:00	0.0	
5/1/2017 21:00	0.0		5/1/2018 21:00	0.0		5/1/2019 21:00	0.0		4/30/2020 21:00	0.0	
5/1/2017 22:00	0.0		5/1/2018 22:00	0.0		5/1/2019 22:00	0.0		4/30/2020 22:00	0.0	
5/1/2017 23:00	0.0	0.0	5/1/2018 23:00	0.0	0.0	5/1/2019 23:00	0.0	0.0	4/30/2020 23:00	0.0	69.3

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/2/2017 0:00	0.0		5/2/2018 0:00	0.0		5/2/2019 0:00	0.0		5/1/2020 0:00	0.0	
5/2/2017 1:00	0.0		5/2/2018 1:00	0.0		5/2/2019 1:00	0.0		5/1/2020 1:00	0.0	
5/2/2017 2:00	0.0		5/2/2018 2:00	0.0		5/2/2019 2:00	0.0		5/1/2020 2:00	0.0	
5/2/2017 3:00	0.0		5/2/2018 3:00	0.0		5/2/2019 3:00	0.0		5/1/2020 3:00	0.0	
5/2/2017 4:00	0.0		5/2/2018 4:00	0.0		5/2/2019 4:00	0.0		5/1/2020 4:00	0.0	
5/2/2017 5:00	0.0		5/2/2018 5:00	0.0		5/2/2019 5:00	0.0		5/1/2020 5:00	0.0	
5/2/2017 6:00	0.0		5/2/2018 6:00	0.0		5/2/2019 6:00	0.0		5/1/2020 6:00	0.0	
5/2/2017 7:00	0.0		5/2/2018 7:00	0.0		5/2/2019 7:00	0.0		5/1/2020 7:00	0.0	
5/2/2017 8:00	0.0		5/2/2018 8:00	0.0		5/2/2019 8:00	0.0		5/1/2020 8:00	0.0	
5/2/2017 9:00	0.0		5/2/2018 9:00	0.0		5/2/2019 9:00	0.0		5/1/2020 9:00	0.0	
5/2/2017 10:00	0.0		5/2/2018 10:00	0.0		5/2/2019 10:00	0.0		5/1/2020 10:00	0.0	
5/2/2017 11:00	0.0		5/2/2018 11:00	0.0		5/2/2019 11:00	0.0		5/1/2020 11:00	0.0	
5/2/2017 12:00	0.0		5/2/2018 12:00	0.0		5/2/2019 12:00	0.0		5/1/2020 12:00	0.0	
5/2/2017 13:00	0.0		5/2/2018 13:00	0.0		5/2/2019 13:00	0.0		5/1/2020 13:00	0.0	
5/2/2017 14:00	0.0		5/2/2018 14:00	0.0		5/2/2019 14:00	0.0		5/1/2020 14:00	0.0	
5/2/2017 15:00	0.0		5/2/2018 15:00	0.0		5/2/2019 15:00	0.0		5/1/2020 15:00	0.0	
5/2/2017 16:00	0.0		5/2/2018 16:00	0.0		5/2/2019 16:00	0.0		5/1/2020 16:00	0.0	
5/2/2017 17:00	0.0		5/2/2018 17:00	0.0		5/2/2019 17:00	0.0		5/1/2020 17:00	0.0	
5/2/2017 18:00	0.0		5/2/2018 18:00	0.0		5/2/2019 18:00	0.0		5/1/2020 18:00	0.0	
5/2/2017 19:00	0.0		5/2/2018 19:00	0.0		5/2/2019 19:00	0.0		5/1/2020 19:00	0.0	
5/2/2017 20:00	0.0		5/2/2018 20:00	0.0		5/2/2019 20:00	0.0		5/1/2020 20:00	0.0	
5/2/2017 21:00	0.0		5/2/2018 21:00	0.0		5/2/2019 21:00	0.0		5/1/2020 21:00	0.0	
5/2/2017 22:00	0.0		5/2/2018 22:00	0.0		5/2/2019 22:00	0.0		5/1/2020 22:00	0.0	
5/2/2017 23:00	0.0	0.0	5/2/2018 23:00	0.0	0.0	5/2/2019 23:00	0.0	0.0	5/1/2020 23:00	0.0	0.0
5/3/2017 0:00	0.0		5/3/2018 0:00	0.0		5/3/2019 0:00	0.0		5/2/2020 0:00	0.0	
5/3/2017 1:00	0.0		5/3/2018 1:00	0.0		5/3/2019 1:00	0.0		5/2/2020 1:00	0.0	
5/3/2017 2:00	249.8		5/3/2018 2:00	0.0		5/3/2019 2:00	0.0		5/2/2020 2:00	0.0	
5/3/2017 3:00	0.0		5/3/2018 3:00	0.0		5/3/2019 3:00	0.0		5/2/2020 3:00	0.0	
5/3/2017 4:00	0.0		5/3/2018 4:00	0.0		5/3/2019 4:00	0.0		5/2/2020 4:00	0.0	
5/3/2017 5:00	0.0		5/3/2018 5:00	0.0		5/3/2019 5:00	0.0		5/2/2020 5:00	0.0	
5/3/2017 6:00	0.0		5/3/2018 6:00	0.0		5/3/2019 6:00	0.0		5/2/2020 6:00	0.0	
5/3/2017 7:00	0.0		5/3/2018 7:00	0.0		5/3/2019 7:00	0.0		5/2/2020 7:00	0.0	
5/3/2017 8:00	0.0		5/3/2018 8:00	0.0		5/3/2019 8:00	0.0		5/2/2020 8:00	0.0	
5/3/2017 9:00	0.0		5/3/2018 9:00	0.0		5/3/2019 9:00	0.0		5/2/2020 9:00	0.0	
5/3/2017 10:00	0.0		5/3/2018 10:00	0.0		5/3/2019 10:00	0.0		5/2/2020 10:00	0.0	
5/3/2017 11:00	0.0		5/3/2018 11:00	0.0		5/3/2019 11:00	0.0		5/2/2020 11:00	0.0	
5/3/2017 12:00	0.0		5/3/2018 12:00	0.0		5/3/2019 12:00	0.0		5/2/2020 12:00	0.0	
5/3/2017 13:00	0.0		5/3/2018 13:00	0.0		5/3/2019 13:00	0.0		5/2/2020 13:00	0.0	
5/3/2017 14:00	0.0		5/3/2018 14:00	0.0		5/3/2019 14:00	0.0		5/2/2020 14:00	0.0	
5/3/2017 15:00	0.0		5/3/2018 15:00	0.0		5/3/2019 15:00	0.0		5/2/2020 15:00	0.0	
5/3/2017 16:00	0.0		5/3/2018 16:00	0.0		5/3/2019 16:00	0.0		5/2/2020 16:00	0.0	
5/3/2017 17:00	0.0		5/3/2018 17:00	0.0		5/3/2019 17:00	0.0		5/2/2020 17:00	0.0	
5/3/2017 18:00	0.0		5/3/2018 18:00	0.0		5/3/2019 18:00	0.0		5/2/2020 18:00	0.0	
5/3/2017 19:00	0.0		5/3/2018 19:00	0.0		5/3/2019 19:00	0.0		5/2/2020 19:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/3/2017 20:00	0.0		5/3/2018 20:00	0.0		5/3/2019 20:00	0.0		5/2/2020 20:00	0.0	
5/3/2017 21:00	0.0		5/3/2018 21:00	0.0		5/3/2019 21:00	0.0		5/2/2020 21:00	0.0	
5/3/2017 22:00	0.0		5/3/2018 22:00	0.0		5/3/2019 22:00	0.0		5/2/2020 22:00	0.0	
5/3/2017 23:00	0.0	249.8	5/3/2018 23:00	0.0	0.0	5/3/2019 23:00	0.0	0.0	5/2/2020 23:00	0.0	0.0
5/4/2017 0:00	0.0		5/4/2018 0:00	0.0		5/4/2019 0:00	0.0		5/3/2020 0:00	0.0	
5/4/2017 1:00	0.0		5/4/2018 1:00	0.0		5/4/2019 1:00	0.0		5/3/2020 1:00	0.0	
5/4/2017 2:00	0.0		5/4/2018 2:00	0.0		5/4/2019 2:00	0.0		5/3/2020 2:00	0.0	
5/4/2017 3:00	0.0		5/4/2018 3:00	0.0		5/4/2019 3:00	0.0		5/3/2020 3:00	0.0	
5/4/2017 4:00	0.0		5/4/2018 4:00	0.0		5/4/2019 4:00	0.0		5/3/2020 4:00	0.0	
5/4/2017 5:00	0.0		5/4/2018 5:00	0.0		5/4/2019 5:00	0.0		5/3/2020 5:00	0.0	
5/4/2017 6:00	0.0		5/4/2018 6:00	0.0		5/4/2019 6:00	0.0		5/3/2020 6:00	0.0	
5/4/2017 7:00	0.0		5/4/2018 7:00	0.0		5/4/2019 7:00	0.0		5/3/2020 7:00	0.0	
5/4/2017 8:00	0.0		5/4/2018 8:00	0.0		5/4/2019 8:00	0.0		5/3/2020 8:00	0.0	
5/4/2017 9:00	0.0		5/4/2018 9:00	0.0		5/4/2019 9:00	0.0		5/3/2020 9:00	0.0	
5/4/2017 10:00	0.0		5/4/2018 10:00	0.0		5/4/2019 10:00	0.0		5/3/2020 10:00	0.0	
5/4/2017 11:00	0.0		5/4/2018 11:00	0.0		5/4/2019 11:00	0.0		5/3/2020 11:00	0.0	
5/4/2017 12:00	0.0		5/4/2018 12:00	0.0		5/4/2019 12:00	0.0		5/3/2020 12:00	0.0	
5/4/2017 13:00	0.0		5/4/2018 13:00	0.0		5/4/2019 13:00	0.0		5/3/2020 13:00	0.0	
5/4/2017 14:00	0.0		5/4/2018 14:00	0.0		5/4/2019 14:00	0.0		5/3/2020 14:00	0.0	
5/4/2017 15:00	0.0		5/4/2018 15:00	0.0		5/4/2019 15:00	0.0		5/3/2020 15:00	0.0	
5/4/2017 16:00	0.0		5/4/2018 16:00	0.0		5/4/2019 16:00	0.0		5/3/2020 16:00	0.0	
5/4/2017 17:00	0.0		5/4/2018 17:00	0.0		5/4/2019 17:00	0.0		5/3/2020 17:00	0.0	
5/4/2017 18:00	0.0		5/4/2018 18:00	0.0		5/4/2019 18:00	0.0		5/3/2020 18:00	0.0	
5/4/2017 19:00	0.0		5/4/2018 19:00	0.0		5/4/2019 19:00	0.0		5/3/2020 19:00	0.0	
5/4/2017 20:00	0.0		5/4/2018 20:00	0.0		5/4/2019 20:00	0.0		5/3/2020 20:00	0.0	
5/4/2017 21:00	0.0		5/4/2018 21:00	0.0		5/4/2019 21:00	0.0		5/3/2020 21:00	0.0	
5/4/2017 22:00	0.0		5/4/2018 22:00	0.0		5/4/2019 22:00	0.0		5/3/2020 22:00	0.0	
5/4/2017 23:00	0.0	0.0	5/4/2018 23:00	0.0	0.0	5/4/2019 23:00	0.0	0.0	5/3/2020 23:00	0.0	0.0
5/5/2017 0:00	0.0		5/5/2018 0:00	0.0		5/5/2019 0:00	0.0		5/4/2020 0:00	0.0	
5/5/2017 1:00	0.0		5/5/2018 1:00	0.0		5/5/2019 1:00	0.0		5/4/2020 1:00	0.0	
5/5/2017 2:00	0.0		5/5/2018 2:00	0.0		5/5/2019 2:00	0.0		5/4/2020 2:00	0.0	
5/5/2017 3:00	0.0		5/5/2018 3:00	0.0		5/5/2019 3:00	0.0		5/4/2020 3:00	0.0	
5/5/2017 4:00	0.0		5/5/2018 4:00	0.0		5/5/2019 4:00	0.0		5/4/2020 4:00	0.0	
5/5/2017 5:00	0.0		5/5/2018 5:00	0.0		5/5/2019 5:00	0.0		5/4/2020 5:00	0.0	
5/5/2017 6:00	0.0		5/5/2018 6:00	0.0		5/5/2019 6:00	0.0		5/4/2020 6:00	0.0	
5/5/2017 7:00	0.0		5/5/2018 7:00	0.0		5/5/2019 7:00	0.0		5/4/2020 7:00	0.0	
5/5/2017 8:00	0.0		5/5/2018 8:00	0.0		5/5/2019 8:00	0.0		5/4/2020 8:00	0.0	
5/5/2017 9:00	0.0		5/5/2018 9:00	0.0		5/5/2019 9:00	0.0		5/4/2020 9:00	0.0	
5/5/2017 10:00	0.0		5/5/2018 10:00	0.0		5/5/2019 10:00	0.0		5/4/2020 10:00	0.0	
5/5/2017 11:00	0.0		5/5/2018 11:00	0.0		5/5/2019 11:00	0.0		5/4/2020 11:00	0.0	
5/5/2017 12:00	0.0		5/5/2018 12:00	0.0		5/5/2019 12:00	0.0		5/4/2020 12:00	0.0	
5/5/2017 13:00	0.0		5/5/2018 13:00	0.0		5/5/2019 13:00	0.0		5/4/2020 13:00	0.0	
5/5/2017 14:00	0.0		5/5/2018 14:00	0.0		5/5/2019 14:00	0.0		5/4/2020 14:00	0.0	
5/5/2017 15:00	0.0		5/5/2018 15:00	0.0		5/5/2019 15:00	0.0		5/4/2020 15:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/5/2017 16:00	0.0		5/5/2018 16:00	0.0		5/5/2019 16:00	0.0		5/4/2020 16:00	0.0	
5/5/2017 17:00	0.0		5/5/2018 17:00	0.0		5/5/2019 17:00	0.0		5/4/2020 17:00	0.0	
5/5/2017 18:00	0.0		5/5/2018 18:00	0.0		5/5/2019 18:00	0.0		5/4/2020 18:00	0.0	
5/5/2017 19:00	0.0		5/5/2018 19:00	0.0		5/5/2019 19:00	0.0		5/4/2020 19:00	0.0	
5/5/2017 20:00	0.0		5/5/2018 20:00	0.0		5/5/2019 20:00	0.0		5/4/2020 20:00	0.0	
5/5/2017 21:00	0.0		5/5/2018 21:00	0.0		5/5/2019 21:00	0.0		5/4/2020 21:00	0.0	
5/5/2017 22:00	0.0		5/5/2018 22:00	0.0		5/5/2019 22:00	0.0		5/4/2020 22:00	0.0	
5/5/2017 23:00	0.0	0.0	5/5/2018 23:00	0.0	0.0	5/5/2019 23:00	0.0	0.0	5/4/2020 23:00	0.0	0.0
5/6/2017 0:00	0.0		5/6/2018 0:00	0.0		5/6/2019 0:00	0.0		5/5/2020 0:00	0.0	
5/6/2017 1:00	0.0		5/6/2018 1:00	0.0		5/6/2019 1:00	0.0		5/5/2020 1:00	0.0	
5/6/2017 2:00	0.0		5/6/2018 2:00	0.0		5/6/2019 2:00	0.0		5/5/2020 2:00	0.0	
5/6/2017 3:00	0.0		5/6/2018 3:00	0.0		5/6/2019 3:00	0.0		5/5/2020 3:00	0.0	
5/6/2017 4:00	0.0		5/6/2018 4:00	0.0		5/6/2019 4:00	0.0		5/5/2020 4:00	0.0	
5/6/2017 5:00	0.0		5/6/2018 5:00	0.0		5/6/2019 5:00	0.0		5/5/2020 5:00	0.0	
5/6/2017 6:00	0.0		5/6/2018 6:00	0.0		5/6/2019 6:00	0.0		5/5/2020 6:00	0.0	
5/6/2017 7:00	0.0		5/6/2018 7:00	0.0		5/6/2019 7:00	0.0		5/5/2020 7:00	0.0	
5/6/2017 8:00	0.0		5/6/2018 8:00	0.0		5/6/2019 8:00	0.0		5/5/2020 8:00	0.0	
5/6/2017 9:00	0.0		5/6/2018 9:00	0.0		5/6/2019 9:00	0.0		5/5/2020 9:00	0.0	
5/6/2017 10:00	0.0		5/6/2018 10:00	0.0		5/6/2019 10:00	0.0		5/5/2020 10:00	0.0	
5/6/2017 11:00	0.0		5/6/2018 11:00	0.0		5/6/2019 11:00	0.0		5/5/2020 11:00	0.0	
5/6/2017 12:00	0.0		5/6/2018 12:00	0.0		5/6/2019 12:00	0.0		5/5/2020 12:00	0.0	
5/6/2017 13:00	0.0		5/6/2018 13:00	0.0		5/6/2019 13:00	0.0		5/5/2020 13:00	0.0	
5/6/2017 14:00	0.0		5/6/2018 14:00	0.0		5/6/2019 14:00	0.0		5/5/2020 14:00	0.0	
5/6/2017 15:00	0.0		5/6/2018 15:00	0.0		5/6/2019 15:00	0.0		5/5/2020 15:00	0.0	
5/6/2017 16:00	0.0		5/6/2018 16:00	0.0		5/6/2019 16:00	0.0		5/5/2020 16:00	0.0	
5/6/2017 17:00	0.0		5/6/2018 17:00	0.0		5/6/2019 17:00	0.0		5/5/2020 17:00	0.0	
5/6/2017 18:00	0.0		5/6/2018 18:00	0.0		5/6/2019 18:00	0.0		5/5/2020 18:00	0.0	
5/6/2017 19:00	0.0		5/6/2018 19:00	0.0		5/6/2019 19:00	0.0		5/5/2020 19:00	0.0	
5/6/2017 20:00	0.0		5/6/2018 20:00	0.0		5/6/2019 20:00	0.0		5/5/2020 20:00	0.0	
5/6/2017 21:00	0.0		5/6/2018 21:00	0.0		5/6/2019 21:00	0.0		5/5/2020 21:00	0.0	
5/6/2017 22:00	0.0		5/6/2018 22:00	0.0		5/6/2019 22:00	0.0		5/5/2020 22:00	0.0	
5/6/2017 23:00	0.0	0.0	5/6/2018 23:00	0.0	0.0	5/6/2019 23:00	0.0	0.0	5/5/2020 23:00	0.0	0.0
5/7/2017 0:00	0.0		5/7/2018 0:00	0.0		5/7/2019 0:00	0.0		5/6/2020 0:00	0.0	
5/7/2017 1:00	0.0		5/7/2018 1:00	0.0		5/7/2019 1:00	0.0		5/6/2020 1:00	0.0	
5/7/2017 2:00	0.0		5/7/2018 2:00	0.0		5/7/2019 2:00	0.0		5/6/2020 2:00	0.0	
5/7/2017 3:00	0.0		5/7/2018 3:00	0.0		5/7/2019 3:00	0.0		5/6/2020 3:00	0.0	
5/7/2017 4:00	0.0		5/7/2018 4:00	0.0		5/7/2019 4:00	0.0		5/6/2020 4:00	0.0	
5/7/2017 5:00	0.0		5/7/2018 5:00	0.0		5/7/2019 5:00	0.0		5/6/2020 5:00	0.0	
5/7/2017 6:00	0.0		5/7/2018 6:00	0.0		5/7/2019 6:00	0.0		5/6/2020 6:00	0.0	
5/7/2017 7:00	0.0		5/7/2018 7:00	0.0		5/7/2019 7:00	0.0		5/6/2020 7:00	0.0	
5/7/2017 8:00	0.0		5/7/2018 8:00	0.0		5/7/2019 8:00	0.0		5/6/2020 8:00	0.0	
5/7/2017 9:00	0.0		5/7/2018 9:00	0.0		5/7/2019 9:00	0.0		5/6/2020 9:00	0.0	
5/7/2017 10:00	0.0		5/7/2018 10:00	0.0		5/7/2019 10:00	0.0		5/6/2020 10:00	0.0	
5/7/2017 11:00	0.0		5/7/2018 11:00	0.0		5/7/2019 11:00	0.0		5/6/2020 11:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/7/2017 12:00	0.0		5/7/2018 12:00	0.0		5/7/2019 12:00	0.0		5/6/2020 12:00	0.0	
5/7/2017 13:00	0.0		5/7/2018 13:00	0.0		5/7/2019 13:00	0.0		5/6/2020 13:00	0.0	
5/7/2017 14:00	0.0		5/7/2018 14:00	0.0		5/7/2019 14:00	0.0		5/6/2020 14:00	0.0	
5/7/2017 15:00	0.0		5/7/2018 15:00	0.0		5/7/2019 15:00	0.0		5/6/2020 15:00	0.0	
5/7/2017 16:00	0.0		5/7/2018 16:00	0.0		5/7/2019 16:00	0.0		5/6/2020 16:00	0.0	
5/7/2017 17:00	0.0		5/7/2018 17:00	0.0		5/7/2019 17:00	0.0		5/6/2020 17:00	0.0	
5/7/2017 18:00	0.0		5/7/2018 18:00	0.0		5/7/2019 18:00	0.0		5/6/2020 18:00	0.0	
5/7/2017 19:00	0.0		5/7/2018 19:00	0.0		5/7/2019 19:00	0.0		5/6/2020 19:00	0.0	
5/7/2017 20:00	0.0		5/7/2018 20:00	0.0		5/7/2019 20:00	0.0		5/6/2020 20:00	0.0	
5/7/2017 21:00	0.0		5/7/2018 21:00	0.0		5/7/2019 21:00	0.0		5/6/2020 21:00	0.0	
5/7/2017 22:00	0.0		5/7/2018 22:00	0.0		5/7/2019 22:00	0.0		5/6/2020 22:00	0.0	
5/7/2017 23:00	0.0	0.0	5/7/2018 23:00	0.0	0.0	5/7/2019 23:00	0.0	0.0	5/6/2020 23:00	0.0	0.0
5/8/2017 0:00	0.0		5/8/2018 0:00	0.0		5/8/2019 0:00	0.0		5/7/2020 0:00	0.0	
5/8/2017 1:00	0.0		5/8/2018 1:00	0.0		5/8/2019 1:00	0.0		5/7/2020 1:00	0.0	
5/8/2017 2:00	0.0		5/8/2018 2:00	0.0		5/8/2019 2:00	0.0		5/7/2020 2:00	0.0	
5/8/2017 3:00	0.0		5/8/2018 3:00	0.0		5/8/2019 3:00	0.0		5/7/2020 3:00	0.0	
5/8/2017 4:00	0.0		5/8/2018 4:00	0.0		5/8/2019 4:00	0.0		5/7/2020 4:00	0.0	
5/8/2017 5:00	0.0		5/8/2018 5:00	0.0		5/8/2019 5:00	0.0		5/7/2020 5:00	0.0	
5/8/2017 6:00	0.0		5/8/2018 6:00	0.0		5/8/2019 6:00	0.0		5/7/2020 6:00	0.0	
5/8/2017 7:00	0.0		5/8/2018 7:00	0.0		5/8/2019 7:00	0.0		5/7/2020 7:00	0.0	
5/8/2017 8:00	0.0		5/8/2018 8:00	0.0		5/8/2019 8:00	0.0		5/7/2020 8:00	0.0	
5/8/2017 9:00	0.0		5/8/2018 9:00	0.0		5/8/2019 9:00	0.0		5/7/2020 9:00	0.0	
5/8/2017 10:00	0.0		5/8/2018 10:00	0.0		5/8/2019 10:00	0.0		5/7/2020 10:00	0.0	
5/8/2017 11:00	0.0		5/8/2018 11:00	0.0		5/8/2019 11:00	0.0		5/7/2020 11:00	0.0	
5/8/2017 12:00	0.0		5/8/2018 12:00	0.0		5/8/2019 12:00	0.0		5/7/2020 12:00	0.0	
5/8/2017 13:00	0.0		5/8/2018 13:00	0.0		5/8/2019 13:00	0.0		5/7/2020 13:00	0.0	
5/8/2017 14:00	0.0		5/8/2018 14:00	0.0		5/8/2019 14:00	0.0		5/7/2020 14:00	0.0	
5/8/2017 15:00	0.0		5/8/2018 15:00	0.0		5/8/2019 15:00	0.0		5/7/2020 15:00	0.0	
5/8/2017 16:00	0.0		5/8/2018 16:00	0.0		5/8/2019 16:00	0.0		5/7/2020 16:00	0.0	
5/8/2017 17:00	0.0		5/8/2018 17:00	0.0		5/8/2019 17:00	0.0		5/7/2020 17:00	0.0	
5/8/2017 18:00	0.0		5/8/2018 18:00	0.0		5/8/2019 18:00	0.0		5/7/2020 18:00	0.0	
5/8/2017 19:00	0.0		5/8/2018 19:00	0.0		5/8/2019 19:00	0.0		5/7/2020 19:00	0.0	
5/8/2017 20:00	0.0		5/8/2018 20:00	0.0		5/8/2019 20:00	0.0		5/7/2020 20:00	0.0	
5/8/2017 21:00	0.0		5/8/2018 21:00	0.0		5/8/2019 21:00	0.0		5/7/2020 21:00	0.0	
5/8/2017 22:00	0.0		5/8/2018 22:00	0.0		5/8/2019 22:00	0.0		5/7/2020 22:00	0.0	
5/8/2017 23:00	0.0	0.0	5/8/2018 23:00	0.0	0.0	5/8/2019 23:00	0.0	0.0	5/7/2020 23:00	0.0	0.0
5/9/2017 0:00	0.0		5/9/2018 0:00	0.0		5/9/2019 0:00	0.0		5/8/2020 0:00	0.0	
5/9/2017 1:00	0.0		5/9/2018 1:00	0.0		5/9/2019 1:00	0.0		5/8/2020 1:00	0.0	
5/9/2017 2:00	0.0		5/9/2018 2:00	0.0		5/9/2019 2:00	0.0		5/8/2020 2:00	0.0	
5/9/2017 3:00	0.0		5/9/2018 3:00	0.0		5/9/2019 3:00	0.0		5/8/2020 3:00	0.0	
5/9/2017 4:00	0.0		5/9/2018 4:00	0.0		5/9/2019 4:00	0.0		5/8/2020 4:00	0.0	
5/9/2017 5:00	0.0		5/9/2018 5:00	0.0		5/9/2019 5:00	0.0		5/8/2020 5:00	0.0	
5/9/2017 6:00	0.0		5/9/2018 6:00	0.0		5/9/2019 6:00	0.0		5/8/2020 6:00	0.0	
5/9/2017 7:00	0.0		5/9/2018 7:00	595.4		5/9/2019 7:00	0.0		5/8/2020 7:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/9/2017 8:00	0.0		5/9/2018 8:00	0.0		5/9/2019 8:00	0.0		5/8/2020 8:00	0.0	
5/9/2017 9:00	0.0		5/9/2018 9:00	0.0		5/9/2019 9:00	0.0		5/8/2020 9:00	0.0	
5/9/2017 10:00	0.0		5/9/2018 10:00	0.0		5/9/2019 10:00	0.0		5/8/2020 10:00	0.0	
5/9/2017 11:00	0.0		5/9/2018 11:00	0.0		5/9/2019 11:00	0.0		5/8/2020 11:00	0.0	
5/9/2017 12:00	0.0		5/9/2018 12:00	0.0		5/9/2019 12:00	0.0		5/8/2020 12:00	0.0	
5/9/2017 13:00	0.0		5/9/2018 13:00	0.0		5/9/2019 13:00	0.0		5/8/2020 13:00	0.0	
5/9/2017 14:00	0.0		5/9/2018 14:00	0.0		5/9/2019 14:00	0.0		5/8/2020 14:00	0.0	
5/9/2017 15:00	0.0		5/9/2018 15:00	0.0		5/9/2019 15:00	0.0		5/8/2020 15:00	0.0	
5/9/2017 16:00	0.0		5/9/2018 16:00	0.0		5/9/2019 16:00	0.0		5/8/2020 16:00	0.0	
5/9/2017 17:00	0.0		5/9/2018 17:00	0.0		5/9/2019 17:00	0.0		5/8/2020 17:00	0.0	
5/9/2017 18:00	0.0		5/9/2018 18:00	0.0		5/9/2019 18:00	0.0		5/8/2020 18:00	0.0	
5/9/2017 19:00	0.0		5/9/2018 19:00	0.0		5/9/2019 19:00	0.0		5/8/2020 19:00	0.0	
5/9/2017 20:00	0.0		5/9/2018 20:00	8.0		5/9/2019 20:00	0.0		5/8/2020 20:00	0.0	
5/9/2017 21:00	0.0		5/9/2018 21:00	30.3		5/9/2019 21:00	0.0		5/8/2020 21:00	0.0	
5/9/2017 22:00	0.0		5/9/2018 22:00	67.2		5/9/2019 22:00	0.0		5/8/2020 22:00	0.0	
5/9/2017 23:00	0.0	0.0	5/9/2018 23:00	65.9	595.4	5/9/2019 23:00	0.0	0.0	5/8/2020 23:00	0.0	0.0
5/10/2017 0:00	0.0		5/10/2018 0:00	68.1		5/10/2019 0:00	0.0		5/9/2020 0:00	0.0	
5/10/2017 1:00	0.0		5/10/2018 1:00	29.6		5/10/2019 1:00	0.0		5/9/2020 1:00	0.0	
5/10/2017 2:00	0.0		5/10/2018 2:00	0.0		5/10/2019 2:00	0.0		5/9/2020 2:00	0.0	
5/10/2017 3:00	0.0		5/10/2018 3:00	0.0		5/10/2019 3:00	0.0		5/9/2020 3:00	0.0	
5/10/2017 4:00	0.0		5/10/2018 4:00	0.0		5/10/2019 4:00	0.0		5/9/2020 4:00	0.0	
5/10/2017 5:00	0.0		5/10/2018 5:00	0.0		5/10/2019 5:00	0.0		5/9/2020 5:00	0.0	
5/10/2017 6:00	0.0		5/10/2018 6:00	0.0		5/10/2019 6:00	0.0		5/9/2020 6:00	0.0	
5/10/2017 7:00	0.0		5/10/2018 7:00	0.0		5/10/2019 7:00	0.0		5/9/2020 7:00	0.0	
5/10/2017 8:00	0.0		5/10/2018 8:00	0.0		5/10/2019 8:00	0.0		5/9/2020 8:00	0.0	
5/10/2017 9:00	0.0		5/10/2018 9:00	0.0		5/10/2019 9:00	0.0		5/9/2020 9:00	0.0	
5/10/2017 10:00	0.0		5/10/2018 10:00	0.0		5/10/2019 10:00	0.0		5/9/2020 10:00	0.0	
5/10/2017 11:00	0.0		5/10/2018 11:00	0.0		5/10/2019 11:00	0.0		5/9/2020 11:00	0.0	
5/10/2017 12:00	0.0		5/10/2018 12:00	0.0		5/10/2019 12:00	0.0		5/9/2020 12:00	0.0	
5/10/2017 13:00	0.0		5/10/2018 13:00	0.0		5/10/2019 13:00	0.0		5/9/2020 13:00	0.0	
5/10/2017 14:00	0.0		5/10/2018 14:00	0.0		5/10/2019 14:00	0.0		5/9/2020 14:00	0.0	
5/10/2017 15:00	0.0		5/10/2018 15:00	0.0		5/10/2019 15:00	0.0		5/9/2020 15:00	0.0	
5/10/2017 16:00	0.0		5/10/2018 16:00	0.0		5/10/2019 16:00	0.0		5/9/2020 16:00	0.0	
5/10/2017 17:00	0.0		5/10/2018 17:00	0.0		5/10/2019 17:00	0.0		5/9/2020 17:00	0.0	
5/10/2017 18:00	0.0		5/10/2018 18:00	0.0		5/10/2019 18:00	0.0		5/9/2020 18:00	0.0	
5/10/2017 19:00	0.0		5/10/2018 19:00	0.0		5/10/2019 19:00	0.0		5/9/2020 19:00	0.0	
5/10/2017 20:00	0.0		5/10/2018 20:00	0.0		5/10/2019 20:00	0.0		5/9/2020 20:00	0.0	
5/10/2017 21:00	0.0		5/10/2018 21:00	0.0		5/10/2019 21:00	0.0		5/9/2020 21:00	0.0	
5/10/2017 22:00	0.0		5/10/2018 22:00	24.8		5/10/2019 22:00	0.0		5/9/2020 22:00	0.0	
5/10/2017 23:00	0.0	0.0	5/10/2018 23:00	516.0	516.0	5/10/2019 23:00	0.0	0.0	5/9/2020 23:00	0.0	0.0
5/11/2017 0:00	0.0		5/11/2018 0:00	0.0		5/11/2019 0:00	0.0		5/10/2020 0:00	0.0	
5/11/2017 1:00	0.0		5/11/2018 1:00	0.0		5/11/2019 1:00	0.0		5/10/2020 1:00	0.0	
5/11/2017 2:00	0.0		5/11/2018 2:00	0.0		5/11/2019 2:00	0.0		5/10/2020 2:00	0.0	
5/11/2017 3:00	0.0		5/11/2018 3:00	0.0		5/11/2019 3:00	0.0		5/10/2020 3:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/11/2017 4:00	0.0		5/11/2018 4:00	0.0		5/11/2019 4:00	0.0		5/10/2020 4:00	0.0	
5/11/2017 5:00	0.0		5/11/2018 5:00	0.0		5/11/2019 5:00	0.0		5/10/2020 5:00	0.0	
5/11/2017 6:00	0.0		5/11/2018 6:00	0.0		5/11/2019 6:00	0.0		5/10/2020 6:00	0.0	
5/11/2017 7:00	0.0		5/11/2018 7:00	0.0		5/11/2019 7:00	0.0		5/10/2020 7:00	0.0	
5/11/2017 8:00	0.0		5/11/2018 8:00	0.0		5/11/2019 8:00	0.0		5/10/2020 8:00	0.0	
5/11/2017 9:00	0.0		5/11/2018 9:00	0.0		5/11/2019 9:00	0.0		5/10/2020 9:00	0.0	
5/11/2017 10:00	0.0		5/11/2018 10:00	0.0		5/11/2019 10:00	0.0		5/10/2020 10:00	0.0	
5/11/2017 11:00	0.0		5/11/2018 11:00	0.0		5/11/2019 11:00	0.0		5/10/2020 11:00	0.0	
5/11/2017 12:00	0.0		5/11/2018 12:00	0.0		5/11/2019 12:00	0.0		5/10/2020 12:00	0.0	
5/11/2017 13:00	0.0		5/11/2018 13:00	0.0		5/11/2019 13:00	0.0		5/10/2020 13:00	0.0	
5/11/2017 14:00	0.0		5/11/2018 14:00	0.0		5/11/2019 14:00	0.0		5/10/2020 14:00	0.0	
5/11/2017 15:00	0.0		5/11/2018 15:00	0.0		5/11/2019 15:00	0.0		5/10/2020 15:00	0.0	
5/11/2017 16:00	0.0		5/11/2018 16:00	7.7		5/11/2019 16:00	0.0		5/10/2020 16:00	0.0	
5/11/2017 17:00	0.0		5/11/2018 17:00	0.0		5/11/2019 17:00	0.0		5/10/2020 17:00	0.0	
5/11/2017 18:00	0.0		5/11/2018 18:00	0.0		5/11/2019 18:00	0.0		5/10/2020 18:00	0.0	
5/11/2017 19:00	0.0		5/11/2018 19:00	0.0		5/11/2019 19:00	0.0		5/10/2020 19:00	0.0	
5/11/2017 20:00	0.0		5/11/2018 20:00	0.0		5/11/2019 20:00	0.0		5/10/2020 20:00	0.0	
5/11/2017 21:00	0.0		5/11/2018 21:00	0.0		5/11/2019 21:00	0.0		5/10/2020 21:00	0.0	
5/11/2017 22:00	0.0		5/11/2018 22:00	0.0		5/11/2019 22:00	0.0		5/10/2020 22:00	0.0	
5/11/2017 23:00	0.0	0.0	5/11/2018 23:00	0.0	7.7	5/11/2019 23:00	0.0	0.0	5/10/2020 23:00	0.0	0.0
5/12/2017 0:00	0.0		5/12/2018 0:00	0.0		5/12/2019 0:00	0.0		5/11/2020 0:00	0.0	
5/12/2017 1:00	0.0		5/12/2018 1:00	0.0		5/12/2019 1:00	0.0		5/11/2020 1:00	0.0	
5/12/2017 2:00	0.0		5/12/2018 2:00	0.0		5/12/2019 2:00	0.0		5/11/2020 2:00	0.0	
5/12/2017 3:00	0.0		5/12/2018 3:00	0.0		5/12/2019 3:00	0.0		5/11/2020 3:00	0.0	
5/12/2017 4:00	0.0		5/12/2018 4:00	0.0		5/12/2019 4:00	0.0		5/11/2020 4:00	0.0	
5/12/2017 5:00	0.0		5/12/2018 5:00	0.0		5/12/2019 5:00	0.0		5/11/2020 5:00	0.0	
5/12/2017 6:00	0.0		5/12/2018 6:00	0.0		5/12/2019 6:00	0.0		5/11/2020 6:00	0.0	
5/12/2017 7:00	0.0		5/12/2018 7:00	0.0		5/12/2019 7:00	0.0		5/11/2020 7:00	0.0	
5/12/2017 8:00	0.0		5/12/2018 8:00	0.0		5/12/2019 8:00	0.0		5/11/2020 8:00	0.0	
5/12/2017 9:00	0.0		5/12/2018 9:00	0.0		5/12/2019 9:00	0.0		5/11/2020 9:00	0.0	
5/12/2017 10:00	0.0		5/12/2018 10:00	0.0		5/12/2019 10:00	0.0		5/11/2020 10:00	0.0	
5/12/2017 11:00	0.0		5/12/2018 11:00	0.0		5/12/2019 11:00	0.0		5/11/2020 11:00	0.0	
5/12/2017 12:00	0.0		5/12/2018 12:00	0.0		5/12/2019 12:00	0.0		5/11/2020 12:00	0.0	
5/12/2017 13:00	0.0		5/12/2018 13:00	0.0		5/12/2019 13:00	0.0		5/11/2020 13:00	0.0	
5/12/2017 14:00	0.0		5/12/2018 14:00	0.0		5/12/2019 14:00	0.0		5/11/2020 14:00	0.0	
5/12/2017 15:00	0.0		5/12/2018 15:00	0.0		5/12/2019 15:00	0.0		5/11/2020 15:00	0.0	
5/12/2017 16:00	0.0		5/12/2018 16:00	0.0		5/12/2019 16:00	0.0		5/11/2020 16:00	0.0	
5/12/2017 17:00	0.0		5/12/2018 17:00	0.0		5/12/2019 17:00	0.0		5/11/2020 17:00	0.0	
5/12/2017 18:00	0.0		5/12/2018 18:00	0.0		5/12/2019 18:00	0.0		5/11/2020 18:00	0.0	
5/12/2017 19:00	0.0		5/12/2018 19:00	0.0		5/12/2019 19:00	0.0		5/11/2020 19:00	0.0	
5/12/2017 20:00	0.0		5/12/2018 20:00	0.0		5/12/2019 20:00	0.0		5/11/2020 20:00	0.0	
5/12/2017 21:00	0.0		5/12/2018 21:00	0.0		5/12/2019 21:00	0.0		5/11/2020 21:00	0.0	
5/12/2017 22:00	0.0		5/12/2018 22:00	0.0		5/12/2019 22:00	0.0		5/11/2020 22:00	0.0	
5/12/2017 23:00	0.0	0.0	5/12/2018 23:00	0.0	0.0	5/12/2019 23:00	0.0	0.0	5/11/2020 23:00	0.0	0.0

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/13/2017 0:00	0.0		5/13/2018 0:00	0.0		5/13/2019 0:00	0.0		5/12/2020 0:00	0.0	
5/13/2017 1:00	0.0		5/13/2018 1:00	0.0		5/13/2019 1:00	0.0		5/12/2020 1:00	0.0	
5/13/2017 2:00	0.0		5/13/2018 2:00	0.0		5/13/2019 2:00	0.0		5/12/2020 2:00	0.0	
5/13/2017 3:00	0.0		5/13/2018 3:00	0.0		5/13/2019 3:00	0.0		5/12/2020 3:00	0.0	
5/13/2017 4:00	0.0		5/13/2018 4:00	0.0		5/13/2019 4:00	0.0		5/12/2020 4:00	0.0	
5/13/2017 5:00	0.0		5/13/2018 5:00	0.0		5/13/2019 5:00	0.0		5/12/2020 5:00	0.0	
5/13/2017 6:00	0.0		5/13/2018 6:00	0.0		5/13/2019 6:00	0.0		5/12/2020 6:00	0.0	
5/13/2017 7:00	0.0		5/13/2018 7:00	0.0		5/13/2019 7:00	0.0		5/12/2020 7:00	0.0	
5/13/2017 8:00	0.0		5/13/2018 8:00	0.0		5/13/2019 8:00	0.0		5/12/2020 8:00	0.0	
5/13/2017 9:00	0.0		5/13/2018 9:00	0.0		5/13/2019 9:00	0.0		5/12/2020 9:00	0.0	
5/13/2017 10:00	0.0		5/13/2018 10:00	0.0		5/13/2019 10:00	0.0		5/12/2020 10:00	0.0	
5/13/2017 11:00	0.0		5/13/2018 11:00	0.0		5/13/2019 11:00	0.0		5/12/2020 11:00	0.0	
5/13/2017 12:00	0.0		5/13/2018 12:00	0.0		5/13/2019 12:00	0.0		5/12/2020 12:00	0.0	
5/13/2017 13:00	0.0		5/13/2018 13:00	0.0		5/13/2019 13:00	0.0		5/12/2020 13:00	0.0	
5/13/2017 14:00	0.0		5/13/2018 14:00	0.0		5/13/2019 14:00	0.0		5/12/2020 14:00	0.0	
5/13/2017 15:00	0.0		5/13/2018 15:00	0.0		5/13/2019 15:00	0.0		5/12/2020 15:00	0.0	
5/13/2017 16:00	0.0		5/13/2018 16:00	0.0		5/13/2019 16:00	0.0		5/12/2020 16:00	0.0	
5/13/2017 17:00	0.0		5/13/2018 17:00	0.0		5/13/2019 17:00	0.0		5/12/2020 17:00	0.0	
5/13/2017 18:00	0.0		5/13/2018 18:00	0.0		5/13/2019 18:00	0.0		5/12/2020 18:00	0.0	
5/13/2017 19:00	0.0		5/13/2018 19:00	0.0		5/13/2019 19:00	0.0		5/12/2020 19:00	0.0	
5/13/2017 20:00	0.0		5/13/2018 20:00	117.4		5/13/2019 20:00	0.0		5/12/2020 20:00	0.0	
5/13/2017 21:00	0.0		5/13/2018 21:00	17.7		5/13/2019 21:00	0.0		5/12/2020 21:00	0.0	
5/13/2017 22:00	0.0		5/13/2018 22:00	0.0		5/13/2019 22:00	0.0		5/12/2020 22:00	0.0	
5/13/2017 23:00	0.0	0.0	5/13/2018 23:00	0.0	117.4	5/13/2019 23:00	0.0	0.0	5/12/2020 23:00	0.0	0.0
5/14/2017 0:00	0.0		5/14/2018 0:00	0.0		5/14/2019 0:00	0.0		5/13/2020 0:00	0.0	
5/14/2017 1:00	0.0		5/14/2018 1:00	0.0		5/14/2019 1:00	0.0		5/13/2020 1:00	0.0	
5/14/2017 2:00	0.0		5/14/2018 2:00	0.0		5/14/2019 2:00	0.0		5/13/2020 2:00	0.0	
5/14/2017 3:00	0.0		5/14/2018 3:00	0.0		5/14/2019 3:00	0.0		5/13/2020 3:00	0.0	
5/14/2017 4:00	0.0		5/14/2018 4:00	0.0		5/14/2019 4:00	0.0		5/13/2020 4:00	0.0	
5/14/2017 5:00	0.0		5/14/2018 5:00	0.0		5/14/2019 5:00	0.0		5/13/2020 5:00	0.0	
5/14/2017 6:00	0.0		5/14/2018 6:00	0.0		5/14/2019 6:00	0.0		5/13/2020 6:00	0.0	
5/14/2017 7:00	0.0		5/14/2018 7:00	0.0		5/14/2019 7:00	0.0		5/13/2020 7:00	0.0	
5/14/2017 8:00	0.0		5/14/2018 8:00	0.0		5/14/2019 8:00	0.0		5/13/2020 8:00	0.0	
5/14/2017 9:00	0.0		5/14/2018 9:00	0.0		5/14/2019 9:00	0.0		5/13/2020 9:00	0.0	
5/14/2017 10:00	0.0		5/14/2018 10:00	0.0		5/14/2019 10:00	0.0		5/13/2020 10:00	0.0	
5/14/2017 11:00	0.0		5/14/2018 11:00	0.0		5/14/2019 11:00	0.0		5/13/2020 11:00	0.0	
5/14/2017 12:00	0.0		5/14/2018 12:00	0.0		5/14/2019 12:00	0.0		5/13/2020 12:00	0.0	
5/14/2017 13:00	0.0		5/14/2018 13:00	0.0		5/14/2019 13:00	0.0		5/13/2020 13:00	0.0	
5/14/2017 14:00	0.0		5/14/2018 14:00	0.0		5/14/2019 14:00	0.0		5/13/2020 14:00	0.0	
5/14/2017 15:00	0.0		5/14/2018 15:00	0.0		5/14/2019 15:00	0.0		5/13/2020 15:00	0.0	
5/14/2017 16:00	0.0		5/14/2018 16:00	0.0		5/14/2019 16:00	0.0		5/13/2020 16:00	0.0	
5/14/2017 17:00	0.0		5/14/2018 17:00	0.0		5/14/2019 17:00	0.0		5/13/2020 17:00	0.0	
5/14/2017 18:00	0.0		5/14/2018 18:00	0.0		5/14/2019 18:00	0.0		5/13/2020 18:00	0.0	
5/14/2017 19:00	0.0		5/14/2018 19:00	0.0		5/14/2019 19:00	0.0		5/13/2020 19:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/14/2017 20:00	0.0		5/14/2018 20:00	0.0		5/14/2019 20:00	0.0		5/13/2020 20:00	0.0	
5/14/2017 21:00	0.0		5/14/2018 21:00	0.0		5/14/2019 21:00	0.0		5/13/2020 21:00	0.0	
5/14/2017 22:00	0.0		5/14/2018 22:00	0.0		5/14/2019 22:00	0.0		5/13/2020 22:00	0.0	
5/14/2017 23:00	0.0	0.0	5/14/2018 23:00	0.0	0.0	5/14/2019 23:00	0.0	0.0	5/13/2020 23:00	0.0	0.0
5/15/2017 0:00	0.0		5/15/2018 0:00	0.0		5/15/2019 0:00	0.0		5/14/2020 0:00	0.0	
5/15/2017 1:00	0.0		5/15/2018 1:00	0.0		5/15/2019 1:00	0.0		5/14/2020 1:00	0.0	
5/15/2017 2:00	0.0		5/15/2018 2:00	0.0		5/15/2019 2:00	0.0		5/14/2020 2:00	0.0	
5/15/2017 3:00	0.0		5/15/2018 3:00	0.0		5/15/2019 3:00	0.0		5/14/2020 3:00	0.0	
5/15/2017 4:00	0.0		5/15/2018 4:00	0.0		5/15/2019 4:00	0.0		5/14/2020 4:00	0.0	
5/15/2017 5:00	0.0		5/15/2018 5:00	0.0		5/15/2019 5:00	0.0		5/14/2020 5:00	0.0	
5/15/2017 6:00	0.0		5/15/2018 6:00	0.0		5/15/2019 6:00	0.0		5/14/2020 6:00	0.0	
5/15/2017 7:00	0.0		5/15/2018 7:00	0.0		5/15/2019 7:00	0.0		5/14/2020 7:00	0.0	
5/15/2017 8:00	0.0		5/15/2018 8:00	0.0		5/15/2019 8:00	0.0		5/14/2020 8:00	0.0	
5/15/2017 9:00	0.0		5/15/2018 9:00	0.0		5/15/2019 9:00	0.0		5/14/2020 9:00	0.0	
5/15/2017 10:00	0.0		5/15/2018 10:00	0.0		5/15/2019 10:00	0.0		5/14/2020 10:00	0.0	
5/15/2017 11:00	0.0		5/15/2018 11:00	0.0		5/15/2019 11:00	0.0		5/14/2020 11:00	0.0	
5/15/2017 12:00	0.0		5/15/2018 12:00	0.0		5/15/2019 12:00	58.8		5/14/2020 12:00	0.0	
5/15/2017 13:00	0.0		5/15/2018 13:00	0.0		5/15/2019 13:00	6.6		5/14/2020 13:00	0.0	
5/15/2017 14:00	0.0		5/15/2018 14:00	0.0		5/15/2019 14:00	0.0		5/14/2020 14:00	0.0	
5/15/2017 15:00	0.0		5/15/2018 15:00	0.0		5/15/2019 15:00	0.0		5/14/2020 15:00	0.0	
5/15/2017 16:00	0.0		5/15/2018 16:00	0.0		5/15/2019 16:00	0.0		5/14/2020 16:00	0.0	
5/15/2017 17:00	0.0		5/15/2018 17:00	0.0		5/15/2019 17:00	0.0		5/14/2020 17:00	0.0	
5/15/2017 18:00	0.0		5/15/2018 18:00	0.0		5/15/2019 18:00	0.0		5/14/2020 18:00	0.0	
5/15/2017 19:00	0.0		5/15/2018 19:00	0.0		5/15/2019 19:00	0.0		5/14/2020 19:00	0.0	
5/15/2017 20:00	0.0		5/15/2018 20:00	0.0		5/15/2019 20:00	0.0		5/14/2020 20:00	0.0	
5/15/2017 21:00	0.0		5/15/2018 21:00	0.0		5/15/2019 21:00	0.0		5/14/2020 21:00	0.0	
5/15/2017 22:00	0.0		5/15/2018 22:00	0.0		5/15/2019 22:00	0.0		5/14/2020 22:00	0.0	
5/15/2017 23:00	0.0	0.0	5/15/2018 23:00	0.0	0.0	5/15/2019 23:00	0.0	58.8	5/14/2020 23:00	0.0	0.0
5/16/2017 0:00	0.0		5/16/2018 0:00	0.0		5/16/2019 0:00	0.0		5/15/2020 0:00	0.0	
5/16/2017 1:00	0.0		5/16/2018 1:00	0.0		5/16/2019 1:00	0.0		5/15/2020 1:00	0.0	
5/16/2017 2:00	0.0		5/16/2018 2:00	0.0		5/16/2019 2:00	0.0		5/15/2020 2:00	0.0	
5/16/2017 3:00	0.0		5/16/2018 3:00	0.0		5/16/2019 3:00	0.0		5/15/2020 3:00	0.0	
5/16/2017 4:00	0.0		5/16/2018 4:00	0.0		5/16/2019 4:00	0.0		5/15/2020 4:00	0.0	
5/16/2017 5:00	0.0		5/16/2018 5:00	0.0		5/16/2019 5:00	0.0		5/15/2020 5:00	0.0	
5/16/2017 6:00	0.0		5/16/2018 6:00	0.0		5/16/2019 6:00	0.0		5/15/2020 6:00	0.0	
5/16/2017 7:00	0.0		5/16/2018 7:00	0.0		5/16/2019 7:00	0.0		5/15/2020 7:00	0.0	
5/16/2017 8:00	0.0		5/16/2018 8:00	0.0		5/16/2019 8:00	0.0		5/15/2020 8:00	0.0	
5/16/2017 9:00	0.0		5/16/2018 9:00	0.0		5/16/2019 9:00	0.0		5/15/2020 9:00	0.0	
5/16/2017 10:00	0.0		5/16/2018 10:00	0.0		5/16/2019 10:00	0.0		5/15/2020 10:00	0.0	
5/16/2017 11:00	0.0		5/16/2018 11:00	0.0		5/16/2019 11:00	0.0		5/15/2020 11:00	0.0	
5/16/2017 12:00	0.0		5/16/2018 12:00	0.0		5/16/2019 12:00	0.0		5/15/2020 12:00	0.0	
5/16/2017 13:00	0.0		5/16/2018 13:00	0.0		5/16/2019 13:00	0.0		5/15/2020 13:00	0.0	
5/16/2017 14:00	0.0		5/16/2018 14:00	0.0		5/16/2019 14:00	0.0		5/15/2020 14:00	0.0	
5/16/2017 15:00	0.0		5/16/2018 15:00	0.0		5/16/2019 15:00	0.0		5/15/2020 15:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/16/2017 16:00	0.0		5/16/2018 16:00	0.0		5/16/2019 16:00	0.0		5/15/2020 16:00	0.0	
5/16/2017 17:00	0.0		5/16/2018 17:00	0.0		5/16/2019 17:00	0.0		5/15/2020 17:00	0.0	
5/16/2017 18:00	0.0		5/16/2018 18:00	0.0		5/16/2019 18:00	0.0		5/15/2020 18:00	0.0	
5/16/2017 19:00	0.0		5/16/2018 19:00	0.0		5/16/2019 19:00	0.0		5/15/2020 19:00	0.0	
5/16/2017 20:00	0.0		5/16/2018 20:00	0.0		5/16/2019 20:00	0.0		5/15/2020 20:00	0.0	
5/16/2017 21:00	151.3		5/16/2018 21:00	0.0		5/16/2019 21:00	0.0		5/15/2020 21:00	0.0	
5/16/2017 22:00	0.0		5/16/2018 22:00	0.0		5/16/2019 22:00	0.0		5/15/2020 22:00	0.0	
5/16/2017 23:00	0.0	151.3	5/16/2018 23:00	0.0	0.0	5/16/2019 23:00	0.0	0.0	5/15/2020 23:00	0.0	0.0
5/17/2017 0:00	0.0		5/17/2018 0:00	0.0		5/17/2019 0:00	0.0		5/16/2020 0:00	0.0	
5/17/2017 1:00	0.0		5/17/2018 1:00	0.0		5/17/2019 1:00	0.0		5/16/2020 1:00	0.0	
5/17/2017 2:00	0.0		5/17/2018 2:00	0.0		5/17/2019 2:00	0.0		5/16/2020 2:00	0.0	
5/17/2017 3:00	0.0		5/17/2018 3:00	0.0		5/17/2019 3:00	0.0		5/16/2020 3:00	0.0	
5/17/2017 4:00	0.0		5/17/2018 4:00	0.0		5/17/2019 4:00	0.0		5/16/2020 4:00	0.0	
5/17/2017 5:00	0.0		5/17/2018 5:00	0.0		5/17/2019 5:00	0.0		5/16/2020 5:00	0.0	
5/17/2017 6:00	0.0		5/17/2018 6:00	0.0		5/17/2019 6:00	0.0		5/16/2020 6:00	0.0	
5/17/2017 7:00	0.0		5/17/2018 7:00	0.0		5/17/2019 7:00	0.0		5/16/2020 7:00	0.0	
5/17/2017 8:00	0.0		5/17/2018 8:00	0.0		5/17/2019 8:00	0.0		5/16/2020 8:00	0.0	
5/17/2017 9:00	0.0		5/17/2018 9:00	0.0		5/17/2019 9:00	0.0		5/16/2020 9:00	0.0	
5/17/2017 10:00	0.0		5/17/2018 10:00	0.0		5/17/2019 10:00	0.0		5/16/2020 10:00	0.0	
5/17/2017 11:00	0.0		5/17/2018 11:00	0.0		5/17/2019 11:00	0.0		5/16/2020 11:00	0.0	
5/17/2017 12:00	0.0		5/17/2018 12:00	0.0		5/17/2019 12:00	0.0		5/16/2020 12:00	0.0	
5/17/2017 13:00	0.0		5/17/2018 13:00	0.0		5/17/2019 13:00	0.0		5/16/2020 13:00	0.0	
5/17/2017 14:00	0.0		5/17/2018 14:00	0.0		5/17/2019 14:00	0.0		5/16/2020 14:00	0.0	
5/17/2017 15:00	0.0		5/17/2018 15:00	0.0		5/17/2019 15:00	0.0		5/16/2020 15:00	0.0	
5/17/2017 16:00	0.0		5/17/2018 16:00	0.0		5/17/2019 16:00	0.0		5/16/2020 16:00	0.0	
5/17/2017 17:00	0.0		5/17/2018 17:00	0.0		5/17/2019 17:00	0.0		5/16/2020 17:00	0.0	
5/17/2017 18:00	0.0		5/17/2018 18:00	0.0		5/17/2019 18:00	0.0		5/16/2020 18:00	0.0	
5/17/2017 19:00	0.0		5/17/2018 19:00	0.0		5/17/2019 19:00	0.0		5/16/2020 19:00	0.0	
5/17/2017 20:00	17.2		5/17/2018 20:00	0.0		5/17/2019 20:00	0.0		5/16/2020 20:00	0.0	
5/17/2017 21:00	0.0		5/17/2018 21:00	0.0		5/17/2019 21:00	0.0		5/16/2020 21:00	0.0	
5/17/2017 22:00	0.0		5/17/2018 22:00	0.0		5/17/2019 22:00	0.0		5/16/2020 22:00	0.0	
5/17/2017 23:00	0.0	17.2	5/17/2018 23:00	0.0	0.0	5/17/2019 23:00	0.0	0.0	5/16/2020 23:00	0.0	0.0
5/18/2017 0:00	0.0		5/18/2018 0:00	0.0		5/18/2019 0:00	0.0		5/17/2020 0:00	0.0	
5/18/2017 1:00	0.0		5/18/2018 1:00	0.0		5/18/2019 1:00	0.0		5/17/2020 1:00	0.0	
5/18/2017 2:00	0.0		5/18/2018 2:00	0.0		5/18/2019 2:00	0.0		5/17/2020 2:00	0.0	
5/18/2017 3:00	0.0		5/18/2018 3:00	0.0		5/18/2019 3:00	0.0		5/17/2020 3:00	0.0	
5/18/2017 4:00	0.0		5/18/2018 4:00	0.0		5/18/2019 4:00	0.0		5/17/2020 4:00	0.0	
5/18/2017 5:00	0.0		5/18/2018 5:00	0.0		5/18/2019 5:00	0.0		5/17/2020 5:00	0.0	
5/18/2017 6:00	0.0		5/18/2018 6:00	0.0		5/18/2019 6:00	0.0		5/17/2020 6:00	0.0	
5/18/2017 7:00	0.0		5/18/2018 7:00	0.0		5/18/2019 7:00	0.0		5/17/2020 7:00	0.0	
5/18/2017 8:00	0.0		5/18/2018 8:00	0.0		5/18/2019 8:00	0.0		5/17/2020 8:00	0.0	
5/18/2017 9:00	0.0		5/18/2018 9:00	0.0		5/18/2019 9:00	0.0		5/17/2020 9:00	0.0	
5/18/2017 10:00	0.0		5/18/2018 10:00	0.0		5/18/2019 10:00	0.0		5/17/2020 10:00	0.0	
5/18/2017 11:00	48.6		5/18/2018 11:00	0.0		5/18/2019 11:00	0.0		5/17/2020 11:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/18/2017 12:00	0.0		5/18/2018 12:00	0.0		5/18/2019 12:00	0.0		5/17/2020 12:00	0.0	
5/18/2017 13:00	0.0		5/18/2018 13:00	0.0		5/18/2019 13:00	0.0		5/17/2020 13:00	0.0	
5/18/2017 14:00	0.0		5/18/2018 14:00	0.0		5/18/2019 14:00	0.0		5/17/2020 14:00	0.0	
5/18/2017 15:00	0.0		5/18/2018 15:00	0.0		5/18/2019 15:00	0.0		5/17/2020 15:00	0.0	
5/18/2017 16:00	0.0		5/18/2018 16:00	0.0		5/18/2019 16:00	0.0		5/17/2020 16:00	0.0	
5/18/2017 17:00	0.0		5/18/2018 17:00	0.0		5/18/2019 17:00	0.0		5/17/2020 17:00	0.0	
5/18/2017 18:00	0.0		5/18/2018 18:00	0.0		5/18/2019 18:00	0.0		5/17/2020 18:00	0.0	
5/18/2017 19:00	0.0		5/18/2018 19:00	0.0		5/18/2019 19:00	0.0		5/17/2020 19:00	0.0	
5/18/2017 20:00	0.0		5/18/2018 20:00	0.0		5/18/2019 20:00	0.0		5/17/2020 20:00	0.0	
5/18/2017 21:00	0.0		5/18/2018 21:00	0.0		5/18/2019 21:00	0.0		5/17/2020 21:00	0.0	
5/18/2017 22:00	0.0		5/18/2018 22:00	0.0		5/18/2019 22:00	0.0		5/17/2020 22:00	0.0	
5/18/2017 23:00	0.0	48.6	5/18/2018 23:00	0.0	0.0	5/18/2019 23:00	0.0	0.0	5/17/2020 23:00	0.0	0.0
5/19/2017 0:00	0.0		5/19/2018 0:00	0.0		5/19/2019 0:00	0.0		5/18/2020 0:00	0.0	
5/19/2017 1:00	0.0		5/19/2018 1:00	0.0		5/19/2019 1:00	0.0		5/18/2020 1:00	0.0	
5/19/2017 2:00	0.0		5/19/2018 2:00	0.0		5/19/2019 2:00	0.0		5/18/2020 2:00	0.0	
5/19/2017 3:00	0.0		5/19/2018 3:00	0.0		5/19/2019 3:00	0.0		5/18/2020 3:00	0.0	
5/19/2017 4:00	0.0		5/19/2018 4:00	0.0		5/19/2019 4:00	0.0		5/18/2020 4:00	0.0	
5/19/2017 5:00	0.0		5/19/2018 5:00	0.0		5/19/2019 5:00	0.0		5/18/2020 5:00	0.0	
5/19/2017 6:00	0.0		5/19/2018 6:00	0.0		5/19/2019 6:00	0.0		5/18/2020 6:00	0.0	
5/19/2017 7:00	0.0		5/19/2018 7:00	0.0		5/19/2019 7:00	0.0		5/18/2020 7:00	0.0	
5/19/2017 8:00	0.0		5/19/2018 8:00	0.0		5/19/2019 8:00	0.0		5/18/2020 8:00	0.0	
5/19/2017 9:00	0.0		5/19/2018 9:00	0.0		5/19/2019 9:00	0.0		5/18/2020 9:00	0.0	
5/19/2017 10:00	0.0		5/19/2018 10:00	0.0		5/19/2019 10:00	0.0		5/18/2020 10:00	0.0	
5/19/2017 11:00	0.0		5/19/2018 11:00	0.0		5/19/2019 11:00	0.0		5/18/2020 11:00	0.0	
5/19/2017 12:00	0.0		5/19/2018 12:00	0.0		5/19/2019 12:00	0.0		5/18/2020 12:00	0.0	
5/19/2017 13:00	0.0		5/19/2018 13:00	0.0		5/19/2019 13:00	0.0		5/18/2020 13:00	0.0	
5/19/2017 14:00	0.0		5/19/2018 14:00	0.0		5/19/2019 14:00	0.0		5/18/2020 14:00	0.0	
5/19/2017 15:00	0.0		5/19/2018 15:00	0.0		5/19/2019 15:00	0.0		5/18/2020 15:00	0.0	
5/19/2017 16:00	0.0		5/19/2018 16:00	0.0		5/19/2019 16:00	0.0		5/18/2020 16:00	0.0	
5/19/2017 17:00	0.0		5/19/2018 17:00	0.0		5/19/2019 17:00	0.0		5/18/2020 17:00	0.0	
5/19/2017 18:00	0.0		5/19/2018 18:00	0.0		5/19/2019 18:00	0.0		5/18/2020 18:00	0.0	
5/19/2017 19:00	0.0		5/19/2018 19:00	0.0		5/19/2019 19:00	0.0		5/18/2020 19:00	0.0	
5/19/2017 20:00	0.0		5/19/2018 20:00	0.0		5/19/2019 20:00	0.0		5/18/2020 20:00	0.0	
5/19/2017 21:00	0.0		5/19/2018 21:00	0.0		5/19/2019 21:00	0.0		5/18/2020 21:00	0.0	
5/19/2017 22:00	0.0		5/19/2018 22:00	0.0		5/19/2019 22:00	0.0		5/18/2020 22:00	0.0	
5/19/2017 23:00	0.0	0.0	5/19/2018 23:00	0.0	0.0	5/19/2019 23:00	0.0	0.0	5/18/2020 23:00	0.0	0.0
5/20/2017 0:00	0.0		5/20/2018 0:00	0.0		5/20/2019 0:00	0.0		5/19/2020 0:00	0.0	
5/20/2017 1:00	0.0		5/20/2018 1:00	0.0		5/20/2019 1:00	0.0		5/19/2020 1:00	0.0	
5/20/2017 2:00	0.0		5/20/2018 2:00	0.0		5/20/2019 2:00	0.0		5/19/2020 2:00	0.0	
5/20/2017 3:00	0.0		5/20/2018 3:00	0.0		5/20/2019 3:00	0.0		5/19/2020 3:00	0.0	
5/20/2017 4:00	0.0		5/20/2018 4:00	0.0		5/20/2019 4:00	0.0		5/19/2020 4:00	0.0	
5/20/2017 5:00	0.0		5/20/2018 5:00	0.0		5/20/2019 5:00	0.0		5/19/2020 5:00	0.0	
5/20/2017 6:00	0.0		5/20/2018 6:00	0.0		5/20/2019 6:00	0.0		5/19/2020 6:00	0.0	
5/20/2017 7:00	0.0		5/20/2018 7:00	0.0		5/20/2019 7:00	0.0		5/19/2020 7:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/20/2017 8:00	0.0		5/20/2018 8:00	0.0		5/20/2019 8:00	0.0		5/19/2020 8:00	0.0	
5/20/2017 9:00	0.0		5/20/2018 9:00	0.0		5/20/2019 9:00	282.6		5/19/2020 9:00	0.0	
5/20/2017 10:00	0.0		5/20/2018 10:00	0.0		5/20/2019 10:00	244.5		5/19/2020 10:00	0.0	
5/20/2017 11:00	0.0		5/20/2018 11:00	0.0		5/20/2019 11:00	0.0		5/19/2020 11:00	0.0	
5/20/2017 12:00	0.0		5/20/2018 12:00	0.0		5/20/2019 12:00	0.0		5/19/2020 12:00	0.0	
5/20/2017 13:00	0.0		5/20/2018 13:00	0.0		5/20/2019 13:00	0.0		5/19/2020 13:00	0.0	
5/20/2017 14:00	0.0		5/20/2018 14:00	0.0		5/20/2019 14:00	0.0		5/19/2020 14:00	0.0	
5/20/2017 15:00	0.0		5/20/2018 15:00	0.0		5/20/2019 15:00	6.2		5/19/2020 15:00	0.0	
5/20/2017 16:00	0.0		5/20/2018 16:00	0.0		5/20/2019 16:00	76.6		5/19/2020 16:00	0.0	
5/20/2017 17:00	0.0		5/20/2018 17:00	0.0		5/20/2019 17:00	0.9		5/19/2020 17:00	0.0	
5/20/2017 18:00	0.0		5/20/2018 18:00	0.0		5/20/2019 18:00	0.0		5/19/2020 18:00	0.0	
5/20/2017 19:00	0.0		5/20/2018 19:00	0.0		5/20/2019 19:00	0.0		5/19/2020 19:00	0.0	
5/20/2017 20:00	0.0		5/20/2018 20:00	0.0		5/20/2019 20:00	0.0		5/19/2020 20:00	0.0	
5/20/2017 21:00	0.0		5/20/2018 21:00	0.0		5/20/2019 21:00	0.0		5/19/2020 21:00	0.0	
5/20/2017 22:00	0.0		5/20/2018 22:00	0.0		5/20/2019 22:00	0.0		5/19/2020 22:00	0.0	
5/20/2017 23:00	0.0	0.0	5/20/2018 23:00	0.0	0.0	5/20/2019 23:00	0.0	282.6	5/19/2020 23:00	0.0	0.0
5/21/2017 0:00	0.0		5/21/2018 0:00	0.0		5/21/2019 0:00	0.0		5/20/2020 0:00	0.0	
5/21/2017 1:00	0.0		5/21/2018 1:00	0.0		5/21/2019 1:00	0.0		5/20/2020 1:00	0.0	
5/21/2017 2:00	0.0		5/21/2018 2:00	0.0		5/21/2019 2:00	0.0		5/20/2020 2:00	0.0	
5/21/2017 3:00	0.0		5/21/2018 3:00	0.0		5/21/2019 3:00	0.0		5/20/2020 3:00	0.0	
5/21/2017 4:00	0.0		5/21/2018 4:00	0.0		5/21/2019 4:00	0.0		5/20/2020 4:00	0.0	
5/21/2017 5:00	0.0		5/21/2018 5:00	0.0		5/21/2019 5:00	0.0		5/20/2020 5:00	0.0	
5/21/2017 6:00	0.0		5/21/2018 6:00	0.0		5/21/2019 6:00	0.0		5/20/2020 6:00	0.0	
5/21/2017 7:00	0.0		5/21/2018 7:00	0.0		5/21/2019 7:00	0.0		5/20/2020 7:00	0.0	
5/21/2017 8:00	0.0		5/21/2018 8:00	0.0		5/21/2019 8:00	0.0		5/20/2020 8:00	0.0	
5/21/2017 9:00	0.0		5/21/2018 9:00	0.0		5/21/2019 9:00	0.0		5/20/2020 9:00	0.0	
5/21/2017 10:00	0.0		5/21/2018 10:00	0.0		5/21/2019 10:00	0.0		5/20/2020 10:00	0.0	
5/21/2017 11:00	0.0		5/21/2018 11:00	0.0		5/21/2019 11:00	0.0		5/20/2020 11:00	0.0	
5/21/2017 12:00	0.0		5/21/2018 12:00	0.0		5/21/2019 12:00	0.0		5/20/2020 12:00	0.0	
5/21/2017 13:00	0.0		5/21/2018 13:00	0.0		5/21/2019 13:00	0.0		5/20/2020 13:00	0.0	
5/21/2017 14:00	0.0		5/21/2018 14:00	0.0		5/21/2019 14:00	0.0		5/20/2020 14:00	0.0	
5/21/2017 15:00	0.0		5/21/2018 15:00	0.0		5/21/2019 15:00	0.0		5/20/2020 15:00	0.0	
5/21/2017 16:00	0.0		5/21/2018 16:00	0.0		5/21/2019 16:00	0.0		5/20/2020 16:00	0.0	
5/21/2017 17:00	0.0		5/21/2018 17:00	0.0		5/21/2019 17:00	0.0		5/20/2020 17:00	0.0	
5/21/2017 18:00	0.0		5/21/2018 18:00	0.0		5/21/2019 18:00	0.0		5/20/2020 18:00	0.0	
5/21/2017 19:00	0.0		5/21/2018 19:00	0.0		5/21/2019 19:00	0.0		5/20/2020 19:00	0.0	
5/21/2017 20:00	0.0		5/21/2018 20:00	0.0		5/21/2019 20:00	0.0		5/20/2020 20:00	0.0	
5/21/2017 21:00	0.0		5/21/2018 21:00	0.0		5/21/2019 21:00	0.0		5/20/2020 21:00	0.0	
5/21/2017 22:00	0.0		5/21/2018 22:00	0.0		5/21/2019 22:00	0.0		5/20/2020 22:00	0.0	
5/21/2017 23:00	0.0	0.0	5/21/2018 23:00	0.0	0.0	5/21/2019 23:00	0.0	0.0	5/20/2020 23:00	0.0	0.0
5/22/2017 0:00	0.0		5/22/2018 0:00	0.0		5/22/2019 0:00	0.0		5/21/2020 0:00	0.0	
5/22/2017 1:00	0.0		5/22/2018 1:00	0.0		5/22/2019 1:00	0.0		5/21/2020 1:00	0.0	
5/22/2017 2:00	0.0		5/22/2018 2:00	0.0		5/22/2019 2:00	0.0		5/21/2020 2:00	0.0	
5/22/2017 3:00	0.0		5/22/2018 3:00	0.0		5/22/2019 3:00	0.0		5/21/2020 3:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/22/2017 4:00	0.0		5/22/2018 4:00	0.0		5/22/2019 4:00	0.0		5/21/2020 4:00	0.0	
5/22/2017 5:00	0.0		5/22/2018 5:00	0.0		5/22/2019 5:00	0.0		5/21/2020 5:00	0.0	
5/22/2017 6:00	0.0		5/22/2018 6:00	0.0		5/22/2019 6:00	0.0		5/21/2020 6:00	0.0	
5/22/2017 7:00	0.0		5/22/2018 7:00	0.0		5/22/2019 7:00	0.0		5/21/2020 7:00	0.0	
5/22/2017 8:00	0.0		5/22/2018 8:00	0.0		5/22/2019 8:00	0.0		5/21/2020 8:00	0.0	
5/22/2017 9:00	0.0		5/22/2018 9:00	0.0		5/22/2019 9:00	0.0		5/21/2020 9:00	0.0	
5/22/2017 10:00	0.0		5/22/2018 10:00	0.0		5/22/2019 10:00	0.0		5/21/2020 10:00	0.0	
5/22/2017 11:00	0.0		5/22/2018 11:00	0.0		5/22/2019 11:00	0.0		5/21/2020 11:00	0.0	
5/22/2017 12:00	0.0		5/22/2018 12:00	0.0		5/22/2019 12:00	0.0		5/21/2020 12:00	0.0	
5/22/2017 13:00	0.0		5/22/2018 13:00	0.0		5/22/2019 13:00	0.0		5/21/2020 13:00	0.0	
5/22/2017 14:00	0.0		5/22/2018 14:00	0.0		5/22/2019 14:00	0.0		5/21/2020 14:00	0.0	
5/22/2017 15:00	0.0		5/22/2018 15:00	0.0		5/22/2019 15:00	0.0		5/21/2020 15:00	0.0	
5/22/2017 16:00	0.0		5/22/2018 16:00	0.0		5/22/2019 16:00	0.0		5/21/2020 16:00	0.0	
5/22/2017 17:00	0.0		5/22/2018 17:00	0.0		5/22/2019 17:00	0.0		5/21/2020 17:00	0.0	
5/22/2017 18:00	0.0		5/22/2018 18:00	0.0		5/22/2019 18:00	0.0		5/21/2020 18:00	0.0	
5/22/2017 19:00	0.0		5/22/2018 19:00	0.0		5/22/2019 19:00	0.0		5/21/2020 19:00	0.0	
5/22/2017 20:00	0.0		5/22/2018 20:00	0.0		5/22/2019 20:00	0.0		5/21/2020 20:00	0.0	
5/22/2017 21:00	0.0		5/22/2018 21:00	0.0		5/22/2019 21:00	0.0		5/21/2020 21:00	0.0	
5/22/2017 22:00	0.0		5/22/2018 22:00	0.0		5/22/2019 22:00	0.0		5/21/2020 22:00	0.0	
5/22/2017 23:00	0.0	0.0	5/22/2018 23:00	0.0	0.0	5/22/2019 23:00	0.0	0.0	5/21/2020 23:00	0.0	0.0
5/23/2017 0:00	0.0		5/23/2018 0:00	0.0		5/23/2019 0:00	0.0		5/22/2020 0:00	0.0	
5/23/2017 1:00	0.0		5/23/2018 1:00	0.0		5/23/2019 1:00	0.0		5/22/2020 1:00	0.0	
5/23/2017 2:00	0.0		5/23/2018 2:00	0.0		5/23/2019 2:00	0.0		5/22/2020 2:00	0.0	
5/23/2017 3:00	0.0		5/23/2018 3:00	0.0		5/23/2019 3:00	0.0		5/22/2020 3:00	0.0	
5/23/2017 4:00	0.0		5/23/2018 4:00	0.0		5/23/2019 4:00	0.0		5/22/2020 4:00	0.0	
5/23/2017 5:00	0.0		5/23/2018 5:00	0.0		5/23/2019 5:00	0.0		5/22/2020 5:00	0.0	
5/23/2017 6:00	0.0		5/23/2018 6:00	0.0		5/23/2019 6:00	0.0		5/22/2020 6:00	0.0	
5/23/2017 7:00	0.0		5/23/2018 7:00	0.0		5/23/2019 7:00	0.0		5/22/2020 7:00	0.0	
5/23/2017 8:00	0.0		5/23/2018 8:00	0.0		5/23/2019 8:00	0.0		5/22/2020 8:00	0.0	
5/23/2017 9:00	0.0		5/23/2018 9:00	0.0		5/23/2019 9:00	0.0		5/22/2020 9:00	0.0	
5/23/2017 10:00	0.0		5/23/2018 10:00	0.0		5/23/2019 10:00	0.0		5/22/2020 10:00	0.0	
5/23/2017 11:00	0.0		5/23/2018 11:00	0.0		5/23/2019 11:00	0.0		5/22/2020 11:00	0.0	
5/23/2017 12:00	0.0		5/23/2018 12:00	0.0		5/23/2019 12:00	0.0		5/22/2020 12:00	0.0	
5/23/2017 13:00	0.0		5/23/2018 13:00	0.0		5/23/2019 13:00	0.0		5/22/2020 13:00	0.0	
5/23/2017 14:00	0.0		5/23/2018 14:00	0.0		5/23/2019 14:00	0.0		5/22/2020 14:00	0.0	
5/23/2017 15:00	0.0		5/23/2018 15:00	0.0		5/23/2019 15:00	0.0		5/22/2020 15:00	0.0	
5/23/2017 16:00	0.0		5/23/2018 16:00	0.0		5/23/2019 16:00	0.0		5/22/2020 16:00	0.0	
5/23/2017 17:00	0.0		5/23/2018 17:00	0.0		5/23/2019 17:00	0.0		5/22/2020 17:00	0.0	
5/23/2017 18:00	0.0		5/23/2018 18:00	0.0		5/23/2019 18:00	0.0		5/22/2020 18:00	0.0	
5/23/2017 19:00	0.0		5/23/2018 19:00	0.0		5/23/2019 19:00	0.0		5/22/2020 19:00	0.0	
5/23/2017 20:00	0.0		5/23/2018 20:00	0.0		5/23/2019 20:00	0.0		5/22/2020 20:00	0.0	
5/23/2017 21:00	0.0		5/23/2018 21:00	0.0		5/23/2019 21:00	0.0		5/22/2020 21:00	0.0	
5/23/2017 22:00	0.0		5/23/2018 22:00	0.0		5/23/2019 22:00	0.0		5/22/2020 22:00	0.0	
5/23/2017 23:00	0.0	0.0	5/23/2018 23:00	0.0	0.0	5/23/2019 23:00	0.0	0.0	5/22/2020 23:00	0.0	0.0

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/24/2017 0:00	0.0		5/24/2018 0:00	0.0		5/24/2019 0:00	0.0		5/23/2020 0:00	0.0	
5/24/2017 1:00	0.0		5/24/2018 1:00	0.0		5/24/2019 1:00	0.0		5/23/2020 1:00	0.0	
5/24/2017 2:00	0.0		5/24/2018 2:00	0.0		5/24/2019 2:00	0.0		5/23/2020 2:00	0.0	
5/24/2017 3:00	0.0		5/24/2018 3:00	0.0		5/24/2019 3:00	0.0		5/23/2020 3:00	0.0	
5/24/2017 4:00	0.0		5/24/2018 4:00	0.0		5/24/2019 4:00	0.0		5/23/2020 4:00	0.0	
5/24/2017 5:00	0.0		5/24/2018 5:00	0.0		5/24/2019 5:00	0.0		5/23/2020 5:00	0.0	
5/24/2017 6:00	0.0		5/24/2018 6:00	0.0		5/24/2019 6:00	0.0		5/23/2020 6:00	0.0	
5/24/2017 7:00	0.0		5/24/2018 7:00	0.0		5/24/2019 7:00	0.0		5/23/2020 7:00	0.0	
5/24/2017 8:00	0.0		5/24/2018 8:00	0.0		5/24/2019 8:00	0.0		5/23/2020 8:00	0.0	
5/24/2017 9:00	0.0		5/24/2018 9:00	0.0		5/24/2019 9:00	0.0		5/23/2020 9:00	0.0	
5/24/2017 10:00	0.0		5/24/2018 10:00	0.0		5/24/2019 10:00	0.0		5/23/2020 10:00	0.0	
5/24/2017 11:00	0.0		5/24/2018 11:00	0.0		5/24/2019 11:00	0.0		5/23/2020 11:00	0.0	
5/24/2017 12:00	0.0		5/24/2018 12:00	0.0		5/24/2019 12:00	0.0		5/23/2020 12:00	0.0	
5/24/2017 13:00	0.0		5/24/2018 13:00	0.0		5/24/2019 13:00	0.0		5/23/2020 13:00	0.0	
5/24/2017 14:00	0.0		5/24/2018 14:00	0.0		5/24/2019 14:00	0.0		5/23/2020 14:00	0.0	
5/24/2017 15:00	0.0		5/24/2018 15:00	0.0		5/24/2019 15:00	0.0		5/23/2020 15:00	0.0	
5/24/2017 16:00	0.0		5/24/2018 16:00	0.0		5/24/2019 16:00	0.0		5/23/2020 16:00	0.0	
5/24/2017 17:00	0.0		5/24/2018 17:00	0.0		5/24/2019 17:00	0.0		5/23/2020 17:00	0.0	
5/24/2017 18:00	0.0		5/24/2018 18:00	0.0		5/24/2019 18:00	0.0		5/23/2020 18:00	0.0	
5/24/2017 19:00	0.0		5/24/2018 19:00	0.0		5/24/2019 19:00	0.0		5/23/2020 19:00	0.0	
5/24/2017 20:00	0.0		5/24/2018 20:00	0.0		5/24/2019 20:00	0.0		5/23/2020 20:00	0.0	
5/24/2017 21:00	0.0		5/24/2018 21:00	0.0		5/24/2019 21:00	0.0		5/23/2020 21:00	0.0	
5/24/2017 22:00	0.0		5/24/2018 22:00	0.0		5/24/2019 22:00	0.0		5/23/2020 22:00	0.0	
5/24/2017 23:00	0.0	0.0	5/24/2018 23:00	0.0	0.0	5/24/2019 23:00	0.0	0.0	5/23/2020 23:00	0.0	0.0
5/25/2017 0:00	0.0		5/25/2018 0:00	0.0		5/25/2019 0:00	0.0		5/24/2020 0:00	0.0	
5/25/2017 1:00	0.0		5/25/2018 1:00	0.0		5/25/2019 1:00	0.0		5/24/2020 1:00	0.0	
5/25/2017 2:00	0.0		5/25/2018 2:00	0.0		5/25/2019 2:00	0.0		5/24/2020 2:00	0.0	
5/25/2017 3:00	0.0		5/25/2018 3:00	0.0		5/25/2019 3:00	0.0		5/24/2020 3:00	0.0	
5/25/2017 4:00	0.0		5/25/2018 4:00	0.0		5/25/2019 4:00	0.0		5/24/2020 4:00	0.0	
5/25/2017 5:00	0.0		5/25/2018 5:00	0.0		5/25/2019 5:00	0.0		5/24/2020 5:00	0.0	
5/25/2017 6:00	0.0		5/25/2018 6:00	0.0		5/25/2019 6:00	0.0		5/24/2020 6:00	0.0	
5/25/2017 7:00	0.0		5/25/2018 7:00	0.0		5/25/2019 7:00	0.0		5/24/2020 7:00	0.0	
5/25/2017 8:00	0.0		5/25/2018 8:00	0.0		5/25/2019 8:00	0.0		5/24/2020 8:00	0.0	
5/25/2017 9:00	0.0		5/25/2018 9:00	0.0		5/25/2019 9:00	0.0		5/24/2020 9:00	0.0	
5/25/2017 10:00	0.0		5/25/2018 10:00	0.0		5/25/2019 10:00	0.0		5/24/2020 10:00	0.0	
5/25/2017 11:00	0.0		5/25/2018 11:00	0.0		5/25/2019 11:00	0.0		5/24/2020 11:00	0.0	
5/25/2017 12:00	0.0		5/25/2018 12:00	0.0		5/25/2019 12:00	0.0		5/24/2020 12:00	0.0	
5/25/2017 13:00	0.0		5/25/2018 13:00	0.0		5/25/2019 13:00	0.0		5/24/2020 13:00	0.0	
5/25/2017 14:00	0.0		5/25/2018 14:00	0.0		5/25/2019 14:00	0.0		5/24/2020 14:00	0.0	
5/25/2017 15:00	0.0		5/25/2018 15:00	0.0		5/25/2019 15:00	0.0		5/24/2020 15:00	0.0	
5/25/2017 16:00	0.0		5/25/2018 16:00	0.0		5/25/2019 16:00	0.0		5/24/2020 16:00	0.0	
5/25/2017 17:00	0.0		5/25/2018 17:00	0.0		5/25/2019 17:00	0.0		5/24/2020 17:00	0.0	
5/25/2017 18:00	0.0		5/25/2018 18:00	0.0		5/25/2019 18:00	0.0		5/24/2020 18:00	0.0	
5/25/2017 19:00	0.0		5/25/2018 19:00	0.0		5/25/2019 19:00	0.0		5/24/2020 19:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/25/2017 20:00	0.0		5/25/2018 20:00	0.0		5/25/2019 20:00	0.0		5/24/2020 20:00	0.0	
5/25/2017 21:00	0.0		5/25/2018 21:00	0.0		5/25/2019 21:00	0.0		5/24/2020 21:00	0.0	
5/25/2017 22:00	0.0		5/25/2018 22:00	0.0		5/25/2019 22:00	0.0		5/24/2020 22:00	0.0	
5/25/2017 23:00	0.0	0.0	5/25/2018 23:00	0.0	0.0	5/25/2019 23:00	0.0	0.0	5/24/2020 23:00	0.0	0.0
5/26/2017 0:00	0.0		5/26/2018 0:00	0.0		5/26/2019 0:00	0.0		5/25/2020 0:00	0.0	
5/26/2017 1:00	0.0		5/26/2018 1:00	0.0		5/26/2019 1:00	0.0		5/25/2020 1:00	0.0	
5/26/2017 2:00	0.0		5/26/2018 2:00	0.0		5/26/2019 2:00	0.0		5/25/2020 2:00	0.0	
5/26/2017 3:00	0.0		5/26/2018 3:00	0.0		5/26/2019 3:00	0.0		5/25/2020 3:00	0.0	
5/26/2017 4:00	0.0		5/26/2018 4:00	0.0		5/26/2019 4:00	0.0		5/25/2020 4:00	0.0	
5/26/2017 5:00	0.0		5/26/2018 5:00	0.0		5/26/2019 5:00	0.0		5/25/2020 5:00	0.0	
5/26/2017 6:00	0.0		5/26/2018 6:00	0.0		5/26/2019 6:00	0.0		5/25/2020 6:00	0.0	
5/26/2017 7:00	0.0		5/26/2018 7:00	0.0		5/26/2019 7:00	0.0		5/25/2020 7:00	0.0	
5/26/2017 8:00	0.0		5/26/2018 8:00	0.0		5/26/2019 8:00	0.0		5/25/2020 8:00	0.0	
5/26/2017 9:00	0.0		5/26/2018 9:00	0.0		5/26/2019 9:00	0.0		5/25/2020 9:00	0.0	
5/26/2017 10:00	0.0		5/26/2018 10:00	0.0		5/26/2019 10:00	0.0		5/25/2020 10:00	0.0	
5/26/2017 11:00	0.0		5/26/2018 11:00	0.0		5/26/2019 11:00	0.0		5/25/2020 11:00	0.0	
5/26/2017 12:00	0.0		5/26/2018 12:00	0.0		5/26/2019 12:00	0.0		5/25/2020 12:00	0.0	
5/26/2017 13:00	0.0		5/26/2018 13:00	0.0		5/26/2019 13:00	0.0		5/25/2020 13:00	0.0	
5/26/2017 14:00	0.0		5/26/2018 14:00	0.0		5/26/2019 14:00	0.0		5/25/2020 14:00	0.0	
5/26/2017 15:00	0.0		5/26/2018 15:00	0.0		5/26/2019 15:00	0.0		5/25/2020 15:00	0.0	
5/26/2017 16:00	0.0		5/26/2018 16:00	0.0		5/26/2019 16:00	0.0		5/25/2020 16:00	0.0	
5/26/2017 17:00	0.0		5/26/2018 17:00	0.0		5/26/2019 17:00	0.0		5/25/2020 17:00	0.0	
5/26/2017 18:00	0.0		5/26/2018 18:00	0.0		5/26/2019 18:00	0.0		5/25/2020 18:00	0.0	
5/26/2017 19:00	0.0		5/26/2018 19:00	0.0		5/26/2019 19:00	0.0		5/25/2020 19:00	0.0	
5/26/2017 20:00	0.0		5/26/2018 20:00	0.0		5/26/2019 20:00	0.0		5/25/2020 20:00	0.0	
5/26/2017 21:00	0.0		5/26/2018 21:00	0.0		5/26/2019 21:00	0.0		5/25/2020 21:00	0.0	
5/26/2017 22:00	0.0		5/26/2018 22:00	0.0		5/26/2019 22:00	0.0		5/25/2020 22:00	0.0	
5/26/2017 23:00	0.0	0.0	5/26/2018 23:00	0.0	0.0	5/26/2019 23:00	0.0	0.0	5/25/2020 23:00	0.0	0.0
5/27/2017 0:00	0.0		5/27/2018 0:00	0.0		5/27/2019 0:00	0.0		5/26/2020 0:00	0.0	
5/27/2017 1:00	0.0		5/27/2018 1:00	0.0		5/27/2019 1:00	0.0		5/26/2020 1:00	0.0	
5/27/2017 2:00	0.0		5/27/2018 2:00	0.0		5/27/2019 2:00	0.0		5/26/2020 2:00	0.0	
5/27/2017 3:00	0.0		5/27/2018 3:00	0.0		5/27/2019 3:00	0.0		5/26/2020 3:00	0.0	
5/27/2017 4:00	0.0		5/27/2018 4:00	0.0		5/27/2019 4:00	0.0		5/26/2020 4:00	0.0	
5/27/2017 5:00	0.0		5/27/2018 5:00	0.0		5/27/2019 5:00	0.0		5/26/2020 5:00	0.0	
5/27/2017 6:00	0.0		5/27/2018 6:00	0.0		5/27/2019 6:00	0.0		5/26/2020 6:00	0.0	
5/27/2017 7:00	0.0		5/27/2018 7:00	0.0		5/27/2019 7:00	0.0		5/26/2020 7:00	0.0	
5/27/2017 8:00	0.0		5/27/2018 8:00	0.0		5/27/2019 8:00	0.0		5/26/2020 8:00	0.0	
5/27/2017 9:00	0.0		5/27/2018 9:00	0.0		5/27/2019 9:00	0.0		5/26/2020 9:00	0.0	
5/27/2017 10:00	0.0		5/27/2018 10:00	0.0		5/27/2019 10:00	0.0		5/26/2020 10:00	0.0	
5/27/2017 11:00	0.0		5/27/2018 11:00	0.0		5/27/2019 11:00	0.0		5/26/2020 11:00	0.0	
5/27/2017 12:00	0.0		5/27/2018 12:00	0.0		5/27/2019 12:00	0.0		5/26/2020 12:00	0.0	
5/27/2017 13:00	0.0		5/27/2018 13:00	0.0		5/27/2019 13:00	0.0		5/26/2020 13:00	0.0	
5/27/2017 14:00	0.0		5/27/2018 14:00	0.0		5/27/2019 14:00	0.0		5/26/2020 14:00	0.0	
5/27/2017 15:00	0.0		5/27/2018 15:00	0.0		5/27/2019 15:00	0.0		5/26/2020 15:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/27/2017 16:00	0.0		5/27/2018 16:00	0.0		5/27/2019 16:00	0.0		5/26/2020 16:00	0.0	
5/27/2017 17:00	0.0		5/27/2018 17:00	0.0		5/27/2019 17:00	0.0		5/26/2020 17:00	0.0	
5/27/2017 18:00	0.0		5/27/2018 18:00	0.0		5/27/2019 18:00	0.0		5/26/2020 18:00	0.0	
5/27/2017 19:00	0.0		5/27/2018 19:00	0.0		5/27/2019 19:00	0.0		5/26/2020 19:00	0.0	
5/27/2017 20:00	0.0		5/27/2018 20:00	0.0		5/27/2019 20:00	0.0		5/26/2020 20:00	0.0	
5/27/2017 21:00	0.0		5/27/2018 21:00	0.0		5/27/2019 21:00	0.0		5/26/2020 21:00	0.0	
5/27/2017 22:00	0.0		5/27/2018 22:00	0.0		5/27/2019 22:00	0.0		5/26/2020 22:00	0.0	
5/27/2017 23:00	0.0	0.0	5/27/2018 23:00	0.0	0.0	5/27/2019 23:00	0.0	0.0	5/26/2020 23:00	0.0	0.0
5/28/2017 0:00	0.0		5/28/2018 0:00	0.0		5/28/2019 0:00	0.0		5/27/2020 0:00	0.0	
5/28/2017 1:00	0.0		5/28/2018 1:00	0.0		5/28/2019 1:00	0.0		5/27/2020 1:00	0.0	
5/28/2017 2:00	0.0		5/28/2018 2:00	0.0		5/28/2019 2:00	0.0		5/27/2020 2:00	0.0	
5/28/2017 3:00	0.0		5/28/2018 3:00	0.0		5/28/2019 3:00	0.0		5/27/2020 3:00	0.0	
5/28/2017 4:00	0.0		5/28/2018 4:00	0.0		5/28/2019 4:00	0.0		5/27/2020 4:00	0.0	
5/28/2017 5:00	0.0		5/28/2018 5:00	0.0		5/28/2019 5:00	0.0		5/27/2020 5:00	0.0	
5/28/2017 6:00	0.0		5/28/2018 6:00	0.0		5/28/2019 6:00	0.0		5/27/2020 6:00	0.0	
5/28/2017 7:00	0.0		5/28/2018 7:00	0.0		5/28/2019 7:00	0.0		5/27/2020 7:00	0.0	
5/28/2017 8:00	0.0		5/28/2018 8:00	0.0		5/28/2019 8:00	0.0		5/27/2020 8:00	0.0	
5/28/2017 9:00	0.0		5/28/2018 9:00	0.0		5/28/2019 9:00	0.0		5/27/2020 9:00	0.0	
5/28/2017 10:00	0.0		5/28/2018 10:00	0.0		5/28/2019 10:00	0.0		5/27/2020 10:00	0.0	
5/28/2017 11:00	0.0		5/28/2018 11:00	0.0		5/28/2019 11:00	0.0		5/27/2020 11:00	0.0	
5/28/2017 12:00	0.0		5/28/2018 12:00	0.0		5/28/2019 12:00	0.0		5/27/2020 12:00	0.0	
5/28/2017 13:00	0.0		5/28/2018 13:00	0.0		5/28/2019 13:00	0.0		5/27/2020 13:00	0.0	
5/28/2017 14:00	0.0		5/28/2018 14:00	0.0		5/28/2019 14:00	0.0		5/27/2020 14:00	0.0	
5/28/2017 15:00	0.0		5/28/2018 15:00	0.0		5/28/2019 15:00	0.0		5/27/2020 15:00	0.0	
5/28/2017 16:00	0.0		5/28/2018 16:00	0.0		5/28/2019 16:00	0.0		5/27/2020 16:00	0.0	
5/28/2017 17:00	0.0		5/28/2018 17:00	0.0		5/28/2019 17:00	0.0		5/27/2020 17:00	0.0	
5/28/2017 18:00	0.0		5/28/2018 18:00	0.0		5/28/2019 18:00	0.0		5/27/2020 18:00	0.0	
5/28/2017 19:00	0.0		5/28/2018 19:00	0.0		5/28/2019 19:00	0.0		5/27/2020 19:00	0.0	
5/28/2017 20:00	0.0		5/28/2018 20:00	0.0		5/28/2019 20:00	0.0		5/27/2020 20:00	0.0	
5/28/2017 21:00	0.0		5/28/2018 21:00	0.0		5/28/2019 21:00	0.0		5/27/2020 21:00	0.0	
5/28/2017 22:00	0.0		5/28/2018 22:00	0.0		5/28/2019 22:00	0.0		5/27/2020 22:00	0.0	
5/28/2017 23:00	0.0	0.0	5/28/2018 23:00	0.0	0.0	5/28/2019 23:00	0.0	0.0	5/27/2020 23:00	0.0	0.0
5/29/2017 0:00	0.0		5/29/2018 0:00	0.0		5/29/2019 0:00	0.0		5/28/2020 0:00	0.0	
5/29/2017 1:00	0.0		5/29/2018 1:00	0.0		5/29/2019 1:00	0.0		5/28/2020 1:00	0.0	
5/29/2017 2:00	0.0		5/29/2018 2:00	0.0		5/29/2019 2:00	0.0		5/28/2020 2:00	0.0	
5/29/2017 3:00	0.0		5/29/2018 3:00	0.0		5/29/2019 3:00	0.0		5/28/2020 3:00	0.0	
5/29/2017 4:00	0.0		5/29/2018 4:00	0.0		5/29/2019 4:00	0.0		5/28/2020 4:00	0.0	
5/29/2017 5:00	0.0		5/29/2018 5:00	0.0		5/29/2019 5:00	0.0		5/28/2020 5:00	0.0	
5/29/2017 6:00	0.0		5/29/2018 6:00	0.0		5/29/2019 6:00	0.0		5/28/2020 6:00	0.0	
5/29/2017 7:00	0.0		5/29/2018 7:00	0.0		5/29/2019 7:00	0.0		5/28/2020 7:00	0.0	
5/29/2017 8:00	0.0		5/29/2018 8:00	0.0		5/29/2019 8:00	0.0		5/28/2020 8:00	0.0	
5/29/2017 9:00	0.0		5/29/2018 9:00	0.0		5/29/2019 9:00	0.0		5/28/2020 9:00	0.0	
5/29/2017 10:00	0.0		5/29/2018 10:00	0.0		5/29/2019 10:00	0.0		5/28/2020 10:00	0.0	
5/29/2017 11:00	0.0		5/29/2018 11:00	0.0		5/29/2019 11:00	0.0		5/28/2020 11:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/29/2017 12:00	0.0		5/29/2018 12:00	0.0		5/29/2019 12:00	0.0		5/28/2020 12:00	0.0	
5/29/2017 13:00	0.0		5/29/2018 13:00	0.0		5/29/2019 13:00	0.0		5/28/2020 13:00	0.0	
5/29/2017 14:00	0.0		5/29/2018 14:00	0.0		5/29/2019 14:00	0.0		5/28/2020 14:00	0.0	
5/29/2017 15:00	0.0		5/29/2018 15:00	0.0		5/29/2019 15:00	0.0		5/28/2020 15:00	0.0	
5/29/2017 16:00	0.0		5/29/2018 16:00	0.0		5/29/2019 16:00	0.0		5/28/2020 16:00	0.0	
5/29/2017 17:00	0.0		5/29/2018 17:00	0.0		5/29/2019 17:00	0.0		5/28/2020 17:00	0.0	
5/29/2017 18:00	0.0		5/29/2018 18:00	0.0		5/29/2019 18:00	0.0		5/28/2020 18:00	0.0	
5/29/2017 19:00	0.0		5/29/2018 19:00	0.0		5/29/2019 19:00	0.0		5/28/2020 19:00	0.0	
5/29/2017 20:00	0.0		5/29/2018 20:00	0.0		5/29/2019 20:00	0.0		5/28/2020 20:00	0.0	
5/29/2017 21:00	0.0		5/29/2018 21:00	0.0		5/29/2019 21:00	0.0		5/28/2020 21:00	0.0	
5/29/2017 22:00	0.0		5/29/2018 22:00	0.0		5/29/2019 22:00	0.0		5/28/2020 22:00	0.0	
5/29/2017 23:00	0.0	0.0	5/29/2018 23:00	0.0	0.0	5/29/2019 23:00	0.0	0.0	5/28/2020 23:00	0.0	0.0
5/30/2017 0:00	0.0		5/30/2018 0:00	0.0		5/30/2019 0:00	0.0		5/29/2020 0:00	0.0	
5/30/2017 1:00	0.0		5/30/2018 1:00	0.0		5/30/2019 1:00	0.0		5/29/2020 1:00	0.0	
5/30/2017 2:00	0.0		5/30/2018 2:00	0.0		5/30/2019 2:00	0.0		5/29/2020 2:00	0.0	
5/30/2017 3:00	0.0		5/30/2018 3:00	0.0		5/30/2019 3:00	0.0		5/29/2020 3:00	0.0	
5/30/2017 4:00	0.0		5/30/2018 4:00	0.0		5/30/2019 4:00	0.0		5/29/2020 4:00	0.0	
5/30/2017 5:00	0.0		5/30/2018 5:00	0.0		5/30/2019 5:00	0.0		5/29/2020 5:00	0.0	
5/30/2017 6:00	0.0		5/30/2018 6:00	0.0		5/30/2019 6:00	0.0		5/29/2020 6:00	0.0	
5/30/2017 7:00	0.0		5/30/2018 7:00	0.0		5/30/2019 7:00	0.0		5/29/2020 7:00	0.0	
5/30/2017 8:00	0.0		5/30/2018 8:00	0.0		5/30/2019 8:00	0.0		5/29/2020 8:00	0.0	
5/30/2017 9:00	0.0		5/30/2018 9:00	0.0		5/30/2019 9:00	0.0		5/29/2020 9:00	0.0	
5/30/2017 10:00	0.0		5/30/2018 10:00	0.0		5/30/2019 10:00	0.0		5/29/2020 10:00	0.0	
5/30/2017 11:00	0.0		5/30/2018 11:00	0.0		5/30/2019 11:00	0.0		5/29/2020 11:00	0.0	
5/30/2017 12:00	0.0		5/30/2018 12:00	0.0		5/30/2019 12:00	0.0		5/29/2020 12:00	0.0	
5/30/2017 13:00	0.0		5/30/2018 13:00	0.0		5/30/2019 13:00	0.0		5/29/2020 13:00	0.0	
5/30/2017 14:00	0.0		5/30/2018 14:00	0.0		5/30/2019 14:00	0.0		5/29/2020 14:00	0.0	
5/30/2017 15:00	0.0		5/30/2018 15:00	0.0		5/30/2019 15:00	0.0		5/29/2020 15:00	0.0	
5/30/2017 16:00	0.0		5/30/2018 16:00	0.0		5/30/2019 16:00	0.0		5/29/2020 16:00	0.0	
5/30/2017 17:00	0.0		5/30/2018 17:00	0.0		5/30/2019 17:00	0.0		5/29/2020 17:00	0.0	
5/30/2017 18:00	0.0		5/30/2018 18:00	0.0		5/30/2019 18:00	0.0		5/29/2020 18:00	0.0	
5/30/2017 19:00	0.0		5/30/2018 19:00	0.0		5/30/2019 19:00	0.0		5/29/2020 19:00	0.0	
5/30/2017 20:00	0.0		5/30/2018 20:00	0.0		5/30/2019 20:00	0.0		5/29/2020 20:00	0.0	
5/30/2017 21:00	0.0		5/30/2018 21:00	0.0		5/30/2019 21:00	0.0		5/29/2020 21:00	0.0	
5/30/2017 22:00	0.0		5/30/2018 22:00	0.0		5/30/2019 22:00	0.0		5/29/2020 22:00	0.0	
5/30/2017 23:00	0.0	0.0	5/30/2018 23:00	0.0	0.0	5/30/2019 23:00	0.0	0.0	5/29/2020 23:00	0.0	0.0
5/31/2017 0:00	0.0		5/31/2018 0:00	0.0		5/31/2019 0:00	0.0		5/30/2020 0:00	0.0	
5/31/2017 1:00	0.0		5/31/2018 1:00	0.0		5/31/2019 1:00	0.0		5/30/2020 1:00	0.0	
5/31/2017 2:00	0.0		5/31/2018 2:00	0.0		5/31/2019 2:00	0.0		5/30/2020 2:00	0.0	
5/31/2017 3:00	0.0		5/31/2018 3:00	0.0		5/31/2019 3:00	0.0		5/30/2020 3:00	0.0	
5/31/2017 4:00	0.0		5/31/2018 4:00	0.0		5/31/2019 4:00	0.0		5/30/2020 4:00	0.0	
5/31/2017 5:00	0.0		5/31/2018 5:00	0.0		5/31/2019 5:00	0.0		5/30/2020 5:00	0.0	
5/31/2017 6:00	0.0		5/31/2018 6:00	0.0		5/31/2019 6:00	0.0		5/30/2020 6:00	0.0	
5/31/2017 7:00	0.0		5/31/2018 7:00	0.0		5/31/2019 7:00	0.0		5/30/2020 7:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/31/2017 8:00	0.0		5/31/2018 8:00	0.0		5/31/2019 8:00	0.0		5/30/2020 8:00	0.0	
5/31/2017 9:00	0.0		5/31/2018 9:00	0.0		5/31/2019 9:00	0.0		5/30/2020 9:00	0.0	
5/31/2017 10:00	0.0		5/31/2018 10:00	0.0		5/31/2019 10:00	0.0		5/30/2020 10:00	0.0	
5/31/2017 11:00	0.0		5/31/2018 11:00	0.0		5/31/2019 11:00	0.0		5/30/2020 11:00	0.0	
5/31/2017 12:00	0.0		5/31/2018 12:00	0.0		5/31/2019 12:00	0.0		5/30/2020 12:00	0.0	
5/31/2017 13:00	0.0		5/31/2018 13:00	0.0		5/31/2019 13:00	0.0		5/30/2020 13:00	0.0	
5/31/2017 14:00	0.0		5/31/2018 14:00	0.0		5/31/2019 14:00	0.0		5/30/2020 14:00	0.0	
5/31/2017 15:00	0.0		5/31/2018 15:00	0.0		5/31/2019 15:00	0.0		5/30/2020 15:00	0.0	
5/31/2017 16:00	0.0		5/31/2018 16:00	0.0		5/31/2019 16:00	0.0		5/30/2020 16:00	0.0	
5/31/2017 17:00	0.0		5/31/2018 17:00	0.0		5/31/2019 17:00	0.0		5/30/2020 17:00	0.0	
5/31/2017 18:00	0.0		5/31/2018 18:00	0.0		5/31/2019 18:00	0.0		5/30/2020 18:00	0.0	
5/31/2017 19:00	0.0		5/31/2018 19:00	0.0		5/31/2019 19:00	0.0		5/30/2020 19:00	0.0	
5/31/2017 20:00	0.0		5/31/2018 20:00	0.0		5/31/2019 20:00	0.0		5/30/2020 20:00	0.0	
5/31/2017 21:00	0.0		5/31/2018 21:00	0.0		5/31/2019 21:00	0.0		5/30/2020 21:00	0.0	
5/31/2017 22:00	429.5		5/31/2018 22:00	0.0		5/31/2019 22:00	0.0		5/30/2020 22:00	0.0	
5/31/2017 23:00	168.6	429.5	5/31/2018 23:00	0.0	0.0	5/31/2019 23:00	0.0	0.0	5/30/2020 23:00	0.0	0.0
6/1/2017 0:00	0.0		6/1/2018 0:00	0.0		6/1/2019 0:00	0.0		5/31/2020 0:00	0.0	
6/1/2017 1:00	0.0		6/1/2018 1:00	0.0		6/1/2019 1:00	0.0		5/31/2020 1:00	0.0	
6/1/2017 2:00	0.0		6/1/2018 2:00	0.0		6/1/2019 2:00	0.0		5/31/2020 2:00	0.0	
6/1/2017 3:00	0.0		6/1/2018 3:00	0.0		6/1/2019 3:00	0.0		5/31/2020 3:00	0.0	
6/1/2017 4:00	0.0		6/1/2018 4:00	0.0		6/1/2019 4:00	0.0		5/31/2020 4:00	0.0	
6/1/2017 5:00	0.0		6/1/2018 5:00	0.0		6/1/2019 5:00	0.0		5/31/2020 5:00	0.0	
6/1/2017 6:00	0.0		6/1/2018 6:00	0.0		6/1/2019 6:00	0.0		5/31/2020 6:00	0.0	
6/1/2017 7:00	0.0		6/1/2018 7:00	0.0		6/1/2019 7:00	0.0		5/31/2020 7:00	0.0	
6/1/2017 8:00	0.0		6/1/2018 8:00	0.0		6/1/2019 8:00	0.0		5/31/2020 8:00	55.8	
6/1/2017 9:00	0.0		6/1/2018 9:00	0.0		6/1/2019 9:00	0.0		5/31/2020 9:00	128.3	
6/1/2017 10:00	0.0		6/1/2018 10:00	0.0		6/1/2019 10:00	0.0		5/31/2020 10:00	0.0	
6/1/2017 11:00	0.0		6/1/2018 11:00	0.0		6/1/2019 11:00	0.0		5/31/2020 11:00	0.0	
6/1/2017 12:00	0.0		6/1/2018 12:00	0.0		6/1/2019 12:00	0.0		5/31/2020 12:00	0.0	
6/1/2017 13:00	0.0		6/1/2018 13:00	0.0		6/1/2019 13:00	0.0		5/31/2020 13:00	0.0	
6/1/2017 14:00	0.0		6/1/2018 14:00	0.0		6/1/2019 14:00	0.0		5/31/2020 14:00	0.0	
6/1/2017 15:00	0.0		6/1/2018 15:00	0.0		6/1/2019 15:00	0.0		5/31/2020 15:00	0.0	
6/1/2017 16:00	0.0		6/1/2018 16:00	0.0		6/1/2019 16:00	0.0		5/31/2020 16:00	0.0	
6/1/2017 17:00	0.0		6/1/2018 17:00	0.0		6/1/2019 17:00	0.0		5/31/2020 17:00	0.0	
6/1/2017 18:00	0.0		6/1/2018 18:00	0.0		6/1/2019 18:00	0.0		5/31/2020 18:00	0.0	
6/1/2017 19:00	0.0		6/1/2018 19:00	0.0		6/1/2019 19:00	0.0		5/31/2020 19:00	0.0	
6/1/2017 20:00	0.0		6/1/2018 20:00	0.0		6/1/2019 20:00	0.0		5/31/2020 20:00	0.0	
6/1/2017 21:00	0.0		6/1/2018 21:00	0.0		6/1/2019 21:00	0.0		5/31/2020 21:00	0.0	
6/1/2017 22:00	0.0		6/1/2018 22:00	0.0		6/1/2019 22:00	0.0		5/31/2020 22:00	0.0	
6/1/2017 23:00	0.0	0.0	6/1/2018 23:00	0.0	0.0	6/1/2019 23:00	0.0	0.0	5/31/2020 23:00	0.0	128.3
6/2/2017 0:00	0.0		6/2/2018 0:00	0.0		6/2/2019 0:00	0.0		6/1/2020 0:00	0.0	
6/2/2017 1:00	0.0		6/2/2018 1:00	0.0		6/2/2019 1:00	0.0		6/1/2020 1:00	0.0	
6/2/2017 2:00	0.0		6/2/2018 2:00	0.0		6/2/2019 2:00	0.0		6/1/2020 2:00	0.0	
6/2/2017 3:00	0.0		6/2/2018 3:00	0.0		6/2/2019 3:00	0.0		6/1/2020 3:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/2/2017 4:00	0.0		6/2/2018 4:00	0.0		6/2/2019 4:00	0.0		6/1/2020 4:00	0.0	
6/2/2017 5:00	0.0		6/2/2018 5:00	0.0		6/2/2019 5:00	0.0		6/1/2020 5:00	0.0	
6/2/2017 6:00	0.0		6/2/2018 6:00	0.0		6/2/2019 6:00	0.0		6/1/2020 6:00	0.0	
6/2/2017 7:00	0.0		6/2/2018 7:00	0.0		6/2/2019 7:00	0.0		6/1/2020 7:00	0.0	
6/2/2017 8:00	0.0		6/2/2018 8:00	0.0		6/2/2019 8:00	0.0		6/1/2020 8:00	0.0	
6/2/2017 9:00	0.0		6/2/2018 9:00	0.0		6/2/2019 9:00	0.0		6/1/2020 9:00	0.0	
6/2/2017 10:00	0.0		6/2/2018 10:00	0.0		6/2/2019 10:00	0.0		6/1/2020 10:00	0.0	
6/2/2017 11:00	0.0		6/2/2018 11:00	0.0		6/2/2019 11:00	0.0		6/1/2020 11:00	0.0	
6/2/2017 12:00	0.0		6/2/2018 12:00	0.0		6/2/2019 12:00	0.0		6/1/2020 12:00	0.0	
6/2/2017 13:00	0.0		6/2/2018 13:00	0.0		6/2/2019 13:00	0.0		6/1/2020 13:00	0.0	
6/2/2017 14:00	0.0		6/2/2018 14:00	0.0		6/2/2019 14:00	0.0		6/1/2020 14:00	0.0	
6/2/2017 15:00	0.0		6/2/2018 15:00	0.0		6/2/2019 15:00	0.0		6/1/2020 15:00	0.0	
6/2/2017 16:00	0.0		6/2/2018 16:00	0.0		6/2/2019 16:00	0.0		6/1/2020 16:00	0.0	
6/2/2017 17:00	0.0		6/2/2018 17:00	0.0		6/2/2019 17:00	0.0		6/1/2020 17:00	0.0	
6/2/2017 18:00	0.0		6/2/2018 18:00	0.0		6/2/2019 18:00	0.0		6/1/2020 18:00	0.0	
6/2/2017 19:00	0.0		6/2/2018 19:00	0.0		6/2/2019 19:00	0.0		6/1/2020 19:00	0.0	
6/2/2017 20:00	0.0		6/2/2018 20:00	0.0		6/2/2019 20:00	0.0		6/1/2020 20:00	0.0	
6/2/2017 21:00	0.0		6/2/2018 21:00	0.0		6/2/2019 21:00	0.0		6/1/2020 21:00	0.0	
6/2/2017 22:00	0.0		6/2/2018 22:00	0.0		6/2/2019 22:00	0.0		6/1/2020 22:00	0.0	
6/2/2017 23:00	0.0	0.0	6/2/2018 23:00	0.0	0.0	6/2/2019 23:00	0.0	0.0	6/1/2020 23:00	0.0	0.0
6/3/2017 0:00	0.0		6/3/2018 0:00	0.0		6/3/2019 0:00	0.0		6/2/2020 0:00	0.0	
6/3/2017 1:00	0.0		6/3/2018 1:00	0.0		6/3/2019 1:00	0.0		6/2/2020 1:00	0.0	
6/3/2017 2:00	0.0		6/3/2018 2:00	0.0		6/3/2019 2:00	0.0		6/2/2020 2:00	0.0	
6/3/2017 3:00	0.0		6/3/2018 3:00	0.0		6/3/2019 3:00	0.0		6/2/2020 3:00	0.0	
6/3/2017 4:00	0.0		6/3/2018 4:00	0.0		6/3/2019 4:00	0.0		6/2/2020 4:00	0.0	
6/3/2017 5:00	0.0		6/3/2018 5:00	0.0		6/3/2019 5:00	0.0		6/2/2020 5:00	0.0	
6/3/2017 6:00	0.0		6/3/2018 6:00	0.0		6/3/2019 6:00	0.0		6/2/2020 6:00	0.0	
6/3/2017 7:00	0.0		6/3/2018 7:00	0.0		6/3/2019 7:00	0.0		6/2/2020 7:00	0.0	
6/3/2017 8:00	0.0		6/3/2018 8:00	0.0		6/3/2019 8:00	0.0		6/2/2020 8:00	0.0	
6/3/2017 9:00	0.0		6/3/2018 9:00	0.0		6/3/2019 9:00	0.0		6/2/2020 9:00	0.0	
6/3/2017 10:00	0.0		6/3/2018 10:00	0.0		6/3/2019 10:00	0.0		6/2/2020 10:00	0.0	
6/3/2017 11:00	0.0		6/3/2018 11:00	0.0		6/3/2019 11:00	0.0		6/2/2020 11:00	0.0	
6/3/2017 12:00	0.0		6/3/2018 12:00	0.0		6/3/2019 12:00	0.0		6/2/2020 12:00	0.0	
6/3/2017 13:00	0.0		6/3/2018 13:00	0.0		6/3/2019 13:00	0.0		6/2/2020 13:00	0.0	
6/3/2017 14:00	0.0		6/3/2018 14:00	0.0		6/3/2019 14:00	0.0		6/2/2020 14:00	0.0	
6/3/2017 15:00	0.0		6/3/2018 15:00	0.0		6/3/2019 15:00	0.0		6/2/2020 15:00	0.0	
6/3/2017 16:00	0.0		6/3/2018 16:00	0.0		6/3/2019 16:00	0.0		6/2/2020 16:00	0.0	
6/3/2017 17:00	0.0		6/3/2018 17:00	0.0		6/3/2019 17:00	0.0		6/2/2020 17:00	0.0	
6/3/2017 18:00	0.0		6/3/2018 18:00	0.0		6/3/2019 18:00	0.0		6/2/2020 18:00	0.0	
6/3/2017 19:00	0.0		6/3/2018 19:00	44.6		6/3/2019 19:00	0.0		6/2/2020 19:00	0.0	
6/3/2017 20:00	0.0		6/3/2018 20:00	58.9		6/3/2019 20:00	0.0		6/2/2020 20:00	0.0	
6/3/2017 21:00	0.0		6/3/2018 21:00	0.0		6/3/2019 21:00	0.0		6/2/2020 21:00	0.0	
6/3/2017 22:00	0.0		6/3/2018 22:00	0.0		6/3/2019 22:00	0.0		6/2/2020 22:00	0.0	
6/3/2017 23:00	0.0	0.0	6/3/2018 23:00	0.0	58.9	6/3/2019 23:00	0.0	0.0	6/2/2020 23:00	0.0	0.0

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/4/2017 0:00	0.0		6/4/2018 0:00	0.0		6/4/2019 0:00	0.0		6/3/2020 0:00	10.7	
6/4/2017 1:00	0.0		6/4/2018 1:00	0.0		6/4/2019 1:00	0.0		6/3/2020 1:00	99.4	
6/4/2017 2:00	0.0		6/4/2018 2:00	0.0		6/4/2019 2:00	0.0		6/3/2020 2:00	0.0	
6/4/2017 3:00	0.0		6/4/2018 3:00	0.0		6/4/2019 3:00	0.0		6/3/2020 3:00	0.0	
6/4/2017 4:00	0.0		6/4/2018 4:00	0.0		6/4/2019 4:00	0.0		6/3/2020 4:00	0.0	
6/4/2017 5:00	0.0		6/4/2018 5:00	0.0		6/4/2019 5:00	0.0		6/3/2020 5:00	0.0	
6/4/2017 6:00	0.0		6/4/2018 6:00	0.0		6/4/2019 6:00	0.0		6/3/2020 6:00	0.0	
6/4/2017 7:00	0.0		6/4/2018 7:00	0.0		6/4/2019 7:00	0.0		6/3/2020 7:00	0.0	
6/4/2017 8:00	0.0		6/4/2018 8:00	0.0		6/4/2019 8:00	0.0		6/3/2020 8:00	0.0	
6/4/2017 9:00	0.0		6/4/2018 9:00	0.0		6/4/2019 9:00	0.0		6/3/2020 9:00	0.0	
6/4/2017 10:00	0.0		6/4/2018 10:00	0.0		6/4/2019 10:00	0.0		6/3/2020 10:00	0.0	
6/4/2017 11:00	0.0		6/4/2018 11:00	0.0		6/4/2019 11:00	0.0		6/3/2020 11:00	0.0	
6/4/2017 12:00	0.0		6/4/2018 12:00	0.0		6/4/2019 12:00	0.0		6/3/2020 12:00	0.0	
6/4/2017 13:00	0.0		6/4/2018 13:00	0.0		6/4/2019 13:00	0.0		6/3/2020 13:00	0.0	
6/4/2017 14:00	0.0		6/4/2018 14:00	0.0		6/4/2019 14:00	0.0		6/3/2020 14:00	0.0	
6/4/2017 15:00	0.0		6/4/2018 15:00	0.0		6/4/2019 15:00	0.0		6/3/2020 15:00	0.0	
6/4/2017 16:00	0.0		6/4/2018 16:00	0.0		6/4/2019 16:00	0.0		6/3/2020 16:00	0.0	
6/4/2017 17:00	0.0		6/4/2018 17:00	0.0		6/4/2019 17:00	0.0		6/3/2020 17:00	0.0	
6/4/2017 18:00	0.0		6/4/2018 18:00	0.0		6/4/2019 18:00	0.0		6/3/2020 18:00	0.0	
6/4/2017 19:00	0.0		6/4/2018 19:00	0.0		6/4/2019 19:00	0.0		6/3/2020 19:00	0.0	
6/4/2017 20:00	0.0		6/4/2018 20:00	0.0		6/4/2019 20:00	0.0		6/3/2020 20:00	0.0	
6/4/2017 21:00	0.0		6/4/2018 21:00	0.0		6/4/2019 21:00	0.0		6/3/2020 21:00	0.0	
6/4/2017 22:00	0.0		6/4/2018 22:00	0.0		6/4/2019 22:00	0.0		6/3/2020 22:00	0.0	
6/4/2017 23:00	0.0	0.0	6/4/2018 23:00	0.0	0.0	6/4/2019 23:00	0.0	0.0	6/3/2020 23:00	0.0	99.4
6/5/2017 0:00	0.0		6/5/2018 0:00	0.0		6/5/2019 0:00	0.0		6/4/2020 0:00	0.0	
6/5/2017 1:00	0.0		6/5/2018 1:00	0.0		6/5/2019 1:00	0.0		6/4/2020 1:00	0.0	
6/5/2017 2:00	0.0		6/5/2018 2:00	0.0		6/5/2019 2:00	0.0		6/4/2020 2:00	0.0	
6/5/2017 3:00	0.0		6/5/2018 3:00	0.0		6/5/2019 3:00	0.0		6/4/2020 3:00	0.0	
6/5/2017 4:00	0.0		6/5/2018 4:00	0.0		6/5/2019 4:00	0.0		6/4/2020 4:00	0.0	
6/5/2017 5:00	0.0		6/5/2018 5:00	0.0		6/5/2019 5:00	0.0		6/4/2020 5:00	0.0	
6/5/2017 6:00	0.0		6/5/2018 6:00	0.0		6/5/2019 6:00	0.0		6/4/2020 6:00	0.0	
6/5/2017 7:00	0.0		6/5/2018 7:00	0.0		6/5/2019 7:00	0.0		6/4/2020 7:00	0.0	
6/5/2017 8:00	0.0		6/5/2018 8:00	0.0		6/5/2019 8:00	0.0		6/4/2020 8:00	0.0	
6/5/2017 9:00	0.0		6/5/2018 9:00	0.0		6/5/2019 9:00	0.0		6/4/2020 9:00	0.0	
6/5/2017 10:00	0.0		6/5/2018 10:00	0.0		6/5/2019 10:00	0.0		6/4/2020 10:00	0.0	
6/5/2017 11:00	0.0		6/5/2018 11:00	0.0		6/5/2019 11:00	0.0		6/4/2020 11:00	0.0	
6/5/2017 12:00	0.0		6/5/2018 12:00	0.0		6/5/2019 12:00	0.0		6/4/2020 12:00	0.0	
6/5/2017 13:00	0.0		6/5/2018 13:00	0.0		6/5/2019 13:00	0.0		6/4/2020 13:00	0.0	
6/5/2017 14:00	0.0		6/5/2018 14:00	0.0		6/5/2019 14:00	0.0		6/4/2020 14:00	0.0	
6/5/2017 15:00	0.0		6/5/2018 15:00	0.0		6/5/2019 15:00	0.0		6/4/2020 15:00	0.0	
6/5/2017 16:00	0.0		6/5/2018 16:00	0.0		6/5/2019 16:00	0.0		6/4/2020 16:00	0.0	
6/5/2017 17:00	0.0		6/5/2018 17:00	0.0		6/5/2019 17:00	0.0		6/4/2020 17:00	0.0	
6/5/2017 18:00	0.0		6/5/2018 18:00	0.0		6/5/2019 18:00	0.0		6/4/2020 18:00	0.0	
6/5/2017 19:00	0.0		6/5/2018 19:00	0.0		6/5/2019 19:00	0.0		6/4/2020 19:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/5/2017 20:00	0.0		6/5/2018 20:00	0.0		6/5/2019 20:00	0.0		6/4/2020 20:00	0.0	
6/5/2017 21:00	0.0		6/5/2018 21:00	0.0		6/5/2019 21:00	0.0		6/4/2020 21:00	0.0	
6/5/2017 22:00	0.0		6/5/2018 22:00	0.0		6/5/2019 22:00	0.0		6/4/2020 22:00	0.0	
6/5/2017 23:00	0.0	0.0	6/5/2018 23:00	0.0	0.0	6/5/2019 23:00	0.0	0.0	6/4/2020 23:00	0.0	0.0
6/6/2017 0:00	0.0		6/6/2018 0:00	0.0		6/6/2019 0:00	0.0		6/5/2020 0:00	0.0	
6/6/2017 1:00	0.0		6/6/2018 1:00	0.0		6/6/2019 1:00	0.0		6/5/2020 1:00	0.0	
6/6/2017 2:00	0.0		6/6/2018 2:00	0.0		6/6/2019 2:00	0.0		6/5/2020 2:00	0.0	
6/6/2017 3:00	0.0		6/6/2018 3:00	0.0		6/6/2019 3:00	0.0		6/5/2020 3:00	0.0	
6/6/2017 4:00	0.0		6/6/2018 4:00	0.0		6/6/2019 4:00	0.0		6/5/2020 4:00	0.0	
6/6/2017 5:00	0.0		6/6/2018 5:00	0.0		6/6/2019 5:00	0.0		6/5/2020 5:00	0.0	
6/6/2017 6:00	0.0		6/6/2018 6:00	0.0		6/6/2019 6:00	0.0		6/5/2020 6:00	0.0	
6/6/2017 7:00	0.0		6/6/2018 7:00	0.0		6/6/2019 7:00	0.0		6/5/2020 7:00	0.0	
6/6/2017 8:00	0.0		6/6/2018 8:00	0.0		6/6/2019 8:00	0.0		6/5/2020 8:00	0.0	
6/6/2017 9:00	0.0		6/6/2018 9:00	0.0		6/6/2019 9:00	0.0		6/5/2020 9:00	0.0	
6/6/2017 10:00	0.0		6/6/2018 10:00	0.0		6/6/2019 10:00	0.0		6/5/2020 10:00	0.0	
6/6/2017 11:00	0.0		6/6/2018 11:00	0.0		6/6/2019 11:00	0.0		6/5/2020 11:00	0.0	
6/6/2017 12:00	0.0		6/6/2018 12:00	0.0		6/6/2019 12:00	0.0		6/5/2020 12:00	0.0	
6/6/2017 13:00	0.0		6/6/2018 13:00	0.0		6/6/2019 13:00	0.0		6/5/2020 13:00	0.0	
6/6/2017 14:00	0.0		6/6/2018 14:00	0.0		6/6/2019 14:00	0.0		6/5/2020 14:00	0.0	
6/6/2017 15:00	0.0		6/6/2018 15:00	0.0		6/6/2019 15:00	0.0		6/5/2020 15:00	0.0	
6/6/2017 16:00	98.3		6/6/2018 16:00	0.0		6/6/2019 16:00	0.0		6/5/2020 16:00	0.0	
6/6/2017 17:00	352.3		6/6/2018 17:00	0.0		6/6/2019 17:00	0.0		6/5/2020 17:00	0.0	
6/6/2017 18:00	0.0		6/6/2018 18:00	0.0		6/6/2019 18:00	0.0		6/5/2020 18:00	0.0	
6/6/2017 19:00	0.0		6/6/2018 19:00	0.0		6/6/2019 19:00	0.0		6/5/2020 19:00	0.0	
6/6/2017 20:00	0.0		6/6/2018 20:00	0.0		6/6/2019 20:00	0.0		6/5/2020 20:00	0.0	
6/6/2017 21:00	0.0		6/6/2018 21:00	0.0		6/6/2019 21:00	0.0		6/5/2020 21:00	0.0	
6/6/2017 22:00	0.0		6/6/2018 22:00	0.0		6/6/2019 22:00	0.0		6/5/2020 22:00	0.0	
6/6/2017 23:00	0.0	352.3	6/6/2018 23:00	0.0	0.0	6/6/2019 23:00	0.0	0.0	6/5/2020 23:00	0.0	0.0
6/7/2017 0:00	0.0		6/7/2018 0:00	0.0		6/7/2019 0:00	0.0		6/6/2020 0:00	0.0	
6/7/2017 1:00	0.0		6/7/2018 1:00	0.0		6/7/2019 1:00	0.0		6/6/2020 1:00	0.0	
6/7/2017 2:00	0.0		6/7/2018 2:00	0.0		6/7/2019 2:00	0.0		6/6/2020 2:00	0.0	
6/7/2017 3:00	0.0		6/7/2018 3:00	0.0		6/7/2019 3:00	0.0		6/6/2020 3:00	0.0	
6/7/2017 4:00	0.0		6/7/2018 4:00	0.0		6/7/2019 4:00	0.0		6/6/2020 4:00	0.0	
6/7/2017 5:00	0.0		6/7/2018 5:00	0.0		6/7/2019 5:00	0.0		6/6/2020 5:00	0.0	
6/7/2017 6:00	0.0		6/7/2018 6:00	0.0		6/7/2019 6:00	0.0		6/6/2020 6:00	0.0	
6/7/2017 7:00	0.0		6/7/2018 7:00	0.0		6/7/2019 7:00	0.0		6/6/2020 7:00	0.0	
6/7/2017 8:00	0.0		6/7/2018 8:00	0.0		6/7/2019 8:00	0.0		6/6/2020 8:00	0.0	
6/7/2017 9:00	0.0		6/7/2018 9:00	0.0		6/7/2019 9:00	0.0		6/6/2020 9:00	0.0	
6/7/2017 10:00	0.0		6/7/2018 10:00	0.0		6/7/2019 10:00	0.0		6/6/2020 10:00	0.0	
6/7/2017 11:00	0.0		6/7/2018 11:00	0.0		6/7/2019 11:00	0.0		6/6/2020 11:00	0.0	
6/7/2017 12:00	0.0		6/7/2018 12:00	0.0		6/7/2019 12:00	0.0		6/6/2020 12:00	0.0	
6/7/2017 13:00	0.0		6/7/2018 13:00	0.0		6/7/2019 13:00	0.0		6/6/2020 13:00	0.0	
6/7/2017 14:00	0.0		6/7/2018 14:00	0.0		6/7/2019 14:00	0.0		6/6/2020 14:00	0.0	
6/7/2017 15:00	0.0		6/7/2018 15:00	0.0		6/7/2019 15:00	0.0		6/6/2020 15:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/7/2017 16:00	0.0		6/7/2018 16:00	0.0		6/7/2019 16:00	0.0		6/6/2020 16:00	0.0	
6/7/2017 17:00	0.0		6/7/2018 17:00	0.0		6/7/2019 17:00	0.0		6/6/2020 17:00	0.0	
6/7/2017 18:00	0.0		6/7/2018 18:00	0.0		6/7/2019 18:00	0.0		6/6/2020 18:00	0.0	
6/7/2017 19:00	0.0		6/7/2018 19:00	0.0		6/7/2019 19:00	0.0		6/6/2020 19:00	0.0	
6/7/2017 20:00	0.0		6/7/2018 20:00	0.0		6/7/2019 20:00	0.0		6/6/2020 20:00	0.0	
6/7/2017 21:00	0.0		6/7/2018 21:00	0.0		6/7/2019 21:00	0.0		6/6/2020 21:00	0.0	
6/7/2017 22:00	0.0		6/7/2018 22:00	0.0		6/7/2019 22:00	0.0		6/6/2020 22:00	0.0	
6/7/2017 23:00	0.0	0.0	6/7/2018 23:00	0.0	0.0	6/7/2019 23:00	0.0	0.0	6/6/2020 23:00	0.0	0.0
6/8/2017 0:00	0.0		6/8/2018 0:00	0.0		6/8/2019 0:00	0.0		6/7/2020 0:00	0.0	
6/8/2017 1:00	0.0		6/8/2018 1:00	0.0		6/8/2019 1:00	0.0		6/7/2020 1:00	0.0	
6/8/2017 2:00	0.0		6/8/2018 2:00	0.0		6/8/2019 2:00	0.0		6/7/2020 2:00	0.0	
6/8/2017 3:00	0.0		6/8/2018 3:00	0.0		6/8/2019 3:00	0.0		6/7/2020 3:00	0.0	
6/8/2017 4:00	0.0		6/8/2018 4:00	0.0		6/8/2019 4:00	0.0		6/7/2020 4:00	0.0	
6/8/2017 5:00	0.0		6/8/2018 5:00	0.0		6/8/2019 5:00	0.0		6/7/2020 5:00	0.0	
6/8/2017 6:00	0.0		6/8/2018 6:00	0.0		6/8/2019 6:00	0.0		6/7/2020 6:00	0.0	
6/8/2017 7:00	0.0		6/8/2018 7:00	0.0		6/8/2019 7:00	0.0		6/7/2020 7:00	0.0	
6/8/2017 8:00	0.0		6/8/2018 8:00	0.0		6/8/2019 8:00	0.0		6/7/2020 8:00	0.0	
6/8/2017 9:00	0.0		6/8/2018 9:00	0.0		6/8/2019 9:00	0.0		6/7/2020 9:00	0.0	
6/8/2017 10:00	0.0		6/8/2018 10:00	0.0		6/8/2019 10:00	0.0		6/7/2020 10:00	0.0	
6/8/2017 11:00	0.0		6/8/2018 11:00	0.0		6/8/2019 11:00	0.0		6/7/2020 11:00	0.0	
6/8/2017 12:00	0.0		6/8/2018 12:00	0.0		6/8/2019 12:00	0.0		6/7/2020 12:00	0.0	
6/8/2017 13:00	0.0		6/8/2018 13:00	0.0		6/8/2019 13:00	0.0		6/7/2020 13:00	0.0	
6/8/2017 14:00	0.0		6/8/2018 14:00	0.0		6/8/2019 14:00	0.0		6/7/2020 14:00	0.0	
6/8/2017 15:00	0.0		6/8/2018 15:00	0.0		6/8/2019 15:00	0.0		6/7/2020 15:00	0.0	
6/8/2017 16:00	0.0		6/8/2018 16:00	0.0		6/8/2019 16:00	0.0		6/7/2020 16:00	0.0	
6/8/2017 17:00	0.0		6/8/2018 17:00	0.0		6/8/2019 17:00	0.0		6/7/2020 17:00	0.0	
6/8/2017 18:00	0.0		6/8/2018 18:00	0.0		6/8/2019 18:00	0.0		6/7/2020 18:00	0.0	
6/8/2017 19:00	0.0		6/8/2018 19:00	0.0		6/8/2019 19:00	0.0		6/7/2020 19:00	0.0	
6/8/2017 20:00	0.0		6/8/2018 20:00	0.0		6/8/2019 20:00	0.0		6/7/2020 20:00	0.0	
6/8/2017 21:00	0.0		6/8/2018 21:00	0.0		6/8/2019 21:00	0.0		6/7/2020 21:00	0.0	
6/8/2017 22:00	0.0		6/8/2018 22:00	0.0		6/8/2019 22:00	0.0		6/7/2020 22:00	0.0	
6/8/2017 23:00	0.0	0.0	6/8/2018 23:00	0.0	0.0	6/8/2019 23:00	0.0	0.0	6/7/2020 23:00	0.0	0.0
6/9/2017 0:00	0.0		6/9/2018 0:00	0.0		6/9/2019 0:00	0.0		6/8/2020 0:00	0.0	
6/9/2017 1:00	0.0		6/9/2018 1:00	0.0		6/9/2019 1:00	0.0		6/8/2020 1:00	0.0	
6/9/2017 2:00	0.0		6/9/2018 2:00	0.0		6/9/2019 2:00	0.0		6/8/2020 2:00	0.0	
6/9/2017 3:00	0.0		6/9/2018 3:00	0.0		6/9/2019 3:00	0.0		6/8/2020 3:00	0.0	
6/9/2017 4:00	0.0		6/9/2018 4:00	0.0		6/9/2019 4:00	0.0		6/8/2020 4:00	0.0	
6/9/2017 5:00	0.0		6/9/2018 5:00	0.0		6/9/2019 5:00	0.0		6/8/2020 5:00	0.0	
6/9/2017 6:00	0.0		6/9/2018 6:00	0.0		6/9/2019 6:00	0.0		6/8/2020 6:00	0.0	
6/9/2017 7:00	0.0		6/9/2018 7:00	0.0		6/9/2019 7:00	0.0		6/8/2020 7:00	0.0	
6/9/2017 8:00	0.0		6/9/2018 8:00	0.0		6/9/2019 8:00	0.0		6/8/2020 8:00	0.0	
6/9/2017 9:00	0.0		6/9/2018 9:00	0.0		6/9/2019 9:00	0.0		6/8/2020 9:00	0.0	
6/9/2017 10:00	0.0		6/9/2018 10:00	0.0		6/9/2019 10:00	0.0		6/8/2020 10:00	0.0	
6/9/2017 11:00	0.0		6/9/2018 11:00	0.0		6/9/2019 11:00	0.0		6/8/2020 11:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/9/2017 12:00	0.0		6/9/2018 12:00	0.0		6/9/2019 12:00	0.0		6/8/2020 12:00	0.0	
6/9/2017 13:00	0.0		6/9/2018 13:00	0.0		6/9/2019 13:00	0.0		6/8/2020 13:00	0.0	
6/9/2017 14:00	0.0		6/9/2018 14:00	0.0		6/9/2019 14:00	0.0		6/8/2020 14:00	0.0	
6/9/2017 15:00	0.0		6/9/2018 15:00	0.0		6/9/2019 15:00	0.0		6/8/2020 15:00	0.0	
6/9/2017 16:00	0.0		6/9/2018 16:00	0.0		6/9/2019 16:00	0.0		6/8/2020 16:00	0.0	
6/9/2017 17:00	0.0		6/9/2018 17:00	0.0		6/9/2019 17:00	0.0		6/8/2020 17:00	0.0	
6/9/2017 18:00	347.0		6/9/2018 18:00	0.0		6/9/2019 18:00	0.0		6/8/2020 18:00	0.0	
6/9/2017 19:00	0.0		6/9/2018 19:00	0.0		6/9/2019 19:00	0.0		6/8/2020 19:00	0.0	
6/9/2017 20:00	0.0		6/9/2018 20:00	0.0		6/9/2019 20:00	0.0		6/8/2020 20:00	0.0	
6/9/2017 21:00	0.0		6/9/2018 21:00	0.0		6/9/2019 21:00	0.0		6/8/2020 21:00	0.0	
6/9/2017 22:00	0.0		6/9/2018 22:00	0.0		6/9/2019 22:00	0.0		6/8/2020 22:00	0.0	
6/9/2017 23:00	0.0	347.0	6/9/2018 23:00	0.0	0.0	6/9/2019 23:00	0.0	0.0	6/8/2020 23:00	0.0	0.0
6/10/2017 0:00	0.0		6/10/2018 0:00	0.0		6/10/2019 0:00	0.0		6/9/2020 0:00	0.0	
6/10/2017 1:00	0.0		6/10/2018 1:00	0.0		6/10/2019 1:00	0.0		6/9/2020 1:00	0.0	
6/10/2017 2:00	0.0		6/10/2018 2:00	0.0		6/10/2019 2:00	0.0		6/9/2020 2:00	0.0	
6/10/2017 3:00	0.0		6/10/2018 3:00	0.0		6/10/2019 3:00	0.0		6/9/2020 3:00	0.0	
6/10/2017 4:00	0.0		6/10/2018 4:00	0.0		6/10/2019 4:00	0.0		6/9/2020 4:00	0.0	
6/10/2017 5:00	0.0		6/10/2018 5:00	0.0		6/10/2019 5:00	0.0		6/9/2020 5:00	0.0	
6/10/2017 6:00	0.0		6/10/2018 6:00	0.0		6/10/2019 6:00	0.0		6/9/2020 6:00	0.0	
6/10/2017 7:00	0.0		6/10/2018 7:00	0.0		6/10/2019 7:00	0.0		6/9/2020 7:00	0.0	
6/10/2017 8:00	0.0		6/10/2018 8:00	0.0		6/10/2019 8:00	0.0		6/9/2020 8:00	0.0	
6/10/2017 9:00	0.0		6/10/2018 9:00	0.0		6/10/2019 9:00	0.0		6/9/2020 9:00	0.0	
6/10/2017 10:00	0.0		6/10/2018 10:00	0.0		6/10/2019 10:00	0.0		6/9/2020 10:00	0.0	
6/10/2017 11:00	0.0		6/10/2018 11:00	0.0		6/10/2019 11:00	0.0		6/9/2020 11:00	0.0	
6/10/2017 12:00	0.0		6/10/2018 12:00	0.0		6/10/2019 12:00	0.0		6/9/2020 12:00	0.0	
6/10/2017 13:00	0.0		6/10/2018 13:00	0.0		6/10/2019 13:00	0.0		6/9/2020 13:00	0.0	
6/10/2017 14:00	0.0		6/10/2018 14:00	0.0		6/10/2019 14:00	0.0		6/9/2020 14:00	0.0	
6/10/2017 15:00	0.0		6/10/2018 15:00	0.0		6/10/2019 15:00	0.0		6/9/2020 15:00	0.0	
6/10/2017 16:00	98.1		6/10/2018 16:00	0.0		6/10/2019 16:00	0.0		6/9/2020 16:00	0.0	
6/10/2017 17:00	204.1		6/10/2018 17:00	0.0		6/10/2019 17:00	0.0		6/9/2020 17:00	0.0	
6/10/2017 18:00	118.6		6/10/2018 18:00	0.0		6/10/2019 18:00	0.0		6/9/2020 18:00	0.0	
6/10/2017 19:00	0.0		6/10/2018 19:00	0.0		6/10/2019 19:00	0.0		6/9/2020 19:00	0.0	
6/10/2017 20:00	0.0		6/10/2018 20:00	0.0		6/10/2019 20:00	0.0		6/9/2020 20:00	0.0	
6/10/2017 21:00	0.0		6/10/2018 21:00	0.0		6/10/2019 21:00	0.0		6/9/2020 21:00	0.0	
6/10/2017 22:00	0.0		6/10/2018 22:00	0.0		6/10/2019 22:00	0.0		6/9/2020 22:00	0.0	
6/10/2017 23:00	0.0	204.1	6/10/2018 23:00	0.0	0.0	6/10/2019 23:00	0.0	0.0	6/9/2020 23:00	0.0	0.0
6/11/2017 0:00	0.0		6/11/2018 0:00	0.0		6/11/2019 0:00	0.0		6/10/2020 0:00	0.0	
6/11/2017 1:00	0.0		6/11/2018 1:00	0.0		6/11/2019 1:00	0.0		6/10/2020 1:00	0.0	
6/11/2017 2:00	0.0		6/11/2018 2:00	0.0		6/11/2019 2:00	0.0		6/10/2020 2:00	0.0	
6/11/2017 3:00	0.0		6/11/2018 3:00	0.0		6/11/2019 3:00	0.0		6/10/2020 3:00	0.0	
6/11/2017 4:00	0.0		6/11/2018 4:00	0.0		6/11/2019 4:00	0.0		6/10/2020 4:00	0.0	
6/11/2017 5:00	0.0		6/11/2018 5:00	0.0		6/11/2019 5:00	0.0		6/10/2020 5:00	0.0	
6/11/2017 6:00	0.0		6/11/2018 6:00	0.0		6/11/2019 6:00	0.0		6/10/2020 6:00	0.0	
6/11/2017 7:00	0.0		6/11/2018 7:00	0.0		6/11/2019 7:00	0.0		6/10/2020 7:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/11/2017 8:00	0.0		6/11/2018 8:00	0.0		6/11/2019 8:00	0.0		6/10/2020 8:00	0.0	
6/11/2017 9:00	0.0		6/11/2018 9:00	0.0		6/11/2019 9:00	0.0		6/10/2020 9:00	0.0	
6/11/2017 10:00	0.0		6/11/2018 10:00	0.0		6/11/2019 10:00	0.0		6/10/2020 10:00	0.0	
6/11/2017 11:00	0.0		6/11/2018 11:00	0.0		6/11/2019 11:00	0.0		6/10/2020 11:00	0.0	
6/11/2017 12:00	0.0		6/11/2018 12:00	0.0		6/11/2019 12:00	0.0		6/10/2020 12:00	0.0	
6/11/2017 13:00	0.0		6/11/2018 13:00	0.0		6/11/2019 13:00	0.0		6/10/2020 13:00	0.0	
6/11/2017 14:00	0.0		6/11/2018 14:00	0.0		6/11/2019 14:00	0.0		6/10/2020 14:00	0.0	
6/11/2017 15:00	0.0		6/11/2018 15:00	0.0		6/11/2019 15:00	0.0		6/10/2020 15:00	0.0	
6/11/2017 16:00	0.0		6/11/2018 16:00	0.0		6/11/2019 16:00	0.0		6/10/2020 16:00	0.0	
6/11/2017 17:00	0.0		6/11/2018 17:00	0.0		6/11/2019 17:00	0.0		6/10/2020 17:00	0.0	
6/11/2017 18:00	0.0		6/11/2018 18:00	0.0		6/11/2019 18:00	0.0		6/10/2020 18:00	0.0	
6/11/2017 19:00	0.0		6/11/2018 19:00	0.0		6/11/2019 19:00	0.0		6/10/2020 19:00	0.0	
6/11/2017 20:00	0.0		6/11/2018 20:00	0.0		6/11/2019 20:00	0.0		6/10/2020 20:00	0.0	
6/11/2017 21:00	0.0		6/11/2018 21:00	0.0		6/11/2019 21:00	0.0		6/10/2020 21:00	0.0	
6/11/2017 22:00	0.0		6/11/2018 22:00	0.0		6/11/2019 22:00	0.0		6/10/2020 22:00	0.0	
6/11/2017 23:00	0.0	0.0	6/11/2018 23:00	0.0	0.0	6/11/2019 23:00	0.0	0.0	6/10/2020 23:00	0.0	0.0
6/12/2017 0:00	0.0		6/12/2018 0:00	0.0		6/12/2019 0:00	0.0		6/11/2020 0:00	0.0	
6/12/2017 1:00	0.0		6/12/2018 1:00	0.0		6/12/2019 1:00	0.0		6/11/2020 1:00	0.0	
6/12/2017 2:00	0.0		6/12/2018 2:00	0.0		6/12/2019 2:00	0.0		6/11/2020 2:00	0.0	
6/12/2017 3:00	0.0		6/12/2018 3:00	0.0		6/12/2019 3:00	0.0		6/11/2020 3:00	0.0	
6/12/2017 4:00	0.0		6/12/2018 4:00	0.0		6/12/2019 4:00	0.0		6/11/2020 4:00	0.0	
6/12/2017 5:00	0.0		6/12/2018 5:00	0.0		6/12/2019 5:00	0.0		6/11/2020 5:00	0.0	
6/12/2017 6:00	0.0		6/12/2018 6:00	0.0		6/12/2019 6:00	0.0		6/11/2020 6:00	0.0	
6/12/2017 7:00	0.0		6/12/2018 7:00	0.0		6/12/2019 7:00	0.0		6/11/2020 7:00	0.0	
6/12/2017 8:00	0.0		6/12/2018 8:00	0.0		6/12/2019 8:00	0.0		6/11/2020 8:00	0.0	
6/12/2017 9:00	0.0		6/12/2018 9:00	0.0		6/12/2019 9:00	0.0		6/11/2020 9:00	0.0	
6/12/2017 10:00	0.0		6/12/2018 10:00	0.0		6/12/2019 10:00	0.0		6/11/2020 10:00	0.0	
6/12/2017 11:00	0.0		6/12/2018 11:00	0.0		6/12/2019 11:00	0.0		6/11/2020 11:00	0.0	
6/12/2017 12:00	0.0		6/12/2018 12:00	0.0		6/12/2019 12:00	0.0		6/11/2020 12:00	0.0	
6/12/2017 13:00	0.0		6/12/2018 13:00	0.0		6/12/2019 13:00	0.0		6/11/2020 13:00	0.0	
6/12/2017 14:00	0.0		6/12/2018 14:00	0.0		6/12/2019 14:00	0.0		6/11/2020 14:00	0.0	
6/12/2017 15:00	0.0		6/12/2018 15:00	0.0		6/12/2019 15:00	0.0		6/11/2020 15:00	0.0	
6/12/2017 16:00	0.0		6/12/2018 16:00	0.0		6/12/2019 16:00	0.0		6/11/2020 16:00	0.0	
6/12/2017 17:00	0.0		6/12/2018 17:00	0.0		6/12/2019 17:00	0.0		6/11/2020 17:00	0.0	
6/12/2017 18:00	0.0		6/12/2018 18:00	0.0		6/12/2019 18:00	0.0		6/11/2020 18:00	0.0	
6/12/2017 19:00	0.0		6/12/2018 19:00	0.0		6/12/2019 19:00	0.0		6/11/2020 19:00	0.0	
6/12/2017 20:00	0.0		6/12/2018 20:00	0.0		6/12/2019 20:00	0.0		6/11/2020 20:00	0.0	
6/12/2017 21:00	0.0		6/12/2018 21:00	0.0		6/12/2019 21:00	0.0		6/11/2020 21:00	0.0	
6/12/2017 22:00	0.0		6/12/2018 22:00	0.0		6/12/2019 22:00	0.0		6/11/2020 22:00	0.0	
6/12/2017 23:00	0.0	0.0	6/12/2018 23:00	0.0	0.0	6/12/2019 23:00	0.0	0.0	6/11/2020 23:00	0.0	0.0
6/13/2017 0:00	0.0		6/13/2018 0:00	0.0		6/13/2019 0:00	0.0		6/12/2020 0:00	0.0	
6/13/2017 1:00	0.0		6/13/2018 1:00	0.0		6/13/2019 1:00	0.0		6/12/2020 1:00	0.0	
6/13/2017 2:00	0.0		6/13/2018 2:00	0.0		6/13/2019 2:00	0.0		6/12/2020 2:00	0.0	
6/13/2017 3:00	0.0		6/13/2018 3:00	0.0		6/13/2019 3:00	0.0		6/12/2020 3:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/13/2017 4:00	0.0		6/13/2018 4:00	0.0		6/13/2019 4:00	0.0		6/12/2020 4:00	0.0	
6/13/2017 5:00	0.0		6/13/2018 5:00	0.0		6/13/2019 5:00	0.0		6/12/2020 5:00	0.0	
6/13/2017 6:00	0.0		6/13/2018 6:00	0.0		6/13/2019 6:00	0.0		6/12/2020 6:00	0.0	
6/13/2017 7:00	0.0		6/13/2018 7:00	0.0		6/13/2019 7:00	0.0		6/12/2020 7:00	0.0	
6/13/2017 8:00	0.0		6/13/2018 8:00	104.9		6/13/2019 8:00	0.0		6/12/2020 8:00	0.0	
6/13/2017 9:00	0.0		6/13/2018 9:00	0.0		6/13/2019 9:00	0.0		6/12/2020 9:00	0.0	
6/13/2017 10:00	0.0		6/13/2018 10:00	0.0		6/13/2019 10:00	0.0		6/12/2020 10:00	0.0	
6/13/2017 11:00	0.0		6/13/2018 11:00	0.0		6/13/2019 11:00	0.0		6/12/2020 11:00	0.0	
6/13/2017 12:00	0.0		6/13/2018 12:00	0.0		6/13/2019 12:00	0.0		6/12/2020 12:00	0.0	
6/13/2017 13:00	0.0		6/13/2018 13:00	0.0		6/13/2019 13:00	0.0		6/12/2020 13:00	0.0	
6/13/2017 14:00	0.0		6/13/2018 14:00	0.0		6/13/2019 14:00	0.0		6/12/2020 14:00	0.0	
6/13/2017 15:00	0.0		6/13/2018 15:00	0.0		6/13/2019 15:00	0.0		6/12/2020 15:00	0.0	
6/13/2017 16:00	0.0		6/13/2018 16:00	0.0		6/13/2019 16:00	0.0		6/12/2020 16:00	0.0	
6/13/2017 17:00	0.0		6/13/2018 17:00	0.0		6/13/2019 17:00	0.0		6/12/2020 17:00	0.0	
6/13/2017 18:00	0.0		6/13/2018 18:00	0.0		6/13/2019 18:00	0.0		6/12/2020 18:00	0.0	
6/13/2017 19:00	0.0		6/13/2018 19:00	0.0		6/13/2019 19:00	0.0		6/12/2020 19:00	0.0	
6/13/2017 20:00	0.0		6/13/2018 20:00	0.0		6/13/2019 20:00	0.0		6/12/2020 20:00	0.0	
6/13/2017 21:00	0.0		6/13/2018 21:00	0.0		6/13/2019 21:00	0.0		6/12/2020 21:00	0.0	
6/13/2017 22:00	0.0		6/13/2018 22:00	0.0		6/13/2019 22:00	0.0		6/12/2020 22:00	0.0	
6/13/2017 23:00	0.0	0.0	6/13/2018 23:00	0.0	104.9	6/13/2019 23:00	0.0	0.0	6/12/2020 23:00	0.0	0.0
6/14/2017 0:00	0.0		6/14/2018 0:00	0.0		6/14/2019 0:00	0.0		6/13/2020 0:00	0.0	
6/14/2017 1:00	0.0		6/14/2018 1:00	0.0		6/14/2019 1:00	0.0		6/13/2020 1:00	0.0	
6/14/2017 2:00	0.0		6/14/2018 2:00	0.0		6/14/2019 2:00	0.0		6/13/2020 2:00	0.0	
6/14/2017 3:00	0.0		6/14/2018 3:00	0.0		6/14/2019 3:00	0.0		6/13/2020 3:00	0.0	
6/14/2017 4:00	0.0		6/14/2018 4:00	0.0		6/14/2019 4:00	0.0		6/13/2020 4:00	0.0	
6/14/2017 5:00	0.0		6/14/2018 5:00	0.0		6/14/2019 5:00	0.0		6/13/2020 5:00	0.0	
6/14/2017 6:00	0.0		6/14/2018 6:00	0.0		6/14/2019 6:00	0.0		6/13/2020 6:00	0.0	
6/14/2017 7:00	0.0		6/14/2018 7:00	0.0		6/14/2019 7:00	0.0		6/13/2020 7:00	0.0	
6/14/2017 8:00	0.0		6/14/2018 8:00	0.0		6/14/2019 8:00	0.0		6/13/2020 8:00	0.0	
6/14/2017 9:00	0.0		6/14/2018 9:00	0.0		6/14/2019 9:00	0.0		6/13/2020 9:00	0.0	
6/14/2017 10:00	0.0		6/14/2018 10:00	0.0		6/14/2019 10:00	0.0		6/13/2020 10:00	0.0	
6/14/2017 11:00	0.0		6/14/2018 11:00	0.0		6/14/2019 11:00	0.0		6/13/2020 11:00	0.0	
6/14/2017 12:00	0.0		6/14/2018 12:00	0.0		6/14/2019 12:00	0.0		6/13/2020 12:00	0.0	
6/14/2017 13:00	0.0		6/14/2018 13:00	0.0		6/14/2019 13:00	0.0		6/13/2020 13:00	0.0	
6/14/2017 14:00	0.0		6/14/2018 14:00	0.0		6/14/2019 14:00	0.0		6/13/2020 14:00	0.0	
6/14/2017 15:00	0.0		6/14/2018 15:00	0.0		6/14/2019 15:00	0.0		6/13/2020 15:00	0.0	
6/14/2017 16:00	0.0		6/14/2018 16:00	0.0		6/14/2019 16:00	0.0		6/13/2020 16:00	0.0	
6/14/2017 17:00	0.0		6/14/2018 17:00	0.0		6/14/2019 17:00	0.0		6/13/2020 17:00	0.0	
6/14/2017 18:00	0.0		6/14/2018 18:00	0.0		6/14/2019 18:00	0.0		6/13/2020 18:00	0.0	
6/14/2017 19:00	0.0		6/14/2018 19:00	0.0		6/14/2019 19:00	0.0		6/13/2020 19:00	0.0	
6/14/2017 20:00	0.0		6/14/2018 20:00	0.0		6/14/2019 20:00	0.0		6/13/2020 20:00	0.0	
6/14/2017 21:00	0.0		6/14/2018 21:00	0.0		6/14/2019 21:00	0.0		6/13/2020 21:00	0.0	
6/14/2017 22:00	0.0		6/14/2018 22:00	0.0		6/14/2019 22:00	0.0		6/13/2020 22:00	0.0	
6/14/2017 23:00	0.0	0.0	6/14/2018 23:00	0.0	0.0	6/14/2019 23:00	0.0	0.0	6/13/2020 23:00	0.0	0.0

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/15/2017 0:00	0.0		6/15/2018 0:00	0.0		6/15/2019 0:00	0.0		6/14/2020 0:00	0.0	
6/15/2017 1:00	0.0		6/15/2018 1:00	0.0		6/15/2019 1:00	0.0		6/14/2020 1:00	0.0	
6/15/2017 2:00	0.0		6/15/2018 2:00	0.0		6/15/2019 2:00	0.0		6/14/2020 2:00	0.0	
6/15/2017 3:00	0.0		6/15/2018 3:00	0.0		6/15/2019 3:00	0.0		6/14/2020 3:00	0.0	
6/15/2017 4:00	0.0		6/15/2018 4:00	0.0		6/15/2019 4:00	0.0		6/14/2020 4:00	0.0	
6/15/2017 5:00	0.0		6/15/2018 5:00	0.0		6/15/2019 5:00	0.0		6/14/2020 5:00	0.0	
6/15/2017 6:00	0.0		6/15/2018 6:00	0.0		6/15/2019 6:00	0.0		6/14/2020 6:00	0.0	
6/15/2017 7:00	0.0		6/15/2018 7:00	0.0		6/15/2019 7:00	0.0		6/14/2020 7:00	0.0	
6/15/2017 8:00	0.0		6/15/2018 8:00	0.0		6/15/2019 8:00	0.0		6/14/2020 8:00	0.0	
6/15/2017 9:00	0.0		6/15/2018 9:00	0.0		6/15/2019 9:00	0.0		6/14/2020 9:00	0.0	
6/15/2017 10:00	0.0		6/15/2018 10:00	0.0		6/15/2019 10:00	0.0		6/14/2020 10:00	0.0	
6/15/2017 11:00	0.0		6/15/2018 11:00	0.0		6/15/2019 11:00	0.0		6/14/2020 11:00	0.0	
6/15/2017 12:00	0.0		6/15/2018 12:00	0.0		6/15/2019 12:00	0.0		6/14/2020 12:00	0.0	
6/15/2017 13:00	0.0		6/15/2018 13:00	0.0		6/15/2019 13:00	0.0		6/14/2020 13:00	0.0	
6/15/2017 14:00	0.0		6/15/2018 14:00	0.0		6/15/2019 14:00	0.0		6/14/2020 14:00	0.0	
6/15/2017 15:00	0.0		6/15/2018 15:00	0.0		6/15/2019 15:00	0.0		6/14/2020 15:00	0.0	
6/15/2017 16:00	0.0		6/15/2018 16:00	0.0		6/15/2019 16:00	0.0		6/14/2020 16:00	0.0	
6/15/2017 17:00	0.0		6/15/2018 17:00	0.0		6/15/2019 17:00	0.0		6/14/2020 17:00	0.0	
6/15/2017 18:00	0.0		6/15/2018 18:00	0.0		6/15/2019 18:00	0.0		6/14/2020 18:00	0.0	
6/15/2017 19:00	0.0		6/15/2018 19:00	0.0		6/15/2019 19:00	0.0		6/14/2020 19:00	0.0	
6/15/2017 20:00	0.0		6/15/2018 20:00	0.0		6/15/2019 20:00	0.0		6/14/2020 20:00	0.0	
6/15/2017 21:00	0.0		6/15/2018 21:00	0.0		6/15/2019 21:00	0.0		6/14/2020 21:00	0.0	
6/15/2017 22:00	0.0		6/15/2018 22:00	0.0		6/15/2019 22:00	0.0		6/14/2020 22:00	0.0	
6/15/2017 23:00	0.0	0.0	6/15/2018 23:00	0.0	0.0	6/15/2019 23:00	0.0	0.0	6/14/2020 23:00	0.0	0.0
6/16/2017 0:00	0.0		6/16/2018 0:00	0.0		6/16/2019 0:00	0.0		6/15/2020 0:00	0.0	
6/16/2017 1:00	0.0		6/16/2018 1:00	0.0		6/16/2019 1:00	0.0		6/15/2020 1:00	0.0	
6/16/2017 2:00	0.0		6/16/2018 2:00	0.0		6/16/2019 2:00	0.0		6/15/2020 2:00	0.0	
6/16/2017 3:00	0.0		6/16/2018 3:00	0.0		6/16/2019 3:00	0.0		6/15/2020 3:00	0.0	
6/16/2017 4:00	0.0		6/16/2018 4:00	0.0		6/16/2019 4:00	0.0		6/15/2020 4:00	0.0	
6/16/2017 5:00	0.0		6/16/2018 5:00	0.0		6/16/2019 5:00	0.0		6/15/2020 5:00	0.0	
6/16/2017 6:00	0.0		6/16/2018 6:00	0.0		6/16/2019 6:00	0.0		6/15/2020 6:00	0.0	
6/16/2017 7:00	0.0		6/16/2018 7:00	0.0		6/16/2019 7:00	0.0		6/15/2020 7:00	0.0	
6/16/2017 8:00	0.0		6/16/2018 8:00	0.0		6/16/2019 8:00	0.0		6/15/2020 8:00	0.0	
6/16/2017 9:00	0.0		6/16/2018 9:00	0.0		6/16/2019 9:00	0.0		6/15/2020 9:00	0.0	
6/16/2017 10:00	0.0		6/16/2018 10:00	0.0		6/16/2019 10:00	0.0		6/15/2020 10:00	0.0	
6/16/2017 11:00	0.0		6/16/2018 11:00	0.0		6/16/2019 11:00	0.0		6/15/2020 11:00	0.0	
6/16/2017 12:00	0.0		6/16/2018 12:00	0.0		6/16/2019 12:00	0.0		6/15/2020 12:00	0.0	
6/16/2017 13:00	0.0		6/16/2018 13:00	0.0		6/16/2019 13:00	0.0		6/15/2020 13:00	0.0	
6/16/2017 14:00	0.0		6/16/2018 14:00	0.0		6/16/2019 14:00	0.0		6/15/2020 14:00	0.6	
6/16/2017 15:00	0.0		6/16/2018 15:00	0.0		6/16/2019 15:00	0.0		6/15/2020 15:00	1.2	
6/16/2017 16:00	0.0		6/16/2018 16:00	0.0		6/16/2019 16:00	0.0		6/15/2020 16:00	1.2	
6/16/2017 17:00	0.0		6/16/2018 17:00	0.0		6/16/2019 17:00	0.0		6/15/2020 17:00	1.2	
6/16/2017 18:00	0.0		6/16/2018 18:00	0.0		6/16/2019 18:00	0.0		6/15/2020 18:00	1.2	
6/16/2017 19:00	0.0		6/16/2018 19:00	0.0		6/16/2019 19:00	0.0		6/15/2020 19:00	1.2	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/16/2017 20:00	0.0		6/16/2018 20:00	0.0		6/16/2019 20:00	0.0		6/15/2020 20:00	0.6	
6/16/2017 21:00	0.0		6/16/2018 21:00	0.0		6/16/2019 21:00	0.0		6/15/2020 21:00	0.0	
6/16/2017 22:00	0.0		6/16/2018 22:00	0.0		6/16/2019 22:00	0.0		6/15/2020 22:00	0.0	
6/16/2017 23:00	0.0	0.0	6/16/2018 23:00	0.0	0.0	6/16/2019 23:00	0.0	0.0	6/15/2020 23:00	0.0	1.2
6/17/2017 0:00	0.0		6/17/2018 0:00	0.0		6/17/2019 0:00	0.0		6/16/2020 0:00	0.0	
6/17/2017 1:00	0.0		6/17/2018 1:00	0.0		6/17/2019 1:00	0.0		6/16/2020 1:00	0.0	
6/17/2017 2:00	0.0		6/17/2018 2:00	0.0		6/17/2019 2:00	0.0		6/16/2020 2:00	0.0	
6/17/2017 3:00	0.0		6/17/2018 3:00	0.0		6/17/2019 3:00	0.0		6/16/2020 3:00	0.0	
6/17/2017 4:00	0.0		6/17/2018 4:00	0.0		6/17/2019 4:00	0.0		6/16/2020 4:00	0.0	
6/17/2017 5:00	0.0		6/17/2018 5:00	0.0		6/17/2019 5:00	0.0		6/16/2020 5:00	0.0	
6/17/2017 6:00	0.0		6/17/2018 6:00	0.0		6/17/2019 6:00	0.0		6/16/2020 6:00	0.0	
6/17/2017 7:00	0.0		6/17/2018 7:00	0.0		6/17/2019 7:00	0.0		6/16/2020 7:00	0.0	
6/17/2017 8:00	0.0		6/17/2018 8:00	0.0		6/17/2019 8:00	0.0		6/16/2020 8:00	0.0	
6/17/2017 9:00	0.0		6/17/2018 9:00	0.0		6/17/2019 9:00	0.0		6/16/2020 9:00	0.0	
6/17/2017 10:00	0.0		6/17/2018 10:00	0.0		6/17/2019 10:00	0.0		6/16/2020 10:00	0.0	
6/17/2017 11:00	0.0		6/17/2018 11:00	0.0		6/17/2019 11:00	0.0		6/16/2020 11:00	0.0	
6/17/2017 12:00	0.0		6/17/2018 12:00	0.0		6/17/2019 12:00	0.0		6/16/2020 12:00	0.0	
6/17/2017 13:00	0.0		6/17/2018 13:00	0.0		6/17/2019 13:00	0.0		6/16/2020 13:00	0.0	
6/17/2017 14:00	0.0		6/17/2018 14:00	0.0		6/17/2019 14:00	0.0		6/16/2020 14:00	0.0	
6/17/2017 15:00	0.0		6/17/2018 15:00	0.0		6/17/2019 15:00	0.0		6/16/2020 15:00	0.0	
6/17/2017 16:00	0.0		6/17/2018 16:00	0.0		6/17/2019 16:00	0.0		6/16/2020 16:00	0.0	
6/17/2017 17:00	0.0		6/17/2018 17:00	0.0		6/17/2019 17:00	0.0		6/16/2020 17:00	0.0	
6/17/2017 18:00	0.0		6/17/2018 18:00	0.0		6/17/2019 18:00	0.0		6/16/2020 18:00	0.0	
6/17/2017 19:00	0.0		6/17/2018 19:00	0.0		6/17/2019 19:00	0.0		6/16/2020 19:00	0.0	
6/17/2017 20:00	0.0		6/17/2018 20:00	0.0		6/17/2019 20:00	0.0		6/16/2020 20:00	0.0	
6/17/2017 21:00	0.0		6/17/2018 21:00	0.0		6/17/2019 21:00	0.0		6/16/2020 21:00	0.0	
6/17/2017 22:00	0.0		6/17/2018 22:00	0.0		6/17/2019 22:00	0.0		6/16/2020 22:00	0.0	
6/17/2017 23:00	0.0	0.0	6/17/2018 23:00	0.0	0.0	6/17/2019 23:00	0.0	0.0	6/16/2020 23:00	0.0	0.0
6/18/2017 0:00	0.0		6/18/2018 0:00	0.0		6/18/2019 0:00	0.0		6/17/2020 0:00	0.0	
6/18/2017 1:00	0.0		6/18/2018 1:00	0.0		6/18/2019 1:00	0.0		6/17/2020 1:00	0.0	
6/18/2017 2:00	0.0		6/18/2018 2:00	0.0		6/18/2019 2:00	0.0		6/17/2020 2:00	0.0	
6/18/2017 3:00	0.0		6/18/2018 3:00	0.0		6/18/2019 3:00	0.0		6/17/2020 3:00	0.0	
6/18/2017 4:00	0.0		6/18/2018 4:00	0.0		6/18/2019 4:00	0.0		6/17/2020 4:00	0.0	
6/18/2017 5:00	0.0		6/18/2018 5:00	0.0		6/18/2019 5:00	0.0		6/17/2020 5:00	0.0	
6/18/2017 6:00	0.0		6/18/2018 6:00	0.0		6/18/2019 6:00	0.0		6/17/2020 6:00	0.0	
6/18/2017 7:00	0.0		6/18/2018 7:00	0.0		6/18/2019 7:00	0.0		6/17/2020 7:00	0.0	
6/18/2017 8:00	0.0		6/18/2018 8:00	0.0		6/18/2019 8:00	0.0		6/17/2020 8:00	0.0	
6/18/2017 9:00	0.0		6/18/2018 9:00	0.0		6/18/2019 9:00	0.0		6/17/2020 9:00	0.0	
6/18/2017 10:00	0.0		6/18/2018 10:00	0.0		6/18/2019 10:00	0.0		6/17/2020 10:00	0.0	
6/18/2017 11:00	0.0		6/18/2018 11:00	0.0		6/18/2019 11:00	0.0		6/17/2020 11:00	0.0	
6/18/2017 12:00	0.0		6/18/2018 12:00	0.0		6/18/2019 12:00	0.0		6/17/2020 12:00	0.0	
6/18/2017 13:00	0.0		6/18/2018 13:00	0.0		6/18/2019 13:00	0.0		6/17/2020 13:00	0.0	
6/18/2017 14:00	0.0		6/18/2018 14:00	0.0		6/18/2019 14:00	0.0		6/17/2020 14:00	0.0	
6/18/2017 15:00	0.0		6/18/2018 15:00	0.0		6/18/2019 15:00	0.0		6/17/2020 15:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/18/2017 16:00	0.0		6/18/2018 16:00	0.0		6/18/2019 16:00	0.0		6/17/2020 16:00	18.4	
6/18/2017 17:00	0.0		6/18/2018 17:00	0.0		6/18/2019 17:00	0.0		6/17/2020 17:00	0.0	
6/18/2017 18:00	0.0		6/18/2018 18:00	0.0		6/18/2019 18:00	0.0		6/17/2020 18:00	0.0	
6/18/2017 19:00	0.0		6/18/2018 19:00	0.0		6/18/2019 19:00	0.0		6/17/2020 19:00	0.0	
6/18/2017 20:00	0.0		6/18/2018 20:00	0.0		6/18/2019 20:00	0.0		6/17/2020 20:00	0.0	
6/18/2017 21:00	0.0		6/18/2018 21:00	0.0		6/18/2019 21:00	0.0		6/17/2020 21:00	0.0	
6/18/2017 22:00	0.0		6/18/2018 22:00	0.0		6/18/2019 22:00	0.0		6/17/2020 22:00	0.0	
6/18/2017 23:00	0.0	0.0	6/18/2018 23:00	0.0	0.0	6/18/2019 23:00	0.0	0.0	6/17/2020 23:00	0.0	18.4
6/19/2017 0:00	0.0		6/19/2018 0:00	0.0		6/19/2019 0:00	0.0		6/18/2020 0:00	0.0	
6/19/2017 1:00	0.0		6/19/2018 1:00	0.0		6/19/2019 1:00	0.0		6/18/2020 1:00	0.0	
6/19/2017 2:00	0.0		6/19/2018 2:00	0.0		6/19/2019 2:00	0.0		6/18/2020 2:00	0.0	
6/19/2017 3:00	0.0		6/19/2018 3:00	0.0		6/19/2019 3:00	0.0		6/18/2020 3:00	0.0	
6/19/2017 4:00	0.0		6/19/2018 4:00	0.0		6/19/2019 4:00	0.0		6/18/2020 4:00	0.0	
6/19/2017 5:00	0.0		6/19/2018 5:00	0.0		6/19/2019 5:00	0.0		6/18/2020 5:00	0.0	
6/19/2017 6:00	0.0		6/19/2018 6:00	0.0		6/19/2019 6:00	0.0		6/18/2020 6:00	0.0	
6/19/2017 7:00	0.0		6/19/2018 7:00	0.0		6/19/2019 7:00	0.0		6/18/2020 7:00	0.0	
6/19/2017 8:00	0.0		6/19/2018 8:00	0.0		6/19/2019 8:00	0.0		6/18/2020 8:00	0.0	
6/19/2017 9:00	0.0		6/19/2018 9:00	0.0		6/19/2019 9:00	0.0		6/18/2020 9:00	0.0	
6/19/2017 10:00	0.0		6/19/2018 10:00	0.0		6/19/2019 10:00	0.0		6/18/2020 10:00	0.0	
6/19/2017 11:00	0.0		6/19/2018 11:00	0.0		6/19/2019 11:00	0.0		6/18/2020 11:00	0.0	
6/19/2017 12:00	0.0		6/19/2018 12:00	0.0		6/19/2019 12:00	0.0		6/18/2020 12:00	0.0	
6/19/2017 13:00	0.0		6/19/2018 13:00	0.0		6/19/2019 13:00	0.0		6/18/2020 13:00	0.0	
6/19/2017 14:00	0.0		6/19/2018 14:00	0.0		6/19/2019 14:00	0.0		6/18/2020 14:00	0.0	
6/19/2017 15:00	0.0		6/19/2018 15:00	0.0		6/19/2019 15:00	0.0		6/18/2020 15:00	0.0	
6/19/2017 16:00	0.0		6/19/2018 16:00	0.0		6/19/2019 16:00	0.0		6/18/2020 16:00	0.0	
6/19/2017 17:00	0.0		6/19/2018 17:00	0.0		6/19/2019 17:00	0.0		6/18/2020 17:00	0.0	
6/19/2017 18:00	0.0		6/19/2018 18:00	0.0		6/19/2019 18:00	0.0		6/18/2020 18:00	0.0	
6/19/2017 19:00	0.0		6/19/2018 19:00	0.0		6/19/2019 19:00	0.0		6/18/2020 19:00	0.0	
6/19/2017 20:00	0.0		6/19/2018 20:00	0.0		6/19/2019 20:00	0.0		6/18/2020 20:00	0.0	
6/19/2017 21:00	0.0		6/19/2018 21:00	0.0		6/19/2019 21:00	0.0		6/18/2020 21:00	0.0	
6/19/2017 22:00	0.0		6/19/2018 22:00	0.0		6/19/2019 22:00	0.0		6/18/2020 22:00	0.0	
6/19/2017 23:00	0.0	0.0	6/19/2018 23:00	0.0	0.0	6/19/2019 23:00	0.0	0.0	6/18/2020 23:00	0.0	0.0
6/20/2017 0:00	0.0		6/20/2018 0:00	0.0		6/20/2019 0:00	0.0		6/19/2020 0:00	0.0	
6/20/2017 1:00	0.0		6/20/2018 1:00	0.0		6/20/2019 1:00	0.0		6/19/2020 1:00	0.0	
6/20/2017 2:00	0.0		6/20/2018 2:00	0.0		6/20/2019 2:00	0.0		6/19/2020 2:00	0.0	
6/20/2017 3:00	0.0		6/20/2018 3:00	0.0		6/20/2019 3:00	0.0		6/19/2020 3:00	0.0	
6/20/2017 4:00	0.0		6/20/2018 4:00	0.0		6/20/2019 4:00	0.0		6/19/2020 4:00	0.0	
6/20/2017 5:00	0.0		6/20/2018 5:00	0.0		6/20/2019 5:00	0.0		6/19/2020 5:00	0.0	
6/20/2017 6:00	0.0		6/20/2018 6:00	0.0		6/20/2019 6:00	0.0		6/19/2020 6:00	0.0	
6/20/2017 7:00	0.0		6/20/2018 7:00	0.0		6/20/2019 7:00	0.0		6/19/2020 7:00	0.0	
6/20/2017 8:00	0.0		6/20/2018 8:00	0.0		6/20/2019 8:00	0.0		6/19/2020 8:00	0.0	
6/20/2017 9:00	0.0		6/20/2018 9:00	0.0		6/20/2019 9:00	0.0		6/19/2020 9:00	0.0	
6/20/2017 10:00	0.0		6/20/2018 10:00	0.0		6/20/2019 10:00	0.0		6/19/2020 10:00	0.0	
6/20/2017 11:00	0.0		6/20/2018 11:00	0.0		6/20/2019 11:00	0.0		6/19/2020 11:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/20/2017 12:00	0.0		6/20/2018 12:00	0.0		6/20/2019 12:00	0.0		6/19/2020 12:00	0.0	
6/20/2017 13:00	0.0		6/20/2018 13:00	0.0		6/20/2019 13:00	0.0		6/19/2020 13:00	0.0	
6/20/2017 14:00	0.0		6/20/2018 14:00	0.0		6/20/2019 14:00	0.0		6/19/2020 14:00	0.0	
6/20/2017 15:00	0.0		6/20/2018 15:00	0.0		6/20/2019 15:00	0.0		6/19/2020 15:00	0.0	
6/20/2017 16:00	0.0		6/20/2018 16:00	0.0		6/20/2019 16:00	0.0		6/19/2020 16:00	0.0	
6/20/2017 17:00	0.0		6/20/2018 17:00	0.0		6/20/2019 17:00	0.0		6/19/2020 17:00	0.0	
6/20/2017 18:00	0.0		6/20/2018 18:00	0.0		6/20/2019 18:00	0.0		6/19/2020 18:00	0.0	
6/20/2017 19:00	0.0		6/20/2018 19:00	0.0		6/20/2019 19:00	0.0		6/19/2020 19:00	0.0	
6/20/2017 20:00	0.0		6/20/2018 20:00	0.0		6/20/2019 20:00	0.0		6/19/2020 20:00	0.0	
6/20/2017 21:00	0.0		6/20/2018 21:00	0.0		6/20/2019 21:00	0.0		6/19/2020 21:00	0.0	
6/20/2017 22:00	0.0		6/20/2018 22:00	0.0		6/20/2019 22:00	0.0		6/19/2020 22:00	0.0	
6/20/2017 23:00	0.0	0.0	6/20/2018 23:00	0.0	0.0	6/20/2019 23:00	0.0	0.0	6/19/2020 23:00	0.0	0.0
6/21/2017 0:00	0.0		6/21/2018 0:00	0.0		6/21/2019 0:00	0.0		6/20/2020 0:00	0.0	
6/21/2017 1:00	0.0		6/21/2018 1:00	0.0		6/21/2019 1:00	0.0		6/20/2020 1:00	0.0	
6/21/2017 2:00	0.0		6/21/2018 2:00	0.0		6/21/2019 2:00	0.0		6/20/2020 2:00	0.0	
6/21/2017 3:00	0.0		6/21/2018 3:00	0.0		6/21/2019 3:00	0.0		6/20/2020 3:00	0.0	
6/21/2017 4:00	0.0		6/21/2018 4:00	0.0		6/21/2019 4:00	0.0		6/20/2020 4:00	0.0	
6/21/2017 5:00	0.0		6/21/2018 5:00	0.0		6/21/2019 5:00	0.0		6/20/2020 5:00	0.0	
6/21/2017 6:00	0.0		6/21/2018 6:00	0.0		6/21/2019 6:00	0.0		6/20/2020 6:00	0.0	
6/21/2017 7:00	0.0		6/21/2018 7:00	0.0		6/21/2019 7:00	0.0		6/20/2020 7:00	0.0	
6/21/2017 8:00	0.0		6/21/2018 8:00	0.0		6/21/2019 8:00	0.0		6/20/2020 8:00	0.0	
6/21/2017 9:00	0.0		6/21/2018 9:00	0.0		6/21/2019 9:00	0.0		6/20/2020 9:00	0.0	
6/21/2017 10:00	0.0		6/21/2018 10:00	0.0		6/21/2019 10:00	0.0		6/20/2020 10:00	0.0	
6/21/2017 11:00	0.0		6/21/2018 11:00	0.0		6/21/2019 11:00	0.0		6/20/2020 11:00	0.0	
6/21/2017 12:00	0.0		6/21/2018 12:00	0.0		6/21/2019 12:00	0.0		6/20/2020 12:00	0.0	
6/21/2017 13:00	0.0		6/21/2018 13:00	0.0		6/21/2019 13:00	0.0		6/20/2020 13:00	0.0	
6/21/2017 14:00	0.0		6/21/2018 14:00	0.0		6/21/2019 14:00	0.0		6/20/2020 14:00	0.0	
6/21/2017 15:00	0.0		6/21/2018 15:00	0.0		6/21/2019 15:00	0.0		6/20/2020 15:00	0.0	
6/21/2017 16:00	0.0		6/21/2018 16:00	0.0		6/21/2019 16:00	0.0		6/20/2020 16:00	0.0	
6/21/2017 17:00	0.0		6/21/2018 17:00	0.0		6/21/2019 17:00	0.0		6/20/2020 17:00	0.0	
6/21/2017 18:00	0.0		6/21/2018 18:00	0.0		6/21/2019 18:00	0.0		6/20/2020 18:00	0.0	
6/21/2017 19:00	0.0		6/21/2018 19:00	0.0		6/21/2019 19:00	0.0		6/20/2020 19:00	0.0	
6/21/2017 20:00	0.0		6/21/2018 20:00	0.0		6/21/2019 20:00	0.0		6/20/2020 20:00	0.0	
6/21/2017 21:00	0.0		6/21/2018 21:00	0.0		6/21/2019 21:00	0.0		6/20/2020 21:00	0.0	
6/21/2017 22:00	0.0		6/21/2018 22:00	0.0		6/21/2019 22:00	0.0		6/20/2020 22:00	0.0	
6/21/2017 23:00	0.0	0.0	6/21/2018 23:00	0.0	0.0	6/21/2019 23:00	0.0	0.0	6/20/2020 23:00	0.0	0.0
6/22/2017 0:00	0.0		6/22/2018 0:00	0.0		6/22/2019 0:00	0.0		6/21/2020 0:00	0.0	
6/22/2017 1:00	0.0		6/22/2018 1:00	0.0		6/22/2019 1:00	0.0		6/21/2020 1:00	0.0	
6/22/2017 2:00	0.0		6/22/2018 2:00	0.0		6/22/2019 2:00	0.0		6/21/2020 2:00	0.0	
6/22/2017 3:00	0.0		6/22/2018 3:00	0.0		6/22/2019 3:00	0.0		6/21/2020 3:00	0.0	
6/22/2017 4:00	0.0		6/22/2018 4:00	0.0		6/22/2019 4:00	0.0		6/21/2020 4:00	0.0	
6/22/2017 5:00	0.0		6/22/2018 5:00	0.0		6/22/2019 5:00	0.0		6/21/2020 5:00	0.0	
6/22/2017 6:00	0.0		6/22/2018 6:00	0.0		6/22/2019 6:00	0.0		6/21/2020 6:00	0.0	
6/22/2017 7:00	0.0		6/22/2018 7:00	0.0		6/22/2019 7:00	0.0		6/21/2020 7:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/22/2017 8:00	0.0		6/22/2018 8:00	0.0		6/22/2019 8:00	0.0		6/21/2020 8:00	0.0	
6/22/2017 9:00	0.0		6/22/2018 9:00	0.0		6/22/2019 9:00	0.0		6/21/2020 9:00	0.0	
6/22/2017 10:00	0.0		6/22/2018 10:00	0.0		6/22/2019 10:00	0.0		6/21/2020 10:00	0.0	
6/22/2017 11:00	0.0		6/22/2018 11:00	0.0		6/22/2019 11:00	0.0		6/21/2020 11:00	0.0	
6/22/2017 12:00	0.0		6/22/2018 12:00	0.0		6/22/2019 12:00	0.0		6/21/2020 12:00	0.0	
6/22/2017 13:00	0.0		6/22/2018 13:00	0.0		6/22/2019 13:00	0.0		6/21/2020 13:00	0.0	
6/22/2017 14:00	0.0		6/22/2018 14:00	0.0		6/22/2019 14:00	0.0		6/21/2020 14:00	0.0	
6/22/2017 15:00	0.0		6/22/2018 15:00	0.0		6/22/2019 15:00	0.0		6/21/2020 15:00	0.0	
6/22/2017 16:00	0.0		6/22/2018 16:00	0.0		6/22/2019 16:00	0.0		6/21/2020 16:00	0.0	
6/22/2017 17:00	0.0		6/22/2018 17:00	0.0		6/22/2019 17:00	0.0		6/21/2020 17:00	0.0	
6/22/2017 18:00	0.0		6/22/2018 18:00	0.0		6/22/2019 18:00	0.0		6/21/2020 18:00	0.0	
6/22/2017 19:00	0.0		6/22/2018 19:00	0.0		6/22/2019 19:00	0.0		6/21/2020 19:00	0.0	
6/22/2017 20:00	0.0		6/22/2018 20:00	0.0		6/22/2019 20:00	0.0		6/21/2020 20:00	0.0	
6/22/2017 21:00	0.0		6/22/2018 21:00	0.0		6/22/2019 21:00	0.0		6/21/2020 21:00	0.0	
6/22/2017 22:00	0.0		6/22/2018 22:00	0.0		6/22/2019 22:00	0.0		6/21/2020 22:00	0.0	
6/22/2017 23:00	0.0	0.0	6/22/2018 23:00	0.0	0.0	6/22/2019 23:00	0.0	0.0	6/21/2020 23:00	0.0	0.0
6/23/2017 0:00	0.0		6/23/2018 0:00	0.0		6/23/2019 0:00	0.0		6/22/2020 0:00	0.0	
6/23/2017 1:00	0.0		6/23/2018 1:00	0.0		6/23/2019 1:00	0.0		6/22/2020 1:00	0.0	
6/23/2017 2:00	0.0		6/23/2018 2:00	0.0		6/23/2019 2:00	0.0		6/22/2020 2:00	0.0	
6/23/2017 3:00	0.0		6/23/2018 3:00	0.0		6/23/2019 3:00	0.0		6/22/2020 3:00	0.0	
6/23/2017 4:00	0.0		6/23/2018 4:00	0.0		6/23/2019 4:00	0.0		6/22/2020 4:00	0.0	
6/23/2017 5:00	0.0		6/23/2018 5:00	0.0		6/23/2019 5:00	0.0		6/22/2020 5:00	0.0	
6/23/2017 6:00	0.0		6/23/2018 6:00	0.0		6/23/2019 6:00	0.0		6/22/2020 6:00	0.0	
6/23/2017 7:00	0.0		6/23/2018 7:00	0.0		6/23/2019 7:00	0.0		6/22/2020 7:00	0.0	
6/23/2017 8:00	0.0		6/23/2018 8:00	0.0		6/23/2019 8:00	0.0		6/22/2020 8:00	0.0	
6/23/2017 9:00	0.0		6/23/2018 9:00	0.0		6/23/2019 9:00	0.0		6/22/2020 9:00	0.0	
6/23/2017 10:00	0.0		6/23/2018 10:00	0.0		6/23/2019 10:00	0.0		6/22/2020 10:00	0.0	
6/23/2017 11:00	0.0		6/23/2018 11:00	0.0		6/23/2019 11:00	0.0		6/22/2020 11:00	0.0	
6/23/2017 12:00	0.0		6/23/2018 12:00	0.0		6/23/2019 12:00	0.0		6/22/2020 12:00	0.0	
6/23/2017 13:00	0.0		6/23/2018 13:00	0.0		6/23/2019 13:00	0.0		6/22/2020 13:00	0.0	
6/23/2017 14:00	0.0		6/23/2018 14:00	0.0		6/23/2019 14:00	0.0		6/22/2020 14:00	0.0	
6/23/2017 15:00	0.0		6/23/2018 15:00	0.0		6/23/2019 15:00	0.0		6/22/2020 15:00	0.0	
6/23/2017 16:00	0.0		6/23/2018 16:00	0.0		6/23/2019 16:00	0.0		6/22/2020 16:00	0.0	
6/23/2017 17:00	0.0		6/23/2018 17:00	0.0		6/23/2019 17:00	0.0		6/22/2020 17:00	0.0	
6/23/2017 18:00	0.0		6/23/2018 18:00	0.0		6/23/2019 18:00	0.0		6/22/2020 18:00	0.0	
6/23/2017 19:00	0.0		6/23/2018 19:00	0.0		6/23/2019 19:00	0.0		6/22/2020 19:00	0.0	
6/23/2017 20:00	0.0		6/23/2018 20:00	0.0		6/23/2019 20:00	0.0		6/22/2020 20:00	0.0	
6/23/2017 21:00	0.0		6/23/2018 21:00	0.0		6/23/2019 21:00	0.0		6/22/2020 21:00	0.0	
6/23/2017 22:00	0.0		6/23/2018 22:00	0.0		6/23/2019 22:00	0.0		6/22/2020 22:00	0.0	
6/23/2017 23:00	0.0	0.0	6/23/2018 23:00	0.0	0.0	6/23/2019 23:00	0.0	0.0	6/22/2020 23:00	0.0	0.0
6/24/2017 0:00	0.0		6/24/2018 0:00	0.0		6/24/2019 0:00	0.0		6/23/2020 0:00	0.0	
6/24/2017 1:00	0.0		6/24/2018 1:00	0.0		6/24/2019 1:00	0.0		6/23/2020 1:00	0.0	
6/24/2017 2:00	0.0		6/24/2018 2:00	0.0		6/24/2019 2:00	0.0		6/23/2020 2:00	0.0	
6/24/2017 3:00	0.0		6/24/2018 3:00	0.0		6/24/2019 3:00	0.0		6/23/2020 3:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/24/2017 4:00	0.0		6/24/2018 4:00	0.0		6/24/2019 4:00	0.0		6/23/2020 4:00	0.0	
6/24/2017 5:00	0.0		6/24/2018 5:00	0.0		6/24/2019 5:00	0.0		6/23/2020 5:00	0.0	
6/24/2017 6:00	0.0		6/24/2018 6:00	0.0		6/24/2019 6:00	0.0		6/23/2020 6:00	0.0	
6/24/2017 7:00	0.0		6/24/2018 7:00	0.0		6/24/2019 7:00	0.0		6/23/2020 7:00	0.0	
6/24/2017 8:00	0.0		6/24/2018 8:00	0.0		6/24/2019 8:00	0.0		6/23/2020 8:00	0.0	
6/24/2017 9:00	0.0		6/24/2018 9:00	0.0		6/24/2019 9:00	0.0		6/23/2020 9:00	0.0	
6/24/2017 10:00	0.0		6/24/2018 10:00	0.0		6/24/2019 10:00	0.0		6/23/2020 10:00	0.0	
6/24/2017 11:00	0.0		6/24/2018 11:00	0.0		6/24/2019 11:00	0.0		6/23/2020 11:00	0.0	
6/24/2017 12:00	0.0		6/24/2018 12:00	0.0		6/24/2019 12:00	0.0		6/23/2020 12:00	0.0	
6/24/2017 13:00	0.0		6/24/2018 13:00	0.0		6/24/2019 13:00	0.0		6/23/2020 13:00	0.0	
6/24/2017 14:00	0.0		6/24/2018 14:00	0.0		6/24/2019 14:00	0.0		6/23/2020 14:00	0.0	
6/24/2017 15:00	0.0		6/24/2018 15:00	0.0		6/24/2019 15:00	0.0		6/23/2020 15:00	0.0	
6/24/2017 16:00	0.0		6/24/2018 16:00	0.0		6/24/2019 16:00	0.0		6/23/2020 16:00	0.0	
6/24/2017 17:00	0.0		6/24/2018 17:00	0.0		6/24/2019 17:00	0.0		6/23/2020 17:00	0.0	
6/24/2017 18:00	0.0		6/24/2018 18:00	0.0		6/24/2019 18:00	0.0		6/23/2020 18:00	0.0	
6/24/2017 19:00	0.0		6/24/2018 19:00	0.0		6/24/2019 19:00	0.0		6/23/2020 19:00	0.0	
6/24/2017 20:00	0.0		6/24/2018 20:00	0.0		6/24/2019 20:00	0.0		6/23/2020 20:00	0.0	
6/24/2017 21:00	0.0		6/24/2018 21:00	0.0		6/24/2019 21:00	0.0		6/23/2020 21:00	0.0	
6/24/2017 22:00	0.0		6/24/2018 22:00	0.0		6/24/2019 22:00	0.0		6/23/2020 22:00	0.0	
6/24/2017 23:00	0.0	0.0	6/24/2018 23:00	0.0	0.0	6/24/2019 23:00	0.0	0.0	6/23/2020 23:00	0.0	0.0
6/25/2017 0:00	0.0		6/25/2018 0:00	0.0		6/25/2019 0:00	0.0		6/24/2020 0:00	0.0	
6/25/2017 1:00	0.0		6/25/2018 1:00	0.0		6/25/2019 1:00	0.0		6/24/2020 1:00	0.0	
6/25/2017 2:00	0.0		6/25/2018 2:00	0.0		6/25/2019 2:00	0.0		6/24/2020 2:00	0.0	
6/25/2017 3:00	0.0		6/25/2018 3:00	0.0		6/25/2019 3:00	0.0		6/24/2020 3:00	0.0	
6/25/2017 4:00	0.0		6/25/2018 4:00	0.0		6/25/2019 4:00	0.0		6/24/2020 4:00	0.0	
6/25/2017 5:00	0.0		6/25/2018 5:00	0.0		6/25/2019 5:00	0.0		6/24/2020 5:00	0.0	
6/25/2017 6:00	0.0		6/25/2018 6:00	0.0		6/25/2019 6:00	0.0		6/24/2020 6:00	0.0	
6/25/2017 7:00	0.0		6/25/2018 7:00	0.0		6/25/2019 7:00	0.0		6/24/2020 7:00	0.0	
6/25/2017 8:00	0.0		6/25/2018 8:00	0.0		6/25/2019 8:00	0.0		6/24/2020 8:00	0.0	
6/25/2017 9:00	0.0		6/25/2018 9:00	0.0		6/25/2019 9:00	0.0		6/24/2020 9:00	0.0	
6/25/2017 10:00	0.0		6/25/2018 10:00	0.0		6/25/2019 10:00	0.0		6/24/2020 10:00	0.0	
6/25/2017 11:00	0.0		6/25/2018 11:00	0.0		6/25/2019 11:00	0.0		6/24/2020 11:00	0.0	
6/25/2017 12:00	0.0		6/25/2018 12:00	0.0		6/25/2019 12:00	0.0		6/24/2020 12:00	0.0	
6/25/2017 13:00	0.0		6/25/2018 13:00	0.0		6/25/2019 13:00	0.0		6/24/2020 13:00	0.0	
6/25/2017 14:00	0.0		6/25/2018 14:00	0.0		6/25/2019 14:00	0.0		6/24/2020 14:00	0.0	
6/25/2017 15:00	0.0		6/25/2018 15:00	0.0		6/25/2019 15:00	0.0		6/24/2020 15:00	0.0	
6/25/2017 16:00	0.0		6/25/2018 16:00	0.0		6/25/2019 16:00	0.0		6/24/2020 16:00	0.0	
6/25/2017 17:00	0.0		6/25/2018 17:00	0.0		6/25/2019 17:00	0.0		6/24/2020 17:00	0.0	
6/25/2017 18:00	0.0		6/25/2018 18:00	0.0		6/25/2019 18:00	0.0		6/24/2020 18:00	0.0	
6/25/2017 19:00	0.0		6/25/2018 19:00	0.0		6/25/2019 19:00	0.0		6/24/2020 19:00	0.0	
6/25/2017 20:00	0.0		6/25/2018 20:00	0.0		6/25/2019 20:00	0.0		6/24/2020 20:00	0.0	
6/25/2017 21:00	0.0		6/25/2018 21:00	0.0		6/25/2019 21:00	0.0		6/24/2020 21:00	0.0	
6/25/2017 22:00	0.0		6/25/2018 22:00	0.0		6/25/2019 22:00	0.0		6/24/2020 22:00	0.0	
6/25/2017 23:00	0.0	0.0	6/25/2018 23:00	0.0	0.0	6/25/2019 23:00	0.0	0.0	6/24/2020 23:00	0.0	0.0

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/26/2017 0:00	0.0		6/26/2018 0:00	0.0		6/26/2019 0:00	0.0		6/25/2020 0:00	0.0	
6/26/2017 1:00	0.0		6/26/2018 1:00	0.0		6/26/2019 1:00	0.0		6/25/2020 1:00	0.0	
6/26/2017 2:00	0.0		6/26/2018 2:00	0.0		6/26/2019 2:00	0.0		6/25/2020 2:00	0.0	
6/26/2017 3:00	0.0		6/26/2018 3:00	0.0		6/26/2019 3:00	0.0		6/25/2020 3:00	0.0	
6/26/2017 4:00	0.0		6/26/2018 4:00	0.0		6/26/2019 4:00	0.0		6/25/2020 4:00	0.0	
6/26/2017 5:00	0.0		6/26/2018 5:00	0.0		6/26/2019 5:00	0.0		6/25/2020 5:00	0.0	
6/26/2017 6:00	0.0		6/26/2018 6:00	0.0		6/26/2019 6:00	0.0		6/25/2020 6:00	0.0	
6/26/2017 7:00	0.0		6/26/2018 7:00	0.0		6/26/2019 7:00	0.0		6/25/2020 7:00	0.0	
6/26/2017 8:00	0.0		6/26/2018 8:00	0.0		6/26/2019 8:00	0.0		6/25/2020 8:00	0.0	
6/26/2017 9:00	0.0		6/26/2018 9:00	0.0		6/26/2019 9:00	0.0		6/25/2020 9:00	0.0	
6/26/2017 10:00	0.0		6/26/2018 10:00	0.0		6/26/2019 10:00	0.0		6/25/2020 10:00	0.0	
6/26/2017 11:00	0.0		6/26/2018 11:00	0.0		6/26/2019 11:00	0.0		6/25/2020 11:00	0.0	
6/26/2017 12:00	0.0		6/26/2018 12:00	0.0		6/26/2019 12:00	0.0		6/25/2020 12:00	0.0	
6/26/2017 13:00	0.0		6/26/2018 13:00	0.0		6/26/2019 13:00	0.0		6/25/2020 13:00	0.0	
6/26/2017 14:00	0.0		6/26/2018 14:00	0.0		6/26/2019 14:00	0.0		6/25/2020 14:00	0.0	
6/26/2017 15:00	0.0		6/26/2018 15:00	0.0		6/26/2019 15:00	0.0		6/25/2020 15:00	0.0	
6/26/2017 16:00	0.0		6/26/2018 16:00	0.0		6/26/2019 16:00	0.0		6/25/2020 16:00	0.0	
6/26/2017 17:00	0.0		6/26/2018 17:00	0.0		6/26/2019 17:00	0.0		6/25/2020 17:00	0.0	
6/26/2017 18:00	0.0		6/26/2018 18:00	0.0		6/26/2019 18:00	0.0		6/25/2020 18:00	0.0	
6/26/2017 19:00	0.0		6/26/2018 19:00	0.0		6/26/2019 19:00	0.0		6/25/2020 19:00	0.0	
6/26/2017 20:00	0.0		6/26/2018 20:00	0.0		6/26/2019 20:00	0.0		6/25/2020 20:00	0.0	
6/26/2017 21:00	0.0		6/26/2018 21:00	0.0		6/26/2019 21:00	0.0		6/25/2020 21:00	0.0	
6/26/2017 22:00	0.0		6/26/2018 22:00	0.0		6/26/2019 22:00	0.0		6/25/2020 22:00	0.0	
6/26/2017 23:00	0.0	0.0	6/26/2018 23:00	0.0	0.0	6/26/2019 23:00	0.0	0.0	6/25/2020 23:00	0.0	0.0
6/27/2017 0:00	0.0		6/27/2018 0:00	0.0		6/27/2019 0:00	0.0		6/26/2020 0:00	0.0	
6/27/2017 1:00	0.0		6/27/2018 1:00	0.0		6/27/2019 1:00	0.0		6/26/2020 1:00	0.0	
6/27/2017 2:00	0.0		6/27/2018 2:00	0.0		6/27/2019 2:00	0.0		6/26/2020 2:00	0.0	
6/27/2017 3:00	0.0		6/27/2018 3:00	0.0		6/27/2019 3:00	0.0		6/26/2020 3:00	0.0	
6/27/2017 4:00	0.0		6/27/2018 4:00	0.0		6/27/2019 4:00	0.0		6/26/2020 4:00	0.0	
6/27/2017 5:00	0.0		6/27/2018 5:00	0.0		6/27/2019 5:00	0.0		6/26/2020 5:00	0.0	
6/27/2017 6:00	0.0		6/27/2018 6:00	0.0		6/27/2019 6:00	0.0		6/26/2020 6:00	0.0	
6/27/2017 7:00	0.0		6/27/2018 7:00	0.0		6/27/2019 7:00	0.0		6/26/2020 7:00	0.0	
6/27/2017 8:00	0.0		6/27/2018 8:00	0.0		6/27/2019 8:00	0.0		6/26/2020 8:00	0.0	
6/27/2017 9:00	0.0		6/27/2018 9:00	0.0		6/27/2019 9:00	0.0		6/26/2020 9:00	0.0	
6/27/2017 10:00	0.0		6/27/2018 10:00	0.0		6/27/2019 10:00	0.0		6/26/2020 10:00	0.0	
6/27/2017 11:00	0.0		6/27/2018 11:00	0.0		6/27/2019 11:00	0.0		6/26/2020 11:00	0.0	
6/27/2017 12:00	0.0		6/27/2018 12:00	0.0		6/27/2019 12:00	0.0		6/26/2020 12:00	0.0	
6/27/2017 13:00	0.0		6/27/2018 13:00	0.0		6/27/2019 13:00	0.0		6/26/2020 13:00	0.0	
6/27/2017 14:00	0.0		6/27/2018 14:00	0.0		6/27/2019 14:00	0.0		6/26/2020 14:00	0.0	
6/27/2017 15:00	0.0		6/27/2018 15:00	0.0		6/27/2019 15:00	0.0		6/26/2020 15:00	0.0	
6/27/2017 16:00	0.0		6/27/2018 16:00	0.0		6/27/2019 16:00	0.0		6/26/2020 16:00	0.0	
6/27/2017 17:00	0.0		6/27/2018 17:00	0.0		6/27/2019 17:00	0.0		6/26/2020 17:00	0.0	
6/27/2017 18:00	0.0		6/27/2018 18:00	0.0		6/27/2019 18:00	0.0		6/26/2020 18:00	0.0	
6/27/2017 19:00	0.0		6/27/2018 19:00	0.0		6/27/2019 19:00	0.0		6/26/2020 19:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/27/2017 20:00	0.0		6/27/2018 20:00	0.0		6/27/2019 20:00	0.0		6/26/2020 20:00	24.2	
6/27/2017 21:00	0.0		6/27/2018 21:00	0.0		6/27/2019 21:00	0.0		6/26/2020 21:00	77.2	
6/27/2017 22:00	0.0		6/27/2018 22:00	0.0		6/27/2019 22:00	0.0		6/26/2020 22:00	0.0	
6/27/2017 23:00	0.0	0.0	6/27/2018 23:00	0.0	0.0	6/27/2019 23:00	0.0	0.0	6/26/2020 23:00	0.0	77.2
6/28/2017 0:00	0.0		6/28/2018 0:00	0.0		6/28/2019 0:00	0.0		6/27/2020 0:00	0.0	
6/28/2017 1:00	0.0		6/28/2018 1:00	0.0		6/28/2019 1:00	0.0		6/27/2020 1:00	0.0	
6/28/2017 2:00	0.0		6/28/2018 2:00	0.0		6/28/2019 2:00	0.0		6/27/2020 2:00	0.0	
6/28/2017 3:00	0.0		6/28/2018 3:00	0.0		6/28/2019 3:00	0.0		6/27/2020 3:00	0.0	
6/28/2017 4:00	0.0		6/28/2018 4:00	0.0		6/28/2019 4:00	0.0		6/27/2020 4:00	0.0	
6/28/2017 5:00	0.0		6/28/2018 5:00	0.0		6/28/2019 5:00	0.0		6/27/2020 5:00	0.0	
6/28/2017 6:00	0.0		6/28/2018 6:00	0.0		6/28/2019 6:00	0.0		6/27/2020 6:00	0.0	
6/28/2017 7:00	0.0		6/28/2018 7:00	0.0		6/28/2019 7:00	0.0		6/27/2020 7:00	0.0	
6/28/2017 8:00	0.0		6/28/2018 8:00	0.0		6/28/2019 8:00	0.0		6/27/2020 8:00	0.0	
6/28/2017 9:00	0.0		6/28/2018 9:00	0.0		6/28/2019 9:00	0.0		6/27/2020 9:00	0.0	
6/28/2017 10:00	0.0		6/28/2018 10:00	0.0		6/28/2019 10:00	0.0		6/27/2020 10:00	0.0	
6/28/2017 11:00	0.0		6/28/2018 11:00	0.0		6/28/2019 11:00	0.0		6/27/2020 11:00	0.0	
6/28/2017 12:00	0.0		6/28/2018 12:00	0.0		6/28/2019 12:00	0.0		6/27/2020 12:00	0.0	
6/28/2017 13:00	0.0		6/28/2018 13:00	0.0		6/28/2019 13:00	0.0		6/27/2020 13:00	0.0	
6/28/2017 14:00	0.0		6/28/2018 14:00	0.0		6/28/2019 14:00	0.0		6/27/2020 14:00	0.0	
6/28/2017 15:00	0.0		6/28/2018 15:00	0.0		6/28/2019 15:00	0.0		6/27/2020 15:00	0.0	
6/28/2017 16:00	0.0		6/28/2018 16:00	0.0		6/28/2019 16:00	0.0		6/27/2020 16:00	0.0	
6/28/2017 17:00	0.0		6/28/2018 17:00	0.0		6/28/2019 17:00	0.0		6/27/2020 17:00	0.0	
6/28/2017 18:00	0.0		6/28/2018 18:00	0.0		6/28/2019 18:00	0.0		6/27/2020 18:00	0.0	
6/28/2017 19:00	0.0		6/28/2018 19:00	0.0		6/28/2019 19:00	0.0		6/27/2020 19:00	0.0	
6/28/2017 20:00	0.0		6/28/2018 20:00	0.0		6/28/2019 20:00	0.0		6/27/2020 20:00	0.0	
6/28/2017 21:00	0.0		6/28/2018 21:00	0.0		6/28/2019 21:00	0.0		6/27/2020 21:00	13.1	
6/28/2017 22:00	0.0		6/28/2018 22:00	0.0		6/28/2019 22:00	0.0		6/27/2020 22:00	0.0	
6/28/2017 23:00	0.0	0.0	6/28/2018 23:00	0.0	0.0	6/28/2019 23:00	0.0	0.0	6/27/2020 23:00	0.0	13.1
6/29/2017 0:00	0.0		6/29/2018 0:00	0.0		6/29/2019 0:00	0.0		6/28/2020 0:00	0.0	
6/29/2017 1:00	0.0		6/29/2018 1:00	0.0		6/29/2019 1:00	0.0		6/28/2020 1:00	0.0	
6/29/2017 2:00	0.0		6/29/2018 2:00	0.0		6/29/2019 2:00	0.0		6/28/2020 2:00	0.0	
6/29/2017 3:00	0.0		6/29/2018 3:00	0.0		6/29/2019 3:00	0.0		6/28/2020 3:00	0.0	
6/29/2017 4:00	0.0		6/29/2018 4:00	0.0		6/29/2019 4:00	0.0		6/28/2020 4:00	0.0	
6/29/2017 5:00	0.0		6/29/2018 5:00	0.0		6/29/2019 5:00	0.0		6/28/2020 5:00	0.0	
6/29/2017 6:00	0.0		6/29/2018 6:00	0.0		6/29/2019 6:00	0.0		6/28/2020 6:00	0.0	
6/29/2017 7:00	0.0		6/29/2018 7:00	0.0		6/29/2019 7:00	0.0		6/28/2020 7:00	0.0	
6/29/2017 8:00	0.0		6/29/2018 8:00	0.0		6/29/2019 8:00	0.0		6/28/2020 8:00	0.0	
6/29/2017 9:00	0.0		6/29/2018 9:00	0.0		6/29/2019 9:00	0.0		6/28/2020 9:00	0.0	
6/29/2017 10:00	0.0		6/29/2018 10:00	0.0		6/29/2019 10:00	0.0		6/28/2020 10:00	0.0	
6/29/2017 11:00	0.0		6/29/2018 11:00	0.0		6/29/2019 11:00	0.0		6/28/2020 11:00	0.0	
6/29/2017 12:00	0.0		6/29/2018 12:00	0.0		6/29/2019 12:00	0.0		6/28/2020 12:00	0.0	
6/29/2017 13:00	0.0		6/29/2018 13:00	0.0		6/29/2019 13:00	0.0		6/28/2020 13:00	0.0	
6/29/2017 14:00	0.0		6/29/2018 14:00	0.0		6/29/2019 14:00	0.0		6/28/2020 14:00	0.0	
6/29/2017 15:00	0.0		6/29/2018 15:00	0.0		6/29/2019 15:00	0.0		6/28/2020 15:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/29/2017 16:00	0.0		6/29/2018 16:00	0.0		6/29/2019 16:00	0.0		6/28/2020 16:00	0.0	
6/29/2017 17:00	0.0		6/29/2018 17:00	0.0		6/29/2019 17:00	0.0		6/28/2020 17:00	0.0	
6/29/2017 18:00	0.0		6/29/2018 18:00	0.0		6/29/2019 18:00	0.0		6/28/2020 18:00	0.0	
6/29/2017 19:00	0.0		6/29/2018 19:00	0.0		6/29/2019 19:00	0.0		6/28/2020 19:00	0.0	
6/29/2017 20:00	0.0		6/29/2018 20:00	0.0		6/29/2019 20:00	0.0		6/28/2020 20:00	0.0	
6/29/2017 21:00	0.0		6/29/2018 21:00	0.0		6/29/2019 21:00	0.0		6/28/2020 21:00	0.0	
6/29/2017 22:00	0.0		6/29/2018 22:00	0.0		6/29/2019 22:00	0.0		6/28/2020 22:00	0.0	
6/29/2017 23:00	0.0	0.0	6/29/2018 23:00	0.0	0.0	6/29/2019 23:00	0.0	0.0	6/28/2020 23:00	0.0	0.0
6/30/2017 0:00	0.0		6/30/2018 0:00	0.0		6/30/2019 0:00	0.0		6/29/2020 0:00	0.0	
6/30/2017 1:00	0.0		6/30/2018 1:00	0.0		6/30/2019 1:00	0.0		6/29/2020 1:00	0.0	
6/30/2017 2:00	0.0		6/30/2018 2:00	0.0		6/30/2019 2:00	0.0		6/29/2020 2:00	0.0	
6/30/2017 3:00	0.0		6/30/2018 3:00	0.0		6/30/2019 3:00	0.0		6/29/2020 3:00	0.0	
6/30/2017 4:00	0.0		6/30/2018 4:00	0.0		6/30/2019 4:00	0.0		6/29/2020 4:00	0.0	
6/30/2017 5:00	0.0		6/30/2018 5:00	0.0		6/30/2019 5:00	0.0		6/29/2020 5:00	0.0	
6/30/2017 6:00	0.0		6/30/2018 6:00	0.0		6/30/2019 6:00	0.0		6/29/2020 6:00	0.0	
6/30/2017 7:00	0.0		6/30/2018 7:00	0.0		6/30/2019 7:00	0.0		6/29/2020 7:00	0.0	
6/30/2017 8:00	0.0		6/30/2018 8:00	0.0		6/30/2019 8:00	0.0		6/29/2020 8:00	0.0	
6/30/2017 9:00	0.0		6/30/2018 9:00	0.0		6/30/2019 9:00	0.0		6/29/2020 9:00	0.0	
6/30/2017 10:00	0.0		6/30/2018 10:00	0.0		6/30/2019 10:00	0.0		6/29/2020 10:00	0.0	
6/30/2017 11:00	0.0		6/30/2018 11:00	0.0		6/30/2019 11:00	0.0		6/29/2020 11:00	0.0	
6/30/2017 12:00	0.0		6/30/2018 12:00	0.0		6/30/2019 12:00	0.0		6/29/2020 12:00	0.0	
6/30/2017 13:00	0.0		6/30/2018 13:00	0.0		6/30/2019 13:00	0.0		6/29/2020 13:00	0.0	
6/30/2017 14:00	0.0		6/30/2018 14:00	0.0		6/30/2019 14:00	0.0		6/29/2020 14:00	0.0	
6/30/2017 15:00	0.0		6/30/2018 15:00	0.0		6/30/2019 15:00	0.0		6/29/2020 15:00	0.0	
6/30/2017 16:00	0.0		6/30/2018 16:00	0.0		6/30/2019 16:00	0.0		6/29/2020 16:00	0.0	
6/30/2017 17:00	0.0		6/30/2018 17:00	0.0		6/30/2019 17:00	0.0		6/29/2020 17:00	0.0	
6/30/2017 18:00	0.0		6/30/2018 18:00	0.0		6/30/2019 18:00	0.0		6/29/2020 18:00	0.0	
6/30/2017 19:00	0.0		6/30/2018 19:00	0.0		6/30/2019 19:00	0.0		6/29/2020 19:00	0.0	
6/30/2017 20:00	0.0		6/30/2018 20:00	0.0		6/30/2019 20:00	0.0		6/29/2020 20:00	0.0	
6/30/2017 21:00	0.0		6/30/2018 21:00	0.0		6/30/2019 21:00	0.0		6/29/2020 21:00	0.0	
6/30/2017 22:00	0.0		6/30/2018 22:00	0.0		6/30/2019 22:00	0.0		6/29/2020 22:00	0.0	
6/30/2017 23:00	0.0	0.0	6/30/2018 23:00	0.0	0.0	6/30/2019 23:00	0.0	0.0	6/29/2020 23:00	0.0	0.0
7/1/2017 0:00	0.0		7/1/2018 0:00	0.0		7/1/2019 0:00	0.0		6/30/2020 0:00	0.0	
7/1/2017 1:00	0.0		7/1/2018 1:00	0.0		7/1/2019 1:00	0.0		6/30/2020 1:00	0.0	
7/1/2017 2:00	0.0		7/1/2018 2:00	0.0		7/1/2019 2:00	0.0		6/30/2020 2:00	0.0	
7/1/2017 3:00	0.0		7/1/2018 3:00	0.0		7/1/2019 3:00	0.0		6/30/2020 3:00	0.0	
7/1/2017 4:00	0.0		7/1/2018 4:00	0.0		7/1/2019 4:00	0.0		6/30/2020 4:00	0.0	
7/1/2017 5:00	0.0		7/1/2018 5:00	0.0		7/1/2019 5:00	0.0		6/30/2020 5:00	0.0	
7/1/2017 6:00	0.0		7/1/2018 6:00	0.0		7/1/2019 6:00	0.0		6/30/2020 6:00	0.0	
7/1/2017 7:00	0.0		7/1/2018 7:00	0.0		7/1/2019 7:00	0.0		6/30/2020 7:00	0.0	
7/1/2017 8:00	0.0		7/1/2018 8:00	0.0		7/1/2019 8:00	0.0		6/30/2020 8:00	0.0	
7/1/2017 9:00	0.0		7/1/2018 9:00	0.0		7/1/2019 9:00	0.0		6/30/2020 9:00	0.0	
7/1/2017 10:00	0.0		7/1/2018 10:00	0.0		7/1/2019 10:00	0.0		6/30/2020 10:00	0.0	
7/1/2017 11:00	0.0		7/1/2018 11:00	0.0		7/1/2019 11:00	0.0		6/30/2020 11:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/1/2017 12:00	0.0		7/1/2018 12:00	0.0		7/1/2019 12:00	0.0		6/30/2020 12:00	0.0	
7/1/2017 13:00	0.0		7/1/2018 13:00	0.0		7/1/2019 13:00	0.0		6/30/2020 13:00	0.0	
7/1/2017 14:00	0.0		7/1/2018 14:00	0.0		7/1/2019 14:00	0.0		6/30/2020 14:00	0.0	
7/1/2017 15:00	0.0		7/1/2018 15:00	0.0		7/1/2019 15:00	0.0		6/30/2020 15:00	0.0	
7/1/2017 16:00	0.0		7/1/2018 16:00	0.0		7/1/2019 16:00	0.0		6/30/2020 16:00	0.0	
7/1/2017 17:00	0.0		7/1/2018 17:00	0.0		7/1/2019 17:00	0.0		6/30/2020 17:00	0.0	
7/1/2017 18:00	0.0		7/1/2018 18:00	0.0		7/1/2019 18:00	0.0		6/30/2020 18:00	0.0	
7/1/2017 19:00	0.0		7/1/2018 19:00	0.0		7/1/2019 19:00	0.0		6/30/2020 19:00	0.0	
7/1/2017 20:00	0.0		7/1/2018 20:00	0.0		7/1/2019 20:00	0.0		6/30/2020 20:00	0.0	
7/1/2017 21:00	0.0		7/1/2018 21:00	0.0		7/1/2019 21:00	0.0		6/30/2020 21:00	0.0	
7/1/2017 22:00	0.0		7/1/2018 22:00	0.0		7/1/2019 22:00	0.0		6/30/2020 22:00	0.0	
7/1/2017 23:00	0.0	0.0	7/1/2018 23:00	0.0	0.0	7/1/2019 23:00	0.0	0.0	6/30/2020 23:00	0.0	0.0
7/2/2017 0:00	0.0		7/2/2018 0:00	0.0		7/2/2019 0:00	0.0		7/1/2020 0:00	0.0	
7/2/2017 1:00	0.0		7/2/2018 1:00	0.0		7/2/2019 1:00	0.0		7/1/2020 1:00	0.0	
7/2/2017 2:00	0.0		7/2/2018 2:00	0.0		7/2/2019 2:00	0.0		7/1/2020 2:00	0.0	
7/2/2017 3:00	0.0		7/2/2018 3:00	0.0		7/2/2019 3:00	0.0		7/1/2020 3:00	0.0	
7/2/2017 4:00	0.0		7/2/2018 4:00	0.0		7/2/2019 4:00	0.0		7/1/2020 4:00	0.0	
7/2/2017 5:00	0.0		7/2/2018 5:00	0.0		7/2/2019 5:00	0.0		7/1/2020 5:00	0.0	
7/2/2017 6:00	0.0		7/2/2018 6:00	0.0		7/2/2019 6:00	0.0		7/1/2020 6:00	0.0	
7/2/2017 7:00	0.0		7/2/2018 7:00	0.0		7/2/2019 7:00	0.0		7/1/2020 7:00	0.0	
7/2/2017 8:00	0.0		7/2/2018 8:00	0.0		7/2/2019 8:00	0.0		7/1/2020 8:00	0.0	
7/2/2017 9:00	0.0		7/2/2018 9:00	0.0		7/2/2019 9:00	0.0		7/1/2020 9:00	0.0	
7/2/2017 10:00	0.0		7/2/2018 10:00	0.0		7/2/2019 10:00	0.0		7/1/2020 10:00	0.0	
7/2/2017 11:00	0.0		7/2/2018 11:00	0.0		7/2/2019 11:00	0.0		7/1/2020 11:00	0.0	
7/2/2017 12:00	0.0		7/2/2018 12:00	0.0		7/2/2019 12:00	0.0		7/1/2020 12:00	0.0	
7/2/2017 13:00	0.0		7/2/2018 13:00	0.0		7/2/2019 13:00	0.0		7/1/2020 13:00	0.0	
7/2/2017 14:00	0.0		7/2/2018 14:00	0.0		7/2/2019 14:00	0.0		7/1/2020 14:00	0.0	
7/2/2017 15:00	0.0		7/2/2018 15:00	0.0		7/2/2019 15:00	0.0		7/1/2020 15:00	0.0	
7/2/2017 16:00	0.0		7/2/2018 16:00	0.0		7/2/2019 16:00	0.0		7/1/2020 16:00	0.0	
7/2/2017 17:00	0.0		7/2/2018 17:00	0.0		7/2/2019 17:00	0.0		7/1/2020 17:00	0.0	
7/2/2017 18:00	0.0		7/2/2018 18:00	0.0		7/2/2019 18:00	0.0		7/1/2020 18:00	0.0	
7/2/2017 19:00	0.0		7/2/2018 19:00	0.0		7/2/2019 19:00	0.0		7/1/2020 19:00	0.0	
7/2/2017 20:00	0.0		7/2/2018 20:00	0.0		7/2/2019 20:00	0.0		7/1/2020 20:00	0.0	
7/2/2017 21:00	0.0		7/2/2018 21:00	0.0		7/2/2019 21:00	0.0		7/1/2020 21:00	0.0	
7/2/2017 22:00	0.0		7/2/2018 22:00	0.0		7/2/2019 22:00	0.0		7/1/2020 22:00	0.0	
7/2/2017 23:00	0.0	0.0	7/2/2018 23:00	0.0	0.0	7/2/2019 23:00	0.0	0.0	7/1/2020 23:00	0.0	0.0
7/3/2017 0:00	0.0		7/3/2018 0:00	0.0		7/3/2019 0:00	0.0		7/2/2020 0:00	0.0	
7/3/2017 1:00	0.0		7/3/2018 1:00	0.0		7/3/2019 1:00	0.0		7/2/2020 1:00	0.0	
7/3/2017 2:00	0.0		7/3/2018 2:00	0.0		7/3/2019 2:00	0.0		7/2/2020 2:00	0.0	
7/3/2017 3:00	0.0		7/3/2018 3:00	0.0		7/3/2019 3:00	0.0		7/2/2020 3:00	0.0	
7/3/2017 4:00	0.0		7/3/2018 4:00	0.0		7/3/2019 4:00	0.0		7/2/2020 4:00	0.0	
7/3/2017 5:00	0.0		7/3/2018 5:00	0.0		7/3/2019 5:00	0.0		7/2/2020 5:00	0.0	
7/3/2017 6:00	0.0		7/3/2018 6:00	0.0		7/3/2019 6:00	0.0		7/2/2020 6:00	0.0	
7/3/2017 7:00	0.0		7/3/2018 7:00	0.0		7/3/2019 7:00	0.0		7/2/2020 7:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/3/2017 8:00	0.0		7/3/2018 8:00	0.0		7/3/2019 8:00	0.0		7/2/2020 8:00	0.0	
7/3/2017 9:00	0.0		7/3/2018 9:00	0.0		7/3/2019 9:00	0.0		7/2/2020 9:00	0.0	
7/3/2017 10:00	0.0		7/3/2018 10:00	0.0		7/3/2019 10:00	0.0		7/2/2020 10:00	0.0	
7/3/2017 11:00	0.0		7/3/2018 11:00	0.0		7/3/2019 11:00	0.0		7/2/2020 11:00	0.0	
7/3/2017 12:00	0.0		7/3/2018 12:00	0.0		7/3/2019 12:00	0.0		7/2/2020 12:00	0.0	
7/3/2017 13:00	0.0		7/3/2018 13:00	0.0		7/3/2019 13:00	0.0		7/2/2020 13:00	0.0	
7/3/2017 14:00	0.0		7/3/2018 14:00	0.0		7/3/2019 14:00	0.0		7/2/2020 14:00	0.0	
7/3/2017 15:00	0.0		7/3/2018 15:00	0.0		7/3/2019 15:00	0.0		7/2/2020 15:00	0.0	
7/3/2017 16:00	0.0		7/3/2018 16:00	0.0		7/3/2019 16:00	0.0		7/2/2020 16:00	0.0	
7/3/2017 17:00	0.0		7/3/2018 17:00	0.0		7/3/2019 17:00	0.0		7/2/2020 17:00	0.0	
7/3/2017 18:00	0.0		7/3/2018 18:00	0.0		7/3/2019 18:00	0.0		7/2/2020 18:00	0.0	
7/3/2017 19:00	0.0		7/3/2018 19:00	0.0		7/3/2019 19:00	0.0		7/2/2020 19:00	0.0	
7/3/2017 20:00	0.0		7/3/2018 20:00	0.0		7/3/2019 20:00	0.0		7/2/2020 20:00	0.0	
7/3/2017 21:00	0.0		7/3/2018 21:00	0.0		7/3/2019 21:00	0.0		7/2/2020 21:00	0.0	
7/3/2017 22:00	0.0		7/3/2018 22:00	0.0		7/3/2019 22:00	0.0		7/2/2020 22:00	0.0	
7/3/2017 23:00	0.0	0.0	7/3/2018 23:00	0.0	0.0	7/3/2019 23:00	0.0	0.0	7/2/2020 23:00	0.0	0.0
7/4/2017 0:00	0.0		7/4/2018 0:00	0.0		7/4/2019 0:00	0.0		7/3/2020 0:00	0.0	
7/4/2017 1:00	0.0		7/4/2018 1:00	0.0		7/4/2019 1:00	0.0		7/3/2020 1:00	0.0	
7/4/2017 2:00	0.0		7/4/2018 2:00	0.0		7/4/2019 2:00	0.0		7/3/2020 2:00	0.0	
7/4/2017 3:00	0.0		7/4/2018 3:00	0.0		7/4/2019 3:00	0.0		7/3/2020 3:00	0.0	
7/4/2017 4:00	0.0		7/4/2018 4:00	0.0		7/4/2019 4:00	0.0		7/3/2020 4:00	0.0	
7/4/2017 5:00	0.0		7/4/2018 5:00	0.0		7/4/2019 5:00	0.0		7/3/2020 5:00	0.0	
7/4/2017 6:00	0.0		7/4/2018 6:00	0.0		7/4/2019 6:00	0.0		7/3/2020 6:00	0.0	
7/4/2017 7:00	0.0		7/4/2018 7:00	0.0		7/4/2019 7:00	0.0		7/3/2020 7:00	0.0	
7/4/2017 8:00	0.0		7/4/2018 8:00	0.0		7/4/2019 8:00	0.0		7/3/2020 8:00	0.0	
7/4/2017 9:00	0.0		7/4/2018 9:00	0.0		7/4/2019 9:00	0.0		7/3/2020 9:00	0.0	
7/4/2017 10:00	0.0		7/4/2018 10:00	0.0		7/4/2019 10:00	0.0		7/3/2020 10:00	0.0	
7/4/2017 11:00	0.0		7/4/2018 11:00	0.0		7/4/2019 11:00	0.0		7/3/2020 11:00	0.0	
7/4/2017 12:00	0.0		7/4/2018 12:00	0.0		7/4/2019 12:00	0.0		7/3/2020 12:00	0.0	
7/4/2017 13:00	0.0		7/4/2018 13:00	0.0		7/4/2019 13:00	0.0		7/3/2020 13:00	0.0	
7/4/2017 14:00	0.0		7/4/2018 14:00	0.0		7/4/2019 14:00	0.0		7/3/2020 14:00	0.0	
7/4/2017 15:00	0.0		7/4/2018 15:00	0.0		7/4/2019 15:00	0.0		7/3/2020 15:00	0.0	
7/4/2017 16:00	0.0		7/4/2018 16:00	0.0		7/4/2019 16:00	0.0		7/3/2020 16:00	0.0	
7/4/2017 17:00	0.0		7/4/2018 17:00	0.0		7/4/2019 17:00	0.0		7/3/2020 17:00	0.0	
7/4/2017 18:00	0.0		7/4/2018 18:00	0.0		7/4/2019 18:00	0.0		7/3/2020 18:00	0.0	
7/4/2017 19:00	0.0		7/4/2018 19:00	0.0		7/4/2019 19:00	0.0		7/3/2020 19:00	0.0	
7/4/2017 20:00	0.0		7/4/2018 20:00	0.0		7/4/2019 20:00	0.0		7/3/2020 20:00	0.0	
7/4/2017 21:00	0.0		7/4/2018 21:00	0.0		7/4/2019 21:00	0.0		7/3/2020 21:00	0.0	
7/4/2017 22:00	0.0		7/4/2018 22:00	0.0		7/4/2019 22:00	0.0		7/3/2020 22:00	0.0	
7/4/2017 23:00	0.0	0.0	7/4/2018 23:00	0.0	0.0	7/4/2019 23:00	0.0	0.0	7/3/2020 23:00	0.0	0.0
7/5/2017 0:00	0.0		7/5/2018 0:00	0.0		7/5/2019 0:00	0.0		7/4/2020 0:00	0.0	
7/5/2017 1:00	0.0		7/5/2018 1:00	0.0		7/5/2019 1:00	0.0		7/4/2020 1:00	0.0	
7/5/2017 2:00	0.0		7/5/2018 2:00	0.0		7/5/2019 2:00	0.0		7/4/2020 2:00	0.0	
7/5/2017 3:00	0.0		7/5/2018 3:00	0.0		7/5/2019 3:00	0.0		7/4/2020 3:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/5/2017 4:00	0.0		7/5/2018 4:00	0.0		7/5/2019 4:00	0.0		7/4/2020 4:00	0.0	
7/5/2017 5:00	0.0		7/5/2018 5:00	0.0		7/5/2019 5:00	0.0		7/4/2020 5:00	0.0	
7/5/2017 6:00	0.0		7/5/2018 6:00	0.0		7/5/2019 6:00	0.0		7/4/2020 6:00	0.0	
7/5/2017 7:00	0.0		7/5/2018 7:00	0.0		7/5/2019 7:00	0.0		7/4/2020 7:00	0.0	
7/5/2017 8:00	0.0		7/5/2018 8:00	0.0		7/5/2019 8:00	0.0		7/4/2020 8:00	0.0	
7/5/2017 9:00	0.0		7/5/2018 9:00	0.0		7/5/2019 9:00	0.0		7/4/2020 9:00	0.0	
7/5/2017 10:00	0.0		7/5/2018 10:00	0.0		7/5/2019 10:00	0.0		7/4/2020 10:00	0.0	
7/5/2017 11:00	0.0		7/5/2018 11:00	0.0		7/5/2019 11:00	0.0		7/4/2020 11:00	0.0	
7/5/2017 12:00	0.0		7/5/2018 12:00	0.0		7/5/2019 12:00	0.0		7/4/2020 12:00	0.0	
7/5/2017 13:00	0.0		7/5/2018 13:00	0.0		7/5/2019 13:00	0.0		7/4/2020 13:00	0.0	
7/5/2017 14:00	0.0		7/5/2018 14:00	0.0		7/5/2019 14:00	0.0		7/4/2020 14:00	0.0	
7/5/2017 15:00	0.0		7/5/2018 15:00	0.0		7/5/2019 15:00	0.0		7/4/2020 15:00	0.0	
7/5/2017 16:00	0.0		7/5/2018 16:00	0.0		7/5/2019 16:00	0.0		7/4/2020 16:00	0.0	
7/5/2017 17:00	0.0		7/5/2018 17:00	0.0		7/5/2019 17:00	0.0		7/4/2020 17:00	0.0	
7/5/2017 18:00	0.0		7/5/2018 18:00	0.0		7/5/2019 18:00	0.0		7/4/2020 18:00	0.0	
7/5/2017 19:00	0.0		7/5/2018 19:00	0.0		7/5/2019 19:00	0.0		7/4/2020 19:00	0.0	
7/5/2017 20:00	0.0		7/5/2018 20:00	0.0		7/5/2019 20:00	0.0		7/4/2020 20:00	0.0	
7/5/2017 21:00	0.0		7/5/2018 21:00	0.0		7/5/2019 21:00	0.0		7/4/2020 21:00	0.0	
7/5/2017 22:00	0.0		7/5/2018 22:00	0.0		7/5/2019 22:00	0.0		7/4/2020 22:00	0.0	
7/5/2017 23:00	0.0	0.0	7/5/2018 23:00	0.0	0.0	7/5/2019 23:00	0.0	0.0	7/4/2020 23:00	0.0	0.0
7/6/2017 0:00	0.0		7/6/2018 0:00	0.0		7/6/2019 0:00	0.0		7/5/2020 0:00	0.0	
7/6/2017 1:00	0.0		7/6/2018 1:00	0.0		7/6/2019 1:00	0.0		7/5/2020 1:00	0.0	
7/6/2017 2:00	0.0		7/6/2018 2:00	0.0		7/6/2019 2:00	0.0		7/5/2020 2:00	0.0	
7/6/2017 3:00	0.0		7/6/2018 3:00	0.0		7/6/2019 3:00	0.0		7/5/2020 3:00	0.0	
7/6/2017 4:00	0.0		7/6/2018 4:00	0.0		7/6/2019 4:00	0.0		7/5/2020 4:00	0.0	
7/6/2017 5:00	0.0		7/6/2018 5:00	0.0		7/6/2019 5:00	0.0		7/5/2020 5:00	0.0	
7/6/2017 6:00	0.0		7/6/2018 6:00	0.0		7/6/2019 6:00	0.0		7/5/2020 6:00	0.0	
7/6/2017 7:00	0.0		7/6/2018 7:00	0.0		7/6/2019 7:00	0.0		7/5/2020 7:00	0.0	
7/6/2017 8:00	0.0		7/6/2018 8:00	0.0		7/6/2019 8:00	0.0		7/5/2020 8:00	0.0	
7/6/2017 9:00	0.0		7/6/2018 9:00	0.0		7/6/2019 9:00	0.0		7/5/2020 9:00	0.0	
7/6/2017 10:00	0.0		7/6/2018 10:00	0.0		7/6/2019 10:00	0.0		7/5/2020 10:00	0.0	
7/6/2017 11:00	0.0		7/6/2018 11:00	0.0		7/6/2019 11:00	0.0		7/5/2020 11:00	0.0	
7/6/2017 12:00	0.0		7/6/2018 12:00	0.0		7/6/2019 12:00	0.0		7/5/2020 12:00	0.0	
7/6/2017 13:00	0.0		7/6/2018 13:00	0.0		7/6/2019 13:00	0.0		7/5/2020 13:00	0.0	
7/6/2017 14:00	0.0		7/6/2018 14:00	0.0		7/6/2019 14:00	0.0		7/5/2020 14:00	0.0	
7/6/2017 15:00	0.0		7/6/2018 15:00	0.0		7/6/2019 15:00	0.0		7/5/2020 15:00	0.0	
7/6/2017 16:00	0.0		7/6/2018 16:00	0.0		7/6/2019 16:00	0.0		7/5/2020 16:00	0.0	
7/6/2017 17:00	0.0		7/6/2018 17:00	0.0		7/6/2019 17:00	0.0		7/5/2020 17:00	0.0	
7/6/2017 18:00	0.0		7/6/2018 18:00	0.0		7/6/2019 18:00	0.0		7/5/2020 18:00	0.0	
7/6/2017 19:00	0.0		7/6/2018 19:00	0.0		7/6/2019 19:00	0.0		7/5/2020 19:00	0.0	
7/6/2017 20:00	0.0		7/6/2018 20:00	0.0		7/6/2019 20:00	0.0		7/5/2020 20:00	0.0	
7/6/2017 21:00	0.0		7/6/2018 21:00	0.0		7/6/2019 21:00	0.0		7/5/2020 21:00	0.0	
7/6/2017 22:00	0.0		7/6/2018 22:00	0.0		7/6/2019 22:00	0.0		7/5/2020 22:00	0.0	
7/6/2017 23:00	0.0	0.0	7/6/2018 23:00	0.0	0.0	7/6/2019 23:00	0.0	0.0	7/5/2020 23:00	0.0	0.0

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/7/2017 0:00	0.0		7/7/2018 0:00	0.0		7/7/2019 0:00	0.0		7/6/2020 0:00	0.0	
7/7/2017 1:00	0.0		7/7/2018 1:00	0.0		7/7/2019 1:00	0.0		7/6/2020 1:00	0.0	
7/7/2017 2:00	0.0		7/7/2018 2:00	0.0		7/7/2019 2:00	0.0		7/6/2020 2:00	0.0	
7/7/2017 3:00	0.0		7/7/2018 3:00	0.0		7/7/2019 3:00	0.0		7/6/2020 3:00	0.0	
7/7/2017 4:00	0.0		7/7/2018 4:00	0.0		7/7/2019 4:00	0.0		7/6/2020 4:00	0.0	
7/7/2017 5:00	0.0		7/7/2018 5:00	0.0		7/7/2019 5:00	0.0		7/6/2020 5:00	0.0	
7/7/2017 6:00	0.0		7/7/2018 6:00	0.0		7/7/2019 6:00	0.0		7/6/2020 6:00	0.0	
7/7/2017 7:00	0.0		7/7/2018 7:00	0.0		7/7/2019 7:00	0.0		7/6/2020 7:00	0.0	
7/7/2017 8:00	0.0		7/7/2018 8:00	0.0		7/7/2019 8:00	0.0		7/6/2020 8:00	0.0	
7/7/2017 9:00	0.0		7/7/2018 9:00	0.0		7/7/2019 9:00	0.0		7/6/2020 9:00	0.0	
7/7/2017 10:00	0.0		7/7/2018 10:00	0.0		7/7/2019 10:00	0.0		7/6/2020 10:00	0.0	
7/7/2017 11:00	0.0		7/7/2018 11:00	0.0		7/7/2019 11:00	0.0		7/6/2020 11:00	0.0	
7/7/2017 12:00	0.0		7/7/2018 12:00	0.0		7/7/2019 12:00	0.0		7/6/2020 12:00	0.0	
7/7/2017 13:00	0.0		7/7/2018 13:00	0.0		7/7/2019 13:00	0.0		7/6/2020 13:00	0.0	
7/7/2017 14:00	0.0		7/7/2018 14:00	0.0		7/7/2019 14:00	0.0		7/6/2020 14:00	0.0	
7/7/2017 15:00	0.0		7/7/2018 15:00	0.0		7/7/2019 15:00	0.0		7/6/2020 15:00	0.0	
7/7/2017 16:00	0.0		7/7/2018 16:00	0.0		7/7/2019 16:00	0.0		7/6/2020 16:00	0.0	
7/7/2017 17:00	0.0		7/7/2018 17:00	0.0		7/7/2019 17:00	0.0		7/6/2020 17:00	0.0	
7/7/2017 18:00	0.0		7/7/2018 18:00	0.0		7/7/2019 18:00	0.0		7/6/2020 18:00	0.0	
7/7/2017 19:00	0.0		7/7/2018 19:00	0.0		7/7/2019 19:00	0.0		7/6/2020 19:00	0.0	
7/7/2017 20:00	0.0		7/7/2018 20:00	0.0		7/7/2019 20:00	0.0		7/6/2020 20:00	0.0	
7/7/2017 21:00	0.0		7/7/2018 21:00	0.0		7/7/2019 21:00	0.0		7/6/2020 21:00	0.0	
7/7/2017 22:00	0.0		7/7/2018 22:00	0.0		7/7/2019 22:00	0.0		7/6/2020 22:00	0.0	
7/7/2017 23:00	0.0	0.0	7/7/2018 23:00	0.0	0.0	7/7/2019 23:00	0.0	0.0	7/6/2020 23:00	0.0	0.0
7/8/2017 0:00	0.0		7/8/2018 0:00	0.0		7/8/2019 0:00	0.0		7/7/2020 0:00	0.0	
7/8/2017 1:00	0.0		7/8/2018 1:00	0.0		7/8/2019 1:00	0.0		7/7/2020 1:00	0.0	
7/8/2017 2:00	0.0		7/8/2018 2:00	0.0		7/8/2019 2:00	0.0		7/7/2020 2:00	0.0	
7/8/2017 3:00	0.0		7/8/2018 3:00	0.0		7/8/2019 3:00	0.0		7/7/2020 3:00	0.0	
7/8/2017 4:00	0.0		7/8/2018 4:00	0.0		7/8/2019 4:00	0.0		7/7/2020 4:00	0.0	
7/8/2017 5:00	0.0		7/8/2018 5:00	0.0		7/8/2019 5:00	0.0		7/7/2020 5:00	0.0	
7/8/2017 6:00	0.0		7/8/2018 6:00	0.0		7/8/2019 6:00	0.0		7/7/2020 6:00	0.0	
7/8/2017 7:00	0.0		7/8/2018 7:00	0.0		7/8/2019 7:00	0.0		7/7/2020 7:00	0.0	
7/8/2017 8:00	0.0		7/8/2018 8:00	0.0		7/8/2019 8:00	0.0		7/7/2020 8:00	7.5	
7/8/2017 9:00	0.0		7/8/2018 9:00	0.0		7/8/2019 9:00	0.0		7/7/2020 9:00	0.0	
7/8/2017 10:00	0.0		7/8/2018 10:00	0.0		7/8/2019 10:00	0.0		7/7/2020 10:00	0.0	
7/8/2017 11:00	0.0		7/8/2018 11:00	0.0		7/8/2019 11:00	0.0		7/7/2020 11:00	0.0	
7/8/2017 12:00	0.0		7/8/2018 12:00	0.0		7/8/2019 12:00	0.0		7/7/2020 12:00	0.0	
7/8/2017 13:00	0.0		7/8/2018 13:00	0.0		7/8/2019 13:00	0.0		7/7/2020 13:00	0.0	
7/8/2017 14:00	0.0		7/8/2018 14:00	0.0		7/8/2019 14:00	0.0		7/7/2020 14:00	0.0	
7/8/2017 15:00	0.0		7/8/2018 15:00	0.0		7/8/2019 15:00	0.0		7/7/2020 15:00	0.0	
7/8/2017 16:00	0.0		7/8/2018 16:00	0.0		7/8/2019 16:00	0.0		7/7/2020 16:00	0.0	
7/8/2017 17:00	0.0		7/8/2018 17:00	0.0		7/8/2019 17:00	0.0		7/7/2020 17:00	0.0	
7/8/2017 18:00	0.0		7/8/2018 18:00	0.0		7/8/2019 18:00	0.0		7/7/2020 18:00	0.0	
7/8/2017 19:00	0.0		7/8/2018 19:00	0.0		7/8/2019 19:00	0.0		7/7/2020 19:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/8/2017 20:00	0.0		7/8/2018 20:00	0.0		7/8/2019 20:00	0.0		7/7/2020 20:00	0.0	
7/8/2017 21:00	0.0		7/8/2018 21:00	0.0		7/8/2019 21:00	0.0		7/7/2020 21:00	0.0	
7/8/2017 22:00	0.0		7/8/2018 22:00	0.0		7/8/2019 22:00	0.0		7/7/2020 22:00	0.0	
7/8/2017 23:00	0.0	0.0	7/8/2018 23:00	0.0	0.0	7/8/2019 23:00	0.0	0.0	7/7/2020 23:00	0.0	7.5
7/9/2017 0:00	0.0		7/9/2018 0:00	0.0		7/9/2019 0:00	0.0		7/8/2020 0:00	0.0	
7/9/2017 1:00	0.0		7/9/2018 1:00	0.0		7/9/2019 1:00	0.0		7/8/2020 1:00	0.0	
7/9/2017 2:00	0.0		7/9/2018 2:00	0.0		7/9/2019 2:00	0.0		7/8/2020 2:00	0.0	
7/9/2017 3:00	0.0		7/9/2018 3:00	0.0		7/9/2019 3:00	0.0		7/8/2020 3:00	0.0	
7/9/2017 4:00	0.0		7/9/2018 4:00	0.0		7/9/2019 4:00	0.0		7/8/2020 4:00	0.0	
7/9/2017 5:00	0.0		7/9/2018 5:00	0.0		7/9/2019 5:00	0.0		7/8/2020 5:00	0.0	
7/9/2017 6:00	0.0		7/9/2018 6:00	0.0		7/9/2019 6:00	0.0		7/8/2020 6:00	0.0	
7/9/2017 7:00	0.0		7/9/2018 7:00	0.0		7/9/2019 7:00	0.0		7/8/2020 7:00	0.0	
7/9/2017 8:00	0.0		7/9/2018 8:00	0.0		7/9/2019 8:00	0.0		7/8/2020 8:00	0.0	
7/9/2017 9:00	0.0		7/9/2018 9:00	0.0		7/9/2019 9:00	0.0		7/8/2020 9:00	0.0	
7/9/2017 10:00	0.0		7/9/2018 10:00	0.0		7/9/2019 10:00	0.0		7/8/2020 10:00	0.0	
7/9/2017 11:00	0.0		7/9/2018 11:00	0.0		7/9/2019 11:00	0.0		7/8/2020 11:00	0.0	
7/9/2017 12:00	0.0		7/9/2018 12:00	0.0		7/9/2019 12:00	0.0		7/8/2020 12:00	0.0	
7/9/2017 13:00	0.0		7/9/2018 13:00	0.0		7/9/2019 13:00	0.0		7/8/2020 13:00	0.0	
7/9/2017 14:00	0.0		7/9/2018 14:00	0.0		7/9/2019 14:00	0.0		7/8/2020 14:00	0.0	
7/9/2017 15:00	0.0		7/9/2018 15:00	0.0		7/9/2019 15:00	0.0		7/8/2020 15:00	0.0	
7/9/2017 16:00	0.0		7/9/2018 16:00	0.0		7/9/2019 16:00	0.0		7/8/2020 16:00	0.0	
7/9/2017 17:00	0.0		7/9/2018 17:00	0.0		7/9/2019 17:00	0.0		7/8/2020 17:00	0.0	
7/9/2017 18:00	0.0		7/9/2018 18:00	0.0		7/9/2019 18:00	0.0		7/8/2020 18:00	0.0	
7/9/2017 19:00	0.0		7/9/2018 19:00	0.0		7/9/2019 19:00	0.0		7/8/2020 19:00	0.0	
7/9/2017 20:00	0.0		7/9/2018 20:00	0.0		7/9/2019 20:00	0.0		7/8/2020 20:00	0.0	
7/9/2017 21:00	0.0		7/9/2018 21:00	0.0		7/9/2019 21:00	0.0		7/8/2020 21:00	0.0	
7/9/2017 22:00	0.0		7/9/2018 22:00	0.0		7/9/2019 22:00	0.0		7/8/2020 22:00	0.0	
7/9/2017 23:00	0.0	0.0	7/9/2018 23:00	0.0	0.0	7/9/2019 23:00	0.0	0.0	7/8/2020 23:00	0.0	0.0
7/10/2017 0:00	0.0		7/10/2018 0:00	0.0		7/10/2019 0:00	0.0		7/9/2020 0:00	0.0	
7/10/2017 1:00	0.0		7/10/2018 1:00	0.0		7/10/2019 1:00	0.0		7/9/2020 1:00	0.0	
7/10/2017 2:00	0.0		7/10/2018 2:00	0.0		7/10/2019 2:00	0.0		7/9/2020 2:00	0.0	
7/10/2017 3:00	0.0		7/10/2018 3:00	0.0		7/10/2019 3:00	0.0		7/9/2020 3:00	0.0	
7/10/2017 4:00	0.0		7/10/2018 4:00	0.0		7/10/2019 4:00	0.0		7/9/2020 4:00	0.0	
7/10/2017 5:00	0.0		7/10/2018 5:00	0.0		7/10/2019 5:00	0.0		7/9/2020 5:00	0.0	
7/10/2017 6:00	0.0		7/10/2018 6:00	0.0		7/10/2019 6:00	0.0		7/9/2020 6:00	0.0	
7/10/2017 7:00	0.0		7/10/2018 7:00	0.0		7/10/2019 7:00	0.0		7/9/2020 7:00	0.0	
7/10/2017 8:00	0.0		7/10/2018 8:00	0.0		7/10/2019 8:00	0.0		7/9/2020 8:00	0.0	
7/10/2017 9:00	0.0		7/10/2018 9:00	0.0		7/10/2019 9:00	0.0		7/9/2020 9:00	0.0	
7/10/2017 10:00	0.0		7/10/2018 10:00	0.0		7/10/2019 10:00	0.0		7/9/2020 10:00	0.0	
7/10/2017 11:00	0.0		7/10/2018 11:00	0.0		7/10/2019 11:00	0.0		7/9/2020 11:00	0.0	
7/10/2017 12:00	0.0		7/10/2018 12:00	0.0		7/10/2019 12:00	0.0		7/9/2020 12:00	0.0	
7/10/2017 13:00	0.0		7/10/2018 13:00	0.0		7/10/2019 13:00	0.0		7/9/2020 13:00	0.0	
7/10/2017 14:00	0.0		7/10/2018 14:00	0.0		7/10/2019 14:00	0.0		7/9/2020 14:00	0.0	
7/10/2017 15:00	0.0		7/10/2018 15:00	0.0		7/10/2019 15:00	0.0		7/9/2020 15:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/10/2017 16:00	0.0		7/10/2018 16:00	0.0		7/10/2019 16:00	0.0		7/9/2020 16:00	0.0	
7/10/2017 17:00	0.0		7/10/2018 17:00	0.0		7/10/2019 17:00	0.0		7/9/2020 17:00	0.0	
7/10/2017 18:00	0.0		7/10/2018 18:00	0.0		7/10/2019 18:00	0.0		7/9/2020 18:00	0.0	
7/10/2017 19:00	0.0		7/10/2018 19:00	0.0		7/10/2019 19:00	0.0		7/9/2020 19:00	0.0	
7/10/2017 20:00	0.0		7/10/2018 20:00	0.0		7/10/2019 20:00	0.0		7/9/2020 20:00	0.0	
7/10/2017 21:00	0.0		7/10/2018 21:00	0.0		7/10/2019 21:00	0.0		7/9/2020 21:00	0.0	
7/10/2017 22:00	0.0		7/10/2018 22:00	0.0		7/10/2019 22:00	0.0		7/9/2020 22:00	0.0	
7/10/2017 23:00	0.0	0.0	7/10/2018 23:00	0.0	0.0	7/10/2019 23:00	0.0	0.0	7/9/2020 23:00	0.0	0.0
7/11/2017 0:00	0.0		7/11/2018 0:00	0.0		7/11/2019 0:00	0.0		7/10/2020 0:00	0.0	
7/11/2017 1:00	0.0		7/11/2018 1:00	0.0		7/11/2019 1:00	0.0		7/10/2020 1:00	0.0	
7/11/2017 2:00	0.0		7/11/2018 2:00	0.0		7/11/2019 2:00	0.0		7/10/2020 2:00	0.0	
7/11/2017 3:00	0.0		7/11/2018 3:00	0.0		7/11/2019 3:00	0.0		7/10/2020 3:00	0.0	
7/11/2017 4:00	0.0		7/11/2018 4:00	0.0		7/11/2019 4:00	0.0		7/10/2020 4:00	0.0	
7/11/2017 5:00	0.0		7/11/2018 5:00	0.0		7/11/2019 5:00	0.0		7/10/2020 5:00	0.0	
7/11/2017 6:00	0.0		7/11/2018 6:00	0.0		7/11/2019 6:00	0.0		7/10/2020 6:00	0.0	
7/11/2017 7:00	0.0		7/11/2018 7:00	0.0		7/11/2019 7:00	0.0		7/10/2020 7:00	0.0	
7/11/2017 8:00	0.0		7/11/2018 8:00	0.0		7/11/2019 8:00	0.0		7/10/2020 8:00	0.0	
7/11/2017 9:00	0.0		7/11/2018 9:00	0.0		7/11/2019 9:00	0.0		7/10/2020 9:00	0.0	
7/11/2017 10:00	0.0		7/11/2018 10:00	0.0		7/11/2019 10:00	0.0		7/10/2020 10:00	0.0	
7/11/2017 11:00	0.0		7/11/2018 11:00	0.0		7/11/2019 11:00	0.0		7/10/2020 11:00	0.0	
7/11/2017 12:00	0.0		7/11/2018 12:00	0.0		7/11/2019 12:00	0.0		7/10/2020 12:00	0.0	
7/11/2017 13:00	0.0		7/11/2018 13:00	0.0		7/11/2019 13:00	0.0		7/10/2020 13:00	0.0	
7/11/2017 14:00	0.0		7/11/2018 14:00	0.0		7/11/2019 14:00	0.0		7/10/2020 14:00	0.0	
7/11/2017 15:00	0.0		7/11/2018 15:00	0.0		7/11/2019 15:00	0.0		7/10/2020 15:00	0.0	
7/11/2017 16:00	0.0		7/11/2018 16:00	0.0		7/11/2019 16:00	0.0		7/10/2020 16:00	0.0	
7/11/2017 17:00	0.0		7/11/2018 17:00	0.0		7/11/2019 17:00	0.0		7/10/2020 17:00	0.0	
7/11/2017 18:00	0.0		7/11/2018 18:00	0.0		7/11/2019 18:00	0.0		7/10/2020 18:00	0.0	
7/11/2017 19:00	0.0		7/11/2018 19:00	0.0		7/11/2019 19:00	0.0		7/10/2020 19:00	0.0	
7/11/2017 20:00	0.0		7/11/2018 20:00	0.0		7/11/2019 20:00	0.0		7/10/2020 20:00	0.0	
7/11/2017 21:00	0.0		7/11/2018 21:00	0.0		7/11/2019 21:00	0.0		7/10/2020 21:00	0.0	
7/11/2017 22:00	0.0		7/11/2018 22:00	0.0		7/11/2019 22:00	0.0		7/10/2020 22:00	0.0	
7/11/2017 23:00	0.0	0.0	7/11/2018 23:00	0.0	0.0	7/11/2019 23:00	0.0	0.0	7/10/2020 23:00	0.0	0.0
7/12/2017 0:00	0.0		7/12/2018 0:00	0.0		7/12/2019 0:00	0.0		7/11/2020 0:00	0.0	
7/12/2017 1:00	0.0		7/12/2018 1:00	0.0		7/12/2019 1:00	0.0		7/11/2020 1:00	0.0	
7/12/2017 2:00	0.0		7/12/2018 2:00	0.0		7/12/2019 2:00	0.0		7/11/2020 2:00	0.0	
7/12/2017 3:00	0.0		7/12/2018 3:00	0.0		7/12/2019 3:00	0.0		7/11/2020 3:00	0.0	
7/12/2017 4:00	0.0		7/12/2018 4:00	0.0		7/12/2019 4:00	0.0		7/11/2020 4:00	0.0	
7/12/2017 5:00	0.0		7/12/2018 5:00	0.0		7/12/2019 5:00	0.0		7/11/2020 5:00	0.0	
7/12/2017 6:00	0.0		7/12/2018 6:00	0.0		7/12/2019 6:00	0.0		7/11/2020 6:00	0.0	
7/12/2017 7:00	0.0		7/12/2018 7:00	0.0		7/12/2019 7:00	0.0		7/11/2020 7:00	0.0	
7/12/2017 8:00	0.0		7/12/2018 8:00	0.0		7/12/2019 8:00	0.0		7/11/2020 8:00	0.0	
7/12/2017 9:00	0.0		7/12/2018 9:00	0.0		7/12/2019 9:00	0.0		7/11/2020 9:00	0.0	
7/12/2017 10:00	0.0		7/12/2018 10:00	0.0		7/12/2019 10:00	0.0		7/11/2020 10:00	0.0	
7/12/2017 11:00	0.0		7/12/2018 11:00	0.0		7/12/2019 11:00	0.0		7/11/2020 11:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/12/2017 12:00	0.0		7/12/2018 12:00	0.0		7/12/2019 12:00	0.0		7/11/2020 12:00	0.0	
7/12/2017 13:00	0.0		7/12/2018 13:00	0.0		7/12/2019 13:00	0.0		7/11/2020 13:00	0.0	
7/12/2017 14:00	0.0		7/12/2018 14:00	0.0		7/12/2019 14:00	0.0		7/11/2020 14:00	0.0	
7/12/2017 15:00	0.0		7/12/2018 15:00	0.0		7/12/2019 15:00	0.0		7/11/2020 15:00	0.0	
7/12/2017 16:00	0.0		7/12/2018 16:00	0.0		7/12/2019 16:00	0.0		7/11/2020 16:00	0.0	
7/12/2017 17:00	0.0		7/12/2018 17:00	0.0		7/12/2019 17:00	0.0		7/11/2020 17:00	0.0	
7/12/2017 18:00	0.0		7/12/2018 18:00	0.0		7/12/2019 18:00	0.0		7/11/2020 18:00	0.0	
7/12/2017 19:00	0.0		7/12/2018 19:00	0.0		7/12/2019 19:00	0.0		7/11/2020 19:00	0.0	
7/12/2017 20:00	0.0		7/12/2018 20:00	0.0		7/12/2019 20:00	0.0		7/11/2020 20:00	0.0	
7/12/2017 21:00	0.0		7/12/2018 21:00	0.0		7/12/2019 21:00	0.0		7/11/2020 21:00	0.0	
7/12/2017 22:00	0.0		7/12/2018 22:00	0.0		7/12/2019 22:00	0.0		7/11/2020 22:00	0.0	
7/12/2017 23:00	0.0	0.0	7/12/2018 23:00	0.0	0.0	7/12/2019 23:00	0.0	0.0	7/11/2020 23:00	0.0	0.0
7/13/2017 0:00	0.0		7/13/2018 0:00	0.0		7/13/2019 0:00	0.0		7/12/2020 0:00	0.0	
7/13/2017 1:00	0.0		7/13/2018 1:00	0.0		7/13/2019 1:00	0.0		7/12/2020 1:00	0.0	
7/13/2017 2:00	0.0		7/13/2018 2:00	0.0		7/13/2019 2:00	0.0		7/12/2020 2:00	0.0	
7/13/2017 3:00	0.0		7/13/2018 3:00	0.0		7/13/2019 3:00	0.0		7/12/2020 3:00	0.0	
7/13/2017 4:00	0.0		7/13/2018 4:00	0.0		7/13/2019 4:00	0.0		7/12/2020 4:00	0.0	
7/13/2017 5:00	0.0		7/13/2018 5:00	0.0		7/13/2019 5:00	0.0		7/12/2020 5:00	0.0	
7/13/2017 6:00	0.0		7/13/2018 6:00	0.0		7/13/2019 6:00	0.0		7/12/2020 6:00	0.0	
7/13/2017 7:00	0.0		7/13/2018 7:00	0.0		7/13/2019 7:00	0.0		7/12/2020 7:00	0.0	
7/13/2017 8:00	0.0		7/13/2018 8:00	0.0		7/13/2019 8:00	0.0		7/12/2020 8:00	0.0	
7/13/2017 9:00	0.0		7/13/2018 9:00	0.0		7/13/2019 9:00	0.0		7/12/2020 9:00	0.0	
7/13/2017 10:00	0.0		7/13/2018 10:00	0.0		7/13/2019 10:00	0.0		7/12/2020 10:00	0.0	
7/13/2017 11:00	0.0		7/13/2018 11:00	0.0		7/13/2019 11:00	0.0		7/12/2020 11:00	0.0	
7/13/2017 12:00	0.0		7/13/2018 12:00	0.0		7/13/2019 12:00	0.0		7/12/2020 12:00	0.0	
7/13/2017 13:00	0.0		7/13/2018 13:00	0.0		7/13/2019 13:00	0.0		7/12/2020 13:00	0.0	
7/13/2017 14:00	0.0		7/13/2018 14:00	0.0		7/13/2019 14:00	0.0		7/12/2020 14:00	0.0	
7/13/2017 15:00	0.0		7/13/2018 15:00	0.0		7/13/2019 15:00	0.0		7/12/2020 15:00	0.0	
7/13/2017 16:00	0.0		7/13/2018 16:00	0.0		7/13/2019 16:00	0.0		7/12/2020 16:00	0.0	
7/13/2017 17:00	0.0		7/13/2018 17:00	0.0		7/13/2019 17:00	0.0		7/12/2020 17:00	0.0	
7/13/2017 18:00	0.0		7/13/2018 18:00	0.0		7/13/2019 18:00	0.0		7/12/2020 18:00	0.0	
7/13/2017 19:00	0.0		7/13/2018 19:00	0.0		7/13/2019 19:00	0.0		7/12/2020 19:00	0.0	
7/13/2017 20:00	0.0		7/13/2018 20:00	0.0		7/13/2019 20:00	0.0		7/12/2020 20:00	0.0	
7/13/2017 21:00	0.0		7/13/2018 21:00	0.0		7/13/2019 21:00	0.0		7/12/2020 21:00	0.0	
7/13/2017 22:00	0.0		7/13/2018 22:00	0.0		7/13/2019 22:00	0.0		7/12/2020 22:00	0.0	
7/13/2017 23:00	0.0	0.0	7/13/2018 23:00	0.0	0.0	7/13/2019 23:00	0.0	0.0	7/12/2020 23:00	0.0	0.0
7/14/2017 0:00	0.0		7/14/2018 0:00	0.0		7/14/2019 0:00	0.0		7/13/2020 0:00	0.0	
7/14/2017 1:00	0.0		7/14/2018 1:00	0.0		7/14/2019 1:00	0.0		7/13/2020 1:00	0.0	
7/14/2017 2:00	0.0		7/14/2018 2:00	0.0		7/14/2019 2:00	0.0		7/13/2020 2:00	0.0	
7/14/2017 3:00	0.0		7/14/2018 3:00	0.0		7/14/2019 3:00	0.0		7/13/2020 3:00	0.0	
7/14/2017 4:00	0.0		7/14/2018 4:00	0.0		7/14/2019 4:00	0.0		7/13/2020 4:00	0.0	
7/14/2017 5:00	0.0		7/14/2018 5:00	0.0		7/14/2019 5:00	0.0		7/13/2020 5:00	0.0	
7/14/2017 6:00	0.0		7/14/2018 6:00	0.0		7/14/2019 6:00	0.0		7/13/2020 6:00	0.0	
7/14/2017 7:00	0.0		7/14/2018 7:00	0.0		7/14/2019 7:00	0.0		7/13/2020 7:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/14/2017 8:00	0.0		7/14/2018 8:00	0.0		7/14/2019 8:00	0.0		7/13/2020 8:00	0.0	
7/14/2017 9:00	0.0		7/14/2018 9:00	0.0		7/14/2019 9:00	0.0		7/13/2020 9:00	0.0	
7/14/2017 10:00	0.0		7/14/2018 10:00	0.0		7/14/2019 10:00	0.0		7/13/2020 10:00	0.0	
7/14/2017 11:00	0.0		7/14/2018 11:00	0.0		7/14/2019 11:00	0.0		7/13/2020 11:00	0.0	
7/14/2017 12:00	0.0		7/14/2018 12:00	0.0		7/14/2019 12:00	0.0		7/13/2020 12:00	0.0	
7/14/2017 13:00	0.0		7/14/2018 13:00	0.0		7/14/2019 13:00	0.0		7/13/2020 13:00	0.0	
7/14/2017 14:00	0.0		7/14/2018 14:00	0.0		7/14/2019 14:00	0.0		7/13/2020 14:00	0.0	
7/14/2017 15:00	0.0		7/14/2018 15:00	0.0		7/14/2019 15:00	0.0		7/13/2020 15:00	0.0	
7/14/2017 16:00	0.0		7/14/2018 16:00	0.0		7/14/2019 16:00	0.0		7/13/2020 16:00	0.0	
7/14/2017 17:00	0.0		7/14/2018 17:00	0.0		7/14/2019 17:00	0.0		7/13/2020 17:00	0.0	
7/14/2017 18:00	0.0		7/14/2018 18:00	0.0		7/14/2019 18:00	0.0		7/13/2020 18:00	0.0	
7/14/2017 19:00	0.0		7/14/2018 19:00	0.0		7/14/2019 19:00	0.0		7/13/2020 19:00	0.0	
7/14/2017 20:00	0.0		7/14/2018 20:00	0.0		7/14/2019 20:00	0.0		7/13/2020 20:00	0.0	
7/14/2017 21:00	0.0		7/14/2018 21:00	0.0		7/14/2019 21:00	0.0		7/13/2020 21:00	0.0	
7/14/2017 22:00	0.0		7/14/2018 22:00	0.0		7/14/2019 22:00	0.0		7/13/2020 22:00	0.0	
7/14/2017 23:00	0.0	0.0	7/14/2018 23:00	0.0	0.0	7/14/2019 23:00	0.0	0.0	7/13/2020 23:00	0.0	0.0
7/15/2017 0:00	0.0		7/15/2018 0:00	0.0		7/15/2019 0:00	0.0		7/14/2020 0:00	0.0	
7/15/2017 1:00	0.0		7/15/2018 1:00	0.0		7/15/2019 1:00	0.0		7/14/2020 1:00	0.0	
7/15/2017 2:00	0.0		7/15/2018 2:00	0.0		7/15/2019 2:00	0.0		7/14/2020 2:00	0.0	
7/15/2017 3:00	0.0		7/15/2018 3:00	0.0		7/15/2019 3:00	0.0		7/14/2020 3:00	0.0	
7/15/2017 4:00	0.0		7/15/2018 4:00	0.0		7/15/2019 4:00	0.0		7/14/2020 4:00	0.0	
7/15/2017 5:00	0.0		7/15/2018 5:00	0.0		7/15/2019 5:00	0.0		7/14/2020 5:00	0.0	
7/15/2017 6:00	0.0		7/15/2018 6:00	0.0		7/15/2019 6:00	0.0		7/14/2020 6:00	0.0	
7/15/2017 7:00	0.0		7/15/2018 7:00	0.0		7/15/2019 7:00	0.0		7/14/2020 7:00	0.0	
7/15/2017 8:00	0.0		7/15/2018 8:00	0.0		7/15/2019 8:00	0.0		7/14/2020 8:00	0.0	
7/15/2017 9:00	0.0		7/15/2018 9:00	0.0		7/15/2019 9:00	0.0		7/14/2020 9:00	0.0	
7/15/2017 10:00	0.0		7/15/2018 10:00	0.0		7/15/2019 10:00	0.0		7/14/2020 10:00	0.0	
7/15/2017 11:00	0.0		7/15/2018 11:00	0.0		7/15/2019 11:00	0.0		7/14/2020 11:00	0.0	
7/15/2017 12:00	0.0		7/15/2018 12:00	0.0		7/15/2019 12:00	0.0		7/14/2020 12:00	0.0	
7/15/2017 13:00	0.0		7/15/2018 13:00	0.0		7/15/2019 13:00	0.0		7/14/2020 13:00	0.0	
7/15/2017 14:00	0.0		7/15/2018 14:00	0.0		7/15/2019 14:00	0.0		7/14/2020 14:00	0.0	
7/15/2017 15:00	0.0		7/15/2018 15:00	0.0		7/15/2019 15:00	0.0		7/14/2020 15:00	0.0	
7/15/2017 16:00	0.0		7/15/2018 16:00	0.0		7/15/2019 16:00	0.0		7/14/2020 16:00	0.0	
7/15/2017 17:00	0.0		7/15/2018 17:00	0.0		7/15/2019 17:00	0.0		7/14/2020 17:00	0.0	
7/15/2017 18:00	0.0		7/15/2018 18:00	0.0		7/15/2019 18:00	0.0		7/14/2020 18:00	0.0	
7/15/2017 19:00	0.0		7/15/2018 19:00	0.0		7/15/2019 19:00	0.0		7/14/2020 19:00	0.0	
7/15/2017 20:00	0.0		7/15/2018 20:00	0.0		7/15/2019 20:00	0.0		7/14/2020 20:00	0.0	
7/15/2017 21:00	0.0		7/15/2018 21:00	0.0		7/15/2019 21:00	0.0		7/14/2020 21:00	0.0	
7/15/2017 22:00	0.0		7/15/2018 22:00	0.0		7/15/2019 22:00	0.0		7/14/2020 22:00	0.0	
7/15/2017 23:00	0.0	0.0	7/15/2018 23:00	0.0	0.0	7/15/2019 23:00	0.0	0.0	7/14/2020 23:00	0.0	0.0
7/16/2017 0:00	0.0		7/16/2018 0:00	0.0		7/16/2019 0:00	0.0		7/15/2020 0:00	0.0	
7/16/2017 1:00	0.0		7/16/2018 1:00	0.0		7/16/2019 1:00	0.0		7/15/2020 1:00	0.0	
7/16/2017 2:00	0.0		7/16/2018 2:00	0.0		7/16/2019 2:00	0.0		7/15/2020 2:00	0.0	
7/16/2017 3:00	0.0		7/16/2018 3:00	0.0		7/16/2019 3:00	0.0		7/15/2020 3:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/16/2017 4:00	0.0		7/16/2018 4:00	0.0		7/16/2019 4:00	0.0		7/15/2020 4:00	0.0	
7/16/2017 5:00	0.0		7/16/2018 5:00	0.0		7/16/2019 5:00	0.0		7/15/2020 5:00	0.0	
7/16/2017 6:00	0.0		7/16/2018 6:00	0.0		7/16/2019 6:00	0.0		7/15/2020 6:00	0.0	
7/16/2017 7:00	0.0		7/16/2018 7:00	0.0		7/16/2019 7:00	0.0		7/15/2020 7:00	0.0	
7/16/2017 8:00	0.0		7/16/2018 8:00	0.0		7/16/2019 8:00	0.0		7/15/2020 8:00	0.0	
7/16/2017 9:00	0.0		7/16/2018 9:00	0.0		7/16/2019 9:00	0.0		7/15/2020 9:00	0.0	
7/16/2017 10:00	0.0		7/16/2018 10:00	0.0		7/16/2019 10:00	0.0		7/15/2020 10:00	0.0	
7/16/2017 11:00	0.0		7/16/2018 11:00	0.0		7/16/2019 11:00	0.0		7/15/2020 11:00	0.0	
7/16/2017 12:00	0.0		7/16/2018 12:00	0.0		7/16/2019 12:00	0.0		7/15/2020 12:00	0.0	
7/16/2017 13:00	0.0		7/16/2018 13:00	0.0		7/16/2019 13:00	0.0		7/15/2020 13:00	0.0	
7/16/2017 14:00	0.0		7/16/2018 14:00	0.0		7/16/2019 14:00	0.0		7/15/2020 14:00	0.0	
7/16/2017 15:00	0.0		7/16/2018 15:00	0.0		7/16/2019 15:00	0.0		7/15/2020 15:00	0.0	
7/16/2017 16:00	0.0		7/16/2018 16:00	0.0		7/16/2019 16:00	0.0		7/15/2020 16:00	0.0	
7/16/2017 17:00	0.0		7/16/2018 17:00	0.0		7/16/2019 17:00	0.0		7/15/2020 17:00	0.0	
7/16/2017 18:00	0.0		7/16/2018 18:00	0.0		7/16/2019 18:00	0.0		7/15/2020 18:00	0.0	
7/16/2017 19:00	0.0		7/16/2018 19:00	0.0		7/16/2019 19:00	0.0		7/15/2020 19:00	0.0	
7/16/2017 20:00	0.0		7/16/2018 20:00	0.0		7/16/2019 20:00	0.0		7/15/2020 20:00	0.0	
7/16/2017 21:00	0.0		7/16/2018 21:00	0.0		7/16/2019 21:00	0.0		7/15/2020 21:00	0.0	
7/16/2017 22:00	0.0		7/16/2018 22:00	0.0		7/16/2019 22:00	0.0		7/15/2020 22:00	0.0	
7/16/2017 23:00	0.0	0.0	7/16/2018 23:00	0.0	0.0	7/16/2019 23:00	0.0	0.0	7/15/2020 23:00	0.0	0.0
7/17/2017 0:00	0.0		7/17/2018 0:00	0.0		7/17/2019 0:00	0.0		7/16/2020 0:00	0.0	
7/17/2017 1:00	0.0		7/17/2018 1:00	0.0		7/17/2019 1:00	0.0		7/16/2020 1:00	0.0	
7/17/2017 2:00	0.0		7/17/2018 2:00	0.0		7/17/2019 2:00	0.0		7/16/2020 2:00	0.0	
7/17/2017 3:00	0.0		7/17/2018 3:00	0.0		7/17/2019 3:00	0.0		7/16/2020 3:00	0.0	
7/17/2017 4:00	0.0		7/17/2018 4:00	0.0		7/17/2019 4:00	0.0		7/16/2020 4:00	0.0	
7/17/2017 5:00	0.0		7/17/2018 5:00	0.0		7/17/2019 5:00	0.0		7/16/2020 5:00	0.0	
7/17/2017 6:00	0.0		7/17/2018 6:00	0.0		7/17/2019 6:00	0.0		7/16/2020 6:00	0.0	
7/17/2017 7:00	0.0		7/17/2018 7:00	0.0		7/17/2019 7:00	0.0		7/16/2020 7:00	0.0	
7/17/2017 8:00	0.0		7/17/2018 8:00	0.0		7/17/2019 8:00	0.0		7/16/2020 8:00	0.0	
7/17/2017 9:00	0.0		7/17/2018 9:00	0.0		7/17/2019 9:00	0.0		7/16/2020 9:00	0.0	
7/17/2017 10:00	0.0		7/17/2018 10:00	0.0		7/17/2019 10:00	0.0		7/16/2020 10:00	0.0	
7/17/2017 11:00	0.0		7/17/2018 11:00	0.0		7/17/2019 11:00	0.0		7/16/2020 11:00	0.0	
7/17/2017 12:00	0.0		7/17/2018 12:00	0.0		7/17/2019 12:00	0.0		7/16/2020 12:00	0.0	
7/17/2017 13:00	0.0		7/17/2018 13:00	0.0		7/17/2019 13:00	0.0		7/16/2020 13:00	0.0	
7/17/2017 14:00	0.0		7/17/2018 14:00	0.0		7/17/2019 14:00	0.0		7/16/2020 14:00	0.0	
7/17/2017 15:00	0.0		7/17/2018 15:00	0.0		7/17/2019 15:00	0.0		7/16/2020 15:00	0.0	
7/17/2017 16:00	0.0		7/17/2018 16:00	0.0		7/17/2019 16:00	0.0		7/16/2020 16:00	0.0	
7/17/2017 17:00	0.0		7/17/2018 17:00	0.0		7/17/2019 17:00	0.0		7/16/2020 17:00	0.0	
7/17/2017 18:00	0.0		7/17/2018 18:00	0.0		7/17/2019 18:00	0.0		7/16/2020 18:00	0.0	
7/17/2017 19:00	0.0		7/17/2018 19:00	0.0		7/17/2019 19:00	0.0		7/16/2020 19:00	0.0	
7/17/2017 20:00	0.0		7/17/2018 20:00	0.0		7/17/2019 20:00	0.0		7/16/2020 20:00	0.0	
7/17/2017 21:00	0.0		7/17/2018 21:00	0.0		7/17/2019 21:00	0.0		7/16/2020 21:00	0.0	
7/17/2017 22:00	0.0		7/17/2018 22:00	0.0		7/17/2019 22:00	0.0		7/16/2020 22:00	0.0	
7/17/2017 23:00	0.0	0.0	7/17/2018 23:00	0.0	0.0	7/17/2019 23:00	0.0	0.0	7/16/2020 23:00	0.0	0.0

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/18/2017 0:00	0.0		7/18/2018 0:00	0.0		7/18/2019 0:00	0.0		7/17/2020 0:00	0.0	
7/18/2017 1:00	0.0		7/18/2018 1:00	0.0		7/18/2019 1:00	0.0		7/17/2020 1:00	0.0	
7/18/2017 2:00	0.0		7/18/2018 2:00	0.0		7/18/2019 2:00	0.0		7/17/2020 2:00	0.0	
7/18/2017 3:00	0.0		7/18/2018 3:00	0.0		7/18/2019 3:00	0.0		7/17/2020 3:00	0.0	
7/18/2017 4:00	0.0		7/18/2018 4:00	0.0		7/18/2019 4:00	0.0		7/17/2020 4:00	0.0	
7/18/2017 5:00	0.0		7/18/2018 5:00	0.0		7/18/2019 5:00	0.0		7/17/2020 5:00	0.0	
7/18/2017 6:00	0.0		7/18/2018 6:00	0.0		7/18/2019 6:00	0.0		7/17/2020 6:00	0.0	
7/18/2017 7:00	0.0		7/18/2018 7:00	0.0		7/18/2019 7:00	0.0		7/17/2020 7:00	0.0	
7/18/2017 8:00	0.0		7/18/2018 8:00	0.0		7/18/2019 8:00	0.0		7/17/2020 8:00	0.0	
7/18/2017 9:00	0.0		7/18/2018 9:00	0.0		7/18/2019 9:00	0.0		7/17/2020 9:00	0.0	
7/18/2017 10:00	0.0		7/18/2018 10:00	0.0		7/18/2019 10:00	0.0		7/17/2020 10:00	0.0	
7/18/2017 11:00	0.0		7/18/2018 11:00	0.0		7/18/2019 11:00	0.0		7/17/2020 11:00	0.0	
7/18/2017 12:00	0.0		7/18/2018 12:00	0.0		7/18/2019 12:00	0.0		7/17/2020 12:00	0.0	
7/18/2017 13:00	0.0		7/18/2018 13:00	0.0		7/18/2019 13:00	0.0		7/17/2020 13:00	0.0	
7/18/2017 14:00	0.0		7/18/2018 14:00	0.0		7/18/2019 14:00	0.0		7/17/2020 14:00	0.0	
7/18/2017 15:00	0.0		7/18/2018 15:00	0.0		7/18/2019 15:00	0.0		7/17/2020 15:00	0.0	
7/18/2017 16:00	0.0		7/18/2018 16:00	0.0		7/18/2019 16:00	0.0		7/17/2020 16:00	0.0	
7/18/2017 17:00	0.0		7/18/2018 17:00	0.0		7/18/2019 17:00	0.0		7/17/2020 17:00	0.0	
7/18/2017 18:00	0.0		7/18/2018 18:00	0.0		7/18/2019 18:00	0.0		7/17/2020 18:00	0.0	
7/18/2017 19:00	0.0		7/18/2018 19:00	0.0		7/18/2019 19:00	0.0		7/17/2020 19:00	0.0	
7/18/2017 20:00	0.0		7/18/2018 20:00	0.0		7/18/2019 20:00	0.0		7/17/2020 20:00	0.0	
7/18/2017 21:00	0.0		7/18/2018 21:00	0.0		7/18/2019 21:00	0.0		7/17/2020 21:00	0.0	
7/18/2017 22:00	0.0		7/18/2018 22:00	0.0		7/18/2019 22:00	0.0		7/17/2020 22:00	0.0	
7/18/2017 23:00	0.0	0.0	7/18/2018 23:00	0.0	0.0	7/18/2019 23:00	0.0	0.0	7/17/2020 23:00	0.0	0.0
7/19/2017 0:00	0.0		7/19/2018 0:00	0.0		7/19/2019 0:00	0.0		7/18/2020 0:00	0.0	
7/19/2017 1:00	0.0		7/19/2018 1:00	0.0		7/19/2019 1:00	0.0		7/18/2020 1:00	0.0	
7/19/2017 2:00	0.0		7/19/2018 2:00	0.0		7/19/2019 2:00	0.0		7/18/2020 2:00	0.0	
7/19/2017 3:00	0.0		7/19/2018 3:00	0.0		7/19/2019 3:00	0.0		7/18/2020 3:00	0.0	
7/19/2017 4:00	0.0		7/19/2018 4:00	0.0		7/19/2019 4:00	0.0		7/18/2020 4:00	0.0	
7/19/2017 5:00	0.0		7/19/2018 5:00	0.0		7/19/2019 5:00	0.0		7/18/2020 5:00	0.0	
7/19/2017 6:00	0.0		7/19/2018 6:00	0.0		7/19/2019 6:00	0.0		7/18/2020 6:00	0.0	
7/19/2017 7:00	0.0		7/19/2018 7:00	0.0		7/19/2019 7:00	0.0		7/18/2020 7:00	0.0	
7/19/2017 8:00	0.0		7/19/2018 8:00	0.0		7/19/2019 8:00	0.0		7/18/2020 8:00	0.0	
7/19/2017 9:00	0.0		7/19/2018 9:00	0.0		7/19/2019 9:00	0.0		7/18/2020 9:00	0.0	
7/19/2017 10:00	0.0		7/19/2018 10:00	0.0		7/19/2019 10:00	0.0		7/18/2020 10:00	0.0	
7/19/2017 11:00	0.0		7/19/2018 11:00	0.0		7/19/2019 11:00	0.0		7/18/2020 11:00	0.0	
7/19/2017 12:00	0.0		7/19/2018 12:00	0.0		7/19/2019 12:00	0.0		7/18/2020 12:00	0.0	
7/19/2017 13:00	0.0		7/19/2018 13:00	0.0		7/19/2019 13:00	0.0		7/18/2020 13:00	0.0	
7/19/2017 14:00	0.0		7/19/2018 14:00	0.0		7/19/2019 14:00	0.0		7/18/2020 14:00	0.0	
7/19/2017 15:00	0.0		7/19/2018 15:00	0.0		7/19/2019 15:00	0.0		7/18/2020 15:00	0.0	
7/19/2017 16:00	0.0		7/19/2018 16:00	0.0		7/19/2019 16:00	0.0		7/18/2020 16:00	0.0	
7/19/2017 17:00	0.0		7/19/2018 17:00	0.0		7/19/2019 17:00	0.0		7/18/2020 17:00	0.0	
7/19/2017 18:00	0.0		7/19/2018 18:00	0.0		7/19/2019 18:00	0.0		7/18/2020 18:00	0.0	
7/19/2017 19:00	0.0		7/19/2018 19:00	0.0		7/19/2019 19:00	0.0		7/18/2020 19:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/19/2017 20:00	0.0		7/19/2018 20:00	0.0		7/19/2019 20:00	0.0		7/18/2020 20:00	0.0	
7/19/2017 21:00	0.0		7/19/2018 21:00	0.0		7/19/2019 21:00	0.0		7/18/2020 21:00	0.0	
7/19/2017 22:00	0.0		7/19/2018 22:00	0.0		7/19/2019 22:00	0.0		7/18/2020 22:00	0.0	
7/19/2017 23:00	0.0	0.0	7/19/2018 23:00	0.0	0.0	7/19/2019 23:00	0.0	0.0	7/18/2020 23:00	0.0	0.0
7/20/2017 0:00	0.0		7/20/2018 0:00	0.0		7/20/2019 0:00	0.0		7/19/2020 0:00	0.0	
7/20/2017 1:00	0.0		7/20/2018 1:00	0.0		7/20/2019 1:00	0.0		7/19/2020 1:00	0.0	
7/20/2017 2:00	0.0		7/20/2018 2:00	0.0		7/20/2019 2:00	0.0		7/19/2020 2:00	0.0	
7/20/2017 3:00	0.0		7/20/2018 3:00	0.0		7/20/2019 3:00	0.0		7/19/2020 3:00	0.0	
7/20/2017 4:00	0.0		7/20/2018 4:00	0.0		7/20/2019 4:00	0.0		7/19/2020 4:00	0.0	
7/20/2017 5:00	0.0		7/20/2018 5:00	0.0		7/20/2019 5:00	0.0		7/19/2020 5:00	0.0	
7/20/2017 6:00	0.0		7/20/2018 6:00	0.0		7/20/2019 6:00	0.0		7/19/2020 6:00	0.0	
7/20/2017 7:00	0.0		7/20/2018 7:00	0.0		7/20/2019 7:00	0.0		7/19/2020 7:00	0.0	
7/20/2017 8:00	0.0		7/20/2018 8:00	0.0		7/20/2019 8:00	0.0		7/19/2020 8:00	0.0	
7/20/2017 9:00	0.0		7/20/2018 9:00	0.0		7/20/2019 9:00	0.0		7/19/2020 9:00	0.0	
7/20/2017 10:00	0.0		7/20/2018 10:00	0.0		7/20/2019 10:00	0.0		7/19/2020 10:00	0.0	
7/20/2017 11:00	0.0		7/20/2018 11:00	0.0		7/20/2019 11:00	0.0		7/19/2020 11:00	0.0	
7/20/2017 12:00	0.0		7/20/2018 12:00	0.0		7/20/2019 12:00	0.0		7/19/2020 12:00	0.0	
7/20/2017 13:00	0.0		7/20/2018 13:00	0.0		7/20/2019 13:00	0.0		7/19/2020 13:00	0.0	
7/20/2017 14:00	0.0		7/20/2018 14:00	0.0		7/20/2019 14:00	0.0		7/19/2020 14:00	0.0	
7/20/2017 15:00	0.0		7/20/2018 15:00	0.0		7/20/2019 15:00	0.0		7/19/2020 15:00	0.0	
7/20/2017 16:00	0.0		7/20/2018 16:00	0.0		7/20/2019 16:00	0.0		7/19/2020 16:00	0.0	
7/20/2017 17:00	0.0		7/20/2018 17:00	0.0		7/20/2019 17:00	0.0		7/19/2020 17:00	0.0	
7/20/2017 18:00	0.0		7/20/2018 18:00	0.0		7/20/2019 18:00	0.0		7/19/2020 18:00	0.0	
7/20/2017 19:00	0.0		7/20/2018 19:00	0.0		7/20/2019 19:00	0.0		7/19/2020 19:00	0.0	
7/20/2017 20:00	0.0		7/20/2018 20:00	0.0		7/20/2019 20:00	0.0		7/19/2020 20:00	0.0	
7/20/2017 21:00	0.0		7/20/2018 21:00	0.0		7/20/2019 21:00	0.0		7/19/2020 21:00	0.0	
7/20/2017 22:00	0.0		7/20/2018 22:00	0.0		7/20/2019 22:00	0.0		7/19/2020 22:00	0.0	
7/20/2017 23:00	0.0	0.0	7/20/2018 23:00	0.0	0.0	7/20/2019 23:00	0.0	0.0	7/19/2020 23:00	0.0	0.0
7/21/2017 0:00	0.0		7/21/2018 0:00	0.0		7/21/2019 0:00	0.0		7/20/2020 0:00	0.0	
7/21/2017 1:00	0.0		7/21/2018 1:00	26.6		7/21/2019 1:00	0.0		7/20/2020 1:00	0.0	
7/21/2017 2:00	0.0		7/21/2018 2:00	25.1		7/21/2019 2:00	0.0		7/20/2020 2:00	0.0	
7/21/2017 3:00	0.0		7/21/2018 3:00	0.0		7/21/2019 3:00	0.0		7/20/2020 3:00	0.0	
7/21/2017 4:00	0.0		7/21/2018 4:00	0.0		7/21/2019 4:00	0.0		7/20/2020 4:00	0.0	
7/21/2017 5:00	0.0		7/21/2018 5:00	0.0		7/21/2019 5:00	0.0		7/20/2020 5:00	0.0	
7/21/2017 6:00	0.0		7/21/2018 6:00	0.0		7/21/2019 6:00	0.0		7/20/2020 6:00	0.0	
7/21/2017 7:00	0.0		7/21/2018 7:00	0.0		7/21/2019 7:00	0.0		7/20/2020 7:00	0.0	
7/21/2017 8:00	0.0		7/21/2018 8:00	0.0		7/21/2019 8:00	0.0		7/20/2020 8:00	0.0	
7/21/2017 9:00	0.0		7/21/2018 9:00	0.0		7/21/2019 9:00	0.0		7/20/2020 9:00	0.0	
7/21/2017 10:00	0.0		7/21/2018 10:00	0.0		7/21/2019 10:00	0.0		7/20/2020 10:00	0.0	
7/21/2017 11:00	0.0		7/21/2018 11:00	0.0		7/21/2019 11:00	0.0		7/20/2020 11:00	0.0	
7/21/2017 12:00	0.0		7/21/2018 12:00	0.0		7/21/2019 12:00	0.0		7/20/2020 12:00	0.0	
7/21/2017 13:00	0.0		7/21/2018 13:00	0.0		7/21/2019 13:00	0.0		7/20/2020 13:00	0.0	
7/21/2017 14:00	0.0		7/21/2018 14:00	0.0		7/21/2019 14:00	0.0		7/20/2020 14:00	0.0	
7/21/2017 15:00	0.0		7/21/2018 15:00	0.0		7/21/2019 15:00	0.0		7/20/2020 15:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/21/2017 16:00	0.0		7/21/2018 16:00	0.0		7/21/2019 16:00	0.0		7/20/2020 16:00	0.0	
7/21/2017 17:00	0.0		7/21/2018 17:00	0.0		7/21/2019 17:00	0.0		7/20/2020 17:00	0.0	
7/21/2017 18:00	0.0		7/21/2018 18:00	0.0		7/21/2019 18:00	0.0		7/20/2020 18:00	0.0	
7/21/2017 19:00	0.0		7/21/2018 19:00	0.0		7/21/2019 19:00	0.0		7/20/2020 19:00	0.0	
7/21/2017 20:00	0.0		7/21/2018 20:00	0.0		7/21/2019 20:00	0.0		7/20/2020 20:00	0.0	
7/21/2017 21:00	0.0		7/21/2018 21:00	0.0		7/21/2019 21:00	0.0		7/20/2020 21:00	0.0	
7/21/2017 22:00	0.0		7/21/2018 22:00	0.0		7/21/2019 22:00	0.0		7/20/2020 22:00	0.0	
7/21/2017 23:00	0.0	0.0	7/21/2018 23:00	0.0	26.6	7/21/2019 23:00	0.0	0.0	7/20/2020 23:00	0.0	0.0
7/22/2017 0:00	0.0		7/22/2018 0:00	0.0		7/22/2019 0:00	0.0		7/21/2020 0:00	0.0	
7/22/2017 1:00	0.0		7/22/2018 1:00	0.0		7/22/2019 1:00	0.0		7/21/2020 1:00	0.0	
7/22/2017 2:00	0.0		7/22/2018 2:00	0.0		7/22/2019 2:00	0.0		7/21/2020 2:00	0.0	
7/22/2017 3:00	0.0		7/22/2018 3:00	0.0		7/22/2019 3:00	0.0		7/21/2020 3:00	0.0	
7/22/2017 4:00	0.0		7/22/2018 4:00	0.0		7/22/2019 4:00	0.0		7/21/2020 4:00	0.0	
7/22/2017 5:00	0.0		7/22/2018 5:00	0.0		7/22/2019 5:00	0.0		7/21/2020 5:00	0.0	
7/22/2017 6:00	0.0		7/22/2018 6:00	0.0		7/22/2019 6:00	0.0		7/21/2020 6:00	0.0	
7/22/2017 7:00	0.0		7/22/2018 7:00	0.0		7/22/2019 7:00	0.0		7/21/2020 7:00	0.0	
7/22/2017 8:00	0.0		7/22/2018 8:00	0.0		7/22/2019 8:00	0.0		7/21/2020 8:00	0.0	
7/22/2017 9:00	0.0		7/22/2018 9:00	0.0		7/22/2019 9:00	0.0		7/21/2020 9:00	0.0	
7/22/2017 10:00	0.0		7/22/2018 10:00	0.0		7/22/2019 10:00	0.0		7/21/2020 10:00	0.0	
7/22/2017 11:00	0.0		7/22/2018 11:00	0.0		7/22/2019 11:00	0.0		7/21/2020 11:00	0.0	
7/22/2017 12:00	0.0		7/22/2018 12:00	0.0		7/22/2019 12:00	0.0		7/21/2020 12:00	0.0	
7/22/2017 13:00	0.0		7/22/2018 13:00	0.0		7/22/2019 13:00	0.0		7/21/2020 13:00	0.0	
7/22/2017 14:00	0.0		7/22/2018 14:00	0.0		7/22/2019 14:00	0.0		7/21/2020 14:00	0.0	
7/22/2017 15:00	0.0		7/22/2018 15:00	0.0		7/22/2019 15:00	0.0		7/21/2020 15:00	0.0	
7/22/2017 16:00	0.0		7/22/2018 16:00	0.0		7/22/2019 16:00	0.0		7/21/2020 16:00	0.0	
7/22/2017 17:00	0.0		7/22/2018 17:00	0.0		7/22/2019 17:00	0.0		7/21/2020 17:00	0.0	
7/22/2017 18:00	0.0		7/22/2018 18:00	0.0		7/22/2019 18:00	0.0		7/21/2020 18:00	0.0	
7/22/2017 19:00	0.0		7/22/2018 19:00	0.0		7/22/2019 19:00	0.0		7/21/2020 19:00	0.0	
7/22/2017 20:00	0.0		7/22/2018 20:00	0.0		7/22/2019 20:00	0.0		7/21/2020 20:00	0.0	
7/22/2017 21:00	0.0		7/22/2018 21:00	0.0		7/22/2019 21:00	0.0		7/21/2020 21:00	0.0	
7/22/2017 22:00	0.0		7/22/2018 22:00	0.0		7/22/2019 22:00	0.0		7/21/2020 22:00	0.0	
7/22/2017 23:00	0.0	0.0	7/22/2018 23:00	0.0	0.0	7/22/2019 23:00	0.0	0.0	7/21/2020 23:00	0.0	0.0
7/23/2017 0:00	0.0		7/23/2018 0:00	0.0		7/23/2019 0:00	0.0		7/22/2020 0:00	0.0	
7/23/2017 1:00	0.0		7/23/2018 1:00	0.0		7/23/2019 1:00	0.0		7/22/2020 1:00	0.0	
7/23/2017 2:00	0.0		7/23/2018 2:00	0.0		7/23/2019 2:00	0.0		7/22/2020 2:00	0.0	
7/23/2017 3:00	0.0		7/23/2018 3:00	0.0		7/23/2019 3:00	0.0		7/22/2020 3:00	0.0	
7/23/2017 4:00	0.0		7/23/2018 4:00	0.0		7/23/2019 4:00	0.0		7/22/2020 4:00	0.0	
7/23/2017 5:00	0.0		7/23/2018 5:00	0.0		7/23/2019 5:00	0.0		7/22/2020 5:00	0.0	
7/23/2017 6:00	0.0		7/23/2018 6:00	0.0		7/23/2019 6:00	0.0		7/22/2020 6:00	0.0	
7/23/2017 7:00	0.0		7/23/2018 7:00	0.0		7/23/2019 7:00	0.0		7/22/2020 7:00	0.0	
7/23/2017 8:00	0.0		7/23/2018 8:00	0.0		7/23/2019 8:00	0.0		7/22/2020 8:00	0.0	
7/23/2017 9:00	0.0		7/23/2018 9:00	0.0		7/23/2019 9:00	0.0		7/22/2020 9:00	0.0	
7/23/2017 10:00	0.0		7/23/2018 10:00	0.0		7/23/2019 10:00	0.0		7/22/2020 10:00	0.0	
7/23/2017 11:00	0.0		7/23/2018 11:00	0.0		7/23/2019 11:00	0.0		7/22/2020 11:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/23/2017 12:00	0.0		7/23/2018 12:00	0.0		7/23/2019 12:00	0.0		7/22/2020 12:00	0.0	
7/23/2017 13:00	0.0		7/23/2018 13:00	0.0		7/23/2019 13:00	0.0		7/22/2020 13:00	0.0	
7/23/2017 14:00	0.0		7/23/2018 14:00	0.0		7/23/2019 14:00	0.0		7/22/2020 14:00	0.0	
7/23/2017 15:00	0.0		7/23/2018 15:00	0.0		7/23/2019 15:00	0.0		7/22/2020 15:00	0.0	
7/23/2017 16:00	0.0		7/23/2018 16:00	0.0		7/23/2019 16:00	0.0		7/22/2020 16:00	0.0	
7/23/2017 17:00	0.0		7/23/2018 17:00	0.0		7/23/2019 17:00	0.0		7/22/2020 17:00	0.0	
7/23/2017 18:00	0.0		7/23/2018 18:00	0.0		7/23/2019 18:00	0.0		7/22/2020 18:00	0.0	
7/23/2017 19:00	0.0		7/23/2018 19:00	0.0		7/23/2019 19:00	0.0		7/22/2020 19:00	0.0	
7/23/2017 20:00	0.0		7/23/2018 20:00	0.0		7/23/2019 20:00	0.0		7/22/2020 20:00	0.0	
7/23/2017 21:00	0.0		7/23/2018 21:00	0.0		7/23/2019 21:00	0.0		7/22/2020 21:00	0.0	
7/23/2017 22:00	0.0		7/23/2018 22:00	0.0		7/23/2019 22:00	0.0		7/22/2020 22:00	0.0	
7/23/2017 23:00	0.0	0.0	7/23/2018 23:00	0.0	0.0	7/23/2019 23:00	0.0	0.0	7/22/2020 23:00	0.0	0.0
7/24/2017 0:00	0.0		7/24/2018 0:00	0.0		7/24/2019 0:00	0.0		7/23/2020 0:00	0.0	
7/24/2017 1:00	0.0		7/24/2018 1:00	0.0		7/24/2019 1:00	0.0		7/23/2020 1:00	0.0	
7/24/2017 2:00	0.0		7/24/2018 2:00	0.0		7/24/2019 2:00	0.0		7/23/2020 2:00	0.0	
7/24/2017 3:00	0.0		7/24/2018 3:00	0.0		7/24/2019 3:00	0.0		7/23/2020 3:00	0.0	
7/24/2017 4:00	0.0		7/24/2018 4:00	0.0		7/24/2019 4:00	0.0		7/23/2020 4:00	0.0	
7/24/2017 5:00	0.0		7/24/2018 5:00	0.0		7/24/2019 5:00	0.0		7/23/2020 5:00	0.0	
7/24/2017 6:00	0.0		7/24/2018 6:00	0.0		7/24/2019 6:00	0.0		7/23/2020 6:00	0.0	
7/24/2017 7:00	0.0		7/24/2018 7:00	0.0		7/24/2019 7:00	0.0		7/23/2020 7:00	0.0	
7/24/2017 8:00	0.0		7/24/2018 8:00	0.0		7/24/2019 8:00	0.0		7/23/2020 8:00	0.0	
7/24/2017 9:00	0.0		7/24/2018 9:00	0.0		7/24/2019 9:00	0.0		7/23/2020 9:00	0.0	
7/24/2017 10:00	0.0		7/24/2018 10:00	0.0		7/24/2019 10:00	0.0		7/23/2020 10:00	0.0	
7/24/2017 11:00	0.0		7/24/2018 11:00	0.0		7/24/2019 11:00	0.0		7/23/2020 11:00	0.0	
7/24/2017 12:00	0.0		7/24/2018 12:00	0.0		7/24/2019 12:00	0.0		7/23/2020 12:00	0.0	
7/24/2017 13:00	0.0		7/24/2018 13:00	0.0		7/24/2019 13:00	0.0		7/23/2020 13:00	0.0	
7/24/2017 14:00	0.0		7/24/2018 14:00	0.0		7/24/2019 14:00	0.0		7/23/2020 14:00	0.0	
7/24/2017 15:00	0.0		7/24/2018 15:00	0.0		7/24/2019 15:00	0.0		7/23/2020 15:00	0.0	
7/24/2017 16:00	0.0		7/24/2018 16:00	0.0		7/24/2019 16:00	0.0		7/23/2020 16:00	0.0	
7/24/2017 17:00	0.0		7/24/2018 17:00	0.0		7/24/2019 17:00	0.0		7/23/2020 17:00	0.0	
7/24/2017 18:00	0.0		7/24/2018 18:00	0.0		7/24/2019 18:00	0.0		7/23/2020 18:00	7.8	
7/24/2017 19:00	0.0		7/24/2018 19:00	0.0		7/24/2019 19:00	0.0		7/23/2020 19:00	0.0	
7/24/2017 20:00	0.0		7/24/2018 20:00	0.0		7/24/2019 20:00	0.0		7/23/2020 20:00	0.0	
7/24/2017 21:00	0.0		7/24/2018 21:00	0.0		7/24/2019 21:00	0.0		7/23/2020 21:00	0.0	
7/24/2017 22:00	0.0		7/24/2018 22:00	0.0		7/24/2019 22:00	0.0		7/23/2020 22:00	0.0	
7/24/2017 23:00	0.0	0.0	7/24/2018 23:00	0.0	0.0	7/24/2019 23:00	0.0	0.0	7/23/2020 23:00	0.0	7.8
7/25/2017 0:00	0.0		7/25/2018 0:00	0.0		7/25/2019 0:00	0.0		7/24/2020 0:00	0.0	
7/25/2017 1:00	0.0		7/25/2018 1:00	0.0		7/25/2019 1:00	0.0		7/24/2020 1:00	0.0	
7/25/2017 2:00	0.0		7/25/2018 2:00	0.0		7/25/2019 2:00	0.0		7/24/2020 2:00	0.0	
7/25/2017 3:00	0.0		7/25/2018 3:00	0.0		7/25/2019 3:00	0.0		7/24/2020 3:00	0.0	
7/25/2017 4:00	0.0		7/25/2018 4:00	0.0		7/25/2019 4:00	0.0		7/24/2020 4:00	0.0	
7/25/2017 5:00	0.0		7/25/2018 5:00	0.0		7/25/2019 5:00	0.0		7/24/2020 5:00	0.0	
7/25/2017 6:00	0.0		7/25/2018 6:00	47.0		7/25/2019 6:00	0.0		7/24/2020 6:00	0.0	
7/25/2017 7:00	0.0		7/25/2018 7:00	0.0		7/25/2019 7:00	0.0		7/24/2020 7:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/25/2017 8:00	0.0		7/25/2018 8:00	0.0		7/25/2019 8:00	0.0		7/24/2020 8:00	0.0	
7/25/2017 9:00	0.0		7/25/2018 9:00	0.0		7/25/2019 9:00	0.0		7/24/2020 9:00	0.0	
7/25/2017 10:00	0.0		7/25/2018 10:00	0.0		7/25/2019 10:00	0.0		7/24/2020 10:00	0.0	
7/25/2017 11:00	0.0		7/25/2018 11:00	0.0		7/25/2019 11:00	0.0		7/24/2020 11:00	0.0	
7/25/2017 12:00	0.0		7/25/2018 12:00	0.0		7/25/2019 12:00	0.0		7/24/2020 12:00	0.0	
7/25/2017 13:00	0.0		7/25/2018 13:00	0.0		7/25/2019 13:00	0.0		7/24/2020 13:00	0.0	
7/25/2017 14:00	0.0		7/25/2018 14:00	0.0		7/25/2019 14:00	0.0		7/24/2020 14:00	0.0	
7/25/2017 15:00	0.0		7/25/2018 15:00	0.0		7/25/2019 15:00	0.0		7/24/2020 15:00	0.0	
7/25/2017 16:00	0.0		7/25/2018 16:00	0.0		7/25/2019 16:00	0.0		7/24/2020 16:00	0.0	
7/25/2017 17:00	0.0		7/25/2018 17:00	0.0		7/25/2019 17:00	0.0		7/24/2020 17:00	0.0	
7/25/2017 18:00	0.0		7/25/2018 18:00	0.0		7/25/2019 18:00	0.0		7/24/2020 18:00	0.0	
7/25/2017 19:00	0.0		7/25/2018 19:00	0.0		7/25/2019 19:00	0.0		7/24/2020 19:00	0.0	
7/25/2017 20:00	0.0		7/25/2018 20:00	0.0		7/25/2019 20:00	0.0		7/24/2020 20:00	0.0	
7/25/2017 21:00	0.0		7/25/2018 21:00	0.0		7/25/2019 21:00	0.0		7/24/2020 21:00	0.0	
7/25/2017 22:00	0.0		7/25/2018 22:00	0.0		7/25/2019 22:00	0.0		7/24/2020 22:00	0.0	
7/25/2017 23:00	0.0	0.0	7/25/2018 23:00	0.0	47.0	7/25/2019 23:00	0.0	0.0	7/24/2020 23:00	0.0	0.0
7/26/2017 0:00	0.0		7/26/2018 0:00	0.0		7/26/2019 0:00	0.0		7/25/2020 0:00	0.0	
7/26/2017 1:00	0.0		7/26/2018 1:00	0.0		7/26/2019 1:00	0.0		7/25/2020 1:00	0.0	
7/26/2017 2:00	0.0		7/26/2018 2:00	0.0		7/26/2019 2:00	0.0		7/25/2020 2:00	0.0	
7/26/2017 3:00	0.0		7/26/2018 3:00	0.0		7/26/2019 3:00	0.0		7/25/2020 3:00	0.0	
7/26/2017 4:00	0.0		7/26/2018 4:00	0.0		7/26/2019 4:00	0.0		7/25/2020 4:00	0.0	
7/26/2017 5:00	0.0		7/26/2018 5:00	0.0		7/26/2019 5:00	0.0		7/25/2020 5:00	0.0	
7/26/2017 6:00	0.0		7/26/2018 6:00	0.0		7/26/2019 6:00	0.0		7/25/2020 6:00	0.0	
7/26/2017 7:00	0.0		7/26/2018 7:00	0.0		7/26/2019 7:00	0.0		7/25/2020 7:00	0.0	
7/26/2017 8:00	0.0		7/26/2018 8:00	0.0		7/26/2019 8:00	0.0		7/25/2020 8:00	0.0	
7/26/2017 9:00	0.0		7/26/2018 9:00	0.0		7/26/2019 9:00	0.0		7/25/2020 9:00	0.0	
7/26/2017 10:00	0.0		7/26/2018 10:00	0.0		7/26/2019 10:00	0.0		7/25/2020 10:00	0.0	
7/26/2017 11:00	0.0		7/26/2018 11:00	0.0		7/26/2019 11:00	0.0		7/25/2020 11:00	0.0	
7/26/2017 12:00	0.0		7/26/2018 12:00	0.0		7/26/2019 12:00	0.0		7/25/2020 12:00	0.0	
7/26/2017 13:00	0.0		7/26/2018 13:00	0.0		7/26/2019 13:00	0.0		7/25/2020 13:00	0.0	
7/26/2017 14:00	0.0		7/26/2018 14:00	0.0		7/26/2019 14:00	0.0		7/25/2020 14:00	0.0	
7/26/2017 15:00	0.0		7/26/2018 15:00	0.0		7/26/2019 15:00	0.0		7/25/2020 15:00	0.0	
7/26/2017 16:00	0.0		7/26/2018 16:00	0.0		7/26/2019 16:00	0.0		7/25/2020 16:00	0.0	
7/26/2017 17:00	0.0		7/26/2018 17:00	0.0		7/26/2019 17:00	0.0		7/25/2020 17:00	0.0	
7/26/2017 18:00	0.0		7/26/2018 18:00	0.0		7/26/2019 18:00	0.0		7/25/2020 18:00	0.0	
7/26/2017 19:00	0.0		7/26/2018 19:00	0.0		7/26/2019 19:00	0.0		7/25/2020 19:00	0.0	
7/26/2017 20:00	0.0		7/26/2018 20:00	0.0		7/26/2019 20:00	0.0		7/25/2020 20:00	0.0	
7/26/2017 21:00	0.0		7/26/2018 21:00	0.0		7/26/2019 21:00	0.0		7/25/2020 21:00	0.0	
7/26/2017 22:00	0.0		7/26/2018 22:00	0.0		7/26/2019 22:00	0.0		7/25/2020 22:00	0.0	
7/26/2017 23:00	0.0	0.0	7/26/2018 23:00	0.0	0.0	7/26/2019 23:00	0.0	0.0	7/25/2020 23:00	0.0	0.0
7/27/2017 0:00	0.0		7/27/2018 0:00	0.0		7/27/2019 0:00	0.0		7/26/2020 0:00	0.0	
7/27/2017 1:00	0.0		7/27/2018 1:00	0.0		7/27/2019 1:00	0.0		7/26/2020 1:00	0.0	
7/27/2017 2:00	0.0		7/27/2018 2:00	0.0		7/27/2019 2:00	0.0		7/26/2020 2:00	0.0	
7/27/2017 3:00	0.0		7/27/2018 3:00	0.0		7/27/2019 3:00	0.0		7/26/2020 3:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/27/2017 4:00	0.0		7/27/2018 4:00	0.0		7/27/2019 4:00	0.0		7/26/2020 4:00	0.0	
7/27/2017 5:00	0.0		7/27/2018 5:00	0.0		7/27/2019 5:00	0.0		7/26/2020 5:00	0.0	
7/27/2017 6:00	0.0		7/27/2018 6:00	0.0		7/27/2019 6:00	0.0		7/26/2020 6:00	0.0	
7/27/2017 7:00	0.0		7/27/2018 7:00	0.0		7/27/2019 7:00	0.0		7/26/2020 7:00	0.0	
7/27/2017 8:00	0.0		7/27/2018 8:00	0.0		7/27/2019 8:00	0.0		7/26/2020 8:00	0.0	
7/27/2017 9:00	0.0		7/27/2018 9:00	0.0		7/27/2019 9:00	0.0		7/26/2020 9:00	0.0	
7/27/2017 10:00	0.0		7/27/2018 10:00	0.0		7/27/2019 10:00	0.0		7/26/2020 10:00	0.0	
7/27/2017 11:00	0.0		7/27/2018 11:00	0.0		7/27/2019 11:00	0.0		7/26/2020 11:00	0.0	
7/27/2017 12:00	0.0		7/27/2018 12:00	0.0		7/27/2019 12:00	0.0		7/26/2020 12:00	0.0	
7/27/2017 13:00	0.0		7/27/2018 13:00	0.0		7/27/2019 13:00	0.0		7/26/2020 13:00	0.0	
7/27/2017 14:00	0.0		7/27/2018 14:00	0.0		7/27/2019 14:00	0.0		7/26/2020 14:00	0.0	
7/27/2017 15:00	0.0		7/27/2018 15:00	0.0		7/27/2019 15:00	0.0		7/26/2020 15:00	0.0	
7/27/2017 16:00	0.0		7/27/2018 16:00	0.0		7/27/2019 16:00	0.0		7/26/2020 16:00	0.0	
7/27/2017 17:00	0.0		7/27/2018 17:00	0.0		7/27/2019 17:00	0.0		7/26/2020 17:00	0.0	
7/27/2017 18:00	0.0		7/27/2018 18:00	0.0		7/27/2019 18:00	0.0		7/26/2020 18:00	0.0	
7/27/2017 19:00	0.0		7/27/2018 19:00	0.0		7/27/2019 19:00	0.0		7/26/2020 19:00	0.0	
7/27/2017 20:00	0.0		7/27/2018 20:00	0.0		7/27/2019 20:00	0.0		7/26/2020 20:00	0.0	
7/27/2017 21:00	0.0		7/27/2018 21:00	0.0		7/27/2019 21:00	0.0		7/26/2020 21:00	0.0	
7/27/2017 22:00	0.0		7/27/2018 22:00	0.0		7/27/2019 22:00	0.0		7/26/2020 22:00	0.0	
7/27/2017 23:00	0.0	0.0	7/27/2018 23:00	0.0	0.0	7/27/2019 23:00	0.0	0.0	7/26/2020 23:00	0.0	0.0
7/28/2017 0:00	0.0		7/28/2018 0:00	0.0		7/28/2019 0:00	0.0		7/27/2020 0:00	0.0	
7/28/2017 1:00	0.0		7/28/2018 1:00	0.0		7/28/2019 1:00	0.0		7/27/2020 1:00	0.0	
7/28/2017 2:00	0.0		7/28/2018 2:00	0.0		7/28/2019 2:00	0.0		7/27/2020 2:00	0.0	
7/28/2017 3:00	0.0		7/28/2018 3:00	0.0		7/28/2019 3:00	0.0		7/27/2020 3:00	0.0	
7/28/2017 4:00	0.0		7/28/2018 4:00	0.0		7/28/2019 4:00	0.0		7/27/2020 4:00	0.0	
7/28/2017 5:00	0.0		7/28/2018 5:00	0.0		7/28/2019 5:00	0.0		7/27/2020 5:00	0.0	
7/28/2017 6:00	0.0		7/28/2018 6:00	0.0		7/28/2019 6:00	0.0		7/27/2020 6:00	0.0	
7/28/2017 7:00	0.0		7/28/2018 7:00	0.0		7/28/2019 7:00	0.0		7/27/2020 7:00	0.0	
7/28/2017 8:00	0.0		7/28/2018 8:00	0.0		7/28/2019 8:00	0.0		7/27/2020 8:00	0.0	
7/28/2017 9:00	0.0		7/28/2018 9:00	0.0		7/28/2019 9:00	0.0		7/27/2020 9:00	0.0	
7/28/2017 10:00	0.0		7/28/2018 10:00	0.0		7/28/2019 10:00	0.0		7/27/2020 10:00	0.0	
7/28/2017 11:00	0.0		7/28/2018 11:00	0.0		7/28/2019 11:00	0.0		7/27/2020 11:00	0.0	
7/28/2017 12:00	0.0		7/28/2018 12:00	0.0		7/28/2019 12:00	0.0		7/27/2020 12:00	0.0	
7/28/2017 13:00	0.0		7/28/2018 13:00	0.0		7/28/2019 13:00	0.0		7/27/2020 13:00	0.0	
7/28/2017 14:00	0.0		7/28/2018 14:00	0.0		7/28/2019 14:00	0.0		7/27/2020 14:00	0.0	
7/28/2017 15:00	0.0		7/28/2018 15:00	0.0		7/28/2019 15:00	0.0		7/27/2020 15:00	0.0	
7/28/2017 16:00	0.0		7/28/2018 16:00	0.0		7/28/2019 16:00	0.0		7/27/2020 16:00	0.0	
7/28/2017 17:00	0.0		7/28/2018 17:00	0.0		7/28/2019 17:00	0.0		7/27/2020 17:00	0.0	
7/28/2017 18:00	0.0		7/28/2018 18:00	0.0		7/28/2019 18:00	0.0		7/27/2020 18:00	0.0	
7/28/2017 19:00	0.0		7/28/2018 19:00	0.0		7/28/2019 19:00	0.0		7/27/2020 19:00	0.0	
7/28/2017 20:00	0.0		7/28/2018 20:00	0.0		7/28/2019 20:00	0.0		7/27/2020 20:00	0.0	
7/28/2017 21:00	0.0		7/28/2018 21:00	0.0		7/28/2019 21:00	0.0		7/27/2020 21:00	0.0	
7/28/2017 22:00	0.0		7/28/2018 22:00	0.0		7/28/2019 22:00	0.0		7/27/2020 22:00	0.0	
7/28/2017 23:00	0.0	0.0	7/28/2018 23:00	0.0	0.0	7/28/2019 23:00	0.0	0.0	7/27/2020 23:00	0.0	0.0

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/29/2017 0:00	0.0		7/29/2018 0:00	0.0		7/29/2019 0:00	0.0		7/28/2020 0:00	0.0	
7/29/2017 1:00	0.0		7/29/2018 1:00	0.0		7/29/2019 1:00	0.0		7/28/2020 1:00	0.0	
7/29/2017 2:00	0.0		7/29/2018 2:00	0.0		7/29/2019 2:00	0.0		7/28/2020 2:00	0.0	
7/29/2017 3:00	0.0		7/29/2018 3:00	0.0		7/29/2019 3:00	0.0		7/28/2020 3:00	0.0	
7/29/2017 4:00	0.0		7/29/2018 4:00	0.0		7/29/2019 4:00	0.0		7/28/2020 4:00	0.0	
7/29/2017 5:00	0.0		7/29/2018 5:00	0.0		7/29/2019 5:00	0.0		7/28/2020 5:00	0.0	
7/29/2017 6:00	0.0		7/29/2018 6:00	0.0		7/29/2019 6:00	0.0		7/28/2020 6:00	0.0	
7/29/2017 7:00	0.0		7/29/2018 7:00	0.0		7/29/2019 7:00	0.0		7/28/2020 7:00	0.0	
7/29/2017 8:00	0.0		7/29/2018 8:00	0.0		7/29/2019 8:00	0.0		7/28/2020 8:00	0.0	
7/29/2017 9:00	0.0		7/29/2018 9:00	0.0		7/29/2019 9:00	0.0		7/28/2020 9:00	0.0	
7/29/2017 10:00	0.0		7/29/2018 10:00	0.0		7/29/2019 10:00	0.0		7/28/2020 10:00	0.0	
7/29/2017 11:00	0.0		7/29/2018 11:00	0.0		7/29/2019 11:00	0.0		7/28/2020 11:00	0.0	
7/29/2017 12:00	0.0		7/29/2018 12:00	0.0		7/29/2019 12:00	0.0		7/28/2020 12:00	0.0	
7/29/2017 13:00	0.0		7/29/2018 13:00	0.0		7/29/2019 13:00	0.0		7/28/2020 13:00	0.0	
7/29/2017 14:00	0.0		7/29/2018 14:00	0.0		7/29/2019 14:00	0.0		7/28/2020 14:00	0.0	
7/29/2017 15:00	0.0		7/29/2018 15:00	0.0		7/29/2019 15:00	0.0		7/28/2020 15:00	0.0	
7/29/2017 16:00	0.0		7/29/2018 16:00	0.0		7/29/2019 16:00	0.0		7/28/2020 16:00	0.0	
7/29/2017 17:00	0.0		7/29/2018 17:00	0.0		7/29/2019 17:00	0.0		7/28/2020 17:00	0.0	
7/29/2017 18:00	0.0		7/29/2018 18:00	0.0		7/29/2019 18:00	0.0		7/28/2020 18:00	0.0	
7/29/2017 19:00	0.0		7/29/2018 19:00	0.0		7/29/2019 19:00	0.0		7/28/2020 19:00	0.0	
7/29/2017 20:00	0.0		7/29/2018 20:00	0.0		7/29/2019 20:00	0.0		7/28/2020 20:00	0.0	
7/29/2017 21:00	0.0		7/29/2018 21:00	0.0		7/29/2019 21:00	0.0		7/28/2020 21:00	0.0	
7/29/2017 22:00	0.0		7/29/2018 22:00	0.0		7/29/2019 22:00	0.0		7/28/2020 22:00	0.0	
7/29/2017 23:00	0.0	0.0	7/29/2018 23:00	0.0	0.0	7/29/2019 23:00	0.0	0.0	7/28/2020 23:00	0.0	0.0
7/30/2017 0:00	0.0		7/30/2018 0:00	0.0		7/30/2019 0:00	0.0		7/29/2020 0:00	0.0	
7/30/2017 1:00	0.0		7/30/2018 1:00	0.0		7/30/2019 1:00	0.0		7/29/2020 1:00	0.0	
7/30/2017 2:00	0.0		7/30/2018 2:00	0.0		7/30/2019 2:00	0.0		7/29/2020 2:00	0.0	
7/30/2017 3:00	0.0		7/30/2018 3:00	0.0		7/30/2019 3:00	0.0		7/29/2020 3:00	0.0	
7/30/2017 4:00	0.0		7/30/2018 4:00	0.0		7/30/2019 4:00	0.0		7/29/2020 4:00	0.0	
7/30/2017 5:00	0.0		7/30/2018 5:00	0.0		7/30/2019 5:00	0.0		7/29/2020 5:00	0.0	
7/30/2017 6:00	0.0		7/30/2018 6:00	0.0		7/30/2019 6:00	0.0		7/29/2020 6:00	0.0	
7/30/2017 7:00	0.0		7/30/2018 7:00	0.0		7/30/2019 7:00	0.0		7/29/2020 7:00	0.0	
7/30/2017 8:00	0.0		7/30/2018 8:00	0.0		7/30/2019 8:00	0.0		7/29/2020 8:00	0.0	
7/30/2017 9:00	0.0		7/30/2018 9:00	0.0		7/30/2019 9:00	0.0		7/29/2020 9:00	0.0	
7/30/2017 10:00	0.0		7/30/2018 10:00	0.0		7/30/2019 10:00	0.0		7/29/2020 10:00	0.0	
7/30/2017 11:00	0.0		7/30/2018 11:00	0.0		7/30/2019 11:00	0.0		7/29/2020 11:00	0.0	
7/30/2017 12:00	0.0		7/30/2018 12:00	0.0		7/30/2019 12:00	0.0		7/29/2020 12:00	0.0	
7/30/2017 13:00	0.0		7/30/2018 13:00	0.0		7/30/2019 13:00	0.0		7/29/2020 13:00	0.0	
7/30/2017 14:00	0.0		7/30/2018 14:00	0.0		7/30/2019 14:00	0.0		7/29/2020 14:00	0.0	
7/30/2017 15:00	0.0		7/30/2018 15:00	0.0		7/30/2019 15:00	0.0		7/29/2020 15:00	0.0	
7/30/2017 16:00	0.0		7/30/2018 16:00	0.0		7/30/2019 16:00	0.0		7/29/2020 16:00	0.0	
7/30/2017 17:00	0.0		7/30/2018 17:00	0.0		7/30/2019 17:00	0.0		7/29/2020 17:00	0.0	
7/30/2017 18:00	0.0		7/30/2018 18:00	0.0		7/30/2019 18:00	0.0		7/29/2020 18:00	0.0	
7/30/2017 19:00	0.0		7/30/2018 19:00	0.0		7/30/2019 19:00	0.0		7/29/2020 19:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/30/2017 20:00	0.0		7/30/2018 20:00	0.0		7/30/2019 20:00	0.0		7/29/2020 20:00	0.0	
7/30/2017 21:00	0.0		7/30/2018 21:00	0.0		7/30/2019 21:00	0.0		7/29/2020 21:00	0.0	
7/30/2017 22:00	0.0		7/30/2018 22:00	83.8		7/30/2019 22:00	0.0		7/29/2020 22:00	0.0	
7/30/2017 23:00	0.0	0.0	7/30/2018 23:00	122.1	122.1	7/30/2019 23:00	0.0	0.0	7/29/2020 23:00	0.0	0.0
7/31/2017 0:00	0.0		7/31/2018 0:00	0.0		7/31/2019 0:00	0.0		7/30/2020 0:00	0.0	
7/31/2017 1:00	0.0		7/31/2018 1:00	0.0		7/31/2019 1:00	0.0		7/30/2020 1:00	0.0	
7/31/2017 2:00	0.0		7/31/2018 2:00	0.0		7/31/2019 2:00	0.0		7/30/2020 2:00	0.0	
7/31/2017 3:00	0.0		7/31/2018 3:00	0.0		7/31/2019 3:00	0.0		7/30/2020 3:00	0.0	
7/31/2017 4:00	0.0		7/31/2018 4:00	0.0		7/31/2019 4:00	0.0		7/30/2020 4:00	0.0	
7/31/2017 5:00	0.0		7/31/2018 5:00	0.0		7/31/2019 5:00	0.0		7/30/2020 5:00	0.0	
7/31/2017 6:00	0.0		7/31/2018 6:00	0.0		7/31/2019 6:00	0.0		7/30/2020 6:00	0.0	
7/31/2017 7:00	0.0		7/31/2018 7:00	0.0		7/31/2019 7:00	0.0		7/30/2020 7:00	0.0	
7/31/2017 8:00	0.0		7/31/2018 8:00	0.0		7/31/2019 8:00	0.0		7/30/2020 8:00	0.0	
7/31/2017 9:00	0.0		7/31/2018 9:00	0.0		7/31/2019 9:00	0.0		7/30/2020 9:00	0.0	
7/31/2017 10:00	0.0		7/31/2018 10:00	0.0		7/31/2019 10:00	0.0		7/30/2020 10:00	0.0	
7/31/2017 11:00	0.0		7/31/2018 11:00	0.0		7/31/2019 11:00	0.0		7/30/2020 11:00	0.0	
7/31/2017 12:00	0.0		7/31/2018 12:00	0.0		7/31/2019 12:00	0.0		7/30/2020 12:00	0.0	
7/31/2017 13:00	0.0		7/31/2018 13:00	0.0		7/31/2019 13:00	0.0		7/30/2020 13:00	0.0	
7/31/2017 14:00	0.0		7/31/2018 14:00	0.0		7/31/2019 14:00	0.0		7/30/2020 14:00	0.0	
7/31/2017 15:00	0.0		7/31/2018 15:00	0.0		7/31/2019 15:00	0.0		7/30/2020 15:00	0.0	
7/31/2017 16:00	0.0		7/31/2018 16:00	0.0		7/31/2019 16:00	0.0		7/30/2020 16:00	0.0	
7/31/2017 17:00	0.0		7/31/2018 17:00	0.0		7/31/2019 17:00	0.0		7/30/2020 17:00	0.0	
7/31/2017 18:00	0.0		7/31/2018 18:00	0.0		7/31/2019 18:00	0.0		7/30/2020 18:00	0.0	
7/31/2017 19:00	0.0		7/31/2018 19:00	0.0		7/31/2019 19:00	0.0		7/30/2020 19:00	0.0	
7/31/2017 20:00	0.0		7/31/2018 20:00	0.0		7/31/2019 20:00	0.0		7/30/2020 20:00	0.0	
7/31/2017 21:00	0.0		7/31/2018 21:00	0.0		7/31/2019 21:00	0.0		7/30/2020 21:00	0.0	
7/31/2017 22:00	0.0		7/31/2018 22:00	0.0		7/31/2019 22:00	0.0		7/30/2020 22:00	0.0	
7/31/2017 23:00	0.0	0.0	7/31/2018 23:00	0.0	0.0	7/31/2019 23:00	0.0	0.0	7/30/2020 23:00	0.0	0.0
8/1/2017 0:00	0.0		8/1/2018 0:00	0.0		8/1/2019 0:00	0.0		7/31/2020 0:00	0.0	
8/1/2017 1:00	0.0		8/1/2018 1:00	0.0		8/1/2019 1:00	0.0		7/31/2020 1:00	0.0	
8/1/2017 2:00	0.0		8/1/2018 2:00	0.0		8/1/2019 2:00	0.0		7/31/2020 2:00	0.0	
8/1/2017 3:00	0.0		8/1/2018 3:00	0.0		8/1/2019 3:00	0.0		7/31/2020 3:00	0.0	
8/1/2017 4:00	0.0		8/1/2018 4:00	0.0		8/1/2019 4:00	0.0		7/31/2020 4:00	0.0	
8/1/2017 5:00	0.0		8/1/2018 5:00	0.0		8/1/2019 5:00	0.0		7/31/2020 5:00	0.0	
8/1/2017 6:00	0.0		8/1/2018 6:00	0.0		8/1/2019 6:00	0.0		7/31/2020 6:00	0.0	
8/1/2017 7:00	0.0		8/1/2018 7:00	0.0		8/1/2019 7:00	0.0		7/31/2020 7:00	0.0	
8/1/2017 8:00	0.0		8/1/2018 8:00	0.0		8/1/2019 8:00	0.0		7/31/2020 8:00	0.0	
8/1/2017 9:00	0.0		8/1/2018 9:00	0.0		8/1/2019 9:00	0.0		7/31/2020 9:00	0.0	
8/1/2017 10:00	0.0		8/1/2018 10:00	0.0		8/1/2019 10:00	0.0		7/31/2020 10:00	0.0	
8/1/2017 11:00	0.0		8/1/2018 11:00	0.0		8/1/2019 11:00	0.0		7/31/2020 11:00	0.0	
8/1/2017 12:00	0.0		8/1/2018 12:00	0.0		8/1/2019 12:00	0.0		7/31/2020 12:00	0.0	
8/1/2017 13:00	0.0		8/1/2018 13:00	0.0		8/1/2019 13:00	0.0		7/31/2020 13:00	0.0	
8/1/2017 14:00	0.0		8/1/2018 14:00	0.0		8/1/2019 14:00	0.0		7/31/2020 14:00	0.0	
8/1/2017 15:00	0.0		8/1/2018 15:00	0.0		8/1/2019 15:00	0.0		7/31/2020 15:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/1/2017 16:00	0.0		8/1/2018 16:00	0.0		8/1/2019 16:00	0.0		7/31/2020 16:00	0.0	
8/1/2017 17:00	0.0		8/1/2018 17:00	0.0		8/1/2019 17:00	0.0		7/31/2020 17:00	0.0	
8/1/2017 18:00	0.0		8/1/2018 18:00	0.0		8/1/2019 18:00	0.0		7/31/2020 18:00	0.0	
8/1/2017 19:00	0.0		8/1/2018 19:00	0.0		8/1/2019 19:00	0.0		7/31/2020 19:00	0.0	
8/1/2017 20:00	0.0		8/1/2018 20:00	0.0		8/1/2019 20:00	0.0		7/31/2020 20:00	0.0	
8/1/2017 21:00	0.0		8/1/2018 21:00	0.0		8/1/2019 21:00	0.0		7/31/2020 21:00	0.0	
8/1/2017 22:00	0.0		8/1/2018 22:00	0.0		8/1/2019 22:00	0.0		7/31/2020 22:00	86.5	
8/1/2017 23:00	0.0	0.0	8/1/2018 23:00	0.0	0.0	8/1/2019 23:00	0.0	0.0	7/31/2020 23:00	0.0	86.5
8/2/2017 0:00	0.0		8/2/2018 0:00	0.0		8/2/2019 0:00	0.0		8/1/2020 0:00	0.0	
8/2/2017 1:00	0.0		8/2/2018 1:00	0.0		8/2/2019 1:00	0.0		8/1/2020 1:00	0.0	
8/2/2017 2:00	0.0		8/2/2018 2:00	0.0		8/2/2019 2:00	0.0		8/1/2020 2:00	0.0	
8/2/2017 3:00	0.0		8/2/2018 3:00	0.0		8/2/2019 3:00	0.0		8/1/2020 3:00	0.0	
8/2/2017 4:00	0.0		8/2/2018 4:00	0.0		8/2/2019 4:00	0.0		8/1/2020 4:00	0.0	
8/2/2017 5:00	0.0		8/2/2018 5:00	0.0		8/2/2019 5:00	0.0		8/1/2020 5:00	0.0	
8/2/2017 6:00	0.0		8/2/2018 6:00	0.0		8/2/2019 6:00	0.0		8/1/2020 6:00	0.0	
8/2/2017 7:00	0.0		8/2/2018 7:00	0.0		8/2/2019 7:00	0.0		8/1/2020 7:00	0.0	
8/2/2017 8:00	0.0		8/2/2018 8:00	0.0		8/2/2019 8:00	0.0		8/1/2020 8:00	0.0	
8/2/2017 9:00	0.0		8/2/2018 9:00	0.0		8/2/2019 9:00	0.0		8/1/2020 9:00	0.0	
8/2/2017 10:00	0.0		8/2/2018 10:00	2.1		8/2/2019 10:00	0.0		8/1/2020 10:00	0.0	
8/2/2017 11:00	0.0		8/2/2018 11:00	0.0		8/2/2019 11:00	0.0		8/1/2020 11:00	0.0	
8/2/2017 12:00	0.0		8/2/2018 12:00	0.0		8/2/2019 12:00	0.0		8/1/2020 12:00	0.0	
8/2/2017 13:00	0.0		8/2/2018 13:00	0.0		8/2/2019 13:00	0.0		8/1/2020 13:00	0.0	
8/2/2017 14:00	0.0		8/2/2018 14:00	0.0		8/2/2019 14:00	0.0		8/1/2020 14:00	0.0	
8/2/2017 15:00	0.0		8/2/2018 15:00	0.0		8/2/2019 15:00	0.0		8/1/2020 15:00	0.0	
8/2/2017 16:00	0.0		8/2/2018 16:00	0.0		8/2/2019 16:00	0.0		8/1/2020 16:00	0.0	
8/2/2017 17:00	0.0		8/2/2018 17:00	0.0		8/2/2019 17:00	0.0		8/1/2020 17:00	0.0	
8/2/2017 18:00	0.0		8/2/2018 18:00	0.0		8/2/2019 18:00	0.0		8/1/2020 18:00	0.0	
8/2/2017 19:00	0.0		8/2/2018 19:00	0.0		8/2/2019 19:00	0.0		8/1/2020 19:00	0.0	
8/2/2017 20:00	0.0		8/2/2018 20:00	0.0		8/2/2019 20:00	0.0		8/1/2020 20:00	0.0	
8/2/2017 21:00	0.0		8/2/2018 21:00	0.0		8/2/2019 21:00	0.0		8/1/2020 21:00	0.0	
8/2/2017 22:00	0.0		8/2/2018 22:00	0.0		8/2/2019 22:00	0.0		8/1/2020 22:00	0.0	
8/2/2017 23:00	0.0	0.0	8/2/2018 23:00	0.0	2.1	8/2/2019 23:00	0.0	0.0	8/1/2020 23:00	0.0	0.0
8/3/2017 0:00	0.0		8/3/2018 0:00	0.0		8/3/2019 0:00	0.0		8/2/2020 0:00	0.0	
8/3/2017 1:00	0.0		8/3/2018 1:00	0.0		8/3/2019 1:00	0.0		8/2/2020 1:00	0.0	
8/3/2017 2:00	0.0		8/3/2018 2:00	0.0		8/3/2019 2:00	0.0		8/2/2020 2:00	0.0	
8/3/2017 3:00	0.0		8/3/2018 3:00	0.0		8/3/2019 3:00	0.0		8/2/2020 3:00	0.0	
8/3/2017 4:00	0.0		8/3/2018 4:00	0.0		8/3/2019 4:00	0.0		8/2/2020 4:00	0.0	
8/3/2017 5:00	0.0		8/3/2018 5:00	0.0		8/3/2019 5:00	0.0		8/2/2020 5:00	0.0	
8/3/2017 6:00	0.0		8/3/2018 6:00	0.0		8/3/2019 6:00	0.0		8/2/2020 6:00	0.0	
8/3/2017 7:00	0.0		8/3/2018 7:00	0.0		8/3/2019 7:00	0.0		8/2/2020 7:00	0.0	
8/3/2017 8:00	0.0		8/3/2018 8:00	0.0		8/3/2019 8:00	0.0		8/2/2020 8:00	0.0	
8/3/2017 9:00	0.0		8/3/2018 9:00	0.0		8/3/2019 9:00	0.0		8/2/2020 9:00	0.0	
8/3/2017 10:00	0.0		8/3/2018 10:00	0.0		8/3/2019 10:00	0.0		8/2/2020 10:00	0.0	
8/3/2017 11:00	0.0		8/3/2018 11:00	0.0		8/3/2019 11:00	0.0		8/2/2020 11:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/3/2017 12:00	0.0		8/3/2018 12:00	0.0		8/3/2019 12:00	0.0		8/2/2020 12:00	0.0	
8/3/2017 13:00	0.0		8/3/2018 13:00	0.0		8/3/2019 13:00	0.0		8/2/2020 13:00	0.0	
8/3/2017 14:00	0.0		8/3/2018 14:00	0.0		8/3/2019 14:00	0.0		8/2/2020 14:00	0.0	
8/3/2017 15:00	0.0		8/3/2018 15:00	0.0		8/3/2019 15:00	0.0		8/2/2020 15:00	0.0	
8/3/2017 16:00	0.0		8/3/2018 16:00	0.0		8/3/2019 16:00	0.0		8/2/2020 16:00	0.0	
8/3/2017 17:00	0.0		8/3/2018 17:00	0.0		8/3/2019 17:00	0.0		8/2/2020 17:00	0.0	
8/3/2017 18:00	0.0		8/3/2018 18:00	0.0		8/3/2019 18:00	0.0		8/2/2020 18:00	0.0	
8/3/2017 19:00	0.0		8/3/2018 19:00	0.0		8/3/2019 19:00	0.0		8/2/2020 19:00	0.0	
8/3/2017 20:00	0.0		8/3/2018 20:00	0.0		8/3/2019 20:00	0.0		8/2/2020 20:00	0.0	
8/3/2017 21:00	0.0		8/3/2018 21:00	0.0		8/3/2019 21:00	0.0		8/2/2020 21:00	0.0	
8/3/2017 22:00	0.0		8/3/2018 22:00	0.0		8/3/2019 22:00	0.0		8/2/2020 22:00	0.0	
8/3/2017 23:00	0.0	0.0	8/3/2018 23:00	0.0	0.0	8/3/2019 23:00	0.0	0.0	8/2/2020 23:00	0.0	0.0
8/4/2017 0:00	0.0		8/4/2018 0:00	0.0		8/4/2019 0:00	0.0		8/3/2020 0:00	0.0	
8/4/2017 1:00	0.0		8/4/2018 1:00	0.0		8/4/2019 1:00	0.0		8/3/2020 1:00	0.0	
8/4/2017 2:00	0.0		8/4/2018 2:00	0.0		8/4/2019 2:00	0.0		8/3/2020 2:00	0.0	
8/4/2017 3:00	0.0		8/4/2018 3:00	0.0		8/4/2019 3:00	0.0		8/3/2020 3:00	0.0	
8/4/2017 4:00	0.0		8/4/2018 4:00	0.0		8/4/2019 4:00	0.0		8/3/2020 4:00	0.0	
8/4/2017 5:00	0.0		8/4/2018 5:00	0.0		8/4/2019 5:00	0.0		8/3/2020 5:00	0.0	
8/4/2017 6:00	0.0		8/4/2018 6:00	0.0		8/4/2019 6:00	0.0		8/3/2020 6:00	0.0	
8/4/2017 7:00	0.0		8/4/2018 7:00	0.0		8/4/2019 7:00	0.0		8/3/2020 7:00	0.0	
8/4/2017 8:00	0.0		8/4/2018 8:00	0.0		8/4/2019 8:00	0.0		8/3/2020 8:00	0.0	
8/4/2017 9:00	0.0		8/4/2018 9:00	0.0		8/4/2019 9:00	0.0		8/3/2020 9:00	0.0	
8/4/2017 10:00	0.0		8/4/2018 10:00	0.0		8/4/2019 10:00	0.0		8/3/2020 10:00	0.0	
8/4/2017 11:00	0.0		8/4/2018 11:00	0.0		8/4/2019 11:00	0.0		8/3/2020 11:00	0.0	
8/4/2017 12:00	0.0		8/4/2018 12:00	0.0		8/4/2019 12:00	0.0		8/3/2020 12:00	0.0	
8/4/2017 13:00	0.0		8/4/2018 13:00	0.0		8/4/2019 13:00	0.0		8/3/2020 13:00	0.0	
8/4/2017 14:00	0.0		8/4/2018 14:00	0.0		8/4/2019 14:00	0.0		8/3/2020 14:00	0.0	
8/4/2017 15:00	0.0		8/4/2018 15:00	0.0		8/4/2019 15:00	0.0		8/3/2020 15:00	0.0	
8/4/2017 16:00	0.0		8/4/2018 16:00	0.0		8/4/2019 16:00	0.0		8/3/2020 16:00	0.0	
8/4/2017 17:00	0.0		8/4/2018 17:00	0.0		8/4/2019 17:00	0.0		8/3/2020 17:00	0.0	
8/4/2017 18:00	0.0		8/4/2018 18:00	0.0		8/4/2019 18:00	0.0		8/3/2020 18:00	0.0	
8/4/2017 19:00	0.0		8/4/2018 19:00	0.0		8/4/2019 19:00	0.0		8/3/2020 19:00	0.0	
8/4/2017 20:00	0.0		8/4/2018 20:00	0.0		8/4/2019 20:00	0.0		8/3/2020 20:00	0.0	
8/4/2017 21:00	0.0		8/4/2018 21:00	0.0		8/4/2019 21:00	0.0		8/3/2020 21:00	0.0	
8/4/2017 22:00	0.0		8/4/2018 22:00	0.0		8/4/2019 22:00	0.0		8/3/2020 22:00	0.0	
8/4/2017 23:00	0.0	0.0	8/4/2018 23:00	0.0	0.0	8/4/2019 23:00	0.0	0.0	8/3/2020 23:00	0.0	0.0
8/5/2017 0:00	0.0		8/5/2018 0:00	0.0		8/5/2019 0:00	0.0		8/4/2020 0:00	0.0	
8/5/2017 1:00	0.0		8/5/2018 1:00	0.0		8/5/2019 1:00	0.0		8/4/2020 1:00	0.0	
8/5/2017 2:00	0.0		8/5/2018 2:00	0.0		8/5/2019 2:00	0.0		8/4/2020 2:00	0.0	
8/5/2017 3:00	0.0		8/5/2018 3:00	0.0		8/5/2019 3:00	0.0		8/4/2020 3:00	0.0	
8/5/2017 4:00	0.0		8/5/2018 4:00	0.0		8/5/2019 4:00	0.0		8/4/2020 4:00	0.0	
8/5/2017 5:00	0.0		8/5/2018 5:00	0.0		8/5/2019 5:00	0.0		8/4/2020 5:00	0.0	
8/5/2017 6:00	0.0		8/5/2018 6:00	0.0		8/5/2019 6:00	0.0		8/4/2020 6:00	0.0	
8/5/2017 7:00	0.0		8/5/2018 7:00	0.0		8/5/2019 7:00	0.0		8/4/2020 7:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/5/2017 8:00	0.0		8/5/2018 8:00	0.0		8/5/2019 8:00	0.0		8/4/2020 8:00	0.0	
8/5/2017 9:00	0.0		8/5/2018 9:00	0.0		8/5/2019 9:00	0.0		8/4/2020 9:00	0.0	
8/5/2017 10:00	0.0		8/5/2018 10:00	0.0		8/5/2019 10:00	32.1		8/4/2020 10:00	0.0	
8/5/2017 11:00	0.0		8/5/2018 11:00	0.0		8/5/2019 11:00	0.0		8/4/2020 11:00	0.0	
8/5/2017 12:00	0.0		8/5/2018 12:00	0.0		8/5/2019 12:00	0.0		8/4/2020 12:00	0.0	
8/5/2017 13:00	0.0		8/5/2018 13:00	0.0		8/5/2019 13:00	0.0		8/4/2020 13:00	0.0	
8/5/2017 14:00	0.0		8/5/2018 14:00	0.0		8/5/2019 14:00	0.0		8/4/2020 14:00	0.0	
8/5/2017 15:00	0.0		8/5/2018 15:00	0.0		8/5/2019 15:00	0.0		8/4/2020 15:00	0.0	
8/5/2017 16:00	0.0		8/5/2018 16:00	0.0		8/5/2019 16:00	0.0		8/4/2020 16:00	0.0	
8/5/2017 17:00	0.0		8/5/2018 17:00	0.0		8/5/2019 17:00	0.0		8/4/2020 17:00	0.0	
8/5/2017 18:00	0.0		8/5/2018 18:00	0.0		8/5/2019 18:00	0.0		8/4/2020 18:00	0.0	
8/5/2017 19:00	0.0		8/5/2018 19:00	0.0		8/5/2019 19:00	0.0		8/4/2020 19:00	0.0	
8/5/2017 20:00	0.0		8/5/2018 20:00	0.0		8/5/2019 20:00	0.0		8/4/2020 20:00	0.0	
8/5/2017 21:00	0.0		8/5/2018 21:00	0.0		8/5/2019 21:00	0.0		8/4/2020 21:00	0.0	
8/5/2017 22:00	0.0		8/5/2018 22:00	0.0		8/5/2019 22:00	0.0		8/4/2020 22:00	0.0	
8/5/2017 23:00	0.0	0.0	8/5/2018 23:00	0.0	0.0	8/5/2019 23:00	0.0	32.1	8/4/2020 23:00	0.0	0.0
8/6/2017 0:00	0.0		8/6/2018 0:00	0.0		8/6/2019 0:00	0.0		8/5/2020 0:00	0.0	
8/6/2017 1:00	0.0		8/6/2018 1:00	0.0		8/6/2019 1:00	0.0		8/5/2020 1:00	0.0	
8/6/2017 2:00	0.0		8/6/2018 2:00	0.0		8/6/2019 2:00	0.0		8/5/2020 2:00	0.0	
8/6/2017 3:00	0.0		8/6/2018 3:00	0.0		8/6/2019 3:00	0.0		8/5/2020 3:00	0.0	
8/6/2017 4:00	0.0		8/6/2018 4:00	0.0		8/6/2019 4:00	0.0		8/5/2020 4:00	0.0	
8/6/2017 5:00	0.0		8/6/2018 5:00	0.0		8/6/2019 5:00	0.0		8/5/2020 5:00	0.0	
8/6/2017 6:00	0.0		8/6/2018 6:00	0.0		8/6/2019 6:00	0.0		8/5/2020 6:00	0.0	
8/6/2017 7:00	0.0		8/6/2018 7:00	0.0		8/6/2019 7:00	0.0		8/5/2020 7:00	0.0	
8/6/2017 8:00	0.0		8/6/2018 8:00	0.0		8/6/2019 8:00	0.0		8/5/2020 8:00	0.0	
8/6/2017 9:00	0.0		8/6/2018 9:00	0.0		8/6/2019 9:00	0.0		8/5/2020 9:00	0.0	
8/6/2017 10:00	0.0		8/6/2018 10:00	0.0		8/6/2019 10:00	0.0		8/5/2020 10:00	0.0	
8/6/2017 11:00	0.0		8/6/2018 11:00	0.0		8/6/2019 11:00	0.0		8/5/2020 11:00	0.0	
8/6/2017 12:00	0.0		8/6/2018 12:00	0.0		8/6/2019 12:00	0.0		8/5/2020 12:00	0.0	
8/6/2017 13:00	0.0		8/6/2018 13:00	0.0		8/6/2019 13:00	0.0		8/5/2020 13:00	0.0	
8/6/2017 14:00	0.0		8/6/2018 14:00	0.0		8/6/2019 14:00	0.0		8/5/2020 14:00	0.0	
8/6/2017 15:00	0.0		8/6/2018 15:00	0.0		8/6/2019 15:00	0.0		8/5/2020 15:00	0.0	
8/6/2017 16:00	0.0		8/6/2018 16:00	0.0		8/6/2019 16:00	0.0		8/5/2020 16:00	0.0	
8/6/2017 17:00	0.0		8/6/2018 17:00	0.0		8/6/2019 17:00	0.0		8/5/2020 17:00	0.0	
8/6/2017 18:00	0.0		8/6/2018 18:00	0.0		8/6/2019 18:00	0.0		8/5/2020 18:00	0.0	
8/6/2017 19:00	0.0		8/6/2018 19:00	0.0		8/6/2019 19:00	0.0		8/5/2020 19:00	0.0	
8/6/2017 20:00	0.0		8/6/2018 20:00	0.0		8/6/2019 20:00	0.0		8/5/2020 20:00	0.0	
8/6/2017 21:00	0.0		8/6/2018 21:00	0.0		8/6/2019 21:00	0.0		8/5/2020 21:00	0.0	
8/6/2017 22:00	0.0		8/6/2018 22:00	0.0		8/6/2019 22:00	0.0		8/5/2020 22:00	0.0	
8/6/2017 23:00	0.0	0.0	8/6/2018 23:00	0.0	0.0	8/6/2019 23:00	0.0	0.0	8/5/2020 23:00	0.0	0.0
8/7/2017 0:00	0.0		8/7/2018 0:00	0.0		8/7/2019 0:00	0.0		8/6/2020 0:00	0.0	
8/7/2017 1:00	0.0		8/7/2018 1:00	0.0		8/7/2019 1:00	0.0		8/6/2020 1:00	0.0	
8/7/2017 2:00	0.0		8/7/2018 2:00	0.0		8/7/2019 2:00	0.0		8/6/2020 2:00	0.0	
8/7/2017 3:00	0.0		8/7/2018 3:00	0.0		8/7/2019 3:00	0.0		8/6/2020 3:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/7/2017 4:00	0.0		8/7/2018 4:00	0.0		8/7/2019 4:00	0.0		8/6/2020 4:00	0.0	
8/7/2017 5:00	0.0		8/7/2018 5:00	0.0		8/7/2019 5:00	0.0		8/6/2020 5:00	0.0	
8/7/2017 6:00	0.0		8/7/2018 6:00	0.0		8/7/2019 6:00	0.0		8/6/2020 6:00	0.0	
8/7/2017 7:00	0.0		8/7/2018 7:00	0.0		8/7/2019 7:00	0.0		8/6/2020 7:00	0.0	
8/7/2017 8:00	0.0		8/7/2018 8:00	0.0		8/7/2019 8:00	0.0		8/6/2020 8:00	0.0	
8/7/2017 9:00	0.0		8/7/2018 9:00	0.0		8/7/2019 9:00	0.0		8/6/2020 9:00	0.0	
8/7/2017 10:00	0.0		8/7/2018 10:00	12.9		8/7/2019 10:00	0.0		8/6/2020 10:00	0.0	
8/7/2017 11:00	0.0		8/7/2018 11:00	470.9		8/7/2019 11:00	0.0		8/6/2020 11:00	0.0	
8/7/2017 12:00	0.0		8/7/2018 12:00	334.6		8/7/2019 12:00	0.0		8/6/2020 12:00	0.0	
8/7/2017 13:00	0.0		8/7/2018 13:00	0.0		8/7/2019 13:00	0.0		8/6/2020 13:00	0.0	
8/7/2017 14:00	0.0		8/7/2018 14:00	0.0		8/7/2019 14:00	0.0		8/6/2020 14:00	0.0	
8/7/2017 15:00	0.0		8/7/2018 15:00	0.0		8/7/2019 15:00	0.0		8/6/2020 15:00	0.0	
8/7/2017 16:00	0.0		8/7/2018 16:00	199.5		8/7/2019 16:00	0.0		8/6/2020 16:00	0.0	
8/7/2017 17:00	0.0		8/7/2018 17:00	8.9		8/7/2019 17:00	0.0		8/6/2020 17:00	0.0	
8/7/2017 18:00	0.0		8/7/2018 18:00	0.0		8/7/2019 18:00	0.0		8/6/2020 18:00	0.0	
8/7/2017 19:00	0.0		8/7/2018 19:00	0.0		8/7/2019 19:00	0.0		8/6/2020 19:00	0.0	
8/7/2017 20:00	0.0		8/7/2018 20:00	0.0		8/7/2019 20:00	0.0		8/6/2020 20:00	0.0	
8/7/2017 21:00	0.0		8/7/2018 21:00	0.0		8/7/2019 21:00	0.0		8/6/2020 21:00	0.0	
8/7/2017 22:00	0.0		8/7/2018 22:00	0.0		8/7/2019 22:00	0.0		8/6/2020 22:00	0.0	
8/7/2017 23:00	0.0	0.0	8/7/2018 23:00	0.0	470.9	8/7/2019 23:00	0.0	0.0	8/6/2020 23:00	0.0	0.0
8/8/2017 0:00	0.0		8/8/2018 0:00	0.0		8/8/2019 0:00	0.0		8/7/2020 0:00	0.0	
8/8/2017 1:00	0.0		8/8/2018 1:00	0.0		8/8/2019 1:00	0.0		8/7/2020 1:00	0.0	
8/8/2017 2:00	0.0		8/8/2018 2:00	0.0		8/8/2019 2:00	0.0		8/7/2020 2:00	0.0	
8/8/2017 3:00	0.0		8/8/2018 3:00	0.0		8/8/2019 3:00	0.0		8/7/2020 3:00	0.0	
8/8/2017 4:00	0.0		8/8/2018 4:00	0.0		8/8/2019 4:00	0.0		8/7/2020 4:00	0.0	
8/8/2017 5:00	0.0		8/8/2018 5:00	0.0		8/8/2019 5:00	0.0		8/7/2020 5:00	0.0	
8/8/2017 6:00	0.0		8/8/2018 6:00	0.0		8/8/2019 6:00	0.0		8/7/2020 6:00	0.0	
8/8/2017 7:00	0.0		8/8/2018 7:00	0.0		8/8/2019 7:00	0.0		8/7/2020 7:00	0.0	
8/8/2017 8:00	0.0		8/8/2018 8:00	0.0		8/8/2019 8:00	0.0		8/7/2020 8:00	0.0	
8/8/2017 9:00	0.0		8/8/2018 9:00	0.0		8/8/2019 9:00	0.0		8/7/2020 9:00	0.0	
8/8/2017 10:00	0.0		8/8/2018 10:00	0.0		8/8/2019 10:00	0.0		8/7/2020 10:00	0.0	
8/8/2017 11:00	0.0		8/8/2018 11:00	0.0		8/8/2019 11:00	0.0		8/7/2020 11:00	0.0	
8/8/2017 12:00	0.0		8/8/2018 12:00	1.4		8/8/2019 12:00	0.0		8/7/2020 12:00	0.0	
8/8/2017 13:00	0.0		8/8/2018 13:00	0.0		8/8/2019 13:00	0.0		8/7/2020 13:00	0.0	
8/8/2017 14:00	0.0		8/8/2018 14:00	0.0		8/8/2019 14:00	0.0		8/7/2020 14:00	0.0	
8/8/2017 15:00	0.0		8/8/2018 15:00	0.0		8/8/2019 15:00	0.0		8/7/2020 15:00	0.0	
8/8/2017 16:00	0.0		8/8/2018 16:00	0.0		8/8/2019 16:00	0.0		8/7/2020 16:00	0.0	
8/8/2017 17:00	0.0		8/8/2018 17:00	0.0		8/8/2019 17:00	0.0		8/7/2020 17:00	0.0	
8/8/2017 18:00	0.0		8/8/2018 18:00	0.0		8/8/2019 18:00	0.0		8/7/2020 18:00	0.0	
8/8/2017 19:00	0.0		8/8/2018 19:00	0.0		8/8/2019 19:00	0.0		8/7/2020 19:00	0.0	
8/8/2017 20:00	0.0		8/8/2018 20:00	0.0		8/8/2019 20:00	0.0		8/7/2020 20:00	0.0	
8/8/2017 21:00	0.0		8/8/2018 21:00	0.0		8/8/2019 21:00	0.0		8/7/2020 21:00	0.0	
8/8/2017 22:00	0.0		8/8/2018 22:00	0.0		8/8/2019 22:00	0.0		8/7/2020 22:00	0.0	
8/8/2017 23:00	0.0	0.0	8/8/2018 23:00	0.0	1.4	8/8/2019 23:00	0.0	0.0	8/7/2020 23:00	0.0	0.0

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/9/2017 0:00	0.0		8/9/2018 0:00	0.0		8/9/2019 0:00	0.0		8/8/2020 0:00	0.0	
8/9/2017 1:00	0.0		8/9/2018 1:00	0.0		8/9/2019 1:00	0.0		8/8/2020 1:00	0.0	
8/9/2017 2:00	0.0		8/9/2018 2:00	0.0		8/9/2019 2:00	0.0		8/8/2020 2:00	0.0	
8/9/2017 3:00	0.0		8/9/2018 3:00	0.0		8/9/2019 3:00	0.0		8/8/2020 3:00	0.0	
8/9/2017 4:00	0.0		8/9/2018 4:00	0.0		8/9/2019 4:00	0.0		8/8/2020 4:00	0.0	
8/9/2017 5:00	0.0		8/9/2018 5:00	0.0		8/9/2019 5:00	0.0		8/8/2020 5:00	0.0	
8/9/2017 6:00	0.0		8/9/2018 6:00	0.0		8/9/2019 6:00	0.0		8/8/2020 6:00	0.0	
8/9/2017 7:00	0.0		8/9/2018 7:00	0.0		8/9/2019 7:00	0.0		8/8/2020 7:00	0.0	
8/9/2017 8:00	0.0		8/9/2018 8:00	0.0		8/9/2019 8:00	0.0		8/8/2020 8:00	0.0	
8/9/2017 9:00	0.0		8/9/2018 9:00	0.0		8/9/2019 9:00	0.0		8/8/2020 9:00	0.0	
8/9/2017 10:00	0.0		8/9/2018 10:00	0.0		8/9/2019 10:00	0.0		8/8/2020 10:00	0.0	
8/9/2017 11:00	0.0		8/9/2018 11:00	0.0		8/9/2019 11:00	0.0		8/8/2020 11:00	0.0	
8/9/2017 12:00	0.0		8/9/2018 12:00	0.0		8/9/2019 12:00	0.0		8/8/2020 12:00	0.0	
8/9/2017 13:00	0.0		8/9/2018 13:00	0.0		8/9/2019 13:00	0.0		8/8/2020 13:00	0.0	
8/9/2017 14:00	0.0		8/9/2018 14:00	0.0		8/9/2019 14:00	0.0		8/8/2020 14:00	0.0	
8/9/2017 15:00	0.0		8/9/2018 15:00	0.0		8/9/2019 15:00	0.0		8/8/2020 15:00	0.0	
8/9/2017 16:00	0.0		8/9/2018 16:00	0.0		8/9/2019 16:00	0.0		8/8/2020 16:00	0.0	
8/9/2017 17:00	0.0		8/9/2018 17:00	0.0		8/9/2019 17:00	0.0		8/8/2020 17:00	0.0	
8/9/2017 18:00	0.0		8/9/2018 18:00	0.0		8/9/2019 18:00	0.0		8/8/2020 18:00	0.0	
8/9/2017 19:00	0.0		8/9/2018 19:00	0.0		8/9/2019 19:00	0.0		8/8/2020 19:00	0.0	
8/9/2017 20:00	0.0		8/9/2018 20:00	0.0		8/9/2019 20:00	0.0		8/8/2020 20:00	0.0	
8/9/2017 21:00	0.0		8/9/2018 21:00	0.0		8/9/2019 21:00	0.0		8/8/2020 21:00	0.0	
8/9/2017 22:00	0.0		8/9/2018 22:00	0.0		8/9/2019 22:00	0.0		8/8/2020 22:00	0.0	
8/9/2017 23:00	0.0	0.0	8/9/2018 23:00	0.0	0.0	8/9/2019 23:00	0.0	0.0	8/8/2020 23:00	0.0	0.0
8/10/2017 0:00	0.0		8/10/2018 0:00	0.0		8/10/2019 0:00	0.0		8/9/2020 0:00	0.0	
8/10/2017 1:00	0.0		8/10/2018 1:00	0.0		8/10/2019 1:00	0.0		8/9/2020 1:00	0.0	
8/10/2017 2:00	0.0		8/10/2018 2:00	0.0		8/10/2019 2:00	0.0		8/9/2020 2:00	0.0	
8/10/2017 3:00	0.0		8/10/2018 3:00	0.0		8/10/2019 3:00	0.0		8/9/2020 3:00	0.0	
8/10/2017 4:00	0.0		8/10/2018 4:00	0.0		8/10/2019 4:00	0.0		8/9/2020 4:00	0.0	
8/10/2017 5:00	0.0		8/10/2018 5:00	0.0		8/10/2019 5:00	0.0		8/9/2020 5:00	0.0	
8/10/2017 6:00	0.0		8/10/2018 6:00	0.0		8/10/2019 6:00	0.0		8/9/2020 6:00	0.0	
8/10/2017 7:00	0.0		8/10/2018 7:00	0.0		8/10/2019 7:00	0.0		8/9/2020 7:00	0.0	
8/10/2017 8:00	0.0		8/10/2018 8:00	0.0		8/10/2019 8:00	0.0		8/9/2020 8:00	0.0	
8/10/2017 9:00	0.0		8/10/2018 9:00	0.0		8/10/2019 9:00	0.0		8/9/2020 9:00	0.0	
8/10/2017 10:00	0.0		8/10/2018 10:00	0.0		8/10/2019 10:00	0.0		8/9/2020 10:00	0.0	
8/10/2017 11:00	0.0		8/10/2018 11:00	0.0		8/10/2019 11:00	0.0		8/9/2020 11:00	0.0	
8/10/2017 12:00	0.0		8/10/2018 12:00	0.0		8/10/2019 12:00	0.0		8/9/2020 12:00	0.0	
8/10/2017 13:00	0.0		8/10/2018 13:00	0.0		8/10/2019 13:00	0.0		8/9/2020 13:00	0.0	
8/10/2017 14:00	0.0		8/10/2018 14:00	0.0		8/10/2019 14:00	0.0		8/9/2020 14:00	0.0	
8/10/2017 15:00	0.0		8/10/2018 15:00	0.0		8/10/2019 15:00	0.0		8/9/2020 15:00	0.0	
8/10/2017 16:00	0.0		8/10/2018 16:00	0.0		8/10/2019 16:00	0.0		8/9/2020 16:00	0.0	
8/10/2017 17:00	0.0		8/10/2018 17:00	0.0		8/10/2019 17:00	0.0		8/9/2020 17:00	0.0	
8/10/2017 18:00	0.0		8/10/2018 18:00	0.0		8/10/2019 18:00	0.0		8/9/2020 18:00	0.0	
8/10/2017 19:00	0.0		8/10/2018 19:00	0.0		8/10/2019 19:00	0.0		8/9/2020 19:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/10/2017 20:00	0.0		8/10/2018 20:00	0.0		8/10/2019 20:00	0.0		8/9/2020 20:00	0.0	
8/10/2017 21:00	0.0		8/10/2018 21:00	0.0		8/10/2019 21:00	0.0		8/9/2020 21:00	0.0	
8/10/2017 22:00	0.0		8/10/2018 22:00	0.0		8/10/2019 22:00	0.0		8/9/2020 22:00	0.0	
8/10/2017 23:00	0.0	0.0	8/10/2018 23:00	0.0	0.0	8/10/2019 23:00	0.0	0.0	8/9/2020 23:00	0.0	0.0
8/11/2017 0:00	0.0		8/11/2018 0:00	0.0		8/11/2019 0:00	0.0		8/10/2020 0:00	0.0	
8/11/2017 1:00	0.0		8/11/2018 1:00	0.0		8/11/2019 1:00	0.0		8/10/2020 1:00	0.0	
8/11/2017 2:00	0.0		8/11/2018 2:00	0.0		8/11/2019 2:00	0.0		8/10/2020 2:00	0.0	
8/11/2017 3:00	0.0		8/11/2018 3:00	0.0		8/11/2019 3:00	0.0		8/10/2020 3:00	0.0	
8/11/2017 4:00	0.0		8/11/2018 4:00	0.0		8/11/2019 4:00	0.0		8/10/2020 4:00	0.0	
8/11/2017 5:00	0.0		8/11/2018 5:00	0.0		8/11/2019 5:00	0.0		8/10/2020 5:00	0.0	
8/11/2017 6:00	0.0		8/11/2018 6:00	0.0		8/11/2019 6:00	0.0		8/10/2020 6:00	0.0	
8/11/2017 7:00	0.0		8/11/2018 7:00	0.0		8/11/2019 7:00	0.0		8/10/2020 7:00	0.0	
8/11/2017 8:00	0.0		8/11/2018 8:00	0.0		8/11/2019 8:00	0.0		8/10/2020 8:00	0.0	
8/11/2017 9:00	0.0		8/11/2018 9:00	0.0		8/11/2019 9:00	0.0		8/10/2020 9:00	0.0	
8/11/2017 10:00	0.0		8/11/2018 10:00	43.5		8/11/2019 10:00	0.0		8/10/2020 10:00	0.0	
8/11/2017 11:00	0.0		8/11/2018 11:00	0.0		8/11/2019 11:00	0.0		8/10/2020 11:00	0.0	
8/11/2017 12:00	0.0		8/11/2018 12:00	0.0		8/11/2019 12:00	0.0		8/10/2020 12:00	0.0	
8/11/2017 13:00	0.0		8/11/2018 13:00	0.0		8/11/2019 13:00	0.0		8/10/2020 13:00	0.0	
8/11/2017 14:00	0.0		8/11/2018 14:00	0.0		8/11/2019 14:00	0.0		8/10/2020 14:00	0.0	
8/11/2017 15:00	0.0		8/11/2018 15:00	0.0		8/11/2019 15:00	0.0		8/10/2020 15:00	0.0	
8/11/2017 16:00	0.0		8/11/2018 16:00	0.0		8/11/2019 16:00	0.0		8/10/2020 16:00	0.0	
8/11/2017 17:00	0.0		8/11/2018 17:00	0.0		8/11/2019 17:00	0.0		8/10/2020 17:00	0.0	
8/11/2017 18:00	0.0		8/11/2018 18:00	0.0		8/11/2019 18:00	0.0		8/10/2020 18:00	3.1	
8/11/2017 19:00	0.0		8/11/2018 19:00	0.0		8/11/2019 19:00	0.0		8/10/2020 19:00	7.7	
8/11/2017 20:00	0.0		8/11/2018 20:00	0.0		8/11/2019 20:00	0.0		8/10/2020 20:00	7.8	
8/11/2017 21:00	0.0		8/11/2018 21:00	0.0		8/11/2019 21:00	0.0		8/10/2020 21:00	7.9	
8/11/2017 22:00	0.0		8/11/2018 22:00	0.0		8/11/2019 22:00	0.0		8/10/2020 22:00	7.7	
8/11/2017 23:00	0.0	0.0	8/11/2018 23:00	0.0	43.5	8/11/2019 23:00	125.3	125.3	8/10/2020 23:00	7.7	7.9
8/12/2017 0:00	0.0		8/12/2018 0:00	0.0		8/12/2019 0:00	39.6		8/11/2020 0:00	7.8	
8/12/2017 1:00	0.0		8/12/2018 1:00	0.0		8/12/2019 1:00	0.0		8/11/2020 1:00	7.7	
8/12/2017 2:00	0.0		8/12/2018 2:00	0.0		8/12/2019 2:00	0.0		8/11/2020 2:00	7.7	
8/12/2017 3:00	0.0		8/12/2018 3:00	0.0		8/12/2019 3:00	0.0		8/11/2020 3:00	7.9	
8/12/2017 4:00	0.0		8/12/2018 4:00	0.0		8/12/2019 4:00	0.0		8/11/2020 4:00	7.7	
8/12/2017 5:00	0.0		8/12/2018 5:00	0.0		8/12/2019 5:00	0.0		8/11/2020 5:00	7.8	
8/12/2017 6:00	0.0		8/12/2018 6:00	0.0		8/12/2019 6:00	0.0		8/11/2020 6:00	7.8	
8/12/2017 7:00	0.0		8/12/2018 7:00	0.0		8/12/2019 7:00	0.0		8/11/2020 7:00	7.8	
8/12/2017 8:00	0.0		8/12/2018 8:00	0.0		8/12/2019 8:00	0.0		8/11/2020 8:00	6.9	
8/12/2017 9:00	0.0		8/12/2018 9:00	0.0		8/12/2019 9:00	0.0		8/11/2020 9:00	7.4	
8/12/2017 10:00	0.0		8/12/2018 10:00	0.0		8/12/2019 10:00	0.0		8/11/2020 10:00	6.6	
8/12/2017 11:00	0.0		8/12/2018 11:00	0.0		8/12/2019 11:00	0.0		8/11/2020 11:00	6.2	
8/12/2017 12:00	0.0		8/12/2018 12:00	0.0		8/12/2019 12:00	0.0		8/11/2020 12:00	6.4	
8/12/2017 13:00	0.0		8/12/2018 13:00	0.0		8/12/2019 13:00	0.0		8/11/2020 13:00	6.4	
8/12/2017 14:00	0.0		8/12/2018 14:00	0.0		8/12/2019 14:00	0.0		8/11/2020 14:00	6.6	
8/12/2017 15:00	0.0		8/12/2018 15:00	0.0		8/12/2019 15:00	0.0		8/11/2020 15:00	6.6	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/12/2017 16:00	0.0		8/12/2018 16:00	0.0		8/12/2019 16:00	0.0		8/11/2020 16:00	6.6	
8/12/2017 17:00	0.0		8/12/2018 17:00	0.0		8/12/2019 17:00	0.0		8/11/2020 17:00	6.9	
8/12/2017 18:00	0.0		8/12/2018 18:00	0.0		8/12/2019 18:00	0.0		8/11/2020 18:00	7.1	
8/12/2017 19:00	0.0		8/12/2018 19:00	0.0		8/12/2019 19:00	0.0		8/11/2020 19:00	7.1	
8/12/2017 20:00	0.0		8/12/2018 20:00	0.0		8/12/2019 20:00	0.0		8/11/2020 20:00	7.1	
8/12/2017 21:00	0.0		8/12/2018 21:00	0.0		8/12/2019 21:00	0.0		8/11/2020 21:00	7.2	
8/12/2017 22:00	0.0		8/12/2018 22:00	0.0		8/12/2019 22:00	0.0		8/11/2020 22:00	7.2	
8/12/2017 23:00	0.0	0.0	8/12/2018 23:00	0.0	0.0	8/12/2019 23:00	9.0	39.6	8/11/2020 23:00	7.4	7.9
8/13/2017 0:00	0.0		8/13/2018 0:00	0.0		8/13/2019 0:00	0.0		8/12/2020 0:00	7.4	
8/13/2017 1:00	0.0		8/13/2018 1:00	0.0		8/13/2019 1:00	0.0		8/12/2020 1:00	7.1	
8/13/2017 2:00	0.0		8/13/2018 2:00	0.0		8/13/2019 2:00	0.0		8/12/2020 2:00	6.8	
8/13/2017 3:00	0.0		8/13/2018 3:00	0.0		8/13/2019 3:00	132.6		8/12/2020 3:00	6.6	
8/13/2017 4:00	0.0		8/13/2018 4:00	0.0		8/13/2019 4:00	23.1		8/12/2020 4:00	6.4	
8/13/2017 5:00	0.0		8/13/2018 5:00	0.0		8/13/2019 5:00	0.0		8/12/2020 5:00	6.1	
8/13/2017 6:00	0.0		8/13/2018 6:00	0.0		8/13/2019 6:00	0.0		8/12/2020 6:00	6.2	
8/13/2017 7:00	0.0		8/13/2018 7:00	0.0		8/13/2019 7:00	0.0		8/12/2020 7:00	7.2	
8/13/2017 8:00	0.0		8/13/2018 8:00	0.0		8/13/2019 8:00	0.0		8/12/2020 8:00	6.9	
8/13/2017 9:00	0.0		8/13/2018 9:00	0.0		8/13/2019 9:00	0.0		8/12/2020 9:00	7.0	
8/13/2017 10:00	0.0		8/13/2018 10:00	0.0		8/13/2019 10:00	0.0		8/12/2020 10:00	6.8	
8/13/2017 11:00	0.0		8/13/2018 11:00	0.0		8/13/2019 11:00	0.0		8/12/2020 11:00	6.6	
8/13/2017 12:00	0.0		8/13/2018 12:00	0.0		8/13/2019 12:00	0.0		8/12/2020 12:00	6.2	
8/13/2017 13:00	0.0		8/13/2018 13:00	0.0		8/13/2019 13:00	0.0		8/12/2020 13:00	6.0	
8/13/2017 14:00	0.0		8/13/2018 14:00	0.0		8/13/2019 14:00	0.0		8/12/2020 14:00	6.1	
8/13/2017 15:00	0.0		8/13/2018 15:00	0.0		8/13/2019 15:00	0.0		8/12/2020 15:00	6.2	
8/13/2017 16:00	0.0		8/13/2018 16:00	0.0		8/13/2019 16:00	4.0		8/12/2020 16:00	6.5	
8/13/2017 17:00	0.0		8/13/2018 17:00	0.0		8/13/2019 17:00	0.0		8/12/2020 17:00	6.6	
8/13/2017 18:00	0.0		8/13/2018 18:00	0.0		8/13/2019 18:00	0.0		8/12/2020 18:00	6.6	
8/13/2017 19:00	0.0		8/13/2018 19:00	0.0		8/13/2019 19:00	0.0		8/12/2020 19:00	6.5	
8/13/2017 20:00	0.0		8/13/2018 20:00	0.0		8/13/2019 20:00	0.0		8/12/2020 20:00	6.5	
8/13/2017 21:00	0.0		8/13/2018 21:00	0.0		8/13/2019 21:00	0.0		8/12/2020 21:00	6.4	
8/13/2017 22:00	0.0		8/13/2018 22:00	0.0		8/13/2019 22:00	0.0		8/12/2020 22:00	6.4	
8/13/2017 23:00	0.0	0.0	8/13/2018 23:00	0.0	0.0	8/13/2019 23:00	0.0	132.6	8/12/2020 23:00	6.4	7.4
8/14/2017 0:00	0.0		8/14/2018 0:00	0.0		8/14/2019 0:00	0.0		8/13/2020 0:00	6.4	
8/14/2017 1:00	0.0		8/14/2018 1:00	0.0		8/14/2019 1:00	0.0		8/13/2020 1:00	6.3	
8/14/2017 2:00	0.0		8/14/2018 2:00	0.0		8/14/2019 2:00	0.0		8/13/2020 2:00	6.4	
8/14/2017 3:00	0.0		8/14/2018 3:00	0.0		8/14/2019 3:00	0.0		8/13/2020 3:00	6.3	
8/14/2017 4:00	0.0		8/14/2018 4:00	0.0		8/14/2019 4:00	0.0		8/13/2020 4:00	6.5	
8/14/2017 5:00	0.0		8/14/2018 5:00	0.0		8/14/2019 5:00	0.0		8/13/2020 5:00	6.7	
8/14/2017 6:00	0.0		8/14/2018 6:00	0.0		8/14/2019 6:00	0.0		8/13/2020 6:00	6.5	
8/14/2017 7:00	0.0		8/14/2018 7:00	0.0		8/14/2019 7:00	0.0		8/13/2020 7:00	15.8	
8/14/2017 8:00	0.0		8/14/2018 8:00	0.0		8/14/2019 8:00	0.0		8/13/2020 8:00	25.0	
8/14/2017 9:00	0.0		8/14/2018 9:00	0.0		8/14/2019 9:00	0.0		8/13/2020 9:00	25.0	
8/14/2017 10:00	0.0		8/14/2018 10:00	0.0		8/14/2019 10:00	0.0		8/13/2020 10:00	25.0	
8/14/2017 11:00	0.0		8/14/2018 11:00	0.0		8/14/2019 11:00	0.0		8/13/2020 11:00	24.5	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/14/2017 12:00	0.0		8/14/2018 12:00	0.0		8/14/2019 12:00	0.0		8/13/2020 12:00	24.2	
8/14/2017 13:00	0.0		8/14/2018 13:00	0.0		8/14/2019 13:00	0.0		8/13/2020 13:00	24.2	
8/14/2017 14:00	0.0		8/14/2018 14:00	0.0		8/14/2019 14:00	0.0		8/13/2020 14:00	23.8	
8/14/2017 15:00	0.0		8/14/2018 15:00	0.0		8/14/2019 15:00	0.3		8/13/2020 15:00	24.3	
8/14/2017 16:00	0.0		8/14/2018 16:00	0.0		8/14/2019 16:00	0.0		8/13/2020 16:00	24.3	
8/14/2017 17:00	0.0		8/14/2018 17:00	0.0		8/14/2019 17:00	0.0		8/13/2020 17:00	24.5	
8/14/2017 18:00	0.0		8/14/2018 18:00	0.0		8/14/2019 18:00	0.0		8/13/2020 18:00	25.1	
8/14/2017 19:00	0.0		8/14/2018 19:00	0.0		8/14/2019 19:00	0.0		8/13/2020 19:00	25.6	
8/14/2017 20:00	0.0		8/14/2018 20:00	0.0		8/14/2019 20:00	0.0		8/13/2020 20:00	13.5	
8/14/2017 21:00	0.0		8/14/2018 21:00	0.0		8/14/2019 21:00	0.0		8/13/2020 21:00	0.0	
8/14/2017 22:00	0.0		8/14/2018 22:00	106.0		8/14/2019 22:00	0.0		8/13/2020 22:00	0.0	
8/14/2017 23:00	0.0	0.0	8/14/2018 23:00	76.5	106.0	8/14/2019 23:00	0.0	0.3	8/13/2020 23:00	0.0	25.6
8/15/2017 0:00	0.0		8/15/2018 0:00	30.8		8/15/2019 0:00	0.0		8/14/2020 0:00	0.0	
8/15/2017 1:00	0.0		8/15/2018 1:00	31.3		8/15/2019 1:00	0.0		8/14/2020 1:00	0.0	
8/15/2017 2:00	0.0		8/15/2018 2:00	27.4		8/15/2019 2:00	0.0		8/14/2020 2:00	0.0	
8/15/2017 3:00	0.0		8/15/2018 3:00	9.9		8/15/2019 3:00	0.0		8/14/2020 3:00	0.0	
8/15/2017 4:00	0.0		8/15/2018 4:00	0.0		8/15/2019 4:00	0.0		8/14/2020 4:00	0.0	
8/15/2017 5:00	0.0		8/15/2018 5:00	0.0		8/15/2019 5:00	0.0		8/14/2020 5:00	0.0	
8/15/2017 6:00	0.0		8/15/2018 6:00	0.0		8/15/2019 6:00	0.0		8/14/2020 6:00	0.0	
8/15/2017 7:00	0.0		8/15/2018 7:00	0.0		8/15/2019 7:00	0.0		8/14/2020 7:00	0.0	
8/15/2017 8:00	0.0		8/15/2018 8:00	0.0		8/15/2019 8:00	0.0		8/14/2020 8:00	0.0	
8/15/2017 9:00	0.0		8/15/2018 9:00	0.0		8/15/2019 9:00	0.0		8/14/2020 9:00	0.0	
8/15/2017 10:00	0.0		8/15/2018 10:00	0.0		8/15/2019 10:00	0.0		8/14/2020 10:00	0.0	
8/15/2017 11:00	0.0		8/15/2018 11:00	0.0		8/15/2019 11:00	0.0		8/14/2020 11:00	0.0	
8/15/2017 12:00	0.0		8/15/2018 12:00	0.0		8/15/2019 12:00	0.0		8/14/2020 12:00	0.0	
8/15/2017 13:00	0.0		8/15/2018 13:00	0.0		8/15/2019 13:00	0.0		8/14/2020 13:00	0.0	
8/15/2017 14:00	0.0		8/15/2018 14:00	0.0		8/15/2019 14:00	0.0		8/14/2020 14:00	0.0	
8/15/2017 15:00	0.0		8/15/2018 15:00	0.0		8/15/2019 15:00	0.0		8/14/2020 15:00	0.0	
8/15/2017 16:00	0.0		8/15/2018 16:00	0.0		8/15/2019 16:00	0.7		8/14/2020 16:00	0.0	
8/15/2017 17:00	0.0		8/15/2018 17:00	24.4		8/15/2019 17:00	0.0		8/14/2020 17:00	0.0	
8/15/2017 18:00	0.0		8/15/2018 18:00	36.4		8/15/2019 18:00	0.0		8/14/2020 18:00	0.0	
8/15/2017 19:00	0.0		8/15/2018 19:00	8.6		8/15/2019 19:00	0.0		8/14/2020 19:00	0.0	
8/15/2017 20:00	0.0		8/15/2018 20:00	0.0		8/15/2019 20:00	0.0		8/14/2020 20:00	0.0	
8/15/2017 21:00	23.6		8/15/2018 21:00	0.0		8/15/2019 21:00	0.0		8/14/2020 21:00	0.0	
8/15/2017 22:00	233.4		8/15/2018 22:00	0.0		8/15/2019 22:00	0.0		8/14/2020 22:00	0.0	
8/15/2017 23:00	0.0	233.4	8/15/2018 23:00	0.0	36.4	8/15/2019 23:00	0.0	0.7	8/14/2020 23:00	0.0	0.0
8/16/2017 0:00	0.0		8/16/2018 0:00	0.0		8/16/2019 0:00	0.0		8/15/2020 0:00	0.0	
8/16/2017 1:00	0.0		8/16/2018 1:00	0.0		8/16/2019 1:00	0.0		8/15/2020 1:00	0.0	
8/16/2017 2:00	0.0		8/16/2018 2:00	0.0		8/16/2019 2:00	0.0		8/15/2020 2:00	0.0	
8/16/2017 3:00	66.8		8/16/2018 3:00	0.0		8/16/2019 3:00	0.0		8/15/2020 3:00	0.0	
8/16/2017 4:00	7.3		8/16/2018 4:00	0.0		8/16/2019 4:00	0.0		8/15/2020 4:00	0.0	
8/16/2017 5:00	0.0		8/16/2018 5:00	0.0		8/16/2019 5:00	0.0		8/15/2020 5:00	0.0	
8/16/2017 6:00	0.0		8/16/2018 6:00	0.0		8/16/2019 6:00	0.0		8/15/2020 6:00	0.0	
8/16/2017 7:00	0.0		8/16/2018 7:00	0.0		8/16/2019 7:00	0.0		8/15/2020 7:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/16/2017 8:00	0.0		8/16/2018 8:00	0.0		8/16/2019 8:00	0.0		8/15/2020 8:00	0.0	
8/16/2017 9:00	0.0		8/16/2018 9:00	0.0		8/16/2019 9:00	0.0		8/15/2020 9:00	0.0	
8/16/2017 10:00	0.0		8/16/2018 10:00	0.0		8/16/2019 10:00	0.0		8/15/2020 10:00	0.0	
8/16/2017 11:00	0.0		8/16/2018 11:00	0.0		8/16/2019 11:00	0.0		8/15/2020 11:00	0.0	
8/16/2017 12:00	0.0		8/16/2018 12:00	0.0		8/16/2019 12:00	0.0		8/15/2020 12:00	0.0	
8/16/2017 13:00	0.0		8/16/2018 13:00	0.0		8/16/2019 13:00	0.0		8/15/2020 13:00	0.0	
8/16/2017 14:00	0.0		8/16/2018 14:00	0.0		8/16/2019 14:00	0.0		8/15/2020 14:00	0.0	
8/16/2017 15:00	0.0		8/16/2018 15:00	0.0		8/16/2019 15:00	0.0		8/15/2020 15:00	0.0	
8/16/2017 16:00	0.0		8/16/2018 16:00	0.0		8/16/2019 16:00	0.0		8/15/2020 16:00	0.0	
8/16/2017 17:00	0.0		8/16/2018 17:00	0.0		8/16/2019 17:00	0.0		8/15/2020 17:00	0.0	
8/16/2017 18:00	0.0		8/16/2018 18:00	0.0		8/16/2019 18:00	0.0		8/15/2020 18:00	0.0	
8/16/2017 19:00	1.7		8/16/2018 19:00	0.0		8/16/2019 19:00	0.0		8/15/2020 19:00	0.0	
8/16/2017 20:00	5.2		8/16/2018 20:00	0.0		8/16/2019 20:00	0.0		8/15/2020 20:00	0.0	
8/16/2017 21:00	0.0		8/16/2018 21:00	0.0		8/16/2019 21:00	0.0		8/15/2020 21:00	0.0	
8/16/2017 22:00	0.0		8/16/2018 22:00	0.0		8/16/2019 22:00	0.0		8/15/2020 22:00	0.0	
8/16/2017 23:00	0.0	66.8	8/16/2018 23:00	0.0	0.0	8/16/2019 23:00	0.0	0.0	8/15/2020 23:00	0.0	0.0
8/17/2017 0:00	0.0		8/17/2018 0:00	0.0		8/17/2019 0:00	0.0		8/16/2020 0:00	0.0	
8/17/2017 1:00	0.0		8/17/2018 1:00	0.0		8/17/2019 1:00	0.0		8/16/2020 1:00	0.0	
8/17/2017 2:00	0.0		8/17/2018 2:00	0.0		8/17/2019 2:00	0.0		8/16/2020 2:00	0.0	
8/17/2017 3:00	0.0		8/17/2018 3:00	0.0		8/17/2019 3:00	0.0		8/16/2020 3:00	0.0	
8/17/2017 4:00	0.0		8/17/2018 4:00	0.0		8/17/2019 4:00	0.0		8/16/2020 4:00	0.0	
8/17/2017 5:00	0.0		8/17/2018 5:00	0.0		8/17/2019 5:00	0.0		8/16/2020 5:00	0.0	
8/17/2017 6:00	0.0		8/17/2018 6:00	0.0		8/17/2019 6:00	0.0		8/16/2020 6:00	0.0	
8/17/2017 7:00	0.0		8/17/2018 7:00	0.0		8/17/2019 7:00	0.0		8/16/2020 7:00	0.0	
8/17/2017 8:00	0.0		8/17/2018 8:00	0.0		8/17/2019 8:00	0.0		8/16/2020 8:00	0.0	
8/17/2017 9:00	0.0		8/17/2018 9:00	0.0		8/17/2019 9:00	0.0		8/16/2020 9:00	0.0	
8/17/2017 10:00	0.0		8/17/2018 10:00	0.0		8/17/2019 10:00	0.0		8/16/2020 10:00	0.0	
8/17/2017 11:00	0.0		8/17/2018 11:00	0.0		8/17/2019 11:00	0.0		8/16/2020 11:00	0.0	
8/17/2017 12:00	0.0		8/17/2018 12:00	0.0		8/17/2019 12:00	0.0		8/16/2020 12:00	0.0	
8/17/2017 13:00	0.0		8/17/2018 13:00	0.0		8/17/2019 13:00	0.0		8/16/2020 13:00	0.0	
8/17/2017 14:00	0.0		8/17/2018 14:00	0.0		8/17/2019 14:00	0.0		8/16/2020 14:00	0.0	
8/17/2017 15:00	0.0		8/17/2018 15:00	0.0		8/17/2019 15:00	0.0		8/16/2020 15:00	0.0	
8/17/2017 16:00	0.0		8/17/2018 16:00	0.0		8/17/2019 16:00	0.0		8/16/2020 16:00	0.0	
8/17/2017 17:00	0.0		8/17/2018 17:00	0.0		8/17/2019 17:00	0.0		8/16/2020 17:00	0.0	
8/17/2017 18:00	0.0		8/17/2018 18:00	0.0		8/17/2019 18:00	0.0		8/16/2020 18:00	0.0	
8/17/2017 19:00	0.0		8/17/2018 19:00	0.0		8/17/2019 19:00	0.0		8/16/2020 19:00	0.0	
8/17/2017 20:00	0.0		8/17/2018 20:00	0.0		8/17/2019 20:00	0.0		8/16/2020 20:00	0.0	
8/17/2017 21:00	0.0		8/17/2018 21:00	0.0		8/17/2019 21:00	0.0		8/16/2020 21:00	0.0	
8/17/2017 22:00	0.0		8/17/2018 22:00	0.0		8/17/2019 22:00	0.0		8/16/2020 22:00	0.0	
8/17/2017 23:00	0.0	0.0	8/17/2018 23:00	0.0	0.0	8/17/2019 23:00	0.0	0.0	8/16/2020 23:00	0.0	0.0
8/18/2017 0:00	0.0		8/18/2018 0:00	0.0		8/18/2019 0:00	0.0		8/17/2020 0:00	0.0	
8/18/2017 1:00	0.0		8/18/2018 1:00	0.0		8/18/2019 1:00	0.0		8/17/2020 1:00	0.0	
8/18/2017 2:00	0.0		8/18/2018 2:00	0.0		8/18/2019 2:00	0.0		8/17/2020 2:00	0.0	
8/18/2017 3:00	0.0		8/18/2018 3:00	0.0		8/18/2019 3:00	0.0		8/17/2020 3:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/18/2017 4:00	0.0		8/18/2018 4:00	0.0		8/18/2019 4:00	0.0		8/17/2020 4:00	0.0	
8/18/2017 5:00	0.0		8/18/2018 5:00	0.0		8/18/2019 5:00	0.0		8/17/2020 5:00	0.0	
8/18/2017 6:00	0.0		8/18/2018 6:00	0.0		8/18/2019 6:00	0.0		8/17/2020 6:00	0.0	
8/18/2017 7:00	0.0		8/18/2018 7:00	0.0		8/18/2019 7:00	0.0		8/17/2020 7:00	0.0	
8/18/2017 8:00	0.0		8/18/2018 8:00	0.0		8/18/2019 8:00	0.0		8/17/2020 8:00	0.0	
8/18/2017 9:00	0.0		8/18/2018 9:00	0.0		8/18/2019 9:00	0.0		8/17/2020 9:00	0.0	
8/18/2017 10:00	0.0		8/18/2018 10:00	0.0		8/18/2019 10:00	0.0		8/17/2020 10:00	0.0	
8/18/2017 11:00	0.0		8/18/2018 11:00	0.0		8/18/2019 11:00	0.0		8/17/2020 11:00	0.0	
8/18/2017 12:00	0.0		8/18/2018 12:00	0.0		8/18/2019 12:00	0.0		8/17/2020 12:00	0.0	
8/18/2017 13:00	0.0		8/18/2018 13:00	0.0		8/18/2019 13:00	0.0		8/17/2020 13:00	0.0	
8/18/2017 14:00	0.0		8/18/2018 14:00	0.0		8/18/2019 14:00	0.0		8/17/2020 14:00	0.0	
8/18/2017 15:00	0.0		8/18/2018 15:00	0.0		8/18/2019 15:00	0.0		8/17/2020 15:00	0.0	
8/18/2017 16:00	0.0		8/18/2018 16:00	0.0		8/18/2019 16:00	0.0		8/17/2020 16:00	0.0	
8/18/2017 17:00	0.0		8/18/2018 17:00	0.0		8/18/2019 17:00	0.0		8/17/2020 17:00	0.0	
8/18/2017 18:00	0.0		8/18/2018 18:00	0.0		8/18/2019 18:00	0.0		8/17/2020 18:00	0.0	
8/18/2017 19:00	0.0		8/18/2018 19:00	0.0		8/18/2019 19:00	0.0		8/17/2020 19:00	0.0	
8/18/2017 20:00	0.0		8/18/2018 20:00	0.0		8/18/2019 20:00	0.0		8/17/2020 20:00	0.0	
8/18/2017 21:00	0.0		8/18/2018 21:00	0.0		8/18/2019 21:00	0.0		8/17/2020 21:00	0.0	
8/18/2017 22:00	0.0		8/18/2018 22:00	0.0		8/18/2019 22:00	0.0		8/17/2020 22:00	0.0	
8/18/2017 23:00	0.0	0.0	8/18/2018 23:00	0.0	0.0	8/18/2019 23:00	0.0	0.0	8/17/2020 23:00	0.0	0.0
8/19/2017 0:00	0.0		8/19/2018 0:00	0.0		8/19/2019 0:00	0.0		8/18/2020 0:00	0.0	
8/19/2017 1:00	0.0		8/19/2018 1:00	0.0		8/19/2019 1:00	0.0		8/18/2020 1:00	0.0	
8/19/2017 2:00	0.0		8/19/2018 2:00	0.0		8/19/2019 2:00	0.0		8/18/2020 2:00	0.0	
8/19/2017 3:00	0.0		8/19/2018 3:00	0.0		8/19/2019 3:00	0.0		8/18/2020 3:00	0.0	
8/19/2017 4:00	0.0		8/19/2018 4:00	0.0		8/19/2019 4:00	0.0		8/18/2020 4:00	0.0	
8/19/2017 5:00	0.0		8/19/2018 5:00	0.0		8/19/2019 5:00	0.0		8/18/2020 5:00	0.0	
8/19/2017 6:00	0.0		8/19/2018 6:00	0.0		8/19/2019 6:00	0.0		8/18/2020 6:00	0.0	
8/19/2017 7:00	0.0		8/19/2018 7:00	0.0		8/19/2019 7:00	0.0		8/18/2020 7:00	0.0	
8/19/2017 8:00	0.0		8/19/2018 8:00	0.0		8/19/2019 8:00	0.0		8/18/2020 8:00	0.0	
8/19/2017 9:00	0.0		8/19/2018 9:00	0.0		8/19/2019 9:00	0.0		8/18/2020 9:00	0.0	
8/19/2017 10:00	0.0		8/19/2018 10:00	0.0		8/19/2019 10:00	0.0		8/18/2020 10:00	0.0	
8/19/2017 11:00	0.0		8/19/2018 11:00	0.0		8/19/2019 11:00	0.0		8/18/2020 11:00	0.0	
8/19/2017 12:00	0.0		8/19/2018 12:00	0.0		8/19/2019 12:00	0.0		8/18/2020 12:00	0.0	
8/19/2017 13:00	0.0		8/19/2018 13:00	0.0		8/19/2019 13:00	0.0		8/18/2020 13:00	0.0	
8/19/2017 14:00	0.0		8/19/2018 14:00	0.0		8/19/2019 14:00	0.0		8/18/2020 14:00	0.0	
8/19/2017 15:00	0.0		8/19/2018 15:00	0.0		8/19/2019 15:00	0.0		8/18/2020 15:00	0.0	
8/19/2017 16:00	0.0		8/19/2018 16:00	0.0		8/19/2019 16:00	0.0		8/18/2020 16:00	0.0	
8/19/2017 17:00	0.0		8/19/2018 17:00	0.0		8/19/2019 17:00	0.0		8/18/2020 17:00	0.0	
8/19/2017 18:00	0.0		8/19/2018 18:00	0.0		8/19/2019 18:00	0.0		8/18/2020 18:00	0.0	
8/19/2017 19:00	69.5		8/19/2018 19:00	0.0		8/19/2019 19:00	0.0		8/18/2020 19:00	0.0	
8/19/2017 20:00	0.0		8/19/2018 20:00	0.0		8/19/2019 20:00	0.0		8/18/2020 20:00	0.0	
8/19/2017 21:00	0.0		8/19/2018 21:00	0.0		8/19/2019 21:00	0.0		8/18/2020 21:00	0.0	
8/19/2017 22:00	26.6		8/19/2018 22:00	0.0		8/19/2019 22:00	0.0		8/18/2020 22:00	0.0	
8/19/2017 23:00	0.0	69.5	8/19/2018 23:00	0.0	0.0	8/19/2019 23:00	0.0	0.0	8/18/2020 23:00	0.0	0.0

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/20/2017 0:00	0.0		8/20/2018 0:00	0.0		8/20/2019 0:00	0.0		8/19/2020 0:00	0.0	
8/20/2017 1:00	0.0		8/20/2018 1:00	0.0		8/20/2019 1:00	0.0		8/19/2020 1:00	0.0	
8/20/2017 2:00	0.0		8/20/2018 2:00	0.0		8/20/2019 2:00	0.0		8/19/2020 2:00	0.0	
8/20/2017 3:00	0.0		8/20/2018 3:00	0.0		8/20/2019 3:00	0.0		8/19/2020 3:00	0.0	
8/20/2017 4:00	0.0		8/20/2018 4:00	0.0		8/20/2019 4:00	0.0		8/19/2020 4:00	0.0	
8/20/2017 5:00	0.0		8/20/2018 5:00	0.0		8/20/2019 5:00	0.0		8/19/2020 5:00	0.0	
8/20/2017 6:00	0.0		8/20/2018 6:00	0.0		8/20/2019 6:00	0.0		8/19/2020 6:00	0.0	
8/20/2017 7:00	0.0		8/20/2018 7:00	0.0		8/20/2019 7:00	0.0		8/19/2020 7:00	0.0	
8/20/2017 8:00	0.0		8/20/2018 8:00	0.0		8/20/2019 8:00	0.0		8/19/2020 8:00	0.0	
8/20/2017 9:00	0.0		8/20/2018 9:00	0.0		8/20/2019 9:00	0.0		8/19/2020 9:00	0.0	
8/20/2017 10:00	0.0		8/20/2018 10:00	0.0		8/20/2019 10:00	0.0		8/19/2020 10:00	0.0	
8/20/2017 11:00	0.0		8/20/2018 11:00	0.0		8/20/2019 11:00	0.0		8/19/2020 11:00	0.0	
8/20/2017 12:00	0.0		8/20/2018 12:00	0.0		8/20/2019 12:00	0.0		8/19/2020 12:00	0.0	
8/20/2017 13:00	0.0		8/20/2018 13:00	0.0		8/20/2019 13:00	0.0		8/19/2020 13:00	0.0	
8/20/2017 14:00	0.0		8/20/2018 14:00	0.0		8/20/2019 14:00	0.0		8/19/2020 14:00	0.0	
8/20/2017 15:00	0.0		8/20/2018 15:00	0.0		8/20/2019 15:00	0.0		8/19/2020 15:00	0.0	
8/20/2017 16:00	0.0		8/20/2018 16:00	0.0		8/20/2019 16:00	0.0		8/19/2020 16:00	0.0	
8/20/2017 17:00	0.0		8/20/2018 17:00	0.0		8/20/2019 17:00	0.0		8/19/2020 17:00	0.0	
8/20/2017 18:00	0.0		8/20/2018 18:00	0.0		8/20/2019 18:00	0.0		8/19/2020 18:00	0.0	
8/20/2017 19:00	0.0		8/20/2018 19:00	0.0		8/20/2019 19:00	0.0		8/19/2020 19:00	0.0	
8/20/2017 20:00	0.0		8/20/2018 20:00	0.0		8/20/2019 20:00	0.0		8/19/2020 20:00	0.5	
8/20/2017 21:00	0.0		8/20/2018 21:00	0.0		8/20/2019 21:00	0.0		8/19/2020 21:00	0.0	
8/20/2017 22:00	0.0		8/20/2018 22:00	0.0		8/20/2019 22:00	0.0		8/19/2020 22:00	0.0	
8/20/2017 23:00	0.0	0.0	8/20/2018 23:00	0.0	0.0	8/20/2019 23:00	0.0	0.0	8/19/2020 23:00	0.0	0.5
8/21/2017 0:00	0.0		8/21/2018 0:00	0.0		8/21/2019 0:00	0.0		8/20/2020 0:00	0.0	
8/21/2017 1:00	0.0		8/21/2018 1:00	0.0		8/21/2019 1:00	0.0		8/20/2020 1:00	0.0	
8/21/2017 2:00	0.0		8/21/2018 2:00	0.0		8/21/2019 2:00	0.0		8/20/2020 2:00	0.0	
8/21/2017 3:00	0.0		8/21/2018 3:00	0.0		8/21/2019 3:00	0.0		8/20/2020 3:00	0.0	
8/21/2017 4:00	0.0		8/21/2018 4:00	0.0		8/21/2019 4:00	0.0		8/20/2020 4:00	0.0	
8/21/2017 5:00	0.0		8/21/2018 5:00	0.0		8/21/2019 5:00	0.0		8/20/2020 5:00	0.0	
8/21/2017 6:00	0.0		8/21/2018 6:00	0.0		8/21/2019 6:00	0.0		8/20/2020 6:00	0.0	
8/21/2017 7:00	0.0		8/21/2018 7:00	0.0		8/21/2019 7:00	0.0		8/20/2020 7:00	0.0	
8/21/2017 8:00	0.0		8/21/2018 8:00	0.0		8/21/2019 8:00	0.0		8/20/2020 8:00	0.0	
8/21/2017 9:00	0.0		8/21/2018 9:00	0.0		8/21/2019 9:00	0.0		8/20/2020 9:00	0.0	
8/21/2017 10:00	0.0		8/21/2018 10:00	0.0		8/21/2019 10:00	0.0		8/20/2020 10:00	0.0	
8/21/2017 11:00	0.0		8/21/2018 11:00	0.0		8/21/2019 11:00	0.0		8/20/2020 11:00	0.0	
8/21/2017 12:00	0.0		8/21/2018 12:00	0.0		8/21/2019 12:00	0.0		8/20/2020 12:00	0.0	
8/21/2017 13:00	0.0		8/21/2018 13:00	0.0		8/21/2019 13:00	0.0		8/20/2020 13:00	0.0	
8/21/2017 14:00	0.0		8/21/2018 14:00	0.0		8/21/2019 14:00	0.0		8/20/2020 14:00	0.0	
8/21/2017 15:00	0.0		8/21/2018 15:00	0.0		8/21/2019 15:00	0.0		8/20/2020 15:00	0.0	
8/21/2017 16:00	0.0		8/21/2018 16:00	0.0		8/21/2019 16:00	0.0		8/20/2020 16:00	0.0	
8/21/2017 17:00	0.0		8/21/2018 17:00	0.0		8/21/2019 17:00	0.0		8/20/2020 17:00	0.0	
8/21/2017 18:00	0.0		8/21/2018 18:00	0.0		8/21/2019 18:00	0.0		8/20/2020 18:00	0.0	
8/21/2017 19:00	0.0		8/21/2018 19:00	0.0		8/21/2019 19:00	0.0		8/20/2020 19:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/21/2017 20:00	0.0		8/21/2018 20:00	0.0		8/21/2019 20:00	0.0		8/20/2020 20:00	0.0	
8/21/2017 21:00	0.0		8/21/2018 21:00	0.0		8/21/2019 21:00	0.0		8/20/2020 21:00	0.0	
8/21/2017 22:00	0.0		8/21/2018 22:00	0.0		8/21/2019 22:00	0.0		8/20/2020 22:00	0.0	
8/21/2017 23:00	0.0	0.0	8/21/2018 23:00	0.0	0.0	8/21/2019 23:00	0.0	0.0	8/20/2020 23:00	0.0	0.0
8/22/2017 0:00	0.0		8/22/2018 0:00	0.0		8/22/2019 0:00	0.0		8/21/2020 0:00	0.0	
8/22/2017 1:00	0.0		8/22/2018 1:00	0.0		8/22/2019 1:00	0.0		8/21/2020 1:00	0.0	
8/22/2017 2:00	0.0		8/22/2018 2:00	0.0		8/22/2019 2:00	0.0		8/21/2020 2:00	0.0	
8/22/2017 3:00	0.0		8/22/2018 3:00	0.0		8/22/2019 3:00	0.0		8/21/2020 3:00	0.0	
8/22/2017 4:00	0.0		8/22/2018 4:00	0.0		8/22/2019 4:00	0.0		8/21/2020 4:00	0.0	
8/22/2017 5:00	0.0		8/22/2018 5:00	0.0		8/22/2019 5:00	0.0		8/21/2020 5:00	0.0	
8/22/2017 6:00	0.0		8/22/2018 6:00	0.0		8/22/2019 6:00	0.0		8/21/2020 6:00	0.0	
8/22/2017 7:00	0.0		8/22/2018 7:00	0.0		8/22/2019 7:00	0.0		8/21/2020 7:00	0.0	
8/22/2017 8:00	0.0		8/22/2018 8:00	0.0		8/22/2019 8:00	0.0		8/21/2020 8:00	0.0	
8/22/2017 9:00	0.0		8/22/2018 9:00	0.0		8/22/2019 9:00	0.0		8/21/2020 9:00	0.0	
8/22/2017 10:00	0.0		8/22/2018 10:00	0.0		8/22/2019 10:00	0.0		8/21/2020 10:00	0.0	
8/22/2017 11:00	0.0		8/22/2018 11:00	0.0		8/22/2019 11:00	0.0		8/21/2020 11:00	0.0	
8/22/2017 12:00	0.0		8/22/2018 12:00	0.0		8/22/2019 12:00	0.0		8/21/2020 12:00	0.0	
8/22/2017 13:00	0.0		8/22/2018 13:00	0.0		8/22/2019 13:00	0.0		8/21/2020 13:00	0.0	
8/22/2017 14:00	0.0		8/22/2018 14:00	0.0		8/22/2019 14:00	0.0		8/21/2020 14:00	0.0	
8/22/2017 15:00	0.0		8/22/2018 15:00	0.0		8/22/2019 15:00	0.0		8/21/2020 15:00	0.0	
8/22/2017 16:00	0.0		8/22/2018 16:00	0.0		8/22/2019 16:00	0.0		8/21/2020 16:00	0.0	
8/22/2017 17:00	0.0		8/22/2018 17:00	0.0		8/22/2019 17:00	0.0		8/21/2020 17:00	0.0	
8/22/2017 18:00	0.0		8/22/2018 18:00	0.0		8/22/2019 18:00	0.0		8/21/2020 18:00	0.0	
8/22/2017 19:00	0.0		8/22/2018 19:00	0.0		8/22/2019 19:00	0.0		8/21/2020 19:00	0.0	
8/22/2017 20:00	0.0		8/22/2018 20:00	0.0		8/22/2019 20:00	0.0		8/21/2020 20:00	0.0	
8/22/2017 21:00	0.0		8/22/2018 21:00	0.0		8/22/2019 21:00	0.0		8/21/2020 21:00	0.0	
8/22/2017 22:00	0.0		8/22/2018 22:00	0.0		8/22/2019 22:00	0.0		8/21/2020 22:00	0.0	
8/22/2017 23:00	0.0	0.0	8/22/2018 23:00	0.0	0.0	8/22/2019 23:00	0.0	0.0	8/21/2020 23:00	0.0	0.0
8/23/2017 0:00	0.0		8/23/2018 0:00	0.0		8/23/2019 0:00	0.0		8/22/2020 0:00	0.0	
8/23/2017 1:00	0.0		8/23/2018 1:00	0.0		8/23/2019 1:00	0.0		8/22/2020 1:00	0.0	
8/23/2017 2:00	0.0		8/23/2018 2:00	0.0		8/23/2019 2:00	0.0		8/22/2020 2:00	0.0	
8/23/2017 3:00	0.0		8/23/2018 3:00	0.0		8/23/2019 3:00	0.0		8/22/2020 3:00	0.0	
8/23/2017 4:00	0.0		8/23/2018 4:00	0.0		8/23/2019 4:00	0.0		8/22/2020 4:00	0.0	
8/23/2017 5:00	0.0		8/23/2018 5:00	0.0		8/23/2019 5:00	0.0		8/22/2020 5:00	0.0	
8/23/2017 6:00	0.0		8/23/2018 6:00	0.0		8/23/2019 6:00	0.0		8/22/2020 6:00	0.0	
8/23/2017 7:00	0.0		8/23/2018 7:00	0.0		8/23/2019 7:00	0.0		8/22/2020 7:00	0.0	
8/23/2017 8:00	0.0		8/23/2018 8:00	0.0		8/23/2019 8:00	0.0		8/22/2020 8:00	0.0	
8/23/2017 9:00	0.0		8/23/2018 9:00	0.0		8/23/2019 9:00	0.0		8/22/2020 9:00	0.0	
8/23/2017 10:00	0.0		8/23/2018 10:00	0.0		8/23/2019 10:00	0.0		8/22/2020 10:00	0.0	
8/23/2017 11:00	0.0		8/23/2018 11:00	0.0		8/23/2019 11:00	0.0		8/22/2020 11:00	0.0	
8/23/2017 12:00	0.0		8/23/2018 12:00	0.0		8/23/2019 12:00	0.0		8/22/2020 12:00	0.0	
8/23/2017 13:00	0.0		8/23/2018 13:00	0.0		8/23/2019 13:00	0.0		8/22/2020 13:00	0.0	
8/23/2017 14:00	0.0		8/23/2018 14:00	0.0		8/23/2019 14:00	0.0		8/22/2020 14:00	0.0	
8/23/2017 15:00	0.0		8/23/2018 15:00	0.0		8/23/2019 15:00	0.0		8/22/2020 15:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/23/2017 16:00	0.0		8/23/2018 16:00	0.0		8/23/2019 16:00	0.0		8/22/2020 16:00	0.0	
8/23/2017 17:00	0.0		8/23/2018 17:00	0.0		8/23/2019 17:00	0.0		8/22/2020 17:00	0.0	
8/23/2017 18:00	0.0		8/23/2018 18:00	0.0		8/23/2019 18:00	0.0		8/22/2020 18:00	0.0	
8/23/2017 19:00	0.0		8/23/2018 19:00	0.0		8/23/2019 19:00	0.0		8/22/2020 19:00	0.0	
8/23/2017 20:00	0.0		8/23/2018 20:00	0.0		8/23/2019 20:00	0.0		8/22/2020 20:00	0.0	
8/23/2017 21:00	0.0		8/23/2018 21:00	0.0		8/23/2019 21:00	0.0		8/22/2020 21:00	0.0	
8/23/2017 22:00	0.0		8/23/2018 22:00	0.0		8/23/2019 22:00	0.0		8/22/2020 22:00	0.0	
8/23/2017 23:00	0.0	0.0	8/23/2018 23:00	0.0	0.0	8/23/2019 23:00	0.0	0.0	8/22/2020 23:00	0.0	0.0
8/24/2017 0:00	0.0		8/24/2018 0:00	0.0		8/24/2019 0:00	0.0		8/23/2020 0:00	0.0	
8/24/2017 1:00	0.0		8/24/2018 1:00	0.0		8/24/2019 1:00	0.0		8/23/2020 1:00	0.0	
8/24/2017 2:00	0.0		8/24/2018 2:00	0.0		8/24/2019 2:00	0.0		8/23/2020 2:00	0.0	
8/24/2017 3:00	0.0		8/24/2018 3:00	0.0		8/24/2019 3:00	0.0		8/23/2020 3:00	0.0	
8/24/2017 4:00	0.0		8/24/2018 4:00	0.0		8/24/2019 4:00	0.0		8/23/2020 4:00	0.0	
8/24/2017 5:00	0.0		8/24/2018 5:00	0.0		8/24/2019 5:00	0.0		8/23/2020 5:00	0.0	
8/24/2017 6:00	0.0		8/24/2018 6:00	0.0		8/24/2019 6:00	0.0		8/23/2020 6:00	0.0	
8/24/2017 7:00	0.0		8/24/2018 7:00	0.0		8/24/2019 7:00	0.0		8/23/2020 7:00	0.0	
8/24/2017 8:00	0.0		8/24/2018 8:00	0.0		8/24/2019 8:00	0.0		8/23/2020 8:00	0.0	
8/24/2017 9:00	0.0		8/24/2018 9:00	0.0		8/24/2019 9:00	0.0		8/23/2020 9:00	0.0	
8/24/2017 10:00	0.0		8/24/2018 10:00	0.0		8/24/2019 10:00	0.0		8/23/2020 10:00	0.0	
8/24/2017 11:00	0.0		8/24/2018 11:00	0.0		8/24/2019 11:00	0.0		8/23/2020 11:00	0.0	
8/24/2017 12:00	0.0		8/24/2018 12:00	0.0		8/24/2019 12:00	0.0		8/23/2020 12:00	0.0	
8/24/2017 13:00	0.0		8/24/2018 13:00	0.0		8/24/2019 13:00	0.0		8/23/2020 13:00	0.0	
8/24/2017 14:00	0.0		8/24/2018 14:00	0.0		8/24/2019 14:00	0.0		8/23/2020 14:00	0.0	
8/24/2017 15:00	0.0		8/24/2018 15:00	0.0		8/24/2019 15:00	0.0		8/23/2020 15:00	0.0	
8/24/2017 16:00	0.0		8/24/2018 16:00	0.0		8/24/2019 16:00	0.0		8/23/2020 16:00	0.0	
8/24/2017 17:00	0.0		8/24/2018 17:00	0.0		8/24/2019 17:00	0.0		8/23/2020 17:00	0.0	
8/24/2017 18:00	0.0		8/24/2018 18:00	0.0		8/24/2019 18:00	0.0		8/23/2020 18:00	0.0	
8/24/2017 19:00	0.0		8/24/2018 19:00	0.0		8/24/2019 19:00	0.0		8/23/2020 19:00	0.0	
8/24/2017 20:00	0.0		8/24/2018 20:00	0.0		8/24/2019 20:00	0.0		8/23/2020 20:00	0.0	
8/24/2017 21:00	0.0		8/24/2018 21:00	0.0		8/24/2019 21:00	0.0		8/23/2020 21:00	34.7	
8/24/2017 22:00	0.0		8/24/2018 22:00	0.0		8/24/2019 22:00	0.0		8/23/2020 22:00	0.0	
8/24/2017 23:00	0.0	0.0	8/24/2018 23:00	0.0	0.0	8/24/2019 23:00	0.0	0.0	8/23/2020 23:00	0.0	34.7
8/25/2017 0:00	0.0		8/25/2018 0:00	0.0		8/25/2019 0:00	0.0		8/24/2020 0:00	0.0	
8/25/2017 1:00	0.0		8/25/2018 1:00	0.0		8/25/2019 1:00	0.0		8/24/2020 1:00	0.0	
8/25/2017 2:00	0.0		8/25/2018 2:00	0.0		8/25/2019 2:00	0.0		8/24/2020 2:00	0.0	
8/25/2017 3:00	0.0		8/25/2018 3:00	0.0		8/25/2019 3:00	0.0		8/24/2020 3:00	0.0	
8/25/2017 4:00	0.0		8/25/2018 4:00	0.0		8/25/2019 4:00	0.0		8/24/2020 4:00	0.0	
8/25/2017 5:00	0.0		8/25/2018 5:00	0.0		8/25/2019 5:00	0.0		8/24/2020 5:00	0.0	
8/25/2017 6:00	13.7		8/25/2018 6:00	0.0		8/25/2019 6:00	0.0		8/24/2020 6:00	0.0	
8/25/2017 7:00	0.0		8/25/2018 7:00	0.0		8/25/2019 7:00	0.0		8/24/2020 7:00	0.0	
8/25/2017 8:00	0.0		8/25/2018 8:00	0.0		8/25/2019 8:00	0.0		8/24/2020 8:00	0.0	
8/25/2017 9:00	0.0		8/25/2018 9:00	0.0		8/25/2019 9:00	0.0		8/24/2020 9:00	0.0	
8/25/2017 10:00	0.0		8/25/2018 10:00	0.0		8/25/2019 10:00	0.0		8/24/2020 10:00	0.0	
8/25/2017 11:00	0.0		8/25/2018 11:00	0.0		8/25/2019 11:00	0.0		8/24/2020 11:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/25/2017 12:00	0.0		8/25/2018 12:00	0.0		8/25/2019 12:00	0.0		8/24/2020 12:00	0.0	
8/25/2017 13:00	0.0		8/25/2018 13:00	0.0		8/25/2019 13:00	0.0		8/24/2020 13:00	0.0	
8/25/2017 14:00	0.0		8/25/2018 14:00	0.0		8/25/2019 14:00	0.0		8/24/2020 14:00	0.0	
8/25/2017 15:00	0.0		8/25/2018 15:00	0.0		8/25/2019 15:00	0.0		8/24/2020 15:00	0.0	
8/25/2017 16:00	0.0		8/25/2018 16:00	0.0		8/25/2019 16:00	0.0		8/24/2020 16:00	0.0	
8/25/2017 17:00	0.0		8/25/2018 17:00	0.0		8/25/2019 17:00	0.0		8/24/2020 17:00	0.0	
8/25/2017 18:00	0.0		8/25/2018 18:00	0.0		8/25/2019 18:00	0.0		8/24/2020 18:00	0.0	
8/25/2017 19:00	0.0		8/25/2018 19:00	0.0		8/25/2019 19:00	0.0		8/24/2020 19:00	0.0	
8/25/2017 20:00	0.0		8/25/2018 20:00	0.0		8/25/2019 20:00	0.0		8/24/2020 20:00	0.0	
8/25/2017 21:00	0.0		8/25/2018 21:00	0.0		8/25/2019 21:00	0.0		8/24/2020 21:00	0.0	
8/25/2017 22:00	0.0		8/25/2018 22:00	0.0		8/25/2019 22:00	0.0		8/24/2020 22:00	0.0	
8/25/2017 23:00	0.0	13.7	8/25/2018 23:00	0.0	0.0	8/25/2019 23:00	0.0	0.0	8/24/2020 23:00	0.0	0.0
8/26/2017 0:00	0.0		8/26/2018 0:00	0.0		8/26/2019 0:00	0.0		8/25/2020 0:00	0.0	
8/26/2017 1:00	0.0		8/26/2018 1:00	0.0		8/26/2019 1:00	0.0		8/25/2020 1:00	0.0	
8/26/2017 2:00	0.0		8/26/2018 2:00	0.0		8/26/2019 2:00	0.0		8/25/2020 2:00	0.0	
8/26/2017 3:00	0.0		8/26/2018 3:00	0.0		8/26/2019 3:00	0.0		8/25/2020 3:00	0.0	
8/26/2017 4:00	0.0		8/26/2018 4:00	0.0		8/26/2019 4:00	0.0		8/25/2020 4:00	0.0	
8/26/2017 5:00	0.0		8/26/2018 5:00	0.0		8/26/2019 5:00	0.0		8/25/2020 5:00	0.0	
8/26/2017 6:00	0.0		8/26/2018 6:00	0.0		8/26/2019 6:00	0.0		8/25/2020 6:00	0.0	
8/26/2017 7:00	0.0		8/26/2018 7:00	0.0		8/26/2019 7:00	0.0		8/25/2020 7:00	0.0	
8/26/2017 8:00	0.0		8/26/2018 8:00	0.0		8/26/2019 8:00	0.0		8/25/2020 8:00	0.0	
8/26/2017 9:00	0.0		8/26/2018 9:00	0.0		8/26/2019 9:00	0.0		8/25/2020 9:00	0.0	
8/26/2017 10:00	0.0		8/26/2018 10:00	0.0		8/26/2019 10:00	0.0		8/25/2020 10:00	0.0	
8/26/2017 11:00	0.0		8/26/2018 11:00	0.0		8/26/2019 11:00	0.0		8/25/2020 11:00	0.0	
8/26/2017 12:00	0.0		8/26/2018 12:00	0.0		8/26/2019 12:00	0.0		8/25/2020 12:00	0.0	
8/26/2017 13:00	0.0		8/26/2018 13:00	0.0		8/26/2019 13:00	0.0		8/25/2020 13:00	0.0	
8/26/2017 14:00	0.0		8/26/2018 14:00	0.0		8/26/2019 14:00	0.0		8/25/2020 14:00	0.0	
8/26/2017 15:00	0.0		8/26/2018 15:00	0.0		8/26/2019 15:00	0.0		8/25/2020 15:00	0.0	
8/26/2017 16:00	0.0		8/26/2018 16:00	0.0		8/26/2019 16:00	0.0		8/25/2020 16:00	0.0	
8/26/2017 17:00	0.0		8/26/2018 17:00	0.0		8/26/2019 17:00	0.0		8/25/2020 17:00	0.0	
8/26/2017 18:00	0.0		8/26/2018 18:00	0.0		8/26/2019 18:00	0.0		8/25/2020 18:00	0.0	
8/26/2017 19:00	0.0		8/26/2018 19:00	0.0		8/26/2019 19:00	0.0		8/25/2020 19:00	0.0	
8/26/2017 20:00	0.0		8/26/2018 20:00	0.0		8/26/2019 20:00	0.0		8/25/2020 20:00	0.0	
8/26/2017 21:00	0.0		8/26/2018 21:00	0.0		8/26/2019 21:00	0.0		8/25/2020 21:00	0.0	
8/26/2017 22:00	0.0		8/26/2018 22:00	0.0		8/26/2019 22:00	0.0		8/25/2020 22:00	0.0	
8/26/2017 23:00	0.0	0.0	8/26/2018 23:00	0.0	0.0	8/26/2019 23:00	0.0	0.0	8/25/2020 23:00	0.0	0.0
8/27/2017 0:00	0.0		8/27/2018 0:00	0.0		8/27/2019 0:00	0.0		8/26/2020 0:00	0.0	
8/27/2017 1:00	0.0		8/27/2018 1:00	0.0		8/27/2019 1:00	0.0		8/26/2020 1:00	0.0	
8/27/2017 2:00	0.0		8/27/2018 2:00	0.0		8/27/2019 2:00	0.0		8/26/2020 2:00	0.0	
8/27/2017 3:00	0.0		8/27/2018 3:00	0.0		8/27/2019 3:00	0.0		8/26/2020 3:00	0.0	
8/27/2017 4:00	0.0		8/27/2018 4:00	0.0		8/27/2019 4:00	0.0		8/26/2020 4:00	0.0	
8/27/2017 5:00	0.0		8/27/2018 5:00	0.0		8/27/2019 5:00	0.0		8/26/2020 5:00	0.0	
8/27/2017 6:00	0.0		8/27/2018 6:00	0.0		8/27/2019 6:00	0.0		8/26/2020 6:00	0.0	
8/27/2017 7:00	0.0		8/27/2018 7:00	0.0		8/27/2019 7:00	0.0		8/26/2020 7:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/27/2017 8:00	0.0		8/27/2018 8:00	0.0		8/27/2019 8:00	0.0		8/26/2020 8:00	0.0	
8/27/2017 9:00	0.0		8/27/2018 9:00	0.0		8/27/2019 9:00	0.0		8/26/2020 9:00	0.0	
8/27/2017 10:00	0.0		8/27/2018 10:00	0.0		8/27/2019 10:00	0.0		8/26/2020 10:00	0.0	
8/27/2017 11:00	0.0		8/27/2018 11:00	0.0		8/27/2019 11:00	0.0		8/26/2020 11:00	0.0	
8/27/2017 12:00	0.0		8/27/2018 12:00	0.0		8/27/2019 12:00	0.0		8/26/2020 12:00	0.0	
8/27/2017 13:00	0.0		8/27/2018 13:00	0.0		8/27/2019 13:00	0.0		8/26/2020 13:00	0.0	
8/27/2017 14:00	0.0		8/27/2018 14:00	0.0		8/27/2019 14:00	0.0		8/26/2020 14:00	0.0	
8/27/2017 15:00	0.0		8/27/2018 15:00	0.0		8/27/2019 15:00	0.0		8/26/2020 15:00	0.0	
8/27/2017 16:00	0.0		8/27/2018 16:00	0.0		8/27/2019 16:00	0.0		8/26/2020 16:00	0.0	
8/27/2017 17:00	0.0		8/27/2018 17:00	0.0		8/27/2019 17:00	0.0		8/26/2020 17:00	0.0	
8/27/2017 18:00	0.0		8/27/2018 18:00	0.0		8/27/2019 18:00	0.0		8/26/2020 18:00	0.0	
8/27/2017 19:00	0.0		8/27/2018 19:00	0.0		8/27/2019 19:00	0.0		8/26/2020 19:00	0.0	
8/27/2017 20:00	0.0		8/27/2018 20:00	0.0		8/27/2019 20:00	0.0		8/26/2020 20:00	0.0	
8/27/2017 21:00	0.0		8/27/2018 21:00	0.0		8/27/2019 21:00	0.0		8/26/2020 21:00	0.0	
8/27/2017 22:00	0.0		8/27/2018 22:00	0.0		8/27/2019 22:00	0.0		8/26/2020 22:00	0.0	
8/27/2017 23:00	0.0	0.0	8/27/2018 23:00	0.0	0.0	8/27/2019 23:00	0.0	0.0	8/26/2020 23:00	0.0	0.0
8/28/2017 0:00	0.0		8/28/2018 0:00	0.0		8/28/2019 0:00	0.0		8/27/2020 0:00	0.0	
8/28/2017 1:00	0.0		8/28/2018 1:00	0.0		8/28/2019 1:00	0.0		8/27/2020 1:00	0.0	
8/28/2017 2:00	0.0		8/28/2018 2:00	0.0		8/28/2019 2:00	0.0		8/27/2020 2:00	0.0	
8/28/2017 3:00	0.0		8/28/2018 3:00	0.0		8/28/2019 3:00	0.0		8/27/2020 3:00	0.0	
8/28/2017 4:00	0.0		8/28/2018 4:00	0.0		8/28/2019 4:00	0.0		8/27/2020 4:00	0.0	
8/28/2017 5:00	0.0		8/28/2018 5:00	0.0		8/28/2019 5:00	0.0		8/27/2020 5:00	0.0	
8/28/2017 6:00	0.0		8/28/2018 6:00	0.0		8/28/2019 6:00	0.0		8/27/2020 6:00	0.0	
8/28/2017 7:00	0.0		8/28/2018 7:00	0.0		8/28/2019 7:00	0.0		8/27/2020 7:00	0.0	
8/28/2017 8:00	0.0		8/28/2018 8:00	0.0		8/28/2019 8:00	0.0		8/27/2020 8:00	0.0	
8/28/2017 9:00	0.0		8/28/2018 9:00	0.0		8/28/2019 9:00	0.0		8/27/2020 9:00	0.0	
8/28/2017 10:00	0.0		8/28/2018 10:00	0.0		8/28/2019 10:00	0.0		8/27/2020 10:00	0.0	
8/28/2017 11:00	0.0		8/28/2018 11:00	0.0		8/28/2019 11:00	0.0		8/27/2020 11:00	0.0	
8/28/2017 12:00	0.0		8/28/2018 12:00	0.0		8/28/2019 12:00	0.0		8/27/2020 12:00	0.0	
8/28/2017 13:00	0.0		8/28/2018 13:00	0.0		8/28/2019 13:00	0.0		8/27/2020 13:00	0.0	
8/28/2017 14:00	0.0		8/28/2018 14:00	0.0		8/28/2019 14:00	0.0		8/27/2020 14:00	0.0	
8/28/2017 15:00	0.0		8/28/2018 15:00	0.0		8/28/2019 15:00	0.0		8/27/2020 15:00	0.0	
8/28/2017 16:00	0.0		8/28/2018 16:00	0.0		8/28/2019 16:00	0.0		8/27/2020 16:00	0.0	
8/28/2017 17:00	0.0		8/28/2018 17:00	0.0		8/28/2019 17:00	0.0		8/27/2020 17:00	0.0	
8/28/2017 18:00	0.0		8/28/2018 18:00	0.0		8/28/2019 18:00	0.0		8/27/2020 18:00	0.0	
8/28/2017 19:00	0.0		8/28/2018 19:00	0.0		8/28/2019 19:00	0.0		8/27/2020 19:00	0.0	
8/28/2017 20:00	0.0		8/28/2018 20:00	0.0		8/28/2019 20:00	0.0		8/27/2020 20:00	0.0	
8/28/2017 21:00	0.0		8/28/2018 21:00	0.0		8/28/2019 21:00	0.0		8/27/2020 21:00	0.0	
8/28/2017 22:00	0.0		8/28/2018 22:00	0.0		8/28/2019 22:00	0.0		8/27/2020 22:00	0.0	
8/28/2017 23:00	0.0	0.0	8/28/2018 23:00	0.0	0.0	8/28/2019 23:00	0.0	0.0	8/27/2020 23:00	0.0	0.0
8/29/2017 0:00	0.0		8/29/2018 0:00	0.0		8/29/2019 0:00	0.0		8/28/2020 0:00	0.0	
8/29/2017 1:00	0.0		8/29/2018 1:00	0.0		8/29/2019 1:00	0.0		8/28/2020 1:00	0.0	
8/29/2017 2:00	0.0		8/29/2018 2:00	0.0		8/29/2019 2:00	0.0		8/28/2020 2:00	0.0	
8/29/2017 3:00	0.0		8/29/2018 3:00	0.0		8/29/2019 3:00	0.0		8/28/2020 3:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/29/2017 4:00	0.0		8/29/2018 4:00	0.0		8/29/2019 4:00	0.0		8/28/2020 4:00	0.0	
8/29/2017 5:00	0.0		8/29/2018 5:00	0.0		8/29/2019 5:00	0.0		8/28/2020 5:00	0.0	
8/29/2017 6:00	0.0		8/29/2018 6:00	0.0		8/29/2019 6:00	0.0		8/28/2020 6:00	0.0	
8/29/2017 7:00	0.0		8/29/2018 7:00	0.0		8/29/2019 7:00	0.0		8/28/2020 7:00	0.0	
8/29/2017 8:00	55.4		8/29/2018 8:00	0.0		8/29/2019 8:00	0.0		8/28/2020 8:00	0.0	
8/29/2017 9:00	81.5		8/29/2018 9:00	0.0		8/29/2019 9:00	0.0		8/28/2020 9:00	0.0	
8/29/2017 10:00	41.5		8/29/2018 10:00	0.0		8/29/2019 10:00	0.0		8/28/2020 10:00	0.0	
8/29/2017 11:00	0.0		8/29/2018 11:00	0.0		8/29/2019 11:00	0.0		8/28/2020 11:00	0.0	
8/29/2017 12:00	0.0		8/29/2018 12:00	0.0		8/29/2019 12:00	0.0		8/28/2020 12:00	0.0	
8/29/2017 13:00	0.0		8/29/2018 13:00	0.0		8/29/2019 13:00	0.0		8/28/2020 13:00	0.0	
8/29/2017 14:00	0.0		8/29/2018 14:00	0.0		8/29/2019 14:00	0.0		8/28/2020 14:00	0.0	
8/29/2017 15:00	0.0		8/29/2018 15:00	0.0		8/29/2019 15:00	0.0		8/28/2020 15:00	0.0	
8/29/2017 16:00	0.0		8/29/2018 16:00	0.0		8/29/2019 16:00	0.0		8/28/2020 16:00	0.0	
8/29/2017 17:00	0.0		8/29/2018 17:00	0.0		8/29/2019 17:00	0.0		8/28/2020 17:00	0.0	
8/29/2017 18:00	0.0		8/29/2018 18:00	0.0		8/29/2019 18:00	0.0		8/28/2020 18:00	0.0	
8/29/2017 19:00	0.0		8/29/2018 19:00	0.0		8/29/2019 19:00	0.0		8/28/2020 19:00	0.0	
8/29/2017 20:00	0.0		8/29/2018 20:00	0.0		8/29/2019 20:00	0.0		8/28/2020 20:00	0.0	
8/29/2017 21:00	0.0		8/29/2018 21:00	0.0		8/29/2019 21:00	0.0		8/28/2020 21:00	0.0	
8/29/2017 22:00	0.0		8/29/2018 22:00	0.0		8/29/2019 22:00	0.0		8/28/2020 22:00	0.0	
8/29/2017 23:00	0.0	81.5	8/29/2018 23:00	0.0	0.0	8/29/2019 23:00	0.0	0.0	8/28/2020 23:00	0.0	0.0
8/30/2017 0:00	0.0		8/30/2018 0:00	0.0		8/30/2019 0:00	0.0		8/29/2020 0:00	0.0	
8/30/2017 1:00	0.0		8/30/2018 1:00	0.0		8/30/2019 1:00	0.0		8/29/2020 1:00	0.0	
8/30/2017 2:00	0.0		8/30/2018 2:00	0.0		8/30/2019 2:00	0.0		8/29/2020 2:00	0.0	
8/30/2017 3:00	0.0		8/30/2018 3:00	0.0		8/30/2019 3:00	0.0		8/29/2020 3:00	0.0	
8/30/2017 4:00	0.0		8/30/2018 4:00	0.0		8/30/2019 4:00	0.0		8/29/2020 4:00	0.0	
8/30/2017 5:00	0.0		8/30/2018 5:00	0.0		8/30/2019 5:00	0.0		8/29/2020 5:00	0.0	
8/30/2017 6:00	0.0		8/30/2018 6:00	0.0		8/30/2019 6:00	0.0		8/29/2020 6:00	0.0	
8/30/2017 7:00	0.0		8/30/2018 7:00	0.0		8/30/2019 7:00	0.0		8/29/2020 7:00	0.0	
8/30/2017 8:00	0.0		8/30/2018 8:00	0.0		8/30/2019 8:00	0.0		8/29/2020 8:00	0.0	
8/30/2017 9:00	0.0		8/30/2018 9:00	0.0		8/30/2019 9:00	0.0		8/29/2020 9:00	0.0	
8/30/2017 10:00	0.0		8/30/2018 10:00	0.0		8/30/2019 10:00	0.0		8/29/2020 10:00	0.0	
8/30/2017 11:00	0.0		8/30/2018 11:00	0.0		8/30/2019 11:00	0.0		8/29/2020 11:00	0.0	
8/30/2017 12:00	0.0		8/30/2018 12:00	0.0		8/30/2019 12:00	0.0		8/29/2020 12:00	0.0	
8/30/2017 13:00	0.0		8/30/2018 13:00	0.0		8/30/2019 13:00	0.0		8/29/2020 13:00	0.0	
8/30/2017 14:00	0.0		8/30/2018 14:00	0.0		8/30/2019 14:00	0.0		8/29/2020 14:00	0.0	
8/30/2017 15:00	0.0		8/30/2018 15:00	0.0		8/30/2019 15:00	0.0		8/29/2020 15:00	0.0	
8/30/2017 16:00	0.0		8/30/2018 16:00	0.0		8/30/2019 16:00	0.0		8/29/2020 16:00	0.0	
8/30/2017 17:00	0.0		8/30/2018 17:00	0.0		8/30/2019 17:00	0.0		8/29/2020 17:00	0.0	
8/30/2017 18:00	0.0		8/30/2018 18:00	0.0		8/30/2019 18:00	0.0		8/29/2020 18:00	0.0	
8/30/2017 19:00	0.0		8/30/2018 19:00	0.0		8/30/2019 19:00	0.0		8/29/2020 19:00	0.0	
8/30/2017 20:00	0.0		8/30/2018 20:00	0.0		8/30/2019 20:00	0.0		8/29/2020 20:00	0.0	
8/30/2017 21:00	0.0		8/30/2018 21:00	0.0		8/30/2019 21:00	0.0		8/29/2020 21:00	0.0	
8/30/2017 22:00	0.0		8/30/2018 22:00	0.0		8/30/2019 22:00	0.0		8/29/2020 22:00	0.0	
8/30/2017 23:00	0.0	0.0	8/30/2018 23:00	0.0	0.0	8/30/2019 23:00	0.0	0.0	8/29/2020 23:00	0.0	0.0

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/31/2017 0:00	0.0		8/31/2018 0:00	0.0		8/31/2019 0:00	0.0		8/30/2020 0:00	0.0	
8/31/2017 1:00	0.0		8/31/2018 1:00	0.0		8/31/2019 1:00	0.0		8/30/2020 1:00	0.0	
8/31/2017 2:00	0.0		8/31/2018 2:00	0.0		8/31/2019 2:00	0.0		8/30/2020 2:00	0.0	
8/31/2017 3:00	0.0		8/31/2018 3:00	0.0		8/31/2019 3:00	0.0		8/30/2020 3:00	0.0	
8/31/2017 4:00	0.0		8/31/2018 4:00	0.0		8/31/2019 4:00	0.0		8/30/2020 4:00	0.0	
8/31/2017 5:00	0.0		8/31/2018 5:00	0.0		8/31/2019 5:00	0.0		8/30/2020 5:00	0.0	
8/31/2017 6:00	0.0		8/31/2018 6:00	0.0		8/31/2019 6:00	0.0		8/30/2020 6:00	0.0	
8/31/2017 7:00	0.0		8/31/2018 7:00	0.0		8/31/2019 7:00	0.0		8/30/2020 7:00	0.0	
8/31/2017 8:00	0.0		8/31/2018 8:00	0.0		8/31/2019 8:00	0.0		8/30/2020 8:00	0.0	
8/31/2017 9:00	0.0		8/31/2018 9:00	0.0		8/31/2019 9:00	0.0		8/30/2020 9:00	0.0	
8/31/2017 10:00	0.0		8/31/2018 10:00	0.0		8/31/2019 10:00	0.0		8/30/2020 10:00	0.0	
8/31/2017 11:00	0.0		8/31/2018 11:00	0.0		8/31/2019 11:00	0.0		8/30/2020 11:00	0.0	
8/31/2017 12:00	0.0		8/31/2018 12:00	0.0		8/31/2019 12:00	0.0		8/30/2020 12:00	0.0	
8/31/2017 13:00	0.0		8/31/2018 13:00	0.0		8/31/2019 13:00	0.0		8/30/2020 13:00	0.0	
8/31/2017 14:00	0.0		8/31/2018 14:00	0.0		8/31/2019 14:00	0.0		8/30/2020 14:00	0.0	
8/31/2017 15:00	0.0		8/31/2018 15:00	0.0		8/31/2019 15:00	0.0		8/30/2020 15:00	0.0	
8/31/2017 16:00	0.0		8/31/2018 16:00	0.0		8/31/2019 16:00	0.0		8/30/2020 16:00	0.0	
8/31/2017 17:00	0.0		8/31/2018 17:00	0.0		8/31/2019 17:00	0.0		8/30/2020 17:00	0.0	
8/31/2017 18:00	0.0		8/31/2018 18:00	0.0		8/31/2019 18:00	0.0		8/30/2020 18:00	0.0	
8/31/2017 19:00	0.0		8/31/2018 19:00	0.0		8/31/2019 19:00	0.0		8/30/2020 19:00	0.0	
8/31/2017 20:00	0.0		8/31/2018 20:00	0.0		8/31/2019 20:00	0.0		8/30/2020 20:00	0.0	
8/31/2017 21:00	0.0		8/31/2018 21:00	0.0		8/31/2019 21:00	0.0		8/30/2020 21:00	0.0	
8/31/2017 22:00	0.0		8/31/2018 22:00	0.0		8/31/2019 22:00	0.0		8/30/2020 22:00	0.0	
8/31/2017 23:00	0.0	0.0	8/31/2018 23:00	0.0	0.0	8/31/2019 23:00	0.0	0.0	8/30/2020 23:00	0.0	0.0
9/1/2017 0:00	0.0		9/1/2018 0:00	0.0		9/1/2019 0:00	0.0		8/31/2020 0:00	0.0	
9/1/2017 1:00	0.0		9/1/2018 1:00	0.0		9/1/2019 1:00	0.0		8/31/2020 1:00	0.0	
9/1/2017 2:00	0.0		9/1/2018 2:00	0.0		9/1/2019 2:00	0.0		8/31/2020 2:00	0.0	
9/1/2017 3:00	0.0		9/1/2018 3:00	0.0		9/1/2019 3:00	0.0		8/31/2020 3:00	0.0	
9/1/2017 4:00	0.0		9/1/2018 4:00	0.0		9/1/2019 4:00	0.0		8/31/2020 4:00	0.0	
9/1/2017 5:00	0.0		9/1/2018 5:00	0.0		9/1/2019 5:00	0.0		8/31/2020 5:00	0.0	
9/1/2017 6:00	0.0		9/1/2018 6:00	0.0		9/1/2019 6:00	0.0		8/31/2020 6:00	0.0	
9/1/2017 7:00	0.0		9/1/2018 7:00	0.0		9/1/2019 7:00	0.0		8/31/2020 7:00	0.0	
9/1/2017 8:00	0.0		9/1/2018 8:00	0.0		9/1/2019 8:00	0.0		8/31/2020 8:00	0.0	
9/1/2017 9:00	0.0		9/1/2018 9:00	0.0		9/1/2019 9:00	0.0		8/31/2020 9:00	0.0	
9/1/2017 10:00	0.0		9/1/2018 10:00	0.0		9/1/2019 10:00	0.0		8/31/2020 10:00	0.0	
9/1/2017 11:00	0.0		9/1/2018 11:00	0.0		9/1/2019 11:00	0.0		8/31/2020 11:00	0.0	
9/1/2017 12:00	0.0		9/1/2018 12:00	0.0		9/1/2019 12:00	0.0		8/31/2020 12:00	0.0	
9/1/2017 13:00	0.0		9/1/2018 13:00	0.0		9/1/2019 13:00	0.0		8/31/2020 13:00	0.0	
9/1/2017 14:00	0.0		9/1/2018 14:00	0.0		9/1/2019 14:00	0.0		8/31/2020 14:00	0.0	
9/1/2017 15:00	0.0		9/1/2018 15:00	0.0		9/1/2019 15:00	0.0		8/31/2020 15:00	0.0	
9/1/2017 16:00	0.0		9/1/2018 16:00	0.0		9/1/2019 16:00	0.0		8/31/2020 16:00	0.0	
9/1/2017 17:00	0.0		9/1/2018 17:00	0.0		9/1/2019 17:00	0.0		8/31/2020 17:00	0.0	
9/1/2017 18:00	0.0		9/1/2018 18:00	0.0		9/1/2019 18:00	0.0		8/31/2020 18:00	0.0	
9/1/2017 19:00	0.0		9/1/2018 19:00	0.0		9/1/2019 19:00	0.0		8/31/2020 19:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/1/2017 20:00	0.0		9/1/2018 20:00	0.0		9/1/2019 20:00	0.0		8/31/2020 20:00	0.0	
9/1/2017 21:00	0.0		9/1/2018 21:00	0.0		9/1/2019 21:00	0.0		8/31/2020 21:00	0.0	
9/1/2017 22:00	0.0		9/1/2018 22:00	0.0		9/1/2019 22:00	0.0		8/31/2020 22:00	0.0	
9/1/2017 23:00	0.0	0.0	9/1/2018 23:00	0.0	0.0	9/1/2019 23:00	0.0	0.0	8/31/2020 23:00	0.0	0.0
9/2/2017 0:00	0.0		9/2/2018 0:00	0.0		9/2/2019 0:00	0.0		9/1/2020 0:00	0.0	
9/2/2017 1:00	0.0		9/2/2018 1:00	0.0		9/2/2019 1:00	0.0		9/1/2020 1:00	0.0	
9/2/2017 2:00	0.0		9/2/2018 2:00	0.0		9/2/2019 2:00	0.0		9/1/2020 2:00	0.0	
9/2/2017 3:00	0.0		9/2/2018 3:00	0.0		9/2/2019 3:00	0.0		9/1/2020 3:00	0.0	
9/2/2017 4:00	0.0		9/2/2018 4:00	0.0		9/2/2019 4:00	0.0		9/1/2020 4:00	0.0	
9/2/2017 5:00	0.0		9/2/2018 5:00	0.0		9/2/2019 5:00	0.0		9/1/2020 5:00	0.0	
9/2/2017 6:00	0.0		9/2/2018 6:00	0.0		9/2/2019 6:00	0.0		9/1/2020 6:00	0.0	
9/2/2017 7:00	0.0		9/2/2018 7:00	0.0		9/2/2019 7:00	0.0		9/1/2020 7:00	0.0	
9/2/2017 8:00	0.0		9/2/2018 8:00	0.0		9/2/2019 8:00	0.0		9/1/2020 8:00	0.0	
9/2/2017 9:00	0.0		9/2/2018 9:00	0.0		9/2/2019 9:00	0.0		9/1/2020 9:00	0.0	
9/2/2017 10:00	0.0		9/2/2018 10:00	0.0		9/2/2019 10:00	0.0		9/1/2020 10:00	0.0	
9/2/2017 11:00	0.0		9/2/2018 11:00	0.0		9/2/2019 11:00	0.0		9/1/2020 11:00	0.0	
9/2/2017 12:00	0.0		9/2/2018 12:00	0.0		9/2/2019 12:00	0.0		9/1/2020 12:00	0.0	
9/2/2017 13:00	0.0		9/2/2018 13:00	0.0		9/2/2019 13:00	0.0		9/1/2020 13:00	0.0	
9/2/2017 14:00	0.0		9/2/2018 14:00	0.0		9/2/2019 14:00	0.0		9/1/2020 14:00	0.0	
9/2/2017 15:00	0.0		9/2/2018 15:00	0.0		9/2/2019 15:00	0.0		9/1/2020 15:00	0.0	
9/2/2017 16:00	0.0		9/2/2018 16:00	0.0		9/2/2019 16:00	0.0		9/1/2020 16:00	0.0	
9/2/2017 17:00	0.0		9/2/2018 17:00	0.0		9/2/2019 17:00	0.0		9/1/2020 17:00	0.0	
9/2/2017 18:00	0.0		9/2/2018 18:00	0.0		9/2/2019 18:00	0.0		9/1/2020 18:00	0.0	
9/2/2017 19:00	0.0		9/2/2018 19:00	0.0		9/2/2019 19:00	0.0		9/1/2020 19:00	0.0	
9/2/2017 20:00	0.0		9/2/2018 20:00	0.0		9/2/2019 20:00	0.0		9/1/2020 20:00	0.0	
9/2/2017 21:00	0.0		9/2/2018 21:00	0.0		9/2/2019 21:00	0.0		9/1/2020 21:00	0.0	
9/2/2017 22:00	0.0		9/2/2018 22:00	0.0		9/2/2019 22:00	0.0		9/1/2020 22:00	0.0	
9/2/2017 23:00	0.0	0.0	9/2/2018 23:00	0.0	0.0	9/2/2019 23:00	0.0	0.0	9/1/2020 23:00	0.0	0.0
9/3/2017 0:00	0.0		9/3/2018 0:00	0.0		9/3/2019 0:00	0.0		9/2/2020 0:00	0.0	
9/3/2017 1:00	0.0		9/3/2018 1:00	0.0		9/3/2019 1:00	0.0		9/2/2020 1:00	0.0	
9/3/2017 2:00	0.0		9/3/2018 2:00	0.0		9/3/2019 2:00	0.0		9/2/2020 2:00	0.0	
9/3/2017 3:00	0.0		9/3/2018 3:00	0.0		9/3/2019 3:00	0.0		9/2/2020 3:00	0.0	
9/3/2017 4:00	0.0		9/3/2018 4:00	0.0		9/3/2019 4:00	0.0		9/2/2020 4:00	0.0	
9/3/2017 5:00	0.0		9/3/2018 5:00	0.0		9/3/2019 5:00	0.0		9/2/2020 5:00	0.0	
9/3/2017 6:00	0.0		9/3/2018 6:00	0.0		9/3/2019 6:00	0.0		9/2/2020 6:00	0.0	
9/3/2017 7:00	0.0		9/3/2018 7:00	0.0		9/3/2019 7:00	0.0		9/2/2020 7:00	0.0	
9/3/2017 8:00	0.0		9/3/2018 8:00	0.0		9/3/2019 8:00	0.0		9/2/2020 8:00	0.0	
9/3/2017 9:00	0.0		9/3/2018 9:00	0.0		9/3/2019 9:00	0.0		9/2/2020 9:00	0.0	
9/3/2017 10:00	0.0		9/3/2018 10:00	0.0		9/3/2019 10:00	0.0		9/2/2020 10:00	0.0	
9/3/2017 11:00	0.0		9/3/2018 11:00	0.0		9/3/2019 11:00	0.0		9/2/2020 11:00	0.0	
9/3/2017 12:00	0.0		9/3/2018 12:00	0.0		9/3/2019 12:00	0.0		9/2/2020 12:00	0.0	
9/3/2017 13:00	0.0		9/3/2018 13:00	0.0		9/3/2019 13:00	0.0		9/2/2020 13:00	0.0	
9/3/2017 14:00	0.0		9/3/2018 14:00	0.0		9/3/2019 14:00	0.0		9/2/2020 14:00	0.0	
9/3/2017 15:00	0.0		9/3/2018 15:00	0.0		9/3/2019 15:00	0.0		9/2/2020 15:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/3/2017 16:00	0.0		9/3/2018 16:00	0.0		9/3/2019 16:00	0.0		9/2/2020 16:00	0.0	
9/3/2017 17:00	0.0		9/3/2018 17:00	0.0		9/3/2019 17:00	0.0		9/2/2020 17:00	0.0	
9/3/2017 18:00	0.0		9/3/2018 18:00	0.0		9/3/2019 18:00	0.0		9/2/2020 18:00	0.0	
9/3/2017 19:00	0.0		9/3/2018 19:00	0.0		9/3/2019 19:00	0.0		9/2/2020 19:00	0.0	
9/3/2017 20:00	0.0		9/3/2018 20:00	0.0		9/3/2019 20:00	0.0		9/2/2020 20:00	0.0	
9/3/2017 21:00	0.0		9/3/2018 21:00	0.0		9/3/2019 21:00	0.0		9/2/2020 21:00	0.0	
9/3/2017 22:00	0.0		9/3/2018 22:00	0.0		9/3/2019 22:00	0.0		9/2/2020 22:00	0.0	
9/3/2017 23:00	0.0	0.0	9/3/2018 23:00	0.0	0.0	9/3/2019 23:00	0.0	0.0	9/2/2020 23:00	0.0	0.0
9/4/2017 0:00	0.0		9/4/2018 0:00	0.0		9/4/2019 0:00	0.0		9/3/2020 0:00	0.0	
9/4/2017 1:00	0.0		9/4/2018 1:00	4.4		9/4/2019 1:00	0.0		9/3/2020 1:00	0.0	
9/4/2017 2:00	0.0		9/4/2018 2:00	0.0		9/4/2019 2:00	0.0		9/3/2020 2:00	0.0	
9/4/2017 3:00	0.0		9/4/2018 3:00	0.0		9/4/2019 3:00	0.0		9/3/2020 3:00	0.0	
9/4/2017 4:00	0.0		9/4/2018 4:00	0.0		9/4/2019 4:00	0.0		9/3/2020 4:00	0.0	
9/4/2017 5:00	0.0		9/4/2018 5:00	0.0		9/4/2019 5:00	0.0		9/3/2020 5:00	0.0	
9/4/2017 6:00	0.0		9/4/2018 6:00	0.0		9/4/2019 6:00	0.0		9/3/2020 6:00	0.0	
9/4/2017 7:00	0.0		9/4/2018 7:00	0.1		9/4/2019 7:00	0.0		9/3/2020 7:00	0.0	
9/4/2017 8:00	0.0		9/4/2018 8:00	0.0		9/4/2019 8:00	0.0		9/3/2020 8:00	0.0	
9/4/2017 9:00	0.0		9/4/2018 9:00	0.0		9/4/2019 9:00	0.0		9/3/2020 9:00	0.0	
9/4/2017 10:00	0.0		9/4/2018 10:00	0.0		9/4/2019 10:00	0.0		9/3/2020 10:00	0.0	
9/4/2017 11:00	0.0		9/4/2018 11:00	0.0		9/4/2019 11:00	0.0		9/3/2020 11:00	0.0	
9/4/2017 12:00	0.0		9/4/2018 12:00	0.0		9/4/2019 12:00	0.0		9/3/2020 12:00	0.0	
9/4/2017 13:00	0.0		9/4/2018 13:00	0.0		9/4/2019 13:00	0.0		9/3/2020 13:00	0.0	
9/4/2017 14:00	0.0		9/4/2018 14:00	0.0		9/4/2019 14:00	0.0		9/3/2020 14:00	0.0	
9/4/2017 15:00	0.0		9/4/2018 15:00	0.0		9/4/2019 15:00	0.0		9/3/2020 15:00	0.0	
9/4/2017 16:00	0.0		9/4/2018 16:00	0.0		9/4/2019 16:00	0.0		9/3/2020 16:00	0.0	
9/4/2017 17:00	0.0		9/4/2018 17:00	0.0		9/4/2019 17:00	0.0		9/3/2020 17:00	0.0	
9/4/2017 18:00	0.0		9/4/2018 18:00	0.0		9/4/2019 18:00	0.0		9/3/2020 18:00	0.0	
9/4/2017 19:00	0.0		9/4/2018 19:00	0.0		9/4/2019 19:00	0.0		9/3/2020 19:00	0.0	
9/4/2017 20:00	0.0		9/4/2018 20:00	0.0		9/4/2019 20:00	0.0		9/3/2020 20:00	0.0	
9/4/2017 21:00	0.0		9/4/2018 21:00	0.0		9/4/2019 21:00	0.0		9/3/2020 21:00	0.0	
9/4/2017 22:00	0.0		9/4/2018 22:00	0.0		9/4/2019 22:00	0.0		9/3/2020 22:00	0.0	
9/4/2017 23:00	0.0	0.0	9/4/2018 23:00	0.0	4.4	9/4/2019 23:00	0.0	0.0	9/3/2020 23:00	0.0	0.0
9/5/2017 0:00	0.0		9/5/2018 0:00	0.0		9/5/2019 0:00	0.0		9/4/2020 0:00	0.0	
9/5/2017 1:00	0.0		9/5/2018 1:00	0.0		9/5/2019 1:00	0.0		9/4/2020 1:00	0.0	
9/5/2017 2:00	0.0		9/5/2018 2:00	0.0		9/5/2019 2:00	0.0		9/4/2020 2:00	0.0	
9/5/2017 3:00	0.0		9/5/2018 3:00	0.0		9/5/2019 3:00	0.0		9/4/2020 3:00	0.0	
9/5/2017 4:00	0.0		9/5/2018 4:00	0.0		9/5/2019 4:00	0.0		9/4/2020 4:00	0.0	
9/5/2017 5:00	0.0		9/5/2018 5:00	0.0		9/5/2019 5:00	0.0		9/4/2020 5:00	0.0	
9/5/2017 6:00	0.0		9/5/2018 6:00	0.0		9/5/2019 6:00	0.0		9/4/2020 6:00	0.0	
9/5/2017 7:00	0.0		9/5/2018 7:00	0.0		9/5/2019 7:00	0.0		9/4/2020 7:00	0.0	
9/5/2017 8:00	0.0		9/5/2018 8:00	0.0		9/5/2019 8:00	0.0		9/4/2020 8:00	0.0	
9/5/2017 9:00	0.0		9/5/2018 9:00	0.0		9/5/2019 9:00	0.0		9/4/2020 9:00	0.0	
9/5/2017 10:00	0.0		9/5/2018 10:00	0.0		9/5/2019 10:00	0.0		9/4/2020 10:00	0.0	
9/5/2017 11:00	0.0		9/5/2018 11:00	0.0		9/5/2019 11:00	0.0		9/4/2020 11:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/5/2017 12:00	0.0		9/5/2018 12:00	0.0		9/5/2019 12:00	0.0		9/4/2020 12:00	0.0	
9/5/2017 13:00	0.0		9/5/2018 13:00	0.0		9/5/2019 13:00	0.0		9/4/2020 13:00	0.0	
9/5/2017 14:00	0.0		9/5/2018 14:00	0.0		9/5/2019 14:00	0.0		9/4/2020 14:00	0.0	
9/5/2017 15:00	0.0		9/5/2018 15:00	0.0		9/5/2019 15:00	0.0		9/4/2020 15:00	0.0	
9/5/2017 16:00	0.0		9/5/2018 16:00	0.0		9/5/2019 16:00	0.0		9/4/2020 16:00	0.0	
9/5/2017 17:00	0.0		9/5/2018 17:00	0.0		9/5/2019 17:00	0.0		9/4/2020 17:00	0.0	
9/5/2017 18:00	0.0		9/5/2018 18:00	0.0		9/5/2019 18:00	0.0		9/4/2020 18:00	0.0	
9/5/2017 19:00	0.0		9/5/2018 19:00	0.0		9/5/2019 19:00	0.0		9/4/2020 19:00	0.0	
9/5/2017 20:00	0.0		9/5/2018 20:00	0.0		9/5/2019 20:00	0.0		9/4/2020 20:00	0.0	
9/5/2017 21:00	0.0		9/5/2018 21:00	0.0		9/5/2019 21:00	0.0		9/4/2020 21:00	0.0	
9/5/2017 22:00	0.0		9/5/2018 22:00	0.0		9/5/2019 22:00	0.0		9/4/2020 22:00	0.0	
9/5/2017 23:00	0.0	0.0	9/5/2018 23:00	0.0	0.0	9/5/2019 23:00	0.0	0.0	9/4/2020 23:00	0.0	0.0
9/6/2017 0:00	0.0		9/6/2018 0:00	0.0		9/6/2019 0:00	0.0		9/5/2020 0:00	0.0	
9/6/2017 1:00	0.0		9/6/2018 1:00	0.0		9/6/2019 1:00	0.0		9/5/2020 1:00	0.0	
9/6/2017 2:00	0.0		9/6/2018 2:00	0.0		9/6/2019 2:00	0.0		9/5/2020 2:00	0.0	
9/6/2017 3:00	0.5		9/6/2018 3:00	0.0		9/6/2019 3:00	0.0		9/5/2020 3:00	0.0	
9/6/2017 4:00	5.0		9/6/2018 4:00	0.0		9/6/2019 4:00	0.0		9/5/2020 4:00	0.0	
9/6/2017 5:00	0.9		9/6/2018 5:00	0.0		9/6/2019 5:00	0.0		9/5/2020 5:00	0.0	
9/6/2017 6:00	0.0		9/6/2018 6:00	0.0		9/6/2019 6:00	0.0		9/5/2020 6:00	0.0	
9/6/2017 7:00	0.0		9/6/2018 7:00	0.0		9/6/2019 7:00	0.0		9/5/2020 7:00	0.0	
9/6/2017 8:00	0.0		9/6/2018 8:00	0.0		9/6/2019 8:00	0.0		9/5/2020 8:00	0.0	
9/6/2017 9:00	0.0		9/6/2018 9:00	0.0		9/6/2019 9:00	0.0		9/5/2020 9:00	0.0	
9/6/2017 10:00	0.0		9/6/2018 10:00	0.0		9/6/2019 10:00	0.0		9/5/2020 10:00	0.0	
9/6/2017 11:00	0.0		9/6/2018 11:00	0.0		9/6/2019 11:00	0.0		9/5/2020 11:00	0.0	
9/6/2017 12:00	0.0		9/6/2018 12:00	0.0		9/6/2019 12:00	0.0		9/5/2020 12:00	0.0	
9/6/2017 13:00	0.0		9/6/2018 13:00	0.0		9/6/2019 13:00	0.0		9/5/2020 13:00	0.0	
9/6/2017 14:00	0.0		9/6/2018 14:00	0.0		9/6/2019 14:00	0.0		9/5/2020 14:00	0.0	
9/6/2017 15:00	0.0		9/6/2018 15:00	0.0		9/6/2019 15:00	0.0		9/5/2020 15:00	0.0	
9/6/2017 16:00	1.3		9/6/2018 16:00	0.0		9/6/2019 16:00	0.0		9/5/2020 16:00	0.0	
9/6/2017 17:00	0.0		9/6/2018 17:00	0.0		9/6/2019 17:00	0.0		9/5/2020 17:00	0.0	
9/6/2017 18:00	0.0		9/6/2018 18:00	0.0		9/6/2019 18:00	0.0		9/5/2020 18:00	0.0	
9/6/2017 19:00	0.0		9/6/2018 19:00	0.0		9/6/2019 19:00	0.0		9/5/2020 19:00	0.0	
9/6/2017 20:00	0.0		9/6/2018 20:00	0.0		9/6/2019 20:00	0.0		9/5/2020 20:00	0.0	
9/6/2017 21:00	0.0		9/6/2018 21:00	0.0		9/6/2019 21:00	0.0		9/5/2020 21:00	0.0	
9/6/2017 22:00	0.0		9/6/2018 22:00	0.0		9/6/2019 22:00	0.0		9/5/2020 22:00	0.0	
9/6/2017 23:00	0.0	5.0	9/6/2018 23:00	0.0	0.0	9/6/2019 23:00	0.0	0.0	9/5/2020 23:00	0.0	0.0
9/7/2017 0:00	0.0		9/7/2018 0:00	0.0		9/7/2019 0:00	0.0		9/6/2020 0:00	0.0	
9/7/2017 1:00	0.0		9/7/2018 1:00	0.0		9/7/2019 1:00	0.0		9/6/2020 1:00	0.0	
9/7/2017 2:00	0.0		9/7/2018 2:00	0.0		9/7/2019 2:00	0.0		9/6/2020 2:00	0.0	
9/7/2017 3:00	0.0		9/7/2018 3:00	0.0		9/7/2019 3:00	0.0		9/6/2020 3:00	0.0	
9/7/2017 4:00	0.0		9/7/2018 4:00	0.0		9/7/2019 4:00	0.0		9/6/2020 4:00	0.0	
9/7/2017 5:00	0.0		9/7/2018 5:00	0.0		9/7/2019 5:00	0.0		9/6/2020 5:00	0.0	
9/7/2017 6:00	0.0		9/7/2018 6:00	0.0		9/7/2019 6:00	0.0		9/6/2020 6:00	0.0	
9/7/2017 7:00	0.0		9/7/2018 7:00	0.0		9/7/2019 7:00	0.0		9/6/2020 7:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/7/2017 8:00	0.0		9/7/2018 8:00	0.0		9/7/2019 8:00	0.0		9/6/2020 8:00	0.0	
9/7/2017 9:00	0.0		9/7/2018 9:00	0.0		9/7/2019 9:00	0.0		9/6/2020 9:00	0.0	
9/7/2017 10:00	0.0		9/7/2018 10:00	0.0		9/7/2019 10:00	0.0		9/6/2020 10:00	0.0	
9/7/2017 11:00	0.0		9/7/2018 11:00	0.0		9/7/2019 11:00	0.0		9/6/2020 11:00	0.0	
9/7/2017 12:00	0.0		9/7/2018 12:00	0.0		9/7/2019 12:00	0.0		9/6/2020 12:00	0.0	
9/7/2017 13:00	0.0		9/7/2018 13:00	0.0		9/7/2019 13:00	0.0		9/6/2020 13:00	0.0	
9/7/2017 14:00	0.0		9/7/2018 14:00	0.0		9/7/2019 14:00	0.0		9/6/2020 14:00	0.0	
9/7/2017 15:00	0.0		9/7/2018 15:00	0.0		9/7/2019 15:00	0.0		9/6/2020 15:00	0.0	
9/7/2017 16:00	0.0		9/7/2018 16:00	0.0		9/7/2019 16:00	0.0		9/6/2020 16:00	0.0	
9/7/2017 17:00	0.0		9/7/2018 17:00	0.0		9/7/2019 17:00	0.0		9/6/2020 17:00	0.0	
9/7/2017 18:00	0.0		9/7/2018 18:00	0.0		9/7/2019 18:00	0.0		9/6/2020 18:00	0.0	
9/7/2017 19:00	0.0		9/7/2018 19:00	0.0		9/7/2019 19:00	0.0		9/6/2020 19:00	0.0	
9/7/2017 20:00	0.0		9/7/2018 20:00	0.0		9/7/2019 20:00	0.0		9/6/2020 20:00	0.0	
9/7/2017 21:00	0.0		9/7/2018 21:00	0.0		9/7/2019 21:00	0.0		9/6/2020 21:00	0.0	
9/7/2017 22:00	0.0		9/7/2018 22:00	0.0		9/7/2019 22:00	0.0		9/6/2020 22:00	0.0	
9/7/2017 23:00	0.0	0.0	9/7/2018 23:00	0.0	0.0	9/7/2019 23:00	0.0	0.0	9/6/2020 23:00	0.0	0.0
9/8/2017 0:00	0.0		9/8/2018 0:00	0.0		9/8/2019 0:00	0.0		9/7/2020 0:00	0.0	
9/8/2017 1:00	0.0		9/8/2018 1:00	0.0		9/8/2019 1:00	0.0		9/7/2020 1:00	0.0	
9/8/2017 2:00	0.0		9/8/2018 2:00	0.0		9/8/2019 2:00	0.0		9/7/2020 2:00	0.0	
9/8/2017 3:00	0.0		9/8/2018 3:00	0.0		9/8/2019 3:00	0.0		9/7/2020 3:00	0.0	
9/8/2017 4:00	0.0		9/8/2018 4:00	0.0		9/8/2019 4:00	0.0		9/7/2020 4:00	0.0	
9/8/2017 5:00	0.0		9/8/2018 5:00	0.0		9/8/2019 5:00	0.0		9/7/2020 5:00	0.0	
9/8/2017 6:00	0.0		9/8/2018 6:00	0.0		9/8/2019 6:00	0.0		9/7/2020 6:00	0.0	
9/8/2017 7:00	0.0		9/8/2018 7:00	0.0		9/8/2019 7:00	0.0		9/7/2020 7:00	0.0	
9/8/2017 8:00	0.0		9/8/2018 8:00	0.0		9/8/2019 8:00	0.0		9/7/2020 8:00	0.0	
9/8/2017 9:00	0.0		9/8/2018 9:00	0.0		9/8/2019 9:00	0.0		9/7/2020 9:00	0.0	
9/8/2017 10:00	0.0		9/8/2018 10:00	0.0		9/8/2019 10:00	0.0		9/7/2020 10:00	0.0	
9/8/2017 11:00	0.0		9/8/2018 11:00	0.0		9/8/2019 11:00	0.0		9/7/2020 11:00	0.0	
9/8/2017 12:00	0.0		9/8/2018 12:00	0.0		9/8/2019 12:00	0.0		9/7/2020 12:00	0.0	
9/8/2017 13:00	0.0		9/8/2018 13:00	0.0		9/8/2019 13:00	0.0		9/7/2020 13:00	0.0	
9/8/2017 14:00	0.0		9/8/2018 14:00	0.0		9/8/2019 14:00	0.0		9/7/2020 14:00	0.0	
9/8/2017 15:00	0.0		9/8/2018 15:00	0.0		9/8/2019 15:00	0.0		9/7/2020 15:00	0.0	
9/8/2017 16:00	0.0		9/8/2018 16:00	0.0		9/8/2019 16:00	0.0		9/7/2020 16:00	0.0	
9/8/2017 17:00	0.0		9/8/2018 17:00	0.0		9/8/2019 17:00	0.0		9/7/2020 17:00	0.0	
9/8/2017 18:00	0.0		9/8/2018 18:00	0.0		9/8/2019 18:00	0.0		9/7/2020 18:00	0.0	
9/8/2017 19:00	0.0		9/8/2018 19:00	0.0		9/8/2019 19:00	0.0		9/7/2020 19:00	0.0	
9/8/2017 20:00	0.0		9/8/2018 20:00	0.0		9/8/2019 20:00	0.0		9/7/2020 20:00	0.0	
9/8/2017 21:00	0.0		9/8/2018 21:00	0.0		9/8/2019 21:00	0.0		9/7/2020 21:00	0.0	
9/8/2017 22:00	0.0		9/8/2018 22:00	0.0		9/8/2019 22:00	0.0		9/7/2020 22:00	0.0	
9/8/2017 23:00	0.0	0.0	9/8/2018 23:00	0.0	0.0	9/8/2019 23:00	0.0	0.0	9/7/2020 23:00	0.0	0.0
9/9/2017 0:00	0.0		9/9/2018 0:00	0.0		9/9/2019 0:00	0.0		9/8/2020 0:00	0.0	
9/9/2017 1:00	0.0		9/9/2018 1:00	0.0		9/9/2019 1:00	0.0		9/8/2020 1:00	0.0	
9/9/2017 2:00	0.0		9/9/2018 2:00	0.0		9/9/2019 2:00	0.0		9/8/2020 2:00	0.0	
9/9/2017 3:00	0.0		9/9/2018 3:00	0.0		9/9/2019 3:00	0.0		9/8/2020 3:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/9/2017 4:00	0.0		9/9/2018 4:00	0.0		9/9/2019 4:00	0.0		9/8/2020 4:00	0.0	
9/9/2017 5:00	0.0		9/9/2018 5:00	0.0		9/9/2019 5:00	0.0		9/8/2020 5:00	0.0	
9/9/2017 6:00	0.0		9/9/2018 6:00	0.0		9/9/2019 6:00	0.0		9/8/2020 6:00	0.0	
9/9/2017 7:00	0.0		9/9/2018 7:00	0.0		9/9/2019 7:00	0.0		9/8/2020 7:00	0.0	
9/9/2017 8:00	0.0		9/9/2018 8:00	0.0		9/9/2019 8:00	0.0		9/8/2020 8:00	0.0	
9/9/2017 9:00	0.0		9/9/2018 9:00	0.0		9/9/2019 9:00	0.0		9/8/2020 9:00	0.0	
9/9/2017 10:00	0.0		9/9/2018 10:00	0.0		9/9/2019 10:00	0.0		9/8/2020 10:00	0.0	
9/9/2017 11:00	0.0		9/9/2018 11:00	0.0		9/9/2019 11:00	0.0		9/8/2020 11:00	0.0	
9/9/2017 12:00	0.0		9/9/2018 12:00	0.0		9/9/2019 12:00	0.0		9/8/2020 12:00	0.0	
9/9/2017 13:00	0.0		9/9/2018 13:00	0.0		9/9/2019 13:00	0.0		9/8/2020 13:00	0.0	
9/9/2017 14:00	0.0		9/9/2018 14:00	0.0		9/9/2019 14:00	0.0		9/8/2020 14:00	0.0	
9/9/2017 15:00	0.0		9/9/2018 15:00	0.0		9/9/2019 15:00	0.0		9/8/2020 15:00	0.0	
9/9/2017 16:00	0.0		9/9/2018 16:00	0.0		9/9/2019 16:00	0.0		9/8/2020 16:00	0.0	
9/9/2017 17:00	0.0		9/9/2018 17:00	0.0		9/9/2019 17:00	0.0		9/8/2020 17:00	0.0	
9/9/2017 18:00	0.0		9/9/2018 18:00	0.0		9/9/2019 18:00	0.0		9/8/2020 18:00	0.0	
9/9/2017 19:00	0.0		9/9/2018 19:00	0.0		9/9/2019 19:00	0.0		9/8/2020 19:00	0.0	
9/9/2017 20:00	0.0		9/9/2018 20:00	0.0		9/9/2019 20:00	0.0		9/8/2020 20:00	0.0	
9/9/2017 21:00	0.0		9/9/2018 21:00	0.0		9/9/2019 21:00	0.0		9/8/2020 21:00	0.0	
9/9/2017 22:00	0.0		9/9/2018 22:00	0.0		9/9/2019 22:00	0.0		9/8/2020 22:00	0.0	
9/9/2017 23:00	0.0	0.0	9/9/2018 23:00	0.0	0.0	9/9/2019 23:00	0.0	0.0	9/8/2020 23:00	0.0	0.0
9/10/2017 0:00	0.0		9/10/2018 0:00	0.0		9/10/2019 0:00	0.0		9/9/2020 0:00	0.0	
9/10/2017 1:00	0.0		9/10/2018 1:00	0.0		9/10/2019 1:00	0.0		9/9/2020 1:00	0.0	
9/10/2017 2:00	0.0		9/10/2018 2:00	0.0		9/10/2019 2:00	0.0		9/9/2020 2:00	0.0	
9/10/2017 3:00	0.0		9/10/2018 3:00	0.0		9/10/2019 3:00	0.0		9/9/2020 3:00	0.0	
9/10/2017 4:00	0.0		9/10/2018 4:00	0.0		9/10/2019 4:00	0.0		9/9/2020 4:00	0.0	
9/10/2017 5:00	0.0		9/10/2018 5:00	0.0		9/10/2019 5:00	0.0		9/9/2020 5:00	0.0	
9/10/2017 6:00	0.0		9/10/2018 6:00	0.0		9/10/2019 6:00	0.0		9/9/2020 6:00	0.0	
9/10/2017 7:00	0.0		9/10/2018 7:00	0.0		9/10/2019 7:00	0.0		9/9/2020 7:00	0.0	
9/10/2017 8:00	0.0		9/10/2018 8:00	0.0		9/10/2019 8:00	0.0		9/9/2020 8:00	0.0	
9/10/2017 9:00	0.0		9/10/2018 9:00	0.0		9/10/2019 9:00	0.0		9/9/2020 9:00	0.0	
9/10/2017 10:00	0.0		9/10/2018 10:00	0.0		9/10/2019 10:00	0.0		9/9/2020 10:00	0.0	
9/10/2017 11:00	0.0		9/10/2018 11:00	0.0		9/10/2019 11:00	0.0		9/9/2020 11:00	0.0	
9/10/2017 12:00	0.0		9/10/2018 12:00	0.0		9/10/2019 12:00	0.0		9/9/2020 12:00	0.0	
9/10/2017 13:00	0.0		9/10/2018 13:00	0.0		9/10/2019 13:00	0.0		9/9/2020 13:00	0.0	
9/10/2017 14:00	0.0		9/10/2018 14:00	0.0		9/10/2019 14:00	0.0		9/9/2020 14:00	0.0	
9/10/2017 15:00	0.0		9/10/2018 15:00	0.0		9/10/2019 15:00	0.0		9/9/2020 15:00	0.0	
9/10/2017 16:00	0.0		9/10/2018 16:00	0.0		9/10/2019 16:00	0.0		9/9/2020 16:00	0.0	
9/10/2017 17:00	0.0		9/10/2018 17:00	0.0		9/10/2019 17:00	0.0		9/9/2020 17:00	0.0	
9/10/2017 18:00	0.0		9/10/2018 18:00	0.0		9/10/2019 18:00	0.0		9/9/2020 18:00	0.0	
9/10/2017 19:00	0.0		9/10/2018 19:00	0.0		9/10/2019 19:00	0.0		9/9/2020 19:00	0.0	
9/10/2017 20:00	0.0		9/10/2018 20:00	0.0		9/10/2019 20:00	0.0		9/9/2020 20:00	0.0	
9/10/2017 21:00	0.0		9/10/2018 21:00	0.0		9/10/2019 21:00	0.0		9/9/2020 21:00	0.0	
9/10/2017 22:00	0.0		9/10/2018 22:00	0.0		9/10/2019 22:00	0.0		9/9/2020 22:00	0.0	
9/10/2017 23:00	0.0	0.0	9/10/2018 23:00	0.0	0.0	9/10/2019 23:00	0.0	0.0	9/9/2020 23:00	0.0	0.0

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/11/2017 0:00	0.0		9/11/2018 0:00	0.0		9/11/2019 0:00	0.0		9/10/2020 0:00	0.0	
9/11/2017 1:00	0.0		9/11/2018 1:00	0.0		9/11/2019 1:00	0.0		9/10/2020 1:00	0.0	
9/11/2017 2:00	0.0		9/11/2018 2:00	0.0		9/11/2019 2:00	0.0		9/10/2020 2:00	0.0	
9/11/2017 3:00	0.0		9/11/2018 3:00	0.0		9/11/2019 3:00	0.0		9/10/2020 3:00	0.0	
9/11/2017 4:00	0.0		9/11/2018 4:00	0.0		9/11/2019 4:00	0.0		9/10/2020 4:00	0.0	
9/11/2017 5:00	0.0		9/11/2018 5:00	0.0		9/11/2019 5:00	0.0		9/10/2020 5:00	0.0	
9/11/2017 6:00	0.0		9/11/2018 6:00	0.0		9/11/2019 6:00	0.0		9/10/2020 6:00	0.0	
9/11/2017 7:00	0.0		9/11/2018 7:00	0.0		9/11/2019 7:00	0.0		9/10/2020 7:00	0.0	
9/11/2017 8:00	0.0		9/11/2018 8:00	0.0		9/11/2019 8:00	0.0		9/10/2020 8:00	0.0	
9/11/2017 9:00	0.0		9/11/2018 9:00	0.0		9/11/2019 9:00	0.0		9/10/2020 9:00	0.0	
9/11/2017 10:00	0.0		9/11/2018 10:00	0.0		9/11/2019 10:00	0.0		9/10/2020 10:00	0.0	
9/11/2017 11:00	0.0		9/11/2018 11:00	0.0		9/11/2019 11:00	0.0		9/10/2020 11:00	0.0	
9/11/2017 12:00	0.0		9/11/2018 12:00	0.0		9/11/2019 12:00	0.0		9/10/2020 12:00	0.0	
9/11/2017 13:00	0.0		9/11/2018 13:00	0.0		9/11/2019 13:00	0.0		9/10/2020 13:00	0.0	
9/11/2017 14:00	0.0		9/11/2018 14:00	0.0		9/11/2019 14:00	0.0		9/10/2020 14:00	0.0	
9/11/2017 15:00	0.0		9/11/2018 15:00	0.0		9/11/2019 15:00	0.0		9/10/2020 15:00	0.0	
9/11/2017 16:00	0.0		9/11/2018 16:00	0.0		9/11/2019 16:00	0.0		9/10/2020 16:00	0.0	
9/11/2017 17:00	0.0		9/11/2018 17:00	0.0		9/11/2019 17:00	0.0		9/10/2020 17:00	0.0	
9/11/2017 18:00	0.0		9/11/2018 18:00	0.0		9/11/2019 18:00	0.0		9/10/2020 18:00	0.0	
9/11/2017 19:00	0.0		9/11/2018 19:00	0.0		9/11/2019 19:00	0.0		9/10/2020 19:00	0.0	
9/11/2017 20:00	0.0		9/11/2018 20:00	0.0		9/11/2019 20:00	0.0		9/10/2020 20:00	0.0	
9/11/2017 21:00	0.0		9/11/2018 21:00	0.0		9/11/2019 21:00	0.0		9/10/2020 21:00	0.0	
9/11/2017 22:00	0.0		9/11/2018 22:00	0.0		9/11/2019 22:00	0.0		9/10/2020 22:00	0.0	
9/11/2017 23:00	0.0	0.0	9/11/2018 23:00	0.0	0.0	9/11/2019 23:00	0.0	0.0	9/10/2020 23:00	0.0	0.0
9/12/2017 0:00	0.0		9/12/2018 0:00	0.0		9/12/2019 0:00	0.0		9/11/2020 0:00	0.0	
9/12/2017 1:00	0.0		9/12/2018 1:00	0.0		9/12/2019 1:00	0.0		9/11/2020 1:00	0.0	
9/12/2017 2:00	0.0		9/12/2018 2:00	0.0		9/12/2019 2:00	0.0		9/11/2020 2:00	0.0	
9/12/2017 3:00	0.0		9/12/2018 3:00	0.0		9/12/2019 3:00	0.0		9/11/2020 3:00	0.0	
9/12/2017 4:00	0.0		9/12/2018 4:00	0.0		9/12/2019 4:00	0.0		9/11/2020 4:00	0.0	
9/12/2017 5:00	0.0		9/12/2018 5:00	0.0		9/12/2019 5:00	0.0		9/11/2020 5:00	0.0	
9/12/2017 6:00	0.0		9/12/2018 6:00	0.0		9/12/2019 6:00	0.0		9/11/2020 6:00	0.0	
9/12/2017 7:00	0.0		9/12/2018 7:00	0.0		9/12/2019 7:00	0.0		9/11/2020 7:00	0.0	
9/12/2017 8:00	0.0		9/12/2018 8:00	0.0		9/12/2019 8:00	0.0		9/11/2020 8:00	0.0	
9/12/2017 9:00	0.0		9/12/2018 9:00	0.0		9/12/2019 9:00	0.0		9/11/2020 9:00	0.0	
9/12/2017 10:00	0.0		9/12/2018 10:00	0.0		9/12/2019 10:00	0.0		9/11/2020 10:00	0.0	
9/12/2017 11:00	0.0		9/12/2018 11:00	0.0		9/12/2019 11:00	0.0		9/11/2020 11:00	0.0	
9/12/2017 12:00	0.0		9/12/2018 12:00	0.0		9/12/2019 12:00	0.0		9/11/2020 12:00	0.0	
9/12/2017 13:00	0.0		9/12/2018 13:00	0.0		9/12/2019 13:00	0.0		9/11/2020 13:00	0.0	
9/12/2017 14:00	0.0		9/12/2018 14:00	0.0		9/12/2019 14:00	0.0		9/11/2020 14:00	0.0	
9/12/2017 15:00	0.0		9/12/2018 15:00	0.0		9/12/2019 15:00	0.0		9/11/2020 15:00	0.0	
9/12/2017 16:00	0.0		9/12/2018 16:00	0.0		9/12/2019 16:00	0.0		9/11/2020 16:00	0.0	
9/12/2017 17:00	0.0		9/12/2018 17:00	0.0		9/12/2019 17:00	0.0		9/11/2020 17:00	0.0	
9/12/2017 18:00	0.0		9/12/2018 18:00	0.0		9/12/2019 18:00	0.0		9/11/2020 18:00	0.0	
9/12/2017 19:00	0.0		9/12/2018 19:00	0.0		9/12/2019 19:00	0.0		9/11/2020 19:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/12/2017 20:00	0.0		9/12/2018 20:00	0.0		9/12/2019 20:00	0.0		9/11/2020 20:00	0.0	
9/12/2017 21:00	0.0		9/12/2018 21:00	0.0		9/12/2019 21:00	0.0		9/11/2020 21:00	0.0	
9/12/2017 22:00	0.0		9/12/2018 22:00	0.0		9/12/2019 22:00	0.0		9/11/2020 22:00	0.0	
9/12/2017 23:00	0.0	0.0	9/12/2018 23:00	0.0	0.0	9/12/2019 23:00	0.0	0.0	9/11/2020 23:00	0.0	0.0
9/13/2017 0:00	0.0		9/13/2018 0:00	0.0		9/13/2019 0:00	0.0		9/12/2020 0:00	0.0	
9/13/2017 1:00	0.0		9/13/2018 1:00	0.0		9/13/2019 1:00	0.0		9/12/2020 1:00	0.0	
9/13/2017 2:00	0.0		9/13/2018 2:00	0.0		9/13/2019 2:00	0.0		9/12/2020 2:00	0.0	
9/13/2017 3:00	0.0		9/13/2018 3:00	0.0		9/13/2019 3:00	0.0		9/12/2020 3:00	0.0	
9/13/2017 4:00	0.0		9/13/2018 4:00	0.0		9/13/2019 4:00	0.0		9/12/2020 4:00	0.0	
9/13/2017 5:00	0.0		9/13/2018 5:00	0.0		9/13/2019 5:00	0.0		9/12/2020 5:00	0.0	
9/13/2017 6:00	0.0		9/13/2018 6:00	0.0		9/13/2019 6:00	0.0		9/12/2020 6:00	0.0	
9/13/2017 7:00	0.0		9/13/2018 7:00	0.0		9/13/2019 7:00	0.0		9/12/2020 7:00	0.0	
9/13/2017 8:00	0.0		9/13/2018 8:00	0.0		9/13/2019 8:00	0.0		9/12/2020 8:00	0.0	
9/13/2017 9:00	0.0		9/13/2018 9:00	0.0		9/13/2019 9:00	0.0		9/12/2020 9:00	0.0	
9/13/2017 10:00	214.0		9/13/2018 10:00	0.0		9/13/2019 10:00	0.0		9/12/2020 10:00	0.0	
9/13/2017 11:00	0.0		9/13/2018 11:00	0.0		9/13/2019 11:00	0.0		9/12/2020 11:00	0.0	
9/13/2017 12:00	0.0		9/13/2018 12:00	0.0		9/13/2019 12:00	0.0		9/12/2020 12:00	0.0	
9/13/2017 13:00	0.0		9/13/2018 13:00	0.0		9/13/2019 13:00	0.0		9/12/2020 13:00	0.0	
9/13/2017 14:00	0.0		9/13/2018 14:00	0.0		9/13/2019 14:00	0.0		9/12/2020 14:00	0.0	
9/13/2017 15:00	0.0		9/13/2018 15:00	0.0		9/13/2019 15:00	0.0		9/12/2020 15:00	0.0	
9/13/2017 16:00	0.0		9/13/2018 16:00	0.0		9/13/2019 16:00	0.0		9/12/2020 16:00	0.0	
9/13/2017 17:00	0.0		9/13/2018 17:00	0.0		9/13/2019 17:00	0.0		9/12/2020 17:00	0.0	
9/13/2017 18:00	0.0		9/13/2018 18:00	0.0		9/13/2019 18:00	0.0		9/12/2020 18:00	0.0	
9/13/2017 19:00	0.0		9/13/2018 19:00	0.0		9/13/2019 19:00	0.0		9/12/2020 19:00	0.0	
9/13/2017 20:00	0.0		9/13/2018 20:00	0.0		9/13/2019 20:00	0.0		9/12/2020 20:00	0.0	
9/13/2017 21:00	0.0		9/13/2018 21:00	0.0		9/13/2019 21:00	0.0		9/12/2020 21:00	0.0	
9/13/2017 22:00	0.0		9/13/2018 22:00	0.0		9/13/2019 22:00	0.0		9/12/2020 22:00	0.0	
9/13/2017 23:00	0.0	214.0	9/13/2018 23:00	0.0	0.0	9/13/2019 23:00	0.0	0.0	9/12/2020 23:00	0.0	0.0
9/14/2017 0:00	0.0		9/14/2018 0:00	0.0		9/14/2019 0:00	0.0		9/13/2020 0:00	0.0	
9/14/2017 1:00	0.0		9/14/2018 1:00	0.0		9/14/2019 1:00	0.0		9/13/2020 1:00	0.0	
9/14/2017 2:00	0.0		9/14/2018 2:00	0.0		9/14/2019 2:00	0.0		9/13/2020 2:00	0.0	
9/14/2017 3:00	0.0		9/14/2018 3:00	0.0		9/14/2019 3:00	0.0		9/13/2020 3:00	0.0	
9/14/2017 4:00	0.0		9/14/2018 4:00	0.0		9/14/2019 4:00	0.0		9/13/2020 4:00	0.0	
9/14/2017 5:00	0.0		9/14/2018 5:00	0.0		9/14/2019 5:00	0.0		9/13/2020 5:00	0.0	
9/14/2017 6:00	0.0		9/14/2018 6:00	0.0		9/14/2019 6:00	0.0		9/13/2020 6:00	0.0	
9/14/2017 7:00	0.0		9/14/2018 7:00	0.0		9/14/2019 7:00	0.0		9/13/2020 7:00	0.0	
9/14/2017 8:00	0.0		9/14/2018 8:00	0.0		9/14/2019 8:00	0.0		9/13/2020 8:00	0.0	
9/14/2017 9:00	0.0		9/14/2018 9:00	0.0		9/14/2019 9:00	0.0		9/13/2020 9:00	0.0	
9/14/2017 10:00	0.0		9/14/2018 10:00	0.0		9/14/2019 10:00	0.0		9/13/2020 10:00	0.0	
9/14/2017 11:00	0.0		9/14/2018 11:00	0.0		9/14/2019 11:00	0.0		9/13/2020 11:00	0.0	
9/14/2017 12:00	0.0		9/14/2018 12:00	0.0		9/14/2019 12:00	0.0		9/13/2020 12:00	0.0	
9/14/2017 13:00	0.0		9/14/2018 13:00	0.0		9/14/2019 13:00	0.0		9/13/2020 13:00	0.0	
9/14/2017 14:00	0.0		9/14/2018 14:00	0.0		9/14/2019 14:00	0.0		9/13/2020 14:00	0.0	
9/14/2017 15:00	0.0		9/14/2018 15:00	0.0		9/14/2019 15:00	0.0		9/13/2020 15:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/14/2017 16:00	0.0		9/14/2018 16:00	0.0		9/14/2019 16:00	0.0		9/13/2020 16:00	0.0	
9/14/2017 17:00	0.0		9/14/2018 17:00	0.0		9/14/2019 17:00	0.0		9/13/2020 17:00	0.0	
9/14/2017 18:00	0.0		9/14/2018 18:00	0.0		9/14/2019 18:00	0.0		9/13/2020 18:00	0.0	
9/14/2017 19:00	0.0		9/14/2018 19:00	0.0		9/14/2019 19:00	0.0		9/13/2020 19:00	0.0	
9/14/2017 20:00	0.0		9/14/2018 20:00	0.0		9/14/2019 20:00	0.0		9/13/2020 20:00	0.0	
9/14/2017 21:00	0.0		9/14/2018 21:00	0.0		9/14/2019 21:00	0.0		9/13/2020 21:00	0.0	
9/14/2017 22:00	0.0		9/14/2018 22:00	0.0		9/14/2019 22:00	0.0		9/13/2020 22:00	0.0	
9/14/2017 23:00	0.0	0.0	9/14/2018 23:00	0.0	0.0	9/14/2019 23:00	0.0	0.0	9/13/2020 23:00	0.0	0.0
9/15/2017 0:00	0.0		9/15/2018 0:00	0.0		9/15/2019 0:00	0.0		9/14/2020 0:00	0.0	
9/15/2017 1:00	0.0		9/15/2018 1:00	0.0		9/15/2019 1:00	0.0		9/14/2020 1:00	0.0	
9/15/2017 2:00	0.0		9/15/2018 2:00	0.0		9/15/2019 2:00	0.0		9/14/2020 2:00	0.0	
9/15/2017 3:00	0.0		9/15/2018 3:00	0.0		9/15/2019 3:00	0.0		9/14/2020 3:00	96.2	
9/15/2017 4:00	0.0		9/15/2018 4:00	0.0		9/15/2019 4:00	0.0		9/14/2020 4:00	0.0	
9/15/2017 5:00	0.0		9/15/2018 5:00	0.0		9/15/2019 5:00	0.0		9/14/2020 5:00	0.0	
9/15/2017 6:00	0.0		9/15/2018 6:00	0.0		9/15/2019 6:00	0.0		9/14/2020 6:00	0.0	
9/15/2017 7:00	0.0		9/15/2018 7:00	0.0		9/15/2019 7:00	0.0		9/14/2020 7:00	0.0	
9/15/2017 8:00	0.0		9/15/2018 8:00	0.0		9/15/2019 8:00	0.0		9/14/2020 8:00	0.0	
9/15/2017 9:00	0.0		9/15/2018 9:00	0.0		9/15/2019 9:00	0.0		9/14/2020 9:00	0.0	
9/15/2017 10:00	0.0		9/15/2018 10:00	0.0		9/15/2019 10:00	0.0		9/14/2020 10:00	0.0	
9/15/2017 11:00	0.0		9/15/2018 11:00	0.0		9/15/2019 11:00	0.0		9/14/2020 11:00	0.0	
9/15/2017 12:00	0.0		9/15/2018 12:00	0.0		9/15/2019 12:00	0.0		9/14/2020 12:00	0.0	
9/15/2017 13:00	0.0		9/15/2018 13:00	0.0		9/15/2019 13:00	0.0		9/14/2020 13:00	0.0	
9/15/2017 14:00	0.0		9/15/2018 14:00	0.0		9/15/2019 14:00	0.0		9/14/2020 14:00	0.0	
9/15/2017 15:00	0.0		9/15/2018 15:00	0.0		9/15/2019 15:00	0.0		9/14/2020 15:00	0.0	
9/15/2017 16:00	0.0		9/15/2018 16:00	0.0		9/15/2019 16:00	0.0		9/14/2020 16:00	1.6	
9/15/2017 17:00	0.0		9/15/2018 17:00	0.0		9/15/2019 17:00	0.0		9/14/2020 17:00	0.0	
9/15/2017 18:00	0.0		9/15/2018 18:00	0.0		9/15/2019 18:00	0.0		9/14/2020 18:00	0.0	
9/15/2017 19:00	0.0		9/15/2018 19:00	0.0		9/15/2019 19:00	0.0		9/14/2020 19:00	0.0	
9/15/2017 20:00	0.0		9/15/2018 20:00	0.0		9/15/2019 20:00	0.0		9/14/2020 20:00	0.0	
9/15/2017 21:00	0.0		9/15/2018 21:00	0.0		9/15/2019 21:00	0.0		9/14/2020 21:00	0.0	
9/15/2017 22:00	0.0		9/15/2018 22:00	0.0		9/15/2019 22:00	0.0		9/14/2020 22:00	0.0	
9/15/2017 23:00	0.0	0.0	9/15/2018 23:00	0.0	0.0	9/15/2019 23:00	0.0	0.0	9/14/2020 23:00	0.0	96.2
9/16/2017 0:00	0.0		9/16/2018 0:00	0.0		9/16/2019 0:00	0.0		9/15/2020 0:00	0.0	
9/16/2017 1:00	0.0		9/16/2018 1:00	0.0		9/16/2019 1:00	0.0		9/15/2020 1:00	0.0	
9/16/2017 2:00	0.0		9/16/2018 2:00	0.0		9/16/2019 2:00	0.0		9/15/2020 2:00	0.0	
9/16/2017 3:00	0.0		9/16/2018 3:00	0.0		9/16/2019 3:00	0.0		9/15/2020 3:00	0.0	
9/16/2017 4:00	0.0		9/16/2018 4:00	0.0		9/16/2019 4:00	0.0		9/15/2020 4:00	0.0	
9/16/2017 5:00	0.0		9/16/2018 5:00	0.0		9/16/2019 5:00	0.0		9/15/2020 5:00	0.0	
9/16/2017 6:00	0.0		9/16/2018 6:00	0.0		9/16/2019 6:00	0.0		9/15/2020 6:00	0.0	
9/16/2017 7:00	0.0		9/16/2018 7:00	0.0		9/16/2019 7:00	0.0		9/15/2020 7:00	0.0	
9/16/2017 8:00	0.0		9/16/2018 8:00	0.0		9/16/2019 8:00	0.0		9/15/2020 8:00	0.0	
9/16/2017 9:00	0.0		9/16/2018 9:00	0.0		9/16/2019 9:00	0.0		9/15/2020 9:00	0.0	
9/16/2017 10:00	0.0		9/16/2018 10:00	0.0		9/16/2019 10:00	0.0		9/15/2020 10:00	0.0	
9/16/2017 11:00	0.0		9/16/2018 11:00	0.0		9/16/2019 11:00	0.0		9/15/2020 11:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/16/2017 12:00	0.0		9/16/2018 12:00	0.0		9/16/2019 12:00	0.0		9/15/2020 12:00	0.0	
9/16/2017 13:00	0.0		9/16/2018 13:00	0.0		9/16/2019 13:00	0.0		9/15/2020 13:00	0.0	
9/16/2017 14:00	0.0		9/16/2018 14:00	0.0		9/16/2019 14:00	0.0		9/15/2020 14:00	0.0	
9/16/2017 15:00	0.0		9/16/2018 15:00	0.0		9/16/2019 15:00	0.0		9/15/2020 15:00	0.0	
9/16/2017 16:00	0.0		9/16/2018 16:00	0.0		9/16/2019 16:00	0.0		9/15/2020 16:00	0.0	
9/16/2017 17:00	0.0		9/16/2018 17:00	0.0		9/16/2019 17:00	0.0		9/15/2020 17:00	0.0	
9/16/2017 18:00	0.0		9/16/2018 18:00	0.0		9/16/2019 18:00	0.0		9/15/2020 18:00	0.0	
9/16/2017 19:00	0.0		9/16/2018 19:00	0.0		9/16/2019 19:00	0.0		9/15/2020 19:00	0.0	
9/16/2017 20:00	0.0		9/16/2018 20:00	0.0		9/16/2019 20:00	0.0		9/15/2020 20:00	0.0	
9/16/2017 21:00	0.0		9/16/2018 21:00	0.0		9/16/2019 21:00	0.0		9/15/2020 21:00	0.0	
9/16/2017 22:00	0.0		9/16/2018 22:00	0.0		9/16/2019 22:00	0.0		9/15/2020 22:00	0.0	
9/16/2017 23:00	0.0	0.0	9/16/2018 23:00	0.0	0.0	9/16/2019 23:00	0.0	0.0	9/15/2020 23:00	0.0	0.0
9/17/2017 0:00	0.0		9/17/2018 0:00	0.0		9/17/2019 0:00	0.0		9/16/2020 0:00	0.0	
9/17/2017 1:00	0.0		9/17/2018 1:00	0.0		9/17/2019 1:00	0.0		9/16/2020 1:00	0.0	
9/17/2017 2:00	0.0		9/17/2018 2:00	0.0		9/17/2019 2:00	0.0		9/16/2020 2:00	0.0	
9/17/2017 3:00	0.0		9/17/2018 3:00	0.0		9/17/2019 3:00	0.0		9/16/2020 3:00	0.0	
9/17/2017 4:00	0.0		9/17/2018 4:00	0.0		9/17/2019 4:00	0.0		9/16/2020 4:00	0.0	
9/17/2017 5:00	0.0		9/17/2018 5:00	0.0		9/17/2019 5:00	0.0		9/16/2020 5:00	0.0	
9/17/2017 6:00	0.0		9/17/2018 6:00	0.0		9/17/2019 6:00	0.0		9/16/2020 6:00	0.0	
9/17/2017 7:00	0.0		9/17/2018 7:00	0.0		9/17/2019 7:00	0.0		9/16/2020 7:00	0.0	
9/17/2017 8:00	0.0		9/17/2018 8:00	0.0		9/17/2019 8:00	0.0		9/16/2020 8:00	0.0	
9/17/2017 9:00	0.0		9/17/2018 9:00	0.0		9/17/2019 9:00	0.0		9/16/2020 9:00	0.0	
9/17/2017 10:00	0.0		9/17/2018 10:00	0.0		9/17/2019 10:00	0.0		9/16/2020 10:00	0.0	
9/17/2017 11:00	0.0		9/17/2018 11:00	0.0		9/17/2019 11:00	0.0		9/16/2020 11:00	0.0	
9/17/2017 12:00	0.0		9/17/2018 12:00	0.0		9/17/2019 12:00	0.0		9/16/2020 12:00	0.0	
9/17/2017 13:00	0.0		9/17/2018 13:00	0.0		9/17/2019 13:00	0.0		9/16/2020 13:00	0.0	
9/17/2017 14:00	0.0		9/17/2018 14:00	0.0		9/17/2019 14:00	0.0		9/16/2020 14:00	0.0	
9/17/2017 15:00	0.0		9/17/2018 15:00	0.0		9/17/2019 15:00	0.0		9/16/2020 15:00	0.0	
9/17/2017 16:00	0.0		9/17/2018 16:00	0.0		9/17/2019 16:00	0.0		9/16/2020 16:00	0.0	
9/17/2017 17:00	0.0		9/17/2018 17:00	0.0		9/17/2019 17:00	0.0		9/16/2020 17:00	0.0	
9/17/2017 18:00	0.0		9/17/2018 18:00	0.0		9/17/2019 18:00	0.0		9/16/2020 18:00	0.0	
9/17/2017 19:00	0.0		9/17/2018 19:00	0.0		9/17/2019 19:00	0.0		9/16/2020 19:00	0.0	
9/17/2017 20:00	0.0		9/17/2018 20:00	0.0		9/17/2019 20:00	0.0		9/16/2020 20:00	0.0	
9/17/2017 21:00	0.0		9/17/2018 21:00	0.0		9/17/2019 21:00	0.0		9/16/2020 21:00	0.0	
9/17/2017 22:00	0.0		9/17/2018 22:00	0.0		9/17/2019 22:00	0.0		9/16/2020 22:00	0.0	
9/17/2017 23:00	0.0	0.0	9/17/2018 23:00	0.0	0.0	9/17/2019 23:00	0.0	0.0	9/16/2020 23:00	0.0	0.0
9/18/2017 0:00	0.0		9/18/2018 0:00	0.0		9/18/2019 0:00	0.0		9/17/2020 0:00	0.0	
9/18/2017 1:00	0.0		9/18/2018 1:00	0.0		9/18/2019 1:00	0.0		9/17/2020 1:00	0.0	
9/18/2017 2:00	0.0		9/18/2018 2:00	0.0		9/18/2019 2:00	0.0		9/17/2020 2:00	0.0	
9/18/2017 3:00	0.0		9/18/2018 3:00	0.0		9/18/2019 3:00	0.0		9/17/2020 3:00	0.0	
9/18/2017 4:00	0.0		9/18/2018 4:00	0.0		9/18/2019 4:00	0.0		9/17/2020 4:00	0.0	
9/18/2017 5:00	0.0		9/18/2018 5:00	0.0		9/18/2019 5:00	0.0		9/17/2020 5:00	0.0	
9/18/2017 6:00	0.0		9/18/2018 6:00	0.0		9/18/2019 6:00	0.0		9/17/2020 6:00	0.0	
9/18/2017 7:00	0.0		9/18/2018 7:00	0.0		9/18/2019 7:00	0.0		9/17/2020 7:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/18/2017 8:00	0.0		9/18/2018 8:00	0.0		9/18/2019 8:00	0.0		9/17/2020 8:00	0.0	
9/18/2017 9:00	0.0		9/18/2018 9:00	0.0		9/18/2019 9:00	0.0		9/17/2020 9:00	0.0	
9/18/2017 10:00	0.0		9/18/2018 10:00	0.0		9/18/2019 10:00	0.0		9/17/2020 10:00	0.0	
9/18/2017 11:00	0.0		9/18/2018 11:00	0.0		9/18/2019 11:00	0.0		9/17/2020 11:00	0.0	
9/18/2017 12:00	0.0		9/18/2018 12:00	0.0		9/18/2019 12:00	0.0		9/17/2020 12:00	0.0	
9/18/2017 13:00	0.0		9/18/2018 13:00	0.0		9/18/2019 13:00	0.0		9/17/2020 13:00	0.0	
9/18/2017 14:00	0.0		9/18/2018 14:00	0.0		9/18/2019 14:00	0.0		9/17/2020 14:00	0.0	
9/18/2017 15:00	0.0		9/18/2018 15:00	0.0		9/18/2019 15:00	0.0		9/17/2020 15:00	0.0	
9/18/2017 16:00	0.0		9/18/2018 16:00	0.0		9/18/2019 16:00	0.0		9/17/2020 16:00	0.0	
9/18/2017 17:00	0.0		9/18/2018 17:00	0.0		9/18/2019 17:00	0.0		9/17/2020 17:00	0.0	
9/18/2017 18:00	0.0		9/18/2018 18:00	0.0		9/18/2019 18:00	0.0		9/17/2020 18:00	0.0	
9/18/2017 19:00	0.0		9/18/2018 19:00	0.0		9/18/2019 19:00	0.0		9/17/2020 19:00	0.0	
9/18/2017 20:00	0.0		9/18/2018 20:00	0.0		9/18/2019 20:00	0.0		9/17/2020 20:00	0.0	
9/18/2017 21:00	0.0		9/18/2018 21:00	0.0		9/18/2019 21:00	0.0		9/17/2020 21:00	0.0	
9/18/2017 22:00	0.0		9/18/2018 22:00	0.0		9/18/2019 22:00	0.0		9/17/2020 22:00	0.0	
9/18/2017 23:00	0.0	0.0	9/18/2018 23:00	0.0	0.0	9/18/2019 23:00	0.0	0.0	9/17/2020 23:00	0.0	0.0
9/19/2017 0:00	0.0		9/19/2018 0:00	0.0		9/19/2019 0:00	0.0		9/18/2020 0:00	0.0	
9/19/2017 1:00	0.0		9/19/2018 1:00	0.0		9/19/2019 1:00	0.0		9/18/2020 1:00	0.0	
9/19/2017 2:00	0.0		9/19/2018 2:00	0.0		9/19/2019 2:00	0.0		9/18/2020 2:00	0.0	
9/19/2017 3:00	0.0		9/19/2018 3:00	0.0		9/19/2019 3:00	0.0		9/18/2020 3:00	0.0	
9/19/2017 4:00	0.0		9/19/2018 4:00	0.0		9/19/2019 4:00	0.0		9/18/2020 4:00	0.0	
9/19/2017 5:00	0.0		9/19/2018 5:00	0.0		9/19/2019 5:00	0.0		9/18/2020 5:00	0.0	
9/19/2017 6:00	0.0		9/19/2018 6:00	0.0		9/19/2019 6:00	0.0		9/18/2020 6:00	0.0	
9/19/2017 7:00	0.0		9/19/2018 7:00	0.0		9/19/2019 7:00	0.0		9/18/2020 7:00	0.0	
9/19/2017 8:00	0.0		9/19/2018 8:00	0.0		9/19/2019 8:00	0.0		9/18/2020 8:00	0.0	
9/19/2017 9:00	0.0		9/19/2018 9:00	0.0		9/19/2019 9:00	0.0		9/18/2020 9:00	0.0	
9/19/2017 10:00	0.0		9/19/2018 10:00	0.0		9/19/2019 10:00	0.0		9/18/2020 10:00	0.0	
9/19/2017 11:00	0.0		9/19/2018 11:00	0.0		9/19/2019 11:00	0.0		9/18/2020 11:00	0.0	
9/19/2017 12:00	0.0		9/19/2018 12:00	0.0		9/19/2019 12:00	0.0		9/18/2020 12:00	0.0	
9/19/2017 13:00	0.0		9/19/2018 13:00	0.0		9/19/2019 13:00	0.0		9/18/2020 13:00	0.0	
9/19/2017 14:00	0.0		9/19/2018 14:00	0.0		9/19/2019 14:00	0.0		9/18/2020 14:00	0.0	
9/19/2017 15:00	0.0		9/19/2018 15:00	0.0		9/19/2019 15:00	0.0		9/18/2020 15:00	0.0	
9/19/2017 16:00	0.0		9/19/2018 16:00	0.0		9/19/2019 16:00	0.0		9/18/2020 16:00	0.0	
9/19/2017 17:00	0.0		9/19/2018 17:00	0.0		9/19/2019 17:00	0.0		9/18/2020 17:00	0.0	
9/19/2017 18:00	0.0		9/19/2018 18:00	0.0		9/19/2019 18:00	0.0		9/18/2020 18:00	0.0	
9/19/2017 19:00	0.0		9/19/2018 19:00	0.0		9/19/2019 19:00	0.0		9/18/2020 19:00	0.0	
9/19/2017 20:00	0.0		9/19/2018 20:00	0.0		9/19/2019 20:00	0.0		9/18/2020 20:00	0.0	
9/19/2017 21:00	0.0		9/19/2018 21:00	199.7		9/19/2019 21:00	0.0		9/18/2020 21:00	0.0	
9/19/2017 22:00	0.0		9/19/2018 22:00	724.7		9/19/2019 22:00	0.0		9/18/2020 22:00	0.0	
9/19/2017 23:00	0.0	0.0	9/19/2018 23:00	101.4	724.7	9/19/2019 23:00	0.0	0.0	9/18/2020 23:00	0.0	0.0
9/20/2017 0:00	0.0		9/20/2018 0:00	14.3		9/20/2019 0:00	0.0		9/19/2020 0:00	0.0	
9/20/2017 1:00	0.0		9/20/2018 1:00	14.4		9/20/2019 1:00	0.0		9/19/2020 1:00	0.0	
9/20/2017 2:00	0.0		9/20/2018 2:00	247.6		9/20/2019 2:00	0.0		9/19/2020 2:00	0.0	
9/20/2017 3:00	0.0		9/20/2018 3:00	14.4		9/20/2019 3:00	0.0		9/19/2020 3:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/20/2017 4:00	0.0		9/20/2018 4:00	0.0		9/20/2019 4:00	0.0		9/19/2020 4:00	0.0	
9/20/2017 5:00	0.0		9/20/2018 5:00	0.0		9/20/2019 5:00	0.0		9/19/2020 5:00	0.0	
9/20/2017 6:00	0.0		9/20/2018 6:00	0.0		9/20/2019 6:00	0.0		9/19/2020 6:00	0.0	
9/20/2017 7:00	0.0		9/20/2018 7:00	0.0		9/20/2019 7:00	0.0		9/19/2020 7:00	0.0	
9/20/2017 8:00	0.0		9/20/2018 8:00	0.0		9/20/2019 8:00	0.0		9/19/2020 8:00	0.0	
9/20/2017 9:00	0.0		9/20/2018 9:00	0.0		9/20/2019 9:00	0.0		9/19/2020 9:00	0.0	
9/20/2017 10:00	0.0		9/20/2018 10:00	0.0		9/20/2019 10:00	0.0		9/19/2020 10:00	0.0	
9/20/2017 11:00	0.0		9/20/2018 11:00	0.0		9/20/2019 11:00	0.0		9/19/2020 11:00	0.0	
9/20/2017 12:00	0.0		9/20/2018 12:00	0.0		9/20/2019 12:00	0.0		9/19/2020 12:00	0.0	
9/20/2017 13:00	0.0		9/20/2018 13:00	0.0		9/20/2019 13:00	0.0		9/19/2020 13:00	0.0	
9/20/2017 14:00	0.0		9/20/2018 14:00	0.0		9/20/2019 14:00	0.0		9/19/2020 14:00	0.0	
9/20/2017 15:00	0.0		9/20/2018 15:00	0.0		9/20/2019 15:00	0.0		9/19/2020 15:00	0.0	
9/20/2017 16:00	0.0		9/20/2018 16:00	14.2		9/20/2019 16:00	0.0		9/19/2020 16:00	0.0	
9/20/2017 17:00	0.0		9/20/2018 17:00	14.2		9/20/2019 17:00	0.0		9/19/2020 17:00	0.0	
9/20/2017 18:00	0.0		9/20/2018 18:00	14.2		9/20/2019 18:00	0.0		9/19/2020 18:00	0.0	
9/20/2017 19:00	0.0		9/20/2018 19:00	14.2		9/20/2019 19:00	0.0		9/19/2020 19:00	0.0	
9/20/2017 20:00	0.0		9/20/2018 20:00	14.2		9/20/2019 20:00	0.0		9/19/2020 20:00	0.0	
9/20/2017 21:00	0.0		9/20/2018 21:00	14.2		9/20/2019 21:00	0.0		9/19/2020 21:00	0.0	
9/20/2017 22:00	0.0		9/20/2018 22:00	14.2		9/20/2019 22:00	0.0		9/19/2020 22:00	0.0	
9/20/2017 23:00	0.0	0.0	9/20/2018 23:00	14.2	247.6	9/20/2019 23:00	0.0	0.0	9/19/2020 23:00	0.0	0.0
9/21/2017 0:00	0.0		9/21/2018 0:00	14.2		9/21/2019 0:00	0.0		9/20/2020 0:00	0.0	
9/21/2017 1:00	0.0		9/21/2018 1:00	14.3		9/21/2019 1:00	0.0		9/20/2020 1:00	0.0	
9/21/2017 2:00	0.0		9/21/2018 2:00	14.2		9/21/2019 2:00	0.0		9/20/2020 2:00	0.0	
9/21/2017 3:00	0.0		9/21/2018 3:00	14.2		9/21/2019 3:00	0.0		9/20/2020 3:00	0.0	
9/21/2017 4:00	0.0		9/21/2018 4:00	14.2		9/21/2019 4:00	0.0		9/20/2020 4:00	0.0	
9/21/2017 5:00	0.0		9/21/2018 5:00	14.3		9/21/2019 5:00	0.0		9/20/2020 5:00	0.0	
9/21/2017 6:00	0.0		9/21/2018 6:00	14.2		9/21/2019 6:00	0.0		9/20/2020 6:00	0.0	
9/21/2017 7:00	0.0		9/21/2018 7:00	14.2		9/21/2019 7:00	0.0		9/20/2020 7:00	0.0	
9/21/2017 8:00	0.0		9/21/2018 8:00	14.2		9/21/2019 8:00	0.0		9/20/2020 8:00	0.0	
9/21/2017 9:00	0.0		9/21/2018 9:00	14.2		9/21/2019 9:00	0.0		9/20/2020 9:00	0.0	
9/21/2017 10:00	0.0		9/21/2018 10:00	14.2		9/21/2019 10:00	0.0		9/20/2020 10:00	0.0	
9/21/2017 11:00	0.0		9/21/2018 11:00	14.2		9/21/2019 11:00	0.0		9/20/2020 11:00	0.0	
9/21/2017 12:00	0.0		9/21/2018 12:00	14.2		9/21/2019 12:00	0.0		9/20/2020 12:00	0.0	
9/21/2017 13:00	0.0		9/21/2018 13:00	14.2		9/21/2019 13:00	0.0		9/20/2020 13:00	0.0	
9/21/2017 14:00	0.0		9/21/2018 14:00	14.2		9/21/2019 14:00	0.0		9/20/2020 14:00	0.0	
9/21/2017 15:00	0.0		9/21/2018 15:00	14.2		9/21/2019 15:00	0.0		9/20/2020 15:00	0.0	
9/21/2017 16:00	0.0		9/21/2018 16:00	14.1		9/21/2019 16:00	0.0		9/20/2020 16:00	0.0	
9/21/2017 17:00	0.0		9/21/2018 17:00	14.1		9/21/2019 17:00	0.0		9/20/2020 17:00	0.0	
9/21/2017 18:00	0.0		9/21/2018 18:00	14.1		9/21/2019 18:00	0.0		9/20/2020 18:00	0.0	
9/21/2017 19:00	0.0		9/21/2018 19:00	14.2		9/21/2019 19:00	0.0		9/20/2020 19:00	0.0	
9/21/2017 20:00	0.0		9/21/2018 20:00	14.1		9/21/2019 20:00	0.0		9/20/2020 20:00	0.0	
9/21/2017 21:00	0.0		9/21/2018 21:00	14.1		9/21/2019 21:00	0.0		9/20/2020 21:00	0.0	
9/21/2017 22:00	0.0		9/21/2018 22:00	14.1		9/21/2019 22:00	0.0		9/20/2020 22:00	0.0	
9/21/2017 23:00	0.0	0.0	9/21/2018 23:00	14.2	14.3	9/21/2019 23:00	0.0	0.0	9/20/2020 23:00	0.0	0.0

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/22/2017 0:00	0.0		9/22/2018 0:00	14.2		9/22/2019 0:00	0.0		9/21/2020 0:00	0.0	
9/22/2017 1:00	0.0		9/22/2018 1:00	14.2		9/22/2019 1:00	0.0		9/21/2020 1:00	0.0	
9/22/2017 2:00	0.0		9/22/2018 2:00	14.2		9/22/2019 2:00	0.0		9/21/2020 2:00	0.0	
9/22/2017 3:00	0.0		9/22/2018 3:00	14.2		9/22/2019 3:00	0.0		9/21/2020 3:00	0.0	
9/22/2017 4:00	0.0		9/22/2018 4:00	14.2		9/22/2019 4:00	0.0		9/21/2020 4:00	0.0	
9/22/2017 5:00	0.0		9/22/2018 5:00	14.2		9/22/2019 5:00	0.0		9/21/2020 5:00	0.0	
9/22/2017 6:00	0.0		9/22/2018 6:00	14.2		9/22/2019 6:00	0.0		9/21/2020 6:00	0.0	
9/22/2017 7:00	0.0		9/22/2018 7:00	14.2		9/22/2019 7:00	0.0		9/21/2020 7:00	0.0	
9/22/2017 8:00	0.0		9/22/2018 8:00	14.2		9/22/2019 8:00	0.0		9/21/2020 8:00	0.0	
9/22/2017 9:00	0.0		9/22/2018 9:00	14.2		9/22/2019 9:00	0.0		9/21/2020 9:00	0.0	
9/22/2017 10:00	0.0		9/22/2018 10:00	14.2		9/22/2019 10:00	0.0		9/21/2020 10:00	0.0	
9/22/2017 11:00	0.0		9/22/2018 11:00	14.2		9/22/2019 11:00	0.0		9/21/2020 11:00	0.0	
9/22/2017 12:00	0.0		9/22/2018 12:00	14.1		9/22/2019 12:00	0.0		9/21/2020 12:00	0.0	
9/22/2017 13:00	0.0		9/22/2018 13:00	14.2		9/22/2019 13:00	0.0		9/21/2020 13:00	0.0	
9/22/2017 14:00	0.0		9/22/2018 14:00	14.1		9/22/2019 14:00	0.0		9/21/2020 14:00	0.0	
9/22/2017 15:00	0.0		9/22/2018 15:00	14.1		9/22/2019 15:00	0.0		9/21/2020 15:00	0.0	
9/22/2017 16:00	0.0		9/22/2018 16:00	14.1		9/22/2019 16:00	0.0		9/21/2020 16:00	0.0	
9/22/2017 17:00	0.0		9/22/2018 17:00	14.1		9/22/2019 17:00	0.0		9/21/2020 17:00	0.0	
9/22/2017 18:00	0.0		9/22/2018 18:00	14.1		9/22/2019 18:00	0.0		9/21/2020 18:00	0.0	
9/22/2017 19:00	0.0		9/22/2018 19:00	14.1		9/22/2019 19:00	0.0		9/21/2020 19:00	0.0	
9/22/2017 20:00	0.0		9/22/2018 20:00	14.1		9/22/2019 20:00	0.0		9/21/2020 20:00	0.0	
9/22/2017 21:00	0.0		9/22/2018 21:00	14.2		9/22/2019 21:00	0.0		9/21/2020 21:00	0.0	
9/22/2017 22:00	0.0		9/22/2018 22:00	14.2		9/22/2019 22:00	0.0		9/21/2020 22:00	0.0	
9/22/2017 23:00	0.0	0.0	9/22/2018 23:00	14.2	14.2	9/22/2019 23:00	0.0	0.0	9/21/2020 23:00	0.0	0.0
9/23/2017 0:00	0.0		9/23/2018 0:00	14.2		9/23/2019 0:00	0.0		9/22/2020 0:00	0.0	
9/23/2017 1:00	0.0		9/23/2018 1:00	14.2		9/23/2019 1:00	0.0		9/22/2020 1:00	0.0	
9/23/2017 2:00	0.0		9/23/2018 2:00	14.2		9/23/2019 2:00	0.0		9/22/2020 2:00	0.0	
9/23/2017 3:00	0.0		9/23/2018 3:00	14.2		9/23/2019 3:00	0.0		9/22/2020 3:00	0.0	
9/23/2017 4:00	0.0		9/23/2018 4:00	14.3		9/23/2019 4:00	0.0		9/22/2020 4:00	0.0	
9/23/2017 5:00	0.0		9/23/2018 5:00	14.2		9/23/2019 5:00	0.0		9/22/2020 5:00	0.0	
9/23/2017 6:00	0.0		9/23/2018 6:00	14.3		9/23/2019 6:00	0.0		9/22/2020 6:00	0.0	
9/23/2017 7:00	0.0		9/23/2018 7:00	14.3		9/23/2019 7:00	0.0		9/22/2020 7:00	0.0	
9/23/2017 8:00	0.0		9/23/2018 8:00	14.4		9/23/2019 8:00	0.0		9/22/2020 8:00	0.0	
9/23/2017 9:00	0.0		9/23/2018 9:00	14.3		9/23/2019 9:00	0.0		9/22/2020 9:00	0.0	
9/23/2017 10:00	0.0		9/23/2018 10:00	14.4		9/23/2019 10:00	0.0		9/22/2020 10:00	0.0	
9/23/2017 11:00	0.0		9/23/2018 11:00	14.3		9/23/2019 11:00	0.0		9/22/2020 11:00	0.0	
9/23/2017 12:00	0.0		9/23/2018 12:00	14.4		9/23/2019 12:00	0.0		9/22/2020 12:00	0.0	
9/23/2017 13:00	0.0		9/23/2018 13:00	14.3		9/23/2019 13:00	0.0		9/22/2020 13:00	0.0	
9/23/2017 14:00	0.0		9/23/2018 14:00	14.4		9/23/2019 14:00	0.0		9/22/2020 14:00	0.0	
9/23/2017 15:00	0.0		9/23/2018 15:00	14.3		9/23/2019 15:00	0.0		9/22/2020 15:00	0.0	
9/23/2017 16:00	0.0		9/23/2018 16:00	14.4		9/23/2019 16:00	0.0		9/22/2020 16:00	0.0	
9/23/2017 17:00	0.0		9/23/2018 17:00	14.4		9/23/2019 17:00	0.0		9/22/2020 17:00	0.0	
9/23/2017 18:00	0.0		9/23/2018 18:00	14.4		9/23/2019 18:00	0.0		9/22/2020 18:00	0.0	
9/23/2017 19:00	0.0		9/23/2018 19:00	14.4		9/23/2019 19:00	0.0		9/22/2020 19:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/23/2017 20:00	0.0		9/23/2018 20:00	14.4		9/23/2019 20:00	0.0		9/22/2020 20:00	0.0	
9/23/2017 21:00	0.0		9/23/2018 21:00	14.5		9/23/2019 21:00	0.0		9/22/2020 21:00	0.0	
9/23/2017 22:00	0.0		9/23/2018 22:00	14.5		9/23/2019 22:00	0.0		9/22/2020 22:00	0.0	
9/23/2017 23:00	0.0	0.0	9/23/2018 23:00	14.5	14.5	9/23/2019 23:00	0.0	0.0	9/22/2020 23:00	0.0	0.0
9/24/2017 0:00	0.0		9/24/2018 0:00	14.5		9/24/2019 0:00	0.0		9/23/2020 0:00	0.0	
9/24/2017 1:00	0.0		9/24/2018 1:00	14.5		9/24/2019 1:00	0.0		9/23/2020 1:00	0.0	
9/24/2017 2:00	0.0		9/24/2018 2:00	14.5		9/24/2019 2:00	0.0		9/23/2020 2:00	0.0	
9/24/2017 3:00	0.0		9/24/2018 3:00	14.5		9/24/2019 3:00	0.0		9/23/2020 3:00	0.0	
9/24/2017 4:00	0.0		9/24/2018 4:00	14.5		9/24/2019 4:00	0.0		9/23/2020 4:00	0.0	
9/24/2017 5:00	0.0		9/24/2018 5:00	14.5		9/24/2019 5:00	0.0		9/23/2020 5:00	0.0	
9/24/2017 6:00	0.0		9/24/2018 6:00	14.5		9/24/2019 6:00	0.0		9/23/2020 6:00	0.0	
9/24/2017 7:00	0.0		9/24/2018 7:00	14.5		9/24/2019 7:00	0.0		9/23/2020 7:00	0.0	
9/24/2017 8:00	0.0		9/24/2018 8:00	14.5		9/24/2019 8:00	0.0		9/23/2020 8:00	0.0	
9/24/2017 9:00	0.0		9/24/2018 9:00	14.5		9/24/2019 9:00	0.0		9/23/2020 9:00	0.0	
9/24/2017 10:00	0.0		9/24/2018 10:00	14.5		9/24/2019 10:00	0.0		9/23/2020 10:00	0.0	
9/24/2017 11:00	0.0		9/24/2018 11:00	14.5		9/24/2019 11:00	0.0		9/23/2020 11:00	0.0	
9/24/2017 12:00	0.0		9/24/2018 12:00	14.5		9/24/2019 12:00	0.0		9/23/2020 12:00	0.0	
9/24/2017 13:00	0.0		9/24/2018 13:00	14.5		9/24/2019 13:00	0.0		9/23/2020 13:00	0.0	
9/24/2017 14:00	0.0		9/24/2018 14:00	14.5		9/24/2019 14:00	0.0		9/23/2020 14:00	0.0	
9/24/2017 15:00	0.0		9/24/2018 15:00	14.5		9/24/2019 15:00	0.0		9/23/2020 15:00	0.0	
9/24/2017 16:00	0.0		9/24/2018 16:00	14.5		9/24/2019 16:00	0.0		9/23/2020 16:00	0.0	
9/24/2017 17:00	0.0		9/24/2018 17:00	14.5		9/24/2019 17:00	0.0		9/23/2020 17:00	0.0	
9/24/2017 18:00	0.0		9/24/2018 18:00	14.5		9/24/2019 18:00	0.0		9/23/2020 18:00	0.0	
9/24/2017 19:00	0.0		9/24/2018 19:00	14.5		9/24/2019 19:00	0.0		9/23/2020 19:00	0.0	
9/24/2017 20:00	0.0		9/24/2018 20:00	14.5		9/24/2019 20:00	0.0		9/23/2020 20:00	0.0	
9/24/2017 21:00	0.0		9/24/2018 21:00	14.5		9/24/2019 21:00	0.0		9/23/2020 21:00	0.0	
9/24/2017 22:00	0.0		9/24/2018 22:00	14.5		9/24/2019 22:00	0.0		9/23/2020 22:00	0.0	
9/24/2017 23:00	0.0	0.0	9/24/2018 23:00	14.5	14.5	9/24/2019 23:00	0.0	0.0	9/23/2020 23:00	0.0	0.0
9/25/2017 0:00	0.0		9/25/2018 0:00	14.5		9/25/2019 0:00	0.0		9/24/2020 0:00	0.0	
9/25/2017 1:00	0.0		9/25/2018 1:00	14.5		9/25/2019 1:00	0.0		9/24/2020 1:00	0.0	
9/25/2017 2:00	0.0		9/25/2018 2:00	14.5		9/25/2019 2:00	0.0		9/24/2020 2:00	0.0	
9/25/2017 3:00	0.0		9/25/2018 3:00	14.5		9/25/2019 3:00	0.0		9/24/2020 3:00	0.0	
9/25/2017 4:00	0.0		9/25/2018 4:00	14.5		9/25/2019 4:00	0.0		9/24/2020 4:00	0.0	
9/25/2017 5:00	0.0		9/25/2018 5:00	14.5		9/25/2019 5:00	0.0		9/24/2020 5:00	0.0	
9/25/2017 6:00	0.0		9/25/2018 6:00	14.5		9/25/2019 6:00	0.0		9/24/2020 6:00	0.0	
9/25/2017 7:00	0.0		9/25/2018 7:00	14.5		9/25/2019 7:00	0.0		9/24/2020 7:00	0.0	
9/25/2017 8:00	0.0		9/25/2018 8:00	14.5		9/25/2019 8:00	0.0		9/24/2020 8:00	0.0	
9/25/2017 9:00	0.0		9/25/2018 9:00	14.5		9/25/2019 9:00	0.0		9/24/2020 9:00	0.0	
9/25/2017 10:00	0.0		9/25/2018 10:00	14.5		9/25/2019 10:00	0.0		9/24/2020 10:00	0.0	
9/25/2017 11:00	0.0		9/25/2018 11:00	14.5		9/25/2019 11:00	0.0		9/24/2020 11:00	0.0	
9/25/2017 12:00	0.0		9/25/2018 12:00	14.5		9/25/2019 12:00	0.0		9/24/2020 12:00	0.0	
9/25/2017 13:00	0.0		9/25/2018 13:00	14.5		9/25/2019 13:00	0.0		9/24/2020 13:00	0.0	
9/25/2017 14:00	0.0		9/25/2018 14:00	14.5		9/25/2019 14:00	0.0		9/24/2020 14:00	0.0	
9/25/2017 15:00	0.0		9/25/2018 15:00	14.5		9/25/2019 15:00	0.0		9/24/2020 15:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/25/2017 16:00	0.0		9/25/2018 16:00	14.5		9/25/2019 16:00	0.0		9/24/2020 16:00	0.0	
9/25/2017 17:00	0.0		9/25/2018 17:00	14.5		9/25/2019 17:00	0.0		9/24/2020 17:00	0.0	
9/25/2017 18:00	0.0		9/25/2018 18:00	14.5		9/25/2019 18:00	0.0		9/24/2020 18:00	0.0	
9/25/2017 19:00	0.0		9/25/2018 19:00	14.5		9/25/2019 19:00	0.0		9/24/2020 19:00	0.0	
9/25/2017 20:00	0.0		9/25/2018 20:00	14.5		9/25/2019 20:00	0.0		9/24/2020 20:00	0.0	
9/25/2017 21:00	0.0		9/25/2018 21:00	14.4		9/25/2019 21:00	0.0		9/24/2020 21:00	0.0	
9/25/2017 22:00	0.0		9/25/2018 22:00	14.5		9/25/2019 22:00	0.0		9/24/2020 22:00	0.0	
9/25/2017 23:00	0.0	0.0	9/25/2018 23:00	14.5	14.5	9/25/2019 23:00	0.0	0.0	9/24/2020 23:00	0.0	0.0
9/26/2017 0:00	0.0		9/26/2018 0:00	14.5		9/26/2019 0:00	0.0		9/25/2020 0:00	0.0	
9/26/2017 1:00	0.0		9/26/2018 1:00	14.5		9/26/2019 1:00	0.0		9/25/2020 1:00	0.0	
9/26/2017 2:00	0.0		9/26/2018 2:00	14.5		9/26/2019 2:00	0.0		9/25/2020 2:00	0.0	
9/26/2017 3:00	0.0		9/26/2018 3:00	14.5		9/26/2019 3:00	0.0		9/25/2020 3:00	0.0	
9/26/2017 4:00	0.0		9/26/2018 4:00	14.5		9/26/2019 4:00	0.0		9/25/2020 4:00	0.0	
9/26/2017 5:00	0.0		9/26/2018 5:00	14.5		9/26/2019 5:00	0.0		9/25/2020 5:00	0.0	
9/26/2017 6:00	0.0		9/26/2018 6:00	14.5		9/26/2019 6:00	0.0		9/25/2020 6:00	0.0	
9/26/2017 7:00	0.0		9/26/2018 7:00	14.5		9/26/2019 7:00	0.0		9/25/2020 7:00	0.0	
9/26/2017 8:00	0.0		9/26/2018 8:00	14.5		9/26/2019 8:00	0.0		9/25/2020 8:00	0.0	
9/26/2017 9:00	0.0		9/26/2018 9:00	14.5		9/26/2019 9:00	0.0		9/25/2020 9:00	0.0	
9/26/2017 10:00	0.0		9/26/2018 10:00	14.5		9/26/2019 10:00	0.0		9/25/2020 10:00	0.0	
9/26/2017 11:00	0.0		9/26/2018 11:00	14.5		9/26/2019 11:00	0.0		9/25/2020 11:00	0.0	
9/26/2017 12:00	0.0		9/26/2018 12:00	14.5		9/26/2019 12:00	0.0		9/25/2020 12:00	0.0	
9/26/2017 13:00	0.0		9/26/2018 13:00	14.5		9/26/2019 13:00	0.0		9/25/2020 13:00	0.0	
9/26/2017 14:00	0.0		9/26/2018 14:00	14.5		9/26/2019 14:00	0.0		9/25/2020 14:00	0.0	
9/26/2017 15:00	0.0		9/26/2018 15:00	14.4		9/26/2019 15:00	0.0		9/25/2020 15:00	0.0	
9/26/2017 16:00	0.0		9/26/2018 16:00	14.5		9/26/2019 16:00	0.0		9/25/2020 16:00	0.0	
9/26/2017 17:00	0.0		9/26/2018 17:00	14.5		9/26/2019 17:00	0.0		9/25/2020 17:00	0.0	
9/26/2017 18:00	0.0		9/26/2018 18:00	14.5		9/26/2019 18:00	0.0		9/25/2020 18:00	0.0	
9/26/2017 19:00	0.0		9/26/2018 19:00	14.5		9/26/2019 19:00	0.0		9/25/2020 19:00	0.0	
9/26/2017 20:00	0.0		9/26/2018 20:00	14.5		9/26/2019 20:00	0.0		9/25/2020 20:00	0.0	
9/26/2017 21:00	0.0		9/26/2018 21:00	14.4		9/26/2019 21:00	0.0		9/25/2020 21:00	0.0	
9/26/2017 22:00	200.9		9/26/2018 22:00	14.4		9/26/2019 22:00	0.0		9/25/2020 22:00	0.0	
9/26/2017 23:00	0.0	200.9	9/26/2018 23:00	14.4	14.5	9/26/2019 23:00	0.0	0.0	9/25/2020 23:00	0.0	0.0
9/27/2017 0:00	0.0		9/27/2018 0:00	14.4		9/27/2019 0:00	0.0		9/26/2020 0:00	0.0	
9/27/2017 1:00	0.0		9/27/2018 1:00	14.5		9/27/2019 1:00	0.0		9/26/2020 1:00	0.0	
9/27/2017 2:00	0.0		9/27/2018 2:00	14.4		9/27/2019 2:00	0.0		9/26/2020 2:00	0.0	
9/27/2017 3:00	0.0		9/27/2018 3:00	14.4		9/27/2019 3:00	0.0		9/26/2020 3:00	0.0	
9/27/2017 4:00	0.0		9/27/2018 4:00	14.4		9/27/2019 4:00	0.0		9/26/2020 4:00	0.0	
9/27/2017 5:00	0.0		9/27/2018 5:00	14.4		9/27/2019 5:00	0.0		9/26/2020 5:00	0.0	
9/27/2017 6:00	0.0		9/27/2018 6:00	14.4		9/27/2019 6:00	0.0		9/26/2020 6:00	0.0	
9/27/2017 7:00	0.0		9/27/2018 7:00	14.4		9/27/2019 7:00	0.0		9/26/2020 7:00	0.0	
9/27/2017 8:00	0.0		9/27/2018 8:00	14.4		9/27/2019 8:00	0.0		9/26/2020 8:00	0.0	
9/27/2017 9:00	0.0		9/27/2018 9:00	14.4		9/27/2019 9:00	0.0		9/26/2020 9:00	0.0	
9/27/2017 10:00	0.0		9/27/2018 10:00	14.4		9/27/2019 10:00	0.0		9/26/2020 10:00	0.0	
9/27/2017 11:00	0.0		9/27/2018 11:00	14.4		9/27/2019 11:00	0.0		9/26/2020 11:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/27/2017 12:00	0.0		9/27/2018 12:00	14.4		9/27/2019 12:00	0.0		9/26/2020 12:00	0.0	
9/27/2017 13:00	0.0		9/27/2018 13:00	14.3		9/27/2019 13:00	0.0		9/26/2020 13:00	0.0	
9/27/2017 14:00	0.0		9/27/2018 14:00	14.4		9/27/2019 14:00	0.0		9/26/2020 14:00	0.0	
9/27/2017 15:00	0.0		9/27/2018 15:00	14.4		9/27/2019 15:00	0.0		9/26/2020 15:00	0.0	
9/27/2017 16:00	0.0		9/27/2018 16:00	14.4		9/27/2019 16:00	0.0		9/26/2020 16:00	0.0	
9/27/2017 17:00	0.0		9/27/2018 17:00	14.4		9/27/2019 17:00	0.0		9/26/2020 17:00	0.0	
9/27/2017 18:00	0.0		9/27/2018 18:00	14.4		9/27/2019 18:00	0.0		9/26/2020 18:00	0.0	
9/27/2017 19:00	0.0		9/27/2018 19:00	14.3		9/27/2019 19:00	0.0		9/26/2020 19:00	0.0	
9/27/2017 20:00	0.0		9/27/2018 20:00	14.4		9/27/2019 20:00	0.0		9/26/2020 20:00	0.0	
9/27/2017 21:00	0.0		9/27/2018 21:00	14.3		9/27/2019 21:00	0.0		9/26/2020 21:00	0.0	
9/27/2017 22:00	0.0		9/27/2018 22:00	14.4		9/27/2019 22:00	0.0		9/26/2020 22:00	0.0	
9/27/2017 23:00	0.0	0.0	9/27/2018 23:00	14.3	14.5	9/27/2019 23:00	0.0	0.0	9/26/2020 23:00	93.0	93.0
9/28/2017 0:00	0.0		9/28/2018 0:00	14.3		9/28/2019 0:00	0.0		9/27/2020 0:00	2.0	
9/28/2017 1:00	0.0		9/28/2018 1:00	14.3		9/28/2019 1:00	0.0		9/27/2020 1:00	0.0	
9/28/2017 2:00	0.0		9/28/2018 2:00	14.3		9/28/2019 2:00	0.0		9/27/2020 2:00	0.0	
9/28/2017 3:00	0.0		9/28/2018 3:00	14.3		9/28/2019 3:00	0.0		9/27/2020 3:00	0.0	
9/28/2017 4:00	0.0		9/28/2018 4:00	14.3		9/28/2019 4:00	0.0		9/27/2020 4:00	0.0	
9/28/2017 5:00	0.0		9/28/2018 5:00	14.3		9/28/2019 5:00	0.0		9/27/2020 5:00	0.0	
9/28/2017 6:00	0.0		9/28/2018 6:00	14.3		9/28/2019 6:00	0.0		9/27/2020 6:00	0.0	
9/28/2017 7:00	0.0		9/28/2018 7:00	14.3		9/28/2019 7:00	0.0		9/27/2020 7:00	0.0	
9/28/2017 8:00	0.0		9/28/2018 8:00	14.3		9/28/2019 8:00	0.0		9/27/2020 8:00	0.0	
9/28/2017 9:00	0.0		9/28/2018 9:00	14.4		9/28/2019 9:00	0.0		9/27/2020 9:00	0.0	
9/28/2017 10:00	0.0		9/28/2018 10:00	14.3		9/28/2019 10:00	0.0		9/27/2020 10:00	0.0	
9/28/2017 11:00	0.0		9/28/2018 11:00	14.3		9/28/2019 11:00	0.0		9/27/2020 11:00	0.0	
9/28/2017 12:00	0.0		9/28/2018 12:00	14.2		9/28/2019 12:00	0.0		9/27/2020 12:00	0.0	
9/28/2017 13:00	0.0		9/28/2018 13:00	14.2		9/28/2019 13:00	0.0		9/27/2020 13:00	0.0	
9/28/2017 14:00	0.0		9/28/2018 14:00	14.2		9/28/2019 14:00	0.0		9/27/2020 14:00	0.0	
9/28/2017 15:00	0.0		9/28/2018 15:00	14.2		9/28/2019 15:00	0.0		9/27/2020 15:00	0.0	
9/28/2017 16:00	0.0		9/28/2018 16:00	14.2		9/28/2019 16:00	0.0		9/27/2020 16:00	0.0	
9/28/2017 17:00	0.0		9/28/2018 17:00	14.2		9/28/2019 17:00	0.0		9/27/2020 17:00	0.0	
9/28/2017 18:00	0.0		9/28/2018 18:00	14.2		9/28/2019 18:00	0.0		9/27/2020 18:00	0.0	
9/28/2017 19:00	0.0		9/28/2018 19:00	14.2		9/28/2019 19:00	0.0		9/27/2020 19:00	0.0	
9/28/2017 20:00	0.0		9/28/2018 20:00	14.3		9/28/2019 20:00	0.0		9/27/2020 20:00	0.0	
9/28/2017 21:00	0.0		9/28/2018 21:00	14.4		9/28/2019 21:00	0.0		9/27/2020 21:00	0.0	
9/28/2017 22:00	0.0		9/28/2018 22:00	14.3		9/28/2019 22:00	0.0		9/27/2020 22:00	0.0	
9/28/2017 23:00	0.0	0.0	9/28/2018 23:00	14.4	14.4	9/28/2019 23:00	0.0	0.0	9/27/2020 23:00	0.0	2.0
9/29/2017 0:00	0.0		9/29/2018 0:00	14.3		9/29/2019 0:00	0.0		9/28/2020 0:00	0.0	
9/29/2017 1:00	0.0		9/29/2018 1:00	14.3		9/29/2019 1:00	0.0		9/28/2020 1:00	0.0	
9/29/2017 2:00	0.0		9/29/2018 2:00	14.3		9/29/2019 2:00	0.0		9/28/2020 2:00	0.0	
9/29/2017 3:00	0.0		9/29/2018 3:00	14.3		9/29/2019 3:00	0.0		9/28/2020 3:00	0.0	
9/29/2017 4:00	0.0		9/29/2018 4:00	14.3		9/29/2019 4:00	0.0		9/28/2020 4:00	0.0	
9/29/2017 5:00	0.0		9/29/2018 5:00	14.3		9/29/2019 5:00	0.0		9/28/2020 5:00	0.0	
9/29/2017 6:00	0.0		9/29/2018 6:00	14.3		9/29/2019 6:00	0.0		9/28/2020 6:00	0.0	
9/29/2017 7:00	0.0		9/29/2018 7:00	14.3		9/29/2019 7:00	0.0		9/28/2020 7:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/29/2017 8:00	0.0		9/29/2018 8:00	14.3		9/29/2019 8:00	0.0		9/28/2020 8:00	0.0	
9/29/2017 9:00	0.0		9/29/2018 9:00	14.3		9/29/2019 9:00	0.0		9/28/2020 9:00	0.0	
9/29/2017 10:00	0.0		9/29/2018 10:00	14.3		9/29/2019 10:00	0.0		9/28/2020 10:00	0.0	
9/29/2017 11:00	0.0		9/29/2018 11:00	14.3		9/29/2019 11:00	0.0		9/28/2020 11:00	0.0	
9/29/2017 12:00	0.0		9/29/2018 12:00	14.3		9/29/2019 12:00	0.0		9/28/2020 12:00	0.0	
9/29/2017 13:00	0.0		9/29/2018 13:00	14.3		9/29/2019 13:00	0.0		9/28/2020 13:00	0.0	
9/29/2017 14:00	0.0		9/29/2018 14:00	14.2		9/29/2019 14:00	0.0		9/28/2020 14:00	0.0	
9/29/2017 15:00	0.0		9/29/2018 15:00	14.3		9/29/2019 15:00	0.0		9/28/2020 15:00	0.0	
9/29/2017 16:00	0.0		9/29/2018 16:00	14.2		9/29/2019 16:00	0.0		9/28/2020 16:00	0.0	
9/29/2017 17:00	0.0		9/29/2018 17:00	14.2		9/29/2019 17:00	0.0		9/28/2020 17:00	0.0	
9/29/2017 18:00	0.0		9/29/2018 18:00	14.2		9/29/2019 18:00	0.0		9/28/2020 18:00	0.0	
9/29/2017 19:00	0.0		9/29/2018 19:00	14.3		9/29/2019 19:00	0.0		9/28/2020 19:00	0.0	
9/29/2017 20:00	0.0		9/29/2018 20:00	14.3		9/29/2019 20:00	0.0		9/28/2020 20:00	0.0	
9/29/2017 21:00	0.0		9/29/2018 21:00	14.4		9/29/2019 21:00	0.0		9/28/2020 21:00	0.0	
9/29/2017 22:00	0.0		9/29/2018 22:00	14.3		9/29/2019 22:00	0.0		9/28/2020 22:00	0.0	
9/29/2017 23:00	0.0	0.0	9/29/2018 23:00	14.4	14.4	9/29/2019 23:00	0.0	0.0	9/28/2020 23:00	0.0	0.0
9/30/2017 0:00	0.0		9/30/2018 0:00	14.3		9/30/2019 0:00	0.0		9/29/2020 0:00	0.0	
9/30/2017 1:00	0.0		9/30/2018 1:00	14.4		9/30/2019 1:00	0.0		9/29/2020 1:00	0.0	
9/30/2017 2:00	0.0		9/30/2018 2:00	14.4		9/30/2019 2:00	0.0		9/29/2020 2:00	0.0	
9/30/2017 3:00	0.0		9/30/2018 3:00	14.5		9/30/2019 3:00	0.0		9/29/2020 3:00	0.0	
9/30/2017 4:00	0.0		9/30/2018 4:00	14.5		9/30/2019 4:00	0.0		9/29/2020 4:00	0.0	
9/30/2017 5:00	0.0		9/30/2018 5:00	14.5		9/30/2019 5:00	0.0		9/29/2020 5:00	0.0	
9/30/2017 6:00	0.0		9/30/2018 6:00	14.5		9/30/2019 6:00	0.0		9/29/2020 6:00	0.0	
9/30/2017 7:00	0.0		9/30/2018 7:00	14.5		9/30/2019 7:00	0.0		9/29/2020 7:00	0.0	
9/30/2017 8:00	0.0		9/30/2018 8:00	14.5		9/30/2019 8:00	0.0		9/29/2020 8:00	0.0	
9/30/2017 9:00	0.0		9/30/2018 9:00	14.5		9/30/2019 9:00	0.0		9/29/2020 9:00	0.0	
9/30/2017 10:00	0.0		9/30/2018 10:00	14.5		9/30/2019 10:00	0.0		9/29/2020 10:00	0.0	
9/30/2017 11:00	0.0		9/30/2018 11:00	14.5		9/30/2019 11:00	0.0		9/29/2020 11:00	0.0	
9/30/2017 12:00	0.0		9/30/2018 12:00	14.5		9/30/2019 12:00	0.0		9/29/2020 12:00	0.0	
9/30/2017 13:00	0.0		9/30/2018 13:00	14.5		9/30/2019 13:00	0.0		9/29/2020 13:00	0.0	
9/30/2017 14:00	0.0		9/30/2018 14:00	14.5		9/30/2019 14:00	0.0		9/29/2020 14:00	0.0	
9/30/2017 15:00	0.0		9/30/2018 15:00	14.5		9/30/2019 15:00	0.0		9/29/2020 15:00	0.0	
9/30/2017 16:00	0.0		9/30/2018 16:00	14.5		9/30/2019 16:00	0.0		9/29/2020 16:00	0.0	
9/30/2017 17:00	0.0		9/30/2018 17:00	14.5		9/30/2019 17:00	0.0		9/29/2020 17:00	0.0	
9/30/2017 18:00	0.0		9/30/2018 18:00	14.5		9/30/2019 18:00	0.0		9/29/2020 18:00	0.0	
9/30/2017 19:00	0.0		9/30/2018 19:00	14.5		9/30/2019 19:00	0.0		9/29/2020 19:00	0.0	
9/30/2017 20:00	0.0		9/30/2018 20:00	14.5		9/30/2019 20:00	0.0		9/29/2020 20:00	0.0	
9/30/2017 21:00	0.0		9/30/2018 21:00	14.6		9/30/2019 21:00	0.0		9/29/2020 21:00	0.0	
9/30/2017 22:00	0.0		9/30/2018 22:00	14.6		9/30/2019 22:00	0.0		9/29/2020 22:00	0.0	
9/30/2017 23:00	0.0	0.0	9/30/2018 23:00	14.6	14.6	9/30/2019 23:00	59.0	59.0	9/29/2020 23:00	0.0	0.0
10/1/2017 0:00	0.0		10/1/2018 0:00	14.6		10/1/2019 0:00	0.0		9/30/2020 0:00	0.0	
10/1/2017 1:00	0.0		10/1/2018 1:00	14.7		10/1/2019 1:00	0.0		9/30/2020 1:00	0.0	
10/1/2017 2:00	0.0		10/1/2018 2:00	14.6		10/1/2019 2:00	0.0		9/30/2020 2:00	0.0	
10/1/2017 3:00	0.0		10/1/2018 3:00	14.7		10/1/2019 3:00	0.0		9/30/2020 3:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
10/1/2017 4:00	0.0		10/1/2018 4:00	14.6		10/1/2019 4:00	0.0		9/30/2020 4:00	0.0	
10/1/2017 5:00	0.0		10/1/2018 5:00	14.7		10/1/2019 5:00	0.0		9/30/2020 5:00	0.0	
10/1/2017 6:00	0.0		10/1/2018 6:00	14.6		10/1/2019 6:00	0.0		9/30/2020 6:00	0.0	
10/1/2017 7:00	0.0		10/1/2018 7:00	14.7		10/1/2019 7:00	0.0		9/30/2020 7:00	0.0	
10/1/2017 8:00	0.0		10/1/2018 8:00	14.7		10/1/2019 8:00	0.0		9/30/2020 8:00	0.0	
10/1/2017 9:00	0.0		10/1/2018 9:00	14.8		10/1/2019 9:00	0.0		9/30/2020 9:00	0.0	
10/1/2017 10:00	0.0		10/1/2018 10:00	14.8		10/1/2019 10:00	0.0		9/30/2020 10:00	0.0	
10/1/2017 11:00	0.0		10/1/2018 11:00	14.8		10/1/2019 11:00	0.0		9/30/2020 11:00	0.0	
10/1/2017 12:00	0.0		10/1/2018 12:00	14.7		10/1/2019 12:00	0.0		9/30/2020 12:00	0.0	
10/1/2017 13:00	0.0		10/1/2018 13:00	14.7		10/1/2019 13:00	0.0		9/30/2020 13:00	0.3	
10/1/2017 14:00	0.0		10/1/2018 14:00	13.6		10/1/2019 14:00	0.0		9/30/2020 14:00	0.0	
10/1/2017 15:00	0.0		10/1/2018 15:00	13.5		10/1/2019 15:00	0.0		9/30/2020 15:00	0.0	
10/1/2017 16:00	0.0		10/1/2018 16:00	13.6		10/1/2019 16:00	0.0		9/30/2020 16:00	0.0	
10/1/2017 17:00	0.0		10/1/2018 17:00	13.8		10/1/2019 17:00	0.0		9/30/2020 17:00	0.0	
10/1/2017 18:00	0.0		10/1/2018 18:00	13.9		10/1/2019 18:00	0.0		9/30/2020 18:00	0.0	
10/1/2017 19:00	0.0		10/1/2018 19:00	13.9		10/1/2019 19:00	0.0		9/30/2020 19:00	0.0	
10/1/2017 20:00	0.0		10/1/2018 20:00	13.8		10/1/2019 20:00	0.0		9/30/2020 20:00	0.0	
10/1/2017 21:00	0.0		10/1/2018 21:00	13.8		10/1/2019 21:00	0.0		9/30/2020 21:00	0.0	
10/1/2017 22:00	0.0		10/1/2018 22:00	13.6		10/1/2019 22:00	0.0		9/30/2020 22:00	0.0	
10/1/2017 23:00	0.0	0.0	10/1/2018 23:00	13.6	14.8	10/1/2019 23:00	0.0	0.0	9/30/2020 23:00	0.0	0.3
10/2/2017 0:00	0.0		10/2/2018 0:00	13.5		10/2/2019 0:00	0.0		10/1/2020 0:00	0.0	
10/2/2017 1:00	0.0		10/2/2018 1:00	13.5		10/2/2019 1:00	0.0		10/1/2020 1:00	0.0	
10/2/2017 2:00	0.0		10/2/2018 2:00	13.4		10/2/2019 2:00	0.0		10/1/2020 2:00	0.0	
10/2/2017 3:00	0.0		10/2/2018 3:00	13.4		10/2/2019 3:00	0.0		10/1/2020 3:00	0.0	
10/2/2017 4:00	0.0		10/2/2018 4:00	13.2		10/2/2019 4:00	0.0		10/1/2020 4:00	0.0	
10/2/2017 5:00	0.0		10/2/2018 5:00	13.2		10/2/2019 5:00	0.0		10/1/2020 5:00	0.0	
10/2/2017 6:00	0.0		10/2/2018 6:00	13.1		10/2/2019 6:00	0.0		10/1/2020 6:00	0.0	
10/2/2017 7:00	0.0		10/2/2018 7:00	13.1		10/2/2019 7:00	0.0		10/1/2020 7:00	0.0	
10/2/2017 8:00	0.0		10/2/2018 8:00	13.0		10/2/2019 8:00	0.0		10/1/2020 8:00	0.0	
10/2/2017 9:00	0.0		10/2/2018 9:00	12.9		10/2/2019 9:00	0.0		10/1/2020 9:00	0.0	
10/2/2017 10:00	0.0		10/2/2018 10:00	12.9		10/2/2019 10:00	0.0		10/1/2020 10:00	0.0	
10/2/2017 11:00	0.0		10/2/2018 11:00	12.9		10/2/2019 11:00	0.0		10/1/2020 11:00	0.0	
10/2/2017 12:00	0.0		10/2/2018 12:00	12.9		10/2/2019 12:00	0.0		10/1/2020 12:00	0.0	
10/2/2017 13:00	0.0		10/2/2018 13:00	12.9		10/2/2019 13:00	0.0		10/1/2020 13:00	0.0	
10/2/2017 14:00	0.0		10/2/2018 14:00	12.8		10/2/2019 14:00	0.0		10/1/2020 14:00	0.0	
10/2/2017 15:00	0.0		10/2/2018 15:00	12.8		10/2/2019 15:00	0.0		10/1/2020 15:00	0.0	
10/2/2017 16:00	0.0		10/2/2018 16:00	12.7		10/2/2019 16:00	0.0		10/1/2020 16:00	0.0	
10/2/2017 17:00	0.0		10/2/2018 17:00	12.7		10/2/2019 17:00	0.0		10/1/2020 17:00	0.0	
10/2/2017 18:00	0.0		10/2/2018 18:00	12.6		10/2/2019 18:00	0.0		10/1/2020 18:00	0.0	
10/2/2017 19:00	0.0		10/2/2018 19:00	12.6		10/2/2019 19:00	0.0		10/1/2020 19:00	0.0	
10/2/2017 20:00	0.0		10/2/2018 20:00	12.8		10/2/2019 20:00	0.0		10/1/2020 20:00	0.0	
10/2/2017 21:00	0.0		10/2/2018 21:00	12.8		10/2/2019 21:00	0.0		10/1/2020 21:00	0.0	
10/2/2017 22:00	0.0		10/2/2018 22:00	12.8		10/2/2019 22:00	0.0		10/1/2020 22:00	0.0	
10/2/2017 23:00	0.0	0.0	10/2/2018 23:00	12.9	13.5	10/2/2019 23:00	0.0	0.0	10/1/2020 23:00	0.0	0.0

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
10/3/2017 0:00	0.0		10/3/2018 0:00	12.9		10/3/2019 0:00	0.0		10/2/2020 0:00	0.0	
10/3/2017 1:00	0.0		10/3/2018 1:00	13.0		10/3/2019 1:00	0.0		10/2/2020 1:00	0.0	
10/3/2017 2:00	0.0		10/3/2018 2:00	13.0		10/3/2019 2:00	0.0		10/2/2020 2:00	0.0	
10/3/2017 3:00	0.0		10/3/2018 3:00	13.0		10/3/2019 3:00	0.0		10/2/2020 3:00	0.0	
10/3/2017 4:00	0.0		10/3/2018 4:00	13.0		10/3/2019 4:00	0.0		10/2/2020 4:00	0.0	
10/3/2017 5:00	0.0		10/3/2018 5:00	13.0		10/3/2019 5:00	0.0		10/2/2020 5:00	0.0	
10/3/2017 6:00	0.0		10/3/2018 6:00	13.0		10/3/2019 6:00	0.0		10/2/2020 6:00	0.0	
10/3/2017 7:00	0.0		10/3/2018 7:00	13.0		10/3/2019 7:00	0.0		10/2/2020 7:00	0.0	
10/3/2017 8:00	0.0		10/3/2018 8:00	13.1		10/3/2019 8:00	0.0		10/2/2020 8:00	0.0	
10/3/2017 9:00	0.0		10/3/2018 9:00	13.0		10/3/2019 9:00	0.0		10/2/2020 9:00	0.0	
10/3/2017 10:00	0.0		10/3/2018 10:00	13.0		10/3/2019 10:00	0.0		10/2/2020 10:00	0.0	
10/3/2017 11:00	0.0		10/3/2018 11:00	13.1		10/3/2019 11:00	0.0		10/2/2020 11:00	0.0	
10/3/2017 12:00	0.0		10/3/2018 12:00	13.0		10/3/2019 12:00	0.0		10/2/2020 12:00	0.0	
10/3/2017 13:00	0.0		10/3/2018 13:00	13.1		10/3/2019 13:00	0.0		10/2/2020 13:00	0.0	
10/3/2017 14:00	0.0		10/3/2018 14:00	13.1		10/3/2019 14:00	0.0		10/2/2020 14:00	0.0	
10/3/2017 15:00	0.0		10/3/2018 15:00	13.1		10/3/2019 15:00	0.0		10/2/2020 15:00	0.0	
10/3/2017 16:00	0.0		10/3/2018 16:00	13.1		10/3/2019 16:00	0.0		10/2/2020 16:00	0.0	
10/3/2017 17:00	0.0		10/3/2018 17:00	13.1		10/3/2019 17:00	0.0		10/2/2020 17:00	0.0	
10/3/2017 18:00	0.0		10/3/2018 18:00	13.1		10/3/2019 18:00	0.0		10/2/2020 18:00	0.0	
10/3/2017 19:00	0.0		10/3/2018 19:00	13.1		10/3/2019 19:00	0.0		10/2/2020 19:00	0.0	
10/3/2017 20:00	0.0		10/3/2018 20:00	13.1		10/3/2019 20:00	0.0		10/2/2020 20:00	0.0	
10/3/2017 21:00	0.0		10/3/2018 21:00	13.1		10/3/2019 21:00	0.0		10/2/2020 21:00	0.0	
10/3/2017 22:00	0.0		10/3/2018 22:00	13.2		10/3/2019 22:00	0.0		10/2/2020 22:00	0.0	
10/3/2017 23:00	0.0	0.0	10/3/2018 23:00	13.2	13.2	10/3/2019 23:00	0.0	0.0	10/2/2020 23:00	0.0	0.0
10/4/2017 0:00	0.0		10/4/2018 0:00	13.2		10/4/2019 0:00	0.0		10/3/2020 0:00	0.0	
10/4/2017 1:00	0.0		10/4/2018 1:00	13.2		10/4/2019 1:00	0.0		10/3/2020 1:00	0.0	
10/4/2017 2:00	0.0		10/4/2018 2:00	13.2		10/4/2019 2:00	0.0		10/3/2020 2:00	0.0	
10/4/2017 3:00	0.0		10/4/2018 3:00	13.2		10/4/2019 3:00	0.0		10/3/2020 3:00	0.0	
10/4/2017 4:00	0.0		10/4/2018 4:00	13.3		10/4/2019 4:00	0.0		10/3/2020 4:00	0.0	
10/4/2017 5:00	0.0		10/4/2018 5:00	13.2		10/4/2019 5:00	0.0		10/3/2020 5:00	0.0	
10/4/2017 6:00	0.0		10/4/2018 6:00	13.3		10/4/2019 6:00	0.0		10/3/2020 6:00	0.0	
10/4/2017 7:00	0.0		10/4/2018 7:00	13.2		10/4/2019 7:00	0.0		10/3/2020 7:00	0.0	
10/4/2017 8:00	0.0		10/4/2018 8:00	13.3		10/4/2019 8:00	0.0		10/3/2020 8:00	0.0	
10/4/2017 9:00	0.0		10/4/2018 9:00	13.2		10/4/2019 9:00	0.0		10/3/2020 9:00	0.0	
10/4/2017 10:00	65.0		10/4/2018 10:00	13.2		10/4/2019 10:00	1.8		10/3/2020 10:00	0.0	
10/4/2017 11:00	109.0		10/4/2018 11:00	13.2		10/4/2019 11:00	0.0		10/3/2020 11:00	0.0	
10/4/2017 12:00	0.0		10/4/2018 12:00	13.2		10/4/2019 12:00	0.0		10/3/2020 12:00	0.0	
10/4/2017 13:00	0.0		10/4/2018 13:00	13.2		10/4/2019 13:00	0.0		10/3/2020 13:00	0.0	
10/4/2017 14:00	0.0		10/4/2018 14:00	13.3		10/4/2019 14:00	0.0		10/3/2020 14:00	0.0	
10/4/2017 15:00	0.0		10/4/2018 15:00	13.2		10/4/2019 15:00	0.0		10/3/2020 15:00	0.0	
10/4/2017 16:00	0.0		10/4/2018 16:00	13.3		10/4/2019 16:00	0.0		10/3/2020 16:00	0.0	
10/4/2017 17:00	0.0		10/4/2018 17:00	13.2		10/4/2019 17:00	0.0		10/3/2020 17:00	0.0	
10/4/2017 18:00	0.0		10/4/2018 18:00	13.3		10/4/2019 18:00	0.0		10/3/2020 18:00	0.0	
10/4/2017 19:00	0.0		10/4/2018 19:00	13.2		10/4/2019 19:00	0.0		10/3/2020 19:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
10/4/2017 20:00	0.0		10/4/2018 20:00	13.2		10/4/2019 20:00	0.0		10/3/2020 20:00	0.0	
10/4/2017 21:00	0.0		10/4/2018 21:00	13.1		10/4/2019 21:00	0.0		10/3/2020 21:00	0.0	
10/4/2017 22:00	0.0		10/4/2018 22:00	13.2		10/4/2019 22:00	0.0		10/3/2020 22:00	0.0	
10/4/2017 23:00	0.0	109.0	10/4/2018 23:00	13.1	13.3	10/4/2019 23:00	0.0	1.8	10/3/2020 23:00	0.0	0.0
10/5/2017 0:00	shutdown		10/5/2018 0:00	13.1		10/5/2019 0:00	0.0		10/4/2020 0:00	0.0	
10/5/2017 1:00	shutdown		10/5/2018 1:00	13.0		10/5/2019 1:00	0.0		10/4/2020 1:00	0.0	
10/5/2017 2:00	shutdown		10/5/2018 2:00	13.0		10/5/2019 2:00	0.0		10/4/2020 2:00	0.0	
10/5/2017 3:00	shutdown		10/5/2018 3:00	13.0		10/5/2019 3:00	0.0		10/4/2020 3:00	0.0	
10/5/2017 4:00	shutdown		10/5/2018 4:00	13.0		10/5/2019 4:00	0.0		10/4/2020 4:00	0.0	
10/5/2017 5:00	shutdown		10/5/2018 5:00	13.0		10/5/2019 5:00	0.0		10/4/2020 5:00	0.0	
10/5/2017 6:00	shutdown		10/5/2018 6:00	13.0		10/5/2019 6:00	0.0		10/4/2020 6:00	0.0	
10/5/2017 7:00	shutdown		10/5/2018 7:00	13.0		10/5/2019 7:00	0.0		10/4/2020 7:00	0.0	
10/5/2017 8:00	shutdown		10/5/2018 8:00	13.1		10/5/2019 8:00	0.0		10/4/2020 8:00	0.0	
10/5/2017 9:00	shutdown		10/5/2018 9:00	13.0		10/5/2019 9:00	0.0		10/4/2020 9:00	0.0	
10/5/2017 10:00	shutdown		10/5/2018 10:00	13.1		10/5/2019 10:00	0.0		10/4/2020 10:00	0.0	
10/5/2017 11:00	shutdown		10/5/2018 11:00	13.1		10/5/2019 11:00	0.0		10/4/2020 11:00	0.0	
10/5/2017 12:00	shutdown		10/5/2018 12:00	13.1		10/5/2019 12:00	0.0		10/4/2020 12:00	0.0	
10/5/2017 13:00	shutdown		10/5/2018 13:00	0.0		10/5/2019 13:00	0.0		10/4/2020 13:00	0.0	
10/5/2017 14:00	shutdown		10/5/2018 14:00	0.0		10/5/2019 14:00	0.0		10/4/2020 14:00	0.0	
10/5/2017 15:00	shutdown		10/5/2018 15:00	2.0		10/5/2019 15:00	0.0		10/4/2020 15:00	0.0	
10/5/2017 16:00	shutdown		10/5/2018 16:00	0.0		10/5/2019 16:00	0.0		10/4/2020 16:00	0.0	
10/5/2017 17:00	shutdown		10/5/2018 17:00	0.0		10/5/2019 17:00	0.0		10/4/2020 17:00	0.0	
10/5/2017 18:00	shutdown		10/5/2018 18:00	0.0		10/5/2019 18:00	0.0		10/4/2020 18:00	0.0	
10/5/2017 19:00	shutdown		10/5/2018 19:00	0.0		10/5/2019 19:00	0.0		10/4/2020 19:00	0.0	
10/5/2017 20:00	shutdown		10/5/2018 20:00	0.0		10/5/2019 20:00	0.0		10/4/2020 20:00	0.0	
10/5/2017 21:00	shutdown		10/5/2018 21:00	0.0		10/5/2019 21:00	0.0		10/4/2020 21:00	0.0	
10/5/2017 22:00	shutdown		10/5/2018 22:00	0.0		10/5/2019 22:00	0.0		10/4/2020 22:00	0.0	
10/5/2017 23:00	shutdown	0.0	10/5/2018 23:00	0.0	13.1	10/5/2019 23:00	0.0	0.0	10/4/2020 23:00	0.0	0.0
10/6/2017 0:00	shutdown		10/6/2018 0:00	0.0		10/6/2019 0:00	0.0		10/5/2020 0:00	0.0	
10/6/2017 1:00	shutdown		10/6/2018 1:00	0.0		10/6/2019 1:00	0.0		10/5/2020 1:00	0.0	
10/6/2017 2:00	shutdown		10/6/2018 2:00	0.0		10/6/2019 2:00	0.0		10/5/2020 2:00	0.0	
10/6/2017 3:00	shutdown		10/6/2018 3:00	0.0		10/6/2019 3:00	0.0		10/5/2020 3:00	0.0	
10/6/2017 4:00	shutdown		10/6/2018 4:00	0.0		10/6/2019 4:00	0.0		10/5/2020 4:00	0.0	
10/6/2017 5:00	shutdown		10/6/2018 5:00	0.0		10/6/2019 5:00	0.0		10/5/2020 5:00	0.0	
10/6/2017 6:00	shutdown		10/6/2018 6:00	0.0		10/6/2019 6:00	0.0		10/5/2020 6:00	0.0	
10/6/2017 7:00	shutdown		10/6/2018 7:00	0.0		10/6/2019 7:00	0.0		10/5/2020 7:00	0.0	
10/6/2017 8:00	shutdown		10/6/2018 8:00	0.0		10/6/2019 8:00	0.0		10/5/2020 8:00	0.0	
10/6/2017 9:00	shutdown		10/6/2018 9:00	0.0		10/6/2019 9:00	0.0		10/5/2020 9:00	0.0	
10/6/2017 10:00	shutdown		10/6/2018 10:00	0.0		10/6/2019 10:00	0.0		10/5/2020 10:00	0.0	
10/6/2017 11:00	shutdown		10/6/2018 11:00	0.0		10/6/2019 11:00	0.0		10/5/2020 11:00	0.0	
10/6/2017 12:00	shutdown		10/6/2018 12:00	0.0		10/6/2019 12:00	0.0		10/5/2020 12:00	0.0	
10/6/2017 13:00	shutdown		10/6/2018 13:00	0.0		10/6/2019 13:00	0.0		10/5/2020 13:00	0.0	
10/6/2017 14:00	shutdown		10/6/2018 14:00	0.0		10/6/2019 14:00	0.0		10/5/2020 14:00	0.0	
10/6/2017 15:00	shutdown		10/6/2018 15:00	0.0		10/6/2019 15:00	0.0		10/5/2020 15:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
10/6/2017 16:00	shutdown		10/6/2018 16:00	0.0		10/6/2019 16:00	0.0		10/5/2020 16:00	0.0	
10/6/2017 17:00	shutdown		10/6/2018 17:00	0.0		10/6/2019 17:00	0.0		10/5/2020 17:00	0.0	
10/6/2017 18:00	shutdown		10/6/2018 18:00	0.0		10/6/2019 18:00	0.0		10/5/2020 18:00	0.0	
10/6/2017 19:00	shutdown		10/6/2018 19:00	0.0		10/6/2019 19:00	0.0		10/5/2020 19:00	0.0	
10/6/2017 20:00	shutdown		10/6/2018 20:00	0.0		10/6/2019 20:00	0.0		10/5/2020 20:00	0.0	
10/6/2017 21:00	shutdown		10/6/2018 21:00	0.0		10/6/2019 21:00	0.0		10/5/2020 21:00	0.0	
10/6/2017 22:00	shutdown		10/6/2018 22:00	0.0		10/6/2019 22:00	0.0		10/5/2020 22:00	0.0	
10/6/2017 23:00	shutdown	0.0	10/6/2018 23:00	0.0	0.0	10/6/2019 23:00	0.0	0.0	10/5/2020 23:00	0.0	0.0
10/7/2017 0:00	shutdown		10/7/2018 0:00	0.0		10/7/2019 0:00	0.0		10/6/2020 0:00	0.0	
10/7/2017 1:00	shutdown		10/7/2018 1:00	0.0		10/7/2019 1:00	0.0		10/6/2020 1:00	0.0	
10/7/2017 2:00	shutdown		10/7/2018 2:00	0.0		10/7/2019 2:00	0.0		10/6/2020 2:00	0.0	
10/7/2017 3:00	shutdown		10/7/2018 3:00	0.0		10/7/2019 3:00	0.0		10/6/2020 3:00	0.0	
10/7/2017 4:00	shutdown		10/7/2018 4:00	0.0		10/7/2019 4:00	0.0		10/6/2020 4:00	0.0	
10/7/2017 5:00	shutdown		10/7/2018 5:00	0.0		10/7/2019 5:00	0.0		10/6/2020 5:00	0.0	
10/7/2017 6:00	shutdown		10/7/2018 6:00	0.0		10/7/2019 6:00	0.0		10/6/2020 6:00	0.0	
10/7/2017 7:00	shutdown		10/7/2018 7:00	0.0		10/7/2019 7:00	0.0		10/6/2020 7:00	0.0	
10/7/2017 8:00	shutdown		10/7/2018 8:00	0.0		10/7/2019 8:00	0.0		10/6/2020 8:00	0.0	
10/7/2017 9:00	shutdown		10/7/2018 9:00	0.0		10/7/2019 9:00	0.0		10/6/2020 9:00	0.0	
10/7/2017 10:00	shutdown		10/7/2018 10:00	0.0		10/7/2019 10:00	0.0		10/6/2020 10:00	0.0	
10/7/2017 11:00	shutdown		10/7/2018 11:00	0.0		10/7/2019 11:00	0.0		10/6/2020 11:00	0.0	
10/7/2017 12:00	shutdown		10/7/2018 12:00	0.0		10/7/2019 12:00	0.0		10/6/2020 12:00	0.0	
10/7/2017 13:00	shutdown		10/7/2018 13:00	0.0		10/7/2019 13:00	0.0		10/6/2020 13:00	0.0	
10/7/2017 14:00	shutdown		10/7/2018 14:00	0.0		10/7/2019 14:00	0.0		10/6/2020 14:00	362.1	
10/7/2017 15:00	shutdown		10/7/2018 15:00	0.0		10/7/2019 15:00	0.0		10/6/2020 15:00	0.0	
10/7/2017 16:00	shutdown		10/7/2018 16:00	0.0		10/7/2019 16:00	0.0		10/6/2020 16:00	0.0	
10/7/2017 17:00	shutdown		10/7/2018 17:00	0.0		10/7/2019 17:00	0.0		10/6/2020 17:00	0.0	
10/7/2017 18:00	shutdown		10/7/2018 18:00	0.0		10/7/2019 18:00	0.0		10/6/2020 18:00	0.0	
10/7/2017 19:00	shutdown		10/7/2018 19:00	0.0		10/7/2019 19:00	0.0		10/6/2020 19:00	0.0	
10/7/2017 20:00	shutdown		10/7/2018 20:00	0.0		10/7/2019 20:00	0.0		10/6/2020 20:00	0.0	
10/7/2017 21:00	shutdown		10/7/2018 21:00	0.0		10/7/2019 21:00	0.0		10/6/2020 21:00	0.0	
10/7/2017 22:00	shutdown		10/7/2018 22:00	0.0		10/7/2019 22:00	0.0		10/6/2020 22:00	0.0	
10/7/2017 23:00	shutdown	0.0	10/7/2018 23:00	0.0	0.0	10/7/2019 23:00	0.0	0.0	10/6/2020 23:00	0.0	362.1
10/8/2017 0:00	52		10/8/2018 0:00	0.0		10/8/2019 0:00	0.0		10/7/2020 0:00	0.0	
10/8/2017 1:00	52		10/8/2018 1:00	0.0		10/8/2019 1:00	0.0		10/7/2020 1:00	0.0	
10/8/2017 2:00	52		10/8/2018 2:00	0.0		10/8/2019 2:00	0.0		10/7/2020 2:00	0.0	
10/8/2017 3:00	52		10/8/2018 3:00	0.0		10/8/2019 3:00	0.0		10/7/2020 3:00	0.0	
10/8/2017 4:00	52		10/8/2018 4:00	0.0		10/8/2019 4:00	0.0		10/7/2020 4:00	0.0	
10/8/2017 5:00	52		10/8/2018 5:00	0.0		10/8/2019 5:00	0.0		10/7/2020 5:00	0.0	
10/8/2017 6:00	52		10/8/2018 6:00	0.0		10/8/2019 6:00	0.0		10/7/2020 6:00	0.0	
10/8/2017 7:00	52		10/8/2018 7:00	0.0		10/8/2019 7:00	0.0		10/7/2020 7:00	0.0	
10/8/2017 8:00	52		10/8/2018 8:00	0.0		10/8/2019 8:00	0.0		10/7/2020 8:00	0.0	
10/8/2017 9:00	52		10/8/2018 9:00	0.0		10/8/2019 9:00	0.0		10/7/2020 9:00	0.0	
10/8/2017 10:00	52		10/8/2018 10:00	0.0		10/8/2019 10:00	0.0		10/7/2020 10:00	0.0	
10/8/2017 11:00	52		10/8/2018 11:00	0.0		10/8/2019 11:00	0.0		10/7/2020 11:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
10/8/2017 12:00	52		10/8/2018 12:00	0.0		10/8/2019 12:00	0.0		10/7/2020 12:00	0.0	
10/8/2017 13:00	52		10/8/2018 13:00	0.0		10/8/2019 13:00	0.0		10/7/2020 13:00	0.0	
10/8/2017 14:00	52		10/8/2018 14:00	0.0		10/8/2019 14:00	0.0		10/7/2020 14:00	0.0	
10/8/2017 15:00	52		10/8/2018 15:00	0.0		10/8/2019 15:00	0.0		10/7/2020 15:00	0.0	
10/8/2017 16:00	52		10/8/2018 16:00	0.0		10/8/2019 16:00	0.0		10/7/2020 16:00	0.0	
10/8/2017 17:00	52		10/8/2018 17:00	0.0		10/8/2019 17:00	0.0		10/7/2020 17:00	0.0	
10/8/2017 18:00	52		10/8/2018 18:00	0.0		10/8/2019 18:00	0.0		10/7/2020 18:00	0.0	
10/8/2017 19:00	52		10/8/2018 19:00	0.0		10/8/2019 19:00	0.0		10/7/2020 19:00	0.0	
10/8/2017 20:00	52		10/8/2018 20:00	0.0		10/8/2019 20:00	0.0		10/7/2020 20:00	0.0	
10/8/2017 21:00	52		10/8/2018 21:00	0.0		10/8/2019 21:00	0.0		10/7/2020 21:00	0.0	
10/8/2017 22:00	52		10/8/2018 22:00	0.0		10/8/2019 22:00	0.0		10/7/2020 22:00	0.0	
10/8/2017 23:00	52	52.0	10/8/2018 23:00	0.0	0.0	10/8/2019 23:00	0.0	0.0	10/7/2020 23:00	0.0	0.0
10/9/2017 0:00	32.5		10/9/2018 0:00	0.0		10/9/2019 0:00	0.0		10/8/2020 0:00	0.0	
10/9/2017 1:00	32.5		10/9/2018 1:00	0.0		10/9/2019 1:00	0.0		10/8/2020 1:00	0.0	
10/9/2017 2:00	32.5		10/9/2018 2:00	0.0		10/9/2019 2:00	0.0		10/8/2020 2:00	0.0	
10/9/2017 3:00	32.5		10/9/2018 3:00	0.0		10/9/2019 3:00	0.0		10/8/2020 3:00	0.0	
10/9/2017 4:00	32.5		10/9/2018 4:00	0.0		10/9/2019 4:00	0.0		10/8/2020 4:00	0.0	
10/9/2017 5:00	32.5		10/9/2018 5:00	0.0		10/9/2019 5:00	0.0		10/8/2020 5:00	0.0	
10/9/2017 6:00	32.5		10/9/2018 6:00	0.0		10/9/2019 6:00	0.0		10/8/2020 6:00	0.0	
10/9/2017 7:00	32.5		10/9/2018 7:00	0.0		10/9/2019 7:00	0.0		10/8/2020 7:00	0.0	
10/9/2017 8:00	32.5		10/9/2018 8:00	0.0		10/9/2019 8:00	0.0		10/8/2020 8:00	0.0	
10/9/2017 9:00	32.5		10/9/2018 9:00	0.0		10/9/2019 9:00	0.0		10/8/2020 9:00	0.0	
10/9/2017 10:00	32.5		10/9/2018 10:00	0.0		10/9/2019 10:00	0.0		10/8/2020 10:00	0.0	
10/9/2017 11:00	32.5		10/9/2018 11:00	0.0		10/9/2019 11:00	0.0		10/8/2020 11:00	0.0	
10/9/2017 12:00	32.5		10/9/2018 12:00	0.0		10/9/2019 12:00	0.0		10/8/2020 12:00	0.0	
10/9/2017 13:00	32.5		10/9/2018 13:00	0.0		10/9/2019 13:00	0.0		10/8/2020 13:00	0.0	
10/9/2017 14:00	32.5		10/9/2018 14:00	0.0		10/9/2019 14:00	0.0		10/8/2020 14:00	0.0	
10/9/2017 15:00	32.5		10/9/2018 15:00	0.0		10/9/2019 15:00	0.0		10/8/2020 15:00	0.0	
10/9/2017 16:00	32.5		10/9/2018 16:00	0.0		10/9/2019 16:00	0.0		10/8/2020 16:00	0.0	
10/9/2017 17:00	32.5		10/9/2018 17:00	0.0		10/9/2019 17:00	0.0		10/8/2020 17:00	0.0	
10/9/2017 18:00	32.5		10/9/2018 18:00	0.0		10/9/2019 18:00	0.0		10/8/2020 18:00	0.0	
10/9/2017 19:00	32.5		10/9/2018 19:00	0.0		10/9/2019 19:00	0.0		10/8/2020 19:00	0.0	
10/9/2017 20:00	32.5		10/9/2018 20:00	0.0		10/9/2019 20:00	0.0		10/8/2020 20:00	0.0	
10/9/2017 21:00	32.5		10/9/2018 21:00	0.0		10/9/2019 21:00	0.0		10/8/2020 21:00	0.0	
10/9/2017 22:00	32.5		10/9/2018 22:00	0.0		10/9/2019 22:00	0.0		10/8/2020 22:00	0.0	
10/9/2017 23:00	32.5	32.5	10/9/2018 23:00	0.0	0.0	10/9/2019 23:00	0.0	0.0	10/8/2020 23:00	0.0	0.0
10/10/2017 0:00	31.2		10/10/2018 0:00	0.0		10/10/2019 0:00	0.0		10/9/2020 0:00	0.0	
10/10/2017 1:00	31.2		10/10/2018 1:00	0.0		10/10/2019 1:00	0.0		10/9/2020 1:00	0.0	
10/10/2017 2:00	31.2		10/10/2018 2:00	0.0		10/10/2019 2:00	0.0		10/9/2020 2:00	0.0	
10/10/2017 3:00	31.2		10/10/2018 3:00	0.0		10/10/2019 3:00	0.0		10/9/2020 3:00	0.0	
10/10/2017 4:00	31.2		10/10/2018 4:00	0.0		10/10/2019 4:00	0.0		10/9/2020 4:00	0.0	
10/10/2017 5:00	31.2		10/10/2018 5:00	0.0		10/10/2019 5:00	0.0		10/9/2020 5:00	0.0	
10/10/2017 6:00	31.2		10/10/2018 6:00	0.0		10/10/2019 6:00	0.0		10/9/2020 6:00	0.0	
10/10/2017 7:00	31.2		10/10/2018 7:00	0.0		10/10/2019 7:00	0.0		10/9/2020 7:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
10/10/2017 8:00	31.2		10/10/2018 8:00	0.0		10/10/2019 8:00	0.0		10/9/2020 8:00	0.0	
10/10/2017 9:00	31.2		10/10/2018 9:00	0.0		10/10/2019 9:00	0.0		10/9/2020 9:00	0.0	
10/10/2017 10:00	31.2		10/10/2018 10:00	0.0		10/10/2019 10:00	0.0		10/9/2020 10:00	0.0	
10/10/2017 11:00	31.2		10/10/2018 11:00	0.0		10/10/2019 11:00	0.0		10/9/2020 11:00	0.0	
10/10/2017 12:00	31.2		10/10/2018 12:00	0.0		10/10/2019 12:00	0.0		10/9/2020 12:00	0.0	
10/10/2017 13:00	31.2		10/10/2018 13:00	0.0		10/10/2019 13:00	0.0		10/9/2020 13:00	0.0	
10/10/2017 14:00	31.2		10/10/2018 14:00	0.0		10/10/2019 14:00	0.0		10/9/2020 14:00	0.0	
10/10/2017 15:00	31.2		10/10/2018 15:00	0.0		10/10/2019 15:00	0.0		10/9/2020 15:00	0.0	
10/10/2017 16:00	31.2		10/10/2018 16:00	0.0		10/10/2019 16:00	0.0		10/9/2020 16:00	0.0	
10/10/2017 17:00	31.2		10/10/2018 17:00	0.0		10/10/2019 17:00	0.0		10/9/2020 17:00	0.0	
10/10/2017 18:00	31.2		10/10/2018 18:00	0.0		10/10/2019 18:00	0.0		10/9/2020 18:00	0.0	
10/10/2017 19:00	31.2		10/10/2018 19:00	0.0		10/10/2019 19:00	0.0		10/9/2020 19:00	0.0	
10/10/2017 20:00	31.2		10/10/2018 20:00	0.0		10/10/2019 20:00	0.0		10/9/2020 20:00	0.0	
10/10/2017 21:00	31.2		10/10/2018 21:00	0.0		10/10/2019 21:00	0.0		10/9/2020 21:00	0.0	
10/10/2017 22:00	31.2		10/10/2018 22:00	0.0		10/10/2019 22:00	0.0		10/9/2020 22:00	0.0	
10/10/2017 23:00	31.2	31.2	10/10/2018 23:00	0.0	0.0	10/10/2019 23:00	0.0	0.0	10/9/2020 23:00	0.0	0.0
10/11/2017 0:00	31.2		10/11/2018 0:00	0.0		10/11/2019 0:00	0.0		10/10/2020 0:00	0.0	
10/11/2017 1:00	31.2		10/11/2018 1:00	0.0		10/11/2019 1:00	0.0		10/10/2020 1:00	0.0	
10/11/2017 2:00	31.2		10/11/2018 2:00	0.0		10/11/2019 2:00	0.0		10/10/2020 2:00	0.0	
10/11/2017 3:00	31.2		10/11/2018 3:00	0.0		10/11/2019 3:00	0.0		10/10/2020 3:00	0.0	
10/11/2017 4:00	31.2		10/11/2018 4:00	0.0		10/11/2019 4:00	0.0		10/10/2020 4:00	0.0	
10/11/2017 5:00	31.2		10/11/2018 5:00	0.0		10/11/2019 5:00	0.0		10/10/2020 5:00	0.0	
10/11/2017 6:00	31.2		10/11/2018 6:00	0.0		10/11/2019 6:00	0.0		10/10/2020 6:00	0.0	
10/11/2017 7:00	31.2		10/11/2018 7:00	0.0		10/11/2019 7:00	0.0		10/10/2020 7:00	0.0	
10/11/2017 8:00	31.2		10/11/2018 8:00	0.0		10/11/2019 8:00	0.0		10/10/2020 8:00	0.0	
10/11/2017 9:00	31.2		10/11/2018 9:00	0.0		10/11/2019 9:00	0.0		10/10/2020 9:00	0.0	
10/11/2017 10:00	31.2		10/11/2018 10:00	0.0		10/11/2019 10:00	0.0		10/10/2020 10:00	0.0	
10/11/2017 11:00	31.2		10/11/2018 11:00	0.0		10/11/2019 11:00	0.0		10/10/2020 11:00	0.0	
10/11/2017 12:00	31.2		10/11/2018 12:00	0.0		10/11/2019 12:00	0.0		10/10/2020 12:00	0.0	
10/11/2017 13:00	31.2		10/11/2018 13:00	0.0		10/11/2019 13:00	0.0		10/10/2020 13:00	0.0	
10/11/2017 14:00	31.2		10/11/2018 14:00	0.0		10/11/2019 14:00	0.0		10/10/2020 14:00	0.0	
10/11/2017 15:00	31.2		10/11/2018 15:00	0.0		10/11/2019 15:00	0.0		10/10/2020 15:00	0.0	
10/11/2017 16:00	31.2		10/11/2018 16:00	0.0		10/11/2019 16:00	0.0		10/10/2020 16:00	0.0	
10/11/2017 17:00	31.2		10/11/2018 17:00	0.0		10/11/2019 17:00	0.0		10/10/2020 17:00	0.0	
10/11/2017 18:00	31.2		10/11/2018 18:00	0.0		10/11/2019 18:00	0.0		10/10/2020 18:00	0.0	
10/11/2017 19:00	31.2		10/11/2018 19:00	0.0		10/11/2019 19:00	0.0		10/10/2020 19:00	0.0	
10/11/2017 20:00	31.2		10/11/2018 20:00	0.0		10/11/2019 20:00	0.0		10/10/2020 20:00	0.0	
10/11/2017 21:00	31.2		10/11/2018 21:00	0.0		10/11/2019 21:00	0.0		10/10/2020 21:00	0.0	
10/11/2017 22:00	31.2		10/11/2018 22:00	0.0		10/11/2019 22:00	0.0		10/10/2020 22:00	20.8	
10/11/2017 23:00	31.2	31.2	10/11/2018 23:00	0.0	0.0	10/11/2019 23:00	0.0	0.0	10/10/2020 23:00	38.6	38.6
10/12/2017 0:00	31.2		10/12/2018 0:00	0.0		10/12/2019 0:00	0.0		10/11/2020 0:00	2.6	
10/12/2017 1:00	31.2		10/12/2018 1:00	0.0		10/12/2019 1:00	0.0		10/11/2020 1:00	234.4	
10/12/2017 2:00	31.2		10/12/2018 2:00	0.0		10/12/2019 2:00	0.0		10/11/2020 2:00	346.8	
10/12/2017 3:00	31.2		10/12/2018 3:00	0.0		10/12/2019 3:00	0.0		10/11/2020 3:00	257.8	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
10/12/2017 4:00	31.2		10/12/2018 4:00	0.0		10/12/2019 4:00	0.0		10/11/2020 4:00	260.2	
10/12/2017 5:00	31.2		10/12/2018 5:00	0.0		10/12/2019 5:00	0.0		10/11/2020 5:00	260.2	
10/12/2017 6:00	31.2		10/12/2018 6:00	0.0		10/12/2019 6:00	0.0		10/11/2020 6:00	260.2	
10/12/2017 7:00	31.2		10/12/2018 7:00	0.0		10/12/2019 7:00	0.0		10/11/2020 7:00	260.2	
10/12/2017 8:00	31.2		10/12/2018 8:00	0.0		10/12/2019 8:00	0.0		10/11/2020 8:00	258.6	
10/12/2017 9:00	31.2		10/12/2018 9:00	0.0		10/12/2019 9:00	0.0		10/11/2020 9:00	257.1	
10/12/2017 10:00	31.2		10/12/2018 10:00	0.0		10/12/2019 10:00	0.0		10/11/2020 10:00	312.4	
10/12/2017 11:00	31.2		10/12/2018 11:00	0.0		10/12/2019 11:00	0.0		10/11/2020 11:00	327.1	
10/12/2017 12:00	31.2		10/12/2018 12:00	0.0		10/12/2019 12:00	0.0		10/11/2020 12:00	325.1	
10/12/2017 13:00	31.2		10/12/2018 13:00	0.0		10/12/2019 13:00	0.0		10/11/2020 13:00	327.5	
10/12/2017 14:00	31.2		10/12/2018 14:00	0.0		10/12/2019 14:00	0.0		10/11/2020 14:00	349.0	
10/12/2017 15:00	31.2		10/12/2018 15:00	0.0		10/12/2019 15:00	0.0		10/11/2020 15:00	253.1	
10/12/2017 16:00	31.2		10/12/2018 16:00	0.0		10/12/2019 16:00	0.0		10/11/2020 16:00	249.9	
10/12/2017 17:00	31.2		10/12/2018 17:00	0.0		10/12/2019 17:00	0.0		10/11/2020 17:00	249.9	
10/12/2017 18:00	31.2		10/12/2018 18:00	0.0		10/12/2019 18:00	0.0		10/11/2020 18:00	251.7	
10/12/2017 19:00	31.2		10/12/2018 19:00	0.0		10/12/2019 19:00	0.0		10/11/2020 19:00	253.0	
10/12/2017 20:00	31.2		10/12/2018 20:00	0.0		10/12/2019 20:00	0.0		10/11/2020 20:00	253.1	
10/12/2017 21:00	31.2		10/12/2018 21:00	0.0		10/12/2019 21:00	0.0		10/11/2020 21:00	252.4	
10/12/2017 22:00	31.2		10/12/2018 22:00	0.0		10/12/2019 22:00	0.0		10/11/2020 22:00	253.0	
10/12/2017 23:00	31.2	31.2	10/12/2018 23:00	0.0	0.0	10/12/2019 23:00	0.0	0.0	10/11/2020 23:00	253.0	349.0
10/13/2017 0:00	31.2		10/13/2018 0:00	0.0		10/13/2019 0:00	0.0		10/12/2020 0:00	252.8	
10/13/2017 1:00	31.2		10/13/2018 1:00	0.0		10/13/2019 1:00	0.0		10/12/2020 1:00	252.2	
10/13/2017 2:00	31.2		10/13/2018 2:00	0.0		10/13/2019 2:00	0.0		10/12/2020 2:00	249.9	
10/13/2017 3:00	31.2		10/13/2018 3:00	0.0		10/13/2019 3:00	0.0		10/12/2020 3:00	249.9	
10/13/2017 4:00	31.2		10/13/2018 4:00	0.0		10/13/2019 4:00	0.0		10/12/2020 4:00	248.9	
10/13/2017 5:00	31.2		10/13/2018 5:00	0.0		10/13/2019 5:00	0.0		10/12/2020 5:00	247.2	
10/13/2017 6:00	31.2		10/13/2018 6:00	0.0		10/13/2019 6:00	0.0		10/12/2020 6:00	246.9	
10/13/2017 7:00	31.2		10/13/2018 7:00	0.0		10/13/2019 7:00	0.0		10/12/2020 7:00	246.8	
10/13/2017 8:00	31.2		10/13/2018 8:00	0.0		10/13/2019 8:00	0.0		10/12/2020 8:00	246.8	
10/13/2017 9:00	31.2		10/13/2018 9:00	0.0		10/13/2019 9:00	0.0		10/12/2020 9:00	246.8	
10/13/2017 10:00	31.2		10/13/2018 10:00	0.0		10/13/2019 10:00	0.0		10/12/2020 10:00	245.1	
10/13/2017 11:00	31.2		10/13/2018 11:00	0.0		10/13/2019 11:00	0.0		10/12/2020 11:00	245.0	
10/13/2017 12:00	31.2		10/13/2018 12:00	0.0		10/13/2019 12:00	0.0		10/12/2020 12:00	242.7	
10/13/2017 13:00	31.2		10/13/2018 13:00	0.0		10/13/2019 13:00	0.0		10/12/2020 13:00	242.7	
10/13/2017 14:00	31.2		10/13/2018 14:00	0.0		10/13/2019 14:00	0.0		10/12/2020 14:00	121.3	
10/13/2017 15:00	31.2		10/13/2018 15:00	0.0		10/13/2019 15:00	0.0		10/12/2020 15:00	0.0	
10/13/2017 16:00	31.2		10/13/2018 16:00	0.0		10/13/2019 16:00	0.0		10/12/2020 16:00	0.0	
10/13/2017 17:00	31.2		10/13/2018 17:00	0.0		10/13/2019 17:00	0.0		10/12/2020 17:00	0.0	
10/13/2017 18:00	31.2		10/13/2018 18:00	0.0		10/13/2019 18:00	0.0		10/12/2020 18:00	0.0	
10/13/2017 19:00	31.2		10/13/2018 19:00	0.0		10/13/2019 19:00	0.0		10/12/2020 19:00	0.0	
10/13/2017 20:00	31.2		10/13/2018 20:00	0.0		10/13/2019 20:00	0.0		10/12/2020 20:00	0.0	
10/13/2017 21:00	31.2		10/13/2018 21:00	0.0		10/13/2019 21:00	0.0		10/12/2020 21:00	0.0	
10/13/2017 22:00	31.2		10/13/2018 22:00	0.0		10/13/2019 22:00	0.0		10/12/2020 22:00	0.0	
10/13/2017 23:00	31.2	31.2	10/13/2018 23:00	0.0	0.0	10/13/2019 23:00	0.0	0.0	10/12/2020 23:00	0.0	252.8

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
10/14/2017 0:00	shutdown		10/14/2018 0:00	0.0		10/14/2019 0:00	0.0		10/13/2020 0:00	0.0	
10/14/2017 1:00	shutdown		10/14/2018 1:00	0.0		10/14/2019 1:00	0.0		10/13/2020 1:00	0.0	
10/14/2017 2:00	shutdown		10/14/2018 2:00	0.0		10/14/2019 2:00	0.0		10/13/2020 2:00	0.0	
10/14/2017 3:00	shutdown		10/14/2018 3:00	0.0		10/14/2019 3:00	0.0		10/13/2020 3:00	0.0	
10/14/2017 4:00	shutdown		10/14/2018 4:00	0.0		10/14/2019 4:00	0.0		10/13/2020 4:00	0.0	
10/14/2017 5:00	shutdown		10/14/2018 5:00	0.0		10/14/2019 5:00	0.0		10/13/2020 5:00	0.0	
10/14/2017 6:00	shutdown		10/14/2018 6:00	0.0		10/14/2019 6:00	0.0		10/13/2020 6:00	0.0	
10/14/2017 7:00	shutdown		10/14/2018 7:00	0.0		10/14/2019 7:00	0.0		10/13/2020 7:00	0.0	
10/14/2017 8:00	shutdown		10/14/2018 8:00	0.0		10/14/2019 8:00	0.0		10/13/2020 8:00	0.0	
10/14/2017 9:00	shutdown		10/14/2018 9:00	0.0		10/14/2019 9:00	0.0		10/13/2020 9:00	0.0	
10/14/2017 10:00	shutdown		10/14/2018 10:00	0.0		10/14/2019 10:00	0.0		10/13/2020 10:00	0.0	
10/14/2017 11:00	shutdown		10/14/2018 11:00	0.0		10/14/2019 11:00	0.0		10/13/2020 11:00	0.0	
10/14/2017 12:00	shutdown		10/14/2018 12:00	0.0		10/14/2019 12:00	0.0		10/13/2020 12:00	0.0	
10/14/2017 13:00	shutdown		10/14/2018 13:00	0.0		10/14/2019 13:00	0.0		10/13/2020 13:00	0.0	
10/14/2017 14:00	shutdown		10/14/2018 14:00	0.0		10/14/2019 14:00	0.0		10/13/2020 14:00	0.0	
10/14/2017 15:00	shutdown		10/14/2018 15:00	0.0		10/14/2019 15:00	0.0		10/13/2020 15:00	0.0	
10/14/2017 16:00	shutdown		10/14/2018 16:00	0.0		10/14/2019 16:00	0.0		10/13/2020 16:00	0.0	
10/14/2017 17:00	shutdown		10/14/2018 17:00	0.0		10/14/2019 17:00	0.0		10/13/2020 17:00	0.0	
10/14/2017 18:00	shutdown		10/14/2018 18:00	0.0		10/14/2019 18:00	0.0		10/13/2020 18:00	0.0	
10/14/2017 19:00	shutdown		10/14/2018 19:00	0.0		10/14/2019 19:00	0.0		10/13/2020 19:00	0.0	
10/14/2017 20:00	shutdown		10/14/2018 20:00	0.0		10/14/2019 20:00	0.0		10/13/2020 20:00	0.0	
10/14/2017 21:00	shutdown		10/14/2018 21:00	0.0		10/14/2019 21:00	0.0		10/13/2020 21:00	0.0	
10/14/2017 22:00	shutdown		10/14/2018 22:00	0.0		10/14/2019 22:00	0.0		10/13/2020 22:00	0.0	
10/14/2017 23:00	shutdown	0.0	10/14/2018 23:00	0.0	0.0	10/14/2019 23:00	0.0	0.0	10/13/2020 23:00	0.0	0.0
10/15/2017 0:00	shutdown		10/15/2018 0:00	0.0		10/15/2019 0:00	0.0		10/14/2020 0:00	0.0	
10/15/2017 1:00	shutdown		10/15/2018 1:00	0.0		10/15/2019 1:00	0.0		10/14/2020 1:00	0.0	
10/15/2017 2:00	shutdown		10/15/2018 2:00	0.0		10/15/2019 2:00	0.0		10/14/2020 2:00	0.0	
10/15/2017 3:00	shutdown		10/15/2018 3:00	0.0		10/15/2019 3:00	0.0		10/14/2020 3:00	0.0	
10/15/2017 4:00	shutdown		10/15/2018 4:00	0.0		10/15/2019 4:00	0.0		10/14/2020 4:00	0.0	
10/15/2017 5:00	shutdown		10/15/2018 5:00	0.0		10/15/2019 5:00	0.0		10/14/2020 5:00	0.0	
10/15/2017 6:00	shutdown		10/15/2018 6:00	0.0		10/15/2019 6:00	0.0		10/14/2020 6:00	0.0	
10/15/2017 7:00	shutdown		10/15/2018 7:00	0.0		10/15/2019 7:00	0.0		10/14/2020 7:00	0.0	
10/15/2017 8:00	shutdown		10/15/2018 8:00	0.0		10/15/2019 8:00	0.0		10/14/2020 8:00	0.0	
10/15/2017 9:00	shutdown		10/15/2018 9:00	0.0		10/15/2019 9:00	0.0		10/14/2020 9:00	0.0	
10/15/2017 10:00	shutdown		10/15/2018 10:00	0.0		10/15/2019 10:00	0.0		10/14/2020 10:00	0.0	
10/15/2017 11:00	shutdown		10/15/2018 11:00	0.0		10/15/2019 11:00	0.0		10/14/2020 11:00	0.0	
10/15/2017 12:00	shutdown		10/15/2018 12:00	0.0		10/15/2019 12:00	0.0		10/14/2020 12:00	0.0	
10/15/2017 13:00	shutdown		10/15/2018 13:00	0.0		10/15/2019 13:00	0.0		10/14/2020 13:00	0.0	
10/15/2017 14:00	shutdown		10/15/2018 14:00	0.0		10/15/2019 14:00	0.0		10/14/2020 14:00	0.0	
10/15/2017 15:00	shutdown		10/15/2018 15:00	0.0		10/15/2019 15:00	0.0		10/14/2020 15:00	0.0	
10/15/2017 16:00	shutdown		10/15/2018 16:00	0.0		10/15/2019 16:00	0.0		10/14/2020 16:00	0.0	
10/15/2017 17:00	shutdown		10/15/2018 17:00	0.0		10/15/2019 17:00	0.0		10/14/2020 17:00	0.0	
10/15/2017 18:00	shutdown		10/15/2018 18:00	0.0		10/15/2019 18:00	0.0		10/14/2020 18:00	0.0	
10/15/2017 19:00	shutdown		10/15/2018 19:00	0.0		10/15/2019 19:00	0.0		10/14/2020 19:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
10/15/2017 20:00	shutdown		10/15/2018 20:00	0.0		10/15/2019 20:00	0.0		10/14/2020 20:00	0.0	
10/15/2017 21:00	shutdown		10/15/2018 21:00	0.0		10/15/2019 21:00	0.0		10/14/2020 21:00	0.0	
10/15/2017 22:00	shutdown		10/15/2018 22:00	0.0		10/15/2019 22:00	0.0		10/14/2020 22:00	0.0	
10/15/2017 23:00	shutdown	0.0	10/15/2018 23:00	0.0	0.0	10/15/2019 23:00	0.0	0.0	10/14/2020 23:00	0.0	0.0
10/16/2017 0:00	shutdown		10/16/2018 0:00	0.0		10/16/2019 0:00	0.0		10/15/2020 0:00	0.0	
10/16/2017 1:00	shutdown		10/16/2018 1:00	0.0		10/16/2019 1:00	0.0		10/15/2020 1:00	0.0	
10/16/2017 2:00	shutdown		10/16/2018 2:00	0.0		10/16/2019 2:00	0.0		10/15/2020 2:00	0.0	
10/16/2017 3:00	shutdown		10/16/2018 3:00	0.0		10/16/2019 3:00	0.0		10/15/2020 3:00	0.0	
10/16/2017 4:00	shutdown		10/16/2018 4:00	0.0		10/16/2019 4:00	0.0		10/15/2020 4:00	0.0	
10/16/2017 5:00	shutdown		10/16/2018 5:00	0.0		10/16/2019 5:00	0.0		10/15/2020 5:00	0.0	
10/16/2017 6:00	shutdown		10/16/2018 6:00	0.0		10/16/2019 6:00	0.0		10/15/2020 6:00	0.0	
10/16/2017 7:00	shutdown		10/16/2018 7:00	0.0		10/16/2019 7:00	0.0		10/15/2020 7:00	0.0	
10/16/2017 8:00	shutdown		10/16/2018 8:00	0.0		10/16/2019 8:00	0.0		10/15/2020 8:00	0.0	
10/16/2017 9:00	shutdown		10/16/2018 9:00	0.0		10/16/2019 9:00	0.0		10/15/2020 9:00	0.0	
10/16/2017 10:00	shutdown		10/16/2018 10:00	0.0		10/16/2019 10:00	0.0		10/15/2020 10:00	0.0	
10/16/2017 11:00	shutdown		10/16/2018 11:00	0.0		10/16/2019 11:00	0.0		10/15/2020 11:00	0.0	
10/16/2017 12:00	shutdown		10/16/2018 12:00	0.0		10/16/2019 12:00	0.0		10/15/2020 12:00	0.0	
10/16/2017 13:00	shutdown		10/16/2018 13:00	0.0		10/16/2019 13:00	0.0		10/15/2020 13:00	0.0	
10/16/2017 14:00	shutdown		10/16/2018 14:00	0.0		10/16/2019 14:00	0.0		10/15/2020 14:00	0.0	
10/16/2017 15:00	shutdown		10/16/2018 15:00	0.0		10/16/2019 15:00	0.0		10/15/2020 15:00	0.0	
10/16/2017 16:00	shutdown		10/16/2018 16:00	0.0		10/16/2019 16:00	0.0		10/15/2020 16:00	0.0	
10/16/2017 17:00	shutdown		10/16/2018 17:00	0.0		10/16/2019 17:00	0.0		10/15/2020 17:00	0.0	
10/16/2017 18:00	shutdown		10/16/2018 18:00	0.0		10/16/2019 18:00	0.0		10/15/2020 18:00	0.0	
10/16/2017 19:00	shutdown		10/16/2018 19:00	0.0		10/16/2019 19:00	0.0		10/15/2020 19:00	0.0	
10/16/2017 20:00	shutdown		10/16/2018 20:00	0.0		10/16/2019 20:00	0.0		10/15/2020 20:00	0.0	
10/16/2017 21:00	shutdown		10/16/2018 21:00	0.0		10/16/2019 21:00	0.0		10/15/2020 21:00	0.0	
10/16/2017 22:00	shutdown		10/16/2018 22:00	0.0		10/16/2019 22:00	0.0		10/15/2020 22:00	0.0	
10/16/2017 23:00	shutdown	0.0	10/16/2018 23:00	0.0	0.0	10/16/2019 23:00	0.0	0.0	10/15/2020 23:00	0.0	0.0
10/17/2017 0:00	shutdown		10/17/2018 0:00	0.0		10/17/2019 0:00	0.0		10/16/2020 0:00	0.0	
10/17/2017 1:00	shutdown		10/17/2018 1:00	0.0		10/17/2019 1:00	0.0		10/16/2020 1:00	0.0	
10/17/2017 2:00	shutdown		10/17/2018 2:00	0.0		10/17/2019 2:00	0.0		10/16/2020 2:00	0.0	
10/17/2017 3:00	shutdown		10/17/2018 3:00	0.0		10/17/2019 3:00	0.0		10/16/2020 3:00	0.0	
10/17/2017 4:00	shutdown		10/17/2018 4:00	0.0		10/17/2019 4:00	0.0		10/16/2020 4:00	0.0	
10/17/2017 5:00	shutdown		10/17/2018 5:00	0.0		10/17/2019 5:00	0.0		10/16/2020 5:00	0.0	
10/17/2017 6:00	shutdown		10/17/2018 6:00	0.0		10/17/2019 6:00	0.0		10/16/2020 6:00	0.0	
10/17/2017 7:00	shutdown		10/17/2018 7:00	0.0		10/17/2019 7:00	0.0		10/16/2020 7:00	0.0	
10/17/2017 8:00	shutdown		10/17/2018 8:00	0.0		10/17/2019 8:00	0.0		10/16/2020 8:00	0.0	
10/17/2017 9:00	shutdown		10/17/2018 9:00	0.0		10/17/2019 9:00	0.0		10/16/2020 9:00	0.0	
10/17/2017 10:00	shutdown		10/17/2018 10:00	0.0		10/17/2019 10:00	0.0		10/16/2020 10:00	0.0	
10/17/2017 11:00	shutdown		10/17/2018 11:00	0.0		10/17/2019 11:00	0.0		10/16/2020 11:00	0.0	
10/17/2017 12:00	shutdown		10/17/2018 12:00	0.0		10/17/2019 12:00	0.0		10/16/2020 12:00	0.0	
10/17/2017 13:00	shutdown		10/17/2018 13:00	0.0		10/17/2019 13:00	0.0		10/16/2020 13:00	0.0	
10/17/2017 14:00	shutdown		10/17/2018 14:00	0.0		10/17/2019 14:00	0.0		10/16/2020 14:00	0.0	
10/17/2017 15:00	shutdown		10/17/2018 15:00	0.0		10/17/2019 15:00	0.0		10/16/2020 15:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
10/17/2017 16:00	shutdown		10/17/2018 16:00	0.0		10/17/2019 16:00	0.0		10/16/2020 16:00	0.0	
10/17/2017 17:00	shutdown		10/17/2018 17:00	0.0		10/17/2019 17:00	0.0		10/16/2020 17:00	0.0	
10/17/2017 18:00	shutdown		10/17/2018 18:00	0.0		10/17/2019 18:00	0.0		10/16/2020 18:00	0.0	
10/17/2017 19:00	shutdown		10/17/2018 19:00	0.0		10/17/2019 19:00	0.0		10/16/2020 19:00	0.0	
10/17/2017 20:00	shutdown		10/17/2018 20:00	0.0		10/17/2019 20:00	0.0		10/16/2020 20:00	0.0	
10/17/2017 21:00	shutdown		10/17/2018 21:00	0.0		10/17/2019 21:00	0.0		10/16/2020 21:00	0.0	
10/17/2017 22:00	shutdown		10/17/2018 22:00	0.0		10/17/2019 22:00	0.0		10/16/2020 22:00	0.0	
10/17/2017 23:00	shutdown	0.0	10/17/2018 23:00	0.0	0.0	10/17/2019 23:00	0.0	0.0	10/16/2020 23:00	0.0	0.0
10/18/2017 0:00	shutdown		10/18/2018 0:00	0.0		10/18/2019 0:00	0.0		10/17/2020 0:00	0.0	
10/18/2017 1:00	shutdown		10/18/2018 1:00	0.0		10/18/2019 1:00	0.0		10/17/2020 1:00	0.0	
10/18/2017 2:00	shutdown		10/18/2018 2:00	0.0		10/18/2019 2:00	0.0		10/17/2020 2:00	0.0	
10/18/2017 3:00	shutdown		10/18/2018 3:00	0.0		10/18/2019 3:00	0.0		10/17/2020 3:00	0.0	
10/18/2017 4:00	shutdown		10/18/2018 4:00	0.0		10/18/2019 4:00	0.0		10/17/2020 4:00	0.0	
10/18/2017 5:00	shutdown		10/18/2018 5:00	0.0		10/18/2019 5:00	0.0		10/17/2020 5:00	0.0	
10/18/2017 6:00	shutdown		10/18/2018 6:00	0.0		10/18/2019 6:00	0.0		10/17/2020 6:00	0.0	
10/18/2017 7:00	shutdown		10/18/2018 7:00	0.0		10/18/2019 7:00	0.0		10/17/2020 7:00	0.0	
10/18/2017 8:00	shutdown		10/18/2018 8:00	0.0		10/18/2019 8:00	0.0		10/17/2020 8:00	0.0	
10/18/2017 9:00	shutdown		10/18/2018 9:00	0.0		10/18/2019 9:00	0.0		10/17/2020 9:00	0.0	
10/18/2017 10:00	shutdown		10/18/2018 10:00	0.0		10/18/2019 10:00	0.0		10/17/2020 10:00	0.0	
10/18/2017 11:00	shutdown		10/18/2018 11:00	0.0		10/18/2019 11:00	0.0		10/17/2020 11:00	0.0	
10/18/2017 12:00	shutdown		10/18/2018 12:00	0.0		10/18/2019 12:00	0.0		10/17/2020 12:00	0.0	
10/18/2017 13:00	shutdown		10/18/2018 13:00	0.0		10/18/2019 13:00	0.0		10/17/2020 13:00	0.0	
10/18/2017 14:00	shutdown		10/18/2018 14:00	0.0		10/18/2019 14:00	0.0		10/17/2020 14:00	0.0	
10/18/2017 15:00	shutdown		10/18/2018 15:00	0.0		10/18/2019 15:00	0.0		10/17/2020 15:00	0.0	
10/18/2017 16:00	shutdown		10/18/2018 16:00	0.0		10/18/2019 16:00	0.0		10/17/2020 16:00	0.0	
10/18/2017 17:00	shutdown		10/18/2018 17:00	0.0		10/18/2019 17:00	0.0		10/17/2020 17:00	0.0	
10/18/2017 18:00	shutdown		10/18/2018 18:00	0.0		10/18/2019 18:00	0.0		10/17/2020 18:00	0.0	
10/18/2017 19:00	shutdown		10/18/2018 19:00	0.0		10/18/2019 19:00	0.0		10/17/2020 19:00	0.0	
10/18/2017 20:00	shutdown		10/18/2018 20:00	0.0		10/18/2019 20:00	0.0		10/17/2020 20:00	0.0	
10/18/2017 21:00	shutdown		10/18/2018 21:00	0.0		10/18/2019 21:00	0.0		10/17/2020 21:00	0.0	
10/18/2017 22:00	shutdown		10/18/2018 22:00	0.0		10/18/2019 22:00	0.0		10/17/2020 22:00	0.0	
10/18/2017 23:00	shutdown	0.0	10/18/2018 23:00	0.0	0.0	10/18/2019 23:00	0.0	0.0	10/17/2020 23:00	0.0	0.0
10/19/2017 0:00	shutdown		10/19/2018 0:00	0.0		10/19/2019 0:00	0.0		10/18/2020 0:00	0.0	
10/19/2017 1:00	shutdown		10/19/2018 1:00	0.0		10/19/2019 1:00	0.0		10/18/2020 1:00	0.0	
10/19/2017 2:00	shutdown		10/19/2018 2:00	0.0		10/19/2019 2:00	0.0		10/18/2020 2:00	0.0	
10/19/2017 3:00	shutdown		10/19/2018 3:00	0.0		10/19/2019 3:00	0.0		10/18/2020 3:00	0.0	
10/19/2017 4:00	shutdown		10/19/2018 4:00	0.0		10/19/2019 4:00	0.0		10/18/2020 4:00	0.0	
10/19/2017 5:00	shutdown		10/19/2018 5:00	0.0		10/19/2019 5:00	0.0		10/18/2020 5:00	0.0	
10/19/2017 6:00	shutdown		10/19/2018 6:00	0.0		10/19/2019 6:00	0.0		10/18/2020 6:00	0.0	
10/19/2017 7:00	shutdown		10/19/2018 7:00	0.0		10/19/2019 7:00	0.0		10/18/2020 7:00	0.0	
10/19/2017 8:00	shutdown		10/19/2018 8:00	0.0		10/19/2019 8:00	0.0		10/18/2020 8:00	0.0	
10/19/2017 9:00	shutdown		10/19/2018 9:00	0.0		10/19/2019 9:00	0.0		10/18/2020 9:00	0.0	
10/19/2017 10:00	shutdown		10/19/2018 10:00	0.0		10/19/2019 10:00	0.0		10/18/2020 10:00	0.0	
10/19/2017 11:00	shutdown		10/19/2018 11:00	0.0		10/19/2019 11:00	0.0		10/18/2020 11:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
10/19/2017 12:00	shutdown		10/19/2018 12:00	0.0		10/19/2019 12:00	0.0		10/18/2020 12:00	0.0	
10/19/2017 13:00	shutdown		10/19/2018 13:00	0.0		10/19/2019 13:00	0.0		10/18/2020 13:00	0.0	
10/19/2017 14:00	shutdown		10/19/2018 14:00	0.0		10/19/2019 14:00	0.0		10/18/2020 14:00	0.0	
10/19/2017 15:00	shutdown		10/19/2018 15:00	0.0		10/19/2019 15:00	0.0		10/18/2020 15:00	0.0	
10/19/2017 16:00	shutdown		10/19/2018 16:00	0.0		10/19/2019 16:00	0.0		10/18/2020 16:00	0.0	
10/19/2017 17:00	shutdown		10/19/2018 17:00	0.0		10/19/2019 17:00	0.0		10/18/2020 17:00	0.0	
10/19/2017 18:00	shutdown		10/19/2018 18:00	0.0		10/19/2019 18:00	0.0		10/18/2020 18:00	0.0	
10/19/2017 19:00	shutdown		10/19/2018 19:00	0.0		10/19/2019 19:00	0.0		10/18/2020 19:00	0.0	
10/19/2017 20:00	shutdown		10/19/2018 20:00	0.0		10/19/2019 20:00	0.0		10/18/2020 20:00	0.0	
10/19/2017 21:00	shutdown		10/19/2018 21:00	0.0		10/19/2019 21:00	0.0		10/18/2020 21:00	0.0	
10/19/2017 22:00	shutdown		10/19/2018 22:00	0.0		10/19/2019 22:00	0.0		10/18/2020 22:00	0.0	
10/19/2017 23:00	shutdown	0.0	10/19/2018 23:00	0.0	0.0	10/19/2019 23:00	0.0	0.0	10/18/2020 23:00	0.0	0.0
10/20/2017 0:00	shutdown		10/20/2018 0:00	0.0		10/20/2019 0:00	0.0		10/19/2020 0:00	0.0	
10/20/2017 1:00	shutdown		10/20/2018 1:00	0.0		10/20/2019 1:00	0.0		10/19/2020 1:00	0.0	
10/20/2017 2:00	shutdown		10/20/2018 2:00	0.0		10/20/2019 2:00	0.0		10/19/2020 2:00	0.0	
10/20/2017 3:00	shutdown		10/20/2018 3:00	0.0		10/20/2019 3:00	0.0		10/19/2020 3:00	0.0	
10/20/2017 4:00	shutdown		10/20/2018 4:00	0.0		10/20/2019 4:00	0.0		10/19/2020 4:00	0.0	
10/20/2017 5:00	shutdown		10/20/2018 5:00	0.0		10/20/2019 5:00	0.0		10/19/2020 5:00	0.0	
10/20/2017 6:00	shutdown		10/20/2018 6:00	0.0		10/20/2019 6:00	0.0		10/19/2020 6:00	0.0	
10/20/2017 7:00	shutdown		10/20/2018 7:00	0.0		10/20/2019 7:00	0.0		10/19/2020 7:00	0.0	
10/20/2017 8:00	shutdown		10/20/2018 8:00	0.0		10/20/2019 8:00	0.0		10/19/2020 8:00	0.0	
10/20/2017 9:00	shutdown		10/20/2018 9:00	0.0		10/20/2019 9:00	0.0		10/19/2020 9:00	0.0	
10/20/2017 10:00	shutdown		10/20/2018 10:00	0.0		10/20/2019 10:00	0.0		10/19/2020 10:00	0.0	
10/20/2017 11:00	shutdown		10/20/2018 11:00	0.0		10/20/2019 11:00	0.0		10/19/2020 11:00	0.0	
10/20/2017 12:00	shutdown		10/20/2018 12:00	0.0		10/20/2019 12:00	0.0		10/19/2020 12:00	0.0	
10/20/2017 13:00	shutdown		10/20/2018 13:00	0.0		10/20/2019 13:00	0.0		10/19/2020 13:00	0.0	
10/20/2017 14:00	shutdown		10/20/2018 14:00	0.0		10/20/2019 14:00	0.0		10/19/2020 14:00	0.0	
10/20/2017 15:00	shutdown		10/20/2018 15:00	0.0		10/20/2019 15:00	0.0		10/19/2020 15:00	0.0	
10/20/2017 16:00	shutdown		10/20/2018 16:00	0.0		10/20/2019 16:00	0.0		10/19/2020 16:00	0.0	
10/20/2017 17:00	shutdown		10/20/2018 17:00	0.0		10/20/2019 17:00	0.0		10/19/2020 17:00	0.0	
10/20/2017 18:00	shutdown		10/20/2018 18:00	0.0		10/20/2019 18:00	0.0		10/19/2020 18:00	0.0	
10/20/2017 19:00	shutdown		10/20/2018 19:00	0.0		10/20/2019 19:00	0.0		10/19/2020 19:00	0.0	
10/20/2017 20:00	shutdown		10/20/2018 20:00	0.0		10/20/2019 20:00	0.0		10/19/2020 20:00	0.0	
10/20/2017 21:00	shutdown		10/20/2018 21:00	0.0		10/20/2019 21:00	0.0		10/19/2020 21:00	0.0	
10/20/2017 22:00	shutdown		10/20/2018 22:00	0.0		10/20/2019 22:00	0.0		10/19/2020 22:00	0.0	
10/20/2017 23:00	shutdown	0.0	10/20/2018 23:00	0.0	0.0	10/20/2019 23:00	0.0	0.0	10/19/2020 23:00	0.0	0.0
10/21/2017 0:00	shutdown		10/21/2018 0:00	0.0		10/21/2019 0:00	0.0		10/20/2020 0:00	0.0	
10/21/2017 1:00	shutdown		10/21/2018 1:00	0.0		10/21/2019 1:00	0.0		10/20/2020 1:00	0.0	
10/21/2017 2:00	shutdown		10/21/2018 2:00	0.0		10/21/2019 2:00	0.0		10/20/2020 2:00	0.0	
10/21/2017 3:00	shutdown		10/21/2018 3:00	0.0		10/21/2019 3:00	0.0		10/20/2020 3:00	0.0	
10/21/2017 4:00	shutdown		10/21/2018 4:00	0.0		10/21/2019 4:00	0.0		10/20/2020 4:00	0.0	
10/21/2017 5:00	shutdown		10/21/2018 5:00	0.0		10/21/2019 5:00	0.0		10/20/2020 5:00	0.0	
10/21/2017 6:00	shutdown		10/21/2018 6:00	0.0		10/21/2019 6:00	0.0		10/20/2020 6:00	0.0	
10/21/2017 7:00	shutdown		10/21/2018 7:00	0.0		10/21/2019 7:00	0.0		10/20/2020 7:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
10/21/2017 8:00	shutdown		10/21/2018 8:00	0.0		10/21/2019 8:00	0.0		10/20/2020 8:00	0.0	
10/21/2017 9:00	shutdown		10/21/2018 9:00	0.0		10/21/2019 9:00	0.0		10/20/2020 9:00	0.0	
10/21/2017 10:00	shutdown		10/21/2018 10:00	0.0		10/21/2019 10:00	0.0		10/20/2020 10:00	0.0	
10/21/2017 11:00	shutdown		10/21/2018 11:00	0.0		10/21/2019 11:00	0.0		10/20/2020 11:00	0.0	
10/21/2017 12:00	shutdown		10/21/2018 12:00	0.0		10/21/2019 12:00	0.0		10/20/2020 12:00	0.0	
10/21/2017 13:00	shutdown		10/21/2018 13:00	0.0		10/21/2019 13:00	0.0		10/20/2020 13:00	0.0	
10/21/2017 14:00	shutdown		10/21/2018 14:00	0.0		10/21/2019 14:00	0.0		10/20/2020 14:00	0.0	
10/21/2017 15:00	shutdown		10/21/2018 15:00	0.0		10/21/2019 15:00	0.0		10/20/2020 15:00	0.0	
10/21/2017 16:00	shutdown		10/21/2018 16:00	0.0		10/21/2019 16:00	0.0		10/20/2020 16:00	0.0	
10/21/2017 17:00	shutdown		10/21/2018 17:00	0.0		10/21/2019 17:00	0.0		10/20/2020 17:00	0.0	
10/21/2017 18:00	shutdown		10/21/2018 18:00	0.0		10/21/2019 18:00	0.0		10/20/2020 18:00	0.0	
10/21/2017 19:00	shutdown		10/21/2018 19:00	0.0		10/21/2019 19:00	0.0		10/20/2020 19:00	0.0	
10/21/2017 20:00	shutdown		10/21/2018 20:00	0.0		10/21/2019 20:00	0.0		10/20/2020 20:00	0.0	
10/21/2017 21:00	shutdown		10/21/2018 21:00	0.0		10/21/2019 21:00	0.0		10/20/2020 21:00	0.0	
10/21/2017 22:00	shutdown		10/21/2018 22:00	0.0		10/21/2019 22:00	0.0		10/20/2020 22:00	0.0	
10/21/2017 23:00	shutdown	0.0	10/21/2018 23:00	0.0	0.0	10/21/2019 23:00	0.0	0.0	10/20/2020 23:00	0.0	0.0
10/22/2017 0:00	shutdown		10/22/2018 0:00	0.0		10/22/2019 0:00	0.0		10/21/2020 0:00	0.0	
10/22/2017 1:00	shutdown		10/22/2018 1:00	0.0		10/22/2019 1:00	0.0		10/21/2020 1:00	0.0	
10/22/2017 2:00	shutdown		10/22/2018 2:00	0.0		10/22/2019 2:00	0.0		10/21/2020 2:00	0.0	
10/22/2017 3:00	shutdown		10/22/2018 3:00	0.0		10/22/2019 3:00	0.0		10/21/2020 3:00	0.0	
10/22/2017 4:00	shutdown		10/22/2018 4:00	0.0		10/22/2019 4:00	0.0		10/21/2020 4:00	0.0	
10/22/2017 5:00	shutdown		10/22/2018 5:00	0.0		10/22/2019 5:00	0.0		10/21/2020 5:00	0.0	
10/22/2017 6:00	shutdown		10/22/2018 6:00	0.0		10/22/2019 6:00	0.0		10/21/2020 6:00	0.0	
10/22/2017 7:00	shutdown		10/22/2018 7:00	0.0		10/22/2019 7:00	0.0		10/21/2020 7:00	0.0	
10/22/2017 8:00	shutdown		10/22/2018 8:00	0.0		10/22/2019 8:00	0.0		10/21/2020 8:00	0.0	
10/22/2017 9:00	shutdown		10/22/2018 9:00	0.0		10/22/2019 9:00	0.0		10/21/2020 9:00	0.0	
10/22/2017 10:00	shutdown		10/22/2018 10:00	0.0		10/22/2019 10:00	0.0		10/21/2020 10:00	0.0	
10/22/2017 11:00	shutdown		10/22/2018 11:00	0.0		10/22/2019 11:00	0.0		10/21/2020 11:00	0.0	
10/22/2017 12:00	shutdown		10/22/2018 12:00	0.0		10/22/2019 12:00	0.0		10/21/2020 12:00	0.0	
10/22/2017 13:00	shutdown		10/22/2018 13:00	0.0		10/22/2019 13:00	0.0		10/21/2020 13:00	0.0	
10/22/2017 14:00	shutdown		10/22/2018 14:00	0.0		10/22/2019 14:00	0.0		10/21/2020 14:00	0.0	
10/22/2017 15:00	shutdown		10/22/2018 15:00	0.0		10/22/2019 15:00	0.0		10/21/2020 15:00	0.0	
10/22/2017 16:00	shutdown		10/22/2018 16:00	0.0		10/22/2019 16:00	0.0		10/21/2020 16:00	0.0	
10/22/2017 17:00	shutdown		10/22/2018 17:00	0.0		10/22/2019 17:00	0.0		10/21/2020 17:00	0.0	
10/22/2017 18:00	shutdown		10/22/2018 18:00	0.0		10/22/2019 18:00	0.0		10/21/2020 18:00	0.0	
10/22/2017 19:00	shutdown		10/22/2018 19:00	0.0		10/22/2019 19:00	0.0		10/21/2020 19:00	0.0	
10/22/2017 20:00	shutdown		10/22/2018 20:00	0.0		10/22/2019 20:00	0.0		10/21/2020 20:00	0.0	
10/22/2017 21:00	shutdown		10/22/2018 21:00	0.0		10/22/2019 21:00	0.0		10/21/2020 21:00	0.0	
10/22/2017 22:00	shutdown		10/22/2018 22:00	0.0		10/22/2019 22:00	0.0		10/21/2020 22:00	0.0	
10/22/2017 23:00	shutdown	0.0	10/22/2018 23:00	0.0	0.0	10/22/2019 23:00	0.0	0.0	10/21/2020 23:00	0.0	0.0
10/23/2017 0:00	shutdown		10/23/2018 0:00	0.0		10/23/2019 0:00	0.0		10/22/2020 0:00	0.0	
10/23/2017 1:00	shutdown		10/23/2018 1:00	0.0		10/23/2019 1:00	0.0		10/22/2020 1:00	0.0	
10/23/2017 2:00	shutdown		10/23/2018 2:00	0.0		10/23/2019 2:00	0.0		10/22/2020 2:00	0.0	
10/23/2017 3:00	shutdown		10/23/2018 3:00	0.0		10/23/2019 3:00	0.0		10/22/2020 3:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
10/23/2017 4:00	shutdown		10/23/2018 4:00	0.0		10/23/2019 4:00	0.0		10/22/2020 4:00	0.0	
10/23/2017 5:00	shutdown		10/23/2018 5:00	0.0		10/23/2019 5:00	0.0		10/22/2020 5:00	0.0	
10/23/2017 6:00	shutdown		10/23/2018 6:00	0.0		10/23/2019 6:00	0.0		10/22/2020 6:00	0.0	
10/23/2017 7:00	shutdown		10/23/2018 7:00	0.0		10/23/2019 7:00	0.0		10/22/2020 7:00	0.0	
10/23/2017 8:00	shutdown		10/23/2018 8:00	0.0		10/23/2019 8:00	0.0		10/22/2020 8:00	0.0	
10/23/2017 9:00	shutdown		10/23/2018 9:00	0.0		10/23/2019 9:00	0.0		10/22/2020 9:00	0.0	
10/23/2017 10:00	shutdown		10/23/2018 10:00	0.0		10/23/2019 10:00	0.0		10/22/2020 10:00	0.0	
10/23/2017 11:00	shutdown		10/23/2018 11:00	0.0		10/23/2019 11:00	0.0		10/22/2020 11:00	0.0	
10/23/2017 12:00	shutdown		10/23/2018 12:00	0.0		10/23/2019 12:00	0.0		10/22/2020 12:00	0.0	
10/23/2017 13:00	shutdown		10/23/2018 13:00	0.0		10/23/2019 13:00	0.0		10/22/2020 13:00	0.0	
10/23/2017 14:00	shutdown		10/23/2018 14:00	0.0		10/23/2019 14:00	0.0		10/22/2020 14:00	0.0	
10/23/2017 15:00	shutdown		10/23/2018 15:00	0.0		10/23/2019 15:00	0.0		10/22/2020 15:00	0.0	
10/23/2017 16:00	shutdown		10/23/2018 16:00	0.0		10/23/2019 16:00	0.0		10/22/2020 16:00	0.0	
10/23/2017 17:00	shutdown		10/23/2018 17:00	0.0		10/23/2019 17:00	0.0		10/22/2020 17:00	0.0	
10/23/2017 18:00	shutdown		10/23/2018 18:00	0.0		10/23/2019 18:00	0.0		10/22/2020 18:00	0.0	
10/23/2017 19:00	shutdown		10/23/2018 19:00	0.0		10/23/2019 19:00	0.0		10/22/2020 19:00	0.0	
10/23/2017 20:00	shutdown		10/23/2018 20:00	0.0		10/23/2019 20:00	0.0		10/22/2020 20:00	0.0	
10/23/2017 21:00	shutdown		10/23/2018 21:00	0.0		10/23/2019 21:00	0.0		10/22/2020 21:00	0.0	
10/23/2017 22:00	shutdown		10/23/2018 22:00	0.0		10/23/2019 22:00	0.0		10/22/2020 22:00	0.0	
10/23/2017 23:00	shutdown	0.0	10/23/2018 23:00	0.0	0.0	10/23/2019 23:00	0.0	0.0	10/22/2020 23:00	0.0	0.0
10/24/2017 0:00	shutdown		10/24/2018 0:00	0.0		10/24/2019 0:00	0.0		10/23/2020 0:00	0.0	
10/24/2017 1:00	shutdown		10/24/2018 1:00	0.0		10/24/2019 1:00	0.0		10/23/2020 1:00	0.0	
10/24/2017 2:00	shutdown		10/24/2018 2:00	0.0		10/24/2019 2:00	0.0		10/23/2020 2:00	0.0	
10/24/2017 3:00	shutdown		10/24/2018 3:00	0.0		10/24/2019 3:00	0.0		10/23/2020 3:00	0.0	
10/24/2017 4:00	shutdown		10/24/2018 4:00	0.0		10/24/2019 4:00	0.0		10/23/2020 4:00	0.0	
10/24/2017 5:00	shutdown		10/24/2018 5:00	0.0		10/24/2019 5:00	0.0		10/23/2020 5:00	0.0	
10/24/2017 6:00	shutdown		10/24/2018 6:00	0.0		10/24/2019 6:00	0.0		10/23/2020 6:00	0.0	
10/24/2017 7:00	shutdown		10/24/2018 7:00	0.0		10/24/2019 7:00	0.0		10/23/2020 7:00	0.0	
10/24/2017 8:00	shutdown		10/24/2018 8:00	0.0		10/24/2019 8:00	0.0		10/23/2020 8:00	0.0	
10/24/2017 9:00	shutdown		10/24/2018 9:00	0.0		10/24/2019 9:00	0.0		10/23/2020 9:00	0.0	
10/24/2017 10:00	shutdown		10/24/2018 10:00	0.0		10/24/2019 10:00	0.0		10/23/2020 10:00	0.0	
10/24/2017 11:00	shutdown		10/24/2018 11:00	0.0		10/24/2019 11:00	0.0		10/23/2020 11:00	0.0	
10/24/2017 12:00	shutdown		10/24/2018 12:00	0.0		10/24/2019 12:00	0.0		10/23/2020 12:00	0.0	
10/24/2017 13:00	shutdown		10/24/2018 13:00	0.0		10/24/2019 13:00	0.0		10/23/2020 13:00	0.0	
10/24/2017 14:00	shutdown		10/24/2018 14:00	0.0		10/24/2019 14:00	0.0		10/23/2020 14:00	0.0	
10/24/2017 15:00	shutdown		10/24/2018 15:00	0.0		10/24/2019 15:00	0.0		10/23/2020 15:00	0.0	
10/24/2017 16:00	shutdown		10/24/2018 16:00	0.0		10/24/2019 16:00	0.0		10/23/2020 16:00	0.0	
10/24/2017 17:00	shutdown		10/24/2018 17:00	0.0		10/24/2019 17:00	0.0		10/23/2020 17:00	0.0	
10/24/2017 18:00	shutdown		10/24/2018 18:00	0.0		10/24/2019 18:00	0.0		10/23/2020 18:00	0.0	
10/24/2017 19:00	shutdown		10/24/2018 19:00	0.0		10/24/2019 19:00	0.0		10/23/2020 19:00	0.0	
10/24/2017 20:00	shutdown		10/24/2018 20:00	0.0		10/24/2019 20:00	0.0		10/23/2020 20:00	0.0	
10/24/2017 21:00	shutdown		10/24/2018 21:00	0.0		10/24/2019 21:00	0.0		10/23/2020 21:00	0.0	
10/24/2017 22:00	shutdown		10/24/2018 22:00	0.0		10/24/2019 22:00	0.0		10/23/2020 22:00	0.0	
10/24/2017 23:00	shutdown	0.0	10/24/2018 23:00	0.0	0.0	10/24/2019 23:00	0.0	0.0	10/23/2020 23:00	0.0	0.0

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
10/25/2017 0:00	shutdown		10/25/2018 0:00	0.0		10/25/2019 0:00	0.0		10/24/2020 0:00	0.0	
10/25/2017 1:00	shutdown		10/25/2018 1:00	0.0		10/25/2019 1:00	0.0		10/24/2020 1:00	0.0	
10/25/2017 2:00	shutdown		10/25/2018 2:00	0.0		10/25/2019 2:00	0.0		10/24/2020 2:00	0.0	
10/25/2017 3:00	shutdown		10/25/2018 3:00	0.0		10/25/2019 3:00	0.0		10/24/2020 3:00	0.0	
10/25/2017 4:00	shutdown		10/25/2018 4:00	0.0		10/25/2019 4:00	0.0		10/24/2020 4:00	0.0	
10/25/2017 5:00	shutdown		10/25/2018 5:00	0.0		10/25/2019 5:00	0.0		10/24/2020 5:00	0.0	
10/25/2017 6:00	shutdown		10/25/2018 6:00	0.0		10/25/2019 6:00	0.0		10/24/2020 6:00	0.0	
10/25/2017 7:00	shutdown		10/25/2018 7:00	0.0		10/25/2019 7:00	0.0		10/24/2020 7:00	0.0	
10/25/2017 8:00	shutdown		10/25/2018 8:00	0.0		10/25/2019 8:00	0.0		10/24/2020 8:00	0.0	
10/25/2017 9:00	shutdown		10/25/2018 9:00	0.0		10/25/2019 9:00	0.0		10/24/2020 9:00	0.0	
10/25/2017 10:00	shutdown		10/25/2018 10:00	0.0		10/25/2019 10:00	0.0		10/24/2020 10:00	0.0	
10/25/2017 11:00	shutdown		10/25/2018 11:00	0.0		10/25/2019 11:00	0.0		10/24/2020 11:00	0.0	
10/25/2017 12:00	shutdown		10/25/2018 12:00	0.0		10/25/2019 12:00	0.0		10/24/2020 12:00	0.0	
10/25/2017 13:00	shutdown		10/25/2018 13:00	0.0		10/25/2019 13:00	0.0		10/24/2020 13:00	0.0	
10/25/2017 14:00	shutdown		10/25/2018 14:00	0.0		10/25/2019 14:00	0.0		10/24/2020 14:00	0.0	
10/25/2017 15:00	shutdown		10/25/2018 15:00	0.0		10/25/2019 15:00	0.0		10/24/2020 15:00	0.0	
10/25/2017 16:00	shutdown		10/25/2018 16:00	0.0		10/25/2019 16:00	0.0		10/24/2020 16:00	0.0	
10/25/2017 17:00	shutdown		10/25/2018 17:00	0.0		10/25/2019 17:00	0.0		10/24/2020 17:00	0.0	
10/25/2017 18:00	shutdown		10/25/2018 18:00	0.0		10/25/2019 18:00	0.0		10/24/2020 18:00	0.0	
10/25/2017 19:00	shutdown		10/25/2018 19:00	0.0		10/25/2019 19:00	0.0		10/24/2020 19:00	0.0	
10/25/2017 20:00	shutdown		10/25/2018 20:00	0.0		10/25/2019 20:00	0.0		10/24/2020 20:00	0.0	
10/25/2017 21:00	shutdown		10/25/2018 21:00	0.0		10/25/2019 21:00	0.0		10/24/2020 21:00	0.0	
10/25/2017 22:00	shutdown		10/25/2018 22:00	0.0		10/25/2019 22:00	0.0		10/24/2020 22:00	0.0	
10/25/2017 23:00	shutdown	0.0	10/25/2018 23:00	0.0	0.0	10/25/2019 23:00	0.0	0.0	10/24/2020 23:00	0.0	0.0
10/26/2017 0:00	shutdown		10/26/2018 0:00	0.0		10/26/2019 0:00	0.0		10/25/2020 0:00	0.0	
10/26/2017 1:00	shutdown		10/26/2018 1:00	0.0		10/26/2019 1:00	0.0		10/25/2020 1:00	0.0	
10/26/2017 2:00	shutdown		10/26/2018 2:00	0.0		10/26/2019 2:00	0.0		10/25/2020 2:00	0.0	
10/26/2017 3:00	shutdown		10/26/2018 3:00	0.0		10/26/2019 3:00	0.0		10/25/2020 3:00	0.0	
10/26/2017 4:00	shutdown		10/26/2018 4:00	0.0		10/26/2019 4:00	0.0		10/25/2020 4:00	0.0	
10/26/2017 5:00	shutdown		10/26/2018 5:00	0.0		10/26/2019 5:00	0.0		10/25/2020 5:00	0.0	
10/26/2017 6:00	shutdown		10/26/2018 6:00	0.0		10/26/2019 6:00	0.0		10/25/2020 6:00	0.0	
10/26/2017 7:00	shutdown		10/26/2018 7:00	0.0		10/26/2019 7:00	0.0		10/25/2020 7:00	0.0	
10/26/2017 8:00	shutdown		10/26/2018 8:00	0.0		10/26/2019 8:00	0.0		10/25/2020 8:00	0.0	
10/26/2017 9:00	shutdown		10/26/2018 9:00	0.0		10/26/2019 9:00	0.0		10/25/2020 9:00	0.0	
10/26/2017 10:00	shutdown		10/26/2018 10:00	0.0		10/26/2019 10:00	0.0		10/25/2020 10:00	0.0	
10/26/2017 11:00	shutdown		10/26/2018 11:00	0.0		10/26/2019 11:00	0.0		10/25/2020 11:00	0.0	
10/26/2017 12:00	shutdown		10/26/2018 12:00	0.0		10/26/2019 12:00	0.0		10/25/2020 12:00	0.0	
10/26/2017 13:00	shutdown		10/26/2018 13:00	0.0		10/26/2019 13:00	0.0		10/25/2020 13:00	0.0	
10/26/2017 14:00	shutdown		10/26/2018 14:00	0.0		10/26/2019 14:00	0.0		10/25/2020 14:00	0.0	
10/26/2017 15:00	shutdown		10/26/2018 15:00	0.0		10/26/2019 15:00	0.0		10/25/2020 15:00	0.0	
10/26/2017 16:00	shutdown		10/26/2018 16:00	0.0		10/26/2019 16:00	0.0		10/25/2020 16:00	0.0	
10/26/2017 17:00	shutdown		10/26/2018 17:00	0.0		10/26/2019 17:00	0.0		10/25/2020 17:00	0.0	
10/26/2017 18:00	shutdown		10/26/2018 18:00	0.0		10/26/2019 18:00	0.0		10/25/2020 18:00	0.0	
10/26/2017 19:00	shutdown		10/26/2018 19:00	0.0		10/26/2019 19:00	0.0		10/25/2020 19:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
10/26/2017 20:00	shutdown		10/26/2018 20:00	0.0		10/26/2019 20:00	0.0		10/25/2020 20:00	0.0	
10/26/2017 21:00	shutdown		10/26/2018 21:00	0.0		10/26/2019 21:00	0.0		10/25/2020 21:00	0.0	
10/26/2017 22:00	shutdown		10/26/2018 22:00	0.0		10/26/2019 22:00	0.0		10/25/2020 22:00	0.0	
10/26/2017 23:00	shutdown	0.0	10/26/2018 23:00	0.0	0.0	10/26/2019 23:00	0.0	0.0	10/25/2020 23:00	0.0	0.0
10/27/2017 0:00	shutdown		10/27/2018 0:00	0.0		10/27/2019 0:00	0.0		10/26/2020 0:00	0.0	
10/27/2017 1:00	shutdown		10/27/2018 1:00	0.0		10/27/2019 1:00	0.0		10/26/2020 1:00	0.0	
10/27/2017 2:00	shutdown		10/27/2018 2:00	0.0		10/27/2019 2:00	0.0		10/26/2020 2:00	0.0	
10/27/2017 3:00	shutdown		10/27/2018 3:00	0.0		10/27/2019 3:00	0.0		10/26/2020 3:00	0.0	
10/27/2017 4:00	shutdown		10/27/2018 4:00	0.0		10/27/2019 4:00	0.0		10/26/2020 4:00	0.0	
10/27/2017 5:00	shutdown		10/27/2018 5:00	0.0		10/27/2019 5:00	0.0		10/26/2020 5:00	0.0	
10/27/2017 6:00	shutdown		10/27/2018 6:00	0.0		10/27/2019 6:00	0.0		10/26/2020 6:00	0.0	
10/27/2017 7:00	shutdown		10/27/2018 7:00	0.0		10/27/2019 7:00	0.0		10/26/2020 7:00	0.0	
10/27/2017 8:00	shutdown		10/27/2018 8:00	0.0		10/27/2019 8:00	0.0		10/26/2020 8:00	0.0	
10/27/2017 9:00	shutdown		10/27/2018 9:00	0.0		10/27/2019 9:00	0.0		10/26/2020 9:00	0.0	
10/27/2017 10:00	shutdown		10/27/2018 10:00	0.0		10/27/2019 10:00	0.0		10/26/2020 10:00	0.0	
10/27/2017 11:00	shutdown		10/27/2018 11:00	0.0		10/27/2019 11:00	0.0		10/26/2020 11:00	0.0	
10/27/2017 12:00	shutdown		10/27/2018 12:00	0.0		10/27/2019 12:00	0.0		10/26/2020 12:00	0.0	
10/27/2017 13:00	shutdown		10/27/2018 13:00	0.0		10/27/2019 13:00	0.0		10/26/2020 13:00	0.0	
10/27/2017 14:00	shutdown		10/27/2018 14:00	0.0		10/27/2019 14:00	0.0		10/26/2020 14:00	0.0	
10/27/2017 15:00	shutdown		10/27/2018 15:00	0.0		10/27/2019 15:00	0.0		10/26/2020 15:00	0.0	
10/27/2017 16:00	shutdown		10/27/2018 16:00	0.0		10/27/2019 16:00	0.0		10/26/2020 16:00	0.0	
10/27/2017 17:00	shutdown		10/27/2018 17:00	0.0		10/27/2019 17:00	0.0		10/26/2020 17:00	0.0	
10/27/2017 18:00	shutdown		10/27/2018 18:00	0.0		10/27/2019 18:00	0.0		10/26/2020 18:00	0.0	
10/27/2017 19:00	shutdown		10/27/2018 19:00	0.0		10/27/2019 19:00	0.0		10/26/2020 19:00	0.0	
10/27/2017 20:00	shutdown		10/27/2018 20:00	0.0		10/27/2019 20:00	0.0		10/26/2020 20:00	0.0	
10/27/2017 21:00	shutdown		10/27/2018 21:00	0.0		10/27/2019 21:00	0.0		10/26/2020 21:00	0.0	
10/27/2017 22:00	shutdown		10/27/2018 22:00	0.0		10/27/2019 22:00	0.0		10/26/2020 22:00	0.0	
10/27/2017 23:00	shutdown	0.0	10/27/2018 23:00	0.0	0.0	10/27/2019 23:00	0.0	0.0	10/26/2020 23:00	0.0	0.0
10/28/2017 0:00	shutdown		10/28/2018 0:00	0.0		10/28/2019 0:00	0.0		10/27/2020 0:00	0.0	
10/28/2017 1:00	shutdown		10/28/2018 1:00	0.0		10/28/2019 1:00	0.0		10/27/2020 1:00	0.0	
10/28/2017 2:00	shutdown		10/28/2018 2:00	0.0		10/28/2019 2:00	0.0		10/27/2020 2:00	0.0	
10/28/2017 3:00	shutdown		10/28/2018 3:00	0.0		10/28/2019 3:00	0.0		10/27/2020 3:00	0.0	
10/28/2017 4:00	shutdown		10/28/2018 4:00	0.0		10/28/2019 4:00	0.0		10/27/2020 4:00	0.0	
10/28/2017 5:00	shutdown		10/28/2018 5:00	0.0		10/28/2019 5:00	0.0		10/27/2020 5:00	0.0	
10/28/2017 6:00	shutdown		10/28/2018 6:00	0.0		10/28/2019 6:00	0.0		10/27/2020 6:00	0.0	
10/28/2017 7:00	shutdown		10/28/2018 7:00	0.0		10/28/2019 7:00	0.0		10/27/2020 7:00	0.0	
10/28/2017 8:00	shutdown		10/28/2018 8:00	0.0		10/28/2019 8:00	0.0		10/27/2020 8:00	0.0	
10/28/2017 9:00	shutdown		10/28/2018 9:00	0.0		10/28/2019 9:00	0.0		10/27/2020 9:00	0.0	
10/28/2017 10:00	shutdown		10/28/2018 10:00	0.0		10/28/2019 10:00	0.0		10/27/2020 10:00	0.0	
10/28/2017 11:00	shutdown		10/28/2018 11:00	0.0		10/28/2019 11:00	0.0		10/27/2020 11:00	0.0	
10/28/2017 12:00	shutdown		10/28/2018 12:00	0.0		10/28/2019 12:00	0.0		10/27/2020 12:00	0.0	
10/28/2017 13:00	shutdown		10/28/2018 13:00	0.0		10/28/2019 13:00	0.0		10/27/2020 13:00	0.0	
10/28/2017 14:00	shutdown		10/28/2018 14:00	0.0		10/28/2019 14:00	0.0		10/27/2020 14:00	0.0	
10/28/2017 15:00	shutdown		10/28/2018 15:00	0.0		10/28/2019 15:00	0.0		10/27/2020 15:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
10/28/2017 16:00	shutdown		10/28/2018 16:00	0.0		10/28/2019 16:00	0.0		10/27/2020 16:00	0.0	
10/28/2017 17:00	shutdown		10/28/2018 17:00	0.0		10/28/2019 17:00	0.0		10/27/2020 17:00	0.0	
10/28/2017 18:00	shutdown		10/28/2018 18:00	0.0		10/28/2019 18:00	0.0		10/27/2020 18:00	0.0	
10/28/2017 19:00	shutdown		10/28/2018 19:00	0.0		10/28/2019 19:00	0.0		10/27/2020 19:00	0.0	
10/28/2017 20:00	shutdown		10/28/2018 20:00	0.0		10/28/2019 20:00	0.0		10/27/2020 20:00	0.0	
10/28/2017 21:00	shutdown		10/28/2018 21:00	0.0		10/28/2019 21:00	0.0		10/27/2020 21:00	0.0	
10/28/2017 22:00	shutdown		10/28/2018 22:00	0.0		10/28/2019 22:00	0.0		10/27/2020 22:00	0.0	
10/28/2017 23:00	shutdown	0.0	10/28/2018 23:00	0.0	0.0	10/28/2019 23:00	0.0	0.0	10/27/2020 23:00	0.0	0.0
10/29/2017 0:00	shutdown		10/29/2018 0:00	0.0		10/29/2019 0:00	0.0		10/28/2020 0:00	0.0	
10/29/2017 1:00	shutdown		10/29/2018 1:00	0.0		10/29/2019 1:00	0.0		10/28/2020 1:00	0.0	
10/29/2017 2:00	shutdown		10/29/2018 2:00	0.0		10/29/2019 2:00	0.0		10/28/2020 2:00	0.0	
10/29/2017 3:00	shutdown		10/29/2018 3:00	0.0		10/29/2019 3:00	0.0		10/28/2020 3:00	0.0	
10/29/2017 4:00	shutdown		10/29/2018 4:00	0.0		10/29/2019 4:00	0.0		10/28/2020 4:00	0.0	
10/29/2017 5:00	shutdown		10/29/2018 5:00	0.0		10/29/2019 5:00	0.0		10/28/2020 5:00	0.0	
10/29/2017 6:00	shutdown		10/29/2018 6:00	0.0		10/29/2019 6:00	0.0		10/28/2020 6:00	0.0	
10/29/2017 7:00	shutdown		10/29/2018 7:00	0.0		10/29/2019 7:00	0.0		10/28/2020 7:00	0.0	
10/29/2017 8:00	shutdown		10/29/2018 8:00	0.0		10/29/2019 8:00	0.0		10/28/2020 8:00	0.0	
10/29/2017 9:00	shutdown		10/29/2018 9:00	0.0		10/29/2019 9:00	0.0		10/28/2020 9:00	0.0	
10/29/2017 10:00	shutdown		10/29/2018 10:00	0.0		10/29/2019 10:00	0.0		10/28/2020 10:00	0.0	
10/29/2017 11:00	shutdown		10/29/2018 11:00	0.0		10/29/2019 11:00	0.0		10/28/2020 11:00	0.0	
10/29/2017 12:00	shutdown		10/29/2018 12:00	0.0		10/29/2019 12:00	0.0		10/28/2020 12:00	0.0	
10/29/2017 13:00	shutdown		10/29/2018 13:00	0.0		10/29/2019 13:00	0.0		10/28/2020 13:00	0.0	
10/29/2017 14:00	shutdown		10/29/2018 14:00	0.0		10/29/2019 14:00	0.0		10/28/2020 14:00	0.0	
10/29/2017 15:00	shutdown		10/29/2018 15:00	0.0		10/29/2019 15:00	0.0		10/28/2020 15:00	0.0	
10/29/2017 16:00	shutdown		10/29/2018 16:00	0.0		10/29/2019 16:00	0.0		10/28/2020 16:00	0.0	
10/29/2017 17:00	shutdown		10/29/2018 17:00	0.0		10/29/2019 17:00	0.0		10/28/2020 17:00	0.0	
10/29/2017 18:00	shutdown		10/29/2018 18:00	0.0		10/29/2019 18:00	0.0		10/28/2020 18:00	0.0	
10/29/2017 19:00	shutdown		10/29/2018 19:00	0.0		10/29/2019 19:00	0.0		10/28/2020 19:00	0.0	
10/29/2017 20:00	shutdown		10/29/2018 20:00	0.0		10/29/2019 20:00	0.0		10/28/2020 20:00	0.0	
10/29/2017 21:00	shutdown		10/29/2018 21:00	0.0		10/29/2019 21:00	0.0		10/28/2020 21:00	0.0	
10/29/2017 22:00	shutdown		10/29/2018 22:00	0.0		10/29/2019 22:00	0.0		10/28/2020 22:00	0.0	
10/29/2017 23:00	shutdown	0.0	10/29/2018 23:00	0.0	0.0	10/29/2019 23:00	0.0	0.0	10/28/2020 23:00	0.0	0.0
10/30/2017 0:00	shutdown		10/30/2018 0:00	0.0		10/30/2019 0:00	0.0		10/29/2020 0:00	0.0	
10/30/2017 1:00	shutdown		10/30/2018 1:00	0.0		10/30/2019 1:00	0.0		10/29/2020 1:00	0.0	
10/30/2017 2:00	shutdown		10/30/2018 2:00	0.0		10/30/2019 2:00	0.0		10/29/2020 2:00	0.0	
10/30/2017 3:00	shutdown		10/30/2018 3:00	0.0		10/30/2019 3:00	0.0		10/29/2020 3:00	0.0	
10/30/2017 4:00	shutdown		10/30/2018 4:00	0.0		10/30/2019 4:00	0.0		10/29/2020 4:00	0.0	
10/30/2017 5:00	shutdown		10/30/2018 5:00	0.0		10/30/2019 5:00	0.0		10/29/2020 5:00	0.0	
10/30/2017 6:00	shutdown		10/30/2018 6:00	0.0		10/30/2019 6:00	0.0		10/29/2020 6:00	0.0	
10/30/2017 7:00	shutdown		10/30/2018 7:00	0.0		10/30/2019 7:00	0.0		10/29/2020 7:00	0.0	
10/30/2017 8:00	shutdown		10/30/2018 8:00	0.0		10/30/2019 8:00	0.0		10/29/2020 8:00	0.0	
10/30/2017 9:00	shutdown		10/30/2018 9:00	0.0		10/30/2019 9:00	0.0		10/29/2020 9:00	0.0	
10/30/2017 10:00	shutdown		10/30/2018 10:00	0.0		10/30/2019 10:00	0.0		10/29/2020 10:00	0.0	
10/30/2017 11:00	shutdown		10/30/2018 11:00	0.0		10/30/2019 11:00	0.0		10/29/2020 11:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
10/30/2017 12:00	shutdown		10/30/2018 12:00	0.0		10/30/2019 12:00	0.0		10/29/2020 12:00	0.0	
10/30/2017 13:00	shutdown		10/30/2018 13:00	0.0		10/30/2019 13:00	0.0		10/29/2020 13:00	0.0	
10/30/2017 14:00	shutdown		10/30/2018 14:00	0.0		10/30/2019 14:00	0.0		10/29/2020 14:00	0.0	
10/30/2017 15:00	shutdown		10/30/2018 15:00	0.0		10/30/2019 15:00	0.0		10/29/2020 15:00	0.0	
10/30/2017 16:00	shutdown		10/30/2018 16:00	0.0		10/30/2019 16:00	0.0		10/29/2020 16:00	0.0	
10/30/2017 17:00	shutdown		10/30/2018 17:00	0.0		10/30/2019 17:00	0.0		10/29/2020 17:00	0.0	
10/30/2017 18:00	shutdown		10/30/2018 18:00	0.0		10/30/2019 18:00	0.0		10/29/2020 18:00	0.0	
10/30/2017 19:00	shutdown		10/30/2018 19:00	0.0		10/30/2019 19:00	0.0		10/29/2020 19:00	0.0	
10/30/2017 20:00	shutdown		10/30/2018 20:00	0.0		10/30/2019 20:00	0.0		10/29/2020 20:00	0.0	
10/30/2017 21:00	shutdown		10/30/2018 21:00	0.0		10/30/2019 21:00	0.0		10/29/2020 21:00	0.0	
10/30/2017 22:00	shutdown		10/30/2018 22:00	0.0		10/30/2019 22:00	0.0		10/29/2020 22:00	0.0	
10/30/2017 23:00	shutdown	0.0	10/30/2018 23:00	0.0	0.0	10/30/2019 23:00	0.0	0.0	10/29/2020 23:00	0.0	0.0
10/31/2017 0:00	shutdown		10/31/2018 0:00	0.0		10/31/2019 0:00	0.0		10/30/2020 0:00	0.0	
10/31/2017 1:00	shutdown		10/31/2018 1:00	0.0		10/31/2019 1:00	0.0		10/30/2020 1:00	0.0	
10/31/2017 2:00	shutdown		10/31/2018 2:00	0.0		10/31/2019 2:00	0.0		10/30/2020 2:00	0.0	
10/31/2017 3:00	shutdown		10/31/2018 3:00	0.0		10/31/2019 3:00	0.0		10/30/2020 3:00	0.0	
10/31/2017 4:00	shutdown		10/31/2018 4:00	0.0		10/31/2019 4:00	0.0		10/30/2020 4:00	0.0	
10/31/2017 5:00	shutdown		10/31/2018 5:00	0.0		10/31/2019 5:00	0.0		10/30/2020 5:00	0.0	
10/31/2017 6:00	shutdown		10/31/2018 6:00	0.0		10/31/2019 6:00	0.0		10/30/2020 6:00	0.0	
10/31/2017 7:00	shutdown		10/31/2018 7:00	0.0		10/31/2019 7:00	0.0		10/30/2020 7:00	0.0	
10/31/2017 8:00	shutdown		10/31/2018 8:00	0.0		10/31/2019 8:00	0.0		10/30/2020 8:00	0.0	
10/31/2017 9:00	shutdown		10/31/2018 9:00	0.0		10/31/2019 9:00	0.0		10/30/2020 9:00	0.0	
10/31/2017 10:00	shutdown		10/31/2018 10:00	0.0		10/31/2019 10:00	0.0		10/30/2020 10:00	0.0	
10/31/2017 11:00	shutdown		10/31/2018 11:00	0.0		10/31/2019 11:00	0.0		10/30/2020 11:00	0.0	
10/31/2017 12:00	shutdown		10/31/2018 12:00	0.0		10/31/2019 12:00	0.0		10/30/2020 12:00	0.0	
10/31/2017 13:00	shutdown		10/31/2018 13:00	0.0		10/31/2019 13:00	0.0		10/30/2020 13:00	0.0	
10/31/2017 14:00	shutdown		10/31/2018 14:00	0.0		10/31/2019 14:00	0.0		10/30/2020 14:00	0.0	
10/31/2017 15:00	shutdown		10/31/2018 15:00	0.0		10/31/2019 15:00	0.0		10/30/2020 15:00	0.0	
10/31/2017 16:00	shutdown		10/31/2018 16:00	0.0		10/31/2019 16:00	0.0		10/30/2020 16:00	0.0	
10/31/2017 17:00	shutdown		10/31/2018 17:00	0.0		10/31/2019 17:00	0.0		10/30/2020 17:00	0.0	
10/31/2017 18:00	shutdown		10/31/2018 18:00	0.0		10/31/2019 18:00	0.0		10/30/2020 18:00	0.0	
10/31/2017 19:00	shutdown		10/31/2018 19:00	0.0		10/31/2019 19:00	0.0		10/30/2020 19:00	0.0	
10/31/2017 20:00	shutdown		10/31/2018 20:00	0.0		10/31/2019 20:00	0.0		10/30/2020 20:00	0.0	
10/31/2017 21:00	shutdown		10/31/2018 21:00	0.0		10/31/2019 21:00	0.0		10/30/2020 21:00	0.0	
10/31/2017 22:00	shutdown		10/31/2018 22:00	0.0		10/31/2019 22:00	0.0		10/30/2020 22:00	0.0	
10/31/2017 23:00	shutdown	0.0	10/31/2018 23:00	0.0	0.0	10/31/2019 23:00	0.0	0.0	10/30/2020 23:00	0.0	0.0
11/1/2017 0:00	shutdown		11/1/2018 0:00	0.0		11/1/2019 0:00	0.0		10/31/2020 0:00	0.0	
11/1/2017 1:00	shutdown		11/1/2018 1:00	0.0		11/1/2019 1:00	0.0		10/31/2020 1:00	0.0	
11/1/2017 2:00	shutdown		11/1/2018 2:00	0.0		11/1/2019 2:00	0.0		10/31/2020 2:00	0.0	
11/1/2017 3:00	shutdown		11/1/2018 3:00	0.0		11/1/2019 3:00	0.0		10/31/2020 3:00	0.0	
11/1/2017 4:00	shutdown		11/1/2018 4:00	0.0		11/1/2019 4:00	0.0		10/31/2020 4:00	0.0	
11/1/2017 5:00	shutdown		11/1/2018 5:00	0.0		11/1/2019 5:00	0.0		10/31/2020 5:00	0.0	
11/1/2017 6:00	shutdown		11/1/2018 6:00	0.0		11/1/2019 6:00	0.0		10/31/2020 6:00	0.0	
11/1/2017 7:00	shutdown		11/1/2018 7:00	0.0		11/1/2019 7:00	0.0		10/31/2020 7:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
11/1/2017 8:00	shutdown		11/1/2018 8:00	0.0		11/1/2019 8:00	0.0		10/31/2020 8:00	0.0	
11/1/2017 9:00	shutdown		11/1/2018 9:00	0.0		11/1/2019 9:00	0.0		10/31/2020 9:00	0.0	
11/1/2017 10:00	shutdown		11/1/2018 10:00	0.0		11/1/2019 10:00	0.0		10/31/2020 10:00	0.0	
11/1/2017 11:00	shutdown		11/1/2018 11:00	0.0		11/1/2019 11:00	0.0		10/31/2020 11:00	0.0	
11/1/2017 12:00	shutdown		11/1/2018 12:00	0.0		11/1/2019 12:00	0.0		10/31/2020 12:00	0.0	
11/1/2017 13:00	shutdown		11/1/2018 13:00	0.0		11/1/2019 13:00	0.0		10/31/2020 13:00	0.0	
11/1/2017 14:00	shutdown		11/1/2018 14:00	0.0		11/1/2019 14:00	0.0		10/31/2020 14:00	0.0	
11/1/2017 15:00	shutdown		11/1/2018 15:00	0.0		11/1/2019 15:00	0.0		10/31/2020 15:00	0.0	
11/1/2017 16:00	shutdown		11/1/2018 16:00	0.0		11/1/2019 16:00	0.0		10/31/2020 16:00	0.0	
11/1/2017 17:00	shutdown		11/1/2018 17:00	0.0		11/1/2019 17:00	0.0		10/31/2020 17:00	0.0	
11/1/2017 18:00	shutdown		11/1/2018 18:00	0.0		11/1/2019 18:00	0.0		10/31/2020 18:00	0.0	
11/1/2017 19:00	shutdown		11/1/2018 19:00	0.0		11/1/2019 19:00	0.0		10/31/2020 19:00	0.0	
11/1/2017 20:00	shutdown		11/1/2018 20:00	0.0		11/1/2019 20:00	0.0		10/31/2020 20:00	0.0	
11/1/2017 21:00	shutdown		11/1/2018 21:00	0.0		11/1/2019 21:00	0.0		10/31/2020 21:00	0.0	
11/1/2017 22:00	shutdown		11/1/2018 22:00	0.0		11/1/2019 22:00	0.0		10/31/2020 22:00	0.0	
11/1/2017 23:00	shutdown	0.0	11/1/2018 23:00	0.0	0.0	11/1/2019 23:00	0.0	0.0	10/31/2020 23:00	0.0	0.0
11/2/2017 0:00	shutdown		11/2/2018 0:00	0.0		11/2/2019 0:00	0.0		11/1/2020 0:00	0.0	
11/2/2017 1:00	shutdown		11/2/2018 1:00	0.0		11/2/2019 1:00	0.0		11/1/2020 1:00	0.0	
11/2/2017 2:00	shutdown		11/2/2018 2:00	0.0		11/2/2019 2:00	0.0		11/1/2020 2:00	0.0	
11/2/2017 3:00	shutdown		11/2/2018 3:00	0.0		11/2/2019 3:00	0.0		11/1/2020 3:00	0.0	
11/2/2017 4:00	shutdown		11/2/2018 4:00	0.0		11/2/2019 4:00	0.0		11/1/2020 4:00	0.0	
11/2/2017 5:00	shutdown		11/2/2018 5:00	0.0		11/2/2019 5:00	0.0		11/1/2020 5:00	0.0	
11/2/2017 6:00	shutdown		11/2/2018 6:00	0.0		11/2/2019 6:00	0.0		11/1/2020 6:00	0.0	
11/2/2017 7:00	shutdown		11/2/2018 7:00	0.0		11/2/2019 7:00	0.0		11/1/2020 7:00	0.0	
11/2/2017 8:00	shutdown		11/2/2018 8:00	0.0		11/2/2019 8:00	0.0		11/1/2020 8:00	0.0	
11/2/2017 9:00	shutdown		11/2/2018 9:00	0.0		11/2/2019 9:00	0.0		11/1/2020 9:00	0.0	
11/2/2017 10:00	shutdown		11/2/2018 10:00	0.0		11/2/2019 10:00	0.0		11/1/2020 10:00	0.0	
11/2/2017 11:00	shutdown		11/2/2018 11:00	0.0		11/2/2019 11:00	0.0		11/1/2020 11:00	0.0	
11/2/2017 12:00	shutdown		11/2/2018 12:00	0.0		11/2/2019 12:00	0.0		11/1/2020 12:00	0.0	
11/2/2017 13:00	shutdown		11/2/2018 13:00	0.0		11/2/2019 13:00	0.0		11/1/2020 13:00	0.0	
11/2/2017 14:00	shutdown		11/2/2018 14:00	0.0		11/2/2019 14:00	0.0		11/1/2020 14:00	0.0	
11/2/2017 15:00	shutdown		11/2/2018 15:00	0.0		11/2/2019 15:00	0.0		11/1/2020 15:00	0.0	
11/2/2017 16:00	shutdown		11/2/2018 16:00	0.0		11/2/2019 16:00	0.0		11/1/2020 16:00	0.0	
11/2/2017 17:00	shutdown		11/2/2018 17:00	0.0		11/2/2019 17:00	0.0		11/1/2020 17:00	0.0	
11/2/2017 18:00	shutdown		11/2/2018 18:00	0.0		11/2/2019 18:00	0.0		11/1/2020 18:00	0.0	
11/2/2017 19:00	shutdown		11/2/2018 19:00	0.0		11/2/2019 19:00	0.0		11/1/2020 19:00	0.0	
11/2/2017 20:00	shutdown		11/2/2018 20:00	0.0		11/2/2019 20:00	0.0		11/1/2020 20:00	0.0	
11/2/2017 21:00	shutdown		11/2/2018 21:00	0.0		11/2/2019 21:00	0.0		11/1/2020 21:00	0.0	
11/2/2017 22:00	shutdown		11/2/2018 22:00	0.0		11/2/2019 22:00	0.0		11/1/2020 22:00	0.0	
11/2/2017 23:00	shutdown	0.0	11/2/2018 23:00	0.0	0.0	11/2/2019 23:00	0.0	0.0	11/1/2020 23:00	0.0	0.0
11/3/2017 0:00	shutdown		11/3/2018 0:00	0.0		11/3/2019 0:00	0.0		11/2/2020 0:00	0.0	
11/3/2017 1:00	shutdown		11/3/2018 1:00	0.0		11/3/2019 1:00	0.0		11/2/2020 1:00	0.0	
11/3/2017 2:00	shutdown		11/3/2018 2:00	0.0		11/3/2019 2:00	0.0		11/2/2020 2:00	0.0	
11/3/2017 3:00	shutdown		11/3/2018 3:00	0.0		11/3/2019 3:00	0.0		11/2/2020 3:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
11/3/2017 4:00	shutdown		11/3/2018 4:00	0.0		11/3/2019 4:00	0.0		11/2/2020 4:00	0.0	
11/3/2017 5:00	shutdown		11/3/2018 5:00	0.0		11/3/2019 5:00	0.0		11/2/2020 5:00	0.0	
11/3/2017 6:00	shutdown		11/3/2018 6:00	0.0		11/3/2019 6:00	0.0		11/2/2020 6:00	0.0	
11/3/2017 7:00	shutdown		11/3/2018 7:00	0.0		11/3/2019 7:00	0.0		11/2/2020 7:00	0.0	
11/3/2017 8:00	shutdown		11/3/2018 8:00	0.0		11/3/2019 8:00	0.0		11/2/2020 8:00	0.0	
11/3/2017 9:00	shutdown		11/3/2018 9:00	0.0		11/3/2019 9:00	0.0		11/2/2020 9:00	0.0	
11/3/2017 10:00	shutdown		11/3/2018 10:00	0.0		11/3/2019 10:00	0.0		11/2/2020 10:00	0.0	
11/3/2017 11:00	shutdown		11/3/2018 11:00	0.0		11/3/2019 11:00	0.0		11/2/2020 11:00	0.0	
11/3/2017 12:00	shutdown		11/3/2018 12:00	0.0		11/3/2019 12:00	0.0		11/2/2020 12:00	0.0	
11/3/2017 13:00	shutdown		11/3/2018 13:00	0.0		11/3/2019 13:00	0.0		11/2/2020 13:00	0.0	
11/3/2017 14:00	shutdown		11/3/2018 14:00	0.0		11/3/2019 14:00	0.0		11/2/2020 14:00	0.0	
11/3/2017 15:00	shutdown		11/3/2018 15:00	0.0		11/3/2019 15:00	0.0		11/2/2020 15:00	0.0	
11/3/2017 16:00	shutdown		11/3/2018 16:00	0.0		11/3/2019 16:00	0.0		11/2/2020 16:00	0.0	
11/3/2017 17:00	shutdown		11/3/2018 17:00	0.0		11/3/2019 17:00	0.0		11/2/2020 17:00	0.0	
11/3/2017 18:00	shutdown		11/3/2018 18:00	0.0		11/3/2019 18:00	0.0		11/2/2020 18:00	0.0	
11/3/2017 19:00	shutdown		11/3/2018 19:00	0.0		11/3/2019 19:00	0.0		11/2/2020 19:00	0.0	
11/3/2017 20:00	shutdown		11/3/2018 20:00	0.0		11/3/2019 20:00	0.0		11/2/2020 20:00	0.0	
11/3/2017 21:00	shutdown		11/3/2018 21:00	0.0		11/3/2019 21:00	0.0		11/2/2020 21:00	0.0	
11/3/2017 22:00	shutdown		11/3/2018 22:00	0.0		11/3/2019 22:00	0.0		11/2/2020 22:00	0.0	
11/3/2017 23:00	shutdown	0.0	11/3/2018 23:00	0.0	0.0	11/3/2019 23:00	0.0	0.0	11/2/2020 23:00	0.0	0.0
11/4/2017 0:00	shutdown		11/4/2018 0:00	0.0		11/4/2019 0:00	0.0		11/3/2020 0:00	0.0	
11/4/2017 1:00	shutdown		11/4/2018 1:00	0.0		11/4/2019 1:00	0.0		11/3/2020 1:00	0.0	
11/4/2017 2:00	shutdown		11/4/2018 2:00	0.0		11/4/2019 2:00	0.0		11/3/2020 2:00	0.0	
11/4/2017 3:00	shutdown		11/4/2018 3:00	0.0		11/4/2019 3:00	0.0		11/3/2020 3:00	0.0	
11/4/2017 4:00	shutdown		11/4/2018 4:00	0.0		11/4/2019 4:00	0.0		11/3/2020 4:00	0.0	
11/4/2017 5:00	shutdown		11/4/2018 5:00	0.0		11/4/2019 5:00	0.0		11/3/2020 5:00	0.0	
11/4/2017 6:00	shutdown		11/4/2018 6:00	0.0		11/4/2019 6:00	0.0		11/3/2020 6:00	0.0	
11/4/2017 7:00	shutdown		11/4/2018 7:00	0.0		11/4/2019 7:00	0.0		11/3/2020 7:00	0.0	
11/4/2017 8:00	shutdown		11/4/2018 8:00	0.0		11/4/2019 8:00	0.0		11/3/2020 8:00	0.0	
11/4/2017 9:00	shutdown		11/4/2018 9:00	0.0		11/4/2019 9:00	0.0		11/3/2020 9:00	0.0	
11/4/2017 10:00	shutdown		11/4/2018 10:00	0.0		11/4/2019 10:00	0.0		11/3/2020 10:00	0.0	
11/4/2017 11:00	shutdown		11/4/2018 11:00	0.0		11/4/2019 11:00	0.0		11/3/2020 11:00	0.0	
11/4/2017 12:00	shutdown		11/4/2018 12:00	0.0		11/4/2019 12:00	0.0		11/3/2020 12:00	0.0	
11/4/2017 13:00	shutdown		11/4/2018 13:00	0.0		11/4/2019 13:00	0.0		11/3/2020 13:00	0.0	
11/4/2017 14:00	shutdown		11/4/2018 14:00	0.0		11/4/2019 14:00	0.0		11/3/2020 14:00	0.0	
11/4/2017 15:00	shutdown		11/4/2018 15:00	0.0		11/4/2019 15:00	0.0		11/3/2020 15:00	0.0	
11/4/2017 16:00	shutdown		11/4/2018 16:00	0.0		11/4/2019 16:00	0.0		11/3/2020 16:00	0.0	
11/4/2017 17:00	shutdown		11/4/2018 17:00	0.0		11/4/2019 17:00	0.0		11/3/2020 17:00	0.0	
11/4/2017 18:00	shutdown		11/4/2018 18:00	0.0		11/4/2019 18:00	0.0		11/3/2020 18:00	0.0	
11/4/2017 19:00	shutdown		11/4/2018 19:00	0.0		11/4/2019 19:00	0.0		11/3/2020 19:00	0.0	
11/4/2017 20:00	shutdown		11/4/2018 20:00	0.0		11/4/2019 20:00	0.0		11/3/2020 20:00	0.0	
11/4/2017 21:00	shutdown		11/4/2018 21:00	0.0		11/4/2019 21:00	0.0		11/3/2020 21:00	0.0	
11/4/2017 22:00	shutdown		11/4/2018 22:00	0.0		11/4/2019 22:00	0.0		11/3/2020 22:00	0.0	
11/4/2017 23:00	shutdown	0.0	11/4/2018 23:00	0.0	0.0	11/4/2019 23:00	0.0	0.0	11/3/2020 23:00	0.0	0.0

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
11/5/2017 0:00	shutdown		11/5/2018 0:00	0.0		11/5/2019 0:00	0.0		11/4/2020 0:00	0.0	
11/5/2017 1:00	shutdown		11/5/2018 1:00	0.0		11/5/2019 1:00	0.0		11/4/2020 1:00	0.0	
11/5/2017 2:00	shutdown		11/5/2018 2:00	0.0		11/5/2019 2:00	0.0		11/4/2020 2:00	0.0	
11/5/2017 3:00	shutdown		11/5/2018 3:00	0.0		11/5/2019 3:00	0.0		11/4/2020 3:00	0.0	
11/5/2017 4:00	shutdown		11/5/2018 4:00	0.0		11/5/2019 4:00	0.0		11/4/2020 4:00	0.0	
11/5/2017 5:00	shutdown		11/5/2018 5:00	0.0		11/5/2019 5:00	0.0		11/4/2020 5:00	0.0	
11/5/2017 6:00	shutdown		11/5/2018 6:00	0.0		11/5/2019 6:00	0.0		11/4/2020 6:00	0.0	
11/5/2017 7:00	shutdown		11/5/2018 7:00	0.0		11/5/2019 7:00	0.0		11/4/2020 7:00	0.0	
11/5/2017 8:00	shutdown		11/5/2018 8:00	0.0		11/5/2019 8:00	0.0		11/4/2020 8:00	0.0	
11/5/2017 9:00	shutdown		11/5/2018 9:00	0.0		11/5/2019 9:00	0.0		11/4/2020 9:00	0.0	
11/5/2017 10:00	shutdown		11/5/2018 10:00	0.0		11/5/2019 10:00	0.0		11/4/2020 10:00	0.0	
11/5/2017 11:00	shutdown		11/5/2018 11:00	0.0		11/5/2019 11:00	0.0		11/4/2020 11:00	0.0	
11/5/2017 12:00	shutdown		11/5/2018 12:00	0.0		11/5/2019 12:00	0.0		11/4/2020 12:00	0.0	
11/5/2017 13:00	shutdown		11/5/2018 13:00	0.0		11/5/2019 13:00	0.0		11/4/2020 13:00	0.0	
11/5/2017 14:00	shutdown		11/5/2018 14:00	0.0		11/5/2019 14:00	0.0		11/4/2020 14:00	0.0	
11/5/2017 15:00	shutdown		11/5/2018 15:00	0.0		11/5/2019 15:00	0.0		11/4/2020 15:00	0.0	
11/5/2017 16:00	shutdown		11/5/2018 16:00	0.0		11/5/2019 16:00	0.0		11/4/2020 16:00	0.0	
11/5/2017 17:00	shutdown		11/5/2018 17:00	0.0		11/5/2019 17:00	0.0		11/4/2020 17:00	0.0	
11/5/2017 18:00	shutdown		11/5/2018 18:00	0.0		11/5/2019 18:00	0.0		11/4/2020 18:00	0.0	
11/5/2017 19:00	shutdown		11/5/2018 19:00	0.0		11/5/2019 19:00	0.0		11/4/2020 19:00	0.0	
11/5/2017 20:00	shutdown		11/5/2018 20:00	0.0		11/5/2019 20:00	0.0		11/4/2020 20:00	0.0	
11/5/2017 21:00	shutdown		11/5/2018 21:00	0.0		11/5/2019 21:00	0.0		11/4/2020 21:00	0.0	
11/5/2017 22:00	shutdown		11/5/2018 22:00	0.0		11/5/2019 22:00	0.0		11/4/2020 22:00	0.0	
11/5/2017 23:00	shutdown	0.0	11/5/2018 23:00	0.0	0.0	11/5/2019 23:00	0.0	0.0	11/4/2020 23:00	0.0	0.0
11/6/2017 0:00	shutdown		11/6/2018 0:00	0.0		11/6/2019 0:00	0.0		11/5/2020 0:00	0.0	
11/6/2017 1:00	shutdown		11/6/2018 1:00	0.0		11/6/2019 1:00	0.0		11/5/2020 1:00	0.0	
11/6/2017 2:00	shutdown		11/6/2018 2:00	0.0		11/6/2019 2:00	0.0		11/5/2020 2:00	0.0	
11/6/2017 3:00	shutdown		11/6/2018 3:00	0.0		11/6/2019 3:00	0.0		11/5/2020 3:00	0.0	
11/6/2017 4:00	shutdown		11/6/2018 4:00	0.0		11/6/2019 4:00	0.0		11/5/2020 4:00	0.0	
11/6/2017 5:00	shutdown		11/6/2018 5:00	0.0		11/6/2019 5:00	0.0		11/5/2020 5:00	0.0	
11/6/2017 6:00	shutdown		11/6/2018 6:00	0.0		11/6/2019 6:00	0.0		11/5/2020 6:00	0.0	
11/6/2017 7:00	shutdown		11/6/2018 7:00	0.0		11/6/2019 7:00	0.0		11/5/2020 7:00	0.0	
11/6/2017 8:00	shutdown		11/6/2018 8:00	0.0		11/6/2019 8:00	0.0		11/5/2020 8:00	0.0	
11/6/2017 9:00	shutdown		11/6/2018 9:00	0.0		11/6/2019 9:00	0.0		11/5/2020 9:00	0.0	
11/6/2017 10:00	shutdown		11/6/2018 10:00	0.0		11/6/2019 10:00	0.0		11/5/2020 10:00	0.0	
11/6/2017 11:00	shutdown		11/6/2018 11:00	0.0		11/6/2019 11:00	0.0		11/5/2020 11:00	0.0	
11/6/2017 12:00	shutdown		11/6/2018 12:00	0.0		11/6/2019 12:00	0.0		11/5/2020 12:00	0.0	
11/6/2017 13:00	shutdown		11/6/2018 13:00	0.0		11/6/2019 13:00	0.0		11/5/2020 13:00	0.0	
11/6/2017 14:00	shutdown		11/6/2018 14:00	0.0		11/6/2019 14:00	0.0		11/5/2020 14:00	0.0	
11/6/2017 15:00	shutdown		11/6/2018 15:00	0.0		11/6/2019 15:00	0.0		11/5/2020 15:00	0.0	
11/6/2017 16:00	shutdown		11/6/2018 16:00	0.0		11/6/2019 16:00	0.0		11/5/2020 16:00	0.0	
11/6/2017 17:00	shutdown		11/6/2018 17:00	0.0		11/6/2019 17:00	0.0		11/5/2020 17:00	0.0	
11/6/2017 18:00	shutdown		11/6/2018 18:00	0.0		11/6/2019 18:00	0.0		11/5/2020 18:00	0.0	
11/6/2017 19:00	shutdown		11/6/2018 19:00	0.0		11/6/2019 19:00	0.0		11/5/2020 19:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
11/6/2017 20:00	shutdown		11/6/2018 20:00	0.0		11/6/2019 20:00	0.0		11/5/2020 20:00	0.0	
11/6/2017 21:00	shutdown		11/6/2018 21:00	0.0		11/6/2019 21:00	0.0		11/5/2020 21:00	0.0	
11/6/2017 22:00	shutdown		11/6/2018 22:00	0.0		11/6/2019 22:00	0.0		11/5/2020 22:00	0.0	
11/6/2017 23:00	shutdown	0.0	11/6/2018 23:00	0.0	0.0	11/6/2019 23:00	0.0	0.0	11/5/2020 23:00	0.0	0.0
11/7/2017 0:00	shutdown		11/7/2018 0:00	0.0		11/7/2019 0:00	0.0		11/6/2020 0:00	0.0	
11/7/2017 1:00	shutdown		11/7/2018 1:00	0.0		11/7/2019 1:00	0.0		11/6/2020 1:00	0.0	
11/7/2017 2:00	shutdown		11/7/2018 2:00	0.0		11/7/2019 2:00	0.0		11/6/2020 2:00	0.0	
11/7/2017 3:00	shutdown		11/7/2018 3:00	0.0		11/7/2019 3:00	0.0		11/6/2020 3:00	0.0	
11/7/2017 4:00	shutdown		11/7/2018 4:00	0.0		11/7/2019 4:00	0.0		11/6/2020 4:00	0.0	
11/7/2017 5:00	shutdown		11/7/2018 5:00	0.0		11/7/2019 5:00	0.0		11/6/2020 5:00	0.0	
11/7/2017 6:00	shutdown		11/7/2018 6:00	0.0		11/7/2019 6:00	0.0		11/6/2020 6:00	0.0	
11/7/2017 7:00	shutdown		11/7/2018 7:00	0.0		11/7/2019 7:00	0.0		11/6/2020 7:00	0.0	
11/7/2017 8:00	shutdown		11/7/2018 8:00	0.0		11/7/2019 8:00	0.0		11/6/2020 8:00	0.0	
11/7/2017 9:00	shutdown		11/7/2018 9:00	0.0		11/7/2019 9:00	0.0		11/6/2020 9:00	0.0	
11/7/2017 10:00	shutdown		11/7/2018 10:00	0.0		11/7/2019 10:00	0.0		11/6/2020 10:00	0.0	
11/7/2017 11:00	shutdown		11/7/2018 11:00	0.0		11/7/2019 11:00	0.0		11/6/2020 11:00	0.0	
11/7/2017 12:00	shutdown		11/7/2018 12:00	0.0		11/7/2019 12:00	0.0		11/6/2020 12:00	0.0	
11/7/2017 13:00	shutdown		11/7/2018 13:00	0.0		11/7/2019 13:00	0.0		11/6/2020 13:00	0.0	
11/7/2017 14:00	shutdown		11/7/2018 14:00	0.0		11/7/2019 14:00	0.0		11/6/2020 14:00	0.0	
11/7/2017 15:00	shutdown		11/7/2018 15:00	0.0		11/7/2019 15:00	0.0		11/6/2020 15:00	0.0	
11/7/2017 16:00	shutdown		11/7/2018 16:00	0.0		11/7/2019 16:00	0.0		11/6/2020 16:00	0.0	
11/7/2017 17:00	shutdown		11/7/2018 17:00	0.0		11/7/2019 17:00	0.0		11/6/2020 17:00	0.0	
11/7/2017 18:00	shutdown		11/7/2018 18:00	0.0		11/7/2019 18:00	0.0		11/6/2020 18:00	0.0	
11/7/2017 19:00	shutdown		11/7/2018 19:00	0.0		11/7/2019 19:00	0.0		11/6/2020 19:00	0.0	
11/7/2017 20:00	shutdown		11/7/2018 20:00	0.0		11/7/2019 20:00	0.0		11/6/2020 20:00	0.0	
11/7/2017 21:00	shutdown		11/7/2018 21:00	0.0		11/7/2019 21:00	0.0		11/6/2020 21:00	0.0	
11/7/2017 22:00	shutdown		11/7/2018 22:00	0.0		11/7/2019 22:00	0.0		11/6/2020 22:00	0.0	
11/7/2017 23:00	shutdown	0.0	11/7/2018 23:00	0.0	0.0	11/7/2019 23:00	0.0	0.0	11/6/2020 23:00	0.0	0.0
11/8/2017 0:00	shutdown		11/8/2018 0:00	0.0		11/8/2019 0:00	0.0		11/7/2020 0:00	0.0	
11/8/2017 1:00	shutdown		11/8/2018 1:00	0.0		11/8/2019 1:00	0.0		11/7/2020 1:00	0.0	
11/8/2017 2:00	shutdown		11/8/2018 2:00	0.0		11/8/2019 2:00	0.0		11/7/2020 2:00	0.0	
11/8/2017 3:00	shutdown		11/8/2018 3:00	0.0		11/8/2019 3:00	0.0		11/7/2020 3:00	0.0	
11/8/2017 4:00	shutdown		11/8/2018 4:00	0.0		11/8/2019 4:00	0.0		11/7/2020 4:00	0.0	
11/8/2017 5:00	shutdown		11/8/2018 5:00	0.0		11/8/2019 5:00	0.0		11/7/2020 5:00	0.0	
11/8/2017 6:00	shutdown		11/8/2018 6:00	0.0		11/8/2019 6:00	0.0		11/7/2020 6:00	0.0	
11/8/2017 7:00	shutdown		11/8/2018 7:00	0.0		11/8/2019 7:00	0.0		11/7/2020 7:00	0.0	
11/8/2017 8:00	shutdown		11/8/2018 8:00	0.0		11/8/2019 8:00	0.0		11/7/2020 8:00	0.0	
11/8/2017 9:00	shutdown		11/8/2018 9:00	0.0		11/8/2019 9:00	0.0		11/7/2020 9:00	0.0	
11/8/2017 10:00	shutdown		11/8/2018 10:00	0.0		11/8/2019 10:00	0.0		11/7/2020 10:00	0.0	
11/8/2017 11:00	shutdown		11/8/2018 11:00	0.0		11/8/2019 11:00	0.0		11/7/2020 11:00	0.0	
11/8/2017 12:00	shutdown		11/8/2018 12:00	0.0		11/8/2019 12:00	0.0		11/7/2020 12:00	0.0	
11/8/2017 13:00	shutdown		11/8/2018 13:00	0.0		11/8/2019 13:00	0.0		11/7/2020 13:00	0.0	
11/8/2017 14:00	shutdown		11/8/2018 14:00	0.0		11/8/2019 14:00	0.0		11/7/2020 14:00	0.0	
11/8/2017 15:00	shutdown		11/8/2018 15:00	0.0		11/8/2019 15:00	0.0		11/7/2020 15:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
11/8/2017 16:00	shutdown		11/8/2018 16:00	0.0		11/8/2019 16:00	0.0		11/7/2020 16:00	0.0	
11/8/2017 17:00	shutdown		11/8/2018 17:00	0.0		11/8/2019 17:00	0.0		11/7/2020 17:00	0.0	
11/8/2017 18:00	shutdown		11/8/2018 18:00	0.0		11/8/2019 18:00	0.0		11/7/2020 18:00	0.0	
11/8/2017 19:00	shutdown		11/8/2018 19:00	0.0		11/8/2019 19:00	0.0		11/7/2020 19:00	0.0	
11/8/2017 20:00	shutdown		11/8/2018 20:00	0.0		11/8/2019 20:00	0.0		11/7/2020 20:00	0.0	
11/8/2017 21:00	shutdown		11/8/2018 21:00	0.0		11/8/2019 21:00	0.0		11/7/2020 21:00	0.0	
11/8/2017 22:00	shutdown		11/8/2018 22:00	0.0		11/8/2019 22:00	0.0		11/7/2020 22:00	0.0	
11/8/2017 23:00	shutdown	0.0	11/8/2018 23:00	0.0	0.0	11/8/2019 23:00	0.0	0.0	11/7/2020 23:00	0.0	0.0
11/9/2017 0:00	shutdown		11/9/2018 0:00	0.0		11/9/2019 0:00	0.0		11/8/2020 0:00	0.0	
11/9/2017 1:00	shutdown		11/9/2018 1:00	0.0		11/9/2019 1:00	0.0		11/8/2020 1:00	0.0	
11/9/2017 2:00	shutdown		11/9/2018 2:00	0.0		11/9/2019 2:00	0.0		11/8/2020 2:00	0.0	
11/9/2017 3:00	shutdown		11/9/2018 3:00	0.0		11/9/2019 3:00	0.0		11/8/2020 3:00	0.0	
11/9/2017 4:00	shutdown		11/9/2018 4:00	0.0		11/9/2019 4:00	0.0		11/8/2020 4:00	0.0	
11/9/2017 5:00	shutdown		11/9/2018 5:00	0.0		11/9/2019 5:00	0.0		11/8/2020 5:00	0.0	
11/9/2017 6:00	shutdown		11/9/2018 6:00	0.0		11/9/2019 6:00	0.0		11/8/2020 6:00	0.0	
11/9/2017 7:00	shutdown		11/9/2018 7:00	0.0		11/9/2019 7:00	0.0		11/8/2020 7:00	0.0	
11/9/2017 8:00	shutdown		11/9/2018 8:00	0.0		11/9/2019 8:00	0.0		11/8/2020 8:00	0.0	
11/9/2017 9:00	shutdown		11/9/2018 9:00	0.0		11/9/2019 9:00	0.0		11/8/2020 9:00	0.0	
11/9/2017 10:00	shutdown		11/9/2018 10:00	0.0		11/9/2019 10:00	0.0		11/8/2020 10:00	0.0	
11/9/2017 11:00	shutdown		11/9/2018 11:00	0.0		11/9/2019 11:00	0.0		11/8/2020 11:00	0.0	
11/9/2017 12:00	shutdown		11/9/2018 12:00	0.0		11/9/2019 12:00	0.0		11/8/2020 12:00	0.0	
11/9/2017 13:00	shutdown		11/9/2018 13:00	0.0		11/9/2019 13:00	0.0		11/8/2020 13:00	0.0	
11/9/2017 14:00	shutdown		11/9/2018 14:00	0.0		11/9/2019 14:00	0.0		11/8/2020 14:00	0.0	
11/9/2017 15:00	shutdown		11/9/2018 15:00	0.0		11/9/2019 15:00	0.0		11/8/2020 15:00	0.0	
11/9/2017 16:00	shutdown		11/9/2018 16:00	0.0		11/9/2019 16:00	0.0		11/8/2020 16:00	0.0	
11/9/2017 17:00	shutdown		11/9/2018 17:00	0.0		11/9/2019 17:00	0.0		11/8/2020 17:00	0.0	
11/9/2017 18:00	shutdown		11/9/2018 18:00	0.0		11/9/2019 18:00	0.0		11/8/2020 18:00	0.0	
11/9/2017 19:00	shutdown		11/9/2018 19:00	0.0		11/9/2019 19:00	0.0		11/8/2020 19:00	0.0	
11/9/2017 20:00	shutdown		11/9/2018 20:00	0.0		11/9/2019 20:00	0.0		11/8/2020 20:00	0.0	
11/9/2017 21:00	shutdown		11/9/2018 21:00	0.0		11/9/2019 21:00	0.0		11/8/2020 21:00	0.0	
11/9/2017 22:00	shutdown		11/9/2018 22:00	0.0		11/9/2019 22:00	0.0		11/8/2020 22:00	0.0	
11/9/2017 23:00	shutdown	0.0	11/9/2018 23:00	0.0	0.0	11/9/2019 23:00	0.0	0.0	11/8/2020 23:00	0.0	0.0
11/10/2017 0:00	shutdown		11/10/2018 0:00	0.0		11/10/2019 0:00	0.0		11/9/2020 0:00	0.0	
11/10/2017 1:00	shutdown		11/10/2018 1:00	0.0		11/10/2019 1:00	0.0		11/9/2020 1:00	0.0	
11/10/2017 2:00	shutdown		11/10/2018 2:00	0.0		11/10/2019 2:00	0.0		11/9/2020 2:00	0.0	
11/10/2017 3:00	shutdown		11/10/2018 3:00	0.0		11/10/2019 3:00	0.0		11/9/2020 3:00	0.0	
11/10/2017 4:00	shutdown		11/10/2018 4:00	0.0		11/10/2019 4:00	0.0		11/9/2020 4:00	0.0	
11/10/2017 5:00	shutdown		11/10/2018 5:00	0.0		11/10/2019 5:00	0.0		11/9/2020 5:00	0.0	
11/10/2017 6:00	shutdown		11/10/2018 6:00	0.0		11/10/2019 6:00	0.0		11/9/2020 6:00	0.0	
11/10/2017 7:00	shutdown		11/10/2018 7:00	0.0		11/10/2019 7:00	0.0		11/9/2020 7:00	0.0	
11/10/2017 8:00	shutdown		11/10/2018 8:00	0.0		11/10/2019 8:00	0.0		11/9/2020 8:00	0.0	
11/10/2017 9:00	shutdown		11/10/2018 9:00	0.0		11/10/2019 9:00	0.0		11/9/2020 9:00	0.0	
11/10/2017 10:00	shutdown		11/10/2018 10:00	0.0		11/10/2019 10:00	0.0		11/9/2020 10:00	0.0	
11/10/2017 11:00	shutdown		11/10/2018 11:00	0.0		11/10/2019 11:00	0.0		11/9/2020 11:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
11/10/2017 12:00	shutdown		11/10/2018 12:00	0.0		11/10/2019 12:00	0.0		11/9/2020 12:00	0.0	
11/10/2017 13:00	shutdown		11/10/2018 13:00	0.0		11/10/2019 13:00	0.0		11/9/2020 13:00	0.0	
11/10/2017 14:00	shutdown		11/10/2018 14:00	0.0		11/10/2019 14:00	0.0		11/9/2020 14:00	0.0	
11/10/2017 15:00	shutdown		11/10/2018 15:00	0.0		11/10/2019 15:00	0.0		11/9/2020 15:00	0.0	
11/10/2017 16:00	shutdown		11/10/2018 16:00	0.0		11/10/2019 16:00	0.0		11/9/2020 16:00	0.0	
11/10/2017 17:00	shutdown		11/10/2018 17:00	0.0		11/10/2019 17:00	0.0		11/9/2020 17:00	0.0	
11/10/2017 18:00	shutdown		11/10/2018 18:00	0.0		11/10/2019 18:00	0.0		11/9/2020 18:00	0.0	
11/10/2017 19:00	shutdown		11/10/2018 19:00	0.0		11/10/2019 19:00	0.0		11/9/2020 19:00	0.0	
11/10/2017 20:00	shutdown		11/10/2018 20:00	0.0		11/10/2019 20:00	0.0		11/9/2020 20:00	0.0	
11/10/2017 21:00	shutdown		11/10/2018 21:00	0.0		11/10/2019 21:00	0.0		11/9/2020 21:00	0.0	
11/10/2017 22:00	shutdown		11/10/2018 22:00	0.0		11/10/2019 22:00	0.0		11/9/2020 22:00	0.0	
11/10/2017 23:00	shutdown	0.0	11/10/2018 23:00	0.0	0.0	11/10/2019 23:00	0.0	0.0	11/9/2020 23:00	0.0	0.0
11/11/2017 0:00	shutdown		11/11/2018 0:00	0.0		11/11/2019 0:00	0.0		11/10/2020 0:00	0.0	
11/11/2017 1:00	shutdown		11/11/2018 1:00	0.0		11/11/2019 1:00	0.0		11/10/2020 1:00	0.0	
11/11/2017 2:00	shutdown		11/11/2018 2:00	0.0		11/11/2019 2:00	0.0		11/10/2020 2:00	0.0	
11/11/2017 3:00	shutdown		11/11/2018 3:00	0.0		11/11/2019 3:00	0.0		11/10/2020 3:00	0.0	
11/11/2017 4:00	shutdown		11/11/2018 4:00	0.0		11/11/2019 4:00	0.0		11/10/2020 4:00	0.0	
11/11/2017 5:00	shutdown		11/11/2018 5:00	0.0		11/11/2019 5:00	0.0		11/10/2020 5:00	0.0	
11/11/2017 6:00	shutdown		11/11/2018 6:00	0.0		11/11/2019 6:00	0.0		11/10/2020 6:00	0.0	
11/11/2017 7:00	shutdown		11/11/2018 7:00	0.0		11/11/2019 7:00	0.0		11/10/2020 7:00	0.0	
11/11/2017 8:00	shutdown		11/11/2018 8:00	0.0		11/11/2019 8:00	0.0		11/10/2020 8:00	0.0	
11/11/2017 9:00	shutdown		11/11/2018 9:00	0.0		11/11/2019 9:00	0.0		11/10/2020 9:00	0.0	
11/11/2017 10:00	shutdown		11/11/2018 10:00	0.0		11/11/2019 10:00	0.0		11/10/2020 10:00	0.0	
11/11/2017 11:00	shutdown		11/11/2018 11:00	0.0		11/11/2019 11:00	0.0		11/10/2020 11:00	0.0	
11/11/2017 12:00	shutdown		11/11/2018 12:00	0.0		11/11/2019 12:00	0.0		11/10/2020 12:00	0.0	
11/11/2017 13:00	shutdown		11/11/2018 13:00	0.0		11/11/2019 13:00	0.0		11/10/2020 13:00	0.0	
11/11/2017 14:00	shutdown		11/11/2018 14:00	0.0		11/11/2019 14:00	0.0		11/10/2020 14:00	0.0	
11/11/2017 15:00	shutdown		11/11/2018 15:00	0.0		11/11/2019 15:00	0.0		11/10/2020 15:00	0.0	
11/11/2017 16:00	shutdown		11/11/2018 16:00	0.0		11/11/2019 16:00	0.0		11/10/2020 16:00	0.0	
11/11/2017 17:00	shutdown		11/11/2018 17:00	0.0		11/11/2019 17:00	0.0		11/10/2020 17:00	0.0	
11/11/2017 18:00	shutdown		11/11/2018 18:00	0.0		11/11/2019 18:00	0.0		11/10/2020 18:00	0.0	
11/11/2017 19:00	shutdown		11/11/2018 19:00	0.0		11/11/2019 19:00	0.0		11/10/2020 19:00	0.0	
11/11/2017 20:00	shutdown		11/11/2018 20:00	0.0		11/11/2019 20:00	0.0		11/10/2020 20:00	0.0	
11/11/2017 21:00	shutdown		11/11/2018 21:00	0.0		11/11/2019 21:00	0.0		11/10/2020 21:00	0.0	
11/11/2017 22:00	shutdown		11/11/2018 22:00	0.0		11/11/2019 22:00	0.0		11/10/2020 22:00	0.0	
11/11/2017 23:00	shutdown	0.0	11/11/2018 23:00	0.0	0.0	11/11/2019 23:00	0.0	0.0	11/10/2020 23:00	0.0	0.0
11/12/2017 0:00	shutdown		11/12/2018 0:00	0.0		11/12/2019 0:00	0.0		11/11/2020 0:00	0.0	
11/12/2017 1:00	shutdown		11/12/2018 1:00	0.0		11/12/2019 1:00	0.0		11/11/2020 1:00	0.0	
11/12/2017 2:00	shutdown		11/12/2018 2:00	0.0		11/12/2019 2:00	0.0		11/11/2020 2:00	0.0	
11/12/2017 3:00	shutdown		11/12/2018 3:00	0.0		11/12/2019 3:00	0.0		11/11/2020 3:00	0.0	
11/12/2017 4:00	shutdown		11/12/2018 4:00	0.0		11/12/2019 4:00	0.0		11/11/2020 4:00	0.0	
11/12/2017 5:00	shutdown		11/12/2018 5:00	0.0		11/12/2019 5:00	0.0		11/11/2020 5:00	0.0	
11/12/2017 6:00	shutdown		11/12/2018 6:00	0.0		11/12/2019 6:00	0.0		11/11/2020 6:00	0.0	
11/12/2017 7:00	shutdown		11/12/2018 7:00	0.0		11/12/2019 7:00	0.0		11/11/2020 7:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
11/12/2017 8:00	shutdown		11/12/2018 8:00	0.0		11/12/2019 8:00	0.0		11/11/2020 8:00	0.0	
11/12/2017 9:00	shutdown		11/12/2018 9:00	0.0		11/12/2019 9:00	0.0		11/11/2020 9:00	0.0	
11/12/2017 10:00	shutdown		11/12/2018 10:00	0.0		11/12/2019 10:00	0.0		11/11/2020 10:00	0.0	
11/12/2017 11:00	shutdown		11/12/2018 11:00	0.0		11/12/2019 11:00	0.0		11/11/2020 11:00	0.0	
11/12/2017 12:00	shutdown		11/12/2018 12:00	0.0		11/12/2019 12:00	0.0		11/11/2020 12:00	0.0	
11/12/2017 13:00	shutdown		11/12/2018 13:00	0.0		11/12/2019 13:00	0.0		11/11/2020 13:00	0.0	
11/12/2017 14:00	shutdown		11/12/2018 14:00	0.0		11/12/2019 14:00	0.0		11/11/2020 14:00	0.0	
11/12/2017 15:00	shutdown		11/12/2018 15:00	0.0		11/12/2019 15:00	0.0		11/11/2020 15:00	0.0	
11/12/2017 16:00	shutdown		11/12/2018 16:00	0.0		11/12/2019 16:00	0.0		11/11/2020 16:00	0.0	
11/12/2017 17:00	shutdown		11/12/2018 17:00	0.0		11/12/2019 17:00	0.0		11/11/2020 17:00	0.0	
11/12/2017 18:00	shutdown		11/12/2018 18:00	0.0		11/12/2019 18:00	0.0		11/11/2020 18:00	0.0	
11/12/2017 19:00	shutdown		11/12/2018 19:00	0.0		11/12/2019 19:00	0.0		11/11/2020 19:00	0.0	
11/12/2017 20:00	shutdown		11/12/2018 20:00	0.0		11/12/2019 20:00	0.0		11/11/2020 20:00	0.0	
11/12/2017 21:00	shutdown		11/12/2018 21:00	0.0		11/12/2019 21:00	0.0		11/11/2020 21:00	0.0	
11/12/2017 22:00	shutdown		11/12/2018 22:00	0.0		11/12/2019 22:00	0.0		11/11/2020 22:00	0.0	
11/12/2017 23:00	shutdown	0.0	11/12/2018 23:00	0.0	0.0	11/12/2019 23:00	0.0	0.0	11/11/2020 23:00	0.0	0.0
11/13/2017 0:00	shutdown		11/13/2018 0:00	0.0		11/13/2019 0:00	0.0		11/12/2020 0:00	0.0	
11/13/2017 1:00	shutdown		11/13/2018 1:00	0.0		11/13/2019 1:00	0.0		11/12/2020 1:00	0.0	
11/13/2017 2:00	shutdown		11/13/2018 2:00	0.0		11/13/2019 2:00	0.0		11/12/2020 2:00	0.0	
11/13/2017 3:00	shutdown		11/13/2018 3:00	0.0		11/13/2019 3:00	0.0		11/12/2020 3:00	0.0	
11/13/2017 4:00	shutdown		11/13/2018 4:00	0.0		11/13/2019 4:00	0.0		11/12/2020 4:00	0.0	
11/13/2017 5:00	shutdown		11/13/2018 5:00	0.0		11/13/2019 5:00	0.0		11/12/2020 5:00	0.0	
11/13/2017 6:00	shutdown		11/13/2018 6:00	0.0		11/13/2019 6:00	0.0		11/12/2020 6:00	0.0	
11/13/2017 7:00	shutdown		11/13/2018 7:00	0.0		11/13/2019 7:00	0.0		11/12/2020 7:00	0.0	
11/13/2017 8:00	shutdown		11/13/2018 8:00	0.0		11/13/2019 8:00	0.0		11/12/2020 8:00	0.0	
11/13/2017 9:00	shutdown		11/13/2018 9:00	0.0		11/13/2019 9:00	0.0		11/12/2020 9:00	0.0	
11/13/2017 10:00	shutdown		11/13/2018 10:00	0.0		11/13/2019 10:00	0.0		11/12/2020 10:00	0.0	
11/13/2017 11:00	shutdown		11/13/2018 11:00	0.0		11/13/2019 11:00	0.0		11/12/2020 11:00	0.0	
11/13/2017 12:00	shutdown		11/13/2018 12:00	0.0		11/13/2019 12:00	0.0		11/12/2020 12:00	0.0	
11/13/2017 13:00	shutdown		11/13/2018 13:00	0.0		11/13/2019 13:00	0.0		11/12/2020 13:00	0.0	
11/13/2017 14:00	shutdown		11/13/2018 14:00	0.0		11/13/2019 14:00	0.0		11/12/2020 14:00	0.0	
11/13/2017 15:00	shutdown		11/13/2018 15:00	0.0		11/13/2019 15:00	0.0		11/12/2020 15:00	0.0	
11/13/2017 16:00	shutdown		11/13/2018 16:00	0.0		11/13/2019 16:00	0.0		11/12/2020 16:00	0.0	
11/13/2017 17:00	shutdown		11/13/2018 17:00	0.0		11/13/2019 17:00	0.0		11/12/2020 17:00	0.0	
11/13/2017 18:00	shutdown		11/13/2018 18:00	0.0		11/13/2019 18:00	0.0		11/12/2020 18:00	0.0	
11/13/2017 19:00	shutdown		11/13/2018 19:00	0.0		11/13/2019 19:00	0.0		11/12/2020 19:00	0.0	
11/13/2017 20:00	shutdown		11/13/2018 20:00	0.0		11/13/2019 20:00	0.0		11/12/2020 20:00	0.0	
11/13/2017 21:00	shutdown		11/13/2018 21:00	0.0		11/13/2019 21:00	0.0		11/12/2020 21:00	0.0	
11/13/2017 22:00	shutdown		11/13/2018 22:00	0.0		11/13/2019 22:00	0.0		11/12/2020 22:00	0.0	
11/13/2017 23:00	shutdown	0.0	11/13/2018 23:00	0.0	0.0	11/13/2019 23:00	0.0	0.0	11/12/2020 23:00	0.0	0.0
11/14/2017 0:00	shutdown		11/14/2018 0:00	0.0		11/14/2019 0:00	0.0		11/13/2020 0:00	0.0	
11/14/2017 1:00	shutdown		11/14/2018 1:00	0.0		11/14/2019 1:00	0.0		11/13/2020 1:00	0.0	
11/14/2017 2:00	shutdown		11/14/2018 2:00	0.0		11/14/2019 2:00	0.0		11/13/2020 2:00	0.0	
11/14/2017 3:00	shutdown		11/14/2018 3:00	0.0		11/14/2019 3:00	0.0		11/13/2020 3:00	0.0	

Date	2017 Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	2018 Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	2019 Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	2020 Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
11/14/2017 4:00	shutdown		11/14/2018 4:00	0.0		11/14/2019 4:00	0.0		11/13/2020 4:00	0.0	
11/14/2017 5:00	shutdown		11/14/2018 5:00	0.0		11/14/2019 5:00	0.0		11/13/2020 5:00	0.0	
11/14/2017 6:00	shutdown		11/14/2018 6:00	0.0		11/14/2019 6:00	0.0		11/13/2020 6:00	0.0	
11/14/2017 7:00	shutdown		11/14/2018 7:00	0.0		11/14/2019 7:00	0.0		11/13/2020 7:00	0.0	
11/14/2017 8:00	shutdown		11/14/2018 8:00	0.0		11/14/2019 8:00	0.0		11/13/2020 8:00	0.0	
11/14/2017 9:00	shutdown		11/14/2018 9:00	0.0		11/14/2019 9:00	0.0		11/13/2020 9:00	0.0	
11/14/2017 10:00	shutdown		11/14/2018 10:00	0.0		11/14/2019 10:00	0.0		11/13/2020 10:00	0.0	
11/14/2017 11:00	shutdown		11/14/2018 11:00	0.0		11/14/2019 11:00	0.0		11/13/2020 11:00	0.0	
11/14/2017 12:00	shutdown		11/14/2018 12:00	0.0		11/14/2019 12:00	0.0		11/13/2020 12:00	0.0	
11/14/2017 13:00	shutdown		11/14/2018 13:00	0.0		11/14/2019 13:00	0.0		11/13/2020 13:00	0.0	
11/14/2017 14:00	shutdown		11/14/2018 14:00	0.0		11/14/2019 14:00	0.0		11/13/2020 14:00	0.0	
11/14/2017 15:00	shutdown		11/14/2018 15:00	0.0		11/14/2019 15:00	0.0		11/13/2020 15:00	0.0	
11/14/2017 16:00	shutdown		11/14/2018 16:00	0.0		11/14/2019 16:00	0.0		11/13/2020 16:00	0.0	
11/14/2017 17:00	shutdown		11/14/2018 17:00	0.0		11/14/2019 17:00	0.0		11/13/2020 17:00	0.0	
11/14/2017 18:00	shutdown		11/14/2018 18:00	0.0		11/14/2019 18:00	0.0		11/13/2020 18:00	0.0	
11/14/2017 19:00	shutdown		11/14/2018 19:00	0.0		11/14/2019 19:00	0.0		11/13/2020 19:00	0.0	
11/14/2017 20:00	shutdown		11/14/2018 20:00	0.0		11/14/2019 20:00	0.0		11/13/2020 20:00	0.0	
11/14/2017 21:00	shutdown		11/14/2018 21:00	0.0		11/14/2019 21:00	0.0		11/13/2020 21:00	0.0	
11/14/2017 22:00	shutdown		11/14/2018 22:00	0.0		11/14/2019 22:00	0.0		11/13/2020 22:00	0.0	
11/14/2017 23:00	shutdown	0.0	11/14/2018 23:00	0.0	0.0	11/14/2019 23:00	0.0	0.0	11/13/2020 23:00	0.0	0.0
11/15/2017 0:00	shutdown		11/15/2018 0:00	0.0		11/15/2019 0:00	0.0		11/14/2020 0:00	0.0	
11/15/2017 1:00	shutdown		11/15/2018 1:00	0.0		11/15/2019 1:00	0.0		11/14/2020 1:00	0.0	
11/15/2017 2:00	shutdown		11/15/2018 2:00	0.0		11/15/2019 2:00	0.0		11/14/2020 2:00	0.0	
11/15/2017 3:00	shutdown		11/15/2018 3:00	0.0		11/15/2019 3:00	0.0		11/14/2020 3:00	0.0	
11/15/2017 4:00	shutdown		11/15/2018 4:00	0.0		11/15/2019 4:00	0.0		11/14/2020 4:00	0.0	
11/15/2017 5:00	shutdown		11/15/2018 5:00	0.0		11/15/2019 5:00	0.0		11/14/2020 5:00	0.0	
11/15/2017 6:00	shutdown		11/15/2018 6:00	0.0		11/15/2019 6:00	0.0		11/14/2020 6:00	0.0	
11/15/2017 7:00	shutdown		11/15/2018 7:00	0.0		11/15/2019 7:00	0.0		11/14/2020 7:00	0.0	
11/15/2017 8:00	shutdown		11/15/2018 8:00	0.0		11/15/2019 8:00	0.0		11/14/2020 8:00	0.0	
11/15/2017 9:00	shutdown		11/15/2018 9:00	0.0		11/15/2019 9:00	0.0		11/14/2020 9:00	0.0	
11/15/2017 10:00	shutdown		11/15/2018 10:00	0.0		11/15/2019 10:00	0.0		11/14/2020 10:00	0.0	
11/15/2017 11:00	shutdown		11/15/2018 11:00	0.0		11/15/2019 11:00	0.0		11/14/2020 11:00	0.0	
11/15/2017 12:00	shutdown		11/15/2018 12:00	0.0		11/15/2019 12:00	0.0		11/14/2020 12:00	0.0	
11/15/2017 13:00	shutdown		11/15/2018 13:00	0.0		11/15/2019 13:00	0.0		11/14/2020 13:00	0.0	
11/15/2017 14:00	shutdown		11/15/2018 14:00	0.0		11/15/2019 14:00	0.0		11/14/2020 14:00	0.0	
11/15/2017 15:00	shutdown		11/15/2018 15:00	0.0		11/15/2019 15:00	0.0		11/14/2020 15:00	0.0	
11/15/2017 16:00	shutdown		11/15/2018 16:00	0.0		11/15/2019 16:00	0.0		11/14/2020 16:00	0.0	
11/15/2017 17:00	shutdown		11/15/2018 17:00	0.0		11/15/2019 17:00	0.0		11/14/2020 17:00	0.0	
11/15/2017 18:00	shutdown		11/15/2018 18:00	0.0		11/15/2019 18:00	0.0		11/14/2020 18:00	0.0	
11/15/2017 19:00	shutdown		11/15/2018 19:00	0.0		11/15/2019 19:00	0.0		11/14/2020 19:00	0.0	
11/15/2017 20:00	shutdown		11/15/2018 20:00	0.0		11/15/2019 20:00	0.0		11/14/2020 20:00	0.0	
11/15/2017 21:00	shutdown		11/15/2018 21:00	0.0		11/15/2019 21:00	0.0		11/14/2020 21:00	0.0	
11/15/2017 22:00	shutdown		11/15/2018 22:00	0.0		11/15/2019 22:00	0.0		11/14/2020 22:00	0.0	
11/15/2017 23:00	shutdown	0.0	11/15/2018 23:00	0.0	0.0	11/15/2019 23:00	0.0	0.0	11/14/2020 23:00	0.0	0.0

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
11/16/2017 0:00	shutdown		11/16/2018 0:00	0.0		11/16/2019 0:00	0.0		11/15/2020 0:00	0.0	
11/16/2017 1:00	shutdown		11/16/2018 1:00	0.0		11/16/2019 1:00	0.0		11/15/2020 1:00	0.0	
11/16/2017 2:00	shutdown		11/16/2018 2:00	0.0		11/16/2019 2:00	0.0		11/15/2020 2:00	0.0	
11/16/2017 3:00	shutdown		11/16/2018 3:00	0.0		11/16/2019 3:00	0.0		11/15/2020 3:00	0.0	
11/16/2017 4:00	shutdown		11/16/2018 4:00	0.0		11/16/2019 4:00	0.0		11/15/2020 4:00	0.0	
11/16/2017 5:00	shutdown		11/16/2018 5:00	0.0		11/16/2019 5:00	0.0		11/15/2020 5:00	0.0	
11/16/2017 6:00	shutdown		11/16/2018 6:00	0.0		11/16/2019 6:00	0.0		11/15/2020 6:00	0.0	
11/16/2017 7:00	shutdown		11/16/2018 7:00	0.0		11/16/2019 7:00	0.0		11/15/2020 7:00	0.0	
11/16/2017 8:00	shutdown		11/16/2018 8:00	0.0		11/16/2019 8:00	0.0		11/15/2020 8:00	0.0	
11/16/2017 9:00	shutdown		11/16/2018 9:00	0.0		11/16/2019 9:00	0.0		11/15/2020 9:00	0.0	
11/16/2017 10:00	shutdown		11/16/2018 10:00	0.0		11/16/2019 10:00	0.0		11/15/2020 10:00	0.0	
11/16/2017 11:00	shutdown		11/16/2018 11:00	0.0		11/16/2019 11:00	0.0		11/15/2020 11:00	0.0	
11/16/2017 12:00	shutdown		11/16/2018 12:00	0.0		11/16/2019 12:00	0.0		11/15/2020 12:00	0.0	
11/16/2017 13:00	shutdown		11/16/2018 13:00	0.0		11/16/2019 13:00	0.0		11/15/2020 13:00	0.3	
11/16/2017 14:00	shutdown		11/16/2018 14:00	0.0		11/16/2019 14:00	0.0		11/15/2020 14:00	0.0	
11/16/2017 15:00	shutdown		11/16/2018 15:00	0.0		11/16/2019 15:00	0.0		11/15/2020 15:00	0.0	
11/16/2017 16:00	shutdown		11/16/2018 16:00	0.0		11/16/2019 16:00	0.0		11/15/2020 16:00	0.0	
11/16/2017 17:00	shutdown		11/16/2018 17:00	0.0		11/16/2019 17:00	0.0		11/15/2020 17:00	0.0	
11/16/2017 18:00	shutdown		11/16/2018 18:00	0.0		11/16/2019 18:00	0.0		11/15/2020 18:00	0.0	
11/16/2017 19:00	shutdown		11/16/2018 19:00	0.0		11/16/2019 19:00	0.0		11/15/2020 19:00	0.0	
11/16/2017 20:00	shutdown		11/16/2018 20:00	0.0		11/16/2019 20:00	0.0		11/15/2020 20:00	0.0	
11/16/2017 21:00	shutdown		11/16/2018 21:00	0.0		11/16/2019 21:00	0.0		11/15/2020 21:00	0.0	
11/16/2017 22:00	shutdown		11/16/2018 22:00	0.0		11/16/2019 22:00	0.0		11/15/2020 22:00	0.0	
11/16/2017 23:00	shutdown	0.0	11/16/2018 23:00	0.0	0.0	11/16/2019 23:00	0.0	0.0	11/15/2020 23:00	0.0	0.3
11/17/2017 0:00	shutdown		11/17/2018 0:00	0.0		11/17/2019 0:00	0.0		11/16/2020 0:00	0.0	
11/17/2017 1:00	shutdown		11/17/2018 1:00	0.0		11/17/2019 1:00	0.0		11/16/2020 1:00	0.0	
11/17/2017 2:00	shutdown		11/17/2018 2:00	0.0		11/17/2019 2:00	0.0		11/16/2020 2:00	0.0	
11/17/2017 3:00	shutdown		11/17/2018 3:00	0.0		11/17/2019 3:00	0.0		11/16/2020 3:00	0.0	
11/17/2017 4:00	shutdown		11/17/2018 4:00	0.0		11/17/2019 4:00	0.0		11/16/2020 4:00	0.0	
11/17/2017 5:00	shutdown		11/17/2018 5:00	0.0		11/17/2019 5:00	0.0		11/16/2020 5:00	0.0	
11/17/2017 6:00	shutdown		11/17/2018 6:00	0.0		11/17/2019 6:00	0.0		11/16/2020 6:00	0.0	
11/17/2017 7:00	shutdown		11/17/2018 7:00	0.0		11/17/2019 7:00	0.0		11/16/2020 7:00	0.0	
11/17/2017 8:00	shutdown		11/17/2018 8:00	0.0		11/17/2019 8:00	0.0		11/16/2020 8:00	0.0	
11/17/2017 9:00	shutdown		11/17/2018 9:00	0.0		11/17/2019 9:00	0.0		11/16/2020 9:00	0.0	
11/17/2017 10:00	shutdown		11/17/2018 10:00	0.0		11/17/2019 10:00	0.0		11/16/2020 10:00	0.0	
11/17/2017 11:00	shutdown		11/17/2018 11:00	0.0		11/17/2019 11:00	0.0		11/16/2020 11:00	0.0	
11/17/2017 12:00	shutdown		11/17/2018 12:00	0.0		11/17/2019 12:00	0.0		11/16/2020 12:00	0.0	
11/17/2017 13:00	shutdown		11/17/2018 13:00	0.0		11/17/2019 13:00	0.0		11/16/2020 13:00	0.0	
11/17/2017 14:00	shutdown		11/17/2018 14:00	0.0		11/17/2019 14:00	0.0		11/16/2020 14:00	0.0	
11/17/2017 15:00	shutdown		11/17/2018 15:00	0.0		11/17/2019 15:00	0.0		11/16/2020 15:00	0.0	
11/17/2017 16:00	shutdown		11/17/2018 16:00	0.0		11/17/2019 16:00	0.0		11/16/2020 16:00	0.0	
11/17/2017 17:00	shutdown		11/17/2018 17:00	0.0		11/17/2019 17:00	0.0		11/16/2020 17:00	0.0	
11/17/2017 18:00	shutdown		11/17/2018 18:00	0.0		11/17/2019 18:00	0.0		11/16/2020 18:00	0.0	
11/17/2017 19:00	shutdown		11/17/2018 19:00	0.0		11/17/2019 19:00	0.0		11/16/2020 19:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
11/17/2017 20:00	shutdown		11/17/2018 20:00	0.0		11/17/2019 20:00	0.0		11/16/2020 20:00	0.0	
11/17/2017 21:00	shutdown		11/17/2018 21:00	0.0		11/17/2019 21:00	0.0		11/16/2020 21:00	0.0	
11/17/2017 22:00	shutdown		11/17/2018 22:00	0.0		11/17/2019 22:00	0.0		11/16/2020 22:00	0.0	
11/17/2017 23:00	shutdown	0.0	11/17/2018 23:00	0.0	0.0	11/17/2019 23:00	0.0	0.0	11/16/2020 23:00	0.0	0.0
11/18/2017 0:00	shutdown		11/18/2018 0:00	0.0		11/18/2019 0:00	0.0		11/17/2020 0:00	0.0	
11/18/2017 1:00	shutdown		11/18/2018 1:00	0.0		11/18/2019 1:00	0.0		11/17/2020 1:00	0.0	
11/18/2017 2:00	shutdown		11/18/2018 2:00	0.0		11/18/2019 2:00	0.0		11/17/2020 2:00	0.0	
11/18/2017 3:00	shutdown		11/18/2018 3:00	0.0		11/18/2019 3:00	0.0		11/17/2020 3:00	0.0	
11/18/2017 4:00	shutdown		11/18/2018 4:00	0.0		11/18/2019 4:00	0.0		11/17/2020 4:00	0.0	
11/18/2017 5:00	shutdown		11/18/2018 5:00	0.0		11/18/2019 5:00	0.0		11/17/2020 5:00	0.0	
11/18/2017 6:00	shutdown		11/18/2018 6:00	0.0		11/18/2019 6:00	0.0		11/17/2020 6:00	0.0	
11/18/2017 7:00	shutdown		11/18/2018 7:00	0.0		11/18/2019 7:00	0.0		11/17/2020 7:00	0.0	
11/18/2017 8:00	shutdown		11/18/2018 8:00	0.0		11/18/2019 8:00	0.0		11/17/2020 8:00	0.0	
11/18/2017 9:00	shutdown		11/18/2018 9:00	0.0		11/18/2019 9:00	0.0		11/17/2020 9:00	0.0	
11/18/2017 10:00	shutdown		11/18/2018 10:00	0.0		11/18/2019 10:00	0.0		11/17/2020 10:00	0.0	
11/18/2017 11:00	shutdown		11/18/2018 11:00	0.0		11/18/2019 11:00	0.0		11/17/2020 11:00	0.0	
11/18/2017 12:00	shutdown		11/18/2018 12:00	0.0		11/18/2019 12:00	0.0		11/17/2020 12:00	0.0	
11/18/2017 13:00	shutdown		11/18/2018 13:00	0.0		11/18/2019 13:00	0.0		11/17/2020 13:00	0.0	
11/18/2017 14:00	shutdown		11/18/2018 14:00	0.0		11/18/2019 14:00	0.0		11/17/2020 14:00	0.0	
11/18/2017 15:00	shutdown		11/18/2018 15:00	0.0		11/18/2019 15:00	0.0		11/17/2020 15:00	0.0	
11/18/2017 16:00	shutdown		11/18/2018 16:00	0.0		11/18/2019 16:00	0.0		11/17/2020 16:00	0.0	
11/18/2017 17:00	shutdown		11/18/2018 17:00	0.0		11/18/2019 17:00	0.0		11/17/2020 17:00	0.0	
11/18/2017 18:00	shutdown		11/18/2018 18:00	0.0		11/18/2019 18:00	0.0		11/17/2020 18:00	0.0	
11/18/2017 19:00	shutdown		11/18/2018 19:00	0.0		11/18/2019 19:00	0.0		11/17/2020 19:00	0.0	
11/18/2017 20:00	shutdown		11/18/2018 20:00	0.0		11/18/2019 20:00	0.0		11/17/2020 20:00	0.0	
11/18/2017 21:00	shutdown		11/18/2018 21:00	0.0		11/18/2019 21:00	0.0		11/17/2020 21:00	0.0	
11/18/2017 22:00	shutdown		11/18/2018 22:00	0.0		11/18/2019 22:00	0.0		11/17/2020 22:00	0.0	
11/18/2017 23:00	shutdown	0.0	11/18/2018 23:00	0.0	0.0	11/18/2019 23:00	0.0	0.0	11/17/2020 23:00	0.0	0.0
11/19/2017 0:00	shutdown		11/19/2018 0:00	0.0		11/19/2019 0:00	0.0		11/18/2020 0:00	0.0	
11/19/2017 1:00	shutdown		11/19/2018 1:00	0.0		11/19/2019 1:00	0.0		11/18/2020 1:00	0.0	
11/19/2017 2:00	shutdown		11/19/2018 2:00	0.0		11/19/2019 2:00	0.0		11/18/2020 2:00	0.0	
11/19/2017 3:00	shutdown		11/19/2018 3:00	0.0		11/19/2019 3:00	0.0		11/18/2020 3:00	0.0	
11/19/2017 4:00	shutdown		11/19/2018 4:00	0.0		11/19/2019 4:00	0.0		11/18/2020 4:00	0.0	
11/19/2017 5:00	shutdown		11/19/2018 5:00	0.0		11/19/2019 5:00	0.0		11/18/2020 5:00	0.0	
11/19/2017 6:00	shutdown		11/19/2018 6:00	0.0		11/19/2019 6:00	0.0		11/18/2020 6:00	0.0	
11/19/2017 7:00	shutdown		11/19/2018 7:00	0.0		11/19/2019 7:00	0.0		11/18/2020 7:00	0.0	
11/19/2017 8:00	shutdown		11/19/2018 8:00	0.0		11/19/2019 8:00	0.0		11/18/2020 8:00	0.0	
11/19/2017 9:00	shutdown		11/19/2018 9:00	0.0		11/19/2019 9:00	0.0		11/18/2020 9:00	0.0	
11/19/2017 10:00	shutdown		11/19/2018 10:00	0.0		11/19/2019 10:00	0.0		11/18/2020 10:00	0.0	
11/19/2017 11:00	shutdown		11/19/2018 11:00	0.0		11/19/2019 11:00	0.0		11/18/2020 11:00	0.0	
11/19/2017 12:00	shutdown		11/19/2018 12:00	0.0		11/19/2019 12:00	0.0		11/18/2020 12:00	0.0	
11/19/2017 13:00	shutdown		11/19/2018 13:00	0.0		11/19/2019 13:00	0.0		11/18/2020 13:00	0.0	
11/19/2017 14:00	shutdown		11/19/2018 14:00	0.0		11/19/2019 14:00	0.0		11/18/2020 14:00	0.0	
11/19/2017 15:00	shutdown		11/19/2018 15:00	0.0		11/19/2019 15:00	0.0		11/18/2020 15:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
11/19/2017 16:00	shutdown		11/19/2018 16:00	0.0		11/19/2019 16:00	0.0		11/18/2020 16:00	0.0	
11/19/2017 17:00	shutdown		11/19/2018 17:00	0.0		11/19/2019 17:00	0.0		11/18/2020 17:00	0.0	
11/19/2017 18:00	shutdown		11/19/2018 18:00	0.0		11/19/2019 18:00	0.0		11/18/2020 18:00	0.0	
11/19/2017 19:00	shutdown		11/19/2018 19:00	0.0		11/19/2019 19:00	0.0		11/18/2020 19:00	0.0	
11/19/2017 20:00	shutdown		11/19/2018 20:00	0.0		11/19/2019 20:00	0.0		11/18/2020 20:00	0.0	
11/19/2017 21:00	shutdown		11/19/2018 21:00	0.0		11/19/2019 21:00	0.0		11/18/2020 21:00	0.0	
11/19/2017 22:00	shutdown		11/19/2018 22:00	0.0		11/19/2019 22:00	0.0		11/18/2020 22:00	0.0	
11/19/2017 23:00	shutdown	0.0	11/19/2018 23:00	0.0	0.0	11/19/2019 23:00	0.0	0.0	11/18/2020 23:00	0.0	0.0
11/20/2017 0:00	shutdown		11/20/2018 0:00	0.0		11/20/2019 0:00	0.0		11/19/2020 0:00	0.0	
11/20/2017 1:00	shutdown		11/20/2018 1:00	0.0		11/20/2019 1:00	0.0		11/19/2020 1:00	0.0	
11/20/2017 2:00	shutdown		11/20/2018 2:00	0.0		11/20/2019 2:00	0.0		11/19/2020 2:00	0.0	
11/20/2017 3:00	shutdown		11/20/2018 3:00	0.0		11/20/2019 3:00	0.0		11/19/2020 3:00	0.0	
11/20/2017 4:00	shutdown		11/20/2018 4:00	0.0		11/20/2019 4:00	0.0		11/19/2020 4:00	0.0	
11/20/2017 5:00	shutdown		11/20/2018 5:00	0.0		11/20/2019 5:00	0.0		11/19/2020 5:00	0.0	
11/20/2017 6:00	shutdown		11/20/2018 6:00	0.0		11/20/2019 6:00	0.0		11/19/2020 6:00	0.0	
11/20/2017 7:00	shutdown		11/20/2018 7:00	0.0		11/20/2019 7:00	0.0		11/19/2020 7:00	0.0	
11/20/2017 8:00	shutdown		11/20/2018 8:00	0.0		11/20/2019 8:00	0.0		11/19/2020 8:00	0.0	
11/20/2017 9:00	shutdown		11/20/2018 9:00	0.0		11/20/2019 9:00	0.0		11/19/2020 9:00	0.0	
11/20/2017 10:00	shutdown		11/20/2018 10:00	0.0		11/20/2019 10:00	0.0		11/19/2020 10:00	0.0	
11/20/2017 11:00	shutdown		11/20/2018 11:00	0.0		11/20/2019 11:00	0.0		11/19/2020 11:00	0.0	
11/20/2017 12:00	shutdown		11/20/2018 12:00	0.0		11/20/2019 12:00	0.0		11/19/2020 12:00	0.0	
11/20/2017 13:00	shutdown		11/20/2018 13:00	0.0		11/20/2019 13:00	0.0		11/19/2020 13:00	0.0	
11/20/2017 14:00	shutdown		11/20/2018 14:00	0.0		11/20/2019 14:00	0.0		11/19/2020 14:00	0.0	
11/20/2017 15:00	shutdown		11/20/2018 15:00	0.0		11/20/2019 15:00	0.0		11/19/2020 15:00	0.0	
11/20/2017 16:00	shutdown		11/20/2018 16:00	0.0		11/20/2019 16:00	0.0		11/19/2020 16:00	0.0	
11/20/2017 17:00	shutdown		11/20/2018 17:00	0.0		11/20/2019 17:00	0.0		11/19/2020 17:00	0.0	
11/20/2017 18:00	shutdown		11/20/2018 18:00	0.0		11/20/2019 18:00	0.0		11/19/2020 18:00	0.0	
11/20/2017 19:00	shutdown		11/20/2018 19:00	0.0		11/20/2019 19:00	0.0		11/19/2020 19:00	0.0	
11/20/2017 20:00	shutdown		11/20/2018 20:00	0.0		11/20/2019 20:00	0.0		11/19/2020 20:00	0.0	
11/20/2017 21:00	shutdown		11/20/2018 21:00	0.0		11/20/2019 21:00	0.0		11/19/2020 21:00	0.0	
11/20/2017 22:00	shutdown		11/20/2018 22:00	0.0		11/20/2019 22:00	0.0		11/19/2020 22:00	0.0	
11/20/2017 23:00	shutdown	0.0	11/20/2018 23:00	0.0	0.0	11/20/2019 23:00	0.0	0.0	11/19/2020 23:00	0.0	0.0
11/21/2017 0:00	shutdown		11/21/2018 0:00	0.0		11/21/2019 0:00	0.0		11/20/2020 0:00	0.0	
11/21/2017 1:00	shutdown		11/21/2018 1:00	0.0		11/21/2019 1:00	0.0		11/20/2020 1:00	0.0	
11/21/2017 2:00	shutdown		11/21/2018 2:00	0.0		11/21/2019 2:00	0.0		11/20/2020 2:00	0.0	
11/21/2017 3:00	shutdown		11/21/2018 3:00	0.0		11/21/2019 3:00	0.0		11/20/2020 3:00	0.0	
11/21/2017 4:00	shutdown		11/21/2018 4:00	0.0		11/21/2019 4:00	0.0		11/20/2020 4:00	0.0	
11/21/2017 5:00	shutdown		11/21/2018 5:00	0.0		11/21/2019 5:00	0.0		11/20/2020 5:00	0.0	
11/21/2017 6:00	shutdown		11/21/2018 6:00	0.0		11/21/2019 6:00	0.0		11/20/2020 6:00	0.0	
11/21/2017 7:00	shutdown		11/21/2018 7:00	0.0		11/21/2019 7:00	0.0		11/20/2020 7:00	0.0	
11/21/2017 8:00	shutdown		11/21/2018 8:00	0.0		11/21/2019 8:00	0.0		11/20/2020 8:00	0.0	
11/21/2017 9:00	shutdown		11/21/2018 9:00	0.0		11/21/2019 9:00	0.0		11/20/2020 9:00	0.0	
11/21/2017 10:00	shutdown		11/21/2018 10:00	0.0		11/21/2019 10:00	0.0		11/20/2020 10:00	0.0	
11/21/2017 11:00	shutdown		11/21/2018 11:00	0.0		11/21/2019 11:00	0.0		11/20/2020 11:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
11/21/2017 12:00	shutdown		11/21/2018 12:00	0.0		11/21/2019 12:00	0.0		11/20/2020 12:00	0.0	
11/21/2017 13:00	shutdown		11/21/2018 13:00	0.0		11/21/2019 13:00	0.0		11/20/2020 13:00	0.0	
11/21/2017 14:00	shutdown		11/21/2018 14:00	0.0		11/21/2019 14:00	0.0		11/20/2020 14:00	0.0	
11/21/2017 15:00	shutdown		11/21/2018 15:00	0.0		11/21/2019 15:00	0.0		11/20/2020 15:00	0.0	
11/21/2017 16:00	shutdown		11/21/2018 16:00	0.0		11/21/2019 16:00	0.0		11/20/2020 16:00	0.0	
11/21/2017 17:00	shutdown		11/21/2018 17:00	0.0		11/21/2019 17:00	0.0		11/20/2020 17:00	0.0	
11/21/2017 18:00	shutdown		11/21/2018 18:00	0.0		11/21/2019 18:00	0.0		11/20/2020 18:00	0.0	
11/21/2017 19:00	shutdown		11/21/2018 19:00	0.0		11/21/2019 19:00	0.0		11/20/2020 19:00	0.0	
11/21/2017 20:00	shutdown		11/21/2018 20:00	0.0		11/21/2019 20:00	0.0		11/20/2020 20:00	0.0	
11/21/2017 21:00	shutdown		11/21/2018 21:00	0.0		11/21/2019 21:00	0.0		11/20/2020 21:00	0.0	
11/21/2017 22:00	shutdown		11/21/2018 22:00	0.0		11/21/2019 22:00	0.0		11/20/2020 22:00	0.0	
11/21/2017 23:00	shutdown	0.0	11/21/2018 23:00	0.0	0.0	11/21/2019 23:00	0.0	0.0	11/20/2020 23:00	0.0	0.0
11/22/2017 0:00	shutdown		11/22/2018 0:00	0.0		11/22/2019 0:00	0.0		11/21/2020 0:00	0.0	
11/22/2017 1:00	shutdown		11/22/2018 1:00	0.0		11/22/2019 1:00	0.0		11/21/2020 1:00	0.0	
11/22/2017 2:00	shutdown		11/22/2018 2:00	0.0		11/22/2019 2:00	0.0		11/21/2020 2:00	0.0	
11/22/2017 3:00	shutdown		11/22/2018 3:00	0.0		11/22/2019 3:00	0.0		11/21/2020 3:00	0.0	
11/22/2017 4:00	shutdown		11/22/2018 4:00	0.0		11/22/2019 4:00	0.0		11/21/2020 4:00	0.0	
11/22/2017 5:00	shutdown		11/22/2018 5:00	0.0		11/22/2019 5:00	0.0		11/21/2020 5:00	0.0	
11/22/2017 6:00	shutdown		11/22/2018 6:00	0.0		11/22/2019 6:00	0.0		11/21/2020 6:00	0.0	
11/22/2017 7:00	shutdown		11/22/2018 7:00	0.0		11/22/2019 7:00	0.0		11/21/2020 7:00	0.0	
11/22/2017 8:00	shutdown		11/22/2018 8:00	0.0		11/22/2019 8:00	0.0		11/21/2020 8:00	0.0	
11/22/2017 9:00	shutdown		11/22/2018 9:00	0.0		11/22/2019 9:00	0.0		11/21/2020 9:00	0.0	
11/22/2017 10:00	shutdown		11/22/2018 10:00	0.0		11/22/2019 10:00	0.0		11/21/2020 10:00	0.0	
11/22/2017 11:00	shutdown		11/22/2018 11:00	0.0		11/22/2019 11:00	0.0		11/21/2020 11:00	0.0	
11/22/2017 12:00	shutdown		11/22/2018 12:00	0.0		11/22/2019 12:00	0.0		11/21/2020 12:00	0.0	
11/22/2017 13:00	shutdown		11/22/2018 13:00	0.0		11/22/2019 13:00	0.0		11/21/2020 13:00	0.0	
11/22/2017 14:00	shutdown		11/22/2018 14:00	0.0		11/22/2019 14:00	0.0		11/21/2020 14:00	0.0	
11/22/2017 15:00	shutdown		11/22/2018 15:00	0.0		11/22/2019 15:00	0.0		11/21/2020 15:00	0.0	
11/22/2017 16:00	shutdown		11/22/2018 16:00	0.0		11/22/2019 16:00	0.0		11/21/2020 16:00	0.0	
11/22/2017 17:00	shutdown		11/22/2018 17:00	0.0		11/22/2019 17:00	0.0		11/21/2020 17:00	0.0	
11/22/2017 18:00	shutdown		11/22/2018 18:00	0.0		11/22/2019 18:00	0.0		11/21/2020 18:00	0.0	
11/22/2017 19:00	shutdown		11/22/2018 19:00	0.0		11/22/2019 19:00	0.0		11/21/2020 19:00	0.0	
11/22/2017 20:00	shutdown		11/22/2018 20:00	0.0		11/22/2019 20:00	0.0		11/21/2020 20:00	0.0	
11/22/2017 21:00	shutdown		11/22/2018 21:00	0.0		11/22/2019 21:00	0.0		11/21/2020 21:00	0.0	
11/22/2017 22:00	shutdown		11/22/2018 22:00	0.0		11/22/2019 22:00	0.0		11/21/2020 22:00	0.0	
11/22/2017 23:00	shutdown	0.0	11/22/2018 23:00	0.0	0.0	11/22/2019 23:00	0.0	0.0	11/21/2020 23:00	0.0	0.0
11/23/2017 0:00	shutdown		11/23/2018 0:00	0.0		11/23/2019 0:00	0.0		11/22/2020 0:00	0.0	
11/23/2017 1:00	shutdown		11/23/2018 1:00	0.0		11/23/2019 1:00	0.0		11/22/2020 1:00	0.0	
11/23/2017 2:00	shutdown		11/23/2018 2:00	0.0		11/23/2019 2:00	0.0		11/22/2020 2:00	0.0	
11/23/2017 3:00	shutdown		11/23/2018 3:00	0.0		11/23/2019 3:00	0.0		11/22/2020 3:00	0.0	
11/23/2017 4:00	shutdown		11/23/2018 4:00	0.0		11/23/2019 4:00	0.0		11/22/2020 4:00	0.0	
11/23/2017 5:00	shutdown		11/23/2018 5:00	0.0		11/23/2019 5:00	0.0		11/22/2020 5:00	0.0	
11/23/2017 6:00	shutdown		11/23/2018 6:00	0.0		11/23/2019 6:00	0.0		11/22/2020 6:00	0.0	
11/23/2017 7:00	shutdown		11/23/2018 7:00	0.0		11/23/2019 7:00	0.0		11/22/2020 7:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
11/23/2017 8:00	shutdown		11/23/2018 8:00	0.0		11/23/2019 8:00	0.0		11/22/2020 8:00	0.0	
11/23/2017 9:00	shutdown		11/23/2018 9:00	0.0		11/23/2019 9:00	0.0		11/22/2020 9:00	0.0	
11/23/2017 10:00	shutdown		11/23/2018 10:00	0.0		11/23/2019 10:00	0.0		11/22/2020 10:00	0.0	
11/23/2017 11:00	shutdown		11/23/2018 11:00	0.0		11/23/2019 11:00	0.0		11/22/2020 11:00	0.0	
11/23/2017 12:00	shutdown		11/23/2018 12:00	0.0		11/23/2019 12:00	0.0		11/22/2020 12:00	0.0	
11/23/2017 13:00	shutdown		11/23/2018 13:00	0.0		11/23/2019 13:00	0.0		11/22/2020 13:00	0.0	
11/23/2017 14:00	shutdown		11/23/2018 14:00	0.0		11/23/2019 14:00	0.0		11/22/2020 14:00	0.0	
11/23/2017 15:00	shutdown		11/23/2018 15:00	0.0		11/23/2019 15:00	0.0		11/22/2020 15:00	0.0	
11/23/2017 16:00	shutdown		11/23/2018 16:00	0.0		11/23/2019 16:00	0.0		11/22/2020 16:00	0.0	
11/23/2017 17:00	shutdown		11/23/2018 17:00	0.0		11/23/2019 17:00	0.0		11/22/2020 17:00	0.0	
11/23/2017 18:00	shutdown		11/23/2018 18:00	0.0		11/23/2019 18:00	0.0		11/22/2020 18:00	0.0	
11/23/2017 19:00	shutdown		11/23/2018 19:00	0.0		11/23/2019 19:00	0.0		11/22/2020 19:00	0.0	
11/23/2017 20:00	shutdown		11/23/2018 20:00	0.0		11/23/2019 20:00	0.0		11/22/2020 20:00	0.0	
11/23/2017 21:00	shutdown		11/23/2018 21:00	0.0		11/23/2019 21:00	0.0		11/22/2020 21:00	0.0	
11/23/2017 22:00	shutdown		11/23/2018 22:00	0.0		11/23/2019 22:00	0.0		11/22/2020 22:00	0.0	
11/23/2017 23:00	shutdown	0.0	11/23/2018 23:00	0.0	0.0	11/23/2019 23:00	0.0	0.0	11/22/2020 23:00	0.0	0.0
11/24/2017 0:00	shutdown		11/24/2018 0:00	0.0		11/24/2019 0:00	0.0		11/23/2020 0:00	0.0	
11/24/2017 1:00	shutdown		11/24/2018 1:00	0.0		11/24/2019 1:00	0.0		11/23/2020 1:00	0.0	
11/24/2017 2:00	shutdown		11/24/2018 2:00	0.0		11/24/2019 2:00	0.0		11/23/2020 2:00	0.0	
11/24/2017 3:00	shutdown		11/24/2018 3:00	0.0		11/24/2019 3:00	0.0		11/23/2020 3:00	0.0	
11/24/2017 4:00	shutdown		11/24/2018 4:00	0.0		11/24/2019 4:00	0.0		11/23/2020 4:00	0.0	
11/24/2017 5:00	shutdown		11/24/2018 5:00	0.0		11/24/2019 5:00	0.0		11/23/2020 5:00	0.0	
11/24/2017 6:00	shutdown		11/24/2018 6:00	0.0		11/24/2019 6:00	0.0		11/23/2020 6:00	0.0	
11/24/2017 7:00	shutdown		11/24/2018 7:00	0.0		11/24/2019 7:00	0.0		11/23/2020 7:00	0.0	
11/24/2017 8:00	shutdown		11/24/2018 8:00	0.0		11/24/2019 8:00	0.0		11/23/2020 8:00	0.0	
11/24/2017 9:00	shutdown		11/24/2018 9:00	0.0		11/24/2019 9:00	0.0		11/23/2020 9:00	0.0	
11/24/2017 10:00	shutdown		11/24/2018 10:00	0.0		11/24/2019 10:00	0.0		11/23/2020 10:00	0.0	
11/24/2017 11:00	shutdown		11/24/2018 11:00	0.0		11/24/2019 11:00	0.0		11/23/2020 11:00	0.0	
11/24/2017 12:00	shutdown		11/24/2018 12:00	0.0		11/24/2019 12:00	0.0		11/23/2020 12:00	0.0	
11/24/2017 13:00	shutdown		11/24/2018 13:00	0.0		11/24/2019 13:00	0.0		11/23/2020 13:00	0.0	
11/24/2017 14:00	shutdown		11/24/2018 14:00	0.0		11/24/2019 14:00	0.0		11/23/2020 14:00	0.0	
11/24/2017 15:00	shutdown		11/24/2018 15:00	0.0		11/24/2019 15:00	0.0		11/23/2020 15:00	0.0	
11/24/2017 16:00	shutdown		11/24/2018 16:00	0.0		11/24/2019 16:00	0.0		11/23/2020 16:00	0.0	
11/24/2017 17:00	shutdown		11/24/2018 17:00	0.0		11/24/2019 17:00	0.0		11/23/2020 17:00	0.0	
11/24/2017 18:00	shutdown		11/24/2018 18:00	0.0		11/24/2019 18:00	0.0		11/23/2020 18:00	0.0	
11/24/2017 19:00	shutdown		11/24/2018 19:00	0.0		11/24/2019 19:00	0.0		11/23/2020 19:00	0.0	
11/24/2017 20:00	shutdown		11/24/2018 20:00	0.0		11/24/2019 20:00	0.0		11/23/2020 20:00	0.0	
11/24/2017 21:00	shutdown		11/24/2018 21:00	0.0		11/24/2019 21:00	0.0		11/23/2020 21:00	0.0	
11/24/2017 22:00	shutdown		11/24/2018 22:00	0.0		11/24/2019 22:00	0.0		11/23/2020 22:00	0.0	
11/24/2017 23:00	shutdown	0.0	11/24/2018 23:00	0.0	0.0	11/24/2019 23:00	0.0	0.0	11/23/2020 23:00	0.0	0.0
11/25/2017 0:00	shutdown		11/25/2018 0:00	0.0		11/25/2019 0:00	0.0		11/24/2020 0:00	0.0	
11/25/2017 1:00	shutdown		11/25/2018 1:00	0.0		11/25/2019 1:00	0.0		11/24/2020 1:00	0.0	
11/25/2017 2:00	shutdown		11/25/2018 2:00	0.0		11/25/2019 2:00	0.0		11/24/2020 2:00	0.0	
11/25/2017 3:00	shutdown		11/25/2018 3:00	0.0		11/25/2019 3:00	0.0		11/24/2020 3:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
11/25/2017 4:00	shutdown		11/25/2018 4:00	0.0		11/25/2019 4:00	0.0		11/24/2020 4:00	0.0	
11/25/2017 5:00	shutdown		11/25/2018 5:00	0.0		11/25/2019 5:00	0.0		11/24/2020 5:00	0.0	
11/25/2017 6:00	shutdown		11/25/2018 6:00	0.0		11/25/2019 6:00	0.0		11/24/2020 6:00	0.0	
11/25/2017 7:00	shutdown		11/25/2018 7:00	0.0		11/25/2019 7:00	0.0		11/24/2020 7:00	0.0	
11/25/2017 8:00	shutdown		11/25/2018 8:00	0.0		11/25/2019 8:00	0.0		11/24/2020 8:00	0.0	
11/25/2017 9:00	shutdown		11/25/2018 9:00	0.0		11/25/2019 9:00	0.0		11/24/2020 9:00	0.0	
11/25/2017 10:00	shutdown		11/25/2018 10:00	0.0		11/25/2019 10:00	0.0		11/24/2020 10:00	0.0	
11/25/2017 11:00	shutdown		11/25/2018 11:00	0.0		11/25/2019 11:00	0.0		11/24/2020 11:00	0.0	
11/25/2017 12:00	shutdown		11/25/2018 12:00	0.0		11/25/2019 12:00	0.0		11/24/2020 12:00	0.0	
11/25/2017 13:00	shutdown		11/25/2018 13:00	0.0		11/25/2019 13:00	0.0		11/24/2020 13:00	0.0	
11/25/2017 14:00	shutdown		11/25/2018 14:00	0.0		11/25/2019 14:00	0.0		11/24/2020 14:00	0.0	
11/25/2017 15:00	shutdown		11/25/2018 15:00	0.0		11/25/2019 15:00	0.0		11/24/2020 15:00	0.0	
11/25/2017 16:00	shutdown		11/25/2018 16:00	0.0		11/25/2019 16:00	0.0		11/24/2020 16:00	0.0	
11/25/2017 17:00	shutdown		11/25/2018 17:00	0.0		11/25/2019 17:00	0.0		11/24/2020 17:00	0.0	
11/25/2017 18:00	shutdown		11/25/2018 18:00	0.0		11/25/2019 18:00	0.0		11/24/2020 18:00	0.0	
11/25/2017 19:00	shutdown		11/25/2018 19:00	0.0		11/25/2019 19:00	0.0		11/24/2020 19:00	0.0	
11/25/2017 20:00	shutdown		11/25/2018 20:00	0.0		11/25/2019 20:00	0.0		11/24/2020 20:00	0.0	
11/25/2017 21:00	shutdown		11/25/2018 21:00	0.0		11/25/2019 21:00	0.0		11/24/2020 21:00	0.0	
11/25/2017 22:00	shutdown		11/25/2018 22:00	0.0		11/25/2019 22:00	0.0		11/24/2020 22:00	0.0	
11/25/2017 23:00	shutdown	0.0	11/25/2018 23:00	0.0	0.0	11/25/2019 23:00	0.0	0.0	11/24/2020 23:00	0.0	0.0
11/26/2017 0:00	shutdown		11/26/2018 0:00	0.0		11/26/2019 0:00	0.0		11/25/2020 0:00	0.0	
11/26/2017 1:00	shutdown		11/26/2018 1:00	0.0		11/26/2019 1:00	0.0		11/25/2020 1:00	0.0	
11/26/2017 2:00	shutdown		11/26/2018 2:00	0.0		11/26/2019 2:00	0.0		11/25/2020 2:00	0.0	
11/26/2017 3:00	shutdown		11/26/2018 3:00	0.0		11/26/2019 3:00	0.0		11/25/2020 3:00	0.0	
11/26/2017 4:00	shutdown		11/26/2018 4:00	0.0		11/26/2019 4:00	0.0		11/25/2020 4:00	0.0	
11/26/2017 5:00	shutdown		11/26/2018 5:00	0.0		11/26/2019 5:00	0.0		11/25/2020 5:00	0.0	
11/26/2017 6:00	shutdown		11/26/2018 6:00	0.0		11/26/2019 6:00	0.0		11/25/2020 6:00	0.0	
11/26/2017 7:00	shutdown		11/26/2018 7:00	777.3		11/26/2019 7:00	0.0		11/25/2020 7:00	0.0	
11/26/2017 8:00	shutdown		11/26/2018 8:00	279.4		11/26/2019 8:00	0.0		11/25/2020 8:00	0.0	
11/26/2017 9:00	shutdown		11/26/2018 9:00	0.0		11/26/2019 9:00	0.0		11/25/2020 9:00	0.0	
11/26/2017 10:00	shutdown		11/26/2018 10:00	0.0		11/26/2019 10:00	0.0		11/25/2020 10:00	0.0	
11/26/2017 11:00	shutdown		11/26/2018 11:00	0.0		11/26/2019 11:00	0.0		11/25/2020 11:00	0.0	
11/26/2017 12:00	shutdown		11/26/2018 12:00	0.0		11/26/2019 12:00	0.0		11/25/2020 12:00	0.0	
11/26/2017 13:00	shutdown		11/26/2018 13:00	0.0		11/26/2019 13:00	0.0		11/25/2020 13:00	0.0	
11/26/2017 14:00	shutdown		11/26/2018 14:00	0.0		11/26/2019 14:00	0.0		11/25/2020 14:00	0.0	
11/26/2017 15:00	shutdown		11/26/2018 15:00	0.0		11/26/2019 15:00	0.0		11/25/2020 15:00	0.0	
11/26/2017 16:00	shutdown		11/26/2018 16:00	0.0		11/26/2019 16:00	0.0		11/25/2020 16:00	0.0	
11/26/2017 17:00	shutdown		11/26/2018 17:00	0.0		11/26/2019 17:00	0.0		11/25/2020 17:00	0.0	
11/26/2017 18:00	shutdown		11/26/2018 18:00	0.0		11/26/2019 18:00	0.0		11/25/2020 18:00	0.0	
11/26/2017 19:00	shutdown		11/26/2018 19:00	0.0		11/26/2019 19:00	0.0		11/25/2020 19:00	0.0	
11/26/2017 20:00	shutdown		11/26/2018 20:00	0.0		11/26/2019 20:00	0.0		11/25/2020 20:00	0.0	
11/26/2017 21:00	shutdown		11/26/2018 21:00	0.0		11/26/2019 21:00	0.0		11/25/2020 21:00	0.0	
11/26/2017 22:00	shutdown		11/26/2018 22:00	0.0		11/26/2019 22:00	0.0		11/25/2020 22:00	0.0	
11/26/2017 23:00	shutdown	0.0	11/26/2018 23:00	0.0	777.3	11/26/2019 23:00	0.0	0.0	11/25/2020 23:00	0.0	0.0

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
11/27/2017 0:00	shutdown		11/27/2018 0:00	0.0		11/27/2019 0:00	0.0		11/26/2020 0:00	0.0	
11/27/2017 1:00	shutdown		11/27/2018 1:00	0.0		11/27/2019 1:00	0.0		11/26/2020 1:00	0.0	
11/27/2017 2:00	shutdown		11/27/2018 2:00	0.0		11/27/2019 2:00	0.0		11/26/2020 2:00	0.0	
11/27/2017 3:00	shutdown		11/27/2018 3:00	0.0		11/27/2019 3:00	0.0		11/26/2020 3:00	0.0	
11/27/2017 4:00	shutdown		11/27/2018 4:00	0.3		11/27/2019 4:00	0.0		11/26/2020 4:00	0.0	
11/27/2017 5:00	shutdown		11/27/2018 5:00	0.3		11/27/2019 5:00	0.0		11/26/2020 5:00	0.0	
11/27/2017 6:00	shutdown		11/27/2018 6:00	0.5		11/27/2019 6:00	0.0		11/26/2020 6:00	0.0	
11/27/2017 7:00	shutdown		11/27/2018 7:00	0.3		11/27/2019 7:00	0.0		11/26/2020 7:00	0.0	
11/27/2017 8:00	shutdown		11/27/2018 8:00	0.3		11/27/2019 8:00	0.0		11/26/2020 8:00	0.0	
11/27/2017 9:00	shutdown		11/27/2018 9:00	0.0		11/27/2019 9:00	0.0		11/26/2020 9:00	0.0	
11/27/2017 10:00	shutdown		11/27/2018 10:00	0.0		11/27/2019 10:00	0.0		11/26/2020 10:00	0.0	
11/27/2017 11:00	shutdown		11/27/2018 11:00	0.0		11/27/2019 11:00	0.0		11/26/2020 11:00	0.0	
11/27/2017 12:00	shutdown		11/27/2018 12:00	0.0		11/27/2019 12:00	0.0		11/26/2020 12:00	0.0	
11/27/2017 13:00	shutdown		11/27/2018 13:00	0.0		11/27/2019 13:00	0.0		11/26/2020 13:00	0.0	
11/27/2017 14:00	shutdown		11/27/2018 14:00	0.0		11/27/2019 14:00	0.0		11/26/2020 14:00	0.0	
11/27/2017 15:00	shutdown		11/27/2018 15:00	0.0		11/27/2019 15:00	0.0		11/26/2020 15:00	0.0	
11/27/2017 16:00	shutdown		11/27/2018 16:00	0.0		11/27/2019 16:00	0.0		11/26/2020 16:00	0.0	
11/27/2017 17:00	shutdown		11/27/2018 17:00	0.0		11/27/2019 17:00	0.0		11/26/2020 17:00	0.0	
11/27/2017 18:00	shutdown		11/27/2018 18:00	0.0		11/27/2019 18:00	0.0		11/26/2020 18:00	0.0	
11/27/2017 19:00	shutdown		11/27/2018 19:00	0.0		11/27/2019 19:00	0.0		11/26/2020 19:00	0.0	
11/27/2017 20:00	shutdown		11/27/2018 20:00	0.0		11/27/2019 20:00	0.0		11/26/2020 20:00	0.0	
11/27/2017 21:00	shutdown		11/27/2018 21:00	0.0		11/27/2019 21:00	0.0		11/26/2020 21:00	0.0	
11/27/2017 22:00	shutdown		11/27/2018 22:00	0.0		11/27/2019 22:00	0.0		11/26/2020 22:00	0.0	
11/27/2017 23:00	shutdown	0.0	11/27/2018 23:00	0.0	0.5	11/27/2019 23:00	0.0	0.0	11/26/2020 23:00	0.0	0.0
11/28/2017 0:00	shutdown		11/28/2018 0:00	0.0		11/28/2019 0:00	0.0		11/27/2020 0:00	0.0	
11/28/2017 1:00	shutdown		11/28/2018 1:00	0.0		11/28/2019 1:00	0.0		11/27/2020 1:00	0.0	
11/28/2017 2:00	shutdown		11/28/2018 2:00	0.0		11/28/2019 2:00	0.0		11/27/2020 2:00	0.0	
11/28/2017 3:00	shutdown		11/28/2018 3:00	0.0		11/28/2019 3:00	0.0		11/27/2020 3:00	0.0	
11/28/2017 4:00	shutdown		11/28/2018 4:00	0.0		11/28/2019 4:00	0.0		11/27/2020 4:00	0.0	
11/28/2017 5:00	shutdown		11/28/2018 5:00	0.0		11/28/2019 5:00	0.0		11/27/2020 5:00	0.0	
11/28/2017 6:00	shutdown		11/28/2018 6:00	0.0		11/28/2019 6:00	0.0		11/27/2020 6:00	0.0	
11/28/2017 7:00	shutdown		11/28/2018 7:00	0.0		11/28/2019 7:00	0.0		11/27/2020 7:00	0.0	
11/28/2017 8:00	shutdown		11/28/2018 8:00	0.0		11/28/2019 8:00	0.0		11/27/2020 8:00	0.0	
11/28/2017 9:00	shutdown		11/28/2018 9:00	0.0		11/28/2019 9:00	0.0		11/27/2020 9:00	0.0	
11/28/2017 10:00	shutdown		11/28/2018 10:00	0.0		11/28/2019 10:00	0.0		11/27/2020 10:00	0.0	
11/28/2017 11:00	shutdown		11/28/2018 11:00	0.0		11/28/2019 11:00	0.0		11/27/2020 11:00	0.0	
11/28/2017 12:00	shutdown		11/28/2018 12:00	0.0		11/28/2019 12:00	0.0		11/27/2020 12:00	0.0	
11/28/2017 13:00	shutdown		11/28/2018 13:00	0.0		11/28/2019 13:00	0.0		11/27/2020 13:00	0.0	
11/28/2017 14:00	shutdown		11/28/2018 14:00	0.0		11/28/2019 14:00	0.0		11/27/2020 14:00	0.0	
11/28/2017 15:00	shutdown		11/28/2018 15:00	0.0		11/28/2019 15:00	0.0		11/27/2020 15:00	0.0	
11/28/2017 16:00	shutdown		11/28/2018 16:00	0.0		11/28/2019 16:00	0.0		11/27/2020 16:00	0.0	
11/28/2017 17:00	shutdown		11/28/2018 17:00	0.0		11/28/2019 17:00	0.0		11/27/2020 17:00	0.0	
11/28/2017 18:00	shutdown		11/28/2018 18:00	0.0		11/28/2019 18:00	0.0		11/27/2020 18:00	0.0	
11/28/2017 19:00	shutdown		11/28/2018 19:00	0.0		11/28/2019 19:00	0.0		11/27/2020 19:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
11/28/2017 20:00	shutdown		11/28/2018 20:00	0.0		11/28/2019 20:00	0.0		11/27/2020 20:00	0.0	
11/28/2017 21:00	shutdown		11/28/2018 21:00	0.0		11/28/2019 21:00	0.0		11/27/2020 21:00	0.0	
11/28/2017 22:00	shutdown		11/28/2018 22:00	0.0		11/28/2019 22:00	0.0		11/27/2020 22:00	0.0	
11/28/2017 23:00	shutdown	0.0	11/28/2018 23:00	0.0	0.0	11/28/2019 23:00	0.0	0.0	11/27/2020 23:00	0.0	0.0
11/29/2017 0:00	shutdown		11/29/2018 0:00	0.0		11/29/2019 0:00	0.0		11/28/2020 0:00	0.0	
11/29/2017 1:00	shutdown		11/29/2018 1:00	0.0		11/29/2019 1:00	0.0		11/28/2020 1:00	0.0	
11/29/2017 2:00	shutdown		11/29/2018 2:00	0.0		11/29/2019 2:00	0.0		11/28/2020 2:00	0.0	
11/29/2017 3:00	shutdown		11/29/2018 3:00	0.0		11/29/2019 3:00	0.0		11/28/2020 3:00	0.0	
11/29/2017 4:00	shutdown		11/29/2018 4:00	0.0		11/29/2019 4:00	0.0		11/28/2020 4:00	0.0	
11/29/2017 5:00	shutdown		11/29/2018 5:00	0.0		11/29/2019 5:00	0.0		11/28/2020 5:00	0.0	
11/29/2017 6:00	shutdown		11/29/2018 6:00	0.0		11/29/2019 6:00	0.0		11/28/2020 6:00	0.0	
11/29/2017 7:00	shutdown		11/29/2018 7:00	0.0		11/29/2019 7:00	0.0		11/28/2020 7:00	0.0	
11/29/2017 8:00	shutdown		11/29/2018 8:00	0.0		11/29/2019 8:00	0.0		11/28/2020 8:00	0.0	
11/29/2017 9:00	shutdown		11/29/2018 9:00	0.0		11/29/2019 9:00	0.0		11/28/2020 9:00	0.0	
11/29/2017 10:00	shutdown		11/29/2018 10:00	0.0		11/29/2019 10:00	0.0		11/28/2020 10:00	0.0	
11/29/2017 11:00	shutdown		11/29/2018 11:00	0.0		11/29/2019 11:00	0.0		11/28/2020 11:00	0.0	
11/29/2017 12:00	shutdown		11/29/2018 12:00	0.5		11/29/2019 12:00	0.0		11/28/2020 12:00	0.0	
11/29/2017 13:00	shutdown		11/29/2018 13:00	0.0		11/29/2019 13:00	0.0		11/28/2020 13:00	0.0	
11/29/2017 14:00	shutdown		11/29/2018 14:00	0.0		11/29/2019 14:00	0.0		11/28/2020 14:00	0.0	
11/29/2017 15:00	shutdown		11/29/2018 15:00	0.0		11/29/2019 15:00	0.0		11/28/2020 15:00	0.0	
11/29/2017 16:00	shutdown		11/29/2018 16:00	0.0		11/29/2019 16:00	0.0		11/28/2020 16:00	0.0	
11/29/2017 17:00	shutdown		11/29/2018 17:00	0.0		11/29/2019 17:00	0.0		11/28/2020 17:00	0.0	
11/29/2017 18:00	shutdown		11/29/2018 18:00	0.0		11/29/2019 18:00	0.0		11/28/2020 18:00	0.0	
11/29/2017 19:00	shutdown		11/29/2018 19:00	0.0		11/29/2019 19:00	0.0		11/28/2020 19:00	0.0	
11/29/2017 20:00	shutdown		11/29/2018 20:00	0.0		11/29/2019 20:00	0.0		11/28/2020 20:00	0.0	
11/29/2017 21:00	shutdown		11/29/2018 21:00	0.0		11/29/2019 21:00	0.0		11/28/2020 21:00	0.0	
11/29/2017 22:00	shutdown		11/29/2018 22:00	0.0		11/29/2019 22:00	0.0		11/28/2020 22:00	0.0	
11/29/2017 23:00	shutdown	0.0	11/29/2018 23:00	0.0	0.5	11/29/2019 23:00	0.0	0.0	11/28/2020 23:00	0.0	0.0
11/30/2017 0:00	shutdown		11/30/2018 0:00	0.0		11/30/2019 0:00	0.0		11/29/2020 0:00	0.0	
11/30/2017 1:00	shutdown		11/30/2018 1:00	0.0		11/30/2019 1:00	0.0		11/29/2020 1:00	0.0	
11/30/2017 2:00	shutdown		11/30/2018 2:00	0.0		11/30/2019 2:00	0.0		11/29/2020 2:00	0.0	
11/30/2017 3:00	shutdown		11/30/2018 3:00	0.0		11/30/2019 3:00	0.0		11/29/2020 3:00	0.0	
11/30/2017 4:00	shutdown		11/30/2018 4:00	0.0		11/30/2019 4:00	0.0		11/29/2020 4:00	0.0	
11/30/2017 5:00	shutdown		11/30/2018 5:00	0.0		11/30/2019 5:00	0.0		11/29/2020 5:00	0.0	
11/30/2017 6:00	shutdown		11/30/2018 6:00	0.0		11/30/2019 6:00	0.0		11/29/2020 6:00	0.0	
11/30/2017 7:00	shutdown		11/30/2018 7:00	0.0		11/30/2019 7:00	0.0		11/29/2020 7:00	0.0	
11/30/2017 8:00	shutdown		11/30/2018 8:00	0.0		11/30/2019 8:00	0.0		11/29/2020 8:00	0.0	
11/30/2017 9:00	shutdown		11/30/2018 9:00	0.0		11/30/2019 9:00	0.0		11/29/2020 9:00	0.0	
11/30/2017 10:00	shutdown		11/30/2018 10:00	0.0		11/30/2019 10:00	0.0		11/29/2020 10:00	0.0	
11/30/2017 11:00	shutdown		11/30/2018 11:00	0.0		11/30/2019 11:00	0.0		11/29/2020 11:00	0.0	
11/30/2017 12:00	shutdown		11/30/2018 12:00	0.0		11/30/2019 12:00	0.0		11/29/2020 12:00	0.0	
11/30/2017 13:00	shutdown		11/30/2018 13:00	0.0		11/30/2019 13:00	0.0		11/29/2020 13:00	0.0	
11/30/2017 14:00	shutdown		11/30/2018 14:00	0.0		11/30/2019 14:00	0.0		11/29/2020 14:00	0.0	
11/30/2017 15:00	shutdown		11/30/2018 15:00	0.0		11/30/2019 15:00	0.0		11/29/2020 15:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
11/30/2017 16:00	shutdown		11/30/2018 16:00	0.0		11/30/2019 16:00	0.0		11/29/2020 16:00	0.0	
11/30/2017 17:00	shutdown		11/30/2018 17:00	0.0		11/30/2019 17:00	0.0		11/29/2020 17:00	0.0	
11/30/2017 18:00	shutdown		11/30/2018 18:00	0.0		11/30/2019 18:00	0.0		11/29/2020 18:00	37.7	
11/30/2017 19:00	shutdown		11/30/2018 19:00	0.0		11/30/2019 19:00	0.0		11/29/2020 19:00	1171.1	
11/30/2017 20:00	shutdown		11/30/2018 20:00	0.0		11/30/2019 20:00	0.0		11/29/2020 20:00	482.3	
11/30/2017 21:00	shutdown		11/30/2018 21:00	0.0		11/30/2019 21:00	0.0		11/29/2020 21:00	0.0	
11/30/2017 22:00	shutdown		11/30/2018 22:00	0.0		11/30/2019 22:00	0.0		11/29/2020 22:00	0.0	
11/30/2017 23:00	shutdown	0.0	11/30/2018 23:00	0.0	0.0	11/30/2019 23:00	0.0	0.0	11/29/2020 23:00	0.0	1171.1
12/1/2017 0:00	shutdown		12/1/2018 0:00	68.9		12/1/2019 0:00	0.0		11/30/2020 0:00	0.0	
12/1/2017 1:00	shutdown		12/1/2018 1:00	0.0		12/1/2019 1:00	0.0		11/30/2020 1:00	0.0	
12/1/2017 2:00	shutdown		12/1/2018 2:00	3.9		12/1/2019 2:00	0.0		11/30/2020 2:00	0.0	
12/1/2017 3:00	shutdown		12/1/2018 3:00	107.3		12/1/2019 3:00	0.0		11/30/2020 3:00	0.0	
12/1/2017 4:00	shutdown		12/1/2018 4:00	0.0		12/1/2019 4:00	0.0		11/30/2020 4:00	0.0	
12/1/2017 5:00	shutdown		12/1/2018 5:00	0.0		12/1/2019 5:00	0.0		11/30/2020 5:00	0.0	
12/1/2017 6:00	shutdown		12/1/2018 6:00	0.0		12/1/2019 6:00	0.0		11/30/2020 6:00	0.0	
12/1/2017 7:00	shutdown		12/1/2018 7:00	0.0		12/1/2019 7:00	0.0		11/30/2020 7:00	0.0	
12/1/2017 8:00	shutdown		12/1/2018 8:00	0.0		12/1/2019 8:00	0.0		11/30/2020 8:00	0.0	
12/1/2017 9:00	shutdown		12/1/2018 9:00	0.0		12/1/2019 9:00	0.0		11/30/2020 9:00	0.0	
12/1/2017 10:00	shutdown		12/1/2018 10:00	0.0		12/1/2019 10:00	0.0		11/30/2020 10:00	0.0	
12/1/2017 11:00	shutdown		12/1/2018 11:00	0.0		12/1/2019 11:00	0.0		11/30/2020 11:00	0.0	
12/1/2017 12:00	shutdown		12/1/2018 12:00	0.0		12/1/2019 12:00	0.0		11/30/2020 12:00	0.0	
12/1/2017 13:00	shutdown		12/1/2018 13:00	0.0		12/1/2019 13:00	0.0		11/30/2020 13:00	0.0	
12/1/2017 14:00	shutdown		12/1/2018 14:00	0.0		12/1/2019 14:00	0.0		11/30/2020 14:00	0.0	
12/1/2017 15:00	shutdown		12/1/2018 15:00	0.0		12/1/2019 15:00	0.0		11/30/2020 15:00	0.0	
12/1/2017 16:00	shutdown		12/1/2018 16:00	0.0		12/1/2019 16:00	0.0		11/30/2020 16:00	0.0	
12/1/2017 17:00	shutdown		12/1/2018 17:00	0.0		12/1/2019 17:00	0.0		11/30/2020 17:00	0.0	
12/1/2017 18:00	shutdown		12/1/2018 18:00	0.0		12/1/2019 18:00	0.0		11/30/2020 18:00	0.0	
12/1/2017 19:00	shutdown		12/1/2018 19:00	0.0		12/1/2019 19:00	0.0		11/30/2020 19:00	0.0	
12/1/2017 20:00	shutdown		12/1/2018 20:00	0.0		12/1/2019 20:00	0.0		11/30/2020 20:00	0.0	
12/1/2017 21:00	shutdown		12/1/2018 21:00	0.0		12/1/2019 21:00	0.0		11/30/2020 21:00	0.0	
12/1/2017 22:00	shutdown		12/1/2018 22:00	0.0		12/1/2019 22:00	0.0		11/30/2020 22:00	0.0	
12/1/2017 23:00	shutdown	0.0	12/1/2018 23:00	0.0	107.3	12/1/2019 23:00	0.0	0.0	11/30/2020 23:00	0.0	0.0
12/2/2017 0:00	shutdown		12/2/2018 0:00	0.0		12/2/2019 0:00	0.0		12/1/2020 0:00	0.0	
12/2/2017 1:00	shutdown		12/2/2018 1:00	0.0		12/2/2019 1:00	0.0		12/1/2020 1:00	0.0	
12/2/2017 2:00	shutdown		12/2/2018 2:00	0.0		12/2/2019 2:00	0.0		12/1/2020 2:00	0.0	
12/2/2017 3:00	shutdown		12/2/2018 3:00	0.0		12/2/2019 3:00	0.0		12/1/2020 3:00	0.0	
12/2/2017 4:00	shutdown		12/2/2018 4:00	0.0		12/2/2019 4:00	0.0		12/1/2020 4:00	0.0	
12/2/2017 5:00	shutdown		12/2/2018 5:00	0.0		12/2/2019 5:00	0.0		12/1/2020 5:00	0.0	
12/2/2017 6:00	shutdown		12/2/2018 6:00	0.0		12/2/2019 6:00	0.0		12/1/2020 6:00	0.0	
12/2/2017 7:00	shutdown		12/2/2018 7:00	0.0		12/2/2019 7:00	0.0		12/1/2020 7:00	0.0	
12/2/2017 8:00	shutdown		12/2/2018 8:00	0.0		12/2/2019 8:00	0.0		12/1/2020 8:00	0.0	
12/2/2017 9:00	shutdown		12/2/2018 9:00	0.0		12/2/2019 9:00	0.0		12/1/2020 9:00	0.0	
12/2/2017 10:00	shutdown		12/2/2018 10:00	0.0		12/2/2019 10:00	0.0		12/1/2020 10:00	0.0	
12/2/2017 11:00	shutdown		12/2/2018 11:00	0.0		12/2/2019 11:00	0.0		12/1/2020 11:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
12/2/2017 12:00	shutdown		12/2/2018 12:00	0.0		12/2/2019 12:00	0.0		12/1/2020 12:00	0.0	
12/2/2017 13:00	shutdown		12/2/2018 13:00	0.0		12/2/2019 13:00	0.0		12/1/2020 13:00	0.0	
12/2/2017 14:00	shutdown		12/2/2018 14:00	0.0		12/2/2019 14:00	0.0		12/1/2020 14:00	0.0	
12/2/2017 15:00	shutdown		12/2/2018 15:00	0.0		12/2/2019 15:00	0.0		12/1/2020 15:00	0.0	
12/2/2017 16:00	shutdown		12/2/2018 16:00	0.0		12/2/2019 16:00	0.0		12/1/2020 16:00	0.0	
12/2/2017 17:00	shutdown		12/2/2018 17:00	0.0		12/2/2019 17:00	0.0		12/1/2020 17:00	0.0	
12/2/2017 18:00	shutdown		12/2/2018 18:00	0.0		12/2/2019 18:00	0.0		12/1/2020 18:00	0.0	
12/2/2017 19:00	shutdown		12/2/2018 19:00	0.0		12/2/2019 19:00	0.0		12/1/2020 19:00	0.0	
12/2/2017 20:00	shutdown		12/2/2018 20:00	0.0		12/2/2019 20:00	0.0		12/1/2020 20:00	0.0	
12/2/2017 21:00	shutdown		12/2/2018 21:00	0.0		12/2/2019 21:00	0.0		12/1/2020 21:00	0.0	
12/2/2017 22:00	shutdown		12/2/2018 22:00	0.0		12/2/2019 22:00	0.0		12/1/2020 22:00	0.0	
12/2/2017 23:00	shutdown	0.0	12/2/2018 23:00	0.0	0.0	12/2/2019 23:00	0.0	0.0	12/1/2020 23:00	0.0	0.0
12/3/2017 0:00	shutdown		12/3/2018 0:00	0.0		12/3/2019 0:00	0.0		12/2/2020 0:00	0.0	
12/3/2017 1:00	shutdown		12/3/2018 1:00	0.0		12/3/2019 1:00	0.0		12/2/2020 1:00	0.0	
12/3/2017 2:00	shutdown		12/3/2018 2:00	0.0		12/3/2019 2:00	0.0		12/2/2020 2:00	0.0	
12/3/2017 3:00	shutdown		12/3/2018 3:00	0.0		12/3/2019 3:00	0.0		12/2/2020 3:00	0.0	
12/3/2017 4:00	shutdown		12/3/2018 4:00	0.0		12/3/2019 4:00	0.0		12/2/2020 4:00	0.0	
12/3/2017 5:00	shutdown		12/3/2018 5:00	0.0		12/3/2019 5:00	0.0		12/2/2020 5:00	0.0	
12/3/2017 6:00	shutdown		12/3/2018 6:00	0.0		12/3/2019 6:00	0.0		12/2/2020 6:00	0.0	
12/3/2017 7:00	shutdown		12/3/2018 7:00	0.0		12/3/2019 7:00	0.0		12/2/2020 7:00	0.0	
12/3/2017 8:00	shutdown		12/3/2018 8:00	0.0		12/3/2019 8:00	0.0		12/2/2020 8:00	0.0	
12/3/2017 9:00	shutdown		12/3/2018 9:00	0.0		12/3/2019 9:00	0.0		12/2/2020 9:00	0.0	
12/3/2017 10:00	shutdown		12/3/2018 10:00	0.0		12/3/2019 10:00	0.0		12/2/2020 10:00	0.0	
12/3/2017 11:00	shutdown		12/3/2018 11:00	0.0		12/3/2019 11:00	0.0		12/2/2020 11:00	0.0	
12/3/2017 12:00	shutdown		12/3/2018 12:00	0.0		12/3/2019 12:00	0.0		12/2/2020 12:00	0.0	
12/3/2017 13:00	shutdown		12/3/2018 13:00	0.0		12/3/2019 13:00	0.0		12/2/2020 13:00	0.0	
12/3/2017 14:00	shutdown		12/3/2018 14:00	0.0		12/3/2019 14:00	0.0		12/2/2020 14:00	0.0	
12/3/2017 15:00	shutdown		12/3/2018 15:00	0.0		12/3/2019 15:00	0.0		12/2/2020 15:00	0.0	
12/3/2017 16:00	shutdown		12/3/2018 16:00	0.0		12/3/2019 16:00	0.0		12/2/2020 16:00	0.0	
12/3/2017 17:00	shutdown		12/3/2018 17:00	0.0		12/3/2019 17:00	0.0		12/2/2020 17:00	0.0	
12/3/2017 18:00	shutdown		12/3/2018 18:00	0.0		12/3/2019 18:00	0.0		12/2/2020 18:00	0.0	
12/3/2017 19:00	shutdown		12/3/2018 19:00	0.0		12/3/2019 19:00	0.0		12/2/2020 19:00	0.0	
12/3/2017 20:00	shutdown		12/3/2018 20:00	0.0		12/3/2019 20:00	0.0		12/2/2020 20:00	0.0	
12/3/2017 21:00	shutdown		12/3/2018 21:00	0.0		12/3/2019 21:00	0.0		12/2/2020 21:00	0.0	
12/3/2017 22:00	shutdown		12/3/2018 22:00	0.0		12/3/2019 22:00	0.0		12/2/2020 22:00	0.0	
12/3/2017 23:00	shutdown	0.0	12/3/2018 23:00	0.0	0.0	12/3/2019 23:00	0.0	0.0	12/2/2020 23:00	0.0	0.0
12/4/2017 0:00	shutdown		12/4/2018 0:00	0.0		12/4/2019 0:00	0.0		12/3/2020 0:00	0.0	
12/4/2017 1:00	shutdown		12/4/2018 1:00	0.0		12/4/2019 1:00	0.0		12/3/2020 1:00	0.0	
12/4/2017 2:00	shutdown		12/4/2018 2:00	0.0		12/4/2019 2:00	0.0		12/3/2020 2:00	0.0	
12/4/2017 3:00	shutdown		12/4/2018 3:00	0.0		12/4/2019 3:00	0.0		12/3/2020 3:00	0.0	
12/4/2017 4:00	shutdown		12/4/2018 4:00	0.0		12/4/2019 4:00	0.0		12/3/2020 4:00	0.0	
12/4/2017 5:00	shutdown		12/4/2018 5:00	0.0		12/4/2019 5:00	0.0		12/3/2020 5:00	0.0	
12/4/2017 6:00	shutdown		12/4/2018 6:00	0.0		12/4/2019 6:00	0.0		12/3/2020 6:00	0.0	
12/4/2017 7:00	shutdown		12/4/2018 7:00	0.0		12/4/2019 7:00	0.0		12/3/2020 7:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
12/4/2017 8:00	shutdown		12/4/2018 8:00	0.0		12/4/2019 8:00	0.0		12/3/2020 8:00	0.0	
12/4/2017 9:00	shutdown		12/4/2018 9:00	0.0		12/4/2019 9:00	0.0		12/3/2020 9:00	0.0	
12/4/2017 10:00	shutdown		12/4/2018 10:00	0.0		12/4/2019 10:00	0.0		12/3/2020 10:00	0.0	
12/4/2017 11:00	shutdown		12/4/2018 11:00	0.0		12/4/2019 11:00	0.0		12/3/2020 11:00	0.0	
12/4/2017 12:00	shutdown		12/4/2018 12:00	0.0		12/4/2019 12:00	0.0		12/3/2020 12:00	0.0	
12/4/2017 13:00	shutdown		12/4/2018 13:00	0.0		12/4/2019 13:00	0.0		12/3/2020 13:00	0.0	
12/4/2017 14:00	shutdown		12/4/2018 14:00	0.0		12/4/2019 14:00	0.0		12/3/2020 14:00	0.0	
12/4/2017 15:00	shutdown		12/4/2018 15:00	0.0		12/4/2019 15:00	0.0		12/3/2020 15:00	0.0	
12/4/2017 16:00	shutdown		12/4/2018 16:00	0.0		12/4/2019 16:00	0.0		12/3/2020 16:00	0.0	
12/4/2017 17:00	shutdown		12/4/2018 17:00	0.0		12/4/2019 17:00	0.0		12/3/2020 17:00	0.0	
12/4/2017 18:00	shutdown		12/4/2018 18:00	0.0		12/4/2019 18:00	0.0		12/3/2020 18:00	0.0	
12/4/2017 19:00	shutdown		12/4/2018 19:00	0.0		12/4/2019 19:00	0.0		12/3/2020 19:00	0.0	
12/4/2017 20:00	shutdown		12/4/2018 20:00	0.0		12/4/2019 20:00	76.5		12/3/2020 20:00	0.0	
12/4/2017 21:00	shutdown		12/4/2018 21:00	0.0		12/4/2019 21:00	0.0		12/3/2020 21:00	0.0	
12/4/2017 22:00	shutdown		12/4/2018 22:00	0.0		12/4/2019 22:00	0.0		12/3/2020 22:00	0.7	
12/4/2017 23:00	shutdown	0.0	12/4/2018 23:00	0.0	0.0	12/4/2019 23:00	0.0	76.5	12/3/2020 23:00	0.3	0.7
12/5/2017 0:00	shutdown		12/5/2018 0:00	0.0		12/5/2019 0:00	0.0		12/4/2020 0:00	0.0	
12/5/2017 1:00	shutdown		12/5/2018 1:00	0.0		12/5/2019 1:00	0.0		12/4/2020 1:00	0.0	
12/5/2017 2:00	shutdown		12/5/2018 2:00	0.0		12/5/2019 2:00	0.0		12/4/2020 2:00	0.0	
12/5/2017 3:00	shutdown		12/5/2018 3:00	0.0		12/5/2019 3:00	0.0		12/4/2020 3:00	0.0	
12/5/2017 4:00	shutdown		12/5/2018 4:00	0.0		12/5/2019 4:00	0.0		12/4/2020 4:00	0.0	
12/5/2017 5:00	shutdown		12/5/2018 5:00	0.0		12/5/2019 5:00	0.0		12/4/2020 5:00	0.0	
12/5/2017 6:00	shutdown		12/5/2018 6:00	0.0		12/5/2019 6:00	0.0		12/4/2020 6:00	0.0	
12/5/2017 7:00	shutdown		12/5/2018 7:00	0.0		12/5/2019 7:00	0.0		12/4/2020 7:00	0.0	
12/5/2017 8:00	shutdown		12/5/2018 8:00	0.0		12/5/2019 8:00	0.0		12/4/2020 8:00	0.0	
12/5/2017 9:00	shutdown		12/5/2018 9:00	0.0		12/5/2019 9:00	0.0		12/4/2020 9:00	0.0	
12/5/2017 10:00	shutdown		12/5/2018 10:00	0.0		12/5/2019 10:00	0.0		12/4/2020 10:00	0.0	
12/5/2017 11:00	shutdown		12/5/2018 11:00	0.0		12/5/2019 11:00	0.0		12/4/2020 11:00	0.0	
12/5/2017 12:00	shutdown		12/5/2018 12:00	0.0		12/5/2019 12:00	0.0		12/4/2020 12:00	0.0	
12/5/2017 13:00	shutdown		12/5/2018 13:00	0.0		12/5/2019 13:00	0.0		12/4/2020 13:00	0.0	
12/5/2017 14:00	shutdown		12/5/2018 14:00	0.0		12/5/2019 14:00	0.0		12/4/2020 14:00	0.0	
12/5/2017 15:00	shutdown		12/5/2018 15:00	0.0		12/5/2019 15:00	0.0		12/4/2020 15:00	0.0	
12/5/2017 16:00	shutdown		12/5/2018 16:00	0.0		12/5/2019 16:00	0.0		12/4/2020 16:00	0.0	
12/5/2017 17:00	shutdown		12/5/2018 17:00	0.0		12/5/2019 17:00	0.0		12/4/2020 17:00	0.0	
12/5/2017 18:00	shutdown		12/5/2018 18:00	0.0		12/5/2019 18:00	0.0		12/4/2020 18:00	0.0	
12/5/2017 19:00	shutdown		12/5/2018 19:00	0.0		12/5/2019 19:00	0.0		12/4/2020 19:00	0.0	
12/5/2017 20:00	shutdown		12/5/2018 20:00	0.0		12/5/2019 20:00	0.0		12/4/2020 20:00	0.0	
12/5/2017 21:00	shutdown		12/5/2018 21:00	0.0		12/5/2019 21:00	0.0		12/4/2020 21:00	0.0	
12/5/2017 22:00	shutdown		12/5/2018 22:00	0.0		12/5/2019 22:00	0.0		12/4/2020 22:00	0.0	
12/5/2017 23:00	shutdown	0.0	12/5/2018 23:00	0.0	0.0	12/5/2019 23:00	0.0	0.0	12/4/2020 23:00	0.0	0.0
12/6/2017 0:00	shutdown		12/6/2018 0:00	0.0		12/6/2019 0:00	0.0		12/5/2020 0:00	0.0	
12/6/2017 1:00	shutdown		12/6/2018 1:00	0.0		12/6/2019 1:00	0.0		12/5/2020 1:00	0.0	
12/6/2017 2:00	shutdown		12/6/2018 2:00	0.0		12/6/2019 2:00	0.0		12/5/2020 2:00	0.0	
12/6/2017 3:00	shutdown		12/6/2018 3:00	0.0		12/6/2019 3:00	0.0		12/5/2020 3:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
12/6/2017 4:00	shutdown		12/6/2018 4:00	0.0		12/6/2019 4:00	0.0		12/5/2020 4:00	0.0	
12/6/2017 5:00	shutdown		12/6/2018 5:00	0.0		12/6/2019 5:00	0.0		12/5/2020 5:00	0.0	
12/6/2017 6:00	shutdown		12/6/2018 6:00	0.0		12/6/2019 6:00	0.0		12/5/2020 6:00	0.0	
12/6/2017 7:00	shutdown		12/6/2018 7:00	0.0		12/6/2019 7:00	0.0		12/5/2020 7:00	0.0	
12/6/2017 8:00	shutdown		12/6/2018 8:00	0.0		12/6/2019 8:00	0.0		12/5/2020 8:00	0.0	
12/6/2017 9:00	shutdown		12/6/2018 9:00	0.0		12/6/2019 9:00	0.0		12/5/2020 9:00	0.0	
12/6/2017 10:00	shutdown		12/6/2018 10:00	0.0		12/6/2019 10:00	0.0		12/5/2020 10:00	0.0	
12/6/2017 11:00	shutdown		12/6/2018 11:00	0.0		12/6/2019 11:00	0.0		12/5/2020 11:00	0.0	
12/6/2017 12:00	shutdown		12/6/2018 12:00	0.0		12/6/2019 12:00	0.0		12/5/2020 12:00	0.0	
12/6/2017 13:00	shutdown		12/6/2018 13:00	0.0		12/6/2019 13:00	0.0		12/5/2020 13:00	0.0	
12/6/2017 14:00	shutdown		12/6/2018 14:00	0.0		12/6/2019 14:00	0.0		12/5/2020 14:00	0.0	
12/6/2017 15:00	shutdown		12/6/2018 15:00	0.0		12/6/2019 15:00	0.0		12/5/2020 15:00	0.0	
12/6/2017 16:00	shutdown		12/6/2018 16:00	0.0		12/6/2019 16:00	0.0		12/5/2020 16:00	0.0	
12/6/2017 17:00	shutdown		12/6/2018 17:00	0.0		12/6/2019 17:00	0.0		12/5/2020 17:00	0.0	
12/6/2017 18:00	shutdown		12/6/2018 18:00	0.0		12/6/2019 18:00	0.0		12/5/2020 18:00	0.0	
12/6/2017 19:00	shutdown		12/6/2018 19:00	0.0		12/6/2019 19:00	0.0		12/5/2020 19:00	0.0	
12/6/2017 20:00	shutdown		12/6/2018 20:00	0.0		12/6/2019 20:00	0.0		12/5/2020 20:00	0.0	
12/6/2017 21:00	shutdown		12/6/2018 21:00	0.0		12/6/2019 21:00	0.0		12/5/2020 21:00	0.0	
12/6/2017 22:00	shutdown		12/6/2018 22:00	0.0		12/6/2019 22:00	0.0		12/5/2020 22:00	0.0	
12/6/2017 23:00	shutdown	0.0	12/6/2018 23:00	0.0	0.0	12/6/2019 23:00	0.0	0.0	12/5/2020 23:00	0.0	0.0
12/7/2017 0:00	shutdown		12/7/2018 0:00	0.0		12/7/2019 0:00	0.0		12/6/2020 0:00	0.0	
12/7/2017 1:00	shutdown		12/7/2018 1:00	0.0		12/7/2019 1:00	0.0		12/6/2020 1:00	0.0	
12/7/2017 2:00	shutdown		12/7/2018 2:00	0.0		12/7/2019 2:00	0.0		12/6/2020 2:00	0.0	
12/7/2017 3:00	shutdown		12/7/2018 3:00	0.0		12/7/2019 3:00	0.0		12/6/2020 3:00	0.0	
12/7/2017 4:00	shutdown		12/7/2018 4:00	0.0		12/7/2019 4:00	0.0		12/6/2020 4:00	0.0	
12/7/2017 5:00	shutdown		12/7/2018 5:00	0.0		12/7/2019 5:00	0.0		12/6/2020 5:00	0.0	
12/7/2017 6:00	shutdown		12/7/2018 6:00	0.0		12/7/2019 6:00	0.0		12/6/2020 6:00	0.0	
12/7/2017 7:00	shutdown		12/7/2018 7:00	0.0		12/7/2019 7:00	0.0		12/6/2020 7:00	0.0	
12/7/2017 8:00	shutdown		12/7/2018 8:00	0.0		12/7/2019 8:00	0.0		12/6/2020 8:00	0.0	
12/7/2017 9:00	shutdown		12/7/2018 9:00	0.0		12/7/2019 9:00	0.0		12/6/2020 9:00	0.0	
12/7/2017 10:00	shutdown		12/7/2018 10:00	0.0		12/7/2019 10:00	0.0		12/6/2020 10:00	0.0	
12/7/2017 11:00	shutdown		12/7/2018 11:00	0.0		12/7/2019 11:00	0.0		12/6/2020 11:00	0.0	
12/7/2017 12:00	shutdown		12/7/2018 12:00	0.0		12/7/2019 12:00	0.0		12/6/2020 12:00	0.0	
12/7/2017 13:00	shutdown		12/7/2018 13:00	0.0		12/7/2019 13:00	0.0		12/6/2020 13:00	0.0	
12/7/2017 14:00	shutdown		12/7/2018 14:00	0.0		12/7/2019 14:00	0.0		12/6/2020 14:00	0.0	
12/7/2017 15:00	shutdown		12/7/2018 15:00	0.0		12/7/2019 15:00	0.0		12/6/2020 15:00	0.0	
12/7/2017 16:00	shutdown		12/7/2018 16:00	0.0		12/7/2019 16:00	0.0		12/6/2020 16:00	0.0	
12/7/2017 17:00	shutdown		12/7/2018 17:00	0.0		12/7/2019 17:00	0.0		12/6/2020 17:00	0.0	
12/7/2017 18:00	shutdown		12/7/2018 18:00	0.0		12/7/2019 18:00	0.0		12/6/2020 18:00	0.0	
12/7/2017 19:00	shutdown		12/7/2018 19:00	0.0		12/7/2019 19:00	0.0		12/6/2020 19:00	0.0	
12/7/2017 20:00	shutdown		12/7/2018 20:00	0.0		12/7/2019 20:00	0.0		12/6/2020 20:00	0.0	
12/7/2017 21:00	shutdown		12/7/2018 21:00	0.0		12/7/2019 21:00	0.0		12/6/2020 21:00	0.0	
12/7/2017 22:00	shutdown		12/7/2018 22:00	0.0		12/7/2019 22:00	0.0		12/6/2020 22:00	0.0	
12/7/2017 23:00	shutdown	0.0	12/7/2018 23:00	0.0	0.0	12/7/2019 23:00	0.0	0.0	12/6/2020 23:00	0.0	0.0

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
12/8/2017 0:00	shutdown		12/8/2018 0:00	0.0		12/8/2019 0:00	0.0		12/7/2020 0:00	0.0	
12/8/2017 1:00	shutdown		12/8/2018 1:00	0.0		12/8/2019 1:00	0.0		12/7/2020 1:00	0.0	
12/8/2017 2:00	shutdown		12/8/2018 2:00	0.0		12/8/2019 2:00	0.0		12/7/2020 2:00	0.0	
12/8/2017 3:00	shutdown		12/8/2018 3:00	0.0		12/8/2019 3:00	0.0		12/7/2020 3:00	0.0	
12/8/2017 4:00	shutdown		12/8/2018 4:00	0.0		12/8/2019 4:00	0.0		12/7/2020 4:00	0.0	
12/8/2017 5:00	shutdown		12/8/2018 5:00	0.0		12/8/2019 5:00	0.0		12/7/2020 5:00	0.0	
12/8/2017 6:00	shutdown		12/8/2018 6:00	0.0		12/8/2019 6:00	0.0		12/7/2020 6:00	0.0	
12/8/2017 7:00	shutdown		12/8/2018 7:00	0.0		12/8/2019 7:00	0.0		12/7/2020 7:00	0.0	
12/8/2017 8:00	shutdown		12/8/2018 8:00	0.0		12/8/2019 8:00	0.0		12/7/2020 8:00	0.0	
12/8/2017 9:00	shutdown		12/8/2018 9:00	0.0		12/8/2019 9:00	0.0		12/7/2020 9:00	0.0	
12/8/2017 10:00	shutdown		12/8/2018 10:00	0.0		12/8/2019 10:00	0.0		12/7/2020 10:00	0.0	
12/8/2017 11:00	shutdown		12/8/2018 11:00	0.0		12/8/2019 11:00	0.0		12/7/2020 11:00	0.0	
12/8/2017 12:00	shutdown		12/8/2018 12:00	0.0		12/8/2019 12:00	0.0		12/7/2020 12:00	0.0	
12/8/2017 13:00	shutdown		12/8/2018 13:00	0.0		12/8/2019 13:00	0.0		12/7/2020 13:00	0.0	
12/8/2017 14:00	shutdown		12/8/2018 14:00	0.0		12/8/2019 14:00	0.0		12/7/2020 14:00	0.0	
12/8/2017 15:00	shutdown		12/8/2018 15:00	0.0		12/8/2019 15:00	0.0		12/7/2020 15:00	0.0	
12/8/2017 16:00	shutdown		12/8/2018 16:00	0.0		12/8/2019 16:00	0.0		12/7/2020 16:00	0.0	
12/8/2017 17:00	shutdown		12/8/2018 17:00	0.0		12/8/2019 17:00	0.0		12/7/2020 17:00	0.0	
12/8/2017 18:00	shutdown		12/8/2018 18:00	0.0		12/8/2019 18:00	0.0		12/7/2020 18:00	0.0	
12/8/2017 19:00	shutdown		12/8/2018 19:00	0.0		12/8/2019 19:00	0.0		12/7/2020 19:00	0.0	
12/8/2017 20:00	shutdown		12/8/2018 20:00	0.0		12/8/2019 20:00	0.0		12/7/2020 20:00	0.0	
12/8/2017 21:00	shutdown		12/8/2018 21:00	0.0		12/8/2019 21:00	0.0		12/7/2020 21:00	0.0	
12/8/2017 22:00	shutdown		12/8/2018 22:00	0.0		12/8/2019 22:00	0.0		12/7/2020 22:00	0.0	
12/8/2017 23:00	shutdown	0.0	12/8/2018 23:00	0.0	0.0	12/8/2019 23:00	0.0	0.0	12/7/2020 23:00	0.0	0.0
12/9/2017 0:00	shutdown		12/9/2018 0:00	0.0		12/9/2019 0:00	0.0		12/8/2020 0:00	0.0	
12/9/2017 1:00	shutdown		12/9/2018 1:00	0.0		12/9/2019 1:00	0.0		12/8/2020 1:00	0.0	
12/9/2017 2:00	shutdown		12/9/2018 2:00	0.0		12/9/2019 2:00	0.0		12/8/2020 2:00	0.0	
12/9/2017 3:00	shutdown		12/9/2018 3:00	0.0		12/9/2019 3:00	0.0		12/8/2020 3:00	0.0	
12/9/2017 4:00	shutdown		12/9/2018 4:00	0.0		12/9/2019 4:00	0.0		12/8/2020 4:00	0.0	
12/9/2017 5:00	shutdown		12/9/2018 5:00	0.0		12/9/2019 5:00	0.0		12/8/2020 5:00	0.0	
12/9/2017 6:00	shutdown		12/9/2018 6:00	0.0		12/9/2019 6:00	0.0		12/8/2020 6:00	0.0	
12/9/2017 7:00	shutdown		12/9/2018 7:00	0.0		12/9/2019 7:00	0.0		12/8/2020 7:00	0.0	
12/9/2017 8:00	shutdown		12/9/2018 8:00	0.0		12/9/2019 8:00	0.0		12/8/2020 8:00	0.0	
12/9/2017 9:00	shutdown		12/9/2018 9:00	0.0		12/9/2019 9:00	0.0		12/8/2020 9:00	0.0	
12/9/2017 10:00	shutdown		12/9/2018 10:00	0.0		12/9/2019 10:00	0.0		12/8/2020 10:00	0.0	
12/9/2017 11:00	shutdown		12/9/2018 11:00	0.0		12/9/2019 11:00	0.0		12/8/2020 11:00	0.0	
12/9/2017 12:00	shutdown		12/9/2018 12:00	0.0		12/9/2019 12:00	0.0		12/8/2020 12:00	0.0	
12/9/2017 13:00	shutdown		12/9/2018 13:00	0.0		12/9/2019 13:00	0.0		12/8/2020 13:00	0.0	
12/9/2017 14:00	shutdown		12/9/2018 14:00	0.0		12/9/2019 14:00	0.0		12/8/2020 14:00	0.0	
12/9/2017 15:00	shutdown		12/9/2018 15:00	0.0		12/9/2019 15:00	0.0		12/8/2020 15:00	0.0	
12/9/2017 16:00	shutdown		12/9/2018 16:00	1355.3		12/9/2019 16:00	0.0		12/8/2020 16:00	0.0	
12/9/2017 17:00	shutdown		12/9/2018 17:00	5111.0		12/9/2019 17:00	0.0		12/8/2020 17:00	0.0	
12/9/2017 18:00	shutdown		12/9/2018 18:00	2145.8		12/9/2019 18:00	0.0		12/8/2020 18:00	0.0	
12/9/2017 19:00	shutdown		12/9/2018 19:00	267.4		12/9/2019 19:00	0.0		12/8/2020 19:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
12/9/2017 20:00	shutdown		12/9/2018 20:00	186.9		12/9/2019 20:00	0.0		12/8/2020 20:00	0.0	
12/9/2017 21:00	shutdown		12/9/2018 21:00	499.5		12/9/2019 21:00	0.0		12/8/2020 21:00	0.0	
12/9/2017 22:00	shutdown		12/9/2018 22:00	51.2		12/9/2019 22:00	0.0		12/8/2020 22:00	0.0	
12/9/2017 23:00	shutdown	0.0	12/9/2018 23:00	0.0	5111.0	12/9/2019 23:00	0.0	0.0	12/8/2020 23:00	0.0	0.0
12/10/2017 0:00	shutdown		12/10/2018 0:00	0.0		12/10/2019 0:00	0.0		12/9/2020 0:00	0.0	
12/10/2017 1:00	shutdown		12/10/2018 1:00	0.0		12/10/2019 1:00	0.0		12/9/2020 1:00	0.0	
12/10/2017 2:00	shutdown		12/10/2018 2:00	0.0		12/10/2019 2:00	0.0		12/9/2020 2:00	0.0	
12/10/2017 3:00	shutdown		12/10/2018 3:00	4.4		12/10/2019 3:00	0.0		12/9/2020 3:00	0.0	
12/10/2017 4:00	shutdown		12/10/2018 4:00	0.0		12/10/2019 4:00	0.0		12/9/2020 4:00	0.0	
12/10/2017 5:00	shutdown		12/10/2018 5:00	0.0		12/10/2019 5:00	0.0		12/9/2020 5:00	0.0	
12/10/2017 6:00	shutdown		12/10/2018 6:00	8.8		12/10/2019 6:00	0.0		12/9/2020 6:00	0.0	
12/10/2017 7:00	shutdown		12/10/2018 7:00	0.0		12/10/2019 7:00	0.0		12/9/2020 7:00	0.0	
12/10/2017 8:00	shutdown		12/10/2018 8:00	0.0		12/10/2019 8:00	0.0		12/9/2020 8:00	0.0	
12/10/2017 9:00	shutdown		12/10/2018 9:00	2.5		12/10/2019 9:00	0.0		12/9/2020 9:00	0.0	
12/10/2017 10:00	shutdown		12/10/2018 10:00	0.0		12/10/2019 10:00	0.0		12/9/2020 10:00	0.0	
12/10/2017 11:00	shutdown		12/10/2018 11:00	0.0		12/10/2019 11:00	0.0		12/9/2020 11:00	0.0	
12/10/2017 12:00	shutdown		12/10/2018 12:00	0.0		12/10/2019 12:00	0.0		12/9/2020 12:00	0.0	
12/10/2017 13:00	shutdown		12/10/2018 13:00	0.0		12/10/2019 13:00	0.0		12/9/2020 13:00	0.0	
12/10/2017 14:00	shutdown		12/10/2018 14:00	0.0		12/10/2019 14:00	0.0		12/9/2020 14:00	0.0	
12/10/2017 15:00	shutdown		12/10/2018 15:00	0.0		12/10/2019 15:00	0.0		12/9/2020 15:00	0.0	
12/10/2017 16:00	shutdown		12/10/2018 16:00	0.0		12/10/2019 16:00	0.0		12/9/2020 16:00	0.0	
12/10/2017 17:00	shutdown		12/10/2018 17:00	0.0		12/10/2019 17:00	0.0		12/9/2020 17:00	0.0	
12/10/2017 18:00	shutdown		12/10/2018 18:00	0.0		12/10/2019 18:00	0.0		12/9/2020 18:00	0.0	
12/10/2017 19:00	shutdown		12/10/2018 19:00	0.0		12/10/2019 19:00	0.0		12/9/2020 19:00	0.0	
12/10/2017 20:00	shutdown		12/10/2018 20:00	0.0		12/10/2019 20:00	0.0		12/9/2020 20:00	0.0	
12/10/2017 21:00	shutdown		12/10/2018 21:00	2.6		12/10/2019 21:00	0.0		12/9/2020 21:00	0.0	
12/10/2017 22:00	shutdown		12/10/2018 22:00	0.0		12/10/2019 22:00	0.0		12/9/2020 22:00	0.0	
12/10/2017 23:00	shutdown	0.0	12/10/2018 23:00	0.0	8.8	12/10/2019 23:00	0.0	0.0	12/9/2020 23:00	0.0	0.0
12/11/2017 0:00	shutdown		12/11/2018 0:00	0.0		12/11/2019 0:00	0.0		12/10/2020 0:00	0.0	
12/11/2017 1:00	shutdown		12/11/2018 1:00	0.0		12/11/2019 1:00	0.0		12/10/2020 1:00	0.0	
12/11/2017 2:00	shutdown		12/11/2018 2:00	0.3		12/11/2019 2:00	0.0		12/10/2020 2:00	0.0	
12/11/2017 3:00	shutdown		12/11/2018 3:00	0.0		12/11/2019 3:00	0.0		12/10/2020 3:00	0.0	
12/11/2017 4:00	shutdown		12/11/2018 4:00	0.0		12/11/2019 4:00	0.0		12/10/2020 4:00	0.0	
12/11/2017 5:00	shutdown		12/11/2018 5:00	0.0		12/11/2019 5:00	0.0		12/10/2020 5:00	0.0	
12/11/2017 6:00	shutdown		12/11/2018 6:00	0.0		12/11/2019 6:00	0.0		12/10/2020 6:00	0.0	
12/11/2017 7:00	shutdown		12/11/2018 7:00	0.0		12/11/2019 7:00	0.0		12/10/2020 7:00	0.0	
12/11/2017 8:00	shutdown		12/11/2018 8:00	0.0		12/11/2019 8:00	0.0		12/10/2020 8:00	0.0	
12/11/2017 9:00	shutdown		12/11/2018 9:00	0.0		12/11/2019 9:00	0.0		12/10/2020 9:00	0.0	
12/11/2017 10:00	shutdown		12/11/2018 10:00	0.0		12/11/2019 10:00	0.0		12/10/2020 10:00	0.0	
12/11/2017 11:00	shutdown		12/11/2018 11:00	0.0		12/11/2019 11:00	0.0		12/10/2020 11:00	0.0	
12/11/2017 12:00	shutdown		12/11/2018 12:00	0.0		12/11/2019 12:00	0.0		12/10/2020 12:00	0.0	
12/11/2017 13:00	shutdown		12/11/2018 13:00	0.0		12/11/2019 13:00	0.0		12/10/2020 13:00	0.0	
12/11/2017 14:00	shutdown		12/11/2018 14:00	0.0		12/11/2019 14:00	0.0		12/10/2020 14:00	0.0	
12/11/2017 15:00	shutdown		12/11/2018 15:00	0.0		12/11/2019 15:00	0.0		12/10/2020 15:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
12/11/2017 16:00	shutdown		12/11/2018 16:00	0.0		12/11/2019 16:00	0.0		12/10/2020 16:00	0.0	
12/11/2017 17:00	shutdown		12/11/2018 17:00	0.0		12/11/2019 17:00	0.0		12/10/2020 17:00	0.0	
12/11/2017 18:00	shutdown		12/11/2018 18:00	0.0		12/11/2019 18:00	0.0		12/10/2020 18:00	0.0	
12/11/2017 19:00	shutdown		12/11/2018 19:00	0.0		12/11/2019 19:00	0.0		12/10/2020 19:00	0.0	
12/11/2017 20:00	shutdown		12/11/2018 20:00	0.0		12/11/2019 20:00	0.0		12/10/2020 20:00	0.0	
12/11/2017 21:00	shutdown		12/11/2018 21:00	0.0		12/11/2019 21:00	0.0		12/10/2020 21:00	0.0	
12/11/2017 22:00	shutdown		12/11/2018 22:00	0.0		12/11/2019 22:00	0.0		12/10/2020 22:00	0.0	
12/11/2017 23:00	shutdown	0.0	12/11/2018 23:00	0.0	0.3	12/11/2019 23:00	0.0	0.0	12/10/2020 23:00	0.0	0.0
12/12/2017 0:00	shutdown		12/12/2018 0:00	0.0		12/12/2019 0:00	0.0		12/11/2020 0:00	0.0	
12/12/2017 1:00	shutdown		12/12/2018 1:00	0.0		12/12/2019 1:00	0.0		12/11/2020 1:00	0.0	
12/12/2017 2:00	shutdown		12/12/2018 2:00	0.0		12/12/2019 2:00	0.0		12/11/2020 2:00	0.0	
12/12/2017 3:00	shutdown		12/12/2018 3:00	0.0		12/12/2019 3:00	0.0		12/11/2020 3:00	0.0	
12/12/2017 4:00	shutdown		12/12/2018 4:00	0.0		12/12/2019 4:00	0.0		12/11/2020 4:00	0.0	
12/12/2017 5:00	shutdown		12/12/2018 5:00	0.0		12/12/2019 5:00	0.0		12/11/2020 5:00	0.0	
12/12/2017 6:00	shutdown		12/12/2018 6:00	0.0		12/12/2019 6:00	0.0		12/11/2020 6:00	0.0	
12/12/2017 7:00	shutdown		12/12/2018 7:00	0.0		12/12/2019 7:00	0.0		12/11/2020 7:00	0.0	
12/12/2017 8:00	shutdown		12/12/2018 8:00	0.0		12/12/2019 8:00	0.0		12/11/2020 8:00	0.0	
12/12/2017 9:00	shutdown		12/12/2018 9:00	0.0		12/12/2019 9:00	0.0		12/11/2020 9:00	0.0	
12/12/2017 10:00	shutdown		12/12/2018 10:00	0.0		12/12/2019 10:00	0.0		12/11/2020 10:00	38.8	
12/12/2017 11:00	shutdown		12/12/2018 11:00	0.0		12/12/2019 11:00	0.0		12/11/2020 11:00	0.0	
12/12/2017 12:00	shutdown		12/12/2018 12:00	0.0		12/12/2019 12:00	0.0		12/11/2020 12:00	217.6	
12/12/2017 13:00	shutdown		12/12/2018 13:00	0.0		12/12/2019 13:00	0.0		12/11/2020 13:00	1808.3	
12/12/2017 14:00	shutdown		12/12/2018 14:00	0.0		12/12/2019 14:00	0.0		12/11/2020 14:00	1395.0	
12/12/2017 15:00	shutdown		12/12/2018 15:00	0.0		12/12/2019 15:00	0.0		12/11/2020 15:00	423.9	
12/12/2017 16:00	shutdown		12/12/2018 16:00	0.0		12/12/2019 16:00	0.0		12/11/2020 16:00	425.3	
12/12/2017 17:00	shutdown		12/12/2018 17:00	0.0		12/12/2019 17:00	0.0		12/11/2020 17:00	306.4	
12/12/2017 18:00	shutdown		12/12/2018 18:00	0.0		12/12/2019 18:00	0.0		12/11/2020 18:00	0.0	
12/12/2017 19:00	shutdown		12/12/2018 19:00	0.0		12/12/2019 19:00	0.0		12/11/2020 19:00	0.0	
12/12/2017 20:00	shutdown		12/12/2018 20:00	0.0		12/12/2019 20:00	0.0		12/11/2020 20:00	0.0	
12/12/2017 21:00	shutdown		12/12/2018 21:00	0.0		12/12/2019 21:00	0.0		12/11/2020 21:00	0.0	
12/12/2017 22:00	shutdown		12/12/2018 22:00	0.0		12/12/2019 22:00	0.0		12/11/2020 22:00	0.0	
12/12/2017 23:00	shutdown	0.0	12/12/2018 23:00	0.0	0.0	12/12/2019 23:00	0.0	0.0	12/11/2020 23:00	0.0	1808.3
12/13/2017 0:00	shutdown		12/13/2018 0:00	0.0		12/13/2019 0:00	0.0		12/12/2020 0:00	0.0	
12/13/2017 1:00	shutdown		12/13/2018 1:00	0.0		12/13/2019 1:00	0.0		12/12/2020 1:00	0.0	
12/13/2017 2:00	shutdown		12/13/2018 2:00	0.0		12/13/2019 2:00	0.0		12/12/2020 2:00	0.0	
12/13/2017 3:00	shutdown		12/13/2018 3:00	0.0		12/13/2019 3:00	0.0		12/12/2020 3:00	0.0	
12/13/2017 4:00	shutdown		12/13/2018 4:00	0.0		12/13/2019 4:00	0.0		12/12/2020 4:00	0.0	
12/13/2017 5:00	shutdown		12/13/2018 5:00	0.0		12/13/2019 5:00	0.0		12/12/2020 5:00	0.0	
12/13/2017 6:00	shutdown		12/13/2018 6:00	0.0		12/13/2019 6:00	0.0		12/12/2020 6:00	0.0	
12/13/2017 7:00	shutdown		12/13/2018 7:00	0.0		12/13/2019 7:00	0.0		12/12/2020 7:00	0.0	
12/13/2017 8:00	shutdown		12/13/2018 8:00	0.0		12/13/2019 8:00	0.0		12/12/2020 8:00	0.0	
12/13/2017 9:00	shutdown		12/13/2018 9:00	0.0		12/13/2019 9:00	0.0		12/12/2020 9:00	0.0	
12/13/2017 10:00	shutdown		12/13/2018 10:00	0.0		12/13/2019 10:00	0.0		12/12/2020 10:00	0.0	
12/13/2017 11:00	shutdown		12/13/2018 11:00	0.0		12/13/2019 11:00	0.0		12/12/2020 11:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
12/13/2017 12:00	shutdown		12/13/2018 12:00	0.0		12/13/2019 12:00	0.0		12/12/2020 12:00	0.0	
12/13/2017 13:00	shutdown		12/13/2018 13:00	0.0		12/13/2019 13:00	0.0		12/12/2020 13:00	0.0	
12/13/2017 14:00	shutdown		12/13/2018 14:00	0.0		12/13/2019 14:00	0.0		12/12/2020 14:00	14.7	
12/13/2017 15:00	shutdown		12/13/2018 15:00	0.0		12/13/2019 15:00	0.0		12/12/2020 15:00	0.0	
12/13/2017 16:00	shutdown		12/13/2018 16:00	0.0		12/13/2019 16:00	0.0		12/12/2020 16:00	0.0	
12/13/2017 17:00	shutdown		12/13/2018 17:00	0.0		12/13/2019 17:00	0.0		12/12/2020 17:00	0.0	
12/13/2017 18:00	shutdown		12/13/2018 18:00	0.0		12/13/2019 18:00	0.0		12/12/2020 18:00	0.0	
12/13/2017 19:00	shutdown		12/13/2018 19:00	0.0		12/13/2019 19:00	0.0		12/12/2020 19:00	0.0	
12/13/2017 20:00	shutdown		12/13/2018 20:00	0.0		12/13/2019 20:00	0.0		12/12/2020 20:00	0.0	
12/13/2017 21:00	shutdown		12/13/2018 21:00	0.0		12/13/2019 21:00	0.0		12/12/2020 21:00	0.0	
12/13/2017 22:00	shutdown		12/13/2018 22:00	0.0		12/13/2019 22:00	0.0		12/12/2020 22:00	0.0	
12/13/2017 23:00	shutdown	0.0	12/13/2018 23:00	0.0	0.0	12/13/2019 23:00	0.0	0.0	12/12/2020 23:00	0.0	14.7
12/14/2017 0:00	shutdown		12/14/2018 0:00	0.0		12/14/2019 0:00	0.0		12/13/2020 0:00	0.0	
12/14/2017 1:00	shutdown		12/14/2018 1:00	0.0		12/14/2019 1:00	0.0		12/13/2020 1:00	0.0	
12/14/2017 2:00	shutdown		12/14/2018 2:00	0.0		12/14/2019 2:00	0.0		12/13/2020 2:00	0.0	
12/14/2017 3:00	shutdown		12/14/2018 3:00	0.0		12/14/2019 3:00	0.0		12/13/2020 3:00	0.0	
12/14/2017 4:00	shutdown		12/14/2018 4:00	0.0		12/14/2019 4:00	0.0		12/13/2020 4:00	0.0	
12/14/2017 5:00	shutdown		12/14/2018 5:00	0.0		12/14/2019 5:00	0.0		12/13/2020 5:00	0.0	
12/14/2017 6:00	shutdown		12/14/2018 6:00	0.0		12/14/2019 6:00	0.0		12/13/2020 6:00	0.0	
12/14/2017 7:00	shutdown		12/14/2018 7:00	0.0		12/14/2019 7:00	0.0		12/13/2020 7:00	0.0	
12/14/2017 8:00	shutdown		12/14/2018 8:00	0.0		12/14/2019 8:00	0.0		12/13/2020 8:00	0.0	
12/14/2017 9:00	shutdown		12/14/2018 9:00	0.0		12/14/2019 9:00	0.0		12/13/2020 9:00	0.0	
12/14/2017 10:00	shutdown		12/14/2018 10:00	0.0		12/14/2019 10:00	0.0		12/13/2020 10:00	0.0	
12/14/2017 11:00	shutdown		12/14/2018 11:00	0.0		12/14/2019 11:00	0.0		12/13/2020 11:00	0.0	
12/14/2017 12:00	shutdown		12/14/2018 12:00	0.0		12/14/2019 12:00	0.0		12/13/2020 12:00	0.0	
12/14/2017 13:00	shutdown		12/14/2018 13:00	0.0		12/14/2019 13:00	0.0		12/13/2020 13:00	0.0	
12/14/2017 14:00	shutdown		12/14/2018 14:00	0.0		12/14/2019 14:00	0.0		12/13/2020 14:00	0.0	
12/14/2017 15:00	shutdown		12/14/2018 15:00	0.0		12/14/2019 15:00	0.0		12/13/2020 15:00	0.0	
12/14/2017 16:00	shutdown		12/14/2018 16:00	0.0		12/14/2019 16:00	0.0		12/13/2020 16:00	2.6	
12/14/2017 17:00	shutdown		12/14/2018 17:00	0.0		12/14/2019 17:00	0.0		12/13/2020 17:00	0.0	
12/14/2017 18:00	shutdown		12/14/2018 18:00	0.0		12/14/2019 18:00	0.0		12/13/2020 18:00	0.0	
12/14/2017 19:00	shutdown		12/14/2018 19:00	0.0		12/14/2019 19:00	0.0		12/13/2020 19:00	0.0	
12/14/2017 20:00	shutdown		12/14/2018 20:00	0.0		12/14/2019 20:00	0.0		12/13/2020 20:00	0.0	
12/14/2017 21:00	shutdown		12/14/2018 21:00	0.0		12/14/2019 21:00	0.0		12/13/2020 21:00	0.0	
12/14/2017 22:00	shutdown		12/14/2018 22:00	0.0		12/14/2019 22:00	0.0		12/13/2020 22:00	0.0	
12/14/2017 23:00	shutdown	0.0	12/14/2018 23:00	0.0	0.0	12/14/2019 23:00	0.0	0.0	12/13/2020 23:00	0.0	2.6
12/15/2017 0:00	shutdown		12/15/2018 0:00	0.0		12/15/2019 0:00	0.0		12/14/2020 0:00	0.0	
12/15/2017 1:00	shutdown		12/15/2018 1:00	0.0		12/15/2019 1:00	0.0		12/14/2020 1:00	0.0	
12/15/2017 2:00	shutdown		12/15/2018 2:00	0.0		12/15/2019 2:00	0.0		12/14/2020 2:00	0.0	
12/15/2017 3:00	shutdown		12/15/2018 3:00	0.0		12/15/2019 3:00	0.0		12/14/2020 3:00	0.0	
12/15/2017 4:00	shutdown		12/15/2018 4:00	0.0		12/15/2019 4:00	0.0		12/14/2020 4:00	0.0	
12/15/2017 5:00	shutdown		12/15/2018 5:00	0.0		12/15/2019 5:00	0.0		12/14/2020 5:00	0.0	
12/15/2017 6:00	shutdown		12/15/2018 6:00	0.0		12/15/2019 6:00	0.0		12/14/2020 6:00	0.0	
12/15/2017 7:00	shutdown		12/15/2018 7:00	0.0		12/15/2019 7:00	0.0		12/14/2020 7:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
12/15/2017 8:00	shutdown		12/15/2018 8:00	0.0		12/15/2019 8:00	0.0		12/14/2020 8:00	0.0	
12/15/2017 9:00	shutdown		12/15/2018 9:00	0.0		12/15/2019 9:00	0.0		12/14/2020 9:00	0.0	
12/15/2017 10:00	shutdown		12/15/2018 10:00	0.0		12/15/2019 10:00	0.0		12/14/2020 10:00	0.0	
12/15/2017 11:00	shutdown		12/15/2018 11:00	0.0		12/15/2019 11:00	0.0		12/14/2020 11:00	0.0	
12/15/2017 12:00	shutdown		12/15/2018 12:00	0.0		12/15/2019 12:00	0.0		12/14/2020 12:00	0.0	
12/15/2017 13:00	shutdown		12/15/2018 13:00	0.0		12/15/2019 13:00	0.0		12/14/2020 13:00	0.0	
12/15/2017 14:00	shutdown		12/15/2018 14:00	0.0		12/15/2019 14:00	0.0		12/14/2020 14:00	0.0	
12/15/2017 15:00	shutdown		12/15/2018 15:00	0.0		12/15/2019 15:00	0.0		12/14/2020 15:00	0.0	
12/15/2017 16:00	shutdown		12/15/2018 16:00	0.0		12/15/2019 16:00	0.0		12/14/2020 16:00	0.0	
12/15/2017 17:00	shutdown		12/15/2018 17:00	0.0		12/15/2019 17:00	0.0		12/14/2020 17:00	0.0	
12/15/2017 18:00	shutdown		12/15/2018 18:00	0.0		12/15/2019 18:00	0.0		12/14/2020 18:00	0.0	
12/15/2017 19:00	shutdown		12/15/2018 19:00	0.0		12/15/2019 19:00	0.0		12/14/2020 19:00	0.0	
12/15/2017 20:00	shutdown		12/15/2018 20:00	0.0		12/15/2019 20:00	0.0		12/14/2020 20:00	0.0	
12/15/2017 21:00	shutdown		12/15/2018 21:00	0.0		12/15/2019 21:00	0.0		12/14/2020 21:00	0.0	
12/15/2017 22:00	shutdown		12/15/2018 22:00	0.0		12/15/2019 22:00	0.0		12/14/2020 22:00	0.0	
12/15/2017 23:00	shutdown	0.0	12/15/2018 23:00	0.0	0.0	12/15/2019 23:00	0.0	0.0	12/14/2020 23:00	0.0	0.0
12/16/2017 0:00	shutdown		12/16/2018 0:00	0.0		12/16/2019 0:00	0.0		12/15/2020 0:00	0.0	
12/16/2017 1:00	shutdown		12/16/2018 1:00	0.0		12/16/2019 1:00	0.0		12/15/2020 1:00	0.0	
12/16/2017 2:00	shutdown		12/16/2018 2:00	0.0		12/16/2019 2:00	0.0		12/15/2020 2:00	0.0	
12/16/2017 3:00	shutdown		12/16/2018 3:00	0.0		12/16/2019 3:00	0.0		12/15/2020 3:00	0.0	
12/16/2017 4:00	shutdown		12/16/2018 4:00	0.0		12/16/2019 4:00	0.0		12/15/2020 4:00	0.0	
12/16/2017 5:00	shutdown		12/16/2018 5:00	0.0		12/16/2019 5:00	0.0		12/15/2020 5:00	0.0	
12/16/2017 6:00	shutdown		12/16/2018 6:00	0.0		12/16/2019 6:00	0.0		12/15/2020 6:00	0.0	
12/16/2017 7:00	shutdown		12/16/2018 7:00	0.0		12/16/2019 7:00	0.0		12/15/2020 7:00	0.0	
12/16/2017 8:00	shutdown		12/16/2018 8:00	0.0		12/16/2019 8:00	0.0		12/15/2020 8:00	0.0	
12/16/2017 9:00	shutdown		12/16/2018 9:00	0.0		12/16/2019 9:00	0.0		12/15/2020 9:00	0.0	
12/16/2017 10:00	shutdown		12/16/2018 10:00	0.0		12/16/2019 10:00	0.0		12/15/2020 10:00	0.0	
12/16/2017 11:00	shutdown		12/16/2018 11:00	0.0		12/16/2019 11:00	0.0		12/15/2020 11:00	0.0	
12/16/2017 12:00	shutdown		12/16/2018 12:00	0.0		12/16/2019 12:00	0.0		12/15/2020 12:00	0.0	
12/16/2017 13:00	shutdown		12/16/2018 13:00	0.0		12/16/2019 13:00	0.0		12/15/2020 13:00	0.0	
12/16/2017 14:00	shutdown		12/16/2018 14:00	0.0		12/16/2019 14:00	0.0		12/15/2020 14:00	0.0	
12/16/2017 15:00	shutdown		12/16/2018 15:00	0.0		12/16/2019 15:00	0.0		12/15/2020 15:00	0.0	
12/16/2017 16:00	shutdown		12/16/2018 16:00	0.0		12/16/2019 16:00	0.0		12/15/2020 16:00	0.0	
12/16/2017 17:00	shutdown		12/16/2018 17:00	0.0		12/16/2019 17:00	0.0		12/15/2020 17:00	0.0	
12/16/2017 18:00	shutdown		12/16/2018 18:00	0.0		12/16/2019 18:00	0.0		12/15/2020 18:00	0.0	
12/16/2017 19:00	shutdown		12/16/2018 19:00	0.0		12/16/2019 19:00	0.0		12/15/2020 19:00	0.0	
12/16/2017 20:00	shutdown		12/16/2018 20:00	0.0		12/16/2019 20:00	0.0		12/15/2020 20:00	0.0	
12/16/2017 21:00	shutdown		12/16/2018 21:00	0.0		12/16/2019 21:00	0.0		12/15/2020 21:00	62.8	
12/16/2017 22:00	shutdown		12/16/2018 22:00	0.0		12/16/2019 22:00	0.0		12/15/2020 22:00	13.6	
12/16/2017 23:00	shutdown	0.0	12/16/2018 23:00	0.0	0.0	12/16/2019 23:00	0.0	0.0	12/15/2020 23:00	0.0	62.8
12/17/2017 0:00	shutdown		12/17/2018 0:00	0.0		12/17/2019 0:00	0.0		12/16/2020 0:00	0.0	
12/17/2017 1:00	shutdown		12/17/2018 1:00	0.0		12/17/2019 1:00	0.0		12/16/2020 1:00	0.0	
12/17/2017 2:00	shutdown		12/17/2018 2:00	0.0		12/17/2019 2:00	0.0		12/16/2020 2:00	0.0	
12/17/2017 3:00	shutdown		12/17/2018 3:00	0.0		12/17/2019 3:00	0.0		12/16/2020 3:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
12/17/2017 4:00	shutdown		12/17/2018 4:00	0.0		12/17/2019 4:00	0.0		12/16/2020 4:00	0.0	
12/17/2017 5:00	shutdown		12/17/2018 5:00	0.0		12/17/2019 5:00	0.0		12/16/2020 5:00	0.0	
12/17/2017 6:00	shutdown		12/17/2018 6:00	0.0		12/17/2019 6:00	0.0		12/16/2020 6:00	0.0	
12/17/2017 7:00	shutdown		12/17/2018 7:00	0.0		12/17/2019 7:00	0.0		12/16/2020 7:00	0.0	
12/17/2017 8:00	shutdown		12/17/2018 8:00	0.0		12/17/2019 8:00	0.0		12/16/2020 8:00	0.0	
12/17/2017 9:00	shutdown		12/17/2018 9:00	0.0		12/17/2019 9:00	0.0		12/16/2020 9:00	371.8	
12/17/2017 10:00	shutdown		12/17/2018 10:00	0.0		12/17/2019 10:00	0.0		12/16/2020 10:00	956.4	
12/17/2017 11:00	shutdown		12/17/2018 11:00	0.0		12/17/2019 11:00	0.0		12/16/2020 11:00	1229.3	
12/17/2017 12:00	shutdown		12/17/2018 12:00	0.0		12/17/2019 12:00	0.0		12/16/2020 12:00	678.4	
12/17/2017 13:00	shutdown		12/17/2018 13:00	0.0		12/17/2019 13:00	0.0		12/16/2020 13:00	104.3	
12/17/2017 14:00	shutdown		12/17/2018 14:00	0.0		12/17/2019 14:00	0.0		12/16/2020 14:00	0.0	
12/17/2017 15:00	shutdown		12/17/2018 15:00	0.0		12/17/2019 15:00	0.0		12/16/2020 15:00	0.0	
12/17/2017 16:00	shutdown		12/17/2018 16:00	0.0		12/17/2019 16:00	0.0		12/16/2020 16:00	0.0	
12/17/2017 17:00	shutdown		12/17/2018 17:00	0.0		12/17/2019 17:00	0.0		12/16/2020 17:00	0.0	
12/17/2017 18:00	shutdown		12/17/2018 18:00	0.0		12/17/2019 18:00	0.0		12/16/2020 18:00	0.0	
12/17/2017 19:00	shutdown		12/17/2018 19:00	0.0		12/17/2019 19:00	0.0		12/16/2020 19:00	0.0	
12/17/2017 20:00	shutdown		12/17/2018 20:00	0.0		12/17/2019 20:00	0.0		12/16/2020 20:00	0.0	
12/17/2017 21:00	shutdown		12/17/2018 21:00	3.2		12/17/2019 21:00	0.0		12/16/2020 21:00	0.0	
12/17/2017 22:00	shutdown		12/17/2018 22:00	0.0		12/17/2019 22:00	0.0		12/16/2020 22:00	0.0	
12/17/2017 23:00	shutdown	0.0	12/17/2018 23:00	0.0	3.2	12/17/2019 23:00	0.0	0.0	12/16/2020 23:00	0.0	1229.3
12/18/2017 0:00	shutdown		12/18/2018 0:00	0.0		12/18/2019 0:00	0.0		12/17/2020 0:00	0.0	
12/18/2017 1:00	shutdown		12/18/2018 1:00	0.0		12/18/2019 1:00	0.0		12/17/2020 1:00	0.0	
12/18/2017 2:00	shutdown		12/18/2018 2:00	0.0		12/18/2019 2:00	0.0		12/17/2020 2:00	0.0	
12/18/2017 3:00	shutdown		12/18/2018 3:00	0.0		12/18/2019 3:00	0.0		12/17/2020 3:00	0.0	
12/18/2017 4:00	shutdown		12/18/2018 4:00	0.0		12/18/2019 4:00	0.0		12/17/2020 4:00	0.0	
12/18/2017 5:00	shutdown		12/18/2018 5:00	0.0		12/18/2019 5:00	0.0		12/17/2020 5:00	0.0	
12/18/2017 6:00	shutdown		12/18/2018 6:00	0.0		12/18/2019 6:00	0.0		12/17/2020 6:00	0.0	
12/18/2017 7:00	shutdown		12/18/2018 7:00	0.0		12/18/2019 7:00	0.0		12/17/2020 7:00	0.0	
12/18/2017 8:00	shutdown		12/18/2018 8:00	0.0		12/18/2019 8:00	0.0		12/17/2020 8:00	0.0	
12/18/2017 9:00	shutdown		12/18/2018 9:00	0.0		12/18/2019 9:00	0.0		12/17/2020 9:00	0.0	
12/18/2017 10:00	shutdown		12/18/2018 10:00	0.0		12/18/2019 10:00	0.0		12/17/2020 10:00	0.0	
12/18/2017 11:00	shutdown		12/18/2018 11:00	0.0		12/18/2019 11:00	0.0		12/17/2020 11:00	0.0	
12/18/2017 12:00	shutdown		12/18/2018 12:00	0.0		12/18/2019 12:00	0.0		12/17/2020 12:00	0.0	
12/18/2017 13:00	shutdown		12/18/2018 13:00	0.0		12/18/2019 13:00	0.0		12/17/2020 13:00	0.0	
12/18/2017 14:00	shutdown		12/18/2018 14:00	2.0		12/18/2019 14:00	0.0		12/17/2020 14:00	0.0	
12/18/2017 15:00	shutdown		12/18/2018 15:00	0.0		12/18/2019 15:00	0.0		12/17/2020 15:00	0.0	
12/18/2017 16:00	shutdown		12/18/2018 16:00	0.0		12/18/2019 16:00	0.0		12/17/2020 16:00	0.0	
12/18/2017 17:00	shutdown		12/18/2018 17:00	0.0		12/18/2019 17:00	0.0		12/17/2020 17:00	0.0	
12/18/2017 18:00	shutdown		12/18/2018 18:00	0.0		12/18/2019 18:00	0.0		12/17/2020 18:00	0.0	
12/18/2017 19:00	shutdown		12/18/2018 19:00	0.0		12/18/2019 19:00	0.0		12/17/2020 19:00	0.0	
12/18/2017 20:00	shutdown		12/18/2018 20:00	0.0		12/18/2019 20:00	0.0		12/17/2020 20:00	0.0	
12/18/2017 21:00	shutdown		12/18/2018 21:00	0.0		12/18/2019 21:00	0.0		12/17/2020 21:00	0.0	
12/18/2017 22:00	shutdown		12/18/2018 22:00	0.0		12/18/2019 22:00	0.0		12/17/2020 22:00	0.0	
12/18/2017 23:00	shutdown	0.0	12/18/2018 23:00	0.0	2.0	12/18/2019 23:00	0.0	0.0	12/17/2020 23:00	0.0	0.0

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
12/19/2017 0:00	shutdown		12/19/2018 0:00	0.0		12/19/2019 0:00	0.0		12/18/2020 0:00	0.0	
12/19/2017 1:00	shutdown		12/19/2018 1:00	0.0		12/19/2019 1:00	0.0		12/18/2020 1:00	0.0	
12/19/2017 2:00	shutdown		12/19/2018 2:00	0.0		12/19/2019 2:00	0.0		12/18/2020 2:00	0.0	
12/19/2017 3:00	shutdown		12/19/2018 3:00	0.0		12/19/2019 3:00	0.0		12/18/2020 3:00	0.0	
12/19/2017 4:00	shutdown		12/19/2018 4:00	0.0		12/19/2019 4:00	0.0		12/18/2020 4:00	0.0	
12/19/2017 5:00	shutdown		12/19/2018 5:00	0.0		12/19/2019 5:00	0.0		12/18/2020 5:00	0.0	
12/19/2017 6:00	shutdown		12/19/2018 6:00	0.0		12/19/2019 6:00	0.0		12/18/2020 6:00	0.0	
12/19/2017 7:00	shutdown		12/19/2018 7:00	0.0		12/19/2019 7:00	0.0		12/18/2020 7:00	0.0	
12/19/2017 8:00	shutdown		12/19/2018 8:00	0.0		12/19/2019 8:00	0.0		12/18/2020 8:00	0.0	
12/19/2017 9:00	shutdown		12/19/2018 9:00	0.0		12/19/2019 9:00	0.0		12/18/2020 9:00	0.0	
12/19/2017 10:00	shutdown		12/19/2018 10:00	0.0		12/19/2019 10:00	0.0		12/18/2020 10:00	0.0	
12/19/2017 11:00	shutdown		12/19/2018 11:00	0.0		12/19/2019 11:00	0.0		12/18/2020 11:00	0.0	
12/19/2017 12:00	shutdown		12/19/2018 12:00	0.0		12/19/2019 12:00	0.0		12/18/2020 12:00	0.0	
12/19/2017 13:00	shutdown		12/19/2018 13:00	0.0		12/19/2019 13:00	0.0		12/18/2020 13:00	0.0	
12/19/2017 14:00	shutdown		12/19/2018 14:00	0.0		12/19/2019 14:00	0.0		12/18/2020 14:00	0.0	
12/19/2017 15:00	shutdown		12/19/2018 15:00	0.0		12/19/2019 15:00	0.0		12/18/2020 15:00	0.0	
12/19/2017 16:00	shutdown		12/19/2018 16:00	0.0		12/19/2019 16:00	0.0		12/18/2020 16:00	0.0	
12/19/2017 17:00	shutdown		12/19/2018 17:00	0.0		12/19/2019 17:00	0.0		12/18/2020 17:00	0.0	
12/19/2017 18:00	shutdown		12/19/2018 18:00	0.0		12/19/2019 18:00	0.0		12/18/2020 18:00	0.0	
12/19/2017 19:00	shutdown		12/19/2018 19:00	0.0		12/19/2019 19:00	0.0		12/18/2020 19:00	0.0	
12/19/2017 20:00	shutdown		12/19/2018 20:00	0.0		12/19/2019 20:00	0.0		12/18/2020 20:00	0.0	
12/19/2017 21:00	shutdown		12/19/2018 21:00	0.0		12/19/2019 21:00	0.0		12/18/2020 21:00	0.0	
12/19/2017 22:00	shutdown		12/19/2018 22:00	0.0		12/19/2019 22:00	0.0		12/18/2020 22:00	0.0	
12/19/2017 23:00	shutdown	0.0	12/19/2018 23:00	0.0	0.0	12/19/2019 23:00	0.0	0.0	12/18/2020 23:00	0.0	0.0
12/20/2017 0:00	shutdown		12/20/2018 0:00	0.0		12/20/2019 0:00	0.0		12/19/2020 0:00	0.0	
12/20/2017 1:00	shutdown		12/20/2018 1:00	0.0		12/20/2019 1:00	0.0		12/19/2020 1:00	0.0	
12/20/2017 2:00	shutdown		12/20/2018 2:00	0.0		12/20/2019 2:00	0.0		12/19/2020 2:00	0.0	
12/20/2017 3:00	shutdown		12/20/2018 3:00	0.0		12/20/2019 3:00	0.0		12/19/2020 3:00	0.0	
12/20/2017 4:00	shutdown		12/20/2018 4:00	0.0		12/20/2019 4:00	0.0		12/19/2020 4:00	0.0	
12/20/2017 5:00	shutdown		12/20/2018 5:00	0.0		12/20/2019 5:00	0.0		12/19/2020 5:00	0.0	
12/20/2017 6:00	shutdown		12/20/2018 6:00	0.0		12/20/2019 6:00	0.0		12/19/2020 6:00	0.0	
12/20/2017 7:00	shutdown		12/20/2018 7:00	0.0		12/20/2019 7:00	0.0		12/19/2020 7:00	0.0	
12/20/2017 8:00	shutdown		12/20/2018 8:00	0.0		12/20/2019 8:00	0.0		12/19/2020 8:00	0.0	
12/20/2017 9:00	shutdown		12/20/2018 9:00	0.0		12/20/2019 9:00	0.0		12/19/2020 9:00	0.0	
12/20/2017 10:00	shutdown		12/20/2018 10:00	0.0		12/20/2019 10:00	0.0		12/19/2020 10:00	0.0	
12/20/2017 11:00	shutdown		12/20/2018 11:00	0.0		12/20/2019 11:00	0.0		12/19/2020 11:00	0.0	
12/20/2017 12:00	shutdown		12/20/2018 12:00	0.0		12/20/2019 12:00	0.0		12/19/2020 12:00	0.0	
12/20/2017 13:00	shutdown		12/20/2018 13:00	0.0		12/20/2019 13:00	0.0		12/19/2020 13:00	0.0	
12/20/2017 14:00	shutdown		12/20/2018 14:00	0.0		12/20/2019 14:00	0.0		12/19/2020 14:00	0.0	
12/20/2017 15:00	shutdown		12/20/2018 15:00	0.0		12/20/2019 15:00	0.0		12/19/2020 15:00	0.0	
12/20/2017 16:00	shutdown		12/20/2018 16:00	0.0		12/20/2019 16:00	0.0		12/19/2020 16:00	0.0	
12/20/2017 17:00	shutdown		12/20/2018 17:00	0.0		12/20/2019 17:00	0.0		12/19/2020 17:00	0.0	
12/20/2017 18:00	shutdown		12/20/2018 18:00	0.0		12/20/2019 18:00	0.0		12/19/2020 18:00	0.0	
12/20/2017 19:00	shutdown		12/20/2018 19:00	0.0		12/20/2019 19:00	0.0		12/19/2020 19:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
12/20/2017 20:00	shutdown		12/20/2018 20:00	0.0		12/20/2019 20:00	0.0		12/19/2020 20:00	0.0	
12/20/2017 21:00	shutdown		12/20/2018 21:00	0.0		12/20/2019 21:00	0.0		12/19/2020 21:00	0.0	
12/20/2017 22:00	shutdown		12/20/2018 22:00	0.0		12/20/2019 22:00	0.0		12/19/2020 22:00	0.0	
12/20/2017 23:00	shutdown	0.0	12/20/2018 23:00	0.0	0.0	12/20/2019 23:00	0.0	0.0	12/19/2020 23:00	0.0	0.0
12/21/2017 0:00	shutdown		12/21/2018 0:00	0.0		12/21/2019 0:00	0.0		12/20/2020 0:00	0.0	
12/21/2017 1:00	shutdown		12/21/2018 1:00	0.0		12/21/2019 1:00	0.0		12/20/2020 1:00	0.0	
12/21/2017 2:00	shutdown		12/21/2018 2:00	0.0		12/21/2019 2:00	0.0		12/20/2020 2:00	0.0	
12/21/2017 3:00	shutdown		12/21/2018 3:00	0.0		12/21/2019 3:00	0.0		12/20/2020 3:00	0.0	
12/21/2017 4:00	shutdown		12/21/2018 4:00	0.0		12/21/2019 4:00	0.0		12/20/2020 4:00	0.0	
12/21/2017 5:00	shutdown		12/21/2018 5:00	0.0		12/21/2019 5:00	0.0		12/20/2020 5:00	0.0	
12/21/2017 6:00	shutdown		12/21/2018 6:00	0.0		12/21/2019 6:00	0.0		12/20/2020 6:00	0.0	
12/21/2017 7:00	shutdown		12/21/2018 7:00	0.0		12/21/2019 7:00	0.0		12/20/2020 7:00	0.0	
12/21/2017 8:00	shutdown		12/21/2018 8:00	0.0		12/21/2019 8:00	0.0		12/20/2020 8:00	0.0	
12/21/2017 9:00	shutdown		12/21/2018 9:00	0.0		12/21/2019 9:00	0.0		12/20/2020 9:00	0.0	
12/21/2017 10:00	shutdown		12/21/2018 10:00	0.0		12/21/2019 10:00	0.0		12/20/2020 10:00	0.0	
12/21/2017 11:00	shutdown		12/21/2018 11:00	0.0		12/21/2019 11:00	0.0		12/20/2020 11:00	0.0	
12/21/2017 12:00	shutdown		12/21/2018 12:00	0.0		12/21/2019 12:00	0.0		12/20/2020 12:00	0.0	
12/21/2017 13:00	shutdown		12/21/2018 13:00	0.0		12/21/2019 13:00	0.0		12/20/2020 13:00	0.0	
12/21/2017 14:00	shutdown		12/21/2018 14:00	0.0		12/21/2019 14:00	0.0		12/20/2020 14:00	0.0	
12/21/2017 15:00	shutdown		12/21/2018 15:00	0.0		12/21/2019 15:00	0.0		12/20/2020 15:00	0.0	
12/21/2017 16:00	shutdown		12/21/2018 16:00	0.0		12/21/2019 16:00	0.0		12/20/2020 16:00	0.0	
12/21/2017 17:00	shutdown		12/21/2018 17:00	0.0		12/21/2019 17:00	0.0		12/20/2020 17:00	0.0	
12/21/2017 18:00	shutdown		12/21/2018 18:00	0.0		12/21/2019 18:00	0.0		12/20/2020 18:00	0.0	
12/21/2017 19:00	shutdown		12/21/2018 19:00	0.0		12/21/2019 19:00	0.0		12/20/2020 19:00	0.0	
12/21/2017 20:00	shutdown		12/21/2018 20:00	0.0		12/21/2019 20:00	0.0		12/20/2020 20:00	0.0	
12/21/2017 21:00	shutdown		12/21/2018 21:00	0.0		12/21/2019 21:00	0.0		12/20/2020 21:00	0.0	
12/21/2017 22:00	shutdown		12/21/2018 22:00	0.0		12/21/2019 22:00	0.0		12/20/2020 22:00	0.0	
12/21/2017 23:00	shutdown	0.0	12/21/2018 23:00	0.0	0.0	12/21/2019 23:00	0.0	0.0	12/20/2020 23:00	0.0	0.0
12/22/2017 0:00	shutdown		12/22/2018 0:00	0.0		12/22/2019 0:00	0.0		12/21/2020 0:00	0.0	
12/22/2017 1:00	shutdown		12/22/2018 1:00	0.0		12/22/2019 1:00	0.0		12/21/2020 1:00	0.0	
12/22/2017 2:00	shutdown		12/22/2018 2:00	0.0		12/22/2019 2:00	0.0		12/21/2020 2:00	0.0	
12/22/2017 3:00	shutdown		12/22/2018 3:00	0.0		12/22/2019 3:00	0.0		12/21/2020 3:00	0.0	
12/22/2017 4:00	shutdown		12/22/2018 4:00	0.0		12/22/2019 4:00	0.0		12/21/2020 4:00	0.0	
12/22/2017 5:00	shutdown		12/22/2018 5:00	0.0		12/22/2019 5:00	0.0		12/21/2020 5:00	0.0	
12/22/2017 6:00	shutdown		12/22/2018 6:00	0.0		12/22/2019 6:00	0.0		12/21/2020 6:00	0.0	
12/22/2017 7:00	shutdown		12/22/2018 7:00	0.0		12/22/2019 7:00	0.0		12/21/2020 7:00	0.0	
12/22/2017 8:00	shutdown		12/22/2018 8:00	0.0		12/22/2019 8:00	0.0		12/21/2020 8:00	0.0	
12/22/2017 9:00	shutdown		12/22/2018 9:00	0.0		12/22/2019 9:00	0.0		12/21/2020 9:00	0.0	
12/22/2017 10:00	shutdown		12/22/2018 10:00	0.0		12/22/2019 10:00	0.0		12/21/2020 10:00	0.0	
12/22/2017 11:00	shutdown		12/22/2018 11:00	0.0		12/22/2019 11:00	0.0		12/21/2020 11:00	0.0	
12/22/2017 12:00	shutdown		12/22/2018 12:00	0.0		12/22/2019 12:00	0.0		12/21/2020 12:00	0.0	
12/22/2017 13:00	shutdown		12/22/2018 13:00	0.0		12/22/2019 13:00	0.0		12/21/2020 13:00	0.0	
12/22/2017 14:00	shutdown		12/22/2018 14:00	0.0		12/22/2019 14:00	0.0		12/21/2020 14:00	0.0	
12/22/2017 15:00	shutdown		12/22/2018 15:00	0.0		12/22/2019 15:00	0.0		12/21/2020 15:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
12/22/2017 16:00	shutdown		12/22/2018 16:00	0.0		12/22/2019 16:00	0.0		12/21/2020 16:00	0.0	
12/22/2017 17:00	shutdown		12/22/2018 17:00	0.0		12/22/2019 17:00	0.0		12/21/2020 17:00	0.0	
12/22/2017 18:00	shutdown		12/22/2018 18:00	0.0		12/22/2019 18:00	0.0		12/21/2020 18:00	0.0	
12/22/2017 19:00	shutdown		12/22/2018 19:00	0.0		12/22/2019 19:00	0.0		12/21/2020 19:00	0.0	
12/22/2017 20:00	shutdown		12/22/2018 20:00	0.0		12/22/2019 20:00	0.0		12/21/2020 20:00	0.0	
12/22/2017 21:00	shutdown		12/22/2018 21:00	0.0		12/22/2019 21:00	0.0		12/21/2020 21:00	0.0	
12/22/2017 22:00	shutdown		12/22/2018 22:00	0.0		12/22/2019 22:00	0.0		12/21/2020 22:00	0.0	
12/22/2017 23:00	shutdown	0.0	12/22/2018 23:00	0.0	0.0	12/22/2019 23:00	0.0	0.0	12/21/2020 23:00	0.0	0.0
12/23/2017 0:00	shutdown		12/23/2018 0:00	0.0		12/23/2019 0:00	0.0		12/22/2020 0:00	0.0	
12/23/2017 1:00	shutdown		12/23/2018 1:00	0.0		12/23/2019 1:00	0.0		12/22/2020 1:00	0.0	
12/23/2017 2:00	shutdown		12/23/2018 2:00	0.0		12/23/2019 2:00	0.0		12/22/2020 2:00	0.0	
12/23/2017 3:00	shutdown		12/23/2018 3:00	0.0		12/23/2019 3:00	0.0		12/22/2020 3:00	0.0	
12/23/2017 4:00	shutdown		12/23/2018 4:00	0.0		12/23/2019 4:00	0.0		12/22/2020 4:00	0.0	
12/23/2017 5:00	shutdown		12/23/2018 5:00	0.0		12/23/2019 5:00	0.0		12/22/2020 5:00	0.0	
12/23/2017 6:00	shutdown		12/23/2018 6:00	0.0		12/23/2019 6:00	0.0		12/22/2020 6:00	0.0	
12/23/2017 7:00	shutdown		12/23/2018 7:00	0.0		12/23/2019 7:00	0.0		12/22/2020 7:00	0.0	
12/23/2017 8:00	shutdown		12/23/2018 8:00	0.0		12/23/2019 8:00	0.0		12/22/2020 8:00	0.0	
12/23/2017 9:00	shutdown		12/23/2018 9:00	0.0		12/23/2019 9:00	0.0		12/22/2020 9:00	0.0	
12/23/2017 10:00	shutdown		12/23/2018 10:00	0.0		12/23/2019 10:00	0.0		12/22/2020 10:00	0.0	
12/23/2017 11:00	shutdown		12/23/2018 11:00	0.0		12/23/2019 11:00	0.0		12/22/2020 11:00	0.0	
12/23/2017 12:00	shutdown		12/23/2018 12:00	0.0		12/23/2019 12:00	0.0		12/22/2020 12:00	0.0	
12/23/2017 13:00	shutdown		12/23/2018 13:00	0.0		12/23/2019 13:00	0.0		12/22/2020 13:00	0.0	
12/23/2017 14:00	shutdown		12/23/2018 14:00	0.0		12/23/2019 14:00	0.0		12/22/2020 14:00	0.0	
12/23/2017 15:00	shutdown		12/23/2018 15:00	0.0		12/23/2019 15:00	0.0		12/22/2020 15:00	0.0	
12/23/2017 16:00	shutdown		12/23/2018 16:00	0.0		12/23/2019 16:00	0.0		12/22/2020 16:00	0.0	
12/23/2017 17:00	shutdown		12/23/2018 17:00	0.0		12/23/2019 17:00	0.0		12/22/2020 17:00	0.0	
12/23/2017 18:00	shutdown		12/23/2018 18:00	0.0		12/23/2019 18:00	0.0		12/22/2020 18:00	0.0	
12/23/2017 19:00	shutdown		12/23/2018 19:00	0.0		12/23/2019 19:00	0.0		12/22/2020 19:00	0.0	
12/23/2017 20:00	shutdown		12/23/2018 20:00	0.0		12/23/2019 20:00	0.0		12/22/2020 20:00	0.0	
12/23/2017 21:00	shutdown		12/23/2018 21:00	0.0		12/23/2019 21:00	0.0		12/22/2020 21:00	0.0	
12/23/2017 22:00	shutdown		12/23/2018 22:00	0.0		12/23/2019 22:00	0.0		12/22/2020 22:00	0.0	
12/23/2017 23:00	shutdown	0.0	12/23/2018 23:00	0.0	0.0	12/23/2019 23:00	0.0	0.0	12/22/2020 23:00	0.0	0.0
12/24/2017 0:00	shutdown		12/24/2018 0:00	0.0		12/24/2019 0:00	0.0		12/23/2020 0:00	0.0	
12/24/2017 1:00	shutdown		12/24/2018 1:00	0.0		12/24/2019 1:00	0.0		12/23/2020 1:00	0.0	
12/24/2017 2:00	shutdown		12/24/2018 2:00	0.0		12/24/2019 2:00	0.0		12/23/2020 2:00	0.0	
12/24/2017 3:00	shutdown		12/24/2018 3:00	0.0		12/24/2019 3:00	0.0		12/23/2020 3:00	0.0	
12/24/2017 4:00	shutdown		12/24/2018 4:00	0.0		12/24/2019 4:00	0.0		12/23/2020 4:00	0.0	
12/24/2017 5:00	shutdown		12/24/2018 5:00	0.0		12/24/2019 5:00	0.0		12/23/2020 5:00	0.0	
12/24/2017 6:00	shutdown		12/24/2018 6:00	0.0		12/24/2019 6:00	0.0		12/23/2020 6:00	0.0	
12/24/2017 7:00	shutdown		12/24/2018 7:00	0.0		12/24/2019 7:00	0.0		12/23/2020 7:00	0.0	
12/24/2017 8:00	shutdown		12/24/2018 8:00	0.0		12/24/2019 8:00	0.0		12/23/2020 8:00	0.0	
12/24/2017 9:00	shutdown		12/24/2018 9:00	0.0		12/24/2019 9:00	0.0		12/23/2020 9:00	0.0	
12/24/2017 10:00	shutdown		12/24/2018 10:00	0.0		12/24/2019 10:00	0.0		12/23/2020 10:00	0.0	
12/24/2017 11:00	shutdown		12/24/2018 11:00	0.0		12/24/2019 11:00	0.0		12/23/2020 11:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
12/24/2017 12:00	shutdown		12/24/2018 12:00	0.0		12/24/2019 12:00	0.0		12/23/2020 12:00	0.0	
12/24/2017 13:00	shutdown		12/24/2018 13:00	0.0		12/24/2019 13:00	0.0		12/23/2020 13:00	0.0	
12/24/2017 14:00	shutdown		12/24/2018 14:00	0.0		12/24/2019 14:00	0.0		12/23/2020 14:00	0.0	
12/24/2017 15:00	shutdown		12/24/2018 15:00	0.0		12/24/2019 15:00	0.0		12/23/2020 15:00	0.0	
12/24/2017 16:00	shutdown		12/24/2018 16:00	0.0		12/24/2019 16:00	0.0		12/23/2020 16:00	0.0	
12/24/2017 17:00	shutdown		12/24/2018 17:00	0.0		12/24/2019 17:00	0.0		12/23/2020 17:00	0.0	
12/24/2017 18:00	shutdown		12/24/2018 18:00	0.0		12/24/2019 18:00	0.0		12/23/2020 18:00	0.0	
12/24/2017 19:00	shutdown		12/24/2018 19:00	0.0		12/24/2019 19:00	0.0		12/23/2020 19:00	0.0	
12/24/2017 20:00	shutdown		12/24/2018 20:00	0.0		12/24/2019 20:00	0.0		12/23/2020 20:00	0.0	
12/24/2017 21:00	shutdown		12/24/2018 21:00	0.0		12/24/2019 21:00	0.0		12/23/2020 21:00	0.0	
12/24/2017 22:00	shutdown		12/24/2018 22:00	0.0		12/24/2019 22:00	0.0		12/23/2020 22:00	0.0	
12/24/2017 23:00	shutdown	0.0	12/24/2018 23:00	0.0	0.0	12/24/2019 23:00	0.0	0.0	12/23/2020 23:00	0.0	0.0
12/25/2017 0:00	shutdown		12/25/2018 0:00	0.0		12/25/2019 0:00	0.0		12/24/2020 0:00	0.0	
12/25/2017 1:00	shutdown		12/25/2018 1:00	0.0		12/25/2019 1:00	0.0		12/24/2020 1:00	0.0	
12/25/2017 2:00	shutdown		12/25/2018 2:00	0.0		12/25/2019 2:00	0.0		12/24/2020 2:00	0.0	
12/25/2017 3:00	shutdown		12/25/2018 3:00	0.0		12/25/2019 3:00	0.0		12/24/2020 3:00	0.0	
12/25/2017 4:00	shutdown		12/25/2018 4:00	0.0		12/25/2019 4:00	0.0		12/24/2020 4:00	0.0	
12/25/2017 5:00	shutdown		12/25/2018 5:00	0.0		12/25/2019 5:00	0.0		12/24/2020 5:00	0.0	
12/25/2017 6:00	shutdown		12/25/2018 6:00	0.0		12/25/2019 6:00	0.0		12/24/2020 6:00	0.0	
12/25/2017 7:00	shutdown		12/25/2018 7:00	0.0		12/25/2019 7:00	0.0		12/24/2020 7:00	0.0	
12/25/2017 8:00	shutdown		12/25/2018 8:00	0.0		12/25/2019 8:00	0.0		12/24/2020 8:00	0.0	
12/25/2017 9:00	shutdown		12/25/2018 9:00	0.0		12/25/2019 9:00	0.0		12/24/2020 9:00	0.0	
12/25/2017 10:00	shutdown		12/25/2018 10:00	0.0		12/25/2019 10:00	0.0		12/24/2020 10:00	0.0	
12/25/2017 11:00	shutdown		12/25/2018 11:00	0.0		12/25/2019 11:00	0.0		12/24/2020 11:00	0.0	
12/25/2017 12:00	shutdown		12/25/2018 12:00	0.0		12/25/2019 12:00	0.0		12/24/2020 12:00	0.0	
12/25/2017 13:00	shutdown		12/25/2018 13:00	0.0		12/25/2019 13:00	0.0		12/24/2020 13:00	0.0	
12/25/2017 14:00	shutdown		12/25/2018 14:00	0.0		12/25/2019 14:00	0.0		12/24/2020 14:00	0.0	
12/25/2017 15:00	shutdown		12/25/2018 15:00	0.0		12/25/2019 15:00	0.0		12/24/2020 15:00	0.0	
12/25/2017 16:00	shutdown		12/25/2018 16:00	0.0		12/25/2019 16:00	0.0		12/24/2020 16:00	0.0	
12/25/2017 17:00	shutdown		12/25/2018 17:00	0.0		12/25/2019 17:00	0.0		12/24/2020 17:00	0.0	
12/25/2017 18:00	shutdown		12/25/2018 18:00	0.0		12/25/2019 18:00	0.0		12/24/2020 18:00	0.0	
12/25/2017 19:00	shutdown		12/25/2018 19:00	0.0		12/25/2019 19:00	0.0		12/24/2020 19:00	0.0	
12/25/2017 20:00	shutdown		12/25/2018 20:00	0.0		12/25/2019 20:00	88.3		12/24/2020 20:00	0.0	
12/25/2017 21:00	shutdown		12/25/2018 21:00	0.0		12/25/2019 21:00	0.0		12/24/2020 21:00	0.0	
12/25/2017 22:00	shutdown		12/25/2018 22:00	0.0		12/25/2019 22:00	0.0		12/24/2020 22:00	0.0	
12/25/2017 23:00	shutdown	0.0	12/25/2018 23:00	0.0	0.0	12/25/2019 23:00	0.0	88.3	12/24/2020 23:00	0.0	0.0
12/26/2017 0:00	shutdown		12/26/2018 0:00	0.0		12/26/2019 0:00	0.9		12/25/2020 0:00	0.0	
12/26/2017 1:00	shutdown		12/26/2018 1:00	0.0		12/26/2019 1:00	0.0		12/25/2020 1:00	0.0	
12/26/2017 2:00	shutdown		12/26/2018 2:00	0.0		12/26/2019 2:00	0.0		12/25/2020 2:00	0.0	
12/26/2017 3:00	shutdown		12/26/2018 3:00	0.0		12/26/2019 3:00	0.0		12/25/2020 3:00	0.0	
12/26/2017 4:00	shutdown		12/26/2018 4:00	0.0		12/26/2019 4:00	0.0		12/25/2020 4:00	0.0	
12/26/2017 5:00	shutdown		12/26/2018 5:00	0.0		12/26/2019 5:00	0.0		12/25/2020 5:00	0.0	
12/26/2017 6:00	shutdown		12/26/2018 6:00	0.0		12/26/2019 6:00	0.0		12/25/2020 6:00	0.0	
12/26/2017 7:00	shutdown		12/26/2018 7:00	0.0		12/26/2019 7:00	0.0		12/25/2020 7:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
12/26/2017 8:00	shutdown		12/26/2018 8:00	0.0		12/26/2019 8:00	0.0		12/25/2020 8:00	0.0	
12/26/2017 9:00	shutdown		12/26/2018 9:00	0.0		12/26/2019 9:00	0.0		12/25/2020 9:00	0.0	
12/26/2017 10:00	shutdown		12/26/2018 10:00	0.0		12/26/2019 10:00	0.0		12/25/2020 10:00	0.0	
12/26/2017 11:00	shutdown		12/26/2018 11:00	0.0		12/26/2019 11:00	0.0		12/25/2020 11:00	0.0	
12/26/2017 12:00	shutdown		12/26/2018 12:00	0.0		12/26/2019 12:00	0.0		12/25/2020 12:00	0.0	
12/26/2017 13:00	shutdown		12/26/2018 13:00	0.0		12/26/2019 13:00	0.0		12/25/2020 13:00	0.0	
12/26/2017 14:00	shutdown		12/26/2018 14:00	0.0		12/26/2019 14:00	0.0		12/25/2020 14:00	0.0	
12/26/2017 15:00	shutdown		12/26/2018 15:00	0.0		12/26/2019 15:00	0.0		12/25/2020 15:00	0.0	
12/26/2017 16:00	shutdown		12/26/2018 16:00	0.0		12/26/2019 16:00	0.0		12/25/2020 16:00	0.0	
12/26/2017 17:00	shutdown		12/26/2018 17:00	0.0		12/26/2019 17:00	0.0		12/25/2020 17:00	0.0	
12/26/2017 18:00	shutdown		12/26/2018 18:00	0.0		12/26/2019 18:00	0.0		12/25/2020 18:00	0.0	
12/26/2017 19:00	shutdown		12/26/2018 19:00	0.0		12/26/2019 19:00	0.0		12/25/2020 19:00	0.0	
12/26/2017 20:00	shutdown		12/26/2018 20:00	0.0		12/26/2019 20:00	0.0		12/25/2020 20:00	0.0	
12/26/2017 21:00	shutdown		12/26/2018 21:00	0.0		12/26/2019 21:00	0.0		12/25/2020 21:00	0.0	
12/26/2017 22:00	shutdown		12/26/2018 22:00	0.0		12/26/2019 22:00	0.0		12/25/2020 22:00	0.0	
12/26/2017 23:00	shutdown	0.0	12/26/2018 23:00	0.0	0.0	12/26/2019 23:00	0.0	0.9	12/25/2020 23:00	0.0	0.0
12/27/2017 0:00	shutdown		12/27/2018 0:00	0.0		12/27/2019 0:00	0.0		12/26/2020 0:00	0.0	
12/27/2017 1:00	shutdown		12/27/2018 1:00	0.0		12/27/2019 1:00	0.0		12/26/2020 1:00	0.0	
12/27/2017 2:00	shutdown		12/27/2018 2:00	0.0		12/27/2019 2:00	0.0		12/26/2020 2:00	0.0	
12/27/2017 3:00	shutdown		12/27/2018 3:00	0.0		12/27/2019 3:00	0.0		12/26/2020 3:00	0.0	
12/27/2017 4:00	shutdown		12/27/2018 4:00	0.0		12/27/2019 4:00	0.0		12/26/2020 4:00	0.0	
12/27/2017 5:00	shutdown		12/27/2018 5:00	0.0		12/27/2019 5:00	0.0		12/26/2020 5:00	0.0	
12/27/2017 6:00	shutdown		12/27/2018 6:00	0.0		12/27/2019 6:00	0.0		12/26/2020 6:00	0.0	
12/27/2017 7:00	shutdown		12/27/2018 7:00	0.0		12/27/2019 7:00	0.0		12/26/2020 7:00	0.0	
12/27/2017 8:00	shutdown		12/27/2018 8:00	0.0		12/27/2019 8:00	0.0		12/26/2020 8:00	0.0	
12/27/2017 9:00	shutdown		12/27/2018 9:00	0.0		12/27/2019 9:00	0.0		12/26/2020 9:00	0.0	
12/27/2017 10:00	shutdown		12/27/2018 10:00	0.0		12/27/2019 10:00	0.0		12/26/2020 10:00	0.0	
12/27/2017 11:00	shutdown		12/27/2018 11:00	0.0		12/27/2019 11:00	0.0		12/26/2020 11:00	0.0	
12/27/2017 12:00	shutdown		12/27/2018 12:00	0.0		12/27/2019 12:00	0.0		12/26/2020 12:00	0.0	
12/27/2017 13:00	shutdown		12/27/2018 13:00	0.0		12/27/2019 13:00	0.0		12/26/2020 13:00	0.0	
12/27/2017 14:00	shutdown		12/27/2018 14:00	0.0		12/27/2019 14:00	0.0		12/26/2020 14:00	0.0	
12/27/2017 15:00	shutdown		12/27/2018 15:00	0.0		12/27/2019 15:00	0.0		12/26/2020 15:00	0.0	
12/27/2017 16:00	shutdown		12/27/2018 16:00	0.0		12/27/2019 16:00	0.0		12/26/2020 16:00	0.0	
12/27/2017 17:00	shutdown		12/27/2018 17:00	0.0		12/27/2019 17:00	0.0		12/26/2020 17:00	0.0	
12/27/2017 18:00	shutdown		12/27/2018 18:00	0.0		12/27/2019 18:00	0.0		12/26/2020 18:00	0.0	
12/27/2017 19:00	shutdown		12/27/2018 19:00	0.0		12/27/2019 19:00	0.0		12/26/2020 19:00	0.0	
12/27/2017 20:00	shutdown		12/27/2018 20:00	0.0		12/27/2019 20:00	0.0		12/26/2020 20:00	0.0	
12/27/2017 21:00	shutdown		12/27/2018 21:00	0.0		12/27/2019 21:00	0.0		12/26/2020 21:00	0.0	
12/27/2017 22:00	shutdown		12/27/2018 22:00	0.0		12/27/2019 22:00	0.0		12/26/2020 22:00	0.0	
12/27/2017 23:00	shutdown	0.0	12/27/2018 23:00	0.0	0.0	12/27/2019 23:00	0.0	0.0	12/26/2020 23:00	0.0	0.0
12/28/2017 0:00	shutdown		12/28/2018 0:00	0.0		12/28/2019 0:00	0.0		12/27/2020 0:00	0.0	
12/28/2017 1:00	shutdown		12/28/2018 1:00	0.0		12/28/2019 1:00	0.0		12/27/2020 1:00	0.0	
12/28/2017 2:00	shutdown		12/28/2018 2:00	0.0		12/28/2019 2:00	0.0		12/27/2020 2:00	0.0	
12/28/2017 3:00	shutdown		12/28/2018 3:00	0.0		12/28/2019 3:00	0.0		12/27/2020 3:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
12/28/2017 4:00	shutdown		12/28/2018 4:00	0.0		12/28/2019 4:00	0.0		12/27/2020 4:00	0.0	
12/28/2017 5:00	shutdown		12/28/2018 5:00	0.0		12/28/2019 5:00	0.0		12/27/2020 5:00	0.0	
12/28/2017 6:00	shutdown		12/28/2018 6:00	0.0		12/28/2019 6:00	0.0		12/27/2020 6:00	0.0	
12/28/2017 7:00	shutdown		12/28/2018 7:00	0.0		12/28/2019 7:00	0.0		12/27/2020 7:00	0.0	
12/28/2017 8:00	shutdown		12/28/2018 8:00	0.0		12/28/2019 8:00	0.0		12/27/2020 8:00	0.0	
12/28/2017 9:00	shutdown		12/28/2018 9:00	0.0		12/28/2019 9:00	0.0		12/27/2020 9:00	0.0	
12/28/2017 10:00	shutdown		12/28/2018 10:00	0.0		12/28/2019 10:00	0.0		12/27/2020 10:00	0.0	
12/28/2017 11:00	shutdown		12/28/2018 11:00	0.0		12/28/2019 11:00	0.0		12/27/2020 11:00	0.0	
12/28/2017 12:00	shutdown		12/28/2018 12:00	0.0		12/28/2019 12:00	0.0		12/27/2020 12:00	0.0	
12/28/2017 13:00	shutdown		12/28/2018 13:00	0.0		12/28/2019 13:00	0.0		12/27/2020 13:00	0.0	
12/28/2017 14:00	shutdown		12/28/2018 14:00	0.0		12/28/2019 14:00	0.0		12/27/2020 14:00	0.0	
12/28/2017 15:00	shutdown		12/28/2018 15:00	0.0		12/28/2019 15:00	0.0		12/27/2020 15:00	0.0	
12/28/2017 16:00	shutdown		12/28/2018 16:00	0.0		12/28/2019 16:00	0.0		12/27/2020 16:00	0.0	
12/28/2017 17:00	shutdown		12/28/2018 17:00	0.0		12/28/2019 17:00	0.0		12/27/2020 17:00	0.0	
12/28/2017 18:00	shutdown		12/28/2018 18:00	0.0		12/28/2019 18:00	0.0		12/27/2020 18:00	0.0	
12/28/2017 19:00	shutdown		12/28/2018 19:00	0.0		12/28/2019 19:00	0.0		12/27/2020 19:00	0.0	
12/28/2017 20:00	shutdown		12/28/2018 20:00	0.0		12/28/2019 20:00	0.0		12/27/2020 20:00	0.0	
12/28/2017 21:00	shutdown		12/28/2018 21:00	0.0		12/28/2019 21:00	0.0		12/27/2020 21:00	0.0	
12/28/2017 22:00	shutdown		12/28/2018 22:00	0.0		12/28/2019 22:00	0.0		12/27/2020 22:00	0.0	
12/28/2017 23:00	shutdown	0.0	12/28/2018 23:00	0.0	0.0	12/28/2019 23:00	0.0	0.0	12/27/2020 23:00	0.0	0.0
12/29/2017 0:00	shutdown		12/29/2018 0:00	0.0		12/29/2019 0:00	0.0		12/28/2020 0:00	0.0	
12/29/2017 1:00	shutdown		12/29/2018 1:00	0.0		12/29/2019 1:00	0.0		12/28/2020 1:00	0.0	
12/29/2017 2:00	shutdown		12/29/2018 2:00	0.0		12/29/2019 2:00	0.0		12/28/2020 2:00	0.0	
12/29/2017 3:00	shutdown		12/29/2018 3:00	0.0		12/29/2019 3:00	0.0		12/28/2020 3:00	0.0	
12/29/2017 4:00	shutdown		12/29/2018 4:00	0.0		12/29/2019 4:00	0.0		12/28/2020 4:00	0.0	
12/29/2017 5:00	shutdown		12/29/2018 5:00	0.0		12/29/2019 5:00	0.0		12/28/2020 5:00	0.0	
12/29/2017 6:00	shutdown		12/29/2018 6:00	0.0		12/29/2019 6:00	0.0		12/28/2020 6:00	0.0	
12/29/2017 7:00	shutdown		12/29/2018 7:00	0.0		12/29/2019 7:00	0.0		12/28/2020 7:00	0.0	
12/29/2017 8:00	shutdown		12/29/2018 8:00	0.0		12/29/2019 8:00	0.0		12/28/2020 8:00	0.0	
12/29/2017 9:00	shutdown		12/29/2018 9:00	0.0		12/29/2019 9:00	0.0		12/28/2020 9:00	0.0	
12/29/2017 10:00	shutdown		12/29/2018 10:00	0.0		12/29/2019 10:00	0.0		12/28/2020 10:00	0.0	
12/29/2017 11:00	shutdown		12/29/2018 11:00	0.0		12/29/2019 11:00	0.0		12/28/2020 11:00	0.0	
12/29/2017 12:00	shutdown		12/29/2018 12:00	0.0		12/29/2019 12:00	0.0		12/28/2020 12:00	0.0	
12/29/2017 13:00	shutdown		12/29/2018 13:00	0.0		12/29/2019 13:00	0.0		12/28/2020 13:00	0.0	
12/29/2017 14:00	shutdown		12/29/2018 14:00	0.0		12/29/2019 14:00	0.0		12/28/2020 14:00	0.0	
12/29/2017 15:00	shutdown		12/29/2018 15:00	0.0		12/29/2019 15:00	0.0		12/28/2020 15:00	0.0	
12/29/2017 16:00	shutdown		12/29/2018 16:00	0.0		12/29/2019 16:00	0.0		12/28/2020 16:00	0.0	
12/29/2017 17:00	shutdown		12/29/2018 17:00	0.0		12/29/2019 17:00	0.0		12/28/2020 17:00	0.0	
12/29/2017 18:00	shutdown		12/29/2018 18:00	0.0		12/29/2019 18:00	0.0		12/28/2020 18:00	0.0	
12/29/2017 19:00	shutdown		12/29/2018 19:00	0.0		12/29/2019 19:00	0.0		12/28/2020 19:00	0.0	
12/29/2017 20:00	shutdown		12/29/2018 20:00	0.0		12/29/2019 20:00	0.0		12/28/2020 20:00	0.0	
12/29/2017 21:00	shutdown		12/29/2018 21:00	0.0		12/29/2019 21:00	0.0		12/28/2020 21:00	0.0	
12/29/2017 22:00	shutdown		12/29/2018 22:00	0.0		12/29/2019 22:00	0.0		12/28/2020 22:00	0.0	
12/29/2017 23:00	shutdown	0.0	12/29/2018 23:00	0.0	0.0	12/29/2019 23:00	0.0	0.0	12/28/2020 23:00	0.0	0.0

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
12/30/2017 0:00	shutdown		12/30/2018 0:00	0.0		12/30/2019 0:00	0.0		12/29/2020 0:00	0.0	
12/30/2017 1:00	shutdown		12/30/2018 1:00	0.0		12/30/2019 1:00	0.0		12/29/2020 1:00	0.0	
12/30/2017 2:00	shutdown		12/30/2018 2:00	0.0		12/30/2019 2:00	0.0		12/29/2020 2:00	0.0	
12/30/2017 3:00	shutdown		12/30/2018 3:00	0.0		12/30/2019 3:00	0.0		12/29/2020 3:00	0.0	
12/30/2017 4:00	shutdown		12/30/2018 4:00	0.0		12/30/2019 4:00	0.0		12/29/2020 4:00	0.0	
12/30/2017 5:00	shutdown		12/30/2018 5:00	0.0		12/30/2019 5:00	0.0		12/29/2020 5:00	0.0	
12/30/2017 6:00	shutdown		12/30/2018 6:00	0.0		12/30/2019 6:00	0.0		12/29/2020 6:00	0.0	
12/30/2017 7:00	shutdown		12/30/2018 7:00	0.0		12/30/2019 7:00	0.0		12/29/2020 7:00	0.0	
12/30/2017 8:00	shutdown		12/30/2018 8:00	0.0		12/30/2019 8:00	0.0		12/29/2020 8:00	0.0	
12/30/2017 9:00	shutdown		12/30/2018 9:00	0.0		12/30/2019 9:00	0.0		12/29/2020 9:00	0.0	
12/30/2017 10:00	shutdown		12/30/2018 10:00	0.0		12/30/2019 10:00	0.0		12/29/2020 10:00	0.0	
12/30/2017 11:00	shutdown		12/30/2018 11:00	0.0		12/30/2019 11:00	0.0		12/29/2020 11:00	0.0	
12/30/2017 12:00	shutdown		12/30/2018 12:00	0.0		12/30/2019 12:00	0.0		12/29/2020 12:00	0.0	
12/30/2017 13:00	shutdown		12/30/2018 13:00	0.0		12/30/2019 13:00	0.0		12/29/2020 13:00	0.0	
12/30/2017 14:00	shutdown		12/30/2018 14:00	0.0		12/30/2019 14:00	0.0		12/29/2020 14:00	0.0	
12/30/2017 15:00	shutdown		12/30/2018 15:00	0.0		12/30/2019 15:00	0.0		12/29/2020 15:00	0.0	
12/30/2017 16:00	shutdown		12/30/2018 16:00	0.0		12/30/2019 16:00	0.0		12/29/2020 16:00	0.0	
12/30/2017 17:00	shutdown		12/30/2018 17:00	0.0		12/30/2019 17:00	0.0		12/29/2020 17:00	0.0	
12/30/2017 18:00	shutdown		12/30/2018 18:00	0.0		12/30/2019 18:00	0.0		12/29/2020 18:00	0.0	
12/30/2017 19:00	shutdown		12/30/2018 19:00	0.0		12/30/2019 19:00	0.0		12/29/2020 19:00	0.0	
12/30/2017 20:00	shutdown		12/30/2018 20:00	0.0		12/30/2019 20:00	0.0		12/29/2020 20:00	0.0	
12/30/2017 21:00	shutdown		12/30/2018 21:00	0.0		12/30/2019 21:00	0.0		12/29/2020 21:00	0.0	
12/30/2017 22:00	shutdown		12/30/2018 22:00	0.0		12/30/2019 22:00	0.0		12/29/2020 22:00	0.0	
12/30/2017 23:00	shutdown	0.0	12/30/2018 23:00	0.0	0.0	12/30/2019 23:00	0.0	0.0	12/29/2020 23:00	0.0	0.0
12/31/2017 0:00	shutdown		12/31/2018 0:00	0.0		12/31/2019 0:00	0.0		12/30/2020 0:00	0.0	
12/31/2017 1:00	shutdown		12/31/2018 1:00	0.0		12/31/2019 1:00	0.0		12/30/2020 1:00	0.0	
12/31/2017 2:00	shutdown		12/31/2018 2:00	0.0		12/31/2019 2:00	0.0		12/30/2020 2:00	0.0	
12/31/2017 3:00	shutdown		12/31/2018 3:00	0.0		12/31/2019 3:00	0.0		12/30/2020 3:00	0.0	
12/31/2017 4:00	shutdown		12/31/2018 4:00	0.0		12/31/2019 4:00	0.0		12/30/2020 4:00	0.0	
12/31/2017 5:00	shutdown		12/31/2018 5:00	0.0		12/31/2019 5:00	0.0		12/30/2020 5:00	0.0	
12/31/2017 6:00	shutdown		12/31/2018 6:00	0.0		12/31/2019 6:00	0.0		12/30/2020 6:00	0.0	
12/31/2017 7:00	shutdown		12/31/2018 7:00	0.0		12/31/2019 7:00	0.0		12/30/2020 7:00	0.0	
12/31/2017 8:00	shutdown		12/31/2018 8:00	0.0		12/31/2019 8:00	0.0		12/30/2020 8:00	0.0	
12/31/2017 9:00	shutdown		12/31/2018 9:00	0.0		12/31/2019 9:00	0.0		12/30/2020 9:00	0.0	
12/31/2017 10:00	shutdown		12/31/2018 10:00	158.0		12/31/2019 10:00	0.0		12/30/2020 10:00	32.3	
12/31/2017 11:00	shutdown		12/31/2018 11:00	113.6		12/31/2019 11:00	0.0		12/30/2020 11:00	0.0	
12/31/2017 12:00	shutdown		12/31/2018 12:00	0.0		12/31/2019 12:00	0.0		12/30/2020 12:00	0.0	
12/31/2017 13:00	shutdown		12/31/2018 13:00	0.0		12/31/2019 13:00	0.0		12/30/2020 13:00	0.0	
12/31/2017 14:00	shutdown		12/31/2018 14:00	0.0		12/31/2019 14:00	0.0		12/30/2020 14:00	0.0	
12/31/2017 15:00	shutdown		12/31/2018 15:00	0.0		12/31/2019 15:00	0.0		12/30/2020 15:00	0.0	
12/31/2017 16:00	shutdown		12/31/2018 16:00	0.0		12/31/2019 16:00	0.0		12/30/2020 16:00	0.0	
12/31/2017 17:00	shutdown		12/31/2018 17:00	0.0		12/31/2019 17:00	0.0		12/30/2020 17:00	0.0	
12/31/2017 18:00	shutdown		12/31/2018 18:00	0.0		12/31/2019 18:00	0.0		12/30/2020 18:00	0.0	
12/31/2017 19:00	shutdown		12/31/2018 19:00	0.0		12/31/2019 19:00	0.0		12/30/2020 19:00	0.0	

2017			2018			2019			2020		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
12/31/2017 20:00	shutdown		12/31/2018 20:00	0.0		12/31/2019 20:00	0.0		12/30/2020 20:00	0.0	
12/31/2017 21:00	shutdown		12/31/2018 21:00	0.0		12/31/2019 21:00	0.0		12/30/2020 21:00	0.0	
12/31/2017 22:00	shutdown		12/31/2018 22:00	0.0		12/31/2019 22:00	0.0		12/30/2020 22:00	0.0	
12/31/2017 23:00	shutdown	0.0	12/31/2018 23:00	0.0	158.0	12/31/2019 23:00	0.0	0.0	12/30/2020 23:00	0.0	32.3
									12/31/2020 0:00	0.0	
									12/31/2020 1:00	0.0	
									12/31/2020 2:00	0.0	
									12/31/2020 3:00	0.0	
									12/31/2020 4:00	0.0	
									12/31/2020 5:00	0.0	
									12/31/2020 6:00	0.0	
									12/31/2020 7:00	0.0	
									12/31/2020 8:00	0.0	
									12/31/2020 9:00	0.0	
									12/31/2020 10:00	0.0	
									12/31/2020 11:00	0.0	
									12/31/2020 12:00	0.0	
									12/31/2020 13:00	0.0	
									12/31/2020 14:00	0.0	
									12/31/2020 15:00	0.0	
									12/31/2020 16:00	0.0	
									12/31/2020 17:00	0.0	
									12/31/2020 18:00	0.0	
									12/31/2020 19:00	0.0	
									12/31/2020 20:00	0.0	
									12/31/2020 21:00	0.0	
									12/31/2020 22:00	0.0	
									12/31/2020 23:00	0.0	0.0

Attachment G2
Flare Hourly Emissions, 2021 through 2023

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/1/2021 0:00	0.0		1/1/2022 0:00	0.0		1/1/2023 0:00	0.0	
1/1/2021 1:00	0.0		1/1/2022 1:00	0.0		1/1/2023 1:00	0.0	
1/1/2021 2:00	0.0		1/1/2022 2:00	0.0		1/1/2023 2:00	0.0	
1/1/2021 3:00	0.0		1/1/2022 3:00	0.0		1/1/2023 3:00	0.0	
1/1/2021 4:00	0.0		1/1/2022 4:00	0.0		1/1/2023 4:00	0.0	
1/1/2021 5:00	0.0		1/1/2022 5:00	0.0		1/1/2023 5:00	0.0	
1/1/2021 6:00	0.0		1/1/2022 6:00	0.0		1/1/2023 6:00	0.0	
1/1/2021 7:00	0.0		1/1/2022 7:00	0.0		1/1/2023 7:00	0.0	
1/1/2021 8:00	0.0		1/1/2022 8:00	0.0		1/1/2023 8:00	0.0	
1/1/2021 9:00	0.0		1/1/2022 9:00	0.0		1/1/2023 9:00	0.0	
1/1/2021 10:00	0.0		1/1/2022 10:00	0.0		1/1/2023 10:00	0.0	
1/1/2021 11:00	0.0		1/1/2022 11:00	0.0		1/1/2023 11:00	0.0	
1/1/2021 12:00	0.0		1/1/2022 12:00	0.0		1/1/2023 12:00	0.0	
1/1/2021 13:00	0.0		1/1/2022 13:00	0.0		1/1/2023 13:00	0.0	
1/1/2021 14:00	0.0		1/1/2022 14:00	0.0		1/1/2023 14:00	0.0	
1/1/2021 15:00	0.0		1/1/2022 15:00	0.0		1/1/2023 15:00	0.0	
1/1/2021 16:00	0.0		1/1/2022 16:00	0.0		1/1/2023 16:00	0.0	
1/1/2021 17:00	0.0		1/1/2022 17:00	0.0		1/1/2023 17:00	0.0	
1/1/2021 18:00	0.0		1/1/2022 18:00	0.0		1/1/2023 18:00	0.0	
1/1/2021 19:00	0.0		1/1/2022 19:00	0.0		1/1/2023 19:00	0.0	
1/1/2021 20:00	0.0		1/1/2022 20:00	0.0		1/1/2023 20:00	0.0	
1/1/2021 21:00	0.0		1/1/2022 21:00	0.0		1/1/2023 21:00	0.0	
1/1/2021 22:00	0.0		1/1/2022 22:00	0.0		1/1/2023 22:00	0.0	
1/1/2021 23:00	0.0	0.0	1/1/2022 23:00	0.0	0.0	1/1/2023 23:00	0.0	0.0
1/2/2021 0:00	0.0		1/2/2022 0:00	0.0		1/2/2023 0:00	0.0	
1/2/2021 1:00	0.0		1/2/2022 1:00	0.0		1/2/2023 1:00	0.0	
1/2/2021 2:00	0.0		1/2/2022 2:00	0.0		1/2/2023 2:00	0.0	
1/2/2021 3:00	0.0		1/2/2022 3:00	0.0		1/2/2023 3:00	0.0	
1/2/2021 4:00	0.0		1/2/2022 4:00	0.0		1/2/2023 4:00	0.0	
1/2/2021 5:00	0.0		1/2/2022 5:00	0.0		1/2/2023 5:00	0.0	
1/2/2021 6:00	0.0		1/2/2022 6:00	0.0		1/2/2023 6:00	0.0	
1/2/2021 7:00	0.0		1/2/2022 7:00	0.0		1/2/2023 7:00	0.0	
1/2/2021 8:00	0.0		1/2/2022 8:00	0.0		1/2/2023 8:00	0.0	
1/2/2021 9:00	0.0		1/2/2022 9:00	0.0		1/2/2023 9:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/2/2021 10:00	0.0		1/2/2022 10:00	0.0		1/2/2023 10:00	0.0	
1/2/2021 11:00	0.0		1/2/2022 11:00	0.0		1/2/2023 11:00	0.0	
1/2/2021 12:00	0.0		1/2/2022 12:00	0.0		1/2/2023 12:00	0.0	
1/2/2021 13:00	0.0		1/2/2022 13:00	0.0		1/2/2023 13:00	0.0	
1/2/2021 14:00	0.0		1/2/2022 14:00	0.0		1/2/2023 14:00	0.0	
1/2/2021 15:00	0.0		1/2/2022 15:00	0.0		1/2/2023 15:00	0.0	
1/2/2021 16:00	0.0		1/2/2022 16:00	0.0		1/2/2023 16:00	0.0	
1/2/2021 17:00	0.0		1/2/2022 17:00	0.0		1/2/2023 17:00	0.0	
1/2/2021 18:00	0.0		1/2/2022 18:00	0.0		1/2/2023 18:00	0.0	
1/2/2021 19:00	0.0		1/2/2022 19:00	0.0		1/2/2023 19:00	0.0	
1/2/2021 20:00	0.0		1/2/2022 20:00	0.0		1/2/2023 20:00	0.0	
1/2/2021 21:00	0.0		1/2/2022 21:00	0.0		1/2/2023 21:00	0.0	
1/2/2021 22:00	0.0		1/2/2022 22:00	0.0		1/2/2023 22:00	0.0	
1/2/2021 23:00	0.0	0.0	1/2/2022 23:00	0.0	0.0	1/2/2023 23:00	0.0	0.0
1/3/2021 0:00	0.0		1/3/2022 0:00	0.0		1/3/2023 0:00	0.0	
1/3/2021 1:00	0.0		1/3/2022 1:00	0.0		1/3/2023 1:00	0.0	
1/3/2021 2:00	0.0		1/3/2022 2:00	0.0		1/3/2023 2:00	0.0	
1/3/2021 3:00	0.0		1/3/2022 3:00	0.0		1/3/2023 3:00	0.0	
1/3/2021 4:00	0.0		1/3/2022 4:00	0.0		1/3/2023 4:00	0.0	
1/3/2021 5:00	0.0		1/3/2022 5:00	0.0		1/3/2023 5:00	0.0	
1/3/2021 6:00	0.0		1/3/2022 6:00	0.0		1/3/2023 6:00	0.0	
1/3/2021 7:00	0.0		1/3/2022 7:00	0.0		1/3/2023 7:00	0.0	
1/3/2021 8:00	0.0		1/3/2022 8:00	0.0		1/3/2023 8:00	0.0	
1/3/2021 9:00	0.0		1/3/2022 9:00	20.6		1/3/2023 9:00	0.0	
1/3/2021 10:00	0.0		1/3/2022 10:00	447.0		1/3/2023 10:00	0.0	
1/3/2021 11:00	0.0		1/3/2022 11:00	0.0		1/3/2023 11:00	0.0	
1/3/2021 12:00	0.0		1/3/2022 12:00	0.0		1/3/2023 12:00	0.0	
1/3/2021 13:00	0.0		1/3/2022 13:00	0.0		1/3/2023 13:00	0.0	
1/3/2021 14:00	0.0		1/3/2022 14:00	0.0		1/3/2023 14:00	0.0	
1/3/2021 15:00	0.0		1/3/2022 15:00	0.0		1/3/2023 15:00	0.0	
1/3/2021 16:00	0.0		1/3/2022 16:00	0.0		1/3/2023 16:00	0.0	
1/3/2021 17:00	0.0		1/3/2022 17:00	0.0		1/3/2023 17:00	0.0	
1/3/2021 18:00	0.0		1/3/2022 18:00	0.0		1/3/2023 18:00	0.0	
1/3/2021 19:00	0.0		1/3/2022 19:00	0.0		1/3/2023 19:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/3/2021 20:00	0.0		1/3/2022 20:00	0.0		1/3/2023 20:00	0.0	
1/3/2021 21:00	0.0		1/3/2022 21:00	0.0		1/3/2023 21:00	0.0	
1/3/2021 22:00	0.0		1/3/2022 22:00	0.0		1/3/2023 22:00	0.0	
1/3/2021 23:00	0.0	0.0	1/3/2022 23:00	0.0	447.0	1/3/2023 23:00	0.0	0.0
1/4/2021 0:00	0.0		1/4/2022 0:00	0.0		1/4/2023 0:00	0.0	
1/4/2021 1:00	0.0		1/4/2022 1:00	0.0		1/4/2023 1:00	0.0	
1/4/2021 2:00	0.0		1/4/2022 2:00	0.0		1/4/2023 2:00	0.0	
1/4/2021 3:00	0.0		1/4/2022 3:00	0.0		1/4/2023 3:00	0.0	
1/4/2021 4:00	0.0		1/4/2022 4:00	0.0		1/4/2023 4:00	0.0	
1/4/2021 5:00	0.0		1/4/2022 5:00	0.0		1/4/2023 5:00	0.0	
1/4/2021 6:00	55.4		1/4/2022 6:00	0.0		1/4/2023 6:00	0.0	
1/4/2021 7:00	150.6		1/4/2022 7:00	0.0		1/4/2023 7:00	0.0	
1/4/2021 8:00	36.6		1/4/2022 8:00	0.0		1/4/2023 8:00	0.0	
1/4/2021 9:00	0.0		1/4/2022 9:00	0.0		1/4/2023 9:00	0.0	
1/4/2021 10:00	41.9		1/4/2022 10:00	0.0		1/4/2023 10:00	0.0	
1/4/2021 11:00	65.9		1/4/2022 11:00	0.0		1/4/2023 11:00	0.0	
1/4/2021 12:00	0.0		1/4/2022 12:00	0.0		1/4/2023 12:00	0.0	
1/4/2021 13:00	0.0		1/4/2022 13:00	0.0		1/4/2023 13:00	0.0	
1/4/2021 14:00	0.0		1/4/2022 14:00	0.0		1/4/2023 14:00	0.0	
1/4/2021 15:00	0.0		1/4/2022 15:00	0.0		1/4/2023 15:00	0.0	
1/4/2021 16:00	0.0		1/4/2022 16:00	0.0		1/4/2023 16:00	0.0	
1/4/2021 17:00	0.0		1/4/2022 17:00	0.0		1/4/2023 17:00	0.0	
1/4/2021 18:00	0.0		1/4/2022 18:00	0.0		1/4/2023 18:00	0.0	
1/4/2021 19:00	0.0		1/4/2022 19:00	0.0		1/4/2023 19:00	0.0	
1/4/2021 20:00	0.0		1/4/2022 20:00	0.0		1/4/2023 20:00	0.0	
1/4/2021 21:00	0.0		1/4/2022 21:00	0.0		1/4/2023 21:00	0.0	
1/4/2021 22:00	0.0		1/4/2022 22:00	0.0		1/4/2023 22:00	0.0	
1/4/2021 23:00	0.0	150.6	1/4/2022 23:00	0.0	0.0	1/4/2023 23:00	0.0	0.0
1/5/2021 0:00	0.0		1/5/2022 0:00	0.0		1/5/2023 0:00	0.0	
1/5/2021 1:00	0.0		1/5/2022 1:00	0.0		1/5/2023 1:00	0.0	
1/5/2021 2:00	0.0		1/5/2022 2:00	0.0		1/5/2023 2:00	0.0	
1/5/2021 3:00	0.0		1/5/2022 3:00	0.0		1/5/2023 3:00	0.0	
1/5/2021 4:00	0.0		1/5/2022 4:00	0.0		1/5/2023 4:00	0.0	
1/5/2021 5:00	0.0		1/5/2022 5:00	0.0		1/5/2023 5:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/5/2021 6:00	0.0		1/5/2022 6:00	0.0		1/5/2023 6:00	0.0	
1/5/2021 7:00	0.0		1/5/2022 7:00	0.0		1/5/2023 7:00	0.0	
1/5/2021 8:00	0.0		1/5/2022 8:00	0.0		1/5/2023 8:00	0.0	
1/5/2021 9:00	0.0		1/5/2022 9:00	0.0		1/5/2023 9:00	0.0	
1/5/2021 10:00	0.0		1/5/2022 10:00	0.0		1/5/2023 10:00	0.0	
1/5/2021 11:00	0.0		1/5/2022 11:00	0.0		1/5/2023 11:00	0.0	
1/5/2021 12:00	0.0		1/5/2022 12:00	0.0		1/5/2023 12:00	0.0	
1/5/2021 13:00	0.0		1/5/2022 13:00	0.0		1/5/2023 13:00	0.0	
1/5/2021 14:00	0.0		1/5/2022 14:00	0.0		1/5/2023 14:00	0.0	
1/5/2021 15:00	0.0		1/5/2022 15:00	0.0		1/5/2023 15:00	0.0	
1/5/2021 16:00	0.0		1/5/2022 16:00	0.0		1/5/2023 16:00	0.0	
1/5/2021 17:00	0.0		1/5/2022 17:00	0.0		1/5/2023 17:00	0.0	
1/5/2021 18:00	0.0		1/5/2022 18:00	0.0		1/5/2023 18:00	0.0	
1/5/2021 19:00	0.0		1/5/2022 19:00	0.0		1/5/2023 19:00	0.0	
1/5/2021 20:00	0.0		1/5/2022 20:00	0.0		1/5/2023 20:00	0.0	
1/5/2021 21:00	0.0		1/5/2022 21:00	0.0		1/5/2023 21:00	0.0	
1/5/2021 22:00	0.0		1/5/2022 22:00	0.0		1/5/2023 22:00	0.0	
1/5/2021 23:00	0.0	0.0	1/5/2022 23:00	0.0	0.0	1/5/2023 23:00	0.0	0.0
1/6/2021 0:00	0.0		1/6/2022 0:00	0.0		1/6/2023 0:00	0.0	
1/6/2021 1:00	0.0		1/6/2022 1:00	0.0		1/6/2023 1:00	0.0	
1/6/2021 2:00	0.0		1/6/2022 2:00	0.0		1/6/2023 2:00	0.0	
1/6/2021 3:00	0.0		1/6/2022 3:00	0.0		1/6/2023 3:00	0.0	
1/6/2021 4:00	0.0		1/6/2022 4:00	0.0		1/6/2023 4:00	0.0	
1/6/2021 5:00	0.0		1/6/2022 5:00	0.0		1/6/2023 5:00	0.0	
1/6/2021 6:00	0.0		1/6/2022 6:00	0.0		1/6/2023 6:00	0.0	
1/6/2021 7:00	0.0		1/6/2022 7:00	0.0		1/6/2023 7:00	0.0	
1/6/2021 8:00	0.0		1/6/2022 8:00	0.0		1/6/2023 8:00	0.0	
1/6/2021 9:00	0.0		1/6/2022 9:00	0.0		1/6/2023 9:00	0.0	
1/6/2021 10:00	0.0		1/6/2022 10:00	0.0		1/6/2023 10:00	0.0	
1/6/2021 11:00	0.0		1/6/2022 11:00	0.0		1/6/2023 11:00	0.0	
1/6/2021 12:00	0.0		1/6/2022 12:00	0.0		1/6/2023 12:00	0.0	
1/6/2021 13:00	0.0		1/6/2022 13:00	0.0		1/6/2023 13:00	0.0	
1/6/2021 14:00	0.0		1/6/2022 14:00	0.0		1/6/2023 14:00	0.0	
1/6/2021 15:00	0.0		1/6/2022 15:00	0.0		1/6/2023 15:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/6/2021 16:00	0.0		1/6/2022 16:00	0.0		1/6/2023 16:00	0.0	
1/6/2021 17:00	0.0		1/6/2022 17:00	0.0		1/6/2023 17:00	0.0	
1/6/2021 18:00	0.0		1/6/2022 18:00	0.0		1/6/2023 18:00	0.0	
1/6/2021 19:00	0.0		1/6/2022 19:00	0.0		1/6/2023 19:00	0.0	
1/6/2021 20:00	0.0		1/6/2022 20:00	0.0		1/6/2023 20:00	0.0	
1/6/2021 21:00	0.0		1/6/2022 21:00	0.0		1/6/2023 21:00	0.0	
1/6/2021 22:00	0.0		1/6/2022 22:00	0.0		1/6/2023 22:00	0.0	
1/6/2021 23:00	0.0	0.0	1/6/2022 23:00	0.0	0.0	1/6/2023 23:00	0.0	0.0
1/7/2021 0:00	0.0		1/7/2022 0:00	0.0		1/7/2023 0:00	0.0	
1/7/2021 1:00	0.0		1/7/2022 1:00	0.0		1/7/2023 1:00	0.0	
1/7/2021 2:00	0.0		1/7/2022 2:00	0.0		1/7/2023 2:00	0.0	
1/7/2021 3:00	0.0		1/7/2022 3:00	0.0		1/7/2023 3:00	0.0	
1/7/2021 4:00	0.0		1/7/2022 4:00	0.0		1/7/2023 4:00	0.0	
1/7/2021 5:00	0.0		1/7/2022 5:00	0.0		1/7/2023 5:00	0.0	
1/7/2021 6:00	0.0		1/7/2022 6:00	8.0		1/7/2023 6:00	0.0	
1/7/2021 7:00	0.0		1/7/2022 7:00	18.9		1/7/2023 7:00	0.0	
1/7/2021 8:00	0.0		1/7/2022 8:00	0.0		1/7/2023 8:00	0.0	
1/7/2021 9:00	0.0		1/7/2022 9:00	0.0		1/7/2023 9:00	0.0	
1/7/2021 10:00	0.0		1/7/2022 10:00	0.0		1/7/2023 10:00	0.0	
1/7/2021 11:00	0.0		1/7/2022 11:00	0.0		1/7/2023 11:00	0.0	
1/7/2021 12:00	0.0		1/7/2022 12:00	0.0		1/7/2023 12:00	0.0	
1/7/2021 13:00	0.0		1/7/2022 13:00	0.0		1/7/2023 13:00	0.0	
1/7/2021 14:00	0.0		1/7/2022 14:00	0.0		1/7/2023 14:00	0.0	
1/7/2021 15:00	171.8		1/7/2022 15:00	0.0		1/7/2023 15:00	0.0	
1/7/2021 16:00	0.0		1/7/2022 16:00	0.0		1/7/2023 16:00	0.0	
1/7/2021 17:00	0.0		1/7/2022 17:00	0.0		1/7/2023 17:00	0.0	
1/7/2021 18:00	0.0		1/7/2022 18:00	0.0		1/7/2023 18:00	0.0	
1/7/2021 19:00	0.0		1/7/2022 19:00	0.0		1/7/2023 19:00	0.0	
1/7/2021 20:00	0.4		1/7/2022 20:00	0.0		1/7/2023 20:00	0.0	
1/7/2021 21:00	0.3		1/7/2022 21:00	0.0		1/7/2023 21:00	0.0	
1/7/2021 22:00	0.3		1/7/2022 22:00	0.0		1/7/2023 22:00	0.0	
1/7/2021 23:00	0.3	171.8	1/7/2022 23:00	0.0	18.9	1/7/2023 23:00	0.0	0.0
1/8/2021 0:00	12.5		1/8/2022 0:00	0.0		1/8/2023 0:00	0.0	
1/8/2021 1:00	46.2		1/8/2022 1:00	0.0		1/8/2023 1:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/8/2021 2:00	2.0		1/8/2022 2:00	0.0		1/8/2023 2:00	0.0	
1/8/2021 3:00	0.0		1/8/2022 3:00	0.0		1/8/2023 3:00	0.0	
1/8/2021 4:00	0.0		1/8/2022 4:00	0.0		1/8/2023 4:00	0.0	
1/8/2021 5:00	0.0		1/8/2022 5:00	0.0		1/8/2023 5:00	0.0	
1/8/2021 6:00	0.0		1/8/2022 6:00	0.0		1/8/2023 6:00	0.0	
1/8/2021 7:00	0.0		1/8/2022 7:00	0.0		1/8/2023 7:00	0.0	
1/8/2021 8:00	0.0		1/8/2022 8:00	0.0		1/8/2023 8:00	0.0	
1/8/2021 9:00	0.0		1/8/2022 9:00	0.0		1/8/2023 9:00	0.0	
1/8/2021 10:00	0.0		1/8/2022 10:00	0.0		1/8/2023 10:00	0.0	
1/8/2021 11:00	0.0		1/8/2022 11:00	0.0		1/8/2023 11:00	0.0	
1/8/2021 12:00	0.0		1/8/2022 12:00	0.0		1/8/2023 12:00	0.0	
1/8/2021 13:00	0.0		1/8/2022 13:00	0.0		1/8/2023 13:00	0.0	
1/8/2021 14:00	0.0		1/8/2022 14:00	0.0		1/8/2023 14:00	0.0	
1/8/2021 15:00	0.0		1/8/2022 15:00	0.0		1/8/2023 15:00	0.0	
1/8/2021 16:00	0.0		1/8/2022 16:00	0.0		1/8/2023 16:00	0.0	
1/8/2021 17:00	0.0		1/8/2022 17:00	0.0		1/8/2023 17:00	0.0	
1/8/2021 18:00	0.0		1/8/2022 18:00	0.0		1/8/2023 18:00	0.0	
1/8/2021 19:00	0.0		1/8/2022 19:00	0.0		1/8/2023 19:00	0.0	
1/8/2021 20:00	0.0		1/8/2022 20:00	0.0		1/8/2023 20:00	0.0	
1/8/2021 21:00	0.0		1/8/2022 21:00	0.0		1/8/2023 21:00	0.0	
1/8/2021 22:00	0.0		1/8/2022 22:00	0.0		1/8/2023 22:00	0.0	
1/8/2021 23:00	0.0	46.2	1/8/2022 23:00	0.0	0.0	1/8/2023 23:00	0.0	0.0
1/9/2021 0:00	0.0		1/9/2022 0:00	0.0		1/9/2023 0:00	0.0	
1/9/2021 1:00	0.0		1/9/2022 1:00	0.0		1/9/2023 1:00	0.0	
1/9/2021 2:00	0.0		1/9/2022 2:00	0.0		1/9/2023 2:00	0.0	
1/9/2021 3:00	0.0		1/9/2022 3:00	0.0		1/9/2023 3:00	0.0	
1/9/2021 4:00	0.0		1/9/2022 4:00	0.0		1/9/2023 4:00	0.0	
1/9/2021 5:00	0.0		1/9/2022 5:00	0.0		1/9/2023 5:00	0.0	
1/9/2021 6:00	0.0		1/9/2022 6:00	0.0		1/9/2023 6:00	0.0	
1/9/2021 7:00	0.0		1/9/2022 7:00	0.0		1/9/2023 7:00	0.0	
1/9/2021 8:00	0.0		1/9/2022 8:00	0.0		1/9/2023 8:00	0.0	
1/9/2021 9:00	0.0		1/9/2022 9:00	0.0		1/9/2023 9:00	0.0	
1/9/2021 10:00	0.0		1/9/2022 10:00	0.0		1/9/2023 10:00	0.0	
1/9/2021 11:00	0.0		1/9/2022 11:00	0.0		1/9/2023 11:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/9/2021 12:00	0.0		1/9/2022 12:00	0.0		1/9/2023 12:00	0.0	
1/9/2021 13:00	0.0		1/9/2022 13:00	0.0		1/9/2023 13:00	0.0	
1/9/2021 14:00	0.0		1/9/2022 14:00	0.0		1/9/2023 14:00	0.0	
1/9/2021 15:00	0.0		1/9/2022 15:00	0.0		1/9/2023 15:00	0.0	
1/9/2021 16:00	0.0		1/9/2022 16:00	0.0		1/9/2023 16:00	0.0	
1/9/2021 17:00	0.0		1/9/2022 17:00	0.0		1/9/2023 17:00	0.0	
1/9/2021 18:00	0.0		1/9/2022 18:00	0.0		1/9/2023 18:00	0.0	
1/9/2021 19:00	0.0		1/9/2022 19:00	0.0		1/9/2023 19:00	0.0	
1/9/2021 20:00	0.0		1/9/2022 20:00	0.0		1/9/2023 20:00	0.0	
1/9/2021 21:00	0.0		1/9/2022 21:00	0.0		1/9/2023 21:00	0.0	
1/9/2021 22:00	0.0		1/9/2022 22:00	0.0		1/9/2023 22:00	0.0	
1/9/2021 23:00	0.0	0.0	1/9/2022 23:00	0.0	0.0	1/9/2023 23:00	0.0	0.0
1/10/2021 0:00	0.0		1/10/2022 0:00	0.0		1/10/2023 0:00	0.0	
1/10/2021 1:00	0.0		1/10/2022 1:00	0.0		1/10/2023 1:00	0.0	
1/10/2021 2:00	0.0		1/10/2022 2:00	0.0		1/10/2023 2:00	0.0	
1/10/2021 3:00	0.0		1/10/2022 3:00	0.0		1/10/2023 3:00	0.0	
1/10/2021 4:00	0.0		1/10/2022 4:00	0.0		1/10/2023 4:00	0.0	
1/10/2021 5:00	0.0		1/10/2022 5:00	0.0		1/10/2023 5:00	0.0	
1/10/2021 6:00	0.0		1/10/2022 6:00	0.0		1/10/2023 6:00	0.0	
1/10/2021 7:00	0.0		1/10/2022 7:00	0.0		1/10/2023 7:00	0.0	
1/10/2021 8:00	0.0		1/10/2022 8:00	0.0		1/10/2023 8:00	0.0	
1/10/2021 9:00	0.0		1/10/2022 9:00	0.0		1/10/2023 9:00	0.0	
1/10/2021 10:00	0.0		1/10/2022 10:00	0.0		1/10/2023 10:00	0.0	
1/10/2021 11:00	0.0		1/10/2022 11:00	0.0		1/10/2023 11:00	0.0	
1/10/2021 12:00	0.0		1/10/2022 12:00	0.0		1/10/2023 12:00	0.0	
1/10/2021 13:00	0.0		1/10/2022 13:00	0.0		1/10/2023 13:00	0.0	
1/10/2021 14:00	0.0		1/10/2022 14:00	0.0		1/10/2023 14:00	0.0	
1/10/2021 15:00	199.2		1/10/2022 15:00	0.0		1/10/2023 15:00	0.0	
1/10/2021 16:00	0.0		1/10/2022 16:00	0.0		1/10/2023 16:00	0.0	
1/10/2021 17:00	0.0		1/10/2022 17:00	0.0		1/10/2023 17:00	0.0	
1/10/2021 18:00	0.0		1/10/2022 18:00	0.0		1/10/2023 18:00	0.0	
1/10/2021 19:00	0.0		1/10/2022 19:00	0.0		1/10/2023 19:00	0.0	
1/10/2021 20:00	0.4		1/10/2022 20:00	0.0		1/10/2023 20:00	0.0	
1/10/2021 21:00	0.3		1/10/2022 21:00	0.0		1/10/2023 21:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/10/2021 22:00	0.3		1/10/2022 22:00	0.0		1/10/2023 22:00	0.0	
1/10/2021 23:00	0.3	199.2	1/10/2022 23:00	0.0	0.0	1/10/2023 23:00	0.0	0.0
1/11/2021 0:00	0.3		1/11/2022 0:00	0.0		1/11/2023 0:00	0.0	
1/11/2021 1:00	0.3		1/11/2022 1:00	0.0		1/11/2023 1:00	0.0	
1/11/2021 2:00	0.0		1/11/2022 2:00	0.0		1/11/2023 2:00	0.0	
1/11/2021 3:00	0.0		1/11/2022 3:00	0.0		1/11/2023 3:00	0.0	
1/11/2021 4:00	0.0		1/11/2022 4:00	0.0		1/11/2023 4:00	0.0	
1/11/2021 5:00	0.0		1/11/2022 5:00	0.0		1/11/2023 5:00	0.0	
1/11/2021 6:00	0.0		1/11/2022 6:00	0.0		1/11/2023 6:00	0.0	
1/11/2021 7:00	0.0		1/11/2022 7:00	0.0		1/11/2023 7:00	0.0	
1/11/2021 8:00	0.0		1/11/2022 8:00	0.0		1/11/2023 8:00	0.0	
1/11/2021 9:00	0.0		1/11/2022 9:00	0.0		1/11/2023 9:00	0.0	
1/11/2021 10:00	0.0		1/11/2022 10:00	0.0		1/11/2023 10:00	0.0	
1/11/2021 11:00	0.0		1/11/2022 11:00	0.0		1/11/2023 11:00	0.0	
1/11/2021 12:00	0.0		1/11/2022 12:00	0.0		1/11/2023 12:00	0.0	
1/11/2021 13:00	0.0		1/11/2022 13:00	0.0		1/11/2023 13:00	0.0	
1/11/2021 14:00	0.0		1/11/2022 14:00	0.0		1/11/2023 14:00	0.0	
1/11/2021 15:00	0.0		1/11/2022 15:00	0.0		1/11/2023 15:00	0.0	
1/11/2021 16:00	0.0		1/11/2022 16:00	0.0		1/11/2023 16:00	0.0	
1/11/2021 17:00	0.0		1/11/2022 17:00	0.0		1/11/2023 17:00	0.0	
1/11/2021 18:00	0.0		1/11/2022 18:00	0.0		1/11/2023 18:00	0.0	
1/11/2021 19:00	0.0		1/11/2022 19:00	0.0		1/11/2023 19:00	0.0	
1/11/2021 20:00	0.0		1/11/2022 20:00	0.0		1/11/2023 20:00	0.0	
1/11/2021 21:00	0.0		1/11/2022 21:00	0.0		1/11/2023 21:00	0.0	
1/11/2021 22:00	0.0		1/11/2022 22:00	0.0		1/11/2023 22:00	0.0	
1/11/2021 23:00	0.0	0.3	1/11/2022 23:00	0.0	0.0	1/11/2023 23:00	0.0	0.0
1/12/2021 0:00	0.0		1/12/2022 0:00	0.0		1/12/2023 0:00	0.0	
1/12/2021 1:00	0.0		1/12/2022 1:00	0.0		1/12/2023 1:00	0.0	
1/12/2021 2:00	0.0		1/12/2022 2:00	0.0		1/12/2023 2:00	0.0	
1/12/2021 3:00	0.0		1/12/2022 3:00	0.0		1/12/2023 3:00	0.0	
1/12/2021 4:00	0.0		1/12/2022 4:00	0.0		1/12/2023 4:00	0.0	
1/12/2021 5:00	0.0		1/12/2022 5:00	0.0		1/12/2023 5:00	0.0	
1/12/2021 6:00	0.0		1/12/2022 6:00	0.0		1/12/2023 6:00	0.0	
1/12/2021 7:00	0.0		1/12/2022 7:00	0.0		1/12/2023 7:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/12/2021 8:00	0.0		1/12/2022 8:00	0.0		1/12/2023 8:00	0.0	
1/12/2021 9:00	0.0		1/12/2022 9:00	0.0		1/12/2023 9:00	0.0	
1/12/2021 10:00	0.0		1/12/2022 10:00	0.0		1/12/2023 10:00	0.0	
1/12/2021 11:00	0.0		1/12/2022 11:00	0.0		1/12/2023 11:00	0.0	
1/12/2021 12:00	0.0		1/12/2022 12:00	0.0		1/12/2023 12:00	0.0	
1/12/2021 13:00	0.0		1/12/2022 13:00	0.0		1/12/2023 13:00	0.0	
1/12/2021 14:00	0.0		1/12/2022 14:00	0.0		1/12/2023 14:00	0.0	
1/12/2021 15:00	0.0		1/12/2022 15:00	0.0		1/12/2023 15:00	0.0	
1/12/2021 16:00	0.0		1/12/2022 16:00	0.0		1/12/2023 16:00	0.0	
1/12/2021 17:00	0.0		1/12/2022 17:00	0.0		1/12/2023 17:00	0.0	
1/12/2021 18:00	0.0		1/12/2022 18:00	0.0		1/12/2023 18:00	0.0	
1/12/2021 19:00	0.0		1/12/2022 19:00	0.0		1/12/2023 19:00	0.0	
1/12/2021 20:00	0.0		1/12/2022 20:00	0.0		1/12/2023 20:00	0.0	
1/12/2021 21:00	0.0		1/12/2022 21:00	0.0		1/12/2023 21:00	0.0	
1/12/2021 22:00	0.0		1/12/2022 22:00	0.0		1/12/2023 22:00	0.0	
1/12/2021 23:00	0.0	0.0	1/12/2022 23:00	0.0	0.0	1/12/2023 23:00	0.0	0.0
1/13/2021 0:00	0.0		1/13/2022 0:00	0.0		1/13/2023 0:00	0.0	
1/13/2021 1:00	0.0		1/13/2022 1:00	0.0		1/13/2023 1:00	0.0	
1/13/2021 2:00	0.0		1/13/2022 2:00	0.0		1/13/2023 2:00	0.0	
1/13/2021 3:00	0.0		1/13/2022 3:00	0.0		1/13/2023 3:00	0.0	
1/13/2021 4:00	0.0		1/13/2022 4:00	0.0		1/13/2023 4:00	0.0	
1/13/2021 5:00	0.0		1/13/2022 5:00	0.0		1/13/2023 5:00	0.0	
1/13/2021 6:00	0.0		1/13/2022 6:00	0.0		1/13/2023 6:00	0.0	
1/13/2021 7:00	0.0		1/13/2022 7:00	0.0		1/13/2023 7:00	0.0	
1/13/2021 8:00	0.0		1/13/2022 8:00	0.0		1/13/2023 8:00	0.0	
1/13/2021 9:00	0.0		1/13/2022 9:00	0.0		1/13/2023 9:00	0.0	
1/13/2021 10:00	0.0		1/13/2022 10:00	0.0		1/13/2023 10:00	0.0	
1/13/2021 11:00	0.0		1/13/2022 11:00	0.0		1/13/2023 11:00	0.0	
1/13/2021 12:00	0.0		1/13/2022 12:00	0.0		1/13/2023 12:00	0.0	
1/13/2021 13:00	0.0		1/13/2022 13:00	0.0		1/13/2023 13:00	0.0	
1/13/2021 14:00	0.0		1/13/2022 14:00	0.0		1/13/2023 14:00	0.0	
1/13/2021 15:00	0.0		1/13/2022 15:00	0.0		1/13/2023 15:00	0.0	
1/13/2021 16:00	0.0		1/13/2022 16:00	0.0		1/13/2023 16:00	0.0	
1/13/2021 17:00	0.0		1/13/2022 17:00	0.0		1/13/2023 17:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/13/2021 18:00	0.0		1/13/2022 18:00	0.0		1/13/2023 18:00	0.0	
1/13/2021 19:00	0.0		1/13/2022 19:00	0.0		1/13/2023 19:00	0.0	
1/13/2021 20:00	0.0		1/13/2022 20:00	0.0		1/13/2023 20:00	0.0	
1/13/2021 21:00	0.0		1/13/2022 21:00	0.0		1/13/2023 21:00	0.0	
1/13/2021 22:00	0.0		1/13/2022 22:00	0.0		1/13/2023 22:00	0.0	
1/13/2021 23:00	0.0	0.0	1/13/2022 23:00	0.0	0.0	1/13/2023 23:00	0.0	0.0
1/14/2021 0:00	0.0		1/14/2022 0:00	0.0		1/14/2023 0:00	0.0	
1/14/2021 1:00	0.0		1/14/2022 1:00	0.0		1/14/2023 1:00	0.0	
1/14/2021 2:00	0.0		1/14/2022 2:00	0.0		1/14/2023 2:00	0.0	
1/14/2021 3:00	0.0		1/14/2022 3:00	0.0		1/14/2023 3:00	0.0	
1/14/2021 4:00	0.0		1/14/2022 4:00	0.0		1/14/2023 4:00	0.0	
1/14/2021 5:00	0.0		1/14/2022 5:00	0.0		1/14/2023 5:00	0.0	
1/14/2021 6:00	0.0		1/14/2022 6:00	0.0		1/14/2023 6:00	0.0	
1/14/2021 7:00	0.0		1/14/2022 7:00	0.0		1/14/2023 7:00	0.0	
1/14/2021 8:00	0.0		1/14/2022 8:00	0.0		1/14/2023 8:00	0.0	
1/14/2021 9:00	0.0		1/14/2022 9:00	0.0		1/14/2023 9:00	0.0	
1/14/2021 10:00	0.0		1/14/2022 10:00	0.0		1/14/2023 10:00	0.0	
1/14/2021 11:00	0.0		1/14/2022 11:00	0.0		1/14/2023 11:00	0.0	
1/14/2021 12:00	0.0		1/14/2022 12:00	0.0		1/14/2023 12:00	0.0	
1/14/2021 13:00	0.0		1/14/2022 13:00	0.0		1/14/2023 13:00	0.0	
1/14/2021 14:00	0.0		1/14/2022 14:00	0.0		1/14/2023 14:00	0.0	
1/14/2021 15:00	0.0		1/14/2022 15:00	0.0		1/14/2023 15:00	0.0	
1/14/2021 16:00	0.0		1/14/2022 16:00	0.0		1/14/2023 16:00	0.0	
1/14/2021 17:00	0.0		1/14/2022 17:00	0.0		1/14/2023 17:00	0.0	
1/14/2021 18:00	0.0		1/14/2022 18:00	0.0		1/14/2023 18:00	0.0	
1/14/2021 19:00	0.0		1/14/2022 19:00	0.0		1/14/2023 19:00	0.0	
1/14/2021 20:00	0.0		1/14/2022 20:00	0.0		1/14/2023 20:00	0.0	
1/14/2021 21:00	0.0		1/14/2022 21:00	0.0		1/14/2023 21:00	0.0	
1/14/2021 22:00	0.0		1/14/2022 22:00	0.0		1/14/2023 22:00	0.0	
1/14/2021 23:00	0.0	0.0	1/14/2022 23:00	0.0	0.0	1/14/2023 23:00	0.0	0.0
1/15/2021 0:00	0.0		1/15/2022 0:00	0.0		1/15/2023 0:00	0.0	
1/15/2021 1:00	0.0		1/15/2022 1:00	0.0		1/15/2023 1:00	0.0	
1/15/2021 2:00	0.0		1/15/2022 2:00	0.0		1/15/2023 2:00	0.0	
1/15/2021 3:00	0.0		1/15/2022 3:00	0.0		1/15/2023 3:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/15/2021 4:00	0.0		1/15/2022 4:00	0.0		1/15/2023 4:00	0.0	
1/15/2021 5:00	0.0		1/15/2022 5:00	0.0		1/15/2023 5:00	0.0	
1/15/2021 6:00	0.0		1/15/2022 6:00	0.0		1/15/2023 6:00	0.0	
1/15/2021 7:00	0.0		1/15/2022 7:00	0.0		1/15/2023 7:00	0.0	
1/15/2021 8:00	0.0		1/15/2022 8:00	0.0		1/15/2023 8:00	0.0	
1/15/2021 9:00	0.0		1/15/2022 9:00	0.0		1/15/2023 9:00	0.0	
1/15/2021 10:00	0.0		1/15/2022 10:00	0.0		1/15/2023 10:00	0.0	
1/15/2021 11:00	0.0		1/15/2022 11:00	0.0		1/15/2023 11:00	0.0	
1/15/2021 12:00	0.0		1/15/2022 12:00	0.0		1/15/2023 12:00	0.0	
1/15/2021 13:00	0.0		1/15/2022 13:00	0.0		1/15/2023 13:00	0.0	
1/15/2021 14:00	0.0		1/15/2022 14:00	0.0		1/15/2023 14:00	0.0	
1/15/2021 15:00	0.0		1/15/2022 15:00	0.0		1/15/2023 15:00	0.0	
1/15/2021 16:00	0.0		1/15/2022 16:00	0.0		1/15/2023 16:00	0.0	
1/15/2021 17:00	0.0		1/15/2022 17:00	0.0		1/15/2023 17:00	0.0	
1/15/2021 18:00	0.0		1/15/2022 18:00	0.0		1/15/2023 18:00	0.0	
1/15/2021 19:00	0.0		1/15/2022 19:00	0.0		1/15/2023 19:00	0.0	
1/15/2021 20:00	0.0		1/15/2022 20:00	0.0		1/15/2023 20:00	0.0	
1/15/2021 21:00	0.0		1/15/2022 21:00	0.0		1/15/2023 21:00	0.0	
1/15/2021 22:00	0.0		1/15/2022 22:00	0.0		1/15/2023 22:00	0.0	
1/15/2021 23:00	0.0	0.0	1/15/2022 23:00	0.0	0.0	1/15/2023 23:00	0.0	0.0
1/16/2021 0:00	0.0		1/16/2022 0:00	0.0		1/16/2023 0:00	0.0	
1/16/2021 1:00	0.0		1/16/2022 1:00	0.0		1/16/2023 1:00	0.0	
1/16/2021 2:00	0.0		1/16/2022 2:00	0.0		1/16/2023 2:00	0.0	
1/16/2021 3:00	0.0		1/16/2022 3:00	0.0		1/16/2023 3:00	0.0	
1/16/2021 4:00	0.0		1/16/2022 4:00	0.0		1/16/2023 4:00	0.0	
1/16/2021 5:00	0.0		1/16/2022 5:00	0.0		1/16/2023 5:00	0.0	
1/16/2021 6:00	0.0		1/16/2022 6:00	0.0		1/16/2023 6:00	0.0	
1/16/2021 7:00	0.0		1/16/2022 7:00	0.0		1/16/2023 7:00	0.0	
1/16/2021 8:00	0.0		1/16/2022 8:00	0.0		1/16/2023 8:00	0.0	
1/16/2021 9:00	0.0		1/16/2022 9:00	0.0		1/16/2023 9:00	0.0	
1/16/2021 10:00	0.0		1/16/2022 10:00	0.0		1/16/2023 10:00	0.0	
1/16/2021 11:00	0.0		1/16/2022 11:00	0.0		1/16/2023 11:00	0.0	
1/16/2021 12:00	0.0		1/16/2022 12:00	0.0		1/16/2023 12:00	0.0	
1/16/2021 13:00	0.0		1/16/2022 13:00	0.0		1/16/2023 13:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/16/2021 14:00	0.0		1/16/2022 14:00	0.0		1/16/2023 14:00	0.0	
1/16/2021 15:00	0.0		1/16/2022 15:00	0.0		1/16/2023 15:00	0.0	
1/16/2021 16:00	0.0		1/16/2022 16:00	0.0		1/16/2023 16:00	0.0	
1/16/2021 17:00	0.0		1/16/2022 17:00	0.0		1/16/2023 17:00	0.0	
1/16/2021 18:00	0.0		1/16/2022 18:00	0.0		1/16/2023 18:00	0.0	
1/16/2021 19:00	0.0		1/16/2022 19:00	0.0		1/16/2023 19:00	0.0	
1/16/2021 20:00	0.0		1/16/2022 20:00	0.0		1/16/2023 20:00	0.0	
1/16/2021 21:00	0.0		1/16/2022 21:00	0.0		1/16/2023 21:00	0.0	
1/16/2021 22:00	0.0		1/16/2022 22:00	0.0		1/16/2023 22:00	0.0	
1/16/2021 23:00	0.0	0.0	1/16/2022 23:00	0.0	0.0	1/16/2023 23:00	0.0	0.0
1/17/2021 0:00	0.0		1/17/2022 0:00	0.0		1/17/2023 0:00	0.0	
1/17/2021 1:00	0.0		1/17/2022 1:00	0.0		1/17/2023 1:00	0.0	
1/17/2021 2:00	0.0		1/17/2022 2:00	0.0		1/17/2023 2:00	0.0	
1/17/2021 3:00	0.0		1/17/2022 3:00	0.0		1/17/2023 3:00	0.0	
1/17/2021 4:00	0.0		1/17/2022 4:00	0.0		1/17/2023 4:00	0.0	
1/17/2021 5:00	0.0		1/17/2022 5:00	0.0		1/17/2023 5:00	0.0	
1/17/2021 6:00	0.0		1/17/2022 6:00	0.0		1/17/2023 6:00	0.0	
1/17/2021 7:00	0.0		1/17/2022 7:00	0.0		1/17/2023 7:00	0.0	
1/17/2021 8:00	0.0		1/17/2022 8:00	0.0		1/17/2023 8:00	0.0	
1/17/2021 9:00	0.0		1/17/2022 9:00	0.0		1/17/2023 9:00	0.0	
1/17/2021 10:00	0.0		1/17/2022 10:00	0.0		1/17/2023 10:00	0.0	
1/17/2021 11:00	0.0		1/17/2022 11:00	0.0		1/17/2023 11:00	0.0	
1/17/2021 12:00	0.0		1/17/2022 12:00	0.0		1/17/2023 12:00	0.0	
1/17/2021 13:00	0.0		1/17/2022 13:00	0.0		1/17/2023 13:00	0.0	
1/17/2021 14:00	0.0		1/17/2022 14:00	0.0		1/17/2023 14:00	0.0	
1/17/2021 15:00	0.0		1/17/2022 15:00	0.0		1/17/2023 15:00	0.0	
1/17/2021 16:00	0.0		1/17/2022 16:00	0.0		1/17/2023 16:00	0.0	
1/17/2021 17:00	0.0		1/17/2022 17:00	0.0		1/17/2023 17:00	0.0	
1/17/2021 18:00	0.0		1/17/2022 18:00	0.0		1/17/2023 18:00	0.0	
1/17/2021 19:00	0.0		1/17/2022 19:00	0.0		1/17/2023 19:00	0.0	
1/17/2021 20:00	0.0		1/17/2022 20:00	0.0		1/17/2023 20:00	0.0	
1/17/2021 21:00	0.0		1/17/2022 21:00	0.0		1/17/2023 21:00	0.0	
1/17/2021 22:00	0.0		1/17/2022 22:00	231.9		1/17/2023 22:00	0.0	
1/17/2021 23:00	0.0	0.0	1/17/2022 23:00	0.0	231.9	1/17/2023 23:00	0.0	0.0

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/18/2021 0:00	0.0		1/18/2022 0:00	0.0		1/18/2023 0:00	0.0	
1/18/2021 1:00	0.0		1/18/2022 1:00	0.0		1/18/2023 1:00	0.0	
1/18/2021 2:00	0.0		1/18/2022 2:00	0.0		1/18/2023 2:00	0.0	
1/18/2021 3:00	0.0		1/18/2022 3:00	0.0		1/18/2023 3:00	0.0	
1/18/2021 4:00	0.0		1/18/2022 4:00	0.0		1/18/2023 4:00	0.0	
1/18/2021 5:00	0.0		1/18/2022 5:00	0.0		1/18/2023 5:00	0.0	
1/18/2021 6:00	0.0		1/18/2022 6:00	0.0		1/18/2023 6:00	0.0	
1/18/2021 7:00	0.0		1/18/2022 7:00	0.0		1/18/2023 7:00	0.0	
1/18/2021 8:00	0.0		1/18/2022 8:00	0.0		1/18/2023 8:00	0.0	
1/18/2021 9:00	0.0		1/18/2022 9:00	0.0		1/18/2023 9:00	0.0	
1/18/2021 10:00	0.0		1/18/2022 10:00	0.0		1/18/2023 10:00	0.0	
1/18/2021 11:00	0.0		1/18/2022 11:00	0.0		1/18/2023 11:00	0.0	
1/18/2021 12:00	0.0		1/18/2022 12:00	0.0		1/18/2023 12:00	0.0	
1/18/2021 13:00	0.0		1/18/2022 13:00	0.0		1/18/2023 13:00	0.0	
1/18/2021 14:00	0.0		1/18/2022 14:00	1081.7		1/18/2023 14:00	0.0	
1/18/2021 15:00	0.0		1/18/2022 15:00	389.1		1/18/2023 15:00	0.0	
1/18/2021 16:00	0.0		1/18/2022 16:00	0.0		1/18/2023 16:00	0.0	
1/18/2021 17:00	0.0		1/18/2022 17:00	0.0		1/18/2023 17:00	0.0	
1/18/2021 18:00	0.0		1/18/2022 18:00	0.0		1/18/2023 18:00	0.0	
1/18/2021 19:00	0.0		1/18/2022 19:00	0.0		1/18/2023 19:00	0.0	
1/18/2021 20:00	0.0		1/18/2022 20:00	0.0		1/18/2023 20:00	0.0	
1/18/2021 21:00	0.0		1/18/2022 21:00	0.0		1/18/2023 21:00	0.0	
1/18/2021 22:00	0.0		1/18/2022 22:00	0.0		1/18/2023 22:00	0.0	
1/18/2021 23:00	0.0	0.0	1/18/2022 23:00	0.0	1081.7	1/18/2023 23:00	0.0	0.0
1/19/2021 0:00	0.0		1/19/2022 0:00	0.0		1/19/2023 0:00	0.0	
1/19/2021 1:00	0.0		1/19/2022 1:00	0.0		1/19/2023 1:00	0.0	
1/19/2021 2:00	0.0		1/19/2022 2:00	0.0		1/19/2023 2:00	0.0	
1/19/2021 3:00	0.0		1/19/2022 3:00	0.0		1/19/2023 3:00	0.0	
1/19/2021 4:00	0.0		1/19/2022 4:00	0.0		1/19/2023 4:00	0.0	
1/19/2021 5:00	0.0		1/19/2022 5:00	0.0		1/19/2023 5:00	0.0	
1/19/2021 6:00	0.0		1/19/2022 6:00	0.0		1/19/2023 6:00	0.0	
1/19/2021 7:00	0.0		1/19/2022 7:00	0.0		1/19/2023 7:00	0.0	
1/19/2021 8:00	0.0		1/19/2022 8:00	0.0		1/19/2023 8:00	0.0	
1/19/2021 9:00	0.0		1/19/2022 9:00	0.0		1/19/2023 9:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/19/2021 10:00	0.0		1/19/2022 10:00	0.0		1/19/2023 10:00	0.0	
1/19/2021 11:00	0.0		1/19/2022 11:00	0.0		1/19/2023 11:00	0.0	
1/19/2021 12:00	0.0		1/19/2022 12:00	0.0		1/19/2023 12:00	0.0	
1/19/2021 13:00	0.0		1/19/2022 13:00	0.0		1/19/2023 13:00	0.0	
1/19/2021 14:00	0.0		1/19/2022 14:00	0.0		1/19/2023 14:00	0.0	
1/19/2021 15:00	0.0		1/19/2022 15:00	0.0		1/19/2023 15:00	0.0	
1/19/2021 16:00	0.0		1/19/2022 16:00	0.0		1/19/2023 16:00	0.0	
1/19/2021 17:00	0.0		1/19/2022 17:00	0.0		1/19/2023 17:00	0.0	
1/19/2021 18:00	0.0		1/19/2022 18:00	0.0		1/19/2023 18:00	0.0	
1/19/2021 19:00	0.0		1/19/2022 19:00	0.0		1/19/2023 19:00	0.0	
1/19/2021 20:00	0.0		1/19/2022 20:00	0.0		1/19/2023 20:00	0.0	
1/19/2021 21:00	0.0		1/19/2022 21:00	0.0		1/19/2023 21:00	0.0	
1/19/2021 22:00	0.0		1/19/2022 22:00	0.0		1/19/2023 22:00	0.0	
1/19/2021 23:00	0.0	0.0	1/19/2022 23:00	0.0	0.0	1/19/2023 23:00	0.0	0.0
1/20/2021 0:00	0.0		1/20/2022 0:00	0.0		1/20/2023 0:00	0.0	
1/20/2021 1:00	0.0		1/20/2022 1:00	0.0		1/20/2023 1:00	0.0	
1/20/2021 2:00	0.0		1/20/2022 2:00	0.0		1/20/2023 2:00	0.0	
1/20/2021 3:00	0.0		1/20/2022 3:00	0.0		1/20/2023 3:00	0.0	
1/20/2021 4:00	0.0		1/20/2022 4:00	0.0		1/20/2023 4:00	0.0	
1/20/2021 5:00	0.0		1/20/2022 5:00	0.0		1/20/2023 5:00	0.0	
1/20/2021 6:00	0.0		1/20/2022 6:00	0.0		1/20/2023 6:00	0.0	
1/20/2021 7:00	0.0		1/20/2022 7:00	0.0		1/20/2023 7:00	0.0	
1/20/2021 8:00	0.0		1/20/2022 8:00	0.0		1/20/2023 8:00	0.0	
1/20/2021 9:00	0.0		1/20/2022 9:00	0.0		1/20/2023 9:00	0.0	
1/20/2021 10:00	0.0		1/20/2022 10:00	0.0		1/20/2023 10:00	0.0	
1/20/2021 11:00	0.0		1/20/2022 11:00	0.0		1/20/2023 11:00	0.0	
1/20/2021 12:00	0.0		1/20/2022 12:00	0.0		1/20/2023 12:00	0.0	
1/20/2021 13:00	0.0		1/20/2022 13:00	0.0		1/20/2023 13:00	0.0	
1/20/2021 14:00	0.0		1/20/2022 14:00	0.0		1/20/2023 14:00	0.0	
1/20/2021 15:00	0.0		1/20/2022 15:00	0.0		1/20/2023 15:00	0.0	
1/20/2021 16:00	0.0		1/20/2022 16:00	0.0		1/20/2023 16:00	0.0	
1/20/2021 17:00	0.0		1/20/2022 17:00	0.0		1/20/2023 17:00	0.0	
1/20/2021 18:00	0.0		1/20/2022 18:00	0.0		1/20/2023 18:00	0.0	
1/20/2021 19:00	0.0		1/20/2022 19:00	0.0		1/20/2023 19:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/20/2021 20:00	0.0		1/20/2022 20:00	0.0		1/20/2023 20:00	0.0	
1/20/2021 21:00	0.0		1/20/2022 21:00	0.0		1/20/2023 21:00	0.0	
1/20/2021 22:00	0.0		1/20/2022 22:00	0.0		1/20/2023 22:00	0.0	
1/20/2021 23:00	0.0	0.0	1/20/2022 23:00	0.0	0.0	1/20/2023 23:00	0.0	0.0
1/21/2021 0:00	0.0		1/21/2022 0:00	0.0		1/21/2023 0:00	0.0	
1/21/2021 1:00	0.0		1/21/2022 1:00	0.0		1/21/2023 1:00	0.0	
1/21/2021 2:00	0.0		1/21/2022 2:00	0.0		1/21/2023 2:00	0.0	
1/21/2021 3:00	0.0		1/21/2022 3:00	0.0		1/21/2023 3:00	0.0	
1/21/2021 4:00	0.0		1/21/2022 4:00	0.0		1/21/2023 4:00	0.0	
1/21/2021 5:00	0.0		1/21/2022 5:00	0.0		1/21/2023 5:00	0.0	
1/21/2021 6:00	0.0		1/21/2022 6:00	0.0		1/21/2023 6:00	0.0	
1/21/2021 7:00	0.0		1/21/2022 7:00	0.0		1/21/2023 7:00	0.0	
1/21/2021 8:00	0.0		1/21/2022 8:00	0.0		1/21/2023 8:00	0.0	
1/21/2021 9:00	0.0		1/21/2022 9:00	0.0		1/21/2023 9:00	0.0	
1/21/2021 10:00	0.0		1/21/2022 10:00	0.0		1/21/2023 10:00	0.0	
1/21/2021 11:00	0.0		1/21/2022 11:00	0.0		1/21/2023 11:00	0.0	
1/21/2021 12:00	0.0		1/21/2022 12:00	0.0		1/21/2023 12:00	0.0	
1/21/2021 13:00	0.0		1/21/2022 13:00	0.0		1/21/2023 13:00	0.0	
1/21/2021 14:00	0.0		1/21/2022 14:00	0.0		1/21/2023 14:00	0.0	
1/21/2021 15:00	0.0		1/21/2022 15:00	0.0		1/21/2023 15:00	0.0	
1/21/2021 16:00	0.0		1/21/2022 16:00	0.0		1/21/2023 16:00	0.0	
1/21/2021 17:00	0.0		1/21/2022 17:00	0.0		1/21/2023 17:00	0.0	
1/21/2021 18:00	0.0		1/21/2022 18:00	0.0		1/21/2023 18:00	0.0	
1/21/2021 19:00	0.0		1/21/2022 19:00	0.0		1/21/2023 19:00	0.0	
1/21/2021 20:00	0.0		1/21/2022 20:00	0.0		1/21/2023 20:00	0.0	
1/21/2021 21:00	0.0		1/21/2022 21:00	0.0		1/21/2023 21:00	0.0	
1/21/2021 22:00	0.0		1/21/2022 22:00	0.0		1/21/2023 22:00	0.0	
1/21/2021 23:00	0.0	0.0	1/21/2022 23:00	0.0	0.0	1/21/2023 23:00	0.0	0.0
1/22/2021 0:00	0.0		1/22/2022 0:00	0.0		1/22/2023 0:00	0.0	
1/22/2021 1:00	0.0		1/22/2022 1:00	0.0		1/22/2023 1:00	0.0	
1/22/2021 2:00	0.0		1/22/2022 2:00	0.0		1/22/2023 2:00	0.0	
1/22/2021 3:00	0.0		1/22/2022 3:00	0.0		1/22/2023 3:00	0.0	
1/22/2021 4:00	0.0		1/22/2022 4:00	0.0		1/22/2023 4:00	0.0	
1/22/2021 5:00	0.0		1/22/2022 5:00	0.0		1/22/2023 5:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/22/2021 6:00	0.0		1/22/2022 6:00	0.0		1/22/2023 6:00	0.0	
1/22/2021 7:00	0.0		1/22/2022 7:00	0.0		1/22/2023 7:00	0.0	
1/22/2021 8:00	0.0		1/22/2022 8:00	0.0		1/22/2023 8:00	0.0	
1/22/2021 9:00	0.0		1/22/2022 9:00	0.0		1/22/2023 9:00	0.0	
1/22/2021 10:00	0.0		1/22/2022 10:00	0.0		1/22/2023 10:00	0.0	
1/22/2021 11:00	0.0		1/22/2022 11:00	0.0		1/22/2023 11:00	0.0	
1/22/2021 12:00	0.0		1/22/2022 12:00	0.0		1/22/2023 12:00	0.0	
1/22/2021 13:00	0.0		1/22/2022 13:00	0.0		1/22/2023 13:00	0.0	
1/22/2021 14:00	0.0		1/22/2022 14:00	0.0		1/22/2023 14:00	0.0	
1/22/2021 15:00	0.0		1/22/2022 15:00	0.0		1/22/2023 15:00	0.0	
1/22/2021 16:00	0.0		1/22/2022 16:00	0.0		1/22/2023 16:00	0.0	
1/22/2021 17:00	0.0		1/22/2022 17:00	0.0		1/22/2023 17:00	0.0	
1/22/2021 18:00	0.0		1/22/2022 18:00	0.0		1/22/2023 18:00	0.0	
1/22/2021 19:00	0.0		1/22/2022 19:00	0.0		1/22/2023 19:00	0.0	
1/22/2021 20:00	0.0		1/22/2022 20:00	0.0		1/22/2023 20:00	0.0	
1/22/2021 21:00	0.0		1/22/2022 21:00	0.0		1/22/2023 21:00	0.0	
1/22/2021 22:00	0.0		1/22/2022 22:00	0.0		1/22/2023 22:00	0.0	
1/22/2021 23:00	0.0	0.0	1/22/2022 23:00	0.0	0.0	1/22/2023 23:00	0.0	0.0
1/23/2021 0:00	0.0		1/23/2022 0:00	0.0		1/23/2023 0:00	0.0	
1/23/2021 1:00	0.0		1/23/2022 1:00	0.0		1/23/2023 1:00	0.0	
1/23/2021 2:00	0.0		1/23/2022 2:00	0.0		1/23/2023 2:00	0.0	
1/23/2021 3:00	0.0		1/23/2022 3:00	0.0		1/23/2023 3:00	0.0	
1/23/2021 4:00	0.0		1/23/2022 4:00	0.0		1/23/2023 4:00	0.0	
1/23/2021 5:00	0.0		1/23/2022 5:00	0.0		1/23/2023 5:00	0.0	
1/23/2021 6:00	0.0		1/23/2022 6:00	0.0		1/23/2023 6:00	0.0	
1/23/2021 7:00	0.0		1/23/2022 7:00	0.0		1/23/2023 7:00	0.0	
1/23/2021 8:00	0.0		1/23/2022 8:00	0.0		1/23/2023 8:00	0.0	
1/23/2021 9:00	0.0		1/23/2022 9:00	0.0		1/23/2023 9:00	0.0	
1/23/2021 10:00	0.0		1/23/2022 10:00	0.0		1/23/2023 10:00	0.0	
1/23/2021 11:00	0.0		1/23/2022 11:00	0.0		1/23/2023 11:00	0.0	
1/23/2021 12:00	0.0		1/23/2022 12:00	0.0		1/23/2023 12:00	0.0	
1/23/2021 13:00	0.0		1/23/2022 13:00	0.0		1/23/2023 13:00	0.0	
1/23/2021 14:00	0.0		1/23/2022 14:00	0.0		1/23/2023 14:00	0.0	
1/23/2021 15:00	0.0		1/23/2022 15:00	0.0		1/23/2023 15:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/23/2021 16:00	0.0		1/23/2022 16:00	0.0		1/23/2023 16:00	0.0	
1/23/2021 17:00	0.0		1/23/2022 17:00	0.0		1/23/2023 17:00	0.0	
1/23/2021 18:00	0.0		1/23/2022 18:00	0.0		1/23/2023 18:00	0.0	
1/23/2021 19:00	0.0		1/23/2022 19:00	0.0		1/23/2023 19:00	0.0	
1/23/2021 20:00	0.0		1/23/2022 20:00	0.0		1/23/2023 20:00	0.0	
1/23/2021 21:00	0.0		1/23/2022 21:00	0.0		1/23/2023 21:00	0.0	
1/23/2021 22:00	0.0		1/23/2022 22:00	0.0		1/23/2023 22:00	0.0	
1/23/2021 23:00	0.0	0.0	1/23/2022 23:00	0.0	0.0	1/23/2023 23:00	0.0	0.0
1/24/2021 0:00	0.0		1/24/2022 0:00	0.0		1/24/2023 0:00	0.0	
1/24/2021 1:00	0.0		1/24/2022 1:00	0.0		1/24/2023 1:00	0.0	
1/24/2021 2:00	0.0		1/24/2022 2:00	0.0		1/24/2023 2:00	0.0	
1/24/2021 3:00	0.0		1/24/2022 3:00	0.0		1/24/2023 3:00	0.0	
1/24/2021 4:00	0.0		1/24/2022 4:00	0.0		1/24/2023 4:00	0.0	
1/24/2021 5:00	0.0		1/24/2022 5:00	0.0		1/24/2023 5:00	0.0	
1/24/2021 6:00	0.0		1/24/2022 6:00	0.0		1/24/2023 6:00	0.0	
1/24/2021 7:00	0.0		1/24/2022 7:00	0.0		1/24/2023 7:00	0.0	
1/24/2021 8:00	0.0		1/24/2022 8:00	0.0		1/24/2023 8:00	0.0	
1/24/2021 9:00	0.0		1/24/2022 9:00	0.0		1/24/2023 9:00	0.0	
1/24/2021 10:00	0.0		1/24/2022 10:00	0.0		1/24/2023 10:00	0.0	
1/24/2021 11:00	0.0		1/24/2022 11:00	0.0		1/24/2023 11:00	0.0	
1/24/2021 12:00	0.0		1/24/2022 12:00	0.0		1/24/2023 12:00	0.0	
1/24/2021 13:00	0.0		1/24/2022 13:00	0.0		1/24/2023 13:00	0.0	
1/24/2021 14:00	0.0		1/24/2022 14:00	0.0		1/24/2023 14:00	0.0	
1/24/2021 15:00	0.0		1/24/2022 15:00	0.0		1/24/2023 15:00	0.0	
1/24/2021 16:00	0.0		1/24/2022 16:00	0.0		1/24/2023 16:00	0.0	
1/24/2021 17:00	0.0		1/24/2022 17:00	0.0		1/24/2023 17:00	0.0	
1/24/2021 18:00	0.0		1/24/2022 18:00	0.0		1/24/2023 18:00	0.0	
1/24/2021 19:00	0.0		1/24/2022 19:00	0.0		1/24/2023 19:00	0.0	
1/24/2021 20:00	0.0		1/24/2022 20:00	0.0		1/24/2023 20:00	0.0	
1/24/2021 21:00	0.0		1/24/2022 21:00	0.0		1/24/2023 21:00	0.0	
1/24/2021 22:00	0.0		1/24/2022 22:00	0.0		1/24/2023 22:00	0.0	
1/24/2021 23:00	0.0	0.0	1/24/2022 23:00	0.0	0.0	1/24/2023 23:00	0.0	0.0
1/25/2021 0:00	0.0		1/25/2022 0:00	0.0		1/25/2023 0:00	0.0	
1/25/2021 1:00	0.0		1/25/2022 1:00	0.0		1/25/2023 1:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/25/2021 2:00	0.0		1/25/2022 2:00	0.0		1/25/2023 2:00	0.0	
1/25/2021 3:00	0.0		1/25/2022 3:00	0.0		1/25/2023 3:00	0.0	
1/25/2021 4:00	0.0		1/25/2022 4:00	0.0		1/25/2023 4:00	0.0	
1/25/2021 5:00	0.0		1/25/2022 5:00	0.0		1/25/2023 5:00	0.0	
1/25/2021 6:00	0.0		1/25/2022 6:00	0.0		1/25/2023 6:00	0.0	
1/25/2021 7:00	0.0		1/25/2022 7:00	0.0		1/25/2023 7:00	0.0	
1/25/2021 8:00	0.0		1/25/2022 8:00	0.0		1/25/2023 8:00	0.0	
1/25/2021 9:00	0.0		1/25/2022 9:00	0.0		1/25/2023 9:00	0.0	
1/25/2021 10:00	0.0		1/25/2022 10:00	0.0		1/25/2023 10:00	0.0	
1/25/2021 11:00	0.0		1/25/2022 11:00	0.0		1/25/2023 11:00	0.0	
1/25/2021 12:00	0.0		1/25/2022 12:00	0.0		1/25/2023 12:00	0.0	
1/25/2021 13:00	0.0		1/25/2022 13:00	0.0		1/25/2023 13:00	0.0	
1/25/2021 14:00	0.0		1/25/2022 14:00	0.0		1/25/2023 14:00	0.0	
1/25/2021 15:00	0.0		1/25/2022 15:00	0.0		1/25/2023 15:00	0.0	
1/25/2021 16:00	0.0		1/25/2022 16:00	0.0		1/25/2023 16:00	0.0	
1/25/2021 17:00	0.0		1/25/2022 17:00	0.0		1/25/2023 17:00	0.0	
1/25/2021 18:00	0.0		1/25/2022 18:00	0.0		1/25/2023 18:00	0.0	
1/25/2021 19:00	0.0		1/25/2022 19:00	0.0		1/25/2023 19:00	0.0	
1/25/2021 20:00	0.0		1/25/2022 20:00	0.0		1/25/2023 20:00	0.0	
1/25/2021 21:00	0.0		1/25/2022 21:00	0.0		1/25/2023 21:00	0.0	
1/25/2021 22:00	0.0		1/25/2022 22:00	0.0		1/25/2023 22:00	0.0	
1/25/2021 23:00	0.0	0.0	1/25/2022 23:00	0.0	0.0	1/25/2023 23:00	0.0	0.0
1/26/2021 0:00	0.0		1/26/2022 0:00	0.0		1/26/2023 0:00	0.0	
1/26/2021 1:00	0.0		1/26/2022 1:00	0.0		1/26/2023 1:00	0.0	
1/26/2021 2:00	0.0		1/26/2022 2:00	0.0		1/26/2023 2:00	0.0	
1/26/2021 3:00	0.0		1/26/2022 3:00	0.0		1/26/2023 3:00	0.0	
1/26/2021 4:00	0.0		1/26/2022 4:00	0.0		1/26/2023 4:00	0.0	
1/26/2021 5:00	0.0		1/26/2022 5:00	0.0		1/26/2023 5:00	0.0	
1/26/2021 6:00	0.0		1/26/2022 6:00	0.0		1/26/2023 6:00	0.0	
1/26/2021 7:00	0.0		1/26/2022 7:00	0.0		1/26/2023 7:00	0.0	
1/26/2021 8:00	0.0		1/26/2022 8:00	0.0		1/26/2023 8:00	0.0	
1/26/2021 9:00	0.0		1/26/2022 9:00	0.0		1/26/2023 9:00	0.0	
1/26/2021 10:00	0.0		1/26/2022 10:00	0.0		1/26/2023 10:00	0.0	
1/26/2021 11:00	0.0		1/26/2022 11:00	0.0		1/26/2023 11:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/26/2021 12:00	0.0		1/26/2022 12:00	0.0		1/26/2023 12:00	0.0	
1/26/2021 13:00	0.0		1/26/2022 13:00	0.0		1/26/2023 13:00	0.0	
1/26/2021 14:00	0.0		1/26/2022 14:00	0.0		1/26/2023 14:00	0.0	
1/26/2021 15:00	0.0		1/26/2022 15:00	0.0		1/26/2023 15:00	0.0	
1/26/2021 16:00	0.0		1/26/2022 16:00	0.0		1/26/2023 16:00	0.0	
1/26/2021 17:00	0.0		1/26/2022 17:00	0.0		1/26/2023 17:00	0.0	
1/26/2021 18:00	0.0		1/26/2022 18:00	0.0		1/26/2023 18:00	0.0	
1/26/2021 19:00	0.0		1/26/2022 19:00	0.0		1/26/2023 19:00	0.0	
1/26/2021 20:00	0.0		1/26/2022 20:00	0.0		1/26/2023 20:00	0.0	
1/26/2021 21:00	0.0		1/26/2022 21:00	0.0		1/26/2023 21:00	0.0	
1/26/2021 22:00	0.0		1/26/2022 22:00	0.0		1/26/2023 22:00	0.0	
1/26/2021 23:00	0.0	0.0	1/26/2022 23:00	0.0	0.0	1/26/2023 23:00	0.0	0.0
1/27/2021 0:00	0.0		1/27/2022 0:00	0.0		1/27/2023 0:00	0.0	
1/27/2021 1:00	0.0		1/27/2022 1:00	0.0		1/27/2023 1:00	0.0	
1/27/2021 2:00	0.0		1/27/2022 2:00	0.0		1/27/2023 2:00	0.0	
1/27/2021 3:00	0.0		1/27/2022 3:00	0.0		1/27/2023 3:00	0.0	
1/27/2021 4:00	0.0		1/27/2022 4:00	0.0		1/27/2023 4:00	0.0	
1/27/2021 5:00	0.0		1/27/2022 5:00	0.0		1/27/2023 5:00	0.0	
1/27/2021 6:00	0.0		1/27/2022 6:00	0.0		1/27/2023 6:00	0.0	
1/27/2021 7:00	0.0		1/27/2022 7:00	0.0		1/27/2023 7:00	0.0	
1/27/2021 8:00	0.0		1/27/2022 8:00	0.0		1/27/2023 8:00	0.0	
1/27/2021 9:00	0.0		1/27/2022 9:00	0.0		1/27/2023 9:00	0.0	
1/27/2021 10:00	0.0		1/27/2022 10:00	0.0		1/27/2023 10:00	0.0	
1/27/2021 11:00	0.0		1/27/2022 11:00	0.0		1/27/2023 11:00	0.0	
1/27/2021 12:00	0.0		1/27/2022 12:00	0.0		1/27/2023 12:00	0.0	
1/27/2021 13:00	0.0		1/27/2022 13:00	0.0		1/27/2023 13:00	0.0	
1/27/2021 14:00	0.0		1/27/2022 14:00	0.0		1/27/2023 14:00	0.0	
1/27/2021 15:00	0.0		1/27/2022 15:00	0.0		1/27/2023 15:00	0.0	
1/27/2021 16:00	0.0		1/27/2022 16:00	0.0		1/27/2023 16:00	0.0	
1/27/2021 17:00	0.0		1/27/2022 17:00	0.0		1/27/2023 17:00	0.0	
1/27/2021 18:00	0.0		1/27/2022 18:00	0.0		1/27/2023 18:00	0.0	
1/27/2021 19:00	0.0		1/27/2022 19:00	0.0		1/27/2023 19:00	0.0	
1/27/2021 20:00	0.0		1/27/2022 20:00	0.0		1/27/2023 20:00	0.0	
1/27/2021 21:00	0.0		1/27/2022 21:00	0.0		1/27/2023 21:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/27/2021 22:00	0.0		1/27/2022 22:00	0.0		1/27/2023 22:00	0.0	
1/27/2021 23:00	0.0	0.0	1/27/2022 23:00	0.0	0.0	1/27/2023 23:00	0.0	0.0
1/28/2021 0:00	0.0		1/28/2022 0:00	0.0		1/28/2023 0:00	0.0	
1/28/2021 1:00	0.0		1/28/2022 1:00	0.0		1/28/2023 1:00	0.0	
1/28/2021 2:00	0.0		1/28/2022 2:00	0.0		1/28/2023 2:00	0.0	
1/28/2021 3:00	0.0		1/28/2022 3:00	0.0		1/28/2023 3:00	0.0	
1/28/2021 4:00	0.0		1/28/2022 4:00	0.0		1/28/2023 4:00	0.0	
1/28/2021 5:00	0.0		1/28/2022 5:00	0.0		1/28/2023 5:00	0.0	
1/28/2021 6:00	0.0		1/28/2022 6:00	0.0		1/28/2023 6:00	0.0	
1/28/2021 7:00	0.0		1/28/2022 7:00	0.0		1/28/2023 7:00	0.0	
1/28/2021 8:00	0.0		1/28/2022 8:00	0.0		1/28/2023 8:00	0.0	
1/28/2021 9:00	0.0		1/28/2022 9:00	0.0		1/28/2023 9:00	0.0	
1/28/2021 10:00	0.0		1/28/2022 10:00	0.0		1/28/2023 10:00	0.0	
1/28/2021 11:00	0.0		1/28/2022 11:00	0.0		1/28/2023 11:00	0.0	
1/28/2021 12:00	0.0		1/28/2022 12:00	0.0		1/28/2023 12:00	0.0	
1/28/2021 13:00	0.0		1/28/2022 13:00	0.0		1/28/2023 13:00	0.0	
1/28/2021 14:00	0.0		1/28/2022 14:00	0.0		1/28/2023 14:00	0.0	
1/28/2021 15:00	0.0		1/28/2022 15:00	0.0		1/28/2023 15:00	0.0	
1/28/2021 16:00	0.0		1/28/2022 16:00	0.0		1/28/2023 16:00	0.0	
1/28/2021 17:00	0.0		1/28/2022 17:00	0.0		1/28/2023 17:00	0.0	
1/28/2021 18:00	0.0		1/28/2022 18:00	0.0		1/28/2023 18:00	0.0	
1/28/2021 19:00	0.0		1/28/2022 19:00	3.9		1/28/2023 19:00	0.0	
1/28/2021 20:00	0.0		1/28/2022 20:00	13.3		1/28/2023 20:00	0.0	
1/28/2021 21:00	0.0		1/28/2022 21:00	13.3		1/28/2023 21:00	0.0	
1/28/2021 22:00	0.0		1/28/2022 22:00	13.3		1/28/2023 22:00	0.0	
1/28/2021 23:00	0.0	0.0	1/28/2022 23:00	13.3	13.3	1/28/2023 23:00	0.0	0.0
1/29/2021 0:00	0.0		1/29/2022 0:00	13.3		1/29/2023 0:00	0.0	
1/29/2021 1:00	0.0		1/29/2022 1:00	13.3		1/29/2023 1:00	0.0	
1/29/2021 2:00	0.0		1/29/2022 2:00	13.3		1/29/2023 2:00	0.0	
1/29/2021 3:00	0.0		1/29/2022 3:00	13.3		1/29/2023 3:00	0.0	
1/29/2021 4:00	0.0		1/29/2022 4:00	13.3		1/29/2023 4:00	0.0	
1/29/2021 5:00	0.0		1/29/2022 5:00	13.3		1/29/2023 5:00	0.0	
1/29/2021 6:00	0.0		1/29/2022 6:00	13.3		1/29/2023 6:00	0.0	
1/29/2021 7:00	0.0		1/29/2022 7:00	13.3		1/29/2023 7:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/29/2021 8:00	0.0		1/29/2022 8:00	13.3		1/29/2023 8:00	0.0	
1/29/2021 9:00	0.0		1/29/2022 9:00	13.3		1/29/2023 9:00	0.0	
1/29/2021 10:00	0.0		1/29/2022 10:00	13.3		1/29/2023 10:00	0.0	
1/29/2021 11:00	0.0		1/29/2022 11:00	13.3		1/29/2023 11:00	0.0	
1/29/2021 12:00	0.0		1/29/2022 12:00	13.3		1/29/2023 12:00	0.0	
1/29/2021 13:00	0.0		1/29/2022 13:00	13.3		1/29/2023 13:00	0.0	
1/29/2021 14:00	0.0		1/29/2022 14:00	13.3		1/29/2023 14:00	0.0	
1/29/2021 15:00	0.0		1/29/2022 15:00	13.3		1/29/2023 15:00	0.0	
1/29/2021 16:00	0.0		1/29/2022 16:00	13.3		1/29/2023 16:00	0.0	
1/29/2021 17:00	0.0		1/29/2022 17:00	13.3		1/29/2023 17:00	0.0	
1/29/2021 18:00	0.0		1/29/2022 18:00	13.3		1/29/2023 18:00	0.0	
1/29/2021 19:00	0.0		1/29/2022 19:00	13.3		1/29/2023 19:00	0.0	
1/29/2021 20:00	0.0		1/29/2022 20:00	13.3		1/29/2023 20:00	0.0	
1/29/2021 21:00	0.0		1/29/2022 21:00	13.3		1/29/2023 21:00	0.0	
1/29/2021 22:00	0.0		1/29/2022 22:00	13.3		1/29/2023 22:00	0.0	
1/29/2021 23:00	0.0	0.0	1/29/2022 23:00	13.3	13.3	1/29/2023 23:00	0.0	0.0
1/30/2021 0:00	0.0		1/30/2022 0:00	13.3		1/30/2023 0:00	0.0	
1/30/2021 1:00	0.0		1/30/2022 1:00	0.0		1/30/2023 1:00	0.0	
1/30/2021 2:00	0.0		1/30/2022 2:00	0.0		1/30/2023 2:00	0.0	
1/30/2021 3:00	0.0		1/30/2022 3:00	0.0		1/30/2023 3:00	0.0	
1/30/2021 4:00	0.0		1/30/2022 4:00	0.0		1/30/2023 4:00	0.0	
1/30/2021 5:00	0.0		1/30/2022 5:00	0.0		1/30/2023 5:00	0.0	
1/30/2021 6:00	0.0		1/30/2022 6:00	0.0		1/30/2023 6:00	0.0	
1/30/2021 7:00	0.0		1/30/2022 7:00	0.0		1/30/2023 7:00	0.0	
1/30/2021 8:00	0.0		1/30/2022 8:00	0.0		1/30/2023 8:00	0.0	
1/30/2021 9:00	0.0		1/30/2022 9:00	0.0		1/30/2023 9:00	0.0	
1/30/2021 10:00	0.0		1/30/2022 10:00	0.0		1/30/2023 10:00	0.0	
1/30/2021 11:00	0.0		1/30/2022 11:00	0.0		1/30/2023 11:00	0.0	
1/30/2021 12:00	0.0		1/30/2022 12:00	0.0		1/30/2023 12:00	0.0	
1/30/2021 13:00	0.0		1/30/2022 13:00	0.0		1/30/2023 13:00	0.0	
1/30/2021 14:00	0.0		1/30/2022 14:00	0.0		1/30/2023 14:00	0.0	
1/30/2021 15:00	0.0		1/30/2022 15:00	0.0		1/30/2023 15:00	0.0	
1/30/2021 16:00	0.0		1/30/2022 16:00	0.0		1/30/2023 16:00	0.0	
1/30/2021 17:00	0.0		1/30/2022 17:00	0.0		1/30/2023 17:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
1/30/2021 18:00	0.0		1/30/2022 18:00	0.0		1/30/2023 18:00	0.0	
1/30/2021 19:00	0.0		1/30/2022 19:00	0.0		1/30/2023 19:00	0.0	
1/30/2021 20:00	0.0		1/30/2022 20:00	0.0		1/30/2023 20:00	0.0	
1/30/2021 21:00	0.0		1/30/2022 21:00	0.0		1/30/2023 21:00	0.0	
1/30/2021 22:00	0.0		1/30/2022 22:00	0.0		1/30/2023 22:00	0.0	
1/30/2021 23:00	0.0	0.0	1/30/2022 23:00	0.0	13.3	1/30/2023 23:00	0.0	0.0
1/31/2021 0:00	0.0		1/31/2022 0:00	0.0		1/31/2023 0:00	0.0	
1/31/2021 1:00	0.0		1/31/2022 1:00	0.0		1/31/2023 1:00	0.0	
1/31/2021 2:00	0.0		1/31/2022 2:00	0.0		1/31/2023 2:00	0.0	
1/31/2021 3:00	0.0		1/31/2022 3:00	0.0		1/31/2023 3:00	0.0	
1/31/2021 4:00	0.0		1/31/2022 4:00	0.0		1/31/2023 4:00	0.0	
1/31/2021 5:00	0.0		1/31/2022 5:00	0.0		1/31/2023 5:00	0.0	
1/31/2021 6:00	0.0		1/31/2022 6:00	0.0		1/31/2023 6:00	0.0	
1/31/2021 7:00	0.0		1/31/2022 7:00	15.0		1/31/2023 7:00	0.0	
1/31/2021 8:00	0.0		1/31/2022 8:00	0.0		1/31/2023 8:00	0.0	
1/31/2021 9:00	0.0		1/31/2022 9:00	0.0		1/31/2023 9:00	0.0	
1/31/2021 10:00	0.0		1/31/2022 10:00	0.0		1/31/2023 10:00	0.0	
1/31/2021 11:00	0.0		1/31/2022 11:00	0.0		1/31/2023 11:00	0.0	
1/31/2021 12:00	0.0		1/31/2022 12:00	0.0		1/31/2023 12:00	0.0	
1/31/2021 13:00	0.0		1/31/2022 13:00	0.0		1/31/2023 13:00	0.0	
1/31/2021 14:00	0.0		1/31/2022 14:00	0.0		1/31/2023 14:00	0.0	
1/31/2021 15:00	0.0		1/31/2022 15:00	0.0		1/31/2023 15:00	0.0	
1/31/2021 16:00	0.0		1/31/2022 16:00	1.8		1/31/2023 16:00	0.0	
1/31/2021 17:00	0.0		1/31/2022 17:00	0.0		1/31/2023 17:00	0.0	
1/31/2021 18:00	0.0		1/31/2022 18:00	0.0		1/31/2023 18:00	0.0	
1/31/2021 19:00	0.0		1/31/2022 19:00	0.0		1/31/2023 19:00	0.0	
1/31/2021 20:00	0.0		1/31/2022 20:00	0.0		1/31/2023 20:00	0.0	
1/31/2021 21:00	0.0		1/31/2022 21:00	0.0		1/31/2023 21:00	0.0	
1/31/2021 22:00	0.0		1/31/2022 22:00	0.0		1/31/2023 22:00	0.0	
1/31/2021 23:00	0.0	0.0	1/31/2022 23:00	0.0	15.0	1/31/2023 23:00	0.0	0.0
2/1/2021 0:00	0.0		2/1/2022 0:00	0.0		2/1/2023 0:00	0.0	
2/1/2021 1:00	0.0		2/1/2022 1:00	0.0		2/1/2023 1:00	0.0	
2/1/2021 2:00	0.0		2/1/2022 2:00	0.0		2/1/2023 2:00	0.0	
2/1/2021 3:00	0.0		2/1/2022 3:00	0.0		2/1/2023 3:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/1/2021 4:00	0.0		2/1/2022 4:00	0.0		2/1/2023 4:00	0.0	
2/1/2021 5:00	0.0		2/1/2022 5:00	0.0		2/1/2023 5:00	0.0	
2/1/2021 6:00	0.0		2/1/2022 6:00	0.0		2/1/2023 6:00	0.0	
2/1/2021 7:00	0.0		2/1/2022 7:00	0.0		2/1/2023 7:00	0.0	
2/1/2021 8:00	0.0		2/1/2022 8:00	0.0		2/1/2023 8:00	0.0	
2/1/2021 9:00	0.0		2/1/2022 9:00	0.0		2/1/2023 9:00	0.0	
2/1/2021 10:00	0.0		2/1/2022 10:00	0.0		2/1/2023 10:00	0.0	
2/1/2021 11:00	0.0		2/1/2022 11:00	0.0		2/1/2023 11:00	0.0	
2/1/2021 12:00	0.0		2/1/2022 12:00	0.0		2/1/2023 12:00	0.0	
2/1/2021 13:00	0.0		2/1/2022 13:00	0.0		2/1/2023 13:00	0.0	
2/1/2021 14:00	0.0		2/1/2022 14:00	0.0		2/1/2023 14:00	0.0	
2/1/2021 15:00	0.0		2/1/2022 15:00	0.0		2/1/2023 15:00	0.0	
2/1/2021 16:00	0.0		2/1/2022 16:00	0.0		2/1/2023 16:00	0.0	
2/1/2021 17:00	0.0		2/1/2022 17:00	0.0		2/1/2023 17:00	0.0	
2/1/2021 18:00	0.0		2/1/2022 18:00	0.0		2/1/2023 18:00	0.0	
2/1/2021 19:00	3.3		2/1/2022 19:00	0.0		2/1/2023 19:00	0.0	
2/1/2021 20:00	0.0		2/1/2022 20:00	0.0		2/1/2023 20:00	0.0	
2/1/2021 21:00	0.0		2/1/2022 21:00	0.0		2/1/2023 21:00	0.0	
2/1/2021 22:00	0.0		2/1/2022 22:00	0.0		2/1/2023 22:00	0.0	
2/1/2021 23:00	0.0	3.3	2/1/2022 23:00	0.0	0.0	2/1/2023 23:00	0.0	0.0
2/2/2021 0:00	0.0		2/2/2022 0:00	0.0		2/2/2023 0:00	0.0	
2/2/2021 1:00	0.0		2/2/2022 1:00	0.0		2/2/2023 1:00	0.0	
2/2/2021 2:00	0.0		2/2/2022 2:00	0.0		2/2/2023 2:00	0.0	
2/2/2021 3:00	0.0		2/2/2022 3:00	0.0		2/2/2023 3:00	0.0	
2/2/2021 4:00	0.0		2/2/2022 4:00	0.0		2/2/2023 4:00	0.0	
2/2/2021 5:00	0.0		2/2/2022 5:00	0.0		2/2/2023 5:00	0.0	
2/2/2021 6:00	0.0		2/2/2022 6:00	0.0		2/2/2023 6:00	0.0	
2/2/2021 7:00	0.0		2/2/2022 7:00	0.0		2/2/2023 7:00	0.0	
2/2/2021 8:00	0.0		2/2/2022 8:00	0.0		2/2/2023 8:00	0.0	
2/2/2021 9:00	0.0		2/2/2022 9:00	0.0		2/2/2023 9:00	0.0	
2/2/2021 10:00	0.0		2/2/2022 10:00	0.0		2/2/2023 10:00	0.0	
2/2/2021 11:00	0.0		2/2/2022 11:00	0.0		2/2/2023 11:00	0.0	
2/2/2021 12:00	0.0		2/2/2022 12:00	0.0		2/2/2023 12:00	0.0	
2/2/2021 13:00	0.0		2/2/2022 13:00	0.0		2/2/2023 13:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/2/2021 14:00	0.0		2/2/2022 14:00	0.0		2/2/2023 14:00	0.0	
2/2/2021 15:00	0.0		2/2/2022 15:00	0.0		2/2/2023 15:00	0.0	
2/2/2021 16:00	0.0		2/2/2022 16:00	0.0		2/2/2023 16:00	0.0	
2/2/2021 17:00	0.0		2/2/2022 17:00	0.0		2/2/2023 17:00	0.0	
2/2/2021 18:00	0.0		2/2/2022 18:00	0.0		2/2/2023 18:00	0.0	
2/2/2021 19:00	0.0		2/2/2022 19:00	0.0		2/2/2023 19:00	0.0	
2/2/2021 20:00	0.0		2/2/2022 20:00	0.0		2/2/2023 20:00	0.0	
2/2/2021 21:00	0.0		2/2/2022 21:00	0.0		2/2/2023 21:00	0.0	
2/2/2021 22:00	0.0		2/2/2022 22:00	0.0		2/2/2023 22:00	0.0	
2/2/2021 23:00	0.0	0.0	2/2/2022 23:00	0.0	0.0	2/2/2023 23:00	0.0	0.0
2/3/2021 0:00	0.0		2/3/2022 0:00	0.0		2/3/2023 0:00	0.0	
2/3/2021 1:00	0.0		2/3/2022 1:00	0.0		2/3/2023 1:00	0.0	
2/3/2021 2:00	0.0		2/3/2022 2:00	118.2		2/3/2023 2:00	0.0	
2/3/2021 3:00	0.0		2/3/2022 3:00	137.9		2/3/2023 3:00	0.0	
2/3/2021 4:00	0.0		2/3/2022 4:00	303.4		2/3/2023 4:00	0.0	
2/3/2021 5:00	0.0		2/3/2022 5:00	268.8		2/3/2023 5:00	0.0	
2/3/2021 6:00	0.0		2/3/2022 6:00	251.4		2/3/2023 6:00	0.0	
2/3/2021 7:00	0.0		2/3/2022 7:00	444.4		2/3/2023 7:00	0.0	
2/3/2021 8:00	0.0		2/3/2022 8:00	565.3		2/3/2023 8:00	0.0	
2/3/2021 9:00	0.0		2/3/2022 9:00	537.6		2/3/2023 9:00	0.0	
2/3/2021 10:00	0.0		2/3/2022 10:00	522.2		2/3/2023 10:00	0.0	
2/3/2021 11:00	0.0		2/3/2022 11:00	498.0		2/3/2023 11:00	0.0	
2/3/2021 12:00	0.0		2/3/2022 12:00	442.1		2/3/2023 12:00	0.0	
2/3/2021 13:00	0.0		2/3/2022 13:00	238.7		2/3/2023 13:00	0.0	
2/3/2021 14:00	0.0		2/3/2022 14:00	90.6		2/3/2023 14:00	0.0	
2/3/2021 15:00	0.0		2/3/2022 15:00	250.7		2/3/2023 15:00	0.0	
2/3/2021 16:00	0.0		2/3/2022 16:00	394.6		2/3/2023 16:00	0.0	
2/3/2021 17:00	0.0		2/3/2022 17:00	430.1		2/3/2023 17:00	0.0	
2/3/2021 18:00	0.0		2/3/2022 18:00	84.0		2/3/2023 18:00	0.0	
2/3/2021 19:00	0.0		2/3/2022 19:00	68.9		2/3/2023 19:00	0.0	
2/3/2021 20:00	0.0		2/3/2022 20:00	276.1		2/3/2023 20:00	0.0	
2/3/2021 21:00	0.0		2/3/2022 21:00	71.8		2/3/2023 21:00	0.0	
2/3/2021 22:00	0.0		2/3/2022 22:00	141.5		2/3/2023 22:00	0.0	
2/3/2021 23:00	0.0	0.0	2/3/2022 23:00	62.2	565.3	2/3/2023 23:00	0.0	0.0

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/4/2021 0:00	0.0		2/4/2022 0:00	94.9		2/4/2023 0:00	0.0	
2/4/2021 1:00	0.0		2/4/2022 1:00	95.1		2/4/2023 1:00	0.0	
2/4/2021 2:00	0.0		2/4/2022 2:00	194.3		2/4/2023 2:00	0.0	
2/4/2021 3:00	0.0		2/4/2022 3:00	375.8		2/4/2023 3:00	0.0	
2/4/2021 4:00	0.0		2/4/2022 4:00	317.7		2/4/2023 4:00	0.0	
2/4/2021 5:00	0.0		2/4/2022 5:00	97.9		2/4/2023 5:00	0.0	
2/4/2021 6:00	0.0		2/4/2022 6:00	96.2		2/4/2023 6:00	0.0	
2/4/2021 7:00	0.0		2/4/2022 7:00	88.3		2/4/2023 7:00	0.0	
2/4/2021 8:00	0.0		2/4/2022 8:00	83.8		2/4/2023 8:00	0.0	
2/4/2021 9:00	0.0		2/4/2022 9:00	212.2		2/4/2023 9:00	0.0	
2/4/2021 10:00	0.0		2/4/2022 10:00	116.1		2/4/2023 10:00	0.0	
2/4/2021 11:00	0.0		2/4/2022 11:00	118.6		2/4/2023 11:00	0.0	
2/4/2021 12:00	0.0		2/4/2022 12:00	187.4		2/4/2023 12:00	0.0	
2/4/2021 13:00	0.0		2/4/2022 13:00	133.6		2/4/2023 13:00	0.0	
2/4/2021 14:00	0.0		2/4/2022 14:00	101.1		2/4/2023 14:00	0.0	
2/4/2021 15:00	0.0		2/4/2022 15:00	251.3		2/4/2023 15:00	0.0	
2/4/2021 16:00	0.0		2/4/2022 16:00	108.4		2/4/2023 16:00	0.0	
2/4/2021 17:00	0.0		2/4/2022 17:00	90.0		2/4/2023 17:00	0.0	
2/4/2021 18:00	0.0		2/4/2022 18:00	84.5		2/4/2023 18:00	0.0	
2/4/2021 19:00	0.0		2/4/2022 19:00	90.2		2/4/2023 19:00	0.0	
2/4/2021 20:00	0.0		2/4/2022 20:00	18.0		2/4/2023 20:00	0.0	
2/4/2021 21:00	0.0		2/4/2022 21:00	0.0		2/4/2023 21:00	0.0	
2/4/2021 22:00	0.0		2/4/2022 22:00	0.0		2/4/2023 22:00	0.0	
2/4/2021 23:00	0.0	0.0	2/4/2022 23:00	0.0	375.8	2/4/2023 23:00	0.0	0.0
2/5/2021 0:00	0.0		2/5/2022 0:00	0.0		2/5/2023 0:00	0.0	
2/5/2021 1:00	0.0		2/5/2022 1:00	0.0		2/5/2023 1:00	0.0	
2/5/2021 2:00	0.0		2/5/2022 2:00	0.0		2/5/2023 2:00	0.0	
2/5/2021 3:00	0.0		2/5/2022 3:00	0.0		2/5/2023 3:00	0.0	
2/5/2021 4:00	0.0		2/5/2022 4:00	0.0		2/5/2023 4:00	0.0	
2/5/2021 5:00	0.0		2/5/2022 5:00	0.0		2/5/2023 5:00	0.0	
2/5/2021 6:00	0.0		2/5/2022 6:00	0.0		2/5/2023 6:00	0.0	
2/5/2021 7:00	0.0		2/5/2022 7:00	0.0		2/5/2023 7:00	0.0	
2/5/2021 8:00	0.0		2/5/2022 8:00	0.0		2/5/2023 8:00	0.0	
2/5/2021 9:00	0.0		2/5/2022 9:00	0.0		2/5/2023 9:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/5/2021 10:00	0.0		2/5/2022 10:00	0.0		2/5/2023 10:00	0.0	
2/5/2021 11:00	0.0		2/5/2022 11:00	0.0		2/5/2023 11:00	0.0	
2/5/2021 12:00	0.0		2/5/2022 12:00	0.0		2/5/2023 12:00	0.0	
2/5/2021 13:00	0.0		2/5/2022 13:00	0.0		2/5/2023 13:00	0.0	
2/5/2021 14:00	0.0		2/5/2022 14:00	0.0		2/5/2023 14:00	0.0	
2/5/2021 15:00	0.0		2/5/2022 15:00	20.4		2/5/2023 15:00	0.0	
2/5/2021 16:00	0.0		2/5/2022 16:00	0.0		2/5/2023 16:00	0.0	
2/5/2021 17:00	0.0		2/5/2022 17:00	0.0		2/5/2023 17:00	0.0	
2/5/2021 18:00	0.0		2/5/2022 18:00	0.0		2/5/2023 18:00	0.0	
2/5/2021 19:00	0.0		2/5/2022 19:00	0.0		2/5/2023 19:00	0.0	
2/5/2021 20:00	0.0		2/5/2022 20:00	0.0		2/5/2023 20:00	0.0	
2/5/2021 21:00	0.0		2/5/2022 21:00	0.0		2/5/2023 21:00	0.0	
2/5/2021 22:00	0.0		2/5/2022 22:00	0.0		2/5/2023 22:00	0.0	
2/5/2021 23:00	0.0	0.0	2/5/2022 23:00	0.0	20.4	2/5/2023 23:00	0.0	0.0
2/6/2021 0:00	0.0		2/6/2022 0:00	0.0		2/6/2023 0:00	0.0	
2/6/2021 1:00	0.0		2/6/2022 1:00	0.0		2/6/2023 1:00	0.0	
2/6/2021 2:00	0.0		2/6/2022 2:00	0.0		2/6/2023 2:00	0.0	
2/6/2021 3:00	0.0		2/6/2022 3:00	0.0		2/6/2023 3:00	0.0	
2/6/2021 4:00	0.0		2/6/2022 4:00	0.0		2/6/2023 4:00	0.0	
2/6/2021 5:00	0.0		2/6/2022 5:00	0.0		2/6/2023 5:00	0.0	
2/6/2021 6:00	0.0		2/6/2022 6:00	0.0		2/6/2023 6:00	0.0	
2/6/2021 7:00	0.0		2/6/2022 7:00	0.0		2/6/2023 7:00	0.0	
2/6/2021 8:00	0.0		2/6/2022 8:00	0.0		2/6/2023 8:00	0.0	
2/6/2021 9:00	0.0		2/6/2022 9:00	0.0		2/6/2023 9:00	0.0	
2/6/2021 10:00	0.0		2/6/2022 10:00	0.0		2/6/2023 10:00	0.0	
2/6/2021 11:00	0.0		2/6/2022 11:00	0.0		2/6/2023 11:00	0.0	
2/6/2021 12:00	0.0		2/6/2022 12:00	0.0		2/6/2023 12:00	0.0	
2/6/2021 13:00	0.0		2/6/2022 13:00	0.0		2/6/2023 13:00	0.0	
2/6/2021 14:00	0.0		2/6/2022 14:00	0.0		2/6/2023 14:00	0.0	
2/6/2021 15:00	0.0		2/6/2022 15:00	0.0		2/6/2023 15:00	0.0	
2/6/2021 16:00	0.0		2/6/2022 16:00	0.0		2/6/2023 16:00	0.0	
2/6/2021 17:00	0.0		2/6/2022 17:00	0.0		2/6/2023 17:00	0.0	
2/6/2021 18:00	0.0		2/6/2022 18:00	0.0		2/6/2023 18:00	0.0	
2/6/2021 19:00	0.0		2/6/2022 19:00	0.0		2/6/2023 19:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/6/2021 20:00	0.0		2/6/2022 20:00	0.0		2/6/2023 20:00	0.0	
2/6/2021 21:00	0.0		2/6/2022 21:00	0.0		2/6/2023 21:00	0.0	
2/6/2021 22:00	0.0		2/6/2022 22:00	0.0		2/6/2023 22:00	0.0	
2/6/2021 23:00	0.0	0.0	2/6/2022 23:00	0.0	0.0	2/6/2023 23:00	0.0	0.0
2/7/2021 0:00	0.0		2/7/2022 0:00	0.0		2/7/2023 0:00	0.0	
2/7/2021 1:00	0.0		2/7/2022 1:00	0.0		2/7/2023 1:00	0.0	
2/7/2021 2:00	0.0		2/7/2022 2:00	0.0		2/7/2023 2:00	0.0	
2/7/2021 3:00	0.0		2/7/2022 3:00	0.0		2/7/2023 3:00	0.0	
2/7/2021 4:00	0.0		2/7/2022 4:00	0.0		2/7/2023 4:00	0.0	
2/7/2021 5:00	0.0		2/7/2022 5:00	0.0		2/7/2023 5:00	0.0	
2/7/2021 6:00	0.0		2/7/2022 6:00	0.0		2/7/2023 6:00	0.0	
2/7/2021 7:00	0.0		2/7/2022 7:00	0.0		2/7/2023 7:00	0.0	
2/7/2021 8:00	0.0		2/7/2022 8:00	0.0		2/7/2023 8:00	0.0	
2/7/2021 9:00	0.0		2/7/2022 9:00	0.0		2/7/2023 9:00	0.0	
2/7/2021 10:00	0.0		2/7/2022 10:00	0.0		2/7/2023 10:00	0.0	
2/7/2021 11:00	0.0		2/7/2022 11:00	0.0		2/7/2023 11:00	0.0	
2/7/2021 12:00	0.0		2/7/2022 12:00	0.0		2/7/2023 12:00	0.0	
2/7/2021 13:00	0.0		2/7/2022 13:00	0.0		2/7/2023 13:00	0.0	
2/7/2021 14:00	0.0		2/7/2022 14:00	0.0		2/7/2023 14:00	0.0	
2/7/2021 15:00	0.0		2/7/2022 15:00	0.0		2/7/2023 15:00	0.0	
2/7/2021 16:00	0.0		2/7/2022 16:00	0.0		2/7/2023 16:00	0.0	
2/7/2021 17:00	0.0		2/7/2022 17:00	0.0		2/7/2023 17:00	0.0	
2/7/2021 18:00	0.0		2/7/2022 18:00	0.0		2/7/2023 18:00	0.0	
2/7/2021 19:00	0.0		2/7/2022 19:00	0.0		2/7/2023 19:00	0.0	
2/7/2021 20:00	0.0		2/7/2022 20:00	0.0		2/7/2023 20:00	0.0	
2/7/2021 21:00	0.0		2/7/2022 21:00	0.0		2/7/2023 21:00	0.0	
2/7/2021 22:00	0.0		2/7/2022 22:00	0.0		2/7/2023 22:00	0.0	
2/7/2021 23:00	0.0	0.0	2/7/2022 23:00	0.0	0.0	2/7/2023 23:00	0.0	0.0
2/8/2021 0:00	0.0		2/8/2022 0:00	0.0		2/8/2023 0:00	0.0	
2/8/2021 1:00	0.0		2/8/2022 1:00	0.0		2/8/2023 1:00	0.0	
2/8/2021 2:00	0.0		2/8/2022 2:00	0.0		2/8/2023 2:00	0.0	
2/8/2021 3:00	0.0		2/8/2022 3:00	0.0		2/8/2023 3:00	0.0	
2/8/2021 4:00	0.0		2/8/2022 4:00	0.0		2/8/2023 4:00	0.0	
2/8/2021 5:00	0.0		2/8/2022 5:00	0.0		2/8/2023 5:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/8/2021 6:00	0.0		2/8/2022 6:00	0.0		2/8/2023 6:00	0.0	
2/8/2021 7:00	0.0		2/8/2022 7:00	0.0		2/8/2023 7:00	0.0	
2/8/2021 8:00	0.0		2/8/2022 8:00	0.0		2/8/2023 8:00	0.0	
2/8/2021 9:00	0.0		2/8/2022 9:00	0.0		2/8/2023 9:00	0.0	
2/8/2021 10:00	0.0		2/8/2022 10:00	0.0		2/8/2023 10:00	0.0	
2/8/2021 11:00	0.0		2/8/2022 11:00	1.6		2/8/2023 11:00	0.0	
2/8/2021 12:00	0.0		2/8/2022 12:00	4.0		2/8/2023 12:00	0.0	
2/8/2021 13:00	0.0		2/8/2022 13:00	4.1		2/8/2023 13:00	0.0	
2/8/2021 14:00	0.0		2/8/2022 14:00	0.0		2/8/2023 14:00	0.0	
2/8/2021 15:00	0.0		2/8/2022 15:00	0.0		2/8/2023 15:00	0.0	
2/8/2021 16:00	0.0		2/8/2022 16:00	0.0		2/8/2023 16:00	0.0	
2/8/2021 17:00	0.0		2/8/2022 17:00	0.0		2/8/2023 17:00	0.0	
2/8/2021 18:00	0.0		2/8/2022 18:00	0.0		2/8/2023 18:00	0.0	
2/8/2021 19:00	0.0		2/8/2022 19:00	3.9		2/8/2023 19:00	0.0	
2/8/2021 20:00	0.0		2/8/2022 20:00	0.0		2/8/2023 20:00	0.0	
2/8/2021 21:00	0.0		2/8/2022 21:00	0.5		2/8/2023 21:00	0.0	
2/8/2021 22:00	0.0		2/8/2022 22:00	8.0		2/8/2023 22:00	0.0	
2/8/2021 23:00	0.0	0.0	2/8/2022 23:00	8.0	8.0	2/8/2023 23:00	0.0	0.0
2/9/2021 0:00	0.0		2/9/2022 0:00	8.0		2/9/2023 0:00	0.0	
2/9/2021 1:00	0.0		2/9/2022 1:00	8.0		2/9/2023 1:00	0.0	
2/9/2021 2:00	0.0		2/9/2022 2:00	8.0		2/9/2023 2:00	0.0	
2/9/2021 3:00	0.0		2/9/2022 3:00	8.0		2/9/2023 3:00	0.0	
2/9/2021 4:00	0.0		2/9/2022 4:00	8.0		2/9/2023 4:00	0.0	
2/9/2021 5:00	0.0		2/9/2022 5:00	8.0		2/9/2023 5:00	0.0	
2/9/2021 6:00	0.0		2/9/2022 6:00	8.0		2/9/2023 6:00	0.0	
2/9/2021 7:00	0.0		2/9/2022 7:00	7.0		2/9/2023 7:00	0.0	
2/9/2021 8:00	0.0		2/9/2022 8:00	7.0		2/9/2023 8:00	0.0	
2/9/2021 9:00	0.0		2/9/2022 9:00	7.0		2/9/2023 9:00	0.0	
2/9/2021 10:00	0.0		2/9/2022 10:00	7.0		2/9/2023 10:00	0.0	
2/9/2021 11:00	0.0		2/9/2022 11:00	7.0		2/9/2023 11:00	0.0	
2/9/2021 12:00	0.0		2/9/2022 12:00	7.0		2/9/2023 12:00	0.0	
2/9/2021 13:00	0.0		2/9/2022 13:00	7.0		2/9/2023 13:00	0.0	
2/9/2021 14:00	0.0		2/9/2022 14:00	7.0		2/9/2023 14:00	0.0	
2/9/2021 15:00	0.0		2/9/2022 15:00	7.0		2/9/2023 15:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/9/2021 16:00	0.0		2/9/2022 16:00	7.0		2/9/2023 16:00	0.0	
2/9/2021 17:00	0.0		2/9/2022 17:00	7.0		2/9/2023 17:00	0.0	
2/9/2021 18:00	0.0		2/9/2022 18:00	7.0		2/9/2023 18:00	0.0	
2/9/2021 19:00	0.0		2/9/2022 19:00	7.0		2/9/2023 19:00	0.0	
2/9/2021 20:00	0.0		2/9/2022 20:00	7.0		2/9/2023 20:00	0.0	
2/9/2021 21:00	0.0		2/9/2022 21:00	7.0		2/9/2023 21:00	0.0	
2/9/2021 22:00	0.0		2/9/2022 22:00	7.0		2/9/2023 22:00	0.0	
2/9/2021 23:00	0.0	0.0	2/9/2022 23:00	7.0	8.0	2/9/2023 23:00	0.0	0.0
2/10/2021 0:00	0.0		2/10/2022 0:00	7.0		2/10/2023 0:00	0.0	
2/10/2021 1:00	0.0		2/10/2022 1:00	7.0		2/10/2023 1:00	0.0	
2/10/2021 2:00	0.0		2/10/2022 2:00	7.0		2/10/2023 2:00	0.0	
2/10/2021 3:00	0.0		2/10/2022 3:00	7.0		2/10/2023 3:00	0.0	
2/10/2021 4:00	0.0		2/10/2022 4:00	7.0		2/10/2023 4:00	0.0	
2/10/2021 5:00	0.0		2/10/2022 5:00	7.0		2/10/2023 5:00	0.0	
2/10/2021 6:00	0.0		2/10/2022 6:00	7.0		2/10/2023 6:00	0.0	
2/10/2021 7:00	0.0		2/10/2022 7:00	7.0		2/10/2023 7:00	0.0	
2/10/2021 8:00	0.0		2/10/2022 8:00	7.0		2/10/2023 8:00	0.0	
2/10/2021 9:00	0.0		2/10/2022 9:00	26.0		2/10/2023 9:00	0.0	
2/10/2021 10:00	0.0		2/10/2022 10:00	27.0		2/10/2023 10:00	0.0	
2/10/2021 11:00	0.0		2/10/2022 11:00	27.0		2/10/2023 11:00	0.0	
2/10/2021 12:00	0.0		2/10/2022 12:00	27.0		2/10/2023 12:00	0.0	
2/10/2021 13:00	0.0		2/10/2022 13:00	27.0		2/10/2023 13:00	0.0	
2/10/2021 14:00	0.0		2/10/2022 14:00	27.0		2/10/2023 14:00	0.0	
2/10/2021 15:00	0.0		2/10/2022 15:00	27.0		2/10/2023 15:00	0.0	
2/10/2021 16:00	0.0		2/10/2022 16:00	27.0		2/10/2023 16:00	0.0	
2/10/2021 17:00	0.0		2/10/2022 17:00	27.0		2/10/2023 17:00	0.0	
2/10/2021 18:00	0.0		2/10/2022 18:00	27.0		2/10/2023 18:00	0.0	
2/10/2021 19:00	0.0		2/10/2022 19:00	27.0		2/10/2023 19:00	0.0	
2/10/2021 20:00	0.0		2/10/2022 20:00	27.0		2/10/2023 20:00	0.0	
2/10/2021 21:00	0.0		2/10/2022 21:00	27.0		2/10/2023 21:00	0.0	
2/10/2021 22:00	0.0		2/10/2022 22:00	27.0		2/10/2023 22:00	0.0	
2/10/2021 23:00	0.0	0.0	2/10/2022 23:00	27.0	27.0	2/10/2023 23:00	0.0	0.0
2/11/2021 0:00	0.0		2/11/2022 0:00	27.0		2/11/2023 0:00	0.0	
2/11/2021 1:00	0.0		2/11/2022 1:00	27.0		2/11/2023 1:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/11/2021 2:00	0.0		2/11/2022 2:00	27.0		2/11/2023 2:00	0.0	
2/11/2021 3:00	0.0		2/11/2022 3:00	27.0		2/11/2023 3:00	0.0	
2/11/2021 4:00	0.0		2/11/2022 4:00	27.0		2/11/2023 4:00	0.0	
2/11/2021 5:00	0.0		2/11/2022 5:00	27.0		2/11/2023 5:00	0.0	
2/11/2021 6:00	0.0		2/11/2022 6:00	27.0		2/11/2023 6:00	0.0	
2/11/2021 7:00	0.0		2/11/2022 7:00	27.0		2/11/2023 7:00	0.0	
2/11/2021 8:00	0.0		2/11/2022 8:00	27.0		2/11/2023 8:00	0.0	
2/11/2021 9:00	0.0		2/11/2022 9:00	27.0		2/11/2023 9:00	0.0	
2/11/2021 10:00	0.0		2/11/2022 10:00	27.0		2/11/2023 10:00	0.0	
2/11/2021 11:00	0.0		2/11/2022 11:00	27.0		2/11/2023 11:00	0.0	
2/11/2021 12:00	0.0		2/11/2022 12:00	27.0		2/11/2023 12:00	0.0	
2/11/2021 13:00	0.0		2/11/2022 13:00	27.0		2/11/2023 13:00	0.0	
2/11/2021 14:00	0.0		2/11/2022 14:00	27.0		2/11/2023 14:00	0.0	
2/11/2021 15:00	0.0		2/11/2022 15:00	27.0		2/11/2023 15:00	0.0	
2/11/2021 16:00	0.0		2/11/2022 16:00	27.0		2/11/2023 16:00	0.0	
2/11/2021 17:00	0.0		2/11/2022 17:00	27.0		2/11/2023 17:00	0.0	
2/11/2021 18:00	0.0		2/11/2022 18:00	27.0		2/11/2023 18:00	0.0	
2/11/2021 19:00	0.0		2/11/2022 19:00	27.0		2/11/2023 19:00	0.0	
2/11/2021 20:00	0.0		2/11/2022 20:00	27.0		2/11/2023 20:00	0.0	
2/11/2021 21:00	0.0		2/11/2022 21:00	112.0		2/11/2023 21:00	0.0	
2/11/2021 22:00	0.0		2/11/2022 22:00	112.0		2/11/2023 22:00	0.0	
2/11/2021 23:00	0.0	0.0	2/11/2022 23:00	54.0	112.0	2/11/2023 23:00	0.0	0.0
2/12/2021 0:00	0.0		2/12/2022 0:00	0.0		2/12/2023 0:00	0.0	
2/12/2021 1:00	0.0		2/12/2022 1:00	0.0		2/12/2023 1:00	0.0	
2/12/2021 2:00	0.0		2/12/2022 2:00	0.0		2/12/2023 2:00	0.0	
2/12/2021 3:00	0.0		2/12/2022 3:00	0.0		2/12/2023 3:00	0.0	
2/12/2021 4:00	0.0		2/12/2022 4:00	0.0		2/12/2023 4:00	0.0	
2/12/2021 5:00	0.0		2/12/2022 5:00	0.0		2/12/2023 5:00	0.0	
2/12/2021 6:00	0.0		2/12/2022 6:00	0.0		2/12/2023 6:00	0.0	
2/12/2021 7:00	0.0		2/12/2022 7:00	0.0		2/12/2023 7:00	0.0	
2/12/2021 8:00	0.0		2/12/2022 8:00	0.0		2/12/2023 8:00	0.0	
2/12/2021 9:00	0.0		2/12/2022 9:00	0.0		2/12/2023 9:00	0.0	
2/12/2021 10:00	0.0		2/12/2022 10:00	0.0		2/12/2023 10:00	0.0	
2/12/2021 11:00	0.0		2/12/2022 11:00	0.0		2/12/2023 11:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/12/2021 12:00	0.0		2/12/2022 12:00	0.0		2/12/2023 12:00	0.0	
2/12/2021 13:00	0.0		2/12/2022 13:00	0.0		2/12/2023 13:00	0.0	
2/12/2021 14:00	0.0		2/12/2022 14:00	0.0		2/12/2023 14:00	0.0	
2/12/2021 15:00	0.0		2/12/2022 15:00	0.0		2/12/2023 15:00	0.0	
2/12/2021 16:00	0.0		2/12/2022 16:00	0.0		2/12/2023 16:00	0.0	
2/12/2021 17:00	0.0		2/12/2022 17:00	0.0		2/12/2023 17:00	0.0	
2/12/2021 18:00	0.0		2/12/2022 18:00	0.0		2/12/2023 18:00	0.0	
2/12/2021 19:00	0.0		2/12/2022 19:00	0.0		2/12/2023 19:00	0.0	
2/12/2021 20:00	0.0		2/12/2022 20:00	0.0		2/12/2023 20:00	0.0	
2/12/2021 21:00	0.0		2/12/2022 21:00	0.0		2/12/2023 21:00	0.0	
2/12/2021 22:00	0.0		2/12/2022 22:00	0.0		2/12/2023 22:00	0.0	
2/12/2021 23:00	0.0	0.0	2/12/2022 23:00	0.0	0.0	2/12/2023 23:00	0.0	0.0
2/13/2021 0:00	0.0		2/13/2022 0:00	0.0		2/13/2023 0:00	0.0	
2/13/2021 1:00	0.0		2/13/2022 1:00	0.0		2/13/2023 1:00	0.0	
2/13/2021 2:00	0.0		2/13/2022 2:00	0.0		2/13/2023 2:00	0.0	
2/13/2021 3:00	0.0		2/13/2022 3:00	0.0		2/13/2023 3:00	0.0	
2/13/2021 4:00	0.0		2/13/2022 4:00	0.0		2/13/2023 4:00	0.0	
2/13/2021 5:00	0.0		2/13/2022 5:00	0.0		2/13/2023 5:00	0.0	
2/13/2021 6:00	0.0		2/13/2022 6:00	0.0		2/13/2023 6:00	0.0	
2/13/2021 7:00	0.0		2/13/2022 7:00	0.0		2/13/2023 7:00	0.0	
2/13/2021 8:00	0.0		2/13/2022 8:00	0.0		2/13/2023 8:00	0.0	
2/13/2021 9:00	0.0		2/13/2022 9:00	0.0		2/13/2023 9:00	0.0	
2/13/2021 10:00	0.0		2/13/2022 10:00	0.0		2/13/2023 10:00	0.0	
2/13/2021 11:00	0.0		2/13/2022 11:00	0.0		2/13/2023 11:00	0.0	
2/13/2021 12:00	0.0		2/13/2022 12:00	0.0		2/13/2023 12:00	0.0	
2/13/2021 13:00	0.0		2/13/2022 13:00	0.0		2/13/2023 13:00	0.0	
2/13/2021 14:00	0.0		2/13/2022 14:00	0.0		2/13/2023 14:00	0.0	
2/13/2021 15:00	0.0		2/13/2022 15:00	0.0		2/13/2023 15:00	0.0	
2/13/2021 16:00	0.0		2/13/2022 16:00	0.0		2/13/2023 16:00	0.0	
2/13/2021 17:00	0.0		2/13/2022 17:00	0.0		2/13/2023 17:00	0.0	
2/13/2021 18:00	0.0		2/13/2022 18:00	0.0		2/13/2023 18:00	0.0	
2/13/2021 19:00	0.0		2/13/2022 19:00	0.0		2/13/2023 19:00	0.0	
2/13/2021 20:00	0.0		2/13/2022 20:00	0.0		2/13/2023 20:00	0.0	
2/13/2021 21:00	0.0		2/13/2022 21:00	0.0		2/13/2023 21:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/13/2021 22:00	0.0		2/13/2022 22:00	0.0		2/13/2023 22:00	0.0	
2/13/2021 23:00	0.0	0.0	2/13/2022 23:00	0.0	0.0	2/13/2023 23:00	0.0	0.0
2/14/2021 0:00	0.0		2/14/2022 0:00	0.0		2/14/2023 0:00	0.0	
2/14/2021 1:00	0.0		2/14/2022 1:00	0.0		2/14/2023 1:00	0.0	
2/14/2021 2:00	0.0		2/14/2022 2:00	0.0		2/14/2023 2:00	0.0	
2/14/2021 3:00	0.0		2/14/2022 3:00	0.0		2/14/2023 3:00	0.0	
2/14/2021 4:00	0.0		2/14/2022 4:00	0.0		2/14/2023 4:00	0.0	
2/14/2021 5:00	0.0		2/14/2022 5:00	0.0		2/14/2023 5:00	0.0	
2/14/2021 6:00	0.0		2/14/2022 6:00	0.0		2/14/2023 6:00	0.0	
2/14/2021 7:00	0.0		2/14/2022 7:00	0.0		2/14/2023 7:00	0.0	
2/14/2021 8:00	0.0		2/14/2022 8:00	0.0		2/14/2023 8:00	0.0	
2/14/2021 9:00	0.0		2/14/2022 9:00	0.0		2/14/2023 9:00	0.0	
2/14/2021 10:00	0.0		2/14/2022 10:00	0.0		2/14/2023 10:00	0.0	
2/14/2021 11:00	0.0		2/14/2022 11:00	0.0		2/14/2023 11:00	0.0	
2/14/2021 12:00	0.0		2/14/2022 12:00	0.0		2/14/2023 12:00	0.0	
2/14/2021 13:00	0.0		2/14/2022 13:00	0.0		2/14/2023 13:00	0.0	
2/14/2021 14:00	0.0		2/14/2022 14:00	0.0		2/14/2023 14:00	0.0	
2/14/2021 15:00	0.0		2/14/2022 15:00	0.0		2/14/2023 15:00	0.0	
2/14/2021 16:00	0.0		2/14/2022 16:00	0.0		2/14/2023 16:00	0.0	
2/14/2021 17:00	0.0		2/14/2022 17:00	0.0		2/14/2023 17:00	0.0	
2/14/2021 18:00	0.0		2/14/2022 18:00	0.0		2/14/2023 18:00	0.0	
2/14/2021 19:00	0.0		2/14/2022 19:00	0.0		2/14/2023 19:00	0.0	
2/14/2021 20:00	0.0		2/14/2022 20:00	0.0		2/14/2023 20:00	0.0	
2/14/2021 21:00	0.0		2/14/2022 21:00	0.0		2/14/2023 21:00	0.0	
2/14/2021 22:00	0.0		2/14/2022 22:00	0.0		2/14/2023 22:00	0.0	
2/14/2021 23:00	0.0	0.0	2/14/2022 23:00	0.0	0.0	2/14/2023 23:00	0.0	0.0
2/15/2021 0:00	0.0		2/15/2022 0:00	0.0		2/15/2023 0:00	0.0	
2/15/2021 1:00	0.0		2/15/2022 1:00	0.0		2/15/2023 1:00	0.0	
2/15/2021 2:00	0.0		2/15/2022 2:00	0.0		2/15/2023 2:00	0.0	
2/15/2021 3:00	0.0		2/15/2022 3:00	0.0		2/15/2023 3:00	0.0	
2/15/2021 4:00	0.0		2/15/2022 4:00	0.0		2/15/2023 4:00	0.0	
2/15/2021 5:00	0.0		2/15/2022 5:00	0.0		2/15/2023 5:00	0.0	
2/15/2021 6:00	0.0		2/15/2022 6:00	0.0		2/15/2023 6:00	0.0	
2/15/2021 7:00	0.0		2/15/2022 7:00	0.0		2/15/2023 7:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/15/2021 8:00	0.0		2/15/2022 8:00	0.0		2/15/2023 8:00	0.0	
2/15/2021 9:00	0.0		2/15/2022 9:00	0.0		2/15/2023 9:00	0.0	
2/15/2021 10:00	0.0		2/15/2022 10:00	0.0		2/15/2023 10:00	0.0	
2/15/2021 11:00	0.0		2/15/2022 11:00	0.0		2/15/2023 11:00	0.0	
2/15/2021 12:00	0.0		2/15/2022 12:00	0.0		2/15/2023 12:00	0.0	
2/15/2021 13:00	0.0		2/15/2022 13:00	0.0		2/15/2023 13:00	0.0	
2/15/2021 14:00	0.0		2/15/2022 14:00	0.0		2/15/2023 14:00	0.0	
2/15/2021 15:00	0.0		2/15/2022 15:00	0.0		2/15/2023 15:00	0.0	
2/15/2021 16:00	0.0		2/15/2022 16:00	0.0		2/15/2023 16:00	0.0	
2/15/2021 17:00	0.0		2/15/2022 17:00	0.0		2/15/2023 17:00	0.0	
2/15/2021 18:00	0.0		2/15/2022 18:00	0.0		2/15/2023 18:00	0.0	
2/15/2021 19:00	0.0		2/15/2022 19:00	0.0		2/15/2023 19:00	0.0	
2/15/2021 20:00	0.0		2/15/2022 20:00	0.0		2/15/2023 20:00	0.0	
2/15/2021 21:00	0.0		2/15/2022 21:00	0.0		2/15/2023 21:00	0.0	
2/15/2021 22:00	0.0		2/15/2022 22:00	0.0		2/15/2023 22:00	0.0	
2/15/2021 23:00	0.0	0.0	2/15/2022 23:00	0.0	0.0	2/15/2023 23:00	0.0	0.0
2/16/2021 0:00	0.0		2/16/2022 0:00	0.0		2/16/2023 0:00	0.0	
2/16/2021 1:00	0.0		2/16/2022 1:00	0.0		2/16/2023 1:00	0.0	
2/16/2021 2:00	0.0		2/16/2022 2:00	0.0		2/16/2023 2:00	0.0	
2/16/2021 3:00	0.0		2/16/2022 3:00	0.0		2/16/2023 3:00	0.0	
2/16/2021 4:00	0.0		2/16/2022 4:00	0.0		2/16/2023 4:00	0.0	
2/16/2021 5:00	0.0		2/16/2022 5:00	0.0		2/16/2023 5:00	0.0	
2/16/2021 6:00	0.0		2/16/2022 6:00	0.0		2/16/2023 6:00	0.0	
2/16/2021 7:00	0.0		2/16/2022 7:00	0.0		2/16/2023 7:00	0.0	
2/16/2021 8:00	0.0		2/16/2022 8:00	0.0		2/16/2023 8:00	0.0	
2/16/2021 9:00	0.0		2/16/2022 9:00	0.0		2/16/2023 9:00	0.0	
2/16/2021 10:00	0.0		2/16/2022 10:00	0.0		2/16/2023 10:00	0.0	
2/16/2021 11:00	0.0		2/16/2022 11:00	0.0		2/16/2023 11:00	0.0	
2/16/2021 12:00	0.0		2/16/2022 12:00	0.0		2/16/2023 12:00	0.0	
2/16/2021 13:00	0.0		2/16/2022 13:00	0.9		2/16/2023 13:00	0.0	
2/16/2021 14:00	0.0		2/16/2022 14:00	0.0		2/16/2023 14:00	0.0	
2/16/2021 15:00	0.0		2/16/2022 15:00	0.0		2/16/2023 15:00	0.0	
2/16/2021 16:00	0.0		2/16/2022 16:00	0.0		2/16/2023 16:00	0.0	
2/16/2021 17:00	0.0		2/16/2022 17:00	0.0		2/16/2023 17:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/16/2021 18:00	0.0		2/16/2022 18:00	0.0		2/16/2023 18:00	0.0	
2/16/2021 19:00	0.0		2/16/2022 19:00	0.0		2/16/2023 19:00	0.0	
2/16/2021 20:00	0.0		2/16/2022 20:00	0.0		2/16/2023 20:00	0.0	
2/16/2021 21:00	0.0		2/16/2022 21:00	0.0		2/16/2023 21:00	0.0	
2/16/2021 22:00	0.0		2/16/2022 22:00	0.0		2/16/2023 22:00	0.0	
2/16/2021 23:00	0.0	0.0	2/16/2022 23:00	0.0	0.9	2/16/2023 23:00	0.0	0.0
2/17/2021 0:00	0.0		2/17/2022 0:00	0.0		2/17/2023 0:00	0.0	
2/17/2021 1:00	0.0		2/17/2022 1:00	0.0		2/17/2023 1:00	0.0	
2/17/2021 2:00	0.0		2/17/2022 2:00	0.0		2/17/2023 2:00	0.0	
2/17/2021 3:00	0.0		2/17/2022 3:00	0.0		2/17/2023 3:00	0.0	
2/17/2021 4:00	0.0		2/17/2022 4:00	0.0		2/17/2023 4:00	0.0	
2/17/2021 5:00	0.0		2/17/2022 5:00	0.0		2/17/2023 5:00	0.0	
2/17/2021 6:00	0.0		2/17/2022 6:00	0.0		2/17/2023 6:00	0.0	
2/17/2021 7:00	0.0		2/17/2022 7:00	0.0		2/17/2023 7:00	0.0	
2/17/2021 8:00	0.0		2/17/2022 8:00	0.0		2/17/2023 8:00	0.0	
2/17/2021 9:00	0.0		2/17/2022 9:00	0.0		2/17/2023 9:00	0.0	
2/17/2021 10:00	0.0		2/17/2022 10:00	0.0		2/17/2023 10:00	0.0	
2/17/2021 11:00	0.0		2/17/2022 11:00	0.0		2/17/2023 11:00	0.0	
2/17/2021 12:00	417.9		2/17/2022 12:00	0.0		2/17/2023 12:00	0.0	
2/17/2021 13:00	3707.2		2/17/2022 13:00	0.0		2/17/2023 13:00	0.0	
2/17/2021 14:00	1441.4		2/17/2022 14:00	0.0		2/17/2023 14:00	0.0	
2/17/2021 15:00	12.7		2/17/2022 15:00	0.0		2/17/2023 15:00	0.0	
2/17/2021 16:00	0.0		2/17/2022 16:00	0.0		2/17/2023 16:00	0.0	
2/17/2021 17:00	0.0		2/17/2022 17:00	0.0		2/17/2023 17:00	0.0	
2/17/2021 18:00	0.0		2/17/2022 18:00	0.0		2/17/2023 18:00	0.0	
2/17/2021 19:00	0.0		2/17/2022 19:00	0.0		2/17/2023 19:00	0.0	
2/17/2021 20:00	0.0		2/17/2022 20:00	0.0		2/17/2023 20:00	0.0	
2/17/2021 21:00	0.0		2/17/2022 21:00	0.0		2/17/2023 21:00	0.0	
2/17/2021 22:00	0.0		2/17/2022 22:00	0.0		2/17/2023 22:00	0.0	
2/17/2021 23:00	0.0	3707.2	2/17/2022 23:00	0.0	0.0	2/17/2023 23:00	0.0	0.0
2/18/2021 0:00	0.0		2/18/2022 0:00	0.0		2/18/2023 0:00	0.0	
2/18/2021 1:00	0.0		2/18/2022 1:00	0.0		2/18/2023 1:00	0.0	
2/18/2021 2:00	0.0		2/18/2022 2:00	0.0		2/18/2023 2:00	0.0	
2/18/2021 3:00	0.0		2/18/2022 3:00	0.0		2/18/2023 3:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/18/2021 4:00	0.0		2/18/2022 4:00	0.0		2/18/2023 4:00	0.0	
2/18/2021 5:00	0.0		2/18/2022 5:00	0.0		2/18/2023 5:00	0.0	
2/18/2021 6:00	0.0		2/18/2022 6:00	0.0		2/18/2023 6:00	0.0	
2/18/2021 7:00	0.0		2/18/2022 7:00	0.0		2/18/2023 7:00	0.0	
2/18/2021 8:00	0.0		2/18/2022 8:00	0.0		2/18/2023 8:00	0.0	
2/18/2021 9:00	0.0		2/18/2022 9:00	0.0		2/18/2023 9:00	0.0	
2/18/2021 10:00	0.0		2/18/2022 10:00	0.0		2/18/2023 10:00	0.0	
2/18/2021 11:00	0.0		2/18/2022 11:00	0.0		2/18/2023 11:00	0.0	
2/18/2021 12:00	0.0		2/18/2022 12:00	0.0		2/18/2023 12:00	0.0	
2/18/2021 13:00	0.0		2/18/2022 13:00	0.0		2/18/2023 13:00	0.0	
2/18/2021 14:00	0.0		2/18/2022 14:00	0.0		2/18/2023 14:00	0.0	
2/18/2021 15:00	0.0		2/18/2022 15:00	0.0		2/18/2023 15:00	0.0	
2/18/2021 16:00	0.0		2/18/2022 16:00	0.0		2/18/2023 16:00	0.0	
2/18/2021 17:00	0.0		2/18/2022 17:00	0.0		2/18/2023 17:00	0.0	
2/18/2021 18:00	0.0		2/18/2022 18:00	0.0		2/18/2023 18:00	0.0	
2/18/2021 19:00	0.0		2/18/2022 19:00	0.0		2/18/2023 19:00	0.0	
2/18/2021 20:00	0.0		2/18/2022 20:00	0.0		2/18/2023 20:00	0.0	
2/18/2021 21:00	0.0		2/18/2022 21:00	0.0		2/18/2023 21:00	0.0	
2/18/2021 22:00	0.0		2/18/2022 22:00	0.0		2/18/2023 22:00	0.0	
2/18/2021 23:00	0.0	0.0	2/18/2022 23:00	0.0	0.0	2/18/2023 23:00	0.0	0.0
2/19/2021 0:00	0.0		2/19/2022 0:00	0.0		2/19/2023 0:00	0.0	
2/19/2021 1:00	0.0		2/19/2022 1:00	0.0		2/19/2023 1:00	0.0	
2/19/2021 2:00	0.0		2/19/2022 2:00	0.0		2/19/2023 2:00	0.0	
2/19/2021 3:00	0.0		2/19/2022 3:00	0.0		2/19/2023 3:00	0.0	
2/19/2021 4:00	0.0		2/19/2022 4:00	0.0		2/19/2023 4:00	0.0	
2/19/2021 5:00	0.0		2/19/2022 5:00	0.0		2/19/2023 5:00	0.0	
2/19/2021 6:00	0.0		2/19/2022 6:00	0.0		2/19/2023 6:00	0.0	
2/19/2021 7:00	0.0		2/19/2022 7:00	0.0		2/19/2023 7:00	0.0	
2/19/2021 8:00	0.0		2/19/2022 8:00	0.0		2/19/2023 8:00	0.0	
2/19/2021 9:00	0.0		2/19/2022 9:00	0.0		2/19/2023 9:00	0.0	
2/19/2021 10:00	0.0		2/19/2022 10:00	0.0		2/19/2023 10:00	0.0	
2/19/2021 11:00	0.0		2/19/2022 11:00	0.0		2/19/2023 11:00	0.0	
2/19/2021 12:00	0.0		2/19/2022 12:00	0.0		2/19/2023 12:00	0.0	
2/19/2021 13:00	0.0		2/19/2022 13:00	0.0		2/19/2023 13:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/19/2021 14:00	0.0		2/19/2022 14:00	0.0		2/19/2023 14:00	0.0	
2/19/2021 15:00	0.0		2/19/2022 15:00	0.0		2/19/2023 15:00	0.0	
2/19/2021 16:00	0.0		2/19/2022 16:00	0.0		2/19/2023 16:00	0.0	
2/19/2021 17:00	0.0		2/19/2022 17:00	0.0		2/19/2023 17:00	0.0	
2/19/2021 18:00	0.0		2/19/2022 18:00	0.0		2/19/2023 18:00	0.0	
2/19/2021 19:00	0.0		2/19/2022 19:00	0.0		2/19/2023 19:00	0.0	
2/19/2021 20:00	0.0		2/19/2022 20:00	0.0		2/19/2023 20:00	0.0	
2/19/2021 21:00	0.0		2/19/2022 21:00	0.0		2/19/2023 21:00	0.0	
2/19/2021 22:00	0.0		2/19/2022 22:00	0.0		2/19/2023 22:00	0.0	
2/19/2021 23:00	0.0	0.0	2/19/2022 23:00	0.0	0.0	2/19/2023 23:00	0.0	0.0
2/20/2021 0:00	0.0		2/20/2022 0:00	0.0		2/20/2023 0:00	0.0	
2/20/2021 1:00	0.0		2/20/2022 1:00	0.0		2/20/2023 1:00	0.0	
2/20/2021 2:00	0.0		2/20/2022 2:00	0.0		2/20/2023 2:00	0.0	
2/20/2021 3:00	0.0		2/20/2022 3:00	0.0		2/20/2023 3:00	0.0	
2/20/2021 4:00	0.0		2/20/2022 4:00	0.0		2/20/2023 4:00	0.0	
2/20/2021 5:00	0.0		2/20/2022 5:00	0.0		2/20/2023 5:00	0.0	
2/20/2021 6:00	0.0		2/20/2022 6:00	0.0		2/20/2023 6:00	0.0	
2/20/2021 7:00	0.0		2/20/2022 7:00	0.0		2/20/2023 7:00	0.0	
2/20/2021 8:00	0.0		2/20/2022 8:00	0.0		2/20/2023 8:00	0.0	
2/20/2021 9:00	0.0		2/20/2022 9:00	0.0		2/20/2023 9:00	0.0	
2/20/2021 10:00	0.0		2/20/2022 10:00	0.0		2/20/2023 10:00	0.0	
2/20/2021 11:00	0.0		2/20/2022 11:00	0.0		2/20/2023 11:00	0.0	
2/20/2021 12:00	0.0		2/20/2022 12:00	0.0		2/20/2023 12:00	0.0	
2/20/2021 13:00	0.0		2/20/2022 13:00	0.0		2/20/2023 13:00	0.0	
2/20/2021 14:00	0.0		2/20/2022 14:00	0.0		2/20/2023 14:00	0.0	
2/20/2021 15:00	0.0		2/20/2022 15:00	0.0		2/20/2023 15:00	0.0	
2/20/2021 16:00	0.0		2/20/2022 16:00	0.0		2/20/2023 16:00	0.0	
2/20/2021 17:00	0.0		2/20/2022 17:00	0.0		2/20/2023 17:00	0.0	
2/20/2021 18:00	0.0		2/20/2022 18:00	0.0		2/20/2023 18:00	0.0	
2/20/2021 19:00	0.0		2/20/2022 19:00	0.0		2/20/2023 19:00	0.0	
2/20/2021 20:00	0.0		2/20/2022 20:00	0.0		2/20/2023 20:00	0.0	
2/20/2021 21:00	0.0		2/20/2022 21:00	0.0		2/20/2023 21:00	0.0	
2/20/2021 22:00	0.0		2/20/2022 22:00	0.0		2/20/2023 22:00	0.0	
2/20/2021 23:00	0.0	0.0	2/20/2022 23:00	0.0	0.0	2/20/2023 23:00	0.0	0.0

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/21/2021 0:00	0.0		2/21/2022 0:00	0.0		2/21/2023 0:00	0.0	
2/21/2021 1:00	0.0		2/21/2022 1:00	0.0		2/21/2023 1:00	0.0	
2/21/2021 2:00	0.0		2/21/2022 2:00	0.0		2/21/2023 2:00	0.0	
2/21/2021 3:00	0.0		2/21/2022 3:00	0.0		2/21/2023 3:00	0.0	
2/21/2021 4:00	0.0		2/21/2022 4:00	0.0		2/21/2023 4:00	0.0	
2/21/2021 5:00	0.0		2/21/2022 5:00	0.0		2/21/2023 5:00	0.0	
2/21/2021 6:00	0.0		2/21/2022 6:00	0.0		2/21/2023 6:00	0.0	
2/21/2021 7:00	0.0		2/21/2022 7:00	0.0		2/21/2023 7:00	0.0	
2/21/2021 8:00	0.0		2/21/2022 8:00	0.0		2/21/2023 8:00	0.0	
2/21/2021 9:00	0.0		2/21/2022 9:00	0.0		2/21/2023 9:00	0.0	
2/21/2021 10:00	0.0		2/21/2022 10:00	0.0		2/21/2023 10:00	0.0	
2/21/2021 11:00	0.0		2/21/2022 11:00	0.0		2/21/2023 11:00	0.0	
2/21/2021 12:00	0.0		2/21/2022 12:00	0.0		2/21/2023 12:00	0.0	
2/21/2021 13:00	0.0		2/21/2022 13:00	0.0		2/21/2023 13:00	0.0	
2/21/2021 14:00	0.0		2/21/2022 14:00	0.0		2/21/2023 14:00	0.0	
2/21/2021 15:00	0.0		2/21/2022 15:00	0.0		2/21/2023 15:00	0.0	
2/21/2021 16:00	0.0		2/21/2022 16:00	0.0		2/21/2023 16:00	0.0	
2/21/2021 17:00	0.0		2/21/2022 17:00	0.0		2/21/2023 17:00	0.0	
2/21/2021 18:00	0.0		2/21/2022 18:00	0.0		2/21/2023 18:00	0.0	
2/21/2021 19:00	0.0		2/21/2022 19:00	0.0		2/21/2023 19:00	0.0	
2/21/2021 20:00	0.0		2/21/2022 20:00	0.0		2/21/2023 20:00	0.0	
2/21/2021 21:00	0.0		2/21/2022 21:00	0.0		2/21/2023 21:00	0.0	
2/21/2021 22:00	0.0		2/21/2022 22:00	0.0		2/21/2023 22:00	0.0	
2/21/2021 23:00	0.0	0.0	2/21/2022 23:00	0.0	0.0	2/21/2023 23:00	0.0	0.0
2/22/2021 0:00	0.0		2/22/2022 0:00	0.0		2/22/2023 0:00	0.0	
2/22/2021 1:00	0.0		2/22/2022 1:00	0.0		2/22/2023 1:00	0.0	
2/22/2021 2:00	0.0		2/22/2022 2:00	0.0		2/22/2023 2:00	0.0	
2/22/2021 3:00	0.0		2/22/2022 3:00	0.0		2/22/2023 3:00	0.0	
2/22/2021 4:00	0.0		2/22/2022 4:00	0.0		2/22/2023 4:00	0.0	
2/22/2021 5:00	0.0		2/22/2022 5:00	0.0		2/22/2023 5:00	0.0	
2/22/2021 6:00	0.0		2/22/2022 6:00	0.0		2/22/2023 6:00	0.0	
2/22/2021 7:00	0.0		2/22/2022 7:00	0.0		2/22/2023 7:00	0.0	
2/22/2021 8:00	0.0		2/22/2022 8:00	0.0		2/22/2023 8:00	0.0	
2/22/2021 9:00	0.0		2/22/2022 9:00	0.0		2/22/2023 9:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/22/2021 10:00	0.0		2/22/2022 10:00	0.0		2/22/2023 10:00	0.0	
2/22/2021 11:00	0.0		2/22/2022 11:00	0.0		2/22/2023 11:00	0.0	
2/22/2021 12:00	0.0		2/22/2022 12:00	0.0		2/22/2023 12:00	0.0	
2/22/2021 13:00	0.0		2/22/2022 13:00	0.0		2/22/2023 13:00	0.0	
2/22/2021 14:00	0.0		2/22/2022 14:00	0.0		2/22/2023 14:00	0.0	
2/22/2021 15:00	0.0		2/22/2022 15:00	0.0		2/22/2023 15:00	0.0	
2/22/2021 16:00	0.0		2/22/2022 16:00	0.0		2/22/2023 16:00	0.0	
2/22/2021 17:00	0.0		2/22/2022 17:00	0.0		2/22/2023 17:00	0.0	
2/22/2021 18:00	0.0		2/22/2022 18:00	0.0		2/22/2023 18:00	0.0	
2/22/2021 19:00	0.0		2/22/2022 19:00	0.0		2/22/2023 19:00	0.0	
2/22/2021 20:00	0.0		2/22/2022 20:00	0.0		2/22/2023 20:00	0.0	
2/22/2021 21:00	0.0		2/22/2022 21:00	0.0		2/22/2023 21:00	0.0	
2/22/2021 22:00	0.0		2/22/2022 22:00	0.0		2/22/2023 22:00	0.0	
2/22/2021 23:00	0.0	0.0	2/22/2022 23:00	0.0	0.0	2/22/2023 23:00	0.0	0.0
2/23/2021 0:00	0.0		2/23/2022 0:00	0.0		2/23/2023 0:00	0.0	
2/23/2021 1:00	0.0		2/23/2022 1:00	0.0		2/23/2023 1:00	0.0	
2/23/2021 2:00	0.0		2/23/2022 2:00	0.0		2/23/2023 2:00	0.0	
2/23/2021 3:00	0.0		2/23/2022 3:00	0.0		2/23/2023 3:00	0.0	
2/23/2021 4:00	0.0		2/23/2022 4:00	0.0		2/23/2023 4:00	0.0	
2/23/2021 5:00	0.0		2/23/2022 5:00	0.0		2/23/2023 5:00	0.0	
2/23/2021 6:00	0.0		2/23/2022 6:00	0.0		2/23/2023 6:00	0.0	
2/23/2021 7:00	0.0		2/23/2022 7:00	0.0		2/23/2023 7:00	0.0	
2/23/2021 8:00	0.0		2/23/2022 8:00	0.0		2/23/2023 8:00	0.0	
2/23/2021 9:00	0.0		2/23/2022 9:00	0.0		2/23/2023 9:00	0.0	
2/23/2021 10:00	0.0		2/23/2022 10:00	0.0		2/23/2023 10:00	0.0	
2/23/2021 11:00	0.0		2/23/2022 11:00	0.0		2/23/2023 11:00	0.0	
2/23/2021 12:00	0.0		2/23/2022 12:00	0.0		2/23/2023 12:00	0.0	
2/23/2021 13:00	0.0		2/23/2022 13:00	0.0		2/23/2023 13:00	0.0	
2/23/2021 14:00	0.0		2/23/2022 14:00	0.0		2/23/2023 14:00	0.0	
2/23/2021 15:00	0.0		2/23/2022 15:00	0.0		2/23/2023 15:00	0.0	
2/23/2021 16:00	0.0		2/23/2022 16:00	0.0		2/23/2023 16:00	0.0	
2/23/2021 17:00	0.0		2/23/2022 17:00	0.0		2/23/2023 17:00	0.0	
2/23/2021 18:00	0.0		2/23/2022 18:00	0.0		2/23/2023 18:00	0.0	
2/23/2021 19:00	0.0		2/23/2022 19:00	0.0		2/23/2023 19:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/23/2021 20:00	0.0		2/23/2022 20:00	0.0		2/23/2023 20:00	0.0	
2/23/2021 21:00	0.0		2/23/2022 21:00	0.0		2/23/2023 21:00	0.0	
2/23/2021 22:00	0.0		2/23/2022 22:00	0.0		2/23/2023 22:00	0.0	
2/23/2021 23:00	0.0	0.0	2/23/2022 23:00	0.0	0.0	2/23/2023 23:00	0.0	0.0
2/24/2021 0:00	0.0		2/24/2022 0:00	0.0		2/24/2023 0:00	0.0	
2/24/2021 1:00	0.0		2/24/2022 1:00	0.0		2/24/2023 1:00	0.0	
2/24/2021 2:00	0.0		2/24/2022 2:00	0.0		2/24/2023 2:00	0.0	
2/24/2021 3:00	0.0		2/24/2022 3:00	0.0		2/24/2023 3:00	0.0	
2/24/2021 4:00	0.0		2/24/2022 4:00	0.0		2/24/2023 4:00	0.0	
2/24/2021 5:00	0.0		2/24/2022 5:00	0.0		2/24/2023 5:00	0.0	
2/24/2021 6:00	0.0		2/24/2022 6:00	0.0		2/24/2023 6:00	0.0	
2/24/2021 7:00	0.0		2/24/2022 7:00	0.0		2/24/2023 7:00	0.0	
2/24/2021 8:00	0.0		2/24/2022 8:00	0.0		2/24/2023 8:00	0.0	
2/24/2021 9:00	0.0		2/24/2022 9:00	0.0		2/24/2023 9:00	0.0	
2/24/2021 10:00	0.0		2/24/2022 10:00	0.0		2/24/2023 10:00	0.0	
2/24/2021 11:00	0.0		2/24/2022 11:00	0.0		2/24/2023 11:00	0.0	
2/24/2021 12:00	0.0		2/24/2022 12:00	0.0		2/24/2023 12:00	0.0	
2/24/2021 13:00	0.0		2/24/2022 13:00	0.0		2/24/2023 13:00	0.0	
2/24/2021 14:00	0.0		2/24/2022 14:00	0.0		2/24/2023 14:00	0.0	
2/24/2021 15:00	0.0		2/24/2022 15:00	0.0		2/24/2023 15:00	0.0	
2/24/2021 16:00	0.0		2/24/2022 16:00	0.0		2/24/2023 16:00	0.0	
2/24/2021 17:00	0.0		2/24/2022 17:00	0.0		2/24/2023 17:00	0.0	
2/24/2021 18:00	0.0		2/24/2022 18:00	0.0		2/24/2023 18:00	0.0	
2/24/2021 19:00	0.0		2/24/2022 19:00	0.0		2/24/2023 19:00	0.0	
2/24/2021 20:00	0.0		2/24/2022 20:00	0.0		2/24/2023 20:00	0.0	
2/24/2021 21:00	0.0		2/24/2022 21:00	0.0		2/24/2023 21:00	0.0	
2/24/2021 22:00	0.0		2/24/2022 22:00	0.0		2/24/2023 22:00	0.0	
2/24/2021 23:00	0.0	0.0	2/24/2022 23:00	0.0	0.0	2/24/2023 23:00	0.0	0.0
2/25/2021 0:00	87.2		2/25/2022 0:00	0.0		2/25/2023 0:00	0.0	
2/25/2021 1:00	0.0		2/25/2022 1:00	0.0		2/25/2023 1:00	0.0	
2/25/2021 2:00	0.0		2/25/2022 2:00	0.0		2/25/2023 2:00	0.0	
2/25/2021 3:00	0.0		2/25/2022 3:00	0.0		2/25/2023 3:00	0.0	
2/25/2021 4:00	0.0		2/25/2022 4:00	0.0		2/25/2023 4:00	0.0	
2/25/2021 5:00	0.0		2/25/2022 5:00	0.0		2/25/2023 5:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/25/2021 6:00	0.0		2/25/2022 6:00	0.0		2/25/2023 6:00	0.0	
2/25/2021 7:00	0.0		2/25/2022 7:00	0.0		2/25/2023 7:00	0.0	
2/25/2021 8:00	0.0		2/25/2022 8:00	0.0		2/25/2023 8:00	0.0	
2/25/2021 9:00	0.0		2/25/2022 9:00	0.0		2/25/2023 9:00	0.0	
2/25/2021 10:00	0.0		2/25/2022 10:00	0.0		2/25/2023 10:00	0.0	
2/25/2021 11:00	0.0		2/25/2022 11:00	0.0		2/25/2023 11:00	0.0	
2/25/2021 12:00	0.0		2/25/2022 12:00	0.0		2/25/2023 12:00	0.0	
2/25/2021 13:00	0.0		2/25/2022 13:00	0.0		2/25/2023 13:00	0.0	
2/25/2021 14:00	0.0		2/25/2022 14:00	0.0		2/25/2023 14:00	0.0	
2/25/2021 15:00	0.0		2/25/2022 15:00	0.0		2/25/2023 15:00	0.0	
2/25/2021 16:00	0.0		2/25/2022 16:00	0.0		2/25/2023 16:00	0.0	
2/25/2021 17:00	0.0		2/25/2022 17:00	0.0		2/25/2023 17:00	0.0	
2/25/2021 18:00	0.0		2/25/2022 18:00	0.0		2/25/2023 18:00	0.0	
2/25/2021 19:00	0.0		2/25/2022 19:00	0.0		2/25/2023 19:00	0.0	
2/25/2021 20:00	0.0		2/25/2022 20:00	0.0		2/25/2023 20:00	0.0	
2/25/2021 21:00	0.0		2/25/2022 21:00	0.0		2/25/2023 21:00	0.0	
2/25/2021 22:00	0.0		2/25/2022 22:00	0.0		2/25/2023 22:00	0.0	
2/25/2021 23:00	0.0	87.2	2/25/2022 23:00	0.0	0.0	2/25/2023 23:00	0.0	0.0
2/26/2021 0:00	0.0		2/26/2022 0:00	0.0		2/26/2023 0:00	0.0	
2/26/2021 1:00	0.0		2/26/2022 1:00	0.0		2/26/2023 1:00	0.0	
2/26/2021 2:00	0.0		2/26/2022 2:00	0.0		2/26/2023 2:00	0.0	
2/26/2021 3:00	0.0		2/26/2022 3:00	0.0		2/26/2023 3:00	0.0	
2/26/2021 4:00	0.0		2/26/2022 4:00	0.0		2/26/2023 4:00	0.0	
2/26/2021 5:00	0.0		2/26/2022 5:00	0.0		2/26/2023 5:00	0.0	
2/26/2021 6:00	0.0		2/26/2022 6:00	0.0		2/26/2023 6:00	0.0	
2/26/2021 7:00	0.0		2/26/2022 7:00	0.0		2/26/2023 7:00	0.0	
2/26/2021 8:00	0.0		2/26/2022 8:00	0.0		2/26/2023 8:00	0.0	
2/26/2021 9:00	0.0		2/26/2022 9:00	0.0		2/26/2023 9:00	0.0	
2/26/2021 10:00	0.0		2/26/2022 10:00	0.0		2/26/2023 10:00	0.0	
2/26/2021 11:00	0.0		2/26/2022 11:00	0.0		2/26/2023 11:00	0.0	
2/26/2021 12:00	0.0		2/26/2022 12:00	0.0		2/26/2023 12:00	0.0	
2/26/2021 13:00	0.0		2/26/2022 13:00	0.0		2/26/2023 13:00	0.0	
2/26/2021 14:00	0.0		2/26/2022 14:00	0.0		2/26/2023 14:00	0.0	
2/26/2021 15:00	0.0		2/26/2022 15:00	0.0		2/26/2023 15:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/26/2021 16:00	0.0		2/26/2022 16:00	0.0		2/26/2023 16:00	0.0	
2/26/2021 17:00	0.0		2/26/2022 17:00	0.0		2/26/2023 17:00	0.0	
2/26/2021 18:00	0.0		2/26/2022 18:00	0.0		2/26/2023 18:00	0.0	
2/26/2021 19:00	0.0		2/26/2022 19:00	0.0		2/26/2023 19:00	0.0	
2/26/2021 20:00	0.0		2/26/2022 20:00	0.0		2/26/2023 20:00	0.0	
2/26/2021 21:00	0.0		2/26/2022 21:00	0.0		2/26/2023 21:00	0.0	
2/26/2021 22:00	0.0		2/26/2022 22:00	0.0		2/26/2023 22:00	0.0	
2/26/2021 23:00	0.0	0.0	2/26/2022 23:00	0.0	0.0	2/26/2023 23:00	0.0	0.0
2/27/2021 0:00	0.0		2/27/2022 0:00	0.0		2/27/2023 0:00	0.0	
2/27/2021 1:00	0.0		2/27/2022 1:00	0.0		2/27/2023 1:00	0.0	
2/27/2021 2:00	0.0		2/27/2022 2:00	0.0		2/27/2023 2:00	0.0	
2/27/2021 3:00	0.0		2/27/2022 3:00	0.0		2/27/2023 3:00	0.0	
2/27/2021 4:00	0.0		2/27/2022 4:00	0.0		2/27/2023 4:00	0.0	
2/27/2021 5:00	0.0		2/27/2022 5:00	0.0		2/27/2023 5:00	0.0	
2/27/2021 6:00	0.0		2/27/2022 6:00	0.0		2/27/2023 6:00	0.0	
2/27/2021 7:00	0.0		2/27/2022 7:00	0.0		2/27/2023 7:00	0.0	
2/27/2021 8:00	0.0		2/27/2022 8:00	0.0		2/27/2023 8:00	0.0	
2/27/2021 9:00	0.0		2/27/2022 9:00	0.0		2/27/2023 9:00	0.0	
2/27/2021 10:00	0.0		2/27/2022 10:00	0.0		2/27/2023 10:00	0.0	
2/27/2021 11:00	0.0		2/27/2022 11:00	0.0		2/27/2023 11:00	0.0	
2/27/2021 12:00	0.0		2/27/2022 12:00	0.0		2/27/2023 12:00	0.0	
2/27/2021 13:00	0.0		2/27/2022 13:00	0.0		2/27/2023 13:00	0.0	
2/27/2021 14:00	0.0		2/27/2022 14:00	0.0		2/27/2023 14:00	0.0	
2/27/2021 15:00	0.0		2/27/2022 15:00	0.0		2/27/2023 15:00	0.0	
2/27/2021 16:00	0.0		2/27/2022 16:00	0.0		2/27/2023 16:00	0.0	
2/27/2021 17:00	0.0		2/27/2022 17:00	0.0		2/27/2023 17:00	0.0	
2/27/2021 18:00	0.0		2/27/2022 18:00	0.0		2/27/2023 18:00	0.0	
2/27/2021 19:00	0.0		2/27/2022 19:00	0.0		2/27/2023 19:00	0.0	
2/27/2021 20:00	0.0		2/27/2022 20:00	0.0		2/27/2023 20:00	0.0	
2/27/2021 21:00	0.0		2/27/2022 21:00	0.0		2/27/2023 21:00	0.0	
2/27/2021 22:00	0.0		2/27/2022 22:00	0.0		2/27/2023 22:00	0.0	
2/27/2021 23:00	0.0	0.0	2/27/2022 23:00	0.0	0.0	2/27/2023 23:00	87.7	87.7
2/28/2021 0:00	0.0		2/28/2022 0:00	0.0		2/28/2023 0:00	0.0	
2/28/2021 1:00	0.0		2/28/2022 1:00	0.0		2/28/2023 1:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
2/28/2021 2:00	0.0		2/28/2022 2:00	0.0		2/28/2023 2:00	0.0	
2/28/2021 3:00	0.0		2/28/2022 3:00	0.0		2/28/2023 3:00	0.0	
2/28/2021 4:00	0.0		2/28/2022 4:00	0.0		2/28/2023 4:00	0.0	
2/28/2021 5:00	0.0		2/28/2022 5:00	0.0		2/28/2023 5:00	0.0	
2/28/2021 6:00	0.0		2/28/2022 6:00	0.0		2/28/2023 6:00	0.0	
2/28/2021 7:00	0.0		2/28/2022 7:00	0.0		2/28/2023 7:00	0.0	
2/28/2021 8:00	0.0		2/28/2022 8:00	0.0		2/28/2023 8:00	0.0	
2/28/2021 9:00	0.0		2/28/2022 9:00	0.0		2/28/2023 9:00	0.0	
2/28/2021 10:00	0.0		2/28/2022 10:00	0.0		2/28/2023 10:00	0.0	
2/28/2021 11:00	0.0		2/28/2022 11:00	0.0		2/28/2023 11:00	0.0	
2/28/2021 12:00	0.0		2/28/2022 12:00	0.0		2/28/2023 12:00	0.0	
2/28/2021 13:00	0.0		2/28/2022 13:00	0.0		2/28/2023 13:00	0.0	
2/28/2021 14:00	0.0		2/28/2022 14:00	0.0		2/28/2023 14:00	0.0	
2/28/2021 15:00	0.0		2/28/2022 15:00	0.0		2/28/2023 15:00	0.0	
2/28/2021 16:00	0.0		2/28/2022 16:00	0.0		2/28/2023 16:00	0.0	
2/28/2021 17:00	0.0		2/28/2022 17:00	0.0		2/28/2023 17:00	0.0	
2/28/2021 18:00	0.0		2/28/2022 18:00	0.0		2/28/2023 18:00	0.0	
2/28/2021 19:00	0.0		2/28/2022 19:00	0.0		2/28/2023 19:00	0.0	
2/28/2021 20:00	0.0		2/28/2022 20:00	0.0		2/28/2023 20:00	0.0	
2/28/2021 21:00	0.0		2/28/2022 21:00	0.0		2/28/2023 21:00	0.0	
2/28/2021 22:00	0.0		2/28/2022 22:00	0.0		2/28/2023 22:00	0.0	
2/28/2021 23:00	0.0	0.0	2/28/2022 23:00	0.0	0.0	2/28/2023 23:00	0.0	0.0
3/1/2021 0:00	0.0		3/1/2022 0:00	0.0		3/1/2023 0:00	0.0	
3/1/2021 1:00	0.0		3/1/2022 1:00	0.0		3/1/2023 1:00	0.0	
3/1/2021 2:00	0.0		3/1/2022 2:00	0.0		3/1/2023 2:00	0.0	
3/1/2021 3:00	0.0		3/1/2022 3:00	0.0		3/1/2023 3:00	0.0	
3/1/2021 4:00	0.0		3/1/2022 4:00	0.0		3/1/2023 4:00	0.0	
3/1/2021 5:00	0.0		3/1/2022 5:00	0.0		3/1/2023 5:00	0.0	
3/1/2021 6:00	0.0		3/1/2022 6:00	0.0		3/1/2023 6:00	0.0	
3/1/2021 7:00	0.0		3/1/2022 7:00	0.0		3/1/2023 7:00	0.0	
3/1/2021 8:00	0.0		3/1/2022 8:00	0.0		3/1/2023 8:00	0.0	
3/1/2021 9:00	0.0		3/1/2022 9:00	0.0		3/1/2023 9:00	0.0	
3/1/2021 10:00	0.0		3/1/2022 10:00	0.0		3/1/2023 10:00	0.0	
3/1/2021 11:00	0.0		3/1/2022 11:00	0.0		3/1/2023 11:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/1/2021 12:00	0.0		3/1/2022 12:00	0.0		3/1/2023 12:00	0.0	
3/1/2021 13:00	0.0		3/1/2022 13:00	0.0		3/1/2023 13:00	0.0	
3/1/2021 14:00	0.0		3/1/2022 14:00	0.0		3/1/2023 14:00	0.0	
3/1/2021 15:00	0.0		3/1/2022 15:00	0.0		3/1/2023 15:00	0.0	
3/1/2021 16:00	0.0		3/1/2022 16:00	0.0		3/1/2023 16:00	0.0	
3/1/2021 17:00	0.0		3/1/2022 17:00	0.0		3/1/2023 17:00	0.0	
3/1/2021 18:00	0.0		3/1/2022 18:00	0.0		3/1/2023 18:00	0.0	
3/1/2021 19:00	0.0		3/1/2022 19:00	0.0		3/1/2023 19:00	0.0	
3/1/2021 20:00	0.0		3/1/2022 20:00	0.0		3/1/2023 20:00	0.0	
3/1/2021 21:00	0.0		3/1/2022 21:00	0.0		3/1/2023 21:00	0.0	
3/1/2021 22:00	0.0		3/1/2022 22:00	0.0		3/1/2023 22:00	0.0	
3/1/2021 23:00	0.0	0.0	3/1/2022 23:00	0.0	0.0	3/1/2023 23:00	72.5	72.5
3/2/2021 0:00	0.0		3/2/2022 0:00	0.0		3/2/2023 0:00	0.0	
3/2/2021 1:00	0.0		3/2/2022 1:00	0.0		3/2/2023 1:00	0.0	
3/2/2021 2:00	0.0		3/2/2022 2:00	0.0		3/2/2023 2:00	0.0	
3/2/2021 3:00	0.0		3/2/2022 3:00	0.0		3/2/2023 3:00	0.0	
3/2/2021 4:00	0.0		3/2/2022 4:00	0.0		3/2/2023 4:00	0.0	
3/2/2021 5:00	0.0		3/2/2022 5:00	0.0		3/2/2023 5:00	0.0	
3/2/2021 6:00	0.0		3/2/2022 6:00	0.0		3/2/2023 6:00	0.0	
3/2/2021 7:00	0.0		3/2/2022 7:00	0.0		3/2/2023 7:00	0.0	
3/2/2021 8:00	0.0		3/2/2022 8:00	0.0		3/2/2023 8:00	0.0	
3/2/2021 9:00	0.0		3/2/2022 9:00	0.0		3/2/2023 9:00	0.0	
3/2/2021 10:00	0.0		3/2/2022 10:00	0.0		3/2/2023 10:00	0.0	
3/2/2021 11:00	0.0		3/2/2022 11:00	0.0		3/2/2023 11:00	0.0	
3/2/2021 12:00	0.0		3/2/2022 12:00	0.0		3/2/2023 12:00	0.0	
3/2/2021 13:00	0.0		3/2/2022 13:00	0.0		3/2/2023 13:00	0.0	
3/2/2021 14:00	0.0		3/2/2022 14:00	0.0		3/2/2023 14:00	0.0	
3/2/2021 15:00	0.0		3/2/2022 15:00	0.0		3/2/2023 15:00	0.0	
3/2/2021 16:00	0.0		3/2/2022 16:00	0.0		3/2/2023 16:00	0.0	
3/2/2021 17:00	0.0		3/2/2022 17:00	0.0		3/2/2023 17:00	0.0	
3/2/2021 18:00	0.0		3/2/2022 18:00	0.0		3/2/2023 18:00	0.0	
3/2/2021 19:00	0.0		3/2/2022 19:00	0.0		3/2/2023 19:00	0.0	
3/2/2021 20:00	0.0		3/2/2022 20:00	0.0		3/2/2023 20:00	0.0	
3/2/2021 21:00	0.0		3/2/2022 21:00	0.0		3/2/2023 21:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/2/2021 22:00	0.0		3/2/2022 22:00	0.0		3/2/2023 22:00	0.0	
3/2/2021 23:00	0.0	0.0	3/2/2022 23:00	0.0	0.0	3/2/2023 23:00	0.0	0.0
3/3/2021 0:00	0.0		3/3/2022 0:00	0.0		3/3/2023 0:00	0.0	
3/3/2021 1:00	0.0		3/3/2022 1:00	0.0		3/3/2023 1:00	0.0	
3/3/2021 2:00	0.0		3/3/2022 2:00	0.0		3/3/2023 2:00	0.0	
3/3/2021 3:00	0.0		3/3/2022 3:00	0.0		3/3/2023 3:00	0.0	
3/3/2021 4:00	0.0		3/3/2022 4:00	0.0		3/3/2023 4:00	0.0	
3/3/2021 5:00	0.0		3/3/2022 5:00	0.0		3/3/2023 5:00	0.0	
3/3/2021 6:00	0.0		3/3/2022 6:00	0.0		3/3/2023 6:00	0.0	
3/3/2021 7:00	0.0		3/3/2022 7:00	0.0		3/3/2023 7:00	0.0	
3/3/2021 8:00	0.0		3/3/2022 8:00	0.0		3/3/2023 8:00	0.0	
3/3/2021 9:00	0.0		3/3/2022 9:00	0.0		3/3/2023 9:00	0.0	
3/3/2021 10:00	0.0		3/3/2022 10:00	0.0		3/3/2023 10:00	0.0	
3/3/2021 11:00	0.0		3/3/2022 11:00	0.0		3/3/2023 11:00	0.0	
3/3/2021 12:00	0.0		3/3/2022 12:00	0.0		3/3/2023 12:00	0.0	
3/3/2021 13:00	0.0		3/3/2022 13:00	0.0		3/3/2023 13:00	0.0	
3/3/2021 14:00	0.0		3/3/2022 14:00	0.0		3/3/2023 14:00	0.0	
3/3/2021 15:00	0.0		3/3/2022 15:00	0.0		3/3/2023 15:00	0.0	
3/3/2021 16:00	0.0		3/3/2022 16:00	0.0		3/3/2023 16:00	0.0	
3/3/2021 17:00	0.0		3/3/2022 17:00	0.0		3/3/2023 17:00	0.0	
3/3/2021 18:00	0.0		3/3/2022 18:00	0.0		3/3/2023 18:00	0.0	
3/3/2021 19:00	0.0		3/3/2022 19:00	0.0		3/3/2023 19:00	0.0	
3/3/2021 20:00	0.0		3/3/2022 20:00	0.0		3/3/2023 20:00	0.0	
3/3/2021 21:00	0.0		3/3/2022 21:00	0.0		3/3/2023 21:00	0.0	
3/3/2021 22:00	0.0		3/3/2022 22:00	0.0		3/3/2023 22:00	0.0	
3/3/2021 23:00	0.0	0.0	3/3/2022 23:00	0.0	0.0	3/3/2023 23:00	0.0	0.0
3/4/2021 0:00	0.0		3/4/2022 0:00	0.0		3/4/2023 0:00	0.0	
3/4/2021 1:00	0.0		3/4/2022 1:00	0.0		3/4/2023 1:00	0.0	
3/4/2021 2:00	0.0		3/4/2022 2:00	0.0		3/4/2023 2:00	0.0	
3/4/2021 3:00	0.0		3/4/2022 3:00	0.0		3/4/2023 3:00	0.0	
3/4/2021 4:00	0.0		3/4/2022 4:00	0.0		3/4/2023 4:00	0.0	
3/4/2021 5:00	0.0		3/4/2022 5:00	0.0		3/4/2023 5:00	0.0	
3/4/2021 6:00	0.0		3/4/2022 6:00	0.0		3/4/2023 6:00	0.0	
3/4/2021 7:00	0.0		3/4/2022 7:00	0.0		3/4/2023 7:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/4/2021 8:00	0.0		3/4/2022 8:00	0.0		3/4/2023 8:00	0.0	
3/4/2021 9:00	0.0		3/4/2022 9:00	0.0		3/4/2023 9:00	0.0	
3/4/2021 10:00	0.0		3/4/2022 10:00	0.0		3/4/2023 10:00	0.0	
3/4/2021 11:00	0.0		3/4/2022 11:00	0.0		3/4/2023 11:00	0.0	
3/4/2021 12:00	0.0		3/4/2022 12:00	0.0		3/4/2023 12:00	0.0	
3/4/2021 13:00	0.0		3/4/2022 13:00	0.0		3/4/2023 13:00	0.0	
3/4/2021 14:00	0.0		3/4/2022 14:00	0.0		3/4/2023 14:00	0.0	
3/4/2021 15:00	0.0		3/4/2022 15:00	0.0		3/4/2023 15:00	0.0	
3/4/2021 16:00	0.0		3/4/2022 16:00	0.0		3/4/2023 16:00	0.0	
3/4/2021 17:00	0.0		3/4/2022 17:00	0.0		3/4/2023 17:00	0.0	
3/4/2021 18:00	0.0		3/4/2022 18:00	0.0		3/4/2023 18:00	0.0	
3/4/2021 19:00	0.0		3/4/2022 19:00	0.0		3/4/2023 19:00	0.0	
3/4/2021 20:00	0.0		3/4/2022 20:00	0.0		3/4/2023 20:00	0.0	
3/4/2021 21:00	0.0		3/4/2022 21:00	0.0		3/4/2023 21:00	0.0	
3/4/2021 22:00	0.0		3/4/2022 22:00	0.0		3/4/2023 22:00	0.0	
3/4/2021 23:00	0.0	0.0	3/4/2022 23:00	0.0	0.0	3/4/2023 23:00	0.0	0.0
3/5/2021 0:00	0.0		3/5/2022 0:00	0.0		3/5/2023 0:00	0.0	
3/5/2021 1:00	0.0		3/5/2022 1:00	0.0		3/5/2023 1:00	0.0	
3/5/2021 2:00	0.0		3/5/2022 2:00	0.0		3/5/2023 2:00	0.0	
3/5/2021 3:00	0.0		3/5/2022 3:00	0.0		3/5/2023 3:00	0.0	
3/5/2021 4:00	0.0		3/5/2022 4:00	0.0		3/5/2023 4:00	0.0	
3/5/2021 5:00	0.0		3/5/2022 5:00	0.0		3/5/2023 5:00	0.0	
3/5/2021 6:00	0.0		3/5/2022 6:00	0.0		3/5/2023 6:00	0.0	
3/5/2021 7:00	0.0		3/5/2022 7:00	0.0		3/5/2023 7:00	0.0	
3/5/2021 8:00	0.0		3/5/2022 8:00	0.0		3/5/2023 8:00	0.0	
3/5/2021 9:00	0.0		3/5/2022 9:00	0.0		3/5/2023 9:00	0.0	
3/5/2021 10:00	0.0		3/5/2022 10:00	0.0		3/5/2023 10:00	0.0	
3/5/2021 11:00	0.0		3/5/2022 11:00	0.0		3/5/2023 11:00	0.0	
3/5/2021 12:00	0.0		3/5/2022 12:00	0.0		3/5/2023 12:00	0.0	
3/5/2021 13:00	0.0		3/5/2022 13:00	0.0		3/5/2023 13:00	0.0	
3/5/2021 14:00	0.0		3/5/2022 14:00	0.0		3/5/2023 14:00	0.0	
3/5/2021 15:00	0.0		3/5/2022 15:00	0.0		3/5/2023 15:00	0.0	
3/5/2021 16:00	0.0		3/5/2022 16:00	0.0		3/5/2023 16:00	0.0	
3/5/2021 17:00	0.0		3/5/2022 17:00	0.0		3/5/2023 17:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/5/2021 18:00	0.0		3/5/2022 18:00	0.0		3/5/2023 18:00	0.0	
3/5/2021 19:00	0.0		3/5/2022 19:00	0.0		3/5/2023 19:00	0.0	
3/5/2021 20:00	0.0		3/5/2022 20:00	0.0		3/5/2023 20:00	0.0	
3/5/2021 21:00	0.0		3/5/2022 21:00	0.0		3/5/2023 21:00	0.0	
3/5/2021 22:00	0.0		3/5/2022 22:00	0.0		3/5/2023 22:00	0.0	
3/5/2021 23:00	0.0	0.0	3/5/2022 23:00	0.0	0.0	3/5/2023 23:00	0.0	0.0
3/6/2021 0:00	0.0		3/6/2022 0:00	0.0		3/6/2023 0:00	0.0	
3/6/2021 1:00	0.0		3/6/2022 1:00	0.0		3/6/2023 1:00	0.0	
3/6/2021 2:00	0.0		3/6/2022 2:00	0.0		3/6/2023 2:00	0.0	
3/6/2021 3:00	0.0		3/6/2022 3:00	0.0		3/6/2023 3:00	0.0	
3/6/2021 4:00	0.0		3/6/2022 4:00	0.0		3/6/2023 4:00	0.0	
3/6/2021 5:00	0.0		3/6/2022 5:00	0.0		3/6/2023 5:00	0.0	
3/6/2021 6:00	0.0		3/6/2022 6:00	0.0		3/6/2023 6:00	0.0	
3/6/2021 7:00	0.0		3/6/2022 7:00	0.0		3/6/2023 7:00	0.0	
3/6/2021 8:00	0.0		3/6/2022 8:00	0.0		3/6/2023 8:00	0.0	
3/6/2021 9:00	0.0		3/6/2022 9:00	0.0		3/6/2023 9:00	0.0	
3/6/2021 10:00	0.0		3/6/2022 10:00	0.0		3/6/2023 10:00	0.0	
3/6/2021 11:00	0.0		3/6/2022 11:00	0.0		3/6/2023 11:00	0.0	
3/6/2021 12:00	0.0		3/6/2022 12:00	0.0		3/6/2023 12:00	0.0	
3/6/2021 13:00	0.0		3/6/2022 13:00	0.0		3/6/2023 13:00	0.0	
3/6/2021 14:00	0.0		3/6/2022 14:00	0.0		3/6/2023 14:00	0.0	
3/6/2021 15:00	0.0		3/6/2022 15:00	0.0		3/6/2023 15:00	0.0	
3/6/2021 16:00	0.0		3/6/2022 16:00	0.0		3/6/2023 16:00	0.0	
3/6/2021 17:00	0.0		3/6/2022 17:00	0.0		3/6/2023 17:00	0.0	
3/6/2021 18:00	0.0		3/6/2022 18:00	0.0		3/6/2023 18:00	0.0	
3/6/2021 19:00	0.0		3/6/2022 19:00	0.0		3/6/2023 19:00	0.0	
3/6/2021 20:00	0.0		3/6/2022 20:00	0.0		3/6/2023 20:00	0.0	
3/6/2021 21:00	0.0		3/6/2022 21:00	0.0		3/6/2023 21:00	0.0	
3/6/2021 22:00	0.0		3/6/2022 22:00	0.0		3/6/2023 22:00	0.0	
3/6/2021 23:00	0.0	0.0	3/6/2022 23:00	0.0	0.0	3/6/2023 23:00	0.0	0.0
3/7/2021 0:00	0.0		3/7/2022 0:00	0.0		3/7/2023 0:00	0.0	
3/7/2021 1:00	0.0		3/7/2022 1:00	0.0		3/7/2023 1:00	0.0	
3/7/2021 2:00	0.0		3/7/2022 2:00	0.0		3/7/2023 2:00	0.0	
3/7/2021 3:00	0.0		3/7/2022 3:00	0.0		3/7/2023 3:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/7/2021 4:00	0.0		3/7/2022 4:00	0.0		3/7/2023 4:00	0.0	
3/7/2021 5:00	0.0		3/7/2022 5:00	0.0		3/7/2023 5:00	0.0	
3/7/2021 6:00	0.0		3/7/2022 6:00	0.0		3/7/2023 6:00	0.0	
3/7/2021 7:00	0.0		3/7/2022 7:00	0.0		3/7/2023 7:00	0.0	
3/7/2021 8:00	0.0		3/7/2022 8:00	0.0		3/7/2023 8:00	0.0	
3/7/2021 9:00	0.0		3/7/2022 9:00	0.0		3/7/2023 9:00	0.0	
3/7/2021 10:00	0.0		3/7/2022 10:00	0.0		3/7/2023 10:00	0.0	
3/7/2021 11:00	0.0		3/7/2022 11:00	0.0		3/7/2023 11:00	0.0	
3/7/2021 12:00	0.0		3/7/2022 12:00	0.0		3/7/2023 12:00	0.0	
3/7/2021 13:00	0.0		3/7/2022 13:00	0.0		3/7/2023 13:00	0.0	
3/7/2021 14:00	0.0		3/7/2022 14:00	0.0		3/7/2023 14:00	0.0	
3/7/2021 15:00	0.0		3/7/2022 15:00	0.0		3/7/2023 15:00	0.0	
3/7/2021 16:00	0.0		3/7/2022 16:00	0.0		3/7/2023 16:00	0.0	
3/7/2021 17:00	0.0		3/7/2022 17:00	0.0		3/7/2023 17:00	0.0	
3/7/2021 18:00	0.0		3/7/2022 18:00	0.0		3/7/2023 18:00	0.0	
3/7/2021 19:00	0.0		3/7/2022 19:00	0.0		3/7/2023 19:00	0.0	
3/7/2021 20:00	0.0		3/7/2022 20:00	0.0		3/7/2023 20:00	0.0	
3/7/2021 21:00	0.0		3/7/2022 21:00	0.0		3/7/2023 21:00	0.0	
3/7/2021 22:00	0.0		3/7/2022 22:00	0.0		3/7/2023 22:00	0.0	
3/7/2021 23:00	0.0	0.0	3/7/2022 23:00	0.0	0.0	3/7/2023 23:00	0.0	0.0
3/8/2021 0:00	0.0		3/8/2022 0:00	0.0		3/8/2023 0:00	0.0	
3/8/2021 1:00	0.0		3/8/2022 1:00	0.0		3/8/2023 1:00	0.0	
3/8/2021 2:00	0.0		3/8/2022 2:00	0.0		3/8/2023 2:00	0.0	
3/8/2021 3:00	0.0		3/8/2022 3:00	0.0		3/8/2023 3:00	0.0	
3/8/2021 4:00	0.0		3/8/2022 4:00	0.0		3/8/2023 4:00	0.0	
3/8/2021 5:00	0.0		3/8/2022 5:00	0.0		3/8/2023 5:00	0.0	
3/8/2021 6:00	0.0		3/8/2022 6:00	0.0		3/8/2023 6:00	0.0	
3/8/2021 7:00	0.0		3/8/2022 7:00	0.0		3/8/2023 7:00	0.0	
3/8/2021 8:00	0.0		3/8/2022 8:00	0.0		3/8/2023 8:00	0.0	
3/8/2021 9:00	0.0		3/8/2022 9:00	0.0		3/8/2023 9:00	0.0	
3/8/2021 10:00	0.0		3/8/2022 10:00	0.0		3/8/2023 10:00	0.0	
3/8/2021 11:00	0.0		3/8/2022 11:00	0.0		3/8/2023 11:00	0.0	
3/8/2021 12:00	0.0		3/8/2022 12:00	0.0		3/8/2023 12:00	0.0	
3/8/2021 13:00	0.0		3/8/2022 13:00	0.0		3/8/2023 13:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/8/2021 14:00	0.0		3/8/2022 14:00	0.0		3/8/2023 14:00	0.0	
3/8/2021 15:00	0.0		3/8/2022 15:00	0.0		3/8/2023 15:00	0.0	
3/8/2021 16:00	0.0		3/8/2022 16:00	0.0		3/8/2023 16:00	0.0	
3/8/2021 17:00	0.0		3/8/2022 17:00	0.0		3/8/2023 17:00	0.0	
3/8/2021 18:00	0.0		3/8/2022 18:00	0.0		3/8/2023 18:00	0.0	
3/8/2021 19:00	0.0		3/8/2022 19:00	0.0		3/8/2023 19:00	0.0	
3/8/2021 20:00	0.0		3/8/2022 20:00	0.0		3/8/2023 20:00	0.0	
3/8/2021 21:00	0.0		3/8/2022 21:00	0.0		3/8/2023 21:00	0.0	
3/8/2021 22:00	0.0		3/8/2022 22:00	0.0		3/8/2023 22:00	0.0	
3/8/2021 23:00	0.0	0.0	3/8/2022 23:00	0.0	0.0	3/8/2023 23:00	0.0	0.0
3/9/2021 0:00	0.0		3/9/2022 0:00	0.0		3/9/2023 0:00	0.0	
3/9/2021 1:00	0.0		3/9/2022 1:00	0.0		3/9/2023 1:00	46.0	
3/9/2021 2:00	0.0		3/9/2022 2:00	0.0		3/9/2023 2:00	0.0	
3/9/2021 3:00	0.0		3/9/2022 3:00	0.0		3/9/2023 3:00	97.3	
3/9/2021 4:00	0.0		3/9/2022 4:00	0.0		3/9/2023 4:00	22.1	
3/9/2021 5:00	0.0		3/9/2022 5:00	0.0		3/9/2023 5:00	0.0	
3/9/2021 6:00	0.0		3/9/2022 6:00	0.0		3/9/2023 6:00	0.0	
3/9/2021 7:00	0.0		3/9/2022 7:00	0.0		3/9/2023 7:00	0.0	
3/9/2021 8:00	0.0		3/9/2022 8:00	0.0		3/9/2023 8:00	0.0	
3/9/2021 9:00	0.0		3/9/2022 9:00	0.0		3/9/2023 9:00	0.0	
3/9/2021 10:00	0.0		3/9/2022 10:00	0.0		3/9/2023 10:00	0.0	
3/9/2021 11:00	0.0		3/9/2022 11:00	0.0		3/9/2023 11:00	0.0	
3/9/2021 12:00	0.0		3/9/2022 12:00	0.0		3/9/2023 12:00	0.0	
3/9/2021 13:00	0.0		3/9/2022 13:00	0.0		3/9/2023 13:00	0.0	
3/9/2021 14:00	0.0		3/9/2022 14:00	0.0		3/9/2023 14:00	0.0	
3/9/2021 15:00	0.0		3/9/2022 15:00	0.0		3/9/2023 15:00	0.0	
3/9/2021 16:00	0.0		3/9/2022 16:00	0.0		3/9/2023 16:00	0.0	
3/9/2021 17:00	0.0		3/9/2022 17:00	0.0		3/9/2023 17:00	0.0	
3/9/2021 18:00	0.0		3/9/2022 18:00	0.0		3/9/2023 18:00	0.0	
3/9/2021 19:00	0.0		3/9/2022 19:00	0.0		3/9/2023 19:00	0.0	
3/9/2021 20:00	0.0		3/9/2022 20:00	0.0		3/9/2023 20:00	0.0	
3/9/2021 21:00	0.0		3/9/2022 21:00	0.0		3/9/2023 21:00	0.0	
3/9/2021 22:00	0.0		3/9/2022 22:00	0.0		3/9/2023 22:00	0.0	
3/9/2021 23:00	0.0	0.0	3/9/2022 23:00	0.0	0.0	3/9/2023 23:00	0.0	97.3

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/10/2021 0:00	0.0		3/10/2022 0:00	0.0		3/10/2023 0:00	0.0	
3/10/2021 1:00	0.0		3/10/2022 1:00	0.0		3/10/2023 1:00	0.0	
3/10/2021 2:00	0.0		3/10/2022 2:00	0.0		3/10/2023 2:00	0.0	
3/10/2021 3:00	0.0		3/10/2022 3:00	0.0		3/10/2023 3:00	0.0	
3/10/2021 4:00	0.0		3/10/2022 4:00	0.0		3/10/2023 4:00	0.0	
3/10/2021 5:00	0.0		3/10/2022 5:00	0.0		3/10/2023 5:00	0.0	
3/10/2021 6:00	0.0		3/10/2022 6:00	0.0		3/10/2023 6:00	0.0	
3/10/2021 7:00	0.0		3/10/2022 7:00	0.0		3/10/2023 7:00	0.0	
3/10/2021 8:00	0.0		3/10/2022 8:00	0.0		3/10/2023 8:00	0.0	
3/10/2021 9:00	0.0		3/10/2022 9:00	0.0		3/10/2023 9:00	0.0	
3/10/2021 10:00	0.0		3/10/2022 10:00	0.0		3/10/2023 10:00	0.0	
3/10/2021 11:00	0.0		3/10/2022 11:00	0.0		3/10/2023 11:00	0.0	
3/10/2021 12:00	0.0		3/10/2022 12:00	0.0		3/10/2023 12:00	0.0	
3/10/2021 13:00	0.0		3/10/2022 13:00	0.0		3/10/2023 13:00	0.0	
3/10/2021 14:00	0.0		3/10/2022 14:00	0.0		3/10/2023 14:00	0.0	
3/10/2021 15:00	0.0		3/10/2022 15:00	0.0		3/10/2023 15:00	0.0	
3/10/2021 16:00	0.0		3/10/2022 16:00	0.0		3/10/2023 16:00	0.0	
3/10/2021 17:00	0.0		3/10/2022 17:00	0.0		3/10/2023 17:00	0.0	
3/10/2021 18:00	0.0		3/10/2022 18:00	0.0		3/10/2023 18:00	0.0	
3/10/2021 19:00	0.0		3/10/2022 19:00	0.0		3/10/2023 19:00	0.0	
3/10/2021 20:00	0.0		3/10/2022 20:00	0.0		3/10/2023 20:00	0.0	
3/10/2021 21:00	0.0		3/10/2022 21:00	0.0		3/10/2023 21:00	0.0	
3/10/2021 22:00	0.0		3/10/2022 22:00	0.0		3/10/2023 22:00	0.0	
3/10/2021 23:00	0.0	0.0	3/10/2022 23:00	0.0	0.0	3/10/2023 23:00	0.0	0.0
3/11/2021 0:00	0.0		3/11/2022 0:00	0.0		3/11/2023 0:00	0.0	
3/11/2021 1:00	0.0		3/11/2022 1:00	0.0		3/11/2023 1:00	0.0	
3/11/2021 2:00	0.0		3/11/2022 2:00	0.0		3/11/2023 2:00	0.0	
3/11/2021 3:00	0.0		3/11/2022 3:00	0.0		3/11/2023 3:00	0.0	
3/11/2021 4:00	0.0		3/11/2022 4:00	0.0		3/11/2023 4:00	0.0	
3/11/2021 5:00	0.0		3/11/2022 5:00	0.0		3/11/2023 5:00	0.0	
3/11/2021 6:00	0.0		3/11/2022 6:00	0.0		3/11/2023 6:00	0.0	
3/11/2021 7:00	0.0		3/11/2022 7:00	0.0		3/11/2023 7:00	0.0	
3/11/2021 8:00	0.0		3/11/2022 8:00	0.0		3/11/2023 8:00	0.0	
3/11/2021 9:00	0.0		3/11/2022 9:00	0.0		3/11/2023 9:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/11/2021 10:00	0.0		3/11/2022 10:00	0.0		3/11/2023 10:00	0.0	
3/11/2021 11:00	0.0		3/11/2022 11:00	0.0		3/11/2023 11:00	0.0	
3/11/2021 12:00	0.0		3/11/2022 12:00	0.0		3/11/2023 12:00	0.0	
3/11/2021 13:00	0.0		3/11/2022 13:00	0.0		3/11/2023 13:00	0.0	
3/11/2021 14:00	0.0		3/11/2022 14:00	0.0		3/11/2023 14:00	0.0	
3/11/2021 15:00	0.0		3/11/2022 15:00	0.0		3/11/2023 15:00	0.0	
3/11/2021 16:00	0.0		3/11/2022 16:00	0.0		3/11/2023 16:00	0.0	
3/11/2021 17:00	0.0		3/11/2022 17:00	0.0		3/11/2023 17:00	0.0	
3/11/2021 18:00	0.0		3/11/2022 18:00	0.0		3/11/2023 18:00	0.0	
3/11/2021 19:00	0.0		3/11/2022 19:00	0.0		3/11/2023 19:00	0.0	
3/11/2021 20:00	0.0		3/11/2022 20:00	0.0		3/11/2023 20:00	0.0	
3/11/2021 21:00	0.0		3/11/2022 21:00	0.0		3/11/2023 21:00	0.0	
3/11/2021 22:00	0.0		3/11/2022 22:00	0.0		3/11/2023 22:00	0.0	
3/11/2021 23:00	0.0	0.0	3/11/2022 23:00	0.0	0.0	3/11/2023 23:00	0.0	0.0
3/12/2021 0:00	0.0		3/12/2022 0:00	0.0		3/12/2023 0:00	0.0	
3/12/2021 1:00	0.0		3/12/2022 1:00	0.0		3/12/2023 1:00	0.0	
3/12/2021 2:00	0.0		3/12/2022 2:00	0.0		3/12/2023 2:00	0.0	
3/12/2021 3:00	0.0		3/12/2022 3:00	0.0		3/12/2023 3:00	0.0	
3/12/2021 4:00	0.0		3/12/2022 4:00	0.0		3/12/2023 4:00	0.0	
3/12/2021 5:00	0.0		3/12/2022 5:00	0.0		3/12/2023 5:00	0.0	
3/12/2021 6:00	0.0		3/12/2022 6:00	0.0		3/12/2023 6:00	0.0	
3/12/2021 7:00	0.0		3/12/2022 7:00	0.0		3/12/2023 7:00	0.0	
3/12/2021 8:00	0.0		3/12/2022 8:00	0.0		3/12/2023 8:00	0.0	
3/12/2021 9:00	0.0		3/12/2022 9:00	0.0		3/12/2023 9:00	0.0	
3/12/2021 10:00	0.0		3/12/2022 10:00	0.0		3/12/2023 10:00	0.0	
3/12/2021 11:00	0.0		3/12/2022 11:00	0.0		3/12/2023 11:00	0.0	
3/12/2021 12:00	0.0		3/12/2022 12:00	0.0		3/12/2023 12:00	0.0	
3/12/2021 13:00	0.0		3/12/2022 13:00	0.0		3/12/2023 13:00	0.0	
3/12/2021 14:00	0.0		3/12/2022 14:00	0.0		3/12/2023 14:00	0.0	
3/12/2021 15:00	0.0		3/12/2022 15:00	0.0		3/12/2023 15:00	0.0	
3/12/2021 16:00	0.0		3/12/2022 16:00	0.0		3/12/2023 16:00	0.0	
3/12/2021 17:00	0.0		3/12/2022 17:00	0.0		3/12/2023 17:00	0.0	
3/12/2021 18:00	0.0		3/12/2022 18:00	0.0		3/12/2023 18:00	0.0	
3/12/2021 19:00	0.0		3/12/2022 19:00	0.0		3/12/2023 19:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/12/2021 20:00	0.0		3/12/2022 20:00	0.0		3/12/2023 20:00	0.0	
3/12/2021 21:00	0.0		3/12/2022 21:00	0.0		3/12/2023 21:00	0.0	
3/12/2021 22:00	0.0		3/12/2022 22:00	0.0		3/12/2023 22:00	0.0	
3/12/2021 23:00	0.0	0.0	3/12/2022 23:00	0.0	0.0	3/12/2023 23:00	0.0	0.0
3/13/2021 0:00	0.0		3/13/2022 0:00	0.0		3/13/2023 0:00	0.0	
3/13/2021 1:00	0.0		3/13/2022 1:00	0.0		3/13/2023 1:00	0.0	
3/13/2021 2:00	0.0		3/13/2022 2:00	0.0		3/13/2023 2:00	0.0	
3/13/2021 3:00	0.0		3/13/2022 3:00	0.0		3/13/2023 3:00	0.0	
3/13/2021 4:00	0.0		3/13/2022 4:00	0.0		3/13/2023 4:00	0.0	
3/13/2021 5:00	0.0		3/13/2022 5:00	0.0		3/13/2023 5:00	0.0	
3/13/2021 6:00	0.0		3/13/2022 6:00	0.0		3/13/2023 6:00	0.0	
3/13/2021 7:00	0.0		3/13/2022 7:00	0.0		3/13/2023 7:00	0.0	
3/13/2021 8:00	0.0		3/13/2022 8:00	0.0		3/13/2023 8:00	0.0	
3/13/2021 9:00	0.0		3/13/2022 9:00	0.0		3/13/2023 9:00	0.0	
3/13/2021 10:00	0.0		3/13/2022 10:00	0.0		3/13/2023 10:00	0.0	
3/13/2021 11:00	0.0		3/13/2022 11:00	0.0		3/13/2023 11:00	0.0	
3/13/2021 12:00	0.0		3/13/2022 12:00	0.0		3/13/2023 12:00	0.0	
3/13/2021 13:00	0.0		3/13/2022 13:00	0.0		3/13/2023 13:00	0.0	
3/13/2021 14:00	0.0		3/13/2022 14:00	0.0		3/13/2023 14:00	0.0	
3/13/2021 15:00	0.0		3/13/2022 15:00	0.0		3/13/2023 15:00	0.0	
3/13/2021 16:00	0.0		3/13/2022 16:00	0.0		3/13/2023 16:00	0.0	
3/13/2021 17:00	0.0		3/13/2022 17:00	0.0		3/13/2023 17:00	0.0	
3/13/2021 18:00	0.0		3/13/2022 18:00	0.0		3/13/2023 18:00	0.0	
3/13/2021 19:00	0.0		3/13/2022 19:00	0.0		3/13/2023 19:00	0.0	
3/13/2021 20:00	0.0		3/13/2022 20:00	0.0		3/13/2023 20:00	0.0	
3/13/2021 21:00	0.0		3/13/2022 21:00	0.0		3/13/2023 21:00	0.0	
3/13/2021 22:00	0.0		3/13/2022 22:00	0.0		3/13/2023 22:00	0.0	
3/13/2021 23:00	0.0	0.0	3/13/2022 23:00	0.0	0.0	3/13/2023 23:00	0.0	0.0
3/14/2021 0:00	0.0		3/14/2022 0:00	0.0		3/14/2023 0:00	0.0	
3/14/2021 1:00	0.0		3/14/2022 1:00	0.0		3/14/2023 1:00	0.0	
3/14/2021 2:00	0.0		3/14/2022 2:00	0.0		3/14/2023 2:00	0.0	
3/14/2021 3:00	0.0		3/14/2022 3:00	0.0		3/14/2023 3:00	0.0	
3/14/2021 4:00	0.0		3/14/2022 4:00	0.0		3/14/2023 4:00	0.0	
3/14/2021 5:00	0.0		3/14/2022 5:00	0.0		3/14/2023 5:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/14/2021 6:00	0.0		3/14/2022 6:00	0.0		3/14/2023 6:00	0.0	
3/14/2021 7:00	0.0		3/14/2022 7:00	0.0		3/14/2023 7:00	0.0	
3/14/2021 8:00	0.0		3/14/2022 8:00	0.0		3/14/2023 8:00	0.0	
3/14/2021 9:00	0.0		3/14/2022 9:00	0.0		3/14/2023 9:00	0.0	
3/14/2021 10:00	0.0		3/14/2022 10:00	0.0		3/14/2023 10:00	0.0	
3/14/2021 11:00	0.0		3/14/2022 11:00	0.0		3/14/2023 11:00	0.0	
3/14/2021 12:00	0.0		3/14/2022 12:00	0.0		3/14/2023 12:00	0.0	
3/14/2021 13:00	0.0		3/14/2022 13:00	0.0		3/14/2023 13:00	0.0	
3/14/2021 14:00	0.0		3/14/2022 14:00	0.0		3/14/2023 14:00	0.0	
3/14/2021 15:00	0.0		3/14/2022 15:00	0.0		3/14/2023 15:00	0.0	
3/14/2021 16:00	0.0		3/14/2022 16:00	0.0		3/14/2023 16:00	0.0	
3/14/2021 17:00	0.0		3/14/2022 17:00	0.0		3/14/2023 17:00	0.0	
3/14/2021 18:00	0.0		3/14/2022 18:00	0.0		3/14/2023 18:00	0.0	
3/14/2021 19:00	0.0		3/14/2022 19:00	0.0		3/14/2023 19:00	0.0	
3/14/2021 20:00	0.0		3/14/2022 20:00	0.0		3/14/2023 20:00	0.0	
3/14/2021 21:00	0.0		3/14/2022 21:00	0.0		3/14/2023 21:00	0.0	
3/14/2021 22:00	0.0		3/14/2022 22:00	0.0		3/14/2023 22:00	0.0	
3/14/2021 23:00	0.0	0.0	3/14/2022 23:00	0.0	0.0	3/14/2023 23:00	0.0	0.0
3/15/2021 0:00	0.0		3/15/2022 0:00	0.0		3/15/2023 0:00	0.0	
3/15/2021 1:00	0.0		3/15/2022 1:00	0.0		3/15/2023 1:00	0.0	
3/15/2021 2:00	0.0		3/15/2022 2:00	0.0		3/15/2023 2:00	0.0	
3/15/2021 3:00	0.0		3/15/2022 3:00	0.0		3/15/2023 3:00	0.0	
3/15/2021 4:00	0.0		3/15/2022 4:00	0.0		3/15/2023 4:00	0.0	
3/15/2021 5:00	0.0		3/15/2022 5:00	0.0		3/15/2023 5:00	0.0	
3/15/2021 6:00	0.0		3/15/2022 6:00	0.0		3/15/2023 6:00	0.0	
3/15/2021 7:00	0.0		3/15/2022 7:00	0.0		3/15/2023 7:00	0.0	
3/15/2021 8:00	0.0		3/15/2022 8:00	0.0		3/15/2023 8:00	0.0	
3/15/2021 9:00	0.0		3/15/2022 9:00	0.0		3/15/2023 9:00	0.0	
3/15/2021 10:00	0.0		3/15/2022 10:00	0.0		3/15/2023 10:00	0.0	
3/15/2021 11:00	0.0		3/15/2022 11:00	0.0		3/15/2023 11:00	0.0	
3/15/2021 12:00	0.0		3/15/2022 12:00	0.0		3/15/2023 12:00	0.0	
3/15/2021 13:00	0.0		3/15/2022 13:00	0.0		3/15/2023 13:00	0.0	
3/15/2021 14:00	0.0		3/15/2022 14:00	0.0		3/15/2023 14:00	0.0	
3/15/2021 15:00	0.0		3/15/2022 15:00	0.0		3/15/2023 15:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/15/2021 16:00	0.0		3/15/2022 16:00	0.0		3/15/2023 16:00	0.0	
3/15/2021 17:00	0.0		3/15/2022 17:00	0.0		3/15/2023 17:00	0.0	
3/15/2021 18:00	0.0		3/15/2022 18:00	0.0		3/15/2023 18:00	0.0	
3/15/2021 19:00	0.0		3/15/2022 19:00	0.0		3/15/2023 19:00	0.0	
3/15/2021 20:00	0.0		3/15/2022 20:00	0.0		3/15/2023 20:00	0.0	
3/15/2021 21:00	0.0		3/15/2022 21:00	0.0		3/15/2023 21:00	0.0	
3/15/2021 22:00	0.0		3/15/2022 22:00	0.0		3/15/2023 22:00	0.0	
3/15/2021 23:00	0.0	0.0	3/15/2022 23:00	0.0	0.0	3/15/2023 23:00	0.0	0.0
3/16/2021 0:00	0.0		3/16/2022 0:00	0.0		3/16/2023 0:00	0.0	
3/16/2021 1:00	0.0		3/16/2022 1:00	0.0		3/16/2023 1:00	0.0	
3/16/2021 2:00	0.0		3/16/2022 2:00	0.0		3/16/2023 2:00	0.0	
3/16/2021 3:00	0.0		3/16/2022 3:00	0.0		3/16/2023 3:00	0.0	
3/16/2021 4:00	0.0		3/16/2022 4:00	0.0		3/16/2023 4:00	0.0	
3/16/2021 5:00	0.0		3/16/2022 5:00	0.0		3/16/2023 5:00	0.0	
3/16/2021 6:00	0.0		3/16/2022 6:00	0.0		3/16/2023 6:00	0.0	
3/16/2021 7:00	0.0		3/16/2022 7:00	0.0		3/16/2023 7:00	0.0	
3/16/2021 8:00	0.0		3/16/2022 8:00	0.0		3/16/2023 8:00	0.0	
3/16/2021 9:00	0.0		3/16/2022 9:00	0.0		3/16/2023 9:00	0.0	
3/16/2021 10:00	0.0		3/16/2022 10:00	0.0		3/16/2023 10:00	0.0	
3/16/2021 11:00	0.0		3/16/2022 11:00	0.0		3/16/2023 11:00	0.0	
3/16/2021 12:00	0.0		3/16/2022 12:00	0.0		3/16/2023 12:00	0.0	
3/16/2021 13:00	0.0		3/16/2022 13:00	0.0		3/16/2023 13:00	0.0	
3/16/2021 14:00	0.0		3/16/2022 14:00	0.0		3/16/2023 14:00	0.0	
3/16/2021 15:00	0.0		3/16/2022 15:00	0.0		3/16/2023 15:00	0.0	
3/16/2021 16:00	0.0		3/16/2022 16:00	0.0		3/16/2023 16:00	0.0	
3/16/2021 17:00	0.0		3/16/2022 17:00	0.0		3/16/2023 17:00	0.0	
3/16/2021 18:00	0.0		3/16/2022 18:00	0.0		3/16/2023 18:00	0.0	
3/16/2021 19:00	0.0		3/16/2022 19:00	0.0		3/16/2023 19:00	0.0	
3/16/2021 20:00	0.0		3/16/2022 20:00	0.0		3/16/2023 20:00	0.0	
3/16/2021 21:00	0.0		3/16/2022 21:00	0.0		3/16/2023 21:00	0.0	
3/16/2021 22:00	0.0		3/16/2022 22:00	0.0		3/16/2023 22:00	0.0	
3/16/2021 23:00	0.0	0.0	3/16/2022 23:00	0.0	0.0	3/16/2023 23:00	0.0	0.0
3/17/2021 0:00	0.0		3/17/2022 0:00	0.0		3/17/2023 0:00	0.0	
3/17/2021 1:00	0.0		3/17/2022 1:00	0.0		3/17/2023 1:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/17/2021 2:00	0.0		3/17/2022 2:00	0.0		3/17/2023 2:00	0.0	
3/17/2021 3:00	0.0		3/17/2022 3:00	0.0		3/17/2023 3:00	0.0	
3/17/2021 4:00	0.0		3/17/2022 4:00	0.0		3/17/2023 4:00	0.0	
3/17/2021 5:00	0.0		3/17/2022 5:00	0.0		3/17/2023 5:00	0.0	
3/17/2021 6:00	0.0		3/17/2022 6:00	0.0		3/17/2023 6:00	0.0	
3/17/2021 7:00	0.0		3/17/2022 7:00	0.0		3/17/2023 7:00	0.0	
3/17/2021 8:00	0.0		3/17/2022 8:00	0.0		3/17/2023 8:00	0.0	
3/17/2021 9:00	0.0		3/17/2022 9:00	0.0		3/17/2023 9:00	0.0	
3/17/2021 10:00	0.0		3/17/2022 10:00	0.0		3/17/2023 10:00	0.0	
3/17/2021 11:00	0.0		3/17/2022 11:00	0.0		3/17/2023 11:00	0.0	
3/17/2021 12:00	0.0		3/17/2022 12:00	0.0		3/17/2023 12:00	0.0	
3/17/2021 13:00	0.0		3/17/2022 13:00	0.0		3/17/2023 13:00	0.0	
3/17/2021 14:00	0.0		3/17/2022 14:00	0.0		3/17/2023 14:00	0.0	
3/17/2021 15:00	0.0		3/17/2022 15:00	0.0		3/17/2023 15:00	0.0	
3/17/2021 16:00	0.0		3/17/2022 16:00	0.0		3/17/2023 16:00	0.0	
3/17/2021 17:00	0.0		3/17/2022 17:00	0.0		3/17/2023 17:00	0.0	
3/17/2021 18:00	0.0		3/17/2022 18:00	0.0		3/17/2023 18:00	0.0	
3/17/2021 19:00	0.0		3/17/2022 19:00	0.0		3/17/2023 19:00	0.0	
3/17/2021 20:00	0.0		3/17/2022 20:00	0.0		3/17/2023 20:00	0.0	
3/17/2021 21:00	0.0		3/17/2022 21:00	0.0		3/17/2023 21:00	0.0	
3/17/2021 22:00	0.0		3/17/2022 22:00	0.0		3/17/2023 22:00	0.0	
3/17/2021 23:00	0.0	0.0	3/17/2022 23:00	0.0	0.0	3/17/2023 23:00	0.0	0.0
3/18/2021 0:00	0.0		3/18/2022 0:00	0.0		3/18/2023 0:00	0.0	
3/18/2021 1:00	0.0		3/18/2022 1:00	0.0		3/18/2023 1:00	0.0	
3/18/2021 2:00	0.0		3/18/2022 2:00	0.0		3/18/2023 2:00	0.0	
3/18/2021 3:00	0.0		3/18/2022 3:00	0.0		3/18/2023 3:00	0.0	
3/18/2021 4:00	0.0		3/18/2022 4:00	0.0		3/18/2023 4:00	0.0	
3/18/2021 5:00	0.0		3/18/2022 5:00	0.0		3/18/2023 5:00	0.0	
3/18/2021 6:00	0.0		3/18/2022 6:00	0.0		3/18/2023 6:00	0.0	
3/18/2021 7:00	0.0		3/18/2022 7:00	0.0		3/18/2023 7:00	0.0	
3/18/2021 8:00	0.0		3/18/2022 8:00	0.0		3/18/2023 8:00	0.0	
3/18/2021 9:00	0.0		3/18/2022 9:00	0.0		3/18/2023 9:00	0.0	
3/18/2021 10:00	0.0		3/18/2022 10:00	0.0		3/18/2023 10:00	0.0	
3/18/2021 11:00	0.0		3/18/2022 11:00	0.0		3/18/2023 11:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/18/2021 12:00	0.0		3/18/2022 12:00	0.0		3/18/2023 12:00	0.0	
3/18/2021 13:00	0.0		3/18/2022 13:00	0.0		3/18/2023 13:00	0.0	
3/18/2021 14:00	0.0		3/18/2022 14:00	0.0		3/18/2023 14:00	0.0	
3/18/2021 15:00	0.0		3/18/2022 15:00	0.0		3/18/2023 15:00	0.0	
3/18/2021 16:00	0.0		3/18/2022 16:00	0.0		3/18/2023 16:00	0.0	
3/18/2021 17:00	0.0		3/18/2022 17:00	0.0		3/18/2023 17:00	0.0	
3/18/2021 18:00	0.0		3/18/2022 18:00	0.0		3/18/2023 18:00	0.0	
3/18/2021 19:00	0.0		3/18/2022 19:00	0.0		3/18/2023 19:00	0.0	
3/18/2021 20:00	0.0		3/18/2022 20:00	0.0		3/18/2023 20:00	0.0	
3/18/2021 21:00	0.0		3/18/2022 21:00	0.0		3/18/2023 21:00	0.0	
3/18/2021 22:00	0.0		3/18/2022 22:00	0.0		3/18/2023 22:00	0.0	
3/18/2021 23:00	0.0	0.0	3/18/2022 23:00	0.0	0.0	3/18/2023 23:00	0.0	0.0
3/19/2021 0:00	0.0		3/19/2022 0:00	0.0		3/19/2023 0:00	0.0	
3/19/2021 1:00	0.0		3/19/2022 1:00	0.0		3/19/2023 1:00	0.0	
3/19/2021 2:00	0.0		3/19/2022 2:00	0.0		3/19/2023 2:00	0.0	
3/19/2021 3:00	0.0		3/19/2022 3:00	0.0		3/19/2023 3:00	0.0	
3/19/2021 4:00	0.0		3/19/2022 4:00	0.0		3/19/2023 4:00	0.0	
3/19/2021 5:00	0.0		3/19/2022 5:00	0.0		3/19/2023 5:00	0.0	
3/19/2021 6:00	0.0		3/19/2022 6:00	0.0		3/19/2023 6:00	0.0	
3/19/2021 7:00	0.0		3/19/2022 7:00	0.0		3/19/2023 7:00	0.0	
3/19/2021 8:00	0.0		3/19/2022 8:00	0.0		3/19/2023 8:00	0.0	
3/19/2021 9:00	0.0		3/19/2022 9:00	0.0		3/19/2023 9:00	0.0	
3/19/2021 10:00	0.0		3/19/2022 10:00	0.0		3/19/2023 10:00	0.0	
3/19/2021 11:00	0.0		3/19/2022 11:00	0.0		3/19/2023 11:00	0.0	
3/19/2021 12:00	0.0		3/19/2022 12:00	0.0		3/19/2023 12:00	0.0	
3/19/2021 13:00	0.0		3/19/2022 13:00	0.0		3/19/2023 13:00	0.0	
3/19/2021 14:00	0.0		3/19/2022 14:00	0.0		3/19/2023 14:00	0.0	
3/19/2021 15:00	0.0		3/19/2022 15:00	0.0		3/19/2023 15:00	0.0	
3/19/2021 16:00	0.0		3/19/2022 16:00	0.0		3/19/2023 16:00	0.0	
3/19/2021 17:00	0.0		3/19/2022 17:00	0.0		3/19/2023 17:00	0.0	
3/19/2021 18:00	0.0		3/19/2022 18:00	0.0		3/19/2023 18:00	0.0	
3/19/2021 19:00	0.0		3/19/2022 19:00	0.0		3/19/2023 19:00	0.0	
3/19/2021 20:00	0.0		3/19/2022 20:00	0.0		3/19/2023 20:00	0.0	
3/19/2021 21:00	0.0		3/19/2022 21:00	0.0		3/19/2023 21:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/19/2021 22:00	0.0		3/19/2022 22:00	0.0		3/19/2023 22:00	0.0	
3/19/2021 23:00	0.0	0.0	3/19/2022 23:00	0.0	0.0	3/19/2023 23:00	0.0	0.0
3/20/2021 0:00	0.0		3/20/2022 0:00	0.0		3/20/2023 0:00	0.0	
3/20/2021 1:00	0.0		3/20/2022 1:00	0.0		3/20/2023 1:00	0.0	
3/20/2021 2:00	0.0		3/20/2022 2:00	0.0		3/20/2023 2:00	0.0	
3/20/2021 3:00	0.0		3/20/2022 3:00	0.0		3/20/2023 3:00	0.0	
3/20/2021 4:00	0.0		3/20/2022 4:00	0.0		3/20/2023 4:00	0.0	
3/20/2021 5:00	0.0		3/20/2022 5:00	0.0		3/20/2023 5:00	0.0	
3/20/2021 6:00	0.0		3/20/2022 6:00	0.0		3/20/2023 6:00	0.0	
3/20/2021 7:00	0.0		3/20/2022 7:00	0.0		3/20/2023 7:00	0.0	
3/20/2021 8:00	0.0		3/20/2022 8:00	0.0		3/20/2023 8:00	0.0	
3/20/2021 9:00	0.0		3/20/2022 9:00	0.0		3/20/2023 9:00	0.0	
3/20/2021 10:00	0.0		3/20/2022 10:00	0.0		3/20/2023 10:00	0.0	
3/20/2021 11:00	0.0		3/20/2022 11:00	0.0		3/20/2023 11:00	0.0	
3/20/2021 12:00	0.0		3/20/2022 12:00	0.0		3/20/2023 12:00	0.0	
3/20/2021 13:00	0.0		3/20/2022 13:00	0.0		3/20/2023 13:00	0.0	
3/20/2021 14:00	0.0		3/20/2022 14:00	0.0		3/20/2023 14:00	0.0	
3/20/2021 15:00	0.0		3/20/2022 15:00	0.0		3/20/2023 15:00	0.0	
3/20/2021 16:00	0.0		3/20/2022 16:00	0.0		3/20/2023 16:00	0.0	
3/20/2021 17:00	0.0		3/20/2022 17:00	0.0		3/20/2023 17:00	0.0	
3/20/2021 18:00	0.0		3/20/2022 18:00	0.0		3/20/2023 18:00	0.0	
3/20/2021 19:00	0.0		3/20/2022 19:00	0.0		3/20/2023 19:00	0.0	
3/20/2021 20:00	0.0		3/20/2022 20:00	0.0		3/20/2023 20:00	0.0	
3/20/2021 21:00	0.0		3/20/2022 21:00	0.0		3/20/2023 21:00	0.0	
3/20/2021 22:00	0.0		3/20/2022 22:00	0.0		3/20/2023 22:00	0.0	
3/20/2021 23:00	0.0	0.0	3/20/2022 23:00	0.0	0.0	3/20/2023 23:00	0.0	0.0
3/21/2021 0:00	0.0		3/21/2022 0:00	0.0		3/21/2023 0:00	0.0	
3/21/2021 1:00	0.0		3/21/2022 1:00	0.0		3/21/2023 1:00	0.0	
3/21/2021 2:00	0.0		3/21/2022 2:00	0.0		3/21/2023 2:00	0.0	
3/21/2021 3:00	0.0		3/21/2022 3:00	0.0		3/21/2023 3:00	0.0	
3/21/2021 4:00	0.0		3/21/2022 4:00	0.0		3/21/2023 4:00	0.0	
3/21/2021 5:00	0.0		3/21/2022 5:00	0.0		3/21/2023 5:00	0.0	
3/21/2021 6:00	0.0		3/21/2022 6:00	0.0		3/21/2023 6:00	0.0	
3/21/2021 7:00	0.0		3/21/2022 7:00	0.0		3/21/2023 7:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/21/2021 8:00	0.0		3/21/2022 8:00	0.0		3/21/2023 8:00	0.0	
3/21/2021 9:00	0.0		3/21/2022 9:00	0.0		3/21/2023 9:00	0.0	
3/21/2021 10:00	0.0		3/21/2022 10:00	0.0		3/21/2023 10:00	0.0	
3/21/2021 11:00	0.0		3/21/2022 11:00	0.0		3/21/2023 11:00	0.0	
3/21/2021 12:00	0.0		3/21/2022 12:00	0.0		3/21/2023 12:00	0.0	
3/21/2021 13:00	0.0		3/21/2022 13:00	0.0		3/21/2023 13:00	0.0	
3/21/2021 14:00	0.0		3/21/2022 14:00	0.0		3/21/2023 14:00	0.0	
3/21/2021 15:00	0.0		3/21/2022 15:00	0.0		3/21/2023 15:00	0.0	
3/21/2021 16:00	0.0		3/21/2022 16:00	0.0		3/21/2023 16:00	0.0	
3/21/2021 17:00	0.0		3/21/2022 17:00	0.0		3/21/2023 17:00	0.0	
3/21/2021 18:00	0.0		3/21/2022 18:00	0.0		3/21/2023 18:00	0.0	
3/21/2021 19:00	0.0		3/21/2022 19:00	0.0		3/21/2023 19:00	0.0	
3/21/2021 20:00	0.0		3/21/2022 20:00	0.0		3/21/2023 20:00	0.0	
3/21/2021 21:00	0.0		3/21/2022 21:00	0.0		3/21/2023 21:00	0.0	
3/21/2021 22:00	0.0		3/21/2022 22:00	0.0		3/21/2023 22:00	0.0	
3/21/2021 23:00	0.0	0.0	3/21/2022 23:00	0.0	0.0	3/21/2023 23:00	0.0	0.0
3/22/2021 0:00	0.0		3/22/2022 0:00	0.0		3/22/2023 0:00	0.0	
3/22/2021 1:00	0.0		3/22/2022 1:00	0.0		3/22/2023 1:00	0.0	
3/22/2021 2:00	0.0		3/22/2022 2:00	0.0		3/22/2023 2:00	0.0	
3/22/2021 3:00	0.0		3/22/2022 3:00	0.0		3/22/2023 3:00	0.0	
3/22/2021 4:00	0.0		3/22/2022 4:00	0.0		3/22/2023 4:00	0.0	
3/22/2021 5:00	0.0		3/22/2022 5:00	0.0		3/22/2023 5:00	0.0	
3/22/2021 6:00	0.0		3/22/2022 6:00	0.0		3/22/2023 6:00	0.0	
3/22/2021 7:00	0.0		3/22/2022 7:00	0.0		3/22/2023 7:00	0.0	
3/22/2021 8:00	0.0		3/22/2022 8:00	0.0		3/22/2023 8:00	0.0	
3/22/2021 9:00	0.0		3/22/2022 9:00	0.0		3/22/2023 9:00	0.0	
3/22/2021 10:00	0.0		3/22/2022 10:00	0.0		3/22/2023 10:00	0.0	
3/22/2021 11:00	0.0		3/22/2022 11:00	0.0		3/22/2023 11:00	0.0	
3/22/2021 12:00	0.0		3/22/2022 12:00	0.0		3/22/2023 12:00	0.0	
3/22/2021 13:00	0.0		3/22/2022 13:00	0.0		3/22/2023 13:00	0.0	
3/22/2021 14:00	0.0		3/22/2022 14:00	0.0		3/22/2023 14:00	0.0	
3/22/2021 15:00	0.0		3/22/2022 15:00	0.0		3/22/2023 15:00	0.0	
3/22/2021 16:00	0.0		3/22/2022 16:00	0.0		3/22/2023 16:00	0.0	
3/22/2021 17:00	0.0		3/22/2022 17:00	0.0		3/22/2023 17:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/22/2021 18:00	0.0		3/22/2022 18:00	0.0		3/22/2023 18:00	0.0	
3/22/2021 19:00	0.0		3/22/2022 19:00	0.0		3/22/2023 19:00	0.0	
3/22/2021 20:00	0.0		3/22/2022 20:00	0.0		3/22/2023 20:00	0.0	
3/22/2021 21:00	0.0		3/22/2022 21:00	0.0		3/22/2023 21:00	0.0	
3/22/2021 22:00	0.0		3/22/2022 22:00	0.0		3/22/2023 22:00	0.0	
3/22/2021 23:00	0.0	0.0	3/22/2022 23:00	0.0	0.0	3/22/2023 23:00	0.0	0.0
3/23/2021 0:00	0.0		3/23/2022 0:00	0.0		3/23/2023 0:00	0.0	
3/23/2021 1:00	0.0		3/23/2022 1:00	0.0		3/23/2023 1:00	0.0	
3/23/2021 2:00	0.0		3/23/2022 2:00	0.0		3/23/2023 2:00	0.0	
3/23/2021 3:00	0.0		3/23/2022 3:00	0.0		3/23/2023 3:00	0.0	
3/23/2021 4:00	0.0		3/23/2022 4:00	0.0		3/23/2023 4:00	0.0	
3/23/2021 5:00	0.0		3/23/2022 5:00	0.0		3/23/2023 5:00	0.0	
3/23/2021 6:00	0.0		3/23/2022 6:00	0.0		3/23/2023 6:00	0.0	
3/23/2021 7:00	0.0		3/23/2022 7:00	0.0		3/23/2023 7:00	0.0	
3/23/2021 8:00	0.0		3/23/2022 8:00	0.0		3/23/2023 8:00	0.0	
3/23/2021 9:00	0.0		3/23/2022 9:00	0.0		3/23/2023 9:00	187.4	
3/23/2021 10:00	0.0		3/23/2022 10:00	0.0		3/23/2023 10:00	1792.4	
3/23/2021 11:00	0.0		3/23/2022 11:00	0.0		3/23/2023 11:00	1379.0	
3/23/2021 12:00	0.0		3/23/2022 12:00	0.0		3/23/2023 12:00	1311.3	
3/23/2021 13:00	0.0		3/23/2022 13:00	0.0		3/23/2023 13:00	1379.0	
3/23/2021 14:00	0.0		3/23/2022 14:00	0.0		3/23/2023 14:00	1312.0	
3/23/2021 15:00	0.0		3/23/2022 15:00	0.0		3/23/2023 15:00	1250.0	
3/23/2021 16:00	0.0		3/23/2022 16:00	0.0		3/23/2023 16:00	1198.3	
3/23/2021 17:00	0.0		3/23/2022 17:00	0.0		3/23/2023 17:00	1484.8	
3/23/2021 18:00	0.0		3/23/2022 18:00	0.0		3/23/2023 18:00	1551.7	
3/23/2021 19:00	0.0		3/23/2022 19:00	0.0		3/23/2023 19:00	534.8	
3/23/2021 20:00	0.0		3/23/2022 20:00	0.0		3/23/2023 20:00	0.0	
3/23/2021 21:00	0.0		3/23/2022 21:00	0.0		3/23/2023 21:00	0.0	
3/23/2021 22:00	0.0		3/23/2022 22:00	0.0		3/23/2023 22:00	0.0	
3/23/2021 23:00	0.0	0.0	3/23/2022 23:00	0.0	0.0	3/23/2023 23:00	0.0	1792.4
3/24/2021 0:00	0.0		3/24/2022 0:00	0.0		3/24/2023 0:00	0.0	
3/24/2021 1:00	0.0		3/24/2022 1:00	0.0		3/24/2023 1:00	0.0	
3/24/2021 2:00	0.0		3/24/2022 2:00	0.0		3/24/2023 2:00	0.0	
3/24/2021 3:00	0.0		3/24/2022 3:00	0.0		3/24/2023 3:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/24/2021 4:00	0.0		3/24/2022 4:00	0.0		3/24/2023 4:00	0.0	
3/24/2021 5:00	0.0		3/24/2022 5:00	0.0		3/24/2023 5:00	0.0	
3/24/2021 6:00	0.0		3/24/2022 6:00	0.0		3/24/2023 6:00	0.0	
3/24/2021 7:00	0.0		3/24/2022 7:00	0.0		3/24/2023 7:00	0.0	
3/24/2021 8:00	0.0		3/24/2022 8:00	0.0		3/24/2023 8:00	0.0	
3/24/2021 9:00	0.0		3/24/2022 9:00	0.0		3/24/2023 9:00	0.0	
3/24/2021 10:00	0.0		3/24/2022 10:00	0.0		3/24/2023 10:00	0.0	
3/24/2021 11:00	0.0		3/24/2022 11:00	0.0		3/24/2023 11:00	0.0	
3/24/2021 12:00	0.0		3/24/2022 12:00	0.0		3/24/2023 12:00	0.0	
3/24/2021 13:00	0.0		3/24/2022 13:00	0.0		3/24/2023 13:00	0.0	
3/24/2021 14:00	0.0		3/24/2022 14:00	0.0		3/24/2023 14:00	0.0	
3/24/2021 15:00	0.0		3/24/2022 15:00	0.0		3/24/2023 15:00	0.0	
3/24/2021 16:00	0.0		3/24/2022 16:00	0.0		3/24/2023 16:00	0.0	
3/24/2021 17:00	0.0		3/24/2022 17:00	0.0		3/24/2023 17:00	0.0	
3/24/2021 18:00	0.0		3/24/2022 18:00	0.0		3/24/2023 18:00	0.0	
3/24/2021 19:00	0.0		3/24/2022 19:00	0.0		3/24/2023 19:00	0.0	
3/24/2021 20:00	0.0		3/24/2022 20:00	0.0		3/24/2023 20:00	0.0	
3/24/2021 21:00	0.0		3/24/2022 21:00	0.0		3/24/2023 21:00	0.0	
3/24/2021 22:00	0.0		3/24/2022 22:00	0.0		3/24/2023 22:00	0.0	
3/24/2021 23:00	0.0	0.0	3/24/2022 23:00	0.0	0.0	3/24/2023 23:00	0.0	0.0
3/25/2021 0:00	0.0		3/25/2022 0:00	0.0		3/25/2023 0:00	0.0	
3/25/2021 1:00	0.0		3/25/2022 1:00	0.0		3/25/2023 1:00	0.0	
3/25/2021 2:00	0.0		3/25/2022 2:00	0.0		3/25/2023 2:00	0.0	
3/25/2021 3:00	0.0		3/25/2022 3:00	0.0		3/25/2023 3:00	0.0	
3/25/2021 4:00	0.0		3/25/2022 4:00	0.0		3/25/2023 4:00	0.0	
3/25/2021 5:00	0.0		3/25/2022 5:00	0.0		3/25/2023 5:00	0.0	
3/25/2021 6:00	0.0		3/25/2022 6:00	0.0		3/25/2023 6:00	0.0	
3/25/2021 7:00	0.0		3/25/2022 7:00	0.0		3/25/2023 7:00	0.0	
3/25/2021 8:00	0.0		3/25/2022 8:00	0.0		3/25/2023 8:00	0.0	
3/25/2021 9:00	0.0		3/25/2022 9:00	0.0		3/25/2023 9:00	0.0	
3/25/2021 10:00	0.0		3/25/2022 10:00	0.0		3/25/2023 10:00	0.0	
3/25/2021 11:00	0.0		3/25/2022 11:00	0.0		3/25/2023 11:00	0.0	
3/25/2021 12:00	0.0		3/25/2022 12:00	0.0		3/25/2023 12:00	0.0	
3/25/2021 13:00	0.0		3/25/2022 13:00	0.0		3/25/2023 13:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/25/2021 14:00	0.0		3/25/2022 14:00	0.0		3/25/2023 14:00	0.0	
3/25/2021 15:00	0.0		3/25/2022 15:00	0.0		3/25/2023 15:00	0.0	
3/25/2021 16:00	0.0		3/25/2022 16:00	0.0		3/25/2023 16:00	0.0	
3/25/2021 17:00	0.0		3/25/2022 17:00	0.0		3/25/2023 17:00	0.0	
3/25/2021 18:00	0.0		3/25/2022 18:00	0.0		3/25/2023 18:00	0.0	
3/25/2021 19:00	0.0		3/25/2022 19:00	0.0		3/25/2023 19:00	0.0	
3/25/2021 20:00	0.0		3/25/2022 20:00	0.0		3/25/2023 20:00	0.0	
3/25/2021 21:00	0.0		3/25/2022 21:00	0.0		3/25/2023 21:00	0.0	
3/25/2021 22:00	0.0		3/25/2022 22:00	0.0		3/25/2023 22:00	0.0	
3/25/2021 23:00	0.0	0.0	3/25/2022 23:00	0.0	0.0	3/25/2023 23:00	0.0	0.0
3/26/2021 0:00	0.0		3/26/2022 0:00	0.0		3/26/2023 0:00	0.0	
3/26/2021 1:00	0.0		3/26/2022 1:00	0.0		3/26/2023 1:00	0.0	
3/26/2021 2:00	0.0		3/26/2022 2:00	0.0		3/26/2023 2:00	0.0	
3/26/2021 3:00	0.0		3/26/2022 3:00	0.0		3/26/2023 3:00	0.0	
3/26/2021 4:00	0.0		3/26/2022 4:00	0.0		3/26/2023 4:00	0.0	
3/26/2021 5:00	0.0		3/26/2022 5:00	0.0		3/26/2023 5:00	0.0	
3/26/2021 6:00	0.0		3/26/2022 6:00	0.0		3/26/2023 6:00	0.0	
3/26/2021 7:00	0.0		3/26/2022 7:00	0.0		3/26/2023 7:00	0.0	
3/26/2021 8:00	0.0		3/26/2022 8:00	0.0		3/26/2023 8:00	0.0	
3/26/2021 9:00	0.0		3/26/2022 9:00	0.0		3/26/2023 9:00	0.0	
3/26/2021 10:00	0.0		3/26/2022 10:00	0.0		3/26/2023 10:00	0.0	
3/26/2021 11:00	0.0		3/26/2022 11:00	0.0		3/26/2023 11:00	0.0	
3/26/2021 12:00	0.0		3/26/2022 12:00	0.0		3/26/2023 12:00	0.0	
3/26/2021 13:00	0.0		3/26/2022 13:00	0.0		3/26/2023 13:00	0.0	
3/26/2021 14:00	0.0		3/26/2022 14:00	0.0		3/26/2023 14:00	0.0	
3/26/2021 15:00	0.0		3/26/2022 15:00	0.0		3/26/2023 15:00	0.0	
3/26/2021 16:00	0.0		3/26/2022 16:00	0.0		3/26/2023 16:00	0.0	
3/26/2021 17:00	0.0		3/26/2022 17:00	0.0		3/26/2023 17:00	0.0	
3/26/2021 18:00	0.0		3/26/2022 18:00	0.0		3/26/2023 18:00	0.0	
3/26/2021 19:00	0.0		3/26/2022 19:00	0.0		3/26/2023 19:00	0.0	
3/26/2021 20:00	0.0		3/26/2022 20:00	0.0		3/26/2023 20:00	0.0	
3/26/2021 21:00	0.0		3/26/2022 21:00	0.0		3/26/2023 21:00	0.0	
3/26/2021 22:00	0.0		3/26/2022 22:00	0.0		3/26/2023 22:00	0.0	
3/26/2021 23:00	0.0	0.0	3/26/2022 23:00	0.0	0.0	3/26/2023 23:00	0.0	0.0

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/27/2021 0:00	0.0		3/27/2022 0:00	0.0		3/27/2023 0:00	0.0	
3/27/2021 1:00	0.0		3/27/2022 1:00	0.0		3/27/2023 1:00	0.0	
3/27/2021 2:00	0.0		3/27/2022 2:00	0.0		3/27/2023 2:00	0.0	
3/27/2021 3:00	0.0		3/27/2022 3:00	0.0		3/27/2023 3:00	0.0	
3/27/2021 4:00	0.0		3/27/2022 4:00	0.0		3/27/2023 4:00	0.0	
3/27/2021 5:00	0.0		3/27/2022 5:00	0.0		3/27/2023 5:00	0.0	
3/27/2021 6:00	0.0		3/27/2022 6:00	0.0		3/27/2023 6:00	0.0	
3/27/2021 7:00	0.0		3/27/2022 7:00	0.0		3/27/2023 7:00	0.0	
3/27/2021 8:00	0.0		3/27/2022 8:00	0.0		3/27/2023 8:00	0.0	
3/27/2021 9:00	0.0		3/27/2022 9:00	0.0		3/27/2023 9:00	0.0	
3/27/2021 10:00	0.0		3/27/2022 10:00	0.0		3/27/2023 10:00	0.0	
3/27/2021 11:00	0.0		3/27/2022 11:00	0.0		3/27/2023 11:00	0.0	
3/27/2021 12:00	0.0		3/27/2022 12:00	0.0		3/27/2023 12:00	0.0	
3/27/2021 13:00	0.0		3/27/2022 13:00	0.0		3/27/2023 13:00	0.0	
3/27/2021 14:00	0.0		3/27/2022 14:00	0.0		3/27/2023 14:00	0.0	
3/27/2021 15:00	0.0		3/27/2022 15:00	0.0		3/27/2023 15:00	0.0	
3/27/2021 16:00	0.0		3/27/2022 16:00	0.0		3/27/2023 16:00	0.0	
3/27/2021 17:00	0.0		3/27/2022 17:00	0.0		3/27/2023 17:00	0.0	
3/27/2021 18:00	0.0		3/27/2022 18:00	0.0		3/27/2023 18:00	0.0	
3/27/2021 19:00	0.0		3/27/2022 19:00	0.0		3/27/2023 19:00	0.0	
3/27/2021 20:00	0.0		3/27/2022 20:00	0.0		3/27/2023 20:00	0.0	
3/27/2021 21:00	0.0		3/27/2022 21:00	0.0		3/27/2023 21:00	0.0	
3/27/2021 22:00	0.0		3/27/2022 22:00	0.0		3/27/2023 22:00	0.0	
3/27/2021 23:00	0.0	0.0	3/27/2022 23:00	0.0	0.0	3/27/2023 23:00	0.0	0.0
3/28/2021 0:00	0.0		3/28/2022 0:00	0.0		3/28/2023 0:00	0.0	
3/28/2021 1:00	0.0		3/28/2022 1:00	0.0		3/28/2023 1:00	0.0	
3/28/2021 2:00	0.0		3/28/2022 2:00	0.0		3/28/2023 2:00	0.0	
3/28/2021 3:00	0.0		3/28/2022 3:00	0.0		3/28/2023 3:00	0.0	
3/28/2021 4:00	0.0		3/28/2022 4:00	0.0		3/28/2023 4:00	0.0	
3/28/2021 5:00	0.0		3/28/2022 5:00	0.0		3/28/2023 5:00	0.0	
3/28/2021 6:00	0.0		3/28/2022 6:00	0.0		3/28/2023 6:00	0.0	
3/28/2021 7:00	0.0		3/28/2022 7:00	0.0		3/28/2023 7:00	0.0	
3/28/2021 8:00	0.0		3/28/2022 8:00	0.0		3/28/2023 8:00	0.0	
3/28/2021 9:00	0.0		3/28/2022 9:00	0.0		3/28/2023 9:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/28/2021 10:00	0.0		3/28/2022 10:00	0.0		3/28/2023 10:00	0.0	
3/28/2021 11:00	0.0		3/28/2022 11:00	0.0		3/28/2023 11:00	0.0	
3/28/2021 12:00	0.0		3/28/2022 12:00	0.0		3/28/2023 12:00	0.0	
3/28/2021 13:00	0.0		3/28/2022 13:00	0.0		3/28/2023 13:00	0.0	
3/28/2021 14:00	0.0		3/28/2022 14:00	0.0		3/28/2023 14:00	0.0	
3/28/2021 15:00	0.0		3/28/2022 15:00	0.0		3/28/2023 15:00	0.0	
3/28/2021 16:00	0.0		3/28/2022 16:00	0.0		3/28/2023 16:00	0.0	
3/28/2021 17:00	0.0		3/28/2022 17:00	0.0		3/28/2023 17:00	0.0	
3/28/2021 18:00	0.0		3/28/2022 18:00	0.0		3/28/2023 18:00	0.0	
3/28/2021 19:00	0.0		3/28/2022 19:00	0.0		3/28/2023 19:00	0.0	
3/28/2021 20:00	0.0		3/28/2022 20:00	0.0		3/28/2023 20:00	0.0	
3/28/2021 21:00	0.0		3/28/2022 21:00	0.0		3/28/2023 21:00	0.0	
3/28/2021 22:00	0.0		3/28/2022 22:00	0.0		3/28/2023 22:00	0.0	
3/28/2021 23:00	0.0	0.0	3/28/2022 23:00	0.0	0.0	3/28/2023 23:00	0.0	0.0
3/29/2021 0:00	0.0		3/29/2022 0:00	0.0		3/29/2023 0:00	0.0	
3/29/2021 1:00	0.0		3/29/2022 1:00	0.0		3/29/2023 1:00	0.0	
3/29/2021 2:00	0.0		3/29/2022 2:00	0.0		3/29/2023 2:00	0.0	
3/29/2021 3:00	0.0		3/29/2022 3:00	0.0		3/29/2023 3:00	0.0	
3/29/2021 4:00	0.0		3/29/2022 4:00	0.0		3/29/2023 4:00	0.0	
3/29/2021 5:00	0.0		3/29/2022 5:00	0.0		3/29/2023 5:00	0.0	
3/29/2021 6:00	0.0		3/29/2022 6:00	0.0		3/29/2023 6:00	0.0	
3/29/2021 7:00	0.0		3/29/2022 7:00	0.0		3/29/2023 7:00	0.0	
3/29/2021 8:00	0.0		3/29/2022 8:00	0.0		3/29/2023 8:00	0.0	
3/29/2021 9:00	0.0		3/29/2022 9:00	0.0		3/29/2023 9:00	0.0	
3/29/2021 10:00	0.0		3/29/2022 10:00	0.0		3/29/2023 10:00	0.0	
3/29/2021 11:00	0.0		3/29/2022 11:00	0.0		3/29/2023 11:00	0.0	
3/29/2021 12:00	0.0		3/29/2022 12:00	0.0		3/29/2023 12:00	0.0	
3/29/2021 13:00	0.0		3/29/2022 13:00	0.0		3/29/2023 13:00	0.0	
3/29/2021 14:00	0.0		3/29/2022 14:00	0.0		3/29/2023 14:00	0.0	
3/29/2021 15:00	0.0		3/29/2022 15:00	0.0		3/29/2023 15:00	0.0	
3/29/2021 16:00	0.0		3/29/2022 16:00	0.0		3/29/2023 16:00	0.0	
3/29/2021 17:00	0.0		3/29/2022 17:00	0.0		3/29/2023 17:00	0.0	
3/29/2021 18:00	0.0		3/29/2022 18:00	0.0		3/29/2023 18:00	0.0	
3/29/2021 19:00	0.0		3/29/2022 19:00	0.0		3/29/2023 19:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/29/2021 20:00	0.0		3/29/2022 20:00	0.0		3/29/2023 20:00	0.0	
3/29/2021 21:00	0.0		3/29/2022 21:00	0.0		3/29/2023 21:00	0.0	
3/29/2021 22:00	0.0		3/29/2022 22:00	0.0		3/29/2023 22:00	0.0	
3/29/2021 23:00	0.0	0.0	3/29/2022 23:00	0.0	0.0	3/29/2023 23:00	0.0	0.0
3/30/2021 0:00	0.0		3/30/2022 0:00	0.0		3/30/2023 0:00	0.0	
3/30/2021 1:00	0.0		3/30/2022 1:00	0.0		3/30/2023 1:00	0.0	
3/30/2021 2:00	0.0		3/30/2022 2:00	0.0		3/30/2023 2:00	0.0	
3/30/2021 3:00	0.0		3/30/2022 3:00	0.0		3/30/2023 3:00	0.0	
3/30/2021 4:00	0.0		3/30/2022 4:00	0.0		3/30/2023 4:00	0.0	
3/30/2021 5:00	0.0		3/30/2022 5:00	0.0		3/30/2023 5:00	0.0	
3/30/2021 6:00	0.0		3/30/2022 6:00	0.0		3/30/2023 6:00	0.0	
3/30/2021 7:00	0.0		3/30/2022 7:00	0.0		3/30/2023 7:00	0.0	
3/30/2021 8:00	0.0		3/30/2022 8:00	0.0		3/30/2023 8:00	0.0	
3/30/2021 9:00	0.0		3/30/2022 9:00	0.0		3/30/2023 9:00	0.0	
3/30/2021 10:00	0.0		3/30/2022 10:00	0.0		3/30/2023 10:00	0.0	
3/30/2021 11:00	0.0		3/30/2022 11:00	0.0		3/30/2023 11:00	0.0	
3/30/2021 12:00	0.0		3/30/2022 12:00	0.0		3/30/2023 12:00	0.0	
3/30/2021 13:00	0.0		3/30/2022 13:00	0.0		3/30/2023 13:00	0.0	
3/30/2021 14:00	0.0		3/30/2022 14:00	0.0		3/30/2023 14:00	0.0	
3/30/2021 15:00	0.0		3/30/2022 15:00	0.0		3/30/2023 15:00	0.0	
3/30/2021 16:00	0.0		3/30/2022 16:00	0.0		3/30/2023 16:00	0.0	
3/30/2021 17:00	0.0		3/30/2022 17:00	0.0		3/30/2023 17:00	0.0	
3/30/2021 18:00	0.0		3/30/2022 18:00	0.0		3/30/2023 18:00	0.0	
3/30/2021 19:00	0.0		3/30/2022 19:00	0.0		3/30/2023 19:00	0.0	
3/30/2021 20:00	0.0		3/30/2022 20:00	0.0		3/30/2023 20:00	0.0	
3/30/2021 21:00	0.0		3/30/2022 21:00	0.0		3/30/2023 21:00	0.0	
3/30/2021 22:00	0.0		3/30/2022 22:00	0.0		3/30/2023 22:00	0.0	
3/30/2021 23:00	0.0	0.0	3/30/2022 23:00	0.0	0.0	3/30/2023 23:00	0.0	0.0
3/31/2021 0:00	0.0		3/31/2022 0:00	0.0		3/31/2023 0:00	0.0	
3/31/2021 1:00	0.0		3/31/2022 1:00	0.0		3/31/2023 1:00	0.0	
3/31/2021 2:00	0.0		3/31/2022 2:00	0.0		3/31/2023 2:00	0.0	
3/31/2021 3:00	0.0		3/31/2022 3:00	0.0		3/31/2023 3:00	0.0	
3/31/2021 4:00	0.0		3/31/2022 4:00	0.0		3/31/2023 4:00	0.0	
3/31/2021 5:00	0.0		3/31/2022 5:00	0.0		3/31/2023 5:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
3/31/2021 6:00	0.0		3/31/2022 6:00	0.0		3/31/2023 6:00	0.0	
3/31/2021 7:00	0.0		3/31/2022 7:00	0.0		3/31/2023 7:00	0.0	
3/31/2021 8:00	0.0		3/31/2022 8:00	0.0		3/31/2023 8:00	0.0	
3/31/2021 9:00	0.0		3/31/2022 9:00	0.0		3/31/2023 9:00	0.0	
3/31/2021 10:00	0.0		3/31/2022 10:00	0.0		3/31/2023 10:00	0.0	
3/31/2021 11:00	0.0		3/31/2022 11:00	0.0		3/31/2023 11:00	0.0	
3/31/2021 12:00	0.0		3/31/2022 12:00	0.0		3/31/2023 12:00	0.0	
3/31/2021 13:00	0.0		3/31/2022 13:00	0.0		3/31/2023 13:00	0.0	
3/31/2021 14:00	0.0		3/31/2022 14:00	0.0		3/31/2023 14:00	0.0	
3/31/2021 15:00	0.0		3/31/2022 15:00	0.0		3/31/2023 15:00	0.0	
3/31/2021 16:00	0.0		3/31/2022 16:00	0.0		3/31/2023 16:00	0.0	
3/31/2021 17:00	0.0		3/31/2022 17:00	0.0		3/31/2023 17:00	0.0	
3/31/2021 18:00	0.0		3/31/2022 18:00	0.0		3/31/2023 18:00	0.0	
3/31/2021 19:00	0.0		3/31/2022 19:00	0.0		3/31/2023 19:00	0.0	
3/31/2021 20:00	0.0		3/31/2022 20:00	0.0		3/31/2023 20:00	0.0	
3/31/2021 21:00	0.0		3/31/2022 21:00	0.0		3/31/2023 21:00	0.0	
3/31/2021 22:00	0.0		3/31/2022 22:00	0.0		3/31/2023 22:00	0.0	
3/31/2021 23:00	0.0	0.0	3/31/2022 23:00	0.0	0.0	3/31/2023 23:00	0.0	0.0
4/1/2021 0:00	0.0		4/1/2022 0:00	0.0		4/1/2023 0:00	0.0	
4/1/2021 1:00	0.0		4/1/2022 1:00	0.0		4/1/2023 1:00	0.0	
4/1/2021 2:00	0.0		4/1/2022 2:00	0.0		4/1/2023 2:00	0.0	
4/1/2021 3:00	0.0		4/1/2022 3:00	0.0		4/1/2023 3:00	0.0	
4/1/2021 4:00	0.0		4/1/2022 4:00	0.0		4/1/2023 4:00	0.0	
4/1/2021 5:00	0.0		4/1/2022 5:00	0.0		4/1/2023 5:00	0.0	
4/1/2021 6:00	0.0		4/1/2022 6:00	0.0		4/1/2023 6:00	0.0	
4/1/2021 7:00	0.0		4/1/2022 7:00	0.0		4/1/2023 7:00	0.0	
4/1/2021 8:00	0.0		4/1/2022 8:00	0.0		4/1/2023 8:00	0.0	
4/1/2021 9:00	0.0		4/1/2022 9:00	0.0		4/1/2023 9:00	0.0	
4/1/2021 10:00	0.0		4/1/2022 10:00	0.0		4/1/2023 10:00	0.0	
4/1/2021 11:00	0.0		4/1/2022 11:00	0.0		4/1/2023 11:00	0.0	
4/1/2021 12:00	0.0		4/1/2022 12:00	0.0		4/1/2023 12:00	0.0	
4/1/2021 13:00	0.0		4/1/2022 13:00	0.0		4/1/2023 13:00	0.0	
4/1/2021 14:00	0.0		4/1/2022 14:00	0.0		4/1/2023 14:00	0.0	
4/1/2021 15:00	0.0		4/1/2022 15:00	0.0		4/1/2023 15:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/1/2021 16:00	0.0		4/1/2022 16:00	0.0		4/1/2023 16:00	0.0	
4/1/2021 17:00	0.0		4/1/2022 17:00	0.0		4/1/2023 17:00	0.0	
4/1/2021 18:00	0.0		4/1/2022 18:00	0.0		4/1/2023 18:00	0.0	
4/1/2021 19:00	0.0		4/1/2022 19:00	0.0		4/1/2023 19:00	0.0	
4/1/2021 20:00	0.0		4/1/2022 20:00	0.0		4/1/2023 20:00	0.0	
4/1/2021 21:00	0.0		4/1/2022 21:00	0.0		4/1/2023 21:00	0.0	
4/1/2021 22:00	0.0		4/1/2022 22:00	0.0		4/1/2023 22:00	0.0	
4/1/2021 23:00	0.0	0.0	4/1/2022 23:00	0.0	0.0	4/1/2023 23:00	0.0	0.0
4/2/2021 0:00	0.0		4/2/2022 0:00	0.0		4/2/2023 0:00	0.0	
4/2/2021 1:00	0.0		4/2/2022 1:00	0.0		4/2/2023 1:00	0.0	
4/2/2021 2:00	0.0		4/2/2022 2:00	0.0		4/2/2023 2:00	0.0	
4/2/2021 3:00	0.0		4/2/2022 3:00	0.0		4/2/2023 3:00	0.0	
4/2/2021 4:00	0.0		4/2/2022 4:00	0.0		4/2/2023 4:00	0.0	
4/2/2021 5:00	0.0		4/2/2022 5:00	0.0		4/2/2023 5:00	0.0	
4/2/2021 6:00	0.0		4/2/2022 6:00	0.0		4/2/2023 6:00	0.0	
4/2/2021 7:00	0.0		4/2/2022 7:00	0.0		4/2/2023 7:00	0.0	
4/2/2021 8:00	0.0		4/2/2022 8:00	0.0		4/2/2023 8:00	0.0	
4/2/2021 9:00	0.0		4/2/2022 9:00	0.0		4/2/2023 9:00	0.0	
4/2/2021 10:00	0.0		4/2/2022 10:00	0.0		4/2/2023 10:00	0.0	
4/2/2021 11:00	0.0		4/2/2022 11:00	0.0		4/2/2023 11:00	0.0	
4/2/2021 12:00	0.0		4/2/2022 12:00	0.0		4/2/2023 12:00	0.0	
4/2/2021 13:00	0.0		4/2/2022 13:00	0.0		4/2/2023 13:00	0.0	
4/2/2021 14:00	0.0		4/2/2022 14:00	0.0		4/2/2023 14:00	0.0	
4/2/2021 15:00	0.0		4/2/2022 15:00	0.0		4/2/2023 15:00	0.0	
4/2/2021 16:00	0.0		4/2/2022 16:00	0.0		4/2/2023 16:00	0.0	
4/2/2021 17:00	0.0		4/2/2022 17:00	0.0		4/2/2023 17:00	0.0	
4/2/2021 18:00	0.0		4/2/2022 18:00	0.0		4/2/2023 18:00	0.0	
4/2/2021 19:00	0.0		4/2/2022 19:00	0.0		4/2/2023 19:00	0.0	
4/2/2021 20:00	0.0		4/2/2022 20:00	0.0		4/2/2023 20:00	0.0	
4/2/2021 21:00	0.0		4/2/2022 21:00	0.0		4/2/2023 21:00	0.0	
4/2/2021 22:00	0.0		4/2/2022 22:00	0.0		4/2/2023 22:00	0.0	
4/2/2021 23:00	0.0	0.0	4/2/2022 23:00	0.0	0.0	4/2/2023 23:00	0.0	0.0
4/3/2021 0:00	0.0		4/3/2022 0:00	0.0		4/3/2023 0:00	0.0	
4/3/2021 1:00	0.0		4/3/2022 1:00	0.0		4/3/2023 1:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/3/2021 2:00	0.0		4/3/2022 2:00	0.0		4/3/2023 2:00	0.0	
4/3/2021 3:00	0.0		4/3/2022 3:00	0.0		4/3/2023 3:00	0.0	
4/3/2021 4:00	0.0		4/3/2022 4:00	0.0		4/3/2023 4:00	0.0	
4/3/2021 5:00	0.0		4/3/2022 5:00	0.0		4/3/2023 5:00	0.0	
4/3/2021 6:00	0.0		4/3/2022 6:00	0.0		4/3/2023 6:00	0.0	
4/3/2021 7:00	0.0		4/3/2022 7:00	0.0		4/3/2023 7:00	0.0	
4/3/2021 8:00	0.0		4/3/2022 8:00	0.0		4/3/2023 8:00	0.0	
4/3/2021 9:00	54.0		4/3/2022 9:00	0.0		4/3/2023 9:00	0.0	
4/3/2021 10:00	0.0		4/3/2022 10:00	0.0		4/3/2023 10:00	0.0	
4/3/2021 11:00	0.0		4/3/2022 11:00	0.0		4/3/2023 11:00	0.0	
4/3/2021 12:00	0.0		4/3/2022 12:00	0.0		4/3/2023 12:00	0.0	
4/3/2021 13:00	0.0		4/3/2022 13:00	0.0		4/3/2023 13:00	0.0	
4/3/2021 14:00	0.0		4/3/2022 14:00	0.0		4/3/2023 14:00	0.0	
4/3/2021 15:00	0.0		4/3/2022 15:00	0.0		4/3/2023 15:00	0.0	
4/3/2021 16:00	0.0		4/3/2022 16:00	0.0		4/3/2023 16:00	0.0	
4/3/2021 17:00	0.0		4/3/2022 17:00	0.0		4/3/2023 17:00	0.0	
4/3/2021 18:00	0.0		4/3/2022 18:00	0.0		4/3/2023 18:00	0.0	
4/3/2021 19:00	0.0		4/3/2022 19:00	0.0		4/3/2023 19:00	0.0	
4/3/2021 20:00	0.0		4/3/2022 20:00	0.0		4/3/2023 20:00	0.0	
4/3/2021 21:00	0.0		4/3/2022 21:00	0.0		4/3/2023 21:00	0.0	
4/3/2021 22:00	0.0		4/3/2022 22:00	0.0		4/3/2023 22:00	0.0	
4/3/2021 23:00	0.0	54.0	4/3/2022 23:00	0.0	0.0	4/3/2023 23:00	0.0	0.0
4/4/2021 0:00	0.0		4/4/2022 0:00	0.0		4/4/2023 0:00	0.0	
4/4/2021 1:00	0.0		4/4/2022 1:00	0.0		4/4/2023 1:00	0.0	
4/4/2021 2:00	0.0		4/4/2022 2:00	0.0		4/4/2023 2:00	0.0	
4/4/2021 3:00	0.0		4/4/2022 3:00	0.0		4/4/2023 3:00	0.0	
4/4/2021 4:00	0.0		4/4/2022 4:00	0.0		4/4/2023 4:00	0.0	
4/4/2021 5:00	0.0		4/4/2022 5:00	0.0		4/4/2023 5:00	0.0	
4/4/2021 6:00	0.0		4/4/2022 6:00	0.0		4/4/2023 6:00	0.0	
4/4/2021 7:00	0.0		4/4/2022 7:00	0.0		4/4/2023 7:00	0.0	
4/4/2021 8:00	0.0		4/4/2022 8:00	0.0		4/4/2023 8:00	0.0	
4/4/2021 9:00	0.0		4/4/2022 9:00	0.0		4/4/2023 9:00	0.0	
4/4/2021 10:00	0.0		4/4/2022 10:00	0.0		4/4/2023 10:00	0.0	
4/4/2021 11:00	0.0		4/4/2022 11:00	0.0		4/4/2023 11:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/4/2021 12:00	0.0		4/4/2022 12:00	0.0		4/4/2023 12:00	0.0	
4/4/2021 13:00	0.0		4/4/2022 13:00	0.0		4/4/2023 13:00	0.0	
4/4/2021 14:00	0.0		4/4/2022 14:00	0.0		4/4/2023 14:00	0.0	
4/4/2021 15:00	0.0		4/4/2022 15:00	0.0		4/4/2023 15:00	0.0	
4/4/2021 16:00	0.0		4/4/2022 16:00	0.0		4/4/2023 16:00	0.0	
4/4/2021 17:00	0.0		4/4/2022 17:00	0.0		4/4/2023 17:00	0.0	
4/4/2021 18:00	0.0		4/4/2022 18:00	0.0		4/4/2023 18:00	0.0	
4/4/2021 19:00	0.0		4/4/2022 19:00	0.0		4/4/2023 19:00	0.0	
4/4/2021 20:00	0.0		4/4/2022 20:00	0.0		4/4/2023 20:00	0.0	
4/4/2021 21:00	0.0		4/4/2022 21:00	0.0		4/4/2023 21:00	0.0	
4/4/2021 22:00	0.0		4/4/2022 22:00	0.0		4/4/2023 22:00	0.0	
4/4/2021 23:00	0.0	0.0	4/4/2022 23:00	0.0	0.0	4/4/2023 23:00	0.0	0.0
4/5/2021 0:00	0.0		4/5/2022 0:00	0.0		4/5/2023 0:00	0.0	
4/5/2021 1:00	0.0		4/5/2022 1:00	0.0		4/5/2023 1:00	0.0	
4/5/2021 2:00	0.0		4/5/2022 2:00	0.0		4/5/2023 2:00	0.0	
4/5/2021 3:00	0.0		4/5/2022 3:00	0.0		4/5/2023 3:00	0.0	
4/5/2021 4:00	0.0		4/5/2022 4:00	0.0		4/5/2023 4:00	0.0	
4/5/2021 5:00	0.0		4/5/2022 5:00	0.0		4/5/2023 5:00	0.0	
4/5/2021 6:00	0.0		4/5/2022 6:00	0.0		4/5/2023 6:00	0.0	
4/5/2021 7:00	0.0		4/5/2022 7:00	0.0		4/5/2023 7:00	0.0	
4/5/2021 8:00	0.0		4/5/2022 8:00	0.0		4/5/2023 8:00	0.0	
4/5/2021 9:00	0.0		4/5/2022 9:00	0.0		4/5/2023 9:00	0.0	
4/5/2021 10:00	0.0		4/5/2022 10:00	0.0		4/5/2023 10:00	0.0	
4/5/2021 11:00	0.0		4/5/2022 11:00	0.0		4/5/2023 11:00	0.0	
4/5/2021 12:00	0.0		4/5/2022 12:00	0.0		4/5/2023 12:00	0.0	
4/5/2021 13:00	0.0		4/5/2022 13:00	0.0		4/5/2023 13:00	0.0	
4/5/2021 14:00	0.0		4/5/2022 14:00	0.0		4/5/2023 14:00	0.0	
4/5/2021 15:00	0.0		4/5/2022 15:00	0.0		4/5/2023 15:00	0.0	
4/5/2021 16:00	10.5		4/5/2022 16:00	0.0		4/5/2023 16:00	0.0	
4/5/2021 17:00	7.1		4/5/2022 17:00	0.0		4/5/2023 17:00	0.0	
4/5/2021 18:00	19.1		4/5/2022 18:00	0.0		4/5/2023 18:00	0.0	
4/5/2021 19:00	30.0		4/5/2022 19:00	0.0		4/5/2023 19:00	0.0	
4/5/2021 20:00	30.0		4/5/2022 20:00	0.0		4/5/2023 20:00	0.0	
4/5/2021 21:00	30.0		4/5/2022 21:00	0.0		4/5/2023 21:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/5/2021 22:00	30.0		4/5/2022 22:00	0.0		4/5/2023 22:00	0.0	
4/5/2021 23:00	30.0	30.0	4/5/2022 23:00	0.0	0.0	4/5/2023 23:00	0.0	0.0
4/6/2021 0:00	30.0		4/6/2022 0:00	0.0		4/6/2023 0:00	0.0	
4/6/2021 1:00	30.0		4/6/2022 1:00	0.0		4/6/2023 1:00	0.0	
4/6/2021 2:00	30.0		4/6/2022 2:00	0.0		4/6/2023 2:00	0.0	
4/6/2021 3:00	30.0		4/6/2022 3:00	0.0		4/6/2023 3:00	0.0	
4/6/2021 4:00	30.0		4/6/2022 4:00	0.0		4/6/2023 4:00	0.0	
4/6/2021 5:00	30.0		4/6/2022 5:00	0.0		4/6/2023 5:00	0.0	
4/6/2021 6:00	30.0		4/6/2022 6:00	0.0		4/6/2023 6:00	0.0	
4/6/2021 7:00	30.0		4/6/2022 7:00	0.0		4/6/2023 7:00	0.0	
4/6/2021 8:00	30.0		4/6/2022 8:00	0.0		4/6/2023 8:00	0.0	
4/6/2021 9:00	30.0		4/6/2022 9:00	0.0		4/6/2023 9:00	0.0	
4/6/2021 10:00	30.0		4/6/2022 10:00	0.0		4/6/2023 10:00	0.0	
4/6/2021 11:00	30.0		4/6/2022 11:00	0.0		4/6/2023 11:00	0.0	
4/6/2021 12:00	15.0		4/6/2022 12:00	0.0		4/6/2023 12:00	0.0	
4/6/2021 13:00	0.0		4/6/2022 13:00	0.0		4/6/2023 13:00	0.0	
4/6/2021 14:00	0.0		4/6/2022 14:00	0.0		4/6/2023 14:00	0.0	
4/6/2021 15:00	0.0		4/6/2022 15:00	0.0		4/6/2023 15:00	0.0	
4/6/2021 16:00	0.0		4/6/2022 16:00	0.0		4/6/2023 16:00	0.0	
4/6/2021 17:00	0.0		4/6/2022 17:00	0.0		4/6/2023 17:00	0.0	
4/6/2021 18:00	0.0		4/6/2022 18:00	0.0		4/6/2023 18:00	0.0	
4/6/2021 19:00	0.0		4/6/2022 19:00	0.0		4/6/2023 19:00	0.0	
4/6/2021 20:00	0.0		4/6/2022 20:00	0.0		4/6/2023 20:00	0.0	
4/6/2021 21:00	0.0		4/6/2022 21:00	0.0		4/6/2023 21:00	0.0	
4/6/2021 22:00	0.0		4/6/2022 22:00	0.0		4/6/2023 22:00	0.0	
4/6/2021 23:00	0.0	30.0	4/6/2022 23:00	0.0	0.0	4/6/2023 23:00	0.0	0.0
4/7/2021 0:00	0.3		4/7/2022 0:00	0.0		4/7/2023 0:00	0.0	
4/7/2021 1:00	0.0		4/7/2022 1:00	0.0		4/7/2023 1:00	0.0	
4/7/2021 2:00	0.0		4/7/2022 2:00	0.0		4/7/2023 2:00	0.0	
4/7/2021 3:00	0.0		4/7/2022 3:00	0.0		4/7/2023 3:00	0.0	
4/7/2021 4:00	0.0		4/7/2022 4:00	0.0		4/7/2023 4:00	0.0	
4/7/2021 5:00	0.0		4/7/2022 5:00	0.0		4/7/2023 5:00	0.0	
4/7/2021 6:00	0.0		4/7/2022 6:00	0.0		4/7/2023 6:00	0.0	
4/7/2021 7:00	0.0		4/7/2022 7:00	0.0		4/7/2023 7:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/7/2021 8:00	0.0		4/7/2022 8:00	0.0		4/7/2023 8:00	0.0	
4/7/2021 9:00	0.0		4/7/2022 9:00	0.0		4/7/2023 9:00	0.0	
4/7/2021 10:00	0.0		4/7/2022 10:00	0.0		4/7/2023 10:00	0.0	
4/7/2021 11:00	0.0		4/7/2022 11:00	0.0		4/7/2023 11:00	0.0	
4/7/2021 12:00	0.0		4/7/2022 12:00	0.0		4/7/2023 12:00	0.0	
4/7/2021 13:00	0.7		4/7/2022 13:00	0.0		4/7/2023 13:00	0.0	
4/7/2021 14:00	0.0		4/7/2022 14:00	0.0		4/7/2023 14:00	0.0	
4/7/2021 15:00	0.0		4/7/2022 15:00	0.0		4/7/2023 15:00	0.0	
4/7/2021 16:00	0.0		4/7/2022 16:00	0.0		4/7/2023 16:00	0.0	
4/7/2021 17:00	0.0		4/7/2022 17:00	0.0		4/7/2023 17:00	0.0	
4/7/2021 18:00	0.0		4/7/2022 18:00	0.0		4/7/2023 18:00	0.0	
4/7/2021 19:00	0.0		4/7/2022 19:00	0.0		4/7/2023 19:00	0.0	
4/7/2021 20:00	0.0		4/7/2022 20:00	0.0		4/7/2023 20:00	0.0	
4/7/2021 21:00	0.0		4/7/2022 21:00	0.0		4/7/2023 21:00	0.0	
4/7/2021 22:00	0.0		4/7/2022 22:00	0.0		4/7/2023 22:00	0.0	
4/7/2021 23:00	0.0	0.7	4/7/2022 23:00	0.0	0.0	4/7/2023 23:00	0.0	0.0
4/8/2021 0:00	0.0		4/8/2022 0:00	0.0		4/8/2023 0:00	0.0	
4/8/2021 1:00	0.0		4/8/2022 1:00	0.0		4/8/2023 1:00	0.0	
4/8/2021 2:00	0.0		4/8/2022 2:00	0.0		4/8/2023 2:00	0.0	
4/8/2021 3:00	0.0		4/8/2022 3:00	0.0		4/8/2023 3:00	0.0	
4/8/2021 4:00	0.0		4/8/2022 4:00	0.0		4/8/2023 4:00	0.0	
4/8/2021 5:00	0.0		4/8/2022 5:00	0.0		4/8/2023 5:00	0.0	
4/8/2021 6:00	0.0		4/8/2022 6:00	0.0		4/8/2023 6:00	0.0	
4/8/2021 7:00	0.0		4/8/2022 7:00	0.0		4/8/2023 7:00	0.0	
4/8/2021 8:00	0.0		4/8/2022 8:00	0.0		4/8/2023 8:00	0.0	
4/8/2021 9:00	0.0		4/8/2022 9:00	0.0		4/8/2023 9:00	0.0	
4/8/2021 10:00	0.0		4/8/2022 10:00	0.0		4/8/2023 10:00	0.0	
4/8/2021 11:00	0.0		4/8/2022 11:00	0.0		4/8/2023 11:00	0.0	
4/8/2021 12:00	0.0		4/8/2022 12:00	0.0		4/8/2023 12:00	0.0	
4/8/2021 13:00	0.0		4/8/2022 13:00	0.0		4/8/2023 13:00	0.0	
4/8/2021 14:00	0.0		4/8/2022 14:00	0.0		4/8/2023 14:00	0.0	
4/8/2021 15:00	0.0		4/8/2022 15:00	0.0		4/8/2023 15:00	0.0	
4/8/2021 16:00	0.0		4/8/2022 16:00	0.0		4/8/2023 16:00	0.0	
4/8/2021 17:00	0.0		4/8/2022 17:00	0.0		4/8/2023 17:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/8/2021 18:00	0.0		4/8/2022 18:00	0.0		4/8/2023 18:00	0.0	
4/8/2021 19:00	0.0		4/8/2022 19:00	0.0		4/8/2023 19:00	0.0	
4/8/2021 20:00	0.0		4/8/2022 20:00	0.0		4/8/2023 20:00	0.0	
4/8/2021 21:00	0.0		4/8/2022 21:00	0.0		4/8/2023 21:00	0.0	
4/8/2021 22:00	0.0		4/8/2022 22:00	0.0		4/8/2023 22:00	0.0	
4/8/2021 23:00	0.0	0.0	4/8/2022 23:00	0.0	0.0	4/8/2023 23:00	0.0	0.0
4/9/2021 0:00	0.0		4/9/2022 0:00	0.0		4/9/2023 0:00	0.0	
4/9/2021 1:00	0.0		4/9/2022 1:00	0.0		4/9/2023 1:00	0.0	
4/9/2021 2:00	0.0		4/9/2022 2:00	0.0		4/9/2023 2:00	0.0	
4/9/2021 3:00	0.0		4/9/2022 3:00	0.0		4/9/2023 3:00	0.0	
4/9/2021 4:00	0.0		4/9/2022 4:00	0.0		4/9/2023 4:00	0.0	
4/9/2021 5:00	0.0		4/9/2022 5:00	0.0		4/9/2023 5:00	0.0	
4/9/2021 6:00	0.0		4/9/2022 6:00	0.0		4/9/2023 6:00	0.0	
4/9/2021 7:00	0.0		4/9/2022 7:00	0.0		4/9/2023 7:00	0.0	
4/9/2021 8:00	0.0		4/9/2022 8:00	0.0		4/9/2023 8:00	0.0	
4/9/2021 9:00	0.0		4/9/2022 9:00	0.0		4/9/2023 9:00	0.0	
4/9/2021 10:00	0.0		4/9/2022 10:00	0.0		4/9/2023 10:00	0.0	
4/9/2021 11:00	0.0		4/9/2022 11:00	0.0		4/9/2023 11:00	0.0	
4/9/2021 12:00	0.0		4/9/2022 12:00	0.0		4/9/2023 12:00	0.0	
4/9/2021 13:00	0.0		4/9/2022 13:00	0.0		4/9/2023 13:00	0.0	
4/9/2021 14:00	0.0		4/9/2022 14:00	0.0		4/9/2023 14:00	0.0	
4/9/2021 15:00	0.0		4/9/2022 15:00	0.0		4/9/2023 15:00	0.0	
4/9/2021 16:00	0.0		4/9/2022 16:00	0.0		4/9/2023 16:00	0.0	
4/9/2021 17:00	0.0		4/9/2022 17:00	0.0		4/9/2023 17:00	0.0	
4/9/2021 18:00	0.0		4/9/2022 18:00	0.0		4/9/2023 18:00	0.0	
4/9/2021 19:00	0.0		4/9/2022 19:00	0.0		4/9/2023 19:00	0.0	
4/9/2021 20:00	0.0		4/9/2022 20:00	0.0		4/9/2023 20:00	0.0	
4/9/2021 21:00	0.0		4/9/2022 21:00	0.0		4/9/2023 21:00	0.0	
4/9/2021 22:00	0.0		4/9/2022 22:00	0.0		4/9/2023 22:00	0.0	
4/9/2021 23:00	0.0	0.0	4/9/2022 23:00	0.0	0.0	4/9/2023 23:00	0.0	0.0
4/10/2021 0:00	0.0		4/10/2022 0:00	0.0		4/10/2023 0:00	0.0	
4/10/2021 1:00	0.0		4/10/2022 1:00	0.0		4/10/2023 1:00	0.0	
4/10/2021 2:00	0.0		4/10/2022 2:00	0.0		4/10/2023 2:00	0.0	
4/10/2021 3:00	0.0		4/10/2022 3:00	0.0		4/10/2023 3:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/10/2021 4:00	0.0		4/10/2022 4:00	0.0		4/10/2023 4:00	0.0	
4/10/2021 5:00	0.0		4/10/2022 5:00	0.0		4/10/2023 5:00	0.0	
4/10/2021 6:00	0.0		4/10/2022 6:00	0.0		4/10/2023 6:00	0.0	
4/10/2021 7:00	0.0		4/10/2022 7:00	0.0		4/10/2023 7:00	0.0	
4/10/2021 8:00	0.0		4/10/2022 8:00	0.0		4/10/2023 8:00	0.0	
4/10/2021 9:00	0.0		4/10/2022 9:00	0.0		4/10/2023 9:00	0.0	
4/10/2021 10:00	0.0		4/10/2022 10:00	0.0		4/10/2023 10:00	0.0	
4/10/2021 11:00	0.0		4/10/2022 11:00	0.0		4/10/2023 11:00	0.0	
4/10/2021 12:00	0.0		4/10/2022 12:00	0.0		4/10/2023 12:00	0.0	
4/10/2021 13:00	0.0		4/10/2022 13:00	0.0		4/10/2023 13:00	0.0	
4/10/2021 14:00	0.0		4/10/2022 14:00	0.0		4/10/2023 14:00	0.0	
4/10/2021 15:00	0.0		4/10/2022 15:00	0.0		4/10/2023 15:00	0.0	
4/10/2021 16:00	0.0		4/10/2022 16:00	0.0		4/10/2023 16:00	0.0	
4/10/2021 17:00	0.0		4/10/2022 17:00	0.0		4/10/2023 17:00	0.0	
4/10/2021 18:00	0.0		4/10/2022 18:00	0.0		4/10/2023 18:00	0.0	
4/10/2021 19:00	0.0		4/10/2022 19:00	0.0		4/10/2023 19:00	0.0	
4/10/2021 20:00	0.0		4/10/2022 20:00	0.0		4/10/2023 20:00	0.0	
4/10/2021 21:00	0.0		4/10/2022 21:00	0.0		4/10/2023 21:00	0.0	
4/10/2021 22:00	0.0		4/10/2022 22:00	0.0		4/10/2023 22:00	0.0	
4/10/2021 23:00	0.0	0.0	4/10/2022 23:00	0.0	0.0	4/10/2023 23:00	0.0	0.0
4/11/2021 0:00	0.0		4/11/2022 0:00	0.0		4/11/2023 0:00	0.0	
4/11/2021 1:00	0.0		4/11/2022 1:00	0.0		4/11/2023 1:00	0.0	
4/11/2021 2:00	0.0		4/11/2022 2:00	0.0		4/11/2023 2:00	0.0	
4/11/2021 3:00	0.0		4/11/2022 3:00	0.0		4/11/2023 3:00	0.0	
4/11/2021 4:00	0.0		4/11/2022 4:00	0.0		4/11/2023 4:00	0.0	
4/11/2021 5:00	0.0		4/11/2022 5:00	0.0		4/11/2023 5:00	0.0	
4/11/2021 6:00	0.0		4/11/2022 6:00	0.0		4/11/2023 6:00	0.0	
4/11/2021 7:00	0.0		4/11/2022 7:00	0.0		4/11/2023 7:00	0.0	
4/11/2021 8:00	0.0		4/11/2022 8:00	0.0		4/11/2023 8:00	0.0	
4/11/2021 9:00	0.0		4/11/2022 9:00	0.0		4/11/2023 9:00	0.0	
4/11/2021 10:00	0.0		4/11/2022 10:00	0.0		4/11/2023 10:00	0.0	
4/11/2021 11:00	0.0		4/11/2022 11:00	0.0		4/11/2023 11:00	0.0	
4/11/2021 12:00	0.0		4/11/2022 12:00	0.0		4/11/2023 12:00	0.0	
4/11/2021 13:00	0.0		4/11/2022 13:00	0.0		4/11/2023 13:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/11/2021 14:00	0.0		4/11/2022 14:00	0.0		4/11/2023 14:00	0.0	
4/11/2021 15:00	0.0		4/11/2022 15:00	0.0		4/11/2023 15:00	0.0	
4/11/2021 16:00	0.0		4/11/2022 16:00	0.0		4/11/2023 16:00	0.0	
4/11/2021 17:00	0.0		4/11/2022 17:00	0.0		4/11/2023 17:00	0.0	
4/11/2021 18:00	0.0		4/11/2022 18:00	0.0		4/11/2023 18:00	0.0	
4/11/2021 19:00	0.0		4/11/2022 19:00	0.0		4/11/2023 19:00	0.0	
4/11/2021 20:00	0.0		4/11/2022 20:00	0.0		4/11/2023 20:00	0.0	
4/11/2021 21:00	0.0		4/11/2022 21:00	0.0		4/11/2023 21:00	0.0	
4/11/2021 22:00	0.0		4/11/2022 22:00	0.0		4/11/2023 22:00	0.0	
4/11/2021 23:00	0.0	0.0	4/11/2022 23:00	0.0	0.0	4/11/2023 23:00	0.0	0.0
4/12/2021 0:00	0.0		4/12/2022 0:00	0.0		4/12/2023 0:00	0.0	
4/12/2021 1:00	0.0		4/12/2022 1:00	0.0		4/12/2023 1:00	0.0	
4/12/2021 2:00	0.0		4/12/2022 2:00	0.0		4/12/2023 2:00	0.0	
4/12/2021 3:00	0.0		4/12/2022 3:00	0.0		4/12/2023 3:00	0.0	
4/12/2021 4:00	0.0		4/12/2022 4:00	0.0		4/12/2023 4:00	0.0	
4/12/2021 5:00	0.0		4/12/2022 5:00	0.0		4/12/2023 5:00	0.0	
4/12/2021 6:00	0.0		4/12/2022 6:00	0.0		4/12/2023 6:00	0.0	
4/12/2021 7:00	0.0		4/12/2022 7:00	0.0		4/12/2023 7:00	0.0	
4/12/2021 8:00	0.0		4/12/2022 8:00	0.0		4/12/2023 8:00	0.0	
4/12/2021 9:00	0.0		4/12/2022 9:00	0.0		4/12/2023 9:00	0.0	
4/12/2021 10:00	0.0		4/12/2022 10:00	0.0		4/12/2023 10:00	0.0	
4/12/2021 11:00	0.0		4/12/2022 11:00	0.0		4/12/2023 11:00	0.0	
4/12/2021 12:00	0.0		4/12/2022 12:00	0.0		4/12/2023 12:00	0.0	
4/12/2021 13:00	0.0		4/12/2022 13:00	0.0		4/12/2023 13:00	0.0	
4/12/2021 14:00	0.0		4/12/2022 14:00	0.0		4/12/2023 14:00	0.0	
4/12/2021 15:00	0.0		4/12/2022 15:00	0.0		4/12/2023 15:00	0.0	
4/12/2021 16:00	0.0		4/12/2022 16:00	0.0		4/12/2023 16:00	0.0	
4/12/2021 17:00	0.0		4/12/2022 17:00	0.0		4/12/2023 17:00	0.0	
4/12/2021 18:00	0.0		4/12/2022 18:00	0.0		4/12/2023 18:00	0.0	
4/12/2021 19:00	0.0		4/12/2022 19:00	0.0		4/12/2023 19:00	0.0	
4/12/2021 20:00	0.0		4/12/2022 20:00	0.0		4/12/2023 20:00	0.0	
4/12/2021 21:00	0.0		4/12/2022 21:00	0.0		4/12/2023 21:00	0.0	
4/12/2021 22:00	0.0		4/12/2022 22:00	0.0		4/12/2023 22:00	0.0	
4/12/2021 23:00	0.0	0.0	4/12/2022 23:00	0.0	0.0	4/12/2023 23:00	0.0	0.0

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/13/2021 0:00	0.0		4/13/2022 0:00	0.0		4/13/2023 0:00	0.0	
4/13/2021 1:00	0.0		4/13/2022 1:00	0.0		4/13/2023 1:00	0.0	
4/13/2021 2:00	0.0		4/13/2022 2:00	0.0		4/13/2023 2:00	0.0	
4/13/2021 3:00	0.0		4/13/2022 3:00	0.0		4/13/2023 3:00	0.0	
4/13/2021 4:00	0.0		4/13/2022 4:00	0.0		4/13/2023 4:00	0.0	
4/13/2021 5:00	0.0		4/13/2022 5:00	0.0		4/13/2023 5:00	0.0	
4/13/2021 6:00	0.0		4/13/2022 6:00	0.0		4/13/2023 6:00	0.0	
4/13/2021 7:00	0.0		4/13/2022 7:00	0.0		4/13/2023 7:00	0.0	
4/13/2021 8:00	0.0		4/13/2022 8:00	0.0		4/13/2023 8:00	0.0	
4/13/2021 9:00	0.0		4/13/2022 9:00	0.0		4/13/2023 9:00	0.0	
4/13/2021 10:00	0.0		4/13/2022 10:00	0.0		4/13/2023 10:00	0.0	
4/13/2021 11:00	0.0		4/13/2022 11:00	0.0		4/13/2023 11:00	0.0	
4/13/2021 12:00	0.0		4/13/2022 12:00	0.0		4/13/2023 12:00	0.0	
4/13/2021 13:00	0.0		4/13/2022 13:00	0.0		4/13/2023 13:00	0.0	
4/13/2021 14:00	0.0		4/13/2022 14:00	0.0		4/13/2023 14:00	0.0	
4/13/2021 15:00	0.0		4/13/2022 15:00	0.0		4/13/2023 15:00	0.0	
4/13/2021 16:00	0.0		4/13/2022 16:00	0.0		4/13/2023 16:00	0.0	
4/13/2021 17:00	0.0		4/13/2022 17:00	0.0		4/13/2023 17:00	0.0	
4/13/2021 18:00	0.0		4/13/2022 18:00	0.0		4/13/2023 18:00	0.0	
4/13/2021 19:00	0.0		4/13/2022 19:00	0.0		4/13/2023 19:00	0.0	
4/13/2021 20:00	0.0		4/13/2022 20:00	0.0		4/13/2023 20:00	0.0	
4/13/2021 21:00	0.0		4/13/2022 21:00	0.0		4/13/2023 21:00	0.0	
4/13/2021 22:00	0.0		4/13/2022 22:00	0.0		4/13/2023 22:00	0.0	
4/13/2021 23:00	0.0	0.0	4/13/2022 23:00	0.0	0.0	4/13/2023 23:00	0.0	0.0
4/14/2021 0:00	0.0		4/14/2022 0:00	0.0		4/14/2023 0:00	0.0	
4/14/2021 1:00	0.0		4/14/2022 1:00	0.0		4/14/2023 1:00	0.0	
4/14/2021 2:00	0.0		4/14/2022 2:00	0.0		4/14/2023 2:00	0.0	
4/14/2021 3:00	0.0		4/14/2022 3:00	0.0		4/14/2023 3:00	0.0	
4/14/2021 4:00	0.0		4/14/2022 4:00	0.0		4/14/2023 4:00	0.0	
4/14/2021 5:00	0.0		4/14/2022 5:00	0.0		4/14/2023 5:00	0.0	
4/14/2021 6:00	0.0		4/14/2022 6:00	0.0		4/14/2023 6:00	0.0	
4/14/2021 7:00	0.0		4/14/2022 7:00	0.0		4/14/2023 7:00	0.0	
4/14/2021 8:00	0.0		4/14/2022 8:00	0.0		4/14/2023 8:00	0.0	
4/14/2021 9:00	0.0		4/14/2022 9:00	0.0		4/14/2023 9:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/14/2021 10:00	0.0		4/14/2022 10:00	0.0		4/14/2023 10:00	0.0	
4/14/2021 11:00	0.0		4/14/2022 11:00	0.0		4/14/2023 11:00	0.0	
4/14/2021 12:00	0.0		4/14/2022 12:00	0.0		4/14/2023 12:00	0.0	
4/14/2021 13:00	0.0		4/14/2022 13:00	0.0		4/14/2023 13:00	0.0	
4/14/2021 14:00	0.0		4/14/2022 14:00	0.0		4/14/2023 14:00	0.0	
4/14/2021 15:00	0.0		4/14/2022 15:00	0.0		4/14/2023 15:00	0.0	
4/14/2021 16:00	0.0		4/14/2022 16:00	0.0		4/14/2023 16:00	0.0	
4/14/2021 17:00	0.0		4/14/2022 17:00	0.0		4/14/2023 17:00	0.0	
4/14/2021 18:00	0.0		4/14/2022 18:00	0.0		4/14/2023 18:00	0.0	
4/14/2021 19:00	0.0		4/14/2022 19:00	0.0		4/14/2023 19:00	0.0	
4/14/2021 20:00	0.0		4/14/2022 20:00	0.0		4/14/2023 20:00	0.0	
4/14/2021 21:00	0.0		4/14/2022 21:00	0.0		4/14/2023 21:00	0.0	
4/14/2021 22:00	0.0		4/14/2022 22:00	0.0		4/14/2023 22:00	0.0	
4/14/2021 23:00	0.0	0.0	4/14/2022 23:00	0.0	0.0	4/14/2023 23:00	0.0	0.0
4/15/2021 0:00	0.0		4/15/2022 0:00	0.0		4/15/2023 0:00	0.0	
4/15/2021 1:00	0.0		4/15/2022 1:00	0.0		4/15/2023 1:00	0.0	
4/15/2021 2:00	0.0		4/15/2022 2:00	0.0		4/15/2023 2:00	0.0	
4/15/2021 3:00	0.0		4/15/2022 3:00	0.0		4/15/2023 3:00	0.0	
4/15/2021 4:00	0.0		4/15/2022 4:00	0.0		4/15/2023 4:00	0.0	
4/15/2021 5:00	0.0		4/15/2022 5:00	0.0		4/15/2023 5:00	0.0	
4/15/2021 6:00	0.0		4/15/2022 6:00	0.0		4/15/2023 6:00	0.0	
4/15/2021 7:00	0.0		4/15/2022 7:00	0.0		4/15/2023 7:00	0.0	
4/15/2021 8:00	0.0		4/15/2022 8:00	0.0		4/15/2023 8:00	0.0	
4/15/2021 9:00	0.0		4/15/2022 9:00	0.0		4/15/2023 9:00	0.0	
4/15/2021 10:00	0.0		4/15/2022 10:00	0.0		4/15/2023 10:00	0.0	
4/15/2021 11:00	0.0		4/15/2022 11:00	0.0		4/15/2023 11:00	0.0	
4/15/2021 12:00	0.0		4/15/2022 12:00	0.0		4/15/2023 12:00	0.0	
4/15/2021 13:00	0.0		4/15/2022 13:00	0.0		4/15/2023 13:00	0.0	
4/15/2021 14:00	0.0		4/15/2022 14:00	0.0		4/15/2023 14:00	0.0	
4/15/2021 15:00	0.0		4/15/2022 15:00	0.0		4/15/2023 15:00	0.0	
4/15/2021 16:00	0.0		4/15/2022 16:00	0.0		4/15/2023 16:00	0.0	
4/15/2021 17:00	0.0		4/15/2022 17:00	0.0		4/15/2023 17:00	0.0	
4/15/2021 18:00	0.0		4/15/2022 18:00	0.0		4/15/2023 18:00	0.0	
4/15/2021 19:00	0.0		4/15/2022 19:00	0.0		4/15/2023 19:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/15/2021 20:00	0.0		4/15/2022 20:00	0.0		4/15/2023 20:00	0.0	
4/15/2021 21:00	0.0		4/15/2022 21:00	0.0		4/15/2023 21:00	0.0	
4/15/2021 22:00	0.0		4/15/2022 22:00	0.0		4/15/2023 22:00	0.0	
4/15/2021 23:00	0.0	0.0	4/15/2022 23:00	0.0	0.0	4/15/2023 23:00	0.0	0.0
4/16/2021 0:00	0.0		4/16/2022 0:00	0.0		4/16/2023 0:00	0.0	
4/16/2021 1:00	0.0		4/16/2022 1:00	0.0		4/16/2023 1:00	0.0	
4/16/2021 2:00	0.0		4/16/2022 2:00	0.0		4/16/2023 2:00	0.0	
4/16/2021 3:00	0.0		4/16/2022 3:00	0.0		4/16/2023 3:00	0.0	
4/16/2021 4:00	0.0		4/16/2022 4:00	0.0		4/16/2023 4:00	0.0	
4/16/2021 5:00	0.0		4/16/2022 5:00	0.0		4/16/2023 5:00	0.0	
4/16/2021 6:00	0.0		4/16/2022 6:00	0.0		4/16/2023 6:00	0.0	
4/16/2021 7:00	0.0		4/16/2022 7:00	0.0		4/16/2023 7:00	0.0	
4/16/2021 8:00	0.0		4/16/2022 8:00	0.0		4/16/2023 8:00	0.0	
4/16/2021 9:00	0.0		4/16/2022 9:00	0.0		4/16/2023 9:00	0.0	
4/16/2021 10:00	0.0		4/16/2022 10:00	0.0		4/16/2023 10:00	0.0	
4/16/2021 11:00	0.0		4/16/2022 11:00	0.0		4/16/2023 11:00	0.0	
4/16/2021 12:00	0.0		4/16/2022 12:00	0.0		4/16/2023 12:00	0.0	
4/16/2021 13:00	0.0		4/16/2022 13:00	0.0		4/16/2023 13:00	0.0	
4/16/2021 14:00	0.0		4/16/2022 14:00	0.0		4/16/2023 14:00	0.0	
4/16/2021 15:00	0.0		4/16/2022 15:00	0.0		4/16/2023 15:00	0.0	
4/16/2021 16:00	0.0		4/16/2022 16:00	0.0		4/16/2023 16:00	0.0	
4/16/2021 17:00	0.0		4/16/2022 17:00	0.0		4/16/2023 17:00	0.0	
4/16/2021 18:00	0.0		4/16/2022 18:00	0.0		4/16/2023 18:00	0.0	
4/16/2021 19:00	0.0		4/16/2022 19:00	0.0		4/16/2023 19:00	0.0	
4/16/2021 20:00	0.0		4/16/2022 20:00	0.0		4/16/2023 20:00	0.0	
4/16/2021 21:00	0.0		4/16/2022 21:00	0.0		4/16/2023 21:00	0.0	
4/16/2021 22:00	0.0		4/16/2022 22:00	0.0		4/16/2023 22:00	0.0	
4/16/2021 23:00	0.0	0.0	4/16/2022 23:00	0.0	0.0	4/16/2023 23:00	0.0	0.0
4/17/2021 0:00	0.0		4/17/2022 0:00	0.0		4/17/2023 0:00	0.0	
4/17/2021 1:00	0.0		4/17/2022 1:00	0.0		4/17/2023 1:00	0.0	
4/17/2021 2:00	0.0		4/17/2022 2:00	0.0		4/17/2023 2:00	0.0	
4/17/2021 3:00	0.0		4/17/2022 3:00	0.0		4/17/2023 3:00	0.0	
4/17/2021 4:00	0.0		4/17/2022 4:00	0.0		4/17/2023 4:00	0.0	
4/17/2021 5:00	0.0		4/17/2022 5:00	0.0		4/17/2023 5:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/17/2021 6:00	0.0		4/17/2022 6:00	0.0		4/17/2023 6:00	0.0	
4/17/2021 7:00	0.0		4/17/2022 7:00	0.0		4/17/2023 7:00	0.0	
4/17/2021 8:00	0.0		4/17/2022 8:00	0.0		4/17/2023 8:00	0.0	
4/17/2021 9:00	0.0		4/17/2022 9:00	0.0		4/17/2023 9:00	0.0	
4/17/2021 10:00	0.0		4/17/2022 10:00	0.0		4/17/2023 10:00	0.0	
4/17/2021 11:00	0.0		4/17/2022 11:00	0.0		4/17/2023 11:00	0.0	
4/17/2021 12:00	0.0		4/17/2022 12:00	0.0		4/17/2023 12:00	0.0	
4/17/2021 13:00	0.0		4/17/2022 13:00	0.0		4/17/2023 13:00	0.0	
4/17/2021 14:00	0.0		4/17/2022 14:00	0.0		4/17/2023 14:00	0.0	
4/17/2021 15:00	0.0		4/17/2022 15:00	0.0		4/17/2023 15:00	0.0	
4/17/2021 16:00	0.0		4/17/2022 16:00	0.0		4/17/2023 16:00	0.0	
4/17/2021 17:00	0.0		4/17/2022 17:00	0.0		4/17/2023 17:00	0.0	
4/17/2021 18:00	0.0		4/17/2022 18:00	0.0		4/17/2023 18:00	0.0	
4/17/2021 19:00	0.0		4/17/2022 19:00	0.0		4/17/2023 19:00	0.0	
4/17/2021 20:00	0.0		4/17/2022 20:00	0.0		4/17/2023 20:00	0.0	
4/17/2021 21:00	0.0		4/17/2022 21:00	0.0		4/17/2023 21:00	0.0	
4/17/2021 22:00	0.0		4/17/2022 22:00	0.0		4/17/2023 22:00	0.0	
4/17/2021 23:00	0.0	0.0	4/17/2022 23:00	0.0	0.0	4/17/2023 23:00	0.0	0.0
4/18/2021 0:00	0.0		4/18/2022 0:00	0.0		4/18/2023 0:00	0.0	
4/18/2021 1:00	0.0		4/18/2022 1:00	0.0		4/18/2023 1:00	0.0	
4/18/2021 2:00	0.0		4/18/2022 2:00	0.0		4/18/2023 2:00	0.0	
4/18/2021 3:00	0.0		4/18/2022 3:00	0.0		4/18/2023 3:00	0.0	
4/18/2021 4:00	0.0		4/18/2022 4:00	0.0		4/18/2023 4:00	0.0	
4/18/2021 5:00	0.0		4/18/2022 5:00	0.0		4/18/2023 5:00	0.0	
4/18/2021 6:00	0.0		4/18/2022 6:00	0.0		4/18/2023 6:00	0.0	
4/18/2021 7:00	0.0		4/18/2022 7:00	0.0		4/18/2023 7:00	0.0	
4/18/2021 8:00	0.0		4/18/2022 8:00	0.0		4/18/2023 8:00	0.0	
4/18/2021 9:00	0.0		4/18/2022 9:00	0.0		4/18/2023 9:00	0.0	
4/18/2021 10:00	0.0		4/18/2022 10:00	0.0		4/18/2023 10:00	0.0	
4/18/2021 11:00	0.0		4/18/2022 11:00	0.0		4/18/2023 11:00	0.0	
4/18/2021 12:00	0.0		4/18/2022 12:00	0.0		4/18/2023 12:00	0.0	
4/18/2021 13:00	0.0		4/18/2022 13:00	0.0		4/18/2023 13:00	0.0	
4/18/2021 14:00	0.0		4/18/2022 14:00	0.0		4/18/2023 14:00	0.0	
4/18/2021 15:00	0.0		4/18/2022 15:00	0.0		4/18/2023 15:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/18/2021 16:00	0.0		4/18/2022 16:00	0.0		4/18/2023 16:00	0.0	
4/18/2021 17:00	0.0		4/18/2022 17:00	0.0		4/18/2023 17:00	0.0	
4/18/2021 18:00	0.0		4/18/2022 18:00	0.0		4/18/2023 18:00	0.0	
4/18/2021 19:00	0.0		4/18/2022 19:00	0.0		4/18/2023 19:00	0.0	
4/18/2021 20:00	0.0		4/18/2022 20:00	0.0		4/18/2023 20:00	0.0	
4/18/2021 21:00	0.0		4/18/2022 21:00	0.0		4/18/2023 21:00	0.0	
4/18/2021 22:00	0.0		4/18/2022 22:00	0.0		4/18/2023 22:00	0.0	
4/18/2021 23:00	0.0	0.0	4/18/2022 23:00	0.0	0.0	4/18/2023 23:00	0.0	0.0
4/19/2021 0:00	0.0		4/19/2022 0:00	0.0		4/19/2023 0:00	0.0	
4/19/2021 1:00	0.0		4/19/2022 1:00	0.0		4/19/2023 1:00	0.0	
4/19/2021 2:00	0.0		4/19/2022 2:00	0.0		4/19/2023 2:00	0.0	
4/19/2021 3:00	0.0		4/19/2022 3:00	0.0		4/19/2023 3:00	0.0	
4/19/2021 4:00	0.0		4/19/2022 4:00	0.0		4/19/2023 4:00	0.0	
4/19/2021 5:00	0.0		4/19/2022 5:00	0.0		4/19/2023 5:00	0.0	
4/19/2021 6:00	0.0		4/19/2022 6:00	0.0		4/19/2023 6:00	0.0	
4/19/2021 7:00	0.0		4/19/2022 7:00	0.0		4/19/2023 7:00	0.0	
4/19/2021 8:00	0.0		4/19/2022 8:00	0.0		4/19/2023 8:00	0.0	
4/19/2021 9:00	0.0		4/19/2022 9:00	0.0		4/19/2023 9:00	0.0	
4/19/2021 10:00	0.0		4/19/2022 10:00	0.0		4/19/2023 10:00	0.0	
4/19/2021 11:00	0.0		4/19/2022 11:00	0.0		4/19/2023 11:00	0.0	
4/19/2021 12:00	0.0		4/19/2022 12:00	0.0		4/19/2023 12:00	0.0	
4/19/2021 13:00	0.0		4/19/2022 13:00	0.0		4/19/2023 13:00	0.0	
4/19/2021 14:00	0.0		4/19/2022 14:00	0.0		4/19/2023 14:00	0.0	
4/19/2021 15:00	0.0		4/19/2022 15:00	0.0		4/19/2023 15:00	0.0	
4/19/2021 16:00	0.0		4/19/2022 16:00	0.0		4/19/2023 16:00	0.0	
4/19/2021 17:00	0.0		4/19/2022 17:00	0.0		4/19/2023 17:00	0.0	
4/19/2021 18:00	0.0		4/19/2022 18:00	0.0		4/19/2023 18:00	0.0	
4/19/2021 19:00	0.0		4/19/2022 19:00	0.0		4/19/2023 19:00	0.0	
4/19/2021 20:00	0.0		4/19/2022 20:00	0.0		4/19/2023 20:00	0.0	
4/19/2021 21:00	0.0		4/19/2022 21:00	0.0		4/19/2023 21:00	0.0	
4/19/2021 22:00	0.0		4/19/2022 22:00	0.0		4/19/2023 22:00	0.0	
4/19/2021 23:00	0.0	0.0	4/19/2022 23:00	0.0	0.0	4/19/2023 23:00	0.0	0.0
4/20/2021 0:00	0.0		4/20/2022 0:00	0.0		4/20/2023 0:00	0.0	
4/20/2021 1:00	0.0		4/20/2022 1:00	0.0		4/20/2023 1:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/20/2021 2:00	0.0		4/20/2022 2:00	0.0		4/20/2023 2:00	0.0	
4/20/2021 3:00	0.0		4/20/2022 3:00	0.0		4/20/2023 3:00	0.0	
4/20/2021 4:00	0.0		4/20/2022 4:00	0.0		4/20/2023 4:00	0.0	
4/20/2021 5:00	0.0		4/20/2022 5:00	0.0		4/20/2023 5:00	0.0	
4/20/2021 6:00	0.0		4/20/2022 6:00	0.0		4/20/2023 6:00	0.0	
4/20/2021 7:00	0.0		4/20/2022 7:00	0.0		4/20/2023 7:00	0.0	
4/20/2021 8:00	0.0		4/20/2022 8:00	0.0		4/20/2023 8:00	0.0	
4/20/2021 9:00	0.0		4/20/2022 9:00	0.0		4/20/2023 9:00	0.0	
4/20/2021 10:00	0.0		4/20/2022 10:00	0.0		4/20/2023 10:00	0.0	
4/20/2021 11:00	0.0		4/20/2022 11:00	0.0		4/20/2023 11:00	0.0	
4/20/2021 12:00	0.0		4/20/2022 12:00	0.0		4/20/2023 12:00	0.0	
4/20/2021 13:00	0.0		4/20/2022 13:00	0.0		4/20/2023 13:00	0.0	
4/20/2021 14:00	0.0		4/20/2022 14:00	0.0		4/20/2023 14:00	0.0	
4/20/2021 15:00	0.0		4/20/2022 15:00	0.0		4/20/2023 15:00	0.0	
4/20/2021 16:00	0.0		4/20/2022 16:00	0.0		4/20/2023 16:00	0.0	
4/20/2021 17:00	0.0		4/20/2022 17:00	0.0		4/20/2023 17:00	0.0	
4/20/2021 18:00	0.0		4/20/2022 18:00	0.0		4/20/2023 18:00	0.0	
4/20/2021 19:00	0.0		4/20/2022 19:00	0.0		4/20/2023 19:00	0.0	
4/20/2021 20:00	0.0		4/20/2022 20:00	0.0		4/20/2023 20:00	0.0	
4/20/2021 21:00	0.0		4/20/2022 21:00	0.0		4/20/2023 21:00	0.0	
4/20/2021 22:00	0.0		4/20/2022 22:00	0.0		4/20/2023 22:00	0.0	
4/20/2021 23:00	0.0	0.0	4/20/2022 23:00	0.0	0.0	4/20/2023 23:00	0.0	0.0
4/21/2021 0:00	0.0		4/21/2022 0:00	0.0		4/21/2023 0:00	0.0	
4/21/2021 1:00	0.0		4/21/2022 1:00	0.0		4/21/2023 1:00	0.0	
4/21/2021 2:00	0.0		4/21/2022 2:00	0.0		4/21/2023 2:00	0.0	
4/21/2021 3:00	0.0		4/21/2022 3:00	0.0		4/21/2023 3:00	0.0	
4/21/2021 4:00	0.0		4/21/2022 4:00	0.0		4/21/2023 4:00	0.0	
4/21/2021 5:00	0.0		4/21/2022 5:00	0.0		4/21/2023 5:00	0.0	
4/21/2021 6:00	0.0		4/21/2022 6:00	0.0		4/21/2023 6:00	0.0	
4/21/2021 7:00	0.0		4/21/2022 7:00	0.0		4/21/2023 7:00	0.0	
4/21/2021 8:00	0.0		4/21/2022 8:00	0.0		4/21/2023 8:00	0.0	
4/21/2021 9:00	0.0		4/21/2022 9:00	0.0		4/21/2023 9:00	0.0	
4/21/2021 10:00	0.0		4/21/2022 10:00	0.0		4/21/2023 10:00	0.0	
4/21/2021 11:00	0.0		4/21/2022 11:00	0.0		4/21/2023 11:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/21/2021 12:00	0.0		4/21/2022 12:00	0.0		4/21/2023 12:00	0.0	
4/21/2021 13:00	0.0		4/21/2022 13:00	0.0		4/21/2023 13:00	0.0	
4/21/2021 14:00	0.0		4/21/2022 14:00	0.0		4/21/2023 14:00	0.0	
4/21/2021 15:00	0.0		4/21/2022 15:00	0.0		4/21/2023 15:00	0.0	
4/21/2021 16:00	0.0		4/21/2022 16:00	0.0		4/21/2023 16:00	0.0	
4/21/2021 17:00	0.0		4/21/2022 17:00	0.0		4/21/2023 17:00	0.0	
4/21/2021 18:00	0.0		4/21/2022 18:00	0.0		4/21/2023 18:00	0.0	
4/21/2021 19:00	0.0		4/21/2022 19:00	0.0		4/21/2023 19:00	0.0	
4/21/2021 20:00	0.0		4/21/2022 20:00	0.0		4/21/2023 20:00	0.0	
4/21/2021 21:00	0.0		4/21/2022 21:00	0.0		4/21/2023 21:00	0.0	
4/21/2021 22:00	0.0		4/21/2022 22:00	0.0		4/21/2023 22:00	0.0	
4/21/2021 23:00	0.0	0.0	4/21/2022 23:00	0.0	0.0	4/21/2023 23:00	0.0	0.0
4/22/2021 0:00	0.0		4/22/2022 0:00	0.0		4/22/2023 0:00	0.0	
4/22/2021 1:00	0.0		4/22/2022 1:00	0.0		4/22/2023 1:00	0.0	
4/22/2021 2:00	0.0		4/22/2022 2:00	0.0		4/22/2023 2:00	0.0	
4/22/2021 3:00	0.0		4/22/2022 3:00	0.0		4/22/2023 3:00	0.0	
4/22/2021 4:00	0.0		4/22/2022 4:00	0.0		4/22/2023 4:00	0.0	
4/22/2021 5:00	0.0		4/22/2022 5:00	0.0		4/22/2023 5:00	0.0	
4/22/2021 6:00	0.0		4/22/2022 6:00	0.0		4/22/2023 6:00	0.0	
4/22/2021 7:00	0.0		4/22/2022 7:00	0.0		4/22/2023 7:00	0.0	
4/22/2021 8:00	0.0		4/22/2022 8:00	0.0		4/22/2023 8:00	0.0	
4/22/2021 9:00	0.0		4/22/2022 9:00	0.0		4/22/2023 9:00	0.0	
4/22/2021 10:00	0.0		4/22/2022 10:00	0.0		4/22/2023 10:00	0.0	
4/22/2021 11:00	0.0		4/22/2022 11:00	0.0		4/22/2023 11:00	0.0	
4/22/2021 12:00	0.0		4/22/2022 12:00	0.0		4/22/2023 12:00	0.0	
4/22/2021 13:00	0.0		4/22/2022 13:00	0.0		4/22/2023 13:00	0.0	
4/22/2021 14:00	0.0		4/22/2022 14:00	0.0		4/22/2023 14:00	0.0	
4/22/2021 15:00	0.0		4/22/2022 15:00	0.0		4/22/2023 15:00	0.0	
4/22/2021 16:00	0.0		4/22/2022 16:00	0.0		4/22/2023 16:00	0.0	
4/22/2021 17:00	0.0		4/22/2022 17:00	0.0		4/22/2023 17:00	0.0	
4/22/2021 18:00	0.0		4/22/2022 18:00	0.0		4/22/2023 18:00	0.0	
4/22/2021 19:00	0.0		4/22/2022 19:00	0.0		4/22/2023 19:00	0.0	
4/22/2021 20:00	0.0		4/22/2022 20:00	0.0		4/22/2023 20:00	0.0	
4/22/2021 21:00	0.0		4/22/2022 21:00	0.0		4/22/2023 21:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/22/2021 22:00	0.0		4/22/2022 22:00	0.0		4/22/2023 22:00	0.0	
4/22/2021 23:00	0.0	0.0	4/22/2022 23:00	0.0	0.0	4/22/2023 23:00	0.0	0.0
4/23/2021 0:00	0.0		4/23/2022 0:00	0.0		4/23/2023 0:00	0.0	
4/23/2021 1:00	0.0		4/23/2022 1:00	0.0		4/23/2023 1:00	0.0	
4/23/2021 2:00	0.0		4/23/2022 2:00	0.0		4/23/2023 2:00	0.0	
4/23/2021 3:00	0.0		4/23/2022 3:00	0.0		4/23/2023 3:00	0.0	
4/23/2021 4:00	0.0		4/23/2022 4:00	0.0		4/23/2023 4:00	0.0	
4/23/2021 5:00	0.0		4/23/2022 5:00	0.0		4/23/2023 5:00	0.0	
4/23/2021 6:00	0.0		4/23/2022 6:00	0.0		4/23/2023 6:00	0.0	
4/23/2021 7:00	0.0		4/23/2022 7:00	0.0		4/23/2023 7:00	0.0	
4/23/2021 8:00	0.0		4/23/2022 8:00	0.0		4/23/2023 8:00	0.0	
4/23/2021 9:00	1.3		4/23/2022 9:00	0.0		4/23/2023 9:00	0.0	
4/23/2021 10:00	19.3		4/23/2022 10:00	0.0		4/23/2023 10:00	0.0	
4/23/2021 11:00	0.0		4/23/2022 11:00	0.0		4/23/2023 11:00	0.0	
4/23/2021 12:00	0.0		4/23/2022 12:00	0.0		4/23/2023 12:00	0.0	
4/23/2021 13:00	0.0		4/23/2022 13:00	0.0		4/23/2023 13:00	0.0	
4/23/2021 14:00	0.0		4/23/2022 14:00	0.0		4/23/2023 14:00	0.0	
4/23/2021 15:00	0.0		4/23/2022 15:00	0.0		4/23/2023 15:00	0.0	
4/23/2021 16:00	0.0		4/23/2022 16:00	0.0		4/23/2023 16:00	0.0	
4/23/2021 17:00	0.0		4/23/2022 17:00	0.0		4/23/2023 17:00	0.0	
4/23/2021 18:00	0.0		4/23/2022 18:00	0.0		4/23/2023 18:00	0.0	
4/23/2021 19:00	0.0		4/23/2022 19:00	0.0		4/23/2023 19:00	0.0	
4/23/2021 20:00	0.0		4/23/2022 20:00	0.0		4/23/2023 20:00	0.0	
4/23/2021 21:00	0.0		4/23/2022 21:00	0.0		4/23/2023 21:00	0.0	
4/23/2021 22:00	0.0		4/23/2022 22:00	0.0		4/23/2023 22:00	0.0	
4/23/2021 23:00	0.0	19.3	4/23/2022 23:00	0.0	0.0	4/23/2023 23:00	0.0	0.0
4/24/2021 0:00	0.0		4/24/2022 0:00	0.0		4/24/2023 0:00	0.0	
4/24/2021 1:00	0.0		4/24/2022 1:00	0.0		4/24/2023 1:00	0.0	
4/24/2021 2:00	0.0		4/24/2022 2:00	0.0		4/24/2023 2:00	0.0	
4/24/2021 3:00	0.0		4/24/2022 3:00	0.0		4/24/2023 3:00	0.0	
4/24/2021 4:00	0.0		4/24/2022 4:00	0.0		4/24/2023 4:00	0.0	
4/24/2021 5:00	0.0		4/24/2022 5:00	0.0		4/24/2023 5:00	0.0	
4/24/2021 6:00	0.0		4/24/2022 6:00	0.0		4/24/2023 6:00	0.0	
4/24/2021 7:00	0.0		4/24/2022 7:00	0.0		4/24/2023 7:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/24/2021 8:00	0.0		4/24/2022 8:00	0.0		4/24/2023 8:00	0.0	
4/24/2021 9:00	0.0		4/24/2022 9:00	0.0		4/24/2023 9:00	0.0	
4/24/2021 10:00	0.0		4/24/2022 10:00	0.0		4/24/2023 10:00	0.0	
4/24/2021 11:00	0.0		4/24/2022 11:00	0.0		4/24/2023 11:00	0.0	
4/24/2021 12:00	0.0		4/24/2022 12:00	0.0		4/24/2023 12:00	0.0	
4/24/2021 13:00	0.0		4/24/2022 13:00	0.0		4/24/2023 13:00	0.0	
4/24/2021 14:00	0.0		4/24/2022 14:00	0.0		4/24/2023 14:00	0.0	
4/24/2021 15:00	0.0		4/24/2022 15:00	0.0		4/24/2023 15:00	0.0	
4/24/2021 16:00	0.0		4/24/2022 16:00	0.0		4/24/2023 16:00	0.0	
4/24/2021 17:00	0.0		4/24/2022 17:00	0.0		4/24/2023 17:00	0.0	
4/24/2021 18:00	0.0		4/24/2022 18:00	0.0		4/24/2023 18:00	0.0	
4/24/2021 19:00	0.0		4/24/2022 19:00	0.0		4/24/2023 19:00	0.0	
4/24/2021 20:00	0.0		4/24/2022 20:00	0.0		4/24/2023 20:00	0.0	
4/24/2021 21:00	0.0		4/24/2022 21:00	0.0		4/24/2023 21:00	0.0	
4/24/2021 22:00	0.0		4/24/2022 22:00	0.0		4/24/2023 22:00	0.0	
4/24/2021 23:00	0.0	0.0	4/24/2022 23:00	0.0	0.0	4/24/2023 23:00	0.0	0.0
4/25/2021 0:00	0.0		4/25/2022 0:00	0.0		4/25/2023 0:00	0.0	
4/25/2021 1:00	0.0		4/25/2022 1:00	0.0		4/25/2023 1:00	0.0	
4/25/2021 2:00	0.0		4/25/2022 2:00	0.0		4/25/2023 2:00	0.0	
4/25/2021 3:00	0.0		4/25/2022 3:00	0.0		4/25/2023 3:00	0.0	
4/25/2021 4:00	0.0		4/25/2022 4:00	0.0		4/25/2023 4:00	0.0	
4/25/2021 5:00	0.0		4/25/2022 5:00	0.0		4/25/2023 5:00	0.0	
4/25/2021 6:00	0.0		4/25/2022 6:00	0.0		4/25/2023 6:00	0.0	
4/25/2021 7:00	0.0		4/25/2022 7:00	0.0		4/25/2023 7:00	0.0	
4/25/2021 8:00	0.0		4/25/2022 8:00	0.0		4/25/2023 8:00	0.0	
4/25/2021 9:00	0.0		4/25/2022 9:00	0.0		4/25/2023 9:00	0.0	
4/25/2021 10:00	0.0		4/25/2022 10:00	0.0		4/25/2023 10:00	0.0	
4/25/2021 11:00	0.0		4/25/2022 11:00	0.0		4/25/2023 11:00	0.0	
4/25/2021 12:00	0.0		4/25/2022 12:00	0.0		4/25/2023 12:00	0.0	
4/25/2021 13:00	0.0		4/25/2022 13:00	0.0		4/25/2023 13:00	0.0	
4/25/2021 14:00	0.0		4/25/2022 14:00	0.0		4/25/2023 14:00	0.0	
4/25/2021 15:00	0.0		4/25/2022 15:00	0.0		4/25/2023 15:00	0.0	
4/25/2021 16:00	0.0		4/25/2022 16:00	0.0		4/25/2023 16:00	0.0	
4/25/2021 17:00	0.0		4/25/2022 17:00	0.0		4/25/2023 17:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/25/2021 18:00	0.0		4/25/2022 18:00	0.0		4/25/2023 18:00	0.0	
4/25/2021 19:00	0.0		4/25/2022 19:00	0.0		4/25/2023 19:00	0.0	
4/25/2021 20:00	0.0		4/25/2022 20:00	0.0		4/25/2023 20:00	0.0	
4/25/2021 21:00	0.0		4/25/2022 21:00	0.0		4/25/2023 21:00	0.0	
4/25/2021 22:00	0.0		4/25/2022 22:00	0.0		4/25/2023 22:00	0.0	
4/25/2021 23:00	0.0	0.0	4/25/2022 23:00	0.0	0.0	4/25/2023 23:00	0.0	0.0
4/26/2021 0:00	0.0		4/26/2022 0:00	0.0		4/26/2023 0:00	0.0	
4/26/2021 1:00	0.0		4/26/2022 1:00	0.0		4/26/2023 1:00	0.0	
4/26/2021 2:00	0.0		4/26/2022 2:00	0.0		4/26/2023 2:00	0.0	
4/26/2021 3:00	0.0		4/26/2022 3:00	0.0		4/26/2023 3:00	0.0	
4/26/2021 4:00	0.0		4/26/2022 4:00	0.0		4/26/2023 4:00	0.0	
4/26/2021 5:00	0.0		4/26/2022 5:00	0.0		4/26/2023 5:00	0.0	
4/26/2021 6:00	0.0		4/26/2022 6:00	0.0		4/26/2023 6:00	0.0	
4/26/2021 7:00	0.0		4/26/2022 7:00	0.0		4/26/2023 7:00	0.0	
4/26/2021 8:00	0.0		4/26/2022 8:00	0.0		4/26/2023 8:00	0.0	
4/26/2021 9:00	0.0		4/26/2022 9:00	0.0		4/26/2023 9:00	0.0	
4/26/2021 10:00	0.0		4/26/2022 10:00	0.0		4/26/2023 10:00	0.0	
4/26/2021 11:00	0.0		4/26/2022 11:00	0.0		4/26/2023 11:00	0.0	
4/26/2021 12:00	0.0		4/26/2022 12:00	0.0		4/26/2023 12:00	0.0	
4/26/2021 13:00	0.0		4/26/2022 13:00	0.0		4/26/2023 13:00	0.0	
4/26/2021 14:00	0.0		4/26/2022 14:00	0.0		4/26/2023 14:00	0.0	
4/26/2021 15:00	0.0		4/26/2022 15:00	0.0		4/26/2023 15:00	0.0	
4/26/2021 16:00	0.0		4/26/2022 16:00	0.0		4/26/2023 16:00	0.0	
4/26/2021 17:00	0.0		4/26/2022 17:00	0.0		4/26/2023 17:00	0.0	
4/26/2021 18:00	0.0		4/26/2022 18:00	0.0		4/26/2023 18:00	0.0	
4/26/2021 19:00	0.0		4/26/2022 19:00	0.0		4/26/2023 19:00	0.0	
4/26/2021 20:00	0.0		4/26/2022 20:00	0.0		4/26/2023 20:00	0.0	
4/26/2021 21:00	0.0		4/26/2022 21:00	0.0		4/26/2023 21:00	0.0	
4/26/2021 22:00	0.0		4/26/2022 22:00	0.0		4/26/2023 22:00	0.0	
4/26/2021 23:00	0.0	0.0	4/26/2022 23:00	0.0	0.0	4/26/2023 23:00	0.0	0.0
4/27/2021 0:00	0.0		4/27/2022 0:00	0.0		4/27/2023 0:00	0.0	
4/27/2021 1:00	0.0		4/27/2022 1:00	0.0		4/27/2023 1:00	0.0	
4/27/2021 2:00	0.0		4/27/2022 2:00	0.0		4/27/2023 2:00	0.0	
4/27/2021 3:00	0.0		4/27/2022 3:00	0.0		4/27/2023 3:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/27/2021 4:00	0.0		4/27/2022 4:00	0.0		4/27/2023 4:00	0.0	
4/27/2021 5:00	0.0		4/27/2022 5:00	0.0		4/27/2023 5:00	0.0	
4/27/2021 6:00	0.0		4/27/2022 6:00	0.0		4/27/2023 6:00	0.0	
4/27/2021 7:00	0.0		4/27/2022 7:00	0.0		4/27/2023 7:00	0.0	
4/27/2021 8:00	0.0		4/27/2022 8:00	0.0		4/27/2023 8:00	0.0	
4/27/2021 9:00	0.0		4/27/2022 9:00	0.0		4/27/2023 9:00	0.0	
4/27/2021 10:00	0.0		4/27/2022 10:00	0.0		4/27/2023 10:00	0.0	
4/27/2021 11:00	0.0		4/27/2022 11:00	0.0		4/27/2023 11:00	0.0	
4/27/2021 12:00	0.0		4/27/2022 12:00	0.0		4/27/2023 12:00	0.0	
4/27/2021 13:00	0.0		4/27/2022 13:00	0.0		4/27/2023 13:00	0.0	
4/27/2021 14:00	0.0		4/27/2022 14:00	0.0		4/27/2023 14:00	0.0	
4/27/2021 15:00	0.0		4/27/2022 15:00	0.0		4/27/2023 15:00	0.0	
4/27/2021 16:00	0.0		4/27/2022 16:00	0.0		4/27/2023 16:00	0.0	
4/27/2021 17:00	0.0		4/27/2022 17:00	0.0		4/27/2023 17:00	0.0	
4/27/2021 18:00	0.0		4/27/2022 18:00	0.0		4/27/2023 18:00	0.0	
4/27/2021 19:00	0.0		4/27/2022 19:00	0.0		4/27/2023 19:00	0.0	
4/27/2021 20:00	0.0		4/27/2022 20:00	0.0		4/27/2023 20:00	0.0	
4/27/2021 21:00	0.0		4/27/2022 21:00	0.0		4/27/2023 21:00	0.0	
4/27/2021 22:00	0.0		4/27/2022 22:00	0.0		4/27/2023 22:00	0.0	
4/27/2021 23:00	0.0	0.0	4/27/2022 23:00	0.0	0.0	4/27/2023 23:00	0.0	0.0
4/28/2021 0:00	0.0		4/28/2022 0:00	0.0		4/28/2023 0:00	0.0	
4/28/2021 1:00	0.0		4/28/2022 1:00	0.0		4/28/2023 1:00	0.0	
4/28/2021 2:00	0.0		4/28/2022 2:00	0.0		4/28/2023 2:00	0.0	
4/28/2021 3:00	0.0		4/28/2022 3:00	0.0		4/28/2023 3:00	0.0	
4/28/2021 4:00	0.0		4/28/2022 4:00	0.0		4/28/2023 4:00	0.0	
4/28/2021 5:00	0.0		4/28/2022 5:00	0.0		4/28/2023 5:00	0.0	
4/28/2021 6:00	0.0		4/28/2022 6:00	0.0		4/28/2023 6:00	0.0	
4/28/2021 7:00	0.0		4/28/2022 7:00	0.0		4/28/2023 7:00	0.0	
4/28/2021 8:00	0.0		4/28/2022 8:00	0.0		4/28/2023 8:00	0.0	
4/28/2021 9:00	0.0		4/28/2022 9:00	0.0		4/28/2023 9:00	0.0	
4/28/2021 10:00	0.0		4/28/2022 10:00	0.0		4/28/2023 10:00	0.0	
4/28/2021 11:00	0.0		4/28/2022 11:00	0.0		4/28/2023 11:00	0.0	
4/28/2021 12:00	0.0		4/28/2022 12:00	0.0		4/28/2023 12:00	0.0	
4/28/2021 13:00	0.0		4/28/2022 13:00	0.0		4/28/2023 13:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/28/2021 14:00	0.0		4/28/2022 14:00	0.0		4/28/2023 14:00	0.0	
4/28/2021 15:00	0.0		4/28/2022 15:00	0.0		4/28/2023 15:00	0.0	
4/28/2021 16:00	0.0		4/28/2022 16:00	0.0		4/28/2023 16:00	0.0	
4/28/2021 17:00	0.0		4/28/2022 17:00	0.0		4/28/2023 17:00	0.0	
4/28/2021 18:00	0.0		4/28/2022 18:00	0.0		4/28/2023 18:00	0.0	
4/28/2021 19:00	0.0		4/28/2022 19:00	0.0		4/28/2023 19:00	0.0	
4/28/2021 20:00	0.0		4/28/2022 20:00	0.0		4/28/2023 20:00	0.0	
4/28/2021 21:00	0.0		4/28/2022 21:00	0.0		4/28/2023 21:00	0.0	
4/28/2021 22:00	0.0		4/28/2022 22:00	0.0		4/28/2023 22:00	0.0	
4/28/2021 23:00	0.0	0.0	4/28/2022 23:00	0.0	0.0	4/28/2023 23:00	0.0	0.0
4/29/2021 0:00	0.0		4/29/2022 0:00	0.0		4/29/2023 0:00	0.0	
4/29/2021 1:00	0.0		4/29/2022 1:00	0.0		4/29/2023 1:00	0.0	
4/29/2021 2:00	0.0		4/29/2022 2:00	0.0		4/29/2023 2:00	0.0	
4/29/2021 3:00	0.0		4/29/2022 3:00	0.0		4/29/2023 3:00	0.0	
4/29/2021 4:00	0.0		4/29/2022 4:00	0.0		4/29/2023 4:00	0.0	
4/29/2021 5:00	0.0		4/29/2022 5:00	0.0		4/29/2023 5:00	0.0	
4/29/2021 6:00	0.0		4/29/2022 6:00	0.0		4/29/2023 6:00	0.0	
4/29/2021 7:00	0.0		4/29/2022 7:00	0.0		4/29/2023 7:00	0.0	
4/29/2021 8:00	0.0		4/29/2022 8:00	0.0		4/29/2023 8:00	0.0	
4/29/2021 9:00	0.0		4/29/2022 9:00	0.0		4/29/2023 9:00	0.0	
4/29/2021 10:00	0.0		4/29/2022 10:00	0.0		4/29/2023 10:00	0.0	
4/29/2021 11:00	0.0		4/29/2022 11:00	0.0		4/29/2023 11:00	0.0	
4/29/2021 12:00	0.0		4/29/2022 12:00	0.0		4/29/2023 12:00	0.0	
4/29/2021 13:00	0.0		4/29/2022 13:00	0.0		4/29/2023 13:00	0.0	
4/29/2021 14:00	0.0		4/29/2022 14:00	0.0		4/29/2023 14:00	0.0	
4/29/2021 15:00	0.0		4/29/2022 15:00	0.0		4/29/2023 15:00	0.0	
4/29/2021 16:00	0.0		4/29/2022 16:00	0.0		4/29/2023 16:00	0.0	
4/29/2021 17:00	0.0		4/29/2022 17:00	0.0		4/29/2023 17:00	0.0	
4/29/2021 18:00	0.0		4/29/2022 18:00	0.0		4/29/2023 18:00	0.0	
4/29/2021 19:00	0.0		4/29/2022 19:00	0.0		4/29/2023 19:00	0.0	
4/29/2021 20:00	0.0		4/29/2022 20:00	0.0		4/29/2023 20:00	0.0	
4/29/2021 21:00	0.0		4/29/2022 21:00	0.0		4/29/2023 21:00	0.0	
4/29/2021 22:00	0.0		4/29/2022 22:00	0.0		4/29/2023 22:00	0.0	
4/29/2021 23:00	0.0	0.0	4/29/2022 23:00	0.0	0.0	4/29/2023 23:00	0.0	0.0

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
4/30/2021 0:00	0.0		4/30/2022 0:00	0.0		4/30/2023 0:00	0.0	
4/30/2021 1:00	0.0		4/30/2022 1:00	0.0		4/30/2023 1:00	0.0	
4/30/2021 2:00	0.0		4/30/2022 2:00	0.0		4/30/2023 2:00	0.0	
4/30/2021 3:00	0.0		4/30/2022 3:00	0.0		4/30/2023 3:00	0.0	
4/30/2021 4:00	0.0		4/30/2022 4:00	0.0		4/30/2023 4:00	0.0	
4/30/2021 5:00	0.0		4/30/2022 5:00	0.0		4/30/2023 5:00	0.0	
4/30/2021 6:00	0.0		4/30/2022 6:00	0.0		4/30/2023 6:00	0.0	
4/30/2021 7:00	0.0		4/30/2022 7:00	0.0		4/30/2023 7:00	0.0	
4/30/2021 8:00	0.0		4/30/2022 8:00	0.0		4/30/2023 8:00	0.0	
4/30/2021 9:00	0.0		4/30/2022 9:00	0.0		4/30/2023 9:00	0.0	
4/30/2021 10:00	0.0		4/30/2022 10:00	0.0		4/30/2023 10:00	0.0	
4/30/2021 11:00	0.0		4/30/2022 11:00	0.0		4/30/2023 11:00	0.0	
4/30/2021 12:00	0.0		4/30/2022 12:00	0.0		4/30/2023 12:00	0.0	
4/30/2021 13:00	0.0		4/30/2022 13:00	0.0		4/30/2023 13:00	0.0	
4/30/2021 14:00	0.0		4/30/2022 14:00	0.0		4/30/2023 14:00	0.0	
4/30/2021 15:00	0.0		4/30/2022 15:00	0.0		4/30/2023 15:00	0.0	
4/30/2021 16:00	0.0		4/30/2022 16:00	0.0		4/30/2023 16:00	0.0	
4/30/2021 17:00	0.0		4/30/2022 17:00	0.0		4/30/2023 17:00	0.0	
4/30/2021 18:00	0.0		4/30/2022 18:00	0.0		4/30/2023 18:00	0.0	
4/30/2021 19:00	0.0		4/30/2022 19:00	0.0		4/30/2023 19:00	0.0	
4/30/2021 20:00	0.0		4/30/2022 20:00	0.0		4/30/2023 20:00	0.0	
4/30/2021 21:00	0.0		4/30/2022 21:00	0.0		4/30/2023 21:00	0.0	
4/30/2021 22:00	0.0		4/30/2022 22:00	0.0		4/30/2023 22:00	0.0	
4/30/2021 23:00	0.0	0.0	4/30/2022 23:00	0.0	0.0	4/30/2023 23:00	0.0	0.0
5/1/2021 0:00	0.0		5/1/2022 0:00	0.0		5/1/2023 0:00	0.0	
5/1/2021 1:00	0.0		5/1/2022 1:00	0.0		5/1/2023 1:00	0.0	
5/1/2021 2:00	0.0		5/1/2022 2:00	0.0		5/1/2023 2:00	0.0	
5/1/2021 3:00	0.0		5/1/2022 3:00	0.0		5/1/2023 3:00	0.0	
5/1/2021 4:00	0.0		5/1/2022 4:00	0.0		5/1/2023 4:00	0.0	
5/1/2021 5:00	0.0		5/1/2022 5:00	0.0		5/1/2023 5:00	0.0	
5/1/2021 6:00	0.0		5/1/2022 6:00	0.0		5/1/2023 6:00	0.0	
5/1/2021 7:00	0.0		5/1/2022 7:00	0.0		5/1/2023 7:00	0.0	
5/1/2021 8:00	0.0		5/1/2022 8:00	0.0		5/1/2023 8:00	0.0	
5/1/2021 9:00	0.0		5/1/2022 9:00	0.0		5/1/2023 9:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/1/2021 10:00	0.0		5/1/2022 10:00	0.0		5/1/2023 10:00	0.0	
5/1/2021 11:00	0.0		5/1/2022 11:00	0.0		5/1/2023 11:00	0.0	
5/1/2021 12:00	0.0		5/1/2022 12:00	0.0		5/1/2023 12:00	0.0	
5/1/2021 13:00	0.0		5/1/2022 13:00	0.0		5/1/2023 13:00	0.0	
5/1/2021 14:00	0.0		5/1/2022 14:00	0.0		5/1/2023 14:00	0.0	
5/1/2021 15:00	0.0		5/1/2022 15:00	0.0		5/1/2023 15:00	0.0	
5/1/2021 16:00	0.0		5/1/2022 16:00	0.0		5/1/2023 16:00	0.0	
5/1/2021 17:00	0.0		5/1/2022 17:00	0.0		5/1/2023 17:00	0.0	
5/1/2021 18:00	0.0		5/1/2022 18:00	0.0		5/1/2023 18:00	0.0	
5/1/2021 19:00	0.0		5/1/2022 19:00	0.0		5/1/2023 19:00	0.0	
5/1/2021 20:00	0.0		5/1/2022 20:00	0.0		5/1/2023 20:00	0.0	
5/1/2021 21:00	0.0		5/1/2022 21:00	0.0		5/1/2023 21:00	0.0	
5/1/2021 22:00	0.0		5/1/2022 22:00	0.0		5/1/2023 22:00	0.0	
5/1/2021 23:00	0.0	0.0	5/1/2022 23:00	0.0	0.0	5/1/2023 23:00	0.0	0.0
5/2/2021 0:00	0.0		5/2/2022 0:00	0.0		5/2/2023 0:00	0.0	
5/2/2021 1:00	0.0		5/2/2022 1:00	0.0		5/2/2023 1:00	0.0	
5/2/2021 2:00	0.0		5/2/2022 2:00	0.0		5/2/2023 2:00	0.0	
5/2/2021 3:00	0.0		5/2/2022 3:00	0.0		5/2/2023 3:00	0.0	
5/2/2021 4:00	0.0		5/2/2022 4:00	0.0		5/2/2023 4:00	0.0	
5/2/2021 5:00	0.0		5/2/2022 5:00	0.0		5/2/2023 5:00	0.0	
5/2/2021 6:00	0.0		5/2/2022 6:00	0.0		5/2/2023 6:00	0.0	
5/2/2021 7:00	0.0		5/2/2022 7:00	0.0		5/2/2023 7:00	0.0	
5/2/2021 8:00	0.0		5/2/2022 8:00	0.0		5/2/2023 8:00	0.0	
5/2/2021 9:00	0.0		5/2/2022 9:00	0.0		5/2/2023 9:00	0.0	
5/2/2021 10:00	0.0		5/2/2022 10:00	0.0		5/2/2023 10:00	0.0	
5/2/2021 11:00	0.0		5/2/2022 11:00	0.0		5/2/2023 11:00	0.0	
5/2/2021 12:00	0.0		5/2/2022 12:00	0.0		5/2/2023 12:00	0.0	
5/2/2021 13:00	0.0		5/2/2022 13:00	0.0		5/2/2023 13:00	0.0	
5/2/2021 14:00	0.0		5/2/2022 14:00	0.0		5/2/2023 14:00	0.0	
5/2/2021 15:00	0.0		5/2/2022 15:00	0.0		5/2/2023 15:00	0.0	
5/2/2021 16:00	0.0		5/2/2022 16:00	0.0		5/2/2023 16:00	0.0	
5/2/2021 17:00	0.0		5/2/2022 17:00	0.0		5/2/2023 17:00	0.0	
5/2/2021 18:00	0.0		5/2/2022 18:00	0.0		5/2/2023 18:00	0.0	
5/2/2021 19:00	0.0		5/2/2022 19:00	0.0		5/2/2023 19:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/2/2021 20:00	0.0		5/2/2022 20:00	0.0		5/2/2023 20:00	0.0	
5/2/2021 21:00	0.0		5/2/2022 21:00	0.0		5/2/2023 21:00	0.0	
5/2/2021 22:00	0.0		5/2/2022 22:00	0.0		5/2/2023 22:00	0.0	
5/2/2021 23:00	0.0	0.0	5/2/2022 23:00	0.0	0.0	5/2/2023 23:00	0.0	0.0
5/3/2021 0:00	0.0		5/3/2022 0:00	0.0		5/3/2023 0:00	0.0	
5/3/2021 1:00	0.0		5/3/2022 1:00	0.0		5/3/2023 1:00	0.0	
5/3/2021 2:00	0.0		5/3/2022 2:00	0.0		5/3/2023 2:00	0.0	
5/3/2021 3:00	0.0		5/3/2022 3:00	0.0		5/3/2023 3:00	0.0	
5/3/2021 4:00	0.0		5/3/2022 4:00	0.0		5/3/2023 4:00	0.0	
5/3/2021 5:00	0.0		5/3/2022 5:00	0.0		5/3/2023 5:00	0.0	
5/3/2021 6:00	0.0		5/3/2022 6:00	0.0		5/3/2023 6:00	0.0	
5/3/2021 7:00	0.0		5/3/2022 7:00	0.0		5/3/2023 7:00	0.0	
5/3/2021 8:00	0.0		5/3/2022 8:00	0.0		5/3/2023 8:00	0.0	
5/3/2021 9:00	0.0		5/3/2022 9:00	0.0		5/3/2023 9:00	0.0	
5/3/2021 10:00	0.0		5/3/2022 10:00	0.0		5/3/2023 10:00	0.0	
5/3/2021 11:00	0.0		5/3/2022 11:00	0.0		5/3/2023 11:00	0.0	
5/3/2021 12:00	0.0		5/3/2022 12:00	0.0		5/3/2023 12:00	0.0	
5/3/2021 13:00	0.0		5/3/2022 13:00	0.0		5/3/2023 13:00	0.0	
5/3/2021 14:00	0.0		5/3/2022 14:00	0.0		5/3/2023 14:00	0.0	
5/3/2021 15:00	0.0		5/3/2022 15:00	0.0		5/3/2023 15:00	0.0	
5/3/2021 16:00	0.0		5/3/2022 16:00	0.0		5/3/2023 16:00	0.0	
5/3/2021 17:00	0.0		5/3/2022 17:00	0.0		5/3/2023 17:00	0.0	
5/3/2021 18:00	0.0		5/3/2022 18:00	0.0		5/3/2023 18:00	0.0	
5/3/2021 19:00	0.0		5/3/2022 19:00	0.0		5/3/2023 19:00	0.0	
5/3/2021 20:00	0.0		5/3/2022 20:00	0.0		5/3/2023 20:00	0.0	
5/3/2021 21:00	0.0		5/3/2022 21:00	0.0		5/3/2023 21:00	0.0	
5/3/2021 22:00	0.0		5/3/2022 22:00	0.0		5/3/2023 22:00	0.0	
5/3/2021 23:00	0.0	0.0	5/3/2022 23:00	0.0	0.0	5/3/2023 23:00	0.0	0.0
5/4/2021 0:00	0.0		5/4/2022 0:00	0.0		5/4/2023 0:00	0.0	
5/4/2021 1:00	0.0		5/4/2022 1:00	0.0		5/4/2023 1:00	0.0	
5/4/2021 2:00	0.0		5/4/2022 2:00	0.0		5/4/2023 2:00	0.0	
5/4/2021 3:00	0.0		5/4/2022 3:00	0.0		5/4/2023 3:00	0.0	
5/4/2021 4:00	0.0		5/4/2022 4:00	0.0		5/4/2023 4:00	0.0	
5/4/2021 5:00	0.0		5/4/2022 5:00	0.0		5/4/2023 5:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/4/2021 6:00	0.0		5/4/2022 6:00	0.0		5/4/2023 6:00	0.0	
5/4/2021 7:00	0.0		5/4/2022 7:00	0.0		5/4/2023 7:00	0.0	
5/4/2021 8:00	0.0		5/4/2022 8:00	0.0		5/4/2023 8:00	0.0	
5/4/2021 9:00	0.0		5/4/2022 9:00	0.0		5/4/2023 9:00	0.0	
5/4/2021 10:00	0.0		5/4/2022 10:00	0.0		5/4/2023 10:00	0.0	
5/4/2021 11:00	0.0		5/4/2022 11:00	0.0		5/4/2023 11:00	0.0	
5/4/2021 12:00	0.0		5/4/2022 12:00	0.0		5/4/2023 12:00	0.0	
5/4/2021 13:00	0.0		5/4/2022 13:00	0.0		5/4/2023 13:00	0.0	
5/4/2021 14:00	0.0		5/4/2022 14:00	0.0		5/4/2023 14:00	0.0	
5/4/2021 15:00	0.0		5/4/2022 15:00	0.0		5/4/2023 15:00	0.0	
5/4/2021 16:00	0.0		5/4/2022 16:00	0.0		5/4/2023 16:00	0.0	
5/4/2021 17:00	0.0		5/4/2022 17:00	0.0		5/4/2023 17:00	0.0	
5/4/2021 18:00	0.0		5/4/2022 18:00	0.0		5/4/2023 18:00	0.0	
5/4/2021 19:00	0.0		5/4/2022 19:00	0.0		5/4/2023 19:00	0.0	
5/4/2021 20:00	0.0		5/4/2022 20:00	0.0		5/4/2023 20:00	0.0	
5/4/2021 21:00	0.0		5/4/2022 21:00	0.0		5/4/2023 21:00	0.0	
5/4/2021 22:00	0.0		5/4/2022 22:00	0.0		5/4/2023 22:00	0.0	
5/4/2021 23:00	0.0	0.0	5/4/2022 23:00	0.0	0.0	5/4/2023 23:00	0.0	0.0
5/5/2021 0:00	0.0		5/5/2022 0:00	0.0		5/5/2023 0:00	0.0	
5/5/2021 1:00	0.0		5/5/2022 1:00	0.0		5/5/2023 1:00	0.0	
5/5/2021 2:00	0.0		5/5/2022 2:00	0.0		5/5/2023 2:00	0.0	
5/5/2021 3:00	0.0		5/5/2022 3:00	0.0		5/5/2023 3:00	0.0	
5/5/2021 4:00	0.0		5/5/2022 4:00	0.0		5/5/2023 4:00	0.0	
5/5/2021 5:00	0.0		5/5/2022 5:00	0.0		5/5/2023 5:00	0.0	
5/5/2021 6:00	0.0		5/5/2022 6:00	0.0		5/5/2023 6:00	0.0	
5/5/2021 7:00	0.0		5/5/2022 7:00	0.0		5/5/2023 7:00	0.0	
5/5/2021 8:00	0.0		5/5/2022 8:00	0.0		5/5/2023 8:00	0.0	
5/5/2021 9:00	0.0		5/5/2022 9:00	0.0		5/5/2023 9:00	0.0	
5/5/2021 10:00	0.0		5/5/2022 10:00	0.0		5/5/2023 10:00	0.0	
5/5/2021 11:00	1039.0		5/5/2022 11:00	0.0		5/5/2023 11:00	0.0	
5/5/2021 12:00	395.1		5/5/2022 12:00	0.0		5/5/2023 12:00	0.0	
5/5/2021 13:00	0.0		5/5/2022 13:00	0.0		5/5/2023 13:00	0.0	
5/5/2021 14:00	0.0		5/5/2022 14:00	0.0		5/5/2023 14:00	0.0	
5/5/2021 15:00	0.0		5/5/2022 15:00	0.0		5/5/2023 15:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/5/2021 16:00	0.0		5/5/2022 16:00	0.0		5/5/2023 16:00	0.0	
5/5/2021 17:00	0.0		5/5/2022 17:00	0.0		5/5/2023 17:00	0.0	
5/5/2021 18:00	0.0		5/5/2022 18:00	0.0		5/5/2023 18:00	0.0	
5/5/2021 19:00	0.0		5/5/2022 19:00	0.0		5/5/2023 19:00	0.0	
5/5/2021 20:00	0.0		5/5/2022 20:00	0.0		5/5/2023 20:00	0.0	
5/5/2021 21:00	0.0		5/5/2022 21:00	0.0		5/5/2023 21:00	0.0	
5/5/2021 22:00	0.0		5/5/2022 22:00	0.0		5/5/2023 22:00	0.0	
5/5/2021 23:00	0.0	1039.0	5/5/2022 23:00	0.0	0.0	5/5/2023 23:00	0.0	0.0
5/6/2021 0:00	0.0		5/6/2022 0:00	0.0		5/6/2023 0:00	0.0	
5/6/2021 1:00	0.0		5/6/2022 1:00	0.0		5/6/2023 1:00	0.0	
5/6/2021 2:00	0.0		5/6/2022 2:00	0.0		5/6/2023 2:00	0.0	
5/6/2021 3:00	0.0		5/6/2022 3:00	0.0		5/6/2023 3:00	0.0	
5/6/2021 4:00	0.0		5/6/2022 4:00	0.0		5/6/2023 4:00	0.0	
5/6/2021 5:00	0.0		5/6/2022 5:00	0.0		5/6/2023 5:00	0.0	
5/6/2021 6:00	0.0		5/6/2022 6:00	0.0		5/6/2023 6:00	0.0	
5/6/2021 7:00	0.0		5/6/2022 7:00	0.0		5/6/2023 7:00	0.0	
5/6/2021 8:00	0.0		5/6/2022 8:00	0.0		5/6/2023 8:00	0.0	
5/6/2021 9:00	0.0		5/6/2022 9:00	0.0		5/6/2023 9:00	0.0	
5/6/2021 10:00	0.0		5/6/2022 10:00	0.0		5/6/2023 10:00	0.0	
5/6/2021 11:00	0.0		5/6/2022 11:00	0.0		5/6/2023 11:00	0.0	
5/6/2021 12:00	0.0		5/6/2022 12:00	0.0		5/6/2023 12:00	0.0	
5/6/2021 13:00	0.0		5/6/2022 13:00	0.0		5/6/2023 13:00	0.0	
5/6/2021 14:00	0.0		5/6/2022 14:00	0.0		5/6/2023 14:00	0.0	
5/6/2021 15:00	0.0		5/6/2022 15:00	0.0		5/6/2023 15:00	0.0	
5/6/2021 16:00	0.0		5/6/2022 16:00	0.0		5/6/2023 16:00	0.0	
5/6/2021 17:00	0.0		5/6/2022 17:00	0.0		5/6/2023 17:00	0.0	
5/6/2021 18:00	0.0		5/6/2022 18:00	0.0		5/6/2023 18:00	0.0	
5/6/2021 19:00	0.0		5/6/2022 19:00	0.0		5/6/2023 19:00	0.0	
5/6/2021 20:00	0.0		5/6/2022 20:00	0.0		5/6/2023 20:00	0.0	
5/6/2021 21:00	0.0		5/6/2022 21:00	0.0		5/6/2023 21:00	0.0	
5/6/2021 22:00	0.0		5/6/2022 22:00	0.0		5/6/2023 22:00	0.0	
5/6/2021 23:00	0.0	0.0	5/6/2022 23:00	0.0	0.0	5/6/2023 23:00	0.0	0.0
5/7/2021 0:00	0.0		5/7/2022 0:00	0.0		5/7/2023 0:00	0.0	
5/7/2021 1:00	0.0		5/7/2022 1:00	0.0		5/7/2023 1:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/7/2021 2:00	0.0		5/7/2022 2:00	0.0		5/7/2023 2:00	0.0	
5/7/2021 3:00	0.0		5/7/2022 3:00	0.0		5/7/2023 3:00	0.0	
5/7/2021 4:00	0.0		5/7/2022 4:00	0.0		5/7/2023 4:00	0.0	
5/7/2021 5:00	0.0		5/7/2022 5:00	0.0		5/7/2023 5:00	0.0	
5/7/2021 6:00	0.0		5/7/2022 6:00	0.0		5/7/2023 6:00	0.0	
5/7/2021 7:00	0.0		5/7/2022 7:00	0.0		5/7/2023 7:00	0.0	
5/7/2021 8:00	0.0		5/7/2022 8:00	0.0		5/7/2023 8:00	0.0	
5/7/2021 9:00	0.0		5/7/2022 9:00	0.0		5/7/2023 9:00	0.0	
5/7/2021 10:00	0.0		5/7/2022 10:00	0.0		5/7/2023 10:00	0.0	
5/7/2021 11:00	0.0		5/7/2022 11:00	0.0		5/7/2023 11:00	0.0	
5/7/2021 12:00	0.0		5/7/2022 12:00	0.0		5/7/2023 12:00	0.0	
5/7/2021 13:00	0.0		5/7/2022 13:00	0.0		5/7/2023 13:00	0.0	
5/7/2021 14:00	0.0		5/7/2022 14:00	0.0		5/7/2023 14:00	0.0	
5/7/2021 15:00	0.0		5/7/2022 15:00	0.0		5/7/2023 15:00	0.0	
5/7/2021 16:00	0.0		5/7/2022 16:00	0.0		5/7/2023 16:00	0.0	
5/7/2021 17:00	0.0		5/7/2022 17:00	0.0		5/7/2023 17:00	0.0	
5/7/2021 18:00	0.0		5/7/2022 18:00	0.0		5/7/2023 18:00	0.0	
5/7/2021 19:00	0.0		5/7/2022 19:00	0.0		5/7/2023 19:00	0.0	
5/7/2021 20:00	0.0		5/7/2022 20:00	0.0		5/7/2023 20:00	0.0	
5/7/2021 21:00	0.0		5/7/2022 21:00	0.0		5/7/2023 21:00	0.0	
5/7/2021 22:00	0.0		5/7/2022 22:00	0.0		5/7/2023 22:00	0.0	
5/7/2021 23:00	0.0	0.0	5/7/2022 23:00	0.0	0.0	5/7/2023 23:00	0.0	0.0
5/8/2021 0:00	0.0		5/8/2022 0:00	0.0		5/8/2023 0:00	0.0	
5/8/2021 1:00	0.0		5/8/2022 1:00	0.0		5/8/2023 1:00	0.0	
5/8/2021 2:00	0.0		5/8/2022 2:00	0.0		5/8/2023 2:00	0.0	
5/8/2021 3:00	0.0		5/8/2022 3:00	0.0		5/8/2023 3:00	0.0	
5/8/2021 4:00	0.0		5/8/2022 4:00	0.0		5/8/2023 4:00	0.0	
5/8/2021 5:00	0.0		5/8/2022 5:00	0.0		5/8/2023 5:00	0.0	
5/8/2021 6:00	0.0		5/8/2022 6:00	0.0		5/8/2023 6:00	0.0	
5/8/2021 7:00	0.0		5/8/2022 7:00	0.0		5/8/2023 7:00	0.0	
5/8/2021 8:00	0.0		5/8/2022 8:00	0.0		5/8/2023 8:00	0.0	
5/8/2021 9:00	0.0		5/8/2022 9:00	0.0		5/8/2023 9:00	0.0	
5/8/2021 10:00	0.0		5/8/2022 10:00	0.0		5/8/2023 10:00	0.0	
5/8/2021 11:00	0.0		5/8/2022 11:00	0.0		5/8/2023 11:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/8/2021 12:00	0.0		5/8/2022 12:00	0.0		5/8/2023 12:00	0.0	
5/8/2021 13:00	0.0		5/8/2022 13:00	0.0		5/8/2023 13:00	0.0	
5/8/2021 14:00	0.0		5/8/2022 14:00	0.0		5/8/2023 14:00	0.0	
5/8/2021 15:00	0.0		5/8/2022 15:00	0.0		5/8/2023 15:00	0.0	
5/8/2021 16:00	0.0		5/8/2022 16:00	0.0		5/8/2023 16:00	0.0	
5/8/2021 17:00	0.0		5/8/2022 17:00	0.0		5/8/2023 17:00	0.0	
5/8/2021 18:00	0.0		5/8/2022 18:00	0.0		5/8/2023 18:00	0.0	
5/8/2021 19:00	0.0		5/8/2022 19:00	0.0		5/8/2023 19:00	0.0	
5/8/2021 20:00	0.0		5/8/2022 20:00	0.0		5/8/2023 20:00	0.0	
5/8/2021 21:00	0.0		5/8/2022 21:00	0.0		5/8/2023 21:00	0.0	
5/8/2021 22:00	0.0		5/8/2022 22:00	0.0		5/8/2023 22:00	0.0	
5/8/2021 23:00	0.0	0.0	5/8/2022 23:00	0.0	0.0	5/8/2023 23:00	0.0	0.0
5/9/2021 0:00	0.0		5/9/2022 0:00	0.0		5/9/2023 0:00	0.0	
5/9/2021 1:00	0.0		5/9/2022 1:00	0.0		5/9/2023 1:00	0.0	
5/9/2021 2:00	0.0		5/9/2022 2:00	0.0		5/9/2023 2:00	0.0	
5/9/2021 3:00	0.0		5/9/2022 3:00	0.0		5/9/2023 3:00	0.0	
5/9/2021 4:00	0.0		5/9/2022 4:00	0.0		5/9/2023 4:00	0.0	
5/9/2021 5:00	0.0		5/9/2022 5:00	0.0		5/9/2023 5:00	0.0	
5/9/2021 6:00	0.0		5/9/2022 6:00	0.0		5/9/2023 6:00	0.0	
5/9/2021 7:00	0.0		5/9/2022 7:00	0.0		5/9/2023 7:00	0.0	
5/9/2021 8:00	0.0		5/9/2022 8:00	0.0		5/9/2023 8:00	0.0	
5/9/2021 9:00	0.0		5/9/2022 9:00	0.0		5/9/2023 9:00	0.0	
5/9/2021 10:00	0.0		5/9/2022 10:00	0.0		5/9/2023 10:00	0.0	
5/9/2021 11:00	0.0		5/9/2022 11:00	0.0		5/9/2023 11:00	0.0	
5/9/2021 12:00	0.0		5/9/2022 12:00	0.0		5/9/2023 12:00	0.0	
5/9/2021 13:00	0.0		5/9/2022 13:00	0.0		5/9/2023 13:00	0.0	
5/9/2021 14:00	0.0		5/9/2022 14:00	0.0		5/9/2023 14:00	0.0	
5/9/2021 15:00	0.0		5/9/2022 15:00	0.0		5/9/2023 15:00	0.0	
5/9/2021 16:00	0.0		5/9/2022 16:00	0.0		5/9/2023 16:00	0.0	
5/9/2021 17:00	0.0		5/9/2022 17:00	0.0		5/9/2023 17:00	0.0	
5/9/2021 18:00	0.0		5/9/2022 18:00	0.0		5/9/2023 18:00	0.0	
5/9/2021 19:00	0.0		5/9/2022 19:00	0.0		5/9/2023 19:00	0.0	
5/9/2021 20:00	0.0		5/9/2022 20:00	0.0		5/9/2023 20:00	0.0	
5/9/2021 21:00	0.0		5/9/2022 21:00	0.0		5/9/2023 21:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/9/2021 22:00	0.0		5/9/2022 22:00	0.0		5/9/2023 22:00	0.0	
5/9/2021 23:00	0.0	0.0	5/9/2022 23:00	0.0	0.0	5/9/2023 23:00	0.0	0.0
5/10/2021 0:00	0.0		5/10/2022 0:00	0.0		5/10/2023 0:00	0.0	
5/10/2021 1:00	0.0		5/10/2022 1:00	0.0		5/10/2023 1:00	0.0	
5/10/2021 2:00	0.0		5/10/2022 2:00	0.0		5/10/2023 2:00	0.0	
5/10/2021 3:00	0.0		5/10/2022 3:00	0.0		5/10/2023 3:00	0.0	
5/10/2021 4:00	0.0		5/10/2022 4:00	0.0		5/10/2023 4:00	0.0	
5/10/2021 5:00	0.0		5/10/2022 5:00	0.0		5/10/2023 5:00	0.0	
5/10/2021 6:00	0.0		5/10/2022 6:00	0.0		5/10/2023 6:00	0.0	
5/10/2021 7:00	0.0		5/10/2022 7:00	0.0		5/10/2023 7:00	0.0	
5/10/2021 8:00	0.0		5/10/2022 8:00	0.0		5/10/2023 8:00	0.0	
5/10/2021 9:00	0.0		5/10/2022 9:00	0.0		5/10/2023 9:00	0.0	
5/10/2021 10:00	0.0		5/10/2022 10:00	86.2		5/10/2023 10:00	0.0	
5/10/2021 11:00	0.0		5/10/2022 11:00	26.1		5/10/2023 11:00	0.0	
5/10/2021 12:00	0.0		5/10/2022 12:00	23.8		5/10/2023 12:00	0.0	
5/10/2021 13:00	0.0		5/10/2022 13:00	0.0		5/10/2023 13:00	0.0	
5/10/2021 14:00	0.0		5/10/2022 14:00	0.0		5/10/2023 14:00	0.0	
5/10/2021 15:00	0.0		5/10/2022 15:00	0.0		5/10/2023 15:00	0.0	
5/10/2021 16:00	0.0		5/10/2022 16:00	0.0		5/10/2023 16:00	0.0	
5/10/2021 17:00	0.0		5/10/2022 17:00	0.0		5/10/2023 17:00	0.0	
5/10/2021 18:00	0.0		5/10/2022 18:00	0.0		5/10/2023 18:00	0.0	
5/10/2021 19:00	0.0		5/10/2022 19:00	0.0		5/10/2023 19:00	0.0	
5/10/2021 20:00	0.0		5/10/2022 20:00	0.0		5/10/2023 20:00	0.0	
5/10/2021 21:00	0.0		5/10/2022 21:00	0.0		5/10/2023 21:00	0.0	
5/10/2021 22:00	0.0		5/10/2022 22:00	0.0		5/10/2023 22:00	0.0	
5/10/2021 23:00	0.0	0.0	5/10/2022 23:00	0.0	86.2	5/10/2023 23:00	0.0	0.0
5/11/2021 0:00	0.0		5/11/2022 0:00	0.0		5/11/2023 0:00	0.0	
5/11/2021 1:00	0.0		5/11/2022 1:00	0.0		5/11/2023 1:00	0.0	
5/11/2021 2:00	0.0		5/11/2022 2:00	0.0		5/11/2023 2:00	0.0	
5/11/2021 3:00	0.0		5/11/2022 3:00	0.0		5/11/2023 3:00	0.0	
5/11/2021 4:00	0.0		5/11/2022 4:00	0.0		5/11/2023 4:00	0.0	
5/11/2021 5:00	0.0		5/11/2022 5:00	0.0		5/11/2023 5:00	0.0	
5/11/2021 6:00	0.0		5/11/2022 6:00	0.0		5/11/2023 6:00	0.0	
5/11/2021 7:00	0.0		5/11/2022 7:00	0.0		5/11/2023 7:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/11/2021 8:00	0.0		5/11/2022 8:00	0.0		5/11/2023 8:00	0.0	
5/11/2021 9:00	0.0		5/11/2022 9:00	0.0		5/11/2023 9:00	0.0	
5/11/2021 10:00	0.0		5/11/2022 10:00	0.0		5/11/2023 10:00	0.0	
5/11/2021 11:00	0.0		5/11/2022 11:00	0.0		5/11/2023 11:00	0.0	
5/11/2021 12:00	0.0		5/11/2022 12:00	0.0		5/11/2023 12:00	0.0	
5/11/2021 13:00	0.0		5/11/2022 13:00	0.0		5/11/2023 13:00	0.0	
5/11/2021 14:00	0.0		5/11/2022 14:00	0.0		5/11/2023 14:00	0.0	
5/11/2021 15:00	0.0		5/11/2022 15:00	0.0		5/11/2023 15:00	0.0	
5/11/2021 16:00	0.0		5/11/2022 16:00	0.0		5/11/2023 16:00	0.0	
5/11/2021 17:00	0.0		5/11/2022 17:00	0.0		5/11/2023 17:00	0.0	
5/11/2021 18:00	0.0		5/11/2022 18:00	0.0		5/11/2023 18:00	0.0	
5/11/2021 19:00	0.0		5/11/2022 19:00	0.0		5/11/2023 19:00	0.0	
5/11/2021 20:00	0.0		5/11/2022 20:00	0.0		5/11/2023 20:00	0.0	
5/11/2021 21:00	0.0		5/11/2022 21:00	0.0		5/11/2023 21:00	0.0	
5/11/2021 22:00	0.0		5/11/2022 22:00	0.0		5/11/2023 22:00	0.0	
5/11/2021 23:00	0.0	0.0	5/11/2022 23:00	0.0	0.0	5/11/2023 23:00	0.0	0.0
5/12/2021 0:00	0.0		5/12/2022 0:00	0.0		5/12/2023 0:00	0.0	
5/12/2021 1:00	0.0		5/12/2022 1:00	0.0		5/12/2023 1:00	0.0	
5/12/2021 2:00	0.0		5/12/2022 2:00	0.0		5/12/2023 2:00	0.0	
5/12/2021 3:00	0.0		5/12/2022 3:00	0.0		5/12/2023 3:00	0.0	
5/12/2021 4:00	0.0		5/12/2022 4:00	0.0		5/12/2023 4:00	0.0	
5/12/2021 5:00	0.0		5/12/2022 5:00	0.0		5/12/2023 5:00	0.0	
5/12/2021 6:00	0.0		5/12/2022 6:00	0.0		5/12/2023 6:00	0.0	
5/12/2021 7:00	0.0		5/12/2022 7:00	0.0		5/12/2023 7:00	0.0	
5/12/2021 8:00	0.0		5/12/2022 8:00	0.0		5/12/2023 8:00	0.0	
5/12/2021 9:00	0.0		5/12/2022 9:00	0.0		5/12/2023 9:00	0.0	
5/12/2021 10:00	0.0		5/12/2022 10:00	0.0		5/12/2023 10:00	0.0	
5/12/2021 11:00	0.0		5/12/2022 11:00	0.0		5/12/2023 11:00	0.0	
5/12/2021 12:00	0.0		5/12/2022 12:00	0.0		5/12/2023 12:00	0.0	
5/12/2021 13:00	0.0		5/12/2022 13:00	0.0		5/12/2023 13:00	0.0	
5/12/2021 14:00	0.0		5/12/2022 14:00	0.0		5/12/2023 14:00	0.0	
5/12/2021 15:00	0.0		5/12/2022 15:00	0.0		5/12/2023 15:00	0.0	
5/12/2021 16:00	0.0		5/12/2022 16:00	0.0		5/12/2023 16:00	0.0	
5/12/2021 17:00	0.0		5/12/2022 17:00	0.0		5/12/2023 17:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/12/2021 18:00	0.0		5/12/2022 18:00	0.0		5/12/2023 18:00	0.0	
5/12/2021 19:00	0.0		5/12/2022 19:00	0.0		5/12/2023 19:00	0.0	
5/12/2021 20:00	0.0		5/12/2022 20:00	0.0		5/12/2023 20:00	0.0	
5/12/2021 21:00	0.0		5/12/2022 21:00	0.0		5/12/2023 21:00	0.0	
5/12/2021 22:00	0.0		5/12/2022 22:00	0.0		5/12/2023 22:00	0.0	
5/12/2021 23:00	0.0	0.0	5/12/2022 23:00	0.0	0.0	5/12/2023 23:00	0.0	0.0
5/13/2021 0:00	0.0		5/13/2022 0:00	0.0		5/13/2023 0:00	0.0	
5/13/2021 1:00	0.0		5/13/2022 1:00	0.0		5/13/2023 1:00	0.0	
5/13/2021 2:00	0.0		5/13/2022 2:00	0.0		5/13/2023 2:00	0.0	
5/13/2021 3:00	0.0		5/13/2022 3:00	0.0		5/13/2023 3:00	0.0	
5/13/2021 4:00	0.0		5/13/2022 4:00	0.0		5/13/2023 4:00	0.0	
5/13/2021 5:00	0.0		5/13/2022 5:00	0.0		5/13/2023 5:00	0.0	
5/13/2021 6:00	0.0		5/13/2022 6:00	0.0		5/13/2023 6:00	0.0	
5/13/2021 7:00	0.0		5/13/2022 7:00	0.0		5/13/2023 7:00	0.0	
5/13/2021 8:00	0.0		5/13/2022 8:00	0.0		5/13/2023 8:00	0.0	
5/13/2021 9:00	0.0		5/13/2022 9:00	0.0		5/13/2023 9:00	0.0	
5/13/2021 10:00	0.0		5/13/2022 10:00	0.0		5/13/2023 10:00	0.0	
5/13/2021 11:00	0.0		5/13/2022 11:00	0.0		5/13/2023 11:00	0.0	
5/13/2021 12:00	0.0		5/13/2022 12:00	0.0		5/13/2023 12:00	0.0	
5/13/2021 13:00	0.0		5/13/2022 13:00	0.0		5/13/2023 13:00	0.0	
5/13/2021 14:00	0.0		5/13/2022 14:00	0.0		5/13/2023 14:00	0.0	
5/13/2021 15:00	0.0		5/13/2022 15:00	0.0		5/13/2023 15:00	0.0	
5/13/2021 16:00	0.0		5/13/2022 16:00	0.0		5/13/2023 16:00	0.0	
5/13/2021 17:00	0.0		5/13/2022 17:00	0.0		5/13/2023 17:00	0.0	
5/13/2021 18:00	0.0		5/13/2022 18:00	0.0		5/13/2023 18:00	0.0	
5/13/2021 19:00	0.0		5/13/2022 19:00	0.0		5/13/2023 19:00	0.0	
5/13/2021 20:00	0.0		5/13/2022 20:00	0.0		5/13/2023 20:00	0.0	
5/13/2021 21:00	0.0		5/13/2022 21:00	0.0		5/13/2023 21:00	0.0	
5/13/2021 22:00	0.0		5/13/2022 22:00	0.0		5/13/2023 22:00	0.0	
5/13/2021 23:00	0.0	0.0	5/13/2022 23:00	0.0	0.0	5/13/2023 23:00	0.0	0.0
5/14/2021 0:00	0.0		5/14/2022 0:00	0.0		5/14/2023 0:00	0.0	
5/14/2021 1:00	0.0		5/14/2022 1:00	0.0		5/14/2023 1:00	0.0	
5/14/2021 2:00	0.0		5/14/2022 2:00	0.0		5/14/2023 2:00	0.0	
5/14/2021 3:00	0.0		5/14/2022 3:00	0.0		5/14/2023 3:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/14/2021 4:00	0.0		5/14/2022 4:00	0.0		5/14/2023 4:00	0.0	
5/14/2021 5:00	0.0		5/14/2022 5:00	0.0		5/14/2023 5:00	0.0	
5/14/2021 6:00	0.0		5/14/2022 6:00	0.0		5/14/2023 6:00	0.0	
5/14/2021 7:00	0.0		5/14/2022 7:00	0.0		5/14/2023 7:00	0.0	
5/14/2021 8:00	0.0		5/14/2022 8:00	0.0		5/14/2023 8:00	0.0	
5/14/2021 9:00	0.0		5/14/2022 9:00	0.0		5/14/2023 9:00	0.0	
5/14/2021 10:00	0.0		5/14/2022 10:00	0.0		5/14/2023 10:00	0.0	
5/14/2021 11:00	0.0		5/14/2022 11:00	0.0		5/14/2023 11:00	0.0	
5/14/2021 12:00	0.0		5/14/2022 12:00	0.0		5/14/2023 12:00	0.0	
5/14/2021 13:00	0.0		5/14/2022 13:00	0.0		5/14/2023 13:00	0.0	
5/14/2021 14:00	0.0		5/14/2022 14:00	0.0		5/14/2023 14:00	0.0	
5/14/2021 15:00	0.0		5/14/2022 15:00	0.0		5/14/2023 15:00	0.0	
5/14/2021 16:00	0.0		5/14/2022 16:00	0.0		5/14/2023 16:00	0.0	
5/14/2021 17:00	0.0		5/14/2022 17:00	0.0		5/14/2023 17:00	0.0	
5/14/2021 18:00	0.0		5/14/2022 18:00	0.0		5/14/2023 18:00	0.0	
5/14/2021 19:00	0.0		5/14/2022 19:00	0.0		5/14/2023 19:00	0.0	
5/14/2021 20:00	0.0		5/14/2022 20:00	0.0		5/14/2023 20:00	0.0	
5/14/2021 21:00	0.0		5/14/2022 21:00	0.0		5/14/2023 21:00	0.0	
5/14/2021 22:00	0.0		5/14/2022 22:00	0.0		5/14/2023 22:00	0.0	
5/14/2021 23:00	0.0	0.0	5/14/2022 23:00	0.0	0.0	5/14/2023 23:00	0.0	0.0
5/15/2021 0:00	0.0		5/15/2022 0:00	0.0		5/15/2023 0:00	0.0	
5/15/2021 1:00	0.0		5/15/2022 1:00	0.0		5/15/2023 1:00	0.0	
5/15/2021 2:00	0.0		5/15/2022 2:00	0.0		5/15/2023 2:00	0.0	
5/15/2021 3:00	0.0		5/15/2022 3:00	0.0		5/15/2023 3:00	0.0	
5/15/2021 4:00	0.0		5/15/2022 4:00	0.0		5/15/2023 4:00	0.0	
5/15/2021 5:00	0.0		5/15/2022 5:00	0.0		5/15/2023 5:00	0.0	
5/15/2021 6:00	0.0		5/15/2022 6:00	0.0		5/15/2023 6:00	0.0	
5/15/2021 7:00	0.0		5/15/2022 7:00	0.0		5/15/2023 7:00	0.0	
5/15/2021 8:00	0.0		5/15/2022 8:00	0.0		5/15/2023 8:00	0.0	
5/15/2021 9:00	0.0		5/15/2022 9:00	0.0		5/15/2023 9:00	0.0	
5/15/2021 10:00	0.0		5/15/2022 10:00	0.0		5/15/2023 10:00	0.0	
5/15/2021 11:00	0.0		5/15/2022 11:00	0.0		5/15/2023 11:00	0.0	
5/15/2021 12:00	0.0		5/15/2022 12:00	0.0		5/15/2023 12:00	0.0	
5/15/2021 13:00	0.0		5/15/2022 13:00	0.0		5/15/2023 13:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/15/2021 14:00	0.0		5/15/2022 14:00	0.0		5/15/2023 14:00	0.0	
5/15/2021 15:00	0.0		5/15/2022 15:00	0.0		5/15/2023 15:00	0.0	
5/15/2021 16:00	0.0		5/15/2022 16:00	0.0		5/15/2023 16:00	0.0	
5/15/2021 17:00	0.0		5/15/2022 17:00	0.0		5/15/2023 17:00	0.0	
5/15/2021 18:00	0.0		5/15/2022 18:00	0.0		5/15/2023 18:00	0.0	
5/15/2021 19:00	0.0		5/15/2022 19:00	0.0		5/15/2023 19:00	0.0	
5/15/2021 20:00	0.0		5/15/2022 20:00	0.0		5/15/2023 20:00	0.0	
5/15/2021 21:00	0.0		5/15/2022 21:00	0.0		5/15/2023 21:00	0.0	
5/15/2021 22:00	0.0		5/15/2022 22:00	20.1		5/15/2023 22:00	0.0	
5/15/2021 23:00	0.0	0.0	5/15/2022 23:00	565.1	565.1	5/15/2023 23:00	0.0	0.0
5/16/2021 0:00	0.0		5/16/2022 0:00	417.9		5/16/2023 0:00	0.0	
5/16/2021 1:00	0.0		5/16/2022 1:00	415.2		5/16/2023 1:00	0.0	
5/16/2021 2:00	0.0		5/16/2022 2:00	422.6		5/16/2023 2:00	0.0	
5/16/2021 3:00	0.0		5/16/2022 3:00	464.7		5/16/2023 3:00	0.0	
5/16/2021 4:00	0.0		5/16/2022 4:00	432.7		5/16/2023 4:00	0.0	
5/16/2021 5:00	0.0		5/16/2022 5:00	436.7		5/16/2023 5:00	0.0	
5/16/2021 6:00	0.0		5/16/2022 6:00	441.6		5/16/2023 6:00	0.0	
5/16/2021 7:00	0.0		5/16/2022 7:00	413.4		5/16/2023 7:00	0.0	
5/16/2021 8:00	0.0		5/16/2022 8:00	411.5		5/16/2023 8:00	0.0	
5/16/2021 9:00	0.0		5/16/2022 9:00	418.6		5/16/2023 9:00	0.0	
5/16/2021 10:00	0.0		5/16/2022 10:00	435.7		5/16/2023 10:00	0.0	
5/16/2021 11:00	0.0		5/16/2022 11:00	411.5		5/16/2023 11:00	0.0	
5/16/2021 12:00	0.0		5/16/2022 12:00	401.5		5/16/2023 12:00	0.0	
5/16/2021 13:00	0.0		5/16/2022 13:00	424.1		5/16/2023 13:00	0.0	
5/16/2021 14:00	0.0		5/16/2022 14:00	410.2		5/16/2023 14:00	0.0	
5/16/2021 15:00	0.0		5/16/2022 15:00	814.6		5/16/2023 15:00	0.0	
5/16/2021 16:00	0.0		5/16/2022 16:00	503.2		5/16/2023 16:00	0.0	
5/16/2021 17:00	0.0		5/16/2022 17:00	0.0		5/16/2023 17:00	0.0	
5/16/2021 18:00	0.0		5/16/2022 18:00	0.0		5/16/2023 18:00	0.0	
5/16/2021 19:00	0.0		5/16/2022 19:00	0.0		5/16/2023 19:00	0.0	
5/16/2021 20:00	0.0		5/16/2022 20:00	0.0		5/16/2023 20:00	0.0	
5/16/2021 21:00	0.0		5/16/2022 21:00	0.0		5/16/2023 21:00	0.0	
5/16/2021 22:00	0.0		5/16/2022 22:00	0.0		5/16/2023 22:00	0.0	
5/16/2021 23:00	0.0	0.0	5/16/2022 23:00	0.0	814.6	5/16/2023 23:00	0.0	0.0

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/17/2021 0:00	0.0		5/17/2022 0:00	0.0		5/17/2023 0:00	0.0	
5/17/2021 1:00	0.0		5/17/2022 1:00	0.0		5/17/2023 1:00	0.0	
5/17/2021 2:00	0.0		5/17/2022 2:00	0.0		5/17/2023 2:00	0.0	
5/17/2021 3:00	0.0		5/17/2022 3:00	0.0		5/17/2023 3:00	0.0	
5/17/2021 4:00	0.0		5/17/2022 4:00	0.0		5/17/2023 4:00	0.0	
5/17/2021 5:00	0.0		5/17/2022 5:00	0.0		5/17/2023 5:00	0.0	
5/17/2021 6:00	0.0		5/17/2022 6:00	0.0		5/17/2023 6:00	0.0	
5/17/2021 7:00	0.0		5/17/2022 7:00	0.0		5/17/2023 7:00	0.0	
5/17/2021 8:00	0.0		5/17/2022 8:00	0.0		5/17/2023 8:00	0.0	
5/17/2021 9:00	0.0		5/17/2022 9:00	0.0		5/17/2023 9:00	0.0	
5/17/2021 10:00	0.0		5/17/2022 10:00	0.0		5/17/2023 10:00	0.0	
5/17/2021 11:00	0.0		5/17/2022 11:00	0.0		5/17/2023 11:00	0.0	
5/17/2021 12:00	0.0		5/17/2022 12:00	0.0		5/17/2023 12:00	0.0	
5/17/2021 13:00	0.0		5/17/2022 13:00	0.0		5/17/2023 13:00	0.0	
5/17/2021 14:00	0.0		5/17/2022 14:00	0.0		5/17/2023 14:00	0.0	
5/17/2021 15:00	0.0		5/17/2022 15:00	0.0		5/17/2023 15:00	0.0	
5/17/2021 16:00	0.0		5/17/2022 16:00	0.0		5/17/2023 16:00	0.0	
5/17/2021 17:00	0.0		5/17/2022 17:00	0.0		5/17/2023 17:00	0.0	
5/17/2021 18:00	0.0		5/17/2022 18:00	0.0		5/17/2023 18:00	0.0	
5/17/2021 19:00	0.0		5/17/2022 19:00	0.0		5/17/2023 19:00	0.0	
5/17/2021 20:00	0.0		5/17/2022 20:00	8.4		5/17/2023 20:00	0.0	
5/17/2021 21:00	0.0		5/17/2022 21:00	5.6		5/17/2023 21:00	0.0	
5/17/2021 22:00	0.0		5/17/2022 22:00	0.0		5/17/2023 22:00	0.0	
5/17/2021 23:00	0.0	0.0	5/17/2022 23:00	0.0	8.4	5/17/2023 23:00	0.0	0.0
5/18/2021 0:00	0.0		5/18/2022 0:00	0.0		5/18/2023 0:00	0.0	
5/18/2021 1:00	0.0		5/18/2022 1:00	0.0		5/18/2023 1:00	12.0	
5/18/2021 2:00	0.0		5/18/2022 2:00	0.0		5/18/2023 2:00	0.0	
5/18/2021 3:00	0.0		5/18/2022 3:00	0.0		5/18/2023 3:00	0.0	
5/18/2021 4:00	0.0		5/18/2022 4:00	0.0		5/18/2023 4:00	0.0	
5/18/2021 5:00	0.0		5/18/2022 5:00	0.0		5/18/2023 5:00	0.0	
5/18/2021 6:00	0.0		5/18/2022 6:00	0.0		5/18/2023 6:00	0.0	
5/18/2021 7:00	0.0		5/18/2022 7:00	0.0		5/18/2023 7:00	0.0	
5/18/2021 8:00	0.0		5/18/2022 8:00	0.0		5/18/2023 8:00	0.0	
5/18/2021 9:00	0.0		5/18/2022 9:00	0.0		5/18/2023 9:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/18/2021 10:00	0.0		5/18/2022 10:00	0.0		5/18/2023 10:00	0.0	
5/18/2021 11:00	0.0		5/18/2022 11:00	0.0		5/18/2023 11:00	0.0	
5/18/2021 12:00	0.0		5/18/2022 12:00	0.0		5/18/2023 12:00	0.7	
5/18/2021 13:00	0.0		5/18/2022 13:00	0.0		5/18/2023 13:00	0.0	
5/18/2021 14:00	0.0		5/18/2022 14:00	0.0		5/18/2023 14:00	1.1	
5/18/2021 15:00	0.0		5/18/2022 15:00	0.0		5/18/2023 15:00	116.3	
5/18/2021 16:00	0.0		5/18/2022 16:00	5.6		5/18/2023 16:00	34.7	
5/18/2021 17:00	0.0		5/18/2022 17:00	0.0		5/18/2023 17:00	0.0	
5/18/2021 18:00	0.0		5/18/2022 18:00	0.0		5/18/2023 18:00	0.0	
5/18/2021 19:00	0.0		5/18/2022 19:00	0.0		5/18/2023 19:00	0.0	
5/18/2021 20:00	0.0		5/18/2022 20:00	0.0		5/18/2023 20:00	0.0	
5/18/2021 21:00	0.0		5/18/2022 21:00	0.0		5/18/2023 21:00	0.0	
5/18/2021 22:00	0.0		5/18/2022 22:00	0.0		5/18/2023 22:00	0.0	
5/18/2021 23:00	0.0	0.0	5/18/2022 23:00	0.0	5.6	5/18/2023 23:00	0.0	116.3
5/19/2021 0:00	0.0		5/19/2022 0:00	0.0		5/19/2023 0:00	0.0	
5/19/2021 1:00	0.0		5/19/2022 1:00	0.0		5/19/2023 1:00	0.0	
5/19/2021 2:00	0.0		5/19/2022 2:00	0.0		5/19/2023 2:00	0.0	
5/19/2021 3:00	0.0		5/19/2022 3:00	0.0		5/19/2023 3:00	0.0	
5/19/2021 4:00	0.0		5/19/2022 4:00	0.0		5/19/2023 4:00	0.0	
5/19/2021 5:00	0.0		5/19/2022 5:00	0.0		5/19/2023 5:00	0.0	
5/19/2021 6:00	0.0		5/19/2022 6:00	0.0		5/19/2023 6:00	0.0	
5/19/2021 7:00	0.0		5/19/2022 7:00	0.0		5/19/2023 7:00	0.0	
5/19/2021 8:00	0.0		5/19/2022 8:00	0.0		5/19/2023 8:00	0.0	
5/19/2021 9:00	0.0		5/19/2022 9:00	0.0		5/19/2023 9:00	0.0	
5/19/2021 10:00	0.0		5/19/2022 10:00	0.0		5/19/2023 10:00	0.0	
5/19/2021 11:00	0.0		5/19/2022 11:00	0.0		5/19/2023 11:00	0.0	
5/19/2021 12:00	0.0		5/19/2022 12:00	0.0		5/19/2023 12:00	0.0	
5/19/2021 13:00	0.0		5/19/2022 13:00	0.0		5/19/2023 13:00	0.0	
5/19/2021 14:00	0.0		5/19/2022 14:00	0.0		5/19/2023 14:00	0.0	
5/19/2021 15:00	0.0		5/19/2022 15:00	0.0		5/19/2023 15:00	0.0	
5/19/2021 16:00	0.0		5/19/2022 16:00	0.0		5/19/2023 16:00	0.0	
5/19/2021 17:00	0.0		5/19/2022 17:00	0.0		5/19/2023 17:00	0.0	
5/19/2021 18:00	0.0		5/19/2022 18:00	0.0		5/19/2023 18:00	0.0	
5/19/2021 19:00	0.0		5/19/2022 19:00	0.0		5/19/2023 19:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/19/2021 20:00	0.0		5/19/2022 20:00	0.0		5/19/2023 20:00	0.0	
5/19/2021 21:00	0.0		5/19/2022 21:00	0.0		5/19/2023 21:00	0.0	
5/19/2021 22:00	0.0		5/19/2022 22:00	0.0		5/19/2023 22:00	0.0	
5/19/2021 23:00	0.0	0.0	5/19/2022 23:00	0.0	0.0	5/19/2023 23:00	0.0	0.0
5/20/2021 0:00	0.0		5/20/2022 0:00	0.0		5/20/2023 0:00	0.0	
5/20/2021 1:00	0.0		5/20/2022 1:00	0.0		5/20/2023 1:00	0.0	
5/20/2021 2:00	0.0		5/20/2022 2:00	0.0		5/20/2023 2:00	0.0	
5/20/2021 3:00	0.0		5/20/2022 3:00	0.0		5/20/2023 3:00	0.0	
5/20/2021 4:00	0.0		5/20/2022 4:00	0.0		5/20/2023 4:00	0.0	
5/20/2021 5:00	0.0		5/20/2022 5:00	0.0		5/20/2023 5:00	0.0	
5/20/2021 6:00	0.0		5/20/2022 6:00	0.0		5/20/2023 6:00	0.0	
5/20/2021 7:00	0.0		5/20/2022 7:00	0.0		5/20/2023 7:00	0.0	
5/20/2021 8:00	0.0		5/20/2022 8:00	0.0		5/20/2023 8:00	0.0	
5/20/2021 9:00	0.0		5/20/2022 9:00	0.0		5/20/2023 9:00	0.0	
5/20/2021 10:00	0.0		5/20/2022 10:00	0.0		5/20/2023 10:00	0.0	
5/20/2021 11:00	0.0		5/20/2022 11:00	0.0		5/20/2023 11:00	0.0	
5/20/2021 12:00	0.0		5/20/2022 12:00	0.0		5/20/2023 12:00	0.0	
5/20/2021 13:00	0.0		5/20/2022 13:00	0.0		5/20/2023 13:00	0.0	
5/20/2021 14:00	0.0		5/20/2022 14:00	0.0		5/20/2023 14:00	0.0	
5/20/2021 15:00	0.0		5/20/2022 15:00	0.0		5/20/2023 15:00	0.0	
5/20/2021 16:00	0.0		5/20/2022 16:00	0.0		5/20/2023 16:00	10.3	
5/20/2021 17:00	0.0		5/20/2022 17:00	0.0		5/20/2023 17:00	22.1	
5/20/2021 18:00	0.0		5/20/2022 18:00	0.0		5/20/2023 18:00	19.3	
5/20/2021 19:00	0.0		5/20/2022 19:00	0.0		5/20/2023 19:00	18.9	
5/20/2021 20:00	0.0		5/20/2022 20:00	0.0		5/20/2023 20:00	2.4	
5/20/2021 21:00	0.0		5/20/2022 21:00	0.0		5/20/2023 21:00	0.0	
5/20/2021 22:00	0.0		5/20/2022 22:00	0.0		5/20/2023 22:00	0.0	
5/20/2021 23:00	0.0	0.0	5/20/2022 23:00	0.0	0.0	5/20/2023 23:00	0.0	22.1
5/21/2021 0:00	0.0		5/21/2022 0:00	0.0		5/21/2023 0:00	0.0	
5/21/2021 1:00	0.0		5/21/2022 1:00	0.0		5/21/2023 1:00	0.0	
5/21/2021 2:00	0.0		5/21/2022 2:00	0.0		5/21/2023 2:00	0.0	
5/21/2021 3:00	0.0		5/21/2022 3:00	0.0		5/21/2023 3:00	0.0	
5/21/2021 4:00	0.0		5/21/2022 4:00	0.0		5/21/2023 4:00	0.0	
5/21/2021 5:00	0.0		5/21/2022 5:00	0.0		5/21/2023 5:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/21/2021 6:00	0.0		5/21/2022 6:00	0.0		5/21/2023 6:00	0.0	
5/21/2021 7:00	0.0		5/21/2022 7:00	0.0		5/21/2023 7:00	0.0	
5/21/2021 8:00	0.0		5/21/2022 8:00	0.0		5/21/2023 8:00	0.0	
5/21/2021 9:00	0.0		5/21/2022 9:00	0.0		5/21/2023 9:00	0.0	
5/21/2021 10:00	0.0		5/21/2022 10:00	0.0		5/21/2023 10:00	0.0	
5/21/2021 11:00	0.0		5/21/2022 11:00	0.0		5/21/2023 11:00	0.0	
5/21/2021 12:00	0.0		5/21/2022 12:00	0.0		5/21/2023 12:00	0.0	
5/21/2021 13:00	0.0		5/21/2022 13:00	0.0		5/21/2023 13:00	0.0	
5/21/2021 14:00	0.0		5/21/2022 14:00	0.0		5/21/2023 14:00	0.0	
5/21/2021 15:00	0.0		5/21/2022 15:00	0.0		5/21/2023 15:00	5.4	
5/21/2021 16:00	0.0		5/21/2022 16:00	0.0		5/21/2023 16:00	6.0	
5/21/2021 17:00	0.0		5/21/2022 17:00	0.0		5/21/2023 17:00	0.0	
5/21/2021 18:00	0.0		5/21/2022 18:00	0.0		5/21/2023 18:00	0.0	
5/21/2021 19:00	0.0		5/21/2022 19:00	0.0		5/21/2023 19:00	0.0	
5/21/2021 20:00	0.0		5/21/2022 20:00	0.0		5/21/2023 20:00	0.0	
5/21/2021 21:00	0.0		5/21/2022 21:00	0.0		5/21/2023 21:00	0.0	
5/21/2021 22:00	0.0		5/21/2022 22:00	0.0		5/21/2023 22:00	0.0	
5/21/2021 23:00	0.0	0.0	5/21/2022 23:00	0.0	0.0	5/21/2023 23:00	0.0	6.0
5/22/2021 0:00	0.0		5/22/2022 0:00	0.0		5/22/2023 0:00	0.0	
5/22/2021 1:00	0.0		5/22/2022 1:00	0.0		5/22/2023 1:00	0.0	
5/22/2021 2:00	0.0		5/22/2022 2:00	0.0		5/22/2023 2:00	0.0	
5/22/2021 3:00	0.0		5/22/2022 3:00	0.0		5/22/2023 3:00	0.0	
5/22/2021 4:00	0.0		5/22/2022 4:00	0.0		5/22/2023 4:00	0.0	
5/22/2021 5:00	0.0		5/22/2022 5:00	0.0		5/22/2023 5:00	0.0	
5/22/2021 6:00	0.0		5/22/2022 6:00	0.0		5/22/2023 6:00	0.0	
5/22/2021 7:00	0.0		5/22/2022 7:00	0.0		5/22/2023 7:00	0.0	
5/22/2021 8:00	0.0		5/22/2022 8:00	0.0		5/22/2023 8:00	0.0	
5/22/2021 9:00	0.0		5/22/2022 9:00	0.0		5/22/2023 9:00	0.0	
5/22/2021 10:00	0.0		5/22/2022 10:00	0.0		5/22/2023 10:00	0.0	
5/22/2021 11:00	0.0		5/22/2022 11:00	0.0		5/22/2023 11:00	0.0	
5/22/2021 12:00	0.0		5/22/2022 12:00	0.0		5/22/2023 12:00	0.0	
5/22/2021 13:00	0.0		5/22/2022 13:00	0.0		5/22/2023 13:00	0.0	
5/22/2021 14:00	0.0		5/22/2022 14:00	0.0		5/22/2023 14:00	0.0	
5/22/2021 15:00	0.0		5/22/2022 15:00	0.0		5/22/2023 15:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/22/2021 16:00	0.0		5/22/2022 16:00	0.0		5/22/2023 16:00	0.0	
5/22/2021 17:00	0.0		5/22/2022 17:00	0.0		5/22/2023 17:00	0.0	
5/22/2021 18:00	0.0		5/22/2022 18:00	0.0		5/22/2023 18:00	0.0	
5/22/2021 19:00	0.0		5/22/2022 19:00	0.0		5/22/2023 19:00	0.0	
5/22/2021 20:00	0.0		5/22/2022 20:00	0.0		5/22/2023 20:00	0.0	
5/22/2021 21:00	0.0		5/22/2022 21:00	0.0		5/22/2023 21:00	0.0	
5/22/2021 22:00	0.0		5/22/2022 22:00	0.0		5/22/2023 22:00	0.0	
5/22/2021 23:00	0.0	0.0	5/22/2022 23:00	0.0	0.0	5/22/2023 23:00	0.0	0.0
5/23/2021 0:00	0.0		5/23/2022 0:00	0.0		5/23/2023 0:00	0.0	
5/23/2021 1:00	0.0		5/23/2022 1:00	0.0		5/23/2023 1:00	0.0	
5/23/2021 2:00	0.0		5/23/2022 2:00	0.0		5/23/2023 2:00	0.0	
5/23/2021 3:00	0.0		5/23/2022 3:00	0.0		5/23/2023 3:00	0.0	
5/23/2021 4:00	0.0		5/23/2022 4:00	0.0		5/23/2023 4:00	0.0	
5/23/2021 5:00	0.0		5/23/2022 5:00	0.0		5/23/2023 5:00	0.0	
5/23/2021 6:00	0.0		5/23/2022 6:00	0.0		5/23/2023 6:00	0.0	
5/23/2021 7:00	0.0		5/23/2022 7:00	0.0		5/23/2023 7:00	0.0	
5/23/2021 8:00	0.0		5/23/2022 8:00	0.0		5/23/2023 8:00	0.0	
5/23/2021 9:00	0.0		5/23/2022 9:00	0.0		5/23/2023 9:00	0.0	
5/23/2021 10:00	0.0		5/23/2022 10:00	0.0		5/23/2023 10:00	0.0	
5/23/2021 11:00	0.0		5/23/2022 11:00	0.0		5/23/2023 11:00	0.0	
5/23/2021 12:00	0.0		5/23/2022 12:00	0.0		5/23/2023 12:00	0.0	
5/23/2021 13:00	0.0		5/23/2022 13:00	0.0		5/23/2023 13:00	0.0	
5/23/2021 14:00	0.0		5/23/2022 14:00	0.0		5/23/2023 14:00	0.0	
5/23/2021 15:00	0.0		5/23/2022 15:00	0.0		5/23/2023 15:00	0.0	
5/23/2021 16:00	0.0		5/23/2022 16:00	0.0		5/23/2023 16:00	0.0	
5/23/2021 17:00	0.0		5/23/2022 17:00	0.0		5/23/2023 17:00	0.0	
5/23/2021 18:00	0.0		5/23/2022 18:00	0.0		5/23/2023 18:00	0.0	
5/23/2021 19:00	0.0		5/23/2022 19:00	0.0		5/23/2023 19:00	0.0	
5/23/2021 20:00	0.0		5/23/2022 20:00	0.0		5/23/2023 20:00	0.0	
5/23/2021 21:00	0.0		5/23/2022 21:00	0.0		5/23/2023 21:00	0.0	
5/23/2021 22:00	0.0		5/23/2022 22:00	0.0		5/23/2023 22:00	0.0	
5/23/2021 23:00	0.0	0.0	5/23/2022 23:00	0.0	0.0	5/23/2023 23:00	0.0	0.0
5/24/2021 0:00	0.0		5/24/2022 0:00	0.0		5/24/2023 0:00	0.0	
5/24/2021 1:00	0.0		5/24/2022 1:00	0.0		5/24/2023 1:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/24/2021 2:00	0.0		5/24/2022 2:00	0.0		5/24/2023 2:00	0.0	
5/24/2021 3:00	0.0		5/24/2022 3:00	0.0		5/24/2023 3:00	0.0	
5/24/2021 4:00	0.0		5/24/2022 4:00	0.0		5/24/2023 4:00	0.0	
5/24/2021 5:00	0.0		5/24/2022 5:00	0.0		5/24/2023 5:00	0.0	
5/24/2021 6:00	0.0		5/24/2022 6:00	0.0		5/24/2023 6:00	0.0	
5/24/2021 7:00	0.0		5/24/2022 7:00	0.0		5/24/2023 7:00	0.0	
5/24/2021 8:00	0.0		5/24/2022 8:00	0.0		5/24/2023 8:00	0.0	
5/24/2021 9:00	0.0		5/24/2022 9:00	0.0		5/24/2023 9:00	0.0	
5/24/2021 10:00	0.0		5/24/2022 10:00	0.0		5/24/2023 10:00	0.0	
5/24/2021 11:00	0.0		5/24/2022 11:00	0.0		5/24/2023 11:00	0.0	
5/24/2021 12:00	0.0		5/24/2022 12:00	0.0		5/24/2023 12:00	0.0	
5/24/2021 13:00	0.0		5/24/2022 13:00	0.0		5/24/2023 13:00	0.0	
5/24/2021 14:00	0.0		5/24/2022 14:00	0.0		5/24/2023 14:00	0.0	
5/24/2021 15:00	0.0		5/24/2022 15:00	0.0		5/24/2023 15:00	0.0	
5/24/2021 16:00	0.0		5/24/2022 16:00	0.0		5/24/2023 16:00	0.0	
5/24/2021 17:00	0.0		5/24/2022 17:00	0.0		5/24/2023 17:00	0.0	
5/24/2021 18:00	0.0		5/24/2022 18:00	0.0		5/24/2023 18:00	0.0	
5/24/2021 19:00	0.0		5/24/2022 19:00	0.0		5/24/2023 19:00	0.0	
5/24/2021 20:00	0.0		5/24/2022 20:00	0.0		5/24/2023 20:00	0.0	
5/24/2021 21:00	0.0		5/24/2022 21:00	0.0		5/24/2023 21:00	73.6	
5/24/2021 22:00	0.0		5/24/2022 22:00	0.0		5/24/2023 22:00	69.5	
5/24/2021 23:00	0.0	0.0	5/24/2022 23:00	0.0	0.0	5/24/2023 23:00	186.1	186.1
5/25/2021 0:00	0.0		5/25/2022 0:00	0.0		5/25/2023 0:00	365.2	
5/25/2021 1:00	0.0		5/25/2022 1:00	0.0		5/25/2023 1:00	410.5	
5/25/2021 2:00	0.0		5/25/2022 2:00	0.0		5/25/2023 2:00	429.2	
5/25/2021 3:00	0.0		5/25/2022 3:00	0.0		5/25/2023 3:00	424.8	
5/25/2021 4:00	0.0		5/25/2022 4:00	0.0		5/25/2023 4:00	426.0	
5/25/2021 5:00	0.0		5/25/2022 5:00	0.0		5/25/2023 5:00	471.3	
5/25/2021 6:00	0.0		5/25/2022 6:00	0.0		5/25/2023 6:00	311.5	
5/25/2021 7:00	0.0		5/25/2022 7:00	0.0		5/25/2023 7:00	0.0	
5/25/2021 8:00	0.0		5/25/2022 8:00	0.0		5/25/2023 8:00	0.0	
5/25/2021 9:00	0.0		5/25/2022 9:00	0.0		5/25/2023 9:00	248.7	
5/25/2021 10:00	0.0		5/25/2022 10:00	0.0		5/25/2023 10:00	404.9	
5/25/2021 11:00	0.0		5/25/2022 11:00	0.0		5/25/2023 11:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/25/2021 12:00	0.0		5/25/2022 12:00	0.0		5/25/2023 12:00	0.0	
5/25/2021 13:00	0.0		5/25/2022 13:00	0.0		5/25/2023 13:00	0.0	
5/25/2021 14:00	0.0		5/25/2022 14:00	0.0		5/25/2023 14:00	0.0	
5/25/2021 15:00	0.0		5/25/2022 15:00	0.0		5/25/2023 15:00	0.0	
5/25/2021 16:00	0.0		5/25/2022 16:00	0.0		5/25/2023 16:00	0.0	
5/25/2021 17:00	0.0		5/25/2022 17:00	0.0		5/25/2023 17:00	0.0	
5/25/2021 18:00	0.0		5/25/2022 18:00	0.0		5/25/2023 18:00	0.0	
5/25/2021 19:00	0.0		5/25/2022 19:00	0.0		5/25/2023 19:00	0.0	
5/25/2021 20:00	0.0		5/25/2022 20:00	0.0		5/25/2023 20:00	0.0	
5/25/2021 21:00	0.0		5/25/2022 21:00	0.0		5/25/2023 21:00	0.0	
5/25/2021 22:00	0.0		5/25/2022 22:00	0.0		5/25/2023 22:00	0.0	
5/25/2021 23:00	0.0	0.0	5/25/2022 23:00	0.0	0.0	5/25/2023 23:00	0.0	471.3
5/26/2021 0:00	0.0		5/26/2022 0:00	0.0		5/26/2023 0:00	0.0	
5/26/2021 1:00	0.0		5/26/2022 1:00	0.0		5/26/2023 1:00	0.0	
5/26/2021 2:00	0.0		5/26/2022 2:00	0.0		5/26/2023 2:00	0.0	
5/26/2021 3:00	0.0		5/26/2022 3:00	0.0		5/26/2023 3:00	0.0	
5/26/2021 4:00	0.0		5/26/2022 4:00	0.0		5/26/2023 4:00	0.0	
5/26/2021 5:00	0.0		5/26/2022 5:00	0.0		5/26/2023 5:00	0.0	
5/26/2021 6:00	0.0		5/26/2022 6:00	0.0		5/26/2023 6:00	0.0	
5/26/2021 7:00	0.0		5/26/2022 7:00	0.0		5/26/2023 7:00	0.0	
5/26/2021 8:00	0.0		5/26/2022 8:00	0.0		5/26/2023 8:00	0.0	
5/26/2021 9:00	0.0		5/26/2022 9:00	0.0		5/26/2023 9:00	0.0	
5/26/2021 10:00	0.0		5/26/2022 10:00	0.0		5/26/2023 10:00	0.0	
5/26/2021 11:00	0.0		5/26/2022 11:00	0.0		5/26/2023 11:00	0.0	
5/26/2021 12:00	0.0		5/26/2022 12:00	0.0		5/26/2023 12:00	0.0	
5/26/2021 13:00	0.0		5/26/2022 13:00	0.0		5/26/2023 13:00	0.0	
5/26/2021 14:00	0.0		5/26/2022 14:00	0.0		5/26/2023 14:00	0.0	
5/26/2021 15:00	0.0		5/26/2022 15:00	0.0		5/26/2023 15:00	0.0	
5/26/2021 16:00	0.0		5/26/2022 16:00	0.0		5/26/2023 16:00	0.0	
5/26/2021 17:00	0.0		5/26/2022 17:00	0.0		5/26/2023 17:00	0.0	
5/26/2021 18:00	0.0		5/26/2022 18:00	0.0		5/26/2023 18:00	0.0	
5/26/2021 19:00	0.0		5/26/2022 19:00	0.0		5/26/2023 19:00	0.0	
5/26/2021 20:00	0.0		5/26/2022 20:00	0.0		5/26/2023 20:00	0.0	
5/26/2021 21:00	0.0		5/26/2022 21:00	0.0		5/26/2023 21:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/26/2021 22:00	0.0		5/26/2022 22:00	0.0		5/26/2023 22:00	0.0	
5/26/2021 23:00	0.0	0.0	5/26/2022 23:00	0.0	0.0	5/26/2023 23:00	0.0	0.0
5/27/2021 0:00	0.0		5/27/2022 0:00	0.0		5/27/2023 0:00	0.0	
5/27/2021 1:00	0.0		5/27/2022 1:00	0.0		5/27/2023 1:00	0.0	
5/27/2021 2:00	0.0		5/27/2022 2:00	0.0		5/27/2023 2:00	0.0	
5/27/2021 3:00	0.0		5/27/2022 3:00	0.0		5/27/2023 3:00	0.0	
5/27/2021 4:00	0.0		5/27/2022 4:00	0.0		5/27/2023 4:00	0.0	
5/27/2021 5:00	0.0		5/27/2022 5:00	0.0		5/27/2023 5:00	0.0	
5/27/2021 6:00	0.0		5/27/2022 6:00	0.0		5/27/2023 6:00	0.0	
5/27/2021 7:00	0.0		5/27/2022 7:00	0.0		5/27/2023 7:00	0.0	
5/27/2021 8:00	0.0		5/27/2022 8:00	0.0		5/27/2023 8:00	0.0	
5/27/2021 9:00	0.0		5/27/2022 9:00	0.0		5/27/2023 9:00	0.0	
5/27/2021 10:00	0.0		5/27/2022 10:00	0.0		5/27/2023 10:00	0.0	
5/27/2021 11:00	0.0		5/27/2022 11:00	0.0		5/27/2023 11:00	0.0	
5/27/2021 12:00	0.0		5/27/2022 12:00	0.0		5/27/2023 12:00	0.0	
5/27/2021 13:00	0.0		5/27/2022 13:00	0.0		5/27/2023 13:00	0.0	
5/27/2021 14:00	0.0		5/27/2022 14:00	0.0		5/27/2023 14:00	0.0	
5/27/2021 15:00	0.0		5/27/2022 15:00	0.0		5/27/2023 15:00	0.0	
5/27/2021 16:00	0.0		5/27/2022 16:00	0.0		5/27/2023 16:00	0.0	
5/27/2021 17:00	0.0		5/27/2022 17:00	0.0		5/27/2023 17:00	0.0	
5/27/2021 18:00	0.0		5/27/2022 18:00	0.0		5/27/2023 18:00	0.0	
5/27/2021 19:00	0.0		5/27/2022 19:00	0.0		5/27/2023 19:00	0.0	
5/27/2021 20:00	0.0		5/27/2022 20:00	0.0		5/27/2023 20:00	0.0	
5/27/2021 21:00	0.0		5/27/2022 21:00	0.0		5/27/2023 21:00	0.0	
5/27/2021 22:00	0.0		5/27/2022 22:00	0.0		5/27/2023 22:00	0.0	
5/27/2021 23:00	0.0	0.0	5/27/2022 23:00	0.0	0.0	5/27/2023 23:00	0.0	0.0
5/28/2021 0:00	0.0		5/28/2022 0:00	0.0		5/28/2023 0:00	0.0	
5/28/2021 1:00	0.0		5/28/2022 1:00	0.0		5/28/2023 1:00	0.0	
5/28/2021 2:00	0.0		5/28/2022 2:00	0.0		5/28/2023 2:00	0.0	
5/28/2021 3:00	0.0		5/28/2022 3:00	0.0		5/28/2023 3:00	0.0	
5/28/2021 4:00	0.0		5/28/2022 4:00	0.0		5/28/2023 4:00	0.0	
5/28/2021 5:00	0.0		5/28/2022 5:00	0.0		5/28/2023 5:00	0.0	
5/28/2021 6:00	0.0		5/28/2022 6:00	0.0		5/28/2023 6:00	0.0	
5/28/2021 7:00	0.0		5/28/2022 7:00	0.0		5/28/2023 7:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/28/2021 8:00	0.0		5/28/2022 8:00	0.0		5/28/2023 8:00	0.0	
5/28/2021 9:00	0.0		5/28/2022 9:00	0.0		5/28/2023 9:00	0.0	
5/28/2021 10:00	0.0		5/28/2022 10:00	0.0		5/28/2023 10:00	0.0	
5/28/2021 11:00	0.0		5/28/2022 11:00	0.0		5/28/2023 11:00	0.0	
5/28/2021 12:00	0.0		5/28/2022 12:00	0.0		5/28/2023 12:00	0.0	
5/28/2021 13:00	0.0		5/28/2022 13:00	0.0		5/28/2023 13:00	0.0	
5/28/2021 14:00	0.0		5/28/2022 14:00	0.0		5/28/2023 14:00	0.0	
5/28/2021 15:00	0.0		5/28/2022 15:00	0.0		5/28/2023 15:00	0.0	
5/28/2021 16:00	0.0		5/28/2022 16:00	0.0		5/28/2023 16:00	0.0	
5/28/2021 17:00	0.0		5/28/2022 17:00	0.0		5/28/2023 17:00	0.0	
5/28/2021 18:00	0.0		5/28/2022 18:00	0.0		5/28/2023 18:00	0.0	
5/28/2021 19:00	0.0		5/28/2022 19:00	0.0		5/28/2023 19:00	0.0	
5/28/2021 20:00	0.0		5/28/2022 20:00	0.0		5/28/2023 20:00	0.0	
5/28/2021 21:00	0.0		5/28/2022 21:00	0.0		5/28/2023 21:00	0.0	
5/28/2021 22:00	0.0		5/28/2022 22:00	0.0		5/28/2023 22:00	0.0	
5/28/2021 23:00	0.0	0.0	5/28/2022 23:00	0.0	0.0	5/28/2023 23:00	0.0	0.0
5/29/2021 0:00	0.0		5/29/2022 0:00	0.0		5/29/2023 0:00	0.0	
5/29/2021 1:00	0.0		5/29/2022 1:00	0.0		5/29/2023 1:00	0.0	
5/29/2021 2:00	0.0		5/29/2022 2:00	0.0		5/29/2023 2:00	0.0	
5/29/2021 3:00	0.0		5/29/2022 3:00	0.0		5/29/2023 3:00	0.0	
5/29/2021 4:00	0.0		5/29/2022 4:00	0.0		5/29/2023 4:00	0.0	
5/29/2021 5:00	0.0		5/29/2022 5:00	0.0		5/29/2023 5:00	0.0	
5/29/2021 6:00	0.0		5/29/2022 6:00	0.0		5/29/2023 6:00	0.0	
5/29/2021 7:00	0.0		5/29/2022 7:00	0.0		5/29/2023 7:00	0.0	
5/29/2021 8:00	0.0		5/29/2022 8:00	0.0		5/29/2023 8:00	0.0	
5/29/2021 9:00	0.0		5/29/2022 9:00	0.0		5/29/2023 9:00	0.0	
5/29/2021 10:00	0.0		5/29/2022 10:00	0.0		5/29/2023 10:00	0.0	
5/29/2021 11:00	0.0		5/29/2022 11:00	0.0		5/29/2023 11:00	0.0	
5/29/2021 12:00	0.0		5/29/2022 12:00	0.0		5/29/2023 12:00	0.0	
5/29/2021 13:00	0.0		5/29/2022 13:00	0.0		5/29/2023 13:00	0.0	
5/29/2021 14:00	0.0		5/29/2022 14:00	0.0		5/29/2023 14:00	0.0	
5/29/2021 15:00	0.0		5/29/2022 15:00	0.0		5/29/2023 15:00	0.0	
5/29/2021 16:00	0.0		5/29/2022 16:00	0.0		5/29/2023 16:00	0.0	
5/29/2021 17:00	0.0		5/29/2022 17:00	0.0		5/29/2023 17:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/29/2021 18:00	0.0		5/29/2022 18:00	0.0		5/29/2023 18:00	0.0	
5/29/2021 19:00	0.0		5/29/2022 19:00	0.0		5/29/2023 19:00	0.0	
5/29/2021 20:00	0.0		5/29/2022 20:00	0.0		5/29/2023 20:00	0.0	
5/29/2021 21:00	0.0		5/29/2022 21:00	0.0		5/29/2023 21:00	0.0	
5/29/2021 22:00	0.0		5/29/2022 22:00	0.0		5/29/2023 22:00	0.0	
5/29/2021 23:00	0.0	0.0	5/29/2022 23:00	0.0	0.0	5/29/2023 23:00	0.0	0.0
5/30/2021 0:00	0.0		5/30/2022 0:00	0.0		5/30/2023 0:00	0.0	
5/30/2021 1:00	0.0		5/30/2022 1:00	0.0		5/30/2023 1:00	0.0	
5/30/2021 2:00	0.0		5/30/2022 2:00	0.0		5/30/2023 2:00	0.0	
5/30/2021 3:00	0.0		5/30/2022 3:00	0.0		5/30/2023 3:00	0.0	
5/30/2021 4:00	0.0		5/30/2022 4:00	0.0		5/30/2023 4:00	0.0	
5/30/2021 5:00	0.0		5/30/2022 5:00	0.0		5/30/2023 5:00	0.0	
5/30/2021 6:00	0.0		5/30/2022 6:00	0.0		5/30/2023 6:00	0.0	
5/30/2021 7:00	0.0		5/30/2022 7:00	0.0		5/30/2023 7:00	0.0	
5/30/2021 8:00	0.0		5/30/2022 8:00	0.0		5/30/2023 8:00	0.0	
5/30/2021 9:00	0.0		5/30/2022 9:00	0.0		5/30/2023 9:00	0.0	
5/30/2021 10:00	0.0		5/30/2022 10:00	0.0		5/30/2023 10:00	0.0	
5/30/2021 11:00	0.0		5/30/2022 11:00	0.0		5/30/2023 11:00	17.6	
5/30/2021 12:00	0.0		5/30/2022 12:00	0.0		5/30/2023 12:00	0.0	
5/30/2021 13:00	0.0		5/30/2022 13:00	0.0		5/30/2023 13:00	0.0	
5/30/2021 14:00	0.0		5/30/2022 14:00	0.0		5/30/2023 14:00	0.0	
5/30/2021 15:00	0.0		5/30/2022 15:00	0.0		5/30/2023 15:00	0.0	
5/30/2021 16:00	0.0		5/30/2022 16:00	0.0		5/30/2023 16:00	0.0	
5/30/2021 17:00	0.0		5/30/2022 17:00	0.0		5/30/2023 17:00	0.0	
5/30/2021 18:00	0.0		5/30/2022 18:00	0.0		5/30/2023 18:00	0.0	
5/30/2021 19:00	0.0		5/30/2022 19:00	0.0		5/30/2023 19:00	0.0	
5/30/2021 20:00	0.0		5/30/2022 20:00	0.0		5/30/2023 20:00	0.0	
5/30/2021 21:00	0.0		5/30/2022 21:00	0.0		5/30/2023 21:00	0.0	
5/30/2021 22:00	0.0		5/30/2022 22:00	0.0		5/30/2023 22:00	0.0	
5/30/2021 23:00	0.0	0.0	5/30/2022 23:00	0.0	0.0	5/30/2023 23:00	0.0	17.6
5/31/2021 0:00	0.0		5/31/2022 0:00	0.0		5/31/2023 0:00	0.0	
5/31/2021 1:00	0.0		5/31/2022 1:00	0.0		5/31/2023 1:00	0.0	
5/31/2021 2:00	0.0		5/31/2022 2:00	0.0		5/31/2023 2:00	0.0	
5/31/2021 3:00	0.0		5/31/2022 3:00	0.0		5/31/2023 3:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
5/31/2021 4:00	0.0		5/31/2022 4:00	0.0		5/31/2023 4:00	0.0	
5/31/2021 5:00	0.0		5/31/2022 5:00	0.0		5/31/2023 5:00	0.0	
5/31/2021 6:00	0.0		5/31/2022 6:00	0.0		5/31/2023 6:00	0.0	
5/31/2021 7:00	0.0		5/31/2022 7:00	0.0		5/31/2023 7:00	0.0	
5/31/2021 8:00	0.0		5/31/2022 8:00	0.0		5/31/2023 8:00	0.0	
5/31/2021 9:00	0.0		5/31/2022 9:00	0.0		5/31/2023 9:00	0.0	
5/31/2021 10:00	0.0		5/31/2022 10:00	0.0		5/31/2023 10:00	0.0	
5/31/2021 11:00	0.0		5/31/2022 11:00	0.0		5/31/2023 11:00	0.0	
5/31/2021 12:00	0.0		5/31/2022 12:00	0.0		5/31/2023 12:00	0.0	
5/31/2021 13:00	0.0		5/31/2022 13:00	0.0		5/31/2023 13:00	0.0	
5/31/2021 14:00	0.0		5/31/2022 14:00	0.0		5/31/2023 14:00	0.0	
5/31/2021 15:00	0.0		5/31/2022 15:00	0.0		5/31/2023 15:00	0.0	
5/31/2021 16:00	0.0		5/31/2022 16:00	0.0		5/31/2023 16:00	0.0	
5/31/2021 17:00	0.0		5/31/2022 17:00	0.0		5/31/2023 17:00	0.0	
5/31/2021 18:00	0.0		5/31/2022 18:00	0.0		5/31/2023 18:00	0.0	
5/31/2021 19:00	0.0		5/31/2022 19:00	0.0		5/31/2023 19:00	0.0	
5/31/2021 20:00	0.0		5/31/2022 20:00	0.0		5/31/2023 20:00	0.0	
5/31/2021 21:00	0.0		5/31/2022 21:00	0.0		5/31/2023 21:00	0.0	
5/31/2021 22:00	0.0		5/31/2022 22:00	0.0		5/31/2023 22:00	0.0	
5/31/2021 23:00	0.0	0.0	5/31/2022 23:00	0.0	0.0	5/31/2023 23:00	0.0	0.0
6/1/2021 0:00	0.0		6/1/2022 0:00	0.0		6/1/2023 0:00	0.0	
6/1/2021 1:00	0.0		6/1/2022 1:00	0.0		6/1/2023 1:00	0.0	
6/1/2021 2:00	0.0		6/1/2022 2:00	0.0		6/1/2023 2:00	0.0	
6/1/2021 3:00	0.0		6/1/2022 3:00	0.0		6/1/2023 3:00	0.0	
6/1/2021 4:00	0.0		6/1/2022 4:00	0.0		6/1/2023 4:00	0.0	
6/1/2021 5:00	0.0		6/1/2022 5:00	0.0		6/1/2023 5:00	0.0	
6/1/2021 6:00	0.0		6/1/2022 6:00	0.0		6/1/2023 6:00	0.0	
6/1/2021 7:00	0.0		6/1/2022 7:00	0.0		6/1/2023 7:00	0.0	
6/1/2021 8:00	0.0		6/1/2022 8:00	0.0		6/1/2023 8:00	0.0	
6/1/2021 9:00	0.0		6/1/2022 9:00	0.0		6/1/2023 9:00	0.0	
6/1/2021 10:00	0.0		6/1/2022 10:00	0.0		6/1/2023 10:00	0.0	
6/1/2021 11:00	0.0		6/1/2022 11:00	0.0		6/1/2023 11:00	0.0	
6/1/2021 12:00	0.0		6/1/2022 12:00	0.0		6/1/2023 12:00	0.0	
6/1/2021 13:00	0.0		6/1/2022 13:00	0.0		6/1/2023 13:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/1/2021 14:00	0.0		6/1/2022 14:00	0.0		6/1/2023 14:00	0.0	
6/1/2021 15:00	0.0		6/1/2022 15:00	0.0		6/1/2023 15:00	0.0	
6/1/2021 16:00	0.0		6/1/2022 16:00	0.0		6/1/2023 16:00	0.0	
6/1/2021 17:00	0.0		6/1/2022 17:00	0.0		6/1/2023 17:00	0.0	
6/1/2021 18:00	0.0		6/1/2022 18:00	0.0		6/1/2023 18:00	0.0	
6/1/2021 19:00	0.0		6/1/2022 19:00	0.0		6/1/2023 19:00	0.0	
6/1/2021 20:00	0.0		6/1/2022 20:00	0.0		6/1/2023 20:00	0.0	
6/1/2021 21:00	0.0		6/1/2022 21:00	0.0		6/1/2023 21:00	0.0	
6/1/2021 22:00	0.0		6/1/2022 22:00	0.0		6/1/2023 22:00	0.0	
6/1/2021 23:00	0.0	0.0	6/1/2022 23:00	0.0	0.0	6/1/2023 23:00	0.0	0.0
6/2/2021 0:00	0.0		6/2/2022 0:00	0.0		6/2/2023 0:00	0.0	
6/2/2021 1:00	0.0		6/2/2022 1:00	0.0		6/2/2023 1:00	0.0	
6/2/2021 2:00	0.0		6/2/2022 2:00	0.0		6/2/2023 2:00	0.0	
6/2/2021 3:00	0.0		6/2/2022 3:00	0.0		6/2/2023 3:00	0.0	
6/2/2021 4:00	0.0		6/2/2022 4:00	0.0		6/2/2023 4:00	0.0	
6/2/2021 5:00	0.0		6/2/2022 5:00	0.0		6/2/2023 5:00	0.0	
6/2/2021 6:00	0.0		6/2/2022 6:00	0.0		6/2/2023 6:00	0.0	
6/2/2021 7:00	0.0		6/2/2022 7:00	0.0		6/2/2023 7:00	0.0	
6/2/2021 8:00	0.0		6/2/2022 8:00	0.0		6/2/2023 8:00	0.0	
6/2/2021 9:00	0.0		6/2/2022 9:00	0.0		6/2/2023 9:00	0.0	
6/2/2021 10:00	0.0		6/2/2022 10:00	0.0		6/2/2023 10:00	0.0	
6/2/2021 11:00	0.0		6/2/2022 11:00	0.0		6/2/2023 11:00	0.0	
6/2/2021 12:00	0.0		6/2/2022 12:00	0.0		6/2/2023 12:00	0.0	
6/2/2021 13:00	0.0		6/2/2022 13:00	0.0		6/2/2023 13:00	0.0	
6/2/2021 14:00	0.0		6/2/2022 14:00	0.0		6/2/2023 14:00	0.0	
6/2/2021 15:00	0.0		6/2/2022 15:00	0.0		6/2/2023 15:00	0.0	
6/2/2021 16:00	0.0		6/2/2022 16:00	0.0		6/2/2023 16:00	0.0	
6/2/2021 17:00	0.0		6/2/2022 17:00	0.0		6/2/2023 17:00	0.0	
6/2/2021 18:00	0.0		6/2/2022 18:00	0.0		6/2/2023 18:00	0.0	
6/2/2021 19:00	0.0		6/2/2022 19:00	0.0		6/2/2023 19:00	0.0	
6/2/2021 20:00	0.0		6/2/2022 20:00	0.0		6/2/2023 20:00	0.0	
6/2/2021 21:00	0.0		6/2/2022 21:00	0.0		6/2/2023 21:00	0.0	
6/2/2021 22:00	0.0		6/2/2022 22:00	0.0		6/2/2023 22:00	0.0	
6/2/2021 23:00	0.0	0.0	6/2/2022 23:00	0.0	0.0	6/2/2023 23:00	0.0	0.0

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/3/2021 0:00	0.0		6/3/2022 0:00	0.0		6/3/2023 0:00	0.0	
6/3/2021 1:00	0.0		6/3/2022 1:00	0.0		6/3/2023 1:00	0.0	
6/3/2021 2:00	0.0		6/3/2022 2:00	0.0		6/3/2023 2:00	0.0	
6/3/2021 3:00	0.0		6/3/2022 3:00	0.0		6/3/2023 3:00	0.0	
6/3/2021 4:00	0.0		6/3/2022 4:00	0.0		6/3/2023 4:00	0.0	
6/3/2021 5:00	0.0		6/3/2022 5:00	0.0		6/3/2023 5:00	0.0	
6/3/2021 6:00	0.0		6/3/2022 6:00	0.0		6/3/2023 6:00	0.0	
6/3/2021 7:00	0.0		6/3/2022 7:00	0.0		6/3/2023 7:00	0.0	
6/3/2021 8:00	0.0		6/3/2022 8:00	0.0		6/3/2023 8:00	0.0	
6/3/2021 9:00	0.0		6/3/2022 9:00	0.0		6/3/2023 9:00	0.0	
6/3/2021 10:00	0.0		6/3/2022 10:00	0.0		6/3/2023 10:00	0.0	
6/3/2021 11:00	0.0		6/3/2022 11:00	0.0		6/3/2023 11:00	0.0	
6/3/2021 12:00	0.0		6/3/2022 12:00	0.0		6/3/2023 12:00	0.0	
6/3/2021 13:00	0.0		6/3/2022 13:00	0.0		6/3/2023 13:00	0.0	
6/3/2021 14:00	0.0		6/3/2022 14:00	0.0		6/3/2023 14:00	0.0	
6/3/2021 15:00	0.0		6/3/2022 15:00	0.0		6/3/2023 15:00	0.0	
6/3/2021 16:00	0.0		6/3/2022 16:00	0.0		6/3/2023 16:00	0.0	
6/3/2021 17:00	0.0		6/3/2022 17:00	0.0		6/3/2023 17:00	0.0	
6/3/2021 18:00	0.0		6/3/2022 18:00	0.0		6/3/2023 18:00	0.0	
6/3/2021 19:00	0.0		6/3/2022 19:00	0.0		6/3/2023 19:00	0.0	
6/3/2021 20:00	0.0		6/3/2022 20:00	0.0		6/3/2023 20:00	0.0	
6/3/2021 21:00	0.0		6/3/2022 21:00	0.0		6/3/2023 21:00	0.0	
6/3/2021 22:00	0.0		6/3/2022 22:00	0.0		6/3/2023 22:00	0.0	
6/3/2021 23:00	0.0	0.0	6/3/2022 23:00	0.0	0.0	6/3/2023 23:00	0.0	0.0
6/4/2021 0:00	0.0		6/4/2022 0:00	0.0		6/4/2023 0:00	0.0	
6/4/2021 1:00	0.0		6/4/2022 1:00	0.0		6/4/2023 1:00	0.0	
6/4/2021 2:00	0.0		6/4/2022 2:00	0.0		6/4/2023 2:00	0.0	
6/4/2021 3:00	0.0		6/4/2022 3:00	0.0		6/4/2023 3:00	0.0	
6/4/2021 4:00	0.0		6/4/2022 4:00	0.0		6/4/2023 4:00	0.0	
6/4/2021 5:00	0.0		6/4/2022 5:00	0.0		6/4/2023 5:00	0.0	
6/4/2021 6:00	0.0		6/4/2022 6:00	0.0		6/4/2023 6:00	0.0	
6/4/2021 7:00	0.0		6/4/2022 7:00	0.0		6/4/2023 7:00	0.0	
6/4/2021 8:00	0.0		6/4/2022 8:00	0.0		6/4/2023 8:00	0.0	
6/4/2021 9:00	0.0		6/4/2022 9:00	0.0		6/4/2023 9:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/4/2021 10:00	0.0		6/4/2022 10:00	0.0		6/4/2023 10:00	0.0	
6/4/2021 11:00	0.0		6/4/2022 11:00	0.0		6/4/2023 11:00	0.0	
6/4/2021 12:00	0.0		6/4/2022 12:00	0.0		6/4/2023 12:00	0.0	
6/4/2021 13:00	0.0		6/4/2022 13:00	0.0		6/4/2023 13:00	0.0	
6/4/2021 14:00	0.0		6/4/2022 14:00	0.0		6/4/2023 14:00	0.0	
6/4/2021 15:00	0.0		6/4/2022 15:00	0.0		6/4/2023 15:00	0.0	
6/4/2021 16:00	0.0		6/4/2022 16:00	0.0		6/4/2023 16:00	0.0	
6/4/2021 17:00	0.0		6/4/2022 17:00	0.0		6/4/2023 17:00	0.0	
6/4/2021 18:00	0.0		6/4/2022 18:00	0.0		6/4/2023 18:00	0.0	
6/4/2021 19:00	0.0		6/4/2022 19:00	0.0		6/4/2023 19:00	0.0	
6/4/2021 20:00	0.0		6/4/2022 20:00	0.0		6/4/2023 20:00	0.0	
6/4/2021 21:00	0.0		6/4/2022 21:00	0.0		6/4/2023 21:00	0.0	
6/4/2021 22:00	0.0		6/4/2022 22:00	0.0		6/4/2023 22:00	0.0	
6/4/2021 23:00	0.0	0.0	6/4/2022 23:00	0.0	0.0	6/4/2023 23:00	0.0	0.0
6/5/2021 0:00	0.0		6/5/2022 0:00	0.0		6/5/2023 0:00	0.0	
6/5/2021 1:00	0.0		6/5/2022 1:00	0.0		6/5/2023 1:00	0.0	
6/5/2021 2:00	0.0		6/5/2022 2:00	0.0		6/5/2023 2:00	0.0	
6/5/2021 3:00	0.0		6/5/2022 3:00	0.0		6/5/2023 3:00	0.0	
6/5/2021 4:00	0.0		6/5/2022 4:00	0.0		6/5/2023 4:00	0.0	
6/5/2021 5:00	0.0		6/5/2022 5:00	0.0		6/5/2023 5:00	0.0	
6/5/2021 6:00	0.0		6/5/2022 6:00	0.0		6/5/2023 6:00	0.0	
6/5/2021 7:00	0.0		6/5/2022 7:00	0.0		6/5/2023 7:00	0.0	
6/5/2021 8:00	0.0		6/5/2022 8:00	0.0		6/5/2023 8:00	0.0	
6/5/2021 9:00	0.0		6/5/2022 9:00	0.0		6/5/2023 9:00	0.0	
6/5/2021 10:00	0.0		6/5/2022 10:00	0.0		6/5/2023 10:00	0.0	
6/5/2021 11:00	0.0		6/5/2022 11:00	0.0		6/5/2023 11:00	0.0	
6/5/2021 12:00	0.0		6/5/2022 12:00	0.0		6/5/2023 12:00	0.0	
6/5/2021 13:00	0.0		6/5/2022 13:00	0.0		6/5/2023 13:00	0.0	
6/5/2021 14:00	0.0		6/5/2022 14:00	0.0		6/5/2023 14:00	0.0	
6/5/2021 15:00	0.0		6/5/2022 15:00	0.0		6/5/2023 15:00	0.0	
6/5/2021 16:00	0.0		6/5/2022 16:00	0.0		6/5/2023 16:00	0.0	
6/5/2021 17:00	0.0		6/5/2022 17:00	0.0		6/5/2023 17:00	0.0	
6/5/2021 18:00	0.0		6/5/2022 18:00	0.0		6/5/2023 18:00	0.0	
6/5/2021 19:00	0.0		6/5/2022 19:00	0.0		6/5/2023 19:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/5/2021 20:00	0.0		6/5/2022 20:00	0.0		6/5/2023 20:00	0.0	
6/5/2021 21:00	0.0		6/5/2022 21:00	0.0		6/5/2023 21:00	0.0	
6/5/2021 22:00	0.0		6/5/2022 22:00	0.0		6/5/2023 22:00	0.0	
6/5/2021 23:00	0.0	0.0	6/5/2022 23:00	0.0	0.0	6/5/2023 23:00	0.0	0.0
6/6/2021 0:00	0.0		6/6/2022 0:00	0.0		6/6/2023 0:00	0.0	
6/6/2021 1:00	0.0		6/6/2022 1:00	0.0		6/6/2023 1:00	0.0	
6/6/2021 2:00	277.9		6/6/2022 2:00	0.0		6/6/2023 2:00	0.0	
6/6/2021 3:00	2.8		6/6/2022 3:00	0.0		6/6/2023 3:00	0.0	
6/6/2021 4:00	2.3		6/6/2022 4:00	0.0		6/6/2023 4:00	0.0	
6/6/2021 5:00	0.0		6/6/2022 5:00	0.0		6/6/2023 5:00	0.0	
6/6/2021 6:00	0.0		6/6/2022 6:00	0.0		6/6/2023 6:00	0.0	
6/6/2021 7:00	0.0		6/6/2022 7:00	0.0		6/6/2023 7:00	0.0	
6/6/2021 8:00	0.0		6/6/2022 8:00	0.0		6/6/2023 8:00	0.0	
6/6/2021 9:00	0.0		6/6/2022 9:00	0.0		6/6/2023 9:00	0.0	
6/6/2021 10:00	0.0		6/6/2022 10:00	0.0		6/6/2023 10:00	0.0	
6/6/2021 11:00	0.7		6/6/2022 11:00	0.0		6/6/2023 11:00	0.0	
6/6/2021 12:00	0.0		6/6/2022 12:00	0.0		6/6/2023 12:00	0.0	
6/6/2021 13:00	0.0		6/6/2022 13:00	0.0		6/6/2023 13:00	0.0	
6/6/2021 14:00	0.0		6/6/2022 14:00	0.0		6/6/2023 14:00	0.0	
6/6/2021 15:00	0.0		6/6/2022 15:00	0.0		6/6/2023 15:00	0.0	
6/6/2021 16:00	0.0		6/6/2022 16:00	0.0		6/6/2023 16:00	0.0	
6/6/2021 17:00	0.0		6/6/2022 17:00	0.0		6/6/2023 17:00	0.0	
6/6/2021 18:00	0.0		6/6/2022 18:00	0.0		6/6/2023 18:00	0.0	
6/6/2021 19:00	0.0		6/6/2022 19:00	0.0		6/6/2023 19:00	0.0	
6/6/2021 20:00	0.0		6/6/2022 20:00	0.0		6/6/2023 20:00	0.0	
6/6/2021 21:00	0.0		6/6/2022 21:00	0.0		6/6/2023 21:00	0.0	
6/6/2021 22:00	0.0		6/6/2022 22:00	0.0		6/6/2023 22:00	0.0	
6/6/2021 23:00	0.0	277.9	6/6/2022 23:00	0.0	0.0	6/6/2023 23:00	0.0	0.0
6/7/2021 0:00	0.0		6/7/2022 0:00	0.0		6/7/2023 0:00	0.0	
6/7/2021 1:00	0.0		6/7/2022 1:00	0.0		6/7/2023 1:00	0.0	
6/7/2021 2:00	0.0		6/7/2022 2:00	0.0		6/7/2023 2:00	0.0	
6/7/2021 3:00	0.0		6/7/2022 3:00	0.0		6/7/2023 3:00	0.0	
6/7/2021 4:00	0.0		6/7/2022 4:00	0.0		6/7/2023 4:00	0.0	
6/7/2021 5:00	0.0		6/7/2022 5:00	0.0		6/7/2023 5:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/7/2021 6:00	0.0		6/7/2022 6:00	0.0		6/7/2023 6:00	0.0	
6/7/2021 7:00	0.0		6/7/2022 7:00	0.0		6/7/2023 7:00	0.0	
6/7/2021 8:00	0.0		6/7/2022 8:00	0.0		6/7/2023 8:00	0.0	
6/7/2021 9:00	0.0		6/7/2022 9:00	0.0		6/7/2023 9:00	0.0	
6/7/2021 10:00	0.0		6/7/2022 10:00	0.0		6/7/2023 10:00	0.0	
6/7/2021 11:00	0.0		6/7/2022 11:00	0.0		6/7/2023 11:00	0.0	
6/7/2021 12:00	0.0		6/7/2022 12:00	0.0		6/7/2023 12:00	0.0	
6/7/2021 13:00	0.0		6/7/2022 13:00	0.0		6/7/2023 13:00	0.0	
6/7/2021 14:00	0.0		6/7/2022 14:00	0.0		6/7/2023 14:00	0.0	
6/7/2021 15:00	0.0		6/7/2022 15:00	0.0		6/7/2023 15:00	0.0	
6/7/2021 16:00	0.0		6/7/2022 16:00	0.0		6/7/2023 16:00	0.0	
6/7/2021 17:00	0.0		6/7/2022 17:00	0.0		6/7/2023 17:00	0.0	
6/7/2021 18:00	0.0		6/7/2022 18:00	0.0		6/7/2023 18:00	0.0	
6/7/2021 19:00	0.0		6/7/2022 19:00	0.0		6/7/2023 19:00	0.0	
6/7/2021 20:00	0.0		6/7/2022 20:00	0.0		6/7/2023 20:00	0.0	
6/7/2021 21:00	0.0		6/7/2022 21:00	0.0		6/7/2023 21:00	0.0	
6/7/2021 22:00	0.0		6/7/2022 22:00	0.0		6/7/2023 22:00	0.0	
6/7/2021 23:00	0.0	0.0	6/7/2022 23:00	0.0	0.0	6/7/2023 23:00	0.0	0.0
6/8/2021 0:00	0.0		6/8/2022 0:00	0.0		6/8/2023 0:00	0.0	
6/8/2021 1:00	0.0		6/8/2022 1:00	0.0		6/8/2023 1:00	0.0	
6/8/2021 2:00	0.0		6/8/2022 2:00	0.0		6/8/2023 2:00	0.0	
6/8/2021 3:00	0.0		6/8/2022 3:00	0.0		6/8/2023 3:00	0.0	
6/8/2021 4:00	0.0		6/8/2022 4:00	0.0		6/8/2023 4:00	0.0	
6/8/2021 5:00	0.0		6/8/2022 5:00	0.0		6/8/2023 5:00	0.0	
6/8/2021 6:00	0.0		6/8/2022 6:00	0.0		6/8/2023 6:00	0.0	
6/8/2021 7:00	0.0		6/8/2022 7:00	0.0		6/8/2023 7:00	0.0	
6/8/2021 8:00	0.0		6/8/2022 8:00	0.0		6/8/2023 8:00	0.0	
6/8/2021 9:00	0.0		6/8/2022 9:00	0.0		6/8/2023 9:00	0.0	
6/8/2021 10:00	0.0		6/8/2022 10:00	0.0		6/8/2023 10:00	0.0	
6/8/2021 11:00	0.0		6/8/2022 11:00	0.0		6/8/2023 11:00	0.0	
6/8/2021 12:00	0.0		6/8/2022 12:00	0.0		6/8/2023 12:00	0.0	
6/8/2021 13:00	0.0		6/8/2022 13:00	0.0		6/8/2023 13:00	0.0	
6/8/2021 14:00	0.0		6/8/2022 14:00	0.0		6/8/2023 14:00	0.0	
6/8/2021 15:00	0.0		6/8/2022 15:00	0.0		6/8/2023 15:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/8/2021 16:00	0.0		6/8/2022 16:00	0.0		6/8/2023 16:00	0.0	
6/8/2021 17:00	0.0		6/8/2022 17:00	0.0		6/8/2023 17:00	0.0	
6/8/2021 18:00	0.0		6/8/2022 18:00	0.0		6/8/2023 18:00	0.0	
6/8/2021 19:00	0.0		6/8/2022 19:00	0.0		6/8/2023 19:00	0.0	
6/8/2021 20:00	0.0		6/8/2022 20:00	0.0		6/8/2023 20:00	0.0	
6/8/2021 21:00	0.0		6/8/2022 21:00	0.0		6/8/2023 21:00	0.0	
6/8/2021 22:00	0.0		6/8/2022 22:00	0.0		6/8/2023 22:00	0.0	
6/8/2021 23:00	0.0	0.0	6/8/2022 23:00	0.0	0.0	6/8/2023 23:00	0.0	0.0
6/9/2021 0:00	0.0		6/9/2022 0:00	0.0		6/9/2023 0:00	0.0	
6/9/2021 1:00	0.0		6/9/2022 1:00	0.0		6/9/2023 1:00	0.0	
6/9/2021 2:00	0.0		6/9/2022 2:00	0.0		6/9/2023 2:00	0.0	
6/9/2021 3:00	0.0		6/9/2022 3:00	0.0		6/9/2023 3:00	0.0	
6/9/2021 4:00	0.0		6/9/2022 4:00	0.0		6/9/2023 4:00	0.0	
6/9/2021 5:00	0.0		6/9/2022 5:00	0.0		6/9/2023 5:00	0.0	
6/9/2021 6:00	0.0		6/9/2022 6:00	0.0		6/9/2023 6:00	0.0	
6/9/2021 7:00	0.0		6/9/2022 7:00	0.0		6/9/2023 7:00	0.0	
6/9/2021 8:00	0.0		6/9/2022 8:00	0.0		6/9/2023 8:00	0.0	
6/9/2021 9:00	0.0		6/9/2022 9:00	0.0		6/9/2023 9:00	0.0	
6/9/2021 10:00	0.0		6/9/2022 10:00	0.0		6/9/2023 10:00	0.0	
6/9/2021 11:00	0.0		6/9/2022 11:00	0.0		6/9/2023 11:00	0.0	
6/9/2021 12:00	0.0		6/9/2022 12:00	0.0		6/9/2023 12:00	0.0	
6/9/2021 13:00	0.0		6/9/2022 13:00	0.0		6/9/2023 13:00	0.0	
6/9/2021 14:00	0.0		6/9/2022 14:00	0.0		6/9/2023 14:00	0.0	
6/9/2021 15:00	0.0		6/9/2022 15:00	0.0		6/9/2023 15:00	0.0	
6/9/2021 16:00	0.0		6/9/2022 16:00	0.0		6/9/2023 16:00	0.0	
6/9/2021 17:00	0.0		6/9/2022 17:00	0.0		6/9/2023 17:00	0.0	
6/9/2021 18:00	0.0		6/9/2022 18:00	0.0		6/9/2023 18:00	0.0	
6/9/2021 19:00	0.0		6/9/2022 19:00	0.0		6/9/2023 19:00	0.0	
6/9/2021 20:00	0.0		6/9/2022 20:00	0.0		6/9/2023 20:00	0.0	
6/9/2021 21:00	0.0		6/9/2022 21:00	0.0		6/9/2023 21:00	0.0	
6/9/2021 22:00	0.0		6/9/2022 22:00	0.0		6/9/2023 22:00	0.0	
6/9/2021 23:00	0.0	0.0	6/9/2022 23:00	0.0	0.0	6/9/2023 23:00	0.0	0.0
6/10/2021 0:00	0.0		6/10/2022 0:00	0.0		6/10/2023 0:00	0.0	
6/10/2021 1:00	0.0		6/10/2022 1:00	0.0		6/10/2023 1:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/10/2021 2:00	0.0		6/10/2022 2:00	0.0		6/10/2023 2:00	0.0	
6/10/2021 3:00	0.0		6/10/2022 3:00	0.0		6/10/2023 3:00	0.0	
6/10/2021 4:00	0.0		6/10/2022 4:00	0.0		6/10/2023 4:00	0.0	
6/10/2021 5:00	0.0		6/10/2022 5:00	0.0		6/10/2023 5:00	0.0	
6/10/2021 6:00	0.0		6/10/2022 6:00	0.0		6/10/2023 6:00	0.0	
6/10/2021 7:00	0.0		6/10/2022 7:00	0.0		6/10/2023 7:00	0.0	
6/10/2021 8:00	0.0		6/10/2022 8:00	0.0		6/10/2023 8:00	0.0	
6/10/2021 9:00	0.0		6/10/2022 9:00	0.0		6/10/2023 9:00	0.0	
6/10/2021 10:00	0.0		6/10/2022 10:00	0.0		6/10/2023 10:00	0.0	
6/10/2021 11:00	0.0		6/10/2022 11:00	0.0		6/10/2023 11:00	0.0	
6/10/2021 12:00	0.0		6/10/2022 12:00	0.0		6/10/2023 12:00	0.0	
6/10/2021 13:00	0.0		6/10/2022 13:00	0.0		6/10/2023 13:00	0.0	
6/10/2021 14:00	0.0		6/10/2022 14:00	0.0		6/10/2023 14:00	0.0	
6/10/2021 15:00	0.0		6/10/2022 15:00	0.0		6/10/2023 15:00	0.0	
6/10/2021 16:00	0.0		6/10/2022 16:00	0.0		6/10/2023 16:00	0.0	
6/10/2021 17:00	0.0		6/10/2022 17:00	0.0		6/10/2023 17:00	0.0	
6/10/2021 18:00	0.0		6/10/2022 18:00	0.0		6/10/2023 18:00	0.0	
6/10/2021 19:00	0.0		6/10/2022 19:00	0.0		6/10/2023 19:00	0.0	
6/10/2021 20:00	0.0		6/10/2022 20:00	0.0		6/10/2023 20:00	0.0	
6/10/2021 21:00	0.0		6/10/2022 21:00	0.0		6/10/2023 21:00	0.0	
6/10/2021 22:00	0.0		6/10/2022 22:00	0.0		6/10/2023 22:00	0.0	
6/10/2021 23:00	0.0	0.0	6/10/2022 23:00	0.0	0.0	6/10/2023 23:00	0.0	0.0
6/11/2021 0:00	0.0		6/11/2022 0:00	0.0		6/11/2023 0:00	0.0	
6/11/2021 1:00	0.0		6/11/2022 1:00	0.0		6/11/2023 1:00	0.0	
6/11/2021 2:00	0.0		6/11/2022 2:00	0.0		6/11/2023 2:00	0.0	
6/11/2021 3:00	0.0		6/11/2022 3:00	0.0		6/11/2023 3:00	0.0	
6/11/2021 4:00	0.0		6/11/2022 4:00	0.0		6/11/2023 4:00	0.0	
6/11/2021 5:00	0.0		6/11/2022 5:00	0.0		6/11/2023 5:00	0.0	
6/11/2021 6:00	0.0		6/11/2022 6:00	0.0		6/11/2023 6:00	0.0	
6/11/2021 7:00	0.0		6/11/2022 7:00	0.0		6/11/2023 7:00	0.0	
6/11/2021 8:00	0.0		6/11/2022 8:00	0.0		6/11/2023 8:00	0.0	
6/11/2021 9:00	0.0		6/11/2022 9:00	0.0		6/11/2023 9:00	0.0	
6/11/2021 10:00	0.0		6/11/2022 10:00	0.0		6/11/2023 10:00	0.0	
6/11/2021 11:00	0.0		6/11/2022 11:00	0.0		6/11/2023 11:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/11/2021 12:00	0.0		6/11/2022 12:00	0.0		6/11/2023 12:00	0.0	
6/11/2021 13:00	0.0		6/11/2022 13:00	0.0		6/11/2023 13:00	0.0	
6/11/2021 14:00	0.0		6/11/2022 14:00	0.0		6/11/2023 14:00	0.0	
6/11/2021 15:00	0.0		6/11/2022 15:00	0.0		6/11/2023 15:00	0.0	
6/11/2021 16:00	0.0		6/11/2022 16:00	0.0		6/11/2023 16:00	0.0	
6/11/2021 17:00	0.0		6/11/2022 17:00	0.0		6/11/2023 17:00	0.0	
6/11/2021 18:00	0.0		6/11/2022 18:00	0.0		6/11/2023 18:00	0.0	
6/11/2021 19:00	0.0		6/11/2022 19:00	0.0		6/11/2023 19:00	0.0	
6/11/2021 20:00	0.0		6/11/2022 20:00	0.0		6/11/2023 20:00	0.0	
6/11/2021 21:00	0.0		6/11/2022 21:00	0.0		6/11/2023 21:00	0.0	
6/11/2021 22:00	0.0		6/11/2022 22:00	0.0		6/11/2023 22:00	0.0	
6/11/2021 23:00	0.0	0.0	6/11/2022 23:00	0.0	0.0	6/11/2023 23:00	0.0	0.0
6/12/2021 0:00	0.0		6/12/2022 0:00	0.0		6/12/2023 0:00	0.0	
6/12/2021 1:00	0.0		6/12/2022 1:00	0.0		6/12/2023 1:00	0.0	
6/12/2021 2:00	0.0		6/12/2022 2:00	0.0		6/12/2023 2:00	0.0	
6/12/2021 3:00	0.0		6/12/2022 3:00	0.0		6/12/2023 3:00	0.0	
6/12/2021 4:00	0.0		6/12/2022 4:00	0.0		6/12/2023 4:00	0.0	
6/12/2021 5:00	0.0		6/12/2022 5:00	0.0		6/12/2023 5:00	0.0	
6/12/2021 6:00	0.0		6/12/2022 6:00	0.0		6/12/2023 6:00	0.0	
6/12/2021 7:00	0.0		6/12/2022 7:00	0.0		6/12/2023 7:00	0.0	
6/12/2021 8:00	0.0		6/12/2022 8:00	0.0		6/12/2023 8:00	0.0	
6/12/2021 9:00	0.0		6/12/2022 9:00	0.0		6/12/2023 9:00	0.0	
6/12/2021 10:00	0.0		6/12/2022 10:00	0.0		6/12/2023 10:00	0.0	
6/12/2021 11:00	0.0		6/12/2022 11:00	0.0		6/12/2023 11:00	0.0	
6/12/2021 12:00	0.0		6/12/2022 12:00	0.0		6/12/2023 12:00	0.0	
6/12/2021 13:00	0.0		6/12/2022 13:00	0.0		6/12/2023 13:00	0.0	
6/12/2021 14:00	0.0		6/12/2022 14:00	0.0		6/12/2023 14:00	0.0	
6/12/2021 15:00	0.0		6/12/2022 15:00	0.0		6/12/2023 15:00	0.0	
6/12/2021 16:00	0.0		6/12/2022 16:00	0.0		6/12/2023 16:00	0.0	
6/12/2021 17:00	0.0		6/12/2022 17:00	0.0		6/12/2023 17:00	0.0	
6/12/2021 18:00	0.0		6/12/2022 18:00	0.0		6/12/2023 18:00	0.0	
6/12/2021 19:00	0.0		6/12/2022 19:00	0.0		6/12/2023 19:00	0.0	
6/12/2021 20:00	0.0		6/12/2022 20:00	0.0		6/12/2023 20:00	0.0	
6/12/2021 21:00	0.0		6/12/2022 21:00	0.0		6/12/2023 21:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/12/2021 22:00	0.0		6/12/2022 22:00	0.0		6/12/2023 22:00	0.0	
6/12/2021 23:00	0.0	0.0	6/12/2022 23:00	0.0	0.0	6/12/2023 23:00	0.0	0.0
6/13/2021 0:00	0.0		6/13/2022 0:00	0.0		6/13/2023 0:00	0.0	
6/13/2021 1:00	0.0		6/13/2022 1:00	0.0		6/13/2023 1:00	0.0	
6/13/2021 2:00	0.0		6/13/2022 2:00	0.0		6/13/2023 2:00	0.0	
6/13/2021 3:00	0.0		6/13/2022 3:00	0.0		6/13/2023 3:00	0.0	
6/13/2021 4:00	0.0		6/13/2022 4:00	0.0		6/13/2023 4:00	0.0	
6/13/2021 5:00	0.0		6/13/2022 5:00	0.0		6/13/2023 5:00	0.0	
6/13/2021 6:00	0.0		6/13/2022 6:00	0.0		6/13/2023 6:00	0.0	
6/13/2021 7:00	0.0		6/13/2022 7:00	0.0		6/13/2023 7:00	0.0	
6/13/2021 8:00	0.0		6/13/2022 8:00	0.0		6/13/2023 8:00	0.0	
6/13/2021 9:00	0.0		6/13/2022 9:00	0.0		6/13/2023 9:00	0.0	
6/13/2021 10:00	0.0		6/13/2022 10:00	0.0		6/13/2023 10:00	0.0	
6/13/2021 11:00	0.0		6/13/2022 11:00	0.0		6/13/2023 11:00	0.0	
6/13/2021 12:00	0.0		6/13/2022 12:00	0.0		6/13/2023 12:00	0.0	
6/13/2021 13:00	0.0		6/13/2022 13:00	0.0		6/13/2023 13:00	0.0	
6/13/2021 14:00	0.0		6/13/2022 14:00	0.0		6/13/2023 14:00	0.0	
6/13/2021 15:00	0.0		6/13/2022 15:00	0.0		6/13/2023 15:00	0.0	
6/13/2021 16:00	0.0		6/13/2022 16:00	0.0		6/13/2023 16:00	0.0	
6/13/2021 17:00	0.0		6/13/2022 17:00	0.0		6/13/2023 17:00	0.0	
6/13/2021 18:00	0.0		6/13/2022 18:00	0.0		6/13/2023 18:00	0.0	
6/13/2021 19:00	0.0		6/13/2022 19:00	0.0		6/13/2023 19:00	0.0	
6/13/2021 20:00	0.0		6/13/2022 20:00	0.0		6/13/2023 20:00	0.0	
6/13/2021 21:00	0.0		6/13/2022 21:00	0.0		6/13/2023 21:00	0.0	
6/13/2021 22:00	0.0		6/13/2022 22:00	0.0		6/13/2023 22:00	0.0	
6/13/2021 23:00	0.0	0.0	6/13/2022 23:00	0.0	0.0	6/13/2023 23:00	0.0	0.0
6/14/2021 0:00	0.0		6/14/2022 0:00	0.0		6/14/2023 0:00	0.0	
6/14/2021 1:00	0.0		6/14/2022 1:00	0.0		6/14/2023 1:00	0.0	
6/14/2021 2:00	0.0		6/14/2022 2:00	0.0		6/14/2023 2:00	0.0	
6/14/2021 3:00	0.0		6/14/2022 3:00	0.0		6/14/2023 3:00	0.0	
6/14/2021 4:00	0.0		6/14/2022 4:00	0.0		6/14/2023 4:00	0.0	
6/14/2021 5:00	0.0		6/14/2022 5:00	0.0		6/14/2023 5:00	0.0	
6/14/2021 6:00	0.0		6/14/2022 6:00	0.0		6/14/2023 6:00	0.0	
6/14/2021 7:00	0.0		6/14/2022 7:00	0.0		6/14/2023 7:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/14/2021 8:00	0.0		6/14/2022 8:00	0.0		6/14/2023 8:00	0.0	
6/14/2021 9:00	0.0		6/14/2022 9:00	0.0		6/14/2023 9:00	0.0	
6/14/2021 10:00	0.0		6/14/2022 10:00	0.0		6/14/2023 10:00	0.0	
6/14/2021 11:00	0.0		6/14/2022 11:00	0.0		6/14/2023 11:00	0.0	
6/14/2021 12:00	0.0		6/14/2022 12:00	0.0		6/14/2023 12:00	0.0	
6/14/2021 13:00	0.0		6/14/2022 13:00	0.0		6/14/2023 13:00	0.0	
6/14/2021 14:00	0.0		6/14/2022 14:00	0.0		6/14/2023 14:00	0.0	
6/14/2021 15:00	0.0		6/14/2022 15:00	0.0		6/14/2023 15:00	0.0	
6/14/2021 16:00	0.0		6/14/2022 16:00	0.0		6/14/2023 16:00	0.0	
6/14/2021 17:00	0.0		6/14/2022 17:00	0.0		6/14/2023 17:00	0.0	
6/14/2021 18:00	0.0		6/14/2022 18:00	0.0		6/14/2023 18:00	0.0	
6/14/2021 19:00	0.0		6/14/2022 19:00	0.0		6/14/2023 19:00	0.0	
6/14/2021 20:00	0.0		6/14/2022 20:00	0.0		6/14/2023 20:00	0.0	
6/14/2021 21:00	0.0		6/14/2022 21:00	0.0		6/14/2023 21:00	0.0	
6/14/2021 22:00	0.0		6/14/2022 22:00	0.0		6/14/2023 22:00	0.0	
6/14/2021 23:00	0.0	0.0	6/14/2022 23:00	0.0	0.0	6/14/2023 23:00	0.0	0.0
6/15/2021 0:00	0.0		6/15/2022 0:00	0.0		6/15/2023 0:00	0.0	
6/15/2021 1:00	0.0		6/15/2022 1:00	0.0		6/15/2023 1:00	0.0	
6/15/2021 2:00	0.0		6/15/2022 2:00	0.0		6/15/2023 2:00	0.0	
6/15/2021 3:00	0.0		6/15/2022 3:00	0.0		6/15/2023 3:00	0.0	
6/15/2021 4:00	0.0		6/15/2022 4:00	0.0		6/15/2023 4:00	0.0	
6/15/2021 5:00	0.0		6/15/2022 5:00	0.0		6/15/2023 5:00	0.0	
6/15/2021 6:00	0.0		6/15/2022 6:00	0.0		6/15/2023 6:00	0.0	
6/15/2021 7:00	0.0		6/15/2022 7:00	0.0		6/15/2023 7:00	0.0	
6/15/2021 8:00	0.0		6/15/2022 8:00	0.0		6/15/2023 8:00	0.0	
6/15/2021 9:00	0.0		6/15/2022 9:00	0.0		6/15/2023 9:00	0.0	
6/15/2021 10:00	0.0		6/15/2022 10:00	0.0		6/15/2023 10:00	0.0	
6/15/2021 11:00	0.0		6/15/2022 11:00	0.0		6/15/2023 11:00	0.0	
6/15/2021 12:00	0.0		6/15/2022 12:00	0.0		6/15/2023 12:00	0.0	
6/15/2021 13:00	0.0		6/15/2022 13:00	0.0		6/15/2023 13:00	0.0	
6/15/2021 14:00	0.0		6/15/2022 14:00	0.0		6/15/2023 14:00	0.0	
6/15/2021 15:00	0.0		6/15/2022 15:00	0.0		6/15/2023 15:00	0.0	
6/15/2021 16:00	0.0		6/15/2022 16:00	0.0		6/15/2023 16:00	0.0	
6/15/2021 17:00	0.0		6/15/2022 17:00	0.0		6/15/2023 17:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/15/2021 18:00	0.0		6/15/2022 18:00	0.0		6/15/2023 18:00	0.0	
6/15/2021 19:00	0.0		6/15/2022 19:00	0.0		6/15/2023 19:00	0.0	
6/15/2021 20:00	0.0		6/15/2022 20:00	0.0		6/15/2023 20:00	0.0	
6/15/2021 21:00	0.0		6/15/2022 21:00	0.0		6/15/2023 21:00	0.0	
6/15/2021 22:00	0.0		6/15/2022 22:00	0.0		6/15/2023 22:00	0.0	
6/15/2021 23:00	0.0	0.0	6/15/2022 23:00	0.0	0.0	6/15/2023 23:00	0.0	0.0
6/16/2021 0:00	0.0		6/16/2022 0:00	0.0		6/16/2023 0:00	0.0	
6/16/2021 1:00	0.0		6/16/2022 1:00	0.0		6/16/2023 1:00	0.0	
6/16/2021 2:00	0.0		6/16/2022 2:00	0.0		6/16/2023 2:00	0.0	
6/16/2021 3:00	0.0		6/16/2022 3:00	0.0		6/16/2023 3:00	0.0	
6/16/2021 4:00	0.0		6/16/2022 4:00	0.0		6/16/2023 4:00	0.0	
6/16/2021 5:00	0.0		6/16/2022 5:00	0.0		6/16/2023 5:00	0.0	
6/16/2021 6:00	0.0		6/16/2022 6:00	0.0		6/16/2023 6:00	0.0	
6/16/2021 7:00	0.0		6/16/2022 7:00	0.0		6/16/2023 7:00	0.0	
6/16/2021 8:00	0.0		6/16/2022 8:00	0.0		6/16/2023 8:00	0.0	
6/16/2021 9:00	0.0		6/16/2022 9:00	0.0		6/16/2023 9:00	0.0	
6/16/2021 10:00	0.0		6/16/2022 10:00	0.0		6/16/2023 10:00	0.0	
6/16/2021 11:00	0.0		6/16/2022 11:00	0.0		6/16/2023 11:00	0.0	
6/16/2021 12:00	0.0		6/16/2022 12:00	0.0		6/16/2023 12:00	0.0	
6/16/2021 13:00	0.0		6/16/2022 13:00	0.0		6/16/2023 13:00	0.0	
6/16/2021 14:00	0.0		6/16/2022 14:00	0.0		6/16/2023 14:00	0.0	
6/16/2021 15:00	0.0		6/16/2022 15:00	0.0		6/16/2023 15:00	0.0	
6/16/2021 16:00	0.0		6/16/2022 16:00	0.0		6/16/2023 16:00	0.0	
6/16/2021 17:00	0.0		6/16/2022 17:00	0.0		6/16/2023 17:00	0.0	
6/16/2021 18:00	0.0		6/16/2022 18:00	0.0		6/16/2023 18:00	0.0	
6/16/2021 19:00	0.0		6/16/2022 19:00	0.0		6/16/2023 19:00	0.0	
6/16/2021 20:00	0.0		6/16/2022 20:00	0.0		6/16/2023 20:00	0.0	
6/16/2021 21:00	0.0		6/16/2022 21:00	0.0		6/16/2023 21:00	0.0	
6/16/2021 22:00	0.0		6/16/2022 22:00	0.0		6/16/2023 22:00	0.0	
6/16/2021 23:00	0.0	0.0	6/16/2022 23:00	0.0	0.0	6/16/2023 23:00	0.0	0.0
6/17/2021 0:00	0.0		6/17/2022 0:00	0.0		6/17/2023 0:00	0.0	
6/17/2021 1:00	0.0		6/17/2022 1:00	0.0		6/17/2023 1:00	0.0	
6/17/2021 2:00	0.0		6/17/2022 2:00	0.0		6/17/2023 2:00	0.0	
6/17/2021 3:00	0.0		6/17/2022 3:00	0.0		6/17/2023 3:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/17/2021 4:00	0.0		6/17/2022 4:00	0.0		6/17/2023 4:00	0.0	
6/17/2021 5:00	0.0		6/17/2022 5:00	0.0		6/17/2023 5:00	0.0	
6/17/2021 6:00	0.0		6/17/2022 6:00	0.0		6/17/2023 6:00	0.0	
6/17/2021 7:00	0.0		6/17/2022 7:00	0.0		6/17/2023 7:00	0.0	
6/17/2021 8:00	0.0		6/17/2022 8:00	0.0		6/17/2023 8:00	0.0	
6/17/2021 9:00	0.0		6/17/2022 9:00	0.0		6/17/2023 9:00	0.0	
6/17/2021 10:00	0.0		6/17/2022 10:00	0.0		6/17/2023 10:00	0.0	
6/17/2021 11:00	0.0		6/17/2022 11:00	0.0		6/17/2023 11:00	0.0	
6/17/2021 12:00	0.0		6/17/2022 12:00	0.0		6/17/2023 12:00	0.0	
6/17/2021 13:00	0.0		6/17/2022 13:00	0.0		6/17/2023 13:00	0.0	
6/17/2021 14:00	0.0		6/17/2022 14:00	0.0		6/17/2023 14:00	0.0	
6/17/2021 15:00	0.0		6/17/2022 15:00	0.0		6/17/2023 15:00	0.0	
6/17/2021 16:00	0.0		6/17/2022 16:00	0.0		6/17/2023 16:00	0.0	
6/17/2021 17:00	0.0		6/17/2022 17:00	0.0		6/17/2023 17:00	0.0	
6/17/2021 18:00	0.0		6/17/2022 18:00	0.0		6/17/2023 18:00	0.0	
6/17/2021 19:00	0.0		6/17/2022 19:00	0.0		6/17/2023 19:00	0.0	
6/17/2021 20:00	0.0		6/17/2022 20:00	0.0		6/17/2023 20:00	0.0	
6/17/2021 21:00	0.0		6/17/2022 21:00	0.0		6/17/2023 21:00	0.0	
6/17/2021 22:00	0.0		6/17/2022 22:00	0.0		6/17/2023 22:00	0.0	
6/17/2021 23:00	0.0	0.0	6/17/2022 23:00	0.0	0.0	6/17/2023 23:00	0.0	0.0
6/18/2021 0:00	0.0		6/18/2022 0:00	0.0		6/18/2023 0:00	0.0	
6/18/2021 1:00	0.0		6/18/2022 1:00	0.0		6/18/2023 1:00	0.0	
6/18/2021 2:00	0.0		6/18/2022 2:00	0.0		6/18/2023 2:00	0.0	
6/18/2021 3:00	0.0		6/18/2022 3:00	0.0		6/18/2023 3:00	0.0	
6/18/2021 4:00	0.0		6/18/2022 4:00	0.0		6/18/2023 4:00	0.0	
6/18/2021 5:00	0.0		6/18/2022 5:00	0.0		6/18/2023 5:00	0.0	
6/18/2021 6:00	0.0		6/18/2022 6:00	0.0		6/18/2023 6:00	0.0	
6/18/2021 7:00	0.0		6/18/2022 7:00	0.0		6/18/2023 7:00	0.0	
6/18/2021 8:00	0.0		6/18/2022 8:00	0.0		6/18/2023 8:00	0.0	
6/18/2021 9:00	0.0		6/18/2022 9:00	0.0		6/18/2023 9:00	0.0	
6/18/2021 10:00	0.0		6/18/2022 10:00	0.0		6/18/2023 10:00	0.0	
6/18/2021 11:00	0.0		6/18/2022 11:00	0.0		6/18/2023 11:00	0.0	
6/18/2021 12:00	0.0		6/18/2022 12:00	0.0		6/18/2023 12:00	0.0	
6/18/2021 13:00	0.0		6/18/2022 13:00	0.0		6/18/2023 13:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/18/2021 14:00	0.0		6/18/2022 14:00	0.0		6/18/2023 14:00	0.0	
6/18/2021 15:00	0.0		6/18/2022 15:00	0.0		6/18/2023 15:00	0.0	
6/18/2021 16:00	0.0		6/18/2022 16:00	0.0		6/18/2023 16:00	0.0	
6/18/2021 17:00	0.0		6/18/2022 17:00	0.0		6/18/2023 17:00	0.0	
6/18/2021 18:00	0.0		6/18/2022 18:00	0.0		6/18/2023 18:00	0.0	
6/18/2021 19:00	0.0		6/18/2022 19:00	0.0		6/18/2023 19:00	0.0	
6/18/2021 20:00	0.0		6/18/2022 20:00	0.0		6/18/2023 20:00	0.0	
6/18/2021 21:00	0.0		6/18/2022 21:00	0.0		6/18/2023 21:00	0.0	
6/18/2021 22:00	0.0		6/18/2022 22:00	0.0		6/18/2023 22:00	0.0	
6/18/2021 23:00	0.0	0.0	6/18/2022 23:00	0.0	0.0	6/18/2023 23:00	0.0	0.0
6/19/2021 0:00	0.0		6/19/2022 0:00	0.0		6/19/2023 0:00	0.0	
6/19/2021 1:00	0.0		6/19/2022 1:00	0.0		6/19/2023 1:00	0.0	
6/19/2021 2:00	0.0		6/19/2022 2:00	0.0		6/19/2023 2:00	0.0	
6/19/2021 3:00	0.0		6/19/2022 3:00	0.0		6/19/2023 3:00	0.0	
6/19/2021 4:00	0.0		6/19/2022 4:00	0.0		6/19/2023 4:00	0.0	
6/19/2021 5:00	0.0		6/19/2022 5:00	0.0		6/19/2023 5:00	0.0	
6/19/2021 6:00	0.0		6/19/2022 6:00	0.0		6/19/2023 6:00	0.0	
6/19/2021 7:00	0.0		6/19/2022 7:00	0.0		6/19/2023 7:00	0.0	
6/19/2021 8:00	0.0		6/19/2022 8:00	0.0		6/19/2023 8:00	0.0	
6/19/2021 9:00	0.0		6/19/2022 9:00	0.0		6/19/2023 9:00	0.0	
6/19/2021 10:00	0.0		6/19/2022 10:00	0.0		6/19/2023 10:00	0.0	
6/19/2021 11:00	0.0		6/19/2022 11:00	0.0		6/19/2023 11:00	0.0	
6/19/2021 12:00	0.0		6/19/2022 12:00	0.0		6/19/2023 12:00	0.0	
6/19/2021 13:00	0.0		6/19/2022 13:00	0.0		6/19/2023 13:00	0.0	
6/19/2021 14:00	0.0		6/19/2022 14:00	0.0		6/19/2023 14:00	0.0	
6/19/2021 15:00	0.0		6/19/2022 15:00	0.0		6/19/2023 15:00	0.0	
6/19/2021 16:00	0.0		6/19/2022 16:00	0.0		6/19/2023 16:00	17.4	
6/19/2021 17:00	0.0		6/19/2022 17:00	0.0		6/19/2023 17:00	77.0	
6/19/2021 18:00	0.0		6/19/2022 18:00	0.0		6/19/2023 18:00	58.0	
6/19/2021 19:00	0.0		6/19/2022 19:00	0.0		6/19/2023 19:00	0.0	
6/19/2021 20:00	0.0		6/19/2022 20:00	0.0		6/19/2023 20:00	0.0	
6/19/2021 21:00	0.0		6/19/2022 21:00	0.0		6/19/2023 21:00	0.0	
6/19/2021 22:00	0.0		6/19/2022 22:00	0.0		6/19/2023 22:00	0.0	
6/19/2021 23:00	0.0	0.0	6/19/2022 23:00	0.0	0.0	6/19/2023 23:00	0.0	77.0

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/20/2021 0:00	0.0		6/20/2022 0:00	0.0		6/20/2023 0:00	0.0	
6/20/2021 1:00	0.0		6/20/2022 1:00	0.0		6/20/2023 1:00	0.0	
6/20/2021 2:00	0.0		6/20/2022 2:00	0.0		6/20/2023 2:00	0.0	
6/20/2021 3:00	0.0		6/20/2022 3:00	0.0		6/20/2023 3:00	0.0	
6/20/2021 4:00	0.0		6/20/2022 4:00	0.0		6/20/2023 4:00	0.0	
6/20/2021 5:00	0.0		6/20/2022 5:00	0.0		6/20/2023 5:00	0.0	
6/20/2021 6:00	0.0		6/20/2022 6:00	0.0		6/20/2023 6:00	0.0	
6/20/2021 7:00	0.0		6/20/2022 7:00	0.0		6/20/2023 7:00	0.0	
6/20/2021 8:00	0.0		6/20/2022 8:00	0.0		6/20/2023 8:00	0.0	
6/20/2021 9:00	0.0		6/20/2022 9:00	0.0		6/20/2023 9:00	0.0	
6/20/2021 10:00	0.0		6/20/2022 10:00	0.0		6/20/2023 10:00	0.0	
6/20/2021 11:00	0.0		6/20/2022 11:00	0.0		6/20/2023 11:00	0.0	
6/20/2021 12:00	0.0		6/20/2022 12:00	0.0		6/20/2023 12:00	0.0	
6/20/2021 13:00	0.0		6/20/2022 13:00	0.0		6/20/2023 13:00	0.0	
6/20/2021 14:00	0.0		6/20/2022 14:00	0.0		6/20/2023 14:00	0.0	
6/20/2021 15:00	0.0		6/20/2022 15:00	0.0		6/20/2023 15:00	0.0	
6/20/2021 16:00	0.0		6/20/2022 16:00	0.0		6/20/2023 16:00	0.0	
6/20/2021 17:00	0.0		6/20/2022 17:00	0.0		6/20/2023 17:00	0.0	
6/20/2021 18:00	0.0		6/20/2022 18:00	0.0		6/20/2023 18:00	0.0	
6/20/2021 19:00	0.0		6/20/2022 19:00	0.0		6/20/2023 19:00	0.0	
6/20/2021 20:00	0.0		6/20/2022 20:00	0.0		6/20/2023 20:00	0.0	
6/20/2021 21:00	0.0		6/20/2022 21:00	0.0		6/20/2023 21:00	0.0	
6/20/2021 22:00	0.0		6/20/2022 22:00	0.0		6/20/2023 22:00	0.0	
6/20/2021 23:00	0.0	0.0	6/20/2022 23:00	0.0	0.0	6/20/2023 23:00	0.0	0.0
6/21/2021 0:00	0.0		6/21/2022 0:00	0.0		6/21/2023 0:00	0.0	
6/21/2021 1:00	0.0		6/21/2022 1:00	0.0		6/21/2023 1:00	0.0	
6/21/2021 2:00	0.0		6/21/2022 2:00	0.0		6/21/2023 2:00	0.0	
6/21/2021 3:00	0.0		6/21/2022 3:00	0.0		6/21/2023 3:00	0.0	
6/21/2021 4:00	0.0		6/21/2022 4:00	0.0		6/21/2023 4:00	0.0	
6/21/2021 5:00	0.0		6/21/2022 5:00	0.0		6/21/2023 5:00	0.0	
6/21/2021 6:00	0.0		6/21/2022 6:00	0.0		6/21/2023 6:00	0.0	
6/21/2021 7:00	0.0		6/21/2022 7:00	0.0		6/21/2023 7:00	0.0	
6/21/2021 8:00	0.0		6/21/2022 8:00	0.0		6/21/2023 8:00	0.0	
6/21/2021 9:00	0.0		6/21/2022 9:00	0.0		6/21/2023 9:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/21/2021 10:00	0.0		6/21/2022 10:00	0.0		6/21/2023 10:00	0.0	
6/21/2021 11:00	0.0		6/21/2022 11:00	0.0		6/21/2023 11:00	0.0	
6/21/2021 12:00	0.0		6/21/2022 12:00	0.0		6/21/2023 12:00	0.0	
6/21/2021 13:00	0.0		6/21/2022 13:00	0.0		6/21/2023 13:00	0.0	
6/21/2021 14:00	0.0		6/21/2022 14:00	0.0		6/21/2023 14:00	0.0	
6/21/2021 15:00	0.0		6/21/2022 15:00	0.0		6/21/2023 15:00	0.0	
6/21/2021 16:00	0.0		6/21/2022 16:00	0.0		6/21/2023 16:00	0.0	
6/21/2021 17:00	0.0		6/21/2022 17:00	0.0		6/21/2023 17:00	0.0	
6/21/2021 18:00	0.0		6/21/2022 18:00	0.0		6/21/2023 18:00	0.0	
6/21/2021 19:00	0.0		6/21/2022 19:00	0.0		6/21/2023 19:00	0.0	
6/21/2021 20:00	0.0		6/21/2022 20:00	0.0		6/21/2023 20:00	0.0	
6/21/2021 21:00	0.0		6/21/2022 21:00	0.0		6/21/2023 21:00	0.0	
6/21/2021 22:00	0.0		6/21/2022 22:00	0.0		6/21/2023 22:00	0.0	
6/21/2021 23:00	0.0	0.0	6/21/2022 23:00	0.0	0.0	6/21/2023 23:00	0.0	0.0
6/22/2021 0:00	0.0		6/22/2022 0:00	0.0		6/22/2023 0:00	0.0	
6/22/2021 1:00	0.0		6/22/2022 1:00	0.0		6/22/2023 1:00	0.0	
6/22/2021 2:00	0.0		6/22/2022 2:00	0.0		6/22/2023 2:00	0.0	
6/22/2021 3:00	0.0		6/22/2022 3:00	0.0		6/22/2023 3:00	0.0	
6/22/2021 4:00	0.0		6/22/2022 4:00	0.0		6/22/2023 4:00	0.0	
6/22/2021 5:00	0.0		6/22/2022 5:00	0.0		6/22/2023 5:00	0.0	
6/22/2021 6:00	0.0		6/22/2022 6:00	0.0		6/22/2023 6:00	0.0	
6/22/2021 7:00	0.0		6/22/2022 7:00	0.0		6/22/2023 7:00	0.0	
6/22/2021 8:00	0.0		6/22/2022 8:00	0.0		6/22/2023 8:00	0.0	
6/22/2021 9:00	0.0		6/22/2022 9:00	0.0		6/22/2023 9:00	0.0	
6/22/2021 10:00	0.0		6/22/2022 10:00	0.0		6/22/2023 10:00	0.0	
6/22/2021 11:00	0.0		6/22/2022 11:00	0.0		6/22/2023 11:00	0.0	
6/22/2021 12:00	0.0		6/22/2022 12:00	0.0		6/22/2023 12:00	0.0	
6/22/2021 13:00	0.0		6/22/2022 13:00	0.0		6/22/2023 13:00	0.0	
6/22/2021 14:00	0.0		6/22/2022 14:00	0.0		6/22/2023 14:00	0.0	
6/22/2021 15:00	0.0		6/22/2022 15:00	0.0		6/22/2023 15:00	0.0	
6/22/2021 16:00	0.0		6/22/2022 16:00	0.0		6/22/2023 16:00	0.0	
6/22/2021 17:00	0.0		6/22/2022 17:00	0.0		6/22/2023 17:00	0.0	
6/22/2021 18:00	0.0		6/22/2022 18:00	0.0		6/22/2023 18:00	0.0	
6/22/2021 19:00	0.0		6/22/2022 19:00	0.0		6/22/2023 19:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/22/2021 20:00	0.0		6/22/2022 20:00	0.0		6/22/2023 20:00	0.0	
6/22/2021 21:00	0.0		6/22/2022 21:00	0.0		6/22/2023 21:00	0.0	
6/22/2021 22:00	0.0		6/22/2022 22:00	0.0		6/22/2023 22:00	0.0	
6/22/2021 23:00	0.0	0.0	6/22/2022 23:00	0.0	0.0	6/22/2023 23:00	0.0	0.0
6/23/2021 0:00	0.0		6/23/2022 0:00	0.0		6/23/2023 0:00	0.0	
6/23/2021 1:00	0.0		6/23/2022 1:00	0.0		6/23/2023 1:00	0.0	
6/23/2021 2:00	0.0		6/23/2022 2:00	0.0		6/23/2023 2:00	0.0	
6/23/2021 3:00	0.0		6/23/2022 3:00	0.0		6/23/2023 3:00	0.0	
6/23/2021 4:00	0.0		6/23/2022 4:00	0.0		6/23/2023 4:00	0.0	
6/23/2021 5:00	0.0		6/23/2022 5:00	0.0		6/23/2023 5:00	0.0	
6/23/2021 6:00	0.0		6/23/2022 6:00	0.0		6/23/2023 6:00	0.0	
6/23/2021 7:00	0.0		6/23/2022 7:00	0.0		6/23/2023 7:00	0.0	
6/23/2021 8:00	0.0		6/23/2022 8:00	0.0		6/23/2023 8:00	0.0	
6/23/2021 9:00	0.0		6/23/2022 9:00	0.0		6/23/2023 9:00	0.0	
6/23/2021 10:00	0.0		6/23/2022 10:00	0.0		6/23/2023 10:00	0.0	
6/23/2021 11:00	0.0		6/23/2022 11:00	0.0		6/23/2023 11:00	0.0	
6/23/2021 12:00	0.0		6/23/2022 12:00	0.0		6/23/2023 12:00	0.0	
6/23/2021 13:00	0.0		6/23/2022 13:00	0.0		6/23/2023 13:00	0.0	
6/23/2021 14:00	0.0		6/23/2022 14:00	0.0		6/23/2023 14:00	0.0	
6/23/2021 15:00	0.0		6/23/2022 15:00	0.0		6/23/2023 15:00	0.0	
6/23/2021 16:00	0.0		6/23/2022 16:00	0.0		6/23/2023 16:00	0.0	
6/23/2021 17:00	0.0		6/23/2022 17:00	0.0		6/23/2023 17:00	0.0	
6/23/2021 18:00	0.0		6/23/2022 18:00	0.0		6/23/2023 18:00	0.0	
6/23/2021 19:00	0.0		6/23/2022 19:00	0.0		6/23/2023 19:00	0.0	
6/23/2021 20:00	0.0		6/23/2022 20:00	0.0		6/23/2023 20:00	0.0	
6/23/2021 21:00	0.0		6/23/2022 21:00	0.0		6/23/2023 21:00	0.0	
6/23/2021 22:00	0.0		6/23/2022 22:00	0.0		6/23/2023 22:00	0.0	
6/23/2021 23:00	0.0	0.0	6/23/2022 23:00	0.0	0.0	6/23/2023 23:00	0.0	0.0
6/24/2021 0:00	0.0		6/24/2022 0:00	0.0		6/24/2023 0:00	0.0	
6/24/2021 1:00	0.0		6/24/2022 1:00	0.0		6/24/2023 1:00	0.0	
6/24/2021 2:00	0.0		6/24/2022 2:00	0.0		6/24/2023 2:00	0.0	
6/24/2021 3:00	0.0		6/24/2022 3:00	0.0		6/24/2023 3:00	0.0	
6/24/2021 4:00	0.0		6/24/2022 4:00	0.0		6/24/2023 4:00	0.0	
6/24/2021 5:00	0.0		6/24/2022 5:00	0.0		6/24/2023 5:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/24/2021 6:00	0.0		6/24/2022 6:00	0.0		6/24/2023 6:00	0.0	
6/24/2021 7:00	0.0		6/24/2022 7:00	0.0		6/24/2023 7:00	0.0	
6/24/2021 8:00	0.0		6/24/2022 8:00	0.0		6/24/2023 8:00	0.0	
6/24/2021 9:00	0.0		6/24/2022 9:00	0.0		6/24/2023 9:00	0.0	
6/24/2021 10:00	0.0		6/24/2022 10:00	0.0		6/24/2023 10:00	0.0	
6/24/2021 11:00	0.0		6/24/2022 11:00	0.0		6/24/2023 11:00	0.0	
6/24/2021 12:00	0.0		6/24/2022 12:00	0.0		6/24/2023 12:00	0.0	
6/24/2021 13:00	0.0		6/24/2022 13:00	0.0		6/24/2023 13:00	0.0	
6/24/2021 14:00	0.0		6/24/2022 14:00	0.0		6/24/2023 14:00	0.0	
6/24/2021 15:00	0.0		6/24/2022 15:00	0.0		6/24/2023 15:00	0.0	
6/24/2021 16:00	0.0		6/24/2022 16:00	0.0		6/24/2023 16:00	0.0	
6/24/2021 17:00	0.0		6/24/2022 17:00	0.0		6/24/2023 17:00	0.0	
6/24/2021 18:00	0.0		6/24/2022 18:00	0.0		6/24/2023 18:00	0.0	
6/24/2021 19:00	0.0		6/24/2022 19:00	0.0		6/24/2023 19:00	0.0	
6/24/2021 20:00	0.0		6/24/2022 20:00	0.0		6/24/2023 20:00	0.0	
6/24/2021 21:00	0.0		6/24/2022 21:00	0.0		6/24/2023 21:00	0.0	
6/24/2021 22:00	0.0		6/24/2022 22:00	0.0		6/24/2023 22:00	0.0	
6/24/2021 23:00	0.0	0.0	6/24/2022 23:00	0.0	0.0	6/24/2023 23:00	0.0	0.0
6/25/2021 0:00	0.0		6/25/2022 0:00	0.0		6/25/2023 0:00	0.0	
6/25/2021 1:00	0.0		6/25/2022 1:00	0.0		6/25/2023 1:00	0.0	
6/25/2021 2:00	0.0		6/25/2022 2:00	0.0		6/25/2023 2:00	0.0	
6/25/2021 3:00	0.0		6/25/2022 3:00	0.0		6/25/2023 3:00	0.0	
6/25/2021 4:00	0.0		6/25/2022 4:00	0.0		6/25/2023 4:00	0.0	
6/25/2021 5:00	0.0		6/25/2022 5:00	0.0		6/25/2023 5:00	0.0	
6/25/2021 6:00	0.0		6/25/2022 6:00	0.0		6/25/2023 6:00	0.0	
6/25/2021 7:00	0.0		6/25/2022 7:00	0.0		6/25/2023 7:00	0.0	
6/25/2021 8:00	0.0		6/25/2022 8:00	0.0		6/25/2023 8:00	0.0	
6/25/2021 9:00	0.0		6/25/2022 9:00	0.0		6/25/2023 9:00	0.0	
6/25/2021 10:00	0.0		6/25/2022 10:00	0.0		6/25/2023 10:00	0.0	
6/25/2021 11:00	0.0		6/25/2022 11:00	0.0		6/25/2023 11:00	0.0	
6/25/2021 12:00	0.0		6/25/2022 12:00	0.0		6/25/2023 12:00	0.0	
6/25/2021 13:00	0.0		6/25/2022 13:00	0.0		6/25/2023 13:00	0.0	
6/25/2021 14:00	0.0		6/25/2022 14:00	0.0		6/25/2023 14:00	0.0	
6/25/2021 15:00	0.0		6/25/2022 15:00	0.0		6/25/2023 15:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/25/2021 16:00	0.0		6/25/2022 16:00	0.0		6/25/2023 16:00	0.0	
6/25/2021 17:00	0.0		6/25/2022 17:00	0.0		6/25/2023 17:00	0.0	
6/25/2021 18:00	0.0		6/25/2022 18:00	0.0		6/25/2023 18:00	0.0	
6/25/2021 19:00	0.0		6/25/2022 19:00	0.0		6/25/2023 19:00	0.0	
6/25/2021 20:00	0.0		6/25/2022 20:00	0.0		6/25/2023 20:00	0.0	
6/25/2021 21:00	0.0		6/25/2022 21:00	0.0		6/25/2023 21:00	0.0	
6/25/2021 22:00	0.0		6/25/2022 22:00	0.0		6/25/2023 22:00	0.0	
6/25/2021 23:00	0.0	0.0	6/25/2022 23:00	0.0	0.0	6/25/2023 23:00	0.0	0.0
6/26/2021 0:00	0.0		6/26/2022 0:00	0.0		6/26/2023 0:00	0.0	
6/26/2021 1:00	0.0		6/26/2022 1:00	0.0		6/26/2023 1:00	0.0	
6/26/2021 2:00	0.0		6/26/2022 2:00	0.0		6/26/2023 2:00	0.0	
6/26/2021 3:00	0.0		6/26/2022 3:00	0.0		6/26/2023 3:00	0.0	
6/26/2021 4:00	0.0		6/26/2022 4:00	0.0		6/26/2023 4:00	0.0	
6/26/2021 5:00	0.0		6/26/2022 5:00	0.0		6/26/2023 5:00	0.0	
6/26/2021 6:00	0.0		6/26/2022 6:00	0.0		6/26/2023 6:00	0.0	
6/26/2021 7:00	0.0		6/26/2022 7:00	0.0		6/26/2023 7:00	0.0	
6/26/2021 8:00	0.0		6/26/2022 8:00	0.0		6/26/2023 8:00	0.0	
6/26/2021 9:00	0.0		6/26/2022 9:00	0.0		6/26/2023 9:00	0.0	
6/26/2021 10:00	0.0		6/26/2022 10:00	0.0		6/26/2023 10:00	0.0	
6/26/2021 11:00	0.0		6/26/2022 11:00	0.0		6/26/2023 11:00	0.0	
6/26/2021 12:00	0.0		6/26/2022 12:00	0.0		6/26/2023 12:00	132.9	
6/26/2021 13:00	0.0		6/26/2022 13:00	0.0		6/26/2023 13:00	14.2	
6/26/2021 14:00	0.0		6/26/2022 14:00	0.0		6/26/2023 14:00	1.6	
6/26/2021 15:00	0.0		6/26/2022 15:00	0.0		6/26/2023 15:00	0.0	
6/26/2021 16:00	0.0		6/26/2022 16:00	0.0		6/26/2023 16:00	0.0	
6/26/2021 17:00	0.0		6/26/2022 17:00	0.0		6/26/2023 17:00	0.0	
6/26/2021 18:00	0.0		6/26/2022 18:00	0.0		6/26/2023 18:00	0.0	
6/26/2021 19:00	0.0		6/26/2022 19:00	0.0		6/26/2023 19:00	0.0	
6/26/2021 20:00	0.0		6/26/2022 20:00	0.0		6/26/2023 20:00	0.0	
6/26/2021 21:00	0.0		6/26/2022 21:00	0.0		6/26/2023 21:00	0.0	
6/26/2021 22:00	0.0		6/26/2022 22:00	0.0		6/26/2023 22:00	0.0	
6/26/2021 23:00	0.0	0.0	6/26/2022 23:00	0.0	0.0	6/26/2023 23:00	0.0	132.9
6/27/2021 0:00	0.0		6/27/2022 0:00	0.0		6/27/2023 0:00	0.0	
6/27/2021 1:00	0.0		6/27/2022 1:00	0.0		6/27/2023 1:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/27/2021 2:00	0.0		6/27/2022 2:00	0.0		6/27/2023 2:00	0.0	
6/27/2021 3:00	0.0		6/27/2022 3:00	0.0		6/27/2023 3:00	0.0	
6/27/2021 4:00	0.0		6/27/2022 4:00	0.0		6/27/2023 4:00	0.0	
6/27/2021 5:00	0.0		6/27/2022 5:00	0.0		6/27/2023 5:00	0.0	
6/27/2021 6:00	0.0		6/27/2022 6:00	0.0		6/27/2023 6:00	0.0	
6/27/2021 7:00	0.0		6/27/2022 7:00	0.0		6/27/2023 7:00	0.0	
6/27/2021 8:00	0.0		6/27/2022 8:00	0.0		6/27/2023 8:00	0.0	
6/27/2021 9:00	0.0		6/27/2022 9:00	0.0		6/27/2023 9:00	0.0	
6/27/2021 10:00	0.0		6/27/2022 10:00	0.0		6/27/2023 10:00	0.0	
6/27/2021 11:00	0.0		6/27/2022 11:00	0.0		6/27/2023 11:00	0.0	
6/27/2021 12:00	0.0		6/27/2022 12:00	0.0		6/27/2023 12:00	0.0	
6/27/2021 13:00	0.0		6/27/2022 13:00	0.0		6/27/2023 13:00	0.0	
6/27/2021 14:00	0.0		6/27/2022 14:00	0.0		6/27/2023 14:00	0.0	
6/27/2021 15:00	0.0		6/27/2022 15:00	0.0		6/27/2023 15:00	0.0	
6/27/2021 16:00	0.0		6/27/2022 16:00	0.0		6/27/2023 16:00	0.0	
6/27/2021 17:00	0.0		6/27/2022 17:00	0.0		6/27/2023 17:00	0.0	
6/27/2021 18:00	0.0		6/27/2022 18:00	0.0		6/27/2023 18:00	0.0	
6/27/2021 19:00	0.0		6/27/2022 19:00	0.0		6/27/2023 19:00	0.0	
6/27/2021 20:00	0.0		6/27/2022 20:00	0.0		6/27/2023 20:00	0.0	
6/27/2021 21:00	0.0		6/27/2022 21:00	0.0		6/27/2023 21:00	0.0	
6/27/2021 22:00	0.0		6/27/2022 22:00	0.0		6/27/2023 22:00	0.0	
6/27/2021 23:00	0.0	0.0	6/27/2022 23:00	0.0	0.0	6/27/2023 23:00	0.0	0.0
6/28/2021 0:00	0.0		6/28/2022 0:00	0.0		6/28/2023 0:00	0.0	
6/28/2021 1:00	0.0		6/28/2022 1:00	0.0		6/28/2023 1:00	0.0	
6/28/2021 2:00	0.0		6/28/2022 2:00	0.0		6/28/2023 2:00	0.0	
6/28/2021 3:00	0.0		6/28/2022 3:00	0.0		6/28/2023 3:00	0.0	
6/28/2021 4:00	0.0		6/28/2022 4:00	0.0		6/28/2023 4:00	0.0	
6/28/2021 5:00	0.0		6/28/2022 5:00	0.0		6/28/2023 5:00	0.0	
6/28/2021 6:00	0.0		6/28/2022 6:00	0.0		6/28/2023 6:00	0.0	
6/28/2021 7:00	0.0		6/28/2022 7:00	0.0		6/28/2023 7:00	0.0	
6/28/2021 8:00	0.0		6/28/2022 8:00	0.0		6/28/2023 8:00	0.0	
6/28/2021 9:00	0.0		6/28/2022 9:00	0.0		6/28/2023 9:00	0.0	
6/28/2021 10:00	0.0		6/28/2022 10:00	0.0		6/28/2023 10:00	0.0	
6/28/2021 11:00	0.0		6/28/2022 11:00	0.0		6/28/2023 11:00	20.6	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/28/2021 12:00	0.0		6/28/2022 12:00	0.0		6/28/2023 12:00	0.0	
6/28/2021 13:00	0.0		6/28/2022 13:00	0.0		6/28/2023 13:00	0.0	
6/28/2021 14:00	0.0		6/28/2022 14:00	0.0		6/28/2023 14:00	0.0	
6/28/2021 15:00	0.0		6/28/2022 15:00	0.0		6/28/2023 15:00	0.0	
6/28/2021 16:00	0.0		6/28/2022 16:00	0.0		6/28/2023 16:00	0.0	
6/28/2021 17:00	0.0		6/28/2022 17:00	0.0		6/28/2023 17:00	0.0	
6/28/2021 18:00	0.0		6/28/2022 18:00	0.0		6/28/2023 18:00	0.0	
6/28/2021 19:00	0.0		6/28/2022 19:00	0.0		6/28/2023 19:00	0.0	
6/28/2021 20:00	0.0		6/28/2022 20:00	0.0		6/28/2023 20:00	0.0	
6/28/2021 21:00	0.0		6/28/2022 21:00	0.0		6/28/2023 21:00	0.0	
6/28/2021 22:00	0.0		6/28/2022 22:00	0.0		6/28/2023 22:00	0.0	
6/28/2021 23:00	0.0	0.0	6/28/2022 23:00	0.0	0.0	6/28/2023 23:00	0.0	20.6
6/29/2021 0:00	0.0		6/29/2022 0:00	0.0		6/29/2023 0:00	0.0	
6/29/2021 1:00	0.0		6/29/2022 1:00	0.0		6/29/2023 1:00	0.0	
6/29/2021 2:00	0.0		6/29/2022 2:00	0.0		6/29/2023 2:00	0.0	
6/29/2021 3:00	0.0		6/29/2022 3:00	0.0		6/29/2023 3:00	0.0	
6/29/2021 4:00	0.0		6/29/2022 4:00	0.0		6/29/2023 4:00	0.0	
6/29/2021 5:00	0.0		6/29/2022 5:00	0.0		6/29/2023 5:00	0.0	
6/29/2021 6:00	0.0		6/29/2022 6:00	0.0		6/29/2023 6:00	0.0	
6/29/2021 7:00	0.0		6/29/2022 7:00	0.0		6/29/2023 7:00	0.0	
6/29/2021 8:00	0.0		6/29/2022 8:00	0.0		6/29/2023 8:00	0.0	
6/29/2021 9:00	0.0		6/29/2022 9:00	0.0		6/29/2023 9:00	0.0	
6/29/2021 10:00	0.0		6/29/2022 10:00	0.0		6/29/2023 10:00	0.0	
6/29/2021 11:00	0.0		6/29/2022 11:00	0.0		6/29/2023 11:00	0.0	
6/29/2021 12:00	0.0		6/29/2022 12:00	0.0		6/29/2023 12:00	0.0	
6/29/2021 13:00	0.0		6/29/2022 13:00	0.0		6/29/2023 13:00	0.0	
6/29/2021 14:00	0.0		6/29/2022 14:00	0.0		6/29/2023 14:00	0.0	
6/29/2021 15:00	0.0		6/29/2022 15:00	0.0		6/29/2023 15:00	0.0	
6/29/2021 16:00	0.0		6/29/2022 16:00	0.0		6/29/2023 16:00	0.0	
6/29/2021 17:00	0.0		6/29/2022 17:00	0.0		6/29/2023 17:00	0.0	
6/29/2021 18:00	0.0		6/29/2022 18:00	0.0		6/29/2023 18:00	0.0	
6/29/2021 19:00	0.0		6/29/2022 19:00	0.0		6/29/2023 19:00	0.0	
6/29/2021 20:00	0.0		6/29/2022 20:00	0.0		6/29/2023 20:00	0.0	
6/29/2021 21:00	0.0		6/29/2022 21:00	0.0		6/29/2023 21:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
6/29/2021 22:00	0.0		6/29/2022 22:00	0.0		6/29/2023 22:00	0.0	
6/29/2021 23:00	0.0	0.0	6/29/2022 23:00	0.0	0.0	6/29/2023 23:00	0.0	0.0
6/30/2021 0:00	0.0		6/30/2022 0:00	0.0		6/30/2023 0:00	0.0	
6/30/2021 1:00	0.0		6/30/2022 1:00	0.0		6/30/2023 1:00	0.0	
6/30/2021 2:00	0.0		6/30/2022 2:00	0.0		6/30/2023 2:00	0.0	
6/30/2021 3:00	0.0		6/30/2022 3:00	0.0		6/30/2023 3:00	0.0	
6/30/2021 4:00	0.0		6/30/2022 4:00	0.0		6/30/2023 4:00	0.0	
6/30/2021 5:00	0.0		6/30/2022 5:00	0.0		6/30/2023 5:00	0.0	
6/30/2021 6:00	0.0		6/30/2022 6:00	0.0		6/30/2023 6:00	0.0	
6/30/2021 7:00	0.0		6/30/2022 7:00	0.0		6/30/2023 7:00	0.0	
6/30/2021 8:00	0.0		6/30/2022 8:00	0.0		6/30/2023 8:00	0.0	
6/30/2021 9:00	0.0		6/30/2022 9:00	0.0		6/30/2023 9:00	0.0	
6/30/2021 10:00	0.0		6/30/2022 10:00	0.0		6/30/2023 10:00	0.0	
6/30/2021 11:00	0.0		6/30/2022 11:00	0.0		6/30/2023 11:00	0.0	
6/30/2021 12:00	0.0		6/30/2022 12:00	0.0		6/30/2023 12:00	0.0	
6/30/2021 13:00	0.0		6/30/2022 13:00	0.0		6/30/2023 13:00	0.0	
6/30/2021 14:00	0.0		6/30/2022 14:00	0.0		6/30/2023 14:00	0.0	
6/30/2021 15:00	0.0		6/30/2022 15:00	0.0		6/30/2023 15:00	0.0	
6/30/2021 16:00	0.0		6/30/2022 16:00	0.0		6/30/2023 16:00	0.0	
6/30/2021 17:00	0.0		6/30/2022 17:00	0.0		6/30/2023 17:00	0.0	
6/30/2021 18:00	68.3		6/30/2022 18:00	0.0		6/30/2023 18:00	0.0	
6/30/2021 19:00	705.1		6/30/2022 19:00	0.0		6/30/2023 19:00	0.0	
6/30/2021 20:00	366.8		6/30/2022 20:00	0.0		6/30/2023 20:00	0.0	
6/30/2021 21:00	17.8		6/30/2022 21:00	0.0		6/30/2023 21:00	0.0	
6/30/2021 22:00	2.3		6/30/2022 22:00	0.0		6/30/2023 22:00	0.0	
6/30/2021 23:00	2.3	705.1	6/30/2022 23:00	0.0	0.0	6/30/2023 23:00	0.0	0.0
7/1/2021 0:00	0.0		7/1/2022 0:00	0.0		7/1/2023 0:00	0.0	
7/1/2021 1:00	0.0		7/1/2022 1:00	0.0		7/1/2023 1:00	0.0	
7/1/2021 2:00	0.0		7/1/2022 2:00	0.0		7/1/2023 2:00	0.0	
7/1/2021 3:00	0.0		7/1/2022 3:00	0.0		7/1/2023 3:00	0.0	
7/1/2021 4:00	0.0		7/1/2022 4:00	0.0		7/1/2023 4:00	0.0	
7/1/2021 5:00	0.0		7/1/2022 5:00	0.0		7/1/2023 5:00	0.0	
7/1/2021 6:00	0.0		7/1/2022 6:00	0.0		7/1/2023 6:00	0.0	
7/1/2021 7:00	0.0		7/1/2022 7:00	0.0		7/1/2023 7:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/1/2021 8:00	0.0		7/1/2022 8:00	0.0		7/1/2023 8:00	0.0	
7/1/2021 9:00	0.0		7/1/2022 9:00	0.0		7/1/2023 9:00	0.0	
7/1/2021 10:00	0.0		7/1/2022 10:00	0.0		7/1/2023 10:00	0.0	
7/1/2021 11:00	0.0		7/1/2022 11:00	0.0		7/1/2023 11:00	0.0	
7/1/2021 12:00	0.0		7/1/2022 12:00	0.0		7/1/2023 12:00	0.0	
7/1/2021 13:00	0.0		7/1/2022 13:00	0.0		7/1/2023 13:00	0.0	
7/1/2021 14:00	0.0		7/1/2022 14:00	0.0		7/1/2023 14:00	0.0	
7/1/2021 15:00	0.0		7/1/2022 15:00	0.0		7/1/2023 15:00	0.0	
7/1/2021 16:00	0.0		7/1/2022 16:00	0.0		7/1/2023 16:00	0.0	
7/1/2021 17:00	0.0		7/1/2022 17:00	0.0		7/1/2023 17:00	0.0	
7/1/2021 18:00	0.0		7/1/2022 18:00	0.0		7/1/2023 18:00	0.0	
7/1/2021 19:00	0.0		7/1/2022 19:00	0.0		7/1/2023 19:00	0.0	
7/1/2021 20:00	0.0		7/1/2022 20:00	0.0		7/1/2023 20:00	0.0	
7/1/2021 21:00	0.0		7/1/2022 21:00	0.0		7/1/2023 21:00	0.0	
7/1/2021 22:00	0.0		7/1/2022 22:00	0.0		7/1/2023 22:00	0.0	
7/1/2021 23:00	0.0	0.0	7/1/2022 23:00	0.0	0.0	7/1/2023 23:00	0.0	0.0
7/2/2021 0:00	0.0		7/2/2022 0:00	0.0		7/2/2023 0:00	0.0	
7/2/2021 1:00	0.0		7/2/2022 1:00	0.0		7/2/2023 1:00	0.0	
7/2/2021 2:00	0.0		7/2/2022 2:00	0.0		7/2/2023 2:00	0.0	
7/2/2021 3:00	0.0		7/2/2022 3:00	0.0		7/2/2023 3:00	0.0	
7/2/2021 4:00	0.0		7/2/2022 4:00	0.0		7/2/2023 4:00	0.0	
7/2/2021 5:00	0.0		7/2/2022 5:00	0.0		7/2/2023 5:00	0.0	
7/2/2021 6:00	0.0		7/2/2022 6:00	0.0		7/2/2023 6:00	0.0	
7/2/2021 7:00	0.0		7/2/2022 7:00	0.0		7/2/2023 7:00	0.0	
7/2/2021 8:00	0.0		7/2/2022 8:00	0.0		7/2/2023 8:00	0.0	
7/2/2021 9:00	0.0		7/2/2022 9:00	0.0		7/2/2023 9:00	0.0	
7/2/2021 10:00	0.0		7/2/2022 10:00	0.0		7/2/2023 10:00	0.0	
7/2/2021 11:00	0.0		7/2/2022 11:00	0.0		7/2/2023 11:00	0.0	
7/2/2021 12:00	0.0		7/2/2022 12:00	0.0		7/2/2023 12:00	0.0	
7/2/2021 13:00	0.0		7/2/2022 13:00	0.0		7/2/2023 13:00	0.0	
7/2/2021 14:00	0.0		7/2/2022 14:00	0.0		7/2/2023 14:00	0.0	
7/2/2021 15:00	0.0		7/2/2022 15:00	0.0		7/2/2023 15:00	0.0	
7/2/2021 16:00	0.0		7/2/2022 16:00	0.0		7/2/2023 16:00	0.0	
7/2/2021 17:00	0.0		7/2/2022 17:00	0.0		7/2/2023 17:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/2/2021 18:00	0.0		7/2/2022 18:00	0.0		7/2/2023 18:00	0.0	
7/2/2021 19:00	0.0		7/2/2022 19:00	0.0		7/2/2023 19:00	0.0	
7/2/2021 20:00	0.0		7/2/2022 20:00	0.0		7/2/2023 20:00	0.0	
7/2/2021 21:00	0.0		7/2/2022 21:00	0.0		7/2/2023 21:00	0.0	
7/2/2021 22:00	0.0		7/2/2022 22:00	0.0		7/2/2023 22:00	0.0	
7/2/2021 23:00	0.0	0.0	7/2/2022 23:00	0.0	0.0	7/2/2023 23:00	0.0	0.0
7/3/2021 0:00	0.0		7/3/2022 0:00	0.0		7/3/2023 0:00	0.0	
7/3/2021 1:00	0.0		7/3/2022 1:00	0.0		7/3/2023 1:00	0.0	
7/3/2021 2:00	0.0		7/3/2022 2:00	0.0		7/3/2023 2:00	0.0	
7/3/2021 3:00	0.0		7/3/2022 3:00	0.0		7/3/2023 3:00	0.0	
7/3/2021 4:00	0.0		7/3/2022 4:00	0.0		7/3/2023 4:00	0.0	
7/3/2021 5:00	0.0		7/3/2022 5:00	0.0		7/3/2023 5:00	0.0	
7/3/2021 6:00	0.0		7/3/2022 6:00	0.0		7/3/2023 6:00	0.0	
7/3/2021 7:00	0.0		7/3/2022 7:00	0.0		7/3/2023 7:00	0.0	
7/3/2021 8:00	0.0		7/3/2022 8:00	0.0		7/3/2023 8:00	0.0	
7/3/2021 9:00	0.0		7/3/2022 9:00	0.0		7/3/2023 9:00	0.0	
7/3/2021 10:00	0.0		7/3/2022 10:00	0.0		7/3/2023 10:00	0.0	
7/3/2021 11:00	0.0		7/3/2022 11:00	0.0		7/3/2023 11:00	0.0	
7/3/2021 12:00	0.0		7/3/2022 12:00	0.0		7/3/2023 12:00	0.0	
7/3/2021 13:00	0.0		7/3/2022 13:00	0.0		7/3/2023 13:00	0.0	
7/3/2021 14:00	0.0		7/3/2022 14:00	0.0		7/3/2023 14:00	0.0	
7/3/2021 15:00	0.0		7/3/2022 15:00	0.0		7/3/2023 15:00	0.0	
7/3/2021 16:00	0.0		7/3/2022 16:00	0.0		7/3/2023 16:00	0.0	
7/3/2021 17:00	0.0		7/3/2022 17:00	0.0		7/3/2023 17:00	0.0	
7/3/2021 18:00	0.0		7/3/2022 18:00	0.0		7/3/2023 18:00	0.0	
7/3/2021 19:00	0.0		7/3/2022 19:00	0.0		7/3/2023 19:00	0.0	
7/3/2021 20:00	0.0		7/3/2022 20:00	0.0		7/3/2023 20:00	0.0	
7/3/2021 21:00	0.0		7/3/2022 21:00	0.0		7/3/2023 21:00	0.0	
7/3/2021 22:00	0.0		7/3/2022 22:00	0.0		7/3/2023 22:00	0.0	
7/3/2021 23:00	0.0	0.0	7/3/2022 23:00	0.0	0.0	7/3/2023 23:00	0.0	0.0
7/4/2021 0:00	0.0		7/4/2022 0:00	0.0		7/4/2023 0:00	0.0	
7/4/2021 1:00	0.0		7/4/2022 1:00	0.0		7/4/2023 1:00	0.0	
7/4/2021 2:00	0.0		7/4/2022 2:00	0.0		7/4/2023 2:00	0.0	
7/4/2021 3:00	0.0		7/4/2022 3:00	0.0		7/4/2023 3:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/4/2021 4:00	0.0		7/4/2022 4:00	0.0		7/4/2023 4:00	0.0	
7/4/2021 5:00	0.0		7/4/2022 5:00	0.0		7/4/2023 5:00	0.0	
7/4/2021 6:00	0.0		7/4/2022 6:00	0.0		7/4/2023 6:00	0.0	
7/4/2021 7:00	0.0		7/4/2022 7:00	0.0		7/4/2023 7:00	0.0	
7/4/2021 8:00	0.0		7/4/2022 8:00	0.0		7/4/2023 8:00	0.0	
7/4/2021 9:00	0.0		7/4/2022 9:00	0.0		7/4/2023 9:00	0.0	
7/4/2021 10:00	0.0		7/4/2022 10:00	0.0		7/4/2023 10:00	0.0	
7/4/2021 11:00	0.0		7/4/2022 11:00	0.0		7/4/2023 11:00	0.0	
7/4/2021 12:00	0.0		7/4/2022 12:00	0.0		7/4/2023 12:00	0.0	
7/4/2021 13:00	0.0		7/4/2022 13:00	0.0		7/4/2023 13:00	0.0	
7/4/2021 14:00	0.0		7/4/2022 14:00	0.0		7/4/2023 14:00	0.0	
7/4/2021 15:00	0.0		7/4/2022 15:00	0.0		7/4/2023 15:00	0.0	
7/4/2021 16:00	0.0		7/4/2022 16:00	0.0		7/4/2023 16:00	0.0	
7/4/2021 17:00	0.0		7/4/2022 17:00	0.0		7/4/2023 17:00	0.0	
7/4/2021 18:00	0.0		7/4/2022 18:00	0.0		7/4/2023 18:00	0.0	
7/4/2021 19:00	0.0		7/4/2022 19:00	0.0		7/4/2023 19:00	0.0	
7/4/2021 20:00	0.0		7/4/2022 20:00	0.0		7/4/2023 20:00	0.0	
7/4/2021 21:00	0.0		7/4/2022 21:00	0.0		7/4/2023 21:00	0.0	
7/4/2021 22:00	0.0		7/4/2022 22:00	0.0		7/4/2023 22:00	0.0	
7/4/2021 23:00	0.0	0.0	7/4/2022 23:00	0.0	0.0	7/4/2023 23:00	0.0	0.0
7/5/2021 0:00	0.0		7/5/2022 0:00	0.0		7/5/2023 0:00	0.0	
7/5/2021 1:00	0.0		7/5/2022 1:00	0.0		7/5/2023 1:00	0.0	
7/5/2021 2:00	0.0		7/5/2022 2:00	0.0		7/5/2023 2:00	0.0	
7/5/2021 3:00	0.0		7/5/2022 3:00	0.0		7/5/2023 3:00	0.0	
7/5/2021 4:00	0.0		7/5/2022 4:00	0.0		7/5/2023 4:00	0.0	
7/5/2021 5:00	0.0		7/5/2022 5:00	0.0		7/5/2023 5:00	0.0	
7/5/2021 6:00	0.0		7/5/2022 6:00	0.0		7/5/2023 6:00	0.0	
7/5/2021 7:00	0.0		7/5/2022 7:00	0.0		7/5/2023 7:00	0.0	
7/5/2021 8:00	0.0		7/5/2022 8:00	0.0		7/5/2023 8:00	0.0	
7/5/2021 9:00	0.0		7/5/2022 9:00	0.0		7/5/2023 9:00	0.0	
7/5/2021 10:00	0.0		7/5/2022 10:00	0.0		7/5/2023 10:00	0.0	
7/5/2021 11:00	0.0		7/5/2022 11:00	0.0		7/5/2023 11:00	0.0	
7/5/2021 12:00	0.0		7/5/2022 12:00	0.0		7/5/2023 12:00	0.0	
7/5/2021 13:00	0.0		7/5/2022 13:00	0.0		7/5/2023 13:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/5/2021 14:00	0.0		7/5/2022 14:00	0.0		7/5/2023 14:00	0.0	
7/5/2021 15:00	0.0		7/5/2022 15:00	0.0		7/5/2023 15:00	0.0	
7/5/2021 16:00	0.0		7/5/2022 16:00	0.0		7/5/2023 16:00	0.0	
7/5/2021 17:00	0.0		7/5/2022 17:00	0.0		7/5/2023 17:00	0.0	
7/5/2021 18:00	0.0		7/5/2022 18:00	0.0		7/5/2023 18:00	0.0	
7/5/2021 19:00	0.0		7/5/2022 19:00	0.0		7/5/2023 19:00	0.0	
7/5/2021 20:00	0.0		7/5/2022 20:00	0.0		7/5/2023 20:00	0.0	
7/5/2021 21:00	0.0		7/5/2022 21:00	0.0		7/5/2023 21:00	0.0	
7/5/2021 22:00	0.0		7/5/2022 22:00	0.0		7/5/2023 22:00	0.0	
7/5/2021 23:00	0.0	0.0	7/5/2022 23:00	0.0	0.0	7/5/2023 23:00	0.0	0.0
7/6/2021 0:00	0.0		7/6/2022 0:00	0.0		7/6/2023 0:00	0.0	
7/6/2021 1:00	0.0		7/6/2022 1:00	0.0		7/6/2023 1:00	0.0	
7/6/2021 2:00	0.0		7/6/2022 2:00	0.0		7/6/2023 2:00	0.0	
7/6/2021 3:00	0.0		7/6/2022 3:00	0.0		7/6/2023 3:00	0.0	
7/6/2021 4:00	0.0		7/6/2022 4:00	0.0		7/6/2023 4:00	0.0	
7/6/2021 5:00	0.0		7/6/2022 5:00	0.0		7/6/2023 5:00	0.0	
7/6/2021 6:00	0.0		7/6/2022 6:00	0.0		7/6/2023 6:00	0.0	
7/6/2021 7:00	0.0		7/6/2022 7:00	0.0		7/6/2023 7:00	0.0	
7/6/2021 8:00	0.0		7/6/2022 8:00	0.0		7/6/2023 8:00	0.0	
7/6/2021 9:00	0.0		7/6/2022 9:00	0.0		7/6/2023 9:00	0.0	
7/6/2021 10:00	0.0		7/6/2022 10:00	0.0		7/6/2023 10:00	0.0	
7/6/2021 11:00	0.0		7/6/2022 11:00	0.0		7/6/2023 11:00	0.0	
7/6/2021 12:00	0.0		7/6/2022 12:00	0.0		7/6/2023 12:00	0.0	
7/6/2021 13:00	0.0		7/6/2022 13:00	0.0		7/6/2023 13:00	0.0	
7/6/2021 14:00	0.0		7/6/2022 14:00	0.0		7/6/2023 14:00	0.0	
7/6/2021 15:00	0.0		7/6/2022 15:00	0.0		7/6/2023 15:00	0.0	
7/6/2021 16:00	0.0		7/6/2022 16:00	0.0		7/6/2023 16:00	0.0	
7/6/2021 17:00	0.0		7/6/2022 17:00	0.0		7/6/2023 17:00	0.0	
7/6/2021 18:00	0.0		7/6/2022 18:00	0.0		7/6/2023 18:00	0.0	
7/6/2021 19:00	0.0		7/6/2022 19:00	0.0		7/6/2023 19:00	0.0	
7/6/2021 20:00	0.0		7/6/2022 20:00	0.0		7/6/2023 20:00	0.0	
7/6/2021 21:00	0.0		7/6/2022 21:00	0.0		7/6/2023 21:00	0.0	
7/6/2021 22:00	0.0		7/6/2022 22:00	0.0		7/6/2023 22:00	0.0	
7/6/2021 23:00	0.0	0.0	7/6/2022 23:00	0.0	0.0	7/6/2023 23:00	0.0	0.0

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/7/2021 0:00	0.0		7/7/2022 0:00	0.0		7/7/2023 0:00	0.0	
7/7/2021 1:00	0.0		7/7/2022 1:00	0.0		7/7/2023 1:00	0.0	
7/7/2021 2:00	0.0		7/7/2022 2:00	0.0		7/7/2023 2:00	0.0	
7/7/2021 3:00	0.0		7/7/2022 3:00	0.0		7/7/2023 3:00	0.0	
7/7/2021 4:00	0.0		7/7/2022 4:00	0.0		7/7/2023 4:00	0.0	
7/7/2021 5:00	0.0		7/7/2022 5:00	0.0		7/7/2023 5:00	0.0	
7/7/2021 6:00	0.0		7/7/2022 6:00	0.0		7/7/2023 6:00	0.0	
7/7/2021 7:00	0.0		7/7/2022 7:00	0.0		7/7/2023 7:00	0.0	
7/7/2021 8:00	0.0		7/7/2022 8:00	0.0		7/7/2023 8:00	0.0	
7/7/2021 9:00	0.0		7/7/2022 9:00	0.0		7/7/2023 9:00	0.0	
7/7/2021 10:00	0.0		7/7/2022 10:00	0.0		7/7/2023 10:00	0.0	
7/7/2021 11:00	0.0		7/7/2022 11:00	0.0		7/7/2023 11:00	0.0	
7/7/2021 12:00	0.0		7/7/2022 12:00	0.0		7/7/2023 12:00	0.0	
7/7/2021 13:00	0.0		7/7/2022 13:00	0.0		7/7/2023 13:00	0.0	
7/7/2021 14:00	0.0		7/7/2022 14:00	0.0		7/7/2023 14:00	0.0	
7/7/2021 15:00	0.0		7/7/2022 15:00	0.0		7/7/2023 15:00	0.0	
7/7/2021 16:00	0.0		7/7/2022 16:00	0.0		7/7/2023 16:00	0.0	
7/7/2021 17:00	0.0		7/7/2022 17:00	0.0		7/7/2023 17:00	0.0	
7/7/2021 18:00	0.0		7/7/2022 18:00	0.0		7/7/2023 18:00	0.0	
7/7/2021 19:00	0.0		7/7/2022 19:00	0.0		7/7/2023 19:00	0.0	
7/7/2021 20:00	0.0		7/7/2022 20:00	0.0		7/7/2023 20:00	0.0	
7/7/2021 21:00	0.0		7/7/2022 21:00	0.0		7/7/2023 21:00	0.0	
7/7/2021 22:00	0.0		7/7/2022 22:00	0.0		7/7/2023 22:00	0.0	
7/7/2021 23:00	0.0	0.0	7/7/2022 23:00	0.0	0.0	7/7/2023 23:00	0.0	0.0
7/8/2021 0:00	0.0		7/8/2022 0:00	0.0		7/8/2023 0:00	0.0	
7/8/2021 1:00	0.0		7/8/2022 1:00	0.0		7/8/2023 1:00	0.0	
7/8/2021 2:00	0.0		7/8/2022 2:00	0.0		7/8/2023 2:00	0.0	
7/8/2021 3:00	0.0		7/8/2022 3:00	0.0		7/8/2023 3:00	0.0	
7/8/2021 4:00	0.0		7/8/2022 4:00	0.0		7/8/2023 4:00	0.0	
7/8/2021 5:00	0.0		7/8/2022 5:00	0.0		7/8/2023 5:00	0.0	
7/8/2021 6:00	0.0		7/8/2022 6:00	0.0		7/8/2023 6:00	0.0	
7/8/2021 7:00	0.0		7/8/2022 7:00	0.0		7/8/2023 7:00	0.0	
7/8/2021 8:00	0.0		7/8/2022 8:00	281.2		7/8/2023 8:00	0.0	
7/8/2021 9:00	0.0		7/8/2022 9:00	855.7		7/8/2023 9:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/8/2021 10:00	0.0		7/8/2022 10:00	0.0		7/8/2023 10:00	0.0	
7/8/2021 11:00	0.0		7/8/2022 11:00	0.0		7/8/2023 11:00	0.0	
7/8/2021 12:00	0.0		7/8/2022 12:00	0.0		7/8/2023 12:00	0.0	
7/8/2021 13:00	0.0		7/8/2022 13:00	0.0		7/8/2023 13:00	0.0	
7/8/2021 14:00	0.0		7/8/2022 14:00	0.0		7/8/2023 14:00	0.0	
7/8/2021 15:00	0.0		7/8/2022 15:00	0.0		7/8/2023 15:00	0.0	
7/8/2021 16:00	0.0		7/8/2022 16:00	0.0		7/8/2023 16:00	0.0	
7/8/2021 17:00	0.0		7/8/2022 17:00	0.0		7/8/2023 17:00	0.0	
7/8/2021 18:00	0.0		7/8/2022 18:00	0.0		7/8/2023 18:00	0.0	
7/8/2021 19:00	0.0		7/8/2022 19:00	0.0		7/8/2023 19:00	0.0	
7/8/2021 20:00	0.0		7/8/2022 20:00	0.0		7/8/2023 20:00	0.0	
7/8/2021 21:00	0.0		7/8/2022 21:00	0.0		7/8/2023 21:00	0.0	
7/8/2021 22:00	0.0		7/8/2022 22:00	0.0		7/8/2023 22:00	0.0	
7/8/2021 23:00	0.0	0.0	7/8/2022 23:00	0.0	855.7	7/8/2023 23:00	0.0	0.0
7/9/2021 0:00	0.0		7/9/2022 0:00	0.0		7/9/2023 0:00	0.0	
7/9/2021 1:00	0.0		7/9/2022 1:00	0.0		7/9/2023 1:00	0.0	
7/9/2021 2:00	0.0		7/9/2022 2:00	0.0		7/9/2023 2:00	0.0	
7/9/2021 3:00	0.0		7/9/2022 3:00	0.0		7/9/2023 3:00	607.4	
7/9/2021 4:00	0.0		7/9/2022 4:00	0.0		7/9/2023 4:00	169.9	
7/9/2021 5:00	0.0		7/9/2022 5:00	0.0		7/9/2023 5:00	119.1	
7/9/2021 6:00	0.0		7/9/2022 6:00	0.0		7/9/2023 6:00	642.0	
7/9/2021 7:00	0.0		7/9/2022 7:00	0.0		7/9/2023 7:00	0.0	
7/9/2021 8:00	0.0		7/9/2022 8:00	0.0		7/9/2023 8:00	0.0	
7/9/2021 9:00	0.0		7/9/2022 9:00	0.0		7/9/2023 9:00	0.0	
7/9/2021 10:00	0.0		7/9/2022 10:00	0.0		7/9/2023 10:00	0.0	
7/9/2021 11:00	0.0		7/9/2022 11:00	0.0		7/9/2023 11:00	0.0	
7/9/2021 12:00	0.0		7/9/2022 12:00	0.0		7/9/2023 12:00	0.0	
7/9/2021 13:00	0.0		7/9/2022 13:00	0.0		7/9/2023 13:00	0.0	
7/9/2021 14:00	0.0		7/9/2022 14:00	0.0		7/9/2023 14:00	0.0	
7/9/2021 15:00	0.0		7/9/2022 15:00	0.0		7/9/2023 15:00	0.0	
7/9/2021 16:00	0.0		7/9/2022 16:00	0.0		7/9/2023 16:00	0.0	
7/9/2021 17:00	0.0		7/9/2022 17:00	0.0		7/9/2023 17:00	0.0	
7/9/2021 18:00	0.0		7/9/2022 18:00	0.0		7/9/2023 18:00	0.0	
7/9/2021 19:00	0.0		7/9/2022 19:00	0.0		7/9/2023 19:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/9/2021 20:00	0.0		7/9/2022 20:00	0.0		7/9/2023 20:00	0.0	
7/9/2021 21:00	0.0		7/9/2022 21:00	0.0		7/9/2023 21:00	0.0	
7/9/2021 22:00	0.0		7/9/2022 22:00	0.0		7/9/2023 22:00	0.0	
7/9/2021 23:00	0.0	0.0	7/9/2022 23:00	0.0	0.0	7/9/2023 23:00	0.0	642.0
7/10/2021 0:00	0.0		7/10/2022 0:00	0.0		7/10/2023 0:00	0.0	
7/10/2021 1:00	0.0		7/10/2022 1:00	0.0		7/10/2023 1:00	0.0	
7/10/2021 2:00	0.0		7/10/2022 2:00	0.0		7/10/2023 2:00	0.0	
7/10/2021 3:00	0.0		7/10/2022 3:00	0.0		7/10/2023 3:00	0.0	
7/10/2021 4:00	0.0		7/10/2022 4:00	0.0		7/10/2023 4:00	0.0	
7/10/2021 5:00	0.0		7/10/2022 5:00	0.0		7/10/2023 5:00	0.0	
7/10/2021 6:00	0.0		7/10/2022 6:00	0.0		7/10/2023 6:00	0.0	
7/10/2021 7:00	0.0		7/10/2022 7:00	0.0		7/10/2023 7:00	0.0	
7/10/2021 8:00	0.0		7/10/2022 8:00	0.0		7/10/2023 8:00	3.7	
7/10/2021 9:00	0.0		7/10/2022 9:00	0.0		7/10/2023 9:00	0.0	
7/10/2021 10:00	0.0		7/10/2022 10:00	0.0		7/10/2023 10:00	0.0	
7/10/2021 11:00	0.0		7/10/2022 11:00	0.0		7/10/2023 11:00	0.0	
7/10/2021 12:00	0.0		7/10/2022 12:00	0.0		7/10/2023 12:00	0.0	
7/10/2021 13:00	0.0		7/10/2022 13:00	0.0		7/10/2023 13:00	0.0	
7/10/2021 14:00	0.0		7/10/2022 14:00	0.0		7/10/2023 14:00	0.0	
7/10/2021 15:00	0.0		7/10/2022 15:00	0.0		7/10/2023 15:00	0.0	
7/10/2021 16:00	0.0		7/10/2022 16:00	0.0		7/10/2023 16:00	0.0	
7/10/2021 17:00	0.0		7/10/2022 17:00	0.0		7/10/2023 17:00	0.0	
7/10/2021 18:00	0.0		7/10/2022 18:00	0.0		7/10/2023 18:00	0.0	
7/10/2021 19:00	0.0		7/10/2022 19:00	0.0		7/10/2023 19:00	0.0	
7/10/2021 20:00	0.0		7/10/2022 20:00	0.0		7/10/2023 20:00	0.0	
7/10/2021 21:00	0.0		7/10/2022 21:00	40.4		7/10/2023 21:00	0.0	
7/10/2021 22:00	0.0		7/10/2022 22:00	71.6		7/10/2023 22:00	0.0	
7/10/2021 23:00	0.0	0.0	7/10/2022 23:00	25.9	71.6	7/10/2023 23:00	0.0	3.7
7/11/2021 0:00	0.0		7/11/2022 0:00	25.9		7/11/2023 0:00	0.0	
7/11/2021 1:00	0.0		7/11/2022 1:00	25.1		7/11/2023 1:00	0.0	
7/11/2021 2:00	0.0		7/11/2022 2:00	9.0		7/11/2023 2:00	0.0	
7/11/2021 3:00	0.0		7/11/2022 3:00	0.0		7/11/2023 3:00	0.0	
7/11/2021 4:00	0.0		7/11/2022 4:00	0.0		7/11/2023 4:00	0.0	
7/11/2021 5:00	0.0		7/11/2022 5:00	0.0		7/11/2023 5:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/11/2021 6:00	0.0		7/11/2022 6:00	0.0		7/11/2023 6:00	0.0	
7/11/2021 7:00	0.0		7/11/2022 7:00	0.0		7/11/2023 7:00	0.0	
7/11/2021 8:00	0.0		7/11/2022 8:00	0.0		7/11/2023 8:00	0.0	
7/11/2021 9:00	0.0		7/11/2022 9:00	0.0		7/11/2023 9:00	0.0	
7/11/2021 10:00	0.0		7/11/2022 10:00	0.0		7/11/2023 10:00	0.0	
7/11/2021 11:00	0.0		7/11/2022 11:00	0.0		7/11/2023 11:00	0.0	
7/11/2021 12:00	0.0		7/11/2022 12:00	0.0		7/11/2023 12:00	0.0	
7/11/2021 13:00	0.0		7/11/2022 13:00	0.0		7/11/2023 13:00	0.0	
7/11/2021 14:00	0.0		7/11/2022 14:00	0.0		7/11/2023 14:00	0.0	
7/11/2021 15:00	0.0		7/11/2022 15:00	0.0		7/11/2023 15:00	0.0	
7/11/2021 16:00	0.0		7/11/2022 16:00	0.0		7/11/2023 16:00	0.0	
7/11/2021 17:00	0.0		7/11/2022 17:00	0.0		7/11/2023 17:00	0.0	
7/11/2021 18:00	0.0		7/11/2022 18:00	0.0		7/11/2023 18:00	0.0	
7/11/2021 19:00	0.0		7/11/2022 19:00	0.0		7/11/2023 19:00	0.0	
7/11/2021 20:00	0.0		7/11/2022 20:00	0.0		7/11/2023 20:00	0.0	
7/11/2021 21:00	0.0		7/11/2022 21:00	0.0		7/11/2023 21:00	0.0	
7/11/2021 22:00	0.0		7/11/2022 22:00	0.0		7/11/2023 22:00	0.0	
7/11/2021 23:00	0.0	0.0	7/11/2022 23:00	0.0	25.9	7/11/2023 23:00	0.0	0.0
7/12/2021 0:00	0.0		7/12/2022 0:00	0.0		7/12/2023 0:00	0.0	
7/12/2021 1:00	0.0		7/12/2022 1:00	0.0		7/12/2023 1:00	0.0	
7/12/2021 2:00	0.0		7/12/2022 2:00	0.0		7/12/2023 2:00	0.0	
7/12/2021 3:00	0.0		7/12/2022 3:00	0.0		7/12/2023 3:00	0.0	
7/12/2021 4:00	0.0		7/12/2022 4:00	0.0		7/12/2023 4:00	0.0	
7/12/2021 5:00	0.0		7/12/2022 5:00	0.0		7/12/2023 5:00	0.0	
7/12/2021 6:00	0.0		7/12/2022 6:00	0.0		7/12/2023 6:00	0.0	
7/12/2021 7:00	0.0		7/12/2022 7:00	0.0		7/12/2023 7:00	0.0	
7/12/2021 8:00	0.0		7/12/2022 8:00	0.0		7/12/2023 8:00	0.0	
7/12/2021 9:00	0.0		7/12/2022 9:00	0.0		7/12/2023 9:00	0.0	
7/12/2021 10:00	0.0		7/12/2022 10:00	0.0		7/12/2023 10:00	0.0	
7/12/2021 11:00	0.0		7/12/2022 11:00	0.0		7/12/2023 11:00	0.0	
7/12/2021 12:00	0.0		7/12/2022 12:00	0.0		7/12/2023 12:00	0.0	
7/12/2021 13:00	0.0		7/12/2022 13:00	0.0		7/12/2023 13:00	0.0	
7/12/2021 14:00	0.0		7/12/2022 14:00	4.3		7/12/2023 14:00	0.0	
7/12/2021 15:00	0.0		7/12/2022 15:00	0.0		7/12/2023 15:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/12/2021 16:00	0.0		7/12/2022 16:00	0.0		7/12/2023 16:00	0.0	
7/12/2021 17:00	0.0		7/12/2022 17:00	0.0		7/12/2023 17:00	0.0	
7/12/2021 18:00	0.0		7/12/2022 18:00	0.0		7/12/2023 18:00	0.0	
7/12/2021 19:00	0.0		7/12/2022 19:00	0.0		7/12/2023 19:00	0.0	
7/12/2021 20:00	0.0		7/12/2022 20:00	0.0		7/12/2023 20:00	0.0	
7/12/2021 21:00	0.0		7/12/2022 21:00	0.0		7/12/2023 21:00	0.0	
7/12/2021 22:00	0.0		7/12/2022 22:00	0.0		7/12/2023 22:00	0.0	
7/12/2021 23:00	0.0	0.0	7/12/2022 23:00	0.0	4.3	7/12/2023 23:00	0.0	0.0
7/13/2021 0:00	0.0		7/13/2022 0:00	0.0		7/13/2023 0:00	0.0	
7/13/2021 1:00	0.0		7/13/2022 1:00	0.0		7/13/2023 1:00	0.0	
7/13/2021 2:00	0.0		7/13/2022 2:00	0.0		7/13/2023 2:00	0.0	
7/13/2021 3:00	0.0		7/13/2022 3:00	0.0		7/13/2023 3:00	0.0	
7/13/2021 4:00	0.0		7/13/2022 4:00	0.0		7/13/2023 4:00	0.0	
7/13/2021 5:00	0.0		7/13/2022 5:00	0.0		7/13/2023 5:00	0.0	
7/13/2021 6:00	0.0		7/13/2022 6:00	0.0		7/13/2023 6:00	0.0	
7/13/2021 7:00	0.0		7/13/2022 7:00	0.0		7/13/2023 7:00	0.0	
7/13/2021 8:00	0.0		7/13/2022 8:00	0.0		7/13/2023 8:00	0.0	
7/13/2021 9:00	0.0		7/13/2022 9:00	0.0		7/13/2023 9:00	0.0	
7/13/2021 10:00	0.0		7/13/2022 10:00	0.0		7/13/2023 10:00	0.0	
7/13/2021 11:00	0.0		7/13/2022 11:00	0.0		7/13/2023 11:00	0.0	
7/13/2021 12:00	0.0		7/13/2022 12:00	0.0		7/13/2023 12:00	0.0	
7/13/2021 13:00	0.0		7/13/2022 13:00	0.0		7/13/2023 13:00	0.0	
7/13/2021 14:00	0.0		7/13/2022 14:00	0.0		7/13/2023 14:00	0.0	
7/13/2021 15:00	0.0		7/13/2022 15:00	0.0		7/13/2023 15:00	0.0	
7/13/2021 16:00	0.0		7/13/2022 16:00	0.0		7/13/2023 16:00	0.0	
7/13/2021 17:00	0.0		7/13/2022 17:00	0.0		7/13/2023 17:00	0.0	
7/13/2021 18:00	0.0		7/13/2022 18:00	0.0		7/13/2023 18:00	0.0	
7/13/2021 19:00	0.0		7/13/2022 19:00	0.0		7/13/2023 19:00	0.0	
7/13/2021 20:00	0.0		7/13/2022 20:00	0.0		7/13/2023 20:00	0.0	
7/13/2021 21:00	0.0		7/13/2022 21:00	0.0		7/13/2023 21:00	0.0	
7/13/2021 22:00	0.0		7/13/2022 22:00	0.0		7/13/2023 22:00	0.0	
7/13/2021 23:00	0.0	0.0	7/13/2022 23:00	0.0	0.0	7/13/2023 23:00	0.0	0.0
7/14/2021 0:00	0.0		7/14/2022 0:00	0.0		7/14/2023 0:00	0.0	
7/14/2021 1:00	0.0		7/14/2022 1:00	0.0		7/14/2023 1:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/14/2021 2:00	0.0		7/14/2022 2:00	0.0		7/14/2023 2:00	0.0	
7/14/2021 3:00	0.0		7/14/2022 3:00	0.0		7/14/2023 3:00	0.0	
7/14/2021 4:00	0.0		7/14/2022 4:00	0.0		7/14/2023 4:00	0.0	
7/14/2021 5:00	0.0		7/14/2022 5:00	0.0		7/14/2023 5:00	0.0	
7/14/2021 6:00	0.0		7/14/2022 6:00	0.0		7/14/2023 6:00	0.0	
7/14/2021 7:00	0.0		7/14/2022 7:00	0.0		7/14/2023 7:00	0.0	
7/14/2021 8:00	0.0		7/14/2022 8:00	0.0		7/14/2023 8:00	0.0	
7/14/2021 9:00	0.0		7/14/2022 9:00	0.0		7/14/2023 9:00	0.0	
7/14/2021 10:00	0.0		7/14/2022 10:00	0.0		7/14/2023 10:00	0.0	
7/14/2021 11:00	0.0		7/14/2022 11:00	0.0		7/14/2023 11:00	0.0	
7/14/2021 12:00	0.0		7/14/2022 12:00	0.0		7/14/2023 12:00	0.0	
7/14/2021 13:00	0.0		7/14/2022 13:00	0.0		7/14/2023 13:00	0.0	
7/14/2021 14:00	0.0		7/14/2022 14:00	0.0		7/14/2023 14:00	0.0	
7/14/2021 15:00	0.0		7/14/2022 15:00	0.0		7/14/2023 15:00	0.0	
7/14/2021 16:00	0.0		7/14/2022 16:00	0.0		7/14/2023 16:00	0.0	
7/14/2021 17:00	0.0		7/14/2022 17:00	0.0		7/14/2023 17:00	0.0	
7/14/2021 18:00	0.0		7/14/2022 18:00	0.0		7/14/2023 18:00	0.0	
7/14/2021 19:00	0.0		7/14/2022 19:00	0.0		7/14/2023 19:00	0.0	
7/14/2021 20:00	0.0		7/14/2022 20:00	0.0		7/14/2023 20:00	0.0	
7/14/2021 21:00	0.0		7/14/2022 21:00	0.0		7/14/2023 21:00	0.0	
7/14/2021 22:00	0.0		7/14/2022 22:00	0.0		7/14/2023 22:00	0.0	
7/14/2021 23:00	0.0	0.0	7/14/2022 23:00	0.0	0.0	7/14/2023 23:00	0.0	0.0
7/15/2021 0:00	0.0		7/15/2022 0:00	0.0		7/15/2023 0:00	0.0	
7/15/2021 1:00	0.0		7/15/2022 1:00	0.0		7/15/2023 1:00	0.0	
7/15/2021 2:00	0.0		7/15/2022 2:00	0.0		7/15/2023 2:00	0.0	
7/15/2021 3:00	0.0		7/15/2022 3:00	0.0		7/15/2023 3:00	0.0	
7/15/2021 4:00	0.0		7/15/2022 4:00	0.0		7/15/2023 4:00	0.0	
7/15/2021 5:00	0.0		7/15/2022 5:00	0.0		7/15/2023 5:00	0.0	
7/15/2021 6:00	0.0		7/15/2022 6:00	0.0		7/15/2023 6:00	0.0	
7/15/2021 7:00	0.0		7/15/2022 7:00	0.0		7/15/2023 7:00	0.0	
7/15/2021 8:00	0.0		7/15/2022 8:00	0.0		7/15/2023 8:00	0.0	
7/15/2021 9:00	0.0		7/15/2022 9:00	0.0		7/15/2023 9:00	0.0	
7/15/2021 10:00	0.0		7/15/2022 10:00	0.0		7/15/2023 10:00	0.0	
7/15/2021 11:00	0.0		7/15/2022 11:00	0.0		7/15/2023 11:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/15/2021 12:00	0.0		7/15/2022 12:00	0.0		7/15/2023 12:00	0.0	
7/15/2021 13:00	0.0		7/15/2022 13:00	0.0		7/15/2023 13:00	0.0	
7/15/2021 14:00	0.0		7/15/2022 14:00	0.0		7/15/2023 14:00	0.0	
7/15/2021 15:00	0.0		7/15/2022 15:00	0.0		7/15/2023 15:00	0.0	
7/15/2021 16:00	0.0		7/15/2022 16:00	0.0		7/15/2023 16:00	0.0	
7/15/2021 17:00	0.0		7/15/2022 17:00	0.0		7/15/2023 17:00	0.0	
7/15/2021 18:00	0.0		7/15/2022 18:00	0.0		7/15/2023 18:00	0.0	
7/15/2021 19:00	0.0		7/15/2022 19:00	0.0		7/15/2023 19:00	0.0	
7/15/2021 20:00	0.0		7/15/2022 20:00	0.0		7/15/2023 20:00	0.0	
7/15/2021 21:00	0.0		7/15/2022 21:00	0.0		7/15/2023 21:00	0.0	
7/15/2021 22:00	0.0		7/15/2022 22:00	0.0		7/15/2023 22:00	0.0	
7/15/2021 23:00	0.0	0.0	7/15/2022 23:00	0.0	0.0	7/15/2023 23:00	0.0	0.0
7/16/2021 0:00	0.0		7/16/2022 0:00	0.0		7/16/2023 0:00	0.0	
7/16/2021 1:00	0.0		7/16/2022 1:00	0.0		7/16/2023 1:00	0.0	
7/16/2021 2:00	0.0		7/16/2022 2:00	0.0		7/16/2023 2:00	0.0	
7/16/2021 3:00	0.0		7/16/2022 3:00	0.0		7/16/2023 3:00	0.0	
7/16/2021 4:00	0.0		7/16/2022 4:00	0.0		7/16/2023 4:00	0.0	
7/16/2021 5:00	0.0		7/16/2022 5:00	0.0		7/16/2023 5:00	0.0	
7/16/2021 6:00	0.0		7/16/2022 6:00	0.0		7/16/2023 6:00	0.0	
7/16/2021 7:00	0.0		7/16/2022 7:00	0.0		7/16/2023 7:00	0.0	
7/16/2021 8:00	0.0		7/16/2022 8:00	0.0		7/16/2023 8:00	0.0	
7/16/2021 9:00	0.0		7/16/2022 9:00	0.0		7/16/2023 9:00	0.0	
7/16/2021 10:00	0.0		7/16/2022 10:00	0.0		7/16/2023 10:00	0.0	
7/16/2021 11:00	0.0		7/16/2022 11:00	0.0		7/16/2023 11:00	0.0	
7/16/2021 12:00	0.0		7/16/2022 12:00	0.0		7/16/2023 12:00	0.0	
7/16/2021 13:00	0.0		7/16/2022 13:00	0.0		7/16/2023 13:00	0.0	
7/16/2021 14:00	0.0		7/16/2022 14:00	0.0		7/16/2023 14:00	0.0	
7/16/2021 15:00	0.0		7/16/2022 15:00	0.0		7/16/2023 15:00	0.0	
7/16/2021 16:00	0.0		7/16/2022 16:00	0.0		7/16/2023 16:00	0.0	
7/16/2021 17:00	0.0		7/16/2022 17:00	0.0		7/16/2023 17:00	0.0	
7/16/2021 18:00	0.0		7/16/2022 18:00	0.0		7/16/2023 18:00	0.0	
7/16/2021 19:00	0.0		7/16/2022 19:00	0.0		7/16/2023 19:00	0.0	
7/16/2021 20:00	0.0		7/16/2022 20:00	0.0		7/16/2023 20:00	0.0	
7/16/2021 21:00	0.0		7/16/2022 21:00	0.0		7/16/2023 21:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/16/2021 22:00	0.0		7/16/2022 22:00	0.0		7/16/2023 22:00	0.0	
7/16/2021 23:00	0.0	0.0	7/16/2022 23:00	0.0	0.0	7/16/2023 23:00	0.0	0.0
7/17/2021 0:00	0.0		7/17/2022 0:00	0.0		7/17/2023 0:00	0.0	
7/17/2021 1:00	0.0		7/17/2022 1:00	0.0		7/17/2023 1:00	0.0	
7/17/2021 2:00	0.0		7/17/2022 2:00	0.0		7/17/2023 2:00	0.0	
7/17/2021 3:00	0.0		7/17/2022 3:00	0.0		7/17/2023 3:00	0.0	
7/17/2021 4:00	0.0		7/17/2022 4:00	0.0		7/17/2023 4:00	0.0	
7/17/2021 5:00	0.0		7/17/2022 5:00	0.0		7/17/2023 5:00	0.0	
7/17/2021 6:00	0.0		7/17/2022 6:00	0.0		7/17/2023 6:00	0.0	
7/17/2021 7:00	0.0		7/17/2022 7:00	0.0		7/17/2023 7:00	0.0	
7/17/2021 8:00	0.0		7/17/2022 8:00	0.0		7/17/2023 8:00	0.0	
7/17/2021 9:00	0.0		7/17/2022 9:00	0.0		7/17/2023 9:00	0.0	
7/17/2021 10:00	0.0		7/17/2022 10:00	0.0		7/17/2023 10:00	0.0	
7/17/2021 11:00	0.0		7/17/2022 11:00	0.0		7/17/2023 11:00	0.0	
7/17/2021 12:00	0.0		7/17/2022 12:00	0.0		7/17/2023 12:00	0.0	
7/17/2021 13:00	0.0		7/17/2022 13:00	0.0		7/17/2023 13:00	0.0	
7/17/2021 14:00	0.0		7/17/2022 14:00	0.0		7/17/2023 14:00	0.0	
7/17/2021 15:00	0.0		7/17/2022 15:00	0.0		7/17/2023 15:00	0.0	
7/17/2021 16:00	0.0		7/17/2022 16:00	0.0		7/17/2023 16:00	0.0	
7/17/2021 17:00	0.0		7/17/2022 17:00	0.0		7/17/2023 17:00	0.0	
7/17/2021 18:00	0.0		7/17/2022 18:00	0.0		7/17/2023 18:00	0.0	
7/17/2021 19:00	0.0		7/17/2022 19:00	0.0		7/17/2023 19:00	0.0	
7/17/2021 20:00	0.0		7/17/2022 20:00	0.0		7/17/2023 20:00	0.0	
7/17/2021 21:00	0.0		7/17/2022 21:00	0.0		7/17/2023 21:00	0.0	
7/17/2021 22:00	0.0		7/17/2022 22:00	0.0		7/17/2023 22:00	0.0	
7/17/2021 23:00	0.0	0.0	7/17/2022 23:00	0.0	0.0	7/17/2023 23:00	0.0	0.0
7/18/2021 0:00	0.0		7/18/2022 0:00	0.0		7/18/2023 0:00	0.0	
7/18/2021 1:00	0.0		7/18/2022 1:00	0.0		7/18/2023 1:00	0.0	
7/18/2021 2:00	0.0		7/18/2022 2:00	0.0		7/18/2023 2:00	0.0	
7/18/2021 3:00	0.0		7/18/2022 3:00	0.0		7/18/2023 3:00	0.0	
7/18/2021 4:00	0.0		7/18/2022 4:00	0.0		7/18/2023 4:00	0.0	
7/18/2021 5:00	0.0		7/18/2022 5:00	0.0		7/18/2023 5:00	0.0	
7/18/2021 6:00	0.0		7/18/2022 6:00	0.0		7/18/2023 6:00	0.0	
7/18/2021 7:00	0.0		7/18/2022 7:00	0.0		7/18/2023 7:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/18/2021 8:00	0.0		7/18/2022 8:00	0.0		7/18/2023 8:00	0.0	
7/18/2021 9:00	0.0		7/18/2022 9:00	0.0		7/18/2023 9:00	0.0	
7/18/2021 10:00	0.0		7/18/2022 10:00	0.0		7/18/2023 10:00	0.0	
7/18/2021 11:00	0.0		7/18/2022 11:00	0.0		7/18/2023 11:00	0.0	
7/18/2021 12:00	0.0		7/18/2022 12:00	0.0		7/18/2023 12:00	0.0	
7/18/2021 13:00	0.0		7/18/2022 13:00	0.0		7/18/2023 13:00	0.0	
7/18/2021 14:00	0.0		7/18/2022 14:00	0.0		7/18/2023 14:00	0.0	
7/18/2021 15:00	0.0		7/18/2022 15:00	0.0		7/18/2023 15:00	0.0	
7/18/2021 16:00	0.0		7/18/2022 16:00	0.0		7/18/2023 16:00	0.0	
7/18/2021 17:00	0.0		7/18/2022 17:00	0.0		7/18/2023 17:00	0.0	
7/18/2021 18:00	0.0		7/18/2022 18:00	0.0		7/18/2023 18:00	0.0	
7/18/2021 19:00	0.0		7/18/2022 19:00	0.0		7/18/2023 19:00	0.0	
7/18/2021 20:00	0.0		7/18/2022 20:00	0.0		7/18/2023 20:00	0.0	
7/18/2021 21:00	0.0		7/18/2022 21:00	0.0		7/18/2023 21:00	0.0	
7/18/2021 22:00	0.0		7/18/2022 22:00	0.0		7/18/2023 22:00	0.0	
7/18/2021 23:00	0.0	0.0	7/18/2022 23:00	0.0	0.0	7/18/2023 23:00	0.0	0.0
7/19/2021 0:00	0.0		7/19/2022 0:00	0.0		7/19/2023 0:00	0.0	
7/19/2021 1:00	0.0		7/19/2022 1:00	0.0		7/19/2023 1:00	0.0	
7/19/2021 2:00	0.0		7/19/2022 2:00	0.0		7/19/2023 2:00	0.0	
7/19/2021 3:00	0.0		7/19/2022 3:00	0.0		7/19/2023 3:00	0.0	
7/19/2021 4:00	0.0		7/19/2022 4:00	0.0		7/19/2023 4:00	0.0	
7/19/2021 5:00	0.0		7/19/2022 5:00	0.0		7/19/2023 5:00	0.0	
7/19/2021 6:00	0.0		7/19/2022 6:00	0.0		7/19/2023 6:00	0.0	
7/19/2021 7:00	0.0		7/19/2022 7:00	0.0		7/19/2023 7:00	0.0	
7/19/2021 8:00	0.0		7/19/2022 8:00	0.0		7/19/2023 8:00	0.0	
7/19/2021 9:00	0.0		7/19/2022 9:00	0.0		7/19/2023 9:00	0.0	
7/19/2021 10:00	0.0		7/19/2022 10:00	0.0		7/19/2023 10:00	0.0	
7/19/2021 11:00	0.0		7/19/2022 11:00	0.0		7/19/2023 11:00	0.0	
7/19/2021 12:00	0.0		7/19/2022 12:00	0.0		7/19/2023 12:00	0.0	
7/19/2021 13:00	0.0		7/19/2022 13:00	0.0		7/19/2023 13:00	0.0	
7/19/2021 14:00	0.0		7/19/2022 14:00	0.0		7/19/2023 14:00	0.0	
7/19/2021 15:00	0.0		7/19/2022 15:00	0.0		7/19/2023 15:00	0.0	
7/19/2021 16:00	0.0		7/19/2022 16:00	0.0		7/19/2023 16:00	0.0	
7/19/2021 17:00	0.0		7/19/2022 17:00	0.0		7/19/2023 17:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/19/2021 18:00	0.0		7/19/2022 18:00	0.0		7/19/2023 18:00	0.0	
7/19/2021 19:00	0.0		7/19/2022 19:00	0.0		7/19/2023 19:00	0.0	
7/19/2021 20:00	0.0		7/19/2022 20:00	0.0		7/19/2023 20:00	0.0	
7/19/2021 21:00	0.0		7/19/2022 21:00	0.0		7/19/2023 21:00	0.0	
7/19/2021 22:00	0.0		7/19/2022 22:00	0.0		7/19/2023 22:00	0.0	
7/19/2021 23:00	0.0	0.0	7/19/2022 23:00	0.0	0.0	7/19/2023 23:00	0.0	0.0
7/20/2021 0:00	0.0		7/20/2022 0:00	0.0		7/20/2023 0:00	0.0	
7/20/2021 1:00	0.0		7/20/2022 1:00	0.0		7/20/2023 1:00	0.0	
7/20/2021 2:00	0.0		7/20/2022 2:00	0.0		7/20/2023 2:00	0.0	
7/20/2021 3:00	0.0		7/20/2022 3:00	0.0		7/20/2023 3:00	0.0	
7/20/2021 4:00	0.0		7/20/2022 4:00	0.0		7/20/2023 4:00	0.0	
7/20/2021 5:00	0.0		7/20/2022 5:00	0.0		7/20/2023 5:00	0.0	
7/20/2021 6:00	0.0		7/20/2022 6:00	0.0		7/20/2023 6:00	0.0	
7/20/2021 7:00	0.0		7/20/2022 7:00	0.0		7/20/2023 7:00	0.0	
7/20/2021 8:00	0.0		7/20/2022 8:00	0.0		7/20/2023 8:00	0.0	
7/20/2021 9:00	0.0		7/20/2022 9:00	0.0		7/20/2023 9:00	0.0	
7/20/2021 10:00	0.0		7/20/2022 10:00	0.0		7/20/2023 10:00	0.0	
7/20/2021 11:00	0.0		7/20/2022 11:00	0.0		7/20/2023 11:00	0.0	
7/20/2021 12:00	0.0		7/20/2022 12:00	0.0		7/20/2023 12:00	0.0	
7/20/2021 13:00	0.0		7/20/2022 13:00	0.0		7/20/2023 13:00	0.0	
7/20/2021 14:00	0.0		7/20/2022 14:00	0.0		7/20/2023 14:00	0.0	
7/20/2021 15:00	0.0		7/20/2022 15:00	0.0		7/20/2023 15:00	0.0	
7/20/2021 16:00	0.0		7/20/2022 16:00	0.0		7/20/2023 16:00	0.0	
7/20/2021 17:00	0.0		7/20/2022 17:00	0.0		7/20/2023 17:00	0.0	
7/20/2021 18:00	0.0		7/20/2022 18:00	0.0		7/20/2023 18:00	0.0	
7/20/2021 19:00	0.0		7/20/2022 19:00	0.0		7/20/2023 19:00	0.0	
7/20/2021 20:00	0.0		7/20/2022 20:00	0.0		7/20/2023 20:00	0.0	
7/20/2021 21:00	0.0		7/20/2022 21:00	0.0		7/20/2023 21:00	0.0	
7/20/2021 22:00	0.0		7/20/2022 22:00	0.0		7/20/2023 22:00	0.0	
7/20/2021 23:00	0.0	0.0	7/20/2022 23:00	0.0	0.0	7/20/2023 23:00	0.0	0.0
7/21/2021 0:00	0.0		7/21/2022 0:00	0.0		7/21/2023 0:00	0.0	
7/21/2021 1:00	0.0		7/21/2022 1:00	0.0		7/21/2023 1:00	0.0	
7/21/2021 2:00	0.0		7/21/2022 2:00	0.0		7/21/2023 2:00	0.0	
7/21/2021 3:00	0.0		7/21/2022 3:00	0.0		7/21/2023 3:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/21/2021 4:00	0.0		7/21/2022 4:00	0.0		7/21/2023 4:00	0.0	
7/21/2021 5:00	0.0		7/21/2022 5:00	0.0		7/21/2023 5:00	0.0	
7/21/2021 6:00	0.0		7/21/2022 6:00	0.0		7/21/2023 6:00	0.0	
7/21/2021 7:00	0.0		7/21/2022 7:00	0.0		7/21/2023 7:00	0.0	
7/21/2021 8:00	0.0		7/21/2022 8:00	0.0		7/21/2023 8:00	0.0	
7/21/2021 9:00	0.0		7/21/2022 9:00	0.0		7/21/2023 9:00	0.0	
7/21/2021 10:00	0.0		7/21/2022 10:00	0.0		7/21/2023 10:00	0.0	
7/21/2021 11:00	0.0		7/21/2022 11:00	0.0		7/21/2023 11:00	0.0	
7/21/2021 12:00	0.0		7/21/2022 12:00	0.0		7/21/2023 12:00	0.0	
7/21/2021 13:00	0.0		7/21/2022 13:00	0.0		7/21/2023 13:00	0.0	
7/21/2021 14:00	0.0		7/21/2022 14:00	0.0		7/21/2023 14:00	0.0	
7/21/2021 15:00	0.0		7/21/2022 15:00	0.0		7/21/2023 15:00	0.0	
7/21/2021 16:00	0.0		7/21/2022 16:00	0.0		7/21/2023 16:00	0.0	
7/21/2021 17:00	0.0		7/21/2022 17:00	0.0		7/21/2023 17:00	0.0	
7/21/2021 18:00	0.0		7/21/2022 18:00	0.0		7/21/2023 18:00	0.0	
7/21/2021 19:00	0.0		7/21/2022 19:00	0.0		7/21/2023 19:00	0.0	
7/21/2021 20:00	0.0		7/21/2022 20:00	0.0		7/21/2023 20:00	0.0	
7/21/2021 21:00	0.0		7/21/2022 21:00	0.0		7/21/2023 21:00	0.0	
7/21/2021 22:00	0.0		7/21/2022 22:00	0.0		7/21/2023 22:00	0.0	
7/21/2021 23:00	0.0	0.0	7/21/2022 23:00	0.0	0.0	7/21/2023 23:00	0.0	0.0
7/22/2021 0:00	0.0		7/22/2022 0:00	0.0		7/22/2023 0:00	0.0	
7/22/2021 1:00	0.0		7/22/2022 1:00	0.0		7/22/2023 1:00	0.0	
7/22/2021 2:00	0.0		7/22/2022 2:00	0.0		7/22/2023 2:00	0.0	
7/22/2021 3:00	0.0		7/22/2022 3:00	0.0		7/22/2023 3:00	0.0	
7/22/2021 4:00	0.0		7/22/2022 4:00	0.0		7/22/2023 4:00	0.0	
7/22/2021 5:00	0.0		7/22/2022 5:00	0.0		7/22/2023 5:00	0.0	
7/22/2021 6:00	0.0		7/22/2022 6:00	0.0		7/22/2023 6:00	0.0	
7/22/2021 7:00	0.0		7/22/2022 7:00	0.0		7/22/2023 7:00	0.0	
7/22/2021 8:00	0.0		7/22/2022 8:00	0.0		7/22/2023 8:00	0.0	
7/22/2021 9:00	0.0		7/22/2022 9:00	0.0		7/22/2023 9:00	0.0	
7/22/2021 10:00	0.0		7/22/2022 10:00	0.0		7/22/2023 10:00	0.0	
7/22/2021 11:00	0.0		7/22/2022 11:00	2529.7		7/22/2023 11:00	0.0	
7/22/2021 12:00	0.0		7/22/2022 12:00	35.3		7/22/2023 12:00	0.0	
7/22/2021 13:00	0.0		7/22/2022 13:00	212.0		7/22/2023 13:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/22/2021 14:00	0.0		7/22/2022 14:00	0.0		7/22/2023 14:00	0.0	
7/22/2021 15:00	0.0		7/22/2022 15:00	0.0		7/22/2023 15:00	0.0	
7/22/2021 16:00	0.0		7/22/2022 16:00	0.0		7/22/2023 16:00	0.0	
7/22/2021 17:00	0.0		7/22/2022 17:00	0.0		7/22/2023 17:00	0.0	
7/22/2021 18:00	0.0		7/22/2022 18:00	0.0		7/22/2023 18:00	0.0	
7/22/2021 19:00	0.0		7/22/2022 19:00	0.0		7/22/2023 19:00	0.0	
7/22/2021 20:00	0.0		7/22/2022 20:00	0.0		7/22/2023 20:00	0.0	
7/22/2021 21:00	0.0		7/22/2022 21:00	0.0		7/22/2023 21:00	0.0	
7/22/2021 22:00	0.0		7/22/2022 22:00	0.0		7/22/2023 22:00	0.0	
7/22/2021 23:00	0.0	0.0	7/22/2022 23:00	0.0	2529.7	7/22/2023 23:00	0.0	0.0
7/23/2021 0:00	0.0		7/23/2022 0:00	0.0		7/23/2023 0:00	0.0	
7/23/2021 1:00	0.0		7/23/2022 1:00	0.0		7/23/2023 1:00	0.0	
7/23/2021 2:00	0.0		7/23/2022 2:00	0.0		7/23/2023 2:00	0.0	
7/23/2021 3:00	0.0		7/23/2022 3:00	0.0		7/23/2023 3:00	0.0	
7/23/2021 4:00	0.0		7/23/2022 4:00	0.0		7/23/2023 4:00	0.0	
7/23/2021 5:00	0.0		7/23/2022 5:00	0.0		7/23/2023 5:00	0.0	
7/23/2021 6:00	0.0		7/23/2022 6:00	0.0		7/23/2023 6:00	0.0	
7/23/2021 7:00	0.0		7/23/2022 7:00	0.0		7/23/2023 7:00	0.0	
7/23/2021 8:00	0.0		7/23/2022 8:00	0.0		7/23/2023 8:00	0.0	
7/23/2021 9:00	0.0		7/23/2022 9:00	0.0		7/23/2023 9:00	0.0	
7/23/2021 10:00	0.0		7/23/2022 10:00	0.0		7/23/2023 10:00	0.0	
7/23/2021 11:00	0.0		7/23/2022 11:00	0.0		7/23/2023 11:00	0.0	
7/23/2021 12:00	0.0		7/23/2022 12:00	0.0		7/23/2023 12:00	0.0	
7/23/2021 13:00	0.0		7/23/2022 13:00	0.0		7/23/2023 13:00	0.0	
7/23/2021 14:00	0.0		7/23/2022 14:00	0.0		7/23/2023 14:00	0.0	
7/23/2021 15:00	0.0		7/23/2022 15:00	0.0		7/23/2023 15:00	0.0	
7/23/2021 16:00	0.0		7/23/2022 16:00	0.0		7/23/2023 16:00	0.0	
7/23/2021 17:00	0.0		7/23/2022 17:00	0.0		7/23/2023 17:00	0.0	
7/23/2021 18:00	0.0		7/23/2022 18:00	0.0		7/23/2023 18:00	0.0	
7/23/2021 19:00	0.0		7/23/2022 19:00	0.0		7/23/2023 19:00	0.0	
7/23/2021 20:00	0.0		7/23/2022 20:00	5.0		7/23/2023 20:00	0.0	
7/23/2021 21:00	0.0		7/23/2022 21:00	87.7		7/23/2023 21:00	0.0	
7/23/2021 22:00	0.0		7/23/2022 22:00	30.6		7/23/2023 22:00	0.0	
7/23/2021 23:00	0.0	0.0	7/23/2022 23:00	196.4	196.4	7/23/2023 23:00	0.0	0.0

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/24/2021 0:00	0.0		7/24/2022 0:00	27.0		7/24/2023 0:00	0.0	
7/24/2021 1:00	0.0		7/24/2022 1:00	27.0		7/24/2023 1:00	0.0	
7/24/2021 2:00	0.0		7/24/2022 2:00	0.0		7/24/2023 2:00	0.0	
7/24/2021 3:00	0.0		7/24/2022 3:00	0.0		7/24/2023 3:00	0.0	
7/24/2021 4:00	0.0		7/24/2022 4:00	0.0		7/24/2023 4:00	0.0	
7/24/2021 5:00	0.0		7/24/2022 5:00	0.0		7/24/2023 5:00	0.0	
7/24/2021 6:00	0.0		7/24/2022 6:00	0.0		7/24/2023 6:00	109.2	
7/24/2021 7:00	0.0		7/24/2022 7:00	43.0		7/24/2023 7:00	0.0	
7/24/2021 8:00	0.0		7/24/2022 8:00	323.3		7/24/2023 8:00	0.0	
7/24/2021 9:00	0.0		7/24/2022 9:00	171.8		7/24/2023 9:00	0.0	
7/24/2021 10:00	0.0		7/24/2022 10:00	6.3		7/24/2023 10:00	0.0	
7/24/2021 11:00	0.0		7/24/2022 11:00	0.0		7/24/2023 11:00	0.0	
7/24/2021 12:00	0.0		7/24/2022 12:00	0.0		7/24/2023 12:00	0.0	
7/24/2021 13:00	0.0		7/24/2022 13:00	0.9		7/24/2023 13:00	0.0	
7/24/2021 14:00	0.0		7/24/2022 14:00	0.0		7/24/2023 14:00	1.1	
7/24/2021 15:00	0.0		7/24/2022 15:00	0.0		7/24/2023 15:00	21.2	
7/24/2021 16:00	0.0		7/24/2022 16:00	0.0		7/24/2023 16:00	27.0	
7/24/2021 17:00	0.0		7/24/2022 17:00	0.0		7/24/2023 17:00	0.0	
7/24/2021 18:00	0.0		7/24/2022 18:00	0.0		7/24/2023 18:00	0.0	
7/24/2021 19:00	0.0		7/24/2022 19:00	0.0		7/24/2023 19:00	0.0	
7/24/2021 20:00	0.0		7/24/2022 20:00	0.0		7/24/2023 20:00	0.0	
7/24/2021 21:00	0.0		7/24/2022 21:00	0.0		7/24/2023 21:00	1.1	
7/24/2021 22:00	0.0		7/24/2022 22:00	0.0		7/24/2023 22:00	4.6	
7/24/2021 23:00	0.0	0.0	7/24/2022 23:00	0.0	323.3	7/24/2023 23:00	0.0	109.2
7/25/2021 0:00	0.0		7/25/2022 0:00	0.0		7/25/2023 0:00	0.0	
7/25/2021 1:00	0.0		7/25/2022 1:00	0.0		7/25/2023 1:00	0.0	
7/25/2021 2:00	0.0		7/25/2022 2:00	0.0		7/25/2023 2:00	0.0	
7/25/2021 3:00	0.0		7/25/2022 3:00	0.0		7/25/2023 3:00	0.0	
7/25/2021 4:00	0.0		7/25/2022 4:00	0.0		7/25/2023 4:00	0.0	
7/25/2021 5:00	0.0		7/25/2022 5:00	0.0		7/25/2023 5:00	0.0	
7/25/2021 6:00	0.0		7/25/2022 6:00	0.0		7/25/2023 6:00	0.0	
7/25/2021 7:00	0.0		7/25/2022 7:00	0.0		7/25/2023 7:00	0.0	
7/25/2021 8:00	0.0		7/25/2022 8:00	0.0		7/25/2023 8:00	0.0	
7/25/2021 9:00	0.0		7/25/2022 9:00	0.0		7/25/2023 9:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/25/2021 10:00	0.0		7/25/2022 10:00	0.0		7/25/2023 10:00	0.0	
7/25/2021 11:00	0.0		7/25/2022 11:00	0.0		7/25/2023 11:00	0.0	
7/25/2021 12:00	0.0		7/25/2022 12:00	0.0		7/25/2023 12:00	0.0	
7/25/2021 13:00	0.0		7/25/2022 13:00	4.2		7/25/2023 13:00	0.0	
7/25/2021 14:00	0.0		7/25/2022 14:00	4.2		7/25/2023 14:00	0.0	
7/25/2021 15:00	0.0		7/25/2022 15:00	0.0		7/25/2023 15:00	0.0	
7/25/2021 16:00	0.0		7/25/2022 16:00	1.1		7/25/2023 16:00	0.0	
7/25/2021 17:00	0.0		7/25/2022 17:00	2.6		7/25/2023 17:00	0.0	
7/25/2021 18:00	0.0		7/25/2022 18:00	0.0		7/25/2023 18:00	0.0	
7/25/2021 19:00	0.0		7/25/2022 19:00	0.0		7/25/2023 19:00	0.0	
7/25/2021 20:00	0.0		7/25/2022 20:00	0.0		7/25/2023 20:00	0.0	
7/25/2021 21:00	0.0		7/25/2022 21:00	0.0		7/25/2023 21:00	0.0	
7/25/2021 22:00	0.0		7/25/2022 22:00	0.0		7/25/2023 22:00	0.0	
7/25/2021 23:00	0.0	0.0	7/25/2022 23:00	0.0	4.2	7/25/2023 23:00	0.0	0.0
7/26/2021 0:00	0.0		7/26/2022 0:00	0.0		7/26/2023 0:00	0.0	
7/26/2021 1:00	0.0		7/26/2022 1:00	0.0		7/26/2023 1:00	0.0	
7/26/2021 2:00	0.0		7/26/2022 2:00	0.0		7/26/2023 2:00	0.0	
7/26/2021 3:00	0.0		7/26/2022 3:00	0.0		7/26/2023 3:00	0.0	
7/26/2021 4:00	0.0		7/26/2022 4:00	0.0		7/26/2023 4:00	0.0	
7/26/2021 5:00	0.0		7/26/2022 5:00	0.6		7/26/2023 5:00	0.0	
7/26/2021 6:00	0.0		7/26/2022 6:00	3.5		7/26/2023 6:00	0.0	
7/26/2021 7:00	0.0		7/26/2022 7:00	5.6		7/26/2023 7:00	0.0	
7/26/2021 8:00	0.0		7/26/2022 8:00	4.3		7/26/2023 8:00	0.0	
7/26/2021 9:00	0.0		7/26/2022 9:00	5.4		7/26/2023 9:00	0.0	
7/26/2021 10:00	0.0		7/26/2022 10:00	1.3		7/26/2023 10:00	0.0	
7/26/2021 11:00	0.0		7/26/2022 11:00	0.7		7/26/2023 11:00	0.0	
7/26/2021 12:00	0.0		7/26/2022 12:00	5.4		7/26/2023 12:00	0.0	
7/26/2021 13:00	0.0		7/26/2022 13:00	4.1		7/26/2023 13:00	0.0	
7/26/2021 14:00	0.0		7/26/2022 14:00	6.7		7/26/2023 14:00	0.0	
7/26/2021 15:00	0.0		7/26/2022 15:00	9.9		7/26/2023 15:00	0.0	
7/26/2021 16:00	0.0		7/26/2022 16:00	9.9		7/26/2023 16:00	0.0	
7/26/2021 17:00	0.0		7/26/2022 17:00	9.9		7/26/2023 17:00	0.0	
7/26/2021 18:00	0.0		7/26/2022 18:00	5.2		7/26/2023 18:00	0.0	
7/26/2021 19:00	0.0		7/26/2022 19:00	6.0		7/26/2023 19:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/26/2021 20:00	0.0		7/26/2022 20:00	7.3		7/26/2023 20:00	0.0	
7/26/2021 21:00	0.0		7/26/2022 21:00	2.2		7/26/2023 21:00	0.0	
7/26/2021 22:00	0.0		7/26/2022 22:00	2.0		7/26/2023 22:00	0.0	
7/26/2021 23:00	0.0	0.0	7/26/2022 23:00	3.3	9.9	7/26/2023 23:00	0.0	0.0
7/27/2021 0:00	0.0		7/27/2022 0:00	3.3		7/27/2023 0:00	0.0	
7/27/2021 1:00	0.0		7/27/2022 1:00	3.1		7/27/2023 1:00	0.0	
7/27/2021 2:00	0.0		7/27/2022 2:00	3.1		7/27/2023 2:00	0.0	
7/27/2021 3:00	0.0		7/27/2022 3:00	3.1		7/27/2023 3:00	0.0	
7/27/2021 4:00	0.0		7/27/2022 4:00	3.1		7/27/2023 4:00	0.0	
7/27/2021 5:00	0.0		7/27/2022 5:00	3.1		7/27/2023 5:00	0.0	
7/27/2021 6:00	0.0		7/27/2022 6:00	3.1		7/27/2023 6:00	0.0	
7/27/2021 7:00	0.0		7/27/2022 7:00	3.1		7/27/2023 7:00	0.0	
7/27/2021 8:00	0.0		7/27/2022 8:00	3.1		7/27/2023 8:00	0.0	
7/27/2021 9:00	0.0		7/27/2022 9:00	3.1		7/27/2023 9:00	0.0	
7/27/2021 10:00	0.0		7/27/2022 10:00	3.1		7/27/2023 10:00	0.0	
7/27/2021 11:00	0.0		7/27/2022 11:00	3.1		7/27/2023 11:00	0.0	
7/27/2021 12:00	0.0		7/27/2022 12:00	3.1		7/27/2023 12:00	0.0	
7/27/2021 13:00	0.0		7/27/2022 13:00	3.1		7/27/2023 13:00	0.0	
7/27/2021 14:00	0.0		7/27/2022 14:00	3.1		7/27/2023 14:00	0.0	
7/27/2021 15:00	0.0		7/27/2022 15:00	3.1		7/27/2023 15:00	0.0	
7/27/2021 16:00	0.0		7/27/2022 16:00	3.1		7/27/2023 16:00	0.0	
7/27/2021 17:00	0.0		7/27/2022 17:00	3.1		7/27/2023 17:00	0.0	
7/27/2021 18:00	0.0		7/27/2022 18:00	3.1		7/27/2023 18:00	0.0	
7/27/2021 19:00	0.0		7/27/2022 19:00	3.1		7/27/2023 19:00	0.0	
7/27/2021 20:00	0.0		7/27/2022 20:00	3.1		7/27/2023 20:00	0.0	
7/27/2021 21:00	0.0		7/27/2022 21:00	3.1		7/27/2023 21:00	0.0	
7/27/2021 22:00	0.0		7/27/2022 22:00	3.1		7/27/2023 22:00	0.0	
7/27/2021 23:00	0.0	0.0	7/27/2022 23:00	3.1	3.3	7/27/2023 23:00	0.0	0.0
7/28/2021 0:00	0.0		7/28/2022 0:00	0.0		7/28/2023 0:00	0.0	
7/28/2021 1:00	0.0		7/28/2022 1:00	0.0		7/28/2023 1:00	0.0	
7/28/2021 2:00	0.0		7/28/2022 2:00	0.0		7/28/2023 2:00	0.0	
7/28/2021 3:00	0.0		7/28/2022 3:00	0.0		7/28/2023 3:00	0.0	
7/28/2021 4:00	0.0		7/28/2022 4:00	0.0		7/28/2023 4:00	0.0	
7/28/2021 5:00	0.0		7/28/2022 5:00	0.0		7/28/2023 5:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/28/2021 6:00	0.0		7/28/2022 6:00	0.0		7/28/2023 6:00	0.0	
7/28/2021 7:00	0.0		7/28/2022 7:00	0.0		7/28/2023 7:00	0.0	
7/28/2021 8:00	0.0		7/28/2022 8:00	0.0		7/28/2023 8:00	0.0	
7/28/2021 9:00	0.0		7/28/2022 9:00	0.0		7/28/2023 9:00	0.0	
7/28/2021 10:00	0.0		7/28/2022 10:00	0.0		7/28/2023 10:00	0.0	
7/28/2021 11:00	0.0		7/28/2022 11:00	0.0		7/28/2023 11:00	0.0	
7/28/2021 12:00	0.0		7/28/2022 12:00	0.0		7/28/2023 12:00	0.0	
7/28/2021 13:00	0.0		7/28/2022 13:00	0.0		7/28/2023 13:00	0.0	
7/28/2021 14:00	0.0		7/28/2022 14:00	369.0		7/28/2023 14:00	0.0	
7/28/2021 15:00	0.0		7/28/2022 15:00	284.2		7/28/2023 15:00	0.0	
7/28/2021 16:00	0.0		7/28/2022 16:00	0.0		7/28/2023 16:00	0.0	
7/28/2021 17:00	0.0		7/28/2022 17:00	0.0		7/28/2023 17:00	0.0	
7/28/2021 18:00	0.0		7/28/2022 18:00	0.0		7/28/2023 18:00	0.0	
7/28/2021 19:00	0.0		7/28/2022 19:00	0.0		7/28/2023 19:00	0.0	
7/28/2021 20:00	0.0		7/28/2022 20:00	0.0		7/28/2023 20:00	0.0	
7/28/2021 21:00	0.0		7/28/2022 21:00	0.0		7/28/2023 21:00	0.0	
7/28/2021 22:00	0.0		7/28/2022 22:00	0.0		7/28/2023 22:00	0.0	
7/28/2021 23:00	0.0	0.0	7/28/2022 23:00	0.0	369.0	7/28/2023 23:00	0.0	0.0
7/29/2021 0:00	0.0		7/29/2022 0:00	0.0		7/29/2023 0:00	0.0	
7/29/2021 1:00	0.0		7/29/2022 1:00	0.0		7/29/2023 1:00	0.0	
7/29/2021 2:00	0.0		7/29/2022 2:00	0.0		7/29/2023 2:00	0.0	
7/29/2021 3:00	0.0		7/29/2022 3:00	0.0		7/29/2023 3:00	0.0	
7/29/2021 4:00	0.0		7/29/2022 4:00	0.0		7/29/2023 4:00	0.0	
7/29/2021 5:00	0.0		7/29/2022 5:00	0.0		7/29/2023 5:00	0.0	
7/29/2021 6:00	0.0		7/29/2022 6:00	0.0		7/29/2023 6:00	0.0	
7/29/2021 7:00	0.0		7/29/2022 7:00	0.0		7/29/2023 7:00	0.0	
7/29/2021 8:00	0.0		7/29/2022 8:00	0.0		7/29/2023 8:00	0.0	
7/29/2021 9:00	0.0		7/29/2022 9:00	0.0		7/29/2023 9:00	0.0	
7/29/2021 10:00	0.0		7/29/2022 10:00	0.0		7/29/2023 10:00	0.0	
7/29/2021 11:00	0.0		7/29/2022 11:00	0.0		7/29/2023 11:00	0.0	
7/29/2021 12:00	0.0		7/29/2022 12:00	0.0		7/29/2023 12:00	0.0	
7/29/2021 13:00	0.0		7/29/2022 13:00	0.0		7/29/2023 13:00	0.0	
7/29/2021 14:00	0.0		7/29/2022 14:00	0.0		7/29/2023 14:00	0.0	
7/29/2021 15:00	0.0		7/29/2022 15:00	0.0		7/29/2023 15:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/29/2021 16:00	0.0		7/29/2022 16:00	0.0		7/29/2023 16:00	0.0	
7/29/2021 17:00	0.0		7/29/2022 17:00	0.0		7/29/2023 17:00	0.0	
7/29/2021 18:00	0.0		7/29/2022 18:00	0.0		7/29/2023 18:00	0.0	
7/29/2021 19:00	0.0		7/29/2022 19:00	0.0		7/29/2023 19:00	0.0	
7/29/2021 20:00	0.0		7/29/2022 20:00	3.2		7/29/2023 20:00	0.0	
7/29/2021 21:00	0.0		7/29/2022 21:00	0.0		7/29/2023 21:00	0.0	
7/29/2021 22:00	0.0		7/29/2022 22:00	0.0		7/29/2023 22:00	0.0	
7/29/2021 23:00	0.0	0.0	7/29/2022 23:00	0.0	3.2	7/29/2023 23:00	0.0	0.0
7/30/2021 0:00	0.0		7/30/2022 0:00	0.0		7/30/2023 0:00	0.0	
7/30/2021 1:00	0.0		7/30/2022 1:00	0.0		7/30/2023 1:00	0.0	
7/30/2021 2:00	0.0		7/30/2022 2:00	0.0		7/30/2023 2:00	0.0	
7/30/2021 3:00	0.0		7/30/2022 3:00	0.0		7/30/2023 3:00	0.0	
7/30/2021 4:00	0.0		7/30/2022 4:00	0.0		7/30/2023 4:00	0.0	
7/30/2021 5:00	0.0		7/30/2022 5:00	0.0		7/30/2023 5:00	0.0	
7/30/2021 6:00	0.0		7/30/2022 6:00	0.0		7/30/2023 6:00	0.0	
7/30/2021 7:00	0.0		7/30/2022 7:00	0.0		7/30/2023 7:00	0.0	
7/30/2021 8:00	0.0		7/30/2022 8:00	0.0		7/30/2023 8:00	0.0	
7/30/2021 9:00	0.0		7/30/2022 9:00	0.0		7/30/2023 9:00	0.0	
7/30/2021 10:00	0.0		7/30/2022 10:00	0.0		7/30/2023 10:00	0.0	
7/30/2021 11:00	0.0		7/30/2022 11:00	0.0		7/30/2023 11:00	0.0	
7/30/2021 12:00	0.0		7/30/2022 12:00	0.0		7/30/2023 12:00	0.0	
7/30/2021 13:00	0.0		7/30/2022 13:00	0.0		7/30/2023 13:00	0.0	
7/30/2021 14:00	0.0		7/30/2022 14:00	0.0		7/30/2023 14:00	0.0	
7/30/2021 15:00	0.0		7/30/2022 15:00	0.0		7/30/2023 15:00	0.0	
7/30/2021 16:00	0.0		7/30/2022 16:00	0.0		7/30/2023 16:00	0.0	
7/30/2021 17:00	0.0		7/30/2022 17:00	0.0		7/30/2023 17:00	0.0	
7/30/2021 18:00	0.0		7/30/2022 18:00	0.0		7/30/2023 18:00	0.0	
7/30/2021 19:00	0.0		7/30/2022 19:00	0.0		7/30/2023 19:00	0.0	
7/30/2021 20:00	0.0		7/30/2022 20:00	0.0		7/30/2023 20:00	0.0	
7/30/2021 21:00	0.0		7/30/2022 21:00	0.0		7/30/2023 21:00	0.0	
7/30/2021 22:00	0.0		7/30/2022 22:00	0.0		7/30/2023 22:00	0.0	
7/30/2021 23:00	0.0	0.0	7/30/2022 23:00	0.0	0.0	7/30/2023 23:00	0.0	0.0
7/31/2021 0:00	0.0		7/31/2022 0:00	0.0		7/31/2023 0:00	0.0	
7/31/2021 1:00	0.0		7/31/2022 1:00	0.0		7/31/2023 1:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
7/31/2021 2:00	0.0		7/31/2022 2:00	0.0		7/31/2023 2:00	0.0	
7/31/2021 3:00	0.0		7/31/2022 3:00	0.0		7/31/2023 3:00	0.0	
7/31/2021 4:00	0.0		7/31/2022 4:00	0.0		7/31/2023 4:00	0.0	
7/31/2021 5:00	0.0		7/31/2022 5:00	0.0		7/31/2023 5:00	0.0	
7/31/2021 6:00	0.0		7/31/2022 6:00	0.0		7/31/2023 6:00	0.0	
7/31/2021 7:00	0.0		7/31/2022 7:00	0.0		7/31/2023 7:00	0.0	
7/31/2021 8:00	0.0		7/31/2022 8:00	0.0		7/31/2023 8:00	0.0	
7/31/2021 9:00	0.0		7/31/2022 9:00	0.0		7/31/2023 9:00	0.0	
7/31/2021 10:00	0.0		7/31/2022 10:00	0.0		7/31/2023 10:00	0.0	
7/31/2021 11:00	0.0		7/31/2022 11:00	0.0		7/31/2023 11:00	0.0	
7/31/2021 12:00	0.0		7/31/2022 12:00	0.0		7/31/2023 12:00	0.0	
7/31/2021 13:00	0.0		7/31/2022 13:00	0.0		7/31/2023 13:00	0.0	
7/31/2021 14:00	0.0		7/31/2022 14:00	0.0		7/31/2023 14:00	0.0	
7/31/2021 15:00	0.0		7/31/2022 15:00	0.0		7/31/2023 15:00	0.0	
7/31/2021 16:00	0.0		7/31/2022 16:00	0.0		7/31/2023 16:00	0.0	
7/31/2021 17:00	0.0		7/31/2022 17:00	0.0		7/31/2023 17:00	0.0	
7/31/2021 18:00	0.0		7/31/2022 18:00	0.0		7/31/2023 18:00	0.0	
7/31/2021 19:00	0.0		7/31/2022 19:00	0.0		7/31/2023 19:00	0.0	
7/31/2021 20:00	0.0		7/31/2022 20:00	0.0		7/31/2023 20:00	0.0	
7/31/2021 21:00	0.0		7/31/2022 21:00	0.0		7/31/2023 21:00	0.0	
7/31/2021 22:00	0.0		7/31/2022 22:00	0.0		7/31/2023 22:00	0.0	
7/31/2021 23:00	0.0	0.0	7/31/2022 23:00	0.0	0.0	7/31/2023 23:00	0.0	0.0
8/1/2021 0:00	0.0		8/1/2022 0:00	0.0		8/1/2023 0:00	0.0	
8/1/2021 1:00	0.0		8/1/2022 1:00	0.0		8/1/2023 1:00	0.0	
8/1/2021 2:00	0.0		8/1/2022 2:00	0.0		8/1/2023 2:00	0.0	
8/1/2021 3:00	0.0		8/1/2022 3:00	0.0		8/1/2023 3:00	72.9	
8/1/2021 4:00	0.0		8/1/2022 4:00	0.0		8/1/2023 4:00	65.9	
8/1/2021 5:00	0.0		8/1/2022 5:00	0.0		8/1/2023 5:00	0.0	
8/1/2021 6:00	0.0		8/1/2022 6:00	0.0		8/1/2023 6:00	0.0	
8/1/2021 7:00	0.0		8/1/2022 7:00	0.0		8/1/2023 7:00	0.0	
8/1/2021 8:00	0.0		8/1/2022 8:00	0.0		8/1/2023 8:00	0.0	
8/1/2021 9:00	0.0		8/1/2022 9:00	0.0		8/1/2023 9:00	0.0	
8/1/2021 10:00	0.0		8/1/2022 10:00	0.0		8/1/2023 10:00	0.0	
8/1/2021 11:00	0.0		8/1/2022 11:00	0.0		8/1/2023 11:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/1/2021 12:00	0.0		8/1/2022 12:00	0.0		8/1/2023 12:00	0.0	
8/1/2021 13:00	0.0		8/1/2022 13:00	0.0		8/1/2023 13:00	0.0	
8/1/2021 14:00	0.0		8/1/2022 14:00	0.0		8/1/2023 14:00	0.0	
8/1/2021 15:00	0.0		8/1/2022 15:00	0.0		8/1/2023 15:00	0.0	
8/1/2021 16:00	0.0		8/1/2022 16:00	0.0		8/1/2023 16:00	0.0	
8/1/2021 17:00	0.0		8/1/2022 17:00	0.0		8/1/2023 17:00	0.0	
8/1/2021 18:00	0.0		8/1/2022 18:00	0.0		8/1/2023 18:00	0.0	
8/1/2021 19:00	0.0		8/1/2022 19:00	0.0		8/1/2023 19:00	0.0	
8/1/2021 20:00	0.0		8/1/2022 20:00	0.0		8/1/2023 20:00	0.0	
8/1/2021 21:00	0.0		8/1/2022 21:00	0.0		8/1/2023 21:00	0.0	
8/1/2021 22:00	0.0		8/1/2022 22:00	0.0		8/1/2023 22:00	0.0	
8/1/2021 23:00	0.0	0.0	8/1/2022 23:00	0.0	0.0	8/1/2023 23:00	0.0	72.9
8/2/2021 0:00	0.0		8/2/2022 0:00	0.0		8/2/2023 0:00	0.0	
8/2/2021 1:00	0.0		8/2/2022 1:00	0.0		8/2/2023 1:00	0.0	
8/2/2021 2:00	0.0		8/2/2022 2:00	0.0		8/2/2023 2:00	0.0	
8/2/2021 3:00	0.0		8/2/2022 3:00	0.0		8/2/2023 3:00	0.0	
8/2/2021 4:00	0.0		8/2/2022 4:00	0.0		8/2/2023 4:00	0.0	
8/2/2021 5:00	0.0		8/2/2022 5:00	0.0		8/2/2023 5:00	0.0	
8/2/2021 6:00	0.0		8/2/2022 6:00	0.0		8/2/2023 6:00	0.0	
8/2/2021 7:00	0.0		8/2/2022 7:00	0.0		8/2/2023 7:00	0.0	
8/2/2021 8:00	0.0		8/2/2022 8:00	0.0		8/2/2023 8:00	0.0	
8/2/2021 9:00	0.0		8/2/2022 9:00	0.0		8/2/2023 9:00	0.0	
8/2/2021 10:00	0.0		8/2/2022 10:00	0.0		8/2/2023 10:00	0.0	
8/2/2021 11:00	0.0		8/2/2022 11:00	0.0		8/2/2023 11:00	0.0	
8/2/2021 12:00	0.0		8/2/2022 12:00	0.0		8/2/2023 12:00	0.0	
8/2/2021 13:00	0.0		8/2/2022 13:00	0.0		8/2/2023 13:00	0.0	
8/2/2021 14:00	0.0		8/2/2022 14:00	0.0		8/2/2023 14:00	0.0	
8/2/2021 15:00	0.0		8/2/2022 15:00	0.0		8/2/2023 15:00	0.0	
8/2/2021 16:00	0.0		8/2/2022 16:00	0.0		8/2/2023 16:00	0.0	
8/2/2021 17:00	0.0		8/2/2022 17:00	0.0		8/2/2023 17:00	0.0	
8/2/2021 18:00	0.0		8/2/2022 18:00	0.0		8/2/2023 18:00	0.0	
8/2/2021 19:00	0.0		8/2/2022 19:00	0.0		8/2/2023 19:00	0.0	
8/2/2021 20:00	0.0		8/2/2022 20:00	0.0		8/2/2023 20:00	0.0	
8/2/2021 21:00	0.0		8/2/2022 21:00	0.0		8/2/2023 21:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/2/2021 22:00	0.0		8/2/2022 22:00	14.2		8/2/2023 22:00	0.0	
8/2/2021 23:00	0.0	0.0	8/2/2022 23:00	0.0	14.2	8/2/2023 23:00	0.0	0.0
8/3/2021 0:00	0.0		8/3/2022 0:00	0.0		8/3/2023 0:00	0.0	
8/3/2021 1:00	0.0		8/3/2022 1:00	0.0		8/3/2023 1:00	0.0	
8/3/2021 2:00	0.0		8/3/2022 2:00	0.0		8/3/2023 2:00	0.0	
8/3/2021 3:00	0.0		8/3/2022 3:00	0.0		8/3/2023 3:00	0.0	
8/3/2021 4:00	0.0		8/3/2022 4:00	0.0		8/3/2023 4:00	0.0	
8/3/2021 5:00	0.0		8/3/2022 5:00	0.0		8/3/2023 5:00	0.0	
8/3/2021 6:00	0.0		8/3/2022 6:00	0.0		8/3/2023 6:00	0.0	
8/3/2021 7:00	0.0		8/3/2022 7:00	0.0		8/3/2023 7:00	0.0	
8/3/2021 8:00	0.0		8/3/2022 8:00	0.0		8/3/2023 8:00	0.0	
8/3/2021 9:00	0.0		8/3/2022 9:00	0.0		8/3/2023 9:00	0.0	
8/3/2021 10:00	0.0		8/3/2022 10:00	0.0		8/3/2023 10:00	25.1	
8/3/2021 11:00	0.0		8/3/2022 11:00	0.0		8/3/2023 11:00	174.0	
8/3/2021 12:00	0.0		8/3/2022 12:00	0.0		8/3/2023 12:00	3.5	
8/3/2021 13:00	0.0		8/3/2022 13:00	0.0		8/3/2023 13:00	2.8	
8/3/2021 14:00	0.0		8/3/2022 14:00	0.0		8/3/2023 14:00	0.1	
8/3/2021 15:00	0.0		8/3/2022 15:00	85.5		8/3/2023 15:00	2.4	
8/3/2021 16:00	0.0		8/3/2022 16:00	87.2		8/3/2023 16:00	0.0	
8/3/2021 17:00	0.0		8/3/2022 17:00	20.1		8/3/2023 17:00	0.0	
8/3/2021 18:00	0.0		8/3/2022 18:00	24.2		8/3/2023 18:00	0.0	
8/3/2021 19:00	0.0		8/3/2022 19:00	26.6		8/3/2023 19:00	0.0	
8/3/2021 20:00	0.0		8/3/2022 20:00	28.9		8/3/2023 20:00	0.0	
8/3/2021 21:00	0.0		8/3/2022 21:00	30.4		8/3/2023 21:00	0.0	
8/3/2021 22:00	0.0		8/3/2022 22:00	22.3		8/3/2023 22:00	0.0	
8/3/2021 23:00	0.0	0.0	8/3/2022 23:00	21.2	87.2	8/3/2023 23:00	0.0	174.0
8/4/2021 0:00	0.0		8/4/2022 0:00	15.0		8/4/2023 0:00	0.0	
8/4/2021 1:00	0.0		8/4/2022 1:00	16.7		8/4/2023 1:00	0.0	
8/4/2021 2:00	0.0		8/4/2022 2:00	0.3		8/4/2023 2:00	0.0	
8/4/2021 3:00	0.0		8/4/2022 3:00	0.0		8/4/2023 3:00	0.0	
8/4/2021 4:00	0.0		8/4/2022 4:00	0.0		8/4/2023 4:00	0.0	
8/4/2021 5:00	0.0		8/4/2022 5:00	8.8		8/4/2023 5:00	0.0	
8/4/2021 6:00	0.0		8/4/2022 6:00	16.3		8/4/2023 6:00	0.0	
8/4/2021 7:00	0.0		8/4/2022 7:00	16.1		8/4/2023 7:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/4/2021 8:00	0.0		8/4/2022 8:00	13.7		8/4/2023 8:00	0.0	
8/4/2021 9:00	0.0		8/4/2022 9:00	30.4		8/4/2023 9:00	0.0	
8/4/2021 10:00	0.0		8/4/2022 10:00	24.8		8/4/2023 10:00	0.0	
8/4/2021 11:00	0.0		8/4/2022 11:00	0.0		8/4/2023 11:00	0.0	
8/4/2021 12:00	0.0		8/4/2022 12:00	0.0		8/4/2023 12:00	0.0	
8/4/2021 13:00	0.0		8/4/2022 13:00	0.0		8/4/2023 13:00	0.0	
8/4/2021 14:00	0.0		8/4/2022 14:00	0.0		8/4/2023 14:00	0.0	
8/4/2021 15:00	0.0		8/4/2022 15:00	0.0		8/4/2023 15:00	0.0	
8/4/2021 16:00	0.0		8/4/2022 16:00	0.0		8/4/2023 16:00	0.0	
8/4/2021 17:00	0.0		8/4/2022 17:00	0.0		8/4/2023 17:00	0.0	
8/4/2021 18:00	0.0		8/4/2022 18:00	0.0		8/4/2023 18:00	0.0	
8/4/2021 19:00	0.0		8/4/2022 19:00	0.0		8/4/2023 19:00	0.0	
8/4/2021 20:00	0.0		8/4/2022 20:00	0.0		8/4/2023 20:00	0.0	
8/4/2021 21:00	0.0		8/4/2022 21:00	0.0		8/4/2023 21:00	0.0	
8/4/2021 22:00	0.0		8/4/2022 22:00	11.4		8/4/2023 22:00	0.0	
8/4/2021 23:00	0.0	0.0	8/4/2022 23:00	115.0	115.0	8/4/2023 23:00	0.0	0.0
8/5/2021 0:00	0.0		8/5/2022 0:00	1.0		8/5/2023 0:00	0.0	
8/5/2021 1:00	0.0		8/5/2022 1:00	0.0		8/5/2023 1:00	0.0	
8/5/2021 2:00	0.0		8/5/2022 2:00	0.0		8/5/2023 2:00	0.0	
8/5/2021 3:00	0.0		8/5/2022 3:00	0.0		8/5/2023 3:00	0.0	
8/5/2021 4:00	0.0		8/5/2022 4:00	0.0		8/5/2023 4:00	0.0	
8/5/2021 5:00	0.0		8/5/2022 5:00	0.0		8/5/2023 5:00	0.0	
8/5/2021 6:00	0.0		8/5/2022 6:00	0.0		8/5/2023 6:00	0.0	
8/5/2021 7:00	0.0		8/5/2022 7:00	0.0		8/5/2023 7:00	0.0	
8/5/2021 8:00	0.0		8/5/2022 8:00	0.0		8/5/2023 8:00	0.0	
8/5/2021 9:00	0.0		8/5/2022 9:00	0.0		8/5/2023 9:00	0.0	
8/5/2021 10:00	0.0		8/5/2022 10:00	0.0		8/5/2023 10:00	0.0	
8/5/2021 11:00	0.0		8/5/2022 11:00	0.0		8/5/2023 11:00	0.0	
8/5/2021 12:00	0.0		8/5/2022 12:00	0.0		8/5/2023 12:00	0.0	
8/5/2021 13:00	0.0		8/5/2022 13:00	0.0		8/5/2023 13:00	0.0	
8/5/2021 14:00	0.0		8/5/2022 14:00	0.0		8/5/2023 14:00	0.0	
8/5/2021 15:00	0.0		8/5/2022 15:00	0.0		8/5/2023 15:00	0.0	
8/5/2021 16:00	0.0		8/5/2022 16:00	0.0		8/5/2023 16:00	0.0	
8/5/2021 17:00	0.0		8/5/2022 17:00	0.0		8/5/2023 17:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/5/2021 18:00	0.0		8/5/2022 18:00	0.0		8/5/2023 18:00	0.0	
8/5/2021 19:00	0.0		8/5/2022 19:00	0.0		8/5/2023 19:00	0.0	
8/5/2021 20:00	0.0		8/5/2022 20:00	0.0		8/5/2023 20:00	0.0	
8/5/2021 21:00	0.0		8/5/2022 21:00	0.0		8/5/2023 21:00	0.0	
8/5/2021 22:00	0.0		8/5/2022 22:00	0.0		8/5/2023 22:00	0.0	
8/5/2021 23:00	0.0	0.0	8/5/2022 23:00	0.0	1.0	8/5/2023 23:00	0.0	0.0
8/6/2021 0:00	0.0		8/6/2022 0:00	0.0		8/6/2023 0:00	0.0	
8/6/2021 1:00	0.0		8/6/2022 1:00	0.0		8/6/2023 1:00	0.0	
8/6/2021 2:00	0.0		8/6/2022 2:00	0.0		8/6/2023 2:00	0.0	
8/6/2021 3:00	0.0		8/6/2022 3:00	0.0		8/6/2023 3:00	0.0	
8/6/2021 4:00	0.0		8/6/2022 4:00	0.0		8/6/2023 4:00	0.0	
8/6/2021 5:00	0.0		8/6/2022 5:00	0.0		8/6/2023 5:00	0.0	
8/6/2021 6:00	0.0		8/6/2022 6:00	0.0		8/6/2023 6:00	0.0	
8/6/2021 7:00	0.0		8/6/2022 7:00	0.0		8/6/2023 7:00	0.0	
8/6/2021 8:00	0.0		8/6/2022 8:00	0.0		8/6/2023 8:00	0.0	
8/6/2021 9:00	0.0		8/6/2022 9:00	0.0		8/6/2023 9:00	0.0	
8/6/2021 10:00	0.0		8/6/2022 10:00	0.0		8/6/2023 10:00	0.0	
8/6/2021 11:00	0.0		8/6/2022 11:00	0.0		8/6/2023 11:00	0.0	
8/6/2021 12:00	0.0		8/6/2022 12:00	0.0		8/6/2023 12:00	0.0	
8/6/2021 13:00	0.0		8/6/2022 13:00	0.0		8/6/2023 13:00	0.0	
8/6/2021 14:00	0.0		8/6/2022 14:00	0.0		8/6/2023 14:00	0.0	
8/6/2021 15:00	0.0		8/6/2022 15:00	0.0		8/6/2023 15:00	0.0	
8/6/2021 16:00	0.0		8/6/2022 16:00	0.0		8/6/2023 16:00	0.0	
8/6/2021 17:00	0.0		8/6/2022 17:00	0.0		8/6/2023 17:00	0.0	
8/6/2021 18:00	0.0		8/6/2022 18:00	0.0		8/6/2023 18:00	0.0	
8/6/2021 19:00	0.0		8/6/2022 19:00	0.0		8/6/2023 19:00	0.0	
8/6/2021 20:00	0.0		8/6/2022 20:00	0.0		8/6/2023 20:00	0.0	
8/6/2021 21:00	0.0		8/6/2022 21:00	0.0		8/6/2023 21:00	0.0	
8/6/2021 22:00	0.0		8/6/2022 22:00	0.0		8/6/2023 22:00	0.0	
8/6/2021 23:00	0.0	0.0	8/6/2022 23:00	0.0	0.0	8/6/2023 23:00	0.0	0.0
8/7/2021 0:00	0.0		8/7/2022 0:00	0.0		8/7/2023 0:00	0.0	
8/7/2021 1:00	0.0		8/7/2022 1:00	0.0		8/7/2023 1:00	0.0	
8/7/2021 2:00	0.0		8/7/2022 2:00	0.0		8/7/2023 2:00	0.0	
8/7/2021 3:00	0.0		8/7/2022 3:00	0.0		8/7/2023 3:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/7/2021 4:00	0.0		8/7/2022 4:00	0.0		8/7/2023 4:00	0.0	
8/7/2021 5:00	0.0		8/7/2022 5:00	0.0		8/7/2023 5:00	0.0	
8/7/2021 6:00	0.0		8/7/2022 6:00	0.0		8/7/2023 6:00	0.0	
8/7/2021 7:00	0.0		8/7/2022 7:00	0.0		8/7/2023 7:00	0.0	
8/7/2021 8:00	0.0		8/7/2022 8:00	0.0		8/7/2023 8:00	0.0	
8/7/2021 9:00	0.0		8/7/2022 9:00	0.0		8/7/2023 9:00	0.0	
8/7/2021 10:00	0.0		8/7/2022 10:00	0.0		8/7/2023 10:00	0.0	
8/7/2021 11:00	0.0		8/7/2022 11:00	0.0		8/7/2023 11:00	0.0	
8/7/2021 12:00	0.0		8/7/2022 12:00	0.0		8/7/2023 12:00	0.0	
8/7/2021 13:00	0.0		8/7/2022 13:00	0.0		8/7/2023 13:00	0.0	
8/7/2021 14:00	0.0		8/7/2022 14:00	0.0		8/7/2023 14:00	0.0	
8/7/2021 15:00	0.0		8/7/2022 15:00	0.0		8/7/2023 15:00	0.0	
8/7/2021 16:00	0.0		8/7/2022 16:00	0.0		8/7/2023 16:00	0.0	
8/7/2021 17:00	0.0		8/7/2022 17:00	0.0		8/7/2023 17:00	0.0	
8/7/2021 18:00	0.0		8/7/2022 18:00	0.0		8/7/2023 18:00	0.0	
8/7/2021 19:00	0.0		8/7/2022 19:00	0.0		8/7/2023 19:00	0.0	
8/7/2021 20:00	0.0		8/7/2022 20:00	0.0		8/7/2023 20:00	0.0	
8/7/2021 21:00	0.0		8/7/2022 21:00	0.0		8/7/2023 21:00	0.0	
8/7/2021 22:00	0.0		8/7/2022 22:00	0.0		8/7/2023 22:00	0.0	
8/7/2021 23:00	0.0	0.0	8/7/2022 23:00	0.0	0.0	8/7/2023 23:00	0.0	0.0
8/8/2021 0:00	0.0		8/8/2022 0:00	0.0		8/8/2023 0:00	0.0	
8/8/2021 1:00	0.0		8/8/2022 1:00	0.0		8/8/2023 1:00	0.0	
8/8/2021 2:00	0.0		8/8/2022 2:00	0.0		8/8/2023 2:00	0.0	
8/8/2021 3:00	0.0		8/8/2022 3:00	0.0		8/8/2023 3:00	0.0	
8/8/2021 4:00	0.0		8/8/2022 4:00	0.0		8/8/2023 4:00	0.0	
8/8/2021 5:00	0.0		8/8/2022 5:00	0.0		8/8/2023 5:00	0.0	
8/8/2021 6:00	0.0		8/8/2022 6:00	0.0		8/8/2023 6:00	0.0	
8/8/2021 7:00	0.0		8/8/2022 7:00	0.0		8/8/2023 7:00	0.0	
8/8/2021 8:00	0.0		8/8/2022 8:00	0.0		8/8/2023 8:00	0.0	
8/8/2021 9:00	0.0		8/8/2022 9:00	0.0		8/8/2023 9:00	0.0	
8/8/2021 10:00	0.0		8/8/2022 10:00	0.0		8/8/2023 10:00	0.0	
8/8/2021 11:00	0.0		8/8/2022 11:00	0.0		8/8/2023 11:00	0.0	
8/8/2021 12:00	0.0		8/8/2022 12:00	0.0		8/8/2023 12:00	0.0	
8/8/2021 13:00	0.0		8/8/2022 13:00	0.0		8/8/2023 13:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/8/2021 14:00	0.0		8/8/2022 14:00	0.0		8/8/2023 14:00	0.0	
8/8/2021 15:00	0.0		8/8/2022 15:00	0.0		8/8/2023 15:00	0.0	
8/8/2021 16:00	0.0		8/8/2022 16:00	0.0		8/8/2023 16:00	0.0	
8/8/2021 17:00	0.0		8/8/2022 17:00	0.0		8/8/2023 17:00	0.0	
8/8/2021 18:00	0.0		8/8/2022 18:00	0.0		8/8/2023 18:00	0.0	
8/8/2021 19:00	0.0		8/8/2022 19:00	16.1		8/8/2023 19:00	0.0	
8/8/2021 20:00	0.0		8/8/2022 20:00	0.0		8/8/2023 20:00	0.0	
8/8/2021 21:00	0.0		8/8/2022 21:00	0.0		8/8/2023 21:00	0.0	
8/8/2021 22:00	0.0		8/8/2022 22:00	0.0		8/8/2023 22:00	0.0	
8/8/2021 23:00	0.0	0.0	8/8/2022 23:00	0.0	16.1	8/8/2023 23:00	0.0	0.0
8/9/2021 0:00	0.0		8/9/2022 0:00	0.0		8/9/2023 0:00	0.0	
8/9/2021 1:00	0.0		8/9/2022 1:00	0.0		8/9/2023 1:00	0.0	
8/9/2021 2:00	0.0		8/9/2022 2:00	0.0		8/9/2023 2:00	0.0	
8/9/2021 3:00	0.0		8/9/2022 3:00	0.0		8/9/2023 3:00	0.0	
8/9/2021 4:00	0.0		8/9/2022 4:00	0.0		8/9/2023 4:00	0.0	
8/9/2021 5:00	0.0		8/9/2022 5:00	0.0		8/9/2023 5:00	0.0	
8/9/2021 6:00	0.0		8/9/2022 6:00	0.0		8/9/2023 6:00	0.0	
8/9/2021 7:00	0.0		8/9/2022 7:00	0.0		8/9/2023 7:00	0.0	
8/9/2021 8:00	0.0		8/9/2022 8:00	0.0		8/9/2023 8:00	0.0	
8/9/2021 9:00	0.0		8/9/2022 9:00	0.0		8/9/2023 9:00	0.0	
8/9/2021 10:00	0.0		8/9/2022 10:00	0.0		8/9/2023 10:00	0.0	
8/9/2021 11:00	0.0		8/9/2022 11:00	0.0		8/9/2023 11:00	0.0	
8/9/2021 12:00	0.0		8/9/2022 12:00	0.0		8/9/2023 12:00	0.0	
8/9/2021 13:00	0.0		8/9/2022 13:00	0.0		8/9/2023 13:00	0.0	
8/9/2021 14:00	0.0		8/9/2022 14:00	0.0		8/9/2023 14:00	0.0	
8/9/2021 15:00	0.0		8/9/2022 15:00	0.0		8/9/2023 15:00	0.0	
8/9/2021 16:00	0.0		8/9/2022 16:00	0.0		8/9/2023 16:00	0.0	
8/9/2021 17:00	0.0		8/9/2022 17:00	0.0		8/9/2023 17:00	0.0	
8/9/2021 18:00	0.0		8/9/2022 18:00	0.0		8/9/2023 18:00	0.0	
8/9/2021 19:00	0.0		8/9/2022 19:00	0.0		8/9/2023 19:00	0.0	
8/9/2021 20:00	0.0		8/9/2022 20:00	0.0		8/9/2023 20:00	0.0	
8/9/2021 21:00	0.0		8/9/2022 21:00	0.0		8/9/2023 21:00	0.0	
8/9/2021 22:00	0.0		8/9/2022 22:00	0.0		8/9/2023 22:00	0.0	
8/9/2021 23:00	0.0	0.0	8/9/2022 23:00	0.0	0.0	8/9/2023 23:00	0.0	0.0

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/10/2021 0:00	0.0		8/10/2022 0:00	0.0		8/10/2023 0:00	0.0	
8/10/2021 1:00	0.0		8/10/2022 1:00	0.0		8/10/2023 1:00	0.0	
8/10/2021 2:00	0.0		8/10/2022 2:00	0.0		8/10/2023 2:00	0.0	
8/10/2021 3:00	0.0		8/10/2022 3:00	0.0		8/10/2023 3:00	0.0	
8/10/2021 4:00	0.0		8/10/2022 4:00	0.0		8/10/2023 4:00	0.0	
8/10/2021 5:00	0.0		8/10/2022 5:00	0.0		8/10/2023 5:00	0.0	
8/10/2021 6:00	0.0		8/10/2022 6:00	0.0		8/10/2023 6:00	0.0	
8/10/2021 7:00	0.0		8/10/2022 7:00	0.0		8/10/2023 7:00	0.0	
8/10/2021 8:00	0.0		8/10/2022 8:00	0.0		8/10/2023 8:00	0.0	
8/10/2021 9:00	0.0		8/10/2022 9:00	0.0		8/10/2023 9:00	0.0	
8/10/2021 10:00	0.0		8/10/2022 10:00	0.0		8/10/2023 10:00	0.0	
8/10/2021 11:00	0.0		8/10/2022 11:00	0.0		8/10/2023 11:00	0.0	
8/10/2021 12:00	0.0		8/10/2022 12:00	0.0		8/10/2023 12:00	0.0	
8/10/2021 13:00	0.0		8/10/2022 13:00	0.0		8/10/2023 13:00	0.0	
8/10/2021 14:00	0.0		8/10/2022 14:00	0.0		8/10/2023 14:00	0.0	
8/10/2021 15:00	0.0		8/10/2022 15:00	0.0		8/10/2023 15:00	0.0	
8/10/2021 16:00	0.0		8/10/2022 16:00	0.0		8/10/2023 16:00	0.0	
8/10/2021 17:00	0.0		8/10/2022 17:00	0.0		8/10/2023 17:00	0.0	
8/10/2021 18:00	0.0		8/10/2022 18:00	0.0		8/10/2023 18:00	0.0	
8/10/2021 19:00	0.0		8/10/2022 19:00	0.0		8/10/2023 19:00	0.0	
8/10/2021 20:00	0.0		8/10/2022 20:00	0.0		8/10/2023 20:00	0.0	
8/10/2021 21:00	0.0		8/10/2022 21:00	0.0		8/10/2023 21:00	0.0	
8/10/2021 22:00	0.0		8/10/2022 22:00	0.0		8/10/2023 22:00	0.0	
8/10/2021 23:00	0.0	0.0	8/10/2022 23:00	0.0	0.0	8/10/2023 23:00	0.0	0.0
8/11/2021 0:00	0.0		8/11/2022 0:00	0.0		8/11/2023 0:00	0.0	
8/11/2021 1:00	0.0		8/11/2022 1:00	0.0		8/11/2023 1:00	0.0	
8/11/2021 2:00	0.0		8/11/2022 2:00	0.0		8/11/2023 2:00	0.0	
8/11/2021 3:00	0.0		8/11/2022 3:00	0.0		8/11/2023 3:00	0.0	
8/11/2021 4:00	0.0		8/11/2022 4:00	0.0		8/11/2023 4:00	0.0	
8/11/2021 5:00	0.0		8/11/2022 5:00	0.0		8/11/2023 5:00	0.0	
8/11/2021 6:00	0.0		8/11/2022 6:00	0.0		8/11/2023 6:00	0.0	
8/11/2021 7:00	0.0		8/11/2022 7:00	0.0		8/11/2023 7:00	0.0	
8/11/2021 8:00	0.0		8/11/2022 8:00	0.0		8/11/2023 8:00	0.0	
8/11/2021 9:00	0.0		8/11/2022 9:00	0.0		8/11/2023 9:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/11/2021 10:00	0.0		8/11/2022 10:00	0.0		8/11/2023 10:00	0.0	
8/11/2021 11:00	0.0		8/11/2022 11:00	0.0		8/11/2023 11:00	0.0	
8/11/2021 12:00	0.0		8/11/2022 12:00	0.0		8/11/2023 12:00	0.0	
8/11/2021 13:00	0.0		8/11/2022 13:00	0.0		8/11/2023 13:00	0.0	
8/11/2021 14:00	0.0		8/11/2022 14:00	0.0		8/11/2023 14:00	0.0	
8/11/2021 15:00	0.0		8/11/2022 15:00	0.0		8/11/2023 15:00	0.0	
8/11/2021 16:00	0.0		8/11/2022 16:00	0.0		8/11/2023 16:00	0.0	
8/11/2021 17:00	0.0		8/11/2022 17:00	0.0		8/11/2023 17:00	0.0	
8/11/2021 18:00	0.0		8/11/2022 18:00	0.0		8/11/2023 18:00	0.0	
8/11/2021 19:00	0.0		8/11/2022 19:00	0.0		8/11/2023 19:00	0.0	
8/11/2021 20:00	0.0		8/11/2022 20:00	0.0		8/11/2023 20:00	0.0	
8/11/2021 21:00	0.0		8/11/2022 21:00	0.0		8/11/2023 21:00	0.0	
8/11/2021 22:00	0.0		8/11/2022 22:00	0.0		8/11/2023 22:00	0.0	
8/11/2021 23:00	0.0	0.0	8/11/2022 23:00	0.0	0.0	8/11/2023 23:00	0.0	0.0
8/12/2021 0:00	0.0		8/12/2022 0:00	0.0		8/12/2023 0:00	0.0	
8/12/2021 1:00	0.0		8/12/2022 1:00	0.0		8/12/2023 1:00	0.0	
8/12/2021 2:00	0.0		8/12/2022 2:00	0.0		8/12/2023 2:00	0.0	
8/12/2021 3:00	0.0		8/12/2022 3:00	0.0		8/12/2023 3:00	0.0	
8/12/2021 4:00	0.0		8/12/2022 4:00	0.0		8/12/2023 4:00	0.0	
8/12/2021 5:00	0.0		8/12/2022 5:00	0.0		8/12/2023 5:00	0.0	
8/12/2021 6:00	0.0		8/12/2022 6:00	0.0		8/12/2023 6:00	0.0	
8/12/2021 7:00	0.0		8/12/2022 7:00	0.0		8/12/2023 7:00	0.0	
8/12/2021 8:00	0.0		8/12/2022 8:00	0.0		8/12/2023 8:00	0.0	
8/12/2021 9:00	0.0		8/12/2022 9:00	0.0		8/12/2023 9:00	0.0	
8/12/2021 10:00	0.0		8/12/2022 10:00	0.0		8/12/2023 10:00	0.0	
8/12/2021 11:00	0.0		8/12/2022 11:00	0.0		8/12/2023 11:00	0.0	
8/12/2021 12:00	0.0		8/12/2022 12:00	0.0		8/12/2023 12:00	0.0	
8/12/2021 13:00	0.0		8/12/2022 13:00	0.0		8/12/2023 13:00	0.0	
8/12/2021 14:00	0.0		8/12/2022 14:00	0.0		8/12/2023 14:00	0.0	
8/12/2021 15:00	0.0		8/12/2022 15:00	0.0		8/12/2023 15:00	0.0	
8/12/2021 16:00	0.0		8/12/2022 16:00	0.0		8/12/2023 16:00	0.0	
8/12/2021 17:00	0.0		8/12/2022 17:00	0.0		8/12/2023 17:00	0.0	
8/12/2021 18:00	0.0		8/12/2022 18:00	0.0		8/12/2023 18:00	0.0	
8/12/2021 19:00	0.0		8/12/2022 19:00	0.0		8/12/2023 19:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/12/2021 20:00	0.0		8/12/2022 20:00	0.0		8/12/2023 20:00	0.0	
8/12/2021 21:00	0.0		8/12/2022 21:00	0.0		8/12/2023 21:00	0.0	
8/12/2021 22:00	0.0		8/12/2022 22:00	0.0		8/12/2023 22:00	0.0	
8/12/2021 23:00	0.0	0.0	8/12/2022 23:00	0.0	0.0	8/12/2023 23:00	0.0	0.0
8/13/2021 0:00	0.0		8/13/2022 0:00	0.0		8/13/2023 0:00	0.0	
8/13/2021 1:00	0.0		8/13/2022 1:00	0.0		8/13/2023 1:00	0.0	
8/13/2021 2:00	0.0		8/13/2022 2:00	0.0		8/13/2023 2:00	0.0	
8/13/2021 3:00	0.0		8/13/2022 3:00	0.0		8/13/2023 3:00	0.0	
8/13/2021 4:00	0.0		8/13/2022 4:00	0.0		8/13/2023 4:00	0.0	
8/13/2021 5:00	0.0		8/13/2022 5:00	0.0		8/13/2023 5:00	0.0	
8/13/2021 6:00	0.0		8/13/2022 6:00	0.0		8/13/2023 6:00	0.0	
8/13/2021 7:00	0.0		8/13/2022 7:00	0.0		8/13/2023 7:00	0.0	
8/13/2021 8:00	0.0		8/13/2022 8:00	0.0		8/13/2023 8:00	0.0	
8/13/2021 9:00	0.0		8/13/2022 9:00	0.0		8/13/2023 9:00	0.0	
8/13/2021 10:00	0.0		8/13/2022 10:00	0.0		8/13/2023 10:00	0.0	
8/13/2021 11:00	0.0		8/13/2022 11:00	0.0		8/13/2023 11:00	0.0	
8/13/2021 12:00	0.0		8/13/2022 12:00	0.0		8/13/2023 12:00	0.0	
8/13/2021 13:00	0.0		8/13/2022 13:00	0.0		8/13/2023 13:00	0.0	
8/13/2021 14:00	0.0		8/13/2022 14:00	0.0		8/13/2023 14:00	0.0	
8/13/2021 15:00	0.0		8/13/2022 15:00	0.0		8/13/2023 15:00	0.0	
8/13/2021 16:00	0.0		8/13/2022 16:00	0.0		8/13/2023 16:00	0.0	
8/13/2021 17:00	0.0		8/13/2022 17:00	0.0		8/13/2023 17:00	0.0	
8/13/2021 18:00	0.0		8/13/2022 18:00	0.0		8/13/2023 18:00	0.0	
8/13/2021 19:00	0.0		8/13/2022 19:00	0.0		8/13/2023 19:00	0.0	
8/13/2021 20:00	0.0		8/13/2022 20:00	0.0		8/13/2023 20:00	0.0	
8/13/2021 21:00	0.0		8/13/2022 21:00	0.0		8/13/2023 21:00	0.0	
8/13/2021 22:00	0.0		8/13/2022 22:00	0.0		8/13/2023 22:00	0.0	
8/13/2021 23:00	0.0	0.0	8/13/2022 23:00	0.0	0.0	8/13/2023 23:00	0.0	0.0
8/14/2021 0:00	0.0		8/14/2022 0:00	0.0		8/14/2023 0:00	0.0	
8/14/2021 1:00	0.0		8/14/2022 1:00	0.0		8/14/2023 1:00	0.0	
8/14/2021 2:00	0.0		8/14/2022 2:00	0.0		8/14/2023 2:00	0.0	
8/14/2021 3:00	0.0		8/14/2022 3:00	0.0		8/14/2023 3:00	0.0	
8/14/2021 4:00	0.0		8/14/2022 4:00	0.0		8/14/2023 4:00	0.0	
8/14/2021 5:00	0.0		8/14/2022 5:00	0.0		8/14/2023 5:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/14/2021 6:00	0.0		8/14/2022 6:00	0.0		8/14/2023 6:00	0.0	
8/14/2021 7:00	0.0		8/14/2022 7:00	0.0		8/14/2023 7:00	0.0	
8/14/2021 8:00	0.0		8/14/2022 8:00	0.0		8/14/2023 8:00	0.0	
8/14/2021 9:00	0.0		8/14/2022 9:00	0.0		8/14/2023 9:00	0.0	
8/14/2021 10:00	0.0		8/14/2022 10:00	0.0		8/14/2023 10:00	0.0	
8/14/2021 11:00	0.0		8/14/2022 11:00	0.0		8/14/2023 11:00	0.0	
8/14/2021 12:00	0.0		8/14/2022 12:00	0.0		8/14/2023 12:00	0.0	
8/14/2021 13:00	0.0		8/14/2022 13:00	0.0		8/14/2023 13:00	0.0	
8/14/2021 14:00	0.0		8/14/2022 14:00	0.0		8/14/2023 14:00	0.0	
8/14/2021 15:00	0.0		8/14/2022 15:00	0.0		8/14/2023 15:00	0.0	
8/14/2021 16:00	0.0		8/14/2022 16:00	0.0		8/14/2023 16:00	0.0	
8/14/2021 17:00	0.0		8/14/2022 17:00	0.0		8/14/2023 17:00	0.0	
8/14/2021 18:00	0.0		8/14/2022 18:00	0.0		8/14/2023 18:00	0.0	
8/14/2021 19:00	0.0		8/14/2022 19:00	0.0		8/14/2023 19:00	0.0	
8/14/2021 20:00	0.0		8/14/2022 20:00	0.0		8/14/2023 20:00	0.0	
8/14/2021 21:00	0.0		8/14/2022 21:00	0.0		8/14/2023 21:00	0.0	
8/14/2021 22:00	0.0		8/14/2022 22:00	0.0		8/14/2023 22:00	0.0	
8/14/2021 23:00	0.0	0.0	8/14/2022 23:00	0.0	0.0	8/14/2023 23:00	0.0	0.0
8/15/2021 0:00	0.0		8/15/2022 0:00	0.0		8/15/2023 0:00	0.0	
8/15/2021 1:00	0.0		8/15/2022 1:00	0.0		8/15/2023 1:00	0.0	
8/15/2021 2:00	0.0		8/15/2022 2:00	0.0		8/15/2023 2:00	0.0	
8/15/2021 3:00	0.0		8/15/2022 3:00	0.0		8/15/2023 3:00	0.0	
8/15/2021 4:00	0.0		8/15/2022 4:00	0.0		8/15/2023 4:00	0.0	
8/15/2021 5:00	0.0		8/15/2022 5:00	0.0		8/15/2023 5:00	0.0	
8/15/2021 6:00	0.0		8/15/2022 6:00	0.0		8/15/2023 6:00	0.0	
8/15/2021 7:00	0.0		8/15/2022 7:00	0.0		8/15/2023 7:00	0.0	
8/15/2021 8:00	0.0		8/15/2022 8:00	0.0		8/15/2023 8:00	0.0	
8/15/2021 9:00	0.0		8/15/2022 9:00	0.0		8/15/2023 9:00	0.0	
8/15/2021 10:00	0.0		8/15/2022 10:00	0.0		8/15/2023 10:00	0.0	
8/15/2021 11:00	0.0		8/15/2022 11:00	0.0		8/15/2023 11:00	0.0	
8/15/2021 12:00	0.0		8/15/2022 12:00	0.0		8/15/2023 12:00	0.0	
8/15/2021 13:00	0.0		8/15/2022 13:00	0.0		8/15/2023 13:00	0.0	
8/15/2021 14:00	0.0		8/15/2022 14:00	0.0		8/15/2023 14:00	0.0	
8/15/2021 15:00	0.0		8/15/2022 15:00	0.0		8/15/2023 15:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/15/2021 16:00	0.0		8/15/2022 16:00	0.0		8/15/2023 16:00	0.0	
8/15/2021 17:00	23.6		8/15/2022 17:00	0.0		8/15/2023 17:00	0.0	
8/15/2021 18:00	24.2		8/15/2022 18:00	0.0		8/15/2023 18:00	0.0	
8/15/2021 19:00	0.0		8/15/2022 19:00	0.0		8/15/2023 19:00	0.0	
8/15/2021 20:00	0.0		8/15/2022 20:00	0.0		8/15/2023 20:00	0.0	
8/15/2021 21:00	0.0		8/15/2022 21:00	0.0		8/15/2023 21:00	0.0	
8/15/2021 22:00	0.0		8/15/2022 22:00	0.0		8/15/2023 22:00	0.0	
8/15/2021 23:00	0.0	24.2	8/15/2022 23:00	0.0	0.0	8/15/2023 23:00	0.0	0.0
8/16/2021 0:00	0.0		8/16/2022 0:00	0.0		8/16/2023 0:00	0.0	
8/16/2021 1:00	0.0		8/16/2022 1:00	0.0		8/16/2023 1:00	0.0	
8/16/2021 2:00	0.0		8/16/2022 2:00	0.0		8/16/2023 2:00	0.0	
8/16/2021 3:00	0.0		8/16/2022 3:00	0.0		8/16/2023 3:00	0.0	
8/16/2021 4:00	0.0		8/16/2022 4:00	0.0		8/16/2023 4:00	0.0	
8/16/2021 5:00	0.0		8/16/2022 5:00	0.0		8/16/2023 5:00	0.0	
8/16/2021 6:00	0.0		8/16/2022 6:00	0.0		8/16/2023 6:00	0.0	
8/16/2021 7:00	0.0		8/16/2022 7:00	0.0		8/16/2023 7:00	0.0	
8/16/2021 8:00	0.0		8/16/2022 8:00	0.0		8/16/2023 8:00	0.0	
8/16/2021 9:00	0.0		8/16/2022 9:00	0.0		8/16/2023 9:00	0.0	
8/16/2021 10:00	0.0		8/16/2022 10:00	0.0		8/16/2023 10:00	0.0	
8/16/2021 11:00	0.0		8/16/2022 11:00	0.0		8/16/2023 11:00	0.0	
8/16/2021 12:00	0.0		8/16/2022 12:00	0.0		8/16/2023 12:00	0.0	
8/16/2021 13:00	0.0		8/16/2022 13:00	0.0		8/16/2023 13:00	0.0	
8/16/2021 14:00	0.0		8/16/2022 14:00	0.0		8/16/2023 14:00	0.0	
8/16/2021 15:00	0.0		8/16/2022 15:00	0.0		8/16/2023 15:00	0.0	
8/16/2021 16:00	0.0		8/16/2022 16:00	0.0		8/16/2023 16:00	0.0	
8/16/2021 17:00	0.0		8/16/2022 17:00	0.0		8/16/2023 17:00	0.0	
8/16/2021 18:00	0.0		8/16/2022 18:00	0.0		8/16/2023 18:00	0.0	
8/16/2021 19:00	0.0		8/16/2022 19:00	0.0		8/16/2023 19:00	0.0	
8/16/2021 20:00	0.0		8/16/2022 20:00	0.0		8/16/2023 20:00	0.0	
8/16/2021 21:00	0.0		8/16/2022 21:00	0.0		8/16/2023 21:00	0.0	
8/16/2021 22:00	0.0		8/16/2022 22:00	0.0		8/16/2023 22:00	0.0	
8/16/2021 23:00	0.0	0.0	8/16/2022 23:00	0.0	0.0	8/16/2023 23:00	0.0	0.0
8/17/2021 0:00	0.0		8/17/2022 0:00	0.0		8/17/2023 0:00	0.0	
8/17/2021 1:00	0.0		8/17/2022 1:00	0.0		8/17/2023 1:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/17/2021 2:00	0.0		8/17/2022 2:00	0.0		8/17/2023 2:00	0.0	
8/17/2021 3:00	0.0		8/17/2022 3:00	0.0		8/17/2023 3:00	0.0	
8/17/2021 4:00	0.0		8/17/2022 4:00	0.0		8/17/2023 4:00	0.0	
8/17/2021 5:00	0.0		8/17/2022 5:00	0.0		8/17/2023 5:00	0.0	
8/17/2021 6:00	0.0		8/17/2022 6:00	0.0		8/17/2023 6:00	0.0	
8/17/2021 7:00	0.0		8/17/2022 7:00	0.0		8/17/2023 7:00	0.0	
8/17/2021 8:00	0.0		8/17/2022 8:00	0.0		8/17/2023 8:00	0.0	
8/17/2021 9:00	0.0		8/17/2022 9:00	0.0		8/17/2023 9:00	0.0	
8/17/2021 10:00	0.0		8/17/2022 10:00	0.0		8/17/2023 10:00	0.0	
8/17/2021 11:00	0.0		8/17/2022 11:00	0.0		8/17/2023 11:00	0.0	
8/17/2021 12:00	0.0		8/17/2022 12:00	0.0		8/17/2023 12:00	0.0	
8/17/2021 13:00	0.0		8/17/2022 13:00	0.0		8/17/2023 13:00	0.0	
8/17/2021 14:00	0.0		8/17/2022 14:00	0.0		8/17/2023 14:00	0.0	
8/17/2021 15:00	0.0		8/17/2022 15:00	0.0		8/17/2023 15:00	0.0	
8/17/2021 16:00	0.0		8/17/2022 16:00	0.0		8/17/2023 16:00	0.0	
8/17/2021 17:00	0.0		8/17/2022 17:00	0.0		8/17/2023 17:00	0.0	
8/17/2021 18:00	0.0		8/17/2022 18:00	0.0		8/17/2023 18:00	0.0	
8/17/2021 19:00	0.0		8/17/2022 19:00	0.0		8/17/2023 19:00	0.0	
8/17/2021 20:00	0.0		8/17/2022 20:00	0.0		8/17/2023 20:00	0.0	
8/17/2021 21:00	0.0		8/17/2022 21:00	0.0		8/17/2023 21:00	0.0	
8/17/2021 22:00	0.0		8/17/2022 22:00	0.0		8/17/2023 22:00	0.0	
8/17/2021 23:00	0.0	0.0	8/17/2022 23:00	0.0	0.0	8/17/2023 23:00	0.0	0.0
8/18/2021 0:00	0.0		8/18/2022 0:00	0.0		8/18/2023 0:00	0.0	
8/18/2021 1:00	0.0		8/18/2022 1:00	0.0		8/18/2023 1:00	0.0	
8/18/2021 2:00	0.0		8/18/2022 2:00	0.0		8/18/2023 2:00	0.0	
8/18/2021 3:00	0.0		8/18/2022 3:00	0.0		8/18/2023 3:00	0.0	
8/18/2021 4:00	0.0		8/18/2022 4:00	0.0		8/18/2023 4:00	0.0	
8/18/2021 5:00	0.0		8/18/2022 5:00	0.0		8/18/2023 5:00	0.0	
8/18/2021 6:00	0.0		8/18/2022 6:00	0.0		8/18/2023 6:00	0.0	
8/18/2021 7:00	0.0		8/18/2022 7:00	0.0		8/18/2023 7:00	0.0	
8/18/2021 8:00	0.0		8/18/2022 8:00	0.0		8/18/2023 8:00	0.0	
8/18/2021 9:00	0.0		8/18/2022 9:00	0.0		8/18/2023 9:00	0.0	
8/18/2021 10:00	0.0		8/18/2022 10:00	0.0		8/18/2023 10:00	0.0	
8/18/2021 11:00	0.0		8/18/2022 11:00	0.0		8/18/2023 11:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/18/2021 12:00	0.0		8/18/2022 12:00	0.0		8/18/2023 12:00	0.0	
8/18/2021 13:00	0.0		8/18/2022 13:00	0.0		8/18/2023 13:00	0.0	
8/18/2021 14:00	0.0		8/18/2022 14:00	0.0		8/18/2023 14:00	0.0	
8/18/2021 15:00	0.0		8/18/2022 15:00	0.0		8/18/2023 15:00	0.0	
8/18/2021 16:00	0.0		8/18/2022 16:00	0.0		8/18/2023 16:00	0.0	
8/18/2021 17:00	0.0		8/18/2022 17:00	0.0		8/18/2023 17:00	0.0	
8/18/2021 18:00	0.0		8/18/2022 18:00	0.0		8/18/2023 18:00	0.0	
8/18/2021 19:00	0.0		8/18/2022 19:00	0.0		8/18/2023 19:00	0.0	
8/18/2021 20:00	0.0		8/18/2022 20:00	0.0		8/18/2023 20:00	0.0	
8/18/2021 21:00	0.0		8/18/2022 21:00	0.0		8/18/2023 21:00	0.0	
8/18/2021 22:00	0.0		8/18/2022 22:00	0.0		8/18/2023 22:00	0.0	
8/18/2021 23:00	0.0	0.0	8/18/2022 23:00	0.0	0.0	8/18/2023 23:00	0.0	0.0
8/19/2021 0:00	0.0		8/19/2022 0:00	0.0		8/19/2023 0:00	0.0	
8/19/2021 1:00	0.0		8/19/2022 1:00	0.0		8/19/2023 1:00	0.0	
8/19/2021 2:00	0.0		8/19/2022 2:00	0.0		8/19/2023 2:00	0.0	
8/19/2021 3:00	0.0		8/19/2022 3:00	0.0		8/19/2023 3:00	0.0	
8/19/2021 4:00	0.0		8/19/2022 4:00	0.0		8/19/2023 4:00	0.0	
8/19/2021 5:00	0.0		8/19/2022 5:00	0.0		8/19/2023 5:00	0.0	
8/19/2021 6:00	0.0		8/19/2022 6:00	0.0		8/19/2023 6:00	0.0	
8/19/2021 7:00	0.0		8/19/2022 7:00	0.0		8/19/2023 7:00	0.0	
8/19/2021 8:00	0.0		8/19/2022 8:00	0.0		8/19/2023 8:00	0.0	
8/19/2021 9:00	0.0		8/19/2022 9:00	0.0		8/19/2023 9:00	0.0	
8/19/2021 10:00	0.0		8/19/2022 10:00	2.0		8/19/2023 10:00	0.0	
8/19/2021 11:00	0.0		8/19/2022 11:00	0.0		8/19/2023 11:00	0.0	
8/19/2021 12:00	0.0		8/19/2022 12:00	0.0		8/19/2023 12:00	0.0	
8/19/2021 13:00	0.0		8/19/2022 13:00	0.0		8/19/2023 13:00	0.0	
8/19/2021 14:00	0.0		8/19/2022 14:00	0.0		8/19/2023 14:00	0.0	
8/19/2021 15:00	0.0		8/19/2022 15:00	0.0		8/19/2023 15:00	0.0	
8/19/2021 16:00	0.0		8/19/2022 16:00	0.0		8/19/2023 16:00	0.0	
8/19/2021 17:00	0.0		8/19/2022 17:00	0.0		8/19/2023 17:00	0.0	
8/19/2021 18:00	0.0		8/19/2022 18:00	0.0		8/19/2023 18:00	0.0	
8/19/2021 19:00	0.0		8/19/2022 19:00	0.0		8/19/2023 19:00	0.0	
8/19/2021 20:00	0.0		8/19/2022 20:00	0.0		8/19/2023 20:00	0.0	
8/19/2021 21:00	0.0		8/19/2022 21:00	0.0		8/19/2023 21:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/19/2021 22:00	0.0		8/19/2022 22:00	0.0		8/19/2023 22:00	0.0	
8/19/2021 23:00	0.0	0.0	8/19/2022 23:00	0.0	2.0	8/19/2023 23:00	0.0	0.0
8/20/2021 0:00	0.0		8/20/2022 0:00	0.0		8/20/2023 0:00	0.0	
8/20/2021 1:00	0.0		8/20/2022 1:00	0.0		8/20/2023 1:00	0.0	
8/20/2021 2:00	0.0		8/20/2022 2:00	0.0		8/20/2023 2:00	0.0	
8/20/2021 3:00	0.0		8/20/2022 3:00	0.0		8/20/2023 3:00	0.0	
8/20/2021 4:00	0.0		8/20/2022 4:00	0.0		8/20/2023 4:00	0.0	
8/20/2021 5:00	0.0		8/20/2022 5:00	0.0		8/20/2023 5:00	0.0	
8/20/2021 6:00	0.0		8/20/2022 6:00	0.0		8/20/2023 6:00	0.0	
8/20/2021 7:00	0.0		8/20/2022 7:00	0.0		8/20/2023 7:00	0.0	
8/20/2021 8:00	0.0		8/20/2022 8:00	0.0		8/20/2023 8:00	0.0	
8/20/2021 9:00	0.0		8/20/2022 9:00	0.0		8/20/2023 9:00	0.0	
8/20/2021 10:00	0.0		8/20/2022 10:00	0.0		8/20/2023 10:00	0.0	
8/20/2021 11:00	0.0		8/20/2022 11:00	0.0		8/20/2023 11:00	0.0	
8/20/2021 12:00	0.0		8/20/2022 12:00	0.0		8/20/2023 12:00	0.0	
8/20/2021 13:00	0.0		8/20/2022 13:00	0.0		8/20/2023 13:00	0.0	
8/20/2021 14:00	0.0		8/20/2022 14:00	0.0		8/20/2023 14:00	0.0	
8/20/2021 15:00	0.0		8/20/2022 15:00	0.0		8/20/2023 15:00	0.0	
8/20/2021 16:00	0.0		8/20/2022 16:00	0.0		8/20/2023 16:00	0.0	
8/20/2021 17:00	0.0		8/20/2022 17:00	0.0		8/20/2023 17:00	0.0	
8/20/2021 18:00	0.0		8/20/2022 18:00	0.0		8/20/2023 18:00	0.0	
8/20/2021 19:00	0.0		8/20/2022 19:00	0.0		8/20/2023 19:00	0.0	
8/20/2021 20:00	0.0		8/20/2022 20:00	0.0		8/20/2023 20:00	0.0	
8/20/2021 21:00	0.0		8/20/2022 21:00	0.0		8/20/2023 21:00	0.0	
8/20/2021 22:00	0.0		8/20/2022 22:00	0.0		8/20/2023 22:00	0.0	
8/20/2021 23:00	0.0	0.0	8/20/2022 23:00	0.0	0.0	8/20/2023 23:00	0.0	0.0
8/21/2021 0:00	0.0		8/21/2022 0:00	0.0		8/21/2023 0:00	0.0	
8/21/2021 1:00	0.0		8/21/2022 1:00	0.0		8/21/2023 1:00	0.0	
8/21/2021 2:00	0.0		8/21/2022 2:00	0.0		8/21/2023 2:00	0.0	
8/21/2021 3:00	0.0		8/21/2022 3:00	0.0		8/21/2023 3:00	0.0	
8/21/2021 4:00	0.0		8/21/2022 4:00	0.0		8/21/2023 4:00	0.0	
8/21/2021 5:00	0.0		8/21/2022 5:00	0.0		8/21/2023 5:00	0.0	
8/21/2021 6:00	0.0		8/21/2022 6:00	0.0		8/21/2023 6:00	0.0	
8/21/2021 7:00	0.0		8/21/2022 7:00	0.0		8/21/2023 7:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/21/2021 8:00	0.0		8/21/2022 8:00	0.0		8/21/2023 8:00	0.0	
8/21/2021 9:00	0.0		8/21/2022 9:00	0.0		8/21/2023 9:00	0.0	
8/21/2021 10:00	0.0		8/21/2022 10:00	0.0		8/21/2023 10:00	0.0	
8/21/2021 11:00	0.0		8/21/2022 11:00	0.0		8/21/2023 11:00	0.0	
8/21/2021 12:00	0.0		8/21/2022 12:00	0.0		8/21/2023 12:00	0.0	
8/21/2021 13:00	0.0		8/21/2022 13:00	0.0		8/21/2023 13:00	0.0	
8/21/2021 14:00	0.0		8/21/2022 14:00	0.0		8/21/2023 14:00	0.0	
8/21/2021 15:00	0.0		8/21/2022 15:00	0.0		8/21/2023 15:00	0.0	
8/21/2021 16:00	0.0		8/21/2022 16:00	0.0		8/21/2023 16:00	0.0	
8/21/2021 17:00	0.0		8/21/2022 17:00	0.0		8/21/2023 17:00	0.0	
8/21/2021 18:00	0.0		8/21/2022 18:00	0.0		8/21/2023 18:00	0.0	
8/21/2021 19:00	0.0		8/21/2022 19:00	0.0		8/21/2023 19:00	0.0	
8/21/2021 20:00	0.0		8/21/2022 20:00	0.0		8/21/2023 20:00	0.0	
8/21/2021 21:00	0.0		8/21/2022 21:00	0.0		8/21/2023 21:00	0.0	
8/21/2021 22:00	0.0		8/21/2022 22:00	0.0		8/21/2023 22:00	0.0	
8/21/2021 23:00	0.0	0.0	8/21/2022 23:00	0.0	0.0	8/21/2023 23:00	0.0	0.0
8/22/2021 0:00	0.0		8/22/2022 0:00	0.0		8/22/2023 0:00	0.0	
8/22/2021 1:00	0.0		8/22/2022 1:00	0.0		8/22/2023 1:00	0.0	
8/22/2021 2:00	0.0		8/22/2022 2:00	0.0		8/22/2023 2:00	0.0	
8/22/2021 3:00	0.0		8/22/2022 3:00	0.0		8/22/2023 3:00	0.0	
8/22/2021 4:00	0.0		8/22/2022 4:00	0.0		8/22/2023 4:00	0.0	
8/22/2021 5:00	0.0		8/22/2022 5:00	0.0		8/22/2023 5:00	0.0	
8/22/2021 6:00	0.0		8/22/2022 6:00	0.0		8/22/2023 6:00	0.0	
8/22/2021 7:00	0.0		8/22/2022 7:00	0.0		8/22/2023 7:00	0.0	
8/22/2021 8:00	0.0		8/22/2022 8:00	0.0		8/22/2023 8:00	0.0	
8/22/2021 9:00	0.0		8/22/2022 9:00	0.0		8/22/2023 9:00	0.0	
8/22/2021 10:00	0.0		8/22/2022 10:00	0.0		8/22/2023 10:00	0.0	
8/22/2021 11:00	0.0		8/22/2022 11:00	0.0		8/22/2023 11:00	0.0	
8/22/2021 12:00	0.0		8/22/2022 12:00	0.0		8/22/2023 12:00	0.0	
8/22/2021 13:00	0.0		8/22/2022 13:00	0.0		8/22/2023 13:00	0.0	
8/22/2021 14:00	0.0		8/22/2022 14:00	0.0		8/22/2023 14:00	0.0	
8/22/2021 15:00	0.0		8/22/2022 15:00	0.0		8/22/2023 15:00	0.0	
8/22/2021 16:00	0.0		8/22/2022 16:00	0.0		8/22/2023 16:00	0.0	
8/22/2021 17:00	0.0		8/22/2022 17:00	0.0		8/22/2023 17:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/22/2021 18:00	0.0		8/22/2022 18:00	0.0		8/22/2023 18:00	0.0	
8/22/2021 19:00	0.0		8/22/2022 19:00	0.0		8/22/2023 19:00	0.0	
8/22/2021 20:00	0.0		8/22/2022 20:00	0.0		8/22/2023 20:00	0.0	
8/22/2021 21:00	0.0		8/22/2022 21:00	0.0		8/22/2023 21:00	0.0	
8/22/2021 22:00	0.0		8/22/2022 22:00	0.0		8/22/2023 22:00	0.0	
8/22/2021 23:00	0.0	0.0	8/22/2022 23:00	0.0	0.0	8/22/2023 23:00	0.0	0.0
8/23/2021 0:00	0.0		8/23/2022 0:00	0.0		8/23/2023 0:00	0.0	
8/23/2021 1:00	0.0		8/23/2022 1:00	0.0		8/23/2023 1:00	0.0	
8/23/2021 2:00	0.0		8/23/2022 2:00	0.0		8/23/2023 2:00	0.0	
8/23/2021 3:00	0.0		8/23/2022 3:00	0.0		8/23/2023 3:00	0.0	
8/23/2021 4:00	0.0		8/23/2022 4:00	0.0		8/23/2023 4:00	0.0	
8/23/2021 5:00	0.0		8/23/2022 5:00	0.0		8/23/2023 5:00	0.0	
8/23/2021 6:00	0.0		8/23/2022 6:00	0.0		8/23/2023 6:00	0.0	
8/23/2021 7:00	0.0		8/23/2022 7:00	0.0		8/23/2023 7:00	0.0	
8/23/2021 8:00	0.0		8/23/2022 8:00	0.0		8/23/2023 8:00	0.0	
8/23/2021 9:00	0.0		8/23/2022 9:00	0.0		8/23/2023 9:00	0.0	
8/23/2021 10:00	0.0		8/23/2022 10:00	0.0		8/23/2023 10:00	0.0	
8/23/2021 11:00	0.0		8/23/2022 11:00	0.0		8/23/2023 11:00	0.0	
8/23/2021 12:00	0.0		8/23/2022 12:00	0.0		8/23/2023 12:00	0.0	
8/23/2021 13:00	0.0		8/23/2022 13:00	0.0		8/23/2023 13:00	0.0	
8/23/2021 14:00	0.0		8/23/2022 14:00	0.0		8/23/2023 14:00	0.0	
8/23/2021 15:00	0.0		8/23/2022 15:00	0.0		8/23/2023 15:00	0.0	
8/23/2021 16:00	0.0		8/23/2022 16:00	0.0		8/23/2023 16:00	0.0	
8/23/2021 17:00	0.0		8/23/2022 17:00	0.0		8/23/2023 17:00	0.0	
8/23/2021 18:00	0.0		8/23/2022 18:00	0.0		8/23/2023 18:00	0.0	
8/23/2021 19:00	0.0		8/23/2022 19:00	0.0		8/23/2023 19:00	0.0	
8/23/2021 20:00	0.0		8/23/2022 20:00	0.0		8/23/2023 20:00	0.0	
8/23/2021 21:00	0.0		8/23/2022 21:00	0.0		8/23/2023 21:00	0.0	
8/23/2021 22:00	0.0		8/23/2022 22:00	0.0		8/23/2023 22:00	0.0	
8/23/2021 23:00	0.0	0.0	8/23/2022 23:00	0.0	0.0	8/23/2023 23:00	0.0	0.0
8/24/2021 0:00	0.0		8/24/2022 0:00	0.0		8/24/2023 0:00	0.0	
8/24/2021 1:00	0.0		8/24/2022 1:00	0.0		8/24/2023 1:00	0.0	
8/24/2021 2:00	0.0		8/24/2022 2:00	0.0		8/24/2023 2:00	0.0	
8/24/2021 3:00	0.0		8/24/2022 3:00	0.0		8/24/2023 3:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/24/2021 4:00	0.0		8/24/2022 4:00	0.0		8/24/2023 4:00	0.0	
8/24/2021 5:00	0.0		8/24/2022 5:00	0.0		8/24/2023 5:00	0.0	
8/24/2021 6:00	0.0		8/24/2022 6:00	0.0		8/24/2023 6:00	0.0	
8/24/2021 7:00	0.0		8/24/2022 7:00	0.0		8/24/2023 7:00	0.0	
8/24/2021 8:00	0.0		8/24/2022 8:00	0.0		8/24/2023 8:00	0.0	
8/24/2021 9:00	0.0		8/24/2022 9:00	0.0		8/24/2023 9:00	0.0	
8/24/2021 10:00	0.0		8/24/2022 10:00	0.0		8/24/2023 10:00	0.0	
8/24/2021 11:00	0.0		8/24/2022 11:00	0.0		8/24/2023 11:00	0.0	
8/24/2021 12:00	0.0		8/24/2022 12:00	0.0		8/24/2023 12:00	0.0	
8/24/2021 13:00	0.0		8/24/2022 13:00	0.0		8/24/2023 13:00	0.0	
8/24/2021 14:00	0.0		8/24/2022 14:00	0.0		8/24/2023 14:00	0.0	
8/24/2021 15:00	0.0		8/24/2022 15:00	0.0		8/24/2023 15:00	0.0	
8/24/2021 16:00	0.0		8/24/2022 16:00	0.0		8/24/2023 16:00	0.0	
8/24/2021 17:00	0.0		8/24/2022 17:00	0.0		8/24/2023 17:00	0.0	
8/24/2021 18:00	0.0		8/24/2022 18:00	0.0		8/24/2023 18:00	0.0	
8/24/2021 19:00	0.0		8/24/2022 19:00	0.0		8/24/2023 19:00	0.0	
8/24/2021 20:00	0.0		8/24/2022 20:00	0.0		8/24/2023 20:00	0.0	
8/24/2021 21:00	0.0		8/24/2022 21:00	0.0		8/24/2023 21:00	0.0	
8/24/2021 22:00	0.0		8/24/2022 22:00	0.0		8/24/2023 22:00	0.0	
8/24/2021 23:00	0.0	0.0	8/24/2022 23:00	0.0	0.0	8/24/2023 23:00	0.0	0.0
8/25/2021 0:00	0.0		8/25/2022 0:00	0.0		8/25/2023 0:00	0.0	
8/25/2021 1:00	0.0		8/25/2022 1:00	0.0		8/25/2023 1:00	0.0	
8/25/2021 2:00	0.0		8/25/2022 2:00	0.0		8/25/2023 2:00	0.0	
8/25/2021 3:00	0.0		8/25/2022 3:00	0.0		8/25/2023 3:00	0.0	
8/25/2021 4:00	0.0		8/25/2022 4:00	0.0		8/25/2023 4:00	0.0	
8/25/2021 5:00	0.0		8/25/2022 5:00	0.0		8/25/2023 5:00	0.0	
8/25/2021 6:00	0.0		8/25/2022 6:00	0.0		8/25/2023 6:00	0.0	
8/25/2021 7:00	0.0		8/25/2022 7:00	0.0		8/25/2023 7:00	0.0	
8/25/2021 8:00	0.0		8/25/2022 8:00	0.0		8/25/2023 8:00	0.0	
8/25/2021 9:00	0.0		8/25/2022 9:00	0.0		8/25/2023 9:00	0.0	
8/25/2021 10:00	0.0		8/25/2022 10:00	0.0		8/25/2023 10:00	0.0	
8/25/2021 11:00	0.0		8/25/2022 11:00	0.0		8/25/2023 11:00	0.0	
8/25/2021 12:00	0.0		8/25/2022 12:00	0.0		8/25/2023 12:00	0.0	
8/25/2021 13:00	0.0		8/25/2022 13:00	0.0		8/25/2023 13:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/25/2021 14:00	0.0		8/25/2022 14:00	0.0		8/25/2023 14:00	0.0	
8/25/2021 15:00	0.0		8/25/2022 15:00	0.0		8/25/2023 15:00	0.0	
8/25/2021 16:00	0.0		8/25/2022 16:00	0.0		8/25/2023 16:00	0.0	
8/25/2021 17:00	0.0		8/25/2022 17:00	0.0		8/25/2023 17:00	0.0	
8/25/2021 18:00	0.0		8/25/2022 18:00	0.0		8/25/2023 18:00	0.0	
8/25/2021 19:00	0.0		8/25/2022 19:00	0.0		8/25/2023 19:00	0.0	
8/25/2021 20:00	0.0		8/25/2022 20:00	0.0		8/25/2023 20:00	0.0	
8/25/2021 21:00	0.0		8/25/2022 21:00	0.0		8/25/2023 21:00	0.0	
8/25/2021 22:00	0.0		8/25/2022 22:00	0.0		8/25/2023 22:00	0.0	
8/25/2021 23:00	0.0	0.0	8/25/2022 23:00	0.0	0.0	8/25/2023 23:00	0.0	0.0
8/26/2021 0:00	0.0		8/26/2022 0:00	0.0		8/26/2023 0:00	0.0	
8/26/2021 1:00	0.0		8/26/2022 1:00	0.0		8/26/2023 1:00	0.0	
8/26/2021 2:00	0.0		8/26/2022 2:00	0.0		8/26/2023 2:00	0.0	
8/26/2021 3:00	0.0		8/26/2022 3:00	0.0		8/26/2023 3:00	0.0	
8/26/2021 4:00	0.0		8/26/2022 4:00	0.0		8/26/2023 4:00	0.0	
8/26/2021 5:00	0.0		8/26/2022 5:00	0.0		8/26/2023 5:00	0.0	
8/26/2021 6:00	0.0		8/26/2022 6:00	0.0		8/26/2023 6:00	0.0	
8/26/2021 7:00	0.0		8/26/2022 7:00	0.0		8/26/2023 7:00	0.0	
8/26/2021 8:00	0.0		8/26/2022 8:00	0.0		8/26/2023 8:00	0.0	
8/26/2021 9:00	0.0		8/26/2022 9:00	0.0		8/26/2023 9:00	0.0	
8/26/2021 10:00	0.0		8/26/2022 10:00	0.0		8/26/2023 10:00	0.0	
8/26/2021 11:00	0.0		8/26/2022 11:00	0.0		8/26/2023 11:00	0.0	
8/26/2021 12:00	0.0		8/26/2022 12:00	0.0		8/26/2023 12:00	0.0	
8/26/2021 13:00	0.0		8/26/2022 13:00	0.0		8/26/2023 13:00	0.0	
8/26/2021 14:00	0.0		8/26/2022 14:00	0.0		8/26/2023 14:00	0.0	
8/26/2021 15:00	0.0		8/26/2022 15:00	0.0		8/26/2023 15:00	0.0	
8/26/2021 16:00	0.0		8/26/2022 16:00	0.0		8/26/2023 16:00	0.0	
8/26/2021 17:00	0.0		8/26/2022 17:00	0.0		8/26/2023 17:00	0.0	
8/26/2021 18:00	0.0		8/26/2022 18:00	0.0		8/26/2023 18:00	0.0	
8/26/2021 19:00	0.0		8/26/2022 19:00	0.0		8/26/2023 19:00	0.0	
8/26/2021 20:00	0.0		8/26/2022 20:00	0.0		8/26/2023 20:00	0.0	
8/26/2021 21:00	0.0		8/26/2022 21:00	0.0		8/26/2023 21:00	0.0	
8/26/2021 22:00	0.0		8/26/2022 22:00	0.0		8/26/2023 22:00	0.0	
8/26/2021 23:00	0.0	0.0	8/26/2022 23:00	0.0	0.0	8/26/2023 23:00	0.0	0.0

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/27/2021 0:00	0.0		8/27/2022 0:00	0.0		8/27/2023 0:00	0.0	
8/27/2021 1:00	0.0		8/27/2022 1:00	0.0		8/27/2023 1:00	0.0	
8/27/2021 2:00	0.0		8/27/2022 2:00	0.0		8/27/2023 2:00	0.0	
8/27/2021 3:00	0.0		8/27/2022 3:00	0.0		8/27/2023 3:00	0.0	
8/27/2021 4:00	0.0		8/27/2022 4:00	0.0		8/27/2023 4:00	0.0	
8/27/2021 5:00	0.0		8/27/2022 5:00	0.0		8/27/2023 5:00	0.0	
8/27/2021 6:00	0.0		8/27/2022 6:00	0.0		8/27/2023 6:00	0.0	
8/27/2021 7:00	0.0		8/27/2022 7:00	0.0		8/27/2023 7:00	0.0	
8/27/2021 8:00	0.0		8/27/2022 8:00	0.0		8/27/2023 8:00	0.0	
8/27/2021 9:00	0.0		8/27/2022 9:00	0.0		8/27/2023 9:00	0.0	
8/27/2021 10:00	0.0		8/27/2022 10:00	0.0		8/27/2023 10:00	0.0	
8/27/2021 11:00	0.0		8/27/2022 11:00	0.0		8/27/2023 11:00	0.0	
8/27/2021 12:00	0.0		8/27/2022 12:00	0.0		8/27/2023 12:00	0.0	
8/27/2021 13:00	0.0		8/27/2022 13:00	0.0		8/27/2023 13:00	0.0	
8/27/2021 14:00	0.0		8/27/2022 14:00	0.0		8/27/2023 14:00	0.0	
8/27/2021 15:00	0.0		8/27/2022 15:00	0.0		8/27/2023 15:00	0.0	
8/27/2021 16:00	0.0		8/27/2022 16:00	0.0		8/27/2023 16:00	0.0	
8/27/2021 17:00	0.0		8/27/2022 17:00	0.0		8/27/2023 17:00	0.0	
8/27/2021 18:00	0.0		8/27/2022 18:00	0.0		8/27/2023 18:00	0.0	
8/27/2021 19:00	0.0		8/27/2022 19:00	0.0		8/27/2023 19:00	0.0	
8/27/2021 20:00	0.0		8/27/2022 20:00	0.0		8/27/2023 20:00	0.0	
8/27/2021 21:00	0.0		8/27/2022 21:00	0.0		8/27/2023 21:00	0.0	
8/27/2021 22:00	0.0		8/27/2022 22:00	0.0		8/27/2023 22:00	0.0	
8/27/2021 23:00	0.0	0.0	8/27/2022 23:00	0.0	0.0	8/27/2023 23:00	0.0	0.0
8/28/2021 0:00	0.0		8/28/2022 0:00	0.0		8/28/2023 0:00	0.0	
8/28/2021 1:00	0.0		8/28/2022 1:00	0.0		8/28/2023 1:00	0.0	
8/28/2021 2:00	0.0		8/28/2022 2:00	0.0		8/28/2023 2:00	0.0	
8/28/2021 3:00	0.0		8/28/2022 3:00	0.0		8/28/2023 3:00	0.0	
8/28/2021 4:00	0.0		8/28/2022 4:00	0.0		8/28/2023 4:00	0.0	
8/28/2021 5:00	0.0		8/28/2022 5:00	0.0		8/28/2023 5:00	0.0	
8/28/2021 6:00	0.0		8/28/2022 6:00	0.0		8/28/2023 6:00	0.0	
8/28/2021 7:00	0.0		8/28/2022 7:00	0.0		8/28/2023 7:00	0.0	
8/28/2021 8:00	0.0		8/28/2022 8:00	0.0		8/28/2023 8:00	0.0	
8/28/2021 9:00	0.0		8/28/2022 9:00	0.0		8/28/2023 9:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/28/2021 10:00	0.0		8/28/2022 10:00	0.0		8/28/2023 10:00	0.0	
8/28/2021 11:00	0.0		8/28/2022 11:00	0.0		8/28/2023 11:00	0.0	
8/28/2021 12:00	0.0		8/28/2022 12:00	0.0		8/28/2023 12:00	0.0	
8/28/2021 13:00	0.0		8/28/2022 13:00	0.0		8/28/2023 13:00	0.0	
8/28/2021 14:00	0.0		8/28/2022 14:00	0.0		8/28/2023 14:00	0.0	
8/28/2021 15:00	0.0		8/28/2022 15:00	0.0		8/28/2023 15:00	0.0	
8/28/2021 16:00	0.0		8/28/2022 16:00	0.0		8/28/2023 16:00	0.0	
8/28/2021 17:00	0.0		8/28/2022 17:00	0.0		8/28/2023 17:00	0.0	
8/28/2021 18:00	0.0		8/28/2022 18:00	0.0		8/28/2023 18:00	0.0	
8/28/2021 19:00	0.0		8/28/2022 19:00	0.0		8/28/2023 19:00	61.6	
8/28/2021 20:00	0.0		8/28/2022 20:00	0.0		8/28/2023 20:00	0.0	
8/28/2021 21:00	0.0		8/28/2022 21:00	0.0		8/28/2023 21:00	5.8	
8/28/2021 22:00	0.0		8/28/2022 22:00	0.0		8/28/2023 22:00	0.0	
8/28/2021 23:00	0.0	0.0	8/28/2022 23:00	0.0	0.0	8/28/2023 23:00	67.4	67.4
8/29/2021 0:00	0.0		8/29/2022 0:00	0.0		8/29/2023 0:00	40.4	
8/29/2021 1:00	0.0		8/29/2022 1:00	0.0		8/29/2023 1:00	11.6	
8/29/2021 2:00	0.0		8/29/2022 2:00	0.0		8/29/2023 2:00	29.1	
8/29/2021 3:00	0.0		8/29/2022 3:00	0.0		8/29/2023 3:00	28.9	
8/29/2021 4:00	0.0		8/29/2022 4:00	0.0		8/29/2023 4:00	0.0	
8/29/2021 5:00	0.0		8/29/2022 5:00	0.0		8/29/2023 5:00	0.0	
8/29/2021 6:00	0.0		8/29/2022 6:00	0.0		8/29/2023 6:00	0.0	
8/29/2021 7:00	0.0		8/29/2022 7:00	0.0		8/29/2023 7:00	0.0	
8/29/2021 8:00	0.0		8/29/2022 8:00	0.0		8/29/2023 8:00	3.7	
8/29/2021 9:00	0.0		8/29/2022 9:00	0.0		8/29/2023 9:00	0.0	
8/29/2021 10:00	0.0		8/29/2022 10:00	0.0		8/29/2023 10:00	0.0	
8/29/2021 11:00	0.0		8/29/2022 11:00	0.0		8/29/2023 11:00	0.0	
8/29/2021 12:00	0.0		8/29/2022 12:00	0.0		8/29/2023 12:00	0.0	
8/29/2021 13:00	0.0		8/29/2022 13:00	0.0		8/29/2023 13:00	0.0	
8/29/2021 14:00	0.0		8/29/2022 14:00	0.0		8/29/2023 14:00	0.0	
8/29/2021 15:00	0.0		8/29/2022 15:00	0.0		8/29/2023 15:00	0.0	
8/29/2021 16:00	0.0		8/29/2022 16:00	0.0		8/29/2023 16:00	0.0	
8/29/2021 17:00	0.0		8/29/2022 17:00	0.0		8/29/2023 17:00	0.0	
8/29/2021 18:00	0.0		8/29/2022 18:00	0.0		8/29/2023 18:00	0.0	
8/29/2021 19:00	0.0		8/29/2022 19:00	0.0		8/29/2023 19:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/29/2021 20:00	0.0		8/29/2022 20:00	0.0		8/29/2023 20:00	0.0	
8/29/2021 21:00	0.0		8/29/2022 21:00	0.0		8/29/2023 21:00	0.0	
8/29/2021 22:00	0.0		8/29/2022 22:00	0.0		8/29/2023 22:00	0.0	
8/29/2021 23:00	0.0	0.0	8/29/2022 23:00	0.0	0.0	8/29/2023 23:00	0.0	40.4
8/30/2021 0:00	0.0		8/30/2022 0:00	0.0		8/30/2023 0:00	0.0	
8/30/2021 1:00	0.0		8/30/2022 1:00	0.0		8/30/2023 1:00	0.0	
8/30/2021 2:00	0.0		8/30/2022 2:00	0.0		8/30/2023 2:00	0.0	
8/30/2021 3:00	0.0		8/30/2022 3:00	0.0		8/30/2023 3:00	0.0	
8/30/2021 4:00	0.0		8/30/2022 4:00	0.0		8/30/2023 4:00	0.0	
8/30/2021 5:00	0.0		8/30/2022 5:00	0.0		8/30/2023 5:00	0.0	
8/30/2021 6:00	0.0		8/30/2022 6:00	0.0		8/30/2023 6:00	0.0	
8/30/2021 7:00	0.0		8/30/2022 7:00	0.0		8/30/2023 7:00	0.0	
8/30/2021 8:00	0.0		8/30/2022 8:00	0.0		8/30/2023 8:00	0.0	
8/30/2021 9:00	0.0		8/30/2022 9:00	0.0		8/30/2023 9:00	0.0	
8/30/2021 10:00	0.0		8/30/2022 10:00	0.0		8/30/2023 10:00	0.0	
8/30/2021 11:00	0.0		8/30/2022 11:00	0.0		8/30/2023 11:00	0.0	
8/30/2021 12:00	0.0		8/30/2022 12:00	0.0		8/30/2023 12:00	0.0	
8/30/2021 13:00	0.0		8/30/2022 13:00	0.0		8/30/2023 13:00	0.0	
8/30/2021 14:00	0.0		8/30/2022 14:00	0.0		8/30/2023 14:00	0.0	
8/30/2021 15:00	0.0		8/30/2022 15:00	0.0		8/30/2023 15:00	0.0	
8/30/2021 16:00	0.0		8/30/2022 16:00	0.0		8/30/2023 16:00	0.0	
8/30/2021 17:00	0.0		8/30/2022 17:00	0.0		8/30/2023 17:00	0.0	
8/30/2021 18:00	0.0		8/30/2022 18:00	0.0		8/30/2023 18:00	0.0	
8/30/2021 19:00	0.0		8/30/2022 19:00	0.0		8/30/2023 19:00	0.0	
8/30/2021 20:00	0.0		8/30/2022 20:00	0.0		8/30/2023 20:00	0.0	
8/30/2021 21:00	0.0		8/30/2022 21:00	0.0		8/30/2023 21:00	0.0	
8/30/2021 22:00	0.0		8/30/2022 22:00	0.0		8/30/2023 22:00	0.0	
8/30/2021 23:00	0.0	0.0	8/30/2022 23:00	0.0	0.0	8/30/2023 23:00	0.0	0.0
8/31/2021 0:00	0.0		8/31/2022 0:00	0.0		8/31/2023 0:00	0.0	
8/31/2021 1:00	0.0		8/31/2022 1:00	0.0		8/31/2023 1:00	0.0	
8/31/2021 2:00	0.0		8/31/2022 2:00	0.0		8/31/2023 2:00	0.0	
8/31/2021 3:00	0.0		8/31/2022 3:00	0.0		8/31/2023 3:00	0.0	
8/31/2021 4:00	0.0		8/31/2022 4:00	0.0		8/31/2023 4:00	0.0	
8/31/2021 5:00	0.0		8/31/2022 5:00	0.0		8/31/2023 5:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
8/31/2021 6:00	0.0		8/31/2022 6:00	0.0		8/31/2023 6:00	0.0	
8/31/2021 7:00	0.0		8/31/2022 7:00	0.0		8/31/2023 7:00	0.0	
8/31/2021 8:00	0.0		8/31/2022 8:00	0.0		8/31/2023 8:00	0.0	
8/31/2021 9:00	0.0		8/31/2022 9:00	0.0		8/31/2023 9:00	0.0	
8/31/2021 10:00	0.0		8/31/2022 10:00	0.0		8/31/2023 10:00	0.0	
8/31/2021 11:00	0.0		8/31/2022 11:00	0.0		8/31/2023 11:00	0.0	
8/31/2021 12:00	0.0		8/31/2022 12:00	0.0		8/31/2023 12:00	0.0	
8/31/2021 13:00	0.0		8/31/2022 13:00	0.0		8/31/2023 13:00	0.0	
8/31/2021 14:00	0.0		8/31/2022 14:00	0.0		8/31/2023 14:00	0.0	
8/31/2021 15:00	0.0		8/31/2022 15:00	0.0		8/31/2023 15:00	0.0	
8/31/2021 16:00	0.0		8/31/2022 16:00	0.0		8/31/2023 16:00	0.0	
8/31/2021 17:00	0.0		8/31/2022 17:00	0.0		8/31/2023 17:00	0.0	
8/31/2021 18:00	0.0		8/31/2022 18:00	0.0		8/31/2023 18:00	0.0	
8/31/2021 19:00	0.0		8/31/2022 19:00	0.0		8/31/2023 19:00	0.0	
8/31/2021 20:00	0.0		8/31/2022 20:00	0.0		8/31/2023 20:00	0.0	
8/31/2021 21:00	0.0		8/31/2022 21:00	0.0		8/31/2023 21:00	0.0	
8/31/2021 22:00	0.0		8/31/2022 22:00	0.0		8/31/2023 22:00	0.0	
8/31/2021 23:00	0.0	0.0	8/31/2022 23:00	0.0	0.0	8/31/2023 23:00	0.0	0.0
9/1/2021 0:00	0.0		9/1/2022 0:00	0.0		9/1/2023 0:00	0.0	
9/1/2021 1:00	0.0		9/1/2022 1:00	0.0		9/1/2023 1:00	0.0	
9/1/2021 2:00	0.0		9/1/2022 2:00	0.0		9/1/2023 2:00	0.0	
9/1/2021 3:00	0.0		9/1/2022 3:00	0.0		9/1/2023 3:00	0.0	
9/1/2021 4:00	0.0		9/1/2022 4:00	0.0		9/1/2023 4:00	0.0	
9/1/2021 5:00	0.0		9/1/2022 5:00	0.0		9/1/2023 5:00	0.0	
9/1/2021 6:00	0.0		9/1/2022 6:00	0.0		9/1/2023 6:00	0.0	
9/1/2021 7:00	0.0		9/1/2022 7:00	0.0		9/1/2023 7:00	0.0	
9/1/2021 8:00	0.0		9/1/2022 8:00	0.0		9/1/2023 8:00	0.0	
9/1/2021 9:00	0.0		9/1/2022 9:00	0.0		9/1/2023 9:00	0.0	
9/1/2021 10:00	0.0		9/1/2022 10:00	0.0		9/1/2023 10:00	0.0	
9/1/2021 11:00	0.0		9/1/2022 11:00	0.0		9/1/2023 11:00	0.0	
9/1/2021 12:00	0.0		9/1/2022 12:00	0.0		9/1/2023 12:00	0.0	
9/1/2021 13:00	0.0		9/1/2022 13:00	0.0		9/1/2023 13:00	0.0	
9/1/2021 14:00	0.0		9/1/2022 14:00	0.0		9/1/2023 14:00	0.0	
9/1/2021 15:00	0.0		9/1/2022 15:00	0.0		9/1/2023 15:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/1/2021 16:00	0.0		9/1/2022 16:00	0.0		9/1/2023 16:00	0.0	
9/1/2021 17:00	0.0		9/1/2022 17:00	0.0		9/1/2023 17:00	0.0	
9/1/2021 18:00	0.0		9/1/2022 18:00	0.0		9/1/2023 18:00	0.0	
9/1/2021 19:00	0.0		9/1/2022 19:00	0.0		9/1/2023 19:00	0.0	
9/1/2021 20:00	0.0		9/1/2022 20:00	0.0		9/1/2023 20:00	0.0	
9/1/2021 21:00	0.0		9/1/2022 21:00	0.0		9/1/2023 21:00	0.0	
9/1/2021 22:00	0.0		9/1/2022 22:00	0.0		9/1/2023 22:00	0.0	
9/1/2021 23:00	0.0	0.0	9/1/2022 23:00	0.0	0.0	9/1/2023 23:00	0.0	0.0
9/2/2021 0:00	0.0		9/2/2022 0:00	0.0		9/2/2023 0:00	0.0	
9/2/2021 1:00	0.0		9/2/2022 1:00	0.0		9/2/2023 1:00	0.0	
9/2/2021 2:00	0.0		9/2/2022 2:00	0.0		9/2/2023 2:00	0.0	
9/2/2021 3:00	0.0		9/2/2022 3:00	0.0		9/2/2023 3:00	0.0	
9/2/2021 4:00	0.0		9/2/2022 4:00	0.0		9/2/2023 4:00	0.0	
9/2/2021 5:00	0.0		9/2/2022 5:00	0.0		9/2/2023 5:00	0.0	
9/2/2021 6:00	0.0		9/2/2022 6:00	0.0		9/2/2023 6:00	0.0	
9/2/2021 7:00	0.0		9/2/2022 7:00	0.0		9/2/2023 7:00	0.0	
9/2/2021 8:00	0.0		9/2/2022 8:00	0.0		9/2/2023 8:00	0.0	
9/2/2021 9:00	0.0		9/2/2022 9:00	0.0		9/2/2023 9:00	0.0	
9/2/2021 10:00	0.0		9/2/2022 10:00	0.0		9/2/2023 10:00	0.0	
9/2/2021 11:00	0.0		9/2/2022 11:00	0.0		9/2/2023 11:00	0.0	
9/2/2021 12:00	0.0		9/2/2022 12:00	0.0		9/2/2023 12:00	0.0	
9/2/2021 13:00	0.0		9/2/2022 13:00	0.0		9/2/2023 13:00	0.0	
9/2/2021 14:00	0.0		9/2/2022 14:00	0.0		9/2/2023 14:00	0.0	
9/2/2021 15:00	0.0		9/2/2022 15:00	0.0		9/2/2023 15:00	0.0	
9/2/2021 16:00	0.0		9/2/2022 16:00	0.0		9/2/2023 16:00	0.0	
9/2/2021 17:00	0.0		9/2/2022 17:00	0.0		9/2/2023 17:00	0.0	
9/2/2021 18:00	0.0		9/2/2022 18:00	0.0		9/2/2023 18:00	0.0	
9/2/2021 19:00	0.0		9/2/2022 19:00	0.0		9/2/2023 19:00	0.0	
9/2/2021 20:00	0.0		9/2/2022 20:00	0.0		9/2/2023 20:00	0.0	
9/2/2021 21:00	0.0		9/2/2022 21:00	0.0		9/2/2023 21:00	0.0	
9/2/2021 22:00	0.0		9/2/2022 22:00	0.0		9/2/2023 22:00	0.0	
9/2/2021 23:00	0.0	0.0	9/2/2022 23:00	0.0	0.0	9/2/2023 23:00	0.0	0.0
9/3/2021 0:00	0.0		9/3/2022 0:00	0.0		9/3/2023 0:00	0.0	
9/3/2021 1:00	0.0		9/3/2022 1:00	0.0		9/3/2023 1:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/3/2021 2:00	0.0		9/3/2022 2:00	0.0		9/3/2023 2:00	0.0	
9/3/2021 3:00	0.0		9/3/2022 3:00	0.0		9/3/2023 3:00	0.0	
9/3/2021 4:00	0.0		9/3/2022 4:00	0.0		9/3/2023 4:00	0.0	
9/3/2021 5:00	0.0		9/3/2022 5:00	0.0		9/3/2023 5:00	0.0	
9/3/2021 6:00	0.0		9/3/2022 6:00	0.0		9/3/2023 6:00	0.0	
9/3/2021 7:00	0.0		9/3/2022 7:00	0.0		9/3/2023 7:00	0.0	
9/3/2021 8:00	0.0		9/3/2022 8:00	0.0		9/3/2023 8:00	0.0	
9/3/2021 9:00	0.0		9/3/2022 9:00	0.0		9/3/2023 9:00	0.0	
9/3/2021 10:00	0.0		9/3/2022 10:00	0.0		9/3/2023 10:00	0.0	
9/3/2021 11:00	0.0		9/3/2022 11:00	0.0		9/3/2023 11:00	0.0	
9/3/2021 12:00	0.0		9/3/2022 12:00	0.0		9/3/2023 12:00	0.0	
9/3/2021 13:00	0.0		9/3/2022 13:00	0.0		9/3/2023 13:00	0.0	
9/3/2021 14:00	0.0		9/3/2022 14:00	0.0		9/3/2023 14:00	0.0	
9/3/2021 15:00	0.0		9/3/2022 15:00	0.0		9/3/2023 15:00	0.0	
9/3/2021 16:00	0.0		9/3/2022 16:00	0.0		9/3/2023 16:00	0.0	
9/3/2021 17:00	0.0		9/3/2022 17:00	0.0		9/3/2023 17:00	0.0	
9/3/2021 18:00	0.0		9/3/2022 18:00	0.0		9/3/2023 18:00	0.0	
9/3/2021 19:00	0.0		9/3/2022 19:00	0.0		9/3/2023 19:00	0.0	
9/3/2021 20:00	0.0		9/3/2022 20:00	0.0		9/3/2023 20:00	0.0	
9/3/2021 21:00	0.0		9/3/2022 21:00	0.0		9/3/2023 21:00	0.0	
9/3/2021 22:00	0.0		9/3/2022 22:00	0.0		9/3/2023 22:00	0.0	
9/3/2021 23:00	0.0	0.0	9/3/2022 23:00	0.0	0.0	9/3/2023 23:00	0.0	0.0
9/4/2021 0:00	0.0		9/4/2022 0:00	0.0		9/4/2023 0:00	0.0	
9/4/2021 1:00	0.0		9/4/2022 1:00	0.0		9/4/2023 1:00	0.0	
9/4/2021 2:00	0.0		9/4/2022 2:00	0.0		9/4/2023 2:00	0.0	
9/4/2021 3:00	0.0		9/4/2022 3:00	0.0		9/4/2023 3:00	0.0	
9/4/2021 4:00	0.0		9/4/2022 4:00	0.0		9/4/2023 4:00	0.0	
9/4/2021 5:00	0.0		9/4/2022 5:00	0.0		9/4/2023 5:00	0.0	
9/4/2021 6:00	0.0		9/4/2022 6:00	0.0		9/4/2023 6:00	0.0	
9/4/2021 7:00	0.0		9/4/2022 7:00	0.0		9/4/2023 7:00	0.0	
9/4/2021 8:00	0.0		9/4/2022 8:00	0.0		9/4/2023 8:00	0.0	
9/4/2021 9:00	0.0		9/4/2022 9:00	0.0		9/4/2023 9:00	0.0	
9/4/2021 10:00	0.0		9/4/2022 10:00	0.0		9/4/2023 10:00	0.0	
9/4/2021 11:00	0.0		9/4/2022 11:00	0.0		9/4/2023 11:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/4/2021 12:00	0.0		9/4/2022 12:00	0.0		9/4/2023 12:00	0.0	
9/4/2021 13:00	0.0		9/4/2022 13:00	0.0		9/4/2023 13:00	0.0	
9/4/2021 14:00	0.0		9/4/2022 14:00	0.0		9/4/2023 14:00	0.0	
9/4/2021 15:00	0.0		9/4/2022 15:00	0.0		9/4/2023 15:00	0.0	
9/4/2021 16:00	0.0		9/4/2022 16:00	0.0		9/4/2023 16:00	0.0	
9/4/2021 17:00	0.0		9/4/2022 17:00	0.0		9/4/2023 17:00	0.0	
9/4/2021 18:00	0.0		9/4/2022 18:00	0.0		9/4/2023 18:00	0.0	
9/4/2021 19:00	0.0		9/4/2022 19:00	0.0		9/4/2023 19:00	0.0	
9/4/2021 20:00	0.0		9/4/2022 20:00	0.0		9/4/2023 20:00	0.0	
9/4/2021 21:00	0.0		9/4/2022 21:00	0.0		9/4/2023 21:00	0.0	
9/4/2021 22:00	0.0		9/4/2022 22:00	0.0		9/4/2023 22:00	0.0	
9/4/2021 23:00	0.0	0.0	9/4/2022 23:00	0.0	0.0	9/4/2023 23:00	0.0	0.0
9/5/2021 0:00	0.0		9/5/2022 0:00	0.0		9/5/2023 0:00	0.0	
9/5/2021 1:00	0.0		9/5/2022 1:00	0.0		9/5/2023 1:00	0.0	
9/5/2021 2:00	0.0		9/5/2022 2:00	0.0		9/5/2023 2:00	0.0	
9/5/2021 3:00	0.0		9/5/2022 3:00	0.0		9/5/2023 3:00	0.0	
9/5/2021 4:00	0.0		9/5/2022 4:00	0.0		9/5/2023 4:00	0.0	
9/5/2021 5:00	0.0		9/5/2022 5:00	0.0		9/5/2023 5:00	0.0	
9/5/2021 6:00	0.0		9/5/2022 6:00	0.0		9/5/2023 6:00	0.0	
9/5/2021 7:00	0.0		9/5/2022 7:00	0.0		9/5/2023 7:00	0.0	
9/5/2021 8:00	0.0		9/5/2022 8:00	0.0		9/5/2023 8:00	0.0	
9/5/2021 9:00	0.0		9/5/2022 9:00	0.0		9/5/2023 9:00	0.0	
9/5/2021 10:00	0.0		9/5/2022 10:00	0.0		9/5/2023 10:00	0.0	
9/5/2021 11:00	0.0		9/5/2022 11:00	0.0		9/5/2023 11:00	0.0	
9/5/2021 12:00	0.0		9/5/2022 12:00	0.0		9/5/2023 12:00	0.0	
9/5/2021 13:00	0.0		9/5/2022 13:00	0.0		9/5/2023 13:00	0.0	
9/5/2021 14:00	0.0		9/5/2022 14:00	0.0		9/5/2023 14:00	0.0	
9/5/2021 15:00	0.0		9/5/2022 15:00	0.0		9/5/2023 15:00	0.0	
9/5/2021 16:00	0.0		9/5/2022 16:00	0.0		9/5/2023 16:00	0.0	
9/5/2021 17:00	0.0		9/5/2022 17:00	0.0		9/5/2023 17:00	0.0	
9/5/2021 18:00	0.0		9/5/2022 18:00	0.0		9/5/2023 18:00	0.0	
9/5/2021 19:00	0.0		9/5/2022 19:00	0.0		9/5/2023 19:00	0.0	
9/5/2021 20:00	0.0		9/5/2022 20:00	0.0		9/5/2023 20:00	0.0	
9/5/2021 21:00	0.0		9/5/2022 21:00	0.0		9/5/2023 21:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/5/2021 22:00	0.0		9/5/2022 22:00	0.0		9/5/2023 22:00	0.0	
9/5/2021 23:00	0.0	0.0	9/5/2022 23:00	0.0	0.0	9/5/2023 23:00	0.0	0.0
9/6/2021 0:00	0.0		9/6/2022 0:00	0.0		9/6/2023 0:00	0.0	
9/6/2021 1:00	0.0		9/6/2022 1:00	0.0		9/6/2023 1:00	0.0	
9/6/2021 2:00	0.0		9/6/2022 2:00	0.0		9/6/2023 2:00	0.0	
9/6/2021 3:00	0.0		9/6/2022 3:00	0.0		9/6/2023 3:00	0.0	
9/6/2021 4:00	0.0		9/6/2022 4:00	0.0		9/6/2023 4:00	0.0	
9/6/2021 5:00	0.0		9/6/2022 5:00	0.0		9/6/2023 5:00	0.0	
9/6/2021 6:00	0.0		9/6/2022 6:00	0.0		9/6/2023 6:00	0.0	
9/6/2021 7:00	0.0		9/6/2022 7:00	0.0		9/6/2023 7:00	0.0	
9/6/2021 8:00	0.0		9/6/2022 8:00	0.0		9/6/2023 8:00	0.0	
9/6/2021 9:00	0.0		9/6/2022 9:00	0.0		9/6/2023 9:00	0.0	
9/6/2021 10:00	0.0		9/6/2022 10:00	0.0		9/6/2023 10:00	0.0	
9/6/2021 11:00	0.0		9/6/2022 11:00	0.0		9/6/2023 11:00	0.0	
9/6/2021 12:00	0.0		9/6/2022 12:00	0.0		9/6/2023 12:00	0.0	
9/6/2021 13:00	0.0		9/6/2022 13:00	0.0		9/6/2023 13:00	0.0	
9/6/2021 14:00	0.0		9/6/2022 14:00	0.0		9/6/2023 14:00	0.0	
9/6/2021 15:00	0.0		9/6/2022 15:00	0.0		9/6/2023 15:00	0.0	
9/6/2021 16:00	0.0		9/6/2022 16:00	0.0		9/6/2023 16:00	0.0	
9/6/2021 17:00	0.0		9/6/2022 17:00	0.0		9/6/2023 17:00	0.0	
9/6/2021 18:00	0.0		9/6/2022 18:00	0.0		9/6/2023 18:00	0.0	
9/6/2021 19:00	0.0		9/6/2022 19:00	0.0		9/6/2023 19:00	0.0	
9/6/2021 20:00	0.0		9/6/2022 20:00	0.0		9/6/2023 20:00	0.0	
9/6/2021 21:00	0.0		9/6/2022 21:00	0.0		9/6/2023 21:00	0.0	
9/6/2021 22:00	0.0		9/6/2022 22:00	0.0		9/6/2023 22:00	0.0	
9/6/2021 23:00	0.0	0.0	9/6/2022 23:00	0.0	0.0	9/6/2023 23:00	0.0	0.0
9/7/2021 0:00	0.0		9/7/2022 0:00	0.0		9/7/2023 0:00	0.0	
9/7/2021 1:00	0.0		9/7/2022 1:00	0.0		9/7/2023 1:00	0.0	
9/7/2021 2:00	0.0		9/7/2022 2:00	0.0		9/7/2023 2:00	0.0	
9/7/2021 3:00	0.0		9/7/2022 3:00	0.0		9/7/2023 3:00	0.0	
9/7/2021 4:00	0.0		9/7/2022 4:00	0.0		9/7/2023 4:00	0.0	
9/7/2021 5:00	0.0		9/7/2022 5:00	0.0		9/7/2023 5:00	0.0	
9/7/2021 6:00	0.0		9/7/2022 6:00	0.0		9/7/2023 6:00	0.0	
9/7/2021 7:00	0.0		9/7/2022 7:00	0.0		9/7/2023 7:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/7/2021 8:00	0.0		9/7/2022 8:00	0.0		9/7/2023 8:00	0.0	
9/7/2021 9:00	0.0		9/7/2022 9:00	0.0		9/7/2023 9:00	0.0	
9/7/2021 10:00	0.0		9/7/2022 10:00	0.0		9/7/2023 10:00	0.0	
9/7/2021 11:00	0.0		9/7/2022 11:00	0.0		9/7/2023 11:00	0.0	
9/7/2021 12:00	0.0		9/7/2022 12:00	0.0		9/7/2023 12:00	0.0	
9/7/2021 13:00	0.0		9/7/2022 13:00	0.0		9/7/2023 13:00	0.0	
9/7/2021 14:00	0.0		9/7/2022 14:00	0.0		9/7/2023 14:00	0.0	
9/7/2021 15:00	0.0		9/7/2022 15:00	0.0		9/7/2023 15:00	0.0	
9/7/2021 16:00	0.0		9/7/2022 16:00	0.0		9/7/2023 16:00	0.0	
9/7/2021 17:00	0.0		9/7/2022 17:00	0.0		9/7/2023 17:00	0.0	
9/7/2021 18:00	0.0		9/7/2022 18:00	0.0		9/7/2023 18:00	0.0	
9/7/2021 19:00	0.0		9/7/2022 19:00	0.0		9/7/2023 19:00	0.0	
9/7/2021 20:00	0.0		9/7/2022 20:00	0.0		9/7/2023 20:00	0.0	
9/7/2021 21:00	0.0		9/7/2022 21:00	0.0		9/7/2023 21:00	0.0	
9/7/2021 22:00	0.0		9/7/2022 22:00	0.0		9/7/2023 22:00	0.0	
9/7/2021 23:00	0.0	0.0	9/7/2022 23:00	0.0	0.0	9/7/2023 23:00	0.0	0.0
9/8/2021 0:00	0.0		9/8/2022 0:00	0.0		9/8/2023 0:00	0.0	
9/8/2021 1:00	0.0		9/8/2022 1:00	0.0		9/8/2023 1:00	0.0	
9/8/2021 2:00	0.0		9/8/2022 2:00	0.0		9/8/2023 2:00	0.0	
9/8/2021 3:00	0.0		9/8/2022 3:00	0.0		9/8/2023 3:00	0.0	
9/8/2021 4:00	0.0		9/8/2022 4:00	0.0		9/8/2023 4:00	0.0	
9/8/2021 5:00	0.0		9/8/2022 5:00	0.0		9/8/2023 5:00	0.0	
9/8/2021 6:00	0.0		9/8/2022 6:00	0.0		9/8/2023 6:00	0.0	
9/8/2021 7:00	0.0		9/8/2022 7:00	0.0		9/8/2023 7:00	0.0	
9/8/2021 8:00	0.0		9/8/2022 8:00	0.0		9/8/2023 8:00	0.0	
9/8/2021 9:00	0.0		9/8/2022 9:00	0.0		9/8/2023 9:00	0.0	
9/8/2021 10:00	0.0		9/8/2022 10:00	0.0		9/8/2023 10:00	0.0	
9/8/2021 11:00	0.0		9/8/2022 11:00	0.0		9/8/2023 11:00	0.0	
9/8/2021 12:00	0.0		9/8/2022 12:00	0.0		9/8/2023 12:00	0.0	
9/8/2021 13:00	0.0		9/8/2022 13:00	0.0		9/8/2023 13:00	0.0	
9/8/2021 14:00	0.0		9/8/2022 14:00	0.0		9/8/2023 14:00	0.0	
9/8/2021 15:00	0.0		9/8/2022 15:00	0.0		9/8/2023 15:00	0.0	
9/8/2021 16:00	0.0		9/8/2022 16:00	0.0		9/8/2023 16:00	0.0	
9/8/2021 17:00	0.0		9/8/2022 17:00	0.0		9/8/2023 17:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/8/2021 18:00	0.0		9/8/2022 18:00	0.0		9/8/2023 18:00	0.0	
9/8/2021 19:00	0.0		9/8/2022 19:00	0.0		9/8/2023 19:00	0.0	
9/8/2021 20:00	0.0		9/8/2022 20:00	0.0		9/8/2023 20:00	0.0	
9/8/2021 21:00	0.0		9/8/2022 21:00	0.0		9/8/2023 21:00	0.0	
9/8/2021 22:00	0.0		9/8/2022 22:00	0.0		9/8/2023 22:00	0.0	
9/8/2021 23:00	0.0	0.0	9/8/2022 23:00	0.0	0.0	9/8/2023 23:00	0.0	0.0
9/9/2021 0:00	0.0		9/9/2022 0:00	0.0		9/9/2023 0:00	0.0	
9/9/2021 1:00	0.0		9/9/2022 1:00	0.0		9/9/2023 1:00	0.0	
9/9/2021 2:00	0.0		9/9/2022 2:00	0.0		9/9/2023 2:00	0.0	
9/9/2021 3:00	0.0		9/9/2022 3:00	0.0		9/9/2023 3:00	0.0	
9/9/2021 4:00	0.0		9/9/2022 4:00	0.0		9/9/2023 4:00	0.0	
9/9/2021 5:00	0.0		9/9/2022 5:00	0.0		9/9/2023 5:00	0.0	
9/9/2021 6:00	0.0		9/9/2022 6:00	0.0		9/9/2023 6:00	0.0	
9/9/2021 7:00	0.0		9/9/2022 7:00	0.0		9/9/2023 7:00	0.0	
9/9/2021 8:00	0.0		9/9/2022 8:00	0.0		9/9/2023 8:00	0.0	
9/9/2021 9:00	0.0		9/9/2022 9:00	0.0		9/9/2023 9:00	0.0	
9/9/2021 10:00	0.0		9/9/2022 10:00	0.0		9/9/2023 10:00	0.0	
9/9/2021 11:00	0.0		9/9/2022 11:00	0.0		9/9/2023 11:00	0.0	
9/9/2021 12:00	0.0		9/9/2022 12:00	0.0		9/9/2023 12:00	0.0	
9/9/2021 13:00	0.0		9/9/2022 13:00	0.0		9/9/2023 13:00	0.0	
9/9/2021 14:00	0.0		9/9/2022 14:00	0.0		9/9/2023 14:00	0.0	
9/9/2021 15:00	0.0		9/9/2022 15:00	0.0		9/9/2023 15:00	0.0	
9/9/2021 16:00	0.0		9/9/2022 16:00	0.0		9/9/2023 16:00	0.0	
9/9/2021 17:00	0.0		9/9/2022 17:00	0.0		9/9/2023 17:00	0.0	
9/9/2021 18:00	0.0		9/9/2022 18:00	0.0		9/9/2023 18:00	0.0	
9/9/2021 19:00	0.0		9/9/2022 19:00	0.0		9/9/2023 19:00	0.0	
9/9/2021 20:00	0.0		9/9/2022 20:00	0.0		9/9/2023 20:00	0.0	
9/9/2021 21:00	0.0		9/9/2022 21:00	0.0		9/9/2023 21:00	0.0	
9/9/2021 22:00	0.0		9/9/2022 22:00	0.0		9/9/2023 22:00	0.0	
9/9/2021 23:00	0.0	0.0	9/9/2022 23:00	0.0	0.0	9/9/2023 23:00	0.0	0.0
9/10/2021 0:00	0.0		9/10/2022 0:00	0.0		9/10/2023 0:00	0.0	
9/10/2021 1:00	0.0		9/10/2022 1:00	0.0		9/10/2023 1:00	0.0	
9/10/2021 2:00	0.0		9/10/2022 2:00	0.0		9/10/2023 2:00	0.0	
9/10/2021 3:00	0.0		9/10/2022 3:00	0.0		9/10/2023 3:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/10/2021 4:00	0.0		9/10/2022 4:00	0.0		9/10/2023 4:00	0.0	
9/10/2021 5:00	0.0		9/10/2022 5:00	0.0		9/10/2023 5:00	0.0	
9/10/2021 6:00	0.0		9/10/2022 6:00	0.0		9/10/2023 6:00	0.0	
9/10/2021 7:00	0.0		9/10/2022 7:00	0.0		9/10/2023 7:00	0.0	
9/10/2021 8:00	0.0		9/10/2022 8:00	0.0		9/10/2023 8:00	0.0	
9/10/2021 9:00	0.0		9/10/2022 9:00	0.0		9/10/2023 9:00	0.0	
9/10/2021 10:00	0.0		9/10/2022 10:00	0.0		9/10/2023 10:00	0.0	
9/10/2021 11:00	0.0		9/10/2022 11:00	0.0		9/10/2023 11:00	0.0	
9/10/2021 12:00	0.0		9/10/2022 12:00	0.0		9/10/2023 12:00	0.0	
9/10/2021 13:00	0.0		9/10/2022 13:00	0.0		9/10/2023 13:00	0.0	
9/10/2021 14:00	0.0		9/10/2022 14:00	0.0		9/10/2023 14:00	0.0	
9/10/2021 15:00	0.0		9/10/2022 15:00	0.0		9/10/2023 15:00	0.0	
9/10/2021 16:00	0.0		9/10/2022 16:00	0.0		9/10/2023 16:00	0.0	
9/10/2021 17:00	0.0		9/10/2022 17:00	0.0		9/10/2023 17:00	0.0	
9/10/2021 18:00	0.0		9/10/2022 18:00	0.0		9/10/2023 18:00	0.0	
9/10/2021 19:00	0.0		9/10/2022 19:00	0.0		9/10/2023 19:00	0.0	
9/10/2021 20:00	0.0		9/10/2022 20:00	0.0		9/10/2023 20:00	0.0	
9/10/2021 21:00	0.0		9/10/2022 21:00	0.0		9/10/2023 21:00	0.0	
9/10/2021 22:00	0.0		9/10/2022 22:00	0.0		9/10/2023 22:00	0.0	
9/10/2021 23:00	0.0	0.0	9/10/2022 23:00	0.0	0.0	9/10/2023 23:00	0.0	0.0
9/11/2021 0:00	0.0		9/11/2022 0:00	0.0		9/11/2023 0:00	0.0	
9/11/2021 1:00	0.0		9/11/2022 1:00	0.0		9/11/2023 1:00	0.0	
9/11/2021 2:00	0.0		9/11/2022 2:00	0.0		9/11/2023 2:00	0.0	
9/11/2021 3:00	0.0		9/11/2022 3:00	0.0		9/11/2023 3:00	0.0	
9/11/2021 4:00	0.0		9/11/2022 4:00	0.0		9/11/2023 4:00	0.0	
9/11/2021 5:00	0.0		9/11/2022 5:00	0.0		9/11/2023 5:00	0.0	
9/11/2021 6:00	0.0		9/11/2022 6:00	0.0		9/11/2023 6:00	0.0	
9/11/2021 7:00	0.0		9/11/2022 7:00	0.0		9/11/2023 7:00	0.0	
9/11/2021 8:00	0.0		9/11/2022 8:00	0.0		9/11/2023 8:00	0.0	
9/11/2021 9:00	0.0		9/11/2022 9:00	0.0		9/11/2023 9:00	0.0	
9/11/2021 10:00	0.0		9/11/2022 10:00	0.0		9/11/2023 10:00	0.0	
9/11/2021 11:00	0.0		9/11/2022 11:00	0.0		9/11/2023 11:00	0.0	
9/11/2021 12:00	0.0		9/11/2022 12:00	0.0		9/11/2023 12:00	0.0	
9/11/2021 13:00	0.0		9/11/2022 13:00	0.0		9/11/2023 13:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/11/2021 14:00	0.0		9/11/2022 14:00	0.0		9/11/2023 14:00	0.0	
9/11/2021 15:00	0.0		9/11/2022 15:00	0.0		9/11/2023 15:00	0.0	
9/11/2021 16:00	0.0		9/11/2022 16:00	0.0		9/11/2023 16:00	0.0	
9/11/2021 17:00	0.0		9/11/2022 17:00	0.0		9/11/2023 17:00	0.0	
9/11/2021 18:00	0.0		9/11/2022 18:00	0.0		9/11/2023 18:00	0.0	
9/11/2021 19:00	0.0		9/11/2022 19:00	0.0		9/11/2023 19:00	0.0	
9/11/2021 20:00	0.0		9/11/2022 20:00	0.0		9/11/2023 20:00	0.0	
9/11/2021 21:00	0.0		9/11/2022 21:00	0.0		9/11/2023 21:00	0.0	
9/11/2021 22:00	0.0		9/11/2022 22:00	0.0		9/11/2023 22:00	0.0	
9/11/2021 23:00	0.0	0.0	9/11/2022 23:00	0.0	0.0	9/11/2023 23:00	0.0	0.0
9/12/2021 0:00	0.0		9/12/2022 0:00	0.0		9/12/2023 0:00	0.0	
9/12/2021 1:00	0.0		9/12/2022 1:00	0.0		9/12/2023 1:00	0.0	
9/12/2021 2:00	0.0		9/12/2022 2:00	0.0		9/12/2023 2:00	0.0	
9/12/2021 3:00	0.0		9/12/2022 3:00	0.0		9/12/2023 3:00	0.0	
9/12/2021 4:00	0.0		9/12/2022 4:00	0.0		9/12/2023 4:00	0.0	
9/12/2021 5:00	0.0		9/12/2022 5:00	0.0		9/12/2023 5:00	0.0	
9/12/2021 6:00	0.0		9/12/2022 6:00	0.0		9/12/2023 6:00	0.0	
9/12/2021 7:00	0.0		9/12/2022 7:00	0.0		9/12/2023 7:00	0.0	
9/12/2021 8:00	0.0		9/12/2022 8:00	0.0		9/12/2023 8:00	0.0	
9/12/2021 9:00	0.0		9/12/2022 9:00	0.0		9/12/2023 9:00	0.0	
9/12/2021 10:00	0.0		9/12/2022 10:00	0.0		9/12/2023 10:00	0.0	
9/12/2021 11:00	0.0		9/12/2022 11:00	0.0		9/12/2023 11:00	0.0	
9/12/2021 12:00	0.0		9/12/2022 12:00	0.0		9/12/2023 12:00	0.0	
9/12/2021 13:00	0.0		9/12/2022 13:00	0.0		9/12/2023 13:00	0.0	
9/12/2021 14:00	0.0		9/12/2022 14:00	0.0		9/12/2023 14:00	0.0	
9/12/2021 15:00	0.0		9/12/2022 15:00	0.0		9/12/2023 15:00	0.0	
9/12/2021 16:00	0.0		9/12/2022 16:00	0.0		9/12/2023 16:00	0.0	
9/12/2021 17:00	0.0		9/12/2022 17:00	0.0		9/12/2023 17:00	0.0	
9/12/2021 18:00	0.0		9/12/2022 18:00	0.0		9/12/2023 18:00	0.0	
9/12/2021 19:00	0.0		9/12/2022 19:00	0.0		9/12/2023 19:00	0.0	
9/12/2021 20:00	0.0		9/12/2022 20:00	0.0		9/12/2023 20:00	0.0	
9/12/2021 21:00	0.0		9/12/2022 21:00	0.0		9/12/2023 21:00	0.0	
9/12/2021 22:00	0.0		9/12/2022 22:00	0.0		9/12/2023 22:00	0.0	
9/12/2021 23:00	0.0	0.0	9/12/2022 23:00	0.0	0.0	9/12/2023 23:00	0.0	0.0

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/13/2021 0:00	0.0		9/13/2022 0:00	0.0		9/13/2023 0:00	0.0	
9/13/2021 1:00	0.0		9/13/2022 1:00	0.0		9/13/2023 1:00	0.0	
9/13/2021 2:00	0.0		9/13/2022 2:00	0.0		9/13/2023 2:00	0.0	
9/13/2021 3:00	0.0		9/13/2022 3:00	0.0		9/13/2023 3:00	0.0	
9/13/2021 4:00	0.0		9/13/2022 4:00	0.0		9/13/2023 4:00	0.0	
9/13/2021 5:00	0.0		9/13/2022 5:00	0.0		9/13/2023 5:00	0.0	
9/13/2021 6:00	0.0		9/13/2022 6:00	0.0		9/13/2023 6:00	0.0	
9/13/2021 7:00	0.0		9/13/2022 7:00	0.0		9/13/2023 7:00	0.0	
9/13/2021 8:00	0.0		9/13/2022 8:00	0.0		9/13/2023 8:00	0.0	
9/13/2021 9:00	0.0		9/13/2022 9:00	0.0		9/13/2023 9:00	0.0	
9/13/2021 10:00	0.0		9/13/2022 10:00	0.0		9/13/2023 10:00	0.0	
9/13/2021 11:00	0.0		9/13/2022 11:00	0.0		9/13/2023 11:00	0.0	
9/13/2021 12:00	0.0		9/13/2022 12:00	0.0		9/13/2023 12:00	0.0	
9/13/2021 13:00	0.0		9/13/2022 13:00	0.0		9/13/2023 13:00	0.0	
9/13/2021 14:00	0.0		9/13/2022 14:00	0.0		9/13/2023 14:00	0.0	
9/13/2021 15:00	0.0		9/13/2022 15:00	0.0		9/13/2023 15:00	0.0	
9/13/2021 16:00	0.0		9/13/2022 16:00	0.0		9/13/2023 16:00	0.0	
9/13/2021 17:00	0.0		9/13/2022 17:00	0.0		9/13/2023 17:00	0.0	
9/13/2021 18:00	0.0		9/13/2022 18:00	0.0		9/13/2023 18:00	0.0	
9/13/2021 19:00	0.0		9/13/2022 19:00	0.0		9/13/2023 19:00	0.0	
9/13/2021 20:00	0.0		9/13/2022 20:00	0.0		9/13/2023 20:00	0.0	
9/13/2021 21:00	0.0		9/13/2022 21:00	0.0		9/13/2023 21:00	0.0	
9/13/2021 22:00	0.0		9/13/2022 22:00	0.0		9/13/2023 22:00	0.0	
9/13/2021 23:00	0.0	0.0	9/13/2022 23:00	0.0	0.0	9/13/2023 23:00	0.0	0.0
9/14/2021 0:00	0.0		9/14/2022 0:00	0.0		9/14/2023 0:00	0.0	
9/14/2021 1:00	0.0		9/14/2022 1:00	0.0		9/14/2023 1:00	0.0	
9/14/2021 2:00	0.0		9/14/2022 2:00	0.0		9/14/2023 2:00	0.0	
9/14/2021 3:00	0.0		9/14/2022 3:00	0.0		9/14/2023 3:00	0.0	
9/14/2021 4:00	0.0		9/14/2022 4:00	0.0		9/14/2023 4:00	0.0	
9/14/2021 5:00	0.0		9/14/2022 5:00	0.0		9/14/2023 5:00	0.0	
9/14/2021 6:00	0.0		9/14/2022 6:00	0.0		9/14/2023 6:00	0.0	
9/14/2021 7:00	0.0		9/14/2022 7:00	0.0		9/14/2023 7:00	0.0	
9/14/2021 8:00	0.0		9/14/2022 8:00	0.0		9/14/2023 8:00	0.0	
9/14/2021 9:00	0.0		9/14/2022 9:00	0.0		9/14/2023 9:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/14/2021 10:00	0.0		9/14/2022 10:00	0.0		9/14/2023 10:00	0.0	
9/14/2021 11:00	174.8		9/14/2022 11:00	0.0		9/14/2023 11:00	0.0	
9/14/2021 12:00	21.6		9/14/2022 12:00	0.0		9/14/2023 12:00	0.0	
9/14/2021 13:00	0.0		9/14/2022 13:00	0.0		9/14/2023 13:00	0.0	
9/14/2021 14:00	0.0		9/14/2022 14:00	0.0		9/14/2023 14:00	0.0	
9/14/2021 15:00	0.0		9/14/2022 15:00	0.0		9/14/2023 15:00	0.0	
9/14/2021 16:00	0.0		9/14/2022 16:00	0.0		9/14/2023 16:00	0.0	
9/14/2021 17:00	0.0		9/14/2022 17:00	0.0		9/14/2023 17:00	0.0	
9/14/2021 18:00	0.0		9/14/2022 18:00	0.0		9/14/2023 18:00	0.0	
9/14/2021 19:00	19.7		9/14/2022 19:00	0.0		9/14/2023 19:00	0.0	
9/14/2021 20:00	25.5		9/14/2022 20:00	0.0		9/14/2023 20:00	0.0	
9/14/2021 21:00	0.0		9/14/2022 21:00	0.0		9/14/2023 21:00	0.0	
9/14/2021 22:00	0.0		9/14/2022 22:00	0.0		9/14/2023 22:00	0.0	
9/14/2021 23:00	0.0	174.8	9/14/2022 23:00	0.0	0.0	9/14/2023 23:00	0.0	0.0
9/15/2021 0:00	0.0		9/15/2022 0:00	0.0		9/15/2023 0:00	0.0	
9/15/2021 1:00	0.0		9/15/2022 1:00	0.0		9/15/2023 1:00	0.0	
9/15/2021 2:00	0.0		9/15/2022 2:00	0.0		9/15/2023 2:00	0.0	
9/15/2021 3:00	0.0		9/15/2022 3:00	0.0		9/15/2023 3:00	0.0	
9/15/2021 4:00	0.0		9/15/2022 4:00	0.0		9/15/2023 4:00	0.0	
9/15/2021 5:00	0.0		9/15/2022 5:00	0.0		9/15/2023 5:00	0.0	
9/15/2021 6:00	0.0		9/15/2022 6:00	0.0		9/15/2023 6:00	0.0	
9/15/2021 7:00	0.0		9/15/2022 7:00	0.0		9/15/2023 7:00	0.0	
9/15/2021 8:00	0.0		9/15/2022 8:00	0.0		9/15/2023 8:00	0.0	
9/15/2021 9:00	0.0		9/15/2022 9:00	0.0		9/15/2023 9:00	0.0	
9/15/2021 10:00	0.0		9/15/2022 10:00	0.0		9/15/2023 10:00	0.0	
9/15/2021 11:00	0.0		9/15/2022 11:00	0.0		9/15/2023 11:00	0.0	
9/15/2021 12:00	0.0		9/15/2022 12:00	0.0		9/15/2023 12:00	0.0	
9/15/2021 13:00	0.0		9/15/2022 13:00	0.0		9/15/2023 13:00	0.0	
9/15/2021 14:00	0.0		9/15/2022 14:00	0.0		9/15/2023 14:00	0.0	
9/15/2021 15:00	0.0		9/15/2022 15:00	0.0		9/15/2023 15:00	0.0	
9/15/2021 16:00	0.0		9/15/2022 16:00	0.0		9/15/2023 16:00	0.0	
9/15/2021 17:00	0.0		9/15/2022 17:00	0.0		9/15/2023 17:00	0.0	
9/15/2021 18:00	0.0		9/15/2022 18:00	0.0		9/15/2023 18:00	0.0	
9/15/2021 19:00	0.0		9/15/2022 19:00	0.0		9/15/2023 19:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/15/2021 20:00	0.0		9/15/2022 20:00	0.0		9/15/2023 20:00	0.0	
9/15/2021 21:00	0.0		9/15/2022 21:00	0.0		9/15/2023 21:00	0.0	
9/15/2021 22:00	0.0		9/15/2022 22:00	0.0		9/15/2023 22:00	0.0	
9/15/2021 23:00	0.0	0.0	9/15/2022 23:00	0.0	0.0	9/15/2023 23:00	0.0	0.0
9/16/2021 0:00	0.0		9/16/2022 0:00	0.0		9/16/2023 0:00	0.0	
9/16/2021 1:00	0.0		9/16/2022 1:00	0.0		9/16/2023 1:00	0.0	
9/16/2021 2:00	0.0		9/16/2022 2:00	0.0		9/16/2023 2:00	0.0	
9/16/2021 3:00	0.0		9/16/2022 3:00	0.0		9/16/2023 3:00	0.0	
9/16/2021 4:00	0.0		9/16/2022 4:00	0.0		9/16/2023 4:00	0.0	
9/16/2021 5:00	0.0		9/16/2022 5:00	0.0		9/16/2023 5:00	0.0	
9/16/2021 6:00	0.0		9/16/2022 6:00	0.0		9/16/2023 6:00	0.0	
9/16/2021 7:00	0.0		9/16/2022 7:00	0.0		9/16/2023 7:00	0.0	
9/16/2021 8:00	0.0		9/16/2022 8:00	0.0		9/16/2023 8:00	0.0	
9/16/2021 9:00	0.0		9/16/2022 9:00	0.0		9/16/2023 9:00	0.0	
9/16/2021 10:00	0.0		9/16/2022 10:00	0.0		9/16/2023 10:00	0.0	
9/16/2021 11:00	0.0		9/16/2022 11:00	0.0		9/16/2023 11:00	0.0	
9/16/2021 12:00	0.0		9/16/2022 12:00	0.0		9/16/2023 12:00	0.0	
9/16/2021 13:00	14.8		9/16/2022 13:00	0.0		9/16/2023 13:00	0.0	
9/16/2021 14:00	5.4		9/16/2022 14:00	0.0		9/16/2023 14:00	0.0	
9/16/2021 15:00	25.7		9/16/2022 15:00	0.0		9/16/2023 15:00	0.0	
9/16/2021 16:00	36.8		9/16/2022 16:00	0.0		9/16/2023 16:00	0.0	
9/16/2021 17:00	0.0		9/16/2022 17:00	0.0		9/16/2023 17:00	0.0	
9/16/2021 18:00	0.0		9/16/2022 18:00	0.0		9/16/2023 18:00	0.0	
9/16/2021 19:00	0.0		9/16/2022 19:00	0.0		9/16/2023 19:00	0.0	
9/16/2021 20:00	0.0		9/16/2022 20:00	0.0		9/16/2023 20:00	0.0	
9/16/2021 21:00	0.0		9/16/2022 21:00	0.0		9/16/2023 21:00	0.0	
9/16/2021 22:00	0.0		9/16/2022 22:00	0.0		9/16/2023 22:00	0.0	
9/16/2021 23:00	0.0	36.8	9/16/2022 23:00	0.0	0.0	9/16/2023 23:00	0.0	0.0
9/17/2021 0:00	0.0		9/17/2022 0:00	0.0		9/17/2023 0:00	0.0	
9/17/2021 1:00	0.0		9/17/2022 1:00	0.0		9/17/2023 1:00	0.0	
9/17/2021 2:00	0.0		9/17/2022 2:00	0.0		9/17/2023 2:00	0.0	
9/17/2021 3:00	0.0		9/17/2022 3:00	0.0		9/17/2023 3:00	0.0	
9/17/2021 4:00	0.0		9/17/2022 4:00	0.0		9/17/2023 4:00	0.0	
9/17/2021 5:00	0.0		9/17/2022 5:00	0.0		9/17/2023 5:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/17/2021 6:00	0.0		9/17/2022 6:00	0.0		9/17/2023 6:00	0.0	
9/17/2021 7:00	0.0		9/17/2022 7:00	0.0		9/17/2023 7:00	0.0	
9/17/2021 8:00	0.0		9/17/2022 8:00	0.0		9/17/2023 8:00	0.0	
9/17/2021 9:00	0.0		9/17/2022 9:00	0.0		9/17/2023 9:00	0.0	
9/17/2021 10:00	0.0		9/17/2022 10:00	0.0		9/17/2023 10:00	0.0	
9/17/2021 11:00	0.0		9/17/2022 11:00	0.0		9/17/2023 11:00	0.0	
9/17/2021 12:00	0.0		9/17/2022 12:00	0.0		9/17/2023 12:00	0.0	
9/17/2021 13:00	0.0		9/17/2022 13:00	0.0		9/17/2023 13:00	0.0	
9/17/2021 14:00	0.0		9/17/2022 14:00	0.0		9/17/2023 14:00	0.0	
9/17/2021 15:00	0.0		9/17/2022 15:00	0.0		9/17/2023 15:00	0.0	
9/17/2021 16:00	0.0		9/17/2022 16:00	0.0		9/17/2023 16:00	0.0	
9/17/2021 17:00	0.0		9/17/2022 17:00	0.0		9/17/2023 17:00	0.0	
9/17/2021 18:00	0.0		9/17/2022 18:00	0.0		9/17/2023 18:00	0.0	
9/17/2021 19:00	0.0		9/17/2022 19:00	0.0		9/17/2023 19:00	0.0	
9/17/2021 20:00	0.0		9/17/2022 20:00	0.0		9/17/2023 20:00	0.0	
9/17/2021 21:00	0.0		9/17/2022 21:00	0.0		9/17/2023 21:00	0.0	
9/17/2021 22:00	0.0		9/17/2022 22:00	0.0		9/17/2023 22:00	0.0	
9/17/2021 23:00	0.0	0.0	9/17/2022 23:00	0.0	0.0	9/17/2023 23:00	0.0	0.0
9/18/2021 0:00	0.0		9/18/2022 0:00	0.0		9/18/2023 0:00	0.0	
9/18/2021 1:00	0.0		9/18/2022 1:00	0.0		9/18/2023 1:00	0.0	
9/18/2021 2:00	0.0		9/18/2022 2:00	0.0		9/18/2023 2:00	0.0	
9/18/2021 3:00	0.0		9/18/2022 3:00	0.0		9/18/2023 3:00	0.0	
9/18/2021 4:00	0.0		9/18/2022 4:00	0.0		9/18/2023 4:00	0.0	
9/18/2021 5:00	0.0		9/18/2022 5:00	0.0		9/18/2023 5:00	0.0	
9/18/2021 6:00	0.0		9/18/2022 6:00	0.0		9/18/2023 6:00	0.0	
9/18/2021 7:00	0.0		9/18/2022 7:00	0.0		9/18/2023 7:00	0.0	
9/18/2021 8:00	0.0		9/18/2022 8:00	0.0		9/18/2023 8:00	0.0	
9/18/2021 9:00	0.0		9/18/2022 9:00	0.0		9/18/2023 9:00	0.0	
9/18/2021 10:00	0.0		9/18/2022 10:00	0.0		9/18/2023 10:00	0.0	
9/18/2021 11:00	0.0		9/18/2022 11:00	0.0		9/18/2023 11:00	0.0	
9/18/2021 12:00	0.0		9/18/2022 12:00	0.0		9/18/2023 12:00	0.0	
9/18/2021 13:00	0.0		9/18/2022 13:00	0.0		9/18/2023 13:00	0.0	
9/18/2021 14:00	0.0		9/18/2022 14:00	0.0		9/18/2023 14:00	0.0	
9/18/2021 15:00	0.0		9/18/2022 15:00	0.0		9/18/2023 15:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/18/2021 16:00	0.0		9/18/2022 16:00	0.0		9/18/2023 16:00	0.0	
9/18/2021 17:00	0.0		9/18/2022 17:00	0.0		9/18/2023 17:00	0.0	
9/18/2021 18:00	0.0		9/18/2022 18:00	0.0		9/18/2023 18:00	0.0	
9/18/2021 19:00	0.0		9/18/2022 19:00	0.0		9/18/2023 19:00	0.0	
9/18/2021 20:00	0.0		9/18/2022 20:00	0.0		9/18/2023 20:00	0.0	
9/18/2021 21:00	0.0		9/18/2022 21:00	0.0		9/18/2023 21:00	0.0	
9/18/2021 22:00	0.0		9/18/2022 22:00	0.0		9/18/2023 22:00	0.0	
9/18/2021 23:00	0.0	0.0	9/18/2022 23:00	0.0	0.0	9/18/2023 23:00	0.0	0.0
9/19/2021 0:00	0.0		9/19/2022 0:00	0.0		9/19/2023 0:00	0.0	
9/19/2021 1:00	0.0		9/19/2022 1:00	0.0		9/19/2023 1:00	0.0	
9/19/2021 2:00	0.0		9/19/2022 2:00	0.0		9/19/2023 2:00	0.0	
9/19/2021 3:00	0.0		9/19/2022 3:00	0.0		9/19/2023 3:00	0.0	
9/19/2021 4:00	0.0		9/19/2022 4:00	0.0		9/19/2023 4:00	0.0	
9/19/2021 5:00	0.0		9/19/2022 5:00	0.0		9/19/2023 5:00	0.0	
9/19/2021 6:00	0.0		9/19/2022 6:00	0.0		9/19/2023 6:00	0.0	
9/19/2021 7:00	0.0		9/19/2022 7:00	0.0		9/19/2023 7:00	0.0	
9/19/2021 8:00	0.0		9/19/2022 8:00	0.0		9/19/2023 8:00	0.0	
9/19/2021 9:00	0.0		9/19/2022 9:00	0.0		9/19/2023 9:00	0.0	
9/19/2021 10:00	0.0		9/19/2022 10:00	0.0		9/19/2023 10:00	0.0	
9/19/2021 11:00	0.0		9/19/2022 11:00	0.0		9/19/2023 11:00	0.0	
9/19/2021 12:00	0.0		9/19/2022 12:00	0.0		9/19/2023 12:00	0.0	
9/19/2021 13:00	0.0		9/19/2022 13:00	0.0		9/19/2023 13:00	0.0	
9/19/2021 14:00	0.0		9/19/2022 14:00	0.0		9/19/2023 14:00	0.0	
9/19/2021 15:00	0.0		9/19/2022 15:00	0.0		9/19/2023 15:00	0.0	
9/19/2021 16:00	0.0		9/19/2022 16:00	0.0		9/19/2023 16:00	0.0	
9/19/2021 17:00	0.0		9/19/2022 17:00	0.0		9/19/2023 17:00	0.0	
9/19/2021 18:00	0.0		9/19/2022 18:00	0.0		9/19/2023 18:00	0.0	
9/19/2021 19:00	0.0		9/19/2022 19:00	0.0		9/19/2023 19:00	0.0	
9/19/2021 20:00	0.0		9/19/2022 20:00	0.0		9/19/2023 20:00	0.0	
9/19/2021 21:00	0.0		9/19/2022 21:00	0.0		9/19/2023 21:00	0.0	
9/19/2021 22:00	0.0		9/19/2022 22:00	0.0		9/19/2023 22:00	0.0	
9/19/2021 23:00	0.0	0.0	9/19/2022 23:00	0.0	0.0	9/19/2023 23:00	0.0	0.0
9/20/2021 0:00	0.0		9/20/2022 0:00	0.0		9/20/2023 0:00	0.0	
9/20/2021 1:00	0.0		9/20/2022 1:00	0.0		9/20/2023 1:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/20/2021 2:00	0.0		9/20/2022 2:00	0.0		9/20/2023 2:00	0.0	
9/20/2021 3:00	0.0		9/20/2022 3:00	0.0		9/20/2023 3:00	0.0	
9/20/2021 4:00	0.0		9/20/2022 4:00	0.0		9/20/2023 4:00	0.0	
9/20/2021 5:00	0.0		9/20/2022 5:00	0.0		9/20/2023 5:00	0.0	
9/20/2021 6:00	0.0		9/20/2022 6:00	0.0		9/20/2023 6:00	0.0	
9/20/2021 7:00	0.0		9/20/2022 7:00	0.0		9/20/2023 7:00	0.0	
9/20/2021 8:00	0.0		9/20/2022 8:00	0.0		9/20/2023 8:00	0.0	
9/20/2021 9:00	0.0		9/20/2022 9:00	0.0		9/20/2023 9:00	0.0	
9/20/2021 10:00	0.0		9/20/2022 10:00	0.0		9/20/2023 10:00	0.0	
9/20/2021 11:00	0.0		9/20/2022 11:00	0.0		9/20/2023 11:00	0.0	
9/20/2021 12:00	0.0		9/20/2022 12:00	0.0		9/20/2023 12:00	0.0	
9/20/2021 13:00	0.0		9/20/2022 13:00	0.0		9/20/2023 13:00	0.0	
9/20/2021 14:00	0.0		9/20/2022 14:00	0.0		9/20/2023 14:00	0.0	
9/20/2021 15:00	0.0		9/20/2022 15:00	0.0		9/20/2023 15:00	0.0	
9/20/2021 16:00	0.0		9/20/2022 16:00	0.0		9/20/2023 16:00	0.0	
9/20/2021 17:00	0.0		9/20/2022 17:00	0.0		9/20/2023 17:00	0.0	
9/20/2021 18:00	0.0		9/20/2022 18:00	0.0		9/20/2023 18:00	0.0	
9/20/2021 19:00	0.0		9/20/2022 19:00	0.0		9/20/2023 19:00	0.0	
9/20/2021 20:00	0.0		9/20/2022 20:00	0.0		9/20/2023 20:00	0.0	
9/20/2021 21:00	0.0		9/20/2022 21:00	72.7		9/20/2023 21:00	0.0	
9/20/2021 22:00	0.0		9/20/2022 22:00	64.8		9/20/2023 22:00	0.0	
9/20/2021 23:00	0.0	0.0	9/20/2022 23:00	32.8	72.7	9/20/2023 23:00	0.0	0.0
9/21/2021 0:00	0.0		9/21/2022 0:00	34.5		9/21/2023 0:00	0.0	
9/21/2021 1:00	0.0		9/21/2022 1:00	31.9		9/21/2023 1:00	0.0	
9/21/2021 2:00	0.0		9/21/2022 2:00	21.4		9/21/2023 2:00	0.0	
9/21/2021 3:00	0.0		9/21/2022 3:00	19.7		9/21/2023 3:00	0.0	
9/21/2021 4:00	0.0		9/21/2022 4:00	16.3		9/21/2023 4:00	0.0	
9/21/2021 5:00	0.0		9/21/2022 5:00	12.9		9/21/2023 5:00	0.0	
9/21/2021 6:00	0.0		9/21/2022 6:00	9.9		9/21/2023 6:00	0.0	
9/21/2021 7:00	0.0		9/21/2022 7:00	5.2		9/21/2023 7:00	0.0	
9/21/2021 8:00	0.0		9/21/2022 8:00	0.0		9/21/2023 8:00	0.0	
9/21/2021 9:00	0.0		9/21/2022 9:00	0.0		9/21/2023 9:00	0.0	
9/21/2021 10:00	0.0		9/21/2022 10:00	0.0		9/21/2023 10:00	0.0	
9/21/2021 11:00	0.0		9/21/2022 11:00	0.0		9/21/2023 11:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/21/2021 12:00	0.0		9/21/2022 12:00	0.0		9/21/2023 12:00	0.0	
9/21/2021 13:00	0.0		9/21/2022 13:00	0.0		9/21/2023 13:00	0.0	
9/21/2021 14:00	0.0		9/21/2022 14:00	0.0		9/21/2023 14:00	0.0	
9/21/2021 15:00	0.0		9/21/2022 15:00	0.0		9/21/2023 15:00	0.0	
9/21/2021 16:00	0.0		9/21/2022 16:00	0.0		9/21/2023 16:00	0.0	
9/21/2021 17:00	0.0		9/21/2022 17:00	0.0		9/21/2023 17:00	0.0	
9/21/2021 18:00	0.0		9/21/2022 18:00	0.0		9/21/2023 18:00	0.0	
9/21/2021 19:00	0.0		9/21/2022 19:00	0.0		9/21/2023 19:00	0.0	
9/21/2021 20:00	0.0		9/21/2022 20:00	0.0		9/21/2023 20:00	0.0	
9/21/2021 21:00	0.0		9/21/2022 21:00	0.0		9/21/2023 21:00	0.0	
9/21/2021 22:00	0.0		9/21/2022 22:00	0.0		9/21/2023 22:00	0.0	
9/21/2021 23:00	0.0	0.0	9/21/2022 23:00	0.0	34.5	9/21/2023 23:00	0.0	0.0
9/22/2021 0:00	0.0		9/22/2022 0:00	0.0		9/22/2023 0:00	0.0	
9/22/2021 1:00	0.0		9/22/2022 1:00	0.0		9/22/2023 1:00	0.0	
9/22/2021 2:00	0.0		9/22/2022 2:00	0.0		9/22/2023 2:00	0.0	
9/22/2021 3:00	0.0		9/22/2022 3:00	0.0		9/22/2023 3:00	0.0	
9/22/2021 4:00	0.0		9/22/2022 4:00	0.0		9/22/2023 4:00	0.0	
9/22/2021 5:00	0.0		9/22/2022 5:00	0.0		9/22/2023 5:00	0.0	
9/22/2021 6:00	0.0		9/22/2022 6:00	0.0		9/22/2023 6:00	0.0	
9/22/2021 7:00	0.0		9/22/2022 7:00	0.0		9/22/2023 7:00	0.0	
9/22/2021 8:00	0.0		9/22/2022 8:00	0.0		9/22/2023 8:00	0.0	
9/22/2021 9:00	0.0		9/22/2022 9:00	0.0		9/22/2023 9:00	0.0	
9/22/2021 10:00	0.0		9/22/2022 10:00	0.0		9/22/2023 10:00	0.0	
9/22/2021 11:00	0.0		9/22/2022 11:00	0.0		9/22/2023 11:00	0.0	
9/22/2021 12:00	0.0		9/22/2022 12:00	0.0		9/22/2023 12:00	0.0	
9/22/2021 13:00	0.0		9/22/2022 13:00	0.0		9/22/2023 13:00	0.0	
9/22/2021 14:00	0.0		9/22/2022 14:00	0.0		9/22/2023 14:00	0.0	
9/22/2021 15:00	0.0		9/22/2022 15:00	0.0		9/22/2023 15:00	0.0	
9/22/2021 16:00	0.0		9/22/2022 16:00	0.0		9/22/2023 16:00	0.0	
9/22/2021 17:00	0.0		9/22/2022 17:00	0.0		9/22/2023 17:00	0.0	
9/22/2021 18:00	0.0		9/22/2022 18:00	0.0		9/22/2023 18:00	0.0	
9/22/2021 19:00	0.0		9/22/2022 19:00	0.0		9/22/2023 19:00	0.0	
9/22/2021 20:00	0.0		9/22/2022 20:00	0.0		9/22/2023 20:00	0.0	
9/22/2021 21:00	0.0		9/22/2022 21:00	0.0		9/22/2023 21:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/22/2021 22:00	0.0		9/22/2022 22:00	0.0		9/22/2023 22:00	0.0	
9/22/2021 23:00	0.0	0.0	9/22/2022 23:00	0.0	0.0	9/22/2023 23:00	0.0	0.0
9/23/2021 0:00	0.0		9/23/2022 0:00	0.0		9/23/2023 0:00	0.0	
9/23/2021 1:00	0.0		9/23/2022 1:00	0.0		9/23/2023 1:00	0.0	
9/23/2021 2:00	0.0		9/23/2022 2:00	0.0		9/23/2023 2:00	0.0	
9/23/2021 3:00	0.0		9/23/2022 3:00	0.0		9/23/2023 3:00	0.0	
9/23/2021 4:00	0.0		9/23/2022 4:00	0.0		9/23/2023 4:00	0.0	
9/23/2021 5:00	0.0		9/23/2022 5:00	0.0		9/23/2023 5:00	0.0	
9/23/2021 6:00	0.0		9/23/2022 6:00	0.0		9/23/2023 6:00	0.0	
9/23/2021 7:00	0.0		9/23/2022 7:00	0.0		9/23/2023 7:00	0.0	
9/23/2021 8:00	0.0		9/23/2022 8:00	0.0		9/23/2023 8:00	0.0	
9/23/2021 9:00	0.0		9/23/2022 9:00	0.0		9/23/2023 9:00	0.0	
9/23/2021 10:00	0.0		9/23/2022 10:00	0.0		9/23/2023 10:00	0.0	
9/23/2021 11:00	0.0		9/23/2022 11:00	0.0		9/23/2023 11:00	0.0	
9/23/2021 12:00	0.0		9/23/2022 12:00	0.0		9/23/2023 12:00	0.0	
9/23/2021 13:00	0.0		9/23/2022 13:00	0.0		9/23/2023 13:00	0.0	
9/23/2021 14:00	0.0		9/23/2022 14:00	0.0		9/23/2023 14:00	0.0	
9/23/2021 15:00	0.0		9/23/2022 15:00	0.0		9/23/2023 15:00	0.0	
9/23/2021 16:00	0.0		9/23/2022 16:00	0.0		9/23/2023 16:00	0.0	
9/23/2021 17:00	0.0		9/23/2022 17:00	0.0		9/23/2023 17:00	0.0	
9/23/2021 18:00	0.0		9/23/2022 18:00	0.0		9/23/2023 18:00	0.0	
9/23/2021 19:00	0.0		9/23/2022 19:00	0.0		9/23/2023 19:00	0.0	
9/23/2021 20:00	0.0		9/23/2022 20:00	0.0		9/23/2023 20:00	0.0	
9/23/2021 21:00	0.0		9/23/2022 21:00	0.0		9/23/2023 21:00	0.0	
9/23/2021 22:00	0.0		9/23/2022 22:00	0.0		9/23/2023 22:00	0.0	
9/23/2021 23:00	0.0	0.0	9/23/2022 23:00	0.0	0.0	9/23/2023 23:00	0.0	0.0
9/24/2021 0:00	0.0		9/24/2022 0:00	0.0		9/24/2023 0:00	0.0	
9/24/2021 1:00	0.0		9/24/2022 1:00	0.0		9/24/2023 1:00	0.0	
9/24/2021 2:00	0.0		9/24/2022 2:00	0.0		9/24/2023 2:00	0.0	
9/24/2021 3:00	0.0		9/24/2022 3:00	0.0		9/24/2023 3:00	0.0	
9/24/2021 4:00	0.0		9/24/2022 4:00	0.0		9/24/2023 4:00	0.0	
9/24/2021 5:00	0.0		9/24/2022 5:00	0.0		9/24/2023 5:00	0.0	
9/24/2021 6:00	0.0		9/24/2022 6:00	0.0		9/24/2023 6:00	0.0	
9/24/2021 7:00	0.0		9/24/2022 7:00	0.0		9/24/2023 7:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/24/2021 8:00	0.0		9/24/2022 8:00	0.0		9/24/2023 8:00	0.0	
9/24/2021 9:00	0.0		9/24/2022 9:00	0.0		9/24/2023 9:00	0.0	
9/24/2021 10:00	0.0		9/24/2022 10:00	0.0		9/24/2023 10:00	0.0	
9/24/2021 11:00	0.0		9/24/2022 11:00	0.0		9/24/2023 11:00	0.0	
9/24/2021 12:00	0.0		9/24/2022 12:00	0.0		9/24/2023 12:00	0.0	
9/24/2021 13:00	0.0		9/24/2022 13:00	0.0		9/24/2023 13:00	0.0	
9/24/2021 14:00	0.0		9/24/2022 14:00	0.0		9/24/2023 14:00	0.0	
9/24/2021 15:00	0.0		9/24/2022 15:00	0.0		9/24/2023 15:00	0.0	
9/24/2021 16:00	0.0		9/24/2022 16:00	0.0		9/24/2023 16:00	0.0	
9/24/2021 17:00	0.0		9/24/2022 17:00	0.0		9/24/2023 17:00	0.0	
9/24/2021 18:00	0.0		9/24/2022 18:00	0.0		9/24/2023 18:00	0.0	
9/24/2021 19:00	0.0		9/24/2022 19:00	0.0		9/24/2023 19:00	0.0	
9/24/2021 20:00	0.0		9/24/2022 20:00	0.0		9/24/2023 20:00	0.0	
9/24/2021 21:00	0.0		9/24/2022 21:00	0.0		9/24/2023 21:00	0.0	
9/24/2021 22:00	0.0		9/24/2022 22:00	0.0		9/24/2023 22:00	0.0	
9/24/2021 23:00	0.0	0.0	9/24/2022 23:00	0.0	0.0	9/24/2023 23:00	0.0	0.0
9/25/2021 0:00	0.0		9/25/2022 0:00	0.0		9/25/2023 0:00	0.0	
9/25/2021 1:00	0.0		9/25/2022 1:00	0.0		9/25/2023 1:00	0.0	
9/25/2021 2:00	0.0		9/25/2022 2:00	0.0		9/25/2023 2:00	0.0	
9/25/2021 3:00	0.0		9/25/2022 3:00	0.0		9/25/2023 3:00	0.0	
9/25/2021 4:00	0.0		9/25/2022 4:00	0.0		9/25/2023 4:00	0.0	
9/25/2021 5:00	0.0		9/25/2022 5:00	0.0		9/25/2023 5:00	0.0	
9/25/2021 6:00	0.0		9/25/2022 6:00	0.0		9/25/2023 6:00	0.0	
9/25/2021 7:00	0.0		9/25/2022 7:00	0.0		9/25/2023 7:00	0.0	
9/25/2021 8:00	0.0		9/25/2022 8:00	0.0		9/25/2023 8:00	0.0	
9/25/2021 9:00	0.0		9/25/2022 9:00	0.0		9/25/2023 9:00	0.0	
9/25/2021 10:00	0.0		9/25/2022 10:00	0.0		9/25/2023 10:00	0.0	
9/25/2021 11:00	0.0		9/25/2022 11:00	0.0		9/25/2023 11:00	0.0	
9/25/2021 12:00	0.0		9/25/2022 12:00	0.0		9/25/2023 12:00	0.0	
9/25/2021 13:00	0.0		9/25/2022 13:00	0.0		9/25/2023 13:00	0.0	
9/25/2021 14:00	0.0		9/25/2022 14:00	0.0		9/25/2023 14:00	1.8	
9/25/2021 15:00	0.0		9/25/2022 15:00	0.0		9/25/2023 15:00	0.0	
9/25/2021 16:00	0.0		9/25/2022 16:00	0.0		9/25/2023 16:00	0.0	
9/25/2021 17:00	0.0		9/25/2022 17:00	0.0		9/25/2023 17:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/25/2021 18:00	0.0		9/25/2022 18:00	0.0		9/25/2023 18:00	0.0	
9/25/2021 19:00	0.0		9/25/2022 19:00	0.0		9/25/2023 19:00	0.0	
9/25/2021 20:00	0.0		9/25/2022 20:00	0.0		9/25/2023 20:00	58.8	
9/25/2021 21:00	0.0		9/25/2022 21:00	0.0		9/25/2023 21:00	90.2	
9/25/2021 22:00	0.0		9/25/2022 22:00	0.0		9/25/2023 22:00	0.0	
9/25/2021 23:00	0.0	0.0	9/25/2022 23:00	0.0	0.0	9/25/2023 23:00	0.0	90.2
9/26/2021 0:00	0.0		9/26/2022 0:00	0.0		9/26/2023 0:00	0.0	
9/26/2021 1:00	0.0		9/26/2022 1:00	0.0		9/26/2023 1:00	0.0	
9/26/2021 2:00	0.0		9/26/2022 2:00	0.0		9/26/2023 2:00	0.0	
9/26/2021 3:00	0.0		9/26/2022 3:00	0.0		9/26/2023 3:00	0.0	
9/26/2021 4:00	0.0		9/26/2022 4:00	0.0		9/26/2023 4:00	0.0	
9/26/2021 5:00	0.0		9/26/2022 5:00	0.0		9/26/2023 5:00	0.0	
9/26/2021 6:00	0.0		9/26/2022 6:00	0.0		9/26/2023 6:00	0.0	
9/26/2021 7:00	0.0		9/26/2022 7:00	0.0		9/26/2023 7:00	0.0	
9/26/2021 8:00	0.0		9/26/2022 8:00	0.0		9/26/2023 8:00	0.0	
9/26/2021 9:00	0.0		9/26/2022 9:00	0.0		9/26/2023 9:00	0.0	
9/26/2021 10:00	0.0		9/26/2022 10:00	0.0		9/26/2023 10:00	0.0	
9/26/2021 11:00	0.0		9/26/2022 11:00	0.0		9/26/2023 11:00	0.0	
9/26/2021 12:00	0.0		9/26/2022 12:00	0.0		9/26/2023 12:00	0.0	
9/26/2021 13:00	0.0		9/26/2022 13:00	0.0		9/26/2023 13:00	0.0	
9/26/2021 14:00	0.0		9/26/2022 14:00	0.0		9/26/2023 14:00	0.0	
9/26/2021 15:00	0.0		9/26/2022 15:00	0.0		9/26/2023 15:00	0.0	
9/26/2021 16:00	0.0		9/26/2022 16:00	0.0		9/26/2023 16:00	0.0	
9/26/2021 17:00	0.0		9/26/2022 17:00	0.0		9/26/2023 17:00	0.0	
9/26/2021 18:00	0.0		9/26/2022 18:00	0.0		9/26/2023 18:00	0.0	
9/26/2021 19:00	0.0		9/26/2022 19:00	0.0		9/26/2023 19:00	0.0	
9/26/2021 20:00	0.0		9/26/2022 20:00	0.0		9/26/2023 20:00	0.0	
9/26/2021 21:00	0.0		9/26/2022 21:00	0.0		9/26/2023 21:00	0.0	
9/26/2021 22:00	0.0		9/26/2022 22:00	0.0		9/26/2023 22:00	0.0	
9/26/2021 23:00	0.0	0.0	9/26/2022 23:00	0.0	0.0	9/26/2023 23:00	0.0	0.0
9/27/2021 0:00	0.0		9/27/2022 0:00	0.0		9/27/2023 0:00	0.0	
9/27/2021 1:00	0.0		9/27/2022 1:00	0.0		9/27/2023 1:00	0.0	
9/27/2021 2:00	0.0		9/27/2022 2:00	0.0		9/27/2023 2:00	0.0	
9/27/2021 3:00	0.0		9/27/2022 3:00	0.0		9/27/2023 3:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/27/2021 4:00	0.0		9/27/2022 4:00	0.0		9/27/2023 4:00	0.0	
9/27/2021 5:00	0.0		9/27/2022 5:00	0.0		9/27/2023 5:00	0.0	
9/27/2021 6:00	0.0		9/27/2022 6:00	0.0		9/27/2023 6:00	0.0	
9/27/2021 7:00	0.0		9/27/2022 7:00	0.0		9/27/2023 7:00	0.0	
9/27/2021 8:00	0.0		9/27/2022 8:00	0.0		9/27/2023 8:00	0.0	
9/27/2021 9:00	0.0		9/27/2022 9:00	0.0		9/27/2023 9:00	0.0	
9/27/2021 10:00	0.0		9/27/2022 10:00	0.0		9/27/2023 10:00	0.0	
9/27/2021 11:00	0.0		9/27/2022 11:00	0.0		9/27/2023 11:00	0.0	
9/27/2021 12:00	0.0		9/27/2022 12:00	0.0		9/27/2023 12:00	0.0	
9/27/2021 13:00	0.0		9/27/2022 13:00	0.0		9/27/2023 13:00	0.0	
9/27/2021 14:00	0.0		9/27/2022 14:00	0.0		9/27/2023 14:00	0.0	
9/27/2021 15:00	0.0		9/27/2022 15:00	0.0		9/27/2023 15:00	0.0	
9/27/2021 16:00	0.0		9/27/2022 16:00	0.0		9/27/2023 16:00	0.0	
9/27/2021 17:00	0.0		9/27/2022 17:00	0.0		9/27/2023 17:00	0.0	
9/27/2021 18:00	0.0		9/27/2022 18:00	0.0		9/27/2023 18:00	0.0	
9/27/2021 19:00	71.0		9/27/2022 19:00	0.0		9/27/2023 19:00	0.0	
9/27/2021 20:00	0.3		9/27/2022 20:00	0.0		9/27/2023 20:00	123.3	
9/27/2021 21:00	0.0		9/27/2022 21:00	0.0		9/27/2023 21:00	210.3	
9/27/2021 22:00	0.0		9/27/2022 22:00	0.0		9/27/2023 22:00	4.8	
9/27/2021 23:00	0.0	71.0	9/27/2022 23:00	0.0	0.0	9/27/2023 23:00	0.0	210.3
9/28/2021 0:00	0.0		9/28/2022 0:00	0.0		9/28/2023 0:00	11.2	
9/28/2021 1:00	0.0		9/28/2022 1:00	0.0		9/28/2023 1:00	0.0	
9/28/2021 2:00	0.0		9/28/2022 2:00	0.0		9/28/2023 2:00	12.7	
9/28/2021 3:00	0.0		9/28/2022 3:00	0.0		9/28/2023 3:00	10.7	
9/28/2021 4:00	0.0		9/28/2022 4:00	0.0		9/28/2023 4:00	0.0	
9/28/2021 5:00	68.6		9/28/2022 5:00	0.0		9/28/2023 5:00	0.0	
9/28/2021 6:00	0.0		9/28/2022 6:00	0.0		9/28/2023 6:00	0.0	
9/28/2021 7:00	0.0		9/28/2022 7:00	0.0		9/28/2023 7:00	2.8	
9/28/2021 8:00	0.0		9/28/2022 8:00	0.0		9/28/2023 8:00	5.4	
9/28/2021 9:00	0.0		9/28/2022 9:00	0.0		9/28/2023 9:00	17.8	
9/28/2021 10:00	0.0		9/28/2022 10:00	0.0		9/28/2023 10:00	11.4	
9/28/2021 11:00	0.0		9/28/2022 11:00	0.0		9/28/2023 11:00	0.0	
9/28/2021 12:00	0.0		9/28/2022 12:00	0.0		9/28/2023 12:00	0.0	
9/28/2021 13:00	0.0		9/28/2022 13:00	0.0		9/28/2023 13:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/28/2021 14:00	0.0		9/28/2022 14:00	0.0		9/28/2023 14:00	0.0	
9/28/2021 15:00	0.0		9/28/2022 15:00	0.0		9/28/2023 15:00	0.0	
9/28/2021 16:00	0.0		9/28/2022 16:00	0.0		9/28/2023 16:00	0.0	
9/28/2021 17:00	0.0		9/28/2022 17:00	0.0		9/28/2023 17:00	0.0	
9/28/2021 18:00	0.0		9/28/2022 18:00	0.0		9/28/2023 18:00	0.0	
9/28/2021 19:00	0.0		9/28/2022 19:00	0.0		9/28/2023 19:00	0.0	
9/28/2021 20:00	0.0		9/28/2022 20:00	0.0		9/28/2023 20:00	0.0	
9/28/2021 21:00	0.0		9/28/2022 21:00	0.0		9/28/2023 21:00	0.0	
9/28/2021 22:00	0.0		9/28/2022 22:00	0.0		9/28/2023 22:00	0.0	
9/28/2021 23:00	0.0	68.6	9/28/2022 23:00	0.0	0.0	9/28/2023 23:00	0.0	17.8
9/29/2021 0:00	0.0		9/29/2022 0:00	0.0		9/29/2023 0:00	0.0	
9/29/2021 1:00	0.0		9/29/2022 1:00	0.0		9/29/2023 1:00	0.0	
9/29/2021 2:00	0.0		9/29/2022 2:00	0.0		9/29/2023 2:00	0.0	
9/29/2021 3:00	0.0		9/29/2022 3:00	0.0		9/29/2023 3:00	0.0	
9/29/2021 4:00	0.0		9/29/2022 4:00	0.0		9/29/2023 4:00	0.0	
9/29/2021 5:00	0.0		9/29/2022 5:00	0.0		9/29/2023 5:00	0.0	
9/29/2021 6:00	0.0		9/29/2022 6:00	0.0		9/29/2023 6:00	0.0	
9/29/2021 7:00	0.0		9/29/2022 7:00	0.0		9/29/2023 7:00	0.0	
9/29/2021 8:00	0.0		9/29/2022 8:00	0.0		9/29/2023 8:00	0.0	
9/29/2021 9:00	0.0		9/29/2022 9:00	0.0		9/29/2023 9:00	0.0	
9/29/2021 10:00	0.0		9/29/2022 10:00	0.0		9/29/2023 10:00	0.0	
9/29/2021 11:00	0.0		9/29/2022 11:00	0.0		9/29/2023 11:00	0.0	
9/29/2021 12:00	0.0		9/29/2022 12:00	0.0		9/29/2023 12:00	0.0	
9/29/2021 13:00	0.0		9/29/2022 13:00	0.0		9/29/2023 13:00	0.0	
9/29/2021 14:00	0.0		9/29/2022 14:00	0.0		9/29/2023 14:00	0.0	
9/29/2021 15:00	0.0		9/29/2022 15:00	0.0		9/29/2023 15:00	0.0	
9/29/2021 16:00	0.0		9/29/2022 16:00	0.0		9/29/2023 16:00	0.0	
9/29/2021 17:00	0.0		9/29/2022 17:00	0.0		9/29/2023 17:00	0.0	
9/29/2021 18:00	0.0		9/29/2022 18:00	0.0		9/29/2023 18:00	0.0	
9/29/2021 19:00	0.0		9/29/2022 19:00	0.0		9/29/2023 19:00	0.0	
9/29/2021 20:00	0.0		9/29/2022 20:00	0.0		9/29/2023 20:00	0.0	
9/29/2021 21:00	0.0		9/29/2022 21:00	0.0		9/29/2023 21:00	0.0	
9/29/2021 22:00	0.0		9/29/2022 22:00	0.0		9/29/2023 22:00	0.0	
9/29/2021 23:00	0.0	0.0	9/29/2022 23:00	0.0	0.0	9/29/2023 23:00	0.0	0.0

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
9/30/2021 0:00	0.0		9/30/2022 0:00	0.0		9/30/2023 0:00	0.0	
9/30/2021 1:00	0.0		9/30/2022 1:00	0.0		9/30/2023 1:00	0.0	
9/30/2021 2:00	0.0		9/30/2022 2:00	0.0		9/30/2023 2:00	0.0	
9/30/2021 3:00	0.0		9/30/2022 3:00	0.0		9/30/2023 3:00	0.0	
9/30/2021 4:00	0.0		9/30/2022 4:00	0.0		9/30/2023 4:00	0.0	
9/30/2021 5:00	0.0		9/30/2022 5:00	0.0		9/30/2023 5:00	0.0	
9/30/2021 6:00	0.0		9/30/2022 6:00	0.0		9/30/2023 6:00	0.0	
9/30/2021 7:00	0.0		9/30/2022 7:00	0.0		9/30/2023 7:00	0.0	
9/30/2021 8:00	0.0		9/30/2022 8:00	0.0		9/30/2023 8:00	0.0	
9/30/2021 9:00	0.0		9/30/2022 9:00	0.0		9/30/2023 9:00	0.0	
9/30/2021 10:00	0.0		9/30/2022 10:00	0.0		9/30/2023 10:00	0.0	
9/30/2021 11:00	0.0		9/30/2022 11:00	0.0		9/30/2023 11:00	0.0	
9/30/2021 12:00	0.0		9/30/2022 12:00	0.0		9/30/2023 12:00	0.0	
9/30/2021 13:00	0.0		9/30/2022 13:00	0.0		9/30/2023 13:00	0.0	
9/30/2021 14:00	0.0		9/30/2022 14:00	0.0		9/30/2023 14:00	0.0	
9/30/2021 15:00	0.0		9/30/2022 15:00	0.0		9/30/2023 15:00	0.0	
9/30/2021 16:00	0.0		9/30/2022 16:00	0.0		9/30/2023 16:00	0.0	
9/30/2021 17:00	0.0		9/30/2022 17:00	0.0		9/30/2023 17:00	0.0	
9/30/2021 18:00	0.0		9/30/2022 18:00	0.0		9/30/2023 18:00	0.0	
9/30/2021 19:00	0.0		9/30/2022 19:00	0.0		9/30/2023 19:00	0.0	
9/30/2021 20:00	0.0		9/30/2022 20:00	0.0		9/30/2023 20:00	0.0	
9/30/2021 21:00	0.0		9/30/2022 21:00	0.0		9/30/2023 21:00	0.0	
9/30/2021 22:00	0.0		9/30/2022 22:00	0.0		9/30/2023 22:00	0.0	
9/30/2021 23:00	0.0	0.0	9/30/2022 23:00	0.0	0.0	9/30/2023 23:00	0.0	0.0
10/1/2021 0:00	0.0		10/1/2022 0:00	0.0		10/1/2023 0:00	0.0	
10/1/2021 1:00	0.0		10/1/2022 1:00	0.0		10/1/2023 1:00	0.0	
10/1/2021 2:00	0.0		10/1/2022 2:00	0.0		10/1/2023 2:00	0.0	
10/1/2021 3:00	0.0		10/1/2022 3:00	0.0		10/1/2023 3:00	0.0	
10/1/2021 4:00	0.0		10/1/2022 4:00	0.0		10/1/2023 4:00	0.0	
10/1/2021 5:00	0.0		10/1/2022 5:00	0.0		10/1/2023 5:00	0.0	
10/1/2021 6:00	0.0		10/1/2022 6:00	0.0		10/1/2023 6:00	0.0	
10/1/2021 7:00	0.0		10/1/2022 7:00	0.0		10/1/2023 7:00	0.0	
10/1/2021 8:00	0.0		10/1/2022 8:00	0.0		10/1/2023 8:00	0.0	
10/1/2021 9:00	0.0		10/1/2022 9:00	0.0		10/1/2023 9:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
10/1/2021 10:00	0.0		10/1/2022 10:00	0.0		10/1/2023 10:00	0.0	
10/1/2021 11:00	0.0		10/1/2022 11:00	0.0		10/1/2023 11:00	0.0	
10/1/2021 12:00	0.0		10/1/2022 12:00	0.0		10/1/2023 12:00	0.0	
10/1/2021 13:00	0.0		10/1/2022 13:00	0.0		10/1/2023 13:00	0.0	
10/1/2021 14:00	0.0		10/1/2022 14:00	0.0		10/1/2023 14:00	0.0	
10/1/2021 15:00	0.0		10/1/2022 15:00	0.0		10/1/2023 15:00	0.0	
10/1/2021 16:00	0.0		10/1/2022 16:00	0.0		10/1/2023 16:00	0.0	
10/1/2021 17:00	0.0		10/1/2022 17:00	0.0		10/1/2023 17:00	0.0	
10/1/2021 18:00	0.0		10/1/2022 18:00	0.0		10/1/2023 18:00	0.0	
10/1/2021 19:00	0.0		10/1/2022 19:00	0.0		10/1/2023 19:00	0.0	
10/1/2021 20:00	0.0		10/1/2022 20:00	0.0		10/1/2023 20:00	0.0	
10/1/2021 21:00	0.0		10/1/2022 21:00	0.0		10/1/2023 21:00	0.0	
10/1/2021 22:00	0.0		10/1/2022 22:00	0.0		10/1/2023 22:00	0.0	
10/1/2021 23:00	0.0	0.0	10/1/2022 23:00	0.0	0.0	10/1/2023 23:00	0.0	0.0
10/2/2021 0:00	0.0		10/2/2022 0:00	0.0		10/2/2023 0:00	0.0	
10/2/2021 1:00	0.0		10/2/2022 1:00	0.0		10/2/2023 1:00	0.0	
10/2/2021 2:00	0.0		10/2/2022 2:00	0.0		10/2/2023 2:00	0.0	
10/2/2021 3:00	0.0		10/2/2022 3:00	0.0		10/2/2023 3:00	0.0	
10/2/2021 4:00	0.0		10/2/2022 4:00	0.0		10/2/2023 4:00	0.0	
10/2/2021 5:00	0.0		10/2/2022 5:00	0.0		10/2/2023 5:00	0.0	
10/2/2021 6:00	0.0		10/2/2022 6:00	0.0		10/2/2023 6:00	0.0	
10/2/2021 7:00	0.0		10/2/2022 7:00	0.0		10/2/2023 7:00	0.0	
10/2/2021 8:00	0.0		10/2/2022 8:00	0.0		10/2/2023 8:00	0.0	
10/2/2021 9:00	0.0		10/2/2022 9:00	0.0		10/2/2023 9:00	0.0	
10/2/2021 10:00	0.0		10/2/2022 10:00	0.0		10/2/2023 10:00	0.0	
10/2/2021 11:00	0.0		10/2/2022 11:00	0.0		10/2/2023 11:00	0.0	
10/2/2021 12:00	0.0		10/2/2022 12:00	0.0		10/2/2023 12:00	0.0	
10/2/2021 13:00	0.0		10/2/2022 13:00	0.0		10/2/2023 13:00	0.0	
10/2/2021 14:00	0.0		10/2/2022 14:00	0.0		10/2/2023 14:00	0.0	
10/2/2021 15:00	0.0		10/2/2022 15:00	0.0		10/2/2023 15:00	0.0	
10/2/2021 16:00	0.0		10/2/2022 16:00	0.0		10/2/2023 16:00	0.0	
10/2/2021 17:00	0.0		10/2/2022 17:00	0.0		10/2/2023 17:00	0.0	
10/2/2021 18:00	0.0		10/2/2022 18:00	0.0		10/2/2023 18:00	0.0	
10/2/2021 19:00	0.0		10/2/2022 19:00	0.0		10/2/2023 19:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
10/2/2021 20:00	0.0		10/2/2022 20:00	0.0		10/2/2023 20:00	0.0	
10/2/2021 21:00	0.0		10/2/2022 21:00	0.0		10/2/2023 21:00	0.0	
10/2/2021 22:00	0.0		10/2/2022 22:00	0.0		10/2/2023 22:00	0.0	
10/2/2021 23:00	0.0	0.0	10/2/2022 23:00	0.0	0.0	10/2/2023 23:00	0.0	0.0
10/3/2021 0:00	0.0		10/3/2022 0:00	0.0		10/3/2023 0:00	0.0	
10/3/2021 1:00	0.0		10/3/2022 1:00	0.0		10/3/2023 1:00	0.0	
10/3/2021 2:00	0.0		10/3/2022 2:00	0.0		10/3/2023 2:00	0.0	
10/3/2021 3:00	0.0		10/3/2022 3:00	0.0		10/3/2023 3:00	0.0	
10/3/2021 4:00	0.0		10/3/2022 4:00	0.0		10/3/2023 4:00	0.0	
10/3/2021 5:00	0.0		10/3/2022 5:00	0.0		10/3/2023 5:00	0.0	
10/3/2021 6:00	0.0		10/3/2022 6:00	0.0		10/3/2023 6:00	0.0	
10/3/2021 7:00	0.0		10/3/2022 7:00	0.0		10/3/2023 7:00	0.0	
10/3/2021 8:00	0.0		10/3/2022 8:00	0.0		10/3/2023 8:00	0.0	
10/3/2021 9:00	0.0		10/3/2022 9:00	0.0		10/3/2023 9:00	0.0	
10/3/2021 10:00	0.0		10/3/2022 10:00	0.0		10/3/2023 10:00	0.0	
10/3/2021 11:00	0.0		10/3/2022 11:00	0.0		10/3/2023 11:00	0.0	
10/3/2021 12:00	0.0		10/3/2022 12:00	0.0		10/3/2023 12:00	0.0	
10/3/2021 13:00	0.0		10/3/2022 13:00	0.0		10/3/2023 13:00	0.0	
10/3/2021 14:00	0.0		10/3/2022 14:00	101.8		10/3/2023 14:00	0.0	
10/3/2021 15:00	0.0		10/3/2022 15:00	120.8		10/3/2023 15:00	0.0	
10/3/2021 16:00	0.0		10/3/2022 16:00	0.0		10/3/2023 16:00	0.0	
10/3/2021 17:00	0.0		10/3/2022 17:00	0.0		10/3/2023 17:00	0.0	
10/3/2021 18:00	0.0		10/3/2022 18:00	0.0		10/3/2023 18:00	0.0	
10/3/2021 19:00	0.0		10/3/2022 19:00	0.0		10/3/2023 19:00	0.0	
10/3/2021 20:00	0.0		10/3/2022 20:00	0.0		10/3/2023 20:00	0.0	
10/3/2021 21:00	0.0		10/3/2022 21:00	0.0		10/3/2023 21:00	0.0	
10/3/2021 22:00	0.0		10/3/2022 22:00	0.0		10/3/2023 22:00	0.0	
10/3/2021 23:00	0.0	0.0	10/3/2022 23:00	0.0	120.8	10/3/2023 23:00	0.0	0.0
10/4/2021 0:00	0.0		10/4/2022 0:00	0.0		10/4/2023 0:00	0.0	
10/4/2021 1:00	0.0		10/4/2022 1:00	0.0		10/4/2023 1:00	0.0	
10/4/2021 2:00	0.0		10/4/2022 2:00	0.0		10/4/2023 2:00	0.0	
10/4/2021 3:00	0.0		10/4/2022 3:00	0.0		10/4/2023 3:00	0.0	
10/4/2021 4:00	0.0		10/4/2022 4:00	0.0		10/4/2023 4:00	0.0	
10/4/2021 5:00	0.0		10/4/2022 5:00	0.0		10/4/2023 5:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
10/4/2021 6:00	0.0		10/4/2022 6:00	0.0		10/4/2023 6:00	0.0	
10/4/2021 7:00	0.0		10/4/2022 7:00	0.0		10/4/2023 7:00	0.0	
10/4/2021 8:00	0.0		10/4/2022 8:00	0.0		10/4/2023 8:00	0.0	
10/4/2021 9:00	0.0		10/4/2022 9:00	0.0		10/4/2023 9:00	0.0	
10/4/2021 10:00	0.0		10/4/2022 10:00	0.0		10/4/2023 10:00	0.0	
10/4/2021 11:00	0.0		10/4/2022 11:00	0.0		10/4/2023 11:00	0.0	
10/4/2021 12:00	0.0		10/4/2022 12:00	0.0		10/4/2023 12:00	0.0	
10/4/2021 13:00	0.0		10/4/2022 13:00	0.0		10/4/2023 13:00	0.0	
10/4/2021 14:00	0.0		10/4/2022 14:00	0.0		10/4/2023 14:00	0.0	
10/4/2021 15:00	0.0		10/4/2022 15:00	0.0		10/4/2023 15:00	0.0	
10/4/2021 16:00	0.0		10/4/2022 16:00	0.0		10/4/2023 16:00	0.0	
10/4/2021 17:00	0.0		10/4/2022 17:00	0.0		10/4/2023 17:00	0.0	
10/4/2021 18:00	0.0		10/4/2022 18:00	0.0		10/4/2023 18:00	0.0	
10/4/2021 19:00	0.0		10/4/2022 19:00	0.0		10/4/2023 19:00	0.0	
10/4/2021 20:00	0.0		10/4/2022 20:00	0.0		10/4/2023 20:00	0.0	
10/4/2021 21:00	0.0		10/4/2022 21:00	0.0		10/4/2023 21:00	0.0	
10/4/2021 22:00	0.0		10/4/2022 22:00	0.0		10/4/2023 22:00	0.0	
10/4/2021 23:00	0.0	0.0	10/4/2022 23:00	0.0	0.0	10/4/2023 23:00	0.0	0.0
10/5/2021 0:00	0.0		10/5/2022 0:00	0.0		10/5/2023 0:00	0.0	
10/5/2021 1:00	0.0		10/5/2022 1:00	0.0		10/5/2023 1:00	0.0	
10/5/2021 2:00	0.0		10/5/2022 2:00	0.0		10/5/2023 2:00	0.0	
10/5/2021 3:00	0.0		10/5/2022 3:00	0.0		10/5/2023 3:00	0.0	
10/5/2021 4:00	0.0		10/5/2022 4:00	0.0		10/5/2023 4:00	0.0	
10/5/2021 5:00	0.0		10/5/2022 5:00	0.0		10/5/2023 5:00	0.0	
10/5/2021 6:00	0.0		10/5/2022 6:00	0.0		10/5/2023 6:00	0.0	
10/5/2021 7:00	0.0		10/5/2022 7:00	0.0		10/5/2023 7:00	0.0	
10/5/2021 8:00	0.0		10/5/2022 8:00	0.0		10/5/2023 8:00	0.0	
10/5/2021 9:00	0.0		10/5/2022 9:00	0.0		10/5/2023 9:00	0.0	
10/5/2021 10:00	0.0		10/5/2022 10:00	0.0		10/5/2023 10:00	0.0	
10/5/2021 11:00	0.0		10/5/2022 11:00	0.0		10/5/2023 11:00	0.0	
10/5/2021 12:00	0.0		10/5/2022 12:00	0.0		10/5/2023 12:00	0.0	
10/5/2021 13:00	0.0		10/5/2022 13:00	0.0		10/5/2023 13:00	0.0	
10/5/2021 14:00	0.0		10/5/2022 14:00	0.0		10/5/2023 14:00	0.0	
10/5/2021 15:00	0.0		10/5/2022 15:00	0.0		10/5/2023 15:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
10/5/2021 16:00	0.0		10/5/2022 16:00	0.0		10/5/2023 16:00	0.0	
10/5/2021 17:00	0.0		10/5/2022 17:00	0.0		10/5/2023 17:00	0.0	
10/5/2021 18:00	0.0		10/5/2022 18:00	0.0		10/5/2023 18:00	0.0	
10/5/2021 19:00	0.0		10/5/2022 19:00	0.0		10/5/2023 19:00	0.0	
10/5/2021 20:00	0.0		10/5/2022 20:00	0.0		10/5/2023 20:00	0.0	
10/5/2021 21:00	0.0		10/5/2022 21:00	0.0		10/5/2023 21:00	0.0	
10/5/2021 22:00	0.0		10/5/2022 22:00	0.0		10/5/2023 22:00	0.0	
10/5/2021 23:00	0.0	0.0	10/5/2022 23:00	0.0	0.0	10/5/2023 23:00	0.0	0.0
10/6/2021 0:00	0.0		10/6/2022 0:00	0.0		10/6/2023 0:00	0.0	
10/6/2021 1:00	0.0		10/6/2022 1:00	0.0		10/6/2023 1:00	0.0	
10/6/2021 2:00	0.0		10/6/2022 2:00	0.0		10/6/2023 2:00	0.0	
10/6/2021 3:00	0.0		10/6/2022 3:00	0.0		10/6/2023 3:00	0.0	
10/6/2021 4:00	0.0		10/6/2022 4:00	0.0		10/6/2023 4:00	0.0	
10/6/2021 5:00	0.0		10/6/2022 5:00	0.0		10/6/2023 5:00	0.0	
10/6/2021 6:00	0.0		10/6/2022 6:00	0.0		10/6/2023 6:00	0.0	
10/6/2021 7:00	0.0		10/6/2022 7:00	0.0		10/6/2023 7:00	0.0	
10/6/2021 8:00	0.0		10/6/2022 8:00	0.0		10/6/2023 8:00	0.0	
10/6/2021 9:00	0.0		10/6/2022 9:00	0.0		10/6/2023 9:00	0.0	
10/6/2021 10:00	0.0		10/6/2022 10:00	0.0		10/6/2023 10:00	0.0	
10/6/2021 11:00	0.0		10/6/2022 11:00	0.0		10/6/2023 11:00	0.0	
10/6/2021 12:00	0.0		10/6/2022 12:00	0.0		10/6/2023 12:00	0.0	
10/6/2021 13:00	0.0		10/6/2022 13:00	0.0		10/6/2023 13:00	0.0	
10/6/2021 14:00	0.0		10/6/2022 14:00	0.0		10/6/2023 14:00	0.0	
10/6/2021 15:00	0.0		10/6/2022 15:00	0.0		10/6/2023 15:00	0.0	
10/6/2021 16:00	0.0		10/6/2022 16:00	0.0		10/6/2023 16:00	0.0	
10/6/2021 17:00	0.0		10/6/2022 17:00	0.0		10/6/2023 17:00	0.0	
10/6/2021 18:00	0.0		10/6/2022 18:00	0.0		10/6/2023 18:00	0.0	
10/6/2021 19:00	0.0		10/6/2022 19:00	0.0		10/6/2023 19:00	0.0	
10/6/2021 20:00	0.0		10/6/2022 20:00	0.0		10/6/2023 20:00	0.0	
10/6/2021 21:00	0.0		10/6/2022 21:00	0.0		10/6/2023 21:00	0.0	
10/6/2021 22:00	0.0		10/6/2022 22:00	0.0		10/6/2023 22:00	0.0	
10/6/2021 23:00	0.0	0.0	10/6/2022 23:00	0.0	0.0	10/6/2023 23:00	0.0	0.0
10/7/2021 0:00	0.0		10/7/2022 0:00	0.0		10/7/2023 0:00	0.0	
10/7/2021 1:00	0.0		10/7/2022 1:00	0.0		10/7/2023 1:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
10/7/2021 2:00	0.0		10/7/2022 2:00	0.0		10/7/2023 2:00	0.0	
10/7/2021 3:00	0.0		10/7/2022 3:00	0.0		10/7/2023 3:00	0.0	
10/7/2021 4:00	0.0		10/7/2022 4:00	0.0		10/7/2023 4:00	0.0	
10/7/2021 5:00	0.0		10/7/2022 5:00	0.0		10/7/2023 5:00	0.0	
10/7/2021 6:00	0.0		10/7/2022 6:00	0.0		10/7/2023 6:00	0.0	
10/7/2021 7:00	0.0		10/7/2022 7:00	0.0		10/7/2023 7:00	0.0	
10/7/2021 8:00	0.0		10/7/2022 8:00	0.0		10/7/2023 8:00	0.0	
10/7/2021 9:00	0.0		10/7/2022 9:00	0.0		10/7/2023 9:00	0.0	
10/7/2021 10:00	0.0		10/7/2022 10:00	0.0		10/7/2023 10:00	0.0	
10/7/2021 11:00	0.0		10/7/2022 11:00	0.0		10/7/2023 11:00	0.0	
10/7/2021 12:00	0.0		10/7/2022 12:00	0.0		10/7/2023 12:00	0.0	
10/7/2021 13:00	0.0		10/7/2022 13:00	0.0		10/7/2023 13:00	0.0	
10/7/2021 14:00	0.0		10/7/2022 14:00	0.0		10/7/2023 14:00	0.0	
10/7/2021 15:00	0.0		10/7/2022 15:00	0.0		10/7/2023 15:00	0.0	
10/7/2021 16:00	0.0		10/7/2022 16:00	0.0		10/7/2023 16:00	0.0	
10/7/2021 17:00	0.0		10/7/2022 17:00	0.0		10/7/2023 17:00	0.0	
10/7/2021 18:00	0.0		10/7/2022 18:00	0.0		10/7/2023 18:00	0.0	
10/7/2021 19:00	0.0		10/7/2022 19:00	0.0		10/7/2023 19:00	0.0	
10/7/2021 20:00	0.0		10/7/2022 20:00	0.0		10/7/2023 20:00	0.0	
10/7/2021 21:00	0.0		10/7/2022 21:00	0.0		10/7/2023 21:00	0.0	
10/7/2021 22:00	0.0		10/7/2022 22:00	0.0		10/7/2023 22:00	0.0	
10/7/2021 23:00	0.0	0.0	10/7/2022 23:00	0.0	0.0	10/7/2023 23:00	0.0	0.0
10/8/2021 0:00	0.0		10/8/2022 0:00	0.0		10/8/2023 0:00	0.0	
10/8/2021 1:00	0.0		10/8/2022 1:00	0.0		10/8/2023 1:00	0.0	
10/8/2021 2:00	0.0		10/8/2022 2:00	0.0		10/8/2023 2:00	0.0	
10/8/2021 3:00	0.0		10/8/2022 3:00	0.0		10/8/2023 3:00	0.0	
10/8/2021 4:00	0.0		10/8/2022 4:00	0.0		10/8/2023 4:00	0.0	
10/8/2021 5:00	0.0		10/8/2022 5:00	0.0		10/8/2023 5:00	0.0	
10/8/2021 6:00	0.0		10/8/2022 6:00	0.0		10/8/2023 6:00	0.0	
10/8/2021 7:00	0.0		10/8/2022 7:00	0.0		10/8/2023 7:00	0.0	
10/8/2021 8:00	0.0		10/8/2022 8:00	0.0		10/8/2023 8:00	0.0	
10/8/2021 9:00	0.0		10/8/2022 9:00	0.0		10/8/2023 9:00	0.0	
10/8/2021 10:00	0.0		10/8/2022 10:00	0.0		10/8/2023 10:00	0.0	
10/8/2021 11:00	0.0		10/8/2022 11:00	0.0		10/8/2023 11:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
10/8/2021 12:00	0.0		10/8/2022 12:00	0.0		10/8/2023 12:00	0.0	
10/8/2021 13:00	0.0		10/8/2022 13:00	0.0		10/8/2023 13:00	0.0	
10/8/2021 14:00	0.0		10/8/2022 14:00	0.0		10/8/2023 14:00	0.0	
10/8/2021 15:00	0.0		10/8/2022 15:00	0.0		10/8/2023 15:00	0.0	
10/8/2021 16:00	0.0		10/8/2022 16:00	0.0		10/8/2023 16:00	0.0	
10/8/2021 17:00	0.0		10/8/2022 17:00	0.0		10/8/2023 17:00	0.0	
10/8/2021 18:00	0.0		10/8/2022 18:00	0.0		10/8/2023 18:00	0.0	
10/8/2021 19:00	0.0		10/8/2022 19:00	0.0		10/8/2023 19:00	0.0	
10/8/2021 20:00	0.0		10/8/2022 20:00	0.0		10/8/2023 20:00	0.0	
10/8/2021 21:00	0.0		10/8/2022 21:00	0.0		10/8/2023 21:00	0.0	
10/8/2021 22:00	0.0		10/8/2022 22:00	0.0		10/8/2023 22:00	0.0	
10/8/2021 23:00	0.0	0.0	10/8/2022 23:00	0.0	0.0	10/8/2023 23:00	0.0	0.0
10/9/2021 0:00	0.0		10/9/2022 0:00	0.0		10/9/2023 0:00	0.0	
10/9/2021 1:00	0.0		10/9/2022 1:00	0.0		10/9/2023 1:00	0.0	
10/9/2021 2:00	0.0		10/9/2022 2:00	0.0		10/9/2023 2:00	0.0	
10/9/2021 3:00	0.0		10/9/2022 3:00	0.0		10/9/2023 3:00	0.0	
10/9/2021 4:00	0.0		10/9/2022 4:00	0.0		10/9/2023 4:00	0.0	
10/9/2021 5:00	0.0		10/9/2022 5:00	0.0		10/9/2023 5:00	0.0	
10/9/2021 6:00	0.0		10/9/2022 6:00	0.0		10/9/2023 6:00	0.0	
10/9/2021 7:00	0.0		10/9/2022 7:00	0.0		10/9/2023 7:00	0.0	
10/9/2021 8:00	0.0		10/9/2022 8:00	0.0		10/9/2023 8:00	0.0	
10/9/2021 9:00	0.0		10/9/2022 9:00	0.0		10/9/2023 9:00	0.0	
10/9/2021 10:00	0.0		10/9/2022 10:00	0.0		10/9/2023 10:00	0.0	
10/9/2021 11:00	0.0		10/9/2022 11:00	0.0		10/9/2023 11:00	0.0	
10/9/2021 12:00	0.0		10/9/2022 12:00	0.0		10/9/2023 12:00	0.0	
10/9/2021 13:00	0.0		10/9/2022 13:00	0.0		10/9/2023 13:00	0.0	
10/9/2021 14:00	0.0		10/9/2022 14:00	0.0		10/9/2023 14:00	0.0	
10/9/2021 15:00	0.0		10/9/2022 15:00	0.0		10/9/2023 15:00	0.0	
10/9/2021 16:00	0.0		10/9/2022 16:00	0.0		10/9/2023 16:00	0.0	
10/9/2021 17:00	0.0		10/9/2022 17:00	0.0		10/9/2023 17:00	0.0	
10/9/2021 18:00	0.0		10/9/2022 18:00	0.0		10/9/2023 18:00	0.0	
10/9/2021 19:00	0.0		10/9/2022 19:00	0.0		10/9/2023 19:00	0.0	
10/9/2021 20:00	0.0		10/9/2022 20:00	0.0		10/9/2023 20:00	0.0	
10/9/2021 21:00	0.0		10/9/2022 21:00	0.0		10/9/2023 21:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
10/9/2021 22:00	0.0		10/9/2022 22:00	0.0		10/9/2023 22:00	0.0	
10/9/2021 23:00	0.0	0.0	10/9/2022 23:00	0.0	0.0	10/9/2023 23:00	0.0	0.0
10/10/2021 0:00	0.0		10/10/2022 0:00	0.0		10/10/2023 0:00	0.0	
10/10/2021 1:00	0.0		10/10/2022 1:00	0.0		10/10/2023 1:00	0.0	
10/10/2021 2:00	0.0		10/10/2022 2:00	0.0		10/10/2023 2:00	0.0	
10/10/2021 3:00	0.0		10/10/2022 3:00	0.0		10/10/2023 3:00	0.0	
10/10/2021 4:00	241.0		10/10/2022 4:00	0.0		10/10/2023 4:00	0.0	
10/10/2021 5:00	448.0		10/10/2022 5:00	0.0		10/10/2023 5:00	0.0	
10/10/2021 6:00	0.0		10/10/2022 6:00	0.0		10/10/2023 6:00	0.0	
10/10/2021 7:00	0.0		10/10/2022 7:00	0.0		10/10/2023 7:00	0.0	
10/10/2021 8:00	0.0		10/10/2022 8:00	0.0		10/10/2023 8:00	0.0	
10/10/2021 9:00	0.0		10/10/2022 9:00	0.0		10/10/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	448.0	##########	0.0	0.0	##########	0.0	0.0
10/11/2021 0:00	0.0		10/11/2022 0:00	0.0		10/11/2023 0:00	0.0	
10/11/2021 1:00	0.0		10/11/2022 1:00	0.0		10/11/2023 1:00	0.0	
10/11/2021 2:00	0.0		10/11/2022 2:00	0.0		10/11/2023 2:00	0.0	
10/11/2021 3:00	0.0		10/11/2022 3:00	0.0		10/11/2023 3:00	0.0	
10/11/2021 4:00	0.0		10/11/2022 4:00	0.0		10/11/2023 4:00	0.0	
10/11/2021 5:00	0.0		10/11/2022 5:00	0.0		10/11/2023 5:00	0.0	
10/11/2021 6:00	0.0		10/11/2022 6:00	0.0		10/11/2023 6:00	0.0	
10/11/2021 7:00	0.0		10/11/2022 7:00	0.0		10/11/2023 7:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
10/11/2021 8:00	0.0		10/11/2022 8:00	0.0		10/11/2023 8:00	0.0	
10/11/2021 9:00	0.0		10/11/2022 9:00	0.0		10/11/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	2.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	5.8		##########	0.0	
##########	0.0		##########	51.8		##########	0.0	
##########	0.0		##########	51.8		##########	0.0	
##########	0.0		##########	48.1		##########	0.0	
##########	0.0		##########	44.9		##########	0.0	
##########	0.0		##########	53.0		##########	0.0	
##########	0.0		##########	80.0		##########	0.0	
##########	0.0	2.0	##########	159.9	159.9	##########	0.0	0.0
10/12/2021 0:00	0.0		10/12/2022 0:00	159.9		10/12/2023 0:00	0.0	
10/12/2021 1:00	0.0		10/12/2022 1:00	160.3		10/12/2023 1:00	0.0	
10/12/2021 2:00	0.0		10/12/2022 2:00	157.3		10/12/2023 2:00	0.0	
10/12/2021 3:00	0.0		10/12/2022 3:00	157.9		10/12/2023 3:00	0.0	
10/12/2021 4:00	0.0		10/12/2022 4:00	155.2		10/12/2023 4:00	0.0	
10/12/2021 5:00	0.0		10/12/2022 5:00	153.7		10/12/2023 5:00	0.0	
10/12/2021 6:00	0.0		10/12/2022 6:00	150.2		10/12/2023 6:00	0.0	
10/12/2021 7:00	0.0		10/12/2022 7:00	147.3		10/12/2023 7:00	0.0	
10/12/2021 8:00	0.0		10/12/2022 8:00	146.4		10/12/2023 8:00	0.0	
10/12/2021 9:00	0.0		10/12/2022 9:00	144.5		10/12/2023 9:00	0.0	
##########	0.0		##########	143.4		##########	0.0	
##########	0.0		##########	140.2		##########	0.0	
##########	0.0		##########	141.1		##########	0.0	
##########	0.0		##########	130.4		##########	0.0	
##########	0.0		##########	110.9		##########	0.0	
##########	0.0		##########	112.0		##########	0.0	
##########	0.0		##########	106.0		##########	0.0	
##########	0.0		##########	113.9		##########	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
##########	0.0		##########	124.0		##########	0.0	
##########	0.0		##########	112.7		##########	0.0	
##########	0.0		##########	111.2		##########	0.0	
##########	0.0		##########	113.5		##########	0.0	
##########	0.0		##########	114.8		##########	0.0	
##########	0.0	0.0	##########	116.9	160.3	##########	0.0	0.0
10/13/2021 0:00	0.0		10/13/2022 0:00	114.6		10/13/2023 0:00	0.0	
10/13/2021 1:00	0.0		10/13/2022 1:00	117.1		10/13/2023 1:00	0.0	
10/13/2021 2:00	0.0		10/13/2022 2:00	116.1		10/13/2023 2:00	0.0	
10/13/2021 3:00	0.0		10/13/2022 3:00	114.8		10/13/2023 3:00	0.0	
10/13/2021 4:00	0.0		10/13/2022 4:00	113.9		10/13/2023 4:00	0.0	
10/13/2021 5:00	0.0		10/13/2022 5:00	113.3		10/13/2023 5:00	0.0	
10/13/2021 6:00	0.0		10/13/2022 6:00	112.4		10/13/2023 6:00	0.0	
10/13/2021 7:00	0.0		10/13/2022 7:00	113.5		10/13/2023 7:00	0.0	
10/13/2021 8:00	0.0		10/13/2022 8:00	116.9		10/13/2023 8:00	0.0	
10/13/2021 9:00	0.0		10/13/2022 9:00	116.5		10/13/2023 9:00	0.0	
##########	0.0		##########	116.3		##########	0.0	
##########	0.0		##########	115.0		##########	0.0	
##########	0.0		##########	115.9		##########	0.0	
##########	0.0		##########	115.0		##########	0.0	
##########	0.0		##########	112.4		##########	0.0	
##########	0.0		##########	110.3		##########	0.0	
##########	0.0		##########	22.5		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	117.1	##########	0.0	0.0
10/14/2021 0:00	0.0		10/14/2022 0:00	0.0		10/14/2023 0:00	0.0	
10/14/2021 1:00	0.0		10/14/2022 1:00	0.0		10/14/2023 1:00	0.0	
10/14/2021 2:00	0.0		10/14/2022 2:00	0.0		10/14/2023 2:00	0.0	
10/14/2021 3:00	0.0		10/14/2022 3:00	0.0		10/14/2023 3:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
10/14/2021 4:00	0.0		10/14/2022 4:00	0.0		10/14/2023 4:00	0.0	
10/14/2021 5:00	0.0		10/14/2022 5:00	0.0		10/14/2023 5:00	0.0	
10/14/2021 6:00	0.0		10/14/2022 6:00	0.0		10/14/2023 6:00	0.0	
10/14/2021 7:00	0.0		10/14/2022 7:00	0.0		10/14/2023 7:00	0.0	
10/14/2021 8:00	0.0		10/14/2022 8:00	0.0		10/14/2023 8:00	0.0	
10/14/2021 9:00	0.0		10/14/2022 9:00	0.0		10/14/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
10/15/2021 0:00	0.0		10/15/2022 0:00	0.0		10/15/2023 0:00	0.0	
10/15/2021 1:00	0.0		10/15/2022 1:00	0.0		10/15/2023 1:00	0.0	
10/15/2021 2:00	0.0		10/15/2022 2:00	0.0		10/15/2023 2:00	0.0	
10/15/2021 3:00	0.0		10/15/2022 3:00	0.0		10/15/2023 3:00	0.0	
10/15/2021 4:00	0.0		10/15/2022 4:00	0.0		10/15/2023 4:00	0.0	
10/15/2021 5:00	0.0		10/15/2022 5:00	0.0		10/15/2023 5:00	0.0	
10/15/2021 6:00	0.0		10/15/2022 6:00	0.0		10/15/2023 6:00	0.0	
10/15/2021 7:00	0.0		10/15/2022 7:00	0.0		10/15/2023 7:00	0.0	
10/15/2021 8:00	0.0		10/15/2022 8:00	0.0		10/15/2023 8:00	0.0	
10/15/2021 9:00	0.0		10/15/2022 9:00	0.0		10/15/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
10/16/2021 0:00	0.0		10/16/2022 0:00	0.0		10/16/2023 0:00	0.0	
10/16/2021 1:00	0.0		10/16/2022 1:00	0.0		10/16/2023 1:00	0.0	
10/16/2021 2:00	0.0		10/16/2022 2:00	0.0		10/16/2023 2:00	0.0	
10/16/2021 3:00	0.0		10/16/2022 3:00	0.0		10/16/2023 3:00	0.0	
10/16/2021 4:00	0.0		10/16/2022 4:00	0.0		10/16/2023 4:00	0.0	
10/16/2021 5:00	0.0		10/16/2022 5:00	0.0		10/16/2023 5:00	0.0	
10/16/2021 6:00	0.0		10/16/2022 6:00	0.0		10/16/2023 6:00	0.0	
10/16/2021 7:00	0.0		10/16/2022 7:00	0.0		10/16/2023 7:00	0.0	
10/16/2021 8:00	0.0		10/16/2022 8:00	0.0		10/16/2023 8:00	0.0	
10/16/2021 9:00	0.0		10/16/2022 9:00	0.0		10/16/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
10/17/2021 0:00	0.0		10/17/2022 0:00	0.0		10/17/2023 0:00	0.0	
10/17/2021 1:00	0.0		10/17/2022 1:00	0.0		10/17/2023 1:00	0.0	
10/17/2021 2:00	0.0		10/17/2022 2:00	0.0		10/17/2023 2:00	0.0	
10/17/2021 3:00	0.0		10/17/2022 3:00	0.0		10/17/2023 3:00	0.0	
10/17/2021 4:00	0.0		10/17/2022 4:00	0.0		10/17/2023 4:00	0.0	
10/17/2021 5:00	0.0		10/17/2022 5:00	0.0		10/17/2023 5:00	0.0	
10/17/2021 6:00	0.0		10/17/2022 6:00	0.0		10/17/2023 6:00	0.0	
10/17/2021 7:00	0.0		10/17/2022 7:00	0.0		10/17/2023 7:00	0.0	
10/17/2021 8:00	0.0		10/17/2022 8:00	0.0		10/17/2023 8:00	0.0	
10/17/2021 9:00	1.0		10/17/2022 9:00	0.0		10/17/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	1.0	##########	0.0	0.0	##########	0.0	0.0
10/18/2021 0:00	0.0		10/18/2022 0:00	0.0		10/18/2023 0:00	0.0	
10/18/2021 1:00	0.0		10/18/2022 1:00	0.0		10/18/2023 1:00	0.0	
10/18/2021 2:00	0.0		10/18/2022 2:00	0.0		10/18/2023 2:00	0.0	
10/18/2021 3:00	0.0		10/18/2022 3:00	0.0		10/18/2023 3:00	0.0	
10/18/2021 4:00	0.0		10/18/2022 4:00	0.0		10/18/2023 4:00	0.0	
10/18/2021 5:00	0.0		10/18/2022 5:00	0.0		10/18/2023 5:00	0.0	
10/18/2021 6:00	0.0		10/18/2022 6:00	0.0		10/18/2023 6:00	0.0	
10/18/2021 7:00	0.0		10/18/2022 7:00	0.0		10/18/2023 7:00	0.0	
10/18/2021 8:00	0.0		10/18/2022 8:00	0.0		10/18/2023 8:00	0.0	
10/18/2021 9:00	0.0		10/18/2022 9:00	0.0		10/18/2023 9:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
10/19/2021 0:00	0.0		10/19/2022 0:00	0.0		10/19/2023 0:00	0.0	
10/19/2021 1:00	0.0		10/19/2022 1:00	0.0		10/19/2023 1:00	937.0	
10/19/2021 2:00	0.0		10/19/2022 2:00	0.0		10/19/2023 2:00	269.2	
10/19/2021 3:00	0.0		10/19/2022 3:00	0.0		10/19/2023 3:00	0.0	
10/19/2021 4:00	0.0		10/19/2022 4:00	0.0		10/19/2023 4:00	0.0	
10/19/2021 5:00	0.0		10/19/2022 5:00	0.0		10/19/2023 5:00	0.0	
10/19/2021 6:00	0.0		10/19/2022 6:00	0.0		10/19/2023 6:00	0.0	
10/19/2021 7:00	0.0		10/19/2022 7:00	0.0		10/19/2023 7:00	0.0	
10/19/2021 8:00	0.0		10/19/2022 8:00	0.0		10/19/2023 8:00	0.0	
10/19/2021 9:00	0.0		10/19/2022 9:00	0.0		10/19/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	937.0
10/20/2021 0:00	0.0		10/20/2022 0:00	0.0		10/20/2023 0:00	0.0	
10/20/2021 1:00	0.0		10/20/2022 1:00	0.0		10/20/2023 1:00	0.0	
10/20/2021 2:00	0.0		10/20/2022 2:00	0.0		10/20/2023 2:00	0.0	
10/20/2021 3:00	0.0		10/20/2022 3:00	0.0		10/20/2023 3:00	0.0	
10/20/2021 4:00	0.0		10/20/2022 4:00	0.0		10/20/2023 4:00	0.0	
10/20/2021 5:00	0.0		10/20/2022 5:00	0.0		10/20/2023 5:00	0.0	
10/20/2021 6:00	0.0		10/20/2022 6:00	0.0		10/20/2023 6:00	0.0	
10/20/2021 7:00	0.0		10/20/2022 7:00	0.0		10/20/2023 7:00	0.0	
10/20/2021 8:00	0.0		10/20/2022 8:00	0.0		10/20/2023 8:00	0.0	
10/20/2021 9:00	0.0		10/20/2022 9:00	0.0		10/20/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
10/21/2021 0:00	0.0		10/21/2022 0:00	0.0		10/21/2023 0:00	0.0	
10/21/2021 1:00	0.0		10/21/2022 1:00	0.0		10/21/2023 1:00	0.0	
10/21/2021 2:00	0.0		10/21/2022 2:00	0.0		10/21/2023 2:00	0.0	
10/21/2021 3:00	0.0		10/21/2022 3:00	0.0		10/21/2023 3:00	0.0	
10/21/2021 4:00	0.0		10/21/2022 4:00	0.0		10/21/2023 4:00	0.0	
10/21/2021 5:00	0.0		10/21/2022 5:00	0.0		10/21/2023 5:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
10/21/2021 6:00	0.0		10/21/2022 6:00	0.0		10/21/2023 6:00	0.0	
10/21/2021 7:00	0.0		10/21/2022 7:00	0.0		10/21/2023 7:00	0.0	
10/21/2021 8:00	0.0		10/21/2022 8:00	0.0		10/21/2023 8:00	0.0	
10/21/2021 9:00	0.0		10/21/2022 9:00	0.0		10/21/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
10/22/2021 0:00	0.0		10/22/2022 0:00	0.0		10/22/2023 0:00	0.0	
10/22/2021 1:00	0.0		10/22/2022 1:00	0.0		10/22/2023 1:00	0.0	
10/22/2021 2:00	0.0		10/22/2022 2:00	0.0		10/22/2023 2:00	0.0	
10/22/2021 3:00	0.0		10/22/2022 3:00	0.0		10/22/2023 3:00	0.0	
10/22/2021 4:00	0.0		10/22/2022 4:00	0.0		10/22/2023 4:00	0.0	
10/22/2021 5:00	0.0		10/22/2022 5:00	0.0		10/22/2023 5:00	0.0	
10/22/2021 6:00	0.0		10/22/2022 6:00	0.0		10/22/2023 6:00	0.0	
10/22/2021 7:00	0.0		10/22/2022 7:00	0.0		10/22/2023 7:00	0.0	
10/22/2021 8:00	0.0		10/22/2022 8:00	0.0		10/22/2023 8:00	0.0	
10/22/2021 9:00	0.0		10/22/2022 9:00	0.0		10/22/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
10/23/2021 0:00	0.0		10/23/2022 0:00	0.0		10/23/2023 0:00	0.0	
10/23/2021 1:00	0.0		10/23/2022 1:00	0.0		10/23/2023 1:00	0.0	
10/23/2021 2:00	0.0		10/23/2022 2:00	0.0		10/23/2023 2:00	0.0	
10/23/2021 3:00	0.0		10/23/2022 3:00	0.0		10/23/2023 3:00	0.0	
10/23/2021 4:00	0.0		10/23/2022 4:00	0.0		10/23/2023 4:00	0.0	
10/23/2021 5:00	0.0		10/23/2022 5:00	0.0		10/23/2023 5:00	0.0	
10/23/2021 6:00	0.0		10/23/2022 6:00	0.0		10/23/2023 6:00	0.0	
10/23/2021 7:00	0.0		10/23/2022 7:00	0.0		10/23/2023 7:00	0.0	
10/23/2021 8:00	0.0		10/23/2022 8:00	0.0		10/23/2023 8:00	0.0	
10/23/2021 9:00	0.0		10/23/2022 9:00	0.0		10/23/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
10/24/2021 0:00	0.0		10/24/2022 0:00	0.0		10/24/2023 0:00	0.0	
10/24/2021 1:00	0.0		10/24/2022 1:00	0.0		10/24/2023 1:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
10/24/2021 2:00	0.0		10/24/2022 2:00	0.0		10/24/2023 2:00	0.0	
10/24/2021 3:00	0.0		10/24/2022 3:00	0.0		10/24/2023 3:00	0.0	
10/24/2021 4:00	0.0		10/24/2022 4:00	0.0		10/24/2023 4:00	0.0	
10/24/2021 5:00	0.0		10/24/2022 5:00	0.0		10/24/2023 5:00	0.0	
10/24/2021 6:00	0.0		10/24/2022 6:00	0.0		10/24/2023 6:00	0.0	
10/24/2021 7:00	0.0		10/24/2022 7:00	0.0		10/24/2023 7:00	0.0	
10/24/2021 8:00	0.0		10/24/2022 8:00	0.0		10/24/2023 8:00	0.0	
10/24/2021 9:00	0.0		10/24/2022 9:00	0.0		10/24/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
10/25/2021 0:00	0.0		10/25/2022 0:00	0.0		10/25/2023 0:00	0.0	
10/25/2021 1:00	0.0		10/25/2022 1:00	0.0		10/25/2023 1:00	0.0	
10/25/2021 2:00	0.0		10/25/2022 2:00	0.0		10/25/2023 2:00	0.0	
10/25/2021 3:00	0.0		10/25/2022 3:00	0.0		10/25/2023 3:00	0.0	
10/25/2021 4:00	0.0		10/25/2022 4:00	0.0		10/25/2023 4:00	0.0	
10/25/2021 5:00	0.0		10/25/2022 5:00	0.0		10/25/2023 5:00	0.0	
10/25/2021 6:00	0.0		10/25/2022 6:00	0.0		10/25/2023 6:00	0.0	
10/25/2021 7:00	0.0		10/25/2022 7:00	0.0		10/25/2023 7:00	0.0	
10/25/2021 8:00	0.0		10/25/2022 8:00	0.0		10/25/2023 8:00	0.0	
10/25/2021 9:00	0.0		10/25/2022 9:00	0.0		10/25/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
10/26/2021 0:00	0.0		10/26/2022 0:00	0.0		10/26/2023 0:00	0.0	
10/26/2021 1:00	0.0		10/26/2022 1:00	0.0		10/26/2023 1:00	0.0	
10/26/2021 2:00	0.0		10/26/2022 2:00	0.0		10/26/2023 2:00	0.0	
10/26/2021 3:00	0.0		10/26/2022 3:00	0.0		10/26/2023 3:00	0.0	
10/26/2021 4:00	0.0		10/26/2022 4:00	0.0		10/26/2023 4:00	0.0	
10/26/2021 5:00	0.0		10/26/2022 5:00	0.0		10/26/2023 5:00	0.0	
10/26/2021 6:00	0.0		10/26/2022 6:00	0.0		10/26/2023 6:00	0.0	
10/26/2021 7:00	0.0		10/26/2022 7:00	0.0		10/26/2023 7:00	0.0	
10/26/2021 8:00	0.0		10/26/2022 8:00	0.0		10/26/2023 8:00	0.0	
10/26/2021 9:00	0.0		10/26/2022 9:00	0.0		10/26/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
10/27/2021 0:00	0.0		10/27/2022 0:00	0.0		10/27/2023 0:00	0.0	
10/27/2021 1:00	0.0		10/27/2022 1:00	0.0		10/27/2023 1:00	0.0	
10/27/2021 2:00	0.0		10/27/2022 2:00	0.0		10/27/2023 2:00	0.0	
10/27/2021 3:00	0.0		10/27/2022 3:00	0.0		10/27/2023 3:00	0.0	
10/27/2021 4:00	0.0		10/27/2022 4:00	0.0		10/27/2023 4:00	0.0	
10/27/2021 5:00	0.0		10/27/2022 5:00	0.0		10/27/2023 5:00	0.0	
10/27/2021 6:00	0.0		10/27/2022 6:00	0.0		10/27/2023 6:00	0.0	
10/27/2021 7:00	0.0		10/27/2022 7:00	0.0		10/27/2023 7:00	0.0	
10/27/2021 8:00	0.0		10/27/2022 8:00	0.0		10/27/2023 8:00	0.0	
10/27/2021 9:00	0.0		10/27/2022 9:00	0.0		10/27/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
10/28/2021 0:00	0.0		10/28/2022 0:00	0.0		10/28/2023 0:00	0.0	
10/28/2021 1:00	0.0		10/28/2022 1:00	0.0		10/28/2023 1:00	0.0	
10/28/2021 2:00	0.0		10/28/2022 2:00	0.0		10/28/2023 2:00	0.0	
10/28/2021 3:00	0.0		10/28/2022 3:00	0.0		10/28/2023 3:00	0.0	
10/28/2021 4:00	0.0		10/28/2022 4:00	0.0		10/28/2023 4:00	0.0	
10/28/2021 5:00	0.0		10/28/2022 5:00	0.0		10/28/2023 5:00	0.0	
10/28/2021 6:00	0.0		10/28/2022 6:00	0.0		10/28/2023 6:00	0.0	
10/28/2021 7:00	0.0		10/28/2022 7:00	0.0		10/28/2023 7:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
10/28/2021 8:00	0.0		10/28/2022 8:00	0.0		10/28/2023 8:00	0.0	
10/28/2021 9:00	0.0		10/28/2022 9:00	0.0		10/28/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
10/29/2021 0:00	0.0		10/29/2022 0:00	0.0		10/29/2023 0:00	0.0	
10/29/2021 1:00	0.0		10/29/2022 1:00	0.0		10/29/2023 1:00	0.0	
10/29/2021 2:00	0.0		10/29/2022 2:00	0.0		10/29/2023 2:00	0.0	
10/29/2021 3:00	0.0		10/29/2022 3:00	0.0		10/29/2023 3:00	0.0	
10/29/2021 4:00	0.0		10/29/2022 4:00	0.0		10/29/2023 4:00	0.0	
10/29/2021 5:00	0.0		10/29/2022 5:00	0.0		10/29/2023 5:00	0.0	
10/29/2021 6:00	0.0		10/29/2022 6:00	0.0		10/29/2023 6:00	0.0	
10/29/2021 7:00	0.0		10/29/2022 7:00	0.0		10/29/2023 7:00	0.0	
10/29/2021 8:00	0.0		10/29/2022 8:00	0.0		10/29/2023 8:00	0.0	
10/29/2021 9:00	0.0		10/29/2022 9:00	0.0		10/29/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
10/30/2021 0:00	0.0		10/30/2022 0:00	0.0		10/30/2023 0:00	0.0	
10/30/2021 1:00	0.0		10/30/2022 1:00	0.0		10/30/2023 1:00	0.0	
10/30/2021 2:00	0.0		10/30/2022 2:00	0.0		10/30/2023 2:00	0.0	
10/30/2021 3:00	0.0		10/30/2022 3:00	0.0		10/30/2023 3:00	0.0	
10/30/2021 4:00	0.0		10/30/2022 4:00	0.0		10/30/2023 4:00	0.0	
10/30/2021 5:00	0.0		10/30/2022 5:00	0.0		10/30/2023 5:00	0.0	
10/30/2021 6:00	0.0		10/30/2022 6:00	0.0		10/30/2023 6:00	0.0	
10/30/2021 7:00	0.0		10/30/2022 7:00	0.0		10/30/2023 7:00	0.0	
10/30/2021 8:00	0.0		10/30/2022 8:00	0.0		10/30/2023 8:00	0.0	
10/30/2021 9:00	0.0		10/30/2022 9:00	0.0		10/30/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
10/31/2021 0:00	0.0		10/31/2022 0:00	0.0		10/31/2023 0:00	0.0	
10/31/2021 1:00	0.0		10/31/2022 1:00	0.0		10/31/2023 1:00	0.0	
10/31/2021 2:00	0.0		10/31/2022 2:00	0.0		10/31/2023 2:00	0.0	
10/31/2021 3:00	0.0		10/31/2022 3:00	0.0		10/31/2023 3:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
10/31/2021 4:00	0.0		10/31/2022 4:00	0.0		10/31/2023 4:00	0.0	
10/31/2021 5:00	0.0		10/31/2022 5:00	0.0		10/31/2023 5:00	0.0	
10/31/2021 6:00	0.0		10/31/2022 6:00	0.0		10/31/2023 6:00	0.0	
10/31/2021 7:00	0.0		10/31/2022 7:00	0.0		10/31/2023 7:00	0.0	
10/31/2021 8:00	0.0		10/31/2022 8:00	0.0		10/31/2023 8:00	0.0	
10/31/2021 9:00	0.0		10/31/2022 9:00	0.0		10/31/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
11/1/2021 0:00	0.0		11/1/2022 0:00	0.0		11/1/2023 0:00	0.0	
11/1/2021 1:00	0.0		11/1/2022 1:00	0.0		11/1/2023 1:00	0.0	
11/1/2021 2:00	0.0		11/1/2022 2:00	0.0		11/1/2023 2:00	0.0	
11/1/2021 3:00	0.0		11/1/2022 3:00	0.0		11/1/2023 3:00	0.0	
11/1/2021 4:00	0.0		11/1/2022 4:00	0.0		11/1/2023 4:00	0.0	
11/1/2021 5:00	0.0		11/1/2022 5:00	0.0		11/1/2023 5:00	0.0	
11/1/2021 6:00	0.0		11/1/2022 6:00	0.0		11/1/2023 6:00	0.0	
11/1/2021 7:00	0.0		11/1/2022 7:00	0.0		11/1/2023 7:00	0.0	
11/1/2021 8:00	0.0		11/1/2022 8:00	0.0		11/1/2023 8:00	0.0	
11/1/2021 9:00	0.0		11/1/2022 9:00	0.0		11/1/2023 9:00	0.0	
11/1/2021 10:00	0.0		11/1/2022 10:00	0.0		11/1/2023 10:00	0.0	
11/1/2021 11:00	0.0		11/1/2022 11:00	0.0		11/1/2023 11:00	0.0	
11/1/2021 12:00	0.0		11/1/2022 12:00	0.0		11/1/2023 12:00	0.0	
11/1/2021 13:00	0.0		11/1/2022 13:00	0.0		11/1/2023 13:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
11/1/2021 14:00	0.0		11/1/2022 14:00	0.0		11/1/2023 14:00	0.0	
11/1/2021 15:00	0.0		11/1/2022 15:00	0.0		11/1/2023 15:00	0.0	
11/1/2021 16:00	0.0		11/1/2022 16:00	0.0		11/1/2023 16:00	0.0	
11/1/2021 17:00	0.0		11/1/2022 17:00	0.0		11/1/2023 17:00	0.0	
11/1/2021 18:00	0.0		11/1/2022 18:00	0.0		11/1/2023 18:00	0.0	
11/1/2021 19:00	0.0		11/1/2022 19:00	0.0		11/1/2023 19:00	0.0	
11/1/2021 20:00	0.0		11/1/2022 20:00	0.0		11/1/2023 20:00	0.0	
11/1/2021 21:00	0.0		11/1/2022 21:00	0.0		11/1/2023 21:00	0.0	
11/1/2021 22:00	0.0		11/1/2022 22:00	0.0		11/1/2023 22:00	0.0	
11/1/2021 23:00	0.0	0.0	11/1/2022 23:00	0.0	0.0	11/1/2023 23:00	0.0	0.0
11/2/2021 0:00	0.0		11/2/2022 0:00	0.0		11/2/2023 0:00	0.0	
11/2/2021 1:00	0.0		11/2/2022 1:00	0.0		11/2/2023 1:00	0.0	
11/2/2021 2:00	0.0		11/2/2022 2:00	0.0		11/2/2023 2:00	0.0	
11/2/2021 3:00	0.0		11/2/2022 3:00	0.0		11/2/2023 3:00	0.0	
11/2/2021 4:00	0.0		11/2/2022 4:00	0.0		11/2/2023 4:00	0.0	
11/2/2021 5:00	0.0		11/2/2022 5:00	0.0		11/2/2023 5:00	0.0	
11/2/2021 6:00	0.0		11/2/2022 6:00	0.0		11/2/2023 6:00	0.0	
11/2/2021 7:00	0.0		11/2/2022 7:00	0.0		11/2/2023 7:00	0.0	
11/2/2021 8:00	0.0		11/2/2022 8:00	0.0		11/2/2023 8:00	0.0	
11/2/2021 9:00	0.0		11/2/2022 9:00	0.0		11/2/2023 9:00	0.0	
11/2/2021 10:00	0.0		11/2/2022 10:00	0.0		11/2/2023 10:00	0.0	
11/2/2021 11:00	0.0		11/2/2022 11:00	0.0		11/2/2023 11:00	0.0	
11/2/2021 12:00	0.0		11/2/2022 12:00	0.0		11/2/2023 12:00	0.0	
11/2/2021 13:00	0.0		11/2/2022 13:00	0.0		11/2/2023 13:00	0.0	
11/2/2021 14:00	0.0		11/2/2022 14:00	0.0		11/2/2023 14:00	0.0	
11/2/2021 15:00	0.0		11/2/2022 15:00	0.0		11/2/2023 15:00	0.0	
11/2/2021 16:00	0.0		11/2/2022 16:00	0.0		11/2/2023 16:00	0.0	
11/2/2021 17:00	0.0		11/2/2022 17:00	0.0		11/2/2023 17:00	0.0	
11/2/2021 18:00	0.0		11/2/2022 18:00	0.0		11/2/2023 18:00	0.0	
11/2/2021 19:00	0.0		11/2/2022 19:00	0.0		11/2/2023 19:00	0.0	
11/2/2021 20:00	0.0		11/2/2022 20:00	0.0		11/2/2023 20:00	0.0	
11/2/2021 21:00	0.0		11/2/2022 21:00	0.0		11/2/2023 21:00	0.0	
11/2/2021 22:00	0.0		11/2/2022 22:00	0.0		11/2/2023 22:00	0.0	
11/2/2021 23:00	0.0	0.0	11/2/2022 23:00	0.0	0.0	11/2/2023 23:00	0.0	0.0

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
11/3/2021 0:00	0.0		11/3/2022 0:00	0.0		11/3/2023 0:00	0.0	
11/3/2021 1:00	0.0		11/3/2022 1:00	0.0		11/3/2023 1:00	0.0	
11/3/2021 2:00	0.0		11/3/2022 2:00	0.0		11/3/2023 2:00	0.0	
11/3/2021 3:00	0.0		11/3/2022 3:00	0.0		11/3/2023 3:00	0.0	
11/3/2021 4:00	0.0		11/3/2022 4:00	0.0		11/3/2023 4:00	0.0	
11/3/2021 5:00	0.0		11/3/2022 5:00	0.0		11/3/2023 5:00	0.0	
11/3/2021 6:00	0.0		11/3/2022 6:00	0.0		11/3/2023 6:00	0.0	
11/3/2021 7:00	0.0		11/3/2022 7:00	0.0		11/3/2023 7:00	0.0	
11/3/2021 8:00	0.0		11/3/2022 8:00	0.0		11/3/2023 8:00	0.0	
11/3/2021 9:00	0.0		11/3/2022 9:00	0.0		11/3/2023 9:00	0.0	
11/3/2021 10:00	0.0		11/3/2022 10:00	0.0		11/3/2023 10:00	0.0	
11/3/2021 11:00	0.0		11/3/2022 11:00	0.0		11/3/2023 11:00	0.0	
11/3/2021 12:00	0.0		11/3/2022 12:00	0.0		11/3/2023 12:00	0.0	
11/3/2021 13:00	0.0		11/3/2022 13:00	0.0		11/3/2023 13:00	0.0	
11/3/2021 14:00	0.0		11/3/2022 14:00	0.0		11/3/2023 14:00	0.0	
11/3/2021 15:00	0.0		11/3/2022 15:00	0.0		11/3/2023 15:00	0.0	
11/3/2021 16:00	0.0		11/3/2022 16:00	0.0		11/3/2023 16:00	0.0	
11/3/2021 17:00	0.0		11/3/2022 17:00	0.0		11/3/2023 17:00	0.0	
11/3/2021 18:00	0.0		11/3/2022 18:00	0.0		11/3/2023 18:00	0.0	
11/3/2021 19:00	0.0		11/3/2022 19:00	0.0		11/3/2023 19:00	0.0	
11/3/2021 20:00	0.0		11/3/2022 20:00	0.0		11/3/2023 20:00	0.0	
11/3/2021 21:00	0.0		11/3/2022 21:00	0.0		11/3/2023 21:00	0.0	
11/3/2021 22:00	0.0		11/3/2022 22:00	0.0		11/3/2023 22:00	0.0	
11/3/2021 23:00	0.0	0.0	11/3/2022 23:00	0.0	0.0	11/3/2023 23:00	0.0	0.0
11/4/2021 0:00	0.0		11/4/2022 0:00	0.0		11/4/2023 0:00	0.0	
11/4/2021 1:00	0.0		11/4/2022 1:00	0.0		11/4/2023 1:00	0.0	
11/4/2021 2:00	0.0		11/4/2022 2:00	0.0		11/4/2023 2:00	0.0	
11/4/2021 3:00	0.0		11/4/2022 3:00	0.0		11/4/2023 3:00	0.0	
11/4/2021 4:00	0.0		11/4/2022 4:00	0.0		11/4/2023 4:00	0.0	
11/4/2021 5:00	0.0		11/4/2022 5:00	0.0		11/4/2023 5:00	0.0	
11/4/2021 6:00	0.0		11/4/2022 6:00	0.0		11/4/2023 6:00	0.0	
11/4/2021 7:00	0.0		11/4/2022 7:00	0.0		11/4/2023 7:00	0.0	
11/4/2021 8:00	0.0		11/4/2022 8:00	0.0		11/4/2023 8:00	0.0	
11/4/2021 9:00	0.0		11/4/2022 9:00	0.0		11/4/2023 9:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
11/4/2021 10:00	0.0		11/4/2022 10:00	0.0		11/4/2023 10:00	0.0	
11/4/2021 11:00	0.0		11/4/2022 11:00	0.0		11/4/2023 11:00	0.0	
11/4/2021 12:00	0.0		11/4/2022 12:00	0.0		11/4/2023 12:00	0.0	
11/4/2021 13:00	0.0		11/4/2022 13:00	0.0		11/4/2023 13:00	0.0	
11/4/2021 14:00	0.0		11/4/2022 14:00	0.0		11/4/2023 14:00	0.0	
11/4/2021 15:00	0.0		11/4/2022 15:00	0.0		11/4/2023 15:00	0.0	
11/4/2021 16:00	0.0		11/4/2022 16:00	0.0		11/4/2023 16:00	0.0	
11/4/2021 17:00	0.0		11/4/2022 17:00	0.0		11/4/2023 17:00	0.0	
11/4/2021 18:00	0.0		11/4/2022 18:00	0.0		11/4/2023 18:00	0.0	
11/4/2021 19:00	0.0		11/4/2022 19:00	0.0		11/4/2023 19:00	0.0	
11/4/2021 20:00	0.0		11/4/2022 20:00	0.0		11/4/2023 20:00	0.0	
11/4/2021 21:00	0.0		11/4/2022 21:00	0.0		11/4/2023 21:00	0.0	
11/4/2021 22:00	0.0		11/4/2022 22:00	0.0		11/4/2023 22:00	0.0	
11/4/2021 23:00	0.0	0.0	11/4/2022 23:00	0.0	0.0	11/4/2023 23:00	0.0	0.0
11/5/2021 0:00	0.0		11/5/2022 0:00	0.0		11/5/2023 0:00	0.0	
11/5/2021 1:00	0.0		11/5/2022 1:00	0.0		11/5/2023 1:00	0.0	
11/5/2021 2:00	0.0		11/5/2022 2:00	0.0		11/5/2023 2:00	0.0	
11/5/2021 3:00	0.0		11/5/2022 3:00	0.0		11/5/2023 3:00	0.0	
11/5/2021 4:00	0.0		11/5/2022 4:00	0.0		11/5/2023 4:00	0.0	
11/5/2021 5:00	0.0		11/5/2022 5:00	0.0		11/5/2023 5:00	0.0	
11/5/2021 6:00	0.0		11/5/2022 6:00	0.0		11/5/2023 6:00	0.0	
11/5/2021 7:00	0.0		11/5/2022 7:00	0.0		11/5/2023 7:00	0.0	
11/5/2021 8:00	0.0		11/5/2022 8:00	0.0		11/5/2023 8:00	0.0	
11/5/2021 9:00	0.0		11/5/2022 9:00	0.0		11/5/2023 9:00	0.0	
11/5/2021 10:00	0.0		11/5/2022 10:00	0.0		11/5/2023 10:00	0.0	
11/5/2021 11:00	0.0		11/5/2022 11:00	0.0		11/5/2023 11:00	0.0	
11/5/2021 12:00	0.0		11/5/2022 12:00	0.0		11/5/2023 12:00	0.0	
11/5/2021 13:00	0.0		11/5/2022 13:00	0.0		11/5/2023 13:00	0.0	
11/5/2021 14:00	0.0		11/5/2022 14:00	0.0		11/5/2023 14:00	0.0	
11/5/2021 15:00	0.0		11/5/2022 15:00	0.0		11/5/2023 15:00	0.0	
11/5/2021 16:00	0.0		11/5/2022 16:00	0.0		11/5/2023 16:00	0.0	
11/5/2021 17:00	0.0		11/5/2022 17:00	0.0		11/5/2023 17:00	0.0	
11/5/2021 18:00	0.0		11/5/2022 18:00	0.0		11/5/2023 18:00	0.0	
11/5/2021 19:00	0.0		11/5/2022 19:00	0.0		11/5/2023 19:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
11/5/2021 20:00	0.0		11/5/2022 20:00	0.0		11/5/2023 20:00	0.0	
11/5/2021 21:00	0.0		11/5/2022 21:00	0.0		11/5/2023 21:00	0.0	
11/5/2021 22:00	0.0		11/5/2022 22:00	0.0		11/5/2023 22:00	0.0	
11/5/2021 23:00	0.0	0.0	11/5/2022 23:00	0.0	0.0	11/5/2023 23:00	0.0	0.0
11/6/2021 0:00	0.0		11/6/2022 0:00	0.0		11/6/2023 0:00	0.0	
11/6/2021 1:00	0.0		11/6/2022 1:00	0.0		11/6/2023 1:00	0.0	
11/6/2021 2:00	0.0		11/6/2022 2:00	0.0		11/6/2023 2:00	0.0	
11/6/2021 3:00	0.0		11/6/2022 3:00	0.0		11/6/2023 3:00	0.0	
11/6/2021 4:00	0.0		11/6/2022 4:00	0.0		11/6/2023 4:00	0.0	
11/6/2021 5:00	0.0		11/6/2022 5:00	0.0		11/6/2023 5:00	0.0	
11/6/2021 6:00	0.0		11/6/2022 6:00	0.0		11/6/2023 6:00	0.0	
11/6/2021 7:00	0.0		11/6/2022 7:00	0.0		11/6/2023 7:00	0.0	
11/6/2021 8:00	0.0		11/6/2022 8:00	0.0		11/6/2023 8:00	0.0	
11/6/2021 9:00	0.0		11/6/2022 9:00	0.0		11/6/2023 9:00	0.0	
11/6/2021 10:00	0.0		11/6/2022 10:00	0.0		11/6/2023 10:00	0.0	
11/6/2021 11:00	0.0		11/6/2022 11:00	0.0		11/6/2023 11:00	0.0	
11/6/2021 12:00	0.0		11/6/2022 12:00	0.0		11/6/2023 12:00	0.0	
11/6/2021 13:00	0.0		11/6/2022 13:00	0.0		11/6/2023 13:00	0.0	
11/6/2021 14:00	0.0		11/6/2022 14:00	0.0		11/6/2023 14:00	0.0	
11/6/2021 15:00	0.0		11/6/2022 15:00	0.0		11/6/2023 15:00	0.0	
11/6/2021 16:00	0.0		11/6/2022 16:00	0.0		11/6/2023 16:00	0.0	
11/6/2021 17:00	0.0		11/6/2022 17:00	0.0		11/6/2023 17:00	0.0	
11/6/2021 18:00	0.0		11/6/2022 18:00	0.0		11/6/2023 18:00	0.0	
11/6/2021 19:00	0.0		11/6/2022 19:00	0.0		11/6/2023 19:00	0.0	
11/6/2021 20:00	0.0		11/6/2022 20:00	0.0		11/6/2023 20:00	0.0	
11/6/2021 21:00	0.0		11/6/2022 21:00	0.0		11/6/2023 21:00	0.0	
11/6/2021 22:00	0.0		11/6/2022 22:00	0.0		11/6/2023 22:00	0.0	
11/6/2021 23:00	0.0	0.0	11/6/2022 23:00	0.0	0.0	11/6/2023 23:00	0.0	0.0
11/7/2021 0:00	0.0		11/7/2022 0:00	0.0		11/7/2023 0:00	0.0	
11/7/2021 1:00	0.0		11/7/2022 1:00	0.0		11/7/2023 1:00	0.0	
11/7/2021 2:00	0.0		11/7/2022 2:00	0.0		11/7/2023 2:00	0.0	
11/7/2021 3:00	0.0		11/7/2022 3:00	0.0		11/7/2023 3:00	0.0	
11/7/2021 4:00	0.0		11/7/2022 4:00	0.0		11/7/2023 4:00	0.0	
11/7/2021 5:00	0.0		11/7/2022 5:00	0.0		11/7/2023 5:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
11/7/2021 6:00	0.0		11/7/2022 6:00	0.0		11/7/2023 6:00	0.0	
11/7/2021 7:00	0.0		11/7/2022 7:00	0.0		11/7/2023 7:00	0.0	
11/7/2021 8:00	0.0		11/7/2022 8:00	0.0		11/7/2023 8:00	0.0	
11/7/2021 9:00	0.0		11/7/2022 9:00	0.0		11/7/2023 9:00	0.0	
11/7/2021 10:00	0.0		11/7/2022 10:00	0.0		11/7/2023 10:00	0.0	
11/7/2021 11:00	0.0		11/7/2022 11:00	0.0		11/7/2023 11:00	0.0	
11/7/2021 12:00	0.0		11/7/2022 12:00	0.0		11/7/2023 12:00	0.0	
11/7/2021 13:00	0.0		11/7/2022 13:00	0.0		11/7/2023 13:00	0.0	
11/7/2021 14:00	0.0		11/7/2022 14:00	0.0		11/7/2023 14:00	0.0	
11/7/2021 15:00	0.0		11/7/2022 15:00	0.0		11/7/2023 15:00	0.0	
11/7/2021 16:00	0.0		11/7/2022 16:00	0.0		11/7/2023 16:00	0.0	
11/7/2021 17:00	0.0		11/7/2022 17:00	0.0		11/7/2023 17:00	0.0	
11/7/2021 18:00	0.0		11/7/2022 18:00	0.0		11/7/2023 18:00	0.0	
11/7/2021 19:00	0.0		11/7/2022 19:00	0.0		11/7/2023 19:00	0.0	
11/7/2021 20:00	0.0		11/7/2022 20:00	0.0		11/7/2023 20:00	0.0	
11/7/2021 21:00	0.0		11/7/2022 21:00	0.0		11/7/2023 21:00	0.0	
11/7/2021 22:00	0.0		11/7/2022 22:00	0.0		11/7/2023 22:00	0.0	
11/7/2021 23:00	0.0	0.0	11/7/2022 23:00	0.0	0.0	11/7/2023 23:00	0.0	0.0
11/8/2021 0:00	0.0		11/8/2022 0:00	0.0		11/8/2023 0:00	0.0	
11/8/2021 1:00	0.0		11/8/2022 1:00	0.0		11/8/2023 1:00	0.0	
11/8/2021 2:00	0.0		11/8/2022 2:00	0.0		11/8/2023 2:00	0.0	
11/8/2021 3:00	0.0		11/8/2022 3:00	0.0		11/8/2023 3:00	0.0	
11/8/2021 4:00	0.0		11/8/2022 4:00	0.0		11/8/2023 4:00	0.0	
11/8/2021 5:00	0.0		11/8/2022 5:00	0.0		11/8/2023 5:00	0.0	
11/8/2021 6:00	0.0		11/8/2022 6:00	0.0		11/8/2023 6:00	0.0	
11/8/2021 7:00	0.0		11/8/2022 7:00	0.0		11/8/2023 7:00	0.0	
11/8/2021 8:00	0.0		11/8/2022 8:00	0.0		11/8/2023 8:00	0.0	
11/8/2021 9:00	0.0		11/8/2022 9:00	0.0		11/8/2023 9:00	0.0	
11/8/2021 10:00	0.0		11/8/2022 10:00	0.0		11/8/2023 10:00	0.0	
11/8/2021 11:00	0.0		11/8/2022 11:00	0.0		11/8/2023 11:00	0.0	
11/8/2021 12:00	0.0		11/8/2022 12:00	0.0		11/8/2023 12:00	0.0	
11/8/2021 13:00	0.0		11/8/2022 13:00	0.0		11/8/2023 13:00	0.0	
11/8/2021 14:00	0.0		11/8/2022 14:00	0.0		11/8/2023 14:00	0.0	
11/8/2021 15:00	0.0		11/8/2022 15:00	0.0		11/8/2023 15:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
11/8/2021 16:00	0.0		11/8/2022 16:00	0.0		11/8/2023 16:00	0.0	
11/8/2021 17:00	0.0		11/8/2022 17:00	0.0		11/8/2023 17:00	0.0	
11/8/2021 18:00	0.0		11/8/2022 18:00	0.0		11/8/2023 18:00	0.0	
11/8/2021 19:00	0.0		11/8/2022 19:00	0.0		11/8/2023 19:00	0.0	
11/8/2021 20:00	0.0		11/8/2022 20:00	0.0		11/8/2023 20:00	0.0	
11/8/2021 21:00	0.0		11/8/2022 21:00	0.0		11/8/2023 21:00	0.0	
11/8/2021 22:00	0.0		11/8/2022 22:00	0.0		11/8/2023 22:00	0.0	
11/8/2021 23:00	0.0	0.0	11/8/2022 23:00	0.0	0.0	11/8/2023 23:00	0.0	0.0
11/9/2021 0:00	0.0		11/9/2022 0:00	0.0		11/9/2023 0:00	0.0	
11/9/2021 1:00	0.0		11/9/2022 1:00	0.0		11/9/2023 1:00	0.0	
11/9/2021 2:00	0.0		11/9/2022 2:00	0.0		11/9/2023 2:00	0.0	
11/9/2021 3:00	0.0		11/9/2022 3:00	0.0		11/9/2023 3:00	0.0	
11/9/2021 4:00	0.0		11/9/2022 4:00	0.0		11/9/2023 4:00	0.0	
11/9/2021 5:00	0.0		11/9/2022 5:00	0.0		11/9/2023 5:00	0.0	
11/9/2021 6:00	0.0		11/9/2022 6:00	0.0		11/9/2023 6:00	0.0	
11/9/2021 7:00	0.0		11/9/2022 7:00	0.0		11/9/2023 7:00	0.0	
11/9/2021 8:00	0.0		11/9/2022 8:00	0.0		11/9/2023 8:00	0.0	
11/9/2021 9:00	0.0		11/9/2022 9:00	0.0		11/9/2023 9:00	0.0	
11/9/2021 10:00	0.0		11/9/2022 10:00	0.0		11/9/2023 10:00	0.0	
11/9/2021 11:00	0.0		11/9/2022 11:00	0.0		11/9/2023 11:00	0.0	
11/9/2021 12:00	0.0		11/9/2022 12:00	0.0		11/9/2023 12:00	0.0	
11/9/2021 13:00	0.0		11/9/2022 13:00	0.0		11/9/2023 13:00	0.0	
11/9/2021 14:00	0.0		11/9/2022 14:00	0.0		11/9/2023 14:00	0.0	
11/9/2021 15:00	0.0		11/9/2022 15:00	0.0		11/9/2023 15:00	0.0	
11/9/2021 16:00	0.0		11/9/2022 16:00	0.0		11/9/2023 16:00	0.0	
11/9/2021 17:00	0.0		11/9/2022 17:00	0.0		11/9/2023 17:00	0.0	
11/9/2021 18:00	0.0		11/9/2022 18:00	0.0		11/9/2023 18:00	0.0	
11/9/2021 19:00	0.0		11/9/2022 19:00	0.0		11/9/2023 19:00	0.0	
11/9/2021 20:00	0.0		11/9/2022 20:00	0.0		11/9/2023 20:00	0.0	
11/9/2021 21:00	0.0		11/9/2022 21:00	0.0		11/9/2023 21:00	0.0	
11/9/2021 22:00	0.0		11/9/2022 22:00	0.0		11/9/2023 22:00	0.0	
11/9/2021 23:00	0.0	0.0	11/9/2022 23:00	0.0	0.0	11/9/2023 23:00	0.0	0.0
11/10/2021 0:00	0.0		11/10/2022 0:00	0.0		11/10/2023 0:00	0.0	
11/10/2021 1:00	0.0		11/10/2022 1:00	0.0		11/10/2023 1:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
11/10/2021 2:00	0.0		11/10/2022 2:00	0.0		11/10/2023 2:00	0.0	
11/10/2021 3:00	0.0		11/10/2022 3:00	0.0		11/10/2023 3:00	0.0	
11/10/2021 4:00	0.0		11/10/2022 4:00	0.0		11/10/2023 4:00	0.0	
11/10/2021 5:00	0.0		11/10/2022 5:00	0.0		11/10/2023 5:00	0.0	
11/10/2021 6:00	0.0		11/10/2022 6:00	0.0		11/10/2023 6:00	0.0	
11/10/2021 7:00	0.0		11/10/2022 7:00	0.0		11/10/2023 7:00	0.0	
11/10/2021 8:00	0.0		11/10/2022 8:00	0.0		11/10/2023 8:00	0.0	
11/10/2021 9:00	0.0		11/10/2022 9:00	0.0		11/10/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
11/11/2021 0:00	0.0		11/11/2022 0:00	0.0		11/11/2023 0:00	0.0	
11/11/2021 1:00	0.0		11/11/2022 1:00	0.0		11/11/2023 1:00	0.0	
11/11/2021 2:00	0.0		11/11/2022 2:00	0.0		11/11/2023 2:00	0.0	
11/11/2021 3:00	0.0		11/11/2022 3:00	0.0		11/11/2023 3:00	0.0	
11/11/2021 4:00	0.0		11/11/2022 4:00	0.0		11/11/2023 4:00	0.0	
11/11/2021 5:00	0.0		11/11/2022 5:00	0.0		11/11/2023 5:00	0.0	
11/11/2021 6:00	0.0		11/11/2022 6:00	0.0		11/11/2023 6:00	0.0	
11/11/2021 7:00	0.0		11/11/2022 7:00	0.0		11/11/2023 7:00	0.0	
11/11/2021 8:00	0.0		11/11/2022 8:00	0.0		11/11/2023 8:00	0.0	
11/11/2021 9:00	0.0		11/11/2022 9:00	0.0		11/11/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
11/12/2021 0:00	0.0		11/12/2022 0:00	0.0		11/12/2023 0:00	0.0	
11/12/2021 1:00	0.0		11/12/2022 1:00	0.0		11/12/2023 1:00	0.0	
11/12/2021 2:00	0.0		11/12/2022 2:00	0.0		11/12/2023 2:00	0.0	
11/12/2021 3:00	0.0		11/12/2022 3:00	0.0		11/12/2023 3:00	0.0	
11/12/2021 4:00	0.0		11/12/2022 4:00	0.0		11/12/2023 4:00	0.0	
11/12/2021 5:00	0.0		11/12/2022 5:00	0.0		11/12/2023 5:00	0.0	
11/12/2021 6:00	0.0		11/12/2022 6:00	0.0		11/12/2023 6:00	0.0	
11/12/2021 7:00	0.0		11/12/2022 7:00	0.0		11/12/2023 7:00	0.0	
11/12/2021 8:00	0.0		11/12/2022 8:00	0.0		11/12/2023 8:00	0.0	
11/12/2021 9:00	0.0		11/12/2022 9:00	0.0		11/12/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
11/13/2021 0:00	0.0		11/13/2022 0:00	0.0		11/13/2023 0:00	0.0	
11/13/2021 1:00	0.0		11/13/2022 1:00	0.0		11/13/2023 1:00	0.0	
11/13/2021 2:00	0.0		11/13/2022 2:00	0.0		11/13/2023 2:00	0.0	
11/13/2021 3:00	0.0		11/13/2022 3:00	0.0		11/13/2023 3:00	0.0	
11/13/2021 4:00	0.0		11/13/2022 4:00	0.0		11/13/2023 4:00	0.0	
11/13/2021 5:00	0.0		11/13/2022 5:00	0.0		11/13/2023 5:00	0.0	
11/13/2021 6:00	0.0		11/13/2022 6:00	0.0		11/13/2023 6:00	0.0	
11/13/2021 7:00	0.0		11/13/2022 7:00	0.0		11/13/2023 7:00	0.0	
11/13/2021 8:00	0.0		11/13/2022 8:00	0.0		11/13/2023 8:00	362.0	
11/13/2021 9:00	0.0		11/13/2022 9:00	0.0		11/13/2023 9:00	1633.9	
##########	0.0		##########	0.0		##########	1278.0	
##########	0.0		##########	0.0		##########	3.7	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	1633.9
11/14/2021 0:00	0.0		11/14/2022 0:00	0.0		11/14/2023 0:00	0.0	
11/14/2021 1:00	0.0		11/14/2022 1:00	0.0		11/14/2023 1:00	0.0	
11/14/2021 2:00	0.0		11/14/2022 2:00	0.0		11/14/2023 2:00	0.0	
11/14/2021 3:00	0.0		11/14/2022 3:00	0.0		11/14/2023 3:00	0.0	
11/14/2021 4:00	0.0		11/14/2022 4:00	0.0		11/14/2023 4:00	0.0	
11/14/2021 5:00	0.0		11/14/2022 5:00	0.0		11/14/2023 5:00	0.0	
11/14/2021 6:00	0.0		11/14/2022 6:00	0.0		11/14/2023 6:00	0.0	
11/14/2021 7:00	0.0		11/14/2022 7:00	0.0		11/14/2023 7:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
11/14/2021 8:00	0.0		11/14/2022 8:00	0.0		11/14/2023 8:00	0.0	
11/14/2021 9:00	0.0		11/14/2022 9:00	0.0		11/14/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
11/15/2021 0:00	0.0		11/15/2022 0:00	0.0		11/15/2023 0:00	0.0	
11/15/2021 1:00	0.0		11/15/2022 1:00	0.0		11/15/2023 1:00	0.0	
11/15/2021 2:00	0.0		11/15/2022 2:00	0.0		11/15/2023 2:00	0.0	
11/15/2021 3:00	0.0		11/15/2022 3:00	0.0		11/15/2023 3:00	0.0	
11/15/2021 4:00	0.0		11/15/2022 4:00	0.0		11/15/2023 4:00	0.0	
11/15/2021 5:00	0.0		11/15/2022 5:00	0.0		11/15/2023 5:00	0.0	
11/15/2021 6:00	0.0		11/15/2022 6:00	0.0		11/15/2023 6:00	0.0	
11/15/2021 7:00	0.0		11/15/2022 7:00	0.0		11/15/2023 7:00	0.0	
11/15/2021 8:00	0.0		11/15/2022 8:00	0.0		11/15/2023 8:00	0.0	
11/15/2021 9:00	0.0		11/15/2022 9:00	0.0		11/15/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	80.0		##########	0.0		##########	0.0	
##########	114.0		##########	0.0		##########	0.0	
##########	24.0	114.0	##########	0.0	0.0	##########	0.0	0.0
11/16/2021 0:00	25.0		11/16/2022 0:00	0.0		11/16/2023 0:00	0.0	
11/16/2021 1:00	9.0		11/16/2022 1:00	0.0		11/16/2023 1:00	0.0	
11/16/2021 2:00	2.0		11/16/2022 2:00	0.0		11/16/2023 2:00	0.0	
11/16/2021 3:00	0.0		11/16/2022 3:00	0.0		11/16/2023 3:00	0.0	
11/16/2021 4:00	0.0		11/16/2022 4:00	0.0		11/16/2023 4:00	0.0	
11/16/2021 5:00	0.0		11/16/2022 5:00	0.0		11/16/2023 5:00	0.0	
11/16/2021 6:00	0.0		11/16/2022 6:00	0.0		11/16/2023 6:00	0.0	
11/16/2021 7:00	0.0		11/16/2022 7:00	0.0		11/16/2023 7:00	0.0	
11/16/2021 8:00	0.0		11/16/2022 8:00	0.0		11/16/2023 8:00	0.0	
11/16/2021 9:00	0.0		11/16/2022 9:00	0.0		11/16/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	25.0	##########	0.0	0.0	##########	0.0	0.0
11/17/2021 0:00	0.0		11/17/2022 0:00	0.0		11/17/2023 0:00	0.0	
11/17/2021 1:00	0.0		11/17/2022 1:00	0.0		11/17/2023 1:00	0.0	
11/17/2021 2:00	0.0		11/17/2022 2:00	0.0		11/17/2023 2:00	0.0	
11/17/2021 3:00	0.0		11/17/2022 3:00	0.0		11/17/2023 3:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
11/17/2021 4:00	0.0		11/17/2022 4:00	0.0		11/17/2023 4:00	0.0	
11/17/2021 5:00	0.0		11/17/2022 5:00	0.0		11/17/2023 5:00	0.0	
11/17/2021 6:00	0.0		11/17/2022 6:00	0.0		11/17/2023 6:00	0.0	
11/17/2021 7:00	0.0		11/17/2022 7:00	0.0		11/17/2023 7:00	0.0	
11/17/2021 8:00	0.0		11/17/2022 8:00	0.0		11/17/2023 8:00	0.0	
11/17/2021 9:00	0.0		11/17/2022 9:00	0.0		11/17/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
11/18/2021 0:00	0.0		11/18/2022 0:00	0.0		11/18/2023 0:00	0.0	
11/18/2021 1:00	0.0		11/18/2022 1:00	0.0		11/18/2023 1:00	0.0	
11/18/2021 2:00	0.0		11/18/2022 2:00	0.0		11/18/2023 2:00	0.0	
11/18/2021 3:00	0.0		11/18/2022 3:00	0.0		11/18/2023 3:00	0.0	
11/18/2021 4:00	0.0		11/18/2022 4:00	0.0		11/18/2023 4:00	0.0	
11/18/2021 5:00	0.0		11/18/2022 5:00	0.0		11/18/2023 5:00	0.0	
11/18/2021 6:00	0.0		11/18/2022 6:00	0.0		11/18/2023 6:00	0.0	
11/18/2021 7:00	0.0		11/18/2022 7:00	0.0		11/18/2023 7:00	0.0	
11/18/2021 8:00	0.0		11/18/2022 8:00	0.0		11/18/2023 8:00	0.0	
11/18/2021 9:00	0.0		11/18/2022 9:00	0.0		11/18/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
11/19/2021 0:00	0.0		11/19/2022 0:00	0.0		11/19/2023 0:00	0.0	
11/19/2021 1:00	0.0		11/19/2022 1:00	0.0		11/19/2023 1:00	0.0	
11/19/2021 2:00	0.0		11/19/2022 2:00	0.0		11/19/2023 2:00	0.0	
11/19/2021 3:00	0.0		11/19/2022 3:00	0.0		11/19/2023 3:00	0.0	
11/19/2021 4:00	0.0		11/19/2022 4:00	0.0		11/19/2023 4:00	0.0	
11/19/2021 5:00	0.0		11/19/2022 5:00	0.0		11/19/2023 5:00	0.0	
11/19/2021 6:00	0.0		11/19/2022 6:00	0.0		11/19/2023 6:00	0.0	
11/19/2021 7:00	0.0		11/19/2022 7:00	0.0		11/19/2023 7:00	0.0	
11/19/2021 8:00	0.0		11/19/2022 8:00	0.0		11/19/2023 8:00	0.0	
11/19/2021 9:00	0.0		11/19/2022 9:00	0.0		11/19/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
11/20/2021 0:00	0.0		11/20/2022 0:00	0.0		11/20/2023 0:00	0.0	
11/20/2021 1:00	0.0		11/20/2022 1:00	0.0		11/20/2023 1:00	0.0	
11/20/2021 2:00	0.0		11/20/2022 2:00	0.0		11/20/2023 2:00	0.0	
11/20/2021 3:00	0.0		11/20/2022 3:00	0.0		11/20/2023 3:00	0.0	
11/20/2021 4:00	0.0		11/20/2022 4:00	0.0		11/20/2023 4:00	0.0	
11/20/2021 5:00	0.0		11/20/2022 5:00	0.0		11/20/2023 5:00	0.0	
11/20/2021 6:00	0.0		11/20/2022 6:00	0.0		11/20/2023 6:00	0.0	
11/20/2021 7:00	0.0		11/20/2022 7:00	0.0		11/20/2023 7:00	0.0	
11/20/2021 8:00	0.0		11/20/2022 8:00	0.0		11/20/2023 8:00	0.0	
11/20/2021 9:00	0.0		11/20/2022 9:00	0.0		11/20/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
11/21/2021 0:00	0.0		11/21/2022 0:00	0.0		11/21/2023 0:00	0.0	
11/21/2021 1:00	0.0		11/21/2022 1:00	0.0		11/21/2023 1:00	0.0	
11/21/2021 2:00	0.0		11/21/2022 2:00	0.0		11/21/2023 2:00	0.0	
11/21/2021 3:00	0.0		11/21/2022 3:00	0.0		11/21/2023 3:00	0.0	
11/21/2021 4:00	0.0		11/21/2022 4:00	0.0		11/21/2023 4:00	0.0	
11/21/2021 5:00	0.0		11/21/2022 5:00	0.0		11/21/2023 5:00	0.0	
11/21/2021 6:00	0.0		11/21/2022 6:00	0.0		11/21/2023 6:00	0.0	
11/21/2021 7:00	0.0		11/21/2022 7:00	0.0		11/21/2023 7:00	0.0	
11/21/2021 8:00	0.0		11/21/2022 8:00	0.0		11/21/2023 8:00	0.0	
11/21/2021 9:00	0.0		11/21/2022 9:00	0.0		11/21/2023 9:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	430.7		##########	0.0	
##########	0.0		##########	1403.4		##########	0.0	
##########	0.0		##########	1204.7		##########	0.0	
##########	0.0		##########	1542.9		##########	0.0	
##########	0.0		##########	1569.6		##########	0.0	
##########	0.0		##########	1561.3		##########	0.0	
##########	0.0	0.0	##########	1568.1	1569.6	##########	0.0	0.0
11/22/2021 0:00	0.0		11/22/2022 0:00	1565.1		11/22/2023 0:00	0.0	
11/22/2021 1:00	0.0		11/22/2022 1:00	1574.1		11/22/2023 1:00	0.0	
11/22/2021 2:00	0.0		11/22/2022 2:00	1585.2		11/22/2023 2:00	0.0	
11/22/2021 3:00	0.0		11/22/2022 3:00	1607.0		11/22/2023 3:00	0.0	
11/22/2021 4:00	0.0		11/22/2022 4:00	1606.8		11/22/2023 4:00	0.0	
11/22/2021 5:00	0.0		11/22/2022 5:00	1211.6		11/22/2023 5:00	0.0	
11/22/2021 6:00	0.0		11/22/2022 6:00	1627.3		11/22/2023 6:00	0.0	
11/22/2021 7:00	0.0		11/22/2022 7:00	1650.1		11/22/2023 7:00	0.0	
11/22/2021 8:00	0.0		11/22/2022 8:00	1371.4		11/22/2023 8:00	0.0	
11/22/2021 9:00	0.0		11/22/2022 9:00	1657.6		11/22/2023 9:00	0.0	
##########	0.0		##########	1597.8		##########	0.0	
##########	0.0		##########	1595.5		##########	0.0	
##########	0.0		##########	1389.7		##########	0.0	
##########	0.0		##########	580.5		##########	0.0	
##########	0.0		##########	61.4		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	1657.6	##########	0.0	0.0
11/23/2021 0:00	0.0		11/23/2022 0:00	0.0		11/23/2023 0:00	0.0	
11/23/2021 1:00	0.0		11/23/2022 1:00	0.0		11/23/2023 1:00	0.0	
11/23/2021 2:00	0.0		11/23/2022 2:00	0.0		11/23/2023 2:00	0.0	
11/23/2021 3:00	0.0		11/23/2022 3:00	0.0		11/23/2023 3:00	0.0	
11/23/2021 4:00	0.0		11/23/2022 4:00	0.0		11/23/2023 4:00	0.0	
11/23/2021 5:00	0.0		11/23/2022 5:00	0.0		11/23/2023 5:00	0.0	
11/23/2021 6:00	0.0		11/23/2022 6:00	0.0		11/23/2023 6:00	0.0	
11/23/2021 7:00	0.0		11/23/2022 7:00	0.0		11/23/2023 7:00	0.0	
11/23/2021 8:00	0.0		11/23/2022 8:00	0.0		11/23/2023 8:00	0.0	
11/23/2021 9:00	0.0		11/23/2022 9:00	0.0		11/23/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
11/24/2021 0:00	0.0		11/24/2022 0:00	0.0		11/24/2023 0:00	0.0	
11/24/2021 1:00	0.0		11/24/2022 1:00	0.0		11/24/2023 1:00	0.0	
11/24/2021 2:00	0.0		11/24/2022 2:00	0.0		11/24/2023 2:00	0.0	
11/24/2021 3:00	0.0		11/24/2022 3:00	0.0		11/24/2023 3:00	0.0	
11/24/2021 4:00	0.0		11/24/2022 4:00	0.0		11/24/2023 4:00	0.0	
11/24/2021 5:00	0.0		11/24/2022 5:00	0.0		11/24/2023 5:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
11/24/2021 6:00	0.0		11/24/2022 6:00	0.0		11/24/2023 6:00	0.0	
11/24/2021 7:00	0.0		11/24/2022 7:00	0.0		11/24/2023 7:00	0.0	
11/24/2021 8:00	0.0		11/24/2022 8:00	0.0		11/24/2023 8:00	0.0	
11/24/2021 9:00	0.0		11/24/2022 9:00	0.0		11/24/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	8.4	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	8.4
11/25/2021 0:00	0.0		11/25/2022 0:00	0.0		11/25/2023 0:00	0.0	
11/25/2021 1:00	0.0		11/25/2022 1:00	0.0		11/25/2023 1:00	0.0	
11/25/2021 2:00	0.0		11/25/2022 2:00	0.0		11/25/2023 2:00	0.0	
11/25/2021 3:00	0.0		11/25/2022 3:00	0.0		11/25/2023 3:00	0.0	
11/25/2021 4:00	0.0		11/25/2022 4:00	0.0		11/25/2023 4:00	0.0	
11/25/2021 5:00	0.0		11/25/2022 5:00	0.0		11/25/2023 5:00	0.0	
11/25/2021 6:00	0.0		11/25/2022 6:00	0.0		11/25/2023 6:00	0.0	
11/25/2021 7:00	0.0		11/25/2022 7:00	0.0		11/25/2023 7:00	0.0	
11/25/2021 8:00	0.0		11/25/2022 8:00	0.0		11/25/2023 8:00	0.0	
11/25/2021 9:00	0.0		11/25/2022 9:00	0.0		11/25/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
11/26/2021 0:00	0.0		11/26/2022 0:00	0.0		11/26/2023 0:00	0.0	
11/26/2021 1:00	0.0		11/26/2022 1:00	0.0		11/26/2023 1:00	0.0	
11/26/2021 2:00	0.0		11/26/2022 2:00	0.0		11/26/2023 2:00	0.0	
11/26/2021 3:00	0.0		11/26/2022 3:00	0.0		11/26/2023 3:00	0.0	
11/26/2021 4:00	0.0		11/26/2022 4:00	0.0		11/26/2023 4:00	0.0	
11/26/2021 5:00	0.0		11/26/2022 5:00	0.0		11/26/2023 5:00	0.0	
11/26/2021 6:00	0.0		11/26/2022 6:00	0.0		11/26/2023 6:00	0.0	
11/26/2021 7:00	0.0		11/26/2022 7:00	0.0		11/26/2023 7:00	0.0	
11/26/2021 8:00	0.0		11/26/2022 8:00	0.0		11/26/2023 8:00	0.0	
11/26/2021 9:00	0.0		11/26/2022 9:00	0.0		11/26/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
11/27/2021 0:00	0.0		11/27/2022 0:00	0.0		11/27/2023 0:00	0.0	
11/27/2021 1:00	0.0		11/27/2022 1:00	0.0		11/27/2023 1:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
11/27/2021 2:00	0.0		11/27/2022 2:00	0.0		11/27/2023 2:00	0.0	
11/27/2021 3:00	0.0		11/27/2022 3:00	0.0		11/27/2023 3:00	0.0	
11/27/2021 4:00	0.0		11/27/2022 4:00	0.0		11/27/2023 4:00	0.0	
11/27/2021 5:00	0.0		11/27/2022 5:00	0.0		11/27/2023 5:00	0.0	
11/27/2021 6:00	0.0		11/27/2022 6:00	0.0		11/27/2023 6:00	0.0	
11/27/2021 7:00	0.0		11/27/2022 7:00	0.0		11/27/2023 7:00	0.0	
11/27/2021 8:00	0.0		11/27/2022 8:00	0.0		11/27/2023 8:00	0.0	
11/27/2021 9:00	0.0		11/27/2022 9:00	0.0		11/27/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
11/28/2021 0:00	0.0		11/28/2022 0:00	0.0		11/28/2023 0:00	0.0	
11/28/2021 1:00	0.0		11/28/2022 1:00	0.0		11/28/2023 1:00	0.0	
11/28/2021 2:00	0.0		11/28/2022 2:00	0.0		11/28/2023 2:00	0.0	
11/28/2021 3:00	0.0		11/28/2022 3:00	0.0		11/28/2023 3:00	0.0	
11/28/2021 4:00	0.0		11/28/2022 4:00	0.0		11/28/2023 4:00	0.0	
11/28/2021 5:00	0.0		11/28/2022 5:00	0.0		11/28/2023 5:00	0.0	
11/28/2021 6:00	0.0		11/28/2022 6:00	0.0		11/28/2023 6:00	0.0	
11/28/2021 7:00	0.0		11/28/2022 7:00	0.0		11/28/2023 7:00	0.0	
11/28/2021 8:00	0.0		11/28/2022 8:00	0.0		11/28/2023 8:00	0.0	
11/28/2021 9:00	0.0		11/28/2022 9:00	0.0		11/28/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
11/29/2021 0:00	0.0		11/29/2022 0:00	0.0		11/29/2023 0:00	0.0	
11/29/2021 1:00	0.0		11/29/2022 1:00	0.0		11/29/2023 1:00	0.0	
11/29/2021 2:00	0.0		11/29/2022 2:00	0.0		11/29/2023 2:00	0.0	
11/29/2021 3:00	0.0		11/29/2022 3:00	0.0		11/29/2023 3:00	0.0	
11/29/2021 4:00	0.0		11/29/2022 4:00	0.0		11/29/2023 4:00	0.0	
11/29/2021 5:00	0.0		11/29/2022 5:00	0.0		11/29/2023 5:00	0.0	
11/29/2021 6:00	0.0		11/29/2022 6:00	0.0		11/29/2023 6:00	0.0	
11/29/2021 7:00	0.0		11/29/2022 7:00	0.0		11/29/2023 7:00	0.0	
11/29/2021 8:00	0.0		11/29/2022 8:00	0.0		11/29/2023 8:00	0.0	
11/29/2021 9:00	0.0		11/29/2022 9:00	0.0		11/29/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	1.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	1.0	##########	0.0	0.0	##########	0.0	0.0
11/30/2021 0:00	0.0		11/30/2022 0:00	0.0		11/30/2023 0:00	0.0	
11/30/2021 1:00	0.0		11/30/2022 1:00	0.0		11/30/2023 1:00	0.0	
11/30/2021 2:00	0.0		11/30/2022 2:00	0.0		11/30/2023 2:00	0.0	
11/30/2021 3:00	0.0		11/30/2022 3:00	0.0		11/30/2023 3:00	0.0	
11/30/2021 4:00	0.0		11/30/2022 4:00	0.0		11/30/2023 4:00	0.0	
11/30/2021 5:00	0.0		11/30/2022 5:00	0.0		11/30/2023 5:00	0.0	
11/30/2021 6:00	0.0		11/30/2022 6:00	0.0		11/30/2023 6:00	0.0	
11/30/2021 7:00	0.0		11/30/2022 7:00	0.0		11/30/2023 7:00	0.0	
11/30/2021 8:00	0.0		11/30/2022 8:00	0.0		11/30/2023 8:00	0.0	
11/30/2021 9:00	0.0		11/30/2022 9:00	0.0		11/30/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
12/1/2021 0:00	0.0		12/1/2022 0:00	0.0		12/1/2023 0:00	0.0	
12/1/2021 1:00	0.0		12/1/2022 1:00	0.0		12/1/2023 1:00	0.0	
12/1/2021 2:00	0.0		12/1/2022 2:00	0.0		12/1/2023 2:00	0.0	
12/1/2021 3:00	0.0		12/1/2022 3:00	0.0		12/1/2023 3:00	0.0	
12/1/2021 4:00	0.0		12/1/2022 4:00	0.0		12/1/2023 4:00	0.0	
12/1/2021 5:00	0.0		12/1/2022 5:00	0.0		12/1/2023 5:00	0.0	
12/1/2021 6:00	0.0		12/1/2022 6:00	0.0		12/1/2023 6:00	0.0	
12/1/2021 7:00	0.0		12/1/2022 7:00	0.0		12/1/2023 7:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
12/1/2021 8:00	0.0		12/1/2022 8:00	0.0		12/1/2023 8:00	0.0	
12/1/2021 9:00	0.0		12/1/2022 9:00	0.0		12/1/2023 9:00	0.0	
12/1/2021 10:00	0.0		12/1/2022 10:00	0.0		12/1/2023 10:00	0.0	
12/1/2021 11:00	0.0		12/1/2022 11:00	0.0		12/1/2023 11:00	0.0	
12/1/2021 12:00	0.0		12/1/2022 12:00	0.0		12/1/2023 12:00	0.0	
12/1/2021 13:00	0.0		12/1/2022 13:00	0.0		12/1/2023 13:00	0.0	
12/1/2021 14:00	0.0		12/1/2022 14:00	0.0		12/1/2023 14:00	0.0	
12/1/2021 15:00	0.0		12/1/2022 15:00	0.0		12/1/2023 15:00	0.0	
12/1/2021 16:00	0.0		12/1/2022 16:00	0.0		12/1/2023 16:00	0.0	
12/1/2021 17:00	0.0		12/1/2022 17:00	0.0		12/1/2023 17:00	0.0	
12/1/2021 18:00	0.0		12/1/2022 18:00	0.0		12/1/2023 18:00	0.0	
12/1/2021 19:00	0.0		12/1/2022 19:00	0.0		12/1/2023 19:00	0.0	
12/1/2021 20:00	0.0		12/1/2022 20:00	0.0		12/1/2023 20:00	0.0	
12/1/2021 21:00	0.0		12/1/2022 21:00	0.0		12/1/2023 21:00	0.0	
12/1/2021 22:00	0.0		12/1/2022 22:00	0.0		12/1/2023 22:00	0.0	
12/1/2021 23:00	0.0	0.0	12/1/2022 23:00	0.0	0.0	12/1/2023 23:00	0.0	0.0
12/2/2021 0:00	0.0		12/2/2022 0:00	0.0		12/2/2023 0:00	0.0	
12/2/2021 1:00	0.0		12/2/2022 1:00	0.0		12/2/2023 1:00	0.0	
12/2/2021 2:00	0.0		12/2/2022 2:00	0.0		12/2/2023 2:00	0.0	
12/2/2021 3:00	0.0		12/2/2022 3:00	0.0		12/2/2023 3:00	0.0	
12/2/2021 4:00	0.0		12/2/2022 4:00	0.0		12/2/2023 4:00	0.0	
12/2/2021 5:00	0.0		12/2/2022 5:00	0.0		12/2/2023 5:00	0.0	
12/2/2021 6:00	0.0		12/2/2022 6:00	0.0		12/2/2023 6:00	0.0	
12/2/2021 7:00	0.0		12/2/2022 7:00	0.0		12/2/2023 7:00	0.0	
12/2/2021 8:00	0.0		12/2/2022 8:00	0.0		12/2/2023 8:00	0.0	
12/2/2021 9:00	0.0		12/2/2022 9:00	0.0		12/2/2023 9:00	0.0	
12/2/2021 10:00	0.0		12/2/2022 10:00	0.0		12/2/2023 10:00	0.0	
12/2/2021 11:00	0.0		12/2/2022 11:00	0.0		12/2/2023 11:00	0.0	
12/2/2021 12:00	0.0		12/2/2022 12:00	0.0		12/2/2023 12:00	0.0	
12/2/2021 13:00	0.0		12/2/2022 13:00	0.0		12/2/2023 13:00	0.0	
12/2/2021 14:00	0.0		12/2/2022 14:00	0.0		12/2/2023 14:00	0.0	
12/2/2021 15:00	0.0		12/2/2022 15:00	0.0		12/2/2023 15:00	0.0	
12/2/2021 16:00	0.0		12/2/2022 16:00	0.0		12/2/2023 16:00	0.0	
12/2/2021 17:00	0.0		12/2/2022 17:00	0.0		12/2/2023 17:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
12/2/2021 18:00	0.0		12/2/2022 18:00	0.0		12/2/2023 18:00	0.0	
12/2/2021 19:00	0.0		12/2/2022 19:00	0.0		12/2/2023 19:00	0.0	
12/2/2021 20:00	0.0		12/2/2022 20:00	0.0		12/2/2023 20:00	0.0	
12/2/2021 21:00	0.0		12/2/2022 21:00	0.0		12/2/2023 21:00	0.0	
12/2/2021 22:00	0.0		12/2/2022 22:00	0.0		12/2/2023 22:00	0.0	
12/2/2021 23:00	0.0	0.0	12/2/2022 23:00	0.0	0.0	12/2/2023 23:00	0.0	0.0
12/3/2021 0:00	0.0		12/3/2022 0:00	0.0		12/3/2023 0:00	0.0	
12/3/2021 1:00	0.0		12/3/2022 1:00	0.0		12/3/2023 1:00	0.0	
12/3/2021 2:00	0.0		12/3/2022 2:00	0.0		12/3/2023 2:00	0.0	
12/3/2021 3:00	0.0		12/3/2022 3:00	0.0		12/3/2023 3:00	0.0	
12/3/2021 4:00	0.0		12/3/2022 4:00	0.0		12/3/2023 4:00	0.0	
12/3/2021 5:00	0.0		12/3/2022 5:00	0.0		12/3/2023 5:00	0.0	
12/3/2021 6:00	0.0		12/3/2022 6:00	0.0		12/3/2023 6:00	0.0	
12/3/2021 7:00	0.0		12/3/2022 7:00	0.0		12/3/2023 7:00	0.0	
12/3/2021 8:00	0.0		12/3/2022 8:00	0.0		12/3/2023 8:00	0.0	
12/3/2021 9:00	0.0		12/3/2022 9:00	0.0		12/3/2023 9:00	0.0	
12/3/2021 10:00	0.0		12/3/2022 10:00	0.0		12/3/2023 10:00	0.0	
12/3/2021 11:00	0.0		12/3/2022 11:00	0.0		12/3/2023 11:00	0.0	
12/3/2021 12:00	0.0		12/3/2022 12:00	0.0		12/3/2023 12:00	0.0	
12/3/2021 13:00	0.0		12/3/2022 13:00	0.0		12/3/2023 13:00	0.0	
12/3/2021 14:00	0.0		12/3/2022 14:00	0.0		12/3/2023 14:00	0.0	
12/3/2021 15:00	0.0		12/3/2022 15:00	0.0		12/3/2023 15:00	0.0	
12/3/2021 16:00	0.0		12/3/2022 16:00	0.0		12/3/2023 16:00	0.0	
12/3/2021 17:00	0.0		12/3/2022 17:00	0.0		12/3/2023 17:00	0.0	
12/3/2021 18:00	0.0		12/3/2022 18:00	0.0		12/3/2023 18:00	0.0	
12/3/2021 19:00	0.0		12/3/2022 19:00	0.0		12/3/2023 19:00	0.0	
12/3/2021 20:00	0.0		12/3/2022 20:00	0.0		12/3/2023 20:00	0.0	
12/3/2021 21:00	0.0		12/3/2022 21:00	0.0		12/3/2023 21:00	0.0	
12/3/2021 22:00	0.0		12/3/2022 22:00	0.0		12/3/2023 22:00	0.0	
12/3/2021 23:00	0.0	0.0	12/3/2022 23:00	0.0	0.0	12/3/2023 23:00	0.0	0.0
12/4/2021 0:00	0.0		12/4/2022 0:00	0.0		12/4/2023 0:00	0.0	
12/4/2021 1:00	0.0		12/4/2022 1:00	0.0		12/4/2023 1:00	0.0	
12/4/2021 2:00	0.0		12/4/2022 2:00	0.0		12/4/2023 2:00	0.0	
12/4/2021 3:00	0.0		12/4/2022 3:00	0.0		12/4/2023 3:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
12/4/2021 4:00	0.0		12/4/2022 4:00	0.0		12/4/2023 4:00	0.0	
12/4/2021 5:00	0.0		12/4/2022 5:00	0.0		12/4/2023 5:00	0.0	
12/4/2021 6:00	0.0		12/4/2022 6:00	0.0		12/4/2023 6:00	0.0	
12/4/2021 7:00	0.0		12/4/2022 7:00	0.0		12/4/2023 7:00	0.0	
12/4/2021 8:00	0.0		12/4/2022 8:00	0.0		12/4/2023 8:00	0.0	
12/4/2021 9:00	0.0		12/4/2022 9:00	0.0		12/4/2023 9:00	0.0	
12/4/2021 10:00	0.0		12/4/2022 10:00	0.0		12/4/2023 10:00	0.0	
12/4/2021 11:00	0.0		12/4/2022 11:00	0.0		12/4/2023 11:00	0.0	
12/4/2021 12:00	0.0		12/4/2022 12:00	0.0		12/4/2023 12:00	0.0	
12/4/2021 13:00	0.0		12/4/2022 13:00	0.0		12/4/2023 13:00	0.0	
12/4/2021 14:00	0.0		12/4/2022 14:00	0.0		12/4/2023 14:00	0.0	
12/4/2021 15:00	0.0		12/4/2022 15:00	0.0		12/4/2023 15:00	0.0	
12/4/2021 16:00	0.0		12/4/2022 16:00	0.0		12/4/2023 16:00	969.5	
12/4/2021 17:00	0.0		12/4/2022 17:00	0.0		12/4/2023 17:00	1133.6	
12/4/2021 18:00	0.0		12/4/2022 18:00	0.0		12/4/2023 18:00	1209.6	
12/4/2021 19:00	0.0		12/4/2022 19:00	0.0		12/4/2023 19:00	423.1	
12/4/2021 20:00	0.0		12/4/2022 20:00	0.0		12/4/2023 20:00	0.0	
12/4/2021 21:00	0.0		12/4/2022 21:00	0.0		12/4/2023 21:00	0.0	
12/4/2021 22:00	0.0		12/4/2022 22:00	0.0		12/4/2023 22:00	0.0	
12/4/2021 23:00	0.0	0.0	12/4/2022 23:00	0.0	0.0	12/4/2023 23:00	0.0	1209.6
12/5/2021 0:00	0.0		12/5/2022 0:00	0.0		12/5/2023 0:00	0.0	
12/5/2021 1:00	0.0		12/5/2022 1:00	0.0		12/5/2023 1:00	0.0	
12/5/2021 2:00	0.0		12/5/2022 2:00	0.0		12/5/2023 2:00	0.0	
12/5/2021 3:00	0.0		12/5/2022 3:00	0.0		12/5/2023 3:00	0.0	
12/5/2021 4:00	0.0		12/5/2022 4:00	0.0		12/5/2023 4:00	0.0	
12/5/2021 5:00	0.0		12/5/2022 5:00	0.0		12/5/2023 5:00	0.0	
12/5/2021 6:00	0.0		12/5/2022 6:00	0.0		12/5/2023 6:00	0.0	
12/5/2021 7:00	0.0		12/5/2022 7:00	0.0		12/5/2023 7:00	0.0	
12/5/2021 8:00	0.0		12/5/2022 8:00	0.0		12/5/2023 8:00	0.0	
12/5/2021 9:00	0.0		12/5/2022 9:00	0.0		12/5/2023 9:00	0.0	
12/5/2021 10:00	0.0		12/5/2022 10:00	0.0		12/5/2023 10:00	0.0	
12/5/2021 11:00	0.0		12/5/2022 11:00	0.0		12/5/2023 11:00	0.0	
12/5/2021 12:00	0.0		12/5/2022 12:00	0.0		12/5/2023 12:00	0.0	
12/5/2021 13:00	0.0		12/5/2022 13:00	0.0		12/5/2023 13:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
12/5/2021 14:00	0.0		12/5/2022 14:00	0.0		12/5/2023 14:00	0.0	
12/5/2021 15:00	0.0		12/5/2022 15:00	0.0		12/5/2023 15:00	0.0	
12/5/2021 16:00	0.0		12/5/2022 16:00	0.0		12/5/2023 16:00	0.0	
12/5/2021 17:00	0.0		12/5/2022 17:00	0.0		12/5/2023 17:00	0.0	
12/5/2021 18:00	0.0		12/5/2022 18:00	0.0		12/5/2023 18:00	0.0	
12/5/2021 19:00	0.0		12/5/2022 19:00	0.0		12/5/2023 19:00	0.0	
12/5/2021 20:00	0.0		12/5/2022 20:00	0.0		12/5/2023 20:00	0.0	
12/5/2021 21:00	0.0		12/5/2022 21:00	0.0		12/5/2023 21:00	0.0	
12/5/2021 22:00	0.0		12/5/2022 22:00	0.0		12/5/2023 22:00	0.0	
12/5/2021 23:00	0.0	0.0	12/5/2022 23:00	0.0	0.0	12/5/2023 23:00	0.0	0.0
12/6/2021 0:00	0.0		12/6/2022 0:00	0.0		12/6/2023 0:00	0.0	
12/6/2021 1:00	0.0		12/6/2022 1:00	0.0		12/6/2023 1:00	0.0	
12/6/2021 2:00	0.0		12/6/2022 2:00	0.0		12/6/2023 2:00	0.0	
12/6/2021 3:00	0.0		12/6/2022 3:00	0.0		12/6/2023 3:00	0.0	
12/6/2021 4:00	0.0		12/6/2022 4:00	0.0		12/6/2023 4:00	0.0	
12/6/2021 5:00	0.0		12/6/2022 5:00	0.0		12/6/2023 5:00	0.0	
12/6/2021 6:00	0.0		12/6/2022 6:00	0.0		12/6/2023 6:00	0.0	
12/6/2021 7:00	0.0		12/6/2022 7:00	0.0		12/6/2023 7:00	0.0	
12/6/2021 8:00	0.0		12/6/2022 8:00	0.0		12/6/2023 8:00	0.0	
12/6/2021 9:00	0.0		12/6/2022 9:00	0.0		12/6/2023 9:00	0.0	
12/6/2021 10:00	0.0		12/6/2022 10:00	0.0		12/6/2023 10:00	0.0	
12/6/2021 11:00	0.0		12/6/2022 11:00	0.0		12/6/2023 11:00	0.0	
12/6/2021 12:00	0.0		12/6/2022 12:00	0.0		12/6/2023 12:00	0.0	
12/6/2021 13:00	0.0		12/6/2022 13:00	0.0		12/6/2023 13:00	0.0	
12/6/2021 14:00	0.0		12/6/2022 14:00	0.0		12/6/2023 14:00	0.0	
12/6/2021 15:00	0.0		12/6/2022 15:00	0.0		12/6/2023 15:00	0.0	
12/6/2021 16:00	0.0		12/6/2022 16:00	0.0		12/6/2023 16:00	0.0	
12/6/2021 17:00	0.0		12/6/2022 17:00	0.0		12/6/2023 17:00	0.0	
12/6/2021 18:00	0.0		12/6/2022 18:00	0.0		12/6/2023 18:00	0.0	
12/6/2021 19:00	0.0		12/6/2022 19:00	0.0		12/6/2023 19:00	0.0	
12/6/2021 20:00	0.0		12/6/2022 20:00	0.0		12/6/2023 20:00	0.0	
12/6/2021 21:00	0.0		12/6/2022 21:00	0.0		12/6/2023 21:00	0.0	
12/6/2021 22:00	0.0		12/6/2022 22:00	0.0		12/6/2023 22:00	0.0	
12/6/2021 23:00	0.0	0.0	12/6/2022 23:00	0.0	0.0	12/6/2023 23:00	0.0	0.0

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
12/7/2021 0:00	0.0		12/7/2022 0:00	0.0		12/7/2023 0:00	0.0	
12/7/2021 1:00	0.0		12/7/2022 1:00	0.0		12/7/2023 1:00	0.0	
12/7/2021 2:00	0.0		12/7/2022 2:00	0.0		12/7/2023 2:00	0.0	
12/7/2021 3:00	0.0		12/7/2022 3:00	0.0		12/7/2023 3:00	0.0	
12/7/2021 4:00	0.0		12/7/2022 4:00	0.0		12/7/2023 4:00	0.0	
12/7/2021 5:00	0.0		12/7/2022 5:00	0.0		12/7/2023 5:00	0.0	
12/7/2021 6:00	0.0		12/7/2022 6:00	0.0		12/7/2023 6:00	0.0	
12/7/2021 7:00	0.0		12/7/2022 7:00	0.0		12/7/2023 7:00	0.0	
12/7/2021 8:00	0.0		12/7/2022 8:00	0.0		12/7/2023 8:00	0.0	
12/7/2021 9:00	0.0		12/7/2022 9:00	0.0		12/7/2023 9:00	0.0	
12/7/2021 10:00	0.0		12/7/2022 10:00	0.0		12/7/2023 10:00	0.0	
12/7/2021 11:00	0.0		12/7/2022 11:00	0.0		12/7/2023 11:00	0.0	
12/7/2021 12:00	0.0		12/7/2022 12:00	0.0		12/7/2023 12:00	305.8	
12/7/2021 13:00	0.0		12/7/2022 13:00	0.0		12/7/2023 13:00	480.5	
12/7/2021 14:00	0.0		12/7/2022 14:00	0.0		12/7/2023 14:00	0.0	
12/7/2021 15:00	0.0		12/7/2022 15:00	0.0		12/7/2023 15:00	0.0	
12/7/2021 16:00	0.0		12/7/2022 16:00	0.0		12/7/2023 16:00	0.0	
12/7/2021 17:00	0.0		12/7/2022 17:00	0.0		12/7/2023 17:00	0.0	
12/7/2021 18:00	0.0		12/7/2022 18:00	0.0		12/7/2023 18:00	2.2	
12/7/2021 19:00	0.0		12/7/2022 19:00	0.0		12/7/2023 19:00	0.0	
12/7/2021 20:00	0.0		12/7/2022 20:00	0.0		12/7/2023 20:00	0.0	
12/7/2021 21:00	0.0		12/7/2022 21:00	0.0		12/7/2023 21:00	0.0	
12/7/2021 22:00	0.0		12/7/2022 22:00	0.0		12/7/2023 22:00	0.0	
12/7/2021 23:00	0.0	0.0	12/7/2022 23:00	0.0	0.0	12/7/2023 23:00	0.0	480.5
12/8/2021 0:00	0.0		12/8/2022 0:00	0.0		12/8/2023 0:00	0.0	
12/8/2021 1:00	0.0		12/8/2022 1:00	0.0		12/8/2023 1:00	0.0	
12/8/2021 2:00	0.0		12/8/2022 2:00	0.0		12/8/2023 2:00	0.0	
12/8/2021 3:00	0.0		12/8/2022 3:00	0.0		12/8/2023 3:00	0.0	
12/8/2021 4:00	0.0		12/8/2022 4:00	0.0		12/8/2023 4:00	0.0	
12/8/2021 5:00	0.0		12/8/2022 5:00	0.0		12/8/2023 5:00	12.9	
12/8/2021 6:00	0.0		12/8/2022 6:00	0.0		12/8/2023 6:00	0.0	
12/8/2021 7:00	0.0		12/8/2022 7:00	0.0		12/8/2023 7:00	0.0	
12/8/2021 8:00	0.0		12/8/2022 8:00	0.0		12/8/2023 8:00	0.0	
12/8/2021 9:00	0.0		12/8/2022 9:00	0.0		12/8/2023 9:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
12/8/2021 10:00	0.0		12/8/2022 10:00	0.0		12/8/2023 10:00	0.0	
12/8/2021 11:00	0.0		12/8/2022 11:00	0.0		12/8/2023 11:00	0.0	
12/8/2021 12:00	0.0		12/8/2022 12:00	0.0		12/8/2023 12:00	0.0	
12/8/2021 13:00	0.0		12/8/2022 13:00	0.0		12/8/2023 13:00	0.0	
12/8/2021 14:00	0.0		12/8/2022 14:00	0.0		12/8/2023 14:00	0.0	
12/8/2021 15:00	0.0		12/8/2022 15:00	0.0		12/8/2023 15:00	0.0	
12/8/2021 16:00	0.0		12/8/2022 16:00	0.0		12/8/2023 16:00	0.0	
12/8/2021 17:00	0.0		12/8/2022 17:00	0.0		12/8/2023 17:00	0.0	
12/8/2021 18:00	0.0		12/8/2022 18:00	0.0		12/8/2023 18:00	0.0	
12/8/2021 19:00	0.0		12/8/2022 19:00	0.0		12/8/2023 19:00	0.0	
12/8/2021 20:00	0.0		12/8/2022 20:00	0.0		12/8/2023 20:00	0.0	
12/8/2021 21:00	0.0		12/8/2022 21:00	0.0		12/8/2023 21:00	0.0	
12/8/2021 22:00	0.0		12/8/2022 22:00	0.0		12/8/2023 22:00	0.0	
12/8/2021 23:00	0.0	0.0	12/8/2022 23:00	0.0	0.0	12/8/2023 23:00	0.0	12.9
12/9/2021 0:00	0.0		12/9/2022 0:00	0.0		12/9/2023 0:00	0.0	
12/9/2021 1:00	0.0		12/9/2022 1:00	0.0		12/9/2023 1:00	0.0	
12/9/2021 2:00	0.0		12/9/2022 2:00	0.0		12/9/2023 2:00	0.0	
12/9/2021 3:00	0.0		12/9/2022 3:00	0.0		12/9/2023 3:00	0.0	
12/9/2021 4:00	0.0		12/9/2022 4:00	0.0		12/9/2023 4:00	0.0	
12/9/2021 5:00	0.0		12/9/2022 5:00	0.0		12/9/2023 5:00	0.0	
12/9/2021 6:00	0.0		12/9/2022 6:00	0.0		12/9/2023 6:00	0.0	
12/9/2021 7:00	0.0		12/9/2022 7:00	0.0		12/9/2023 7:00	0.0	
12/9/2021 8:00	0.0		12/9/2022 8:00	0.0		12/9/2023 8:00	0.0	
12/9/2021 9:00	0.0		12/9/2022 9:00	0.0		12/9/2023 9:00	0.0	
12/9/2021 10:00	0.0		12/9/2022 10:00	0.0		12/9/2023 10:00	0.0	
12/9/2021 11:00	0.0		12/9/2022 11:00	0.0		12/9/2023 11:00	0.0	
12/9/2021 12:00	0.0		12/9/2022 12:00	0.0		12/9/2023 12:00	0.0	
12/9/2021 13:00	0.0		12/9/2022 13:00	0.0		12/9/2023 13:00	0.0	
12/9/2021 14:00	0.0		12/9/2022 14:00	0.0		12/9/2023 14:00	0.0	
12/9/2021 15:00	0.0		12/9/2022 15:00	0.0		12/9/2023 15:00	0.0	
12/9/2021 16:00	0.0		12/9/2022 16:00	0.0		12/9/2023 16:00	0.0	
12/9/2021 17:00	0.0		12/9/2022 17:00	0.0		12/9/2023 17:00	0.0	
12/9/2021 18:00	0.0		12/9/2022 18:00	0.0		12/9/2023 18:00	0.0	
12/9/2021 19:00	0.0		12/9/2022 19:00	0.0		12/9/2023 19:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
12/9/2021 20:00	0.0		12/9/2022 20:00	0.0		12/9/2023 20:00	0.0	
12/9/2021 21:00	0.0		12/9/2022 21:00	0.0		12/9/2023 21:00	0.0	
12/9/2021 22:00	0.0		12/9/2022 22:00	0.0		12/9/2023 22:00	0.0	
12/9/2021 23:00	0.0	0.0	12/9/2022 23:00	0.0	0.0	12/9/2023 23:00	0.0	0.0
12/10/2021 0:00	0.0		12/10/2022 0:00	0.0		12/10/2023 0:00	0.0	
12/10/2021 1:00	0.0		12/10/2022 1:00	0.0		12/10/2023 1:00	0.0	
12/10/2021 2:00	0.0		12/10/2022 2:00	0.0		12/10/2023 2:00	0.0	
12/10/2021 3:00	0.0		12/10/2022 3:00	0.0		12/10/2023 3:00	0.0	
12/10/2021 4:00	0.0		12/10/2022 4:00	0.0		12/10/2023 4:00	0.0	
12/10/2021 5:00	0.0		12/10/2022 5:00	0.0		12/10/2023 5:00	0.0	
12/10/2021 6:00	0.0		12/10/2022 6:00	0.0		12/10/2023 6:00	0.0	
12/10/2021 7:00	0.0		12/10/2022 7:00	0.0		12/10/2023 7:00	0.0	
12/10/2021 8:00	0.0		12/10/2022 8:00	0.0		12/10/2023 8:00	0.0	
12/10/2021 9:00	0.0		12/10/2022 9:00	0.0		12/10/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
12/11/2021 0:00	0.0		12/11/2022 0:00	0.0		12/11/2023 0:00	0.0	
12/11/2021 1:00	0.0		12/11/2022 1:00	0.0		12/11/2023 1:00	0.0	
12/11/2021 2:00	0.0		12/11/2022 2:00	0.0		12/11/2023 2:00	0.0	
12/11/2021 3:00	0.0		12/11/2022 3:00	0.0		12/11/2023 3:00	0.0	
12/11/2021 4:00	0.0		12/11/2022 4:00	0.0		12/11/2023 4:00	0.0	
12/11/2021 5:00	0.0		12/11/2022 5:00	0.0		12/11/2023 5:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
12/11/2021 6:00	0.0		12/11/2022 6:00	0.0		12/11/2023 6:00	0.0	
12/11/2021 7:00	0.0		12/11/2022 7:00	0.0		12/11/2023 7:00	0.0	
12/11/2021 8:00	0.0		12/11/2022 8:00	0.0		12/11/2023 8:00	0.0	
12/11/2021 9:00	0.0		12/11/2022 9:00	0.0		12/11/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
12/12/2021 0:00	0.0		12/12/2022 0:00	0.0		12/12/2023 0:00	0.0	
12/12/2021 1:00	0.0		12/12/2022 1:00	0.0		12/12/2023 1:00	0.0	
12/12/2021 2:00	0.0		12/12/2022 2:00	0.0		12/12/2023 2:00	0.0	
12/12/2021 3:00	0.0		12/12/2022 3:00	0.0		12/12/2023 3:00	0.0	
12/12/2021 4:00	0.0		12/12/2022 4:00	0.0		12/12/2023 4:00	0.0	
12/12/2021 5:00	0.0		12/12/2022 5:00	0.0		12/12/2023 5:00	0.0	
12/12/2021 6:00	0.0		12/12/2022 6:00	0.0		12/12/2023 6:00	0.0	
12/12/2021 7:00	0.0		12/12/2022 7:00	0.0		12/12/2023 7:00	0.0	
12/12/2021 8:00	0.0		12/12/2022 8:00	0.0		12/12/2023 8:00	0.0	
12/12/2021 9:00	0.0		12/12/2022 9:00	0.0		12/12/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	8.8	
##########	0.0	0.0	##########	0.0	0.0	##########	15.7	15.7
12/13/2021 0:00	0.0		12/13/2022 0:00	0.0		12/13/2023 0:00	0.0	
12/13/2021 1:00	0.0		12/13/2022 1:00	0.0		12/13/2023 1:00	0.0	
12/13/2021 2:00	0.0		12/13/2022 2:00	0.0		12/13/2023 2:00	0.0	
12/13/2021 3:00	0.0		12/13/2022 3:00	0.0		12/13/2023 3:00	0.0	
12/13/2021 4:00	0.0		12/13/2022 4:00	0.0		12/13/2023 4:00	0.0	
12/13/2021 5:00	0.0		12/13/2022 5:00	0.0		12/13/2023 5:00	0.0	
12/13/2021 6:00	0.0		12/13/2022 6:00	0.0		12/13/2023 6:00	0.0	
12/13/2021 7:00	0.0		12/13/2022 7:00	0.0		12/13/2023 7:00	0.0	
12/13/2021 8:00	0.0		12/13/2022 8:00	0.0		12/13/2023 8:00	0.0	
12/13/2021 9:00	0.0		12/13/2022 9:00	0.0		12/13/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
12/14/2021 0:00	0.0		12/14/2022 0:00	0.0		12/14/2023 0:00	0.0	
12/14/2021 1:00	0.0		12/14/2022 1:00	0.0		12/14/2023 1:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
12/14/2021 2:00	0.0		12/14/2022 2:00	0.0		12/14/2023 2:00	0.0	
12/14/2021 3:00	0.0		12/14/2022 3:00	0.0		12/14/2023 3:00	0.0	
12/14/2021 4:00	0.0		12/14/2022 4:00	0.0		12/14/2023 4:00	0.0	
12/14/2021 5:00	0.0		12/14/2022 5:00	0.0		12/14/2023 5:00	0.0	
12/14/2021 6:00	0.0		12/14/2022 6:00	0.0		12/14/2023 6:00	0.0	
12/14/2021 7:00	0.0		12/14/2022 7:00	0.0		12/14/2023 7:00	0.0	
12/14/2021 8:00	0.0		12/14/2022 8:00	0.0		12/14/2023 8:00	0.0	
12/14/2021 9:00	0.0		12/14/2022 9:00	0.0		12/14/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
12/15/2021 0:00	0.0		12/15/2022 0:00	0.0		12/15/2023 0:00	0.0	
12/15/2021 1:00	0.0		12/15/2022 1:00	0.0		12/15/2023 1:00	0.0	
12/15/2021 2:00	0.0		12/15/2022 2:00	0.0		12/15/2023 2:00	0.0	
12/15/2021 3:00	0.0		12/15/2022 3:00	0.0		12/15/2023 3:00	0.0	
12/15/2021 4:00	0.0		12/15/2022 4:00	0.0		12/15/2023 4:00	0.0	
12/15/2021 5:00	0.0		12/15/2022 5:00	0.0		12/15/2023 5:00	0.0	
12/15/2021 6:00	0.0		12/15/2022 6:00	0.0		12/15/2023 6:00	0.0	
12/15/2021 7:00	0.0		12/15/2022 7:00	0.0		12/15/2023 7:00	0.0	
12/15/2021 8:00	0.0		12/15/2022 8:00	0.0		12/15/2023 8:00	0.0	
12/15/2021 9:00	0.0		12/15/2022 9:00	0.0		12/15/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	383.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	383.0	##########	0.0	0.0
12/16/2021 0:00	0.0		12/16/2022 0:00	0.0		12/16/2023 0:00	0.0	
12/16/2021 1:00	0.0		12/16/2022 1:00	0.0		12/16/2023 1:00	0.0	
12/16/2021 2:00	0.0		12/16/2022 2:00	0.0		12/16/2023 2:00	0.0	
12/16/2021 3:00	0.0		12/16/2022 3:00	0.0		12/16/2023 3:00	0.0	
12/16/2021 4:00	0.0		12/16/2022 4:00	0.0		12/16/2023 4:00	0.0	
12/16/2021 5:00	0.0		12/16/2022 5:00	0.0		12/16/2023 5:00	0.0	
12/16/2021 6:00	0.0		12/16/2022 6:00	0.0		12/16/2023 6:00	0.0	
12/16/2021 7:00	0.0		12/16/2022 7:00	0.0		12/16/2023 7:00	0.0	
12/16/2021 8:00	0.0		12/16/2022 8:00	0.0		12/16/2023 8:00	0.0	
12/16/2021 9:00	0.0		12/16/2022 9:00	0.0		12/16/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
12/17/2021 0:00	0.0		12/17/2022 0:00	0.0		12/17/2023 0:00	0.0	
12/17/2021 1:00	0.0		12/17/2022 1:00	0.0		12/17/2023 1:00	0.0	
12/17/2021 2:00	0.0		12/17/2022 2:00	0.0		12/17/2023 2:00	0.0	
12/17/2021 3:00	0.0		12/17/2022 3:00	0.0		12/17/2023 3:00	0.0	
12/17/2021 4:00	0.0		12/17/2022 4:00	0.0		12/17/2023 4:00	0.0	
12/17/2021 5:00	0.0		12/17/2022 5:00	0.0		12/17/2023 5:00	0.0	
12/17/2021 6:00	0.0		12/17/2022 6:00	0.0		12/17/2023 6:00	0.0	
12/17/2021 7:00	0.0		12/17/2022 7:00	0.0		12/17/2023 7:00	0.0	
12/17/2021 8:00	0.0		12/17/2022 8:00	0.0		12/17/2023 8:00	0.0	
12/17/2021 9:00	0.0		12/17/2022 9:00	0.0		12/17/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
12/18/2021 0:00	0.0		12/18/2022 0:00	0.0		12/18/2023 0:00	0.0	
12/18/2021 1:00	0.0		12/18/2022 1:00	0.0		12/18/2023 1:00	0.0	
12/18/2021 2:00	0.0		12/18/2022 2:00	0.0		12/18/2023 2:00	0.0	
12/18/2021 3:00	0.0		12/18/2022 3:00	0.0		12/18/2023 3:00	0.0	
12/18/2021 4:00	0.0		12/18/2022 4:00	0.0		12/18/2023 4:00	0.0	
12/18/2021 5:00	0.0		12/18/2022 5:00	0.0		12/18/2023 5:00	0.0	
12/18/2021 6:00	0.0		12/18/2022 6:00	0.0		12/18/2023 6:00	0.0	
12/18/2021 7:00	0.0		12/18/2022 7:00	0.0		12/18/2023 7:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
12/18/2021 8:00	0.0		12/18/2022 8:00	0.0		12/18/2023 8:00	0.0	
12/18/2021 9:00	0.0		12/18/2022 9:00	0.0		12/18/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
12/19/2021 0:00	0.0		12/19/2022 0:00	0.0		12/19/2023 0:00	0.0	
12/19/2021 1:00	0.0		12/19/2022 1:00	0.0		12/19/2023 1:00	0.0	
12/19/2021 2:00	0.0		12/19/2022 2:00	0.0		12/19/2023 2:00	0.0	
12/19/2021 3:00	0.0		12/19/2022 3:00	0.0		12/19/2023 3:00	0.0	
12/19/2021 4:00	0.0		12/19/2022 4:00	0.0		12/19/2023 4:00	0.0	
12/19/2021 5:00	0.0		12/19/2022 5:00	0.0		12/19/2023 5:00	0.0	
12/19/2021 6:00	0.0		12/19/2022 6:00	0.0		12/19/2023 6:00	0.0	
12/19/2021 7:00	0.0		12/19/2022 7:00	0.0		12/19/2023 7:00	0.0	
12/19/2021 8:00	0.0		12/19/2022 8:00	0.0		12/19/2023 8:00	0.0	
12/19/2021 9:00	0.0		12/19/2022 9:00	0.0		12/19/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
12/20/2021 0:00	0.0		12/20/2022 0:00	0.0		12/20/2023 0:00	0.0	
12/20/2021 1:00	0.0		12/20/2022 1:00	0.0		12/20/2023 1:00	0.0	
12/20/2021 2:00	0.0		12/20/2022 2:00	0.0		12/20/2023 2:00	0.0	
12/20/2021 3:00	0.0		12/20/2022 3:00	0.0		12/20/2023 3:00	0.0	
12/20/2021 4:00	0.0		12/20/2022 4:00	0.0		12/20/2023 4:00	0.0	
12/20/2021 5:00	0.0		12/20/2022 5:00	0.0		12/20/2023 5:00	0.0	
12/20/2021 6:00	0.0		12/20/2022 6:00	0.0		12/20/2023 6:00	0.0	
12/20/2021 7:00	0.0		12/20/2022 7:00	0.0		12/20/2023 7:00	0.0	
12/20/2021 8:00	0.0		12/20/2022 8:00	0.0		12/20/2023 8:00	0.0	
12/20/2021 9:00	0.0		12/20/2022 9:00	0.0		12/20/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
12/21/2021 0:00	0.0		12/21/2022 0:00	0.0		12/21/2023 0:00	0.0	
12/21/2021 1:00	0.0		12/21/2022 1:00	0.0		12/21/2023 1:00	0.0	
12/21/2021 2:00	0.0		12/21/2022 2:00	0.0		12/21/2023 2:00	0.0	
12/21/2021 3:00	0.0		12/21/2022 3:00	0.0		12/21/2023 3:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
12/21/2021 4:00	0.0		12/21/2022 4:00	0.0		12/21/2023 4:00	0.0	
12/21/2021 5:00	0.0		12/21/2022 5:00	0.0		12/21/2023 5:00	0.0	
12/21/2021 6:00	0.0		12/21/2022 6:00	0.0		12/21/2023 6:00	0.0	
12/21/2021 7:00	0.0		12/21/2022 7:00	0.0		12/21/2023 7:00	0.0	
12/21/2021 8:00	0.0		12/21/2022 8:00	0.0		12/21/2023 8:00	0.0	
12/21/2021 9:00	0.0		12/21/2022 9:00	0.0		12/21/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	80.6	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	80.6
12/22/2021 0:00	0.0		12/22/2022 0:00	0.0		12/22/2023 0:00	0.0	
12/22/2021 1:00	0.0		12/22/2022 1:00	0.0		12/22/2023 1:00	0.0	
12/22/2021 2:00	0.0		12/22/2022 2:00	0.0		12/22/2023 2:00	0.0	
12/22/2021 3:00	0.0		12/22/2022 3:00	0.0		12/22/2023 3:00	0.0	
12/22/2021 4:00	0.0		12/22/2022 4:00	0.0		12/22/2023 4:00	0.0	
12/22/2021 5:00	0.0		12/22/2022 5:00	0.0		12/22/2023 5:00	0.0	
12/22/2021 6:00	0.0		12/22/2022 6:00	0.0		12/22/2023 6:00	0.0	
12/22/2021 7:00	0.0		12/22/2022 7:00	0.0		12/22/2023 7:00	0.0	
12/22/2021 8:00	0.0		12/22/2022 8:00	0.0		12/22/2023 8:00	0.0	
12/22/2021 9:00	0.0		12/22/2022 9:00	0.0		12/22/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
12/23/2021 0:00	0.0		12/23/2022 0:00	0.0		12/23/2023 0:00	0.0	
12/23/2021 1:00	0.0		12/23/2022 1:00	0.0		12/23/2023 1:00	0.0	
12/23/2021 2:00	0.0		12/23/2022 2:00	0.0		12/23/2023 2:00	0.0	
12/23/2021 3:00	0.0		12/23/2022 3:00	0.0		12/23/2023 3:00	0.0	
12/23/2021 4:00	0.0		12/23/2022 4:00	0.0		12/23/2023 4:00	0.0	
12/23/2021 5:00	0.0		12/23/2022 5:00	0.0		12/23/2023 5:00	0.0	
12/23/2021 6:00	0.0		12/23/2022 6:00	0.0		12/23/2023 6:00	0.0	
12/23/2021 7:00	0.0		12/23/2022 7:00	0.0		12/23/2023 7:00	0.0	
12/23/2021 8:00	0.0		12/23/2022 8:00	0.0		12/23/2023 8:00	0.0	
12/23/2021 9:00	0.0		12/23/2022 9:00	0.0		12/23/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
12/24/2021 0:00	0.0		12/24/2022 0:00	0.0		12/24/2023 0:00	0.0	
12/24/2021 1:00	0.0		12/24/2022 1:00	0.0		12/24/2023 1:00	0.0	
12/24/2021 2:00	0.0		12/24/2022 2:00	0.0		12/24/2023 2:00	0.0	
12/24/2021 3:00	0.0		12/24/2022 3:00	0.0		12/24/2023 3:00	0.0	
12/24/2021 4:00	0.0		12/24/2022 4:00	0.0		12/24/2023 4:00	0.0	
12/24/2021 5:00	0.0		12/24/2022 5:00	0.0		12/24/2023 5:00	0.0	
12/24/2021 6:00	0.0		12/24/2022 6:00	0.0		12/24/2023 6:00	0.0	
12/24/2021 7:00	0.0		12/24/2022 7:00	0.0		12/24/2023 7:00	0.0	
12/24/2021 8:00	0.0		12/24/2022 8:00	0.0		12/24/2023 8:00	0.0	
12/24/2021 9:00	0.0		12/24/2022 9:00	0.0		12/24/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
12/25/2021 0:00	0.0		12/25/2022 0:00	0.0		12/25/2023 0:00	0.0	
12/25/2021 1:00	0.0		12/25/2022 1:00	0.0		12/25/2023 1:00	0.0	
12/25/2021 2:00	0.0		12/25/2022 2:00	0.0		12/25/2023 2:00	0.0	
12/25/2021 3:00	0.0		12/25/2022 3:00	0.0		12/25/2023 3:00	0.0	
12/25/2021 4:00	0.0		12/25/2022 4:00	0.0		12/25/2023 4:00	0.0	
12/25/2021 5:00	0.0		12/25/2022 5:00	0.0		12/25/2023 5:00	0.0	
12/25/2021 6:00	0.0		12/25/2022 6:00	0.0		12/25/2023 6:00	0.0	
12/25/2021 7:00	0.0		12/25/2022 7:00	0.0		12/25/2023 7:00	0.0	
12/25/2021 8:00	0.0		12/25/2022 8:00	0.0		12/25/2023 8:00	0.0	
12/25/2021 9:00	0.0		12/25/2022 9:00	0.0		12/25/2023 9:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
12/26/2021 0:00	0.0		12/26/2022 0:00	0.0		12/26/2023 0:00	0.0	
12/26/2021 1:00	0.0		12/26/2022 1:00	0.0		12/26/2023 1:00	0.0	
12/26/2021 2:00	0.0		12/26/2022 2:00	0.0		12/26/2023 2:00	0.0	
12/26/2021 3:00	0.0		12/26/2022 3:00	0.0		12/26/2023 3:00	0.0	
12/26/2021 4:00	0.0		12/26/2022 4:00	0.0		12/26/2023 4:00	0.0	
12/26/2021 5:00	0.0		12/26/2022 5:00	0.0		12/26/2023 5:00	0.0	
12/26/2021 6:00	0.0		12/26/2022 6:00	0.0		12/26/2023 6:00	0.0	
12/26/2021 7:00	0.0		12/26/2022 7:00	0.0		12/26/2023 7:00	0.0	
12/26/2021 8:00	0.0		12/26/2022 8:00	0.0		12/26/2023 8:00	0.0	
12/26/2021 9:00	0.0		12/26/2022 9:00	0.0		12/26/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
12/27/2021 0:00	0.0		12/27/2022 0:00	0.0		12/27/2023 0:00	0.0	
12/27/2021 1:00	0.0		12/27/2022 1:00	0.0		12/27/2023 1:00	0.0	
12/27/2021 2:00	0.0		12/27/2022 2:00	0.0		12/27/2023 2:00	0.0	
12/27/2021 3:00	0.0		12/27/2022 3:00	0.0		12/27/2023 3:00	0.0	
12/27/2021 4:00	0.0		12/27/2022 4:00	0.0		12/27/2023 4:00	0.0	
12/27/2021 5:00	0.0		12/27/2022 5:00	0.0		12/27/2023 5:00	0.0	
12/27/2021 6:00	0.0		12/27/2022 6:00	0.0		12/27/2023 6:00	0.0	
12/27/2021 7:00	0.0		12/27/2022 7:00	0.0		12/27/2023 7:00	0.0	
12/27/2021 8:00	0.0		12/27/2022 8:00	0.0		12/27/2023 8:00	0.0	
12/27/2021 9:00	0.0		12/27/2022 9:00	0.0		12/27/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
12/28/2021 0:00	0.0		12/28/2022 0:00	0.0		12/28/2023 0:00	0.0	
12/28/2021 1:00	0.0		12/28/2022 1:00	0.0		12/28/2023 1:00	0.0	
12/28/2021 2:00	0.0		12/28/2022 2:00	0.0		12/28/2023 2:00	0.0	
12/28/2021 3:00	0.0		12/28/2022 3:00	0.0		12/28/2023 3:00	0.0	
12/28/2021 4:00	0.0		12/28/2022 4:00	0.0		12/28/2023 4:00	0.0	
12/28/2021 5:00	0.0		12/28/2022 5:00	0.0		12/28/2023 5:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
12/28/2021 6:00	0.0		12/28/2022 6:00	0.0		12/28/2023 6:00	0.0	
12/28/2021 7:00	0.0		12/28/2022 7:00	0.0		12/28/2023 7:00	0.0	
12/28/2021 8:00	0.0		12/28/2022 8:00	0.0		12/28/2023 8:00	0.0	
12/28/2021 9:00	0.0		12/28/2022 9:00	0.0		12/28/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
12/29/2021 0:00	0.0		12/29/2022 0:00	0.0		12/29/2023 0:00	0.0	
12/29/2021 1:00	0.0		12/29/2022 1:00	0.0		12/29/2023 1:00	0.0	
12/29/2021 2:00	0.0		12/29/2022 2:00	0.0		12/29/2023 2:00	0.0	
12/29/2021 3:00	0.0		12/29/2022 3:00	0.0		12/29/2023 3:00	0.0	
12/29/2021 4:00	0.0		12/29/2022 4:00	0.0		12/29/2023 4:00	0.0	
12/29/2021 5:00	0.0		12/29/2022 5:00	0.0		12/29/2023 5:00	0.0	
12/29/2021 6:00	0.0		12/29/2022 6:00	0.0		12/29/2023 6:00	0.0	
12/29/2021 7:00	0.0		12/29/2022 7:00	0.0		12/29/2023 7:00	0.0	
12/29/2021 8:00	0.0		12/29/2022 8:00	0.0		12/29/2023 8:00	0.0	
12/29/2021 9:00	0.0		12/29/2022 9:00	0.0		12/29/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
12/30/2021 0:00	0.0		12/30/2022 0:00	0.0		12/30/2023 0:00	0.0	
12/30/2021 1:00	0.0		12/30/2022 1:00	0.0		12/30/2023 1:00	0.0	
12/30/2021 2:00	0.0		12/30/2022 2:00	0.0		12/30/2023 2:00	0.0	
12/30/2021 3:00	0.0		12/30/2022 3:00	0.0		12/30/2023 3:00	0.0	
12/30/2021 4:00	0.0		12/30/2022 4:00	0.0		12/30/2023 4:00	0.0	
12/30/2021 5:00	0.0		12/30/2022 5:00	0.0		12/30/2023 5:00	0.0	
12/30/2021 6:00	0.0		12/30/2022 6:00	0.0		12/30/2023 6:00	0.0	
12/30/2021 7:00	0.0		12/30/2022 7:00	0.0		12/30/2023 7:00	0.0	
12/30/2021 8:00	0.0		12/30/2022 8:00	0.0		12/30/2023 8:00	0.0	
12/30/2021 9:00	0.0		12/30/2022 9:00	0.0		12/30/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0
12/31/2021 0:00	0.0		12/31/2022 0:00	0.0		12/31/2023 0:00	0.0	
12/31/2021 1:00	0.0		12/31/2022 1:00	0.0		12/31/2023 1:00	0.0	

2021			2022			2023		
Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)	Date	Hourly Avg SO_2 (lb/hr)	Daily Max SO_2 (lb/hr)
12/31/2021 2:00	0.0		12/31/2022 2:00	0.0		12/31/2023 2:00	0.0	
12/31/2021 3:00	0.0		12/31/2022 3:00	0.0		12/31/2023 3:00	0.0	
12/31/2021 4:00	0.0		12/31/2022 4:00	0.0		12/31/2023 4:00	0.0	
12/31/2021 5:00	0.0		12/31/2022 5:00	0.0		12/31/2023 5:00	0.0	
12/31/2021 6:00	0.0		12/31/2022 6:00	0.0		12/31/2023 6:00	0.0	
12/31/2021 7:00	0.0		12/31/2022 7:00	0.0		12/31/2023 7:00	0.0	
12/31/2021 8:00	0.0		12/31/2022 8:00	0.0		12/31/2023 8:00	0.0	
12/31/2021 9:00	0.0		12/31/2022 9:00	0.0		12/31/2023 9:00	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0		##########	0.0		##########	0.0	
##########	0.0	0.0	##########	0.0	0.0	##########	0.0	0.0

Attachment G3
Flare Hourly Emissions
January 1 through August 31, 2024

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
1/1/2024 0:00	0.0		Normal
1/1/2024 1:00	0.0		Normal
1/1/2024 2:00	0.0		Normal
1/1/2024 3:00	0.0		Normal
1/1/2024 4:00	0.0		Normal
1/1/2024 5:00	0.0		Normal
1/1/2024 6:00	0.0		Normal
1/1/2024 7:00	0.0		Normal
1/1/2024 8:00	0.0		Normal
1/1/2024 9:00	0.0		Normal
1/1/2024 10:00	0.0		Normal
1/1/2024 11:00	0.0		Normal
1/1/2024 12:00	0.0		Normal
1/1/2024 13:00	0.0		Normal
1/1/2024 14:00	0.0		Normal
1/1/2024 15:00	0.0		Normal
1/1/2024 16:00	0.0		Normal
1/1/2024 17:00	0.0		Normal
1/1/2024 18:00	0.0		Normal
1/1/2024 19:00	0.0		Normal
1/1/2024 20:00	0.0		Normal
1/1/2024 21:00	0.0		Normal
1/1/2024 22:00	0.0		Normal
1/1/2024 23:00	0.0		Normal
1/2/2024 0:00	0.0		Normal
1/2/2024 1:00	0.0		Normal
1/2/2024 2:00	0.0		Normal
1/2/2024 3:00	0.0		Normal
1/2/2024 4:00	0.0		Normal
1/2/2024 5:00	0.0		Normal
1/2/2024 6:00	0.0		Normal
1/2/2024 7:00	0.0		Normal
1/2/2024 8:00	0.0		Normal
1/2/2024 9:00	0.0		Normal
1/2/2024 10:00	0.0		Normal
1/2/2024 11:00	0.0		Normal
1/2/2024 12:00	0.0		Normal
1/2/2024 13:00	0.0		Normal
1/2/2024 14:00	0.0		Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
1/2/2024 15:00	0.0		Normal
1/2/2024 16:00	0.0		Normal
1/2/2024 17:00	0.0		Normal
1/2/2024 18:00	0.0		Normal
1/2/2024 19:00	0.0		Normal
1/2/2024 20:00	0.0		Normal
1/2/2024 21:00	0.0		Normal
1/2/2024 22:00	0.0		Normal
1/2/2024 23:00	0.0		Normal
1/3/2024 0:00	0.0		Normal
1/3/2024 1:00	0.0		Normal
1/3/2024 2:00	0.0		Normal
1/3/2024 3:00	0.0		Normal
1/3/2024 4:00	0.0		Normal
1/3/2024 5:00	0.0		Normal
1/3/2024 6:00	0.0		Normal
1/3/2024 7:00	0.0		Normal
1/3/2024 8:00	0.0		Normal
1/3/2024 9:00	0.0		Normal
1/3/2024 10:00	0.0		Normal
1/3/2024 11:00	0.0		Normal
1/3/2024 12:00	0.0		Normal
1/3/2024 13:00	0.0		Normal
1/3/2024 14:00	0.0		Normal
1/3/2024 15:00	0.0		Normal
1/3/2024 16:00	0.0		Normal
1/3/2024 17:00	0.0		Normal
1/3/2024 18:00	0.0		Normal
1/3/2024 19:00	0.0		Normal
1/3/2024 20:00	0.0		Normal
1/3/2024 21:00	0.0		Normal
1/3/2024 22:00	0.0		Normal
1/3/2024 23:00	0.0		Normal
1/4/2024 0:00	0.0		Normal
1/4/2024 1:00	0.0		Normal
1/4/2024 2:00	0.0		Normal
1/4/2024 3:00	0.0		Normal
1/4/2024 4:00	0.0		Normal
1/4/2024 5:00	0.0		Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
1/4/2024 6:00	0.0		Normal
1/4/2024 7:00	0.0		Normal
1/4/2024 8:00	0.0		Normal
1/4/2024 9:00	0.0		Normal
1/4/2024 10:00	0.0		Normal
1/4/2024 11:00	0.0		Normal
1/4/2024 12:00	0.0		Normal
1/4/2024 13:00	0.0		Normal
1/4/2024 14:00	0.0		Normal
1/4/2024 15:00	0.0		Normal
1/4/2024 16:00	0.0		Normal
1/4/2024 17:00	0.0		Normal
1/4/2024 18:00	0.0		Normal
1/4/2024 19:00	0.0		Normal
1/4/2024 20:00	0.0		Normal
1/4/2024 21:00	0.0		Normal
1/4/2024 22:00	0.0		Normal
1/4/2024 23:00	0.0		Normal
1/5/2024 0:00	0.0		Normal
1/5/2024 1:00	0.0		Normal
1/5/2024 2:00	0.0		Normal
1/5/2024 3:00	0.0		Normal
1/5/2024 4:00	0.0		Normal
1/5/2024 5:00	0.0		Normal
1/5/2024 6:00	0.0		Normal
1/5/2024 7:00	0.0		Normal
1/5/2024 8:00	0.0		Normal
1/5/2024 9:00	0.0		Normal
1/5/2024 10:00	0.0		Normal
1/5/2024 11:00	0.0		Normal
1/5/2024 12:00	0.0		Normal
1/5/2024 13:00	0.0		Normal
1/5/2024 14:00	0.0		Normal
1/5/2024 15:00	0.0		Normal
1/5/2024 16:00	0.0		Normal
1/5/2024 17:00	0.0		Normal
1/5/2024 18:00	0.0		Normal
1/5/2024 19:00	0.0		Normal
1/5/2024 20:00	0.0		Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
1/5/2024 21:00	0.0		Normal
1/5/2024 22:00	0.0		Normal
1/5/2024 23:00	0.0		Normal
1/6/2024 0:00	0.0		Normal
1/6/2024 1:00	0.0		Normal
1/6/2024 2:00	0.0		Normal
1/6/2024 3:00	0.0		Normal
1/6/2024 4:00	0.0		Normal
1/6/2024 5:00	0.0		Normal
1/6/2024 6:00	0.0		Normal
1/6/2024 7:00	0.0		Normal
1/6/2024 8:00	0.0		Normal
1/6/2024 9:00	0.0		Normal
1/6/2024 10:00	0.0		Normal
1/6/2024 11:00	0.0		Normal
1/6/2024 12:00	0.0		Normal
1/6/2024 13:00	0.0		Normal
1/6/2024 14:00	0.0		Normal
1/6/2024 15:00	0.0		Normal
1/6/2024 16:00	0.0		Normal
1/6/2024 17:00	0.0		Normal
1/6/2024 18:00	0.0		Normal
1/6/2024 19:00	0.0		Normal
1/6/2024 20:00	0.0		Normal
1/6/2024 21:00	0.0		Normal
1/6/2024 22:00	0.0		Normal
1/6/2024 23:00	0.0		Normal
1/7/2024 0:00	0.0		Normal
1/7/2024 1:00	0.0		Normal
1/7/2024 2:00	0.0		Normal
1/7/2024 3:00	0.0		Normal
1/7/2024 4:00	0.0		Normal
1/7/2024 5:00	0.0		Normal
1/7/2024 6:00	0.0		Normal
1/7/2024 7:00	0.0		Normal
1/7/2024 8:00	0.0		Normal
1/7/2024 9:00	0.0		Normal
1/7/2024 10:00	0.0		Normal
1/7/2024 11:00	0.0		Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
1/7/2024 12:00	0.0		Normal
1/7/2024 13:00	0.0		Normal
1/7/2024 14:00	0.0		Normal
1/7/2024 15:00	0.0		Normal
1/7/2024 16:00	0.0		Normal
1/7/2024 17:00	0.0		Normal
1/7/2024 18:00	0.0		Normal
1/7/2024 19:00	0.0		Normal
1/7/2024 20:00	0.0		Normal
1/7/2024 21:00	0.0		Normal
1/7/2024 22:00	0.0		Normal
1/7/2024 23:00	0.0		Normal
1/8/2024 0:00	0.0		Normal
1/8/2024 1:00	0.0		Normal
1/8/2024 2:00	0.0		Normal
1/8/2024 3:00	0.0		Normal
1/8/2024 4:00	0.0		Normal
1/8/2024 5:00	0.0		Normal
1/8/2024 6:00	0.0		Normal
1/8/2024 7:00	0.0		Normal
1/8/2024 8:00	468.3		Normal
1/8/2024 9:00	137.4		Normal
1/8/2024 10:00	0.0		Normal
1/8/2024 11:00	0.0		Normal
1/8/2024 12:00	0.0		Normal
1/8/2024 13:00	0.0		Normal
1/8/2024 14:00	0.0		Normal
1/8/2024 15:00	0.0		Normal
1/8/2024 16:00	0.0		Normal
1/8/2024 17:00	0.0		Normal
1/8/2024 18:00	0.0		Normal
1/8/2024 19:00	0.0		Normal
1/8/2024 20:00	0.0		Normal
1/8/2024 21:00	0.0		Normal
1/8/2024 22:00	0.0		Normal
1/8/2024 23:00	0.0		Normal
1/9/2024 0:00	0.0		Normal
1/9/2024 1:00	0.0		Normal
1/9/2024 2:00	0.0		Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
1/9/2024 3:00	0.0		Normal
1/9/2024 4:00	0.0		Normal
1/9/2024 5:00	0.0		Normal
1/9/2024 6:00	0.0		Normal
1/9/2024 7:00	0.0		Normal
1/9/2024 8:00	0.0		Normal
1/9/2024 9:00	0.0		Normal
1/9/2024 10:00	0.0		Normal
1/9/2024 11:00	0.0		Normal
1/9/2024 12:00	0.0		Normal
1/9/2024 13:00	0.0		Normal
1/9/2024 14:00	0.0		Normal
1/9/2024 15:00	0.0		Normal
1/9/2024 16:00	0.0		Normal
1/9/2024 17:00	0.0		Normal
1/9/2024 18:00	0.0		Normal
1/9/2024 19:00	0.0		Normal
1/9/2024 20:00	0.0		Normal
1/9/2024 21:00	0.0		Normal
1/9/2024 22:00	0.0		Normal
1/9/2024 23:00	0.0		Normal
1/10/2024 0:00	0.0		Normal
1/10/2024 1:00	0.0		Normal
1/10/2024 2:00	0.0		Normal
1/10/2024 3:00	0.0		Normal
1/10/2024 4:00	0.0		Normal
1/10/2024 5:00	0.0		Normal
1/10/2024 6:00	0.0		Normal
1/10/2024 7:00	0.0		Normal
1/10/2024 8:00	0.0		Normal
1/10/2024 9:00	0.0		Normal
1/10/2024 10:00	0.0		Normal
1/10/2024 11:00	0.0		Normal
1/10/2024 12:00	0.0		Normal
1/10/2024 13:00	0.0		Normal
1/10/2024 14:00	0.0		Normal
1/10/2024 15:00	0.0		Normal
1/10/2024 16:00	0.0		Normal
1/10/2024 17:00	0.0		Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
1/10/2024 18:00	0.0		Normal
1/10/2024 19:00	0.0		Normal
1/10/2024 20:00	0.0		Normal
1/10/2024 21:00	0.0		Normal
1/10/2024 22:00	0.0		Normal
1/10/2024 23:00	0.0		Normal
1/11/2024 0:00	0.0		Normal
1/11/2024 1:00	0.0		Normal
1/11/2024 2:00	0.0		Normal
1/11/2024 3:00	0.0		Normal
1/11/2024 4:00	0.0		Normal
1/11/2024 5:00	0.0		Normal
1/11/2024 6:00	0.0		Normal
1/11/2024 7:00	0.0		Normal
1/11/2024 8:00	0.0		Normal
1/11/2024 9:00	0.0		Normal
1/11/2024 10:00	0.0		Normal
1/11/2024 11:00	0.0		Normal
1/11/2024 12:00	0.0		Normal
1/11/2024 13:00	0.0		Normal
1/11/2024 14:00	0.0		Normal
1/11/2024 15:00	0.0		Normal
1/11/2024 16:00	0.0		Normal
1/11/2024 17:00	0.0		Normal
1/11/2024 18:00	0.0		Normal
1/11/2024 19:00	0.0		Normal
1/11/2024 20:00	0.0		Normal
1/11/2024 21:00	0.0		Normal
1/11/2024 22:00	0.0		Normal
1/11/2024 23:00	0.0		Normal
1/12/2024 0:00	0.0		Normal
1/12/2024 1:00	0.0		Normal
1/12/2024 2:00	0.0		Normal
1/12/2024 3:00	0.0		Normal
1/12/2024 4:00	0.0		Normal
1/12/2024 5:00	0.0		Normal
1/12/2024 6:00	0.0		Normal
1/12/2024 7:00	0.0		Normal
1/12/2024 8:00	0.0		Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
1/12/2024 9:00	0.0		Normal
1/12/2024 10:00	0.0		Normal
1/12/2024 11:00	0.0		Normal
1/12/2024 12:00	0.0		Normal
1/12/2024 13:00	0.0		Normal
1/12/2024 14:00	10.0		Normal
1/12/2024 15:00	0.0		Normal
1/12/2024 16:00	0.0		Normal
1/12/2024 17:00	0.0		Normal
1/12/2024 18:00	0.0		Normal
1/12/2024 19:00	0.0		Normal
1/12/2024 20:00	0.0		Normal
1/12/2024 21:00	0.0		Normal
1/12/2024 22:00	0.0		Normal
1/12/2024 23:00	0.0		Normal
1/13/2024 0:00	0.0		Normal
1/13/2024 1:00	0.0		Normal
1/13/2024 2:00	0.0		Normal
1/13/2024 3:00	0.0		Normal
1/13/2024 4:00	0.0		Normal
1/13/2024 5:00	0.0		Normal
1/13/2024 6:00	0.0		Normal
1/13/2024 7:00	0.0		Normal
1/13/2024 8:00	0.0		Normal
1/13/2024 9:00	0.0		Normal
1/13/2024 10:00	0.0		Normal
1/13/2024 11:00	0.0		Normal
1/13/2024 12:00	0.0		Normal
1/13/2024 13:00	0.0		Normal
1/13/2024 14:00	0.0		Normal
1/13/2024 15:00	0.0		Normal
1/13/2024 16:00	0.0		Normal
1/13/2024 17:00	0.0		Normal
1/13/2024 18:00	0.0		Normal
1/13/2024 19:00	0.0		Normal
1/13/2024 20:00	0.0		Normal
1/13/2024 21:00	0.0		Normal
1/13/2024 22:00	0.0		Normal
1/13/2024 23:00	0.0		Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
1/14/2024 0:00	0.0		Normal
1/14/2024 1:00	0.0		Normal
1/14/2024 2:00	0.0		Normal
1/14/2024 3:00	0.0		Normal
1/14/2024 4:00	0.0		Normal
1/14/2024 5:00	0.0		Normal
1/14/2024 6:00	0.0		Normal
1/14/2024 7:00	0.0		Normal
1/14/2024 8:00	0.0		Normal
1/14/2024 9:00	0.0		Normal
1/14/2024 10:00	0.0		Normal
1/14/2024 11:00	0.0		Normal
1/14/2024 12:00	0.0		Normal
1/14/2024 13:00	0.0		Normal
1/14/2024 14:00	0.0		Normal
1/14/2024 15:00	0.0		Normal
1/14/2024 16:00	0.0		Normal
1/14/2024 17:00	0.0		Normal
1/14/2024 18:00	0.0		Normal
1/14/2024 19:00	0.0		Normal
1/14/2024 20:00	0.0		Normal
1/14/2024 21:00	0.0		Normal
1/14/2024 22:00	0.0		Normal
1/14/2024 23:00	0.0		Normal
1/15/2024 0:00	0.0		Normal
1/15/2024 1:00	0.0		Normal
1/15/2024 2:00	0.0		Normal
1/15/2024 3:00	0.0		Normal
1/15/2024 4:00	0.0		Normal
1/15/2024 5:00	0.0		Normal
1/15/2024 6:00	0.0		Normal
1/15/2024 7:00	0.0		Normal
1/15/2024 8:00	0.0		Normal
1/15/2024 9:00	0.0		Normal
1/15/2024 10:00	0.0		Normal
1/15/2024 11:00	0.0		Normal
1/15/2024 12:00	0.0		Normal
1/15/2024 13:00	0.0		Normal
1/15/2024 14:00	0.0		Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
1/15/2024 15:00	0.0		Normal
1/15/2024 16:00	0.0		Normal
1/15/2024 17:00	0.0		Normal
1/15/2024 18:00	0.0		Normal
1/15/2024 19:00	0.0		Normal
1/15/2024 20:00	0.0		Normal
1/15/2024 21:00	0.0		Normal
1/15/2024 22:00	0.0		Normal
1/15/2024 23:00	0.0		Normal
1/16/2024 0:00	0.0		Normal
1/16/2024 1:00	0.0		Normal
1/16/2024 2:00	0.0		Normal
1/16/2024 3:00	0.0		Normal
1/16/2024 4:00	0.0		Normal
1/16/2024 5:00	0.0		Normal
1/16/2024 6:00	0.0		Normal
1/16/2024 7:00	0.0		Normal
1/16/2024 8:00	0.0		Normal
1/16/2024 9:00	0.0		Normal
1/16/2024 10:00	0.0		Normal
1/16/2024 11:00	0.0		Normal
1/16/2024 12:00	0.0		Normal
1/16/2024 13:00	0.0		Normal
1/16/2024 14:00	0.0		Normal
1/16/2024 15:00	0.0		Normal
1/16/2024 16:00	0.0		Normal
1/16/2024 17:00	0.0		Normal
1/16/2024 18:00	0.0		Normal
1/16/2024 19:00	0.0		Normal
1/16/2024 20:00	0.0		Normal
1/16/2024 21:00	0.0		Normal
1/16/2024 22:00	0.0		Normal
1/16/2024 23:00	0.0		Normal
1/17/2024 0:00	0.0		Normal
1/17/2024 1:00	0.0		Normal
1/17/2024 2:00	0.0		Normal
1/17/2024 3:00	0.0		Normal
1/17/2024 4:00	0.0		Normal
1/17/2024 5:00	0.0		Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
1/17/2024 6:00	0.0		Normal
1/17/2024 7:00	0.0		Normal
1/17/2024 8:00	0.0		Normal
1/17/2024 9:00	0.0		Normal
1/17/2024 10:00	0.0		Normal
1/17/2024 11:00	0.0		Normal
1/17/2024 12:00	0.0		Normal
1/17/2024 13:00	0.0		Normal
1/17/2024 14:00	0.0		Normal
1/17/2024 15:00	0.0		Normal
1/17/2024 16:00	0.0		Normal
1/17/2024 17:00	0.0		Normal
1/17/2024 18:00	0.0		Normal
1/17/2024 19:00	0.0		Normal
1/17/2024 20:00	0.0		Normal
1/17/2024 21:00	0.0		Normal
1/17/2024 22:00	0.0		Normal
1/17/2024 23:00	0.0		Normal
1/18/2024 0:00	0.0		Normal
1/18/2024 1:00	0.0		Normal
1/18/2024 2:00	0.0		Normal
1/18/2024 3:00	0.0		Normal
1/18/2024 4:00	0.0		Normal
1/18/2024 5:00	0.0		Normal
1/18/2024 6:00	0.0		Normal
1/18/2024 7:00	0.0		Normal
1/18/2024 8:00	0.0		Normal
1/18/2024 9:00	0.0		Normal
1/18/2024 10:00	0.0		Normal
1/18/2024 11:00	0.0		Normal
1/18/2024 12:00	0.0		Normal
1/18/2024 13:00	0.0		Normal
1/18/2024 14:00	0.0		Normal
1/18/2024 15:00	0.0		Normal
1/18/2024 16:00	0.0		Normal
1/18/2024 17:00	0.0		Normal
1/18/2024 18:00	0.0		Normal
1/18/2024 19:00	0.0		Normal
1/18/2024 20:00	0.0		Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
1/18/2024 21:00	0.0		Normal
1/18/2024 22:00	0.0		Normal
1/18/2024 23:00	0.0		Normal
1/19/2024 0:00	0.0		Normal
1/19/2024 1:00	0.0		Normal
1/19/2024 2:00	0.0		Normal
1/19/2024 3:00	0.0		Normal
1/19/2024 4:00	0.0		Normal
1/19/2024 5:00	0.0		Normal
1/19/2024 6:00	0.0		Normal
1/19/2024 7:00	0.0		Normal
1/19/2024 8:00	0.0		Normal
1/19/2024 9:00	0.0		Normal
1/19/2024 10:00	0.0		Normal
1/19/2024 11:00	0.0		Normal
1/19/2024 12:00	0.0		Normal
1/19/2024 13:00	0.0		Normal
1/19/2024 14:00	0.0		Normal
1/19/2024 15:00	0.0		Normal
1/19/2024 16:00	0.0		Normal
1/19/2024 17:00	0.0		Normal
1/19/2024 18:00	0.0		Normal
1/19/2024 19:00	0.0		Normal
1/19/2024 20:00	0.0		Normal
1/19/2024 21:00	0.0		Normal
1/19/2024 22:00	0.0		Normal
1/19/2024 23:00	0.0		Normal
1/20/2024 0:00	0.0		Normal
1/20/2024 1:00	0.0		Normal
1/20/2024 2:00	0.0		Normal
1/20/2024 3:00	0.0		Normal
1/20/2024 4:00	0.0		Normal
1/20/2024 5:00	0.0		Normal
1/20/2024 6:00	0.0		Normal
1/20/2024 7:00	0.0		Normal
1/20/2024 8:00	0.0		Normal
1/20/2024 9:00	0.0		Normal
1/20/2024 10:00	0.0		Normal
1/20/2024 11:00	0.0		Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
1/20/2024 12:00	0.0		Normal
1/20/2024 13:00	0.0		Normal
1/20/2024 14:00	0.0		Normal
1/20/2024 15:00	0.0		Normal
1/20/2024 16:00	0.0		Normal
1/20/2024 17:00	0.0		Normal
1/20/2024 18:00	0.0		Normal
1/20/2024 19:00	0.0		Normal
1/20/2024 20:00	0.0		Normal
1/20/2024 21:00	0.0		Normal
1/20/2024 22:00	0.0		Normal
1/20/2024 23:00	0.0		Normal
1/21/2024 0:00	0.0		Normal
1/21/2024 1:00	0.0		Normal
1/21/2024 2:00	0.0		Normal
1/21/2024 3:00	0.0		Normal
1/21/2024 4:00	0.0		Normal
1/21/2024 5:00	0.0		Normal
1/21/2024 6:00	0.0		Normal
1/21/2024 7:00	0.0		Normal
1/21/2024 8:00	0.0		Normal
1/21/2024 9:00	0.0		Normal
1/21/2024 10:00	0.0		Normal
1/21/2024 11:00	0.0		Normal
1/21/2024 12:00	0.0		Normal
1/21/2024 13:00	0.0		Normal
1/21/2024 14:00	0.0		Normal
1/21/2024 15:00	0.0		Normal
1/21/2024 16:00	0.0		Normal
1/21/2024 17:00	0.0		Normal
1/21/2024 18:00	0.0		Normal
1/21/2024 19:00	0.0		Normal
1/21/2024 20:00	0.0		Normal
1/21/2024 21:00	0.0		Normal
1/21/2024 22:00	0.0		Normal
1/21/2024 23:00	0.0		Normal
1/22/2024 0:00	0.0		Normal
1/22/2024 1:00	0.0		Normal
1/22/2024 2:00	0.0		Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
1/22/2024 3:00	0.0		Normal
1/22/2024 4:00	0.0		Normal
1/22/2024 5:00	0.0		Normal
1/22/2024 6:00	0.0		Normal
1/22/2024 7:00	0.0		Normal
1/22/2024 8:00	0.0		Normal
1/22/2024 9:00	0.0		Normal
1/22/2024 10:00	0.0		Normal
1/22/2024 11:00	0.0		Normal
1/22/2024 12:00	0.0		Normal
1/22/2024 13:00	0.0		Normal
1/22/2024 14:00	0.0		Normal
1/22/2024 15:00	0.0		Normal
1/22/2024 16:00	0.0		Normal
1/22/2024 17:00	0.0		Normal
1/22/2024 18:00	0.0		Normal
1/22/2024 19:00	0.0		Normal
1/22/2024 20:00	0.0		Normal
1/22/2024 21:00	0.0		Normal
1/22/2024 22:00	0.0		Normal
1/22/2024 23:00	0.0		Normal
1/23/2024 0:00	0.0		Normal
1/23/2024 1:00	0.0		Normal
1/23/2024 2:00	0.0		Normal
1/23/2024 3:00	0.0		Normal
1/23/2024 4:00	0.0		Normal
1/23/2024 5:00	0.0		Normal
1/23/2024 6:00	0.0		Normal
1/23/2024 7:00	0.0		Normal
1/23/2024 8:00	0.0		Normal
1/23/2024 9:00	0.0		Normal
1/23/2024 10:00	0.0		Normal
1/23/2024 11:00	0.0		Normal
1/23/2024 12:00	0.0		Normal
1/23/2024 13:00	0.0		Normal
1/23/2024 14:00	0.0		Normal
1/23/2024 15:00	0.0		Normal
1/23/2024 16:00	0.0		Normal
1/23/2024 17:00	0.0		Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
1/23/2024 18:00	0.0		Normal
1/23/2024 19:00	0.0		Normal
1/23/2024 20:00	0.0		Normal
1/23/2024 21:00	0.0		Normal
1/23/2024 22:00	0.0		Normal
1/23/2024 23:00	0.0		Normal
1/24/2024 0:00	0.0		Normal
1/24/2024 1:00	0.0		Normal
1/24/2024 2:00	0.0		Normal
1/24/2024 3:00	0.0		Normal
1/24/2024 4:00	0.0		Normal
1/24/2024 5:00	0.0		Normal
1/24/2024 6:00	0.0		Normal
1/24/2024 7:00	0.0		Normal
1/24/2024 8:00	0.0		Normal
1/24/2024 9:00	0.0		Normal
1/24/2024 10:00	0.0		Normal
1/24/2024 11:00	0.0		Normal
1/24/2024 12:00	0.0		Normal
1/24/2024 13:00	0.0		Normal
1/24/2024 14:00	0.0		Normal
1/24/2024 15:00	0.0		Normal
1/24/2024 16:00	0.0		Normal
1/24/2024 17:00	0.0		Normal
1/24/2024 18:00	0.0		Normal
1/24/2024 19:00	0.0		Normal
1/24/2024 20:00	0.0		Normal
1/24/2024 21:00	0.0		Normal
1/24/2024 22:00	0.0		Normal
1/24/2024 23:00	0.0		Normal
1/25/2024 0:00	0.0		Normal
1/25/2024 1:00	0.0		Normal
1/25/2024 2:00	0.0		Normal
1/25/2024 3:00	0.0		Normal
1/25/2024 4:00	0.0		Normal
1/25/2024 5:00	0.0		Normal
1/25/2024 6:00	0.0		Normal
1/25/2024 7:00	0.0		Normal
1/25/2024 8:00	0.0		Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
1/25/2024 9:00	0.0		Normal
1/25/2024 10:00	0.0		Normal
1/25/2024 11:00	0.0		Normal
1/25/2024 12:00	0.0		Normal
1/25/2024 13:00	0.0		Normal
1/25/2024 14:00	0.0		Normal
1/25/2024 15:00	0.0		Normal
1/25/2024 16:00	0.0		Normal
1/25/2024 17:00	0.0		Normal
1/25/2024 18:00	0.0		Normal
1/25/2024 19:00	0.0		Normal
1/25/2024 20:00	0.0		Normal
1/25/2024 21:00	0.0		Normal
1/25/2024 22:00	0.0		Normal
1/25/2024 23:00	0.0		Normal
1/26/2024 0:00	0.0		Normal
1/26/2024 1:00	0.0		Normal
1/26/2024 2:00	0.0		Normal
1/26/2024 3:00	0.0		Normal
1/26/2024 4:00	0.0		Normal
1/26/2024 5:00	0.0		Normal
1/26/2024 6:00	0.0		Normal
1/26/2024 7:00	0.0		Normal
1/26/2024 8:00	0.0		Normal
1/26/2024 9:00	0.0		Normal
1/26/2024 10:00	0.0		Normal
1/26/2024 11:00	0.0		Normal
1/26/2024 12:00	0.0		Normal
1/26/2024 13:00	0.0		Normal
1/26/2024 14:00	0.0		Normal
1/26/2024 15:00	0.0		Normal
1/26/2024 16:00	0.0		Normal
1/26/2024 17:00	0.0		Normal
1/26/2024 18:00	0.0		Normal
1/26/2024 19:00	0.0		Normal
1/26/2024 20:00	0.0		Normal
1/26/2024 21:00	0.0		Normal
1/26/2024 22:00	0.0		Normal
1/26/2024 23:00	0.0		Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
1/27/2024 0:00	0.0		Normal
1/27/2024 1:00	0.0		Normal
1/27/2024 2:00	0.0		Normal
1/27/2024 3:00	0.0		Normal
1/27/2024 4:00	0.0		Normal
1/27/2024 5:00	0.0		Normal
1/27/2024 6:00	0.0		Normal
1/27/2024 7:00	0.0		Normal
1/27/2024 8:00	0.0		Normal
1/27/2024 9:00	0.0		Normal
1/27/2024 10:00	0.0		Normal
1/27/2024 11:00	0.0		Normal
1/27/2024 12:00	0.0		Normal
1/27/2024 13:00	0.0		Normal
1/27/2024 14:00	0.0		Normal
1/27/2024 15:00	0.0		Normal
1/27/2024 16:00	0.0		Normal
1/27/2024 17:00	0.0		Normal
1/27/2024 18:00	0.0		Normal
1/27/2024 19:00	0.0		Normal
1/27/2024 20:00	0.0		Normal
1/27/2024 21:00	0.0		Normal
1/27/2024 22:00	0.0		Normal
1/27/2024 23:00	0.0		Normal
1/28/2024 0:00	0.0		Normal
1/28/2024 1:00	0.0		Normal
1/28/2024 2:00	0.0		Normal
1/28/2024 3:00	0.0		Normal
1/28/2024 4:00	0.0		Normal
1/28/2024 5:00	0.0		Normal
1/28/2024 6:00	0.0		Normal
1/28/2024 7:00	0.0		Normal
1/28/2024 8:00	0.0		Normal
1/28/2024 9:00	0.0		Normal
1/28/2024 10:00	0.0		Normal
1/28/2024 11:00	0.0		Normal
1/28/2024 12:00	0.0		Normal
1/28/2024 13:00	0.0		Normal
1/28/2024 14:00	0.0		Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
1/28/2024 15:00	0.0		Normal
1/28/2024 16:00	0.0		Normal
1/28/2024 17:00	0.0		Normal
1/28/2024 18:00	0.0		Normal
1/28/2024 19:00	0.0		Normal
1/28/2024 20:00	0.0		Normal
1/28/2024 21:00	0.0		Normal
1/28/2024 22:00	0.0		Normal
1/28/2024 23:00	0.0		Normal
1/29/2024 0:00	0.0		Normal
1/29/2024 1:00	0.0		Normal
1/29/2024 2:00	0.0		Normal
1/29/2024 3:00	0.0		Normal
1/29/2024 4:00	0.0		Normal
1/29/2024 5:00	0.0		Normal
1/29/2024 6:00	0.0		Normal
1/29/2024 7:00	0.0		Normal
1/29/2024 8:00	0.0		Normal
1/29/2024 9:00	0.0		Normal
1/29/2024 10:00	0.0		Normal
1/29/2024 11:00	0.0		Normal
1/29/2024 12:00	0.0		Normal
1/29/2024 13:00	0.0		Normal
1/29/2024 14:00	0.0		Normal
1/29/2024 15:00	0.0		Normal
1/29/2024 16:00	0.0		Normal
1/29/2024 17:00	0.0		Normal
1/29/2024 18:00	0.0		Normal
1/29/2024 19:00	0.0		Normal
1/29/2024 20:00	0.0		Normal
1/29/2024 21:00	0.0		Normal
1/29/2024 22:00	0.0		Normal
1/29/2024 23:00	0.0		Normal
1/30/2024 0:00	0.0		Normal
1/30/2024 1:00	0.0		Normal
1/30/2024 2:00	0.0		Normal
1/30/2024 3:00	0.0		Normal
1/30/2024 4:00	0.0		Normal
1/30/2024 5:00	0.0		Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
1/30/2024 6:00	0.0		Normal
1/30/2024 7:00	0.0		Normal
1/30/2024 8:00	0.0		Normal
1/30/2024 9:00	0.0		Normal
1/30/2024 10:00	0.0		Normal
1/30/2024 11:00	0.0		Normal
1/30/2024 12:00	0.0		Normal
1/30/2024 13:00	0.0		Normal
1/30/2024 14:00	0.0		Normal
1/30/2024 15:00	0.0		Normal
1/30/2024 16:00	0.0		Normal
1/30/2024 17:00	0.0		Normal
1/30/2024 18:00	0.0		Normal
1/30/2024 19:00	0.0		Normal
1/30/2024 20:00	0.0		Normal
1/30/2024 21:00	0.0		Normal
1/30/2024 22:00	0.0		Normal
1/30/2024 23:00	0.0	0.9	Normal
1/31/2024 0:00	0.0	0.9	Normal
1/31/2024 1:00	0.0	0.9	Normal
1/31/2024 2:00	0.0	0.9	Normal
1/31/2024 3:00	0.0	0.9	Normal
1/31/2024 4:00	0.0	0.9	Normal
1/31/2024 5:00	0.0	0.9	Normal
1/31/2024 6:00	0.0	0.9	Normal
1/31/2024 7:00	0.0	0.9	Normal
1/31/2024 8:00	0.0	0.9	Normal
1/31/2024 9:00	0.0	0.9	Normal
1/31/2024 10:00	0.0	0.9	Normal
1/31/2024 11:00	0.0	0.9	Normal
1/31/2024 12:00	0.0	0.9	Normal
1/31/2024 13:00	0.0	0.9	Normal
1/31/2024 14:00	0.0	0.9	Normal
1/31/2024 15:00	0.0	0.9	Normal
1/31/2024 16:00	0.0	0.9	Normal
1/31/2024 17:00	0.0	0.9	Normal
1/31/2024 18:00	0.0	0.9	Normal
1/31/2024 19:00	0.0	0.9	Normal
1/31/2024 20:00	0.0	0.9	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
1/31/2024 21:00	0.0	0.9	Normal
1/31/2024 22:00	0.0	0.9	Normal
1/31/2024 23:00	0.0	0.9	Normal
2/1/2024 0:00	0.0	0.9	Normal
2/1/2024 1:00	0.0	0.9	Normal
2/1/2024 2:00	0.0	0.9	Normal
2/1/2024 3:00	0.0	0.9	Normal
2/1/2024 4:00	0.0	0.9	Normal
2/1/2024 5:00	0.0	0.9	Normal
2/1/2024 6:00	0.0	0.9	Normal
2/1/2024 7:00	0.0	0.9	Normal
2/1/2024 8:00	0.0	0.9	Normal
2/1/2024 9:00	0.0	0.9	Normal
2/1/2024 10:00	0.0	0.9	Normal
2/1/2024 11:00	0.0	0.9	Normal
2/1/2024 12:00	0.0	0.9	Normal
2/1/2024 13:00	0.0	0.9	Normal
2/1/2024 14:00	0.0	0.9	Normal
2/1/2024 15:00	0.0	0.9	Normal
2/1/2024 16:00	0.0	0.9	Normal
2/1/2024 17:00	0.0	0.9	Normal
2/1/2024 18:00	0.0	0.9	Normal
2/1/2024 19:00	0.0	0.9	Normal
2/1/2024 20:00	0.0	0.9	Normal
2/1/2024 21:00	0.0	0.9	Normal
2/1/2024 22:00	0.0	0.9	Normal
2/1/2024 23:00	0.0	0.9	Normal
2/2/2024 0:00	0.0	0.9	Normal
2/2/2024 1:00	0.0	0.9	Normal
2/2/2024 2:00	0.0	0.9	Normal
2/2/2024 3:00	0.0	0.9	Normal
2/2/2024 4:00	0.0	0.9	Normal
2/2/2024 5:00	0.0	0.9	Normal
2/2/2024 6:00	0.0	0.9	Normal
2/2/2024 7:00	0.0	0.9	Normal
2/2/2024 8:00	0.0	0.9	Normal
2/2/2024 9:00	0.0	0.9	Normal
2/2/2024 10:00	0.0	0.9	Normal
2/2/2024 11:00	0.0	0.9	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
2/2/2024 12:00	0.0	0.9	Normal
2/2/2024 13:00	0.0	0.9	Normal
2/2/2024 14:00	0.0	0.9	Normal
2/2/2024 15:00	0.0	0.9	Normal
2/2/2024 16:00	0.0	0.9	Normal
2/2/2024 17:00	0.0	0.9	Normal
2/2/2024 18:00	0.0	0.9	Normal
2/2/2024 19:00	0.0	0.9	Normal
2/2/2024 20:00	0.0	0.9	Normal
2/2/2024 21:00	0.0	0.9	Normal
2/2/2024 22:00	0.0	0.9	Normal
2/2/2024 23:00	0.0	0.9	Normal
2/3/2024 0:00	0.0	0.9	Normal
2/3/2024 1:00	0.0	0.9	Normal
2/3/2024 2:00	0.0	0.9	Normal
2/3/2024 3:00	0.0	0.9	Normal
2/3/2024 4:00	0.0	0.9	Normal
2/3/2024 5:00	0.0	0.9	Normal
2/3/2024 6:00	0.0	0.9	Normal
2/3/2024 7:00	0.0	0.9	Normal
2/3/2024 8:00	0.0	0.9	Normal
2/3/2024 9:00	0.0	0.9	Normal
2/3/2024 10:00	0.0	0.9	Normal
2/3/2024 11:00	0.0	0.9	Normal
2/3/2024 12:00	0.0	0.9	Normal
2/3/2024 13:00	0.0	0.9	Normal
2/3/2024 14:00	0.0	0.9	Normal
2/3/2024 15:00	0.0	0.9	Normal
2/3/2024 16:00	0.0	0.9	Normal
2/3/2024 17:00	0.0	0.9	Normal
2/3/2024 18:00	0.0	0.9	Normal
2/3/2024 19:00	0.0	0.9	Normal
2/3/2024 20:00	0.0	0.9	Normal
2/3/2024 21:00	0.0	0.9	Normal
2/3/2024 22:00	0.0	0.9	Normal
2/3/2024 23:00	0.0	0.9	Normal
2/4/2024 0:00	0.0	0.9	Normal
2/4/2024 1:00	0.0	0.9	Normal
2/4/2024 2:00	0.0	0.9	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
2/4/2024 3:00	0.0	0.9	Normal
2/4/2024 4:00	0.0	0.9	Normal
2/4/2024 5:00	0.0	0.9	Normal
2/4/2024 6:00	0.0	0.9	Normal
2/4/2024 7:00	0.0	0.9	Normal
2/4/2024 8:00	0.0	0.9	Normal
2/4/2024 9:00	0.0	0.9	Normal
2/4/2024 10:00	0.0	0.9	Normal
2/4/2024 11:00	0.0	0.9	Normal
2/4/2024 12:00	0.0	0.9	Normal
2/4/2024 13:00	0.0	0.9	Normal
2/4/2024 14:00	0.0	0.9	Normal
2/4/2024 15:00	0.0	0.9	Normal
2/4/2024 16:00	0.0	0.9	Normal
2/4/2024 17:00	0.0	0.9	Normal
2/4/2024 18:00	0.0	0.9	Normal
2/4/2024 19:00	0.0	0.9	Normal
2/4/2024 20:00	0.0	0.9	Normal
2/4/2024 21:00	0.0	0.9	Normal
2/4/2024 22:00	0.0	0.9	Normal
2/4/2024 23:00	0.0	0.9	Normal
2/5/2024 0:00	0.0	0.9	Normal
2/5/2024 1:00	0.0	0.9	Normal
2/5/2024 2:00	0.0	0.9	Normal
2/5/2024 3:00	0.0	0.9	Normal
2/5/2024 4:00	0.0	0.9	Normal
2/5/2024 5:00	0.0	0.9	Normal
2/5/2024 6:00	0.0	0.9	Normal
2/5/2024 7:00	0.0	0.9	Normal
2/5/2024 8:00	0.0	0.9	Normal
2/5/2024 9:00	0.0	0.9	Normal
2/5/2024 10:00	0.0	0.9	Normal
2/5/2024 11:00	0.0	0.9	Normal
2/5/2024 12:00	0.0	0.9	Normal
2/5/2024 13:00	0.0	0.9	Normal
2/5/2024 14:00	0.0	0.9	Normal
2/5/2024 15:00	0.0	0.9	Normal
2/5/2024 16:00	0.0	0.9	Normal
2/5/2024 17:00	0.0	0.9	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
2/5/2024 18:00	0.0	0.9	Normal
2/5/2024 19:00	0.0	0.9	Normal
2/5/2024 20:00	0.0	0.9	Normal
2/5/2024 21:00	0.0	0.9	Normal
2/5/2024 22:00	0.0	0.9	Normal
2/5/2024 23:00	0.0	0.9	Normal
2/6/2024 0:00	0.0	0.9	Normal
2/6/2024 1:00	0.0	0.9	Normal
2/6/2024 2:00	0.0	0.9	Normal
2/6/2024 3:00	0.0	0.9	Normal
2/6/2024 4:00	0.0	0.9	Normal
2/6/2024 5:00	0.0	0.9	Normal
2/6/2024 6:00	0.0	0.9	Normal
2/6/2024 7:00	0.0	0.9	Normal
2/6/2024 8:00	0.0	0.9	Normal
2/6/2024 9:00	0.0	0.9	Normal
2/6/2024 10:00	0.0	0.9	Normal
2/6/2024 11:00	0.0	0.9	Normal
2/6/2024 12:00	0.0	0.9	Normal
2/6/2024 13:00	0.0	0.9	Normal
2/6/2024 14:00	0.0	0.9	Normal
2/6/2024 15:00	0.0	0.9	Normal
2/6/2024 16:00	0.0	0.9	Normal
2/6/2024 17:00	0.0	0.9	Normal
2/6/2024 18:00	0.0	0.9	Normal
2/6/2024 19:00	0.0	0.9	Normal
2/6/2024 20:00	0.0	0.9	Normal
2/6/2024 21:00	0.0	0.9	Normal
2/6/2024 22:00	0.0	0.9	Normal
2/6/2024 23:00	0.0	0.9	Normal
2/7/2024 0:00	0.0	0.9	Normal
2/7/2024 1:00	0.0	0.9	Normal
2/7/2024 2:00	0.0	0.9	Normal
2/7/2024 3:00	0.0	0.9	Normal
2/7/2024 4:00	0.0	0.9	Normal
2/7/2024 5:00	0.0	0.9	Normal
2/7/2024 6:00	0.0	0.9	Normal
2/7/2024 7:00	0.0	0.9	Normal
2/7/2024 8:00	0.0	0.2	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
2/7/2024 9:00	0.0	0.0	Normal
2/7/2024 10:00	0.0	0.0	Normal
2/7/2024 11:00	0.0	0.0	Normal
2/7/2024 12:00	0.0	0.0	Normal
2/7/2024 13:00	0.0	0.0	Normal
2/7/2024 14:00	0.0	0.0	Normal
2/7/2024 15:00	0.0	0.0	Normal
2/7/2024 16:00	0.0	0.0	Normal
2/7/2024 17:00	0.0	0.0	Normal
2/7/2024 18:00	0.0	0.0	Normal
2/7/2024 19:00	0.0	0.0	Normal
2/7/2024 20:00	0.0	0.0	Normal
2/7/2024 21:00	0.0	0.0	Normal
2/7/2024 22:00	0.0	0.0	Normal
2/7/2024 23:00	0.0	0.0	Normal
2/8/2024 0:00	0.0	0.0	Normal
2/8/2024 1:00	0.0	0.0	Normal
2/8/2024 2:00	0.0	0.0	Normal
2/8/2024 3:00	0.0	0.0	Normal
2/8/2024 4:00	0.0	0.0	Normal
2/8/2024 5:00	0.0	0.0	Normal
2/8/2024 6:00	0.0	0.0	Normal
2/8/2024 7:00	0.0	0.0	Normal
2/8/2024 8:00	0.0	0.0	Normal
2/8/2024 9:00	0.0	0.0	Normal
2/8/2024 10:00	0.0	0.0	Normal
2/8/2024 11:00	0.0	0.0	Normal
2/8/2024 12:00	0.0	0.0	Normal
2/8/2024 13:00	0.0	0.0	Normal
2/8/2024 14:00	0.0	0.0	Normal
2/8/2024 15:00	0.0	0.0	Normal
2/8/2024 16:00	0.0	0.0	Normal
2/8/2024 17:00	0.0	0.0	Normal
2/8/2024 18:00	0.0	0.0	Normal
2/8/2024 19:00	0.0	0.0	Normal
2/8/2024 20:00	0.0	0.0	Normal
2/8/2024 21:00	0.0	0.0	Normal
2/8/2024 22:00	0.0	0.0	Normal
2/8/2024 23:00	0.0	0.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
2/9/2024 0:00	0.0	0.0	Normal
2/9/2024 1:00	0.0	0.0	Normal
2/9/2024 2:00	0.0	0.0	Normal
2/9/2024 3:00	0.0	0.0	Normal
2/9/2024 4:00	0.0	0.0	Normal
2/9/2024 5:00	0.0	0.0	Normal
2/9/2024 6:00	0.0	0.0	Normal
2/9/2024 7:00	0.0	0.0	Normal
2/9/2024 8:00	0.0	0.0	Normal
2/9/2024 9:00	0.0	0.0	Normal
2/9/2024 10:00	0.0	0.0	Normal
2/9/2024 11:00	0.0	0.0	Normal
2/9/2024 12:00	0.0	0.0	Normal
2/9/2024 13:00	0.0	0.0	Normal
2/9/2024 14:00	0.0	0.0	Normal
2/9/2024 15:00	0.0	0.0	Normal
2/9/2024 16:00	0.0	0.0	Normal
2/9/2024 17:00	0.0	0.0	Normal
2/9/2024 18:00	0.0	0.0	Normal
2/9/2024 19:00	0.0	0.0	Normal
2/9/2024 20:00	0.0	0.0	Normal
2/9/2024 21:00	0.0	0.0	Normal
2/9/2024 22:00	0.0	0.0	Normal
2/9/2024 23:00	0.0	0.0	Normal
2/10/2024 0:00	0.0	0.0	Normal
2/10/2024 1:00	0.0	0.0	Normal
2/10/2024 2:00	0.0	0.0	Normal
2/10/2024 3:00	0.0	0.0	Normal
2/10/2024 4:00	0.0	0.0	Normal
2/10/2024 5:00	0.0	0.0	Normal
2/10/2024 6:00	0.0	0.0	Normal
2/10/2024 7:00	0.0	0.0	Normal
2/10/2024 8:00	0.0	0.0	Normal
2/10/2024 9:00	0.0	0.0	Normal
2/10/2024 10:00	0.0	0.0	Normal
2/10/2024 11:00	0.0	0.0	Normal
2/10/2024 12:00	0.0	0.0	Normal
2/10/2024 13:00	0.0	0.0	Normal
2/10/2024 14:00	0.0	0.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
2/10/2024 15:00	0.0	0.0	Normal
2/10/2024 16:00	0.0	0.0	Normal
2/10/2024 17:00	0.0	0.0	Normal
2/10/2024 18:00	0.0	0.0	Normal
2/10/2024 19:00	0.0	0.0	Normal
2/10/2024 20:00	0.0	0.0	Normal
2/10/2024 21:00	0.0	0.0	Normal
2/10/2024 22:00	0.0	0.0	Normal
2/10/2024 23:00	0.0	0.0	Normal
2/11/2024 0:00	0.0	0.0	Normal
2/11/2024 1:00	0.0	0.0	Normal
2/11/2024 2:00	0.0	0.0	Normal
2/11/2024 3:00	0.0	0.0	Normal
2/11/2024 4:00	0.0	0.0	Normal
2/11/2024 5:00	0.0	0.0	Normal
2/11/2024 6:00	0.0	0.0	Normal
2/11/2024 7:00	0.0	0.0	Normal
2/11/2024 8:00	0.0	0.0	Normal
2/11/2024 9:00	0.0	0.0	Normal
2/11/2024 10:00	0.0	0.0	Normal
2/11/2024 11:00	0.0	0.0	Normal
2/11/2024 12:00	0.0	0.0	Normal
2/11/2024 13:00	0.0	0.0	Normal
2/11/2024 14:00	0.0	0.0	Normal
2/11/2024 15:00	0.0	0.0	Normal
2/11/2024 16:00	0.0	0.0	Normal
2/11/2024 17:00	0.0	0.0	Normal
2/11/2024 18:00	0.0	0.0	Normal
2/11/2024 19:00	0.0	0.0	Normal
2/11/2024 20:00	0.0	0.0	Normal
2/11/2024 21:00	0.0	0.0	Normal
2/11/2024 22:00	0.0	0.0	Normal
2/11/2024 23:00	0.0	0.0	Normal
2/12/2024 0:00	0.0	0.0	Normal
2/12/2024 1:00	0.0	0.0	Normal
2/12/2024 2:00	0.0	0.0	Normal
2/12/2024 3:00	0.0	0.0	Normal
2/12/2024 4:00	0.0	0.0	Normal
2/12/2024 5:00	0.0	0.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
2/12/2024 6:00	0.0	0.0	Normal
2/12/2024 7:00	0.0	0.0	Normal
2/12/2024 8:00	0.0	0.0	Normal
2/12/2024 9:00	0.0	0.0	Normal
2/12/2024 10:00	0.0	0.0	Normal
2/12/2024 11:00	0.0	0.0	Normal
2/12/2024 12:00	0.0	0.0	Normal
2/12/2024 13:00	0.0	0.0	Normal
2/12/2024 14:00	0.0	0.0	Normal
2/12/2024 15:00	0.0	0.0	Normal
2/12/2024 16:00	0.0	0.0	Normal
2/12/2024 17:00	0.0	0.0	Normal
2/12/2024 18:00	0.0	0.0	Normal
2/12/2024 19:00	0.0	0.0	Normal
2/12/2024 20:00	0.0	0.0	Normal
2/12/2024 21:00	0.0	0.0	Normal
2/12/2024 22:00	0.0	0.0	Normal
2/12/2024 23:00	0.0	0.0	Normal
2/13/2024 0:00	0.0	0.0	Normal
2/13/2024 1:00	0.0	0.0	Normal
2/13/2024 2:00	0.0	0.0	Normal
2/13/2024 3:00	0.0	0.0	Normal
2/13/2024 4:00	0.0	0.0	Normal
2/13/2024 5:00	0.0	0.0	Normal
2/13/2024 6:00	0.0	0.0	Normal
2/13/2024 7:00	0.0	0.0	Normal
2/13/2024 8:00	0.0	0.0	Normal
2/13/2024 9:00	0.0	0.0	Normal
2/13/2024 10:00	0.0	0.0	Normal
2/13/2024 11:00	0.0	0.0	Normal
2/13/2024 12:00	0.0	0.0	Normal
2/13/2024 13:00	0.0	0.0	Normal
2/13/2024 14:00	0.0	0.0	Normal
2/13/2024 15:00	0.0	0.0	Normal
2/13/2024 16:00	0.0	0.0	Normal
2/13/2024 17:00	0.0	0.0	Normal
2/13/2024 18:00	0.0	0.0	Normal
2/13/2024 19:00	0.0	0.0	Normal
2/13/2024 20:00	0.0	0.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
2/13/2024 21:00	0.0	0.0	Normal
2/13/2024 22:00	0.0	0.0	Normal
2/13/2024 23:00	0.0	0.0	Normal
2/14/2024 0:00	0.0	0.0	Normal
2/14/2024 1:00	0.0	0.0	Normal
2/14/2024 2:00	0.0	0.0	Normal
2/14/2024 3:00	0.0	0.0	Normal
2/14/2024 4:00	0.0	0.0	Normal
2/14/2024 5:00	0.0	0.0	Normal
2/14/2024 6:00	0.0	0.0	Normal
2/14/2024 7:00	0.0	0.0	Normal
2/14/2024 8:00	0.0	0.0	Normal
2/14/2024 9:00	0.0	0.0	Normal
2/14/2024 10:00	0.0	0.0	Normal
2/14/2024 11:00	0.0	0.0	Normal
2/14/2024 12:00	0.0	0.0	Normal
2/14/2024 13:00	0.0	0.0	Normal
2/14/2024 14:00	0.0	0.0	Normal
2/14/2024 15:00	0.0	0.0	Normal
2/14/2024 16:00	0.0	0.0	Normal
2/14/2024 17:00	0.0	0.0	Normal
2/14/2024 18:00	0.0	0.0	Normal
2/14/2024 19:00	0.0	0.0	Normal
2/14/2024 20:00	0.0	0.0	Normal
2/14/2024 21:00	0.0	0.0	Normal
2/14/2024 22:00	0.0	0.0	Normal
2/14/2024 23:00	0.0	0.0	Normal
2/15/2024 0:00	0.0	0.0	Normal
2/15/2024 1:00	0.0	0.0	Normal
2/15/2024 2:00	0.0	0.0	Normal
2/15/2024 3:00	0.0	0.0	Normal
2/15/2024 4:00	0.0	0.0	Normal
2/15/2024 5:00	0.0	0.0	Normal
2/15/2024 6:00	0.0	0.0	Normal
2/15/2024 7:00	0.0	0.0	Normal
2/15/2024 8:00	0.0	0.0	Normal
2/15/2024 9:00	0.0	0.0	Normal
2/15/2024 10:00	0.0	0.0	Normal
2/15/2024 11:00	0.0	0.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
2/15/2024 12:00	0.0	0.0	Normal
2/15/2024 13:00	0.0	0.0	Normal
2/15/2024 14:00	0.0	0.0	Normal
2/15/2024 15:00	0.0	0.0	Normal
2/15/2024 16:00	0.0	0.0	Normal
2/15/2024 17:00	0.0	0.0	Normal
2/15/2024 18:00	0.0	0.0	Normal
2/15/2024 19:00	0.0	0.0	Normal
2/15/2024 20:00	0.0	0.0	Normal
2/15/2024 21:00	0.0	0.0	Normal
2/15/2024 22:00	0.0	0.0	Normal
2/15/2024 23:00	0.0	0.0	Normal
2/16/2024 0:00	0.0	0.0	Normal
2/16/2024 1:00	0.0	0.0	Normal
2/16/2024 2:00	0.0	0.0	Normal
2/16/2024 3:00	0.0	0.0	Normal
2/16/2024 4:00	0.0	0.0	Normal
2/16/2024 5:00	0.0	0.0	Normal
2/16/2024 6:00	0.0	0.0	Normal
2/16/2024 7:00	0.0	0.0	Normal
2/16/2024 8:00	0.0	0.0	Normal
2/16/2024 9:00	0.0	0.0	Normal
2/16/2024 10:00	0.0	0.0	Normal
2/16/2024 11:00	0.0	0.0	Normal
2/16/2024 12:00	0.0	0.0	Normal
2/16/2024 13:00	0.0	0.0	Normal
2/16/2024 14:00	0.0	0.0	Normal
2/16/2024 15:00	0.0	0.0	Normal
2/16/2024 16:00	0.0	0.0	Normal
2/16/2024 17:00	0.0	0.0	Normal
2/16/2024 18:00	0.0	0.0	Normal
2/16/2024 19:00	0.0	0.0	Normal
2/16/2024 20:00	0.0	0.0	Normal
2/16/2024 21:00	0.0	0.0	Normal
2/16/2024 22:00	0.0	0.0	Normal
2/16/2024 23:00	0.0	0.0	Normal
2/17/2024 0:00	0.0	0.0	Normal
2/17/2024 1:00	0.0	0.0	Normal
2/17/2024 2:00	0.0	0.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
2/17/2024 3:00	0.0	0.0	Normal
2/17/2024 4:00	0.0	0.0	Normal
2/17/2024 5:00	0.0	0.0	Normal
2/17/2024 6:00	0.0	0.0	Normal
2/17/2024 7:00	0.0	0.0	Normal
2/17/2024 8:00	0.0	0.0	Normal
2/17/2024 9:00	0.0	0.0	Normal
2/17/2024 10:00	0.0	0.0	Normal
2/17/2024 11:00	0.0	0.0	Normal
2/17/2024 12:00	0.0	0.0	Normal
2/17/2024 13:00	0.0	0.0	Normal
2/17/2024 14:00	0.0	0.0	Normal
2/17/2024 15:00	0.0	0.0	Normal
2/17/2024 16:00	0.0	0.0	Normal
2/17/2024 17:00	0.0	0.0	Normal
2/17/2024 18:00	0.0	0.0	Normal
2/17/2024 19:00	0.0	0.0	Normal
2/17/2024 20:00	0.0	0.0	Normal
2/17/2024 21:00	0.0	0.0	Normal
2/17/2024 22:00	0.0	0.0	Normal
2/17/2024 23:00	0.0	0.0	Normal
2/18/2024 0:00	0.0	0.0	Normal
2/18/2024 1:00	0.0	0.0	Normal
2/18/2024 2:00	0.0	0.0	Normal
2/18/2024 3:00	0.0	0.0	Normal
2/18/2024 4:00	0.0	0.0	Normal
2/18/2024 5:00	0.0	0.0	Normal
2/18/2024 6:00	0.0	0.0	Normal
2/18/2024 7:00	0.0	0.0	Normal
2/18/2024 8:00	0.0	0.0	Normal
2/18/2024 9:00	0.0	0.0	Normal
2/18/2024 10:00	0.0	0.0	Normal
2/18/2024 11:00	0.0	0.0	Normal
2/18/2024 12:00	0.0	0.0	Normal
2/18/2024 13:00	0.0	0.0	Normal
2/18/2024 14:00	0.0	0.0	Normal
2/18/2024 15:00	0.0	0.0	Normal
2/18/2024 16:00	0.0	0.0	Normal
2/18/2024 17:00	0.0	0.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
2/18/2024 18:00	0.0	0.0	Normal
2/18/2024 19:00	0.0	0.0	Normal
2/18/2024 20:00	0.0	0.0	Normal
2/18/2024 21:00	0.0	0.0	Normal
2/18/2024 22:00	0.0	0.0	Normal
2/18/2024 23:00	0.0	0.0	Normal
2/19/2024 0:00	0.0	0.0	Normal
2/19/2024 1:00	0.0	0.0	Normal
2/19/2024 2:00	0.0	0.0	Normal
2/19/2024 3:00	0.0	0.0	Normal
2/19/2024 4:00	0.0	0.0	Normal
2/19/2024 5:00	0.0	0.0	Normal
2/19/2024 6:00	0.0	0.0	Normal
2/19/2024 7:00	0.0	0.0	Normal
2/19/2024 8:00	0.0	0.0	Normal
2/19/2024 9:00	0.0	0.0	Normal
2/19/2024 10:00	0.0	0.0	Normal
2/19/2024 11:00	0.0	0.0	Normal
2/19/2024 12:00	0.0	0.0	Normal
2/19/2024 13:00	0.0	0.0	Normal
2/19/2024 14:00	0.0	0.0	Normal
2/19/2024 15:00	0.0	0.0	Normal
2/19/2024 16:00	0.0	0.0	Normal
2/19/2024 17:00	0.0	0.0	Normal
2/19/2024 18:00	0.0	0.0	Normal
2/19/2024 19:00	0.0	0.0	Normal
2/19/2024 20:00	0.0	0.0	Normal
2/19/2024 21:00	0.0	0.0	Normal
2/19/2024 22:00	0.0	0.0	Normal
2/19/2024 23:00	0.0	0.0	Normal
2/20/2024 0:00	0.0	0.0	Normal
2/20/2024 1:00	0.0	0.0	Normal
2/20/2024 2:00	0.0	0.0	Normal
2/20/2024 3:00	0.0	0.0	Normal
2/20/2024 4:00	0.0	0.0	Normal
2/20/2024 5:00	0.0	0.0	Normal
2/20/2024 6:00	0.0	0.0	Normal
2/20/2024 7:00	0.0	0.0	Normal
2/20/2024 8:00	0.0	0.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
2/20/2024 9:00	0.0	0.0	Normal
2/20/2024 10:00	0.0	0.0	Normal
2/20/2024 11:00	0.0	0.0	Normal
2/20/2024 12:00	0.0	0.0	Normal
2/20/2024 13:00	0.0	0.0	Normal
2/20/2024 14:00	0.0	0.0	Normal
2/20/2024 15:00	0.0	0.0	Normal
2/20/2024 16:00	0.0	0.0	Normal
2/20/2024 17:00	0.0	0.0	Normal
2/20/2024 18:00	0.0	0.0	Normal
2/20/2024 19:00	0.0	0.0	Normal
2/20/2024 20:00	0.0	0.0	Normal
2/20/2024 21:00	0.0	0.0	Normal
2/20/2024 22:00	0.0	0.0	Normal
2/20/2024 23:00	0.0	0.0	Normal
2/21/2024 0:00	0.0	0.0	Normal
2/21/2024 1:00	0.0	0.0	Normal
2/21/2024 2:00	0.0	0.0	Normal
2/21/2024 3:00	0.0	0.0	Normal
2/21/2024 4:00	0.0	0.0	Normal
2/21/2024 5:00	0.0	0.0	Normal
2/21/2024 6:00	0.0	0.0	Normal
2/21/2024 7:00	0.0	0.0	Normal
2/21/2024 8:00	0.0	0.0	Normal
2/21/2024 9:00	0.0	0.0	Normal
2/21/2024 10:00	0.0	0.0	Normal
2/21/2024 11:00	0.0	0.0	Normal
2/21/2024 12:00	0.0	0.0	Normal
2/21/2024 13:00	0.0	0.0	Normal
2/21/2024 14:00	0.0	0.0	Normal
2/21/2024 15:00	0.0	0.0	Normal
2/21/2024 16:00	0.0	0.0	Normal
2/21/2024 17:00	0.0	0.0	Normal
2/21/2024 18:00	0.0	0.0	Normal
2/21/2024 19:00	0.0	0.0	Normal
2/21/2024 20:00	0.0	0.0	Normal
2/21/2024 21:00	0.0	0.0	Normal
2/21/2024 22:00	0.0	0.0	Normal
2/21/2024 23:00	0.0	0.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
2/22/2024 0:00	0.0	0.0	Normal
2/22/2024 1:00	0.0	0.0	Normal
2/22/2024 2:00	0.0	0.0	Normal
2/22/2024 3:00	0.0	0.0	Normal
2/22/2024 4:00	0.0	0.0	Normal
2/22/2024 5:00	0.0	0.0	Normal
2/22/2024 6:00	0.0	0.0	Normal
2/22/2024 7:00	0.0	0.0	Normal
2/22/2024 8:00	0.0	0.0	Normal
2/22/2024 9:00	0.0	0.0	Normal
2/22/2024 10:00	0.0	0.0	Normal
2/22/2024 11:00	0.0	0.0	Normal
2/22/2024 12:00	0.0	0.0	Normal
2/22/2024 13:00	0.0	0.0	Normal
2/22/2024 14:00	0.0	0.0	Normal
2/22/2024 15:00	0.0	0.0	Normal
2/22/2024 16:00	0.0	0.0	Normal
2/22/2024 17:00	0.0	0.0	Normal
2/22/2024 18:00	0.0	0.0	Normal
2/22/2024 19:00	0.0	0.0	Normal
2/22/2024 20:00	0.0	0.0	Normal
2/22/2024 21:00	0.0	0.0	Normal
2/22/2024 22:00	0.0	0.0	Normal
2/22/2024 23:00	0.0	0.0	Normal
2/23/2024 0:00	0.0	0.0	Normal
2/23/2024 1:00	0.0	0.0	Normal
2/23/2024 2:00	0.0	0.0	Normal
2/23/2024 3:00	0.0	0.0	Normal
2/23/2024 4:00	0.0	0.0	Normal
2/23/2024 5:00	0.0	0.0	Normal
2/23/2024 6:00	0.0	0.0	Normal
2/23/2024 7:00	0.0	0.0	Normal
2/23/2024 8:00	0.0	0.0	Normal
2/23/2024 9:00	0.0	0.0	Normal
2/23/2024 10:00	0.0	0.0	Normal
2/23/2024 11:00	0.0	0.0	Normal
2/23/2024 12:00	0.0	0.0	Normal
2/23/2024 13:00	0.0	0.0	Normal
2/23/2024 14:00	0.0	0.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
2/23/2024 15:00	0.0	0.0	Normal
2/23/2024 16:00	0.0	0.0	Normal
2/23/2024 17:00	0.0	0.0	Normal
2/23/2024 18:00	0.0	0.0	Normal
2/23/2024 19:00	0.0	0.0	Normal
2/23/2024 20:00	0.0	0.0	Normal
2/23/2024 21:00	0.0	0.0	Normal
2/23/2024 22:00	0.0	0.0	Normal
2/23/2024 23:00	0.0	0.0	Normal
2/24/2024 0:00	0.0	0.0	Normal
2/24/2024 1:00	0.0	0.0	Normal
2/24/2024 2:00	0.0	0.0	Normal
2/24/2024 3:00	0.0	0.0	Normal
2/24/2024 4:00	0.0	0.0	Normal
2/24/2024 5:00	0.0	0.0	Normal
2/24/2024 6:00	0.0	0.0	Normal
2/24/2024 7:00	0.0	0.0	Normal
2/24/2024 8:00	0.0	0.0	Normal
2/24/2024 9:00	0.0	0.0	Normal
2/24/2024 10:00	0.0	0.0	Normal
2/24/2024 11:00	0.0	0.0	Normal
2/24/2024 12:00	0.0	0.0	Normal
2/24/2024 13:00	0.0	0.0	Normal
2/24/2024 14:00	0.0	0.0	Normal
2/24/2024 15:00	0.0	0.0	Normal
2/24/2024 16:00	0.0	0.0	Normal
2/24/2024 17:00	0.0	0.0	Normal
2/24/2024 18:00	0.0	0.0	Normal
2/24/2024 19:00	0.0	0.0	Normal
2/24/2024 20:00	0.0	0.0	Normal
2/24/2024 21:00	0.0	0.0	Normal
2/24/2024 22:00	0.0	0.0	Normal
2/24/2024 23:00	0.0	0.0	Normal
2/25/2024 0:00	0.0	0.0	Normal
2/25/2024 1:00	0.0	0.0	Normal
2/25/2024 2:00	0.0	0.0	Normal
2/25/2024 3:00	0.0	0.0	Normal
2/25/2024 4:00	0.0	0.0	Normal
2/25/2024 5:00	0.0	0.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
2/25/2024 6:00	0.0	0.0	Normal
2/25/2024 7:00	0.0	0.0	Normal
2/25/2024 8:00	0.0	0.0	Normal
2/25/2024 9:00	0.0	0.0	Normal
2/25/2024 10:00	0.0	0.0	Normal
2/25/2024 11:00	0.0	0.0	Normal
2/25/2024 12:00	0.0	0.0	Normal
2/25/2024 13:00	0.0	0.0	Normal
2/25/2024 14:00	0.0	0.0	Normal
2/25/2024 15:00	0.0	0.0	Normal
2/25/2024 16:00	0.0	0.0	Normal
2/25/2024 17:00	0.0	0.0	Normal
2/25/2024 18:00	0.0	0.0	Normal
2/25/2024 19:00	0.0	0.0	Normal
2/25/2024 20:00	0.0	0.0	Normal
2/25/2024 21:00	0.0	0.0	Normal
2/25/2024 22:00	0.0	0.0	Normal
2/25/2024 23:00	0.0	0.0	Normal
2/26/2024 0:00	0.0	0.0	Normal
2/26/2024 1:00	0.0	0.0	Normal
2/26/2024 2:00	0.0	0.0	Normal
2/26/2024 3:00	0.0	0.0	Normal
2/26/2024 4:00	0.0	0.0	Normal
2/26/2024 5:00	0.0	0.0	Normal
2/26/2024 6:00	0.0	0.0	Normal
2/26/2024 7:00	0.0	0.0	Normal
2/26/2024 8:00	0.0	0.0	Normal
2/26/2024 9:00	0.0	0.0	Normal
2/26/2024 10:00	0.0	0.0	Normal
2/26/2024 11:00	0.0	0.0	Normal
2/26/2024 12:00	0.0	0.0	Normal
2/26/2024 13:00	0.0	0.0	Normal
2/26/2024 14:00	0.0	0.0	Normal
2/26/2024 15:00	0.0	0.0	Normal
2/26/2024 16:00	0.0	0.0	Normal
2/26/2024 17:00	0.0	0.0	Normal
2/26/2024 18:00	0.0	0.0	Normal
2/26/2024 19:00	0.0	0.0	Normal
2/26/2024 20:00	0.0	0.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
2/26/2024 21:00	0.0	0.0	Normal
2/26/2024 22:00	0.0	0.0	Normal
2/26/2024 23:00	0.0	0.0	Normal
2/27/2024 0:00	0.0	0.0	Normal
2/27/2024 1:00	0.0	0.0	Normal
2/27/2024 2:00	0.0	0.0	Normal
2/27/2024 3:00	0.0	0.0	Normal
2/27/2024 4:00	0.0	0.0	Normal
2/27/2024 5:00	0.0	0.0	Normal
2/27/2024 6:00	0.0	0.0	Normal
2/27/2024 7:00	0.0	0.0	Normal
2/27/2024 8:00	0.0	0.0	Normal
2/27/2024 9:00	0.0	0.0	Normal
2/27/2024 10:00	0.0	0.0	Normal
2/27/2024 11:00	0.0	0.0	Normal
2/27/2024 12:00	0.0	0.0	Normal
2/27/2024 13:00	0.0	0.0	Normal
2/27/2024 14:00	0.0	0.0	Normal
2/27/2024 15:00	0.0	0.0	Normal
2/27/2024 16:00	0.0	0.0	Normal
2/27/2024 17:00	0.0	0.0	Normal
2/27/2024 18:00	0.0	0.0	Normal
2/27/2024 19:00	0.0	0.0	Normal
2/27/2024 20:00	0.0	0.0	Normal
2/27/2024 21:00	0.0	0.0	Normal
2/27/2024 22:00	0.0	0.0	Normal
2/27/2024 23:00	0.0	0.0	Normal
2/28/2024 0:00	0.0	0.0	Normal
2/28/2024 1:00	0.0	0.0	Normal
2/28/2024 2:00	0.0	0.0	Normal
2/28/2024 3:00	0.0	0.0	Normal
2/28/2024 4:00	0.0	0.0	Normal
2/28/2024 5:00	0.0	0.0	Normal
2/28/2024 6:00	0.0	0.0	Normal
2/28/2024 7:00	0.0	0.0	Normal
2/28/2024 8:00	0.0	0.0	Normal
2/28/2024 9:00	0.0	0.0	Normal
2/28/2024 10:00	0.0	0.0	Normal
2/28/2024 11:00	0.0	0.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
2/28/2024 12:00	0.0	0.0	Normal
2/28/2024 13:00	0.0	0.0	Normal
2/28/2024 14:00	0.0	0.0	Normal
2/28/2024 15:00	0.0	0.0	Normal
2/28/2024 16:00	0.0	0.0	Normal
2/28/2024 17:00	0.0	0.0	Normal
2/28/2024 18:00	0.0	0.0	Normal
2/28/2024 19:00	0.0	0.0	Normal
2/28/2024 20:00	0.0	0.0	Normal
2/28/2024 21:00	0.0	0.0	Normal
2/28/2024 22:00	0.0	0.0	Normal
2/28/2024 23:00	0.0	0.0	Normal
2/29/2024 0:00	0.0	0.0	Normal
2/29/2024 1:00	0.0	0.0	Normal
2/29/2024 2:00	0.0	0.0	Normal
2/29/2024 3:00	0.0	0.0	Normal
2/29/2024 4:00	0.0	0.0	Normal
2/29/2024 5:00	0.0	0.0	Normal
2/29/2024 6:00	0.0	0.0	Normal
2/29/2024 7:00	0.0	0.0	Normal
2/29/2024 8:00	0.0	0.0	Normal
2/29/2024 9:00	0.0	0.0	Normal
2/29/2024 10:00	191.1	0.3	Startup
2/29/2024 11:00	149.9	0.5	Startup
2/29/2024 12:00	0.0	0.5	Normal
2/29/2024 13:00	0.0	0.5	Normal
2/29/2024 14:00	0.0	0.5	Normal
2/29/2024 15:00	0.0	0.5	Normal
2/29/2024 16:00	0.0	0.5	Normal
2/29/2024 17:00	0.0	0.5	Normal
2/29/2024 18:00	0.0	0.5	Normal
2/29/2024 19:00	0.0	0.5	Normal
2/29/2024 20:00	0.0	0.5	Normal
2/29/2024 21:00	0.0	0.5	Normal
2/29/2024 22:00	0.0	0.5	Normal
2/29/2024 23:00	0.0	0.5	Normal
3/1/2024 0:00	0.0	0.5	Normal
3/1/2024 1:00	0.0	0.5	Normal
3/1/2024 2:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
3/1/2024 3:00	0.0	0.5	Normal
3/1/2024 4:00	0.0	0.5	Normal
3/1/2024 5:00	0.0	0.5	Normal
3/1/2024 6:00	0.0	0.5	Normal
3/1/2024 7:00	0.0	0.5	Normal
3/1/2024 8:00	0.0	0.5	Normal
3/1/2024 9:00	0.0	0.5	Normal
3/1/2024 10:00	0.0	0.5	Normal
3/1/2024 11:00	0.0	0.5	Normal
3/1/2024 12:00	0.0	0.5	Normal
3/1/2024 13:00	0.0	0.5	Normal
3/1/2024 14:00	0.0	0.5	Normal
3/1/2024 15:00	0.0	0.5	Normal
3/1/2024 16:00	0.0	0.5	Normal
3/1/2024 17:00	0.0	0.5	Normal
3/1/2024 18:00	0.0	0.5	Normal
3/1/2024 19:00	0.0	0.5	Normal
3/1/2024 20:00	0.0	0.5	Normal
3/1/2024 21:00	0.0	0.5	Normal
3/1/2024 22:00	0.0	0.5	Normal
3/1/2024 23:00	0.0	0.5	Normal
3/2/2024 0:00	0.0	0.5	Normal
3/2/2024 1:00	0.0	0.5	Normal
3/2/2024 2:00	0.0	0.5	Normal
3/2/2024 3:00	0.0	0.5	Normal
3/2/2024 4:00	0.0	0.5	Normal
3/2/2024 5:00	0.0	0.5	Normal
3/2/2024 6:00	0.0	0.5	Normal
3/2/2024 7:00	0.0	0.5	Normal
3/2/2024 8:00	0.0	0.5	Normal
3/2/2024 9:00	0.0	0.5	Normal
3/2/2024 10:00	0.0	0.5	Normal
3/2/2024 11:00	0.0	0.5	Normal
3/2/2024 12:00	0.0	0.5	Normal
3/2/2024 13:00	0.0	0.5	Normal
3/2/2024 14:00	0.0	0.5	Normal
3/2/2024 15:00	0.0	0.5	Normal
3/2/2024 16:00	0.0	0.5	Normal
3/2/2024 17:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
3/2/2024 18:00	0.0	0.5	Normal
3/2/2024 19:00	0.0	0.5	Normal
3/2/2024 20:00	0.0	0.5	Normal
3/2/2024 21:00	0.0	0.5	Normal
3/2/2024 22:00	0.0	0.5	Normal
3/2/2024 23:00	0.0	0.5	Normal
3/3/2024 0:00	0.0	0.5	Normal
3/3/2024 1:00	0.0	0.5	Normal
3/3/2024 2:00	0.0	0.5	Normal
3/3/2024 3:00	0.0	0.5	Normal
3/3/2024 4:00	0.0	0.5	Normal
3/3/2024 5:00	0.0	0.5	Normal
3/3/2024 6:00	0.0	0.5	Normal
3/3/2024 7:00	0.0	0.5	Normal
3/3/2024 8:00	0.0	0.5	Normal
3/3/2024 9:00	0.0	0.5	Normal
3/3/2024 10:00	0.0	0.5	Normal
3/3/2024 11:00	0.0	0.5	Normal
3/3/2024 12:00	0.0	0.5	Normal
3/3/2024 13:00	0.0	0.5	Normal
3/3/2024 14:00	0.0	0.5	Normal
3/3/2024 15:00	0.0	0.5	Normal
3/3/2024 16:00	0.0	0.5	Normal
3/3/2024 17:00	0.0	0.5	Normal
3/3/2024 18:00	0.0	0.5	Normal
3/3/2024 19:00	0.0	0.5	Normal
3/3/2024 20:00	0.0	0.5	Normal
3/3/2024 21:00	0.0	0.5	Normal
3/3/2024 22:00	0.0	0.5	Normal
3/3/2024 23:00	0.0	0.5	Normal
3/4/2024 0:00	0.0	0.5	Normal
3/4/2024 1:00	0.0	0.5	Normal
3/4/2024 2:00	0.0	0.5	Normal
3/4/2024 3:00	0.0	0.5	Normal
3/4/2024 4:00	0.0	0.5	Normal
3/4/2024 5:00	0.0	0.5	Normal
3/4/2024 6:00	0.0	0.5	Normal
3/4/2024 7:00	0.0	0.5	Normal
3/4/2024 8:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
3/4/2024 9:00	0.0	0.5	Normal
3/4/2024 10:00	0.0	0.5	Normal
3/4/2024 11:00	0.0	0.5	Normal
3/4/2024 12:00	0.0	0.5	Normal
3/4/2024 13:00	0.0	0.5	Normal
3/4/2024 14:00	0.0	0.5	Normal
3/4/2024 15:00	0.0	0.5	Normal
3/4/2024 16:00	0.0	0.5	Normal
3/4/2024 17:00	0.0	0.5	Normal
3/4/2024 18:00	0.0	0.5	Normal
3/4/2024 19:00	0.0	0.5	Normal
3/4/2024 20:00	0.0	0.5	Normal
3/4/2024 21:00	0.0	0.5	Normal
3/4/2024 22:00	0.0	0.5	Normal
3/4/2024 23:00	0.0	0.5	Normal
3/5/2024 0:00	0.0	0.5	Normal
3/5/2024 1:00	0.0	0.5	Normal
3/5/2024 2:00	0.0	0.5	Normal
3/5/2024 3:00	0.0	0.5	Normal
3/5/2024 4:00	0.0	0.5	Normal
3/5/2024 5:00	0.0	0.5	Normal
3/5/2024 6:00	0.0	0.5	Normal
3/5/2024 7:00	0.0	0.5	Normal
3/5/2024 8:00	0.0	0.5	Normal
3/5/2024 9:00	0.0	0.5	Normal
3/5/2024 10:00	0.0	0.5	Normal
3/5/2024 11:00	0.0	0.5	Normal
3/5/2024 12:00	0.0	0.5	Normal
3/5/2024 13:00	0.0	0.5	Normal
3/5/2024 14:00	0.0	0.5	Normal
3/5/2024 15:00	0.0	0.5	Normal
3/5/2024 16:00	0.0	0.5	Normal
3/5/2024 17:00	0.0	0.5	Normal
3/5/2024 18:00	0.0	0.5	Normal
3/5/2024 19:00	0.0	0.5	Normal
3/5/2024 20:00	0.0	0.5	Normal
3/5/2024 21:00	0.0	0.5	Normal
3/5/2024 22:00	0.0	0.5	Normal
3/5/2024 23:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
3/6/2024 0:00	0.0	0.5	Normal
3/6/2024 1:00	0.0	0.5	Normal
3/6/2024 2:00	0.0	0.5	Normal
3/6/2024 3:00	0.0	0.5	Normal
3/6/2024 4:00	0.0	0.5	Normal
3/6/2024 5:00	0.0	0.5	Normal
3/6/2024 6:00	0.0	0.5	Normal
3/6/2024 7:00	0.0	0.5	Normal
3/6/2024 8:00	0.0	0.5	Normal
3/6/2024 9:00	0.0	0.5	Normal
3/6/2024 10:00	0.0	0.5	Normal
3/6/2024 11:00	0.0	0.5	Normal
3/6/2024 12:00	0.0	0.5	Normal
3/6/2024 13:00	0.0	0.5	Normal
3/6/2024 14:00	0.0	0.5	Normal
3/6/2024 15:00	0.0	0.5	Normal
3/6/2024 16:00	0.0	0.5	Normal
3/6/2024 17:00	0.0	0.5	Normal
3/6/2024 18:00	0.0	0.5	Normal
3/6/2024 19:00	0.0	0.5	Normal
3/6/2024 20:00	0.0	0.5	Normal
3/6/2024 21:00	0.0	0.5	Normal
3/6/2024 22:00	0.0	0.5	Normal
3/6/2024 23:00	0.0	0.5	Normal
3/7/2024 0:00	0.0	0.5	Normal
3/7/2024 1:00	0.0	0.5	Normal
3/7/2024 2:00	0.0	0.5	Normal
3/7/2024 3:00	0.0	0.5	Normal
3/7/2024 4:00	0.0	0.5	Normal
3/7/2024 5:00	0.0	0.5	Normal
3/7/2024 6:00	0.0	0.5	Normal
3/7/2024 7:00	0.0	0.5	Normal
3/7/2024 8:00	0.0	0.5	Normal
3/7/2024 9:00	0.0	0.5	Normal
3/7/2024 10:00	0.0	0.5	Normal
3/7/2024 11:00	0.0	0.5	Normal
3/7/2024 12:00	0.0	0.5	Normal
3/7/2024 13:00	0.0	0.5	Normal
3/7/2024 14:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
3/7/2024 15:00	0.0	0.5	Normal
3/7/2024 16:00	0.0	0.5	Normal
3/7/2024 17:00	0.0	0.5	Normal
3/7/2024 18:00	0.0	0.5	Normal
3/7/2024 19:00	0.0	0.5	Normal
3/7/2024 20:00	0.0	0.5	Normal
3/7/2024 21:00	0.0	0.5	Normal
3/7/2024 22:00	0.0	0.5	Normal
3/7/2024 23:00	0.0	0.5	Normal
3/8/2024 0:00	0.0	0.5	Normal
3/8/2024 1:00	0.0	0.5	Normal
3/8/2024 2:00	0.0	0.5	Normal
3/8/2024 3:00	0.0	0.5	Normal
3/8/2024 4:00	0.0	0.5	Normal
3/8/2024 5:00	0.0	0.5	Normal
3/8/2024 6:00	0.0	0.5	Normal
3/8/2024 7:00	0.0	0.5	Normal
3/8/2024 8:00	0.0	0.5	Normal
3/8/2024 9:00	0.0	0.5	Normal
3/8/2024 10:00	0.0	0.5	Normal
3/8/2024 11:00	0.0	0.5	Normal
3/8/2024 12:00	0.0	0.5	Normal
3/8/2024 13:00	0.0	0.5	Normal
3/8/2024 14:00	0.0	0.5	Normal
3/8/2024 15:00	0.0	0.5	Normal
3/8/2024 16:00	0.0	0.5	Normal
3/8/2024 17:00	0.0	0.5	Normal
3/8/2024 18:00	0.0	0.5	Normal
3/8/2024 19:00	0.0	0.5	Normal
3/8/2024 20:00	0.0	0.5	Normal
3/8/2024 21:00	0.0	0.5	Normal
3/8/2024 22:00	0.0	0.5	Normal
3/8/2024 23:00	0.0	0.5	Normal
3/9/2024 0:00	0.0	0.5	Normal
3/9/2024 1:00	0.0	0.5	Normal
3/9/2024 2:00	0.0	0.5	Normal
3/9/2024 3:00	0.0	0.5	Normal
3/9/2024 4:00	0.0	0.5	Normal
3/9/2024 5:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
3/9/2024 6:00	0.0	0.5	Normal
3/9/2024 7:00	0.0	0.5	Normal
3/9/2024 8:00	0.0	0.5	Normal
3/9/2024 9:00	0.0	0.5	Normal
3/9/2024 10:00	0.0	0.5	Normal
3/9/2024 11:00	0.0	0.5	Normal
3/9/2024 12:00	0.0	0.5	Normal
3/9/2024 13:00	0.0	0.5	Normal
3/9/2024 14:00	0.0	0.5	Normal
3/9/2024 15:00	0.0	0.5	Normal
3/9/2024 16:00	0.0	0.5	Normal
3/9/2024 17:00	0.0	0.5	Normal
3/9/2024 18:00	0.0	0.5	Normal
3/9/2024 19:00	0.0	0.5	Normal
3/9/2024 20:00	0.0	0.5	Normal
3/9/2024 21:00	0.0	0.5	Normal
3/9/2024 22:00	0.0	0.5	Normal
3/9/2024 23:00	0.0	0.5	Normal
3/10/2024 0:00	0.0	0.5	Normal
3/10/2024 1:00	0.0	0.5	Normal
3/10/2024 2:00	0.0	0.5	Normal
3/10/2024 3:00	0.0	0.5	Normal
3/10/2024 4:00	0.0	0.5	Normal
3/10/2024 5:00	0.0	0.5	Normal
3/10/2024 6:00	0.0	0.5	Normal
3/10/2024 7:00	0.0	0.5	Normal
3/10/2024 8:00	0.0	0.5	Normal
3/10/2024 9:00	0.0	0.5	Normal
3/10/2024 10:00	0.0	0.5	Normal
3/10/2024 11:00	0.0	0.5	Normal
3/10/2024 12:00	0.0	0.5	Normal
3/10/2024 13:00	0.0	0.5	Normal
3/10/2024 14:00	0.0	0.5	Normal
3/10/2024 15:00	0.0	0.5	Normal
3/10/2024 16:00	0.0	0.5	Normal
3/10/2024 17:00	0.0	0.5	Normal
3/10/2024 18:00	0.0	0.5	Normal
3/10/2024 19:00	0.0	0.5	Normal
3/10/2024 20:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
3/10/2024 21:00	0.0	0.5	Normal
3/10/2024 22:00	0.0	0.5	Normal
3/10/2024 23:00	0.0	0.5	Normal
3/11/2024 0:00	0.0	0.5	Normal
3/11/2024 1:00	0.0	0.5	Normal
3/11/2024 2:00	0.0	0.5	Normal
3/11/2024 3:00	0.0	0.5	Normal
3/11/2024 4:00	0.0	0.5	Normal
3/11/2024 5:00	0.0	0.5	Normal
3/11/2024 6:00	0.0	0.5	Normal
3/11/2024 7:00	0.0	0.5	Normal
3/11/2024 8:00	0.0	0.5	Normal
3/11/2024 9:00	0.0	0.5	Normal
3/11/2024 10:00	0.0	0.5	Normal
3/11/2024 11:00	0.0	0.5	Normal
3/11/2024 12:00	0.0	0.5	Normal
3/11/2024 13:00	0.0	0.5	Normal
3/11/2024 14:00	0.0	0.5	Normal
3/11/2024 15:00	0.0	0.5	Normal
3/11/2024 16:00	0.0	0.5	Normal
3/11/2024 17:00	0.0	0.5	Normal
3/11/2024 18:00	0.0	0.5	Normal
3/11/2024 19:00	0.0	0.5	Normal
3/11/2024 20:00	0.0	0.5	Normal
3/11/2024 21:00	0.0	0.5	Normal
3/11/2024 22:00	0.0	0.5	Normal
3/11/2024 23:00	0.0	0.5	Normal
3/12/2024 0:00	0.0	0.5	Normal
3/12/2024 1:00	0.0	0.5	Normal
3/12/2024 2:00	0.0	0.5	Normal
3/12/2024 3:00	0.0	0.5	Normal
3/12/2024 4:00	0.0	0.5	Normal
3/12/2024 5:00	0.0	0.5	Normal
3/12/2024 6:00	0.0	0.5	Normal
3/12/2024 7:00	0.0	0.5	Normal
3/12/2024 8:00	0.0	0.5	Normal
3/12/2024 9:00	0.0	0.5	Normal
3/12/2024 10:00	0.0	0.5	Normal
3/12/2024 11:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
3/12/2024 12:00	0.0	0.5	Normal
3/12/2024 13:00	0.0	0.5	Normal
3/12/2024 14:00	0.0	0.5	Normal
3/12/2024 15:00	0.0	0.5	Normal
3/12/2024 16:00	0.0	0.5	Normal
3/12/2024 17:00	0.0	0.5	Normal
3/12/2024 18:00	0.0	0.5	Normal
3/12/2024 19:00	0.0	0.5	Normal
3/12/2024 20:00	0.0	0.5	Normal
3/12/2024 21:00	0.0	0.5	Normal
3/12/2024 22:00	0.0	0.5	Normal
3/12/2024 23:00	0.0	0.5	Normal
3/13/2024 0:00	0.0	0.5	Normal
3/13/2024 1:00	0.0	0.5	Normal
3/13/2024 2:00	0.0	0.5	Normal
3/13/2024 3:00	0.0	0.5	Normal
3/13/2024 4:00	0.0	0.5	Normal
3/13/2024 5:00	0.0	0.5	Normal
3/13/2024 6:00	0.0	0.5	Normal
3/13/2024 7:00	0.0	0.5	Normal
3/13/2024 8:00	0.0	0.5	Normal
3/13/2024 9:00	0.0	0.5	Normal
3/13/2024 10:00	0.0	0.5	Normal
3/13/2024 11:00	0.0	0.5	Normal
3/13/2024 12:00	0.0	0.5	Normal
3/13/2024 13:00	0.0	0.5	Normal
3/13/2024 14:00	0.0	0.5	Normal
3/13/2024 15:00	0.0	0.5	Normal
3/13/2024 16:00	0.0	0.5	Normal
3/13/2024 17:00	0.0	0.5	Normal
3/13/2024 18:00	0.0	0.5	Normal
3/13/2024 19:00	0.0	0.5	Normal
3/13/2024 20:00	0.0	0.5	Normal
3/13/2024 21:00	0.0	0.5	Normal
3/13/2024 22:00	0.0	0.5	Normal
3/13/2024 23:00	0.0	0.5	Normal
3/14/2024 0:00	0.0	0.5	Normal
3/14/2024 1:00	0.0	0.5	Normal
3/14/2024 2:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
3/14/2024 3:00	0.0	0.5	Normal
3/14/2024 4:00	0.0	0.5	Normal
3/14/2024 5:00	0.0	0.5	Normal
3/14/2024 6:00	0.0	0.5	Normal
3/14/2024 7:00	0.0	0.5	Normal
3/14/2024 8:00	0.0	0.5	Normal
3/14/2024 9:00	0.0	0.5	Normal
3/14/2024 10:00	0.0	0.5	Normal
3/14/2024 11:00	0.0	0.5	Normal
3/14/2024 12:00	0.0	0.5	Normal
3/14/2024 13:00	0.0	0.5	Normal
3/14/2024 14:00	0.0	0.5	Normal
3/14/2024 15:00	0.0	0.5	Normal
3/14/2024 16:00	0.0	0.5	Normal
3/14/2024 17:00	0.0	0.5	Normal
3/14/2024 18:00	0.0	0.5	Normal
3/14/2024 19:00	0.0	0.5	Normal
3/14/2024 20:00	0.0	0.5	Normal
3/14/2024 21:00	0.0	0.5	Normal
3/14/2024 22:00	0.0	0.5	Normal
3/14/2024 23:00	0.0	0.5	Normal
3/15/2024 0:00	0.0	0.5	Normal
3/15/2024 1:00	0.0	0.5	Normal
3/15/2024 2:00	0.0	0.5	Normal
3/15/2024 3:00	0.0	0.5	Normal
3/15/2024 4:00	0.0	0.5	Normal
3/15/2024 5:00	0.0	0.5	Normal
3/15/2024 6:00	0.0	0.5	Normal
3/15/2024 7:00	0.0	0.5	Normal
3/15/2024 8:00	0.0	0.5	Normal
3/15/2024 9:00	0.0	0.5	Normal
3/15/2024 10:00	0.0	0.5	Normal
3/15/2024 11:00	0.0	0.5	Normal
3/15/2024 12:00	0.0	0.5	Normal
3/15/2024 13:00	0.0	0.5	Normal
3/15/2024 14:00	0.0	0.5	Normal
3/15/2024 15:00	0.0	0.5	Normal
3/15/2024 16:00	0.0	0.5	Normal
3/15/2024 17:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
3/15/2024 18:00	0.0	0.5	Normal
3/15/2024 19:00	0.0	0.5	Normal
3/15/2024 20:00	0.0	0.5	Normal
3/15/2024 21:00	0.0	0.5	Normal
3/15/2024 22:00	0.0	0.5	Normal
3/15/2024 23:00	0.0	0.5	Normal
3/16/2024 0:00	0.0	0.5	Normal
3/16/2024 1:00	0.0	0.5	Normal
3/16/2024 2:00	0.0	0.5	Normal
3/16/2024 3:00	0.0	0.5	Normal
3/16/2024 4:00	0.0	0.5	Normal
3/16/2024 5:00	0.0	0.5	Normal
3/16/2024 6:00	0.0	0.5	Normal
3/16/2024 7:00	0.0	0.5	Normal
3/16/2024 8:00	0.0	0.5	Normal
3/16/2024 9:00	0.0	0.5	Normal
3/16/2024 10:00	0.0	0.5	Normal
3/16/2024 11:00	0.0	0.5	Normal
3/16/2024 12:00	0.0	0.5	Normal
3/16/2024 13:00	0.0	0.5	Normal
3/16/2024 14:00	0.0	0.5	Normal
3/16/2024 15:00	0.0	0.5	Normal
3/16/2024 16:00	0.0	0.5	Normal
3/16/2024 17:00	0.0	0.5	Normal
3/16/2024 18:00	0.0	0.5	Normal
3/16/2024 19:00	0.0	0.5	Normal
3/16/2024 20:00	0.0	0.5	Normal
3/16/2024 21:00	0.0	0.5	Normal
3/16/2024 22:00	0.0	0.5	Normal
3/16/2024 23:00	0.0	0.5	Normal
3/17/2024 0:00	0.0	0.5	Normal
3/17/2024 1:00	0.0	0.5	Normal
3/17/2024 2:00	0.0	0.5	Normal
3/17/2024 3:00	0.0	0.5	Normal
3/17/2024 4:00	0.0	0.5	Normal
3/17/2024 5:00	0.0	0.5	Normal
3/17/2024 6:00	0.0	0.5	Normal
3/17/2024 7:00	0.0	0.5	Normal
3/17/2024 8:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
3/17/2024 9:00	0.0	0.5	Normal
3/17/2024 10:00	0.0	0.5	Normal
3/17/2024 11:00	0.0	0.5	Normal
3/17/2024 12:00	0.0	0.5	Normal
3/17/2024 13:00	0.0	0.5	Normal
3/17/2024 14:00	0.0	0.5	Normal
3/17/2024 15:00	0.0	0.5	Normal
3/17/2024 16:00	0.0	0.5	Normal
3/17/2024 17:00	0.0	0.5	Normal
3/17/2024 18:00	0.0	0.5	Normal
3/17/2024 19:00	0.0	0.5	Normal
3/17/2024 20:00	0.0	0.5	Normal
3/17/2024 21:00	0.0	0.5	Normal
3/17/2024 22:00	0.0	0.5	Normal
3/17/2024 23:00	0.0	0.5	Normal
3/18/2024 0:00	0.0	0.5	Normal
3/18/2024 1:00	0.0	0.5	Normal
3/18/2024 2:00	0.0	0.5	Normal
3/18/2024 3:00	0.0	0.5	Normal
3/18/2024 4:00	0.0	0.5	Normal
3/18/2024 5:00	0.0	0.5	Normal
3/18/2024 6:00	0.0	0.5	Normal
3/18/2024 7:00	0.0	0.5	Normal
3/18/2024 8:00	0.0	0.5	Normal
3/18/2024 9:00	0.0	0.5	Normal
3/18/2024 10:00	0.0	0.5	Normal
3/18/2024 11:00	0.0	0.5	Normal
3/18/2024 12:00	0.0	0.5	Normal
3/18/2024 13:00	0.0	0.5	Normal
3/18/2024 14:00	0.0	0.5	Normal
3/18/2024 15:00	0.0	0.5	Normal
3/18/2024 16:00	0.0	0.5	Normal
3/18/2024 17:00	0.0	0.5	Normal
3/18/2024 18:00	0.0	0.5	Normal
3/18/2024 19:00	0.0	0.5	Normal
3/18/2024 20:00	0.0	0.5	Normal
3/18/2024 21:00	0.0	0.5	Normal
3/18/2024 22:00	0.0	0.5	Normal
3/18/2024 23:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
3/19/2024 0:00	0.0	0.5	Normal
3/19/2024 1:00	0.0	0.5	Normal
3/19/2024 2:00	0.0	0.5	Normal
3/19/2024 3:00	0.0	0.5	Normal
3/19/2024 4:00	0.0	0.5	Normal
3/19/2024 5:00	0.0	0.5	Normal
3/19/2024 6:00	0.0	0.5	Normal
3/19/2024 7:00	0.0	0.5	Normal
3/19/2024 8:00	0.0	0.5	Normal
3/19/2024 9:00	0.0	0.5	Normal
3/19/2024 10:00	0.0	0.5	Normal
3/19/2024 11:00	0.0	0.5	Normal
3/19/2024 12:00	0.0	0.5	Normal
3/19/2024 13:00	0.0	0.5	Normal
3/19/2024 14:00	0.0	0.5	Normal
3/19/2024 15:00	0.0	0.5	Normal
3/19/2024 16:00	0.0	0.5	Normal
3/19/2024 17:00	0.0	0.5	Normal
3/19/2024 18:00	0.0	0.5	Normal
3/19/2024 19:00	0.0	0.5	Normal
3/19/2024 20:00	0.0	0.5	Normal
3/19/2024 21:00	0.0	0.5	Normal
3/19/2024 22:00	0.0	0.5	Normal
3/19/2024 23:00	0.0	0.5	Normal
3/20/2024 0:00	0.0	0.5	Normal
3/20/2024 1:00	0.0	0.5	Normal
3/20/2024 2:00	0.0	0.5	Normal
3/20/2024 3:00	0.0	0.5	Normal
3/20/2024 4:00	0.0	0.5	Normal
3/20/2024 5:00	0.0	0.5	Normal
3/20/2024 6:00	0.0	0.5	Normal
3/20/2024 7:00	0.0	0.5	Normal
3/20/2024 8:00	0.0	0.5	Normal
3/20/2024 9:00	0.0	0.5	Normal
3/20/2024 10:00	0.0	0.5	Normal
3/20/2024 11:00	0.0	0.5	Normal
3/20/2024 12:00	0.0	0.5	Normal
3/20/2024 13:00	0.0	0.5	Normal
3/20/2024 14:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
3/20/2024 15:00	0.0	0.5	Normal
3/20/2024 16:00	0.0	0.5	Normal
3/20/2024 17:00	0.0	0.5	Normal
3/20/2024 18:00	0.0	0.5	Normal
3/20/2024 19:00	0.0	0.5	Normal
3/20/2024 20:00	0.0	0.5	Normal
3/20/2024 21:00	0.0	0.5	Normal
3/20/2024 22:00	0.0	0.5	Normal
3/20/2024 23:00	0.0	0.5	Normal
3/21/2024 0:00	0.0	0.5	Normal
3/21/2024 1:00	0.0	0.5	Normal
3/21/2024 2:00	0.0	0.5	Normal
3/21/2024 3:00	0.0	0.5	Normal
3/21/2024 4:00	0.0	0.5	Normal
3/21/2024 5:00	0.0	0.5	Normal
3/21/2024 6:00	0.0	0.5	Normal
3/21/2024 7:00	0.0	0.5	Normal
3/21/2024 8:00	0.0	0.5	Normal
3/21/2024 9:00	0.0	0.5	Normal
3/21/2024 10:00	0.0	0.5	Normal
3/21/2024 11:00	0.0	0.5	Normal
3/21/2024 12:00	0.0	0.5	Normal
3/21/2024 13:00	0.0	0.5	Normal
3/21/2024 14:00	0.0	0.5	Normal
3/21/2024 15:00	0.0	0.5	Normal
3/21/2024 16:00	0.0	0.5	Normal
3/21/2024 17:00	0.0	0.5	Normal
3/21/2024 18:00	0.0	0.5	Normal
3/21/2024 19:00	0.0	0.5	Normal
3/21/2024 20:00	0.0	0.5	Normal
3/21/2024 21:00	0.0	0.5	Normal
3/21/2024 22:00	0.0	0.5	Normal
3/21/2024 23:00	0.0	0.5	Normal
3/22/2024 0:00	0.0	0.5	Normal
3/22/2024 1:00	0.0	0.5	Normal
3/22/2024 2:00	0.0	0.5	Normal
3/22/2024 3:00	0.0	0.5	Normal
3/22/2024 4:00	0.0	0.5	Normal
3/22/2024 5:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
3/22/2024 6:00	0.0	0.5	Normal
3/22/2024 7:00	0.0	0.5	Normal
3/22/2024 8:00	0.0	0.5	Normal
3/22/2024 9:00	0.0	0.5	Normal
3/22/2024 10:00	0.0	0.5	Normal
3/22/2024 11:00	0.0	0.5	Normal
3/22/2024 12:00	0.0	0.5	Normal
3/22/2024 13:00	0.0	0.5	Normal
3/22/2024 14:00	0.0	0.5	Normal
3/22/2024 15:00	0.0	0.5	Normal
3/22/2024 16:00	0.0	0.5	Normal
3/22/2024 17:00	0.0	0.5	Normal
3/22/2024 18:00	0.0	0.5	Normal
3/22/2024 19:00	0.0	0.5	Normal
3/22/2024 20:00	0.0	0.5	Normal
3/22/2024 21:00	0.0	0.5	Normal
3/22/2024 22:00	0.0	0.5	Normal
3/22/2024 23:00	0.0	0.5	Normal
3/23/2024 0:00	0.0	0.5	Normal
3/23/2024 1:00	0.0	0.5	Normal
3/23/2024 2:00	0.0	0.5	Normal
3/23/2024 3:00	0.0	0.5	Normal
3/23/2024 4:00	0.0	0.5	Normal
3/23/2024 5:00	0.0	0.5	Normal
3/23/2024 6:00	0.0	0.5	Normal
3/23/2024 7:00	0.0	0.5	Normal
3/23/2024 8:00	0.0	0.5	Normal
3/23/2024 9:00	0.0	0.5	Normal
3/23/2024 10:00	0.0	0.5	Normal
3/23/2024 11:00	0.0	0.5	Normal
3/23/2024 12:00	0.0	0.5	Normal
3/23/2024 13:00	0.0	0.5	Normal
3/23/2024 14:00	0.0	0.5	Normal
3/23/2024 15:00	0.0	0.5	Normal
3/23/2024 16:00	0.0	0.5	Normal
3/23/2024 17:00	0.0	0.5	Normal
3/23/2024 18:00	0.0	0.5	Normal
3/23/2024 19:00	0.0	0.5	Normal
3/23/2024 20:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
3/23/2024 21:00	0.0	0.5	Normal
3/23/2024 22:00	0.0	0.5	Normal
3/23/2024 23:00	0.0	0.5	Normal
3/24/2024 0:00	0.0	0.5	Normal
3/24/2024 1:00	0.0	0.5	Normal
3/24/2024 2:00	0.0	0.5	Normal
3/24/2024 3:00	0.0	0.5	Normal
3/24/2024 4:00	0.0	0.5	Normal
3/24/2024 5:00	0.0	0.5	Normal
3/24/2024 6:00	0.0	0.5	Normal
3/24/2024 7:00	0.0	0.5	Normal
3/24/2024 8:00	0.0	0.5	Normal
3/24/2024 9:00	0.0	0.5	Normal
3/24/2024 10:00	0.0	0.5	Normal
3/24/2024 11:00	0.0	0.5	Normal
3/24/2024 12:00	0.0	0.5	Normal
3/24/2024 13:00	0.0	0.5	Normal
3/24/2024 14:00	0.0	0.5	Normal
3/24/2024 15:00	0.0	0.5	Normal
3/24/2024 16:00	0.0	0.5	Normal
3/24/2024 17:00	0.0	0.5	Normal
3/24/2024 18:00	0.0	0.5	Normal
3/24/2024 19:00	0.0	0.5	Normal
3/24/2024 20:00	0.0	0.5	Normal
3/24/2024 21:00	0.0	0.5	Normal
3/24/2024 22:00	0.0	0.5	Normal
3/24/2024 23:00	0.0	0.5	Normal
3/25/2024 0:00	0.0	0.5	Normal
3/25/2024 1:00	0.0	0.5	Normal
3/25/2024 2:00	0.0	0.5	Normal
3/25/2024 3:00	0.0	0.5	Normal
3/25/2024 4:00	0.0	0.5	Normal
3/25/2024 5:00	0.0	0.5	Normal
3/25/2024 6:00	0.0	0.5	Normal
3/25/2024 7:00	0.0	0.5	Normal
3/25/2024 8:00	0.0	0.5	Normal
3/25/2024 9:00	0.0	0.5	Normal
3/25/2024 10:00	0.0	0.5	Normal
3/25/2024 11:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
3/25/2024 12:00	0.0	0.5	Normal
3/25/2024 13:00	0.0	0.5	Normal
3/25/2024 14:00	0.0	0.5	Normal
3/25/2024 15:00	0.0	0.5	Normal
3/25/2024 16:00	0.0	0.5	Normal
3/25/2024 17:00	0.0	0.5	Normal
3/25/2024 18:00	0.0	0.5	Normal
3/25/2024 19:00	0.0	0.5	Normal
3/25/2024 20:00	0.0	0.5	Normal
3/25/2024 21:00	0.0	0.5	Normal
3/25/2024 22:00	0.0	0.5	Normal
3/25/2024 23:00	0.0	0.5	Normal
3/26/2024 0:00	0.0	0.5	Normal
3/26/2024 1:00	0.0	0.5	Normal
3/26/2024 2:00	0.0	0.5	Normal
3/26/2024 3:00	0.0	0.5	Normal
3/26/2024 4:00	0.0	0.5	Normal
3/26/2024 5:00	0.0	0.5	Normal
3/26/2024 6:00	0.0	0.5	Normal
3/26/2024 7:00	0.0	0.5	Normal
3/26/2024 8:00	0.0	0.5	Normal
3/26/2024 9:00	0.0	0.5	Normal
3/26/2024 10:00	0.0	0.5	Normal
3/26/2024 11:00	0.0	0.5	Normal
3/26/2024 12:00	0.0	0.5	Normal
3/26/2024 13:00	0.0	0.5	Normal
3/26/2024 14:00	0.0	0.5	Normal
3/26/2024 15:00	0.0	0.5	Normal
3/26/2024 16:00	0.0	0.5	Normal
3/26/2024 17:00	0.0	0.5	Normal
3/26/2024 18:00	0.0	0.5	Normal
3/26/2024 19:00	0.0	0.5	Normal
3/26/2024 20:00	0.0	0.5	Normal
3/26/2024 21:00	0.0	0.5	Normal
3/26/2024 22:00	0.0	0.5	Normal
3/26/2024 23:00	0.0	0.5	Normal
3/27/2024 0:00	0.0	0.5	Normal
3/27/2024 1:00	0.0	0.5	Normal
3/27/2024 2:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
3/27/2024 3:00	0.0	0.5	Normal
3/27/2024 4:00	0.0	0.5	Normal
3/27/2024 5:00	0.0	0.5	Normal
3/27/2024 6:00	0.0	0.5	Normal
3/27/2024 7:00	0.0	0.5	Normal
3/27/2024 8:00	0.0	0.5	Normal
3/27/2024 9:00	0.0	0.5	Normal
3/27/2024 10:00	0.0	0.5	Normal
3/27/2024 11:00	0.0	0.5	Normal
3/27/2024 12:00	0.0	0.5	Normal
3/27/2024 13:00	0.0	0.5	Normal
3/27/2024 14:00	0.0	0.5	Normal
3/27/2024 15:00	0.0	0.5	Normal
3/27/2024 16:00	0.0	0.5	Normal
3/27/2024 17:00	0.0	0.5	Normal
3/27/2024 18:00	0.0	0.5	Normal
3/27/2024 19:00	0.0	0.5	Normal
3/27/2024 20:00	0.0	0.5	Normal
3/27/2024 21:00	0.0	0.5	Normal
3/27/2024 22:00	0.0	0.5	Normal
3/27/2024 23:00	0.0	0.5	Normal
3/28/2024 0:00	0.0	0.5	Normal
3/28/2024 1:00	0.0	0.5	Normal
3/28/2024 2:00	0.0	0.5	Normal
3/28/2024 3:00	0.0	0.5	Normal
3/28/2024 4:00	0.0	0.5	Normal
3/28/2024 5:00	0.0	0.5	Normal
3/28/2024 6:00	0.0	0.5	Normal
3/28/2024 7:00	0.0	0.5	Normal
3/28/2024 8:00	0.0	0.5	Normal
3/28/2024 9:00	0.0	0.5	Normal
3/28/2024 10:00	0.0	0.5	Normal
3/28/2024 11:00	0.0	0.5	Normal
3/28/2024 12:00	0.0	0.5	Normal
3/28/2024 13:00	0.0	0.5	Normal
3/28/2024 14:00	0.0	0.5	Normal
3/28/2024 15:00	0.0	0.5	Normal
3/28/2024 16:00	0.0	0.5	Normal
3/28/2024 17:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
3/28/2024 18:00	0.0	0.5	Normal
3/28/2024 19:00	0.0	0.5	Normal
3/28/2024 20:00	0.0	0.5	Normal
3/28/2024 21:00	0.0	0.5	Normal
3/28/2024 22:00	0.0	0.5	Normal
3/28/2024 23:00	0.0	0.5	Normal
3/29/2024 0:00	0.0	0.5	Normal
3/29/2024 1:00	0.0	0.5	Normal
3/29/2024 2:00	0.0	0.5	Normal
3/29/2024 3:00	0.0	0.5	Normal
3/29/2024 4:00	0.0	0.5	Normal
3/29/2024 5:00	0.0	0.5	Normal
3/29/2024 6:00	0.0	0.5	Normal
3/29/2024 7:00	0.0	0.5	Normal
3/29/2024 8:00	0.0	0.5	Normal
3/29/2024 9:00	0.0	0.5	Normal
3/29/2024 10:00	0.0	0.5	Normal
3/29/2024 11:00	0.0	0.5	Normal
3/29/2024 12:00	0.0	0.5	Normal
3/29/2024 13:00	0.0	0.5	Normal
3/29/2024 14:00	0.0	0.5	Normal
3/29/2024 15:00	0.0	0.5	Normal
3/29/2024 16:00	0.0	0.5	Normal
3/29/2024 17:00	0.0	0.5	Normal
3/29/2024 18:00	0.0	0.5	Normal
3/29/2024 19:00	0.0	0.5	Normal
3/29/2024 20:00	0.0	0.5	Normal
3/29/2024 21:00	0.0	0.5	Normal
3/29/2024 22:00	0.0	0.5	Normal
3/29/2024 23:00	0.0	0.5	Normal
3/30/2024 0:00	0.0	0.5	Normal
3/30/2024 1:00	0.0	0.5	Normal
3/30/2024 2:00	0.0	0.5	Normal
3/30/2024 3:00	0.0	0.5	Normal
3/30/2024 4:00	0.0	0.5	Normal
3/30/2024 5:00	0.0	0.5	Normal
3/30/2024 6:00	0.0	0.5	Normal
3/30/2024 7:00	0.0	0.5	Normal
3/30/2024 8:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
3/30/2024 9:00	0.0	0.5	Normal
3/30/2024 10:00	0.0	0.2	Normal
3/30/2024 11:00	0.0	0.0	Normal
3/30/2024 12:00	0.0	0.0	Normal
3/30/2024 13:00	0.0	0.0	Normal
3/30/2024 14:00	0.0	0.0	Normal
3/30/2024 15:00	0.0	0.0	Normal
3/30/2024 16:00	0.0	0.0	Normal
3/30/2024 17:00	0.0	0.0	Normal
3/30/2024 18:00	0.0	0.0	Normal
3/30/2024 19:00	0.0	0.0	Normal
3/30/2024 20:00	0.0	0.0	Normal
3/30/2024 21:00	0.0	0.0	Normal
3/30/2024 22:00	0.0	0.0	Normal
3/30/2024 23:00	0.0	0.0	Normal
3/31/2024 0:00	0.0	0.0	Normal
3/31/2024 1:00	0.0	0.0	Normal
3/31/2024 2:00	0.0	0.0	Normal
3/31/2024 3:00	0.0	0.0	Normal
3/31/2024 4:00	0.0	0.0	Normal
3/31/2024 5:00	0.0	0.0	Normal
3/31/2024 6:00	0.0	0.0	Normal
3/31/2024 7:00	0.0	0.0	Normal
3/31/2024 8:00	0.0	0.0	Normal
3/31/2024 9:00	0.0	0.0	Normal
3/31/2024 10:00	0.0	0.0	Normal
3/31/2024 11:00	0.0	0.0	Normal
3/31/2024 12:00	0.0	0.0	Normal
3/31/2024 13:00	0.0	0.0	Normal
3/31/2024 14:00	0.0	0.0	Normal
3/31/2024 15:00	0.0	0.0	Normal
3/31/2024 16:00	0.0	0.0	Normal
3/31/2024 17:00	0.0	0.0	Normal
3/31/2024 18:00	0.0	0.0	Normal
3/31/2024 19:00	0.0	0.0	Normal
3/31/2024 20:00	0.0	0.0	Normal
3/31/2024 21:00	0.0	0.0	Normal
3/31/2024 22:00	0.0	0.0	Normal
3/31/2024 23:00	0.0	0.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
4/1/2024 0:00	0.0	0.0	Normal
4/1/2024 1:00	0.0	0.0	Normal
4/1/2024 2:00	0.0	0.0	Normal
4/1/2024 3:00	0.0	0.0	Normal
4/1/2024 4:00	0.0	0.0	Normal
4/1/2024 5:00	0.0	0.0	Normal
4/1/2024 6:00	0.0	0.0	Normal
4/1/2024 7:00	0.0	0.0	Normal
4/1/2024 8:00	0.0	0.0	Normal
4/1/2024 9:00	0.0	0.0	Normal
4/1/2024 10:00	0.0	0.0	Normal
4/1/2024 11:00	0.0	0.0	Normal
4/1/2024 12:00	0.0	0.0	Normal
4/1/2024 13:00	0.0	0.0	Normal
4/1/2024 14:00	0.0	0.0	Normal
4/1/2024 15:00	0.0	0.0	Normal
4/1/2024 16:00	0.0	0.0	Normal
4/1/2024 17:00	0.0	0.0	Normal
4/1/2024 18:00	0.0	0.0	Normal
4/1/2024 19:00	0.0	0.0	Normal
4/1/2024 20:00	0.0	0.0	Normal
4/1/2024 21:00	0.0	0.0	Normal
4/1/2024 22:00	0.0	0.0	Normal
4/1/2024 23:00	0.0	0.0	Normal
4/2/2024 0:00	0.0	0.0	Normal
4/2/2024 1:00	0.0	0.0	Normal
4/2/2024 2:00	0.0	0.0	Normal
4/2/2024 3:00	0.0	0.0	Normal
4/2/2024 4:00	0.0	0.0	Normal
4/2/2024 5:00	0.0	0.0	Normal
4/2/2024 6:00	0.0	0.0	Normal
4/2/2024 7:00	0.0	0.0	Normal
4/2/2024 8:00	0.0	0.0	Normal
4/2/2024 9:00	0.0	0.0	Normal
4/2/2024 10:00	0.0	0.0	Normal
4/2/2024 11:00	0.0	0.0	Normal
4/2/2024 12:00	0.0	0.0	Normal
4/2/2024 13:00	0.0	0.0	Normal
4/2/2024 14:00	0.0	0.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
4/2/2024 15:00	0.0	0.0	Normal
4/2/2024 16:00	0.0	0.0	Normal
4/2/2024 17:00	0.0	0.0	Normal
4/2/2024 18:00	0.0	0.0	Normal
4/2/2024 19:00	0.0	0.0	Normal
4/2/2024 20:00	0.0	0.0	Normal
4/2/2024 21:00	0.0	0.0	Normal
4/2/2024 22:00	0.0	0.0	Normal
4/2/2024 23:00	0.0	0.0	Normal
4/3/2024 0:00	0.0	0.0	Normal
4/3/2024 1:00	0.0	0.0	Normal
4/3/2024 2:00	0.0	0.0	Normal
4/3/2024 3:00	0.0	0.0	Normal
4/3/2024 4:00	0.0	0.0	Normal
4/3/2024 5:00	0.0	0.0	Normal
4/3/2024 6:00	0.0	0.0	Normal
4/3/2024 7:00	0.0	0.0	Normal
4/3/2024 8:00	0.0	0.0	Normal
4/3/2024 9:00	0.0	0.0	Normal
4/3/2024 10:00	0.0	0.0	Normal
4/3/2024 11:00	0.0	0.0	Normal
4/3/2024 12:00	0.0	0.0	Normal
4/3/2024 13:00	0.0	0.0	Normal
4/3/2024 14:00	0.0	0.0	Normal
4/3/2024 15:00	0.0	0.0	Normal
4/3/2024 16:00	0.0	0.0	Normal
4/3/2024 17:00	0.0	0.0	Normal
4/3/2024 18:00	0.0	0.0	Normal
4/3/2024 19:00	0.0	0.0	Normal
4/3/2024 20:00	0.0	0.0	Normal
4/3/2024 21:00	0.0	0.0	Normal
4/3/2024 22:00	0.0	0.0	Normal
4/3/2024 23:00	0.0	0.0	Normal
4/4/2024 0:00	0.0	0.0	Normal
4/4/2024 1:00	0.0	0.0	Normal
4/4/2024 2:00	0.0	0.0	Normal
4/4/2024 3:00	0.0	0.0	Normal
4/4/2024 4:00	0.0	0.0	Normal
4/4/2024 5:00	0.0	0.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
4/4/2024 6:00	0.0	0.0	Normal
4/4/2024 7:00	0.0	0.0	Normal
4/4/2024 8:00	0.0	0.0	Normal
4/4/2024 9:00	0.0	0.0	Normal
4/4/2024 10:00	0.0	0.0	Normal
4/4/2024 11:00	0.0	0.0	Normal
4/4/2024 12:00	0.0	0.0	Normal
4/4/2024 13:00	0.0	0.0	Normal
4/4/2024 14:00	0.0	0.0	Normal
4/4/2024 15:00	0.0	0.0	Normal
4/4/2024 16:00	0.0	0.0	Normal
4/4/2024 17:00	0.0	0.0	Normal
4/4/2024 18:00	0.0	0.0	Normal
4/4/2024 19:00	0.0	0.0	Normal
4/4/2024 20:00	0.0	0.0	Normal
4/4/2024 21:00	0.0	0.0	Normal
4/4/2024 22:00	0.0	0.0	Normal
4/4/2024 23:00	0.0	0.0	Normal
4/5/2024 0:00	0.0	0.0	Normal
4/5/2024 1:00	0.0	0.0	Normal
4/5/2024 2:00	0.0	0.0	Normal
4/5/2024 3:00	0.0	0.0	Normal
4/5/2024 4:00	0.0	0.0	Normal
4/5/2024 5:00	0.0	0.0	Normal
4/5/2024 6:00	0.0	0.0	Normal
4/5/2024 7:00	0.0	0.0	Normal
4/5/2024 8:00	0.0	0.0	Normal
4/5/2024 9:00	0.0	0.0	Normal
4/5/2024 10:00	0.0	0.0	Normal
4/5/2024 11:00	0.0	0.0	Normal
4/5/2024 12:00	0.0	0.0	Normal
4/5/2024 13:00	0.0	0.0	Normal
4/5/2024 14:00	0.0	0.0	Normal
4/5/2024 15:00	0.0	0.0	Normal
4/5/2024 16:00	0.0	0.0	Normal
4/5/2024 17:00	0.0	0.0	Normal
4/5/2024 18:00	0.0	0.0	Normal
4/5/2024 19:00	0.0	0.0	Normal
4/5/2024 20:00	0.0	0.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
4/5/2024 21:00	0.0	0.0	Normal
4/5/2024 22:00	0.0	0.0	Normal
4/5/2024 23:00	0.0	0.0	Normal
4/6/2024 0:00	0.0	0.0	Normal
4/6/2024 1:00	0.0	0.0	Normal
4/6/2024 2:00	0.0	0.0	Normal
4/6/2024 3:00	0.0	0.0	Normal
4/6/2024 4:00	0.0	0.0	Normal
4/6/2024 5:00	0.0	0.0	Normal
4/6/2024 6:00	0.0	0.0	Normal
4/6/2024 7:00	0.0	0.0	Normal
4/6/2024 8:00	0.0	0.0	Normal
4/6/2024 9:00	0.0	0.0	Normal
4/6/2024 10:00	0.0	0.0	Normal
4/6/2024 11:00	0.0	0.0	Normal
4/6/2024 12:00	0.0	0.0	Normal
4/6/2024 13:00	0.0	0.0	Normal
4/6/2024 14:00	0.0	0.0	Normal
4/6/2024 15:00	0.0	0.0	Normal
4/6/2024 16:00	0.0	0.0	Normal
4/6/2024 17:00	0.0	0.0	Normal
4/6/2024 18:00	0.0	0.0	Normal
4/6/2024 19:00	0.0	0.0	Normal
4/6/2024 20:00	0.0	0.0	Normal
4/6/2024 21:00	0.0	0.0	Normal
4/6/2024 22:00	0.0	0.0	Normal
4/6/2024 23:00	0.0	0.0	Normal
4/7/2024 0:00	0.0	0.0	Normal
4/7/2024 1:00	0.0	0.0	Normal
4/7/2024 2:00	0.0	0.0	Normal
4/7/2024 3:00	0.0	0.0	Normal
4/7/2024 4:00	0.0	0.0	Normal
4/7/2024 5:00	0.0	0.0	Normal
4/7/2024 6:00	0.0	0.0	Normal
4/7/2024 7:00	0.0	0.0	Normal
4/7/2024 8:00	0.0	0.0	Normal
4/7/2024 9:00	0.0	0.0	Normal
4/7/2024 10:00	0.0	0.0	Normal
4/7/2024 11:00	0.0	0.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
4/7/2024 12:00	0.0	0.0	Normal
4/7/2024 13:00	0.0	0.0	Normal
4/7/2024 14:00	0.0	0.0	Normal
4/7/2024 15:00	0.0	0.0	Normal
4/7/2024 16:00	0.0	0.0	Normal
4/7/2024 17:00	0.0	0.0	Normal
4/7/2024 18:00	0.0	0.0	Normal
4/7/2024 19:00	0.0	0.0	Normal
4/7/2024 20:00	0.0	0.0	Normal
4/7/2024 21:00	0.0	0.0	Normal
4/7/2024 22:00	0.0	0.0	Normal
4/7/2024 23:00	0.0	0.0	Normal
4/8/2024 0:00	0.0	0.0	Normal
4/8/2024 1:00	0.0	0.0	Normal
4/8/2024 2:00	0.0	0.0	Normal
4/8/2024 3:00	0.0	0.0	Normal
4/8/2024 4:00	0.0	0.0	Normal
4/8/2024 5:00	0.0	0.0	Normal
4/8/2024 6:00	0.0	0.0	Normal
4/8/2024 7:00	0.0	0.0	Normal
4/8/2024 8:00	0.0	0.0	Normal
4/8/2024 9:00	0.0	0.0	Normal
4/8/2024 10:00	0.0	0.0	Normal
4/8/2024 11:00	0.0	0.0	Normal
4/8/2024 12:00	0.0	0.0	Normal
4/8/2024 13:00	0.0	0.0	Normal
4/8/2024 14:00	0.0	0.0	Normal
4/8/2024 15:00	0.0	0.0	Normal
4/8/2024 16:00	0.0	0.0	Normal
4/8/2024 17:00	0.0	0.0	Normal
4/8/2024 18:00	0.0	0.0	Normal
4/8/2024 19:00	0.0	0.0	Normal
4/8/2024 20:00	0.0	0.0	Normal
4/8/2024 21:00	0.0	0.0	Normal
4/8/2024 22:00	0.0	0.0	Normal
4/8/2024 23:00	0.0	0.0	Normal
4/9/2024 0:00	363.0	0.5	Shutdown
4/9/2024 1:00	0.0	0.5	Shutdown
4/9/2024 2:00	0.0	0.5	Shutdown

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
4/9/2024 3:00	0.0	0.5	Shutdown
4/9/2024 4:00	0.0	0.5	Shutdown
4/9/2024 5:00	0.0	0.5	Shutdown
4/9/2024 6:00	0.0	0.5	Shutdown
4/9/2024 7:00	0.0	0.5	Shutdown
4/9/2024 8:00	0.0	0.5	Shutdown
4/9/2024 9:00	0.0	0.5	Shutdown
4/9/2024 10:00	0.0	0.5	Shutdown
4/9/2024 11:00	0.0	0.5	Shutdown
4/9/2024 12:00	0.0	0.5	Shutdown
4/9/2024 13:00	0.0	0.5	Shutdown
4/9/2024 14:00	0.0	0.5	Shutdown
4/9/2024 15:00	0.0	0.5	Shutdown
4/9/2024 16:00	0.0	0.5	Shutdown
4/9/2024 17:00	0.0	0.5	Shutdown
4/9/2024 18:00	0.0	0.5	Shutdown
4/9/2024 19:00	0.0	0.5	Shutdown
4/9/2024 20:00	0.0	0.5	Shutdown
4/9/2024 21:00	0.0	0.5	Shutdown
4/9/2024 22:00	0.0	0.5	Shutdown
4/9/2024 23:00	0.0	0.5	Shutdown
4/10/2024 0:00	0.0	0.5	Shutdown
4/10/2024 1:00	0.0	0.5	Shutdown
4/10/2024 2:00	0.0	0.5	Shutdown
4/10/2024 3:00	0.0	0.5	Shutdown
4/10/2024 4:00	0.0	0.5	Shutdown
4/10/2024 5:00	0.0	0.5	Shutdown
4/10/2024 6:00	0.0	0.5	Shutdown
4/10/2024 7:00	0.0	0.5	Shutdown
4/10/2024 8:00	0.0	0.5	Shutdown
4/10/2024 9:00	0.0	0.5	Shutdown
4/10/2024 10:00	0.0	0.5	Shutdown
4/10/2024 11:00	0.0	0.5	Shutdown
4/10/2024 12:00	0.0	0.5	Shutdown
4/10/2024 13:00	0.0	0.5	Shutdown
4/10/2024 14:00	0.0	0.5	Shutdown
4/10/2024 15:00	0.0	0.5	Shutdown
4/10/2024 16:00	0.0	0.5	Shutdown
4/10/2024 17:00	0.0	0.5	Shutdown

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
4/10/2024 18:00	0.0	0.5	Shutdown
4/10/2024 19:00	0.0	0.5	Shutdown
4/10/2024 20:00	0.0	0.5	Shutdown
4/10/2024 21:00	0.0	0.5	Shutdown
4/10/2024 22:00	0.0	0.5	Shutdown
4/10/2024 23:00	0.0	0.5	Shutdown
4/11/2024 0:00	0.0	0.5	Shutdown
4/11/2024 1:00	0.0	0.5	Shutdown
4/11/2024 2:00	0.0	0.5	Shutdown
4/11/2024 3:00	0.0	0.5	Shutdown
4/11/2024 4:00	0.0	0.5	Shutdown
4/11/2024 5:00	0.0	0.5	Shutdown
4/11/2024 6:00	0.0	0.5	Shutdown
4/11/2024 7:00	0.0	0.5	Shutdown
4/11/2024 8:00	0.0	0.5	Shutdown
4/11/2024 9:00	0.0	0.5	Shutdown
4/11/2024 10:00	0.0	0.5	Shutdown
4/11/2024 11:00	0.0	0.5	Shutdown
4/11/2024 12:00	0.0	0.5	Shutdown
4/11/2024 13:00	0.0	0.5	Shutdown
4/11/2024 14:00	0.0	0.5	Shutdown
4/11/2024 15:00	0.0	0.5	Shutdown
4/11/2024 16:00	0.0	0.5	Shutdown
4/11/2024 17:00	0.0	0.5	Shutdown
4/11/2024 18:00	0.0	0.5	Shutdown
4/11/2024 19:00	0.0	0.5	Shutdown
4/11/2024 20:00	0.0	0.5	Shutdown
4/11/2024 21:00	0.0	0.5	Shutdown
4/11/2024 22:00	0.0	0.5	Shutdown
4/11/2024 23:00	0.0	0.5	Shutdown
4/12/2024 0:00	0.0	0.5	Shutdown
4/12/2024 1:00	0.0	0.5	Shutdown
4/12/2024 2:00	0.0	0.5	Shutdown
4/12/2024 3:00	0.0	0.5	Shutdown
4/12/2024 4:00	0.0	0.5	Shutdown
4/12/2024 5:00	0.0	0.5	Shutdown
4/12/2024 6:00	0.0	0.5	Shutdown
4/12/2024 7:00	0.0	0.5	Shutdown
4/12/2024 8:00	0.0	0.5	Shutdown

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
4/12/2024 9:00	0.0	0.5	Shutdown
4/12/2024 10:00	0.0	0.5	Shutdown
4/12/2024 11:00	0.0	0.5	Shutdown
4/12/2024 12:00	0.0	0.5	Shutdown
4/12/2024 13:00	0.0	0.5	Shutdown
4/12/2024 14:00	0.0	0.5	Shutdown
4/12/2024 15:00	0.0	0.5	Shutdown
4/12/2024 16:00	0.0	0.5	Shutdown
4/12/2024 17:00	0.0	0.5	Shutdown
4/12/2024 18:00	0.0	0.5	Shutdown
4/12/2024 19:00	0.0	0.5	Shutdown
4/12/2024 20:00	0.0	0.5	Shutdown
4/12/2024 21:00	0.0	0.5	Shutdown
4/12/2024 22:00	0.0	0.5	Shutdown
4/12/2024 23:00	0.0	0.5	Shutdown
4/13/2024 0:00	0.0	0.5	Shutdown
4/13/2024 1:00	0.0	0.5	Shutdown
4/13/2024 2:00	0.0	0.5	Shutdown
4/13/2024 3:00	0.0	0.5	Shutdown
4/13/2024 4:00	0.0	0.5	Shutdown
4/13/2024 5:00	0.0	0.5	Shutdown
4/13/2024 6:00	0.0	0.5	Shutdown
4/13/2024 7:00	0.0	0.5	Shutdown
4/13/2024 8:00	0.0	0.5	Shutdown
4/13/2024 9:00	0.0	0.5	Shutdown
4/13/2024 10:00	0.0	0.5	Shutdown
4/13/2024 11:00	0.0	0.5	Shutdown
4/13/2024 12:00	0.0	0.5	Shutdown
4/13/2024 13:00	0.0	0.5	Shutdown
4/13/2024 14:00	0.0	0.5	Shutdown
4/13/2024 15:00	0.0	0.5	Shutdown
4/13/2024 16:00	2.0	0.5	Startup
4/13/2024 17:00	0.0	0.5	Startup
4/13/2024 18:00	0.0	0.5	Startup
4/13/2024 19:00	0.0	0.5	Startup
4/13/2024 20:00	0.0	0.5	Startup
4/13/2024 21:00	0.0	0.5	Startup
4/13/2024 22:00	0.0	0.5	Startup
4/13/2024 23:00	0.0	0.5	Startup

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
4/14/2024 0:00	0.0	0.5	Startup
4/14/2024 1:00	0.0	0.5	Startup
4/14/2024 2:00	0.0	0.5	Startup
4/14/2024 3:00	0.0	0.5	Startup
4/14/2024 4:00	0.0	0.5	Startup
4/14/2024 5:00	0.0	0.5	Startup
4/14/2024 6:00	0.0	0.5	Startup
4/14/2024 7:00	0.0	0.5	Startup
4/14/2024 8:00	0.0	0.5	Startup
4/14/2024 9:00	0.0	0.5	Startup
4/14/2024 10:00	0.0	0.5	Startup
4/14/2024 11:00	0.0	0.5	Startup
4/14/2024 12:00	0.0	0.5	Startup
4/14/2024 13:00	0.0	0.5	Startup
4/14/2024 14:00	0.0	0.5	Startup
4/14/2024 15:00	0.0	0.5	Startup
4/14/2024 16:00	9.0	0.5	Startup
4/14/2024 17:00	0.0	0.5	Startup
4/14/2024 18:00	0.0	0.5	Startup
4/14/2024 19:00	0.0	0.5	Startup
4/14/2024 20:00	0.0	0.5	Startup
4/14/2024 21:00	0.0	0.5	Startup
4/14/2024 22:00	0.0	0.5	Normal
4/14/2024 23:00	0.0	0.5	Normal
4/15/2024 0:00	0.0	0.5	Normal
4/15/2024 1:00	0.0	0.5	Normal
4/15/2024 2:00	0.0	0.5	Normal
4/15/2024 3:00	0.0	0.5	Normal
4/15/2024 4:00	0.0	0.5	Normal
4/15/2024 5:00	0.0	0.5	Normal
4/15/2024 6:00	0.0	0.5	Normal
4/15/2024 7:00	0.0	0.5	Normal
4/15/2024 8:00	0.0	0.5	Normal
4/15/2024 9:00	0.0	0.5	Normal
4/15/2024 10:00	0.0	0.5	Normal
4/15/2024 11:00	0.0	0.5	Normal
4/15/2024 12:00	0.0	0.5	Normal
4/15/2024 13:00	0.0	0.5	Normal
4/15/2024 14:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
4/15/2024 15:00	0.0	0.5	Normal
4/15/2024 16:00	0.0	0.5	Normal
4/15/2024 17:00	0.0	0.5	Normal
4/15/2024 18:00	0.0	0.5	Normal
4/15/2024 19:00	0.0	0.5	Normal
4/15/2024 20:00	0.0	0.5	Normal
4/15/2024 21:00	0.0	0.5	Normal
4/15/2024 22:00	0.0	0.5	Normal
4/15/2024 23:00	0.0	0.5	Normal
4/16/2024 0:00	0.0	0.5	Normal
4/16/2024 1:00	0.0	0.5	Normal
4/16/2024 2:00	0.0	0.5	Normal
4/16/2024 3:00	0.0	0.5	Normal
4/16/2024 4:00	0.0	0.5	Normal
4/16/2024 5:00	0.0	0.5	Normal
4/16/2024 6:00	0.0	0.5	Normal
4/16/2024 7:00	0.0	0.5	Normal
4/16/2024 8:00	0.0	0.5	Normal
4/16/2024 9:00	0.0	0.5	Normal
4/16/2024 10:00	0.0	0.5	Normal
4/16/2024 11:00	0.0	0.5	Normal
4/16/2024 12:00	0.0	0.5	Normal
4/16/2024 13:00	0.0	0.5	Normal
4/16/2024 14:00	0.0	0.5	Normal
4/16/2024 15:00	0.0	0.5	Normal
4/16/2024 16:00	0.0	0.5	Normal
4/16/2024 17:00	0.0	0.5	Normal
4/16/2024 18:00	0.0	0.5	Normal
4/16/2024 19:00	0.0	0.5	Normal
4/16/2024 20:00	0.0	0.5	Normal
4/16/2024 21:00	0.0	0.5	Normal
4/16/2024 22:00	0.0	0.5	Normal
4/16/2024 23:00	0.0	0.5	Normal
4/17/2024 0:00	0.0	0.5	Normal
4/17/2024 1:00	0.0	0.5	Normal
4/17/2024 2:00	0.0	0.5	Normal
4/17/2024 3:00	0.0	0.5	Normal
4/17/2024 4:00	0.0	0.5	Normal
4/17/2024 5:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
4/17/2024 6:00	0.0	0.5	Normal
4/17/2024 7:00	0.0	0.5	Normal
4/17/2024 8:00	0.0	0.5	Normal
4/17/2024 9:00	0.0	0.5	Normal
4/17/2024 10:00	0.0	0.5	Normal
4/17/2024 11:00	0.0	0.5	Normal
4/17/2024 12:00	0.0	0.5	Normal
4/17/2024 13:00	0.0	0.5	Normal
4/17/2024 14:00	0.0	0.5	Normal
4/17/2024 15:00	0.0	0.5	Normal
4/17/2024 16:00	0.0	0.5	Normal
4/17/2024 17:00	0.0	0.5	Normal
4/17/2024 18:00	0.0	0.5	Normal
4/17/2024 19:00	0.0	0.5	Normal
4/17/2024 20:00	0.0	0.5	Normal
4/17/2024 21:00	0.0	0.5	Normal
4/17/2024 22:00	0.0	0.5	Normal
4/17/2024 23:00	0.0	0.5	Normal
4/18/2024 0:00	0.0	0.5	Normal
4/18/2024 1:00	0.0	0.5	Normal
4/18/2024 2:00	0.0	0.5	Normal
4/18/2024 3:00	0.0	0.5	Normal
4/18/2024 4:00	0.0	0.5	Normal
4/18/2024 5:00	0.0	0.5	Normal
4/18/2024 6:00	0.0	0.5	Normal
4/18/2024 7:00	0.0	0.5	Normal
4/18/2024 8:00	0.0	0.5	Normal
4/18/2024 9:00	0.0	0.5	Normal
4/18/2024 10:00	0.0	0.5	Normal
4/18/2024 11:00	0.0	0.5	Normal
4/18/2024 12:00	0.0	0.5	Normal
4/18/2024 13:00	0.0	0.5	Normal
4/18/2024 14:00	0.0	0.5	Normal
4/18/2024 15:00	0.0	0.5	Normal
4/18/2024 16:00	0.0	0.5	Normal
4/18/2024 17:00	0.0	0.5	Normal
4/18/2024 18:00	0.0	0.5	Normal
4/18/2024 19:00	0.0	0.5	Normal
4/18/2024 20:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
4/18/2024 21:00	0.0	0.5	Normal
4/18/2024 22:00	0.0	0.5	Normal
4/18/2024 23:00	0.0	0.5	Normal
4/19/2024 0:00	0.0	0.5	Normal
4/19/2024 1:00	0.0	0.5	Normal
4/19/2024 2:00	0.0	0.5	Normal
4/19/2024 3:00	0.0	0.5	Normal
4/19/2024 4:00	0.0	0.5	Normal
4/19/2024 5:00	0.0	0.5	Normal
4/19/2024 6:00	0.0	0.5	Normal
4/19/2024 7:00	0.0	0.5	Normal
4/19/2024 8:00	0.0	0.5	Normal
4/19/2024 9:00	0.0	0.5	Normal
4/19/2024 10:00	0.0	0.5	Normal
4/19/2024 11:00	0.0	0.5	Normal
4/19/2024 12:00	0.0	0.5	Normal
4/19/2024 13:00	0.0	0.5	Normal
4/19/2024 14:00	0.0	0.5	Normal
4/19/2024 15:00	0.0	0.5	Normal
4/19/2024 16:00	0.0	0.5	Normal
4/19/2024 17:00	0.0	0.5	Normal
4/19/2024 18:00	0.0	0.5	Normal
4/19/2024 19:00	0.0	0.5	Normal
4/19/2024 20:00	0.0	0.5	Normal
4/19/2024 21:00	0.0	0.5	Normal
4/19/2024 22:00	0.0	0.5	Normal
4/19/2024 23:00	0.0	0.5	Normal
4/20/2024 0:00	0.0	0.5	Normal
4/20/2024 1:00	0.0	0.5	Normal
4/20/2024 2:00	0.0	0.5	Normal
4/20/2024 3:00	0.0	0.5	Normal
4/20/2024 4:00	0.0	0.5	Normal
4/20/2024 5:00	0.0	0.5	Normal
4/20/2024 6:00	0.0	0.5	Normal
4/20/2024 7:00	0.0	0.5	Normal
4/20/2024 8:00	0.0	0.5	Normal
4/20/2024 9:00	0.0	0.5	Normal
4/20/2024 10:00	0.0	0.5	Normal
4/20/2024 11:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
4/20/2024 12:00	0.0	0.5	Normal
4/20/2024 13:00	0.0	0.5	Normal
4/20/2024 14:00	0.0	0.5	Normal
4/20/2024 15:00	0.0	0.5	Normal
4/20/2024 16:00	0.0	0.5	Normal
4/20/2024 17:00	0.0	0.5	Normal
4/20/2024 18:00	0.0	0.5	Normal
4/20/2024 19:00	0.0	0.5	Normal
4/20/2024 20:00	0.0	0.5	Normal
4/20/2024 21:00	0.0	0.5	Normal
4/20/2024 22:00	0.0	0.5	Normal
4/20/2024 23:00	0.0	0.5	Normal
4/21/2024 0:00	0.0	0.5	Normal
4/21/2024 1:00	0.0	0.5	Normal
4/21/2024 2:00	0.0	0.5	Normal
4/21/2024 3:00	0.0	0.5	Normal
4/21/2024 4:00	0.0	0.5	Normal
4/21/2024 5:00	0.0	0.5	Normal
4/21/2024 6:00	0.0	0.5	Normal
4/21/2024 7:00	0.0	0.5	Normal
4/21/2024 8:00	0.0	0.5	Normal
4/21/2024 9:00	0.0	0.5	Normal
4/21/2024 10:00	0.0	0.5	Normal
4/21/2024 11:00	0.0	0.5	Normal
4/21/2024 12:00	0.0	0.5	Normal
4/21/2024 13:00	0.0	0.5	Normal
4/21/2024 14:00	0.0	0.5	Normal
4/21/2024 15:00	0.0	0.5	Normal
4/21/2024 16:00	0.0	0.5	Normal
4/21/2024 17:00	0.0	0.5	Normal
4/21/2024 18:00	0.0	0.5	Normal
4/21/2024 19:00	0.0	0.5	Normal
4/21/2024 20:00	0.0	0.5	Normal
4/21/2024 21:00	0.0	0.5	Normal
4/21/2024 22:00	0.0	0.5	Normal
4/21/2024 23:00	0.0	0.5	Normal
4/22/2024 0:00	0.0	0.5	Normal
4/22/2024 1:00	0.0	0.5	Normal
4/22/2024 2:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
4/22/2024 3:00	0.0	0.5	Normal
4/22/2024 4:00	0.0	0.5	Normal
4/22/2024 5:00	0.0	0.5	Normal
4/22/2024 6:00	0.0	0.5	Normal
4/22/2024 7:00	0.0	0.5	Normal
4/22/2024 8:00	0.0	0.5	Normal
4/22/2024 9:00	0.0	0.5	Normal
4/22/2024 10:00	0.0	0.5	Normal
4/22/2024 11:00	0.0	0.5	Normal
4/22/2024 12:00	0.0	0.5	Normal
4/22/2024 13:00	0.0	0.5	Normal
4/22/2024 14:00	0.0	0.5	Normal
4/22/2024 15:00	0.0	0.5	Normal
4/22/2024 16:00	0.0	0.5	Normal
4/22/2024 17:00	0.0	0.5	Normal
4/22/2024 18:00	0.0	0.5	Normal
4/22/2024 19:00	0.0	0.5	Normal
4/22/2024 20:00	0.0	0.5	Normal
4/22/2024 21:00	0.0	0.5	Normal
4/22/2024 22:00	0.0	0.5	Normal
4/22/2024 23:00	0.0	0.5	Normal
4/23/2024 0:00	0.0	0.5	Normal
4/23/2024 1:00	0.0	0.5	Normal
4/23/2024 2:00	0.0	0.5	Normal
4/23/2024 3:00	0.0	0.5	Normal
4/23/2024 4:00	0.0	0.5	Normal
4/23/2024 5:00	0.0	0.5	Normal
4/23/2024 6:00	0.0	0.5	Normal
4/23/2024 7:00	0.0	0.5	Normal
4/23/2024 8:00	0.0	0.5	Normal
4/23/2024 9:00	0.0	0.5	Normal
4/23/2024 10:00	0.0	0.5	Normal
4/23/2024 11:00	0.0	0.5	Normal
4/23/2024 12:00	0.0	0.5	Normal
4/23/2024 13:00	0.0	0.5	Normal
4/23/2024 14:00	0.0	0.5	Normal
4/23/2024 15:00	0.0	0.5	Normal
4/23/2024 16:00	0.0	0.5	Normal
4/23/2024 17:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
4/23/2024 18:00	0.0	0.5	Normal
4/23/2024 19:00	0.0	0.5	Normal
4/23/2024 20:00	0.0	0.5	Normal
4/23/2024 21:00	0.0	0.5	Normal
4/23/2024 22:00	0.0	0.5	Normal
4/23/2024 23:00	0.0	0.5	Normal
4/24/2024 0:00	0.0	0.5	Normal
4/24/2024 1:00	0.0	0.5	Normal
4/24/2024 2:00	0.0	0.5	Normal
4/24/2024 3:00	0.0	0.5	Normal
4/24/2024 4:00	0.0	0.5	Normal
4/24/2024 5:00	0.0	0.5	Normal
4/24/2024 6:00	0.0	0.5	Normal
4/24/2024 7:00	0.0	0.5	Normal
4/24/2024 8:00	0.0	0.5	Normal
4/24/2024 9:00	0.0	0.5	Normal
4/24/2024 10:00	0.0	0.5	Normal
4/24/2024 11:00	0.0	0.5	Normal
4/24/2024 12:00	0.0	0.5	Normal
4/24/2024 13:00	0.0	0.5	Normal
4/24/2024 14:00	0.0	0.5	Normal
4/24/2024 15:00	0.0	0.5	Normal
4/24/2024 16:00	0.0	0.5	Normal
4/24/2024 17:00	0.0	0.5	Normal
4/24/2024 18:00	0.0	0.5	Normal
4/24/2024 19:00	0.0	0.5	Normal
4/24/2024 20:00	0.0	0.5	Normal
4/24/2024 21:00	0.0	0.5	Normal
4/24/2024 22:00	0.0	0.5	Normal
4/24/2024 23:00	0.0	0.5	Normal
4/25/2024 0:00	0.0	0.5	Normal
4/25/2024 1:00	0.0	0.5	Normal
4/25/2024 2:00	0.0	0.5	Normal
4/25/2024 3:00	0.0	0.5	Normal
4/25/2024 4:00	0.0	0.5	Normal
4/25/2024 5:00	0.0	0.5	Normal
4/25/2024 6:00	0.0	0.5	Normal
4/25/2024 7:00	0.0	0.5	Normal
4/25/2024 8:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
4/25/2024 9:00	0.0	0.5	Normal
4/25/2024 10:00	0.0	0.5	Normal
4/25/2024 11:00	0.0	0.5	Normal
4/25/2024 12:00	0.0	0.5	Normal
4/25/2024 13:00	0.0	0.5	Normal
4/25/2024 14:00	0.0	0.5	Normal
4/25/2024 15:00	0.0	0.5	Normal
4/25/2024 16:00	0.0	0.5	Normal
4/25/2024 17:00	0.0	0.5	Normal
4/25/2024 18:00	0.0	0.5	Normal
4/25/2024 19:00	0.0	0.5	Normal
4/25/2024 20:00	0.0	0.5	Normal
4/25/2024 21:00	0.0	0.5	Normal
4/25/2024 22:00	0.0	0.5	Normal
4/25/2024 23:00	0.0	0.5	Normal
4/26/2024 0:00	0.0	0.5	Normal
4/26/2024 1:00	0.0	0.5	Normal
4/26/2024 2:00	0.0	0.5	Normal
4/26/2024 3:00	0.0	0.5	Normal
4/26/2024 4:00	0.0	0.5	Normal
4/26/2024 5:00	0.0	0.5	Normal
4/26/2024 6:00	0.0	0.5	Normal
4/26/2024 7:00	0.0	0.5	Normal
4/26/2024 8:00	0.0	0.5	Normal
4/26/2024 9:00	0.0	0.5	Normal
4/26/2024 10:00	0.0	0.5	Normal
4/26/2024 11:00	0.0	0.5	Normal
4/26/2024 12:00	0.0	0.5	Normal
4/26/2024 13:00	0.0	0.5	Normal
4/26/2024 14:00	0.0	0.5	Normal
4/26/2024 15:00	0.0	0.5	Normal
4/26/2024 16:00	0.0	0.5	Normal
4/26/2024 17:00	0.0	0.5	Normal
4/26/2024 18:00	0.0	0.5	Normal
4/26/2024 19:00	0.0	0.5	Normal
4/26/2024 20:00	0.0	0.5	Normal
4/26/2024 21:00	0.0	0.5	Normal
4/26/2024 22:00	0.0	0.5	Normal
4/26/2024 23:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
4/27/2024 0:00	0.0	0.5	Normal
4/27/2024 1:00	0.0	0.5	Normal
4/27/2024 2:00	0.0	0.5	Normal
4/27/2024 3:00	0.0	0.5	Normal
4/27/2024 4:00	0.0	0.5	Normal
4/27/2024 5:00	223.0	0.8	Malfunction
4/27/2024 6:00	1249.0	2.6	Malfunction
4/27/2024 7:00	1623.0	4.8	Malfunction
4/27/2024 8:00	818.0	6.0	Malfunction
4/27/2024 9:00	0.0	6.0	Normal
4/27/2024 10:00	0.0	6.0	Normal
4/27/2024 11:00	0.0	6.0	Normal
4/27/2024 12:00	0.0	6.0	Normal
4/27/2024 13:00	0.0	6.0	Normal
4/27/2024 14:00	0.0	6.0	Normal
4/27/2024 15:00	0.0	6.0	Normal
4/27/2024 16:00	0.0	6.0	Normal
4/27/2024 17:00	0.0	6.0	Normal
4/27/2024 18:00	0.0	6.0	Normal
4/27/2024 19:00	0.0	6.0	Normal
4/27/2024 20:00	0.0	6.0	Normal
4/27/2024 21:00	0.0	6.0	Normal
4/27/2024 22:00	0.0	6.0	Normal
4/27/2024 23:00	0.0	6.0	Normal
4/28/2024 0:00	0.0	6.0	Normal
4/28/2024 1:00	0.0	6.0	Normal
4/28/2024 2:00	0.0	6.0	Normal
4/28/2024 3:00	0.0	6.0	Normal
4/28/2024 4:00	0.0	6.0	Normal
4/28/2024 5:00	0.0	6.0	Normal
4/28/2024 6:00	0.0	6.0	Normal
4/28/2024 7:00	0.0	6.0	Normal
4/28/2024 8:00	0.0	6.0	Normal
4/28/2024 9:00	0.0	6.0	Normal
4/28/2024 10:00	0.0	6.0	Normal
4/28/2024 11:00	0.0	6.0	Normal
4/28/2024 12:00	0.0	6.0	Normal
4/28/2024 13:00	0.0	6.0	Normal
4/28/2024 14:00	0.0	6.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
4/28/2024 15:00	0.0	6.0	Normal
4/28/2024 16:00	0.0	6.0	Normal
4/28/2024 17:00	0.0	6.0	Normal
4/28/2024 18:00	0.0	6.0	Normal
4/28/2024 19:00	0.0	6.0	Normal
4/28/2024 20:00	0.0	6.0	Normal
4/28/2024 21:00	0.0	6.0	Normal
4/28/2024 22:00	0.0	6.0	Normal
4/28/2024 23:00	0.0	6.0	Normal
4/29/2024 0:00	0.0	6.0	Normal
4/29/2024 1:00	0.0	6.0	Normal
4/29/2024 2:00	0.0	6.0	Normal
4/29/2024 3:00	0.0	6.0	Normal
4/29/2024 4:00	0.0	6.0	Normal
4/29/2024 5:00	0.0	6.0	Normal
4/29/2024 6:00	0.0	6.0	Normal
4/29/2024 7:00	0.0	6.0	Normal
4/29/2024 8:00	0.0	6.0	Normal
4/29/2024 9:00	0.0	6.0	Normal
4/29/2024 10:00	0.0	6.0	Normal
4/29/2024 11:00	0.0	6.0	Normal
4/29/2024 12:00	0.0	6.0	Normal
4/29/2024 13:00	0.0	6.0	Normal
4/29/2024 14:00	0.0	6.0	Normal
4/29/2024 15:00	0.0	6.0	Normal
4/29/2024 16:00	0.0	6.0	Normal
4/29/2024 17:00	0.0	6.0	Normal
4/29/2024 18:00	0.0	6.0	Normal
4/29/2024 19:00	0.0	6.0	Normal
4/29/2024 20:00	0.0	6.0	Normal
4/29/2024 21:00	0.0	6.0	Normal
4/29/2024 22:00	0.0	6.0	Normal
4/29/2024 23:00	0.0	6.0	Normal
4/30/2024 0:00	0.0	6.0	Normal
4/30/2024 1:00	0.0	6.0	Normal
4/30/2024 2:00	0.0	6.0	Normal
4/30/2024 3:00	0.0	6.0	Normal
4/30/2024 4:00	0.0	6.0	Normal
4/30/2024 5:00	0.0	6.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
4/30/2024 6:00	0.0	6.0	Normal
4/30/2024 7:00	0.0	6.0	Normal
4/30/2024 8:00	0.0	6.0	Normal
4/30/2024 9:00	0.0	6.0	Normal
4/30/2024 10:00	0.0	6.0	Normal
4/30/2024 11:00	0.0	6.0	Normal
4/30/2024 12:00	0.0	6.0	Normal
4/30/2024 13:00	0.0	6.0	Normal
4/30/2024 14:00	0.0	6.0	Normal
4/30/2024 15:00	0.0	6.0	Normal
4/30/2024 16:00	0.0	6.0	Normal
4/30/2024 17:00	0.0	6.0	Normal
4/30/2024 18:00	0.0	6.0	Normal
4/30/2024 19:00	0.0	6.0	Normal
4/30/2024 20:00	0.0	6.0	Normal
4/30/2024 21:00	0.0	6.0	Normal
4/30/2024 22:00	0.0	6.0	Normal
4/30/2024 23:00	0.0	6.0	Normal
5/1/2024 0:00	0.0	6.0	Normal
5/1/2024 1:00	0.0	6.0	Normal
5/1/2024 2:00	0.0	6.0	Normal
5/1/2024 3:00	0.0	6.0	Normal
5/1/2024 4:00	0.0	6.0	Normal
5/1/2024 5:00	0.0	6.0	Normal
5/1/2024 6:00	0.0	6.0	Normal
5/1/2024 7:00	0.0	6.0	Normal
5/1/2024 8:00	0.0	6.0	Normal
5/1/2024 9:00	0.0	6.0	Normal
5/1/2024 10:00	0.0	6.0	Normal
5/1/2024 11:00	0.0	6.0	Normal
5/1/2024 12:00	0.0	6.0	Normal
5/1/2024 13:00	0.0	6.0	Normal
5/1/2024 14:00	0.0	6.0	Normal
5/1/2024 15:00	0.0	6.0	Normal
5/1/2024 16:00	0.0	6.0	Normal
5/1/2024 17:00	0.0	6.0	Normal
5/1/2024 18:00	0.0	6.0	Normal
5/1/2024 19:00	0.0	6.0	Normal
5/1/2024 20:00	0.0	6.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
5/1/2024 21:00	0.0	6.0	Normal
5/1/2024 22:00	0.0	6.0	Normal
5/1/2024 23:00	0.0	6.0	Normal
5/2/2024 0:00	0.0	6.0	Normal
5/2/2024 1:00	0.0	6.0	Normal
5/2/2024 2:00	0.0	6.0	Normal
5/2/2024 3:00	0.0	6.0	Normal
5/2/2024 4:00	0.0	6.0	Normal
5/2/2024 5:00	0.0	6.0	Normal
5/2/2024 6:00	0.0	6.0	Normal
5/2/2024 7:00	0.0	6.0	Normal
5/2/2024 8:00	0.0	6.0	Normal
5/2/2024 9:00	0.0	6.0	Normal
5/2/2024 10:00	0.0	6.0	Normal
5/2/2024 11:00	0.0	6.0	Normal
5/2/2024 12:00	0.0	6.0	Normal
5/2/2024 13:00	0.0	6.0	Normal
5/2/2024 14:00	0.0	6.0	Normal
5/2/2024 15:00	0.0	6.0	Normal
5/2/2024 16:00	0.0	6.0	Normal
5/2/2024 17:00	0.0	6.0	Normal
5/2/2024 18:00	0.0	6.0	Normal
5/2/2024 19:00	0.0	6.0	Normal
5/2/2024 20:00	0.0	6.0	Normal
5/2/2024 21:00	0.0	6.0	Normal
5/2/2024 22:00	0.0	6.0	Normal
5/2/2024 23:00	0.0	6.0	Normal
5/3/2024 0:00	0.0	6.0	Normal
5/3/2024 1:00	0.0	6.0	Normal
5/3/2024 2:00	0.0	6.0	Normal
5/3/2024 3:00	0.0	6.0	Normal
5/3/2024 4:00	0.0	6.0	Normal
5/3/2024 5:00	0.0	6.0	Normal
5/3/2024 6:00	0.0	6.0	Normal
5/3/2024 7:00	0.0	6.0	Normal
5/3/2024 8:00	0.0	6.0	Normal
5/3/2024 9:00	0.0	6.0	Normal
5/3/2024 10:00	0.0	6.0	Normal
5/3/2024 11:00	0.0	6.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
5/3/2024 12:00	0.0	6.0	Normal
5/3/2024 13:00	0.0	6.0	Normal
5/3/2024 14:00	0.0	6.0	Normal
5/3/2024 15:00	0.0	6.0	Normal
5/3/2024 16:00	0.0	6.0	Normal
5/3/2024 17:00	0.0	6.0	Normal
5/3/2024 18:00	0.0	6.0	Normal
5/3/2024 19:00	0.0	6.0	Normal
5/3/2024 20:00	0.0	6.0	Normal
5/3/2024 21:00	0.0	6.0	Normal
5/3/2024 22:00	0.0	6.0	Normal
5/3/2024 23:00	0.0	6.0	Normal
5/4/2024 0:00	0.0	6.0	Normal
5/4/2024 1:00	0.0	6.0	Normal
5/4/2024 2:00	0.0	6.0	Normal
5/4/2024 3:00	0.0	6.0	Normal
5/4/2024 4:00	0.0	6.0	Normal
5/4/2024 5:00	0.0	6.0	Normal
5/4/2024 6:00	0.0	6.0	Normal
5/4/2024 7:00	0.0	6.0	Normal
5/4/2024 8:00	0.0	6.0	Normal
5/4/2024 9:00	0.0	6.0	Normal
5/4/2024 10:00	0.0	6.0	Normal
5/4/2024 11:00	0.0	6.0	Normal
5/4/2024 12:00	0.0	6.0	Normal
5/4/2024 13:00	0.0	6.0	Normal
5/4/2024 14:00	0.0	6.0	Normal
5/4/2024 15:00	0.0	6.0	Normal
5/4/2024 16:00	0.0	6.0	Normal
5/4/2024 17:00	0.0	6.0	Normal
5/4/2024 18:00	0.0	6.0	Normal
5/4/2024 19:00	0.0	6.0	Normal
5/4/2024 20:00	0.0	6.0	Normal
5/4/2024 21:00	0.0	6.0	Normal
5/4/2024 22:00	0.0	6.0	Normal
5/4/2024 23:00	0.0	6.0	Normal
5/5/2024 0:00	0.0	6.0	Normal
5/5/2024 1:00	0.0	6.0	Normal
5/5/2024 2:00	0.0	6.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
5/5/2024 3:00	0.0	6.0	Normal
5/5/2024 4:00	0.0	6.0	Normal
5/5/2024 5:00	0.0	6.0	Normal
5/5/2024 6:00	0.0	6.0	Normal
5/5/2024 7:00	0.0	6.0	Normal
5/5/2024 8:00	0.0	6.0	Normal
5/5/2024 9:00	0.0	6.0	Normal
5/5/2024 10:00	0.0	6.0	Normal
5/5/2024 11:00	0.0	6.0	Normal
5/5/2024 12:00	0.0	6.0	Normal
5/5/2024 13:00	0.0	6.0	Normal
5/5/2024 14:00	0.0	6.0	Normal
5/5/2024 15:00	0.0	6.0	Normal
5/5/2024 16:00	0.0	6.0	Normal
5/5/2024 17:00	0.0	6.0	Normal
5/5/2024 18:00	0.0	6.0	Normal
5/5/2024 19:00	0.0	6.0	Normal
5/5/2024 20:00	0.0	6.0	Normal
5/5/2024 21:00	0.0	6.0	Normal
5/5/2024 22:00	0.0	6.0	Normal
5/5/2024 23:00	0.0	6.0	Normal
5/6/2024 0:00	0.0	6.0	Normal
5/6/2024 1:00	0.0	6.0	Normal
5/6/2024 2:00	0.0	6.0	Normal
5/6/2024 3:00	0.0	6.0	Normal
5/6/2024 4:00	0.0	6.0	Normal
5/6/2024 5:00	0.0	6.0	Normal
5/6/2024 6:00	0.0	6.0	Normal
5/6/2024 7:00	0.0	6.0	Normal
5/6/2024 8:00	0.0	6.0	Normal
5/6/2024 9:00	0.0	6.0	Normal
5/6/2024 10:00	0.0	6.0	Normal
5/6/2024 11:00	0.0	6.0	Normal
5/6/2024 12:00	0.0	6.0	Normal
5/6/2024 13:00	0.0	6.0	Normal
5/6/2024 14:00	0.0	6.0	Normal
5/6/2024 15:00	0.0	6.0	Normal
5/6/2024 16:00	0.0	6.0	Normal
5/6/2024 17:00	0.0	6.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
5/6/2024 18:00	0.0	6.0	Normal
5/6/2024 19:00	0.0	6.0	Normal
5/6/2024 20:00	0.0	6.0	Normal
5/6/2024 21:00	0.0	6.0	Normal
5/6/2024 22:00	0.0	6.0	Normal
5/6/2024 23:00	0.0	6.0	Normal
5/7/2024 0:00	0.0	6.0	Normal
5/7/2024 1:00	0.0	6.0	Normal
5/7/2024 2:00	0.0	6.0	Normal
5/7/2024 3:00	0.0	6.0	Normal
5/7/2024 4:00	0.0	6.0	Normal
5/7/2024 5:00	0.0	6.0	Normal
5/7/2024 6:00	0.0	6.0	Normal
5/7/2024 7:00	0.0	6.0	Normal
5/7/2024 8:00	0.0	6.0	Normal
5/7/2024 9:00	0.0	6.0	Normal
5/7/2024 10:00	0.0	6.0	Normal
5/7/2024 11:00	0.0	6.0	Normal
5/7/2024 12:00	0.0	6.0	Normal
5/7/2024 13:00	0.0	6.0	Normal
5/7/2024 14:00	0.0	6.0	Normal
5/7/2024 15:00	0.0	6.0	Normal
5/7/2024 16:00	0.0	6.0	Normal
5/7/2024 17:00	0.0	6.0	Normal
5/7/2024 18:00	0.0	6.0	Normal
5/7/2024 19:00	0.0	6.0	Normal
5/7/2024 20:00	0.0	6.0	Normal
5/7/2024 21:00	0.0	6.0	Normal
5/7/2024 22:00	0.0	6.0	Normal
5/7/2024 23:00	0.0	6.0	Normal
5/8/2024 0:00	0.0	6.0	Normal
5/8/2024 1:00	0.0	6.0	Normal
5/8/2024 2:00	0.0	6.0	Normal
5/8/2024 3:00	0.0	6.0	Normal
5/8/2024 4:00	0.0	6.0	Normal
5/8/2024 5:00	0.0	6.0	Normal
5/8/2024 6:00	0.0	6.0	Normal
5/8/2024 7:00	0.0	6.0	Normal
5/8/2024 8:00	0.0	6.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
5/8/2024 9:00	0.0	6.0	Normal
5/8/2024 10:00	0.0	6.0	Normal
5/8/2024 11:00	0.0	6.0	Normal
5/8/2024 12:00	0.0	6.0	Normal
5/8/2024 13:00	0.0	6.0	Normal
5/8/2024 14:00	0.0	6.0	Normal
5/8/2024 15:00	0.0	6.0	Normal
5/8/2024 16:00	0.0	6.0	Normal
5/8/2024 17:00	0.0	6.0	Normal
5/8/2024 18:00	0.0	6.0	Normal
5/8/2024 19:00	0.0	6.0	Normal
5/8/2024 20:00	0.0	6.0	Normal
5/8/2024 21:00	0.0	6.0	Normal
5/8/2024 22:00	0.0	6.0	Normal
5/8/2024 23:00	0.0	6.0	Normal
5/9/2024 0:00	0.0	5.5	Normal
5/9/2024 1:00	0.0	5.5	Normal
5/9/2024 2:00	0.0	5.5	Normal
5/9/2024 3:00	0.0	5.5	Normal
5/9/2024 4:00	0.0	5.5	Normal
5/9/2024 5:00	0.0	5.5	Normal
5/9/2024 6:00	0.0	5.5	Normal
5/9/2024 7:00	0.0	5.5	Normal
5/9/2024 8:00	0.0	5.5	Normal
5/9/2024 9:00	0.0	5.5	Normal
5/9/2024 10:00	0.0	5.5	Normal
5/9/2024 11:00	0.0	5.5	Normal
5/9/2024 12:00	0.0	5.5	Normal
5/9/2024 13:00	0.0	5.5	Normal
5/9/2024 14:00	0.0	5.5	Normal
5/9/2024 15:00	0.0	5.5	Normal
5/9/2024 16:00	0.0	5.5	Normal
5/9/2024 17:00	0.0	5.5	Normal
5/9/2024 18:00	0.0	5.5	Normal
5/9/2024 19:00	0.0	5.5	Normal
5/9/2024 20:00	0.0	5.5	Normal
5/9/2024 21:00	0.0	5.5	Normal
5/9/2024 22:00	0.0	5.5	Normal
5/9/2024 23:00	0.0	5.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
5/10/2024 0:00	0.0	5.5	Normal
5/10/2024 1:00	0.0	5.5	Normal
5/10/2024 2:00	0.0	5.5	Normal
5/10/2024 3:00	0.0	5.5	Normal
5/10/2024 4:00	0.0	5.5	Normal
5/10/2024 5:00	0.0	5.5	Normal
5/10/2024 6:00	0.0	5.5	Normal
5/10/2024 7:00	0.0	5.5	Normal
5/10/2024 8:00	0.0	5.5	Normal
5/10/2024 9:00	0.0	5.5	Normal
5/10/2024 10:00	0.0	5.5	Normal
5/10/2024 11:00	0.0	5.5	Normal
5/10/2024 12:00	0.0	5.5	Normal
5/10/2024 13:00	0.0	5.5	Normal
5/10/2024 14:00	0.0	5.5	Normal
5/10/2024 15:00	0.0	5.5	Normal
5/10/2024 16:00	0.0	5.5	Normal
5/10/2024 17:00	0.0	5.5	Normal
5/10/2024 18:00	0.0	5.5	Normal
5/10/2024 19:00	0.0	5.5	Normal
5/10/2024 20:00	0.0	5.5	Normal
5/10/2024 21:00	0.0	5.5	Normal
5/10/2024 22:00	0.0	5.5	Normal
5/10/2024 23:00	0.0	5.5	Normal
5/11/2024 0:00	0.0	5.5	Normal
5/11/2024 1:00	0.0	5.5	Normal
5/11/2024 2:00	0.0	5.5	Normal
5/11/2024 3:00	0.0	5.5	Normal
5/11/2024 4:00	0.0	5.5	Normal
5/11/2024 5:00	0.0	5.5	Normal
5/11/2024 6:00	0.0	5.5	Normal
5/11/2024 7:00	0.0	5.5	Normal
5/11/2024 8:00	0.0	5.5	Normal
5/11/2024 9:00	0.0	5.5	Normal
5/11/2024 10:00	0.0	5.5	Normal
5/11/2024 11:00	0.0	5.5	Normal
5/11/2024 12:00	0.0	5.5	Normal
5/11/2024 13:00	0.0	5.5	Normal
5/11/2024 14:00	0.0	5.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
5/11/2024 15:00	0.0	5.5	Normal
5/11/2024 16:00	0.0	5.5	Normal
5/11/2024 17:00	0.0	5.5	Normal
5/11/2024 18:00	0.0	5.5	Normal
5/11/2024 19:00	0.0	5.5	Normal
5/11/2024 20:00	0.0	5.5	Normal
5/11/2024 21:00	0.0	5.5	Normal
5/11/2024 22:00	0.0	5.5	Normal
5/11/2024 23:00	0.0	5.5	Normal
5/12/2024 0:00	0.0	5.5	Normal
5/12/2024 1:00	0.0	5.5	Normal
5/12/2024 2:00	0.0	5.5	Normal
5/12/2024 3:00	0.0	5.5	Normal
5/12/2024 4:00	0.0	5.5	Normal
5/12/2024 5:00	0.0	5.5	Normal
5/12/2024 6:00	0.0	5.5	Normal
5/12/2024 7:00	0.0	5.5	Normal
5/12/2024 8:00	0.0	5.5	Normal
5/12/2024 9:00	0.0	5.5	Normal
5/12/2024 10:00	0.0	5.5	Normal
5/12/2024 11:00	0.0	5.5	Normal
5/12/2024 12:00	0.0	5.5	Normal
5/12/2024 13:00	0.0	5.5	Normal
5/12/2024 14:00	0.0	5.5	Normal
5/12/2024 15:00	0.0	5.5	Normal
5/12/2024 16:00	0.0	5.5	Normal
5/12/2024 17:00	0.0	5.5	Normal
5/12/2024 18:00	0.0	5.5	Normal
5/12/2024 19:00	0.0	5.5	Normal
5/12/2024 20:00	0.0	5.5	Normal
5/12/2024 21:00	0.0	5.5	Normal
5/12/2024 22:00	0.0	5.5	Normal
5/12/2024 23:00	0.0	5.5	Normal
5/13/2024 0:00	0.0	5.5	Normal
5/13/2024 1:00	0.0	5.5	Normal
5/13/2024 2:00	0.0	5.5	Normal
5/13/2024 3:00	0.0	5.5	Normal
5/13/2024 4:00	0.0	5.5	Normal
5/13/2024 5:00	0.0	5.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
5/13/2024 6:00	0.0	5.5	Normal
5/13/2024 7:00	0.0	5.5	Normal
5/13/2024 8:00	0.0	5.5	Normal
5/13/2024 9:00	0.0	5.5	Normal
5/13/2024 10:00	0.0	5.5	Normal
5/13/2024 11:00	0.0	5.5	Normal
5/13/2024 12:00	0.0	5.5	Normal
5/13/2024 13:00	0.0	5.5	Normal
5/13/2024 14:00	0.0	5.5	Normal
5/13/2024 15:00	0.0	5.5	Normal
5/13/2024 16:00	0.0	5.4	Normal
5/13/2024 17:00	0.0	5.4	Normal
5/13/2024 18:00	0.0	5.4	Normal
5/13/2024 19:00	0.0	5.4	Normal
5/13/2024 20:00	0.0	5.4	Normal
5/13/2024 21:00	0.0	5.4	Normal
5/13/2024 22:00	0.0	5.4	Normal
5/13/2024 23:00	0.0	5.4	Normal
5/14/2024 0:00	0.0	5.4	Normal
5/14/2024 1:00	0.0	5.4	Normal
5/14/2024 2:00	0.0	5.4	Normal
5/14/2024 3:00	0.0	5.4	Normal
5/14/2024 4:00	0.0	5.4	Normal
5/14/2024 5:00	0.0	5.4	Normal
5/14/2024 6:00	0.0	5.4	Normal
5/14/2024 7:00	0.0	5.4	Normal
5/14/2024 8:00	0.0	5.4	Normal
5/14/2024 9:00	0.0	5.4	Normal
5/14/2024 10:00	0.0	5.4	Normal
5/14/2024 11:00	0.0	5.4	Normal
5/14/2024 12:00	0.0	5.4	Normal
5/14/2024 13:00	0.0	5.4	Normal
5/14/2024 14:00	0.0	5.4	Normal
5/14/2024 15:00	0.0	5.4	Normal
5/14/2024 16:00	0.0	5.4	Normal
5/14/2024 17:00	0.0	5.4	Normal
5/14/2024 18:00	0.0	5.4	Normal
5/14/2024 19:00	0.0	5.4	Normal
5/14/2024 20:00	0.0	5.4	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
5/14/2024 21:00	0.0	5.4	Normal
5/14/2024 22:00	0.0	5.4	Normal
5/14/2024 23:00	0.0	5.4	Normal
5/15/2024 0:00	0.0	5.4	Normal
5/15/2024 1:00	0.0	5.4	Normal
5/15/2024 2:00	0.0	5.4	Normal
5/15/2024 3:00	0.0	5.4	Normal
5/15/2024 4:00	0.0	5.4	Malfunction
5/15/2024 5:00	140.0	5.6	Shutdown
5/15/2024 6:00	87.0	5.8	Shutdown
5/15/2024 7:00	0.0	5.8	Shutdown
5/15/2024 8:00	0.0	5.8	Shutdown
5/15/2024 9:00	0.0	5.8	Shutdown
5/15/2024 10:00	0.0	5.8	Shutdown
5/15/2024 11:00	0.0	5.8	Shutdown
5/15/2024 12:00	0.0	5.8	Shutdown
5/15/2024 13:00	0.0	5.8	Shutdown
5/15/2024 14:00	0.0	5.8	Shutdown
5/15/2024 15:00	0.0	5.8	Shutdown
5/15/2024 16:00	0.0	5.8	Shutdown
5/15/2024 17:00	0.0	5.8	Shutdown
5/15/2024 18:00	0.0	5.8	Shutdown
5/15/2024 19:00	0.0	5.8	Shutdown
5/15/2024 20:00	0.0	5.8	Shutdown
5/15/2024 21:00	0.0	5.8	Shutdown
5/15/2024 22:00	0.0	5.8	Shutdown
5/15/2024 23:00	0.0	5.8	Shutdown
5/16/2024 0:00	0.0	5.8	Shutdown
5/16/2024 1:00	0.0	5.8	Shutdown
5/16/2024 2:00	0.0	5.8	Shutdown
5/16/2024 3:00	0.0	5.8	Shutdown
5/16/2024 4:00	0.0	5.8	Shutdown
5/16/2024 5:00	0.0	5.8	Shutdown
5/16/2024 6:00	0.0	5.8	Shutdown
5/16/2024 7:00	0.0	5.8	Shutdown
5/16/2024 8:00	0.0	5.8	Startup
5/16/2024 9:00	0.0	5.8	Startup
5/16/2024 10:00	0.0	5.8	Startup
5/16/2024 11:00	0.0	5.8	Startup

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
5/16/2024 12:00	0.0	5.8	Startup
5/16/2024 13:00	0.0	5.8	Startup
5/16/2024 14:00	0.0	5.8	Startup
5/16/2024 15:00	0.0	5.8	Startup
5/16/2024 16:00	0.0	5.8	Startup
5/16/2024 17:00	0.0	5.8	Startup
5/16/2024 18:00	0.0	5.8	Startup
5/16/2024 19:00	0.0	5.8	Startup
5/16/2024 20:00	0.0	5.8	Startup
5/16/2024 21:00	0.0	5.8	Normal
5/16/2024 22:00	0.0	5.8	Normal
5/16/2024 23:00	0.0	5.8	Normal
5/17/2024 0:00	0.0	5.8	Normal
5/17/2024 1:00	0.0	5.8	Normal
5/17/2024 2:00	0.0	5.8	Normal
5/17/2024 3:00	0.0	5.8	Normal
5/17/2024 4:00	0.0	5.8	Normal
5/17/2024 5:00	0.0	5.8	Normal
5/17/2024 6:00	0.0	5.8	Normal
5/17/2024 7:00	0.0	5.8	Normal
5/17/2024 8:00	0.0	5.8	Normal
5/17/2024 9:00	0.0	5.8	Normal
5/17/2024 10:00	0.0	5.8	Normal
5/17/2024 11:00	0.0	5.8	Normal
5/17/2024 12:00	0.0	5.8	Normal
5/17/2024 13:00	0.0	5.8	Normal
5/17/2024 14:00	0.0	5.8	Normal
5/17/2024 15:00	0.0	5.8	Normal
5/17/2024 16:00	0.0	5.8	Normal
5/17/2024 17:00	0.0	5.8	Normal
5/17/2024 18:00	0.0	5.8	Normal
5/17/2024 19:00	0.0	5.8	Normal
5/17/2024 20:00	0.0	5.8	Normal
5/17/2024 21:00	0.0	5.8	Normal
5/17/2024 22:00	0.0	5.8	Normal
5/17/2024 23:00	0.0	5.8	Normal
5/18/2024 0:00	0.0	5.8	Normal
5/18/2024 1:00	0.0	5.8	Normal
5/18/2024 2:00	0.0	5.8	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
5/18/2024 3:00	0.0	5.8	Normal
5/18/2024 4:00	0.0	5.8	Normal
5/18/2024 5:00	0.0	5.8	Normal
5/18/2024 6:00	0.0	5.8	Normal
5/18/2024 7:00	0.0	5.8	Normal
5/18/2024 8:00	0.0	5.8	Normal
5/18/2024 9:00	0.0	5.8	Normal
5/18/2024 10:00	0.0	5.8	Normal
5/18/2024 11:00	0.0	5.8	Normal
5/18/2024 12:00	0.0	5.8	Normal
5/18/2024 13:00	0.0	5.8	Normal
5/18/2024 14:00	0.0	5.8	Normal
5/18/2024 15:00	0.0	5.8	Normal
5/18/2024 16:00	56.0	5.8	Normal
5/18/2024 17:00	51.0	5.9	Normal
5/18/2024 18:00	0.0	5.9	Normal
5/18/2024 19:00	0.0	5.9	Normal
5/18/2024 20:00	0.0	5.9	Normal
5/18/2024 21:00	0.0	5.9	Normal
5/18/2024 22:00	0.0	5.9	Normal
5/18/2024 23:00	0.0	5.9	Normal
5/19/2024 0:00	0.0	5.9	Normal
5/19/2024 1:00	0.0	5.9	Normal
5/19/2024 2:00	0.0	5.9	Normal
5/19/2024 3:00	0.0	5.9	Normal
5/19/2024 4:00	0.0	5.9	Normal
5/19/2024 5:00	0.0	5.9	Normal
5/19/2024 6:00	0.0	5.9	Normal
5/19/2024 7:00	0.0	5.9	Normal
5/19/2024 8:00	0.0	5.9	Normal
5/19/2024 9:00	0.0	5.9	Normal
5/19/2024 10:00	0.0	5.9	Normal
5/19/2024 11:00	0.0	5.9	Normal
5/19/2024 12:00	0.0	5.9	Normal
5/19/2024 13:00	0.0	5.9	Normal
5/19/2024 14:00	0.0	5.9	Normal
5/19/2024 15:00	0.0	5.9	Normal
5/19/2024 16:00	0.0	5.9	Normal
5/19/2024 17:00	0.0	5.9	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
5/19/2024 18:00	0.0	5.9	Normal
5/19/2024 19:00	0.0	5.9	Normal
5/19/2024 20:00	0.0	5.9	Normal
5/19/2024 21:00	0.0	5.9	Normal
5/19/2024 22:00	0.0	5.9	Normal
5/19/2024 23:00	0.0	5.9	Normal
5/20/2024 0:00	0.0	5.9	Normal
5/20/2024 1:00	0.0	5.9	Normal
5/20/2024 2:00	0.0	5.9	Normal
5/20/2024 3:00	0.0	5.9	Normal
5/20/2024 4:00	0.0	5.9	Normal
5/20/2024 5:00	0.0	5.9	Normal
5/20/2024 6:00	0.0	5.9	Normal
5/20/2024 7:00	0.0	5.9	Normal
5/20/2024 8:00	0.0	5.9	Normal
5/20/2024 9:00	0.0	5.9	Normal
5/20/2024 10:00	0.0	5.9	Normal
5/20/2024 11:00	0.0	5.9	Normal
5/20/2024 12:00	0.0	5.9	Normal
5/20/2024 13:00	0.0	5.9	Normal
5/20/2024 14:00	0.0	5.9	Normal
5/20/2024 15:00	0.0	5.9	Normal
5/20/2024 16:00	0.0	5.9	Normal
5/20/2024 17:00	0.0	5.9	Normal
5/20/2024 18:00	0.0	5.9	Normal
5/20/2024 19:00	0.0	5.9	Normal
5/20/2024 20:00	0.0	5.9	Normal
5/20/2024 21:00	0.0	5.9	Normal
5/20/2024 22:00	0.0	5.9	Normal
5/20/2024 23:00	0.0	5.9	Normal
5/21/2024 0:00	0.0	5.9	Normal
5/21/2024 1:00	0.0	5.9	Normal
5/21/2024 2:00	0.0	5.9	Normal
5/21/2024 3:00	0.0	5.9	Normal
5/21/2024 4:00	0.0	5.9	Normal
5/21/2024 5:00	0.0	5.9	Normal
5/21/2024 6:00	0.0	5.9	Normal
5/21/2024 7:00	0.0	5.9	Normal
5/21/2024 8:00	0.0	5.9	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
5/21/2024 9:00	0.0	5.9	Normal
5/21/2024 10:00	0.0	5.9	Normal
5/21/2024 11:00	0.0	5.9	Normal
5/21/2024 12:00	0.0	5.9	Normal
5/21/2024 13:00	0.0	5.9	Normal
5/21/2024 14:00	0.0	5.9	Normal
5/21/2024 15:00	0.0	5.9	Normal
5/21/2024 16:00	0.0	5.9	Normal
5/21/2024 17:00	0.0	5.9	Normal
5/21/2024 18:00	0.0	5.9	Normal
5/21/2024 19:00	0.0	5.9	Normal
5/21/2024 20:00	0.0	5.9	Normal
5/21/2024 21:00	0.0	5.9	Normal
5/21/2024 22:00	0.0	5.9	Normal
5/21/2024 23:00	0.0	5.9	Normal
5/22/2024 0:00	0.0	5.9	Normal
5/22/2024 1:00	0.0	5.9	Normal
5/22/2024 2:00	0.0	5.9	Normal
5/22/2024 3:00	0.0	5.9	Normal
5/22/2024 4:00	0.0	5.9	Normal
5/22/2024 5:00	0.0	5.9	Normal
5/22/2024 6:00	0.0	5.9	Normal
5/22/2024 7:00	0.0	5.9	Normal
5/22/2024 8:00	0.0	5.9	Normal
5/22/2024 9:00	0.0	5.9	Normal
5/22/2024 10:00	0.0	5.9	Normal
5/22/2024 11:00	0.0	5.9	Normal
5/22/2024 12:00	0.0	5.9	Normal
5/22/2024 13:00	0.0	5.9	Normal
5/22/2024 14:00	0.0	5.9	Normal
5/22/2024 15:00	0.0	5.9	Normal
5/22/2024 16:00	0.0	5.9	Normal
5/22/2024 17:00	0.0	5.9	Normal
5/22/2024 18:00	0.0	5.9	Normal
5/22/2024 19:00	0.0	5.9	Normal
5/22/2024 20:00	0.0	5.9	Normal
5/22/2024 21:00	0.0	5.9	Normal
5/22/2024 22:00	0.0	5.9	Normal
5/22/2024 23:00	0.0	5.9	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
5/23/2024 0:00	0.0	5.9	Normal
5/23/2024 1:00	0.0	5.9	Normal
5/23/2024 2:00	0.0	5.9	Normal
5/23/2024 3:00	0.0	5.9	Normal
5/23/2024 4:00	0.0	5.9	Normal
5/23/2024 5:00	0.0	5.9	Normal
5/23/2024 6:00	0.0	5.9	Normal
5/23/2024 7:00	0.0	5.9	Normal
5/23/2024 8:00	0.0	5.9	Normal
5/23/2024 9:00	0.0	5.9	Normal
5/23/2024 10:00	0.0	5.9	Normal
5/23/2024 11:00	0.0	5.9	Normal
5/23/2024 12:00	0.0	5.9	Normal
5/23/2024 13:00	0.0	5.9	Normal
5/23/2024 14:00	0.0	5.9	Normal
5/23/2024 15:00	0.0	5.9	Normal
5/23/2024 16:00	0.0	5.9	Normal
5/23/2024 17:00	0.0	5.9	Normal
5/23/2024 18:00	0.0	5.9	Normal
5/23/2024 19:00	0.0	5.9	Normal
5/23/2024 20:00	0.0	5.9	Normal
5/23/2024 21:00	0.0	5.9	Normal
5/23/2024 22:00	0.0	5.9	Normal
5/23/2024 23:00	0.0	5.9	Normal
5/24/2024 0:00	0.0	5.9	Normal
5/24/2024 1:00	0.0	5.9	Normal
5/24/2024 2:00	0.0	5.9	Normal
5/24/2024 3:00	0.0	5.9	Normal
5/24/2024 4:00	0.0	5.9	Normal
5/24/2024 5:00	0.0	5.9	Normal
5/24/2024 6:00	0.0	5.9	Normal
5/24/2024 7:00	0.0	5.9	Normal
5/24/2024 8:00	0.0	5.9	Normal
5/24/2024 9:00	0.0	5.9	Normal
5/24/2024 10:00	0.0	5.9	Normal
5/24/2024 11:00	0.0	5.9	Normal
5/24/2024 12:00	0.0	5.9	Normal
5/24/2024 13:00	0.0	5.9	Normal
5/24/2024 14:00	0.0	5.9	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
5/24/2024 15:00	0.0	5.9	Normal
5/24/2024 16:00	0.0	5.9	Normal
5/24/2024 17:00	0.0	5.9	Normal
5/24/2024 18:00	0.0	5.9	Normal
5/24/2024 19:00	0.0	5.9	Normal
5/24/2024 20:00	0.0	5.9	Normal
5/24/2024 21:00	0.0	5.9	Normal
5/24/2024 22:00	0.0	5.9	Normal
5/24/2024 23:00	0.0	5.9	Normal
5/25/2024 0:00	0.0	5.9	Normal
5/25/2024 1:00	0.0	5.9	Normal
5/25/2024 2:00	0.0	5.9	Normal
5/25/2024 3:00	0.0	5.9	Normal
5/25/2024 4:00	0.0	5.9	Normal
5/25/2024 5:00	0.0	5.9	Normal
5/25/2024 6:00	0.0	5.9	Normal
5/25/2024 7:00	0.0	5.9	Normal
5/25/2024 8:00	0.0	5.9	Normal
5/25/2024 9:00	0.0	5.9	Normal
5/25/2024 10:00	0.0	5.9	Normal
5/25/2024 11:00	0.0	5.9	Normal
5/25/2024 12:00	0.0	5.9	Normal
5/25/2024 13:00	0.0	5.9	Normal
5/25/2024 14:00	0.0	5.9	Normal
5/25/2024 15:00	0.0	5.9	Normal
5/25/2024 16:00	0.0	5.9	Normal
5/25/2024 17:00	0.0	5.9	Normal
5/25/2024 18:00	0.0	5.9	Normal
5/25/2024 19:00	0.0	5.9	Normal
5/25/2024 20:00	0.0	5.9	Normal
5/25/2024 21:00	0.0	5.9	Normal
5/25/2024 22:00	0.0	5.9	Normal
5/25/2024 23:00	0.0	5.9	Normal
5/26/2024 0:00	0.0	5.9	Normal
5/26/2024 1:00	0.0	5.9	Normal
5/26/2024 2:00	0.0	5.9	Normal
5/26/2024 3:00	0.0	5.9	Normal
5/26/2024 4:00	0.0	5.9	Normal
5/26/2024 5:00	0.0	5.9	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
5/26/2024 6:00	0.0	5.9	Normal
5/26/2024 7:00	0.0	5.9	Normal
5/26/2024 8:00	0.0	5.9	Normal
5/26/2024 9:00	0.0	5.9	Normal
5/26/2024 10:00	0.0	5.9	Normal
5/26/2024 11:00	0.0	5.9	Normal
5/26/2024 12:00	0.0	5.9	Normal
5/26/2024 13:00	0.0	5.9	Normal
5/26/2024 14:00	0.0	5.9	Normal
5/26/2024 15:00	0.0	5.9	Normal
5/26/2024 16:00	0.0	5.9	Normal
5/26/2024 17:00	0.0	5.9	Normal
5/26/2024 18:00	0.0	5.9	Normal
5/26/2024 19:00	0.0	5.9	Normal
5/26/2024 20:00	0.0	5.9	Normal
5/26/2024 21:00	0.0	5.9	Normal
5/26/2024 22:00	0.0	5.9	Normal
5/26/2024 23:00	0.0	5.9	Normal
5/27/2024 0:00	0.0	5.9	Normal
5/27/2024 1:00	0.0	5.9	Normal
5/27/2024 2:00	0.0	5.9	Normal
5/27/2024 3:00	0.0	5.9	Normal
5/27/2024 4:00	0.0	5.9	Normal
5/27/2024 5:00	0.0	5.6	Normal
5/27/2024 6:00	0.0	3.9	Normal
5/27/2024 7:00	0.0	1.6	Normal
5/27/2024 8:00	0.0	0.5	Normal
5/27/2024 9:00	0.0	0.5	Normal
5/27/2024 10:00	0.0	0.5	Normal
5/27/2024 11:00	0.0	0.5	Normal
5/27/2024 12:00	0.0	0.5	Normal
5/27/2024 13:00	0.0	0.5	Normal
5/27/2024 14:00	0.0	0.5	Normal
5/27/2024 15:00	0.0	0.5	Normal
5/27/2024 16:00	0.0	0.5	Normal
5/27/2024 17:00	0.0	0.5	Normal
5/27/2024 18:00	0.0	0.5	Normal
5/27/2024 19:00	0.0	0.5	Normal
5/27/2024 20:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
5/27/2024 21:00	0.0	0.5	Normal
5/27/2024 22:00	0.0	0.5	Normal
5/27/2024 23:00	0.0	0.5	Normal
5/28/2024 0:00	0.0	0.5	Normal
5/28/2024 1:00	0.0	0.5	Normal
5/28/2024 2:00	0.0	0.5	Normal
5/28/2024 3:00	0.0	0.5	Normal
5/28/2024 4:00	0.0	0.5	Normal
5/28/2024 5:00	0.0	0.5	Normal
5/28/2024 6:00	0.0	0.5	Normal
5/28/2024 7:00	0.0	0.5	Normal
5/28/2024 8:00	0.0	0.5	Normal
5/28/2024 9:00	0.0	0.5	Normal
5/28/2024 10:00	0.0	0.5	Normal
5/28/2024 11:00	0.0	0.5	Normal
5/28/2024 12:00	0.0	0.5	Normal
5/28/2024 13:00	0.0	0.5	Normal
5/28/2024 14:00	0.0	0.5	Normal
5/28/2024 15:00	0.0	0.5	Normal
5/28/2024 16:00	0.0	0.5	Normal
5/28/2024 17:00	0.0	0.5	Normal
5/28/2024 18:00	0.0	0.5	Normal
5/28/2024 19:00	0.0	0.5	Normal
5/28/2024 20:00	0.0	0.5	Normal
5/28/2024 21:00	0.0	0.5	Normal
5/28/2024 22:00	0.0	0.5	Normal
5/28/2024 23:00	0.0	0.5	Normal
5/29/2024 0:00	0.0	0.5	Normal
5/29/2024 1:00	0.0	0.5	Normal
5/29/2024 2:00	0.0	0.5	Normal
5/29/2024 3:00	0.0	0.5	Normal
5/29/2024 4:00	0.0	0.5	Normal
5/29/2024 5:00	0.0	0.5	Normal
5/29/2024 6:00	0.0	0.5	Normal
5/29/2024 7:00	0.0	0.5	Normal
5/29/2024 8:00	0.0	0.5	Normal
5/29/2024 9:00	0.0	0.5	Normal
5/29/2024 10:00	0.0	0.5	Normal
5/29/2024 11:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
5/29/2024 12:00	0.0	0.5	Normal
5/29/2024 13:00	0.0	0.5	Normal
5/29/2024 14:00	0.0	0.5	Normal
5/29/2024 15:00	0.0	0.5	Normal
5/29/2024 16:00	0.0	0.5	Normal
5/29/2024 17:00	0.0	0.5	Normal
5/29/2024 18:00	0.0	0.5	Normal
5/29/2024 19:00	0.0	0.5	Normal
5/29/2024 20:00	0.0	0.5	Normal
5/29/2024 21:00	0.0	0.5	Normal
5/29/2024 22:00	0.0	0.5	Normal
5/29/2024 23:00	0.0	0.5	Normal
5/30/2024 0:00	0.0	0.5	Normal
5/30/2024 1:00	0.0	0.5	Normal
5/30/2024 2:00	0.0	0.5	Normal
5/30/2024 3:00	0.0	0.5	Normal
5/30/2024 4:00	0.0	0.5	Normal
5/30/2024 5:00	0.0	0.5	Normal
5/30/2024 6:00	0.0	0.5	Normal
5/30/2024 7:00	0.0	0.5	Normal
5/30/2024 8:00	0.0	0.5	Normal
5/30/2024 9:00	0.0	0.5	Normal
5/30/2024 10:00	0.0	0.5	Normal
5/30/2024 11:00	0.0	0.5	Normal
5/30/2024 12:00	0.0	0.5	Normal
5/30/2024 13:00	0.0	0.5	Normal
5/30/2024 14:00	0.0	0.5	Normal
5/30/2024 15:00	0.0	0.5	Normal
5/30/2024 16:00	0.0	0.5	Normal
5/30/2024 17:00	0.0	0.5	Normal
5/30/2024 18:00	0.0	0.5	Normal
5/30/2024 19:00	0.0	0.5	Normal
5/30/2024 20:00	0.0	0.5	Normal
5/30/2024 21:00	0.0	0.5	Normal
5/30/2024 22:00	0.0	0.5	Normal
5/30/2024 23:00	0.0	0.5	Normal
5/31/2024 0:00	0.0	0.5	Normal
5/31/2024 1:00	0.0	0.5	Normal
5/31/2024 2:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
5/31/2024 3:00	0.0	0.5	Normal
5/31/2024 4:00	0.0	0.5	Normal
5/31/2024 5:00	0.0	0.5	Normal
5/31/2024 6:00	0.0	0.5	Normal
5/31/2024 7:00	0.0	0.5	Normal
5/31/2024 8:00	0.0	0.5	Normal
5/31/2024 9:00	0.0	0.5	Normal
5/31/2024 10:00	0.0	0.5	Normal
5/31/2024 11:00	0.0	0.5	Normal
5/31/2024 12:00	0.0	0.5	Normal
5/31/2024 13:00	0.0	0.5	Normal
5/31/2024 14:00	0.0	0.5	Normal
5/31/2024 15:00	0.0	0.5	Normal
5/31/2024 16:00	0.0	0.5	Normal
5/31/2024 17:00	0.0	0.5	Normal
5/31/2024 18:00	0.0	0.5	Normal
5/31/2024 19:00	0.0	0.5	Normal
5/31/2024 20:00	0.0	0.5	Normal
5/31/2024 21:00	0.0	0.5	Normal
5/31/2024 22:00	0.0	0.5	Normal
5/31/2024 23:00	0.0	0.5	Normal
6/1/2024 0:00	0.0	0.5	Normal
6/1/2024 1:00	0.0	0.5	Normal
6/1/2024 2:00	0.0	0.5	Normal
6/1/2024 3:00	0.0	0.5	Normal
6/1/2024 4:00	0.0	0.5	Normal
6/1/2024 5:00	0.0	0.5	Normal
6/1/2024 6:00	0.0	0.5	Normal
6/1/2024 7:00	0.0	0.5	Normal
6/1/2024 8:00	0.0	0.5	Normal
6/1/2024 9:00	0.0	0.5	Normal
6/1/2024 10:00	0.0	0.5	Normal
6/1/2024 11:00	0.0	0.5	Normal
6/1/2024 12:00	0.0	0.5	Normal
6/1/2024 13:00	0.0	0.5	Normal
6/1/2024 14:00	0.0	0.5	Normal
6/1/2024 15:00	0.0	0.5	Normal
6/1/2024 16:00	0.0	0.5	Normal
6/1/2024 17:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
6/1/2024 18:00	0.0	0.5	Normal
6/1/2024 19:00	0.0	0.5	Normal
6/1/2024 20:00	0.0	0.5	Normal
6/1/2024 21:00	0.0	0.5	Normal
6/1/2024 22:00	0.0	0.5	Normal
6/1/2024 23:00	0.0	0.5	Normal
6/2/2024 0:00	0.0	0.5	Normal
6/2/2024 1:00	0.0	0.5	Normal
6/2/2024 2:00	0.0	0.5	Normal
6/2/2024 3:00	0.0	0.5	Normal
6/2/2024 4:00	0.0	0.5	Normal
6/2/2024 5:00	0.0	0.5	Normal
6/2/2024 6:00	0.0	0.5	Normal
6/2/2024 7:00	0.0	0.5	Normal
6/2/2024 8:00	0.0	0.5	Normal
6/2/2024 9:00	0.0	0.5	Normal
6/2/2024 10:00	0.0	0.5	Normal
6/2/2024 11:00	0.0	0.5	Normal
6/2/2024 12:00	0.0	0.5	Normal
6/2/2024 13:00	0.0	0.5	Normal
6/2/2024 14:00	0.0	0.5	Normal
6/2/2024 15:00	0.0	0.5	Normal
6/2/2024 16:00	0.0	0.5	Normal
6/2/2024 17:00	0.0	0.5	Normal
6/2/2024 18:00	0.0	0.5	Normal
6/2/2024 19:00	0.0	0.5	Normal
6/2/2024 20:00	0.0	0.5	Normal
6/2/2024 21:00	0.0	0.5	Normal
6/2/2024 22:00	0.0	0.5	Normal
6/2/2024 23:00	0.0	0.5	Normal
6/3/2024 0:00	0.0	0.5	Normal
6/3/2024 1:00	0.0	0.5	Normal
6/3/2024 2:00	0.0	0.5	Normal
6/3/2024 3:00	0.0	0.5	Normal
6/3/2024 4:00	0.0	0.5	Normal
6/3/2024 5:00	0.0	0.5	Normal
6/3/2024 6:00	0.0	0.5	Normal
6/3/2024 7:00	0.0	0.5	Normal
6/3/2024 8:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
6/3/2024 9:00	0.0	0.5	Normal
6/3/2024 10:00	0.0	0.5	Normal
6/3/2024 11:00	0.0	0.5	Normal
6/3/2024 12:00	0.0	0.5	Normal
6/3/2024 13:00	0.0	0.5	Normal
6/3/2024 14:00	0.0	0.5	Normal
6/3/2024 15:00	0.0	0.5	Normal
6/3/2024 16:00	0.0	0.5	Normal
6/3/2024 17:00	0.0	0.5	Normal
6/3/2024 18:00	0.0	0.5	Normal
6/3/2024 19:00	0.0	0.5	Normal
6/3/2024 20:00	0.0	0.5	Normal
6/3/2024 21:00	0.0	0.5	Normal
6/3/2024 22:00	0.0	0.5	Normal
6/3/2024 23:00	0.0	0.5	Normal
6/4/2024 0:00	0.0	0.5	Normal
6/4/2024 1:00	0.0	0.5	Normal
6/4/2024 2:00	0.0	0.5	Normal
6/4/2024 3:00	0.0	0.5	Normal
6/4/2024 4:00	0.0	0.5	Normal
6/4/2024 5:00	0.0	0.5	Normal
6/4/2024 6:00	0.0	0.5	Normal
6/4/2024 7:00	0.0	0.5	Normal
6/4/2024 8:00	0.0	0.5	Normal
6/4/2024 9:00	0.0	0.5	Normal
6/4/2024 10:00	0.0	0.5	Normal
6/4/2024 11:00	0.0	0.5	Normal
6/4/2024 12:00	0.0	0.5	Normal
6/4/2024 13:00	0.0	0.5	Normal
6/4/2024 14:00	0.0	0.5	Normal
6/4/2024 15:00	0.0	0.5	Normal
6/4/2024 16:00	0.0	0.5	Normal
6/4/2024 17:00	0.0	0.5	Normal
6/4/2024 18:00	0.0	0.5	Normal
6/4/2024 19:00	0.0	0.5	Normal
6/4/2024 20:00	0.0	0.5	Normal
6/4/2024 21:00	0.0	0.5	Normal
6/4/2024 22:00	0.0	0.5	Normal
6/4/2024 23:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
6/5/2024 0:00	0.0	0.5	Normal
6/5/2024 1:00	0.0	0.5	Normal
6/5/2024 2:00	0.0	0.5	Normal
6/5/2024 3:00	0.0	0.5	Normal
6/5/2024 4:00	0.0	0.5	Normal
6/5/2024 5:00	0.0	0.5	Normal
6/5/2024 6:00	0.0	0.5	Normal
6/5/2024 7:00	0.0	0.5	Normal
6/5/2024 8:00	0.0	0.5	Normal
6/5/2024 9:00	0.0	0.5	Normal
6/5/2024 10:00	0.0	0.5	Normal
6/5/2024 11:00	0.0	0.5	Normal
6/5/2024 12:00	0.0	0.5	Normal
6/5/2024 13:00	0.0	0.5	Normal
6/5/2024 14:00	0.0	0.5	Normal
6/5/2024 15:00	0.0	0.5	Normal
6/5/2024 16:00	0.0	0.5	Normal
6/5/2024 17:00	0.0	0.5	Normal
6/5/2024 18:00	0.0	0.5	Normal
6/5/2024 19:00	0.0	0.5	Normal
6/5/2024 20:00	0.0	0.5	Normal
6/5/2024 21:00	0.0	0.5	Normal
6/5/2024 22:00	0.0	0.5	Normal
6/5/2024 23:00	0.0	0.5	Normal
6/6/2024 0:00	0.0	0.5	Normal
6/6/2024 1:00	0.0	0.5	Normal
6/6/2024 2:00	0.0	0.5	Normal
6/6/2024 3:00	0.0	0.5	Normal
6/6/2024 4:00	0.0	0.5	Normal
6/6/2024 5:00	0.0	0.5	Normal
6/6/2024 6:00	0.0	0.5	Normal
6/6/2024 7:00	0.0	0.5	Normal
6/6/2024 8:00	0.0	0.5	Normal
6/6/2024 9:00	0.0	0.5	Normal
6/6/2024 10:00	0.0	0.5	Normal
6/6/2024 11:00	0.0	0.5	Normal
6/6/2024 12:00	0.0	0.5	Normal
6/6/2024 13:00	0.0	0.5	Normal
6/6/2024 14:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
6/6/2024 15:00	0.0	0.5	Normal
6/6/2024 16:00	0.0	0.5	Normal
6/6/2024 17:00	0.0	0.5	Normal
6/6/2024 18:00	0.0	0.5	Normal
6/6/2024 19:00	0.0	0.5	Normal
6/6/2024 20:00	0.0	0.5	Normal
6/6/2024 21:00	0.0	0.5	Normal
6/6/2024 22:00	0.0	0.5	Normal
6/6/2024 23:00	0.0	0.5	Normal
6/7/2024 0:00	0.0	0.5	Normal
6/7/2024 1:00	0.0	0.5	Normal
6/7/2024 2:00	0.0	0.5	Normal
6/7/2024 3:00	0.0	0.5	Normal
6/7/2024 4:00	0.0	0.5	Normal
6/7/2024 5:00	0.0	0.5	Normal
6/7/2024 6:00	0.0	0.5	Normal
6/7/2024 7:00	0.0	0.5	Normal
6/7/2024 8:00	0.0	0.5	Normal
6/7/2024 9:00	0.0	0.5	Normal
6/7/2024 10:00	0.0	0.5	Normal
6/7/2024 11:00	0.0	0.5	Normal
6/7/2024 12:00	0.0	0.5	Normal
6/7/2024 13:00	0.0	0.5	Normal
6/7/2024 14:00	0.0	0.5	Normal
6/7/2024 15:00	0.0	0.5	Normal
6/7/2024 16:00	0.0	0.5	Normal
6/7/2024 17:00	0.0	0.5	Normal
6/7/2024 18:00	0.0	0.5	Normal
6/7/2024 19:00	0.0	0.5	Normal
6/7/2024 20:00	0.0	0.5	Normal
6/7/2024 21:00	0.0	0.5	Normal
6/7/2024 22:00	0.0	0.5	Normal
6/7/2024 23:00	0.0	0.5	Normal
6/8/2024 0:00	0.0	0.5	Normal
6/8/2024 1:00	0.0	0.5	Normal
6/8/2024 2:00	0.0	0.5	Normal
6/8/2024 3:00	0.0	0.5	Normal
6/8/2024 4:00	0.0	0.5	Normal
6/8/2024 5:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
6/8/2024 6:00	0.0	0.5	Normal
6/8/2024 7:00	0.0	0.5	Normal
6/8/2024 8:00	0.0	0.5	Normal
6/8/2024 9:00	0.0	0.5	Normal
6/8/2024 10:00	0.0	0.5	Normal
6/8/2024 11:00	0.0	0.5	Normal
6/8/2024 12:00	0.0	0.5	Normal
6/8/2024 13:00	0.0	0.5	Normal
6/8/2024 14:00	0.0	0.5	Normal
6/8/2024 15:00	0.0	0.5	Normal
6/8/2024 16:00	0.0	0.5	Normal
6/8/2024 17:00	0.0	0.5	Normal
6/8/2024 18:00	0.0	0.5	Normal
6/8/2024 19:00	0.0	0.5	Normal
6/8/2024 20:00	0.0	0.5	Normal
6/8/2024 21:00	0.0	0.5	Normal
6/8/2024 22:00	0.0	0.5	Normal
6/8/2024 23:00	0.0	0.5	Normal
6/9/2024 0:00	0.0	0.5	Normal
6/9/2024 1:00	0.0	0.5	Normal
6/9/2024 2:00	0.0	0.5	Normal
6/9/2024 3:00	0.0	0.5	Normal
6/9/2024 4:00	0.0	0.5	Normal
6/9/2024 5:00	0.0	0.5	Normal
6/9/2024 6:00	0.0	0.5	Normal
6/9/2024 7:00	0.0	0.5	Normal
6/9/2024 8:00	0.0	0.5	Normal
6/9/2024 9:00	0.0	0.5	Normal
6/9/2024 10:00	0.0	0.5	Normal
6/9/2024 11:00	0.0	0.5	Normal
6/9/2024 12:00	0.0	0.5	Normal
6/9/2024 13:00	0.0	0.5	Normal
6/9/2024 14:00	0.0	0.5	Normal
6/9/2024 15:00	0.0	0.5	Normal
6/9/2024 16:00	0.0	0.5	Normal
6/9/2024 17:00	0.0	0.5	Normal
6/9/2024 18:00	0.0	0.5	Normal
6/9/2024 19:00	0.0	0.5	Normal
6/9/2024 20:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
6/9/2024 21:00	0.0	0.5	Normal
6/9/2024 22:00	0.0	0.5	Normal
6/9/2024 23:00	0.0	0.5	Normal
6/10/2024 0:00	0.0	0.5	Normal
6/10/2024 1:00	0.0	0.5	Normal
6/10/2024 2:00	0.0	0.5	Normal
6/10/2024 3:00	0.0	0.5	Normal
6/10/2024 4:00	0.0	0.5	Normal
6/10/2024 5:00	0.0	0.5	Normal
6/10/2024 6:00	0.0	0.5	Normal
6/10/2024 7:00	0.0	0.5	Normal
6/10/2024 8:00	0.0	0.5	Normal
6/10/2024 9:00	0.0	0.5	Normal
6/10/2024 10:00	0.0	0.5	Normal
6/10/2024 11:00	0.0	0.5	Normal
6/10/2024 12:00	0.0	0.5	Normal
6/10/2024 13:00	0.0	0.5	Normal
6/10/2024 14:00	0.0	0.5	Normal
6/10/2024 15:00	0.0	0.5	Normal
6/10/2024 16:00	0.0	0.5	Normal
6/10/2024 17:00	0.0	0.5	Normal
6/10/2024 18:00	0.0	0.5	Normal
6/10/2024 19:00	0.0	0.5	Normal
6/10/2024 20:00	0.0	0.5	Normal
6/10/2024 21:00	0.0	0.5	Normal
6/10/2024 22:00	0.0	0.5	Normal
6/10/2024 23:00	0.0	0.5	Normal
6/11/2024 0:00	0.0	0.5	Normal
6/11/2024 1:00	0.0	0.5	Normal
6/11/2024 2:00	0.0	0.5	Normal
6/11/2024 3:00	0.0	0.5	Normal
6/11/2024 4:00	0.0	0.5	Normal
6/11/2024 5:00	0.0	0.5	Normal
6/11/2024 6:00	0.0	0.5	Normal
6/11/2024 7:00	0.0	0.5	Normal
6/11/2024 8:00	0.0	0.5	Normal
6/11/2024 9:00	0.0	0.5	Normal
6/11/2024 10:00	0.0	0.5	Normal
6/11/2024 11:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
6/11/2024 12:00	0.0	0.5	Normal
6/11/2024 13:00	0.0	0.5	Normal
6/11/2024 14:00	0.0	0.5	Normal
6/11/2024 15:00	0.0	0.5	Normal
6/11/2024 16:00	0.0	0.5	Normal
6/11/2024 17:00	0.0	0.5	Normal
6/11/2024 18:00	0.0	0.5	Normal
6/11/2024 19:00	0.0	0.5	Normal
6/11/2024 20:00	0.0	0.5	Normal
6/11/2024 21:00	0.0	0.5	Normal
6/11/2024 22:00	0.0	0.5	Normal
6/11/2024 23:00	0.0	0.5	Normal
6/12/2024 0:00	0.0	0.5	Normal
6/12/2024 1:00	0.0	0.5	Normal
6/12/2024 2:00	0.0	0.5	Normal
6/12/2024 3:00	0.0	0.5	Normal
6/12/2024 4:00	0.0	0.5	Normal
6/12/2024 5:00	0.0	0.5	Normal
6/12/2024 6:00	0.0	0.5	Normal
6/12/2024 7:00	0.0	0.5	Normal
6/12/2024 8:00	0.0	0.5	Normal
6/12/2024 9:00	0.0	0.5	Normal
6/12/2024 10:00	0.0	0.5	Normal
6/12/2024 11:00	0.0	0.5	Normal
6/12/2024 12:00	0.0	0.5	Normal
6/12/2024 13:00	0.0	0.5	Normal
6/12/2024 14:00	0.0	0.5	Normal
6/12/2024 15:00	0.0	0.5	Normal
6/12/2024 16:00	0.0	0.5	Normal
6/12/2024 17:00	0.0	0.5	Normal
6/12/2024 18:00	0.0	0.5	Normal
6/12/2024 19:00	0.0	0.5	Normal
6/12/2024 20:00	0.0	0.5	Normal
6/12/2024 21:00	0.0	0.5	Normal
6/12/2024 22:00	0.0	0.5	Normal
6/12/2024 23:00	0.0	0.5	Normal
6/13/2024 0:00	0.0	0.5	Normal
6/13/2024 1:00	0.0	0.5	Normal
6/13/2024 2:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
6/13/2024 3:00	0.0	0.5	Normal
6/13/2024 4:00	0.0	0.5	Normal
6/13/2024 5:00	0.0	0.5	Normal
6/13/2024 6:00	0.0	0.5	Normal
6/13/2024 7:00	0.0	0.5	Normal
6/13/2024 8:00	0.0	0.5	Normal
6/13/2024 9:00	0.0	0.5	Normal
6/13/2024 10:00	0.0	0.5	Normal
6/13/2024 11:00	0.0	0.5	Normal
6/13/2024 12:00	0.0	0.5	Normal
6/13/2024 13:00	0.0	0.5	Normal
6/13/2024 14:00	0.0	0.5	Normal
6/13/2024 15:00	0.0	0.5	Normal
6/13/2024 16:00	0.0	0.5	Normal
6/13/2024 17:00	0.0	0.5	Normal
6/13/2024 18:00	0.0	0.5	Normal
6/13/2024 19:00	0.0	0.5	Normal
6/13/2024 20:00	0.0	0.5	Normal
6/13/2024 21:00	0.0	0.5	Normal
6/13/2024 22:00	0.0	0.5	Normal
6/13/2024 23:00	0.0	0.5	Normal
6/14/2024 0:00	0.0	0.5	Normal
6/14/2024 1:00	0.0	0.5	Normal
6/14/2024 2:00	0.0	0.5	Normal
6/14/2024 3:00	0.0	0.5	Normal
6/14/2024 4:00	0.0	0.5	Normal
6/14/2024 5:00	0.0	0.3	Normal
6/14/2024 6:00	0.0	0.1	Normal
6/14/2024 7:00	0.0	0.1	Normal
6/14/2024 8:00	0.0	0.1	Normal
6/14/2024 9:00	0.0	0.1	Normal
6/14/2024 10:00	0.0	0.1	Normal
6/14/2024 11:00	0.0	0.1	Normal
6/14/2024 12:00	0.0	0.1	Normal
6/14/2024 13:00	0.0	0.1	Normal
6/14/2024 14:00	0.0	0.1	Normal
6/14/2024 15:00	0.0	0.1	Normal
6/14/2024 16:00	0.0	0.1	Normal
6/14/2024 17:00	0.0	0.1	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
6/14/2024 18:00	0.0	0.1	Normal
6/14/2024 19:00	0.0	0.1	Normal
6/14/2024 20:00	0.0	0.1	Normal
6/14/2024 21:00	0.0	0.1	Normal
6/14/2024 22:00	0.0	0.1	Normal
6/14/2024 23:00	0.0	0.1	Normal
6/15/2024 0:00	0.0	0.1	Normal
6/15/2024 1:00	0.0	0.1	Normal
6/15/2024 2:00	0.0	0.1	Normal
6/15/2024 3:00	0.0	0.1	Normal
6/15/2024 4:00	0.0	0.1	Normal
6/15/2024 5:00	0.0	0.1	Normal
6/15/2024 6:00	0.0	0.1	Normal
6/15/2024 7:00	0.0	0.1	Normal
6/15/2024 8:00	0.0	0.1	Normal
6/15/2024 9:00	0.0	0.1	Normal
6/15/2024 10:00	0.0	0.1	Normal
6/15/2024 11:00	0.0	0.1	Normal
6/15/2024 12:00	0.0	0.1	Normal
6/15/2024 13:00	0.0	0.1	Normal
6/15/2024 14:00	0.0	0.1	Normal
6/15/2024 15:00	0.0	0.1	Normal
6/15/2024 16:00	0.0	0.1	Normal
6/15/2024 17:00	0.0	0.1	Normal
6/15/2024 18:00	0.0	0.1	Normal
6/15/2024 19:00	0.0	0.1	Normal
6/15/2024 20:00	0.0	0.1	Normal
6/15/2024 21:00	0.0	0.1	Normal
6/15/2024 22:00	0.0	0.1	Normal
6/15/2024 23:00	0.0	0.1	Normal
6/16/2024 0:00	0.0	0.1	Normal
6/16/2024 1:00	0.0	0.1	Normal
6/16/2024 2:00	0.0	0.1	Normal
6/16/2024 3:00	0.0	0.1	Normal
6/16/2024 4:00	0.0	0.1	Normal
6/16/2024 5:00	0.0	0.1	Normal
6/16/2024 6:00	0.0	0.1	Normal
6/16/2024 7:00	0.0	0.1	Normal
6/16/2024 8:00	0.0	0.1	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
6/16/2024 9:00	0.0	0.1	Normal
6/16/2024 10:00	0.0	0.1	Normal
6/16/2024 11:00	0.0	0.1	Normal
6/16/2024 12:00	0.0	0.1	Normal
6/16/2024 13:00	0.0	0.1	Normal
6/16/2024 14:00	0.0	0.1	Normal
6/16/2024 15:00	0.0	0.1	Normal
6/16/2024 16:00	0.0	0.1	Normal
6/16/2024 17:00	0.0	0.1	Normal
6/16/2024 18:00	0.0	0.1	Normal
6/16/2024 19:00	0.0	0.1	Normal
6/16/2024 20:00	0.0	0.1	Normal
6/16/2024 21:00	0.0	0.1	Normal
6/16/2024 22:00	0.0	0.1	Normal
6/16/2024 23:00	0.0	0.1	Normal
6/17/2024 0:00	0.0	0.1	Normal
6/17/2024 1:00	0.0	0.1	Normal
6/17/2024 2:00	0.0	0.1	Normal
6/17/2024 3:00	0.0	0.1	Normal
6/17/2024 4:00	0.0	0.1	Normal
6/17/2024 5:00	0.0	0.1	Normal
6/17/2024 6:00	0.0	0.1	Normal
6/17/2024 7:00	0.0	0.1	Normal
6/17/2024 8:00	0.0	0.1	Normal
6/17/2024 9:00	0.0	0.1	Normal
6/17/2024 10:00	0.0	0.1	Normal
6/17/2024 11:00	0.0	0.1	Normal
6/17/2024 12:00	0.0	0.1	Normal
6/17/2024 13:00	0.0	0.1	Normal
6/17/2024 14:00	0.0	0.1	Normal
6/17/2024 15:00	0.0	0.1	Normal
6/17/2024 16:00	0.0	0.1	Normal
6/17/2024 17:00	0.0	0.0	Normal
6/17/2024 18:00	0.0	0.0	Normal
6/17/2024 19:00	0.0	0.0	Normal
6/17/2024 20:00	0.0	0.0	Normal
6/17/2024 21:00	0.0	0.0	Normal
6/17/2024 22:00	0.0	0.0	Normal
6/17/2024 23:00	0.0	0.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
6/18/2024 0:00	0.0	0.0	Normal
6/18/2024 1:00	0.0	0.0	Normal
6/18/2024 2:00	0.0	0.0	Normal
6/18/2024 3:00	0.0	0.0	Normal
6/18/2024 4:00	0.0	0.0	Normal
6/18/2024 5:00	0.0	0.0	Normal
6/18/2024 6:00	0.0	0.0	Normal
6/18/2024 7:00	0.0	0.0	Normal
6/18/2024 8:00	0.0	0.0	Normal
6/18/2024 9:00	0.0	0.0	Normal
6/18/2024 10:00	0.0	0.0	Normal
6/18/2024 11:00	0.0	0.0	Normal
6/18/2024 12:00	0.0	0.0	Normal
6/18/2024 13:00	0.0	0.0	Normal
6/18/2024 14:00	0.0	0.0	Normal
6/18/2024 15:00	0.0	0.0	Normal
6/18/2024 16:00	52.0	0.1	Normal
6/18/2024 17:00	212.0	0.4	Normal
6/18/2024 18:00	0.0	0.4	Normal
6/18/2024 19:00	0.0	0.4	Normal
6/18/2024 20:00	0.0	0.4	Normal
6/18/2024 21:00	0.0	0.4	Normal
6/18/2024 22:00	0.0	0.4	Normal
6/18/2024 23:00	0.0	0.4	Normal
6/19/2024 0:00	0.0	0.4	Normal
6/19/2024 1:00	0.0	0.4	Normal
6/19/2024 2:00	0.0	0.4	Normal
6/19/2024 3:00	0.0	0.4	Normal
6/19/2024 4:00	0.0	0.4	Normal
6/19/2024 5:00	0.0	0.4	Normal
6/19/2024 6:00	0.0	0.4	Normal
6/19/2024 7:00	0.0	0.4	Normal
6/19/2024 8:00	0.0	0.4	Normal
6/19/2024 9:00	0.0	0.4	Normal
6/19/2024 10:00	0.0	0.4	Normal
6/19/2024 11:00	0.0	0.4	Normal
6/19/2024 12:00	0.0	0.4	Normal
6/19/2024 13:00	0.0	0.4	Normal
6/19/2024 14:00	0.0	0.4	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
6/19/2024 15:00	0.0	0.4	Normal
6/19/2024 16:00	0.0	0.4	Normal
6/19/2024 17:00	0.0	0.4	Normal
6/19/2024 18:00	0.0	0.4	Normal
6/19/2024 19:00	0.0	0.4	Normal
6/19/2024 20:00	0.0	0.4	Normal
6/19/2024 21:00	0.0	0.4	Normal
6/19/2024 22:00	0.0	0.4	Normal
6/19/2024 23:00	0.0	0.4	Normal
6/20/2024 0:00	0.0	0.4	Normal
6/20/2024 1:00	0.0	0.4	Normal
6/20/2024 2:00	0.0	0.4	Normal
6/20/2024 3:00	0.0	0.4	Normal
6/20/2024 4:00	0.0	0.4	Normal
6/20/2024 5:00	0.0	0.4	Normal
6/20/2024 6:00	0.0	0.4	Normal
6/20/2024 7:00	0.0	0.4	Normal
6/20/2024 8:00	0.0	0.4	Normal
6/20/2024 9:00	0.0	0.4	Normal
6/20/2024 10:00	0.0	0.4	Normal
6/20/2024 11:00	0.0	0.4	Normal
6/20/2024 12:00	0.0	0.4	Normal
6/20/2024 13:00	0.0	0.4	Normal
6/20/2024 14:00	0.0	0.4	Normal
6/20/2024 15:00	0.0	0.4	Normal
6/20/2024 16:00	0.0	0.4	Normal
6/20/2024 17:00	0.0	0.4	Normal
6/20/2024 18:00	0.0	0.4	Normal
6/20/2024 19:00	0.0	0.4	Normal
6/20/2024 20:00	0.0	0.4	Normal
6/20/2024 21:00	0.0	0.4	Normal
6/20/2024 22:00	0.0	0.4	Normal
6/20/2024 23:00	0.0	0.4	Normal
6/21/2024 0:00	0.0	0.4	Normal
6/21/2024 1:00	0.0	0.4	Normal
6/21/2024 2:00	0.0	0.4	Normal
6/21/2024 3:00	0.0	0.4	Normal
6/21/2024 4:00	0.0	0.4	Normal
6/21/2024 5:00	0.0	0.4	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
6/21/2024 6:00	0.0	0.4	Normal
6/21/2024 7:00	0.0	0.4	Normal
6/21/2024 8:00	0.0	0.4	Normal
6/21/2024 9:00	0.0	0.4	Normal
6/21/2024 10:00	0.0	0.4	Normal
6/21/2024 11:00	0.0	0.4	Normal
6/21/2024 12:00	0.0	0.4	Normal
6/21/2024 13:00	0.0	0.4	Normal
6/21/2024 14:00	0.0	0.4	Normal
6/21/2024 15:00	0.0	0.4	Normal
6/21/2024 16:00	0.0	0.4	Normal
6/21/2024 17:00	0.0	0.4	Normal
6/21/2024 18:00	0.0	0.4	Normal
6/21/2024 19:00	0.0	0.4	Normal
6/21/2024 20:00	0.0	0.4	Normal
6/21/2024 21:00	0.0	0.4	Normal
6/21/2024 22:00	0.0	0.4	Normal
6/21/2024 23:00	0.0	0.4	Normal
6/22/2024 0:00	0.0	0.4	Normal
6/22/2024 1:00	0.0	0.4	Normal
6/22/2024 2:00	0.0	0.4	Normal
6/22/2024 3:00	0.0	0.4	Normal
6/22/2024 4:00	0.0	0.4	Normal
6/22/2024 5:00	0.0	0.4	Normal
6/22/2024 6:00	0.0	0.4	Normal
6/22/2024 7:00	0.0	0.4	Normal
6/22/2024 8:00	0.0	0.4	Normal
6/22/2024 9:00	0.0	0.4	Normal
6/22/2024 10:00	0.0	0.4	Normal
6/22/2024 11:00	0.0	0.4	Normal
6/22/2024 12:00	0.0	0.4	Normal
6/22/2024 13:00	0.0	0.4	Normal
6/22/2024 14:00	0.0	0.4	Normal
6/22/2024 15:00	0.0	0.4	Normal
6/22/2024 16:00	0.0	0.4	Normal
6/22/2024 17:00	0.0	0.4	Normal
6/22/2024 18:00	0.0	0.4	Normal
6/22/2024 19:00	0.0	0.4	Normal
6/22/2024 20:00	0.0	0.4	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
6/22/2024 21:00	0.0	0.4	Normal
6/22/2024 22:00	0.0	0.4	Normal
6/22/2024 23:00	0.0	0.4	Normal
6/23/2024 0:00	0.0	0.4	Normal
6/23/2024 1:00	0.0	0.4	Normal
6/23/2024 2:00	0.0	0.4	Normal
6/23/2024 3:00	0.0	0.4	Normal
6/23/2024 4:00	0.0	0.4	Normal
6/23/2024 5:00	0.0	0.4	Normal
6/23/2024 6:00	0.0	0.4	Normal
6/23/2024 7:00	0.0	0.4	Normal
6/23/2024 8:00	0.0	0.4	Normal
6/23/2024 9:00	0.0	0.4	Normal
6/23/2024 10:00	0.0	0.4	Normal
6/23/2024 11:00	0.0	0.4	Normal
6/23/2024 12:00	0.0	0.4	Normal
6/23/2024 13:00	0.0	0.4	Normal
6/23/2024 14:00	0.0	0.4	Normal
6/23/2024 15:00	0.0	0.4	Normal
6/23/2024 16:00	0.0	0.4	Normal
6/23/2024 17:00	0.0	0.4	Normal
6/23/2024 18:00	0.0	0.4	Normal
6/23/2024 19:00	0.0	0.4	Normal
6/23/2024 20:00	0.0	0.4	Normal
6/23/2024 21:00	0.0	0.4	Normal
6/23/2024 22:00	0.0	0.4	Normal
6/23/2024 23:00	0.0	0.4	Normal
6/24/2024 0:00	0.0	0.4	Normal
6/24/2024 1:00	0.0	0.4	Normal
6/24/2024 2:00	0.0	0.4	Normal
6/24/2024 3:00	0.0	0.4	Normal
6/24/2024 4:00	0.0	0.4	Normal
6/24/2024 5:00	0.0	0.4	Normal
6/24/2024 6:00	0.0	0.4	Normal
6/24/2024 7:00	0.0	0.4	Normal
6/24/2024 8:00	0.0	0.4	Normal
6/24/2024 9:00	0.0	0.4	Normal
6/24/2024 10:00	0.0	0.4	Normal
6/24/2024 11:00	0.0	0.4	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
6/24/2024 12:00	0.0	0.4	Normal
6/24/2024 13:00	0.0	0.4	Normal
6/24/2024 14:00	0.0	0.4	Normal
6/24/2024 15:00	0.0	0.4	Normal
6/24/2024 16:00	0.0	0.4	Normal
6/24/2024 17:00	0.0	0.4	Normal
6/24/2024 18:00	0.0	0.4	Normal
6/24/2024 19:00	0.0	0.4	Normal
6/24/2024 20:00	0.0	0.4	Normal
6/24/2024 21:00	0.0	0.4	Normal
6/24/2024 22:00	0.0	0.4	Normal
6/24/2024 23:00	0.0	0.4	Normal
6/25/2024 0:00	0.0	0.4	Normal
6/25/2024 1:00	0.0	0.4	Normal
6/25/2024 2:00	0.0	0.4	Normal
6/25/2024 3:00	0.0	0.4	Normal
6/25/2024 4:00	0.0	0.4	Normal
6/25/2024 5:00	0.0	0.4	Normal
6/25/2024 6:00	0.0	0.4	Normal
6/25/2024 7:00	0.0	0.4	Normal
6/25/2024 8:00	0.0	0.4	Normal
6/25/2024 9:00	0.0	0.4	Normal
6/25/2024 10:00	0.0	0.4	Normal
6/25/2024 11:00	0.0	0.4	Normal
6/25/2024 12:00	0.0	0.4	Normal
6/25/2024 13:00	0.0	0.4	Normal
6/25/2024 14:00	0.0	0.4	Normal
6/25/2024 15:00	0.0	0.4	Normal
6/25/2024 16:00	0.0	0.4	Normal
6/25/2024 17:00	0.0	0.4	Normal
6/25/2024 18:00	0.0	0.4	Normal
6/25/2024 19:00	0.0	0.4	Normal
6/25/2024 20:00	0.0	0.4	Normal
6/25/2024 21:00	0.0	0.4	Normal
6/25/2024 22:00	0.0	0.4	Normal
6/25/2024 23:00	0.0	0.4	Normal
6/26/2024 0:00	0.0	0.4	Normal
6/26/2024 1:00	0.0	0.4	Normal
6/26/2024 2:00	0.0	0.4	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
6/26/2024 3:00	0.0	0.4	Normal
6/26/2024 4:00	0.0	0.4	Normal
6/26/2024 5:00	0.0	0.4	Normal
6/26/2024 6:00	0.0	0.4	Normal
6/26/2024 7:00	0.0	0.4	Normal
6/26/2024 8:00	0.0	0.4	Normal
6/26/2024 9:00	0.0	0.4	Normal
6/26/2024 10:00	0.0	0.4	Normal
6/26/2024 11:00	0.0	0.4	Normal
6/26/2024 12:00	0.0	0.4	Normal
6/26/2024 13:00	0.0	0.4	Normal
6/26/2024 14:00	0.0	0.4	Normal
6/26/2024 15:00	0.0	0.4	Normal
6/26/2024 16:00	0.0	0.4	Normal
6/26/2024 17:00	0.0	0.4	Normal
6/26/2024 18:00	0.0	0.4	Normal
6/26/2024 19:00	0.0	0.4	Normal
6/26/2024 20:00	0.0	0.4	Normal
6/26/2024 21:00	0.0	0.4	Normal
6/26/2024 22:00	0.0	0.4	Normal
6/26/2024 23:00	0.0	0.4	Normal
6/27/2024 0:00	0.0	0.4	Normal
6/27/2024 1:00	0.0	0.4	Normal
6/27/2024 2:00	0.0	0.4	Normal
6/27/2024 3:00	0.0	0.4	Normal
6/27/2024 4:00	0.0	0.4	Normal
6/27/2024 5:00	0.0	0.4	Normal
6/27/2024 6:00	0.0	0.4	Normal
6/27/2024 7:00	0.0	0.4	Normal
6/27/2024 8:00	0.0	0.4	Normal
6/27/2024 9:00	0.0	0.4	Normal
6/27/2024 10:00	0.0	0.4	Normal
6/27/2024 11:00	0.0	0.4	Normal
6/27/2024 12:00	0.0	0.4	Normal
6/27/2024 13:00	0.0	0.4	Normal
6/27/2024 14:00	0.0	0.4	Normal
6/27/2024 15:00	0.0	0.4	Normal
6/27/2024 16:00	0.0	0.4	Normal
6/27/2024 17:00	0.0	0.4	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
6/27/2024 18:00	0.0	0.4	Normal
6/27/2024 19:00	0.0	0.4	Normal
6/27/2024 20:00	0.0	0.4	Normal
6/27/2024 21:00	0.0	0.4	Normal
6/27/2024 22:00	0.0	0.4	Normal
6/27/2024 23:00	0.0	0.4	Normal
6/28/2024 0:00	0.0	0.4	Normal
6/28/2024 1:00	0.0	0.4	Normal
6/28/2024 2:00	0.0	0.4	Normal
6/28/2024 3:00	0.0	0.4	Normal
6/28/2024 4:00	0.0	0.4	Normal
6/28/2024 5:00	0.0	0.4	Normal
6/28/2024 6:00	0.0	0.4	Normal
6/28/2024 7:00	0.0	0.4	Normal
6/28/2024 8:00	0.0	0.4	Normal
6/28/2024 9:00	0.0	0.4	Normal
6/28/2024 10:00	0.0	0.4	Normal
6/28/2024 11:00	0.0	0.4	Normal
6/28/2024 12:00	0.0	0.4	Normal
6/28/2024 13:00	0.0	0.4	Normal
6/28/2024 14:00	0.0	0.4	Normal
6/28/2024 15:00	0.0	0.4	Normal
6/28/2024 16:00	0.0	0.4	Normal
6/28/2024 17:00	0.0	0.4	Normal
6/28/2024 18:00	0.0	0.4	Normal
6/28/2024 19:00	0.0	0.4	Normal
6/28/2024 20:00	0.0	0.4	Normal
6/28/2024 21:00	0.0	0.4	Normal
6/28/2024 22:00	0.0	0.4	Normal
6/28/2024 23:00	0.0	0.4	Normal
6/29/2024 0:00	0.0	0.4	Normal
6/29/2024 1:00	0.0	0.4	Normal
6/29/2024 2:00	0.0	0.4	Normal
6/29/2024 3:00	0.0	0.4	Normal
6/29/2024 4:00	0.0	0.4	Normal
6/29/2024 5:00	0.0	0.4	Normal
6/29/2024 6:00	0.0	0.4	Normal
6/29/2024 7:00	0.0	0.4	Normal
6/29/2024 8:00	0.0	0.4	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
6/29/2024 9:00	0.0	0.4	Normal
6/29/2024 10:00	0.0	0.4	Normal
6/29/2024 11:00	0.0	0.4	Normal
6/29/2024 12:00	0.0	0.4	Normal
6/29/2024 13:00	0.0	0.4	Normal
6/29/2024 14:00	0.0	0.4	Normal
6/29/2024 15:00	0.0	0.4	Normal
6/29/2024 16:00	0.0	0.4	Normal
6/29/2024 17:00	0.0	0.4	Normal
6/29/2024 18:00	0.0	0.4	Normal
6/29/2024 19:00	0.0	0.4	Normal
6/29/2024 20:00	0.0	0.4	Normal
6/29/2024 21:00	0.0	0.4	Normal
6/29/2024 22:00	0.0	0.4	Normal
6/29/2024 23:00	0.0	0.4	Normal
6/30/2024 0:00	0.0	0.4	Normal
6/30/2024 1:00	0.0	0.4	Normal
6/30/2024 2:00	0.0	0.4	Normal
6/30/2024 3:00	0.0	0.4	Normal
6/30/2024 4:00	0.0	0.4	Normal
6/30/2024 5:00	0.0	0.4	Normal
6/30/2024 6:00	0.0	0.4	Normal
6/30/2024 7:00	0.0	0.4	Normal
6/30/2024 8:00	0.0	0.4	Normal
6/30/2024 9:00	0.0	0.4	Normal
6/30/2024 10:00	0.0	0.4	Normal
6/30/2024 11:00	0.0	0.4	Normal
6/30/2024 12:00	0.0	0.4	Normal
6/30/2024 13:00	0.0	0.4	Normal
6/30/2024 14:00	0.0	0.4	Normal
6/30/2024 15:00	0.0	0.4	Normal
6/30/2024 16:00	0.0	0.4	Normal
6/30/2024 17:00	0.0	0.4	Normal
6/30/2024 18:00	0.0	0.4	Normal
6/30/2024 19:00	0.0	0.4	Normal
6/30/2024 20:00	0.0	0.4	Normal
6/30/2024 21:00	0.0	0.4	Normal
6/30/2024 22:00	0.0	0.4	Normal
6/30/2024 23:00	0.0	0.4	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
7/1/2024 0:00	0.0	0.4	Normal
7/1/2024 1:00	0.0	0.4	Normal
7/1/2024 2:00	0.0	0.4	Normal
7/1/2024 3:00	0.0	0.4	Normal
7/1/2024 4:00	0.0	0.4	Normal
7/1/2024 5:00	0.0	0.4	Normal
7/1/2024 6:00	0.0	0.4	Normal
7/1/2024 7:00	0.0	0.4	Normal
7/1/2024 8:00	0.0	0.4	Normal
7/1/2024 9:00	0.0	0.4	Normal
7/1/2024 10:00	0.0	0.4	Normal
7/1/2024 11:00	0.0	0.4	Normal
7/1/2024 12:00	0.0	0.4	Normal
7/1/2024 13:00	0.0	0.4	Normal
7/1/2024 14:00	0.0	0.4	Normal
7/1/2024 15:00	0.0	0.4	Normal
7/1/2024 16:00	0.0	0.4	Normal
7/1/2024 17:00	0.0	0.4	Normal
7/1/2024 18:00	0.0	0.4	Normal
7/1/2024 19:00	0.0	0.4	Normal
7/1/2024 20:00	0.0	0.4	Normal
7/1/2024 21:00	0.0	0.4	Normal
7/1/2024 22:00	0.0	0.4	Normal
7/1/2024 23:00	0.0	0.4	Normal
7/2/2024 0:00	0.0	0.4	Normal
7/2/2024 1:00	0.0	0.4	Normal
7/2/2024 2:00	0.0	0.4	Normal
7/2/2024 3:00	0.0	0.4	Normal
7/2/2024 4:00	0.0	0.4	Normal
7/2/2024 5:00	0.0	0.4	Normal
7/2/2024 6:00	0.0	0.4	Normal
7/2/2024 7:00	0.0	0.4	Normal
7/2/2024 8:00	0.0	0.4	Normal
7/2/2024 9:00	0.0	0.4	Normal
7/2/2024 10:00	0.0	0.4	Normal
7/2/2024 11:00	0.0	0.4	Normal
7/2/2024 12:00	0.0	0.4	Normal
7/2/2024 13:00	0.0	0.4	Normal
7/2/2024 14:00	0.0	0.4	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
7/2/2024 15:00	0.0	0.4	Normal
7/2/2024 16:00	0.0	0.4	Normal
7/2/2024 17:00	0.0	0.4	Normal
7/2/2024 18:00	0.0	0.4	Normal
7/2/2024 19:00	0.0	0.4	Normal
7/2/2024 20:00	0.0	0.4	Normal
7/2/2024 21:00	0.0	0.4	Normal
7/2/2024 22:00	0.0	0.4	Normal
7/2/2024 23:00	0.0	0.4	Normal
7/3/2024 0:00	0.0	0.4	Normal
7/3/2024 1:00	0.0	0.4	Normal
7/3/2024 2:00	0.0	0.4	Normal
7/3/2024 3:00	0.0	0.4	Normal
7/3/2024 4:00	0.0	0.4	Normal
7/3/2024 5:00	0.0	0.4	Normal
7/3/2024 6:00	0.0	0.4	Normal
7/3/2024 7:00	0.0	0.4	Normal
7/3/2024 8:00	0.0	0.4	Normal
7/3/2024 9:00	0.0	0.4	Normal
7/3/2024 10:00	0.0	0.4	Normal
7/3/2024 11:00	0.0	0.4	Normal
7/3/2024 12:00	0.0	0.4	Normal
7/3/2024 13:00	0.0	0.4	Normal
7/3/2024 14:00	0.0	0.4	Normal
7/3/2024 15:00	0.0	0.4	Normal
7/3/2024 16:00	0.0	0.4	Normal
7/3/2024 17:00	0.0	0.4	Normal
7/3/2024 18:00	0.0	0.4	Normal
7/3/2024 19:00	0.0	0.4	Normal
7/3/2024 20:00	0.0	0.4	Normal
7/3/2024 21:00	0.0	0.4	Normal
7/3/2024 22:00	0.0	0.4	Normal
7/3/2024 23:00	0.0	0.4	Normal
7/4/2024 0:00	0.0	0.4	Normal
7/4/2024 1:00	0.0	0.4	Normal
7/4/2024 2:00	0.0	0.4	Normal
7/4/2024 3:00	0.0	0.4	Normal
7/4/2024 4:00	0.0	0.4	Normal
7/4/2024 5:00	0.0	0.4	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
7/4/2024 6:00	0.0	0.4	Normal
7/4/2024 7:00	0.0	0.4	Normal
7/4/2024 8:00	0.0	0.4	Normal
7/4/2024 9:00	0.0	0.4	Normal
7/4/2024 10:00	0.0	0.4	Normal
7/4/2024 11:00	0.0	0.4	Normal
7/4/2024 12:00	0.0	0.4	Normal
7/4/2024 13:00	0.0	0.4	Normal
7/4/2024 14:00	0.0	0.4	Normal
7/4/2024 15:00	0.0	0.4	Normal
7/4/2024 16:00	0.0	0.4	Normal
7/4/2024 17:00	0.0	0.4	Normal
7/4/2024 18:00	0.0	0.4	Normal
7/4/2024 19:00	0.0	0.4	Normal
7/4/2024 20:00	0.0	0.4	Normal
7/4/2024 21:00	0.0	0.4	Normal
7/4/2024 22:00	0.0	0.4	Normal
7/4/2024 23:00	0.0	0.4	Normal
7/5/2024 0:00	0.0	0.4	Normal
7/5/2024 1:00	0.0	0.4	Normal
7/5/2024 2:00	0.0	0.4	Normal
7/5/2024 3:00	0.0	0.4	Normal
7/5/2024 4:00	0.0	0.4	Normal
7/5/2024 5:00	0.0	0.4	Normal
7/5/2024 6:00	0.0	0.4	Normal
7/5/2024 7:00	0.0	0.4	Normal
7/5/2024 8:00	0.0	0.4	Normal
7/5/2024 9:00	0.0	0.4	Normal
7/5/2024 10:00	0.0	0.4	Normal
7/5/2024 11:00	0.0	0.4	Normal
7/5/2024 12:00	0.0	0.4	Normal
7/5/2024 13:00	0.0	0.4	Normal
7/5/2024 14:00	0.0	0.4	Normal
7/5/2024 15:00	0.0	0.4	Normal
7/5/2024 16:00	0.0	0.4	Normal
7/5/2024 17:00	0.0	0.4	Normal
7/5/2024 18:00	0.0	0.4	Normal
7/5/2024 19:00	0.0	0.4	Normal
7/5/2024 20:00	0.0	0.4	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
7/5/2024 21:00	0.0	0.4	Normal
7/5/2024 22:00	0.0	0.4	Normal
7/5/2024 23:00	0.0	0.4	Normal
7/6/2024 0:00	0.0	0.4	Normal
7/6/2024 1:00	0.0	0.4	Normal
7/6/2024 2:00	0.0	0.4	Normal
7/6/2024 3:00	0.0	0.4	Normal
7/6/2024 4:00	0.0	0.4	Normal
7/6/2024 5:00	0.0	0.4	Normal
7/6/2024 6:00	0.0	0.4	Normal
7/6/2024 7:00	0.0	0.4	Normal
7/6/2024 8:00	0.0	0.4	Normal
7/6/2024 9:00	0.0	0.4	Normal
7/6/2024 10:00	0.0	0.4	Normal
7/6/2024 11:00	0.0	0.4	Normal
7/6/2024 12:00	0.0	0.4	Normal
7/6/2024 13:00	0.0	0.4	Normal
7/6/2024 14:00	0.0	0.4	Normal
7/6/2024 15:00	0.0	0.4	Normal
7/6/2024 16:00	0.0	0.4	Normal
7/6/2024 17:00	0.0	0.4	Normal
7/6/2024 18:00	0.0	0.4	Normal
7/6/2024 19:00	0.0	0.4	Normal
7/6/2024 20:00	0.0	0.4	Normal
7/6/2024 21:00	0.0	0.4	Normal
7/6/2024 22:00	0.0	0.4	Normal
7/6/2024 23:00	0.0	0.4	Normal
7/7/2024 0:00	0.0	0.4	Normal
7/7/2024 1:00	0.0	0.4	Normal
7/7/2024 2:00	0.0	0.4	Normal
7/7/2024 3:00	0.0	0.4	Normal
7/7/2024 4:00	0.0	0.4	Normal
7/7/2024 5:00	0.0	0.4	Normal
7/7/2024 6:00	0.0	0.4	Normal
7/7/2024 7:00	0.0	0.4	Normal
7/7/2024 8:00	0.0	0.4	Normal
7/7/2024 9:00	0.0	0.4	Normal
7/7/2024 10:00	0.0	0.4	Normal
7/7/2024 11:00	0.0	0.4	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
7/7/2024 12:00	0.0	0.4	Normal
7/7/2024 13:00	0.0	0.4	Normal
7/7/2024 14:00	0.0	0.4	Normal
7/7/2024 15:00	0.0	0.4	Normal
7/7/2024 16:00	0.0	0.4	Normal
7/7/2024 17:00	0.0	0.4	Normal
7/7/2024 18:00	0.0	0.4	Normal
7/7/2024 19:00	0.0	0.4	Normal
7/7/2024 20:00	0.0	0.4	Normal
7/7/2024 21:00	0.0	0.4	Normal
7/7/2024 22:00	0.0	0.4	Normal
7/7/2024 23:00	0.0	0.4	Normal
7/8/2024 0:00	0.0	0.4	Normal
7/8/2024 1:00	0.0	0.4	Normal
7/8/2024 2:00	0.0	0.4	Normal
7/8/2024 3:00	0.0	0.4	Normal
7/8/2024 4:00	0.0	0.4	Normal
7/8/2024 5:00	0.0	0.4	Normal
7/8/2024 6:00	0.0	0.4	Normal
7/8/2024 7:00	0.0	0.4	Normal
7/8/2024 8:00	0.0	0.4	Normal
7/8/2024 9:00	0.0	0.4	Normal
7/8/2024 10:00	0.0	0.4	Normal
7/8/2024 11:00	0.0	0.4	Normal
7/8/2024 12:00	0.0	0.4	Normal
7/8/2024 13:00	0.0	0.4	Normal
7/8/2024 14:00	0.0	0.4	Normal
7/8/2024 15:00	0.0	0.4	Normal
7/8/2024 16:00	0.0	0.4	Normal
7/8/2024 17:00	0.0	0.4	Normal
7/8/2024 18:00	0.0	0.4	Normal
7/8/2024 19:00	0.0	0.4	Normal
7/8/2024 20:00	0.0	0.4	Normal
7/8/2024 21:00	0.0	0.4	Normal
7/8/2024 22:00	0.0	0.4	Normal
7/8/2024 23:00	0.0	0.4	Normal
7/9/2024 0:00	0.0	0.4	Normal
7/9/2024 1:00	0.0	0.4	Normal
7/9/2024 2:00	0.0	0.4	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
7/9/2024 3:00	0.0	0.4	Normal
7/9/2024 4:00	0.0	0.4	Normal
7/9/2024 5:00	0.0	0.4	Normal
7/9/2024 6:00	0.0	0.4	Normal
7/9/2024 7:00	0.0	0.4	Normal
7/9/2024 8:00	0.0	0.4	Normal
7/9/2024 9:00	0.0	0.4	Normal
7/9/2024 10:00	0.0	0.4	Normal
7/9/2024 11:00	0.0	0.4	Normal
7/9/2024 12:00	0.0	0.4	Normal
7/9/2024 13:00	0.0	0.4	Normal
7/9/2024 14:00	0.0	0.4	Normal
7/9/2024 15:00	0.0	0.4	Normal
7/9/2024 16:00	0.0	0.4	Normal
7/9/2024 17:00	0.0	0.4	Normal
7/9/2024 18:00	0.0	0.4	Normal
7/9/2024 19:00	0.0	0.4	Normal
7/9/2024 20:00	0.0	0.4	Normal
7/9/2024 21:00	0.0	0.4	Normal
7/9/2024 22:00	0.0	0.4	Normal
7/9/2024 23:00	0.0	0.4	Normal
7/10/2024 0:00	0.0	0.4	Normal
7/10/2024 1:00	0.0	0.4	Normal
7/10/2024 2:00	0.0	0.4	Normal
7/10/2024 3:00	0.0	0.4	Normal
7/10/2024 4:00	0.0	0.4	Normal
7/10/2024 5:00	0.0	0.4	Normal
7/10/2024 6:00	0.0	0.4	Normal
7/10/2024 7:00	0.0	0.4	Normal
7/10/2024 8:00	0.0	0.4	Normal
7/10/2024 9:00	0.0	0.4	Normal
7/10/2024 10:00	0.0	0.4	Normal
7/10/2024 11:00	0.0	0.4	Normal
7/10/2024 12:00	0.0	0.4	Normal
7/10/2024 13:00	0.0	0.4	Normal
7/10/2024 14:00	0.0	0.4	Normal
7/10/2024 15:00	0.0	0.4	Normal
7/10/2024 16:00	0.0	0.4	Normal
7/10/2024 17:00	0.0	0.4	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
7/10/2024 18:00	0.0	0.4	Normal
7/10/2024 19:00	0.0	0.4	Normal
7/10/2024 20:00	0.0	0.4	Normal
7/10/2024 21:00	0.0	0.4	Normal
7/10/2024 22:00	0.0	0.4	Normal
7/10/2024 23:00	0.0	0.4	Normal
7/11/2024 0:00	0.0	0.4	Normal
7/11/2024 1:00	0.0	0.4	Normal
7/11/2024 2:00	0.0	0.4	Normal
7/11/2024 3:00	0.0	0.4	Normal
7/11/2024 4:00	0.0	0.4	Normal
7/11/2024 5:00	0.0	0.4	Normal
7/11/2024 6:00	0.0	0.4	Normal
7/11/2024 7:00	0.0	0.4	Normal
7/11/2024 8:00	0.0	0.4	Normal
7/11/2024 9:00	0.0	0.4	Normal
7/11/2024 10:00	0.0	0.4	Normal
7/11/2024 11:00	0.0	0.4	Normal
7/11/2024 12:00	0.0	0.4	Normal
7/11/2024 13:00	0.0	0.4	Normal
7/11/2024 14:00	0.0	0.4	Normal
7/11/2024 15:00	0.0	0.4	Normal
7/11/2024 16:00	0.0	0.4	Normal
7/11/2024 17:00	0.0	0.4	Normal
7/11/2024 18:00	0.0	0.4	Normal
7/11/2024 19:00	0.0	0.4	Normal
7/11/2024 20:00	0.0	0.4	Normal
7/11/2024 21:00	0.0	0.4	Normal
7/11/2024 22:00	0.0	0.4	Normal
7/11/2024 23:00	0.0	0.4	Normal
7/12/2024 0:00	0.0	0.4	Normal
7/12/2024 1:00	0.0	0.4	Normal
7/12/2024 2:00	0.0	0.4	Normal
7/12/2024 3:00	0.0	0.4	Normal
7/12/2024 4:00	0.0	0.4	Normal
7/12/2024 5:00	0.0	0.4	Normal
7/12/2024 6:00	0.0	0.4	Normal
7/12/2024 7:00	0.0	0.4	Normal
7/12/2024 8:00	0.0	0.4	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
7/12/2024 9:00	0.0	0.4	Normal
7/12/2024 10:00	0.0	0.4	Normal
7/12/2024 11:00	0.0	0.4	Normal
7/12/2024 12:00	0.0	0.4	Normal
7/12/2024 13:00	0.0	0.4	Normal
7/12/2024 14:00	0.0	0.4	Normal
7/12/2024 15:00	0.0	0.4	Normal
7/12/2024 16:00	0.0	0.4	Normal
7/12/2024 17:00	0.0	0.4	Normal
7/12/2024 18:00	0.0	0.4	Normal
7/12/2024 19:00	0.0	0.4	Normal
7/12/2024 20:00	0.0	0.4	Normal
7/12/2024 21:00	0.0	0.4	Normal
7/12/2024 22:00	0.0	0.4	Normal
7/12/2024 23:00	0.0	0.4	Normal
7/13/2024 0:00	0.0	0.4	Normal
7/13/2024 1:00	0.0	0.4	Normal
7/13/2024 2:00	0.0	0.4	Normal
7/13/2024 3:00	0.0	0.4	Normal
7/13/2024 4:00	0.0	0.4	Normal
7/13/2024 5:00	0.0	0.4	Normal
7/13/2024 6:00	0.0	0.4	Normal
7/13/2024 7:00	0.0	0.4	Normal
7/13/2024 8:00	0.0	0.4	Normal
7/13/2024 9:00	0.0	0.4	Normal
7/13/2024 10:00	0.0	0.4	Normal
7/13/2024 11:00	0.0	0.4	Normal
7/13/2024 12:00	0.0	0.4	Normal
7/13/2024 13:00	0.0	0.4	Normal
7/13/2024 14:00	0.0	0.4	Normal
7/13/2024 15:00	0.0	0.4	Normal
7/13/2024 16:00	0.0	0.4	Normal
7/13/2024 17:00	0.0	0.4	Normal
7/13/2024 18:00	0.0	0.4	Normal
7/13/2024 19:00	0.0	0.4	Normal
7/13/2024 20:00	0.0	0.4	Normal
7/13/2024 21:00	0.0	0.4	Normal
7/13/2024 22:00	0.0	0.4	Normal
7/13/2024 23:00	0.0	0.4	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
7/14/2024 0:00	0.0	0.4	Normal
7/14/2024 1:00	0.0	0.4	Normal
7/14/2024 2:00	0.0	0.4	Normal
7/14/2024 3:00	0.0	0.4	Normal
7/14/2024 4:00	0.0	0.4	Normal
7/14/2024 5:00	0.0	0.4	Normal
7/14/2024 6:00	0.0	0.4	Normal
7/14/2024 7:00	0.0	0.4	Normal
7/14/2024 8:00	0.0	0.4	Normal
7/14/2024 9:00	0.0	0.4	Normal
7/14/2024 10:00	0.0	0.4	Normal
7/14/2024 11:00	0.0	0.4	Normal
7/14/2024 12:00	0.0	0.4	Normal
7/14/2024 13:00	0.0	0.4	Normal
7/14/2024 14:00	0.0	0.4	Normal
7/14/2024 15:00	0.0	0.4	Normal
7/14/2024 16:00	0.0	0.4	Normal
7/14/2024 17:00	0.0	0.4	Normal
7/14/2024 18:00	0.0	0.4	Normal
7/14/2024 19:00	0.0	0.4	Normal
7/14/2024 20:00	0.0	0.4	Normal
7/14/2024 21:00	0.0	0.4	Normal
7/14/2024 22:00	0.0	0.4	Normal
7/14/2024 23:00	0.0	0.4	Normal
7/15/2024 0:00	0.0	0.4	Normal
7/15/2024 1:00	0.0	0.4	Normal
7/15/2024 2:00	0.0	0.4	Normal
7/15/2024 3:00	0.0	0.4	Normal
7/15/2024 4:00	0.0	0.4	Normal
7/15/2024 5:00	0.0	0.4	Normal
7/15/2024 6:00	0.0	0.4	Normal
7/15/2024 7:00	0.0	0.4	Normal
7/15/2024 8:00	0.0	0.4	Normal
7/15/2024 9:00	0.0	0.4	Normal
7/15/2024 10:00	8.0	0.4	Normal
7/15/2024 11:00	41.0	0.4	Normal
7/15/2024 12:00	0.0	0.4	Normal
7/15/2024 13:00	0.0	0.4	Normal
7/15/2024 14:00	0.0	0.4	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
7/15/2024 15:00	0.0	0.4	Normal
7/15/2024 16:00	0.0	0.4	Normal
7/15/2024 17:00	0.0	0.4	Normal
7/15/2024 18:00	0.0	0.4	Normal
7/15/2024 19:00	0.0	0.4	Normal
7/15/2024 20:00	0.0	0.4	Normal
7/15/2024 21:00	0.0	0.4	Normal
7/15/2024 22:00	0.0	0.4	Normal
7/15/2024 23:00	0.0	0.4	Normal
7/16/2024 0:00	0.0	0.4	Normal
7/16/2024 1:00	0.0	0.4	Normal
7/16/2024 2:00	0.0	0.4	Normal
7/16/2024 3:00	0.0	0.4	Normal
7/16/2024 4:00	0.0	0.4	Normal
7/16/2024 5:00	0.0	0.4	Normal
7/16/2024 6:00	0.0	0.4	Normal
7/16/2024 7:00	0.0	0.4	Normal
7/16/2024 8:00	0.0	0.4	Normal
7/16/2024 9:00	0.0	0.4	Normal
7/16/2024 10:00	0.0	0.4	Normal
7/16/2024 11:00	0.0	0.4	Normal
7/16/2024 12:00	0.0	0.4	Normal
7/16/2024 13:00	0.0	0.4	Normal
7/16/2024 14:00	0.0	0.4	Normal
7/16/2024 15:00	0.0	0.4	Normal
7/16/2024 16:00	0.0	0.4	Normal
7/16/2024 17:00	0.0	0.4	Normal
7/16/2024 18:00	0.0	0.4	Normal
7/16/2024 19:00	0.0	0.4	Normal
7/16/2024 20:00	0.0	0.4	Normal
7/16/2024 21:00	0.0	0.4	Normal
7/16/2024 22:00	0.0	0.4	Normal
7/16/2024 23:00	0.0	0.4	Normal
7/17/2024 0:00	0.0	0.4	Normal
7/17/2024 1:00	0.0	0.4	Normal
7/17/2024 2:00	0.0	0.4	Normal
7/17/2024 3:00	0.0	0.4	Normal
7/17/2024 4:00	0.0	0.4	Normal
7/17/2024 5:00	0.0	0.4	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
7/17/2024 6:00	0.0	0.4	Normal
7/17/2024 7:00	0.0	0.4	Normal
7/17/2024 8:00	0.0	0.4	Normal
7/17/2024 9:00	0.0	0.4	Normal
7/17/2024 10:00	0.0	0.4	Normal
7/17/2024 11:00	0.0	0.4	Normal
7/17/2024 12:00	0.0	0.4	Normal
7/17/2024 13:00	0.0	0.4	Normal
7/17/2024 14:00	0.0	0.4	Normal
7/17/2024 15:00	0.0	0.4	Normal
7/17/2024 16:00	0.0	0.4	Normal
7/17/2024 17:00	0.0	0.4	Normal
7/17/2024 18:00	0.0	0.4	Normal
7/17/2024 19:00	0.0	0.4	Normal
7/17/2024 20:00	0.0	0.4	Normal
7/17/2024 21:00	0.0	0.4	Normal
7/17/2024 22:00	0.0	0.4	Normal
7/17/2024 23:00	0.0	0.4	Normal
7/18/2024 0:00	0.0	0.4	Normal
7/18/2024 1:00	0.0	0.4	Normal
7/18/2024 2:00	0.0	0.4	Normal
7/18/2024 3:00	0.0	0.4	Normal
7/18/2024 4:00	0.0	0.4	Normal
7/18/2024 5:00	0.0	0.4	Normal
7/18/2024 6:00	0.0	0.4	Normal
7/18/2024 7:00	0.0	0.4	Normal
7/18/2024 8:00	0.0	0.4	Normal
7/18/2024 9:00	0.0	0.4	Normal
7/18/2024 10:00	0.0	0.4	Normal
7/18/2024 11:00	0.0	0.4	Normal
7/18/2024 12:00	0.0	0.4	Normal
7/18/2024 13:00	0.0	0.4	Normal
7/18/2024 14:00	0.0	0.4	Normal
7/18/2024 15:00	0.0	0.4	Normal
7/18/2024 16:00	0.0	0.4	Normal
7/18/2024 17:00	0.0	0.1	Normal
7/18/2024 18:00	0.0	0.1	Normal
7/18/2024 19:00	0.0	0.1	Normal
7/18/2024 20:00	0.0	0.1	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
7/18/2024 21:00	0.0	0.1	Normal
7/18/2024 22:00	0.0	0.1	Normal
7/18/2024 23:00	0.0	0.1	Normal
7/19/2024 0:00	0.0	0.1	Normal
7/19/2024 1:00	0.0	0.1	Normal
7/19/2024 2:00	0.0	0.1	Normal
7/19/2024 3:00	0.0	0.1	Normal
7/19/2024 4:00	0.0	0.1	Normal
7/19/2024 5:00	0.0	0.1	Normal
7/19/2024 6:00	0.0	0.1	Normal
7/19/2024 7:00	0.0	0.1	Normal
7/19/2024 8:00	0.0	0.1	Normal
7/19/2024 9:00	0.0	0.1	Normal
7/19/2024 10:00	0.0	0.1	Normal
7/19/2024 11:00	0.0	0.1	Normal
7/19/2024 12:00	0.0	0.1	Normal
7/19/2024 13:00	0.0	0.1	Normal
7/19/2024 14:00	0.0	0.1	Normal
7/19/2024 15:00	0.0	0.1	Normal
7/19/2024 16:00	0.0	0.1	Normal
7/19/2024 17:00	0.0	0.1	Normal
7/19/2024 18:00	0.0	0.1	Normal
7/19/2024 19:00	0.0	0.1	Normal
7/19/2024 20:00	0.0	0.1	Normal
7/19/2024 21:00	0.0	0.1	Normal
7/19/2024 22:00	0.0	0.1	Normal
7/19/2024 23:00	0.0	0.1	Normal
7/20/2024 0:00	0.0	0.1	Normal
7/20/2024 1:00	0.0	0.1	Normal
7/20/2024 2:00	0.0	0.1	Normal
7/20/2024 3:00	0.0	0.1	Normal
7/20/2024 4:00	0.0	0.1	Normal
7/20/2024 5:00	0.0	0.1	Normal
7/20/2024 6:00	0.0	0.1	Normal
7/20/2024 7:00	0.0	0.1	Normal
7/20/2024 8:00	0.0	0.1	Normal
7/20/2024 9:00	0.0	0.1	Normal
7/20/2024 10:00	0.0	0.1	Normal
7/20/2024 11:00	0.0	0.1	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
7/20/2024 12:00	0.0	0.1	Normal
7/20/2024 13:00	0.0	0.1	Normal
7/20/2024 14:00	0.0	0.1	Normal
7/20/2024 15:00	0.0	0.1	Normal
7/20/2024 16:00	0.0	0.1	Normal
7/20/2024 17:00	0.0	0.1	Normal
7/20/2024 18:00	0.0	0.1	Normal
7/20/2024 19:00	0.0	0.1	Normal
7/20/2024 20:00	0.0	0.1	Normal
7/20/2024 21:00	0.0	0.1	Normal
7/20/2024 22:00	0.0	0.1	Normal
7/20/2024 23:00	0.0	0.1	Normal
7/21/2024 0:00	0.0	0.1	Normal
7/21/2024 1:00	0.0	0.1	Normal
7/21/2024 2:00	0.0	0.1	Normal
7/21/2024 3:00	0.0	0.1	Normal
7/21/2024 4:00	0.0	0.1	Normal
7/21/2024 5:00	0.0	0.1	Normal
7/21/2024 6:00	0.0	0.1	Normal
7/21/2024 7:00	0.0	0.1	Normal
7/21/2024 8:00	0.0	0.1	Normal
7/21/2024 9:00	0.0	0.1	Normal
7/21/2024 10:00	0.0	0.1	Normal
7/21/2024 11:00	0.0	0.1	Normal
7/21/2024 12:00	0.0	0.1	Normal
7/21/2024 13:00	0.0	0.1	Normal
7/21/2024 14:00	0.0	0.1	Normal
7/21/2024 15:00	0.0	0.1	Normal
7/21/2024 16:00	0.0	0.1	Normal
7/21/2024 17:00	0.0	0.1	Normal
7/21/2024 18:00	0.0	0.1	Normal
7/21/2024 19:00	0.0	0.1	Normal
7/21/2024 20:00	0.0	0.1	Normal
7/21/2024 21:00	0.0	0.1	Normal
7/21/2024 22:00	0.0	0.1	Normal
7/21/2024 23:00	0.0	0.1	Normal
7/22/2024 0:00	0.0	0.1	Normal
7/22/2024 1:00	0.0	0.1	Normal
7/22/2024 2:00	0.0	0.1	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
7/22/2024 3:00	0.0	0.1	Normal
7/22/2024 4:00	0.0	0.1	Normal
7/22/2024 5:00	0.0	0.1	Normal
7/22/2024 6:00	0.0	0.1	Normal
7/22/2024 7:00	0.0	0.1	Normal
7/22/2024 8:00	0.0	0.1	Normal
7/22/2024 9:00	0.0	0.1	Normal
7/22/2024 10:00	0.0	0.1	Normal
7/22/2024 11:00	0.0	0.1	Normal
7/22/2024 12:00	0.0	0.1	Normal
7/22/2024 13:00	0.0	0.1	Normal
7/22/2024 14:00	0.0	0.1	Normal
7/22/2024 15:00	0.0	0.1	Normal
7/22/2024 16:00	0.0	0.1	Normal
7/22/2024 17:00	0.0	0.1	Normal
7/22/2024 18:00	0.0	0.1	Normal
7/22/2024 19:00	0.0	0.1	Normal
7/22/2024 20:00	0.0	0.1	Normal
7/22/2024 21:00	0.0	0.1	Normal
7/22/2024 22:00	0.0	0.1	Normal
7/22/2024 23:00	0.0	0.1	Normal
7/23/2024 0:00	0.0	0.1	Normal
7/23/2024 1:00	0.0	0.1	Normal
7/23/2024 2:00	0.0	0.1	Normal
7/23/2024 3:00	0.0	0.1	Normal
7/23/2024 4:00	0.0	0.1	Normal
7/23/2024 5:00	0.0	0.1	Normal
7/23/2024 6:00	0.0	0.1	Normal
7/23/2024 7:00	0.0	0.1	Normal
7/23/2024 8:00	0.0	0.1	Normal
7/23/2024 9:00	0.0	0.1	Normal
7/23/2024 10:00	0.0	0.1	Normal
7/23/2024 11:00	0.0	0.1	Normal
7/23/2024 12:00	0.0	0.1	Normal
7/23/2024 13:00	0.0	0.1	Normal
7/23/2024 14:00	0.0	0.1	Normal
7/23/2024 15:00	0.0	0.1	Normal
7/23/2024 16:00	0.0	0.1	Normal
7/23/2024 17:00	0.0	0.1	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
7/23/2024 18:00	0.0	0.1	Normal
7/23/2024 19:00	0.0	0.1	Normal
7/23/2024 20:00	0.0	0.1	Normal
7/23/2024 21:00	0.0	0.1	Normal
7/23/2024 22:00	0.0	0.1	Normal
7/23/2024 23:00	0.0	0.1	Normal
7/24/2024 0:00	0.0	0.1	Normal
7/24/2024 1:00	0.0	0.1	Normal
7/24/2024 2:00	0.0	0.1	Normal
7/24/2024 3:00	0.0	0.1	Normal
7/24/2024 4:00	0.0	0.1	Normal
7/24/2024 5:00	0.0	0.1	Normal
7/24/2024 6:00	0.0	0.1	Normal
7/24/2024 7:00	0.0	0.1	Normal
7/24/2024 8:00	0.0	0.1	Normal
7/24/2024 9:00	0.0	0.1	Normal
7/24/2024 10:00	0.0	0.1	Normal
7/24/2024 11:00	0.0	0.1	Normal
7/24/2024 12:00	0.0	0.1	Normal
7/24/2024 13:00	0.0	0.1	Normal
7/24/2024 14:00	0.0	0.1	Normal
7/24/2024 15:00	0.0	0.1	Normal
7/24/2024 16:00	0.0	0.1	Normal
7/24/2024 17:00	0.0	0.1	Normal
7/24/2024 18:00	0.0	0.1	Normal
7/24/2024 19:00	0.0	0.1	Normal
7/24/2024 20:00	0.0	0.1	Normal
7/24/2024 21:00	0.0	0.1	Normal
7/24/2024 22:00	0.0	0.1	Normal
7/24/2024 23:00	0.0	0.1	Normal
7/25/2024 0:00	0.0	0.1	Normal
7/25/2024 1:00	0.0	0.1	Normal
7/25/2024 2:00	0.0	0.1	Normal
7/25/2024 3:00	0.0	0.1	Normal
7/25/2024 4:00	0.0	0.1	Normal
7/25/2024 5:00	0.0	0.1	Normal
7/25/2024 6:00	0.0	0.1	Normal
7/25/2024 7:00	0.0	0.1	Normal
7/25/2024 8:00	0.0	0.1	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
7/25/2024 9:00	0.0	0.1	Normal
7/25/2024 10:00	0.0	0.1	Normal
7/25/2024 11:00	0.0	0.1	Normal
7/25/2024 12:00	0.0	0.1	Normal
7/25/2024 13:00	0.0	0.1	Normal
7/25/2024 14:00	0.0	0.1	Normal
7/25/2024 15:00	13.0	0.1	Shutdown
7/25/2024 16:00	152.0	0.3	Shutdown
7/25/2024 17:00	0.0	0.3	Shutdown
7/25/2024 18:00	0.0	0.3	Shutdown
7/25/2024 19:00	0.0	0.3	Shutdown
7/25/2024 20:00	0.0	0.3	Shutdown
7/25/2024 21:00	0.0	0.3	Shutdown
7/25/2024 22:00	0.0	0.3	Shutdown
7/25/2024 23:00	0.0	0.3	Shutdown
7/26/2024 0:00	0.0	0.3	Shutdown
7/26/2024 1:00	0.0	0.3	Shutdown
7/26/2024 2:00	0.0	0.3	Shutdown
7/26/2024 3:00	0.0	0.3	Shutdown
7/26/2024 4:00	0.0	0.3	Shutdown
7/26/2024 5:00	0.0	0.3	Shutdown
7/26/2024 6:00	0.0	0.3	Shutdown
7/26/2024 7:00	0.0	0.3	Shutdown
7/26/2024 8:00	0.0	0.3	Shutdown
7/26/2024 9:00	0.0	0.3	Shutdown
7/26/2024 10:00	0.0	0.3	Shutdown
7/26/2024 11:00	0.0	0.3	Shutdown
7/26/2024 12:00	0.0	0.3	Shutdown
7/26/2024 13:00	0.0	0.3	Shutdown
7/26/2024 14:00	0.0	0.3	Shutdown
7/26/2024 15:00	0.0	0.3	Shutdown
7/26/2024 16:00	0.0	0.3	Shutdown
7/26/2024 17:00	0.0	0.3	Shutdown
7/26/2024 18:00	0.0	0.3	Shutdown
7/26/2024 19:00	0.0	0.3	Shutdown
7/26/2024 20:00	0.0	0.3	Shutdown
7/26/2024 21:00	0.0	0.3	Shutdown
7/26/2024 22:00	0.0	0.3	Shutdown
7/26/2024 23:00	0.0	0.3	Shutdown

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
7/27/2024 0:00	0.0	0.3	Shutdown
7/27/2024 1:00	0.0	0.3	Shutdown
7/27/2024 2:00	0.0	0.3	Shutdown
7/27/2024 3:00	0.0	0.3	Shutdown
7/27/2024 4:00	0.0	0.3	Shutdown
7/27/2024 5:00	0.0	0.3	Shutdown
7/27/2024 6:00	0.0	0.3	Shutdown
7/27/2024 7:00	0.0	0.3	Shutdown
7/27/2024 8:00	0.0	0.3	Shutdown
7/27/2024 9:00	0.0	0.3	Shutdown
7/27/2024 10:00	0.0	0.3	Shutdown
7/27/2024 11:00	0.0	0.3	Shutdown
7/27/2024 12:00	0.0	0.3	Shutdown
7/27/2024 13:00	0.0	0.3	Shutdown
7/27/2024 14:00	0.0	0.3	Shutdown
7/27/2024 15:00	0.0	0.3	Shutdown
7/27/2024 16:00	0.0	0.3	Shutdown
7/27/2024 17:00	0.0	0.3	Shutdown
7/27/2024 18:00	0.0	0.3	Shutdown
7/27/2024 19:00	0.0	0.3	Shutdown
7/27/2024 20:00	0.0	0.3	Shutdown
7/27/2024 21:00	0.0	0.3	Shutdown
7/27/2024 22:00	0.0	0.3	Shutdown
7/27/2024 23:00	0.0	0.3	Shutdown
7/28/2024 0:00	0.0	0.3	Shutdown
7/28/2024 1:00	0.0	0.3	Shutdown
7/28/2024 2:00	0.0	0.3	Shutdown
7/28/2024 3:00	0.0	0.3	Shutdown
7/28/2024 4:00	0.0	0.3	Shutdown
7/28/2024 5:00	0.0	0.3	Shutdown
7/28/2024 6:00	0.0	0.3	Shutdown
7/28/2024 7:00	0.0	0.3	Shutdown
7/28/2024 8:00	0.0	0.3	Shutdown
7/28/2024 9:00	0.0	0.3	Shutdown
7/28/2024 10:00	0.0	0.3	Shutdown
7/28/2024 11:00	0.0	0.3	Shutdown
7/28/2024 12:00	0.0	0.3	Shutdown
7/28/2024 13:00	0.0	0.3	Shutdown
7/28/2024 14:00	0.0	0.3	Shutdown

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
7/28/2024 15:00	0.0	0.3	Shutdown
7/28/2024 16:00	0.0	0.3	Shutdown
7/28/2024 17:00	0.0	0.3	Shutdown
7/28/2024 18:00	0.0	0.3	Shutdown
7/28/2024 19:00	0.0	0.3	Shutdown
7/28/2024 20:00	0.0	0.3	Shutdown
7/28/2024 21:00	0.0	0.3	Shutdown
7/28/2024 22:00	0.0	0.3	Shutdown
7/28/2024 23:00	0.0	0.3	Shutdown
7/29/2024 0:00	0.0	0.3	Shutdown
7/29/2024 1:00	0.0	0.3	Shutdown
7/29/2024 2:00	0.0	0.3	Shutdown
7/29/2024 3:00	0.0	0.3	Shutdown
7/29/2024 4:00	0.0	0.3	Shutdown
7/29/2024 5:00	0.0	0.3	Shutdown
7/29/2024 6:00	0.0	0.3	Shutdown
7/29/2024 7:00	0.0	0.3	Shutdown
7/29/2024 8:00	0.0	0.3	Shutdown
7/29/2024 9:00	0.0	0.3	Shutdown
7/29/2024 10:00	0.0	0.3	Shutdown
7/29/2024 11:00	0.0	0.3	Shutdown
7/29/2024 12:00	0.0	0.3	Shutdown
7/29/2024 13:00	0.0	0.3	Shutdown
7/29/2024 14:00	0.0	0.3	Shutdown
7/29/2024 15:00	0.0	0.3	Shutdown
7/29/2024 16:00	0.0	0.3	Shutdown
7/29/2024 17:00	0.0	0.3	Shutdown
7/29/2024 18:00	0.0	0.3	Shutdown
7/29/2024 19:00	0.0	0.3	Shutdown
7/29/2024 20:00	0.0	0.3	Shutdown
7/29/2024 21:00	0.0	0.3	Shutdown
7/29/2024 22:00	0.0	0.3	Shutdown
7/29/2024 23:00	0.0	0.3	Shutdown
7/30/2024 0:00	0.0	0.3	Shutdown
7/30/2024 1:00	0.0	0.3	Shutdown
7/30/2024 2:00	0.0	0.3	Shutdown
7/30/2024 3:00	0.0	0.3	Shutdown
7/30/2024 4:00	0.0	0.3	Shutdown
7/30/2024 5:00	0.0	0.3	Shutdown

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
7/30/2024 6:00	0.0	0.3	Shutdown
7/30/2024 7:00	0.0	0.3	Shutdown
7/30/2024 8:00	0.0	0.3	Shutdown
7/30/2024 9:00	0.0	0.3	Shutdown
7/30/2024 10:00	0.0	0.3	Shutdown
7/30/2024 11:00	0.0	0.3	Shutdown
7/30/2024 12:00	0.0	0.3	Shutdown
7/30/2024 13:00	0.0	0.3	Shutdown
7/30/2024 14:00	0.0	0.3	Shutdown
7/30/2024 15:00	0.0	0.3	Shutdown
7/30/2024 16:00	0.0	0.3	Shutdown
7/30/2024 17:00	0.0	0.3	Shutdown
7/30/2024 18:00	0.0	0.3	Shutdown
7/30/2024 19:00	0.0	0.3	Shutdown
7/30/2024 20:00	0.0	0.3	Shutdown
7/30/2024 21:00	0.0	0.3	Shutdown
7/30/2024 22:00	0.0	0.3	Shutdown
7/30/2024 23:00	0.0	0.3	Shutdown
7/31/2024 0:00	0.0	0.3	Shutdown
7/31/2024 1:00	0.0	0.3	Shutdown
7/31/2024 2:00	0.0	0.3	Shutdown
7/31/2024 3:00	0.0	0.3	Shutdown
7/31/2024 4:00	0.0	0.3	Shutdown
7/31/2024 5:00	0.0	0.3	Shutdown
7/31/2024 6:00	0.0	0.3	Shutdown
7/31/2024 7:00	0.0	0.3	Shutdown
7/31/2024 8:00	0.0	0.3	Shutdown
7/31/2024 9:00	0.0	0.3	Shutdown
7/31/2024 10:00	0.0	0.3	Shutdown
7/31/2024 11:00	0.0	0.3	Shutdown
7/31/2024 12:00	0.0	0.3	Shutdown
7/31/2024 13:00	0.0	0.3	Shutdown
7/31/2024 14:00	0.0	0.3	Shutdown
7/31/2024 15:00	0.0	0.3	Shutdown
7/31/2024 16:00	0.0	0.3	Shutdown
7/31/2024 17:00	0.0	0.3	Shutdown
7/31/2024 18:00	0.0	0.3	Shutdown
7/31/2024 19:00	0.0	0.3	Shutdown
7/31/2024 20:00	0.0	0.3	Shutdown

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
7/31/2024 21:00	0.0	0.3	Shutdown
7/31/2024 22:00	0.0	0.3	Shutdown
7/31/2024 23:00	0.0	0.3	Shutdown
8/1/2024 0:00	0.0	0.3	Shutdown
8/1/2024 1:00	0.0	0.3	Shutdown
8/1/2024 2:00	0.0	0.3	Shutdown
8/1/2024 3:00	0.0	0.3	Shutdown
8/1/2024 4:00	0.0	0.3	Shutdown
8/1/2024 5:00	0.0	0.3	Shutdown
8/1/2024 6:00	0.0	0.3	Shutdown
8/1/2024 7:00	0.0	0.3	Shutdown
8/1/2024 8:00	0.0	0.3	Shutdown
8/1/2024 9:00	0.0	0.3	Shutdown
8/1/2024 10:00	0.0	0.3	Shutdown
8/1/2024 11:00	0.0	0.3	Shutdown
8/1/2024 12:00	0.0	0.3	Shutdown
8/1/2024 13:00	0.0	0.3	Shutdown
8/1/2024 14:00	0.0	0.3	Shutdown
8/1/2024 15:00	0.0	0.3	Shutdown
8/1/2024 16:00	0.0	0.3	Shutdown
8/1/2024 17:00	0.0	0.3	Shutdown
8/1/2024 18:00	0.0	0.3	Shutdown
8/1/2024 19:00	0.0	0.3	Shutdown
8/1/2024 20:00	0.0	0.3	Shutdown
8/1/2024 21:00	0.0	0.3	Shutdown
8/1/2024 22:00	0.0	0.3	Shutdown
8/1/2024 23:00	0.0	0.3	Shutdown
8/2/2024 0:00	0.0	0.3	Shutdown
8/2/2024 1:00	0.0	0.3	Shutdown
8/2/2024 2:00	0.0	0.3	Shutdown
8/2/2024 3:00	0.0	0.3	Shutdown
8/2/2024 4:00	0.0	0.3	Shutdown
8/2/2024 5:00	0.0	0.3	Shutdown
8/2/2024 6:00	0.0	0.3	Shutdown
8/2/2024 7:00	0.0	0.3	Shutdown
8/2/2024 8:00	0.0	0.3	Startup
8/2/2024 9:00	0.0	0.3	Startup
8/2/2024 10:00	0.0	0.3	Startup
8/2/2024 11:00	0.0	0.3	Shutdown

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
8/2/2024 12:00	0.0	0.3	Shutdown
8/2/2024 13:00	0.0	0.3	Shutdown
8/2/2024 14:00	0.0	0.3	Shutdown
8/2/2024 15:00	0.0	0.3	Shutdown
8/2/2024 16:00	0.0	0.3	Shutdown
8/2/2024 17:00	0.0	0.3	Shutdown
8/2/2024 18:00	0.0	0.3	Shutdown
8/2/2024 19:00	0.0	0.3	Shutdown
8/2/2024 20:00	0.0	0.3	Shutdown
8/2/2024 21:00	440.0	0.9	Shutdown
8/2/2024 22:00	47.0	1.0	Shutdown
8/2/2024 23:00	37.0	1.0	Shutdown
8/3/2024 0:00	37.0	1.1	Shutdown
8/3/2024 1:00	29.0	1.1	Shutdown
8/3/2024 2:00	65.0	1.2	Shutdown
8/3/2024 3:00	62.0	1.3	Shutdown
8/3/2024 4:00	69.0	1.4	Shutdown
8/3/2024 5:00	69.0	1.5	Shutdown
8/3/2024 6:00	66.0	1.6	Shutdown
8/3/2024 7:00	2.0	1.6	Shutdown
8/3/2024 8:00	0.0	1.6	Startup
8/3/2024 9:00	0.0	1.6	Startup
8/3/2024 10:00	0.0	1.6	Startup
8/3/2024 11:00	0.0	1.6	Startup
8/3/2024 12:00	0.0	1.6	Startup
8/3/2024 13:00	0.0	1.6	Startup
8/3/2024 14:00	0.0	1.6	Startup
8/3/2024 15:00	0.0	1.6	Startup
8/3/2024 16:00	0.0	1.6	Startup
8/3/2024 17:00	0.0	1.6	Startup
8/3/2024 18:00	0.0	1.6	Startup
8/3/2024 19:00	0.0	1.6	Startup
8/3/2024 20:00	0.0	1.6	Startup
8/3/2024 21:00	0.0	1.6	Startup
8/3/2024 22:00	0.0	1.6	Startup
8/3/2024 23:00	0.0	1.6	Startup
8/4/2024 0:00	0.0	1.6	Startup
8/4/2024 1:00	0.0	1.6	Startup
8/4/2024 2:00	0.0	1.6	Startup

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
8/4/2024 3:00	0.0	1.6	Startup
8/4/2024 4:00	0.0	1.6	Startup
8/4/2024 5:00	0.0	1.6	Startup
8/4/2024 6:00	0.0	1.6	Startup
8/4/2024 7:00	0.0	1.6	Startup
8/4/2024 8:00	0.0	1.6	Startup
8/4/2024 9:00	0.0	1.6	Startup
8/4/2024 10:00	0.0	1.6	Startup
8/4/2024 11:00	0.0	1.6	Startup
8/4/2024 12:00	0.0	1.6	Startup
8/4/2024 13:00	0.0	1.6	Startup
8/4/2024 14:00	0.0	1.6	Startup
8/4/2024 15:00	0.0	1.6	Startup
8/4/2024 16:00	0.0	1.6	Startup
8/4/2024 17:00	0.0	1.6	Startup
8/4/2024 18:00	0.0	1.6	Startup
8/4/2024 19:00	0.0	1.6	Startup
8/4/2024 20:00	0.0	1.6	Startup
8/4/2024 21:00	0.0	1.6	Startup
8/4/2024 22:00	0.0	1.6	Startup
8/4/2024 23:00	0.0	1.6	Startup
8/5/2024 0:00	0.0	1.6	Startup
8/5/2024 1:00	0.0	1.6	Startup
8/5/2024 2:00	0.0	1.6	Startup
8/5/2024 3:00	0.0	1.6	Startup
8/5/2024 4:00	0.0	1.6	Startup
8/5/2024 5:00	0.0	1.6	Startup
8/5/2024 6:00	0.0	1.6	Startup
8/5/2024 7:00	0.0	1.6	Startup
8/5/2024 8:00	0.0	1.6	Startup
8/5/2024 9:00	0.0	1.6	Startup
8/5/2024 10:00	0.0	1.6	Startup
8/5/2024 11:00	0.0	1.6	Startup
8/5/2024 12:00	0.0	1.6	Startup
8/5/2024 13:00	0.0	1.6	Startup
8/5/2024 14:00	0.0	1.6	Startup
8/5/2024 15:00	0.0	1.6	Startup
8/5/2024 16:00	0.0	1.6	Normal
8/5/2024 17:00	0.0	1.6	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
8/5/2024 18:00	0.0	1.6	Normal
8/5/2024 19:00	0.0	1.6	Normal
8/5/2024 20:00	0.0	1.6	Normal
8/5/2024 21:00	0.0	1.6	Normal
8/5/2024 22:00	0.0	1.6	Normal
8/5/2024 23:00	0.0	1.6	Normal
8/6/2024 0:00	0.0	1.6	Normal
8/6/2024 1:00	0.0	1.6	Normal
8/6/2024 2:00	0.0	1.6	Normal
8/6/2024 3:00	0.0	1.6	Normal
8/6/2024 4:00	0.0	1.6	Normal
8/6/2024 5:00	0.0	1.6	Normal
8/6/2024 6:00	0.0	1.6	Normal
8/6/2024 7:00	0.0	1.6	Normal
8/6/2024 8:00	0.0	1.6	Normal
8/6/2024 9:00	0.0	1.6	Normal
8/6/2024 10:00	0.0	1.6	Normal
8/6/2024 11:00	0.0	1.6	Normal
8/6/2024 12:00	0.0	1.6	Normal
8/6/2024 13:00	0.0	1.6	Normal
8/6/2024 14:00	0.0	1.6	Normal
8/6/2024 15:00	0.0	1.6	Normal
8/6/2024 16:00	0.0	1.6	Normal
8/6/2024 17:00	0.0	1.6	Normal
8/6/2024 18:00	0.0	1.6	Normal
8/6/2024 19:00	0.0	1.6	Normal
8/6/2024 20:00	0.0	1.6	Normal
8/6/2024 21:00	0.0	1.6	Normal
8/6/2024 22:00	0.0	1.6	Normal
8/6/2024 23:00	0.0	1.6	Normal
8/7/2024 0:00	0.0	1.6	Normal
8/7/2024 1:00	0.0	1.6	Normal
8/7/2024 2:00	0.0	1.6	Normal
8/7/2024 3:00	0.0	1.6	Normal
8/7/2024 4:00	0.0	1.6	Normal
8/7/2024 5:00	0.0	1.6	Normal
8/7/2024 6:00	0.0	1.6	Normal
8/7/2024 7:00	0.0	1.6	Normal
8/7/2024 8:00	0.0	1.6	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
8/7/2024 9:00	0.0	1.6	Normal
8/7/2024 10:00	0.0	1.6	Normal
8/7/2024 11:00	0.0	1.6	Normal
8/7/2024 12:00	0.0	1.6	Normal
8/7/2024 13:00	0.0	1.6	Normal
8/7/2024 14:00	0.0	1.6	Normal
8/7/2024 15:00	0.0	1.6	Normal
8/7/2024 16:00	0.0	1.6	Normal
8/7/2024 17:00	0.0	1.6	Normal
8/7/2024 18:00	0.0	1.6	Normal
8/7/2024 19:00	0.0	1.6	Normal
8/7/2024 20:00	0.0	1.6	Normal
8/7/2024 21:00	0.0	1.6	Normal
8/7/2024 22:00	0.0	1.6	Normal
8/7/2024 23:00	0.0	1.6	Normal
8/8/2024 0:00	0.0	1.6	Normal
8/8/2024 1:00	0.0	1.6	Normal
8/8/2024 2:00	0.0	1.6	Normal
8/8/2024 3:00	0.0	1.6	Normal
8/8/2024 4:00	0.0	1.6	Normal
8/8/2024 5:00	0.0	1.6	Normal
8/8/2024 6:00	0.0	1.6	Normal
8/8/2024 7:00	0.0	1.6	Normal
8/8/2024 8:00	0.0	1.6	Normal
8/8/2024 9:00	0.0	1.6	Normal
8/8/2024 10:00	201.0	1.9	Shutdown
8/8/2024 11:00	149.0	2.1	Shutdown
8/8/2024 12:00	0.0	2.1	Shutdown
8/8/2024 13:00	0.0	2.1	Shutdown
8/8/2024 14:00	0.0	2.1	Startup
8/8/2024 15:00	0.0	2.1	Startup
8/8/2024 16:00	0.0	2.1	Startup
8/8/2024 17:00	0.0	2.1	Startup
8/8/2024 18:00	0.0	2.1	Startup
8/8/2024 19:00	0.0	2.1	Startup
8/8/2024 20:00	0.0	2.1	Startup
8/8/2024 21:00	0.0	2.1	Startup
8/8/2024 22:00	0.0	2.1	Startup
8/8/2024 23:00	0.0	2.1	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
8/9/2024 0:00	0.0	2.1	Normal
8/9/2024 1:00	0.0	2.1	Normal
8/9/2024 2:00	0.0	2.1	Normal
8/9/2024 3:00	0.0	2.1	Normal
8/9/2024 4:00	0.0	2.1	Normal
8/9/2024 5:00	0.0	2.1	Normal
8/9/2024 6:00	0.0	2.1	Normal
8/9/2024 7:00	0.0	2.1	Normal
8/9/2024 8:00	0.0	2.1	Normal
8/9/2024 9:00	0.0	2.1	Normal
8/9/2024 10:00	0.0	2.1	Normal
8/9/2024 11:00	0.0	2.1	Normal
8/9/2024 12:00	0.0	2.1	Normal
8/9/2024 13:00	0.0	2.1	Normal
8/9/2024 14:00	0.0	2.1	Normal
8/9/2024 15:00	0.0	2.1	Normal
8/9/2024 16:00	0.0	2.1	Normal
8/9/2024 17:00	0.0	2.1	Normal
8/9/2024 18:00	0.0	2.1	Normal
8/9/2024 19:00	0.0	2.1	Normal
8/9/2024 20:00	0.0	2.1	Normal
8/9/2024 21:00	0.0	2.1	Normal
8/9/2024 22:00	0.0	2.1	Normal
8/9/2024 23:00	0.0	2.1	Normal
8/10/2024 0:00	0.0	2.1	Normal
8/10/2024 1:00	0.0	2.1	Normal
8/10/2024 2:00	0.0	2.1	Normal
8/10/2024 3:00	0.0	2.1	Normal
8/10/2024 4:00	0.0	2.1	Normal
8/10/2024 5:00	0.0	2.1	Normal
8/10/2024 6:00	0.0	2.1	Normal
8/10/2024 7:00	0.0	2.1	Normal
8/10/2024 8:00	0.0	2.1	Normal
8/10/2024 9:00	0.0	2.1	Normal
8/10/2024 10:00	0.0	2.1	Normal
8/10/2024 11:00	0.0	2.1	Normal
8/10/2024 12:00	0.0	2.1	Normal
8/10/2024 13:00	0.0	2.1	Normal
8/10/2024 14:00	0.0	2.1	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
8/10/2024 15:00	0.0	2.1	Normal
8/10/2024 16:00	0.0	2.1	Normal
8/10/2024 17:00	0.0	2.1	Normal
8/10/2024 18:00	0.0	2.1	Normal
8/10/2024 19:00	0.0	2.1	Normal
8/10/2024 20:00	0.0	2.1	Normal
8/10/2024 21:00	0.0	2.1	Normal
8/10/2024 22:00	0.0	2.1	Normal
8/10/2024 23:00	0.0	2.1	Normal
8/11/2024 0:00	0.0	2.1	Normal
8/11/2024 1:00	0.0	2.1	Normal
8/11/2024 2:00	0.0	2.1	Normal
8/11/2024 3:00	0.0	2.1	Normal
8/11/2024 4:00	0.0	2.1	Normal
8/11/2024 5:00	0.0	2.1	Normal
8/11/2024 6:00	0.0	2.1	Normal
8/11/2024 7:00	0.0	2.1	Normal
8/11/2024 8:00	0.0	2.1	Normal
8/11/2024 9:00	0.0	2.1	Normal
8/11/2024 10:00	0.0	2.1	Normal
8/11/2024 11:00	0.0	2.1	Normal
8/11/2024 12:00	0.0	2.1	Normal
8/11/2024 13:00	0.0	2.1	Normal
8/11/2024 14:00	0.0	2.1	Normal
8/11/2024 15:00	0.0	2.1	Normal
8/11/2024 16:00	0.0	2.1	Normal
8/11/2024 17:00	0.0	2.1	Normal
8/11/2024 18:00	0.0	2.1	Normal
8/11/2024 19:00	0.0	2.1	Normal
8/11/2024 20:00	0.0	2.1	Normal
8/11/2024 21:00	0.0	2.1	Normal
8/11/2024 22:00	0.0	2.1	Normal
8/11/2024 23:00	0.0	2.1	Normal
8/12/2024 0:00	0.0	2.1	Normal
8/12/2024 1:00	0.0	2.1	Normal
8/12/2024 2:00	0.0	2.1	Normal
8/12/2024 3:00	0.0	2.1	Normal
8/12/2024 4:00	0.0	2.1	Normal
8/12/2024 5:00	0.0	2.1	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
8/12/2024 6:00	0.0	2.1	Normal
8/12/2024 7:00	0.0	2.1	Normal
8/12/2024 8:00	0.0	2.1	Normal
8/12/2024 9:00	0.0	2.1	Normal
8/12/2024 10:00	0.0	2.1	Normal
8/12/2024 11:00	0.0	2.1	Normal
8/12/2024 12:00	0.0	2.1	Normal
8/12/2024 13:00	0.0	2.1	Normal
8/12/2024 14:00	0.0	2.1	Normal
8/12/2024 15:00	0.0	2.1	Normal
8/12/2024 16:00	0.0	2.1	Normal
8/12/2024 17:00	0.0	2.1	Normal
8/12/2024 18:00	0.0	2.1	Normal
8/12/2024 19:00	0.0	2.1	Normal
8/12/2024 20:00	0.0	2.1	Normal
8/12/2024 21:00	0.0	2.1	Normal
8/12/2024 22:00	0.0	2.1	Normal
8/12/2024 23:00	0.0	2.1	Normal
8/13/2024 0:00	0.0	2.1	Normal
8/13/2024 1:00	0.0	2.1	Normal
8/13/2024 2:00	0.0	2.1	Normal
8/13/2024 3:00	0.0	2.1	Normal
8/13/2024 4:00	0.0	2.1	Normal
8/13/2024 5:00	0.0	2.1	Normal
8/13/2024 6:00	0.0	2.1	Normal
8/13/2024 7:00	0.0	2.1	Normal
8/13/2024 8:00	0.0	2.1	Normal
8/13/2024 9:00	0.0	2.1	Normal
8/13/2024 10:00	0.0	2.1	Normal
8/13/2024 11:00	0.0	2.1	Normal
8/13/2024 12:00	0.0	2.1	Normal
8/13/2024 13:00	0.0	2.1	Normal
8/13/2024 14:00	0.0	2.1	Normal
8/13/2024 15:00	0.0	2.1	Normal
8/13/2024 16:00	0.0	2.1	Normal
8/13/2024 17:00	0.0	2.1	Normal
8/13/2024 18:00	0.0	2.1	Normal
8/13/2024 19:00	0.0	2.1	Normal
8/13/2024 20:00	0.0	2.1	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
8/13/2024 21:00	0.0	2.1	Normal
8/13/2024 22:00	0.0	2.1	Normal
8/13/2024 23:00	0.0	2.1	Normal
8/14/2024 0:00	0.0	2.1	Normal
8/14/2024 1:00	0.0	2.1	Normal
8/14/2024 2:00	0.0	2.1	Normal
8/14/2024 3:00	0.0	2.1	Normal
8/14/2024 4:00	0.0	2.1	Normal
8/14/2024 5:00	0.0	2.1	Normal
8/14/2024 6:00	0.0	2.1	Normal
8/14/2024 7:00	0.0	2.1	Normal
8/14/2024 8:00	0.0	2.1	Normal
8/14/2024 9:00	0.0	2.1	Normal
8/14/2024 10:00	0.0	2.1	Normal
8/14/2024 11:00	0.0	2.0	Normal
8/14/2024 12:00	0.0	2.0	Normal
8/14/2024 13:00	0.0	2.0	Normal
8/14/2024 14:00	0.0	2.0	Normal
8/14/2024 15:00	0.0	2.0	Normal
8/14/2024 16:00	0.0	2.0	Normal
8/14/2024 17:00	0.0	2.0	Normal
8/14/2024 18:00	0.0	2.0	Normal
8/14/2024 19:00	0.0	2.0	Normal
8/14/2024 20:00	0.0	2.0	Normal
8/14/2024 21:00	0.0	2.0	Normal
8/14/2024 22:00	0.0	2.0	Normal
8/14/2024 23:00	0.0	2.0	Normal
8/15/2024 0:00	0.0	2.0	Normal
8/15/2024 1:00	0.0	2.0	Normal
8/15/2024 2:00	0.0	2.0	Normal
8/15/2024 3:00	0.0	2.0	Normal
8/15/2024 4:00	0.0	2.0	Normal
8/15/2024 5:00	0.0	2.0	Normal
8/15/2024 6:00	0.0	2.0	Normal
8/15/2024 7:00	0.0	2.0	Normal
8/15/2024 8:00	0.0	2.0	Normal
8/15/2024 9:00	0.0	2.0	Normal
8/15/2024 10:00	0.0	2.0	Normal
8/15/2024 11:00	0.0	2.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
8/15/2024 12:00	0.0	2.0	Normal
8/15/2024 13:00	0.0	2.0	Normal
8/15/2024 14:00	0.0	2.0	Normal
8/15/2024 15:00	0.0	2.0	Normal
8/15/2024 16:00	0.0	2.0	Normal
8/15/2024 17:00	0.0	2.0	Normal
8/15/2024 18:00	0.0	2.0	Normal
8/15/2024 19:00	0.0	2.0	Normal
8/15/2024 20:00	0.0	2.0	Normal
8/15/2024 21:00	0.0	2.0	Normal
8/15/2024 22:00	0.0	2.0	Normal
8/15/2024 23:00	0.0	2.0	Normal
8/16/2024 0:00	0.0	2.0	Normal
8/16/2024 1:00	0.0	2.0	Normal
8/16/2024 2:00	0.0	2.0	Normal
8/16/2024 3:00	0.0	2.0	Normal
8/16/2024 4:00	0.0	2.0	Normal
8/16/2024 5:00	0.0	2.0	Normal
8/16/2024 6:00	0.0	2.0	Normal
8/16/2024 7:00	0.0	2.0	Normal
8/16/2024 8:00	0.0	2.0	Normal
8/16/2024 9:00	0.0	2.0	Normal
8/16/2024 10:00	0.0	2.0	Normal
8/16/2024 11:00	0.0	2.0	Normal
8/16/2024 12:00	0.0	2.0	Normal
8/16/2024 13:00	0.0	2.0	Normal
8/16/2024 14:00	0.0	2.0	Normal
8/16/2024 15:00	0.0	2.0	Normal
8/16/2024 16:00	0.0	2.0	Normal
8/16/2024 17:00	0.0	2.0	Normal
8/16/2024 18:00	0.0	2.0	Normal
8/16/2024 19:00	0.0	2.0	Normal
8/16/2024 20:00	0.0	2.0	Normal
8/16/2024 21:00	0.0	2.0	Normal
8/16/2024 22:00	0.0	2.0	Normal
8/16/2024 23:00	0.0	2.0	Normal
8/17/2024 0:00	0.0	2.0	Normal
8/17/2024 1:00	0.0	2.0	Normal
8/17/2024 2:00	0.0	2.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
8/17/2024 3:00	0.0	2.0	Normal
8/17/2024 4:00	0.0	2.0	Normal
8/17/2024 5:00	0.0	2.0	Normal
8/17/2024 6:00	0.0	2.0	Normal
8/17/2024 7:00	0.0	2.0	Normal
8/17/2024 8:00	0.0	2.0	Normal
8/17/2024 9:00	0.0	2.0	Normal
8/17/2024 10:00	0.0	2.0	Normal
8/17/2024 11:00	0.0	2.0	Normal
8/17/2024 12:00	0.0	2.0	Normal
8/17/2024 13:00	0.0	2.0	Normal
8/17/2024 14:00	0.0	2.0	Normal
8/17/2024 15:00	0.0	2.0	Normal
8/17/2024 16:00	0.0	2.0	Normal
8/17/2024 17:00	0.0	2.0	Normal
8/17/2024 18:00	0.0	2.0	Normal
8/17/2024 19:00	0.0	2.0	Normal
8/17/2024 20:00	0.0	2.0	Normal
8/17/2024 21:00	0.0	2.0	Normal
8/17/2024 22:00	0.0	2.0	Normal
8/17/2024 23:00	0.0	2.0	Normal
8/18/2024 0:00	0.0	2.0	Normal
8/18/2024 1:00	0.0	2.0	Normal
8/18/2024 2:00	0.0	2.0	Normal
8/18/2024 3:00	0.0	2.0	Normal
8/18/2024 4:00	0.0	2.0	Normal
8/18/2024 5:00	0.0	2.0	Normal
8/18/2024 6:00	0.0	2.0	Normal
8/18/2024 7:00	0.0	2.0	Normal
8/18/2024 8:00	0.0	2.0	Normal
8/18/2024 9:00	0.0	2.0	Normal
8/18/2024 10:00	0.0	2.0	Normal
8/18/2024 11:00	0.0	2.0	Normal
8/18/2024 12:00	0.0	2.0	Normal
8/18/2024 13:00	0.0	2.0	Normal
8/18/2024 14:00	0.0	2.0	Normal
8/18/2024 15:00	0.0	2.0	Normal
8/18/2024 16:00	0.0	2.0	Normal
8/18/2024 17:00	0.0	2.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
8/18/2024 18:00	0.0	2.0	Normal
8/18/2024 19:00	0.0	2.0	Normal
8/18/2024 20:00	0.0	2.0	Normal
8/18/2024 21:00	0.0	2.0	Normal
8/18/2024 22:00	0.0	2.0	Normal
8/18/2024 23:00	0.0	2.0	Normal
8/19/2024 0:00	0.0	2.0	Normal
8/19/2024 1:00	0.0	2.0	Normal
8/19/2024 2:00	0.0	2.0	Normal
8/19/2024 3:00	0.0	2.0	Normal
8/19/2024 4:00	0.0	2.0	Normal
8/19/2024 5:00	0.0	2.0	Normal
8/19/2024 6:00	0.0	2.0	Normal
8/19/2024 7:00	0.0	2.0	Normal
8/19/2024 8:00	0.0	2.0	Normal
8/19/2024 9:00	0.0	2.0	Normal
8/19/2024 10:00	0.0	2.0	Normal
8/19/2024 11:00	0.0	2.0	Normal
8/19/2024 12:00	0.0	2.0	Normal
8/19/2024 13:00	0.0	2.0	Normal
8/19/2024 14:00	0.0	2.0	Normal
8/19/2024 15:00	0.0	2.0	Normal
8/19/2024 16:00	0.0	2.0	Normal
8/19/2024 17:00	0.0	2.0	Normal
8/19/2024 18:00	0.0	2.0	Normal
8/19/2024 19:00	0.0	2.0	Normal
8/19/2024 20:00	0.0	2.0	Normal
8/19/2024 21:00	0.0	2.0	Normal
8/19/2024 22:00	0.0	2.0	Normal
8/19/2024 23:00	0.0	2.0	Normal
8/20/2024 0:00	0.0	2.0	Normal
8/20/2024 1:00	0.0	2.0	Normal
8/20/2024 2:00	0.0	2.0	Normal
8/20/2024 3:00	0.0	2.0	Normal
8/20/2024 4:00	0.0	2.0	Normal
8/20/2024 5:00	0.0	2.0	Normal
8/20/2024 6:00	0.0	2.0	Normal
8/20/2024 7:00	0.0	2.0	Normal
8/20/2024 8:00	0.0	2.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
8/20/2024 9:00	0.0	2.0	Normal
8/20/2024 10:00	0.0	2.0	Normal
8/20/2024 11:00	0.0	2.0	Normal
8/20/2024 12:00	0.0	2.0	Normal
8/20/2024 13:00	0.0	2.0	Normal
8/20/2024 14:00	0.0	2.0	Normal
8/20/2024 15:00	0.0	2.0	Normal
8/20/2024 16:00	0.0	2.0	Normal
8/20/2024 17:00	0.0	2.0	Normal
8/20/2024 18:00	0.0	2.0	Normal
8/20/2024 19:00	0.0	2.0	Normal
8/20/2024 20:00	0.0	2.0	Normal
8/20/2024 21:00	0.0	2.0	Normal
8/20/2024 22:00	0.0	2.0	Normal
8/20/2024 23:00	0.0	2.0	Normal
8/21/2024 0:00	0.0	2.0	Normal
8/21/2024 1:00	0.0	2.0	Normal
8/21/2024 2:00	0.0	2.0	Normal
8/21/2024 3:00	0.0	2.0	Normal
8/21/2024 4:00	0.0	2.0	Normal
8/21/2024 5:00	0.0	2.0	Normal
8/21/2024 6:00	0.0	2.0	Normal
8/21/2024 7:00	0.0	2.0	Normal
8/21/2024 8:00	0.0	2.0	Normal
8/21/2024 9:00	0.0	2.0	Normal
8/21/2024 10:00	0.0	2.0	Normal
8/21/2024 11:00	0.0	2.0	Normal
8/21/2024 12:00	0.0	2.0	Normal
8/21/2024 13:00	0.0	2.0	Normal
8/21/2024 14:00	0.0	2.0	Normal
8/21/2024 15:00	0.0	2.0	Normal
8/21/2024 16:00	0.0	2.0	Normal
8/21/2024 17:00	0.0	2.0	Normal
8/21/2024 18:00	0.0	2.0	Normal
8/21/2024 19:00	0.0	2.0	Normal
8/21/2024 20:00	0.0	2.0	Normal
8/21/2024 21:00	0.0	2.0	Normal
8/21/2024 22:00	0.0	2.0	Normal
8/21/2024 23:00	0.0	2.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
8/22/2024 0:00	0.0	2.0	Normal
8/22/2024 1:00	0.0	2.0	Normal
8/22/2024 2:00	0.0	2.0	Normal
8/22/2024 3:00	0.0	2.0	Normal
8/22/2024 4:00	0.0	2.0	Normal
8/22/2024 5:00	0.0	2.0	Normal
8/22/2024 6:00	0.0	2.0	Normal
8/22/2024 7:00	0.0	2.0	Normal
8/22/2024 8:00	0.0	2.0	Normal
8/22/2024 9:00	0.0	2.0	Normal
8/22/2024 10:00	0.0	2.0	Normal
8/22/2024 11:00	0.0	2.0	Normal
8/22/2024 12:00	0.0	2.0	Normal
8/22/2024 13:00	0.0	2.0	Normal
8/22/2024 14:00	0.0	2.0	Normal
8/22/2024 15:00	0.0	2.0	Normal
8/22/2024 16:00	0.0	2.0	Normal
8/22/2024 17:00	0.0	2.0	Normal
8/22/2024 18:00	0.0	2.0	Normal
8/22/2024 19:00	0.0	2.0	Normal
8/22/2024 20:00	0.0	2.0	Normal
8/22/2024 21:00	0.0	2.0	Normal
8/22/2024 22:00	0.0	2.0	Normal
8/22/2024 23:00	0.0	2.0	Normal
8/23/2024 0:00	0.0	2.0	Normal
8/23/2024 1:00	0.0	2.0	Normal
8/23/2024 2:00	0.0	2.0	Normal
8/23/2024 3:00	0.0	2.0	Normal
8/23/2024 4:00	0.0	2.0	Normal
8/23/2024 5:00	0.0	2.0	Normal
8/23/2024 6:00	0.0	2.0	Normal
8/23/2024 7:00	0.0	2.0	Normal
8/23/2024 8:00	0.0	2.0	Normal
8/23/2024 9:00	0.0	2.0	Normal
8/23/2024 10:00	0.0	2.0	Normal
8/23/2024 11:00	0.0	2.0	Normal
8/23/2024 12:00	0.0	2.0	Normal
8/23/2024 13:00	0.0	2.0	Normal
8/23/2024 14:00	0.0	2.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
8/23/2024 15:00	0.0	2.0	Normal
8/23/2024 16:00	0.0	2.0	Normal
8/23/2024 17:00	0.0	2.0	Normal
8/23/2024 18:00	0.0	2.0	Normal
8/23/2024 19:00	0.0	2.0	Normal
8/23/2024 20:00	0.0	2.0	Normal
8/23/2024 21:00	0.0	2.0	Normal
8/23/2024 22:00	0.0	2.0	Normal
8/23/2024 23:00	0.0	2.0	Normal
8/24/2024 0:00	0.0	2.0	Normal
8/24/2024 1:00	0.0	2.0	Normal
8/24/2024 2:00	0.0	2.0	Normal
8/24/2024 3:00	0.0	2.0	Normal
8/24/2024 4:00	0.0	2.0	Normal
8/24/2024 5:00	0.0	2.0	Normal
8/24/2024 6:00	0.0	2.0	Normal
8/24/2024 7:00	0.0	2.0	Normal
8/24/2024 8:00	0.0	2.0	Normal
8/24/2024 9:00	0.0	2.0	Normal
8/24/2024 10:00	0.0	2.0	Normal
8/24/2024 11:00	0.0	2.0	Normal
8/24/2024 12:00	0.0	2.0	Normal
8/24/2024 13:00	0.0	2.0	Normal
8/24/2024 14:00	0.0	2.0	Normal
8/24/2024 15:00	0.0	2.0	Normal
8/24/2024 16:00	0.0	1.8	Normal
8/24/2024 17:00	0.0	1.8	Normal
8/24/2024 18:00	0.0	1.8	Normal
8/24/2024 19:00	0.0	1.8	Normal
8/24/2024 20:00	0.0	1.8	Normal
8/24/2024 21:00	0.0	1.8	Normal
8/24/2024 22:00	0.0	1.8	Normal
8/24/2024 23:00	0.0	1.8	Normal
8/25/2024 0:00	0.0	1.8	Normal
8/25/2024 1:00	0.0	1.8	Normal
8/25/2024 2:00	0.0	1.8	Normal
8/25/2024 3:00	0.0	1.8	Normal
8/25/2024 4:00	0.0	1.8	Normal
8/25/2024 5:00	0.0	1.8	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
8/25/2024 6:00	0.0	1.8	Normal
8/25/2024 7:00	0.0	1.8	Normal
8/25/2024 8:00	0.0	1.8	Normal
8/25/2024 9:00	0.0	1.8	Normal
8/25/2024 10:00	0.0	1.8	Normal
8/25/2024 11:00	0.0	1.8	Normal
8/25/2024 12:00	0.0	1.8	Normal
8/25/2024 13:00	0.0	1.8	Normal
8/25/2024 14:00	0.0	1.8	Normal
8/25/2024 15:00	0.0	1.8	Normal
8/25/2024 16:00	0.0	1.8	Normal
8/25/2024 17:00	0.0	1.8	Normal
8/25/2024 18:00	0.0	1.8	Normal
8/25/2024 19:00	0.0	1.8	Normal
8/25/2024 20:00	0.0	1.8	Normal
8/25/2024 21:00	0.0	1.8	Normal
8/25/2024 22:00	0.0	1.8	Normal
8/25/2024 23:00	0.0	1.8	Normal
8/26/2024 0:00	0.0	1.8	Normal
8/26/2024 1:00	0.0	1.8	Normal
8/26/2024 2:00	0.0	1.8	Normal
8/26/2024 3:00	0.0	1.8	Normal
8/26/2024 4:00	0.0	1.8	Normal
8/26/2024 5:00	0.0	1.8	Normal
8/26/2024 6:00	0.0	1.8	Normal
8/26/2024 7:00	0.0	1.8	Normal
8/26/2024 8:00	0.0	1.8	Normal
8/26/2024 9:00	0.0	1.8	Normal
8/26/2024 10:00	0.0	1.8	Normal
8/26/2024 11:00	0.0	1.8	Normal
8/26/2024 12:00	0.0	1.8	Normal
8/26/2024 13:00	0.0	1.8	Normal
8/26/2024 14:00	0.0	1.8	Normal
8/26/2024 15:00	0.0	1.8	Normal
8/26/2024 16:00	0.0	1.8	Normal
8/26/2024 17:00	0.0	1.8	Normal
8/26/2024 18:00	0.0	1.8	Normal
8/26/2024 19:00	0.0	1.8	Normal
8/26/2024 20:00	0.0	1.8	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
8/26/2024 21:00	0.0	1.8	Normal
8/26/2024 22:00	0.0	1.8	Normal
8/26/2024 23:00	0.0	1.8	Normal
8/27/2024 0:00	0.0	1.8	Normal
8/27/2024 1:00	0.0	1.8	Normal
8/27/2024 2:00	0.0	1.8	Normal
8/27/2024 3:00	0.0	1.8	Normal
8/27/2024 4:00	0.0	1.8	Normal
8/27/2024 5:00	0.0	1.8	Normal
8/27/2024 6:00	0.0	1.8	Normal
8/27/2024 7:00	0.0	1.8	Normal
8/27/2024 8:00	0.0	1.8	Normal
8/27/2024 9:00	0.0	1.8	Normal
8/27/2024 10:00	0.0	1.8	Normal
8/27/2024 11:00	0.0	1.8	Normal
8/27/2024 12:00	0.0	1.8	Normal
8/27/2024 13:00	0.0	1.8	Normal
8/27/2024 14:00	0.0	1.8	Normal
8/27/2024 15:00	0.0	1.8	Normal
8/27/2024 16:00	0.0	1.8	Normal
8/27/2024 17:00	0.0	1.8	Normal
8/27/2024 18:00	0.0	1.8	Normal
8/27/2024 19:00	0.0	1.8	Normal
8/27/2024 20:00	0.0	1.8	Normal
8/27/2024 21:00	0.0	1.8	Normal
8/27/2024 22:00	0.0	1.8	Normal
8/27/2024 23:00	0.0	1.8	Normal
8/28/2024 0:00	0.0	1.8	Normal
8/28/2024 1:00	0.0	1.8	Normal
8/28/2024 2:00	0.0	1.8	Normal
8/28/2024 3:00	0.0	1.8	Normal
8/28/2024 4:00	0.0	1.8	Normal
8/28/2024 5:00	0.0	1.8	Normal
8/28/2024 6:00	0.0	1.8	Normal
8/28/2024 7:00	0.0	1.8	Normal
8/28/2024 8:00	0.0	1.8	Normal
8/28/2024 9:00	0.0	1.8	Normal
8/28/2024 10:00	0.0	1.8	Normal
8/28/2024 11:00	0.0	1.8	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
8/28/2024 12:00	0.0	1.8	Normal
8/28/2024 13:00	0.0	1.8	Normal
8/28/2024 14:00	0.0	1.8	Normal
8/28/2024 15:00	0.0	1.8	Normal
8/28/2024 16:00	0.0	1.8	Normal
8/28/2024 17:00	0.0	1.8	Normal
8/28/2024 18:00	0.0	1.8	Normal
8/28/2024 19:00	0.0	1.8	Normal
8/28/2024 20:00	0.0	1.8	Normal
8/28/2024 21:00	0.0	1.8	Normal
8/28/2024 22:00	0.0	1.8	Normal
8/28/2024 23:00	0.0	1.8	Normal
8/29/2024 0:00	0.0	1.8	Normal
8/29/2024 1:00	0.0	1.8	Normal
8/29/2024 2:00	0.0	1.8	Normal
8/29/2024 3:00	0.0	1.8	Normal
8/29/2024 4:00	0.0	1.8	Normal
8/29/2024 5:00	0.0	1.8	Normal
8/29/2024 6:00	0.0	1.8	Normal
8/29/2024 7:00	0.0	1.8	Normal
8/29/2024 8:00	0.0	1.8	Normal
8/29/2024 9:00	0.0	1.8	Normal
8/29/2024 10:00	0.0	1.8	Normal
8/29/2024 11:00	0.0	1.8	Normal
8/29/2024 12:00	0.0	1.8	Normal
8/29/2024 13:00	0.0	1.8	Normal
8/29/2024 14:00	0.0	1.8	Normal
8/29/2024 15:00	0.0	1.8	Normal
8/29/2024 16:00	0.0	1.8	Normal
8/29/2024 17:00	0.0	1.8	Normal
8/29/2024 18:00	0.0	1.8	Normal
8/29/2024 19:00	0.0	1.8	Normal
8/29/2024 20:00	0.0	1.8	Normal
8/29/2024 21:00	0.0	1.8	Normal
8/29/2024 22:00	0.0	1.8	Normal
8/29/2024 23:00	0.0	1.8	Normal
8/30/2024 0:00	0.0	1.8	Normal
8/30/2024 1:00	0.0	1.8	Normal
8/30/2024 2:00	0.0	1.8	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
8/30/2024 3:00	0.0	1.8	Normal
8/30/2024 4:00	0.0	1.8	Normal
8/30/2024 5:00	0.0	1.8	Normal
8/30/2024 6:00	0.0	1.8	Normal
8/30/2024 7:00	0.0	1.8	Normal
8/30/2024 8:00	0.0	1.8	Normal
8/30/2024 9:00	0.0	1.8	Normal
8/30/2024 10:00	0.0	1.8	Normal
8/30/2024 11:00	0.0	1.8	Normal
8/30/2024 12:00	0.0	1.8	Normal
8/30/2024 13:00	0.0	1.8	Normal
8/30/2024 14:00	0.0	1.8	Normal
8/30/2024 15:00	0.0	1.8	Normal
8/30/2024 16:00	0.0	1.8	Normal
8/30/2024 17:00	0.0	1.8	Normal
8/30/2024 18:00	0.0	1.8	Normal
8/30/2024 19:00	0.0	1.8	Normal
8/30/2024 20:00	0.0	1.8	Normal
8/30/2024 21:00	0.0	1.8	Normal
8/30/2024 22:00	0.0	1.8	Normal
8/30/2024 23:00	0.0	1.8	Normal
8/31/2024 0:00	0.0	1.8	Normal
8/31/2024 1:00	0.0	1.8	Normal
8/31/2024 2:00	0.0	1.8	Normal
8/31/2024 3:00	0.0	1.8	Normal
8/31/2024 4:00	0.0	1.8	Normal
8/31/2024 5:00	0.0	1.8	Normal
8/31/2024 6:00	0.0	1.8	Normal
8/31/2024 7:00	0.0	1.8	Normal
8/31/2024 8:00	0.0	1.8	Normal
8/31/2024 9:00	0.0	1.8	Normal
8/31/2024 10:00	0.0	1.8	Normal
8/31/2024 11:00	0.0	1.8	Normal
8/31/2024 12:00	0.0	1.8	Normal
8/31/2024 13:00	0.0	1.8	Normal
8/31/2024 14:00	0.0	1.8	Normal
8/31/2024 15:00	0.0	1.8	Normal
8/31/2024 16:00	0.0	1.8	Normal
8/31/2024 17:00	0.0	1.8	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
8/31/2024 18:00	0.0	1.8	Normal
8/31/2024 19:00	0.0	1.8	Normal
8/31/2024 20:00	0.0	1.8	Normal
8/31/2024 21:00	0.0	1.8	Normal
8/31/2024 22:00	0.0	1.8	Normal
8/31/2024 23:00	0.0	1.8	Normal
9/1/2024 0:00	0.0	1.8	Normal
9/1/2024 1:00	0.0	1.8	Normal
9/1/2024 2:00	0.0	1.8	Normal
9/1/2024 3:00	0.0	1.8	Normal
9/1/2024 4:00	0.0	1.8	Normal
9/1/2024 5:00	0.0	1.8	Normal
9/1/2024 6:00	0.0	1.8	Normal
9/1/2024 7:00	0.0	1.8	Normal
9/1/2024 8:00	0.0	1.8	Normal
9/1/2024 9:00	0.0	1.8	Normal
9/1/2024 10:00	0.0	1.8	Normal
9/1/2024 11:00	0.0	1.8	Normal
9/1/2024 12:00	0.0	1.8	Normal
9/1/2024 13:00	0.0	1.8	Normal
9/1/2024 14:00	0.0	1.8	Normal
9/1/2024 15:00	0.0	1.8	Normal
9/1/2024 16:00	0.0	1.8	Normal
9/1/2024 17:00	0.0	1.8	Normal
9/1/2024 18:00	0.0	1.8	Normal
9/1/2024 19:00	0.0	1.8	Normal
9/1/2024 20:00	0.0	1.8	Normal
9/1/2024 21:00	0.0	1.2	Normal
9/1/2024 22:00	0.0	1.1	Normal
9/1/2024 23:00	0.0	1.0	Normal
9/2/2024 0:00	0.0	1.0	Normal
9/2/2024 1:00	0.0	0.9	Normal
9/2/2024 2:00	0.0	0.9	Normal
9/2/2024 3:00	0.0	0.8	Normal
9/2/2024 4:00	0.0	0.7	Normal
9/2/2024 5:00	0.0	0.6	Normal
9/2/2024 6:00	0.0	0.5	Normal
9/2/2024 7:00	0.0	0.5	Normal
9/2/2024 8:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
9/2/2024 9:00	0.0	0.5	Normal
9/2/2024 10:00	0.0	0.5	Normal
9/2/2024 11:00	0.0	0.5	Normal
9/2/2024 12:00	0.0	0.5	Normal
9/2/2024 13:00	0.0	0.5	Normal
9/2/2024 14:00	0.0	0.5	Normal
9/2/2024 15:00	0.0	0.5	Normal
9/2/2024 16:00	0.0	0.5	Normal
9/2/2024 17:00	0.0	0.5	Normal
9/2/2024 18:00	0.0	0.5	Normal
9/2/2024 19:00	0.0	0.5	Normal
9/2/2024 20:00	0.0	0.5	Normal
9/2/2024 21:00	0.0	0.5	Normal
9/2/2024 22:00	0.0	0.5	Normal
9/2/2024 23:00	0.0	0.5	Normal
9/3/2024 0:00	0.0	0.5	Normal
9/3/2024 1:00	0.0	0.5	Normal
9/3/2024 2:00	0.0	0.5	Normal
9/3/2024 3:00	0.0	0.5	Normal
9/3/2024 4:00	0.0	0.5	Normal
9/3/2024 5:00	0.0	0.5	Normal
9/3/2024 6:00	0.0	0.5	Normal
9/3/2024 7:00	0.0	0.5	Normal
9/3/2024 8:00	0.0	0.5	Normal
9/3/2024 9:00	0.0	0.5	Normal
9/3/2024 10:00	0.0	0.5	Normal
9/3/2024 11:00	0.0	0.5	Normal
9/3/2024 12:00	0.0	0.5	Normal
9/3/2024 13:00	0.0	0.5	Normal
9/3/2024 14:00	0.0	0.5	Normal
9/3/2024 15:00	0.0	0.5	Normal
9/3/2024 16:00	0.0	0.5	Normal
9/3/2024 17:00	0.0	0.5	Normal
9/3/2024 18:00	0.0	0.5	Normal
9/3/2024 19:00	0.0	0.5	Normal
9/3/2024 20:00	0.0	0.5	Normal
9/3/2024 21:00	0.0	0.5	Normal
9/3/2024 22:00	0.0	0.5	Normal
9/3/2024 23:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
9/4/2024 0:00	0.0	0.5	Normal
9/4/2024 1:00	0.0	0.5	Normal
9/4/2024 2:00	0.0	0.5	Normal
9/4/2024 3:00	0.0	0.5	Normal
9/4/2024 4:00	0.0	0.5	Normal
9/4/2024 5:00	0.0	0.5	Normal
9/4/2024 6:00	0.0	0.5	Normal
9/4/2024 7:00	0.0	0.5	Normal
9/4/2024 8:00	0.0	0.5	Normal
9/4/2024 9:00	0.0	0.5	Normal
9/4/2024 10:00	0.0	0.5	Normal
9/4/2024 11:00	0.0	0.5	Normal
9/4/2024 12:00	0.0	0.5	Normal
9/4/2024 13:00	0.0	0.5	Normal
9/4/2024 14:00	0.0	0.5	Normal
9/4/2024 15:00	0.0	0.5	Normal
9/4/2024 16:00	0.0	0.5	Normal
9/4/2024 17:00	0.0	0.5	Normal
9/4/2024 18:00	0.0	0.5	Normal
9/4/2024 19:00	0.0	0.5	Normal
9/4/2024 20:00	0.0	0.5	Normal
9/4/2024 21:00	0.0	0.5	Normal
9/4/2024 22:00	0.0	0.5	Normal
9/4/2024 23:00	0.0	0.5	Normal
9/5/2024 0:00	0.0	0.5	Normal
9/5/2024 1:00	0.0	0.5	Normal
9/5/2024 2:00	0.0	0.5	Normal
9/5/2024 3:00	0.0	0.5	Normal
9/5/2024 4:00	0.0	0.5	Normal
9/5/2024 5:00	0.0	0.5	Normal
9/5/2024 6:00	0.0	0.5	Normal
9/5/2024 7:00	0.0	0.5	Normal
9/5/2024 8:00	0.0	0.5	Normal
9/5/2024 9:00	0.0	0.5	Normal
9/5/2024 10:00	0.0	0.5	Normal
9/5/2024 11:00	0.0	0.5	Normal
9/5/2024 12:00	0.0	0.5	Normal
9/5/2024 13:00	0.0	0.5	Normal
9/5/2024 14:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
9/5/2024 15:00	0.0	0.5	Normal
9/5/2024 16:00	0.0	0.5	Normal
9/5/2024 17:00	0.0	0.5	Normal
9/5/2024 18:00	0.0	0.5	Normal
9/5/2024 19:00	0.0	0.5	Normal
9/5/2024 20:00	0.0	0.5	Normal
9/5/2024 21:00	0.0	0.5	Normal
9/5/2024 22:00	0.0	0.5	Normal
9/5/2024 23:00	0.0	0.5	Normal
9/6/2024 0:00	0.0	0.5	Normal
9/6/2024 1:00	0.0	0.5	Normal
9/6/2024 2:00	0.0	0.5	Normal
9/6/2024 3:00	0.0	0.5	Normal
9/6/2024 4:00	0.0	0.5	Normal
9/6/2024 5:00	0.0	0.5	Normal
9/6/2024 6:00	0.0	0.5	Normal
9/6/2024 7:00	0.0	0.5	Normal
9/6/2024 8:00	0.0	0.5	Normal
9/6/2024 9:00	0.0	0.5	Normal
9/6/2024 10:00	0.0	0.5	Normal
9/6/2024 11:00	0.0	0.5	Normal
9/6/2024 12:00	0.0	0.5	Normal
9/6/2024 13:00	0.0	0.5	Normal
9/6/2024 14:00	0.0	0.5	Normal
9/6/2024 15:00	0.0	0.5	Normal
9/6/2024 16:00	0.0	0.5	Normal
9/6/2024 17:00	0.0	0.5	Normal
9/6/2024 18:00	0.0	0.5	Normal
9/6/2024 19:00	0.0	0.5	Normal
9/6/2024 20:00	0.0	0.5	Normal
9/6/2024 21:00	0.0	0.5	Normal
9/6/2024 22:00	0.0	0.5	Normal
9/6/2024 23:00	0.0	0.5	Normal
9/7/2024 0:00	0.0	0.5	Normal
9/7/2024 1:00	0.0	0.5	Normal
9/7/2024 2:00	0.0	0.5	Normal
9/7/2024 3:00	0.0	0.5	Normal
9/7/2024 4:00	0.0	0.5	Normal
9/7/2024 5:00	0.0	0.5	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
9/7/2024 6:00	0.0	0.5	Normal
9/7/2024 7:00	0.0	0.5	Normal
9/7/2024 8:00	0.0	0.5	Normal
9/7/2024 9:00	0.0	0.5	Normal
9/7/2024 10:00	0.0	0.2	Normal
9/7/2024 11:00	0.0	0.0	Normal
9/7/2024 12:00	0.0	0.0	Normal
9/7/2024 13:00	0.0	0.0	Normal
9/7/2024 14:00	0.0	0.0	Normal
9/7/2024 15:00	0.0	0.0	Normal
9/7/2024 16:00	0.0	0.0	Normal
9/7/2024 17:00	0.0	0.0	Normal
9/7/2024 18:00	0.0	0.0	Normal
9/7/2024 19:00	0.0	0.0	Normal
9/7/2024 20:00	0.0	0.0	Normal
9/7/2024 21:00	0.0	0.0	Normal
9/7/2024 22:00	0.0	0.0	Normal
9/7/2024 23:00	0.0	0.0	Normal
9/8/2024 0:00	0.0	0.0	Normal
9/8/2024 1:00	0.0	0.0	Normal
9/8/2024 2:00	0.0	0.0	Normal
9/8/2024 3:00	0.0	0.0	Normal
9/8/2024 4:00	0.0	0.0	Normal
9/8/2024 5:00	0.0	0.0	Normal
9/8/2024 6:00	0.0	0.0	Normal
9/8/2024 7:00	0.0	0.0	Normal
9/8/2024 8:00	0.0	0.0	Normal
9/8/2024 9:00	0.0	0.0	Normal
9/8/2024 10:00	0.0	0.0	Normal
9/8/2024 11:00	0.0	0.0	Normal
9/8/2024 12:00	0.0	0.0	Normal
9/8/2024 13:00	0.0	0.0	Normal
9/8/2024 14:00	0.0	0.0	Normal
9/8/2024 15:00	0.0	0.0	Normal
9/8/2024 16:00	0.0	0.0	Normal
9/8/2024 17:00	0.0	0.0	Normal
9/8/2024 18:00	0.0	0.0	Normal
9/8/2024 19:00	0.0	0.0	Normal
9/8/2024 20:00	0.0	0.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
9/8/2024 21:00	0.0	0.0	Normal
9/8/2024 22:00	0.0	0.0	Normal
9/8/2024 23:00	0.0	0.0	Normal
9/9/2024 0:00	0.0	0.0	Normal
9/9/2024 1:00	0.0	0.0	Normal
9/9/2024 2:00	0.0	0.0	Normal
9/9/2024 3:00	0.0	0.0	Normal
9/9/2024 4:00	0.0	0.0	Normal
9/9/2024 5:00	0.0	0.0	Normal
9/9/2024 6:00	0.0	0.0	Normal
9/9/2024 7:00	0.0	0.0	Normal
9/9/2024 8:00	0.0	0.0	Normal
9/9/2024 9:00	0.0	0.0	Normal
9/9/2024 10:00	0.0	0.0	Normal
9/9/2024 11:00	0.0	0.0	Normal
9/9/2024 12:00	0.0	0.0	Normal
9/9/2024 13:00	0.0	0.0	Normal
9/9/2024 14:00	0.0	0.0	Normal
9/9/2024 15:00	0.0	0.0	Normal
9/9/2024 16:00	0.0	0.0	Normal
9/9/2024 17:00	0.0	0.0	Normal
9/9/2024 18:00	0.0	0.0	Normal
9/9/2024 19:00	0.0	0.0	Normal
9/9/2024 20:00	0.0	0.0	Normal
9/9/2024 21:00	0.0	0.0	Normal
9/9/2024 22:00	0.0	0.0	Normal
9/9/2024 23:00	0.0	0.0	Normal
9/10/2024 0:00	0.0	0.0	Normal
9/10/2024 1:00	0.0	0.0	Normal
9/10/2024 2:00	0.0	0.0	Normal
9/10/2024 3:00	0.0	0.0	Normal
9/10/2024 4:00	0.0	0.0	Normal
9/10/2024 5:00	0.0	0.0	Normal
9/10/2024 6:00	0.0	0.0	Normal
9/10/2024 7:00	0.0	0.0	Normal
9/10/2024 8:00	0.0	0.0	Normal
9/10/2024 9:00	0.0	0.0	Normal
9/10/2024 10:00	0.0	0.0	Normal
9/10/2024 11:00	0.0	0.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
9/10/2024 12:00	0.0	0.0	Normal
9/10/2024 13:00	0.0	0.0	Normal
9/10/2024 14:00	0.0	0.0	Normal
9/10/2024 15:00	0.0	0.0	Normal
9/10/2024 16:00	0.0	0.0	Normal
9/10/2024 17:00	0.0	0.0	Normal
9/10/2024 18:00	0.0	0.0	Normal
9/10/2024 19:00	0.0	0.0	Normal
9/10/2024 20:00	0.0	0.0	Normal
9/10/2024 21:00	0.0	0.0	Normal
9/10/2024 22:00	0.0	0.0	Normal
9/10/2024 23:00	0.0	0.0	Normal
9/11/2024 0:00	0.0	0.0	Normal
9/11/2024 1:00	0.0	0.0	Normal
9/11/2024 2:00	0.0	0.0	Normal
9/11/2024 3:00	0.0	0.0	Normal
9/11/2024 4:00	0.0	0.0	Normal
9/11/2024 5:00	0.0	0.0	Normal
9/11/2024 6:00	0.0	0.0	Normal
9/11/2024 7:00	0.0	0.0	Normal
9/11/2024 8:00	0.0	0.0	Normal
9/11/2024 9:00	0.0	0.0	Normal
9/11/2024 10:00	0.0	0.0	Normal
9/11/2024 11:00	0.0	0.0	Normal
9/11/2024 12:00	0.0	0.0	Normal
9/11/2024 13:00	0.0	0.0	Normal
9/11/2024 14:00	0.0	0.0	Normal
9/11/2024 15:00	0.0	0.0	Normal
9/11/2024 16:00	0.0	0.0	Normal
9/11/2024 17:00	0.0	0.0	Normal
9/11/2024 18:00	0.0	0.0	Normal
9/11/2024 19:00	0.0	0.0	Normal
9/11/2024 20:00	0.0	0.0	Normal
9/11/2024 21:00	0.0	0.0	Normal
9/11/2024 22:00	0.0	0.0	Normal
9/11/2024 23:00	0.0	0.0	Normal
9/12/2024 0:00	0.0	0.0	Normal
9/12/2024 1:00	0.0	0.0	Normal
9/12/2024 2:00	0.0	0.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
9/12/2024 3:00	0.0	0.0	Normal
9/12/2024 4:00	0.0	0.0	Normal
9/12/2024 5:00	0.0	0.0	Normal
9/12/2024 6:00	0.0	0.0	Normal
9/12/2024 7:00	0.0	0.0	Normal
9/12/2024 8:00	0.0	0.0	Normal
9/12/2024 9:00	0.0	0.0	Normal
9/12/2024 10:00	0.0	0.0	Normal
9/12/2024 11:00	0.0	0.0	Normal
9/12/2024 12:00	0.0	0.0	Normal
9/12/2024 13:00	0.0	0.0	Normal
9/12/2024 14:00	0.0	0.0	Normal
9/12/2024 15:00	0.0	0.0	Normal
9/12/2024 16:00	0.0	0.0	Normal
9/12/2024 17:00	0.0	0.0	Normal
9/12/2024 18:00	0.0	0.0	Normal
9/12/2024 19:00	0.0	0.0	Normal
9/12/2024 20:00	0.0	0.0	Normal
9/12/2024 21:00	0.0	0.0	Normal
9/12/2024 22:00	0.0	0.0	Normal
9/12/2024 23:00	0.0	0.0	Normal
9/13/2024 0:00	0.0	0.0	Normal
9/13/2024 1:00	0.0	0.0	Normal
9/13/2024 2:00	0.0	0.0	Normal
9/13/2024 3:00	0.0	0.0	Normal
9/13/2024 4:00	0.0	0.0	Normal
9/13/2024 5:00	0.0	0.0	Normal
9/13/2024 6:00	0.0	0.0	Normal
9/13/2024 7:00	0.0	0.0	Normal
9/13/2024 8:00	0.0	0.0	Normal
9/13/2024 9:00	0.0	0.0	Normal
9/13/2024 10:00	0.0	0.0	Normal
9/13/2024 11:00	0.0	0.0	Normal
9/13/2024 12:00	0.0	0.0	Normal
9/13/2024 13:00	0.0	0.0	Normal
9/13/2024 14:00	0.0	0.0	Normal
9/13/2024 15:00	0.0	0.0	Normal
9/13/2024 16:00	0.0	0.0	Normal
9/13/2024 17:00	0.0	0.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
9/13/2024 18:00	0.0	0.0	Normal
9/13/2024 19:00	0.0	0.0	Normal
9/13/2024 20:00	0.0	0.0	Normal
9/13/2024 21:00	0.0	0.0	Normal
9/13/2024 22:00	0.0	0.0	Normal
9/13/2024 23:00	0.0	0.0	Normal
9/14/2024 0:00	0.0	0.0	Normal
9/14/2024 1:00	0.0	0.0	Normal
9/14/2024 2:00	0.0	0.0	Normal
9/14/2024 3:00	0.0	0.0	Normal
9/14/2024 4:00	0.0	0.0	Normal
9/14/2024 5:00	0.0	0.0	Normal
9/14/2024 6:00	0.0	0.0	Normal
9/14/2024 7:00	0.0	0.0	Normal
9/14/2024 8:00	0.0	0.0	Normal
9/14/2024 9:00	0.0	0.0	Normal
9/14/2024 10:00	0.0	0.0	Normal
9/14/2024 11:00	0.0	0.0	Normal
9/14/2024 12:00	0.0	0.0	Normal
9/14/2024 13:00	0.0	0.0	Normal
9/14/2024 14:00	0.0	0.0	Normal
9/14/2024 15:00	0.0	0.0	Normal
9/14/2024 16:00	0.0	0.0	Normal
9/14/2024 17:00	0.0	0.0	Normal
9/14/2024 18:00	0.0	0.0	Normal
9/14/2024 19:00	0.0	0.0	Normal
9/14/2024 20:00	0.0	0.0	Normal
9/14/2024 21:00	0.0	0.0	Normal
9/14/2024 22:00	0.0	0.0	Normal
9/14/2024 23:00	0.0	0.0	Normal
9/15/2024 0:00	0.0	0.0	Normal
9/15/2024 1:00	0.0	0.0	Normal
9/15/2024 2:00	0.0	0.0	Normal
9/15/2024 3:00	0.0	0.0	Normal
9/15/2024 4:00	0.0	0.0	Normal
9/15/2024 5:00	0.0	0.0	Normal
9/15/2024 6:00	0.0	0.0	Normal
9/15/2024 7:00	0.0	0.0	Normal
9/15/2024 8:00	0.0	0.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
9/15/2024 9:00	0.0	0.0	Normal
9/15/2024 10:00	0.0	0.0	Normal
9/15/2024 11:00	0.0	0.0	Normal
9/15/2024 12:00	0.0	0.0	Normal
9/15/2024 13:00	0.0	0.0	Normal
9/15/2024 14:00	0.0	0.0	Normal
9/15/2024 15:00	0.0	0.0	Normal
9/15/2024 16:00	0.0	0.0	Normal
9/15/2024 17:00	0.0	0.0	Normal
9/15/2024 18:00	0.0	0.0	Normal
9/15/2024 19:00	0.0	0.0	Normal
9/15/2024 20:00	0.0	0.0	Normal
9/15/2024 21:00	0.0	0.0	Normal
9/15/2024 22:00	0.0	0.0	Normal
9/15/2024 23:00	0.0	0.0	Normal
9/16/2024 0:00	0.0	0.0	Normal
9/16/2024 1:00	0.0	0.0	Normal
9/16/2024 2:00	0.0	0.0	Normal
9/16/2024 3:00	0.0	0.0	Normal
9/16/2024 4:00	0.0	0.0	Normal
9/16/2024 5:00	0.0	0.0	Normal
9/16/2024 6:00	0.0	0.0	Normal
9/16/2024 7:00	0.0	0.0	Normal
9/16/2024 8:00	0.0	0.0	Normal
9/16/2024 9:00	0.0	0.0	Normal
9/16/2024 10:00	0.0	0.0	Normal
9/16/2024 11:00	0.0	0.0	Normal
9/16/2024 12:00	0.0	0.0	Normal
9/16/2024 13:00	0.0	0.0	Normal
9/16/2024 14:00	0.0	0.0	Normal
9/16/2024 15:00	0.0	0.0	Normal
9/16/2024 16:00	0.0	0.0	Normal
9/16/2024 17:00	0.0	0.0	Normal
9/16/2024 18:00	0.0	0.0	Normal
9/16/2024 19:00	0.0	0.0	Normal
9/16/2024 20:00	0.0	0.0	Normal
9/16/2024 21:00	0.0	0.0	Normal
9/16/2024 22:00	0.0	0.0	Normal
9/16/2024 23:00	0.0	0.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
9/17/2024 0:00	0.0	0.0	Normal
9/17/2024 1:00	0.0	0.0	Normal
9/17/2024 2:00	0.0	0.0	Normal
9/17/2024 3:00	0.0	0.0	Normal
9/17/2024 4:00	0.0	0.0	Normal
9/17/2024 5:00	0.0	0.0	Normal
9/17/2024 6:00	0.0	0.0	Normal
9/17/2024 7:00	0.0	0.0	Normal
9/17/2024 8:00	0.0	0.0	Normal
9/17/2024 9:00	0.0	0.0	Normal
9/17/2024 10:00	0.0	0.0	Normal
9/17/2024 11:00	0.0	0.0	Normal
9/17/2024 12:00	0.0	0.0	Normal
9/17/2024 13:00	0.0	0.0	Normal
9/17/2024 14:00	0.0	0.0	Normal
9/17/2024 15:00	0.0	0.0	Normal
9/17/2024 16:00	0.0	0.0	Normal
9/17/2024 17:00	0.0	0.0	Normal
9/17/2024 18:00	0.0	0.0	Normal
9/17/2024 19:00	0.0	0.0	Normal
9/17/2024 20:00	0.0	0.0	Normal
9/17/2024 21:00	0.0	0.0	Normal
9/17/2024 22:00	0.0	0.0	Normal
9/17/2024 23:00	0.0	0.0	Normal
9/18/2024 0:00	0.0	0.0	Normal
9/18/2024 1:00	0.0	0.0	Normal
9/18/2024 2:00	0.0	0.0	Normal
9/18/2024 3:00	0.0	0.0	Normal
9/18/2024 4:00	0.0	0.0	Normal
9/18/2024 5:00	0.0	0.0	Normal
9/18/2024 6:00	0.0	0.0	Normal
9/18/2024 7:00	0.0	0.0	Normal
9/18/2024 8:00	0.0	0.0	Normal
9/18/2024 9:00	0.0	0.0	Normal
9/18/2024 10:00	0.0	0.0	Normal
9/18/2024 11:00	0.0	0.0	Normal
9/18/2024 12:00	0.0	0.0	Normal
9/18/2024 13:00	0.0	0.0	Normal
9/18/2024 14:00	0.0	0.0	Normal

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
9/18/2024 15:00	0.0	0.0	Normal
9/18/2024 16:00	0.0	0.0	Normal
9/18/2024 17:00	0.0	0.0	Normal
9/18/2024 18:00	0.0	0.0	Normal
9/18/2024 19:00	0.0	0.0	Normal
9/18/2024 20:00	0.0	0.0	Normal
9/18/2024 21:00	0.0	0.0	Normal
9/18/2024 22:00	0.0	0.0	Normal
9/18/2024 23:00	0.0	0.0	Normal
9/19/2024 0:00	0.0	0.0	Normal
9/19/2024 1:00	0.0	0.0	Normal
9/19/2024 2:00	0.0	0.0	Normal
9/19/2024 3:00	0.0	0.0	Normal
9/19/2024 4:00	0.0	0.0	Normal
9/19/2024 5:00	0.0	0.0	Normal
9/19/2024 6:00	0.0	0.0	Normal
9/19/2024 7:00	0.0	0.0	Normal
9/19/2024 8:00	0.0	0.0	Normal
9/19/2024 9:00	271.0	0.4	Shutdown
9/19/2024 10:00	678.0	1.3	Shutdown
9/19/2024 11:00	0.0	1.3	Shutdown
9/19/2024 12:00	0.0	1.3	Shutdown
9/19/2024 13:00	0.0	1.3	Shutdown
9/19/2024 14:00	0.0	1.3	Shutdown
9/19/2024 15:00	0.0	1.3	Shutdown
9/19/2024 16:00	0.0	1.3	Shutdown
9/19/2024 17:00	0.0	1.3	Shutdown
9/19/2024 18:00	0.0	1.3	Shutdown
9/19/2024 19:00	0.0	1.3	Shutdown
9/19/2024 20:00	0.0	1.3	Shutdown
9/19/2024 21:00	3.0	1.3	Shutdown
9/19/2024 22:00	0.0	1.3	Shutdown
9/19/2024 23:00	32.0	1.4	Shutdown
9/20/2024 0:00	36.0	1.4	Shutdown
9/20/2024 1:00	21.0	1.4	Shutdown
9/20/2024 2:00	3.0	1.5	Shutdown
9/20/2024 3:00	0.0	1.5	Shutdown
9/20/2024 4:00	0.0	1.5	Shutdown
9/20/2024 5:00	0.0	1.5	Shutdown

2024			
Date	Hourly Avg SO_2 (lb/hr)	30-day Avg SO_2 (lb/hr)	Operating Mode
9/20/2024 6:00	0.0	1.5	Shutdown
9/20/2024 7:00	0.0	1.5	Shutdown
9/20/2024 8:00	0.0	1.5	Startup
9/20/2024 9:00	0.0	1.5	Startup
9/20/2024 10:00	0.0	1.5	Startup
9/20/2024 11:00	0.0	1.5	Startup
9/20/2024 12:00	0.0	1.5	Startup
9/20/2024 13:00	0.0	1.5	Startup
9/20/2024 14:00	0.0	1.5	Startup
9/20/2024 15:00	0.0	1.5	Startup
9/20/2024 16:00	0.0	1.5	Startup
9/20/2024 17:00	0.0	1.5	Startup
9/20/2024 18:00	0.0	1.5	Startup
9/20/2024 19:00	0.0	1.5	Startup
9/20/2024 20:00	0.0	1.5	Startup
9/20/2024 21:00	0.0	1.5	Startup
9/20/2024 22:00	0.0	1.5	Startup
9/20/2024 23:00	0.0	1.5	Startup

Max 30-day Value	**6.0**
Average 30-day Value	**1.2**
Median 30-day Value	**0.5**
Hourly Value = 0	**6,294**
30-day Value = 0	**966**

Attachment H
Supporting Data for Modeled Attainment Demonstration

Table of Contents for Attachment H

Attachment H1a	Eastman Chemical Company Modeling Analysis for the Sullivan County, TN SO_2 Nonattainment Area, December 2016
Attachment H1b	TDEC-APC Modeling Analysis for the Sullivan County, TN SO_2 Nonattainment Area, April 2022
Attachment H2	Determination of Land Surface Temperature Using Landsat 8 TIRS Imaging for Effective Population
Attachment H3	Stack Parameter Plots for B-83 Boilers 18 through 22
Attachment H4	Boiler 23 RATA Information for Stack Parameter Calculations
Attachment H5	Stack Parameter Calculations for Boilers 30 and 31
Attachment H6	Calculation of 30-Day Rolling Average Emission Limit – Boilers
Attachment H7	Calculation of 30-Day Rolling Average Emission Limit – Incinerators
Attachment H8	Calculation of Potential Emissions for Natural Gas and Oil-Fired Sources
Attachment H9	Revised Modeled Impacts, MSOP-23, PES B-55-1

Attachment H1a
Eastman Chemical Company Modeling Analysis for the Sullivan County, TN SO_2 Nonattainment Area

AECOM Environment

Prepared for:
Eastman Chemical Company
Kingsport, TN

Prepared by:
AECOM
Chelmsford, MA
60338196.100
March 2017

NAAQS Attainment Demonstration Modeling Analysis for the Sullivan County, TN SO_2 Non-attainment Area Revision 1

AECOM Environment

Prepared for:
Eastman Chemical Company
Kingsport, TN

Prepared by:
AECOM
Chelmsford, MA
60338196.100
March 2017

NAAQS Attainment Demonstration Modeling Analysis for the Sullivan County, TN SO_2 Non-attainment Area Revision 1

Prepared by: Olga Samani



Reviewed by: Robert J. Paine



Quality Reviewed by: Leo J. Gendron

Contents

1.0 Introduction 1-1

1.1 Background 1-1

1.2 Application of AERMOD for Kingsport, TN 1-1

1.3 Organization of Report 1-2

2.0 Eastman Chemical Company's Kingsport, TN Facility 2-1

2.1 Eastman Facility Setting 2-1

2.2 History of SO_2 Monitoring in Kingsport, TN 2-1

2.3 SO_2 Emissions from Eastman Boiler Complexes 2-1

2.4 Regional SO_2 Emission Sources 2-6

2.5 Planned SO_2 Reductions at Eastman 2-6

3.0 Overview of the Site-specific Meteorological Database 3-1

3.1 Meteorological Monitoring Network Design 3-1

3.2 Meteorological Tower Data Capture Summary 3-2

3.3 SODAR Data Capture Summary 3-2

3.4 Total System Data Capture 3-8

3.5 Meteorological Data Processing 3-9

3.6 Model Information 3-10

3.7 Meteorological Processing: Surface Characteristics 3-10

3.8 Meteorological Processing: AERMET 3-12

3.9 Regional Background Concentrations 3-16

4.0 AERMOD Urban/Rural, Receptor, and Building Downwash Modeling Procedures 4-1

4.1 Urban/Rural Determination 4-1

4.1.1 Auer Land Use Analysis 4-1

4.1.2 Effective Population Estimate 4-1

4.2 Receptor Processing 4-2

4.3 Building Downwash Processing 4-7

5.0 Determination of Long-Term SO_2 Permit Emission Limits 5-1

5.1 Load Analysis 5-1

5.2 Critical Emission Value Modeling Approach 5-2

5.3 Determination of the Appropriate Long-term Average Emission Rates for Permit 5-10

Appendices

APPENDIX A Exhaust Parameters Determination

APPENDIX B Population Estimate Using Facility Heat Release Data

List of Tables

Table 2-1: Eastman Facility SO_2 Source Locations and Physical Characteristics 2-6

Table 2-2: Additional Modeled Nearby SO_2 Source Emissions and Stack Parameters 2-7

Table 2-3: Eastman Chemical Proposed 253 Powerhouse SO_2 Emissions and Stack Parameters 2-7

Table 3-1: Data Capture for the Meteorological Tower; April, 2012 - March, 2013 3-4

Table 3-2: Data Coverage for SODAR; April, 2012 - March, 2013 3-5

Table 3-3: Overall Data Capture Summary by Quarter for Model Input with Onsite Meteorological Data 3-8

Table 3-4: Bowen Ratio Categories for the On-site Meteorological Tower 3-12

Table 3-5: Background Concentration ($\mu g/m^3$) Look-up Table for Each Season by Hour of Day .. 3-17

Table 4-1: Summary of GEP Analysis 4-8

Table 5-1: AERMOD Load Analysis Results 5-2

Table 5-2: Emission Rates and Modeling Results for TDEC/Eastman Modeled Cases 5-4

Table 5-3: Stack Parameters for TDEC/Eastman Modeled Cases 5-6

Table 5-4: Emission Rates and Results for Four Additional EPA Modeled Cases 5-8

Table 5-5: Stack Parameters for Four Additional EPA Modeled Cases 5-8

List of Figures

Figure 2-1: Power Houses at the Eastman Kingsport, TN Complex 2-2

Figure 2-2: Topographic Map of the Kingsport, TN Area 2-3

Figure 2-3: 5-Year Wind Rose from Tri-Cities Airport 2-4

Figure 2-4: Locations of Historical SO_2 Monitors Relative to the Eastman Facility 2-5

Figure 2-5: Regional SO_2 Sources Near Kingsport Included in the NAAQS Compliance Modeling .. 2-8

Figure 3-1: Location of Meteorological Tower, Powerhouses, and RNR Monitor 3-3

Figure 3-2: Land Use, 1 km around On-site Meteorological Station from National Land Cover Dataset 3-14

Figure 3-3: Wind Rose for 100-m On-site Meteorological Tower; Kingsport, TN 3-15

Figure 3-4: 2013-2015 Seasonal by Hour of Day Ambient Background Values at Mammoth Cave National Park 3-17
Figure 4-1: Aerial of 3-km Radius Centered on Eastman's Building 83 4-3
Figure 4-2: 1992 Land Use Categories Inside the 3-km Radius Centered on Eastman's Building 83 4-4
Figure 4-3: Digital Land Use of 3-km Radius Centered on Eastman's Building 83 4-5
Figure 4-4: Non-attainment Receptors around the Eastman Facility; Kingsport, TN 4-6
Figure 4-5: GEP Building Downwash for Eastman Chemical 4-9
Figure 5-1: Concentration Isopleths for Case 3e 5-9

1.0 Introduction

1.1 Background

Eastman Chemical Company (Eastman) operates a large manufacturing facility in Kingsport, Tennessee (the Eastman Facility) with coal-fired and natural-fired boilers. The terrain in this area features valleys and complex terrain ridges oriented WSW to ENE. A monitor in the vicinity of Tennessee Operations indicated attainment with the 1996 SO_2 National Ambient Air Quality Standards (NAAQS) until the promulgation of a much stricter 1-hour standard of 75 ppb in 2010. The area within 3 km of the facility has been included in a designated SO_2 non-attainment area[1].

In anticipation of the need to conduct a refined dispersion modeling analysis of their facility's SO_2 emissions, Eastman initiated a comprehensive meteorological and air quality monitoring study in 2012 and 2013.

This report documents a modeling analysis with the latest version of AERMOD (version 116216r) and EPA-approved techniques in the December 2016 release of the updated 40 CFR 51 Appendix W (urban characterization for a large industrial area and the ADJ_U* low wind option). Additional modeling cases have been incorporated into this analysis to respond to EPA comments on the December 2016 modeling analysis. The revised modeling results using a lower combined emission limit for the three main Eastman stacks predict attainment of the SO_2 NAAQS within the Sullivan County non-attainment area notwithstanding future allowable SO_2 emissions from sources at the Eastman Facility.

1.2 Application of AERMOD for Kingsport, TN

A 14-month meteorological program, conducted from April 1, 2012 through May 31, 2013[2], involved a site-specific installation and operation of a 100-m tower and Doppler SODAR system to provide profiles of meteorological data as input to AERMOD for modeling the SO_2 emissions from the Eastman Facility powerhouses.

Due to further development of the use of AERMOD run in the urban mode for highly industrialized areas (proposed revisions to Appendix W in 2015[3] and also documented in a 2016 peer-reviewed paper[4]), AECOM selected the urban dispersion characterization option. The modeling approach involves the following options:

---

[1] August 5, 2013 Federal Register notice, 78 FR 47204.

[2] The monitoring started in mid-March 2012 in a "shakedown" period, and final calibrations and shut down occurred in early June, 2013.

[3] 80 FR 45340, July 29, 2015. The final rule is expected to be available at www.epa.tov/scram001 in mid-to-late December 2016.

[4] Paine, R., Warren, L.L., Moore, G.E., Source Characterization Refinements for Routine Modeling Applications, *Atm. Env.* 129 (2016), 55-67. doi: 10.1016/j.atmosenv.2016.01.003.

- Urban dispersion with an effective population of 200,000
- Use of the ADJ_U* option, but with the observed turbulence data withheld from the modeling.

This report documents through AERMOD modeling that the planned SO_2 emission reductions at the 253 powerhouse and specific emission limits applied to the coal-fired boilers at Buildings 83 and 325 will result in future SO_2 NAAQS attainment within the Sullivan County, TN SO_2 nonattainment area.

1.3 Organization of Report

Section 2 describes the Eastman Facility's emission points in detail. Section 3 describes the meteorological and monitoring field program between April 1, 2012 and March 31, 2013 and how the meteorological data were processed for input to AERMOD. The modeling set-up procedures are discussed Section 4. Application of the modeling approach to determine the "critical emission value", the use of the SO_2 emission distributions for the stacks associated with boilers 18-22, 23-24, and 30-31 to determine a rolling 30-day emission limit applicable to the total emissions of these three stacks is discussed in Section 5.

2.0 Eastman Chemical Company's Kingsport, TN Facility

2.1 Eastman Facility Setting

Eastman operates coal-fired boilers that constitute major SO_2 sources. The SO_2 emissions come from three main boiler groups that are shown in Figure 2-1: two B-83 stacks are about 70 m high, five B-253 stacks[5] are about 76 m high, and the B-325 stack is about 114 m high.

Kingsport is located in the northeast corner of Tennessee, and shares an airport (Tri-Cities) with regional cities of Johnson City and Bristol. This portion of Tennessee includes parts of three major geological formations: the Blue Ridge Mountains on the border with North Carolina in the east, the main Appalachian Mountains with the ridge and valley system (where Kingsport is located), and the Cumberland Plateau toward central Tennessee. The topography of the area is shown in Figure 2-2, which indicates that Kingsport is in a valley between ridges. The wind rose from the Tri-Cities airport, shown in Figure 2-3, reflects the general WSW-ENE alignment of the terrain features and the channeling of the winds accordingly. Figure 2-2 indicates that a prominent terrain feature to the west of Kingsport is Bays Mountain.

2.2 History of SO_2 Monitoring in Kingsport, TN

Before the 2012-2013 field study, historical SO_2 monitoring data had been taken from up to four stations, as shown in Figure 2-4. From that information, it was determined that the peak short-term monitored concentrations at the RNR monitor (AIRS ID 47-163-0007) were as high or higher than those at the other monitors, so that monitor was maintained to the present day while the others were eventually shut down. Until the 1-hour SO_2 NAAQS went into effect, the monitored concentrations indicated compliance with the pre-existing standards. However, due to the stringency of the new standard, the monitoring data indicated concentrations that are above the 1-hour SO_2 NAAQS. The 2009-2011 99^{th} percentile peak daily 1-hour maximum concentration, averaged over the 3 years (the "design concentration") was 196 ppb[6], which is greater than the NAAQS of 75 ppb.

2.3 SO_2 Emissions from Eastman Boiler Complexes

Each of the five stacks at the 253 Powerhouse serves an individual boiler (Boilers 25 – 29, refer to Figure 2-1) which provide steam and electricity to the Eastman Facility. These boilers, installed during the 1960s and 1970s, were designed as coal-fired boilers and equipped with electrostatic precipitators for particulate matter control. Eastman is implementing a project to convert each of these to natural gas combustion, in conjunction with the State of Tennessee's State Implementation Plan for the Best Available Retrofit Technology (BART) implementation as part of the Regional Haze Rule[7]. To date, three of the five boilers have been converted to natural gas and Eastman will convert the final two in

---

[5] As of December 2016, three of the five boilers were converted to natural gas.

[6] As reported in EPA's Technical Support Document for the Tennessee non-attainment designations, available at http://www.epa.gov/air/sulfurdioxide/designations/tsd/04_TN_tsd.pdf.

[7] The first of five boilers was converted to natural gas in April 2014 and the second and third boilers converted during 2016.

2018. More specifically, none of the 253 Powerhouse boilers will combust coal after the October 2018 period for implementation of controls to address the SO_2 non-attainment area.[8]

The stack at the 325 Powerhouse serves two coal-fired boilers, Boiler 30 and Boiler 31, and is modeled as a single emission source due to combined exhaust streams in a single stack. Boiler 30 is equipped with a spray dryer absorber and electrostatic precipitator to control particulate matter and acid gases. Boiler 31 is equipped with a spray dryer absorber and fabric filter to control particulate matter and acid gases.

Stack B at the 83 Powerhouse serves five coal-fired boilers (Boilers 18 – 22) and Stack C serves two coal-fired boilers (Boilers 23 and 24). Hence, two emission sources are modeled for the 83 Powerhouse. All of the 83 boilers are equipped with electrostatic precipitators for particulate matter control.

These fourteen boilers, along with three other backup natural gas-fired boilers with negligible SO_2 emissions (B-423), provide process steam and most of the electrical power needed to operate Tennessee Operations. The combination of boilers and boiler operating loads at any given time depends on manufacturing demands along with availability of boilers as each boiler has annual scheduled shutdowns. Table 2-1 lists the locations (UTM, NAD27) and stack characteristics for the eight modeled emission sources during the one year study period (2012-2013).

Figure 2-1: Power Houses at the Eastman Kingsport, TN Complex

[8] Eastman plans to cease coal-combustion at the last coal-fired boiler in the 253 Powerhouse on October 1, 2018.

Figure 2-2: Topographic Map of the Kingsport, TN Area



Figure 2-3: 5-Year Wind Rose from Tri-Cities Airport



Figure 2-4: Locations of Historical SO_2 Monitors Relative to the Eastman Facility



Table 2-1: Eastman Facility SO_2 Source Locations and Physical Characteristics

Powerhouse	Stack(s)	UTM-X (m)	UTM-Y (m)	Base Elev. (m)	Stack Ht. (m)	Stack Diam. (m)
83	18-22	362205.8	4042493.6	368.8	70.1	4.27
	23-24	362173.1	4042542.2	368.8	70.1	4.27
253	25	362515.1	4042333.2	373.7	76.2	2.44
	26	362530.1	4042342.0	373.7	76.2	2.44
	27	362544.7	4042351.8	373.7	76.2	2.44
	28	362557.8	4042361.0	373.7	76.2	2.44
	29	362571.5	4042370.6	373.7	76.2	2.44
325	30-31	361800.0	4042105.0	367.7	114.3	3.05

2.4 Regional SO_2 Emission Sources

EPA's final Technical Support Document[3] for the Tennessee non-attainment designations indicated that there are few additional SO_2 emission sources in the vicinity of the Eastman Facility. Recent guidance provided by EPA has indicated that the modeled local sources to be added to the evaluation modeling should include a Domtar source as well as a tail-gas incineration unit operated by Eastman. Since these sources have relatively low SO_2 emissions, AECOM included them using peak or allowable emission rates. The flat glass manufacturer (Heritage Glass) was shut down during the evaluation study period, but this source was planned for reactivation and is included in the future case compliance modeling in the event of its reactivation[9]. Stack parameters and constant emission rates for these sources are provided in Table 2-2. All the SO_2 sources are shown in Figure 2-5.

2.5 Planned SO_2 Reductions at Eastman

Eastman is in the process of making reductions in SO_2 emissions at the Kingsport plant in accordance with Best Available Retrofit Technology (BART) requirements as well as the SO_2 non-attainment designation. The reductions involve a fuel switch from coal firing to natural gas firing in all five of the boilers at the B-253 boiler complex. Table 2-3 lists the proposed reduced emissions and stack parameters for the 253 Powerhouse. This reduction is expected to reduce total plant SO_2 emissions to about 1/3 of the current levels. Due to low emissions from regional SO_2 sources (and, thus a low background concentration, as noted by the monitoring), this reduction would be expected to result in a future monitored concentration that is below the NAAQS because the currently monitored design concentration is less than 3 times the NAAQS. The field study used to provide the meteorological data for the current modeling and the associated SO_2 monitoring program is described in the next section.

[9] As of January 2017, the plans for reactivation have not gone forward. Nevertheless, inclusion of this source ensures that even an unlikely reactivation will not adversely impact the model results.

Table 2-2: Additional Modeled Nearby SO_2 Source Emissions and Stack Parameters

						Emissions		
Source	UTM-X (m)	UTM-Y (m)	Base Elev. (m)	Stack Ht. (m)	Stack Diam. (m)	Emission Rate (g/s)	Stack Temp. (K)	Exit Velocity (m/s)
Domtar	359547.0	4045587.4	371.0	60.4	3.14	33.26	444.3	15.5
Tail-Gas	361655.6	4041788.0	370.0	38.1	0.76	2.75	644.3	21.3
Heritage Glass	361582.8	4043652.7	370.0	48.8	1.83	4.99	852.6	6.1

Table 2-3: Eastman Chemical Proposed 253 Powerhouse SO_2 Emissions and Stack Parameters

Powerhouse	Stack(s)	UTM-X (m)	UTM-Y (m)	Base Elev. (m)	Stack Ht. (m)	Stack Diam. (m)	Emission Rate (g/s)	Stack Temp. (K)	Exit Velocity (m/s)
253	25	362515.1	4042333.2	373.7	76.2	2.44	0.058	433.7	25.3
	26	362530.1	4042342.0	373.7	76.2	2.44	0.058	433.7	25.3
	27	362544.7	4042351.8	373.7	76.2	2.44	0.058	433.7	25.3
	28	362557.8	4042361.0	373.7	76.2	2.44	0.058	433.7	25.3
	29	362571.5	4042370.6	373.7	76.2	2.44	0.058	433.7	25.3

Figure 2-5: Regional SO_2 Sources Near Kingsport Included in the NAAQS Compliance Modeling



3.0 Overview of the Site-specific Meteorological Database

3.1 Meteorological Monitoring Network Design

Eastman engaged AECOM to assist with a site-specific database to support a dispersion model with unbiased model predictions. AECOM determined from a review of the sources and topography in the area that EPA's guideline model, AERMOD[10], would likely be the first choice for the model to consider. Due to the complex terrain in the area, AECOM recommended that Eastman acquire multiple-level meteorological data for input to AERMOD, based upon previous sensitivity studies[11] in terrain settings and EPA's use of site-specific data in its evaluation[12] of AERMOD. Eastman first presented this general approach to TDEC and EPA Region 4 representatives in a meeting held in Atlanta on October 31, 2011.

The resulting plan for meteorological measurements led to the installation of a 100-meter meteorological tower equipped with multiple levels of meteorological sensors (at 2, 10, 50, and 100 m) and a Sound Detection And Ranging (SODAR) wind profiler system (with measurements starting at 50 m and extending upward in 50-m increments to 500 m). The data collected by these instruments was used as input to AERMOD, which was developed to accommodate multiple levels of meteorological data to more accurately predict vertical profiles of meteorological variables used in the modeling. For the monitoring program, the EPA Guidelines for Air Quality Modeling (40 CFR Part 51, Appendix W[13]) and EPA's meteorological monitoring guidance[14] provided the general guidance for sensor and parameter selection and siting of the tower and SODAR.

Eastman submitted a quality assurance plan for the meteorological monitoring to TDEC and EPA on January 5, 2012. Comments were received from both TDEC and EPA, and Eastman submitted a revised (final) plan along with responses to comments received to the agencies on February 22, 2012. Eastman received no further agency comments and thereafter put the meteorological monitoring network into operation officially on April 1, 2012, after a few days of "shakedown" operation.

Table 3-1 provides a list of the meteorological parameters included in the field study. As indicated in the monitoring plan reviewed by TDEC and EPA, input to AERMET consisted of parameters measured on the 100-m tower up to the 100-m level, and at incremental 50-m levels from 150 m to

---

[10] Documentation for AERMOD is available at http://www.epa.gov/ttn/scram/dispersion_prefrec.htm#aermod.

[11] See, for example a study presented at the 2001 Air & Waste Management Specialty Conference: Paine, R.J., 2001. Meteorological Input Data for AERMOD Applications. Air & Waste Management Association Specialty Conference on Guideline on Air Quality Models: A New Beginning. Newport, Rhode Island. April, 2001.

[12] This study is available at http://www.epa.gov/ttn/scram/7thconf/aermod/aermod_mep.pdf, and the supporting databases are available at http://www.epa.gov/ttn/scram/dispersion_prefrec.htm#aermod.

[13] Available at http://www.epa.gov/ttn/scram/guidance_permit.htm#appw.

[14] U.S. EPA. Meteorological Monitoring Guidance for Regulatory Modeling Applications. Office of Air Quality Planning and Standards, Research Triangle Park, North Carolina. EPA 454/R 99 005. February 2000. Available at http://www.epa.gov/scram001/guidance/met/mmgrma.pdf.

500 m from the SODAR. SODAR data from the 50-m and 100-m levels were available for comparison to the tower data for quality assurance purposes. An independent audit of the meteorological measurements was conducted by Air Resources Specialists, Inc. in May, 2012. Their audit report, issued May 25, 2012, indicated that all meteorological instruments were within EPA-recommended accuracy goals, and that there were no adverse findings from the audit. Representatives of TDEC and EPA visited the site on December 11, 2012. Eastman representatives presented further updates regarding the site-specific measurement program to TDEC and EPA on March 18, 2013. Eastman representatives advised TDEC and EPA representatives in the December 2012 and March 2013 meetings that Eastman was testing site-specific modeling options and that the default AERMOD model significantly over-predicted SO_2 emissions impacts. .

3.2 Meteorological Tower Data Capture Summary

The meteorological tower parameters generally had data captures above 90% for each month of the monitoring program. One exception is that for the months of July and August, 2012, data capture for precipitation was less than 90% due to a mechanical failure of the rain gauge. In December, 2012, foreign debris, i.e., vegetation, in the rain gauge also resulted in data capture below 90%. Each of the other months had data captures above 90% for precipitation, which was principally used to provide quality assurance for the SODAR data review.

The data capture for the April 2012-March 2013 measurement period for the meteorological tower parameters was above 90% (and often at 100%) for each parameter. Table 3-1 shows the data capture for all the parameters measured on the meteorological tower.

3.3 SODAR Data Capture Summary

AERMOD accepts data from multiple levels, and the measurement program was designed to accommodate the tower data with supplemental data from the SODAR. Data capture for the SODAR data was generally 90% or greater up to around 400 meters except for portions of the first quarter of 2013, as described further below. Table 3-2 shows the data capture for all the parameters measured by the SODAR.

Figure 3-1: Location of Meteorological Tower, Powerhouses, and RNR Monitor



Table 3-1: Data Capture for the Meteorological Tower; April, 2012 - March, 2013

Met Tower Level	Parameter	1-Apr	May	Jun	2nd Qtr	Jul	Aug	Sep	3rd Qtr	Oct	Nov	Dec	4th Qtr	Jan	Feb	Mar	1st Qtr	Cum Avg.
2 Meter	2M-Temp	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
	2M- Tot Solar	100	94	100	98	100	100	100	100	100	100	100	100	100	100	100	100	100
	2M- RH	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
	2M- Bar Press	100	100	100	100	100	100	98	99	99	100	100	100	100	100	100	100	100
	2M- Precip	100	100	100	100	68	79	100	82	92	98	87	92	100	100	100	100	94
10 Meter	10M- HWS	99	100	100	100	100	100	99	100	100	100	100	100	100	100	100	100	100
	10M- HWD	99	100	100	100	100	100	99	100	100	100	100	100	100	100	100	100	100
	10M- HWD SD1	99	100	100	100	100	100	99	100	100	100	100	100	100	100	100	100	100
	10M- HWS SU	99	100	100	100	100	100	99	100	100	100	100	100	100	100	100	100	100
	10M- VWS	99	100	100	100	100	100	99	100	100	100	100	100	100	100	100	100	100
	10M- VWS Std	99	100	100	100	100	100	99	100	100	100	100	100	100	100	100	100	100
	10M- Temp	100	100	100	100	100	100	99	100	100	100	100	100	100	100	100	100	100
	Delta T 2-10M	100	100	100	100	100	100	99	100	100	100	100	100	100	100	100	100	100
50 Meter	50M- HWS	99	100	100	100	100	100	99	100	100	100	100	100	100	100	100	100	100
	50M- HWD	99	100	100	100	100	100	99	100	100	100	100	100	100	100	100	100	100
	50M- HWD SD1	99	100	100	100	100	100	99	100	100	100	100	100	100	100	100	100	100
	50M- HWS SU	99	100	100	100	100	100	99	100	100	100	100	100	100	100	100	100	100
	50M- VWS	99	100	100	100	100	100	99	100	100	100	100	100	100	100	100	100	100
	50M- VWS Std	99	100	100	100	100	100	99	100	100	100	100	100	100	100	100	100	100
	50M- Temp	99	100	100	100	100	100	99	100	100	100	100	100	100	100	100	100	100
	Delta T 10-50M	100	100	100	100	100	100	99	100	100	100	100	100	100	100	100	100	100

Met Tower Level	Parameter	1-Apr	May	Jun	2nd Qtr	Jul	Aug	Sep	3rd Qtr	Oct	Nov	Dec	4th Qtr	Jan	Feb	Mar	1st Qtr	Cum Avg.
100 Meter	100M-HWS	99	100	100	100	100	100	99	100	100	100	100	100	100	100	100	100	100
	100M-HWD	99	100	100	100	100	100	99	100	100	100	100	100	100	100	100	100	100
	100M-HWD SD1	99	100	100	100	100	100	99	100	100	100	100	100	100	100	100	100	100
	100M-HWS SU	99	100	100	100	100	100	99	100	100	100	100	100	100	100	100	100	100
	100M-VWS	99	100	100	100	100	100	99	100	100	100	100	100	95	93	100	96	99
	100M-VWS Std	99	100	100	100	100	100	99	100	100	100	100	100	95	93	100	96	99
	100M-Temp	99	100	100	100	100	100	99	100	100	100	100	100	100	100	100	100	100
	Delta T 10-100M	100	100	100	100	100	100	99	100	100	100	100	100	100	100	100	100	100

Table 3-2: Data Coverage for SODAR; April, 2012 - March, 2013

SODAR Level	Parameter	1-Apr	May	Jun	2nd Qtr	Jul	Aug	Sep	3rd Qtr	Oct	Nov	Dec	4th Qtr	Jan	Feb	Mar	1st Qtr	Cum Avg.
50 Meter	50M- WSP	87	99	100	95	98	99	97	98	91	91	98	93	85	40	89	71	90
	50M-WDR	87	99	100	95	99	99	97	98	91	91	98	93	85	41	89	72	90
	50M- SD1	84	98	99	94	98	98	95	97	88	88	94	90	81	37	85	68	87
	50M- VWS	86	99	100	95	99	99	97	98	91	92	98	94	85	42	89	72	90
	50M- SIG W	84	98	99	94	98	98	96	97	88	89	94	90	81	38	86	68	87
100 Meter	100M-WSP	87	98	100	95	97	99	98	98	91	91	98	93	85	40	89	71	89
	100M-WDR	88	98	100	95	97	99	98	98	91	93	98	94	85	42	89	72	90
	100M-SD1	83	97	99	93	97	98	97	97	90	89	95	91	83	38	86	69	88
	100M-VWS	84	98	100	94	97	99	98	98	91	93	98	94	86	42	90	73	90
	100M- SIG W	83	97	99	93	97	98	97	97	90	91	95	92	83	39	87	70	88
150 Meter	150M-WSP	86	99	100	95	98	99	98	98	91	91	98	93	85	37	88	70	89
	150M-WDR	86	99	100	95	98	99	98	98	90	91	98	93	85	38	88	70	89

SODAR Level	Parameter	1-Apr	May	Jun	2nd Qtr	Jul	Aug	Sep	3rd Qtr	Oct	Nov	Dec	4th Qtr	Jan	Feb	Mar	1st Qtr	Cum Avg.
	150M-SD1	71	98	100	90	98	98	96	97	90	89	94	91	83	27	83	64	86
	150M-VWS	73	99	100	91	98	99	98	98	91	92	97	93	85	35	87	69	88
	150M- SIG W	71	98	100	90	98	99	97	98	90	90	94	91	83	29	84	65	86
200 Meter	200M-WSP	83	99	99	94	98	98	97	98	90	90	96	92	85	30	85	67	88
	200M-WDR	83	99	99	94	98	98	97	98	90	90	96	92	85	31	85	67	88
	200M-SD1	65	98	99	87	97	98	96	97	90	88	93	90	83	21	81	62	84
	200M-VWS	67	99	99	88	98	98	98	98	90	91	96	92	84	27	83	65	86
	200M- SIG W	65	98	99	87	97	98	97	97	90	90	93	91	83	22	81	62	84
250 Meter	250M-WSP	80	98	99	92	97	98	97	97	90	85	95	90	84	24	84	64	86
	250M-WDR	80	98	99	92	97	98	97	97	90	85	95	90	84	26	84	65	86
	250M-SD1	60	98	99	86	97	98	96	97	89	84	91	88	82	17	78	59	82
	250M-VWS	62	98	99	86	97	98	97	97	90	85	94	90	84	23	82	63	84
	250M- SIG W	60	98	99	86	97	98	96	97	90	84	91	88	82	18	78	59	83
300 Meter	300M-WSP	79	98	99	92	96	98	96	97	89	84	95	89	84	19	77	60	85
	300M-WDR	79	98	99	92	96	98	97	97	90	84	95	90	84	21	77	61	85
	300M-SD1	58	97	99	85	95	98	95	96	88	82	90	87	81	12	67	53	80
	300M-VWS	59	98	99	85	96	98	97	97	89	83	92	88	83	17	70	57	82
	300M- SIG W	58	97	99	85	95	98	96	96	89	82	90	87	81	13	67	54	80
350 Meter	350M-WSP	75	97	98	90	95	98	96	96	89	82	93	88	83	18	72	58	83
	350M-WDR	75	97	98	90	95	98	96	96	90	82	93	88	83	18	72	58	83
	350M-SD1	55	97	98	83	95	97	95	96	87	80	89	85	79	9	59	49	78
	350M-VWS	56	97	98	84	95	98	96	96	88	81	91	87	82	14	62	53	80

SODAR Level	Parameter	1-Apr	May	Jun	2nd Qtr	Jul	Aug	Sep	3rd Qtr	Oct	Nov	Dec	4th Qtr	Jan	Feb	Mar	1st Qtr	Cum Avg.
	350M- SIG W	55	97	98	**83**	95	97	95	**96**	88	80	89	**86**	79	9	60	**49**	**79**
400 Meter	400M- WSP	63	97	99	**86**	95	98	95	**96**	88	80	90	**86**	83	15	69	**56**	**81**
	400M- WDR	63	97	99	**86**	95	98	96	**96**	89	80	90	**86**	83	16	69	**56**	**81**
	400M- SD1	52	97	98	**82**	93	97	94	**95**	87	78	87	**84**	77	8	53	**46**	**77**
	400M- VWS	53	97	98	**83**	94	97	95	**95**	88	79	89	**85**	80	11	57	**49**	**78**
	400M- SIG W	52	97	98	**82**	93	97	95	**95**	87	78	87	**84**	77	8	53	**46**	**77**
450 Meter	450M- WSP	52	97	99	**83**	94	97	93	**95**	86	73	88	**82**	80	14	63	**52**	**78**
	450M- WDR	52	97	99	**83**	94	97	95	**95**	88	80	88	**85**	80	14	63	**52**	**79**
	450M- SD1	46	97	98	**80**	92	95	92	**93**	84	69	83	**79**	76	6	42	**41**	**73**
	450M- VWS	47	97	98	**81**	93	96	93	**94**	85	71	86	**81**	78	11	44	**44**	**75**
	450M- SIG W	46	97	98	**80**	92	95	92	**93**	84	69	83	**79**	76	7	41	**41**	**73**
500 Meter	500M- WSP	52	96	98	**82**	92	95	90	**92**	78	74	82	**78**	76	9	42	**42**	**74**
	500M- WDR	52	96	98	**82**	92	95	92	**93**	85	74	82	**80**	76	8	42	**42**	**74**
	500M- SD1	45	95	98	**79**	90	93	87	**90**	75	71	77	**74**	72	3	28	**34**	**70**
	500M- VWS	46	95	98	**80**	91	94	89	**91**	77	75	80	**77**	73	6	29	**36**	**71**
	500M- SIG W	45	95	98	**79**	90	93	88	**90**	76	73	77	**75**	72	3	27	**34**	**70**

The SODAR data capture was reduced (lower range of values) during certain portions of the measurement period due to natural events and noise interference issues. In the middle of April 2012, a severe rain event damaged the system, resulting in data captures below 90% for the month. Components of the SODAR system were replaced on April 19, 2012, which resulted in a marked improvement in the data capture for each parameter. Other periods during portions of January-February 2013 had some reductions in data capture attributed to new building construction in the area, likely causing noise interference. This issue was finally resolved in early March 2013 by a combination of rotating the SODAR antenna table and other system adjustments.

3.4 Total System Data Capture

The 2012 monitoring plan reviewed by TDEC and EPA Region 4 had the following language to describe the acceptability of each hour's meteorological data for modeling purposes:

"The following criteria will be applied to determine whether an hour of the on-site data is counted as available for purpose of data capture:

- Wind direction, wind speed, and temperature must each be available for a given hour. These variables are used in the meteorological pre-processor to compute the atmospheric stability and other related micrometeorological parameters.
- Each of these parameters must be present from at least one of the three tower levels (10, 50, or 100 meters) or from the 50-m and/or 100-m SODAR levels; they need not be all present from the same level.
- If the SODAR is reporting missing data, but at least one tower level is reporting, then that hour is still acceptable."

Based upon these criteria, the meteorological monitoring program easily met the 90% data availability for modeling purposes, as shown in Table 3-3. In fact, the meteorological tower had 3 levels of wind and temperature available nearly 100% of the time, and had supplemental SODAR data at four additional levels (up to 300 m) at least 85% of the time. Given the completeness of the meteorological tower data, the overall data coverage for the weather station was at or near 99+% per quarter for the meteorological parameters processed for the AERMOD modeling. Data from the 50-m and 100-m levels of the SODAR were not used in the modeling, but were used in performance testing of the SODAR against the meteorological tower.

Table 3-3: Overall Data Capture Summary by Quarter for Model Input with Onsite Meteorological Data

	Apr[1] 2012	May 2012	Jun 2012	1st Qtr	Jul 2012	Aug 2012	Sep 2012	2rd Qtr
% hours with data available for modeling	99.8	100.0	100.0	99.9	100.0	100.0	99.8	99.9

	Oct 2012	Nov 2012	Dec 2012	3th Qtr	Jan 2013	Feb 2013	Mar 2013	4th Qtr	Cum Avg.
% hours with data available for modeling	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note: only four hours were missing over the entire year (two hours each in April and September, 2012) due to tower calibration activities.

3.5 Meteorological Data Processing

To prepare the on-site meteorological data for model input, the raw data needed to be extracted and formatted for use in the AERMET (version 16216) pre-processor. There are two separate sets of data. Meteorological measurements taken at the 100-m tower were made at 4 levels: 2 m, 10 m, 50 m, and 100 m. A nearby SODAR collected upper level data at 50-m increments up to the 500-700 m range. For the modeling, validated hourly[15] data were used from the SODAR from the 150-m level up to the 700-m level[16]. The sparseness of data above 700 m restricted its use in the modeling.

In recent EPA Modeling Clearinghouse concurrence memoranda, EPA has indicated concerns over the inclusion of turbulence measurements in on-site meteorological data when using low wind model options. On August 1, 2016, EPA stated[17] that,

> "While not an issue in this particular case, we continue to evaluate the potential that the use of the ADJ_U* Beta option in combination with site-specific meteorological data that includes the sigma-theta and/or sigma-w turbulence parameters may introduce a bias toward concentration underprediction and caution anyone considering the use of both the ADJ_U* Beta option and meteorological data that includes the derived sigma-theta and/or sigma-w turbulence parameters in regulatory applications without consultation and approval from the appropriate permitting authority and the respective EPA Regional Office."

Finally, with the promulgation of Appendix W changes published in the January 17, 2017 *Federal Register* (82 FR 5182), the ADJ_U* option does not require case-by-case approval if on-site turbulence measurements are omitted from the modeling. For these reasons, we did not include sigma-theta and sigma-w turbulence parameters in the Eastman SO_2 modeling.

For all meteorological data parameters, the hourly-averaged values reported by the data loggers were used as input to AERMET. For modeling purposes, no replacements of calms were done on the meteorological tower winds that recorded speeds below the wind vane starting threshold level of 1 mph (0.45 m/s). AERMET takes into account winds that are below a threshold value consistent with the instrument characteristics. For values of the standard deviation of vertical velocity (sigma-w) that were below a starting instrument threshold value of 0.1 m/s, those values were set to missing[18].

The meteorological database used for the model evaluation was also used for this NAAQS compliance modeling. EPA and TDEC have already thoroughly reviewed the model evaluation database.

---

[15] Starting in September 2012, 15-minute sub-hourly data were also collected for a few months.

[16] After the change in September 2012 to sub-hourly data, SODAR data was archived up to the 500-m level.

[17] EPA Model Clearinghouse memo for Region 8, available at https://cfpub.epa.gov/oarweb/MCHISRS/index.cfm?fuseaction=main.resultdetails&recnum=16-VIII-01.

[18] The starting speed of the vertical wind vane was 0.3 m/s. As per guidance in the SCIPUFF Technical Documentation, 2008. "A typical value for the vertical velocity variance, (sigma-w)^2, is $0.01 m^2 s^{-2}$ and a typical vertical length scale, lambda-V, is 10m. We suggest using these values for all locations above the boundary layer." This implies a minimum sigma-w of 0.1 m/s. (p 194).

3.6 Model Information

The air dispersion modeling was performed using EPA's preferred air dispersion model AERMOD (version 16216r). AERMOD is a steady-state plume model that calculates air dispersion based on planetary boundary layer turbulence structure and scaling concepts. AERMOD is listed as a recommended model in Appendix W of 40 CFR Part 51 for determining compliance with National Ambient Air Quality Standards and other regulatory requirements. Supporting EPA processors utilized in this application include: the downwash processor BPIP (version 04274); the terrain processor AERMAP (version 11103); and the meteorological processors AERSURFACE (version 13016) and AERMET (version 16216).

The meteorological data reported by the 100-m tower are scalar averages, but those from the SODAR are vector averages. Due to the large percentage of hours for which SODAR data was available, the VECTORWS option was selected in AERMOD.

The dispersion modeling analysis was conducted using AERMOD model with the AERMET low wind speed adjustment, "ADJ_U*". In a final rule signed by the EPA Administrator on December 20, 2016 and published in the January 17, 2016 Federal Register (featuring an updated 40 CFR Part 51 Appendix W)[19], EPA implemented refinements to its preferred short-range model, AERMOD, involving low wind conditions. One of these refinements involves an adjustment to the computation of the friction velocity ("ADJ_U*") in the AERMET meteorological pre-processor. Beginning with version 16216, the ADJ_U* option is no longer a beta option when processing onsite data with no turbulence data.

3.7 Meteorological Processing: Surface Characteristics

Fourteen months of the on-site meteorological data was processed with AERMET, the meteorological preprocessor for AERMOD, which is consistent with guidance stated in 9.3.1.2 of 40 CFR Part 51, Appendix W (EPA modeling guidelines). The meteorological data required for input to AERMOD was created with the latest version of AERMET (16216). AERMET creates two output files for input to AERMOD:

- SURFACE: a file with boundary layer parameters such as sensible heat flux, surface friction velocity, convective velocity scale, vertical potential temperature gradient in the 500-meter layer above the planetary boundary layer, and convective and mechanical mixing heights. Also provided are values of Monin-Obukhov length, surface roughness, albedo, Bowen ratio, wind speed, wind direction, temperature, and heights at which measurements were taken.
- PROFILE: a file containing multi-level meteorological data with wind speed, wind direction, temperature, sigma-theta (σ_θ) and sigma-w (σ_w) when such data are available. For this application, the file contains data from several levels on the tower (2, 10, 50 and 100 m) and SODAR (from 150 m through 700 m, at 50-m increments). As discussed above, sigma-theta and sigma-w turbulence parameters were omitted from this modeling.

AERMET requires specification of site characteristics including surface roughness (z_o), albedo (r), and Bowen ratio (B_o). These parameters were developed according to the guidance provided by EPA in the AERMOD Implementation Guide (AIG)[20].

---

[19] Available at https://www3.epa.gov/ttn/scram/appendix_w-2016.htm

[20] Available in the AERMOD documentation at http://www.epa.gov/ttn/scram/dispersion_prefrec.htm#aermod.

The AIG provides the following recommendations for determining the site characteristics:

1. The determination of the surface roughness length should be based on an inverse distance weighted geometric mean for a default upwind distance of 1 kilometer relative to the measurement site. Surface roughness length may be varied by sector to account for variations in land cover near the measurement site; however, the sector widths should be no smaller than 30 degrees.
2. The determination of the Bowen ratio should be based on a simple un-weighted geometric mean (i.e., no direction or distance dependency) for a representative domain, with a default domain defined by a 10-km by 10-km region centered on the measurement site.
3. The determination of the albedo should be based on a simple un-weighted arithmetic mean (i.e., no direction or distance dependency) for the same representative domain as defined for Bowen ratio, with a default domain defined by a 10-km by 10-km region centered on the measurement site.

The AIG recommends that the surface characteristics be determined based on digitized land cover data. EPA has developed a tool called AERSURFACE that can be used to determine the site characteristics based on digitized land cover data in accordance with the recommendations from the AIG discussed above. AERSURFACE incorporates look-up tables of representative surface characteristic values by land cover category and seasonal category. AERSURFACE was applied with the instructions provided in the AERSURFACE User's Guide.

The latest version of AERSURFACE (Version 13016) supports the use of land cover data from the USGS National Land Cover Data 1992 archives[21] (NLCD92). The NLCD92 archive provides data at a spatial resolution of 30 meters based upon a 21-category classification scheme applied over the continental U.S. The AIG recommends that the surface characteristics be determined based on the land use surrounding the site where the surface meteorological data were collected.

As recommended in the AIG for surface roughness, the 1-km radius circular area centered at the meteorological station site was divided into 12 sectors for this analysis (see Figure 3-2).

In AERSURFACE, the various land cover categories are linked to a set of seasonal surface characteristics. As such, AERSURFACE requires specification of the seasonal category for each month of the year. The following five seasonal categories are supported by AERSURFACE, with the applicable months of the year specified for this site.

1. Midsummer with lush vegetation (June-August).
2. Autumn with un-harvested cropland (September- November).
3. Late autumn after frost and harvest, or winter with no snow (December, January, and February).
4. Winter with continuous snow on ground (none; based on the Tri-City Regional Airport records).
5. Transitional spring with partial green coverage or short annuals (March-May).

[21] http://edcftp.cr.usgs.gov/pub/data/landcover/states/

For Bowen ratio, the land use values are linked to three categories of surface moisture corresponding to average, wet, and dry conditions. The surface moisture condition for the site may vary depending on the meteorological data period for which the surface characteristics will be applied. AERSURFACE applies the surface moisture condition for the entire data period. Therefore, if the surface moisture condition varies significantly across the data period, then AERSURFACE can be applied multiple times to account for those variations. As recommended in the AERSURFACE User's Guide, the surface moisture condition for each month was determined by comparing the on-site precipitation for the period of data to be processed to the 30-year climatological record (Tri-City Regional Airport), selecting "wet" conditions if precipitation is in the upper 30th percentile, "dry" conditions if precipitation is in the lower 30th percentile, and "average" conditions if precipitation is in the middle 40th percentile. The 30-year precipitation data set used in this modeling was taken from the National Climatic Data Center. The monthly designations of surface moisture input to AERSURFACE are summarized in Table 3-4.

Table 3-4: Bowen Ratio Categories for the On-site Meteorological Tower

Month	Bowen Ratio Category	
	2012	2013
April	Average	--
May	Dry	--
June	Dry	--
July	Wet	--
August	Dry	--
September	Wet	--
October	Average	--
November	Dry	--
December	Dry	--
January	--	Wet
February	--	Dry
March	--	Average
April	--	Average
May	--	Average

3.8 Meteorological Processing: AERMET

The processed on-site 12-level meteorological data for the merged meteorological tower (levels: 2 m, 10 m, 50 m and 100 m) and SODAR (levels: 150 m – 500 m, at 50-m increments) was entered into the stage 1 AERMET input file along with concurrent NWS surface data from the Tri-City Regional Airport National Weather Station (13877) and upper air data from Nashville, TN (13897).

The Tri-City Regional Airport is located approximately 8.5 miles east, southeast of the facility. Integrated Surface Hourly (ISH) surface data in for the April, 2012 – May, 2013 period were downloaded from the National Climate Data Center (NCDC)[22]. The Nashville airport is located 200 miles west of Kingsport and has mean mixing heights that are comparable to this location. Upper air

[22] ftp://ftp.ncdc.noaa.gov/pub/data/noaa

data was downloaded from the NOAA radiosonde observation (RAOB) website[23]. Three missing upper air 12Z hours were filled with concurrent data from the nearby Roanoke, VA upper air station (noted in a README file in the accompanying modeling archive).

The meteorological data was processed using the AERMOD meteorological preprocessor AERMET (version 16216).

The threshold wind speed for the on-site data was set to its manufacturer-specified value of 0.447 m/s (1 mph). In the stage 3 input, no NWS substitutions were performed for any hours with missing on-site wind data (which was not an issue given the high data coverage of the meteorological tower).

The AERMET was used with the ADJ_U* option and omissions of turbulence data (σ_Θ and σ_w) to process one year of meteorological data.

For a sense of the bulk wind flow near plume height, the 100-m wind rose in Figure 3-3 shows the percentage of time wind blew from each direction for the April, 2012 through March, 2013 period.

[23] http://www.esrl.noaa.gov/raobs/

Figure 3-2: Land Use, 1 km around On-site Meteorological Station from National Land Cover Dataset



Figure 3-3: Wind Rose for 100-m On-site Meteorological Tower; Kingsport, TN



3.9 Regional Background Concentrations

To account for the impact of sources other than Eastman, it is necessary to include the contributions of any identified nearby SO_2 sources as well as distant sources that would have a relatively uniform (regional) concentration impact over the non-attainment area. The discussion in Section 2.4 provides a list of relatively minor, but nearby sources that were included in the modeling.

To account for regional background concentrations, recent guidance provided by EPA has suggested the use of ambient SO_2 concentrations from the monitor located at Mammoth Cave National Par in Kentucky (AQS ID 21-061-0501). AECOM calculated 3 years (2013-2015)of the hourly varying "season-by-hours-of-day" background dataset using procedures described in the March 1, 2011 EPA guidance [24]. The seasonal by hour of the day ambient background value was processed within the model using the BACKGRND SEASHR keyword in the source card.

Figure 3-4 shows the resultant seasonal values. Table 3-5 tabulates the same 96 values from Figure 3-4 for the modeling.

[24] This guidance is available at http://www.epa.gov/ttn/scram/guidance/clarification/Additional_Clarifications_AppendixW_Hourly-NO2-NAAQS_FINAL_03-01-2011.pdf.

Figure 3-4: 2013-2015 Seasonal by Hour of Day Ambient Background Values at Mammoth Cave National Park



Table 3-5: Background Concentration (µg/m^3) Look-up Table for Each Season by Hour of Day

Hour	Winter	Spring	Summer	Fall
1	11.44	7.95	2.88	6.11
2	10.79	4.72	3.84	5.28
3	14.37	5.11	4.02	4.72
4	11.79	5.76	3.67	4.37
5	11.44	6.46	2.79	4.80
6	11.00	7.42	3.32	4.45
7	12.31	7.07	3.67	4.89
8	13.80	7.95	7.42	7.07
9	14.58	9.61	10.74	9.08
10	17.73	9.52	11.27	10.22
11	14.76	9.34	7.16	9.43
12	13.80	8.38	7.77	7.86
13	17.12	6.11	6.90	9.34
14	13.36	6.55	5.41	7.42
15	14.32	6.64	5.85	7.77
16	18.51	6.99	4.98	6.64
17	16.68	7.95	5.33	7.95
18	10.39	7.77	6.38	7.34
19	12.40	9.69	5.76	6.46
20	13.27	7.34	5.07	6.11
21	13.54	7.25	4.72	6.38
22	14.76	7.51	5.41	5.41
23	14.41	6.99	4.19	6.55
24	15.37	7.69	3.14	6.99

4.0 AERMOD Urban/Rural, Receptor, and Building Downwash Modeling Procedures

The AERMOD model requires specific inputs, including the meteorological, terrain and building downwash data. The previous section detailed the processing of the on-site meteorological data. This section describes the processing of the receptor and building downwash information. The land use determination is also described in this section.

4.1 Urban/Rural Determination

The application of AERMOD requires characterization of the local (within 3 kilometers) dispersion environment as either urban or rural, based on an EPA-recommended procedure that characterizes an area by prevalent land use. This land use approach classifies an area according to 12 land use types. In this scheme, areas of industrial, commercial, and compact residential land use are designated urban. According to EPA modeling guidelines, if more than 50 percent of an area within a 3-km radius of the proposed facility is classified as rural, then rural dispersion coefficients are to be used in the dispersion modeling analysis. Conversely, if more than 50% of the area is urban, urban dispersion coefficients are used. Auer analysis and population density analyses were conducted to confirm that the area is urban. In addition, a procedure to estimate an effective population in the area of Eastman Facility due to excess temperature is presented in Section 4.1.3.

4.1.1 Auer Land Use Analysis

Visual inspection of the 3-km area surrounding the Eastman Facility does not give a clear distinction of whether the land use is urban or rural (see Figures 4-1). As a result, AECOM conducted an Auer analysis within a 3-km radius around the site (specifically around Powerhouse 83). The analysis, shown in Figure 4-2, determined that in 1992 the land use is more than 50% urban (33.8% high-intensity residential and industrial/commercial and 18.6% low-intensity residential). Moreover, additional urbanization has occurred since 1992, as shown in more recent images from 2001 and 2011 (Figure 4-3 b and Figure 4-3 c). The more recent digital images of land use show that some nearby residential areas and industrial area have become more populated and expanded in size since 1992. Therefore, this analysis indicates that the area within 3 km of the Eastman Facility is urban.

4.1.2 Effective Population Estimate

The Eastman Facility is located within a city with a population of about 50,000, with the facility itself having a considerably large fugitive heat release that we have accounted for in determining the “effective population” input to AERMOD. Appendix B provides the approach followed to estimate the effective population for modeling as a result of the heat releases from the facility. The results of our analyses lead to an effective population of 200,000.

Based on evidence presented above, AECOM determined that the area within 3 km of the Eastman Facility should be treated as urban. Therefore, urban dispersion option with an effective population of 200,000 was used in the modeling.

4.2 Receptor Processing

Model receptors were placed at 50-meter intervals along the fence-line, public access roads and river banks as well as in a 100-meter grid throughout the 3-km non-attainment area (Figure 4-4). The receptor spacing is consistent with a recent PSD submission to TDEC[25] and is supported by modeling guidance in other EPA Region 4 states (Georgia[26], North Carolina[27], and South Carolina[28]). Terrain elevations were developed from the National Elevation Dataset (NED) acquired from USGS[29], using the EPA's terrain processor, AERMAP (version 11103).

[25] http://www.tennessee.gov/environment/ppo/docs/air/us-nitrogen-yara-psd_final-determination_06032014.pdf

[26] http://www.georgiaair.org/airpermit/downloads/sspp/modeling/airdispmodelguidance_april2012.pdf

[27] http://daq.state.nc.us/permits/mets/Guidance.pdf

[28] http://www.scdhec.gov/environment/docs/modguide.pdf

[29] http://seamless.usgs.gov/index.php

Figure 4-1: Aerial of 3-km Radius Centered on Eastman's Building 83

Figure 4-2: 1992 Land Use Categories Inside the 3-km Radius Centered on Eastman's Building 83

Category	Land Use Description	%	%
11	Open Water:	2.5	
12	Perennial Ice/Snow:	0.0	
21	**Low Intensity Residential:**	**18.6**	
22	**High Intensity Residential:**	**8.8**	**52.4**
23	**Commercial/Industrial/Transportation:**	**25.0**	
31	Bare Rock/Sand/Clay:	0.4	
32	Quarries/Strip Mines/Gravel:	0.0	
33	Transitional:	0.0	
41	Deciduous Forest:	20.1	
42	Evergreen Forest:	8.7	
43	Mixed Forest:	8.0	
51	Shrubland:	0.0	
61	Orchards/Vineyard/Other:	0.0	
71	Grasslands/Herbaceous:	0.0	
81	Pasture/Hay:	3.2	
82	Row Crops:	1.9	
83	Small Grains:	0.0	
84	Fallow:	0.0	
85	Urban/Recreational Grasses:	2.2	
91	Woody Wetlands:	0.5	
92	Emergent Herbaceous Wetlands:	0.1	
	Total:	100.0	

Figure 4-3: Digital Land Use of 3-km Radius Centered on Eastman's Building 83

a) 1992 land use with the urban classification legend



b) 2001 land use with the urban classification legend

c) 2011 land use with the urban classification legend



Figure 4-4: Non-attainment Receptors around the Eastman Facility; Kingsport, TN



4.3 Building Downwash Processing

Good engineering practice (GEP) stack height is defined as the stack height necessary to ensure that emissions from the stack do not result in excessive concentrations of any air pollutant as a result of atmospheric downwash, wakes or eddy effects created by the source, nearby structures or terrain features.

A GEP stack height analysis was performed for the boiler stacks in accordance with EPA's stack height guidelines (EPA, 1985). Per the guidelines, the physical GEP height, (H_{GEP}), is determined from the dimensions of all buildings which are within the region of influence using the following equation:

$$H_{GEP} = H_B + 1.5L$$

where:

H_B = height of the structure within 5L of the stack which maximizes H_{GEP}, and

L = lesser dimension (height or projected width) of the structure.

For a squat structure, i.e., height less than projected width, the formula reduces to:

$$H_{GEP} = 2.5H_B$$

In the absence of influencing structures, a "default" GEP stack height is credited up to 65 meters.

A summary of the GEP stack height analyses is presented Table 4-1. The GEP formula stack heights for all the sources are higher than their respective stack heights. Therefore, emissions are potentially subject to building downwash and wind direction-specific building dimensions developed with the EPA's Building Profile Input Processor (BPIP-PRIME) were input to AERMOD. The BPIP input and output files are provided in the modeling archive. The locations and dimensions of the buildings/structures relative to the exhaust stacks are depicted in Figure 4-7.

Table 4-1: Summary of GEP Analysis

Emission Source	Model Source Name	Stack Height (m)	Controlling Buildings / Structures	Building Height (m)	Projected Width (m)	GEP Formula Height (m)
253 Powerhouse Sources	253_25 – 253_29	76.2	253 Powerhouse	76.2	70.0	181.0
325, Stacks 30-31	325_3031	114.3	Silos	67.1	57.0	153.0
B-83 Powerhouse Stacks 18-22	83_1822	70.1	Building 81D	44.2	44.4	114.0
B-83 Powerhouse Stacks 23-24	83_2324	70.1	Building 83	32.0	32.0	80.2

Figure 4-5: GEP Building Downwash for Eastman Chemical



5.0 Determination of Long-Term SO_2 Permit Emission Limits

The “critical emission value” for a facility is the maximum 1-hour average emission rate that, when combined with background, results in a design concentration that just complies with the NAAQS. The critical value is used as a reference point for setting a longer-term emission rate. This section describes a load analysis, critical emission values modeling approach, and the resulting long-term SO_2 permit limit for the Eastman Facility.

5.1 Load Analysis

The AERMOD modeling analysis was conducted with emission rates and exhaust characteristics (velocity and temperature) that represent a range of possible values for the Eastman 83 Powerhouse boilers 18-24 and for 325 Powerhouse boilers 30-31 during steady-state operations. The analysis evaluated 100%, 75% and 50% operating loads.

TDEC provided Eastman with a set of stack exit velocities and temperatures as a function of emission rate that we used in this analysis and in the subsequent critical emission value analysis. The TDEC analysis and our extension of the information provided to the entire range of emission rates modeled are provided in Appendix A.

For the load analysis, we used a reference high emission rate of 1,000 lb/hr (126 g/s) as a 100% load case for both the 18-22 and 23-24 boiler stacks, and scaled the emissions by percentage for the 75% and 50% load cases. For the boiler 30-31 stack, we used a reference 100% load emission rate of 400 lb/hr and scaled the emissions by load linearly. The input data for the exhaust temperature and exit velocity values were taken from the relationship documented in Appendix A, Table A-2 for each emission rate modeled.

The modeling input parameters and results of the load analysis are listed in Table 5-1. As expected, the worst- case load cases were the high load case for each stack.

Table 5-1: AERMOD Load Analysis Results

83 Power House, Boilers 18-22				
Source and Load	**Emission (g/s)**	**Temperature [2] (K)**	**Velocity [2] (m/s)**	**99th Percentile 1-hour Concentration (µg/m³)**
18-22 100% Load	126.00[1]	468.58	14.90	90.69
18-22 70% Load	94.50	461.38	12.53	77.70
18-22 50% Load	63.00	452.25	8.37	65.78
83 Power House, Boilers 23-24				
Source and Load	**Emission (g/s)**	**Temperature [2] (K)**	**Velocity [2] (m/s)**	**99th Percentile 1-hour Concentration (µg/m³)**
23-24 100% Load	126.00[1]	447.81	13.60	102.42
23-24 75% Load	94.50	439.78	11.05	89.62
24-24 50% Load	63.00	431.76	7.90	73.68
325 Power House, Boilers 30-31				
Source Name	**Emission [1] (g/s)**	**Temperature [2] (K)**	**Velocity [2] (m/s)**	**99th Percentile 1-hour Concentration (µg/m³)**
30-31 100% Load	50.40[1]	356.87	30.10	41.28
30-31 75% Load	37.80	355.57	29.71	31.63
30-31 50% Load	25.20	354.27	29.32	21.38

[1] Emission rate represents a typical high value for this stack.
[2] Temperature and velocity calculated using the equations from Appendix A.

5.2 Critical Emission Value Modeling Approach

The critical emission value is the short-term (1-hour average in this case) constant emission rate that results in a design concentration at or below the NAAQS. Based upon EPA's SO_2 nonattainment modeling guidance[30], the critical value can be used as a reference point for setting a longer-term emission rate. For the critical value run, the temperature and velocities for the 83 and 325 sources were determined using equations from Appendix A.

As noted before, with three different stacks, many different possible combinations of critical values are possible for resulting in a design concentration at or below the NAAQS. In addition, the facility load can shift among the 18-22, 23-24, and 30-31 units so that they would not be emitting at peak rates simultaneously. In this case, TDEC worked with Eastman to determine a large range of operational

[30] EPA, April 23, 2014. Guidance for 1-hour SO2 Nonattainment Area SIP Submissions, available at https://www.epa.gov/sites/production/files/2016-06/documents/20140423guidance_nonattainment_sip.pdf.

cases to model. These cases were expanded to respond to EPA comments[31], as shown in Table 5-2 (with stack parameters listed in Table 5-3), to show NAAQS compliance over all of the cases modeled. The cases modeled also included four additional cases that EPA presented in their January 18, 2017 comments, as shown in Tables 5-4 and 5-5. The precedent case for this 3-stack emissions cap is the Hillsborough, Florida SO_2 nonattainment area resolution, as documented in EPA's proposed rule.[32] In that analysis, EPA considered a range of stack operations for 1, 2, and 3 stacks, and required the modeled results to show NAAQS compliance for all cases modeled. It is noteworthy that the Eastman operations involve load shifting of production that will avoid maximum operation for units exhausted to all three stacks at the same time. This restriction was not present for the Hillsborough, Florida application.

The cases included in Table 5-2 that span a range of stack operations are as follows:

- Maximum emissions for just one stack in operation are modeled for each stack, in addition to an emissions cap for all 3 stacks. This results in 3 cases (1a, 1b, and 1c) that are applicable to stacks for boilers 18-22, 23-24, and 30-31, respectively. In reality, never is only one of these stacks in operation without at least one of the other two.

- High emissions for two stacks in operation are presented as part of the NAAQS attainment demonstration of a 3-stack emissions cap for cases to test a range of conditions for modeled attainment. Based upon operational experience, units 30-31 are never both down at the same time except in the case of a very rare forced outage of one while the other is down for maintenance. This happened only three hours during the 2013-2015 period evaluated. These units are base loaded and one must be operational to burn fuel gas generated by Eastman's production process. The same is true for units 23 and 24 (base-loaded also). These units were both down for only 20 hours during the 2013-2015 period. Units 18-22 function as "swing" units and experience their highest utilization when the base-loaded units noted above are down for annual maintenance or during forced outages. For a little over 1300 hours in the three-year period (4 percent of the time), all five of these units were down. So, while not realistic, these cases were considered to demonstrate that, even in extreme variations, the three-stack limit is protective.

- Emission cases for all three stacks in operation were also modeled as part of the NAAQS attainment demonstration. For this set of runs, emissions data from the 2013-2015 period were examined for high load operations with emissions totaling at least 1,500 lb/hr from boilers 18-24 (leaving 400 lb hour from the 30-31 stack). This examination indicated that the ratio of emissions between the 18-22 and 23-24 stacks for these cases ranged between about 0.6 (10^{th} percentile case) and 1.2 (90^{th} percentile case). We looked at several cases for three stacks in operation with emission ratios for 18-22 and 23-24 ranging from 0.6 to 1.2 in ratio steps of 0.1.

The emission rates, stack parameters, and modeling results for a grand total of 27 cases are provided in Tables 5-2 through 5-5. All 27 cases show modeled SO_2 NAAQS attainment (concentrations not exceeding 196.5 $\mu g/m^3$). Concentration isopleths for one of the typical cases with three stacks in operation, Case 3e, is shown in Figure 5-1.

---

[31] EPA Region 4, January 18, 2017. U.S. Environmental Protection Agency's Draft Comments on Tennessee's Draft Submission for the Sullivan County SO_2 Attainment Demonstration.

[32] August 23, 2016 Federal Register (81 FR 57522).

Table 5-2: Emission Rates and Modeling Results for TDEC/Eastman Modeled Cases

Case No.	Case Description	Ratio 18-22 to 23-24	18-22 SO_2 Emission Rate (lb/hr)	23-24 SO_2 Emission Rate (lb/hr)	18-24 SO_2 Emission Rate (lb/hr)	30-31 SO_2 Emission Rate (lb/hr)	18-31 SO_2 Emission Rate (lb/hr)	Design Conc ($\mu g/m^3$)	Rolling 30-day to 1-hr Ave Ratio	30-day Limit (lb/hr)
1a	1 stack, Boilers 18-22 max.	-	1,905	0		0	1905	179.8	0.92	1753
1b	1 stack, Boilers 23-24 max.	-	0	1,905		0	1905	182.7	0.92	1753
1c	1 stack, Boilers 30-31 max.	-	0	0		1,800	1800	190.8	0.92	1656
2a	2 stacks, Boilers 23-24 max., Boilers 30-31 down	0.6	714	1,191	1905.0	0	1905	189.4	0.92	1753
2b	2 stacks, Boilers 23-24 max., Boilers 30-31 down	0.7	784	1,121	1905.0	0	1905	188.3	0.92	1753
2c	2 stacks, Boilers 23-24 max., Boilers 30-31 down	0.8	847	1,058	1905.0	0	1905	187.7	0.92	1753
2d	2 stacks, Boilers 23-24 max., Boilers 30-31 down	0.9	902	1,003	1905.0	0	1905	186.6	0.92	1753
2e	2 stacks, Boilers 18-22 max., Boilers 30-31 down	1.0	953	953	1905.0	0	1905	187.5	0.92	1753
2f	2 stacks, Boilers 18-22 max., Boilers 30-31 down	1.1	998	907	1905.0	0	1905	189.2	0.92	1753
2g	2 stacks, Boilers 18-22 max., Boilers 30-31 down	1.2	1,039	866	1905.0	0	1905	190.5	0.92	1753
2h	2 stacks, Boilers 18-22 and 30-31 max., Boilers 23-24 down,	-	1,305	0	1305.0	600	1905	171.6	0.92	1753
2i	2 stacks, Boilers 18-22 down, Boilers 23-24 and 30-31 max.	-	0	1,305	1305.0	600	1905	172.7	0.92	1753

Table 5-2: Emission Rates and Results for TDEC/Eastman Modeled Cases (cont.)

Case No.	Case Description	Ratio 18-22 to 23-24	18-22 SO_2 Emission Rate (lb/hr)	23-24 SO_2 Emission Rate (lb/hr)	18-24 SO_2 Emission Rate (lb/hr)	30-31 SO_2 Emission Rate (lb/hr)	18-31 SO_2 Emission Rate (lb/hr)	Design Conc ($\mu g/m^3$)	Rolling 30-day to 1-hr Ave Ratio	30-day Limit (lb/hr)
3a	3 stacks, Boilers 30-31 Max.	1.0	653	653	1305.0	600	1905	192.1	0.92	1753
3b	3 stacks, Boilers 18-22 max.	1.2	821	684	1505.0	400	1905	188.3	0.92	1753
3c	3 stacks, Boilers 23-24 max.	0.6	489	816	1305.0	600	1905	192.9	0.92	1753
3d	3 stacks, Boilers 23-24 max.	0.6	564	941	1505.0	400	1905	189.8	0.92	1753
3e	3 stacks, Boilers 23-24 max.	0.6	602	1,003	1605.0	300	1905	190.9	0.92	1753
3f	3 stacks, Boilers 23-24 max.	0.7	661	944	1605.0	300	1905	188.4	0.92	1753
3g	3 stacks, Boilers 23-24 max.	0.8	713	892	1605.0	300	1905	189.5	0.92	1753
3h	3 stacks, Boilers 23-24 max.	0.9	760	845	1605.0	300	1905	187.9	0.92	1753
3i	3 stacks, Boilers 23-24 max.	1.0	803	803	1605.0	300	1905	186.6	0.92	1753
3j	3 stacks, Boilers 23-24 max.	1.1	841	764	1605.0	300	1905	187.7	0.92	1753
3k	3 stacks, Boilers 23-24 max.	1.2	875	730	1605.0	300	1905	187.4	0.92	1753

Table 5-3: Stack Parameters for TDEC/Eastman Modeled Cases

Case No.	Case Description	18-22 Stack Height (m)	18-22 Temp (F)	18-22 Velocity (ft/s)	23-24 Stack Height (m)	23-24 Temp (F)	23-24 Velocity (ft/s)	30-31 Stack Height (m)	30-31 Temp (F)	30-31 Velocity (ft/s)
1a	1 stack, Boilers 18-22 max.	70.104	383.8	48.9	-	-	-	-	-	-
1b	1 stack, Boilers 23-24 max.	-	-	-	70.104	369.0	48.7	-	-	-
1c	1 stack, Boilers 30-31 max.	-	-	-	-	-	-	114.30	190.9	103.2
2a	2 stacks, Boilers 23-24 max., Boilers 30-31 down	70.104	368.5	39.3	70.104	357.4	48.7	-	-	-
2b	2 stacks, Boilers 23-24 max., Boilers 30-31 down	70.104	373.1	42.8	70.104	353.4	47.9	-	-	-
2c	2 stacks, Boilers 23-24 max., Boilers 30-31 down	70.104	377.2	45.7	70.104	349.8	46.3	-	-	-
2d	2 stacks, Boilers 23-24 max., Boilers 30-31 down	70.104	380.8	48.2	70.104	346.5	44.7	-	-	-
2e	2 stacks, Boilers 18-22 max., Boilers 30-31 down	70.104	383.8	48.9	70.104	343.6	43.2	-	-	-
2f	2 stacks, Boilers 18-22 max., Boilers 30-31 down	70.104	383.8	48.9	70.104	341.0	41.7	-	-	-
2g	2 stacks, Boilers 18-22 max., Boilers 30-31 down	70.104	383.8	48.9	70.104	338.6	40.4	-	-	-
2h	2 stacks, Boilers 18-22 and 30-31 max., Boilers 23-24 down,	70.104	383.8	48.9	-	-	-	114.30	187.4	101.3
2i	2 stacks, Boilers 18-22 down, Boilers 23-24 and 30-31 max.	-	-	-	70.104	364.0	48.7	114.30	187.4	101.3

Table 5-3: Stack Parameters for TDEC/Eastman Modeled Cases (cont.)

Case No.	Case Description	18-22 Stack Height (m)	18-22 Temp (F)	18-22 Velocity (ft/s)	23-24 Stack Height (m)	23-24 Temp (F)	23-24 Velocity (ft/s)	30-31 Stack Height (m)	30-31 Temp (F)	30-31 Velocity (ft/s)
3a	3 stacks, Boilers 30-31 Max.	70.104	364.4	36.1	70.104	326.3	32.5	114.30	187.4	101.3
3b	3 stacks, Boilers 18-22 max.	70.104	375.5	44.5	70.104	328.1	33.7	114.30	182.7	98.7
3c	3 stacks, Boilers 23-24 max.	70.104	353.7	26.8	70.104	335.7	38.6	114.30	187.4	101.3
3d	3 stacks, Boilers 23-24 max.	70.104	358.6	31.2	70.104	343.0	42.8	114.30	182.7	98.7
3e	3 stacks, Boilers 23-24 max.	70.104	361.1	33.3	70.104	346.6	44.7	114.30	180.4	97.5
3f	3 stacks, Boilers 23-24 max.	70.104	364.9	36.5	70.104	343.2	42.9	114.30	180.4	97.5
3g	3 stacks, Boilers 23-24 max.	70.104	368.4	39.3	70.104	340.1	41.2	114.30	180.4	97.5
3h	3 stacks, Boilers 23-24 max.	70.104	371.5	41.6	70.104	337.4	39.7	114.30	180.4	97.5
3i	3 stacks, Boilers 23-24 max.	70.104	374.3	43.7	70.104	335.0	38.2	114.30	180.4	97.5
3j	3 stacks, Boilers 23-24 max.	70.104	376.8	45.4	70.104	332.8	36.8	114.30	180.4	97.5
3k	3 stacks, Boilers 23-24 max.	70.104	379.0	47.0	70.104	330.8	35.5	114.30	180.4	97.5

Table 5-4: Emission Rates and Results for Four Additional EPA Modeled Cases

Case No.	Ratio 18-22 to 23-24	18-22 SO_2 Emission Rate (lb/hr)	23-24 SO_2 Emission Rate (lb/hr)	30-31 SO_2 Emission Rate (lb/hr)	18-31 SO2 Emission Rate (lb/hr)	Design Conc ($\mu g/m^3$)	Rolling 30-day to 1-hr Ave Ratio	30-day Limit (lb/hr)
3/18/2013	1.0	920	920	66	1905	186.3	0.92	1753
2/11/2013	0.6	590	983	331	1905	191.3	0.92	1753
8/19/2012	3.6	1,178	327	400	1905	186.9	0.92	1753
7/16/2012	0.2	243	1,262	400	1905	193.3	0.92	1753

Table 5-5: Stack Parameters for Four Additional EPA Modeled Cases

Case No.	18-22 Stack Height (m)	18-22 Temp (F)	18-22 Velocity (ft/s)	23-24 Stack Height (m)	23-24 Temp (F)	23-24 Velocity (ft/s)	30-31 Stack Height (m)	30-31 Temp (F)	30-31 Velocity (ft/s)
3/18/2013	70.104	382.0	48.9	70.104	341.7	42.1	114.30	174.9	94.5
2/11/2013	70.104	360.3	32.7	70.104	345.4	44.1	114.30	181.1	97.9
8/19/2012	70.104	383.8	48.9	70.104	307.5	17.6	114.30	182.7	98.7
7/16/2012	70.104	337.5	10.8	70.104	361.5	48.7	114.30	182.7	98.7

* Temperature and velocity calculated using the equations from Appendix A.

Figure 5-1: Concentration Isopleths for Case 3e



5.3 Determination of the Appropriate Long-term Average Emission Rates for Permit

EPA's April 23, 2014 guidance[33] for resolving SO_2 nonattainment areas acknowledges "that it may be possible in specific cases for states to develop control strategies that account for variability in 1-hour emissions rates through emission limits with averaging times that are longer than 1 hour, using averaging times as long as 30-days, but still provide for attainment of the 2010 SO_2 NAAQS." EPA's general expectation is that for infrequent periods of hourly emissions above the critical emission value, "these periods would be unlikely to have a significant impact on air quality, insofar as they would be very unlikely to occur repeatedly at the times when the meteorology is conducive for high ambient concentrations of SO_2. EPA considers this option to be an "appropriate balance between providing a strong assurance that the NAAQS will be attained and maintained, while still acknowledging the necessary variability in source operations and the impairment to source operations that would occur under what could be in some cases an unnecessarily restrictive approach to constraining that variability" (emphasis added). Application of this concept of a longer term average is appropriate in this case due to significant variability of boiler emissions due to a variety of factors including (1) shifting of load from gas boilers or scrubbed boilers (30 and 31) to uncontrolled coal boilers during planned and unplanned outages and (2) changes in plant steam load demand caused by seasonal factors as well as market demands and planned and unplanned manufacturing process outages. Additionally, two of the sources (boilers 30 and 31) included in this modeling study are equipped and are operated with SO_2 emissions control devices that can have very short-term elevated emissions during boiler startups and malfunctions (e.g. lime slurry feed system malfunctions). For such sources seeking alternate or longer-term emission limits, EPA's guidance notes that:

> "Sources with emission control equipment may be especially prone to periodic occurrences of high emissions, arising on occasions when the control equipment is not operating or operating at reduced efficiency. Therefore, the EPA finds it advisable that longer-term average limits for sources that meet these limits through the use of emission control equipment be subject to supplemental limits that serve to constrain the frequency and/or magnitude of occasions of elevated emissions. Establishment of such supplemental limits as part of a longer-term averaging approach is especially important in cases with significant potential for frequent and/or high magnitude occasions of elevated emissions, including, but not limited to, sources using emissions control equipment."

Discussions for the proposed SO_2 emission limits for each station are presented in the next four sub-sections.

Appendix C of the EPA's guidance provides an example in which a permitted rolling 30-day emission rate is related to the ratio of a high percentile 30-day emission rate divided by a high percentile 1-hour emission rate. In its example, EPA uses a 99th percentile, likely due to the assumption that for 1% of the time, the higher emission rates would not matter because the form of the 1-hour SO_2 NAAQS is a 99th percentile statistic.

For the purposes of calculating a rolling 30-day average SO_2 emission limit, Eastman elected to follow the procedure included in EPA's nonattainment guidance document, Appendix C.

---

[33] http://www3.epa.gov/airquality/sulfurdioxide/pdfs/20140423guidance.pdf

Step 1: Determine the critical emission rates for 1-hour averages that would result in the 5-year average of the annual 99th percentile of daily maximum hourly SO_2 concentrations at the level of the NAAQS. This step was completed and documented in Section 6.2 of this report. The critical emission rates modeled for each stack are shown in Table 6-2.

These emissions form the basis for a three-stack combined emission limit using 30-day to 1-hour ratios, as described below using EPA's procedures noted below from the Appendix C guidance and following the Hillsborough County, Florida example.

Step 2: Compile hourly emissions data reflecting the distribution of emissions that is expected once the compliance plan is implemented. These distributions describe the frequency with which different emission levels occur. For Eastman, the emissions over the last 3 years of operation (2013-2015) are expected to be representative of future year operations.

Step 3: Use the distribution of hourly emissions data obtained in Step 2 to compute a corresponding distribution of longer-term (30-day) emission averages.

Step 4: Use the distributions of the hourly values compiled in Step 2 and the longer-term average values computed in Step 3. This step determines the 99th percentile of the 1-hour average emission values compiled in Step 2 and the 99th percentile of the longer-term average emission values computed in Step 3.

Step 5: Compute the ratio of the two 99th percentile values from Step 4. For Eastman, this ratio is 0.92. A spreadsheet with the calculation is provided in the modeling archive.

Step 6: Multiply this ratio times the critical emission (1-hour) value to obtain the longer-term emission limit, which may be considered to have comparable stringency as a 1-hour limit at the modeled attainment level. For Eastman, the equivalent 30-day average emission limit is as follows:

- For the three stacks combined, 1,905 x 0.92 = 1,752 lb/hr.[34]

Because of the voluminous amount of data used in support of these calculations, these data are not included in this report, but are rather included with the modeling files forwarded to TDEC.

[34] Since all the 30-day limits computed and shown in Tables 5-2 and 5-4 are the same (1752 lb/hr), there is no need for stack-specific limits with the exception of the stack serving Boilers 30 and 31. The derived 30-day limit for that stack is 1656 lb/hr, but it is noted the Title V permit for these units sets lower limits (317 lb/hr, the 30-day rolling average) for Boiler 30 and 293 lb/hr (30 day rolling) for Boiler 31, for a total of 610 lb/hr for the 30-day rolling average. It is evident from the modeling results that the Title V SO_2 emission limit for Boilers 30 and 31 is protective of the SO_2 NAAQS.

Appendix A: Exhaust Parameters Determination

This appendix describes procedures that were used to develop relationships for computing exhaust temperature and velocity as a function of emissions for stacks serving boilers 18-22, 23-24, and 30-31.

Hourly SO_2 emissions, exhaust temperature and flow for each stack for the field study year (April 1, 2012 - March 31, 2013), which is representative of current boiler conditions, were provided by TDEC to AECOM and Eastman. TDEC had developed exhaust temperature and velocity for a specific set of emissions. However, due to the need to model other emission cases AECOM needed to generalize the relationships between emission rate and temperature or exit velocity to all emission rates. To do this, we used the TDEC's set of specific emissions and exhaust parameters (a set of 3-5 data points were provided), plotted them, and developed best-fit equations for those data points.

Table A-1 shows exhaust parameters for specific emission cases as developed by TDEC. AECOM has plotted the five data points, shown in Figure A-1 and A-2 for the boilers 23-24 and in Figures A-3 and A-4 for the boilers 23-24. A second order polynomial trend line was the best fit for the velocity data points and a linear trend line was the best fit for the temperature data points. The figures display the resulting equations produced by Excel.

Due to emissions control and base loading, boilers 30-31 velocity and temperature have relatively little variation with emissions. Therefore, only three data points were sufficient to depict the relationship between the emissions and exhaust parameters. Figure A-5 and A-6 shows these data points and the resulting linear fit equations.

Velocity and temperature for boilers 18-22, 23-24, and 30-31 for the purposes of load analyses and compliance modeling were computed as a function of emissions using the equations as described above and also summarized in Table A-2.

In addition to the equations, an upper limit on temperature and velocity was conservatively established for each stack, based upon actual data. These limits are also listed in Table A-1 and Table A-2. AECOM reviewed the year of the TDEC-provided data and found typical high load temperatures and velocities that were used as upper limit values.

Table A-1: Boilers 18-22 Emission Bins and Corresponding Velocities and Temperatures

Data Range Used (lb/hr)	Avg. SO_2 Emissions (lb/hr)	Avg. Stack Velocity (ft/s)	Avg. Stack Temperature (°F)	Number of data points
275-325	312.5	14.9	349.8	244
575-625	599.3	32.3	362.3	653
675-725	698.2	36.3	364.4	374
765-815	788.1	39.5	364.1	277
Data Range Used (lb/hr)	**SO_2 Emissions (lb/hr)**	**Stack Velocity (ft/s)**	**Stack Temperature (°F)**	**Number of data points**
1,000-1,200	2000.0	53.4	456.0	296
Upper Limit Values		**48.9**	**383.8**	

Table A-2: Boilers 23-24 Emission Bins and Corresponding Velocities and Temperatures

Data Range Used (lb/hr)	Avg. SO_2 Emissions (lb/hr)	Avg. Stack Velocity (ft/s)	Avg. Stack Temperature (°F)	Number of data points
234-337	300.4	16.7	304.3	6
575-625	600.8	28.6	310.1	54
675-725	701.7	34.3	335.7	259
765-815	793.9	39.0	345.1	819
Data Range Used (lb/hr)	**SO_2 Emissions (lb/hr)**	**Stack Velocity (ft/s)**	**Stack Temperature (°F)**	**Number of data points**
1,000-1,300	2000.0	57.4	401.9	1366
Upper Limit Values		**48.7**	**369.0**	

Table A-3: Boilers 30-31 Emission Bins and Corresponding Velocities and Temperatures

Data Range Used (lb/hr)	Avg. SO_2 Emissions (lb/hr)	Avg. Stack Velocity (ft/s)	Avg. Stack Temperature (°F)	Number of data points
300-301	300.5	96.4	180.2	106
400-440	413.8	100.8	183.2	119
502-694	574.0	100.2	186.7	27
Upper Limit Values		**103.2**	**190.9**	

Figure A-1: Boilers 18-22 Emissions and Velocity Relationship



Figure A-2: Boilers 18-22 Emissions and Temperature Relationship



Figure A-3: Boilers 23-24 Emissions and Velocity Relationship



Figure A-4: Boilers 23-24 Emissions and Temperature Relationship



Figure A-5: Boilers 30-31 Emission and Velocity Relationship



Figure A-6: Boilers 30-31 Emission and Temperature Relationship



Table A-2: Equations to Compute Exhaust Parameters Based on Emissions

Source	Parameter	Equation	Upper Limit Parameter Values
18-22	Temperature (F)	y = 0.0657x + 321.53, where y is temp (F) and x is emission rate (lb/hr)	383.8 F
18-22	Velocity (ft/sec)	$y = -2E\text{-}05x^2 + 0.0796x - 7.3356$, where y is velocity (ft/s) and x is emission rate (lb/hr)	48.9 f/sec
23-24	Temperature (F)	y = 0.0578x + 288.59, where y is temp (F) and x is emission rate (lb/hr)	369.0 F
23-24	Velocity (ft/sec)	$y = -1.6E\text{-}05x^2 + 6.14E\text{-}02x - 7.9E\text{-}01$, where y is velocity (ft/s) and x is emission rate (lb/hr)	48.7 ft/sec
30-31	Temperature (F)	y = 0.0234x + 173.33, where y is temp (F) and x is emission rate (lb/hr)	190.9 F
30-31	Velocity (ft/sec)	y = 0.0128x + 93.627, where y is velocity (ft/s) and x is emission rate (lb/hr)	103.2 ft/sec

Appendix B: Population Estimate Using Facility Heat Release Data

AERMOD's Model Formulation for Urban Dispersion

In urban areas, AERMOD accounts for the dispersive nature of the "convective-like" boundary layer that forms during nighttime conditions by enhancing the turbulence over that which is expected in the adjacent rural, stable boundary layer. The enhanced turbulence is the result of the urban heat flux and associated mixed layer, which are estimated from the urban-rural temperature difference as suggested by Oke (1978; 1982)[35,36].

Although urban surface characteristics (roughness, albedo, etc.) influence the boundary layer parameters at all times, the effects of the urban sublayer on the structure of the boundary layer is largest at night and relatively absent during the day (Oke,1998)[37]. An urban "convective-like" boundary layer forms during nighttime hours when stable rural air flows onto a warmer urban surface. Following sunset, the urban surface cools at a slower rate than the rural surface because buildings in the urban area trap the outgoing thermal radiation and the urban subsurface has a larger thermal capacity. AERMOD accounts for this by enhancing the turbulence above that found in the rural stable boundary layer (i.e., a convective-like urban contribution to the total turbulence in the urban stable boundary layer). The convective contribution is a function of the convective velocity scale, which in turn, depends on the surface heat flux and the urban mixed layer height. The upward heat flux is a function of the urban-rural temperature difference, where the urban temperature is taken at the core of the urban area.

The urban-rural temperature difference depends on a large number of factors that cannot easily be included in applied models such as AERMOD. For simplicity, the data presented in Oke (1973; 1982)[38,2] is used to construct an empirical model. Oke presented observed urban-rural temperature differences for a number of Canadian cities with populations varying from about 1000 up to 2,000,000. These data represent the maximum urban effect for each city since they were collected during ideal conditions of clear skies, low winds, and low humidities. An empirical fit to the data yields the following relationship:

$$\Delta T_{u-r} = \Delta T_{max} [0.1 \ln (P/Po) + 1.0] \quad (1)$$

where $\Delta T_{max} = 12°C$, $Po = 2{,}000{,}000$ (the city population associated with the maximum temperature difference in Oke's data), and P is the population of the urban area being modeled. Since the ambient nighttime temperature of an urban area is higher than its surrounding rural area, an upward surface heat flux must exist in the urban area. It is assumed that this upward surface heat flux, Hu, is related to the urban-rural temperature difference through the following relationship

$$H_u = \alpha \rho c_p \Delta T_{u-r} u_*, \quad (2)$$

where Hu is the anthropogenic ("excess") heat release in units of watts per square meter in the "urban core" (an industrial area at least a few hundred meters on a side[39]).

---

[35] Oke, T. R., 1978. Boundary Layer Climates. John Wiley and Sons, New York, New York, 372 pp.

[36] Oke, T. R., 1982. The energetic basis of the urban heat island. Quart.J.Roy.Meteor.Soc., 108: 1-24.

[37] Oke, T. R., 1998. An algorithmic scheme to estimate hourly heat island magnitude. Preprints, 2nd Urban Environment Symposium, American Meteorological Society, Boston, MA, 80-83.

[38] Oke, T. R., 1973. City size and the urban heat island. Atm.Env., 7: 769-779.

[39] In a series of personal communications, Dr. Steve Hanna indicated that the minimum size of an industrial area needed to take on "urban" characteristics has been the subject of much discussion over the years. He indicated that

As noted in the AERMOD formulation document[40], α is an empirical constant (0.03), ρ is the density of air (about 1.2 kg/m^3), c_p is the specific heat at constant pressure (1 watt-sec/g-deg K), and, as noted above, u_* is on the order of 0.1 m/s. This Equation 2 can be solved for ΔTu-r:

$$\Delta Tu\text{-}r \sim Hu/4, \quad (3)$$

where Hu is in units of watts per square meter and the temperature difference is in deg K.

Effective Population Estimate for Eastman Facility

Satellite Data Approach to Determine Urban-Rural Temperature Difference

Thermal satellite data over the Eastman Facility and surrounding area was used to determine urban-rural temperature difference ($\Delta T_{u\text{-}r}$) and then solve Equation 1 to determine effective population. The procedures for conducting this estimate are described in a white paper[41], in a peer-reviewed paper[42], and are also discussed in the open literature (e.g., Fung et al., 2009[43] and Nichol, 2005[44]). From Equation 1, the effective population, P, is expressed as:

$$P = Po \exp [10(\Delta T_{u\text{-}r} / \Delta T_{max} - 1.0)], \quad (4)$$

where

ΔT_{max} = 12 degrees

Po = 2,000,000.

A thermal satellite surface brightness temperature from ASTER Band 14 (April 1, 2010, 11 LST) shown in Figure B-1 indicates that the $\Delta T_{u\text{-}r}$ at the facility is roughly 9 degrees above the surrounding rural area. Using Equation 2, this temperature increase resulted in an effective population of about 200,000.

---

an "expert elicitation" would likely result in a minimum size estimate of a few hundred meters. The anthropogenic heat release per unit area of major cities such as Indianapolis (extensively studied by EPRI in the 1980s) would be on the order of 50 watts/m^2.

[40] Available at http://www.epa.gov/ttn/scram/7thconf/aermod/aermod_mfd.pdf.

[41] Attachment I submitted by the American Iron & Steel Institute as comments on EPA on the proposed changes to Appendix W on October 27, 2015; available at https://www.regulations.gov/document?D=EPA-HQ-OAR-2015-0310-0110.

[42] Paine, R., Warren, L.L., Moore, G.E., Source Characterization Refinements for Routine Modeling Applications, *Atm. Env. 129* (2016), 55-67. doi: 10.1016/j.atmosenv.2016.01.003.

[43] Fung, W. Y., K. S. Lam, J. Nichol, and M. S. Wong, 2009. Derivation of Nighttime Urban Air Temperatures Using a Satellite Thermal Image. J. Appl. Clim. and Met. 48: 863-872.

[44] Nichol, J., 2005. Remote Sensing of Urban Heat Islands by Day and Night. Photogrammetric Engineering & Remote Sensing. 71: 613-621.

Engineering Estimates Approach to Determine Urban-Rural Temperature Difference

Figure B-2 engineering estimates of the total heat release from the facility and is equal to about 2100 MMBtu/hr, or about 600 MW. If approximately 50% of this is assumed to escape to the atmosphere (vs. being absorbed by ground, buildings, etc.), then this is equivalent to about 300 MW. The area occupied by the Eastman Facility is about 8 km^2. Then the anthropogenic heat release (Hu) in units of watts per square meter amounts to 37.5 W/m^2. Solving Equation 3, urban-rural temperature difference (ΔT_{u-r}) is about 9 deg K (or 15 deg F). Then, using Equation 4, the resulting effective population is about 200,000.

Figure B-1: Eastman Facility Heat Releases



= Powerhouse

Ⓐ = Cooling

Marker (square)	Power House	Heat Release (MMBTU/hr)
1	B-83	130
2	B-253	280
3	B-325	165

Marker (circle)	Cooling Tower	Heat Release (MMBTU/hr)
A	B-190	5
B	B-248D	15
C	B-248K	30
D	B-280	20
E	B-288N	70
F	B-288S	40
G	B-302	30
H	B-307	400
I	B-309	430
J	B-344	115
K	B-351	110
L	B-356	160
M	B-447	100

Figure B-2: Surface Brightness Temperature



Eastman Facility is encompassed by a red rectangle. The surface brightness temperature difference (ΔT_{u-r}) between the inside and outside the Eastman Facility is about 9 degrees (305 deg – 295 deg).

Attachment H1b
TDEC-APC Modeling Analysis for the Sullivan County, TN SO_2 Nonattainment Area

NAAQS Attainment Demonstration Modeling Analysis for the Sullivan County, TN SO_2 Non-attainment Area

TDEC/APC

Eastman CEV Modeling Analysis

Contents

1.0 Introduction..... 1

1.1 Background 1

1.2 Organization of Report 1

2.0 Site-specific Meteorological Data Processing..... 1

3.0 Regional Source Inventory..... 2

4.0 SO2 Ambient Background Concentrations……3

5.0 Determination of Long-Term SO2 Permit Emission Limits……4

5.1 Load Analysis 4

5.2 Critical Emission Value Modeling Approach.....4

6.0 Determination of Long-Term SO_2 Permit Emission Limits 17

Appendix A – Response to EPA Modeling Comments……25

List of Tables

Table H9-1: Tennessee Title V Sources located within 50Km of Eastman Chemical..... 2

Table H9-2: Virginia Title V Sources located within 50km of Eastman Chemical..... 5

Table H9-3: 2018-2020 Background Concentrations from Mammoth Cave NP..... 6

Table H9-4: 2018-2020 Background Concentrations from Mammoth Cave NP..... 9

Table H9-5: Basis of Emission Rates for 1-Stack and 2-Stack Modeled Cases.....12

Table H9-6: Emission Rates fand Stack Parameters for 1-Stack and 2-Stack Modeled Cases 12

Table H9-7: Modeling Results for 1-Stack and 2-Stack Modeled Cases.....13

Table H9-8: Emission Rates and Modeled Sources for Case 1.....14

Table H94-9: Emission Rates and Modeled Sources for Case 7 17

Table H9-10: Emission Rates and Modeled Sources for Case 9 20

Table H9-11: Calculation of 30-Day Rolling Average Emission Limit 24

List of Figures

Figure H9-1: Map of Cardinal Flat Glass facility relative to Kingsport, TN.....6

Figure H9-2: Map of Virginia City Hybrid Energy Center facility relative to Kingsport, TN.....7

Figure H9-3: Map of American Electric Power Clinch River facility relative to Kingsport, TN 7

Figure H9-4: 4H Concentration Isopleths for Case 1 15

Figure H9-5: H4H Max Concentration Impact for Case 1.....16

Figure H9-6: H4H Concentration Isopleths for Case 7.....18

Figure H9-7: H4H Max Concentration Impact for Case 7.....19

Figure H9-8: H4H Concentration Isopleths for Case 9.....21

Figure H9-9: H4H Max Concentration Impact for Case 9.....22

1.0 Introduction

1.1 Background

The additional TDEC updated modeling analysis supplements the modeling methodologies and procedures as described in Attachment H1a. This analysis addresses a two-stack scenario, one stack represents Boilers 18-24 (Stack C for the B-83 powerhouse was removed from service September 2021) and another stack for Boilers 30-31 (B-325 powerhouse).

1.2 Organization of Report

Section 2 describes the revised meteorological data. Section 3 addresses the updated background concentrations. Section 4 details the load analysis and the TDEC additional 12 modeling scenarios for the critical emission value (CEV) runs.

Application of the modeling approach to determine the CEV, the use of the SO_2 emission distributions for the stacks associated with boilers 18-24 and 30-31 to determine a rolling 30-day emission limit applicable to the total emissions of these two stacks is discussed in Section 5.

2.0 Site-specific Meteorological Data Processing

(This topic is also addressed in Section 7.4 of the SIP narrative).

In the 2017 AD submittal, Eastman onsite meteorological data used the 1992 NLCD and applied the adjustment to the horizontal friction velocity (ADJ_U*) and without the application of turbulence (sigma-theta and sigma-w) turbulence parameters in the Eastman SO2 modeling.

In the Summer of 2020, EPA has indicated concerns over the use of (ADJ_U*) Beta option and turbulence issues, so the onsite met data was revised to remove the adjustment to the horizontal friction velocity and keeping the application of turbulence.

Subsequently, in August of 2020, EPA has indicated concerns over the inclusion of turbulence measurements at all in the onsite meteorological data when using the urban dispersion option with the associated heat island effect because of the double counting of the turbulence effect from the measurements and the urban option based on the 2018 and 2021 EPA's AERMOD implementation guidance[1], which indicates that sigma-theta and/or sigma-w should not be used when running AERMOD in urban mode as stated below in Section 3.3 of the guidance:

"The use of site-specific meteorological data obtained from an urban setting may require some special processing if the measurement site is located within the influence of the urban heat island and site-specific turbulence measurements are available (*e.g.*, σθ and/or σw). As discussed in Section 5.4, the urban algorithms in AERMOD are designed to enhance the turbulence levels relative to the nearby rural setting during nighttime stable conditions to account for the urban heat island effect. Since the site-specific turbulence measurements will reflect the enhanced turbulence associated with the heat island, site-specific turbulence measurements should not be used when applying AERMOD's urban option, in order to avoid double counting the effects of enhanced turbulence due to the urban heat island."

Accordingly, the 1992 NLCD onsite met data was revised by the removal of the ADJ_U* in the

1 AERMOD Implementation Guide, EPA-454/B-21-006, July 2021. Sigma-theta is the standard deviation of the horizontal wind direction fluctuations. Sigma-w is the standard deviation of the vertical wind speed fluctuations.

AERMET surface met data file and by also removing the measured turbulence during stable conditions (i.e., nighttime) by assigning missing values for sigma-theta and sigma-w in the AERMET profile met data file.

Finally, in September 2022, and in response to the EPA R4 comments regarding the 2/2022 draft AD submittal, TDEC has updated the Eastman onsite met with the 2011 NLCD and with the application of the latest version of AERMET (version 22112). This final meteorological set consists of using the 2011 NLCD and the removal of the adjustment to the horizontal friction velocity (ADJ_U*) and the removal of turbulence (by assigning sigma-theta and sigma-w missing values) during stable hours only, which is processed through AERMOD (NOTURBST) as it is now an available option with the latest version of AERMOD (version 22112).

---

[1]AERMOD Implementation Guide, EPA-454/B-21-006, July 2021.
Sigma-theta is the standard deviation of the horizontal wind direction fluctuations.
Sigma-w is the standard deviation of the vertical wind speed fluctuations.

3.0 Regional Source Inventory

To account for the impact of sources other than Eastman, it is necessary to include the contributions of any identified nearby SO_2 sources as well as distant sources that would have a relatively uniform (regional) concentration impact over the non-attainment area. The regional sources included in the updated modeling (dated 2023-0120) are the Domtar Paper company and the Cardinal Glass facility with its updated SO_2 emissions (Section 3.2 of the SIP narrative).

Tennessee identified other large sources of SO_2 emissions within 50 kilometers of the nonattainment area as follows:

Tennessee Facilities: Title V facilities in Sullivan (excluding Eastman Chemical Company, Domtar, and Primester), Hawkins, Greene, Washington, Unicoi, Carter, and Johnson Counties are shown in **Table H9-1**. Tennessee reviewed all allowable SO_2 emissions above 100 tons/year and determined that only one facility (Cardinal Flat Glass) had the potential to contribute to a violation of the SO_2 NAAQS and therefore was included in the updated modeling for the n12 CEV runs (dated 2023-0120). The highest contribution to the design value from this facility is 0.2 ppb (Run 2023-0120-7), which is insignificant.

Virginia Facilities: Tennessee contacted the Virginia Department of Environmental Quality (DEQ) and asked Virginia to identify any large SO_2 sources (> 100 tons/year within the past five years) in Lee, Scott, Wise, Dickenson, Washington, or Russell Counties. Based on the information provided by Virginia, Tennessee identified two additional facilities for additional review (**Table H9-2**).

All the remaining sources will be screened out from the modeling based on the 20D magnitude approach of Q/D (Annual Emissions in tons-per-year over Distance in km), where the Q/D ratio is less than 20 denoting an insignificant source, which can be screened out from the modeling. This screening method is referenced from North Carolina DNR screening procedure threshold for PSD applications dated July 22, 1985.

---

[1]NC DNR, 20D Magnitude Screening Approach, 1985.

Table H9-1: Tennessee Title V Sources Located Within 50km of Eastman Chemical							
Facility ID	**Primary Name**	**County**	**Latitude**	**Longitude**	**Allowable SO_2 Emissions (tons)**	**2020 ActualSO_2 Emissions (tons)**	**Comments**
37-0001	Holliston, LLC	Hawkins	36.51209	-82.758207	2623.3	0.014	Fuel burning equipment at this facility consists only of units designed to burn gas 1 fuel (the primary fuel is natural gas).
37-0007	TVA John Sevier Combined Cycle Plant	Hawkins	36.37567	-82.96325	101.5	10.77	Fuel-burning equipment at this facility consists only of natural gas and #2 fuel oil combustion. #2 fuel oil is burned only as a backup during natural gas curtailment. Actual emissions from this facility are 10 tons/year per EPA's Acid Rain Program database.
37-0026	Cardinal FG Company Greenland Plant	Hawkins	36.49587	-82.778173	582.23	421.58	Glass melting furnace emissions.
37-0028	Holston Army Ammunition Plant Area B	Hawkins	36.53459	-82.629334			Combined allowable emissions for Area A (Sullivan County) and Area B (Hawkins County). All coal boilers at this facility have been retired, and only natural gas and #2 oil are burned in the new boilers at BAE's Area B facility in Hawkins County.
82-0018	Holston Army Ammunition Plant	Sullivan	36.53459	-82.629334	9954.64	1225.19	
90-0039	Mountain Home Energy Center	Washington	36.30983	-82.377645	255.5	0.17	Fuel burning equipment at this facility consists only of natural gas and #2 oil units.
30-0001	Imerys Fused Minerals Greeneville, Inc.	Greene	36.18433	-82.79507	0	0.31	Allowable SO_2 emissions are less than 100 tons/year.
30-0132	Plus Mark, LLC	Greene	36.19549	-82.732614	8.65	0.015	
30-0136	Donaldson Company, Inc.	Greene	36.18333	-82.806667	0	No emissions reported	
30-0165	Delfasco, LLC	Greene	36.20158	-82.777114	0	No emissions reported	
30-0166	SumiRiko	Greene	36.1922	-82.9979	0	0.020	

Table H9-1: Tennessee Title V Sources Located Within 50km of Eastman Chemical							
Facility ID	**Primary Name**	**County**	**Latitude**	**Longitude**	**Allowable SO_2 Emissions (tons)**	**2020 ActualSO_2 Emissions (tons)**	**Comments**
	Tennessee, Inc.						
37-0067	Hutchinson Sealing System, Inc.	Hawkins	36.50416	-82.76861	0	No emissions reported	
37-0080	BFI Carter Valley Landfill	Hawkins	36.54345	-82.787876	26.05	No emissions reported	
82-0007	Seaman Corporation	Sullivan	36.55319	-82.171191	2.9	0.023	
82-0052	UPM Pharmaceuticals, Inc.	Sullivan	36.5905	-82.179	5.05	No emissions reported	
82-0110	East Tennessee Natural Gas Company	Sullivan	36.4469	-82.521851	7.8	0.027	
82-0153	Microporous, LLC	Sullivan	36.43555	-82.291542	0.88	0.20	
82-0481	Eco-Safe Landfill	Sullivan	36.55906	-82.352904	23.57	1.38	
90-0246	Iris Glen Environmental Center	Washington	36.32944	-82.332222	6.9	1.5	
90-0405	LPI Inc.	Washington	36.3075	-82.333333	0	No emissions reported	

Table H9-2: Virginia Title V Sources Located Within 50km of Eastman Chemical (SO_2 Emissions > 100 tons/year)			
Site Name	**County**	**Year**	**SO_2 Emissions (tons)**
American Electric Power-Clinch River Plant	Russell	2010	6,595
		2011	5,921
		2012	3,882
		2013	3,994
		2014	3,302
		2015	2,059
		2016	91
		2017	73
		2018	174
		2019	106
		2020	80
Dominion Energy – Virginia City Hybrid Energy Center	Wise	2012	55
		2013	146
		2014	150
		2015	100
		2016	107
		2017	119
		2018	95
		2019	40
		2020	69

Q/D Calculations: For the three facilities with greater than 100 tons/year of SO_2 emissions, Tennessee calculated the difference between each facility and the nonattainment area based on latitude/longitude data. Tennessee calculated Q/D for each facility using the 2020 emissions inventory for Cardinal Flat Glass and the highest reported SO_2 emissions from the last five years for the Virginia facilities (**Table H9-3**).

Geography: Tennessee reviewed the geography surrounding each facility using the terrain function of Google Maps. Tennessee also consulted with Virginia DEQ to assess the geography of the two Virginia facilities. Maps showing the location of each facility and prominent terrain features are shown in **Figures H9-1, H9-2, and H9-3.**

Table H9-3: Q/D Calculations					
Facility	**Latitude**	**Longitude**	**Distance from Nonattainment Area (km)**	**SO_2 Emissions (tons/year)**	**Q/D**
Cardinal Flat Glass	36.499521	-82.779694	23	421.58	18.33
American Electric Power-Clinch River Plant	36.933401	-82.199203	55	174	3.16
Dominion Energy – Virginia City Hybrid Energy Center	36.91645	-82.33816	48	119	2.48
All calculations are based on a nonattainment area reference point centered on the B-83 powerhouse stacks (36.519802° latitude and -82.539094° longitude)					

Figure H9-1: Map of Cardinal Flat Glass Relative to Kingsport, Tennessee



Figure H9-2: Map of Virginia City Hybrid Energy Center Relative to Kingsport, Tennessee



Figure H9-3: Map of American Electric Power Clinch River Plant Relative to Kingsport, Tennessee

Cardinal Flat Glass: Of the three facilities assessed, Cardinal Flat Glass is least impacted by the surrounding geography. Cardinal Flat Glass is located in the Holston River valley in Hawkins County and is upwind of the nonattaining monitor. The most prominent terrain feature in this area is Bays Mountain, which runs southwest to northeast through Sullivan and Hawkins Counties. Bays Mountain is approximately 2,000 feet above sea level and about 800 feet higher than the surrounding valley (the nonattaining monitor and Cardinal Flat Glass are both located at approximately 1,200 feet above sea level). Bays Mountain terminates near Kingsport, near the confluence of the North and South Forks of the Holston River. Bays Mountain does not block the transport of emissions from the facility to the nonattainment area, but since the facility and the nonattainment areas are located on opposite sides of

the mountain, the geography of the area may inhibit transport. This facility (representing two melting furnaces) was included in the updated modeling (dated 2023-0120).

Virginia City Hybrid Energy Center: The prominent terrain feature relative to this facility is Clinch Mountain, which runs southwest to northeast through Hawkins and Hancock Counties in Tennessee and Scott and Russell Counties in Virginia at an elevation of 2,000 to 2,500 feet above sea level. The mountain is unbroken save for a single gap between Weber City and Gate City in Virginia. This facility is located in St. Paul, Virginia, at an elevation of approximately 1,500 feet, and the nonattainment area lies on the opposite side of the mountain at a similar elevation (approximately 1,200 feet). Virginia DEQ also noted2 that the nonattaining monitor is upwind of the Virginia City Hybrid Energy Center, and emissions from the facility would be transported away from Sullivan County.

American Electric Power Clinch River Plant: American Electric Power's Clinch River Plant is located on the opposite side of Clinch Mountain from Kingsport. The Clinch River Plant is located on the Clinch River (approximately 1,500 feet above sea level) northeast of Kingsport, east of St. Paul, Virginia, and northwest of Lebanon, Virginia. The terrain is sharper in the vicinity of this facility, and Clinch Mountain rises to approximately 4,000 feet above sea level near Lebanon. Virginia DEQ assessed this facility3 and found that the Clinch River Plant's emissions, alone or as an interaction with cross-state emissions, are unlikely to cause or contribute to a violation of the 2010 SO_2 NAAQS in a neighboring state. Tennessee notes that this facility is generally upwind of Kingsport, and emissions would tend to be transported away from the nonattainment area.

2 *Commonwealth of Virginia §110(a)(2)(D)(I) Good Neighbor Provisions*, 2010 SO_2 NAAQS, draft document transmitted to Tennessee June 2022.
3 *Ibid*.

4.0 SO2 Ambient Background Concentrations

(This topic is also addressed in Section 7.5 of the SIP narrative).

To account for regional background concentrations, recent guidance provided by EPA has suggested the use of ambient SO_2 concentrations from the monitor located at Mammoth Cave National Park in Kentucky (AQS ID 21-061-0501). TDEC calculated and updated the most recent 3 years (2019-2021) of the hourly varying "season-by-hours-of-day" background dataset using procedures described in the March 1, 2011, EPA guidance [2]. The seasonal by hour of the day ambient background value was processed within the model using the BACKGRND SEASHR keyword in the source card.

Table H9-4: 2019-2021 Background Concentrations (ppb) from MMCA for Each Season by Hour of Day

Hour	Winter	Spring	Summer	Fall
1	1.13	0.80	0.57	0.97
2	1.15	0.80	0.55	0.95
3	1.15	0.70	0.70	1.20
4	1.35	0.65	0.65	0.60
5	1.65	0.70	0.55	0.55
6	1.45	0.75	0.70	0.50
7	1.35	1.45	1.10	0.75
8	1.85	1.55	1.25	0.90
9	1.80	1.65	1.20	1.35
10	2.15	1.45	1.75	1.35
11	2.00	1.25	1.60	2.40
12	1.70	1.50	1.20	0.80
13	1.60	1.05	1.25	1.10
14	1.55	1.00	1.10	1.05
15	1.50	1.10	0.85	0.65
16	1.35	1.30	0.65	0.95
17	1.25	0.85	0.60	0.95
18	1.30	0.70	0.80	1.05
19	1.75	1.10	0.60	1.00
20	1.90	1.00	0.60	0.70
21	1.90	0.85	0.95	1.10
22	1.40	0.90	0.40	1.20
23	1.70	1.20	0.35	1.55
24	1.20	0.80	0.40	1.35

[2] This guidance is available at https://www.epa.gov/sites/default/files/2015-07/documents/appwno2_2.pdf

5.0 Determination of Long-Term SO_2 Permit Emission Limits

The "critical emission value" for a facility is the maximum 1-hour average emission rate that, when combined with background, results in a design concentration that just complies with the NAAQS. The critical value is used as a reference point for setting a longer-term emission rate. This section describes a load analysis, critical emission values modeling approach, and the resulting long-term SO_2 permit limit for the Eastman Facility.

5.1 Load Analysis

The AERMOD modeling analysis was conducted with emission rates and exhaust characteristics (velocity and temperature) that represent a range of possible values for the Eastman 83 Powerhouse boilers 18-24 and for 325 Powerhouse boilers 30-31 during steady-state operations.

Tennessee determined a range of operational cases to model at a maximum emission rate (combined total for both stacks) of 1,600 lb/hr. Future SO_2 emissions for B-83 and B-325 were based on hourly SO_2 emission rates occurring between July 1, 2019, and December 31, 2020 (Attachment E). Tennessee considers these data to be representative of facility operations based on the amount of data and the range of operating conditions addressed by the dataset (e. g., periods with high and low heat inputs, maintenance outages, etc.).

The modeling input parameters and results of the load analysis are listed in Table 4-2. As expected, the worst- case load cases were the high load case for each stack.

5.2 Critical Emission Value Modeling Approach

The critical emission value (CEV) is the short-term (1-hour average in this case) constant emission rate that results in a design concentration at or below the NAAQS. Based upon EPA's SO2 nonattainment modeling guidance[3], the critical value can be used as a reference point for setting a longer-term emission rate. For the critical value runs, the temperature and velocities for the 83 and 325 sources were determined using equations from Attachment H3.

The CEV air dispersion modeling evaluation was performed using EPA's preferred air dispersion model AERMOD (version 21112). The one-stack and two-stack emissions scenarios were evaluated for a 1600 lb/hr limit for the coal-fired Boilers 18-24 and Boilers 30-31 in addition to all sources from Eastman and the Domtar Paper nearby source. Results of the modeling analysis for the different emission scenarios are shown in Table 4-3.

With two different stacks, many different possible combinations of critical values are possible for resulting in a design concentration at or below the NAAQS. In addition, the facility load can shift among the 18-24 and 30-31 units so that they would not be emitting at peak rates simultaneously.

---

[3] EPA, April 23, 2014. Guidance for 1-hour SO2 Nonattainment Area SIP Submissions, available at https://www.epa.gov/sites/production/files/2016-06/documents/20140423guidance_nonattainment_sip.pdf.

However, for the worst-case impact, Case 1, all the load was shifted to the 83 boilers source. These additional 12 cases were expanded to make sure the emissions for one and two-stack scenarios will comply with the NAAQS, as these emissions scenarios are shown in Table 4-1 (with stack parameters listed in Table 4-2), to show NAAQS compliance over all the cases modeled as shown in Table 4-3.

All 12 cases show modeled SO_2 NAAQS attainment (concentrations not exceeding 196.5 $\mu g/m^3$).

The modeled sources and their emission rates for the highest impact (case 1) are shown in Table 4-4. Concentration isopleths for this run are shown in Figure 4-1 and the location of the modeled highest-4^{th} -high impact is shown in Figure 4-2.

The modeled sources and their emission rates for the highest impact for a two-stack scenario (case 9) are shown in Table 4-5. Concentration isopleths for this run is shown in Figure 4-3 and the location of the modeled highest-4^{th} -high impact is shown in Figure 4-4.

Table H9-5: Basis of Emission Rates for (1-Stack and 2-Stack) Modeled Cases

Run	Number of Stacks	Boiler(s)	Total SO_2 Emissions (lb/hr)	
2021-1129-1	1	18, 19, 20, 21, 22	1600.0	18-22 at max emission rates, 23-24 down, 30-31 down. Basis for stack parameters is 2/15/21 runs adjusted from 1615 lb/hr to 1600 lb/hr
2021-1129-2	2	18, 19, 20, 21, 22, 23, 24, 31	1600.0	Boiler 30 down, Boiler 31 at 95th percentile, Boilers 18, 19, and 22 at 98th, Boilers 20, 21, 23, and 24 at 95th percentile
2021-1129-3	2	20, 21, 22, 23, 24, 30	1600.0	Boiler 31 down, Boiler 30 at 95th percentile, Boilers 18-22 at 95th or 98th percentiles
2021-1129-4	2	19, 21, 22, 23, 24, 31	1600.0	Boiler 30 down, used updated 98th percentile stack parameters for Boiler 31
2021-1129-5	2	20, 21, 22, 23, 24, 30	1600.0	Boiler 31 down, used updated 98th percentile stack parameters for Boiler 30
2021-1129-6	2	20, 21, 22, 23, 24, 30	1600.0	Boiler 31 down, Boiler 30 at adjusted 30-day allowable, Boilers 20, 21, 22, 23, and 24 at 95th percentile
2021-1129-7	2	21, 22, 23, 24, 31	1600.0	Boiler 30 down, Boiler 31 at adjusted 30-day allowable, Boilers 21, 22, 23, and 24 at 95th percentile
2021-1129-8	2	22, 23, 24, 30, 31	1600.0	Adjusted B-325 downward to 1,600 lb/hr total. Used updated 98th pc stack parameters for 30 & 31
2021-1129-9	2	18, 19, 20, 21, 22, 30, 31	1600.0	Adjusted B-325 downward to 1,600 lb/hr total. Used updated 98th pc stack parameters for 30 & 31
2021-1129-10	2	23, 24, 30, 31	1516.0	For 23 & 24, used 5-year max. pre-control emission rate and permanent DSI estimated efficiency (60% control), 30-31 at adjusted 30-day allowable
2021-1129-11	2	19, 23, 24, 30, 31	1600.0	30 & 31 at max. (NSPS allowable divided by compliance ratio). Used updated 98th pc stack parameters for 30 & 31
2021-1129-12	2	18, 19, 20, 21, 22, 30, 31	1600.0	30 & 31 at max. (NSPS allowable divided by compliance ratio). Used updated 98th pc stack parameters for 30 & 31

Table H9-6: Emission Rates and Stack Parameters for (1-Stack and 2-Stack) Modeled Cases *

Case No.	18-24 SO_2 Emissions (lb/hr)	18-24 Stack Height (m)	18-24 Stack Dia. (m)	18-24 Temp (F)	18-24 Velocity (ft/s)	30-31 SO_2 Emissions (lb/hr)	30-31 Stack Height (m)	30-31 Stack Dia. (m)	30-31 Temp (F)	30-31 Velocity (ft/s)
1	1600.0	70.104	4.27	447.9	36.1	0.00	114.30	3.05	373.2	17.58
2	1,520	70.104	4.27	441.1	44.5	79.7	114.30	3.05	377.1	18.74
3	1,315	70.104	4.27	439.8	26.8	285.1	114.30	3.05	397.3	18.22
4	1,307	70.104	4.27	439.8	31.2	293.0	114.30	3.05	383.5	18.97
5	1,283	70.104	4.27	439.3	33.3	317.0	114.30	3.05	383.5	18.97
6	1233.6	70.104	4.27	438.8	36.5	366.4	114.30	3.05	397.3	18.22
7	1,102	70.104	4.27	438.2	39.3	497.6	114.30	3.05	390.3	37.19
8	1008.6	70.104	4.27	440.8	41.6	591.4	114.30	3.05	390.3	37.19
9	1014.2	70.104	4.27	441.9	43.7	585.8	114.30	3.05	390.3	37.19
10	762.0	70.104	4.27	441.9	45.4	754.0	114.30	3.05	390.3	37.19
11	846.0	70.104	4.27	437.8	47.0	754.0	114.30	3.05	390.3	37.19
12	846.0	70.104	4.27	441.9	47.0	754.0	114.30	3.05	373.2	17.58

* Temperature and velocity calculated using the equations from Attachment H3

Table H9-7: Modeling Results for (1-Stack and 2-Stack) Modeled Cases [1]

				Boilers 18-24				Boilers 30-31				
Run	Number of Stacks	Boiler(s)	Max H4H Impact (ppb)	SO_2 Emissions (lb/hr)	SO_2 Emissions (g/s)	Stack Velocity (m/s)	Stack Temperature (K)	SO_2 Emissions (lb/hr)	SO_2 Emissions (g/s)	Stack Velocity (m/s)	Stack Temperature (K)	Total SO_2 Emissions (lb/hr)
2023-0120-1	1	18, 19, 20, 21, 22	74.8	1600.0	201.6	16.48	447.9					1600.0
2023-0120-2	2	18, 19, 20, 21, 22, 23, 24, 31	64.9	1,520	191.5	27.45	441.1	79.7	10.04	17.58	373.2	1600.0
2023-0120-3	2	20, 21, 22, 23, 24, 30	66.5	1,315	165.7	24.7	439.8	285.1	35.92	18.74	377.1	1600.0
2023-0120-4	2	19, 21, 22, 23, 24, 31	66.0	1,307	165	24.63	439.8	293.0	36.92	18.22	397.3	1600.0
2023-0120-5	2	20, 21, 22, 23, 24, 30	66.4	1,283	162	22.63	439.3	317.0	39.94	18.97	383.5	1600.0
2023-0120-6	2	20, 21, 22, 23, 24, 30	67.2	1233.6	155.4	22.4	438.8	366.4	46.16	18.97	383.5	1600.0
2023-0120-7	2	21, 22, 23, 24, 31	72.4	1,102	138.8	20.0	438.2	497.6	62.70	18.22	397.3	1600.0
2023-0120-8	2	22, 23, 24, 30, 31	64.8	1008.6	127.1	23.3	440.8	591.4	74.5	37.19	390.3	1600.0
2023-0120-9	2	18, 19, 20, 21, 22, 30, 31	70.0	1014.2	127.8	14.0	441.9	585.8	73.8	37.19	390.3	1600.0
2023-0120-10	2	23, 24, 30, 31	65.0	762.0	96.0	14.53	441.9	754.0	95.0	37.19	390.3	1516.0
2023-0120-11	2	19, 23, 24, 30, 31	66.5	846.0	106.6	16.9	437.8	754.0	95.0	37.19	390.3	1600.0
2023-0120-12	2	18, 19, 20, 21, 22, 30, 31	69.0	846.0	106.6	14.0	441.9	754.0	95.0	37.19	390.3	1600.0

[1] All Runs (dated 2023-0120) conducted with allowable or PTE SO2 emissions, 2012-2013 onsite met, 2019-2021 MMCA background on a seasonal-by-hour of day, AERMOD (v22112) and AERMET (v22112) with 2011 NLCD.

The detailed modeled emissions and results for the highest-impacted cases (i.e., runs 1, 7 and 9) are shown below.

Table H9-8: Emission Rates and Modeled Sources for Case 1

Type	ID	Desc	SourceID_Prefix	Base_Elev	Height	Diam	Exit_Vel	Exit_Temp	Release_Type	Length_X	Length_Y	Rotation_Angle	Emission_Rate	Emission_Rate	X1	Y1
				[m]	[m]	[m]	[m/s]	[K]		[m]	[m]	[deg]	grams/sec	lb/hr	[m]	[m]
POINT	83_1824	B-83 Powerhouse Boilers 23-24		368.67	70.104	4.27	16.48	447.92	VERTICAL				201.6	1600	362205.75	4042493.63
POINT	253_25	B-253 Powerhouse Boiler 25		373.66	76.2	2.44	25.3	434	VERTICAL				0.058	0.46031746	362515.09	4042333.16
POINT	253_26	B-253 Powerhouse Boiler 26		373.75	76.2	2.44	25.3	434	VERTICAL				0.058	0.46031746	362530.07	4042341.98
POINT	253_27	B-253 Powerhouse Boiler 27		373.62	76.2	2.44	25.3	434	VERTICAL				0.058	0.46031746	362544.73	4042351.76
POINT	253_28	B-253 Powerhouse Boiler 28		373.61	76.2	2.44	25.3	434	VERTICAL				0.058	0.46031746	362557.75	4042360.99
POINT	253_29	B-253 Powerhouse Boiler 29		373.63	76.2	2.44	25.3	434	VERTICAL				0.058	0.46031746	362571.47	4042370.57
POINT	325_3031	B-325 Powerhouse Boilers 30-31		367.32	114.3	3.05	0	0	VERTICAL				0	0	361800.00	4042105.00
POINT	DOMTR_BB	DOMTAR Biomass Boiler		370.08	60.35	3.139	15.39	449.7	VERTICAL				1.44	11.42857143	359553.23	4045802.11
POINT	TAIL_GAS	Tail Gas Incinerator		367.37	38.1	0.762	21.336	644.261	VERTICAL				2.7468	21.8	361655.62	4041787.98
AREA	FUGITIVE	Fugitive		368.01	6.096					1353.312	1792.224	89	1.62495E-08	1.28964E-07	361796.58	4043011.98
POINT	H24A	H2 Plants		381.73	33.528	1.0549	15.5448	533	VERTICAL				0.004314973	0.03424582	362427.00	4043089.00
POINT	H25A	H2 Plants		381.73	22.86	1.0549	26.5176	494.66667	VERTICAL				0.009492941	0.075340805	362427.00	4043089.00
POINT	H26A	H2 Plants		381.73	22.86	1.0549	26.5176	494.66667	VERTICAL				0.009492941	0.075340805	362427.00	4043089.00
POINT	OCB7I	Batch Specialty Chemical Operation		377.66	22.86	0.4573	17.3736	296.88889	VERTICAL				0	0	362800.00	4042200.00
POINT	OCBAG	Batch Specialty Chemical Operation		377.66	22.86	0.2043	5.76072	294.11111	VERTICAL				0	0	362800.00	4042200.00
POINT	OCBAL	Batch Specialty Chemical Operation		377.66	19.9644	0.7012	4.81584	297.44444	VERTICAL				0	0	362800.00	4042200.00
POINT	B4231A	NG-Fired Boiler, 226 MMBtu/hr		367.29	21.0312	1.8293	15.1486	471.88889	VERTICAL				0.167996296	1.333303939	361600.00	4042600.00
POINT	B4231B	NG-Fired Boiler, 226 MMBtu/hr		367.29	21.0312	1.8293	15.1486	471.88889	VERTICAL				0.167996296	1.333303939	361600.00	4042600.00
POINT	B4231C	NG-Fired Boiler, 226 MMBtu/hr		367.29	21.0312	1.8293	15.1486	471.88889	VERTICAL				0.167996296	1.333303939	361600.00	4042600.00
POINT	B1901F	NG-Fired Parts Cleaning Oven		372.29	23.4696	0.253	2.22504	386.33333	VERTICAL				0.001438324	0.011415273	362000.00	4043100.00
POINT	B1901L	NG-Fired Parts Cleaning Oven		372.29	28.6512	0.4543	7.62	302.44444	VERTICAL				0.001438324	0.011415273	362000.00	4043100.00
POINT	RICE1A	Diesel-Fired Emergency Engine		364.38	3.6576	0.2043	78.9432	750.77778	VERTICAL				0.000747307	0.005931008	361167.30	4046500.20
POINT	RICE1H	Diesel-Fired Emergency Engine		369.98	3.048	0.1524	71.628	785.77778	VERTICAL				0.000232671	0.001846595	360933.00	4044211.30
POINT	RICE1I	Diesel-Fired Emergency Engine		362.78	3.048	0.0762	21.0312	745.22222	VERTICAL				0.0000177	0.000140476	361136.50	4043081.90
POINT	RICE1K	Diesel-Fired Emergency Engine		371.38	3.6576	0.3049	61.2648	658	VERTICAL				0.000435765	0.003458452	361965.70	4042926.90
POINT	RICE1P	Diesel-Fired Emergency Engine		380.3	1.524	0.0915	99.6696	710.22222	VERTICAL				0.000108448	0.000860698	362250.30	4043150.80
POINT	B265B1A	NG-Fired Heat Transfer Furnace		372.63	10.668	0.5335	5.7912	605.22222	VERTICAL				0.000287665	0.002283055	362400.00	4042500.00
POINT	B265B1C	NG-Fired Heat Transfer Furnace		372.63	12.192	0.7622	2.7432	616.33333	VERTICAL				0.00057533	0.004566109	362400.00	4042500.00
POINT	RK	Rotary Kilns1&2 Solid/Liquid Chemic		387.22	36.576	1.2195	17.0688	319.11111	VERTICAL				2.52	20	362672.53	4041647.42
POINT	LCD	Liquid Chemical Incinerator B2482A		400.6	15.24	1.0671	15.8496	319.11111	VERTICAL				1.26	10	362747.24	4041795.34
POINT	RICE3A	Diesel-Fired Emergency Engine		365.63	3.3528	0.3049	41.7576	713.55556	VERTICAL				0.000550129	0.004366103	361401.00	4043572.00
POINT	RICE2B63	B-63 Emergency Fire Pump Engine		366.65	3.66	0.204	53.64	727.4	VERTICAL				0.000350978	0.00278554	361856.00	4042791.00
POINT	RIC2B269	B-269 Emergency Fire Pump Engine		371.05	4.27	0.204	45.72	788	VERTICAL				0.000256332	0.002034381	362529.00	4041781.00
POINT	DOMTR_SR	Domtar No. 2 Power Boiler		369.99	84.1248	3.3528	14.539	429.26111	VERTICAL				0.17	1.349206349	359500.35	4045802.11
POINT	DOMTR_LK	Domtar Lime Kiln		369.58	38.1	2.4384	6.46176	516.48333	VERTICAL				0.491391734	3.899934398	359589.34	4045983.67
POINT	PRMSTER	Cellulous Acetate Process		367.27	12.192	0.1524	3.62712	306.48333	VERTICAL				0.0315	0.25	361600.00	4042200.00
POINT	B6551	Methanolysis Plant		370.01	46.02	2.438	4.88	449.7	VERTICAL				0.0126	0.1	362398.00	4042122.00
POINT	B8311_32	New Gas Boiler 32		372.09	50.9	1.676	17.07	455.2	VERTICAL				0.0189	0.15	362146.00	4042791.00
POINT	B8311_33	New Gas Boiler 33		372.09	50.9	1.676	17.07	455.2	VERTICAL				0.0189	0.15	362146.00	4042791.00
POINT	B8311_34	New Gas Boiler 34		372.09	50.9	1.676	17.07	455.2	VERTICAL				0.0189	0.15	362146.00	4042791.00
POINT	B383_3	Catalyst Recovery		367.45	27.43	0.914	21.95	310.8	VERTICAL				0.0126	0.1	361600.00	4042400.00
POINT	B90_7_1	TBHQ Production		367.85	1.52	0.204	43.28	298	VERTICAL				0.00115	0.009126984	361800.00	4043000.00
POINT	B90_7_2	TBHQ Production		367.85	22.86	0.076	0.09	298	VERTICAL				0.00259	0.020555556	361800.00	4043000.00
POINT	B90B_1	BHA Production		366.73	22.86	0.661	6.1	294.1	VERTICAL				0.0403	0.31984127	361800.00	4042900.00
POINT	B22723_1	HTM Furnaces		370.93	19.51	1.036	2.01	449.7	VERTICAL				0.00958	0.076031746	362500.00	4042200.00
POINT	B22723_2	HTM Furnaces		370.93	19.51	0.914	4.02	449.7	VERTICAL				0.0144	0.114285714	362500.00	4042200.00
POINT	B6C1_27	Crack Furnace 27 and 28		366.7	39.62	0.914	12.1	644.1	VERTICAL				0.00189	0.015	361700.00	4043100.00
POINT	B6C1_28	Crack Furnace 27 and 28		366.7	39.62	0.914	12.1	644.1	VERTICAL				0.00189	0.015	361700.00	4043100.00
POINT	B7R_1	Crack Furnace 5-16 and 9-24		366.7	29.26	2.438	6.68	644.1	VERTICAL				0.00756	0.06	361700.00	4043100.00
POINT	B7R_2	Crack Furnace 5-16 and 9-24		366.7	30.48	2.438	6.68	644.1	VERTICAL				0.00756	0.06	361700.00	4043100.00
POINT	B7RC_1	Crack Furnace 25 and 26		366.7	20.73	0.945	5.46	644.1	VERTICAL				0.00126	0.01	361700.00	4043100.00
POINT	B7RC_2	Crack Furnace 25 and 26		366.7	20.73	0.945	5.46	644.1	VERTICAL				0.00126	0.01	361700.00	4043100.00
POINT	AB7_1	Acetic Anhydride Manufacturing		366.61	33.53	2.438	1.58	505.2	VERTICAL				0.00302	0.023968254	361301.00	4043547.00
POINT	AB7_2	Acetic Anhydride manufacturing		366.61	9.14	1.097	3.14	1144.1	VERTICAL				0.000756	0.006	361301.00	4043547.00
POINT	B334_2	Synthetic Gas Pilot Plant		367.49	9.14	0.078	17.19	323.3	VERTICAL				0	0	361800.00	4041900.00
POINT	B351_5	Cold and Warm Flares		364.23	80.55	0.87	20	1273	VERTICAL				2.0513	16.28015873	361680.00	4041680.00
POINT	B545_1	Copplyester Monomer Manufacturing		367.01	45.72	0.61	17.22	681.9	VERTICAL				0.00176	0.013968254	361600.00	4043300.00
POINT	B545_2	Copplyester Monomer Manufacturing		367.01	58.52	1.372	2.36	1088.6	VERTICAL				0.00176	0.013968254	361600.00	4043300.00
POINT	B545_3	Copplyester Monomer Manufacturing		367.01	47.24	1.105	10	681.3	VERTICAL				0.00176	0.013968254	361600.00	4043300.00
POINT	B238_1	HTM Furnaces		375.1	22.25	1.067	3.81	477.4	VERTICAL				0.00126	0.01	362300.00	4042900.00
POINT	B238_2	HTM Furnaces		375.1	22.25	1.067	3.81	477.4	VERTICAL				0.00126	0.01	362300.00	4042900.00
POINT	B238_3	HTM Furnaces		375.1	32	1.207	9.81	471.9	VERTICAL				0.00504	0.04	362300.00	4042900.00
POINT	B238_4	HTM Furnaces		375.1	45.72	2.019	6.1	258.3	VERTICAL				0.00756	0.06	362300.00	4042900.00
POINT	H2_2_6	Hydrogen Plants 3-6		381.73	33.53	0.851	15.54	533	VERTICAL				0.00378	0.03	362427.00	4043089.00
POINT	B232_1	Aromatic Acid Manufacturing		372.18	17.68	1.829	7.32	323	VERTICAL				0.000288	0.002285714	361700.00	4043500.00
POINT	B232_2	Aromatic Acid Manufacturing		372.18	11.28	1.524	32.93	336.9	VERTICAL				0.00115	0.009126984	361700.00	4043500.00
POINT	B232_3	Aromatic Acid Manufacturing		372.18	17.68	1.829	7.01	323	VERTICAL				0.000288	0.002285714	361700.00	4043500.00
POINT	B256_5	HTM Furnace 5		371.06	22.86	0.914	4.02	449.7	VERTICAL				0.00168	0.013333333	362500.00	4042100.00
POINT	B256_6	HTM Furnace 6		371.06	22.86	0.914	4.02	449.7	VERTICAL				0.00168	0.013333333	362500.00	4042100.00
POINT	B256_7	HTM Furnace 7		371.06	22.86	0.914	4.02	449.7	VERTICAL				0.00168	0.013333333	362500.00	4042100.00
POINT	B256_8	HTM Furnace 8		371.06	22.86	0.914	4.02	449.7	VERTICAL				0.00168	0.013333333	362500.00	4042100.00
POINT	B256_9	HTM Furnace 9		371.06	22.86	0.914	4.02	449.7	VERTICAL				0.00168	0.013333333	362500.00	4042100.00
POINT	B256_10	HTM Furnace 10		371.06	22.86	0.914	4.02	449.7	VERTICAL				0.00168	0.013333333	362500.00	4042100.00
POINT	CARGLAS1	Cardinal Glass Gas Melting Furnace		348.64	65.6844	2.5908	9.58256	574.81667	VERTICAL				0.409493112	3.249945332	340739.31	4040420.04
POINT	CARGLAS2	Cardinal Glass Gas Melting Furnace		348.64	32.004	2.7432	16.5295	517.59444	VERTICAL				11.96979865	94.99840201	340739.31	4040420.04
POINT	B55_1B	Organic Acids & Anhydrides Manufa		368.41	21.34	0.213	2.66	294.6	VERTICAL				0.6716	5.33015873	361904.27	4043070.29
POINT	B55_1C	Organic Acids & Anhydrides Manufa		368.41	16.76	0.101	17.7	299.7	VERTICAL				0.0857	0.68015873	361903.90	4043073.06
POINT	B55_1E	Organic Acids & Anhydrides Manufa		368.41	39.62	0.04	0.12	299.7	VERTICAL				0	0	361929.30	4043089.68
POINT	B55_1I	Organic Acids & Anhydrides Manufa		368.41	18.29	0.566	2.99	299.7	VERTICAL				0.0744	0.59047619	361906.88	4043073.05
POINT	B55_1K	Organic Acids & Anhydrides Manufa		368.41	10.67	0.26	3.33	307.2	VERTICAL				0.0176	0.13968254	361953.55	4043048.51
												Total EMS =>	226.5744142	1798.209637		
													(grams/sec)	(lb/hr)		

Figure H9-4: H4H Concentration Isopleths for Case 1



Figure H9-5: H4H Max Concentration Impact for Case 1



Table H9-9: Emission Rates and Modeled Sources for Case 7

Type	ID	Desc	SourceID_Prefix	Base_Elev	Height	Diam	Exit_Vel	Exit_Temp	Release_Type	Length_X	Length_Y	Rotation_Angle	Emission_Rate	Emission_Rate	X1	Y1
				[m]	[m]	[m]	[m/s]	[K]		[m]	[m]	[deg]	grams/sec	lb/hr	[m]	[m]
POINT	83_1824	B-83 Powerhouse Boilers 23-24		368.67	70.104	4.27	19.96	438.21	VERTICAL				138.8	1101.587302	362205.75	4042493.63
POINT	253_25	B-253 Powerhouse Boiler 25		373.66	76.2	2.44	25.3	434	VERTICAL				0.058	0.46031746	362515.09	4042333.16
POINT	253_26	B-253 Powerhouse Boiler 26		373.75	76.2	2.44	25.3	434	VERTICAL				0.058	0.46031746	362530.07	4042341.98
POINT	253_27	B-253 Powerhouse Boiler 27		373.62	76.2	2.44	25.3	434	VERTICAL				0.058	0.46031746	362544.73	4042351.76
POINT	253_28	B-253 Powerhouse Boiler 28		373.61	76.2	2.44	25.3	434	VERTICAL				0.058	0.46031746	362557.75	4042360.99
POINT	253_29	B-253 Powerhouse Boiler 29		373.63	76.2	2.44	25.3	434	VERTICAL				0.058	0.46031746	362571.47	4042370.57
POINT	325_3031	B-325 Powerhouse Boilers 30-31		367.32	114.3	3.05	18.22	397.3	VERTICAL				62.7	497.6190476	361800.00	4042105.00
POINT	DOMTR_BB	DOMTAR Biomass Boiler		370.08	60.35	3.139	15.39	449.7	VERTICAL				1.44	11.42857143	359553.23	4045802.11
POINT	TAIL_GAS	Tail Gas Incinerator		367.37	38.1	0.762	21.336	644.261	VERTICAL				2.7468	21.8	361655.62	4041787.98
AREA	FUGITIVE	Fugitive		368.01	6.096					1353.312	1792.224	89	1.62495E-08	1.28964E-07	361796.58	4043011.98
POINT	H24A	H2 Plants		381.73	33.528	1.0549	15.5448	533	VERTICAL				0.004314973	0.03424582	362427.00	4043089.00
POINT	H25A	H2 Plants		381.73	22.86	1.0549	26.5176	494.66667	VERTICAL				0.009492941	0.075340805	362427.00	4043089.00
POINT	H26A	H2 Plants		381.73	22.86	1.0549	26.5176	494.66667	VERTICAL				0.009492941	0.075340805	362427.00	4043089.00
POINT	OCB7I	Batch Specialty Chemical Operation		377.66	22.86	0.4573	17.3736	296.88889	VERTICAL				0	0	362800.00	4042200.00
POINT	OCBAG	Batch Specialty Chemical Operation		377.66	22.86	0.2043	5.76072	294.11111	VERTICAL				0	0	362800.00	4042200.00
POINT	OCBAL	Batch Specialty Chemical Operation		377.66	19.9644	0.7012	4.81584	297.44444	VERTICAL				0	0	362800.00	4042200.00
POINT	B4231A	NG-Fired Boiler, 226 MMBtu/hr		367.29	21.0312	1.8293	15.1486	471.88889	VERTICAL				0.167996296	1.333303939	361600.00	4042600.00
POINT	B4231B	NG-Fired Boiler, 226 MMBtu/hr		367.29	21.0312	1.8293	15.1486	471.88889	VERTICAL				0.167996296	1.333303939	361600.00	4042600.00
POINT	B4231C	NG-Fired Boiler, 226 MMBtu/hr		367.29	21.0312	1.8293	15.1486	471.88889	VERTICAL				0.167996296	1.333303939	361600.00	4042600.00
POINT	B1901F	NG-Fired Parts Cleaning Oven		372.29	23.4696	0.253	2.22504	386.33333	VERTICAL				0.001438324	0.011415273	362000.00	4043100.00
POINT	B1901L	NG-Fired Parts Cleaning Oven		372.29	28.6512	0.4543	7.62	302.44444	VERTICAL				0.001438324	0.011415273	362000.00	4043100.00
POINT	RICE1A	Diesel-Fired Emergency Engine		364.38	3.6576	0.2043	78.9432	750.77778	VERTICAL				0.000747307	0.005931008	361167.30	4046500.20
POINT	RICE1H	Diesel-Fired Emergency Engine		369.98	3.048	0.1524	71.628	785.77778	VERTICAL				0.000232671	0.001846595	360933.00	4044211.30
POINT	RICE1I	Diesel-Fired Emergency Engine		362.78	3.048	0.0762	21.0312	745.22222	VERTICAL				0.0000177	0.000140476	361136.50	4043081.90
POINT	RICE1K	Diesel-Fired Emergency Engine		371.38	3.6576	0.3049	61.2648	658	VERTICAL				0.000435765	0.003458452	361965.70	4042926.90
POINT	RICE1P	Diesel-Fired Emergency Engine		380.3	1.524	0.0915	99.6696	710.22222	VERTICAL				0.000108448	0.000860698	362250.30	4043150.80
POINT	B265B1A	NG-Fired Heat Transfer Furnace		372.63	10.668	0.5335	5.7912	605.22222	VERTICAL				0.000287665	0.002283055	362400.00	4042500.00
POINT	B265B1C	NG-Fired Heat Transfer Furnace		372.63	12.192	0.7622	2.7432	616.33333	VERTICAL				0.00057533	0.004566109	362400.00	4042500.00
POINT	RK	Rotary Kilns1&2 Solid/Liquid Chemic		387.22	36.576	1.2195	17.0688	319.11111	VERTICAL				2.52	20	362672.53	4041647.42
POINT	LCD	Liquid Chemical Incinerator B2482A		400.6	15.24	1.0671	15.8496	319.11111	VERTICAL				1.26	10	362747.24	4041795.34
POINT	RICE3A	Diesel-Fired Emergency Engine		365.63	3.3528	0.3049	41.7576	713.55556	VERTICAL				0.000550129	0.004366103	361401.00	4043572.00
POINT	RICE2B63	B-63 Emergency Fire Pump Engine		366.65	3.66	0.204	53.64	727.4	VERTICAL				0.000350978	0.00278554	361856.00	4042791.00
POINT	RIC2B269	B-269 Emergency Fire Pump Engine		371.05	4.27	0.204	45.72	788	VERTICAL				0.000256332	0.002034381	362529.00	4041781.00
POINT	DOMTR_SR	Domtar No. 2 Power Boiler		369.99	84.1248	3.3528	14.539	429.26111	VERTICAL				0.17	1.349206349	359500.35	4045802.11
POINT	DOMTR_LK	Domtar Lime Kiln		369.58	38.1	2.4384	6.46176	516.48333	VERTICAL				0.491391734	3.899934398	359589.34	4045983.67
POINT	PRMSTER	Cellulous Acetate Process		367.27	12.192	0.1524	3.62712	306.48333	VERTICAL				0.0315	0.25	361600.00	4042200.00
POINT	B6551	Methanolysis Plant		370.01	46.02	2.438	4.88	449.7	VERTICAL				0.0126	0.1	362398.00	4042122.00
POINT	B8311_32	New Gas Boiler 32		372.09	50.9	1.676	17.07	455.2	VERTICAL				0.0189	0.15	362146.00	4042791.00
POINT	B8311_33	New Gas Boiler 33		372.09	50.9	1.676	17.07	455.2	VERTICAL				0.0189	0.15	362146.00	4042791.00
POINT	B8311_34	New Gas Boiler 34		372.09	50.9	1.676	17.07	455.2	VERTICAL				0.0189	0.15	362146.00	4042791.00
POINT	B383_3	Catalyst Recovery		367.45	27.43	0.914	21.95	310.8	VERTICAL				0.0126	0.1	361600.00	4042400.00
POINT	B90_7_1	TBHQ Production		367.85	1.52	0.204	43.28	298	VERTICAL				0.00115	0.009126984	361800.00	4043000.00
POINT	B90_7_2	TBHQ Production		367.85	22.86	0.076	0.09	298	VERTICAL				0.00259	0.020555556	361800.00	4043000.00
POINT	B90B_1	BHA Production		366.73	22.86	0.661	6.1	294.1	VERTICAL				0.0403	0.31984127	361800.00	4042900.00
POINT	B22723_1	HTM Furnaces		370.93	19.51	1.036	2.01	449.7	VERTICAL				0.00958	0.076031746	362500.00	4042200.00
POINT	B22723_2	HTM Furnaces		370.93	19.51	0.914	4.02	449.7	VERTICAL				0.0144	0.114285714	362500.00	4042200.00
POINT	B6C1_27	Crack Furnace 27 and 28		366.7	39.62	0.914	12.1	644.1	VERTICAL				0.00189	0.015	361700.00	4043100.00
POINT	B6C1_28	Crack Furnace 27 and 28		366.7	39.62	0.914	12.1	644.1	VERTICAL				0.00189	0.015	361700.00	4043100.00
POINT	B7R_1	Crack Furnace 5-16 and 9-24		366.7	29.26	2.438	6.68	644.1	VERTICAL				0.00756	0.06	361700.00	4043100.00
POINT	B7R_2	Crack Furnace 5-16 and 9-24		366.7	30.48	2.438	6.68	644.1	VERTICAL				0.00756	0.06	361700.00	4043100.00
POINT	B7RC_1	Crack Furnace 25 and 26		366.7	20.73	0.945	5.46	644.1	VERTICAL				0.00126	0.01	361700.00	4043100.00
POINT	B7RC_2	Crack Furnace 25 and 26		366.7	20.73	0.945	5.46	644.1	VERTICAL				0.00126	0.01	361700.00	4043100.00
POINT	AB7_1	Acetic Anhydride Manufacturing		366.61	33.53	2.438	1.58	505.2	VERTICAL				0.00302	0.023968254	361301.00	4043547.00
POINT	AB7_2	Acetic Anhydride manufacturing		366.61	9.14	1.097	3.14	1144.1	VERTICAL				0.000756	0.006	361301.00	4043547.00
POINT	B334_2	Synthetic Gas Pilot Plant		367.49	9.14	0.078	17.19	323.3	VERTICAL				0	0	361800.00	4041900.00
POINT	B351_5	Cold and Warm Flares		364.23	80.55	0.87	20	1273	VERTICAL				2.0513	16.28015873	361680.00	4041680.00
POINT	B545_1	Copplyester Monomer Manufacturing		367.01	45.72	0.61	17.22	681.9	VERTICAL				0.00176	0.013968254	361600.00	4043300.00
POINT	B545_2	Copplyester Monomer Manufacturing		367.01	58.52	1.372	2.36	1088.6	VERTICAL				0.00176	0.013968254	361600.00	4043300.00
POINT	B545_3	Copplyester Monomer Manufacturing		367.01	47.24	1.105	10	681.3	VERTICAL				0.00176	0.013968254	361600.00	4043300.00
POINT	B238_1	HTM Furnaces		375.1	22.25	1.067	3.81	477.4	VERTICAL				0.00126	0.01	362300.00	4042900.00
POINT	B238_2	HTM Furnaces		375.1	22.25	1.067	3.81	477.4	VERTICAL				0.00126	0.01	362300.00	4042900.00
POINT	B238_3	HTM Furnaces		375.1	32	1.207	9.81	471.9	VERTICAL				0.00504	0.04	362300.00	4042900.00
POINT	B238_4	HTM Furnaces		375.1	45.72	2.019	6.1	258.3	VERTICAL				0.00756	0.06	362300.00	4042900.00
POINT	H2_2_6	Hydrogen Plants 3-6		381.73	33.53	0.851	15.54	533	VERTICAL				0.00378	0.03	362427.00	4043089.00
POINT	B232_1	Aromatic Acid Manufacturing		372.18	17.68	1.829	7.32	323	VERTICAL				0.000288	0.002285714	361700.00	4043500.00
POINT	B232_2	Aromatic Acid Manufacturing		372.18	11.28	1.524	32.93	336.9	VERTICAL				0.00115	0.009126984	361700.00	4043500.00
POINT	B232_3	Aromatic Acid Manufacturing		372.18	17.68	1.829	7.01	323	VERTICAL				0.000288	0.002285714	361700.00	4043500.00
POINT	B256_5	HTM Furnace 5		371.06	22.86	0.914	4.02	449.7	VERTICAL				0.00168	0.013333333	362500.00	4042100.00
POINT	B256_6	HTM Furnace 6		371.06	22.86	0.914	4.02	449.7	VERTICAL				0.00168	0.013333333	362500.00	4042100.00
POINT	B256_7	HTM Furnace 7		371.06	22.86	0.914	4.02	449.7	VERTICAL				0.00168	0.013333333	362500.00	4042100.00
POINT	B256_8	HTM Furnace 8		371.06	22.86	0.914	4.02	449.7	VERTICAL				0.00168	0.013333333	362500.00	4042100.00
POINT	B256_9	HTM Furnace 9		371.06	22.86	0.914	4.02	449.7	VERTICAL				0.00168	0.013333333	362500.00	4042100.00
POINT	B256_10	HTM Furnace 10		371.06	22.86	0.914	4.02	449.7	VERTICAL				0.00168	0.013333333	362500.00	4042100.00
POINT	CARGLAS1	Cardinal Glass Gas Melting Furnace		348.64	65.6844	2.5908	9.58256	574.81667	VERTICAL				0.409493112	3.249945332	340739.31	4040420.04
POINT	CARGLAS2	Cardinal Glass Gas Melting Furnace		348.64	32.004	2.7432	16.5295	517.59444	VERTICAL				11.96979865	94.99840201	340739.31	4040420.04
POINT	B55_1B	Organic Acids & Anhydrides Manufa		368.41	21.34	0.213	2.66	294.6	VERTICAL				0.6716	5.33015873	361904.27	4043070.28
POINT	B55_1C	Organic Acids & Anhydrides Manufa		368.41	16.76	0.101	17.7	299.7	VERTICAL				0.0857	0.68015873	361903.90	4043073.06
POINT	B55_1E	Organic Acids & Anhydrides Manufa		368.41	39.62	0.04	0.12	299.7	VERTICAL				0	0	361929.30	4043089.68
POINT	B55_1I	Organic Acids & Anhydrides Manufa		368.41	18.29	0.566	2.99	299.7	VERTICAL				0.0744	0.59047619	361906.88	4043073.05
POINT	B55_1K	Organic Acids & Anhydrides Manufa		368.41	10.67	0.26	3.33	307.2	VERTICAL				0.0176	0.13968254	361953.55	4043048.51
												Total EMS =>	226.4744142	1797.415986		
													(grams/sec)	(lb/hr)		

Figure H9-6: H4H Concentration Isopleths for Case 7



Figure H9-7: H4H Max Concentration Impact for Case 7



Tale H9-10: Emission Rates and Modeled Sources for Case 9

Type	ID	Desc	SourceID_Prefix	Base_Elev	Height	Diam	Exit_Vel	Exit_Temp	Release_Type	Length_X	Length_Y	Rotation_Angle	Emission_Rate	Emission_Rate	X1	Y1
				[m]	[m]	[m]	[m/s]	[K]		[m]	[m]	[deg]	grams/sec	lb/hr	[m]	[m]
POINT	83_1824	B-83 Powerhouse Boilers 23-24		368.67	70.104	4.27	14.01	441.9	VERTICAL				127.8	1014.285714	362205.75	4042493.63
POINT	253_25	B-253 Powerhouse Boiler 25		373.66	76.2	2.44	25.3	434	VERTICAL				0.058	0.46031746	362515.09	4042333.16
POINT	253_26	B-253 Powerhouse Boiler 26		373.75	76.2	2.44	25.3	434	VERTICAL				0.058	0.46031746	362530.07	4042341.98
POINT	253_27	B-253 Powerhouse Boiler 27		373.62	76.2	2.44	25.3	434	VERTICAL				0.058	0.46031746	362544.73	4042351.76
POINT	253_28	B-253 Powerhouse Boiler 28		373.61	76.2	2.44	25.3	434	VERTICAL				0.058	0.46031746	362557.75	4042360.99
POINT	253_29	B-253 Powerhouse Boiler 29		373.63	76.2	2.44	25.3	434	VERTICAL				0.058	0.46031746	362571.47	4042370.57
POINT	325_3031	B-325 Powerhouse Boilers 30-31		367.32	114.3	3.05	37.19	390.3	VERTICAL				73.8	585.7142857	361800.00	4042105.00
POINT	DOMTR_BB	DOMTAR Biomass Boiler		370.08	60.35	3.139	15.39	449.7	VERTICAL				1.44	11.42857143	359553.23	4045802.11
POINT	TAIL_GAS	Tail Gas Incinerator		367.37	38.1	0.762	21.336	644.261	VERTICAL				2.7468	21.8	361655.62	4041787.98
AREA	FUGITIVE	Fugitive		368.01	6.096					1353.312	1792.224	89	1.62495E-08	1.28964E-07	361796.58	4043011.98
POINT	H24A	H2 Plants		381.73	33.528	1.0549	15.5448	533	VERTICAL				0.004314973	0.03424582	362427.00	4043089.00
POINT	H25A	H2 Plants		381.73	22.86	1.0549	26.5176	494.66667	VERTICAL				0.009492941	0.075340805	362427.00	4043089.00
POINT	H26A	H2 Plants		381.73	22.86	1.0549	26.5176	494.66667	VERTICAL				0.009492941	0.075340805	362427.00	4043089.00
POINT	OCB7I	Batch Specialty Chemical Operation		377.66	22.86	0.4573	17.3736	296.88889	VERTICAL				0	0	362800.00	4042200.00
POINT	OCBAG	Batch Specialty Chemical Operation		377.66	22.86	0.2043	5.76072	294.11111	VERTICAL				0	0	362800.00	4042200.00
POINT	OCBAL	Batch Specialty Chemical Operation		377.66	19.9644	0.7012	4.81584	297.44444	VERTICAL				0	0	362800.00	4042200.00
POINT	B4231A	NG-Fired Boiler, 226 MMBtu/hr		367.29	21.0312	1.8293	15.1486	471.88889	VERTICAL				0.167996296	1.333303939	361600.00	4042600.00
POINT	B4231B	NG-Fired Boiler, 226 MMBtu/hr		367.29	21.0312	1.8293	15.1486	471.88889	VERTICAL				0.167996296	1.333303939	361600.00	4042600.00
POINT	B4231C	NG-Fired Boiler, 226 MMBtu/hr		367.29	21.0312	1.8293	15.1486	471.88889	VERTICAL				0.167996296	1.333303939	361600.00	4042600.00
POINT	B1901F	NG-Fired Parts Cleaning Oven		372.29	23.4696	0.253	2.22504	386.33333	VERTICAL				0.001438324	0.011415273	362000.00	4043100.00
POINT	B1901L	NG-Fired Parts Cleaning Oven		372.29	28.6512	0.4543	7.62	302.44444	VERTICAL				0.001438324	0.011415273	362000.00	4043100.00
POINT	RICE1A	Diesel-Fired Emergency Engine		364.38	3.6576	0.2043	78.9432	750.77778	VERTICAL				0.000747307	0.005931008	361167.30	4046500.20
POINT	RICE1H	Diesel-Fired Emergency Engine		369.98	3.048	0.1524	71.628	785.77778	VERTICAL				0.000232671	0.001846595	360933.00	4044211.30
POINT	RICE1I	Diesel-Fired Emergency Engine		362.78	3.048	0.0762	21.0312	745.22222	VERTICAL				0.0000177	0.000140476	361136.50	4043081.90
POINT	RICE1K	Diesel-Fired Emergency Engine		371.38	3.6576	0.3049	61.2648	658	VERTICAL				0.000435765	0.003458452	361965.70	4042926.90
POINT	RICE1P	Diesel-Fired Emergency Engine		380.3	1.524	0.0915	99.6696	710.22222	VERTICAL				0.000108448	0.000860698	362250.30	4043150.80
POINT	B265B1A	NG-Fired Heat Transfer Furnace		372.63	10.668	0.5335	5.7912	605.22222	VERTICAL				0.000287665	0.002283055	362400.00	4042500.00
POINT	B265B1C	NG-Fired Heat Transfer Furnace		372.63	12.192	0.7622	2.7432	616.33333	VERTICAL				0.00057533	0.004566109	362400.00	4042500.00
POINT	RK	Rotary Kilns1&2 Solid/Liquid Chemic		387.22	36.576	1.2195	17.0688	319.11111	VERTICAL				2.52	20	362672.53	4041647.42
POINT	LCD	Liquid Chemical Incinerator B2482A		400.6	15.24	1.0671	15.8496	319.11111	VERTICAL				1.26	10	362747.24	4041795.34
POINT	RICE3A	Diesel-Fired Emergency Engine		365.63	3.3528	0.3049	41.7576	713.55556	VERTICAL				0.000550129	0.004366103	361401.00	4043572.00
POINT	RICE2B63	B-63 Emergency Fire Pump Engine		366.65	3.66	0.204	53.64	727.4	VERTICAL				0.000350978	0.00278554	361856.00	4042791.00
POINT	RIC2B269	B-269 Emergency Fire Pump Engine		371.05	4.27	0.204	45.72	788	VERTICAL				0.000256332	0.002034381	362529.00	4041781.00
POINT	DOMTR_SR	Domtar No. 2 Power Boiler		369.99	84.1248	3.3528	14.539	429.26111	VERTICAL				0.17	1.349206349	359500.35	4045802.11
POINT	DOMTR_LK	Domtar Lime Kiln		369.58	38.1	2.4384	6.46176	516.48333	VERTICAL				0.491391734	3.899934398	359589.34	4045983.67
POINT	PRMSTER	Cellulous Acetate Process		367.27	12.192	0.1524	3.62712	306.48333	VERTICAL				0.0315	0.25	361600.00	4042200.00
POINT	B6551	Methanolysis Plant		370.01	46.02	2.438	4.88	449.7	VERTICAL				0.0126	0.1	362398.00	4042122.00
POINT	B8311_32	New Gas Boiler 32		372.09	50.9	1.676	17.07	455.2	VERTICAL				0.0189	0.15	362146.00	4042791.00
POINT	B8311_33	New Gas Boiler 33		372.09	50.9	1.676	17.07	455.2	VERTICAL				0.0189	0.15	362146.00	4042791.00
POINT	B8311_34	New Gas Boiler 34		372.09	50.9	1.676	17.07	455.2	VERTICAL				0.0189	0.15	362146.00	4042791.00
POINT	B383_3	Catalyst Recovery		367.45	27.43	0.914	21.95	310.8	VERTICAL				0.0126	0.1	361600.00	4042400.00
POINT	B90_7_1	TBHQ Production		367.85	1.52	0.204	43.28	298	VERTICAL				0.00115	0.009126984	361800.00	4043000.00
POINT	B90_7_2	TBHQ Production		367.85	22.86	0.076	0.09	298	VERTICAL				0.00259	0.020555556	361800.00	4043000.00
POINT	B90B_1	BHA Production		366.73	22.86	0.661	6.1	294.1	VERTICAL				0.0403	0.31984127	361800.00	4042900.00
POINT	B22723_1	HTM Furnaces		370.93	19.51	1.036	2.01	449.7	VERTICAL				0.00958	0.076031746	362500.00	4042200.00
POINT	B22723_2	HTM Furnaces		370.93	19.51	0.914	4.02	449.7	VERTICAL				0.0144	0.114285714	362500.00	4042200.00
POINT	B6C1_27	Crack Furnace 27 and 28		366.7	39.62	0.914	12.1	644.1	VERTICAL				0.00189	0.015	361700.00	4043100.00
POINT	B6C1_28	Crack Furnace 27 and 28		366.7	39.62	0.914	12.1	644.1	VERTICAL				0.00189	0.015	361700.00	4043100.00
POINT	B7R_1	Crack Furnace 5-16 and 9-24		366.7	29.26	2.438	6.68	644.1	VERTICAL				0.00756	0.06	361700.00	4043100.00
POINT	B7R_2	Crack Furnace 5-16 and 9-24		366.7	30.48	2.438	6.68	644.1	VERTICAL				0.00756	0.06	361700.00	4043100.00
POINT	B7RC_1	Crack Furnace 25 and 26		366.7	20.73	0.945	5.46	644.1	VERTICAL				0.00126	0.01	361700.00	4043100.00
POINT	B7RC_2	Crack Furnace 25 and 26		366.7	20.73	0.945	5.46	644.1	VERTICAL				0.00126	0.01	361700.00	4043100.00
POINT	AB7_1	Acetic Anhydride Manufacturing		366.61	33.53	2.438	1.58	505.2	VERTICAL				0.00302	0.023968254	361301.00	4043547.00
POINT	AB7_2	Acetic Anhydride manufacturing		366.61	9.14	1.097	3.14	1144.1	VERTICAL				0.000756	0.006	361301.00	4043547.00
POINT	B334_2	Synthetic Gas Pilot Plant		367.49	9.14	0.078	17.19	323.3	VERTICAL				0	0	361800.00	4041900.00
POINT	B351_5	Cold and Warm Flares		364.23	80.55	0.87	20	1273	VERTICAL				2.0513	16.28015873	361680.00	4041680.00
POINT	B545_1	Copplyester Monomer Manufacturing		367.01	45.72	0.61	17.22	681.9	VERTICAL				0.00176	0.013968254	361600.00	4043300.00
POINT	B545_2	Copplyester Monomer Manufacturing		367.01	58.52	1.372	2.36	1088.6	VERTICAL				0.00176	0.013968254	361600.00	4043300.00
POINT	B545_3	Copplyester Monomer Manufacturing		367.01	47.24	1.105	10	681.3	VERTICAL				0.00176	0.013968254	361600.00	4043300.00
POINT	B238_1	HTM Furnaces		375.1	22.25	1.067	3.81	477.4	VERTICAL				0.00126	0.01	362300.00	4042900.00
POINT	B238_2	HTM Furnaces		375.1	22.25	1.067	3.81	477.4	VERTICAL				0.00126	0.01	362300.00	4042900.00
POINT	B238_3	HTM Furnaces		375.1	32	1.207	9.81	471.9	VERTICAL				0.00504	0.04	362300.00	4042900.00
POINT	B238_4	HTM Furnaces		375.1	45.72	2.019	6.1	258.3	VERTICAL				0.00756	0.06	362300.00	4042900.00
POINT	H2_2_6	Hydrogen Plants 3-6		381.73	33.53	0.851	15.54	533	VERTICAL				0.00378	0.03	362427.00	4043089.00
POINT	B232_1	Aromatic Acid Manufacturing		372.18	17.68	1.829	7.32	323	VERTICAL				0.000288	0.002285714	361700.00	4043500.00
POINT	B232_2	Aromatic Acid Manufacturing		372.18	11.28	1.524	32.93	336.9	VERTICAL				0.00115	0.009126984	361700.00	4043500.00
POINT	B232_3	Aromatic Acid Manufacturing		372.18	17.68	1.829	7.01	323	VERTICAL				0.000288	0.002285714	361700.00	4043500.00
POINT	B256_5	HTM Furnace 5		371.06	22.86	0.914	4.02	449.7	VERTICAL				0.00168	0.013333333	362500.00	4042100.00
POINT	B256_6	HTM Furnace 6		371.06	22.86	0.914	4.02	449.7	VERTICAL				0.00168	0.013333333	362500.00	4042100.00
POINT	B256_7	HTM Furnace 7		371.06	22.86	0.914	4.02	449.7	VERTICAL				0.00168	0.013333333	362500.00	4042100.00
POINT	B256_8	HTM Furnace 8		371.06	22.86	0.914	4.02	449.7	VERTICAL				0.00168	0.013333333	362500.00	4042100.00
POINT	B256_9	HTM Furnace 9		371.06	22.86	0.914	4.02	449.7	VERTICAL				0.00168	0.013333333	362500.00	4042100.00
POINT	B256_10	HTM Furnace 10		371.06	22.86	0.914	4.02	449.7	VERTICAL				0.00168	0.013333333	362500.00	4042100.00
POINT	CARGLAS1	Cardinal Glass Gas Melting Furnace		348.64	65.6844	2.5908	9.58256	574.81667	VERTICAL				0.409493112	3.249945332	340739.31	4040420.04
POINT	CARGLAS2	Cardinal Glass Gas Melting Furnace		348.64	32.004	2.7432	16.5295	517.59444	VERTICAL				11.96979865	94.99840201	340739.31	4040420.04
POINT	B55_1B	Organic Acids & Anhydrides Manufa		368.41	21.34	0.213	2.66	294.6	VERTICAL				0.6716	5.33015873	361904.27	4043070.28
POINT	B55_1C	Organic Acids & Anhydrides Manufa		368.41	16.76	0.101	17.7	299.7	VERTICAL				0.0857	0.68015873	361903.90	4043073.06
POINT	B55_1E	Organic Acids & Anhydrides Manufa		368.41	39.62	0.04	0.12	299.7	VERTICAL				0	0	361929.30	4043089.68
POINT	B55_1I	Organic Acids & Anhydrides Manufa		368.41	18.29	0.566	2.99	299.7	VERTICAL				0.0744	0.59047619	361906.88	4043073.05
POINT	B55_1K	Organic Acids & Anhydrides Manufa		368.41	10.67	0.26	3.33	307.2	VERTICAL				0.0176	0.13968254	361953.55	4043048.51
												Total EMS =>	226.5744142	1798.209637		
													(grams/sec)	(lb/hr)		

Figure H9-8: H4H Concentration Isopleths for Case 9



Figure H9-9: H4H Max Concentration Impact for Case 9



6.0 Determination of the Appropriate Long-term Average Emission Rates for Permit

EPA's April 23, 2014, guidance[5] for resolving SO_2 nonattainment areas acknowledges "that it may be possible in specific cases for states to develop control strategies that account for variability in 1-hour emissions rates through emission limits with averaging times that are longer than 1 hour, using averaging times as long as 30-days, but still provide for attainment of the 2010 SO_2 NAAQS." EPA's general expectation is that for infrequent periods of hourly emissions above the critical emission value, "these periods would be unlikely to have a significant impact on air quality, insofar as they would be very unlikely to occur repeatedly at the times when the meteorology is conducive for high ambient concentrations of SO_2. EPA considers this option to be an "appropriate balance between providing a strong assurance that the NAAQS will be attained and maintained, while still acknowledging the necessary variability in source operations and the impairment to source operations that would occur under what could be in some cases an unnecessarily restrictive approach to constraining that variability" (emphasis added). Application of this concept of a longer-term average is appropriate in this case due to significant variability of boiler emissions due to a variety of factors including (1) shifting of load from gas boilers or scrubbed boilers (30 and 31) to uncontrolled coal boilers during planned and unplanned outages and (2) changes in plant steam load demand caused by seasonal factors as well as market demands and planned and unplanned manufacturing process outages. Additionally, two of the sources (boilers 30 and 31) included in this modeling study are equipped and are operated with SO_2 emissions control devices that can have very short-term elevated emissions during boiler startups and malfunctions (e.g., lime slurry feed system malfunctions). For such sources seeking alternate or longer-term emission limits, EPA's guidance notes that:

> "Sources with emission control equipment may be especially prone to periodic occurrences of high emissions, arising on occasions when the control equipment is not operating or operating at reduced efficiency. Therefore, the EPA finds it advisable that longer-term average limits for sources that meet these limits through the use of emission control equipment be subject to supplemental limits that serve to constrain the frequency and/or magnitude of occasions of elevated emissions. Establishment of such supplemental limits as part of a longer-term averaging approach is especially important in cases with significant potential for frequent and/or high magnitude occasions of elevated emissions, including, but not limited to, sources using emissions control equipment."

Appendix C of the EPA's guidance provides an example in which a permitted rolling 30-day emission rate is related to the ratio of a high percentile 30-day emission rate divided by a high percentile 1-hour emission rate. In its example, EPA uses a 99th percentile, likely due to the assumption that for 1% of the time, the higher emission rates would not matter because the form of the 1-hour SO_2 NAAQS is a 99th percentile statistic.

For the purposes of calculating a rolling 30-day average SO_2 emission limit, Eastman elected to follow the procedure included in EPA's nonattainment guidance document, Appendix C.

---

[5] https://www.epa.gov/sites/default/files/2016-06/documents/20140423guidance_nonattainment_sip.pdf

Step 1: Determine the critical emission rates for 1-hour averages that would result in the 5-year average of the annual 99th percentile of daily maximum hourly SO_2 concentrations at the level of the NAAQS. This step was completed and the **CEV is 1600.0 lb/hr**. The critical emission rates modeled for each stack are shown in Table 4-3.

These emissions form the basis for a two-stack combined emission limit using 30-day to 1-hour ratios, as described below using EPA's procedures noted below from the Appendix C guidance.

Step 2: Compile hourly emissions data reflecting the distribution of emissions that is expected once the compliance plan is implemented. These distributions describe the frequency with which different emission levels occur. For Eastman, the emissions over the 1.5 years of operation (7/1/2019-12/31/2020) are expected to be representative of future year operations.

Step 3: Use the distribution of hourly emissions data obtained in Step 2 to compute a corresponding distribution of longer-term (30-day) emission averages

Step 4: Use the distributions of the hourly values compiled in Step 2 and the longer-term average values computed in Step 3. This step determines the 99th percentile of the 1-hour average emission values compiled in Step 2 and the 99th percentile of the longer-term average emission values computed in Step 3.

The calculated **99th hourly emission value is 1252 lb/hr**. The calculated **99th emissions rate (30-day rolling average**) for all boilers is **976 lb/hr**.

Step 5: Compute the ratio of the two 99th percentile values (i.e., compliance ratio) from Step 4. For Eastman, **this ratio (976/1252**) **is 0.78**. A spreadsheet with the calculation is provided in the modeling archive.

Step 6: Multiply this ratio times the critical emission (1-hour) value to obtain the longer-term emission limit, which may be considered to have comparable stringency as a 1-hour limit at the modeled attainment level. For Eastman, the equivalent 30-day average emission limit is as follows:

- For the two stacks combined, **1,600 x 0.78 = 1,248 lb/hr**.

The results of the calculations are summarized in Table 5-1 below (and in Section 7.14 of the main narrative).

Table H9-11: Calculation of 30-Day Rolling Average Emission Limit	
Period of representative emissions	July 1, 2019, through December 31, 2020
99th percentile hourly emission rate (all boilers)	1,252 lb/hr
99th percentile 30-day rolling average emission rate (all boilers)	976 lb/hr
Compliance ratio	0.78
Modeled emission rate	1,600 lb/hr
Allowable emission rate	1,248 lb/hr, 30-day rolling average

Appendix – A

EPA Modeling Comments (dated 6/7/2022) and TDEC Response to the Comments

The U.S. Environmental Protection Agency's Preliminary Comments for the Tennessee Department of Environment and Conservation's (TDEC) Sulfur Dioxide (SO_2) Attainment State Implementation Plan (SIP) for Sullivan County, Tennessee

Key Comments:

1. **Section 7.8 - Selection of Sources to Model:** The draft SIP narrative provides information to support TDEC's determination that the cold and warm flares at the coal gasification plant operate intermittently and, therefore, were not included in the modeling for the attainment demonstration. TDEC references the discussion regarding treatment of intermittent emissions in the EPA's March 1, 2011, 1-hour NO_2 Modeling Guidance Memorandum (also referred to as the 2011 NO_2 Guidance Memo) as the basis for excluding the flares from the attainment modeling. The emission information in Tables 7-2 and 7-3 of the draft SIP narrative shows that SO_2 emissions rates from the flares are zero pounds per hour (lb/hr) for most of the time the flares have operated from 2017 through 2021, ranging from 94 percent to 99 percent of the operating hours; however, there are times when SO_2 emissions occur (e.g., up to 522 hours in 2018). Additionally, Figure 7-2 indicates that emission rates of hundreds of lb/hr, and as high as 5,000 lb/hr, occur infrequently.

   The EPA believes that the information in the draft SIP narrative does not conclusively demonstrate that the flare emissions are not "continuous enough or frequent enough to contribute significantly to the annual distribution of daily maximum 1-hour concentrations," which is the key criteria discussed in the 2011 NO_2 Guidance Memo. Therefore, the EPA requests Tennessee provide additional information to demonstrate that the emissions from the flares will not be frequent enough to impact the 99th percentile of the annual distribution of daily maximum 1-hour concentrations. This information should specifically address the frequency of the emissions "spikes," including a summary of the number of days per year with elevated SO_2 emissions rates. Alternatively, TDEC may consider alternative options for including the flares in the modeling demonstration, considering the relatively low frequency of their operation, such as modeling the emissions at a normalized annual rate as discussed in the 2011 NO_2 Guidance Memo. The EPA will continue to work with Tennessee to address this comment.

   TDEC Response to Comment 1:

   The Flare intermittent source (modeled emission point B351-5) was included in the updated modeling at an annualized SO2 emission rate of 6.25 lb/hr.

2. **Section 7.4 - Meteorological Data:** The discussion of the switch from using the ADJ_U* option to using the measured turbulence parameters is confusing. This section should be revised to clearly state that in the 2017 attainment demonstration, the modeling used the 2012-2013 site-specific meteorology with the ADJ_U* option applied in AERMET, and that the site-specific turbulence parameters (sigma-theta and sigma-w) were not used. This was changed in the 2022 attainment demonstration modeling, so that the site-specific turbulence parameters are being used during unstable atmospheric conditions (mainly daytime), but not during stable conditions (mainly nighttime), when the Urban option in AERMOD is being applied. This same comment applies to the discussion in the Modeling Report contained in Attachment H1b of the draft SIP narrative. Comment 15 identifies additional information related to the meteorological data that should be added to Section 2.0 of Attachment H1b.

TDEC Response to Comment 2:

The processing of the onsite meteorological data is updated and discussed in Section 7.4 of the main narrative and also in Section 2.0 of this document.

3. **Section 7.5 -Background Concentration:** The EPA requests that TDEC provide additional information in this section to justify use of ambient SO_2 concentrations measured at the Mammoth Cave background

monitor located in Kentucky. This section should discuss other potential ambient monitors that were considered for the background concentrations, including their location setting and distance from the Sullivan County nonattainment, compared to the location setting and distance of the Mammoth Cave monitor. Additionally, the details of the calculations of the "season by hour of day" values provided in Table 7-1 should be provided in an appendix (preferably in electronic form in a spreadsheet). This same comment applies to the discussion of background concentrations in section 3.0 of Attachment H1b.

TDEC Response to Comment 3:

The selection of the 2018-2020 representative SO2 ambient background concentrations is provided in Section 7.5 of the main narrative and also in Section 4.0 of this document. The details (spreadsheet) of the season-by-hour calculations are also provided in the electronic modeling archive.

4. **Attachment H1b, TDEC Supplemental CEV [Critical Emissions Value] Modeling Analysis, Section 1.1 Background:** The EPA recommends that this section also include a discussion of the other significant differences from the 2017 Attainment SIP modeling, including:

    a. The current modeling includes most of the SO_2 emissions sources at the Eastman facility modeled with their permit allowable emissions limits.
    b. The current modeling is being used to establish new CEVs and permit limits for the B-248 hazardous waste incinerator units.

TDEC Response to Comment 4:

This updated modeling analysis include all the 73 Eastman SO2 sources in addition to the Domtar Paper Company nearby source for a total of 74 modeled sources. All the sources (aside from the emissions variations CEV assessments for Boilers B-83 and B-325) were modeled at their PTE level or allowable emissions.

5. **Attachment H1b, TDEC Supplemental CEV Modeling Analysis, Section 1.2 Organization of Report:** A discussion of the building downwash analysis should be added to the report. This discussion should include details about how the BPIP pre-processor was used to calculate direction-specific building parameters and identify which emissions sources are included in the building downwash analysis.

TDEC Response to Comment 5:

The processing of the building downwash is addressed in Section 7.8 of the main narrative. There are 24 buildings/structures processed for 4 Stacks (Boilers B83-1822, B83-2324, B325 and B253) with the latest version of BPIP-PRM (version 04274). The building downwash data files are provided in the electronic modeling archive.

6. **Attachment H1b, TDEC Supplemental CEV Modeling Analysis, Section 2.0 Revised Meteorological Data Processing:** A much more detailed discussion of the revised meteorological data processing procedures is needed in this section that goes beyond the changes related to the use of ADJ_U* and on-site measured turbulence parameters. Attachment H1a contains the modeling report from the 2017 Attainment Demonstration. All changes that were made from the procedures discussed in Attachment H1a should be explained in this section. At a minimum, the following information should be addressed in this section:

    a. The version of AERMET used in the current modeling should be identified.
    b. Please clarify whether the cloud cover from the Bristol/Tri-cities National Weather Station (NWS) was used or was the Bulk Richardson Method used with on-site met data.
    c. Please clarify whether AERMINUTE was used when processing the Bristol NWS surface data that is being used to supplement the site-specific met data in AERMOD or was hourly ISHD data used.
    d. Include what version of AERSURFACE was used to process the surface characteristics.

Also include what version of NLCD data were used in AERSURFACE. Clarify if it was 1992 or something more recent.

e. All input and output meteorology data processing files for both AERMET and AERSURFACE should be provided for review.

TDEC Response to Comment 6:

Here are our responses to the listed items:

a. AERMET version 22112.
b. Cloud cover from the Bristol/Tri-City NWS was used.
c. AERMINUTE data used.
d. AERSURFACE version 20060 with 2011 NLCD.
e. All input and output files are provided in the modeling archive.

7. Attachment H1b, TDEC Supplemental CEV Modeling Analysis, Page. 2, Section 3.0: Any other large sources of SO2 emissions within 50 kilometers of the nonattainment area should be identified in this section and a rationale should be provided for not including them in the modeling.

TDEC Response to Comment 7:

The modeling assessment of regional sources located within 50Km of the Eastman Chemical facility is addressed in Section 2 of this document. All identified sources were excluded from modeling based on the Q/D (emissions over distance) analysis where their ratios are less than 20 (threshold). This methodology is based on the NC DNR screening assessment tool utilized for PSD applications in screening out sources from modeling (dated 7/22/1985).

Appendix – A – Continued

EPA Modeling Comments (dated 12/8/2022) and TDEC Response to the Comments

11. **Section 7.4, Meteorological Data:** The final paragraph of this section references use of 2011 National Land Cover Database (NLCD) data for calculating the surface characteristics input parameters used in AERMET. An explanation should be provided why 2011 NLCD data was chosen instead of the more recent 2016 NLCD data.

TDEC Response to Comment 11:

The quality of the 2016 NLCD data has been recently questioned in terms of it over-predicting modeled impacts. By examining the surface characteristics (for Albedo, Bowen Ratio and Surface Roughness) within 1-km surrounding the Eastman facility (centered on Powerhouse B-253 location) for the 1992, 2011 and 2016 NLCD as provided in the attachment (Eastman SC 1992-2011-2016 excel file), the average values of the critical surface roughness parameter are as follows: 0.439m (1992), 0.498m (2011) and 0.048m (2016). The 2016 value is reduced by almost an order of magnitude (90%) from the 2011 value, which is not actually representative of the actual topography of the Eastman facility within 1-km radius and the 2011 value is much closer to the 1992 value as the area has not changed much since that time and that is the basis of our selection of the 2011 data instead of the 2016 data.

12. **Section 7.8, Building Downwash Analysis:** The building downwash data and analysis summarized in Table 7-2 and Figure 7-3 appears to be incomplete. A review of the BPIP electronic modeling files included with the SIP submission indicates that all 77 point-sources included in the modeling were evaluated for building downwash. The discussion in this section should be revised to reflect the actual analysis performed in the final modeling**.**

TDEC Response to Comment 12:

TDEC has updated the downwash analysis by including two additional melting furnace stacks from the distant Cardinal Glass facility. So, there are a total of 24 Eastman buildings evaluated for downwash analysis from 79 point-sources stacks. The buildings and stack locations are shown below. Updated downwash data files will be provided with the final attainment demonstration.

Figure 1: Eastman Buildings Downwash



13. **Section 7.5.1, SO_2 Background Monitors:** Table 7-1 indicates that 2018–2020 data from the Mammoth Cave ambient monitor were used to calculate the season-by-hour background concentrations. An explanation should be provided why 2018–2020 data were used instead of the more recent 2019–2021 data that are currently available. If TDEC decides to revise the modeling runs based upon responses to other comments in this document, the EPA recommends using the more recent 2019–2021 data.

TDEC Response to Comment 13:

TDEC has revised and updated all the 12 CEV modeling runs using the most recent 2019-2021 data.

14. **Section 8.5, Emissions Sources Not Included in the SIP – Organic Acids & Anhydrides Manufacturing (MSOP-23), Table 8-39:** Table 8-39 provides data from Modeling Runs 2022- 0928-1R2 and 2022-0928-7R2. The electronic modeling files for Run 2022-0928-1R2 were not provided in the electronic modeling archive, so review of this run was not possible. Please provide the electronic modeling files for 2022-0928-1R2.

TDEC Response to Comment 14:

TDEC has revised and updated all the 12 CEV modeling runs as a clean slate so there should be no unique or specific revised runs (R2) modeling files. Updated model runs will be provided with the final attainment demonstration.

16. **Attachment H1b, Section 3.0, Regional Source Inventory:** This section indicates that all of the nearby sources discussed in this section were screened out of the modeling based upon the 20D approach of Q/D. The EPA does not endorse the use of the 20D approach for screening out sources for modeling to show attainment with the 2010 1-hour SO_2 NAAQS. For the majority of the sources listed in Tables H9-1 and H9-2, the EPA agrees that the information about the relatively low levels of emissions, large distances from the nonattainment area, and the topography influences demonstrate that these sources do not need to be explicitly modeled in the AERMOD modeling analysis, and their impacts are adequately accounted for with the background concentration. However, for the Cardinal Glass facility, the information presented does not clearly demonstrate that this source does not need to be explicitly modeled. The EPA recommends that additional information about the configuration of SO_2 emissions units (stack heights, velocities, temperatures, etc.) be provided to demonstrate that due to distance that the source does not have significant impacts in the nonattainment area. An additional option would be to perform screening modeling using AERSCREEN to make this demonstration.

TDEC Response to Comment 16:

The cardinal glass facility (two melting furnaces) was included in the updated modeling (dated 2023-0120) with its highest contribution to the design value been 0.2 ppb (Run 2023-0120-7), which is insignificant.

Attachment H2
Determination of Land Surface Temperature Using Landsat 8 TIRS Imaging, Kingsport, TN Area

Determination of Land Surface Temperature Using Landsat 8 TIRS Imaging Kingsport, TN Area

SUMMARY

BEAM-VISAT Version 5.0 software[1] was used in conjunction with methodology from *Quantifying Urban-Rural Temperature Differences for Industrial Complexes Using Thermal Satellite Data*[2] to quantify the difference in temperature between the Eastman Chemical Company facility and the surrounding area.

METHODOLOGY

The US Geological Survey provides the EarthExplorer tool, which allows users to access satellite imaging data from various satellite platforms and modules. For this evaluation, we used Landsat 8 thermal infrared radiation sensor (TIRS) data. The EarthExplorer web tool allows the user to filter images geographical area and data set (in this case, L8 OLI/TIRS), and then further select a scene based on cloud cover, time of day, etc. The scene selected for this analysis was a set of thermal images taken by the Landsat 8 OLI_TIRS module at April 26, 2013 at 4:07 PM (Landsat Scene ID LC80180352013116LGN01).

The scene data is provided in the form of radiance [$W/(m2 * steradians * \mu m)$] at the sensor. Multiple conversions and corrections are necessary to determine the temperature of the ground based on this radiance value. For this image processing, we used BEAM VISAT Version 5.0 and the split window algorithm (SWA) as explained in Appendix A of *Quantifying Urban-Rural Temperature Differences for Industrial Complexes Using Thermal Satellite Data*[3].

The processing of the data requires the radiance value presented by Bands 10 and 11 of the TIRS data to be transformed into band-specific at-satellite brightness temperature values, T_b, as described on the USGS Landsat guidance website[4]. This temperature is then converted to Celsius.

$$(1) \quad T_b = \frac{K_2}{ln\left(\frac{K_1}{L_\lambda}+1\right)} - 273.15$$

where,

T_b = At-satellite brightness temperature (C)

L_λ = TOA spectral radiance (Watts/(m^2 * srad * μm))

K_1, K_2 = Band-specific thermal conversion constants from the metadata

[1] http://www.brockmann-consult.de/cms/web/beam/

[2] Moore, Gary, et al. "Quantifying Urban-Rural Temperature Differences for Industrial Complexes Using Thermal Satellite Data." AECOM. April 2, 2014.

[3] Ibid.

[4] http://landsat.usgs.gov/Landsat8_Using_Product.php

Now that the brightness temperature has been determined for bands 10 and 11, the split window algorithm can be applied. The LandSat 8 split window algorithm (SWA) is presented in Rozenstein et al. (2014) and adapted by AECOM.

The standard mathematical model of the SWA for bands 10 and 11 is given by

$$(2) \quad T_S = A_0 + A_1 T_{10} - A_2 T_{11}$$

T_{10} and T_{11} are the brightness temperatures calculated from Eq. (1) for bands 10 and 11 respectively. Coefficients A_0, A_1, and A_2 are determined through a series of formulas (presented below) to account for the emissivity of the land surface cover and the transmissivity of the atmosphere.

Band	'a' coefficient	'b' coefficient
10	-62.8065	0.4338
11	-67.1728	0.4694

Coefficient	Formula
A_0	$E_1a_{10} + E_2a_{11}$
A_1	$1 + A + E_1b_{10}$
A_2	$A + E_2b_{11}$
A	D_{10}/E_0
E_0	$D_{11}C_{10} - D_{10}C_{11}$
E_1	$D_{11}(1 - C_{10} - D_{10})/E_0$
E_2	$D_{10}(1 - C_{11} - D_{11})/E_0$
D_{10}	$[(1 - \tau_{10})][1 + (1-\varepsilon_{10})\tau_{10}]$
D_{11}	$[(1 - \tau_{11})][1 + (1-\varepsilon_{11})\tau_{11}]$
C_{10}	$\varepsilon_{10}\tau_{10}$
C_{11}	$\varepsilon_{11}\tau_{11}$

Land surface emissivity, ε, requires computation of the normalized difference vegetation index (NVDI) in order to identify vegetation on the planetary surface in the TIRS image. The formula for NVDI is

$$(3) \quad NVDI = \frac{NIR - VIS}{NIR + VIS}$$

where VIS and NIR stand for the spectral reflectance measurements acquired in the visible red (band 4) and near-infrared (band 5) regions, respectively. Conversion of the radiance values provided by the LandSat 8 scene to reflectance is accomplished using the following equations, from the USGS Landsat guidance website[5].

$$(4) \quad Q_{cal} = \frac{L_\lambda - A_L}{M_L}$$

[5] Ibid.

$$(5) \quad \rho\lambda' = M_\rho Q_{cal} + A_\rho$$

where,

L_λ = TOA spectral radiance (Watts/(m2 * srad * μm))
M_L = Band-specific multiplicative radiance rescaling factor from the metadata
A_L = Band-specific additive radiance rescaling factor from the metadata
Q_{cal} = Quantized and calibrated standard product pixel values (DN)
ρλ' = TOA planetary reflectance, without correction for solar angle.
Mρ = Band-specific multiplicative reflectance rescaling factor from the metadata
Aρ = Band-specific additive reflectance rescaling factor from the metadata

Reflectance values were then corrected for sun angle via the equation

$$(6) \quad \rho\lambda = \frac{\rho\lambda'}{\cos\theta_{SZ}} = \frac{\rho\lambda'}{\sin\theta_{SE}}$$

where,

$\rho\lambda$ = TOA planetary reflectance, corrected
θ_{SE} = Local sun elevation angle. The scene center sun elevation angle is provided in the metadata
θ_{SZ} = Local solar zenith angle; $\theta_{SZ} = 90° - \theta_{SE}$

Once NVDI is calculated, it is used to determine the proportion of vegetation, P_V, on the land surface being analyzed, and from that proportion, the land surface emissivity, ε, can be derived.

$$(7) \quad P_V = \left(\frac{NDVI - NDVI_{min}}{NDVI_{max} - NDVI_{min}}\right)^2$$

$$(8)^6 \quad \varepsilon = 0.004 P_V + 0.986$$

The final variable required for the SWA is transmissivity, which is a function of atmospheric vapor content. To estimate this, the US Standard (1976) linear model was employed to determine transmissivity for LandSat 8 bands 10 and 11.

$$(9) \quad \tau = a(ICW) + b$$

where,

a_{10} = -0.1146
b_{10} = 1.0286
a_{11} = -0.1568

[6] Suresh. S, et al. "Estimation of Land Surface Temperature of High Range Mountain Landscape of Devikulam Taluk Using LandSat 8 Data." IJRET: International Journal of Research in Engineering and Technology, Volume 05, Issue 01, January 2016, 92-96, http://esatjournals.net/ijret/2016v05/i01/IJRET20160501017.pdf. Accessed 6 Dec. 2016.

b_{11} = 1.0083
ICW = integrated columnar water, assumed to be 2 g/cm^2.[7]

RESULTS

The estimated land surface temperature is shown in Figure 1 below.

Figure 1: 100-m Resolution L8 TIR Estimate of LST using SWA Method
Scene: April 26, 2013, 4:07 PM



[7] Table 2, Rozenstein, Offer et al. "Derivation of Land Surface Temperature for Landsat-8 TIRS Using a Split Window Algorithm." *Sensors (Basel, Switzerland)* 14.4 (2014): 5768–5780. *PMC*. Web. 6 Dec. 2016. https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4029672/. Accessed on Dec. 6, 2016.

Attachment H3
Stack Parameter Plots for B-83 Boilers 18 through 22


Boiler 18 Emissions and Flow
6,000.00
5,000.00
4,000.00
3,000.00
2,000.00
1,000.00
0.00
Flow (KACFH)
0.00
50.00
100.00
150.00
200.00
250.00
300.00
SO2 Emission Rate (lb/hr)
Flow = 7.8963(emissions) + 3480.4
R² = 0.6836


Boiler 18 Emissions and Temperature
450.00
400.00
350.00
300.00
250.00
200.00
150.00
100.00
50.00
0.00
Temperature (°F)
0.00
50.00
100.00
150.00
200.00
250.00
300.00
SO2 Emission Rate (lb/hr)
Temperature = 0.0627(emissions) + 333.93
R² = 0.0118


Boiler 19 Emissions and Flow
Flow (KACFH)
7,000.00
6,000.00
5,000.00
4,000.00
3,000.00
2,000.00
1,000.00
0.00
0.00
50.00
100.00
150.00
200.00
250.00
300.00
350.00
400.00
SO2 Emission Rate (lb/hr)
Flow = 7.2283(emissions) + 3528.1
R² = 0.7714


Boiler 19 Emissions and Temperature
Temperature (°F)
1,200.00
1,000.00
800.00
600.00
400.00
200.00
0.00
0.00
50.00
100.00
150.00
200.00
250.00
300.00
350.00
400.00
SO2 Emission Rate (lb/hr)
Temperature = -0.1408(emissions) + 377.4
R² = 0.0222


Boiler 20 Emissions and Flow
6,000.00
5,000.00
4,000.00
3,000.00
2,000.00
1,000.00
0.00
Flow (KACFH)
0.00
50.00
100.00
150.00
200.00
250.00
300.00
350.00
SO2 Emissions (lb/hr)
Flow = 7.5212(emissions) + 3486
R² = 0.8569


Boiler 20 Emissions and Temperature
450.00
400.00
350.00
300.00
250.00
200.00
150.00
100.00
50.00
0.00
Temperature (°F)
0.00
50.00
100.00
150.00
200.00
250.00
300.00
350.00
SO2 Emissions (lb/hr)
y = 0.0972x + 328.45
R² = 0.043


Boiler 21 Emissions and Flow
6,000.00
5,000.00
4,000.00
3,000.00
2,000.00
1,000.00
0.00
Flow (KACFH)
0.00
50.00
100.00
150.00
200.00
250.00
300.00
SO2 Emissions (lb/hr)
Flow = 8.6773(Emissions) + 3416.3
R² = 0.915


Boiler 21 Emissions and Temperature
400.00
350.00
300.00
250.00
200.00
150.00
100.00
50.00
0.00
Temperature (°F)
0.00
50.00
100.00
150.00
200.00
250.00
300.00
SO2 Emissions (lb/hr)
Temperature = 0.1591(Emissions) + 288.84
R² = 0.2299


Boiler 22 Emissions and Flow
Flow (KACFH)
7,000.00
6,000.00
5,000.00
4,000.00
3,000.00
2,000.00
1,000.00
0.00
0.00
50.00
100.00
150.00
200.00
250.00
300.00
SO2 Emissions (lb/hr)
y = 7.0914x + 3767.6
R² = 0.7765


Boiler 22 Emissions and Temperature
Stack Temperature (°F)
400.00
350.00
300.00
250.00
200.00
150.00
100.00
50.00
0.00
0.00
50.00
100.00
150.00
200.00
250.00
300.00
SO2 Emissions (lb/hr)
y = 0.2753x + 260.59
R² = 0.2766

Attachment H4
Boiler 23 RATA Information for Stack Parameter Calculations

Boiler 23 Flow Data from Eastman RATA

Load Range	Steam Load (Kpph)	Heat to Load Ratio (MMBtu/1,000 lb steam)	Heat Input (MMBtu/hr)	CEMS Flow Average (kSCFH)	Stack Temp (°F)	Stack Flow (KACFH)
Low	168	1.671	280.7	5,781	330	8,649
Mid	233	1.645	383.3	7,356	338	11,118
high	292	1.597	466.3	8,232	336	12,410
Rated Load	330	1.597	527.0	9,087	336	13,700
Nameplate	314	1.597	501	8,764	336	13,212

Total SO2 Emissions (lb/hr)	762	501 MMBtu/hr each, 1.9 lb SO2/MMBtu, applied 60% control
Total Flow (KACFH)	26,425	multiplied Boiler 23 flow by 2
Stack Temperature (°F)	336	Used the value from Eastman RATA
Stack Diameter (ft)	14	
Stack Area (ft^2)	153.9	
Stack Velocity (ft/s)	47.68	

SO_2 Emissions (g/s)	Stack Velocity (m/s)	Stack Temperature (K)
96.0	14.53	441.9



Attachment H5
Stack Parameter Calculations for Boilers 30 and 31

Boiler 30

Total Flow (KACFH)	17594.7	used 98th percentile to represent operation at max. capacity
Stack Temperature (°F)	230.9	used 98th percentile to represent operation at max. capacity
Stack Diameter (ft)	10	
Stack Area (ft^2)	78.5	
Stack Velocity (ft/s)	62.23	
Stack Velocity (m/s)	18.97	
Stack Temperature (K)	383.5	

Boiler 31

Total Flow (KACFH)	16904.4	used 98th percentile to represent operation at max. capacity
Stack Temperature (°F)	255.7	used 98th percentile to represent operation at max. capacity
Stack Diameter (ft)	10	
Stack Area (ft^2)	78.5	
Stack Velocity (ft/s)	59.79	
Stack Velocity (m/s)	18.22	
Stack Temperature (K)	397.3	

Boilers 30 & 31 combined

Total Flow (KACFH)	34499.1	used 98th percentile to represent operation at max. capacity
Flow-Weighted Average Temperature (°F)	243.1	used 98th percentile to represent operation at max. capacity
Stack Diameter (ft)	10	
Stack Area (ft^2)	78.5	
Stack Velocity (ft/s)	122.02	
Stack Velocity (m/s)	37.19	
Stack Temperature (K)	390.3	

Boiler 30 (95th percentile)	
Total Flow (KACFH)	17387.0
Stack Temperature (°F)	219.4
Stack Diameter (ft)	10
Stack Area (ft^2)	78.5
Stack Velocity (ft/s)	61.49
Stack Velocity (m/s)	18.74
Stack Temperature (K)	377.1

Boiler 31 (95th percentile)	
Total Flow (KACFH)	16311.0
Stack Temperature (°F)	212.3
Stack Diameter (ft)	10
Stack Area (ft^2)	78.5
Stack Velocity (ft/s)	57.69
Stack Velocity (m/s)	17.58
Stack Temperature (K)	373.2

Attachment H6
Calculation of 30-day Rolling Average Emission Limit – Boilers

Eastman Chemical Company supplied hourly emissions data for B-83 and B-325 boilers for the period beginning at midnight on July 1, 2019, and ending at 11:00 PM on December 31, 2020 (see Attachment E1). For each hour in the data set, the individual emission rates for each boiler (18-24 and 30-31) were added to calculate a total emission rate for all affected boilers. Using this total, a series of 30-day rolling average emissions (total for all boilers) was calculated from the hourly averages as the arithmetic average of the current hour, plus the previous 719 hours.

For the set of hourly and 30-day rolling average emission rates, the PERCENTILE.EXC function in Microsoft Excel was used to calculate the 99th percentile values for both the hourly emission rates and the 30-day rolling averages. The compliance ratio for all boilers was calculated as follows:

$$\text{Compliance Ratio} = \frac{99^{th}\text{ Percentile (Hourly)}}{99^{th}\text{ Percentile (30-day Rolling Average)}}$$

The modeled emission rate (1,600 lb/hr) was multiplied by the compliance ratio to determine an allowable emission rate of 1,248 lb/hr.

Allowable Emission Rate (30-day rolling average) = (Modeled Emission Rate)(Compliance Ratio)
Allowable Emission Rate (30-day rolling average) = (1,600 lb/hr)(0.78)
Allowable Emission Rate (30-day rolling average) = (1,248 lb/hr)

Attachment H7
Calculation of 30-day Rolling Average Emission Limit – Incinerators

Eastman Chemical Company supplied hourly emissions data for B-248-1 (rotary kilns) and B-248-2 liquid chemical incinerators for the period beginning at midnight on January 1, 2019, and ending at 11:00 PM on December 31, 2020 (see Attachments F2 and F3). 30-day rolling average emissions were calculated from the hourly averages as the arithmetic average of the current hour, plus the previous 719 hours.

For the set of hourly and 30-day rolling average emission rates, the PERCENTILE.EXC function in Microsoft Excel was used to calculate the 99th percentile values for both the hourly emission rates and the 30-day rolling averages. The compliance ratio for all boilers was calculated as follows:

$$\text{Compliance Ratio} = \frac{99^{th}\text{ Percentile (Hourly)}}{99^{th}\text{ Percentile (30-day Rolling Average)}}$$

The modeled emission rates were multiplied by the compliance ratios to determine an allowable emission rate for each incinerator.

Allowable Emission Rate (30-day rolling average) = (Modeled Emission Rate)(Compliance Ratio)

	B-248-1	**B-248-2**
Data Period	1/1/2019 through 12/31/2020	
Critical Emission Value (CEV)	20 lb/hr	10 lb/hr
Compliance Ratio	0.76	0.2
Allowable Emission Rate (30-day rolling avg.)	15.2	2.0

Attachment H8
Calculation of Potential Emissions for Natural Gas and Oil-Fired Sources

MSOP	PES	Description	Design Heat Input (MMBtu/hr)	Fuel	Emission Factor (lb/MMscf)	Max. Uncontrolled SO_2 Emission Rate (lb/hr)	Max. Uncontrolled SO_2 Emission Rate (g/s)	Permit	Application Date
02	B-83-11	Boiler 32	249	Natural Gas	0.6	0.146	1.85E-02	979100	6/2/2021
02	B-83-11	Boiler 33	249	Natural Gas	0.6	0.146	1.85E-02	979100	6/2/2021
02	B-83-11	Boiler 34	249	Natural Gas	0.6	0.146	1.85E-02	979100	6/2/2021
02	B-253-1	Boiler 25	750	Natural Gas	0.6	0.441	5.56E-02	577389	8/7/2020
02	B-253-1	Boiler 26	750	Natural Gas	0.6	0.441	5.56E-02	577389	8/7/2020
02	B-253-1	Boiler 27	750	Natural Gas	0.6	0.441	5.56E-02	577389	8/7/2020
02	B-253-1	Boiler 28	750	Natural Gas	0.6	0.441	5.56E-02	577389	8/7/2020
02	B-253-1	Boiler 29	750	Natural Gas	0.6	0.441	5.56E-02	577389	8/7/2020
03	B-338-3	Catalyst Recovery Process Vent	2.75	Natural Gas and Tar	0.6	0.002	2.04E-04	573862	2/23/2018
11	B-227-2,3	HTM Furnace #3 (Vent A)	14	Natural Gas	0.6	0.008	1.04E-03	573592	11/2/2021
11	B-227-2,3	HTM Furnace #4 (Vent B)	21.5	Natural Gas	0.6	0.013	1.59E-03	573592	11/2/2021
11	B-256-1, 2, 3	HTM Furnace 5	20	Natural Gas	0.6	0.012	1.48E-03	573592	11/2/2021
11	B-256-1, 2, 3	HTM Furnace 6	20	Natural Gas	0.6	0.012	1.48E-03	573592	11/2/2021
11	B-256-1, 2, 3	HTM Furnace 8	20	Natural Gas	0.6	0.012	1.48E-03	573592	11/2/2021
11	B-272-1, 2, 3	HTM Furnace 7	20	Natural Gas	0.6	0.012	1.48E-03	573592	11/2/2021
11	B-272-1, 2, 3	HTM Furnace 9	20	Natural Gas	0.6	0.012	1.48E-03	573592	11/2/2021
11	B-272-1, 2, 3	HTM Furnace 10	20	Natural Gas	0.6	0.012	1.48E-03	573592	11/2/2021
16	B-6C-1	Cracking Furnace #27	25	Natural Gas & Chemical Fuel	0.6	0.015	1.85E-03	576946	5/28/2019
16	B-6C-1	Cracking Furnace #28	25	Natural Gas & Chemical Fuel	0.6	0.015	1.85E-03	576946	5/28/2019
16	B-7R-1	Cracking Furnaces #5-16 and #19-24	191.8	Natural Gas	0.6	0.113	1.42E-02	576946	5/28/2019
16	B-7RC-1	Cracking Furnace #25	17	Natural Gas	0.6	0.010	1.26E-03	576946	5/28/2019
16	B-7RC-1	Cracking Furnace #26	13.5	Natural Gas	0.6	0.008	1.00E-03	576946	5/28/2019
16	Area A-B7	Ketene Furnaces	40	Natural Gas	0.6	0.024	2.96E-03	576946	5/28/2019
16	Area A-B7	Thermal Oxidizer	7.4	Natural Gas	0.6	0.004	5.48E-04	576946	5/28/2019
19	B-545-1	Process Heater FA-F-01	24.5	Natural Gas	0.6	0.014	1.82E-03	575805	12/5/2018
19	B-545-1	Process Heater FB-F-01	24.5	Natural Gas	0.6	0.014	1.82E-03	575805	12/5/2018
19	B-545-1	Vapor Incinerator	22	Natural Gas	0.6	0.013	1.63E-03	575805	12/5/2018
26	B-423-1	Boiler A	226	Natural Gas	0.6	0.133	1.68E-02	576501	2/14/2020
26	B-423-1	Boiler B	226	Natural Gas	0.6	0.133	1.68E-02	576501	2/14/2020
26	B-423-1	Boiler C	226	Natural Gas	0.6	0.133	1.68E-02	576501	2/14/2020
27	B-190-1	Burnout Oven	0.35	Natural Gas	0.6	2.06E-04	2.59E-05	574985	9/19/2018
31	B-265B-1	SM-01 Furnace	4.9	Natural Gas	0.6	2.88E-03	3.63E-04	576485	10/11/2019
31	B-265B-1	SM-02 Furnace	6.2	Natural Gas	0.6	3.65E-03	4.60E-04	576485	10/11/2019
34	B-232-1	Vent UA Catalytic Oxidizer	3.26	Natural Gas	0.6	0.002	2.42E-04	576931	4/14/2022
34	B-232-1	Vent UB Regenerative Thermal Oxidizer	13.57	Natural Gas	0.6	0.008	1.01E-03	576931	4/14/2022
34	B-232-1	Vent UC Catalytic Oxidizer	3.26	Natural Gas	0.6	0.002	2.42E-04	576931	4/14/2022
36	B-655-1	Methanolysis Plant Furnace FR-01	169	Natural Gas	0.6	0.099	1.25E-02	981591	8/3/2023

MSOP	PES	Description	Design Heat Input (MMBtu/hr)	Fuel	Emission Factor (lb/MMscf)	Max. Uncontrolled SO_2 Emission Rate (lb/hr)	Max. Uncontrolled SO_2 Emission Rate (g/s)	Permit	Application Date
24	B-238-1	MF-01 Furnace				0.012	1.48E-03	576162	1/18/2019
24	B-238-1	MG-01 Furnace				0.012	1.48E-03	576162	1/18/2019
24	B-238-1	MK-01 Furnace				0.044	5.48E-03	576162	1/18/2019
24	B-238-1	ML-01 Furnace	**Redacted - the permittee has requested protection of this information as Confidential Business Information.**			0.058	7.35E-03	576162	1/18/2019
24	H2 Plants	Hydrogen Plant #3				0.034	4.22E-03	576162	1/18/2019
24	H2 Plants	Hydrogen Plant #4				0.034	4.28E-03	576162	1/18/2019
24	H2 Plants	Hydrogen Plant #5				0.075	9.49E-03	576162	1/18/2019
24	H2 Plants	Hydrogen Plant #6				0.076	9.56E-03	576162	1/18/2019

#2 Oil Combustion

#2 Oil Heating Value (MMBtu/lb)	19,750

$$SO_2 \text{ emission rate (lb/hr)} = \frac{(\text{Heat input in Btu/hr})(15\text{x}10^{-6} \text{ lb S/lb})(32 \text{ lb/lb-mol } SO_2)}{(\text{Fuel heating value in Btu/lb})(16 \text{ lb/lb-mol S})}$$

MSOP	PES	Description	Design Heat Input (MMBtu/hr)	Fuel	Max. Uncontrolled SO_2 Emission Rate (lb/hr)	Max. Uncontrolled SO_2 Emission Rate (g/s)	Permit	Application Date
11	RICE-2	B-63 Fire Pump	1.78	ULSD	2.70E-03	3.41E-04	573592	8/27/2018
11	RICE-2	B-269 Fire Pump	1.3	ULSD	1.97E-03	2.49E-04	573592	8/27/2018
29	RICE-1	B-456 Emergency Engine (Vent A)	3.79	ULSD	5.76E-03	7.25E-04	574111	12/18/2019
29	RICE-1	B-310 Emergency Engine (Vent H)	1.18	ULSD	1.79E-03	2.26E-04	574111	12/18/2019
29	RICE-1	B-300 Emergency Engine (Vent I)	0.09	ULSD	1.37E-04	1.72E-05	574111	12/18/2019
29	RICE-1	B-54D Emergency Engine (Vent K)	2.21	ULSD	3.36E-03	4.23E-04	574111	12/18/2019
29	RICE-1	B-280 Emergency Engine (Vent P)	0.55	ULSD	8.35E-04	1.05E-04	574111	12/18/2019
32	RICE-3	B-427 Emergency Engine	2.79	ULSD	4.24E-03	5.34E-04	576926	5/24/2019

Attachment H9
Revised Modeled Impacts, MSOP-23, PES B-55-1

Receptor Coordinates		Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X	Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
363004.13000	4042264.51000	0.12069	28.43283	0.1531	35.2551
363054.13000	4042264.51000	0.11187	26.98647	0.14177	33.54562
363104.13000	4042264.51000	0.17326	24.93078	0.21374	31.60008
363154.13000	4042264.51000	0.16608	23.22329	0.20488	29.53193
363204.13000	4042264.51000	0.17034	20.19485	0.21129	24.90238
363254.13000	4042264.51000	0.0976	16.99341	0.12044	21.7807
363304.13000	4042264.51000	0.09499	15.11846	0.11722	19.64292
363354.13000	4042264.51000	0.09275	16.30044	0.11445	17.92012
363404.13000	4042264.51000	0.10836	13.38154	0.13474	16.50398
363454.13000	4042264.51000	0.09399	12.93926	0.11569	16.72143
363504.13000	4042264.51000	0.09741	13.48631	0.12101	16.73366
362954.13000	4042314.51000	0.13871	30.12712	0.17621	38.31131
363004.13000	4042314.51000	0.13454	28.0772	0.17085	34.42768
363054.13000	4042314.51000	0.11722	27.3593	0.14864	34.66774
363104.13000	4042314.51000	0.17837	26.24961	0.22004	31.59607
363154.13000	4042314.51000	0.1781	22.7244	0.22209	28.54369
363204.13000	4042314.51000	0.17557	19.66768	0.21818	25.37114
363254.13000	4042314.51000	0.1657	18.59728	0.20548	21.9908
363304.13000	4042314.51000	0.09721	15.25929	0.11996	18.03733
363354.13000	4042314.51000	0.09454	14.73054	0.11667	19.07637
363404.13000	4042314.51000	0.09258	14.72838	0.11425	18.60699
363454.13000	4042314.51000	0.06865	13.71847	0.08555	17.37388
362904.13000	4042364.51000	0.16216	33.23861	0.20641	40.56518
362954.13000	4042364.51000	0.14539	29.83218	0.18477	37.39941
363004.13000	4042364.51000	0.131	29.64026	0.16633	35.79461
363054.13000	4042364.51000	0.18828	26.68079	0.23225	31.61405
363104.13000	4042364.51000	0.18178	24.15326	0.22425	30.1916
363154.13000	4042364.51000	0.18014	25.11177	0.2255	27.76432
363204.13000	4042364.51000	0.17492	21.56125	0.21813	24.87166
363254.13000	4042364.51000	0.17229	19.11653	0.21411	24.83164
363304.13000	4042364.51000	0.15744	17.38536	0.19518	22.17471
363354.13000	4042364.51000	0.14306	15.965	0.17731	20.09562
363404.13000	4042364.51000	0.09388	15.16438	0.11586	18.6479
362854.13000	4042414.51000	1.86302	33.82081	2.43175	42.00384
362904.13000	4042414.51000	0.21463	32.61895	0.26472	40.5493
362954.13000	4042414.51000	0.20815	31.45265	0.25675	36.31062
363004.13000	4042414.51000	0.13643	26.99231	0.17331	33.75629
363054.13000	4042414.51000	0.12515	25.86837	0.15883	30.43466
363104.13000	4042414.51000	0.11556	24.88136	0.14649	28.85007
363154.13000	4042414.51000	0.07824	23.77542	0.09658	28.32767
363204.13000	4042414.51000	0.07555	25.22591	0.09327	30.54843
363254.13000	4042414.51000	0.0873	22.57377	0.10775	28.56918
363304.13000	4042414.51000	0.08411	20.6298	0.10381	26.25317
363354.13000	4042414.51000	0.07808	16.78874	0.09637	21.13462
362854.13000	4042464.51000	2.46618	35.0026	3.17409	41.90401
362904.13000	4042464.51000	0.1094	32.01001	0.1351	37.45478
362954.13000	4042464.51000	0.10521	29.98942	0.12993	34.41353
363004.13000	4042464.51000	0.16019	27.87437	0.19691	31.48847
363054.13000	4042464.51000	0.15326	25.2536	0.1884	31.42701
363104.13000	4042464.51000	0.14703	25.63409	0.18076	32.20795
363154.13000	4042464.51000	0.14183	26.23458	0.17436	32.0895
363204.13000	4042464.51000	0.09234	26.06592	0.11399	30.6707
363254.13000	4042464.51000	0.08895	23.46864	0.1098	26.78748
363304.13000	4042464.51000	0.11535	21.83864	0.14198	24.80456
363354.13000	4042464.51000	0.09818	20.8733	0.12116	24.06477
362804.13000	4042514.51000	0.12264	37.54354	0.15144	42.71894
362854.13000	4042514.51000	0.14883	33.95676	0.18362	39.81411
362904.13000	4042514.51000	0.1117	31.46139	0.13794	35.77512
362954.13000	4042514.51000	0.1073	28.31929	0.13251	35.03734

Receptor Coordinates	Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
363004.13000 4042514.51000	0.16332	28.40054	0.20076	35.82407
363054.13000 4042514.51000	0.1562	28.91778	0.19202	35.66739
363104.13000 4042514.51000	0.14972	26.37006	0.18406	32.99609
363154.13000 4042514.51000	0.14378	25.26204	0.17676	29.61018
363204.13000 4042514.51000	0.0934	25.17757	0.11531	29.51676
363254.13000 4042514.51000	0.10769	23.83892	0.13289	27.8759
363304.13000 4042514.51000	0.10346	21.5004	0.12767	24.29411
362754.13000 4042564.51000	0.19049	38.13192	0.23439	44.39696
362804.13000 4042564.51000	0.06974	35.0841	0.08593	41.3492
362854.13000 4042564.51000	0.06756	31.4423	0.08324	39.45277
362904.13000 4042564.51000	0.06441	31.9879	0.07935	40.43819
362954.13000 4042564.51000	0.13899	32.06371	0.1715	39.9309
363004.13000 4042564.51000	0.13323	28.99977	0.16439	36.78605
363054.13000 4042564.51000	0.12827	28.12384	0.15828	32.68009
363104.13000 4042564.51000	0.12317	26.5597	0.15198	32.41311
363154.13000 4042564.51000	0.11775	25.67729	0.1453	30.3586
363204.13000 4042564.51000	0.11303	26.04509	0.13948	30.67364
363254.13000 4042564.51000	0.10905	23.21521	0.13457	29.45595
362704.13000 4042614.51000	0.14314	38.0447	0.17678	46.71693
362754.13000 4042614.51000	0.13451	36.0699	0.16611	44.90189
362804.13000 4042614.51000	0.20668	36.18095	0.25453	45.93663
362854.13000 4042614.51000	0.19907	35.9286	0.24514	45.21206
362904.13000 4042614.51000	0.16736	32.55833	0.20592	41.21017
362954.13000 4042614.51000	0.16028	31.74036	0.19721	36.35445
363004.13000 4042614.51000	0.16799	30.0282	0.20649	35.8676
363054.13000 4042614.51000	0.08975	28.03279	0.11025	32.73027
363104.13000 4042614.51000	0.09787	25.73383	0.12087	29.26094
363154.13000 4042614.51000	0.09385	23.52899	0.11591	28.34131
363204.13000 4042614.51000	0.0962	25.97363	0.11878	30.65193
362704.13000 4042664.51000	0.00714	40.23148	0.00809	51.57657
362754.13000 4042664.51000	0.00799	40.31702	0.00896	51.5843
362804.13000 4042664.51000	0.28739	37.07346	0.35422	45.70219
362854.13000 4042664.51000	0.20292	35.82705	0.24986	41.56473
362904.13000 4042664.51000	0.11871	33.70113	0.14662	39.24988
362954.13000 4042664.51000	0.18854	30.91903	0.23218	35.05744
363004.13000 4042664.51000	0.09517	27.79772	0.1169	32.52324
363054.13000 4042664.51000	0.08959	26.0562	0.11005	32.30734
363104.13000 4042664.51000	0.08564	24.85182	0.10521	30.19948
363154.13000 4042664.51000	0.09515	23.0718	0.11751	28.11117
362654.13000 4042714.51000	0.00644	44.66474	0.0074	57.40425
362704.13000 4042714.51000	0.0076	43.43456	0.00859	51.35165
362754.13000 4042714.51000	0.00806	40.53335	0.00905	48.869
362804.13000 4042714.51000	0.00852	37.82541	0.00952	44.22939
362854.13000 4042714.51000	0.27947	34.14676	0.34448	38.43031
362904.13000 4042714.51000	0.19757	30.28924	0.24328	37.54915
362954.13000 4042714.51000	0.19095	28.62964	0.23514	35.71619
363004.13000 4042714.51000	0.11028	26.99164	0.1362	34.36579
363054.13000 4042714.51000	0.10416	25.13699	0.12865	31.44717
363104.13000 4042714.51000	0.08567	23.84325	0.10523	29.02763
362604.13000 4042764.51000	0.10356	49.01309	0.12784	57.55104
362654.13000 4042764.51000	0.21333	45.50177	0.26182	56.245
362704.13000 4042764.51000	0.00688	41.53959	0.00784	48.10138
362754.13000 4042764.51000	0.0081	37.63634	0.00911	44.83455
362804.13000 4042764.51000	0.00873	34.26626	0.00975	42.74566
362854.13000 4042764.51000	0.28431	31.99218	0.35045	41.2304
362904.13000 4042764.51000	0.2709	29.19185	0.33393	36.90419
362954.13000 4042764.51000	0.25858	27.96556	0.31876	35.33444
363004.13000 4042764.51000	0.09824	26.29574	0.12154	33.12193
363054.13000 4042764.51000	0.09028	24.95297	0.1117	31.982

Receptor Coordinates		Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X	Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
363104.13000	4042764.51000	0.08431	23.67978	0.10431	30.42656
362554.13000	4042814.51000	0.1146	52.56874	0.14157	63.58312
362604.13000	4042814.51000	0.15437	47.92153	0.1906	54.07901
362654.13000	4042814.51000	0.22814	40.71859	0.28005	51.82231
362704.13000	4042814.51000	0.0892	38.57981	0.11005	49.76652
362754.13000	4042814.51000	0.08572	35.64153	0.10569	45.19403
362804.13000	4042814.51000	0.00823	32.95472	0.00923	42.09887
362854.13000	4042814.51000	0.28849	30.87946	0.35561	39.57447
362904.13000	4042814.51000	0.27459	28.71741	0.33848	36.79944
362954.13000	4042814.51000	0.2619	27.68067	0.32286	35.69828
363004.13000	4042814.51000	0.25031	27.89292	0.30858	34.61209
363054.13000	4042814.51000	0.09202	27.85579	0.11386	32.45779
362554.13000	4042864.51000	0.26757	47.88205	0.3298	62.02482
362604.13000	4042864.51000	0.24953	43.17448	0.3075	55.75172
362654.13000	4042864.51000	0.14955	40.52829	0.18464	49.54494
362704.13000	4042864.51000	0.21665	36.07699	0.26594	46.55188
362754.13000	4042864.51000	0.0846	35.90706	0.10435	46.12189
362804.13000	4042864.51000	0.07893	35.76529	0.09733	43.40496
362854.13000	4042864.51000	0.07439	34.25583	0.09169	40.21842
362904.13000	4042864.51000	0.27768	32.21521	0.34229	38.01431
362954.13000	4042864.51000	0.2646	30.74543	0.32618	36.9126
363004.13000	4042864.51000	0.25278	29.48054	0.31163	36.00358
362504.13000	4042914.51000	78.82302	50.6338	98.90631	64.57439
362554.13000	4042914.51000	1.06103	48.92738	1.29561	61.28734
362604.13000	4042914.51000	0.25282	46.77801	0.31159	56.29959
362654.13000	4042914.51000	0.23467	43.40806	0.28912	53.75917
362704.13000	4042914.51000	0.14137	42.25207	0.17454	52.76878
362754.13000	4042914.51000	0.20732	41.36499	0.25451	49.70505
362804.13000	4042914.51000	0.19541	37.64588	0.24076	46.94457
362854.13000	4042914.51000	0.00848	36.02686	0.00948	45.66373
362904.13000	4042914.51000	0.28022	34.91098	0.34543	44.3017
362954.13000	4042914.51000	0.2668	33.50994	0.32889	42.70593
362454.13000	4042964.51000	79.64992	64.7428	100.04747	79.31727
362504.13000	4042964.51000	77.77695	60.49093	97.75367	76.41165
362554.13000	4042964.51000	1.45764	57.46387	1.78927	73.37518
362604.13000	4042964.51000	0.25469	54.37378	0.31391	69.33974
362654.13000	4042964.51000	0.23644	52.29189	0.29131	66.79327
362704.13000	4042964.51000	0.22147	49.51358	0.27285	63.23649
362754.13000	4042964.51000	0.21041	46.59643	0.25923	59.42267
362804.13000	4042964.51000	0.19891	44.02009	0.24424	56.14228
362854.13000	4042964.51000	0.18532	41.33596	0.22833	52.75557
362904.13000	4042964.51000	0.17557	38.83117	0.21633	49.545
362404.13000	4043014.51000	2.67746	83.74314	3.30968	102.51504
362454.13000	4043014.51000	2.34057	76.46335	2.89179	96.28679
362504.13000	4043014.51000	93.10747	69.76504	117.36698	89.25475
362554.13000	4043014.51000	84.33904	63.6987	106.18677	81.42046
362604.13000	4043014.51000	1.75839	58.57947	2.16857	74.38539
362654.13000	4043014.51000	0.23803	53.57057	0.29324	68.00327
362704.13000	4043014.51000	0.22273	49.6319	0.27436	63.09436
362754.13000	4043014.51000	0.20981	46.78733	0.25845	59.56165
362804.13000	4043014.51000	0.19835	44.09177	0.24434	56.25922
362854.13000	4043014.51000	0.18748	41.21072	0.23097	53.12884
362904.13000	4043014.51000	0.28317	38.94863	0.34906	49.92258
362404.13000	4043064.51000	4.04923	92.21567	5.04048	118.98043
362454.13000	4043064.51000	95.38282	83.7338	119.56236	107.74224
362504.13000	4043064.51000	86.79906	76.28552	108.74004	98.00109
362554.13000	4043064.51000	79.33756	69.81732	99.34145	89.55255
362604.13000	4043064.51000	0.11529	64.08663	0.14242	82.09419
362654.13000	4043064.51000	1.99527	58.94742	2.46985	75.42615

Receptor Coordinates		Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X	Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
362704.13000	4043064.51000	0.22398	54.46725	0.27568	69.61746
362754.13000	4043064.51000	0.20839	50.19549	0.25653	64.05415
362804.13000	4043064.51000	0.19827	47.33967	0.24411	60.44969
362854.13000	4043064.51000	0.29909	44.39138	0.36868	56.70338
362354.13000	4043114.51000	111.53571	95.10442	140.02762	113.63074
362404.13000	4043114.51000	4.0881	88.33961	5.08921	104.82779
362454.13000	4043114.51000	93.52077	81.85022	116.55995	96.45352
362504.13000	4043114.51000	83.099	73.86577	103.55003	88.64795
362554.13000	4043114.51000	74.1316	65.89476	92.34425	81.58133
362604.13000	4043114.51000	0.24934	59.52748	0.30845	75.05628
362654.13000	4043114.51000	2.32595	56.33084	2.88881	68.53194
362704.13000	4043114.51000	0.23052	53.18373	0.28303	63.67136
362754.13000	4043114.51000	0.21364	49.08059	0.26246	59.58443
362804.13000	4043114.51000	0.20042	45.37303	0.24635	56.06657
362304.13000	4043164.51000	96.02573	96.03923	118.59539	123.36376
362354.13000	4043164.51000	107.98418	86.3726	135.30639	108.77653
362404.13000	4043164.51000	94.78367	79.84288	117.37521	97.14287
362454.13000	4043164.51000	90.78049	73.01529	112.54489	87.8538
362504.13000	4043164.51000	85.47503	65.9879	106.05618	81.92716
362554.13000	4043164.51000	79.7086	60.3363	98.9622	74.52371
362604.13000	4043164.51000	0.24823	56.54541	0.30706	69.141
362654.13000	4043164.51000	0.10043	53.23829	0.12395	62.87678
362704.13000	4043164.51000	2.4102	48.76783	2.99902	60.06587
362754.13000	4043164.51000	0.22798	45.44255	0.27891	57.73179
362304.13000	4043214.51000	101.49689	97.65264	129.67852	126.38815
362354.13000	4043214.51000	106.26796	90.87664	134.42851	115.53819
362404.13000	4043214.51000	3.4678	82.78761	4.29666	105.54875
362454.13000	4043214.51000	93.96699	72.61293	118.63831	92.72168
362504.13000	4043214.51000	0.33891	63.49741	0.4384	80.8874
362554.13000	4043214.51000	0.29711	58.0389	0.38293	74.69662
362604.13000	4043214.51000	0.24501	55.57284	0.30305	67.63217
362654.13000	4043214.51000	0.22572	49.81825	0.27913	63.10367
362704.13000	4043214.51000	0.35254	49.26681	0.43457	61.33381
362254.13000	4043264.51000	129.13148	115.76672	163.73446	149.38652
362304.13000	4043264.51000	110.23776	101.78955	139.25541	131.59426
362354.13000	4043264.51000	109.54492	86.89812	137.16625	112.82723
362404.13000	4043264.51000	88.50533	78.67141	112.525	102.06274
362454.13000	4043264.51000	0.37556	72.30434	0.48721	93.2822
362504.13000	4043264.51000	0.30399	66.46192	0.39153	84.41424
362554.13000	4043264.51000	0.2763	61.80385	0.35493	78.64593
362604.13000	4043264.51000	0.25334	55.93801	0.32475	71.27698
362654.13000	4043264.51000	0.22135	50.67735	0.2737	63.96051
362704.13000	4043264.51000	0.34787	46.56377	0.4288	58.2919
362204.13000	4043314.51000	150.91482	134.14651	189.28253	172.51422
362254.13000	4043314.51000	126.67232	108.3222	156.03275	139.30676
362304.13000	4043314.51000	110.79537	101.04155	138.13728	125.82668
362354.13000	4043314.51000	103.3757	89.51561	129.97748	115.18689
362404.13000	4043314.51000	92.7758	80.39767	116.15737	103.78758
362454.13000	4043314.51000	0.3457	72.55751	0.44722	91.30264
362504.13000	4043314.51000	0.29262	64.49038	0.37638	81.17606
362554.13000	4043314.51000	0.26714	58.86366	0.34275	71.74914
362604.13000	4043314.51000	2.17564	54.98859	2.68646	70.62897
362654.13000	4043314.51000	0.22956	51.62304	0.29372	65.55656
362204.13000	4043364.51000	136.85126	122.82069	170.50886	155.30317
362254.13000	4043364.51000	132.71747	116.53142	166.15743	150.57801
362304.13000	4043364.51000	98.85989	92.43057	125.00844	118.5024
362354.13000	4043364.51000	101.31053	82.13353	127.08587	105.56663
362404.13000	4043364.51000	93.53706	80.57842	116.2147	103.18371
362454.13000	4043364.51000	1.8905	69.54705	2.31599	89.59435

Receptor Coordinates		Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X	Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
362504.13000	4043364.51000	0.28883	65.59066	0.37169	83.51665
362554.13000	4043364.51000	0.26832	60.66526	0.34482	75.42282
362604.13000	4043364.51000	0.25062	54.48859	0.32169	69.54105
362154.13000	4043414.51000	0.90043	116.43676	1.13005	150.37852
362204.13000	4043414.51000	123.47781	109.1155	156.45044	141.06027
362254.13000	4043414.51000	119.57511	103.7813	148.36441	132.34981
362304.13000	4043414.51000	115.44781	101.83803	145.04931	130.436
362354.13000	4043414.51000	94.30375	81.81815	118.48174	104.06993
362404.13000	4043414.51000	0.32579	75.10916	0.42032	95.63131
362454.13000	4043414.51000	0.16107	68.39962	0.19868	88.27289
362504.13000	4043414.51000	0.27795	65.59149	0.35737	84.78458
362554.13000	4043414.51000	0.2607	56.8377	0.33485	72.97487
362104.13000	4043464.51000	141.70878	113.86341	174.06808	146.17265
362154.13000	4043464.51000	128.27926	107.42664	158.51703	137.55315
362204.13000	4043464.51000	120.82441	103.2316	151.03797	131.6506
362254.13000	4043464.51000	0.37719	93.35775	0.46684	120.42646
362304.13000	4043464.51000	0.34374	88.15454	0.4253	112.37293
362354.13000	4043464.51000	0.43009	88.47826	0.52947	113.17537
362404.13000	4043464.51000	0.30984	75.40704	0.39925	93.34682
362454.13000	4043464.51000	0.15354	64.98013	0.18928	81.65349
362504.13000	4043464.51000	0.25398	60.89078	0.3081	77.64607
362054.13000	4043514.51000	124.86787	110.99366	154.52821	140.654
362104.13000	4043514.51000	108.13011	99.41326	135.07729	126.56747
362154.13000	4043514.51000	115.1528	102.35804	144.70365	130.61896
362204.13000	4043514.51000	0.36843	90.77347	0.4558	116.16448
362254.13000	4043514.51000	0.34127	87.81912	0.42211	112.70017
362304.13000	4043514.51000	60.52279	82.35526	75.31247	103.53943
362354.13000	4043514.51000	0.29198	77.19319	0.36098	98.39457
362404.13000	4043514.51000	0.16368	77.72021	0.20007	99.8643
362454.13000	4043514.51000	60.53645	66.22771	75.54103	84.65561
362004.13000	4043564.51000	2.84703	99.68743	3.57609	128.95245
362054.13000	4043564.51000	112.39737	101.66969	138.59455	130.09596
362104.13000	4043564.51000	52.95255	97.3399	68.00785	123.91796
362154.13000	4043564.51000	103.03168	91.58372	129.37641	117.92845
362204.13000	4043564.51000	0.33153	85.3275	0.4099	109.06366
362254.13000	4043564.51000	0.55438	79.45549	0.70828	101.24681
362304.13000	4043564.51000	83.17315	76.67923	102.92265	98.44309
362354.13000	4043564.51000	1.01318	72.0157	1.22313	91.163
362404.13000	4043564.51000	0.16856	67.9094	0.20349	86.21327
362454.13000	4043564.51000	56.70481	68.27058	72.019	87.6272
362004.13000	4043614.51000	2.63227	92.94061	3.30805	117.40745
362054.13000	4043614.51000	85.68159	92.63146	102.41898	118.58377
362104.13000	4043614.51000	49.5905	85.63847	63.68954	109.50485
362154.13000	4043614.51000	44.20339	79.79243	56.22645	102.63673
362204.13000	4043614.51000	0.5614	80.29964	0.71711	102.46389
362254.13000	4043614.51000	66.19417	75.97525	82.73152	97.23687
362304.13000	4043614.51000	5.7884	71.01044	7.02018	91.10163
362354.13000	4043614.51000	2.02255	68.38333	2.42132	87.32321
362404.13000	4043614.51000	38.87854	63.2788	49.68262	80.53469
361954.13000	4043664.51000	3.13757	80.7522	3.93182	103.26966
362004.13000	4043664.51000	69.66376	85.60273	88.6807	108.4855
362054.13000	4043664.51000	3.35768	82.21514	4.16197	105.07219
362104.13000	4043664.51000	44.46524	79.99944	57.14185	102.83343
362154.13000	4043664.51000	66.63982	75.05671	85.594	95.49605
362204.13000	4043664.51000	0.51983	75.33549	0.663	96.91759
362254.13000	4043664.51000	20.42449	71.55593	25.35508	90.30932
362304.13000	4043664.51000	0.6	64.87149	0.72428	83.09993
362354.13000	4043664.51000	0.30859	64.20935	0.38127	81.86888
361904.13000	4043714.51000	4.16135	70.69574	5.16523	90.02841

Receptor Coordinates	Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
361954.13000 4043714.51000	2.92623	75.12916	3.66967	96.00769
362004.13000 4043714.51000	3.71103	77.76777	4.6079	99.27731
362054.13000 4043714.51000	3.23381	76.22792	4.00937	96.30898
362104.13000 4043714.51000	2.67151	75.34995	3.30381	95.50028
362154.13000 4043714.51000	10.10086	70.98225	11.02002	90.22225
362204.13000 4043714.51000	0.48584	67.61156	0.61889	86.1327
362254.13000 4043714.51000	0.43788	65.27564	0.54819	83.88886
362304.13000 4043714.51000	13.1956	59.63352	16.12143	76.2475
359574.00000 4041732.50000	0.13872	9.03817	0.17352	11.25737
359574.00000 4041832.50000	0.1429	8.81927	0.17877	11.08401
359574.00000 4041932.50000	3.04095	8.88423	3.74373	11.01436
359574.00000 4042032.50000	0.1463	9.39303	0.18284	11.87981
359674.00000 4041332.50000	0.1245	8.93929	0.15635	11.32717
359674.00000 4041432.50000	0.12859	8.94654	0.16153	11.26478
359674.00000 4041532.50000	10.15825	9.00667	12.526	11.37926
359674.00000 4041632.50000	0.15793	8.93653	0.19811	11.29124
359674.00000 4041932.50000	0.10035	9.64077	0.12834	11.82544
359674.00000 4042032.50000	0.15566	9.92573	0.19456	12.53926
359674.00000 4042632.50000	0.1686	11.35286	0.21494	13.1884
359774.00000 4041132.50000	0.1143	8.33779	0.14341	10.52444
359774.00000 4041232.50000	0.12547	8.52758	0.15758	10.79841
359774.00000 4041332.50000	0.13043	9.40407	0.16383	11.84858
359774.00000 4041432.50000	0.13564	9.53991	0.17039	12.06204
359774.00000 4042532.50000	0.18022	11.5682	0.229	14.55719
359774.00000 4042632.50000	0.17987	11.4673	0.22948	14.46978
359774.00000 4042732.50000	0.18776	11.28237	0.23753	14.19382
359774.00000 4042832.50000	0.16502	11.158	0.21217	14.05979
359874.00000 4040932.50000	0.14547	7.88912	0.1806	9.9977
359874.00000 4041032.50000	0.6989	7.99553	0.86205	10.13493
359874.00000 4041132.50000	1.33069	8.57537	1.64106	10.85064
359874.00000 4041232.50000	0.1313	8.68252	0.16494	10.95186
359874.00000 4041332.50000	0.13667	9.43218	0.1717	11.94419
359874.00000 4041432.50000	0.14277	10.10996	0.17937	12.73297
359874.00000 4042532.50000	0.19509	12.29834	0.24793	15.50567
359874.00000 4042632.50000	0.31523	12.51006	0.39146	15.79019
359874.00000 4042732.50000	0.19561	11.84868	0.24975	14.90869
359874.00000 4042832.50000	0.5501	12.0631	0.685	15.17838
359874.00000 4042932.50000	0.29348	11.80415	0.36386	14.96349
359974.00000 4040732.50000	0.14691	7.58568	0.18368	9.60944
359974.00000 4040832.50000	0.10598	7.95045	0.13649	10.05989
359974.00000 4040932.50000	0.15306	8.39956	0.19001	10.62543
359974.00000 4041032.50000	0.04974	8.45583	0.06135	10.7196
359974.00000 4041132.50000	0.80863	8.65376	0.99768	10.97155
359974.00000 4041232.50000	0.15898	9.24913	0.19995	11.70476
359974.00000 4041332.50000	0.14336	9.52634	0.18014	12.03218
359974.00000 4041432.50000	5.06465	10.47904	6.2521	13.26902
359974.00000 4042532.50000	0.16069	13.25422	0.20497	16.7164
359974.00000 4042632.50000	0.16263	12.66928	0.20752	15.97737
359974.00000 4042732.50000	0.34396	12.56204	0.42549	15.89294
359974.00000 4042832.50000	0.58146	13.38838	0.72433	16.88678
359974.00000 4042932.50000	0.20065	12.90653	0.25304	16.33592
359974.00000 4043032.50000	0.20595	14.63082	0.26304	18.57587
360074.00000 4040632.50000	1.40304	7.35277	1.5568	9.28074
360074.00000 4040732.50000	0.14875	7.82075	0.18567	9.86355
360074.00000 4040832.50000	0.15974	8.02892	0.19975	10.17383
360074.00000 4040932.50000	0.14372	8.62854	0.17944	10.83141
360074.00000 4041032.50000	0.05096	8.97358	0.06284	11.36132
360074.00000 4041132.50000	0.05277	9.14076	0.06508	11.58972
360074.00000 4041232.50000	0.19087	9.50237	0.23935	12.05354

Receptor Coordinates	Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
360074.00000 4041332.50000	0.15068	9.9996	0.18936	12.65657
360074.00000 4041432.50000	3.53579	10.62488	4.36482	13.41711
360074.00000 4041932.50000	0.36056	14.51528	0.44562	18.3814
360074.00000 4042032.50000	0.16385	15.09762	0.20628	19.28204
360074.00000 4042132.50000	0.1409	15.30436	0.17737	19.22555
360074.00000 4042232.50000	0.2737	14.26432	0.3422	18.0484
360074.00000 4042532.50000	0.22995	14.47163	0.29236	18.20545
360074.00000 4042632.50000	0.18171	14.61301	0.23169	18.46643
360074.00000 4042732.50000	0.20996	13.59462	0.2702	17.1472
360074.00000 4042832.50000	0.60935	15.15104	0.75957	19.11418
360074.00000 4042932.50000	0.33147	13.67375	0.42008	17.19389
360074.00000 4043032.50000	0.22395	15.7558	0.2862	20.01075
360074.00000 4043132.50000	0.28517	14.79852	0.35687	18.63352
360174.00000 4040432.50000	0.09804	7.01973	0.12416	8.63484
360174.00000 4040532.50000	0.09785	7.42094	0.12471	9.36869
360174.00000 4040632.50000	1.58307	7.8122	1.75783	9.87652
360174.00000 4040732.50000	1.54422	8.15498	1.7125	10.27367
360174.00000 4040832.50000	0.09491	10.72762	0.11846	13.39813
360174.00000 4040932.50000	0.16584	9.69728	0.20537	12.24262
360174.00000 4041032.50000	0.05101	10.26183	0.06291	12.97671
360174.00000 4041132.50000	0.0531	10.10221	0.06548	12.79059
360174.00000 4041232.50000	0.05519	10.07567	0.06805	12.79277
360174.00000 4041332.50000	0.1449	10.66591	0.18189	13.55084
360174.00000 4041432.50000	2.12722	11.45967	2.62684	14.54283
360174.00000 4041532.50000	4.20846	12.60749	5.20173	15.97384
360174.00000 4041632.50000	7.56687	13.95232	9.36043	17.70221
360174.00000 4041732.50000	0.19072	14.70461	0.23847	18.6484
360174.00000 4041832.50000	0.15853	15.88159	0.19733	20.06908
360174.00000 4041932.50000	0.16094	16.5554	0.19999	21.01033
360174.00000 4042032.50000	0.20578	16.00834	0.25744	19.60329
360174.00000 4042132.50000	0.20089	14.54	0.25198	18.27219
360174.00000 4042232.50000	0.22021	15.30823	0.27578	18.81679
360174.00000 4042332.50000	0.1803	16.63785	0.22867	21.10758
360174.00000 4042432.50000	0.22352	19.05907	0.27787	24.18117
360174.00000 4042532.50000	0.11492	18.70878	0.14522	23.63026
360174.00000 4042632.50000	0.28719	16.644	0.3613	21.02399
360174.00000 4042732.50000	0.23007	16.24802	0.29083	20.52126
360174.00000 4042832.50000	0.23632	17.01005	0.29822	21.46815
360174.00000 4042932.50000	0.24288	14.76763	0.3106	18.52784
360174.00000 4043032.50000	0.21031	16.83728	0.26716	21.39746
360174.00000 4043132.50000	0.43839	16.09592	0.54373	20.27057
360174.00000 4043232.50000	0.30227	16.17843	0.38751	20.38355
360174.00000 4043332.50000	1.75399	16.48912	2.13577	20.74863
360174.00000 4043432.50000	0.30018	17.37737	0.37577	21.90547
360174.00000 4044232.50000	0.22123	13.52096	0.28227	17.12291
360274.00000 4040332.50000	4.45203	8.6092	5.52133	10.91065
360274.00000 4040432.50000	0.09433	7.88807	0.11952	10.00655
360274.00000 4040532.50000	0.08159	9.33479	0.10326	11.51258
360274.00000 4040632.50000	0.07828	9.14182	0.1005	11.41236
360274.00000 4040732.50000	1.75639	9.31703	1.95408	11.83496
360274.00000 4040832.50000	0.0376	10.02342	0.04637	12.69072
360274.00000 4040932.50000	0.12281	10.97196	0.15205	13.92496
360274.00000 4041032.50000	0.12586	11.16454	0.15769	13.97178
360274.00000 4041132.50000	0.0543	10.87381	0.06697	13.8163
360274.00000 4041232.50000	0.05645	10.85244	0.06962	13.69196
360274.00000 4041332.50000	0.17461	12.20818	0.21793	15.49719
360274.00000 4041432.50000	0.13937	13.07717	0.17442	16.75083
360274.00000 4041532.50000	2.23493	14.28235	2.75747	18.20346
360274.00000 4041632.50000	4.85941	14.94696	6.00981	19.01507

Receptor Coordinates		Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X	Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
360274.00000	4041732.50000	0.21835	15.02996	0.27258	18.94189
360274.00000	4041832.50000	2.69806	16.4316	3.32676	20.75517
360274.00000	4041932.50000	0.18979	16.99721	0.23689	21.50437
360274.00000	4042032.50000	0.18347	17.8206	0.22837	22.5836
360274.00000	4042132.50000	0.13914	18.25582	0.17433	23.2064
360274.00000	4042232.50000	0.12011	18.07649	0.15372	22.82396
360274.00000	4042332.50000	0.16903	18.87407	0.21424	23.98873
360274.00000	4042432.50000	0.22101	18.82354	0.27907	23.93708
360274.00000	4042532.50000	0.14832	20.84584	0.18778	25.81782
360274.00000	4042632.50000	0.23894	20.72085	0.29913	26.38551
360274.00000	4042732.50000	0.14318	20.67667	0.17996	26.26247
360274.00000	4042832.50000	0.27403	18.68145	0.34684	23.60431
360274.00000	4042932.50000	0.26938	16.24867	0.34456	20.51335
360274.00000	4043032.50000	0.23062	18.27068	0.29311	23.22773
360274.00000	4043132.50000	0.33639	17.86226	0.43143	22.49158
360274.00000	4043232.50000	0.23178	18.64864	0.29566	23.50061
360274.00000	4043332.50000	4.02846	18.56545	4.98071	23.37865
360274.00000	4043432.50000	5.25089	18.38294	6.43601	23.18615
360274.00000	4044032.50000	0.25515	17.11643	0.32454	20.11457
360274.00000	4044132.50000	0.24729	15.62501	0.31575	19.87587
360274.00000	4044232.50000	0.23751	13.71363	0.30312	17.31045
360274.00000	4044332.50000	0.23325	13.86691	0.29723	17.4672
360374.00000	4040232.50000	1.78477	7.96068	2.00581	10.15795
360374.00000	4040332.50000	2.67906	8.35562	3.32683	10.60219
360374.00000	4040432.50000	3.83435	9.22638	4.76392	11.79391
360374.00000	4040532.50000	0.06434	9.77326	0.08102	12.39334
360374.00000	4040632.50000	0.07933	10.09477	0.10028	12.70026
360374.00000	4040732.50000	0.06911	10.38061	0.08863	13.12792
360374.00000	4040832.50000	0.08779	11.02593	0.10903	14.02322
360374.00000	4040932.50000	1.91259	11.71608	2.13595	14.91132
360374.00000	4041032.50000	0.12444	12.39888	0.15469	15.50871
360374.00000	4041132.50000	0.16088	11.36587	0.20057	14.37723
360374.00000	4041232.50000	0.1407	13.60835	0.17492	17.44002
360374.00000	4041332.50000	0.15353	14.08421	0.19103	17.93682
360374.00000	4041432.50000	0.05691	14.34464	0.07017	18.25217
360374.00000	4041532.50000	1.01825	15.04651	1.25013	19.18773
360374.00000	4041632.50000	2.61671	16.27412	3.22491	20.84166
360374.00000	4041732.50000	0.17776	15.41681	0.22204	19.59067
360374.00000	4041832.50000	5.29962	17.63041	6.54563	22.27143
360374.00000	4041932.50000	0.19443	18.71112	0.24198	23.61409
360374.00000	4042032.50000	0.19487	18.43435	0.24247	23.48172
360374.00000	4042132.50000	0.12845	20.65559	0.16072	25.67603
360374.00000	4042232.50000	0.12255	20.74849	0.15723	25.26963
360374.00000	4042332.50000	0.12977	20.05178	0.16659	24.8508
360374.00000	4042432.50000	0.20003	21.30813	0.25215	27.10385
360374.00000	4042532.50000	0.17565	22.95234	0.22282	29.39696
360374.00000	4042632.50000	0.09852	23.24773	0.12621	29.53591
360374.00000	4042732.50000	0.10173	22.27465	0.13036	28.41403
360374.00000	4042832.50000	0.08838	20.9969	0.11099	26.90294
360374.00000	4042932.50000	0.35395	22.41895	0.43719	28.46245
360374.00000	4043032.50000	0.28417	20.47851	0.36668	26.02578
360374.00000	4043132.50000	0.4511	19.60936	0.57222	24.69535
360374.00000	4043232.50000	0.8212	20.40202	1.01199	25.80938
360374.00000	4043332.50000	2.56771	20.5058	3.14592	25.85207
360374.00000	4043932.50000	0.28767	17.73298	0.36615	22.21413
360374.00000	4044032.50000	0.24402	17.65695	0.31278	22.32915
360374.00000	4044132.50000	0.37793	16.32636	0.47406	20.62856
360374.00000	4044232.50000	0.22297	16.49344	0.28433	20.35536
360374.00000	4044332.50000	0.18375	17.25071	0.23269	21.86099

Receptor Coordinates	Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
360374.00000 4044432.50000	0.16722	16.27359	0.21159	20.56522
360474.00000 4040132.50000	0.11455	6.88343	0.14149	8.72584
360474.00000 4040232.50000	1.82245	8.09377	2.04849	10.34014
360474.00000 4040332.50000	1.89497	8.34277	2.13369	10.48497
360474.00000 4040432.50000	1.88584	8.87085	2.33407	11.3207
360474.00000 4040532.50000	3.08106	9.33141	3.82098	11.89127
360474.00000 4040632.50000	0.07118	10.21677	0.08821	12.86909
360474.00000 4040732.50000	0.14507	10.80774	0.17904	13.73194
360474.00000 4040832.50000	0.04381	11.50312	0.05572	14.66732
360474.00000 4040932.50000	0.04678	12.28687	0.05769	15.61012
360474.00000 4041032.50000	2.10033	11.92521	2.33002	15.18127
360474.00000 4041132.50000	0.12691	12.81908	0.15758	16.17268
360474.00000 4041232.50000	0.11353	14.03016	0.14113	17.90182
360474.00000 4041332.50000	0.14491	14.41524	0.18012	18.41797
360474.00000 4041432.50000	0.13593	15.80708	0.16969	20.19555
360474.00000 4041532.50000	0.13165	15.60556	0.16359	19.64585
360474.00000 4041632.50000	1.52032	15.11765	1.87815	19.29611
360474.00000 4041732.50000	3.44606	18.04411	4.25999	23.02083
360474.00000 4041832.50000	8.32425	18.14823	10.31378	23.16339
360474.00000 4041932.50000	0.11944	20.58803	0.15043	26.17319
360474.00000 4042032.50000	0.16485	20.91069	0.20514	26.36233
360474.00000 4042132.50000	0.12906	21.49216	0.16126	27.57574
360474.00000 4042232.50000	0.11206	23.0709	0.14358	29.17815
360474.00000 4042332.50000	0.21247	18.64243	0.27371	23.05072
360474.00000 4042432.50000	0.3799	19.27794	0.48142	24.35556
360474.00000 4042532.50000	0.31792	19.83138	0.40699	24.96858
360474.00000 4042632.50000	0.20702	20.60524	0.26768	25.99457
360474.00000 4042732.50000	0.14204	23.92061	0.1827	30.31285
360474.00000 4042832.50000	0.13045	23.22862	0.16677	29.39158
360474.00000 4042932.50000	0.46796	22.67519	0.59317	28.59979
360474.00000 4043032.50000	0.32251	21.5831	0.41356	27.46833
360474.00000 4043832.50000	0.32699	19.01529	0.41651	23.59508
360474.00000 4043932.50000	0.27624	19.87933	0.35441	24.55651
360474.00000 4044032.50000	0.27084	18.62821	0.34696	23.59923
360474.00000 4044132.50000	0.13226	20.86008	0.16552	25.92356
360474.00000 4044232.50000	0.17469	20.26353	0.22082	25.12452
360474.00000 4044332.50000	0.17654	18.37982	0.22334	23.06742
360474.00000 4044432.50000	4.58515	16.12785	5.60608	20.4912
360474.00000 4044532.50000	0.18548	15.2821	0.2363	19.39804
360574.00000 4040032.50000	0.08443	8.01387	0.10431	10.07379
360574.00000 4040132.50000	1.21431	7.89367	1.33415	9.9072
360574.00000 4040232.50000	0.11394	8.58375	0.14064	10.84289
360574.00000 4040332.50000	0.12121	9.05548	0.14961	11.37612
360574.00000 4040432.50000	0.79825	9.19659	0.98327	11.48788
360574.00000 4040532.50000	1.42432	9.16251	1.76132	11.6671
360574.00000 4040632.50000	2.42067	9.86944	2.99691	12.61399
360574.00000 4040732.50000	0.07676	10.31334	0.09513	13.24584
360574.00000 4040832.50000	0.05315	11.73295	0.06705	14.66264
360574.00000 4040932.50000	0.05317	12.32098	0.06794	15.7276
360574.00000 4041032.50000	0.04795	12.99767	0.05913	16.55605
360574.00000 4041132.50000	2.35379	13.80389	2.6214	17.55338
360574.00000 4041232.50000	0.13497	14.50544	0.16757	18.33866
360574.00000 4041332.50000	0.16821	15.47785	0.20934	19.06736
360574.00000 4041432.50000	0.15752	15.72469	0.19567	20.07406
360574.00000 4041532.50000	0.13596	17.27201	0.16887	21.56284
360574.00000 4041632.50000	0.17599	17.54838	0.22029	22.3459
360574.00000 4041732.50000	0.07277	18.19858	0.09165	23.26535
360574.00000 4041832.50000	13.46878	20.03181	16.76376	25.55131
360574.00000 4041932.50000	0.10865	20.84495	0.13667	26.50481

Receptor Coordinates		Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X	Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
360574.00000	4042032.50000	0.03772	22.02663	0.04648	27.93284
360574.00000	4042132.50000	0.04137	19.79621	0.05098	25.07205
360574.00000	4042232.50000	0.04287	19.62543	0.05282	24.74012
360574.00000	4042332.50000	0.40396	20.30017	0.51163	25.59972
360574.00000	4042432.50000	0.42215	20.27997	0.53503	25.75616
360574.00000	4042532.50000	0.35402	21.99872	0.45333	27.93325
360574.00000	4042632.50000	0.17678	23.17525	0.2286	29.19122
360574.00000	4042732.50000	0.22818	22.30633	0.29584	28.14053
360574.00000	4043732.50000	0.37461	21.65009	0.4776	26.77586
360574.00000	4043832.50000	0.31569	22.53914	0.40545	27.23318
360574.00000	4043932.50000	0.30886	21.86887	0.39606	27.49336
360574.00000	4044032.50000	0.39705	18.85809	0.49417	23.82988
360574.00000	4044132.50000	0.43353	22.97918	0.519	28.01521
360574.00000	4044232.50000	0.1948	20.51157	0.24652	26.22528
360574.00000	4044332.50000	0.16204	18.26103	0.20556	23.22083
360574.00000	4044432.50000	0.18998	16.66111	0.24174	21.09727
360574.00000	4044532.50000	0.15822	15.80047	0.20002	20.18401
360574.00000	4044632.50000	0.24011	13.98672	0.29888	17.73857
360674.00000	4039932.50000	1.4622	7.86156	1.64654	10.11866
360674.00000	4040032.50000	0.06415	8.13266	0.07936	10.39396
360674.00000	4040132.50000	0.09019	8.26195	0.11143	10.55565
360674.00000	4040232.50000	0.0945	8.33174	0.11675	10.64249
360674.00000	4040332.50000	0.09949	9.19969	0.12293	11.6181
360674.00000	4040432.50000	0.13012	9.26576	0.1606	12.12431
360674.00000	4040532.50000	0.13201	9.0777	0.16294	11.48252
360674.00000	4040632.50000	0.98986	10.06566	1.21963	12.31287
360674.00000	4040732.50000	2.09684	10.54503	2.61442	13.50242
360674.00000	4040832.50000	0.05238	11.34259	0.06605	14.52681
360674.00000	4040932.50000	0.05426	12.20351	0.06843	15.57453
360674.00000	4041032.50000	0.05298	12.90069	0.0668	16.53264
360674.00000	4041132.50000	0.04536	14.01177	0.05767	17.8698
360674.00000	4041232.50000	2.64755	14.48522	2.95214	18.49335
360674.00000	4041332.50000	0.16826	16.34924	0.20858	20.78213
360674.00000	4041432.50000	0.14687	16.45929	0.18233	20.23976
360674.00000	4041532.50000	0.15052	17.73544	0.18787	22.51313
360674.00000	4041632.50000	0.15766	19.17363	0.19658	23.76387
360674.00000	4041732.50000	0.08043	19.73429	0.10146	24.40515
360674.00000	4041832.50000	18.90607	20.07631	23.63153	25.67533
360674.00000	4041932.50000	0.17827	22.56303	0.2219	28.88935
360674.00000	4042032.50000	0.15641	24.06361	0.19742	30.57327
360674.00000	4042132.50000	0.17261	24.91179	0.21802	31.61625
360674.00000	4042232.50000	0.04528	21.0963	0.05579	26.67344
360674.00000	4042332.50000	0.44574	22.4027	0.56416	28.21452
360674.00000	4042432.50000	0.37969	22.67271	0.48426	28.39396
360674.00000	4042532.50000	0.3873	23.51251	0.49665	29.76781
360674.00000	4042632.50000	0.24083	24.83462	0.31275	31.4306
360674.00000	4043632.50000	0.43352	23.53979	0.55323	29.99119
360674.00000	4043732.50000	0.25153	24.05404	0.32329	29.6882
360674.00000	4043832.50000	0.41039	24.85792	0.52495	31.44613
360674.00000	4043932.50000	0.45787	22.05489	0.56998	27.87579
360674.00000	4044032.50000	0.31911	21.40439	0.40912	27.01335
360674.00000	4044132.50000	3.58244	19.30481	4.38065	24.43081
360674.00000	4044232.50000	0.31735	18.15752	0.40353	22.9812
360674.00000	4044332.50000	0.26852	16.93816	0.34328	21.38515
360674.00000	4044432.50000	0.20881	16.34809	0.2646	20.68966
360674.00000	4044532.50000	0.28287	15.32574	0.35233	19.36366
360674.00000	4044632.50000	0.25451	15.12282	0.31686	19.03544
360674.00000	4044732.50000	0.24048	14.38735	0.28534	18.26048
360774.00000	4039832.50000	0.03587	7.71185	0.04461	9.09038

Receptor Coordinates		Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X	Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
360774.00000	4039932.50000	1.37544	8.16076	1.54733	10.11342
360774.00000	4040032.50000	0.36633	8.51235	0.4476	10.26881
360774.00000	4040132.50000	0.78254	8.84476	0.97205	11.25793
360774.00000	4040232.50000	6.96165	9.05339	8.6443	11.59892
360774.00000	4040332.50000	0.10156	9.37557	0.12548	11.99228
360774.00000	4040432.50000	0.1071	9.81287	0.13232	12.31576
360774.00000	4040532.50000	0.14046	10.06598	0.17336	12.80789
360774.00000	4040632.50000	0.15102	10.36589	0.1864	13.2302
360774.00000	4040732.50000	0.15935	10.83613	0.19668	13.83724
360774.00000	4040832.50000	1.31036	11.54696	1.621	14.76883
360774.00000	4040932.50000	0.05272	11.91854	0.06648	15.25437
360774.00000	4041032.50000	0.05444	12.95841	0.06866	16.56206
360774.00000	4041132.50000	0.05048	14.11651	0.06225	17.4315
360774.00000	4041232.50000	0.03665	14.34994	0.0464	18.2774
360774.00000	4041332.50000	0.0474	16.21659	0.05845	20.65785
360774.00000	4041432.50000	0.0391	16.99888	0.0495	21.60518
360774.00000	4041532.50000	0.15825	18.39289	0.19757	23.22458
360774.00000	4041632.50000	0.1644	19.60261	0.20459	25.00065
360774.00000	4041732.50000	1.13046	21.10255	1.39938	25.44705
360774.00000	4041832.50000	1.2699	21.68532	1.57533	27.37898
360774.00000	4041932.50000	1.40835	22.20423	1.7501	28.34187
360774.00000	4042032.50000	0.14753	25.50992	0.18595	32.44181
360774.00000	4042132.50000	0.25865	25.11515	0.32834	31.83324
360774.00000	4042232.50000	0.24196	24.84128	0.31176	31.53089
360774.00000	4042332.50000	0.26012	24.30998	0.33519	30.48536
360774.00000	4042432.50000	0.50631	24.84207	0.64218	30.54401
360774.00000	4043632.50000	0.59822	26.9455	0.76566	33.25939
360774.00000	4043732.50000	0.47941	29.28615	0.61399	34.8884
360774.00000	4043832.50000	0.53572	26.63592	0.66702	33.77371
360774.00000	4043932.50000	0.36895	23.26257	0.4736	29.34676
360774.00000	4044032.50000	0.3487	22.06886	0.44715	27.94133
360774.00000	4044132.50000	0.3717	20.63587	0.47493	26.11711
360774.00000	4044232.50000	0.40989	18.91581	0.51014	23.88053
360774.00000	4044332.50000	0.12667	17.81971	0.16247	22.54757
360774.00000	4044432.50000	0.33634	17.22641	0.41919	21.76778
360774.00000	4044532.50000	0.30197	16.3189	0.37619	20.53344
360774.00000	4044632.50000	0.27841	16.27983	0.34678	20.61817
360774.00000	4044732.50000	0.29119	14.74205	0.36125	18.53899
360874.00000	4039832.50000	0.0238	6.61047	0.02978	8.41523
360874.00000	4039932.50000	1.32839	7.08298	1.50898	8.87331
360874.00000	4040032.50000	0.11908	8.18456	0.14735	9.60497
360874.00000	4040132.50000	0.04788	9.32036	0.06015	11.19699
360874.00000	4040232.50000	0.38662	9.3173	0.47502	11.94779
360874.00000	4040332.50000	0.06427	9.4957	0.07951	11.34656
360874.00000	4040432.50000	7.53489	10.43673	9.35856	13.41179
360874.00000	4040532.50000	9.05971	10.70559	11.25274	13.71376
360874.00000	4040632.50000	4.03967	10.91238	4.50704	13.96183
360874.00000	4040732.50000	0.16124	11.50583	0.19902	14.18824
360874.00000	4040832.50000	0.17118	11.61689	0.21127	14.84555
360874.00000	4040932.50000	10.14563	12.25635	12.63938	15.71362
360874.00000	4041032.50000	10.56972	12.80701	13.15497	16.41449
360874.00000	4041132.50000	0.05468	13.39553	0.06897	17.24702
360874.00000	4041232.50000	0.10956	14.20607	0.13578	18.16083
360874.00000	4041332.50000	0.04359	15.86167	0.05534	19.44186
360874.00000	4041432.50000	0.12218	17.76081	0.15188	22.66048
360874.00000	4041532.50000	0.17831	19.44713	0.22281	24.7534
360874.00000	4041632.50000	0.05921	21.14917	0.07301	26.7976
360874.00000	4041732.50000	1.0603	21.14783	1.30899	26.87916
360874.00000	4041832.50000	1.22186	22.56106	1.51217	27.06698

Receptor Coordinates		Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X	Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
360874.00000	4041932.50000	1.38171	24.63434	1.71378	30.0405
360874.00000	4042032.50000	1.54478	24.90211	1.91944	31.95132
360874.00000	4042132.50000	1.62439	24.42323	2.02038	30.82702
360874.00000	4042232.50000	0.50304	27.47938	0.6366	34.56382
360874.00000	4043532.50000	0.30548	29.3618	0.3993	37.45797
360874.00000	4043632.50000	0.1703	31.58863	0.20963	39.50177
360874.00000	4043732.50000	0.32082	31.46743	0.41245	39.5269
360874.00000	4043832.50000	0.59152	28.1276	0.73663	35.59948
360874.00000	4043932.50000	0.40588	25.76297	0.52122	32.85254
360874.00000	4044032.50000	0.42343	23.98887	0.54165	30.37033
360874.00000	4044132.50000	0.36754	21.56561	0.47095	27.23418
360874.00000	4044232.50000	0.14266	20.30678	0.18309	25.66673
360874.00000	4044332.50000	0.38786	19.40533	0.48353	24.58422
360874.00000	4044432.50000	0.23918	18.53749	0.30659	23.31198
360874.00000	4044532.50000	0.23033	17.53699	0.29533	22.21725
360874.00000	4044632.50000	0.32922	16.32522	0.40846	20.56033
360874.00000	4044732.50000	0.18149	15.96793	0.22906	20.28329
360874.00000	4044832.50000	0.18777	13.00867	0.23734	16.33992
360974.00000	4039732.50000	0.57373	6.038	0.70795	7.63973
360974.00000	4039832.50000	3.73085	7.73982	4.63311	9.66073
360974.00000	4039932.50000	0.0848	8.70154	0.10489	11.18327
360974.00000	4040032.50000	0.04569	9.2129	0.05726	11.83753
360974.00000	4040132.50000	1.35827	8.96131	1.51651	11.71087
360974.00000	4040232.50000	0.04487	9.47879	0.05587	11.37131
360974.00000	4040332.50000	0.04621	9.63298	0.05751	11.43523
360974.00000	4040432.50000	0.04927	10.17178	0.06135	12.87655
360974.00000	4040532.50000	0.0765	10.98983	0.09511	13.89499
360974.00000	4040632.50000	7.92993	11.69765	9.8518	14.40119
360974.00000	4040732.50000	5.19047	11.52099	5.70148	14.80751
360974.00000	4040832.50000	0.1743	12.01941	0.21513	15.39136
360974.00000	4040932.50000	9.33931	12.61487	11.66749	15.76961
360974.00000	4041032.50000	0.05349	13.47884	0.06744	17.13967
360974.00000	4041132.50000	0.04943	13.51584	0.06204	17.3265
360974.00000	4041232.50000	0.05263	14.16	0.06488	18.00923
360974.00000	4041332.50000	0.11754	14.67589	0.14563	18.65434
360974.00000	4041432.50000	0.0533	17.65895	0.06572	22.62317
360974.00000	4041532.50000	0.07364	18.67589	0.09304	23.9322
360974.00000	4041632.50000	0.23359	21.24063	0.28968	27.06443
360974.00000	4041732.50000	0.06237	23.80042	0.07689	30.23819
360974.00000	4041832.50000	0.26207	23.48272	0.32494	29.62023
360974.00000	4041932.50000	17.23339	24.94495	21.75581	30.77892
360974.00000	4042032.50000	0.08461	27.92422	0.10422	35.23974
360974.00000	4042132.50000	0.59559	24.93698	0.74993	31.68626
360974.00000	4043432.50000	0.39804	32.91167	0.51565	41.60311
360974.00000	4043532.50000	0.39665	35.62575	0.51176	43.96485
360974.00000	4043632.50000	0.18371	36.08647	0.22608	45.04924
360974.00000	4043732.50000	0.35125	31.68979	0.45296	40.07525
360974.00000	4043832.50000	0.43262	32.44561	0.55496	41.01564
360974.00000	4043932.50000	0.46943	27.51675	0.60249	34.86217
360974.00000	4044032.50000	0.16138	25.64857	0.20725	32.43559
360974.00000	4044132.50000	0.15678	23.85078	0.20117	30.18864
360974.00000	4044232.50000	0.15492	21.82649	0.19785	27.68353
360974.00000	4044332.50000	0.2819	21.40495	0.36192	27.08585
360974.00000	4044432.50000	0.25341	19.83134	0.325	24.95388
360974.00000	4044532.50000	0.24416	18.10082	0.30893	22.94421
360974.00000	4044632.50000	0.20152	16.92961	0.25446	21.41092
360974.00000	4044732.50000	0.20989	14.54748	0.26554	18.32481
360974.00000	4044832.50000	0.19133	14.73648	0.24269	18.58306
360974.00000	4044932.50000	0.17834	14.3219	0.22614	18.08886

Receptor Coordinates	Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
361074.00000 4039732.50000	0.03169	6.11109	0.03933	7.74952
361074.00000 4039832.50000	0.04479	7.15144	0.05556	8.56131
361074.00000 4039932.50000	0.54618	8.24279	0.67407	10.54984
361074.00000 4040032.50000	3.75029	9.32863	4.65724	11.09312
361074.00000 4040132.50000	0.09432	9.61689	0.11667	12.18566
361074.00000 4040232.50000	1.33375	9.79692	1.49052	12.39716
361074.00000 4040332.50000	0.04669	10.0945	0.05811	12.99
361074.00000 4040432.50000	0.05419	10.52482	0.06764	13.82037
361074.00000 4040532.50000	0.05632	11.15272	0.07028	13.65489
361074.00000 4040632.50000	0.05456	11.20985	0.06794	13.89358
361074.00000 4040732.50000	6.42371	12.76611	7.97967	15.22395
361074.00000 4040832.50000	0.07487	13.01809	0.09375	15.87046
361074.00000 4040932.50000	6.56091	12.96509	7.20245	16.44896
361074.00000 4041032.50000	8.60448	13.64345	10.7569	17.491
361074.00000 4041132.50000	0.05207	13.82306	0.06488	17.61271
361074.00000 4041232.50000	0.05423	15.27584	0.06824	19.41463
361074.00000 4041332.50000	0.05719	15.84324	0.07193	20.1599
361074.00000 4041432.50000	0.06049	16.37298	0.07597	20.82123
361074.00000 4041532.50000	0.06456	18.11086	0.08123	23.3141
361074.00000 4041632.50000	0.09576	21.16136	0.1212	26.96486
361074.00000 4041732.50000	0.26058	22.98897	0.32316	29.34473
361074.00000 4041832.50000	0.20221	25.11018	0.25279	31.94616
361074.00000 4041932.50000	0.06822	26.95275	0.08409	34.27891
361074.00000 4043432.50000	2.69313	41.90239	3.329	52.8402
361074.00000 4043532.50000	0.46132	43.09436	0.59561	53.95684
361074.00000 4043632.50000	0.62896	41.5226	0.8112	52.72509
361074.00000 4043732.50000	0.66463	36.72244	0.8533	46.86737
361074.00000 4043832.50000	0.21469	32.7958	0.27698	41.51809
361074.00000 4043932.50000	0.19443	29.60643	0.25036	37.44641
361074.00000 4044032.50000	0.18407	27.80697	0.2363	35.2314
361074.00000 4044132.50000	0.18258	25.24385	0.23202	31.82325
361074.00000 4044232.50000	0.31502	24.62502	0.40461	31.20949
361074.00000 4044332.50000	1.7919	22.53016	2.04253	28.42181
361074.00000 4044432.50000	0.27826	20.26574	0.35385	25.73058
361074.00000 4044532.50000	0.23098	18.97762	0.29359	24.0105
361074.00000 4044632.50000	0.23632	17.27026	0.29957	21.78821
361074.00000 4044732.50000	2.40704	18.27498	2.62163	23.1567
361074.00000 4044832.50000	0.15457	18.21336	0.19342	23.14865
361074.00000 4044932.50000	0.11251	16.53102	0.14318	21.03083
361174.00000 4039632.50000	0.0558	6.34234	0.06906	7.81667
361174.00000 4039732.50000	0.66432	6.21843	0.81514	7.68502
361174.00000 4039832.50000	0.05625	6.91199	0.06963	8.26926
361174.00000 4039932.50000	0.10854	7.26807	0.13435	9.24265
361174.00000 4040032.50000	0.05566	8.26751	0.06909	10.04528
361174.00000 4040132.50000	0.06165	9.45861	0.07663	11.32278
361174.00000 4040232.50000	3.19252	10.03331	3.96142	11.90762
361174.00000 4040332.50000	1.2967	9.45913	1.44863	12.14145
361174.00000 4040432.50000	0.0499	11.41686	0.06212	13.56156
361174.00000 4040532.50000	0.05487	11.9923	0.06838	15.18238
361174.00000 4040632.50000	2.3758	11.89901	2.94381	15.16975
361174.00000 4040732.50000	3.39002	12.22176	4.205	16.05406
361174.00000 4040832.50000	4.69732	12.886	5.83243	15.8185
361174.00000 4040932.50000	0.06734	13.47228	0.08428	16.26227
361174.00000 4041032.50000	13.20685	15.13505	14.80792	17.89959
361174.00000 4041132.50000	6.2616	14.50836	7.83677	18.42143
361174.00000 4041332.50000	10.02349	15.77476	12.55107	20.10828
361174.00000 4041432.50000	0.06352	18.40085	0.07997	22.44043
361174.00000 4041532.50000	0.05907	19.67765	0.07284	25.02663
361174.00000 4041632.50000	0.62237	19.72525	0.75887	25.14801

Receptor Coordinates	Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
361174.00000 4041732.50000	0.09121	22.83616	0.11539	29.10547
361174.00000 4043332.50000	0.28895	47.48856	0.35608	59.95142
361174.00000 4043432.50000	3.1002	47.59854	3.83718	58.58623
361174.00000 4043532.50000	3.07253	49.49417	3.80993	62.07698
361174.00000 4043632.50000	0.28585	43.14148	0.37191	54.60828
361174.00000 4043732.50000	0.44124	38.20438	0.57013	48.34251
361174.00000 4043832.50000	13.04474	34.95137	15.98235	44.23116
361174.00000 4043932.50000	0.20139	33.2355	0.25817	41.69561
361174.00000 4044032.50000	0.20358	31.17527	0.25649	39.517
361174.00000 4044132.50000	0.30705	28.30704	0.39397	35.64846
361174.00000 4044232.50000	0.33455	25.82706	0.42602	32.83323
361174.00000 4044332.50000	0.31254	21.97693	0.40157	27.96063
361174.00000 4044432.50000	0.28329	21.49721	0.35607	27.21027
361174.00000 4044532.50000	13.16826	21.02149	16.26236	26.59868
361174.00000 4044632.50000	0.1856	21.69335	0.23239	27.58861
361174.00000 4044732.50000	0.13287	19.66605	0.1693	24.5835
361174.00000 4044832.50000	0.15573	18.79889	0.19724	23.87066
361174.00000 4044932.50000	0.14287	18.47558	0.18087	23.52454
361174.00000 4045032.50000	0.10332	17.2049	0.13059	22.04256
361274.00000 4039632.50000	0.05383	6.68135	0.06665	8.52908
361274.00000 4039732.50000	0.04082	6.80818	0.05056	8.36566
361274.00000 4039832.50000	0.05138	7.11716	0.06362	8.41812
361274.00000 4039932.50000	0.06208	7.28163	0.07685	9.26794
361274.00000 4040032.50000	0.07865	7.89394	0.09731	9.37672
361274.00000 4040132.50000	0.0617	9.12223	0.07667	11.19738
361274.00000 4040232.50000	0.18515	8.79547	0.22677	11.06759
361274.00000 4040332.50000	0.06284	9.07843	0.07798	11.40771
361274.00000 4040432.50000	0.48585	9.74784	0.60045	11.83693
361274.00000 4040532.50000	0.05007	10.18011	0.06227	12.74175
361274.00000 4040632.50000	0.05664	11.80376	0.07055	13.82847
361274.00000 4040732.50000	1.44813	12.9519	1.79296	16.13971
361274.00000 4040832.50000	2.09731	14.2916	2.59941	17.80198
361274.00000 4040932.50000	0.08134	14.63971	0.10192	18.66197
361274.00000 4041032.50000	1.61238	14.29571	1.96487	18.39636
361274.00000 4041132.50000	0.09506	15.03048	0.11924	18.91825
361274.00000 4041532.50000	0.07289	19.90226	0.0913	25.1781
361274.00000 4041632.50000	0.07544	21.9011	0.09461	27.72642
361274.00000 4041732.50000	0.17654	24.15456	0.22202	31.09623
361274.00000 4043332.50000	0.64595	57.16404	0.84498	72.61066
361274.00000 4043432.50000	1.15153	61.05318	1.47947	77.11445
361274.00000 4043532.50000	1.03961	54.94908	1.33416	69.64746
361274.00000 4043632.50000	17.53476	45.52312	21.52154	57.60052
361274.00000 4043732.50000	17.30765	40.77328	21.20865	51.62153
361274.00000 4043832.50000	0.27223	38.94639	0.34743	49.50829
361274.00000 4043932.50000	0.28859	37.36818	0.35593	47.38814
361274.00000 4044032.50000	0.41853	34.38721	0.49232	43.72755
361274.00000 4044132.50000	0.39685	28.49772	0.51078	36.28208
361274.00000 4044232.50000	17.82216	25.47236	22.03122	32.19874
361274.00000 4044332.50000	0.36355	25.24466	0.45788	31.97858
361274.00000 4044432.50000	0.32206	23.29372	0.40536	29.44878
361274.00000 4044532.50000	0.1938	22.93205	0.24769	29.07066
361274.00000 4044632.50000	0.18314	22.61683	0.23274	28.73527
361274.00000 4044732.50000	0.14172	21.25237	0.17949	27.28333
361274.00000 4044832.50000	4.52945	19.65258	5.63297	25.10761
361274.00000 4044932.50000	13.28976	17.91487	16.33053	22.69106
361274.00000 4045032.50000	0.0966	17.31714	0.12202	21.90056
361374.00000 4039532.50000	0.06199	7.44006	0.07671	8.80533
361374.00000 4039632.50000	0.05803	7.11919	0.07184	8.64926
361374.00000 4039732.50000	0.06448	7.18578	0.07972	9.01524

Receptor Coordinates		Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X	Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
361374.00000	4039832.50000	0.06762	7.41873	0.08358	9.37046
361374.00000	4039932.50000	0.07386	7.69211	0.09124	9.72258
361374.00000	4040032.50000	0.02593	8.03478	0.03233	10.04155
361374.00000	4040132.50000	0.08714	8.8699	0.10781	11.27905
361374.00000	4040232.50000	0.54802	9.77248	0.6728	12.3405
361374.00000	4040332.50000	0.05235	9.03261	0.06469	11.56648
361374.00000	4040432.50000	0.14752	9.24958	0.18116	11.538
361374.00000	4040532.50000	0.05115	9.40461	0.06323	11.9468
361374.00000	4040632.50000	0.05223	10.77675	0.06496	13.32044
361374.00000	4040732.50000	0.05953	11.80084	0.07414	14.85033
361374.00000	4040832.50000	0.06608	12.82573	0.08239	16.02641
361374.00000	4040932.50000	0.04633	14.50961	0.05814	17.0841
361374.00000	4041032.50000	0.08851	14.74966	0.11073	17.94001
361374.00000	4041132.50000	0.07173	16.82961	0.08986	20.9054
361374.00000	4041232.50000	0.12027	17.95625	0.1509	22.99565
361374.00000	4041332.50000	3.81028	18.58995	4.68574	23.81068
361374.00000	4043432.50000	0.77381	73.41226	1.01088	92.75861
361374.00000	4043532.50000	0.68822	58.9248	0.89687	75.191
361374.00000	4043632.50000	23.48765	49.34766	28.80567	62.88602
361374.00000	4043732.50000	1.85925	46.14629	2.17785	58.53975
361374.00000	4043832.50000	38.42481	45.31967	47.64336	57.42338
361374.00000	4043932.50000	7.00097	39.51751	8.05034	50.01963
361374.00000	4044032.50000	0.45999	33.01778	0.58677	41.82286
361374.00000	4044132.50000	0.40339	32.27021	0.51615	41.18375
361374.00000	4044232.50000	0.36073	29.03531	0.46135	36.82067
361374.00000	4044332.50000	0.45987	28.70535	0.57562	36.40017
361374.00000	4044432.50000	0.30698	25.64929	0.39049	32.61655
361374.00000	4044532.50000	0.21124	24.0215	0.26845	30.57761
361374.00000	4044632.50000	0.18131	21.05354	0.23012	26.73956
361374.00000	4044732.50000	0.14723	21.14399	0.18653	27.0069
361374.00000	4044832.50000	0.11661	19.30233	0.14746	24.7223
361374.00000	4044932.50000	0.3007	17.7612	0.37151	22.36303
361374.00000	4045032.50000	0.28194	16.86977	0.34833	21.67266
361374.00000	4045132.50000	0.26606	16.51068	0.3287	21.03449
361474.00000	4039532.50000	0.03214	7.01968	0.03988	8.57948
361474.00000	4039632.50000	0.06468	7.1752	0.08002	8.60253
361474.00000	4039732.50000	0.06539	7.42605	0.08093	9.00363
361474.00000	4039832.50000	0.05686	7.57936	0.07041	9.66219
361474.00000	4039932.50000	0.06816	7.98807	0.0843	10.16362
361474.00000	4040032.50000	0.07468	8.24427	0.09235	10.50017
361474.00000	4040132.50000	0.08149	8.53093	0.10076	10.86282
361474.00000	4040232.50000	0.08735	8.8503	0.10797	11.25966
361474.00000	4040332.50000	0.08665	9.34366	0.10706	11.87241
361474.00000	4040432.50000	0.04829	9.68324	0.05971	12.38008
361474.00000	4040532.50000	0.43816	10.64051	0.53749	13.23608
361474.00000	4040632.50000	0.03704	11.74464	0.04623	15.0373
361474.00000	4040732.50000	1.10967	13.77304	1.22212	16.92865
361474.00000	4040832.50000	0.06791	14.29503	0.0841	17.2536
361474.00000	4040932.50000	0.11031	14.32971	0.13499	18.00876
361474.00000	4041032.50000	0.17825	15.21951	0.22061	18.59401
361474.00000	4041132.50000	0.14564	16.40687	0.17916	20.62348
361474.00000	4041232.50000	0.10328	17.45531	0.13013	22.07689
361474.00000	4041332.50000	9.27175	19.36599	11.48242	24.12047
361474.00000	4041432.50000	8.11317	20.5097	10.03978	26.35256
361474.00000	4043432.50000	0.42533	80.31155	0.52609	102.37533
361474.00000	4043532.50000	0.51615	63.23263	0.6273	80.31357
361474.00000	4043632.50000	4.00124	58.4148	4.65556	73.9317
361474.00000	4043732.50000	7.96566	55.98156	9.18136	70.84341
361474.00000	4043832.50000	0.61907	42.80959	0.79609	54.50801

Receptor Coordinates		Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X	Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
361474.00000	4043932.50000	4.82319	42.33531	5.52829	53.83415
361474.00000	4044032.50000	0.43891	36.07835	0.56619	45.84347
361474.00000	4044132.50000	0.74025	35.16465	0.92907	44.70605
361474.00000	4044232.50000	0.32082	34.88997	0.40834	44.53242
361474.00000	4044332.50000	0.22272	29.56576	0.28299	37.5453
361474.00000	4044432.50000	4.51329	28.81445	5.64271	37.00195
361474.00000	4044532.50000	0.13265	25.58097	0.16783	32.17438
361474.00000	4044632.50000	0.25783	21.78445	0.32919	27.46718
361474.00000	4044732.50000	0.44939	20.30141	0.55474	25.74722
361474.00000	4044832.50000	0.40433	20.06912	0.49863	25.60594
361474.00000	4044932.50000	0.39847	19.21286	0.49097	24.52833
361474.00000	4045032.50000	0.17399	17.67118	0.21696	22.58632
361474.00000	4045132.50000	0.16745	16.51273	0.20891	21.25778
361574.00000	4039532.50000	0.0256	6.38394	0.03176	8.05403
361574.00000	4039632.50000	0.03718	6.74953	0.04625	8.42697
361574.00000	4039732.50000	0.02852	7.56042	0.03539	8.8315
361574.00000	4039832.50000	0.02973	8.02032	0.0369	9.23902
361574.00000	4039932.50000	0.07037	7.81669	0.08705	9.8212
361574.00000	4040032.50000	0.07	8.1024	0.08659	10.33587
361574.00000	4040132.50000	0.07598	8.73608	0.094	10.84437
361574.00000	4040232.50000	0.08108	9.01262	0.1003	11.38618
361574.00000	4040332.50000	0.08242	9.43465	0.10195	12.12045
361574.00000	4040432.50000	0.04391	9.88158	0.05431	12.60133
361574.00000	4040532.50000	0.05909	10.61214	0.07301	13.36277
361574.00000	4040632.50000	0.12217	12.19347	0.15141	14.75604
361574.00000	4040732.50000	0.03931	13.21228	0.04921	15.93315
361574.00000	4040832.50000	0.0422	14.36831	0.05293	17.91107
361574.00000	4040932.50000	1.08909	15.51293	1.19567	19.73204
361574.00000	4041032.50000	1.71037	16.14724	2.13149	20.5974
361574.00000	4041132.50000	0.19804	17.41405	0.24522	21.90139
361574.00000	4041232.50000	0.26862	18.89715	0.31375	22.92576
361574.00000	4041332.50000	0.11133	20.89026	0.14064	24.9648
361574.00000	4043532.50000	41.98716	76.73985	51.97761	97.54282
361574.00000	4043632.50000	0.92909	63.79775	1.2017	81.41023
361574.00000	4043732.50000	29.58756	60.94451	35.10029	77.19043
361574.00000	4043832.50000	30.1437	50.98896	35.14839	65.01704
361574.00000	4043932.50000	15.33603	47.14658	17.9713	59.91661
361574.00000	4044032.50000	0.88234	39.55573	1.10898	50.30887
361574.00000	4044132.50000	32.64653	37.94988	40.14391	48.63538
361574.00000	4044232.50000	3.93575	34.62525	4.94286	43.40472
361574.00000	4044332.50000	0.23832	30.41109	0.30355	38.84893
361574.00000	4044432.50000	0.21327	28.87932	0.27139	36.82698
361574.00000	4044532.50000	0.21774	26.75862	0.27728	34.17783
361574.00000	4044632.50000	0.91503	24.08801	1.12002	30.20357
361574.00000	4044732.50000	0.91571	22.447	1.11923	28.75392
361574.00000	4044832.50000	0.20809	20.78265	0.26105	26.47221
361574.00000	4044932.50000	0.18507	19.36381	0.22903	24.17698
361574.00000	4045032.50000	0.17198	18.12689	0.21281	22.89372
361574.00000	4045132.50000	0.15921	17.37214	0.197	21.96818
361674.00000	4039432.50000	5.28226	6.44935	6.53278	7.65247
361674.00000	4039532.50000	5.59574	7.1952	6.92111	8.33533
361674.00000	4039632.50000	5.64666	6.99169	6.98036	8.20136
361674.00000	4039732.50000	5.88371	7.41634	7.27216	8.79047
361674.00000	4039832.50000	0.03012	7.58942	0.03739	8.93571
361674.00000	4039932.50000	0.02962	7.68147	0.03674	9.16562
361674.00000	4040032.50000	0.02843	7.596	0.03525	9.27283
361674.00000	4040132.50000	0.05834	8.27567	0.0722	9.83943
361674.00000	4040232.50000	0.03194	8.77133	0.03986	10.68595
361674.00000	4040332.50000	0.03508	9.27221	0.04352	11.16881

Receptor Coordinates	Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
361674.00000 4040432.50000	0.05075	9.69455	0.06274	11.70158
361674.00000 4040532.50000	0.05227	9.88036	0.06463	12.37473
361674.00000 4040632.50000	0.11169	10.55107	0.1384	13.19774
361674.00000 4040732.50000	0.12432	11.4855	0.15405	14.47778
361674.00000 4040832.50000	0.04146	13.54584	0.05169	15.96983
361674.00000 4040932.50000	0.04399	14.58676	0.05487	17.03032
361674.00000 4041032.50000	0.04574	14.23072	0.05698	17.83221
361674.00000 4041132.50000	0.04999	16.61671	0.0625	20.29664
361674.00000 4041232.50000	0.7748	18.83108	0.86496	23.68539
361674.00000 4041332.50000	0.80176	20.29379	0.89728	25.26853
361674.00000 4043532.50000	45.34593	93.95917	54.37909	119.12868
361674.00000 4043632.50000	52.66959	79.06843	64.04276	100.92139
361674.00000 4043732.50000	46.915	64.55708	56.5074	82.06491
361674.00000 4043832.50000	42.08353	53.64633	51.58177	68.75483
361674.00000 4043932.50000	28.81673	47.33201	34.9242	59.48804
361674.00000 4044032.50000	0.78385	44.54271	1.00018	56.45765
361674.00000 4044132.50000	0.32133	41.12501	0.41046	51.45494
361674.00000 4044232.50000	0.27253	37.2617	0.34757	47.33149
361674.00000 4044332.50000	0.25296	32.62003	0.32241	41.50904
361674.00000 4044432.50000	0.23049	29.90157	0.29355	38.07039
361674.00000 4044532.50000	0.2432	27.78682	0.31014	35.39154
361674.00000 4044632.50000	0.22054	25.75964	0.28105	32.85186
361674.00000 4044732.50000	0.27463	22.62555	0.34182	28.81013
361674.00000 4044832.50000	0.21164	22.13053	0.26241	28.02775
361674.00000 4044932.50000	0.18891	20.04958	0.23379	25.77362
361674.00000 4045032.50000	0.17052	18.41206	0.21099	23.56961
361674.00000 4045132.50000	0.15942	17.49286	0.19726	22.41474
361674.00000 4045232.50000	2.32714	16.37317	3.47934	20.92902
361774.00000 4039432.50000	5.90713	6.02058	7.33175	7.5497
361774.00000 4039532.50000	6.59463	7.10426	8.19076	8.94803
361774.00000 4039632.50000	6.82957	7.32415	8.48124	9.2549
361774.00000 4039732.50000	7.11161	7.66302	8.83052	9.70444
361774.00000 4039832.50000	7.4056	8.00104	9.19435	10.15367
361774.00000 4039932.50000	7.57723	8.15347	9.40413	10.03499
361774.00000 4040032.50000	7.65628	8.16786	9.49742	9.88756
361774.00000 4040132.50000	0.04351	8.3707	0.05411	10.45044
361774.00000 4040232.50000	0.05053	9.1037	0.0629	11.19566
361774.00000 4040332.50000	0.05249	9.39045	0.06534	11.77584
361774.00000 4040432.50000	0.04023	10.31227	0.04996	12.68
361774.00000 4040532.50000	0.074	10.15069	0.09162	12.94551
361774.00000 4040632.50000	10.1085	10.82278	12.5235	13.72463
361774.00000 4040732.50000	0.06697	11.85707	0.08275	14.99726
361774.00000 4040832.50000	0.04327	12.18356	0.05404	15.5546
361774.00000 4040932.50000	0.07993	13.00373	0.09899	16.55914
361774.00000 4041032.50000	0.09829	14.07417	0.12105	17.96692
361774.00000 4041132.50000	0.10015	14.44296	0.12332	18.25461
361774.00000 4041232.50000	0.06598	18.1085	0.08308	22.6359
361774.00000 4041332.50000	0.13535	19.16325	0.17137	23.36015
361774.00000 4043632.50000	49.793	83.49975	63.62322	104.80654
361774.00000 4043732.50000	7.01536	68.81018	8.9451	88.25189
361774.00000 4043832.50000	3.59612	59.10285	4.58502	74.99501
361774.00000 4043932.50000	2.98289	53.86794	3.69116	68.5823
361774.00000 4044032.50000	2.79932	49.67893	3.46778	63.60906
361774.00000 4044132.50000	2.61249	43.50437	3.23958	55.68017
361774.00000 4044232.50000	13.17582	38.08385	16.00373	48.56202
361774.00000 4044332.50000	0.26009	34.61574	0.33162	44.35416
361774.00000 4044432.50000	0.13399	31.12736	0.17125	39.96865
361774.00000 4044532.50000	0.12319	28.08813	0.1573	36.19897
361774.00000 4044632.50000	8.92839	24.71293	12.05925	31.48044

Receptor Coordinates		Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X	Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
361774.00000	4044732.50000	8.42387	22.92346	11.41401	29.23405
361774.00000	4044832.50000	7.44376	21.66582	10.3449	27.4689
361774.00000	4044932.50000	0.30862	19.74612	1.08431	25.30725
361774.00000	4045032.50000	0.10579	18.46017	0.15558	23.54416
361774.00000	4045132.50000	0.10276	17.45533	0.15374	22.48862
361774.00000	4045232.50000	0.09585	16.44359	0.14429	21.15253
361874.00000	4039432.50000	0.01679	6.57741	0.02089	7.7937
361874.00000	4039532.50000	0.02305	7.21195	0.02874	8.3749
361874.00000	4039632.50000	7.39594	7.26963	9.20232	8.41235
361874.00000	4039732.50000	0.03894	7.614	0.04843	8.82999
361874.00000	4039832.50000	0.04288	8.19152	0.05337	9.57561
361874.00000	4039932.50000	0.04495	8.51483	0.05595	9.96217
361874.00000	4040032.50000	0.0457	8.66743	0.05688	10.2569
361874.00000	4040132.50000	0.0432	8.60633	0.05373	10.39697
361874.00000	4040232.50000	0.05243	9.64505	0.06528	11.41219
361874.00000	4040332.50000	0.05702	10.26795	0.07104	12.15299
361874.00000	4040432.50000	0.0614	10.61021	0.07603	12.64539
361874.00000	4040532.50000	0.06408	10.94235	0.07935	13.26262
361874.00000	4040632.50000	0.06762	11.39947	0.08374	14.0441
361874.00000	4040732.50000	0.06792	11.68389	0.08409	14.57905
361874.00000	4040832.50000	0.0697	12.05526	0.08628	15.04348
361874.00000	4040932.50000	12.71797	12.94348	15.82571	16.01587
361874.00000	4041032.50000	14.64069	14.72541	18.22886	18.34157
361874.00000	4041132.50000	0.05415	15.377	0.0677	19.20342
361874.00000	4041232.50000	0.11085	18.86337	0.13766	23.30677
361874.00000	4041332.50000	0.1603	17.72564	0.20328	22.49458
361874.00000	4043832.50000	3.2436	62.99612	4.05245	81.10262
361874.00000	4043932.50000	36.62512	54.56077	47.54879	70.26781
361874.00000	4044032.50000	32.44409	47.58838	42.33467	61.33428
361874.00000	4044132.50000	2.77332	43.09356	3.44933	55.06101
361874.00000	4044232.50000	1.77716	38.51602	2.75047	48.94069
361874.00000	4044332.50000	1.61277	34.25427	2.50348	43.52317
361874.00000	4044432.50000	1.29013	30.7098	2.03522	39.0384
361874.00000	4044532.50000	1.45985	27.18931	2.25082	34.52043
361874.00000	4044632.50000	3.79732	24.64947	6.76198	31.30192
361874.00000	4044732.50000	2.65556	22.78347	5.32704	28.98358
361874.00000	4044832.50000	0.07774	20.69391	0.09862	26.32719
361874.00000	4044932.50000	0.06803	19.47701	0.08514	24.06687
361874.00000	4045032.50000	0.1523	18.31675	0.18874	22.41447
361874.00000	4045132.50000	15.76845	17.01264	19.39096	20.92448
361874.00000	4045232.50000	0.06973	15.61672	0.08783	19.45509
361974.00000	4039432.50000	0.04415	6.23799	0.05487	7.72076
361974.00000	4039532.50000	0.03645	6.62327	0.04512	8.09347
361974.00000	4039632.50000	0.03874	7.01348	0.04796	8.60566
361974.00000	4039732.50000	0.03997	7.19247	0.04948	8.80656
361974.00000	4039832.50000	0.0416	7.44065	0.05149	9.10589
361974.00000	4039932.50000	0.04516	8.05577	0.05591	9.89029
361974.00000	4040032.50000	0.04979	8.91558	0.06165	10.9965
361974.00000	4040132.50000	0.02748	8.70877	0.03427	10.7508
361974.00000	4040232.50000	7.54375	9.35846	9.39243	11.56017
361974.00000	4040332.50000	0.06064	10.78311	0.07511	13.36653
361974.00000	4040432.50000	0.06162	10.72608	0.07632	13.28125
361974.00000	4040532.50000	0.06356	11.17157	0.07871	13.36751
361974.00000	4040632.50000	0.06811	11.97001	0.08435	14.22537
361974.00000	4040732.50000	0.07292	12.78493	0.09032	15.0948
361974.00000	4040832.50000	0.07566	13.0417	0.09371	15.30469
361974.00000	4040932.50000	0.08342	14.47852	0.10334	16.92733
361974.00000	4041032.50000	12.169	15.24608	15.19067	17.88577
361974.00000	4041132.50000	13.54609	17.42133	16.91959	20.60094

Receptor Coordinates	Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
361974.00000 4041232.50000	0.08304	19.53104	0.10433	23.29982
361974.00000 4041332.50000	0.23212	16.77629	0.29838	21.3222
361974.00000 4043732.50000	2.62676	73.09397	3.29938	94.08763
361974.00000 4043832.50000	3.46689	62.09265	4.30862	79.11006
361974.00000 4043932.50000	58.22358	52.69052	72.37597	67.43751
361974.00000 4044032.50000	52.22233	46.91693	64.85032	60.03893
361974.00000 4044132.50000	46.78968	41.99711	58.05934	53.60906
361974.00000 4044232.50000	42.17895	37.72476	52.30701	48.29449
361974.00000 4044332.50000	0.13287	33.94186	0.16974	43.21533
361974.00000 4044432.50000	0.12508	30.77429	0.15971	39.14927
361974.00000 4044532.50000	0.14206	27.4771	0.18176	35.11413
361974.00000 4044632.50000	9.96022	26.05267	15.32243	32.10151
361974.00000 4044732.50000	0.04144	23.82943	0.05032	29.62323
361974.00000 4044832.50000	0.07305	21.92527	0.09151	27.42527
361974.00000 4044932.50000	0.22427	20.19605	0.27731	25.60439
361974.00000 4045032.50000	0.0309	19.07524	0.03766	23.6008
361974.00000 4045132.50000	0.02801	18.15703	0.03419	22.14286
361974.00000 4045232.50000	0.02572	17.13116	0.03144	20.88059
362074.00000 4039432.50000	0.02714	6.16598	0.03374	7.45082
362074.00000 4039532.50000	0.03172	6.39648	0.03942	8.01871
362074.00000 4039632.50000	0.04078	7.04443	0.05068	8.83485
362074.00000 4039732.50000	0.03667	6.97867	0.04557	8.76599
362074.00000 4039832.50000	0.01611	7.35666	0.02003	8.88917
362074.00000 4039932.50000	0.02535	8.20979	0.03158	9.75401
362074.00000 4040032.50000	0.03126	9.22433	0.03903	11.14848
362074.00000 4040132.50000	0.03127	9.57082	0.03903	10.869
362074.00000 4040232.50000	0.03289	10.05756	0.04105	11.10326
362074.00000 4040332.50000	0.03592	10.64383	0.04487	11.87819
362074.00000 4040432.50000	4.89524	10.91215	6.08404	12.60486
362074.00000 4040532.50000	5.08013	11.6389	6.31535	13.59625
362074.00000 4040632.50000	0.05047	12.70802	0.06311	14.77021
362074.00000 4040732.50000	0.07502	13.38943	0.09294	15.61148
362074.00000 4040832.50000	0.07986	14.00903	0.09894	16.40292
362074.00000 4040932.50000	0.08419	13.97841	0.10431	17.4165
362074.00000 4041032.50000	7.61366	14.45596	9.49058	18.35532
362074.00000 4041132.50000	9.06077	15.42564	10.75506	18.5577
362074.00000 4041232.50000	10.71586	18.56109	12.82181	22.09031
362074.00000 4041332.50000	11.9521	20.11627	14.36807	24.11637
362074.00000 4043532.50000	50.17418	101.44763	60.70921	129.34318
362074.00000 4043632.50000	3.16131	88.84036	3.91426	113.15317
362074.00000 4043732.50000	2.98307	73.13035	3.69565	92.94176
362074.00000 4043832.50000	2.80746	63.29481	3.48064	78.15023
362074.00000 4043932.50000	1.28358	53.54566	1.6231	67.60962
362074.00000 4044032.50000	2.55229	47.09628	2.94403	59.81224
362074.00000 4044132.50000	2.34717	41.92557	2.91569	53.52511
362074.00000 4044232.50000	0.13079	37.78072	0.1669	47.84203
362074.00000 4044332.50000	0.1409	34.02325	0.18025	43.35192
362074.00000 4044432.50000	0.06371	29.31225	0.07678	37.31875
362074.00000 4044532.50000	22.14781	27.13189	26.30339	34.27686
362074.00000 4044632.50000	21.31731	24.87448	25.25324	31.66447
362074.00000 4044732.50000	20.49227	23.04227	24.33872	29.2337
362074.00000 4044832.50000	0.24111	21.40325	0.29815	26.92547
362074.00000 4044932.50000	0.22151	20.3758	0.27389	25.26085
362074.00000 4045032.50000	0.20285	19.52946	0.2508	23.26522
362074.00000 4045132.50000	3.25317	17.9816	5.01156	21.93488
362074.00000 4045232.50000	2.56596	17.13643	4.03731	20.57354
362174.00000 4039332.50000	0.03097	5.83556	0.03837	7.11644
362174.00000 4039432.50000	0.03059	5.8921	0.0379	7.24395
362174.00000 4039532.50000	0.0113	6.10521	0.01405	7.73799

Receptor Coordinates	Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
362174.00000 4039632.50000	0.0169	6.7455	0.02099	8.22382
362174.00000 4039732.50000	0.02171	7.40242	0.02703	9.06583
362174.00000 4039832.50000	0.0239	8.29082	0.02983	10.29644
362174.00000 4039932.50000	0.02347	7.89742	0.02924	9.65774
362174.00000 4040032.50000	0.0262	9.36331	0.03272	11.11728
362174.00000 4040132.50000	0.02775	10.0414	0.03468	11.3788
362174.00000 4040232.50000	0.02938	10.52781	0.03672	11.88574
362174.00000 4040332.50000	0.07284	10.85532	0.09052	12.51536
362174.00000 4040432.50000	6.62732	11.25938	7.86668	13.33506
362174.00000 4040532.50000	2.23553	12.02226	2.76667	14.54475
362174.00000 4040632.50000	0.03871	12.49916	0.04823	15.14428
362174.00000 4040732.50000	0.04069	12.82521	0.05069	15.66841
362174.00000 4040832.50000	0.04306	13.82405	0.05366	16.58388
362174.00000 4040932.50000	0.04436	14.32455	0.05526	17.04978
362174.00000 4041032.50000	3.51194	14.66444	4.35457	17.72729
362174.00000 4041132.50000	0.0693	15.78519	0.08675	18.73435
362174.00000 4041232.50000	0.07372	17.02258	0.0923	20.06449
362174.00000 4041332.50000	0.20276	18.7627	0.24632	22.04244
362174.00000 4041432.50000	0.15296	18.04207	0.18832	22.79372
362174.00000 4043432.50000	131.34414	110.0786	164.05759	141.69641
362174.00000 4043532.50000	95.16634	95.39922	120.49042	120.94704
362174.00000 4043632.50000	75.68214	79.18547	95.28738	101.44795
362174.00000 4043732.50000	44.87065	68.72134	55.56353	87.74816
362174.00000 4043832.50000	0.72655	59.25063	0.91699	75.16977
362174.00000 4043932.50000	28.60686	52.47157	36.66635	66.68365
362174.00000 4044032.50000	22.34337	47.47242	24.58089	59.38118
362174.00000 4044132.50000	34.48328	40.4839	42.41989	51.85226
362174.00000 4044232.50000	26.27488	37.49199	32.23014	46.72142
362174.00000 4044332.50000	19.55046	33.6122	23.94299	41.15922
362174.00000 4044432.50000	14.32122	29.96923	17.50416	36.81703
362174.00000 4044532.50000	0.21189	28.64702	0.26349	34.70044
362174.00000 4044632.50000	0.19149	25.88593	0.23814	31.85802
362174.00000 4044732.50000	0.17569	23.63154	0.2184	29.31569
362174.00000 4044832.50000	0.16112	21.74282	0.20025	27.00051
362174.00000 4044932.50000	0.14829	19.89558	0.18428	24.94062
362174.00000 4045032.50000	0.13025	18.67479	0.16181	23.47568
362174.00000 4045132.50000	0.11808	16.79018	0.14662	21.27119
362174.00000 4045232.50000	0.11137	16.11355	0.13829	19.52002
362174.00000 4045332.50000	0.10622	15.67605	0.1319	18.43061
362274.00000 4039332.50000	0.00963	5.98984	0.01202	7.27301
362274.00000 4039432.50000	0.02248	5.67741	0.02787	7.12498
362274.00000 4039532.50000	0.00923	5.81722	0.01153	7.30379
362274.00000 4039632.50000	0.00978	6.05591	0.01222	7.45887
362274.00000 4039732.50000	0.01363	7.3386	0.01703	8.82058
362274.00000 4039832.50000	0.01794	8.35864	0.0225	10.14302
362274.00000 4039932.50000	0.01878	8.71504	0.02356	10.62633
362274.00000 4040032.50000	0.01932	8.99815	0.02423	11.02561
362274.00000 4040132.50000	6.45068	9.39621	7.73839	11.3069
362274.00000 4040332.50000	0.06035	10.28795	0.07504	12.19231
362274.00000 4040432.50000	0.03234	10.91202	0.04045	12.83316
362274.00000 4040532.50000	0.03567	11.89627	0.04467	13.517
362274.00000 4040632.50000	0.04165	13.38694	0.05199	14.65672
362274.00000 4040732.50000	0.08827	14.17929	0.10982	15.72206
362274.00000 4040832.50000	0.08797	14.2872	0.10945	16.53377
362274.00000 4040932.50000	0.08557	14.41881	0.10645	16.95379
362274.00000 4041032.50000	0.09453	14.8606	0.11762	17.90306
362274.00000 4041132.50000	6.44344	14.63661	8.00028	18.40077
362274.00000 4041232.50000	7.04922	14.8231	8.76147	18.91634
362274.00000 4041332.50000	0.05091	15.66739	0.06336	19.71064

Receptor Coordinates	Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
362274.00000 4041432.50000	9.25464	21.52984	11.51314	25.16518
362274.00000 4043232.50000	113.50015	106.82685	142.93689	138.71899
362274.00000 4043332.50000	120.43464	100.54412	148.29382	130.75481
362274.00000 4043432.50000	113.26425	97.65046	140.6635	124.21396
362274.00000 4043532.50000	0.3201	82.36134	0.39581	105.69004
362274.00000 4043632.50000	60.98353	71.73192	76.31244	91.65791
362274.00000 4043732.50000	0.38989	62.84538	0.48722	79.75052
362274.00000 4043832.50000	0.37262	55.02862	0.4669	70.44216
362274.00000 4043932.50000	35.13694	47.00928	44.09414	59.73109
362274.00000 4044032.50000	22.92321	44.73666	28.13611	57.12205
362274.00000 4044132.50000	18.43295	40.29877	21.21817	51.58202
362274.00000 4044232.50000	20.92729	35.51599	26.70497	45.64726
362274.00000 4044332.50000	19.48162	32.7364	23.94827	41.85632
362274.00000 4044432.50000	19.75632	30.27083	24.39169	37.65385
362274.00000 4044532.50000	19.53477	26.99355	24.23502	34.29677
362274.00000 4044632.50000	0.18882	25.27093	0.23477	31.15561
362274.00000 4044732.50000	0.17279	23.88142	0.2148	29.25213
362274.00000 4044832.50000	0.15864	22.62952	0.19718	27.09407
362274.00000 4044932.50000	0.14497	21.51123	0.18017	24.75938
362274.00000 4045032.50000	16.09211	18.37888	20.34129	22.61214
362274.00000 4045132.50000	0.02705	18.07593	0.03305	21.50158
362274.00000 4045232.50000	0.02516	17.15198	0.03076	20.60303
362274.00000 4045332.50000	0.02356	16.216	0.02882	19.2206
362374.00000 4039332.50000	0.00961	5.80704	0.01199	7.19558
362374.00000 4039432.50000	0.01076	6.10442	0.01342	7.58845
362374.00000 4039532.50000	0.01102	6.41297	0.01376	8.04186
362374.00000 4039632.50000	0.01045	6.84674	0.01305	8.04043
362374.00000 4039732.50000	0.03577	7.27726	0.04457	8.50741
362374.00000 4039832.50000	0.05587	8.49903	0.06941	9.52251
362374.00000 4039932.50000	0.06029	9.2042	0.07491	9.95768
362374.00000 4040032.50000	0.01915	9.59064	0.02401	10.34677
362374.00000 4040932.50000	0.09142	14.43606	0.11375	16.70776
362374.00000 4041332.50000	8.5902	17.13582	10.7528	20.02735
362374.00000 4043132.50000	0.38685	83.86825	0.4769	105.94491
362374.00000 4043232.50000	0.35754	86.87313	0.44025	111.1484
362374.00000 4043332.50000	101.76034	84.95629	127.77212	110.20341
362374.00000 4043432.50000	0.18247	77.56264	0.2246	99.51621
362374.00000 4043532.50000	0.1834	73.83611	0.2211	94.13524
362374.00000 4043632.50000	0.31013	64.95611	0.38234	82.96618
362374.00000 4043732.50000	39.26185	56.85864	49.30674	72.0878
362374.00000 4043832.50000	10.75063	49.97343	13.02517	63.35025
362374.00000 4043932.50000	16.59082	46.67908	20.31241	59.57912
362374.00000 4044032.50000	32.46024	41.69086	40.00832	53.30895
362374.00000 4044132.50000	35.17833	36.17287	43.84705	46.45222
362374.00000 4044232.50000	20.71336	33.5797	25.46062	43.31438
362374.00000 4044332.50000	10.69822	31.59705	12.87233	39.36682
362374.00000 4044432.50000	18.7047	29.4357	23.7739	37.20318
362374.00000 4044532.50000	12.39201	27.14971	15.25079	33.49685
362374.00000 4044632.50000	8.43013	24.77935	10.34645	31.20834
362374.00000 4044732.50000	5.45293	23.5643	6.64525	29.35035
362374.00000 4044832.50000	0.11334	21.55758	0.14107	26.55341
362374.00000 4044932.50000	0.10704	19.94091	0.13279	23.79594
362374.00000 4045032.50000	0.12752	18.77466	0.15842	22.35535
362374.00000 4045132.50000	0.09252	18.05148	0.11469	20.79487
362374.00000 4045232.50000	0.08685	16.89256	0.10766	20.5355
362374.00000 4045332.50000	0.43304	16.52335	0.51837	19.28831
362474.00000 4039332.50000	0.03031	6.71011	0.03767	7.86949
362474.00000 4039432.50000	0.03878	7.06193	0.04818	8.12085
362474.00000 4039532.50000	0.03547	7.05064	0.04392	8.98399

Receptor Coordinates		Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X	Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
362474.00000	4039632.50000	0.03631	7.27824	0.04496	9.27836
362474.00000	4039732.50000	0.05001	7.77538	0.06192	9.23278
362474.00000	4039832.50000	0.05919	8.18017	0.0733	9.41123
362474.00000	4042932.50000	83.67019	55.46624	105.08875	69.48949
362474.00000	4043032.50000	94.49944	74.77209	119.0692	95.39905
362474.00000	4043132.50000	94.32882	70.16818	117.40363	90.32403
362474.00000	4043232.50000	93.15413	72.03761	117.42265	91.8351
362474.00000	4043332.50000	2.16581	69.58457	2.66203	88.52217
362474.00000	4043432.50000	0.26316	65.22009	0.31971	83.6764
362474.00000	4043532.50000	58.42041	63.49724	72.8866	81.39138
362474.00000	4043632.50000	53.83112	57.66482	67.23569	72.7553
362474.00000	4043732.50000	34.71111	52.55538	43.9001	65.77209
362474.00000	4043832.50000	25.28164	48.40835	31.7728	61.65835
362474.00000	4043932.50000	0.15662	43.17637	0.19864	54.10797
362474.00000	4044032.50000	0.12192	38.67175	0.1443	49.73308
362474.00000	4044132.50000	0.22244	36.67011	0.28091	46.17721
362474.00000	4044232.50000	0.22848	33.18415	0.28873	42.1942
362474.00000	4044332.50000	23.26501	28.98864	28.72028	36.71298
362474.00000	4044432.50000	26.87281	27.38974	33.47184	33.87263
362474.00000	4044532.50000	17.88174	26.00286	22.46122	31.92731
362474.00000	4044632.50000	7.17298	25.58281	8.48287	31.43765
362474.00000	4044732.50000	0.11905	23.50046	0.14843	29.76279
362474.00000	4044832.50000	0.1114	22.18774	0.1385	26.7997
362474.00000	4044932.50000	6.08247	20.48336	7.42194	24.78481
362474.00000	4045032.50000	4.26197	19.83838	5.18055	23.09519
362474.00000	4045132.50000	3.00422	17.84921	3.64124	21.39972
362474.00000	4045232.50000	2.04136	16.60216	2.4655	20.05282
362474.00000	4045332.50000	1.4493	15.49171	1.76495	18.82368
362574.00000	4039332.50000	0.04696	6.8166	0.05814	7.69018
362574.00000	4039432.50000	0.04563	6.67345	0.05651	7.93875
362574.00000	4039532.50000	0.04094	6.84733	0.05069	8.51331
362574.00000	4039632.50000	0.05541	7.32	0.06862	8.70725
362574.00000	4039732.50000	0.05556	7.2835	0.06881	9.1833
362574.00000	4042832.50000	0.16226	49.00373	0.20036	57.75332
362574.00000	4042932.50000	1.17541	50.20868	1.43795	64.1127
362574.00000	4043032.50000	0.12388	63.54345	0.15313	81.89221
362574.00000	4043132.50000	0.26366	61.36664	0.32623	77.20775
362574.00000	4043232.50000	0.27791	56.04086	0.35746	70.76217
362574.00000	4043332.50000	0.26177	56.85161	0.33612	70.84749
362574.00000	4043432.50000	0.25072	55.66569	0.32179	71.59204
362574.00000	4043532.50000	0.23243	53.3838	0.28159	67.37073
362574.00000	4043632.50000	48.84982	53.38834	61.18756	68.5173
362574.00000	4043732.50000	0.17479	46.50164	0.22335	59.33004
362574.00000	4043832.50000	29.24471	43.60743	37.04561	55.66355
362574.00000	4043932.50000	1.18728	40.04206	1.38359	51.12521
362574.00000	4044032.50000	2.77393	36.69142	3.25148	46.77772
362574.00000	4044132.50000	0.12621	33.9794	0.15972	42.61683
362574.00000	4044232.50000	20.26734	31.13344	25.55574	39.61531
362574.00000	4044332.50000	24.6557	28.6598	28.72744	36.74658
362574.00000	4044432.50000	13.25054	27.20171	16.17534	34.68439
362574.00000	4044532.50000	0.16602	25.00919	0.18782	31.4819
362574.00000	4044632.50000	15.14408	22.6791	18.77843	29.18298
362574.00000	4044732.50000	18.88146	22.24996	23.47444	27.26552
362574.00000	4044832.50000	14.75149	21.44004	18.2709	26.12873
362574.00000	4044932.50000	0.10194	20.50498	0.12641	25.52021
362574.00000	4045032.50000	1.21771	19.457	1.47397	24.14918
362574.00000	4045132.50000	0.07552	17.87709	0.09543	21.89055
362574.00000	4045232.50000	3.88344	16.31684	6.05419	20.50272
362574.00000	4045332.50000	0.08064	15.32664	0.10115	18.86301

Receptor Coordinates	Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
362674.00000 4039332.50000	0.03212	6.61681	0.03989	7.9889
362674.00000 4039432.50000	0.03623	7.19898	0.04501	8.39407
362674.00000 4039532.50000	0.03301	7.1162	0.041	7.89492
362674.00000 4039632.50000	0.03814	7.80041	0.04738	8.7281
362674.00000 4042732.50000	0.00707	45.10069	0.00806	52.45274
362674.00000 4042832.50000	0.22238	38.74389	0.27297	49.58245
362674.00000 4042932.50000	0.22916	46.02096	0.28233	55.93812
362674.00000 4043032.50000	0.23206	54.72917	0.28579	70.46266
362674.00000 4043132.50000	2.35842	54.0997	2.93128	66.46445
362674.00000 4043232.50000	0.21724	48.83321	0.26861	60.22155
362674.00000 4043332.50000	0.00348	49.80971	0.00418	63.37047
362674.00000 4043432.50000	0.21656	50.65201	0.27718	62.50848
362674.00000 4043532.50000	0.20246	47.76753	0.25879	61.19579
362674.00000 4043632.50000	0.20976	44.18386	0.25365	55.01171
362674.00000 4043732.50000	0.15195	45.50268	0.19473	58.27281
362674.00000 4043832.50000	0.82576	39.52412	0.99872	49.73663
362674.00000 4043932.50000	29.47468	36.47749	35.3996	46.72669
362674.00000 4044032.50000	0.1434	34.82091	0.18244	43.58852
362674.00000 4044132.50000	18.66189	32.11876	23.26342	40.44843
362674.00000 4044232.50000	14.99212	29.45087	17.4078	36.78427
362674.00000 4044332.50000	16.09431	26.89249	19.64818	33.979
362674.00000 4044432.50000	17.53849	25.86632	20.00709	32.47198
362674.00000 4044532.50000	16.60844	24.00211	18.78532	30.5407
362674.00000 4044632.50000	18.33345	23.57995	21.09695	29.81165
362674.00000 4044732.50000	18.46752	21.68309	21.63411	26.37198
362674.00000 4044832.50000	17.3194	18.52508	20.80745	23.45578
362674.00000 4044932.50000	11.51917	18.77771	12.51574	22.80181
362674.00000 4045032.50000	13.07526	18.63704	14.4693	22.17314
362674.00000 4045132.50000	14.57404	17.87666	18.15322	21.82116
362674.00000 4045232.50000	14.59722	17.43504	18.16457	21.21522
362674.00000 4045332.50000	0.82483	15.76224	0.99958	19.49835
362774.00000 4039332.50000	0.02024	7.06025	0.02534	8.0989
362774.00000 4039432.50000	0.02124	7.31168	0.0266	8.38909
362774.00000 4039532.50000	0.09188	7.522	0.11374	8.69069
362774.00000 4039632.50000	0.07958	7.41029	0.0986	7.90915
362774.00000 4039732.50000	0.08376	7.75543	0.10378	8.67954
362774.00000 4039932.50000	0.02027	7.86886	0.02523	9.32428
362774.00000 4042632.50000	0.29152	37.56083	0.3593	47.82826
362774.00000 4042732.50000	0.00851	39.0744	0.00953	44.71287
362774.00000 4042832.50000	0.0811	34.52011	0.10001	43.61582
362774.00000 4042932.50000	0.20339	41.48099	0.24971	52.89968
362774.00000 4043032.50000	0.20476	47.77158	0.2522	60.88131
362774.00000 4043132.50000	0.21127	45.79189	0.2593	57.6837
362774.00000 4043232.50000	0.26375	44.89688	0.3203	55.21754
362774.00000 4043332.50000	0.18067	44.62502	0.22326	56.76995
362774.00000 4043432.50000	0.19504	42.76799	0.25196	53.63087
362774.00000 4043532.50000	0.18974	40.63621	0.24509	51.849
362774.00000 4043632.50000	0.17162	40.88633	0.21888	51.28476
362774.00000 4043732.50000	0.18695	37.6577	0.22549	47.98387
362774.00000 4043832.50000	0.12937	39.02047	0.16542	49.84683
362774.00000 4043932.50000	0.126	33.76747	0.16082	42.8887
362774.00000 4044032.50000	22.06975	31.45711	27.74211	40.18093
362774.00000 4044132.50000	21.64879	29.98657	27.10379	38.29804
362774.00000 4044232.50000	0.13984	27.943	0.17801	35.707
362774.00000 4044332.50000	9.82745	25.96498	11.27875	33.06922
362774.00000 4044432.50000	16.23373	24.66515	19.89131	30.32291
362774.00000 4044532.50000	0.29189	22.65525	0.3625	29.43098
362774.00000 4044632.50000	0.26641	21.69198	0.33072	27.64674
362774.00000 4044732.50000	19.99435	19.9987	24.1276	25.16717

Receptor Coordinates	Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
362774.00000 4044832.50000	0.22178	19.78205	0.27512	24.58003
362774.00000 4044932.50000	15.79553	18.99578	18.33305	23.35081
362774.00000 4045032.50000	15.56632	17.13167	18.55009	21.06978
362774.00000 4045132.50000	0.25301	15.99643	0.2772	19.7723
362774.00000 4045232.50000	12.53343	15.77882	15.75229	19.78321
362774.00000 4045332.50000	10.80291	15.51011	13.99312	18.6179
362874.00000 4039332.50000	0.02273	7.38207	0.02833	8.35738
362874.00000 4039432.50000	0.02276	7.52008	0.02836	8.58786
362874.00000 4039532.50000	0.03505	7.39018	0.04372	8.64993
362874.00000 4039632.50000	0.03958	8.23022	0.04942	9.24003
362874.00000 4039732.50000	0.0368	7.6659	0.0459	9.15437
362874.00000 4039832.50000	0.01273	7.31549	0.01567	8.13351
362874.00000 4039932.50000	0.01715	7.51372	0.02134	8.97385
362874.00000 4040032.50000	0.06261	7.70419	0.07637	9.76782
362874.00000 4042432.50000	0.22314	33.02211	0.27521	41.59284
362874.00000 4042532.50000	0.14698	32.47182	0.18135	37.04156
362874.00000 4042632.50000	0.19765	34.03797	0.24338	42.05121
362874.00000 4042732.50000	0.27599	31.48481	0.3402	39.58111
362874.00000 4042832.50000	0.28411	30.23916	0.35021	39.08188
362874.00000 4042932.50000	0.18065	38.02721	0.22258	48.49851
362874.00000 4043032.50000	0.29247	42.21143	0.36052	53.76639
362874.00000 4043132.50000	0.2924	41.78748	0.36044	49.01814
362874.00000 4043232.50000	0.28902	40.31761	0.35627	48.57273
362874.00000 4043332.50000	0.28275	38.40605	0.34853	48.16767
362874.00000 4043432.50000	0.17758	37.97095	0.2295	45.8675
362874.00000 4043532.50000	33.04582	39.18981	41.37201	46.93189
362874.00000 4043632.50000	1.43892	36.66458	1.76791	47.24359
362874.00000 4043732.50000	0.14683	34.21232	0.18689	43.21075
362874.00000 4043832.50000	26.48324	32.96347	33.74382	42.44598
362874.00000 4043932.50000	0.17389	33.96217	0.22008	42.72048
362874.00000 4044032.50000	0.17457	28.94101	0.22098	36.83549
362874.00000 4044132.50000	0.13786	27.60089	0.17681	35.25315
362874.00000 4044232.50000	0.12416	26.49942	0.15776	32.80583
362874.00000 4044332.50000	18.20075	24.56938	22.96972	31.52741
362874.00000 4044432.50000	0.17797	23.41438	0.22165	29.74921
362874.00000 4044532.50000	17.08855	22.7541	21.30837	27.67253
362874.00000 4044632.50000	0.25062	20.90745	0.31105	25.46505
362874.00000 4044732.50000	15.41962	20.03924	17.87013	25.2089
362874.00000 4044832.50000	17.69893	18.81129	20.91239	23.00965
362874.00000 4044932.50000	18.03167	17.53947	21.79622	22.14454
362874.00000 4045032.50000	16.40183	17.85237	20.28381	22.74635
362874.00000 4045132.50000	17.58148	16.82656	20.63606	21.0115
362874.00000 4045232.50000	0.16758	15.35585	0.20778	18.72828
362874.00000 4045332.50000	0.19047	13.97717	0.20943	17.21784
362974.00000 4039432.50000	0.03482	7.57368	0.04303	8.6308
362974.00000 4039532.50000	0.03625	7.66829	0.04479	9.14225
362974.00000 4039632.50000	0.03706	7.40475	0.0458	8.92084
362974.00000 4039732.50000	0.03815	7.27841	0.04715	8.96897
362974.00000 4039832.50000	0.01357	7.90902	0.0167	9.0264
362974.00000 4039932.50000	0.06478	6.96589	0.07801	8.70951
362974.00000 4040032.50000	0.07624	6.60059	0.09065	8.34734
362974.00000 4040132.50000	0.03612	7.60578	0.04483	9.43639
362974.00000 4042332.50000	0.13598	29.02576	0.17271	36.2116
362974.00000 4042432.50000	0.10221	28.13136	0.12623	34.8277
362974.00000 4042532.50000	0.10635	29.71747	0.13134	37.37098
362974.00000 4042632.50000	0.09738	31.07476	0.1196	36.43889
362974.00000 4042732.50000	0.18913	27.40003	0.2329	34.45105
362974.00000 4042832.50000	0.25815	30.20478	0.31824	35.37233
362974.00000 4042932.50000	0.26246	34.58621	0.32355	44.10381

Receptor Coordinates	Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
362974.00000 4043032.50000	0.26437	37.30933	0.32591	47.51402
362974.00000 4043132.50000	0.26433	38.36788	0.32586	44.83807
362974.00000 4043232.50000	0.26192	36.1547	0.32289	42.38527
362974.00000 4043332.50000	0.25705	33.71375	0.31689	42.16018
362974.00000 4043432.50000	0.26426	33.76239	0.32495	42.51655
362974.00000 4043532.50000	36.13628	33.8684	44.59719	41.20552
362974.00000 4043632.50000	1.17538	31.67308	1.43779	39.37082
362974.00000 4043732.50000	1.38925	31.7828	1.70864	40.8812
362974.00000 4043832.50000	0.14242	29.73279	0.17351	38.07153
362974.00000 4043932.50000	0.15717	29.48324	0.1987	37.54861
362974.00000 4044032.50000	26.09545	29.78861	32.44245	36.91085
362974.00000 4044132.50000	0.12167	25.62604	0.15454	32.0443
362974.00000 4044232.50000	0.10895	24.11793	0.13937	31.04254
362974.00000 4044332.50000	0.11854	23.30382	0.14945	29.55247
362974.00000 4044432.50000	0.10823	22.15519	0.13612	27.7477
362974.00000 4044532.50000	0.15009	21.94473	0.18618	27.36658
362974.00000 4044632.50000	0.23457	19.70907	0.29106	24.94562
362974.00000 4044732.50000	0.12863	19.16929	0.1594	23.19597
362974.00000 4044832.50000	0.12226	18.59185	0.15153	22.906
362974.00000 4044932.50000	16.20809	17.61668	20.14655	22.85746
362974.00000 4045032.50000	14.57866	16.546	18.07839	19.96468
362974.00000 4045132.50000	12.28839	15.33706	15.19659	19.33062
362974.00000 4045232.50000	14.55867	15.89034	17.97344	20.05191
363074.00000 4039432.50000	0.03463	6.82152	0.04279	8.20747
363074.00000 4039532.50000	0.03598	7.00455	0.04444	8.43321
363074.00000 4039632.50000	0.03735	7.05684	0.04615	8.23441
363074.00000 4039732.50000	0.03857	7.24491	0.04767	8.48239
363074.00000 4039832.50000	0.01359	7.08324	0.01672	8.52691
363074.00000 4039932.50000	0.04004	7.06173	0.04967	8.42638
363074.00000 4040032.50000	0.03334	7.45785	0.04138	9.26667
363074.00000 4040132.50000	0.02954	8.06746	0.03667	10.09047
363074.00000 4042132.50000	0.06948	22.75261	0.08733	28.10054
363074.00000 4042232.50000	0.10007	25.86453	0.12644	32.53376
363074.00000 4042332.50000	0.18334	26.64842	0.22617	32.15751
363074.00000 4042432.50000	0.12064	25.28677	0.15301	28.88617
363074.00000 4042532.50000	0.15467	26.91934	0.19014	33.88162
363074.00000 4042632.50000	0.08732	26.15244	0.10726	30.29635
363074.00000 4042732.50000	0.10277	24.68517	0.12693	30.4831
363074.00000 4042832.50000	0.08968	27.04977	0.11097	32.28677
363074.00000 4042932.50000	0.23962	31.393	0.29543	40.02409
363074.00000 4043032.50000	0.15035	33.28137	0.18527	42.37309
363074.00000 4043132.50000	0.00944	33.70892	0.01038	40.09575
363074.00000 4043232.50000	0.23901	32.59722	0.29467	38.11678
363074.00000 4043332.50000	0.2353	30.17867	0.2901	37.65952
363074.00000 4043432.50000	0.24299	31.02446	0.29884	39.43876
363074.00000 4043532.50000	0.75111	30.69604	0.90987	37.0813
363074.00000 4043632.50000	26.50889	30.98783	33.02649	37.20518
363074.00000 4043732.50000	2.37229	28.65647	3.17156	36.72954
363074.00000 4043832.50000	1.34304	28.06001	1.65316	35.07572
363074.00000 4043932.50000	1.79978	25.90621	2.0828	32.76583
363074.00000 4044032.50000	0.52468	25.96548	0.62113	33.2626
363074.00000 4044132.50000	0.1317	25.8253	0.1663	32.15177
363074.00000 4044232.50000	0.14124	22.88728	0.17965	28.76171
363074.00000 4044332.50000	0.11003	21.29783	0.13941	26.57476
363074.00000 4044432.50000	0.08685	21.33768	0.10984	27.0421
363074.00000 4044532.50000	0.04686	20.1402	0.05906	23.94891
363074.00000 4044632.50000	0.13013	19.59162	0.16126	23.95557
363074.00000 4044732.50000	0.04625	18.82639	0.05835	23.88176
363074.00000 4044832.50000	0.20046	18.42032	0.24869	22.00612

Receptor Coordinates	Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
363074.00000 4044932.50000	0.11099	16.81038	0.13754	20.51426
363074.00000 4045032.50000	0.10438	15.83014	0.12932	20.41058
363074.00000 4045132.50000	0.09883	14.95653	0.12244	19.53098
363074.00000 4045232.50000	0.09696	14.3874	0.12053	17.99245
363174.00000 4039432.50000	0.04825	6.3988	0.05876	7.52816
363174.00000 4039532.50000	0.05197	6.83167	0.0629	7.91378
363174.00000 4039632.50000	0.05922	7.2304	0.07346	8.31529
363174.00000 4039732.50000	0.01344	7.88885	0.01656	8.9003
363174.00000 4039832.50000	0.01377	7.92293	0.01696	9.3408
363174.00000 4039932.50000	0.01365	7.65129	0.01679	8.81906
363174.00000 4040032.50000	0.0139	7.65289	0.0171	9.4878
363174.00000 4040132.50000	0.01393	7.91434	0.01712	9.41011
363174.00000 4042032.50000	0.13945	17.74867	0.17207	22.58824
363174.00000 4042132.50000	0.08865	23.23902	0.1119	29.33799
363174.00000 4042232.50000	0.10053	22.32563	0.12405	27.17988
363174.00000 4042332.50000	0.17689	20.84675	0.22055	26.90453
363174.00000 4042432.50000	0.10869	24.06172	0.13766	30.13176
363174.00000 4042532.50000	0.11458	26.69548	0.14139	30.79712
363174.00000 4042632.50000	0.09285	23.39146	0.11467	28.97836
363174.00000 4042732.50000	0.15014	22.22057	0.18459	28.45524
363174.00000 4042832.50000	0.07818	24.74644	0.09671	30.38423
363174.00000 4042932.50000	0.0806	28.57921	0.0997	36.42938
363174.00000 4043032.50000	0.1376	29.86228	0.16958	38.01148
363174.00000 4043132.50000	0.13781	29.78072	0.16968	35.65417
363174.00000 4043232.50000	0.00946	29.53527	0.01036	35.86228
363174.00000 4043332.50000	0.13313	29.08101	0.16362	33.94609
363174.00000 4043432.50000	0.12322	28.06784	0.15827	35.24634
363174.00000 4043532.50000	0.12245	27.74537	0.15725	33.13238
363174.00000 4043632.50000	21.54362	27.6988	27.63472	33.61418
363174.00000 4043732.50000	0.94228	25.41114	1.26539	31.93807
363174.00000 4043832.50000	9.78946	25.81649	11.48029	33.41385
363174.00000 4043932.50000	3.49764	24.05612	4.04896	30.6531
363174.00000 4044032.50000	0.94257	22.96409	1.09197	29.51412
363174.00000 4044132.50000	0.29634	23.21119	0.35627	29.83909
363174.00000 4044232.50000	0.16476	23.12687	0.20466	28.84209
363174.00000 4044332.50000	0.09316	20.9299	0.11789	25.18071
363174.00000 4044432.50000	0.07646	19.05536	0.09662	23.60285
363174.00000 4044532.50000	0.08874	19.36592	0.11033	24.33156
363174.00000 4044632.50000	0.08445	17.88981	0.105	22.30527
363174.00000 4044732.50000	0.08026	17.8417	0.09979	21.07256
363174.00000 4044832.50000	0.04261	17.44661	0.05375	22.0181
363174.00000 4044932.50000	0.06444	16.43082	0.08034	20.64597
363174.00000 4045032.50000	0.16961	16.11998	0.21035	18.77079
363174.00000 4045132.50000	0.09808	15.15958	0.12169	18.47383
363174.00000 4045232.50000	0.09111	14.50519	0.11287	18.64686
363274.00000 4039432.50000	0.03308	6.22442	0.04088	7.43533
363274.00000 4039532.50000	0.05324	6.75926	0.06599	7.91236
363274.00000 4039632.50000	0.01206	6.72874	0.01486	8.00516
363274.00000 4039732.50000	4.98099	7.70004	6.16365	8.8944
363274.00000 4039832.50000	0.04079	8.38122	0.05065	9.0433
363274.00000 4039932.50000	0.01375	8.05872	0.01692	9.45282
363274.00000 4040032.50000	0.41137	8.42992	0.45319	9.98686
363274.00000 4040132.50000	0.02753	7.60128	0.03426	8.48899
363274.00000 4042132.50000	0.26062	18.22939	0.33126	22.96614
363274.00000 4042232.50000	0.09502	18.00793	0.11726	22.80205
363274.00000 4042332.50000	0.1622	17.35032	0.20112	20.28874
363274.00000 4042432.50000	0.08649	21.20664	0.10675	27.338
363274.00000 4042532.50000	0.10669	22.61039	0.13166	28.46216
363274.00000 4042632.50000	0.07246	21.11835	0.08904	27.21784

Receptor Coordinates	Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
363274.00000 4042732.50000	0.08805	23.99252	0.10875	30.48888
363274.00000 4042832.50000	0.05093	24.51717	0.06276	28.64009
363274.00000 4042932.50000	0.07004	25.99015	0.08663	32.93616
363274.00000 4043032.50000	0.06748	27.02254	0.08317	34.39063
363274.00000 4043132.50000	0.12673	28.32398	0.1561	35.33734
363274.00000 4043232.50000	0.13059	27.74628	0.16041	31.27525
363274.00000 4043332.50000	0.07961	26.34662	0.09828	33.30019
363274.00000 4043432.50000	0.00956	24.15768	0.01043	30.79135
363274.00000 4043532.50000	0.13202	24.70193	0.16908	30.94739
363274.00000 4043632.50000	0.3619	24.73638	0.43533	30.58015
363274.00000 4043732.50000	0.42939	24.88609	0.57405	30.5722
363274.00000 4043832.50000	0.12358	23.29237	0.15904	29.77326
363274.00000 4043932.50000	0.17912	23.38336	0.24947	29.45354
363274.00000 4044032.50000	0.2996	21.45889	0.43813	26.84549
363274.00000 4044132.50000	0.41259	21.00187	0.47939	26.11532
363274.00000 4044232.50000	0.17671	20.45427	0.21502	26.00525
363274.00000 4044332.50000	0.1261	20.3698	0.15693	25.60731
363274.00000 4044432.50000	0.08882	18.76087	0.11043	22.17494
363274.00000 4044532.50000	0.08493	17.26998	0.1056	21.4419
363274.00000 4044632.50000	0.08056	17.68291	0.10014	22.055
363274.00000 4044732.50000	0.07689	16.39469	0.09557	20.74199
363274.00000 4044832.50000	0.07321	15.97926	0.09099	20.111
363274.00000 4044932.50000	14.70348	16.18505	18.79407	19.81473
363274.00000 4045032.50000	0.06587	15.4515	0.08183	19.29775
363274.00000 4045132.50000	0.10254	13.6361	0.12758	16.84629
363274.00000 4045232.50000	0.14758	14.12655	0.18299	17.40144
363374.00000 4039432.50000	3.70313	6.2939	4.57223	7.31607
363374.00000 4039532.50000	0.03474	7.13461	0.0431	7.59081
363374.00000 4039632.50000	0.03441	6.64581	0.04269	7.75963
363374.00000 4039732.50000	0.03715	7.38497	0.04609	8.73528
363374.00000 4039832.50000	0.33272	7.88654	0.36608	9.21394
363374.00000 4039932.50000	0.03399	8.32403	0.04255	9.35423
363374.00000 4040032.50000	0.0488	8.44605	0.06045	9.50094
363374.00000 4040132.50000	0.08001	7.17601	0.09908	9.06606
363374.00000 4042032.50000	0.2446	15.5454	0.31076	19.74913
363374.00000 4042132.50000	0.07266	19.51135	0.09155	23.45217
363374.00000 4042232.50000	0.11342	14.80007	0.14128	19.2302
363374.00000 4042332.50000	0.09401	15.52807	0.11601	19.79094
363374.00000 4042432.50000	0.09582	16.53545	0.11825	20.14999
363374.00000 4042532.50000	0.09926	19.41242	0.1225	23.09159
363374.00000 4042632.50000	0.06665	18.68128	0.0819	22.53869
363374.00000 4042732.50000	0.2821	22.91796	0.35271	28.95992
363374.00000 4042832.50000	0.08334	23.35812	0.10293	27.45867
363374.00000 4042932.50000	0.04786	28.6668	0.05898	32.7129
363374.00000 4043032.50000	24.45673	24.5762	27.78872	31.27241
363374.00000 4043132.50000	0.11849	25.7287	0.14599	29.23617
363374.00000 4043232.50000	14.25737	23.4587	20.02028	27.69905
363374.00000 4043332.50000	0.12924	23.55846	0.15806	29.33336
363374.00000 4043432.50000	0.15221	22.59458	0.18459	28.09074
363374.00000 4043532.50000	0.19896	23.04415	0.23954	29.28099
363374.00000 4043632.50000	0.11999	22.47335	0.15348	27.97492
363374.00000 4043732.50000	4.95752	23.23075	5.9766	27.74819
363374.00000 4043832.50000	0.43378	21.21853	0.57542	26.82564
363374.00000 4043932.50000	0.08196	21.07867	0.10412	26.71869
363374.00000 4044032.50000	9.62112	19.81501	10.72435	25.20057
363374.00000 4044132.50000	0.82799	19.20458	0.94608	24.22437
363374.00000 4044232.50000	0.64423	18.81728	0.96021	23.10662
363374.00000 4044332.50000	0.04048	18.63153	0.0437	23.1184
363374.00000 4044432.50000	0.10846	18.5093	0.13511	23.09884

Receptor Coordinates	Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
363374.00000 4044532.50000	0.08019	17.20442	0.09967	20.3055
363374.00000 4044632.50000	0.09872	15.85813	0.12321	19.95498
363374.00000 4044732.50000	0.07376	16.1642	0.09168	20.03056
363374.00000 4044832.50000	0.07051	15.37886	0.08764	19.16549
363374.00000 4044932.50000	0.06715	15.17211	0.08344	18.88384
363374.00000 4045032.50000	0.06412	14.8158	0.07967	18.41018
363374.00000 4045132.50000	0.09143	14.29749	0.11339	17.71483
363374.00000 4045232.50000	3.94822	12.4956	4.4645	15.6224
363474.00000 4039532.50000	0.03493	6.95678	0.04335	8.17649
363474.00000 4039632.50000	0.02687	6.89036	0.03351	8.06876
363474.00000 4039732.50000	0.02703	7.17678	0.03369	8.08358
363474.00000 4039832.50000	0.04436	7.81184	0.05495	8.74871
363474.00000 4039932.50000	0.07967	7.81522	0.09868	9.27114
363474.00000 4040032.50000	0.03379	7.29858	0.04228	9.49652
363474.00000 4040132.50000	0.0342	8.80938	0.04276	9.2851
363474.00000 4041032.50000	0.12027	8.76202	0.15011	10.9916
363474.00000 4041132.50000	0.15424	9.67459	0.1979	12.1994
363474.00000 4041232.50000	0.16042	10.63754	0.20604	13.2199
363474.00000 4042132.50000	0.0671	13.7171	0.08371	17.4214
363474.00000 4042232.50000	0.07299	13.22393	0.09124	16.80496
363474.00000 4042332.50000	0.09439	13.81581	0.11619	16.86676
363474.00000 4042432.50000	0.09816	16.34209	0.12083	19.28825
363474.00000 4042532.50000	0.05184	15.13622	0.06486	18.29758
363474.00000 4042632.50000	0.05681	16.31786	0.06982	20.30406
363474.00000 4042732.50000	0.1193	19.05734	0.14671	22.0026
363474.00000 4042832.50000	0.06406	20.38003	0.07873	24.57129
363474.00000 4042932.50000	0.05229	22.35106	0.06463	27.88735
363474.00000 4043032.50000	0.05355	22.59588	0.06619	28.45594
363474.00000 4043132.50000	0.11029	23.81585	0.13591	26.84988
363474.00000 4043232.50000	0.04679	21.27408	0.05765	26.13704
363474.00000 4043332.50000	5.49878	21.60697	9.3893	26.3309
363474.00000 4043432.50000	0.06873	21.57865	0.08485	25.74498
363474.00000 4043532.50000	0.19975	21.35338	0.2425	26.88815
363474.00000 4043632.50000	0.07718	20.47352	0.09821	25.71937
363474.00000 4043732.50000	0.08824	20.42533	0.1124	24.90552
363474.00000 4043832.50000	5.98351	21.41327	7.20021	25.27267
363474.00000 4043932.50000	0.05532	18.80628	0.07004	23.09978
363474.00000 4044032.50000	0.05597	18.97619	0.07096	23.49462
363474.00000 4044132.50000	0.09288	17.81694	0.11553	22.1612
363474.00000 4044232.50000	0.08779	18.01751	0.10918	21.16079
363474.00000 4044332.50000	0.64583	16.98597	0.96246	21.31304
363474.00000 4044432.50000	0.0802	17.50877	0.0997	21.23191
363474.00000 4044532.50000	0.07819	17.59744	0.09719	21.21379
363474.00000 4044632.50000	0.07412	15.82184	0.09211	18.77732
363474.00000 4044732.50000	0.07255	14.51707	0.09016	18.45997
363474.00000 4044832.50000	0.06779	14.7823	0.08423	18.20307
363474.00000 4044932.50000	0.06436	14.26132	0.07996	17.9968
363474.00000 4045032.50000	0.06278	14.28242	0.07815	16.71263
363474.00000 4045132.50000	0.05918	13.48636	0.07352	16.43499
363574.00000 4039532.50000	0.03844	7.1999	0.04766	7.92841
363574.00000 4039632.50000	0.03152	7.26454	0.03882	8.06788
363574.00000 4039732.50000	0.07097	7.17287	0.08788	8.6428
363574.00000 4039832.50000	0.02839	6.41232	0.03542	8.25141
363574.00000 4039932.50000	0.02961	7.57447	0.03695	7.90701
363574.00000 4040032.50000	0.0369	9.33627	0.04626	9.949
363574.00000 4040132.50000	0.03569	8.29537	0.04499	10.96718
363574.00000 4040932.50000	0.11046	8.10418	0.13784	9.99664
363574.00000 4041032.50000	0.07909	11.61128	0.1006	14.77216
363574.00000 4041132.50000	0.06175	13.28832	0.07751	15.72238

Receptor Coordinates	Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
363574.00000 4041232.50000	0.06438	12.57449	0.08163	15.869
363574.00000 4041332.50000	0.14388	10.14747	0.1817	12.80809
363574.00000 4041432.50000	0.19232	10.55728	0.24128	12.51955
363574.00000 4041532.50000	0.19726	11.13462	0.25069	13.52522
363574.00000 4041632.50000	0.17985	12.23915	0.22933	14.89695
363574.00000 4042032.50000	0.04318	14.23556	0.05401	17.77491
363574.00000 4042132.50000	0.04516	13.47277	0.05652	16.61784
363574.00000 4042232.50000	0.09766	13.52946	0.12147	17.37007
363574.00000 4042332.50000	0.06513	12.62454	0.08038	15.79092
363574.00000 4042432.50000	0.08522	15.12079	0.10518	17.65087
363574.00000 4042532.50000	0.04415	13.08883	0.05512	15.69822
363574.00000 4042632.50000	0.10847	14.32914	0.13341	17.53657
363574.00000 4042732.50000	0.05083	16.47748	0.06246	20.45966
363574.00000 4042832.50000	0.00909	18.69816	0.00983	22.76377
363574.00000 4042932.50000	0.20604	19.53715	0.25732	24.39999
363574.00000 4043032.50000	0.06915	20.17342	0.08786	25.64427
363574.00000 4043132.50000	0.08658	21.72582	0.11032	27.73829
363574.00000 4043232.50000	0.10324	22.4984	0.12944	26.17742
363574.00000 4043332.50000	5.61035	22.11658	9.44888	24.95158
363574.00000 4043432.50000	0.08798	20.50416	0.11208	24.6701
363574.00000 4043532.50000	0.09975	19.20942	0.12351	23.86247
363574.00000 4043632.50000	0.00865	18.86728	0.00936	23.99859
363574.00000 4043732.50000	0.0613	19.55146	0.07769	22.64629
363574.00000 4043832.50000	0.05869	19.63404	0.07412	22.62982
363574.00000 4043932.50000	0.04907	18.00325	0.06208	21.66191
363574.00000 4044032.50000	0.0409	16.94132	0.05157	21.37419
363574.00000 4044132.50000	0.13404	17.13187	0.16677	21.13073
363574.00000 4044232.50000	0.05348	16.31987	0.06713	19.90679
363574.00000 4044332.50000	0.06837	16.16356	0.08256	19.56238
363574.00000 4044432.50000	0.13147	16.01903	0.15928	20.41709
363574.00000 4044532.50000	0.07433	15.93808	0.09238	20.00042
363574.00000 4044632.50000	0.07305	16.59566	0.0908	19.42709
363574.00000 4044732.50000	0.0315	15.46273	0.03456	17.65759
363574.00000 4044832.50000	0.08511	13.32265	0.1062	17.01727
363574.00000 4044932.50000	0.07631	13.41044	0.09514	16.53544
363574.00000 4045032.50000	0.08776	12.31513	0.10973	15.61779
363574.00000 4045132.50000	0.1106	9.66686	0.13988	12.18523
363674.00000 4039532.50000	0.0655	6.54144	0.08111	7.63041
363674.00000 4039632.50000	0.03293	6.27879	0.04129	7.76857
363674.00000 4039732.50000	0.03216	7.27604	0.04029	7.70134
363674.00000 4039832.50000	3.62834	8.33938	5.16018	8.39751
363674.00000 4039932.50000	3.02584	7.6312	4.51743	10.01946
363674.00000 4040032.50000	2.46756	8.155	3.93251	9.27697
363674.00000 4040132.50000	0.02971	8.48706	0.03741	10.07342
363674.00000 4040232.50000	0.03754	8.47909	0.04732	10.7825
363674.00000 4040832.50000	0.10186	7.50123	0.12707	9.41778
363674.00000 4040932.50000	0.09297	8.79649	0.11832	11.07937
363674.00000 4041032.50000	0.05506	12.58672	0.06901	14.69004
363674.00000 4041132.50000	0.03847	12.1611	0.04838	15.70888
363674.00000 4041232.50000	0.06622	11.68085	0.08193	15.00187
363674.00000 4041332.50000	0.05194	11.70296	0.06388	14.9025
363674.00000 4041432.50000	0.15795	11.01525	0.2001	13.66196
363674.00000 4041532.50000	0.14029	11.36078	0.17838	14.06189
363674.00000 4041632.50000	1.21239	10.89645	1.49124	13.75016
363674.00000 4041932.50000	0.07538	12.98115	0.09343	16.23045
363674.00000 4042032.50000	0.05978	11.695	0.07463	14.91495
363674.00000 4042132.50000	0.09022	11.03789	0.11227	14.63413
363674.00000 4042232.50000	0.09222	13.57645	0.11472	16.40458
363674.00000 4042332.50000	0.06284	13.00257	0.07755	15.55987

Receptor Coordinates	Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
363674.00000 4042432.50000	0.11029	12.7357	0.13669	14.73474
363674.00000 4042532.50000	0.10588	10.78924	0.13025	13.43061
363674.00000 4042632.50000	0.10425	11.98327	0.12824	15.30349
363674.00000 4042732.50000	0.10364	14.52459	0.12748	17.73491
363674.00000 4042832.50000	0.05818	16.62428	0.07378	21.09448
363674.00000 4042932.50000	0.18747	18.00623	0.23406	22.29746
363674.00000 4043032.50000	0.13672	18.61144	0.17117	23.6187
363674.00000 4043132.50000	0.05913	17.40796	0.07493	22.10862
363674.00000 4043232.50000	0.05873	17.08234	0.07442	21.658
363674.00000 4043332.50000	0.09814	18.6114	0.12224	22.00514
363674.00000 4043432.50000	1.71883	18.19212	3.80613	22.2769
363674.00000 4043532.50000	0.44564	17.26771	1.31134	21.86848
363674.00000 4043632.50000	0.12848	17.42007	0.15407	22.02432
363674.00000 4043732.50000	0.04307	17.68785	0.05436	20.92081
363674.00000 4043832.50000	0.05543	17.34465	0.07009	20.6056
363674.00000 4043932.50000	0.05427	18.21387	0.06869	21.17204
363674.00000 4044032.50000	9.14619	16.22094	11.1192	20.40027
363674.00000 4044132.50000	0.09524	15.91424	0.11848	20.01449
363674.00000 4044232.50000	2.61241	15.60027	3.43399	19.44862
363674.00000 4044332.50000	0.07291	14.7201	0.09119	18.6344
363674.00000 4044432.50000	0.07002	14.84882	0.08755	18.03782
363674.00000 4044532.50000	0.10437	14.60915	0.12777	18.5254
363674.00000 4044632.50000	0.54539	14.62949	0.59442	18.54105
363674.00000 4044732.50000	0.08618	14.19477	0.10768	17.37452
363674.00000 4044832.50000	10.46622	13.3764	12.71953	16.13727
363674.00000 4044932.50000	0.06803	12.35674	0.0735	15.6114
363674.00000 4045032.50000	0.15895	9.79601	0.2009	12.27446
363774.00000 4039632.50000	0.03181	7.61914	0.03964	7.77249
363774.00000 4039732.50000	0.03746	6.94441	0.04703	8.48201
363774.00000 4039832.50000	2.3551	7.37259	3.73412	8.65122
363774.00000 4039932.50000	1.8273	7.87901	3.0742	9.38373
363774.00000 4040032.50000	0.04986	7.64514	0.06202	9.75342
363774.00000 4040132.50000	0.05021	7.82561	0.06244	10.03615
363774.00000 4040232.50000	0.04895	7.8229	0.06085	9.69138
363774.00000 4040832.50000	0.08708	8.08253	0.11093	9.96804
363774.00000 4040932.50000	0.04948	11.91002	0.06197	13.92849
363774.00000 4041032.50000	0.11004	11.19428	0.13614	14.44012
363774.00000 4041132.50000	0.03665	10.7988	0.04664	13.90335
363774.00000 4041232.50000	0.04692	11.15014	0.05773	13.86431
363774.00000 4041332.50000	0.13991	11.66378	0.17353	14.81514
363774.00000 4041432.50000	0.07236	12.29025	0.09146	15.65298
363774.00000 4041532.50000	0.11387	12.52285	0.14111	15.76225
363774.00000 4041632.50000	0.08367	14.38246	0.10486	17.15047
363774.00000 4041732.50000	0.07633	13.04684	0.09477	16.37398
363774.00000 4041832.50000	0.11879	13.63089	0.14715	16.59817
363774.00000 4041932.50000	0.07443	11.63982	0.09229	14.82266
363774.00000 4042032.50000	0.05941	12.1141	0.0743	13.99511
363774.00000 4042132.50000	0.08659	12.7008	0.10796	16.33455
363774.00000 4042232.50000	0.08819	12.33171	0.10983	15.64309
363774.00000 4042332.50000	0.04266	13.1653	0.05338	15.95588
363774.00000 4042432.50000	0.04255	12.37295	0.05321	15.21254
363774.00000 4042532.50000	0.10035	10.13849	0.12347	12.52942
363774.00000 4042632.50000	0.03869	11.41097	0.04851	14.30389
363774.00000 4042732.50000	0.04003	12.94496	0.05021	16.20662
363774.00000 4042832.50000	0.04886	15.27047	0.06171	19.49344
363774.00000 4042932.50000	0.00918	16.64309	0.00988	20.52118
363774.00000 4043032.50000	0.06549	17.1175	0.08276	21.72122
363774.00000 4043132.50000	0.05546	16.2121	0.07026	20.59067
363774.00000 4043232.50000	0.05811	16.40509	0.07371	20.58242

Receptor Coordinates	Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
363774.00000 4043332.50000	0.09337	17.78063	0.11602	20.31057
363774.00000 4043432.50000	0.09254	17.06363	0.11496	21.17466
363774.00000 4043532.50000	0.0907	15.72992	0.11269	19.86092
363774.00000 4043632.50000	0.0895	16.37306	0.11115	20.55182
363774.00000 4043732.50000	0.00825	15.88065	0.00888	19.49192
363774.00000 4043832.50000	0.0401	16.94723	0.0506	19.24137
363774.00000 4043932.50000	0.05138	17.26826	0.06502	20.16576
363774.00000 4044032.50000	0.20195	15.64986	0.25	18.59929
363774.00000 4044132.50000	10.58526	14.73105	12.95185	18.77328
363774.00000 4044232.50000	0.09734	14.82049	0.1209	18.56621
363774.00000 4044332.50000	0.07392	14.32039	0.0919	17.60298
363774.00000 4044432.50000	0.10756	14.11774	0.13378	17.17273
363774.00000 4044532.50000	0.06539	13.78965	0.08177	16.74632
363774.00000 4044632.50000	0.09784	13.67988	0.1204	17.19872
363774.00000 4044732.50000	0.0687	13.65021	0.08542	17.39564
363774.00000 4044832.50000	4.01122	13.49987	5.48249	16.40491
363774.00000 4044932.50000	5.58939	12.50152	7.60962	15.18689
363774.00000 4045032.50000	7.03542	9.8666	8.85088	12.3507
363874.00000 4039632.50000	0.02998	6.79801	0.03732	8.2969
363874.00000 4039732.50000	0.03638	6.75292	0.04566	8.26727
363874.00000 4039832.50000	0.05194	6.98125	0.06497	8.80831
363874.00000 4039932.50000	0.04848	7.23648	0.06034	9.18157
363874.00000 4040032.50000	0.05018	7.30098	0.06246	9.13229
363874.00000 4040132.50000	0.053	7.36514	0.06605	8.96555
363874.00000 4040232.50000	0.04573	7.96825	0.05677	9.75376
363874.00000 4040332.50000	0.05851	8.33688	0.07315	10.06389
363874.00000 4040732.50000	0.08071	7.40728	0.10276	9.33721
363874.00000 4040832.50000	0.09963	10.73994	0.12325	13.06192
363874.00000 4040932.50000	0.04009	9.62808	0.04996	12.71294
363874.00000 4041032.50000	0.11351	9.94274	0.1407	12.69098
363874.00000 4041132.50000	0.04993	10.4558	0.06251	12.88977
363874.00000 4041232.50000	0.12311	10.37757	0.15262	13.28998
363874.00000 4041332.50000	0.05822	11.33569	0.07301	14.5067
363874.00000 4041432.50000	0.10445	11.61475	0.12941	14.84668
363874.00000 4041532.50000	0.66755	12.16052	0.79414	15.36346
363874.00000 4041632.50000	0.06161	12.62936	0.07758	16.00222
363874.00000 4041732.50000	0.0681	12.86271	0.08546	16.52343
363874.00000 4041832.50000	0.1123	12.16095	0.1391	15.45597
363874.00000 4041932.50000	0.07499	10.93214	0.09305	13.93729
363874.00000 4042032.50000	0.04017	10.32848	0.05032	13.61712
363874.00000 4042132.50000	0.07523	12.08293	0.09395	15.50882
363874.00000 4042232.50000	0.07401	12.54462	0.09235	14.4694
363874.00000 4042332.50000	0.04175	12.68277	0.05228	14.99659
363874.00000 4042432.50000	0.10737	11.74356	0.13305	13.62928
363874.00000 4042532.50000	0.07574	10.94434	0.09467	13.9476
363874.00000 4042632.50000	0.03228	10.61577	0.0404	12.66188
363874.00000 4042732.50000	0.03905	12.80332	0.04899	15.70016
363874.00000 4042832.50000	0.04276	14.21985	0.05386	18.04154
363874.00000 4042932.50000	0.04985	15.23871	0.06311	18.61064
363874.00000 4043032.50000	0.05955	15.83464	0.07516	20.09203
363874.00000 4043132.50000	0.11326	15.10989	0.14164	19.19126
363874.00000 4043232.50000	0.05217	15.20981	0.06607	18.95173
363874.00000 4043332.50000	0.05423	16.18952	0.06876	19.47659
363874.00000 4043432.50000	0.08609	16.3061	0.10694	19.18539
363874.00000 4043532.50000	0.08672	15.02155	0.10756	18.65007
363874.00000 4043632.50000	0.17932	15.4014	0.57755	18.82169
363874.00000 4043732.50000	0.08361	14.77539	0.10368	18.5321
363874.00000 4043832.50000	0.008	15.78597	0.0086	18.3041
363874.00000 4043932.50000	0.03626	15.77891	0.0457	17.96702

Receptor Coordinates	Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
363874.00000 4044032.50000	0.04705	16.19827	0.05945	18.37515
363874.00000 4044132.50000	7.45	14.15429	9.01637	17.65977
363874.00000 4044232.50000	11.46422	14.12417	14.10494	17.42766
363874.00000 4044332.50000	0.09835	13.44644	0.12192	17.12771
363874.00000 4044432.50000	9.07713	13.2742	11.29124	16.01095
363874.00000 4044532.50000	8.48689	13.34768	10.47002	15.89153
363874.00000 4044632.50000	0.05983	12.92457	0.07477	15.95426
363874.00000 4044732.50000	0.06155	13.11619	0.07708	16.19275
363874.00000 4044832.50000	0.11985	12.07257	0.14976	14.89377
363874.00000 4044932.50000	0.09787	10.86666	0.12252	13.52533
363874.00000 4045032.50000	5.3069	9.41971	6.76262	11.38533
363974.00000 4039732.50000	0.0428	6.74903	0.05322	8.61873
363974.00000 4039832.50000	0.0474	6.6365	0.05921	8.45508
363974.00000 4039932.50000	0.05836	6.5205	0.07309	8.30291
363974.00000 4040032.50000	0.05041	6.46007	0.06381	7.96107
363974.00000 4040132.50000	0.08809	7.58895	0.1092	9.18145
363974.00000 4040232.50000	0.07127	6.92039	0.08939	8.22722
363974.00000 4040332.50000	0.05059	7.02674	0.0639	8.90281
363974.00000 4040632.50000	0.12697	6.96553	0.158	8.78214
363974.00000 4040732.50000	0.13251	7.16941	0.1649	9.02932
363974.00000 4040832.50000	0.04201	9.46918	0.05253	12.17684
363974.00000 4040932.50000	0.03317	7.91828	0.04082	10.10353
363974.00000 4041032.50000	0.0185	8.18101	0.02327	10.42432
363974.00000 4041132.50000	0.10203	9.73457	0.12623	12.48795
363974.00000 4041232.50000	0.04705	10.26392	0.05882	12.77889
363974.00000 4041332.50000	0.04891	10.6536	0.06117	13.38945
363974.00000 4041432.50000	0.09994	11.57434	0.12382	14.18297
363974.00000 4041532.50000	1.20363	12.22934	1.44101	14.45258
363974.00000 4041632.50000	0.07273	12.3046	0.09101	15.45756
363974.00000 4041732.50000	0.04297	12.20287	0.0543	14.98335
363974.00000 4041832.50000	0.10725	10.7476	0.13285	13.69373
363974.00000 4041932.50000	0.07332	10.99671	0.0914	12.3266
363974.00000 4042032.50000	0.04402	11.22957	0.05525	14.4139
363974.00000 4042132.50000	0.07118	11.34556	0.08888	14.30986
363974.00000 4042232.50000	0.07287	12.35063	0.091	14.42064
363974.00000 4042332.50000	0.04163	11.9511	0.05218	14.64026
363974.00000 4042432.50000	0.08309	11.36184	0.10396	13.73588
363974.00000 4042532.50000	0.04727	11.17157	0.05836	13.34591
363974.00000 4042632.50000	0.03428	11.16289	0.04295	13.50602
363974.00000 4042732.50000	0.03375	11.17283	0.04227	14.04446
363974.00000 4042832.50000	0.03644	13.12283	0.04578	16.63838
363974.00000 4042932.50000	0.04507	13.81199	0.05694	16.73464
363974.00000 4043032.50000	0.00838	14.70894	0.00901	18.6626
363974.00000 4043132.50000	0.10538	14.12379	0.13174	17.9392
363974.00000 4043232.50000	0.04828	14.35841	0.06109	17.94365
363974.00000 4043332.50000	0.0568	14.33122	0.07171	18.18826
363974.00000 4043432.50000	0.08311	14.22856	0.10301	17.55239
363974.00000 4043532.50000	0.08205	14.24532	0.10169	17.96291
363974.00000 4043632.50000	0.03209	14.06591	0.03956	17.34338
363974.00000 4043732.50000	0.10607	13.88146	0.26677	17.52209
363974.00000 4043832.50000	0.18097	14.68374	0.21031	17.09365
363974.00000 4043932.50000	0.05271	14.29391	0.06818	16.5832
363974.00000 4044032.50000	0.04455	15.1298	0.05624	17.75724
363974.00000 4044132.50000	0.17148	13.8311	0.21224	16.16012
363974.00000 4044232.50000	8.61897	12.87309	10.49293	16.09042
363974.00000 4044332.50000	0.07256	12.86207	0.09023	16.03549
363974.00000 4044432.50000	0.09677	12.72131	0.12033	15.38506
363974.00000 4044532.50000	0.09339	12.11172	0.11611	14.98942
363974.00000 4044632.50000	11.52882	12.16745	14.36127	14.64755

Receptor Coordinates	Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
363974.00000 4044732.50000	0.05954	12.21089	0.07459	15.15825
363974.00000 4044832.50000	0.0809	11.08666	0.10254	13.8454
363974.00000 4044932.50000	0.13835	10.42209	0.17269	12.62119
364074.00000 4039732.50000	0.04139	6.37355	0.05146	7.91931
364074.00000 4039832.50000	0.03819	6.6408	0.04738	7.61646
364074.00000 4039932.50000	0.03805	6.78822	0.04745	8.39245
364074.00000 4040032.50000	0.08311	6.84592	0.10303	8.30443
364074.00000 4040132.50000	0.09151	6.59063	0.11386	7.97197
364074.00000 4040232.50000	0.03193	7.67374	0.04001	9.29256
364074.00000 4040332.50000	0.03125	7.9599	0.03914	9.7624
364074.00000 4040432.50000	0.07455	6.30848	0.09397	7.95675
364074.00000 4040532.50000	0.11803	6.63032	0.14684	8.25956
364074.00000 4040632.50000	0.12229	6.69423	0.15217	8.43045
364074.00000 4040732.50000	0.11005	7.84641	0.13709	9.94
364074.00000 4040832.50000	0.02594	8.73314	0.03289	11.06305
364074.00000 4040932.50000	0.03297	7.43844	0.04098	9.44331
364074.00000 4041032.50000	0.08151	7.92358	0.10081	10.12086
364074.00000 4041132.50000	0.09539	9.30449	0.11801	11.65457
364074.00000 4041232.50000	0.11293	9.8718	0.14	12.63048
364074.00000 4041332.50000	0.08817	10.61092	0.10919	12.22134
364074.00000 4041432.50000	1.07965	11.18296	1.28806	12.50883
364074.00000 4041532.50000	0.06854	11.31761	0.08578	13.90086
364074.00000 4041632.50000	0.06073	11.5183	0.07618	14.24927
364074.00000 4041732.50000	0.03808	10.08412	0.04763	12.55779
364074.00000 4041832.50000	0.06637	8.77516	0.08251	11.25968
364074.00000 4041932.50000	0.03299	8.5678	0.04135	11.25884
364074.00000 4042032.50000	0.03411	10.08651	0.04277	12.67799
364074.00000 4042132.50000	0.06242	10.24535	0.07779	12.53518
364074.00000 4042232.50000	0.06776	11.21617	0.08456	13.04626
364074.00000 4042332.50000	0.03928	11.30571	0.04922	13.50147
364074.00000 4042432.50000	0.04337	10.55764	0.05432	13.18911
364074.00000 4042532.50000	0.05859	11.64959	0.07345	13.86205
364074.00000 4042632.50000	0.04663	11.56201	0.05757	14.36201
364074.00000 4042732.50000	0.04055	11.66656	0.05104	14.67746
364074.00000 4042832.50000	0.04013	12.96911	0.0506	16.45626
364074.00000 4042932.50000	0.04047	12.48559	0.05104	14.96912
364074.00000 4043032.50000	0.12648	13.50556	0.15771	17.13426
364074.00000 4043132.50000	0.05186	13.19677	0.06538	16.73076
364074.00000 4043232.50000	0.04525	13.57343	0.05722	16.9238
364074.00000 4043332.50000	0.04514	13.36158	0.05708	16.8555
364074.00000 4043432.50000	0.04536	14.07877	0.05739	16.46856
364074.00000 4043532.50000	0.74884	13.58425	1.99934	17.26918
364074.00000 4043632.50000	0.04711	13.48871	0.05817	15.81855
364074.00000 4043732.50000	0.10745	13.27385	0.30888	16.53494
364074.00000 4043832.50000	0.05248	13.08592	0.0663	16.1515
364074.00000 4043932.50000	0.34186	14.14661	0.39447	16.04438
364074.00000 4044032.50000	0.05027	14.31968	0.06775	16.0228
364074.00000 4044132.50000	0.04129	14.40953	0.05204	16.15089
364074.00000 4044232.50000	0.03083	12.49786	0.03883	15.30016
364074.00000 4044332.50000	9.53233	12.30126	11.67178	15.56419
364074.00000 4044432.50000	0.03096	11.81295	0.03902	15.06687
364074.00000 4044532.50000	0.10997	11.75683	0.13588	14.33709
364074.00000 4044632.50000	0.08613	11.29376	0.10706	13.98421
364074.00000 4044732.50000	0.18745	11.1799	0.27734	14.15456
364074.00000 4044832.50000	3.24488	10.4814	3.9579	13.18222
364074.00000 4044932.50000	0.0865	9.91093	0.10982	12.47166
364174.00000 4039832.50000	0.07316	6.77377	0.09067	8.04446
364174.00000 4039932.50000	0.07697	6.9387	0.0954	8.16042
364174.00000 4040032.50000	0.02121	7.48202	0.02658	8.66362

Receptor Coordinates	Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
364174.00000 4040132.50000	0.03365	7.19487	0.04178	8.31989
364174.00000 4040232.50000	0.03571	7.54142	0.04438	9.08023
364174.00000 4040332.50000	0.07194	5.7672	0.09066	7.288
364174.00000 4040432.50000	0.11007	6.18847	0.13692	7.77741
364174.00000 4040532.50000	0.05785	6.2912	0.07363	7.92136
364174.00000 4040632.50000	0.10149	7.36716	0.12639	9.3333
364174.00000 4040732.50000	0.04679	7.8927	0.05989	10.08193
364174.00000 4040832.50000	0.04059	8.70289	0.05077	10.47568
364174.00000 4040932.50000	0.07394	7.77512	0.09012	9.93186
364174.00000 4041032.50000	0.07927	7.67963	0.09804	9.8105
364174.00000 4041132.50000	0.08481	8.49136	0.1049	10.8142
364174.00000 4041232.50000	0.07977	9.85248	0.09877	10.74044
364174.00000 4041332.50000	0.08372	9.99987	0.10368	11.53352
364174.00000 4041432.50000	1.73435	10.27249	2.08544	12.6711
364174.00000 4041532.50000	0.06174	10.70676	0.07718	13.66577
364174.00000 4041632.50000	0.04319	10.71066	0.05459	12.93496
364174.00000 4041732.50000	0.03428	8.69394	0.04276	11.01834
364174.00000 4041832.50000	0.02111	6.76353	0.02644	7.75773
364174.00000 4041932.50000	0.07371	7.73285	0.09129	9.51985
364174.00000 4042032.50000	0.09276	8.92605	0.1149	10.4466
364174.00000 4042132.50000	0.04783	9.15401	0.05947	10.31434
364174.00000 4042232.50000	0.05282	9.29984	0.06572	10.76514
364174.00000 4042332.50000	0.04012	10.00192	0.05007	11.76758
364174.00000 4042432.50000	0.04108	9.87148	0.05134	11.92037
364174.00000 4042532.50000	0.07963	11.29783	0.08848	13.95352
364174.00000 4042632.50000	0.08208	11.41922	0.10271	13.58925
364174.00000 4042732.50000	0.03997	11.52451	0.05036	14.35665
364174.00000 4042832.50000	0.0365	12.27509	0.04586	15.29042
364174.00000 4042932.50000	0.03568	10.9526	0.04489	13.9515
364174.00000 4043032.50000	0.03399	12.32872	0.0427	15.64116
364174.00000 4043132.50000	0.0404	12.41668	0.05102	15.60789
364174.00000 4043232.50000	0.09261	13.14174	0.11573	15.97558
364174.00000 4043332.50000	0.04271	12.54322	0.054	15.10384
364174.00000 4043432.50000	0.05033	13.43466	0.06349	15.26057
364174.00000 4043532.50000	0.84348	13.14211	2.16668	16.15328
364174.00000 4043632.50000	0.04502	12.45897	0.05559	14.73209
364174.00000 4043732.50000	0.04717	12.72782	0.05913	15.82465
364174.00000 4043832.50000	0.08254	12.15369	0.16859	15.11545
364174.00000 4043932.50000	0.06782	13.07874	0.084	15.29271
364174.00000 4044032.50000	0.18624	12.6884	0.23004	14.16296
364174.00000 4044132.50000	0.03936	13.37754	0.04958	15.77925
364174.00000 4044232.50000	0.14792	12.36298	0.18306	14.39596
364174.00000 4044332.50000	0.02937	11.87563	0.03699	14.4561
364174.00000 4044432.50000	10.10682	11.72437	12.4401	14.24622
364174.00000 4044532.50000	0.08635	11.0803	0.10704	14.14683
364174.00000 4044632.50000	0.11646	10.96246	0.1437	13.19601
364174.00000 4044732.50000	0.29908	10.73385	0.36874	13.24137
364174.00000 4044832.50000	0.14148	9.30985	0.17562	11.51261
364274.00000 4039932.50000	0.02266	6.78552	0.02842	8.0783
364274.00000 4040032.50000	0.04004	6.32154	0.05025	7.93633
364274.00000 4040132.50000	0.03513	6.6518	0.04369	8.4541
364274.00000 4040232.50000	0.06032	6.09946	0.07598	7.73859
364274.00000 4040332.50000	0.10232	5.64992	0.12727	7.1667
364274.00000 4040432.50000	0.05423	5.92046	0.06899	7.45313
364274.00000 4040532.50000	0.09903	6.61797	0.12343	8.36696
364274.00000 4040632.50000	0.05478	7.39405	0.06951	9.43802
364274.00000 4040732.50000	0.04143	8.09738	0.0519	9.71893
364274.00000 4040832.50000	0.01814	7.68084	0.02285	9.81263
364274.00000 4040932.50000	0.07803	7.61235	0.09651	9.68055

Receptor Coordinates	Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
364274.00000 4041032.50000	0.07942	8.03163	0.09824	10.04847
364274.00000 4041132.50000	0.09398	8.59185	0.11645	9.80707
364274.00000 4041232.50000	0.07548	8.81066	0.09345	10.60446
364274.00000 4041332.50000	1.31074	9.0744	1.57596	11.42489
364274.00000 4041432.50000	0.05565	9.96147	0.06941	12.43405
364274.00000 4041532.50000	0.0424	10.14728	0.05319	12.78904
364274.00000 4041632.50000	0.04646	10.00467	0.05876	12.49808
364274.00000 4041732.50000	0.05998	8.21626	0.07472	10.54474
364274.00000 4041832.50000	0.02677	7.35985	0.03348	9.58822
364274.00000 4041932.50000	0.02714	7.6954	0.03376	9.27506
364274.00000 4042032.50000	0.03697	7.34998	0.04589	7.8058
364274.00000 4042132.50000	0.01871	7.18201	0.02332	8.74623
364274.00000 4042232.50000	0.02064	7.37136	0.02571	8.61397
364274.00000 4042332.50000	0.06895	8.06082	0.08544	9.8435
364274.00000 4042432.50000	0.03302	9.37077	0.04151	11.39327
364274.00000 4042532.50000	0.48237	10.45259	0.58917	13.08732
364274.00000 4042632.50000	0.07849	10.86627	0.0982	13.45582
364274.00000 4042732.50000	0.04311	11.30852	0.05322	13.68333
364274.00000 4042832.50000	0.05231	11.93951	0.06456	15.36142
364274.00000 4042932.50000	0.03704	10.6817	0.04671	13.63906
364274.00000 4043032.50000	0.03811	12.01482	0.0481	15.24222
364274.00000 4043132.50000	0.11786	11.71787	0.14694	14.74117
364274.00000 4043232.50000	0.09001	12.81503	0.11252	15.18974
364274.00000 4043332.50000	0.04077	11.77284	0.05154	13.66183
364274.00000 4043432.50000	0.04742	12.36673	0.05981	14.249
364274.00000 4043532.50000	0.06818	12.60586	0.08449	15.07987
364274.00000 4043632.50000	0.29903	11.40637	1.00131	14.50064
364274.00000 4043732.50000	0.04446	11.94367	0.05572	14.72353
364274.00000 4043832.50000	0.06656	11.6263	0.08263	14.38653
364274.00000 4043932.50000	0.04621	12.33411	0.05834	14.31846
364274.00000 4044032.50000	0.06397	12.47495	0.07939	14.09165
364274.00000 4044132.50000	1.02456	12.86467	1.19083	14.45074
364274.00000 4044232.50000	0.03685	12.77552	0.04646	14.26821
364274.00000 4044332.50000	0.05284	11.18918	0.06571	13.38508
364274.00000 4044432.50000	0.02651	10.69285	0.03334	13.69416
364274.00000 4044532.50000	10.20218	10.60489	12.61439	13.42812
364274.00000 4044632.50000	0.08328	10.56608	0.1031	13.01821
364274.00000 4044732.50000	0.03052	7.83118	0.03755	9.38192
364374.00000 4040032.50000	0.05565	5.26028	0.07007	6.64107
364374.00000 4040132.50000	0.06259	5.25707	0.07883	6.65281
364374.00000 4040232.50000	0.09558	5.34094	0.11887	6.71561
364374.00000 4040332.50000	0.05115	5.58359	0.06503	7.04602
364374.00000 4040432.50000	0.06884	6.2748	0.08765	7.9357
364374.00000 4040532.50000	0.07814	6.97641	0.09744	8.91218
364374.00000 4040632.50000	0.03708	7.71248	0.04638	9.19366
364374.00000 4040732.50000	0.03369	7.62453	0.04222	9.60582
364374.00000 4040832.50000	0.07751	7.44307	0.09386	9.4959
364374.00000 4040932.50000	0.07517	7.6783	0.09298	9.32923
364374.00000 4041032.50000	0.03296	7.79782	0.04115	9.4224
364374.00000 4041132.50000	0.06737	8.13593	0.08338	9.86653
364374.00000 4041232.50000	0.07255	8.78959	0.08982	10.33985
364374.00000 4041332.50000	0.03723	9.19264	0.04665	11.14905
364374.00000 4041432.50000	0.03693	9.28816	0.04613	11.44406
364374.00000 4041532.50000	0.05442	8.878	0.06777	11.10837
364374.00000 4041632.50000	0.05609	8.37237	0.06991	10.43576
364374.00000 4041732.50000	0.06966	8.54977	0.08642	9.88722
364374.00000 4041832.50000	0.05824	9.04837	0.07227	11.39475
364374.00000 4041932.50000	0.0274	8.69664	0.03418	10.80287
364374.00000 4042032.50000	0.02333	8.07675	0.02904	9.56866

Receptor Coordinates	Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
364374.00000 4042132.50000	0.01897	7.23418	0.02363	8.14663
364374.00000 4042232.50000	0.01735	6.02884	0.02164	7.47757
364374.00000 4042332.50000	0.02147	6.73296	0.0268	8.18542
364374.00000 4042432.50000	0.02617	8.59151	0.03278	10.17987
364374.00000 4042532.50000	0.50377	9.99922	0.61505	11.55504
364374.00000 4042632.50000	0.11159	10.5446	0.1391	13.17943
364374.00000 4042732.50000	0.05995	10.44044	0.06636	12.53376
364374.00000 4042832.50000	0.06144	11.1342	0.06803	13.55591
364374.00000 4042932.50000	0.03387	10.09257	0.04265	12.62632
364374.00000 4043032.50000	0.03631	11.3123	0.04582	14.3505
364374.00000 4043132.50000	0.0394	11.42763	0.04986	14.00985
364374.00000 4043232.50000	0.04633	12.0849	0.05844	14.23703
364374.00000 4043332.50000	0.04181	11.14787	0.05291	13.77807
364374.00000 4043432.50000	0.04501	11.33274	0.05674	13.67387
364374.00000 4043532.50000	0.04471	12.19864	0.05637	14.07391
364374.00000 4043632.50000	0.03809	11.21613	0.04814	14.24574
364374.00000 4043732.50000	0.04926	11.66067	0.06207	13.92668
364374.00000 4043832.50000	0.04185	11.13949	0.05243	13.6937
364374.00000 4043932.50000	0.04459	10.97058	0.05626	13.84356
364374.00000 4044032.50000	0.05971	11.93139	0.07394	13.59751
364374.00000 4044132.50000	0.05962	11.32022	0.074	12.6386
364374.00000 4044232.50000	1.57651	12.06612	1.845	13.96552
364374.00000 4044332.50000	0.05056	11.05628	0.0629	12.91212
364374.00000 4044432.50000	0.05009	10.51343	0.06236	13.13109
364374.00000 4044532.50000	0.03447	10.50488	0.04351	12.8111
364374.00000 4044632.50000	0.16531	9.02224	0.20554	11.46619
364374.00000 4044732.50000	0.39278	7.44923	0.48666	9.12624
364474.00000 4040032.50000	0.04486	6.0129	0.05639	7.56518
364474.00000 4040132.50000	0.09755	5.0648	0.12267	6.36778
364474.00000 4040232.50000	0.07443	5.25679	0.09501	6.63554
364474.00000 4040332.50000	0.07715	5.30187	0.09848	6.67559
364474.00000 4040432.50000	0.04902	6.15522	0.06278	7.85256
364474.00000 4040532.50000	0.07243	7.01492	0.09031	8.44407
364474.00000 4040632.50000	0.0338	7.17584	0.0424	9.15775
364474.00000 4040732.50000	0.06538	7.2113	0.07941	9.14428
364474.00000 4040832.50000	0.07163	7.365	0.0886	9.1017
364474.00000 4040932.50000	0.07202	7.33811	0.08908	9.01628
364474.00000 4041032.50000	0.07048	7.50906	0.08737	8.44357
364474.00000 4041132.50000	0.06274	7.8071	0.07764	9.55725
364474.00000 4041232.50000	1.40709	7.88389	1.69938	9.70571
364474.00000 4041332.50000	0.03376	8.31296	0.04206	10.68016
364474.00000 4041432.50000	0.03892	8.43789	0.04866	10.5599
364474.00000 4041532.50000	0.03336	7.47837	0.0416	9.38646
364474.00000 4041632.50000	0.03023	7.06577	0.03771	8.97028
364474.00000 4041732.50000	0.03759	7.10538	0.04692	9.2711
364474.00000 4041832.50000	0.03428	8.27174	0.04292	10.68189
364474.00000 4041932.50000	0.05345	8.44835	0.0667	10.4615
364474.00000 4042032.50000	0.04127	8.7579	0.0515	10.57881
364474.00000 4042132.50000	0.04337	7.78418	0.05393	9.13973
364474.00000 4042232.50000	0.01984	6.69915	0.02469	7.62241
364474.00000 4042332.50000	0.02057	6.18107	0.02566	7.51543
364474.00000 4042432.50000	0.19498	6.60356	0.23912	7.89523
364474.00000 4042532.50000	0.51986	8.49212	0.63455	10.43144
364474.00000 4042632.50000	0.06	9.6433	0.06664	12.24007
364474.00000 4042732.50000	0.06748	10.6568	0.07521	12.96692
364474.00000 4042832.50000	0.0593	10.61221	0.06578	12.98245
364474.00000 4042932.50000	0.02801	9.30083	0.03514	11.79038
364474.00000 4043032.50000	0.03325	10.59056	0.0419	13.43428
364474.00000 4043132.50000	0.03491	10.48101	0.04405	13.0982

Receptor Coordinates	Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
364474.00000 4043232.50000	0.00667	10.86994	0.00715	13.21466
364474.00000 4043332.50000	0.03914	10.49665	0.04921	12.62361
364474.00000 4043432.50000	0.04288	11.22887	0.05405	12.79503
364474.00000 4043532.50000	0.04222	11.67594	0.0532	13.15466
364474.00000 4043632.50000	0.10918	10.95894	0.12021	13.73471
364474.00000 4043732.50000	0.04733	11.00885	0.05964	12.73321
364474.00000 4043832.50000	0.04049	10.69641	0.05073	13.23116
364474.00000 4043932.50000	0.04395	10.26528	0.0551	12.83734
364474.00000 4044032.50000	0.15687	10.86032	0.19376	12.98357
364474.00000 4044132.50000	0.057	10.97289	0.07076	12.35555
364474.00000 4044232.50000	0.05666	10.90394	0.07059	12.96866
364474.00000 4044332.50000	2.2849	11.24879	2.69516	12.75717
364474.00000 4044432.50000	0.14178	10.00415	0.17511	11.97769
364474.00000 4044532.50000	0.0483	9.49372	0.06018	12.18736
364474.00000 4044632.50000	6.35079	7.635	7.72871	9.60535
364574.00000 4040132.50000	0.06992	4.94924	0.08921	6.24705
364574.00000 4040232.50000	0.07201	4.9476	0.09191	6.22967
364574.00000 4040332.50000	0.03503	6.18673	0.04472	7.86219
364574.00000 4040432.50000	0.06828	6.61614	0.08512	7.93385
364574.00000 4040532.50000	0.06635	6.77673	0.0827	8.65416
364574.00000 4040632.50000	0.02016	6.72824	0.0255	8.5754
364574.00000 4040732.50000	0.08415	7.14376	0.10123	9.11185
364574.00000 4040832.50000	0.07137	7.30234	0.08827	9.06743
364574.00000 4040932.50000	0.02596	7.42773	0.03236	8.01136
364574.00000 4041032.50000	0.05486	6.73442	0.06786	8.32774
364574.00000 4041132.50000	0.05353	6.82979	0.06621	7.89577
364574.00000 4041232.50000	0.01999	6.54326	0.02491	7.8849
364574.00000 4041332.50000	0.02618	7.42621	0.03255	9.20956
364574.00000 4041432.50000	0.02577	7.14487	0.03198	9.14105
364574.00000 4041532.50000	0.03229	6.6731	0.04019	8.5548
364574.00000 4041632.50000	0.02721	5.91539	0.0339	7.18628
364574.00000 4041732.50000	0.03116	7.09558	0.03883	9.10128
364574.00000 4041832.50000	0.12911	7.90134	0.1597	9.70247
364574.00000 4041932.50000	0.12553	7.43577	0.15535	9.02391
364574.00000 4042032.50000	0.03884	8.07441	0.04843	9.51096
364574.00000 4042132.50000	0.06257	8.39849	0.07774	10.03253
364574.00000 4042232.50000	0.02329	7.1976	0.02899	8.1843
364574.00000 4042332.50000	0.05515	7.03694	0.06854	8.37611
364574.00000 4042432.50000	0.2336	7.3935	0.28616	9.06346
364574.00000 4042532.50000	0.58037	8.45691	0.70834	10.17248
364574.00000 4042632.50000	0.27269	9.40974	0.33259	11.91096
364574.00000 4042732.50000	0.05719	9.48699	0.06361	11.81541
364574.00000 4042832.50000	0.06118	10.4015	0.06817	13.26491
364574.00000 4042932.50000	0.02995	9.13022	0.03759	11.40253
364574.00000 4043032.50000	0.0218	9.90662	0.02752	12.43831
364574.00000 4043132.50000	0.03163	9.94396	0.03984	12.28517
364574.00000 4043232.50000	0.16388	10.41606	0.20257	12.90181
364574.00000 4043332.50000	0.16002	9.68799	0.19779	11.72057
364574.00000 4043432.50000	0.03365	10.02986	0.04206	12.1367
364574.00000 4043532.50000	0.03892	11.10332	0.04899	12.41197
364574.00000 4043632.50000	0.10339	10.72675	0.11395	13.11549
364574.00000 4043732.50000	0.03822	10.22344	0.0472	12.13115
364574.00000 4043832.50000	0.09123	10.23123	0.1129	12.68355
364574.00000 4043932.50000	0.06729	9.94388	0.14879	12.43319
364574.00000 4044032.50000	0.06063	10.47443	0.09283	12.20326
364574.00000 4044132.50000	0.05396	10.82318	0.06694	12.10874
364574.00000 4044232.50000	0.05311	10.46444	0.06591	11.84509
364574.00000 4044332.50000	0.05226	11.0669	0.06487	12.3102
364574.00000 4044432.50000	3.67473	9.08155	4.41313	11.17094

Receptor Coordinates	Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
364574.00000 4044532.50000	3.73797	7.41942	4.60403	9.39548
364674.00000 4040232.50000	0.05249	5.07477	0.06728	6.44958
364674.00000 4040332.50000	0.028	6.40258	0.03559	7.56689
364674.00000 4040432.50000	0.05787	6.40416	0.07211	8.01913
364674.00000 4040532.50000	0.02879	6.29575	0.03605	8.07374
364674.00000 4040632.50000	0.07313	6.58932	0.08824	8.40051
364674.00000 4040732.50000	0.06469	6.57826	0.08	8.40893
364674.00000 4040832.50000	0.06754	7.0793	0.08354	8.07852
364674.00000 4040932.50000	0.05879	7.05869	0.07276	8.5224
364674.00000 4041032.50000	0.05886	7.35928	0.07284	8.89277
364674.00000 4041132.50000	0.02191	6.99518	0.02731	7.88266
364674.00000 4041232.50000	0.01724	6.3465	0.02139	8.10408
364674.00000 4041332.50000	0.02049	6.28299	0.02547	7.25887
364674.00000 4041432.50000	0.02338	5.87366	0.02906	7.52601
364674.00000 4041532.50000	0.01651	5.5235	0.02064	6.27191
364674.00000 4041632.50000	0.02449	5.9215	0.03047	7.56615
364674.00000 4041732.50000	0.04125	6.88124	0.05108	8.4519
364674.00000 4041832.50000	0.10657	6.99729	0.13195	8.31798
364674.00000 4041932.50000	0.03838	7.4489	0.04771	8.15622
364674.00000 4042032.50000	0.03559	7.36387	0.04429	8.62425
364674.00000 4042132.50000	0.08491	7.24795	0.10516	8.81479
364674.00000 4042232.50000	0.02163	6.79699	0.02706	8.55521
364674.00000 4042332.50000	0.0397	7.5583	0.04956	9.09888
364674.00000 4042432.50000	0.26621	7.94637	0.3258	9.73657
364674.00000 4042532.50000	0.6425	8.71176	0.78417	10.24141
364674.00000 4042632.50000	0.27528	8.6647	0.3356	10.94336
364674.00000 4042732.50000	0.69457	9.55404	0.84565	11.55292
364674.00000 4042832.50000	1.65187	9.51569	2.01941	11.42767
364674.00000 4042932.50000	0.02997	8.82134	0.03767	10.98386
364674.00000 4043032.50000	0.02308	9.47948	0.02917	11.89212
364674.00000 4043132.50000	0.02202	9.23489	0.0278	11.4919
364674.00000 4043232.50000	0.15006	9.15252	0.18547	11.67913
364674.00000 4043332.50000	0.06079	9.06614	0.07581	11.04298
364674.00000 4043432.50000	0.02553	8.76024	0.03194	11.16174
364674.00000 4043532.50000	0.02947	9.06976	0.03681	11.1256
364674.00000 4043632.50000	0.09809	10.15987	0.10828	12.2603
364674.00000 4043732.50000	0.03679	9.49001	0.04542	11.69407
364674.00000 4043832.50000	0.0441	10.1301	0.05556	11.81038
364674.00000 4043932.50000	0.03913	9.55254	0.04903	11.69223
364674.00000 4044032.50000	0.06342	10.08268	0.10975	11.96234
364674.00000 4044132.50000	0.03401	10.07831	0.04256	11.69204
364674.00000 4044232.50000	0.05053	9.54745	0.06249	11.01715
364674.00000 4044332.50000	0.04982	10.51503	0.06182	11.74353
364674.00000 4044432.50000	0.03613	10.11066	0.04552	11.4716
364774.00000 4040332.50000	0.05828	6.0803	0.07262	7.7093
364774.00000 4040432.50000	0.02882	6.20408	0.03612	7.92526
364774.00000 4040532.50000	0.06466	6.10292	0.07824	7.80327
364774.00000 4040632.50000	0.0645	6.33545	0.07977	8.28804
364774.00000 4040732.50000	0.06928	7.0446	0.08569	8.63869
364774.00000 4040832.50000	0.07767	7.02599	0.09626	8.26788
364774.00000 4040932.50000	0.06189	7.09384	0.07663	8.74226
364774.00000 4041032.50000	0.04732	7.15633	0.06009	8.94566
364774.00000 4041132.50000	0.0409	7.50731	0.05149	9.53176
364774.00000 4041232.50000	0.03951	7.63213	0.04946	9.27742
364774.00000 4041332.50000	0.01819	5.74548	0.02257	7.34099
364774.00000 4041432.50000	0.01775	4.65106	0.02208	5.82958
364774.00000 4041532.50000	0.0142	4.20752	0.01775	5.33616
364774.00000 4041632.50000	0.02048	5.83977	0.02545	7.05736
364774.00000 4041732.50000	0.03664	6.22669	0.04543	7.08348

Receptor Coordinates	Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
364774.00000 4041832.50000	0.01707	6.07209	0.02129	6.95967
364774.00000 4041932.50000	0.03834	6.34902	0.04751	7.78118
364774.00000 4042032.50000	0.03243	6.44986	0.04028	7.60642
364774.00000 4042132.50000	0.07081	6.4356	0.08769	7.37877
364774.00000 4042232.50000	0.1031	6.21622	0.12737	7.56575
364774.00000 4042332.50000	0.05237	6.90662	0.06507	8.31772
364774.00000 4042432.50000	0.04053	7.2164	0.05003	8.58125
364774.00000 4042532.50000	0.13384	7.93911	0.16424	9.67977
364774.00000 4042632.50000	0.04197	7.81343	0.05181	9.87057
364774.00000 4042732.50000	0.68652	8.91456	0.83601	10.8841
364774.00000 4042832.50000	0.05423	9.15328	0.06067	11.55949
364774.00000 4042932.50000	0.05578	8.24315	0.06953	10.2875
364774.00000 4043032.50000	0.0224	9.01148	0.02829	11.27962
364774.00000 4043132.50000	0.02219	8.76828	0.02804	10.95384
364774.00000 4043232.50000	0.01742	8.57563	0.02194	10.80521
364774.00000 4043332.50000	0.0475	8.08401	0.05918	10.05129
364774.00000 4043432.50000	0.01074	8.24712	0.01151	10.03931
364774.00000 4043532.50000	0.02372	8.34465	0.02966	9.95496
364774.00000 4043632.50000	0.03178	9.53104	0.03959	11.38795
364774.00000 4043732.50000	0.03528	9.08054	0.04357	11.14353
364774.00000 4043832.50000	2.06713	9.67982	2.52757	11.58246
364774.00000 4043932.50000	0.91172	9.08474	1.10926	11.13809
364774.00000 4044032.50000	0.07969	8.7658	0.0986	10.90626
364774.00000 4044132.50000	0.06604	8.38541	0.08295	10.23822
364774.00000 4044232.50000	0.04894	9.69036	0.06077	11.00979
364774.00000 4044332.50000	0.04647	9.57927	0.05784	10.82374
364874.00000 4040432.50000	0.01866	6.06606	0.0236	7.75765
364874.00000 4040532.50000	0.05569	6.16225	0.06732	7.89694
364874.00000 4040632.50000	0.06645	6.34476	0.08219	8.07661
364874.00000 4040732.50000	0.03578	6.49678	0.04481	8.02047
364874.00000 4040832.50000	0.05819	6.83179	0.07204	7.89834
364874.00000 4040932.50000	0.05971	6.81766	0.07393	8.21488
364874.00000 4041032.50000	0.04566	6.93879	0.05797	8.74363
364874.00000 4041132.50000	0.03944	7.07013	0.04964	8.70697
364874.00000 4041232.50000	0.03527	6.93397	0.04418	8.35433
364874.00000 4041332.50000	0.0283	6.11808	0.03527	7.65951
364874.00000 4041432.50000	0.01383	4.59398	0.01727	5.13174
364874.00000 4041532.50000	0.01315	4.56409	0.01644	5.71142
364874.00000 4041632.50000	0.0431	5.25729	0.05336	6.28494
364874.00000 4041732.50000	0.03423	5.88334	0.04238	6.27788
364874.00000 4041832.50000	0.01423	5.07659	0.01775	6.28756
364874.00000 4041932.50000	0.0259	5.51152	0.03216	6.19122
364874.00000 4042032.50000	0.0219	5.36952	0.02728	6.40692
364874.00000 4042132.50000	0.03681	5.06661	0.04564	6.24966
364874.00000 4042232.50000	0.09715	5.47348	0.11996	6.79845
364874.00000 4042332.50000	0.03818	6.20806	0.04747	7.2898
364874.00000 4042432.50000	0.03844	6.8735	0.04745	8.09082
364874.00000 4042532.50000	0.03914	7.22424	0.04832	9.00204
364874.00000 4042632.50000	0.03959	7.30278	0.04886	8.92042
364874.00000 4042732.50000	0.65997	8.08443	0.8038	10.24326
364874.00000 4042832.50000	0.06899	8.66235	0.08497	10.56716
364874.00000 4042932.50000	0.03389	7.82937	0.04185	9.87973
364874.00000 4043032.50000	0.01822	8.42873	0.02297	10.56857
364874.00000 4043132.50000	0.03338	8.35154	0.04121	10.30236
364874.00000 4043232.50000	0.03305	8.1836	0.04081	10.04676
364874.00000 4043332.50000	0.01995	7.44546	0.02486	9.27097
364874.00000 4043432.50000	0.02591	7.88483	0.03238	9.11224
364874.00000 4043532.50000	0.02291	8.16817	0.02864	9.56843
364874.00000 4043632.50000	0.0324	8.44268	0.04	10.10827

Receptor Coordinates		Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X	Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
364874.00000	4043732.50000	0.0874	8.38579	0.09727	10.32947
364874.00000	4043832.50000	2.28864	9.04134	2.80179	10.52859
364874.00000	4043932.50000	0.04636	8.74782	0.05748	10.96042
364874.00000	4044032.50000	0.03313	8.44663	0.04147	10.63793
364874.00000	4044132.50000	0.00582	9.06864	0.0063	10.65027
364874.00000	4044232.50000	0.13896	6.96123	0.17183	8.2725
364974.00000	4040532.50000	0.06252	6.06206	0.07733	7.71419
364974.00000	4040632.50000	0.03386	6.06171	0.04239	7.62648
364974.00000	4040732.50000	0.03468	6.54841	0.04342	7.19385
364974.00000	4040832.50000	0.05622	6.51229	0.0696	7.83557
364974.00000	4040932.50000	0.03671	6.96264	0.04634	8.49398
364974.00000	4041032.50000	0.03166	6.9374	0.03969	8.8153
364974.00000	4041132.50000	0.0333	6.61065	0.04169	8.24681
364974.00000	4041232.50000	0.03403	6.44637	0.04261	7.79833
364974.00000	4041332.50000	0.03018	6.10979	0.03777	7.66588
364974.00000	4041432.50000	0.01614	4.58552	0.02019	5.83678
364974.00000	4041532.50000	0.0497	5.27149	0.06147	6.40674
364974.00000	4041632.50000	0.07274	5.69721	0.09014	6.70149
364974.00000	4041732.50000	0.03333	5.23243	0.04126	5.62305
364974.00000	4041832.50000	0.01314	4.89482	0.0164	6.05744
364974.00000	4041932.50000	0.02358	4.97821	0.02928	5.93425
364974.00000	4042032.50000	0.03303	4.67389	0.04089	5.74752
364974.00000	4042132.50000	0.02569	4.65281	0.03191	5.92517
364974.00000	4042232.50000	0.0924	5.14511	0.11402	6.42136
364974.00000	4042332.50000	0.02803	5.3696	0.03488	6.47353
364974.00000	4042432.50000	0.08136	6.14939	0.10032	7.35793
364974.00000	4042532.50000	0.01871	6.5824	0.02336	8.28425
364974.00000	4042632.50000	1.51373	6.89066	1.85411	8.08085
364974.00000	4042732.50000	0.65822	7.82758	0.80181	9.87318
364974.00000	4042832.50000	0.06551	7.99252	0.08073	9.30204
364974.00000	4042932.50000	3.07637	7.50262	3.78363	9.51272
364974.00000	4043032.50000	0.03223	7.97324	0.0398	10.16962
364974.00000	4043132.50000	0.02607	8.00602	0.03235	9.57898
364974.00000	4043232.50000	0.01633	7.84474	0.02052	9.58781
364974.00000	4043332.50000	0.03143	7.48772	0.03881	9.17018
364974.00000	4043432.50000	0.11266	7.33158	0.13927	8.23701
364974.00000	4043532.50000	0.02452	7.90374	0.03064	8.9345
364974.00000	4043632.50000	0.12114	7.95916	0.14971	9.36334
364974.00000	4043732.50000	0.08236	7.93273	0.09221	9.67114
364974.00000	4043832.50000	0.02627	7.8208	0.0327	9.58025
364974.00000	4043932.50000	0.0812	8.70602	0.08999	10.14239
364974.00000	4044032.50000	0.04398	8.22426	0.05452	9.97375
365074.00000	4040732.50000	0.05257	6.25959	0.06508	7.63077
365074.00000	4040832.50000	0.0534	6.51159	0.0661	7.74003
365074.00000	4040932.50000	0.02042	6.34749	0.02583	8.09513
365074.00000	4041032.50000	0.03125	6.62885	0.03912	7.71261
365074.00000	4041132.50000	0.03217	6.34046	0.04027	7.38698
365074.00000	4041232.50000	0.03284	6.0787	0.04112	7.24686
365074.00000	4041332.50000	0.03065	6.09307	0.0384	6.9965
365074.00000	4041432.50000	0.01826	5.10447	0.0229	6.61552
365074.00000	4041532.50000	0.02188	5.81448	0.02723	7.46786
365074.00000	4041632.50000	0.0259	5.95744	0.03227	7.26276
365074.00000	4041732.50000	0.03342	5.23454	0.04141	6.6776
365074.00000	4041832.50000	0.01373	5.21081	0.01711	6.0578
365074.00000	4041932.50000	0.02347	4.82594	0.02914	5.77208
365074.00000	4042032.50000	0.04529	4.53277	0.05598	5.12404
365074.00000	4042132.50000	0.02352	4.24122	0.0292	5.29793
365074.00000	4042232.50000	0.01594	4.80264	0.01984	5.46398
365074.00000	4042332.50000	0.02836	4.68725	0.03523	5.63415

Receptor Coordinates		Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X	Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
365074.00000	4042432.50000	0.07583	5.503	0.09344	6.77751
365074.00000	4042532.50000	0.01699	5.91046	0.02116	7.28023
365074.00000	4042632.50000	1.54449	6.52088	1.89254	7.59599
365074.00000	4042732.50000	0.0465	7.88084	0.05788	10.01943
365074.00000	4042832.50000	0.0611	7.29712	0.07533	8.7546
365074.00000	4042932.50000	2.91024	7.09945	3.57925	9.00156
365074.00000	4043032.50000	0.03136	7.62595	0.03872	9.65848
365074.00000	4043132.50000	0.02568	7.69574	0.03187	9.12209
365074.00000	4043232.50000	0.02142	7.41443	0.02657	8.1659
365074.00000	4043332.50000	0.11432	7.26642	0.14128	8.85495
365074.00000	4043432.50000	0.03003	7.09464	0.03708	7.95117
365074.00000	4043532.50000	0.02149	7.09038	0.02682	8.1669
365074.00000	4043632.50000	0.00851	7.3148	0.0092	8.77503
365074.00000	4043732.50000	0.02274	7.8711	0.02829	9.54132
365074.00000	4043832.50000	0.07773	6.96543	0.08696	8.81489
365074.00000	4043932.50000	0.07733	8.30961	0.08601	9.47967
365174.00000	4040932.50000	0.02984	6.04971	0.03735	7.4994
365174.00000	4041032.50000	0.03474	5.99807	0.0437	7.26042
365174.00000	4041132.50000	0.03109	5.65263	0.03892	7.0568
365174.00000	4041232.50000	0.0362	5.40638	0.04554	6.53002
365174.00000	4041332.50000	0.03153	5.5276	0.03952	6.76371
365174.00000	4041432.50000	0.02277	6.05805	0.02877	7.50104
365174.00000	4041532.50000	0.06842	6.07124	0.08473	7.84774
365174.00000	4041632.50000	0.04825	5.62441	0.05975	7.2052
365174.00000	4041732.50000	0.01988	6.24207	0.02486	7.35351
365174.00000	4041832.50000	0.03819	5.52869	0.04733	6.41408
365174.00000	4041932.50000	0.03313	5.12868	0.04107	6.17622
365174.00000	4042032.50000	0.04348	4.14211	0.05376	4.88795
365174.00000	4042132.50000	0.02475	4.16387	0.03074	4.90432
365174.00000	4042232.50000	0.07892	4.704	0.09722	4.90854
365174.00000	4042332.50000	0.13102	4.2952	0.16057	4.91522
365174.00000	4042432.50000	0.02576	4.64406	0.03199	5.68418
365174.00000	4042532.50000	0.0319	5.11069	0.03952	6.44814
365174.00000	4042632.50000	1.48662	5.67549	1.82224	6.54418
365174.00000	4042732.50000	0.03925	7.70355	0.04885	9.79242
365174.00000	4042832.50000	0.05409	6.8431	0.06673	8.52308
365174.00000	4042932.50000	2.64183	6.64386	3.2487	8.50012
365174.00000	4043032.50000	0.05956	7.28885	0.07341	9.1696
365174.00000	4043132.50000	0.02924	7.4415	0.03631	8.75727
365174.00000	4043232.50000	0.02364	7.03355	0.02933	8.69152
365174.00000	4043332.50000	0.0112	6.47194	0.01403	7.85636
365174.00000	4043432.50000	0.01212	6.72871	0.01519	7.71742
365174.00000	4043532.50000	0.0241	6.99186	0.03011	7.8741
365174.00000	4043632.50000	0.023	7.15453	0.02872	8.34724
365174.00000	4043732.50000	0.02297	7.45609	0.02859	9.03974
365274.00000	4041132.50000	0.03006	5.45956	0.03763	6.49065
365274.00000	4041232.50000	0.03437	5.15921	0.04323	6.13427
365274.00000	4041332.50000	0.02799	6.45992	0.03549	7.3393
365274.00000	4041432.50000	0.05698	6.86507	0.07055	7.8432
365274.00000	4041532.50000	0.08332	6.05548	0.10322	7.25435
365274.00000	4041632.50000	0.04051	6.27036	0.05036	7.17949
365274.00000	4041732.50000	0.04836	6.10648	0.05988	7.08249
365274.00000	4041832.50000	0.04594	5.94246	0.0569	7.27614
365274.00000	4041932.50000	0.03414	5.48945	0.04235	6.7656
365274.00000	4042032.50000	0.03022	4.917	0.03755	5.92896
365274.00000	4042132.50000	0.02591	4.30413	0.03219	4.92521
365274.00000	4042232.50000	0.08221	4.38538	0.1012	4.72024
365274.00000	4042332.50000	0.13363	4.12023	0.16364	4.74048
365274.00000	4042432.50000	0.03603	4.64348	0.04467	5.18641

Receptor Coordinates	Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
365274.00000 4042532.50000	0.02628	4.31747	0.03256	5.46651
365274.00000 4042632.50000	0.02892	5.17653	0.03582	6.48303
365274.00000 4042732.50000	0.02771	7.38011	0.03448	9.38048
365274.00000 4042832.50000	0.04132	6.36142	0.05103	7.88007
365274.00000 4042932.50000	2.40549	6.12069	2.95776	7.82736
365274.00000 4043032.50000	0.01133	6.90845	0.01419	8.37382
365274.00000 4043132.50000	0.03456	7.09699	0.04304	8.29951
365274.00000 4043232.50000	0.03943	6.7215	0.04911	8.44295
365274.00000 4043332.50000	0.01263	6.77993	0.01583	8.08045
365274.00000 4043432.50000	0.0128	6.52462	0.01607	7.46396
365274.00000 4043532.50000	0.02147	6.61188	0.02681	7.73501
365474.00000 4042932.50000	1.99995	5.46338	2.45875	6.92011
365474.00000 4042732.50000	0.03588	6.83429	0.04448	8.70965
365474.00000 4042532.50000	0.65418	4.47015	0.80002	5.00041
365474.00000 4042332.50000	0.17323	4.55933	0.21189	5.22584
365474.00000 4042132.50000	0.0767	4.62637	0.09467	5.71158
365474.00000 4041932.50000	0.03583	5.63309	0.0445	6.45761
365474.00000 4041732.50000	0.04422	5.69958	0.05475	6.97393
360211.01000 4043560.14000	12.78168	17.82963	15.78201	21.773
360356.16000 4043414.99000	5.91912	19.76815	7.25643	24.94274
360439.90000 4043202.86000	0.1831	20.24462	0.21137	25.50652
360540.38000 4042862.32000	0.19653	21.85943	0.253	27.66166
360668.78000 4042666.93000	0.39541	25.01611	0.50781	31.52823
360791.60000 4042421.29000	0.51517	25.02301	0.65299	31.60852
361020.48000 4042164.49000	0.13308	25.06933	0.16405	31.73732
361070.73000 4042108.67000	0.11123	26.34997	0.13699	33.2388
361515.59000 4041491.47000	0.3651	18.37463	0.44358	23.28049
361527.41000 4041365.27000	11.7581	19.85579	14.58475	25.06461
361663.65000 4041333.06000	0.70782	20.35566	0.79417	25.02011
361889.07000 4041355.36000	0.17188	17.66629	0.21811	22.35172
361889.07000 4041375.17000	0.18717	17.54884	0.23765	22.2599
361946.05000 4041451.97000	0.74492	18.29157	0.92047	23.26405
361988.16000 4041404.90000	1.05644	16.80274	1.29877	21.3974
362052.56000 4041392.51000	0.24948	16.83076	0.31684	21.27226
362139.26000 4041429.67000	9.71979	17.55112	11.83366	22.22775
362322.57000 4041466.83000	0.13954	18.16718	0.16935	21.61478
362411.75000 4041377.65000	7.17482	16.7201	8.97402	20.22633
362320.09000 4041060.58000	0.0978	14.95833	0.1217	18.46362
362436.52000 4040916.90000	0.09194	14.35026	0.1144	17.20734
362260.64000 4040716.25000	0.0418	13.74138	0.05245	15.03229
362277.98000 4040691.48000	0.04282	13.9938	0.05344	15.44615
362263.12000 4040674.14000	0.08695	13.53253	0.10818	15.11894
362292.85000 4040641.94000	0.04183	13.56151	0.05221	15.23314
362258.17000 4040614.69000	0.0412	12.79984	0.05174	14.78764
362339.91000 4040530.47000	0.06607	11.57387	0.08262	13.85154
362357.25000 4040366.98000	7.72016	11.24861	9.50899	13.30479
362188.81000 4040228.26000	0.03059	10.48241	0.03836	12.37468
362268.07000 4040163.85000	6.40667	9.3704	7.6768	11.24883
362339.91000 4040077.15000	0.05933	9.10765	0.07372	10.47174
362406.79000 4040119.26000	6.24558	8.96481	7.68852	10.76036
362458.81000 4040139.08000	0.06255	8.88121	0.07746	10.66372
362473.68000 4040044.95000	0.07198	9.08795	0.08916	10.50829
362416.70000 4039987.97000	6.471	9.24389	7.95175	10.83372
362656.99000 4039685.76000	0.03809	7.8636	0.04732	8.7254
362872.50000 4039846.78000	0.01286	7.35779	0.01582	8.20258
362751.12000 4039931.00000	0.03496	8.20409	0.04343	9.54717
362934.43000 4040144.03000	0.08451	7.69069	0.10031	9.21518
363065.71000 4040163.85000	0.03	8.18679	0.03724	10.23581
363598.30000 4040131.65000	0.03375	8.16888	0.0422	10.14378

Receptor Coordinates	Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
363630.50000 4040265.41000	0.04386	9.17882	0.0554	11.15117
363828.67000 4040270.37000	0.05328	8.17833	0.06628	9.93771
363838.58000 4040376.89000	0.05466	8.65322	0.06756	10.40137
363959.96000 4040349.64000	0.05731	6.78927	0.07255	8.49037
364066.48000 4040483.40000	0.0786	6.46546	0.09909	8.04108
364029.32000 4040550.29000	0.12049	6.57212	0.14991	8.31832
363964.92000 4040582.49000	0.07415	6.73403	0.09433	8.51377
363915.37000 4040671.67000	0.07779	7.22041	0.09901	8.99766
363625.55000 4040847.54000	0.10447	7.66503	0.13033	9.62423
363454.63000 4040976.35000	0.08823	8.96274	0.11263	11.11358
363382.79000 4041072.96000	0.12724	9.54526	0.15883	11.84922
363382.79000 4041159.66000	0.10767	9.60961	0.13211	12.07196
363489.31000 4041305.81000	0.1015	10.61207	0.12975	13.39891
363528.94000 4041511.42000	0.06751	11.08361	0.08265	13.59079
363541.33000 4041679.86000	0.12321	12.88602	0.15203	15.82411
363692.43000 4041707.11000	0.12795	14.59598	0.15858	16.92886
363672.61000 4041843.35000	0.08589	15.0852	0.10675	18.64326
363628.03000 4041972.17000	0.08325	13.79639	0.10327	17.36487
363504.17000 4042088.59000	0.0756	15.77532	0.09496	20.10957
363422.42000 4041982.07000	0.23062	15.2498	0.29287	19.36762
363330.77000 4042031.62000	0.1952	16.63392	0.2503	21.03505
363209.39000 4042041.53000	0.2771	17.52765	0.35235	22.16438
363154.89000 4042009.32000	0.29544	19.20833	0.38243	22.91611
362969.11000 4042276.85000	0.13016	29.76862	0.16524	37.13866
362741.21000 4042591.45000	0.13582	36.00104	0.16772	45.33635
362724.13000 4042582.02000	0.19931	39.65057	0.24527	46.0573
362453.87000 4042957.15000	89.37256	63.44721	111.41104	78.85812
362240.09000 4043267.74000	139.52653	120.2303	176.49007	154.32791
361990.00000 4043610.61000	73.99273	94.89543	94.5665	121.29208
361901.26000 4043739.69000	3.38408	68.1688	4.22847	86.55632
361860.92000 4043796.16000	3.48087	65.52904	4.34048	84.00131
361864.95000 4043703.38000	4.18654	75.77752	5.18924	96.61546
361739.91000 4043570.27000	32.0746	90.77768	40.64772	116.48925
361610.83000 4043473.46000	125.052	88.15302	154.44168	112.04391
361380.91000 4043368.59000	0.82867	76.26791	1.0852	96.45385
361300.24000 4043279.85000	0.71371	60.30644	0.93508	76.39486
361106.62000 4043356.49000	0.87107	42.37512	1.11833	53.49518
360884.77000 4043481.53000	0.31697	29.79727	0.41455	37.51822
360703.25000 4043646.91000	13.19972	24.77183	16.22354	30.5138
360654.85000 4043614.64000	0.42861	23.52129	0.54691	29.86134
360372.49000 4043901.03000	0.29243	17.31988	0.3722	21.71191
360154.67000 4044191.46000	0.19582	14.4048	0.25058	18.20579
360240.04000 4043531.11000	0.38576	18.09578	0.48207	22.56624
360269.07000 4043502.08000	9.1243	18.79122	11.2022	23.58395
360298.10000 4043473.05000	8.03419	18.99589	9.85912	23.95868
360327.13000 4043444.02000	6.94259	20.01474	8.51557	25.29551
360372.91000 4043372.56000	4.04525	21.78087	4.95649	27.50986
360389.66000 4043330.14000	2.64686	20.8126	3.24293	26.24091
360406.40000 4043287.71000	0.38211	19.55907	0.47874	24.67188
360423.15000 4043245.29000	0.17809	20.31277	0.20565	25.71044
360452.46000 4043160.29000	0.18566	20.02237	0.21422	25.32533
360465.02000 4043117.72000	0.27542	20.40854	0.35058	25.72757
360477.58000 4043075.16000	0.48903	21.21099	0.62143	26.99916
360490.14000 4043032.59000	0.32633	21.78587	0.4186	27.73181
360502.70000 4042990.02000	0.33039	20.88958	0.42384	26.46379
360515.26000 4042947.46000	0.19327	21.13193	0.24877	26.71706
360527.82000 4042904.89000	0.19513	21.16189	0.25118	26.749
360566.06000 4042823.24000	0.20024	20.94507	0.25784	26.43757
360591.74000 4042784.16000	0.17839	22.79748	0.23128	28.83424

Receptor Coordinates	Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
360617.42000 4042745.09000	0.23721	23.23004	0.30784	29.27417
360643.10000 4042706.01000	0.23984	23.46252	0.31138	29.63763
360689.25000 4042625.99000	0.24485	24.58571	0.31799	31.11951
360709.72000 4042585.05000	0.40558	24.55213	0.52069	31.21054
360730.19000 4042544.11000	0.52583	25.525	0.66549	32.27804
360750.66000 4042503.17000	0.19616	24.49542	0.25429	30.92651
360771.13000 4042462.23000	0.50703	24.99714	0.64409	31.17111
360824.30000 4042384.60000	0.14561	25.58459	0.17911	32.31159
360856.99000 4042347.92000	0.20825	25.73843	0.25252	32.44615
360889.69000 4042311.23000	0.27126	27.81494	0.35063	35.3493
360922.39000 4042274.55000	0.27229	28.57113	0.352	35.93228
360955.09000 4042237.86000	0.16809	26.93007	0.20599	34.18105
360987.78000 4042201.18000	0.27271	26.7958	0.35259	34.08
361045.61000 4042136.58000	0.61915	25.61059	0.78033	32.5315
361062.36000 4042064.01000	0.10888	26.1905	0.13411	32.93274
361519.53000 4041449.40000	11.14711	20.26996	13.79292	24.47602
361523.47000 4041407.34000	2.01761	20.11965	2.51102	25.17058
361572.82000 4041354.53000	0.11748	20.99895	0.14844	25.22104
361618.24000 4041343.80000	0.11057	19.92602	0.13973	25.04127
361708.73000 4041337.52000	1.29558	19.81819	1.44677	25.00618
361753.82000 4041341.98000	0.14739	18.27035	0.18675	23.0129
361798.90000 4041346.44000	0.1459	18.75362	0.18484	23.62246
361843.99000 4041350.90000	0.15826	17.95302	0.20066	22.73637
361917.56000 4041413.57000	0.79868	17.6822	0.98838	22.3629
361967.11000 4041428.44000	0.67791	17.73835	0.83648	22.49509
362020.36000 4041398.71000	0.28132	16.97861	0.36259	21.44573
362095.91000 4041411.09000	9.42588	16.48542	11.42583	20.90343
362185.09000 4041438.96000	0.15325	17.96829	0.18867	22.715
362230.92000 4041448.25000	6.20892	17.22634	7.58517	21.95368
362276.74000 4041457.54000	6.15293	16.90123	7.55834	21.24969
362352.30000 4041437.10000	0.27965	19.0494	0.35717	22.82521
362382.02000 4041407.38000	8.25876	17.35455	10.3367	20.73787
362398.66000 4041332.35000	8.29287	17.51447	10.37718	20.51063
362385.56000 4041287.06000	0.14829	16.95053	0.18351	19.84382
362372.47000 4041241.76000	0.1464	17.07483	0.18132	19.25675
362359.37000 4041196.47000	0.04441	16.37696	0.05467	19.46631
362346.28000 4041151.17000	0.05336	15.90645	0.0671	18.78913
362333.18000 4041105.88000	0.04874	14.63985	0.06125	17.65919
362349.20000 4041024.66000	0.09704	15.10586	0.12076	17.72412
362378.31000 4040988.74000	0.09733	15.22812	0.12112	17.85824
362407.41000 4040952.82000	0.09751	14.90942	0.12135	17.5992
362407.21000 4040883.46000	0.09613	14.59941	0.11963	17.24539
362377.89000 4040850.02000	0.0986	14.30689	0.12271	17.10108
362348.58000 4040816.58000	0.14323	14.39357	0.1775	17.08288
362319.27000 4040783.13000	0.13294	14.12511	0.16475	16.45239
362289.95000 4040749.69000	0.04409	13.97181	0.05504	16.32253
362285.42000 4040586.62000	0.03968	13.0592	0.0495	14.29582
362312.66000 4040558.54000	0.07286	12.51721	0.09116	14.25848
362344.25000 4040489.60000	0.06189	11.17706	0.07738	13.32205
362348.58000 4040448.73000	0.06353	11.18585	0.07944	13.35014
362352.92000 4040407.85000	0.06888	11.41562	0.08617	13.5857
362323.56000 4040339.24000	0.06134	11.23055	0.0767	12.1863
362289.87000 4040311.49000	0.07407	10.41493	0.09206	12.26333
362256.19000 4040283.75000	1.03021	10.44252	1.26955	12.453
362222.50000 4040256.00000	6.59997	10.31566	7.88334	12.45908
362215.23000 4040206.79000	2.68919	10.11819	3.32774	12.17967
362241.65000 4040185.32000	6.38306	9.68926	7.62315	11.81006
362292.02000 4040134.95000	0.01867	8.82428	0.02338	10.36568
362315.96000 4040106.05000	0.01822	8.67969	0.02281	10.22986

Receptor Coordinates	Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
362373.35000 4040098.21000	0.01697	9.05802	0.02122	10.54345
362432.80000 4040129.17000	0.06197	8.99549	0.07675	10.83864
362466.25000 4040092.02000	0.07013	8.94268	0.08686	10.4342
362445.19000 4040016.46000	0.06999	9.18789	0.08669	10.57153
362446.74000 4039950.19000	0.06871	8.96187	0.08511	10.60315
362476.77000 4039912.42000	0.06583	8.65616	0.08153	9.90862
362506.81000 4039874.64000	0.06135	8.12656	0.07598	9.41172
362536.85000 4039836.87000	0.05866	7.6289	0.07265	9.20328
362566.88000 4039799.09000	0.05795	7.5985	0.07177	9.47126
362596.92000 4039761.31000	0.03864	7.70139	0.04801	9.21603
362626.95000 4039723.54000	0.03805	7.84467	0.04728	8.82146
362692.91000 4039712.60000	0.0361	7.52533	0.04484	8.75554
362728.83000 4039739.43000	0.02819	7.10703	0.035	8.0009
362764.75000 4039766.27000	0.0861	7.8849	0.10669	8.80774
362800.66000 4039793.11000	0.01685	7.19899	0.02097	8.46269
362836.58000 4039819.94000	0.03469	7.314	0.04322	8.65911
362832.04000 4039874.85000	0.0364	7.56461	0.04537	8.91896
362791.58000 4039902.93000	0.01855	7.51205	0.02309	8.87082
362781.67000 4039966.51000	0.02173	8.18054	0.02706	9.68722
362812.22000 4040002.01000	0.0143	7.85575	0.01757	9.3557
362842.77000 4040037.51000	0.06146	8.14611	0.07531	9.77349
362873.33000 4040073.02000	0.06552	7.8374	0.07971	9.94376
362903.88000 4040108.53000	0.07273	8.20774	0.08759	10.2478
362978.19000 4040150.64000	0.03566	7.82731	0.04426	9.78242
363021.95000 4040157.24000	0.03202	7.8963	0.03974	9.89311
363114.13000 4040160.92000	4.34	8.12749	5.36761	10.08372
363162.54000 4040158.00000	0.01362	7.81174	0.01674	9.47876
363210.96000 4040155.07000	0.45767	7.69613	0.50559	9.11661
363259.38000 4040152.14000	0.02663	7.64117	0.03312	8.6005
363307.80000 4040149.21000	0.02893	7.87131	0.03601	9.07296
363356.21000 4040146.29000	0.07981	7.25493	0.09883	9.09587
363404.63000 4040143.36000	0.03042	7.13306	0.03791	8.81329
363453.05000 4040140.43000	0.03342	8.20762	0.04175	8.76245
363501.47000 4040137.50000	0.03622	9.64119	0.04537	9.93269
363549.88000 4040134.58000	0.03417	9.00358	0.04305	11.12999
363609.03000 4040176.24000	2.52176	8.61955	4.10006	10.56949
363619.77000 4040220.82000	0.04213	8.58354	0.05317	10.70863
363680.04000 4040266.65000	0.03955	8.41005	0.04988	10.71319
363729.58000 4040267.89000	0.05419	8.10561	0.06741	10.2351
363779.13000 4040269.13000	0.05242	8.11063	0.0652	9.57825
363831.97000 4040305.88000	0.04753	8.31936	0.05901	10.18487
363835.28000 4040341.38000	0.03486	8.55644	0.0437	10.34258
363879.04000 4040367.81000	0.03113	8.60023	0.03921	9.98788
363919.50000 4040358.72000	0.06466	6.22869	0.08205	7.85201
363986.59000 4040383.08000	0.04551	7.54526	0.05738	9.65108
364013.22000 4040416.52000	0.04222	8.08215	0.05314	9.94568
364039.85000 4040449.96000	0.04518	7.95784	0.05695	9.89615
364047.90000 4040516.85000	0.08006	6.51874	0.10094	8.20438
363997.12000 4040566.39000	0.07294	6.81724	0.09279	8.45515
363948.40000 4040612.22000	0.07537	6.93452	0.0959	8.68034
363931.89000 4040641.94000	0.0765	7.127	0.09735	8.83181
363873.97000 4040696.79000	0.07966	7.27994	0.10141	9.12224
363832.56000 4040721.92000	0.08164	7.20048	0.10394	9.09866
363791.16000 4040747.04000	0.11259	7.26143	0.1442	9.15245
363749.76000 4040772.17000	0.09665	7.30111	0.12056	9.20033
363708.36000 4040797.29000	0.09918	7.31754	0.12372	9.2185
363666.95000 4040822.42000	0.10167	7.56708	0.12684	9.21095
363591.37000 4040873.30000	0.09456	7.91912	0.12052	9.91874
363557.18000 4040899.06000	0.09707	8.20366	0.12374	10.24819

Receptor Coordinates		Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X	Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
363523.00000	4040924.83000	0.08379	8.444	0.10694	10.52314
363488.81000	4040950.59000	0.08577	8.68747	0.10949	10.80024
363430.68000	4041008.55000	0.09	9.12085	0.11493	11.31365
363406.74000	4041040.76000	0.09218	9.32003	0.11773	11.56315
363382.79000	4041116.31000	0.10585	9.64683	0.12989	12.04101
363409.42000	4041196.20000	0.16212	9.98151	0.20823	12.58808
363436.05000	4041232.74000	0.16329	10.77081	0.20975	13.30644
363462.68000	4041269.27000	0.10143	10.85674	0.12963	13.53779
363497.24000	4041346.93000	0.16965	10.7864	0.21792	13.62494
363505.16000	4041388.05000	0.17299	10.62676	0.22221	13.43258
363513.09000	4041429.18000	0.16703	10.82941	0.21053	13.68507
363521.01000	4041470.30000	0.19674	10.76795	0.247	13.30055
363532.04000	4041553.53000	0.20434	11.37656	0.25972	13.9823
363535.14000	4041595.64000	0.15785	11.44537	0.20093	14.45583
363538.23000	4041637.75000	0.12184	12.05279	0.15035	15.233
363579.11000	4041686.67000	0.12156	11.8734	0.15001	15.07565
363616.88000	4041693.49000	0.12006	11.40509	0.14816	14.3992
363654.66000	4041700.30000	0.19882	11.88121	0.24888	15.00624
363685.82000	4041752.52000	0.07952	15.34884	0.10088	18.89739
363679.22000	4041797.94000	0.1302	14.48592	0.16135	18.18398
363657.75000	4041886.29000	0.08181	13.95486	0.1015	17.12166
363642.89000	4041929.23000	0.08162	14.37086	0.10124	17.43997
363597.07000	4042001.28000	0.08642	14.19472	0.10721	17.97339
363566.10000	4042030.38000	0.04465	14.67556	0.0559	18.29611
363535.14000	4042059.49000	0.07118	15.27184	0.08925	19.15808
363476.92000	4042053.08000	0.1438	14.66362	0.17743	18.5223
363449.67000	4042017.58000	0.14291	13.81027	0.17634	17.34528
363391.87000	4041998.59000	0.23743	15.87412	0.30158	20.16268
363361.32000	4042015.10000	0.24529	16.37289	0.31162	20.70755
363290.31000	4042034.92000	0.26166	16.87674	0.33252	21.34087
363249.85000	4042038.23000	0.27049	17.51265	0.34379	22.15796
363182.14000	4042025.43000	0.13871	17.64907	0.17116	22.45869
363128.35000	4042047.54000	0.14358	19.42389	0.17717	23.48738
363101.81000	4042085.76000	0.14727	21.26994	0.18172	27.1418
363075.27000	4042123.98000	0.06702	21.99825	0.08417	27.23753
363048.73000	4042162.19000	0.15221	24.85036	0.19103	30.69345
363022.19000	4042200.41000	0.10693	28.00885	0.13529	35.98465
362995.65000	4042238.63000	0.11978	28.42046	0.15193	35.96802
362940.62000	4042316.18000	0.14917	30.98628	0.18965	38.24958
362912.14000	4042355.50000	0.15999	32.91159	0.20361	40.35877
362883.65000	4042394.83000	0.09525	32.28909	0.11758	40.32158
362855.16000	4042434.15000	2.09343	33.19308	2.71657	42.07432
362826.67000	4042473.48000	0.14826	36.01953	0.18291	43.70595
362798.19000	4042512.80000	0.12331	37.84893	0.15227	43.56518
362769.70000	4042552.13000	0.07289	37.47633	0.08981	43.77657
362697.10000	4042619.53000	0.14476	38.50888	0.17877	46.82259
362670.08000	4042657.05000	0.00672	39.00534	0.00767	48.85994
362643.05000	4042694.56000	0.00642	43.20012	0.00738	55.54293
362616.03000	4042732.07000	0.23051	47.3967	0.28294	61.0003
362589.00000	4042769.59000	0.11013	50.37589	0.13593	59.42965
362561.97000	4042807.10000	0.16342	51.62385	0.20179	63.57593
362534.95000	4042844.61000	74.9105	53.15606	79.20089	61.47346
362507.92000	4042882.12000	0.87968	51.69993	1.07147	67.02833
362480.90000	4042919.64000	82.04125	53.69361	102.97205	67.00606
362427.15000	4042995.97000	2.23445	75.59963	2.75502	94.12557
362400.43000	4043034.80000	3.03371	85.32928	3.75918	109.05386
362373.70000	4043073.62000	4.39781	96.63803	5.47774	124.64051
362346.98000	4043112.45000	114.2096	97.91577	143.44781	115.79768
362320.26000	4043151.27000	102.83356	93.55316	124.12867	115.35608

Receptor Coordinates		Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X	Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
362293.54000	4043190.09000	121.74004	103.85715	151.55153	132.20741
362266.81000	4043228.92000	115.47262	108.58027	145.4558	141.02911
362212.30000	4043305.84000	132.66512	119.94208	165.21768	155.30157
362184.51000	4043343.93000	146.40343	130.6243	182.45253	166.18549
362156.73000	4043382.03000	142.42129	122.99041	177.12607	158.96356
362128.94000	4043420.13000	136.329	121.18134	170.54955	155.40188
362101.15000	4043458.22000	144.20711	115.73264	177.13228	148.12626
362073.36000	4043496.32000	132.77561	112.22213	165.58415	142.89526
362045.58000	4043534.42000	119.87394	108.22597	147.80463	138.24084
362017.79000	4043572.51000	2.56985	99.83977	3.23139	127.95933
361967.82000	4043642.88000	3.05102	85.03915	3.82614	109.09576
361945.63000	4043675.15000	3.19704	81.17377	4.00442	103.53999
361923.45000	4043707.42000	4.18014	74.74817	5.19046	95.18934
361881.09000	4043767.93000	3.44121	67.44402	4.29548	86.77529
361862.94000	4043749.77000	3.66744	69.3934	4.56935	88.88641
361833.69000	4043670.10000	61.01418	83.62602	75.93076	105.96437
361802.43000	4043636.83000	118.68982	83.17541	145.57279	106.17006
361771.17000	4043603.55000	55.01241	86.56354	69.6956	109.66158
361707.64000	4043546.07000	61.35358	95.82363	74.94497	122.23634
361675.37000	4043521.87000	44.40472	94.87886	53.19981	120.88281
361643.10000	4043497.66000	3.11375	88.27794	3.67119	112.57052
361572.51000	4043455.98000	115.11324	82.53711	143.60884	106.28403
361534.19000	4043438.50000	1.24293	79.73138	1.44903	101.62708
361495.87000	4043421.03000	4.16456	84.44154	5.15216	107.9697
361457.55000	4043403.55000	0.3837	83.23885	0.47336	104.91328
361419.23000	4043386.07000	0.87686	83.52202	1.14962	104.71828
361354.02000	4043339.01000	0.7328	63.22916	0.96213	78.0598
361327.13000	4043309.43000	0.71662	62.92345	0.94015	79.98692
361261.52000	4043295.18000	0.67028	56.32749	0.87609	71.51985
361222.79000	4043310.51000	0.62605	52.10521	0.81669	66.14146
361184.07000	4043325.83000	0.29554	48.43978	0.36421	61.14274
361145.34000	4043341.16000	0.94506	45.34963	1.21398	57.24544
361069.65000	4043377.33000	0.46397	39.47898	0.60259	50.16897
361032.67000	4043398.17000	0.43668	35.99089	0.56656	45.72531
360995.70000	4043419.01000	0.41189	33.23991	0.53388	42.24129
360958.72000	4043439.85000	0.35273	32.39685	0.4622	40.95073
360921.75000	4043460.69000	0.33412	31.3048	0.43738	39.55583
360848.47000	4043514.61000	0.29955	29.95889	0.3914	37.75422
360812.16000	4043547.68000	0.16612	28.87207	0.20448	36.67455
360775.86000	4043580.76000	0.64248	26.67492	0.79754	33.99584
360739.55000	4043613.83000	0.28797	25.69541	0.37042	32.5357
360679.05000	4043630.78000	0.43614	23.66435	0.5566	30.15144
360623.48000	4043646.46000	0.40906	22.29655	0.52181	28.39059
360592.10000	4043678.28000	0.39083	21.62956	0.4984	27.54874
360560.73000	4043710.10000	0.37381	21.19451	0.47655	26.46616
360529.36000	4043741.92000	0.35791	20.70484	0.45615	25.487
360497.98000	4043773.75000	0.34297	20.02334	0.43699	24.83993
360466.61000	4043805.57000	0.3289	19.15553	0.41896	23.60042
360435.24000	4043837.39000	0.31555	18.34316	0.40186	22.61519
360403.86000	4043869.21000	0.30332	17.62968	0.38618	22.02623
360345.26000	4043937.33000	0.28066	17.1129	0.35717	21.00439
360318.04000	4043973.64000	0.27071	17.19506	0.34444	21.092
360290.81000	4044009.94000	0.26086	17.42361	0.33185	20.41392
360263.58000	4044046.25000	15.32262	16.79152	18.85687	20.07414
360236.35000	4044082.55000	15.34712	15.84161	18.89121	19.8242
360209.13000	4044118.85000	0.20937	15.40084	0.26804	19.45657
360181.90000	4044155.16000	0.20237	14.9466	0.25904	18.88713
359953.71000	4041839.20000	0.16509	12.41833	0.2064	15.69263
364249.67000	4043887.54000	0.07597	11.65731	0.13485	14.7431

Receptor Coordinates	Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
365463.68000 4042579.20000	0.13433	4.6773	0.16376	5.32981
365374.00000 4043232.50000	0.02983	6.54868	0.03715	8.28844
365374.00000 4043132.50000	0.02736	6.73812	0.03407	8.36324
365374.00000 4043032.50000	3.70029	6.60989	4.57059	7.83596
365374.00000 4042932.50000	2.14048	5.83702	2.63158	7.62774
365374.00000 4042832.50000	0.0314	5.4616	0.0388	6.86903
365374.00000 4042732.50000	0.01852	6.87094	0.02305	8.74687
365374.00000 4042632.50000	0.20664	5.48335	0.25161	6.88999
365374.00000 4042532.50000	0.03504	4.2795	0.04345	5.42572
365374.00000 4042432.50000	0.01452	4.43131	0.01808	5.31714
365374.00000 4042332.50000	0.14647	4.2307	0.17926	4.82927
365374.00000 4042232.50000	0.01442	4.18863	0.01793	4.73262
365374.00000 4042132.50000	0.04522	4.43448	0.056	5.4718
365374.00000 4042032.50000	0.02931	4.86248	0.03643	6.02378
365374.00000 4041932.50000	0.03474	5.75477	0.04314	6.77094
365374.00000 4041832.50000	0.04716	6.44345	0.05839	7.35149
365374.00000 4041732.50000	0.04569	5.96288	0.05662	7.11399
365374.00000 4041632.50000	0.04032	6.15133	0.05014	6.85771
365374.00000 4041532.50000	0.02904	5.64387	0.03632	6.75344
365374.00000 4041432.50000	0.03455	5.66267	0.04282	7.32287
365474.00000 4042832.50000	0.02561	4.85589	0.03166	6.01071
365474.00000 4042632.50000	0.20135	5.75223	0.24518	7.26611
365474.00000 4042432.50000	0.01406	4.23351	0.01749	5.25997
365474.00000 4042232.50000	0.0399	4.24796	0.04935	5.13615
365474.00000 4042032.50000	0.02999	4.71351	0.03728	6.0204
365474.00000 4041832.50000	0.04555	6.32817	0.05639	7.01292
361366.29000 4043344.41000	0.42256	68.19433	0.52082	86.55444
361484.87000 4043211.61000	0.72428	90.4705	0.89114	116.45481
361669.84000 4042979.21000	143.3122	127.38862	179.03624	163.11266
361802.64000 4042651.95000	97.49411	85.652	120.25213	108.80984
362001.84000 4042248.80000	47.55956	43.02677	59.10397	54.70577
362186.81000 4041855.15000	0.02674	24.46911	0.03051	30.93545
362310.13000 4041660.69000	0.05173	19.47789	0.05847	24.12168
362367.04000 4041599.03000	0.0715	18.65226	0.08101	23.57408
362452.41000 4041542.12000	0.07114	17.04933	0.08738	21.57759
362495.10000 4041527.89000	1.96806	17.1356	2.42566	21.86926
362585.21000 4041523.14000	0.1776	16.49356	0.21908	20.99879
362656.36000 4041561.09000	0.26974	15.57106	0.34614	19.35069
362718.01000 4041580.06000	0.26502	16.04783	0.34016	19.8412
362784.41000 4041689.14000	0.28047	18.89074	0.36019	21.8215
362831.84000 4041788.75000	1.42498	18.60304	1.81128	23.59336
362888.76000 4041888.35000	0.17602	19.66527	0.21712	24.64147
362964.64000 4041959.49000	0.32692	18.88419	0.42362	23.82727
363073.73000 4042054.35000	0.14919	20.68686	0.18408	25.28817
363097.44000 4042073.32000	0.14941	20.62744	0.18435	26.24475
363149.61000 4042030.63000	0.14105	18.92214	0.17404	23.1467
363083.21000 4041992.69000	0.18873	18.1864	0.23286	22.28768
362988.36000 4041883.60000	0.30422	18.01825	0.39391	22.94797
362907.73000 4041793.49000	0.16612	17.17283	0.20491	21.40191
362831.84000 4041655.94000	0.26846	18.38601	0.34453	22.15511
362760.70000 4041551.60000	0.17241	16.09216	0.2127	19.7313
362642.13000 4041470.97000	11.45856	15.10305	14.07832	18.65244
362537.78000 4041437.77000	0.45092	15.63801	0.58142	19.77502
362466.64000 4041456.74000	0.06671	15.64773	0.08203	19.79893
362390.75000 4041480.46000	0.06744	16.63487	0.08305	21.01158
362333.84000 4041518.40000	8.4209	16.92085	10.4904	20.70592
362286.41000 4041565.83000	0.28287	17.69077	0.36054	22.31573
362205.78000 4041674.92000	0.27176	19.98642	0.34471	25.26737
362110.92000 4041831.43000	0.26991	25.87935	0.34031	32.69951

Receptor Coordinates		Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X	Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
362044.52000	4041973.72000	0.67166	29.09582	0.82628	36.83301
361954.41000	4042158.69000	0.08701	37.30528	0.10814	47.27925
361888.01000	4042310.46000	56.84394	48.73375	71.01066	61.50531
361797.90000	4042481.20000	73.39781	61.47384	91.40698	77.79703
361698.30000	4042694.63000	105.78108	87.36574	131.95987	111.74574
361617.67000	4042870.12000	1.1917	103.07671	1.4586	130.8677
361579.72000	4042927.03000	117.75577	98.24194	146.01378	126.32298
361513.32000	4042993.43000	2.40295	87.16352	2.91865	110.39345
361475.38000	4043045.61000	0.76346	86.49011	0.93861	109.7952
361442.18000	4043102.52000	0.61207	82.51012	0.75082	105.64017
361418.47000	4043173.66000	0.58881	88.16792	0.72485	112.01662
361375.78000	4043221.09000	0.48037	75.31617	0.58924	95.943
361328.35000	4043259.04000	0.75141	65.99031	0.98653	84.40283
361299.89000	4043292.24000	0.69462	57.08665	0.91026	72.12338
361395.94000	4043311.21000	0.47496	69.7733	0.58526	85.04541
361425.58000	4043278.01000	0.4683	77.36978	0.62616	97.60223
361455.23000	4043244.81000	0.62204	79.60653	0.76584	101.14803
361515.70000	4043172.88000	128.14557	105.16729	160.29121	133.60169
361546.53000	4043134.14000	5.53476	116.86197	6.75417	148.79543
361577.36000	4043095.41000	131.62194	110.35413	166.64959	138.48244
361608.18000	4043056.68000	97.83943	117.10658	124.02971	147.82992
361639.01000	4043017.94000	139.11196	122.26866	172.71672	155.74868
361686.44000	4042938.30000	141.41678	124.52485	173.42004	156.41926
361703.04000	4042897.40000	148.37672	131.89042	183.64053	167.15423
361719.64000	4042856.49000	140.0769	124.5128	174.25423	158.69013
361736.24000	4042815.58000	142.0041	123.35549	175.55351	156.01703
361752.84000	4042774.67000	132.87823	116.98371	165.26199	147.65365
361769.44000	4042733.77000	126.70005	102.75334	157.57455	131.47471
361786.04000	4042692.86000	109.57828	95.17909	136.07877	119.25101
361824.77000	4042607.16000	96.97985	86.20431	120.0531	109.27757
361846.91000	4042562.36000	84.98145	75.53907	105.22835	95.8324
361869.04000	4042517.57000	79.5003	70.66693	97.34667	89.25502
361891.17000	4042472.77000	75.07477	66.60599	91.90615	83.78053
361913.31000	4042427.98000	69.21258	60.66173	85.53048	77.34207
361935.44000	4042383.18000	60.54266	53.88769	75.74058	69.01362
361957.57000	4042338.39000	47.55296	49.455	55.43413	60.77335
361979.71000	4042293.59000	50.53373	45.09313	62.4859	56.87105
362022.39000	4042205.06000	47.31728	41.86065	58.57719	53.02016
362042.94000	4042161.32000	44.61974	39.9417	55.35145	50.40535
362063.50000	4042117.58000	43.6141	37.45568	54.16954	47.30706
362084.05000	4042073.84000	39.1299	34.78214	48.34345	43.99569
362104.60000	4042030.11000	2.50375	31.97498	3.09135	40.49711
362125.15000	4041986.37000	0.02082	30.06376	0.02417	38.29222
362145.71000	4041942.63000	0.02269	27.2855	0.02615	34.87736
362166.26000	4041898.89000	0.02467	25.83444	0.02827	32.71132
362211.47000	4041816.26000	0.03099	23.24412	0.03519	29.45162
362236.14000	4041777.37000	0.0357	22.24572	0.04043	27.92497
362260.80000	4041738.47000	0.04078	21.15361	0.04611	25.90527
362285.47000	4041699.58000	0.04616	20.36295	0.05216	25.08462
362338.59000	4041629.86000	0.06129	19.2882	0.06934	24.37073
362395.50000	4041580.06000	3.42369	18.12974	4.21562	22.92321
362423.95000	4041561.09000	2.94353	17.5073	3.62477	22.15159
362540.16000	4041525.52000	0.16053	17.29526	0.19673	21.99455
362620.79000	4041542.12000	0.26948	15.99427	0.34578	20.1445
362687.19000	4041570.58000	0.26693	16.30503	0.34259	19.26986
362740.14000	4041616.42000	0.27025	16.70391	0.34694	21.10044
362762.28000	4041652.78000	0.27539	18.82946	0.35361	22.00791
362800.22000	4041722.34000	0.28568	19.25823	0.36696	23.99638
362816.03000	4041755.55000	1.33888	18.09566	1.70565	22.98055

Receptor Coordinates		Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X	Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
362850.81000	4041821.95000	4.13461	17.95906	5.17307	22.25939
362869.79000	4041855.15000	4.23412	18.57174	5.3307	23.19256
362914.05000	4041912.06000	3.96387	20.28471	5.05641	25.65866
362939.35000	4041935.78000	3.62761	19.44379	4.65765	24.76985
363001.00000	4041991.11000	0.32797	19.30848	0.42486	23.72093
363037.37000	4042022.73000	0.31724	19.3086	0.40628	23.13564
363123.53000	4042051.98000	0.14421	19.52468	0.17794	23.57493
363116.41000	4042011.66000	0.14224	19.10473	0.17551	22.71971
363051.59000	4041956.33000	0.30005	18.07143	0.38406	21.66211
363019.98000	4041919.96000	0.30565	18.38739	0.39579	22.79686
362961.48000	4041853.56000	0.16538	18.86926	0.2027	23.86144
362934.61000	4041823.53000	0.16685	18.32736	0.20582	22.84238
362888.76000	4041759.10000	1.433	16.87228	1.81897	21.08184
362869.79000	4041724.72000	1.34959	17.21099	1.71744	21.69077
362850.81000	4041690.33000	0.27281	17.45978	0.35019	22.16035
362808.13000	4041621.16000	0.26433	18.51455	0.33919	21.0574
362784.41000	4041586.38000	0.26079	17.2696	0.33455	20.92533
362721.18000	4041524.72000	0.17158	15.77566	0.21167	18.69974
362681.65000	4041497.85000	0.17063	14.52416	0.21051	18.31587
362607.35000	4041459.90000	0.15088	15.5104	0.18493	19.65639
362572.56000	4041448.84000	0.06886	15.91253	0.08425	20.23792
362502.21000	4041447.26000	0.06766	16.30531	0.0831	20.64505
362428.70000	4041468.60000	0.06046	20.40107	0.07444	25.18871
362362.30000	4041499.43000	7.85517	16.47178	9.81278	20.60266
362310.13000	4041542.12000	0.15166	17.26477	0.18415	21.05422
362259.53000	4041602.19000	6.45971	18.46588	7.9535	23.37181
362232.66000	4041638.56000	0.17092	19.04495	0.21037	24.13093
362182.07000	4041714.05000	0.27146	21.38769	0.34385	27.29949
362158.35000	4041753.18000	0.27106	22.60782	0.34284	28.63593
362134.64000	4041792.30000	0.27054	24.33714	0.34165	30.791
362094.32000	4041867.00000	2.10248	27.03816	2.59257	34.13256
362077.72000	4041902.58000	2.13493	27.85016	2.63107	35.26761
362061.12000	4041938.15000	2.16663	28.6781	2.66848	36.36476
362026.50000	4042010.71000	0.16563	29.84772	0.20411	37.8179
362008.48000	4042047.71000	0.08426	31.29098	0.10366	39.1074
361990.45000	4042084.70000	1.74455	32.72331	2.18333	41.0133
361972.43000	4042121.70000	44.26542	34.81927	54.75173	41.9666
361937.81000	4042196.63000	49.64386	39.35013	61.23785	50.34923
361921.21000	4042234.58000	51.01571	42.65729	62.83306	54.0377
361904.61000	4042272.52000	0.23659	45.56028	0.29155	57.93386
361865.48000	4042353.15000	62.60741	51.19178	77.94967	64.48054
361842.96000	4042395.83000	64.29948	56.84806	80.37672	72.31132
361820.43000	4042438.52000	70.40924	58.2983	87.47299	74.41549
361777.98000	4042523.89000	73.19497	62.53418	90.71865	79.19886
361758.06000	4042566.57000	81.75232	65.39725	102.59793	83.34076
361738.14000	4042609.26000	93.91095	75.44787	116.03112	96.12437
361718.22000	4042651.94000	102.51735	81.29263	126.94072	102.54845
361678.14000	4042738.50000	119.22915	99.41642	148.34476	125.67988
361657.99000	4042782.38000	122.34927	97.29489	152.42477	123.25683
361637.83000	4042826.25000	118.77094	103.12357	148.29348	129.65279
361598.70000	4042898.58000	116.12402	97.28648	143.39411	123.90832
361546.52000	4042960.23000	1.04769	96.51268	1.27123	121.57815
361494.35000	4043019.52000	121.01245	86.67744	150.53703	111.03404
361458.78000	4043074.07000	127.63457	77.21833	159.88419	99.45415
361430.33000	4043138.09000	67.73575	83.13777	84.67773	107.13788
361397.13000	4043197.38000	0.51365	80.66531	0.63011	102.56957
361352.07000	4043240.07000	0.78333	71.83119	1.03048	91.53456
361333.09000	4043318.33000	0.71914	64.3041	0.94357	81.09754
359982.11000	4043931.62000	0.18973	13.02285	0.2374	16.52969

Receptor Coordinates		Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X	Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
360034.43000	4043798.65000	0.1936	13.47631	0.24345	17.01727
360212.50000	4043620.58000	15.01738	16.95047	18.50243	20.12503
360344.25000	4043512.54000	14.27539	20.18685	17.62765	25.14805
360464.14000	4043308.30000	2.73379	22.34977	3.3493	28.17426
360498.48000	4043263.33000	0.43165	21.11081	0.54081	26.71912
360745.49000	4043583.78000	0.62124	25.72485	0.77112	32.76334
360765.79000	4043556.41000	0.15937	27.56239	0.19619	34.84981
360517.55000	4043227.78000	0.45145	23.23218	0.56544	29.39565
360547.12000	4043189.77000	0.46283	23.30116	0.57995	29.55327
361220.43000	4042186.34000	0.26617	32.04588	0.32791	40.69014
361469.76000	4041862.21000	0.31894	25.46301	0.38359	31.28246
361644.29000	4041720.93000	0.18526	22.70215	0.22791	28.80251
361729.22000	4041642.46000	2.68746	22.23522	3.07232	28.21343
361869.90000	4041552.39000	6.69004	19.97161	7.71932	25.28415
361955.76000	4041507.29000	0.74041	18.83656	0.91459	23.99703
362069.36000	4041494.21000	0.05957	17.60796	0.0733	21.94525
362165.51000	4041503.80000	10.32839	19.05459	12.62543	24.07771
362226.05000	4041546.40000	0.1623	18.13654	0.19979	22.90083
362275.91000	4041587.95000	6.03146	18.15545	7.4253	22.98708
362317.47000	4041546.40000	0.14714	17.26341	0.17868	21.05088
362184.49000	4041460.97000	0.15286	17.83858	0.18818	22.55768
362031.36000	4041440.81000	0.29188	17.666	0.3764	22.0698
361924.80000	4041472.78000	0.81164	18.40704	1.0043	23.20276
361835.44000	4041521.47000	5.27371	19.13551	6.05654	24.09095
361702.46000	4041596.26000	2.06711	20.84039	2.36504	26.41171
361569.49000	4041729.24000	0.12685	20.95773	0.15633	26.42661
361494.69000	4041804.04000	0.09035	22.75094	0.11138	28.94816
361528.06000	4041569.20000	0.11481	18.3484	0.14151	23.18025
361511.31000	4041554.71000	0.11357	18.23332	0.13999	23.0378
361502.87000	4041567.79000	0.11429	18.63582	0.14087	23.53723
361459.00000	4041820.66000	0.30432	23.37901	0.36601	29.03995
361345.09000	4041903.77000	0.22564	23.34285	0.27809	29.53347
361286.92000	4041920.39000	0.22352	24.10708	0.27549	30.76312
361185.58000	4041926.10000	0.5778	23.62387	0.72754	29.96086
361118.90000	4041990.03000	0.09152	26.58756	0.1128	33.51372
361070.27000	4042078.86000	0.10911	25.77962	0.13439	32.46411
361093.78000	4042084.05000	0.11116	27.00294	0.13691	34.21569
361178.12000	4041967.10000	0.58137	25.05656	0.73268	31.70587
361261.99000	4041961.94000	0.22946	26.20133	0.28278	33.16227
361361.72000	4041937.01000	0.23536	25.16678	0.29006	31.81377
361112.39000	4042269.45000	1.87251	30.62138	2.325	38.94351
360523.54000	4043163.48000	0.2064	22.48167	0.23799	28.432
360489.07000	4043191.95000	0.19854	22.39596	0.22915	28.39605
360422.59000	4043291.68000	0.39221	20.29259	0.49135	25.60871
360331.17000	4043457.90000	8.0115	19.90579	9.82869	25.15932
360206.50000	4043574.25000	13.22498	17.76273	16.32841	21.27322
360056.91000	4043707.23000	0.11255	13.85786	0.13113	17.50785
359973.80000	4043798.65000	0.14974	12.82056	0.19132	16.23065
359940.56000	4043898.38000	7.83925	12.32252	9.67143	15.53312
359999.55000	4043887.30000	0.19434	12.78378	0.24319	16.18441
360016.99000	4043842.97000	0.27916	12.91933	0.35536	16.36353
360064.11000	4043768.97000	0.11233	13.9537	0.13099	17.66465
360093.79000	4043739.29000	0.11635	14.24041	0.13559	18.02351
360123.47000	4043709.62000	0.12056	14.69065	0.1404	18.56052
360153.14000	4043679.94000	0.12546	15.41868	0.14605	19.43269
360182.82000	4043650.26000	0.13024	15.79425	0.15152	19.809
360245.44000	4043593.57000	15.04827	18.14211	18.57101	21.89375
360278.38000	4043566.56000	14.82184	18.59307	18.29779	22.90444
360311.31000	4043539.55000	14.59467	19.84327	18.01991	23.77617

Receptor Coordinates		Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X	Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
360368.23000	4043471.69000	0.41421	21.13704	0.51878	26.2449
360392.21000	4043430.84000	7.84368	21.66377	9.62062	27.37964
360416.18000	4043390.00000	5.7999	21.53608	7.10842	27.17128
360440.16000	4043349.15000	4.07072	23.2528	4.98678	29.36158
360481.31000	4043285.82000	2.20776	21.87997	2.70587	27.56994
360525.93000	4043298.94000	3.11537	23.95134	3.81657	30.19803
360553.37000	4043334.54000	5.44452	26.6827	6.66997	33.69656
360580.82000	4043370.15000	0.46249	25.59546	0.58234	32.34624
360608.26000	4043405.75000	0.62039	26.83962	0.77496	33.5426
360635.71000	4043441.36000	20.13694	27.58857	24.89991	33.31767
360663.15000	4043476.96000	2.01993	26.59996	2.49608	31.94176
360690.60000	4043512.57000	0.58888	24.82247	0.7529	31.43561
360718.04000	4043548.17000	0.22554	24.16521	0.25914	30.53294
360738.21000	4043519.90000	0.23349	24.75074	0.26808	31.40621
360710.63000	4043483.38000	0.61687	26.44464	0.78851	33.35655
360683.04000	4043446.87000	22.69504	29.05158	28.06228	35.97307
360655.46000	4043410.35000	0.80281	28.0034	0.99833	35.18143
360627.88000	4043373.84000	0.53954	27.961	0.67728	35.35719
360600.30000	4043337.32000	0.43905	27.93979	0.55459	35.28011
360572.71000	4043300.81000	3.90739	25.82555	4.78575	32.5848
360545.13000	4043264.29000	2.17226	23.10352	2.66268	29.13404
360574.05000	4043149.63000	0.47868	22.99929	0.59989	28.99881
360600.98000	4043109.50000	0.22496	23.81966	0.2588	30.02736
360627.92000	4043069.36000	0.33475	25.46591	0.42839	32.42491
360654.85000	4043029.22000	0.40553	26.69524	0.52044	33.6443
360681.78000	4042989.08000	0.32848	24.82411	0.42137	31.39373
360708.71000	4042948.95000	0.40321	27.47081	0.52267	34.63631
360735.65000	4042908.81000	0.44158	29.11559	0.56719	36.87368
360762.58000	4042868.67000	0.45359	26.97424	0.58275	34.08988
360789.51000	4042828.54000	0.46575	28.88072	0.59846	36.52592
360816.44000	4042788.40000	0.47563	29.52362	0.61133	37.29255
360843.38000	4042748.26000	0.24151	31.00159	0.31399	39.06777
360870.31000	4042708.12000	0.42568	32.16469	0.54309	40.8732
360897.24000	4042667.99000	0.43079	31.4695	0.54975	39.95213
360924.17000	4042627.85000	0.47689	32.47333	0.61941	41.28635
360951.11000	4042587.71000	0.29446	31.48221	0.38023	39.92442
360978.04000	4042547.57000	0.08682	32.80803	0.10689	40.63381
361004.97000	4042507.44000	0.08712	33.22191	0.10727	41.89068
361031.90000	4042467.30000	0.16117	33.86947	0.19861	42.70447
361058.84000	4042427.16000	24.12594	36.35168	29.80245	45.92225
361085.77000	4042387.03000	0.16047	36.95427	0.19775	46.83508
361112.70000	4042346.89000	0.1596	34.24674	0.19669	43.36855
361139.63000	4042306.75000	0.15832	32.78889	0.19512	41.80862
361166.57000	4042266.61000	0.19504	32.33205	0.23971	41.08273
361193.50000	4042226.48000	0.15506	32.88903	0.19112	41.63614
361248.13000	4042150.33000	0.12673	32.84539	0.15605	41.56067
361275.84000	4042114.31000	0.25904	31.17462	0.31916	39.44371
361303.54000	4042078.30000	0.10485	29.53413	0.12921	37.56453
361331.24000	4042042.28000	0.25172	29.33838	0.31018	37.40579
361358.95000	4042006.27000	0.24775	27.98511	0.3053	35.25961
361386.65000	4041970.25000	0.24359	26.47389	0.30019	33.40369
361414.35000	4041934.24000	0.23873	27.06377	0.29422	34.24982
361442.06000	4041898.22000	0.29336	26.80673	0.35372	33.84764
361504.67000	4041833.95000	0.3592	24.07865	0.43112	30.62965
361539.57000	4041805.70000	0.45818	23.09581	0.55834	29.15572
361574.48000	4041777.44000	0.13278	22.35296	0.16363	28.0903
361609.38000	4041749.19000	0.10534	22.83554	0.12981	28.50571
361672.60000	4041694.77000	0.18245	23.06202	0.22447	28.66408
361700.91000	4041668.62000	2.13217	22.2687	2.44296	28.27657

Receptor Coordinates		Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X	Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
361764.39000	4041619.94000	3.53581	21.2227	4.04181	26.98342
361799.56000	4041597.43000	4.51428	19.86185	5.17015	25.15277
361834.73000	4041574.91000	5.59678	20.3322	6.43057	25.67507
361912.83000	4041529.84000	0.87985	19.37624	1.08978	24.62776
361993.63000	4041502.93000	1.09183	18.27737	1.34206	23.08568
362031.49000	4041498.57000	0.30928	18.64363	0.39902	23.15114
362117.44000	4041499.01000	0.05949	18.43152	0.0732	23.32972
362195.78000	4041525.10000	0.16102	18.62724	0.19822	23.581
362250.98000	4041567.18000	6.7597	18.1729	8.31532	22.94996
362296.69000	4041567.18000	0.29203	17.75142	0.37252	21.74736
362284.23000	4041525.04000	5.80105	17.30979	7.13695	21.86062
362250.98000	4041503.69000	6.54899	17.20306	8.05557	21.73015
362217.74000	4041482.33000	6.17429	17.5103	7.54624	22.23217
362146.21000	4041455.93000	9.71298	17.82027	11.84568	22.56164
362107.93000	4041450.89000	0.05699	16.90844	0.07013	21.38626
362069.64000	4041445.85000	0.05703	16.75814	0.07018	20.60469
361995.84000	4041451.47000	1.0518	17.41717	1.29252	21.99614
361960.32000	4041462.12000	0.70852	18.19599	0.87476	23.17671
361895.01000	4041489.01000	0.2102	18.94695	0.26729	24.04098
361865.23000	4041505.24000	0.21223	19.19623	0.26995	24.20176
361802.20000	4041540.17000	0.89194	18.69345	1.08014	23.50591
361768.95000	4041558.87000	3.42138	19.75534	3.91006	24.84935
361735.71000	4041577.56000	2.67781	20.49328	3.05884	26.02831
361669.22000	4041629.51000	0.37866	21.11669	0.48215	26.39682
361635.98000	4041662.75000	0.17584	21.11586	0.21635	26.74146
361602.73000	4041696.00000	2.02155	21.46762	2.1964	26.98127
361544.56000	4041754.17000	0.12859	21.32154	0.15846	26.98173
361519.62000	4041779.11000	0.45027	21.93404	0.54859	27.41086
361501.36000	4041757.07000	0.08839	21.85833	0.10897	27.65937
361508.04000	4041710.10000	0.12545	21.25607	0.1546	26.82154
361514.71000	4041663.14000	0.12188	20.4662	0.15021	25.84694
361521.39000	4041616.17000	0.1183	19.3764	0.1458	24.48463
361495.56000	4041609.94000	0.09439	19.42171	0.11633	24.52007
361488.25000	4041652.08000	0.11997	20.03636	0.14786	25.28409
361480.94000	4041694.23000	0.08443	20.60034	0.10409	25.89431
361473.62000	4041736.37000	0.08668	21.6897	0.10686	27.58227
361466.31000	4041778.52000	0.49693	23.26273	0.60506	29.17196
361421.03000	4041848.36000	0.27203	24.63793	0.32816	31.12069
361383.06000	4041876.07000	0.22394	24.62755	0.27602	31.16213
361316.01000	4041912.08000	0.22498	24.38216	0.27729	31.00135
361253.14000	4041922.29000	0.2209	24.71676	0.27225	31.49139
361219.36000	4041924.20000	0.21923	24.30895	0.2702	30.85659
361152.24000	4041958.07000	0.58346	25.21132	0.73466	31.86017
361102.69000	4042019.64000	0.05098	26.04868	0.06281	32.74093
361086.48000	4042049.25000	0.05096	25.85875	0.06278	32.63513
361121.89000	4042045.07000	16.15544	26.13348	20.14572	32.85498
361150.01000	4042006.08000	0.09216	25.90531	0.11358	32.79921
361220.06000	4041964.52000	0.2252	24.42025	0.27753	30.80047
361295.23000	4041953.63000	0.23166	26.05139	0.2855	33.21602
361328.48000	4041945.32000	0.23371	25.97587	0.28803	32.73314
361334.02000	4041973.95000	0.24003	26.54981	0.2958	33.43434
361306.31000	4042010.89000	0.24305	28.25959	0.2995	36.00782
361278.61000	4042047.82000	0.0559	27.96078	0.06887	35.33169
361250.91000	4042084.76000	0.1028	29.96153	0.12668	37.90563
361223.20000	4042121.70000	15.57369	31.59619	19.47976	39.97174
361195.50000	4042158.64000	0.12386	30.67708	0.15252	38.9457
361167.80000	4042195.57000	0.14946	31.4627	0.18423	39.65295
361140.09000	4042232.51000	0.15064	30.91089	0.18567	39.15857
361085.62000	4042310.09000	0.15297	32.52725	0.18854	41.34552

Receptor Coordinates	Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
361058.86000 4042350.73000	0.15398	34.87753	0.18978	44.08033
361032.09000 4042391.36000	0.15475	34.42681	0.19071	43.42292
361005.33000 4042432.00000	0.15498	33.22648	0.19099	42.06079
360978.56000 4042472.64000	0.67207	31.48198	0.85157	39.73286
360951.79000 4042513.28000	0.36413	31.60248	0.43884	39.9449
360925.03000 4042553.91000	0.17042	30.26479	0.20953	37.89286
360898.26000 4042594.55000	2.24525	29.80742	2.79435	37.90992
360871.50000 4042635.19000	0.44536	30.52669	0.57823	38.60379
360844.73000 4042675.83000	0.40619	29.82517	0.51804	37.59924
360817.97000 4042716.47000	0.40031	30.23636	0.51046	38.11027
360791.20000 4042757.10000	0.22609	28.24103	0.29375	35.6888
360764.43000 4042797.74000	0.44435	27.15605	0.57091	34.27173
360737.67000 4042838.38000	0.43399	26.84241	0.55751	33.89106
360710.90000 4042879.02000	0.42386	25.90842	0.54436	32.80308
360684.14000 4042919.65000	0.41289	25.96857	0.53015	32.83753
360657.37000 4042960.29000	0.37666	25.32868	0.48809	32.02876
360630.60000 4043000.93000	0.31974	24.6319	0.40956	30.99125
360603.84000 4043041.57000	0.37838	24.89842	0.48551	31.70264
360577.07000 4043082.20000	0.47726	23.54876	0.59823	29.97844
360550.31000 4043122.84000	0.46299	22.59572	0.58026	28.48544
360466.91000 4043225.19000	0.42102	21.94081	0.5274	27.7642
360444.75000 4043258.44000	0.40446	20.43089	0.50672	25.83856
360399.74000 4043333.24000	2.86835	21.23259	3.51396	26.77078
360376.88000 4043374.79000	4.21302	21.94531	5.16217	27.71872
360354.03000 4043416.35000	5.94491	19.67514	7.28826	24.82597
360300.00000 4043486.99000	9.05792	19.62024	11.11836	24.36203
360268.84000 4043516.08000	0.38817	18.70545	0.48545	22.97521
360237.67000 4043545.16000	0.42014	18.18806	0.52386	22.56419
360176.58000 4043600.85000	13.39902	16.59635	16.54336	20.75225
360146.66000 4043627.44000	13.5051	16.22719	16.67374	19.46663
360116.75000 4043654.04000	13.55623	15.22268	16.70652	18.1694
360086.83000 4043680.63000	13.07223	14.16661	16.11075	17.89676
360029.21000 4043737.70000	0.10898	13.44512	0.12706	16.9888
360001.50000 4043768.18000	0.10557	13.02695	0.12316	16.46423
359962.72000 4043831.89000	0.17941	12.49497	0.22562	15.77977
359951.64000 4043865.14000	1.87847	12.09466	2.31024	15.23868
359961.34000 4043915.00000	0.18736	12.7119	0.23445	16.01589
362259.81000 4041468.84000	6.53708	17.08385	8.02855	21.74913
362384.33000 4041541.52000	0.07025	17.36974	0.08647	21.9569
362522.79000 4041647.48000	0.16888	21.06248	0.20695	26.85076
362666.52000 4041845.59000	0.07449	27.45175	0.09164	34.34222
362838.60000 4042052.26000	4.82349	29.20085	6.20985	36.75813
362929.77000 4042108.91000	0.12631	25.37821	0.15542	32.30809
363024.99000 4042185.24000	0.15032	26.00396	0.18548	32.63056
363048.82000 4042161.40000	0.15237	24.83354	0.19123	30.65709
362890.92000 4042045.05000	3.64062	26.50471	4.73348	33.76569
362757.94000 4041887.15000	4.89012	25.75392	6.06453	32.20486
362609.45000 4041694.90000	0.88669	22.34675	1.14076	27.41505
362580.14000 4041644.34000	0.33206	22.36947	0.38744	26.97235
362557.13000 4041624.87000	0.68402	20.80684	0.88162	25.98238
362529.74000 4041603.48000	0.18914	19.40187	0.23331	24.52556
362426.97000 4041521.82000	0.09052	16.76684	0.10301	21.21378
362326.17000 4041469.80000	0.14305	17.07973	0.17364	20.5886
362301.32000 4041493.07000	0.15982	17.25844	0.19398	21.59917
362342.82000 4041517.29000	8.25913	16.8605	10.29936	20.78625
362418.95000 4041568.01000	3.02281	17.70339	3.72229	22.39702
362453.56000 4041594.50000	2.44611	18.92819	3.01384	23.97814
362488.18000 4041620.99000	0.19357	20.13288	0.23877	24.91133
362551.54000 4041687.10000	0.76726	22.15559	0.98785	26.98033

Receptor Coordinates		Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X	Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
362580.28000	4041726.72000	0.44456	22.8597	0.52159	27.37226
362609.03000	4041766.35000	1.02347	24.08855	1.31401	28.28256
362637.77000	4041805.97000	0.07382	25.93443	0.09083	31.91142
362695.20000	4041880.04000	5.13253	27.41516	6.27853	35.31792
362723.88000	4041914.48000	0.18143	26.10441	0.22235	32.59799
362752.56000	4041948.93000	0.13065	27.5868	0.1585	33.8918
362781.24000	4041983.37000	0.18348	28.49942	0.2263	36.10243
362809.92000	4042017.82000	0.18409	29.45681	0.22705	37.55914
362868.99000	4042071.14000	3.94457	27.09781	5.12839	34.71012
362899.38000	4042090.03000	0.12776	26.72229	0.1572	32.94436
362961.51000	4042134.35000	0.21039	25.73794	0.25959	32.75211
362993.25000	4042159.80000	0.10944	25.53788	0.13504	33.50231
363009.35000	4042132.31000	0.1605	24.76068	0.20159	31.76641
362969.87000	4042103.23000	0.20621	24.63669	0.25444	31.52966
362930.40000	4042074.14000	0.12465	26.02201	0.15338	31.49783
362864.32000	4042013.47000	4.2718	28.42572	5.49872	35.61444
362837.73000	4041981.89000	0.17552	28.90399	0.21649	36.31932
362811.13000	4041950.31000	0.11871	28.23964	0.14429	36.08002
362784.54000	4041918.73000	0.14875	27.42136	0.18351	33.88091
362728.24000	4041848.70000	0.14654	25.81422	0.18078	32.46395
362698.54000	4041810.25000	0.07286	26.48789	0.08964	33.63056
362668.85000	4041771.80000	1.15069	25.70967	1.47467	32.24573
362639.15000	4041733.35000	1.01489	25.63704	1.30343	29.32136
362594.80000	4041669.62000	0.38616	21.90746	0.4523	27.52976
362495.48000	4041576.26000	1.8379	18.66283	2.26624	23.20547
362461.23000	4041549.04000	0.07238	17.75272	0.08884	22.43149
362393.37000	4041504.48000	0.06848	16.86509	0.08431	21.31344
362359.77000	4041487.14000	8.04584	16.69782	10.03734	20.6403
362292.99000	4041469.32000	0.1648	17.23358	0.19999	21.76457
359974.92000	4043733.58000	12.16207	13.3859	14.9761	16.88526
359874.36000	4043733.87000	0.12932	15.31998	0.16038	19.5689
359874.94000	4043635.61000	0.18355	16.31624	0.23067	20.63826
361174.16000	4041231.65000	0.06011	16.12527	0.07557	20.43647
361273.19000	4041332.77000	7.79125	18.26226	9.7546	23.45053
361274.24000	4041434.94000	0.06015	18.83122	0.07414	23.88659
361374.32000	4041434.94000	0.21486	19.57755	0.25826	25.10851
361375.36000	4041531.89000	0.21795	21.27867	0.26229	27.17938
361374.32000	4041633.01000	0.06915	24.08737	0.08526	30.60596
361474.40000	4041633.01000	2.8407	19.79675	3.09891	24.89727
361374.32000	4041735.18000	0.52527	25.21202	0.63888	31.92932
361175.20000	4041834.22000	0.28074	25.49199	0.35118	32.39012
361273.19000	4041834.22000	0.20236	25.93558	0.24944	32.88686
361374.32000	4041835.26000	0.24382	24.21168	0.29509	30.64495
361174.16000	4041934.30000	0.57789	23.8457	0.72766	30.15983
361473.35000	4041529.81000	0.10829	19.12931	0.13348	24.23738
361273.19000	4041231.65000	0.08788	16.53535	0.10863	20.44235
359975.72000	4043634.94000	14.18115	15.16122	17.47104	18.25746
360076.08000	4043634.94000	0.2475	15.45489	0.31125	19.48823
359772.96000	4041734.57000	0.17322	9.60169	0.21735	12.04558
359977.45000	4041835.42000	0.16516	12.62923	0.20645	15.99634
359773.10000	4041530.82000	0.14047	9.8179	0.17649	12.4376
359974.66000	4041632.75000	0.19823	11.62756	0.24798	14.6668
359674.62000	4041835.46000	0.1434	9.62931	0.18204	12.14826
359674.05000	4041735.83000	0.19303	9.62582	0.2421	11.61972
359773.10000	4041835.46000	0.20944	10.36075	0.26391	12.8264
359874.45000	4041834.88000	0.22594	10.73107	0.28348	13.09719
360076.01000	4041834.88000	0.16616	13.80831	0.20748	17.47115
360076.01000	4041735.83000	0.18016	12.26378	0.22654	15.43545
360076.59000	4041631.60000	0.19841	12.07987	0.24788	15.2422

Receptor Coordinates		Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X	Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
360076.59000	4041530.24000	5.96127	11.60476	7.36111	14.65978
359974.66000	4041530.82000	7.77045	10.81584	9.59346	13.61674
359873.88000	4041530.24000	0.14802	10.42584	0.186	13.14703
359772.52000	4041632.17000	0.16682	9.5419	0.20929	12.0506
359874.45000	4041632.17000	0.15431	10.46816	0.19391	13.24101
359873.88000	4041735.25000	0.18402	10.21245	0.23092	12.84686
359974.66000	4041735.25000	0.19526	11.27668	0.24507	14.2497
359771.95000	4042035.29000	0.09156	11.45687	0.11731	13.97101
359772.52000	4041933.93000	0.14592	10.23561	0.18374	12.86606
359873.88000	4042034.71000	0.14921	12.17224	0.18696	15.21851
359874.45000	4041933.93000	0.18019	11.16353	0.22545	14.12401
359975.23000	4042035.29000	0.11065	14.67955	0.13853	18.41004
359974.08000	4041933.93000	0.14929	13.87701	0.18635	17.37246
359974.66000	4042136.65000	0.10948	15.54018	0.1374	18.91703
359974.66000	4042232.82000	0.18769	15.11051	0.23417	19.2555
359974.66000	4042334.75000	0.11809	16.14128	0.14936	20.49146
360076.01000	4042333.02000	0.21808	13.90542	0.27722	17.6377
359573.84000	4042136.07000	0.13968	9.6696	0.17643	12.19103
359675.20000	4042136.07000	0.14844	10.1119	0.18755	12.73597
359874.45000	4042135.49000	0.11069	14.01385	0.13906	17.83665
359772.52000	4042136.65000	0.11837	12.47732	0.14892	15.84789
359573.84000	4042232.24000	0.13705	10.24218	0.173	12.92198
359674.62000	4042233.39000	0.11588	12.17164	0.1458	15.37338
359772.52000	4042233.39000	0.20309	13.49722	0.25233	17.19415
359874.45000	4042232.24000	0.41684	12.20087	0.51873	15.43859
359573.27000	4042334.17000	0.11479	11.63237	0.14322	14.77779
359674.62000	4042334.17000	0.11371	13.04373	0.14139	16.24388
359773.10000	4042333.60000	0.16666	11.66089	0.20948	14.72683
359873.88000	4042333.60000	0.11024	15.2127	0.13937	19.25628
360076.59000	4042433.23000	0.30945	14.82609	0.38634	18.72767
359974.66000	4042433.80000	0.19475	13.32777	0.24505	16.88543
359873.88000	4042433.23000	0.19006	12.5641	0.24156	15.83407
359773.10000	4042432.65000	0.177	11.40564	0.22487	14.39009
359675.20000	4042432.65000	9.39275	10.7957	11.59345	13.61597
359573.27000	4042432.65000	0.18908	10.04611	0.23831	12.721
359675.20000	4042535.16000	0.24981	10.62614	0.31481	13.36578
359574.42000	4042535.73000	0.19767	9.72488	0.24887	12.19421
359573.27000	4042633.06000	0.1551	9.75024	0.19778	11.7631
359573.84000	4042734.41000	0.12389	12.29068	0.15604	15.36372
359675.20000	4042733.84000	0.1436	12.30106	0.18108	15.33528
359573.84000	4042832.89000	0.30429	11.88536	0.3797	14.51428
359674.62000	4042832.89000	0.41748	12.10735	0.52013	14.4046
359675.20000	4042937.70000	1.13705	11.40643	1.40557	14.45911
359773.10000	4042937.12000	1.34796	11.48912	1.66412	14.53588
359675.20000	4043033.87000	0.18955	13.66164	0.2389	17.43646
359773.10000	4043033.87000	0.25943	12.85692	0.32835	16.30899
359874.45000	4043033.30000	2.0387	13.74828	2.50264	17.44599
359675.20000	4043135.80000	0.22772	14.94434	0.28159	18.97658
359772.52000	4043135.80000	0.16854	12.2836	0.21657	15.48676
359873.88000	4043136.38000	0.18197	13.12404	0.23397	16.55172
359975.81000	4043135.23000	0.26727	14.01954	0.33425	17.68407
359675.77000	4043229.67000	0.1236	13.10801	0.15366	16.75295
359773.10000	4043230.25000	0.19712	13.63169	0.24568	17.27161
359873.88000	4043230.25000	0.35461	13.27446	0.44204	16.8025
359975.23000	4043229.67000	0.25538	13.93894	0.32692	17.64357
360076.01000	4043230.25000	0.39568	14.3635	0.49094	18.18406
359773.10000	4043337.94000	0.19005	14.19352	0.23204	18.02574
359874.45000	4043337.36000	0.1009	15.67576	0.12687	19.91095
359975.23000	4043337.36000	0.20841	14.80472	0.26607	18.73501

Receptor Coordinates		Vent B Modeled Impact (µg/m^3)		Vents B, E, I, and K Modeled Impact (µg/m^3)	
X	Y	2022-0928-1R2	2022-0928-7R2	2022-0928-1R2	2022-0928-7R2
360076.01000	4043337.36000	0.19514	14.90355	0.24847	18.78868
359773.10000	4043435.84000	0.21589	13.65289	0.26593	17.34087
359873.88000	4043435.84000	0.10142	16.10574	0.12631	20.48041
359975.23000	4043435.26000	0.12007	19.2797	0.15218	24.4174
360076.59000	4043435.84000	4.20773	17.15392	5.13497	21.6584
359773.10000	4043533.74000	0.09309	14.91041	0.11592	19.10748
359874.45000	4043533.16000	4.97506	16.24358	6.06943	20.81892
359975.23000	4043533.74000	0.284	15.36038	0.35914	19.39684
360076.01000	4043534.31000	9.43296	16.34459	11.62864	20.46282
360171.61000	4043533.74000	0.13199	17.43776	0.15341	21.58941
361163.08000	4041970.77000	0.57837	24.82841	0.72884	31.3965
365477.32000	4042663.51000	0.25766	6.64092	0.31373	8.52723
364259.17000	4044095.42000	0.75624	12.44769	0.87588	13.88245
363140.50000	4043418.67000	0.23094	28.86045	0.28406	36.23062
Max. Impact (µg/m^3)		**150.91**	**134.15**	**189.28**	**172.51**
Total Number of Receptors		**3318**	**3318**	**3318**	**3318**
# of Receptors > 5% of the NAAQS		**305**	**2457**	**340**	**2757**
# of Receptors > 10% of the NAAQS		**203**	**1271**	**232**	**1710**
# of Receptors > 25% of the NAAQS		**138**	**321**	**157**	**425**
# of Receptors > 50% of the NAAQS		**66**	**49**	**100**	**142**
# of Receptors > 75% of the NAAQS		**2**	**0**	**38**	**20**

Attachment I

Modeling of Flare Actual Emissions

Table of Contents for Attachment I

Attachment I1	Description of Flare Modeling
Attachment I2	Calculation of Flare Compliance Ratio
Attachment I3	Calculation of Background Concentrations for Flare Modeling
Attachment I4	2019 SO_2 Concentrations by Hour, Mammoth Cave National Park (AQS ID #21-061-0501)
Attachment I5	2020 SO_2 Concentrations by Hour, Mammoth Cave National Park (AQS ID #21-061-0501)
Attachment I6	2021 SO_2 Concentrations by Hour, Mammoth Cave National Park (AQS ID #21-061-0501)
Attachment I7	Seasonal Averages by Hour
Attachment I8	Review of Modeled Background Concentrations

Attachment I1

Description of Flare Modeling

To assess the adequacy of the proposed limit for Eastman's coal gasification flare (16.28 lb/hr, 30-day rolling average basis), Tennessee reviewed hourly flare emissions for calendar years 2017 through 2023, calculated the number of 30-day rolling averages exceeded the proposed limit, and performed a set of model runs using hourly flare emissions (**Attachment G**) from each calendar year and permitted allowable or uncontrolled potential emissions for the other sources within the nonattainment area. Because the flare is located in the vicinity of both the B-325 powerhouse and the Happy Hill ambient monitor, we used an existing model run (2023-0120-6) for emission sources other than the flare, because B-325 emissions were maximized (Boiler 31 down, Boiler 30 operating at 366.4 lb/hr [permitted allowable divided by the compliance ratio]) and because the highest modeled impact for this run was observed in the vicinity of the flare.

The model outputs are shown in **Table I1-1**. For all years (2019, 2020, and 2021) in which there were no exceedances of the proposed emission rate, the model indicated that all receptors attained the NAAQS, while the modeled impact exceeded the NAAQS three of the four years with exceedances of the proposed limit (2018, 2022, and 2023). One year (2017) had multiple exceedances of the 30-day rolling average emission limit but no modeled exceedances of the standard.

Table I1-1: Model Outputs

Year	Number of 30-day Rolling Averages > 16.28 lb/hr	Number of Hours > 16.28 lb/hr	Modeled Impact (ppb)
2017	30	320	67.12
2018	30	72	75.14
2019	0	31	67.12
2020	0	88	67.12
2021	0	55	67.12
2022	37	226	80.29
2023	30	72	80.93

Eastman's coal gasification operation (MSOP-17, PES B-351-5, Vents B and C)[1] typically operates with no SO_2 emissions, but emissions of hydrogen sulfide and other gases may be controlled by flaring during periods of startup, shutdown, malfunction, or during other process upsets.

EPA's SIP guidance states that adjustment of modeled hourly emissions to a longer-term average of up to 30 days is an appropriate control strategy. The 30-day rolling average is calculated from a representative baseline of hourly emission rates and the modeled emission rate, as shown in **Equation 1.** The ratio of 99th percentile hourly and 30-day rolling average emission rates is the "compliance ratio." The 30-day rolling average allowable emission rate was calculated as shown in **Table I1-2** for the coal gasification flare.

[1] Eastman's coal gasification plant includes the gasifiers, which produce a combined stream of carbon monoxide and hydrogen for downstream processing, and a sulfur recovery plant, which converts sulfur compounds (hydrogen sulfide and other trace gases) to elemental sulfur for sale. The flare may be used to control emissions from the gasifiers or the sulfur recovery plant during periods of startup, shutdown, or malfunction, and when the sulfur recovery plant is not vented to the flare, only carbon monoxide and hydrogen gases are combusted.

$$\text{30-day rolling average} = (\text{modeled emission rate}) \left(\frac{(99^{th} \text{ percentile 30-day rolling average emission rate})}{(99^{th} \text{ percentile hourly emission rate})} \right)$$ **Equation 1**

Table I1-2: Calculation of 30-Day Rolling Average Emission Limit, Coal Gasification Flare	
Period of representative emissions	January 1, 2021, through December 31, 2023
99^{th} percentile hourly emission rate	30.4 lb/hr
99^{th} percentile 30-day rolling average emission rate	41.6 lb/hr
Compliance ratio	1.4
Modeled emission rate	16.28 lb/hr
Allowable emission rate	16.28 lb/hr, 30-day rolling average

Because the flare emits no SO_2 during normal operations, use of the procedure from EPA's 2014 SO_2 SIP guidance results in a long-term average emission rate that is higher than the modeled emission rate. Tennessee established a long-term average emission rate using a compliance ratio of 1.0 to minimize the possibility of long-term emissions exceeding the modeled emission rate[2]. Tennessee also established a supplemental limit of 48 tons/year to minimize operation of the flare at or above the critical emission value.

[2] If a compliance ratio of 1.4 was used, the 30-day rolling average limit would be 22.8 lb/hr.

Attachment I2

Calculation of Flare Compliance Ratio

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/1/2021 0:00	Normal	0.0	
1/1/2021 1:00	Normal	0.0	
1/1/2021 2:00	Normal	0.0	
1/1/2021 3:00	Normal	0.0	
1/1/2021 4:00	Normal	0.0	
1/1/2021 5:00	Normal	0.0	
1/1/2021 6:00	Normal	0.0	
1/1/2021 7:00	Normal	0.0	
1/1/2021 8:00	Normal	0.0	
1/1/2021 9:00	Normal	0.0	
1/1/2021 10:00	Normal	0.0	
1/1/2021 11:00	Normal	0.0	
1/1/2021 12:00	Normal	0.0	
1/1/2021 13:00	Normal	0.0	
1/1/2021 14:00	Normal	0.0	
1/1/2021 15:00	Normal	0.0	
1/1/2021 16:00	Normal	0.0	
1/1/2021 17:00	Normal	0.0	
1/1/2021 18:00	Normal	0.0	
1/1/2021 19:00	Normal	0.0	
1/1/2021 20:00	Normal	0.0	
1/1/2021 21:00	Normal	0.0	
1/1/2021 22:00	Normal	0.0	
1/1/2021 23:00	Normal	0.0	
1/2/2021 0:00	Normal	0.0	
1/2/2021 1:00	Normal	0.0	
1/2/2021 2:00	Normal	0.0	
1/2/2021 3:00	Normal	0.0	
1/2/2021 4:00	Normal	0.0	
1/2/2021 5:00	Normal	0.0	
1/2/2021 6:00	Normal	0.0	
1/2/2021 7:00	Normal	0.0	
1/2/2021 8:00	Normal	0.0	
1/2/2021 9:00	Normal	0.0	
1/2/2021 10:00	Normal	0.0	
1/2/2021 11:00	Normal	0.0	
1/2/2021 12:00	Normal	0.0	
1/2/2021 13:00	Normal	0.0	
1/2/2021 14:00	Normal	0.0	
1/2/2021 15:00	Normal	0.0	
1/2/2021 16:00	Normal	0.0	
1/2/2021 17:00	Normal	0.0	
1/2/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/2/2021 19:00	Normal	0.0	
1/2/2021 20:00	Normal	0.0	
1/2/2021 21:00	Normal	0.0	
1/2/2021 22:00	Normal	0.0	
1/2/2021 23:00	Normal	0.0	
1/3/2021 0:00	Normal	0.0	
1/3/2021 1:00	Normal	0.0	
1/3/2021 2:00	Normal	0.0	
1/3/2021 3:00	Normal	0.0	
1/3/2021 4:00	Normal	0.0	
1/3/2021 5:00	Normal	0.0	
1/3/2021 6:00	Normal	0.0	
1/3/2021 7:00	Normal	0.0	
1/3/2021 8:00	Normal	0.0	
1/3/2021 9:00	Normal	0.0	
1/3/2021 10:00	Normal	0.0	
1/3/2021 11:00	Normal	0.0	
1/3/2021 12:00	Normal	0.0	
1/3/2021 13:00	Normal	0.0	
1/3/2021 14:00	Normal	0.0	
1/3/2021 15:00	Normal	0.0	
1/3/2021 16:00	Normal	0.0	
1/3/2021 17:00	Normal	0.0	
1/3/2021 18:00	Normal	0.0	
1/3/2021 19:00	Normal	0.0	
1/3/2021 20:00	Normal	0.0	
1/3/2021 21:00	Normal	0.0	
1/3/2021 22:00	Normal	0.0	
1/3/2021 23:00	Normal	0.0	
1/4/2021 0:00	Normal	0.0	
1/4/2021 1:00	Normal	0.0	
1/4/2021 2:00	Normal	0.0	
1/4/2021 3:00	Normal	0.0	
1/4/2021 4:00	Normal	0.0	
1/4/2021 5:00	Normal	0.0	
1/4/2021 6:00	Shutdown	55.4	
1/4/2021 7:00	Shutdown	150.6	
1/4/2021 8:00	Shutdown	36.6	
1/4/2021 9:00	Shutdown		
1/4/2021 10:00	Shutdown	41.9	
1/4/2021 11:00	Shutdown	65.9	
1/4/2021 12:00	Shutdown		

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/4/2021 13:00	Shutdown		
1/4/2021 14:00	Shutdown		
1/4/2021 15:00	Shutdown		
1/4/2021 16:00	Shutdown		
1/4/2021 17:00	Shutdown		
1/4/2021 18:00	Shutdown		
1/4/2021 19:00	Shutdown		
1/4/2021 20:00	Shutdown		
1/4/2021 21:00	Shutdown		
1/4/2021 22:00	Shutdown		
1/4/2021 23:00	Shutdown		
1/5/2021 0:00	Shutdown		
1/5/2021 1:00	Shutdown		
1/5/2021 2:00	Shutdown		
1/5/2021 3:00	Shutdown		
1/5/2021 4:00	Shutdown		
1/5/2021 5:00	Shutdown		
1/5/2021 6:00	Shutdown		
1/5/2021 7:00	Shutdown		
1/5/2021 8:00	Shutdown		
1/5/2021 9:00	Shutdown		
1/5/2021 10:00	Shutdown		
1/5/2021 11:00	Shutdown		
1/5/2021 12:00	Shutdown		
1/5/2021 13:00	Shutdown		
1/5/2021 14:00	Shutdown		
1/5/2021 15:00	Shutdown		
1/5/2021 16:00	Shutdown		
1/5/2021 17:00	Shutdown		
1/5/2021 18:00	Shutdown		
1/5/2021 19:00	Shutdown		
1/5/2021 20:00	Shutdown		
1/5/2021 21:00	Shutdown		
1/5/2021 22:00	Shutdown		
1/5/2021 23:00	Shutdown		
1/6/2021 0:00	Shutdown		
1/6/2021 1:00	Shutdown		
1/6/2021 2:00	Shutdown		
1/6/2021 3:00	Shutdown		
1/6/2021 4:00	Shutdown		
1/6/2021 5:00	Shutdown		
1/6/2021 6:00	Shutdown		

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/6/2021 7:00	Shutdown		
1/6/2021 8:00	Shutdown		
1/6/2021 9:00	Shutdown		
1/6/2021 10:00	Shutdown		
1/6/2021 11:00	Shutdown		
1/6/2021 12:00	Shutdown		
1/6/2021 13:00	Shutdown		
1/6/2021 14:00	Shutdown		
1/6/2021 15:00	Shutdown		
1/6/2021 16:00	Shutdown		
1/6/2021 17:00	Shutdown		
1/6/2021 18:00	Shutdown		
1/6/2021 19:00	Shutdown		
1/6/2021 20:00	Shutdown		
1/6/2021 21:00	Shutdown		
1/6/2021 22:00	Shutdown		
1/6/2021 23:00	Shutdown		
1/7/2021 0:00	Shutdown		
1/7/2021 1:00	Shutdown		
1/7/2021 2:00	Shutdown		
1/7/2021 3:00	Shutdown		
1/7/2021 4:00	Shutdown		
1/7/2021 5:00	Shutdown		
1/7/2021 6:00	Shutdown		
1/7/2021 7:00	Shutdown		
1/7/2021 8:00	Shutdown		
1/7/2021 9:00	Shutdown		
1/7/2021 10:00	Shutdown		
1/7/2021 11:00	Shutdown		
1/7/2021 12:00	Shutdown		
1/7/2021 13:00	Shutdown		
1/7/2021 14:00	Shutdown		
1/7/2021 15:00	Shutdown	171.8	
1/7/2021 16:00	Shutdown		
1/7/2021 17:00	Shutdown		
1/7/2021 18:00	Shutdown		
1/7/2021 19:00	Shutdown		
1/7/2021 20:00	Shutdown	0.4	
1/7/2021 21:00	Shutdown	0.3	
1/7/2021 22:00	Shutdown	0.3	
1/7/2021 23:00	Shutdown	0.3	
1/8/2021 0:00	Startup	12.5	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/8/2021 1:00	Startup	46.2	
1/8/2021 2:00	Startup	2.0	
1/8/2021 3:00	Normal	0.0	
1/8/2021 4:00	Normal	0.0	
1/8/2021 5:00	Normal	0.0	
1/8/2021 6:00	Normal	0.0	
1/8/2021 7:00	Normal	0.0	
1/8/2021 8:00	Normal	0.0	
1/8/2021 9:00	Normal	0.0	
1/8/2021 10:00	Normal	0.0	
1/8/2021 11:00	Normal	0.0	
1/8/2021 12:00	Normal	0.0	
1/8/2021 13:00	Normal	0.0	
1/8/2021 14:00	Normal	0.0	
1/8/2021 15:00	Normal	0.0	
1/8/2021 16:00	Normal	0.0	
1/8/2021 17:00	Normal	0.0	
1/8/2021 18:00	Normal	0.0	
1/8/2021 19:00	Normal	0.0	
1/8/2021 20:00	Normal	0.0	
1/8/2021 21:00	Normal	0.0	
1/8/2021 22:00	Normal	0.0	
1/8/2021 23:00	Normal	0.0	
1/9/2021 0:00	Normal	0.0	
1/9/2021 1:00	Normal	0.0	
1/9/2021 2:00	Normal	0.0	
1/9/2021 3:00	Normal	0.0	
1/9/2021 4:00	Normal	0.0	
1/9/2021 5:00	Normal	0.0	
1/9/2021 6:00	Normal	0.0	
1/9/2021 7:00	Normal	0.0	
1/9/2021 8:00	Normal	0.0	
1/9/2021 9:00	Normal	0.0	
1/9/2021 10:00	Normal	0.0	
1/9/2021 11:00	Normal	0.0	
1/9/2021 12:00	Normal	0.0	
1/9/2021 13:00	Normal	0.0	
1/9/2021 14:00	Normal	0.0	
1/9/2021 15:00	Normal	0.0	
1/9/2021 16:00	Normal	0.0	
1/9/2021 17:00	Normal	0.0	
1/9/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/9/2021 19:00	Normal	0.0	
1/9/2021 20:00	Normal	0.0	
1/9/2021 21:00	Normal	0.0	
1/9/2021 22:00	Normal	0.0	
1/9/2021 23:00	Normal	0.0	
1/10/2021 0:00	Normal	0.0	
1/10/2021 1:00	Normal	0.0	
1/10/2021 2:00	Normal	0.0	
1/10/2021 3:00	Normal	0.0	
1/10/2021 4:00	Normal	0.0	
1/10/2021 5:00	Normal	0.0	
1/10/2021 6:00	Normal	0.0	
1/10/2021 7:00	Normal	0.0	
1/10/2021 8:00	Normal	0.0	
1/10/2021 9:00	Normal	0.0	
1/10/2021 10:00	Normal	0.0	
1/10/2021 11:00	Normal	0.0	
1/10/2021 12:00	Normal	0.0	
1/10/2021 13:00	Normal	0.0	
1/10/2021 14:00	Normal	0.0	
1/10/2021 15:00	Shutdown	199.2	
1/10/2021 16:00	Shutdown		
1/10/2021 17:00	Shutdown		
1/10/2021 18:00	Shutdown		
1/10/2021 19:00	Shutdown		
1/10/2021 20:00	Shutdown	0.4	
1/10/2021 21:00	Shutdown	0.3	
1/10/2021 22:00	Shutdown	0.3	
1/10/2021 23:00	Shutdown	0.3	
1/11/2021 0:00	Shutdown	0.3	
1/11/2021 1:00	Shutdown	0.3	
1/11/2021 2:00	Shutdown		
1/11/2021 3:00	Shutdown		
1/11/2021 4:00	Shutdown		
1/11/2021 5:00	Shutdown		
1/11/2021 6:00	Shutdown		
1/11/2021 7:00	Shutdown		
1/11/2021 8:00	Shutdown		
1/11/2021 9:00	Shutdown		
1/11/2021 10:00	Shutdown		
1/11/2021 11:00	Shutdown		
1/11/2021 12:00	Shutdown		

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/11/2021 13:00	Shutdown		
1/11/2021 14:00	Shutdown		
1/11/2021 15:00	Shutdown		
1/11/2021 16:00	Shutdown		
1/11/2021 17:00	Shutdown		
1/11/2021 18:00	Shutdown		
1/11/2021 19:00	Shutdown		
1/11/2021 20:00	Shutdown		
1/11/2021 21:00	Shutdown		
1/11/2021 22:00	Shutdown		
1/11/2021 23:00	Shutdown		
1/12/2021 0:00	Shutdown		
1/12/2021 1:00	Shutdown		
1/12/2021 2:00	Shutdown		
1/12/2021 3:00	Shutdown		
1/12/2021 4:00	Shutdown		
1/12/2021 5:00	Shutdown		
1/12/2021 6:00	Shutdown		
1/12/2021 7:00	Shutdown		
1/12/2021 8:00	Shutdown		
1/12/2021 9:00	Shutdown		
1/12/2021 10:00	Shutdown		
1/12/2021 11:00	Shutdown		
1/12/2021 12:00	Shutdown		
1/12/2021 13:00	Shutdown		
1/12/2021 14:00	Shutdown		
1/12/2021 15:00	Shutdown		
1/12/2021 16:00	Shutdown		
1/12/2021 17:00	Shutdown		
1/12/2021 18:00	Shutdown		
1/12/2021 19:00	Shutdown		
1/12/2021 20:00	Shutdown		
1/12/2021 21:00	Startup	0.0	
1/12/2021 22:00	Startup	0.0	
1/12/2021 23:00	Startup	0.0	
1/13/2021 0:00	Startup	0.0	
1/13/2021 1:00	Startup	0.0	
1/13/2021 2:00	Startup	0.0	
1/13/2021 3:00	Startup	0.0	
1/13/2021 4:00	Startup	0.0	
1/13/2021 5:00	Startup	0.0	
1/13/2021 6:00	Startup	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/13/2021 7:00	Startup	0.0	
1/13/2021 8:00	Startup	0.0	
1/13/2021 9:00	Startup	0.0	
1/13/2021 10:00	Startup	0.0	
1/13/2021 11:00	Startup	0.0	
1/13/2021 12:00	Startup	0.0	
1/13/2021 13:00	Startup	0.0	
1/13/2021 14:00	Startup	0.0	
1/13/2021 15:00	Startup	0.0	
1/13/2021 16:00	Startup	0.0	
1/13/2021 17:00	Startup	0.0	
1/13/2021 18:00	Startup	0.0	
1/13/2021 19:00	Startup	0.0	
1/13/2021 20:00	Startup	0.0	
1/13/2021 21:00	Startup	0.0	
1/13/2021 22:00	Normal	0.0	
1/13/2021 23:00	Normal	0.0	
1/14/2021 0:00	Normal	0.0	
1/14/2021 1:00	Normal	0.0	
1/14/2021 2:00	Normal	0.0	
1/14/2021 3:00	Normal	0.0	
1/14/2021 4:00	Normal	0.0	
1/14/2021 5:00	Normal	0.0	
1/14/2021 6:00	Normal	0.0	
1/14/2021 7:00	Normal	0.0	
1/14/2021 8:00	Normal	0.0	
1/14/2021 9:00	Normal	0.0	
1/14/2021 10:00	Normal	0.0	
1/14/2021 11:00	Normal	0.0	
1/14/2021 12:00	Normal	0.0	
1/14/2021 13:00	Normal	0.0	
1/14/2021 14:00	Normal	0.0	
1/14/2021 15:00	Normal	0.0	
1/14/2021 16:00	Normal	0.0	
1/14/2021 17:00	Normal	0.0	
1/14/2021 18:00	Normal	0.0	
1/14/2021 19:00	Normal	0.0	
1/14/2021 20:00	Normal	0.0	
1/14/2021 21:00	Normal	0.0	
1/14/2021 22:00	Normal	0.0	
1/14/2021 23:00	Normal	0.0	
1/15/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/15/2021 1:00	Normal	0.0	
1/15/2021 2:00	Normal	0.0	
1/15/2021 3:00	Normal	0.0	
1/15/2021 4:00	Normal	0.0	
1/15/2021 5:00	Normal	0.0	
1/15/2021 6:00	Normal	0.0	
1/15/2021 7:00	Normal	0.0	
1/15/2021 8:00	Normal	0.0	
1/15/2021 9:00	Normal	0.0	
1/15/2021 10:00	Normal	0.0	
1/15/2021 11:00	Normal	0.0	
1/15/2021 12:00	Normal	0.0	
1/15/2021 13:00	Normal	0.0	
1/15/2021 14:00	Normal	0.0	
1/15/2021 15:00	Normal	0.0	
1/15/2021 16:00	Normal	0.0	
1/15/2021 17:00	Normal	0.0	
1/15/2021 18:00	Normal	0.0	
1/15/2021 19:00	Normal	0.0	
1/15/2021 20:00	Normal	0.0	
1/15/2021 21:00	Normal	0.0	
1/15/2021 22:00	Normal	0.0	
1/15/2021 23:00	Normal	0.0	
1/16/2021 0:00	Normal	0.0	
1/16/2021 1:00	Normal	0.0	
1/16/2021 2:00	Normal	0.0	
1/16/2021 3:00	Normal	0.0	
1/16/2021 4:00	Normal	0.0	
1/16/2021 5:00	Normal	0.0	
1/16/2021 6:00	Normal	0.0	
1/16/2021 7:00	Normal	0.0	
1/16/2021 8:00	Normal	0.0	
1/16/2021 9:00	Normal	0.0	
1/16/2021 10:00	Normal	0.0	
1/16/2021 11:00	Normal	0.0	
1/16/2021 12:00	Normal	0.0	
1/16/2021 13:00	Normal	0.0	
1/16/2021 14:00	Normal	0.0	
1/16/2021 15:00	Normal	0.0	
1/16/2021 16:00	Normal	0.0	
1/16/2021 17:00	Normal	0.0	
1/16/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/16/2021 19:00	Normal	0.0	
1/16/2021 20:00	Normal	0.0	
1/16/2021 21:00	Normal	0.0	
1/16/2021 22:00	Normal	0.0	
1/16/2021 23:00	Normal	0.0	
1/17/2021 0:00	Normal	0.0	
1/17/2021 1:00	Normal	0.0	
1/17/2021 2:00	Normal	0.0	
1/17/2021 3:00	Normal	0.0	
1/17/2021 4:00	Normal	0.0	
1/17/2021 5:00	Normal	0.0	
1/17/2021 6:00	Normal	0.0	
1/17/2021 7:00	Normal	0.0	
1/17/2021 8:00	Normal	0.0	
1/17/2021 9:00	Normal	0.0	
1/17/2021 10:00	Normal	0.0	
1/17/2021 11:00	Normal	0.0	
1/17/2021 12:00	Normal	0.0	
1/17/2021 13:00	Normal	0.0	
1/17/2021 14:00	Normal	0.0	
1/17/2021 15:00	Normal	0.0	
1/17/2021 16:00	Normal	0.0	
1/17/2021 17:00	Normal	0.0	
1/17/2021 18:00	Normal	0.0	
1/17/2021 19:00	Normal	0.0	
1/17/2021 20:00	Normal	0.0	
1/17/2021 21:00	Normal	0.0	
1/17/2021 22:00	Normal	0.0	
1/17/2021 23:00	Normal	0.0	
1/18/2021 0:00	Normal	0.0	
1/18/2021 1:00	Normal	0.0	
1/18/2021 2:00	Normal	0.0	
1/18/2021 3:00	Normal	0.0	
1/18/2021 4:00	Normal	0.0	
1/18/2021 5:00	Normal	0.0	
1/18/2021 6:00	Normal	0.0	
1/18/2021 7:00	Normal	0.0	
1/18/2021 8:00	Normal	0.0	
1/18/2021 9:00	Normal	0.0	
1/18/2021 10:00	Normal	0.0	
1/18/2021 11:00	Normal	0.0	
1/18/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/18/2021 13:00	Normal	0.0	
1/18/2021 14:00	Normal	0.0	
1/18/2021 15:00	Normal	0.0	
1/18/2021 16:00	Normal	0.0	
1/18/2021 17:00	Normal	0.0	
1/18/2021 18:00	Normal	0.0	
1/18/2021 19:00	Normal	0.0	
1/18/2021 20:00	Normal	0.0	
1/18/2021 21:00	Normal	0.0	
1/18/2021 22:00	Normal	0.0	
1/18/2021 23:00	Normal	0.0	
1/19/2021 0:00	Normal	0.0	
1/19/2021 1:00	Normal	0.0	
1/19/2021 2:00	Normal	0.0	
1/19/2021 3:00	Normal	0.0	
1/19/2021 4:00	Normal	0.0	
1/19/2021 5:00	Normal	0.0	
1/19/2021 6:00	Normal	0.0	
1/19/2021 7:00	Normal	0.0	
1/19/2021 8:00	Normal	0.0	
1/19/2021 9:00	Normal	0.0	
1/19/2021 10:00	Normal	0.0	
1/19/2021 11:00	Normal	0.0	
1/19/2021 12:00	Normal	0.0	
1/19/2021 13:00	Normal	0.0	
1/19/2021 14:00	Normal	0.0	
1/19/2021 15:00	Normal	0.0	
1/19/2021 16:00	Normal	0.0	
1/19/2021 17:00	Normal	0.0	
1/19/2021 18:00	Normal	0.0	
1/19/2021 19:00	Normal	0.0	
1/19/2021 20:00	Normal	0.0	
1/19/2021 21:00	Normal	0.0	
1/19/2021 22:00	Normal	0.0	
1/19/2021 23:00	Normal	0.0	
1/20/2021 0:00	Normal	0.0	
1/20/2021 1:00	Normal	0.0	
1/20/2021 2:00	Normal	0.0	
1/20/2021 3:00	Normal	0.0	
1/20/2021 4:00	Normal	0.0	
1/20/2021 5:00	Normal	0.0	
1/20/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/20/2021 7:00	Normal	0.0	
1/20/2021 8:00	Normal	0.0	
1/20/2021 9:00	Normal	0.0	
1/20/2021 10:00	Normal	0.0	
1/20/2021 11:00	Normal	0.0	
1/20/2021 12:00	Normal	0.0	
1/20/2021 13:00	Normal	0.0	
1/20/2021 14:00	Normal	0.0	
1/20/2021 15:00	Normal	0.0	
1/20/2021 16:00	Normal	0.0	
1/20/2021 17:00	Normal	0.0	
1/20/2021 18:00	Normal	0.0	
1/20/2021 19:00	Normal	0.0	
1/20/2021 20:00	Normal	0.0	
1/20/2021 21:00	Normal	0.0	
1/20/2021 22:00	Normal	0.0	
1/20/2021 23:00	Normal	0.0	
1/21/2021 0:00	Normal	0.0	
1/21/2021 1:00	Normal	0.0	
1/21/2021 2:00	Normal	0.0	
1/21/2021 3:00	Normal	0.0	
1/21/2021 4:00	Normal	0.0	
1/21/2021 5:00	Normal	0.0	
1/21/2021 6:00	Normal	0.0	
1/21/2021 7:00	Normal	0.0	
1/21/2021 8:00	Normal	0.0	
1/21/2021 9:00	Normal	0.0	
1/21/2021 10:00	Normal	0.0	
1/21/2021 11:00	Normal	0.0	
1/21/2021 12:00	Normal	0.0	
1/21/2021 13:00	Normal	0.0	
1/21/2021 14:00	Normal	0.0	
1/21/2021 15:00	Normal	0.0	
1/21/2021 16:00	Normal	0.0	
1/21/2021 17:00	Normal	0.0	
1/21/2021 18:00	Normal	0.0	
1/21/2021 19:00	Normal	0.0	
1/21/2021 20:00	Normal	0.0	
1/21/2021 21:00	Normal	0.0	
1/21/2021 22:00	Normal	0.0	
1/21/2021 23:00	Normal	0.0	
1/22/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/22/2021 1:00	Normal	0.0	
1/22/2021 2:00	Normal	0.0	
1/22/2021 3:00	Normal	0.0	
1/22/2021 4:00	Normal	0.0	
1/22/2021 5:00	Normal	0.0	
1/22/2021 6:00	Normal	0.0	
1/22/2021 7:00	Normal	0.0	
1/22/2021 8:00	Normal	0.0	
1/22/2021 9:00	Normal	0.0	
1/22/2021 10:00	Normal	0.0	
1/22/2021 11:00	Normal	0.0	
1/22/2021 12:00	Normal	0.0	
1/22/2021 13:00	Normal	0.0	
1/22/2021 14:00	Normal	0.0	
1/22/2021 15:00	Normal	0.0	
1/22/2021 16:00	Normal	0.0	
1/22/2021 17:00	Normal	0.0	
1/22/2021 18:00	Normal	0.0	
1/22/2021 19:00	Normal	0.0	
1/22/2021 20:00	Normal	0.0	
1/22/2021 21:00	Normal	0.0	
1/22/2021 22:00	Normal	0.0	
1/22/2021 23:00	Normal	0.0	
1/23/2021 0:00	Normal	0.0	
1/23/2021 1:00	Normal	0.0	
1/23/2021 2:00	Normal	0.0	
1/23/2021 3:00	Normal	0.0	
1/23/2021 4:00	Normal	0.0	
1/23/2021 5:00	Normal	0.0	
1/23/2021 6:00	Normal	0.0	
1/23/2021 7:00	Normal	0.0	
1/23/2021 8:00	Normal	0.0	
1/23/2021 9:00	Normal	0.0	
1/23/2021 10:00	Normal	0.0	
1/23/2021 11:00	Normal	0.0	
1/23/2021 12:00	Normal	0.0	
1/23/2021 13:00	Normal	0.0	
1/23/2021 14:00	Normal	0.0	
1/23/2021 15:00	Normal	0.0	
1/23/2021 16:00	Normal	0.0	
1/23/2021 17:00	Normal	0.0	
1/23/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/23/2021 19:00	Normal	0.0	
1/23/2021 20:00	Normal	0.0	
1/23/2021 21:00	Normal	0.0	
1/23/2021 22:00	Normal	0.0	
1/23/2021 23:00	Normal	0.0	
1/24/2021 0:00	Normal	0.0	
1/24/2021 1:00	Normal	0.0	
1/24/2021 2:00	Normal	0.0	
1/24/2021 3:00	Normal	0.0	
1/24/2021 4:00	Normal	0.0	
1/24/2021 5:00	Normal	0.0	
1/24/2021 6:00	Normal	0.0	
1/24/2021 7:00	Normal	0.0	
1/24/2021 8:00	Normal	0.0	
1/24/2021 9:00	Normal	0.0	
1/24/2021 10:00	Normal	0.0	
1/24/2021 11:00	Normal	0.0	
1/24/2021 12:00	Normal	0.0	
1/24/2021 13:00	Normal	0.0	
1/24/2021 14:00	Normal	0.0	
1/24/2021 15:00	Normal	0.0	
1/24/2021 16:00	Normal	0.0	
1/24/2021 17:00	Normal	0.0	
1/24/2021 18:00	Normal	0.0	
1/24/2021 19:00	Normal	0.0	
1/24/2021 20:00	Normal	0.0	
1/24/2021 21:00	Normal	0.0	
1/24/2021 22:00	Normal	0.0	
1/24/2021 23:00	Normal	0.0	
1/25/2021 0:00	Normal	0.0	
1/25/2021 1:00	Normal	0.0	
1/25/2021 2:00	Normal	0.0	
1/25/2021 3:00	Normal	0.0	
1/25/2021 4:00	Normal	0.0	
1/25/2021 5:00	Normal	0.0	
1/25/2021 6:00	Normal	0.0	
1/25/2021 7:00	Normal	0.0	
1/25/2021 8:00	Normal	0.0	
1/25/2021 9:00	Normal	0.0	
1/25/2021 10:00	Normal	0.0	
1/25/2021 11:00	Normal	0.0	
1/25/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/25/2021 13:00	Normal	0.0	
1/25/2021 14:00	Normal	0.0	
1/25/2021 15:00	Normal	0.0	
1/25/2021 16:00	Normal	0.0	
1/25/2021 17:00	Normal	0.0	
1/25/2021 18:00	Normal	0.0	
1/25/2021 19:00	Normal	0.0	
1/25/2021 20:00	Normal	0.0	
1/25/2021 21:00	Normal	0.0	
1/25/2021 22:00	Normal	0.0	
1/25/2021 23:00	Normal	0.0	
1/26/2021 0:00	Normal	0.0	
1/26/2021 1:00	Normal	0.0	
1/26/2021 2:00	Normal	0.0	
1/26/2021 3:00	Normal	0.0	
1/26/2021 4:00	Normal	0.0	
1/26/2021 5:00	Normal	0.0	
1/26/2021 6:00	Normal	0.0	
1/26/2021 7:00	Normal	0.0	
1/26/2021 8:00	Normal	0.0	
1/26/2021 9:00	Normal	0.0	
1/26/2021 10:00	Normal	0.0	
1/26/2021 11:00	Normal	0.0	
1/26/2021 12:00	Normal	0.0	
1/26/2021 13:00	Normal	0.0	
1/26/2021 14:00	Normal	0.0	
1/26/2021 15:00	Normal	0.0	
1/26/2021 16:00	Normal	0.0	
1/26/2021 17:00	Normal	0.0	
1/26/2021 18:00	Normal	0.0	
1/26/2021 19:00	Normal	0.0	
1/26/2021 20:00	Normal	0.0	
1/26/2021 21:00	Normal	0.0	
1/26/2021 22:00	Normal	0.0	
1/26/2021 23:00	Normal	0.0	
1/27/2021 0:00	Normal	0.0	
1/27/2021 1:00	Normal	0.0	
1/27/2021 2:00	Normal	0.0	
1/27/2021 3:00	Normal	0.0	
1/27/2021 4:00	Normal	0.0	
1/27/2021 5:00	Normal	0.0	
1/27/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/27/2021 7:00	Normal	0.0	
1/27/2021 8:00	Normal	0.0	
1/27/2021 9:00	Normal	0.0	
1/27/2021 10:00	Normal	0.0	
1/27/2021 11:00	Normal	0.0	
1/27/2021 12:00	Normal	0.0	
1/27/2021 13:00	Normal	0.0	
1/27/2021 14:00	Normal	0.0	
1/27/2021 15:00	Normal	0.0	
1/27/2021 16:00	Normal	0.0	
1/27/2021 17:00	Normal	0.0	
1/27/2021 18:00	Normal	0.0	
1/27/2021 19:00	Normal	0.0	
1/27/2021 20:00	Normal	0.0	
1/27/2021 21:00	Normal	0.0	
1/27/2021 22:00	Normal	0.0	
1/27/2021 23:00	Normal	0.0	
1/28/2021 0:00	Normal	0.0	
1/28/2021 1:00	Normal	0.0	
1/28/2021 2:00	Normal	0.0	
1/28/2021 3:00	Normal	0.0	
1/28/2021 4:00	Normal	0.0	
1/28/2021 5:00	Normal	0.0	
1/28/2021 6:00	Normal	0.0	
1/28/2021 7:00	Normal	0.0	
1/28/2021 8:00	Normal	0.0	
1/28/2021 9:00	Normal	0.0	
1/28/2021 10:00	Normal	0.0	
1/28/2021 11:00	Normal	0.0	
1/28/2021 12:00	Normal	0.0	
1/28/2021 13:00	Normal	0.0	
1/28/2021 14:00	Normal	0.0	
1/28/2021 15:00	Normal	0.0	
1/28/2021 16:00	Normal	0.0	
1/28/2021 17:00	Normal	0.0	
1/28/2021 18:00	Normal	0.0	
1/28/2021 19:00	Normal	0.0	
1/28/2021 20:00	Normal	0.0	
1/28/2021 21:00	Normal	0.0	
1/28/2021 22:00	Normal	0.0	
1/28/2021 23:00	Normal	0.0	
1/29/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/29/2021 1:00	Normal	0.0	
1/29/2021 2:00	Normal	0.0	
1/29/2021 3:00	Normal	0.0	
1/29/2021 4:00	Normal	0.0	
1/29/2021 5:00	Normal	0.0	
1/29/2021 6:00	Normal	0.0	
1/29/2021 7:00	Normal	0.0	
1/29/2021 8:00	Normal	0.0	
1/29/2021 9:00	Normal	0.0	
1/29/2021 10:00	Normal	0.0	
1/29/2021 11:00	Normal	0.0	
1/29/2021 12:00	Normal	0.0	
1/29/2021 13:00	Normal	0.0	
1/29/2021 14:00	Normal	0.0	
1/29/2021 15:00	Normal	0.0	
1/29/2021 16:00	Normal	0.0	
1/29/2021 17:00	Normal	0.0	
1/29/2021 18:00	Normal	0.0	
1/29/2021 19:00	Normal	0.0	
1/29/2021 20:00	Normal	0.0	
1/29/2021 21:00	Normal	0.0	
1/29/2021 22:00	Normal	0.0	
1/29/2021 23:00	Normal	0.0	
1/30/2021 0:00	Normal	0.0	
1/30/2021 1:00	Normal	0.0	
1/30/2021 2:00	Normal	0.0	
1/30/2021 3:00	Normal	0.0	
1/30/2021 4:00	Normal	0.0	
1/30/2021 5:00	Normal	0.0	
1/30/2021 6:00	Normal	0.0	
1/30/2021 7:00	Normal	0.0	
1/30/2021 8:00	Normal	0.0	
1/30/2021 9:00	Normal	0.0	
1/30/2021 10:00	Normal	0.0	
1/30/2021 11:00	Normal	0.0	
1/30/2021 12:00	Normal	0.0	
1/30/2021 13:00	Normal	0.0	
1/30/2021 14:00	Normal	0.0	
1/30/2021 15:00	Normal	0.0	
1/30/2021 16:00	Normal	0.0	
1/30/2021 17:00	Normal	0.0	
1/30/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/30/2021 19:00	Normal	0.0	
1/30/2021 20:00	Normal	0.0	
1/30/2021 21:00	Normal	0.0	
1/30/2021 22:00	Normal	0.0	
1/30/2021 23:00	Normal	0.0	1.3
1/31/2021 0:00	Normal	0.0	
1/31/2021 1:00	Normal	0.0	
1/31/2021 2:00	Normal	0.0	
1/31/2021 3:00	Normal	0.0	
1/31/2021 4:00	Normal	0.0	
1/31/2021 5:00	Normal	0.0	
1/31/2021 6:00	Normal	0.0	
1/31/2021 7:00	Normal	0.0	
1/31/2021 8:00	Normal	0.0	
1/31/2021 9:00	Normal	0.0	
1/31/2021 10:00	Normal	0.0	
1/31/2021 11:00	Normal	0.0	
1/31/2021 12:00	Normal	0.0	
1/31/2021 13:00	Normal	0.0	
1/31/2021 14:00	Normal	0.0	
1/31/2021 15:00	Normal	0.0	
1/31/2021 16:00	Normal	0.0	
1/31/2021 17:00	Normal	0.0	
1/31/2021 18:00	Normal	0.0	
1/31/2021 19:00	Normal	0.0	
1/31/2021 20:00	Normal	0.0	
1/31/2021 21:00	Normal	0.0	
1/31/2021 22:00	Normal	0.0	
1/31/2021 23:00	Normal	0.0	1.3
2/1/2021 0:00	Normal	0.0	
2/1/2021 1:00	Normal	0.0	
2/1/2021 2:00	Normal	0.0	
2/1/2021 3:00	Normal	0.0	
2/1/2021 4:00	Normal	0.0	
2/1/2021 5:00	Normal	0.0	
2/1/2021 6:00	Normal	0.0	
2/1/2021 7:00	Normal	0.0	
2/1/2021 8:00	Normal	0.0	
2/1/2021 9:00	Normal	0.0	
2/1/2021 10:00	Normal	0.0	
2/1/2021 11:00	Normal	0.0	
2/1/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/1/2021 13:00	Normal	0.0	
2/1/2021 14:00	Normal	0.0	
2/1/2021 15:00	Normal	0.0	
2/1/2021 16:00	Normal	0.0	
2/1/2021 17:00	Normal	0.0	
2/1/2021 18:00	Normal	0.0	
2/1/2021 19:00	Malfunction	3.3	
2/1/2021 20:00	Normal	0.0	
2/1/2021 21:00	Normal	0.0	
2/1/2021 22:00	Normal	0.0	
2/1/2021 23:00	Normal	0.0	1.3
2/2/2021 0:00	Normal	0.0	
2/2/2021 1:00	Normal	0.0	
2/2/2021 2:00	Normal	0.0	
2/2/2021 3:00	Normal	0.0	
2/2/2021 4:00	Normal	0.0	
2/2/2021 5:00	Normal	0.0	
2/2/2021 6:00	Normal	0.0	
2/2/2021 7:00	Normal	0.0	
2/2/2021 8:00	Normal	0.0	
2/2/2021 9:00	Normal	0.0	
2/2/2021 10:00	Normal	0.0	
2/2/2021 11:00	Normal	0.0	
2/2/2021 12:00	Normal	0.0	
2/2/2021 13:00	Normal	0.0	
2/2/2021 14:00	Normal	0.0	
2/2/2021 15:00	Normal	0.0	
2/2/2021 16:00	Normal	0.0	
2/2/2021 17:00	Normal	0.0	
2/2/2021 18:00	Normal	0.0	
2/2/2021 19:00	Normal	0.0	
2/2/2021 20:00	Normal	0.0	
2/2/2021 21:00	Normal	0.0	
2/2/2021 22:00	Normal	0.0	
2/2/2021 23:00	Normal	0.0	1.3
2/3/2021 0:00	Normal	0.0	
2/3/2021 1:00	Normal	0.0	
2/3/2021 2:00	Normal	0.0	
2/3/2021 3:00	Normal	0.0	
2/3/2021 4:00	Normal	0.0	
2/3/2021 5:00	Normal	0.0	
2/3/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/3/2021 7:00	Normal	0.0	
2/3/2021 8:00	Normal	0.0	
2/3/2021 9:00	Normal	0.0	
2/3/2021 10:00	Normal	0.0	
2/3/2021 11:00	Normal	0.0	
2/3/2021 12:00	Normal	0.0	
2/3/2021 13:00	Normal	0.0	
2/3/2021 14:00	Normal	0.0	
2/3/2021 15:00	Normal	0.0	
2/3/2021 16:00	Normal	0.0	
2/3/2021 17:00	Normal	0.0	
2/3/2021 18:00	Normal	0.0	
2/3/2021 19:00	Normal	0.0	
2/3/2021 20:00	Normal	0.0	
2/3/2021 21:00	Normal	0.0	
2/3/2021 22:00	Normal	0.0	
2/3/2021 23:00	Normal	0.0	0.7
2/4/2021 0:00	Normal	0.0	
2/4/2021 1:00	Normal	0.0	
2/4/2021 2:00	Normal	0.0	
2/4/2021 3:00	Normal	0.0	
2/4/2021 4:00	Normal	0.0	
2/4/2021 5:00	Normal	0.0	
2/4/2021 6:00	Normal	0.0	
2/4/2021 7:00	Normal	0.0	
2/4/2021 8:00	Normal	0.0	
2/4/2021 9:00	Normal	0.0	
2/4/2021 10:00	Normal	0.0	
2/4/2021 11:00	Normal	0.0	
2/4/2021 12:00	Normal	0.0	
2/4/2021 13:00	Normal	0.0	
2/4/2021 14:00	Normal	0.0	
2/4/2021 15:00	Normal	0.0	
2/4/2021 16:00	Normal	0.0	
2/4/2021 17:00	Normal	0.0	
2/4/2021 18:00	Normal	0.0	
2/4/2021 19:00	Normal	0.0	
2/4/2021 20:00	Normal	0.0	
2/4/2021 21:00	Normal	0.0	
2/4/2021 22:00	Normal	0.0	
2/4/2021 23:00	Normal	0.0	0.7
2/5/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/5/2021 1:00	Normal	0.0	
2/5/2021 2:00	Normal	0.0	
2/5/2021 3:00	Normal	0.0	
2/5/2021 4:00	Normal	0.0	
2/5/2021 5:00	Normal	0.0	
2/5/2021 6:00	Normal	0.0	
2/5/2021 7:00	Normal	0.0	
2/5/2021 8:00	Normal	0.0	
2/5/2021 9:00	Normal	0.0	
2/5/2021 10:00	Normal	0.0	
2/5/2021 11:00	Normal	0.0	
2/5/2021 12:00	Normal	0.0	
2/5/2021 13:00	Normal	0.0	
2/5/2021 14:00	Normal	0.0	
2/5/2021 15:00	Normal	0.0	
2/5/2021 16:00	Normal	0.0	
2/5/2021 17:00	Normal	0.0	
2/5/2021 18:00	Normal	0.0	
2/5/2021 19:00	Normal	0.0	
2/5/2021 20:00	Normal	0.0	
2/5/2021 21:00	Normal	0.0	
2/5/2021 22:00	Normal	0.0	
2/5/2021 23:00	Normal	0.0	0.7
2/6/2021 0:00	Normal	0.0	
2/6/2021 1:00	Normal	0.0	
2/6/2021 2:00	Normal	0.0	
2/6/2021 3:00	Normal	0.0	
2/6/2021 4:00	Normal	0.0	
2/6/2021 5:00	Normal	0.0	
2/6/2021 6:00	Normal	0.0	
2/6/2021 7:00	Normal	0.0	
2/6/2021 8:00	Normal	0.0	
2/6/2021 9:00	Normal	0.0	
2/6/2021 10:00	Normal	0.0	
2/6/2021 11:00	Normal	0.0	
2/6/2021 12:00	Normal	0.0	
2/6/2021 13:00	Normal	0.0	
2/6/2021 14:00	Normal	0.0	
2/6/2021 15:00	Normal	0.0	
2/6/2021 16:00	Normal	0.0	
2/6/2021 17:00	Normal	0.0	
2/6/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/6/2021 19:00	Normal	0.0	
2/6/2021 20:00	Normal	0.0	
2/6/2021 21:00	Normal	0.0	
2/6/2021 22:00	Normal	0.0	
2/6/2021 23:00	Normal	0.0	0.4
2/7/2021 0:00	Normal	0.0	
2/7/2021 1:00	Normal	0.0	
2/7/2021 2:00	Normal	0.0	
2/7/2021 3:00	Normal	0.0	
2/7/2021 4:00	Normal	0.0	
2/7/2021 5:00	Normal	0.0	
2/7/2021 6:00	Normal	0.0	
2/7/2021 7:00	Normal	0.0	
2/7/2021 8:00	Normal	0.0	
2/7/2021 9:00	Normal	0.0	
2/7/2021 10:00	Normal	0.0	
2/7/2021 11:00	Normal	0.0	
2/7/2021 12:00	Normal	0.0	
2/7/2021 13:00	Normal	0.0	
2/7/2021 14:00	Normal	0.0	
2/7/2021 15:00	Normal	0.0	
2/7/2021 16:00	Normal	0.0	
2/7/2021 17:00	Normal	0.0	
2/7/2021 18:00	Normal	0.0	
2/7/2021 19:00	Normal	0.0	
2/7/2021 20:00	Normal	0.0	
2/7/2021 21:00	Normal	0.0	
2/7/2021 22:00	Normal	0.0	
2/7/2021 23:00	Normal	0.0	0.3
2/8/2021 0:00	Normal	0.0	
2/8/2021 1:00	Normal	0.0	
2/8/2021 2:00	Normal	0.0	
2/8/2021 3:00	Normal	0.0	
2/8/2021 4:00	Normal	0.0	
2/8/2021 5:00	Normal	0.0	
2/8/2021 6:00	Normal	0.0	
2/8/2021 7:00	Normal	0.0	
2/8/2021 8:00	Normal	0.0	
2/8/2021 9:00	Normal	0.0	
2/8/2021 10:00	Normal	0.0	
2/8/2021 11:00	Normal	0.0	
2/8/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/8/2021 13:00	Normal	0.0	
2/8/2021 14:00	Normal	0.0	
2/8/2021 15:00	Normal	0.0	
2/8/2021 16:00	Normal	0.0	
2/8/2021 17:00	Normal	0.0	
2/8/2021 18:00	Normal	0.0	
2/8/2021 19:00	Normal	0.0	
2/8/2021 20:00	Normal	0.0	
2/8/2021 21:00	Normal	0.0	
2/8/2021 22:00	Normal	0.0	
2/8/2021 23:00	Normal	0.0	0.3
2/9/2021 0:00	Normal	0.0	
2/9/2021 1:00	Normal	0.0	
2/9/2021 2:00	Normal	0.0	
2/9/2021 3:00	Normal	0.0	
2/9/2021 4:00	Normal	0.0	
2/9/2021 5:00	Normal	0.0	
2/9/2021 6:00	Normal	0.0	
2/9/2021 7:00	Normal	0.0	
2/9/2021 8:00	Normal	0.0	
2/9/2021 9:00	Normal	0.0	
2/9/2021 10:00	Normal	0.0	
2/9/2021 11:00	Normal	0.0	
2/9/2021 12:00	Normal	0.0	
2/9/2021 13:00	Normal	0.0	
2/9/2021 14:00	Normal	0.0	
2/9/2021 15:00	Normal	0.0	
2/9/2021 16:00	Normal	0.0	
2/9/2021 17:00	Normal	0.0	
2/9/2021 18:00	Normal	0.0	
2/9/2021 19:00	Normal	0.0	
2/9/2021 20:00	Normal	0.0	
2/9/2021 21:00	Normal	0.0	
2/9/2021 22:00	Normal	0.0	
2/9/2021 23:00	Normal	0.0	0.0
2/10/2021 0:00	Normal	0.0	
2/10/2021 1:00	Normal	0.0	
2/10/2021 2:00	Normal	0.0	
2/10/2021 3:00	Normal	0.0	
2/10/2021 4:00	Normal	0.0	
2/10/2021 5:00	Normal	0.0	
2/10/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/10/2021 7:00	Normal	0.0	
2/10/2021 8:00	Normal	0.0	
2/10/2021 9:00	Normal	0.0	
2/10/2021 10:00	Normal	0.0	
2/10/2021 11:00	Normal	0.0	
2/10/2021 12:00	Normal	0.0	
2/10/2021 13:00	Normal	0.0	
2/10/2021 14:00	Normal	0.0	
2/10/2021 15:00	Normal	0.0	
2/10/2021 16:00	Normal	0.0	
2/10/2021 17:00	Normal	0.0	
2/10/2021 18:00	Normal	0.0	
2/10/2021 19:00	Normal	0.0	
2/10/2021 20:00	Normal	0.0	
2/10/2021 21:00	Normal	0.0	
2/10/2021 22:00	Normal	0.0	
2/10/2021 23:00	Normal	0.0	0.0
2/11/2021 0:00	Normal	0.0	
2/11/2021 1:00	Normal	0.0	
2/11/2021 2:00	Normal	0.0	
2/11/2021 3:00	Normal	0.0	
2/11/2021 4:00	Normal	0.0	
2/11/2021 5:00	Normal	0.0	
2/11/2021 6:00	Normal	0.0	
2/11/2021 7:00	Normal	0.0	
2/11/2021 8:00	Normal	0.0	
2/11/2021 9:00	Normal	0.0	
2/11/2021 10:00	Normal	0.0	
2/11/2021 11:00	Normal	0.0	
2/11/2021 12:00	Normal	0.0	
2/11/2021 13:00	Normal	0.0	
2/11/2021 14:00	Normal	0.0	
2/11/2021 15:00	Normal	0.0	
2/11/2021 16:00	Normal	0.0	
2/11/2021 17:00	Normal	0.0	
2/11/2021 18:00	Normal	0.0	
2/11/2021 19:00	Normal	0.0	
2/11/2021 20:00	Normal	0.0	
2/11/2021 21:00	Normal	0.0	
2/11/2021 22:00	Normal	0.0	
2/11/2021 23:00	Normal	0.0	0.0
2/12/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/12/2021 1:00	Normal	0.0	
2/12/2021 2:00	Normal	0.0	
2/12/2021 3:00	Normal	0.0	
2/12/2021 4:00	Normal	0.0	
2/12/2021 5:00	Normal	0.0	
2/12/2021 6:00	Normal	0.0	
2/12/2021 7:00	Normal	0.0	
2/12/2021 8:00	Normal	0.0	
2/12/2021 9:00	Normal	0.0	
2/12/2021 10:00	Normal	0.0	
2/12/2021 11:00	Normal	0.0	
2/12/2021 12:00	Normal	0.0	
2/12/2021 13:00	Normal	0.0	
2/12/2021 14:00	Normal	0.0	
2/12/2021 15:00	Normal	0.0	
2/12/2021 16:00	Normal	0.0	
2/12/2021 17:00	Normal	0.0	
2/12/2021 18:00	Normal	0.0	
2/12/2021 19:00	Normal	0.0	
2/12/2021 20:00	Normal	0.0	
2/12/2021 21:00	Normal	0.0	
2/12/2021 22:00	Normal	0.0	
2/12/2021 23:00	Normal	0.0	0.0
2/13/2021 0:00	Normal	0.0	
2/13/2021 1:00	Normal	0.0	
2/13/2021 2:00	Normal	0.0	
2/13/2021 3:00	Normal	0.0	
2/13/2021 4:00	Normal	0.0	
2/13/2021 5:00	Normal	0.0	
2/13/2021 6:00	Normal	0.0	
2/13/2021 7:00	Normal	0.0	
2/13/2021 8:00	Normal	0.0	
2/13/2021 9:00	Normal	0.0	
2/13/2021 10:00	Normal	0.0	
2/13/2021 11:00	Normal	0.0	
2/13/2021 12:00	Normal	0.0	
2/13/2021 13:00	Normal	0.0	
2/13/2021 14:00	Normal	0.0	
2/13/2021 15:00	Normal	0.0	
2/13/2021 16:00	Normal	0.0	
2/13/2021 17:00	Normal	0.0	
2/13/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/13/2021 19:00	Normal	0.0	
2/13/2021 20:00	Normal	0.0	
2/13/2021 21:00	Normal	0.0	
2/13/2021 22:00	Normal	0.0	
2/13/2021 23:00	Normal	0.0	0.0
2/14/2021 0:00	Normal	0.0	
2/14/2021 1:00	Normal	0.0	
2/14/2021 2:00	Normal	0.0	
2/14/2021 3:00	Normal	0.0	
2/14/2021 4:00	Normal	0.0	
2/14/2021 5:00	Normal	0.0	
2/14/2021 6:00	Normal	0.0	
2/14/2021 7:00	Normal	0.0	
2/14/2021 8:00	Normal	0.0	
2/14/2021 9:00	Normal	0.0	
2/14/2021 10:00	Normal	0.0	
2/14/2021 11:00	Normal	0.0	
2/14/2021 12:00	Normal	0.0	
2/14/2021 13:00	Normal	0.0	
2/14/2021 14:00	Normal	0.0	
2/14/2021 15:00	Normal	0.0	
2/14/2021 16:00	Normal	0.0	
2/14/2021 17:00	Normal	0.0	
2/14/2021 18:00	Normal	0.0	
2/14/2021 19:00	Normal	0.0	
2/14/2021 20:00	Normal	0.0	
2/14/2021 21:00	Normal	0.0	
2/14/2021 22:00	Normal	0.0	
2/14/2021 23:00	Normal	0.0	0.0
2/15/2021 0:00	Normal	0.0	
2/15/2021 1:00	Normal	0.0	
2/15/2021 2:00	Normal	0.0	
2/15/2021 3:00	Normal	0.0	
2/15/2021 4:00	Normal	0.0	
2/15/2021 5:00	Normal	0.0	
2/15/2021 6:00	Normal	0.0	
2/15/2021 7:00	Normal	0.0	
2/15/2021 8:00	Normal	0.0	
2/15/2021 9:00	Normal	0.0	
2/15/2021 10:00	Normal	0.0	
2/15/2021 11:00	Normal	0.0	
2/15/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/15/2021 13:00	Normal	0.0	
2/15/2021 14:00	Normal	0.0	
2/15/2021 15:00	Normal	0.0	
2/15/2021 16:00	Normal	0.0	
2/15/2021 17:00	Normal	0.0	
2/15/2021 18:00	Normal	0.0	
2/15/2021 19:00	Normal	0.0	
2/15/2021 20:00	Normal	0.0	
2/15/2021 21:00	Normal	0.0	
2/15/2021 22:00	Normal	0.0	
2/15/2021 23:00	Normal	0.0	0.0
2/16/2021 0:00	Normal	0.0	
2/16/2021 1:00	Normal	0.0	
2/16/2021 2:00	Normal	0.0	
2/16/2021 3:00	Normal	0.0	
2/16/2021 4:00	Normal	0.0	
2/16/2021 5:00	Normal	0.0	
2/16/2021 6:00	Normal	0.0	
2/16/2021 7:00	Normal	0.0	
2/16/2021 8:00	Normal	0.0	
2/16/2021 9:00	Normal	0.0	
2/16/2021 10:00	Normal	0.0	
2/16/2021 11:00	Normal	0.0	
2/16/2021 12:00	Normal	0.0	
2/16/2021 13:00	Normal	0.0	
2/16/2021 14:00	Normal	0.0	
2/16/2021 15:00	Normal	0.0	
2/16/2021 16:00	Normal	0.0	
2/16/2021 17:00	Normal	0.0	
2/16/2021 18:00	Normal	0.0	
2/16/2021 19:00	Normal	0.0	
2/16/2021 20:00	Normal	0.0	
2/16/2021 21:00	Normal	0.0	
2/16/2021 22:00	Normal	0.0	
2/16/2021 23:00	Normal	0.0	0.0
2/17/2021 0:00	Normal	0.0	
2/17/2021 1:00	Normal	0.0	
2/17/2021 2:00	Normal	0.0	
2/17/2021 3:00	Normal	0.0	
2/17/2021 4:00	Normal	0.0	
2/17/2021 5:00	Normal	0.0	
2/17/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/17/2021 7:00	Normal	0.0	
2/17/2021 8:00	Normal	0.0	
2/17/2021 9:00	Normal	0.0	
2/17/2021 10:00	Normal	0.0	
2/17/2021 11:00	Normal	0.0	
2/17/2021 12:00	Malfunction	417.9	
2/17/2021 13:00	Malfunction	3707.2	
2/17/2021 14:00	Malfunction	1441.4	
2/17/2021 15:00	Malfunction	12.7	
2/17/2021 16:00	Normal	0.0	
2/17/2021 17:00	Normal	0.0	
2/17/2021 18:00	Normal	0.0	
2/17/2021 19:00	Normal	0.0	
2/17/2021 20:00	Normal	0.0	
2/17/2021 21:00	Normal	0.0	
2/17/2021 22:00	Normal	0.0	
2/17/2021 23:00	Normal	0.0	7.8
2/18/2021 0:00	Normal	0.0	
2/18/2021 1:00	Normal	0.0	
2/18/2021 2:00	Normal	0.0	
2/18/2021 3:00	Normal	0.0	
2/18/2021 4:00	Normal	0.0	
2/18/2021 5:00	Normal	0.0	
2/18/2021 6:00	Normal	0.0	
2/18/2021 7:00	Normal	0.0	
2/18/2021 8:00	Normal	0.0	
2/18/2021 9:00	Normal	0.0	
2/18/2021 10:00	Normal	0.0	
2/18/2021 11:00	Normal	0.0	
2/18/2021 12:00	Normal	0.0	
2/18/2021 13:00	Normal	0.0	
2/18/2021 14:00	Normal	0.0	
2/18/2021 15:00	Normal	0.0	
2/18/2021 16:00	Normal	0.0	
2/18/2021 17:00	Normal	0.0	
2/18/2021 18:00	Normal	0.0	
2/18/2021 19:00	Normal	0.0	
2/18/2021 20:00	Normal	0.0	
2/18/2021 21:00	Normal	0.0	
2/18/2021 22:00	Normal	0.0	
2/18/2021 23:00	Normal	0.0	7.8
2/19/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/19/2021 1:00	Normal	0.0	
2/19/2021 2:00	Normal	0.0	
2/19/2021 3:00	Normal	0.0	
2/19/2021 4:00	Normal	0.0	
2/19/2021 5:00	Normal	0.0	
2/19/2021 6:00	Normal	0.0	
2/19/2021 7:00	Normal	0.0	
2/19/2021 8:00	Normal	0.0	
2/19/2021 9:00	Normal	0.0	
2/19/2021 10:00	Normal	0.0	
2/19/2021 11:00	Normal	0.0	
2/19/2021 12:00	Normal	0.0	
2/19/2021 13:00	Normal	0.0	
2/19/2021 14:00	Normal	0.0	
2/19/2021 15:00	Normal	0.0	
2/19/2021 16:00	Normal	0.0	
2/19/2021 17:00	Normal	0.0	
2/19/2021 18:00	Normal	0.0	
2/19/2021 19:00	Normal	0.0	
2/19/2021 20:00	Normal	0.0	
2/19/2021 21:00	Normal	0.0	
2/19/2021 22:00	Normal	0.0	
2/19/2021 23:00	Normal	0.0	7.8
2/20/2021 0:00	Normal	0.0	
2/20/2021 1:00	Normal	0.0	
2/20/2021 2:00	Normal	0.0	
2/20/2021 3:00	Normal	0.0	
2/20/2021 4:00	Normal	0.0	
2/20/2021 5:00	Normal	0.0	
2/20/2021 6:00	Normal	0.0	
2/20/2021 7:00	Normal	0.0	
2/20/2021 8:00	Normal	0.0	
2/20/2021 9:00	Normal	0.0	
2/20/2021 10:00	Normal	0.0	
2/20/2021 11:00	Normal	0.0	
2/20/2021 12:00	Normal	0.0	
2/20/2021 13:00	Normal	0.0	
2/20/2021 14:00	Normal	0.0	
2/20/2021 15:00	Normal	0.0	
2/20/2021 16:00	Normal	0.0	
2/20/2021 17:00	Normal	0.0	
2/20/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/20/2021 19:00	Normal	0.0	
2/20/2021 20:00	Normal	0.0	
2/20/2021 21:00	Normal	0.0	
2/20/2021 22:00	Normal	0.0	
2/20/2021 23:00	Normal	0.0	7.8
2/21/2021 0:00	Normal	0.0	
2/21/2021 1:00	Normal	0.0	
2/21/2021 2:00	Normal	0.0	
2/21/2021 3:00	Normal	0.0	
2/21/2021 4:00	Normal	0.0	
2/21/2021 5:00	Normal	0.0	
2/21/2021 6:00	Normal	0.0	
2/21/2021 7:00	Normal	0.0	
2/21/2021 8:00	Normal	0.0	
2/21/2021 9:00	Normal	0.0	
2/21/2021 10:00	Normal	0.0	
2/21/2021 11:00	Normal	0.0	
2/21/2021 12:00	Normal	0.0	
2/21/2021 13:00	Normal	0.0	
2/21/2021 14:00	Normal	0.0	
2/21/2021 15:00	Normal	0.0	
2/21/2021 16:00	Normal	0.0	
2/21/2021 17:00	Normal	0.0	
2/21/2021 18:00	Normal	0.0	
2/21/2021 19:00	Normal	0.0	
2/21/2021 20:00	Normal	0.0	
2/21/2021 21:00	Normal	0.0	
2/21/2021 22:00	Normal	0.0	
2/21/2021 23:00	Normal	0.0	7.8
2/22/2021 0:00	Normal	0.0	
2/22/2021 1:00	Normal	0.0	
2/22/2021 2:00	Normal	0.0	
2/22/2021 3:00	Normal	0.0	
2/22/2021 4:00	Normal	0.0	
2/22/2021 5:00	Normal	0.0	
2/22/2021 6:00	Normal	0.0	
2/22/2021 7:00	Normal	0.0	
2/22/2021 8:00	Normal	0.0	
2/22/2021 9:00	Normal	0.0	
2/22/2021 10:00	Normal	0.0	
2/22/2021 11:00	Normal	0.0	
2/22/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/22/2021 13:00	Normal	0.0	
2/22/2021 14:00	Normal	0.0	
2/22/2021 15:00	Normal	0.0	
2/22/2021 16:00	Normal	0.0	
2/22/2021 17:00	Normal	0.0	
2/22/2021 18:00	Normal	0.0	
2/22/2021 19:00	Normal	0.0	
2/22/2021 20:00	Normal	0.0	
2/22/2021 21:00	Normal	0.0	
2/22/2021 22:00	Normal	0.0	
2/22/2021 23:00	Normal	0.0	7.8
2/23/2021 0:00	Normal	0.0	
2/23/2021 1:00	Normal	0.0	
2/23/2021 2:00	Normal	0.0	
2/23/2021 3:00	Normal	0.0	
2/23/2021 4:00	Normal	0.0	
2/23/2021 5:00	Normal	0.0	
2/23/2021 6:00	Normal	0.0	
2/23/2021 7:00	Normal	0.0	
2/23/2021 8:00	Normal	0.0	
2/23/2021 9:00	Normal	0.0	
2/23/2021 10:00	Normal	0.0	
2/23/2021 11:00	Normal	0.0	
2/23/2021 12:00	Normal	0.0	
2/23/2021 13:00	Normal	0.0	
2/23/2021 14:00	Normal	0.0	
2/23/2021 15:00	Normal	0.0	
2/23/2021 16:00	Normal	0.0	
2/23/2021 17:00	Normal	0.0	
2/23/2021 18:00	Normal	0.0	
2/23/2021 19:00	Normal	0.0	
2/23/2021 20:00	Normal	0.0	
2/23/2021 21:00	Normal	0.0	
2/23/2021 22:00	Normal	0.0	
2/23/2021 23:00	Normal	0.0	7.8
2/24/2021 0:00	Normal	0.0	
2/24/2021 1:00	Normal	0.0	
2/24/2021 2:00	Normal	0.0	
2/24/2021 3:00	Normal	0.0	
2/24/2021 4:00	Normal	0.0	
2/24/2021 5:00	Normal	0.0	
2/24/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/24/2021 7:00	Normal	0.0	
2/24/2021 8:00	Normal	0.0	
2/24/2021 9:00	Normal	0.0	
2/24/2021 10:00	Normal	0.0	
2/24/2021 11:00	Normal	0.0	
2/24/2021 12:00	Normal	0.0	
2/24/2021 13:00	Normal	0.0	
2/24/2021 14:00	Normal	0.0	
2/24/2021 15:00	Normal	0.0	
2/24/2021 16:00	Normal	0.0	
2/24/2021 17:00	Normal	0.0	
2/24/2021 18:00	Normal	0.0	
2/24/2021 19:00	Normal	0.0	
2/24/2021 20:00	Normal	0.0	
2/24/2021 21:00	Normal	0.0	
2/24/2021 22:00	Normal	0.0	
2/24/2021 23:00	Normal	0.0	7.8
2/25/2021 0:00	Malfunction	87.2	
2/25/2021 1:00	Normal	0.0	
2/25/2021 2:00	Normal	0.0	
2/25/2021 3:00	Normal	0.0	
2/25/2021 4:00	Normal	0.0	
2/25/2021 5:00	Normal	0.0	
2/25/2021 6:00	Normal	0.0	
2/25/2021 7:00	Normal	0.0	
2/25/2021 8:00	Normal	0.0	
2/25/2021 9:00	Normal	0.0	
2/25/2021 10:00	Normal	0.0	
2/25/2021 11:00	Normal	0.0	
2/25/2021 12:00	Normal	0.0	
2/25/2021 13:00	Normal	0.0	
2/25/2021 14:00	Normal	0.0	
2/25/2021 15:00	Normal	0.0	
2/25/2021 16:00	Normal	0.0	
2/25/2021 17:00	Normal	0.0	
2/25/2021 18:00	Normal	0.0	
2/25/2021 19:00	Normal	0.0	
2/25/2021 20:00	Normal	0.0	
2/25/2021 21:00	Normal	0.0	
2/25/2021 22:00	Normal	0.0	
2/25/2021 23:00	Normal	0.0	7.9
2/26/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/26/2021 1:00	Normal	0.0	
2/26/2021 2:00	Normal	0.0	
2/26/2021 3:00	Normal	0.0	
2/26/2021 4:00	Normal	0.0	
2/26/2021 5:00	Normal	0.0	
2/26/2021 6:00	Normal	0.0	
2/26/2021 7:00	Normal	0.0	
2/26/2021 8:00	Normal	0.0	
2/26/2021 9:00	Normal	0.0	
2/26/2021 10:00	Normal	0.0	
2/26/2021 11:00	Normal	0.0	
2/26/2021 12:00	Normal	0.0	
2/26/2021 13:00	Normal	0.0	
2/26/2021 14:00	Normal	0.0	
2/26/2021 15:00	Normal	0.0	
2/26/2021 16:00	Normal	0.0	
2/26/2021 17:00	Normal	0.0	
2/26/2021 18:00	Normal	0.0	
2/26/2021 19:00	Normal	0.0	
2/26/2021 20:00	Normal	0.0	
2/26/2021 21:00	Normal	0.0	
2/26/2021 22:00	Normal	0.0	
2/26/2021 23:00	Normal	0.0	7.9
2/27/2021 0:00	Normal	0.0	
2/27/2021 1:00	Normal	0.0	
2/27/2021 2:00	Normal	0.0	
2/27/2021 3:00	Normal	0.0	
2/27/2021 4:00	Normal	0.0	
2/27/2021 5:00	Normal	0.0	
2/27/2021 6:00	Normal	0.0	
2/27/2021 7:00	Normal	0.0	
2/27/2021 8:00	Normal	0.0	
2/27/2021 9:00	Normal	0.0	
2/27/2021 10:00	Normal	0.0	
2/27/2021 11:00	Normal	0.0	
2/27/2021 12:00	Normal	0.0	
2/27/2021 13:00	Normal	0.0	
2/27/2021 14:00	Normal	0.0	
2/27/2021 15:00	Normal	0.0	
2/27/2021 16:00	Normal	0.0	
2/27/2021 17:00	Normal	0.0	
2/27/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/27/2021 19:00	Normal	0.0	
2/27/2021 20:00	Normal	0.0	
2/27/2021 21:00	Normal	0.0	
2/27/2021 22:00	Normal	0.0	
2/27/2021 23:00	Normal	0.0	7.9
2/28/2021 0:00	Normal	0.0	
2/28/2021 1:00	Normal	0.0	
2/28/2021 2:00	Normal	0.0	
2/28/2021 3:00	Normal	0.0	
2/28/2021 4:00	Normal	0.0	
2/28/2021 5:00	Normal	0.0	
2/28/2021 6:00	Normal	0.0	
2/28/2021 7:00	Normal	0.0	
2/28/2021 8:00	Normal	0.0	
2/28/2021 9:00	Normal	0.0	
2/28/2021 10:00	Normal	0.0	
2/28/2021 11:00	Normal	0.0	
2/28/2021 12:00	Normal	0.0	
2/28/2021 13:00	Normal	0.0	
2/28/2021 14:00	Normal	0.0	
2/28/2021 15:00	Normal	0.0	
2/28/2021 16:00	Normal	0.0	
2/28/2021 17:00	Normal	0.0	
2/28/2021 18:00	Normal	0.0	
2/28/2021 19:00	Normal	0.0	
2/28/2021 20:00	Normal	0.0	
2/28/2021 21:00	Normal	0.0	
2/28/2021 22:00	Normal	0.0	
2/28/2021 23:00	Normal	0.0	7.9
3/1/2021 0:00	Normal	0.0	
3/1/2021 1:00	Normal	0.0	
3/1/2021 2:00	Normal	0.0	
3/1/2021 3:00	Normal	0.0	
3/1/2021 4:00	Normal	0.0	
3/1/2021 5:00	Normal	0.0	
3/1/2021 6:00	Normal	0.0	
3/1/2021 7:00	Normal	0.0	
3/1/2021 8:00	Normal	0.0	
3/1/2021 9:00	Normal	0.0	
3/1/2021 10:00	Normal	0.0	
3/1/2021 11:00	Normal	0.0	
3/1/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/1/2021 13:00	Normal	0.0	
3/1/2021 14:00	Normal	0.0	
3/1/2021 15:00	Normal	0.0	
3/1/2021 16:00	Normal	0.0	
3/1/2021 17:00	Normal	0.0	
3/1/2021 18:00	Normal	0.0	
3/1/2021 19:00	Normal	0.0	
3/1/2021 20:00	Normal	0.0	
3/1/2021 21:00	Normal	0.0	
3/1/2021 22:00	Normal	0.0	
3/1/2021 23:00	Normal	0.0	7.9
3/2/2021 0:00	Normal	0.0	
3/2/2021 1:00	Normal	0.0	
3/2/2021 2:00	Normal	0.0	
3/2/2021 3:00	Normal	0.0	
3/2/2021 4:00	Normal	0.0	
3/2/2021 5:00	Normal	0.0	
3/2/2021 6:00	Normal	0.0	
3/2/2021 7:00	Normal	0.0	
3/2/2021 8:00	Normal	0.0	
3/2/2021 9:00	Normal	0.0	
3/2/2021 10:00	Normal	0.0	
3/2/2021 11:00	Normal	0.0	
3/2/2021 12:00	Normal	0.0	
3/2/2021 13:00	Normal	0.0	
3/2/2021 14:00	Normal	0.0	
3/2/2021 15:00	Normal	0.0	
3/2/2021 16:00	Normal	0.0	
3/2/2021 17:00	Normal	0.0	
3/2/2021 18:00	Normal	0.0	
3/2/2021 19:00	Normal	0.0	
3/2/2021 20:00	Normal	0.0	
3/2/2021 21:00	Normal	0.0	
3/2/2021 22:00	Normal	0.0	
3/2/2021 23:00	Normal	0.0	7.9
3/3/2021 0:00	Normal	0.0	
3/3/2021 1:00	Normal	0.0	
3/3/2021 2:00	Normal	0.0	
3/3/2021 3:00	Normal	0.0	
3/3/2021 4:00	Normal	0.0	
3/3/2021 5:00	Normal	0.0	
3/3/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/3/2021 7:00	Normal	0.0	
3/3/2021 8:00	Normal	0.0	
3/3/2021 9:00	Normal	0.0	
3/3/2021 10:00	Normal	0.0	
3/3/2021 11:00	Normal	0.0	
3/3/2021 12:00	Normal	0.0	
3/3/2021 13:00	Normal	0.0	
3/3/2021 14:00	Normal	0.0	
3/3/2021 15:00	Normal	0.0	
3/3/2021 16:00	Normal	0.0	
3/3/2021 17:00	Normal	0.0	
3/3/2021 18:00	Normal	0.0	
3/3/2021 19:00	Normal	0.0	
3/3/2021 20:00	Normal	0.0	
3/3/2021 21:00	Normal	0.0	
3/3/2021 22:00	Normal	0.0	
3/3/2021 23:00	Normal	0.0	7.9
3/4/2021 0:00	Normal	0.0	
3/4/2021 1:00	Normal	0.0	
3/4/2021 2:00	Normal	0.0	
3/4/2021 3:00	Normal	0.0	
3/4/2021 4:00	Normal	0.0	
3/4/2021 5:00	Normal	0.0	
3/4/2021 6:00	Normal	0.0	
3/4/2021 7:00	Normal	0.0	
3/4/2021 8:00	Normal	0.0	
3/4/2021 9:00	Normal	0.0	
3/4/2021 10:00	Normal	0.0	
3/4/2021 11:00	Normal	0.0	
3/4/2021 12:00	Normal	0.0	
3/4/2021 13:00	Normal	0.0	
3/4/2021 14:00	Normal	0.0	
3/4/2021 15:00	Normal	0.0	
3/4/2021 16:00	Normal	0.0	
3/4/2021 17:00	Normal	0.0	
3/4/2021 18:00	Normal	0.0	
3/4/2021 19:00	Normal	0.0	
3/4/2021 20:00	Normal	0.0	
3/4/2021 21:00	Normal	0.0	
3/4/2021 22:00	Normal	0.0	
3/4/2021 23:00	Normal	0.0	7.9
3/5/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/5/2021 1:00	Normal	0.0	
3/5/2021 2:00	Normal	0.0	
3/5/2021 3:00	Normal	0.0	
3/5/2021 4:00	Normal	0.0	
3/5/2021 5:00	Normal	0.0	
3/5/2021 6:00	Normal	0.0	
3/5/2021 7:00	Normal	0.0	
3/5/2021 8:00	Normal	0.0	
3/5/2021 9:00	Normal	0.0	
3/5/2021 10:00	Normal	0.0	
3/5/2021 11:00	Normal	0.0	
3/5/2021 12:00	Normal	0.0	
3/5/2021 13:00	Normal	0.0	
3/5/2021 14:00	Normal	0.0	
3/5/2021 15:00	Normal	0.0	
3/5/2021 16:00	Normal	0.0	
3/5/2021 17:00	Normal	0.0	
3/5/2021 18:00	Normal	0.0	
3/5/2021 19:00	Normal	0.0	
3/5/2021 20:00	Normal	0.0	
3/5/2021 21:00	Normal	0.0	
3/5/2021 22:00	Normal	0.0	
3/5/2021 23:00	Normal	0.0	7.9
3/6/2021 0:00	Normal	0.0	
3/6/2021 1:00	Normal	0.0	
3/6/2021 2:00	Normal	0.0	
3/6/2021 3:00	Normal	0.0	
3/6/2021 4:00	Normal	0.0	
3/6/2021 5:00	Normal	0.0	
3/6/2021 6:00	Normal	0.0	
3/6/2021 7:00	Normal	0.0	
3/6/2021 8:00	Normal	0.0	
3/6/2021 9:00	Normal	0.0	
3/6/2021 10:00	Normal	0.0	
3/6/2021 11:00	Normal	0.0	
3/6/2021 12:00	Normal	0.0	
3/6/2021 13:00	Normal	0.0	
3/6/2021 14:00	Normal	0.0	
3/6/2021 15:00	Normal	0.0	
3/6/2021 16:00	Normal	0.0	
3/6/2021 17:00	Normal	0.0	
3/6/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/6/2021 19:00	Normal	0.0	
3/6/2021 20:00	Normal	0.0	
3/6/2021 21:00	Normal	0.0	
3/6/2021 22:00	Normal	0.0	
3/6/2021 23:00	Normal	0.0	7.9
3/7/2021 0:00	Normal	0.0	
3/7/2021 1:00	Normal	0.0	
3/7/2021 2:00	Normal	0.0	
3/7/2021 3:00	Normal	0.0	
3/7/2021 4:00	Normal	0.0	
3/7/2021 5:00	Normal	0.0	
3/7/2021 6:00	Normal	0.0	
3/7/2021 7:00	Normal	0.0	
3/7/2021 8:00	Normal	0.0	
3/7/2021 9:00	Normal	0.0	
3/7/2021 10:00	Normal	0.0	
3/7/2021 11:00	Normal	0.0	
3/7/2021 12:00	Normal	0.0	
3/7/2021 13:00	Normal	0.0	
3/7/2021 14:00	Normal	0.0	
3/7/2021 15:00	Normal	0.0	
3/7/2021 16:00	Normal	0.0	
3/7/2021 17:00	Normal	0.0	
3/7/2021 18:00	Normal	0.0	
3/7/2021 19:00	Normal	0.0	
3/7/2021 20:00	Normal	0.0	
3/7/2021 21:00	Normal	0.0	
3/7/2021 22:00	Normal	0.0	
3/7/2021 23:00	Normal	0.0	7.9
3/8/2021 0:00	Normal	0.0	
3/8/2021 1:00	Normal	0.0	
3/8/2021 2:00	Normal	0.0	
3/8/2021 3:00	Normal	0.0	
3/8/2021 4:00	Normal	0.0	
3/8/2021 5:00	Normal	0.0	
3/8/2021 6:00	Normal	0.0	
3/8/2021 7:00	Normal	0.0	
3/8/2021 8:00	Normal	0.0	
3/8/2021 9:00	Normal	0.0	
3/8/2021 10:00	Normal	0.0	
3/8/2021 11:00	Normal	0.0	
3/8/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/8/2021 13:00	Normal	0.0	
3/8/2021 14:00	Normal	0.0	
3/8/2021 15:00	Normal	0.0	
3/8/2021 16:00	Normal	0.0	
3/8/2021 17:00	Normal	0.0	
3/8/2021 18:00	Normal	0.0	
3/8/2021 19:00	Normal	0.0	
3/8/2021 20:00	Normal	0.0	
3/8/2021 21:00	Normal	0.0	
3/8/2021 22:00	Normal	0.0	
3/8/2021 23:00	Normal	0.0	7.9
3/9/2021 0:00	Normal	0.0	
3/9/2021 1:00	Normal	0.0	
3/9/2021 2:00	Normal	0.0	
3/9/2021 3:00	Normal	0.0	
3/9/2021 4:00	Normal	0.0	
3/9/2021 5:00	Normal	0.0	
3/9/2021 6:00	Normal	0.0	
3/9/2021 7:00	Normal	0.0	
3/9/2021 8:00	Normal	0.0	
3/9/2021 9:00	Normal	0.0	
3/9/2021 10:00	Normal	0.0	
3/9/2021 11:00	Normal	0.0	
3/9/2021 12:00	Normal	0.0	
3/9/2021 13:00	Normal	0.0	
3/9/2021 14:00	Normal	0.0	
3/9/2021 15:00	Normal	0.0	
3/9/2021 16:00	Normal	0.0	
3/9/2021 17:00	Normal	0.0	
3/9/2021 18:00	Normal	0.0	
3/9/2021 19:00	Normal	0.0	
3/9/2021 20:00	Normal	0.0	
3/9/2021 21:00	Normal	0.0	
3/9/2021 22:00	Normal	0.0	
3/9/2021 23:00	Normal	0.0	7.9
3/10/2021 0:00	Normal	0.0	
3/10/2021 1:00	Normal	0.0	
3/10/2021 2:00	Normal	0.0	
3/10/2021 3:00	Normal	0.0	
3/10/2021 4:00	Normal	0.0	
3/10/2021 5:00	Normal	0.0	
3/10/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/10/2021 7:00	Normal	0.0	
3/10/2021 8:00	Normal	0.0	
3/10/2021 9:00	Normal	0.0	
3/10/2021 10:00	Normal	0.0	
3/10/2021 11:00	Normal	0.0	
3/10/2021 12:00	Normal	0.0	
3/10/2021 13:00	Normal	0.0	
3/10/2021 14:00	Normal	0.0	
3/10/2021 15:00	Normal	0.0	
3/10/2021 16:00	Normal	0.0	
3/10/2021 17:00	Normal	0.0	
3/10/2021 18:00	Normal	0.0	
3/10/2021 19:00	Normal	0.0	
3/10/2021 20:00	Normal	0.0	
3/10/2021 21:00	Normal	0.0	
3/10/2021 22:00	Normal	0.0	
3/10/2021 23:00	Normal	0.0	7.9
3/11/2021 0:00	Normal	0.0	
3/11/2021 1:00	Normal	0.0	
3/11/2021 2:00	Normal	0.0	
3/11/2021 3:00	Normal	0.0	
3/11/2021 4:00	Normal	0.0	
3/11/2021 5:00	Normal	0.0	
3/11/2021 6:00	Normal	0.0	
3/11/2021 7:00	Normal	0.0	
3/11/2021 8:00	Normal	0.0	
3/11/2021 9:00	Normal	0.0	
3/11/2021 10:00	Normal	0.0	
3/11/2021 11:00	Normal	0.0	
3/11/2021 12:00	Normal	0.0	
3/11/2021 13:00	Normal	0.0	
3/11/2021 14:00	Normal	0.0	
3/11/2021 15:00	Normal	0.0	
3/11/2021 16:00	Normal	0.0	
3/11/2021 17:00	Normal	0.0	
3/11/2021 18:00	Normal	0.0	
3/11/2021 19:00	Normal	0.0	
3/11/2021 20:00	Normal	0.0	
3/11/2021 21:00	Normal	0.0	
3/11/2021 22:00	Normal	0.0	
3/11/2021 23:00	Normal	0.0	7.9
3/12/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/12/2021 1:00	Normal	0.0	
3/12/2021 2:00	Normal	0.0	
3/12/2021 3:00	Normal	0.0	
3/12/2021 4:00	Normal	0.0	
3/12/2021 5:00	Normal	0.0	
3/12/2021 6:00	Normal	0.0	
3/12/2021 7:00	Normal	0.0	
3/12/2021 8:00	Normal	0.0	
3/12/2021 9:00	Normal	0.0	
3/12/2021 10:00	Normal	0.0	
3/12/2021 11:00	Normal	0.0	
3/12/2021 12:00	Normal	0.0	
3/12/2021 13:00	Normal	0.0	
3/12/2021 14:00	Normal	0.0	
3/12/2021 15:00	Normal	0.0	
3/12/2021 16:00	Normal	0.0	
3/12/2021 17:00	Normal	0.0	
3/12/2021 18:00	Normal	0.0	
3/12/2021 19:00	Normal	0.0	
3/12/2021 20:00	Normal	0.0	
3/12/2021 21:00	Normal	0.0	
3/12/2021 22:00	Normal	0.0	
3/12/2021 23:00	Normal	0.0	7.9
3/13/2021 0:00	Normal	0.0	
3/13/2021 1:00	Normal	0.0	
3/13/2021 2:00	Normal	0.0	
3/13/2021 3:00	Normal	0.0	
3/13/2021 4:00	Normal	0.0	
3/13/2021 5:00	Normal	0.0	
3/13/2021 6:00	Normal	0.0	
3/13/2021 7:00	Normal	0.0	
3/13/2021 8:00	Normal	0.0	
3/13/2021 9:00	Normal	0.0	
3/13/2021 10:00	Normal	0.0	
3/13/2021 11:00	Normal	0.0	
3/13/2021 12:00	Normal	0.0	
3/13/2021 13:00	Normal	0.0	
3/13/2021 14:00	Normal	0.0	
3/13/2021 15:00	Normal	0.0	
3/13/2021 16:00	Normal	0.0	
3/13/2021 17:00	Normal	0.0	
3/13/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/13/2021 19:00	Normal	0.0	
3/13/2021 20:00	Normal	0.0	
3/13/2021 21:00	Normal	0.0	
3/13/2021 22:00	Normal	0.0	
3/13/2021 23:00	Normal	0.0	7.9
3/14/2021 0:00	Normal	0.0	
3/14/2021 1:00	Normal	0.0	
3/14/2021 2:00	Normal	0.0	
3/14/2021 3:00	Normal	0.0	
3/14/2021 4:00	Normal	0.0	
3/14/2021 5:00	Normal	0.0	
3/14/2021 6:00	Normal	0.0	
3/14/2021 7:00	Normal	0.0	
3/14/2021 8:00	Normal	0.0	
3/14/2021 9:00	Normal	0.0	
3/14/2021 10:00	Normal	0.0	
3/14/2021 11:00	Normal	0.0	
3/14/2021 12:00	Normal	0.0	
3/14/2021 13:00	Normal	0.0	
3/14/2021 14:00	Normal	0.0	
3/14/2021 15:00	Normal	0.0	
3/14/2021 16:00	Normal	0.0	
3/14/2021 17:00	Normal	0.0	
3/14/2021 18:00	Normal	0.0	
3/14/2021 19:00	Normal	0.0	
3/14/2021 20:00	Normal	0.0	
3/14/2021 21:00	Normal	0.0	
3/14/2021 22:00	Normal	0.0	
3/14/2021 23:00	Normal	0.0	7.9
3/15/2021 0:00	Normal	0.0	
3/15/2021 1:00	Normal	0.0	
3/15/2021 2:00	Normal	0.0	
3/15/2021 3:00	Normal	0.0	
3/15/2021 4:00	Normal	0.0	
3/15/2021 5:00	Normal	0.0	
3/15/2021 6:00	Normal	0.0	
3/15/2021 7:00	Normal	0.0	
3/15/2021 8:00	Normal	0.0	
3/15/2021 9:00	Normal	0.0	
3/15/2021 10:00	Normal	0.0	
3/15/2021 11:00	Normal	0.0	
3/15/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/15/2021 13:00	Normal	0.0	
3/15/2021 14:00	Normal	0.0	
3/15/2021 15:00	Normal	0.0	
3/15/2021 16:00	Normal	0.0	
3/15/2021 17:00	Normal	0.0	
3/15/2021 18:00	Normal	0.0	
3/15/2021 19:00	Normal	0.0	
3/15/2021 20:00	Normal	0.0	
3/15/2021 21:00	Normal	0.0	
3/15/2021 22:00	Normal	0.0	
3/15/2021 23:00	Normal	0.0	7.9
3/16/2021 0:00	Normal	0.0	
3/16/2021 1:00	Normal	0.0	
3/16/2021 2:00	Normal	0.0	
3/16/2021 3:00	Normal	0.0	
3/16/2021 4:00	Normal	0.0	
3/16/2021 5:00	Normal	0.0	
3/16/2021 6:00	Normal	0.0	
3/16/2021 7:00	Normal	0.0	
3/16/2021 8:00	Normal	0.0	
3/16/2021 9:00	Normal	0.0	
3/16/2021 10:00	Normal	0.0	
3/16/2021 11:00	Normal	0.0	
3/16/2021 12:00	Normal	0.0	
3/16/2021 13:00	Normal	0.0	
3/16/2021 14:00	Normal	0.0	
3/16/2021 15:00	Normal	0.0	
3/16/2021 16:00	Normal	0.0	
3/16/2021 17:00	Normal	0.0	
3/16/2021 18:00	Normal	0.0	
3/16/2021 19:00	Normal	0.0	
3/16/2021 20:00	Normal	0.0	
3/16/2021 21:00	Normal	0.0	
3/16/2021 22:00	Normal	0.0	
3/16/2021 23:00	Normal	0.0	7.9
3/17/2021 0:00	Normal	0.0	
3/17/2021 1:00	Normal	0.0	
3/17/2021 2:00	Normal	0.0	
3/17/2021 3:00	Normal	0.0	
3/17/2021 4:00	Normal	0.0	
3/17/2021 5:00	Normal	0.0	
3/17/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/17/2021 7:00	Normal	0.0	
3/17/2021 8:00	Normal	0.0	
3/17/2021 9:00	Normal	0.0	
3/17/2021 10:00	Normal	0.0	
3/17/2021 11:00	Normal	0.0	
3/17/2021 12:00	Normal	0.0	
3/17/2021 13:00	Normal	0.0	
3/17/2021 14:00	Normal	0.0	
3/17/2021 15:00	Normal	0.0	
3/17/2021 16:00	Normal	0.0	
3/17/2021 17:00	Normal	0.0	
3/17/2021 18:00	Normal	0.0	
3/17/2021 19:00	Normal	0.0	
3/17/2021 20:00	Normal	0.0	
3/17/2021 21:00	Normal	0.0	
3/17/2021 22:00	Normal	0.0	
3/17/2021 23:00	Normal	0.0	7.9
3/18/2021 0:00	Normal	0.0	
3/18/2021 1:00	Normal	0.0	
3/18/2021 2:00	Normal	0.0	
3/18/2021 3:00	Normal	0.0	
3/18/2021 4:00	Normal	0.0	
3/18/2021 5:00	Normal	0.0	
3/18/2021 6:00	Normal	0.0	
3/18/2021 7:00	Normal	0.0	
3/18/2021 8:00	Normal	0.0	
3/18/2021 9:00	Normal	0.0	
3/18/2021 10:00	Normal	0.0	
3/18/2021 11:00	Normal	0.0	
3/18/2021 12:00	Normal	0.0	
3/18/2021 13:00	Normal	0.0	
3/18/2021 14:00	Normal	0.0	
3/18/2021 15:00	Normal	0.0	
3/18/2021 16:00	Normal	0.0	
3/18/2021 17:00	Normal	0.0	
3/18/2021 18:00	Normal	0.0	
3/18/2021 19:00	Normal	0.0	
3/18/2021 20:00	Normal	0.0	
3/18/2021 21:00	Normal	0.0	
3/18/2021 22:00	Normal	0.0	
3/18/2021 23:00	Normal	0.0	7.9
3/19/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/19/2021 1:00	Normal	0.0	
3/19/2021 2:00	Normal	0.0	
3/19/2021 3:00	Normal	0.0	
3/19/2021 4:00	Normal	0.0	
3/19/2021 5:00	Normal	0.0	
3/19/2021 6:00	Normal	0.0	
3/19/2021 7:00	Normal	0.0	
3/19/2021 8:00	Normal	0.0	
3/19/2021 9:00	Normal	0.0	
3/19/2021 10:00	Normal	0.0	
3/19/2021 11:00	Normal	0.0	
3/19/2021 12:00	Normal	0.0	
3/19/2021 13:00	Normal	0.0	
3/19/2021 14:00	Normal	0.0	
3/19/2021 15:00	Normal	0.0	
3/19/2021 16:00	Normal	0.0	
3/19/2021 17:00	Normal	0.0	
3/19/2021 18:00	Normal	0.0	
3/19/2021 19:00	Normal	0.0	
3/19/2021 20:00	Normal	0.0	
3/19/2021 21:00	Normal	0.0	
3/19/2021 22:00	Normal	0.0	
3/19/2021 23:00	Normal	0.0	0.1
3/20/2021 0:00	Normal	0.0	
3/20/2021 1:00	Normal	0.0	
3/20/2021 2:00	Normal	0.0	
3/20/2021 3:00	Normal	0.0	
3/20/2021 4:00	Normal	0.0	
3/20/2021 5:00	Normal	0.0	
3/20/2021 6:00	Normal	0.0	
3/20/2021 7:00	Normal	0.0	
3/20/2021 8:00	Normal	0.0	
3/20/2021 9:00	Normal	0.0	
3/20/2021 10:00	Normal	0.0	
3/20/2021 11:00	Normal	0.0	
3/20/2021 12:00	Normal	0.0	
3/20/2021 13:00	Normal	0.0	
3/20/2021 14:00	Normal	0.0	
3/20/2021 15:00	Normal	0.0	
3/20/2021 16:00	Normal	0.0	
3/20/2021 17:00	Normal	0.0	
3/20/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/20/2021 19:00	Normal	0.0	
3/20/2021 20:00	Normal	0.0	
3/20/2021 21:00	Normal	0.0	
3/20/2021 22:00	Normal	0.0	
3/20/2021 23:00	Normal	0.0	0.1
3/21/2021 0:00	Normal	0.0	
3/21/2021 1:00	Normal	0.0	
3/21/2021 2:00	Normal	0.0	
3/21/2021 3:00	Normal	0.0	
3/21/2021 4:00	Normal	0.0	
3/21/2021 5:00	Normal	0.0	
3/21/2021 6:00	Normal	0.0	
3/21/2021 7:00	Normal	0.0	
3/21/2021 8:00	Normal	0.0	
3/21/2021 9:00	Normal	0.0	
3/21/2021 10:00	Normal	0.0	
3/21/2021 11:00	Normal	0.0	
3/21/2021 12:00	Normal	0.0	
3/21/2021 13:00	Normal	0.0	
3/21/2021 14:00	Normal	0.0	
3/21/2021 15:00	Normal	0.0	
3/21/2021 16:00	Normal	0.0	
3/21/2021 17:00	Normal	0.0	
3/21/2021 18:00	Normal	0.0	
3/21/2021 19:00	Normal	0.0	
3/21/2021 20:00	Normal	0.0	
3/21/2021 21:00	Normal	0.0	
3/21/2021 22:00	Normal	0.0	
3/21/2021 23:00	Normal	0.0	0.1
3/22/2021 0:00	Normal	0.0	
3/22/2021 1:00	Normal	0.0	
3/22/2021 2:00	Normal	0.0	
3/22/2021 3:00	Normal	0.0	
3/22/2021 4:00	Normal	0.0	
3/22/2021 5:00	Normal	0.0	
3/22/2021 6:00	Normal	0.0	
3/22/2021 7:00	Normal	0.0	
3/22/2021 8:00	Normal	0.0	
3/22/2021 9:00	Normal	0.0	
3/22/2021 10:00	Normal	0.0	
3/22/2021 11:00	Normal	0.0	
3/22/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/22/2021 13:00	Normal	0.0	
3/22/2021 14:00	Normal	0.0	
3/22/2021 15:00	Normal	0.0	
3/22/2021 16:00	Normal	0.0	
3/22/2021 17:00	Normal	0.0	
3/22/2021 18:00	Normal	0.0	
3/22/2021 19:00	Normal	0.0	
3/22/2021 20:00	Normal	0.0	
3/22/2021 21:00	Normal	0.0	
3/22/2021 22:00	Normal	0.0	
3/22/2021 23:00	Normal	0.0	0.1
3/23/2021 0:00	Normal	0.0	
3/23/2021 1:00	Normal	0.0	
3/23/2021 2:00	Normal	0.0	
3/23/2021 3:00	Normal	0.0	
3/23/2021 4:00	Normal	0.0	
3/23/2021 5:00	Normal	0.0	
3/23/2021 6:00	Normal	0.0	
3/23/2021 7:00	Normal	0.0	
3/23/2021 8:00	Normal	0.0	
3/23/2021 9:00	Normal	0.0	
3/23/2021 10:00	Normal	0.0	
3/23/2021 11:00	Normal	0.0	
3/23/2021 12:00	Normal	0.0	
3/23/2021 13:00	Normal	0.0	
3/23/2021 14:00	Normal	0.0	
3/23/2021 15:00	Normal	0.0	
3/23/2021 16:00	Normal	0.0	
3/23/2021 17:00	Normal	0.0	
3/23/2021 18:00	Normal	0.0	
3/23/2021 19:00	Normal	0.0	
3/23/2021 20:00	Normal	0.0	
3/23/2021 21:00	Normal	0.0	
3/23/2021 22:00	Normal	0.0	
3/23/2021 23:00	Normal	0.0	0.1
3/24/2021 0:00	Normal	0.0	
3/24/2021 1:00	Normal	0.0	
3/24/2021 2:00	Normal	0.0	
3/24/2021 3:00	Normal	0.0	
3/24/2021 4:00	Normal	0.0	
3/24/2021 5:00	Normal	0.0	
3/24/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/24/2021 7:00	Normal	0.0	
3/24/2021 8:00	Normal	0.0	
3/24/2021 9:00	Normal	0.0	
3/24/2021 10:00	Normal	0.0	
3/24/2021 11:00	Normal	0.0	
3/24/2021 12:00	Normal	0.0	
3/24/2021 13:00	Normal	0.0	
3/24/2021 14:00	Normal	0.0	
3/24/2021 15:00	Normal	0.0	
3/24/2021 16:00	Normal	0.0	
3/24/2021 17:00	Normal	0.0	
3/24/2021 18:00	Normal	0.0	
3/24/2021 19:00	Normal	0.0	
3/24/2021 20:00	Normal	0.0	
3/24/2021 21:00	Normal	0.0	
3/24/2021 22:00	Normal	0.0	
3/24/2021 23:00	Normal	0.0	0.1
3/25/2021 0:00	Normal	0.0	
3/25/2021 1:00	Normal	0.0	
3/25/2021 2:00	Normal	0.0	
3/25/2021 3:00	Normal	0.0	
3/25/2021 4:00	Normal	0.0	
3/25/2021 5:00	Normal	0.0	
3/25/2021 6:00	Normal	0.0	
3/25/2021 7:00	Normal	0.0	
3/25/2021 8:00	Normal	0.0	
3/25/2021 9:00	Normal	0.0	
3/25/2021 10:00	Normal	0.0	
3/25/2021 11:00	Normal	0.0	
3/25/2021 12:00	Normal	0.0	
3/25/2021 13:00	Normal	0.0	
3/25/2021 14:00	Normal	0.0	
3/25/2021 15:00	Normal	0.0	
3/25/2021 16:00	Normal	0.0	
3/25/2021 17:00	Normal	0.0	
3/25/2021 18:00	Normal	0.0	
3/25/2021 19:00	Normal	0.0	
3/25/2021 20:00	Normal	0.0	
3/25/2021 21:00	Normal	0.0	
3/25/2021 22:00	Normal	0.0	
3/25/2021 23:00	Normal	0.0	0.1
3/26/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/26/2021 1:00	Normal	0.0	
3/26/2021 2:00	Normal	0.0	
3/26/2021 3:00	Normal	0.0	
3/26/2021 4:00	Normal	0.0	
3/26/2021 5:00	Normal	0.0	
3/26/2021 6:00	Normal	0.0	
3/26/2021 7:00	Normal	0.0	
3/26/2021 8:00	Normal	0.0	
3/26/2021 9:00	Normal	0.0	
3/26/2021 10:00	Normal	0.0	
3/26/2021 11:00	Normal	0.0	
3/26/2021 12:00	Normal	0.0	
3/26/2021 13:00	Normal	0.0	
3/26/2021 14:00	Normal	0.0	
3/26/2021 15:00	Normal	0.0	
3/26/2021 16:00	Normal	0.0	
3/26/2021 17:00	Normal	0.0	
3/26/2021 18:00	Normal	0.0	
3/26/2021 19:00	Normal	0.0	
3/26/2021 20:00	Normal	0.0	
3/26/2021 21:00	Normal	0.0	
3/26/2021 22:00	Normal	0.0	
3/26/2021 23:00	Normal	0.0	0.1
3/27/2021 0:00	Normal	0.0	
3/27/2021 1:00	Normal	0.0	
3/27/2021 2:00	Normal	0.0	
3/27/2021 3:00	Normal	0.0	
3/27/2021 4:00	Normal	0.0	
3/27/2021 5:00	Normal	0.0	
3/27/2021 6:00	Normal	0.0	
3/27/2021 7:00	Normal	0.0	
3/27/2021 8:00	Normal	0.0	
3/27/2021 9:00	Normal	0.0	
3/27/2021 10:00	Normal	0.0	
3/27/2021 11:00	Normal	0.0	
3/27/2021 12:00	Normal	0.0	
3/27/2021 13:00	Normal	0.0	
3/27/2021 14:00	Normal	0.0	
3/27/2021 15:00	Normal	0.0	
3/27/2021 16:00	Normal	0.0	
3/27/2021 17:00	Normal	0.0	
3/27/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/27/2021 19:00	Normal	0.0	
3/27/2021 20:00	Normal	0.0	
3/27/2021 21:00	Normal	0.0	
3/27/2021 22:00	Normal	0.0	
3/27/2021 23:00	Normal	0.0	0.0
3/28/2021 0:00	Normal	0.0	
3/28/2021 1:00	Normal	0.0	
3/28/2021 2:00	Normal	0.0	
3/28/2021 3:00	Normal	0.0	
3/28/2021 4:00	Normal	0.0	
3/28/2021 5:00	Normal	0.0	
3/28/2021 6:00	Normal	0.0	
3/28/2021 7:00	Normal	0.0	
3/28/2021 8:00	Normal	0.0	
3/28/2021 9:00	Normal	0.0	
3/28/2021 10:00	Normal	0.0	
3/28/2021 11:00	Normal	0.0	
3/28/2021 12:00	Normal	0.0	
3/28/2021 13:00	Normal	0.0	
3/28/2021 14:00	Normal	0.0	
3/28/2021 15:00	Normal	0.0	
3/28/2021 16:00	Normal	0.0	
3/28/2021 17:00	Normal	0.0	
3/28/2021 18:00	Normal	0.0	
3/28/2021 19:00	Normal	0.0	
3/28/2021 20:00	Normal	0.0	
3/28/2021 21:00	Normal	0.0	
3/28/2021 22:00	Normal	0.0	
3/28/2021 23:00	Normal	0.0	0.0
3/29/2021 0:00	Normal	0.0	
3/29/2021 1:00	Normal	0.0	
3/29/2021 2:00	Normal	0.0	
3/29/2021 3:00	Normal	0.0	
3/29/2021 4:00	Normal	0.0	
3/29/2021 5:00	Normal	0.0	
3/29/2021 6:00	Normal	0.0	
3/29/2021 7:00	Normal	0.0	
3/29/2021 8:00	Normal	0.0	
3/29/2021 9:00	Normal	0.0	
3/29/2021 10:00	Normal	0.0	
3/29/2021 11:00	Normal	0.0	
3/29/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/29/2021 13:00	Normal	0.0	
3/29/2021 14:00	Normal	0.0	
3/29/2021 15:00	Normal	0.0	
3/29/2021 16:00	Normal	0.0	
3/29/2021 17:00	Normal	0.0	
3/29/2021 18:00	Normal	0.0	
3/29/2021 19:00	Normal	0.0	
3/29/2021 20:00	Normal	0.0	
3/29/2021 21:00	Normal	0.0	
3/29/2021 22:00	Normal	0.0	
3/29/2021 23:00	Normal	0.0	0.0
3/30/2021 0:00	Normal	0.0	
3/30/2021 1:00	Normal	0.0	
3/30/2021 2:00	Normal	0.0	
3/30/2021 3:00	Normal	0.0	
3/30/2021 4:00	Normal	0.0	
3/30/2021 5:00	Normal	0.0	
3/30/2021 6:00	Normal	0.0	
3/30/2021 7:00	Normal	0.0	
3/30/2021 8:00	Normal	0.0	
3/30/2021 9:00	Normal	0.0	
3/30/2021 10:00	Normal	0.0	
3/30/2021 11:00	Normal	0.0	
3/30/2021 12:00	Normal	0.0	
3/30/2021 13:00	Normal	0.0	
3/30/2021 14:00	Normal	0.0	
3/30/2021 15:00	Normal	0.0	
3/30/2021 16:00	Normal	0.0	
3/30/2021 17:00	Normal	0.0	
3/30/2021 18:00	Normal	0.0	
3/30/2021 19:00	Normal	0.0	
3/30/2021 20:00	Normal	0.0	
3/30/2021 21:00	Normal	0.0	
3/30/2021 22:00	Normal	0.0	
3/30/2021 23:00	Normal	0.0	0.0
3/31/2021 0:00	Normal	0.0	
3/31/2021 1:00	Normal	0.0	
3/31/2021 2:00	Normal	0.0	
3/31/2021 3:00	Normal	0.0	
3/31/2021 4:00	Normal	0.0	
3/31/2021 5:00	Normal	0.0	
3/31/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/31/2021 7:00	Normal	0.0	
3/31/2021 8:00	Normal	0.0	
3/31/2021 9:00	Normal	0.0	
3/31/2021 10:00	Normal	0.0	
3/31/2021 11:00	Normal	0.0	
3/31/2021 12:00	Normal	0.0	
3/31/2021 13:00	Normal	0.0	
3/31/2021 14:00	Normal	0.0	
3/31/2021 15:00	Normal	0.0	
3/31/2021 16:00	Normal	0.0	
3/31/2021 17:00	Normal	0.0	
3/31/2021 18:00	Normal	0.0	
3/31/2021 19:00	Normal	0.0	
3/31/2021 20:00	Normal	0.0	
3/31/2021 21:00	Normal	0.0	
3/31/2021 22:00	Normal	0.0	
3/31/2021 23:00	Normal	0.0	0.0
4/1/2021 0:00	Normal	0.0	
4/1/2021 1:00	Normal	0.0	
4/1/2021 2:00	Normal	0.0	
4/1/2021 3:00	Normal	0.0	
4/1/2021 4:00	Normal	0.0	
4/1/2021 5:00	Normal	0.0	
4/1/2021 6:00	Normal	0.0	
4/1/2021 7:00	Normal	0.0	
4/1/2021 8:00	Normal	0.0	
4/1/2021 9:00	Normal	0.0	
4/1/2021 10:00	Normal	0.0	
4/1/2021 11:00	Normal	0.0	
4/1/2021 12:00	Normal	0.0	
4/1/2021 13:00	Normal	0.0	
4/1/2021 14:00	Normal	0.0	
4/1/2021 15:00	Normal	0.0	
4/1/2021 16:00	Normal	0.0	
4/1/2021 17:00	Normal	0.0	
4/1/2021 18:00	Normal	0.0	
4/1/2021 19:00	Normal	0.0	
4/1/2021 20:00	Normal	0.0	
4/1/2021 21:00	Normal	0.0	
4/1/2021 22:00	Normal	0.0	
4/1/2021 23:00	Normal	0.0	0.0
4/2/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/2/2021 1:00	Normal	0.0	
4/2/2021 2:00	Normal	0.0	
4/2/2021 3:00	Normal	0.0	
4/2/2021 4:00	Normal	0.0	
4/2/2021 5:00	Normal	0.0	
4/2/2021 6:00	Normal	0.0	
4/2/2021 7:00	Normal	0.0	
4/2/2021 8:00	Normal	0.0	
4/2/2021 9:00	Normal	0.0	
4/2/2021 10:00	Normal	0.0	
4/2/2021 11:00	Normal	0.0	
4/2/2021 12:00	Normal	0.0	
4/2/2021 13:00	Normal	0.0	
4/2/2021 14:00	Normal	0.0	
4/2/2021 15:00	Normal	0.0	
4/2/2021 16:00	Normal	0.0	
4/2/2021 17:00	Normal	0.0	
4/2/2021 18:00	Normal	0.0	
4/2/2021 19:00	Normal	0.0	
4/2/2021 20:00	Normal	0.0	
4/2/2021 21:00	Normal	0.0	
4/2/2021 22:00	Normal	0.0	
4/2/2021 23:00	Normal	0.0	0.0
4/3/2021 0:00	Normal	0.0	
4/3/2021 1:00	Normal	0.0	
4/3/2021 2:00	Normal	0.0	
4/3/2021 3:00	Normal	0.0	
4/3/2021 4:00	Normal	0.0	
4/3/2021 5:00	Normal	0.0	
4/3/2021 6:00	Normal	0.0	
4/3/2021 7:00	Normal	0.0	
4/3/2021 8:00	Normal	0.0	
4/3/2021 9:00	Shutdown	54.0	
4/3/2021 10:00	Shutdown		
4/3/2021 11:00	Shutdown		
4/3/2021 12:00	Shutdown		
4/3/2021 13:00	Shutdown		
4/3/2021 14:00	Shutdown		
4/3/2021 15:00	Shutdown		
4/3/2021 16:00	Shutdown		
4/3/2021 17:00	Shutdown		
4/3/2021 18:00	Shutdown		

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/3/2021 19:00	Shutdown		
4/3/2021 20:00	Shutdown		
4/3/2021 21:00	Shutdown		
4/3/2021 22:00	Shutdown		
4/3/2021 23:00	Shutdown		0.1
4/4/2021 0:00	Shutdown		
4/4/2021 1:00	Shutdown		
4/4/2021 2:00	Shutdown		
4/4/2021 3:00	Shutdown		
4/4/2021 4:00	Shutdown		
4/4/2021 5:00	Shutdown		
4/4/2021 6:00	Shutdown		
4/4/2021 7:00	Shutdown		
4/4/2021 8:00	Shutdown		
4/4/2021 9:00	Shutdown		
4/4/2021 10:00	Shutdown		
4/4/2021 11:00	Shutdown		
4/4/2021 12:00	Shutdown		
4/4/2021 13:00	Shutdown		
4/4/2021 14:00	Shutdown		
4/4/2021 15:00	Shutdown		
4/4/2021 16:00	Shutdown		
4/4/2021 17:00	Shutdown		
4/4/2021 18:00	Shutdown		
4/4/2021 19:00	Shutdown		
4/4/2021 20:00	Shutdown		
4/4/2021 21:00	Shutdown		
4/4/2021 22:00	Shutdown		
4/4/2021 23:00	Shutdown		0.1
4/5/2021 0:00	Shutdown		
4/5/2021 1:00	Shutdown		
4/5/2021 2:00	Shutdown		
4/5/2021 3:00	Shutdown		
4/5/2021 4:00	Shutdown		
4/5/2021 5:00	Shutdown		
4/5/2021 6:00	Shutdown		
4/5/2021 7:00	Shutdown		
4/5/2021 8:00	Shutdown		
4/5/2021 9:00	Shutdown		
4/5/2021 10:00	Shutdown		
4/5/2021 11:00	Startup	0.0	
4/5/2021 12:00	Startup	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/5/2021 13:00	Startup	0.0	
4/5/2021 14:00	Startup	0.0	
4/5/2021 15:00	Startup	0.0	
4/5/2021 16:00	Startup	10.5	
4/5/2021 17:00	Startup	7.1	
4/5/2021 18:00	Startup	19.1	
4/5/2021 19:00	Startup	30.0	
4/5/2021 20:00	Startup	30.0	
4/5/2021 21:00	Startup	30.0	
4/5/2021 22:00	Startup	30.0	
4/5/2021 23:00	Startup	30.0	0.4
4/6/2021 0:00	Startup	30.0	
4/6/2021 1:00	Startup	30.0	
4/6/2021 2:00	Startup	30.0	
4/6/2021 3:00	Startup	30.0	
4/6/2021 4:00	Startup	30.0	
4/6/2021 5:00	Startup	30.0	
4/6/2021 6:00	Startup	30.0	
4/6/2021 7:00	Startup	30.0	
4/6/2021 8:00	Startup	30.0	
4/6/2021 9:00	Startup	30.0	
4/6/2021 10:00	Startup	30.0	
4/6/2021 11:00	Startup	30.0	
4/6/2021 12:00	Startup	15.0	
4/6/2021 13:00	Malfunction	0.0	
4/6/2021 14:00	Malfunction	0.0	
4/6/2021 15:00	Malfunction	0.0	
4/6/2021 16:00	Malfunction	0.0	
4/6/2021 17:00	Malfunction	0.0	
4/6/2021 18:00	Malfunction	0.0	
4/6/2021 19:00	Malfunction	0.0	
4/6/2021 20:00	Normal	0.0	
4/6/2021 21:00	Normal	0.0	
4/6/2021 22:00	Normal	0.0	
4/6/2021 23:00	Normal	0.0	0.9
4/7/2021 0:00	Normal	0.3	
4/7/2021 1:00	Normal	0.0	
4/7/2021 2:00	Normal	0.0	
4/7/2021 3:00	Normal	0.0	
4/7/2021 4:00	Normal	0.0	
4/7/2021 5:00	Normal	0.0	
4/7/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/7/2021 7:00	Normal	0.0	
4/7/2021 8:00	Normal	0.0	
4/7/2021 9:00	Normal	0.0	
4/7/2021 10:00	Normal	0.0	
4/7/2021 11:00	Normal	0.0	
4/7/2021 12:00	Normal	0.0	
4/7/2021 13:00	Normal	0.7	
4/7/2021 14:00	Normal	0.0	
4/7/2021 15:00	Normal	0.0	
4/7/2021 16:00	Normal	0.0	
4/7/2021 17:00	Normal	0.0	
4/7/2021 18:00	Normal	0.0	
4/7/2021 19:00	Normal	0.0	
4/7/2021 20:00	Normal	0.0	
4/7/2021 21:00	Normal	0.0	
4/7/2021 22:00	Normal	0.0	
4/7/2021 23:00	Normal	0.0	0.9
4/8/2021 0:00	Normal	0.0	
4/8/2021 1:00	Normal	0.0	
4/8/2021 2:00	Normal	0.0	
4/8/2021 3:00	Normal	0.0	
4/8/2021 4:00	Normal	0.0	
4/8/2021 5:00	Normal	0.0	
4/8/2021 6:00	Normal	0.0	
4/8/2021 7:00	Normal	0.0	
4/8/2021 8:00	Normal	0.0	
4/8/2021 9:00	Normal	0.0	
4/8/2021 10:00	Normal	0.0	
4/8/2021 11:00	Normal	0.0	
4/8/2021 12:00	Normal	0.0	
4/8/2021 13:00	Normal	0.0	
4/8/2021 14:00	Normal	0.0	
4/8/2021 15:00	Normal	0.0	
4/8/2021 16:00	Normal	0.0	
4/8/2021 17:00	Normal	0.0	
4/8/2021 18:00	Normal	0.0	
4/8/2021 19:00	Normal	0.0	
4/8/2021 20:00	Normal	0.0	
4/8/2021 21:00	Normal	0.0	
4/8/2021 22:00	Normal	0.0	
4/8/2021 23:00	Normal	0.0	0.9
4/9/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/9/2021 1:00	Normal	0.0	
4/9/2021 2:00	Normal	0.0	
4/9/2021 3:00	Normal	0.0	
4/9/2021 4:00	Normal	0.0	
4/9/2021 5:00	Normal	0.0	
4/9/2021 6:00	Normal	0.0	
4/9/2021 7:00	Normal	0.0	
4/9/2021 8:00	Normal	0.0	
4/9/2021 9:00	Normal	0.0	
4/9/2021 10:00	Normal	0.0	
4/9/2021 11:00	Normal	0.0	
4/9/2021 12:00	Normal	0.0	
4/9/2021 13:00	Normal	0.0	
4/9/2021 14:00	Normal	0.0	
4/9/2021 15:00	Normal	0.0	
4/9/2021 16:00	Normal	0.0	
4/9/2021 17:00	Normal	0.0	
4/9/2021 18:00	Normal	0.0	
4/9/2021 19:00	Normal	0.0	
4/9/2021 20:00	Normal	0.0	
4/9/2021 21:00	Normal	0.0	
4/9/2021 22:00	Normal	0.0	
4/9/2021 23:00	Normal	0.0	0.9
4/10/2021 0:00	Normal	0.0	
4/10/2021 1:00	Normal	0.0	
4/10/2021 2:00	Normal	0.0	
4/10/2021 3:00	Normal	0.0	
4/10/2021 4:00	Normal	0.0	
4/10/2021 5:00	Normal	0.0	
4/10/2021 6:00	Normal	0.0	
4/10/2021 7:00	Normal	0.0	
4/10/2021 8:00	Normal	0.0	
4/10/2021 9:00	Normal	0.0	
4/10/2021 10:00	Normal	0.0	
4/10/2021 11:00	Normal	0.0	
4/10/2021 12:00	Normal	0.0	
4/10/2021 13:00	Normal	0.0	
4/10/2021 14:00	Normal	0.0	
4/10/2021 15:00	Normal	0.0	
4/10/2021 16:00	Normal	0.0	
4/10/2021 17:00	Normal	0.0	
4/10/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/10/2021 19:00	Normal	0.0	
4/10/2021 20:00	Normal	0.0	
4/10/2021 21:00	Normal	0.0	
4/10/2021 22:00	Normal	0.0	
4/10/2021 23:00	Normal	0.0	0.9
4/11/2021 0:00	Normal	0.0	
4/11/2021 1:00	Normal	0.0	
4/11/2021 2:00	Normal	0.0	
4/11/2021 3:00	Normal	0.0	
4/11/2021 4:00	Normal	0.0	
4/11/2021 5:00	Normal	0.0	
4/11/2021 6:00	Normal	0.0	
4/11/2021 7:00	Normal	0.0	
4/11/2021 8:00	Normal	0.0	
4/11/2021 9:00	Normal	0.0	
4/11/2021 10:00	Normal	0.0	
4/11/2021 11:00	Normal	0.0	
4/11/2021 12:00	Normal	0.0	
4/11/2021 13:00	Normal	0.0	
4/11/2021 14:00	Normal	0.0	
4/11/2021 15:00	Normal	0.0	
4/11/2021 16:00	Normal	0.0	
4/11/2021 17:00	Normal	0.0	
4/11/2021 18:00	Normal	0.0	
4/11/2021 19:00	Normal	0.0	
4/11/2021 20:00	Normal	0.0	
4/11/2021 21:00	Normal	0.0	
4/11/2021 22:00	Normal	0.0	
4/11/2021 23:00	Normal	0.0	0.9
4/12/2021 0:00	Normal	0.0	
4/12/2021 1:00	Normal	0.0	
4/12/2021 2:00	Normal	0.0	
4/12/2021 3:00	Normal	0.0	
4/12/2021 4:00	Normal	0.0	
4/12/2021 5:00	Normal	0.0	
4/12/2021 6:00	Normal	0.0	
4/12/2021 7:00	Normal	0.0	
4/12/2021 8:00	Normal	0.0	
4/12/2021 9:00	Normal	0.0	
4/12/2021 10:00	Normal	0.0	
4/12/2021 11:00	Normal	0.0	
4/12/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/12/2021 13:00	Normal	0.0	
4/12/2021 14:00	Normal	0.0	
4/12/2021 15:00	Normal	0.0	
4/12/2021 16:00	Normal	0.0	
4/12/2021 17:00	Normal	0.0	
4/12/2021 18:00	Normal	0.0	
4/12/2021 19:00	Normal	0.0	
4/12/2021 20:00	Normal	0.0	
4/12/2021 21:00	Normal	0.0	
4/12/2021 22:00	Normal	0.0	
4/12/2021 23:00	Normal	0.0	0.9
4/13/2021 0:00	Normal	0.0	
4/13/2021 1:00	Normal	0.0	
4/13/2021 2:00	Normal	0.0	
4/13/2021 3:00	Normal	0.0	
4/13/2021 4:00	Normal	0.0	
4/13/2021 5:00	Normal	0.0	
4/13/2021 6:00	Normal	0.0	
4/13/2021 7:00	Normal	0.0	
4/13/2021 8:00	Normal	0.0	
4/13/2021 9:00	Normal	0.0	
4/13/2021 10:00	Normal	0.0	
4/13/2021 11:00	Normal	0.0	
4/13/2021 12:00	Normal	0.0	
4/13/2021 13:00	Normal	0.0	
4/13/2021 14:00	Normal	0.0	
4/13/2021 15:00	Normal	0.0	
4/13/2021 16:00	Normal	0.0	
4/13/2021 17:00	Normal	0.0	
4/13/2021 18:00	Normal	0.0	
4/13/2021 19:00	Normal	0.0	
4/13/2021 20:00	Normal	0.0	
4/13/2021 21:00	Normal	0.0	
4/13/2021 22:00	Normal	0.0	
4/13/2021 23:00	Normal	0.0	0.9
4/14/2021 0:00	Normal	0.0	
4/14/2021 1:00	Normal	0.0	
4/14/2021 2:00	Normal	0.0	
4/14/2021 3:00	Normal	0.0	
4/14/2021 4:00	Normal	0.0	
4/14/2021 5:00	Normal	0.0	
4/14/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/14/2021 7:00	Normal	0.0	
4/14/2021 8:00	Normal	0.0	
4/14/2021 9:00	Normal	0.0	
4/14/2021 10:00	Normal	0.0	
4/14/2021 11:00	Normal	0.0	
4/14/2021 12:00	Normal	0.0	
4/14/2021 13:00	Normal	0.0	
4/14/2021 14:00	Normal	0.0	
4/14/2021 15:00	Normal	0.0	
4/14/2021 16:00	Normal	0.0	
4/14/2021 17:00	Normal	0.0	
4/14/2021 18:00	Normal	0.0	
4/14/2021 19:00	Normal	0.0	
4/14/2021 20:00	Normal	0.0	
4/14/2021 21:00	Normal	0.0	
4/14/2021 22:00	Normal	0.0	
4/14/2021 23:00	Normal	0.0	0.9
4/15/2021 0:00	Normal	0.0	
4/15/2021 1:00	Normal	0.0	
4/15/2021 2:00	Normal	0.0	
4/15/2021 3:00	Normal	0.0	
4/15/2021 4:00	Normal	0.0	
4/15/2021 5:00	Normal	0.0	
4/15/2021 6:00	Normal	0.0	
4/15/2021 7:00	Normal	0.0	
4/15/2021 8:00	Normal	0.0	
4/15/2021 9:00	Normal	0.0	
4/15/2021 10:00	Normal	0.0	
4/15/2021 11:00	Normal	0.0	
4/15/2021 12:00	Normal	0.0	
4/15/2021 13:00	Normal	0.0	
4/15/2021 14:00	Normal	0.0	
4/15/2021 15:00	Normal	0.0	
4/15/2021 16:00	Normal	0.0	
4/15/2021 17:00	Normal	0.0	
4/15/2021 18:00	Normal	0.0	
4/15/2021 19:00	Normal	0.0	
4/15/2021 20:00	Normal	0.0	
4/15/2021 21:00	Normal	0.0	
4/15/2021 22:00	Normal	0.0	
4/15/2021 23:00	Normal	0.0	0.9
4/16/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/16/2021 1:00	Normal	0.0	
4/16/2021 2:00	Normal	0.0	
4/16/2021 3:00	Normal	0.0	
4/16/2021 4:00	Normal	0.0	
4/16/2021 5:00	Normal	0.0	
4/16/2021 6:00	Normal	0.0	
4/16/2021 7:00	Normal	0.0	
4/16/2021 8:00	Normal	0.0	
4/16/2021 9:00	Normal	0.0	
4/16/2021 10:00	Normal	0.0	
4/16/2021 11:00	Normal	0.0	
4/16/2021 12:00	Normal	0.0	
4/16/2021 13:00	Normal	0.0	
4/16/2021 14:00	Normal	0.0	
4/16/2021 15:00	Normal	0.0	
4/16/2021 16:00	Normal	0.0	
4/16/2021 17:00	Normal	0.0	
4/16/2021 18:00	Normal	0.0	
4/16/2021 19:00	Normal	0.0	
4/16/2021 20:00	Normal	0.0	
4/16/2021 21:00	Normal	0.0	
4/16/2021 22:00	Normal	0.0	
4/16/2021 23:00	Normal	0.0	0.9
4/17/2021 0:00	Normal	0.0	
4/17/2021 1:00	Normal	0.0	
4/17/2021 2:00	Normal	0.0	
4/17/2021 3:00	Normal	0.0	
4/17/2021 4:00	Normal	0.0	
4/17/2021 5:00	Normal	0.0	
4/17/2021 6:00	Normal	0.0	
4/17/2021 7:00	Normal	0.0	
4/17/2021 8:00	Normal	0.0	
4/17/2021 9:00	Normal	0.0	
4/17/2021 10:00	Normal	0.0	
4/17/2021 11:00	Normal	0.0	
4/17/2021 12:00	Normal	0.0	
4/17/2021 13:00	Normal	0.0	
4/17/2021 14:00	Normal	0.0	
4/17/2021 15:00	Normal	0.0	
4/17/2021 16:00	Normal	0.0	
4/17/2021 17:00	Normal	0.0	
4/17/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/17/2021 19:00	Normal	0.0	
4/17/2021 20:00	Normal	0.0	
4/17/2021 21:00	Normal	0.0	
4/17/2021 22:00	Normal	0.0	
4/17/2021 23:00	Normal	0.0	0.9
4/18/2021 0:00	Normal	0.0	
4/18/2021 1:00	Normal	0.0	
4/18/2021 2:00	Normal	0.0	
4/18/2021 3:00	Normal	0.0	
4/18/2021 4:00	Normal	0.0	
4/18/2021 5:00	Normal	0.0	
4/18/2021 6:00	Normal	0.0	
4/18/2021 7:00	Normal	0.0	
4/18/2021 8:00	Normal	0.0	
4/18/2021 9:00	Normal	0.0	
4/18/2021 10:00	Normal	0.0	
4/18/2021 11:00	Normal	0.0	
4/18/2021 12:00	Normal	0.0	
4/18/2021 13:00	Normal	0.0	
4/18/2021 14:00	Normal	0.0	
4/18/2021 15:00	Normal	0.0	
4/18/2021 16:00	Normal	0.0	
4/18/2021 17:00	Normal	0.0	
4/18/2021 18:00	Normal	0.0	
4/18/2021 19:00	Normal	0.0	
4/18/2021 20:00	Normal	0.0	
4/18/2021 21:00	Normal	0.0	
4/18/2021 22:00	Normal	0.0	
4/18/2021 23:00	Normal	0.0	0.9
4/19/2021 0:00	Normal	0.0	
4/19/2021 1:00	Normal	0.0	
4/19/2021 2:00	Normal	0.0	
4/19/2021 3:00	Normal	0.0	
4/19/2021 4:00	Normal	0.0	
4/19/2021 5:00	Normal	0.0	
4/19/2021 6:00	Normal	0.0	
4/19/2021 7:00	Normal	0.0	
4/19/2021 8:00	Normal	0.0	
4/19/2021 9:00	Normal	0.0	
4/19/2021 10:00	Normal	0.0	
4/19/2021 11:00	Normal	0.0	
4/19/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/19/2021 13:00	Normal	0.0	
4/19/2021 14:00	Normal	0.0	
4/19/2021 15:00	Normal	0.0	
4/19/2021 16:00	Normal	0.0	
4/19/2021 17:00	Normal	0.0	
4/19/2021 18:00	Normal	0.0	
4/19/2021 19:00	Normal	0.0	
4/19/2021 20:00	Normal	0.0	
4/19/2021 21:00	Normal	0.0	
4/19/2021 22:00	Normal	0.0	
4/19/2021 23:00	Normal	0.0	0.9
4/20/2021 0:00	Normal	0.0	
4/20/2021 1:00	Normal	0.0	
4/20/2021 2:00	Normal	0.0	
4/20/2021 3:00	Normal	0.0	
4/20/2021 4:00	Normal	0.0	
4/20/2021 5:00	Normal	0.0	
4/20/2021 6:00	Normal	0.0	
4/20/2021 7:00	Normal	0.0	
4/20/2021 8:00	Normal	0.0	
4/20/2021 9:00	Normal	0.0	
4/20/2021 10:00	Normal	0.0	
4/20/2021 11:00	Normal	0.0	
4/20/2021 12:00	Normal	0.0	
4/20/2021 13:00	Normal	0.0	
4/20/2021 14:00	Normal	0.0	
4/20/2021 15:00	Normal	0.0	
4/20/2021 16:00	Normal	0.0	
4/20/2021 17:00	Normal	0.0	
4/20/2021 18:00	Normal	0.0	
4/20/2021 19:00	Normal	0.0	
4/20/2021 20:00	Normal	0.0	
4/20/2021 21:00	Normal	0.0	
4/20/2021 22:00	Normal	0.0	
4/20/2021 23:00	Normal	0.0	0.9
4/21/2021 0:00	Normal	0.0	
4/21/2021 1:00	Normal	0.0	
4/21/2021 2:00	Normal	0.0	
4/21/2021 3:00	Normal	0.0	
4/21/2021 4:00	Normal	0.0	
4/21/2021 5:00	Normal	0.0	
4/21/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/21/2021 7:00	Normal	0.0	
4/21/2021 8:00	Normal	0.0	
4/21/2021 9:00	Normal	0.0	
4/21/2021 10:00	Normal	0.0	
4/21/2021 11:00	Normal	0.0	
4/21/2021 12:00	Normal	0.0	
4/21/2021 13:00	Normal	0.0	
4/21/2021 14:00	Normal	0.0	
4/21/2021 15:00	Normal	0.0	
4/21/2021 16:00	Normal	0.0	
4/21/2021 17:00	Normal	0.0	
4/21/2021 18:00	Normal	0.0	
4/21/2021 19:00	Normal	0.0	
4/21/2021 20:00	Normal	0.0	
4/21/2021 21:00	Normal	0.0	
4/21/2021 22:00	Normal	0.0	
4/21/2021 23:00	Normal	0.0	0.9
4/22/2021 0:00	Normal	0.0	
4/22/2021 1:00	Normal	0.0	
4/22/2021 2:00	Normal	0.0	
4/22/2021 3:00	Normal	0.0	
4/22/2021 4:00	Normal	0.0	
4/22/2021 5:00	Normal	0.0	
4/22/2021 6:00	Normal	0.0	
4/22/2021 7:00	Normal	0.0	
4/22/2021 8:00	Normal	0.0	
4/22/2021 9:00	Normal	0.0	
4/22/2021 10:00	Normal	0.0	
4/22/2021 11:00	Normal	0.0	
4/22/2021 12:00	Normal	0.0	
4/22/2021 13:00	Normal	0.0	
4/22/2021 14:00	Normal	0.0	
4/22/2021 15:00	Normal	0.0	
4/22/2021 16:00	Normal	0.0	
4/22/2021 17:00	Normal	0.0	
4/22/2021 18:00	Normal	0.0	
4/22/2021 19:00	Normal	0.0	
4/22/2021 20:00	Normal	0.0	
4/22/2021 21:00	Normal	0.0	
4/22/2021 22:00	Normal	0.0	
4/22/2021 23:00	Normal	0.0	0.9
4/23/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/23/2021 1:00	Normal	0.0	
4/23/2021 2:00	Normal	0.0	
4/23/2021 3:00	Normal	0.0	
4/23/2021 4:00	Normal	0.0	
4/23/2021 5:00	Normal	0.0	
4/23/2021 6:00	Normal	0.0	
4/23/2021 7:00	Normal	0.0	
4/23/2021 8:00	Normal	0.0	
4/23/2021 9:00	Other	1.3	
4/23/2021 10:00	Other	19.3	
4/23/2021 11:00	Normal	0.0	
4/23/2021 12:00	Normal	0.0	
4/23/2021 13:00	Normal	0.0	
4/23/2021 14:00	Normal	0.0	
4/23/2021 15:00	Normal	0.0	
4/23/2021 16:00	Normal	0.0	
4/23/2021 17:00	Normal	0.0	
4/23/2021 18:00	Normal	0.0	
4/23/2021 19:00	Normal	0.0	
4/23/2021 20:00	Normal	0.0	
4/23/2021 21:00	Normal	0.0	
4/23/2021 22:00	Normal	0.0	
4/23/2021 23:00	Normal	0.0	0.9
4/24/2021 0:00	Normal	0.0	
4/24/2021 1:00	Normal	0.0	
4/24/2021 2:00	Normal	0.0	
4/24/2021 3:00	Normal	0.0	
4/24/2021 4:00	Normal	0.0	
4/24/2021 5:00	Normal	0.0	
4/24/2021 6:00	Normal	0.0	
4/24/2021 7:00	Normal	0.0	
4/24/2021 8:00	Normal	0.0	
4/24/2021 9:00	Normal	0.0	
4/24/2021 10:00	Normal	0.0	
4/24/2021 11:00	Normal	0.0	
4/24/2021 12:00	Normal	0.0	
4/24/2021 13:00	Normal	0.0	
4/24/2021 14:00	Normal	0.0	
4/24/2021 15:00	Normal	0.0	
4/24/2021 16:00	Normal	0.0	
4/24/2021 17:00	Normal	0.0	
4/24/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/24/2021 19:00	Normal	0.0	
4/24/2021 20:00	Normal	0.0	
4/24/2021 21:00	Normal	0.0	
4/24/2021 22:00	Normal	0.0	
4/24/2021 23:00	Normal	0.0	0.9
4/25/2021 0:00	Normal	0.0	
4/25/2021 1:00	Normal	0.0	
4/25/2021 2:00	Normal	0.0	
4/25/2021 3:00	Normal	0.0	
4/25/2021 4:00	Normal	0.0	
4/25/2021 5:00	Normal	0.0	
4/25/2021 6:00	Normal	0.0	
4/25/2021 7:00	Normal	0.0	
4/25/2021 8:00	Normal	0.0	
4/25/2021 9:00	Normal	0.0	
4/25/2021 10:00	Normal	0.0	
4/25/2021 11:00	Normal	0.0	
4/25/2021 12:00	Normal	0.0	
4/25/2021 13:00	Normal	0.0	
4/25/2021 14:00	Normal	0.0	
4/25/2021 15:00	Normal	0.0	
4/25/2021 16:00	Normal	0.0	
4/25/2021 17:00	Normal	0.0	
4/25/2021 18:00	Normal	0.0	
4/25/2021 19:00	Normal	0.0	
4/25/2021 20:00	Normal	0.0	
4/25/2021 21:00	Normal	0.0	
4/25/2021 22:00	Normal	0.0	
4/25/2021 23:00	Normal	0.0	0.9
4/26/2021 0:00	Normal	0.0	
4/26/2021 1:00	Normal	0.0	
4/26/2021 2:00	Normal	0.0	
4/26/2021 3:00	Normal	0.0	
4/26/2021 4:00	Normal	0.0	
4/26/2021 5:00	Normal	0.0	
4/26/2021 6:00	Normal	0.0	
4/26/2021 7:00	Normal	0.0	
4/26/2021 8:00	Normal	0.0	
4/26/2021 9:00	Normal	0.0	
4/26/2021 10:00	Normal	0.0	
4/26/2021 11:00	Normal	0.0	
4/26/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/26/2021 13:00	Normal	0.0	
4/26/2021 14:00	Normal	0.0	
4/26/2021 15:00	Normal	0.0	
4/26/2021 16:00	Normal	0.0	
4/26/2021 17:00	Normal	0.0	
4/26/2021 18:00	Normal	0.0	
4/26/2021 19:00	Normal	0.0	
4/26/2021 20:00	Normal	0.0	
4/26/2021 21:00	Normal	0.0	
4/26/2021 22:00	Normal	0.0	
4/26/2021 23:00	Normal	0.0	0.9
4/27/2021 0:00	Normal	0.0	
4/27/2021 1:00	Normal	0.0	
4/27/2021 2:00	Normal	0.0	
4/27/2021 3:00	Normal	0.0	
4/27/2021 4:00	Normal	0.0	
4/27/2021 5:00	Normal	0.0	
4/27/2021 6:00	Normal	0.0	
4/27/2021 7:00	Normal	0.0	
4/27/2021 8:00	Normal	0.0	
4/27/2021 9:00	Normal	0.0	
4/27/2021 10:00	Normal	0.0	
4/27/2021 11:00	Normal	0.0	
4/27/2021 12:00	Normal	0.0	
4/27/2021 13:00	Normal	0.0	
4/27/2021 14:00	Normal	0.0	
4/27/2021 15:00	Normal	0.0	
4/27/2021 16:00	Normal	0.0	
4/27/2021 17:00	Normal	0.0	
4/27/2021 18:00	Normal	0.0	
4/27/2021 19:00	Normal	0.0	
4/27/2021 20:00	Normal	0.0	
4/27/2021 21:00	Normal	0.0	
4/27/2021 22:00	Normal	0.0	
4/27/2021 23:00	Normal	0.0	0.9
4/28/2021 0:00	Normal	0.0	
4/28/2021 1:00	Normal	0.0	
4/28/2021 2:00	Normal	0.0	
4/28/2021 3:00	Normal	0.0	
4/28/2021 4:00	Normal	0.0	
4/28/2021 5:00	Normal	0.0	
4/28/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/28/2021 7:00	Normal	0.0	
4/28/2021 8:00	Normal	0.0	
4/28/2021 9:00	Normal	0.0	
4/28/2021 10:00	Normal	0.0	
4/28/2021 11:00	Normal	0.0	
4/28/2021 12:00	Normal	0.0	
4/28/2021 13:00	Normal	0.0	
4/28/2021 14:00	Normal	0.0	
4/28/2021 15:00	Normal	0.0	
4/28/2021 16:00	Normal	0.0	
4/28/2021 17:00	Normal	0.0	
4/28/2021 18:00	Normal	0.0	
4/28/2021 19:00	Normal	0.0	
4/28/2021 20:00	Normal	0.0	
4/28/2021 21:00	Normal	0.0	
4/28/2021 22:00	Normal	0.0	
4/28/2021 23:00	Normal	0.0	0.9
4/29/2021 0:00	Normal	0.0	
4/29/2021 1:00	Normal	0.0	
4/29/2021 2:00	Normal	0.0	
4/29/2021 3:00	Normal	0.0	
4/29/2021 4:00	Normal	0.0	
4/29/2021 5:00	Normal	0.0	
4/29/2021 6:00	Normal	0.0	
4/29/2021 7:00	Normal	0.0	
4/29/2021 8:00	Normal	0.0	
4/29/2021 9:00	Normal	0.0	
4/29/2021 10:00	Normal	0.0	
4/29/2021 11:00	Normal	0.0	
4/29/2021 12:00	Normal	0.0	
4/29/2021 13:00	Normal	0.0	
4/29/2021 14:00	Normal	0.0	
4/29/2021 15:00	Normal	0.0	
4/29/2021 16:00	Normal	0.0	
4/29/2021 17:00	Normal	0.0	
4/29/2021 18:00	Normal	0.0	
4/29/2021 19:00	Normal	0.0	
4/29/2021 20:00	Normal	0.0	
4/29/2021 21:00	Normal	0.0	
4/29/2021 22:00	Normal	0.0	
4/29/2021 23:00	Normal	0.0	0.9
4/30/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/30/2021 1:00	Normal	0.0	
4/30/2021 2:00	Normal	0.0	
4/30/2021 3:00	Normal	0.0	
4/30/2021 4:00	Normal	0.0	
4/30/2021 5:00	Normal	0.0	
4/30/2021 6:00	Normal	0.0	
4/30/2021 7:00	Normal	0.0	
4/30/2021 8:00	Normal	0.0	
4/30/2021 9:00	Normal	0.0	
4/30/2021 10:00	Normal	0.0	
4/30/2021 11:00	Normal	0.0	
4/30/2021 12:00	Normal	0.0	
4/30/2021 13:00	Normal	0.0	
4/30/2021 14:00	Normal	0.0	
4/30/2021 15:00	Normal	0.0	
4/30/2021 16:00	Normal	0.0	
4/30/2021 17:00	Normal	0.0	
4/30/2021 18:00	Normal	0.0	
4/30/2021 19:00	Normal	0.0	
4/30/2021 20:00	Normal	0.0	
4/30/2021 21:00	Normal	0.0	
4/30/2021 22:00	Normal	0.0	
4/30/2021 23:00	Normal	0.0	0.9
5/1/2021 0:00	Normal	0.0	
5/1/2021 1:00	Normal	0.0	
5/1/2021 2:00	Normal	0.0	
5/1/2021 3:00	Normal	0.0	
5/1/2021 4:00	Normal	0.0	
5/1/2021 5:00	Normal	0.0	
5/1/2021 6:00	Normal	0.0	
5/1/2021 7:00	Normal	0.0	
5/1/2021 8:00	Normal	0.0	
5/1/2021 9:00	Normal	0.0	
5/1/2021 10:00	Normal	0.0	
5/1/2021 11:00	Normal	0.0	
5/1/2021 12:00	Normal	0.0	
5/1/2021 13:00	Normal	0.0	
5/1/2021 14:00	Normal	0.0	
5/1/2021 15:00	Normal	0.0	
5/1/2021 16:00	Normal	0.0	
5/1/2021 17:00	Normal	0.0	
5/1/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/1/2021 19:00	Normal	0.0	
5/1/2021 20:00	Normal	0.0	
5/1/2021 21:00	Normal	0.0	
5/1/2021 22:00	Normal	0.0	
5/1/2021 23:00	Normal	0.0	0.9
5/2/2021 0:00	Normal	0.0	
5/2/2021 1:00	Normal	0.0	
5/2/2021 2:00	Normal	0.0	
5/2/2021 3:00	Normal	0.0	
5/2/2021 4:00	Normal	0.0	
5/2/2021 5:00	Normal	0.0	
5/2/2021 6:00	Normal	0.0	
5/2/2021 7:00	Normal	0.0	
5/2/2021 8:00	Normal	0.0	
5/2/2021 9:00	Normal	0.0	
5/2/2021 10:00	Normal	0.0	
5/2/2021 11:00	Normal	0.0	
5/2/2021 12:00	Normal	0.0	
5/2/2021 13:00	Normal	0.0	
5/2/2021 14:00	Normal	0.0	
5/2/2021 15:00	Normal	0.0	
5/2/2021 16:00	Normal	0.0	
5/2/2021 17:00	Normal	0.0	
5/2/2021 18:00	Normal	0.0	
5/2/2021 19:00	Normal	0.0	
5/2/2021 20:00	Normal	0.0	
5/2/2021 21:00	Normal	0.0	
5/2/2021 22:00	Normal	0.0	
5/2/2021 23:00	Normal	0.0	0.9
5/3/2021 0:00	Normal	0.0	
5/3/2021 1:00	Normal	0.0	
5/3/2021 2:00	Normal	0.0	
5/3/2021 3:00	Normal	0.0	
5/3/2021 4:00	Normal	0.0	
5/3/2021 5:00	Normal	0.0	
5/3/2021 6:00	Normal	0.0	
5/3/2021 7:00	Normal	0.0	
5/3/2021 8:00	Normal	0.0	
5/3/2021 9:00	Normal	0.0	
5/3/2021 10:00	Normal	0.0	
5/3/2021 11:00	Normal	0.0	
5/3/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/3/2021 13:00	Normal	0.0	
5/3/2021 14:00	Normal	0.0	
5/3/2021 15:00	Normal	0.0	
5/3/2021 16:00	Normal	0.0	
5/3/2021 17:00	Normal	0.0	
5/3/2021 18:00	Normal	0.0	
5/3/2021 19:00	Normal	0.0	
5/3/2021 20:00	Normal	0.0	
5/3/2021 21:00	Normal	0.0	
5/3/2021 22:00	Normal	0.0	
5/3/2021 23:00	Normal	0.0	0.9
5/4/2021 0:00	Normal	0.0	
5/4/2021 1:00	Normal	0.0	
5/4/2021 2:00	Normal	0.0	
5/4/2021 3:00	Normal	0.0	
5/4/2021 4:00	Normal	0.0	
5/4/2021 5:00	Normal	0.0	
5/4/2021 6:00	Normal	0.0	
5/4/2021 7:00	Normal	0.0	
5/4/2021 8:00	Normal	0.0	
5/4/2021 9:00	Normal	0.0	
5/4/2021 10:00	Normal	0.0	
5/4/2021 11:00	Normal	0.0	
5/4/2021 12:00	Normal	0.0	
5/4/2021 13:00	Normal	0.0	
5/4/2021 14:00	Normal	0.0	
5/4/2021 15:00	Normal	0.0	
5/4/2021 16:00	Normal	0.0	
5/4/2021 17:00	Normal	0.0	
5/4/2021 18:00	Normal	0.0	
5/4/2021 19:00	Normal	0.0	
5/4/2021 20:00	Normal	0.0	
5/4/2021 21:00	Normal	0.0	
5/4/2021 22:00	Normal	0.0	
5/4/2021 23:00	Normal	0.0	0.8
5/5/2021 0:00	Normal	0.0	
5/5/2021 1:00	Normal	0.0	
5/5/2021 2:00	Normal	0.0	
5/5/2021 3:00	Normal	0.0	
5/5/2021 4:00	Normal	0.0	
5/5/2021 5:00	Normal	0.0	
5/5/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/5/2021 7:00	Normal	0.0	
5/5/2021 8:00	Normal	0.0	
5/5/2021 9:00	Normal	0.0	
5/5/2021 10:00	Normal	0.0	
5/5/2021 11:00	Malfunction	1039.0	
5/5/2021 12:00	Malfunction	395.1	
5/5/2021 13:00	Normal	0.0	
5/5/2021 14:00	Normal	0.0	
5/5/2021 15:00	Normal	0.0	
5/5/2021 16:00	Normal	0.0	
5/5/2021 17:00	Normal	0.0	
5/5/2021 18:00	Normal	0.0	
5/5/2021 19:00	Normal	0.0	
5/5/2021 20:00	Normal	0.0	
5/5/2021 21:00	Normal	0.0	
5/5/2021 22:00	Normal	0.0	
5/5/2021 23:00	Normal	0.0	2.5
5/6/2021 0:00	Normal	0.0	
5/6/2021 1:00	Normal	0.0	
5/6/2021 2:00	Normal	0.0	
5/6/2021 3:00	Normal	0.0	
5/6/2021 4:00	Normal	0.0	
5/6/2021 5:00	Normal	0.0	
5/6/2021 6:00	Normal	0.0	
5/6/2021 7:00	Normal	0.0	
5/6/2021 8:00	Normal	0.0	
5/6/2021 9:00	Normal	0.0	
5/6/2021 10:00	Normal	0.0	
5/6/2021 11:00	Normal	0.0	
5/6/2021 12:00	Normal	0.0	
5/6/2021 13:00	Normal	0.0	
5/6/2021 14:00	Normal	0.0	
5/6/2021 15:00	Normal	0.0	
5/6/2021 16:00	Normal	0.0	
5/6/2021 17:00	Normal	0.0	
5/6/2021 18:00	Normal	0.0	
5/6/2021 19:00	Normal	0.0	
5/6/2021 20:00	Normal	0.0	
5/6/2021 21:00	Normal	0.0	
5/6/2021 22:00	Normal	0.0	
5/6/2021 23:00	Normal	0.0	2.0
5/7/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/7/2021 1:00	Normal	0.0	
5/7/2021 2:00	Normal	0.0	
5/7/2021 3:00	Normal	0.0	
5/7/2021 4:00	Normal	0.0	
5/7/2021 5:00	Normal	0.0	
5/7/2021 6:00	Normal	0.0	
5/7/2021 7:00	Normal	0.0	
5/7/2021 8:00	Normal	0.0	
5/7/2021 9:00	Normal	0.0	
5/7/2021 10:00	Normal	0.0	
5/7/2021 11:00	Normal	0.0	
5/7/2021 12:00	Normal	0.0	
5/7/2021 13:00	Normal	0.0	
5/7/2021 14:00	Normal	0.0	
5/7/2021 15:00	Normal	0.0	
5/7/2021 16:00	Normal	0.0	
5/7/2021 17:00	Normal	0.0	
5/7/2021 18:00	Normal	0.0	
5/7/2021 19:00	Normal	0.0	
5/7/2021 20:00	Normal	0.0	
5/7/2021 21:00	Normal	0.0	
5/7/2021 22:00	Normal	0.0	
5/7/2021 23:00	Normal	0.0	2.0
5/8/2021 0:00	Normal	0.0	
5/8/2021 1:00	Normal	0.0	
5/8/2021 2:00	Normal	0.0	
5/8/2021 3:00	Normal	0.0	
5/8/2021 4:00	Normal	0.0	
5/8/2021 5:00	Normal	0.0	
5/8/2021 6:00	Normal	0.0	
5/8/2021 7:00	Normal	0.0	
5/8/2021 8:00	Normal	0.0	
5/8/2021 9:00	Normal	0.0	
5/8/2021 10:00	Normal	0.0	
5/8/2021 11:00	Normal	0.0	
5/8/2021 12:00	Normal	0.0	
5/8/2021 13:00	Normal	0.0	
5/8/2021 14:00	Normal	0.0	
5/8/2021 15:00	Normal	0.0	
5/8/2021 16:00	Normal	0.0	
5/8/2021 17:00	Normal	0.0	
5/8/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/8/2021 19:00	Normal	0.0	
5/8/2021 20:00	Normal	0.0	
5/8/2021 21:00	Normal	0.0	
5/8/2021 22:00	Normal	0.0	
5/8/2021 23:00	Normal	0.0	2.0
5/9/2021 0:00	Normal	0.0	
5/9/2021 1:00	Normal	0.0	
5/9/2021 2:00	Normal	0.0	
5/9/2021 3:00	Normal	0.0	
5/9/2021 4:00	Normal	0.0	
5/9/2021 5:00	Normal	0.0	
5/9/2021 6:00	Normal	0.0	
5/9/2021 7:00	Normal	0.0	
5/9/2021 8:00	Normal	0.0	
5/9/2021 9:00	Normal	0.0	
5/9/2021 10:00	Normal	0.0	
5/9/2021 11:00	Normal	0.0	
5/9/2021 12:00	Normal	0.0	
5/9/2021 13:00	Normal	0.0	
5/9/2021 14:00	Normal	0.0	
5/9/2021 15:00	Normal	0.0	
5/9/2021 16:00	Normal	0.0	
5/9/2021 17:00	Normal	0.0	
5/9/2021 18:00	Normal	0.0	
5/9/2021 19:00	Normal	0.0	
5/9/2021 20:00	Normal	0.0	
5/9/2021 21:00	Normal	0.0	
5/9/2021 22:00	Normal	0.0	
5/9/2021 23:00	Normal	0.0	2.0
5/10/2021 0:00	Normal	0.0	
5/10/2021 1:00	Normal	0.0	
5/10/2021 2:00	Normal	0.0	
5/10/2021 3:00	Normal	0.0	
5/10/2021 4:00	Normal	0.0	
5/10/2021 5:00	Normal	0.0	
5/10/2021 6:00	Normal	0.0	
5/10/2021 7:00	Normal	0.0	
5/10/2021 8:00	Normal	0.0	
5/10/2021 9:00	Normal	0.0	
5/10/2021 10:00	Normal	0.0	
5/10/2021 11:00	Normal	0.0	
5/10/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/10/2021 13:00	Normal	0.0	
5/10/2021 14:00	Normal	0.0	
5/10/2021 15:00	Normal	0.0	
5/10/2021 16:00	Normal	0.0	
5/10/2021 17:00	Normal	0.0	
5/10/2021 18:00	Normal	0.0	
5/10/2021 19:00	Normal	0.0	
5/10/2021 20:00	Normal	0.0	
5/10/2021 21:00	Normal	0.0	
5/10/2021 22:00	Normal	0.0	
5/10/2021 23:00	Normal	0.0	2.0
5/11/2021 0:00	Normal	0.0	
5/11/2021 1:00	Normal	0.0	
5/11/2021 2:00	Normal	0.0	
5/11/2021 3:00	Normal	0.0	
5/11/2021 4:00	Normal	0.0	
5/11/2021 5:00	Normal	0.0	
5/11/2021 6:00	Normal	0.0	
5/11/2021 7:00	Normal	0.0	
5/11/2021 8:00	Normal	0.0	
5/11/2021 9:00	Normal	0.0	
5/11/2021 10:00	Normal	0.0	
5/11/2021 11:00	Normal	0.0	
5/11/2021 12:00	Normal	0.0	
5/11/2021 13:00	Normal	0.0	
5/11/2021 14:00	Normal	0.0	
5/11/2021 15:00	Normal	0.0	
5/11/2021 16:00	Normal	0.0	
5/11/2021 17:00	Normal	0.0	
5/11/2021 18:00	Normal	0.0	
5/11/2021 19:00	Normal	0.0	
5/11/2021 20:00	Normal	0.0	
5/11/2021 21:00	Normal	0.0	
5/11/2021 22:00	Normal	0.0	
5/11/2021 23:00	Normal	0.0	2.0
5/12/2021 0:00	Normal	0.0	
5/12/2021 1:00	Normal	0.0	
5/12/2021 2:00	Normal	0.0	
5/12/2021 3:00	Normal	0.0	
5/12/2021 4:00	Normal	0.0	
5/12/2021 5:00	Normal	0.0	
5/12/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/12/2021 7:00	Normal	0.0	
5/12/2021 8:00	Normal	0.0	
5/12/2021 9:00	Normal	0.0	
5/12/2021 10:00	Normal	0.0	
5/12/2021 11:00	Normal	0.0	
5/12/2021 12:00	Normal	0.0	
5/12/2021 13:00	Normal	0.0	
5/12/2021 14:00	Normal	0.0	
5/12/2021 15:00	Normal	0.0	
5/12/2021 16:00	Normal	0.0	
5/12/2021 17:00	Normal	0.0	
5/12/2021 18:00	Normal	0.0	
5/12/2021 19:00	Normal	0.0	
5/12/2021 20:00	Normal	0.0	
5/12/2021 21:00	Normal	0.0	
5/12/2021 22:00	Normal	0.0	
5/12/2021 23:00	Normal	0.0	2.0
5/13/2021 0:00	Normal	0.0	
5/13/2021 1:00	Normal	0.0	
5/13/2021 2:00	Normal	0.0	
5/13/2021 3:00	Normal	0.0	
5/13/2021 4:00	Normal	0.0	
5/13/2021 5:00	Normal	0.0	
5/13/2021 6:00	Normal	0.0	
5/13/2021 7:00	Normal	0.0	
5/13/2021 8:00	Normal	0.0	
5/13/2021 9:00	Normal	0.0	
5/13/2021 10:00	Normal	0.0	
5/13/2021 11:00	Normal	0.0	
5/13/2021 12:00	Normal	0.0	
5/13/2021 13:00	Normal	0.0	
5/13/2021 14:00	Normal	0.0	
5/13/2021 15:00	Normal	0.0	
5/13/2021 16:00	Normal	0.0	
5/13/2021 17:00	Normal	0.0	
5/13/2021 18:00	Normal	0.0	
5/13/2021 19:00	Normal	0.0	
5/13/2021 20:00	Normal	0.0	
5/13/2021 21:00	Normal	0.0	
5/13/2021 22:00	Normal	0.0	
5/13/2021 23:00	Normal	0.0	2.0
5/14/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/14/2021 1:00	Normal	0.0	
5/14/2021 2:00	Normal	0.0	
5/14/2021 3:00	Normal	0.0	
5/14/2021 4:00	Normal	0.0	
5/14/2021 5:00	Normal	0.0	
5/14/2021 6:00	Normal	0.0	
5/14/2021 7:00	Normal	0.0	
5/14/2021 8:00	Normal	0.0	
5/14/2021 9:00	Normal	0.0	
5/14/2021 10:00	Normal	0.0	
5/14/2021 11:00	Normal	0.0	
5/14/2021 12:00	Normal	0.0	
5/14/2021 13:00	Normal	0.0	
5/14/2021 14:00	Normal	0.0	
5/14/2021 15:00	Normal	0.0	
5/14/2021 16:00	Normal	0.0	
5/14/2021 17:00	Normal	0.0	
5/14/2021 18:00	Normal	0.0	
5/14/2021 19:00	Normal	0.0	
5/14/2021 20:00	Normal	0.0	
5/14/2021 21:00	Normal	0.0	
5/14/2021 22:00	Normal	0.0	
5/14/2021 23:00	Normal	0.0	2.0
5/15/2021 0:00	Normal	0.0	
5/15/2021 1:00	Normal	0.0	
5/15/2021 2:00	Normal	0.0	
5/15/2021 3:00	Normal	0.0	
5/15/2021 4:00	Normal	0.0	
5/15/2021 5:00	Normal	0.0	
5/15/2021 6:00	Normal	0.0	
5/15/2021 7:00	Normal	0.0	
5/15/2021 8:00	Normal	0.0	
5/15/2021 9:00	Normal	0.0	
5/15/2021 10:00	Normal	0.0	
5/15/2021 11:00	Normal	0.0	
5/15/2021 12:00	Normal	0.0	
5/15/2021 13:00	Normal	0.0	
5/15/2021 14:00	Normal	0.0	
5/15/2021 15:00	Normal	0.0	
5/15/2021 16:00	Normal	0.0	
5/15/2021 17:00	Normal	0.0	
5/15/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/15/2021 19:00	Normal	0.0	
5/15/2021 20:00	Normal	0.0	
5/15/2021 21:00	Normal	0.0	
5/15/2021 22:00	Normal	0.0	
5/15/2021 23:00	Normal	0.0	2.0
5/16/2021 0:00	Normal	0.0	
5/16/2021 1:00	Normal	0.0	
5/16/2021 2:00	Normal	0.0	
5/16/2021 3:00	Normal	0.0	
5/16/2021 4:00	Normal	0.0	
5/16/2021 5:00	Normal	0.0	
5/16/2021 6:00	Normal	0.0	
5/16/2021 7:00	Normal	0.0	
5/16/2021 8:00	Normal	0.0	
5/16/2021 9:00	Normal	0.0	
5/16/2021 10:00	Normal	0.0	
5/16/2021 11:00	Normal	0.0	
5/16/2021 12:00	Normal	0.0	
5/16/2021 13:00	Normal	0.0	
5/16/2021 14:00	Normal	0.0	
5/16/2021 15:00	Normal	0.0	
5/16/2021 16:00	Normal	0.0	
5/16/2021 17:00	Normal	0.0	
5/16/2021 18:00	Normal	0.0	
5/16/2021 19:00	Normal	0.0	
5/16/2021 20:00	Normal	0.0	
5/16/2021 21:00	Normal	0.0	
5/16/2021 22:00	Normal	0.0	
5/16/2021 23:00	Normal	0.0	2.0
5/17/2021 0:00	Normal	0.0	
5/17/2021 1:00	Normal	0.0	
5/17/2021 2:00	Normal	0.0	
5/17/2021 3:00	Normal	0.0	
5/17/2021 4:00	Normal	0.0	
5/17/2021 5:00	Normal	0.0	
5/17/2021 6:00	Normal	0.0	
5/17/2021 7:00	Normal	0.0	
5/17/2021 8:00	Normal	0.0	
5/17/2021 9:00	Normal	0.0	
5/17/2021 10:00	Normal	0.0	
5/17/2021 11:00	Normal	0.0	
5/17/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/17/2021 13:00	Normal	0.0	
5/17/2021 14:00	Normal	0.0	
5/17/2021 15:00	Normal	0.0	
5/17/2021 16:00	Normal	0.0	
5/17/2021 17:00	Normal	0.0	
5/17/2021 18:00	Normal	0.0	
5/17/2021 19:00	Normal	0.0	
5/17/2021 20:00	Normal	0.0	
5/17/2021 21:00	Normal	0.0	
5/17/2021 22:00	Normal	0.0	
5/17/2021 23:00	Normal	0.0	2.0
5/18/2021 0:00	Normal	0.0	
5/18/2021 1:00	Normal	0.0	
5/18/2021 2:00	Normal	0.0	
5/18/2021 3:00	Normal	0.0	
5/18/2021 4:00	Normal	0.0	
5/18/2021 5:00	Normal	0.0	
5/18/2021 6:00	Normal	0.0	
5/18/2021 7:00	Normal	0.0	
5/18/2021 8:00	Normal	0.0	
5/18/2021 9:00	Normal	0.0	
5/18/2021 10:00	Normal	0.0	
5/18/2021 11:00	Normal	0.0	
5/18/2021 12:00	Normal	0.0	
5/18/2021 13:00	Normal	0.0	
5/18/2021 14:00	Normal	0.0	
5/18/2021 15:00	Normal	0.0	
5/18/2021 16:00	Normal	0.0	
5/18/2021 17:00	Normal	0.0	
5/18/2021 18:00	Normal	0.0	
5/18/2021 19:00	Normal	0.0	
5/18/2021 20:00	Normal	0.0	
5/18/2021 21:00	Normal	0.0	
5/18/2021 22:00	Normal	0.0	
5/18/2021 23:00	Normal	0.0	2.0
5/19/2021 0:00	Normal	0.0	
5/19/2021 1:00	Normal	0.0	
5/19/2021 2:00	Normal	0.0	
5/19/2021 3:00	Normal	0.0	
5/19/2021 4:00	Normal	0.0	
5/19/2021 5:00	Normal	0.0	
5/19/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/19/2021 7:00	Normal	0.0	
5/19/2021 8:00	Normal	0.0	
5/19/2021 9:00	Normal	0.0	
5/19/2021 10:00	Normal	0.0	
5/19/2021 11:00	Normal	0.0	
5/19/2021 12:00	Normal	0.0	
5/19/2021 13:00	Normal	0.0	
5/19/2021 14:00	Normal	0.0	
5/19/2021 15:00	Normal	0.0	
5/19/2021 16:00	Normal	0.0	
5/19/2021 17:00	Normal	0.0	
5/19/2021 18:00	Normal	0.0	
5/19/2021 19:00	Normal	0.0	
5/19/2021 20:00	Normal	0.0	
5/19/2021 21:00	Normal	0.0	
5/19/2021 22:00	Normal	0.0	
5/19/2021 23:00	Normal	0.0	2.0
5/20/2021 0:00	Normal	0.0	
5/20/2021 1:00	Normal	0.0	
5/20/2021 2:00	Normal	0.0	
5/20/2021 3:00	Normal	0.0	
5/20/2021 4:00	Normal	0.0	
5/20/2021 5:00	Normal	0.0	
5/20/2021 6:00	Normal	0.0	
5/20/2021 7:00	Normal	0.0	
5/20/2021 8:00	Normal	0.0	
5/20/2021 9:00	Normal	0.0	
5/20/2021 10:00	Normal	0.0	
5/20/2021 11:00	Normal	0.0	
5/20/2021 12:00	Normal	0.0	
5/20/2021 13:00	Normal	0.0	
5/20/2021 14:00	Normal	0.0	
5/20/2021 15:00	Normal	0.0	
5/20/2021 16:00	Normal	0.0	
5/20/2021 17:00	Normal	0.0	
5/20/2021 18:00	Normal	0.0	
5/20/2021 19:00	Normal	0.0	
5/20/2021 20:00	Normal	0.0	
5/20/2021 21:00	Normal	0.0	
5/20/2021 22:00	Normal	0.0	
5/20/2021 23:00	Normal	0.0	2.0
5/21/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/21/2021 1:00	Normal	0.0	
5/21/2021 2:00	Normal	0.0	
5/21/2021 3:00	Normal	0.0	
5/21/2021 4:00	Normal	0.0	
5/21/2021 5:00	Normal	0.0	
5/21/2021 6:00	Normal	0.0	
5/21/2021 7:00	Normal	0.0	
5/21/2021 8:00	Normal	0.0	
5/21/2021 9:00	Normal	0.0	
5/21/2021 10:00	Normal	0.0	
5/21/2021 11:00	Normal	0.0	
5/21/2021 12:00	Normal	0.0	
5/21/2021 13:00	Normal	0.0	
5/21/2021 14:00	Normal	0.0	
5/21/2021 15:00	Normal	0.0	
5/21/2021 16:00	Normal	0.0	
5/21/2021 17:00	Normal	0.0	
5/21/2021 18:00	Normal	0.0	
5/21/2021 19:00	Normal	0.0	
5/21/2021 20:00	Normal	0.0	
5/21/2021 21:00	Normal	0.0	
5/21/2021 22:00	Normal	0.0	
5/21/2021 23:00	Normal	0.0	2.0
5/22/2021 0:00	Normal	0.0	
5/22/2021 1:00	Normal	0.0	
5/22/2021 2:00	Normal	0.0	
5/22/2021 3:00	Normal	0.0	
5/22/2021 4:00	Normal	0.0	
5/22/2021 5:00	Normal	0.0	
5/22/2021 6:00	Normal	0.0	
5/22/2021 7:00	Normal	0.0	
5/22/2021 8:00	Normal	0.0	
5/22/2021 9:00	Normal	0.0	
5/22/2021 10:00	Normal	0.0	
5/22/2021 11:00	Normal	0.0	
5/22/2021 12:00	Normal	0.0	
5/22/2021 13:00	Normal	0.0	
5/22/2021 14:00	Normal	0.0	
5/22/2021 15:00	Normal	0.0	
5/22/2021 16:00	Normal	0.0	
5/22/2021 17:00	Normal	0.0	
5/22/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/22/2021 19:00	Normal	0.0	
5/22/2021 20:00	Normal	0.0	
5/22/2021 21:00	Normal	0.0	
5/22/2021 22:00	Normal	0.0	
5/22/2021 23:00	Normal	0.0	2.0
5/23/2021 0:00	Normal	0.0	
5/23/2021 1:00	Normal	0.0	
5/23/2021 2:00	Normal	0.0	
5/23/2021 3:00	Normal	0.0	
5/23/2021 4:00	Normal	0.0	
5/23/2021 5:00	Normal	0.0	
5/23/2021 6:00	Normal	0.0	
5/23/2021 7:00	Normal	0.0	
5/23/2021 8:00	Normal	0.0	
5/23/2021 9:00	Normal	0.0	
5/23/2021 10:00	Normal	0.0	
5/23/2021 11:00	Normal	0.0	
5/23/2021 12:00	Normal	0.0	
5/23/2021 13:00	Normal	0.0	
5/23/2021 14:00	Normal	0.0	
5/23/2021 15:00	Normal	0.0	
5/23/2021 16:00	Normal	0.0	
5/23/2021 17:00	Normal	0.0	
5/23/2021 18:00	Normal	0.0	
5/23/2021 19:00	Normal	0.0	
5/23/2021 20:00	Normal	0.0	
5/23/2021 21:00	Normal	0.0	
5/23/2021 22:00	Normal	0.0	
5/23/2021 23:00	Normal	0.0	2.0
5/24/2021 0:00	Normal	0.0	
5/24/2021 1:00	Normal	0.0	
5/24/2021 2:00	Normal	0.0	
5/24/2021 3:00	Normal	0.0	
5/24/2021 4:00	Normal	0.0	
5/24/2021 5:00	Normal	0.0	
5/24/2021 6:00	Normal	0.0	
5/24/2021 7:00	Normal	0.0	
5/24/2021 8:00	Normal	0.0	
5/24/2021 9:00	Normal	0.0	
5/24/2021 10:00	Normal	0.0	
5/24/2021 11:00	Normal	0.0	
5/24/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/24/2021 13:00	Normal	0.0	
5/24/2021 14:00	Normal	0.0	
5/24/2021 15:00	Normal	0.0	
5/24/2021 16:00	Normal	0.0	
5/24/2021 17:00	Normal	0.0	
5/24/2021 18:00	Normal	0.0	
5/24/2021 19:00	Normal	0.0	
5/24/2021 20:00	Normal	0.0	
5/24/2021 21:00	Normal	0.0	
5/24/2021 22:00	Normal	0.0	
5/24/2021 23:00	Normal	0.0	2.0
5/25/2021 0:00	Normal	0.0	
5/25/2021 1:00	Normal	0.0	
5/25/2021 2:00	Normal	0.0	
5/25/2021 3:00	Normal	0.0	
5/25/2021 4:00	Normal	0.0	
5/25/2021 5:00	Normal	0.0	
5/25/2021 6:00	Normal	0.0	
5/25/2021 7:00	Normal	0.0	
5/25/2021 8:00	Normal	0.0	
5/25/2021 9:00	Normal	0.0	
5/25/2021 10:00	Normal	0.0	
5/25/2021 11:00	Normal	0.0	
5/25/2021 12:00	Normal	0.0	
5/25/2021 13:00	Normal	0.0	
5/25/2021 14:00	Normal	0.0	
5/25/2021 15:00	Normal	0.0	
5/25/2021 16:00	Normal	0.0	
5/25/2021 17:00	Normal	0.0	
5/25/2021 18:00	Normal	0.0	
5/25/2021 19:00	Normal	0.0	
5/25/2021 20:00	Normal	0.0	
5/25/2021 21:00	Normal	0.0	
5/25/2021 22:00	Normal	0.0	
5/25/2021 23:00	Normal	0.0	2.0
5/26/2021 0:00	Normal	0.0	
5/26/2021 1:00	Normal	0.0	
5/26/2021 2:00	Normal	0.0	
5/26/2021 3:00	Normal	0.0	
5/26/2021 4:00	Normal	0.0	
5/26/2021 5:00	Normal	0.0	
5/26/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/26/2021 7:00	Normal	0.0	
5/26/2021 8:00	Normal	0.0	
5/26/2021 9:00	Normal	0.0	
5/26/2021 10:00	Normal	0.0	
5/26/2021 11:00	Normal	0.0	
5/26/2021 12:00	Normal	0.0	
5/26/2021 13:00	Normal	0.0	
5/26/2021 14:00	Normal	0.0	
5/26/2021 15:00	Normal	0.0	
5/26/2021 16:00	Normal	0.0	
5/26/2021 17:00	Normal	0.0	
5/26/2021 18:00	Normal	0.0	
5/26/2021 19:00	Normal	0.0	
5/26/2021 20:00	Normal	0.0	
5/26/2021 21:00	Normal	0.0	
5/26/2021 22:00	Normal	0.0	
5/26/2021 23:00	Normal	0.0	2.0
5/27/2021 0:00	Normal	0.0	
5/27/2021 1:00	Normal	0.0	
5/27/2021 2:00	Normal	0.0	
5/27/2021 3:00	Normal	0.0	
5/27/2021 4:00	Normal	0.0	
5/27/2021 5:00	Normal	0.0	
5/27/2021 6:00	Normal	0.0	
5/27/2021 7:00	Normal	0.0	
5/27/2021 8:00	Normal	0.0	
5/27/2021 9:00	Normal	0.0	
5/27/2021 10:00	Normal	0.0	
5/27/2021 11:00	Normal	0.0	
5/27/2021 12:00	Normal	0.0	
5/27/2021 13:00	Normal	0.0	
5/27/2021 14:00	Normal	0.0	
5/27/2021 15:00	Normal	0.0	
5/27/2021 16:00	Normal	0.0	
5/27/2021 17:00	Normal	0.0	
5/27/2021 18:00	Normal	0.0	
5/27/2021 19:00	Normal	0.0	
5/27/2021 20:00	Normal	0.0	
5/27/2021 21:00	Normal	0.0	
5/27/2021 22:00	Normal	0.0	
5/27/2021 23:00	Normal	0.0	2.0
5/28/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/28/2021 1:00	Normal	0.0	
5/28/2021 2:00	Normal	0.0	
5/28/2021 3:00	Normal	0.0	
5/28/2021 4:00	Normal	0.0	
5/28/2021 5:00	Normal	0.0	
5/28/2021 6:00	Normal	0.0	
5/28/2021 7:00	Normal	0.0	
5/28/2021 8:00	Normal	0.0	
5/28/2021 9:00	Normal	0.0	
5/28/2021 10:00	Normal	0.0	
5/28/2021 11:00	Normal	0.0	
5/28/2021 12:00	Normal	0.0	
5/28/2021 13:00	Normal	0.0	
5/28/2021 14:00	Normal	0.0	
5/28/2021 15:00	Normal	0.0	
5/28/2021 16:00	Normal	0.0	
5/28/2021 17:00	Normal	0.0	
5/28/2021 18:00	Normal	0.0	
5/28/2021 19:00	Normal	0.0	
5/28/2021 20:00	Normal	0.0	
5/28/2021 21:00	Normal	0.0	
5/28/2021 22:00	Normal	0.0	
5/28/2021 23:00	Normal	0.0	2.0
5/29/2021 0:00	Normal	0.0	
5/29/2021 1:00	Normal	0.0	
5/29/2021 2:00	Normal	0.0	
5/29/2021 3:00	Normal	0.0	
5/29/2021 4:00	Normal	0.0	
5/29/2021 5:00	Normal	0.0	
5/29/2021 6:00	Normal	0.0	
5/29/2021 7:00	Normal	0.0	
5/29/2021 8:00	Normal	0.0	
5/29/2021 9:00	Normal	0.0	
5/29/2021 10:00	Normal	0.0	
5/29/2021 11:00	Normal	0.0	
5/29/2021 12:00	Normal	0.0	
5/29/2021 13:00	Normal	0.0	
5/29/2021 14:00	Normal	0.0	
5/29/2021 15:00	Normal	0.0	
5/29/2021 16:00	Normal	0.0	
5/29/2021 17:00	Normal	0.0	
5/29/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/29/2021 19:00	Normal	0.0	
5/29/2021 20:00	Normal	0.0	
5/29/2021 21:00	Normal	0.0	
5/29/2021 22:00	Normal	0.0	
5/29/2021 23:00	Normal	0.0	2.0
5/30/2021 0:00	Normal	0.0	
5/30/2021 1:00	Normal	0.0	
5/30/2021 2:00	Normal	0.0	
5/30/2021 3:00	Normal	0.0	
5/30/2021 4:00	Normal	0.0	
5/30/2021 5:00	Normal	0.0	
5/30/2021 6:00	Normal	0.0	
5/30/2021 7:00	Normal	0.0	
5/30/2021 8:00	Normal	0.0	
5/30/2021 9:00	Normal	0.0	
5/30/2021 10:00	Normal	0.0	
5/30/2021 11:00	Normal	0.0	
5/30/2021 12:00	Normal	0.0	
5/30/2021 13:00	Normal	0.0	
5/30/2021 14:00	Normal	0.0	
5/30/2021 15:00	Normal	0.0	
5/30/2021 16:00	Normal	0.0	
5/30/2021 17:00	Normal	0.0	
5/30/2021 18:00	Normal	0.0	
5/30/2021 19:00	Normal	0.0	
5/30/2021 20:00	Normal	0.0	
5/30/2021 21:00	Normal	0.0	
5/30/2021 22:00	Normal	0.0	
5/30/2021 23:00	Normal	0.0	2.0
5/31/2021 0:00	Normal	0.0	
5/31/2021 1:00	Normal	0.0	
5/31/2021 2:00	Normal	0.0	
5/31/2021 3:00	Normal	0.0	
5/31/2021 4:00	Normal	0.0	
5/31/2021 5:00	Normal	0.0	
5/31/2021 6:00	Normal	0.0	
5/31/2021 7:00	Normal	0.0	
5/31/2021 8:00	Normal	0.0	
5/31/2021 9:00	Normal	0.0	
5/31/2021 10:00	Normal	0.0	
5/31/2021 11:00	Normal	0.0	
5/31/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/31/2021 13:00	Normal	0.0	
5/31/2021 14:00	Normal	0.0	
5/31/2021 15:00	Normal	0.0	
5/31/2021 16:00	Normal	0.0	
5/31/2021 17:00	Normal	0.0	
5/31/2021 18:00	Normal	0.0	
5/31/2021 19:00	Normal	0.0	
5/31/2021 20:00	Normal	0.0	
5/31/2021 21:00	Normal	0.0	
5/31/2021 22:00	Normal	0.0	
5/31/2021 23:00	Normal	0.0	2.0
6/1/2021 0:00	Normal	0.0	
6/1/2021 1:00	Normal	0.0	
6/1/2021 2:00	Normal	0.0	
6/1/2021 3:00	Normal	0.0	
6/1/2021 4:00	Normal	0.0	
6/1/2021 5:00	Normal	0.0	
6/1/2021 6:00	Normal	0.0	
6/1/2021 7:00	Normal	0.0	
6/1/2021 8:00	Normal	0.0	
6/1/2021 9:00	Normal	0.0	
6/1/2021 10:00	Normal	0.0	
6/1/2021 11:00	Normal	0.0	
6/1/2021 12:00	Normal	0.0	
6/1/2021 13:00	Normal	0.0	
6/1/2021 14:00	Normal	0.0	
6/1/2021 15:00	Normal	0.0	
6/1/2021 16:00	Normal	0.0	
6/1/2021 17:00	Normal	0.0	
6/1/2021 18:00	Normal	0.0	
6/1/2021 19:00	Normal	0.0	
6/1/2021 20:00	Normal	0.0	
6/1/2021 21:00	Normal	0.0	
6/1/2021 22:00	Normal	0.0	
6/1/2021 23:00	Normal	0.0	2.0
6/2/2021 0:00	Normal	0.0	
6/2/2021 1:00	Normal	0.0	
6/2/2021 2:00	Normal	0.0	
6/2/2021 3:00	Normal	0.0	
6/2/2021 4:00	Normal	0.0	
6/2/2021 5:00	Normal	0.0	
6/2/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/2/2021 7:00	Normal	0.0	
6/2/2021 8:00	Normal	0.0	
6/2/2021 9:00	Normal	0.0	
6/2/2021 10:00	Normal	0.0	
6/2/2021 11:00	Normal	0.0	
6/2/2021 12:00	Normal	0.0	
6/2/2021 13:00	Normal	0.0	
6/2/2021 14:00	Normal	0.0	
6/2/2021 15:00	Normal	0.0	
6/2/2021 16:00	Normal	0.0	
6/2/2021 17:00	Normal	0.0	
6/2/2021 18:00	Normal	0.0	
6/2/2021 19:00	Normal	0.0	
6/2/2021 20:00	Normal	0.0	
6/2/2021 21:00	Normal	0.0	
6/2/2021 22:00	Normal	0.0	
6/2/2021 23:00	Normal	0.0	2.0
6/3/2021 0:00	Normal	0.0	
6/3/2021 1:00	Normal	0.0	
6/3/2021 2:00	Normal	0.0	
6/3/2021 3:00	Normal	0.0	
6/3/2021 4:00	Normal	0.0	
6/3/2021 5:00	Normal	0.0	
6/3/2021 6:00	Normal	0.0	
6/3/2021 7:00	Normal	0.0	
6/3/2021 8:00	Normal	0.0	
6/3/2021 9:00	Normal	0.0	
6/3/2021 10:00	Normal	0.0	
6/3/2021 11:00	Normal	0.0	
6/3/2021 12:00	Normal	0.0	
6/3/2021 13:00	Normal	0.0	
6/3/2021 14:00	Normal	0.0	
6/3/2021 15:00	Normal	0.0	
6/3/2021 16:00	Normal	0.0	
6/3/2021 17:00	Normal	0.0	
6/3/2021 18:00	Normal	0.0	
6/3/2021 19:00	Normal	0.0	
6/3/2021 20:00	Normal	0.0	
6/3/2021 21:00	Normal	0.0	
6/3/2021 22:00	Normal	0.0	
6/3/2021 23:00	Normal	0.0	2.0
6/4/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/4/2021 1:00	Normal	0.0	
6/4/2021 2:00	Normal	0.0	
6/4/2021 3:00	Normal	0.0	
6/4/2021 4:00	Normal	0.0	
6/4/2021 5:00	Normal	0.0	
6/4/2021 6:00	Normal	0.0	
6/4/2021 7:00	Normal	0.0	
6/4/2021 8:00	Normal	0.0	
6/4/2021 9:00	Normal	0.0	
6/4/2021 10:00	Normal	0.0	
6/4/2021 11:00	Normal	0.0	
6/4/2021 12:00	Normal	0.0	
6/4/2021 13:00	Normal	0.0	
6/4/2021 14:00	Normal	0.0	
6/4/2021 15:00	Normal	0.0	
6/4/2021 16:00	Normal	0.0	
6/4/2021 17:00	Normal	0.0	
6/4/2021 18:00	Normal	0.0	
6/4/2021 19:00	Normal	0.0	
6/4/2021 20:00	Normal	0.0	
6/4/2021 21:00	Normal	0.0	
6/4/2021 22:00	Normal	0.0	
6/4/2021 23:00	Normal	0.0	0.0
6/5/2021 0:00	Normal	0.0	
6/5/2021 1:00	Normal	0.0	
6/5/2021 2:00	Normal	0.0	
6/5/2021 3:00	Normal	0.0	
6/5/2021 4:00	Normal	0.0	
6/5/2021 5:00	Normal	0.0	
6/5/2021 6:00	Normal	0.0	
6/5/2021 7:00	Normal	0.0	
6/5/2021 8:00	Normal	0.0	
6/5/2021 9:00	Normal	0.0	
6/5/2021 10:00	Normal	0.0	
6/5/2021 11:00	Normal	0.0	
6/5/2021 12:00	Normal	0.0	
6/5/2021 13:00	Normal	0.0	
6/5/2021 14:00	Normal	0.0	
6/5/2021 15:00	Normal	0.0	
6/5/2021 16:00	Normal	0.0	
6/5/2021 17:00	Normal	0.0	
6/5/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/5/2021 19:00	Normal	0.0	
6/5/2021 20:00	Normal	0.0	
6/5/2021 21:00	Normal	0.0	
6/5/2021 22:00	Normal	0.0	
6/5/2021 23:00	Normal	0.0	0.0
6/6/2021 0:00	Normal	0.0	
6/6/2021 1:00	Normal	0.0	
6/6/2021 2:00	Shutdown	277.9	
6/6/2021 3:00	Shutdown	2.8	
6/6/2021 4:00	Shutdown	2.3	
6/6/2021 5:00	Shutdown		
6/6/2021 6:00	Shutdown		
6/6/2021 7:00	Shutdown		
6/6/2021 8:00	Shutdown		
6/6/2021 9:00	Shutdown		
6/6/2021 10:00	Shutdown		
6/6/2021 11:00	Shutdown	0.7	
6/6/2021 12:00	Shutdown		
6/6/2021 13:00	Shutdown		
6/6/2021 14:00	Shutdown		
6/6/2021 15:00	Shutdown		
6/6/2021 16:00	Shutdown		
6/6/2021 17:00	Shutdown		
6/6/2021 18:00	Shutdown		
6/6/2021 19:00	Shutdown		
6/6/2021 20:00	Shutdown		
6/6/2021 21:00	Shutdown		
6/6/2021 22:00	Shutdown		
6/6/2021 23:00	Shutdown		0.4
6/7/2021 0:00	Shutdown		
6/7/2021 1:00	Shutdown		
6/7/2021 2:00	Shutdown		
6/7/2021 3:00	Shutdown		
6/7/2021 4:00	Shutdown		
6/7/2021 5:00	Shutdown		
6/7/2021 6:00	Shutdown		
6/7/2021 7:00	Shutdown		
6/7/2021 8:00	Shutdown		
6/7/2021 9:00	Shutdown		
6/7/2021 10:00	Shutdown		
6/7/2021 11:00	Shutdown		
6/7/2021 12:00	Shutdown		

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/7/2021 13:00	Shutdown		
6/7/2021 14:00	Shutdown		
6/7/2021 15:00	Shutdown		
6/7/2021 16:00	Shutdown		
6/7/2021 17:00	Shutdown		
6/7/2021 18:00	Shutdown		
6/7/2021 19:00	Shutdown		
6/7/2021 20:00	Shutdown		
6/7/2021 21:00	Shutdown		
6/7/2021 22:00	Shutdown		
6/7/2021 23:00	Shutdown		0.4
6/8/2021 0:00	Shutdown		
6/8/2021 1:00	Shutdown		
6/8/2021 2:00	Shutdown		
6/8/2021 3:00	Shutdown		
6/8/2021 4:00	Shutdown		
6/8/2021 5:00	Shutdown		
6/8/2021 6:00	Shutdown		
6/8/2021 7:00	Shutdown		
6/8/2021 8:00	Shutdown		
6/8/2021 9:00	Shutdown		
6/8/2021 10:00	Shutdown		
6/8/2021 11:00	Shutdown		
6/8/2021 12:00	Shutdown		
6/8/2021 13:00	Shutdown		
6/8/2021 14:00	Shutdown		
6/8/2021 15:00	Shutdown		
6/8/2021 16:00	Shutdown		
6/8/2021 17:00	Shutdown		
6/8/2021 18:00	Shutdown		
6/8/2021 19:00	Shutdown		
6/8/2021 20:00	Shutdown		
6/8/2021 21:00	Shutdown		
6/8/2021 22:00	Shutdown		
6/8/2021 23:00	Shutdown		0.4
6/9/2021 0:00	Shutdown		
6/9/2021 1:00	Shutdown		
6/9/2021 2:00	Shutdown		
6/9/2021 3:00	Shutdown		
6/9/2021 4:00	Shutdown		
6/9/2021 5:00	Shutdown		
6/9/2021 6:00	Shutdown		

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/9/2021 7:00	Shutdown		
6/9/2021 8:00	Shutdown		
6/9/2021 9:00	Shutdown		
6/9/2021 10:00	Shutdown		
6/9/2021 11:00	Shutdown		
6/9/2021 12:00	Shutdown		
6/9/2021 13:00	Shutdown		
6/9/2021 14:00	Shutdown		
6/9/2021 15:00	Shutdown		
6/9/2021 16:00	Shutdown		
6/9/2021 17:00	Shutdown		
6/9/2021 18:00	Shutdown		
6/9/2021 19:00	Shutdown		
6/9/2021 20:00	Shutdown		
6/9/2021 21:00	Shutdown		
6/9/2021 22:00	Shutdown		
6/9/2021 23:00	Shutdown		0.5
6/10/2021 0:00	Shutdown		
6/10/2021 1:00	Shutdown		
6/10/2021 2:00	Shutdown		
6/10/2021 3:00	Shutdown		
6/10/2021 4:00	Shutdown		
6/10/2021 5:00	Shutdown		
6/10/2021 6:00	Shutdown		
6/10/2021 7:00	Shutdown		
6/10/2021 8:00	Shutdown		
6/10/2021 9:00	Shutdown		
6/10/2021 10:00	Shutdown		
6/10/2021 11:00	Shutdown		
6/10/2021 12:00	Shutdown		
6/10/2021 13:00	Shutdown		
6/10/2021 14:00	Shutdown		
6/10/2021 15:00	Shutdown		
6/10/2021 16:00	Shutdown		
6/10/2021 17:00	Shutdown		
6/10/2021 18:00	Shutdown		
6/10/2021 19:00	Shutdown		
6/10/2021 20:00	Shutdown		
6/10/2021 21:00	Shutdown		
6/10/2021 22:00	Shutdown		
6/10/2021 23:00	Shutdown		0.5
6/11/2021 0:00	Shutdown		

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/11/2021 1:00	Shutdown		
6/11/2021 2:00	Shutdown		
6/11/2021 3:00	Shutdown		
6/11/2021 4:00	Shutdown		
6/11/2021 5:00	Shutdown		
6/11/2021 6:00	Shutdown		
6/11/2021 7:00	Shutdown		
6/11/2021 8:00	Shutdown		
6/11/2021 9:00	Shutdown		
6/11/2021 10:00	Shutdown		
6/11/2021 11:00	Shutdown		
6/11/2021 12:00	Shutdown		
6/11/2021 13:00	Shutdown		
6/11/2021 14:00	Shutdown		
6/11/2021 15:00	Shutdown		
6/11/2021 16:00	Shutdown		
6/11/2021 17:00	Shutdown		
6/11/2021 18:00	Shutdown		
6/11/2021 19:00	Shutdown		
6/11/2021 20:00	Shutdown		
6/11/2021 21:00	Shutdown		
6/11/2021 22:00	Shutdown		
6/11/2021 23:00	Shutdown		0.5
6/12/2021 0:00	Shutdown		
6/12/2021 1:00	Shutdown		
6/12/2021 2:00	Shutdown		
6/12/2021 3:00	Shutdown		
6/12/2021 4:00	Shutdown		
6/12/2021 5:00	Shutdown		
6/12/2021 6:00	Shutdown		
6/12/2021 7:00	Shutdown		
6/12/2021 8:00	Shutdown		
6/12/2021 9:00	Shutdown		
6/12/2021 10:00	Shutdown		
6/12/2021 11:00	Shutdown		
6/12/2021 12:00	Shutdown		
6/12/2021 13:00	Shutdown		
6/12/2021 14:00	Shutdown		
6/12/2021 15:00	Shutdown		
6/12/2021 16:00	Shutdown		
6/12/2021 17:00	Shutdown		
6/12/2021 18:00	Shutdown		

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/12/2021 19:00	Shutdown		
6/12/2021 20:00	Shutdown		
6/12/2021 21:00	Shutdown		
6/12/2021 22:00	Shutdown		
6/12/2021 23:00	Shutdown		0.5
6/13/2021 0:00	Shutdown		
6/13/2021 1:00	Shutdown		
6/13/2021 2:00	Shutdown		
6/13/2021 3:00	Shutdown		
6/13/2021 4:00	Shutdown		
6/13/2021 5:00	Shutdown		
6/13/2021 6:00	Shutdown		
6/13/2021 7:00	Shutdown		
6/13/2021 8:00	Shutdown		
6/13/2021 9:00	Shutdown		
6/13/2021 10:00	Shutdown		
6/13/2021 11:00	Shutdown		
6/13/2021 12:00	Shutdown		
6/13/2021 13:00	Shutdown		
6/13/2021 14:00	Shutdown		
6/13/2021 15:00	Shutdown		
6/13/2021 16:00	Shutdown		
6/13/2021 17:00	Shutdown		
6/13/2021 18:00	Shutdown		
6/13/2021 19:00	Shutdown		
6/13/2021 20:00	Shutdown		
6/13/2021 21:00	Shutdown		
6/13/2021 22:00	Shutdown		
6/13/2021 23:00	Shutdown		0.5
6/14/2021 0:00	Shutdown		
6/14/2021 1:00	Shutdown		
6/14/2021 2:00	Shutdown		
6/14/2021 3:00	Shutdown		
6/14/2021 4:00	Shutdown		
6/14/2021 5:00	Shutdown		
6/14/2021 6:00	Shutdown		
6/14/2021 7:00	Shutdown		
6/14/2021 8:00	Shutdown		
6/14/2021 9:00	Shutdown		
6/14/2021 10:00	Shutdown		
6/14/2021 11:00	Shutdown		
6/14/2021 12:00	Shutdown		

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/14/2021 13:00	Shutdown		
6/14/2021 14:00	Shutdown		
6/14/2021 15:00	Shutdown		
6/14/2021 16:00	Shutdown		
6/14/2021 17:00	Shutdown		
6/14/2021 18:00	Shutdown		
6/14/2021 19:00	Shutdown		
6/14/2021 20:00	Shutdown		
6/14/2021 21:00	Shutdown		
6/14/2021 22:00	Shutdown		
6/14/2021 23:00	Shutdown		0.6
6/15/2021 0:00	Shutdown		
6/15/2021 1:00	Shutdown		
6/15/2021 2:00	Shutdown		
6/15/2021 3:00	Shutdown		
6/15/2021 4:00	Shutdown		
6/15/2021 5:00	Shutdown		
6/15/2021 6:00	Shutdown		
6/15/2021 7:00	Shutdown		
6/15/2021 8:00	Shutdown		
6/15/2021 9:00	Shutdown		
6/15/2021 10:00	Shutdown		
6/15/2021 11:00	Shutdown		
6/15/2021 12:00	Shutdown		
6/15/2021 13:00	Shutdown		
6/15/2021 14:00	Shutdown		
6/15/2021 15:00	Shutdown		
6/15/2021 16:00	Shutdown		
6/15/2021 17:00	Shutdown		
6/15/2021 18:00	Shutdown		
6/15/2021 19:00	Shutdown		
6/15/2021 20:00	Shutdown		
6/15/2021 21:00	Shutdown		
6/15/2021 22:00	Shutdown		
6/15/2021 23:00	Shutdown		0.6
6/16/2021 0:00	Shutdown		
6/16/2021 1:00	Shutdown		
6/16/2021 2:00	Shutdown		
6/16/2021 3:00	Shutdown		
6/16/2021 4:00	Shutdown		
6/16/2021 5:00	Shutdown		
6/16/2021 6:00	Shutdown		

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/16/2021 7:00	Shutdown		
6/16/2021 8:00	Shutdown		
6/16/2021 9:00	Shutdown		
6/16/2021 10:00	Shutdown		
6/16/2021 11:00	Shutdown		
6/16/2021 12:00	Shutdown		
6/16/2021 13:00	Shutdown		
6/16/2021 14:00	Shutdown		
6/16/2021 15:00	Shutdown		
6/16/2021 16:00	Shutdown		
6/16/2021 17:00	Shutdown		
6/16/2021 18:00	Shutdown		
6/16/2021 19:00	Shutdown		
6/16/2021 20:00	Shutdown		
6/16/2021 21:00	Shutdown		
6/16/2021 22:00	Shutdown		
6/16/2021 23:00	Shutdown		0.6
6/17/2021 0:00	Shutdown		
6/17/2021 1:00	Shutdown		
6/17/2021 2:00	Shutdown		
6/17/2021 3:00	Shutdown		
6/17/2021 4:00	Shutdown		
6/17/2021 5:00	Shutdown		
6/17/2021 6:00	Shutdown		
6/17/2021 7:00	Shutdown		
6/17/2021 8:00	Shutdown		
6/17/2021 9:00	Shutdown		
6/17/2021 10:00	Shutdown		
6/17/2021 11:00	Shutdown		
6/17/2021 12:00	Shutdown		
6/17/2021 13:00	Shutdown		
6/17/2021 14:00	Shutdown		
6/17/2021 15:00	Shutdown		
6/17/2021 16:00	Shutdown		
6/17/2021 17:00	Shutdown		
6/17/2021 18:00	Shutdown		
6/17/2021 19:00	Shutdown		
6/17/2021 20:00	Shutdown		
6/17/2021 21:00	Shutdown		
6/17/2021 22:00	Shutdown		
6/17/2021 23:00	Shutdown		0.6
6/18/2021 0:00	Shutdown		

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/18/2021 1:00	Shutdown		
6/18/2021 2:00	Shutdown		
6/18/2021 3:00	Shutdown		
6/18/2021 4:00	Shutdown		
6/18/2021 5:00	Shutdown		
6/18/2021 6:00	Shutdown		
6/18/2021 7:00	Shutdown		
6/18/2021 8:00	Shutdown		
6/18/2021 9:00	Shutdown		
6/18/2021 10:00	Shutdown		
6/18/2021 11:00	Shutdown		
6/18/2021 12:00	Shutdown		
6/18/2021 13:00	Shutdown		
6/18/2021 14:00	Shutdown		
6/18/2021 15:00	Shutdown		
6/18/2021 16:00	Shutdown		
6/18/2021 17:00	Shutdown		
6/18/2021 18:00	Shutdown		
6/18/2021 19:00	Shutdown		
6/18/2021 20:00	Shutdown		
6/18/2021 21:00	Shutdown		
6/18/2021 22:00	Shutdown		
6/18/2021 23:00	Shutdown		0.7
6/19/2021 0:00	Shutdown		
6/19/2021 1:00	Shutdown		
6/19/2021 2:00	Shutdown		
6/19/2021 3:00	Shutdown		
6/19/2021 4:00	Shutdown		
6/19/2021 5:00	Shutdown		
6/19/2021 6:00	Shutdown		
6/19/2021 7:00	Shutdown		
6/19/2021 8:00	Shutdown		
6/19/2021 9:00	Shutdown		
6/19/2021 10:00	Shutdown		
6/19/2021 11:00	Shutdown		
6/19/2021 12:00	Shutdown		
6/19/2021 13:00	Shutdown		
6/19/2021 14:00	Shutdown		
6/19/2021 15:00	Shutdown		
6/19/2021 16:00	Shutdown		
6/19/2021 17:00	Shutdown		
6/19/2021 18:00	Shutdown		

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/19/2021 19:00	Shutdown		
6/19/2021 20:00	Shutdown		
6/19/2021 21:00	Shutdown		
6/19/2021 22:00	Shutdown		
6/19/2021 23:00	Shutdown		0.7
6/20/2021 0:00	Shutdown		
6/20/2021 1:00	Shutdown		
6/20/2021 2:00	Shutdown		
6/20/2021 3:00	Shutdown		
6/20/2021 4:00	Shutdown		
6/20/2021 5:00	Shutdown		
6/20/2021 6:00	Shutdown		
6/20/2021 7:00	Shutdown		
6/20/2021 8:00	Shutdown		
6/20/2021 9:00	Shutdown		
6/20/2021 10:00	Shutdown		
6/20/2021 11:00	Shutdown		
6/20/2021 12:00	Shutdown		
6/20/2021 13:00	Shutdown		
6/20/2021 14:00	Shutdown		
6/20/2021 15:00	Shutdown		
6/20/2021 16:00	Shutdown		
6/20/2021 17:00	Shutdown		
6/20/2021 18:00	Shutdown		
6/20/2021 19:00	Shutdown		
6/20/2021 20:00	Shutdown		
6/20/2021 21:00	Shutdown		
6/20/2021 22:00	Shutdown		
6/20/2021 23:00	Shutdown		0.8
6/21/2021 0:00	Shutdown		
6/21/2021 1:00	Shutdown		
6/21/2021 2:00	Shutdown		
6/21/2021 3:00	Shutdown		
6/21/2021 4:00	Shutdown		
6/21/2021 5:00	Shutdown		
6/21/2021 6:00	Shutdown		
6/21/2021 7:00	Shutdown		
6/21/2021 8:00	Shutdown		
6/21/2021 9:00	Shutdown		
6/21/2021 10:00	Shutdown		
6/21/2021 11:00	Shutdown		
6/21/2021 12:00	Shutdown		

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/21/2021 13:00	Shutdown		
6/21/2021 14:00	Shutdown		
6/21/2021 15:00	Shutdown		
6/21/2021 16:00	Shutdown		
6/21/2021 17:00	Shutdown		
6/21/2021 18:00	Shutdown		
6/21/2021 19:00	Shutdown		
6/21/2021 20:00	Shutdown		
6/21/2021 21:00	Shutdown		
6/21/2021 22:00	Shutdown		
6/21/2021 23:00	Shutdown		0.8
6/22/2021 0:00	Shutdown		
6/22/2021 1:00	Shutdown		
6/22/2021 2:00	Shutdown		
6/22/2021 3:00	Shutdown		
6/22/2021 4:00	Shutdown		
6/22/2021 5:00	Shutdown		
6/22/2021 6:00	Shutdown		
6/22/2021 7:00	Shutdown		
6/22/2021 8:00	Shutdown		
6/22/2021 9:00	Shutdown		
6/22/2021 10:00	Shutdown		
6/22/2021 11:00	Shutdown		
6/22/2021 12:00	Shutdown		
6/22/2021 13:00	Shutdown		
6/22/2021 14:00	Shutdown		
6/22/2021 15:00	Shutdown		
6/22/2021 16:00	Shutdown		
6/22/2021 17:00	Shutdown		
6/22/2021 18:00	Shutdown		
6/22/2021 19:00	Shutdown		
6/22/2021 20:00	Shutdown		
6/22/2021 21:00	Shutdown		
6/22/2021 22:00	Shutdown		
6/22/2021 23:00	Shutdown		0.9
6/23/2021 0:00	Shutdown		
6/23/2021 1:00	Shutdown		
6/23/2021 2:00	Shutdown		
6/23/2021 3:00	Shutdown		
6/23/2021 4:00	Shutdown		
6/23/2021 5:00	Shutdown		
6/23/2021 6:00	Shutdown		

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/23/2021 7:00	Shutdown		
6/23/2021 8:00	Shutdown		
6/23/2021 9:00	Shutdown		
6/23/2021 10:00	Shutdown		
6/23/2021 11:00	Shutdown		
6/23/2021 12:00	Shutdown		
6/23/2021 13:00	Shutdown		
6/23/2021 14:00	Shutdown		
6/23/2021 15:00	Shutdown		
6/23/2021 16:00	Shutdown		
6/23/2021 17:00	Shutdown		
6/23/2021 18:00	Shutdown		
6/23/2021 19:00	Shutdown		
6/23/2021 20:00	Shutdown		
6/23/2021 21:00	Shutdown		
6/23/2021 22:00	Shutdown		
6/23/2021 23:00	Shutdown		1.0
6/24/2021 0:00	Shutdown		
6/24/2021 1:00	Shutdown		
6/24/2021 2:00	Shutdown		
6/24/2021 3:00	Shutdown		
6/24/2021 4:00	Shutdown		
6/24/2021 5:00	Shutdown		
6/24/2021 6:00	Shutdown		
6/24/2021 7:00	Shutdown		
6/24/2021 8:00	Shutdown		
6/24/2021 9:00	Shutdown		
6/24/2021 10:00	Shutdown		
6/24/2021 11:00	Shutdown		
6/24/2021 12:00	Shutdown		
6/24/2021 13:00	Shutdown		
6/24/2021 14:00	Shutdown		
6/24/2021 15:00	Shutdown		
6/24/2021 16:00	Shutdown		
6/24/2021 17:00	Shutdown		
6/24/2021 18:00	Shutdown		
6/24/2021 19:00	Shutdown		
6/24/2021 20:00	Shutdown		
6/24/2021 21:00	Shutdown		
6/24/2021 22:00	Shutdown		
6/24/2021 23:00	Shutdown		1.1
6/25/2021 0:00	Shutdown		

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/25/2021 1:00	Shutdown		
6/25/2021 2:00	Shutdown		
6/25/2021 3:00	Shutdown		
6/25/2021 4:00	Shutdown		
6/25/2021 5:00	Shutdown		
6/25/2021 6:00	Shutdown		
6/25/2021 7:00	Shutdown		
6/25/2021 8:00	Shutdown		
6/25/2021 9:00	Shutdown		
6/25/2021 10:00	Shutdown		
6/25/2021 11:00	Shutdown		
6/25/2021 12:00	Shutdown		
6/25/2021 13:00	Shutdown		
6/25/2021 14:00	Shutdown		
6/25/2021 15:00	Shutdown		
6/25/2021 16:00	Shutdown		
6/25/2021 17:00	Shutdown		
6/25/2021 18:00	Shutdown		
6/25/2021 19:00	Shutdown		
6/25/2021 20:00	Shutdown		
6/25/2021 21:00	Shutdown		
6/25/2021 22:00	Shutdown		
6/25/2021 23:00	Shutdown		1.2
6/26/2021 0:00	Shutdown		
6/26/2021 1:00	Shutdown		
6/26/2021 2:00	Shutdown		
6/26/2021 3:00	Shutdown		
6/26/2021 4:00	Shutdown		
6/26/2021 5:00	Shutdown		
6/26/2021 6:00	Shutdown		
6/26/2021 7:00	Shutdown		
6/26/2021 8:00	Shutdown		
6/26/2021 9:00	Shutdown		
6/26/2021 10:00	Shutdown		
6/26/2021 11:00	Shutdown		
6/26/2021 12:00	Shutdown		
6/26/2021 13:00	Shutdown		
6/26/2021 14:00	Shutdown		
6/26/2021 15:00	Shutdown		
6/26/2021 16:00	Shutdown		
6/26/2021 17:00	Shutdown		
6/26/2021 18:00	Shutdown		

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/26/2021 19:00	Shutdown		
6/26/2021 20:00	Shutdown		
6/26/2021 21:00	Shutdown		
6/26/2021 22:00	Shutdown		
6/26/2021 23:00	Shutdown		1.3
6/27/2021 0:00	Shutdown		
6/27/2021 1:00	Shutdown		
6/27/2021 2:00	Shutdown		
6/27/2021 3:00	Shutdown		
6/27/2021 4:00	Shutdown		
6/27/2021 5:00	Shutdown		
6/27/2021 6:00	Shutdown		
6/27/2021 7:00	Shutdown		
6/27/2021 8:00	Shutdown		
6/27/2021 9:00	Shutdown		
6/27/2021 10:00	Shutdown		
6/27/2021 11:00	Shutdown		
6/27/2021 12:00	Shutdown		
6/27/2021 13:00	Shutdown		
6/27/2021 14:00	Shutdown		
6/27/2021 15:00	Shutdown		
6/27/2021 16:00	Shutdown		
6/27/2021 17:00	Shutdown		
6/27/2021 18:00	Shutdown		
6/27/2021 19:00	Shutdown		
6/27/2021 20:00	Shutdown		
6/27/2021 21:00	Shutdown		
6/27/2021 22:00	Shutdown		
6/27/2021 23:00	Shutdown		1.4
6/28/2021 0:00	Shutdown		
6/28/2021 1:00	Shutdown		
6/28/2021 2:00	Shutdown		
6/28/2021 3:00	Shutdown		
6/28/2021 4:00	Shutdown		
6/28/2021 5:00	Shutdown		
6/28/2021 6:00	Shutdown		
6/28/2021 7:00	Shutdown		
6/28/2021 8:00	Shutdown		
6/28/2021 9:00	Shutdown		
6/28/2021 10:00	Shutdown		
6/28/2021 11:00	Shutdown		
6/28/2021 12:00	Shutdown		

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/28/2021 13:00	Shutdown		
6/28/2021 14:00	Shutdown		
6/28/2021 15:00	Shutdown		
6/28/2021 16:00	Shutdown		
6/28/2021 17:00	Shutdown		
6/28/2021 18:00	Shutdown		
6/28/2021 19:00	Shutdown		
6/28/2021 20:00	Shutdown		
6/28/2021 21:00	Shutdown		
6/28/2021 22:00	Shutdown		
6/28/2021 23:00	Shutdown		1.6
6/29/2021 0:00	Shutdown		
6/29/2021 1:00	Shutdown		
6/29/2021 2:00	Shutdown		
6/29/2021 3:00	Shutdown		
6/29/2021 4:00	Shutdown		
6/29/2021 5:00	Shutdown		
6/29/2021 6:00	Shutdown		
6/29/2021 7:00	Shutdown		
6/29/2021 8:00	Shutdown		
6/29/2021 9:00	Shutdown		
6/29/2021 10:00	Shutdown		
6/29/2021 11:00	Shutdown		
6/29/2021 12:00	Shutdown		
6/29/2021 13:00	Shutdown		
6/29/2021 14:00	Shutdown		
6/29/2021 15:00	Shutdown		
6/29/2021 16:00	Shutdown		
6/29/2021 17:00	Shutdown		
6/29/2021 18:00	Shutdown		
6/29/2021 19:00	Shutdown		
6/29/2021 20:00	Shutdown		
6/29/2021 21:00	Shutdown		
6/29/2021 22:00	Shutdown		
6/29/2021 23:00	Shutdown		1.9
6/30/2021 0:00	Shutdown		
6/30/2021 1:00	Shutdown		
6/30/2021 2:00	Shutdown		
6/30/2021 3:00	Shutdown		
6/30/2021 4:00	Shutdown		
6/30/2021 5:00	Shutdown		
6/30/2021 6:00	Shutdown		

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/30/2021 7:00	Shutdown		
6/30/2021 8:00	Shutdown		
6/30/2021 9:00	Shutdown		
6/30/2021 10:00	Shutdown		
6/30/2021 11:00	Shutdown		
6/30/2021 12:00	Shutdown		
6/30/2021 13:00	Shutdown		
6/30/2021 14:00	Shutdown		
6/30/2021 15:00	Shutdown		
6/30/2021 16:00	Shutdown		
6/30/2021 17:00	Shutdown		
6/30/2021 18:00	Startup	68.3	
6/30/2021 19:00	Startup	705.1	
6/30/2021 20:00	Startup	366.8	
6/30/2021 21:00	Startup	17.8	
6/30/2021 22:00	Startup	2.3	
6/30/2021 23:00	Startup	2.3	11.0
7/1/2021 0:00	Startup	0.0	
7/1/2021 1:00	Startup	0.0	
7/1/2021 2:00	Startup	0.0	
7/1/2021 3:00	Startup	0.0	
7/1/2021 4:00	Startup	0.0	
7/1/2021 5:00	Startup	0.0	
7/1/2021 6:00	Startup	0.0	
7/1/2021 7:00	Startup	0.0	
7/1/2021 8:00	Startup	0.0	
7/1/2021 9:00	Startup	0.0	
7/1/2021 10:00	Startup	0.0	
7/1/2021 11:00	Startup	0.0	
7/1/2021 12:00	Startup	0.0	
7/1/2021 13:00	Shutdown		
7/1/2021 14:00	Shutdown		
7/1/2021 15:00	Shutdown		
7/1/2021 16:00	Shutdown		
7/1/2021 17:00	Shutdown		
7/1/2021 18:00	Shutdown		
7/1/2021 19:00	Shutdown		
7/1/2021 20:00	Shutdown		
7/1/2021 21:00	Shutdown		
7/1/2021 22:00	Shutdown		
7/1/2021 23:00	Shutdown		12.0
7/2/2021 0:00	Startup	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/2/2021 1:00	Startup	0.0	
7/2/2021 2:00	Startup	0.0	
7/2/2021 3:00	Startup	0.0	
7/2/2021 4:00	Startup	0.0	
7/2/2021 5:00	Startup	0.0	
7/2/2021 6:00	Startup	0.0	
7/2/2021 7:00	Startup	0.0	
7/2/2021 8:00	Startup	0.0	
7/2/2021 9:00	Startup	0.0	
7/2/2021 10:00	Startup	0.0	
7/2/2021 11:00	Startup	0.0	
7/2/2021 12:00	Startup	0.0	
7/2/2021 13:00	Startup	0.0	
7/2/2021 14:00	Startup	0.0	
7/2/2021 15:00	Startup	0.0	
7/2/2021 16:00	Startup	0.0	
7/2/2021 17:00	Startup	0.0	
7/2/2021 18:00	Startup	0.0	
7/2/2021 19:00	Startup	0.0	
7/2/2021 20:00	Startup	0.0	
7/2/2021 21:00	Startup	0.0	
7/2/2021 22:00	Startup	0.0	
7/2/2021 23:00	Normal	0.0	12.0
7/3/2021 0:00	Normal	0.0	
7/3/2021 1:00	Normal	0.0	
7/3/2021 2:00	Normal	0.0	
7/3/2021 3:00	Normal	0.0	
7/3/2021 4:00	Normal	0.0	
7/3/2021 5:00	Normal	0.0	
7/3/2021 6:00	Normal	0.0	
7/3/2021 7:00	Normal	0.0	
7/3/2021 8:00	Normal	0.0	
7/3/2021 9:00	Normal	0.0	
7/3/2021 10:00	Normal	0.0	
7/3/2021 11:00	Normal	0.0	
7/3/2021 12:00	Normal	0.0	
7/3/2021 13:00	Normal	0.0	
7/3/2021 14:00	Normal	0.0	
7/3/2021 15:00	Normal	0.0	
7/3/2021 16:00	Normal	0.0	
7/3/2021 17:00	Normal	0.0	
7/3/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/3/2021 19:00	Normal	0.0	
7/3/2021 20:00	Normal	0.0	
7/3/2021 21:00	Normal	0.0	
7/3/2021 22:00	Normal	0.0	
7/3/2021 23:00	Normal	0.0	12.0
7/4/2021 0:00	Normal	0.0	
7/4/2021 1:00	Normal	0.0	
7/4/2021 2:00	Normal	0.0	
7/4/2021 3:00	Normal	0.0	
7/4/2021 4:00	Normal	0.0	
7/4/2021 5:00	Normal	0.0	
7/4/2021 6:00	Normal	0.0	
7/4/2021 7:00	Normal	0.0	
7/4/2021 8:00	Normal	0.0	
7/4/2021 9:00	Normal	0.0	
7/4/2021 10:00	Normal	0.0	
7/4/2021 11:00	Normal	0.0	
7/4/2021 12:00	Normal	0.0	
7/4/2021 13:00	Normal	0.0	
7/4/2021 14:00	Normal	0.0	
7/4/2021 15:00	Normal	0.0	
7/4/2021 16:00	Normal	0.0	
7/4/2021 17:00	Normal	0.0	
7/4/2021 18:00	Normal	0.0	
7/4/2021 19:00	Normal	0.0	
7/4/2021 20:00	Normal	0.0	
7/4/2021 21:00	Normal	0.0	
7/4/2021 22:00	Normal	0.0	
7/4/2021 23:00	Normal	0.0	12.0
7/5/2021 0:00	Normal	0.0	
7/5/2021 1:00	Normal	0.0	
7/5/2021 2:00	Normal	0.0	
7/5/2021 3:00	Normal	0.0	
7/5/2021 4:00	Normal	0.0	
7/5/2021 5:00	Normal	0.0	
7/5/2021 6:00	Normal	0.0	
7/5/2021 7:00	Normal	0.0	
7/5/2021 8:00	Normal	0.0	
7/5/2021 9:00	Normal	0.0	
7/5/2021 10:00	Normal	0.0	
7/5/2021 11:00	Normal	0.0	
7/5/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/5/2021 13:00	Normal	0.0	
7/5/2021 14:00	Normal	0.0	
7/5/2021 15:00	Normal	0.0	
7/5/2021 16:00	Normal	0.0	
7/5/2021 17:00	Normal	0.0	
7/5/2021 18:00	Normal	0.0	
7/5/2021 19:00	Normal	0.0	
7/5/2021 20:00	Normal	0.0	
7/5/2021 21:00	Normal	0.0	
7/5/2021 22:00	Normal	0.0	
7/5/2021 23:00	Normal	0.0	12.0
7/6/2021 0:00	Normal	0.0	
7/6/2021 1:00	Normal	0.0	
7/6/2021 2:00	Normal	0.0	
7/6/2021 3:00	Normal	0.0	
7/6/2021 4:00	Normal	0.0	
7/6/2021 5:00	Normal	0.0	
7/6/2021 6:00	Normal	0.0	
7/6/2021 7:00	Normal	0.0	
7/6/2021 8:00	Normal	0.0	
7/6/2021 9:00	Normal	0.0	
7/6/2021 10:00	Normal	0.0	
7/6/2021 11:00	Normal	0.0	
7/6/2021 12:00	Normal	0.0	
7/6/2021 13:00	Normal	0.0	
7/6/2021 14:00	Normal	0.0	
7/6/2021 15:00	Normal	0.0	
7/6/2021 16:00	Normal	0.0	
7/6/2021 17:00	Normal	0.0	
7/6/2021 18:00	Normal	0.0	
7/6/2021 19:00	Normal	0.0	
7/6/2021 20:00	Normal	0.0	
7/6/2021 21:00	Normal	0.0	
7/6/2021 22:00	Normal	0.0	
7/6/2021 23:00	Normal	0.0	8.4
7/7/2021 0:00	Normal	0.0	
7/7/2021 1:00	Normal	0.0	
7/7/2021 2:00	Normal	0.0	
7/7/2021 3:00	Normal	0.0	
7/7/2021 4:00	Normal	0.0	
7/7/2021 5:00	Normal	0.0	
7/7/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/7/2021 7:00	Normal	0.0	
7/7/2021 8:00	Normal	0.0	
7/7/2021 9:00	Normal	0.0	
7/7/2021 10:00	Normal	0.0	
7/7/2021 11:00	Normal	0.0	
7/7/2021 12:00	Normal	0.0	
7/7/2021 13:00	Normal	0.0	
7/7/2021 14:00	Normal	0.0	
7/7/2021 15:00	Normal	0.0	
7/7/2021 16:00	Normal	0.0	
7/7/2021 17:00	Normal	0.0	
7/7/2021 18:00	Normal	0.0	
7/7/2021 19:00	Normal	0.0	
7/7/2021 20:00	Normal	0.0	
7/7/2021 21:00	Normal	0.0	
7/7/2021 22:00	Normal	0.0	
7/7/2021 23:00	Normal	0.0	7.1
7/8/2021 0:00	Normal	0.0	
7/8/2021 1:00	Normal	0.0	
7/8/2021 2:00	Normal	0.0	
7/8/2021 3:00	Normal	0.0	
7/8/2021 4:00	Normal	0.0	
7/8/2021 5:00	Normal	0.0	
7/8/2021 6:00	Normal	0.0	
7/8/2021 7:00	Normal	0.0	
7/8/2021 8:00	Normal	0.0	
7/8/2021 9:00	Normal	0.0	
7/8/2021 10:00	Normal	0.0	
7/8/2021 11:00	Normal	0.0	
7/8/2021 12:00	Normal	0.0	
7/8/2021 13:00	Normal	0.0	
7/8/2021 14:00	Normal	0.0	
7/8/2021 15:00	Normal	0.0	
7/8/2021 16:00	Normal	0.0	
7/8/2021 17:00	Normal	0.0	
7/8/2021 18:00	Normal	0.0	
7/8/2021 19:00	Normal	0.0	
7/8/2021 20:00	Normal	0.0	
7/8/2021 21:00	Normal	0.0	
7/8/2021 22:00	Normal	0.0	
7/8/2021 23:00	Normal	0.0	6.2
7/9/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/9/2021 1:00	Normal	0.0	
7/9/2021 2:00	Normal	0.0	
7/9/2021 3:00	Normal	0.0	
7/9/2021 4:00	Normal	0.0	
7/9/2021 5:00	Normal	0.0	
7/9/2021 6:00	Normal	0.0	
7/9/2021 7:00	Normal	0.0	
7/9/2021 8:00	Normal	0.0	
7/9/2021 9:00	Normal	0.0	
7/9/2021 10:00	Normal	0.0	
7/9/2021 11:00	Normal	0.0	
7/9/2021 12:00	Normal	0.0	
7/9/2021 13:00	Normal	0.0	
7/9/2021 14:00	Normal	0.0	
7/9/2021 15:00	Normal	0.0	
7/9/2021 16:00	Normal	0.0	
7/9/2021 17:00	Normal	0.0	
7/9/2021 18:00	Normal	0.0	
7/9/2021 19:00	Normal	0.0	
7/9/2021 20:00	Normal	0.0	
7/9/2021 21:00	Normal	0.0	
7/9/2021 22:00	Normal	0.0	
7/9/2021 23:00	Normal	0.0	5.5
7/10/2021 0:00	Normal	0.0	
7/10/2021 1:00	Normal	0.0	
7/10/2021 2:00	Normal	0.0	
7/10/2021 3:00	Normal	0.0	
7/10/2021 4:00	Normal	0.0	
7/10/2021 5:00	Normal	0.0	
7/10/2021 6:00	Normal	0.0	
7/10/2021 7:00	Normal	0.0	
7/10/2021 8:00	Normal	0.0	
7/10/2021 9:00	Normal	0.0	
7/10/2021 10:00	Normal	0.0	
7/10/2021 11:00	Normal	0.0	
7/10/2021 12:00	Normal	0.0	
7/10/2021 13:00	Normal	0.0	
7/10/2021 14:00	Normal	0.0	
7/10/2021 15:00	Normal	0.0	
7/10/2021 16:00	Normal	0.0	
7/10/2021 17:00	Normal	0.0	
7/10/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/10/2021 19:00	Normal	0.0	
7/10/2021 20:00	Normal	0.0	
7/10/2021 21:00	Normal	0.0	
7/10/2021 22:00	Normal	0.0	
7/10/2021 23:00	Normal	0.0	4.9
7/11/2021 0:00	Normal	0.0	
7/11/2021 1:00	Normal	0.0	
7/11/2021 2:00	Normal	0.0	
7/11/2021 3:00	Normal	0.0	
7/11/2021 4:00	Normal	0.0	
7/11/2021 5:00	Normal	0.0	
7/11/2021 6:00	Normal	0.0	
7/11/2021 7:00	Normal	0.0	
7/11/2021 8:00	Normal	0.0	
7/11/2021 9:00	Normal	0.0	
7/11/2021 10:00	Normal	0.0	
7/11/2021 11:00	Normal	0.0	
7/11/2021 12:00	Normal	0.0	
7/11/2021 13:00	Normal	0.0	
7/11/2021 14:00	Normal	0.0	
7/11/2021 15:00	Normal	0.0	
7/11/2021 16:00	Normal	0.0	
7/11/2021 17:00	Normal	0.0	
7/11/2021 18:00	Normal	0.0	
7/11/2021 19:00	Normal	0.0	
7/11/2021 20:00	Normal	0.0	
7/11/2021 21:00	Normal	0.0	
7/11/2021 22:00	Normal	0.0	
7/11/2021 23:00	Normal	0.0	4.5
7/12/2021 0:00	Normal	0.0	
7/12/2021 1:00	Normal	0.0	
7/12/2021 2:00	Normal	0.0	
7/12/2021 3:00	Normal	0.0	
7/12/2021 4:00	Normal	0.0	
7/12/2021 5:00	Normal	0.0	
7/12/2021 6:00	Normal	0.0	
7/12/2021 7:00	Normal	0.0	
7/12/2021 8:00	Normal	0.0	
7/12/2021 9:00	Normal	0.0	
7/12/2021 10:00	Normal	0.0	
7/12/2021 11:00	Normal	0.0	
7/12/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/12/2021 13:00	Normal	0.0	
7/12/2021 14:00	Normal	0.0	
7/12/2021 15:00	Normal	0.0	
7/12/2021 16:00	Normal	0.0	
7/12/2021 17:00	Normal	0.0	
7/12/2021 18:00	Normal	0.0	
7/12/2021 19:00	Normal	0.0	
7/12/2021 20:00	Normal	0.0	
7/12/2021 21:00	Normal	0.0	
7/12/2021 22:00	Normal	0.0	
7/12/2021 23:00	Normal	0.0	4.1
7/13/2021 0:00	Normal	0.0	
7/13/2021 1:00	Normal	0.0	
7/13/2021 2:00	Normal	0.0	
7/13/2021 3:00	Normal	0.0	
7/13/2021 4:00	Normal	0.0	
7/13/2021 5:00	Normal	0.0	
7/13/2021 6:00	Normal	0.0	
7/13/2021 7:00	Normal	0.0	
7/13/2021 8:00	Normal	0.0	
7/13/2021 9:00	Normal	0.0	
7/13/2021 10:00	Normal	0.0	
7/13/2021 11:00	Normal	0.0	
7/13/2021 12:00	Normal	0.0	
7/13/2021 13:00	Normal	0.0	
7/13/2021 14:00	Normal	0.0	
7/13/2021 15:00	Normal	0.0	
7/13/2021 16:00	Normal	0.0	
7/13/2021 17:00	Normal	0.0	
7/13/2021 18:00	Normal	0.0	
7/13/2021 19:00	Normal	0.0	
7/13/2021 20:00	Normal	0.0	
7/13/2021 21:00	Normal	0.0	
7/13/2021 22:00	Normal	0.0	
7/13/2021 23:00	Normal	0.0	3.8
7/14/2021 0:00	Normal	0.0	
7/14/2021 1:00	Normal	0.0	
7/14/2021 2:00	Normal	0.0	
7/14/2021 3:00	Normal	0.0	
7/14/2021 4:00	Normal	0.0	
7/14/2021 5:00	Normal	0.0	
7/14/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/14/2021 7:00	Normal	0.0	
7/14/2021 8:00	Normal	0.0	
7/14/2021 9:00	Normal	0.0	
7/14/2021 10:00	Normal	0.0	
7/14/2021 11:00	Normal	0.0	
7/14/2021 12:00	Normal	0.0	
7/14/2021 13:00	Normal	0.0	
7/14/2021 14:00	Normal	0.0	
7/14/2021 15:00	Normal	0.0	
7/14/2021 16:00	Normal	0.0	
7/14/2021 17:00	Normal	0.0	
7/14/2021 18:00	Normal	0.0	
7/14/2021 19:00	Normal	0.0	
7/14/2021 20:00	Normal	0.0	
7/14/2021 21:00	Normal	0.0	
7/14/2021 22:00	Normal	0.0	
7/14/2021 23:00	Normal	0.0	3.5
7/15/2021 0:00	Normal	0.0	
7/15/2021 1:00	Normal	0.0	
7/15/2021 2:00	Normal	0.0	
7/15/2021 3:00	Normal	0.0	
7/15/2021 4:00	Normal	0.0	
7/15/2021 5:00	Normal	0.0	
7/15/2021 6:00	Normal	0.0	
7/15/2021 7:00	Normal	0.0	
7/15/2021 8:00	Normal	0.0	
7/15/2021 9:00	Normal	0.0	
7/15/2021 10:00	Normal	0.0	
7/15/2021 11:00	Normal	0.0	
7/15/2021 12:00	Normal	0.0	
7/15/2021 13:00	Normal	0.0	
7/15/2021 14:00	Normal	0.0	
7/15/2021 15:00	Normal	0.0	
7/15/2021 16:00	Normal	0.0	
7/15/2021 17:00	Normal	0.0	
7/15/2021 18:00	Normal	0.0	
7/15/2021 19:00	Normal	0.0	
7/15/2021 20:00	Normal	0.0	
7/15/2021 21:00	Normal	0.0	
7/15/2021 22:00	Normal	0.0	
7/15/2021 23:00	Normal	0.0	3.3
7/16/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/16/2021 1:00	Normal	0.0	
7/16/2021 2:00	Normal	0.0	
7/16/2021 3:00	Normal	0.0	
7/16/2021 4:00	Normal	0.0	
7/16/2021 5:00	Normal	0.0	
7/16/2021 6:00	Normal	0.0	
7/16/2021 7:00	Normal	0.0	
7/16/2021 8:00	Normal	0.0	
7/16/2021 9:00	Normal	0.0	
7/16/2021 10:00	Normal	0.0	
7/16/2021 11:00	Normal	0.0	
7/16/2021 12:00	Normal	0.0	
7/16/2021 13:00	Normal	0.0	
7/16/2021 14:00	Normal	0.0	
7/16/2021 15:00	Normal	0.0	
7/16/2021 16:00	Normal	0.0	
7/16/2021 17:00	Normal	0.0	
7/16/2021 18:00	Normal	0.0	
7/16/2021 19:00	Normal	0.0	
7/16/2021 20:00	Normal	0.0	
7/16/2021 21:00	Normal	0.0	
7/16/2021 22:00	Normal	0.0	
7/16/2021 23:00	Normal	0.0	3.1
7/17/2021 0:00	Normal	0.0	
7/17/2021 1:00	Normal	0.0	
7/17/2021 2:00	Normal	0.0	
7/17/2021 3:00	Normal	0.0	
7/17/2021 4:00	Normal	0.0	
7/17/2021 5:00	Normal	0.0	
7/17/2021 6:00	Normal	0.0	
7/17/2021 7:00	Normal	0.0	
7/17/2021 8:00	Normal	0.0	
7/17/2021 9:00	Normal	0.0	
7/17/2021 10:00	Normal	0.0	
7/17/2021 11:00	Normal	0.0	
7/17/2021 12:00	Normal	0.0	
7/17/2021 13:00	Normal	0.0	
7/17/2021 14:00	Normal	0.0	
7/17/2021 15:00	Normal	0.0	
7/17/2021 16:00	Normal	0.0	
7/17/2021 17:00	Normal	0.0	
7/17/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/17/2021 19:00	Normal	0.0	
7/17/2021 20:00	Normal	0.0	
7/17/2021 21:00	Normal	0.0	
7/17/2021 22:00	Normal	0.0	
7/17/2021 23:00	Normal	0.0	2.9
7/18/2021 0:00	Normal	0.0	
7/18/2021 1:00	Normal	0.0	
7/18/2021 2:00	Normal	0.0	
7/18/2021 3:00	Normal	0.0	
7/18/2021 4:00	Normal	0.0	
7/18/2021 5:00	Normal	0.0	
7/18/2021 6:00	Normal	0.0	
7/18/2021 7:00	Normal	0.0	
7/18/2021 8:00	Normal	0.0	
7/18/2021 9:00	Normal	0.0	
7/18/2021 10:00	Normal	0.0	
7/18/2021 11:00	Normal	0.0	
7/18/2021 12:00	Normal	0.0	
7/18/2021 13:00	Normal	0.0	
7/18/2021 14:00	Normal	0.0	
7/18/2021 15:00	Normal	0.0	
7/18/2021 16:00	Normal	0.0	
7/18/2021 17:00	Normal	0.0	
7/18/2021 18:00	Normal	0.0	
7/18/2021 19:00	Normal	0.0	
7/18/2021 20:00	Normal	0.0	
7/18/2021 21:00	Normal	0.0	
7/18/2021 22:00	Normal	0.0	
7/18/2021 23:00	Normal	0.0	2.7
7/19/2021 0:00	Normal	0.0	
7/19/2021 1:00	Normal	0.0	
7/19/2021 2:00	Normal	0.0	
7/19/2021 3:00	Normal	0.0	
7/19/2021 4:00	Normal	0.0	
7/19/2021 5:00	Normal	0.0	
7/19/2021 6:00	Normal	0.0	
7/19/2021 7:00	Normal	0.0	
7/19/2021 8:00	Normal	0.0	
7/19/2021 9:00	Normal	0.0	
7/19/2021 10:00	Normal	0.0	
7/19/2021 11:00	Normal	0.0	
7/19/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/19/2021 13:00	Normal	0.0	
7/19/2021 14:00	Normal	0.0	
7/19/2021 15:00	Normal	0.0	
7/19/2021 16:00	Normal	0.0	
7/19/2021 17:00	Normal	0.0	
7/19/2021 18:00	Normal	0.0	
7/19/2021 19:00	Normal	0.0	
7/19/2021 20:00	Normal	0.0	
7/19/2021 21:00	Normal	0.0	
7/19/2021 22:00	Normal	0.0	
7/19/2021 23:00	Normal	0.0	2.6
7/20/2021 0:00	Normal	0.0	
7/20/2021 1:00	Normal	0.0	
7/20/2021 2:00	Normal	0.0	
7/20/2021 3:00	Normal	0.0	
7/20/2021 4:00	Normal	0.0	
7/20/2021 5:00	Normal	0.0	
7/20/2021 6:00	Normal	0.0	
7/20/2021 7:00	Normal	0.0	
7/20/2021 8:00	Normal	0.0	
7/20/2021 9:00	Normal	0.0	
7/20/2021 10:00	Normal	0.0	
7/20/2021 11:00	Normal	0.0	
7/20/2021 12:00	Normal	0.0	
7/20/2021 13:00	Normal	0.0	
7/20/2021 14:00	Normal	0.0	
7/20/2021 15:00	Normal	0.0	
7/20/2021 16:00	Normal	0.0	
7/20/2021 17:00	Normal	0.0	
7/20/2021 18:00	Normal	0.0	
7/20/2021 19:00	Normal	0.0	
7/20/2021 20:00	Normal	0.0	
7/20/2021 21:00	Normal	0.0	
7/20/2021 22:00	Normal	0.0	
7/20/2021 23:00	Normal	0.0	2.4
7/21/2021 0:00	Normal	0.0	
7/21/2021 1:00	Normal	0.0	
7/21/2021 2:00	Normal	0.0	
7/21/2021 3:00	Normal	0.0	
7/21/2021 4:00	Normal	0.0	
7/21/2021 5:00	Normal	0.0	
7/21/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/21/2021 7:00	Normal	0.0	
7/21/2021 8:00	Normal	0.0	
7/21/2021 9:00	Normal	0.0	
7/21/2021 10:00	Normal	0.0	
7/21/2021 11:00	Normal	0.0	
7/21/2021 12:00	Normal	0.0	
7/21/2021 13:00	Normal	0.0	
7/21/2021 14:00	Normal	0.0	
7/21/2021 15:00	Normal	0.0	
7/21/2021 16:00	Normal	0.0	
7/21/2021 17:00	Normal	0.0	
7/21/2021 18:00	Normal	0.0	
7/21/2021 19:00	Normal	0.0	
7/21/2021 20:00	Normal	0.0	
7/21/2021 21:00	Normal	0.0	
7/21/2021 22:00	Normal	0.0	
7/21/2021 23:00	Normal	0.0	2.3
7/22/2021 0:00	Normal	0.0	
7/22/2021 1:00	Normal	0.0	
7/22/2021 2:00	Normal	0.0	
7/22/2021 3:00	Normal	0.0	
7/22/2021 4:00	Normal	0.0	
7/22/2021 5:00	Normal	0.0	
7/22/2021 6:00	Normal	0.0	
7/22/2021 7:00	Normal	0.0	
7/22/2021 8:00	Normal	0.0	
7/22/2021 9:00	Normal	0.0	
7/22/2021 10:00	Normal	0.0	
7/22/2021 11:00	Normal	0.0	
7/22/2021 12:00	Normal	0.0	
7/22/2021 13:00	Normal	0.0	
7/22/2021 14:00	Normal	0.0	
7/22/2021 15:00	Normal	0.0	
7/22/2021 16:00	Normal	0.0	
7/22/2021 17:00	Normal	0.0	
7/22/2021 18:00	Normal	0.0	
7/22/2021 19:00	Normal	0.0	
7/22/2021 20:00	Normal	0.0	
7/22/2021 21:00	Normal	0.0	
7/22/2021 22:00	Normal	0.0	
7/22/2021 23:00	Normal	0.0	2.2
7/23/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/23/2021 1:00	Normal	0.0	
7/23/2021 2:00	Normal	0.0	
7/23/2021 3:00	Normal	0.0	
7/23/2021 4:00	Normal	0.0	
7/23/2021 5:00	Normal	0.0	
7/23/2021 6:00	Normal	0.0	
7/23/2021 7:00	Normal	0.0	
7/23/2021 8:00	Normal	0.0	
7/23/2021 9:00	Normal	0.0	
7/23/2021 10:00	Normal	0.0	
7/23/2021 11:00	Normal	0.0	
7/23/2021 12:00	Normal	0.0	
7/23/2021 13:00	Normal	0.0	
7/23/2021 14:00	Normal	0.0	
7/23/2021 15:00	Normal	0.0	
7/23/2021 16:00	Normal	0.0	
7/23/2021 17:00	Normal	0.0	
7/23/2021 18:00	Normal	0.0	
7/23/2021 19:00	Normal	0.0	
7/23/2021 20:00	Normal	0.0	
7/23/2021 21:00	Normal	0.0	
7/23/2021 22:00	Normal	0.0	
7/23/2021 23:00	Normal	0.0	2.1
7/24/2021 0:00	Normal	0.0	
7/24/2021 1:00	Normal	0.0	
7/24/2021 2:00	Normal	0.0	
7/24/2021 3:00	Normal	0.0	
7/24/2021 4:00	Normal	0.0	
7/24/2021 5:00	Normal	0.0	
7/24/2021 6:00	Normal	0.0	
7/24/2021 7:00	Normal	0.0	
7/24/2021 8:00	Normal	0.0	
7/24/2021 9:00	Normal	0.0	
7/24/2021 10:00	Normal	0.0	
7/24/2021 11:00	Normal	0.0	
7/24/2021 12:00	Normal	0.0	
7/24/2021 13:00	Normal	0.0	
7/24/2021 14:00	Normal	0.0	
7/24/2021 15:00	Normal	0.0	
7/24/2021 16:00	Normal	0.0	
7/24/2021 17:00	Normal	0.0	
7/24/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/24/2021 19:00	Normal	0.0	
7/24/2021 20:00	Normal	0.0	
7/24/2021 21:00	Normal	0.0	
7/24/2021 22:00	Normal	0.0	
7/24/2021 23:00	Normal	0.0	2.0
7/25/2021 0:00	Normal	0.0	
7/25/2021 1:00	Normal	0.0	
7/25/2021 2:00	Normal	0.0	
7/25/2021 3:00	Normal	0.0	
7/25/2021 4:00	Normal	0.0	
7/25/2021 5:00	Normal	0.0	
7/25/2021 6:00	Normal	0.0	
7/25/2021 7:00	Normal	0.0	
7/25/2021 8:00	Normal	0.0	
7/25/2021 9:00	Normal	0.0	
7/25/2021 10:00	Normal	0.0	
7/25/2021 11:00	Normal	0.0	
7/25/2021 12:00	Normal	0.0	
7/25/2021 13:00	Normal	0.0	
7/25/2021 14:00	Normal	0.0	
7/25/2021 15:00	Normal	0.0	
7/25/2021 16:00	Normal	0.0	
7/25/2021 17:00	Normal	0.0	
7/25/2021 18:00	Normal	0.0	
7/25/2021 19:00	Normal	0.0	
7/25/2021 20:00	Normal	0.0	
7/25/2021 21:00	Normal	0.0	
7/25/2021 22:00	Normal	0.0	
7/25/2021 23:00	Normal	0.0	2.0
7/26/2021 0:00	Normal	0.0	
7/26/2021 1:00	Normal	0.0	
7/26/2021 2:00	Normal	0.0	
7/26/2021 3:00	Normal	0.0	
7/26/2021 4:00	Normal	0.0	
7/26/2021 5:00	Normal	0.0	
7/26/2021 6:00	Normal	0.0	
7/26/2021 7:00	Normal	0.0	
7/26/2021 8:00	Normal	0.0	
7/26/2021 9:00	Normal	0.0	
7/26/2021 10:00	Normal	0.0	
7/26/2021 11:00	Normal	0.0	
7/26/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/26/2021 13:00	Normal	0.0	
7/26/2021 14:00	Normal	0.0	
7/26/2021 15:00	Normal	0.0	
7/26/2021 16:00	Normal	0.0	
7/26/2021 17:00	Normal	0.0	
7/26/2021 18:00	Normal	0.0	
7/26/2021 19:00	Normal	0.0	
7/26/2021 20:00	Normal	0.0	
7/26/2021 21:00	Normal	0.0	
7/26/2021 22:00	Normal	0.0	
7/26/2021 23:00	Normal	0.0	1.9
7/27/2021 0:00	Normal	0.0	
7/27/2021 1:00	Normal	0.0	
7/27/2021 2:00	Normal	0.0	
7/27/2021 3:00	Normal	0.0	
7/27/2021 4:00	Normal	0.0	
7/27/2021 5:00	Normal	0.0	
7/27/2021 6:00	Normal	0.0	
7/27/2021 7:00	Normal	0.0	
7/27/2021 8:00	Normal	0.0	
7/27/2021 9:00	Normal	0.0	
7/27/2021 10:00	Normal	0.0	
7/27/2021 11:00	Normal	0.0	
7/27/2021 12:00	Normal	0.0	
7/27/2021 13:00	Normal	0.0	
7/27/2021 14:00	Normal	0.0	
7/27/2021 15:00	Normal	0.0	
7/27/2021 16:00	Normal	0.0	
7/27/2021 17:00	Normal	0.0	
7/27/2021 18:00	Normal	0.0	
7/27/2021 19:00	Normal	0.0	
7/27/2021 20:00	Normal	0.0	
7/27/2021 21:00	Normal	0.0	
7/27/2021 22:00	Normal	0.0	
7/27/2021 23:00	Normal	0.0	1.8
7/28/2021 0:00	Normal	0.0	
7/28/2021 1:00	Normal	0.0	
7/28/2021 2:00	Normal	0.0	
7/28/2021 3:00	Normal	0.0	
7/28/2021 4:00	Normal	0.0	
7/28/2021 5:00	Normal	0.0	
7/28/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/28/2021 7:00	Normal	0.0	
7/28/2021 8:00	Normal	0.0	
7/28/2021 9:00	Normal	0.0	
7/28/2021 10:00	Normal	0.0	
7/28/2021 11:00	Normal	0.0	
7/28/2021 12:00	Normal	0.0	
7/28/2021 13:00	Normal	0.0	
7/28/2021 14:00	Normal	0.0	
7/28/2021 15:00	Normal	0.0	
7/28/2021 16:00	Normal	0.0	
7/28/2021 17:00	Normal	0.0	
7/28/2021 18:00	Normal	0.0	
7/28/2021 19:00	Normal	0.0	
7/28/2021 20:00	Normal	0.0	
7/28/2021 21:00	Normal	0.0	
7/28/2021 22:00	Normal	0.0	
7/28/2021 23:00	Normal	0.0	1.7
7/29/2021 0:00	Normal	0.0	
7/29/2021 1:00	Normal	0.0	
7/29/2021 2:00	Normal	0.0	
7/29/2021 3:00	Normal	0.0	
7/29/2021 4:00	Normal	0.0	
7/29/2021 5:00	Normal	0.0	
7/29/2021 6:00	Normal	0.0	
7/29/2021 7:00	Normal	0.0	
7/29/2021 8:00	Normal	0.0	
7/29/2021 9:00	Normal	0.0	
7/29/2021 10:00	Normal	0.0	
7/29/2021 11:00	Normal	0.0	
7/29/2021 12:00	Normal	0.0	
7/29/2021 13:00	Normal	0.0	
7/29/2021 14:00	Normal	0.0	
7/29/2021 15:00	Normal	0.0	
7/29/2021 16:00	Normal	0.0	
7/29/2021 17:00	Normal	0.0	
7/29/2021 18:00	Normal	0.0	
7/29/2021 19:00	Normal	0.0	
7/29/2021 20:00	Normal	0.0	
7/29/2021 21:00	Normal	0.0	
7/29/2021 22:00	Normal	0.0	
7/29/2021 23:00	Normal	0.0	1.7
7/30/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/30/2021 1:00	Normal	0.0	
7/30/2021 2:00	Normal	0.0	
7/30/2021 3:00	Normal	0.0	
7/30/2021 4:00	Normal	0.0	
7/30/2021 5:00	Normal	0.0	
7/30/2021 6:00	Normal	0.0	
7/30/2021 7:00	Normal	0.0	
7/30/2021 8:00	Normal	0.0	
7/30/2021 9:00	Normal	0.0	
7/30/2021 10:00	Normal	0.0	
7/30/2021 11:00	Normal	0.0	
7/30/2021 12:00	Normal	0.0	
7/30/2021 13:00	Normal	0.0	
7/30/2021 14:00	Normal	0.0	
7/30/2021 15:00	Normal	0.0	
7/30/2021 16:00	Normal	0.0	
7/30/2021 17:00	Normal	0.0	
7/30/2021 18:00	Normal	0.0	
7/30/2021 19:00	Normal	0.0	
7/30/2021 20:00	Normal	0.0	
7/30/2021 21:00	Normal	0.0	
7/30/2021 22:00	Normal	0.0	
7/30/2021 23:00	Normal	0.0	0.0
7/31/2021 0:00	Normal	0.0	
7/31/2021 1:00	Normal	0.0	
7/31/2021 2:00	Normal	0.0	
7/31/2021 3:00	Normal	0.0	
7/31/2021 4:00	Normal	0.0	
7/31/2021 5:00	Normal	0.0	
7/31/2021 6:00	Normal	0.0	
7/31/2021 7:00	Normal	0.0	
7/31/2021 8:00	Normal	0.0	
7/31/2021 9:00	Normal	0.0	
7/31/2021 10:00	Normal	0.0	
7/31/2021 11:00	Normal	0.0	
7/31/2021 12:00	Normal	0.0	
7/31/2021 13:00	Normal	0.0	
7/31/2021 14:00	Normal	0.0	
7/31/2021 15:00	Normal	0.0	
7/31/2021 16:00	Normal	0.0	
7/31/2021 17:00	Normal	0.0	
7/31/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/31/2021 19:00	Normal	0.0	
7/31/2021 20:00	Normal	0.0	
7/31/2021 21:00	Normal	0.0	
7/31/2021 22:00	Normal	0.0	
7/31/2021 23:00	Normal	0.0	0.0
8/1/2021 0:00	Normal	0.0	
8/1/2021 1:00	Normal	0.0	
8/1/2021 2:00	Normal	0.0	
8/1/2021 3:00	Normal	0.0	
8/1/2021 4:00	Normal	0.0	
8/1/2021 5:00	Normal	0.0	
8/1/2021 6:00	Normal	0.0	
8/1/2021 7:00	Normal	0.0	
8/1/2021 8:00	Normal	0.0	
8/1/2021 9:00	Normal	0.0	
8/1/2021 10:00	Normal	0.0	
8/1/2021 11:00	Normal	0.0	
8/1/2021 12:00	Normal	0.0	
8/1/2021 13:00	Normal	0.0	
8/1/2021 14:00	Normal	0.0	
8/1/2021 15:00	Normal	0.0	
8/1/2021 16:00	Normal	0.0	
8/1/2021 17:00	Normal	0.0	
8/1/2021 18:00	Normal	0.0	
8/1/2021 19:00	Normal	0.0	
8/1/2021 20:00	Normal	0.0	
8/1/2021 21:00	Normal	0.0	
8/1/2021 22:00	Normal	0.0	
8/1/2021 23:00	Normal	0.0	0.0
8/2/2021 0:00	Normal	0.0	
8/2/2021 1:00	Normal	0.0	
8/2/2021 2:00	Normal	0.0	
8/2/2021 3:00	Normal	0.0	
8/2/2021 4:00	Normal	0.0	
8/2/2021 5:00	Normal	0.0	
8/2/2021 6:00	Normal	0.0	
8/2/2021 7:00	Normal	0.0	
8/2/2021 8:00	Normal	0.0	
8/2/2021 9:00	Normal	0.0	
8/2/2021 10:00	Normal	0.0	
8/2/2021 11:00	Normal	0.0	
8/2/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/2/2021 13:00	Normal	0.0	
8/2/2021 14:00	Normal	0.0	
8/2/2021 15:00	Normal	0.0	
8/2/2021 16:00	Normal	0.0	
8/2/2021 17:00	Normal	0.0	
8/2/2021 18:00	Normal	0.0	
8/2/2021 19:00	Normal	0.0	
8/2/2021 20:00	Normal	0.0	
8/2/2021 21:00	Normal	0.0	
8/2/2021 22:00	Normal	0.0	
8/2/2021 23:00	Normal	0.0	0.0
8/3/2021 0:00	Normal	0.0	
8/3/2021 1:00	Normal	0.0	
8/3/2021 2:00	Normal	0.0	
8/3/2021 3:00	Normal	0.0	
8/3/2021 4:00	Normal	0.0	
8/3/2021 5:00	Normal	0.0	
8/3/2021 6:00	Normal	0.0	
8/3/2021 7:00	Normal	0.0	
8/3/2021 8:00	Normal	0.0	
8/3/2021 9:00	Normal	0.0	
8/3/2021 10:00	Normal	0.0	
8/3/2021 11:00	Normal	0.0	
8/3/2021 12:00	Normal	0.0	
8/3/2021 13:00	Normal	0.0	
8/3/2021 14:00	Normal	0.0	
8/3/2021 15:00	Normal	0.0	
8/3/2021 16:00	Normal	0.0	
8/3/2021 17:00	Normal	0.0	
8/3/2021 18:00	Normal	0.0	
8/3/2021 19:00	Normal	0.0	
8/3/2021 20:00	Normal	0.0	
8/3/2021 21:00	Normal	0.0	
8/3/2021 22:00	Normal	0.0	
8/3/2021 23:00	Normal	0.0	0.0
8/4/2021 0:00	Normal	0.0	
8/4/2021 1:00	Normal	0.0	
8/4/2021 2:00	Normal	0.0	
8/4/2021 3:00	Normal	0.0	
8/4/2021 4:00	Normal	0.0	
8/4/2021 5:00	Normal	0.0	
8/4/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/4/2021 7:00	Normal	0.0	
8/4/2021 8:00	Normal	0.0	
8/4/2021 9:00	Normal	0.0	
8/4/2021 10:00	Normal	0.0	
8/4/2021 11:00	Normal	0.0	
8/4/2021 12:00	Normal	0.0	
8/4/2021 13:00	Normal	0.0	
8/4/2021 14:00	Normal	0.0	
8/4/2021 15:00	Normal	0.0	
8/4/2021 16:00	Normal	0.0	
8/4/2021 17:00	Normal	0.0	
8/4/2021 18:00	Normal	0.0	
8/4/2021 19:00	Normal	0.0	
8/4/2021 20:00	Normal	0.0	
8/4/2021 21:00	Normal	0.0	
8/4/2021 22:00	Normal	0.0	
8/4/2021 23:00	Normal	0.0	0.0
8/5/2021 0:00	Normal	0.0	
8/5/2021 1:00	Normal	0.0	
8/5/2021 2:00	Normal	0.0	
8/5/2021 3:00	Normal	0.0	
8/5/2021 4:00	Normal	0.0	
8/5/2021 5:00	Normal	0.0	
8/5/2021 6:00	Normal	0.0	
8/5/2021 7:00	Normal	0.0	
8/5/2021 8:00	Normal	0.0	
8/5/2021 9:00	Normal	0.0	
8/5/2021 10:00	Normal	0.0	
8/5/2021 11:00	Normal	0.0	
8/5/2021 12:00	Normal	0.0	
8/5/2021 13:00	Normal	0.0	
8/5/2021 14:00	Normal	0.0	
8/5/2021 15:00	Normal	0.0	
8/5/2021 16:00	Normal	0.0	
8/5/2021 17:00	Normal	0.0	
8/5/2021 18:00	Normal	0.0	
8/5/2021 19:00	Normal	0.0	
8/5/2021 20:00	Normal	0.0	
8/5/2021 21:00	Normal	0.0	
8/5/2021 22:00	Normal	0.0	
8/5/2021 23:00	Normal	0.0	0.0
8/6/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/6/2021 1:00	Normal	0.0	
8/6/2021 2:00	Normal	0.0	
8/6/2021 3:00	Normal	0.0	
8/6/2021 4:00	Normal	0.0	
8/6/2021 5:00	Normal	0.0	
8/6/2021 6:00	Normal	0.0	
8/6/2021 7:00	Normal	0.0	
8/6/2021 8:00	Normal	0.0	
8/6/2021 9:00	Normal	0.0	
8/6/2021 10:00	Normal	0.0	
8/6/2021 11:00	Normal	0.0	
8/6/2021 12:00	Normal	0.0	
8/6/2021 13:00	Normal	0.0	
8/6/2021 14:00	Normal	0.0	
8/6/2021 15:00	Normal	0.0	
8/6/2021 16:00	Normal	0.0	
8/6/2021 17:00	Normal	0.0	
8/6/2021 18:00	Normal	0.0	
8/6/2021 19:00	Normal	0.0	
8/6/2021 20:00	Normal	0.0	
8/6/2021 21:00	Normal	0.0	
8/6/2021 22:00	Normal	0.0	
8/6/2021 23:00	Normal	0.0	0.0
8/7/2021 0:00	Normal	0.0	
8/7/2021 1:00	Normal	0.0	
8/7/2021 2:00	Normal	0.0	
8/7/2021 3:00	Normal	0.0	
8/7/2021 4:00	Normal	0.0	
8/7/2021 5:00	Normal	0.0	
8/7/2021 6:00	Normal	0.0	
8/7/2021 7:00	Normal	0.0	
8/7/2021 8:00	Normal	0.0	
8/7/2021 9:00	Normal	0.0	
8/7/2021 10:00	Normal	0.0	
8/7/2021 11:00	Normal	0.0	
8/7/2021 12:00	Normal	0.0	
8/7/2021 13:00	Normal	0.0	
8/7/2021 14:00	Normal	0.0	
8/7/2021 15:00	Normal	0.0	
8/7/2021 16:00	Normal	0.0	
8/7/2021 17:00	Normal	0.0	
8/7/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/7/2021 19:00	Normal	0.0	
8/7/2021 20:00	Normal	0.0	
8/7/2021 21:00	Normal	0.0	
8/7/2021 22:00	Normal	0.0	
8/7/2021 23:00	Normal	0.0	0.0
8/8/2021 0:00	Normal	0.0	
8/8/2021 1:00	Normal	0.0	
8/8/2021 2:00	Normal	0.0	
8/8/2021 3:00	Normal	0.0	
8/8/2021 4:00	Normal	0.0	
8/8/2021 5:00	Normal	0.0	
8/8/2021 6:00	Normal	0.0	
8/8/2021 7:00	Normal	0.0	
8/8/2021 8:00	Normal	0.0	
8/8/2021 9:00	Normal	0.0	
8/8/2021 10:00	Normal	0.0	
8/8/2021 11:00	Normal	0.0	
8/8/2021 12:00	Normal	0.0	
8/8/2021 13:00	Normal	0.0	
8/8/2021 14:00	Normal	0.0	
8/8/2021 15:00	Normal	0.0	
8/8/2021 16:00	Normal	0.0	
8/8/2021 17:00	Normal	0.0	
8/8/2021 18:00	Normal	0.0	
8/8/2021 19:00	Normal	0.0	
8/8/2021 20:00	Normal	0.0	
8/8/2021 21:00	Normal	0.0	
8/8/2021 22:00	Normal	0.0	
8/8/2021 23:00	Normal	0.0	0.0
8/9/2021 0:00	Normal	0.0	
8/9/2021 1:00	Normal	0.0	
8/9/2021 2:00	Normal	0.0	
8/9/2021 3:00	Normal	0.0	
8/9/2021 4:00	Normal	0.0	
8/9/2021 5:00	Normal	0.0	
8/9/2021 6:00	Normal	0.0	
8/9/2021 7:00	Normal	0.0	
8/9/2021 8:00	Normal	0.0	
8/9/2021 9:00	Normal	0.0	
8/9/2021 10:00	Normal	0.0	
8/9/2021 11:00	Normal	0.0	
8/9/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/9/2021 13:00	Normal	0.0	
8/9/2021 14:00	Normal	0.0	
8/9/2021 15:00	Normal	0.0	
8/9/2021 16:00	Normal	0.0	
8/9/2021 17:00	Normal	0.0	
8/9/2021 18:00	Normal	0.0	
8/9/2021 19:00	Normal	0.0	
8/9/2021 20:00	Normal	0.0	
8/9/2021 21:00	Normal	0.0	
8/9/2021 22:00	Normal	0.0	
8/9/2021 23:00	Normal	0.0	0.0
8/10/2021 0:00	Normal	0.0	
8/10/2021 1:00	Normal	0.0	
8/10/2021 2:00	Normal	0.0	
8/10/2021 3:00	Normal	0.0	
8/10/2021 4:00	Normal	0.0	
8/10/2021 5:00	Normal	0.0	
8/10/2021 6:00	Normal	0.0	
8/10/2021 7:00	Normal	0.0	
8/10/2021 8:00	Normal	0.0	
8/10/2021 9:00	Normal	0.0	
8/10/2021 10:00	Normal	0.0	
8/10/2021 11:00	Normal	0.0	
8/10/2021 12:00	Normal	0.0	
8/10/2021 13:00	Normal	0.0	
8/10/2021 14:00	Normal	0.0	
8/10/2021 15:00	Normal	0.0	
8/10/2021 16:00	Normal	0.0	
8/10/2021 17:00	Normal	0.0	
8/10/2021 18:00	Normal	0.0	
8/10/2021 19:00	Normal	0.0	
8/10/2021 20:00	Normal	0.0	
8/10/2021 21:00	Normal	0.0	
8/10/2021 22:00	Normal	0.0	
8/10/2021 23:00	Normal	0.0	0.0
8/11/2021 0:00	Normal	0.0	
8/11/2021 1:00	Normal	0.0	
8/11/2021 2:00	Normal	0.0	
8/11/2021 3:00	Normal	0.0	
8/11/2021 4:00	Normal	0.0	
8/11/2021 5:00	Normal	0.0	
8/11/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/11/2021 7:00	Normal	0.0	
8/11/2021 8:00	Normal	0.0	
8/11/2021 9:00	Normal	0.0	
8/11/2021 10:00	Normal	0.0	
8/11/2021 11:00	Normal	0.0	
8/11/2021 12:00	Normal	0.0	
8/11/2021 13:00	Normal	0.0	
8/11/2021 14:00	Normal	0.0	
8/11/2021 15:00	Normal	0.0	
8/11/2021 16:00	Normal	0.0	
8/11/2021 17:00	Normal	0.0	
8/11/2021 18:00	Normal	0.0	
8/11/2021 19:00	Normal	0.0	
8/11/2021 20:00	Normal	0.0	
8/11/2021 21:00	Normal	0.0	
8/11/2021 22:00	Normal	0.0	
8/11/2021 23:00	Normal	0.0	0.0
8/12/2021 0:00	Normal	0.0	
8/12/2021 1:00	Normal	0.0	
8/12/2021 2:00	Normal	0.0	
8/12/2021 3:00	Normal	0.0	
8/12/2021 4:00	Normal	0.0	
8/12/2021 5:00	Normal	0.0	
8/12/2021 6:00	Normal	0.0	
8/12/2021 7:00	Normal	0.0	
8/12/2021 8:00	Normal	0.0	
8/12/2021 9:00	Normal	0.0	
8/12/2021 10:00	Normal	0.0	
8/12/2021 11:00	Normal	0.0	
8/12/2021 12:00	Normal	0.0	
8/12/2021 13:00	Normal	0.0	
8/12/2021 14:00	Normal	0.0	
8/12/2021 15:00	Normal	0.0	
8/12/2021 16:00	Normal	0.0	
8/12/2021 17:00	Normal	0.0	
8/12/2021 18:00	Normal	0.0	
8/12/2021 19:00	Normal	0.0	
8/12/2021 20:00	Normal	0.0	
8/12/2021 21:00	Normal	0.0	
8/12/2021 22:00	Normal	0.0	
8/12/2021 23:00	Normal	0.0	0.0
8/13/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/13/2021 1:00	Normal	0.0	
8/13/2021 2:00	Normal	0.0	
8/13/2021 3:00	Normal	0.0	
8/13/2021 4:00	Normal	0.0	
8/13/2021 5:00	Normal	0.0	
8/13/2021 6:00	Normal	0.0	
8/13/2021 7:00	Normal	0.0	
8/13/2021 8:00	Normal	0.0	
8/13/2021 9:00	Normal	0.0	
8/13/2021 10:00	Normal	0.0	
8/13/2021 11:00	Normal	0.0	
8/13/2021 12:00	Normal	0.0	
8/13/2021 13:00	Normal	0.0	
8/13/2021 14:00	Normal	0.0	
8/13/2021 15:00	Normal	0.0	
8/13/2021 16:00	Normal	0.0	
8/13/2021 17:00	Normal	0.0	
8/13/2021 18:00	Normal	0.0	
8/13/2021 19:00	Normal	0.0	
8/13/2021 20:00	Normal	0.0	
8/13/2021 21:00	Normal	0.0	
8/13/2021 22:00	Normal	0.0	
8/13/2021 23:00	Normal	0.0	0.0
8/14/2021 0:00	Normal	0.0	
8/14/2021 1:00	Normal	0.0	
8/14/2021 2:00	Normal	0.0	
8/14/2021 3:00	Normal	0.0	
8/14/2021 4:00	Normal	0.0	
8/14/2021 5:00	Normal	0.0	
8/14/2021 6:00	Normal	0.0	
8/14/2021 7:00	Normal	0.0	
8/14/2021 8:00	Normal	0.0	
8/14/2021 9:00	Normal	0.0	
8/14/2021 10:00	Normal	0.0	
8/14/2021 11:00	Normal	0.0	
8/14/2021 12:00	Normal	0.0	
8/14/2021 13:00	Normal	0.0	
8/14/2021 14:00	Normal	0.0	
8/14/2021 15:00	Normal	0.0	
8/14/2021 16:00	Normal	0.0	
8/14/2021 17:00	Normal	0.0	
8/14/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/14/2021 19:00	Normal	0.0	
8/14/2021 20:00	Normal	0.0	
8/14/2021 21:00	Normal	0.0	
8/14/2021 22:00	Normal	0.0	
8/14/2021 23:00	Normal	0.0	0.0
8/15/2021 0:00	Normal	0.0	
8/15/2021 1:00	Normal	0.0	
8/15/2021 2:00	Normal	0.0	
8/15/2021 3:00	Normal	0.0	
8/15/2021 4:00	Normal	0.0	
8/15/2021 5:00	Normal	0.0	
8/15/2021 6:00	Normal	0.0	
8/15/2021 7:00	Normal	0.0	
8/15/2021 8:00	Normal	0.0	
8/15/2021 9:00	Normal	0.0	
8/15/2021 10:00	Normal	0.0	
8/15/2021 11:00	Normal	0.0	
8/15/2021 12:00	Normal	0.0	
8/15/2021 13:00	Normal	0.0	
8/15/2021 14:00	Normal	0.0	
8/15/2021 15:00	Normal	0.0	
8/15/2021 16:00	Normal	0.0	
8/15/2021 17:00	Malfunction	23.6	
8/15/2021 18:00	Malfunction	24.2	
8/15/2021 19:00	Normal	0.0	
8/15/2021 20:00	Normal	0.0	
8/15/2021 21:00	Normal	0.0	
8/15/2021 22:00	Normal	0.0	
8/15/2021 23:00	Normal	0.0	0.1
8/16/2021 0:00	Normal	0.0	
8/16/2021 1:00	Normal	0.0	
8/16/2021 2:00	Normal	0.0	
8/16/2021 3:00	Normal	0.0	
8/16/2021 4:00	Normal	0.0	
8/16/2021 5:00	Normal	0.0	
8/16/2021 6:00	Normal	0.0	
8/16/2021 7:00	Normal	0.0	
8/16/2021 8:00	Normal	0.0	
8/16/2021 9:00	Normal	0.0	
8/16/2021 10:00	Normal	0.0	
8/16/2021 11:00	Normal	0.0	
8/16/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/16/2021 13:00	Normal	0.0	
8/16/2021 14:00	Normal	0.0	
8/16/2021 15:00	Normal	0.0	
8/16/2021 16:00	Normal	0.0	
8/16/2021 17:00	Normal	0.0	
8/16/2021 18:00	Normal	0.0	
8/16/2021 19:00	Normal	0.0	
8/16/2021 20:00	Normal	0.0	
8/16/2021 21:00	Normal	0.0	
8/16/2021 22:00	Normal	0.0	
8/16/2021 23:00	Normal	0.0	0.1
8/17/2021 0:00	Normal	0.0	
8/17/2021 1:00	Normal	0.0	
8/17/2021 2:00	Normal	0.0	
8/17/2021 3:00	Normal	0.0	
8/17/2021 4:00	Normal	0.0	
8/17/2021 5:00	Normal	0.0	
8/17/2021 6:00	Normal	0.0	
8/17/2021 7:00	Normal	0.0	
8/17/2021 8:00	Normal	0.0	
8/17/2021 9:00	Normal	0.0	
8/17/2021 10:00	Normal	0.0	
8/17/2021 11:00	Normal	0.0	
8/17/2021 12:00	Normal	0.0	
8/17/2021 13:00	Normal	0.0	
8/17/2021 14:00	Normal	0.0	
8/17/2021 15:00	Normal	0.0	
8/17/2021 16:00	Normal	0.0	
8/17/2021 17:00	Normal	0.0	
8/17/2021 18:00	Normal	0.0	
8/17/2021 19:00	Normal	0.0	
8/17/2021 20:00	Normal	0.0	
8/17/2021 21:00	Normal	0.0	
8/17/2021 22:00	Normal	0.0	
8/17/2021 23:00	Normal	0.0	0.1
8/18/2021 0:00	Normal	0.0	
8/18/2021 1:00	Normal	0.0	
8/18/2021 2:00	Normal	0.0	
8/18/2021 3:00	Normal	0.0	
8/18/2021 4:00	Normal	0.0	
8/18/2021 5:00	Normal	0.0	
8/18/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/18/2021 7:00	Normal	0.0	
8/18/2021 8:00	Normal	0.0	
8/18/2021 9:00	Normal	0.0	
8/18/2021 10:00	Normal	0.0	
8/18/2021 11:00	Normal	0.0	
8/18/2021 12:00	Normal	0.0	
8/18/2021 13:00	Normal	0.0	
8/18/2021 14:00	Normal	0.0	
8/18/2021 15:00	Normal	0.0	
8/18/2021 16:00	Normal	0.0	
8/18/2021 17:00	Normal	0.0	
8/18/2021 18:00	Normal	0.0	
8/18/2021 19:00	Normal	0.0	
8/18/2021 20:00	Normal	0.0	
8/18/2021 21:00	Normal	0.0	
8/18/2021 22:00	Normal	0.0	
8/18/2021 23:00	Normal	0.0	0.1
8/19/2021 0:00	Normal	0.0	
8/19/2021 1:00	Normal	0.0	
8/19/2021 2:00	Normal	0.0	
8/19/2021 3:00	Normal	0.0	
8/19/2021 4:00	Normal	0.0	
8/19/2021 5:00	Normal	0.0	
8/19/2021 6:00	Normal	0.0	
8/19/2021 7:00	Normal	0.0	
8/19/2021 8:00	Normal	0.0	
8/19/2021 9:00	Normal	0.0	
8/19/2021 10:00	Normal	0.0	
8/19/2021 11:00	Normal	0.0	
8/19/2021 12:00	Normal	0.0	
8/19/2021 13:00	Normal	0.0	
8/19/2021 14:00	Normal	0.0	
8/19/2021 15:00	Normal	0.0	
8/19/2021 16:00	Normal	0.0	
8/19/2021 17:00	Normal	0.0	
8/19/2021 18:00	Normal	0.0	
8/19/2021 19:00	Normal	0.0	
8/19/2021 20:00	Normal	0.0	
8/19/2021 21:00	Normal	0.0	
8/19/2021 22:00	Normal	0.0	
8/19/2021 23:00	Normal	0.0	0.1
8/20/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/20/2021 1:00	Normal	0.0	
8/20/2021 2:00	Normal	0.0	
8/20/2021 3:00	Normal	0.0	
8/20/2021 4:00	Normal	0.0	
8/20/2021 5:00	Normal	0.0	
8/20/2021 6:00	Normal	0.0	
8/20/2021 7:00	Normal	0.0	
8/20/2021 8:00	Normal	0.0	
8/20/2021 9:00	Normal	0.0	
8/20/2021 10:00	Normal	0.0	
8/20/2021 11:00	Normal	0.0	
8/20/2021 12:00	Normal	0.0	
8/20/2021 13:00	Normal	0.0	
8/20/2021 14:00	Normal	0.0	
8/20/2021 15:00	Normal	0.0	
8/20/2021 16:00	Normal	0.0	
8/20/2021 17:00	Normal	0.0	
8/20/2021 18:00	Normal	0.0	
8/20/2021 19:00	Normal	0.0	
8/20/2021 20:00	Normal	0.0	
8/20/2021 21:00	Normal	0.0	
8/20/2021 22:00	Normal	0.0	
8/20/2021 23:00	Normal	0.0	0.1
8/21/2021 0:00	Normal	0.0	
8/21/2021 1:00	Normal	0.0	
8/21/2021 2:00	Normal	0.0	
8/21/2021 3:00	Normal	0.0	
8/21/2021 4:00	Normal	0.0	
8/21/2021 5:00	Normal	0.0	
8/21/2021 6:00	Normal	0.0	
8/21/2021 7:00	Normal	0.0	
8/21/2021 8:00	Normal	0.0	
8/21/2021 9:00	Normal	0.0	
8/21/2021 10:00	Normal	0.0	
8/21/2021 11:00	Normal	0.0	
8/21/2021 12:00	Normal	0.0	
8/21/2021 13:00	Normal	0.0	
8/21/2021 14:00	Normal	0.0	
8/21/2021 15:00	Normal	0.0	
8/21/2021 16:00	Normal	0.0	
8/21/2021 17:00	Normal	0.0	
8/21/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/21/2021 19:00	Normal	0.0	
8/21/2021 20:00	Normal	0.0	
8/21/2021 21:00	Normal	0.0	
8/21/2021 22:00	Normal	0.0	
8/21/2021 23:00	Normal	0.0	0.1
8/22/2021 0:00	Normal	0.0	
8/22/2021 1:00	Normal	0.0	
8/22/2021 2:00	Normal	0.0	
8/22/2021 3:00	Normal	0.0	
8/22/2021 4:00	Normal	0.0	
8/22/2021 5:00	Normal	0.0	
8/22/2021 6:00	Normal	0.0	
8/22/2021 7:00	Normal	0.0	
8/22/2021 8:00	Normal	0.0	
8/22/2021 9:00	Normal	0.0	
8/22/2021 10:00	Normal	0.0	
8/22/2021 11:00	Normal	0.0	
8/22/2021 12:00	Normal	0.0	
8/22/2021 13:00	Normal	0.0	
8/22/2021 14:00	Normal	0.0	
8/22/2021 15:00	Normal	0.0	
8/22/2021 16:00	Normal	0.0	
8/22/2021 17:00	Normal	0.0	
8/22/2021 18:00	Normal	0.0	
8/22/2021 19:00	Normal	0.0	
8/22/2021 20:00	Normal	0.0	
8/22/2021 21:00	Normal	0.0	
8/22/2021 22:00	Normal	0.0	
8/22/2021 23:00	Normal	0.0	0.1
8/23/2021 0:00	Normal	0.0	
8/23/2021 1:00	Normal	0.0	
8/23/2021 2:00	Normal	0.0	
8/23/2021 3:00	Normal	0.0	
8/23/2021 4:00	Normal	0.0	
8/23/2021 5:00	Normal	0.0	
8/23/2021 6:00	Normal	0.0	
8/23/2021 7:00	Normal	0.0	
8/23/2021 8:00	Normal	0.0	
8/23/2021 9:00	Normal	0.0	
8/23/2021 10:00	Normal	0.0	
8/23/2021 11:00	Normal	0.0	
8/23/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/23/2021 13:00	Normal	0.0	
8/23/2021 14:00	Normal	0.0	
8/23/2021 15:00	Normal	0.0	
8/23/2021 16:00	Normal	0.0	
8/23/2021 17:00	Normal	0.0	
8/23/2021 18:00	Normal	0.0	
8/23/2021 19:00	Normal	0.0	
8/23/2021 20:00	Normal	0.0	
8/23/2021 21:00	Normal	0.0	
8/23/2021 22:00	Normal	0.0	
8/23/2021 23:00	Normal	0.0	0.1
8/24/2021 0:00	Normal	0.0	
8/24/2021 1:00	Normal	0.0	
8/24/2021 2:00	Normal	0.0	
8/24/2021 3:00	Normal	0.0	
8/24/2021 4:00	Normal	0.0	
8/24/2021 5:00	Normal	0.0	
8/24/2021 6:00	Normal	0.0	
8/24/2021 7:00	Normal	0.0	
8/24/2021 8:00	Normal	0.0	
8/24/2021 9:00	Normal	0.0	
8/24/2021 10:00	Normal	0.0	
8/24/2021 11:00	Normal	0.0	
8/24/2021 12:00	Normal	0.0	
8/24/2021 13:00	Normal	0.0	
8/24/2021 14:00	Normal	0.0	
8/24/2021 15:00	Normal	0.0	
8/24/2021 16:00	Normal	0.0	
8/24/2021 17:00	Normal	0.0	
8/24/2021 18:00	Normal	0.0	
8/24/2021 19:00	Normal	0.0	
8/24/2021 20:00	Normal	0.0	
8/24/2021 21:00	Normal	0.0	
8/24/2021 22:00	Normal	0.0	
8/24/2021 23:00	Normal	0.0	0.1
8/25/2021 0:00	Normal	0.0	
8/25/2021 1:00	Normal	0.0	
8/25/2021 2:00	Normal	0.0	
8/25/2021 3:00	Normal	0.0	
8/25/2021 4:00	Normal	0.0	
8/25/2021 5:00	Normal	0.0	
8/25/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/25/2021 7:00	Normal	0.0	
8/25/2021 8:00	Normal	0.0	
8/25/2021 9:00	Normal	0.0	
8/25/2021 10:00	Normal	0.0	
8/25/2021 11:00	Normal	0.0	
8/25/2021 12:00	Normal	0.0	
8/25/2021 13:00	Normal	0.0	
8/25/2021 14:00	Normal	0.0	
8/25/2021 15:00	Normal	0.0	
8/25/2021 16:00	Normal	0.0	
8/25/2021 17:00	Normal	0.0	
8/25/2021 18:00	Normal	0.0	
8/25/2021 19:00	Normal	0.0	
8/25/2021 20:00	Normal	0.0	
8/25/2021 21:00	Normal	0.0	
8/25/2021 22:00	Normal	0.0	
8/25/2021 23:00	Normal	0.0	0.1
8/26/2021 0:00	Normal	0.0	
8/26/2021 1:00	Normal	0.0	
8/26/2021 2:00	Normal	0.0	
8/26/2021 3:00	Normal	0.0	
8/26/2021 4:00	Normal	0.0	
8/26/2021 5:00	Normal	0.0	
8/26/2021 6:00	Normal	0.0	
8/26/2021 7:00	Normal	0.0	
8/26/2021 8:00	Normal	0.0	
8/26/2021 9:00	Normal	0.0	
8/26/2021 10:00	Normal	0.0	
8/26/2021 11:00	Normal	0.0	
8/26/2021 12:00	Normal	0.0	
8/26/2021 13:00	Normal	0.0	
8/26/2021 14:00	Normal	0.0	
8/26/2021 15:00	Normal	0.0	
8/26/2021 16:00	Normal	0.0	
8/26/2021 17:00	Normal	0.0	
8/26/2021 18:00	Normal	0.0	
8/26/2021 19:00	Normal	0.0	
8/26/2021 20:00	Normal	0.0	
8/26/2021 21:00	Normal	0.0	
8/26/2021 22:00	Normal	0.0	
8/26/2021 23:00	Normal	0.0	0.1
8/27/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/27/2021 1:00	Normal	0.0	
8/27/2021 2:00	Normal	0.0	
8/27/2021 3:00	Normal	0.0	
8/27/2021 4:00	Normal	0.0	
8/27/2021 5:00	Normal	0.0	
8/27/2021 6:00	Normal	0.0	
8/27/2021 7:00	Normal	0.0	
8/27/2021 8:00	Normal	0.0	
8/27/2021 9:00	Normal	0.0	
8/27/2021 10:00	Normal	0.0	
8/27/2021 11:00	Normal	0.0	
8/27/2021 12:00	Normal	0.0	
8/27/2021 13:00	Normal	0.0	
8/27/2021 14:00	Normal	0.0	
8/27/2021 15:00	Normal	0.0	
8/27/2021 16:00	Normal	0.0	
8/27/2021 17:00	Normal	0.0	
8/27/2021 18:00	Normal	0.0	
8/27/2021 19:00	Normal	0.0	
8/27/2021 20:00	Normal	0.0	
8/27/2021 21:00	Normal	0.0	
8/27/2021 22:00	Normal	0.0	
8/27/2021 23:00	Normal	0.0	0.1
8/28/2021 0:00	Normal	0.0	
8/28/2021 1:00	Normal	0.0	
8/28/2021 2:00	Normal	0.0	
8/28/2021 3:00	Normal	0.0	
8/28/2021 4:00	Normal	0.0	
8/28/2021 5:00	Normal	0.0	
8/28/2021 6:00	Normal	0.0	
8/28/2021 7:00	Normal	0.0	
8/28/2021 8:00	Normal	0.0	
8/28/2021 9:00	Normal	0.0	
8/28/2021 10:00	Normal	0.0	
8/28/2021 11:00	Normal	0.0	
8/28/2021 12:00	Normal	0.0	
8/28/2021 13:00	Normal	0.0	
8/28/2021 14:00	Normal	0.0	
8/28/2021 15:00	Normal	0.0	
8/28/2021 16:00	Normal	0.0	
8/28/2021 17:00	Normal	0.0	
8/28/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/28/2021 19:00	Normal	0.0	
8/28/2021 20:00	Normal	0.0	
8/28/2021 21:00	Normal	0.0	
8/28/2021 22:00	Normal	0.0	
8/28/2021 23:00	Normal	0.0	0.1
8/29/2021 0:00	Normal	0.0	
8/29/2021 1:00	Normal	0.0	
8/29/2021 2:00	Normal	0.0	
8/29/2021 3:00	Normal	0.0	
8/29/2021 4:00	Normal	0.0	
8/29/2021 5:00	Normal	0.0	
8/29/2021 6:00	Normal	0.0	
8/29/2021 7:00	Normal	0.0	
8/29/2021 8:00	Normal	0.0	
8/29/2021 9:00	Normal	0.0	
8/29/2021 10:00	Normal	0.0	
8/29/2021 11:00	Normal	0.0	
8/29/2021 12:00	Normal	0.0	
8/29/2021 13:00	Normal	0.0	
8/29/2021 14:00	Normal	0.0	
8/29/2021 15:00	Normal	0.0	
8/29/2021 16:00	Normal	0.0	
8/29/2021 17:00	Normal	0.0	
8/29/2021 18:00	Normal	0.0	
8/29/2021 19:00	Normal	0.0	
8/29/2021 20:00	Normal	0.0	
8/29/2021 21:00	Normal	0.0	
8/29/2021 22:00	Normal	0.0	
8/29/2021 23:00	Normal	0.0	0.1
8/30/2021 0:00	Normal	0.0	
8/30/2021 1:00	Normal	0.0	
8/30/2021 2:00	Normal	0.0	
8/30/2021 3:00	Normal	0.0	
8/30/2021 4:00	Normal	0.0	
8/30/2021 5:00	Normal	0.0	
8/30/2021 6:00	Normal	0.0	
8/30/2021 7:00	Normal	0.0	
8/30/2021 8:00	Normal	0.0	
8/30/2021 9:00	Normal	0.0	
8/30/2021 10:00	Normal	0.0	
8/30/2021 11:00	Normal	0.0	
8/30/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/30/2021 13:00	Normal	0.0	
8/30/2021 14:00	Normal	0.0	
8/30/2021 15:00	Normal	0.0	
8/30/2021 16:00	Normal	0.0	
8/30/2021 17:00	Normal	0.0	
8/30/2021 18:00	Normal	0.0	
8/30/2021 19:00	Normal	0.0	
8/30/2021 20:00	Normal	0.0	
8/30/2021 21:00	Normal	0.0	
8/30/2021 22:00	Normal	0.0	
8/30/2021 23:00	Normal	0.0	0.1
8/31/2021 0:00	Normal	0.0	
8/31/2021 1:00	Normal	0.0	
8/31/2021 2:00	Normal	0.0	
8/31/2021 3:00	Normal	0.0	
8/31/2021 4:00	Normal	0.0	
8/31/2021 5:00	Normal	0.0	
8/31/2021 6:00	Normal	0.0	
8/31/2021 7:00	Normal	0.0	
8/31/2021 8:00	Normal	0.0	
8/31/2021 9:00	Normal	0.0	
8/31/2021 10:00	Normal	0.0	
8/31/2021 11:00	Normal	0.0	
8/31/2021 12:00	Normal	0.0	
8/31/2021 13:00	Normal	0.0	
8/31/2021 14:00	Normal	0.0	
8/31/2021 15:00	Normal	0.0	
8/31/2021 16:00	Normal	0.0	
8/31/2021 17:00	Normal	0.0	
8/31/2021 18:00	Normal	0.0	
8/31/2021 19:00	Normal	0.0	
8/31/2021 20:00	Normal	0.0	
8/31/2021 21:00	Normal	0.0	
8/31/2021 22:00	Normal	0.0	
8/31/2021 23:00	Normal	0.0	0.1
9/1/2021 0:00	Normal	0.0	
9/1/2021 1:00	Normal	0.0	
9/1/2021 2:00	Normal	0.0	
9/1/2021 3:00	Normal	0.0	
9/1/2021 4:00	Normal	0.0	
9/1/2021 5:00	Normal	0.0	
9/1/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/1/2021 7:00	Normal	0.0	
9/1/2021 8:00	Normal	0.0	
9/1/2021 9:00	Normal	0.0	
9/1/2021 10:00	Normal	0.0	
9/1/2021 11:00	Normal	0.0	
9/1/2021 12:00	Normal	0.0	
9/1/2021 13:00	Normal	0.0	
9/1/2021 14:00	Normal	0.0	
9/1/2021 15:00	Normal	0.0	
9/1/2021 16:00	Normal	0.0	
9/1/2021 17:00	Normal	0.0	
9/1/2021 18:00	Normal	0.0	
9/1/2021 19:00	Normal	0.0	
9/1/2021 20:00	Normal	0.0	
9/1/2021 21:00	Normal	0.0	
9/1/2021 22:00	Normal	0.0	
9/1/2021 23:00	Normal	0.0	0.1
9/2/2021 0:00	Normal	0.0	
9/2/2021 1:00	Normal	0.0	
9/2/2021 2:00	Normal	0.0	
9/2/2021 3:00	Normal	0.0	
9/2/2021 4:00	Normal	0.0	
9/2/2021 5:00	Normal	0.0	
9/2/2021 6:00	Normal	0.0	
9/2/2021 7:00	Normal	0.0	
9/2/2021 8:00	Normal	0.0	
9/2/2021 9:00	Normal	0.0	
9/2/2021 10:00	Normal	0.0	
9/2/2021 11:00	Normal	0.0	
9/2/2021 12:00	Normal	0.0	
9/2/2021 13:00	Normal	0.0	
9/2/2021 14:00	Normal	0.0	
9/2/2021 15:00	Normal	0.0	
9/2/2021 16:00	Normal	0.0	
9/2/2021 17:00	Normal	0.0	
9/2/2021 18:00	Normal	0.0	
9/2/2021 19:00	Normal	0.0	
9/2/2021 20:00	Normal	0.0	
9/2/2021 21:00	Normal	0.0	
9/2/2021 22:00	Normal	0.0	
9/2/2021 23:00	Normal	0.0	0.1
9/3/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/3/2021 1:00	Normal	0.0	
9/3/2021 2:00	Normal	0.0	
9/3/2021 3:00	Normal	0.0	
9/3/2021 4:00	Normal	0.0	
9/3/2021 5:00	Normal	0.0	
9/3/2021 6:00	Normal	0.0	
9/3/2021 7:00	Normal	0.0	
9/3/2021 8:00	Normal	0.0	
9/3/2021 9:00	Normal	0.0	
9/3/2021 10:00	Normal	0.0	
9/3/2021 11:00	Normal	0.0	
9/3/2021 12:00	Normal	0.0	
9/3/2021 13:00	Normal	0.0	
9/3/2021 14:00	Normal	0.0	
9/3/2021 15:00	Normal	0.0	
9/3/2021 16:00	Normal	0.0	
9/3/2021 17:00	Normal	0.0	
9/3/2021 18:00	Normal	0.0	
9/3/2021 19:00	Normal	0.0	
9/3/2021 20:00	Normal	0.0	
9/3/2021 21:00	Normal	0.0	
9/3/2021 22:00	Normal	0.0	
9/3/2021 23:00	Normal	0.0	0.1
9/4/2021 0:00	Normal	0.0	
9/4/2021 1:00	Normal	0.0	
9/4/2021 2:00	Normal	0.0	
9/4/2021 3:00	Normal	0.0	
9/4/2021 4:00	Normal	0.0	
9/4/2021 5:00	Normal	0.0	
9/4/2021 6:00	Normal	0.0	
9/4/2021 7:00	Normal	0.0	
9/4/2021 8:00	Normal	0.0	
9/4/2021 9:00	Normal	0.0	
9/4/2021 10:00	Normal	0.0	
9/4/2021 11:00	Normal	0.0	
9/4/2021 12:00	Normal	0.0	
9/4/2021 13:00	Normal	0.0	
9/4/2021 14:00	Normal	0.0	
9/4/2021 15:00	Normal	0.0	
9/4/2021 16:00	Normal	0.0	
9/4/2021 17:00	Normal	0.0	
9/4/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/4/2021 19:00	Normal	0.0	
9/4/2021 20:00	Normal	0.0	
9/4/2021 21:00	Normal	0.0	
9/4/2021 22:00	Normal	0.0	
9/4/2021 23:00	Normal	0.0	0.1
9/5/2021 0:00	Normal	0.0	
9/5/2021 1:00	Normal	0.0	
9/5/2021 2:00	Normal	0.0	
9/5/2021 3:00	Normal	0.0	
9/5/2021 4:00	Normal	0.0	
9/5/2021 5:00	Normal	0.0	
9/5/2021 6:00	Normal	0.0	
9/5/2021 7:00	Normal	0.0	
9/5/2021 8:00	Normal	0.0	
9/5/2021 9:00	Normal	0.0	
9/5/2021 10:00	Normal	0.0	
9/5/2021 11:00	Normal	0.0	
9/5/2021 12:00	Normal	0.0	
9/5/2021 13:00	Normal	0.0	
9/5/2021 14:00	Normal	0.0	
9/5/2021 15:00	Normal	0.0	
9/5/2021 16:00	Normal	0.0	
9/5/2021 17:00	Normal	0.0	
9/5/2021 18:00	Normal	0.0	
9/5/2021 19:00	Normal	0.0	
9/5/2021 20:00	Normal	0.0	
9/5/2021 21:00	Normal	0.0	
9/5/2021 22:00	Normal	0.0	
9/5/2021 23:00	Normal	0.0	0.1
9/6/2021 0:00	Normal	0.0	
9/6/2021 1:00	Normal	0.0	
9/6/2021 2:00	Normal	0.0	
9/6/2021 3:00	Normal	0.0	
9/6/2021 4:00	Normal	0.0	
9/6/2021 5:00	Normal	0.0	
9/6/2021 6:00	Normal	0.0	
9/6/2021 7:00	Normal	0.0	
9/6/2021 8:00	Normal	0.0	
9/6/2021 9:00	Normal	0.0	
9/6/2021 10:00	Normal	0.0	
9/6/2021 11:00	Normal	0.0	
9/6/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/6/2021 13:00	Normal	0.0	
9/6/2021 14:00	Normal	0.0	
9/6/2021 15:00	Normal	0.0	
9/6/2021 16:00	Normal	0.0	
9/6/2021 17:00	Normal	0.0	
9/6/2021 18:00	Normal	0.0	
9/6/2021 19:00	Normal	0.0	
9/6/2021 20:00	Normal	0.0	
9/6/2021 21:00	Normal	0.0	
9/6/2021 22:00	Normal	0.0	
9/6/2021 23:00	Normal	0.0	0.1
9/7/2021 0:00	Normal	0.0	
9/7/2021 1:00	Normal	0.0	
9/7/2021 2:00	Normal	0.0	
9/7/2021 3:00	Normal	0.0	
9/7/2021 4:00	Normal	0.0	
9/7/2021 5:00	Normal	0.0	
9/7/2021 6:00	Normal	0.0	
9/7/2021 7:00	Normal	0.0	
9/7/2021 8:00	Normal	0.0	
9/7/2021 9:00	Normal	0.0	
9/7/2021 10:00	Normal	0.0	
9/7/2021 11:00	Normal	0.0	
9/7/2021 12:00	Normal	0.0	
9/7/2021 13:00	Normal	0.0	
9/7/2021 14:00	Normal	0.0	
9/7/2021 15:00	Normal	0.0	
9/7/2021 16:00	Normal	0.0	
9/7/2021 17:00	Normal	0.0	
9/7/2021 18:00	Normal	0.0	
9/7/2021 19:00	Normal	0.0	
9/7/2021 20:00	Normal	0.0	
9/7/2021 21:00	Normal	0.0	
9/7/2021 22:00	Normal	0.0	
9/7/2021 23:00	Normal	0.0	0.1
9/8/2021 0:00	Normal	0.0	
9/8/2021 1:00	Normal	0.0	
9/8/2021 2:00	Normal	0.0	
9/8/2021 3:00	Normal	0.0	
9/8/2021 4:00	Normal	0.0	
9/8/2021 5:00	Normal	0.0	
9/8/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/8/2021 7:00	Normal	0.0	
9/8/2021 8:00	Normal	0.0	
9/8/2021 9:00	Normal	0.0	
9/8/2021 10:00	Normal	0.0	
9/8/2021 11:00	Normal	0.0	
9/8/2021 12:00	Normal	0.0	
9/8/2021 13:00	Normal	0.0	
9/8/2021 14:00	Normal	0.0	
9/8/2021 15:00	Normal	0.0	
9/8/2021 16:00	Normal	0.0	
9/8/2021 17:00	Normal	0.0	
9/8/2021 18:00	Normal	0.0	
9/8/2021 19:00	Normal	0.0	
9/8/2021 20:00	Normal	0.0	
9/8/2021 21:00	Normal	0.0	
9/8/2021 22:00	Normal	0.0	
9/8/2021 23:00	Normal	0.0	0.1
9/9/2021 0:00	Normal	0.0	
9/9/2021 1:00	Normal	0.0	
9/9/2021 2:00	Normal	0.0	
9/9/2021 3:00	Normal	0.0	
9/9/2021 4:00	Normal	0.0	
9/9/2021 5:00	Normal	0.0	
9/9/2021 6:00	Normal	0.0	
9/9/2021 7:00	Normal	0.0	
9/9/2021 8:00	Normal	0.0	
9/9/2021 9:00	Normal	0.0	
9/9/2021 10:00	Normal	0.0	
9/9/2021 11:00	Normal	0.0	
9/9/2021 12:00	Normal	0.0	
9/9/2021 13:00	Normal	0.0	
9/9/2021 14:00	Normal	0.0	
9/9/2021 15:00	Normal	0.0	
9/9/2021 16:00	Normal	0.0	
9/9/2021 17:00	Normal	0.0	
9/9/2021 18:00	Normal	0.0	
9/9/2021 19:00	Normal	0.0	
9/9/2021 20:00	Normal	0.0	
9/9/2021 21:00	Normal	0.0	
9/9/2021 22:00	Normal	0.0	
9/9/2021 23:00	Normal	0.0	0.1
9/10/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/10/2021 1:00	Normal	0.0	
9/10/2021 2:00	Normal	0.0	
9/10/2021 3:00	Normal	0.0	
9/10/2021 4:00	Normal	0.0	
9/10/2021 5:00	Normal	0.0	
9/10/2021 6:00	Normal	0.0	
9/10/2021 7:00	Normal	0.0	
9/10/2021 8:00	Normal	0.0	
9/10/2021 9:00	Normal	0.0	
9/10/2021 10:00	Normal	0.0	
9/10/2021 11:00	Normal	0.0	
9/10/2021 12:00	Normal	0.0	
9/10/2021 13:00	Normal	0.0	
9/10/2021 14:00	Normal	0.0	
9/10/2021 15:00	Normal	0.0	
9/10/2021 16:00	Normal	0.0	
9/10/2021 17:00	Normal	0.0	
9/10/2021 18:00	Normal	0.0	
9/10/2021 19:00	Normal	0.0	
9/10/2021 20:00	Normal	0.0	
9/10/2021 21:00	Normal	0.0	
9/10/2021 22:00	Normal	0.0	
9/10/2021 23:00	Normal	0.0	0.1
9/11/2021 0:00	Normal	0.0	
9/11/2021 1:00	Normal	0.0	
9/11/2021 2:00	Normal	0.0	
9/11/2021 3:00	Normal	0.0	
9/11/2021 4:00	Normal	0.0	
9/11/2021 5:00	Normal	0.0	
9/11/2021 6:00	Normal	0.0	
9/11/2021 7:00	Normal	0.0	
9/11/2021 8:00	Normal	0.0	
9/11/2021 9:00	Normal	0.0	
9/11/2021 10:00	Normal	0.0	
9/11/2021 11:00	Normal	0.0	
9/11/2021 12:00	Normal	0.0	
9/11/2021 13:00	Normal	0.0	
9/11/2021 14:00	Normal	0.0	
9/11/2021 15:00	Normal	0.0	
9/11/2021 16:00	Normal	0.0	
9/11/2021 17:00	Normal	0.0	
9/11/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/11/2021 19:00	Normal	0.0	
9/11/2021 20:00	Normal	0.0	
9/11/2021 21:00	Normal	0.0	
9/11/2021 22:00	Normal	0.0	
9/11/2021 23:00	Normal	0.0	0.1
9/12/2021 0:00	Normal	0.0	
9/12/2021 1:00	Normal	0.0	
9/12/2021 2:00	Normal	0.0	
9/12/2021 3:00	Normal	0.0	
9/12/2021 4:00	Normal	0.0	
9/12/2021 5:00	Normal	0.0	
9/12/2021 6:00	Normal	0.0	
9/12/2021 7:00	Normal	0.0	
9/12/2021 8:00	Normal	0.0	
9/12/2021 9:00	Normal	0.0	
9/12/2021 10:00	Normal	0.0	
9/12/2021 11:00	Normal	0.0	
9/12/2021 12:00	Normal	0.0	
9/12/2021 13:00	Normal	0.0	
9/12/2021 14:00	Normal	0.0	
9/12/2021 15:00	Normal	0.0	
9/12/2021 16:00	Normal	0.0	
9/12/2021 17:00	Normal	0.0	
9/12/2021 18:00	Normal	0.0	
9/12/2021 19:00	Normal	0.0	
9/12/2021 20:00	Normal	0.0	
9/12/2021 21:00	Normal	0.0	
9/12/2021 22:00	Normal	0.0	
9/12/2021 23:00	Normal	0.0	0.1
9/13/2021 0:00	Normal	0.0	
9/13/2021 1:00	Normal	0.0	
9/13/2021 2:00	Normal	0.0	
9/13/2021 3:00	Normal	0.0	
9/13/2021 4:00	Normal	0.0	
9/13/2021 5:00	Normal	0.0	
9/13/2021 6:00	Normal	0.0	
9/13/2021 7:00	Normal	0.0	
9/13/2021 8:00	Normal	0.0	
9/13/2021 9:00	Normal	0.0	
9/13/2021 10:00	Normal	0.0	
9/13/2021 11:00	Normal	0.0	
9/13/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/13/2021 13:00	Normal	0.0	
9/13/2021 14:00	Normal	0.0	
9/13/2021 15:00	Normal	0.0	
9/13/2021 16:00	Normal	0.0	
9/13/2021 17:00	Normal	0.0	
9/13/2021 18:00	Normal	0.0	
9/13/2021 19:00	Normal	0.0	
9/13/2021 20:00	Normal	0.0	
9/13/2021 21:00	Normal	0.0	
9/13/2021 22:00	Normal	0.0	
9/13/2021 23:00	Normal	0.0	0.1
9/14/2021 0:00	Normal	0.0	
9/14/2021 1:00	Normal	0.0	
9/14/2021 2:00	Normal	0.0	
9/14/2021 3:00	Normal	0.0	
9/14/2021 4:00	Normal	0.0	
9/14/2021 5:00	Normal	0.0	
9/14/2021 6:00	Normal	0.0	
9/14/2021 7:00	Normal	0.0	
9/14/2021 8:00	Normal	0.0	
9/14/2021 9:00	Normal	0.0	
9/14/2021 10:00	Normal	0.0	
9/14/2021 11:00	Shutdown	174.8	
9/14/2021 12:00	Shutdown	21.6	
9/14/2021 13:00	Shutdown		
9/14/2021 14:00	Shutdown		
9/14/2021 15:00	Shutdown		
9/14/2021 16:00	Shutdown		
9/14/2021 17:00	Shutdown		
9/14/2021 18:00	Shutdown		
9/14/2021 19:00	Shutdown	19.7	
9/14/2021 20:00	Shutdown	25.5	
9/14/2021 21:00	Shutdown		
9/14/2021 22:00	Shutdown		
9/14/2021 23:00	Shutdown		0.3
9/15/2021 0:00	Shutdown		
9/15/2021 1:00	Shutdown		
9/15/2021 2:00	Shutdown		
9/15/2021 3:00	Shutdown		
9/15/2021 4:00	Shutdown		
9/15/2021 5:00	Shutdown		
9/15/2021 6:00	Shutdown		

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/15/2021 7:00	Shutdown		
9/15/2021 8:00	Shutdown		
9/15/2021 9:00	Shutdown		
9/15/2021 10:00	Shutdown		
9/15/2021 11:00	Shutdown		
9/15/2021 12:00	Shutdown		
9/15/2021 13:00	Shutdown		
9/15/2021 14:00	Shutdown		
9/15/2021 15:00	Shutdown		
9/15/2021 16:00	Shutdown		
9/15/2021 17:00	Shutdown		
9/15/2021 18:00	Shutdown		
9/15/2021 19:00	Shutdown		
9/15/2021 20:00	Shutdown		
9/15/2021 21:00	Shutdown		
9/15/2021 22:00	Shutdown		
9/15/2021 23:00	Shutdown		0.4
9/16/2021 0:00	Shutdown		
9/16/2021 1:00	Shutdown		
9/16/2021 2:00	Shutdown		
9/16/2021 3:00	Shutdown		
9/16/2021 4:00	Shutdown		
9/16/2021 5:00	Shutdown		
9/16/2021 6:00	Shutdown		
9/16/2021 7:00	Shutdown		
9/16/2021 8:00	Shutdown		
9/16/2021 9:00	Shutdown		
9/16/2021 10:00	Shutdown		
9/16/2021 11:00	Shutdown		
9/16/2021 12:00	Shutdown		
9/16/2021 13:00	Startup	14.8	
9/16/2021 14:00	Startup	5.4	
9/16/2021 15:00	Startup	25.7	
9/16/2021 16:00	Startup	36.8	
9/16/2021 17:00	Startup	0.0	
9/16/2021 18:00	Normal	0.0	
9/16/2021 19:00	Normal	0.0	
9/16/2021 20:00	Normal	0.0	
9/16/2021 21:00	Normal	0.0	
9/16/2021 22:00	Normal	0.0	
9/16/2021 23:00	Normal	0.0	0.5
9/17/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/17/2021 1:00	Normal	0.0	
9/17/2021 2:00	Normal	0.0	
9/17/2021 3:00	Normal	0.0	
9/17/2021 4:00	Normal	0.0	
9/17/2021 5:00	Normal	0.0	
9/17/2021 6:00	Normal	0.0	
9/17/2021 7:00	Normal	0.0	
9/17/2021 8:00	Normal	0.0	
9/17/2021 9:00	Normal	0.0	
9/17/2021 10:00	Normal	0.0	
9/17/2021 11:00	Normal	0.0	
9/17/2021 12:00	Normal	0.0	
9/17/2021 13:00	Normal	0.0	
9/17/2021 14:00	Normal	0.0	
9/17/2021 15:00	Normal	0.0	
9/17/2021 16:00	Normal	0.0	
9/17/2021 17:00	Normal	0.0	
9/17/2021 18:00	Normal	0.0	
9/17/2021 19:00	Normal	0.0	
9/17/2021 20:00	Normal	0.0	
9/17/2021 21:00	Normal	0.0	
9/17/2021 22:00	Normal	0.0	
9/17/2021 23:00	Normal	0.0	0.5
9/18/2021 0:00	Normal	0.0	
9/18/2021 1:00	Normal	0.0	
9/18/2021 2:00	Normal	0.0	
9/18/2021 3:00	Normal	0.0	
9/18/2021 4:00	Normal	0.0	
9/18/2021 5:00	Normal	0.0	
9/18/2021 6:00	Normal	0.0	
9/18/2021 7:00	Normal	0.0	
9/18/2021 8:00	Normal	0.0	
9/18/2021 9:00	Normal	0.0	
9/18/2021 10:00	Normal	0.0	
9/18/2021 11:00	Normal	0.0	
9/18/2021 12:00	Normal	0.0	
9/18/2021 13:00	Normal	0.0	
9/18/2021 14:00	Normal	0.0	
9/18/2021 15:00	Normal	0.0	
9/18/2021 16:00	Normal	0.0	
9/18/2021 17:00	Normal	0.0	
9/18/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/18/2021 19:00	Normal	0.0	
9/18/2021 20:00	Normal	0.0	
9/18/2021 21:00	Normal	0.0	
9/18/2021 22:00	Normal	0.0	
9/18/2021 23:00	Normal	0.0	0.5
9/19/2021 0:00	Normal	0.0	
9/19/2021 1:00	Normal	0.0	
9/19/2021 2:00	Normal	0.0	
9/19/2021 3:00	Normal	0.0	
9/19/2021 4:00	Normal	0.0	
9/19/2021 5:00	Normal	0.0	
9/19/2021 6:00	Normal	0.0	
9/19/2021 7:00	Normal	0.0	
9/19/2021 8:00	Normal	0.0	
9/19/2021 9:00	Normal	0.0	
9/19/2021 10:00	Normal	0.0	
9/19/2021 11:00	Normal	0.0	
9/19/2021 12:00	Normal	0.0	
9/19/2021 13:00	Normal	0.0	
9/19/2021 14:00	Normal	0.0	
9/19/2021 15:00	Normal	0.0	
9/19/2021 16:00	Normal	0.0	
9/19/2021 17:00	Normal	0.0	
9/19/2021 18:00	Normal	0.0	
9/19/2021 19:00	Normal	0.0	
9/19/2021 20:00	Normal	0.0	
9/19/2021 21:00	Normal	0.0	
9/19/2021 22:00	Normal	0.0	
9/19/2021 23:00	Normal	0.0	0.5
9/20/2021 0:00	Normal	0.0	
9/20/2021 1:00	Normal	0.0	
9/20/2021 2:00	Normal	0.0	
9/20/2021 3:00	Normal	0.0	
9/20/2021 4:00	Normal	0.0	
9/20/2021 5:00	Normal	0.0	
9/20/2021 6:00	Normal	0.0	
9/20/2021 7:00	Normal	0.0	
9/20/2021 8:00	Normal	0.0	
9/20/2021 9:00	Normal	0.0	
9/20/2021 10:00	Normal	0.0	
9/20/2021 11:00	Normal	0.0	
9/20/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/20/2021 13:00	Normal	0.0	
9/20/2021 14:00	Normal	0.0	
9/20/2021 15:00	Normal	0.0	
9/20/2021 16:00	Normal	0.0	
9/20/2021 17:00	Normal	0.0	
9/20/2021 18:00	Normal	0.0	
9/20/2021 19:00	Normal	0.0	
9/20/2021 20:00	Normal	0.0	
9/20/2021 21:00	Normal	0.0	
9/20/2021 22:00	Normal	0.0	
9/20/2021 23:00	Normal	0.0	0.5
9/21/2021 0:00	Normal	0.0	
9/21/2021 1:00	Normal	0.0	
9/21/2021 2:00	Normal	0.0	
9/21/2021 3:00	Normal	0.0	
9/21/2021 4:00	Normal	0.0	
9/21/2021 5:00	Normal	0.0	
9/21/2021 6:00	Normal	0.0	
9/21/2021 7:00	Normal	0.0	
9/21/2021 8:00	Normal	0.0	
9/21/2021 9:00	Normal	0.0	
9/21/2021 10:00	Normal	0.0	
9/21/2021 11:00	Normal	0.0	
9/21/2021 12:00	Normal	0.0	
9/21/2021 13:00	Normal	0.0	
9/21/2021 14:00	Normal	0.0	
9/21/2021 15:00	Normal	0.0	
9/21/2021 16:00	Normal	0.0	
9/21/2021 17:00	Normal	0.0	
9/21/2021 18:00	Normal	0.0	
9/21/2021 19:00	Normal	0.0	
9/21/2021 20:00	Normal	0.0	
9/21/2021 21:00	Normal	0.0	
9/21/2021 22:00	Normal	0.0	
9/21/2021 23:00	Normal	0.0	0.5
9/22/2021 0:00	Normal	0.0	
9/22/2021 1:00	Normal	0.0	
9/22/2021 2:00	Normal	0.0	
9/22/2021 3:00	Normal	0.0	
9/22/2021 4:00	Normal	0.0	
9/22/2021 5:00	Normal	0.0	
9/22/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/22/2021 7:00	Normal	0.0	
9/22/2021 8:00	Normal	0.0	
9/22/2021 9:00	Normal	0.0	
9/22/2021 10:00	Normal	0.0	
9/22/2021 11:00	Normal	0.0	
9/22/2021 12:00	Normal	0.0	
9/22/2021 13:00	Normal	0.0	
9/22/2021 14:00	Normal	0.0	
9/22/2021 15:00	Normal	0.0	
9/22/2021 16:00	Normal	0.0	
9/22/2021 17:00	Normal	0.0	
9/22/2021 18:00	Normal	0.0	
9/22/2021 19:00	Normal	0.0	
9/22/2021 20:00	Normal	0.0	
9/22/2021 21:00	Normal	0.0	
9/22/2021 22:00	Normal	0.0	
9/22/2021 23:00	Normal	0.0	0.5
9/23/2021 0:00	Normal	0.0	
9/23/2021 1:00	Normal	0.0	
9/23/2021 2:00	Normal	0.0	
9/23/2021 3:00	Normal	0.0	
9/23/2021 4:00	Normal	0.0	
9/23/2021 5:00	Normal	0.0	
9/23/2021 6:00	Normal	0.0	
9/23/2021 7:00	Normal	0.0	
9/23/2021 8:00	Normal	0.0	
9/23/2021 9:00	Normal	0.0	
9/23/2021 10:00	Normal	0.0	
9/23/2021 11:00	Normal	0.0	
9/23/2021 12:00	Normal	0.0	
9/23/2021 13:00	Normal	0.0	
9/23/2021 14:00	Normal	0.0	
9/23/2021 15:00	Normal	0.0	
9/23/2021 16:00	Normal	0.0	
9/23/2021 17:00	Normal	0.0	
9/23/2021 18:00	Normal	0.0	
9/23/2021 19:00	Normal	0.0	
9/23/2021 20:00	Normal	0.0	
9/23/2021 21:00	Normal	0.0	
9/23/2021 22:00	Normal	0.0	
9/23/2021 23:00	Normal	0.0	0.5
9/24/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/24/2021 1:00	Normal	0.0	
9/24/2021 2:00	Normal	0.0	
9/24/2021 3:00	Normal	0.0	
9/24/2021 4:00	Normal	0.0	
9/24/2021 5:00	Normal	0.0	
9/24/2021 6:00	Normal	0.0	
9/24/2021 7:00	Normal	0.0	
9/24/2021 8:00	Normal	0.0	
9/24/2021 9:00	Normal	0.0	
9/24/2021 10:00	Normal	0.0	
9/24/2021 11:00	Normal	0.0	
9/24/2021 12:00	Normal	0.0	
9/24/2021 13:00	Normal	0.0	
9/24/2021 14:00	Normal	0.0	
9/24/2021 15:00	Normal	0.0	
9/24/2021 16:00	Normal	0.0	
9/24/2021 17:00	Normal	0.0	
9/24/2021 18:00	Normal	0.0	
9/24/2021 19:00	Normal	0.0	
9/24/2021 20:00	Normal	0.0	
9/24/2021 21:00	Normal	0.0	
9/24/2021 22:00	Normal	0.0	
9/24/2021 23:00	Normal	0.0	0.5
9/25/2021 0:00	Normal	0.0	
9/25/2021 1:00	Normal	0.0	
9/25/2021 2:00	Normal	0.0	
9/25/2021 3:00	Normal	0.0	
9/25/2021 4:00	Normal	0.0	
9/25/2021 5:00	Normal	0.0	
9/25/2021 6:00	Normal	0.0	
9/25/2021 7:00	Normal	0.0	
9/25/2021 8:00	Normal	0.0	
9/25/2021 9:00	Normal	0.0	
9/25/2021 10:00	Normal	0.0	
9/25/2021 11:00	Normal	0.0	
9/25/2021 12:00	Normal	0.0	
9/25/2021 13:00	Normal	0.0	
9/25/2021 14:00	Normal	0.0	
9/25/2021 15:00	Normal	0.0	
9/25/2021 16:00	Normal	0.0	
9/25/2021 17:00	Normal	0.0	
9/25/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/25/2021 19:00	Normal	0.0	
9/25/2021 20:00	Normal	0.0	
9/25/2021 21:00	Normal	0.0	
9/25/2021 22:00	Normal	0.0	
9/25/2021 23:00	Normal	0.0	0.5
9/26/2021 0:00	Normal	0.0	
9/26/2021 1:00	Normal	0.0	
9/26/2021 2:00	Normal	0.0	
9/26/2021 3:00	Normal	0.0	
9/26/2021 4:00	Normal	0.0	
9/26/2021 5:00	Normal	0.0	
9/26/2021 6:00	Normal	0.0	
9/26/2021 7:00	Normal	0.0	
9/26/2021 8:00	Normal	0.0	
9/26/2021 9:00	Normal	0.0	
9/26/2021 10:00	Normal	0.0	
9/26/2021 11:00	Normal	0.0	
9/26/2021 12:00	Normal	0.0	
9/26/2021 13:00	Normal	0.0	
9/26/2021 14:00	Normal	0.0	
9/26/2021 15:00	Normal	0.0	
9/26/2021 16:00	Normal	0.0	
9/26/2021 17:00	Normal	0.0	
9/26/2021 18:00	Normal	0.0	
9/26/2021 19:00	Normal	0.0	
9/26/2021 20:00	Normal	0.0	
9/26/2021 21:00	Normal	0.0	
9/26/2021 22:00	Normal	0.0	
9/26/2021 23:00	Normal	0.0	0.5
9/27/2021 0:00	Normal	0.0	
9/27/2021 1:00	Normal	0.0	
9/27/2021 2:00	Normal	0.0	
9/27/2021 3:00	Normal	0.0	
9/27/2021 4:00	Normal	0.0	
9/27/2021 5:00	Normal	0.0	
9/27/2021 6:00	Normal	0.0	
9/27/2021 7:00	Normal	0.0	
9/27/2021 8:00	Normal	0.0	
9/27/2021 9:00	Normal	0.0	
9/27/2021 10:00	Normal	0.0	
9/27/2021 11:00	Normal	0.0	
9/27/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/27/2021 13:00	Normal	0.0	
9/27/2021 14:00	Normal	0.0	
9/27/2021 15:00	Normal	0.0	
9/27/2021 16:00	Normal	0.0	
9/27/2021 17:00	Normal	0.0	
9/27/2021 18:00	Normal	0.0	
9/27/2021 19:00	Malfunction	71.0	
9/27/2021 20:00	Malfunction	0.3	
9/27/2021 21:00	Normal	0.0	
9/27/2021 22:00	Normal	0.0	
9/27/2021 23:00	Normal	0.0	0.6
9/28/2021 0:00	Normal	0.0	
9/28/2021 1:00	Normal	0.0	
9/28/2021 2:00	Normal	0.0	
9/28/2021 3:00	Normal	0.0	
9/28/2021 4:00	Normal	0.0	
9/28/2021 5:00	Normal	68.6	
9/28/2021 6:00	Normal	0.0	
9/28/2021 7:00	Normal	0.0	
9/28/2021 8:00	Normal	0.0	
9/28/2021 9:00	Normal	0.0	
9/28/2021 10:00	Normal	0.0	
9/28/2021 11:00	Normal	0.0	
9/28/2021 12:00	Normal	0.0	
9/28/2021 13:00	Normal	0.0	
9/28/2021 14:00	Normal	0.0	
9/28/2021 15:00	Normal	0.0	
9/28/2021 16:00	Normal	0.0	
9/28/2021 17:00	Normal	0.0	
9/28/2021 18:00	Normal	0.0	
9/28/2021 19:00	Normal	0.0	
9/28/2021 20:00	Normal	0.0	
9/28/2021 21:00	Normal	0.0	
9/28/2021 22:00	Normal	0.0	
9/28/2021 23:00	Normal	0.0	0.7
9/29/2021 0:00	Normal	0.0	
9/29/2021 1:00	Normal	0.0	
9/29/2021 2:00	Normal	0.0	
9/29/2021 3:00	Normal	0.0	
9/29/2021 4:00	Normal	0.0	
9/29/2021 5:00	Normal	0.0	
9/29/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/29/2021 7:00	Normal	0.0	
9/29/2021 8:00	Normal	0.0	
9/29/2021 9:00	Normal	0.0	
9/29/2021 10:00	Normal	0.0	
9/29/2021 11:00	Normal	0.0	
9/29/2021 12:00	Normal	0.0	
9/29/2021 13:00	Normal	0.0	
9/29/2021 14:00	Normal	0.0	
9/29/2021 15:00	Normal	0.0	
9/29/2021 16:00	Normal	0.0	
9/29/2021 17:00	Normal	0.0	
9/29/2021 18:00	Normal	0.0	
9/29/2021 19:00	Normal	0.0	
9/29/2021 20:00	Normal	0.0	
9/29/2021 21:00	Normal	0.0	
9/29/2021 22:00	Normal	0.0	
9/29/2021 23:00	Normal	0.0	0.7
9/30/2021 0:00	Normal	0.0	
9/30/2021 1:00	Normal	0.0	
9/30/2021 2:00	Normal	0.0	
9/30/2021 3:00	Normal	0.0	
9/30/2021 4:00	Normal	0.0	
9/30/2021 5:00	Normal	0.0	
9/30/2021 6:00	Normal	0.0	
9/30/2021 7:00	Normal	0.0	
9/30/2021 8:00	Normal	0.0	
9/30/2021 9:00	Normal	0.0	
9/30/2021 10:00	Normal	0.0	
9/30/2021 11:00	Normal	0.0	
9/30/2021 12:00	Normal	0.0	
9/30/2021 13:00	Normal	0.0	
9/30/2021 14:00	Normal	0.0	
9/30/2021 15:00	Normal	0.0	
9/30/2021 16:00	Normal	0.0	
9/30/2021 17:00	Normal	0.0	
9/30/2021 18:00	Normal	0.0	
9/30/2021 19:00	Normal	0.0	
9/30/2021 20:00	Normal	0.0	
9/30/2021 21:00	Normal	0.0	
9/30/2021 22:00	Normal	0.0	
9/30/2021 23:00	Normal	0.0	0.7
10/1/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/1/2021 1:00	Normal	0.0	
10/1/2021 2:00	Normal	0.0	
10/1/2021 3:00	Normal	0.0	
10/1/2021 4:00	Normal	0.0	
10/1/2021 5:00	Normal	0.0	
10/1/2021 6:00	Normal	0.0	
10/1/2021 7:00	Normal	0.0	
10/1/2021 8:00	Normal	0.0	
10/1/2021 9:00	Normal	0.0	
10/1/2021 10:00	Normal	0.0	
10/1/2021 11:00	Normal	0.0	
10/1/2021 12:00	Normal	0.0	
10/1/2021 13:00	Normal	0.0	
10/1/2021 14:00	Normal	0.0	
10/1/2021 15:00	Normal	0.0	
10/1/2021 16:00	Normal	0.0	
10/1/2021 17:00	Normal	0.0	
10/1/2021 18:00	Normal	0.0	
10/1/2021 19:00	Normal	0.0	
10/1/2021 20:00	Normal	0.0	
10/1/2021 21:00	Normal	0.0	
10/1/2021 22:00	Normal	0.0	
10/1/2021 23:00	Normal	0.0	0.7
10/2/2021 0:00	Normal	0.0	
10/2/2021 1:00	Normal	0.0	
10/2/2021 2:00	Normal	0.0	
10/2/2021 3:00	Normal	0.0	
10/2/2021 4:00	Normal	0.0	
10/2/2021 5:00	Normal	0.0	
10/2/2021 6:00	Normal	0.0	
10/2/2021 7:00	Normal	0.0	
10/2/2021 8:00	Normal	0.0	
10/2/2021 9:00	Normal	0.0	
10/2/2021 10:00	Normal	0.0	
10/2/2021 11:00	Normal	0.0	
10/2/2021 12:00	Normal	0.0	
10/2/2021 13:00	Normal	0.0	
10/2/2021 14:00	Normal	0.0	
10/2/2021 15:00	Normal	0.0	
10/2/2021 16:00	Normal	0.0	
10/2/2021 17:00	Normal	0.0	
10/2/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/2/2021 19:00	Normal	0.0	
10/2/2021 20:00	Normal	0.0	
10/2/2021 21:00	Normal	0.0	
10/2/2021 22:00	Normal	0.0	
10/2/2021 23:00	Normal	0.0	0.7
10/3/2021 0:00	Normal	0.0	
10/3/2021 1:00	Normal	0.0	
10/3/2021 2:00	Normal	0.0	
10/3/2021 3:00	Normal	0.0	
10/3/2021 4:00	Normal	0.0	
10/3/2021 5:00	Normal	0.0	
10/3/2021 6:00	Normal	0.0	
10/3/2021 7:00	Normal	0.0	
10/3/2021 8:00	Normal	0.0	
10/3/2021 9:00	Normal	0.0	
10/3/2021 10:00	Normal	0.0	
10/3/2021 11:00	Normal	0.0	
10/3/2021 12:00	Normal	0.0	
10/3/2021 13:00	Normal	0.0	
10/3/2021 14:00	Normal	0.0	
10/3/2021 15:00	Normal	0.0	
10/3/2021 16:00	Normal	0.0	
10/3/2021 17:00	Normal	0.0	
10/3/2021 18:00	Normal	0.0	
10/3/2021 19:00	Normal	0.0	
10/3/2021 20:00	Normal	0.0	
10/3/2021 21:00	Normal	0.0	
10/3/2021 22:00	Normal	0.0	
10/3/2021 23:00	Normal	0.0	0.7
10/4/2021 0:00	Normal	0.0	
10/4/2021 1:00	Normal	0.0	
10/4/2021 2:00	Normal	0.0	
10/4/2021 3:00	Normal	0.0	
10/4/2021 4:00	Normal	0.0	
10/4/2021 5:00	Normal	0.0	
10/4/2021 6:00	Normal	0.0	
10/4/2021 7:00	Normal	0.0	
10/4/2021 8:00	Normal	0.0	
10/4/2021 9:00	Normal	0.0	
10/4/2021 10:00	Normal	0.0	
10/4/2021 11:00	Normal	0.0	
10/4/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/4/2021 13:00	Normal	0.0	
10/4/2021 14:00	Normal	0.0	
10/4/2021 15:00	Normal	0.0	
10/4/2021 16:00	Normal	0.0	
10/4/2021 17:00	Normal	0.0	
10/4/2021 18:00	Normal	0.0	
10/4/2021 19:00	Normal	0.0	
10/4/2021 20:00	Normal	0.0	
10/4/2021 21:00	Normal	0.0	
10/4/2021 22:00	Normal	0.0	
10/4/2021 23:00	Normal	0.0	0.7
10/5/2021 0:00	Normal	0.0	
10/5/2021 1:00	Normal	0.0	
10/5/2021 2:00	Normal	0.0	
10/5/2021 3:00	Normal	0.0	
10/5/2021 4:00	Normal	0.0	
10/5/2021 5:00	Normal	0.0	
10/5/2021 6:00	Normal	0.0	
10/5/2021 7:00	Normal	0.0	
10/5/2021 8:00	Normal	0.0	
10/5/2021 9:00	Normal	0.0	
10/5/2021 10:00	Normal	0.0	
10/5/2021 11:00	Normal	0.0	
10/5/2021 12:00	Normal	0.0	
10/5/2021 13:00	Normal	0.0	
10/5/2021 14:00	Normal	0.0	
10/5/2021 15:00	Normal	0.0	
10/5/2021 16:00	Normal	0.0	
10/5/2021 17:00	Normal	0.0	
10/5/2021 18:00	Normal	0.0	
10/5/2021 19:00	Normal	0.0	
10/5/2021 20:00	Normal	0.0	
10/5/2021 21:00	Normal	0.0	
10/5/2021 22:00	Normal	0.0	
10/5/2021 23:00	Normal	0.0	0.7
10/6/2021 0:00	Normal	0.0	
10/6/2021 1:00	Normal	0.0	
10/6/2021 2:00	Normal	0.0	
10/6/2021 3:00	Normal	0.0	
10/6/2021 4:00	Normal	0.0	
10/6/2021 5:00	Normal	0.0	
10/6/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/6/2021 7:00	Normal	0.0	
10/6/2021 8:00	Normal	0.0	
10/6/2021 9:00	Normal	0.0	
10/6/2021 10:00	Normal	0.0	
10/6/2021 11:00	Normal	0.0	
10/6/2021 12:00	Normal	0.0	
10/6/2021 13:00	Normal	0.0	
10/6/2021 14:00	Normal	0.0	
10/6/2021 15:00	Normal	0.0	
10/6/2021 16:00	Normal	0.0	
10/6/2021 17:00	Normal	0.0	
10/6/2021 18:00	Normal	0.0	
10/6/2021 19:00	Normal	0.0	
10/6/2021 20:00	Normal	0.0	
10/6/2021 21:00	Normal	0.0	
10/6/2021 22:00	Normal	0.0	
10/6/2021 23:00	Normal	0.0	0.7
10/7/2021 0:00	Normal	0.0	
10/7/2021 1:00	Normal	0.0	
10/7/2021 2:00	Normal	0.0	
10/7/2021 3:00	Normal	0.0	
10/7/2021 4:00	Normal	0.0	
10/7/2021 5:00	Normal	0.0	
10/7/2021 6:00	Normal	0.0	
10/7/2021 7:00	Normal	0.0	
10/7/2021 8:00	Normal	0.0	
10/7/2021 9:00	Normal	0.0	
10/7/2021 10:00	Normal	0.0	
10/7/2021 11:00	Normal	0.0	
10/7/2021 12:00	Normal	0.0	
10/7/2021 13:00	Normal	0.0	
10/7/2021 14:00	Normal	0.0	
10/7/2021 15:00	Normal	0.0	
10/7/2021 16:00	Normal	0.0	
10/7/2021 17:00	Normal	0.0	
10/7/2021 18:00	Normal	0.0	
10/7/2021 19:00	Normal	0.0	
10/7/2021 20:00	Normal	0.0	
10/7/2021 21:00	Normal	0.0	
10/7/2021 22:00	Normal	0.0	
10/7/2021 23:00	Normal	0.0	0.7
10/8/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/8/2021 1:00	Normal	0.0	
10/8/2021 2:00	Normal	0.0	
10/8/2021 3:00	Normal	0.0	
10/8/2021 4:00	Normal	0.0	
10/8/2021 5:00	Normal	0.0	
10/8/2021 6:00	Normal	0.0	
10/8/2021 7:00	Normal	0.0	
10/8/2021 8:00	Normal	0.0	
10/8/2021 9:00	Normal	0.0	
10/8/2021 10:00	Normal	0.0	
10/8/2021 11:00	Normal	0.0	
10/8/2021 12:00	Normal	0.0	
10/8/2021 13:00	Normal	0.0	
10/8/2021 14:00	Normal	0.0	
10/8/2021 15:00	Normal	0.0	
10/8/2021 16:00	Normal	0.0	
10/8/2021 17:00	Normal	0.0	
10/8/2021 18:00	Normal	0.0	
10/8/2021 19:00	Normal	0.0	
10/8/2021 20:00	Normal	0.0	
10/8/2021 21:00	Normal	0.0	
10/8/2021 22:00	Normal	0.0	
10/8/2021 23:00	Normal	0.0	0.7
10/9/2021 0:00	Normal	0.0	
10/9/2021 1:00	Normal	0.0	
10/9/2021 2:00	Normal	0.0	
10/9/2021 3:00	Normal	0.0	
10/9/2021 4:00	Normal	0.0	
10/9/2021 5:00	Normal	0.0	
10/9/2021 6:00	Normal	0.0	
10/9/2021 7:00	Normal	0.0	
10/9/2021 8:00	Normal	0.0	
10/9/2021 9:00	Normal	0.0	
10/9/2021 10:00	Normal	0.0	
10/9/2021 11:00	Normal	0.0	
10/9/2021 12:00	Normal	0.0	
10/9/2021 13:00	Normal	0.0	
10/9/2021 14:00	Normal	0.0	
10/9/2021 15:00	Normal	0.0	
10/9/2021 16:00	Normal	0.0	
10/9/2021 17:00	Normal	0.0	
10/9/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/9/2021 19:00	Normal	0.0	
10/9/2021 20:00	Normal	0.0	
10/9/2021 21:00	Normal	0.0	
10/9/2021 22:00	Normal	0.0	
10/9/2021 23:00	Normal	0.0	0.7
10/10/2021 0:00	Normal	0.0	
10/10/2021 1:00	Normal	0.0	
10/10/2021 2:00	Normal	0.0	
10/10/2021 3:00	Normal	0.0	
10/10/2021 4:00	Malfunction	241.0	
10/10/2021 5:00	Malfunction	448.0	
10/10/2021 6:00	Normal	0.0	
10/10/2021 7:00	Normal	0.0	
10/10/2021 8:00	Normal	0.0	
10/10/2021 9:00	Normal	0.0	
10/10/2021 10:00	Normal	0.0	
10/10/2021 11:00	Normal	0.0	
10/10/2021 12:00	Normal	0.0	
10/10/2021 13:00	Normal	0.0	
10/10/2021 14:00	Normal	0.0	
10/10/2021 15:00	Normal	0.0	
10/10/2021 16:00	Normal	0.0	
10/10/2021 17:00	Normal	0.0	
10/10/2021 18:00	Normal	0.0	
10/10/2021 19:00	Normal	0.0	
10/10/2021 20:00	Normal	0.0	
10/10/2021 21:00	Normal	0.0	
10/10/2021 22:00	Normal	0.0	
10/10/2021 23:00	Normal	0.0	1.7
10/11/2021 0:00	Normal	0.0	
10/11/2021 1:00	Normal	0.0	
10/11/2021 2:00	Normal	0.0	
10/11/2021 3:00	Normal	0.0	
10/11/2021 4:00	Normal	0.0	
10/11/2021 5:00	Normal	0.0	
10/11/2021 6:00	Normal	0.0	
10/11/2021 7:00	Normal	0.0	
10/11/2021 8:00	Normal	0.0	
10/11/2021 9:00	Normal	0.0	
10/11/2021 10:00	Normal	0.0	
10/11/2021 11:00	Normal	0.0	
10/11/2021 12:00	Normal	2.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/11/2021 13:00	Normal	0.0	
10/11/2021 14:00	Normal	0.0	
10/11/2021 15:00	Normal	0.0	
10/11/2021 16:00	Normal	0.0	
10/11/2021 17:00	Normal	0.0	
10/11/2021 18:00	Normal	0.0	
10/11/2021 19:00	Normal	0.0	
10/11/2021 20:00	Normal	0.0	
10/11/2021 21:00	Normal	0.0	
10/11/2021 22:00	Normal	0.0	
10/11/2021 23:00	Normal	0.0	1.7
10/12/2021 0:00	Normal	0.0	
10/12/2021 1:00	Normal	0.0	
10/12/2021 2:00	Normal	0.0	
10/12/2021 3:00	Normal	0.0	
10/12/2021 4:00	Normal	0.0	
10/12/2021 5:00	Normal	0.0	
10/12/2021 6:00	Normal	0.0	
10/12/2021 7:00	Normal	0.0	
10/12/2021 8:00	Normal	0.0	
10/12/2021 9:00	Normal	0.0	
10/12/2021 10:00	Normal	0.0	
10/12/2021 11:00	Normal	0.0	
10/12/2021 12:00	Normal	0.0	
10/12/2021 13:00	Normal	0.0	
10/12/2021 14:00	Normal	0.0	
10/12/2021 15:00	Normal	0.0	
10/12/2021 16:00	Normal	0.0	
10/12/2021 17:00	Normal	0.0	
10/12/2021 18:00	Normal	0.0	
10/12/2021 19:00	Normal	0.0	
10/12/2021 20:00	Normal	0.0	
10/12/2021 21:00	Normal	0.0	
10/12/2021 22:00	Normal	0.0	
10/12/2021 23:00	Normal	0.0	1.7
10/13/2021 0:00	Normal	0.0	
10/13/2021 1:00	Normal	0.0	
10/13/2021 2:00	Normal	0.0	
10/13/2021 3:00	Normal	0.0	
10/13/2021 4:00	Normal	0.0	
10/13/2021 5:00	Normal	0.0	
10/13/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/13/2021 7:00	Normal	0.0	
10/13/2021 8:00	Normal	0.0	
10/13/2021 9:00	Normal	0.0	
10/13/2021 10:00	Normal	0.0	
10/13/2021 11:00	Normal	0.0	
10/13/2021 12:00	Normal	0.0	
10/13/2021 13:00	Normal	0.0	
10/13/2021 14:00	Normal	0.0	
10/13/2021 15:00	Normal	0.0	
10/13/2021 16:00	Normal	0.0	
10/13/2021 17:00	Normal	0.0	
10/13/2021 18:00	Normal	0.0	
10/13/2021 19:00	Normal	0.0	
10/13/2021 20:00	Normal	0.0	
10/13/2021 21:00	Normal	0.0	
10/13/2021 22:00	Normal	0.0	
10/13/2021 23:00	Normal	0.0	1.7
10/14/2021 0:00	Normal	0.0	
10/14/2021 1:00	Normal	0.0	
10/14/2021 2:00	Normal	0.0	
10/14/2021 3:00	Normal	0.0	
10/14/2021 4:00	Normal	0.0	
10/14/2021 5:00	Normal	0.0	
10/14/2021 6:00	Normal	0.0	
10/14/2021 7:00	Normal	0.0	
10/14/2021 8:00	Normal	0.0	
10/14/2021 9:00	Normal	0.0	
10/14/2021 10:00	Normal	0.0	
10/14/2021 11:00	Normal	0.0	
10/14/2021 12:00	Normal	0.0	
10/14/2021 13:00	Normal	0.0	
10/14/2021 14:00	Normal	0.0	
10/14/2021 15:00	Normal	0.0	
10/14/2021 16:00	Normal	0.0	
10/14/2021 17:00	Normal	0.0	
10/14/2021 18:00	Normal	0.0	
10/14/2021 19:00	Normal	0.0	
10/14/2021 20:00	Normal	0.0	
10/14/2021 21:00	Normal	0.0	
10/14/2021 22:00	Normal	0.0	
10/14/2021 23:00	Normal	0.0	1.3
10/15/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/15/2021 1:00	Normal	0.0	
10/15/2021 2:00	Normal	0.0	
10/15/2021 3:00	Normal	0.0	
10/15/2021 4:00	Normal	0.0	
10/15/2021 5:00	Normal	0.0	
10/15/2021 6:00	Normal	0.0	
10/15/2021 7:00	Normal	0.0	
10/15/2021 8:00	Normal	0.0	
10/15/2021 9:00	Normal	0.0	
10/15/2021 10:00	Normal	0.0	
10/15/2021 11:00	Normal	0.0	
10/15/2021 12:00	Normal	0.0	
10/15/2021 13:00	Normal	0.0	
10/15/2021 14:00	Normal	0.0	
10/15/2021 15:00	Normal	0.0	
10/15/2021 16:00	Normal	0.0	
10/15/2021 17:00	Normal	0.0	
10/15/2021 18:00	Normal	0.0	
10/15/2021 19:00	Normal	0.0	
10/15/2021 20:00	Normal	0.0	
10/15/2021 21:00	Normal	0.0	
10/15/2021 22:00	Normal	0.0	
10/15/2021 23:00	Normal	0.0	1.3
10/16/2021 0:00	Normal	0.0	
10/16/2021 1:00	Normal	0.0	
10/16/2021 2:00	Normal	0.0	
10/16/2021 3:00	Normal	0.0	
10/16/2021 4:00	Normal	0.0	
10/16/2021 5:00	Normal	0.0	
10/16/2021 6:00	Normal	0.0	
10/16/2021 7:00	Normal	0.0	
10/16/2021 8:00	Normal	0.0	
10/16/2021 9:00	Normal	0.0	
10/16/2021 10:00	Normal	0.0	
10/16/2021 11:00	Normal	0.0	
10/16/2021 12:00	Normal	0.0	
10/16/2021 13:00	Normal	0.0	
10/16/2021 14:00	Normal	0.0	
10/16/2021 15:00	Normal	0.0	
10/16/2021 16:00	Normal	0.0	
10/16/2021 17:00	Normal	0.0	
10/16/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/16/2021 19:00	Normal	0.0	
10/16/2021 20:00	Normal	0.0	
10/16/2021 21:00	Normal	0.0	
10/16/2021 22:00	Normal	0.0	
10/16/2021 23:00	Normal	0.0	1.2
10/17/2021 0:00	Normal	0.0	
10/17/2021 1:00	Normal	0.0	
10/17/2021 2:00	Normal	0.0	
10/17/2021 3:00	Normal	0.0	
10/17/2021 4:00	Normal	0.0	
10/17/2021 5:00	Normal	0.0	
10/17/2021 6:00	Normal	0.0	
10/17/2021 7:00	Normal	0.0	
10/17/2021 8:00	Normal	0.0	
10/17/2021 9:00	Other	1.0	
10/17/2021 10:00	Normal	0.0	
10/17/2021 11:00	Normal	0.0	
10/17/2021 12:00	Normal	0.0	
10/17/2021 13:00	Normal	0.0	
10/17/2021 14:00	Normal	0.0	
10/17/2021 15:00	Normal	0.0	
10/17/2021 16:00	Normal	0.0	
10/17/2021 17:00	Normal	0.0	
10/17/2021 18:00	Normal	0.0	
10/17/2021 19:00	Normal	0.0	
10/17/2021 20:00	Normal	0.0	
10/17/2021 21:00	Normal	0.0	
10/17/2021 22:00	Normal	0.0	
10/17/2021 23:00	Normal	0.0	1.2
10/18/2021 0:00	Normal	0.0	
10/18/2021 1:00	Normal	0.0	
10/18/2021 2:00	Normal	0.0	
10/18/2021 3:00	Normal	0.0	
10/18/2021 4:00	Normal	0.0	
10/18/2021 5:00	Normal	0.0	
10/18/2021 6:00	Normal	0.0	
10/18/2021 7:00	Normal	0.0	
10/18/2021 8:00	Normal	0.0	
10/18/2021 9:00	Normal	0.0	
10/18/2021 10:00	Normal	0.0	
10/18/2021 11:00	Normal	0.0	
10/18/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/18/2021 13:00	Normal	0.0	
10/18/2021 14:00	Normal	0.0	
10/18/2021 15:00	Normal	0.0	
10/18/2021 16:00	Normal	0.0	
10/18/2021 17:00	Normal	0.0	
10/18/2021 18:00	Normal	0.0	
10/18/2021 19:00	Normal	0.0	
10/18/2021 20:00	Normal	0.0	
10/18/2021 21:00	Normal	0.0	
10/18/2021 22:00	Normal	0.0	
10/18/2021 23:00	Normal	0.0	1.2
10/19/2021 0:00	Normal	0.0	
10/19/2021 1:00	Normal	0.0	
10/19/2021 2:00	Normal	0.0	
10/19/2021 3:00	Normal	0.0	
10/19/2021 4:00	Normal	0.0	
10/19/2021 5:00	Normal	0.0	
10/19/2021 6:00	Normal	0.0	
10/19/2021 7:00	Normal	0.0	
10/19/2021 8:00	Normal	0.0	
10/19/2021 9:00	Normal	0.0	
10/19/2021 10:00	Normal	0.0	
10/19/2021 11:00	Normal	0.0	
10/19/2021 12:00	Normal	0.0	
10/19/2021 13:00	Normal	0.0	
10/19/2021 14:00	Normal	0.0	
10/19/2021 15:00	Normal	0.0	
10/19/2021 16:00	Normal	0.0	
10/19/2021 17:00	Normal	0.0	
10/19/2021 18:00	Normal	0.0	
10/19/2021 19:00	Normal	0.0	
10/19/2021 20:00	Normal	0.0	
10/19/2021 21:00	Normal	0.0	
10/19/2021 22:00	Normal	0.0	
10/19/2021 23:00	Normal	0.0	1.2
10/20/2021 0:00	Normal	0.0	
10/20/2021 1:00	Normal	0.0	
10/20/2021 2:00	Normal	0.0	
10/20/2021 3:00	Normal	0.0	
10/20/2021 4:00	Normal	0.0	
10/20/2021 5:00	Normal	0.0	
10/20/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/20/2021 7:00	Normal	0.0	
10/20/2021 8:00	Normal	0.0	
10/20/2021 9:00	Normal	0.0	
10/20/2021 10:00	Normal	0.0	
10/20/2021 11:00	Normal	0.0	
10/20/2021 12:00	Normal	0.0	
10/20/2021 13:00	Normal	0.0	
10/20/2021 14:00	Normal	0.0	
10/20/2021 15:00	Normal	0.0	
10/20/2021 16:00	Normal	0.0	
10/20/2021 17:00	Normal	0.0	
10/20/2021 18:00	Normal	0.0	
10/20/2021 19:00	Normal	0.0	
10/20/2021 20:00	Normal	0.0	
10/20/2021 21:00	Normal	0.0	
10/20/2021 22:00	Normal	0.0	
10/20/2021 23:00	Normal	0.0	1.2
10/21/2021 0:00	Normal	0.0	
10/21/2021 1:00	Normal	0.0	
10/21/2021 2:00	Normal	0.0	
10/21/2021 3:00	Normal	0.0	
10/21/2021 4:00	Normal	0.0	
10/21/2021 5:00	Normal	0.0	
10/21/2021 6:00	Normal	0.0	
10/21/2021 7:00	Normal	0.0	
10/21/2021 8:00	Normal	0.0	
10/21/2021 9:00	Normal	0.0	
10/21/2021 10:00	Normal	0.0	
10/21/2021 11:00	Normal	0.0	
10/21/2021 12:00	Normal	0.0	
10/21/2021 13:00	Normal	0.0	
10/21/2021 14:00	Normal	0.0	
10/21/2021 15:00	Normal	0.0	
10/21/2021 16:00	Normal	0.0	
10/21/2021 17:00	Normal	0.0	
10/21/2021 18:00	Normal	0.0	
10/21/2021 19:00	Normal	0.0	
10/21/2021 20:00	Normal	0.0	
10/21/2021 21:00	Normal	0.0	
10/21/2021 22:00	Normal	0.0	
10/21/2021 23:00	Normal	0.0	1.2
10/22/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/22/2021 1:00	Normal	0.0	
10/22/2021 2:00	Normal	0.0	
10/22/2021 3:00	Normal	0.0	
10/22/2021 4:00	Normal	0.0	
10/22/2021 5:00	Normal	0.0	
10/22/2021 6:00	Normal	0.0	
10/22/2021 7:00	Normal	0.0	
10/22/2021 8:00	Normal	0.0	
10/22/2021 9:00	Normal	0.0	
10/22/2021 10:00	Normal	0.0	
10/22/2021 11:00	Normal	0.0	
10/22/2021 12:00	Normal	0.0	
10/22/2021 13:00	Normal	0.0	
10/22/2021 14:00	Normal	0.0	
10/22/2021 15:00	Normal	0.0	
10/22/2021 16:00	Normal	0.0	
10/22/2021 17:00	Normal	0.0	
10/22/2021 18:00	Normal	0.0	
10/22/2021 19:00	Normal	0.0	
10/22/2021 20:00	Normal	0.0	
10/22/2021 21:00	Normal	0.0	
10/22/2021 22:00	Normal	0.0	
10/22/2021 23:00	Normal	0.0	1.2
10/23/2021 0:00	Normal	0.0	
10/23/2021 1:00	Normal	0.0	
10/23/2021 2:00	Normal	0.0	
10/23/2021 3:00	Normal	0.0	
10/23/2021 4:00	Normal	0.0	
10/23/2021 5:00	Normal	0.0	
10/23/2021 6:00	Normal	0.0	
10/23/2021 7:00	Normal	0.0	
10/23/2021 8:00	Normal	0.0	
10/23/2021 9:00	Normal	0.0	
10/23/2021 10:00	Normal	0.0	
10/23/2021 11:00	Normal	0.0	
10/23/2021 12:00	Normal	0.0	
10/23/2021 13:00	Normal	0.0	
10/23/2021 14:00	Normal	0.0	
10/23/2021 15:00	Normal	0.0	
10/23/2021 16:00	Normal	0.0	
10/23/2021 17:00	Normal	0.0	
10/23/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/23/2021 19:00	Normal	0.0	
10/23/2021 20:00	Normal	0.0	
10/23/2021 21:00	Normal	0.0	
10/23/2021 22:00	Normal	0.0	
10/23/2021 23:00	Normal	0.0	1.2
10/24/2021 0:00	Normal	0.0	
10/24/2021 1:00	Normal	0.0	
10/24/2021 2:00	Normal	0.0	
10/24/2021 3:00	Normal	0.0	
10/24/2021 4:00	Normal	0.0	
10/24/2021 5:00	Normal	0.0	
10/24/2021 6:00	Normal	0.0	
10/24/2021 7:00	Normal	0.0	
10/24/2021 8:00	Normal	0.0	
10/24/2021 9:00	Normal	0.0	
10/24/2021 10:00	Normal	0.0	
10/24/2021 11:00	Normal	0.0	
10/24/2021 12:00	Normal	0.0	
10/24/2021 13:00	Normal	0.0	
10/24/2021 14:00	Normal	0.0	
10/24/2021 15:00	Normal	0.0	
10/24/2021 16:00	Normal	0.0	
10/24/2021 17:00	Normal	0.0	
10/24/2021 18:00	Normal	0.0	
10/24/2021 19:00	Normal	0.0	
10/24/2021 20:00	Normal	0.0	
10/24/2021 21:00	Normal	0.0	
10/24/2021 22:00	Normal	0.0	
10/24/2021 23:00	Normal	0.0	1.2
10/25/2021 0:00	Normal	0.0	
10/25/2021 1:00	Normal	0.0	
10/25/2021 2:00	Normal	0.0	
10/25/2021 3:00	Normal	0.0	
10/25/2021 4:00	Normal	0.0	
10/25/2021 5:00	Normal	0.0	
10/25/2021 6:00	Normal	0.0	
10/25/2021 7:00	Normal	0.0	
10/25/2021 8:00	Normal	0.0	
10/25/2021 9:00	Normal	0.0	
10/25/2021 10:00	Normal	0.0	
10/25/2021 11:00	Normal	0.0	
10/25/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/25/2021 13:00	Normal	0.0	
10/25/2021 14:00	Normal	0.0	
10/25/2021 15:00	Normal	0.0	
10/25/2021 16:00	Normal	0.0	
10/25/2021 17:00	Normal	0.0	
10/25/2021 18:00	Normal	0.0	
10/25/2021 19:00	Normal	0.0	
10/25/2021 20:00	Normal	0.0	
10/25/2021 21:00	Normal	0.0	
10/25/2021 22:00	Normal	0.0	
10/25/2021 23:00	Normal	0.0	1.2
10/26/2021 0:00	Normal	0.0	
10/26/2021 1:00	Normal	0.0	
10/26/2021 2:00	Normal	0.0	
10/26/2021 3:00	Normal	0.0	
10/26/2021 4:00	Normal	0.0	
10/26/2021 5:00	Normal	0.0	
10/26/2021 6:00	Normal	0.0	
10/26/2021 7:00	Normal	0.0	
10/26/2021 8:00	Normal	0.0	
10/26/2021 9:00	Normal	0.0	
10/26/2021 10:00	Normal	0.0	
10/26/2021 11:00	Normal	0.0	
10/26/2021 12:00	Normal	0.0	
10/26/2021 13:00	Normal	0.0	
10/26/2021 14:00	Normal	0.0	
10/26/2021 15:00	Normal	0.0	
10/26/2021 16:00	Normal	0.0	
10/26/2021 17:00	Normal	0.0	
10/26/2021 18:00	Normal	0.0	
10/26/2021 19:00	Normal	0.0	
10/26/2021 20:00	Normal	0.0	
10/26/2021 21:00	Normal	0.0	
10/26/2021 22:00	Normal	0.0	
10/26/2021 23:00	Normal	0.0	1.2
10/27/2021 0:00	Normal	0.0	
10/27/2021 1:00	Normal	0.0	
10/27/2021 2:00	Normal	0.0	
10/27/2021 3:00	Normal	0.0	
10/27/2021 4:00	Normal	0.0	
10/27/2021 5:00	Normal	0.0	
10/27/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/27/2021 7:00	Normal	0.0	
10/27/2021 8:00	Normal	0.0	
10/27/2021 9:00	Normal	0.0	
10/27/2021 10:00	Normal	0.0	
10/27/2021 11:00	Normal	0.0	
10/27/2021 12:00	Normal	0.0	
10/27/2021 13:00	Normal	0.0	
10/27/2021 14:00	Normal	0.0	
10/27/2021 15:00	Normal	0.0	
10/27/2021 16:00	Normal	0.0	
10/27/2021 17:00	Normal	0.0	
10/27/2021 18:00	Normal	0.0	
10/27/2021 19:00	Normal	0.0	
10/27/2021 20:00	Normal	0.0	
10/27/2021 21:00	Normal	0.0	
10/27/2021 22:00	Normal	0.0	
10/27/2021 23:00	Normal	0.0	1.1
10/28/2021 0:00	Normal	0.0	
10/28/2021 1:00	Normal	0.0	
10/28/2021 2:00	Normal	0.0	
10/28/2021 3:00	Normal	0.0	
10/28/2021 4:00	Normal	0.0	
10/28/2021 5:00	Normal	0.0	
10/28/2021 6:00	Normal	0.0	
10/28/2021 7:00	Normal	0.0	
10/28/2021 8:00	Normal	0.0	
10/28/2021 9:00	Normal	0.0	
10/28/2021 10:00	Normal	0.0	
10/28/2021 11:00	Normal	0.0	
10/28/2021 12:00	Normal	0.0	
10/28/2021 13:00	Normal	0.0	
10/28/2021 14:00	Normal	0.0	
10/28/2021 15:00	Normal	0.0	
10/28/2021 16:00	Normal	0.0	
10/28/2021 17:00	Normal	0.0	
10/28/2021 18:00	Normal	0.0	
10/28/2021 19:00	Normal	0.0	
10/28/2021 20:00	Normal	0.0	
10/28/2021 21:00	Normal	0.0	
10/28/2021 22:00	Normal	0.0	
10/28/2021 23:00	Normal	0.0	1.0
10/29/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/29/2021 1:00	Normal	0.0	
10/29/2021 2:00	Normal	0.0	
10/29/2021 3:00	Normal	0.0	
10/29/2021 4:00	Normal	0.0	
10/29/2021 5:00	Normal	0.0	
10/29/2021 6:00	Normal	0.0	
10/29/2021 7:00	Normal	0.0	
10/29/2021 8:00	Normal	0.0	
10/29/2021 9:00	Normal	0.0	
10/29/2021 10:00	Normal	0.0	
10/29/2021 11:00	Normal	0.0	
10/29/2021 12:00	Normal	0.0	
10/29/2021 13:00	Normal	0.0	
10/29/2021 14:00	Normal	0.0	
10/29/2021 15:00	Normal	0.0	
10/29/2021 16:00	Normal	0.0	
10/29/2021 17:00	Normal	0.0	
10/29/2021 18:00	Normal	0.0	
10/29/2021 19:00	Normal	0.0	
10/29/2021 20:00	Normal	0.0	
10/29/2021 21:00	Normal	0.0	
10/29/2021 22:00	Normal	0.0	
10/29/2021 23:00	Normal	0.0	1.0
10/30/2021 0:00	Normal	0.0	
10/30/2021 1:00	Normal	0.0	
10/30/2021 2:00	Normal	0.0	
10/30/2021 3:00	Normal	0.0	
10/30/2021 4:00	Normal	0.0	
10/30/2021 5:00	Normal	0.0	
10/30/2021 6:00	Normal	0.0	
10/30/2021 7:00	Normal	0.0	
10/30/2021 8:00	Normal	0.0	
10/30/2021 9:00	Normal	0.0	
10/30/2021 10:00	Normal	0.0	
10/30/2021 11:00	Normal	0.0	
10/30/2021 12:00	Normal	0.0	
10/30/2021 13:00	Normal	0.0	
10/30/2021 14:00	Normal	0.0	
10/30/2021 15:00	Normal	0.0	
10/30/2021 16:00	Normal	0.0	
10/30/2021 17:00	Normal	0.0	
10/30/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/30/2021 19:00	Normal	0.0	
10/30/2021 20:00	Normal	0.0	
10/30/2021 21:00	Normal	0.0	
10/30/2021 22:00	Normal	0.0	
10/30/2021 23:00	Normal	0.0	1.0
10/31/2021 0:00	Normal	0.0	
10/31/2021 1:00	Normal	0.0	
10/31/2021 2:00	Normal	0.0	
10/31/2021 3:00	Normal	0.0	
10/31/2021 4:00	Normal	0.0	
10/31/2021 5:00	Normal	0.0	
10/31/2021 6:00	Normal	0.0	
10/31/2021 7:00	Normal	0.0	
10/31/2021 8:00	Normal	0.0	
10/31/2021 9:00	Normal	0.0	
10/31/2021 10:00	Normal	0.0	
10/31/2021 11:00	Normal	0.0	
10/31/2021 12:00	Normal	0.0	
10/31/2021 13:00	Normal	0.0	
10/31/2021 14:00	Normal	0.0	
10/31/2021 15:00	Normal	0.0	
10/31/2021 16:00	Normal	0.0	
10/31/2021 17:00	Normal	0.0	
10/31/2021 18:00	Normal	0.0	
10/31/2021 19:00	Normal	0.0	
10/31/2021 20:00	Normal	0.0	
10/31/2021 21:00	Normal	0.0	
10/31/2021 22:00	Normal	0.0	
10/31/2021 23:00	Normal	0.0	1.0
11/1/2021 0:00	Normal	0.0	
11/1/2021 1:00	Normal	0.0	
11/1/2021 2:00	Normal	0.0	
11/1/2021 3:00	Normal	0.0	
11/1/2021 4:00	Normal	0.0	
11/1/2021 5:00	Normal	0.0	
11/1/2021 6:00	Normal	0.0	
11/1/2021 7:00	Normal	0.0	
11/1/2021 8:00	Normal	0.0	
11/1/2021 9:00	Normal	0.0	
11/1/2021 10:00	Normal	0.0	
11/1/2021 11:00	Normal	0.0	
11/1/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/1/2021 13:00	Normal	0.0	
11/1/2021 14:00	Normal	0.0	
11/1/2021 15:00	Normal	0.0	
11/1/2021 16:00	Normal	0.0	
11/1/2021 17:00	Normal	0.0	
11/1/2021 18:00	Normal	0.0	
11/1/2021 19:00	Normal	0.0	
11/1/2021 20:00	Normal	0.0	
11/1/2021 21:00	Normal	0.0	
11/1/2021 22:00	Normal	0.0	
11/1/2021 23:00	Normal	0.0	1.0
11/2/2021 0:00	Normal	0.0	
11/2/2021 1:00	Normal	0.0	
11/2/2021 2:00	Normal	0.0	
11/2/2021 3:00	Normal	0.0	
11/2/2021 4:00	Normal	0.0	
11/2/2021 5:00	Normal	0.0	
11/2/2021 6:00	Normal	0.0	
11/2/2021 7:00	Normal	0.0	
11/2/2021 8:00	Normal	0.0	
11/2/2021 9:00	Normal	0.0	
11/2/2021 10:00	Normal	0.0	
11/2/2021 11:00	Normal	0.0	
11/2/2021 12:00	Normal	0.0	
11/2/2021 13:00	Normal	0.0	
11/2/2021 14:00	Normal	0.0	
11/2/2021 15:00	Normal	0.0	
11/2/2021 16:00	Normal	0.0	
11/2/2021 17:00	Normal	0.0	
11/2/2021 18:00	Normal	0.0	
11/2/2021 19:00	Normal	0.0	
11/2/2021 20:00	Normal	0.0	
11/2/2021 21:00	Normal	0.0	
11/2/2021 22:00	Normal	0.0	
11/2/2021 23:00	Normal	0.0	1.0
11/3/2021 0:00	Normal	0.0	
11/3/2021 1:00	Normal	0.0	
11/3/2021 2:00	Normal	0.0	
11/3/2021 3:00	Normal	0.0	
11/3/2021 4:00	Normal	0.0	
11/3/2021 5:00	Normal	0.0	
11/3/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/3/2021 7:00	Normal	0.0	
11/3/2021 8:00	Normal	0.0	
11/3/2021 9:00	Normal	0.0	
11/3/2021 10:00	Normal	0.0	
11/3/2021 11:00	Normal	0.0	
11/3/2021 12:00	Normal	0.0	
11/3/2021 13:00	Normal	0.0	
11/3/2021 14:00	Normal	0.0	
11/3/2021 15:00	Normal	0.0	
11/3/2021 16:00	Normal	0.0	
11/3/2021 17:00	Normal	0.0	
11/3/2021 18:00	Normal	0.0	
11/3/2021 19:00	Normal	0.0	
11/3/2021 20:00	Normal	0.0	
11/3/2021 21:00	Normal	0.0	
11/3/2021 22:00	Normal	0.0	
11/3/2021 23:00	Normal	0.0	1.0
11/4/2021 0:00	Normal	0.0	
11/4/2021 1:00	Normal	0.0	
11/4/2021 2:00	Normal	0.0	
11/4/2021 3:00	Normal	0.0	
11/4/2021 4:00	Normal	0.0	
11/4/2021 5:00	Normal	0.0	
11/4/2021 6:00	Normal	0.0	
11/4/2021 7:00	Normal	0.0	
11/4/2021 8:00	Normal	0.0	
11/4/2021 9:00	Normal	0.0	
11/4/2021 10:00	Normal	0.0	
11/4/2021 11:00	Normal	0.0	
11/4/2021 12:00	Normal	0.0	
11/4/2021 13:00	Normal	0.0	
11/4/2021 14:00	Normal	0.0	
11/4/2021 15:00	Normal	0.0	
11/4/2021 16:00	Normal	0.0	
11/4/2021 17:00	Normal	0.0	
11/4/2021 18:00	Normal	0.0	
11/4/2021 19:00	Normal	0.0	
11/4/2021 20:00	Normal	0.0	
11/4/2021 21:00	Normal	0.0	
11/4/2021 22:00	Normal	0.0	
11/4/2021 23:00	Normal	0.0	1.0
11/5/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/5/2021 1:00	Normal	0.0	
11/5/2021 2:00	Normal	0.0	
11/5/2021 3:00	Normal	0.0	
11/5/2021 4:00	Normal	0.0	
11/5/2021 5:00	Normal	0.0	
11/5/2021 6:00	Normal	0.0	
11/5/2021 7:00	Normal	0.0	
11/5/2021 8:00	Normal	0.0	
11/5/2021 9:00	Normal	0.0	
11/5/2021 10:00	Normal	0.0	
11/5/2021 11:00	Normal	0.0	
11/5/2021 12:00	Normal	0.0	
11/5/2021 13:00	Normal	0.0	
11/5/2021 14:00	Normal	0.0	
11/5/2021 15:00	Normal	0.0	
11/5/2021 16:00	Normal	0.0	
11/5/2021 17:00	Normal	0.0	
11/5/2021 18:00	Normal	0.0	
11/5/2021 19:00	Normal	0.0	
11/5/2021 20:00	Normal	0.0	
11/5/2021 21:00	Normal	0.0	
11/5/2021 22:00	Normal	0.0	
11/5/2021 23:00	Normal	0.0	1.0
11/6/2021 0:00	Normal	0.0	
11/6/2021 1:00	Normal	0.0	
11/6/2021 2:00	Normal	0.0	
11/6/2021 3:00	Normal	0.0	
11/6/2021 4:00	Normal	0.0	
11/6/2021 5:00	Normal	0.0	
11/6/2021 6:00	Normal	0.0	
11/6/2021 7:00	Normal	0.0	
11/6/2021 8:00	Normal	0.0	
11/6/2021 9:00	Normal	0.0	
11/6/2021 10:00	Normal	0.0	
11/6/2021 11:00	Normal	0.0	
11/6/2021 12:00	Normal	0.0	
11/6/2021 13:00	Normal	0.0	
11/6/2021 14:00	Normal	0.0	
11/6/2021 15:00	Normal	0.0	
11/6/2021 16:00	Normal	0.0	
11/6/2021 17:00	Normal	0.0	
11/6/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/6/2021 19:00	Normal	0.0	
11/6/2021 20:00	Normal	0.0	
11/6/2021 21:00	Normal	0.0	
11/6/2021 22:00	Normal	0.0	
11/6/2021 23:00	Normal	0.0	1.0
11/7/2021 0:00	Normal	0.0	
11/7/2021 1:00	Normal	0.0	
11/7/2021 2:00	Normal	0.0	
11/7/2021 3:00	Normal	0.0	
11/7/2021 4:00	Normal	0.0	
11/7/2021 5:00	Normal	0.0	
11/7/2021 6:00	Normal	0.0	
11/7/2021 7:00	Normal	0.0	
11/7/2021 8:00	Normal	0.0	
11/7/2021 9:00	Normal	0.0	
11/7/2021 10:00	Normal	0.0	
11/7/2021 11:00	Normal	0.0	
11/7/2021 12:00	Normal	0.0	
11/7/2021 13:00	Normal	0.0	
11/7/2021 14:00	Normal	0.0	
11/7/2021 15:00	Normal	0.0	
11/7/2021 16:00	Normal	0.0	
11/7/2021 17:00	Normal	0.0	
11/7/2021 18:00	Normal	0.0	
11/7/2021 19:00	Normal	0.0	
11/7/2021 20:00	Normal	0.0	
11/7/2021 21:00	Normal	0.0	
11/7/2021 22:00	Normal	0.0	
11/7/2021 23:00	Normal	0.0	1.0
11/8/2021 0:00	Normal	0.0	
11/8/2021 1:00	Normal	0.0	
11/8/2021 2:00	Normal	0.0	
11/8/2021 3:00	Normal	0.0	
11/8/2021 4:00	Normal	0.0	
11/8/2021 5:00	Normal	0.0	
11/8/2021 6:00	Normal	0.0	
11/8/2021 7:00	Normal	0.0	
11/8/2021 8:00	Normal	0.0	
11/8/2021 9:00	Normal	0.0	
11/8/2021 10:00	Normal	0.0	
11/8/2021 11:00	Normal	0.0	
11/8/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/8/2021 13:00	Normal	0.0	
11/8/2021 14:00	Normal	0.0	
11/8/2021 15:00	Normal	0.0	
11/8/2021 16:00	Normal	0.0	
11/8/2021 17:00	Normal	0.0	
11/8/2021 18:00	Normal	0.0	
11/8/2021 19:00	Normal	0.0	
11/8/2021 20:00	Normal	0.0	
11/8/2021 21:00	Normal	0.0	
11/8/2021 22:00	Normal	0.0	
11/8/2021 23:00	Normal	0.0	1.0
11/9/2021 0:00	Normal	0.0	
11/9/2021 1:00	Normal	0.0	
11/9/2021 2:00	Normal	0.0	
11/9/2021 3:00	Normal	0.0	
11/9/2021 4:00	Normal	0.0	
11/9/2021 5:00	Normal	0.0	
11/9/2021 6:00	Normal	0.0	
11/9/2021 7:00	Normal	0.0	
11/9/2021 8:00	Normal	0.0	
11/9/2021 9:00	Normal	0.0	
11/9/2021 10:00	Normal	0.0	
11/9/2021 11:00	Normal	0.0	
11/9/2021 12:00	Normal	0.0	
11/9/2021 13:00	Normal	0.0	
11/9/2021 14:00	Normal	0.0	
11/9/2021 15:00	Normal	0.0	
11/9/2021 16:00	Normal	0.0	
11/9/2021 17:00	Normal	0.0	
11/9/2021 18:00	Normal	0.0	
11/9/2021 19:00	Normal	0.0	
11/9/2021 20:00	Normal	0.0	
11/9/2021 21:00	Normal	0.0	
11/9/2021 22:00	Normal	0.0	
11/9/2021 23:00	Normal	0.0	0.0
11/10/2021 0:00	Normal	0.0	
11/10/2021 1:00	Normal	0.0	
11/10/2021 2:00	Normal	0.0	
11/10/2021 3:00	Normal	0.0	
11/10/2021 4:00	Normal	0.0	
11/10/2021 5:00	Normal	0.0	
11/10/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/10/2021 7:00	Normal	0.0	
11/10/2021 8:00	Normal	0.0	
11/10/2021 9:00	Normal	0.0	
11/10/2021 10:00	Normal	0.0	
11/10/2021 11:00	Normal	0.0	
11/10/2021 12:00	Normal	0.0	
11/10/2021 13:00	Normal	0.0	
11/10/2021 14:00	Normal	0.0	
11/10/2021 15:00	Normal	0.0	
11/10/2021 16:00	Normal	0.0	
11/10/2021 17:00	Normal	0.0	
11/10/2021 18:00	Normal	0.0	
11/10/2021 19:00	Normal	0.0	
11/10/2021 20:00	Normal	0.0	
11/10/2021 21:00	Normal	0.0	
11/10/2021 22:00	Normal	0.0	
11/10/2021 23:00	Normal	0.0	0.0
11/11/2021 0:00	Normal	0.0	
11/11/2021 1:00	Normal	0.0	
11/11/2021 2:00	Normal	0.0	
11/11/2021 3:00	Normal	0.0	
11/11/2021 4:00	Normal	0.0	
11/11/2021 5:00	Normal	0.0	
11/11/2021 6:00	Normal	0.0	
11/11/2021 7:00	Normal	0.0	
11/11/2021 8:00	Normal	0.0	
11/11/2021 9:00	Normal	0.0	
11/11/2021 10:00	Normal	0.0	
11/11/2021 11:00	Normal	0.0	
11/11/2021 12:00	Normal	0.0	
11/11/2021 13:00	Normal	0.0	
11/11/2021 14:00	Normal	0.0	
11/11/2021 15:00	Normal	0.0	
11/11/2021 16:00	Normal	0.0	
11/11/2021 17:00	Normal	0.0	
11/11/2021 18:00	Normal	0.0	
11/11/2021 19:00	Normal	0.0	
11/11/2021 20:00	Normal	0.0	
11/11/2021 21:00	Normal	0.0	
11/11/2021 22:00	Normal	0.0	
11/11/2021 23:00	Normal	0.0	0.0
11/12/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/12/2021 1:00	Normal	0.0	
11/12/2021 2:00	Normal	0.0	
11/12/2021 3:00	Normal	0.0	
11/12/2021 4:00	Normal	0.0	
11/12/2021 5:00	Normal	0.0	
11/12/2021 6:00	Normal	0.0	
11/12/2021 7:00	Normal	0.0	
11/12/2021 8:00	Normal	0.0	
11/12/2021 9:00	Normal	0.0	
11/12/2021 10:00	Normal	0.0	
11/12/2021 11:00	Normal	0.0	
11/12/2021 12:00	Normal	0.0	
11/12/2021 13:00	Normal	0.0	
11/12/2021 14:00	Normal	0.0	
11/12/2021 15:00	Normal	0.0	
11/12/2021 16:00	Normal	0.0	
11/12/2021 17:00	Normal	0.0	
11/12/2021 18:00	Normal	0.0	
11/12/2021 19:00	Normal	0.0	
11/12/2021 20:00	Normal	0.0	
11/12/2021 21:00	Normal	0.0	
11/12/2021 22:00	Normal	0.0	
11/12/2021 23:00	Normal	0.0	0.0
11/13/2021 0:00	Normal	0.0	
11/13/2021 1:00	Normal	0.0	
11/13/2021 2:00	Normal	0.0	
11/13/2021 3:00	Normal	0.0	
11/13/2021 4:00	Normal	0.0	
11/13/2021 5:00	Normal	0.0	
11/13/2021 6:00	Normal	0.0	
11/13/2021 7:00	Normal	0.0	
11/13/2021 8:00	Normal	0.0	
11/13/2021 9:00	Normal	0.0	
11/13/2021 10:00	Normal	0.0	
11/13/2021 11:00	Normal	0.0	
11/13/2021 12:00	Normal	0.0	
11/13/2021 13:00	Normal	0.0	
11/13/2021 14:00	Normal	0.0	
11/13/2021 15:00	Normal	0.0	
11/13/2021 16:00	Normal	0.0	
11/13/2021 17:00	Normal	0.0	
11/13/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/13/2021 19:00	Normal	0.0	
11/13/2021 20:00	Normal	0.0	
11/13/2021 21:00	Normal	0.0	
11/13/2021 22:00	Normal	0.0	
11/13/2021 23:00	Normal	0.0	0.0
11/14/2021 0:00	Normal	0.0	
11/14/2021 1:00	Normal	0.0	
11/14/2021 2:00	Normal	0.0	
11/14/2021 3:00	Normal	0.0	
11/14/2021 4:00	Normal	0.0	
11/14/2021 5:00	Normal	0.0	
11/14/2021 6:00	Normal	0.0	
11/14/2021 7:00	Normal	0.0	
11/14/2021 8:00	Normal	0.0	
11/14/2021 9:00	Normal	0.0	
11/14/2021 10:00	Normal	0.0	
11/14/2021 11:00	Normal	0.0	
11/14/2021 12:00	Normal	0.0	
11/14/2021 13:00	Normal	0.0	
11/14/2021 14:00	Normal	0.0	
11/14/2021 15:00	Normal	0.0	
11/14/2021 16:00	Normal	0.0	
11/14/2021 17:00	Normal	0.0	
11/14/2021 18:00	Normal	0.0	
11/14/2021 19:00	Normal	0.0	
11/14/2021 20:00	Normal	0.0	
11/14/2021 21:00	Normal	0.0	
11/14/2021 22:00	Normal	0.0	
11/14/2021 23:00	Normal	0.0	0.0
11/15/2021 0:00	Normal	0.0	
11/15/2021 1:00	Normal	0.0	
11/15/2021 2:00	Normal	0.0	
11/15/2021 3:00	Normal	0.0	
11/15/2021 4:00	Normal	0.0	
11/15/2021 5:00	Normal	0.0	
11/15/2021 6:00	Normal	0.0	
11/15/2021 7:00	Normal	0.0	
11/15/2021 8:00	Normal	0.0	
11/15/2021 9:00	Normal	0.0	
11/15/2021 10:00	Normal	0.0	
11/15/2021 11:00	Normal	0.0	
11/15/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/15/2021 13:00	Normal	0.0	
11/15/2021 14:00	Normal	0.0	
11/15/2021 15:00	Normal	0.0	
11/15/2021 16:00	Normal	0.0	
11/15/2021 17:00	Normal	0.0	
11/15/2021 18:00	Normal	0.0	
11/15/2021 19:00	Normal	0.0	
11/15/2021 20:00	Normal	0.0	
11/15/2021 21:00	Shutdown	80.0	
11/15/2021 22:00	Shutdown	114.0	
11/15/2021 23:00	Shutdown	24.0	0.3
11/16/2021 0:00	Shutdown	25.0	
11/16/2021 1:00	Shutdown	9.0	
11/16/2021 2:00	Shutdown	2.0	
11/16/2021 3:00	Normal	0.0	
11/16/2021 4:00	Normal	0.0	
11/16/2021 5:00	Normal	0.0	
11/16/2021 6:00	Normal	0.0	
11/16/2021 7:00	Normal	0.0	
11/16/2021 8:00	Normal	0.0	
11/16/2021 9:00	Normal	0.0	
11/16/2021 10:00	Normal	0.0	
11/16/2021 11:00	Normal	0.0	
11/16/2021 12:00	Normal	0.0	
11/16/2021 13:00	Normal	0.0	
11/16/2021 14:00	Normal	0.0	
11/16/2021 15:00	Normal	0.0	
11/16/2021 16:00	Normal	0.0	
11/16/2021 17:00	Normal	0.0	
11/16/2021 18:00	Normal	0.0	
11/16/2021 19:00	Normal	0.0	
11/16/2021 20:00	Normal	0.0	
11/16/2021 21:00	Normal	0.0	
11/16/2021 22:00	Normal	0.0	
11/16/2021 23:00	Normal	0.0	0.4
11/17/2021 0:00	Normal	0.0	
11/17/2021 1:00	Normal	0.0	
11/17/2021 2:00	Normal	0.0	
11/17/2021 3:00	Normal	0.0	
11/17/2021 4:00	Normal	0.0	
11/17/2021 5:00	Normal	0.0	
11/17/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/17/2021 7:00	Normal	0.0	
11/17/2021 8:00	Normal	0.0	
11/17/2021 9:00	Normal	0.0	
11/17/2021 10:00	Normal	0.0	
11/17/2021 11:00	Normal	0.0	
11/17/2021 12:00	Normal	0.0	
11/17/2021 13:00	Normal	0.0	
11/17/2021 14:00	Normal	0.0	
11/17/2021 15:00	Normal	0.0	
11/17/2021 16:00	Normal	0.0	
11/17/2021 17:00	Normal	0.0	
11/17/2021 18:00	Normal	0.0	
11/17/2021 19:00	Normal	0.0	
11/17/2021 20:00	Normal	0.0	
11/17/2021 21:00	Normal	0.0	
11/17/2021 22:00	Normal	0.0	
11/17/2021 23:00	Normal	0.0	0.4
11/18/2021 0:00	Normal	0.0	
11/18/2021 1:00	Normal	0.0	
11/18/2021 2:00	Normal	0.0	
11/18/2021 3:00	Normal	0.0	
11/18/2021 4:00	Normal	0.0	
11/18/2021 5:00	Normal	0.0	
11/18/2021 6:00	Normal	0.0	
11/18/2021 7:00	Normal	0.0	
11/18/2021 8:00	Normal	0.0	
11/18/2021 9:00	Normal	0.0	
11/18/2021 10:00	Normal	0.0	
11/18/2021 11:00	Normal	0.0	
11/18/2021 12:00	Normal	0.0	
11/18/2021 13:00	Normal	0.0	
11/18/2021 14:00	Normal	0.0	
11/18/2021 15:00	Normal	0.0	
11/18/2021 16:00	Normal	0.0	
11/18/2021 17:00	Normal	0.0	
11/18/2021 18:00	Normal	0.0	
11/18/2021 19:00	Normal	0.0	
11/18/2021 20:00	Normal	0.0	
11/18/2021 21:00	Normal	0.0	
11/18/2021 22:00	Normal	0.0	
11/18/2021 23:00	Normal	0.0	0.4
11/19/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/19/2021 1:00	Normal	0.0	
11/19/2021 2:00	Normal	0.0	
11/19/2021 3:00	Normal	0.0	
11/19/2021 4:00	Normal	0.0	
11/19/2021 5:00	Normal	0.0	
11/19/2021 6:00	Normal	0.0	
11/19/2021 7:00	Normal	0.0	
11/19/2021 8:00	Normal	0.0	
11/19/2021 9:00	Normal	0.0	
11/19/2021 10:00	Normal	0.0	
11/19/2021 11:00	Normal	0.0	
11/19/2021 12:00	Normal	0.0	
11/19/2021 13:00	Normal	0.0	
11/19/2021 14:00	Normal	0.0	
11/19/2021 15:00	Normal	0.0	
11/19/2021 16:00	Normal	0.0	
11/19/2021 17:00	Normal	0.0	
11/19/2021 18:00	Normal	0.0	
11/19/2021 19:00	Normal	0.0	
11/19/2021 20:00	Normal	0.0	
11/19/2021 21:00	Normal	0.0	
11/19/2021 22:00	Normal	0.0	
11/19/2021 23:00	Normal	0.0	0.4
11/20/2021 0:00	Normal	0.0	
11/20/2021 1:00	Normal	0.0	
11/20/2021 2:00	Normal	0.0	
11/20/2021 3:00	Normal	0.0	
11/20/2021 4:00	Normal	0.0	
11/20/2021 5:00	Normal	0.0	
11/20/2021 6:00	Normal	0.0	
11/20/2021 7:00	Normal	0.0	
11/20/2021 8:00	Normal	0.0	
11/20/2021 9:00	Normal	0.0	
11/20/2021 10:00	Normal	0.0	
11/20/2021 11:00	Normal	0.0	
11/20/2021 12:00	Normal	0.0	
11/20/2021 13:00	Normal	0.0	
11/20/2021 14:00	Normal	0.0	
11/20/2021 15:00	Normal	0.0	
11/20/2021 16:00	Normal	0.0	
11/20/2021 17:00	Normal	0.0	
11/20/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/20/2021 19:00	Normal	0.0	
11/20/2021 20:00	Normal	0.0	
11/20/2021 21:00	Normal	0.0	
11/20/2021 22:00	Normal	0.0	
11/20/2021 23:00	Normal	0.0	0.4
11/21/2021 0:00	Normal	0.0	
11/21/2021 1:00	Normal	0.0	
11/21/2021 2:00	Normal	0.0	
11/21/2021 3:00	Normal	0.0	
11/21/2021 4:00	Normal	0.0	
11/21/2021 5:00	Normal	0.0	
11/21/2021 6:00	Normal	0.0	
11/21/2021 7:00	Normal	0.0	
11/21/2021 8:00	Normal	0.0	
11/21/2021 9:00	Normal	0.0	
11/21/2021 10:00	Normal	0.0	
11/21/2021 11:00	Normal	0.0	
11/21/2021 12:00	Normal	0.0	
11/21/2021 13:00	Normal	0.0	
11/21/2021 14:00	Normal	0.0	
11/21/2021 15:00	Normal	0.0	
11/21/2021 16:00	Normal	0.0	
11/21/2021 17:00	Normal	0.0	
11/21/2021 18:00	Normal	0.0	
11/21/2021 19:00	Normal	0.0	
11/21/2021 20:00	Normal	0.0	
11/21/2021 21:00	Normal	0.0	
11/21/2021 22:00	Normal	0.0	
11/21/2021 23:00	Normal	0.0	0.4
11/22/2021 0:00	Normal	0.0	
11/22/2021 1:00	Normal	0.0	
11/22/2021 2:00	Normal	0.0	
11/22/2021 3:00	Normal	0.0	
11/22/2021 4:00	Normal	0.0	
11/22/2021 5:00	Normal	0.0	
11/22/2021 6:00	Normal	0.0	
11/22/2021 7:00	Normal	0.0	
11/22/2021 8:00	Normal	0.0	
11/22/2021 9:00	Normal	0.0	
11/22/2021 10:00	Normal	0.0	
11/22/2021 11:00	Normal	0.0	
11/22/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/22/2021 13:00	Normal	0.0	
11/22/2021 14:00	Normal	0.0	
11/22/2021 15:00	Normal	0.0	
11/22/2021 16:00	Normal	0.0	
11/22/2021 17:00	Normal	0.0	
11/22/2021 18:00	Normal	0.0	
11/22/2021 19:00	Normal	0.0	
11/22/2021 20:00	Normal	0.0	
11/22/2021 21:00	Normal	0.0	
11/22/2021 22:00	Normal	0.0	
11/22/2021 23:00	Normal	0.0	0.4
11/23/2021 0:00	Normal	0.0	
11/23/2021 1:00	Normal	0.0	
11/23/2021 2:00	Normal	0.0	
11/23/2021 3:00	Normal	0.0	
11/23/2021 4:00	Normal	0.0	
11/23/2021 5:00	Normal	0.0	
11/23/2021 6:00	Normal	0.0	
11/23/2021 7:00	Normal	0.0	
11/23/2021 8:00	Normal	0.0	
11/23/2021 9:00	Normal	0.0	
11/23/2021 10:00	Normal	0.0	
11/23/2021 11:00	Normal	0.0	
11/23/2021 12:00	Normal	0.0	
11/23/2021 13:00	Normal	0.0	
11/23/2021 14:00	Normal	0.0	
11/23/2021 15:00	Normal	0.0	
11/23/2021 16:00	Normal	0.0	
11/23/2021 17:00	Normal	0.0	
11/23/2021 18:00	Normal	0.0	
11/23/2021 19:00	Normal	0.0	
11/23/2021 20:00	Normal	0.0	
11/23/2021 21:00	Normal	0.0	
11/23/2021 22:00	Normal	0.0	
11/23/2021 23:00	Normal	0.0	0.4
11/24/2021 0:00	Normal	0.0	
11/24/2021 1:00	Normal	0.0	
11/24/2021 2:00	Normal	0.0	
11/24/2021 3:00	Normal	0.0	
11/24/2021 4:00	Normal	0.0	
11/24/2021 5:00	Normal	0.0	
11/24/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/24/2021 7:00	Normal	0.0	
11/24/2021 8:00	Normal	0.0	
11/24/2021 9:00	Normal	0.0	
11/24/2021 10:00	Normal	0.0	
11/24/2021 11:00	Normal	0.0	
11/24/2021 12:00	Normal	0.0	
11/24/2021 13:00	Normal	0.0	
11/24/2021 14:00	Normal	0.0	
11/24/2021 15:00	Normal	0.0	
11/24/2021 16:00	Normal	0.0	
11/24/2021 17:00	Normal	0.0	
11/24/2021 18:00	Normal	0.0	
11/24/2021 19:00	Normal	0.0	
11/24/2021 20:00	Normal	0.0	
11/24/2021 21:00	Normal	0.0	
11/24/2021 22:00	Normal	0.0	
11/24/2021 23:00	Normal	0.0	0.4
11/25/2021 0:00	Normal	0.0	
11/25/2021 1:00	Normal	0.0	
11/25/2021 2:00	Normal	0.0	
11/25/2021 3:00	Normal	0.0	
11/25/2021 4:00	Normal	0.0	
11/25/2021 5:00	Normal	0.0	
11/25/2021 6:00	Normal	0.0	
11/25/2021 7:00	Normal	0.0	
11/25/2021 8:00	Normal	0.0	
11/25/2021 9:00	Normal	0.0	
11/25/2021 10:00	Normal	0.0	
11/25/2021 11:00	Normal	0.0	
11/25/2021 12:00	Normal	0.0	
11/25/2021 13:00	Normal	0.0	
11/25/2021 14:00	Normal	0.0	
11/25/2021 15:00	Normal	0.0	
11/25/2021 16:00	Normal	0.0	
11/25/2021 17:00	Normal	0.0	
11/25/2021 18:00	Normal	0.0	
11/25/2021 19:00	Normal	0.0	
11/25/2021 20:00	Normal	0.0	
11/25/2021 21:00	Normal	0.0	
11/25/2021 22:00	Normal	0.0	
11/25/2021 23:00	Normal	0.0	0.4
11/26/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/26/2021 1:00	Normal	0.0	
11/26/2021 2:00	Normal	0.0	
11/26/2021 3:00	Normal	0.0	
11/26/2021 4:00	Normal	0.0	
11/26/2021 5:00	Normal	0.0	
11/26/2021 6:00	Normal	0.0	
11/26/2021 7:00	Normal	0.0	
11/26/2021 8:00	Normal	0.0	
11/26/2021 9:00	Normal	0.0	
11/26/2021 10:00	Normal	0.0	
11/26/2021 11:00	Normal	0.0	
11/26/2021 12:00	Normal	0.0	
11/26/2021 13:00	Normal	0.0	
11/26/2021 14:00	Normal	0.0	
11/26/2021 15:00	Normal	0.0	
11/26/2021 16:00	Normal	0.0	
11/26/2021 17:00	Normal	0.0	
11/26/2021 18:00	Normal	0.0	
11/26/2021 19:00	Normal	0.0	
11/26/2021 20:00	Normal	0.0	
11/26/2021 21:00	Normal	0.0	
11/26/2021 22:00	Normal	0.0	
11/26/2021 23:00	Normal	0.0	0.4
11/27/2021 0:00	Normal	0.0	
11/27/2021 1:00	Normal	0.0	
11/27/2021 2:00	Normal	0.0	
11/27/2021 3:00	Normal	0.0	
11/27/2021 4:00	Normal	0.0	
11/27/2021 5:00	Normal	0.0	
11/27/2021 6:00	Normal	0.0	
11/27/2021 7:00	Normal	0.0	
11/27/2021 8:00	Normal	0.0	
11/27/2021 9:00	Normal	0.0	
11/27/2021 10:00	Normal	0.0	
11/27/2021 11:00	Normal	0.0	
11/27/2021 12:00	Normal	0.0	
11/27/2021 13:00	Normal	0.0	
11/27/2021 14:00	Normal	0.0	
11/27/2021 15:00	Normal	0.0	
11/27/2021 16:00	Normal	0.0	
11/27/2021 17:00	Normal	0.0	
11/27/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/27/2021 19:00	Normal	0.0	
11/27/2021 20:00	Normal	0.0	
11/27/2021 21:00	Normal	0.0	
11/27/2021 22:00	Normal	0.0	
11/27/2021 23:00	Normal	0.0	0.4
11/28/2021 0:00	Normal	0.0	
11/28/2021 1:00	Normal	0.0	
11/28/2021 2:00	Normal	0.0	
11/28/2021 3:00	Normal	0.0	
11/28/2021 4:00	Normal	0.0	
11/28/2021 5:00	Normal	0.0	
11/28/2021 6:00	Normal	0.0	
11/28/2021 7:00	Normal	0.0	
11/28/2021 8:00	Normal	0.0	
11/28/2021 9:00	Normal	0.0	
11/28/2021 10:00	Normal	0.0	
11/28/2021 11:00	Normal	0.0	
11/28/2021 12:00	Normal	0.0	
11/28/2021 13:00	Normal	0.0	
11/28/2021 14:00	Normal	0.0	
11/28/2021 15:00	Normal	0.0	
11/28/2021 16:00	Normal	0.0	
11/28/2021 17:00	Normal	0.0	
11/28/2021 18:00	Normal	0.0	
11/28/2021 19:00	Normal	0.0	
11/28/2021 20:00	Normal	0.0	
11/28/2021 21:00	Normal	0.0	
11/28/2021 22:00	Normal	0.0	
11/28/2021 23:00	Normal	0.0	0.4
11/29/2021 0:00	Normal	0.0	
11/29/2021 1:00	Normal	0.0	
11/29/2021 2:00	Normal	0.0	
11/29/2021 3:00	Normal	0.0	
11/29/2021 4:00	Normal	0.0	
11/29/2021 5:00	Normal	0.0	
11/29/2021 6:00	Normal	0.0	
11/29/2021 7:00	Normal	0.0	
11/29/2021 8:00	Normal	0.0	
11/29/2021 9:00	Normal	0.0	
11/29/2021 10:00	Normal	0.0	
11/29/2021 11:00	Normal	0.0	
11/29/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/29/2021 13:00	Normal	0.0	
11/29/2021 14:00	Shutdown		
11/29/2021 15:00	Shutdown		
11/29/2021 16:00	Shutdown	1.0	
11/29/2021 17:00	Startup	0.0	
11/29/2021 18:00	Startup	0.0	
11/29/2021 19:00	Startup	0.0	
11/29/2021 20:00	Normal	0.0	
11/29/2021 21:00	Normal	0.0	
11/29/2021 22:00	Normal	0.0	
11/29/2021 23:00	Normal	0.0	0.4
11/30/2021 0:00	Normal	0.0	
11/30/2021 1:00	Normal	0.0	
11/30/2021 2:00	Normal	0.0	
11/30/2021 3:00	Normal	0.0	
11/30/2021 4:00	Normal	0.0	
11/30/2021 5:00	Normal	0.0	
11/30/2021 6:00	Normal	0.0	
11/30/2021 7:00	Normal	0.0	
11/30/2021 8:00	Normal	0.0	
11/30/2021 9:00	Normal	0.0	
11/30/2021 10:00	Normal	0.0	
11/30/2021 11:00	Normal	0.0	
11/30/2021 12:00	Normal	0.0	
11/30/2021 13:00	Normal	0.0	
11/30/2021 14:00	Normal	0.0	
11/30/2021 15:00	Normal	0.0	
11/30/2021 16:00	Normal	0.0	
11/30/2021 17:00	Normal	0.0	
11/30/2021 18:00	Normal	0.0	
11/30/2021 19:00	Normal	0.0	
11/30/2021 20:00	Normal	0.0	
11/30/2021 21:00	Normal	0.0	
11/30/2021 22:00	Normal	0.0	
11/30/2021 23:00	Normal	0.0	0.4
12/1/2021 0:00	Normal	0.0	
12/1/2021 1:00	Normal	0.0	
12/1/2021 2:00	Normal	0.0	
12/1/2021 3:00	Normal	0.0	
12/1/2021 4:00	Normal	0.0	
12/1/2021 5:00	Normal	0.0	
12/1/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/1/2021 7:00	Normal	0.0	
12/1/2021 8:00	Normal	0.0	
12/1/2021 9:00	Normal	0.0	
12/1/2021 10:00	Normal	0.0	
12/1/2021 11:00	Normal	0.0	
12/1/2021 12:00	Normal	0.0	
12/1/2021 13:00	Normal	0.0	
12/1/2021 14:00	Normal	0.0	
12/1/2021 15:00	Normal	0.0	
12/1/2021 16:00	Normal	0.0	
12/1/2021 17:00	Normal	0.0	
12/1/2021 18:00	Normal	0.0	
12/1/2021 19:00	Normal	0.0	
12/1/2021 20:00	Normal	0.0	
12/1/2021 21:00	Normal	0.0	
12/1/2021 22:00	Normal	0.0	
12/1/2021 23:00	Normal	0.0	0.4
12/2/2021 0:00	Normal	0.0	
12/2/2021 1:00	Normal	0.0	
12/2/2021 2:00	Normal	0.0	
12/2/2021 3:00	Normal	0.0	
12/2/2021 4:00	Normal	0.0	
12/2/2021 5:00	Normal	0.0	
12/2/2021 6:00	Normal	0.0	
12/2/2021 7:00	Normal	0.0	
12/2/2021 8:00	Normal	0.0	
12/2/2021 9:00	Normal	0.0	
12/2/2021 10:00	Normal	0.0	
12/2/2021 11:00	Normal	0.0	
12/2/2021 12:00	Normal	0.0	
12/2/2021 13:00	Normal	0.0	
12/2/2021 14:00	Normal	0.0	
12/2/2021 15:00	Normal	0.0	
12/2/2021 16:00	Normal	0.0	
12/2/2021 17:00	Normal	0.0	
12/2/2021 18:00	Normal	0.0	
12/2/2021 19:00	Normal	0.0	
12/2/2021 20:00	Normal	0.0	
12/2/2021 21:00	Normal	0.0	
12/2/2021 22:00	Normal	0.0	
12/2/2021 23:00	Normal	0.0	0.4
12/3/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/3/2021 1:00	Normal	0.0	
12/3/2021 2:00	Normal	0.0	
12/3/2021 3:00	Normal	0.0	
12/3/2021 4:00	Normal	0.0	
12/3/2021 5:00	Normal	0.0	
12/3/2021 6:00	Normal	0.0	
12/3/2021 7:00	Normal	0.0	
12/3/2021 8:00	Normal	0.0	
12/3/2021 9:00	Normal	0.0	
12/3/2021 10:00	Normal	0.0	
12/3/2021 11:00	Normal	0.0	
12/3/2021 12:00	Normal	0.0	
12/3/2021 13:00	Normal	0.0	
12/3/2021 14:00	Normal	0.0	
12/3/2021 15:00	Normal	0.0	
12/3/2021 16:00	Normal	0.0	
12/3/2021 17:00	Normal	0.0	
12/3/2021 18:00	Normal	0.0	
12/3/2021 19:00	Normal	0.0	
12/3/2021 20:00	Normal	0.0	
12/3/2021 21:00	Normal	0.0	
12/3/2021 22:00	Normal	0.0	
12/3/2021 23:00	Normal	0.0	0.4
12/4/2021 0:00	Normal	0.0	
12/4/2021 1:00	Normal	0.0	
12/4/2021 2:00	Normal	0.0	
12/4/2021 3:00	Normal	0.0	
12/4/2021 4:00	Normal	0.0	
12/4/2021 5:00	Normal	0.0	
12/4/2021 6:00	Normal	0.0	
12/4/2021 7:00	Normal	0.0	
12/4/2021 8:00	Normal	0.0	
12/4/2021 9:00	Normal	0.0	
12/4/2021 10:00	Normal	0.0	
12/4/2021 11:00	Normal	0.0	
12/4/2021 12:00	Normal	0.0	
12/4/2021 13:00	Normal	0.0	
12/4/2021 14:00	Normal	0.0	
12/4/2021 15:00	Normal	0.0	
12/4/2021 16:00	Normal	0.0	
12/4/2021 17:00	Normal	0.0	
12/4/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/4/2021 19:00	Normal	0.0	
12/4/2021 20:00	Normal	0.0	
12/4/2021 21:00	Normal	0.0	
12/4/2021 22:00	Normal	0.0	
12/4/2021 23:00	Normal	0.0	0.4
12/5/2021 0:00	Normal	0.0	
12/5/2021 1:00	Normal	0.0	
12/5/2021 2:00	Normal	0.0	
12/5/2021 3:00	Normal	0.0	
12/5/2021 4:00	Normal	0.0	
12/5/2021 5:00	Normal	0.0	
12/5/2021 6:00	Normal	0.0	
12/5/2021 7:00	Normal	0.0	
12/5/2021 8:00	Normal	0.0	
12/5/2021 9:00	Normal	0.0	
12/5/2021 10:00	Normal	0.0	
12/5/2021 11:00	Normal	0.0	
12/5/2021 12:00	Normal	0.0	
12/5/2021 13:00	Normal	0.0	
12/5/2021 14:00	Normal	0.0	
12/5/2021 15:00	Normal	0.0	
12/5/2021 16:00	Normal	0.0	
12/5/2021 17:00	Normal	0.0	
12/5/2021 18:00	Normal	0.0	
12/5/2021 19:00	Normal	0.0	
12/5/2021 20:00	Normal	0.0	
12/5/2021 21:00	Normal	0.0	
12/5/2021 22:00	Normal	0.0	
12/5/2021 23:00	Normal	0.0	0.4
12/6/2021 0:00	Normal	0.0	
12/6/2021 1:00	Normal	0.0	
12/6/2021 2:00	Normal	0.0	
12/6/2021 3:00	Normal	0.0	
12/6/2021 4:00	Normal	0.0	
12/6/2021 5:00	Normal	0.0	
12/6/2021 6:00	Normal	0.0	
12/6/2021 7:00	Normal	0.0	
12/6/2021 8:00	Normal	0.0	
12/6/2021 9:00	Normal	0.0	
12/6/2021 10:00	Normal	0.0	
12/6/2021 11:00	Normal	0.0	
12/6/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/6/2021 13:00	Normal	0.0	
12/6/2021 14:00	Normal	0.0	
12/6/2021 15:00	Normal	0.0	
12/6/2021 16:00	Normal	0.0	
12/6/2021 17:00	Normal	0.0	
12/6/2021 18:00	Normal	0.0	
12/6/2021 19:00	Normal	0.0	
12/6/2021 20:00	Normal	0.0	
12/6/2021 21:00	Normal	0.0	
12/6/2021 22:00	Normal	0.0	
12/6/2021 23:00	Normal	0.0	0.4
12/7/2021 0:00	Normal	0.0	
12/7/2021 1:00	Normal	0.0	
12/7/2021 2:00	Normal	0.0	
12/7/2021 3:00	Normal	0.0	
12/7/2021 4:00	Normal	0.0	
12/7/2021 5:00	Normal	0.0	
12/7/2021 6:00	Normal	0.0	
12/7/2021 7:00	Normal	0.0	
12/7/2021 8:00	Normal	0.0	
12/7/2021 9:00	Normal	0.0	
12/7/2021 10:00	Normal	0.0	
12/7/2021 11:00	Normal	0.0	
12/7/2021 12:00	Normal	0.0	
12/7/2021 13:00	Normal	0.0	
12/7/2021 14:00	Normal	0.0	
12/7/2021 15:00	Normal	0.0	
12/7/2021 16:00	Normal	0.0	
12/7/2021 17:00	Normal	0.0	
12/7/2021 18:00	Normal	0.0	
12/7/2021 19:00	Normal	0.0	
12/7/2021 20:00	Normal	0.0	
12/7/2021 21:00	Normal	0.0	
12/7/2021 22:00	Normal	0.0	
12/7/2021 23:00	Normal	0.0	0.4
12/8/2021 0:00	Normal	0.0	
12/8/2021 1:00	Normal	0.0	
12/8/2021 2:00	Normal	0.0	
12/8/2021 3:00	Normal	0.0	
12/8/2021 4:00	Normal	0.0	
12/8/2021 5:00	Normal	0.0	
12/8/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/8/2021 7:00	Normal	0.0	
12/8/2021 8:00	Normal	0.0	
12/8/2021 9:00	Normal	0.0	
12/8/2021 10:00	Normal	0.0	
12/8/2021 11:00	Normal	0.0	
12/8/2021 12:00	Normal	0.0	
12/8/2021 13:00	Normal	0.0	
12/8/2021 14:00	Normal	0.0	
12/8/2021 15:00	Normal	0.0	
12/8/2021 16:00	Normal	0.0	
12/8/2021 17:00	Normal	0.0	
12/8/2021 18:00	Normal	0.0	
12/8/2021 19:00	Normal	0.0	
12/8/2021 20:00	Normal	0.0	
12/8/2021 21:00	Normal	0.0	
12/8/2021 22:00	Normal	0.0	
12/8/2021 23:00	Normal	0.0	0.4
12/9/2021 0:00	Normal	0.0	
12/9/2021 1:00	Normal	0.0	
12/9/2021 2:00	Normal	0.0	
12/9/2021 3:00	Normal	0.0	
12/9/2021 4:00	Normal	0.0	
12/9/2021 5:00	Normal	0.0	
12/9/2021 6:00	Normal	0.0	
12/9/2021 7:00	Normal	0.0	
12/9/2021 8:00	Normal	0.0	
12/9/2021 9:00	Normal	0.0	
12/9/2021 10:00	Normal	0.0	
12/9/2021 11:00	Normal	0.0	
12/9/2021 12:00	Normal	0.0	
12/9/2021 13:00	Normal	0.0	
12/9/2021 14:00	Normal	0.0	
12/9/2021 15:00	Normal	0.0	
12/9/2021 16:00	Normal	0.0	
12/9/2021 17:00	Normal	0.0	
12/9/2021 18:00	Normal	0.0	
12/9/2021 19:00	Normal	0.0	
12/9/2021 20:00	Normal	0.0	
12/9/2021 21:00	Normal	0.0	
12/9/2021 22:00	Normal	0.0	
12/9/2021 23:00	Normal	0.0	0.4
12/10/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/10/2021 1:00	Normal	0.0	
12/10/2021 2:00	Normal	0.0	
12/10/2021 3:00	Normal	0.0	
12/10/2021 4:00	Normal	0.0	
12/10/2021 5:00	Normal	0.0	
12/10/2021 6:00	Normal	0.0	
12/10/2021 7:00	Normal	0.0	
12/10/2021 8:00	Normal	0.0	
12/10/2021 9:00	Normal	0.0	
12/10/2021 10:00	Normal	0.0	
12/10/2021 11:00	Normal	0.0	
12/10/2021 12:00	Normal	0.0	
12/10/2021 13:00	Normal	0.0	
12/10/2021 14:00	Normal	0.0	
12/10/2021 15:00	Normal	0.0	
12/10/2021 16:00	Normal	0.0	
12/10/2021 17:00	Normal	0.0	
12/10/2021 18:00	Normal	0.0	
12/10/2021 19:00	Normal	0.0	
12/10/2021 20:00	Normal	0.0	
12/10/2021 21:00	Normal	0.0	
12/10/2021 22:00	Normal	0.0	
12/10/2021 23:00	Normal	0.0	0.4
12/11/2021 0:00	Normal	0.0	
12/11/2021 1:00	Normal	0.0	
12/11/2021 2:00	Normal	0.0	
12/11/2021 3:00	Normal	0.0	
12/11/2021 4:00	Normal	0.0	
12/11/2021 5:00	Normal	0.0	
12/11/2021 6:00	Normal	0.0	
12/11/2021 7:00	Normal	0.0	
12/11/2021 8:00	Normal	0.0	
12/11/2021 9:00	Normal	0.0	
12/11/2021 10:00	Normal	0.0	
12/11/2021 11:00	Normal	0.0	
12/11/2021 12:00	Normal	0.0	
12/11/2021 13:00	Normal	0.0	
12/11/2021 14:00	Normal	0.0	
12/11/2021 15:00	Normal	0.0	
12/11/2021 16:00	Normal	0.0	
12/11/2021 17:00	Normal	0.0	
12/11/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/11/2021 19:00	Normal	0.0	
12/11/2021 20:00	Normal	0.0	
12/11/2021 21:00	Normal	0.0	
12/11/2021 22:00	Normal	0.0	
12/11/2021 23:00	Normal	0.0	0.4
12/12/2021 0:00	Normal	0.0	
12/12/2021 1:00	Normal	0.0	
12/12/2021 2:00	Normal	0.0	
12/12/2021 3:00	Normal	0.0	
12/12/2021 4:00	Normal	0.0	
12/12/2021 5:00	Normal	0.0	
12/12/2021 6:00	Normal	0.0	
12/12/2021 7:00	Normal	0.0	
12/12/2021 8:00	Normal	0.0	
12/12/2021 9:00	Normal	0.0	
12/12/2021 10:00	Normal	0.0	
12/12/2021 11:00	Normal	0.0	
12/12/2021 12:00	Normal	0.0	
12/12/2021 13:00	Normal	0.0	
12/12/2021 14:00	Normal	0.0	
12/12/2021 15:00	Normal	0.0	
12/12/2021 16:00	Normal	0.0	
12/12/2021 17:00	Normal	0.0	
12/12/2021 18:00	Normal	0.0	
12/12/2021 19:00	Normal	0.0	
12/12/2021 20:00	Normal	0.0	
12/12/2021 21:00	Normal	0.0	
12/12/2021 22:00	Normal	0.0	
12/12/2021 23:00	Normal	0.0	0.4
12/13/2021 0:00	Normal	0.0	
12/13/2021 1:00	Normal	0.0	
12/13/2021 2:00	Normal	0.0	
12/13/2021 3:00	Normal	0.0	
12/13/2021 4:00	Normal	0.0	
12/13/2021 5:00	Normal	0.0	
12/13/2021 6:00	Normal	0.0	
12/13/2021 7:00	Normal	0.0	
12/13/2021 8:00	Normal	0.0	
12/13/2021 9:00	Normal	0.0	
12/13/2021 10:00	Normal	0.0	
12/13/2021 11:00	Normal	0.0	
12/13/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/13/2021 13:00	Normal	0.0	
12/13/2021 14:00	Normal	0.0	
12/13/2021 15:00	Normal	0.0	
12/13/2021 16:00	Normal	0.0	
12/13/2021 17:00	Normal	0.0	
12/13/2021 18:00	Normal	0.0	
12/13/2021 19:00	Normal	0.0	
12/13/2021 20:00	Normal	0.0	
12/13/2021 21:00	Normal	0.0	
12/13/2021 22:00	Normal	0.0	
12/13/2021 23:00	Normal	0.0	0.4
12/14/2021 0:00	Normal	0.0	
12/14/2021 1:00	Normal	0.0	
12/14/2021 2:00	Normal	0.0	
12/14/2021 3:00	Normal	0.0	
12/14/2021 4:00	Normal	0.0	
12/14/2021 5:00	Normal	0.0	
12/14/2021 6:00	Normal	0.0	
12/14/2021 7:00	Normal	0.0	
12/14/2021 8:00	Normal	0.0	
12/14/2021 9:00	Normal	0.0	
12/14/2021 10:00	Normal	0.0	
12/14/2021 11:00	Normal	0.0	
12/14/2021 12:00	Normal	0.0	
12/14/2021 13:00	Normal	0.0	
12/14/2021 14:00	Normal	0.0	
12/14/2021 15:00	Normal	0.0	
12/14/2021 16:00	Normal	0.0	
12/14/2021 17:00	Normal	0.0	
12/14/2021 18:00	Normal	0.0	
12/14/2021 19:00	Normal	0.0	
12/14/2021 20:00	Normal	0.0	
12/14/2021 21:00	Normal	0.0	
12/14/2021 22:00	Normal	0.0	
12/14/2021 23:00	Normal	0.0	0.4
12/15/2021 0:00	Normal	0.0	
12/15/2021 1:00	Normal	0.0	
12/15/2021 2:00	Normal	0.0	
12/15/2021 3:00	Normal	0.0	
12/15/2021 4:00	Normal	0.0	
12/15/2021 5:00	Normal	0.0	
12/15/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/15/2021 7:00	Normal	0.0	
12/15/2021 8:00	Normal	0.0	
12/15/2021 9:00	Normal	0.0	
12/15/2021 10:00	Normal	0.0	
12/15/2021 11:00	Normal	0.0	
12/15/2021 12:00	Normal	0.0	
12/15/2021 13:00	Normal	0.0	
12/15/2021 14:00	Normal	0.0	
12/15/2021 15:00	Normal	0.0	
12/15/2021 16:00	Normal	0.0	
12/15/2021 17:00	Normal	0.0	
12/15/2021 18:00	Normal	0.0	
12/15/2021 19:00	Normal	0.0	
12/15/2021 20:00	Normal	0.0	
12/15/2021 21:00	Normal	0.0	
12/15/2021 22:00	Normal	0.0	
12/15/2021 23:00	Normal	0.0	0.1
12/16/2021 0:00	Normal	0.0	
12/16/2021 1:00	Normal	0.0	
12/16/2021 2:00	Normal	0.0	
12/16/2021 3:00	Normal	0.0	
12/16/2021 4:00	Normal	0.0	
12/16/2021 5:00	Normal	0.0	
12/16/2021 6:00	Normal	0.0	
12/16/2021 7:00	Normal	0.0	
12/16/2021 8:00	Normal	0.0	
12/16/2021 9:00	Normal	0.0	
12/16/2021 10:00	Normal	0.0	
12/16/2021 11:00	Normal	0.0	
12/16/2021 12:00	Normal	0.0	
12/16/2021 13:00	Normal	0.0	
12/16/2021 14:00	Normal	0.0	
12/16/2021 15:00	Normal	0.0	
12/16/2021 16:00	Normal	0.0	
12/16/2021 17:00	Normal	0.0	
12/16/2021 18:00	Normal	0.0	
12/16/2021 19:00	Normal	0.0	
12/16/2021 20:00	Normal	0.0	
12/16/2021 21:00	Normal	0.0	
12/16/2021 22:00	Normal	0.0	
12/16/2021 23:00	Normal	0.0	0.0
12/17/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/17/2021 1:00	Normal	0.0	
12/17/2021 2:00	Normal	0.0	
12/17/2021 3:00	Normal	0.0	
12/17/2021 4:00	Normal	0.0	
12/17/2021 5:00	Normal	0.0	
12/17/2021 6:00	Normal	0.0	
12/17/2021 7:00	Normal	0.0	
12/17/2021 8:00	Normal	0.0	
12/17/2021 9:00	Normal	0.0	
12/17/2021 10:00	Normal	0.0	
12/17/2021 11:00	Normal	0.0	
12/17/2021 12:00	Normal	0.0	
12/17/2021 13:00	Normal	0.0	
12/17/2021 14:00	Normal	0.0	
12/17/2021 15:00	Normal	0.0	
12/17/2021 16:00	Normal	0.0	
12/17/2021 17:00	Normal	0.0	
12/17/2021 18:00	Normal	0.0	
12/17/2021 19:00	Normal	0.0	
12/17/2021 20:00	Normal	0.0	
12/17/2021 21:00	Normal	0.0	
12/17/2021 22:00	Normal	0.0	
12/17/2021 23:00	Normal	0.0	0.0
12/18/2021 0:00	Normal	0.0	
12/18/2021 1:00	Normal	0.0	
12/18/2021 2:00	Normal	0.0	
12/18/2021 3:00	Normal	0.0	
12/18/2021 4:00	Normal	0.0	
12/18/2021 5:00	Normal	0.0	
12/18/2021 6:00	Normal	0.0	
12/18/2021 7:00	Normal	0.0	
12/18/2021 8:00	Normal	0.0	
12/18/2021 9:00	Normal	0.0	
12/18/2021 10:00	Normal	0.0	
12/18/2021 11:00	Normal	0.0	
12/18/2021 12:00	Normal	0.0	
12/18/2021 13:00	Normal	0.0	
12/18/2021 14:00	Normal	0.0	
12/18/2021 15:00	Normal	0.0	
12/18/2021 16:00	Normal	0.0	
12/18/2021 17:00	Normal	0.0	
12/18/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/18/2021 19:00	Normal	0.0	
12/18/2021 20:00	Normal	0.0	
12/18/2021 21:00	Normal	0.0	
12/18/2021 22:00	Normal	0.0	
12/18/2021 23:00	Normal	0.0	0.0
12/19/2021 0:00	Normal	0.0	
12/19/2021 1:00	Normal	0.0	
12/19/2021 2:00	Normal	0.0	
12/19/2021 3:00	Normal	0.0	
12/19/2021 4:00	Normal	0.0	
12/19/2021 5:00	Normal	0.0	
12/19/2021 6:00	Normal	0.0	
12/19/2021 7:00	Normal	0.0	
12/19/2021 8:00	Normal	0.0	
12/19/2021 9:00	Normal	0.0	
12/19/2021 10:00	Normal	0.0	
12/19/2021 11:00	Normal	0.0	
12/19/2021 12:00	Normal	0.0	
12/19/2021 13:00	Normal	0.0	
12/19/2021 14:00	Normal	0.0	
12/19/2021 15:00	Normal	0.0	
12/19/2021 16:00	Normal	0.0	
12/19/2021 17:00	Normal	0.0	
12/19/2021 18:00	Normal	0.0	
12/19/2021 19:00	Normal	0.0	
12/19/2021 20:00	Normal	0.0	
12/19/2021 21:00	Normal	0.0	
12/19/2021 22:00	Normal	0.0	
12/19/2021 23:00	Normal	0.0	0.0
12/20/2021 0:00	Normal	0.0	
12/20/2021 1:00	Normal	0.0	
12/20/2021 2:00	Normal	0.0	
12/20/2021 3:00	Normal	0.0	
12/20/2021 4:00	Normal	0.0	
12/20/2021 5:00	Normal	0.0	
12/20/2021 6:00	Normal	0.0	
12/20/2021 7:00	Normal	0.0	
12/20/2021 8:00	Normal	0.0	
12/20/2021 9:00	Normal	0.0	
12/20/2021 10:00	Normal	0.0	
12/20/2021 11:00	Normal	0.0	
12/20/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/20/2021 13:00	Normal	0.0	
12/20/2021 14:00	Normal	0.0	
12/20/2021 15:00	Normal	0.0	
12/20/2021 16:00	Normal	0.0	
12/20/2021 17:00	Normal	0.0	
12/20/2021 18:00	Normal	0.0	
12/20/2021 19:00	Normal	0.0	
12/20/2021 20:00	Normal	0.0	
12/20/2021 21:00	Normal	0.0	
12/20/2021 22:00	Normal	0.0	
12/20/2021 23:00	Normal	0.0	0.0
12/21/2021 0:00	Normal	0.0	
12/21/2021 1:00	Normal	0.0	
12/21/2021 2:00	Normal	0.0	
12/21/2021 3:00	Normal	0.0	
12/21/2021 4:00	Normal	0.0	
12/21/2021 5:00	Normal	0.0	
12/21/2021 6:00	Normal	0.0	
12/21/2021 7:00	Normal	0.0	
12/21/2021 8:00	Normal	0.0	
12/21/2021 9:00	Normal	0.0	
12/21/2021 10:00	Normal	0.0	
12/21/2021 11:00	Normal	0.0	
12/21/2021 12:00	Normal	0.0	
12/21/2021 13:00	Normal	0.0	
12/21/2021 14:00	Normal	0.0	
12/21/2021 15:00	Normal	0.0	
12/21/2021 16:00	Normal	0.0	
12/21/2021 17:00	Normal	0.0	
12/21/2021 18:00	Normal	0.0	
12/21/2021 19:00	Normal	0.0	
12/21/2021 20:00	Normal	0.0	
12/21/2021 21:00	Normal	0.0	
12/21/2021 22:00	Normal	0.0	
12/21/2021 23:00	Normal	0.0	0.0
12/22/2021 0:00	Normal	0.0	
12/22/2021 1:00	Normal	0.0	
12/22/2021 2:00	Normal	0.0	
12/22/2021 3:00	Normal	0.0	
12/22/2021 4:00	Normal	0.0	
12/22/2021 5:00	Normal	0.0	
12/22/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/22/2021 7:00	Normal	0.0	
12/22/2021 8:00	Normal	0.0	
12/22/2021 9:00	Normal	0.0	
12/22/2021 10:00	Normal	0.0	
12/22/2021 11:00	Normal	0.0	
12/22/2021 12:00	Normal	0.0	
12/22/2021 13:00	Normal	0.0	
12/22/2021 14:00	Normal	0.0	
12/22/2021 15:00	Normal	0.0	
12/22/2021 16:00	Normal	0.0	
12/22/2021 17:00	Normal	0.0	
12/22/2021 18:00	Normal	0.0	
12/22/2021 19:00	Normal	0.0	
12/22/2021 20:00	Normal	0.0	
12/22/2021 21:00	Normal	0.0	
12/22/2021 22:00	Normal	0.0	
12/22/2021 23:00	Normal	0.0	0.0
12/23/2021 0:00	Normal	0.0	
12/23/2021 1:00	Normal	0.0	
12/23/2021 2:00	Normal	0.0	
12/23/2021 3:00	Normal	0.0	
12/23/2021 4:00	Normal	0.0	
12/23/2021 5:00	Normal	0.0	
12/23/2021 6:00	Normal	0.0	
12/23/2021 7:00	Normal	0.0	
12/23/2021 8:00	Normal	0.0	
12/23/2021 9:00	Normal	0.0	
12/23/2021 10:00	Normal	0.0	
12/23/2021 11:00	Normal	0.0	
12/23/2021 12:00	Normal	0.0	
12/23/2021 13:00	Normal	0.0	
12/23/2021 14:00	Normal	0.0	
12/23/2021 15:00	Normal	0.0	
12/23/2021 16:00	Normal	0.0	
12/23/2021 17:00	Normal	0.0	
12/23/2021 18:00	Normal	0.0	
12/23/2021 19:00	Normal	0.0	
12/23/2021 20:00	Normal	0.0	
12/23/2021 21:00	Normal	0.0	
12/23/2021 22:00	Normal	0.0	
12/23/2021 23:00	Normal	0.0	0.0
12/24/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/24/2021 1:00	Normal	0.0	
12/24/2021 2:00	Normal	0.0	
12/24/2021 3:00	Normal	0.0	
12/24/2021 4:00	Normal	0.0	
12/24/2021 5:00	Normal	0.0	
12/24/2021 6:00	Normal	0.0	
12/24/2021 7:00	Normal	0.0	
12/24/2021 8:00	Normal	0.0	
12/24/2021 9:00	Normal	0.0	
12/24/2021 10:00	Normal	0.0	
12/24/2021 11:00	Normal	0.0	
12/24/2021 12:00	Normal	0.0	
12/24/2021 13:00	Normal	0.0	
12/24/2021 14:00	Normal	0.0	
12/24/2021 15:00	Normal	0.0	
12/24/2021 16:00	Normal	0.0	
12/24/2021 17:00	Normal	0.0	
12/24/2021 18:00	Normal	0.0	
12/24/2021 19:00	Normal	0.0	
12/24/2021 20:00	Normal	0.0	
12/24/2021 21:00	Normal	0.0	
12/24/2021 22:00	Normal	0.0	
12/24/2021 23:00	Normal	0.0	0.0
12/25/2021 0:00	Normal	0.0	
12/25/2021 1:00	Normal	0.0	
12/25/2021 2:00	Normal	0.0	
12/25/2021 3:00	Normal	0.0	
12/25/2021 4:00	Normal	0.0	
12/25/2021 5:00	Normal	0.0	
12/25/2021 6:00	Normal	0.0	
12/25/2021 7:00	Normal	0.0	
12/25/2021 8:00	Normal	0.0	
12/25/2021 9:00	Normal	0.0	
12/25/2021 10:00	Normal	0.0	
12/25/2021 11:00	Normal	0.0	
12/25/2021 12:00	Normal	0.0	
12/25/2021 13:00	Normal	0.0	
12/25/2021 14:00	Normal	0.0	
12/25/2021 15:00	Normal	0.0	
12/25/2021 16:00	Normal	0.0	
12/25/2021 17:00	Normal	0.0	
12/25/2021 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/25/2021 19:00	Normal	0.0	
12/25/2021 20:00	Normal	0.0	
12/25/2021 21:00	Normal	0.0	
12/25/2021 22:00	Normal	0.0	
12/25/2021 23:00	Normal	0.0	0.0
12/26/2021 0:00	Normal	0.0	
12/26/2021 1:00	Normal	0.0	
12/26/2021 2:00	Normal	0.0	
12/26/2021 3:00	Normal	0.0	
12/26/2021 4:00	Normal	0.0	
12/26/2021 5:00	Normal	0.0	
12/26/2021 6:00	Normal	0.0	
12/26/2021 7:00	Normal	0.0	
12/26/2021 8:00	Normal	0.0	
12/26/2021 9:00	Normal	0.0	
12/26/2021 10:00	Normal	0.0	
12/26/2021 11:00	Normal	0.0	
12/26/2021 12:00	Normal	0.0	
12/26/2021 13:00	Normal	0.0	
12/26/2021 14:00	Normal	0.0	
12/26/2021 15:00	Normal	0.0	
12/26/2021 16:00	Normal	0.0	
12/26/2021 17:00	Normal	0.0	
12/26/2021 18:00	Normal	0.0	
12/26/2021 19:00	Normal	0.0	
12/26/2021 20:00	Normal	0.0	
12/26/2021 21:00	Normal	0.0	
12/26/2021 22:00	Normal	0.0	
12/26/2021 23:00	Normal	0.0	0.0
12/27/2021 0:00	Normal	0.0	
12/27/2021 1:00	Normal	0.0	
12/27/2021 2:00	Normal	0.0	
12/27/2021 3:00	Normal	0.0	
12/27/2021 4:00	Normal	0.0	
12/27/2021 5:00	Normal	0.0	
12/27/2021 6:00	Normal	0.0	
12/27/2021 7:00	Normal	0.0	
12/27/2021 8:00	Normal	0.0	
12/27/2021 9:00	Normal	0.0	
12/27/2021 10:00	Normal	0.0	
12/27/2021 11:00	Normal	0.0	
12/27/2021 12:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/27/2021 13:00	Normal	0.0	
12/27/2021 14:00	Normal	0.0	
12/27/2021 15:00	Normal	0.0	
12/27/2021 16:00	Normal	0.0	
12/27/2021 17:00	Normal	0.0	
12/27/2021 18:00	Normal	0.0	
12/27/2021 19:00	Normal	0.0	
12/27/2021 20:00	Normal	0.0	
12/27/2021 21:00	Normal	0.0	
12/27/2021 22:00	Normal	0.0	
12/27/2021 23:00	Normal	0.0	0.0
12/28/2021 0:00	Normal	0.0	
12/28/2021 1:00	Normal	0.0	
12/28/2021 2:00	Normal	0.0	
12/28/2021 3:00	Normal	0.0	
12/28/2021 4:00	Normal	0.0	
12/28/2021 5:00	Normal	0.0	
12/28/2021 6:00	Normal	0.0	
12/28/2021 7:00	Normal	0.0	
12/28/2021 8:00	Normal	0.0	
12/28/2021 9:00	Normal	0.0	
12/28/2021 10:00	Normal	0.0	
12/28/2021 11:00	Normal	0.0	
12/28/2021 12:00	Normal	0.0	
12/28/2021 13:00	Normal	0.0	
12/28/2021 14:00	Normal	0.0	
12/28/2021 15:00	Normal	0.0	
12/28/2021 16:00	Normal	0.0	
12/28/2021 17:00	Normal	0.0	
12/28/2021 18:00	Normal	0.0	
12/28/2021 19:00	Normal	0.0	
12/28/2021 20:00	Normal	0.0	
12/28/2021 21:00	Normal	0.0	
12/28/2021 22:00	Normal	0.0	
12/28/2021 23:00	Normal	0.0	0.0
12/29/2021 0:00	Normal	0.0	
12/29/2021 1:00	Normal	0.0	
12/29/2021 2:00	Normal	0.0	
12/29/2021 3:00	Normal	0.0	
12/29/2021 4:00	Normal	0.0	
12/29/2021 5:00	Normal	0.0	
12/29/2021 6:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/29/2021 7:00	Normal	0.0	
12/29/2021 8:00	Normal	0.0	
12/29/2021 9:00	Normal	0.0	
12/29/2021 10:00	Normal	0.0	
12/29/2021 11:00	Normal	0.0	
12/29/2021 12:00	Normal	0.0	
12/29/2021 13:00	Normal	0.0	
12/29/2021 14:00	Normal	0.0	
12/29/2021 15:00	Normal	0.0	
12/29/2021 16:00	Normal	0.0	
12/29/2021 17:00	Normal	0.0	
12/29/2021 18:00	Normal	0.0	
12/29/2021 19:00	Normal	0.0	
12/29/2021 20:00	Normal	0.0	
12/29/2021 21:00	Normal	0.0	
12/29/2021 22:00	Normal	0.0	
12/29/2021 23:00	Normal	0.0	0.0
12/30/2021 0:00	Normal	0.0	
12/30/2021 1:00	Normal	0.0	
12/30/2021 2:00	Normal	0.0	
12/30/2021 3:00	Normal	0.0	
12/30/2021 4:00	Normal	0.0	
12/30/2021 5:00	Normal	0.0	
12/30/2021 6:00	Normal	0.0	
12/30/2021 7:00	Normal	0.0	
12/30/2021 8:00	Normal	0.0	
12/30/2021 9:00	Normal	0.0	
12/30/2021 10:00	Normal	0.0	
12/30/2021 11:00	Normal	0.0	
12/30/2021 12:00	Normal	0.0	
12/30/2021 13:00	Normal	0.0	
12/30/2021 14:00	Normal	0.0	
12/30/2021 15:00	Normal	0.0	
12/30/2021 16:00	Normal	0.0	
12/30/2021 17:00	Normal	0.0	
12/30/2021 18:00	Normal	0.0	
12/30/2021 19:00	Normal	0.0	
12/30/2021 20:00	Normal	0.0	
12/30/2021 21:00	Normal	0.0	
12/30/2021 22:00	Normal	0.0	
12/30/2021 23:00	Normal	0.0	0.0
12/31/2021 0:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/31/2021 1:00	Normal	0.0	
12/31/2021 2:00	Normal	0.0	
12/31/2021 3:00	Normal	0.0	
12/31/2021 4:00	Normal	0.0	
12/31/2021 5:00	Normal	0.0	
12/31/2021 6:00	Normal	0.0	
12/31/2021 7:00	Normal	0.0	
12/31/2021 8:00	Normal	0.0	
12/31/2021 9:00	Normal	0.0	
12/31/2021 10:00	Normal	0.0	
12/31/2021 11:00	Normal	0.0	
12/31/2021 12:00	Normal	0.0	
12/31/2021 13:00	Normal	0.0	
12/31/2021 14:00	Normal	0.0	
12/31/2021 15:00	Normal	0.0	
12/31/2021 16:00	Normal	0.0	
12/31/2021 17:00	Normal	0.0	
12/31/2021 18:00	Normal	0.0	
12/31/2021 19:00	Normal	0.0	
12/31/2021 20:00	Normal	0.0	
12/31/2021 21:00	Normal	0.0	
12/31/2021 22:00	Normal	0.0	
12/31/2021 23:00	Normal	0.0	0.0
1/1/2022 0:00	Normal	0.0	
1/1/2022 1:00	Normal	0.0	
1/1/2022 2:00	Normal	0.0	
1/1/2022 3:00	Normal	0.0	
1/1/2022 4:00	Normal	0.0	
1/1/2022 5:00	Normal	0.0	
1/1/2022 6:00	Normal	0.0	
1/1/2022 7:00	Normal	0.0	
1/1/2022 8:00	Normal	0.0	
1/1/2022 9:00	Normal	0.0	
1/1/2022 10:00	Normal	0.0	
1/1/2022 11:00	Normal	0.0	
1/1/2022 12:00	Normal	0.0	
1/1/2022 13:00	Normal	0.0	
1/1/2022 14:00	Normal	0.0	
1/1/2022 15:00	Normal	0.0	
1/1/2022 16:00	Normal	0.0	
1/1/2022 17:00	Normal	0.0	
1/1/2022 18:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/1/2022 19:00	Normal	0.0	
1/1/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/1/2022 21:00	Normal	0.0	
1/1/2022 22:00	Normal	0.0	
1/1/2022 23:00	Normal	0.0	0.0
1/2/2022 0:00	Normal	0.0	
1/2/2022 1:00	Normal	0.0	
1/2/2022 2:00	Normal	0.0	
1/2/2022 3:00	Normal	0.0	
1/2/2022 4:00	Normal	0.0	
1/2/2022 5:00	Normal	0.0	
1/2/2022 6:00	Normal	0.0	
1/2/2022 7:00	Normal	0.0	
1/2/2022 8:00	Normal	0.0	
1/2/2022 9:00	Normal	0.0	
1/2/2022 10:00	Normal	0.0	
1/2/2022 11:00	Normal	0.0	
1/2/2022 12:00	Normal	0.0	
1/2/2022 13:00	Normal	0.0	
1/2/2022 14:00	Normal	0.0	
1/2/2022 15:00	Normal	0.0	
1/2/2022 16:00	Normal	0.0	
1/2/2022 17:00	Normal	0.0	
1/2/2022 18:00	Normal	0.0	
1/2/2022 19:00	Normal	0.0	
1/2/2022 20:00	Normal	0.0	
1/2/2022 21:00	Normal	0.0	
1/2/2022 22:00	Normal	0.0	
1/2/2022 23:00	Normal	0.0	0.0
1/3/2022 0:00	Normal	0.0	
1/3/2022 1:00	Normal	0.0	
1/3/2022 2:00	Normal	0.0	
1/3/2022 3:00	Normal	0.0	
1/3/2022 4:00	Normal	0.0	
1/3/2022 5:00	Normal	0.0	
1/3/2022 6:00	Normal	0.0	
1/3/2022 7:00	Normal	0.0	
1/3/2022 8:00	Normal	0.0	
1/3/2022 9:00	Malfunction	20.6	
1/3/2022 10:00	Malfunction	447.0	
1/3/2022 11:00	Normal	0.0	
1/3/2022 12:00	Normal	0.0	
1/3/2022 13:00	Normal	0.0	
1/3/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/3/2022 15:00	Normal	0.0	
1/3/2022 16:00	Normal	0.0	
1/3/2022 17:00	Normal	0.0	
1/3/2022 18:00	Normal	0.0	
1/3/2022 19:00	Normal	0.0	
1/3/2022 20:00	Normal	0.0	
1/3/2022 21:00	Normal	0.0	
1/3/2022 22:00	Normal	0.0	
1/3/2022 23:00	Normal	0.0	0.6
1/4/2022 0:00	Normal	0.0	
1/4/2022 1:00	Normal	0.0	
1/4/2022 2:00	Normal	0.0	
1/4/2022 3:00	Normal	0.0	
1/4/2022 4:00	Normal	0.0	
1/4/2022 5:00	Normal	0.0	
1/4/2022 6:00	Normal	0.0	
1/4/2022 7:00	Normal	0.0	
1/4/2022 8:00	Normal	0.0	
1/4/2022 9:00	Normal	0.0	
1/4/2022 10:00	Normal	0.0	
1/4/2022 11:00	Normal	0.0	
1/4/2022 12:00	Normal	0.0	
1/4/2022 13:00	Normal	0.0	
1/4/2022 14:00	Normal	0.0	
1/4/2022 15:00	Normal	0.0	
1/4/2022 16:00	Normal	0.0	
1/4/2022 17:00	Normal	0.0	
1/4/2022 18:00	Normal	0.0	
1/4/2022 19:00	Normal	0.0	
1/4/2022 20:00	Normal	0.0	
1/4/2022 21:00	Normal	0.0	
1/4/2022 22:00	Normal	0.0	
1/4/2022 23:00	Normal	0.0	0.6
1/5/2022 0:00	Normal	0.0	
1/5/2022 1:00	Normal	0.0	
1/5/2022 2:00	Normal	0.0	
1/5/2022 3:00	Normal	0.0	
1/5/2022 4:00	Normal	0.0	
1/5/2022 5:00	Normal	0.0	
1/5/2022 6:00	Normal	0.0	
1/5/2022 7:00	Normal	0.0	
1/5/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/5/2022 9:00	Normal	0.0	
1/5/2022 10:00	Normal	0.0	
1/5/2022 11:00	Normal	0.0	
1/5/2022 12:00	Normal	0.0	
1/5/2022 13:00	Normal	0.0	
1/5/2022 14:00	Normal	0.0	
1/5/2022 15:00	Normal	0.0	
1/5/2022 16:00	Normal	0.0	
1/5/2022 17:00	Normal	0.0	
1/5/2022 18:00	Normal	0.0	
1/5/2022 19:00	Normal	0.0	
1/5/2022 20:00	Normal	0.0	
1/5/2022 21:00	Normal	0.0	
1/5/2022 22:00	Normal	0.0	
1/5/2022 23:00	Normal	0.0	0.6
1/6/2022 0:00	Normal	0.0	
1/6/2022 1:00	Normal	0.0	
1/6/2022 2:00	Normal	0.0	
1/6/2022 3:00	Normal	0.0	
1/6/2022 4:00	Normal	0.0	
1/6/2022 5:00	Normal	0.0	
1/6/2022 6:00	Normal	0.0	
1/6/2022 7:00	Normal	0.0	
1/6/2022 8:00	Normal	0.0	
1/6/2022 9:00	Normal	0.0	
1/6/2022 10:00	Normal	0.0	
1/6/2022 11:00	Normal	0.0	
1/6/2022 12:00	Normal	0.0	
1/6/2022 13:00	Normal	0.0	
1/6/2022 14:00	Normal	0.0	
1/6/2022 15:00	Normal	0.0	
1/6/2022 16:00	Normal	0.0	
1/6/2022 17:00	Normal	0.0	
1/6/2022 18:00	Normal	0.0	
1/6/2022 19:00	Normal	0.0	
1/6/2022 20:00	Normal	0.0	
1/6/2022 21:00	Normal	0.0	
1/6/2022 22:00	Normal	0.0	
1/6/2022 23:00	Normal	0.0	0.6
1/7/2022 0:00	Normal	0.0	
1/7/2022 1:00	Normal	0.0	
1/7/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/7/2022 3:00	Normal	0.0	
1/7/2022 4:00	Normal	0.0	
1/7/2022 5:00	Normal	0.0	
1/7/2022 6:00	Malfunction	8.0	
1/7/2022 7:00	Malfunction	18.9	
1/7/2022 8:00	Normal	0.0	
1/7/2022 9:00	Normal	0.0	
1/7/2022 10:00	Normal	0.0	
1/7/2022 11:00	Normal	0.0	
1/7/2022 12:00	Normal	0.0	
1/7/2022 13:00	Normal	0.0	
1/7/2022 14:00	Normal	0.0	
1/7/2022 15:00	Normal	0.0	
1/7/2022 16:00	Normal	0.0	
1/7/2022 17:00	Normal	0.0	
1/7/2022 18:00	Normal	0.0	
1/7/2022 19:00	Normal	0.0	
1/7/2022 20:00	Normal	0.0	
1/7/2022 21:00	Normal	0.0	
1/7/2022 22:00	Normal	0.0	
1/7/2022 23:00	Normal	0.0	0.7
1/8/2022 0:00	Normal	0.0	
1/8/2022 1:00	Normal	0.0	
1/8/2022 2:00	Normal	0.0	
1/8/2022 3:00	Normal	0.0	
1/8/2022 4:00	Normal	0.0	
1/8/2022 5:00	Normal	0.0	
1/8/2022 6:00	Normal	0.0	
1/8/2022 7:00	Normal	0.0	
1/8/2022 8:00	Normal	0.0	
1/8/2022 9:00	Normal	0.0	
1/8/2022 10:00	Normal	0.0	
1/8/2022 11:00	Normal	0.0	
1/8/2022 12:00	Normal	0.0	
1/8/2022 13:00	Normal	0.0	
1/8/2022 14:00	Normal	0.0	
1/8/2022 15:00	Normal	0.0	
1/8/2022 16:00	Normal	0.0	
1/8/2022 17:00	Normal	0.0	
1/8/2022 18:00	Normal	0.0	
1/8/2022 19:00	Normal	0.0	
1/8/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/8/2022 21:00	Normal	0.0	
1/8/2022 22:00	Normal	0.0	
1/8/2022 23:00	Normal	0.0	0.7
1/9/2022 0:00	Normal	0.0	
1/9/2022 1:00	Normal	0.0	
1/9/2022 2:00	Normal	0.0	
1/9/2022 3:00	Normal	0.0	
1/9/2022 4:00	Normal	0.0	
1/9/2022 5:00	Normal	0.0	
1/9/2022 6:00	Normal	0.0	
1/9/2022 7:00	Normal	0.0	
1/9/2022 8:00	Normal	0.0	
1/9/2022 9:00	Normal	0.0	
1/9/2022 10:00	Normal	0.0	
1/9/2022 11:00	Normal	0.0	
1/9/2022 12:00	Normal	0.0	
1/9/2022 13:00	Normal	0.0	
1/9/2022 14:00	Normal	0.0	
1/9/2022 15:00	Normal	0.0	
1/9/2022 16:00	Normal	0.0	
1/9/2022 17:00	Normal	0.0	
1/9/2022 18:00	Normal	0.0	
1/9/2022 19:00	Normal	0.0	
1/9/2022 20:00	Normal	0.0	
1/9/2022 21:00	Normal	0.0	
1/9/2022 22:00	Normal	0.0	
1/9/2022 23:00	Normal	0.0	0.7
1/10/2022 0:00	Normal	0.0	
1/10/2022 1:00	Normal	0.0	
1/10/2022 2:00	Normal	0.0	
1/10/2022 3:00	Normal	0.0	
1/10/2022 4:00	Normal	0.0	
1/10/2022 5:00	Normal	0.0	
1/10/2022 6:00	Normal	0.0	
1/10/2022 7:00	Normal	0.0	
1/10/2022 8:00	Normal	0.0	
1/10/2022 9:00	Normal	0.0	
1/10/2022 10:00	Normal	0.0	
1/10/2022 11:00	Normal	0.0	
1/10/2022 12:00	Normal	0.0	
1/10/2022 13:00	Normal	0.0	
1/10/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/10/2022 15:00	Normal	0.0	
1/10/2022 16:00	Normal	0.0	
1/10/2022 17:00	Normal	0.0	
1/10/2022 18:00	Normal	0.0	
1/10/2022 19:00	Normal	0.0	
1/10/2022 20:00	Normal	0.0	
1/10/2022 21:00	Normal	0.0	
1/10/2022 22:00	Normal	0.0	
1/10/2022 23:00	Normal	0.0	0.7
1/11/2022 0:00	Normal	0.0	
1/11/2022 1:00	Normal	0.0	
1/11/2022 2:00	Normal	0.0	
1/11/2022 3:00	Normal	0.0	
1/11/2022 4:00	Normal	0.0	
1/11/2022 5:00	Normal	0.0	
1/11/2022 6:00	Normal	0.0	
1/11/2022 7:00	Normal	0.0	
1/11/2022 8:00	Normal	0.0	
1/11/2022 9:00	Normal	0.0	
1/11/2022 10:00	Normal	0.0	
1/11/2022 11:00	Normal	0.0	
1/11/2022 12:00	Normal	0.0	
1/11/2022 13:00	Normal	0.0	
1/11/2022 14:00	Normal	0.0	
1/11/2022 15:00	Normal	0.0	
1/11/2022 16:00	Normal	0.0	
1/11/2022 17:00	Normal	0.0	
1/11/2022 18:00	Normal	0.0	
1/11/2022 19:00	Normal	0.0	
1/11/2022 20:00	Normal	0.0	
1/11/2022 21:00	Normal	0.0	
1/11/2022 22:00	Normal	0.0	
1/11/2022 23:00	Normal	0.0	0.7
1/12/2022 0:00	Normal	0.0	
1/12/2022 1:00	Normal	0.0	
1/12/2022 2:00	Normal	0.0	
1/12/2022 3:00	Normal	0.0	
1/12/2022 4:00	Normal	0.0	
1/12/2022 5:00	Normal	0.0	
1/12/2022 6:00	Normal	0.0	
1/12/2022 7:00	Normal	0.0	
1/12/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/12/2022 9:00	Normal	0.0	
1/12/2022 10:00	Normal	0.0	
1/12/2022 11:00	Normal	0.0	
1/12/2022 12:00	Normal	0.0	
1/12/2022 13:00	Normal	0.0	
1/12/2022 14:00	Normal	0.0	
1/12/2022 15:00	Normal	0.0	
1/12/2022 16:00	Normal	0.0	
1/12/2022 17:00	Normal	0.0	
1/12/2022 18:00	Normal	0.0	
1/12/2022 19:00	Normal	0.0	
1/12/2022 20:00	Normal	0.0	
1/12/2022 21:00	Normal	0.0	
1/12/2022 22:00	Normal	0.0	
1/12/2022 23:00	Normal	0.0	0.7
1/13/2022 0:00	Normal	0.0	
1/13/2022 1:00	Normal	0.0	
1/13/2022 2:00	Normal	0.0	
1/13/2022 3:00	Normal	0.0	
1/13/2022 4:00	Normal	0.0	
1/13/2022 5:00	Normal	0.0	
1/13/2022 6:00	Normal	0.0	
1/13/2022 7:00	Normal	0.0	
1/13/2022 8:00	Normal	0.0	
1/13/2022 9:00	Normal	0.0	
1/13/2022 10:00	Normal	0.0	
1/13/2022 11:00	Normal	0.0	
1/13/2022 12:00	Normal	0.0	
1/13/2022 13:00	Normal	0.0	
1/13/2022 14:00	Normal	0.0	
1/13/2022 15:00	Normal	0.0	
1/13/2022 16:00	Normal	0.0	
1/13/2022 17:00	Normal	0.0	
1/13/2022 18:00	Normal	0.0	
1/13/2022 19:00	Normal	0.0	
1/13/2022 20:00	Normal	0.0	
1/13/2022 21:00	Normal	0.0	
1/13/2022 22:00	Normal	0.0	
1/13/2022 23:00	Normal	0.0	0.7
1/14/2022 0:00	Normal	0.0	
1/14/2022 1:00	Normal	0.0	
1/14/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/14/2022 3:00	Normal	0.0	
1/14/2022 4:00	Normal	0.0	
1/14/2022 5:00	Normal	0.0	
1/14/2022 6:00	Normal	0.0	
1/14/2022 7:00	Normal	0.0	
1/14/2022 8:00	Normal	0.0	
1/14/2022 9:00	Normal	0.0	
1/14/2022 10:00	Normal	0.0	
1/14/2022 11:00	Normal	0.0	
1/14/2022 12:00	Normal	0.0	
1/14/2022 13:00	Normal	0.0	
1/14/2022 14:00	Normal	0.0	
1/14/2022 15:00	Normal	0.0	
1/14/2022 16:00	Normal	0.0	
1/14/2022 17:00	Normal	0.0	
1/14/2022 18:00	Normal	0.0	
1/14/2022 19:00	Normal	0.0	
1/14/2022 20:00	Normal	0.0	
1/14/2022 21:00	Normal	0.0	
1/14/2022 22:00	Normal	0.0	
1/14/2022 23:00	Normal	0.0	0.7
1/15/2022 0:00	Normal	0.0	
1/15/2022 1:00	Normal	0.0	
1/15/2022 2:00	Normal	0.0	
1/15/2022 3:00	Normal	0.0	
1/15/2022 4:00	Normal	0.0	
1/15/2022 5:00	Normal	0.0	
1/15/2022 6:00	Normal	0.0	
1/15/2022 7:00	Normal	0.0	
1/15/2022 8:00	Normal	0.0	
1/15/2022 9:00	Normal	0.0	
1/15/2022 10:00	Normal	0.0	
1/15/2022 11:00	Normal	0.0	
1/15/2022 12:00	Normal	0.0	
1/15/2022 13:00	Normal	0.0	
1/15/2022 14:00	Normal	0.0	
1/15/2022 15:00	Normal	0.0	
1/15/2022 16:00	Normal	0.0	
1/15/2022 17:00	Normal	0.0	
1/15/2022 18:00	Normal	0.0	
1/15/2022 19:00	Normal	0.0	
1/15/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/15/2022 21:00	Normal	0.0	
1/15/2022 22:00	Normal	0.0	
1/15/2022 23:00	Normal	0.0	0.7
1/16/2022 0:00	Normal	0.0	
1/16/2022 1:00	Normal	0.0	
1/16/2022 2:00	Normal	0.0	
1/16/2022 3:00	Normal	0.0	
1/16/2022 4:00	Normal	0.0	
1/16/2022 5:00	Normal	0.0	
1/16/2022 6:00	Normal	0.0	
1/16/2022 7:00	Normal	0.0	
1/16/2022 8:00	Normal	0.0	
1/16/2022 9:00	Normal	0.0	
1/16/2022 10:00	Normal	0.0	
1/16/2022 11:00	Normal	0.0	
1/16/2022 12:00	Normal	0.0	
1/16/2022 13:00	Normal	0.0	
1/16/2022 14:00	Normal	0.0	
1/16/2022 15:00	Normal	0.0	
1/16/2022 16:00	Normal	0.0	
1/16/2022 17:00	Normal	0.0	
1/16/2022 18:00	Normal	0.0	
1/16/2022 19:00	Normal	0.0	
1/16/2022 20:00	Normal	0.0	
1/16/2022 21:00	Normal	0.0	
1/16/2022 22:00	Normal	0.0	
1/16/2022 23:00	Normal	0.0	0.7
1/17/2022 0:00	Normal	0.0	
1/17/2022 1:00	Normal	0.0	
1/17/2022 2:00	Normal	0.0	
1/17/2022 3:00	Normal	0.0	
1/17/2022 4:00	Normal	0.0	
1/17/2022 5:00	Normal	0.0	
1/17/2022 6:00	Normal	0.0	
1/17/2022 7:00	Normal	0.0	
1/17/2022 8:00	Normal	0.0	
1/17/2022 9:00	Normal	0.0	
1/17/2022 10:00	Normal	0.0	
1/17/2022 11:00	Normal	0.0	
1/17/2022 12:00	Normal	0.0	
1/17/2022 13:00	Normal	0.0	
1/17/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/17/2022 15:00	Normal	0.0	
1/17/2022 16:00	Normal	0.0	
1/17/2022 17:00	Normal	0.0	
1/17/2022 18:00	Normal	0.0	
1/17/2022 19:00	Normal	0.0	
1/17/2022 20:00	Normal	0.0	
1/17/2022 21:00	Normal	0.0	
1/17/2022 22:00	Shutdown	231.9	
1/17/2022 23:00	Shutdown		1.0
1/18/2022 0:00	Shutdown		
1/18/2022 1:00	Shutdown		
1/18/2022 2:00	Shutdown		
1/18/2022 3:00	Shutdown		
1/18/2022 4:00	Shutdown		
1/18/2022 5:00	Normal	0.0	
1/18/2022 6:00	Normal	0.0	
1/18/2022 7:00	Normal	0.0	
1/18/2022 8:00	Normal	0.0	
1/18/2022 9:00	Normal	0.0	
1/18/2022 10:00	Normal	0.0	
1/18/2022 11:00	Normal	0.0	
1/18/2022 12:00	Normal	0.0	
1/18/2022 13:00	Normal	0.0	
1/18/2022 14:00	Shutdown	1081.7	
1/18/2022 15:00	Shutdown	389.1	
1/18/2022 16:00	Normal	0.0	
1/18/2022 17:00	Normal	0.0	
1/18/2022 18:00	Normal	0.0	
1/18/2022 19:00	Normal	0.0	
1/18/2022 20:00	Normal	0.0	
1/18/2022 21:00	Normal	0.0	
1/18/2022 22:00	Normal	0.0	
1/18/2022 23:00	Normal	0.0	3.1
1/19/2022 0:00	Normal	0.0	
1/19/2022 1:00	Normal	0.0	
1/19/2022 2:00	Normal	0.0	
1/19/2022 3:00	Normal	0.0	
1/19/2022 4:00	Normal	0.0	
1/19/2022 5:00	Normal	0.0	
1/19/2022 6:00	Normal	0.0	
1/19/2022 7:00	Normal	0.0	
1/19/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/19/2022 9:00	Normal	0.0	
1/19/2022 10:00	Normal	0.0	
1/19/2022 11:00	Normal	0.0	
1/19/2022 12:00	Normal	0.0	
1/19/2022 13:00	Normal	0.0	
1/19/2022 14:00	Normal	0.0	
1/19/2022 15:00	Normal	0.0	
1/19/2022 16:00	Normal	0.0	
1/19/2022 17:00	Normal	0.0	
1/19/2022 18:00	Normal	0.0	
1/19/2022 19:00	Normal	0.0	
1/19/2022 20:00	Normal	0.0	
1/19/2022 21:00	Normal	0.0	
1/19/2022 22:00	Normal	0.0	
1/19/2022 23:00	Normal	0.0	3.1
1/20/2022 0:00	Normal	0.0	
1/20/2022 1:00	Normal	0.0	
1/20/2022 2:00	Normal	0.0	
1/20/2022 3:00	Normal	0.0	
1/20/2022 4:00	Normal	0.0	
1/20/2022 5:00	Normal	0.0	
1/20/2022 6:00	Normal	0.0	
1/20/2022 7:00	Normal	0.0	
1/20/2022 8:00	Normal	0.0	
1/20/2022 9:00	Normal	0.0	
1/20/2022 10:00	Normal	0.0	
1/20/2022 11:00	Normal	0.0	
1/20/2022 12:00	Normal	0.0	
1/20/2022 13:00	Normal	0.0	
1/20/2022 14:00	Normal	0.0	
1/20/2022 15:00	Normal	0.0	
1/20/2022 16:00	Normal	0.0	
1/20/2022 17:00	Normal	0.0	
1/20/2022 18:00	Normal	0.0	
1/20/2022 19:00	Normal	0.0	
1/20/2022 20:00	Normal	0.0	
1/20/2022 21:00	Normal	0.0	
1/20/2022 22:00	Normal	0.0	
1/20/2022 23:00	Normal	0.0	3.1
1/21/2022 0:00	Normal	0.0	
1/21/2022 1:00	Normal	0.0	
1/21/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/21/2022 3:00	Normal	0.0	
1/21/2022 4:00	Normal	0.0	
1/21/2022 5:00	Normal	0.0	
1/21/2022 6:00	Normal	0.0	
1/21/2022 7:00	Normal	0.0	
1/21/2022 8:00	Normal	0.0	
1/21/2022 9:00	Normal	0.0	
1/21/2022 10:00	Normal	0.0	
1/21/2022 11:00	Normal	0.0	
1/21/2022 12:00	Normal	0.0	
1/21/2022 13:00	Normal	0.0	
1/21/2022 14:00	Normal	0.0	
1/21/2022 15:00	Normal	0.0	
1/21/2022 16:00	Normal	0.0	
1/21/2022 17:00	Normal	0.0	
1/21/2022 18:00	Normal	0.0	
1/21/2022 19:00	Normal	0.0	
1/21/2022 20:00	Normal	0.0	
1/21/2022 21:00	Normal	0.0	
1/21/2022 22:00	Normal	0.0	
1/21/2022 23:00	Normal	0.0	3.1
1/22/2022 0:00	Normal	0.0	
1/22/2022 1:00	Normal	0.0	
1/22/2022 2:00	Normal	0.0	
1/22/2022 3:00	Normal	0.0	
1/22/2022 4:00	Normal	0.0	
1/22/2022 5:00	Normal	0.0	
1/22/2022 6:00	Normal	0.0	
1/22/2022 7:00	Normal	0.0	
1/22/2022 8:00	Normal	0.0	
1/22/2022 9:00	Normal	0.0	
1/22/2022 10:00	Normal	0.0	
1/22/2022 11:00	Normal	0.0	
1/22/2022 12:00	Normal	0.0	
1/22/2022 13:00	Normal	0.0	
1/22/2022 14:00	Normal	0.0	
1/22/2022 15:00	Normal	0.0	
1/22/2022 16:00	Normal	0.0	
1/22/2022 17:00	Normal	0.0	
1/22/2022 18:00	Normal	0.0	
1/22/2022 19:00	Normal	0.0	
1/22/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/22/2022 21:00	Normal	0.0	
1/22/2022 22:00	Normal	0.0	
1/22/2022 23:00	Normal	0.0	3.1
1/23/2022 0:00	Normal	0.0	
1/23/2022 1:00	Normal	0.0	
1/23/2022 2:00	Normal	0.0	
1/23/2022 3:00	Normal	0.0	
1/23/2022 4:00	Normal	0.0	
1/23/2022 5:00	Normal	0.0	
1/23/2022 6:00	Normal	0.0	
1/23/2022 7:00	Normal	0.0	
1/23/2022 8:00	Normal	0.0	
1/23/2022 9:00	Normal	0.0	
1/23/2022 10:00	Normal	0.0	
1/23/2022 11:00	Normal	0.0	
1/23/2022 12:00	Normal	0.0	
1/23/2022 13:00	Normal	0.0	
1/23/2022 14:00	Normal	0.0	
1/23/2022 15:00	Normal	0.0	
1/23/2022 16:00	Normal	0.0	
1/23/2022 17:00	Normal	0.0	
1/23/2022 18:00	Normal	0.0	
1/23/2022 19:00	Normal	0.0	
1/23/2022 20:00	Normal	0.0	
1/23/2022 21:00	Normal	0.0	
1/23/2022 22:00	Normal	0.0	
1/23/2022 23:00	Normal	0.0	3.1
1/24/2022 0:00	Normal	0.0	
1/24/2022 1:00	Normal	0.0	
1/24/2022 2:00	Normal	0.0	
1/24/2022 3:00	Normal	0.0	
1/24/2022 4:00	Normal	0.0	
1/24/2022 5:00	Normal	0.0	
1/24/2022 6:00	Normal	0.0	
1/24/2022 7:00	Normal	0.0	
1/24/2022 8:00	Normal	0.0	
1/24/2022 9:00	Normal	0.0	
1/24/2022 10:00	Normal	0.0	
1/24/2022 11:00	Normal	0.0	
1/24/2022 12:00	Normal	0.0	
1/24/2022 13:00	Normal	0.0	
1/24/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/24/2022 15:00	Normal	0.0	
1/24/2022 16:00	Normal	0.0	
1/24/2022 17:00	Normal	0.0	
1/24/2022 18:00	Normal	0.0	
1/24/2022 19:00	Normal	0.0	
1/24/2022 20:00	Normal	0.0	
1/24/2022 21:00	Normal	0.0	
1/24/2022 22:00	Normal	0.0	
1/24/2022 23:00	Normal	0.0	3.1
1/25/2022 0:00	Normal	0.0	
1/25/2022 1:00	Normal	0.0	
1/25/2022 2:00	Normal	0.0	
1/25/2022 3:00	Normal	0.0	
1/25/2022 4:00	Normal	0.0	
1/25/2022 5:00	Normal	0.0	
1/25/2022 6:00	Normal	0.0	
1/25/2022 7:00	Normal	0.0	
1/25/2022 8:00	Normal	0.0	
1/25/2022 9:00	Normal	0.0	
1/25/2022 10:00	Normal	0.0	
1/25/2022 11:00	Normal	0.0	
1/25/2022 12:00	Normal	0.0	
1/25/2022 13:00	Normal	0.0	
1/25/2022 14:00	Normal	0.0	
1/25/2022 15:00	Normal	0.0	
1/25/2022 16:00	Normal	0.0	
1/25/2022 17:00	Normal	0.0	
1/25/2022 18:00	Normal	0.0	
1/25/2022 19:00	Normal	0.0	
1/25/2022 20:00	Normal	0.0	
1/25/2022 21:00	Normal	0.0	
1/25/2022 22:00	Normal	0.0	
1/25/2022 23:00	Normal	0.0	3.1
1/26/2022 0:00	Normal	0.0	
1/26/2022 1:00	Normal	0.0	
1/26/2022 2:00	Normal	0.0	
1/26/2022 3:00	Normal	0.0	
1/26/2022 4:00	Normal	0.0	
1/26/2022 5:00	Normal	0.0	
1/26/2022 6:00	Normal	0.0	
1/26/2022 7:00	Normal	0.0	
1/26/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/26/2022 9:00	Normal	0.0	
1/26/2022 10:00	Normal	0.0	
1/26/2022 11:00	Normal	0.0	
1/26/2022 12:00	Normal	0.0	
1/26/2022 13:00	Normal	0.0	
1/26/2022 14:00	Normal	0.0	
1/26/2022 15:00	Normal	0.0	
1/26/2022 16:00	Normal	0.0	
1/26/2022 17:00	Normal	0.0	
1/26/2022 18:00	Normal	0.0	
1/26/2022 19:00	Normal	0.0	
1/26/2022 20:00	Normal	0.0	
1/26/2022 21:00	Normal	0.0	
1/26/2022 22:00	Normal	0.0	
1/26/2022 23:00	Normal	0.0	3.1
1/27/2022 0:00	Normal	0.0	
1/27/2022 1:00	Normal	0.0	
1/27/2022 2:00	Normal	0.0	
1/27/2022 3:00	Normal	0.0	
1/27/2022 4:00	Normal	0.0	
1/27/2022 5:00	Normal	0.0	
1/27/2022 6:00	Normal	0.0	
1/27/2022 7:00	Normal	0.0	
1/27/2022 8:00	Normal	0.0	
1/27/2022 9:00	Normal	0.0	
1/27/2022 10:00	Normal	0.0	
1/27/2022 11:00	Normal	0.0	
1/27/2022 12:00	Normal	0.0	
1/27/2022 13:00	Normal	0.0	
1/27/2022 14:00	Normal	0.0	
1/27/2022 15:00	Normal	0.0	
1/27/2022 16:00	Normal	0.0	
1/27/2022 17:00	Normal	0.0	
1/27/2022 18:00	Normal	0.0	
1/27/2022 19:00	Normal	0.0	
1/27/2022 20:00	Normal	0.0	
1/27/2022 21:00	Normal	0.0	
1/27/2022 22:00	Normal	0.0	
1/27/2022 23:00	Normal	0.0	3.1
1/28/2022 0:00	Normal	0.0	
1/28/2022 1:00	Normal	0.0	
1/28/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/28/2022 3:00	Normal	0.0	
1/28/2022 4:00	Normal	0.0	
1/28/2022 5:00	Normal	0.0	
1/28/2022 6:00	Normal	0.0	
1/28/2022 7:00	Normal	0.0	
1/28/2022 8:00	Normal	0.0	
1/28/2022 9:00	Normal	0.0	
1/28/2022 10:00	Normal	0.0	
1/28/2022 11:00	Normal	0.0	
1/28/2022 12:00	Normal	0.0	
1/28/2022 13:00	Normal	0.0	
1/28/2022 14:00	Normal	0.0	
1/28/2022 15:00	Normal	0.0	
1/28/2022 16:00	Normal	0.0	
1/28/2022 17:00	Normal	0.0	
1/28/2022 18:00	Normal	0.0	
1/28/2022 19:00	Startup	3.9	
1/28/2022 20:00	Startup	13.3	
1/28/2022 21:00	Startup	13.3	
1/28/2022 22:00	Startup	13.3	
1/28/2022 23:00	Startup	13.3	3.2
1/29/2022 0:00	Startup	13.3	
1/29/2022 1:00	Startup	13.3	
1/29/2022 2:00	Startup	13.3	
1/29/2022 3:00	Startup	13.3	
1/29/2022 4:00	Startup	13.3	
1/29/2022 5:00	Startup	13.3	
1/29/2022 6:00	Startup	13.3	
1/29/2022 7:00	Startup	13.3	
1/29/2022 8:00	Startup	13.3	
1/29/2022 9:00	Startup	13.3	
1/29/2022 10:00	Startup	13.3	
1/29/2022 11:00	Startup	13.3	
1/29/2022 12:00	Startup	13.3	
1/29/2022 13:00	Startup	13.3	
1/29/2022 14:00	Startup	13.3	
1/29/2022 15:00	Startup	13.3	
1/29/2022 16:00	Startup	13.3	
1/29/2022 17:00	Startup	13.3	
1/29/2022 18:00	Startup	13.3	
1/29/2022 19:00	Startup	13.3	
1/29/2022 20:00	Startup	13.3	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/29/2022 21:00	Startup	13.3	
1/29/2022 22:00	Startup	13.3	
1/29/2022 23:00	Startup	13.3	3.6
1/30/2022 0:00	Startup	13.3	
1/30/2022 1:00	Normal	0.0	
1/30/2022 2:00	Normal	0.0	
1/30/2022 3:00	Normal	0.0	
1/30/2022 4:00	Normal	0.0	
1/30/2022 5:00	Normal	0.0	
1/30/2022 6:00	Normal	0.0	
1/30/2022 7:00	Normal	0.0	
1/30/2022 8:00	Normal	0.0	
1/30/2022 9:00	Normal	0.0	
1/30/2022 10:00	Normal	0.0	
1/30/2022 11:00	Normal	0.0	
1/30/2022 12:00	Normal	0.0	
1/30/2022 13:00	Normal	0.0	
1/30/2022 14:00	Normal	0.0	
1/30/2022 15:00	Normal	0.0	
1/30/2022 16:00	Normal	0.0	
1/30/2022 17:00	Normal	0.0	
1/30/2022 18:00	Normal	0.0	
1/30/2022 19:00	Normal	0.0	
1/30/2022 20:00	Normal	0.0	
1/30/2022 21:00	Normal	0.0	
1/30/2022 22:00	Normal	0.0	
1/30/2022 23:00	Normal	0.0	3.6
1/31/2022 0:00	Normal	0.0	
1/31/2022 1:00	Normal	0.0	
1/31/2022 2:00	Normal	0.0	
1/31/2022 3:00	Normal	0.0	
1/31/2022 4:00	Normal	0.0	
1/31/2022 5:00	Normal	0.0	
1/31/2022 6:00	Normal	0.0	
1/31/2022 7:00	Shutdown	15.0	
1/31/2022 8:00	Shutdown		
1/31/2022 9:00	Shutdown		
1/31/2022 10:00	Shutdown		
1/31/2022 11:00	Shutdown		
1/31/2022 12:00	Shutdown		
1/31/2022 13:00	Shutdown		
1/31/2022 14:00	Shutdown		

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/31/2022 15:00	Shutdown		
1/31/2022 16:00	Shutdown	1.8	
1/31/2022 17:00	Shutdown		
1/31/2022 18:00	Shutdown		
1/31/2022 19:00	Shutdown		
1/31/2022 20:00	Shutdown		
1/31/2022 21:00	Shutdown		
1/31/2022 22:00	Shutdown		
1/31/2022 23:00	Shutdown		3.7
2/1/2022 0:00	Shutdown		
2/1/2022 1:00	Shutdown		
2/1/2022 2:00	Shutdown		
2/1/2022 3:00	Shutdown		
2/1/2022 4:00	Shutdown		
2/1/2022 5:00	Shutdown		
2/1/2022 6:00	Shutdown		
2/1/2022 7:00	Shutdown		
2/1/2022 8:00	Shutdown		
2/1/2022 9:00	Shutdown		
2/1/2022 10:00	Shutdown		
2/1/2022 11:00	Shutdown		
2/1/2022 12:00	Shutdown		
2/1/2022 13:00	Shutdown		
2/1/2022 14:00	Shutdown		
2/1/2022 15:00	Shutdown		
2/1/2022 16:00	Shutdown		
2/1/2022 17:00	Shutdown		
2/1/2022 18:00	Shutdown		
2/1/2022 19:00	Shutdown		
2/1/2022 20:00	Shutdown		
2/1/2022 21:00	Shutdown		
2/1/2022 22:00	Shutdown		
2/1/2022 23:00	Shutdown		3.9
2/2/2022 0:00	Shutdown		
2/2/2022 1:00	Shutdown		
2/2/2022 2:00	Shutdown		
2/2/2022 3:00	Shutdown		
2/2/2022 4:00	Shutdown		
2/2/2022 5:00	Shutdown		
2/2/2022 6:00	Shutdown		
2/2/2022 7:00	Shutdown		
2/2/2022 8:00	Shutdown		

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/2/2022 9:00	Shutdown		
2/2/2022 10:00	Shutdown		
2/2/2022 11:00	Shutdown		
2/2/2022 12:00	Shutdown		
2/2/2022 13:00	Shutdown		
2/2/2022 14:00	Shutdown		
2/2/2022 15:00	Shutdown		
2/2/2022 16:00	Shutdown		
2/2/2022 17:00	Shutdown		
2/2/2022 18:00	Shutdown		
2/2/2022 19:00	Shutdown		
2/2/2022 20:00	Shutdown		
2/2/2022 21:00	Shutdown		
2/2/2022 22:00	Shutdown		
2/2/2022 23:00	Shutdown		3.3
2/3/2022 0:00	Shutdown		
2/3/2022 1:00	Shutdown		
2/3/2022 2:00	Shutdown	118.2	
2/3/2022 3:00	Shutdown	137.9	
2/3/2022 4:00	Shutdown	303.4	
2/3/2022 5:00	Shutdown	268.8	
2/3/2022 6:00	Shutdown	251.4	
2/3/2022 7:00	Shutdown	444.4	
2/3/2022 8:00	Shutdown	565.3	
2/3/2022 9:00	Shutdown	537.6	
2/3/2022 10:00	Shutdown	522.2	
2/3/2022 11:00	Shutdown	498.0	
2/3/2022 12:00	Shutdown	442.1	
2/3/2022 13:00	Shutdown	238.7	
2/3/2022 14:00	Shutdown	90.6	
2/3/2022 15:00	Shutdown	250.7	
2/3/2022 16:00	Shutdown	394.6	
2/3/2022 17:00	Shutdown	430.1	
2/3/2022 18:00	Shutdown	84.0	
2/3/2022 19:00	Shutdown	68.9	
2/3/2022 20:00	Shutdown	276.1	
2/3/2022 21:00	Shutdown	71.8	
2/3/2022 22:00	Shutdown	141.5	
2/3/2022 23:00	Shutdown	62.2	12.8
2/4/2022 0:00	Shutdown	94.9	
2/4/2022 1:00	Shutdown	95.1	
2/4/2022 2:00	Shutdown	194.3	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/4/2022 3:00	Shutdown	375.8	
2/4/2022 4:00	Shutdown	317.7	
2/4/2022 5:00	Shutdown	97.9	
2/4/2022 6:00	Shutdown	96.2	
2/4/2022 7:00	Shutdown	88.3	
2/4/2022 8:00	Shutdown	83.8	
2/4/2022 9:00	Shutdown	212.2	
2/4/2022 10:00	Shutdown	116.1	
2/4/2022 11:00	Shutdown	118.6	
2/4/2022 12:00	Shutdown	187.4	
2/4/2022 13:00	Shutdown	133.6	
2/4/2022 14:00	Shutdown	101.1	
2/4/2022 15:00	Shutdown	251.3	
2/4/2022 16:00	Shutdown	108.4	
2/4/2022 17:00	Shutdown	90.0	
2/4/2022 18:00	Shutdown	84.5	
2/4/2022 19:00	Shutdown	90.2	
2/4/2022 20:00	Shutdown	18.0	
2/4/2022 21:00	Shutdown		
2/4/2022 22:00	Shutdown		
2/4/2022 23:00	Shutdown		17.5
2/5/2022 0:00	Shutdown		
2/5/2022 1:00	Shutdown		
2/5/2022 2:00	Shutdown		
2/5/2022 3:00	Shutdown		
2/5/2022 4:00	Shutdown		
2/5/2022 5:00	Shutdown		
2/5/2022 6:00	Shutdown		
2/5/2022 7:00	Shutdown		
2/5/2022 8:00	Shutdown		
2/5/2022 9:00	Shutdown		
2/5/2022 10:00	Shutdown		
2/5/2022 11:00	Shutdown		
2/5/2022 12:00	Shutdown		
2/5/2022 13:00	Shutdown		
2/5/2022 14:00	Shutdown		
2/5/2022 15:00	Shutdown	20.4	
2/5/2022 16:00	Shutdown		
2/5/2022 17:00	Shutdown		
2/5/2022 18:00	Shutdown		
2/5/2022 19:00	Shutdown		
2/5/2022 20:00	Shutdown		

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/5/2022 21:00	Shutdown		
2/5/2022 22:00	Shutdown		
2/5/2022 23:00	Shutdown		18.2
2/6/2022 0:00	Shutdown		
2/6/2022 1:00	Shutdown		
2/6/2022 2:00	Shutdown		
2/6/2022 3:00	Shutdown		
2/6/2022 4:00	Shutdown		
2/6/2022 5:00	Shutdown		
2/6/2022 6:00	Shutdown		
2/6/2022 7:00	Shutdown		
2/6/2022 8:00	Shutdown		
2/6/2022 9:00	Shutdown		
2/6/2022 10:00	Shutdown		
2/6/2022 11:00	Shutdown		
2/6/2022 12:00	Shutdown		
2/6/2022 13:00	Shutdown		
2/6/2022 14:00	Shutdown		
2/6/2022 15:00	Shutdown		
2/6/2022 16:00	Shutdown		
2/6/2022 17:00	Shutdown		
2/6/2022 18:00	Shutdown		
2/6/2022 19:00	Shutdown		
2/6/2022 20:00	Shutdown		
2/6/2022 21:00	Shutdown		
2/6/2022 22:00	Shutdown		
2/6/2022 23:00	Shutdown		18.8
2/7/2022 0:00	Shutdown		
2/7/2022 1:00	Shutdown		
2/7/2022 2:00	Shutdown		
2/7/2022 3:00	Shutdown		
2/7/2022 4:00	Shutdown		
2/7/2022 5:00	Shutdown		
2/7/2022 6:00	Shutdown		
2/7/2022 7:00	Shutdown		
2/7/2022 8:00	Shutdown		
2/7/2022 9:00	Shutdown		
2/7/2022 10:00	Shutdown		
2/7/2022 11:00	Shutdown		
2/7/2022 12:00	Shutdown		
2/7/2022 13:00	Shutdown		
2/7/2022 14:00	Shutdown		

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/7/2022 15:00	Shutdown		
2/7/2022 16:00	Shutdown		
2/7/2022 17:00	Shutdown		
2/7/2022 18:00	Shutdown		
2/7/2022 19:00	Shutdown		
2/7/2022 20:00	Shutdown		
2/7/2022 21:00	Shutdown		
2/7/2022 22:00	Shutdown		
2/7/2022 23:00	Shutdown		19.6
2/8/2022 0:00	Shutdown		
2/8/2022 1:00	Shutdown		
2/8/2022 2:00	Shutdown		
2/8/2022 3:00	Shutdown		
2/8/2022 4:00	Shutdown		
2/8/2022 5:00	Shutdown		
2/8/2022 6:00	Shutdown		
2/8/2022 7:00	Shutdown		
2/8/2022 8:00	Shutdown		
2/8/2022 9:00	Shutdown		
2/8/2022 10:00	Shutdown		
2/8/2022 11:00	Startup	1.6	
2/8/2022 12:00	Startup	4.0	
2/8/2022 13:00	Startup	4.1	
2/8/2022 14:00	Startup	0.0	
2/8/2022 15:00	Startup	0.0	
2/8/2022 16:00	Startup	0.0	
2/8/2022 17:00	Startup	0.0	
2/8/2022 18:00	Startup	0.0	
2/8/2022 19:00	Startup	3.9	
2/8/2022 20:00	Startup	0.0	
2/8/2022 21:00	Startup	0.5	
2/8/2022 22:00	Startup	8.0	
2/8/2022 23:00	Startup	8.0	20.1
2/9/2022 0:00	Startup	8.0	
2/9/2022 1:00	Startup	8.0	
2/9/2022 2:00	Startup	8.0	
2/9/2022 3:00	Startup	8.0	
2/9/2022 4:00	Startup	8.0	
2/9/2022 5:00	Startup	8.0	
2/9/2022 6:00	Startup	8.0	
2/9/2022 7:00	Startup	7.0	
2/9/2022 8:00	Startup	7.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/9/2022 9:00	Startup	7.0	
2/9/2022 10:00	Startup	7.0	
2/9/2022 11:00	Startup	7.0	
2/9/2022 12:00	Startup	7.0	
2/9/2022 13:00	Startup	7.0	
2/9/2022 14:00	Startup	7.0	
2/9/2022 15:00	Startup	7.0	
2/9/2022 16:00	Startup	7.0	
2/9/2022 17:00	Startup	7.0	
2/9/2022 18:00	Startup	7.0	
2/9/2022 19:00	Startup	7.0	
2/9/2022 20:00	Startup	7.0	
2/9/2022 21:00	Startup	7.0	
2/9/2022 22:00	Startup	7.0	
2/9/2022 23:00	Startup	7.0	20.4
2/10/2022 0:00	Startup	7.0	
2/10/2022 1:00	Startup	7.0	
2/10/2022 2:00	Startup	7.0	
2/10/2022 3:00	Startup	7.0	
2/10/2022 4:00	Startup	7.0	
2/10/2022 5:00	Startup	7.0	
2/10/2022 6:00	Startup	7.0	
2/10/2022 7:00	Startup	7.0	
2/10/2022 8:00	Startup	7.0	
2/10/2022 9:00	Startup	26.0	
2/10/2022 10:00	Startup	27.0	
2/10/2022 11:00	Startup	27.0	
2/10/2022 12:00	Startup	27.0	
2/10/2022 13:00	Startup	27.0	
2/10/2022 14:00	Startup	27.0	
2/10/2022 15:00	Startup	27.0	
2/10/2022 16:00	Startup	27.0	
2/10/2022 17:00	Startup	27.0	
2/10/2022 18:00	Startup	27.0	
2/10/2022 19:00	Startup	27.0	
2/10/2022 20:00	Startup	27.0	
2/10/2022 21:00	Startup	27.0	
2/10/2022 22:00	Startup	27.0	
2/10/2022 23:00	Startup	27.0	21.2
2/11/2022 0:00	Startup	27.0	
2/11/2022 1:00	Startup	27.0	
2/11/2022 2:00	Startup	27.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/11/2022 3:00	Startup	27.0	
2/11/2022 4:00	Startup	27.0	
2/11/2022 5:00	Startup	27.0	
2/11/2022 6:00	Startup	27.0	
2/11/2022 7:00	Startup	27.0	
2/11/2022 8:00	Startup	27.0	
2/11/2022 9:00	Startup	27.0	
2/11/2022 10:00	Startup	27.0	
2/11/2022 11:00	Startup	27.0	
2/11/2022 12:00	Startup	27.0	
2/11/2022 13:00	Startup	27.0	
2/11/2022 14:00	Startup	27.0	
2/11/2022 15:00	Startup	27.0	
2/11/2022 16:00	Startup	27.0	
2/11/2022 17:00	Startup	27.0	
2/11/2022 18:00	Startup	27.0	
2/11/2022 19:00	Startup	27.0	
2/11/2022 20:00	Startup	27.0	
2/11/2022 21:00	Startup	112.0	
2/11/2022 22:00	Startup	112.0	
2/11/2022 23:00	Startup	54.0	22.7
2/12/2022 0:00	Normal	0.0	
2/12/2022 1:00	Normal	0.0	
2/12/2022 2:00	Normal	0.0	
2/12/2022 3:00	Normal	0.0	
2/12/2022 4:00	Normal	0.0	
2/12/2022 5:00	Normal	0.0	
2/12/2022 6:00	Normal	0.0	
2/12/2022 7:00	Normal	0.0	
2/12/2022 8:00	Normal	0.0	
2/12/2022 9:00	Normal	0.0	
2/12/2022 10:00	Normal	0.0	
2/12/2022 11:00	Normal	0.0	
2/12/2022 12:00	Normal	0.0	
2/12/2022 13:00	Normal	0.0	
2/12/2022 14:00	Normal	0.0	
2/12/2022 15:00	Normal	0.0	
2/12/2022 16:00	Normal	0.0	
2/12/2022 17:00	Normal	0.0	
2/12/2022 18:00	Normal	0.0	
2/12/2022 19:00	Normal	0.0	
2/12/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/12/2022 21:00	Normal	0.0	
2/12/2022 22:00	Normal	0.0	
2/12/2022 23:00	Normal	0.0	22.7
2/13/2022 0:00	Normal	0.0	
2/13/2022 1:00	Normal	0.0	
2/13/2022 2:00	Normal	0.0	
2/13/2022 3:00	Normal	0.0	
2/13/2022 4:00	Normal	0.0	
2/13/2022 5:00	Normal	0.0	
2/13/2022 6:00	Normal	0.0	
2/13/2022 7:00	Normal	0.0	
2/13/2022 8:00	Normal	0.0	
2/13/2022 9:00	Normal	0.0	
2/13/2022 10:00	Normal	0.0	
2/13/2022 11:00	Normal	0.0	
2/13/2022 12:00	Normal	0.0	
2/13/2022 13:00	Normal	0.0	
2/13/2022 14:00	Normal	0.0	
2/13/2022 15:00	Normal	0.0	
2/13/2022 16:00	Normal	0.0	
2/13/2022 17:00	Normal	0.0	
2/13/2022 18:00	Normal	0.0	
2/13/2022 19:00	Normal	0.0	
2/13/2022 20:00	Normal	0.0	
2/13/2022 21:00	Normal	0.0	
2/13/2022 22:00	Normal	0.0	
2/13/2022 23:00	Normal	0.0	22.7
2/14/2022 0:00	Normal	0.0	
2/14/2022 1:00	Normal	0.0	
2/14/2022 2:00	Normal	0.0	
2/14/2022 3:00	Normal	0.0	
2/14/2022 4:00	Normal	0.0	
2/14/2022 5:00	Normal	0.0	
2/14/2022 6:00	Normal	0.0	
2/14/2022 7:00	Normal	0.0	
2/14/2022 8:00	Normal	0.0	
2/14/2022 9:00	Normal	0.0	
2/14/2022 10:00	Normal	0.0	
2/14/2022 11:00	Normal	0.0	
2/14/2022 12:00	Normal	0.0	
2/14/2022 13:00	Normal	0.0	
2/14/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/14/2022 15:00	Normal	0.0	
2/14/2022 16:00	Normal	0.0	
2/14/2022 17:00	Normal	0.0	
2/14/2022 18:00	Normal	0.0	
2/14/2022 19:00	Normal	0.0	
2/14/2022 20:00	Normal	0.0	
2/14/2022 21:00	Normal	0.0	
2/14/2022 22:00	Normal	0.0	
2/14/2022 23:00	Normal	0.0	22.7
2/15/2022 0:00	Normal	0.0	
2/15/2022 1:00	Normal	0.0	
2/15/2022 2:00	Normal	0.0	
2/15/2022 3:00	Normal	0.0	
2/15/2022 4:00	Normal	0.0	
2/15/2022 5:00	Normal	0.0	
2/15/2022 6:00	Normal	0.0	
2/15/2022 7:00	Normal	0.0	
2/15/2022 8:00	Normal	0.0	
2/15/2022 9:00	Normal	0.0	
2/15/2022 10:00	Normal	0.0	
2/15/2022 11:00	Normal	0.0	
2/15/2022 12:00	Normal	0.0	
2/15/2022 13:00	Normal	0.0	
2/15/2022 14:00	Normal	0.0	
2/15/2022 15:00	Normal	0.0	
2/15/2022 16:00	Normal	0.0	
2/15/2022 17:00	Normal	0.0	
2/15/2022 18:00	Normal	0.0	
2/15/2022 19:00	Normal	0.0	
2/15/2022 20:00	Normal	0.0	
2/15/2022 21:00	Normal	0.0	
2/15/2022 22:00	Normal	0.0	
2/15/2022 23:00	Normal	0.0	22.7
2/16/2022 0:00	Normal	0.0	
2/16/2022 1:00	Normal	0.0	
2/16/2022 2:00	Normal	0.0	
2/16/2022 3:00	Normal	0.0	
2/16/2022 4:00	Normal	0.0	
2/16/2022 5:00	Normal	0.0	
2/16/2022 6:00	Normal	0.0	
2/16/2022 7:00	Normal	0.0	
2/16/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/16/2022 9:00	Normal	0.0	
2/16/2022 10:00	Normal	0.0	
2/16/2022 11:00	Normal	0.0	
2/16/2022 12:00	Normal	0.0	
2/16/2022 13:00	Normal	0.9	
2/16/2022 14:00	Normal	0.0	
2/16/2022 15:00	Normal	0.0	
2/16/2022 16:00	Normal	0.0	
2/16/2022 17:00	Normal	0.0	
2/16/2022 18:00	Normal	0.0	
2/16/2022 19:00	Normal	0.0	
2/16/2022 20:00	Normal	0.0	
2/16/2022 21:00	Normal	0.0	
2/16/2022 22:00	Normal	0.0	
2/16/2022 23:00	Normal	0.0	22.2
2/17/2022 0:00	Normal	0.0	
2/17/2022 1:00	Normal	0.0	
2/17/2022 2:00	Normal	0.0	
2/17/2022 3:00	Normal	0.0	
2/17/2022 4:00	Normal	0.0	
2/17/2022 5:00	Normal	0.0	
2/17/2022 6:00	Normal	0.0	
2/17/2022 7:00	Normal	0.0	
2/17/2022 8:00	Normal	0.0	
2/17/2022 9:00	Normal	0.0	
2/17/2022 10:00	Normal	0.0	
2/17/2022 11:00	Normal	0.0	
2/17/2022 12:00	Normal	0.0	
2/17/2022 13:00	Normal	0.0	
2/17/2022 14:00	Normal	0.0	
2/17/2022 15:00	Normal	0.0	
2/17/2022 16:00	Normal	0.0	
2/17/2022 17:00	Normal	0.0	
2/17/2022 18:00	Normal	0.0	
2/17/2022 19:00	Normal	0.0	
2/17/2022 20:00	Normal	0.0	
2/17/2022 21:00	Normal	0.0	
2/17/2022 22:00	Normal	0.0	
2/17/2022 23:00	Normal	0.0	19.5
2/18/2022 0:00	Normal	0.0	
2/18/2022 1:00	Normal	0.0	
2/18/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/18/2022 3:00	Normal	0.0	
2/18/2022 4:00	Normal	0.0	
2/18/2022 5:00	Normal	0.0	
2/18/2022 6:00	Normal	0.0	
2/18/2022 7:00	Normal	0.0	
2/18/2022 8:00	Normal	0.0	
2/18/2022 9:00	Normal	0.0	
2/18/2022 10:00	Normal	0.0	
2/18/2022 11:00	Normal	0.0	
2/18/2022 12:00	Normal	0.0	
2/18/2022 13:00	Normal	0.0	
2/18/2022 14:00	Normal	0.0	
2/18/2022 15:00	Normal	0.0	
2/18/2022 16:00	Normal	0.0	
2/18/2022 17:00	Normal	0.0	
2/18/2022 18:00	Normal	0.0	
2/18/2022 19:00	Normal	0.0	
2/18/2022 20:00	Normal	0.0	
2/18/2022 21:00	Normal	0.0	
2/18/2022 22:00	Normal	0.0	
2/18/2022 23:00	Normal	0.0	19.5
2/19/2022 0:00	Normal	0.0	
2/19/2022 1:00	Normal	0.0	
2/19/2022 2:00	Normal	0.0	
2/19/2022 3:00	Normal	0.0	
2/19/2022 4:00	Normal	0.0	
2/19/2022 5:00	Normal	0.0	
2/19/2022 6:00	Normal	0.0	
2/19/2022 7:00	Normal	0.0	
2/19/2022 8:00	Normal	0.0	
2/19/2022 9:00	Normal	0.0	
2/19/2022 10:00	Normal	0.0	
2/19/2022 11:00	Normal	0.0	
2/19/2022 12:00	Normal	0.0	
2/19/2022 13:00	Normal	0.0	
2/19/2022 14:00	Normal	0.0	
2/19/2022 15:00	Normal	0.0	
2/19/2022 16:00	Normal	0.0	
2/19/2022 17:00	Normal	0.0	
2/19/2022 18:00	Normal	0.0	
2/19/2022 19:00	Normal	0.0	
2/19/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/19/2022 21:00	Normal	0.0	
2/19/2022 22:00	Normal	0.0	
2/19/2022 23:00	Normal	0.0	19.5
2/20/2022 0:00	Normal	0.0	
2/20/2022 1:00	Normal	0.0	
2/20/2022 2:00	Normal	0.0	
2/20/2022 3:00	Normal	0.0	
2/20/2022 4:00	Normal	0.0	
2/20/2022 5:00	Normal	0.0	
2/20/2022 6:00	Normal	0.0	
2/20/2022 7:00	Normal	0.0	
2/20/2022 8:00	Normal	0.0	
2/20/2022 9:00	Normal	0.0	
2/20/2022 10:00	Normal	0.0	
2/20/2022 11:00	Normal	0.0	
2/20/2022 12:00	Normal	0.0	
2/20/2022 13:00	Normal	0.0	
2/20/2022 14:00	Normal	0.0	
2/20/2022 15:00	Normal	0.0	
2/20/2022 16:00	Normal	0.0	
2/20/2022 17:00	Normal	0.0	
2/20/2022 18:00	Normal	0.0	
2/20/2022 19:00	Normal	0.0	
2/20/2022 20:00	Normal	0.0	
2/20/2022 21:00	Normal	0.0	
2/20/2022 22:00	Normal	0.0	
2/20/2022 23:00	Normal	0.0	19.5
2/21/2022 0:00	Normal	0.0	
2/21/2022 1:00	Normal	0.0	
2/21/2022 2:00	Normal	0.0	
2/21/2022 3:00	Normal	0.0	
2/21/2022 4:00	Normal	0.0	
2/21/2022 5:00	Normal	0.0	
2/21/2022 6:00	Normal	0.0	
2/21/2022 7:00	Normal	0.0	
2/21/2022 8:00	Normal	0.0	
2/21/2022 9:00	Normal	0.0	
2/21/2022 10:00	Normal	0.0	
2/21/2022 11:00	Normal	0.0	
2/21/2022 12:00	Normal	0.0	
2/21/2022 13:00	Normal	0.0	
2/21/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/21/2022 15:00	Normal	0.0	
2/21/2022 16:00	Normal	0.0	
2/21/2022 17:00	Normal	0.0	
2/21/2022 18:00	Normal	0.0	
2/21/2022 19:00	Normal	0.0	
2/21/2022 20:00	Normal	0.0	
2/21/2022 21:00	Normal	0.0	
2/21/2022 22:00	Normal	0.0	
2/21/2022 23:00	Normal	0.0	19.5
2/22/2022 0:00	Normal	0.0	
2/22/2022 1:00	Normal	0.0	
2/22/2022 2:00	Normal	0.0	
2/22/2022 3:00	Normal	0.0	
2/22/2022 4:00	Normal	0.0	
2/22/2022 5:00	Normal	0.0	
2/22/2022 6:00	Normal	0.0	
2/22/2022 7:00	Normal	0.0	
2/22/2022 8:00	Normal	0.0	
2/22/2022 9:00	Normal	0.0	
2/22/2022 10:00	Normal	0.0	
2/22/2022 11:00	Normal	0.0	
2/22/2022 12:00	Normal	0.0	
2/22/2022 13:00	Normal	0.0	
2/22/2022 14:00	Normal	0.0	
2/22/2022 15:00	Normal	0.0	
2/22/2022 16:00	Normal	0.0	
2/22/2022 17:00	Normal	0.0	
2/22/2022 18:00	Normal	0.0	
2/22/2022 19:00	Normal	0.0	
2/22/2022 20:00	Normal	0.0	
2/22/2022 21:00	Normal	0.0	
2/22/2022 22:00	Normal	0.0	
2/22/2022 23:00	Normal	0.0	19.5
2/23/2022 0:00	Normal	0.0	
2/23/2022 1:00	Normal	0.0	
2/23/2022 2:00	Normal	0.0	
2/23/2022 3:00	Normal	0.0	
2/23/2022 4:00	Normal	0.0	
2/23/2022 5:00	Normal	0.0	
2/23/2022 6:00	Normal	0.0	
2/23/2022 7:00	Normal	0.0	
2/23/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/23/2022 9:00	Normal	0.0	
2/23/2022 10:00	Normal	0.0	
2/23/2022 11:00	Normal	0.0	
2/23/2022 12:00	Normal	0.0	
2/23/2022 13:00	Normal	0.0	
2/23/2022 14:00	Normal	0.0	
2/23/2022 15:00	Normal	0.0	
2/23/2022 16:00	Normal	0.0	
2/23/2022 17:00	Normal	0.0	
2/23/2022 18:00	Normal	0.0	
2/23/2022 19:00	Normal	0.0	
2/23/2022 20:00	Normal	0.0	
2/23/2022 21:00	Normal	0.0	
2/23/2022 22:00	Normal	0.0	
2/23/2022 23:00	Normal	0.0	19.5
2/24/2022 0:00	Normal	0.0	
2/24/2022 1:00	Normal	0.0	
2/24/2022 2:00	Normal	0.0	
2/24/2022 3:00	Normal	0.0	
2/24/2022 4:00	Normal	0.0	
2/24/2022 5:00	Normal	0.0	
2/24/2022 6:00	Normal	0.0	
2/24/2022 7:00	Normal	0.0	
2/24/2022 8:00	Normal	0.0	
2/24/2022 9:00	Normal	0.0	
2/24/2022 10:00	Normal	0.0	
2/24/2022 11:00	Normal	0.0	
2/24/2022 12:00	Normal	0.0	
2/24/2022 13:00	Normal	0.0	
2/24/2022 14:00	Normal	0.0	
2/24/2022 15:00	Normal	0.0	
2/24/2022 16:00	Normal	0.0	
2/24/2022 17:00	Normal	0.0	
2/24/2022 18:00	Normal	0.0	
2/24/2022 19:00	Normal	0.0	
2/24/2022 20:00	Normal	0.0	
2/24/2022 21:00	Normal	0.0	
2/24/2022 22:00	Normal	0.0	
2/24/2022 23:00	Normal	0.0	19.5
2/25/2022 0:00	Normal	0.0	
2/25/2022 1:00	Normal	0.0	
2/25/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/25/2022 3:00	Normal	0.0	
2/25/2022 4:00	Normal	0.0	
2/25/2022 5:00	Normal	0.0	
2/25/2022 6:00	Normal	0.0	
2/25/2022 7:00	Normal	0.0	
2/25/2022 8:00	Normal	0.0	
2/25/2022 9:00	Normal	0.0	
2/25/2022 10:00	Normal	0.0	
2/25/2022 11:00	Normal	0.0	
2/25/2022 12:00	Normal	0.0	
2/25/2022 13:00	Normal	0.0	
2/25/2022 14:00	Normal	0.0	
2/25/2022 15:00	Normal	0.0	
2/25/2022 16:00	Normal	0.0	
2/25/2022 17:00	Normal	0.0	
2/25/2022 18:00	Normal	0.0	
2/25/2022 19:00	Normal	0.0	
2/25/2022 20:00	Normal	0.0	
2/25/2022 21:00	Normal	0.0	
2/25/2022 22:00	Normal	0.0	
2/25/2022 23:00	Normal	0.0	19.5
2/26/2022 0:00	Normal	0.0	
2/26/2022 1:00	Normal	0.0	
2/26/2022 2:00	Normal	0.0	
2/26/2022 3:00	Normal	0.0	
2/26/2022 4:00	Normal	0.0	
2/26/2022 5:00	Normal	0.0	
2/26/2022 6:00	Normal	0.0	
2/26/2022 7:00	Normal	0.0	
2/26/2022 8:00	Normal	0.0	
2/26/2022 9:00	Normal	0.0	
2/26/2022 10:00	Normal	0.0	
2/26/2022 11:00	Normal	0.0	
2/26/2022 12:00	Normal	0.0	
2/26/2022 13:00	Normal	0.0	
2/26/2022 14:00	Normal	0.0	
2/26/2022 15:00	Normal	0.0	
2/26/2022 16:00	Normal	0.0	
2/26/2022 17:00	Normal	0.0	
2/26/2022 18:00	Normal	0.0	
2/26/2022 19:00	Normal	0.0	
2/26/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/26/2022 21:00	Normal	0.0	
2/26/2022 22:00	Normal	0.0	
2/26/2022 23:00	Normal	0.0	19.5
2/27/2022 0:00	Normal	0.0	
2/27/2022 1:00	Normal	0.0	
2/27/2022 2:00	Normal	0.0	
2/27/2022 3:00	Normal	0.0	
2/27/2022 4:00	Normal	0.0	
2/27/2022 5:00	Normal	0.0	
2/27/2022 6:00	Normal	0.0	
2/27/2022 7:00	Normal	0.0	
2/27/2022 8:00	Normal	0.0	
2/27/2022 9:00	Normal	0.0	
2/27/2022 10:00	Normal	0.0	
2/27/2022 11:00	Normal	0.0	
2/27/2022 12:00	Normal	0.0	
2/27/2022 13:00	Normal	0.0	
2/27/2022 14:00	Normal	0.0	
2/27/2022 15:00	Normal	0.0	
2/27/2022 16:00	Normal	0.0	
2/27/2022 17:00	Normal	0.0	
2/27/2022 18:00	Normal	0.0	
2/27/2022 19:00	Normal	0.0	
2/27/2022 20:00	Normal	0.0	
2/27/2022 21:00	Normal	0.0	
2/27/2022 22:00	Normal	0.0	
2/27/2022 23:00	Normal	0.0	19.4
2/28/2022 0:00	Normal	0.0	
2/28/2022 1:00	Normal	0.0	
2/28/2022 2:00	Normal	0.0	
2/28/2022 3:00	Normal	0.0	
2/28/2022 4:00	Normal	0.0	
2/28/2022 5:00	Normal	0.0	
2/28/2022 6:00	Normal	0.0	
2/28/2022 7:00	Normal	0.0	
2/28/2022 8:00	Normal	0.0	
2/28/2022 9:00	Normal	0.0	
2/28/2022 10:00	Normal	0.0	
2/28/2022 11:00	Normal	0.0	
2/28/2022 12:00	Normal	0.0	
2/28/2022 13:00	Normal	0.0	
2/28/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/28/2022 15:00	Normal	0.0	
2/28/2022 16:00	Normal	0.0	
2/28/2022 17:00	Normal	0.0	
2/28/2022 18:00	Normal	0.0	
2/28/2022 19:00	Normal	0.0	
2/28/2022 20:00	Normal	0.0	
2/28/2022 21:00	Normal	0.0	
2/28/2022 22:00	Normal	0.0	
2/28/2022 23:00	Normal	0.0	18.8
3/1/2022 0:00	Normal	0.0	
3/1/2022 1:00	Normal	0.0	
3/1/2022 2:00	Normal	0.0	
3/1/2022 3:00	Normal	0.0	
3/1/2022 4:00	Normal	0.0	
3/1/2022 5:00	Normal	0.0	
3/1/2022 6:00	Normal	0.0	
3/1/2022 7:00	Normal	0.0	
3/1/2022 8:00	Normal	0.0	
3/1/2022 9:00	Normal	0.0	
3/1/2022 10:00	Normal	0.0	
3/1/2022 11:00	Normal	0.0	
3/1/2022 12:00	Normal	0.0	
3/1/2022 13:00	Normal	0.0	
3/1/2022 14:00	Normal	0.0	
3/1/2022 15:00	Normal	0.0	
3/1/2022 16:00	Normal	0.0	
3/1/2022 17:00	Normal	0.0	
3/1/2022 18:00	Normal	0.0	
3/1/2022 19:00	Normal	0.0	
3/1/2022 20:00	Normal	0.0	
3/1/2022 21:00	Normal	0.0	
3/1/2022 22:00	Normal	0.0	
3/1/2022 23:00	Normal	0.0	18.8
3/2/2022 0:00	Normal	0.0	
3/2/2022 1:00	Normal	0.0	
3/2/2022 2:00	Normal	0.0	
3/2/2022 3:00	Normal	0.0	
3/2/2022 4:00	Normal	0.0	
3/2/2022 5:00	Normal	0.0	
3/2/2022 6:00	Normal	0.0	
3/2/2022 7:00	Normal	0.0	
3/2/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/2/2022 9:00	Normal	0.0	
3/2/2022 10:00	Normal	0.0	
3/2/2022 11:00	Normal	0.0	
3/2/2022 12:00	Normal	0.0	
3/2/2022 13:00	Normal	0.0	
3/2/2022 14:00	Normal	0.0	
3/2/2022 15:00	Normal	0.0	
3/2/2022 16:00	Normal	0.0	
3/2/2022 17:00	Normal	0.0	
3/2/2022 18:00	Normal	0.0	
3/2/2022 19:00	Normal	0.0	
3/2/2022 20:00	Normal	0.0	
3/2/2022 21:00	Normal	0.0	
3/2/2022 22:00	Normal	0.0	
3/2/2022 23:00	Normal	0.0	18.3
3/3/2022 0:00	Normal	0.0	
3/3/2022 1:00	Normal	0.0	
3/3/2022 2:00	Normal	0.0	
3/3/2022 3:00	Normal	0.0	
3/3/2022 4:00	Normal	0.0	
3/3/2022 5:00	Normal	0.0	
3/3/2022 6:00	Normal	0.0	
3/3/2022 7:00	Normal	0.0	
3/3/2022 8:00	Normal	0.0	
3/3/2022 9:00	Normal	0.0	
3/3/2022 10:00	Normal	0.0	
3/3/2022 11:00	Normal	0.0	
3/3/2022 12:00	Normal	0.0	
3/3/2022 13:00	Normal	0.0	
3/3/2022 14:00	Normal	0.0	
3/3/2022 15:00	Normal	0.0	
3/3/2022 16:00	Normal	0.0	
3/3/2022 17:00	Normal	0.0	
3/3/2022 18:00	Normal	0.0	
3/3/2022 19:00	Normal	0.0	
3/3/2022 20:00	Normal	0.0	
3/3/2022 21:00	Normal	0.0	
3/3/2022 22:00	Normal	0.0	
3/3/2022 23:00	Normal	0.0	17.6
3/4/2022 0:00	Normal	0.0	
3/4/2022 1:00	Normal	0.0	
3/4/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/4/2022 3:00	Normal	0.0	
3/4/2022 4:00	Normal	0.0	
3/4/2022 5:00	Normal	0.0	
3/4/2022 6:00	Normal	0.0	
3/4/2022 7:00	Normal	0.0	
3/4/2022 8:00	Normal	0.0	
3/4/2022 9:00	Normal	0.0	
3/4/2022 10:00	Normal	0.0	
3/4/2022 11:00	Normal	0.0	
3/4/2022 12:00	Normal	0.0	
3/4/2022 13:00	Normal	0.0	
3/4/2022 14:00	Normal	0.0	
3/4/2022 15:00	Normal	0.0	
3/4/2022 16:00	Normal	0.0	
3/4/2022 17:00	Normal	0.0	
3/4/2022 18:00	Normal	0.0	
3/4/2022 19:00	Normal	0.0	
3/4/2022 20:00	Normal	0.0	
3/4/2022 21:00	Normal	0.0	
3/4/2022 22:00	Normal	0.0	
3/4/2022 23:00	Normal	0.0	16.9
3/5/2022 0:00	Normal	0.0	
3/5/2022 1:00	Normal	0.0	
3/5/2022 2:00	Normal	0.0	
3/5/2022 3:00	Normal	0.0	
3/5/2022 4:00	Normal	0.0	
3/5/2022 5:00	Normal	0.0	
3/5/2022 6:00	Normal	0.0	
3/5/2022 7:00	Normal	0.0	
3/5/2022 8:00	Normal	0.0	
3/5/2022 9:00	Normal	0.0	
3/5/2022 10:00	Normal	0.0	
3/5/2022 11:00	Normal	0.0	
3/5/2022 12:00	Normal	0.0	
3/5/2022 13:00	Normal	0.0	
3/5/2022 14:00	Normal	0.0	
3/5/2022 15:00	Normal	0.0	
3/5/2022 16:00	Normal	0.0	
3/5/2022 17:00	Normal	0.0	
3/5/2022 18:00	Normal	0.0	
3/5/2022 19:00	Normal	0.0	
3/5/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/5/2022 21:00	Normal	0.0	
3/5/2022 22:00	Normal	0.0	
3/5/2022 23:00	Normal	0.0	7.1
3/6/2022 0:00	Normal	0.0	
3/6/2022 1:00	Normal	0.0	
3/6/2022 2:00	Normal	0.0	
3/6/2022 3:00	Normal	0.0	
3/6/2022 4:00	Normal	0.0	
3/6/2022 5:00	Normal	0.0	
3/6/2022 6:00	Normal	0.0	
3/6/2022 7:00	Normal	0.0	
3/6/2022 8:00	Normal	0.0	
3/6/2022 9:00	Normal	0.0	
3/6/2022 10:00	Normal	0.0	
3/6/2022 11:00	Normal	0.0	
3/6/2022 12:00	Normal	0.0	
3/6/2022 13:00	Normal	0.0	
3/6/2022 14:00	Normal	0.0	
3/6/2022 15:00	Normal	0.0	
3/6/2022 16:00	Normal	0.0	
3/6/2022 17:00	Normal	0.0	
3/6/2022 18:00	Normal	0.0	
3/6/2022 19:00	Normal	0.0	
3/6/2022 20:00	Normal	0.0	
3/6/2022 21:00	Normal	0.0	
3/6/2022 22:00	Normal	0.0	
3/6/2022 23:00	Normal	0.0	2.4
3/7/2022 0:00	Normal	0.0	
3/7/2022 1:00	Normal	0.0	
3/7/2022 2:00	Normal	0.0	
3/7/2022 3:00	Normal	0.0	
3/7/2022 4:00	Normal	0.0	
3/7/2022 5:00	Normal	0.0	
3/7/2022 6:00	Normal	0.0	
3/7/2022 7:00	Normal	0.0	
3/7/2022 8:00	Normal	0.0	
3/7/2022 9:00	Normal	0.0	
3/7/2022 10:00	Normal	0.0	
3/7/2022 11:00	Normal	0.0	
3/7/2022 12:00	Normal	0.0	
3/7/2022 13:00	Normal	0.0	
3/7/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/7/2022 15:00	Normal	0.0	
3/7/2022 16:00	Normal	0.0	
3/7/2022 17:00	Normal	0.0	
3/7/2022 18:00	Normal	0.0	
3/7/2022 19:00	Normal	0.0	
3/7/2022 20:00	Normal	0.0	
3/7/2022 21:00	Normal	0.0	
3/7/2022 22:00	Normal	0.0	
3/7/2022 23:00	Normal	0.0	2.3
3/8/2022 0:00	Normal	0.0	
3/8/2022 1:00	Normal	0.0	
3/8/2022 2:00	Normal	0.0	
3/8/2022 3:00	Normal	0.0	
3/8/2022 4:00	Normal	0.0	
3/8/2022 5:00	Normal	0.0	
3/8/2022 6:00	Normal	0.0	
3/8/2022 7:00	Normal	0.0	
3/8/2022 8:00	Normal	0.0	
3/8/2022 9:00	Normal	0.0	
3/8/2022 10:00	Normal	0.0	
3/8/2022 11:00	Normal	0.0	
3/8/2022 12:00	Normal	0.0	
3/8/2022 13:00	Normal	0.0	
3/8/2022 14:00	Normal	0.0	
3/8/2022 15:00	Normal	0.0	
3/8/2022 16:00	Normal	0.0	
3/8/2022 17:00	Normal	0.0	
3/8/2022 18:00	Normal	0.0	
3/8/2022 19:00	Normal	0.0	
3/8/2022 20:00	Normal	0.0	
3/8/2022 21:00	Normal	0.0	
3/8/2022 22:00	Normal	0.0	
3/8/2022 23:00	Normal	0.0	2.2
3/9/2022 0:00	Normal	0.0	
3/9/2022 1:00	Normal	0.0	
3/9/2022 2:00	Normal	0.0	
3/9/2022 3:00	Normal	0.0	
3/9/2022 4:00	Normal	0.0	
3/9/2022 5:00	Normal	0.0	
3/9/2022 6:00	Normal	0.0	
3/9/2022 7:00	Normal	0.0	
3/9/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/9/2022 9:00	Normal	0.0	
3/9/2022 10:00	Normal	0.0	
3/9/2022 11:00	Normal	0.0	
3/9/2022 12:00	Normal	0.0	
3/9/2022 13:00	Normal	0.0	
3/9/2022 14:00	Normal	0.0	
3/9/2022 15:00	Normal	0.0	
3/9/2022 16:00	Normal	0.0	
3/9/2022 17:00	Normal	0.0	
3/9/2022 18:00	Normal	0.0	
3/9/2022 19:00	Normal	0.0	
3/9/2022 20:00	Normal	0.0	
3/9/2022 21:00	Normal	0.0	
3/9/2022 22:00	Normal	0.0	
3/9/2022 23:00	Normal	0.0	2.1
3/10/2022 0:00	Normal	0.0	
3/10/2022 1:00	Normal	0.0	
3/10/2022 2:00	Normal	0.0	
3/10/2022 3:00	Normal	0.0	
3/10/2022 4:00	Normal	0.0	
3/10/2022 5:00	Normal	0.0	
3/10/2022 6:00	Normal	0.0	
3/10/2022 7:00	Normal	0.0	
3/10/2022 8:00	Normal	0.0	
3/10/2022 9:00	Normal	0.0	
3/10/2022 10:00	Normal	0.0	
3/10/2022 11:00	Normal	0.0	
3/10/2022 12:00	Normal	0.0	
3/10/2022 13:00	Normal	0.0	
3/10/2022 14:00	Normal	0.0	
3/10/2022 15:00	Normal	0.0	
3/10/2022 16:00	Normal	0.0	
3/10/2022 17:00	Normal	0.0	
3/10/2022 18:00	Normal	0.0	
3/10/2022 19:00	Normal	0.0	
3/10/2022 20:00	Normal	0.0	
3/10/2022 21:00	Normal	0.0	
3/10/2022 22:00	Normal	0.0	
3/10/2022 23:00	Normal	0.0	2.1
3/11/2022 0:00	Normal	0.0	
3/11/2022 1:00	Normal	0.0	
3/11/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/11/2022 3:00	Normal	0.0	
3/11/2022 4:00	Normal	0.0	
3/11/2022 5:00	Normal	0.0	
3/11/2022 6:00	Normal	0.0	
3/11/2022 7:00	Normal	0.0	
3/11/2022 8:00	Normal	0.0	
3/11/2022 9:00	Normal	0.0	
3/11/2022 10:00	Normal	0.0	
3/11/2022 11:00	Normal	0.0	
3/11/2022 12:00	Normal	0.0	
3/11/2022 13:00	Normal	0.0	
3/11/2022 14:00	Normal	0.0	
3/11/2022 15:00	Normal	0.0	
3/11/2022 16:00	Normal	0.0	
3/11/2022 17:00	Normal	0.0	
3/11/2022 18:00	Normal	0.0	
3/11/2022 19:00	Normal	0.0	
3/11/2022 20:00	Normal	0.0	
3/11/2022 21:00	Normal	0.0	
3/11/2022 22:00	Normal	0.0	
3/11/2022 23:00	Normal	0.0	1.8
3/12/2022 0:00	Normal	0.0	
3/12/2022 1:00	Normal	0.0	
3/12/2022 2:00	Normal	0.0	
3/12/2022 3:00	Normal	0.0	
3/12/2022 4:00	Normal	0.0	
3/12/2022 5:00	Normal	0.0	
3/12/2022 6:00	Normal	0.0	
3/12/2022 7:00	Normal	0.0	
3/12/2022 8:00	Normal	0.0	
3/12/2022 9:00	Normal	0.0	
3/12/2022 10:00	Normal	0.0	
3/12/2022 11:00	Normal	0.0	
3/12/2022 12:00	Normal	0.0	
3/12/2022 13:00	Normal	0.0	
3/12/2022 14:00	Normal	0.0	
3/12/2022 15:00	Normal	0.0	
3/12/2022 16:00	Normal	0.0	
3/12/2022 17:00	Normal	0.0	
3/12/2022 18:00	Normal	0.0	
3/12/2022 19:00	Normal	0.0	
3/12/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/12/2022 21:00	Normal	0.0	
3/12/2022 22:00	Normal	0.0	
3/12/2022 23:00	Normal	0.0	1.2
3/13/2022 0:00	Normal	0.0	
3/13/2022 1:00	Normal	0.0	
3/13/2022 2:00	Normal	0.0	
3/13/2022 3:00	Normal	0.0	
3/13/2022 4:00	Normal	0.0	
3/13/2022 5:00	Normal	0.0	
3/13/2022 6:00	Normal	0.0	
3/13/2022 7:00	Normal	0.0	
3/13/2022 8:00	Normal	0.0	
3/13/2022 9:00	Normal	0.0	
3/13/2022 10:00	Normal	0.0	
3/13/2022 11:00	Normal	0.0	
3/13/2022 12:00	Normal	0.0	
3/13/2022 13:00	Normal	0.0	
3/13/2022 14:00	Normal	0.0	
3/13/2022 15:00	Normal	0.0	
3/13/2022 16:00	Normal	0.0	
3/13/2022 17:00	Normal	0.0	
3/13/2022 18:00	Normal	0.0	
3/13/2022 19:00	Normal	0.0	
3/13/2022 20:00	Normal	0.0	
3/13/2022 21:00	Normal	0.0	
3/13/2022 22:00	Normal	0.0	
3/13/2022 23:00	Normal	0.0	0.0
3/14/2022 0:00	Normal	0.0	
3/14/2022 1:00	Normal	0.0	
3/14/2022 2:00	Normal	0.0	
3/14/2022 3:00	Normal	0.0	
3/14/2022 4:00	Normal	0.0	
3/14/2022 5:00	Normal	0.0	
3/14/2022 6:00	Normal	0.0	
3/14/2022 7:00	Normal	0.0	
3/14/2022 8:00	Normal	0.0	
3/14/2022 9:00	Normal	0.0	
3/14/2022 10:00	Normal	0.0	
3/14/2022 11:00	Normal	0.0	
3/14/2022 12:00	Normal	0.0	
3/14/2022 13:00	Normal	0.0	
3/14/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/14/2022 15:00	Normal	0.0	
3/14/2022 16:00	Normal	0.0	
3/14/2022 17:00	Normal	0.0	
3/14/2022 18:00	Normal	0.0	
3/14/2022 19:00	Normal	0.0	
3/14/2022 20:00	Normal	0.0	
3/14/2022 21:00	Normal	0.0	
3/14/2022 22:00	Normal	0.0	
3/14/2022 23:00	Normal	0.0	0.0
3/15/2022 0:00	Normal	0.0	
3/15/2022 1:00	Normal	0.0	
3/15/2022 2:00	Normal	0.0	
3/15/2022 3:00	Normal	0.0	
3/15/2022 4:00	Normal	0.0	
3/15/2022 5:00	Normal	0.0	
3/15/2022 6:00	Normal	0.0	
3/15/2022 7:00	Normal	0.0	
3/15/2022 8:00	Normal	0.0	
3/15/2022 9:00	Normal	0.0	
3/15/2022 10:00	Normal	0.0	
3/15/2022 11:00	Normal	0.0	
3/15/2022 12:00	Normal	0.0	
3/15/2022 13:00	Normal	0.0	
3/15/2022 14:00	Normal	0.0	
3/15/2022 15:00	Normal	0.0	
3/15/2022 16:00	Normal	0.0	
3/15/2022 17:00	Normal	0.0	
3/15/2022 18:00	Normal	0.0	
3/15/2022 19:00	Normal	0.0	
3/15/2022 20:00	Normal	0.0	
3/15/2022 21:00	Normal	0.0	
3/15/2022 22:00	Normal	0.0	
3/15/2022 23:00	Normal	0.0	0.0
3/16/2022 0:00	Normal	0.0	
3/16/2022 1:00	Normal	0.0	
3/16/2022 2:00	Normal	0.0	
3/16/2022 3:00	Normal	0.0	
3/16/2022 4:00	Normal	0.0	
3/16/2022 5:00	Normal	0.0	
3/16/2022 6:00	Normal	0.0	
3/16/2022 7:00	Normal	0.0	
3/16/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/16/2022 9:00	Normal	0.0	
3/16/2022 10:00	Normal	0.0	
3/16/2022 11:00	Normal	0.0	
3/16/2022 12:00	Normal	0.0	
3/16/2022 13:00	Normal	0.0	
3/16/2022 14:00	Normal	0.0	
3/16/2022 15:00	Normal	0.0	
3/16/2022 16:00	Normal	0.0	
3/16/2022 17:00	Normal	0.0	
3/16/2022 18:00	Normal	0.0	
3/16/2022 19:00	Normal	0.0	
3/16/2022 20:00	Normal	0.0	
3/16/2022 21:00	Normal	0.0	
3/16/2022 22:00	Normal	0.0	
3/16/2022 23:00	Normal	0.0	0.0
3/17/2022 0:00	Normal	0.0	
3/17/2022 1:00	Normal	0.0	
3/17/2022 2:00	Normal	0.0	
3/17/2022 3:00	Normal	0.0	
3/17/2022 4:00	Normal	0.0	
3/17/2022 5:00	Normal	0.0	
3/17/2022 6:00	Normal	0.0	
3/17/2022 7:00	Normal	0.0	
3/17/2022 8:00	Normal	0.0	
3/17/2022 9:00	Normal	0.0	
3/17/2022 10:00	Normal	0.0	
3/17/2022 11:00	Normal	0.0	
3/17/2022 12:00	Normal	0.0	
3/17/2022 13:00	Normal	0.0	
3/17/2022 14:00	Normal	0.0	
3/17/2022 15:00	Normal	0.0	
3/17/2022 16:00	Normal	0.0	
3/17/2022 17:00	Normal	0.0	
3/17/2022 18:00	Normal	0.0	
3/17/2022 19:00	Normal	0.0	
3/17/2022 20:00	Normal	0.0	
3/17/2022 21:00	Normal	0.0	
3/17/2022 22:00	Normal	0.0	
3/17/2022 23:00	Normal	0.0	0.0
3/18/2022 0:00	Normal	0.0	
3/18/2022 1:00	Normal	0.0	
3/18/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/18/2022 3:00	Normal	0.0	
3/18/2022 4:00	Normal	0.0	
3/18/2022 5:00	Normal	0.0	
3/18/2022 6:00	Normal	0.0	
3/18/2022 7:00	Normal	0.0	
3/18/2022 8:00	Normal	0.0	
3/18/2022 9:00	Normal	0.0	
3/18/2022 10:00	Normal	0.0	
3/18/2022 11:00	Normal	0.0	
3/18/2022 12:00	Normal	0.0	
3/18/2022 13:00	Normal	0.0	
3/18/2022 14:00	Normal	0.0	
3/18/2022 15:00	Normal	0.0	
3/18/2022 16:00	Normal	0.0	
3/18/2022 17:00	Normal	0.0	
3/18/2022 18:00	Normal	0.0	
3/18/2022 19:00	Normal	0.0	
3/18/2022 20:00	Normal	0.0	
3/18/2022 21:00	Normal	0.0	
3/18/2022 22:00	Normal	0.0	
3/18/2022 23:00	Normal	0.0	0.0
3/19/2022 0:00	Normal	0.0	
3/19/2022 1:00	Normal	0.0	
3/19/2022 2:00	Normal	0.0	
3/19/2022 3:00	Normal	0.0	
3/19/2022 4:00	Normal	0.0	
3/19/2022 5:00	Normal	0.0	
3/19/2022 6:00	Normal	0.0	
3/19/2022 7:00	Normal	0.0	
3/19/2022 8:00	Normal	0.0	
3/19/2022 9:00	Normal	0.0	
3/19/2022 10:00	Normal	0.0	
3/19/2022 11:00	Normal	0.0	
3/19/2022 12:00	Normal	0.0	
3/19/2022 13:00	Normal	0.0	
3/19/2022 14:00	Normal	0.0	
3/19/2022 15:00	Normal	0.0	
3/19/2022 16:00	Normal	0.0	
3/19/2022 17:00	Normal	0.0	
3/19/2022 18:00	Normal	0.0	
3/19/2022 19:00	Normal	0.0	
3/19/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/19/2022 21:00	Normal	0.0	
3/19/2022 22:00	Normal	0.0	
3/19/2022 23:00	Normal	0.0	0.0
3/20/2022 0:00	Normal	0.0	
3/20/2022 1:00	Normal	0.0	
3/20/2022 2:00	Normal	0.0	
3/20/2022 3:00	Normal	0.0	
3/20/2022 4:00	Normal	0.0	
3/20/2022 5:00	Normal	0.0	
3/20/2022 6:00	Normal	0.0	
3/20/2022 7:00	Normal	0.0	
3/20/2022 8:00	Normal	0.0	
3/20/2022 9:00	Normal	0.0	
3/20/2022 10:00	Normal	0.0	
3/20/2022 11:00	Normal	0.0	
3/20/2022 12:00	Normal	0.0	
3/20/2022 13:00	Normal	0.0	
3/20/2022 14:00	Normal	0.0	
3/20/2022 15:00	Normal	0.0	
3/20/2022 16:00	Normal	0.0	
3/20/2022 17:00	Normal	0.0	
3/20/2022 18:00	Normal	0.0	
3/20/2022 19:00	Normal	0.0	
3/20/2022 20:00	Normal	0.0	
3/20/2022 21:00	Normal	0.0	
3/20/2022 22:00	Normal	0.0	
3/20/2022 23:00	Normal	0.0	0.0
3/21/2022 0:00	Normal	0.0	
3/21/2022 1:00	Normal	0.0	
3/21/2022 2:00	Normal	0.0	
3/21/2022 3:00	Normal	0.0	
3/21/2022 4:00	Normal	0.0	
3/21/2022 5:00	Normal	0.0	
3/21/2022 6:00	Normal	0.0	
3/21/2022 7:00	Normal	0.0	
3/21/2022 8:00	Normal	0.0	
3/21/2022 9:00	Normal	0.0	
3/21/2022 10:00	Normal	0.0	
3/21/2022 11:00	Normal	0.0	
3/21/2022 12:00	Normal	0.0	
3/21/2022 13:00	Normal	0.0	
3/21/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/21/2022 15:00	Normal	0.0	
3/21/2022 16:00	Normal	0.0	
3/21/2022 17:00	Normal	0.0	
3/21/2022 18:00	Normal	0.0	
3/21/2022 19:00	Normal	0.0	
3/21/2022 20:00	Normal	0.0	
3/21/2022 21:00	Normal	0.0	
3/21/2022 22:00	Normal	0.0	
3/21/2022 23:00	Normal	0.0	0.0
3/22/2022 0:00	Normal	0.0	
3/22/2022 1:00	Normal	0.0	
3/22/2022 2:00	Normal	0.0	
3/22/2022 3:00	Normal	0.0	
3/22/2022 4:00	Normal	0.0	
3/22/2022 5:00	Normal	0.0	
3/22/2022 6:00	Normal	0.0	
3/22/2022 7:00	Normal	0.0	
3/22/2022 8:00	Normal	0.0	
3/22/2022 9:00	Normal	0.0	
3/22/2022 10:00	Normal	0.0	
3/22/2022 11:00	Normal	0.0	
3/22/2022 12:00	Normal	0.0	
3/22/2022 13:00	Normal	0.0	
3/22/2022 14:00	Normal	0.0	
3/22/2022 15:00	Normal	0.0	
3/22/2022 16:00	Normal	0.0	
3/22/2022 17:00	Normal	0.0	
3/22/2022 18:00	Normal	0.0	
3/22/2022 19:00	Normal	0.0	
3/22/2022 20:00	Normal	0.0	
3/22/2022 21:00	Normal	0.0	
3/22/2022 22:00	Normal	0.0	
3/22/2022 23:00	Normal	0.0	0.0
3/23/2022 0:00	Normal	0.0	
3/23/2022 1:00	Normal	0.0	
3/23/2022 2:00	Normal	0.0	
3/23/2022 3:00	Normal	0.0	
3/23/2022 4:00	Normal	0.0	
3/23/2022 5:00	Normal	0.0	
3/23/2022 6:00	Normal	0.0	
3/23/2022 7:00	Normal	0.0	
3/23/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/23/2022 9:00	Normal	0.0	
3/23/2022 10:00	Normal	0.0	
3/23/2022 11:00	Normal	0.0	
3/23/2022 12:00	Normal	0.0	
3/23/2022 13:00	Normal	0.0	
3/23/2022 14:00	Normal	0.0	
3/23/2022 15:00	Normal	0.0	
3/23/2022 16:00	Normal	0.0	
3/23/2022 17:00	Normal	0.0	
3/23/2022 18:00	Normal	0.0	
3/23/2022 19:00	Normal	0.0	
3/23/2022 20:00	Normal	0.0	
3/23/2022 21:00	Normal	0.0	
3/23/2022 22:00	Normal	0.0	
3/23/2022 23:00	Normal	0.0	0.0
3/24/2022 0:00	Normal	0.0	
3/24/2022 1:00	Normal	0.0	
3/24/2022 2:00	Normal	0.0	
3/24/2022 3:00	Normal	0.0	
3/24/2022 4:00	Normal	0.0	
3/24/2022 5:00	Normal	0.0	
3/24/2022 6:00	Normal	0.0	
3/24/2022 7:00	Normal	0.0	
3/24/2022 8:00	Normal	0.0	
3/24/2022 9:00	Normal	0.0	
3/24/2022 10:00	Normal	0.0	
3/24/2022 11:00	Normal	0.0	
3/24/2022 12:00	Normal	0.0	
3/24/2022 13:00	Normal	0.0	
3/24/2022 14:00	Normal	0.0	
3/24/2022 15:00	Normal	0.0	
3/24/2022 16:00	Normal	0.0	
3/24/2022 17:00	Normal	0.0	
3/24/2022 18:00	Normal	0.0	
3/24/2022 19:00	Normal	0.0	
3/24/2022 20:00	Normal	0.0	
3/24/2022 21:00	Normal	0.0	
3/24/2022 22:00	Normal	0.0	
3/24/2022 23:00	Normal	0.0	0.0
3/25/2022 0:00	Normal	0.0	
3/25/2022 1:00	Normal	0.0	
3/25/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/25/2022 3:00	Normal	0.0	
3/25/2022 4:00	Normal	0.0	
3/25/2022 5:00	Normal	0.0	
3/25/2022 6:00	Normal	0.0	
3/25/2022 7:00	Normal	0.0	
3/25/2022 8:00	Normal	0.0	
3/25/2022 9:00	Normal	0.0	
3/25/2022 10:00	Normal	0.0	
3/25/2022 11:00	Normal	0.0	
3/25/2022 12:00	Normal	0.0	
3/25/2022 13:00	Normal	0.0	
3/25/2022 14:00	Normal	0.0	
3/25/2022 15:00	Normal	0.0	
3/25/2022 16:00	Normal	0.0	
3/25/2022 17:00	Normal	0.0	
3/25/2022 18:00	Normal	0.0	
3/25/2022 19:00	Normal	0.0	
3/25/2022 20:00	Normal	0.0	
3/25/2022 21:00	Normal	0.0	
3/25/2022 22:00	Normal	0.0	
3/25/2022 23:00	Normal	0.0	0.0
3/26/2022 0:00	Normal	0.0	
3/26/2022 1:00	Normal	0.0	
3/26/2022 2:00	Normal	0.0	
3/26/2022 3:00	Normal	0.0	
3/26/2022 4:00	Normal	0.0	
3/26/2022 5:00	Normal	0.0	
3/26/2022 6:00	Normal	0.0	
3/26/2022 7:00	Normal	0.0	
3/26/2022 8:00	Normal	0.0	
3/26/2022 9:00	Normal	0.0	
3/26/2022 10:00	Normal	0.0	
3/26/2022 11:00	Normal	0.0	
3/26/2022 12:00	Normal	0.0	
3/26/2022 13:00	Normal	0.0	
3/26/2022 14:00	Normal	0.0	
3/26/2022 15:00	Normal	0.0	
3/26/2022 16:00	Normal	0.0	
3/26/2022 17:00	Normal	0.0	
3/26/2022 18:00	Normal	0.0	
3/26/2022 19:00	Normal	0.0	
3/26/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/26/2022 21:00	Normal	0.0	
3/26/2022 22:00	Normal	0.0	
3/26/2022 23:00	Normal	0.0	0.0
3/27/2022 0:00	Normal	0.0	
3/27/2022 1:00	Normal	0.0	
3/27/2022 2:00	Normal	0.0	
3/27/2022 3:00	Normal	0.0	
3/27/2022 4:00	Normal	0.0	
3/27/2022 5:00	Normal	0.0	
3/27/2022 6:00	Normal	0.0	
3/27/2022 7:00	Normal	0.0	
3/27/2022 8:00	Normal	0.0	
3/27/2022 9:00	Normal	0.0	
3/27/2022 10:00	Normal	0.0	
3/27/2022 11:00	Normal	0.0	
3/27/2022 12:00	Normal	0.0	
3/27/2022 13:00	Normal	0.0	
3/27/2022 14:00	Normal	0.0	
3/27/2022 15:00	Normal	0.0	
3/27/2022 16:00	Normal	0.0	
3/27/2022 17:00	Normal	0.0	
3/27/2022 18:00	Normal	0.0	
3/27/2022 19:00	Normal	0.0	
3/27/2022 20:00	Normal	0.0	
3/27/2022 21:00	Normal	0.0	
3/27/2022 22:00	Normal	0.0	
3/27/2022 23:00	Normal	0.0	0.0
3/28/2022 0:00	Normal	0.0	
3/28/2022 1:00	Normal	0.0	
3/28/2022 2:00	Normal	0.0	
3/28/2022 3:00	Normal	0.0	
3/28/2022 4:00	Normal	0.0	
3/28/2022 5:00	Normal	0.0	
3/28/2022 6:00	Normal	0.0	
3/28/2022 7:00	Normal	0.0	
3/28/2022 8:00	Normal	0.0	
3/28/2022 9:00	Normal	0.0	
3/28/2022 10:00	Normal	0.0	
3/28/2022 11:00	Normal	0.0	
3/28/2022 12:00	Normal	0.0	
3/28/2022 13:00	Normal	0.0	
3/28/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/28/2022 15:00	Normal	0.0	
3/28/2022 16:00	Normal	0.0	
3/28/2022 17:00	Normal	0.0	
3/28/2022 18:00	Normal	0.0	
3/28/2022 19:00	Normal	0.0	
3/28/2022 20:00	Normal	0.0	
3/28/2022 21:00	Normal	0.0	
3/28/2022 22:00	Normal	0.0	
3/28/2022 23:00	Normal	0.0	0.0
3/29/2022 0:00	Normal	0.0	
3/29/2022 1:00	Normal	0.0	
3/29/2022 2:00	Normal	0.0	
3/29/2022 3:00	Normal	0.0	
3/29/2022 4:00	Normal	0.0	
3/29/2022 5:00	Normal	0.0	
3/29/2022 6:00	Normal	0.0	
3/29/2022 7:00	Normal	0.0	
3/29/2022 8:00	Normal	0.0	
3/29/2022 9:00	Normal	0.0	
3/29/2022 10:00	Normal	0.0	
3/29/2022 11:00	Normal	0.0	
3/29/2022 12:00	Normal	0.0	
3/29/2022 13:00	Normal	0.0	
3/29/2022 14:00	Normal	0.0	
3/29/2022 15:00	Normal	0.0	
3/29/2022 16:00	Normal	0.0	
3/29/2022 17:00	Normal	0.0	
3/29/2022 18:00	Normal	0.0	
3/29/2022 19:00	Normal	0.0	
3/29/2022 20:00	Normal	0.0	
3/29/2022 21:00	Normal	0.0	
3/29/2022 22:00	Normal	0.0	
3/29/2022 23:00	Normal	0.0	0.0
3/30/2022 0:00	Normal	0.0	
3/30/2022 1:00	Normal	0.0	
3/30/2022 2:00	Normal	0.0	
3/30/2022 3:00	Normal	0.0	
3/30/2022 4:00	Normal	0.0	
3/30/2022 5:00	Normal	0.0	
3/30/2022 6:00	Normal	0.0	
3/30/2022 7:00	Normal	0.0	
3/30/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/30/2022 9:00	Normal	0.0	
3/30/2022 10:00	Normal	0.0	
3/30/2022 11:00	Normal	0.0	
3/30/2022 12:00	Normal	0.0	
3/30/2022 13:00	Normal	0.0	
3/30/2022 14:00	Normal	0.0	
3/30/2022 15:00	Normal	0.0	
3/30/2022 16:00	Normal	0.0	
3/30/2022 17:00	Normal	0.0	
3/30/2022 18:00	Normal	0.0	
3/30/2022 19:00	Normal	0.0	
3/30/2022 20:00	Normal	0.0	
3/30/2022 21:00	Normal	0.0	
3/30/2022 22:00	Normal	0.0	
3/30/2022 23:00	Normal	0.0	0.0
3/31/2022 0:00	Normal	0.0	
3/31/2022 1:00	Normal	0.0	
3/31/2022 2:00	Normal	0.0	
3/31/2022 3:00	Normal	0.0	
3/31/2022 4:00	Normal	0.0	
3/31/2022 5:00	Normal	0.0	
3/31/2022 6:00	Normal	0.0	
3/31/2022 7:00	Normal	0.0	
3/31/2022 8:00	Normal	0.0	
3/31/2022 9:00	Normal	0.0	
3/31/2022 10:00	Normal	0.0	
3/31/2022 11:00	Normal	0.0	
3/31/2022 12:00	Normal	0.0	
3/31/2022 13:00	Normal	0.0	
3/31/2022 14:00	Normal	0.0	
3/31/2022 15:00	Normal	0.0	
3/31/2022 16:00	Normal	0.0	
3/31/2022 17:00	Normal	0.0	
3/31/2022 18:00	Normal	0.0	
3/31/2022 19:00	Normal	0.0	
3/31/2022 20:00	Normal	0.0	
3/31/2022 21:00	Normal	0.0	
3/31/2022 22:00	Normal	0.0	
3/31/2022 23:00	Normal	0.0	0.0
4/1/2022 0:00	Normal	0.0	
4/1/2022 1:00	Normal	0.0	
4/1/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/1/2022 3:00	Normal	0.0	
4/1/2022 4:00	Normal	0.0	
4/1/2022 5:00	Normal	0.0	
4/1/2022 6:00	Normal	0.0	
4/1/2022 7:00	Normal	0.0	
4/1/2022 8:00	Normal	0.0	
4/1/2022 9:00	Normal	0.0	
4/1/2022 10:00	Normal	0.0	
4/1/2022 11:00	Normal	0.0	
4/1/2022 12:00	Normal	0.0	
4/1/2022 13:00	Normal	0.0	
4/1/2022 14:00	Normal	0.0	
4/1/2022 15:00	Normal	0.0	
4/1/2022 16:00	Normal	0.0	
4/1/2022 17:00	Normal	0.0	
4/1/2022 18:00	Normal	0.0	
4/1/2022 19:00	Normal	0.0	
4/1/2022 20:00	Normal	0.0	
4/1/2022 21:00	Normal	0.0	
4/1/2022 22:00	Normal	0.0	
4/1/2022 23:00	Normal	0.0	0.0
4/2/2022 0:00	Normal	0.0	
4/2/2022 1:00	Normal	0.0	
4/2/2022 2:00	Normal	0.0	
4/2/2022 3:00	Normal	0.0	
4/2/2022 4:00	Normal	0.0	
4/2/2022 5:00	Normal	0.0	
4/2/2022 6:00	Normal	0.0	
4/2/2022 7:00	Normal	0.0	
4/2/2022 8:00	Normal	0.0	
4/2/2022 9:00	Normal	0.0	
4/2/2022 10:00	Normal	0.0	
4/2/2022 11:00	Normal	0.0	
4/2/2022 12:00	Normal	0.0	
4/2/2022 13:00	Normal	0.0	
4/2/2022 14:00	Normal	0.0	
4/2/2022 15:00	Normal	0.0	
4/2/2022 16:00	Normal	0.0	
4/2/2022 17:00	Normal	0.0	
4/2/2022 18:00	Normal	0.0	
4/2/2022 19:00	Normal	0.0	
4/2/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/2/2022 21:00	Normal	0.0	
4/2/2022 22:00	Normal	0.0	
4/2/2022 23:00	Normal	0.0	0.0
4/3/2022 0:00	Normal	0.0	
4/3/2022 1:00	Normal	0.0	
4/3/2022 2:00	Normal	0.0	
4/3/2022 3:00	Normal	0.0	
4/3/2022 4:00	Normal	0.0	
4/3/2022 5:00	Normal	0.0	
4/3/2022 6:00	Normal	0.0	
4/3/2022 7:00	Normal	0.0	
4/3/2022 8:00	Normal	0.0	
4/3/2022 9:00	Normal	0.0	
4/3/2022 10:00	Normal	0.0	
4/3/2022 11:00	Normal	0.0	
4/3/2022 12:00	Normal	0.0	
4/3/2022 13:00	Normal	0.0	
4/3/2022 14:00	Normal	0.0	
4/3/2022 15:00	Normal	0.0	
4/3/2022 16:00	Normal	0.0	
4/3/2022 17:00	Normal	0.0	
4/3/2022 18:00	Normal	0.0	
4/3/2022 19:00	Normal	0.0	
4/3/2022 20:00	Normal	0.0	
4/3/2022 21:00	Normal	0.0	
4/3/2022 22:00	Normal	0.0	
4/3/2022 23:00	Normal	0.0	0.0
4/4/2022 0:00	Normal	0.0	
4/4/2022 1:00	Normal	0.0	
4/4/2022 2:00	Normal	0.0	
4/4/2022 3:00	Normal	0.0	
4/4/2022 4:00	Normal	0.0	
4/4/2022 5:00	Normal	0.0	
4/4/2022 6:00	Normal	0.0	
4/4/2022 7:00	Normal	0.0	
4/4/2022 8:00	Normal	0.0	
4/4/2022 9:00	Normal	0.0	
4/4/2022 10:00	Normal	0.0	
4/4/2022 11:00	Normal	0.0	
4/4/2022 12:00	Normal	0.0	
4/4/2022 13:00	Normal	0.0	
4/4/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/4/2022 15:00	Normal	0.0	
4/4/2022 16:00	Normal	0.0	
4/4/2022 17:00	Normal	0.0	
4/4/2022 18:00	Normal	0.0	
4/4/2022 19:00	Normal	0.0	
4/4/2022 20:00	Normal	0.0	
4/4/2022 21:00	Normal	0.0	
4/4/2022 22:00	Normal	0.0	
4/4/2022 23:00	Normal	0.0	0.0
4/5/2022 0:00	Normal	0.0	
4/5/2022 1:00	Normal	0.0	
4/5/2022 2:00	Normal	0.0	
4/5/2022 3:00	Normal	0.0	
4/5/2022 4:00	Normal	0.0	
4/5/2022 5:00	Normal	0.0	
4/5/2022 6:00	Normal	0.0	
4/5/2022 7:00	Normal	0.0	
4/5/2022 8:00	Normal	0.0	
4/5/2022 9:00	Normal	0.0	
4/5/2022 10:00	Normal	0.0	
4/5/2022 11:00	Normal	0.0	
4/5/2022 12:00	Normal	0.0	
4/5/2022 13:00	Normal	0.0	
4/5/2022 14:00	Normal	0.0	
4/5/2022 15:00	Normal	0.0	
4/5/2022 16:00	Normal	0.0	
4/5/2022 17:00	Normal	0.0	
4/5/2022 18:00	Normal	0.0	
4/5/2022 19:00	Normal	0.0	
4/5/2022 20:00	Normal	0.0	
4/5/2022 21:00	Normal	0.0	
4/5/2022 22:00	Normal	0.0	
4/5/2022 23:00	Normal	0.0	0.0
4/6/2022 0:00	Normal	0.0	
4/6/2022 1:00	Normal	0.0	
4/6/2022 2:00	Normal	0.0	
4/6/2022 3:00	Normal	0.0	
4/6/2022 4:00	Normal	0.0	
4/6/2022 5:00	Normal	0.0	
4/6/2022 6:00	Normal	0.0	
4/6/2022 7:00	Normal	0.0	
4/6/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/6/2022 9:00	Normal	0.0	
4/6/2022 10:00	Normal	0.0	
4/6/2022 11:00	Normal	0.0	
4/6/2022 12:00	Normal	0.0	
4/6/2022 13:00	Normal	0.0	
4/6/2022 14:00	Normal	0.0	
4/6/2022 15:00	Normal	0.0	
4/6/2022 16:00	Normal	0.0	
4/6/2022 17:00	Normal	0.0	
4/6/2022 18:00	Normal	0.0	
4/6/2022 19:00	Normal	0.0	
4/6/2022 20:00	Normal	0.0	
4/6/2022 21:00	Normal	0.0	
4/6/2022 22:00	Normal	0.0	
4/6/2022 23:00	Normal	0.0	0.0
4/7/2022 0:00	Normal	0.0	
4/7/2022 1:00	Normal	0.0	
4/7/2022 2:00	Normal	0.0	
4/7/2022 3:00	Normal	0.0	
4/7/2022 4:00	Normal	0.0	
4/7/2022 5:00	Normal	0.0	
4/7/2022 6:00	Normal	0.0	
4/7/2022 7:00	Normal	0.0	
4/7/2022 8:00	Normal	0.0	
4/7/2022 9:00	Normal	0.0	
4/7/2022 10:00	Normal	0.0	
4/7/2022 11:00	Normal	0.0	
4/7/2022 12:00	Normal	0.0	
4/7/2022 13:00	Normal	0.0	
4/7/2022 14:00	Normal	0.0	
4/7/2022 15:00	Normal	0.0	
4/7/2022 16:00	Normal	0.0	
4/7/2022 17:00	Normal	0.0	
4/7/2022 18:00	Normal	0.0	
4/7/2022 19:00	Normal	0.0	
4/7/2022 20:00	Normal	0.0	
4/7/2022 21:00	Normal	0.0	
4/7/2022 22:00	Normal	0.0	
4/7/2022 23:00	Normal	0.0	0.0
4/8/2022 0:00	Normal	0.0	
4/8/2022 1:00	Normal	0.0	
4/8/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/8/2022 3:00	Normal	0.0	
4/8/2022 4:00	Normal	0.0	
4/8/2022 5:00	Normal	0.0	
4/8/2022 6:00	Normal	0.0	
4/8/2022 7:00	Normal	0.0	
4/8/2022 8:00	Normal	0.0	
4/8/2022 9:00	Normal	0.0	
4/8/2022 10:00	Normal	0.0	
4/8/2022 11:00	Normal	0.0	
4/8/2022 12:00	Normal	0.0	
4/8/2022 13:00	Normal	0.0	
4/8/2022 14:00	Normal	0.0	
4/8/2022 15:00	Normal	0.0	
4/8/2022 16:00	Normal	0.0	
4/8/2022 17:00	Normal	0.0	
4/8/2022 18:00	Normal	0.0	
4/8/2022 19:00	Normal	0.0	
4/8/2022 20:00	Normal	0.0	
4/8/2022 21:00	Normal	0.0	
4/8/2022 22:00	Normal	0.0	
4/8/2022 23:00	Normal	0.0	0.0
4/9/2022 0:00	Normal	0.0	
4/9/2022 1:00	Normal	0.0	
4/9/2022 2:00	Normal	0.0	
4/9/2022 3:00	Normal	0.0	
4/9/2022 4:00	Normal	0.0	
4/9/2022 5:00	Normal	0.0	
4/9/2022 6:00	Normal	0.0	
4/9/2022 7:00	Normal	0.0	
4/9/2022 8:00	Normal	0.0	
4/9/2022 9:00	Normal	0.0	
4/9/2022 10:00	Normal	0.0	
4/9/2022 11:00	Normal	0.0	
4/9/2022 12:00	Normal	0.0	
4/9/2022 13:00	Normal	0.0	
4/9/2022 14:00	Normal	0.0	
4/9/2022 15:00	Normal	0.0	
4/9/2022 16:00	Normal	0.0	
4/9/2022 17:00	Normal	0.0	
4/9/2022 18:00	Normal	0.0	
4/9/2022 19:00	Normal	0.0	
4/9/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/9/2022 21:00	Normal	0.0	
4/9/2022 22:00	Normal	0.0	
4/9/2022 23:00	Normal	0.0	0.0
4/10/2022 0:00	Normal	0.0	
4/10/2022 1:00	Normal	0.0	
4/10/2022 2:00	Normal	0.0	
4/10/2022 3:00	Normal	0.0	
4/10/2022 4:00	Normal	0.0	
4/10/2022 5:00	Normal	0.0	
4/10/2022 6:00	Normal	0.0	
4/10/2022 7:00	Normal	0.0	
4/10/2022 8:00	Normal	0.0	
4/10/2022 9:00	Normal	0.0	
4/10/2022 10:00	Normal	0.0	
4/10/2022 11:00	Normal	0.0	
4/10/2022 12:00	Normal	0.0	
4/10/2022 13:00	Normal	0.0	
4/10/2022 14:00	Normal	0.0	
4/10/2022 15:00	Normal	0.0	
4/10/2022 16:00	Normal	0.0	
4/10/2022 17:00	Normal	0.0	
4/10/2022 18:00	Normal	0.0	
4/10/2022 19:00	Normal	0.0	
4/10/2022 20:00	Normal	0.0	
4/10/2022 21:00	Normal	0.0	
4/10/2022 22:00	Normal	0.0	
4/10/2022 23:00	Normal	0.0	0.0
4/11/2022 0:00	Normal	0.0	
4/11/2022 1:00	Normal	0.0	
4/11/2022 2:00	Normal	0.0	
4/11/2022 3:00	Normal	0.0	
4/11/2022 4:00	Normal	0.0	
4/11/2022 5:00	Normal	0.0	
4/11/2022 6:00	Normal	0.0	
4/11/2022 7:00	Normal	0.0	
4/11/2022 8:00	Normal	0.0	
4/11/2022 9:00	Normal	0.0	
4/11/2022 10:00	Normal	0.0	
4/11/2022 11:00	Normal	0.0	
4/11/2022 12:00	Normal	0.0	
4/11/2022 13:00	Normal	0.0	
4/11/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/11/2022 15:00	Normal	0.0	
4/11/2022 16:00	Normal	0.0	
4/11/2022 17:00	Normal	0.0	
4/11/2022 18:00	Normal	0.0	
4/11/2022 19:00	Normal	0.0	
4/11/2022 20:00	Normal	0.0	
4/11/2022 21:00	Normal	0.0	
4/11/2022 22:00	Normal	0.0	
4/11/2022 23:00	Normal	0.0	0.0
4/12/2022 0:00	Normal	0.0	
4/12/2022 1:00	Normal	0.0	
4/12/2022 2:00	Normal	0.0	
4/12/2022 3:00	Normal	0.0	
4/12/2022 4:00	Normal	0.0	
4/12/2022 5:00	Normal	0.0	
4/12/2022 6:00	Normal	0.0	
4/12/2022 7:00	Normal	0.0	
4/12/2022 8:00	Normal	0.0	
4/12/2022 9:00	Normal	0.0	
4/12/2022 10:00	Normal	0.0	
4/12/2022 11:00	Normal	0.0	
4/12/2022 12:00	Normal	0.0	
4/12/2022 13:00	Normal	0.0	
4/12/2022 14:00	Normal	0.0	
4/12/2022 15:00	Normal	0.0	
4/12/2022 16:00	Normal	0.0	
4/12/2022 17:00	Normal	0.0	
4/12/2022 18:00	Normal	0.0	
4/12/2022 19:00	Normal	0.0	
4/12/2022 20:00	Normal	0.0	
4/12/2022 21:00	Normal	0.0	
4/12/2022 22:00	Normal	0.0	
4/12/2022 23:00	Normal	0.0	0.0
4/13/2022 0:00	Normal	0.0	
4/13/2022 1:00	Normal	0.0	
4/13/2022 2:00	Normal	0.0	
4/13/2022 3:00	Normal	0.0	
4/13/2022 4:00	Normal	0.0	
4/13/2022 5:00	Normal	0.0	
4/13/2022 6:00	Normal	0.0	
4/13/2022 7:00	Normal	0.0	
4/13/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/13/2022 9:00	Normal	0.0	
4/13/2022 10:00	Normal	0.0	
4/13/2022 11:00	Normal	0.0	
4/13/2022 12:00	Normal	0.0	
4/13/2022 13:00	Normal	0.0	
4/13/2022 14:00	Normal	0.0	
4/13/2022 15:00	Normal	0.0	
4/13/2022 16:00	Normal	0.0	
4/13/2022 17:00	Normal	0.0	
4/13/2022 18:00	Normal	0.0	
4/13/2022 19:00	Normal	0.0	
4/13/2022 20:00	Normal	0.0	
4/13/2022 21:00	Normal	0.0	
4/13/2022 22:00	Normal	0.0	
4/13/2022 23:00	Normal	0.0	0.0
4/14/2022 0:00	Normal	0.0	
4/14/2022 1:00	Normal	0.0	
4/14/2022 2:00	Normal	0.0	
4/14/2022 3:00	Normal	0.0	
4/14/2022 4:00	Normal	0.0	
4/14/2022 5:00	Normal	0.0	
4/14/2022 6:00	Normal	0.0	
4/14/2022 7:00	Normal	0.0	
4/14/2022 8:00	Normal	0.0	
4/14/2022 9:00	Normal	0.0	
4/14/2022 10:00	Normal	0.0	
4/14/2022 11:00	Normal	0.0	
4/14/2022 12:00	Normal	0.0	
4/14/2022 13:00	Normal	0.0	
4/14/2022 14:00	Normal	0.0	
4/14/2022 15:00	Normal	0.0	
4/14/2022 16:00	Normal	0.0	
4/14/2022 17:00	Normal	0.0	
4/14/2022 18:00	Normal	0.0	
4/14/2022 19:00	Normal	0.0	
4/14/2022 20:00	Normal	0.0	
4/14/2022 21:00	Normal	0.0	
4/14/2022 22:00	Normal	0.0	
4/14/2022 23:00	Normal	0.0	0.0
4/15/2022 0:00	Normal	0.0	
4/15/2022 1:00	Normal	0.0	
4/15/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/15/2022 3:00	Normal	0.0	
4/15/2022 4:00	Normal	0.0	
4/15/2022 5:00	Normal	0.0	
4/15/2022 6:00	Normal	0.0	
4/15/2022 7:00	Normal	0.0	
4/15/2022 8:00	Normal	0.0	
4/15/2022 9:00	Normal	0.0	
4/15/2022 10:00	Normal	0.0	
4/15/2022 11:00	Normal	0.0	
4/15/2022 12:00	Normal	0.0	
4/15/2022 13:00	Normal	0.0	
4/15/2022 14:00	Normal	0.0	
4/15/2022 15:00	Normal	0.0	
4/15/2022 16:00	Normal	0.0	
4/15/2022 17:00	Normal	0.0	
4/15/2022 18:00	Normal	0.0	
4/15/2022 19:00	Normal	0.0	
4/15/2022 20:00	Normal	0.0	
4/15/2022 21:00	Normal	0.0	
4/15/2022 22:00	Normal	0.0	
4/15/2022 23:00	Normal	0.0	0.0
4/16/2022 0:00	Normal	0.0	
4/16/2022 1:00	Normal	0.0	
4/16/2022 2:00	Normal	0.0	
4/16/2022 3:00	Normal	0.0	
4/16/2022 4:00	Normal	0.0	
4/16/2022 5:00	Normal	0.0	
4/16/2022 6:00	Normal	0.0	
4/16/2022 7:00	Normal	0.0	
4/16/2022 8:00	Normal	0.0	
4/16/2022 9:00	Normal	0.0	
4/16/2022 10:00	Normal	0.0	
4/16/2022 11:00	Normal	0.0	
4/16/2022 12:00	Normal	0.0	
4/16/2022 13:00	Normal	0.0	
4/16/2022 14:00	Normal	0.0	
4/16/2022 15:00	Normal	0.0	
4/16/2022 16:00	Normal	0.0	
4/16/2022 17:00	Normal	0.0	
4/16/2022 18:00	Normal	0.0	
4/16/2022 19:00	Normal	0.0	
4/16/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/16/2022 21:00	Normal	0.0	
4/16/2022 22:00	Normal	0.0	
4/16/2022 23:00	Normal	0.0	0.0
4/17/2022 0:00	Normal	0.0	
4/17/2022 1:00	Normal	0.0	
4/17/2022 2:00	Normal	0.0	
4/17/2022 3:00	Normal	0.0	
4/17/2022 4:00	Normal	0.0	
4/17/2022 5:00	Normal	0.0	
4/17/2022 6:00	Normal	0.0	
4/17/2022 7:00	Normal	0.0	
4/17/2022 8:00	Normal	0.0	
4/17/2022 9:00	Normal	0.0	
4/17/2022 10:00	Normal	0.0	
4/17/2022 11:00	Normal	0.0	
4/17/2022 12:00	Normal	0.0	
4/17/2022 13:00	Normal	0.0	
4/17/2022 14:00	Normal	0.0	
4/17/2022 15:00	Normal	0.0	
4/17/2022 16:00	Normal	0.0	
4/17/2022 17:00	Normal	0.0	
4/17/2022 18:00	Normal	0.0	
4/17/2022 19:00	Normal	0.0	
4/17/2022 20:00	Normal	0.0	
4/17/2022 21:00	Normal	0.0	
4/17/2022 22:00	Normal	0.0	
4/17/2022 23:00	Normal	0.0	0.0
4/18/2022 0:00	Normal	0.0	
4/18/2022 1:00	Normal	0.0	
4/18/2022 2:00	Normal	0.0	
4/18/2022 3:00	Normal	0.0	
4/18/2022 4:00	Normal	0.0	
4/18/2022 5:00	Normal	0.0	
4/18/2022 6:00	Normal	0.0	
4/18/2022 7:00	Normal	0.0	
4/18/2022 8:00	Normal	0.0	
4/18/2022 9:00	Normal	0.0	
4/18/2022 10:00	Normal	0.0	
4/18/2022 11:00	Normal	0.0	
4/18/2022 12:00	Normal	0.0	
4/18/2022 13:00	Normal	0.0	
4/18/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/18/2022 15:00	Normal	0.0	
4/18/2022 16:00	Normal	0.0	
4/18/2022 17:00	Normal	0.0	
4/18/2022 18:00	Normal	0.0	
4/18/2022 19:00	Normal	0.0	
4/18/2022 20:00	Normal	0.0	
4/18/2022 21:00	Normal	0.0	
4/18/2022 22:00	Normal	0.0	
4/18/2022 23:00	Normal	0.0	0.0
4/19/2022 0:00	Normal	0.0	
4/19/2022 1:00	Normal	0.0	
4/19/2022 2:00	Normal	0.0	
4/19/2022 3:00	Normal	0.0	
4/19/2022 4:00	Normal	0.0	
4/19/2022 5:00	Normal	0.0	
4/19/2022 6:00	Normal	0.0	
4/19/2022 7:00	Normal	0.0	
4/19/2022 8:00	Normal	0.0	
4/19/2022 9:00	Normal	0.0	
4/19/2022 10:00	Normal	0.0	
4/19/2022 11:00	Normal	0.0	
4/19/2022 12:00	Normal	0.0	
4/19/2022 13:00	Normal	0.0	
4/19/2022 14:00	Normal	0.0	
4/19/2022 15:00	Normal	0.0	
4/19/2022 16:00	Normal	0.0	
4/19/2022 17:00	Normal	0.0	
4/19/2022 18:00	Normal	0.0	
4/19/2022 19:00	Normal	0.0	
4/19/2022 20:00	Normal	0.0	
4/19/2022 21:00	Normal	0.0	
4/19/2022 22:00	Normal	0.0	
4/19/2022 23:00	Normal	0.0	0.0
4/20/2022 0:00	Normal	0.0	
4/20/2022 1:00	Normal	0.0	
4/20/2022 2:00	Normal	0.0	
4/20/2022 3:00	Normal	0.0	
4/20/2022 4:00	Normal	0.0	
4/20/2022 5:00	Normal	0.0	
4/20/2022 6:00	Normal	0.0	
4/20/2022 7:00	Normal	0.0	
4/20/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/20/2022 9:00	Normal	0.0	
4/20/2022 10:00	Normal	0.0	
4/20/2022 11:00	Normal	0.0	
4/20/2022 12:00	Normal	0.0	
4/20/2022 13:00	Normal	0.0	
4/20/2022 14:00	Normal	0.0	
4/20/2022 15:00	Normal	0.0	
4/20/2022 16:00	Normal	0.0	
4/20/2022 17:00	Normal	0.0	
4/20/2022 18:00	Normal	0.0	
4/20/2022 19:00	Normal	0.0	
4/20/2022 20:00	Normal	0.0	
4/20/2022 21:00	Normal	0.0	
4/20/2022 22:00	Normal	0.0	
4/20/2022 23:00	Normal	0.0	0.0
4/21/2022 0:00	Normal	0.0	
4/21/2022 1:00	Normal	0.0	
4/21/2022 2:00	Normal	0.0	
4/21/2022 3:00	Normal	0.0	
4/21/2022 4:00	Normal	0.0	
4/21/2022 5:00	Normal	0.0	
4/21/2022 6:00	Normal	0.0	
4/21/2022 7:00	Normal	0.0	
4/21/2022 8:00	Normal	0.0	
4/21/2022 9:00	Normal	0.0	
4/21/2022 10:00	Normal	0.0	
4/21/2022 11:00	Normal	0.0	
4/21/2022 12:00	Normal	0.0	
4/21/2022 13:00	Normal	0.0	
4/21/2022 14:00	Normal	0.0	
4/21/2022 15:00	Normal	0.0	
4/21/2022 16:00	Normal	0.0	
4/21/2022 17:00	Normal	0.0	
4/21/2022 18:00	Normal	0.0	
4/21/2022 19:00	Normal	0.0	
4/21/2022 20:00	Normal	0.0	
4/21/2022 21:00	Normal	0.0	
4/21/2022 22:00	Normal	0.0	
4/21/2022 23:00	Normal	0.0	0.0
4/22/2022 0:00	Normal	0.0	
4/22/2022 1:00	Normal	0.0	
4/22/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/22/2022 3:00	Normal	0.0	
4/22/2022 4:00	Normal	0.0	
4/22/2022 5:00	Normal	0.0	
4/22/2022 6:00	Normal	0.0	
4/22/2022 7:00	Normal	0.0	
4/22/2022 8:00	Normal	0.0	
4/22/2022 9:00	Normal	0.0	
4/22/2022 10:00	Normal	0.0	
4/22/2022 11:00	Normal	0.0	
4/22/2022 12:00	Normal	0.0	
4/22/2022 13:00	Normal	0.0	
4/22/2022 14:00	Normal	0.0	
4/22/2022 15:00	Normal	0.0	
4/22/2022 16:00	Normal	0.0	
4/22/2022 17:00	Normal	0.0	
4/22/2022 18:00	Normal	0.0	
4/22/2022 19:00	Normal	0.0	
4/22/2022 20:00	Normal	0.0	
4/22/2022 21:00	Normal	0.0	
4/22/2022 22:00	Normal	0.0	
4/22/2022 23:00	Normal	0.0	0.0
4/23/2022 0:00	Normal	0.0	
4/23/2022 1:00	Normal	0.0	
4/23/2022 2:00	Normal	0.0	
4/23/2022 3:00	Normal	0.0	
4/23/2022 4:00	Normal	0.0	
4/23/2022 5:00	Normal	0.0	
4/23/2022 6:00	Normal	0.0	
4/23/2022 7:00	Normal	0.0	
4/23/2022 8:00	Normal	0.0	
4/23/2022 9:00	Normal	0.0	
4/23/2022 10:00	Normal	0.0	
4/23/2022 11:00	Normal	0.0	
4/23/2022 12:00	Normal	0.0	
4/23/2022 13:00	Normal	0.0	
4/23/2022 14:00	Normal	0.0	
4/23/2022 15:00	Normal	0.0	
4/23/2022 16:00	Normal	0.0	
4/23/2022 17:00	Normal	0.0	
4/23/2022 18:00	Normal	0.0	
4/23/2022 19:00	Normal	0.0	
4/23/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/23/2022 21:00	Normal	0.0	
4/23/2022 22:00	Normal	0.0	
4/23/2022 23:00	Normal	0.0	0.0
4/24/2022 0:00	Normal	0.0	
4/24/2022 1:00	Normal	0.0	
4/24/2022 2:00	Normal	0.0	
4/24/2022 3:00	Normal	0.0	
4/24/2022 4:00	Normal	0.0	
4/24/2022 5:00	Normal	0.0	
4/24/2022 6:00	Normal	0.0	
4/24/2022 7:00	Normal	0.0	
4/24/2022 8:00	Normal	0.0	
4/24/2022 9:00	Normal	0.0	
4/24/2022 10:00	Normal	0.0	
4/24/2022 11:00	Normal	0.0	
4/24/2022 12:00	Normal	0.0	
4/24/2022 13:00	Normal	0.0	
4/24/2022 14:00	Normal	0.0	
4/24/2022 15:00	Normal	0.0	
4/24/2022 16:00	Normal	0.0	
4/24/2022 17:00	Normal	0.0	
4/24/2022 18:00	Normal	0.0	
4/24/2022 19:00	Normal	0.0	
4/24/2022 20:00	Normal	0.0	
4/24/2022 21:00	Normal	0.0	
4/24/2022 22:00	Normal	0.0	
4/24/2022 23:00	Normal	0.0	0.0
4/25/2022 0:00	Normal	0.0	
4/25/2022 1:00	Normal	0.0	
4/25/2022 2:00	Normal	0.0	
4/25/2022 3:00	Normal	0.0	
4/25/2022 4:00	Normal	0.0	
4/25/2022 5:00	Normal	0.0	
4/25/2022 6:00	Normal	0.0	
4/25/2022 7:00	Normal	0.0	
4/25/2022 8:00	Normal	0.0	
4/25/2022 9:00	Normal	0.0	
4/25/2022 10:00	Normal	0.0	
4/25/2022 11:00	Normal	0.0	
4/25/2022 12:00	Normal	0.0	
4/25/2022 13:00	Normal	0.0	
4/25/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/25/2022 15:00	Normal	0.0	
4/25/2022 16:00	Normal	0.0	
4/25/2022 17:00	Normal	0.0	
4/25/2022 18:00	Normal	0.0	
4/25/2022 19:00	Normal	0.0	
4/25/2022 20:00	Normal	0.0	
4/25/2022 21:00	Normal	0.0	
4/25/2022 22:00	Normal	0.0	
4/25/2022 23:00	Normal	0.0	0.0
4/26/2022 0:00	Normal	0.0	
4/26/2022 1:00	Normal	0.0	
4/26/2022 2:00	Normal	0.0	
4/26/2022 3:00	Normal	0.0	
4/26/2022 4:00	Normal	0.0	
4/26/2022 5:00	Normal	0.0	
4/26/2022 6:00	Normal	0.0	
4/26/2022 7:00	Normal	0.0	
4/26/2022 8:00	Normal	0.0	
4/26/2022 9:00	Normal	0.0	
4/26/2022 10:00	Normal	0.0	
4/26/2022 11:00	Normal	0.0	
4/26/2022 12:00	Normal	0.0	
4/26/2022 13:00	Normal	0.0	
4/26/2022 14:00	Normal	0.0	
4/26/2022 15:00	Normal	0.0	
4/26/2022 16:00	Normal	0.0	
4/26/2022 17:00	Normal	0.0	
4/26/2022 18:00	Normal	0.0	
4/26/2022 19:00	Normal	0.0	
4/26/2022 20:00	Normal	0.0	
4/26/2022 21:00	Normal	0.0	
4/26/2022 22:00	Normal	0.0	
4/26/2022 23:00	Normal	0.0	0.0
4/27/2022 0:00	Normal	0.0	
4/27/2022 1:00	Normal	0.0	
4/27/2022 2:00	Normal	0.0	
4/27/2022 3:00	Normal	0.0	
4/27/2022 4:00	Normal	0.0	
4/27/2022 5:00	Normal	0.0	
4/27/2022 6:00	Normal	0.0	
4/27/2022 7:00	Normal	0.0	
4/27/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/27/2022 9:00	Normal	0.0	
4/27/2022 10:00	Normal	0.0	
4/27/2022 11:00	Normal	0.0	
4/27/2022 12:00	Normal	0.0	
4/27/2022 13:00	Normal	0.0	
4/27/2022 14:00	Normal	0.0	
4/27/2022 15:00	Normal	0.0	
4/27/2022 16:00	Normal	0.0	
4/27/2022 17:00	Normal	0.0	
4/27/2022 18:00	Normal	0.0	
4/27/2022 19:00	Normal	0.0	
4/27/2022 20:00	Normal	0.0	
4/27/2022 21:00	Normal	0.0	
4/27/2022 22:00	Normal	0.0	
4/27/2022 23:00	Normal	0.0	0.0
4/28/2022 0:00	Normal	0.0	
4/28/2022 1:00	Normal	0.0	
4/28/2022 2:00	Normal	0.0	
4/28/2022 3:00	Normal	0.0	
4/28/2022 4:00	Normal	0.0	
4/28/2022 5:00	Normal	0.0	
4/28/2022 6:00	Normal	0.0	
4/28/2022 7:00	Normal	0.0	
4/28/2022 8:00	Normal	0.0	
4/28/2022 9:00	Normal	0.0	
4/28/2022 10:00	Normal	0.0	
4/28/2022 11:00	Normal	0.0	
4/28/2022 12:00	Normal	0.0	
4/28/2022 13:00	Normal	0.0	
4/28/2022 14:00	Normal	0.0	
4/28/2022 15:00	Normal	0.0	
4/28/2022 16:00	Normal	0.0	
4/28/2022 17:00	Normal	0.0	
4/28/2022 18:00	Normal	0.0	
4/28/2022 19:00	Normal	0.0	
4/28/2022 20:00	Normal	0.0	
4/28/2022 21:00	Normal	0.0	
4/28/2022 22:00	Normal	0.0	
4/28/2022 23:00	Normal	0.0	0.0
4/29/2022 0:00	Normal	0.0	
4/29/2022 1:00	Normal	0.0	
4/29/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/29/2022 3:00	Normal	0.0	
4/29/2022 4:00	Normal	0.0	
4/29/2022 5:00	Normal	0.0	
4/29/2022 6:00	Normal	0.0	
4/29/2022 7:00	Normal	0.0	
4/29/2022 8:00	Normal	0.0	
4/29/2022 9:00	Normal	0.0	
4/29/2022 10:00	Normal	0.0	
4/29/2022 11:00	Normal	0.0	
4/29/2022 12:00	Normal	0.0	
4/29/2022 13:00	Normal	0.0	
4/29/2022 14:00	Normal	0.0	
4/29/2022 15:00	Normal	0.0	
4/29/2022 16:00	Normal	0.0	
4/29/2022 17:00	Normal	0.0	
4/29/2022 18:00	Normal	0.0	
4/29/2022 19:00	Normal	0.0	
4/29/2022 20:00	Normal	0.0	
4/29/2022 21:00	Normal	0.0	
4/29/2022 22:00	Normal	0.0	
4/29/2022 23:00	Normal	0.0	0.0
4/30/2022 0:00	Normal	0.0	
4/30/2022 1:00	Normal	0.0	
4/30/2022 2:00	Normal	0.0	
4/30/2022 3:00	Normal	0.0	
4/30/2022 4:00	Normal	0.0	
4/30/2022 5:00	Normal	0.0	
4/30/2022 6:00	Normal	0.0	
4/30/2022 7:00	Normal	0.0	
4/30/2022 8:00	Normal	0.0	
4/30/2022 9:00	Normal	0.0	
4/30/2022 10:00	Normal	0.0	
4/30/2022 11:00	Normal	0.0	
4/30/2022 12:00	Normal	0.0	
4/30/2022 13:00	Normal	0.0	
4/30/2022 14:00	Normal	0.0	
4/30/2022 15:00	Normal	0.0	
4/30/2022 16:00	Normal	0.0	
4/30/2022 17:00	Normal	0.0	
4/30/2022 18:00	Normal	0.0	
4/30/2022 19:00	Normal	0.0	
4/30/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/30/2022 21:00	Normal	0.0	
4/30/2022 22:00	Normal	0.0	
4/30/2022 23:00	Normal	0.0	0.0
5/1/2022 0:00	Normal	0.0	
5/1/2022 1:00	Normal	0.0	
5/1/2022 2:00	Normal	0.0	
5/1/2022 3:00	Normal	0.0	
5/1/2022 4:00	Normal	0.0	
5/1/2022 5:00	Normal	0.0	
5/1/2022 6:00	Normal	0.0	
5/1/2022 7:00	Normal	0.0	
5/1/2022 8:00	Normal	0.0	
5/1/2022 9:00	Normal	0.0	
5/1/2022 10:00	Normal	0.0	
5/1/2022 11:00	Normal	0.0	
5/1/2022 12:00	Normal	0.0	
5/1/2022 13:00	Normal	0.0	
5/1/2022 14:00	Normal	0.0	
5/1/2022 15:00	Normal	0.0	
5/1/2022 16:00	Normal	0.0	
5/1/2022 17:00	Normal	0.0	
5/1/2022 18:00	Normal	0.0	
5/1/2022 19:00	Normal	0.0	
5/1/2022 20:00	Normal	0.0	
5/1/2022 21:00	Normal	0.0	
5/1/2022 22:00	Normal	0.0	
5/1/2022 23:00	Normal	0.0	0.0
5/2/2022 0:00	Normal	0.0	
5/2/2022 1:00	Normal	0.0	
5/2/2022 2:00	Normal	0.0	
5/2/2022 3:00	Normal	0.0	
5/2/2022 4:00	Normal	0.0	
5/2/2022 5:00	Normal	0.0	
5/2/2022 6:00	Normal	0.0	
5/2/2022 7:00	Normal	0.0	
5/2/2022 8:00	Normal	0.0	
5/2/2022 9:00	Normal	0.0	
5/2/2022 10:00	Normal	0.0	
5/2/2022 11:00	Normal	0.0	
5/2/2022 12:00	Normal	0.0	
5/2/2022 13:00	Normal	0.0	
5/2/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/2/2022 15:00	Normal	0.0	
5/2/2022 16:00	Normal	0.0	
5/2/2022 17:00	Normal	0.0	
5/2/2022 18:00	Normal	0.0	
5/2/2022 19:00	Normal	0.0	
5/2/2022 20:00	Normal	0.0	
5/2/2022 21:00	Normal	0.0	
5/2/2022 22:00	Normal	0.0	
5/2/2022 23:00	Normal	0.0	0.0
5/3/2022 0:00	Normal	0.0	
5/3/2022 1:00	Normal	0.0	
5/3/2022 2:00	Normal	0.0	
5/3/2022 3:00	Normal	0.0	
5/3/2022 4:00	Normal	0.0	
5/3/2022 5:00	Normal	0.0	
5/3/2022 6:00	Normal	0.0	
5/3/2022 7:00	Normal	0.0	
5/3/2022 8:00	Normal	0.0	
5/3/2022 9:00	Normal	0.0	
5/3/2022 10:00	Normal	0.0	
5/3/2022 11:00	Normal	0.0	
5/3/2022 12:00	Normal	0.0	
5/3/2022 13:00	Normal	0.0	
5/3/2022 14:00	Normal	0.0	
5/3/2022 15:00	Normal	0.0	
5/3/2022 16:00	Normal	0.0	
5/3/2022 17:00	Normal	0.0	
5/3/2022 18:00	Normal	0.0	
5/3/2022 19:00	Normal	0.0	
5/3/2022 20:00	Normal	0.0	
5/3/2022 21:00	Normal	0.0	
5/3/2022 22:00	Normal	0.0	
5/3/2022 23:00	Normal	0.0	0.0
5/4/2022 0:00	Normal	0.0	
5/4/2022 1:00	Normal	0.0	
5/4/2022 2:00	Normal	0.0	
5/4/2022 3:00	Normal	0.0	
5/4/2022 4:00	Normal	0.0	
5/4/2022 5:00	Normal	0.0	
5/4/2022 6:00	Normal	0.0	
5/4/2022 7:00	Normal	0.0	
5/4/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/4/2022 9:00	Normal	0.0	
5/4/2022 10:00	Normal	0.0	
5/4/2022 11:00	Normal	0.0	
5/4/2022 12:00	Normal	0.0	
5/4/2022 13:00	Normal	0.0	
5/4/2022 14:00	Normal	0.0	
5/4/2022 15:00	Normal	0.0	
5/4/2022 16:00	Normal	0.0	
5/4/2022 17:00	Normal	0.0	
5/4/2022 18:00	Normal	0.0	
5/4/2022 19:00	Normal	0.0	
5/4/2022 20:00	Normal	0.0	
5/4/2022 21:00	Normal	0.0	
5/4/2022 22:00	Normal	0.0	
5/4/2022 23:00	Normal	0.0	0.0
5/5/2022 0:00	Normal	0.0	
5/5/2022 1:00	Normal	0.0	
5/5/2022 2:00	Normal	0.0	
5/5/2022 3:00	Normal	0.0	
5/5/2022 4:00	Normal	0.0	
5/5/2022 5:00	Normal	0.0	
5/5/2022 6:00	Normal	0.0	
5/5/2022 7:00	Normal	0.0	
5/5/2022 8:00	Normal	0.0	
5/5/2022 9:00	Normal	0.0	
5/5/2022 10:00	Normal	0.0	
5/5/2022 11:00	Normal	0.0	
5/5/2022 12:00	Normal	0.0	
5/5/2022 13:00	Normal	0.0	
5/5/2022 14:00	Normal	0.0	
5/5/2022 15:00	Normal	0.0	
5/5/2022 16:00	Normal	0.0	
5/5/2022 17:00	Normal	0.0	
5/5/2022 18:00	Normal	0.0	
5/5/2022 19:00	Normal	0.0	
5/5/2022 20:00	Normal	0.0	
5/5/2022 21:00	Normal	0.0	
5/5/2022 22:00	Normal	0.0	
5/5/2022 23:00	Normal	0.0	0.0
5/6/2022 0:00	Normal	0.0	
5/6/2022 1:00	Normal	0.0	
5/6/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/6/2022 3:00	Normal	0.0	
5/6/2022 4:00	Normal	0.0	
5/6/2022 5:00	Normal	0.0	
5/6/2022 6:00	Normal	0.0	
5/6/2022 7:00	Normal	0.0	
5/6/2022 8:00	Normal	0.0	
5/6/2022 9:00	Normal	0.0	
5/6/2022 10:00	Normal	0.0	
5/6/2022 11:00	Normal	0.0	
5/6/2022 12:00	Normal	0.0	
5/6/2022 13:00	Normal	0.0	
5/6/2022 14:00	Normal	0.0	
5/6/2022 15:00	Normal	0.0	
5/6/2022 16:00	Normal	0.0	
5/6/2022 17:00	Normal	0.0	
5/6/2022 18:00	Normal	0.0	
5/6/2022 19:00	Normal	0.0	
5/6/2022 20:00	Normal	0.0	
5/6/2022 21:00	Normal	0.0	
5/6/2022 22:00	Normal	0.0	
5/6/2022 23:00	Normal	0.0	0.0
5/7/2022 0:00	Normal	0.0	
5/7/2022 1:00	Normal	0.0	
5/7/2022 2:00	Normal	0.0	
5/7/2022 3:00	Normal	0.0	
5/7/2022 4:00	Normal	0.0	
5/7/2022 5:00	Normal	0.0	
5/7/2022 6:00	Normal	0.0	
5/7/2022 7:00	Normal	0.0	
5/7/2022 8:00	Normal	0.0	
5/7/2022 9:00	Normal	0.0	
5/7/2022 10:00	Normal	0.0	
5/7/2022 11:00	Normal	0.0	
5/7/2022 12:00	Normal	0.0	
5/7/2022 13:00	Normal	0.0	
5/7/2022 14:00	Normal	0.0	
5/7/2022 15:00	Normal	0.0	
5/7/2022 16:00	Normal	0.0	
5/7/2022 17:00	Normal	0.0	
5/7/2022 18:00	Normal	0.0	
5/7/2022 19:00	Normal	0.0	
5/7/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/7/2022 21:00	Normal	0.0	
5/7/2022 22:00	Normal	0.0	
5/7/2022 23:00	Normal	0.0	0.0
5/8/2022 0:00	Normal	0.0	
5/8/2022 1:00	Normal	0.0	
5/8/2022 2:00	Normal	0.0	
5/8/2022 3:00	Normal	0.0	
5/8/2022 4:00	Normal	0.0	
5/8/2022 5:00	Normal	0.0	
5/8/2022 6:00	Normal	0.0	
5/8/2022 7:00	Normal	0.0	
5/8/2022 8:00	Normal	0.0	
5/8/2022 9:00	Normal	0.0	
5/8/2022 10:00	Normal	0.0	
5/8/2022 11:00	Normal	0.0	
5/8/2022 12:00	Normal	0.0	
5/8/2022 13:00	Normal	0.0	
5/8/2022 14:00	Normal	0.0	
5/8/2022 15:00	Normal	0.0	
5/8/2022 16:00	Normal	0.0	
5/8/2022 17:00	Normal	0.0	
5/8/2022 18:00	Normal	0.0	
5/8/2022 19:00	Normal	0.0	
5/8/2022 20:00	Normal	0.0	
5/8/2022 21:00	Normal	0.0	
5/8/2022 22:00	Normal	0.0	
5/8/2022 23:00	Normal	0.0	0.0
5/9/2022 0:00	Normal	0.0	
5/9/2022 1:00	Normal	0.0	
5/9/2022 2:00	Normal	0.0	
5/9/2022 3:00	Normal	0.0	
5/9/2022 4:00	Normal	0.0	
5/9/2022 5:00	Normal	0.0	
5/9/2022 6:00	Normal	0.0	
5/9/2022 7:00	Normal	0.0	
5/9/2022 8:00	Normal	0.0	
5/9/2022 9:00	Normal	0.0	
5/9/2022 10:00	Normal	0.0	
5/9/2022 11:00	Normal	0.0	
5/9/2022 12:00	Normal	0.0	
5/9/2022 13:00	Normal	0.0	
5/9/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/9/2022 15:00	Normal	0.0	
5/9/2022 16:00	Normal	0.0	
5/9/2022 17:00	Normal	0.0	
5/9/2022 18:00	Normal	0.0	
5/9/2022 19:00	Normal	0.0	
5/9/2022 20:00	Normal	0.0	
5/9/2022 21:00	Normal	0.0	
5/9/2022 22:00	Normal	0.0	
5/9/2022 23:00	Normal	0.0	0.0
5/10/2022 0:00	Normal	0.0	
5/10/2022 1:00	Normal	0.0	
5/10/2022 2:00	Normal	0.0	
5/10/2022 3:00	Normal	0.0	
5/10/2022 4:00	Normal	0.0	
5/10/2022 5:00	Normal	0.0	
5/10/2022 6:00	Normal	0.0	
5/10/2022 7:00	Normal	0.0	
5/10/2022 8:00	Normal	0.0	
5/10/2022 9:00	Normal	0.0	
5/10/2022 10:00	Malfunction	86.2	
5/10/2022 11:00	Malfunction	26.1	
5/10/2022 12:00	Malfunction	23.8	
5/10/2022 13:00	Normal	0.0	
5/10/2022 14:00	Normal	0.0	
5/10/2022 15:00	Normal	0.0	
5/10/2022 16:00	Normal	0.0	
5/10/2022 17:00	Normal	0.0	
5/10/2022 18:00	Normal	0.0	
5/10/2022 19:00	Normal	0.0	
5/10/2022 20:00	Normal	0.0	
5/10/2022 21:00	Normal	0.0	
5/10/2022 22:00	Normal	0.0	
5/10/2022 23:00	Normal	0.0	0.2
5/11/2022 0:00	Normal	0.0	
5/11/2022 1:00	Normal	0.0	
5/11/2022 2:00	Normal	0.0	
5/11/2022 3:00	Normal	0.0	
5/11/2022 4:00	Normal	0.0	
5/11/2022 5:00	Normal	0.0	
5/11/2022 6:00	Normal	0.0	
5/11/2022 7:00	Normal	0.0	
5/11/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/11/2022 9:00	Normal	0.0	
5/11/2022 10:00	Normal	0.0	
5/11/2022 11:00	Normal	0.0	
5/11/2022 12:00	Normal	0.0	
5/11/2022 13:00	Normal	0.0	
5/11/2022 14:00	Normal	0.0	
5/11/2022 15:00	Normal	0.0	
5/11/2022 16:00	Normal	0.0	
5/11/2022 17:00	Normal	0.0	
5/11/2022 18:00	Normal	0.0	
5/11/2022 19:00	Normal	0.0	
5/11/2022 20:00	Normal	0.0	
5/11/2022 21:00	Normal	0.0	
5/11/2022 22:00	Normal	0.0	
5/11/2022 23:00	Normal	0.0	0.2
5/12/2022 0:00	Normal	0.0	
5/12/2022 1:00	Normal	0.0	
5/12/2022 2:00	Normal	0.0	
5/12/2022 3:00	Normal	0.0	
5/12/2022 4:00	Normal	0.0	
5/12/2022 5:00	Normal	0.0	
5/12/2022 6:00	Normal	0.0	
5/12/2022 7:00	Normal	0.0	
5/12/2022 8:00	Normal	0.0	
5/12/2022 9:00	Normal	0.0	
5/12/2022 10:00	Normal	0.0	
5/12/2022 11:00	Normal	0.0	
5/12/2022 12:00	Normal	0.0	
5/12/2022 13:00	Normal	0.0	
5/12/2022 14:00	Normal	0.0	
5/12/2022 15:00	Normal	0.0	
5/12/2022 16:00	Normal	0.0	
5/12/2022 17:00	Normal	0.0	
5/12/2022 18:00	Normal	0.0	
5/12/2022 19:00	Normal	0.0	
5/12/2022 20:00	Normal	0.0	
5/12/2022 21:00	Normal	0.0	
5/12/2022 22:00	Normal	0.0	
5/12/2022 23:00	Normal	0.0	0.2
5/13/2022 0:00	Normal	0.0	
5/13/2022 1:00	Normal	0.0	
5/13/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/13/2022 3:00	Normal	0.0	
5/13/2022 4:00	Normal	0.0	
5/13/2022 5:00	Normal	0.0	
5/13/2022 6:00	Normal	0.0	
5/13/2022 7:00	Normal	0.0	
5/13/2022 8:00	Normal	0.0	
5/13/2022 9:00	Normal	0.0	
5/13/2022 10:00	Normal	0.0	
5/13/2022 11:00	Normal	0.0	
5/13/2022 12:00	Normal	0.0	
5/13/2022 13:00	Normal	0.0	
5/13/2022 14:00	Normal	0.0	
5/13/2022 15:00	Normal	0.0	
5/13/2022 16:00	Normal	0.0	
5/13/2022 17:00	Normal	0.0	
5/13/2022 18:00	Normal	0.0	
5/13/2022 19:00	Normal	0.0	
5/13/2022 20:00	Normal	0.0	
5/13/2022 21:00	Normal	0.0	
5/13/2022 22:00	Normal	0.0	
5/13/2022 23:00	Normal	0.0	0.2
5/14/2022 0:00	Normal	0.0	
5/14/2022 1:00	Normal	0.0	
5/14/2022 2:00	Normal	0.0	
5/14/2022 3:00	Normal	0.0	
5/14/2022 4:00	Normal	0.0	
5/14/2022 5:00	Normal	0.0	
5/14/2022 6:00	Normal	0.0	
5/14/2022 7:00	Normal	0.0	
5/14/2022 8:00	Normal	0.0	
5/14/2022 9:00	Normal	0.0	
5/14/2022 10:00	Normal	0.0	
5/14/2022 11:00	Normal	0.0	
5/14/2022 12:00	Normal	0.0	
5/14/2022 13:00	Normal	0.0	
5/14/2022 14:00	Normal	0.0	
5/14/2022 15:00	Normal	0.0	
5/14/2022 16:00	Normal	0.0	
5/14/2022 17:00	Normal	0.0	
5/14/2022 18:00	Normal	0.0	
5/14/2022 19:00	Normal	0.0	
5/14/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/14/2022 21:00	Normal	0.0	
5/14/2022 22:00	Normal	0.0	
5/14/2022 23:00	Normal	0.0	0.2
5/15/2022 0:00	Normal	0.0	
5/15/2022 1:00	Normal	0.0	
5/15/2022 2:00	Normal	0.0	
5/15/2022 3:00	Normal	0.0	
5/15/2022 4:00	Normal	0.0	
5/15/2022 5:00	Normal	0.0	
5/15/2022 6:00	Normal	0.0	
5/15/2022 7:00	Normal	0.0	
5/15/2022 8:00	Normal	0.0	
5/15/2022 9:00	Normal	0.0	
5/15/2022 10:00	Normal	0.0	
5/15/2022 11:00	Normal	0.0	
5/15/2022 12:00	Normal	0.0	
5/15/2022 13:00	Normal	0.0	
5/15/2022 14:00	Normal	0.0	
5/15/2022 15:00	Normal	0.0	
5/15/2022 16:00	Normal	0.0	
5/15/2022 17:00	Normal	0.0	
5/15/2022 18:00	Normal	0.0	
5/15/2022 19:00	Normal	0.0	
5/15/2022 20:00	Normal	0.0	
5/15/2022 21:00	Normal	0.0	
5/15/2022 22:00	Malfunction	20.1	
5/15/2022 23:00	Shutdown	565.1	1.0
5/16/2022 0:00	Shutdown	417.9	
5/16/2022 1:00	Shutdown	415.2	
5/16/2022 2:00	Shutdown	422.6	
5/16/2022 3:00	Shutdown	464.7	
5/16/2022 4:00	Shutdown	432.7	
5/16/2022 5:00	Shutdown	436.7	
5/16/2022 6:00	Shutdown	441.6	
5/16/2022 7:00	Shutdown	413.4	
5/16/2022 8:00	Shutdown	411.5	
5/16/2022 9:00	Shutdown	418.6	
5/16/2022 10:00	Shutdown	435.7	
5/16/2022 11:00	Shutdown	411.5	
5/16/2022 12:00	Shutdown	401.5	
5/16/2022 13:00	Shutdown	424.1	
5/16/2022 14:00	Shutdown	410.2	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/16/2022 15:00	Shutdown	814.6	
5/16/2022 16:00	Shutdown	503.2	
5/16/2022 17:00	Shutdown		
5/16/2022 18:00	Shutdown		
5/16/2022 19:00	Shutdown		
5/16/2022 20:00	Shutdown		
5/16/2022 21:00	Shutdown		
5/16/2022 22:00	Shutdown		
5/16/2022 23:00	Shutdown		11.8
5/17/2022 0:00	Shutdown		
5/17/2022 1:00	Shutdown		
5/17/2022 2:00	Shutdown		
5/17/2022 3:00	Shutdown		
5/17/2022 4:00	Shutdown		
5/17/2022 5:00	Shutdown		
5/17/2022 6:00	Shutdown		
5/17/2022 7:00	Shutdown		
5/17/2022 8:00	Shutdown		
5/17/2022 9:00	Shutdown		
5/17/2022 10:00	Shutdown		
5/17/2022 11:00	Shutdown		
5/17/2022 12:00	Shutdown		
5/17/2022 13:00	Shutdown		
5/17/2022 14:00	Shutdown		
5/17/2022 15:00	Shutdown		
5/17/2022 16:00	Shutdown		
5/17/2022 17:00	Shutdown		
5/17/2022 18:00	Startup	0.0	
5/17/2022 19:00	Startup	0.0	
5/17/2022 20:00	Startup	8.4	
5/17/2022 21:00	Startup	5.6	
5/17/2022 22:00	Startup	0.0	
5/17/2022 23:00	Startup	0.0	12.1
5/18/2022 0:00	Startup	0.0	
5/18/2022 1:00	Startup	0.0	
5/18/2022 2:00	Startup	0.0	
5/18/2022 3:00	Startup	0.0	
5/18/2022 4:00	Startup	0.0	
5/18/2022 5:00	Startup	0.0	
5/18/2022 6:00	Startup	0.0	
5/18/2022 7:00	Startup	0.0	
5/18/2022 8:00	Startup	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/18/2022 9:00	Startup	0.0	
5/18/2022 10:00	Startup	0.0	
5/18/2022 11:00	Startup	0.0	
5/18/2022 12:00	Startup	0.0	
5/18/2022 13:00	Startup	0.0	
5/18/2022 14:00	Startup	0.0	
5/18/2022 15:00	Startup	0.0	
5/18/2022 16:00	Startup	5.6	
5/18/2022 17:00	Normal	0.0	
5/18/2022 18:00	Normal	0.0	
5/18/2022 19:00	Normal	0.0	
5/18/2022 20:00	Normal	0.0	
5/18/2022 21:00	Normal	0.0	
5/18/2022 22:00	Normal	0.0	
5/18/2022 23:00	Normal	0.0	12.1
5/19/2022 0:00	Normal	0.0	
5/19/2022 1:00	Normal	0.0	
5/19/2022 2:00	Normal	0.0	
5/19/2022 3:00	Normal	0.0	
5/19/2022 4:00	Normal	0.0	
5/19/2022 5:00	Normal	0.0	
5/19/2022 6:00	Normal	0.0	
5/19/2022 7:00	Normal	0.0	
5/19/2022 8:00	Normal	0.0	
5/19/2022 9:00	Normal	0.0	
5/19/2022 10:00	Normal	0.0	
5/19/2022 11:00	Normal	0.0	
5/19/2022 12:00	Normal	0.0	
5/19/2022 13:00	Normal	0.0	
5/19/2022 14:00	Normal	0.0	
5/19/2022 15:00	Normal	0.0	
5/19/2022 16:00	Normal	0.0	
5/19/2022 17:00	Normal	0.0	
5/19/2022 18:00	Normal	0.0	
5/19/2022 19:00	Normal	0.0	
5/19/2022 20:00	Normal	0.0	
5/19/2022 21:00	Normal	0.0	
5/19/2022 22:00	Normal	0.0	
5/19/2022 23:00	Normal	0.0	12.1
5/20/2022 0:00	Normal	0.0	
5/20/2022 1:00	Normal	0.0	
5/20/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/20/2022 3:00	Normal	0.0	
5/20/2022 4:00	Normal	0.0	
5/20/2022 5:00	Normal	0.0	
5/20/2022 6:00	Normal	0.0	
5/20/2022 7:00	Normal	0.0	
5/20/2022 8:00	Normal	0.0	
5/20/2022 9:00	Normal	0.0	
5/20/2022 10:00	Normal	0.0	
5/20/2022 11:00	Normal	0.0	
5/20/2022 12:00	Normal	0.0	
5/20/2022 13:00	Normal	0.0	
5/20/2022 14:00	Normal	0.0	
5/20/2022 15:00	Normal	0.0	
5/20/2022 16:00	Normal	0.0	
5/20/2022 17:00	Normal	0.0	
5/20/2022 18:00	Normal	0.0	
5/20/2022 19:00	Normal	0.0	
5/20/2022 20:00	Normal	0.0	
5/20/2022 21:00	Normal	0.0	
5/20/2022 22:00	Normal	0.0	
5/20/2022 23:00	Normal	0.0	12.1
5/21/2022 0:00	Normal	0.0	
5/21/2022 1:00	Normal	0.0	
5/21/2022 2:00	Normal	0.0	
5/21/2022 3:00	Normal	0.0	
5/21/2022 4:00	Normal	0.0	
5/21/2022 5:00	Normal	0.0	
5/21/2022 6:00	Normal	0.0	
5/21/2022 7:00	Normal	0.0	
5/21/2022 8:00	Normal	0.0	
5/21/2022 9:00	Normal	0.0	
5/21/2022 10:00	Normal	0.0	
5/21/2022 11:00	Normal	0.0	
5/21/2022 12:00	Normal	0.0	
5/21/2022 13:00	Normal	0.0	
5/21/2022 14:00	Normal	0.0	
5/21/2022 15:00	Normal	0.0	
5/21/2022 16:00	Normal	0.0	
5/21/2022 17:00	Normal	0.0	
5/21/2022 18:00	Normal	0.0	
5/21/2022 19:00	Normal	0.0	
5/21/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/21/2022 21:00	Normal	0.0	
5/21/2022 22:00	Normal	0.0	
5/21/2022 23:00	Normal	0.0	12.1
5/22/2022 0:00	Normal	0.0	
5/22/2022 1:00	Normal	0.0	
5/22/2022 2:00	Normal	0.0	
5/22/2022 3:00	Normal	0.0	
5/22/2022 4:00	Normal	0.0	
5/22/2022 5:00	Normal	0.0	
5/22/2022 6:00	Normal	0.0	
5/22/2022 7:00	Normal	0.0	
5/22/2022 8:00	Normal	0.0	
5/22/2022 9:00	Normal	0.0	
5/22/2022 10:00	Normal	0.0	
5/22/2022 11:00	Normal	0.0	
5/22/2022 12:00	Normal	0.0	
5/22/2022 13:00	Normal	0.0	
5/22/2022 14:00	Normal	0.0	
5/22/2022 15:00	Normal	0.0	
5/22/2022 16:00	Normal	0.0	
5/22/2022 17:00	Normal	0.0	
5/22/2022 18:00	Normal	0.0	
5/22/2022 19:00	Normal	0.0	
5/22/2022 20:00	Normal	0.0	
5/22/2022 21:00	Normal	0.0	
5/22/2022 22:00	Normal	0.0	
5/22/2022 23:00	Normal	0.0	12.1
5/23/2022 0:00	Normal	0.0	
5/23/2022 1:00	Normal	0.0	
5/23/2022 2:00	Normal	0.0	
5/23/2022 3:00	Normal	0.0	
5/23/2022 4:00	Normal	0.0	
5/23/2022 5:00	Normal	0.0	
5/23/2022 6:00	Normal	0.0	
5/23/2022 7:00	Normal	0.0	
5/23/2022 8:00	Normal	0.0	
5/23/2022 9:00	Normal	0.0	
5/23/2022 10:00	Normal	0.0	
5/23/2022 11:00	Normal	0.0	
5/23/2022 12:00	Normal	0.0	
5/23/2022 13:00	Normal	0.0	
5/23/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/23/2022 15:00	Normal	0.0	
5/23/2022 16:00	Normal	0.0	
5/23/2022 17:00	Normal	0.0	
5/23/2022 18:00	Normal	0.0	
5/23/2022 19:00	Normal	0.0	
5/23/2022 20:00	Normal	0.0	
5/23/2022 21:00	Normal	0.0	
5/23/2022 22:00	Normal	0.0	
5/23/2022 23:00	Normal	0.0	12.1
5/24/2022 0:00	Normal	0.0	
5/24/2022 1:00	Normal	0.0	
5/24/2022 2:00	Normal	0.0	
5/24/2022 3:00	Normal	0.0	
5/24/2022 4:00	Normal	0.0	
5/24/2022 5:00	Normal	0.0	
5/24/2022 6:00	Normal	0.0	
5/24/2022 7:00	Normal	0.0	
5/24/2022 8:00	Normal	0.0	
5/24/2022 9:00	Normal	0.0	
5/24/2022 10:00	Normal	0.0	
5/24/2022 11:00	Normal	0.0	
5/24/2022 12:00	Normal	0.0	
5/24/2022 13:00	Normal	0.0	
5/24/2022 14:00	Normal	0.0	
5/24/2022 15:00	Normal	0.0	
5/24/2022 16:00	Normal	0.0	
5/24/2022 17:00	Normal	0.0	
5/24/2022 18:00	Normal	0.0	
5/24/2022 19:00	Normal	0.0	
5/24/2022 20:00	Normal	0.0	
5/24/2022 21:00	Normal	0.0	
5/24/2022 22:00	Normal	0.0	
5/24/2022 23:00	Normal	0.0	12.1
5/25/2022 0:00	Normal	0.0	
5/25/2022 1:00	Normal	0.0	
5/25/2022 2:00	Normal	0.0	
5/25/2022 3:00	Normal	0.0	
5/25/2022 4:00	Normal	0.0	
5/25/2022 5:00	Normal	0.0	
5/25/2022 6:00	Normal	0.0	
5/25/2022 7:00	Normal	0.0	
5/25/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/25/2022 9:00	Normal	0.0	
5/25/2022 10:00	Normal	0.0	
5/25/2022 11:00	Normal	0.0	
5/25/2022 12:00	Normal	0.0	
5/25/2022 13:00	Normal	0.0	
5/25/2022 14:00	Normal	0.0	
5/25/2022 15:00	Normal	0.0	
5/25/2022 16:00	Normal	0.0	
5/25/2022 17:00	Normal	0.0	
5/25/2022 18:00	Normal	0.0	
5/25/2022 19:00	Normal	0.0	
5/25/2022 20:00	Normal	0.0	
5/25/2022 21:00	Normal	0.0	
5/25/2022 22:00	Normal	0.0	
5/25/2022 23:00	Normal	0.0	12.1
5/26/2022 0:00	Normal	0.0	
5/26/2022 1:00	Normal	0.0	
5/26/2022 2:00	Normal	0.0	
5/26/2022 3:00	Normal	0.0	
5/26/2022 4:00	Normal	0.0	
5/26/2022 5:00	Normal	0.0	
5/26/2022 6:00	Normal	0.0	
5/26/2022 7:00	Normal	0.0	
5/26/2022 8:00	Normal	0.0	
5/26/2022 9:00	Normal	0.0	
5/26/2022 10:00	Normal	0.0	
5/26/2022 11:00	Normal	0.0	
5/26/2022 12:00	Normal	0.0	
5/26/2022 13:00	Normal	0.0	
5/26/2022 14:00	Normal	0.0	
5/26/2022 15:00	Normal	0.0	
5/26/2022 16:00	Normal	0.0	
5/26/2022 17:00	Normal	0.0	
5/26/2022 18:00	Normal	0.0	
5/26/2022 19:00	Normal	0.0	
5/26/2022 20:00	Normal	0.0	
5/26/2022 21:00	Normal	0.0	
5/26/2022 22:00	Normal	0.0	
5/26/2022 23:00	Normal	0.0	12.1
5/27/2022 0:00	Normal	0.0	
5/27/2022 1:00	Normal	0.0	
5/27/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/27/2022 3:00	Normal	0.0	
5/27/2022 4:00	Normal	0.0	
5/27/2022 5:00	Normal	0.0	
5/27/2022 6:00	Normal	0.0	
5/27/2022 7:00	Normal	0.0	
5/27/2022 8:00	Normal	0.0	
5/27/2022 9:00	Normal	0.0	
5/27/2022 10:00	Normal	0.0	
5/27/2022 11:00	Normal	0.0	
5/27/2022 12:00	Normal	0.0	
5/27/2022 13:00	Normal	0.0	
5/27/2022 14:00	Normal	0.0	
5/27/2022 15:00	Normal	0.0	
5/27/2022 16:00	Normal	0.0	
5/27/2022 17:00	Normal	0.0	
5/27/2022 18:00	Normal	0.0	
5/27/2022 19:00	Normal	0.0	
5/27/2022 20:00	Normal	0.0	
5/27/2022 21:00	Normal	0.0	
5/27/2022 22:00	Normal	0.0	
5/27/2022 23:00	Normal	0.0	12.1
5/28/2022 0:00	Normal	0.0	
5/28/2022 1:00	Normal	0.0	
5/28/2022 2:00	Normal	0.0	
5/28/2022 3:00	Normal	0.0	
5/28/2022 4:00	Normal	0.0	
5/28/2022 5:00	Normal	0.0	
5/28/2022 6:00	Normal	0.0	
5/28/2022 7:00	Normal	0.0	
5/28/2022 8:00	Normal	0.0	
5/28/2022 9:00	Normal	0.0	
5/28/2022 10:00	Normal	0.0	
5/28/2022 11:00	Normal	0.0	
5/28/2022 12:00	Normal	0.0	
5/28/2022 13:00	Normal	0.0	
5/28/2022 14:00	Normal	0.0	
5/28/2022 15:00	Normal	0.0	
5/28/2022 16:00	Normal	0.0	
5/28/2022 17:00	Normal	0.0	
5/28/2022 18:00	Normal	0.0	
5/28/2022 19:00	Normal	0.0	
5/28/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/28/2022 21:00	Normal	0.0	
5/28/2022 22:00	Normal	0.0	
5/28/2022 23:00	Normal	0.0	12.1
5/29/2022 0:00	Normal	0.0	
5/29/2022 1:00	Normal	0.0	
5/29/2022 2:00	Normal	0.0	
5/29/2022 3:00	Normal	0.0	
5/29/2022 4:00	Normal	0.0	
5/29/2022 5:00	Normal	0.0	
5/29/2022 6:00	Normal	0.0	
5/29/2022 7:00	Normal	0.0	
5/29/2022 8:00	Normal	0.0	
5/29/2022 9:00	Normal	0.0	
5/29/2022 10:00	Normal	0.0	
5/29/2022 11:00	Normal	0.0	
5/29/2022 12:00	Normal	0.0	
5/29/2022 13:00	Normal	0.0	
5/29/2022 14:00	Normal	0.0	
5/29/2022 15:00	Normal	0.0	
5/29/2022 16:00	Normal	0.0	
5/29/2022 17:00	Normal	0.0	
5/29/2022 18:00	Normal	0.0	
5/29/2022 19:00	Normal	0.0	
5/29/2022 20:00	Normal	0.0	
5/29/2022 21:00	Normal	0.0	
5/29/2022 22:00	Normal	0.0	
5/29/2022 23:00	Normal	0.0	12.1
5/30/2022 0:00	Normal	0.0	
5/30/2022 1:00	Normal	0.0	
5/30/2022 2:00	Normal	0.0	
5/30/2022 3:00	Normal	0.0	
5/30/2022 4:00	Normal	0.0	
5/30/2022 5:00	Normal	0.0	
5/30/2022 6:00	Normal	0.0	
5/30/2022 7:00	Normal	0.0	
5/30/2022 8:00	Normal	0.0	
5/30/2022 9:00	Normal	0.0	
5/30/2022 10:00	Normal	0.0	
5/30/2022 11:00	Normal	0.0	
5/30/2022 12:00	Normal	0.0	
5/30/2022 13:00	Normal	0.0	
5/30/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/30/2022 15:00	Normal	0.0	
5/30/2022 16:00	Normal	0.0	
5/30/2022 17:00	Normal	0.0	
5/30/2022 18:00	Normal	0.0	
5/30/2022 19:00	Normal	0.0	
5/30/2022 20:00	Normal	0.0	
5/30/2022 21:00	Normal	0.0	
5/30/2022 22:00	Normal	0.0	
5/30/2022 23:00	Normal	0.0	12.1
5/31/2022 0:00	Normal	0.0	
5/31/2022 1:00	Normal	0.0	
5/31/2022 2:00	Normal	0.0	
5/31/2022 3:00	Normal	0.0	
5/31/2022 4:00	Normal	0.0	
5/31/2022 5:00	Normal	0.0	
5/31/2022 6:00	Normal	0.0	
5/31/2022 7:00	Normal	0.0	
5/31/2022 8:00	Normal	0.0	
5/31/2022 9:00	Normal	0.0	
5/31/2022 10:00	Normal	0.0	
5/31/2022 11:00	Normal	0.0	
5/31/2022 12:00	Normal	0.0	
5/31/2022 13:00	Normal	0.0	
5/31/2022 14:00	Normal	0.0	
5/31/2022 15:00	Normal	0.0	
5/31/2022 16:00	Normal	0.0	
5/31/2022 17:00	Normal	0.0	
5/31/2022 18:00	Normal	0.0	
5/31/2022 19:00	Normal	0.0	
5/31/2022 20:00	Normal	0.0	
5/31/2022 21:00	Normal	0.0	
5/31/2022 22:00	Normal	0.0	
5/31/2022 23:00	Normal	0.0	12.1
6/1/2022 0:00	Normal	0.0	
6/1/2022 1:00	Normal	0.0	
6/1/2022 2:00	Normal	0.0	
6/1/2022 3:00	Normal	0.0	
6/1/2022 4:00	Normal	0.0	
6/1/2022 5:00	Normal	0.0	
6/1/2022 6:00	Normal	0.0	
6/1/2022 7:00	Normal	0.0	
6/1/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/1/2022 9:00	Normal	0.0	
6/1/2022 10:00	Normal	0.0	
6/1/2022 11:00	Normal	0.0	
6/1/2022 12:00	Normal	0.0	
6/1/2022 13:00	Normal	0.0	
6/1/2022 14:00	Normal	0.0	
6/1/2022 15:00	Normal	0.0	
6/1/2022 16:00	Normal	0.0	
6/1/2022 17:00	Normal	0.0	
6/1/2022 18:00	Normal	0.0	
6/1/2022 19:00	Normal	0.0	
6/1/2022 20:00	Normal	0.0	
6/1/2022 21:00	Normal	0.0	
6/1/2022 22:00	Normal	0.0	
6/1/2022 23:00	Normal	0.0	12.1
6/2/2022 0:00	Normal	0.0	
6/2/2022 1:00	Normal	0.0	
6/2/2022 2:00	Normal	0.0	
6/2/2022 3:00	Normal	0.0	
6/2/2022 4:00	Normal	0.0	
6/2/2022 5:00	Normal	0.0	
6/2/2022 6:00	Normal	0.0	
6/2/2022 7:00	Normal	0.0	
6/2/2022 8:00	Normal	0.0	
6/2/2022 9:00	Normal	0.0	
6/2/2022 10:00	Normal	0.0	
6/2/2022 11:00	Normal	0.0	
6/2/2022 12:00	Normal	0.0	
6/2/2022 13:00	Normal	0.0	
6/2/2022 14:00	Normal	0.0	
6/2/2022 15:00	Normal	0.0	
6/2/2022 16:00	Normal	0.0	
6/2/2022 17:00	Normal	0.0	
6/2/2022 18:00	Normal	0.0	
6/2/2022 19:00	Normal	0.0	
6/2/2022 20:00	Normal	0.0	
6/2/2022 21:00	Normal	0.0	
6/2/2022 22:00	Normal	0.0	
6/2/2022 23:00	Normal	0.0	12.1
6/3/2022 0:00	Normal	0.0	
6/3/2022 1:00	Normal	0.0	
6/3/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/3/2022 3:00	Normal	0.0	
6/3/2022 4:00	Normal	0.0	
6/3/2022 5:00	Normal	0.0	
6/3/2022 6:00	Normal	0.0	
6/3/2022 7:00	Normal	0.0	
6/3/2022 8:00	Normal	0.0	
6/3/2022 9:00	Normal	0.0	
6/3/2022 10:00	Normal	0.0	
6/3/2022 11:00	Normal	0.0	
6/3/2022 12:00	Normal	0.0	
6/3/2022 13:00	Normal	0.0	
6/3/2022 14:00	Normal	0.0	
6/3/2022 15:00	Normal	0.0	
6/3/2022 16:00	Normal	0.0	
6/3/2022 17:00	Normal	0.0	
6/3/2022 18:00	Normal	0.0	
6/3/2022 19:00	Normal	0.0	
6/3/2022 20:00	Normal	0.0	
6/3/2022 21:00	Normal	0.0	
6/3/2022 22:00	Normal	0.0	
6/3/2022 23:00	Normal	0.0	12.1
6/4/2022 0:00	Normal	0.0	
6/4/2022 1:00	Normal	0.0	
6/4/2022 2:00	Normal	0.0	
6/4/2022 3:00	Normal	0.0	
6/4/2022 4:00	Normal	0.0	
6/4/2022 5:00	Normal	0.0	
6/4/2022 6:00	Normal	0.0	
6/4/2022 7:00	Normal	0.0	
6/4/2022 8:00	Normal	0.0	
6/4/2022 9:00	Normal	0.0	
6/4/2022 10:00	Normal	0.0	
6/4/2022 11:00	Normal	0.0	
6/4/2022 12:00	Normal	0.0	
6/4/2022 13:00	Normal	0.0	
6/4/2022 14:00	Normal	0.0	
6/4/2022 15:00	Normal	0.0	
6/4/2022 16:00	Normal	0.0	
6/4/2022 17:00	Normal	0.0	
6/4/2022 18:00	Normal	0.0	
6/4/2022 19:00	Normal	0.0	
6/4/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/4/2022 21:00	Normal	0.0	
6/4/2022 22:00	Normal	0.0	
6/4/2022 23:00	Normal	0.0	12.1
6/5/2022 0:00	Normal	0.0	
6/5/2022 1:00	Normal	0.0	
6/5/2022 2:00	Normal	0.0	
6/5/2022 3:00	Normal	0.0	
6/5/2022 4:00	Normal	0.0	
6/5/2022 5:00	Normal	0.0	
6/5/2022 6:00	Normal	0.0	
6/5/2022 7:00	Normal	0.0	
6/5/2022 8:00	Normal	0.0	
6/5/2022 9:00	Normal	0.0	
6/5/2022 10:00	Normal	0.0	
6/5/2022 11:00	Normal	0.0	
6/5/2022 12:00	Normal	0.0	
6/5/2022 13:00	Normal	0.0	
6/5/2022 14:00	Normal	0.0	
6/5/2022 15:00	Normal	0.0	
6/5/2022 16:00	Normal	0.0	
6/5/2022 17:00	Normal	0.0	
6/5/2022 18:00	Normal	0.0	
6/5/2022 19:00	Normal	0.0	
6/5/2022 20:00	Normal	0.0	
6/5/2022 21:00	Normal	0.0	
6/5/2022 22:00	Normal	0.0	
6/5/2022 23:00	Normal	0.0	12.1
6/6/2022 0:00	Normal	0.0	
6/6/2022 1:00	Normal	0.0	
6/6/2022 2:00	Normal	0.0	
6/6/2022 3:00	Normal	0.0	
6/6/2022 4:00	Normal	0.0	
6/6/2022 5:00	Normal	0.0	
6/6/2022 6:00	Normal	0.0	
6/6/2022 7:00	Normal	0.0	
6/6/2022 8:00	Normal	0.0	
6/6/2022 9:00	Normal	0.0	
6/6/2022 10:00	Normal	0.0	
6/6/2022 11:00	Normal	0.0	
6/6/2022 12:00	Normal	0.0	
6/6/2022 13:00	Normal	0.0	
6/6/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/6/2022 15:00	Normal	0.0	
6/6/2022 16:00	Normal	0.0	
6/6/2022 17:00	Normal	0.0	
6/6/2022 18:00	Normal	0.0	
6/6/2022 19:00	Normal	0.0	
6/6/2022 20:00	Normal	0.0	
6/6/2022 21:00	Normal	0.0	
6/6/2022 22:00	Normal	0.0	
6/6/2022 23:00	Normal	0.0	12.1
6/7/2022 0:00	Normal	0.0	
6/7/2022 1:00	Normal	0.0	
6/7/2022 2:00	Normal	0.0	
6/7/2022 3:00	Normal	0.0	
6/7/2022 4:00	Normal	0.0	
6/7/2022 5:00	Normal	0.0	
6/7/2022 6:00	Normal	0.0	
6/7/2022 7:00	Normal	0.0	
6/7/2022 8:00	Normal	0.0	
6/7/2022 9:00	Normal	0.0	
6/7/2022 10:00	Normal	0.0	
6/7/2022 11:00	Normal	0.0	
6/7/2022 12:00	Normal	0.0	
6/7/2022 13:00	Normal	0.0	
6/7/2022 14:00	Normal	0.0	
6/7/2022 15:00	Normal	0.0	
6/7/2022 16:00	Normal	0.0	
6/7/2022 17:00	Normal	0.0	
6/7/2022 18:00	Normal	0.0	
6/7/2022 19:00	Normal	0.0	
6/7/2022 20:00	Normal	0.0	
6/7/2022 21:00	Normal	0.0	
6/7/2022 22:00	Normal	0.0	
6/7/2022 23:00	Normal	0.0	12.1
6/8/2022 0:00	Normal	0.0	
6/8/2022 1:00	Normal	0.0	
6/8/2022 2:00	Normal	0.0	
6/8/2022 3:00	Normal	0.0	
6/8/2022 4:00	Normal	0.0	
6/8/2022 5:00	Normal	0.0	
6/8/2022 6:00	Normal	0.0	
6/8/2022 7:00	Normal	0.0	
6/8/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/8/2022 9:00	Normal	0.0	
6/8/2022 10:00	Normal	0.0	
6/8/2022 11:00	Normal	0.0	
6/8/2022 12:00	Normal	0.0	
6/8/2022 13:00	Normal	0.0	
6/8/2022 14:00	Normal	0.0	
6/8/2022 15:00	Normal	0.0	
6/8/2022 16:00	Normal	0.0	
6/8/2022 17:00	Normal	0.0	
6/8/2022 18:00	Normal	0.0	
6/8/2022 19:00	Normal	0.0	
6/8/2022 20:00	Normal	0.0	
6/8/2022 21:00	Normal	0.0	
6/8/2022 22:00	Normal	0.0	
6/8/2022 23:00	Normal	0.0	12.1
6/9/2022 0:00	Normal	0.0	
6/9/2022 1:00	Normal	0.0	
6/9/2022 2:00	Normal	0.0	
6/9/2022 3:00	Normal	0.0	
6/9/2022 4:00	Normal	0.0	
6/9/2022 5:00	Normal	0.0	
6/9/2022 6:00	Normal	0.0	
6/9/2022 7:00	Normal	0.0	
6/9/2022 8:00	Normal	0.0	
6/9/2022 9:00	Normal	0.0	
6/9/2022 10:00	Normal	0.0	
6/9/2022 11:00	Normal	0.0	
6/9/2022 12:00	Normal	0.0	
6/9/2022 13:00	Normal	0.0	
6/9/2022 14:00	Normal	0.0	
6/9/2022 15:00	Normal	0.0	
6/9/2022 16:00	Normal	0.0	
6/9/2022 17:00	Normal	0.0	
6/9/2022 18:00	Normal	0.0	
6/9/2022 19:00	Normal	0.0	
6/9/2022 20:00	Normal	0.0	
6/9/2022 21:00	Normal	0.0	
6/9/2022 22:00	Normal	0.0	
6/9/2022 23:00	Normal	0.0	11.9
6/10/2022 0:00	Normal	0.0	
6/10/2022 1:00	Normal	0.0	
6/10/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/10/2022 3:00	Normal	0.0	
6/10/2022 4:00	Normal	0.0	
6/10/2022 5:00	Normal	0.0	
6/10/2022 6:00	Normal	0.0	
6/10/2022 7:00	Normal	0.0	
6/10/2022 8:00	Normal	0.0	
6/10/2022 9:00	Normal	0.0	
6/10/2022 10:00	Normal	0.0	
6/10/2022 11:00	Normal	0.0	
6/10/2022 12:00	Normal	0.0	
6/10/2022 13:00	Normal	0.0	
6/10/2022 14:00	Normal	0.0	
6/10/2022 15:00	Normal	0.0	
6/10/2022 16:00	Normal	0.0	
6/10/2022 17:00	Normal	0.0	
6/10/2022 18:00	Normal	0.0	
6/10/2022 19:00	Normal	0.0	
6/10/2022 20:00	Normal	0.0	
6/10/2022 21:00	Normal	0.0	
6/10/2022 22:00	Normal	0.0	
6/10/2022 23:00	Normal	0.0	11.9
6/11/2022 0:00	Normal	0.0	
6/11/2022 1:00	Normal	0.0	
6/11/2022 2:00	Normal	0.0	
6/11/2022 3:00	Normal	0.0	
6/11/2022 4:00	Normal	0.0	
6/11/2022 5:00	Normal	0.0	
6/11/2022 6:00	Normal	0.0	
6/11/2022 7:00	Normal	0.0	
6/11/2022 8:00	Normal	0.0	
6/11/2022 9:00	Normal	0.0	
6/11/2022 10:00	Normal	0.0	
6/11/2022 11:00	Normal	0.0	
6/11/2022 12:00	Normal	0.0	
6/11/2022 13:00	Normal	0.0	
6/11/2022 14:00	Normal	0.0	
6/11/2022 15:00	Normal	0.0	
6/11/2022 16:00	Normal	0.0	
6/11/2022 17:00	Normal	0.0	
6/11/2022 18:00	Normal	0.0	
6/11/2022 19:00	Normal	0.0	
6/11/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/11/2022 21:00	Normal	0.0	
6/11/2022 22:00	Normal	0.0	
6/11/2022 23:00	Normal	0.0	11.9
6/12/2022 0:00	Normal	0.0	
6/12/2022 1:00	Normal	0.0	
6/12/2022 2:00	Normal	0.0	
6/12/2022 3:00	Normal	0.0	
6/12/2022 4:00	Normal	0.0	
6/12/2022 5:00	Normal	0.0	
6/12/2022 6:00	Normal	0.0	
6/12/2022 7:00	Normal	0.0	
6/12/2022 8:00	Normal	0.0	
6/12/2022 9:00	Normal	0.0	
6/12/2022 10:00	Normal	0.0	
6/12/2022 11:00	Normal	0.0	
6/12/2022 12:00	Normal	0.0	
6/12/2022 13:00	Normal	0.0	
6/12/2022 14:00	Normal	0.0	
6/12/2022 15:00	Normal	0.0	
6/12/2022 16:00	Normal	0.0	
6/12/2022 17:00	Normal	0.0	
6/12/2022 18:00	Normal	0.0	
6/12/2022 19:00	Normal	0.0	
6/12/2022 20:00	Normal	0.0	
6/12/2022 21:00	Normal	0.0	
6/12/2022 22:00	Normal	0.0	
6/12/2022 23:00	Normal	0.0	11.9
6/13/2022 0:00	Normal	0.0	
6/13/2022 1:00	Normal	0.0	
6/13/2022 2:00	Normal	0.0	
6/13/2022 3:00	Normal	0.0	
6/13/2022 4:00	Normal	0.0	
6/13/2022 5:00	Normal	0.0	
6/13/2022 6:00	Normal	0.0	
6/13/2022 7:00	Normal	0.0	
6/13/2022 8:00	Normal	0.0	
6/13/2022 9:00	Normal	0.0	
6/13/2022 10:00	Normal	0.0	
6/13/2022 11:00	Normal	0.0	
6/13/2022 12:00	Normal	0.0	
6/13/2022 13:00	Normal	0.0	
6/13/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/13/2022 15:00	Normal	0.0	
6/13/2022 16:00	Normal	0.0	
6/13/2022 17:00	Normal	0.0	
6/13/2022 18:00	Normal	0.0	
6/13/2022 19:00	Normal	0.0	
6/13/2022 20:00	Normal	0.0	
6/13/2022 21:00	Normal	0.0	
6/13/2022 22:00	Normal	0.0	
6/13/2022 23:00	Normal	0.0	11.9
6/14/2022 0:00	Normal	0.0	
6/14/2022 1:00	Normal	0.0	
6/14/2022 2:00	Normal	0.0	
6/14/2022 3:00	Normal	0.0	
6/14/2022 4:00	Normal	0.0	
6/14/2022 5:00	Normal	0.0	
6/14/2022 6:00	Normal	0.0	
6/14/2022 7:00	Normal	0.0	
6/14/2022 8:00	Normal	0.0	
6/14/2022 9:00	Normal	0.0	
6/14/2022 10:00	Normal	0.0	
6/14/2022 11:00	Normal	0.0	
6/14/2022 12:00	Normal	0.0	
6/14/2022 13:00	Normal	0.0	
6/14/2022 14:00	Normal	0.0	
6/14/2022 15:00	Normal	0.0	
6/14/2022 16:00	Normal	0.0	
6/14/2022 17:00	Normal	0.0	
6/14/2022 18:00	Normal	0.0	
6/14/2022 19:00	Normal	0.0	
6/14/2022 20:00	Normal	0.0	
6/14/2022 21:00	Normal	0.0	
6/14/2022 22:00	Normal	0.0	
6/14/2022 23:00	Normal	0.0	11.1
6/15/2022 0:00	Normal	0.0	
6/15/2022 1:00	Normal	0.0	
6/15/2022 2:00	Normal	0.0	
6/15/2022 3:00	Normal	0.0	
6/15/2022 4:00	Normal	0.0	
6/15/2022 5:00	Normal	0.0	
6/15/2022 6:00	Normal	0.0	
6/15/2022 7:00	Normal	0.0	
6/15/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/15/2022 9:00	Normal	0.0	
6/15/2022 10:00	Normal	0.0	
6/15/2022 11:00	Normal	0.0	
6/15/2022 12:00	Normal	0.0	
6/15/2022 13:00	Normal	0.0	
6/15/2022 14:00	Normal	0.0	
6/15/2022 15:00	Normal	0.0	
6/15/2022 16:00	Normal	0.0	
6/15/2022 17:00	Normal	0.0	
6/15/2022 18:00	Normal	0.0	
6/15/2022 19:00	Normal	0.0	
6/15/2022 20:00	Normal	0.0	
6/15/2022 21:00	Normal	0.0	
6/15/2022 22:00	Normal	0.0	
6/15/2022 23:00	Normal	0.0	0.0
6/16/2022 0:00	Normal	0.0	
6/16/2022 1:00	Normal	0.0	
6/16/2022 2:00	Normal	0.0	
6/16/2022 3:00	Normal	0.0	
6/16/2022 4:00	Normal	0.0	
6/16/2022 5:00	Normal	0.0	
6/16/2022 6:00	Normal	0.0	
6/16/2022 7:00	Normal	0.0	
6/16/2022 8:00	Normal	0.0	
6/16/2022 9:00	Normal	0.0	
6/16/2022 10:00	Normal	0.0	
6/16/2022 11:00	Normal	0.0	
6/16/2022 12:00	Normal	0.0	
6/16/2022 13:00	Normal	0.0	
6/16/2022 14:00	Normal	0.0	
6/16/2022 15:00	Normal	0.0	
6/16/2022 16:00	Normal	0.0	
6/16/2022 17:00	Normal	0.0	
6/16/2022 18:00	Normal	0.0	
6/16/2022 19:00	Normal	0.0	
6/16/2022 20:00	Normal	0.0	
6/16/2022 21:00	Normal	0.0	
6/16/2022 22:00	Normal	0.0	
6/16/2022 23:00	Normal	0.0	0.0
6/17/2022 0:00	Normal	0.0	
6/17/2022 1:00	Normal	0.0	
6/17/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/17/2022 3:00	Normal	0.0	
6/17/2022 4:00	Normal	0.0	
6/17/2022 5:00	Normal	0.0	
6/17/2022 6:00	Normal	0.0	
6/17/2022 7:00	Normal	0.0	
6/17/2022 8:00	Normal	0.0	
6/17/2022 9:00	Normal	0.0	
6/17/2022 10:00	Normal	0.0	
6/17/2022 11:00	Normal	0.0	
6/17/2022 12:00	Normal	0.0	
6/17/2022 13:00	Normal	0.0	
6/17/2022 14:00	Normal	0.0	
6/17/2022 15:00	Normal	0.0	
6/17/2022 16:00	Normal	0.0	
6/17/2022 17:00	Normal	0.0	
6/17/2022 18:00	Normal	0.0	
6/17/2022 19:00	Normal	0.0	
6/17/2022 20:00	Normal	0.0	
6/17/2022 21:00	Normal	0.0	
6/17/2022 22:00	Normal	0.0	
6/17/2022 23:00	Normal	0.0	0.0
6/18/2022 0:00	Normal	0.0	
6/18/2022 1:00	Normal	0.0	
6/18/2022 2:00	Normal	0.0	
6/18/2022 3:00	Normal	0.0	
6/18/2022 4:00	Normal	0.0	
6/18/2022 5:00	Normal	0.0	
6/18/2022 6:00	Normal	0.0	
6/18/2022 7:00	Normal	0.0	
6/18/2022 8:00	Normal	0.0	
6/18/2022 9:00	Normal	0.0	
6/18/2022 10:00	Normal	0.0	
6/18/2022 11:00	Normal	0.0	
6/18/2022 12:00	Normal	0.0	
6/18/2022 13:00	Normal	0.0	
6/18/2022 14:00	Normal	0.0	
6/18/2022 15:00	Normal	0.0	
6/18/2022 16:00	Normal	0.0	
6/18/2022 17:00	Normal	0.0	
6/18/2022 18:00	Normal	0.0	
6/18/2022 19:00	Normal	0.0	
6/18/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/18/2022 21:00	Normal	0.0	
6/18/2022 22:00	Normal	0.0	
6/18/2022 23:00	Normal	0.0	0.0
6/19/2022 0:00	Normal	0.0	
6/19/2022 1:00	Normal	0.0	
6/19/2022 2:00	Normal	0.0	
6/19/2022 3:00	Normal	0.0	
6/19/2022 4:00	Normal	0.0	
6/19/2022 5:00	Normal	0.0	
6/19/2022 6:00	Normal	0.0	
6/19/2022 7:00	Normal	0.0	
6/19/2022 8:00	Normal	0.0	
6/19/2022 9:00	Normal	0.0	
6/19/2022 10:00	Normal	0.0	
6/19/2022 11:00	Normal	0.0	
6/19/2022 12:00	Normal	0.0	
6/19/2022 13:00	Normal	0.0	
6/19/2022 14:00	Normal	0.0	
6/19/2022 15:00	Normal	0.0	
6/19/2022 16:00	Normal	0.0	
6/19/2022 17:00	Normal	0.0	
6/19/2022 18:00	Normal	0.0	
6/19/2022 19:00	Normal	0.0	
6/19/2022 20:00	Normal	0.0	
6/19/2022 21:00	Normal	0.0	
6/19/2022 22:00	Normal	0.0	
6/19/2022 23:00	Normal	0.0	0.0
6/20/2022 0:00	Normal	0.0	
6/20/2022 1:00	Normal	0.0	
6/20/2022 2:00	Normal	0.0	
6/20/2022 3:00	Normal	0.0	
6/20/2022 4:00	Normal	0.0	
6/20/2022 5:00	Normal	0.0	
6/20/2022 6:00	Normal	0.0	
6/20/2022 7:00	Normal	0.0	
6/20/2022 8:00	Normal	0.0	
6/20/2022 9:00	Normal	0.0	
6/20/2022 10:00	Normal	0.0	
6/20/2022 11:00	Normal	0.0	
6/20/2022 12:00	Normal	0.0	
6/20/2022 13:00	Normal	0.0	
6/20/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/20/2022 15:00	Normal	0.0	
6/20/2022 16:00	Normal	0.0	
6/20/2022 17:00	Normal	0.0	
6/20/2022 18:00	Normal	0.0	
6/20/2022 19:00	Normal	0.0	
6/20/2022 20:00	Normal	0.0	
6/20/2022 21:00	Normal	0.0	
6/20/2022 22:00	Normal	0.0	
6/20/2022 23:00	Normal	0.0	0.0
6/21/2022 0:00	Normal	0.0	
6/21/2022 1:00	Normal	0.0	
6/21/2022 2:00	Normal	0.0	
6/21/2022 3:00	Normal	0.0	
6/21/2022 4:00	Normal	0.0	
6/21/2022 5:00	Normal	0.0	
6/21/2022 6:00	Normal	0.0	
6/21/2022 7:00	Normal	0.0	
6/21/2022 8:00	Normal	0.0	
6/21/2022 9:00	Normal	0.0	
6/21/2022 10:00	Normal	0.0	
6/21/2022 11:00	Normal	0.0	
6/21/2022 12:00	Normal	0.0	
6/21/2022 13:00	Normal	0.0	
6/21/2022 14:00	Normal	0.0	
6/21/2022 15:00	Normal	0.0	
6/21/2022 16:00	Normal	0.0	
6/21/2022 17:00	Normal	0.0	
6/21/2022 18:00	Normal	0.0	
6/21/2022 19:00	Normal	0.0	
6/21/2022 20:00	Normal	0.0	
6/21/2022 21:00	Normal	0.0	
6/21/2022 22:00	Normal	0.0	
6/21/2022 23:00	Normal	0.0	0.0
6/22/2022 0:00	Normal	0.0	
6/22/2022 1:00	Normal	0.0	
6/22/2022 2:00	Normal	0.0	
6/22/2022 3:00	Normal	0.0	
6/22/2022 4:00	Normal	0.0	
6/22/2022 5:00	Normal	0.0	
6/22/2022 6:00	Normal	0.0	
6/22/2022 7:00	Normal	0.0	
6/22/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/22/2022 9:00	Normal	0.0	
6/22/2022 10:00	Normal	0.0	
6/22/2022 11:00	Normal	0.0	
6/22/2022 12:00	Normal	0.0	
6/22/2022 13:00	Normal	0.0	
6/22/2022 14:00	Normal	0.0	
6/22/2022 15:00	Normal	0.0	
6/22/2022 16:00	Normal	0.0	
6/22/2022 17:00	Normal	0.0	
6/22/2022 18:00	Normal	0.0	
6/22/2022 19:00	Normal	0.0	
6/22/2022 20:00	Normal	0.0	
6/22/2022 21:00	Normal	0.0	
6/22/2022 22:00	Normal	0.0	
6/22/2022 23:00	Normal	0.0	0.0
6/23/2022 0:00	Normal	0.0	
6/23/2022 1:00	Normal	0.0	
6/23/2022 2:00	Normal	0.0	
6/23/2022 3:00	Normal	0.0	
6/23/2022 4:00	Normal	0.0	
6/23/2022 5:00	Normal	0.0	
6/23/2022 6:00	Normal	0.0	
6/23/2022 7:00	Normal	0.0	
6/23/2022 8:00	Normal	0.0	
6/23/2022 9:00	Normal	0.0	
6/23/2022 10:00	Normal	0.0	
6/23/2022 11:00	Normal	0.0	
6/23/2022 12:00	Normal	0.0	
6/23/2022 13:00	Normal	0.0	
6/23/2022 14:00	Normal	0.0	
6/23/2022 15:00	Normal	0.0	
6/23/2022 16:00	Normal	0.0	
6/23/2022 17:00	Normal	0.0	
6/23/2022 18:00	Normal	0.0	
6/23/2022 19:00	Normal	0.0	
6/23/2022 20:00	Normal	0.0	
6/23/2022 21:00	Normal	0.0	
6/23/2022 22:00	Normal	0.0	
6/23/2022 23:00	Normal	0.0	0.0
6/24/2022 0:00	Normal	0.0	
6/24/2022 1:00	Normal	0.0	
6/24/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/24/2022 3:00	Normal	0.0	
6/24/2022 4:00	Normal	0.0	
6/24/2022 5:00	Normal	0.0	
6/24/2022 6:00	Normal	0.0	
6/24/2022 7:00	Normal	0.0	
6/24/2022 8:00	Normal	0.0	
6/24/2022 9:00	Normal	0.0	
6/24/2022 10:00	Normal	0.0	
6/24/2022 11:00	Normal	0.0	
6/24/2022 12:00	Normal	0.0	
6/24/2022 13:00	Normal	0.0	
6/24/2022 14:00	Normal	0.0	
6/24/2022 15:00	Normal	0.0	
6/24/2022 16:00	Normal	0.0	
6/24/2022 17:00	Normal	0.0	
6/24/2022 18:00	Normal	0.0	
6/24/2022 19:00	Normal	0.0	
6/24/2022 20:00	Normal	0.0	
6/24/2022 21:00	Normal	0.0	
6/24/2022 22:00	Normal	0.0	
6/24/2022 23:00	Normal	0.0	0.0
6/25/2022 0:00	Normal	0.0	
6/25/2022 1:00	Normal	0.0	
6/25/2022 2:00	Normal	0.0	
6/25/2022 3:00	Normal	0.0	
6/25/2022 4:00	Normal	0.0	
6/25/2022 5:00	Normal	0.0	
6/25/2022 6:00	Normal	0.0	
6/25/2022 7:00	Normal	0.0	
6/25/2022 8:00	Normal	0.0	
6/25/2022 9:00	Normal	0.0	
6/25/2022 10:00	Normal	0.0	
6/25/2022 11:00	Normal	0.0	
6/25/2022 12:00	Normal	0.0	
6/25/2022 13:00	Normal	0.0	
6/25/2022 14:00	Normal	0.0	
6/25/2022 15:00	Normal	0.0	
6/25/2022 16:00	Normal	0.0	
6/25/2022 17:00	Normal	0.0	
6/25/2022 18:00	Normal	0.0	
6/25/2022 19:00	Normal	0.0	
6/25/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/25/2022 21:00	Normal	0.0	
6/25/2022 22:00	Normal	0.0	
6/25/2022 23:00	Normal	0.0	0.0
6/26/2022 0:00	Normal	0.0	
6/26/2022 1:00	Normal	0.0	
6/26/2022 2:00	Normal	0.0	
6/26/2022 3:00	Normal	0.0	
6/26/2022 4:00	Normal	0.0	
6/26/2022 5:00	Normal	0.0	
6/26/2022 6:00	Normal	0.0	
6/26/2022 7:00	Normal	0.0	
6/26/2022 8:00	Normal	0.0	
6/26/2022 9:00	Normal	0.0	
6/26/2022 10:00	Normal	0.0	
6/26/2022 11:00	Normal	0.0	
6/26/2022 12:00	Normal	0.0	
6/26/2022 13:00	Normal	0.0	
6/26/2022 14:00	Normal	0.0	
6/26/2022 15:00	Normal	0.0	
6/26/2022 16:00	Normal	0.0	
6/26/2022 17:00	Normal	0.0	
6/26/2022 18:00	Normal	0.0	
6/26/2022 19:00	Normal	0.0	
6/26/2022 20:00	Normal	0.0	
6/26/2022 21:00	Normal	0.0	
6/26/2022 22:00	Normal	0.0	
6/26/2022 23:00	Normal	0.0	0.0
6/27/2022 0:00	Normal	0.0	
6/27/2022 1:00	Normal	0.0	
6/27/2022 2:00	Normal	0.0	
6/27/2022 3:00	Normal	0.0	
6/27/2022 4:00	Normal	0.0	
6/27/2022 5:00	Normal	0.0	
6/27/2022 6:00	Normal	0.0	
6/27/2022 7:00	Normal	0.0	
6/27/2022 8:00	Normal	0.0	
6/27/2022 9:00	Normal	0.0	
6/27/2022 10:00	Normal	0.0	
6/27/2022 11:00	Normal	0.0	
6/27/2022 12:00	Normal	0.0	
6/27/2022 13:00	Normal	0.0	
6/27/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/27/2022 15:00	Normal	0.0	
6/27/2022 16:00	Normal	0.0	
6/27/2022 17:00	Normal	0.0	
6/27/2022 18:00	Normal	0.0	
6/27/2022 19:00	Normal	0.0	
6/27/2022 20:00	Normal	0.0	
6/27/2022 21:00	Normal	0.0	
6/27/2022 22:00	Normal	0.0	
6/27/2022 23:00	Normal	0.0	0.0
6/28/2022 0:00	Normal	0.0	
6/28/2022 1:00	Normal	0.0	
6/28/2022 2:00	Normal	0.0	
6/28/2022 3:00	Normal	0.0	
6/28/2022 4:00	Normal	0.0	
6/28/2022 5:00	Normal	0.0	
6/28/2022 6:00	Normal	0.0	
6/28/2022 7:00	Normal	0.0	
6/28/2022 8:00	Normal	0.0	
6/28/2022 9:00	Normal	0.0	
6/28/2022 10:00	Normal	0.0	
6/28/2022 11:00	Normal	0.0	
6/28/2022 12:00	Normal	0.0	
6/28/2022 13:00	Normal	0.0	
6/28/2022 14:00	Normal	0.0	
6/28/2022 15:00	Normal	0.0	
6/28/2022 16:00	Normal	0.0	
6/28/2022 17:00	Normal	0.0	
6/28/2022 18:00	Normal	0.0	
6/28/2022 19:00	Normal	0.0	
6/28/2022 20:00	Normal	0.0	
6/28/2022 21:00	Normal	0.0	
6/28/2022 22:00	Normal	0.0	
6/28/2022 23:00	Normal	0.0	0.0
6/29/2022 0:00	Normal	0.0	
6/29/2022 1:00	Normal	0.0	
6/29/2022 2:00	Normal	0.0	
6/29/2022 3:00	Normal	0.0	
6/29/2022 4:00	Normal	0.0	
6/29/2022 5:00	Normal	0.0	
6/29/2022 6:00	Normal	0.0	
6/29/2022 7:00	Normal	0.0	
6/29/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/29/2022 9:00	Normal	0.0	
6/29/2022 10:00	Normal	0.0	
6/29/2022 11:00	Normal	0.0	
6/29/2022 12:00	Normal	0.0	
6/29/2022 13:00	Normal	0.0	
6/29/2022 14:00	Normal	0.0	
6/29/2022 15:00	Normal	0.0	
6/29/2022 16:00	Normal	0.0	
6/29/2022 17:00	Normal	0.0	
6/29/2022 18:00	Normal	0.0	
6/29/2022 19:00	Normal	0.0	
6/29/2022 20:00	Normal	0.0	
6/29/2022 21:00	Normal	0.0	
6/29/2022 22:00	Normal	0.0	
6/29/2022 23:00	Normal	0.0	0.0
6/30/2022 0:00	Normal	0.0	
6/30/2022 1:00	Normal	0.0	
6/30/2022 2:00	Normal	0.0	
6/30/2022 3:00	Normal	0.0	
6/30/2022 4:00	Normal	0.0	
6/30/2022 5:00	Normal	0.0	
6/30/2022 6:00	Normal	0.0	
6/30/2022 7:00	Normal	0.0	
6/30/2022 8:00	Normal	0.0	
6/30/2022 9:00	Normal	0.0	
6/30/2022 10:00	Normal	0.0	
6/30/2022 11:00	Normal	0.0	
6/30/2022 12:00	Normal	0.0	
6/30/2022 13:00	Normal	0.0	
6/30/2022 14:00	Normal	0.0	
6/30/2022 15:00	Normal	0.0	
6/30/2022 16:00	Normal	0.0	
6/30/2022 17:00	Normal	0.0	
6/30/2022 18:00	Normal	0.0	
6/30/2022 19:00	Normal	0.0	
6/30/2022 20:00	Normal	0.0	
6/30/2022 21:00	Normal	0.0	
6/30/2022 22:00	Normal	0.0	
6/30/2022 23:00	Normal	0.0	0.0
7/1/2022 0:00	Normal	0.0	
7/1/2022 1:00	Normal	0.0	
7/1/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/1/2022 3:00	Normal	0.0	
7/1/2022 4:00	Normal	0.0	
7/1/2022 5:00	Normal	0.0	
7/1/2022 6:00	Normal	0.0	
7/1/2022 7:00	Normal	0.0	
7/1/2022 8:00	Normal	0.0	
7/1/2022 9:00	Normal	0.0	
7/1/2022 10:00	Normal	0.0	
7/1/2022 11:00	Normal	0.0	
7/1/2022 12:00	Normal	0.0	
7/1/2022 13:00	Normal	0.0	
7/1/2022 14:00	Normal	0.0	
7/1/2022 15:00	Normal	0.0	
7/1/2022 16:00	Normal	0.0	
7/1/2022 17:00	Normal	0.0	
7/1/2022 18:00	Normal	0.0	
7/1/2022 19:00	Normal	0.0	
7/1/2022 20:00	Normal	0.0	
7/1/2022 21:00	Normal	0.0	
7/1/2022 22:00	Normal	0.0	
7/1/2022 23:00	Normal	0.0	0.0
7/2/2022 0:00	Normal	0.0	
7/2/2022 1:00	Normal	0.0	
7/2/2022 2:00	Normal	0.0	
7/2/2022 3:00	Normal	0.0	
7/2/2022 4:00	Normal	0.0	
7/2/2022 5:00	Normal	0.0	
7/2/2022 6:00	Normal	0.0	
7/2/2022 7:00	Normal	0.0	
7/2/2022 8:00	Normal	0.0	
7/2/2022 9:00	Normal	0.0	
7/2/2022 10:00	Normal	0.0	
7/2/2022 11:00	Normal	0.0	
7/2/2022 12:00	Normal	0.0	
7/2/2022 13:00	Normal	0.0	
7/2/2022 14:00	Normal	0.0	
7/2/2022 15:00	Normal	0.0	
7/2/2022 16:00	Normal	0.0	
7/2/2022 17:00	Normal	0.0	
7/2/2022 18:00	Normal	0.0	
7/2/2022 19:00	Normal	0.0	
7/2/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/2/2022 21:00	Normal	0.0	
7/2/2022 22:00	Normal	0.0	
7/2/2022 23:00	Normal	0.0	0.0
7/3/2022 0:00	Normal	0.0	
7/3/2022 1:00	Normal	0.0	
7/3/2022 2:00	Normal	0.0	
7/3/2022 3:00	Normal	0.0	
7/3/2022 4:00	Normal	0.0	
7/3/2022 5:00	Normal	0.0	
7/3/2022 6:00	Normal	0.0	
7/3/2022 7:00	Normal	0.0	
7/3/2022 8:00	Normal	0.0	
7/3/2022 9:00	Normal	0.0	
7/3/2022 10:00	Normal	0.0	
7/3/2022 11:00	Normal	0.0	
7/3/2022 12:00	Normal	0.0	
7/3/2022 13:00	Normal	0.0	
7/3/2022 14:00	Normal	0.0	
7/3/2022 15:00	Normal	0.0	
7/3/2022 16:00	Normal	0.0	
7/3/2022 17:00	Normal	0.0	
7/3/2022 18:00	Normal	0.0	
7/3/2022 19:00	Normal	0.0	
7/3/2022 20:00	Normal	0.0	
7/3/2022 21:00	Normal	0.0	
7/3/2022 22:00	Normal	0.0	
7/3/2022 23:00	Normal	0.0	0.0
7/4/2022 0:00	Normal	0.0	
7/4/2022 1:00	Normal	0.0	
7/4/2022 2:00	Normal	0.0	
7/4/2022 3:00	Normal	0.0	
7/4/2022 4:00	Normal	0.0	
7/4/2022 5:00	Normal	0.0	
7/4/2022 6:00	Normal	0.0	
7/4/2022 7:00	Normal	0.0	
7/4/2022 8:00	Normal	0.0	
7/4/2022 9:00	Normal	0.0	
7/4/2022 10:00	Normal	0.0	
7/4/2022 11:00	Normal	0.0	
7/4/2022 12:00	Normal	0.0	
7/4/2022 13:00	Normal	0.0	
7/4/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/4/2022 15:00	Normal	0.0	
7/4/2022 16:00	Normal	0.0	
7/4/2022 17:00	Normal	0.0	
7/4/2022 18:00	Normal	0.0	
7/4/2022 19:00	Normal	0.0	
7/4/2022 20:00	Normal	0.0	
7/4/2022 21:00	Normal	0.0	
7/4/2022 22:00	Normal	0.0	
7/4/2022 23:00	Normal	0.0	0.0
7/5/2022 0:00	Normal	0.0	
7/5/2022 1:00	Normal	0.0	
7/5/2022 2:00	Normal	0.0	
7/5/2022 3:00	Normal	0.0	
7/5/2022 4:00	Normal	0.0	
7/5/2022 5:00	Normal	0.0	
7/5/2022 6:00	Normal	0.0	
7/5/2022 7:00	Normal	0.0	
7/5/2022 8:00	Normal	0.0	
7/5/2022 9:00	Normal	0.0	
7/5/2022 10:00	Normal	0.0	
7/5/2022 11:00	Normal	0.0	
7/5/2022 12:00	Normal	0.0	
7/5/2022 13:00	Normal	0.0	
7/5/2022 14:00	Normal	0.0	
7/5/2022 15:00	Normal	0.0	
7/5/2022 16:00	Normal	0.0	
7/5/2022 17:00	Normal	0.0	
7/5/2022 18:00	Normal	0.0	
7/5/2022 19:00	Normal	0.0	
7/5/2022 20:00	Normal	0.0	
7/5/2022 21:00	Normal	0.0	
7/5/2022 22:00	Normal	0.0	
7/5/2022 23:00	Normal	0.0	0.0
7/6/2022 0:00	Normal	0.0	
7/6/2022 1:00	Normal	0.0	
7/6/2022 2:00	Normal	0.0	
7/6/2022 3:00	Normal	0.0	
7/6/2022 4:00	Normal	0.0	
7/6/2022 5:00	Normal	0.0	
7/6/2022 6:00	Normal	0.0	
7/6/2022 7:00	Normal	0.0	
7/6/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/6/2022 9:00	Normal	0.0	
7/6/2022 10:00	Normal	0.0	
7/6/2022 11:00	Normal	0.0	
7/6/2022 12:00	Normal	0.0	
7/6/2022 13:00	Normal	0.0	
7/6/2022 14:00	Normal	0.0	
7/6/2022 15:00	Normal	0.0	
7/6/2022 16:00	Normal	0.0	
7/6/2022 17:00	Normal	0.0	
7/6/2022 18:00	Normal	0.0	
7/6/2022 19:00	Normal	0.0	
7/6/2022 20:00	Normal	0.0	
7/6/2022 21:00	Normal	0.0	
7/6/2022 22:00	Normal	0.0	
7/6/2022 23:00	Normal	0.0	0.0
7/7/2022 0:00	Normal	0.0	
7/7/2022 1:00	Normal	0.0	
7/7/2022 2:00	Normal	0.0	
7/7/2022 3:00	Normal	0.0	
7/7/2022 4:00	Normal	0.0	
7/7/2022 5:00	Normal	0.0	
7/7/2022 6:00	Normal	0.0	
7/7/2022 7:00	Normal	0.0	
7/7/2022 8:00	Normal	0.0	
7/7/2022 9:00	Normal	0.0	
7/7/2022 10:00	Normal	0.0	
7/7/2022 11:00	Normal	0.0	
7/7/2022 12:00	Normal	0.0	
7/7/2022 13:00	Normal	0.0	
7/7/2022 14:00	Normal	0.0	
7/7/2022 15:00	Normal	0.0	
7/7/2022 16:00	Normal	0.0	
7/7/2022 17:00	Normal	0.0	
7/7/2022 18:00	Normal	0.0	
7/7/2022 19:00	Normal	0.0	
7/7/2022 20:00	Normal	0.0	
7/7/2022 21:00	Normal	0.0	
7/7/2022 22:00	Normal	0.0	
7/7/2022 23:00	Normal	0.0	0.0
7/8/2022 0:00	Normal	0.0	
7/8/2022 1:00	Normal	0.0	
7/8/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/8/2022 3:00	Normal	0.0	
7/8/2022 4:00	Normal	0.0	
7/8/2022 5:00	Normal	0.0	
7/8/2022 6:00	Normal	0.0	
7/8/2022 7:00	Normal	0.0	
7/8/2022 8:00	Malfunction	281.2	
7/8/2022 9:00	Malfunction	855.7	
7/8/2022 10:00	Normal	0.0	
7/8/2022 11:00	Normal	0.0	
7/8/2022 12:00	Normal	0.0	
7/8/2022 13:00	Normal	0.0	
7/8/2022 14:00	Normal	0.0	
7/8/2022 15:00	Normal	0.0	
7/8/2022 16:00	Normal	0.0	
7/8/2022 17:00	Normal	0.0	
7/8/2022 18:00	Normal	0.0	
7/8/2022 19:00	Normal	0.0	
7/8/2022 20:00	Normal	0.0	
7/8/2022 21:00	Normal	0.0	
7/8/2022 22:00	Normal	0.0	
7/8/2022 23:00	Normal	0.0	1.6
7/9/2022 0:00	Normal	0.0	
7/9/2022 1:00	Normal	0.0	
7/9/2022 2:00	Normal	0.0	
7/9/2022 3:00	Normal	0.0	
7/9/2022 4:00	Normal	0.0	
7/9/2022 5:00	Normal	0.0	
7/9/2022 6:00	Normal	0.0	
7/9/2022 7:00	Normal	0.0	
7/9/2022 8:00	Normal	0.0	
7/9/2022 9:00	Normal	0.0	
7/9/2022 10:00	Normal	0.0	
7/9/2022 11:00	Normal	0.0	
7/9/2022 12:00	Normal	0.0	
7/9/2022 13:00	Normal	0.0	
7/9/2022 14:00	Normal	0.0	
7/9/2022 15:00	Normal	0.0	
7/9/2022 16:00	Normal	0.0	
7/9/2022 17:00	Normal	0.0	
7/9/2022 18:00	Normal	0.0	
7/9/2022 19:00	Normal	0.0	
7/9/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/9/2022 21:00	Normal	0.0	
7/9/2022 22:00	Normal	0.0	
7/9/2022 23:00	Normal	0.0	1.6
7/10/2022 0:00	Normal	0.0	
7/10/2022 1:00	Normal	0.0	
7/10/2022 2:00	Normal	0.0	
7/10/2022 3:00	Normal	0.0	
7/10/2022 4:00	Normal	0.0	
7/10/2022 5:00	Normal	0.0	
7/10/2022 6:00	Normal	0.0	
7/10/2022 7:00	Normal	0.0	
7/10/2022 8:00	Normal	0.0	
7/10/2022 9:00	Normal	0.0	
7/10/2022 10:00	Normal	0.0	
7/10/2022 11:00	Normal	0.0	
7/10/2022 12:00	Normal	0.0	
7/10/2022 13:00	Normal	0.0	
7/10/2022 14:00	Normal	0.0	
7/10/2022 15:00	Normal	0.0	
7/10/2022 16:00	Normal	0.0	
7/10/2022 17:00	Normal	0.0	
7/10/2022 18:00	Normal	0.0	
7/10/2022 19:00	Normal	0.0	
7/10/2022 20:00	Normal	0.0	
7/10/2022 21:00	Shutdown	40.4	
7/10/2022 22:00	Shutdown	71.6	
7/10/2022 23:00	Shutdown	25.9	1.8
7/11/2022 0:00	Shutdown	25.9	
7/11/2022 1:00	Shutdown	25.1	
7/11/2022 2:00	Shutdown	9.0	
7/11/2022 3:00	Normal	0.0	
7/11/2022 4:00	Normal	0.0	
7/11/2022 5:00	Normal	0.0	
7/11/2022 6:00	Normal	0.0	
7/11/2022 7:00	Normal	0.0	
7/11/2022 8:00	Normal	0.0	
7/11/2022 9:00	Normal	0.0	
7/11/2022 10:00	Normal	0.0	
7/11/2022 11:00	Normal	0.0	
7/11/2022 12:00	Normal	0.0	
7/11/2022 13:00	Normal	0.0	
7/11/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/11/2022 15:00	Normal	0.0	
7/11/2022 16:00	Normal	0.0	
7/11/2022 17:00	Normal	0.0	
7/11/2022 18:00	Normal	0.0	
7/11/2022 19:00	Normal	0.0	
7/11/2022 20:00	Normal	0.0	
7/11/2022 21:00	Normal	0.0	
7/11/2022 22:00	Normal	0.0	
7/11/2022 23:00	Normal	0.0	1.9
7/12/2022 0:00	Normal	0.0	
7/12/2022 1:00	Normal	0.0	
7/12/2022 2:00	Normal	0.0	
7/12/2022 3:00	Normal	0.0	
7/12/2022 4:00	Normal	0.0	
7/12/2022 5:00	Normal	0.0	
7/12/2022 6:00	Normal	0.0	
7/12/2022 7:00	Normal	0.0	
7/12/2022 8:00	Normal	0.0	
7/12/2022 9:00	Normal	0.0	
7/12/2022 10:00	Normal	0.0	
7/12/2022 11:00	Normal	0.0	
7/12/2022 12:00	Normal	0.0	
7/12/2022 13:00	Shutdown		
7/12/2022 14:00	Startup	4.3	
7/12/2022 15:00	Normal	0.0	
7/12/2022 16:00	Normal	0.0	
7/12/2022 17:00	Normal	0.0	
7/12/2022 18:00	Normal	0.0	
7/12/2022 19:00	Normal	0.0	
7/12/2022 20:00	Normal	0.0	
7/12/2022 21:00	Normal	0.0	
7/12/2022 22:00	Normal	0.0	
7/12/2022 23:00	Normal	0.0	1.9
7/13/2022 0:00	Normal	0.0	
7/13/2022 1:00	Normal	0.0	
7/13/2022 2:00	Normal	0.0	
7/13/2022 3:00	Normal	0.0	
7/13/2022 4:00	Normal	0.0	
7/13/2022 5:00	Normal	0.0	
7/13/2022 6:00	Normal	0.0	
7/13/2022 7:00	Normal	0.0	
7/13/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/13/2022 9:00	Normal	0.0	
7/13/2022 10:00	Normal	0.0	
7/13/2022 11:00	Normal	0.0	
7/13/2022 12:00	Normal	0.0	
7/13/2022 13:00	Normal	0.0	
7/13/2022 14:00	Normal	0.0	
7/13/2022 15:00	Normal	0.0	
7/13/2022 16:00	Normal	0.0	
7/13/2022 17:00	Normal	0.0	
7/13/2022 18:00	Normal	0.0	
7/13/2022 19:00	Normal	0.0	
7/13/2022 20:00	Normal	0.0	
7/13/2022 21:00	Normal	0.0	
7/13/2022 22:00	Normal	0.0	
7/13/2022 23:00	Normal	0.0	1.9
7/14/2022 0:00	Normal	0.0	
7/14/2022 1:00	Normal	0.0	
7/14/2022 2:00	Normal	0.0	
7/14/2022 3:00	Normal	0.0	
7/14/2022 4:00	Normal	0.0	
7/14/2022 5:00	Normal	0.0	
7/14/2022 6:00	Normal	0.0	
7/14/2022 7:00	Normal	0.0	
7/14/2022 8:00	Normal	0.0	
7/14/2022 9:00	Normal	0.0	
7/14/2022 10:00	Normal	0.0	
7/14/2022 11:00	Normal	0.0	
7/14/2022 12:00	Normal	0.0	
7/14/2022 13:00	Normal	0.0	
7/14/2022 14:00	Normal	0.0	
7/14/2022 15:00	Normal	0.0	
7/14/2022 16:00	Normal	0.0	
7/14/2022 17:00	Normal	0.0	
7/14/2022 18:00	Normal	0.0	
7/14/2022 19:00	Normal	0.0	
7/14/2022 20:00	Normal	0.0	
7/14/2022 21:00	Normal	0.0	
7/14/2022 22:00	Normal	0.0	
7/14/2022 23:00	Normal	0.0	1.9
7/15/2022 0:00	Normal	0.0	
7/15/2022 1:00	Normal	0.0	
7/15/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/15/2022 3:00	Normal	0.0	
7/15/2022 4:00	Normal	0.0	
7/15/2022 5:00	Normal	0.0	
7/15/2022 6:00	Normal	0.0	
7/15/2022 7:00	Normal	0.0	
7/15/2022 8:00	Normal	0.0	
7/15/2022 9:00	Normal	0.0	
7/15/2022 10:00	Normal	0.0	
7/15/2022 11:00	Normal	0.0	
7/15/2022 12:00	Normal	0.0	
7/15/2022 13:00	Normal	0.0	
7/15/2022 14:00	Normal	0.0	
7/15/2022 15:00	Normal	0.0	
7/15/2022 16:00	Normal	0.0	
7/15/2022 17:00	Normal	0.0	
7/15/2022 18:00	Normal	0.0	
7/15/2022 19:00	Normal	0.0	
7/15/2022 20:00	Normal	0.0	
7/15/2022 21:00	Normal	0.0	
7/15/2022 22:00	Normal	0.0	
7/15/2022 23:00	Normal	0.0	1.9
7/16/2022 0:00	Normal	0.0	
7/16/2022 1:00	Normal	0.0	
7/16/2022 2:00	Normal	0.0	
7/16/2022 3:00	Normal	0.0	
7/16/2022 4:00	Normal	0.0	
7/16/2022 5:00	Normal	0.0	
7/16/2022 6:00	Normal	0.0	
7/16/2022 7:00	Normal	0.0	
7/16/2022 8:00	Normal	0.0	
7/16/2022 9:00	Normal	0.0	
7/16/2022 10:00	Normal	0.0	
7/16/2022 11:00	Normal	0.0	
7/16/2022 12:00	Normal	0.0	
7/16/2022 13:00	Normal	0.0	
7/16/2022 14:00	Normal	0.0	
7/16/2022 15:00	Normal	0.0	
7/16/2022 16:00	Normal	0.0	
7/16/2022 17:00	Normal	0.0	
7/16/2022 18:00	Normal	0.0	
7/16/2022 19:00	Normal	0.0	
7/16/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/16/2022 21:00	Normal	0.0	
7/16/2022 22:00	Normal	0.0	
7/16/2022 23:00	Normal	0.0	1.9
7/17/2022 0:00	Normal	0.0	
7/17/2022 1:00	Normal	0.0	
7/17/2022 2:00	Normal	0.0	
7/17/2022 3:00	Normal	0.0	
7/17/2022 4:00	Normal	0.0	
7/17/2022 5:00	Normal	0.0	
7/17/2022 6:00	Normal	0.0	
7/17/2022 7:00	Normal	0.0	
7/17/2022 8:00	Normal	0.0	
7/17/2022 9:00	Normal	0.0	
7/17/2022 10:00	Normal	0.0	
7/17/2022 11:00	Normal	0.0	
7/17/2022 12:00	Normal	0.0	
7/17/2022 13:00	Normal	0.0	
7/17/2022 14:00	Normal	0.0	
7/17/2022 15:00	Normal	0.0	
7/17/2022 16:00	Normal	0.0	
7/17/2022 17:00	Normal	0.0	
7/17/2022 18:00	Normal	0.0	
7/17/2022 19:00	Normal	0.0	
7/17/2022 20:00	Normal	0.0	
7/17/2022 21:00	Normal	0.0	
7/17/2022 22:00	Normal	0.0	
7/17/2022 23:00	Normal	0.0	1.9
7/18/2022 0:00	Normal	0.0	
7/18/2022 1:00	Normal	0.0	
7/18/2022 2:00	Normal	0.0	
7/18/2022 3:00	Normal	0.0	
7/18/2022 4:00	Normal	0.0	
7/18/2022 5:00	Normal	0.0	
7/18/2022 6:00	Normal	0.0	
7/18/2022 7:00	Normal	0.0	
7/18/2022 8:00	Normal	0.0	
7/18/2022 9:00	Normal	0.0	
7/18/2022 10:00	Normal	0.0	
7/18/2022 11:00	Normal	0.0	
7/18/2022 12:00	Normal	0.0	
7/18/2022 13:00	Normal	0.0	
7/18/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/18/2022 15:00	Normal	0.0	
7/18/2022 16:00	Normal	0.0	
7/18/2022 17:00	Normal	0.0	
7/18/2022 18:00	Normal	0.0	
7/18/2022 19:00	Normal	0.0	
7/18/2022 20:00	Normal	0.0	
7/18/2022 21:00	Normal	0.0	
7/18/2022 22:00	Normal	0.0	
7/18/2022 23:00	Normal	0.0	1.9
7/19/2022 0:00	Normal	0.0	
7/19/2022 1:00	Normal	0.0	
7/19/2022 2:00	Normal	0.0	
7/19/2022 3:00	Normal	0.0	
7/19/2022 4:00	Normal	0.0	
7/19/2022 5:00	Normal	0.0	
7/19/2022 6:00	Normal	0.0	
7/19/2022 7:00	Normal	0.0	
7/19/2022 8:00	Normal	0.0	
7/19/2022 9:00	Normal	0.0	
7/19/2022 10:00	Normal	0.0	
7/19/2022 11:00	Normal	0.0	
7/19/2022 12:00	Normal	0.0	
7/19/2022 13:00	Normal	0.0	
7/19/2022 14:00	Normal	0.0	
7/19/2022 15:00	Normal	0.0	
7/19/2022 16:00	Normal	0.0	
7/19/2022 17:00	Normal	0.0	
7/19/2022 18:00	Normal	0.0	
7/19/2022 19:00	Normal	0.0	
7/19/2022 20:00	Normal	0.0	
7/19/2022 21:00	Normal	0.0	
7/19/2022 22:00	Normal	0.0	
7/19/2022 23:00	Normal	0.0	1.9
7/20/2022 0:00	Normal	0.0	
7/20/2022 1:00	Normal	0.0	
7/20/2022 2:00	Normal	0.0	
7/20/2022 3:00	Normal	0.0	
7/20/2022 4:00	Normal	0.0	
7/20/2022 5:00	Normal	0.0	
7/20/2022 6:00	Normal	0.0	
7/20/2022 7:00	Normal	0.0	
7/20/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/20/2022 9:00	Normal	0.0	
7/20/2022 10:00	Normal	0.0	
7/20/2022 11:00	Normal	0.0	
7/20/2022 12:00	Normal	0.0	
7/20/2022 13:00	Normal	0.0	
7/20/2022 14:00	Normal	0.0	
7/20/2022 15:00	Normal	0.0	
7/20/2022 16:00	Normal	0.0	
7/20/2022 17:00	Normal	0.0	
7/20/2022 18:00	Normal	0.0	
7/20/2022 19:00	Normal	0.0	
7/20/2022 20:00	Normal	0.0	
7/20/2022 21:00	Normal	0.0	
7/20/2022 22:00	Normal	0.0	
7/20/2022 23:00	Normal	0.0	1.9
7/21/2022 0:00	Normal	0.0	
7/21/2022 1:00	Normal	0.0	
7/21/2022 2:00	Normal	0.0	
7/21/2022 3:00	Normal	0.0	
7/21/2022 4:00	Normal	0.0	
7/21/2022 5:00	Normal	0.0	
7/21/2022 6:00	Normal	0.0	
7/21/2022 7:00	Normal	0.0	
7/21/2022 8:00	Normal	0.0	
7/21/2022 9:00	Normal	0.0	
7/21/2022 10:00	Normal	0.0	
7/21/2022 11:00	Normal	0.0	
7/21/2022 12:00	Normal	0.0	
7/21/2022 13:00	Normal	0.0	
7/21/2022 14:00	Normal	0.0	
7/21/2022 15:00	Normal	0.0	
7/21/2022 16:00	Normal	0.0	
7/21/2022 17:00	Normal	0.0	
7/21/2022 18:00	Normal	0.0	
7/21/2022 19:00	Normal	0.0	
7/21/2022 20:00	Normal	0.0	
7/21/2022 21:00	Normal	0.0	
7/21/2022 22:00	Normal	0.0	
7/21/2022 23:00	Normal	0.0	1.9
7/22/2022 0:00	Normal	0.0	
7/22/2022 1:00	Normal	0.0	
7/22/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/22/2022 3:00	Normal	0.0	
7/22/2022 4:00	Normal	0.0	
7/22/2022 5:00	Normal	0.0	
7/22/2022 6:00	Normal	0.0	
7/22/2022 7:00	Normal	0.0	
7/22/2022 8:00	Normal	0.0	
7/22/2022 9:00	Normal	0.0	
7/22/2022 10:00	Normal	0.0	
7/22/2022 11:00	Shutdown	2529.7	
7/22/2022 12:00	Shutdown	35.3	
7/22/2022 13:00	Shutdown	212.0	
7/22/2022 14:00	Shutdown		
7/22/2022 15:00	Shutdown		
7/22/2022 16:00	Shutdown		
7/22/2022 17:00	Shutdown		
7/22/2022 18:00	Shutdown		
7/22/2022 19:00	Shutdown		
7/22/2022 20:00	Shutdown		
7/22/2022 21:00	Shutdown		
7/22/2022 22:00	Shutdown		
7/22/2022 23:00	Shutdown		5.8
7/23/2022 0:00	Shutdown		
7/23/2022 1:00	Shutdown		
7/23/2022 2:00	Shutdown		
7/23/2022 3:00	Shutdown		
7/23/2022 4:00	Shutdown		
7/23/2022 5:00	Shutdown		
7/23/2022 6:00	Shutdown		
7/23/2022 7:00	Shutdown		
7/23/2022 8:00	Shutdown		
7/23/2022 9:00	Shutdown		
7/23/2022 10:00	Shutdown		
7/23/2022 11:00	Shutdown		
7/23/2022 12:00	Shutdown		
7/23/2022 13:00	Shutdown		
7/23/2022 14:00	Shutdown		
7/23/2022 15:00	Shutdown		
7/23/2022 16:00	Shutdown		
7/23/2022 17:00	Shutdown		
7/23/2022 18:00	Shutdown		
7/23/2022 19:00	Shutdown		
7/23/2022 20:00	Shutdown	5.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/23/2022 21:00	Shutdown	87.7	
7/23/2022 22:00	Shutdown	30.6	
7/23/2022 23:00	Shutdown	196.4	6.4
7/24/2022 0:00	Shutdown	27.0	
7/24/2022 1:00	Shutdown	27.0	
7/24/2022 2:00	Shutdown		
7/24/2022 3:00	Shutdown		
7/24/2022 4:00	Shutdown		
7/24/2022 5:00	Shutdown		
7/24/2022 6:00	Shutdown		
7/24/2022 7:00	Shutdown	43.0	
7/24/2022 8:00	Shutdown	323.3	
7/24/2022 9:00	Shutdown	171.8	
7/24/2022 10:00	Shutdown	6.3	
7/24/2022 11:00	Shutdown		
7/24/2022 12:00	Shutdown		
7/24/2022 13:00	Shutdown	0.9	
7/24/2022 14:00	Shutdown		
7/24/2022 15:00	Shutdown		
7/24/2022 16:00	Shutdown		
7/24/2022 17:00	Shutdown		
7/24/2022 18:00	Shutdown		
7/24/2022 19:00	Shutdown		
7/24/2022 20:00	Shutdown		
7/24/2022 21:00	Shutdown		
7/24/2022 22:00	Shutdown		
7/24/2022 23:00	Shutdown		7.5
7/25/2022 0:00	Shutdown		
7/25/2022 1:00	Shutdown		
7/25/2022 2:00	Shutdown		
7/25/2022 3:00	Shutdown		
7/25/2022 4:00	Shutdown		
7/25/2022 5:00	Shutdown		
7/25/2022 6:00	Shutdown		
7/25/2022 7:00	Shutdown		
7/25/2022 8:00	Shutdown		
7/25/2022 9:00	Shutdown		
7/25/2022 10:00	Shutdown		
7/25/2022 11:00	Shutdown		
7/25/2022 12:00	Shutdown		
7/25/2022 13:00	Shutdown	4.2	
7/25/2022 14:00	Shutdown	4.2	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/25/2022 15:00	Shutdown		
7/25/2022 16:00	Shutdown	1.1	
7/25/2022 17:00	Shutdown	2.6	
7/25/2022 18:00	Shutdown		
7/25/2022 19:00	Shutdown		
7/25/2022 20:00	Shutdown		
7/25/2022 21:00	Shutdown		
7/25/2022 22:00	Shutdown		
7/25/2022 23:00	Shutdown		7.7
7/26/2022 0:00	Shutdown		
7/26/2022 1:00	Shutdown		
7/26/2022 2:00	Shutdown		
7/26/2022 3:00	Shutdown		
7/26/2022 4:00	Shutdown		
7/26/2022 5:00	Shutdown	0.6	
7/26/2022 6:00	Shutdown	3.5	
7/26/2022 7:00	Shutdown	5.6	
7/26/2022 8:00	Shutdown	4.3	
7/26/2022 9:00	Shutdown	5.4	
7/26/2022 10:00	Shutdown	1.3	
7/26/2022 11:00	Shutdown	0.7	
7/26/2022 12:00	Shutdown	5.4	
7/26/2022 13:00	Shutdown	4.1	
7/26/2022 14:00	Shutdown	6.7	
7/26/2022 15:00	Shutdown	9.9	
7/26/2022 16:00	Shutdown	9.9	
7/26/2022 17:00	Shutdown	9.9	
7/26/2022 18:00	Shutdown	5.2	
7/26/2022 19:00	Shutdown	6.0	
7/26/2022 20:00	Shutdown	7.3	
7/26/2022 21:00	Shutdown	2.2	
7/26/2022 22:00	Shutdown	2.0	
7/26/2022 23:00	Shutdown	3.3	7.9
7/27/2022 0:00	Shutdown	3.3	
7/27/2022 1:00	Shutdown	3.1	
7/27/2022 2:00	Shutdown	3.1	
7/27/2022 3:00	Shutdown	3.1	
7/27/2022 4:00	Shutdown	3.1	
7/27/2022 5:00	Shutdown	3.1	
7/27/2022 6:00	Shutdown	3.1	
7/27/2022 7:00	Shutdown	3.1	
7/27/2022 8:00	Shutdown	3.1	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/27/2022 9:00	Shutdown	3.1	
7/27/2022 10:00	Shutdown	3.1	
7/27/2022 11:00	Shutdown	3.1	
7/27/2022 12:00	Shutdown	3.1	
7/27/2022 13:00	Shutdown	3.1	
7/27/2022 14:00	Shutdown	3.1	
7/27/2022 15:00	Shutdown	3.1	
7/27/2022 16:00	Shutdown	3.1	
7/27/2022 17:00	Shutdown	3.1	
7/27/2022 18:00	Shutdown	3.1	
7/27/2022 19:00	Shutdown	3.1	
7/27/2022 20:00	Shutdown	3.1	
7/27/2022 21:00	Shutdown	3.1	
7/27/2022 22:00	Shutdown	3.1	
7/27/2022 23:00	Shutdown	3.1	8.1
7/28/2022 0:00	Shutdown		
7/28/2022 1:00	Shutdown		
7/28/2022 2:00	Shutdown		
7/28/2022 3:00	Shutdown		
7/28/2022 4:00	Shutdown		
7/28/2022 5:00	Shutdown		
7/28/2022 6:00	Shutdown		
7/28/2022 7:00	Shutdown		
7/28/2022 8:00	Shutdown		
7/28/2022 9:00	Shutdown		
7/28/2022 10:00	Shutdown		
7/28/2022 11:00	Shutdown		
7/28/2022 12:00	Shutdown		
7/28/2022 13:00	Shutdown		
7/28/2022 14:00	Startup	369.0	
7/28/2022 15:00	Startup	284.2	
7/28/2022 16:00	Startup	0.0	
7/28/2022 17:00	Startup	0.0	
7/28/2022 18:00	Startup	0.0	
7/28/2022 19:00	Startup	0.0	
7/28/2022 20:00	Startup	0.0	
7/28/2022 21:00	Startup	0.0	
7/28/2022 22:00	Startup	0.0	
7/28/2022 23:00	Startup	0.0	9.3
7/29/2022 0:00	Startup	0.0	
7/29/2022 1:00	Startup	0.0	
7/29/2022 2:00	Startup	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/29/2022 3:00	Startup	0.0	
7/29/2022 4:00	Startup	0.0	
7/29/2022 5:00	Startup	0.0	
7/29/2022 6:00	Startup	0.0	
7/29/2022 7:00	Startup	0.0	
7/29/2022 8:00	Startup	0.0	
7/29/2022 9:00	Startup	0.0	
7/29/2022 10:00	Startup	0.0	
7/29/2022 11:00	Startup	0.0	
7/29/2022 12:00	Startup	0.0	
7/29/2022 13:00	Startup	0.0	
7/29/2022 14:00	Startup	0.0	
7/29/2022 15:00	Startup	0.0	
7/29/2022 16:00	Startup	0.0	
7/29/2022 17:00	Startup	0.0	
7/29/2022 18:00	Startup	0.0	
7/29/2022 19:00	Startup	0.0	
7/29/2022 20:00	Startup	3.2	
7/29/2022 21:00	Normal	0.0	
7/29/2022 22:00	Normal	0.0	
7/29/2022 23:00	Normal	0.0	9.3
7/30/2022 0:00	Normal	0.0	
7/30/2022 1:00	Normal	0.0	
7/30/2022 2:00	Normal	0.0	
7/30/2022 3:00	Normal	0.0	
7/30/2022 4:00	Normal	0.0	
7/30/2022 5:00	Normal	0.0	
7/30/2022 6:00	Normal	0.0	
7/30/2022 7:00	Normal	0.0	
7/30/2022 8:00	Normal	0.0	
7/30/2022 9:00	Normal	0.0	
7/30/2022 10:00	Normal	0.0	
7/30/2022 11:00	Normal	0.0	
7/30/2022 12:00	Normal	0.0	
7/30/2022 13:00	Normal	0.0	
7/30/2022 14:00	Normal	0.0	
7/30/2022 15:00	Normal	0.0	
7/30/2022 16:00	Normal	0.0	
7/30/2022 17:00	Normal	0.0	
7/30/2022 18:00	Normal	0.0	
7/30/2022 19:00	Normal	0.0	
7/30/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/30/2022 21:00	Normal	0.0	
7/30/2022 22:00	Normal	0.0	
7/30/2022 23:00	Normal	0.0	9.3
7/31/2022 0:00	Normal	0.0	
7/31/2022 1:00	Normal	0.0	
7/31/2022 2:00	Normal	0.0	
7/31/2022 3:00	Normal	0.0	
7/31/2022 4:00	Normal	0.0	
7/31/2022 5:00	Normal	0.0	
7/31/2022 6:00	Normal	0.0	
7/31/2022 7:00	Normal	0.0	
7/31/2022 8:00	Normal	0.0	
7/31/2022 9:00	Normal	0.0	
7/31/2022 10:00	Normal	0.0	
7/31/2022 11:00	Normal	0.0	
7/31/2022 12:00	Normal	0.0	
7/31/2022 13:00	Normal	0.0	
7/31/2022 14:00	Normal	0.0	
7/31/2022 15:00	Normal	0.0	
7/31/2022 16:00	Normal	0.0	
7/31/2022 17:00	Normal	0.0	
7/31/2022 18:00	Normal	0.0	
7/31/2022 19:00	Normal	0.0	
7/31/2022 20:00	Normal	0.0	
7/31/2022 21:00	Normal	0.0	
7/31/2022 22:00	Normal	0.0	
7/31/2022 23:00	Normal	0.0	9.3
8/1/2022 0:00	Normal	0.0	
8/1/2022 1:00	Normal	0.0	
8/1/2022 2:00	Normal	0.0	
8/1/2022 3:00	Normal	0.0	
8/1/2022 4:00	Normal	0.0	
8/1/2022 5:00	Normal	0.0	
8/1/2022 6:00	Normal	0.0	
8/1/2022 7:00	Normal	0.0	
8/1/2022 8:00	Normal	0.0	
8/1/2022 9:00	Normal	0.0	
8/1/2022 10:00	Normal	0.0	
8/1/2022 11:00	Normal	0.0	
8/1/2022 12:00	Normal	0.0	
8/1/2022 13:00	Normal	0.0	
8/1/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/1/2022 15:00	Normal	0.0	
8/1/2022 16:00	Normal	0.0	
8/1/2022 17:00	Normal	0.0	
8/1/2022 18:00	Normal	0.0	
8/1/2022 19:00	Normal	0.0	
8/1/2022 20:00	Normal	0.0	
8/1/2022 21:00	Normal	0.0	
8/1/2022 22:00	Normal	0.0	
8/1/2022 23:00	Normal	0.0	9.3
8/2/2022 0:00	Normal	0.0	
8/2/2022 1:00	Normal	0.0	
8/2/2022 2:00	Normal	0.0	
8/2/2022 3:00	Normal	0.0	
8/2/2022 4:00	Normal	0.0	
8/2/2022 5:00	Normal	0.0	
8/2/2022 6:00	Normal	0.0	
8/2/2022 7:00	Normal	0.0	
8/2/2022 8:00	Normal	0.0	
8/2/2022 9:00	Normal	0.0	
8/2/2022 10:00	Normal	0.0	
8/2/2022 11:00	Normal	0.0	
8/2/2022 12:00	Normal	0.0	
8/2/2022 13:00	Normal	0.0	
8/2/2022 14:00	Normal	0.0	
8/2/2022 15:00	Normal	0.0	
8/2/2022 16:00	Normal	0.0	
8/2/2022 17:00	Normal	0.0	
8/2/2022 18:00	Normal	0.0	
8/2/2022 19:00	Normal	0.0	
8/2/2022 20:00	Normal	0.0	
8/2/2022 21:00	Normal	0.0	
8/2/2022 22:00	Normal	14.2	
8/2/2022 23:00	Normal	0.0	9.3
8/3/2022 0:00	Normal	0.0	
8/3/2022 1:00	Normal	0.0	
8/3/2022 2:00	Normal	0.0	
8/3/2022 3:00	Normal	0.0	
8/3/2022 4:00	Normal	0.0	
8/3/2022 5:00	Normal	0.0	
8/3/2022 6:00	Normal	0.0	
8/3/2022 7:00	Normal	0.0	
8/3/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/3/2022 9:00	Normal	0.0	
8/3/2022 10:00	Normal	0.0	
8/3/2022 11:00	Normal	0.0	
8/3/2022 12:00	Normal	0.0	
8/3/2022 13:00	Normal	0.0	
8/3/2022 14:00	Normal	0.0	
8/3/2022 15:00	Shutdown	85.5	
8/3/2022 16:00	Shutdown	87.2	
8/3/2022 17:00	Shutdown	20.1	
8/3/2022 18:00	Shutdown	24.2	
8/3/2022 19:00	Shutdown	26.6	
8/3/2022 20:00	Shutdown	28.9	
8/3/2022 21:00	Shutdown	30.4	
8/3/2022 22:00	Shutdown	22.3	
8/3/2022 23:00	Shutdown	21.2	9.8
8/4/2022 0:00	Shutdown	15.0	
8/4/2022 1:00	Shutdown	16.7	
8/4/2022 2:00	Shutdown	0.3	
8/4/2022 3:00	Shutdown		
8/4/2022 4:00	Shutdown		
8/4/2022 5:00	Shutdown	8.8	
8/4/2022 6:00	Shutdown	16.3	
8/4/2022 7:00	Shutdown	16.1	
8/4/2022 8:00	Shutdown	13.7	
8/4/2022 9:00	Shutdown	30.4	
8/4/2022 10:00	Shutdown	24.8	
8/4/2022 11:00	Shutdown		
8/4/2022 12:00	Shutdown		
8/4/2022 13:00	Shutdown		
8/4/2022 14:00	Shutdown		
8/4/2022 15:00	Shutdown		
8/4/2022 16:00	Shutdown		
8/4/2022 17:00	Shutdown		
8/4/2022 18:00	Shutdown		
8/4/2022 19:00	Shutdown		
8/4/2022 20:00	Shutdown		
8/4/2022 21:00	Shutdown		
8/4/2022 22:00	Shutdown	11.4	
8/4/2022 23:00	Shutdown	115.0	10.5
8/5/2022 0:00	Shutdown	1.0	
8/5/2022 1:00	Shutdown		
8/5/2022 2:00	Shutdown		

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/5/2022 3:00	Shutdown		
8/5/2022 4:00	Shutdown		
8/5/2022 5:00	Shutdown		
8/5/2022 6:00	Shutdown		
8/5/2022 7:00	Shutdown		
8/5/2022 8:00	Shutdown		
8/5/2022 9:00	Shutdown		
8/5/2022 10:00	Shutdown		
8/5/2022 11:00	Shutdown		
8/5/2022 12:00	Shutdown		
8/5/2022 13:00	Shutdown		
8/5/2022 14:00	Shutdown		
8/5/2022 15:00	Shutdown		
8/5/2022 16:00	Shutdown		
8/5/2022 17:00	Shutdown		
8/5/2022 18:00	Shutdown		
8/5/2022 19:00	Shutdown		
8/5/2022 20:00	Shutdown		
8/5/2022 21:00	Shutdown		
8/5/2022 22:00	Shutdown		
8/5/2022 23:00	Shutdown		10.9
8/6/2022 0:00	Shutdown		
8/6/2022 1:00	Shutdown		
8/6/2022 2:00	Shutdown		
8/6/2022 3:00	Shutdown		
8/6/2022 4:00	Shutdown		
8/6/2022 5:00	Shutdown		
8/6/2022 6:00	Shutdown		
8/6/2022 7:00	Shutdown		
8/6/2022 8:00	Shutdown		
8/6/2022 9:00	Shutdown		
8/6/2022 10:00	Shutdown		
8/6/2022 11:00	Shutdown		
8/6/2022 12:00	Shutdown		
8/6/2022 13:00	Shutdown		
8/6/2022 14:00	Shutdown		
8/6/2022 15:00	Shutdown		
8/6/2022 16:00	Shutdown		
8/6/2022 17:00	Shutdown		
8/6/2022 18:00	Shutdown		
8/6/2022 19:00	Shutdown		
8/6/2022 20:00	Shutdown		

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/6/2022 21:00	Shutdown		
8/6/2022 22:00	Shutdown		
8/6/2022 23:00	Shutdown		11.3
8/7/2022 0:00	Shutdown		
8/7/2022 1:00	Shutdown		
8/7/2022 2:00	Shutdown		
8/7/2022 3:00	Shutdown		
8/7/2022 4:00	Shutdown		
8/7/2022 5:00	Shutdown		
8/7/2022 6:00	Shutdown		
8/7/2022 7:00	Shutdown		
8/7/2022 8:00	Shutdown		
8/7/2022 9:00	Shutdown		
8/7/2022 10:00	Shutdown		
8/7/2022 11:00	Shutdown		
8/7/2022 12:00	Shutdown		
8/7/2022 13:00	Shutdown		
8/7/2022 14:00	Shutdown		
8/7/2022 15:00	Shutdown		
8/7/2022 16:00	Shutdown		
8/7/2022 17:00	Shutdown		
8/7/2022 18:00	Shutdown		
8/7/2022 19:00	Shutdown		
8/7/2022 20:00	Shutdown		
8/7/2022 21:00	Shutdown		
8/7/2022 22:00	Shutdown		
8/7/2022 23:00	Shutdown		9.8
8/8/2022 0:00	Shutdown		
8/8/2022 1:00	Shutdown		
8/8/2022 2:00	Shutdown		
8/8/2022 3:00	Shutdown		
8/8/2022 4:00	Shutdown		
8/8/2022 5:00	Shutdown		
8/8/2022 6:00	Shutdown		
8/8/2022 7:00	Shutdown		
8/8/2022 8:00	Shutdown		
8/8/2022 9:00	Shutdown		
8/8/2022 10:00	Shutdown		
8/8/2022 11:00	Shutdown		
8/8/2022 12:00	Shutdown		
8/8/2022 13:00	Shutdown		
8/8/2022 14:00	Shutdown		

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/8/2022 15:00	Shutdown		
8/8/2022 16:00	Shutdown		
8/8/2022 17:00	Shutdown		
8/8/2022 18:00	Startup	0.0	
8/8/2022 19:00	Startup	16.1	
8/8/2022 20:00	Startup	0.0	
8/8/2022 21:00	Startup	0.0	
8/8/2022 22:00	Startup	0.0	
8/8/2022 23:00	Startup	0.0	10.1
8/9/2022 0:00	Startup	0.0	
8/9/2022 1:00	Startup	0.0	
8/9/2022 2:00	Startup	0.0	
8/9/2022 3:00	Startup	0.0	
8/9/2022 4:00	Startup	0.0	
8/9/2022 5:00	Startup	0.0	
8/9/2022 6:00	Startup	0.0	
8/9/2022 7:00	Startup	0.0	
8/9/2022 8:00	Startup	0.0	
8/9/2022 9:00	Startup	0.0	
8/9/2022 10:00	Startup	0.0	
8/9/2022 11:00	Startup	0.0	
8/9/2022 12:00	Startup	0.0	
8/9/2022 13:00	Startup	0.0	
8/9/2022 14:00	Startup	0.0	
8/9/2022 15:00	Startup	0.0	
8/9/2022 16:00	Startup	0.0	
8/9/2022 17:00	Startup	0.0	
8/9/2022 18:00	Startup	0.0	
8/9/2022 19:00	Startup	0.0	
8/9/2022 20:00	Startup	0.0	
8/9/2022 21:00	Startup	0.0	
8/9/2022 22:00	Startup	0.0	
8/9/2022 23:00	Startup	0.0	9.9
8/10/2022 0:00	Startup	0.0	
8/10/2022 1:00	Startup	0.0	
8/10/2022 2:00	Startup	0.0	
8/10/2022 3:00	Startup	0.0	
8/10/2022 4:00	Normal	0.0	
8/10/2022 5:00	Normal	0.0	
8/10/2022 6:00	Normal	0.0	
8/10/2022 7:00	Normal	0.0	
8/10/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/10/2022 9:00	Normal	0.0	
8/10/2022 10:00	Normal	0.0	
8/10/2022 11:00	Normal	0.0	
8/10/2022 12:00	Normal	0.0	
8/10/2022 13:00	Normal	0.0	
8/10/2022 14:00	Normal	0.0	
8/10/2022 15:00	Normal	0.0	
8/10/2022 16:00	Normal	0.0	
8/10/2022 17:00	Normal	0.0	
8/10/2022 18:00	Normal	0.0	
8/10/2022 19:00	Normal	0.0	
8/10/2022 20:00	Normal	0.0	
8/10/2022 21:00	Normal	0.0	
8/10/2022 22:00	Normal	0.0	
8/10/2022 23:00	Normal	0.0	9.8
8/11/2022 0:00	Normal	0.0	
8/11/2022 1:00	Normal	0.0	
8/11/2022 2:00	Normal	0.0	
8/11/2022 3:00	Normal	0.0	
8/11/2022 4:00	Normal	0.0	
8/11/2022 5:00	Normal	0.0	
8/11/2022 6:00	Normal	0.0	
8/11/2022 7:00	Normal	0.0	
8/11/2022 8:00	Normal	0.0	
8/11/2022 9:00	Normal	0.0	
8/11/2022 10:00	Normal	0.0	
8/11/2022 11:00	Normal	0.0	
8/11/2022 12:00	Normal	0.0	
8/11/2022 13:00	Normal	0.0	
8/11/2022 14:00	Normal	0.0	
8/11/2022 15:00	Normal	0.0	
8/11/2022 16:00	Normal	0.0	
8/11/2022 17:00	Normal	0.0	
8/11/2022 18:00	Normal	0.0	
8/11/2022 19:00	Normal	0.0	
8/11/2022 20:00	Normal	0.0	
8/11/2022 21:00	Normal	0.0	
8/11/2022 22:00	Normal	0.0	
8/11/2022 23:00	Normal	0.0	9.7
8/12/2022 0:00	Normal	0.0	
8/12/2022 1:00	Normal	0.0	
8/12/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/12/2022 3:00	Normal	0.0	
8/12/2022 4:00	Normal	0.0	
8/12/2022 5:00	Normal	0.0	
8/12/2022 6:00	Normal	0.0	
8/12/2022 7:00	Normal	0.0	
8/12/2022 8:00	Normal	0.0	
8/12/2022 9:00	Normal	0.0	
8/12/2022 10:00	Normal	0.0	
8/12/2022 11:00	Normal	0.0	
8/12/2022 12:00	Normal	0.0	
8/12/2022 13:00	Normal	0.0	
8/12/2022 14:00	Normal	0.0	
8/12/2022 15:00	Normal	0.0	
8/12/2022 16:00	Normal	0.0	
8/12/2022 17:00	Normal	0.0	
8/12/2022 18:00	Normal	0.0	
8/12/2022 19:00	Normal	0.0	
8/12/2022 20:00	Normal	0.0	
8/12/2022 21:00	Normal	0.0	
8/12/2022 22:00	Normal	0.0	
8/12/2022 23:00	Normal	0.0	9.7
8/13/2022 0:00	Normal	0.0	
8/13/2022 1:00	Normal	0.0	
8/13/2022 2:00	Normal	0.0	
8/13/2022 3:00	Normal	0.0	
8/13/2022 4:00	Normal	0.0	
8/13/2022 5:00	Normal	0.0	
8/13/2022 6:00	Normal	0.0	
8/13/2022 7:00	Normal	0.0	
8/13/2022 8:00	Normal	0.0	
8/13/2022 9:00	Normal	0.0	
8/13/2022 10:00	Normal	0.0	
8/13/2022 11:00	Normal	0.0	
8/13/2022 12:00	Normal	0.0	
8/13/2022 13:00	Normal	0.0	
8/13/2022 14:00	Normal	0.0	
8/13/2022 15:00	Normal	0.0	
8/13/2022 16:00	Normal	0.0	
8/13/2022 17:00	Normal	0.0	
8/13/2022 18:00	Normal	0.0	
8/13/2022 19:00	Normal	0.0	
8/13/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/13/2022 21:00	Normal	0.0	
8/13/2022 22:00	Normal	0.0	
8/13/2022 23:00	Normal	0.0	9.7
8/14/2022 0:00	Normal	0.0	
8/14/2022 1:00	Normal	0.0	
8/14/2022 2:00	Normal	0.0	
8/14/2022 3:00	Normal	0.0	
8/14/2022 4:00	Normal	0.0	
8/14/2022 5:00	Normal	0.0	
8/14/2022 6:00	Normal	0.0	
8/14/2022 7:00	Normal	0.0	
8/14/2022 8:00	Normal	0.0	
8/14/2022 9:00	Normal	0.0	
8/14/2022 10:00	Normal	0.0	
8/14/2022 11:00	Normal	0.0	
8/14/2022 12:00	Normal	0.0	
8/14/2022 13:00	Normal	0.0	
8/14/2022 14:00	Normal	0.0	
8/14/2022 15:00	Normal	0.0	
8/14/2022 16:00	Normal	0.0	
8/14/2022 17:00	Normal	0.0	
8/14/2022 18:00	Normal	0.0	
8/14/2022 19:00	Normal	0.0	
8/14/2022 20:00	Normal	0.0	
8/14/2022 21:00	Normal	0.0	
8/14/2022 22:00	Normal	0.0	
8/14/2022 23:00	Normal	0.0	9.7
8/15/2022 0:00	Normal	0.0	
8/15/2022 1:00	Normal	0.0	
8/15/2022 2:00	Normal	0.0	
8/15/2022 3:00	Normal	0.0	
8/15/2022 4:00	Normal	0.0	
8/15/2022 5:00	Normal	0.0	
8/15/2022 6:00	Normal	0.0	
8/15/2022 7:00	Normal	0.0	
8/15/2022 8:00	Normal	0.0	
8/15/2022 9:00	Normal	0.0	
8/15/2022 10:00	Normal	0.0	
8/15/2022 11:00	Normal	0.0	
8/15/2022 12:00	Normal	0.0	
8/15/2022 13:00	Normal	0.0	
8/15/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/15/2022 15:00	Normal	0.0	
8/15/2022 16:00	Normal	0.0	
8/15/2022 17:00	Normal	0.0	
8/15/2022 18:00	Normal	0.0	
8/15/2022 19:00	Normal	0.0	
8/15/2022 20:00	Normal	0.0	
8/15/2022 21:00	Normal	0.0	
8/15/2022 22:00	Normal	0.0	
8/15/2022 23:00	Normal	0.0	9.7
8/16/2022 0:00	Normal	0.0	
8/16/2022 1:00	Normal	0.0	
8/16/2022 2:00	Normal	0.0	
8/16/2022 3:00	Normal	0.0	
8/16/2022 4:00	Normal	0.0	
8/16/2022 5:00	Normal	0.0	
8/16/2022 6:00	Normal	0.0	
8/16/2022 7:00	Normal	0.0	
8/16/2022 8:00	Normal	0.0	
8/16/2022 9:00	Normal	0.0	
8/16/2022 10:00	Normal	0.0	
8/16/2022 11:00	Normal	0.0	
8/16/2022 12:00	Normal	0.0	
8/16/2022 13:00	Normal	0.0	
8/16/2022 14:00	Normal	0.0	
8/16/2022 15:00	Normal	0.0	
8/16/2022 16:00	Normal	0.0	
8/16/2022 17:00	Normal	0.0	
8/16/2022 18:00	Normal	0.0	
8/16/2022 19:00	Normal	0.0	
8/16/2022 20:00	Normal	0.0	
8/16/2022 21:00	Normal	0.0	
8/16/2022 22:00	Normal	0.0	
8/16/2022 23:00	Normal	0.0	9.7
8/17/2022 0:00	Normal	0.0	
8/17/2022 1:00	Normal	0.0	
8/17/2022 2:00	Normal	0.0	
8/17/2022 3:00	Normal	0.0	
8/17/2022 4:00	Normal	0.0	
8/17/2022 5:00	Normal	0.0	
8/17/2022 6:00	Normal	0.0	
8/17/2022 7:00	Normal	0.0	
8/17/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/17/2022 9:00	Normal	0.0	
8/17/2022 10:00	Normal	0.0	
8/17/2022 11:00	Normal	0.0	
8/17/2022 12:00	Normal	0.0	
8/17/2022 13:00	Normal	0.0	
8/17/2022 14:00	Normal	0.0	
8/17/2022 15:00	Normal	0.0	
8/17/2022 16:00	Normal	0.0	
8/17/2022 17:00	Normal	0.0	
8/17/2022 18:00	Normal	0.0	
8/17/2022 19:00	Normal	0.0	
8/17/2022 20:00	Normal	0.0	
8/17/2022 21:00	Normal	0.0	
8/17/2022 22:00	Normal	0.0	
8/17/2022 23:00	Normal	0.0	9.7
8/18/2022 0:00	Normal	0.0	
8/18/2022 1:00	Normal	0.0	
8/18/2022 2:00	Normal	0.0	
8/18/2022 3:00	Normal	0.0	
8/18/2022 4:00	Normal	0.0	
8/18/2022 5:00	Normal	0.0	
8/18/2022 6:00	Normal	0.0	
8/18/2022 7:00	Normal	0.0	
8/18/2022 8:00	Normal	0.0	
8/18/2022 9:00	Normal	0.0	
8/18/2022 10:00	Normal	0.0	
8/18/2022 11:00	Normal	0.0	
8/18/2022 12:00	Normal	0.0	
8/18/2022 13:00	Normal	0.0	
8/18/2022 14:00	Normal	0.0	
8/18/2022 15:00	Normal	0.0	
8/18/2022 16:00	Normal	0.0	
8/18/2022 17:00	Normal	0.0	
8/18/2022 18:00	Normal	0.0	
8/18/2022 19:00	Normal	0.0	
8/18/2022 20:00	Normal	0.0	
8/18/2022 21:00	Normal	0.0	
8/18/2022 22:00	Normal	0.0	
8/18/2022 23:00	Normal	0.0	9.7
8/19/2022 0:00	Normal	0.0	
8/19/2022 1:00	Normal	0.0	
8/19/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/19/2022 3:00	Normal	0.0	
8/19/2022 4:00	Normal	0.0	
8/19/2022 5:00	Normal	0.0	
8/19/2022 6:00	Normal	0.0	
8/19/2022 7:00	Normal	0.0	
8/19/2022 8:00	Normal	0.0	
8/19/2022 9:00	Normal	0.0	
8/19/2022 10:00	Normal	2.0	
8/19/2022 11:00	Normal	0.0	
8/19/2022 12:00	Normal	0.0	
8/19/2022 13:00	Normal	0.0	
8/19/2022 14:00	Normal	0.0	
8/19/2022 15:00	Normal	0.0	
8/19/2022 16:00	Normal	0.0	
8/19/2022 17:00	Normal	0.0	
8/19/2022 18:00	Normal	0.0	
8/19/2022 19:00	Normal	0.0	
8/19/2022 20:00	Normal	0.0	
8/19/2022 21:00	Normal	0.0	
8/19/2022 22:00	Normal	0.0	
8/19/2022 23:00	Normal	0.0	9.7
8/20/2022 0:00	Normal	0.0	
8/20/2022 1:00	Normal	0.0	
8/20/2022 2:00	Normal	0.0	
8/20/2022 3:00	Normal	0.0	
8/20/2022 4:00	Normal	0.0	
8/20/2022 5:00	Normal	0.0	
8/20/2022 6:00	Normal	0.0	
8/20/2022 7:00	Normal	0.0	
8/20/2022 8:00	Normal	0.0	
8/20/2022 9:00	Normal	0.0	
8/20/2022 10:00	Normal	0.0	
8/20/2022 11:00	Normal	0.0	
8/20/2022 12:00	Normal	0.0	
8/20/2022 13:00	Normal	0.0	
8/20/2022 14:00	Normal	0.0	
8/20/2022 15:00	Normal	0.0	
8/20/2022 16:00	Normal	0.0	
8/20/2022 17:00	Normal	0.0	
8/20/2022 18:00	Normal	0.0	
8/20/2022 19:00	Normal	0.0	
8/20/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/20/2022 21:00	Normal	0.0	
8/20/2022 22:00	Normal	0.0	
8/20/2022 23:00	Normal	0.0	9.7
8/21/2022 0:00	Normal	0.0	
8/21/2022 1:00	Normal	0.0	
8/21/2022 2:00	Normal	0.0	
8/21/2022 3:00	Normal	0.0	
8/21/2022 4:00	Normal	0.0	
8/21/2022 5:00	Normal	0.0	
8/21/2022 6:00	Normal	0.0	
8/21/2022 7:00	Normal	0.0	
8/21/2022 8:00	Normal	0.0	
8/21/2022 9:00	Normal	0.0	
8/21/2022 10:00	Normal	0.0	
8/21/2022 11:00	Normal	0.0	
8/21/2022 12:00	Normal	0.0	
8/21/2022 13:00	Normal	0.0	
8/21/2022 14:00	Normal	0.0	
8/21/2022 15:00	Normal	0.0	
8/21/2022 16:00	Normal	0.0	
8/21/2022 17:00	Normal	0.0	
8/21/2022 18:00	Normal	0.0	
8/21/2022 19:00	Normal	0.0	
8/21/2022 20:00	Normal	0.0	
8/21/2022 21:00	Normal	0.0	
8/21/2022 22:00	Normal	0.0	
8/21/2022 23:00	Normal	0.0	4.4
8/22/2022 0:00	Normal	0.0	
8/22/2022 1:00	Normal	0.0	
8/22/2022 2:00	Normal	0.0	
8/22/2022 3:00	Normal	0.0	
8/22/2022 4:00	Normal	0.0	
8/22/2022 5:00	Normal	0.0	
8/22/2022 6:00	Normal	0.0	
8/22/2022 7:00	Normal	0.0	
8/22/2022 8:00	Normal	0.0	
8/22/2022 9:00	Normal	0.0	
8/22/2022 10:00	Normal	0.0	
8/22/2022 11:00	Normal	0.0	
8/22/2022 12:00	Normal	0.0	
8/22/2022 13:00	Normal	0.0	
8/22/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/22/2022 15:00	Normal	0.0	
8/22/2022 16:00	Normal	0.0	
8/22/2022 17:00	Normal	0.0	
8/22/2022 18:00	Normal	0.0	
8/22/2022 19:00	Normal	0.0	
8/22/2022 20:00	Normal	0.0	
8/22/2022 21:00	Normal	0.0	
8/22/2022 22:00	Normal	0.0	
8/22/2022 23:00	Normal	0.0	3.7
8/23/2022 0:00	Normal	0.0	
8/23/2022 1:00	Normal	0.0	
8/23/2022 2:00	Normal	0.0	
8/23/2022 3:00	Normal	0.0	
8/23/2022 4:00	Normal	0.0	
8/23/2022 5:00	Normal	0.0	
8/23/2022 6:00	Normal	0.0	
8/23/2022 7:00	Normal	0.0	
8/23/2022 8:00	Normal	0.0	
8/23/2022 9:00	Normal	0.0	
8/23/2022 10:00	Normal	0.0	
8/23/2022 11:00	Normal	0.0	
8/23/2022 12:00	Normal	0.0	
8/23/2022 13:00	Normal	0.0	
8/23/2022 14:00	Normal	0.0	
8/23/2022 15:00	Normal	0.0	
8/23/2022 16:00	Normal	0.0	
8/23/2022 17:00	Normal	0.0	
8/23/2022 18:00	Normal	0.0	
8/23/2022 19:00	Normal	0.0	
8/23/2022 20:00	Normal	0.0	
8/23/2022 21:00	Normal	0.0	
8/23/2022 22:00	Normal	0.0	
8/23/2022 23:00	Normal	0.0	2.6
8/24/2022 0:00	Normal	0.0	
8/24/2022 1:00	Normal	0.0	
8/24/2022 2:00	Normal	0.0	
8/24/2022 3:00	Normal	0.0	
8/24/2022 4:00	Normal	0.0	
8/24/2022 5:00	Normal	0.0	
8/24/2022 6:00	Normal	0.0	
8/24/2022 7:00	Normal	0.0	
8/24/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/24/2022 9:00	Normal	0.0	
8/24/2022 10:00	Normal	0.0	
8/24/2022 11:00	Normal	0.0	
8/24/2022 12:00	Normal	0.0	
8/24/2022 13:00	Normal	0.0	
8/24/2022 14:00	Normal	0.0	
8/24/2022 15:00	Normal	0.0	
8/24/2022 16:00	Normal	0.0	
8/24/2022 17:00	Normal	0.0	
8/24/2022 18:00	Normal	0.0	
8/24/2022 19:00	Normal	0.0	
8/24/2022 20:00	Normal	0.0	
8/24/2022 21:00	Normal	0.0	
8/24/2022 22:00	Normal	0.0	
8/24/2022 23:00	Normal	0.0	2.5
8/25/2022 0:00	Normal	0.0	
8/25/2022 1:00	Normal	0.0	
8/25/2022 2:00	Normal	0.0	
8/25/2022 3:00	Normal	0.0	
8/25/2022 4:00	Normal	0.0	
8/25/2022 5:00	Normal	0.0	
8/25/2022 6:00	Normal	0.0	
8/25/2022 7:00	Normal	0.0	
8/25/2022 8:00	Normal	0.0	
8/25/2022 9:00	Normal	0.0	
8/25/2022 10:00	Normal	0.0	
8/25/2022 11:00	Normal	0.0	
8/25/2022 12:00	Normal	0.0	
8/25/2022 13:00	Normal	0.0	
8/25/2022 14:00	Normal	0.0	
8/25/2022 15:00	Normal	0.0	
8/25/2022 16:00	Normal	0.0	
8/25/2022 17:00	Normal	0.0	
8/25/2022 18:00	Normal	0.0	
8/25/2022 19:00	Normal	0.0	
8/25/2022 20:00	Normal	0.0	
8/25/2022 21:00	Normal	0.0	
8/25/2022 22:00	Normal	0.0	
8/25/2022 23:00	Normal	0.0	2.3
8/26/2022 0:00	Normal	0.0	
8/26/2022 1:00	Normal	0.0	
8/26/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/26/2022 3:00	Normal	0.0	
8/26/2022 4:00	Normal	0.0	
8/26/2022 5:00	Normal	0.0	
8/26/2022 6:00	Normal	0.0	
8/26/2022 7:00	Normal	0.0	
8/26/2022 8:00	Normal	0.0	
8/26/2022 9:00	Normal	0.0	
8/26/2022 10:00	Normal	0.0	
8/26/2022 11:00	Normal	0.0	
8/26/2022 12:00	Normal	0.0	
8/26/2022 13:00	Normal	0.0	
8/26/2022 14:00	Normal	0.0	
8/26/2022 15:00	Normal	0.0	
8/26/2022 16:00	Normal	0.0	
8/26/2022 17:00	Normal	0.0	
8/26/2022 18:00	Normal	0.0	
8/26/2022 19:00	Normal	0.0	
8/26/2022 20:00	Normal	0.0	
8/26/2022 21:00	Normal	0.0	
8/26/2022 22:00	Normal	0.0	
8/26/2022 23:00	Normal	0.0	2.2
8/27/2022 0:00	Normal	0.0	
8/27/2022 1:00	Normal	0.0	
8/27/2022 2:00	Normal	0.0	
8/27/2022 3:00	Normal	0.0	
8/27/2022 4:00	Normal	0.0	
8/27/2022 5:00	Normal	0.0	
8/27/2022 6:00	Normal	0.0	
8/27/2022 7:00	Normal	0.0	
8/27/2022 8:00	Normal	0.0	
8/27/2022 9:00	Normal	0.0	
8/27/2022 10:00	Normal	0.0	
8/27/2022 11:00	Normal	0.0	
8/27/2022 12:00	Normal	0.0	
8/27/2022 13:00	Normal	0.0	
8/27/2022 14:00	Normal	0.0	
8/27/2022 15:00	Normal	0.0	
8/27/2022 16:00	Normal	0.0	
8/27/2022 17:00	Normal	0.0	
8/27/2022 18:00	Normal	0.0	
8/27/2022 19:00	Normal	0.0	
8/27/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/27/2022 21:00	Normal	0.0	
8/27/2022 22:00	Normal	0.0	
8/27/2022 23:00	Normal	0.0	1.1
8/28/2022 0:00	Normal	0.0	
8/28/2022 1:00	Normal	0.0	
8/28/2022 2:00	Normal	0.0	
8/28/2022 3:00	Normal	0.0	
8/28/2022 4:00	Normal	0.0	
8/28/2022 5:00	Normal	0.0	
8/28/2022 6:00	Normal	0.0	
8/28/2022 7:00	Normal	0.0	
8/28/2022 8:00	Normal	0.0	
8/28/2022 9:00	Normal	0.0	
8/28/2022 10:00	Normal	0.0	
8/28/2022 11:00	Normal	0.0	
8/28/2022 12:00	Normal	0.0	
8/28/2022 13:00	Normal	0.0	
8/28/2022 14:00	Normal	0.0	
8/28/2022 15:00	Normal	0.0	
8/28/2022 16:00	Normal	0.0	
8/28/2022 17:00	Normal	0.0	
8/28/2022 18:00	Normal	0.0	
8/28/2022 19:00	Normal	0.0	
8/28/2022 20:00	Normal	0.0	
8/28/2022 21:00	Normal	0.0	
8/28/2022 22:00	Normal	0.0	
8/28/2022 23:00	Normal	0.0	1.0
8/29/2022 0:00	Normal	0.0	
8/29/2022 1:00	Normal	0.0	
8/29/2022 2:00	Normal	0.0	
8/29/2022 3:00	Normal	0.0	
8/29/2022 4:00	Normal	0.0	
8/29/2022 5:00	Normal	0.0	
8/29/2022 6:00	Normal	0.0	
8/29/2022 7:00	Normal	0.0	
8/29/2022 8:00	Normal	0.0	
8/29/2022 9:00	Normal	0.0	
8/29/2022 10:00	Normal	0.0	
8/29/2022 11:00	Normal	0.0	
8/29/2022 12:00	Normal	0.0	
8/29/2022 13:00	Normal	0.0	
8/29/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/29/2022 15:00	Normal	0.0	
8/29/2022 16:00	Normal	0.0	
8/29/2022 17:00	Normal	0.0	
8/29/2022 18:00	Normal	0.0	
8/29/2022 19:00	Normal	0.0	
8/29/2022 20:00	Normal	0.0	
8/29/2022 21:00	Normal	0.0	
8/29/2022 22:00	Normal	0.0	
8/29/2022 23:00	Normal	0.0	1.0
8/30/2022 0:00	Normal	0.0	
8/30/2022 1:00	Normal	0.0	
8/30/2022 2:00	Normal	0.0	
8/30/2022 3:00	Normal	0.0	
8/30/2022 4:00	Normal	0.0	
8/30/2022 5:00	Normal	0.0	
8/30/2022 6:00	Normal	0.0	
8/30/2022 7:00	Normal	0.0	
8/30/2022 8:00	Normal	0.0	
8/30/2022 9:00	Normal	0.0	
8/30/2022 10:00	Normal	0.0	
8/30/2022 11:00	Normal	0.0	
8/30/2022 12:00	Normal	0.0	
8/30/2022 13:00	Normal	0.0	
8/30/2022 14:00	Normal	0.0	
8/30/2022 15:00	Normal	0.0	
8/30/2022 16:00	Normal	0.0	
8/30/2022 17:00	Normal	0.0	
8/30/2022 18:00	Normal	0.0	
8/30/2022 19:00	Normal	0.0	
8/30/2022 20:00	Normal	0.0	
8/30/2022 21:00	Normal	0.0	
8/30/2022 22:00	Normal	0.0	
8/30/2022 23:00	Normal	0.0	1.0
8/31/2022 0:00	Normal	0.0	
8/31/2022 1:00	Normal	0.0	
8/31/2022 2:00	Normal	0.0	
8/31/2022 3:00	Normal	0.0	
8/31/2022 4:00	Normal	0.0	
8/31/2022 5:00	Normal	0.0	
8/31/2022 6:00	Normal	0.0	
8/31/2022 7:00	Normal	0.0	
8/31/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/31/2022 9:00	Normal	0.0	
8/31/2022 10:00	Normal	0.0	
8/31/2022 11:00	Normal	0.0	
8/31/2022 12:00	Normal	0.0	
8/31/2022 13:00	Normal	0.0	
8/31/2022 14:00	Normal	0.0	
8/31/2022 15:00	Normal	0.0	
8/31/2022 16:00	Normal	0.0	
8/31/2022 17:00	Normal	0.0	
8/31/2022 18:00	Normal	0.0	
8/31/2022 19:00	Normal	0.0	
8/31/2022 20:00	Normal	0.0	
8/31/2022 21:00	Normal	0.0	
8/31/2022 22:00	Normal	0.0	
8/31/2022 23:00	Normal	0.0	1.0
9/1/2022 0:00	Normal	0.0	
9/1/2022 1:00	Normal	0.0	
9/1/2022 2:00	Normal	0.0	
9/1/2022 3:00	Normal	0.0	
9/1/2022 4:00	Normal	0.0	
9/1/2022 5:00	Normal	0.0	
9/1/2022 6:00	Normal	0.0	
9/1/2022 7:00	Normal	0.0	
9/1/2022 8:00	Normal	0.0	
9/1/2022 9:00	Normal	0.0	
9/1/2022 10:00	Normal	0.0	
9/1/2022 11:00	Normal	0.0	
9/1/2022 12:00	Normal	0.0	
9/1/2022 13:00	Normal	0.0	
9/1/2022 14:00	Normal	0.0	
9/1/2022 15:00	Normal	0.0	
9/1/2022 16:00	Normal	0.0	
9/1/2022 17:00	Normal	0.0	
9/1/2022 18:00	Normal	0.0	
9/1/2022 19:00	Normal	0.0	
9/1/2022 20:00	Normal	0.0	
9/1/2022 21:00	Normal	0.0	
9/1/2022 22:00	Normal	0.0	
9/1/2022 23:00	Normal	0.0	1.0
9/2/2022 0:00	Normal	0.0	
9/2/2022 1:00	Normal	0.0	
9/2/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/2/2022 3:00	Normal	0.0	
9/2/2022 4:00	Normal	0.0	
9/2/2022 5:00	Normal	0.0	
9/2/2022 6:00	Normal	0.0	
9/2/2022 7:00	Normal	0.0	
9/2/2022 8:00	Normal	0.0	
9/2/2022 9:00	Normal	0.0	
9/2/2022 10:00	Normal	0.0	
9/2/2022 11:00	Normal	0.0	
9/2/2022 12:00	Normal	0.0	
9/2/2022 13:00	Normal	0.0	
9/2/2022 14:00	Normal	0.0	
9/2/2022 15:00	Normal	0.0	
9/2/2022 16:00	Normal	0.0	
9/2/2022 17:00	Normal	0.0	
9/2/2022 18:00	Normal	0.0	
9/2/2022 19:00	Normal	0.0	
9/2/2022 20:00	Normal	0.0	
9/2/2022 21:00	Normal	0.0	
9/2/2022 22:00	Normal	0.0	
9/2/2022 23:00	Normal	0.0	0.5
9/3/2022 0:00	Normal	0.0	
9/3/2022 1:00	Normal	0.0	
9/3/2022 2:00	Normal	0.0	
9/3/2022 3:00	Normal	0.0	
9/3/2022 4:00	Normal	0.0	
9/3/2022 5:00	Normal	0.0	
9/3/2022 6:00	Normal	0.0	
9/3/2022 7:00	Normal	0.0	
9/3/2022 8:00	Normal	0.0	
9/3/2022 9:00	Normal	0.0	
9/3/2022 10:00	Normal	0.0	
9/3/2022 11:00	Normal	0.0	
9/3/2022 12:00	Normal	0.0	
9/3/2022 13:00	Normal	0.0	
9/3/2022 14:00	Normal	0.0	
9/3/2022 15:00	Normal	0.0	
9/3/2022 16:00	Normal	0.0	
9/3/2022 17:00	Normal	0.0	
9/3/2022 18:00	Normal	0.0	
9/3/2022 19:00	Normal	0.0	
9/3/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/3/2022 21:00	Normal	0.0	
9/3/2022 22:00	Normal	0.0	
9/3/2022 23:00	Normal	0.0	0.0
9/4/2022 0:00	Normal	0.0	
9/4/2022 1:00	Normal	0.0	
9/4/2022 2:00	Normal	0.0	
9/4/2022 3:00	Normal	0.0	
9/4/2022 4:00	Normal	0.0	
9/4/2022 5:00	Normal	0.0	
9/4/2022 6:00	Normal	0.0	
9/4/2022 7:00	Normal	0.0	
9/4/2022 8:00	Normal	0.0	
9/4/2022 9:00	Normal	0.0	
9/4/2022 10:00	Normal	0.0	
9/4/2022 11:00	Normal	0.0	
9/4/2022 12:00	Normal	0.0	
9/4/2022 13:00	Normal	0.0	
9/4/2022 14:00	Normal	0.0	
9/4/2022 15:00	Normal	0.0	
9/4/2022 16:00	Normal	0.0	
9/4/2022 17:00	Normal	0.0	
9/4/2022 18:00	Normal	0.0	
9/4/2022 19:00	Normal	0.0	
9/4/2022 20:00	Normal	0.0	
9/4/2022 21:00	Normal	0.0	
9/4/2022 22:00	Normal	0.0	
9/4/2022 23:00	Normal	0.0	0.0
9/5/2022 0:00	Normal	0.0	
9/5/2022 1:00	Normal	0.0	
9/5/2022 2:00	Normal	0.0	
9/5/2022 3:00	Normal	0.0	
9/5/2022 4:00	Normal	0.0	
9/5/2022 5:00	Normal	0.0	
9/5/2022 6:00	Normal	0.0	
9/5/2022 7:00	Normal	0.0	
9/5/2022 8:00	Normal	0.0	
9/5/2022 9:00	Normal	0.0	
9/5/2022 10:00	Normal	0.0	
9/5/2022 11:00	Normal	0.0	
9/5/2022 12:00	Normal	0.0	
9/5/2022 13:00	Normal	0.0	
9/5/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/5/2022 15:00	Normal	0.0	
9/5/2022 16:00	Normal	0.0	
9/5/2022 17:00	Normal	0.0	
9/5/2022 18:00	Normal	0.0	
9/5/2022 19:00	Normal	0.0	
9/5/2022 20:00	Normal	0.0	
9/5/2022 21:00	Normal	0.0	
9/5/2022 22:00	Normal	0.0	
9/5/2022 23:00	Normal	0.0	0.0
9/6/2022 0:00	Normal	0.0	
9/6/2022 1:00	Normal	0.0	
9/6/2022 2:00	Normal	0.0	
9/6/2022 3:00	Normal	0.0	
9/6/2022 4:00	Normal	0.0	
9/6/2022 5:00	Normal	0.0	
9/6/2022 6:00	Normal	0.0	
9/6/2022 7:00	Normal	0.0	
9/6/2022 8:00	Normal	0.0	
9/6/2022 9:00	Normal	0.0	
9/6/2022 10:00	Normal	0.0	
9/6/2022 11:00	Normal	0.0	
9/6/2022 12:00	Normal	0.0	
9/6/2022 13:00	Normal	0.0	
9/6/2022 14:00	Normal	0.0	
9/6/2022 15:00	Normal	0.0	
9/6/2022 16:00	Normal	0.0	
9/6/2022 17:00	Normal	0.0	
9/6/2022 18:00	Normal	0.0	
9/6/2022 19:00	Normal	0.0	
9/6/2022 20:00	Normal	0.0	
9/6/2022 21:00	Normal	0.0	
9/6/2022 22:00	Normal	0.0	
9/6/2022 23:00	Normal	0.0	0.0
9/7/2022 0:00	Normal	0.0	
9/7/2022 1:00	Normal	0.0	
9/7/2022 2:00	Normal	0.0	
9/7/2022 3:00	Normal	0.0	
9/7/2022 4:00	Normal	0.0	
9/7/2022 5:00	Normal	0.0	
9/7/2022 6:00	Normal	0.0	
9/7/2022 7:00	Normal	0.0	
9/7/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/7/2022 9:00	Normal	0.0	
9/7/2022 10:00	Normal	0.0	
9/7/2022 11:00	Normal	0.0	
9/7/2022 12:00	Normal	0.0	
9/7/2022 13:00	Normal	0.0	
9/7/2022 14:00	Normal	0.0	
9/7/2022 15:00	Normal	0.0	
9/7/2022 16:00	Normal	0.0	
9/7/2022 17:00	Normal	0.0	
9/7/2022 18:00	Normal	0.0	
9/7/2022 19:00	Normal	0.0	
9/7/2022 20:00	Normal	0.0	
9/7/2022 21:00	Normal	0.0	
9/7/2022 22:00	Normal	0.0	
9/7/2022 23:00	Normal	0.0	0.0
9/8/2022 0:00	Normal	0.0	
9/8/2022 1:00	Normal	0.0	
9/8/2022 2:00	Normal	0.0	
9/8/2022 3:00	Normal	0.0	
9/8/2022 4:00	Normal	0.0	
9/8/2022 5:00	Normal	0.0	
9/8/2022 6:00	Normal	0.0	
9/8/2022 7:00	Normal	0.0	
9/8/2022 8:00	Normal	0.0	
9/8/2022 9:00	Normal	0.0	
9/8/2022 10:00	Normal	0.0	
9/8/2022 11:00	Normal	0.0	
9/8/2022 12:00	Normal	0.0	
9/8/2022 13:00	Normal	0.0	
9/8/2022 14:00	Normal	0.0	
9/8/2022 15:00	Normal	0.0	
9/8/2022 16:00	Normal	0.0	
9/8/2022 17:00	Normal	0.0	
9/8/2022 18:00	Normal	0.0	
9/8/2022 19:00	Normal	0.0	
9/8/2022 20:00	Normal	0.0	
9/8/2022 21:00	Normal	0.0	
9/8/2022 22:00	Normal	0.0	
9/8/2022 23:00	Normal	0.0	0.0
9/9/2022 0:00	Normal	0.0	
9/9/2022 1:00	Normal	0.0	
9/9/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/9/2022 3:00	Normal	0.0	
9/9/2022 4:00	Normal	0.0	
9/9/2022 5:00	Normal	0.0	
9/9/2022 6:00	Normal	0.0	
9/9/2022 7:00	Normal	0.0	
9/9/2022 8:00	Normal	0.0	
9/9/2022 9:00	Normal	0.0	
9/9/2022 10:00	Normal	0.0	
9/9/2022 11:00	Normal	0.0	
9/9/2022 12:00	Normal	0.0	
9/9/2022 13:00	Normal	0.0	
9/9/2022 14:00	Normal	0.0	
9/9/2022 15:00	Normal	0.0	
9/9/2022 16:00	Normal	0.0	
9/9/2022 17:00	Normal	0.0	
9/9/2022 18:00	Normal	0.0	
9/9/2022 19:00	Normal	0.0	
9/9/2022 20:00	Normal	0.0	
9/9/2022 21:00	Normal	0.0	
9/9/2022 22:00	Normal	0.0	
9/9/2022 23:00	Normal	0.0	0.0
9/10/2022 0:00	Normal	0.0	
9/10/2022 1:00	Normal	0.0	
9/10/2022 2:00	Normal	0.0	
9/10/2022 3:00	Normal	0.0	
9/10/2022 4:00	Normal	0.0	
9/10/2022 5:00	Normal	0.0	
9/10/2022 6:00	Normal	0.0	
9/10/2022 7:00	Normal	0.0	
9/10/2022 8:00	Normal	0.0	
9/10/2022 9:00	Normal	0.0	
9/10/2022 10:00	Normal	0.0	
9/10/2022 11:00	Normal	0.0	
9/10/2022 12:00	Normal	0.0	
9/10/2022 13:00	Normal	0.0	
9/10/2022 14:00	Normal	0.0	
9/10/2022 15:00	Normal	0.0	
9/10/2022 16:00	Normal	0.0	
9/10/2022 17:00	Normal	0.0	
9/10/2022 18:00	Normal	0.0	
9/10/2022 19:00	Normal	0.0	
9/10/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/10/2022 21:00	Normal	0.0	
9/10/2022 22:00	Normal	0.0	
9/10/2022 23:00	Normal	0.0	0.0
9/11/2022 0:00	Normal	0.0	
9/11/2022 1:00	Normal	0.0	
9/11/2022 2:00	Normal	0.0	
9/11/2022 3:00	Normal	0.0	
9/11/2022 4:00	Normal	0.0	
9/11/2022 5:00	Normal	0.0	
9/11/2022 6:00	Normal	0.0	
9/11/2022 7:00	Normal	0.0	
9/11/2022 8:00	Normal	0.0	
9/11/2022 9:00	Normal	0.0	
9/11/2022 10:00	Normal	0.0	
9/11/2022 11:00	Normal	0.0	
9/11/2022 12:00	Normal	0.0	
9/11/2022 13:00	Normal	0.0	
9/11/2022 14:00	Normal	0.0	
9/11/2022 15:00	Normal	0.0	
9/11/2022 16:00	Normal	0.0	
9/11/2022 17:00	Normal	0.0	
9/11/2022 18:00	Normal	0.0	
9/11/2022 19:00	Normal	0.0	
9/11/2022 20:00	Normal	0.0	
9/11/2022 21:00	Normal	0.0	
9/11/2022 22:00	Normal	0.0	
9/11/2022 23:00	Normal	0.0	0.0
9/12/2022 0:00	Normal	0.0	
9/12/2022 1:00	Normal	0.0	
9/12/2022 2:00	Normal	0.0	
9/12/2022 3:00	Normal	0.0	
9/12/2022 4:00	Normal	0.0	
9/12/2022 5:00	Normal	0.0	
9/12/2022 6:00	Normal	0.0	
9/12/2022 7:00	Normal	0.0	
9/12/2022 8:00	Normal	0.0	
9/12/2022 9:00	Normal	0.0	
9/12/2022 10:00	Normal	0.0	
9/12/2022 11:00	Normal	0.0	
9/12/2022 12:00	Normal	0.0	
9/12/2022 13:00	Normal	0.0	
9/12/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/12/2022 15:00	Normal	0.0	
9/12/2022 16:00	Normal	0.0	
9/12/2022 17:00	Normal	0.0	
9/12/2022 18:00	Normal	0.0	
9/12/2022 19:00	Normal	0.0	
9/12/2022 20:00	Normal	0.0	
9/12/2022 21:00	Normal	0.0	
9/12/2022 22:00	Normal	0.0	
9/12/2022 23:00	Normal	0.0	0.0
9/13/2022 0:00	Normal	0.0	
9/13/2022 1:00	Normal	0.0	
9/13/2022 2:00	Normal	0.0	
9/13/2022 3:00	Normal	0.0	
9/13/2022 4:00	Normal	0.0	
9/13/2022 5:00	Normal	0.0	
9/13/2022 6:00	Normal	0.0	
9/13/2022 7:00	Normal	0.0	
9/13/2022 8:00	Normal	0.0	
9/13/2022 9:00	Normal	0.0	
9/13/2022 10:00	Normal	0.0	
9/13/2022 11:00	Normal	0.0	
9/13/2022 12:00	Normal	0.0	
9/13/2022 13:00	Normal	0.0	
9/13/2022 14:00	Normal	0.0	
9/13/2022 15:00	Normal	0.0	
9/13/2022 16:00	Normal	0.0	
9/13/2022 17:00	Normal	0.0	
9/13/2022 18:00	Normal	0.0	
9/13/2022 19:00	Normal	0.0	
9/13/2022 20:00	Normal	0.0	
9/13/2022 21:00	Normal	0.0	
9/13/2022 22:00	Normal	0.0	
9/13/2022 23:00	Normal	0.0	0.0
9/14/2022 0:00	Normal	0.0	
9/14/2022 1:00	Normal	0.0	
9/14/2022 2:00	Normal	0.0	
9/14/2022 3:00	Normal	0.0	
9/14/2022 4:00	Normal	0.0	
9/14/2022 5:00	Normal	0.0	
9/14/2022 6:00	Normal	0.0	
9/14/2022 7:00	Normal	0.0	
9/14/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/14/2022 9:00	Normal	0.0	
9/14/2022 10:00	Normal	0.0	
9/14/2022 11:00	Normal	0.0	
9/14/2022 12:00	Normal	0.0	
9/14/2022 13:00	Normal	0.0	
9/14/2022 14:00	Normal	0.0	
9/14/2022 15:00	Normal	0.0	
9/14/2022 16:00	Normal	0.0	
9/14/2022 17:00	Normal	0.0	
9/14/2022 18:00	Normal	0.0	
9/14/2022 19:00	Normal	0.0	
9/14/2022 20:00	Normal	0.0	
9/14/2022 21:00	Normal	0.0	
9/14/2022 22:00	Normal	0.0	
9/14/2022 23:00	Normal	0.0	0.0
9/15/2022 0:00	Normal	0.0	
9/15/2022 1:00	Normal	0.0	
9/15/2022 2:00	Normal	0.0	
9/15/2022 3:00	Normal	0.0	
9/15/2022 4:00	Normal	0.0	
9/15/2022 5:00	Normal	0.0	
9/15/2022 6:00	Normal	0.0	
9/15/2022 7:00	Normal	0.0	
9/15/2022 8:00	Normal	0.0	
9/15/2022 9:00	Normal	0.0	
9/15/2022 10:00	Normal	0.0	
9/15/2022 11:00	Normal	0.0	
9/15/2022 12:00	Normal	0.0	
9/15/2022 13:00	Normal	0.0	
9/15/2022 14:00	Normal	0.0	
9/15/2022 15:00	Normal	0.0	
9/15/2022 16:00	Normal	0.0	
9/15/2022 17:00	Normal	0.0	
9/15/2022 18:00	Normal	0.0	
9/15/2022 19:00	Normal	0.0	
9/15/2022 20:00	Normal	0.0	
9/15/2022 21:00	Normal	0.0	
9/15/2022 22:00	Normal	0.0	
9/15/2022 23:00	Normal	0.0	0.0
9/16/2022 0:00	Normal	0.0	
9/16/2022 1:00	Normal	0.0	
9/16/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/16/2022 3:00	Normal	0.0	
9/16/2022 4:00	Normal	0.0	
9/16/2022 5:00	Normal	0.0	
9/16/2022 6:00	Normal	0.0	
9/16/2022 7:00	Normal	0.0	
9/16/2022 8:00	Normal	0.0	
9/16/2022 9:00	Normal	0.0	
9/16/2022 10:00	Normal	0.0	
9/16/2022 11:00	Normal	0.0	
9/16/2022 12:00	Normal	0.0	
9/16/2022 13:00	Normal	0.0	
9/16/2022 14:00	Normal	0.0	
9/16/2022 15:00	Normal	0.0	
9/16/2022 16:00	Normal	0.0	
9/16/2022 17:00	Normal	0.0	
9/16/2022 18:00	Normal	0.0	
9/16/2022 19:00	Normal	0.0	
9/16/2022 20:00	Normal	0.0	
9/16/2022 21:00	Normal	0.0	
9/16/2022 22:00	Normal	0.0	
9/16/2022 23:00	Normal	0.0	0.0
9/17/2022 0:00	Normal	0.0	
9/17/2022 1:00	Normal	0.0	
9/17/2022 2:00	Normal	0.0	
9/17/2022 3:00	Normal	0.0	
9/17/2022 4:00	Normal	0.0	
9/17/2022 5:00	Normal	0.0	
9/17/2022 6:00	Normal	0.0	
9/17/2022 7:00	Normal	0.0	
9/17/2022 8:00	Normal	0.0	
9/17/2022 9:00	Normal	0.0	
9/17/2022 10:00	Normal	0.0	
9/17/2022 11:00	Normal	0.0	
9/17/2022 12:00	Normal	0.0	
9/17/2022 13:00	Normal	0.0	
9/17/2022 14:00	Normal	0.0	
9/17/2022 15:00	Normal	0.0	
9/17/2022 16:00	Normal	0.0	
9/17/2022 17:00	Normal	0.0	
9/17/2022 18:00	Normal	0.0	
9/17/2022 19:00	Normal	0.0	
9/17/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/17/2022 21:00	Normal	0.0	
9/17/2022 22:00	Normal	0.0	
9/17/2022 23:00	Normal	0.0	0.0
9/18/2022 0:00	Normal	0.0	
9/18/2022 1:00	Normal	0.0	
9/18/2022 2:00	Normal	0.0	
9/18/2022 3:00	Normal	0.0	
9/18/2022 4:00	Normal	0.0	
9/18/2022 5:00	Normal	0.0	
9/18/2022 6:00	Normal	0.0	
9/18/2022 7:00	Normal	0.0	
9/18/2022 8:00	Normal	0.0	
9/18/2022 9:00	Normal	0.0	
9/18/2022 10:00	Normal	0.0	
9/18/2022 11:00	Normal	0.0	
9/18/2022 12:00	Normal	0.0	
9/18/2022 13:00	Normal	0.0	
9/18/2022 14:00	Normal	0.0	
9/18/2022 15:00	Normal	0.0	
9/18/2022 16:00	Normal	0.0	
9/18/2022 17:00	Normal	0.0	
9/18/2022 18:00	Normal	0.0	
9/18/2022 19:00	Normal	0.0	
9/18/2022 20:00	Normal	0.0	
9/18/2022 21:00	Normal	0.0	
9/18/2022 22:00	Normal	0.0	
9/18/2022 23:00	Normal	0.0	0.0
9/19/2022 0:00	Normal	0.0	
9/19/2022 1:00	Normal	0.0	
9/19/2022 2:00	Normal	0.0	
9/19/2022 3:00	Normal	0.0	
9/19/2022 4:00	Normal	0.0	
9/19/2022 5:00	Normal	0.0	
9/19/2022 6:00	Normal	0.0	
9/19/2022 7:00	Normal	0.0	
9/19/2022 8:00	Normal	0.0	
9/19/2022 9:00	Normal	0.0	
9/19/2022 10:00	Normal	0.0	
9/19/2022 11:00	Normal	0.0	
9/19/2022 12:00	Normal	0.0	
9/19/2022 13:00	Normal	0.0	
9/19/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/19/2022 15:00	Normal	0.0	
9/19/2022 16:00	Normal	0.0	
9/19/2022 17:00	Normal	0.0	
9/19/2022 18:00	Normal	0.0	
9/19/2022 19:00	Normal	0.0	
9/19/2022 20:00	Normal	0.0	
9/19/2022 21:00	Normal	0.0	
9/19/2022 22:00	Normal	0.0	
9/19/2022 23:00	Normal	0.0	0.0
9/20/2022 0:00	Normal	0.0	
9/20/2022 1:00	Normal	0.0	
9/20/2022 2:00	Normal	0.0	
9/20/2022 3:00	Normal	0.0	
9/20/2022 4:00	Normal	0.0	
9/20/2022 5:00	Normal	0.0	
9/20/2022 6:00	Normal	0.0	
9/20/2022 7:00	Normal	0.0	
9/20/2022 8:00	Normal	0.0	
9/20/2022 9:00	Normal	0.0	
9/20/2022 10:00	Normal	0.0	
9/20/2022 11:00	Normal	0.0	
9/20/2022 12:00	Normal	0.0	
9/20/2022 13:00	Normal	0.0	
9/20/2022 14:00	Normal	0.0	
9/20/2022 15:00	Normal	0.0	
9/20/2022 16:00	Normal	0.0	
9/20/2022 17:00	Normal	0.0	
9/20/2022 18:00	Normal	0.0	
9/20/2022 19:00	Normal	0.0	
9/20/2022 20:00	Normal	0.0	
9/20/2022 21:00	Shutdown	72.7	
9/20/2022 22:00	Shutdown	64.8	
9/20/2022 23:00	Shutdown	32.8	0.2
9/21/2022 0:00	Shutdown	34.5	
9/21/2022 1:00	Shutdown	31.9	
9/21/2022 2:00	Shutdown	21.4	
9/21/2022 3:00	Shutdown	19.7	
9/21/2022 4:00	Shutdown	16.3	
9/21/2022 5:00	Shutdown	12.9	
9/21/2022 6:00	Shutdown	9.9	
9/21/2022 7:00	Shutdown	5.2	
9/21/2022 8:00	Shutdown		

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/21/2022 9:00	Normal	0.0	
9/21/2022 10:00	Normal	0.0	
9/21/2022 11:00	Normal	0.0	
9/21/2022 12:00	Normal	0.0	
9/21/2022 13:00	Normal	0.0	
9/21/2022 14:00	Normal	0.0	
9/21/2022 15:00	Normal	0.0	
9/21/2022 16:00	Normal	0.0	
9/21/2022 17:00	Normal	0.0	
9/21/2022 18:00	Normal	0.0	
9/21/2022 19:00	Normal	0.0	
9/21/2022 20:00	Normal	0.0	
9/21/2022 21:00	Normal	0.0	
9/21/2022 22:00	Normal	0.0	
9/21/2022 23:00	Normal	0.0	0.4
9/22/2022 0:00	Normal	0.0	
9/22/2022 1:00	Normal	0.0	
9/22/2022 2:00	Normal	0.0	
9/22/2022 3:00	Normal	0.0	
9/22/2022 4:00	Normal	0.0	
9/22/2022 5:00	Normal	0.0	
9/22/2022 6:00	Normal	0.0	
9/22/2022 7:00	Normal	0.0	
9/22/2022 8:00	Normal	0.0	
9/22/2022 9:00	Normal	0.0	
9/22/2022 10:00	Normal	0.0	
9/22/2022 11:00	Normal	0.0	
9/22/2022 12:00	Normal	0.0	
9/22/2022 13:00	Normal	0.0	
9/22/2022 14:00	Normal	0.0	
9/22/2022 15:00	Normal	0.0	
9/22/2022 16:00	Normal	0.0	
9/22/2022 17:00	Normal	0.0	
9/22/2022 18:00	Normal	0.0	
9/22/2022 19:00	Normal	0.0	
9/22/2022 20:00	Normal	0.0	
9/22/2022 21:00	Normal	0.0	
9/22/2022 22:00	Normal	0.0	
9/22/2022 23:00	Normal	0.0	0.4
9/23/2022 0:00	Normal	0.0	
9/23/2022 1:00	Normal	0.0	
9/23/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/23/2022 3:00	Normal	0.0	
9/23/2022 4:00	Normal	0.0	
9/23/2022 5:00	Normal	0.0	
9/23/2022 6:00	Normal	0.0	
9/23/2022 7:00	Normal	0.0	
9/23/2022 8:00	Normal	0.0	
9/23/2022 9:00	Normal	0.0	
9/23/2022 10:00	Normal	0.0	
9/23/2022 11:00	Normal	0.0	
9/23/2022 12:00	Normal	0.0	
9/23/2022 13:00	Normal	0.0	
9/23/2022 14:00	Normal	0.0	
9/23/2022 15:00	Normal	0.0	
9/23/2022 16:00	Normal	0.0	
9/23/2022 17:00	Normal	0.0	
9/23/2022 18:00	Normal	0.0	
9/23/2022 19:00	Normal	0.0	
9/23/2022 20:00	Normal	0.0	
9/23/2022 21:00	Normal	0.0	
9/23/2022 22:00	Normal	0.0	
9/23/2022 23:00	Normal	0.0	0.4
9/24/2022 0:00	Normal	0.0	
9/24/2022 1:00	Normal	0.0	
9/24/2022 2:00	Normal	0.0	
9/24/2022 3:00	Normal	0.0	
9/24/2022 4:00	Normal	0.0	
9/24/2022 5:00	Normal	0.0	
9/24/2022 6:00	Normal	0.0	
9/24/2022 7:00	Normal	0.0	
9/24/2022 8:00	Normal	0.0	
9/24/2022 9:00	Normal	0.0	
9/24/2022 10:00	Normal	0.0	
9/24/2022 11:00	Normal	0.0	
9/24/2022 12:00	Normal	0.0	
9/24/2022 13:00	Normal	0.0	
9/24/2022 14:00	Normal	0.0	
9/24/2022 15:00	Normal	0.0	
9/24/2022 16:00	Normal	0.0	
9/24/2022 17:00	Normal	0.0	
9/24/2022 18:00	Normal	0.0	
9/24/2022 19:00	Normal	0.0	
9/24/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/24/2022 21:00	Normal	0.0	
9/24/2022 22:00	Normal	0.0	
9/24/2022 23:00	Normal	0.0	0.4
9/25/2022 0:00	Normal	0.0	
9/25/2022 1:00	Normal	0.0	
9/25/2022 2:00	Normal	0.0	
9/25/2022 3:00	Normal	0.0	
9/25/2022 4:00	Normal	0.0	
9/25/2022 5:00	Normal	0.0	
9/25/2022 6:00	Normal	0.0	
9/25/2022 7:00	Normal	0.0	
9/25/2022 8:00	Normal	0.0	
9/25/2022 9:00	Normal	0.0	
9/25/2022 10:00	Normal	0.0	
9/25/2022 11:00	Normal	0.0	
9/25/2022 12:00	Normal	0.0	
9/25/2022 13:00	Normal	0.0	
9/25/2022 14:00	Normal	0.0	
9/25/2022 15:00	Normal	0.0	
9/25/2022 16:00	Normal	0.0	
9/25/2022 17:00	Normal	0.0	
9/25/2022 18:00	Normal	0.0	
9/25/2022 19:00	Normal	0.0	
9/25/2022 20:00	Normal	0.0	
9/25/2022 21:00	Normal	0.0	
9/25/2022 22:00	Normal	0.0	
9/25/2022 23:00	Normal	0.0	0.4
9/26/2022 0:00	Normal	0.0	
9/26/2022 1:00	Normal	0.0	
9/26/2022 2:00	Normal	0.0	
9/26/2022 3:00	Normal	0.0	
9/26/2022 4:00	Normal	0.0	
9/26/2022 5:00	Normal	0.0	
9/26/2022 6:00	Normal	0.0	
9/26/2022 7:00	Normal	0.0	
9/26/2022 8:00	Normal	0.0	
9/26/2022 9:00	Normal	0.0	
9/26/2022 10:00	Normal	0.0	
9/26/2022 11:00	Normal	0.0	
9/26/2022 12:00	Normal	0.0	
9/26/2022 13:00	Normal	0.0	
9/26/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/26/2022 15:00	Normal	0.0	
9/26/2022 16:00	Normal	0.0	
9/26/2022 17:00	Normal	0.0	
9/26/2022 18:00	Normal	0.0	
9/26/2022 19:00	Normal	0.0	
9/26/2022 20:00	Normal	0.0	
9/26/2022 21:00	Normal	0.0	
9/26/2022 22:00	Normal	0.0	
9/26/2022 23:00	Normal	0.0	0.4
9/27/2022 0:00	Normal	0.0	
9/27/2022 1:00	Normal	0.0	
9/27/2022 2:00	Normal	0.0	
9/27/2022 3:00	Normal	0.0	
9/27/2022 4:00	Normal	0.0	
9/27/2022 5:00	Normal	0.0	
9/27/2022 6:00	Normal	0.0	
9/27/2022 7:00	Normal	0.0	
9/27/2022 8:00	Normal	0.0	
9/27/2022 9:00	Normal	0.0	
9/27/2022 10:00	Normal	0.0	
9/27/2022 11:00	Normal	0.0	
9/27/2022 12:00	Normal	0.0	
9/27/2022 13:00	Normal	0.0	
9/27/2022 14:00	Normal	0.0	
9/27/2022 15:00	Normal	0.0	
9/27/2022 16:00	Normal	0.0	
9/27/2022 17:00	Normal	0.0	
9/27/2022 18:00	Normal	0.0	
9/27/2022 19:00	Normal	0.0	
9/27/2022 20:00	Normal	0.0	
9/27/2022 21:00	Normal	0.0	
9/27/2022 22:00	Normal	0.0	
9/27/2022 23:00	Normal	0.0	0.4
9/28/2022 0:00	Normal	0.0	
9/28/2022 1:00	Normal	0.0	
9/28/2022 2:00	Normal	0.0	
9/28/2022 3:00	Normal	0.0	
9/28/2022 4:00	Normal	0.0	
9/28/2022 5:00	Normal	0.0	
9/28/2022 6:00	Normal	0.0	
9/28/2022 7:00	Normal	0.0	
9/28/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/28/2022 9:00	Normal	0.0	
9/28/2022 10:00	Normal	0.0	
9/28/2022 11:00	Normal	0.0	
9/28/2022 12:00	Normal	0.0	
9/28/2022 13:00	Normal	0.0	
9/28/2022 14:00	Normal	0.0	
9/28/2022 15:00	Normal	0.0	
9/28/2022 16:00	Normal	0.0	
9/28/2022 17:00	Normal	0.0	
9/28/2022 18:00	Normal	0.0	
9/28/2022 19:00	Normal	0.0	
9/28/2022 20:00	Normal	0.0	
9/28/2022 21:00	Normal	0.0	
9/28/2022 22:00	Normal	0.0	
9/28/2022 23:00	Normal	0.0	0.4
9/29/2022 0:00	Normal	0.0	
9/29/2022 1:00	Normal	0.0	
9/29/2022 2:00	Normal	0.0	
9/29/2022 3:00	Normal	0.0	
9/29/2022 4:00	Normal	0.0	
9/29/2022 5:00	Normal	0.0	
9/29/2022 6:00	Normal	0.0	
9/29/2022 7:00	Normal	0.0	
9/29/2022 8:00	Normal	0.0	
9/29/2022 9:00	Normal	0.0	
9/29/2022 10:00	Normal	0.0	
9/29/2022 11:00	Normal	0.0	
9/29/2022 12:00	Normal	0.0	
9/29/2022 13:00	Normal	0.0	
9/29/2022 14:00	Normal	0.0	
9/29/2022 15:00	Normal	0.0	
9/29/2022 16:00	Normal	0.0	
9/29/2022 17:00	Normal	0.0	
9/29/2022 18:00	Normal	0.0	
9/29/2022 19:00	Normal	0.0	
9/29/2022 20:00	Normal	0.0	
9/29/2022 21:00	Normal	0.0	
9/29/2022 22:00	Normal	0.0	
9/29/2022 23:00	Normal	0.0	0.4
9/30/2022 0:00	Normal	0.0	
9/30/2022 1:00	Normal	0.0	
9/30/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/30/2022 3:00	Normal	0.0	
9/30/2022 4:00	Normal	0.0	
9/30/2022 5:00	Normal	0.0	
9/30/2022 6:00	Normal	0.0	
9/30/2022 7:00	Normal	0.0	
9/30/2022 8:00	Normal	0.0	
9/30/2022 9:00	Normal	0.0	
9/30/2022 10:00	Normal	0.0	
9/30/2022 11:00	Normal	0.0	
9/30/2022 12:00	Normal	0.0	
9/30/2022 13:00	Normal	0.0	
9/30/2022 14:00	Normal	0.0	
9/30/2022 15:00	Normal	0.0	
9/30/2022 16:00	Normal	0.0	
9/30/2022 17:00	Normal	0.0	
9/30/2022 18:00	Normal	0.0	
9/30/2022 19:00	Normal	0.0	
9/30/2022 20:00	Normal	0.0	
9/30/2022 21:00	Normal	0.0	
9/30/2022 22:00	Normal	0.0	
9/30/2022 23:00	Normal	0.0	0.4
10/1/2022 0:00	Normal	0.0	
10/1/2022 1:00	Normal	0.0	
10/1/2022 2:00	Normal	0.0	
10/1/2022 3:00	Normal	0.0	
10/1/2022 4:00	Normal	0.0	
10/1/2022 5:00	Normal	0.0	
10/1/2022 6:00	Normal	0.0	
10/1/2022 7:00	Normal	0.0	
10/1/2022 8:00	Normal	0.0	
10/1/2022 9:00	Normal	0.0	
10/1/2022 10:00	Normal	0.0	
10/1/2022 11:00	Normal	0.0	
10/1/2022 12:00	Normal	0.0	
10/1/2022 13:00	Normal	0.0	
10/1/2022 14:00	Normal	0.0	
10/1/2022 15:00	Normal	0.0	
10/1/2022 16:00	Normal	0.0	
10/1/2022 17:00	Normal	0.0	
10/1/2022 18:00	Normal	0.0	
10/1/2022 19:00	Normal	0.0	
10/1/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/1/2022 21:00	Normal	0.0	
10/1/2022 22:00	Normal	0.0	
10/1/2022 23:00	Normal	0.0	0.4
10/2/2022 0:00	Normal	0.0	
10/2/2022 1:00	Normal	0.0	
10/2/2022 2:00	Normal	0.0	
10/2/2022 3:00	Normal	0.0	
10/2/2022 4:00	Normal	0.0	
10/2/2022 5:00	Normal	0.0	
10/2/2022 6:00	Normal	0.0	
10/2/2022 7:00	Normal	0.0	
10/2/2022 8:00	Normal	0.0	
10/2/2022 9:00	Normal	0.0	
10/2/2022 10:00	Normal	0.0	
10/2/2022 11:00	Normal	0.0	
10/2/2022 12:00	Normal	0.0	
10/2/2022 13:00	Normal	0.0	
10/2/2022 14:00	Normal	0.0	
10/2/2022 15:00	Normal	0.0	
10/2/2022 16:00	Normal	0.0	
10/2/2022 17:00	Normal	0.0	
10/2/2022 18:00	Normal	0.0	
10/2/2022 19:00	Normal	0.0	
10/2/2022 20:00	Normal	0.0	
10/2/2022 21:00	Normal	0.0	
10/2/2022 22:00	Normal	0.0	
10/2/2022 23:00	Normal	0.0	0.4
10/3/2022 0:00	Normal	0.0	
10/3/2022 1:00	Normal	0.0	
10/3/2022 2:00	Normal	0.0	
10/3/2022 3:00	Normal	0.0	
10/3/2022 4:00	Normal	0.0	
10/3/2022 5:00	Normal	0.0	
10/3/2022 6:00	Normal	0.0	
10/3/2022 7:00	Normal	0.0	
10/3/2022 8:00	Normal	0.0	
10/3/2022 9:00	Normal	0.0	
10/3/2022 10:00	Normal	0.0	
10/3/2022 11:00	Normal	0.0	
10/3/2022 12:00	Normal	0.0	
10/3/2022 13:00	Normal	0.0	
10/3/2022 14:00	Shutdown	101.8	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/3/2022 15:00	Shutdown	120.8	
10/3/2022 16:00	Normal	0.0	
10/3/2022 17:00	Normal	0.0	
10/3/2022 18:00	Normal	0.0	
10/3/2022 19:00	Normal	0.0	
10/3/2022 20:00	Normal	0.0	
10/3/2022 21:00	Normal	0.0	
10/3/2022 22:00	Normal	0.0	
10/3/2022 23:00	Normal	0.0	0.8
10/4/2022 0:00	Normal	0.0	
10/4/2022 1:00	Normal	0.0	
10/4/2022 2:00	Normal	0.0	
10/4/2022 3:00	Normal	0.0	
10/4/2022 4:00	Normal	0.0	
10/4/2022 5:00	Normal	0.0	
10/4/2022 6:00	Normal	0.0	
10/4/2022 7:00	Normal	0.0	
10/4/2022 8:00	Normal	0.0	
10/4/2022 9:00	Normal	0.0	
10/4/2022 10:00	Normal	0.0	
10/4/2022 11:00	Normal	0.0	
10/4/2022 12:00	Normal	0.0	
10/4/2022 13:00	Normal	0.0	
10/4/2022 14:00	Normal	0.0	
10/4/2022 15:00	Normal	0.0	
10/4/2022 16:00	Normal	0.0	
10/4/2022 17:00	Normal	0.0	
10/4/2022 18:00	Normal	0.0	
10/4/2022 19:00	Normal	0.0	
10/4/2022 20:00	Normal	0.0	
10/4/2022 21:00	Normal	0.0	
10/4/2022 22:00	Normal	0.0	
10/4/2022 23:00	Normal	0.0	0.8
10/5/2022 0:00	Normal	0.0	
10/5/2022 1:00	Normal	0.0	
10/5/2022 2:00	Normal	0.0	
10/5/2022 3:00	Normal	0.0	
10/5/2022 4:00	Normal	0.0	
10/5/2022 5:00	Normal	0.0	
10/5/2022 6:00	Normal	0.0	
10/5/2022 7:00	Normal	0.0	
10/5/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/5/2022 9:00	Normal	0.0	
10/5/2022 10:00	Normal	0.0	
10/5/2022 11:00	Normal	0.0	
10/5/2022 12:00	Normal	0.0	
10/5/2022 13:00	Normal	0.0	
10/5/2022 14:00	Normal	0.0	
10/5/2022 15:00	Normal	0.0	
10/5/2022 16:00	Normal	0.0	
10/5/2022 17:00	Normal	0.0	
10/5/2022 18:00	Normal	0.0	
10/5/2022 19:00	Normal	0.0	
10/5/2022 20:00	Normal	0.0	
10/5/2022 21:00	Normal	0.0	
10/5/2022 22:00	Normal	0.0	
10/5/2022 23:00	Normal	0.0	0.8
10/6/2022 0:00	Normal	0.0	
10/6/2022 1:00	Normal	0.0	
10/6/2022 2:00	Normal	0.0	
10/6/2022 3:00	Normal	0.0	
10/6/2022 4:00	Normal	0.0	
10/6/2022 5:00	Normal	0.0	
10/6/2022 6:00	Normal	0.0	
10/6/2022 7:00	Normal	0.0	
10/6/2022 8:00	Normal	0.0	
10/6/2022 9:00	Normal	0.0	
10/6/2022 10:00	Normal	0.0	
10/6/2022 11:00	Normal	0.0	
10/6/2022 12:00	Normal	0.0	
10/6/2022 13:00	Normal	0.0	
10/6/2022 14:00	Normal	0.0	
10/6/2022 15:00	Normal	0.0	
10/6/2022 16:00	Normal	0.0	
10/6/2022 17:00	Normal	0.0	
10/6/2022 18:00	Normal	0.0	
10/6/2022 19:00	Normal	0.0	
10/6/2022 20:00	Normal	0.0	
10/6/2022 21:00	Normal	0.0	
10/6/2022 22:00	Normal	0.0	
10/6/2022 23:00	Normal	0.0	0.8
10/7/2022 0:00	Normal	0.0	
10/7/2022 1:00	Normal	0.0	
10/7/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/7/2022 3:00	Normal	0.0	
10/7/2022 4:00	Normal	0.0	
10/7/2022 5:00	Normal	0.0	
10/7/2022 6:00	Normal	0.0	
10/7/2022 7:00	Normal	0.0	
10/7/2022 8:00	Normal	0.0	
10/7/2022 9:00	Normal	0.0	
10/7/2022 10:00	Normal	0.0	
10/7/2022 11:00	Normal	0.0	
10/7/2022 12:00	Normal	0.0	
10/7/2022 13:00	Normal	0.0	
10/7/2022 14:00	Normal	0.0	
10/7/2022 15:00	Normal	0.0	
10/7/2022 16:00	Normal	0.0	
10/7/2022 17:00	Normal	0.0	
10/7/2022 18:00	Normal	0.0	
10/7/2022 19:00	Normal	0.0	
10/7/2022 20:00	Normal	0.0	
10/7/2022 21:00	Normal	0.0	
10/7/2022 22:00	Normal	0.0	
10/7/2022 23:00	Normal	0.0	0.8
10/8/2022 0:00	Normal	0.0	
10/8/2022 1:00	Normal	0.0	
10/8/2022 2:00	Normal	0.0	
10/8/2022 3:00	Normal	0.0	
10/8/2022 4:00	Normal	0.0	
10/8/2022 5:00	Normal	0.0	
10/8/2022 6:00	Normal	0.0	
10/8/2022 7:00	Normal	0.0	
10/8/2022 8:00	Normal	0.0	
10/8/2022 9:00	Normal	0.0	
10/8/2022 10:00	Normal	0.0	
10/8/2022 11:00	Normal	0.0	
10/8/2022 12:00	Normal	0.0	
10/8/2022 13:00	Normal	0.0	
10/8/2022 14:00	Normal	0.0	
10/8/2022 15:00	Normal	0.0	
10/8/2022 16:00	Normal	0.0	
10/8/2022 17:00	Normal	0.0	
10/8/2022 18:00	Normal	0.0	
10/8/2022 19:00	Normal	0.0	
10/8/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/8/2022 21:00	Normal	0.0	
10/8/2022 22:00	Normal	0.0	
10/8/2022 23:00	Normal	0.0	0.8
10/9/2022 0:00	Normal	0.0	
10/9/2022 1:00	Normal	0.0	
10/9/2022 2:00	Normal	0.0	
10/9/2022 3:00	Normal	0.0	
10/9/2022 4:00	Normal	0.0	
10/9/2022 5:00	Normal	0.0	
10/9/2022 6:00	Normal	0.0	
10/9/2022 7:00	Normal	0.0	
10/9/2022 8:00	Normal	0.0	
10/9/2022 9:00	Normal	0.0	
10/9/2022 10:00	Normal	0.0	
10/9/2022 11:00	Normal	0.0	
10/9/2022 12:00	Normal	0.0	
10/9/2022 13:00	Normal	0.0	
10/9/2022 14:00	Normal	0.0	
10/9/2022 15:00	Normal	0.0	
10/9/2022 16:00	Normal	0.0	
10/9/2022 17:00	Normal	0.0	
10/9/2022 18:00	Normal	0.0	
10/9/2022 19:00	Normal	0.0	
10/9/2022 20:00	Normal	0.0	
10/9/2022 21:00	Normal	0.0	
10/9/2022 22:00	Normal	0.0	
10/9/2022 23:00	Normal	0.0	0.8
10/10/2022 0:00	Normal	0.0	
10/10/2022 1:00	Normal	0.0	
10/10/2022 2:00	Normal	0.0	
10/10/2022 3:00	Normal	0.0	
10/10/2022 4:00	Normal	0.0	
10/10/2022 5:00	Normal	0.0	
10/10/2022 6:00	Normal	0.0	
10/10/2022 7:00	Normal	0.0	
10/10/2022 8:00	Normal	0.0	
10/10/2022 9:00	Normal	0.0	
10/10/2022 10:00	Normal	0.0	
10/10/2022 11:00	Normal	0.0	
10/10/2022 12:00	Normal	0.0	
10/10/2022 13:00	Normal	0.0	
10/10/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/10/2022 15:00	Normal	0.0	
10/10/2022 16:00	Normal	0.0	
10/10/2022 17:00	Normal	0.0	
10/10/2022 18:00	Normal	0.0	
10/10/2022 19:00	Normal	0.0	
10/10/2022 20:00	Normal	0.0	
10/10/2022 21:00	Normal	0.0	
10/10/2022 22:00	Normal	0.0	
10/10/2022 23:00	Normal	0.0	0.8
10/11/2022 0:00	Normal	0.0	
10/11/2022 1:00	Normal	0.0	
10/11/2022 2:00	Normal	0.0	
10/11/2022 3:00	Normal	0.0	
10/11/2022 4:00	Normal	0.0	
10/11/2022 5:00	Normal	0.0	
10/11/2022 6:00	Normal	0.0	
10/11/2022 7:00	Normal	0.0	
10/11/2022 8:00	Normal	0.0	
10/11/2022 9:00	Normal	0.0	
10/11/2022 10:00	Normal	0.0	
10/11/2022 11:00	Normal	0.0	
10/11/2022 12:00	Normal	0.0	
10/11/2022 13:00	Normal	0.0	
10/11/2022 14:00	Normal	0.0	
10/11/2022 15:00	Normal	0.0	
10/11/2022 16:00	Startup	5.8	
10/11/2022 17:00	Startup	51.8	
10/11/2022 18:00	Startup	51.8	
10/11/2022 19:00	Startup	48.1	
10/11/2022 20:00	Startup	44.9	
10/11/2022 21:00	Startup	53.0	
10/11/2022 22:00	Startup	80.0	
10/11/2022 23:00	Startup	159.9	1.4
10/12/2022 0:00	Startup	159.9	
10/12/2022 1:00	Startup	160.3	
10/12/2022 2:00	Startup	157.3	
10/12/2022 3:00	Startup	157.9	
10/12/2022 4:00	Startup	155.2	
10/12/2022 5:00	Startup	153.7	
10/12/2022 6:00	Startup	150.2	
10/12/2022 7:00	Startup	147.3	
10/12/2022 8:00	Startup	146.4	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/12/2022 9:00	Startup	144.5	
10/12/2022 10:00	Startup	143.4	
10/12/2022 11:00	Startup	140.2	
10/12/2022 12:00	Startup	141.1	
10/12/2022 13:00	Startup	130.4	
10/12/2022 14:00	Startup	110.9	
10/12/2022 15:00	Startup	112.0	
10/12/2022 16:00	Startup	106.0	
10/12/2022 17:00	Startup	113.9	
10/12/2022 18:00	Startup	124.0	
10/12/2022 19:00	Startup	112.7	
10/12/2022 20:00	Startup	111.2	
10/12/2022 21:00	Startup	113.5	
10/12/2022 22:00	Startup	114.8	
10/12/2022 23:00	Startup	116.9	5.9
10/13/2022 0:00	Startup	114.6	
10/13/2022 1:00	Startup	117.1	
10/13/2022 2:00	Startup	116.1	
10/13/2022 3:00	Startup	114.8	
10/13/2022 4:00	Startup	113.9	
10/13/2022 5:00	Startup	113.3	
10/13/2022 6:00	Startup	112.4	
10/13/2022 7:00	Startup	113.5	
10/13/2022 8:00	Startup	116.9	
10/13/2022 9:00	Startup	116.5	
10/13/2022 10:00	Startup	116.3	
10/13/2022 11:00	Startup	115.0	
10/13/2022 12:00	Startup	115.9	
10/13/2022 13:00	Startup	115.0	
10/13/2022 14:00	Startup	112.4	
10/13/2022 15:00	Startup	110.3	
10/13/2022 16:00	Startup	22.5	
10/13/2022 17:00	Normal	0.0	
10/13/2022 18:00	Normal	0.0	
10/13/2022 19:00	Normal	0.0	
10/13/2022 20:00	Normal	0.0	
10/13/2022 21:00	Normal	0.0	
10/13/2022 22:00	Normal	0.0	
10/13/2022 23:00	Normal	0.0	8.5
10/14/2022 0:00	Normal	0.0	
10/14/2022 1:00	Normal	0.0	
10/14/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/14/2022 3:00	Normal	0.0	
10/14/2022 4:00	Normal	0.0	
10/14/2022 5:00	Normal	0.0	
10/14/2022 6:00	Normal	0.0	
10/14/2022 7:00	Normal	0.0	
10/14/2022 8:00	Normal	0.0	
10/14/2022 9:00	Normal	0.0	
10/14/2022 10:00	Normal	0.0	
10/14/2022 11:00	Normal	0.0	
10/14/2022 12:00	Normal	0.0	
10/14/2022 13:00	Normal	0.0	
10/14/2022 14:00	Normal	0.0	
10/14/2022 15:00	Normal	0.0	
10/14/2022 16:00	Normal	0.0	
10/14/2022 17:00	Normal	0.0	
10/14/2022 18:00	Normal	0.0	
10/14/2022 19:00	Normal	0.0	
10/14/2022 20:00	Normal	0.0	
10/14/2022 21:00	Normal	0.0	
10/14/2022 22:00	Normal	0.0	
10/14/2022 23:00	Normal	0.0	8.5
10/15/2022 0:00	Normal	0.0	
10/15/2022 1:00	Normal	0.0	
10/15/2022 2:00	Normal	0.0	
10/15/2022 3:00	Normal	0.0	
10/15/2022 4:00	Normal	0.0	
10/15/2022 5:00	Normal	0.0	
10/15/2022 6:00	Normal	0.0	
10/15/2022 7:00	Normal	0.0	
10/15/2022 8:00	Normal	0.0	
10/15/2022 9:00	Normal	0.0	
10/15/2022 10:00	Normal	0.0	
10/15/2022 11:00	Normal	0.0	
10/15/2022 12:00	Normal	0.0	
10/15/2022 13:00	Normal	0.0	
10/15/2022 14:00	Normal	0.0	
10/15/2022 15:00	Normal	0.0	
10/15/2022 16:00	Normal	0.0	
10/15/2022 17:00	Normal	0.0	
10/15/2022 18:00	Normal	0.0	
10/15/2022 19:00	Normal	0.0	
10/15/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/15/2022 21:00	Normal	0.0	
10/15/2022 22:00	Normal	0.0	
10/15/2022 23:00	Normal	0.0	8.5
10/16/2022 0:00	Normal	0.0	
10/16/2022 1:00	Normal	0.0	
10/16/2022 2:00	Normal	0.0	
10/16/2022 3:00	Normal	0.0	
10/16/2022 4:00	Normal	0.0	
10/16/2022 5:00	Normal	0.0	
10/16/2022 6:00	Normal	0.0	
10/16/2022 7:00	Normal	0.0	
10/16/2022 8:00	Normal	0.0	
10/16/2022 9:00	Normal	0.0	
10/16/2022 10:00	Normal	0.0	
10/16/2022 11:00	Normal	0.0	
10/16/2022 12:00	Normal	0.0	
10/16/2022 13:00	Normal	0.0	
10/16/2022 14:00	Normal	0.0	
10/16/2022 15:00	Normal	0.0	
10/16/2022 16:00	Normal	0.0	
10/16/2022 17:00	Normal	0.0	
10/16/2022 18:00	Normal	0.0	
10/16/2022 19:00	Normal	0.0	
10/16/2022 20:00	Normal	0.0	
10/16/2022 21:00	Normal	0.0	
10/16/2022 22:00	Normal	0.0	
10/16/2022 23:00	Normal	0.0	8.5
10/17/2022 0:00	Normal	0.0	
10/17/2022 1:00	Normal	0.0	
10/17/2022 2:00	Normal	0.0	
10/17/2022 3:00	Normal	0.0	
10/17/2022 4:00	Normal	0.0	
10/17/2022 5:00	Normal	0.0	
10/17/2022 6:00	Normal	0.0	
10/17/2022 7:00	Normal	0.0	
10/17/2022 8:00	Normal	0.0	
10/17/2022 9:00	Normal	0.0	
10/17/2022 10:00	Normal	0.0	
10/17/2022 11:00	Normal	0.0	
10/17/2022 12:00	Normal	0.0	
10/17/2022 13:00	Normal	0.0	
10/17/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/17/2022 15:00	Normal	0.0	
10/17/2022 16:00	Normal	0.0	
10/17/2022 17:00	Normal	0.0	
10/17/2022 18:00	Normal	0.0	
10/17/2022 19:00	Normal	0.0	
10/17/2022 20:00	Normal	0.0	
10/17/2022 21:00	Normal	0.0	
10/17/2022 22:00	Normal	0.0	
10/17/2022 23:00	Normal	0.0	8.5
10/18/2022 0:00	Normal	0.0	
10/18/2022 1:00	Normal	0.0	
10/18/2022 2:00	Normal	0.0	
10/18/2022 3:00	Normal	0.0	
10/18/2022 4:00	Normal	0.0	
10/18/2022 5:00	Normal	0.0	
10/18/2022 6:00	Normal	0.0	
10/18/2022 7:00	Normal	0.0	
10/18/2022 8:00	Normal	0.0	
10/18/2022 9:00	Normal	0.0	
10/18/2022 10:00	Normal	0.0	
10/18/2022 11:00	Normal	0.0	
10/18/2022 12:00	Normal	0.0	
10/18/2022 13:00	Normal	0.0	
10/18/2022 14:00	Normal	0.0	
10/18/2022 15:00	Normal	0.0	
10/18/2022 16:00	Normal	0.0	
10/18/2022 17:00	Normal	0.0	
10/18/2022 18:00	Normal	0.0	
10/18/2022 19:00	Normal	0.0	
10/18/2022 20:00	Normal	0.0	
10/18/2022 21:00	Normal	0.0	
10/18/2022 22:00	Normal	0.0	
10/18/2022 23:00	Normal	0.0	8.5
10/19/2022 0:00	Normal	0.0	
10/19/2022 1:00	Normal	0.0	
10/19/2022 2:00	Normal	0.0	
10/19/2022 3:00	Normal	0.0	
10/19/2022 4:00	Normal	0.0	
10/19/2022 5:00	Normal	0.0	
10/19/2022 6:00	Normal	0.0	
10/19/2022 7:00	Normal	0.0	
10/19/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/19/2022 9:00	Normal	0.0	
10/19/2022 10:00	Normal	0.0	
10/19/2022 11:00	Normal	0.0	
10/19/2022 12:00	Normal	0.0	
10/19/2022 13:00	Normal	0.0	
10/19/2022 14:00	Normal	0.0	
10/19/2022 15:00	Normal	0.0	
10/19/2022 16:00	Normal	0.0	
10/19/2022 17:00	Normal	0.0	
10/19/2022 18:00	Normal	0.0	
10/19/2022 19:00	Normal	0.0	
10/19/2022 20:00	Normal	0.0	
10/19/2022 21:00	Normal	0.0	
10/19/2022 22:00	Normal	0.0	
10/19/2022 23:00	Normal	0.0	8.5
10/20/2022 0:00	Normal	0.0	
10/20/2022 1:00	Normal	0.0	
10/20/2022 2:00	Normal	0.0	
10/20/2022 3:00	Normal	0.0	
10/20/2022 4:00	Normal	0.0	
10/20/2022 5:00	Normal	0.0	
10/20/2022 6:00	Normal	0.0	
10/20/2022 7:00	Normal	0.0	
10/20/2022 8:00	Normal	0.0	
10/20/2022 9:00	Normal	0.0	
10/20/2022 10:00	Normal	0.0	
10/20/2022 11:00	Normal	0.0	
10/20/2022 12:00	Normal	0.0	
10/20/2022 13:00	Normal	0.0	
10/20/2022 14:00	Normal	0.0	
10/20/2022 15:00	Normal	0.0	
10/20/2022 16:00	Normal	0.0	
10/20/2022 17:00	Normal	0.0	
10/20/2022 18:00	Normal	0.0	
10/20/2022 19:00	Normal	0.0	
10/20/2022 20:00	Normal	0.0	
10/20/2022 21:00	Normal	0.0	
10/20/2022 22:00	Normal	0.0	
10/20/2022 23:00	Normal	0.0	8.3
10/21/2022 0:00	Normal	0.0	
10/21/2022 1:00	Normal	0.0	
10/21/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/21/2022 3:00	Normal	0.0	
10/21/2022 4:00	Normal	0.0	
10/21/2022 5:00	Normal	0.0	
10/21/2022 6:00	Normal	0.0	
10/21/2022 7:00	Normal	0.0	
10/21/2022 8:00	Normal	0.0	
10/21/2022 9:00	Normal	0.0	
10/21/2022 10:00	Normal	0.0	
10/21/2022 11:00	Normal	0.0	
10/21/2022 12:00	Normal	0.0	
10/21/2022 13:00	Normal	0.0	
10/21/2022 14:00	Normal	0.0	
10/21/2022 15:00	Normal	0.0	
10/21/2022 16:00	Normal	0.0	
10/21/2022 17:00	Normal	0.0	
10/21/2022 18:00	Normal	0.0	
10/21/2022 19:00	Normal	0.0	
10/21/2022 20:00	Normal	0.0	
10/21/2022 21:00	Normal	0.0	
10/21/2022 22:00	Normal	0.0	
10/21/2022 23:00	Normal	0.0	8.1
10/22/2022 0:00	Normal	0.0	
10/22/2022 1:00	Normal	0.0	
10/22/2022 2:00	Normal	0.0	
10/22/2022 3:00	Normal	0.0	
10/22/2022 4:00	Normal	0.0	
10/22/2022 5:00	Normal	0.0	
10/22/2022 6:00	Normal	0.0	
10/22/2022 7:00	Normal	0.0	
10/22/2022 8:00	Normal	0.0	
10/22/2022 9:00	Normal	0.0	
10/22/2022 10:00	Normal	0.0	
10/22/2022 11:00	Normal	0.0	
10/22/2022 12:00	Normal	0.0	
10/22/2022 13:00	Normal	0.0	
10/22/2022 14:00	Normal	0.0	
10/22/2022 15:00	Normal	0.0	
10/22/2022 16:00	Normal	0.0	
10/22/2022 17:00	Normal	0.0	
10/22/2022 18:00	Normal	0.0	
10/22/2022 19:00	Normal	0.0	
10/22/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/22/2022 21:00	Normal	0.0	
10/22/2022 22:00	Normal	0.0	
10/22/2022 23:00	Normal	0.0	8.1
10/23/2022 0:00	Normal	0.0	
10/23/2022 1:00	Normal	0.0	
10/23/2022 2:00	Normal	0.0	
10/23/2022 3:00	Normal	0.0	
10/23/2022 4:00	Normal	0.0	
10/23/2022 5:00	Normal	0.0	
10/23/2022 6:00	Normal	0.0	
10/23/2022 7:00	Normal	0.0	
10/23/2022 8:00	Normal	0.0	
10/23/2022 9:00	Normal	0.0	
10/23/2022 10:00	Normal	0.0	
10/23/2022 11:00	Normal	0.0	
10/23/2022 12:00	Normal	0.0	
10/23/2022 13:00	Normal	0.0	
10/23/2022 14:00	Normal	0.0	
10/23/2022 15:00	Normal	0.0	
10/23/2022 16:00	Normal	0.0	
10/23/2022 17:00	Normal	0.0	
10/23/2022 18:00	Normal	0.0	
10/23/2022 19:00	Normal	0.0	
10/23/2022 20:00	Normal	0.0	
10/23/2022 21:00	Normal	0.0	
10/23/2022 22:00	Normal	0.0	
10/23/2022 23:00	Normal	0.0	8.1
10/24/2022 0:00	Normal	0.0	
10/24/2022 1:00	Normal	0.0	
10/24/2022 2:00	Normal	0.0	
10/24/2022 3:00	Normal	0.0	
10/24/2022 4:00	Normal	0.0	
10/24/2022 5:00	Normal	0.0	
10/24/2022 6:00	Normal	0.0	
10/24/2022 7:00	Normal	0.0	
10/24/2022 8:00	Normal	0.0	
10/24/2022 9:00	Normal	0.0	
10/24/2022 10:00	Normal	0.0	
10/24/2022 11:00	Normal	0.0	
10/24/2022 12:00	Normal	0.0	
10/24/2022 13:00	Normal	0.0	
10/24/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/24/2022 15:00	Normal	0.0	
10/24/2022 16:00	Normal	0.0	
10/24/2022 17:00	Normal	0.0	
10/24/2022 18:00	Normal	0.0	
10/24/2022 19:00	Normal	0.0	
10/24/2022 20:00	Normal	0.0	
10/24/2022 21:00	Normal	0.0	
10/24/2022 22:00	Normal	0.0	
10/24/2022 23:00	Normal	0.0	8.1
10/25/2022 0:00	Normal	0.0	
10/25/2022 1:00	Normal	0.0	
10/25/2022 2:00	Normal	0.0	
10/25/2022 3:00	Normal	0.0	
10/25/2022 4:00	Normal	0.0	
10/25/2022 5:00	Normal	0.0	
10/25/2022 6:00	Normal	0.0	
10/25/2022 7:00	Normal	0.0	
10/25/2022 8:00	Normal	0.0	
10/25/2022 9:00	Normal	0.0	
10/25/2022 10:00	Normal	0.0	
10/25/2022 11:00	Normal	0.0	
10/25/2022 12:00	Normal	0.0	
10/25/2022 13:00	Normal	0.0	
10/25/2022 14:00	Normal	0.0	
10/25/2022 15:00	Normal	0.0	
10/25/2022 16:00	Normal	0.0	
10/25/2022 17:00	Normal	0.0	
10/25/2022 18:00	Normal	0.0	
10/25/2022 19:00	Normal	0.0	
10/25/2022 20:00	Normal	0.0	
10/25/2022 21:00	Normal	0.0	
10/25/2022 22:00	Normal	0.0	
10/25/2022 23:00	Normal	0.0	8.1
10/26/2022 0:00	Normal	0.0	
10/26/2022 1:00	Normal	0.0	
10/26/2022 2:00	Normal	0.0	
10/26/2022 3:00	Normal	0.0	
10/26/2022 4:00	Normal	0.0	
10/26/2022 5:00	Normal	0.0	
10/26/2022 6:00	Normal	0.0	
10/26/2022 7:00	Normal	0.0	
10/26/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/26/2022 9:00	Normal	0.0	
10/26/2022 10:00	Normal	0.0	
10/26/2022 11:00	Normal	0.0	
10/26/2022 12:00	Normal	0.0	
10/26/2022 13:00	Normal	0.0	
10/26/2022 14:00	Normal	0.0	
10/26/2022 15:00	Normal	0.0	
10/26/2022 16:00	Normal	0.0	
10/26/2022 17:00	Normal	0.0	
10/26/2022 18:00	Normal	0.0	
10/26/2022 19:00	Normal	0.0	
10/26/2022 20:00	Normal	0.0	
10/26/2022 21:00	Normal	0.0	
10/26/2022 22:00	Normal	0.0	
10/26/2022 23:00	Normal	0.0	8.1
10/27/2022 0:00	Normal	0.0	
10/27/2022 1:00	Normal	0.0	
10/27/2022 2:00	Normal	0.0	
10/27/2022 3:00	Normal	0.0	
10/27/2022 4:00	Normal	0.0	
10/27/2022 5:00	Normal	0.0	
10/27/2022 6:00	Normal	0.0	
10/27/2022 7:00	Normal	0.0	
10/27/2022 8:00	Normal	0.0	
10/27/2022 9:00	Normal	0.0	
10/27/2022 10:00	Normal	0.0	
10/27/2022 11:00	Normal	0.0	
10/27/2022 12:00	Normal	0.0	
10/27/2022 13:00	Normal	0.0	
10/27/2022 14:00	Normal	0.0	
10/27/2022 15:00	Normal	0.0	
10/27/2022 16:00	Normal	0.0	
10/27/2022 17:00	Normal	0.0	
10/27/2022 18:00	Normal	0.0	
10/27/2022 19:00	Normal	0.0	
10/27/2022 20:00	Normal	0.0	
10/27/2022 21:00	Normal	0.0	
10/27/2022 22:00	Normal	0.0	
10/27/2022 23:00	Normal	0.0	8.1
10/28/2022 0:00	Normal	0.0	
10/28/2022 1:00	Normal	0.0	
10/28/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/28/2022 3:00	Normal	0.0	
10/28/2022 4:00	Normal	0.0	
10/28/2022 5:00	Normal	0.0	
10/28/2022 6:00	Normal	0.0	
10/28/2022 7:00	Normal	0.0	
10/28/2022 8:00	Normal	0.0	
10/28/2022 9:00	Normal	0.0	
10/28/2022 10:00	Normal	0.0	
10/28/2022 11:00	Normal	0.0	
10/28/2022 12:00	Normal	0.0	
10/28/2022 13:00	Normal	0.0	
10/28/2022 14:00	Normal	0.0	
10/28/2022 15:00	Normal	0.0	
10/28/2022 16:00	Normal	0.0	
10/28/2022 17:00	Normal	0.0	
10/28/2022 18:00	Normal	0.0	
10/28/2022 19:00	Normal	0.0	
10/28/2022 20:00	Normal	0.0	
10/28/2022 21:00	Normal	0.0	
10/28/2022 22:00	Normal	0.0	
10/28/2022 23:00	Normal	0.0	8.1
10/29/2022 0:00	Normal	0.0	
10/29/2022 1:00	Normal	0.0	
10/29/2022 2:00	Normal	0.0	
10/29/2022 3:00	Normal	0.0	
10/29/2022 4:00	Normal	0.0	
10/29/2022 5:00	Normal	0.0	
10/29/2022 6:00	Normal	0.0	
10/29/2022 7:00	Normal	0.0	
10/29/2022 8:00	Normal	0.0	
10/29/2022 9:00	Normal	0.0	
10/29/2022 10:00	Normal	0.0	
10/29/2022 11:00	Normal	0.0	
10/29/2022 12:00	Normal	0.0	
10/29/2022 13:00	Normal	0.0	
10/29/2022 14:00	Normal	0.0	
10/29/2022 15:00	Normal	0.0	
10/29/2022 16:00	Normal	0.0	
10/29/2022 17:00	Normal	0.0	
10/29/2022 18:00	Normal	0.0	
10/29/2022 19:00	Normal	0.0	
10/29/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/29/2022 21:00	Normal	0.0	
10/29/2022 22:00	Normal	0.0	
10/29/2022 23:00	Normal	0.0	8.1
10/30/2022 0:00	Normal	0.0	
10/30/2022 1:00	Normal	0.0	
10/30/2022 2:00	Normal	0.0	
10/30/2022 3:00	Normal	0.0	
10/30/2022 4:00	Normal	0.0	
10/30/2022 5:00	Normal	0.0	
10/30/2022 6:00	Normal	0.0	
10/30/2022 7:00	Normal	0.0	
10/30/2022 8:00	Normal	0.0	
10/30/2022 9:00	Normal	0.0	
10/30/2022 10:00	Normal	0.0	
10/30/2022 11:00	Normal	0.0	
10/30/2022 12:00	Normal	0.0	
10/30/2022 13:00	Normal	0.0	
10/30/2022 14:00	Normal	0.0	
10/30/2022 15:00	Normal	0.0	
10/30/2022 16:00	Normal	0.0	
10/30/2022 17:00	Normal	0.0	
10/30/2022 18:00	Normal	0.0	
10/30/2022 19:00	Normal	0.0	
10/30/2022 20:00	Normal	0.0	
10/30/2022 21:00	Normal	0.0	
10/30/2022 22:00	Normal	0.0	
10/30/2022 23:00	Normal	0.0	8.1
10/31/2022 0:00	Normal	0.0	
10/31/2022 1:00	Normal	0.0	
10/31/2022 2:00	Normal	0.0	
10/31/2022 3:00	Normal	0.0	
10/31/2022 4:00	Normal	0.0	
10/31/2022 5:00	Normal	0.0	
10/31/2022 6:00	Normal	0.0	
10/31/2022 7:00	Normal	0.0	
10/31/2022 8:00	Normal	0.0	
10/31/2022 9:00	Normal	0.0	
10/31/2022 10:00	Normal	0.0	
10/31/2022 11:00	Normal	0.0	
10/31/2022 12:00	Normal	0.0	
10/31/2022 13:00	Normal	0.0	
10/31/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/31/2022 15:00	Normal	0.0	
10/31/2022 16:00	Normal	0.0	
10/31/2022 17:00	Normal	0.0	
10/31/2022 18:00	Normal	0.0	
10/31/2022 19:00	Normal	0.0	
10/31/2022 20:00	Normal	0.0	
10/31/2022 21:00	Normal	0.0	
10/31/2022 22:00	Normal	0.0	
10/31/2022 23:00	Normal	0.0	8.1
11/1/2022 0:00	Normal	0.0	
11/1/2022 1:00	Normal	0.0	
11/1/2022 2:00	Normal	0.0	
11/1/2022 3:00	Normal	0.0	
11/1/2022 4:00	Normal	0.0	
11/1/2022 5:00	Normal	0.0	
11/1/2022 6:00	Normal	0.0	
11/1/2022 7:00	Normal	0.0	
11/1/2022 8:00	Normal	0.0	
11/1/2022 9:00	Normal	0.0	
11/1/2022 10:00	Normal	0.0	
11/1/2022 11:00	Normal	0.0	
11/1/2022 12:00	Normal	0.0	
11/1/2022 13:00	Normal	0.0	
11/1/2022 14:00	Normal	0.0	
11/1/2022 15:00	Normal	0.0	
11/1/2022 16:00	Normal	0.0	
11/1/2022 17:00	Normal	0.0	
11/1/2022 18:00	Normal	0.0	
11/1/2022 19:00	Normal	0.0	
11/1/2022 20:00	Normal	0.0	
11/1/2022 21:00	Normal	0.0	
11/1/2022 22:00	Normal	0.0	
11/1/2022 23:00	Normal	0.0	8.1
11/2/2022 0:00	Normal	0.0	
11/2/2022 1:00	Normal	0.0	
11/2/2022 2:00	Normal	0.0	
11/2/2022 3:00	Normal	0.0	
11/2/2022 4:00	Normal	0.0	
11/2/2022 5:00	Normal	0.0	
11/2/2022 6:00	Normal	0.0	
11/2/2022 7:00	Normal	0.0	
11/2/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/2/2022 9:00	Normal	0.0	
11/2/2022 10:00	Normal	0.0	
11/2/2022 11:00	Normal	0.0	
11/2/2022 12:00	Normal	0.0	
11/2/2022 13:00	Normal	0.0	
11/2/2022 14:00	Normal	0.0	
11/2/2022 15:00	Normal	0.0	
11/2/2022 16:00	Normal	0.0	
11/2/2022 17:00	Normal	0.0	
11/2/2022 18:00	Normal	0.0	
11/2/2022 19:00	Normal	0.0	
11/2/2022 20:00	Normal	0.0	
11/2/2022 21:00	Normal	0.0	
11/2/2022 22:00	Normal	0.0	
11/2/2022 23:00	Normal	0.0	7.7
11/3/2022 0:00	Normal	0.0	
11/3/2022 1:00	Normal	0.0	
11/3/2022 2:00	Normal	0.0	
11/3/2022 3:00	Normal	0.0	
11/3/2022 4:00	Normal	0.0	
11/3/2022 5:00	Normal	0.0	
11/3/2022 6:00	Normal	0.0	
11/3/2022 7:00	Normal	0.0	
11/3/2022 8:00	Normal	0.0	
11/3/2022 9:00	Normal	0.0	
11/3/2022 10:00	Normal	0.0	
11/3/2022 11:00	Normal	0.0	
11/3/2022 12:00	Normal	0.0	
11/3/2022 13:00	Normal	0.0	
11/3/2022 14:00	Normal	0.0	
11/3/2022 15:00	Normal	0.0	
11/3/2022 16:00	Normal	0.0	
11/3/2022 17:00	Normal	0.0	
11/3/2022 18:00	Normal	0.0	
11/3/2022 19:00	Normal	0.0	
11/3/2022 20:00	Normal	0.0	
11/3/2022 21:00	Normal	0.0	
11/3/2022 22:00	Normal	0.0	
11/3/2022 23:00	Normal	0.0	7.7
11/4/2022 0:00	Normal	0.0	
11/4/2022 1:00	Normal	0.0	
11/4/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/4/2022 3:00	Normal	0.0	
11/4/2022 4:00	Normal	0.0	
11/4/2022 5:00	Normal	0.0	
11/4/2022 6:00	Normal	0.0	
11/4/2022 7:00	Normal	0.0	
11/4/2022 8:00	Normal	0.0	
11/4/2022 9:00	Normal	0.0	
11/4/2022 10:00	Normal	0.0	
11/4/2022 11:00	Normal	0.0	
11/4/2022 12:00	Normal	0.0	
11/4/2022 13:00	Normal	0.0	
11/4/2022 14:00	Normal	0.0	
11/4/2022 15:00	Normal	0.0	
11/4/2022 16:00	Normal	0.0	
11/4/2022 17:00	Normal	0.0	
11/4/2022 18:00	Normal	0.0	
11/4/2022 19:00	Normal	0.0	
11/4/2022 20:00	Normal	0.0	
11/4/2022 21:00	Normal	0.0	
11/4/2022 22:00	Normal	0.0	
11/4/2022 23:00	Normal	0.0	7.7
11/5/2022 0:00	Normal	0.0	
11/5/2022 1:00	Normal	0.0	
11/5/2022 2:00	Normal	0.0	
11/5/2022 3:00	Normal	0.0	
11/5/2022 4:00	Normal	0.0	
11/5/2022 5:00	Normal	0.0	
11/5/2022 6:00	Normal	0.0	
11/5/2022 7:00	Normal	0.0	
11/5/2022 8:00	Normal	0.0	
11/5/2022 9:00	Normal	0.0	
11/5/2022 10:00	Normal	0.0	
11/5/2022 11:00	Normal	0.0	
11/5/2022 12:00	Normal	0.0	
11/5/2022 13:00	Normal	0.0	
11/5/2022 14:00	Normal	0.0	
11/5/2022 15:00	Normal	0.0	
11/5/2022 16:00	Normal	0.0	
11/5/2022 17:00	Normal	0.0	
11/5/2022 18:00	Normal	0.0	
11/5/2022 19:00	Normal	0.0	
11/5/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/5/2022 21:00	Normal	0.0	
11/5/2022 22:00	Normal	0.0	
11/5/2022 23:00	Normal	0.0	7.7
11/6/2022 0:00	Normal	0.0	
11/6/2022 1:00	Normal	0.0	
11/6/2022 2:00	Normal	0.0	
11/6/2022 3:00	Normal	0.0	
11/6/2022 4:00	Normal	0.0	
11/6/2022 5:00	Normal	0.0	
11/6/2022 6:00	Normal	0.0	
11/6/2022 7:00	Normal	0.0	
11/6/2022 8:00	Normal	0.0	
11/6/2022 9:00	Normal	0.0	
11/6/2022 10:00	Normal	0.0	
11/6/2022 11:00	Normal	0.0	
11/6/2022 12:00	Normal	0.0	
11/6/2022 13:00	Normal	0.0	
11/6/2022 14:00	Normal	0.0	
11/6/2022 15:00	Normal	0.0	
11/6/2022 16:00	Normal	0.0	
11/6/2022 17:00	Normal	0.0	
11/6/2022 18:00	Normal	0.0	
11/6/2022 19:00	Normal	0.0	
11/6/2022 20:00	Normal	0.0	
11/6/2022 21:00	Normal	0.0	
11/6/2022 22:00	Normal	0.0	
11/6/2022 23:00	Normal	0.0	7.7
11/7/2022 0:00	Normal	0.0	
11/7/2022 1:00	Normal	0.0	
11/7/2022 2:00	Normal	0.0	
11/7/2022 3:00	Normal	0.0	
11/7/2022 4:00	Normal	0.0	
11/7/2022 5:00	Normal	0.0	
11/7/2022 6:00	Normal	0.0	
11/7/2022 7:00	Normal	0.0	
11/7/2022 8:00	Normal	0.0	
11/7/2022 9:00	Normal	0.0	
11/7/2022 10:00	Normal	0.0	
11/7/2022 11:00	Normal	0.0	
11/7/2022 12:00	Normal	0.0	
11/7/2022 13:00	Normal	0.0	
11/7/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/7/2022 15:00	Normal	0.0	
11/7/2022 16:00	Normal	0.0	
11/7/2022 17:00	Normal	0.0	
11/7/2022 18:00	Normal	0.0	
11/7/2022 19:00	Normal	0.0	
11/7/2022 20:00	Normal	0.0	
11/7/2022 21:00	Normal	0.0	
11/7/2022 22:00	Normal	0.0	
11/7/2022 23:00	Normal	0.0	7.7
11/8/2022 0:00	Normal	0.0	
11/8/2022 1:00	Normal	0.0	
11/8/2022 2:00	Normal	0.0	
11/8/2022 3:00	Normal	0.0	
11/8/2022 4:00	Normal	0.0	
11/8/2022 5:00	Normal	0.0	
11/8/2022 6:00	Normal	0.0	
11/8/2022 7:00	Normal	0.0	
11/8/2022 8:00	Normal	0.0	
11/8/2022 9:00	Normal	0.0	
11/8/2022 10:00	Normal	0.0	
11/8/2022 11:00	Normal	0.0	
11/8/2022 12:00	Normal	0.0	
11/8/2022 13:00	Normal	0.0	
11/8/2022 14:00	Normal	0.0	
11/8/2022 15:00	Normal	0.0	
11/8/2022 16:00	Normal	0.0	
11/8/2022 17:00	Normal	0.0	
11/8/2022 18:00	Normal	0.0	
11/8/2022 19:00	Normal	0.0	
11/8/2022 20:00	Normal	0.0	
11/8/2022 21:00	Normal	0.0	
11/8/2022 22:00	Normal	0.0	
11/8/2022 23:00	Normal	0.0	7.7
11/9/2022 0:00	Normal	0.0	
11/9/2022 1:00	Normal	0.0	
11/9/2022 2:00	Normal	0.0	
11/9/2022 3:00	Normal	0.0	
11/9/2022 4:00	Normal	0.0	
11/9/2022 5:00	Normal	0.0	
11/9/2022 6:00	Normal	0.0	
11/9/2022 7:00	Normal	0.0	
11/9/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/9/2022 9:00	Normal	0.0	
11/9/2022 10:00	Normal	0.0	
11/9/2022 11:00	Normal	0.0	
11/9/2022 12:00	Normal	0.0	
11/9/2022 13:00	Normal	0.0	
11/9/2022 14:00	Normal	0.0	
11/9/2022 15:00	Normal	0.0	
11/9/2022 16:00	Normal	0.0	
11/9/2022 17:00	Normal	0.0	
11/9/2022 18:00	Normal	0.0	
11/9/2022 19:00	Normal	0.0	
11/9/2022 20:00	Normal	0.0	
11/9/2022 21:00	Normal	0.0	
11/9/2022 22:00	Normal	0.0	
11/9/2022 23:00	Normal	0.0	7.7
11/10/2022 0:00	Normal	0.0	
11/10/2022 1:00	Normal	0.0	
11/10/2022 2:00	Normal	0.0	
11/10/2022 3:00	Normal	0.0	
11/10/2022 4:00	Normal	0.0	
11/10/2022 5:00	Normal	0.0	
11/10/2022 6:00	Normal	0.0	
11/10/2022 7:00	Normal	0.0	
11/10/2022 8:00	Normal	0.0	
11/10/2022 9:00	Normal	0.0	
11/10/2022 10:00	Normal	0.0	
11/10/2022 11:00	Normal	0.0	
11/10/2022 12:00	Normal	0.0	
11/10/2022 13:00	Normal	0.0	
11/10/2022 14:00	Normal	0.0	
11/10/2022 15:00	Normal	0.0	
11/10/2022 16:00	Normal	0.0	
11/10/2022 17:00	Normal	0.0	
11/10/2022 18:00	Normal	0.0	
11/10/2022 19:00	Normal	0.0	
11/10/2022 20:00	Normal	0.0	
11/10/2022 21:00	Normal	0.0	
11/10/2022 22:00	Normal	0.0	
11/10/2022 23:00	Normal	0.0	7.1
11/11/2022 0:00	Normal	0.0	
11/11/2022 1:00	Normal	0.0	
11/11/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/11/2022 3:00	Normal	0.0	
11/11/2022 4:00	Normal	0.0	
11/11/2022 5:00	Normal	0.0	
11/11/2022 6:00	Normal	0.0	
11/11/2022 7:00	Normal	0.0	
11/11/2022 8:00	Normal	0.0	
11/11/2022 9:00	Normal	0.0	
11/11/2022 10:00	Normal	0.0	
11/11/2022 11:00	Normal	0.0	
11/11/2022 12:00	Normal	0.0	
11/11/2022 13:00	Normal	0.0	
11/11/2022 14:00	Normal	0.0	
11/11/2022 15:00	Normal	0.0	
11/11/2022 16:00	Normal	0.0	
11/11/2022 17:00	Normal	0.0	
11/11/2022 18:00	Normal	0.0	
11/11/2022 19:00	Normal	0.0	
11/11/2022 20:00	Normal	0.0	
11/11/2022 21:00	Normal	0.0	
11/11/2022 22:00	Normal	0.0	
11/11/2022 23:00	Normal	0.0	2.6
11/12/2022 0:00	Normal	0.0	
11/12/2022 1:00	Normal	0.0	
11/12/2022 2:00	Normal	0.0	
11/12/2022 3:00	Normal	0.0	
11/12/2022 4:00	Normal	0.0	
11/12/2022 5:00	Normal	0.0	
11/12/2022 6:00	Normal	0.0	
11/12/2022 7:00	Normal	0.0	
11/12/2022 8:00	Normal	0.0	
11/12/2022 9:00	Normal	0.0	
11/12/2022 10:00	Normal	0.0	
11/12/2022 11:00	Normal	0.0	
11/12/2022 12:00	Normal	0.0	
11/12/2022 13:00	Normal	0.0	
11/12/2022 14:00	Normal	0.0	
11/12/2022 15:00	Normal	0.0	
11/12/2022 16:00	Normal	0.0	
11/12/2022 17:00	Normal	0.0	
11/12/2022 18:00	Normal	0.0	
11/12/2022 19:00	Normal	0.0	
11/12/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/12/2022 21:00	Normal	0.0	
11/12/2022 22:00	Normal	0.0	
11/12/2022 23:00	Normal	0.0	0.0
11/13/2022 0:00	Normal	0.0	
11/13/2022 1:00	Normal	0.0	
11/13/2022 2:00	Normal	0.0	
11/13/2022 3:00	Normal	0.0	
11/13/2022 4:00	Normal	0.0	
11/13/2022 5:00	Normal	0.0	
11/13/2022 6:00	Normal	0.0	
11/13/2022 7:00	Normal	0.0	
11/13/2022 8:00	Normal	0.0	
11/13/2022 9:00	Normal	0.0	
11/13/2022 10:00	Normal	0.0	
11/13/2022 11:00	Normal	0.0	
11/13/2022 12:00	Normal	0.0	
11/13/2022 13:00	Normal	0.0	
11/13/2022 14:00	Normal	0.0	
11/13/2022 15:00	Normal	0.0	
11/13/2022 16:00	Normal	0.0	
11/13/2022 17:00	Normal	0.0	
11/13/2022 18:00	Normal	0.0	
11/13/2022 19:00	Normal	0.0	
11/13/2022 20:00	Normal	0.0	
11/13/2022 21:00	Normal	0.0	
11/13/2022 22:00	Normal	0.0	
11/13/2022 23:00	Normal	0.0	0.0
11/14/2022 0:00	Normal	0.0	
11/14/2022 1:00	Normal	0.0	
11/14/2022 2:00	Normal	0.0	
11/14/2022 3:00	Normal	0.0	
11/14/2022 4:00	Normal	0.0	
11/14/2022 5:00	Normal	0.0	
11/14/2022 6:00	Normal	0.0	
11/14/2022 7:00	Normal	0.0	
11/14/2022 8:00	Normal	0.0	
11/14/2022 9:00	Normal	0.0	
11/14/2022 10:00	Normal	0.0	
11/14/2022 11:00	Normal	0.0	
11/14/2022 12:00	Normal	0.0	
11/14/2022 13:00	Normal	0.0	
11/14/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/14/2022 15:00	Normal	0.0	
11/14/2022 16:00	Normal	0.0	
11/14/2022 17:00	Normal	0.0	
11/14/2022 18:00	Normal	0.0	
11/14/2022 19:00	Normal	0.0	
11/14/2022 20:00	Normal	0.0	
11/14/2022 21:00	Normal	0.0	
11/14/2022 22:00	Normal	0.0	
11/14/2022 23:00	Normal	0.0	0.0
11/15/2022 0:00	Normal	0.0	
11/15/2022 1:00	Normal	0.0	
11/15/2022 2:00	Normal	0.0	
11/15/2022 3:00	Normal	0.0	
11/15/2022 4:00	Normal	0.0	
11/15/2022 5:00	Normal	0.0	
11/15/2022 6:00	Normal	0.0	
11/15/2022 7:00	Normal	0.0	
11/15/2022 8:00	Normal	0.0	
11/15/2022 9:00	Normal	0.0	
11/15/2022 10:00	Normal	0.0	
11/15/2022 11:00	Normal	0.0	
11/15/2022 12:00	Normal	0.0	
11/15/2022 13:00	Normal	0.0	
11/15/2022 14:00	Normal	0.0	
11/15/2022 15:00	Normal	0.0	
11/15/2022 16:00	Normal	0.0	
11/15/2022 17:00	Normal	0.0	
11/15/2022 18:00	Normal	0.0	
11/15/2022 19:00	Normal	0.0	
11/15/2022 20:00	Normal	0.0	
11/15/2022 21:00	Normal	0.0	
11/15/2022 22:00	Normal	0.0	
11/15/2022 23:00	Normal	0.0	0.0
11/16/2022 0:00	Normal	0.0	
11/16/2022 1:00	Normal	0.0	
11/16/2022 2:00	Normal	0.0	
11/16/2022 3:00	Normal	0.0	
11/16/2022 4:00	Normal	0.0	
11/16/2022 5:00	Normal	0.0	
11/16/2022 6:00	Normal	0.0	
11/16/2022 7:00	Normal	0.0	
11/16/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/16/2022 9:00	Normal	0.0	
11/16/2022 10:00	Normal	0.0	
11/16/2022 11:00	Normal	0.0	
11/16/2022 12:00	Normal	0.0	
11/16/2022 13:00	Normal	0.0	
11/16/2022 14:00	Normal	0.0	
11/16/2022 15:00	Normal	0.0	
11/16/2022 16:00	Normal	0.0	
11/16/2022 17:00	Normal	0.0	
11/16/2022 18:00	Normal	0.0	
11/16/2022 19:00	Normal	0.0	
11/16/2022 20:00	Normal	0.0	
11/16/2022 21:00	Normal	0.0	
11/16/2022 22:00	Normal	0.0	
11/16/2022 23:00	Normal	0.0	0.0
11/17/2022 0:00	Normal	0.0	
11/17/2022 1:00	Normal	0.0	
11/17/2022 2:00	Normal	0.0	
11/17/2022 3:00	Normal	0.0	
11/17/2022 4:00	Normal	0.0	
11/17/2022 5:00	Normal	0.0	
11/17/2022 6:00	Normal	0.0	
11/17/2022 7:00	Normal	0.0	
11/17/2022 8:00	Normal	0.0	
11/17/2022 9:00	Normal	0.0	
11/17/2022 10:00	Normal	0.0	
11/17/2022 11:00	Normal	0.0	
11/17/2022 12:00	Normal	0.0	
11/17/2022 13:00	Normal	0.0	
11/17/2022 14:00	Normal	0.0	
11/17/2022 15:00	Normal	0.0	
11/17/2022 16:00	Normal	0.0	
11/17/2022 17:00	Normal	0.0	
11/17/2022 18:00	Normal	0.0	
11/17/2022 19:00	Normal	0.0	
11/17/2022 20:00	Normal	0.0	
11/17/2022 21:00	Normal	0.0	
11/17/2022 22:00	Normal	0.0	
11/17/2022 23:00	Normal	0.0	0.0
11/18/2022 0:00	Normal	0.0	
11/18/2022 1:00	Normal	0.0	
11/18/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/18/2022 3:00	Normal	0.0	
11/18/2022 4:00	Normal	0.0	
11/18/2022 5:00	Normal	0.0	
11/18/2022 6:00	Normal	0.0	
11/18/2022 7:00	Normal	0.0	
11/18/2022 8:00	Normal	0.0	
11/18/2022 9:00	Normal	0.0	
11/18/2022 10:00	Normal	0.0	
11/18/2022 11:00	Normal	0.0	
11/18/2022 12:00	Normal	0.0	
11/18/2022 13:00	Normal	0.0	
11/18/2022 14:00	Normal	0.0	
11/18/2022 15:00	Normal	0.0	
11/18/2022 16:00	Normal	0.0	
11/18/2022 17:00	Normal	0.0	
11/18/2022 18:00	Normal	0.0	
11/18/2022 19:00	Normal	0.0	
11/18/2022 20:00	Normal	0.0	
11/18/2022 21:00	Normal	0.0	
11/18/2022 22:00	Normal	0.0	
11/18/2022 23:00	Normal	0.0	0.0
11/19/2022 0:00	Normal	0.0	
11/19/2022 1:00	Normal	0.0	
11/19/2022 2:00	Normal	0.0	
11/19/2022 3:00	Normal	0.0	
11/19/2022 4:00	Normal	0.0	
11/19/2022 5:00	Normal	0.0	
11/19/2022 6:00	Normal	0.0	
11/19/2022 7:00	Normal	0.0	
11/19/2022 8:00	Normal	0.0	
11/19/2022 9:00	Normal	0.0	
11/19/2022 10:00	Normal	0.0	
11/19/2022 11:00	Normal	0.0	
11/19/2022 12:00	Normal	0.0	
11/19/2022 13:00	Normal	0.0	
11/19/2022 14:00	Normal	0.0	
11/19/2022 15:00	Normal	0.0	
11/19/2022 16:00	Normal	0.0	
11/19/2022 17:00	Normal	0.0	
11/19/2022 18:00	Normal	0.0	
11/19/2022 19:00	Normal	0.0	
11/19/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/19/2022 21:00	Normal	0.0	
11/19/2022 22:00	Normal	0.0	
11/19/2022 23:00	Normal	0.0	0.0
11/20/2022 0:00	Normal	0.0	
11/20/2022 1:00	Normal	0.0	
11/20/2022 2:00	Normal	0.0	
11/20/2022 3:00	Normal	0.0	
11/20/2022 4:00	Normal	0.0	
11/20/2022 5:00	Normal	0.0	
11/20/2022 6:00	Normal	0.0	
11/20/2022 7:00	Normal	0.0	
11/20/2022 8:00	Normal	0.0	
11/20/2022 9:00	Normal	0.0	
11/20/2022 10:00	Normal	0.0	
11/20/2022 11:00	Normal	0.0	
11/20/2022 12:00	Normal	0.0	
11/20/2022 13:00	Normal	0.0	
11/20/2022 14:00	Normal	0.0	
11/20/2022 15:00	Normal	0.0	
11/20/2022 16:00	Normal	0.0	
11/20/2022 17:00	Normal	0.0	
11/20/2022 18:00	Normal	0.0	
11/20/2022 19:00	Normal	0.0	
11/20/2022 20:00	Normal	0.0	
11/20/2022 21:00	Normal	0.0	
11/20/2022 22:00	Normal	0.0	
11/20/2022 23:00	Normal	0.0	0.0
11/21/2022 0:00	Normal	0.0	
11/21/2022 1:00	Normal	0.0	
11/21/2022 2:00	Normal	0.0	
11/21/2022 3:00	Normal	0.0	
11/21/2022 4:00	Normal	0.0	
11/21/2022 5:00	Normal	0.0	
11/21/2022 6:00	Normal	0.0	
11/21/2022 7:00	Normal	0.0	
11/21/2022 8:00	Normal	0.0	
11/21/2022 9:00	Normal	0.0	
11/21/2022 10:00	Normal	0.0	
11/21/2022 11:00	Normal	0.0	
11/21/2022 12:00	Normal	0.0	
11/21/2022 13:00	Normal	0.0	
11/21/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/21/2022 15:00	Normal	0.0	
11/21/2022 16:00	Normal	0.0	
11/21/2022 17:00	Malfunction	430.7	
11/21/2022 18:00	Malfunction	1403.4	
11/21/2022 19:00	Malfunction	1204.7	
11/21/2022 20:00	Malfunction	1542.9	
11/21/2022 21:00	Malfunction	1569.6	
11/21/2022 22:00	Malfunction	1561.3	
11/21/2022 23:00	Malfunction	1568.1	12.9
11/22/2022 0:00	Malfunction	1565.1	
11/22/2022 1:00	Malfunction	1574.1	
11/22/2022 2:00	Malfunction	1585.2	
11/22/2022 3:00	Malfunction	1607.0	
11/22/2022 4:00	Malfunction	1606.8	
11/22/2022 5:00	Malfunction	1211.6	
11/22/2022 6:00	Malfunction	1627.3	
11/22/2022 7:00	Malfunction	1650.1	
11/22/2022 8:00	Malfunction	1371.4	
11/22/2022 9:00	Malfunction	1657.6	
11/22/2022 10:00	Malfunction	1597.8	
11/22/2022 11:00	Malfunction	1595.5	
11/22/2022 12:00	Malfunction	1389.7	
11/22/2022 13:00	Malfunction	580.5	
11/22/2022 14:00	Malfunction	61.4	
11/22/2022 15:00	Normal	0.0	
11/22/2022 16:00	Normal	0.0	
11/22/2022 17:00	Normal	0.0	
11/22/2022 18:00	Normal	0.0	
11/22/2022 19:00	Normal	0.0	
11/22/2022 20:00	Normal	0.0	
11/22/2022 21:00	Normal	0.0	
11/22/2022 22:00	Normal	0.0	
11/22/2022 23:00	Normal	0.0	41.6
11/23/2022 0:00	Normal	0.0	
11/23/2022 1:00	Normal	0.0	
11/23/2022 2:00	Normal	0.0	
11/23/2022 3:00	Normal	0.0	
11/23/2022 4:00	Normal	0.0	
11/23/2022 5:00	Normal	0.0	
11/23/2022 6:00	Normal	0.0	
11/23/2022 7:00	Normal	0.0	
11/23/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/23/2022 9:00	Normal	0.0	
11/23/2022 10:00	Normal	0.0	
11/23/2022 11:00	Normal	0.0	
11/23/2022 12:00	Normal	0.0	
11/23/2022 13:00	Normal	0.0	
11/23/2022 14:00	Normal	0.0	
11/23/2022 15:00	Normal	0.0	
11/23/2022 16:00	Normal	0.0	
11/23/2022 17:00	Normal	0.0	
11/23/2022 18:00	Normal	0.0	
11/23/2022 19:00	Normal	0.0	
11/23/2022 20:00	Normal	0.0	
11/23/2022 21:00	Normal	0.0	
11/23/2022 22:00	Normal	0.0	
11/23/2022 23:00	Normal	0.0	41.6
11/24/2022 0:00	Normal	0.0	
11/24/2022 1:00	Normal	0.0	
11/24/2022 2:00	Normal	0.0	
11/24/2022 3:00	Normal	0.0	
11/24/2022 4:00	Normal	0.0	
11/24/2022 5:00	Normal	0.0	
11/24/2022 6:00	Normal	0.0	
11/24/2022 7:00	Normal	0.0	
11/24/2022 8:00	Normal	0.0	
11/24/2022 9:00	Normal	0.0	
11/24/2022 10:00	Normal	0.0	
11/24/2022 11:00	Normal	0.0	
11/24/2022 12:00	Normal	0.0	
11/24/2022 13:00	Normal	0.0	
11/24/2022 14:00	Normal	0.0	
11/24/2022 15:00	Normal	0.0	
11/24/2022 16:00	Normal	0.0	
11/24/2022 17:00	Normal	0.0	
11/24/2022 18:00	Normal	0.0	
11/24/2022 19:00	Normal	0.0	
11/24/2022 20:00	Normal	0.0	
11/24/2022 21:00	Normal	0.0	
11/24/2022 22:00	Normal	0.0	
11/24/2022 23:00	Normal	0.0	41.6
11/25/2022 0:00	Normal	0.0	
11/25/2022 1:00	Normal	0.0	
11/25/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/25/2022 3:00	Normal	0.0	
11/25/2022 4:00	Normal	0.0	
11/25/2022 5:00	Normal	0.0	
11/25/2022 6:00	Normal	0.0	
11/25/2022 7:00	Normal	0.0	
11/25/2022 8:00	Normal	0.0	
11/25/2022 9:00	Normal	0.0	
11/25/2022 10:00	Normal	0.0	
11/25/2022 11:00	Normal	0.0	
11/25/2022 12:00	Normal	0.0	
11/25/2022 13:00	Normal	0.0	
11/25/2022 14:00	Normal	0.0	
11/25/2022 15:00	Normal	0.0	
11/25/2022 16:00	Normal	0.0	
11/25/2022 17:00	Normal	0.0	
11/25/2022 18:00	Normal	0.0	
11/25/2022 19:00	Normal	0.0	
11/25/2022 20:00	Normal	0.0	
11/25/2022 21:00	Normal	0.0	
11/25/2022 22:00	Normal	0.0	
11/25/2022 23:00	Normal	0.0	41.6
11/26/2022 0:00	Normal	0.0	
11/26/2022 1:00	Normal	0.0	
11/26/2022 2:00	Normal	0.0	
11/26/2022 3:00	Normal	0.0	
11/26/2022 4:00	Normal	0.0	
11/26/2022 5:00	Normal	0.0	
11/26/2022 6:00	Normal	0.0	
11/26/2022 7:00	Normal	0.0	
11/26/2022 8:00	Normal	0.0	
11/26/2022 9:00	Normal	0.0	
11/26/2022 10:00	Normal	0.0	
11/26/2022 11:00	Normal	0.0	
11/26/2022 12:00	Normal	0.0	
11/26/2022 13:00	Normal	0.0	
11/26/2022 14:00	Normal	0.0	
11/26/2022 15:00	Normal	0.0	
11/26/2022 16:00	Normal	0.0	
11/26/2022 17:00	Normal	0.0	
11/26/2022 18:00	Normal	0.0	
11/26/2022 19:00	Normal	0.0	
11/26/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/26/2022 21:00	Normal	0.0	
11/26/2022 22:00	Normal	0.0	
11/26/2022 23:00	Normal	0.0	41.6
11/27/2022 0:00	Normal	0.0	
11/27/2022 1:00	Normal	0.0	
11/27/2022 2:00	Normal	0.0	
11/27/2022 3:00	Normal	0.0	
11/27/2022 4:00	Normal	0.0	
11/27/2022 5:00	Normal	0.0	
11/27/2022 6:00	Normal	0.0	
11/27/2022 7:00	Normal	0.0	
11/27/2022 8:00	Normal	0.0	
11/27/2022 9:00	Normal	0.0	
11/27/2022 10:00	Normal	0.0	
11/27/2022 11:00	Normal	0.0	
11/27/2022 12:00	Normal	0.0	
11/27/2022 13:00	Normal	0.0	
11/27/2022 14:00	Normal	0.0	
11/27/2022 15:00	Normal	0.0	
11/27/2022 16:00	Normal	0.0	
11/27/2022 17:00	Normal	0.0	
11/27/2022 18:00	Normal	0.0	
11/27/2022 19:00	Normal	0.0	
11/27/2022 20:00	Normal	0.0	
11/27/2022 21:00	Normal	0.0	
11/27/2022 22:00	Normal	0.0	
11/27/2022 23:00	Normal	0.0	41.6
11/28/2022 0:00	Normal	0.0	
11/28/2022 1:00	Normal	0.0	
11/28/2022 2:00	Normal	0.0	
11/28/2022 3:00	Normal	0.0	
11/28/2022 4:00	Normal	0.0	
11/28/2022 5:00	Normal	0.0	
11/28/2022 6:00	Normal	0.0	
11/28/2022 7:00	Normal	0.0	
11/28/2022 8:00	Normal	0.0	
11/28/2022 9:00	Normal	0.0	
11/28/2022 10:00	Normal	0.0	
11/28/2022 11:00	Normal	0.0	
11/28/2022 12:00	Normal	0.0	
11/28/2022 13:00	Normal	0.0	
11/28/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/28/2022 15:00	Normal	0.0	
11/28/2022 16:00	Normal	0.0	
11/28/2022 17:00	Normal	0.0	
11/28/2022 18:00	Normal	0.0	
11/28/2022 19:00	Normal	0.0	
11/28/2022 20:00	Normal	0.0	
11/28/2022 21:00	Normal	0.0	
11/28/2022 22:00	Normal	0.0	
11/28/2022 23:00	Normal	0.0	41.6
11/29/2022 0:00	Normal	0.0	
11/29/2022 1:00	Normal	0.0	
11/29/2022 2:00	Normal	0.0	
11/29/2022 3:00	Normal	0.0	
11/29/2022 4:00	Normal	0.0	
11/29/2022 5:00	Normal	0.0	
11/29/2022 6:00	Normal	0.0	
11/29/2022 7:00	Normal	0.0	
11/29/2022 8:00	Normal	0.0	
11/29/2022 9:00	Normal	0.0	
11/29/2022 10:00	Normal	0.0	
11/29/2022 11:00	Normal	0.0	
11/29/2022 12:00	Normal	0.0	
11/29/2022 13:00	Normal	0.0	
11/29/2022 14:00	Normal	0.0	
11/29/2022 15:00	Normal	0.0	
11/29/2022 16:00	Normal	0.0	
11/29/2022 17:00	Normal	0.0	
11/29/2022 18:00	Normal	0.0	
11/29/2022 19:00	Normal	0.0	
11/29/2022 20:00	Normal	0.0	
11/29/2022 21:00	Normal	0.0	
11/29/2022 22:00	Normal	0.0	
11/29/2022 23:00	Normal	0.0	41.6
11/30/2022 0:00	Normal	0.0	
11/30/2022 1:00	Normal	0.0	
11/30/2022 2:00	Normal	0.0	
11/30/2022 3:00	Normal	0.0	
11/30/2022 4:00	Normal	0.0	
11/30/2022 5:00	Normal	0.0	
11/30/2022 6:00	Normal	0.0	
11/30/2022 7:00	Normal	0.0	
11/30/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/30/2022 9:00	Normal	0.0	
11/30/2022 10:00	Normal	0.0	
11/30/2022 11:00	Normal	0.0	
11/30/2022 12:00	Normal	0.0	
11/30/2022 13:00	Normal	0.0	
11/30/2022 14:00	Normal	0.0	
11/30/2022 15:00	Normal	0.0	
11/30/2022 16:00	Normal	0.0	
11/30/2022 17:00	Normal	0.0	
11/30/2022 18:00	Normal	0.0	
11/30/2022 19:00	Normal	0.0	
11/30/2022 20:00	Normal	0.0	
11/30/2022 21:00	Normal	0.0	
11/30/2022 22:00	Normal	0.0	
11/30/2022 23:00	Normal	0.0	41.6
12/1/2022 0:00	Normal	0.0	
12/1/2022 1:00	Normal	0.0	
12/1/2022 2:00	Normal	0.0	
12/1/2022 3:00	Normal	0.0	
12/1/2022 4:00	Normal	0.0	
12/1/2022 5:00	Normal	0.0	
12/1/2022 6:00	Normal	0.0	
12/1/2022 7:00	Normal	0.0	
12/1/2022 8:00	Normal	0.0	
12/1/2022 9:00	Normal	0.0	
12/1/2022 10:00	Normal	0.0	
12/1/2022 11:00	Normal	0.0	
12/1/2022 12:00	Normal	0.0	
12/1/2022 13:00	Normal	0.0	
12/1/2022 14:00	Normal	0.0	
12/1/2022 15:00	Normal	0.0	
12/1/2022 16:00	Normal	0.0	
12/1/2022 17:00	Normal	0.0	
12/1/2022 18:00	Normal	0.0	
12/1/2022 19:00	Normal	0.0	
12/1/2022 20:00	Normal	0.0	
12/1/2022 21:00	Normal	0.0	
12/1/2022 22:00	Normal	0.0	
12/1/2022 23:00	Normal	0.0	41.6
12/2/2022 0:00	Normal	0.0	
12/2/2022 1:00	Normal	0.0	
12/2/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/2/2022 3:00	Normal	0.0	
12/2/2022 4:00	Normal	0.0	
12/2/2022 5:00	Normal	0.0	
12/2/2022 6:00	Normal	0.0	
12/2/2022 7:00	Normal	0.0	
12/2/2022 8:00	Normal	0.0	
12/2/2022 9:00	Normal	0.0	
12/2/2022 10:00	Normal	0.0	
12/2/2022 11:00	Normal	0.0	
12/2/2022 12:00	Normal	0.0	
12/2/2022 13:00	Normal	0.0	
12/2/2022 14:00	Normal	0.0	
12/2/2022 15:00	Normal	0.0	
12/2/2022 16:00	Normal	0.0	
12/2/2022 17:00	Normal	0.0	
12/2/2022 18:00	Normal	0.0	
12/2/2022 19:00	Normal	0.0	
12/2/2022 20:00	Normal	0.0	
12/2/2022 21:00	Normal	0.0	
12/2/2022 22:00	Normal	0.0	
12/2/2022 23:00	Normal	0.0	41.6
12/3/2022 0:00	Normal	0.0	
12/3/2022 1:00	Normal	0.0	
12/3/2022 2:00	Normal	0.0	
12/3/2022 3:00	Normal	0.0	
12/3/2022 4:00	Normal	0.0	
12/3/2022 5:00	Normal	0.0	
12/3/2022 6:00	Normal	0.0	
12/3/2022 7:00	Normal	0.0	
12/3/2022 8:00	Normal	0.0	
12/3/2022 9:00	Normal	0.0	
12/3/2022 10:00	Normal	0.0	
12/3/2022 11:00	Normal	0.0	
12/3/2022 12:00	Normal	0.0	
12/3/2022 13:00	Normal	0.0	
12/3/2022 14:00	Normal	0.0	
12/3/2022 15:00	Normal	0.0	
12/3/2022 16:00	Normal	0.0	
12/3/2022 17:00	Normal	0.0	
12/3/2022 18:00	Normal	0.0	
12/3/2022 19:00	Normal	0.0	
12/3/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/3/2022 21:00	Normal	0.0	
12/3/2022 22:00	Normal	0.0	
12/3/2022 23:00	Normal	0.0	41.6
12/4/2022 0:00	Normal	0.0	
12/4/2022 1:00	Normal	0.0	
12/4/2022 2:00	Normal	0.0	
12/4/2022 3:00	Normal	0.0	
12/4/2022 4:00	Normal	0.0	
12/4/2022 5:00	Normal	0.0	
12/4/2022 6:00	Normal	0.0	
12/4/2022 7:00	Normal	0.0	
12/4/2022 8:00	Normal	0.0	
12/4/2022 9:00	Normal	0.0	
12/4/2022 10:00	Normal	0.0	
12/4/2022 11:00	Normal	0.0	
12/4/2022 12:00	Normal	0.0	
12/4/2022 13:00	Normal	0.0	
12/4/2022 14:00	Normal	0.0	
12/4/2022 15:00	Normal	0.0	
12/4/2022 16:00	Normal	0.0	
12/4/2022 17:00	Normal	0.0	
12/4/2022 18:00	Normal	0.0	
12/4/2022 19:00	Normal	0.0	
12/4/2022 20:00	Normal	0.0	
12/4/2022 21:00	Normal	0.0	
12/4/2022 22:00	Normal	0.0	
12/4/2022 23:00	Normal	0.0	41.6
12/5/2022 0:00	Normal	0.0	
12/5/2022 1:00	Normal	0.0	
12/5/2022 2:00	Normal	0.0	
12/5/2022 3:00	Normal	0.0	
12/5/2022 4:00	Normal	0.0	
12/5/2022 5:00	Normal	0.0	
12/5/2022 6:00	Normal	0.0	
12/5/2022 7:00	Normal	0.0	
12/5/2022 8:00	Normal	0.0	
12/5/2022 9:00	Normal	0.0	
12/5/2022 10:00	Normal	0.0	
12/5/2022 11:00	Normal	0.0	
12/5/2022 12:00	Normal	0.0	
12/5/2022 13:00	Normal	0.0	
12/5/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/5/2022 15:00	Normal	0.0	
12/5/2022 16:00	Normal	0.0	
12/5/2022 17:00	Normal	0.0	
12/5/2022 18:00	Normal	0.0	
12/5/2022 19:00	Normal	0.0	
12/5/2022 20:00	Normal	0.0	
12/5/2022 21:00	Normal	0.0	
12/5/2022 22:00	Normal	0.0	
12/5/2022 23:00	Normal	0.0	41.6
12/6/2022 0:00	Normal	0.0	
12/6/2022 1:00	Normal	0.0	
12/6/2022 2:00	Normal	0.0	
12/6/2022 3:00	Normal	0.0	
12/6/2022 4:00	Normal	0.0	
12/6/2022 5:00	Normal	0.0	
12/6/2022 6:00	Normal	0.0	
12/6/2022 7:00	Normal	0.0	
12/6/2022 8:00	Normal	0.0	
12/6/2022 9:00	Normal	0.0	
12/6/2022 10:00	Normal	0.0	
12/6/2022 11:00	Normal	0.0	
12/6/2022 12:00	Normal	0.0	
12/6/2022 13:00	Normal	0.0	
12/6/2022 14:00	Normal	0.0	
12/6/2022 15:00	Normal	0.0	
12/6/2022 16:00	Normal	0.0	
12/6/2022 17:00	Normal	0.0	
12/6/2022 18:00	Normal	0.0	
12/6/2022 19:00	Normal	0.0	
12/6/2022 20:00	Normal	0.0	
12/6/2022 21:00	Normal	0.0	
12/6/2022 22:00	Normal	0.0	
12/6/2022 23:00	Normal	0.0	41.6
12/7/2022 0:00	Normal	0.0	
12/7/2022 1:00	Normal	0.0	
12/7/2022 2:00	Normal	0.0	
12/7/2022 3:00	Normal	0.0	
12/7/2022 4:00	Normal	0.0	
12/7/2022 5:00	Normal	0.0	
12/7/2022 6:00	Normal	0.0	
12/7/2022 7:00	Normal	0.0	
12/7/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/7/2022 9:00	Normal	0.0	
12/7/2022 10:00	Normal	0.0	
12/7/2022 11:00	Normal	0.0	
12/7/2022 12:00	Normal	0.0	
12/7/2022 13:00	Normal	0.0	
12/7/2022 14:00	Normal	0.0	
12/7/2022 15:00	Normal	0.0	
12/7/2022 16:00	Normal	0.0	
12/7/2022 17:00	Normal	0.0	
12/7/2022 18:00	Normal	0.0	
12/7/2022 19:00	Normal	0.0	
12/7/2022 20:00	Normal	0.0	
12/7/2022 21:00	Normal	0.0	
12/7/2022 22:00	Normal	0.0	
12/7/2022 23:00	Normal	0.0	41.6
12/8/2022 0:00	Normal	0.0	
12/8/2022 1:00	Normal	0.0	
12/8/2022 2:00	Normal	0.0	
12/8/2022 3:00	Normal	0.0	
12/8/2022 4:00	Normal	0.0	
12/8/2022 5:00	Normal	0.0	
12/8/2022 6:00	Normal	0.0	
12/8/2022 7:00	Normal	0.0	
12/8/2022 8:00	Normal	0.0	
12/8/2022 9:00	Normal	0.0	
12/8/2022 10:00	Normal	0.0	
12/8/2022 11:00	Normal	0.0	
12/8/2022 12:00	Normal	0.0	
12/8/2022 13:00	Normal	0.0	
12/8/2022 14:00	Normal	0.0	
12/8/2022 15:00	Normal	0.0	
12/8/2022 16:00	Normal	0.0	
12/8/2022 17:00	Normal	0.0	
12/8/2022 18:00	Normal	0.0	
12/8/2022 19:00	Normal	0.0	
12/8/2022 20:00	Normal	0.0	
12/8/2022 21:00	Normal	0.0	
12/8/2022 22:00	Normal	0.0	
12/8/2022 23:00	Normal	0.0	41.6
12/9/2022 0:00	Normal	0.0	
12/9/2022 1:00	Normal	0.0	
12/9/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/9/2022 3:00	Normal	0.0	
12/9/2022 4:00	Normal	0.0	
12/9/2022 5:00	Normal	0.0	
12/9/2022 6:00	Normal	0.0	
12/9/2022 7:00	Normal	0.0	
12/9/2022 8:00	Normal	0.0	
12/9/2022 9:00	Normal	0.0	
12/9/2022 10:00	Normal	0.0	
12/9/2022 11:00	Normal	0.0	
12/9/2022 12:00	Normal	0.0	
12/9/2022 13:00	Normal	0.0	
12/9/2022 14:00	Normal	0.0	
12/9/2022 15:00	Normal	0.0	
12/9/2022 16:00	Normal	0.0	
12/9/2022 17:00	Normal	0.0	
12/9/2022 18:00	Normal	0.0	
12/9/2022 19:00	Normal	0.0	
12/9/2022 20:00	Normal	0.0	
12/9/2022 21:00	Normal	0.0	
12/9/2022 22:00	Normal	0.0	
12/9/2022 23:00	Normal	0.0	41.6
12/10/2022 0:00	Normal	0.0	
12/10/2022 1:00	Normal	0.0	
12/10/2022 2:00	Normal	0.0	
12/10/2022 3:00	Normal	0.0	
12/10/2022 4:00	Normal	0.0	
12/10/2022 5:00	Normal	0.0	
12/10/2022 6:00	Normal	0.0	
12/10/2022 7:00	Normal	0.0	
12/10/2022 8:00	Normal	0.0	
12/10/2022 9:00	Normal	0.0	
12/10/2022 10:00	Normal	0.0	
12/10/2022 11:00	Normal	0.0	
12/10/2022 12:00	Normal	0.0	
12/10/2022 13:00	Normal	0.0	
12/10/2022 14:00	Normal	0.0	
12/10/2022 15:00	Normal	0.0	
12/10/2022 16:00	Normal	0.0	
12/10/2022 17:00	Normal	0.0	
12/10/2022 18:00	Normal	0.0	
12/10/2022 19:00	Normal	0.0	
12/10/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/10/2022 21:00	Normal	0.0	
12/10/2022 22:00	Normal	0.0	
12/10/2022 23:00	Normal	0.0	41.6
12/11/2022 0:00	Normal	0.0	
12/11/2022 1:00	Normal	0.0	
12/11/2022 2:00	Normal	0.0	
12/11/2022 3:00	Normal	0.0	
12/11/2022 4:00	Normal	0.0	
12/11/2022 5:00	Normal	0.0	
12/11/2022 6:00	Normal	0.0	
12/11/2022 7:00	Normal	0.0	
12/11/2022 8:00	Normal	0.0	
12/11/2022 9:00	Normal	0.0	
12/11/2022 10:00	Normal	0.0	
12/11/2022 11:00	Normal	0.0	
12/11/2022 12:00	Normal	0.0	
12/11/2022 13:00	Normal	0.0	
12/11/2022 14:00	Normal	0.0	
12/11/2022 15:00	Normal	0.0	
12/11/2022 16:00	Normal	0.0	
12/11/2022 17:00	Normal	0.0	
12/11/2022 18:00	Normal	0.0	
12/11/2022 19:00	Normal	0.0	
12/11/2022 20:00	Normal	0.0	
12/11/2022 21:00	Normal	0.0	
12/11/2022 22:00	Normal	0.0	
12/11/2022 23:00	Normal	0.0	41.6
12/12/2022 0:00	Normal	0.0	
12/12/2022 1:00	Normal	0.0	
12/12/2022 2:00	Normal	0.0	
12/12/2022 3:00	Normal	0.0	
12/12/2022 4:00	Normal	0.0	
12/12/2022 5:00	Normal	0.0	
12/12/2022 6:00	Normal	0.0	
12/12/2022 7:00	Normal	0.0	
12/12/2022 8:00	Normal	0.0	
12/12/2022 9:00	Normal	0.0	
12/12/2022 10:00	Normal	0.0	
12/12/2022 11:00	Normal	0.0	
12/12/2022 12:00	Normal	0.0	
12/12/2022 13:00	Normal	0.0	
12/12/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/12/2022 15:00	Normal	0.0	
12/12/2022 16:00	Normal	0.0	
12/12/2022 17:00	Normal	0.0	
12/12/2022 18:00	Normal	0.0	
12/12/2022 19:00	Normal	0.0	
12/12/2022 20:00	Normal	0.0	
12/12/2022 21:00	Normal	0.0	
12/12/2022 22:00	Normal	0.0	
12/12/2022 23:00	Normal	0.0	41.6
12/13/2022 0:00	Normal	0.0	
12/13/2022 1:00	Normal	0.0	
12/13/2022 2:00	Normal	0.0	
12/13/2022 3:00	Normal	0.0	
12/13/2022 4:00	Normal	0.0	
12/13/2022 5:00	Normal	0.0	
12/13/2022 6:00	Normal	0.0	
12/13/2022 7:00	Normal	0.0	
12/13/2022 8:00	Normal	0.0	
12/13/2022 9:00	Normal	0.0	
12/13/2022 10:00	Normal	0.0	
12/13/2022 11:00	Normal	0.0	
12/13/2022 12:00	Normal	0.0	
12/13/2022 13:00	Normal	0.0	
12/13/2022 14:00	Normal	0.0	
12/13/2022 15:00	Normal	0.0	
12/13/2022 16:00	Normal	0.0	
12/13/2022 17:00	Normal	0.0	
12/13/2022 18:00	Normal	0.0	
12/13/2022 19:00	Normal	0.0	
12/13/2022 20:00	Normal	0.0	
12/13/2022 21:00	Normal	0.0	
12/13/2022 22:00	Normal	0.0	
12/13/2022 23:00	Normal	0.0	41.6
12/14/2022 0:00	Normal	0.0	
12/14/2022 1:00	Normal	0.0	
12/14/2022 2:00	Normal	0.0	
12/14/2022 3:00	Normal	0.0	
12/14/2022 4:00	Normal	0.0	
12/14/2022 5:00	Normal	0.0	
12/14/2022 6:00	Normal	0.0	
12/14/2022 7:00	Normal	0.0	
12/14/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/14/2022 9:00	Normal	0.0	
12/14/2022 10:00	Normal	0.0	
12/14/2022 11:00	Normal	0.0	
12/14/2022 12:00	Normal	0.0	
12/14/2022 13:00	Normal	0.0	
12/14/2022 14:00	Normal	0.0	
12/14/2022 15:00	Normal	0.0	
12/14/2022 16:00	Normal	0.0	
12/14/2022 17:00	Normal	0.0	
12/14/2022 18:00	Normal	0.0	
12/14/2022 19:00	Normal	0.0	
12/14/2022 20:00	Normal	0.0	
12/14/2022 21:00	Normal	0.0	
12/14/2022 22:00	Normal	0.0	
12/14/2022 23:00	Normal	0.0	41.6
12/15/2022 0:00	Normal	0.0	
12/15/2022 1:00	Normal	0.0	
12/15/2022 2:00	Normal	0.0	
12/15/2022 3:00	Normal	0.0	
12/15/2022 4:00	Normal	0.0	
12/15/2022 5:00	Normal	0.0	
12/15/2022 6:00	Normal	0.0	
12/15/2022 7:00	Normal	0.0	
12/15/2022 8:00	Normal	0.0	
12/15/2022 9:00	Normal	0.0	
12/15/2022 10:00	Normal	0.0	
12/15/2022 11:00	Normal	0.0	
12/15/2022 12:00	Normal	0.0	
12/15/2022 13:00	Normal	0.0	
12/15/2022 14:00	Normal	0.0	
12/15/2022 15:00	Normal	0.0	
12/15/2022 16:00	Normal	0.0	
12/15/2022 17:00	Normal	0.0	
12/15/2022 18:00	Normal	0.0	
12/15/2022 19:00	Normal	0.0	
12/15/2022 20:00	Normal	0.0	
12/15/2022 21:00	Startup	383.0	
12/15/2022 22:00	Startup	0.0	
12/15/2022 23:00	Normal	0.0	42.1
12/16/2022 0:00	Normal	0.0	
12/16/2022 1:00	Normal	0.0	
12/16/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/16/2022 3:00	Normal	0.0	
12/16/2022 4:00	Normal	0.0	
12/16/2022 5:00	Normal	0.0	
12/16/2022 6:00	Normal	0.0	
12/16/2022 7:00	Normal	0.0	
12/16/2022 8:00	Normal	0.0	
12/16/2022 9:00	Normal	0.0	
12/16/2022 10:00	Normal	0.0	
12/16/2022 11:00	Normal	0.0	
12/16/2022 12:00	Normal	0.0	
12/16/2022 13:00	Normal	0.0	
12/16/2022 14:00	Normal	0.0	
12/16/2022 15:00	Normal	0.0	
12/16/2022 16:00	Normal	0.0	
12/16/2022 17:00	Normal	0.0	
12/16/2022 18:00	Normal	0.0	
12/16/2022 19:00	Normal	0.0	
12/16/2022 20:00	Normal	0.0	
12/16/2022 21:00	Normal	0.0	
12/16/2022 22:00	Normal	0.0	
12/16/2022 23:00	Normal	0.0	42.1
12/17/2022 0:00	Normal	0.0	
12/17/2022 1:00	Normal	0.0	
12/17/2022 2:00	Normal	0.0	
12/17/2022 3:00	Normal	0.0	
12/17/2022 4:00	Normal	0.0	
12/17/2022 5:00	Normal	0.0	
12/17/2022 6:00	Normal	0.0	
12/17/2022 7:00	Normal	0.0	
12/17/2022 8:00	Normal	0.0	
12/17/2022 9:00	Normal	0.0	
12/17/2022 10:00	Normal	0.0	
12/17/2022 11:00	Normal	0.0	
12/17/2022 12:00	Normal	0.0	
12/17/2022 13:00	Normal	0.0	
12/17/2022 14:00	Normal	0.0	
12/17/2022 15:00	Normal	0.0	
12/17/2022 16:00	Normal	0.0	
12/17/2022 17:00	Normal	0.0	
12/17/2022 18:00	Normal	0.0	
12/17/2022 19:00	Normal	0.0	
12/17/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/17/2022 21:00	Normal	0.0	
12/17/2022 22:00	Normal	0.0	
12/17/2022 23:00	Normal	0.0	42.1
12/18/2022 0:00	Normal	0.0	
12/18/2022 1:00	Normal	0.0	
12/18/2022 2:00	Normal	0.0	
12/18/2022 3:00	Normal	0.0	
12/18/2022 4:00	Normal	0.0	
12/18/2022 5:00	Normal	0.0	
12/18/2022 6:00	Normal	0.0	
12/18/2022 7:00	Normal	0.0	
12/18/2022 8:00	Normal	0.0	
12/18/2022 9:00	Normal	0.0	
12/18/2022 10:00	Normal	0.0	
12/18/2022 11:00	Normal	0.0	
12/18/2022 12:00	Normal	0.0	
12/18/2022 13:00	Normal	0.0	
12/18/2022 14:00	Normal	0.0	
12/18/2022 15:00	Normal	0.0	
12/18/2022 16:00	Normal	0.0	
12/18/2022 17:00	Normal	0.0	
12/18/2022 18:00	Normal	0.0	
12/18/2022 19:00	Normal	0.0	
12/18/2022 20:00	Normal	0.0	
12/18/2022 21:00	Normal	0.0	
12/18/2022 22:00	Normal	0.0	
12/18/2022 23:00	Normal	0.0	42.1
12/19/2022 0:00	Normal	0.0	
12/19/2022 1:00	Normal	0.0	
12/19/2022 2:00	Normal	0.0	
12/19/2022 3:00	Normal	0.0	
12/19/2022 4:00	Normal	0.0	
12/19/2022 5:00	Normal	0.0	
12/19/2022 6:00	Normal	0.0	
12/19/2022 7:00	Normal	0.0	
12/19/2022 8:00	Normal	0.0	
12/19/2022 9:00	Normal	0.0	
12/19/2022 10:00	Normal	0.0	
12/19/2022 11:00	Normal	0.0	
12/19/2022 12:00	Normal	0.0	
12/19/2022 13:00	Normal	0.0	
12/19/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/19/2022 15:00	Normal	0.0	
12/19/2022 16:00	Normal	0.0	
12/19/2022 17:00	Normal	0.0	
12/19/2022 18:00	Normal	0.0	
12/19/2022 19:00	Normal	0.0	
12/19/2022 20:00	Normal	0.0	
12/19/2022 21:00	Normal	0.0	
12/19/2022 22:00	Normal	0.0	
12/19/2022 23:00	Normal	0.0	42.1
12/20/2022 0:00	Normal	0.0	
12/20/2022 1:00	Normal	0.0	
12/20/2022 2:00	Normal	0.0	
12/20/2022 3:00	Normal	0.0	
12/20/2022 4:00	Normal	0.0	
12/20/2022 5:00	Normal	0.0	
12/20/2022 6:00	Normal	0.0	
12/20/2022 7:00	Normal	0.0	
12/20/2022 8:00	Normal	0.0	
12/20/2022 9:00	Normal	0.0	
12/20/2022 10:00	Normal	0.0	
12/20/2022 11:00	Normal	0.0	
12/20/2022 12:00	Normal	0.0	
12/20/2022 13:00	Normal	0.0	
12/20/2022 14:00	Normal	0.0	
12/20/2022 15:00	Normal	0.0	
12/20/2022 16:00	Normal	0.0	
12/20/2022 17:00	Normal	0.0	
12/20/2022 18:00	Normal	0.0	
12/20/2022 19:00	Normal	0.0	
12/20/2022 20:00	Normal	0.0	
12/20/2022 21:00	Normal	0.0	
12/20/2022 22:00	Normal	0.0	
12/20/2022 23:00	Normal	0.0	42.1
12/21/2022 0:00	Normal	0.0	
12/21/2022 1:00	Normal	0.0	
12/21/2022 2:00	Normal	0.0	
12/21/2022 3:00	Normal	0.0	
12/21/2022 4:00	Normal	0.0	
12/21/2022 5:00	Normal	0.0	
12/21/2022 6:00	Normal	0.0	
12/21/2022 7:00	Normal	0.0	
12/21/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/21/2022 9:00	Normal	0.0	
12/21/2022 10:00	Normal	0.0	
12/21/2022 11:00	Normal	0.0	
12/21/2022 12:00	Normal	0.0	
12/21/2022 13:00	Normal	0.0	
12/21/2022 14:00	Normal	0.0	
12/21/2022 15:00	Normal	0.0	
12/21/2022 16:00	Normal	0.0	
12/21/2022 17:00	Normal	0.0	
12/21/2022 18:00	Normal	0.0	
12/21/2022 19:00	Normal	0.0	
12/21/2022 20:00	Normal	0.0	
12/21/2022 21:00	Normal	0.0	
12/21/2022 22:00	Normal	0.0	
12/21/2022 23:00	Normal	0.0	29.3
12/22/2022 0:00	Normal	0.0	
12/22/2022 1:00	Normal	0.0	
12/22/2022 2:00	Normal	0.0	
12/22/2022 3:00	Normal	0.0	
12/22/2022 4:00	Normal	0.0	
12/22/2022 5:00	Normal	0.0	
12/22/2022 6:00	Normal	0.0	
12/22/2022 7:00	Normal	0.0	
12/22/2022 8:00	Normal	0.0	
12/22/2022 9:00	Normal	0.0	
12/22/2022 10:00	Normal	0.0	
12/22/2022 11:00	Normal	0.0	
12/22/2022 12:00	Normal	0.0	
12/22/2022 13:00	Normal	0.0	
12/22/2022 14:00	Normal	0.0	
12/22/2022 15:00	Normal	0.0	
12/22/2022 16:00	Normal	0.0	
12/22/2022 17:00	Normal	0.0	
12/22/2022 18:00	Normal	0.0	
12/22/2022 19:00	Normal	0.0	
12/22/2022 20:00	Normal	0.0	
12/22/2022 21:00	Normal	0.0	
12/22/2022 22:00	Normal	0.0	
12/22/2022 23:00	Normal	0.0	0.5
12/23/2022 0:00	Normal	0.0	
12/23/2022 1:00	Normal	0.0	
12/23/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/23/2022 3:00	Normal	0.0	
12/23/2022 4:00	Normal	0.0	
12/23/2022 5:00	Normal	0.0	
12/23/2022 6:00	Normal	0.0	
12/23/2022 7:00	Normal	0.0	
12/23/2022 8:00	Normal	0.0	
12/23/2022 9:00	Normal	0.0	
12/23/2022 10:00	Normal	0.0	
12/23/2022 11:00	Normal	0.0	
12/23/2022 12:00	Normal	0.0	
12/23/2022 13:00	Normal	0.0	
12/23/2022 14:00	Normal	0.0	
12/23/2022 15:00	Normal	0.0	
12/23/2022 16:00	Normal	0.0	
12/23/2022 17:00	Normal	0.0	
12/23/2022 18:00	Normal	0.0	
12/23/2022 19:00	Normal	0.0	
12/23/2022 20:00	Normal	0.0	
12/23/2022 21:00	Normal	0.0	
12/23/2022 22:00	Normal	0.0	
12/23/2022 23:00	Normal	0.0	0.5
12/24/2022 0:00	Normal	0.0	
12/24/2022 1:00	Normal	0.0	
12/24/2022 2:00	Normal	0.0	
12/24/2022 3:00	Normal	0.0	
12/24/2022 4:00	Normal	0.0	
12/24/2022 5:00	Normal	0.0	
12/24/2022 6:00	Normal	0.0	
12/24/2022 7:00	Normal	0.0	
12/24/2022 8:00	Normal	0.0	
12/24/2022 9:00	Normal	0.0	
12/24/2022 10:00	Normal	0.0	
12/24/2022 11:00	Normal	0.0	
12/24/2022 12:00	Normal	0.0	
12/24/2022 13:00	Normal	0.0	
12/24/2022 14:00	Normal	0.0	
12/24/2022 15:00	Normal	0.0	
12/24/2022 16:00	Normal	0.0	
12/24/2022 17:00	Normal	0.0	
12/24/2022 18:00	Normal	0.0	
12/24/2022 19:00	Normal	0.0	
12/24/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/24/2022 21:00	Normal	0.0	
12/24/2022 22:00	Normal	0.0	
12/24/2022 23:00	Normal	0.0	0.5
12/25/2022 0:00	Normal	0.0	
12/25/2022 1:00	Normal	0.0	
12/25/2022 2:00	Normal	0.0	
12/25/2022 3:00	Normal	0.0	
12/25/2022 4:00	Normal	0.0	
12/25/2022 5:00	Normal	0.0	
12/25/2022 6:00	Normal	0.0	
12/25/2022 7:00	Normal	0.0	
12/25/2022 8:00	Normal	0.0	
12/25/2022 9:00	Normal	0.0	
12/25/2022 10:00	Normal	0.0	
12/25/2022 11:00	Normal	0.0	
12/25/2022 12:00	Normal	0.0	
12/25/2022 13:00	Normal	0.0	
12/25/2022 14:00	Normal	0.0	
12/25/2022 15:00	Normal	0.0	
12/25/2022 16:00	Normal	0.0	
12/25/2022 17:00	Normal	0.0	
12/25/2022 18:00	Normal	0.0	
12/25/2022 19:00	Normal	0.0	
12/25/2022 20:00	Normal	0.0	
12/25/2022 21:00	Normal	0.0	
12/25/2022 22:00	Normal	0.0	
12/25/2022 23:00	Normal	0.0	0.5
12/26/2022 0:00	Normal	0.0	
12/26/2022 1:00	Normal	0.0	
12/26/2022 2:00	Normal	0.0	
12/26/2022 3:00	Normal	0.0	
12/26/2022 4:00	Normal	0.0	
12/26/2022 5:00	Normal	0.0	
12/26/2022 6:00	Normal	0.0	
12/26/2022 7:00	Normal	0.0	
12/26/2022 8:00	Normal	0.0	
12/26/2022 9:00	Normal	0.0	
12/26/2022 10:00	Normal	0.0	
12/26/2022 11:00	Normal	0.0	
12/26/2022 12:00	Normal	0.0	
12/26/2022 13:00	Normal	0.0	
12/26/2022 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/26/2022 15:00	Normal	0.0	
12/26/2022 16:00	Normal	0.0	
12/26/2022 17:00	Normal	0.0	
12/26/2022 18:00	Normal	0.0	
12/26/2022 19:00	Normal	0.0	
12/26/2022 20:00	Normal	0.0	
12/26/2022 21:00	Normal	0.0	
12/26/2022 22:00	Normal	0.0	
12/26/2022 23:00	Normal	0.0	0.5
12/27/2022 0:00	Normal	0.0	
12/27/2022 1:00	Normal	0.0	
12/27/2022 2:00	Normal	0.0	
12/27/2022 3:00	Normal	0.0	
12/27/2022 4:00	Normal	0.0	
12/27/2022 5:00	Normal	0.0	
12/27/2022 6:00	Normal	0.0	
12/27/2022 7:00	Normal	0.0	
12/27/2022 8:00	Normal	0.0	
12/27/2022 9:00	Normal	0.0	
12/27/2022 10:00	Normal	0.0	
12/27/2022 11:00	Normal	0.0	
12/27/2022 12:00	Normal	0.0	
12/27/2022 13:00	Normal	0.0	
12/27/2022 14:00	Normal	0.0	
12/27/2022 15:00	Normal	0.0	
12/27/2022 16:00	Normal	0.0	
12/27/2022 17:00	Normal	0.0	
12/27/2022 18:00	Normal	0.0	
12/27/2022 19:00	Normal	0.0	
12/27/2022 20:00	Normal	0.0	
12/27/2022 21:00	Normal	0.0	
12/27/2022 22:00	Normal	0.0	
12/27/2022 23:00	Normal	0.0	0.5
12/28/2022 0:00	Normal	0.0	
12/28/2022 1:00	Normal	0.0	
12/28/2022 2:00	Normal	0.0	
12/28/2022 3:00	Normal	0.0	
12/28/2022 4:00	Normal	0.0	
12/28/2022 5:00	Normal	0.0	
12/28/2022 6:00	Normal	0.0	
12/28/2022 7:00	Normal	0.0	
12/28/2022 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/28/2022 9:00	Normal	0.0	
12/28/2022 10:00	Normal	0.0	
12/28/2022 11:00	Normal	0.0	
12/28/2022 12:00	Normal	0.0	
12/28/2022 13:00	Normal	0.0	
12/28/2022 14:00	Normal	0.0	
12/28/2022 15:00	Normal	0.0	
12/28/2022 16:00	Normal	0.0	
12/28/2022 17:00	Normal	0.0	
12/28/2022 18:00	Normal	0.0	
12/28/2022 19:00	Normal	0.0	
12/28/2022 20:00	Normal	0.0	
12/28/2022 21:00	Normal	0.0	
12/28/2022 22:00	Normal	0.0	
12/28/2022 23:00	Normal	0.0	0.5
12/29/2022 0:00	Normal	0.0	
12/29/2022 1:00	Normal	0.0	
12/29/2022 2:00	Normal	0.0	
12/29/2022 3:00	Normal	0.0	
12/29/2022 4:00	Normal	0.0	
12/29/2022 5:00	Normal	0.0	
12/29/2022 6:00	Normal	0.0	
12/29/2022 7:00	Normal	0.0	
12/29/2022 8:00	Normal	0.0	
12/29/2022 9:00	Normal	0.0	
12/29/2022 10:00	Normal	0.0	
12/29/2022 11:00	Normal	0.0	
12/29/2022 12:00	Normal	0.0	
12/29/2022 13:00	Normal	0.0	
12/29/2022 14:00	Normal	0.0	
12/29/2022 15:00	Normal	0.0	
12/29/2022 16:00	Normal	0.0	
12/29/2022 17:00	Normal	0.0	
12/29/2022 18:00	Normal	0.0	
12/29/2022 19:00	Normal	0.0	
12/29/2022 20:00	Normal	0.0	
12/29/2022 21:00	Normal	0.0	
12/29/2022 22:00	Normal	0.0	
12/29/2022 23:00	Normal	0.0	0.5
12/30/2022 0:00	Normal	0.0	
12/30/2022 1:00	Normal	0.0	
12/30/2022 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/30/2022 3:00	Normal	0.0	
12/30/2022 4:00	Normal	0.0	
12/30/2022 5:00	Normal	0.0	
12/30/2022 6:00	Normal	0.0	
12/30/2022 7:00	Normal	0.0	
12/30/2022 8:00	Normal	0.0	
12/30/2022 9:00	Normal	0.0	
12/30/2022 10:00	Normal	0.0	
12/30/2022 11:00	Normal	0.0	
12/30/2022 12:00	Normal	0.0	
12/30/2022 13:00	Normal	0.0	
12/30/2022 14:00	Normal	0.0	
12/30/2022 15:00	Normal	0.0	
12/30/2022 16:00	Normal	0.0	
12/30/2022 17:00	Normal	0.0	
12/30/2022 18:00	Normal	0.0	
12/30/2022 19:00	Normal	0.0	
12/30/2022 20:00	Normal	0.0	
12/30/2022 21:00	Normal	0.0	
12/30/2022 22:00	Normal	0.0	
12/30/2022 23:00	Normal	0.0	0.5
12/31/2022 0:00	Normal	0.0	
12/31/2022 1:00	Normal	0.0	
12/31/2022 2:00	Normal	0.0	
12/31/2022 3:00	Normal	0.0	
12/31/2022 4:00	Normal	0.0	
12/31/2022 5:00	Normal	0.0	
12/31/2022 6:00	Normal	0.0	
12/31/2022 7:00	Normal	0.0	
12/31/2022 8:00	Normal	0.0	
12/31/2022 9:00	Normal	0.0	
12/31/2022 10:00	Normal	0.0	
12/31/2022 11:00	Normal	0.0	
12/31/2022 12:00	Normal	0.0	
12/31/2022 13:00	Normal	0.0	
12/31/2022 14:00	Normal	0.0	
12/31/2022 15:00	Normal	0.0	
12/31/2022 16:00	Normal	0.0	
12/31/2022 17:00	Normal	0.0	
12/31/2022 18:00	Normal	0.0	
12/31/2022 19:00	Normal	0.0	
12/31/2022 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/31/2022 21:00	Normal	0.0	
12/31/2022 22:00	Normal	0.0	
12/31/2022 23:00	Normal	0.0	0.5
1/1/2023 0:00	Normal	0.0	
1/1/2023 1:00	Normal	0.0	
1/1/2023 2:00	Normal	0.0	
1/1/2023 3:00	Normal	0.0	
1/1/2023 4:00	Normal	0.0	
1/1/2023 5:00	Normal	0.0	
1/1/2023 6:00	Normal	0.0	
1/1/2023 7:00	Normal	0.0	
1/1/2023 8:00	Normal	0.0	
1/1/2023 9:00	Normal	0.0	
1/1/2023 10:00	Normal	0.0	
1/1/2023 11:00	Normal	0.0	
1/1/2023 12:00	Normal	0.0	
1/1/2023 13:00	Normal	0.0	
1/1/2023 14:00	Normal	0.0	
1/1/2023 15:00	Normal	0.0	
1/1/2023 16:00	Normal	0.0	
1/1/2023 17:00	Normal	0.0	
1/1/2023 18:00	Normal	0.0	
1/1/2023 19:00	Normal	0.0	
1/1/2023 20:00	Normal	0.0	
1/1/2023 21:00	Normal	0.0	
1/1/2023 22:00	Normal	0.0	
1/1/2023 23:00	Normal	0.0	0.5
1/2/2023 0:00	Normal	0.0	
1/2/2023 1:00	Normal	0.0	
1/2/2023 2:00	Normal	0.0	
1/2/2023 3:00	Normal	0.0	
1/2/2023 4:00	Normal	0.0	
1/2/2023 5:00	Normal	0.0	
1/2/2023 6:00	Normal	0.0	
1/2/2023 7:00	Normal	0.0	
1/2/2023 8:00	Normal	0.0	
1/2/2023 9:00	Normal	0.0	
1/2/2023 10:00	Normal	0.0	
1/2/2023 11:00	Normal	0.0	
1/2/2023 12:00	Normal	0.0	
1/2/2023 13:00	Normal	0.0	
1/2/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/2/2023 15:00	Normal	0.0	
1/2/2023 16:00	Normal	0.0	
1/2/2023 17:00	Normal	0.0	
1/2/2023 18:00	Normal	0.0	
1/2/2023 19:00	Normal	0.0	
1/2/2023 20:00	Normal	0.0	
1/2/2023 21:00	Normal	0.0	
1/2/2023 22:00	Normal	0.0	
1/2/2023 23:00	Normal	0.0	0.5
1/3/2023 0:00	Normal	0.0	
1/3/2023 1:00	Normal	0.0	
1/3/2023 2:00	Normal	0.0	
1/3/2023 3:00	Normal	0.0	
1/3/2023 4:00	Normal	0.0	
1/3/2023 5:00	Normal	0.0	
1/3/2023 6:00	Normal	0.0	
1/3/2023 7:00	Normal	0.0	
1/3/2023 8:00	Normal	0.0	
1/3/2023 9:00	Normal	0.0	
1/3/2023 10:00	Normal	0.0	
1/3/2023 11:00	Normal	0.0	
1/3/2023 12:00	Normal	0.0	
1/3/2023 13:00	Normal	0.0	
1/3/2023 14:00	Normal	0.0	
1/3/2023 15:00	Normal	0.0	
1/3/2023 16:00	Normal	0.0	
1/3/2023 17:00	Normal	0.0	
1/3/2023 18:00	Normal	0.0	
1/3/2023 19:00	Normal	0.0	
1/3/2023 20:00	Normal	0.0	
1/3/2023 21:00	Normal	0.0	
1/3/2023 22:00	Normal	0.0	
1/3/2023 23:00	Normal	0.0	0.5
1/4/2023 0:00	Normal	0.0	
1/4/2023 1:00	Normal	0.0	
1/4/2023 2:00	Normal	0.0	
1/4/2023 3:00	Normal	0.0	
1/4/2023 4:00	Normal	0.0	
1/4/2023 5:00	Normal	0.0	
1/4/2023 6:00	Normal	0.0	
1/4/2023 7:00	Normal	0.0	
1/4/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/4/2023 9:00	Normal	0.0	
1/4/2023 10:00	Normal	0.0	
1/4/2023 11:00	Normal	0.0	
1/4/2023 12:00	Normal	0.0	
1/4/2023 13:00	Normal	0.0	
1/4/2023 14:00	Normal	0.0	
1/4/2023 15:00	Normal	0.0	
1/4/2023 16:00	Normal	0.0	
1/4/2023 17:00	Normal	0.0	
1/4/2023 18:00	Normal	0.0	
1/4/2023 19:00	Normal	0.0	
1/4/2023 20:00	Normal	0.0	
1/4/2023 21:00	Normal	0.0	
1/4/2023 22:00	Normal	0.0	
1/4/2023 23:00	Normal	0.0	0.5
1/5/2023 0:00	Normal	0.0	
1/5/2023 1:00	Normal	0.0	
1/5/2023 2:00	Normal	0.0	
1/5/2023 3:00	Normal	0.0	
1/5/2023 4:00	Normal	0.0	
1/5/2023 5:00	Normal	0.0	
1/5/2023 6:00	Normal	0.0	
1/5/2023 7:00	Normal	0.0	
1/5/2023 8:00	Normal	0.0	
1/5/2023 9:00	Normal	0.0	
1/5/2023 10:00	Normal	0.0	
1/5/2023 11:00	Normal	0.0	
1/5/2023 12:00	Normal	0.0	
1/5/2023 13:00	Normal	0.0	
1/5/2023 14:00	Normal	0.0	
1/5/2023 15:00	Normal	0.0	
1/5/2023 16:00	Normal	0.0	
1/5/2023 17:00	Normal	0.0	
1/5/2023 18:00	Normal	0.0	
1/5/2023 19:00	Normal	0.0	
1/5/2023 20:00	Normal	0.0	
1/5/2023 21:00	Normal	0.0	
1/5/2023 22:00	Normal	0.0	
1/5/2023 23:00	Normal	0.0	0.5
1/6/2023 0:00	Normal	0.0	
1/6/2023 1:00	Normal	0.0	
1/6/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/6/2023 3:00	Normal	0.0	
1/6/2023 4:00	Normal	0.0	
1/6/2023 5:00	Normal	0.0	
1/6/2023 6:00	Normal	0.0	
1/6/2023 7:00	Normal	0.0	
1/6/2023 8:00	Normal	0.0	
1/6/2023 9:00	Normal	0.0	
1/6/2023 10:00	Normal	0.0	
1/6/2023 11:00	Normal	0.0	
1/6/2023 12:00	Normal	0.0	
1/6/2023 13:00	Normal	0.0	
1/6/2023 14:00	Normal	0.0	
1/6/2023 15:00	Normal	0.0	
1/6/2023 16:00	Normal	0.0	
1/6/2023 17:00	Normal	0.0	
1/6/2023 18:00	Normal	0.0	
1/6/2023 19:00	Normal	0.0	
1/6/2023 20:00	Normal	0.0	
1/6/2023 21:00	Normal	0.0	
1/6/2023 22:00	Normal	0.0	
1/6/2023 23:00	Normal	0.0	0.5
1/7/2023 0:00	Normal	0.0	
1/7/2023 1:00	Normal	0.0	
1/7/2023 2:00	Normal	0.0	
1/7/2023 3:00	Normal	0.0	
1/7/2023 4:00	Normal	0.0	
1/7/2023 5:00	Normal	0.0	
1/7/2023 6:00	Normal	0.0	
1/7/2023 7:00	Normal	0.0	
1/7/2023 8:00	Normal	0.0	
1/7/2023 9:00	Normal	0.0	
1/7/2023 10:00	Normal	0.0	
1/7/2023 11:00	Normal	0.0	
1/7/2023 12:00	Normal	0.0	
1/7/2023 13:00	Normal	0.0	
1/7/2023 14:00	Normal	0.0	
1/7/2023 15:00	Normal	0.0	
1/7/2023 16:00	Normal	0.0	
1/7/2023 17:00	Normal	0.0	
1/7/2023 18:00	Normal	0.0	
1/7/2023 19:00	Normal	0.0	
1/7/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/7/2023 21:00	Normal	0.0	
1/7/2023 22:00	Normal	0.0	
1/7/2023 23:00	Normal	0.0	0.5
1/8/2023 0:00	Normal	0.0	
1/8/2023 1:00	Normal	0.0	
1/8/2023 2:00	Normal	0.0	
1/8/2023 3:00	Normal	0.0	
1/8/2023 4:00	Normal	0.0	
1/8/2023 5:00	Normal	0.0	
1/8/2023 6:00	Normal	0.0	
1/8/2023 7:00	Normal	0.0	
1/8/2023 8:00	Normal	0.0	
1/8/2023 9:00	Normal	0.0	
1/8/2023 10:00	Normal	0.0	
1/8/2023 11:00	Normal	0.0	
1/8/2023 12:00	Normal	0.0	
1/8/2023 13:00	Normal	0.0	
1/8/2023 14:00	Normal	0.0	
1/8/2023 15:00	Normal	0.0	
1/8/2023 16:00	Normal	0.0	
1/8/2023 17:00	Normal	0.0	
1/8/2023 18:00	Normal	0.0	
1/8/2023 19:00	Normal	0.0	
1/8/2023 20:00	Normal	0.0	
1/8/2023 21:00	Normal	0.0	
1/8/2023 22:00	Normal	0.0	
1/8/2023 23:00	Normal	0.0	0.5
1/9/2023 0:00	Normal	0.0	
1/9/2023 1:00	Normal	0.0	
1/9/2023 2:00	Normal	0.0	
1/9/2023 3:00	Normal	0.0	
1/9/2023 4:00	Normal	0.0	
1/9/2023 5:00	Normal	0.0	
1/9/2023 6:00	Normal	0.0	
1/9/2023 7:00	Normal	0.0	
1/9/2023 8:00	Normal	0.0	
1/9/2023 9:00	Normal	0.0	
1/9/2023 10:00	Normal	0.0	
1/9/2023 11:00	Normal	0.0	
1/9/2023 12:00	Normal	0.0	
1/9/2023 13:00	Normal	0.0	
1/9/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/9/2023 15:00	Normal	0.0	
1/9/2023 16:00	Normal	0.0	
1/9/2023 17:00	Normal	0.0	
1/9/2023 18:00	Normal	0.0	
1/9/2023 19:00	Normal	0.0	
1/9/2023 20:00	Normal	0.0	
1/9/2023 21:00	Normal	0.0	
1/9/2023 22:00	Normal	0.0	
1/9/2023 23:00	Normal	0.0	0.5
1/10/2023 0:00	Normal	0.0	
1/10/2023 1:00	Normal	0.0	
1/10/2023 2:00	Normal	0.0	
1/10/2023 3:00	Normal	0.0	
1/10/2023 4:00	Normal	0.0	
1/10/2023 5:00	Normal	0.0	
1/10/2023 6:00	Normal	0.0	
1/10/2023 7:00	Normal	0.0	
1/10/2023 8:00	Normal	0.0	
1/10/2023 9:00	Normal	0.0	
1/10/2023 10:00	Normal	0.0	
1/10/2023 11:00	Normal	0.0	
1/10/2023 12:00	Normal	0.0	
1/10/2023 13:00	Normal	0.0	
1/10/2023 14:00	Normal	0.0	
1/10/2023 15:00	Normal	0.0	
1/10/2023 16:00	Normal	0.0	
1/10/2023 17:00	Normal	0.0	
1/10/2023 18:00	Normal	0.0	
1/10/2023 19:00	Normal	0.0	
1/10/2023 20:00	Normal	0.0	
1/10/2023 21:00	Normal	0.0	
1/10/2023 22:00	Normal	0.0	
1/10/2023 23:00	Normal	0.0	0.5
1/11/2023 0:00	Normal	0.0	
1/11/2023 1:00	Normal	0.0	
1/11/2023 2:00	Normal	0.0	
1/11/2023 3:00	Normal	0.0	
1/11/2023 4:00	Normal	0.0	
1/11/2023 5:00	Normal	0.0	
1/11/2023 6:00	Normal	0.0	
1/11/2023 7:00	Normal	0.0	
1/11/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/11/2023 9:00	Normal	0.0	
1/11/2023 10:00	Normal	0.0	
1/11/2023 11:00	Normal	0.0	
1/11/2023 12:00	Normal	0.0	
1/11/2023 13:00	Normal	0.0	
1/11/2023 14:00	Normal	0.0	
1/11/2023 15:00	Normal	0.0	
1/11/2023 16:00	Normal	0.0	
1/11/2023 17:00	Normal	0.0	
1/11/2023 18:00	Normal	0.0	
1/11/2023 19:00	Normal	0.0	
1/11/2023 20:00	Normal	0.0	
1/11/2023 21:00	Normal	0.0	
1/11/2023 22:00	Normal	0.0	
1/11/2023 23:00	Normal	0.0	0.5
1/12/2023 0:00	Normal	0.0	
1/12/2023 1:00	Normal	0.0	
1/12/2023 2:00	Normal	0.0	
1/12/2023 3:00	Normal	0.0	
1/12/2023 4:00	Normal	0.0	
1/12/2023 5:00	Normal	0.0	
1/12/2023 6:00	Normal	0.0	
1/12/2023 7:00	Normal	0.0	
1/12/2023 8:00	Normal	0.0	
1/12/2023 9:00	Normal	0.0	
1/12/2023 10:00	Normal	0.0	
1/12/2023 11:00	Normal	0.0	
1/12/2023 12:00	Normal	0.0	
1/12/2023 13:00	Normal	0.0	
1/12/2023 14:00	Normal	0.0	
1/12/2023 15:00	Normal	0.0	
1/12/2023 16:00	Normal	0.0	
1/12/2023 17:00	Normal	0.0	
1/12/2023 18:00	Normal	0.0	
1/12/2023 19:00	Normal	0.0	
1/12/2023 20:00	Normal	0.0	
1/12/2023 21:00	Normal	0.0	
1/12/2023 22:00	Normal	0.0	
1/12/2023 23:00	Normal	0.0	0.5
1/13/2023 0:00	Normal	0.0	
1/13/2023 1:00	Normal	0.0	
1/13/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/13/2023 3:00	Normal	0.0	
1/13/2023 4:00	Normal	0.0	
1/13/2023 5:00	Normal	0.0	
1/13/2023 6:00	Normal	0.0	
1/13/2023 7:00	Normal	0.0	
1/13/2023 8:00	Normal	0.0	
1/13/2023 9:00	Normal	0.0	
1/13/2023 10:00	Normal	0.0	
1/13/2023 11:00	Normal	0.0	
1/13/2023 12:00	Normal	0.0	
1/13/2023 13:00	Normal	0.0	
1/13/2023 14:00	Normal	0.0	
1/13/2023 15:00	Normal	0.0	
1/13/2023 16:00	Normal	0.0	
1/13/2023 17:00	Normal	0.0	
1/13/2023 18:00	Normal	0.0	
1/13/2023 19:00	Normal	0.0	
1/13/2023 20:00	Normal	0.0	
1/13/2023 21:00	Normal	0.0	
1/13/2023 22:00	Normal	0.0	
1/13/2023 23:00	Normal	0.0	0.5
1/14/2023 0:00	Normal	0.0	
1/14/2023 1:00	Normal	0.0	
1/14/2023 2:00	Normal	0.0	
1/14/2023 3:00	Normal	0.0	
1/14/2023 4:00	Normal	0.0	
1/14/2023 5:00	Normal	0.0	
1/14/2023 6:00	Normal	0.0	
1/14/2023 7:00	Normal	0.0	
1/14/2023 8:00	Normal	0.0	
1/14/2023 9:00	Normal	0.0	
1/14/2023 10:00	Normal	0.0	
1/14/2023 11:00	Normal	0.0	
1/14/2023 12:00	Normal	0.0	
1/14/2023 13:00	Normal	0.0	
1/14/2023 14:00	Normal	0.0	
1/14/2023 15:00	Normal	0.0	
1/14/2023 16:00	Normal	0.0	
1/14/2023 17:00	Normal	0.0	
1/14/2023 18:00	Normal	0.0	
1/14/2023 19:00	Normal	0.0	
1/14/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/14/2023 21:00	Normal	0.0	
1/14/2023 22:00	Normal	0.0	
1/14/2023 23:00	Normal	0.0	0.0
1/15/2023 0:00	Normal	0.0	
1/15/2023 1:00	Normal	0.0	
1/15/2023 2:00	Normal	0.0	
1/15/2023 3:00	Normal	0.0	
1/15/2023 4:00	Normal	0.0	
1/15/2023 5:00	Normal	0.0	
1/15/2023 6:00	Normal	0.0	
1/15/2023 7:00	Normal	0.0	
1/15/2023 8:00	Normal	0.0	
1/15/2023 9:00	Normal	0.0	
1/15/2023 10:00	Normal	0.0	
1/15/2023 11:00	Normal	0.0	
1/15/2023 12:00	Normal	0.0	
1/15/2023 13:00	Normal	0.0	
1/15/2023 14:00	Normal	0.0	
1/15/2023 15:00	Normal	0.0	
1/15/2023 16:00	Normal	0.0	
1/15/2023 17:00	Normal	0.0	
1/15/2023 18:00	Normal	0.0	
1/15/2023 19:00	Normal	0.0	
1/15/2023 20:00	Normal	0.0	
1/15/2023 21:00	Normal	0.0	
1/15/2023 22:00	Normal	0.0	
1/15/2023 23:00	Normal	0.0	0.0
1/16/2023 0:00	Normal	0.0	
1/16/2023 1:00	Normal	0.0	
1/16/2023 2:00	Normal	0.0	
1/16/2023 3:00	Normal	0.0	
1/16/2023 4:00	Normal	0.0	
1/16/2023 5:00	Normal	0.0	
1/16/2023 6:00	Normal	0.0	
1/16/2023 7:00	Normal	0.0	
1/16/2023 8:00	Normal	0.0	
1/16/2023 9:00	Normal	0.0	
1/16/2023 10:00	Normal	0.0	
1/16/2023 11:00	Normal	0.0	
1/16/2023 12:00	Normal	0.0	
1/16/2023 13:00	Normal	0.0	
1/16/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/16/2023 15:00	Normal	0.0	
1/16/2023 16:00	Normal	0.0	
1/16/2023 17:00	Normal	0.0	
1/16/2023 18:00	Normal	0.0	
1/16/2023 19:00	Normal	0.0	
1/16/2023 20:00	Normal	0.0	
1/16/2023 21:00	Normal	0.0	
1/16/2023 22:00	Normal	0.0	
1/16/2023 23:00	Normal	0.0	0.0
1/17/2023 0:00	Normal	0.0	
1/17/2023 1:00	Normal	0.0	
1/17/2023 2:00	Normal	0.0	
1/17/2023 3:00	Normal	0.0	
1/17/2023 4:00	Normal	0.0	
1/17/2023 5:00	Normal	0.0	
1/17/2023 6:00	Normal	0.0	
1/17/2023 7:00	Normal	0.0	
1/17/2023 8:00	Normal	0.0	
1/17/2023 9:00	Normal	0.0	
1/17/2023 10:00	Normal	0.0	
1/17/2023 11:00	Normal	0.0	
1/17/2023 12:00	Normal	0.0	
1/17/2023 13:00	Normal	0.0	
1/17/2023 14:00	Normal	0.0	
1/17/2023 15:00	Normal	0.0	
1/17/2023 16:00	Normal	0.0	
1/17/2023 17:00	Normal	0.0	
1/17/2023 18:00	Normal	0.0	
1/17/2023 19:00	Normal	0.0	
1/17/2023 20:00	Normal	0.0	
1/17/2023 21:00	Normal	0.0	
1/17/2023 22:00	Normal	0.0	
1/17/2023 23:00	Normal	0.0	0.0
1/18/2023 0:00	Normal	0.0	
1/18/2023 1:00	Normal	0.0	
1/18/2023 2:00	Normal	0.0	
1/18/2023 3:00	Normal	0.0	
1/18/2023 4:00	Normal	0.0	
1/18/2023 5:00	Normal	0.0	
1/18/2023 6:00	Normal	0.0	
1/18/2023 7:00	Normal	0.0	
1/18/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/18/2023 9:00	Normal	0.0	
1/18/2023 10:00	Normal	0.0	
1/18/2023 11:00	Normal	0.0	
1/18/2023 12:00	Normal	0.0	
1/18/2023 13:00	Normal	0.0	
1/18/2023 14:00	Normal	0.0	
1/18/2023 15:00	Normal	0.0	
1/18/2023 16:00	Normal	0.0	
1/18/2023 17:00	Normal	0.0	
1/18/2023 18:00	Normal	0.0	
1/18/2023 19:00	Normal	0.0	
1/18/2023 20:00	Normal	0.0	
1/18/2023 21:00	Normal	0.0	
1/18/2023 22:00	Normal	0.0	
1/18/2023 23:00	Normal	0.0	0.0
1/19/2023 0:00	Normal	0.0	
1/19/2023 1:00	Normal	0.0	
1/19/2023 2:00	Normal	0.0	
1/19/2023 3:00	Normal	0.0	
1/19/2023 4:00	Normal	0.0	
1/19/2023 5:00	Normal	0.0	
1/19/2023 6:00	Normal	0.0	
1/19/2023 7:00	Normal	0.0	
1/19/2023 8:00	Normal	0.0	
1/19/2023 9:00	Normal	0.0	
1/19/2023 10:00	Normal	0.0	
1/19/2023 11:00	Normal	0.0	
1/19/2023 12:00	Normal	0.0	
1/19/2023 13:00	Normal	0.0	
1/19/2023 14:00	Normal	0.0	
1/19/2023 15:00	Normal	0.0	
1/19/2023 16:00	Normal	0.0	
1/19/2023 17:00	Normal	0.0	
1/19/2023 18:00	Normal	0.0	
1/19/2023 19:00	Normal	0.0	
1/19/2023 20:00	Normal	0.0	
1/19/2023 21:00	Normal	0.0	
1/19/2023 22:00	Normal	0.0	
1/19/2023 23:00	Normal	0.0	0.0
1/20/2023 0:00	Normal	0.0	
1/20/2023 1:00	Normal	0.0	
1/20/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/20/2023 3:00	Normal	0.0	
1/20/2023 4:00	Normal	0.0	
1/20/2023 5:00	Normal	0.0	
1/20/2023 6:00	Normal	0.0	
1/20/2023 7:00	Normal	0.0	
1/20/2023 8:00	Normal	0.0	
1/20/2023 9:00	Normal	0.0	
1/20/2023 10:00	Normal	0.0	
1/20/2023 11:00	Normal	0.0	
1/20/2023 12:00	Normal	0.0	
1/20/2023 13:00	Normal	0.0	
1/20/2023 14:00	Normal	0.0	
1/20/2023 15:00	Normal	0.0	
1/20/2023 16:00	Normal	0.0	
1/20/2023 17:00	Normal	0.0	
1/20/2023 18:00	Normal	0.0	
1/20/2023 19:00	Normal	0.0	
1/20/2023 20:00	Normal	0.0	
1/20/2023 21:00	Normal	0.0	
1/20/2023 22:00	Normal	0.0	
1/20/2023 23:00	Normal	0.0	0.0
1/21/2023 0:00	Normal	0.0	
1/21/2023 1:00	Normal	0.0	
1/21/2023 2:00	Normal	0.0	
1/21/2023 3:00	Normal	0.0	
1/21/2023 4:00	Normal	0.0	
1/21/2023 5:00	Normal	0.0	
1/21/2023 6:00	Normal	0.0	
1/21/2023 7:00	Normal	0.0	
1/21/2023 8:00	Normal	0.0	
1/21/2023 9:00	Normal	0.0	
1/21/2023 10:00	Normal	0.0	
1/21/2023 11:00	Normal	0.0	
1/21/2023 12:00	Normal	0.0	
1/21/2023 13:00	Normal	0.0	
1/21/2023 14:00	Normal	0.0	
1/21/2023 15:00	Normal	0.0	
1/21/2023 16:00	Normal	0.0	
1/21/2023 17:00	Normal	0.0	
1/21/2023 18:00	Normal	0.0	
1/21/2023 19:00	Normal	0.0	
1/21/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/21/2023 21:00	Normal	0.0	
1/21/2023 22:00	Normal	0.0	
1/21/2023 23:00	Normal	0.0	0.0
1/22/2023 0:00	Normal	0.0	
1/22/2023 1:00	Normal	0.0	
1/22/2023 2:00	Normal	0.0	
1/22/2023 3:00	Normal	0.0	
1/22/2023 4:00	Normal	0.0	
1/22/2023 5:00	Normal	0.0	
1/22/2023 6:00	Normal	0.0	
1/22/2023 7:00	Normal	0.0	
1/22/2023 8:00	Normal	0.0	
1/22/2023 9:00	Normal	0.0	
1/22/2023 10:00	Normal	0.0	
1/22/2023 11:00	Normal	0.0	
1/22/2023 12:00	Normal	0.0	
1/22/2023 13:00	Normal	0.0	
1/22/2023 14:00	Normal	0.0	
1/22/2023 15:00	Normal	0.0	
1/22/2023 16:00	Normal	0.0	
1/22/2023 17:00	Normal	0.0	
1/22/2023 18:00	Normal	0.0	
1/22/2023 19:00	Normal	0.0	
1/22/2023 20:00	Normal	0.0	
1/22/2023 21:00	Normal	0.0	
1/22/2023 22:00	Normal	0.0	
1/22/2023 23:00	Normal	0.0	0.0
1/23/2023 0:00	Normal	0.0	
1/23/2023 1:00	Normal	0.0	
1/23/2023 2:00	Normal	0.0	
1/23/2023 3:00	Normal	0.0	
1/23/2023 4:00	Normal	0.0	
1/23/2023 5:00	Normal	0.0	
1/23/2023 6:00	Normal	0.0	
1/23/2023 7:00	Normal	0.0	
1/23/2023 8:00	Normal	0.0	
1/23/2023 9:00	Normal	0.0	
1/23/2023 10:00	Normal	0.0	
1/23/2023 11:00	Normal	0.0	
1/23/2023 12:00	Normal	0.0	
1/23/2023 13:00	Normal	0.0	
1/23/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/23/2023 15:00	Normal	0.0	
1/23/2023 16:00	Normal	0.0	
1/23/2023 17:00	Normal	0.0	
1/23/2023 18:00	Normal	0.0	
1/23/2023 19:00	Normal	0.0	
1/23/2023 20:00	Normal	0.0	
1/23/2023 21:00	Normal	0.0	
1/23/2023 22:00	Normal	0.0	
1/23/2023 23:00	Normal	0.0	0.0
1/24/2023 0:00	Normal	0.0	
1/24/2023 1:00	Normal	0.0	
1/24/2023 2:00	Normal	0.0	
1/24/2023 3:00	Normal	0.0	
1/24/2023 4:00	Normal	0.0	
1/24/2023 5:00	Normal	0.0	
1/24/2023 6:00	Normal	0.0	
1/24/2023 7:00	Normal	0.0	
1/24/2023 8:00	Normal	0.0	
1/24/2023 9:00	Normal	0.0	
1/24/2023 10:00	Normal	0.0	
1/24/2023 11:00	Normal	0.0	
1/24/2023 12:00	Normal	0.0	
1/24/2023 13:00	Normal	0.0	
1/24/2023 14:00	Normal	0.0	
1/24/2023 15:00	Normal	0.0	
1/24/2023 16:00	Normal	0.0	
1/24/2023 17:00	Normal	0.0	
1/24/2023 18:00	Normal	0.0	
1/24/2023 19:00	Normal	0.0	
1/24/2023 20:00	Normal	0.0	
1/24/2023 21:00	Normal	0.0	
1/24/2023 22:00	Normal	0.0	
1/24/2023 23:00	Normal	0.0	0.0
1/25/2023 0:00	Normal	0.0	
1/25/2023 1:00	Normal	0.0	
1/25/2023 2:00	Normal	0.0	
1/25/2023 3:00	Normal	0.0	
1/25/2023 4:00	Normal	0.0	
1/25/2023 5:00	Normal	0.0	
1/25/2023 6:00	Normal	0.0	
1/25/2023 7:00	Normal	0.0	
1/25/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/25/2023 9:00	Normal	0.0	
1/25/2023 10:00	Normal	0.0	
1/25/2023 11:00	Normal	0.0	
1/25/2023 12:00	Normal	0.0	
1/25/2023 13:00	Normal	0.0	
1/25/2023 14:00	Normal	0.0	
1/25/2023 15:00	Normal	0.0	
1/25/2023 16:00	Normal	0.0	
1/25/2023 17:00	Normal	0.0	
1/25/2023 18:00	Normal	0.0	
1/25/2023 19:00	Normal	0.0	
1/25/2023 20:00	Normal	0.0	
1/25/2023 21:00	Normal	0.0	
1/25/2023 22:00	Normal	0.0	
1/25/2023 23:00	Normal	0.0	0.0
1/26/2023 0:00	Normal	0.0	
1/26/2023 1:00	Normal	0.0	
1/26/2023 2:00	Normal	0.0	
1/26/2023 3:00	Normal	0.0	
1/26/2023 4:00	Normal	0.0	
1/26/2023 5:00	Normal	0.0	
1/26/2023 6:00	Normal	0.0	
1/26/2023 7:00	Normal	0.0	
1/26/2023 8:00	Normal	0.0	
1/26/2023 9:00	Normal	0.0	
1/26/2023 10:00	Normal	0.0	
1/26/2023 11:00	Normal	0.0	
1/26/2023 12:00	Normal	0.0	
1/26/2023 13:00	Normal	0.0	
1/26/2023 14:00	Normal	0.0	
1/26/2023 15:00	Normal	0.0	
1/26/2023 16:00	Normal	0.0	
1/26/2023 17:00	Normal	0.0	
1/26/2023 18:00	Normal	0.0	
1/26/2023 19:00	Normal	0.0	
1/26/2023 20:00	Normal	0.0	
1/26/2023 21:00	Normal	0.0	
1/26/2023 22:00	Normal	0.0	
1/26/2023 23:00	Normal	0.0	0.0
1/27/2023 0:00	Normal	0.0	
1/27/2023 1:00	Normal	0.0	
1/27/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/27/2023 3:00	Normal	0.0	
1/27/2023 4:00	Normal	0.0	
1/27/2023 5:00	Normal	0.0	
1/27/2023 6:00	Normal	0.0	
1/27/2023 7:00	Normal	0.0	
1/27/2023 8:00	Normal	0.0	
1/27/2023 9:00	Normal	0.0	
1/27/2023 10:00	Normal	0.0	
1/27/2023 11:00	Normal	0.0	
1/27/2023 12:00	Normal	0.0	
1/27/2023 13:00	Normal	0.0	
1/27/2023 14:00	Normal	0.0	
1/27/2023 15:00	Normal	0.0	
1/27/2023 16:00	Normal	0.0	
1/27/2023 17:00	Normal	0.0	
1/27/2023 18:00	Normal	0.0	
1/27/2023 19:00	Normal	0.0	
1/27/2023 20:00	Normal	0.0	
1/27/2023 21:00	Normal	0.0	
1/27/2023 22:00	Normal	0.0	
1/27/2023 23:00	Normal	0.0	0.0
1/28/2023 0:00	Normal	0.0	
1/28/2023 1:00	Normal	0.0	
1/28/2023 2:00	Normal	0.0	
1/28/2023 3:00	Normal	0.0	
1/28/2023 4:00	Normal	0.0	
1/28/2023 5:00	Normal	0.0	
1/28/2023 6:00	Normal	0.0	
1/28/2023 7:00	Normal	0.0	
1/28/2023 8:00	Normal	0.0	
1/28/2023 9:00	Normal	0.0	
1/28/2023 10:00	Normal	0.0	
1/28/2023 11:00	Normal	0.0	
1/28/2023 12:00	Normal	0.0	
1/28/2023 13:00	Normal	0.0	
1/28/2023 14:00	Normal	0.0	
1/28/2023 15:00	Normal	0.0	
1/28/2023 16:00	Normal	0.0	
1/28/2023 17:00	Normal	0.0	
1/28/2023 18:00	Normal	0.0	
1/28/2023 19:00	Normal	0.0	
1/28/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/28/2023 21:00	Normal	0.0	
1/28/2023 22:00	Normal	0.0	
1/28/2023 23:00	Normal	0.0	0.0
1/29/2023 0:00	Normal	0.0	
1/29/2023 1:00	Normal	0.0	
1/29/2023 2:00	Normal	0.0	
1/29/2023 3:00	Normal	0.0	
1/29/2023 4:00	Normal	0.0	
1/29/2023 5:00	Normal	0.0	
1/29/2023 6:00	Normal	0.0	
1/29/2023 7:00	Normal	0.0	
1/29/2023 8:00	Normal	0.0	
1/29/2023 9:00	Normal	0.0	
1/29/2023 10:00	Normal	0.0	
1/29/2023 11:00	Normal	0.0	
1/29/2023 12:00	Normal	0.0	
1/29/2023 13:00	Normal	0.0	
1/29/2023 14:00	Normal	0.0	
1/29/2023 15:00	Normal	0.0	
1/29/2023 16:00	Normal	0.0	
1/29/2023 17:00	Normal	0.0	
1/29/2023 18:00	Normal	0.0	
1/29/2023 19:00	Normal	0.0	
1/29/2023 20:00	Normal	0.0	
1/29/2023 21:00	Normal	0.0	
1/29/2023 22:00	Normal	0.0	
1/29/2023 23:00	Normal	0.0	0.0
1/30/2023 0:00	Normal	0.0	
1/30/2023 1:00	Normal	0.0	
1/30/2023 2:00	Normal	0.0	
1/30/2023 3:00	Normal	0.0	
1/30/2023 4:00	Normal	0.0	
1/30/2023 5:00	Normal	0.0	
1/30/2023 6:00	Normal	0.0	
1/30/2023 7:00	Normal	0.0	
1/30/2023 8:00	Normal	0.0	
1/30/2023 9:00	Normal	0.0	
1/30/2023 10:00	Normal	0.0	
1/30/2023 11:00	Normal	0.0	
1/30/2023 12:00	Normal	0.0	
1/30/2023 13:00	Normal	0.0	
1/30/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
1/30/2023 15:00	Normal	0.0	
1/30/2023 16:00	Normal	0.0	
1/30/2023 17:00	Normal	0.0	
1/30/2023 18:00	Normal	0.0	
1/30/2023 19:00	Normal	0.0	
1/30/2023 20:00	Normal	0.0	
1/30/2023 21:00	Normal	0.0	
1/30/2023 22:00	Normal	0.0	
1/30/2023 23:00	Normal	0.0	0.0
1/31/2023 0:00	Normal	0.0	
1/31/2023 1:00	Normal	0.0	
1/31/2023 2:00	Normal	0.0	
1/31/2023 3:00	Normal	0.0	
1/31/2023 4:00	Normal	0.0	
1/31/2023 5:00	Normal	0.0	
1/31/2023 6:00	Normal	0.0	
1/31/2023 7:00	Normal	0.0	
1/31/2023 8:00	Normal	0.0	
1/31/2023 9:00	Normal	0.0	
1/31/2023 10:00	Normal	0.0	
1/31/2023 11:00	Normal	0.0	
1/31/2023 12:00	Normal	0.0	
1/31/2023 13:00	Normal	0.0	
1/31/2023 14:00	Normal	0.0	
1/31/2023 15:00	Normal	0.0	
1/31/2023 16:00	Normal	0.0	
1/31/2023 17:00	Normal	0.0	
1/31/2023 18:00	Normal	0.0	
1/31/2023 19:00	Normal	0.0	
1/31/2023 20:00	Normal	0.0	
1/31/2023 21:00	Normal	0.0	
1/31/2023 22:00	Normal	0.0	
1/31/2023 23:00	Normal	0.0	0.0
2/1/2023 0:00	Normal	0.0	
2/1/2023 1:00	Normal	0.0	
2/1/2023 2:00	Normal	0.0	
2/1/2023 3:00	Normal	0.0	
2/1/2023 4:00	Normal	0.0	
2/1/2023 5:00	Normal	0.0	
2/1/2023 6:00	Normal	0.0	
2/1/2023 7:00	Normal	0.0	
2/1/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/1/2023 9:00	Normal	0.0	
2/1/2023 10:00	Normal	0.0	
2/1/2023 11:00	Normal	0.0	
2/1/2023 12:00	Normal	0.0	
2/1/2023 13:00	Normal	0.0	
2/1/2023 14:00	Normal	0.0	
2/1/2023 15:00	Normal	0.0	
2/1/2023 16:00	Normal	0.0	
2/1/2023 17:00	Normal	0.0	
2/1/2023 18:00	Normal	0.0	
2/1/2023 19:00	Normal	0.0	
2/1/2023 20:00	Normal	0.0	
2/1/2023 21:00	Normal	0.0	
2/1/2023 22:00	Normal	0.0	
2/1/2023 23:00	Normal	0.0	0.0
2/2/2023 0:00	Normal	0.0	
2/2/2023 1:00	Normal	0.0	
2/2/2023 2:00	Normal	0.0	
2/2/2023 3:00	Normal	0.0	
2/2/2023 4:00	Normal	0.0	
2/2/2023 5:00	Normal	0.0	
2/2/2023 6:00	Normal	0.0	
2/2/2023 7:00	Normal	0.0	
2/2/2023 8:00	Normal	0.0	
2/2/2023 9:00	Normal	0.0	
2/2/2023 10:00	Normal	0.0	
2/2/2023 11:00	Normal	0.0	
2/2/2023 12:00	Normal	0.0	
2/2/2023 13:00	Normal	0.0	
2/2/2023 14:00	Normal	0.0	
2/2/2023 15:00	Normal	0.0	
2/2/2023 16:00	Normal	0.0	
2/2/2023 17:00	Normal	0.0	
2/2/2023 18:00	Normal	0.0	
2/2/2023 19:00	Normal	0.0	
2/2/2023 20:00	Normal	0.0	
2/2/2023 21:00	Normal	0.0	
2/2/2023 22:00	Normal	0.0	
2/2/2023 23:00	Normal	0.0	0.0
2/3/2023 0:00	Normal	0.0	
2/3/2023 1:00	Normal	0.0	
2/3/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/3/2023 3:00	Normal	0.0	
2/3/2023 4:00	Normal	0.0	
2/3/2023 5:00	Normal	0.0	
2/3/2023 6:00	Normal	0.0	
2/3/2023 7:00	Normal	0.0	
2/3/2023 8:00	Normal	0.0	
2/3/2023 9:00	Normal	0.0	
2/3/2023 10:00	Normal	0.0	
2/3/2023 11:00	Normal	0.0	
2/3/2023 12:00	Normal	0.0	
2/3/2023 13:00	Normal	0.0	
2/3/2023 14:00	Normal	0.0	
2/3/2023 15:00	Normal	0.0	
2/3/2023 16:00	Normal	0.0	
2/3/2023 17:00	Normal	0.0	
2/3/2023 18:00	Normal	0.0	
2/3/2023 19:00	Normal	0.0	
2/3/2023 20:00	Normal	0.0	
2/3/2023 21:00	Normal	0.0	
2/3/2023 22:00	Normal	0.0	
2/3/2023 23:00	Normal	0.0	0.0
2/4/2023 0:00	Normal	0.0	
2/4/2023 1:00	Normal	0.0	
2/4/2023 2:00	Normal	0.0	
2/4/2023 3:00	Normal	0.0	
2/4/2023 4:00	Normal	0.0	
2/4/2023 5:00	Normal	0.0	
2/4/2023 6:00	Normal	0.0	
2/4/2023 7:00	Normal	0.0	
2/4/2023 8:00	Normal	0.0	
2/4/2023 9:00	Normal	0.0	
2/4/2023 10:00	Normal	0.0	
2/4/2023 11:00	Normal	0.0	
2/4/2023 12:00	Normal	0.0	
2/4/2023 13:00	Normal	0.0	
2/4/2023 14:00	Normal	0.0	
2/4/2023 15:00	Normal	0.0	
2/4/2023 16:00	Normal	0.0	
2/4/2023 17:00	Normal	0.0	
2/4/2023 18:00	Normal	0.0	
2/4/2023 19:00	Normal	0.0	
2/4/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/4/2023 21:00	Normal	0.0	
2/4/2023 22:00	Normal	0.0	
2/4/2023 23:00	Normal	0.0	0.0
2/5/2023 0:00	Normal	0.0	
2/5/2023 1:00	Normal	0.0	
2/5/2023 2:00	Normal	0.0	
2/5/2023 3:00	Normal	0.0	
2/5/2023 4:00	Normal	0.0	
2/5/2023 5:00	Normal	0.0	
2/5/2023 6:00	Normal	0.0	
2/5/2023 7:00	Normal	0.0	
2/5/2023 8:00	Normal	0.0	
2/5/2023 9:00	Normal	0.0	
2/5/2023 10:00	Normal	0.0	
2/5/2023 11:00	Normal	0.0	
2/5/2023 12:00	Normal	0.0	
2/5/2023 13:00	Normal	0.0	
2/5/2023 14:00	Normal	0.0	
2/5/2023 15:00	Normal	0.0	
2/5/2023 16:00	Normal	0.0	
2/5/2023 17:00	Normal	0.0	
2/5/2023 18:00	Normal	0.0	
2/5/2023 19:00	Normal	0.0	
2/5/2023 20:00	Normal	0.0	
2/5/2023 21:00	Normal	0.0	
2/5/2023 22:00	Normal	0.0	
2/5/2023 23:00	Normal	0.0	0.0
2/6/2023 0:00	Normal	0.0	
2/6/2023 1:00	Normal	0.0	
2/6/2023 2:00	Normal	0.0	
2/6/2023 3:00	Normal	0.0	
2/6/2023 4:00	Normal	0.0	
2/6/2023 5:00	Normal	0.0	
2/6/2023 6:00	Normal	0.0	
2/6/2023 7:00	Normal	0.0	
2/6/2023 8:00	Normal	0.0	
2/6/2023 9:00	Normal	0.0	
2/6/2023 10:00	Normal	0.0	
2/6/2023 11:00	Normal	0.0	
2/6/2023 12:00	Normal	0.0	
2/6/2023 13:00	Normal	0.0	
2/6/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/6/2023 15:00	Normal	0.0	
2/6/2023 16:00	Normal	0.0	
2/6/2023 17:00	Normal	0.0	
2/6/2023 18:00	Normal	0.0	
2/6/2023 19:00	Normal	0.0	
2/6/2023 20:00	Normal	0.0	
2/6/2023 21:00	Normal	0.0	
2/6/2023 22:00	Normal	0.0	
2/6/2023 23:00	Normal	0.0	0.0
2/7/2023 0:00	Normal	0.0	
2/7/2023 1:00	Normal	0.0	
2/7/2023 2:00	Normal	0.0	
2/7/2023 3:00	Normal	0.0	
2/7/2023 4:00	Normal	0.0	
2/7/2023 5:00	Normal	0.0	
2/7/2023 6:00	Normal	0.0	
2/7/2023 7:00	Normal	0.0	
2/7/2023 8:00	Normal	0.0	
2/7/2023 9:00	Normal	0.0	
2/7/2023 10:00	Normal	0.0	
2/7/2023 11:00	Normal	0.0	
2/7/2023 12:00	Normal	0.0	
2/7/2023 13:00	Normal	0.0	
2/7/2023 14:00	Normal	0.0	
2/7/2023 15:00	Normal	0.0	
2/7/2023 16:00	Normal	0.0	
2/7/2023 17:00	Normal	0.0	
2/7/2023 18:00	Normal	0.0	
2/7/2023 19:00	Normal	0.0	
2/7/2023 20:00	Normal	0.0	
2/7/2023 21:00	Normal	0.0	
2/7/2023 22:00	Normal	0.0	
2/7/2023 23:00	Normal	0.0	0.0
2/8/2023 0:00	Normal	0.0	
2/8/2023 1:00	Normal	0.0	
2/8/2023 2:00	Normal	0.0	
2/8/2023 3:00	Normal	0.0	
2/8/2023 4:00	Normal	0.0	
2/8/2023 5:00	Normal	0.0	
2/8/2023 6:00	Normal	0.0	
2/8/2023 7:00	Normal	0.0	
2/8/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/8/2023 9:00	Normal	0.0	
2/8/2023 10:00	Normal	0.0	
2/8/2023 11:00	Normal	0.0	
2/8/2023 12:00	Normal	0.0	
2/8/2023 13:00	Normal	0.0	
2/8/2023 14:00	Normal	0.0	
2/8/2023 15:00	Normal	0.0	
2/8/2023 16:00	Normal	0.0	
2/8/2023 17:00	Normal	0.0	
2/8/2023 18:00	Normal	0.0	
2/8/2023 19:00	Normal	0.0	
2/8/2023 20:00	Normal	0.0	
2/8/2023 21:00	Normal	0.0	
2/8/2023 22:00	Normal	0.0	
2/8/2023 23:00	Normal	0.0	0.0
2/9/2023 0:00	Normal	0.0	
2/9/2023 1:00	Normal	0.0	
2/9/2023 2:00	Normal	0.0	
2/9/2023 3:00	Normal	0.0	
2/9/2023 4:00	Normal	0.0	
2/9/2023 5:00	Normal	0.0	
2/9/2023 6:00	Normal	0.0	
2/9/2023 7:00	Normal	0.0	
2/9/2023 8:00	Normal	0.0	
2/9/2023 9:00	Normal	0.0	
2/9/2023 10:00	Normal	0.0	
2/9/2023 11:00	Normal	0.0	
2/9/2023 12:00	Normal	0.0	
2/9/2023 13:00	Normal	0.0	
2/9/2023 14:00	Normal	0.0	
2/9/2023 15:00	Normal	0.0	
2/9/2023 16:00	Normal	0.0	
2/9/2023 17:00	Normal	0.0	
2/9/2023 18:00	Normal	0.0	
2/9/2023 19:00	Normal	0.0	
2/9/2023 20:00	Normal	0.0	
2/9/2023 21:00	Normal	0.0	
2/9/2023 22:00	Normal	0.0	
2/9/2023 23:00	Normal	0.0	0.0
2/10/2023 0:00	Normal	0.0	
2/10/2023 1:00	Normal	0.0	
2/10/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/10/2023 3:00	Normal	0.0	
2/10/2023 4:00	Normal	0.0	
2/10/2023 5:00	Normal	0.0	
2/10/2023 6:00	Normal	0.0	
2/10/2023 7:00	Normal	0.0	
2/10/2023 8:00	Normal	0.0	
2/10/2023 9:00	Normal	0.0	
2/10/2023 10:00	Normal	0.0	
2/10/2023 11:00	Normal	0.0	
2/10/2023 12:00	Normal	0.0	
2/10/2023 13:00	Normal	0.0	
2/10/2023 14:00	Normal	0.0	
2/10/2023 15:00	Normal	0.0	
2/10/2023 16:00	Normal	0.0	
2/10/2023 17:00	Normal	0.0	
2/10/2023 18:00	Normal	0.0	
2/10/2023 19:00	Normal	0.0	
2/10/2023 20:00	Normal	0.0	
2/10/2023 21:00	Normal	0.0	
2/10/2023 22:00	Normal	0.0	
2/10/2023 23:00	Normal	0.0	0.0
2/11/2023 0:00	Normal	0.0	
2/11/2023 1:00	Normal	0.0	
2/11/2023 2:00	Normal	0.0	
2/11/2023 3:00	Normal	0.0	
2/11/2023 4:00	Normal	0.0	
2/11/2023 5:00	Normal	0.0	
2/11/2023 6:00	Normal	0.0	
2/11/2023 7:00	Normal	0.0	
2/11/2023 8:00	Normal	0.0	
2/11/2023 9:00	Normal	0.0	
2/11/2023 10:00	Normal	0.0	
2/11/2023 11:00	Normal	0.0	
2/11/2023 12:00	Normal	0.0	
2/11/2023 13:00	Normal	0.0	
2/11/2023 14:00	Normal	0.0	
2/11/2023 15:00	Normal	0.0	
2/11/2023 16:00	Normal	0.0	
2/11/2023 17:00	Normal	0.0	
2/11/2023 18:00	Normal	0.0	
2/11/2023 19:00	Normal	0.0	
2/11/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/11/2023 21:00	Normal	0.0	
2/11/2023 22:00	Normal	0.0	
2/11/2023 23:00	Normal	0.0	0.0
2/12/2023 0:00	Normal	0.0	
2/12/2023 1:00	Normal	0.0	
2/12/2023 2:00	Normal	0.0	
2/12/2023 3:00	Normal	0.0	
2/12/2023 4:00	Normal	0.0	
2/12/2023 5:00	Normal	0.0	
2/12/2023 6:00	Normal	0.0	
2/12/2023 7:00	Normal	0.0	
2/12/2023 8:00	Normal	0.0	
2/12/2023 9:00	Normal	0.0	
2/12/2023 10:00	Normal	0.0	
2/12/2023 11:00	Normal	0.0	
2/12/2023 12:00	Normal	0.0	
2/12/2023 13:00	Normal	0.0	
2/12/2023 14:00	Normal	0.0	
2/12/2023 15:00	Normal	0.0	
2/12/2023 16:00	Normal	0.0	
2/12/2023 17:00	Normal	0.0	
2/12/2023 18:00	Normal	0.0	
2/12/2023 19:00	Normal	0.0	
2/12/2023 20:00	Normal	0.0	
2/12/2023 21:00	Normal	0.0	
2/12/2023 22:00	Normal	0.0	
2/12/2023 23:00	Normal	0.0	0.0
2/13/2023 0:00	Normal	0.0	
2/13/2023 1:00	Normal	0.0	
2/13/2023 2:00	Normal	0.0	
2/13/2023 3:00	Normal	0.0	
2/13/2023 4:00	Normal	0.0	
2/13/2023 5:00	Normal	0.0	
2/13/2023 6:00	Normal	0.0	
2/13/2023 7:00	Normal	0.0	
2/13/2023 8:00	Normal	0.0	
2/13/2023 9:00	Normal	0.0	
2/13/2023 10:00	Normal	0.0	
2/13/2023 11:00	Normal	0.0	
2/13/2023 12:00	Normal	0.0	
2/13/2023 13:00	Normal	0.0	
2/13/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/13/2023 15:00	Normal	0.0	
2/13/2023 16:00	Normal	0.0	
2/13/2023 17:00	Normal	0.0	
2/13/2023 18:00	Normal	0.0	
2/13/2023 19:00	Normal	0.0	
2/13/2023 20:00	Normal	0.0	
2/13/2023 21:00	Normal	0.0	
2/13/2023 22:00	Normal	0.0	
2/13/2023 23:00	Normal	0.0	0.0
2/14/2023 0:00	Normal	0.0	
2/14/2023 1:00	Normal	0.0	
2/14/2023 2:00	Normal	0.0	
2/14/2023 3:00	Normal	0.0	
2/14/2023 4:00	Normal	0.0	
2/14/2023 5:00	Normal	0.0	
2/14/2023 6:00	Normal	0.0	
2/14/2023 7:00	Normal	0.0	
2/14/2023 8:00	Normal	0.0	
2/14/2023 9:00	Normal	0.0	
2/14/2023 10:00	Normal	0.0	
2/14/2023 11:00	Normal	0.0	
2/14/2023 12:00	Normal	0.0	
2/14/2023 13:00	Normal	0.0	
2/14/2023 14:00	Normal	0.0	
2/14/2023 15:00	Normal	0.0	
2/14/2023 16:00	Normal	0.0	
2/14/2023 17:00	Normal	0.0	
2/14/2023 18:00	Normal	0.0	
2/14/2023 19:00	Normal	0.0	
2/14/2023 20:00	Normal	0.0	
2/14/2023 21:00	Normal	0.0	
2/14/2023 22:00	Normal	0.0	
2/14/2023 23:00	Normal	0.0	0.0
2/15/2023 0:00	Normal	0.0	
2/15/2023 1:00	Normal	0.0	
2/15/2023 2:00	Normal	0.0	
2/15/2023 3:00	Normal	0.0	
2/15/2023 4:00	Normal	0.0	
2/15/2023 5:00	Normal	0.0	
2/15/2023 6:00	Normal	0.0	
2/15/2023 7:00	Normal	0.0	
2/15/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/15/2023 9:00	Normal	0.0	
2/15/2023 10:00	Normal	0.0	
2/15/2023 11:00	Normal	0.0	
2/15/2023 12:00	Normal	0.0	
2/15/2023 13:00	Normal	0.0	
2/15/2023 14:00	Normal	0.0	
2/15/2023 15:00	Normal	0.0	
2/15/2023 16:00	Normal	0.0	
2/15/2023 17:00	Normal	0.0	
2/15/2023 18:00	Normal	0.0	
2/15/2023 19:00	Normal	0.0	
2/15/2023 20:00	Normal	0.0	
2/15/2023 21:00	Normal	0.0	
2/15/2023 22:00	Normal	0.0	
2/15/2023 23:00	Normal	0.0	0.0
2/16/2023 0:00	Normal	0.0	
2/16/2023 1:00	Normal	0.0	
2/16/2023 2:00	Normal	0.0	
2/16/2023 3:00	Normal	0.0	
2/16/2023 4:00	Normal	0.0	
2/16/2023 5:00	Normal	0.0	
2/16/2023 6:00	Normal	0.0	
2/16/2023 7:00	Normal	0.0	
2/16/2023 8:00	Normal	0.0	
2/16/2023 9:00	Normal	0.0	
2/16/2023 10:00	Normal	0.0	
2/16/2023 11:00	Normal	0.0	
2/16/2023 12:00	Normal	0.0	
2/16/2023 13:00	Normal	0.0	
2/16/2023 14:00	Normal	0.0	
2/16/2023 15:00	Normal	0.0	
2/16/2023 16:00	Normal	0.0	
2/16/2023 17:00	Normal	0.0	
2/16/2023 18:00	Normal	0.0	
2/16/2023 19:00	Normal	0.0	
2/16/2023 20:00	Normal	0.0	
2/16/2023 21:00	Normal	0.0	
2/16/2023 22:00	Normal	0.0	
2/16/2023 23:00	Normal	0.0	0.0
2/17/2023 0:00	Normal	0.0	
2/17/2023 1:00	Normal	0.0	
2/17/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/17/2023 3:00	Normal	0.0	
2/17/2023 4:00	Normal	0.0	
2/17/2023 5:00	Normal	0.0	
2/17/2023 6:00	Normal	0.0	
2/17/2023 7:00	Normal	0.0	
2/17/2023 8:00	Normal	0.0	
2/17/2023 9:00	Normal	0.0	
2/17/2023 10:00	Normal	0.0	
2/17/2023 11:00	Normal	0.0	
2/17/2023 12:00	Normal	0.0	
2/17/2023 13:00	Normal	0.0	
2/17/2023 14:00	Normal	0.0	
2/17/2023 15:00	Normal	0.0	
2/17/2023 16:00	Normal	0.0	
2/17/2023 17:00	Normal	0.0	
2/17/2023 18:00	Normal	0.0	
2/17/2023 19:00	Normal	0.0	
2/17/2023 20:00	Normal	0.0	
2/17/2023 21:00	Normal	0.0	
2/17/2023 22:00	Normal	0.0	
2/17/2023 23:00	Normal	0.0	0.0
2/18/2023 0:00	Normal	0.0	
2/18/2023 1:00	Normal	0.0	
2/18/2023 2:00	Normal	0.0	
2/18/2023 3:00	Normal	0.0	
2/18/2023 4:00	Normal	0.0	
2/18/2023 5:00	Normal	0.0	
2/18/2023 6:00	Normal	0.0	
2/18/2023 7:00	Normal	0.0	
2/18/2023 8:00	Normal	0.0	
2/18/2023 9:00	Normal	0.0	
2/18/2023 10:00	Normal	0.0	
2/18/2023 11:00	Normal	0.0	
2/18/2023 12:00	Normal	0.0	
2/18/2023 13:00	Normal	0.0	
2/18/2023 14:00	Normal	0.0	
2/18/2023 15:00	Normal	0.0	
2/18/2023 16:00	Normal	0.0	
2/18/2023 17:00	Normal	0.0	
2/18/2023 18:00	Normal	0.0	
2/18/2023 19:00	Normal	0.0	
2/18/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/18/2023 21:00	Normal	0.0	
2/18/2023 22:00	Normal	0.0	
2/18/2023 23:00	Normal	0.0	0.0
2/19/2023 0:00	Normal	0.0	
2/19/2023 1:00	Normal	0.0	
2/19/2023 2:00	Normal	0.0	
2/19/2023 3:00	Normal	0.0	
2/19/2023 4:00	Normal	0.0	
2/19/2023 5:00	Normal	0.0	
2/19/2023 6:00	Normal	0.0	
2/19/2023 7:00	Normal	0.0	
2/19/2023 8:00	Normal	0.0	
2/19/2023 9:00	Normal	0.0	
2/19/2023 10:00	Normal	0.0	
2/19/2023 11:00	Normal	0.0	
2/19/2023 12:00	Normal	0.0	
2/19/2023 13:00	Normal	0.0	
2/19/2023 14:00	Normal	0.0	
2/19/2023 15:00	Normal	0.0	
2/19/2023 16:00	Normal	0.0	
2/19/2023 17:00	Normal	0.0	
2/19/2023 18:00	Normal	0.0	
2/19/2023 19:00	Normal	0.0	
2/19/2023 20:00	Normal	0.0	
2/19/2023 21:00	Normal	0.0	
2/19/2023 22:00	Normal	0.0	
2/19/2023 23:00	Normal	0.0	0.0
2/20/2023 0:00	Normal	0.0	
2/20/2023 1:00	Normal	0.0	
2/20/2023 2:00	Normal	0.0	
2/20/2023 3:00	Normal	0.0	
2/20/2023 4:00	Normal	0.0	
2/20/2023 5:00	Normal	0.0	
2/20/2023 6:00	Normal	0.0	
2/20/2023 7:00	Normal	0.0	
2/20/2023 8:00	Normal	0.0	
2/20/2023 9:00	Normal	0.0	
2/20/2023 10:00	Normal	0.0	
2/20/2023 11:00	Normal	0.0	
2/20/2023 12:00	Normal	0.0	
2/20/2023 13:00	Normal	0.0	
2/20/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/20/2023 15:00	Normal	0.0	
2/20/2023 16:00	Normal	0.0	
2/20/2023 17:00	Normal	0.0	
2/20/2023 18:00	Normal	0.0	
2/20/2023 19:00	Normal	0.0	
2/20/2023 20:00	Normal	0.0	
2/20/2023 21:00	Normal	0.0	
2/20/2023 22:00	Normal	0.0	
2/20/2023 23:00	Normal	0.0	0.0
2/21/2023 0:00	Normal	0.0	
2/21/2023 1:00	Normal	0.0	
2/21/2023 2:00	Normal	0.0	
2/21/2023 3:00	Normal	0.0	
2/21/2023 4:00	Normal	0.0	
2/21/2023 5:00	Normal	0.0	
2/21/2023 6:00	Normal	0.0	
2/21/2023 7:00	Normal	0.0	
2/21/2023 8:00	Normal	0.0	
2/21/2023 9:00	Normal	0.0	
2/21/2023 10:00	Normal	0.0	
2/21/2023 11:00	Normal	0.0	
2/21/2023 12:00	Normal	0.0	
2/21/2023 13:00	Normal	0.0	
2/21/2023 14:00	Normal	0.0	
2/21/2023 15:00	Normal	0.0	
2/21/2023 16:00	Normal	0.0	
2/21/2023 17:00	Normal	0.0	
2/21/2023 18:00	Normal	0.0	
2/21/2023 19:00	Normal	0.0	
2/21/2023 20:00	Normal	0.0	
2/21/2023 21:00	Normal	0.0	
2/21/2023 22:00	Normal	0.0	
2/21/2023 23:00	Normal	0.0	0.0
2/22/2023 0:00	Normal	0.0	
2/22/2023 1:00	Normal	0.0	
2/22/2023 2:00	Normal	0.0	
2/22/2023 3:00	Normal	0.0	
2/22/2023 4:00	Normal	0.0	
2/22/2023 5:00	Normal	0.0	
2/22/2023 6:00	Normal	0.0	
2/22/2023 7:00	Normal	0.0	
2/22/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/22/2023 9:00	Normal	0.0	
2/22/2023 10:00	Normal	0.0	
2/22/2023 11:00	Normal	0.0	
2/22/2023 12:00	Normal	0.0	
2/22/2023 13:00	Normal	0.0	
2/22/2023 14:00	Normal	0.0	
2/22/2023 15:00	Normal	0.0	
2/22/2023 16:00	Normal	0.0	
2/22/2023 17:00	Normal	0.0	
2/22/2023 18:00	Normal	0.0	
2/22/2023 19:00	Normal	0.0	
2/22/2023 20:00	Normal	0.0	
2/22/2023 21:00	Normal	0.0	
2/22/2023 22:00	Normal	0.0	
2/22/2023 23:00	Normal	0.0	0.0
2/23/2023 0:00	Normal	0.0	
2/23/2023 1:00	Normal	0.0	
2/23/2023 2:00	Normal	0.0	
2/23/2023 3:00	Normal	0.0	
2/23/2023 4:00	Normal	0.0	
2/23/2023 5:00	Normal	0.0	
2/23/2023 6:00	Normal	0.0	
2/23/2023 7:00	Normal	0.0	
2/23/2023 8:00	Normal	0.0	
2/23/2023 9:00	Normal	0.0	
2/23/2023 10:00	Normal	0.0	
2/23/2023 11:00	Normal	0.0	
2/23/2023 12:00	Normal	0.0	
2/23/2023 13:00	Normal	0.0	
2/23/2023 14:00	Normal	0.0	
2/23/2023 15:00	Normal	0.0	
2/23/2023 16:00	Normal	0.0	
2/23/2023 17:00	Normal	0.0	
2/23/2023 18:00	Normal	0.0	
2/23/2023 19:00	Normal	0.0	
2/23/2023 20:00	Normal	0.0	
2/23/2023 21:00	Normal	0.0	
2/23/2023 22:00	Normal	0.0	
2/23/2023 23:00	Normal	0.0	0.0
2/24/2023 0:00	Normal	0.0	
2/24/2023 1:00	Normal	0.0	
2/24/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/24/2023 3:00	Normal	0.0	
2/24/2023 4:00	Normal	0.0	
2/24/2023 5:00	Normal	0.0	
2/24/2023 6:00	Normal	0.0	
2/24/2023 7:00	Normal	0.0	
2/24/2023 8:00	Normal	0.0	
2/24/2023 9:00	Normal	0.0	
2/24/2023 10:00	Normal	0.0	
2/24/2023 11:00	Normal	0.0	
2/24/2023 12:00	Normal	0.0	
2/24/2023 13:00	Normal	0.0	
2/24/2023 14:00	Normal	0.0	
2/24/2023 15:00	Normal	0.0	
2/24/2023 16:00	Normal	0.0	
2/24/2023 17:00	Normal	0.0	
2/24/2023 18:00	Normal	0.0	
2/24/2023 19:00	Normal	0.0	
2/24/2023 20:00	Normal	0.0	
2/24/2023 21:00	Normal	0.0	
2/24/2023 22:00	Normal	0.0	
2/24/2023 23:00	Normal	0.0	0.0
2/25/2023 0:00	Normal	0.0	
2/25/2023 1:00	Normal	0.0	
2/25/2023 2:00	Normal	0.0	
2/25/2023 3:00	Normal	0.0	
2/25/2023 4:00	Normal	0.0	
2/25/2023 5:00	Normal	0.0	
2/25/2023 6:00	Normal	0.0	
2/25/2023 7:00	Normal	0.0	
2/25/2023 8:00	Normal	0.0	
2/25/2023 9:00	Normal	0.0	
2/25/2023 10:00	Normal	0.0	
2/25/2023 11:00	Normal	0.0	
2/25/2023 12:00	Normal	0.0	
2/25/2023 13:00	Normal	0.0	
2/25/2023 14:00	Normal	0.0	
2/25/2023 15:00	Normal	0.0	
2/25/2023 16:00	Normal	0.0	
2/25/2023 17:00	Normal	0.0	
2/25/2023 18:00	Normal	0.0	
2/25/2023 19:00	Normal	0.0	
2/25/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/25/2023 21:00	Normal	0.0	
2/25/2023 22:00	Normal	0.0	
2/25/2023 23:00	Normal	0.0	0.0
2/26/2023 0:00	Normal	0.0	
2/26/2023 1:00	Normal	0.0	
2/26/2023 2:00	Normal	0.0	
2/26/2023 3:00	Normal	0.0	
2/26/2023 4:00	Normal	0.0	
2/26/2023 5:00	Normal	0.0	
2/26/2023 6:00	Normal	0.0	
2/26/2023 7:00	Normal	0.0	
2/26/2023 8:00	Normal	0.0	
2/26/2023 9:00	Normal	0.0	
2/26/2023 10:00	Normal	0.0	
2/26/2023 11:00	Normal	0.0	
2/26/2023 12:00	Normal	0.0	
2/26/2023 13:00	Normal	0.0	
2/26/2023 14:00	Normal	0.0	
2/26/2023 15:00	Normal	0.0	
2/26/2023 16:00	Normal	0.0	
2/26/2023 17:00	Normal	0.0	
2/26/2023 18:00	Normal	0.0	
2/26/2023 19:00	Normal	0.0	
2/26/2023 20:00	Normal	0.0	
2/26/2023 21:00	Normal	0.0	
2/26/2023 22:00	Normal	0.0	
2/26/2023 23:00	Normal	0.0	0.0
2/27/2023 0:00	Normal	0.0	
2/27/2023 1:00	Normal	0.0	
2/27/2023 2:00	Normal	0.0	
2/27/2023 3:00	Normal	0.0	
2/27/2023 4:00	Normal	0.0	
2/27/2023 5:00	Normal	0.0	
2/27/2023 6:00	Normal	0.0	
2/27/2023 7:00	Normal	0.0	
2/27/2023 8:00	Normal	0.0	
2/27/2023 9:00	Normal	0.0	
2/27/2023 10:00	Normal	0.0	
2/27/2023 11:00	Normal	0.0	
2/27/2023 12:00	Normal	0.0	
2/27/2023 13:00	Normal	0.0	
2/27/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
2/27/2023 15:00	Normal	0.0	
2/27/2023 16:00	Normal	0.0	
2/27/2023 17:00	Normal	0.0	
2/27/2023 18:00	Normal	0.0	
2/27/2023 19:00	Normal	0.0	
2/27/2023 20:00	Normal	0.0	
2/27/2023 21:00	Normal	0.0	
2/27/2023 22:00	Normal	0.0	
2/27/2023 23:00	Malfunction	87.7	0.1
2/28/2023 0:00	Normal	0.0	
2/28/2023 1:00	Normal	0.0	
2/28/2023 2:00	Normal	0.0	
2/28/2023 3:00	Normal	0.0	
2/28/2023 4:00	Normal	0.0	
2/28/2023 5:00	Normal	0.0	
2/28/2023 6:00	Normal	0.0	
2/28/2023 7:00	Normal	0.0	
2/28/2023 8:00	Normal	0.0	
2/28/2023 9:00	Normal	0.0	
2/28/2023 10:00	Normal	0.0	
2/28/2023 11:00	Normal	0.0	
2/28/2023 12:00	Normal	0.0	
2/28/2023 13:00	Normal	0.0	
2/28/2023 14:00	Normal	0.0	
2/28/2023 15:00	Normal	0.0	
2/28/2023 16:00	Normal	0.0	
2/28/2023 17:00	Normal	0.0	
2/28/2023 18:00	Normal	0.0	
2/28/2023 19:00	Normal	0.0	
2/28/2023 20:00	Normal	0.0	
2/28/2023 21:00	Normal	0.0	
2/28/2023 22:00	Normal	0.0	
2/28/2023 23:00	Normal	0.0	0.1
3/1/2023 0:00	Normal	0.0	
3/1/2023 1:00	Normal	0.0	
3/1/2023 2:00	Normal	0.0	
3/1/2023 3:00	Normal	0.0	
3/1/2023 4:00	Normal	0.0	
3/1/2023 5:00	Normal	0.0	
3/1/2023 6:00	Normal	0.0	
3/1/2023 7:00	Normal	0.0	
3/1/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/1/2023 9:00	Normal	0.0	
3/1/2023 10:00	Normal	0.0	
3/1/2023 11:00	Normal	0.0	
3/1/2023 12:00	Normal	0.0	
3/1/2023 13:00	Normal	0.0	
3/1/2023 14:00	Normal	0.0	
3/1/2023 15:00	Normal	0.0	
3/1/2023 16:00	Normal	0.0	
3/1/2023 17:00	Normal	0.0	
3/1/2023 18:00	Normal	0.0	
3/1/2023 19:00	Normal	0.0	
3/1/2023 20:00	Normal	0.0	
3/1/2023 21:00	Normal	0.0	
3/1/2023 22:00	Normal	0.0	
3/1/2023 23:00	Malfunction	72.5	0.2
3/2/2023 0:00	Normal	0.0	
3/2/2023 1:00	Normal	0.0	
3/2/2023 2:00	Normal	0.0	
3/2/2023 3:00	Normal	0.0	
3/2/2023 4:00	Normal	0.0	
3/2/2023 5:00	Normal	0.0	
3/2/2023 6:00	Normal	0.0	
3/2/2023 7:00	Normal	0.0	
3/2/2023 8:00	Normal	0.0	
3/2/2023 9:00	Normal	0.0	
3/2/2023 10:00	Normal	0.0	
3/2/2023 11:00	Normal	0.0	
3/2/2023 12:00	Normal	0.0	
3/2/2023 13:00	Normal	0.0	
3/2/2023 14:00	Normal	0.0	
3/2/2023 15:00	Normal	0.0	
3/2/2023 16:00	Normal	0.0	
3/2/2023 17:00	Normal	0.0	
3/2/2023 18:00	Normal	0.0	
3/2/2023 19:00	Normal	0.0	
3/2/2023 20:00	Normal	0.0	
3/2/2023 21:00	Normal	0.0	
3/2/2023 22:00	Normal	0.0	
3/2/2023 23:00	Normal	0.0	0.2
3/3/2023 0:00	Normal	0.0	
3/3/2023 1:00	Normal	0.0	
3/3/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/3/2023 3:00	Normal	0.0	
3/3/2023 4:00	Normal	0.0	
3/3/2023 5:00	Normal	0.0	
3/3/2023 6:00	Normal	0.0	
3/3/2023 7:00	Normal	0.0	
3/3/2023 8:00	Normal	0.0	
3/3/2023 9:00	Normal	0.0	
3/3/2023 10:00	Normal	0.0	
3/3/2023 11:00	Normal	0.0	
3/3/2023 12:00	Normal	0.0	
3/3/2023 13:00	Normal	0.0	
3/3/2023 14:00	Normal	0.0	
3/3/2023 15:00	Normal	0.0	
3/3/2023 16:00	Normal	0.0	
3/3/2023 17:00	Normal	0.0	
3/3/2023 18:00	Normal	0.0	
3/3/2023 19:00	Normal	0.0	
3/3/2023 20:00	Normal	0.0	
3/3/2023 21:00	Normal	0.0	
3/3/2023 22:00	Normal	0.0	
3/3/2023 23:00	Normal	0.0	0.2
3/4/2023 0:00	Normal	0.0	
3/4/2023 1:00	Normal	0.0	
3/4/2023 2:00	Normal	0.0	
3/4/2023 3:00	Normal	0.0	
3/4/2023 4:00	Normal	0.0	
3/4/2023 5:00	Normal	0.0	
3/4/2023 6:00	Normal	0.0	
3/4/2023 7:00	Normal	0.0	
3/4/2023 8:00	Normal	0.0	
3/4/2023 9:00	Normal	0.0	
3/4/2023 10:00	Normal	0.0	
3/4/2023 11:00	Normal	0.0	
3/4/2023 12:00	Normal	0.0	
3/4/2023 13:00	Normal	0.0	
3/4/2023 14:00	Normal	0.0	
3/4/2023 15:00	Normal	0.0	
3/4/2023 16:00	Normal	0.0	
3/4/2023 17:00	Normal	0.0	
3/4/2023 18:00	Normal	0.0	
3/4/2023 19:00	Normal	0.0	
3/4/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/4/2023 21:00	Normal	0.0	
3/4/2023 22:00	Normal	0.0	
3/4/2023 23:00	Normal	0.0	0.2
3/5/2023 0:00	Normal	0.0	
3/5/2023 1:00	Normal	0.0	
3/5/2023 2:00	Normal	0.0	
3/5/2023 3:00	Normal	0.0	
3/5/2023 4:00	Normal	0.0	
3/5/2023 5:00	Normal	0.0	
3/5/2023 6:00	Normal	0.0	
3/5/2023 7:00	Normal	0.0	
3/5/2023 8:00	Normal	0.0	
3/5/2023 9:00	Normal	0.0	
3/5/2023 10:00	Normal	0.0	
3/5/2023 11:00	Normal	0.0	
3/5/2023 12:00	Normal	0.0	
3/5/2023 13:00	Normal	0.0	
3/5/2023 14:00	Normal	0.0	
3/5/2023 15:00	Normal	0.0	
3/5/2023 16:00	Normal	0.0	
3/5/2023 17:00	Normal	0.0	
3/5/2023 18:00	Normal	0.0	
3/5/2023 19:00	Normal	0.0	
3/5/2023 20:00	Normal	0.0	
3/5/2023 21:00	Normal	0.0	
3/5/2023 22:00	Normal	0.0	
3/5/2023 23:00	Normal	0.0	0.2
3/6/2023 0:00	Normal	0.0	
3/6/2023 1:00	Normal	0.0	
3/6/2023 2:00	Normal	0.0	
3/6/2023 3:00	Normal	0.0	
3/6/2023 4:00	Normal	0.0	
3/6/2023 5:00	Normal	0.0	
3/6/2023 6:00	Normal	0.0	
3/6/2023 7:00	Normal	0.0	
3/6/2023 8:00	Normal	0.0	
3/6/2023 9:00	Normal	0.0	
3/6/2023 10:00	Normal	0.0	
3/6/2023 11:00	Normal	0.0	
3/6/2023 12:00	Normal	0.0	
3/6/2023 13:00	Normal	0.0	
3/6/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/6/2023 15:00	Normal	0.0	
3/6/2023 16:00	Normal	0.0	
3/6/2023 17:00	Normal	0.0	
3/6/2023 18:00	Normal	0.0	
3/6/2023 19:00	Normal	0.0	
3/6/2023 20:00	Normal	0.0	
3/6/2023 21:00	Normal	0.0	
3/6/2023 22:00	Normal	0.0	
3/6/2023 23:00	Normal	0.0	0.2
3/7/2023 0:00	Normal	0.0	
3/7/2023 1:00	Normal	0.0	
3/7/2023 2:00	Normal	0.0	
3/7/2023 3:00	Normal	0.0	
3/7/2023 4:00	Normal	0.0	
3/7/2023 5:00	Normal	0.0	
3/7/2023 6:00	Normal	0.0	
3/7/2023 7:00	Normal	0.0	
3/7/2023 8:00	Normal	0.0	
3/7/2023 9:00	Normal	0.0	
3/7/2023 10:00	Normal	0.0	
3/7/2023 11:00	Normal	0.0	
3/7/2023 12:00	Normal	0.0	
3/7/2023 13:00	Normal	0.0	
3/7/2023 14:00	Normal	0.0	
3/7/2023 15:00	Normal	0.0	
3/7/2023 16:00	Normal	0.0	
3/7/2023 17:00	Normal	0.0	
3/7/2023 18:00	Normal	0.0	
3/7/2023 19:00	Normal	0.0	
3/7/2023 20:00	Normal	0.0	
3/7/2023 21:00	Normal	0.0	
3/7/2023 22:00	Normal	0.0	
3/7/2023 23:00	Normal	0.0	0.2
3/8/2023 0:00	Normal	0.0	
3/8/2023 1:00	Normal	0.0	
3/8/2023 2:00	Normal	0.0	
3/8/2023 3:00	Normal	0.0	
3/8/2023 4:00	Normal	0.0	
3/8/2023 5:00	Normal	0.0	
3/8/2023 6:00	Normal	0.0	
3/8/2023 7:00	Normal	0.0	
3/8/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/8/2023 9:00	Normal	0.0	
3/8/2023 10:00	Normal	0.0	
3/8/2023 11:00	Normal	0.0	
3/8/2023 12:00	Normal	0.0	
3/8/2023 13:00	Normal	0.0	
3/8/2023 14:00	Normal	0.0	
3/8/2023 15:00	Normal	0.0	
3/8/2023 16:00	Normal	0.0	
3/8/2023 17:00	Normal	0.0	
3/8/2023 18:00	Normal	0.0	
3/8/2023 19:00	Normal	0.0	
3/8/2023 20:00	Normal	0.0	
3/8/2023 21:00	Normal	0.0	
3/8/2023 22:00	Normal	0.0	
3/8/2023 23:00	Normal	0.0	0.2
3/9/2023 0:00	Normal	0.0	
3/9/2023 1:00	Malfunction	46.0	
3/9/2023 2:00	Malfunction	0.0	
3/9/2023 3:00	Malfunction	97.3	
3/9/2023 4:00	Malfunction	22.1	
3/9/2023 5:00	Normal	0.0	
3/9/2023 6:00	Normal	0.0	
3/9/2023 7:00	Normal	0.0	
3/9/2023 8:00	Normal	0.0	
3/9/2023 9:00	Normal	0.0	
3/9/2023 10:00	Normal	0.0	
3/9/2023 11:00	Normal	0.0	
3/9/2023 12:00	Normal	0.0	
3/9/2023 13:00	Normal	0.0	
3/9/2023 14:00	Normal	0.0	
3/9/2023 15:00	Normal	0.0	
3/9/2023 16:00	Normal	0.0	
3/9/2023 17:00	Normal	0.0	
3/9/2023 18:00	Normal	0.0	
3/9/2023 19:00	Normal	0.0	
3/9/2023 20:00	Normal	0.0	
3/9/2023 21:00	Normal	0.0	
3/9/2023 22:00	Normal	0.0	
3/9/2023 23:00	Normal	0.0	0.5
3/10/2023 0:00	Normal	0.0	
3/10/2023 1:00	Normal	0.0	
3/10/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/10/2023 3:00	Normal	0.0	
3/10/2023 4:00	Normal	0.0	
3/10/2023 5:00	Normal	0.0	
3/10/2023 6:00	Normal	0.0	
3/10/2023 7:00	Normal	0.0	
3/10/2023 8:00	Normal	0.0	
3/10/2023 9:00	Normal	0.0	
3/10/2023 10:00	Normal	0.0	
3/10/2023 11:00	Normal	0.0	
3/10/2023 12:00	Normal	0.0	
3/10/2023 13:00	Normal	0.0	
3/10/2023 14:00	Normal	0.0	
3/10/2023 15:00	Normal	0.0	
3/10/2023 16:00	Normal	0.0	
3/10/2023 17:00	Normal	0.0	
3/10/2023 18:00	Normal	0.0	
3/10/2023 19:00	Normal	0.0	
3/10/2023 20:00	Normal	0.0	
3/10/2023 21:00	Normal	0.0	
3/10/2023 22:00	Normal	0.0	
3/10/2023 23:00	Normal	0.0	0.5
3/11/2023 0:00	Normal	0.0	
3/11/2023 1:00	Normal	0.0	
3/11/2023 2:00	Normal	0.0	
3/11/2023 3:00	Normal	0.0	
3/11/2023 4:00	Normal	0.0	
3/11/2023 5:00	Normal	0.0	
3/11/2023 6:00	Normal	0.0	
3/11/2023 7:00	Normal	0.0	
3/11/2023 8:00	Normal	0.0	
3/11/2023 9:00	Normal	0.0	
3/11/2023 10:00	Normal	0.0	
3/11/2023 11:00	Normal	0.0	
3/11/2023 12:00	Normal	0.0	
3/11/2023 13:00	Normal	0.0	
3/11/2023 14:00	Normal	0.0	
3/11/2023 15:00	Normal	0.0	
3/11/2023 16:00	Normal	0.0	
3/11/2023 17:00	Normal	0.0	
3/11/2023 18:00	Normal	0.0	
3/11/2023 19:00	Normal	0.0	
3/11/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/11/2023 21:00	Normal	0.0	
3/11/2023 22:00	Normal	0.0	
3/11/2023 23:00	Normal	0.0	0.5
3/12/2023 0:00	Normal	0.0	
3/12/2023 1:00	Normal	0.0	
3/12/2023 2:00	Normal	0.0	
3/12/2023 3:00	Normal	0.0	
3/12/2023 4:00	Normal	0.0	
3/12/2023 5:00	Normal	0.0	
3/12/2023 6:00	Normal	0.0	
3/12/2023 7:00	Normal	0.0	
3/12/2023 8:00	Normal	0.0	
3/12/2023 9:00	Normal	0.0	
3/12/2023 10:00	Normal	0.0	
3/12/2023 11:00	Normal	0.0	
3/12/2023 12:00	Normal	0.0	
3/12/2023 13:00	Normal	0.0	
3/12/2023 14:00	Normal	0.0	
3/12/2023 15:00	Normal	0.0	
3/12/2023 16:00	Normal	0.0	
3/12/2023 17:00	Normal	0.0	
3/12/2023 18:00	Normal	0.0	
3/12/2023 19:00	Normal	0.0	
3/12/2023 20:00	Normal	0.0	
3/12/2023 21:00	Normal	0.0	
3/12/2023 22:00	Normal	0.0	
3/12/2023 23:00	Normal	0.0	0.5
3/13/2023 0:00	Normal	0.0	
3/13/2023 1:00	Normal	0.0	
3/13/2023 2:00	Normal	0.0	
3/13/2023 3:00	Normal	0.0	
3/13/2023 4:00	Normal	0.0	
3/13/2023 5:00	Normal	0.0	
3/13/2023 6:00	Normal	0.0	
3/13/2023 7:00	Normal	0.0	
3/13/2023 8:00	Normal	0.0	
3/13/2023 9:00	Normal	0.0	
3/13/2023 10:00	Normal	0.0	
3/13/2023 11:00	Normal	0.0	
3/13/2023 12:00	Normal	0.0	
3/13/2023 13:00	Normal	0.0	
3/13/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/13/2023 15:00	Normal	0.0	
3/13/2023 16:00	Normal	0.0	
3/13/2023 17:00	Normal	0.0	
3/13/2023 18:00	Normal	0.0	
3/13/2023 19:00	Normal	0.0	
3/13/2023 20:00	Normal	0.0	
3/13/2023 21:00	Normal	0.0	
3/13/2023 22:00	Normal	0.0	
3/13/2023 23:00	Normal	0.0	0.5
3/14/2023 0:00	Normal	0.0	
3/14/2023 1:00	Normal	0.0	
3/14/2023 2:00	Normal	0.0	
3/14/2023 3:00	Normal	0.0	
3/14/2023 4:00	Normal	0.0	
3/14/2023 5:00	Normal	0.0	
3/14/2023 6:00	Normal	0.0	
3/14/2023 7:00	Normal	0.0	
3/14/2023 8:00	Normal	0.0	
3/14/2023 9:00	Normal	0.0	
3/14/2023 10:00	Normal	0.0	
3/14/2023 11:00	Normal	0.0	
3/14/2023 12:00	Normal	0.0	
3/14/2023 13:00	Normal	0.0	
3/14/2023 14:00	Normal	0.0	
3/14/2023 15:00	Normal	0.0	
3/14/2023 16:00	Normal	0.0	
3/14/2023 17:00	Normal	0.0	
3/14/2023 18:00	Normal	0.0	
3/14/2023 19:00	Normal	0.0	
3/14/2023 20:00	Normal	0.0	
3/14/2023 21:00	Normal	0.0	
3/14/2023 22:00	Normal	0.0	
3/14/2023 23:00	Normal	0.0	0.5
3/15/2023 0:00	Normal	0.0	
3/15/2023 1:00	Normal	0.0	
3/15/2023 2:00	Normal	0.0	
3/15/2023 3:00	Normal	0.0	
3/15/2023 4:00	Normal	0.0	
3/15/2023 5:00	Normal	0.0	
3/15/2023 6:00	Normal	0.0	
3/15/2023 7:00	Normal	0.0	
3/15/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/15/2023 9:00	Normal	0.0	
3/15/2023 10:00	Normal	0.0	
3/15/2023 11:00	Normal	0.0	
3/15/2023 12:00	Normal	0.0	
3/15/2023 13:00	Normal	0.0	
3/15/2023 14:00	Normal	0.0	
3/15/2023 15:00	Normal	0.0	
3/15/2023 16:00	Normal	0.0	
3/15/2023 17:00	Normal	0.0	
3/15/2023 18:00	Normal	0.0	
3/15/2023 19:00	Normal	0.0	
3/15/2023 20:00	Normal	0.0	
3/15/2023 21:00	Normal	0.0	
3/15/2023 22:00	Normal	0.0	
3/15/2023 23:00	Normal	0.0	0.5
3/16/2023 0:00	Normal	0.0	
3/16/2023 1:00	Normal	0.0	
3/16/2023 2:00	Normal	0.0	
3/16/2023 3:00	Normal	0.0	
3/16/2023 4:00	Normal	0.0	
3/16/2023 5:00	Normal	0.0	
3/16/2023 6:00	Normal	0.0	
3/16/2023 7:00	Normal	0.0	
3/16/2023 8:00	Normal	0.0	
3/16/2023 9:00	Normal	0.0	
3/16/2023 10:00	Normal	0.0	
3/16/2023 11:00	Normal	0.0	
3/16/2023 12:00	Normal	0.0	
3/16/2023 13:00	Normal	0.0	
3/16/2023 14:00	Normal	0.0	
3/16/2023 15:00	Normal	0.0	
3/16/2023 16:00	Normal	0.0	
3/16/2023 17:00	Normal	0.0	
3/16/2023 18:00	Normal	0.0	
3/16/2023 19:00	Normal	0.0	
3/16/2023 20:00	Normal	0.0	
3/16/2023 21:00	Normal	0.0	
3/16/2023 22:00	Normal	0.0	
3/16/2023 23:00	Normal	0.0	0.5
3/17/2023 0:00	Normal	0.0	
3/17/2023 1:00	Normal	0.0	
3/17/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/17/2023 3:00	Normal	0.0	
3/17/2023 4:00	Normal	0.0	
3/17/2023 5:00	Normal	0.0	
3/17/2023 6:00	Normal	0.0	
3/17/2023 7:00	Normal	0.0	
3/17/2023 8:00	Normal	0.0	
3/17/2023 9:00	Normal	0.0	
3/17/2023 10:00	Normal	0.0	
3/17/2023 11:00	Normal	0.0	
3/17/2023 12:00	Normal	0.0	
3/17/2023 13:00	Normal	0.0	
3/17/2023 14:00	Normal	0.0	
3/17/2023 15:00	Normal	0.0	
3/17/2023 16:00	Normal	0.0	
3/17/2023 17:00	Normal	0.0	
3/17/2023 18:00	Normal	0.0	
3/17/2023 19:00	Normal	0.0	
3/17/2023 20:00	Normal	0.0	
3/17/2023 21:00	Normal	0.0	
3/17/2023 22:00	Normal	0.0	
3/17/2023 23:00	Normal	0.0	0.5
3/18/2023 0:00	Normal	0.0	
3/18/2023 1:00	Normal	0.0	
3/18/2023 2:00	Normal	0.0	
3/18/2023 3:00	Normal	0.0	
3/18/2023 4:00	Normal	0.0	
3/18/2023 5:00	Normal	0.0	
3/18/2023 6:00	Normal	0.0	
3/18/2023 7:00	Normal	0.0	
3/18/2023 8:00	Normal	0.0	
3/18/2023 9:00	Normal	0.0	
3/18/2023 10:00	Normal	0.0	
3/18/2023 11:00	Normal	0.0	
3/18/2023 12:00	Normal	0.0	
3/18/2023 13:00	Normal	0.0	
3/18/2023 14:00	Normal	0.0	
3/18/2023 15:00	Normal	0.0	
3/18/2023 16:00	Normal	0.0	
3/18/2023 17:00	Normal	0.0	
3/18/2023 18:00	Normal	0.0	
3/18/2023 19:00	Normal	0.0	
3/18/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/18/2023 21:00	Normal	0.0	
3/18/2023 22:00	Normal	0.0	
3/18/2023 23:00	Normal	0.0	0.5
3/19/2023 0:00	Normal	0.0	
3/19/2023 1:00	Normal	0.0	
3/19/2023 2:00	Normal	0.0	
3/19/2023 3:00	Normal	0.0	
3/19/2023 4:00	Normal	0.0	
3/19/2023 5:00	Normal	0.0	
3/19/2023 6:00	Normal	0.0	
3/19/2023 7:00	Normal	0.0	
3/19/2023 8:00	Normal	0.0	
3/19/2023 9:00	Normal	0.0	
3/19/2023 10:00	Normal	0.0	
3/19/2023 11:00	Normal	0.0	
3/19/2023 12:00	Normal	0.0	
3/19/2023 13:00	Normal	0.0	
3/19/2023 14:00	Normal	0.0	
3/19/2023 15:00	Normal	0.0	
3/19/2023 16:00	Normal	0.0	
3/19/2023 17:00	Normal	0.0	
3/19/2023 18:00	Normal	0.0	
3/19/2023 19:00	Normal	0.0	
3/19/2023 20:00	Normal	0.0	
3/19/2023 21:00	Normal	0.0	
3/19/2023 22:00	Normal	0.0	
3/19/2023 23:00	Normal	0.0	0.5
3/20/2023 0:00	Normal	0.0	
3/20/2023 1:00	Normal	0.0	
3/20/2023 2:00	Normal	0.0	
3/20/2023 3:00	Normal	0.0	
3/20/2023 4:00	Normal	0.0	
3/20/2023 5:00	Normal	0.0	
3/20/2023 6:00	Normal	0.0	
3/20/2023 7:00	Normal	0.0	
3/20/2023 8:00	Normal	0.0	
3/20/2023 9:00	Normal	0.0	
3/20/2023 10:00	Normal	0.0	
3/20/2023 11:00	Normal	0.0	
3/20/2023 12:00	Normal	0.0	
3/20/2023 13:00	Normal	0.0	
3/20/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/20/2023 15:00	Normal	0.0	
3/20/2023 16:00	Normal	0.0	
3/20/2023 17:00	Normal	0.0	
3/20/2023 18:00	Normal	0.0	
3/20/2023 19:00	Normal	0.0	
3/20/2023 20:00	Normal	0.0	
3/20/2023 21:00	Normal	0.0	
3/20/2023 22:00	Normal	0.0	
3/20/2023 23:00	Normal	0.0	0.5
3/21/2023 0:00	Normal	0.0	
3/21/2023 1:00	Normal	0.0	
3/21/2023 2:00	Normal	0.0	
3/21/2023 3:00	Normal	0.0	
3/21/2023 4:00	Normal	0.0	
3/21/2023 5:00	Normal	0.0	
3/21/2023 6:00	Normal	0.0	
3/21/2023 7:00	Normal	0.0	
3/21/2023 8:00	Normal	0.0	
3/21/2023 9:00	Normal	0.0	
3/21/2023 10:00	Normal	0.0	
3/21/2023 11:00	Normal	0.0	
3/21/2023 12:00	Normal	0.0	
3/21/2023 13:00	Normal	0.0	
3/21/2023 14:00	Normal	0.0	
3/21/2023 15:00	Normal	0.0	
3/21/2023 16:00	Normal	0.0	
3/21/2023 17:00	Normal	0.0	
3/21/2023 18:00	Normal	0.0	
3/21/2023 19:00	Normal	0.0	
3/21/2023 20:00	Normal	0.0	
3/21/2023 21:00	Normal	0.0	
3/21/2023 22:00	Normal	0.0	
3/21/2023 23:00	Normal	0.0	0.5
3/22/2023 0:00	Normal	0.0	
3/22/2023 1:00	Normal	0.0	
3/22/2023 2:00	Normal	0.0	
3/22/2023 3:00	Normal	0.0	
3/22/2023 4:00	Normal	0.0	
3/22/2023 5:00	Normal	0.0	
3/22/2023 6:00	Normal	0.0	
3/22/2023 7:00	Normal	0.0	
3/22/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/22/2023 9:00	Normal	0.0	
3/22/2023 10:00	Normal	0.0	
3/22/2023 11:00	Normal	0.0	
3/22/2023 12:00	Normal	0.0	
3/22/2023 13:00	Normal	0.0	
3/22/2023 14:00	Normal	0.0	
3/22/2023 15:00	Normal	0.0	
3/22/2023 16:00	Normal	0.0	
3/22/2023 17:00	Normal	0.0	
3/22/2023 18:00	Normal	0.0	
3/22/2023 19:00	Normal	0.0	
3/22/2023 20:00	Normal	0.0	
3/22/2023 21:00	Normal	0.0	
3/22/2023 22:00	Normal	0.0	
3/22/2023 23:00	Normal	0.0	0.5
3/23/2023 0:00	Normal	0.0	
3/23/2023 1:00	Normal	0.0	
3/23/2023 2:00	Normal	0.0	
3/23/2023 3:00	Normal	0.0	
3/23/2023 4:00	Normal	0.0	
3/23/2023 5:00	Normal	0.0	
3/23/2023 6:00	Normal	0.0	
3/23/2023 7:00	Normal	0.0	
3/23/2023 8:00	Normal	0.0	
3/23/2023 9:00	Other	187.4	
3/23/2023 10:00	Other	1792.4	
3/23/2023 11:00	Other	1379.0	
3/23/2023 12:00	Other	1311.3	
3/23/2023 13:00	Other	1379.0	
3/23/2023 14:00	Other	1312.0	
3/23/2023 15:00	Other	1250.0	
3/23/2023 16:00	Other	1198.3	
3/23/2023 17:00	Other	1484.8	
3/23/2023 18:00	Other	1551.7	
3/23/2023 19:00	Other	534.8	
3/23/2023 20:00	Normal	0.0	
3/23/2023 21:00	Normal	0.0	
3/23/2023 22:00	Normal	0.0	
3/23/2023 23:00	Normal	0.0	19.0
3/24/2023 0:00	Normal	0.0	
3/24/2023 1:00	Normal	0.0	
3/24/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/24/2023 3:00	Normal	0.0	
3/24/2023 4:00	Normal	0.0	
3/24/2023 5:00	Normal	0.0	
3/24/2023 6:00	Normal	0.0	
3/24/2023 7:00	Normal	0.0	
3/24/2023 8:00	Normal	0.0	
3/24/2023 9:00	Normal	0.0	
3/24/2023 10:00	Normal	0.0	
3/24/2023 11:00	Normal	0.0	
3/24/2023 12:00	Normal	0.0	
3/24/2023 13:00	Normal	0.0	
3/24/2023 14:00	Normal	0.0	
3/24/2023 15:00	Normal	0.0	
3/24/2023 16:00	Normal	0.0	
3/24/2023 17:00	Normal	0.0	
3/24/2023 18:00	Normal	0.0	
3/24/2023 19:00	Normal	0.0	
3/24/2023 20:00	Normal	0.0	
3/24/2023 21:00	Normal	0.0	
3/24/2023 22:00	Normal	0.0	
3/24/2023 23:00	Normal	0.0	19.0
3/25/2023 0:00	Normal	0.0	
3/25/2023 1:00	Normal	0.0	
3/25/2023 2:00	Normal	0.0	
3/25/2023 3:00	Normal	0.0	
3/25/2023 4:00	Normal	0.0	
3/25/2023 5:00	Normal	0.0	
3/25/2023 6:00	Normal	0.0	
3/25/2023 7:00	Normal	0.0	
3/25/2023 8:00	Normal	0.0	
3/25/2023 9:00	Normal	0.0	
3/25/2023 10:00	Normal	0.0	
3/25/2023 11:00	Normal	0.0	
3/25/2023 12:00	Normal	0.0	
3/25/2023 13:00	Normal	0.0	
3/25/2023 14:00	Normal	0.0	
3/25/2023 15:00	Normal	0.0	
3/25/2023 16:00	Normal	0.0	
3/25/2023 17:00	Normal	0.0	
3/25/2023 18:00	Normal	0.0	
3/25/2023 19:00	Normal	0.0	
3/25/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/25/2023 21:00	Normal	0.0	
3/25/2023 22:00	Normal	0.0	
3/25/2023 23:00	Normal	0.0	19.0
3/26/2023 0:00	Normal	0.0	
3/26/2023 1:00	Normal	0.0	
3/26/2023 2:00	Normal	0.0	
3/26/2023 3:00	Normal	0.0	
3/26/2023 4:00	Normal	0.0	
3/26/2023 5:00	Normal	0.0	
3/26/2023 6:00	Normal	0.0	
3/26/2023 7:00	Normal	0.0	
3/26/2023 8:00	Normal	0.0	
3/26/2023 9:00	Normal	0.0	
3/26/2023 10:00	Normal	0.0	
3/26/2023 11:00	Normal	0.0	
3/26/2023 12:00	Normal	0.0	
3/26/2023 13:00	Normal	0.0	
3/26/2023 14:00	Normal	0.0	
3/26/2023 15:00	Normal	0.0	
3/26/2023 16:00	Normal	0.0	
3/26/2023 17:00	Normal	0.0	
3/26/2023 18:00	Normal	0.0	
3/26/2023 19:00	Normal	0.0	
3/26/2023 20:00	Normal	0.0	
3/26/2023 21:00	Normal	0.0	
3/26/2023 22:00	Normal	0.0	
3/26/2023 23:00	Normal	0.0	19.0
3/27/2023 0:00	Normal	0.0	
3/27/2023 1:00	Normal	0.0	
3/27/2023 2:00	Normal	0.0	
3/27/2023 3:00	Normal	0.0	
3/27/2023 4:00	Normal	0.0	
3/27/2023 5:00	Normal	0.0	
3/27/2023 6:00	Normal	0.0	
3/27/2023 7:00	Normal	0.0	
3/27/2023 8:00	Normal	0.0	
3/27/2023 9:00	Normal	0.0	
3/27/2023 10:00	Normal	0.0	
3/27/2023 11:00	Normal	0.0	
3/27/2023 12:00	Normal	0.0	
3/27/2023 13:00	Normal	0.0	
3/27/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/27/2023 15:00	Normal	0.0	
3/27/2023 16:00	Normal	0.0	
3/27/2023 17:00	Normal	0.0	
3/27/2023 18:00	Normal	0.0	
3/27/2023 19:00	Normal	0.0	
3/27/2023 20:00	Normal	0.0	
3/27/2023 21:00	Normal	0.0	
3/27/2023 22:00	Normal	0.0	
3/27/2023 23:00	Normal	0.0	19.0
3/28/2023 0:00	Normal	0.0	
3/28/2023 1:00	Normal	0.0	
3/28/2023 2:00	Normal	0.0	
3/28/2023 3:00	Normal	0.0	
3/28/2023 4:00	Normal	0.0	
3/28/2023 5:00	Normal	0.0	
3/28/2023 6:00	Normal	0.0	
3/28/2023 7:00	Normal	0.0	
3/28/2023 8:00	Normal	0.0	
3/28/2023 9:00	Normal	0.0	
3/28/2023 10:00	Normal	0.0	
3/28/2023 11:00	Normal	0.0	
3/28/2023 12:00	Normal	0.0	
3/28/2023 13:00	Normal	0.0	
3/28/2023 14:00	Normal	0.0	
3/28/2023 15:00	Normal	0.0	
3/28/2023 16:00	Normal	0.0	
3/28/2023 17:00	Normal	0.0	
3/28/2023 18:00	Normal	0.0	
3/28/2023 19:00	Normal	0.0	
3/28/2023 20:00	Normal	0.0	
3/28/2023 21:00	Normal	0.0	
3/28/2023 22:00	Normal	0.0	
3/28/2023 23:00	Normal	0.0	19.0
3/29/2023 0:00	Normal	0.0	
3/29/2023 1:00	Normal	0.0	
3/29/2023 2:00	Normal	0.0	
3/29/2023 3:00	Normal	0.0	
3/29/2023 4:00	Normal	0.0	
3/29/2023 5:00	Normal	0.0	
3/29/2023 6:00	Normal	0.0	
3/29/2023 7:00	Normal	0.0	
3/29/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/29/2023 9:00	Normal	0.0	
3/29/2023 10:00	Normal	0.0	
3/29/2023 11:00	Normal	0.0	
3/29/2023 12:00	Normal	0.0	
3/29/2023 13:00	Normal	0.0	
3/29/2023 14:00	Normal	0.0	
3/29/2023 15:00	Normal	0.0	
3/29/2023 16:00	Normal	0.0	
3/29/2023 17:00	Normal	0.0	
3/29/2023 18:00	Normal	0.0	
3/29/2023 19:00	Normal	0.0	
3/29/2023 20:00	Normal	0.0	
3/29/2023 21:00	Normal	0.0	
3/29/2023 22:00	Normal	0.0	
3/29/2023 23:00	Normal	0.0	18.9
3/30/2023 0:00	Normal	0.0	
3/30/2023 1:00	Normal	0.0	
3/30/2023 2:00	Normal	0.0	
3/30/2023 3:00	Normal	0.0	
3/30/2023 4:00	Normal	0.0	
3/30/2023 5:00	Normal	0.0	
3/30/2023 6:00	Normal	0.0	
3/30/2023 7:00	Normal	0.0	
3/30/2023 8:00	Normal	0.0	
3/30/2023 9:00	Normal	0.0	
3/30/2023 10:00	Normal	0.0	
3/30/2023 11:00	Normal	0.0	
3/30/2023 12:00	Normal	0.0	
3/30/2023 13:00	Normal	0.0	
3/30/2023 14:00	Normal	0.0	
3/30/2023 15:00	Normal	0.0	
3/30/2023 16:00	Normal	0.0	
3/30/2023 17:00	Normal	0.0	
3/30/2023 18:00	Normal	0.0	
3/30/2023 19:00	Normal	0.0	
3/30/2023 20:00	Normal	0.0	
3/30/2023 21:00	Normal	0.0	
3/30/2023 22:00	Normal	0.0	
3/30/2023 23:00	Normal	0.0	18.9
3/31/2023 0:00	Normal	0.0	
3/31/2023 1:00	Normal	0.0	
3/31/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
3/31/2023 3:00	Normal	0.0	
3/31/2023 4:00	Normal	0.0	
3/31/2023 5:00	Normal	0.0	
3/31/2023 6:00	Normal	0.0	
3/31/2023 7:00	Normal	0.0	
3/31/2023 8:00	Normal	0.0	
3/31/2023 9:00	Normal	0.0	
3/31/2023 10:00	Normal	0.0	
3/31/2023 11:00	Normal	0.0	
3/31/2023 12:00	Normal	0.0	
3/31/2023 13:00	Normal	0.0	
3/31/2023 14:00	Normal	0.0	
3/31/2023 15:00	Normal	0.0	
3/31/2023 16:00	Normal	0.0	
3/31/2023 17:00	Normal	0.0	
3/31/2023 18:00	Normal	0.0	
3/31/2023 19:00	Normal	0.0	
3/31/2023 20:00	Normal	0.0	
3/31/2023 21:00	Normal	0.0	
3/31/2023 22:00	Normal	0.0	
3/31/2023 23:00	Normal	0.0	18.8
4/1/2023 0:00	Normal	0.0	
4/1/2023 1:00	Normal	0.0	
4/1/2023 2:00	Normal	0.0	
4/1/2023 3:00	Normal	0.0	
4/1/2023 4:00	Normal	0.0	
4/1/2023 5:00	Normal	0.0	
4/1/2023 6:00	Normal	0.0	
4/1/2023 7:00	Normal	0.0	
4/1/2023 8:00	Normal	0.0	
4/1/2023 9:00	Normal	0.0	
4/1/2023 10:00	Normal	0.0	
4/1/2023 11:00	Normal	0.0	
4/1/2023 12:00	Normal	0.0	
4/1/2023 13:00	Normal	0.0	
4/1/2023 14:00	Normal	0.0	
4/1/2023 15:00	Normal	0.0	
4/1/2023 16:00	Normal	0.0	
4/1/2023 17:00	Normal	0.0	
4/1/2023 18:00	Normal	0.0	
4/1/2023 19:00	Normal	0.0	
4/1/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/1/2023 21:00	Normal	0.0	
4/1/2023 22:00	Normal	0.0	
4/1/2023 23:00	Normal	0.0	18.8
4/2/2023 0:00	Normal	0.0	
4/2/2023 1:00	Normal	0.0	
4/2/2023 2:00	Normal	0.0	
4/2/2023 3:00	Normal	0.0	
4/2/2023 4:00	Normal	0.0	
4/2/2023 5:00	Normal	0.0	
4/2/2023 6:00	Normal	0.0	
4/2/2023 7:00	Normal	0.0	
4/2/2023 8:00	Normal	0.0	
4/2/2023 9:00	Normal	0.0	
4/2/2023 10:00	Normal	0.0	
4/2/2023 11:00	Normal	0.0	
4/2/2023 12:00	Normal	0.0	
4/2/2023 13:00	Normal	0.0	
4/2/2023 14:00	Normal	0.0	
4/2/2023 15:00	Normal	0.0	
4/2/2023 16:00	Normal	0.0	
4/2/2023 17:00	Normal	0.0	
4/2/2023 18:00	Normal	0.0	
4/2/2023 19:00	Normal	0.0	
4/2/2023 20:00	Normal	0.0	
4/2/2023 21:00	Normal	0.0	
4/2/2023 22:00	Normal	0.0	
4/2/2023 23:00	Normal	0.0	18.8
4/3/2023 0:00	Normal	0.0	
4/3/2023 1:00	Normal	0.0	
4/3/2023 2:00	Normal	0.0	
4/3/2023 3:00	Normal	0.0	
4/3/2023 4:00	Normal	0.0	
4/3/2023 5:00	Normal	0.0	
4/3/2023 6:00	Normal	0.0	
4/3/2023 7:00	Normal	0.0	
4/3/2023 8:00	Normal	0.0	
4/3/2023 9:00	Normal	0.0	
4/3/2023 10:00	Normal	0.0	
4/3/2023 11:00	Normal	0.0	
4/3/2023 12:00	Normal	0.0	
4/3/2023 13:00	Normal	0.0	
4/3/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/3/2023 15:00	Normal	0.0	
4/3/2023 16:00	Normal	0.0	
4/3/2023 17:00	Normal	0.0	
4/3/2023 18:00	Normal	0.0	
4/3/2023 19:00	Normal	0.0	
4/3/2023 20:00	Normal	0.0	
4/3/2023 21:00	Normal	0.0	
4/3/2023 22:00	Normal	0.0	
4/3/2023 23:00	Normal	0.0	18.8
4/4/2023 0:00	Normal	0.0	
4/4/2023 1:00	Normal	0.0	
4/4/2023 2:00	Normal	0.0	
4/4/2023 3:00	Normal	0.0	
4/4/2023 4:00	Normal	0.0	
4/4/2023 5:00	Normal	0.0	
4/4/2023 6:00	Normal	0.0	
4/4/2023 7:00	Normal	0.0	
4/4/2023 8:00	Normal	0.0	
4/4/2023 9:00	Normal	0.0	
4/4/2023 10:00	Normal	0.0	
4/4/2023 11:00	Normal	0.0	
4/4/2023 12:00	Normal	0.0	
4/4/2023 13:00	Normal	0.0	
4/4/2023 14:00	Normal	0.0	
4/4/2023 15:00	Normal	0.0	
4/4/2023 16:00	Normal	0.0	
4/4/2023 17:00	Normal	0.0	
4/4/2023 18:00	Normal	0.0	
4/4/2023 19:00	Normal	0.0	
4/4/2023 20:00	Normal	0.0	
4/4/2023 21:00	Normal	0.0	
4/4/2023 22:00	Normal	0.0	
4/4/2023 23:00	Normal	0.0	18.8
4/5/2023 0:00	Normal	0.0	
4/5/2023 1:00	Normal	0.0	
4/5/2023 2:00	Normal	0.0	
4/5/2023 3:00	Normal	0.0	
4/5/2023 4:00	Normal	0.0	
4/5/2023 5:00	Normal	0.0	
4/5/2023 6:00	Normal	0.0	
4/5/2023 7:00	Normal	0.0	
4/5/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/5/2023 9:00	Normal	0.0	
4/5/2023 10:00	Normal	0.0	
4/5/2023 11:00	Normal	0.0	
4/5/2023 12:00	Normal	0.0	
4/5/2023 13:00	Normal	0.0	
4/5/2023 14:00	Normal	0.0	
4/5/2023 15:00	Normal	0.0	
4/5/2023 16:00	Normal	0.0	
4/5/2023 17:00	Normal	0.0	
4/5/2023 18:00	Normal	0.0	
4/5/2023 19:00	Normal	0.0	
4/5/2023 20:00	Normal	0.0	
4/5/2023 21:00	Normal	0.0	
4/5/2023 22:00	Normal	0.0	
4/5/2023 23:00	Normal	0.0	18.8
4/6/2023 0:00	Normal	0.0	
4/6/2023 1:00	Normal	0.0	
4/6/2023 2:00	Normal	0.0	
4/6/2023 3:00	Normal	0.0	
4/6/2023 4:00	Normal	0.0	
4/6/2023 5:00	Normal	0.0	
4/6/2023 6:00	Normal	0.0	
4/6/2023 7:00	Normal	0.0	
4/6/2023 8:00	Normal	0.0	
4/6/2023 9:00	Normal	0.0	
4/6/2023 10:00	Normal	0.0	
4/6/2023 11:00	Normal	0.0	
4/6/2023 12:00	Normal	0.0	
4/6/2023 13:00	Normal	0.0	
4/6/2023 14:00	Normal	0.0	
4/6/2023 15:00	Normal	0.0	
4/6/2023 16:00	Normal	0.0	
4/6/2023 17:00	Normal	0.0	
4/6/2023 18:00	Normal	0.0	
4/6/2023 19:00	Normal	0.0	
4/6/2023 20:00	Normal	0.0	
4/6/2023 21:00	Normal	0.0	
4/6/2023 22:00	Normal	0.0	
4/6/2023 23:00	Normal	0.0	18.8
4/7/2023 0:00	Normal	0.0	
4/7/2023 1:00	Normal	0.0	
4/7/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/7/2023 3:00	Normal	0.0	
4/7/2023 4:00	Normal	0.0	
4/7/2023 5:00	Normal	0.0	
4/7/2023 6:00	Normal	0.0	
4/7/2023 7:00	Normal	0.0	
4/7/2023 8:00	Normal	0.0	
4/7/2023 9:00	Normal	0.0	
4/7/2023 10:00	Normal	0.0	
4/7/2023 11:00	Normal	0.0	
4/7/2023 12:00	Normal	0.0	
4/7/2023 13:00	Normal	0.0	
4/7/2023 14:00	Normal	0.0	
4/7/2023 15:00	Normal	0.0	
4/7/2023 16:00	Normal	0.0	
4/7/2023 17:00	Normal	0.0	
4/7/2023 18:00	Normal	0.0	
4/7/2023 19:00	Normal	0.0	
4/7/2023 20:00	Normal	0.0	
4/7/2023 21:00	Normal	0.0	
4/7/2023 22:00	Normal	0.0	
4/7/2023 23:00	Normal	0.0	18.8
4/8/2023 0:00	Normal	0.0	
4/8/2023 1:00	Normal	0.0	
4/8/2023 2:00	Normal	0.0	
4/8/2023 3:00	Normal	0.0	
4/8/2023 4:00	Normal	0.0	
4/8/2023 5:00	Normal	0.0	
4/8/2023 6:00	Normal	0.0	
4/8/2023 7:00	Normal	0.0	
4/8/2023 8:00	Normal	0.0	
4/8/2023 9:00	Normal	0.0	
4/8/2023 10:00	Normal	0.0	
4/8/2023 11:00	Normal	0.0	
4/8/2023 12:00	Normal	0.0	
4/8/2023 13:00	Normal	0.0	
4/8/2023 14:00	Normal	0.0	
4/8/2023 15:00	Normal	0.0	
4/8/2023 16:00	Normal	0.0	
4/8/2023 17:00	Normal	0.0	
4/8/2023 18:00	Normal	0.0	
4/8/2023 19:00	Normal	0.0	
4/8/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/8/2023 21:00	Normal	0.0	
4/8/2023 22:00	Normal	0.0	
4/8/2023 23:00	Normal	0.0	18.6
4/9/2023 0:00	Normal	0.0	
4/9/2023 1:00	Normal	0.0	
4/9/2023 2:00	Normal	0.0	
4/9/2023 3:00	Normal	0.0	
4/9/2023 4:00	Normal	0.0	
4/9/2023 5:00	Normal	0.0	
4/9/2023 6:00	Normal	0.0	
4/9/2023 7:00	Normal	0.0	
4/9/2023 8:00	Normal	0.0	
4/9/2023 9:00	Normal	0.0	
4/9/2023 10:00	Normal	0.0	
4/9/2023 11:00	Normal	0.0	
4/9/2023 12:00	Normal	0.0	
4/9/2023 13:00	Normal	0.0	
4/9/2023 14:00	Normal	0.0	
4/9/2023 15:00	Normal	0.0	
4/9/2023 16:00	Normal	0.0	
4/9/2023 17:00	Normal	0.0	
4/9/2023 18:00	Normal	0.0	
4/9/2023 19:00	Normal	0.0	
4/9/2023 20:00	Normal	0.0	
4/9/2023 21:00	Normal	0.0	
4/9/2023 22:00	Normal	0.0	
4/9/2023 23:00	Normal	0.0	18.6
4/10/2023 0:00	Normal	0.0	
4/10/2023 1:00	Normal	0.0	
4/10/2023 2:00	Normal	0.0	
4/10/2023 3:00	Normal	0.0	
4/10/2023 4:00	Normal	0.0	
4/10/2023 5:00	Normal	0.0	
4/10/2023 6:00	Normal	0.0	
4/10/2023 7:00	Normal	0.0	
4/10/2023 8:00	Normal	0.0	
4/10/2023 9:00	Normal	0.0	
4/10/2023 10:00	Normal	0.0	
4/10/2023 11:00	Normal	0.0	
4/10/2023 12:00	Normal	0.0	
4/10/2023 13:00	Normal	0.0	
4/10/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/10/2023 15:00	Normal	0.0	
4/10/2023 16:00	Normal	0.0	
4/10/2023 17:00	Normal	0.0	
4/10/2023 18:00	Normal	0.0	
4/10/2023 19:00	Normal	0.0	
4/10/2023 20:00	Normal	0.0	
4/10/2023 21:00	Normal	0.0	
4/10/2023 22:00	Normal	0.0	
4/10/2023 23:00	Normal	0.0	18.6
4/11/2023 0:00	Normal	0.0	
4/11/2023 1:00	Normal	0.0	
4/11/2023 2:00	Normal	0.0	
4/11/2023 3:00	Normal	0.0	
4/11/2023 4:00	Normal	0.0	
4/11/2023 5:00	Normal	0.0	
4/11/2023 6:00	Normal	0.0	
4/11/2023 7:00	Normal	0.0	
4/11/2023 8:00	Normal	0.0	
4/11/2023 9:00	Normal	0.0	
4/11/2023 10:00	Normal	0.0	
4/11/2023 11:00	Normal	0.0	
4/11/2023 12:00	Normal	0.0	
4/11/2023 13:00	Normal	0.0	
4/11/2023 14:00	Normal	0.0	
4/11/2023 15:00	Normal	0.0	
4/11/2023 16:00	Normal	0.0	
4/11/2023 17:00	Normal	0.0	
4/11/2023 18:00	Normal	0.0	
4/11/2023 19:00	Normal	0.0	
4/11/2023 20:00	Normal	0.0	
4/11/2023 21:00	Normal	0.0	
4/11/2023 22:00	Normal	0.0	
4/11/2023 23:00	Normal	0.0	18.6
4/12/2023 0:00	Normal	0.0	
4/12/2023 1:00	Normal	0.0	
4/12/2023 2:00	Normal	0.0	
4/12/2023 3:00	Normal	0.0	
4/12/2023 4:00	Normal	0.0	
4/12/2023 5:00	Normal	0.0	
4/12/2023 6:00	Normal	0.0	
4/12/2023 7:00	Normal	0.0	
4/12/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/12/2023 9:00	Normal	0.0	
4/12/2023 10:00	Normal	0.0	
4/12/2023 11:00	Normal	0.0	
4/12/2023 12:00	Normal	0.0	
4/12/2023 13:00	Normal	0.0	
4/12/2023 14:00	Normal	0.0	
4/12/2023 15:00	Normal	0.0	
4/12/2023 16:00	Normal	0.0	
4/12/2023 17:00	Normal	0.0	
4/12/2023 18:00	Normal	0.0	
4/12/2023 19:00	Normal	0.0	
4/12/2023 20:00	Normal	0.0	
4/12/2023 21:00	Normal	0.0	
4/12/2023 22:00	Normal	0.0	
4/12/2023 23:00	Normal	0.0	18.6
4/13/2023 0:00	Normal	0.0	
4/13/2023 1:00	Normal	0.0	
4/13/2023 2:00	Normal	0.0	
4/13/2023 3:00	Normal	0.0	
4/13/2023 4:00	Normal	0.0	
4/13/2023 5:00	Normal	0.0	
4/13/2023 6:00	Normal	0.0	
4/13/2023 7:00	Normal	0.0	
4/13/2023 8:00	Normal	0.0	
4/13/2023 9:00	Normal	0.0	
4/13/2023 10:00	Normal	0.0	
4/13/2023 11:00	Normal	0.0	
4/13/2023 12:00	Normal	0.0	
4/13/2023 13:00	Normal	0.0	
4/13/2023 14:00	Normal	0.0	
4/13/2023 15:00	Normal	0.0	
4/13/2023 16:00	Normal	0.0	
4/13/2023 17:00	Normal	0.0	
4/13/2023 18:00	Normal	0.0	
4/13/2023 19:00	Normal	0.0	
4/13/2023 20:00	Normal	0.0	
4/13/2023 21:00	Normal	0.0	
4/13/2023 22:00	Normal	0.0	
4/13/2023 23:00	Normal	0.0	18.6
4/14/2023 0:00	Normal	0.0	
4/14/2023 1:00	Normal	0.0	
4/14/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/14/2023 3:00	Normal	0.0	
4/14/2023 4:00	Normal	0.0	
4/14/2023 5:00	Normal	0.0	
4/14/2023 6:00	Normal	0.0	
4/14/2023 7:00	Normal	0.0	
4/14/2023 8:00	Normal	0.0	
4/14/2023 9:00	Normal	0.0	
4/14/2023 10:00	Normal	0.0	
4/14/2023 11:00	Normal	0.0	
4/14/2023 12:00	Normal	0.0	
4/14/2023 13:00	Normal	0.0	
4/14/2023 14:00	Normal	0.0	
4/14/2023 15:00	Normal	0.0	
4/14/2023 16:00	Normal	0.0	
4/14/2023 17:00	Normal	0.0	
4/14/2023 18:00	Normal	0.0	
4/14/2023 19:00	Normal	0.0	
4/14/2023 20:00	Normal	0.0	
4/14/2023 21:00	Normal	0.0	
4/14/2023 22:00	Normal	0.0	
4/14/2023 23:00	Normal	0.0	18.6
4/15/2023 0:00	Normal	0.0	
4/15/2023 1:00	Normal	0.0	
4/15/2023 2:00	Normal	0.0	
4/15/2023 3:00	Normal	0.0	
4/15/2023 4:00	Normal	0.0	
4/15/2023 5:00	Normal	0.0	
4/15/2023 6:00	Normal	0.0	
4/15/2023 7:00	Normal	0.0	
4/15/2023 8:00	Normal	0.0	
4/15/2023 9:00	Normal	0.0	
4/15/2023 10:00	Normal	0.0	
4/15/2023 11:00	Normal	0.0	
4/15/2023 12:00	Normal	0.0	
4/15/2023 13:00	Normal	0.0	
4/15/2023 14:00	Normal	0.0	
4/15/2023 15:00	Normal	0.0	
4/15/2023 16:00	Normal	0.0	
4/15/2023 17:00	Normal	0.0	
4/15/2023 18:00	Normal	0.0	
4/15/2023 19:00	Normal	0.0	
4/15/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/15/2023 21:00	Normal	0.0	
4/15/2023 22:00	Normal	0.0	
4/15/2023 23:00	Normal	0.0	18.6
4/16/2023 0:00	Normal	0.0	
4/16/2023 1:00	Normal	0.0	
4/16/2023 2:00	Normal	0.0	
4/16/2023 3:00	Normal	0.0	
4/16/2023 4:00	Normal	0.0	
4/16/2023 5:00	Normal	0.0	
4/16/2023 6:00	Normal	0.0	
4/16/2023 7:00	Normal	0.0	
4/16/2023 8:00	Normal	0.0	
4/16/2023 9:00	Normal	0.0	
4/16/2023 10:00	Normal	0.0	
4/16/2023 11:00	Normal	0.0	
4/16/2023 12:00	Normal	0.0	
4/16/2023 13:00	Normal	0.0	
4/16/2023 14:00	Normal	0.0	
4/16/2023 15:00	Normal	0.0	
4/16/2023 16:00	Normal	0.0	
4/16/2023 17:00	Normal	0.0	
4/16/2023 18:00	Normal	0.0	
4/16/2023 19:00	Normal	0.0	
4/16/2023 20:00	Normal	0.0	
4/16/2023 21:00	Normal	0.0	
4/16/2023 22:00	Normal	0.0	
4/16/2023 23:00	Normal	0.0	18.6
4/17/2023 0:00	Normal	0.0	
4/17/2023 1:00	Normal	0.0	
4/17/2023 2:00	Normal	0.0	
4/17/2023 3:00	Normal	0.0	
4/17/2023 4:00	Normal	0.0	
4/17/2023 5:00	Normal	0.0	
4/17/2023 6:00	Normal	0.0	
4/17/2023 7:00	Normal	0.0	
4/17/2023 8:00	Normal	0.0	
4/17/2023 9:00	Normal	0.0	
4/17/2023 10:00	Normal	0.0	
4/17/2023 11:00	Normal	0.0	
4/17/2023 12:00	Normal	0.0	
4/17/2023 13:00	Normal	0.0	
4/17/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/17/2023 15:00	Normal	0.0	
4/17/2023 16:00	Normal	0.0	
4/17/2023 17:00	Normal	0.0	
4/17/2023 18:00	Normal	0.0	
4/17/2023 19:00	Normal	0.0	
4/17/2023 20:00	Normal	0.0	
4/17/2023 21:00	Normal	0.0	
4/17/2023 22:00	Normal	0.0	
4/17/2023 23:00	Normal	0.0	18.6
4/18/2023 0:00	Normal	0.0	
4/18/2023 1:00	Normal	0.0	
4/18/2023 2:00	Normal	0.0	
4/18/2023 3:00	Normal	0.0	
4/18/2023 4:00	Normal	0.0	
4/18/2023 5:00	Normal	0.0	
4/18/2023 6:00	Normal	0.0	
4/18/2023 7:00	Normal	0.0	
4/18/2023 8:00	Normal	0.0	
4/18/2023 9:00	Normal	0.0	
4/18/2023 10:00	Normal	0.0	
4/18/2023 11:00	Normal	0.0	
4/18/2023 12:00	Normal	0.0	
4/18/2023 13:00	Normal	0.0	
4/18/2023 14:00	Normal	0.0	
4/18/2023 15:00	Normal	0.0	
4/18/2023 16:00	Normal	0.0	
4/18/2023 17:00	Normal	0.0	
4/18/2023 18:00	Normal	0.0	
4/18/2023 19:00	Normal	0.0	
4/18/2023 20:00	Normal	0.0	
4/18/2023 21:00	Normal	0.0	
4/18/2023 22:00	Normal	0.0	
4/18/2023 23:00	Normal	0.0	18.6
4/19/2023 0:00	Normal	0.0	
4/19/2023 1:00	Normal	0.0	
4/19/2023 2:00	Normal	0.0	
4/19/2023 3:00	Normal	0.0	
4/19/2023 4:00	Normal	0.0	
4/19/2023 5:00	Normal	0.0	
4/19/2023 6:00	Normal	0.0	
4/19/2023 7:00	Normal	0.0	
4/19/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/19/2023 9:00	Normal	0.0	
4/19/2023 10:00	Normal	0.0	
4/19/2023 11:00	Normal	0.0	
4/19/2023 12:00	Normal	0.0	
4/19/2023 13:00	Normal	0.0	
4/19/2023 14:00	Normal	0.0	
4/19/2023 15:00	Normal	0.0	
4/19/2023 16:00	Normal	0.0	
4/19/2023 17:00	Normal	0.0	
4/19/2023 18:00	Normal	0.0	
4/19/2023 19:00	Normal	0.0	
4/19/2023 20:00	Normal	0.0	
4/19/2023 21:00	Normal	0.0	
4/19/2023 22:00	Normal	0.0	
4/19/2023 23:00	Normal	0.0	18.6
4/20/2023 0:00	Normal	0.0	
4/20/2023 1:00	Normal	0.0	
4/20/2023 2:00	Normal	0.0	
4/20/2023 3:00	Normal	0.0	
4/20/2023 4:00	Normal	0.0	
4/20/2023 5:00	Normal	0.0	
4/20/2023 6:00	Normal	0.0	
4/20/2023 7:00	Normal	0.0	
4/20/2023 8:00	Normal	0.0	
4/20/2023 9:00	Normal	0.0	
4/20/2023 10:00	Normal	0.0	
4/20/2023 11:00	Normal	0.0	
4/20/2023 12:00	Normal	0.0	
4/20/2023 13:00	Normal	0.0	
4/20/2023 14:00	Normal	0.0	
4/20/2023 15:00	Normal	0.0	
4/20/2023 16:00	Normal	0.0	
4/20/2023 17:00	Normal	0.0	
4/20/2023 18:00	Normal	0.0	
4/20/2023 19:00	Normal	0.0	
4/20/2023 20:00	Normal	0.0	
4/20/2023 21:00	Normal	0.0	
4/20/2023 22:00	Normal	0.0	
4/20/2023 23:00	Normal	0.0	18.6
4/21/2023 0:00	Normal	0.0	
4/21/2023 1:00	Normal	0.0	
4/21/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/21/2023 3:00	Normal	0.0	
4/21/2023 4:00	Normal	0.0	
4/21/2023 5:00	Normal	0.0	
4/21/2023 6:00	Normal	0.0	
4/21/2023 7:00	Normal	0.0	
4/21/2023 8:00	Normal	0.0	
4/21/2023 9:00	Normal	0.0	
4/21/2023 10:00	Normal	0.0	
4/21/2023 11:00	Normal	0.0	
4/21/2023 12:00	Normal	0.0	
4/21/2023 13:00	Normal	0.0	
4/21/2023 14:00	Normal	0.0	
4/21/2023 15:00	Normal	0.0	
4/21/2023 16:00	Normal	0.0	
4/21/2023 17:00	Normal	0.0	
4/21/2023 18:00	Normal	0.0	
4/21/2023 19:00	Normal	0.0	
4/21/2023 20:00	Normal	0.0	
4/21/2023 21:00	Normal	0.0	
4/21/2023 22:00	Normal	0.0	
4/21/2023 23:00	Normal	0.0	18.6
4/22/2023 0:00	Normal	0.0	
4/22/2023 1:00	Normal	0.0	
4/22/2023 2:00	Normal	0.0	
4/22/2023 3:00	Normal	0.0	
4/22/2023 4:00	Normal	0.0	
4/22/2023 5:00	Normal	0.0	
4/22/2023 6:00	Normal	0.0	
4/22/2023 7:00	Normal	0.0	
4/22/2023 8:00	Normal	0.0	
4/22/2023 9:00	Normal	0.0	
4/22/2023 10:00	Normal	0.0	
4/22/2023 11:00	Normal	0.0	
4/22/2023 12:00	Normal	0.0	
4/22/2023 13:00	Normal	0.0	
4/22/2023 14:00	Normal	0.0	
4/22/2023 15:00	Normal	0.0	
4/22/2023 16:00	Normal	0.0	
4/22/2023 17:00	Normal	0.0	
4/22/2023 18:00	Normal	0.0	
4/22/2023 19:00	Normal	0.0	
4/22/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/22/2023 21:00	Normal	0.0	
4/22/2023 22:00	Normal	0.0	
4/22/2023 23:00	Normal	0.0	0.0
4/23/2023 0:00	Normal	0.0	
4/23/2023 1:00	Normal	0.0	
4/23/2023 2:00	Normal	0.0	
4/23/2023 3:00	Normal	0.0	
4/23/2023 4:00	Normal	0.0	
4/23/2023 5:00	Normal	0.0	
4/23/2023 6:00	Normal	0.0	
4/23/2023 7:00	Normal	0.0	
4/23/2023 8:00	Normal	0.0	
4/23/2023 9:00	Normal	0.0	
4/23/2023 10:00	Normal	0.0	
4/23/2023 11:00	Normal	0.0	
4/23/2023 12:00	Normal	0.0	
4/23/2023 13:00	Normal	0.0	
4/23/2023 14:00	Normal	0.0	
4/23/2023 15:00	Normal	0.0	
4/23/2023 16:00	Normal	0.0	
4/23/2023 17:00	Normal	0.0	
4/23/2023 18:00	Normal	0.0	
4/23/2023 19:00	Normal	0.0	
4/23/2023 20:00	Normal	0.0	
4/23/2023 21:00	Normal	0.0	
4/23/2023 22:00	Normal	0.0	
4/23/2023 23:00	Normal	0.0	0.0
4/24/2023 0:00	Normal	0.0	
4/24/2023 1:00	Normal	0.0	
4/24/2023 2:00	Normal	0.0	
4/24/2023 3:00	Normal	0.0	
4/24/2023 4:00	Normal	0.0	
4/24/2023 5:00	Normal	0.0	
4/24/2023 6:00	Normal	0.0	
4/24/2023 7:00	Normal	0.0	
4/24/2023 8:00	Normal	0.0	
4/24/2023 9:00	Normal	0.0	
4/24/2023 10:00	Normal	0.0	
4/24/2023 11:00	Normal	0.0	
4/24/2023 12:00	Normal	0.0	
4/24/2023 13:00	Normal	0.0	
4/24/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/24/2023 15:00	Normal	0.0	
4/24/2023 16:00	Normal	0.0	
4/24/2023 17:00	Normal	0.0	
4/24/2023 18:00	Normal	0.0	
4/24/2023 19:00	Normal	0.0	
4/24/2023 20:00	Normal	0.0	
4/24/2023 21:00	Normal	0.0	
4/24/2023 22:00	Normal	0.0	
4/24/2023 23:00	Normal	0.0	0.0
4/25/2023 0:00	Normal	0.0	
4/25/2023 1:00	Normal	0.0	
4/25/2023 2:00	Normal	0.0	
4/25/2023 3:00	Normal	0.0	
4/25/2023 4:00	Normal	0.0	
4/25/2023 5:00	Normal	0.0	
4/25/2023 6:00	Normal	0.0	
4/25/2023 7:00	Normal	0.0	
4/25/2023 8:00	Normal	0.0	
4/25/2023 9:00	Normal	0.0	
4/25/2023 10:00	Normal	0.0	
4/25/2023 11:00	Normal	0.0	
4/25/2023 12:00	Normal	0.0	
4/25/2023 13:00	Normal	0.0	
4/25/2023 14:00	Normal	0.0	
4/25/2023 15:00	Normal	0.0	
4/25/2023 16:00	Normal	0.0	
4/25/2023 17:00	Normal	0.0	
4/25/2023 18:00	Normal	0.0	
4/25/2023 19:00	Normal	0.0	
4/25/2023 20:00	Normal	0.0	
4/25/2023 21:00	Normal	0.0	
4/25/2023 22:00	Normal	0.0	
4/25/2023 23:00	Normal	0.0	0.0
4/26/2023 0:00	Normal	0.0	
4/26/2023 1:00	Normal	0.0	
4/26/2023 2:00	Normal	0.0	
4/26/2023 3:00	Normal	0.0	
4/26/2023 4:00	Normal	0.0	
4/26/2023 5:00	Normal	0.0	
4/26/2023 6:00	Normal	0.0	
4/26/2023 7:00	Normal	0.0	
4/26/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/26/2023 9:00	Normal	0.0	
4/26/2023 10:00	Normal	0.0	
4/26/2023 11:00	Normal	0.0	
4/26/2023 12:00	Normal	0.0	
4/26/2023 13:00	Normal	0.0	
4/26/2023 14:00	Normal	0.0	
4/26/2023 15:00	Normal	0.0	
4/26/2023 16:00	Normal	0.0	
4/26/2023 17:00	Normal	0.0	
4/26/2023 18:00	Normal	0.0	
4/26/2023 19:00	Normal	0.0	
4/26/2023 20:00	Normal	0.0	
4/26/2023 21:00	Normal	0.0	
4/26/2023 22:00	Normal	0.0	
4/26/2023 23:00	Normal	0.0	0.0
4/27/2023 0:00	Normal	0.0	
4/27/2023 1:00	Normal	0.0	
4/27/2023 2:00	Normal	0.0	
4/27/2023 3:00	Normal	0.0	
4/27/2023 4:00	Normal	0.0	
4/27/2023 5:00	Normal	0.0	
4/27/2023 6:00	Normal	0.0	
4/27/2023 7:00	Normal	0.0	
4/27/2023 8:00	Normal	0.0	
4/27/2023 9:00	Normal	0.0	
4/27/2023 10:00	Normal	0.0	
4/27/2023 11:00	Normal	0.0	
4/27/2023 12:00	Normal	0.0	
4/27/2023 13:00	Normal	0.0	
4/27/2023 14:00	Normal	0.0	
4/27/2023 15:00	Normal	0.0	
4/27/2023 16:00	Normal	0.0	
4/27/2023 17:00	Normal	0.0	
4/27/2023 18:00	Normal	0.0	
4/27/2023 19:00	Normal	0.0	
4/27/2023 20:00	Normal	0.0	
4/27/2023 21:00	Normal	0.0	
4/27/2023 22:00	Normal	0.0	
4/27/2023 23:00	Normal	0.0	0.0
4/28/2023 0:00	Normal	0.0	
4/28/2023 1:00	Normal	0.0	
4/28/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/28/2023 3:00	Normal	0.0	
4/28/2023 4:00	Normal	0.0	
4/28/2023 5:00	Normal	0.0	
4/28/2023 6:00	Normal	0.0	
4/28/2023 7:00	Normal	0.0	
4/28/2023 8:00	Normal	0.0	
4/28/2023 9:00	Normal	0.0	
4/28/2023 10:00	Normal	0.0	
4/28/2023 11:00	Normal	0.0	
4/28/2023 12:00	Normal	0.0	
4/28/2023 13:00	Normal	0.0	
4/28/2023 14:00	Normal	0.0	
4/28/2023 15:00	Normal	0.0	
4/28/2023 16:00	Normal	0.0	
4/28/2023 17:00	Normal	0.0	
4/28/2023 18:00	Normal	0.0	
4/28/2023 19:00	Normal	0.0	
4/28/2023 20:00	Normal	0.0	
4/28/2023 21:00	Normal	0.0	
4/28/2023 22:00	Normal	0.0	
4/28/2023 23:00	Normal	0.0	0.0
4/29/2023 0:00	Normal	0.0	
4/29/2023 1:00	Normal	0.0	
4/29/2023 2:00	Normal	0.0	
4/29/2023 3:00	Normal	0.0	
4/29/2023 4:00	Normal	0.0	
4/29/2023 5:00	Normal	0.0	
4/29/2023 6:00	Normal	0.0	
4/29/2023 7:00	Normal	0.0	
4/29/2023 8:00	Normal	0.0	
4/29/2023 9:00	Normal	0.0	
4/29/2023 10:00	Normal	0.0	
4/29/2023 11:00	Normal	0.0	
4/29/2023 12:00	Normal	0.0	
4/29/2023 13:00	Normal	0.0	
4/29/2023 14:00	Normal	0.0	
4/29/2023 15:00	Normal	0.0	
4/29/2023 16:00	Normal	0.0	
4/29/2023 17:00	Normal	0.0	
4/29/2023 18:00	Normal	0.0	
4/29/2023 19:00	Normal	0.0	
4/29/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
4/29/2023 21:00	Normal	0.0	
4/29/2023 22:00	Normal	0.0	
4/29/2023 23:00	Normal	0.0	0.0
4/30/2023 0:00	Normal	0.0	
4/30/2023 1:00	Normal	0.0	
4/30/2023 2:00	Normal	0.0	
4/30/2023 3:00	Normal	0.0	
4/30/2023 4:00	Normal	0.0	
4/30/2023 5:00	Normal	0.0	
4/30/2023 6:00	Normal	0.0	
4/30/2023 7:00	Normal	0.0	
4/30/2023 8:00	Normal	0.0	
4/30/2023 9:00	Normal	0.0	
4/30/2023 10:00	Normal	0.0	
4/30/2023 11:00	Normal	0.0	
4/30/2023 12:00	Normal	0.0	
4/30/2023 13:00	Normal	0.0	
4/30/2023 14:00	Normal	0.0	
4/30/2023 15:00	Normal	0.0	
4/30/2023 16:00	Normal	0.0	
4/30/2023 17:00	Normal	0.0	
4/30/2023 18:00	Normal	0.0	
4/30/2023 19:00	Normal	0.0	
4/30/2023 20:00	Normal	0.0	
4/30/2023 21:00	Normal	0.0	
4/30/2023 22:00	Normal	0.0	
4/30/2023 23:00	Normal	0.0	0.0
5/1/2023 0:00	Normal	0.0	
5/1/2023 1:00	Normal	0.0	
5/1/2023 2:00	Normal	0.0	
5/1/2023 3:00	Normal	0.0	
5/1/2023 4:00	Normal	0.0	
5/1/2023 5:00	Normal	0.0	
5/1/2023 6:00	Normal	0.0	
5/1/2023 7:00	Normal	0.0	
5/1/2023 8:00	Normal	0.0	
5/1/2023 9:00	Normal	0.0	
5/1/2023 10:00	Normal	0.0	
5/1/2023 11:00	Normal	0.0	
5/1/2023 12:00	Normal	0.0	
5/1/2023 13:00	Normal	0.0	
5/1/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/1/2023 15:00	Normal	0.0	
5/1/2023 16:00	Normal	0.0	
5/1/2023 17:00	Normal	0.0	
5/1/2023 18:00	Normal	0.0	
5/1/2023 19:00	Normal	0.0	
5/1/2023 20:00	Normal	0.0	
5/1/2023 21:00	Normal	0.0	
5/1/2023 22:00	Normal	0.0	
5/1/2023 23:00	Normal	0.0	0.0
5/2/2023 0:00	Normal	0.0	
5/2/2023 1:00	Normal	0.0	
5/2/2023 2:00	Normal	0.0	
5/2/2023 3:00	Normal	0.0	
5/2/2023 4:00	Normal	0.0	
5/2/2023 5:00	Normal	0.0	
5/2/2023 6:00	Normal	0.0	
5/2/2023 7:00	Normal	0.0	
5/2/2023 8:00	Normal	0.0	
5/2/2023 9:00	Normal	0.0	
5/2/2023 10:00	Normal	0.0	
5/2/2023 11:00	Normal	0.0	
5/2/2023 12:00	Normal	0.0	
5/2/2023 13:00	Normal	0.0	
5/2/2023 14:00	Normal	0.0	
5/2/2023 15:00	Normal	0.0	
5/2/2023 16:00	Normal	0.0	
5/2/2023 17:00	Normal	0.0	
5/2/2023 18:00	Normal	0.0	
5/2/2023 19:00	Normal	0.0	
5/2/2023 20:00	Normal	0.0	
5/2/2023 21:00	Normal	0.0	
5/2/2023 22:00	Normal	0.0	
5/2/2023 23:00	Normal	0.0	0.0
5/3/2023 0:00	Normal	0.0	
5/3/2023 1:00	Normal	0.0	
5/3/2023 2:00	Normal	0.0	
5/3/2023 3:00	Normal	0.0	
5/3/2023 4:00	Normal	0.0	
5/3/2023 5:00	Normal	0.0	
5/3/2023 6:00	Normal	0.0	
5/3/2023 7:00	Normal	0.0	
5/3/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/3/2023 9:00	Normal	0.0	
5/3/2023 10:00	Normal	0.0	
5/3/2023 11:00	Normal	0.0	
5/3/2023 12:00	Normal	0.0	
5/3/2023 13:00	Normal	0.0	
5/3/2023 14:00	Normal	0.0	
5/3/2023 15:00	Normal	0.0	
5/3/2023 16:00	Normal	0.0	
5/3/2023 17:00	Normal	0.0	
5/3/2023 18:00	Normal	0.0	
5/3/2023 19:00	Normal	0.0	
5/3/2023 20:00	Normal	0.0	
5/3/2023 21:00	Normal	0.0	
5/3/2023 22:00	Normal	0.0	
5/3/2023 23:00	Normal	0.0	0.0
5/4/2023 0:00	Normal	0.0	
5/4/2023 1:00	Normal	0.0	
5/4/2023 2:00	Normal	0.0	
5/4/2023 3:00	Normal	0.0	
5/4/2023 4:00	Normal	0.0	
5/4/2023 5:00	Normal	0.0	
5/4/2023 6:00	Normal	0.0	
5/4/2023 7:00	Normal	0.0	
5/4/2023 8:00	Normal	0.0	
5/4/2023 9:00	Normal	0.0	
5/4/2023 10:00	Normal	0.0	
5/4/2023 11:00	Normal	0.0	
5/4/2023 12:00	Normal	0.0	
5/4/2023 13:00	Normal	0.0	
5/4/2023 14:00	Normal	0.0	
5/4/2023 15:00	Normal	0.0	
5/4/2023 16:00	Normal	0.0	
5/4/2023 17:00	Normal	0.0	
5/4/2023 18:00	Normal	0.0	
5/4/2023 19:00	Normal	0.0	
5/4/2023 20:00	Normal	0.0	
5/4/2023 21:00	Normal	0.0	
5/4/2023 22:00	Normal	0.0	
5/4/2023 23:00	Normal	0.0	0.0
5/5/2023 0:00	Normal	0.0	
5/5/2023 1:00	Normal	0.0	
5/5/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/5/2023 3:00	Normal	0.0	
5/5/2023 4:00	Normal	0.0	
5/5/2023 5:00	Normal	0.0	
5/5/2023 6:00	Normal	0.0	
5/5/2023 7:00	Normal	0.0	
5/5/2023 8:00	Normal	0.0	
5/5/2023 9:00	Normal	0.0	
5/5/2023 10:00	Normal	0.0	
5/5/2023 11:00	Normal	0.0	
5/5/2023 12:00	Normal	0.0	
5/5/2023 13:00	Normal	0.0	
5/5/2023 14:00	Normal	0.0	
5/5/2023 15:00	Normal	0.0	
5/5/2023 16:00	Normal	0.0	
5/5/2023 17:00	Normal	0.0	
5/5/2023 18:00	Normal	0.0	
5/5/2023 19:00	Normal	0.0	
5/5/2023 20:00	Normal	0.0	
5/5/2023 21:00	Normal	0.0	
5/5/2023 22:00	Normal	0.0	
5/5/2023 23:00	Normal	0.0	0.0
5/6/2023 0:00	Normal	0.0	
5/6/2023 1:00	Normal	0.0	
5/6/2023 2:00	Normal	0.0	
5/6/2023 3:00	Normal	0.0	
5/6/2023 4:00	Normal	0.0	
5/6/2023 5:00	Normal	0.0	
5/6/2023 6:00	Normal	0.0	
5/6/2023 7:00	Normal	0.0	
5/6/2023 8:00	Normal	0.0	
5/6/2023 9:00	Normal	0.0	
5/6/2023 10:00	Normal	0.0	
5/6/2023 11:00	Normal	0.0	
5/6/2023 12:00	Normal	0.0	
5/6/2023 13:00	Normal	0.0	
5/6/2023 14:00	Normal	0.0	
5/6/2023 15:00	Normal	0.0	
5/6/2023 16:00	Normal	0.0	
5/6/2023 17:00	Normal	0.0	
5/6/2023 18:00	Normal	0.0	
5/6/2023 19:00	Normal	0.0	
5/6/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/6/2023 21:00	Normal	0.0	
5/6/2023 22:00	Normal	0.0	
5/6/2023 23:00	Normal	0.0	0.0
5/7/2023 0:00	Normal	0.0	
5/7/2023 1:00	Normal	0.0	
5/7/2023 2:00	Normal	0.0	
5/7/2023 3:00	Normal	0.0	
5/7/2023 4:00	Normal	0.0	
5/7/2023 5:00	Normal	0.0	
5/7/2023 6:00	Normal	0.0	
5/7/2023 7:00	Normal	0.0	
5/7/2023 8:00	Normal	0.0	
5/7/2023 9:00	Normal	0.0	
5/7/2023 10:00	Normal	0.0	
5/7/2023 11:00	Normal	0.0	
5/7/2023 12:00	Normal	0.0	
5/7/2023 13:00	Normal	0.0	
5/7/2023 14:00	Normal	0.0	
5/7/2023 15:00	Normal	0.0	
5/7/2023 16:00	Normal	0.0	
5/7/2023 17:00	Normal	0.0	
5/7/2023 18:00	Normal	0.0	
5/7/2023 19:00	Normal	0.0	
5/7/2023 20:00	Normal	0.0	
5/7/2023 21:00	Normal	0.0	
5/7/2023 22:00	Normal	0.0	
5/7/2023 23:00	Normal	0.0	0.0
5/8/2023 0:00	Normal	0.0	
5/8/2023 1:00	Normal	0.0	
5/8/2023 2:00	Normal	0.0	
5/8/2023 3:00	Normal	0.0	
5/8/2023 4:00	Normal	0.0	
5/8/2023 5:00	Normal	0.0	
5/8/2023 6:00	Normal	0.0	
5/8/2023 7:00	Normal	0.0	
5/8/2023 8:00	Normal	0.0	
5/8/2023 9:00	Normal	0.0	
5/8/2023 10:00	Normal	0.0	
5/8/2023 11:00	Normal	0.0	
5/8/2023 12:00	Normal	0.0	
5/8/2023 13:00	Normal	0.0	
5/8/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/8/2023 15:00	Normal	0.0	
5/8/2023 16:00	Normal	0.0	
5/8/2023 17:00	Normal	0.0	
5/8/2023 18:00	Normal	0.0	
5/8/2023 19:00	Normal	0.0	
5/8/2023 20:00	Normal	0.0	
5/8/2023 21:00	Normal	0.0	
5/8/2023 22:00	Normal	0.0	
5/8/2023 23:00	Normal	0.0	0.0
5/9/2023 0:00	Normal	0.0	
5/9/2023 1:00	Normal	0.0	
5/9/2023 2:00	Normal	0.0	
5/9/2023 3:00	Normal	0.0	
5/9/2023 4:00	Normal	0.0	
5/9/2023 5:00	Normal	0.0	
5/9/2023 6:00	Normal	0.0	
5/9/2023 7:00	Normal	0.0	
5/9/2023 8:00	Normal	0.0	
5/9/2023 9:00	Normal	0.0	
5/9/2023 10:00	Normal	0.0	
5/9/2023 11:00	Normal	0.0	
5/9/2023 12:00	Normal	0.0	
5/9/2023 13:00	Normal	0.0	
5/9/2023 14:00	Normal	0.0	
5/9/2023 15:00	Normal	0.0	
5/9/2023 16:00	Normal	0.0	
5/9/2023 17:00	Normal	0.0	
5/9/2023 18:00	Normal	0.0	
5/9/2023 19:00	Normal	0.0	
5/9/2023 20:00	Normal	0.0	
5/9/2023 21:00	Normal	0.0	
5/9/2023 22:00	Normal	0.0	
5/9/2023 23:00	Normal	0.0	0.0
5/10/2023 0:00	Normal	0.0	
5/10/2023 1:00	Normal	0.0	
5/10/2023 2:00	Normal	0.0	
5/10/2023 3:00	Normal	0.0	
5/10/2023 4:00	Normal	0.0	
5/10/2023 5:00	Normal	0.0	
5/10/2023 6:00	Normal	0.0	
5/10/2023 7:00	Normal	0.0	
5/10/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/10/2023 9:00	Normal	0.0	
5/10/2023 10:00	Normal	0.0	
5/10/2023 11:00	Normal	0.0	
5/10/2023 12:00	Normal	0.0	
5/10/2023 13:00	Normal	0.0	
5/10/2023 14:00	Normal	0.0	
5/10/2023 15:00	Normal	0.0	
5/10/2023 16:00	Normal	0.0	
5/10/2023 17:00	Normal	0.0	
5/10/2023 18:00	Normal	0.0	
5/10/2023 19:00	Normal	0.0	
5/10/2023 20:00	Normal	0.0	
5/10/2023 21:00	Normal	0.0	
5/10/2023 22:00	Normal	0.0	
5/10/2023 23:00	Normal	0.0	0.0
5/11/2023 0:00	Normal	0.0	
5/11/2023 1:00	Normal	0.0	
5/11/2023 2:00	Normal	0.0	
5/11/2023 3:00	Normal	0.0	
5/11/2023 4:00	Normal	0.0	
5/11/2023 5:00	Normal	0.0	
5/11/2023 6:00	Normal	0.0	
5/11/2023 7:00	Normal	0.0	
5/11/2023 8:00	Normal	0.0	
5/11/2023 9:00	Normal	0.0	
5/11/2023 10:00	Normal	0.0	
5/11/2023 11:00	Normal	0.0	
5/11/2023 12:00	Normal	0.0	
5/11/2023 13:00	Normal	0.0	
5/11/2023 14:00	Normal	0.0	
5/11/2023 15:00	Normal	0.0	
5/11/2023 16:00	Normal	0.0	
5/11/2023 17:00	Normal	0.0	
5/11/2023 18:00	Normal	0.0	
5/11/2023 19:00	Normal	0.0	
5/11/2023 20:00	Normal	0.0	
5/11/2023 21:00	Normal	0.0	
5/11/2023 22:00	Normal	0.0	
5/11/2023 23:00	Normal	0.0	0.0
5/12/2023 0:00	Normal	0.0	
5/12/2023 1:00	Normal	0.0	
5/12/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/12/2023 3:00	Normal	0.0	
5/12/2023 4:00	Normal	0.0	
5/12/2023 5:00	Normal	0.0	
5/12/2023 6:00	Normal	0.0	
5/12/2023 7:00	Normal	0.0	
5/12/2023 8:00	Normal	0.0	
5/12/2023 9:00	Normal	0.0	
5/12/2023 10:00	Normal	0.0	
5/12/2023 11:00	Normal	0.0	
5/12/2023 12:00	Normal	0.0	
5/12/2023 13:00	Normal	0.0	
5/12/2023 14:00	Normal	0.0	
5/12/2023 15:00	Normal	0.0	
5/12/2023 16:00	Normal	0.0	
5/12/2023 17:00	Normal	0.0	
5/12/2023 18:00	Normal	0.0	
5/12/2023 19:00	Normal	0.0	
5/12/2023 20:00	Normal	0.0	
5/12/2023 21:00	Normal	0.0	
5/12/2023 22:00	Normal	0.0	
5/12/2023 23:00	Normal	0.0	0.0
5/13/2023 0:00	Normal	0.0	
5/13/2023 1:00	Normal	0.0	
5/13/2023 2:00	Normal	0.0	
5/13/2023 3:00	Normal	0.0	
5/13/2023 4:00	Normal	0.0	
5/13/2023 5:00	Normal	0.0	
5/13/2023 6:00	Normal	0.0	
5/13/2023 7:00	Normal	0.0	
5/13/2023 8:00	Normal	0.0	
5/13/2023 9:00	Normal	0.0	
5/13/2023 10:00	Normal	0.0	
5/13/2023 11:00	Normal	0.0	
5/13/2023 12:00	Normal	0.0	
5/13/2023 13:00	Normal	0.0	
5/13/2023 14:00	Normal	0.0	
5/13/2023 15:00	Normal	0.0	
5/13/2023 16:00	Normal	0.0	
5/13/2023 17:00	Normal	0.0	
5/13/2023 18:00	Normal	0.0	
5/13/2023 19:00	Normal	0.0	
5/13/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/13/2023 21:00	Normal	0.0	
5/13/2023 22:00	Normal	0.0	
5/13/2023 23:00	Normal	0.0	0.0
5/14/2023 0:00	Normal	0.0	
5/14/2023 1:00	Normal	0.0	
5/14/2023 2:00	Normal	0.0	
5/14/2023 3:00	Normal	0.0	
5/14/2023 4:00	Normal	0.0	
5/14/2023 5:00	Normal	0.0	
5/14/2023 6:00	Normal	0.0	
5/14/2023 7:00	Normal	0.0	
5/14/2023 8:00	Normal	0.0	
5/14/2023 9:00	Normal	0.0	
5/14/2023 10:00	Normal	0.0	
5/14/2023 11:00	Normal	0.0	
5/14/2023 12:00	Normal	0.0	
5/14/2023 13:00	Normal	0.0	
5/14/2023 14:00	Normal	0.0	
5/14/2023 15:00	Normal	0.0	
5/14/2023 16:00	Normal	0.0	
5/14/2023 17:00	Normal	0.0	
5/14/2023 18:00	Normal	0.0	
5/14/2023 19:00	Normal	0.0	
5/14/2023 20:00	Normal	0.0	
5/14/2023 21:00	Normal	0.0	
5/14/2023 22:00	Normal	0.0	
5/14/2023 23:00	Normal	0.0	0.0
5/15/2023 0:00	Normal	0.0	
5/15/2023 1:00	Normal	0.0	
5/15/2023 2:00	Normal	0.0	
5/15/2023 3:00	Normal	0.0	
5/15/2023 4:00	Normal	0.0	
5/15/2023 5:00	Normal	0.0	
5/15/2023 6:00	Normal	0.0	
5/15/2023 7:00	Normal	0.0	
5/15/2023 8:00	Normal	0.0	
5/15/2023 9:00	Normal	0.0	
5/15/2023 10:00	Normal	0.0	
5/15/2023 11:00	Normal	0.0	
5/15/2023 12:00	Normal	0.0	
5/15/2023 13:00	Normal	0.0	
5/15/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/15/2023 15:00	Normal	0.0	
5/15/2023 16:00	Normal	0.0	
5/15/2023 17:00	Normal	0.0	
5/15/2023 18:00	Normal	0.0	
5/15/2023 19:00	Normal	0.0	
5/15/2023 20:00	Normal	0.0	
5/15/2023 21:00	Normal	0.0	
5/15/2023 22:00	Normal	0.0	
5/15/2023 23:00	Normal	0.0	0.0
5/16/2023 0:00	Normal	0.0	
5/16/2023 1:00	Normal	0.0	
5/16/2023 2:00	Normal	0.0	
5/16/2023 3:00	Normal	0.0	
5/16/2023 4:00	Normal	0.0	
5/16/2023 5:00	Normal	0.0	
5/16/2023 6:00	Normal	0.0	
5/16/2023 7:00	Normal	0.0	
5/16/2023 8:00	Normal	0.0	
5/16/2023 9:00	Normal	0.0	
5/16/2023 10:00	Normal	0.0	
5/16/2023 11:00	Normal	0.0	
5/16/2023 12:00	Normal	0.0	
5/16/2023 13:00	Normal	0.0	
5/16/2023 14:00	Normal	0.0	
5/16/2023 15:00	Normal	0.0	
5/16/2023 16:00	Normal	0.0	
5/16/2023 17:00	Normal	0.0	
5/16/2023 18:00	Normal	0.0	
5/16/2023 19:00	Normal	0.0	
5/16/2023 20:00	Normal	0.0	
5/16/2023 21:00	Normal	0.0	
5/16/2023 22:00	Normal	0.0	
5/16/2023 23:00	Normal	0.0	0.0
5/17/2023 0:00	Normal	0.0	
5/17/2023 1:00	Normal	0.0	
5/17/2023 2:00	Normal	0.0	
5/17/2023 3:00	Normal	0.0	
5/17/2023 4:00	Normal	0.0	
5/17/2023 5:00	Normal	0.0	
5/17/2023 6:00	Normal	0.0	
5/17/2023 7:00	Normal	0.0	
5/17/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/17/2023 9:00	Normal	0.0	
5/17/2023 10:00	Normal	0.0	
5/17/2023 11:00	Normal	0.0	
5/17/2023 12:00	Normal	0.0	
5/17/2023 13:00	Normal	0.0	
5/17/2023 14:00	Normal	0.0	
5/17/2023 15:00	Normal	0.0	
5/17/2023 16:00	Normal	0.0	
5/17/2023 17:00	Normal	0.0	
5/17/2023 18:00	Normal	0.0	
5/17/2023 19:00	Normal	0.0	
5/17/2023 20:00	Normal	0.0	
5/17/2023 21:00	Normal	0.0	
5/17/2023 22:00	Normal	0.0	
5/17/2023 23:00	Normal	0.0	0.0
5/18/2023 0:00	Normal	0.0	
5/18/2023 1:00	Shutdown	12.0	
5/18/2023 2:00	Shutdown		
5/18/2023 3:00	Shutdown		
5/18/2023 4:00	Shutdown		
5/18/2023 5:00	Shutdown		
5/18/2023 6:00	Shutdown		
5/18/2023 7:00	Shutdown		
5/18/2023 8:00	Shutdown		
5/18/2023 9:00	Shutdown		
5/18/2023 10:00	Shutdown		
5/18/2023 11:00	Shutdown		
5/18/2023 12:00	Shutdown	0.7	
5/18/2023 13:00	Shutdown		
5/18/2023 14:00	Shutdown	1.1	
5/18/2023 15:00	Shutdown	116.3	
5/18/2023 16:00	Shutdown	34.7	
5/18/2023 17:00	Shutdown		
5/18/2023 18:00	Shutdown		
5/18/2023 19:00	Shutdown		
5/18/2023 20:00	Shutdown		
5/18/2023 21:00	Shutdown		
5/18/2023 22:00	Shutdown		
5/18/2023 23:00	Shutdown		0.2
5/19/2023 0:00	Shutdown		
5/19/2023 1:00	Shutdown		
5/19/2023 2:00	Shutdown		

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/19/2023 3:00	Shutdown		
5/19/2023 4:00	Shutdown		
5/19/2023 5:00	Shutdown		
5/19/2023 6:00	Shutdown		
5/19/2023 7:00	Shutdown		
5/19/2023 8:00	Shutdown		
5/19/2023 9:00	Shutdown		
5/19/2023 10:00	Shutdown		
5/19/2023 11:00	Shutdown		
5/19/2023 12:00	Shutdown		
5/19/2023 13:00	Shutdown		
5/19/2023 14:00	Shutdown		
5/19/2023 15:00	Shutdown		
5/19/2023 16:00	Shutdown		
5/19/2023 17:00	Shutdown		
5/19/2023 18:00	Shutdown		
5/19/2023 19:00	Shutdown		
5/19/2023 20:00	Shutdown		
5/19/2023 21:00	Shutdown		
5/19/2023 22:00	Shutdown		
5/19/2023 23:00	Shutdown		0.2
5/20/2023 0:00	Shutdown		
5/20/2023 1:00	Shutdown		
5/20/2023 2:00	Shutdown		
5/20/2023 3:00	Shutdown		
5/20/2023 4:00	Shutdown		
5/20/2023 5:00	Shutdown		
5/20/2023 6:00	Shutdown		
5/20/2023 7:00	Shutdown		
5/20/2023 8:00	Shutdown		
5/20/2023 9:00	Shutdown		
5/20/2023 10:00	Shutdown		
5/20/2023 11:00	Shutdown		
5/20/2023 12:00	Shutdown		
5/20/2023 13:00	Shutdown		
5/20/2023 14:00	Shutdown		
5/20/2023 15:00	Shutdown		
5/20/2023 16:00	Startup	10.3	
5/20/2023 17:00	Startup	22.1	
5/20/2023 18:00	Startup	19.3	
5/20/2023 19:00	Startup	18.9	
5/20/2023 20:00	Startup	2.4	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/20/2023 21:00	Startup	0.0	
5/20/2023 22:00	Startup	0.0	
5/20/2023 23:00	Startup	0.0	0.4
5/21/2023 0:00	Startup	0.0	
5/21/2023 1:00	Startup	0.0	
5/21/2023 2:00	Startup	0.0	
5/21/2023 3:00	Startup	0.0	
5/21/2023 4:00	Startup	0.0	
5/21/2023 5:00	Startup	0.0	
5/21/2023 6:00	Startup	0.0	
5/21/2023 7:00	Startup	0.0	
5/21/2023 8:00	Startup	0.0	
5/21/2023 9:00	Startup	0.0	
5/21/2023 10:00	Startup	0.0	
5/21/2023 11:00	Startup	0.0	
5/21/2023 12:00	Startup	0.0	
5/21/2023 13:00	Startup	0.0	
5/21/2023 14:00	Startup	0.0	
5/21/2023 15:00	Startup	5.4	
5/21/2023 16:00	Startup	6.0	
5/21/2023 17:00	Normal	0.0	
5/21/2023 18:00	Normal	0.0	
5/21/2023 19:00	Normal	0.0	
5/21/2023 20:00	Normal	0.0	
5/21/2023 21:00	Normal	0.0	
5/21/2023 22:00	Normal	0.0	
5/21/2023 23:00	Normal	0.0	0.4
5/22/2023 0:00	Normal	0.0	
5/22/2023 1:00	Normal	0.0	
5/22/2023 2:00	Normal	0.0	
5/22/2023 3:00	Normal	0.0	
5/22/2023 4:00	Normal	0.0	
5/22/2023 5:00	Normal	0.0	
5/22/2023 6:00	Normal	0.0	
5/22/2023 7:00	Normal	0.0	
5/22/2023 8:00	Normal	0.0	
5/22/2023 9:00	Normal	0.0	
5/22/2023 10:00	Normal	0.0	
5/22/2023 11:00	Normal	0.0	
5/22/2023 12:00	Normal	0.0	
5/22/2023 13:00	Normal	0.0	
5/22/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/22/2023 15:00	Normal	0.0	
5/22/2023 16:00	Normal	0.0	
5/22/2023 17:00	Normal	0.0	
5/22/2023 18:00	Normal	0.0	
5/22/2023 19:00	Normal	0.0	
5/22/2023 20:00	Normal	0.0	
5/22/2023 21:00	Normal	0.0	
5/22/2023 22:00	Normal	0.0	
5/22/2023 23:00	Normal	0.0	0.4
5/23/2023 0:00	Normal	0.0	
5/23/2023 1:00	Normal	0.0	
5/23/2023 2:00	Normal	0.0	
5/23/2023 3:00	Normal	0.0	
5/23/2023 4:00	Normal	0.0	
5/23/2023 5:00	Normal	0.0	
5/23/2023 6:00	Normal	0.0	
5/23/2023 7:00	Normal	0.0	
5/23/2023 8:00	Normal	0.0	
5/23/2023 9:00	Normal	0.0	
5/23/2023 10:00	Normal	0.0	
5/23/2023 11:00	Normal	0.0	
5/23/2023 12:00	Normal	0.0	
5/23/2023 13:00	Normal	0.0	
5/23/2023 14:00	Normal	0.0	
5/23/2023 15:00	Normal	0.0	
5/23/2023 16:00	Normal	0.0	
5/23/2023 17:00	Normal	0.0	
5/23/2023 18:00	Normal	0.0	
5/23/2023 19:00	Normal	0.0	
5/23/2023 20:00	Normal	0.0	
5/23/2023 21:00	Normal	0.0	
5/23/2023 22:00	Normal	0.0	
5/23/2023 23:00	Normal	0.0	0.4
5/24/2023 0:00	Normal	0.0	
5/24/2023 1:00	Normal	0.0	
5/24/2023 2:00	Normal	0.0	
5/24/2023 3:00	Normal	0.0	
5/24/2023 4:00	Normal	0.0	
5/24/2023 5:00	Normal	0.0	
5/24/2023 6:00	Normal	0.0	
5/24/2023 7:00	Normal	0.0	
5/24/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/24/2023 9:00	Normal	0.0	
5/24/2023 10:00	Normal	0.0	
5/24/2023 11:00	Normal	0.0	
5/24/2023 12:00	Normal	0.0	
5/24/2023 13:00	Normal	0.0	
5/24/2023 14:00	Normal	0.0	
5/24/2023 15:00	Normal	0.0	
5/24/2023 16:00	Normal	0.0	
5/24/2023 17:00	Normal	0.0	
5/24/2023 18:00	Normal	0.0	
5/24/2023 19:00	Normal	0.0	
5/24/2023 20:00	Normal	0.0	
5/24/2023 21:00	Shutdown	73.6	
5/24/2023 22:00	Shutdown	69.5	
5/24/2023 23:00	Shutdown	186.1	0.9
5/25/2023 0:00	Shutdown	365.2	
5/25/2023 1:00	Shutdown	410.5	
5/25/2023 2:00	Shutdown	429.2	
5/25/2023 3:00	Shutdown	424.8	
5/25/2023 4:00	Shutdown	426.0	
5/25/2023 5:00	Shutdown	471.3	
5/25/2023 6:00	Shutdown	311.5	
5/25/2023 7:00	Startup	0.0	
5/25/2023 8:00	Startup	0.0	
5/25/2023 9:00	Startup	248.7	
5/25/2023 10:00	Startup	404.9	
5/25/2023 11:00	Normal	0.0	
5/25/2023 12:00	Normal	0.0	
5/25/2023 13:00	Normal	0.0	
5/25/2023 14:00	Normal	0.0	
5/25/2023 15:00	Normal	0.0	
5/25/2023 16:00	Normal	0.0	
5/25/2023 17:00	Normal	0.0	
5/25/2023 18:00	Normal	0.0	
5/25/2023 19:00	Normal	0.0	
5/25/2023 20:00	Normal	0.0	
5/25/2023 21:00	Normal	0.0	
5/25/2023 22:00	Normal	0.0	
5/25/2023 23:00	Normal	0.0	6.1
5/26/2023 0:00	Normal	0.0	
5/26/2023 1:00	Normal	0.0	
5/26/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/26/2023 3:00	Normal	0.0	
5/26/2023 4:00	Normal	0.0	
5/26/2023 5:00	Normal	0.0	
5/26/2023 6:00	Normal	0.0	
5/26/2023 7:00	Normal	0.0	
5/26/2023 8:00	Normal	0.0	
5/26/2023 9:00	Normal	0.0	
5/26/2023 10:00	Normal	0.0	
5/26/2023 11:00	Normal	0.0	
5/26/2023 12:00	Normal	0.0	
5/26/2023 13:00	Normal	0.0	
5/26/2023 14:00	Normal	0.0	
5/26/2023 15:00	Normal	0.0	
5/26/2023 16:00	Normal	0.0	
5/26/2023 17:00	Normal	0.0	
5/26/2023 18:00	Normal	0.0	
5/26/2023 19:00	Normal	0.0	
5/26/2023 20:00	Normal	0.0	
5/26/2023 21:00	Normal	0.0	
5/26/2023 22:00	Normal	0.0	
5/26/2023 23:00	Normal	0.0	6.1
5/27/2023 0:00	Normal	0.0	
5/27/2023 1:00	Normal	0.0	
5/27/2023 2:00	Normal	0.0	
5/27/2023 3:00	Normal	0.0	
5/27/2023 4:00	Normal	0.0	
5/27/2023 5:00	Normal	0.0	
5/27/2023 6:00	Normal	0.0	
5/27/2023 7:00	Normal	0.0	
5/27/2023 8:00	Normal	0.0	
5/27/2023 9:00	Normal	0.0	
5/27/2023 10:00	Normal	0.0	
5/27/2023 11:00	Normal	0.0	
5/27/2023 12:00	Normal	0.0	
5/27/2023 13:00	Normal	0.0	
5/27/2023 14:00	Normal	0.0	
5/27/2023 15:00	Normal	0.0	
5/27/2023 16:00	Normal	0.0	
5/27/2023 17:00	Normal	0.0	
5/27/2023 18:00	Normal	0.0	
5/27/2023 19:00	Normal	0.0	
5/27/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/27/2023 21:00	Normal	0.0	
5/27/2023 22:00	Normal	0.0	
5/27/2023 23:00	Normal	0.0	6.1
5/28/2023 0:00	Normal	0.0	
5/28/2023 1:00	Normal	0.0	
5/28/2023 2:00	Normal	0.0	
5/28/2023 3:00	Normal	0.0	
5/28/2023 4:00	Normal	0.0	
5/28/2023 5:00	Normal	0.0	
5/28/2023 6:00	Normal	0.0	
5/28/2023 7:00	Normal	0.0	
5/28/2023 8:00	Normal	0.0	
5/28/2023 9:00	Normal	0.0	
5/28/2023 10:00	Normal	0.0	
5/28/2023 11:00	Normal	0.0	
5/28/2023 12:00	Normal	0.0	
5/28/2023 13:00	Normal	0.0	
5/28/2023 14:00	Normal	0.0	
5/28/2023 15:00	Normal	0.0	
5/28/2023 16:00	Normal	0.0	
5/28/2023 17:00	Normal	0.0	
5/28/2023 18:00	Normal	0.0	
5/28/2023 19:00	Normal	0.0	
5/28/2023 20:00	Normal	0.0	
5/28/2023 21:00	Normal	0.0	
5/28/2023 22:00	Normal	0.0	
5/28/2023 23:00	Normal	0.0	6.1
5/29/2023 0:00	Normal	0.0	
5/29/2023 1:00	Normal	0.0	
5/29/2023 2:00	Normal	0.0	
5/29/2023 3:00	Normal	0.0	
5/29/2023 4:00	Normal	0.0	
5/29/2023 5:00	Normal	0.0	
5/29/2023 6:00	Normal	0.0	
5/29/2023 7:00	Normal	0.0	
5/29/2023 8:00	Normal	0.0	
5/29/2023 9:00	Normal	0.0	
5/29/2023 10:00	Normal	0.0	
5/29/2023 11:00	Normal	0.0	
5/29/2023 12:00	Normal	0.0	
5/29/2023 13:00	Normal	0.0	
5/29/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/29/2023 15:00	Normal	0.0	
5/29/2023 16:00	Normal	0.0	
5/29/2023 17:00	Normal	0.0	
5/29/2023 18:00	Normal	0.0	
5/29/2023 19:00	Normal	0.0	
5/29/2023 20:00	Normal	0.0	
5/29/2023 21:00	Normal	0.0	
5/29/2023 22:00	Normal	0.0	
5/29/2023 23:00	Normal	0.0	6.1
5/30/2023 0:00	Normal	0.0	
5/30/2023 1:00	Normal	0.0	
5/30/2023 2:00	Normal	0.0	
5/30/2023 3:00	Normal	0.0	
5/30/2023 4:00	Normal	0.0	
5/30/2023 5:00	Normal	0.0	
5/30/2023 6:00	Normal	0.0	
5/30/2023 7:00	Normal	0.0	
5/30/2023 8:00	Normal	0.0	
5/30/2023 9:00	Normal	0.0	
5/30/2023 10:00	Normal	0.0	
5/30/2023 11:00	Malfunction	17.6	
5/30/2023 12:00	Normal	0.0	
5/30/2023 13:00	Normal	0.0	
5/30/2023 14:00	Normal	0.0	
5/30/2023 15:00	Normal	0.0	
5/30/2023 16:00	Normal	0.0	
5/30/2023 17:00	Normal	0.0	
5/30/2023 18:00	Normal	0.0	
5/30/2023 19:00	Normal	0.0	
5/30/2023 20:00	Normal	0.0	
5/30/2023 21:00	Normal	0.0	
5/30/2023 22:00	Normal	0.0	
5/30/2023 23:00	Normal	0.0	6.2
5/31/2023 0:00	Normal	0.0	
5/31/2023 1:00	Normal	0.0	
5/31/2023 2:00	Normal	0.0	
5/31/2023 3:00	Normal	0.0	
5/31/2023 4:00	Normal	0.0	
5/31/2023 5:00	Normal	0.0	
5/31/2023 6:00	Normal	0.0	
5/31/2023 7:00	Normal	0.0	
5/31/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
5/31/2023 9:00	Normal	0.0	
5/31/2023 10:00	Normal	0.0	
5/31/2023 11:00	Normal	0.0	
5/31/2023 12:00	Normal	0.0	
5/31/2023 13:00	Normal	0.0	
5/31/2023 14:00	Normal	0.0	
5/31/2023 15:00	Normal	0.0	
5/31/2023 16:00	Normal	0.0	
5/31/2023 17:00	Normal	0.0	
5/31/2023 18:00	Normal	0.0	
5/31/2023 19:00	Normal	0.0	
5/31/2023 20:00	Normal	0.0	
5/31/2023 21:00	Normal	0.0	
5/31/2023 22:00	Normal	0.0	
5/31/2023 23:00	Normal	0.0	6.2
6/1/2023 0:00	Normal	0.0	
6/1/2023 1:00	Normal	0.0	
6/1/2023 2:00	Normal	0.0	
6/1/2023 3:00	Normal	0.0	
6/1/2023 4:00	Normal	0.0	
6/1/2023 5:00	Normal	0.0	
6/1/2023 6:00	Normal	0.0	
6/1/2023 7:00	Normal	0.0	
6/1/2023 8:00	Normal	0.0	
6/1/2023 9:00	Normal	0.0	
6/1/2023 10:00	Normal	0.0	
6/1/2023 11:00	Normal	0.0	
6/1/2023 12:00	Normal	0.0	
6/1/2023 13:00	Normal	0.0	
6/1/2023 14:00	Normal	0.0	
6/1/2023 15:00	Normal	0.0	
6/1/2023 16:00	Normal	0.0	
6/1/2023 17:00	Normal	0.0	
6/1/2023 18:00	Normal	0.0	
6/1/2023 19:00	Normal	0.0	
6/1/2023 20:00	Normal	0.0	
6/1/2023 21:00	Normal	0.0	
6/1/2023 22:00	Normal	0.0	
6/1/2023 23:00	Normal	0.0	6.2
6/2/2023 0:00	Normal	0.0	
6/2/2023 1:00	Normal	0.0	
6/2/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/2/2023 3:00	Normal	0.0	
6/2/2023 4:00	Normal	0.0	
6/2/2023 5:00	Normal	0.0	
6/2/2023 6:00	Normal	0.0	
6/2/2023 7:00	Normal	0.0	
6/2/2023 8:00	Normal	0.0	
6/2/2023 9:00	Normal	0.0	
6/2/2023 10:00	Normal	0.0	
6/2/2023 11:00	Normal	0.0	
6/2/2023 12:00	Normal	0.0	
6/2/2023 13:00	Normal	0.0	
6/2/2023 14:00	Normal	0.0	
6/2/2023 15:00	Normal	0.0	
6/2/2023 16:00	Normal	0.0	
6/2/2023 17:00	Normal	0.0	
6/2/2023 18:00	Normal	0.0	
6/2/2023 19:00	Normal	0.0	
6/2/2023 20:00	Normal	0.0	
6/2/2023 21:00	Normal	0.0	
6/2/2023 22:00	Normal	0.0	
6/2/2023 23:00	Normal	0.0	6.2
6/3/2023 0:00	Normal	0.0	
6/3/2023 1:00	Normal	0.0	
6/3/2023 2:00	Normal	0.0	
6/3/2023 3:00	Normal	0.0	
6/3/2023 4:00	Normal	0.0	
6/3/2023 5:00	Normal	0.0	
6/3/2023 6:00	Normal	0.0	
6/3/2023 7:00	Normal	0.0	
6/3/2023 8:00	Normal	0.0	
6/3/2023 9:00	Normal	0.0	
6/3/2023 10:00	Normal	0.0	
6/3/2023 11:00	Normal	0.0	
6/3/2023 12:00	Normal	0.0	
6/3/2023 13:00	Normal	0.0	
6/3/2023 14:00	Normal	0.0	
6/3/2023 15:00	Normal	0.0	
6/3/2023 16:00	Normal	0.0	
6/3/2023 17:00	Normal	0.0	
6/3/2023 18:00	Normal	0.0	
6/3/2023 19:00	Normal	0.0	
6/3/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/3/2023 21:00	Normal	0.0	
6/3/2023 22:00	Normal	0.0	
6/3/2023 23:00	Normal	0.0	6.2
6/4/2023 0:00	Normal	0.0	
6/4/2023 1:00	Normal	0.0	
6/4/2023 2:00	Normal	0.0	
6/4/2023 3:00	Normal	0.0	
6/4/2023 4:00	Normal	0.0	
6/4/2023 5:00	Normal	0.0	
6/4/2023 6:00	Normal	0.0	
6/4/2023 7:00	Normal	0.0	
6/4/2023 8:00	Normal	0.0	
6/4/2023 9:00	Normal	0.0	
6/4/2023 10:00	Normal	0.0	
6/4/2023 11:00	Normal	0.0	
6/4/2023 12:00	Normal	0.0	
6/4/2023 13:00	Normal	0.0	
6/4/2023 14:00	Normal	0.0	
6/4/2023 15:00	Normal	0.0	
6/4/2023 16:00	Normal	0.0	
6/4/2023 17:00	Normal	0.0	
6/4/2023 18:00	Normal	0.0	
6/4/2023 19:00	Normal	0.0	
6/4/2023 20:00	Normal	0.0	
6/4/2023 21:00	Normal	0.0	
6/4/2023 22:00	Normal	0.0	
6/4/2023 23:00	Normal	0.0	6.2
6/5/2023 0:00	Normal	0.0	
6/5/2023 1:00	Normal	0.0	
6/5/2023 2:00	Normal	0.0	
6/5/2023 3:00	Normal	0.0	
6/5/2023 4:00	Normal	0.0	
6/5/2023 5:00	Normal	0.0	
6/5/2023 6:00	Normal	0.0	
6/5/2023 7:00	Normal	0.0	
6/5/2023 8:00	Normal	0.0	
6/5/2023 9:00	Normal	0.0	
6/5/2023 10:00	Normal	0.0	
6/5/2023 11:00	Normal	0.0	
6/5/2023 12:00	Normal	0.0	
6/5/2023 13:00	Normal	0.0	
6/5/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/5/2023 15:00	Normal	0.0	
6/5/2023 16:00	Normal	0.0	
6/5/2023 17:00	Normal	0.0	
6/5/2023 18:00	Normal	0.0	
6/5/2023 19:00	Normal	0.0	
6/5/2023 20:00	Normal	0.0	
6/5/2023 21:00	Normal	0.0	
6/5/2023 22:00	Normal	0.0	
6/5/2023 23:00	Normal	0.0	6.2
6/6/2023 0:00	Normal	0.0	
6/6/2023 1:00	Normal	0.0	
6/6/2023 2:00	Normal	0.0	
6/6/2023 3:00	Normal	0.0	
6/6/2023 4:00	Normal	0.0	
6/6/2023 5:00	Normal	0.0	
6/6/2023 6:00	Normal	0.0	
6/6/2023 7:00	Normal	0.0	
6/6/2023 8:00	Normal	0.0	
6/6/2023 9:00	Normal	0.0	
6/6/2023 10:00	Normal	0.0	
6/6/2023 11:00	Normal	0.0	
6/6/2023 12:00	Normal	0.0	
6/6/2023 13:00	Normal	0.0	
6/6/2023 14:00	Normal	0.0	
6/6/2023 15:00	Normal	0.0	
6/6/2023 16:00	Normal	0.0	
6/6/2023 17:00	Normal	0.0	
6/6/2023 18:00	Normal	0.0	
6/6/2023 19:00	Normal	0.0	
6/6/2023 20:00	Normal	0.0	
6/6/2023 21:00	Normal	0.0	
6/6/2023 22:00	Normal	0.0	
6/6/2023 23:00	Normal	0.0	6.2
6/7/2023 0:00	Normal	0.0	
6/7/2023 1:00	Normal	0.0	
6/7/2023 2:00	Normal	0.0	
6/7/2023 3:00	Normal	0.0	
6/7/2023 4:00	Normal	0.0	
6/7/2023 5:00	Normal	0.0	
6/7/2023 6:00	Normal	0.0	
6/7/2023 7:00	Normal	0.0	
6/7/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/7/2023 9:00	Normal	0.0	
6/7/2023 10:00	Normal	0.0	
6/7/2023 11:00	Normal	0.0	
6/7/2023 12:00	Normal	0.0	
6/7/2023 13:00	Normal	0.0	
6/7/2023 14:00	Normal	0.0	
6/7/2023 15:00	Normal	0.0	
6/7/2023 16:00	Normal	0.0	
6/7/2023 17:00	Normal	0.0	
6/7/2023 18:00	Normal	0.0	
6/7/2023 19:00	Normal	0.0	
6/7/2023 20:00	Normal	0.0	
6/7/2023 21:00	Normal	0.0	
6/7/2023 22:00	Normal	0.0	
6/7/2023 23:00	Normal	0.0	6.2
6/8/2023 0:00	Normal	0.0	
6/8/2023 1:00	Normal	0.0	
6/8/2023 2:00	Normal	0.0	
6/8/2023 3:00	Normal	0.0	
6/8/2023 4:00	Normal	0.0	
6/8/2023 5:00	Normal	0.0	
6/8/2023 6:00	Normal	0.0	
6/8/2023 7:00	Normal	0.0	
6/8/2023 8:00	Normal	0.0	
6/8/2023 9:00	Normal	0.0	
6/8/2023 10:00	Normal	0.0	
6/8/2023 11:00	Normal	0.0	
6/8/2023 12:00	Normal	0.0	
6/8/2023 13:00	Normal	0.0	
6/8/2023 14:00	Normal	0.0	
6/8/2023 15:00	Normal	0.0	
6/8/2023 16:00	Normal	0.0	
6/8/2023 17:00	Normal	0.0	
6/8/2023 18:00	Normal	0.0	
6/8/2023 19:00	Normal	0.0	
6/8/2023 20:00	Normal	0.0	
6/8/2023 21:00	Normal	0.0	
6/8/2023 22:00	Normal	0.0	
6/8/2023 23:00	Normal	0.0	6.2
6/9/2023 0:00	Normal	0.0	
6/9/2023 1:00	Normal	0.0	
6/9/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/9/2023 3:00	Normal	0.0	
6/9/2023 4:00	Normal	0.0	
6/9/2023 5:00	Normal	0.0	
6/9/2023 6:00	Normal	0.0	
6/9/2023 7:00	Normal	0.0	
6/9/2023 8:00	Normal	0.0	
6/9/2023 9:00	Normal	0.0	
6/9/2023 10:00	Normal	0.0	
6/9/2023 11:00	Normal	0.0	
6/9/2023 12:00	Normal	0.0	
6/9/2023 13:00	Normal	0.0	
6/9/2023 14:00	Normal	0.0	
6/9/2023 15:00	Normal	0.0	
6/9/2023 16:00	Normal	0.0	
6/9/2023 17:00	Normal	0.0	
6/9/2023 18:00	Normal	0.0	
6/9/2023 19:00	Normal	0.0	
6/9/2023 20:00	Normal	0.0	
6/9/2023 21:00	Normal	0.0	
6/9/2023 22:00	Normal	0.0	
6/9/2023 23:00	Normal	0.0	6.2
6/10/2023 0:00	Normal	0.0	
6/10/2023 1:00	Normal	0.0	
6/10/2023 2:00	Normal	0.0	
6/10/2023 3:00	Normal	0.0	
6/10/2023 4:00	Normal	0.0	
6/10/2023 5:00	Normal	0.0	
6/10/2023 6:00	Normal	0.0	
6/10/2023 7:00	Normal	0.0	
6/10/2023 8:00	Normal	0.0	
6/10/2023 9:00	Normal	0.0	
6/10/2023 10:00	Normal	0.0	
6/10/2023 11:00	Normal	0.0	
6/10/2023 12:00	Normal	0.0	
6/10/2023 13:00	Normal	0.0	
6/10/2023 14:00	Normal	0.0	
6/10/2023 15:00	Normal	0.0	
6/10/2023 16:00	Normal	0.0	
6/10/2023 17:00	Normal	0.0	
6/10/2023 18:00	Normal	0.0	
6/10/2023 19:00	Normal	0.0	
6/10/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/10/2023 21:00	Normal	0.0	
6/10/2023 22:00	Normal	0.0	
6/10/2023 23:00	Normal	0.0	6.2
6/11/2023 0:00	Normal	0.0	
6/11/2023 1:00	Normal	0.0	
6/11/2023 2:00	Normal	0.0	
6/11/2023 3:00	Normal	0.0	
6/11/2023 4:00	Normal	0.0	
6/11/2023 5:00	Normal	0.0	
6/11/2023 6:00	Normal	0.0	
6/11/2023 7:00	Normal	0.0	
6/11/2023 8:00	Normal	0.0	
6/11/2023 9:00	Normal	0.0	
6/11/2023 10:00	Normal	0.0	
6/11/2023 11:00	Normal	0.0	
6/11/2023 12:00	Normal	0.0	
6/11/2023 13:00	Normal	0.0	
6/11/2023 14:00	Normal	0.0	
6/11/2023 15:00	Normal	0.0	
6/11/2023 16:00	Normal	0.0	
6/11/2023 17:00	Normal	0.0	
6/11/2023 18:00	Normal	0.0	
6/11/2023 19:00	Normal	0.0	
6/11/2023 20:00	Normal	0.0	
6/11/2023 21:00	Normal	0.0	
6/11/2023 22:00	Normal	0.0	
6/11/2023 23:00	Normal	0.0	6.2
6/12/2023 0:00	Normal	0.0	
6/12/2023 1:00	Normal	0.0	
6/12/2023 2:00	Normal	0.0	
6/12/2023 3:00	Normal	0.0	
6/12/2023 4:00	Normal	0.0	
6/12/2023 5:00	Normal	0.0	
6/12/2023 6:00	Normal	0.0	
6/12/2023 7:00	Normal	0.0	
6/12/2023 8:00	Normal	0.0	
6/12/2023 9:00	Normal	0.0	
6/12/2023 10:00	Normal	0.0	
6/12/2023 11:00	Normal	0.0	
6/12/2023 12:00	Normal	0.0	
6/12/2023 13:00	Normal	0.0	
6/12/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/12/2023 15:00	Normal	0.0	
6/12/2023 16:00	Normal	0.0	
6/12/2023 17:00	Normal	0.0	
6/12/2023 18:00	Normal	0.0	
6/12/2023 19:00	Normal	0.0	
6/12/2023 20:00	Normal	0.0	
6/12/2023 21:00	Normal	0.0	
6/12/2023 22:00	Normal	0.0	
6/12/2023 23:00	Normal	0.0	6.2
6/13/2023 0:00	Normal	0.0	
6/13/2023 1:00	Normal	0.0	
6/13/2023 2:00	Normal	0.0	
6/13/2023 3:00	Normal	0.0	
6/13/2023 4:00	Normal	0.0	
6/13/2023 5:00	Normal	0.0	
6/13/2023 6:00	Normal	0.0	
6/13/2023 7:00	Normal	0.0	
6/13/2023 8:00	Normal	0.0	
6/13/2023 9:00	Normal	0.0	
6/13/2023 10:00	Normal	0.0	
6/13/2023 11:00	Normal	0.0	
6/13/2023 12:00	Normal	0.0	
6/13/2023 13:00	Normal	0.0	
6/13/2023 14:00	Normal	0.0	
6/13/2023 15:00	Normal	0.0	
6/13/2023 16:00	Normal	0.0	
6/13/2023 17:00	Normal	0.0	
6/13/2023 18:00	Normal	0.0	
6/13/2023 19:00	Normal	0.0	
6/13/2023 20:00	Normal	0.0	
6/13/2023 21:00	Normal	0.0	
6/13/2023 22:00	Normal	0.0	
6/13/2023 23:00	Normal	0.0	6.2
6/14/2023 0:00	Normal	0.0	
6/14/2023 1:00	Normal	0.0	
6/14/2023 2:00	Normal	0.0	
6/14/2023 3:00	Normal	0.0	
6/14/2023 4:00	Normal	0.0	
6/14/2023 5:00	Normal	0.0	
6/14/2023 6:00	Normal	0.0	
6/14/2023 7:00	Normal	0.0	
6/14/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/14/2023 9:00	Normal	0.0	
6/14/2023 10:00	Normal	0.0	
6/14/2023 11:00	Normal	0.0	
6/14/2023 12:00	Normal	0.0	
6/14/2023 13:00	Normal	0.0	
6/14/2023 14:00	Normal	0.0	
6/14/2023 15:00	Normal	0.0	
6/14/2023 16:00	Normal	0.0	
6/14/2023 17:00	Normal	0.0	
6/14/2023 18:00	Normal	0.0	
6/14/2023 19:00	Normal	0.0	
6/14/2023 20:00	Normal	0.0	
6/14/2023 21:00	Normal	0.0	
6/14/2023 22:00	Normal	0.0	
6/14/2023 23:00	Normal	0.0	6.2
6/15/2023 0:00	Normal	0.0	
6/15/2023 1:00	Normal	0.0	
6/15/2023 2:00	Normal	0.0	
6/15/2023 3:00	Normal	0.0	
6/15/2023 4:00	Normal	0.0	
6/15/2023 5:00	Normal	0.0	
6/15/2023 6:00	Normal	0.0	
6/15/2023 7:00	Normal	0.0	
6/15/2023 8:00	Normal	0.0	
6/15/2023 9:00	Normal	0.0	
6/15/2023 10:00	Normal	0.0	
6/15/2023 11:00	Normal	0.0	
6/15/2023 12:00	Normal	0.0	
6/15/2023 13:00	Normal	0.0	
6/15/2023 14:00	Normal	0.0	
6/15/2023 15:00	Normal	0.0	
6/15/2023 16:00	Normal	0.0	
6/15/2023 17:00	Normal	0.0	
6/15/2023 18:00	Normal	0.0	
6/15/2023 19:00	Normal	0.0	
6/15/2023 20:00	Normal	0.0	
6/15/2023 21:00	Normal	0.0	
6/15/2023 22:00	Normal	0.0	
6/15/2023 23:00	Normal	0.0	6.2
6/16/2023 0:00	Normal	0.0	
6/16/2023 1:00	Normal	0.0	
6/16/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/16/2023 3:00	Normal	0.0	
6/16/2023 4:00	Normal	0.0	
6/16/2023 5:00	Normal	0.0	
6/16/2023 6:00	Normal	0.0	
6/16/2023 7:00	Normal	0.0	
6/16/2023 8:00	Normal	0.0	
6/16/2023 9:00	Normal	0.0	
6/16/2023 10:00	Normal	0.0	
6/16/2023 11:00	Normal	0.0	
6/16/2023 12:00	Normal	0.0	
6/16/2023 13:00	Normal	0.0	
6/16/2023 14:00	Normal	0.0	
6/16/2023 15:00	Normal	0.0	
6/16/2023 16:00	Normal	0.0	
6/16/2023 17:00	Normal	0.0	
6/16/2023 18:00	Normal	0.0	
6/16/2023 19:00	Normal	0.0	
6/16/2023 20:00	Normal	0.0	
6/16/2023 21:00	Normal	0.0	
6/16/2023 22:00	Normal	0.0	
6/16/2023 23:00	Normal	0.0	6.2
6/17/2023 0:00	Normal	0.0	
6/17/2023 1:00	Normal	0.0	
6/17/2023 2:00	Normal	0.0	
6/17/2023 3:00	Normal	0.0	
6/17/2023 4:00	Normal	0.0	
6/17/2023 5:00	Normal	0.0	
6/17/2023 6:00	Normal	0.0	
6/17/2023 7:00	Normal	0.0	
6/17/2023 8:00	Normal	0.0	
6/17/2023 9:00	Normal	0.0	
6/17/2023 10:00	Normal	0.0	
6/17/2023 11:00	Normal	0.0	
6/17/2023 12:00	Normal	0.0	
6/17/2023 13:00	Normal	0.0	
6/17/2023 14:00	Normal	0.0	
6/17/2023 15:00	Normal	0.0	
6/17/2023 16:00	Normal	0.0	
6/17/2023 17:00	Normal	0.0	
6/17/2023 18:00	Normal	0.0	
6/17/2023 19:00	Normal	0.0	
6/17/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/17/2023 21:00	Normal	0.0	
6/17/2023 22:00	Normal	0.0	
6/17/2023 23:00	Normal	0.0	5.8
6/18/2023 0:00	Normal	0.0	
6/18/2023 1:00	Normal	0.0	
6/18/2023 2:00	Normal	0.0	
6/18/2023 3:00	Normal	0.0	
6/18/2023 4:00	Normal	0.0	
6/18/2023 5:00	Normal	0.0	
6/18/2023 6:00	Normal	0.0	
6/18/2023 7:00	Normal	0.0	
6/18/2023 8:00	Normal	0.0	
6/18/2023 9:00	Normal	0.0	
6/18/2023 10:00	Normal	0.0	
6/18/2023 11:00	Normal	0.0	
6/18/2023 12:00	Normal	0.0	
6/18/2023 13:00	Normal	0.0	
6/18/2023 14:00	Normal	0.0	
6/18/2023 15:00	Normal	0.0	
6/18/2023 16:00	Normal	0.0	
6/18/2023 17:00	Normal	0.0	
6/18/2023 18:00	Normal	0.0	
6/18/2023 19:00	Normal	0.0	
6/18/2023 20:00	Normal	0.0	
6/18/2023 21:00	Normal	0.0	
6/18/2023 22:00	Normal	0.0	
6/18/2023 23:00	Normal	0.0	5.6
6/19/2023 0:00	Normal	0.0	
6/19/2023 1:00	Normal	0.0	
6/19/2023 2:00	Normal	0.0	
6/19/2023 3:00	Normal	0.0	
6/19/2023 4:00	Normal	0.0	
6/19/2023 5:00	Normal	0.0	
6/19/2023 6:00	Normal	0.0	
6/19/2023 7:00	Normal	0.0	
6/19/2023 8:00	Normal	0.0	
6/19/2023 9:00	Normal	0.0	
6/19/2023 10:00	Normal	0.0	
6/19/2023 11:00	Normal	0.0	
6/19/2023 12:00	Normal	0.0	
6/19/2023 13:00	Normal	0.0	
6/19/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/19/2023 15:00	Normal	0.0	
6/19/2023 16:00	Malfunction	17.4	
6/19/2023 17:00	Malfunction	77.0	
6/19/2023 18:00	Malfunction	58.0	
6/19/2023 19:00	Normal	0.0	
6/19/2023 20:00	Normal	0.0	
6/19/2023 21:00	Normal	0.0	
6/19/2023 22:00	Normal	0.0	
6/19/2023 23:00	Normal	0.0	5.6
6/20/2023 0:00	Normal	0.0	
6/20/2023 1:00	Normal	0.0	
6/20/2023 2:00	Normal	0.0	
6/20/2023 3:00	Normal	0.0	
6/20/2023 4:00	Normal	0.0	
6/20/2023 5:00	Normal	0.0	
6/20/2023 6:00	Normal	0.0	
6/20/2023 7:00	Normal	0.0	
6/20/2023 8:00	Normal	0.0	
6/20/2023 9:00	Normal	0.0	
6/20/2023 10:00	Normal	0.0	
6/20/2023 11:00	Normal	0.0	
6/20/2023 12:00	Normal	0.0	
6/20/2023 13:00	Normal	0.0	
6/20/2023 14:00	Normal	0.0	
6/20/2023 15:00	Normal	0.0	
6/20/2023 16:00	Normal	0.0	
6/20/2023 17:00	Normal	0.0	
6/20/2023 18:00	Normal	0.0	
6/20/2023 19:00	Normal	0.0	
6/20/2023 20:00	Normal	0.0	
6/20/2023 21:00	Normal	0.0	
6/20/2023 22:00	Normal	0.0	
6/20/2023 23:00	Normal	0.0	5.5
6/21/2023 0:00	Normal	0.0	
6/21/2023 1:00	Normal	0.0	
6/21/2023 2:00	Normal	0.0	
6/21/2023 3:00	Normal	0.0	
6/21/2023 4:00	Normal	0.0	
6/21/2023 5:00	Normal	0.0	
6/21/2023 6:00	Normal	0.0	
6/21/2023 7:00	Normal	0.0	
6/21/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/21/2023 9:00	Normal	0.0	
6/21/2023 10:00	Normal	0.0	
6/21/2023 11:00	Normal	0.0	
6/21/2023 12:00	Normal	0.0	
6/21/2023 13:00	Normal	0.0	
6/21/2023 14:00	Normal	0.0	
6/21/2023 15:00	Normal	0.0	
6/21/2023 16:00	Normal	0.0	
6/21/2023 17:00	Normal	0.0	
6/21/2023 18:00	Normal	0.0	
6/21/2023 19:00	Normal	0.0	
6/21/2023 20:00	Normal	0.0	
6/21/2023 21:00	Normal	0.0	
6/21/2023 22:00	Normal	0.0	
6/21/2023 23:00	Normal	0.0	5.5
6/22/2023 0:00	Normal	0.0	
6/22/2023 1:00	Normal	0.0	
6/22/2023 2:00	Normal	0.0	
6/22/2023 3:00	Normal	0.0	
6/22/2023 4:00	Normal	0.0	
6/22/2023 5:00	Normal	0.0	
6/22/2023 6:00	Normal	0.0	
6/22/2023 7:00	Normal	0.0	
6/22/2023 8:00	Normal	0.0	
6/22/2023 9:00	Normal	0.0	
6/22/2023 10:00	Normal	0.0	
6/22/2023 11:00	Normal	0.0	
6/22/2023 12:00	Normal	0.0	
6/22/2023 13:00	Normal	0.0	
6/22/2023 14:00	Normal	0.0	
6/22/2023 15:00	Normal	0.0	
6/22/2023 16:00	Normal	0.0	
6/22/2023 17:00	Normal	0.0	
6/22/2023 18:00	Normal	0.0	
6/22/2023 19:00	Normal	0.0	
6/22/2023 20:00	Normal	0.0	
6/22/2023 21:00	Normal	0.0	
6/22/2023 22:00	Normal	0.0	
6/22/2023 23:00	Normal	0.0	5.5
6/23/2023 0:00	Normal	0.0	
6/23/2023 1:00	Normal	0.0	
6/23/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/23/2023 3:00	Normal	0.0	
6/23/2023 4:00	Normal	0.0	
6/23/2023 5:00	Normal	0.0	
6/23/2023 6:00	Normal	0.0	
6/23/2023 7:00	Normal	0.0	
6/23/2023 8:00	Normal	0.0	
6/23/2023 9:00	Normal	0.0	
6/23/2023 10:00	Normal	0.0	
6/23/2023 11:00	Normal	0.0	
6/23/2023 12:00	Normal	0.0	
6/23/2023 13:00	Normal	0.0	
6/23/2023 14:00	Normal	0.0	
6/23/2023 15:00	Normal	0.0	
6/23/2023 16:00	Normal	0.0	
6/23/2023 17:00	Normal	0.0	
6/23/2023 18:00	Normal	0.0	
6/23/2023 19:00	Normal	0.0	
6/23/2023 20:00	Normal	0.0	
6/23/2023 21:00	Normal	0.0	
6/23/2023 22:00	Normal	0.0	
6/23/2023 23:00	Normal	0.0	5.1
6/24/2023 0:00	Normal	0.0	
6/24/2023 1:00	Normal	0.0	
6/24/2023 2:00	Normal	0.0	
6/24/2023 3:00	Normal	0.0	
6/24/2023 4:00	Normal	0.0	
6/24/2023 5:00	Normal	0.0	
6/24/2023 6:00	Normal	0.0	
6/24/2023 7:00	Normal	0.0	
6/24/2023 8:00	Normal	0.0	
6/24/2023 9:00	Normal	0.0	
6/24/2023 10:00	Normal	0.0	
6/24/2023 11:00	Normal	0.0	
6/24/2023 12:00	Normal	0.0	
6/24/2023 13:00	Normal	0.0	
6/24/2023 14:00	Normal	0.0	
6/24/2023 15:00	Normal	0.0	
6/24/2023 16:00	Normal	0.0	
6/24/2023 17:00	Normal	0.0	
6/24/2023 18:00	Normal	0.0	
6/24/2023 19:00	Normal	0.0	
6/24/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/24/2023 21:00	Normal	0.0	
6/24/2023 22:00	Normal	0.0	
6/24/2023 23:00	Normal	0.0	0.2
6/25/2023 0:00	Normal	0.0	
6/25/2023 1:00	Normal	0.0	
6/25/2023 2:00	Normal	0.0	
6/25/2023 3:00	Normal	0.0	
6/25/2023 4:00	Normal	0.0	
6/25/2023 5:00	Normal	0.0	
6/25/2023 6:00	Normal	0.0	
6/25/2023 7:00	Normal	0.0	
6/25/2023 8:00	Normal	0.0	
6/25/2023 9:00	Normal	0.0	
6/25/2023 10:00	Normal	0.0	
6/25/2023 11:00	Normal	0.0	
6/25/2023 12:00	Normal	0.0	
6/25/2023 13:00	Normal	0.0	
6/25/2023 14:00	Normal	0.0	
6/25/2023 15:00	Normal	0.0	
6/25/2023 16:00	Normal	0.0	
6/25/2023 17:00	Normal	0.0	
6/25/2023 18:00	Normal	0.0	
6/25/2023 19:00	Normal	0.0	
6/25/2023 20:00	Normal	0.0	
6/25/2023 21:00	Normal	0.0	
6/25/2023 22:00	Normal	0.0	
6/25/2023 23:00	Normal	0.0	0.2
6/26/2023 0:00	Normal	0.0	
6/26/2023 1:00	Normal	0.0	
6/26/2023 2:00	Normal	0.0	
6/26/2023 3:00	Normal	0.0	
6/26/2023 4:00	Normal	0.0	
6/26/2023 5:00	Normal	0.0	
6/26/2023 6:00	Normal	0.0	
6/26/2023 7:00	Normal	0.0	
6/26/2023 8:00	Normal	0.0	
6/26/2023 9:00	Normal	0.0	
6/26/2023 10:00	Normal	0.0	
6/26/2023 11:00	Normal	0.0	
6/26/2023 12:00	Shutdown	132.9	
6/26/2023 13:00	Shutdown	14.2	
6/26/2023 14:00	Shutdown	1.6	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/26/2023 15:00	Shutdown		
6/26/2023 16:00	Shutdown		
6/26/2023 17:00	Shutdown		
6/26/2023 18:00	Shutdown		
6/26/2023 19:00	Shutdown		
6/26/2023 20:00	Shutdown		
6/26/2023 21:00	Shutdown		
6/26/2023 22:00	Shutdown		
6/26/2023 23:00	Shutdown		0.4
6/27/2023 0:00	Shutdown		
6/27/2023 1:00	Shutdown		
6/27/2023 2:00	Shutdown		
6/27/2023 3:00	Shutdown		
6/27/2023 4:00	Shutdown		
6/27/2023 5:00	Shutdown		
6/27/2023 6:00	Shutdown		
6/27/2023 7:00	Shutdown		
6/27/2023 8:00	Shutdown		
6/27/2023 9:00	Shutdown		
6/27/2023 10:00	Shutdown		
6/27/2023 11:00	Shutdown		
6/27/2023 12:00	Shutdown		
6/27/2023 13:00	Shutdown		
6/27/2023 14:00	Shutdown		
6/27/2023 15:00	Shutdown		
6/27/2023 16:00	Shutdown		
6/27/2023 17:00	Shutdown		
6/27/2023 18:00	Shutdown		
6/27/2023 19:00	Shutdown		
6/27/2023 20:00	Shutdown		
6/27/2023 21:00	Shutdown		
6/27/2023 22:00	Shutdown		
6/27/2023 23:00	Shutdown		0.5
6/28/2023 0:00	Shutdown		
6/28/2023 1:00	Shutdown		
6/28/2023 2:00	Shutdown		
6/28/2023 3:00	Shutdown		
6/28/2023 4:00	Shutdown		
6/28/2023 5:00	Shutdown		
6/28/2023 6:00	Shutdown		
6/28/2023 7:00	Shutdown		
6/28/2023 8:00	Shutdown		

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/28/2023 9:00	Shutdown		
6/28/2023 10:00	Startup	0.0	
6/28/2023 11:00	Startup	20.6	
6/28/2023 12:00	Startup	0.0	
6/28/2023 13:00	Startup	0.0	
6/28/2023 14:00	Startup	0.0	
6/28/2023 15:00	Startup	0.0	
6/28/2023 16:00	Startup	0.0	
6/28/2023 17:00	Startup	0.0	
6/28/2023 18:00	Startup	0.0	
6/28/2023 19:00	Startup	0.0	
6/28/2023 20:00	Startup	0.0	
6/28/2023 21:00	Startup	0.0	
6/28/2023 22:00	Startup	0.0	
6/28/2023 23:00	Startup	0.0	0.5
6/29/2023 0:00	Normal	0.0	
6/29/2023 1:00	Normal	0.0	
6/29/2023 2:00	Normal	0.0	
6/29/2023 3:00	Normal	0.0	
6/29/2023 4:00	Normal	0.0	
6/29/2023 5:00	Normal	0.0	
6/29/2023 6:00	Normal	0.0	
6/29/2023 7:00	Normal	0.0	
6/29/2023 8:00	Normal	0.0	
6/29/2023 9:00	Normal	0.0	
6/29/2023 10:00	Normal	0.0	
6/29/2023 11:00	Normal	0.0	
6/29/2023 12:00	Normal	0.0	
6/29/2023 13:00	Normal	0.0	
6/29/2023 14:00	Normal	0.0	
6/29/2023 15:00	Normal	0.0	
6/29/2023 16:00	Normal	0.0	
6/29/2023 17:00	Normal	0.0	
6/29/2023 18:00	Normal	0.0	
6/29/2023 19:00	Normal	0.0	
6/29/2023 20:00	Normal	0.0	
6/29/2023 21:00	Normal	0.0	
6/29/2023 22:00	Normal	0.0	
6/29/2023 23:00	Normal	0.0	0.5
6/30/2023 0:00	Normal	0.0	
6/30/2023 1:00	Normal	0.0	
6/30/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
6/30/2023 3:00	Normal	0.0	
6/30/2023 4:00	Normal	0.0	
6/30/2023 5:00	Normal	0.0	
6/30/2023 6:00	Normal	0.0	
6/30/2023 7:00	Normal	0.0	
6/30/2023 8:00	Normal	0.0	
6/30/2023 9:00	Normal	0.0	
6/30/2023 10:00	Normal	0.0	
6/30/2023 11:00	Normal	0.0	
6/30/2023 12:00	Normal	0.0	
6/30/2023 13:00	Normal	0.0	
6/30/2023 14:00	Normal	0.0	
6/30/2023 15:00	Normal	0.0	
6/30/2023 16:00	Normal	0.0	
6/30/2023 17:00	Normal	0.0	
6/30/2023 18:00	Normal	0.0	
6/30/2023 19:00	Normal	0.0	
6/30/2023 20:00	Normal	0.0	
6/30/2023 21:00	Normal	0.0	
6/30/2023 22:00	Normal	0.0	
6/30/2023 23:00	Normal	0.0	0.5
7/1/2023 0:00	Normal	0.0	
7/1/2023 1:00	Normal	0.0	
7/1/2023 2:00	Normal	0.0	
7/1/2023 3:00	Normal	0.0	
7/1/2023 4:00	Normal	0.0	
7/1/2023 5:00	Normal	0.0	
7/1/2023 6:00	Normal	0.0	
7/1/2023 7:00	Normal	0.0	
7/1/2023 8:00	Normal	0.0	
7/1/2023 9:00	Normal	0.0	
7/1/2023 10:00	Normal	0.0	
7/1/2023 11:00	Normal	0.0	
7/1/2023 12:00	Normal	0.0	
7/1/2023 13:00	Normal	0.0	
7/1/2023 14:00	Normal	0.0	
7/1/2023 15:00	Normal	0.0	
7/1/2023 16:00	Normal	0.0	
7/1/2023 17:00	Normal	0.0	
7/1/2023 18:00	Normal	0.0	
7/1/2023 19:00	Normal	0.0	
7/1/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/1/2023 21:00	Normal	0.0	
7/1/2023 22:00	Normal	0.0	
7/1/2023 23:00	Normal	0.0	0.5
7/2/2023 0:00	Normal	0.0	
7/2/2023 1:00	Normal	0.0	
7/2/2023 2:00	Normal	0.0	
7/2/2023 3:00	Normal	0.0	
7/2/2023 4:00	Normal	0.0	
7/2/2023 5:00	Normal	0.0	
7/2/2023 6:00	Normal	0.0	
7/2/2023 7:00	Normal	0.0	
7/2/2023 8:00	Normal	0.0	
7/2/2023 9:00	Normal	0.0	
7/2/2023 10:00	Normal	0.0	
7/2/2023 11:00	Normal	0.0	
7/2/2023 12:00	Normal	0.0	
7/2/2023 13:00	Normal	0.0	
7/2/2023 14:00	Normal	0.0	
7/2/2023 15:00	Normal	0.0	
7/2/2023 16:00	Normal	0.0	
7/2/2023 17:00	Normal	0.0	
7/2/2023 18:00	Normal	0.0	
7/2/2023 19:00	Normal	0.0	
7/2/2023 20:00	Normal	0.0	
7/2/2023 21:00	Normal	0.0	
7/2/2023 22:00	Normal	0.0	
7/2/2023 23:00	Normal	0.0	0.5
7/3/2023 0:00	Normal	0.0	
7/3/2023 1:00	Normal	0.0	
7/3/2023 2:00	Normal	0.0	
7/3/2023 3:00	Normal	0.0	
7/3/2023 4:00	Normal	0.0	
7/3/2023 5:00	Normal	0.0	
7/3/2023 6:00	Normal	0.0	
7/3/2023 7:00	Normal	0.0	
7/3/2023 8:00	Normal	0.0	
7/3/2023 9:00	Normal	0.0	
7/3/2023 10:00	Normal	0.0	
7/3/2023 11:00	Normal	0.0	
7/3/2023 12:00	Normal	0.0	
7/3/2023 13:00	Normal	0.0	
7/3/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/3/2023 15:00	Normal	0.0	
7/3/2023 16:00	Normal	0.0	
7/3/2023 17:00	Normal	0.0	
7/3/2023 18:00	Normal	0.0	
7/3/2023 19:00	Normal	0.0	
7/3/2023 20:00	Normal	0.0	
7/3/2023 21:00	Normal	0.0	
7/3/2023 22:00	Normal	0.0	
7/3/2023 23:00	Normal	0.0	0.5
7/4/2023 0:00	Normal	0.0	
7/4/2023 1:00	Normal	0.0	
7/4/2023 2:00	Normal	0.0	
7/4/2023 3:00	Normal	0.0	
7/4/2023 4:00	Normal	0.0	
7/4/2023 5:00	Normal	0.0	
7/4/2023 6:00	Normal	0.0	
7/4/2023 7:00	Normal	0.0	
7/4/2023 8:00	Normal	0.0	
7/4/2023 9:00	Normal	0.0	
7/4/2023 10:00	Normal	0.0	
7/4/2023 11:00	Normal	0.0	
7/4/2023 12:00	Normal	0.0	
7/4/2023 13:00	Normal	0.0	
7/4/2023 14:00	Normal	0.0	
7/4/2023 15:00	Normal	0.0	
7/4/2023 16:00	Normal	0.0	
7/4/2023 17:00	Normal	0.0	
7/4/2023 18:00	Normal	0.0	
7/4/2023 19:00	Normal	0.0	
7/4/2023 20:00	Normal	0.0	
7/4/2023 21:00	Normal	0.0	
7/4/2023 22:00	Normal	0.0	
7/4/2023 23:00	Normal	0.0	0.5
7/5/2023 0:00	Normal	0.0	
7/5/2023 1:00	Normal	0.0	
7/5/2023 2:00	Normal	0.0	
7/5/2023 3:00	Normal	0.0	
7/5/2023 4:00	Normal	0.0	
7/5/2023 5:00	Normal	0.0	
7/5/2023 6:00	Normal	0.0	
7/5/2023 7:00	Normal	0.0	
7/5/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/5/2023 9:00	Normal	0.0	
7/5/2023 10:00	Normal	0.0	
7/5/2023 11:00	Normal	0.0	
7/5/2023 12:00	Normal	0.0	
7/5/2023 13:00	Normal	0.0	
7/5/2023 14:00	Normal	0.0	
7/5/2023 15:00	Normal	0.0	
7/5/2023 16:00	Normal	0.0	
7/5/2023 17:00	Normal	0.0	
7/5/2023 18:00	Normal	0.0	
7/5/2023 19:00	Normal	0.0	
7/5/2023 20:00	Normal	0.0	
7/5/2023 21:00	Normal	0.0	
7/5/2023 22:00	Normal	0.0	
7/5/2023 23:00	Normal	0.0	0.5
7/6/2023 0:00	Normal	0.0	
7/6/2023 1:00	Normal	0.0	
7/6/2023 2:00	Normal	0.0	
7/6/2023 3:00	Normal	0.0	
7/6/2023 4:00	Normal	0.0	
7/6/2023 5:00	Normal	0.0	
7/6/2023 6:00	Normal	0.0	
7/6/2023 7:00	Normal	0.0	
7/6/2023 8:00	Normal	0.0	
7/6/2023 9:00	Normal	0.0	
7/6/2023 10:00	Normal	0.0	
7/6/2023 11:00	Normal	0.0	
7/6/2023 12:00	Normal	0.0	
7/6/2023 13:00	Normal	0.0	
7/6/2023 14:00	Normal	0.0	
7/6/2023 15:00	Normal	0.0	
7/6/2023 16:00	Normal	0.0	
7/6/2023 17:00	Normal	0.0	
7/6/2023 18:00	Normal	0.0	
7/6/2023 19:00	Normal	0.0	
7/6/2023 20:00	Normal	0.0	
7/6/2023 21:00	Normal	0.0	
7/6/2023 22:00	Normal	0.0	
7/6/2023 23:00	Normal	0.0	0.5
7/7/2023 0:00	Normal	0.0	
7/7/2023 1:00	Normal	0.0	
7/7/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/7/2023 3:00	Normal	0.0	
7/7/2023 4:00	Normal	0.0	
7/7/2023 5:00	Normal	0.0	
7/7/2023 6:00	Normal	0.0	
7/7/2023 7:00	Normal	0.0	
7/7/2023 8:00	Normal	0.0	
7/7/2023 9:00	Normal	0.0	
7/7/2023 10:00	Normal	0.0	
7/7/2023 11:00	Normal	0.0	
7/7/2023 12:00	Normal	0.0	
7/7/2023 13:00	Normal	0.0	
7/7/2023 14:00	Normal	0.0	
7/7/2023 15:00	Normal	0.0	
7/7/2023 16:00	Normal	0.0	
7/7/2023 17:00	Normal	0.0	
7/7/2023 18:00	Normal	0.0	
7/7/2023 19:00	Normal	0.0	
7/7/2023 20:00	Normal	0.0	
7/7/2023 21:00	Normal	0.0	
7/7/2023 22:00	Normal	0.0	
7/7/2023 23:00	Normal	0.0	0.5
7/8/2023 0:00	Normal	0.0	
7/8/2023 1:00	Normal	0.0	
7/8/2023 2:00	Normal	0.0	
7/8/2023 3:00	Normal	0.0	
7/8/2023 4:00	Normal	0.0	
7/8/2023 5:00	Normal	0.0	
7/8/2023 6:00	Normal	0.0	
7/8/2023 7:00	Normal	0.0	
7/8/2023 8:00	Normal	0.0	
7/8/2023 9:00	Normal	0.0	
7/8/2023 10:00	Normal	0.0	
7/8/2023 11:00	Normal	0.0	
7/8/2023 12:00	Normal	0.0	
7/8/2023 13:00	Normal	0.0	
7/8/2023 14:00	Normal	0.0	
7/8/2023 15:00	Normal	0.0	
7/8/2023 16:00	Normal	0.0	
7/8/2023 17:00	Normal	0.0	
7/8/2023 18:00	Normal	0.0	
7/8/2023 19:00	Normal	0.0	
7/8/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/8/2023 21:00	Normal	0.0	
7/8/2023 22:00	Normal	0.0	
7/8/2023 23:00	Normal	0.0	0.5
7/9/2023 0:00	Normal	0.0	
7/9/2023 1:00	Normal	0.0	
7/9/2023 2:00	Normal	0.0	
7/9/2023 3:00	Malfunction	607.4	
7/9/2023 4:00	Malfunction	169.9	
7/9/2023 5:00	Malfunction	119.1	
7/9/2023 6:00	Malfunction	642.0	
7/9/2023 7:00	Normal	0.0	
7/9/2023 8:00	Normal	0.0	
7/9/2023 9:00	Normal	0.0	
7/9/2023 10:00	Normal	0.0	
7/9/2023 11:00	Normal	0.0	
7/9/2023 12:00	Normal	0.0	
7/9/2023 13:00	Normal	0.0	
7/9/2023 14:00	Normal	0.0	
7/9/2023 15:00	Normal	0.0	
7/9/2023 16:00	Normal	0.0	
7/9/2023 17:00	Normal	0.0	
7/9/2023 18:00	Normal	0.0	
7/9/2023 19:00	Normal	0.0	
7/9/2023 20:00	Normal	0.0	
7/9/2023 21:00	Normal	0.0	
7/9/2023 22:00	Normal	0.0	
7/9/2023 23:00	Normal	0.0	2.7
7/10/2023 0:00	Normal	0.0	
7/10/2023 1:00	Normal	0.0	
7/10/2023 2:00	Normal	0.0	
7/10/2023 3:00	Normal	0.0	
7/10/2023 4:00	Normal	0.0	
7/10/2023 5:00	Normal	0.0	
7/10/2023 6:00	Normal	0.0	
7/10/2023 7:00	Normal	0.0	
7/10/2023 8:00	Normal	3.7	
7/10/2023 9:00	Normal	0.0	
7/10/2023 10:00	Normal	0.0	
7/10/2023 11:00	Normal	0.0	
7/10/2023 12:00	Normal	0.0	
7/10/2023 13:00	Normal	0.0	
7/10/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/10/2023 15:00	Normal	0.0	
7/10/2023 16:00	Normal	0.0	
7/10/2023 17:00	Normal	0.0	
7/10/2023 18:00	Normal	0.0	
7/10/2023 19:00	Normal	0.0	
7/10/2023 20:00	Normal	0.0	
7/10/2023 21:00	Normal	0.0	
7/10/2023 22:00	Normal	0.0	
7/10/2023 23:00	Normal	0.0	2.8
7/11/2023 0:00	Normal	0.0	
7/11/2023 1:00	Normal	0.0	
7/11/2023 2:00	Normal	0.0	
7/11/2023 3:00	Normal	0.0	
7/11/2023 4:00	Normal	0.0	
7/11/2023 5:00	Normal	0.0	
7/11/2023 6:00	Normal	0.0	
7/11/2023 7:00	Normal	0.0	
7/11/2023 8:00	Normal	0.0	
7/11/2023 9:00	Normal	0.0	
7/11/2023 10:00	Normal	0.0	
7/11/2023 11:00	Normal	0.0	
7/11/2023 12:00	Normal	0.0	
7/11/2023 13:00	Normal	0.0	
7/11/2023 14:00	Normal	0.0	
7/11/2023 15:00	Normal	0.0	
7/11/2023 16:00	Normal	0.0	
7/11/2023 17:00	Normal	0.0	
7/11/2023 18:00	Normal	0.0	
7/11/2023 19:00	Normal	0.0	
7/11/2023 20:00	Normal	0.0	
7/11/2023 21:00	Normal	0.0	
7/11/2023 22:00	Normal	0.0	
7/11/2023 23:00	Normal	0.0	2.8
7/12/2023 0:00	Normal	0.0	
7/12/2023 1:00	Normal	0.0	
7/12/2023 2:00	Normal	0.0	
7/12/2023 3:00	Normal	0.0	
7/12/2023 4:00	Normal	0.0	
7/12/2023 5:00	Normal	0.0	
7/12/2023 6:00	Normal	0.0	
7/12/2023 7:00	Normal	0.0	
7/12/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/12/2023 9:00	Normal	0.0	
7/12/2023 10:00	Normal	0.0	
7/12/2023 11:00	Normal	0.0	
7/12/2023 12:00	Normal	0.0	
7/12/2023 13:00	Normal	0.0	
7/12/2023 14:00	Normal	0.0	
7/12/2023 15:00	Normal	0.0	
7/12/2023 16:00	Normal	0.0	
7/12/2023 17:00	Normal	0.0	
7/12/2023 18:00	Normal	0.0	
7/12/2023 19:00	Normal	0.0	
7/12/2023 20:00	Normal	0.0	
7/12/2023 21:00	Normal	0.0	
7/12/2023 22:00	Normal	0.0	
7/12/2023 23:00	Normal	0.0	2.8
7/13/2023 0:00	Normal	0.0	
7/13/2023 1:00	Normal	0.0	
7/13/2023 2:00	Normal	0.0	
7/13/2023 3:00	Normal	0.0	
7/13/2023 4:00	Normal	0.0	
7/13/2023 5:00	Normal	0.0	
7/13/2023 6:00	Normal	0.0	
7/13/2023 7:00	Normal	0.0	
7/13/2023 8:00	Normal	0.0	
7/13/2023 9:00	Normal	0.0	
7/13/2023 10:00	Normal	0.0	
7/13/2023 11:00	Normal	0.0	
7/13/2023 12:00	Normal	0.0	
7/13/2023 13:00	Normal	0.0	
7/13/2023 14:00	Normal	0.0	
7/13/2023 15:00	Normal	0.0	
7/13/2023 16:00	Normal	0.0	
7/13/2023 17:00	Normal	0.0	
7/13/2023 18:00	Normal	0.0	
7/13/2023 19:00	Normal	0.0	
7/13/2023 20:00	Normal	0.0	
7/13/2023 21:00	Normal	0.0	
7/13/2023 22:00	Normal	0.0	
7/13/2023 23:00	Normal	0.0	2.8
7/14/2023 0:00	Normal	0.0	
7/14/2023 1:00	Normal	0.0	
7/14/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/14/2023 3:00	Normal	0.0	
7/14/2023 4:00	Normal	0.0	
7/14/2023 5:00	Normal	0.0	
7/14/2023 6:00	Normal	0.0	
7/14/2023 7:00	Normal	0.0	
7/14/2023 8:00	Normal	0.0	
7/14/2023 9:00	Normal	0.0	
7/14/2023 10:00	Normal	0.0	
7/14/2023 11:00	Normal	0.0	
7/14/2023 12:00	Normal	0.0	
7/14/2023 13:00	Normal	0.0	
7/14/2023 14:00	Normal	0.0	
7/14/2023 15:00	Normal	0.0	
7/14/2023 16:00	Normal	0.0	
7/14/2023 17:00	Normal	0.0	
7/14/2023 18:00	Normal	0.0	
7/14/2023 19:00	Normal	0.0	
7/14/2023 20:00	Normal	0.0	
7/14/2023 21:00	Normal	0.0	
7/14/2023 22:00	Normal	0.0	
7/14/2023 23:00	Normal	0.0	2.8
7/15/2023 0:00	Normal	0.0	
7/15/2023 1:00	Normal	0.0	
7/15/2023 2:00	Normal	0.0	
7/15/2023 3:00	Normal	0.0	
7/15/2023 4:00	Normal	0.0	
7/15/2023 5:00	Normal	0.0	
7/15/2023 6:00	Normal	0.0	
7/15/2023 7:00	Normal	0.0	
7/15/2023 8:00	Normal	0.0	
7/15/2023 9:00	Normal	0.0	
7/15/2023 10:00	Normal	0.0	
7/15/2023 11:00	Normal	0.0	
7/15/2023 12:00	Normal	0.0	
7/15/2023 13:00	Normal	0.0	
7/15/2023 14:00	Normal	0.0	
7/15/2023 15:00	Normal	0.0	
7/15/2023 16:00	Normal	0.0	
7/15/2023 17:00	Normal	0.0	
7/15/2023 18:00	Normal	0.0	
7/15/2023 19:00	Normal	0.0	
7/15/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/15/2023 21:00	Normal	0.0	
7/15/2023 22:00	Normal	0.0	
7/15/2023 23:00	Normal	0.0	2.8
7/16/2023 0:00	Normal	0.0	
7/16/2023 1:00	Normal	0.0	
7/16/2023 2:00	Normal	0.0	
7/16/2023 3:00	Normal	0.0	
7/16/2023 4:00	Normal	0.0	
7/16/2023 5:00	Normal	0.0	
7/16/2023 6:00	Normal	0.0	
7/16/2023 7:00	Normal	0.0	
7/16/2023 8:00	Normal	0.0	
7/16/2023 9:00	Normal	0.0	
7/16/2023 10:00	Normal	0.0	
7/16/2023 11:00	Normal	0.0	
7/16/2023 12:00	Normal	0.0	
7/16/2023 13:00	Normal	0.0	
7/16/2023 14:00	Normal	0.0	
7/16/2023 15:00	Normal	0.0	
7/16/2023 16:00	Normal	0.0	
7/16/2023 17:00	Normal	0.0	
7/16/2023 18:00	Normal	0.0	
7/16/2023 19:00	Normal	0.0	
7/16/2023 20:00	Normal	0.0	
7/16/2023 21:00	Normal	0.0	
7/16/2023 22:00	Normal	0.0	
7/16/2023 23:00	Normal	0.0	2.8
7/17/2023 0:00	Normal	0.0	
7/17/2023 1:00	Normal	0.0	
7/17/2023 2:00	Normal	0.0	
7/17/2023 3:00	Normal	0.0	
7/17/2023 4:00	Normal	0.0	
7/17/2023 5:00	Normal	0.0	
7/17/2023 6:00	Normal	0.0	
7/17/2023 7:00	Normal	0.0	
7/17/2023 8:00	Normal	0.0	
7/17/2023 9:00	Normal	0.0	
7/17/2023 10:00	Normal	0.0	
7/17/2023 11:00	Normal	0.0	
7/17/2023 12:00	Normal	0.0	
7/17/2023 13:00	Normal	0.0	
7/17/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/17/2023 15:00	Normal	0.0	
7/17/2023 16:00	Normal	0.0	
7/17/2023 17:00	Normal	0.0	
7/17/2023 18:00	Normal	0.0	
7/17/2023 19:00	Normal	0.0	
7/17/2023 20:00	Normal	0.0	
7/17/2023 21:00	Normal	0.0	
7/17/2023 22:00	Normal	0.0	
7/17/2023 23:00	Normal	0.0	2.8
7/18/2023 0:00	Normal	0.0	
7/18/2023 1:00	Normal	0.0	
7/18/2023 2:00	Normal	0.0	
7/18/2023 3:00	Normal	0.0	
7/18/2023 4:00	Normal	0.0	
7/18/2023 5:00	Normal	0.0	
7/18/2023 6:00	Normal	0.0	
7/18/2023 7:00	Normal	0.0	
7/18/2023 8:00	Normal	0.0	
7/18/2023 9:00	Normal	0.0	
7/18/2023 10:00	Normal	0.0	
7/18/2023 11:00	Normal	0.0	
7/18/2023 12:00	Normal	0.0	
7/18/2023 13:00	Normal	0.0	
7/18/2023 14:00	Normal	0.0	
7/18/2023 15:00	Normal	0.0	
7/18/2023 16:00	Normal	0.0	
7/18/2023 17:00	Normal	0.0	
7/18/2023 18:00	Normal	0.0	
7/18/2023 19:00	Normal	0.0	
7/18/2023 20:00	Normal	0.0	
7/18/2023 21:00	Normal	0.0	
7/18/2023 22:00	Normal	0.0	
7/18/2023 23:00	Normal	0.0	2.8
7/19/2023 0:00	Normal	0.0	
7/19/2023 1:00	Normal	0.0	
7/19/2023 2:00	Normal	0.0	
7/19/2023 3:00	Normal	0.0	
7/19/2023 4:00	Normal	0.0	
7/19/2023 5:00	Normal	0.0	
7/19/2023 6:00	Normal	0.0	
7/19/2023 7:00	Normal	0.0	
7/19/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/19/2023 9:00	Normal	0.0	
7/19/2023 10:00	Normal	0.0	
7/19/2023 11:00	Normal	0.0	
7/19/2023 12:00	Normal	0.0	
7/19/2023 13:00	Normal	0.0	
7/19/2023 14:00	Normal	0.0	
7/19/2023 15:00	Normal	0.0	
7/19/2023 16:00	Normal	0.0	
7/19/2023 17:00	Normal	0.0	
7/19/2023 18:00	Normal	0.0	
7/19/2023 19:00	Normal	0.0	
7/19/2023 20:00	Normal	0.0	
7/19/2023 21:00	Normal	0.0	
7/19/2023 22:00	Normal	0.0	
7/19/2023 23:00	Normal	0.0	2.5
7/20/2023 0:00	Normal	0.0	
7/20/2023 1:00	Normal	0.0	
7/20/2023 2:00	Normal	0.0	
7/20/2023 3:00	Normal	0.0	
7/20/2023 4:00	Normal	0.0	
7/20/2023 5:00	Normal	0.0	
7/20/2023 6:00	Normal	0.0	
7/20/2023 7:00	Normal	0.0	
7/20/2023 8:00	Normal	0.0	
7/20/2023 9:00	Normal	0.0	
7/20/2023 10:00	Normal	0.0	
7/20/2023 11:00	Normal	0.0	
7/20/2023 12:00	Normal	0.0	
7/20/2023 13:00	Normal	0.0	
7/20/2023 14:00	Normal	0.0	
7/20/2023 15:00	Normal	0.0	
7/20/2023 16:00	Normal	0.0	
7/20/2023 17:00	Normal	0.0	
7/20/2023 18:00	Normal	0.0	
7/20/2023 19:00	Normal	0.0	
7/20/2023 20:00	Normal	0.0	
7/20/2023 21:00	Normal	0.0	
7/20/2023 22:00	Normal	0.0	
7/20/2023 23:00	Normal	0.0	2.5
7/21/2023 0:00	Normal	0.0	
7/21/2023 1:00	Normal	0.0	
7/21/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/21/2023 3:00	Normal	0.0	
7/21/2023 4:00	Normal	0.0	
7/21/2023 5:00	Normal	0.0	
7/21/2023 6:00	Normal	0.0	
7/21/2023 7:00	Normal	0.0	
7/21/2023 8:00	Normal	0.0	
7/21/2023 9:00	Normal	0.0	
7/21/2023 10:00	Normal	0.0	
7/21/2023 11:00	Normal	0.0	
7/21/2023 12:00	Normal	0.0	
7/21/2023 13:00	Normal	0.0	
7/21/2023 14:00	Normal	0.0	
7/21/2023 15:00	Normal	0.0	
7/21/2023 16:00	Normal	0.0	
7/21/2023 17:00	Normal	0.0	
7/21/2023 18:00	Normal	0.0	
7/21/2023 19:00	Normal	0.0	
7/21/2023 20:00	Normal	0.0	
7/21/2023 21:00	Normal	0.0	
7/21/2023 22:00	Normal	0.0	
7/21/2023 23:00	Normal	0.0	2.5
7/22/2023 0:00	Normal	0.0	
7/22/2023 1:00	Normal	0.0	
7/22/2023 2:00	Normal	0.0	
7/22/2023 3:00	Normal	0.0	
7/22/2023 4:00	Normal	0.0	
7/22/2023 5:00	Normal	0.0	
7/22/2023 6:00	Normal	0.0	
7/22/2023 7:00	Normal	0.0	
7/22/2023 8:00	Normal	0.0	
7/22/2023 9:00	Normal	0.0	
7/22/2023 10:00	Normal	0.0	
7/22/2023 11:00	Normal	0.0	
7/22/2023 12:00	Normal	0.0	
7/22/2023 13:00	Normal	0.0	
7/22/2023 14:00	Normal	0.0	
7/22/2023 15:00	Normal	0.0	
7/22/2023 16:00	Normal	0.0	
7/22/2023 17:00	Normal	0.0	
7/22/2023 18:00	Normal	0.0	
7/22/2023 19:00	Normal	0.0	
7/22/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/22/2023 21:00	Normal	0.0	
7/22/2023 22:00	Normal	0.0	
7/22/2023 23:00	Normal	0.0	2.5
7/23/2023 0:00	Normal	0.0	
7/23/2023 1:00	Normal	0.0	
7/23/2023 2:00	Normal	0.0	
7/23/2023 3:00	Normal	0.0	
7/23/2023 4:00	Normal	0.0	
7/23/2023 5:00	Normal	0.0	
7/23/2023 6:00	Normal	0.0	
7/23/2023 7:00	Normal	0.0	
7/23/2023 8:00	Normal	0.0	
7/23/2023 9:00	Normal	0.0	
7/23/2023 10:00	Normal	0.0	
7/23/2023 11:00	Normal	0.0	
7/23/2023 12:00	Normal	0.0	
7/23/2023 13:00	Normal	0.0	
7/23/2023 14:00	Normal	0.0	
7/23/2023 15:00	Normal	0.0	
7/23/2023 16:00	Normal	0.0	
7/23/2023 17:00	Normal	0.0	
7/23/2023 18:00	Normal	0.0	
7/23/2023 19:00	Normal	0.0	
7/23/2023 20:00	Normal	0.0	
7/23/2023 21:00	Normal	0.0	
7/23/2023 22:00	Normal	0.0	
7/23/2023 23:00	Normal	0.0	2.5
7/24/2023 0:00	Normal	0.0	
7/24/2023 1:00	Normal	0.0	
7/24/2023 2:00	Normal	0.0	
7/24/2023 3:00	Normal	0.0	
7/24/2023 4:00	Normal	0.0	
7/24/2023 5:00	Normal	0.0	
7/24/2023 6:00	Malfunction	109.2	
7/24/2023 7:00	Malfunction	0.0	
7/24/2023 8:00	Malfunction	0.0	
7/24/2023 9:00	Malfunction	0.0	
7/24/2023 10:00	Malfunction	0.0	
7/24/2023 11:00	Malfunction	0.0	
7/24/2023 12:00	Malfunction	0.0	
7/24/2023 13:00	Malfunction	0.0	
7/24/2023 14:00	Malfunction	1.1	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/24/2023 15:00	Malfunction	21.2	
7/24/2023 16:00	Malfunction	27.0	
7/24/2023 17:00	Malfunction	0.0	
7/24/2023 18:00	Malfunction	0.0	
7/24/2023 19:00	Malfunction	0.0	
7/24/2023 20:00	Malfunction	0.0	
7/24/2023 21:00	Malfunction	1.1	
7/24/2023 22:00	Malfunction	4.6	
7/24/2023 23:00	Normal	0.0	2.8
7/25/2023 0:00	Normal	0.0	
7/25/2023 1:00	Normal	0.0	
7/25/2023 2:00	Normal	0.0	
7/25/2023 3:00	Normal	0.0	
7/25/2023 4:00	Normal	0.0	
7/25/2023 5:00	Normal	0.0	
7/25/2023 6:00	Normal	0.0	
7/25/2023 7:00	Normal	0.0	
7/25/2023 8:00	Normal	0.0	
7/25/2023 9:00	Normal	0.0	
7/25/2023 10:00	Normal	0.0	
7/25/2023 11:00	Normal	0.0	
7/25/2023 12:00	Normal	0.0	
7/25/2023 13:00	Normal	0.0	
7/25/2023 14:00	Normal	0.0	
7/25/2023 15:00	Normal	0.0	
7/25/2023 16:00	Normal	0.0	
7/25/2023 17:00	Normal	0.0	
7/25/2023 18:00	Normal	0.0	
7/25/2023 19:00	Normal	0.0	
7/25/2023 20:00	Normal	0.0	
7/25/2023 21:00	Normal	0.0	
7/25/2023 22:00	Normal	0.0	
7/25/2023 23:00	Normal	0.0	2.8
7/26/2023 0:00	Normal	0.0	
7/26/2023 1:00	Normal	0.0	
7/26/2023 2:00	Normal	0.0	
7/26/2023 3:00	Normal	0.0	
7/26/2023 4:00	Normal	0.0	
7/26/2023 5:00	Normal	0.0	
7/26/2023 6:00	Normal	0.0	
7/26/2023 7:00	Normal	0.0	
7/26/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/26/2023 9:00	Normal	0.0	
7/26/2023 10:00	Normal	0.0	
7/26/2023 11:00	Normal	0.0	
7/26/2023 12:00	Normal	0.0	
7/26/2023 13:00	Normal	0.0	
7/26/2023 14:00	Normal	0.0	
7/26/2023 15:00	Normal	0.0	
7/26/2023 16:00	Normal	0.0	
7/26/2023 17:00	Normal	0.0	
7/26/2023 18:00	Normal	0.0	
7/26/2023 19:00	Normal	0.0	
7/26/2023 20:00	Normal	0.0	
7/26/2023 21:00	Normal	0.0	
7/26/2023 22:00	Normal	0.0	
7/26/2023 23:00	Normal	0.0	2.5
7/27/2023 0:00	Normal	0.0	
7/27/2023 1:00	Normal	0.0	
7/27/2023 2:00	Normal	0.0	
7/27/2023 3:00	Normal	0.0	
7/27/2023 4:00	Normal	0.0	
7/27/2023 5:00	Normal	0.0	
7/27/2023 6:00	Normal	0.0	
7/27/2023 7:00	Normal	0.0	
7/27/2023 8:00	Normal	0.0	
7/27/2023 9:00	Normal	0.0	
7/27/2023 10:00	Normal	0.0	
7/27/2023 11:00	Normal	0.0	
7/27/2023 12:00	Normal	0.0	
7/27/2023 13:00	Normal	0.0	
7/27/2023 14:00	Normal	0.0	
7/27/2023 15:00	Normal	0.0	
7/27/2023 16:00	Normal	0.0	
7/27/2023 17:00	Normal	0.0	
7/27/2023 18:00	Normal	0.0	
7/27/2023 19:00	Normal	0.0	
7/27/2023 20:00	Normal	0.0	
7/27/2023 21:00	Normal	0.0	
7/27/2023 22:00	Normal	0.0	
7/27/2023 23:00	Normal	0.0	2.4
7/28/2023 0:00	Normal	0.0	
7/28/2023 1:00	Normal	0.0	
7/28/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/28/2023 3:00	Normal	0.0	
7/28/2023 4:00	Normal	0.0	
7/28/2023 5:00	Normal	0.0	
7/28/2023 6:00	Normal	0.0	
7/28/2023 7:00	Normal	0.0	
7/28/2023 8:00	Normal	0.0	
7/28/2023 9:00	Normal	0.0	
7/28/2023 10:00	Normal	0.0	
7/28/2023 11:00	Normal	0.0	
7/28/2023 12:00	Normal	0.0	
7/28/2023 13:00	Normal	0.0	
7/28/2023 14:00	Normal	0.0	
7/28/2023 15:00	Normal	0.0	
7/28/2023 16:00	Normal	0.0	
7/28/2023 17:00	Normal	0.0	
7/28/2023 18:00	Normal	0.0	
7/28/2023 19:00	Normal	0.0	
7/28/2023 20:00	Normal	0.0	
7/28/2023 21:00	Normal	0.0	
7/28/2023 22:00	Normal	0.0	
7/28/2023 23:00	Normal	0.0	2.4
7/29/2023 0:00	Normal	0.0	
7/29/2023 1:00	Normal	0.0	
7/29/2023 2:00	Normal	0.0	
7/29/2023 3:00	Normal	0.0	
7/29/2023 4:00	Normal	0.0	
7/29/2023 5:00	Normal	0.0	
7/29/2023 6:00	Normal	0.0	
7/29/2023 7:00	Normal	0.0	
7/29/2023 8:00	Normal	0.0	
7/29/2023 9:00	Normal	0.0	
7/29/2023 10:00	Normal	0.0	
7/29/2023 11:00	Normal	0.0	
7/29/2023 12:00	Normal	0.0	
7/29/2023 13:00	Normal	0.0	
7/29/2023 14:00	Normal	0.0	
7/29/2023 15:00	Normal	0.0	
7/29/2023 16:00	Normal	0.0	
7/29/2023 17:00	Normal	0.0	
7/29/2023 18:00	Normal	0.0	
7/29/2023 19:00	Normal	0.0	
7/29/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/29/2023 21:00	Normal	0.0	
7/29/2023 22:00	Normal	0.0	
7/29/2023 23:00	Normal	0.0	2.4
7/30/2023 0:00	Normal	0.0	
7/30/2023 1:00	Normal	0.0	
7/30/2023 2:00	Normal	0.0	
7/30/2023 3:00	Normal	0.0	
7/30/2023 4:00	Normal	0.0	
7/30/2023 5:00	Normal	0.0	
7/30/2023 6:00	Normal	0.0	
7/30/2023 7:00	Normal	0.0	
7/30/2023 8:00	Normal	0.0	
7/30/2023 9:00	Normal	0.0	
7/30/2023 10:00	Normal	0.0	
7/30/2023 11:00	Normal	0.0	
7/30/2023 12:00	Normal	0.0	
7/30/2023 13:00	Normal	0.0	
7/30/2023 14:00	Normal	0.0	
7/30/2023 15:00	Normal	0.0	
7/30/2023 16:00	Normal	0.0	
7/30/2023 17:00	Normal	0.0	
7/30/2023 18:00	Normal	0.0	
7/30/2023 19:00	Normal	0.0	
7/30/2023 20:00	Normal	0.0	
7/30/2023 21:00	Normal	0.0	
7/30/2023 22:00	Normal	0.0	
7/30/2023 23:00	Normal	0.0	2.4
7/31/2023 0:00	Normal	0.0	
7/31/2023 1:00	Normal	0.0	
7/31/2023 2:00	Normal	0.0	
7/31/2023 3:00	Normal	0.0	
7/31/2023 4:00	Normal	0.0	
7/31/2023 5:00	Normal	0.0	
7/31/2023 6:00	Normal	0.0	
7/31/2023 7:00	Normal	0.0	
7/31/2023 8:00	Normal	0.0	
7/31/2023 9:00	Normal	0.0	
7/31/2023 10:00	Normal	0.0	
7/31/2023 11:00	Normal	0.0	
7/31/2023 12:00	Normal	0.0	
7/31/2023 13:00	Normal	0.0	
7/31/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
7/31/2023 15:00	Normal	0.0	
7/31/2023 16:00	Normal	0.0	
7/31/2023 17:00	Normal	0.0	
7/31/2023 18:00	Normal	0.0	
7/31/2023 19:00	Normal	0.0	
7/31/2023 20:00	Normal	0.0	
7/31/2023 21:00	Normal	0.0	
7/31/2023 22:00	Normal	0.0	
7/31/2023 23:00	Normal	0.0	2.4
8/1/2023 0:00	Normal	0.0	
8/1/2023 1:00	Normal	0.0	
8/1/2023 2:00	Normal	0.0	
8/1/2023 3:00	Malfunction	72.9	
8/1/2023 4:00	Malfunction	65.9	
8/1/2023 5:00	Normal	0.0	
8/1/2023 6:00	Normal	0.0	
8/1/2023 7:00	Normal	0.0	
8/1/2023 8:00	Normal	0.0	
8/1/2023 9:00	Normal	0.0	
8/1/2023 10:00	Normal	0.0	
8/1/2023 11:00	Normal	0.0	
8/1/2023 12:00	Normal	0.0	
8/1/2023 13:00	Normal	0.0	
8/1/2023 14:00	Normal	0.0	
8/1/2023 15:00	Normal	0.0	
8/1/2023 16:00	Normal	0.0	
8/1/2023 17:00	Normal	0.0	
8/1/2023 18:00	Normal	0.0	
8/1/2023 19:00	Normal	0.0	
8/1/2023 20:00	Normal	0.0	
8/1/2023 21:00	Normal	0.0	
8/1/2023 22:00	Normal	0.0	
8/1/2023 23:00	Normal	0.0	2.6
8/2/2023 0:00	Normal	0.0	
8/2/2023 1:00	Normal	0.0	
8/2/2023 2:00	Normal	0.0	
8/2/2023 3:00	Normal	0.0	
8/2/2023 4:00	Normal	0.0	
8/2/2023 5:00	Normal	0.0	
8/2/2023 6:00	Normal	0.0	
8/2/2023 7:00	Normal	0.0	
8/2/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/2/2023 9:00	Normal	0.0	
8/2/2023 10:00	Normal	0.0	
8/2/2023 11:00	Normal	0.0	
8/2/2023 12:00	Normal	0.0	
8/2/2023 13:00	Normal	0.0	
8/2/2023 14:00	Normal	0.0	
8/2/2023 15:00	Normal	0.0	
8/2/2023 16:00	Normal	0.0	
8/2/2023 17:00	Normal	0.0	
8/2/2023 18:00	Normal	0.0	
8/2/2023 19:00	Normal	0.0	
8/2/2023 20:00	Normal	0.0	
8/2/2023 21:00	Normal	0.0	
8/2/2023 22:00	Normal	0.0	
8/2/2023 23:00	Normal	0.0	2.6
8/3/2023 0:00	Normal	0.0	
8/3/2023 1:00	Normal	0.0	
8/3/2023 2:00	Normal	0.0	
8/3/2023 3:00	Normal	0.0	
8/3/2023 4:00	Normal	0.0	
8/3/2023 5:00	Normal	0.0	
8/3/2023 6:00	Normal	0.0	
8/3/2023 7:00	Normal	0.0	
8/3/2023 8:00	Normal	0.0	
8/3/2023 9:00	Other	0.0	
8/3/2023 10:00	Other	25.1	
8/3/2023 11:00	Other	174.0	
8/3/2023 12:00	Shutdown	3.5	
8/3/2023 13:00	Shutdown	2.8	
8/3/2023 14:00	Startup	0.1	
8/3/2023 15:00	Startup	2.4	
8/3/2023 16:00	Startup	0.0	
8/3/2023 17:00	Startup	0.0	
8/3/2023 18:00	Startup	0.0	
8/3/2023 19:00	Normal	0.0	
8/3/2023 20:00	Normal	0.0	
8/3/2023 21:00	Normal	0.0	
8/3/2023 22:00	Normal	0.0	
8/3/2023 23:00	Normal	0.0	2.9
8/4/2023 0:00	Normal	0.0	
8/4/2023 1:00	Normal	0.0	
8/4/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/4/2023 3:00	Normal	0.0	
8/4/2023 4:00	Normal	0.0	
8/4/2023 5:00	Normal	0.0	
8/4/2023 6:00	Normal	0.0	
8/4/2023 7:00	Normal	0.0	
8/4/2023 8:00	Normal	0.0	
8/4/2023 9:00	Normal	0.0	
8/4/2023 10:00	Normal	0.0	
8/4/2023 11:00	Normal	0.0	
8/4/2023 12:00	Normal	0.0	
8/4/2023 13:00	Normal	0.0	
8/4/2023 14:00	Normal	0.0	
8/4/2023 15:00	Normal	0.0	
8/4/2023 16:00	Normal	0.0	
8/4/2023 17:00	Normal	0.0	
8/4/2023 18:00	Normal	0.0	
8/4/2023 19:00	Normal	0.0	
8/4/2023 20:00	Normal	0.0	
8/4/2023 21:00	Normal	0.0	
8/4/2023 22:00	Normal	0.0	
8/4/2023 23:00	Normal	0.0	2.9
8/5/2023 0:00	Normal	0.0	
8/5/2023 1:00	Normal	0.0	
8/5/2023 2:00	Normal	0.0	
8/5/2023 3:00	Normal	0.0	
8/5/2023 4:00	Normal	0.0	
8/5/2023 5:00	Normal	0.0	
8/5/2023 6:00	Normal	0.0	
8/5/2023 7:00	Normal	0.0	
8/5/2023 8:00	Normal	0.0	
8/5/2023 9:00	Normal	0.0	
8/5/2023 10:00	Normal	0.0	
8/5/2023 11:00	Normal	0.0	
8/5/2023 12:00	Normal	0.0	
8/5/2023 13:00	Normal	0.0	
8/5/2023 14:00	Normal	0.0	
8/5/2023 15:00	Normal	0.0	
8/5/2023 16:00	Normal	0.0	
8/5/2023 17:00	Normal	0.0	
8/5/2023 18:00	Normal	0.0	
8/5/2023 19:00	Normal	0.0	
8/5/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/5/2023 21:00	Normal	0.0	
8/5/2023 22:00	Normal	0.0	
8/5/2023 23:00	Normal	0.0	2.9
8/6/2023 0:00	Normal	0.0	
8/6/2023 1:00	Normal	0.0	
8/6/2023 2:00	Normal	0.0	
8/6/2023 3:00	Normal	0.0	
8/6/2023 4:00	Normal	0.0	
8/6/2023 5:00	Normal	0.0	
8/6/2023 6:00	Normal	0.0	
8/6/2023 7:00	Normal	0.0	
8/6/2023 8:00	Normal	0.0	
8/6/2023 9:00	Normal	0.0	
8/6/2023 10:00	Normal	0.0	
8/6/2023 11:00	Normal	0.0	
8/6/2023 12:00	Normal	0.0	
8/6/2023 13:00	Normal	0.0	
8/6/2023 14:00	Normal	0.0	
8/6/2023 15:00	Normal	0.0	
8/6/2023 16:00	Normal	0.0	
8/6/2023 17:00	Normal	0.0	
8/6/2023 18:00	Normal	0.0	
8/6/2023 19:00	Normal	0.0	
8/6/2023 20:00	Normal	0.0	
8/6/2023 21:00	Normal	0.0	
8/6/2023 22:00	Normal	0.0	
8/6/2023 23:00	Normal	0.0	2.9
8/7/2023 0:00	Normal	0.0	
8/7/2023 1:00	Normal	0.0	
8/7/2023 2:00	Normal	0.0	
8/7/2023 3:00	Normal	0.0	
8/7/2023 4:00	Normal	0.0	
8/7/2023 5:00	Normal	0.0	
8/7/2023 6:00	Normal	0.0	
8/7/2023 7:00	Normal	0.0	
8/7/2023 8:00	Normal	0.0	
8/7/2023 9:00	Normal	0.0	
8/7/2023 10:00	Normal	0.0	
8/7/2023 11:00	Normal	0.0	
8/7/2023 12:00	Normal	0.0	
8/7/2023 13:00	Normal	0.0	
8/7/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/7/2023 15:00	Normal	0.0	
8/7/2023 16:00	Normal	0.0	
8/7/2023 17:00	Normal	0.0	
8/7/2023 18:00	Normal	0.0	
8/7/2023 19:00	Normal	0.0	
8/7/2023 20:00	Normal	0.0	
8/7/2023 21:00	Normal	0.0	
8/7/2023 22:00	Normal	0.0	
8/7/2023 23:00	Normal	0.0	2.9
8/8/2023 0:00	Normal	0.0	
8/8/2023 1:00	Normal	0.0	
8/8/2023 2:00	Normal	0.0	
8/8/2023 3:00	Normal	0.0	
8/8/2023 4:00	Normal	0.0	
8/8/2023 5:00	Normal	0.0	
8/8/2023 6:00	Normal	0.0	
8/8/2023 7:00	Normal	0.0	
8/8/2023 8:00	Normal	0.0	
8/8/2023 9:00	Normal	0.0	
8/8/2023 10:00	Normal	0.0	
8/8/2023 11:00	Normal	0.0	
8/8/2023 12:00	Normal	0.0	
8/8/2023 13:00	Normal	0.0	
8/8/2023 14:00	Normal	0.0	
8/8/2023 15:00	Normal	0.0	
8/8/2023 16:00	Normal	0.0	
8/8/2023 17:00	Normal	0.0	
8/8/2023 18:00	Normal	0.0	
8/8/2023 19:00	Normal	0.0	
8/8/2023 20:00	Normal	0.0	
8/8/2023 21:00	Normal	0.0	
8/8/2023 22:00	Normal	0.0	
8/8/2023 23:00	Normal	0.0	0.7
8/9/2023 0:00	Normal	0.0	
8/9/2023 1:00	Normal	0.0	
8/9/2023 2:00	Normal	0.0	
8/9/2023 3:00	Normal	0.0	
8/9/2023 4:00	Normal	0.0	
8/9/2023 5:00	Normal	0.0	
8/9/2023 6:00	Normal	0.0	
8/9/2023 7:00	Normal	0.0	
8/9/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/9/2023 9:00	Normal	0.0	
8/9/2023 10:00	Normal	0.0	
8/9/2023 11:00	Normal	0.0	
8/9/2023 12:00	Normal	0.0	
8/9/2023 13:00	Normal	0.0	
8/9/2023 14:00	Normal	0.0	
8/9/2023 15:00	Normal	0.0	
8/9/2023 16:00	Normal	0.0	
8/9/2023 17:00	Normal	0.0	
8/9/2023 18:00	Normal	0.0	
8/9/2023 19:00	Normal	0.0	
8/9/2023 20:00	Normal	0.0	
8/9/2023 21:00	Normal	0.0	
8/9/2023 22:00	Normal	0.0	
8/9/2023 23:00	Normal	0.0	0.7
8/10/2023 0:00	Normal	0.0	
8/10/2023 1:00	Normal	0.0	
8/10/2023 2:00	Normal	0.0	
8/10/2023 3:00	Normal	0.0	
8/10/2023 4:00	Normal	0.0	
8/10/2023 5:00	Normal	0.0	
8/10/2023 6:00	Normal	0.0	
8/10/2023 7:00	Normal	0.0	
8/10/2023 8:00	Normal	0.0	
8/10/2023 9:00	Normal	0.0	
8/10/2023 10:00	Normal	0.0	
8/10/2023 11:00	Normal	0.0	
8/10/2023 12:00	Normal	0.0	
8/10/2023 13:00	Normal	0.0	
8/10/2023 14:00	Normal	0.0	
8/10/2023 15:00	Normal	0.0	
8/10/2023 16:00	Normal	0.0	
8/10/2023 17:00	Normal	0.0	
8/10/2023 18:00	Normal	0.0	
8/10/2023 19:00	Normal	0.0	
8/10/2023 20:00	Normal	0.0	
8/10/2023 21:00	Normal	0.0	
8/10/2023 22:00	Normal	0.0	
8/10/2023 23:00	Normal	0.0	0.7
8/11/2023 0:00	Normal	0.0	
8/11/2023 1:00	Normal	0.0	
8/11/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/11/2023 3:00	Normal	0.0	
8/11/2023 4:00	Normal	0.0	
8/11/2023 5:00	Normal	0.0	
8/11/2023 6:00	Normal	0.0	
8/11/2023 7:00	Normal	0.0	
8/11/2023 8:00	Normal	0.0	
8/11/2023 9:00	Normal	0.0	
8/11/2023 10:00	Normal	0.0	
8/11/2023 11:00	Normal	0.0	
8/11/2023 12:00	Normal	0.0	
8/11/2023 13:00	Normal	0.0	
8/11/2023 14:00	Normal	0.0	
8/11/2023 15:00	Normal	0.0	
8/11/2023 16:00	Normal	0.0	
8/11/2023 17:00	Normal	0.0	
8/11/2023 18:00	Normal	0.0	
8/11/2023 19:00	Normal	0.0	
8/11/2023 20:00	Normal	0.0	
8/11/2023 21:00	Normal	0.0	
8/11/2023 22:00	Normal	0.0	
8/11/2023 23:00	Normal	0.0	0.7
8/12/2023 0:00	Normal	0.0	
8/12/2023 1:00	Normal	0.0	
8/12/2023 2:00	Normal	0.0	
8/12/2023 3:00	Normal	0.0	
8/12/2023 4:00	Normal	0.0	
8/12/2023 5:00	Normal	0.0	
8/12/2023 6:00	Normal	0.0	
8/12/2023 7:00	Normal	0.0	
8/12/2023 8:00	Normal	0.0	
8/12/2023 9:00	Normal	0.0	
8/12/2023 10:00	Normal	0.0	
8/12/2023 11:00	Normal	0.0	
8/12/2023 12:00	Normal	0.0	
8/12/2023 13:00	Normal	0.0	
8/12/2023 14:00	Normal	0.0	
8/12/2023 15:00	Normal	0.0	
8/12/2023 16:00	Normal	0.0	
8/12/2023 17:00	Normal	0.0	
8/12/2023 18:00	Normal	0.0	
8/12/2023 19:00	Normal	0.0	
8/12/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/12/2023 21:00	Normal	0.0	
8/12/2023 22:00	Normal	0.0	
8/12/2023 23:00	Normal	0.0	0.7
8/13/2023 0:00	Normal	0.0	
8/13/2023 1:00	Normal	0.0	
8/13/2023 2:00	Normal	0.0	
8/13/2023 3:00	Normal	0.0	
8/13/2023 4:00	Normal	0.0	
8/13/2023 5:00	Normal	0.0	
8/13/2023 6:00	Normal	0.0	
8/13/2023 7:00	Normal	0.0	
8/13/2023 8:00	Normal	0.0	
8/13/2023 9:00	Normal	0.0	
8/13/2023 10:00	Normal	0.0	
8/13/2023 11:00	Normal	0.0	
8/13/2023 12:00	Normal	0.0	
8/13/2023 13:00	Normal	0.0	
8/13/2023 14:00	Normal	0.0	
8/13/2023 15:00	Normal	0.0	
8/13/2023 16:00	Normal	0.0	
8/13/2023 17:00	Normal	0.0	
8/13/2023 18:00	Normal	0.0	
8/13/2023 19:00	Normal	0.0	
8/13/2023 20:00	Normal	0.0	
8/13/2023 21:00	Normal	0.0	
8/13/2023 22:00	Normal	0.0	
8/13/2023 23:00	Normal	0.0	0.7
8/14/2023 0:00	Normal	0.0	
8/14/2023 1:00	Normal	0.0	
8/14/2023 2:00	Normal	0.0	
8/14/2023 3:00	Normal	0.0	
8/14/2023 4:00	Normal	0.0	
8/14/2023 5:00	Normal	0.0	
8/14/2023 6:00	Normal	0.0	
8/14/2023 7:00	Normal	0.0	
8/14/2023 8:00	Normal	0.0	
8/14/2023 9:00	Normal	0.0	
8/14/2023 10:00	Normal	0.0	
8/14/2023 11:00	Normal	0.0	
8/14/2023 12:00	Normal	0.0	
8/14/2023 13:00	Normal	0.0	
8/14/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/14/2023 15:00	Normal	0.0	
8/14/2023 16:00	Normal	0.0	
8/14/2023 17:00	Normal	0.0	
8/14/2023 18:00	Normal	0.0	
8/14/2023 19:00	Normal	0.0	
8/14/2023 20:00	Normal	0.0	
8/14/2023 21:00	Normal	0.0	
8/14/2023 22:00	Normal	0.0	
8/14/2023 23:00	Normal	0.0	0.7
8/15/2023 0:00	Normal	0.0	
8/15/2023 1:00	Normal	0.0	
8/15/2023 2:00	Normal	0.0	
8/15/2023 3:00	Normal	0.0	
8/15/2023 4:00	Normal	0.0	
8/15/2023 5:00	Normal	0.0	
8/15/2023 6:00	Normal	0.0	
8/15/2023 7:00	Normal	0.0	
8/15/2023 8:00	Normal	0.0	
8/15/2023 9:00	Normal	0.0	
8/15/2023 10:00	Normal	0.0	
8/15/2023 11:00	Normal	0.0	
8/15/2023 12:00	Normal	0.0	
8/15/2023 13:00	Normal	0.0	
8/15/2023 14:00	Normal	0.0	
8/15/2023 15:00	Normal	0.0	
8/15/2023 16:00	Normal	0.0	
8/15/2023 17:00	Normal	0.0	
8/15/2023 18:00	Normal	0.0	
8/15/2023 19:00	Normal	0.0	
8/15/2023 20:00	Normal	0.0	
8/15/2023 21:00	Normal	0.0	
8/15/2023 22:00	Normal	0.0	
8/15/2023 23:00	Normal	0.0	0.7
8/16/2023 0:00	Normal	0.0	
8/16/2023 1:00	Normal	0.0	
8/16/2023 2:00	Normal	0.0	
8/16/2023 3:00	Normal	0.0	
8/16/2023 4:00	Normal	0.0	
8/16/2023 5:00	Normal	0.0	
8/16/2023 6:00	Normal	0.0	
8/16/2023 7:00	Normal	0.0	
8/16/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/16/2023 9:00	Normal	0.0	
8/16/2023 10:00	Normal	0.0	
8/16/2023 11:00	Normal	0.0	
8/16/2023 12:00	Normal	0.0	
8/16/2023 13:00	Normal	0.0	
8/16/2023 14:00	Normal	0.0	
8/16/2023 15:00	Normal	0.0	
8/16/2023 16:00	Normal	0.0	
8/16/2023 17:00	Normal	0.0	
8/16/2023 18:00	Normal	0.0	
8/16/2023 19:00	Normal	0.0	
8/16/2023 20:00	Normal	0.0	
8/16/2023 21:00	Normal	0.0	
8/16/2023 22:00	Normal	0.0	
8/16/2023 23:00	Normal	0.0	0.7
8/17/2023 0:00	Normal	0.0	
8/17/2023 1:00	Normal	0.0	
8/17/2023 2:00	Normal	0.0	
8/17/2023 3:00	Normal	0.0	
8/17/2023 4:00	Normal	0.0	
8/17/2023 5:00	Normal	0.0	
8/17/2023 6:00	Normal	0.0	
8/17/2023 7:00	Normal	0.0	
8/17/2023 8:00	Normal	0.0	
8/17/2023 9:00	Normal	0.0	
8/17/2023 10:00	Normal	0.0	
8/17/2023 11:00	Normal	0.0	
8/17/2023 12:00	Normal	0.0	
8/17/2023 13:00	Normal	0.0	
8/17/2023 14:00	Normal	0.0	
8/17/2023 15:00	Normal	0.0	
8/17/2023 16:00	Normal	0.0	
8/17/2023 17:00	Normal	0.0	
8/17/2023 18:00	Normal	0.0	
8/17/2023 19:00	Normal	0.0	
8/17/2023 20:00	Normal	0.0	
8/17/2023 21:00	Normal	0.0	
8/17/2023 22:00	Normal	0.0	
8/17/2023 23:00	Normal	0.0	0.7
8/18/2023 0:00	Normal	0.0	
8/18/2023 1:00	Normal	0.0	
8/18/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/18/2023 3:00	Normal	0.0	
8/18/2023 4:00	Normal	0.0	
8/18/2023 5:00	Normal	0.0	
8/18/2023 6:00	Normal	0.0	
8/18/2023 7:00	Normal	0.0	
8/18/2023 8:00	Normal	0.0	
8/18/2023 9:00	Normal	0.0	
8/18/2023 10:00	Normal	0.0	
8/18/2023 11:00	Normal	0.0	
8/18/2023 12:00	Normal	0.0	
8/18/2023 13:00	Normal	0.0	
8/18/2023 14:00	Normal	0.0	
8/18/2023 15:00	Normal	0.0	
8/18/2023 16:00	Normal	0.0	
8/18/2023 17:00	Normal	0.0	
8/18/2023 18:00	Normal	0.0	
8/18/2023 19:00	Normal	0.0	
8/18/2023 20:00	Normal	0.0	
8/18/2023 21:00	Normal	0.0	
8/18/2023 22:00	Normal	0.0	
8/18/2023 23:00	Normal	0.0	0.7
8/19/2023 0:00	Normal	0.0	
8/19/2023 1:00	Normal	0.0	
8/19/2023 2:00	Normal	0.0	
8/19/2023 3:00	Normal	0.0	
8/19/2023 4:00	Normal	0.0	
8/19/2023 5:00	Normal	0.0	
8/19/2023 6:00	Normal	0.0	
8/19/2023 7:00	Normal	0.0	
8/19/2023 8:00	Normal	0.0	
8/19/2023 9:00	Normal	0.0	
8/19/2023 10:00	Normal	0.0	
8/19/2023 11:00	Normal	0.0	
8/19/2023 12:00	Normal	0.0	
8/19/2023 13:00	Normal	0.0	
8/19/2023 14:00	Normal	0.0	
8/19/2023 15:00	Normal	0.0	
8/19/2023 16:00	Normal	0.0	
8/19/2023 17:00	Normal	0.0	
8/19/2023 18:00	Normal	0.0	
8/19/2023 19:00	Normal	0.0	
8/19/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/19/2023 21:00	Normal	0.0	
8/19/2023 22:00	Normal	0.0	
8/19/2023 23:00	Normal	0.0	0.7
8/20/2023 0:00	Normal	0.0	
8/20/2023 1:00	Normal	0.0	
8/20/2023 2:00	Normal	0.0	
8/20/2023 3:00	Normal	0.0	
8/20/2023 4:00	Normal	0.0	
8/20/2023 5:00	Normal	0.0	
8/20/2023 6:00	Normal	0.0	
8/20/2023 7:00	Normal	0.0	
8/20/2023 8:00	Normal	0.0	
8/20/2023 9:00	Normal	0.0	
8/20/2023 10:00	Normal	0.0	
8/20/2023 11:00	Normal	0.0	
8/20/2023 12:00	Normal	0.0	
8/20/2023 13:00	Normal	0.0	
8/20/2023 14:00	Normal	0.0	
8/20/2023 15:00	Normal	0.0	
8/20/2023 16:00	Normal	0.0	
8/20/2023 17:00	Normal	0.0	
8/20/2023 18:00	Normal	0.0	
8/20/2023 19:00	Normal	0.0	
8/20/2023 20:00	Normal	0.0	
8/20/2023 21:00	Normal	0.0	
8/20/2023 22:00	Normal	0.0	
8/20/2023 23:00	Normal	0.0	0.7
8/21/2023 0:00	Normal	0.0	
8/21/2023 1:00	Normal	0.0	
8/21/2023 2:00	Normal	0.0	
8/21/2023 3:00	Normal	0.0	
8/21/2023 4:00	Normal	0.0	
8/21/2023 5:00	Normal	0.0	
8/21/2023 6:00	Normal	0.0	
8/21/2023 7:00	Normal	0.0	
8/21/2023 8:00	Normal	0.0	
8/21/2023 9:00	Normal	0.0	
8/21/2023 10:00	Normal	0.0	
8/21/2023 11:00	Normal	0.0	
8/21/2023 12:00	Normal	0.0	
8/21/2023 13:00	Normal	0.0	
8/21/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/21/2023 15:00	Normal	0.0	
8/21/2023 16:00	Normal	0.0	
8/21/2023 17:00	Normal	0.0	
8/21/2023 18:00	Normal	0.0	
8/21/2023 19:00	Normal	0.0	
8/21/2023 20:00	Normal	0.0	
8/21/2023 21:00	Normal	0.0	
8/21/2023 22:00	Normal	0.0	
8/21/2023 23:00	Normal	0.0	0.7
8/22/2023 0:00	Normal	0.0	
8/22/2023 1:00	Normal	0.0	
8/22/2023 2:00	Normal	0.0	
8/22/2023 3:00	Normal	0.0	
8/22/2023 4:00	Normal	0.0	
8/22/2023 5:00	Normal	0.0	
8/22/2023 6:00	Normal	0.0	
8/22/2023 7:00	Normal	0.0	
8/22/2023 8:00	Normal	0.0	
8/22/2023 9:00	Normal	0.0	
8/22/2023 10:00	Normal	0.0	
8/22/2023 11:00	Normal	0.0	
8/22/2023 12:00	Normal	0.0	
8/22/2023 13:00	Normal	0.0	
8/22/2023 14:00	Normal	0.0	
8/22/2023 15:00	Normal	0.0	
8/22/2023 16:00	Normal	0.0	
8/22/2023 17:00	Normal	0.0	
8/22/2023 18:00	Normal	0.0	
8/22/2023 19:00	Normal	0.0	
8/22/2023 20:00	Normal	0.0	
8/22/2023 21:00	Normal	0.0	
8/22/2023 22:00	Normal	0.0	
8/22/2023 23:00	Normal	0.0	0.7
8/23/2023 0:00	Normal	0.0	
8/23/2023 1:00	Normal	0.0	
8/23/2023 2:00	Normal	0.0	
8/23/2023 3:00	Normal	0.0	
8/23/2023 4:00	Normal	0.0	
8/23/2023 5:00	Normal	0.0	
8/23/2023 6:00	Normal	0.0	
8/23/2023 7:00	Normal	0.0	
8/23/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/23/2023 9:00	Normal	0.0	
8/23/2023 10:00	Normal	0.0	
8/23/2023 11:00	Normal	0.0	
8/23/2023 12:00	Normal	0.0	
8/23/2023 13:00	Normal	0.0	
8/23/2023 14:00	Normal	0.0	
8/23/2023 15:00	Normal	0.0	
8/23/2023 16:00	Normal	0.0	
8/23/2023 17:00	Normal	0.0	
8/23/2023 18:00	Normal	0.0	
8/23/2023 19:00	Normal	0.0	
8/23/2023 20:00	Normal	0.0	
8/23/2023 21:00	Normal	0.0	
8/23/2023 22:00	Normal	0.0	
8/23/2023 23:00	Normal	0.0	0.5
8/24/2023 0:00	Normal	0.0	
8/24/2023 1:00	Normal	0.0	
8/24/2023 2:00	Normal	0.0	
8/24/2023 3:00	Normal	0.0	
8/24/2023 4:00	Normal	0.0	
8/24/2023 5:00	Normal	0.0	
8/24/2023 6:00	Normal	0.0	
8/24/2023 7:00	Normal	0.0	
8/24/2023 8:00	Normal	0.0	
8/24/2023 9:00	Normal	0.0	
8/24/2023 10:00	Normal	0.0	
8/24/2023 11:00	Normal	0.0	
8/24/2023 12:00	Normal	0.0	
8/24/2023 13:00	Normal	0.0	
8/24/2023 14:00	Normal	0.0	
8/24/2023 15:00	Normal	0.0	
8/24/2023 16:00	Normal	0.0	
8/24/2023 17:00	Normal	0.0	
8/24/2023 18:00	Normal	0.0	
8/24/2023 19:00	Normal	0.0	
8/24/2023 20:00	Normal	0.0	
8/24/2023 21:00	Normal	0.0	
8/24/2023 22:00	Normal	0.0	
8/24/2023 23:00	Normal	0.0	0.5
8/25/2023 0:00	Normal	0.0	
8/25/2023 1:00	Normal	0.0	
8/25/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/25/2023 3:00	Normal	0.0	
8/25/2023 4:00	Normal	0.0	
8/25/2023 5:00	Normal	0.0	
8/25/2023 6:00	Normal	0.0	
8/25/2023 7:00	Normal	0.0	
8/25/2023 8:00	Normal	0.0	
8/25/2023 9:00	Normal	0.0	
8/25/2023 10:00	Normal	0.0	
8/25/2023 11:00	Normal	0.0	
8/25/2023 12:00	Normal	0.0	
8/25/2023 13:00	Normal	0.0	
8/25/2023 14:00	Normal	0.0	
8/25/2023 15:00	Normal	0.0	
8/25/2023 16:00	Normal	0.0	
8/25/2023 17:00	Normal	0.0	
8/25/2023 18:00	Normal	0.0	
8/25/2023 19:00	Normal	0.0	
8/25/2023 20:00	Normal	0.0	
8/25/2023 21:00	Normal	0.0	
8/25/2023 22:00	Normal	0.0	
8/25/2023 23:00	Normal	0.0	0.5
8/26/2023 0:00	Normal	0.0	
8/26/2023 1:00	Normal	0.0	
8/26/2023 2:00	Normal	0.0	
8/26/2023 3:00	Normal	0.0	
8/26/2023 4:00	Normal	0.0	
8/26/2023 5:00	Normal	0.0	
8/26/2023 6:00	Normal	0.0	
8/26/2023 7:00	Normal	0.0	
8/26/2023 8:00	Normal	0.0	
8/26/2023 9:00	Normal	0.0	
8/26/2023 10:00	Normal	0.0	
8/26/2023 11:00	Normal	0.0	
8/26/2023 12:00	Normal	0.0	
8/26/2023 13:00	Normal	0.0	
8/26/2023 14:00	Normal	0.0	
8/26/2023 15:00	Normal	0.0	
8/26/2023 16:00	Normal	0.0	
8/26/2023 17:00	Normal	0.0	
8/26/2023 18:00	Normal	0.0	
8/26/2023 19:00	Normal	0.0	
8/26/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/26/2023 21:00	Normal	0.0	
8/26/2023 22:00	Normal	0.0	
8/26/2023 23:00	Normal	0.0	0.5
8/27/2023 0:00	Normal	0.0	
8/27/2023 1:00	Normal	0.0	
8/27/2023 2:00	Normal	0.0	
8/27/2023 3:00	Normal	0.0	
8/27/2023 4:00	Normal	0.0	
8/27/2023 5:00	Normal	0.0	
8/27/2023 6:00	Normal	0.0	
8/27/2023 7:00	Normal	0.0	
8/27/2023 8:00	Normal	0.0	
8/27/2023 9:00	Normal	0.0	
8/27/2023 10:00	Normal	0.0	
8/27/2023 11:00	Normal	0.0	
8/27/2023 12:00	Normal	0.0	
8/27/2023 13:00	Normal	0.0	
8/27/2023 14:00	Normal	0.0	
8/27/2023 15:00	Normal	0.0	
8/27/2023 16:00	Normal	0.0	
8/27/2023 17:00	Normal	0.0	
8/27/2023 18:00	Normal	0.0	
8/27/2023 19:00	Normal	0.0	
8/27/2023 20:00	Normal	0.0	
8/27/2023 21:00	Normal	0.0	
8/27/2023 22:00	Normal	0.0	
8/27/2023 23:00	Normal	0.0	0.5
8/28/2023 0:00	Normal	0.0	
8/28/2023 1:00	Normal	0.0	
8/28/2023 2:00	Normal	0.0	
8/28/2023 3:00	Normal	0.0	
8/28/2023 4:00	Normal	0.0	
8/28/2023 5:00	Normal	0.0	
8/28/2023 6:00	Normal	0.0	
8/28/2023 7:00	Normal	0.0	
8/28/2023 8:00	Normal	0.0	
8/28/2023 9:00	Normal	0.0	
8/28/2023 10:00	Normal	0.0	
8/28/2023 11:00	Normal	0.0	
8/28/2023 12:00	Normal	0.0	
8/28/2023 13:00	Normal	0.0	
8/28/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/28/2023 15:00	Normal	0.0	
8/28/2023 16:00	Normal	0.0	
8/28/2023 17:00	Normal	0.0	
8/28/2023 18:00	Normal	0.0	
8/28/2023 19:00	Shutdown	61.6	
8/28/2023 20:00	Shutdown		
8/28/2023 21:00	Shutdown	5.8	
8/28/2023 22:00	Shutdown		
8/28/2023 23:00	Shutdown	67.4	0.7
8/29/2023 0:00	Shutdown	40.4	
8/29/2023 1:00	Shutdown	11.6	
8/29/2023 2:00	Shutdown	29.1	
8/29/2023 3:00	Shutdown	28.9	
8/29/2023 4:00	Shutdown		
8/29/2023 5:00	Shutdown		
8/29/2023 6:00	Shutdown		
8/29/2023 7:00	Shutdown		
8/29/2023 8:00	Shutdown	3.7	
8/29/2023 9:00	Shutdown		
8/29/2023 10:00	Shutdown		
8/29/2023 11:00	Normal	0.0	
8/29/2023 12:00	Normal	0.0	
8/29/2023 13:00	Normal	0.0	
8/29/2023 14:00	Normal	0.0	
8/29/2023 15:00	Normal	0.0	
8/29/2023 16:00	Normal	0.0	
8/29/2023 17:00	Normal	0.0	
8/29/2023 18:00	Normal	0.0	
8/29/2023 19:00	Normal	0.0	
8/29/2023 20:00	Normal	0.0	
8/29/2023 21:00	Normal	0.0	
8/29/2023 22:00	Normal	0.0	
8/29/2023 23:00	Normal	0.0	0.8
8/30/2023 0:00	Normal	0.0	
8/30/2023 1:00	Normal	0.0	
8/30/2023 2:00	Normal	0.0	
8/30/2023 3:00	Normal	0.0	
8/30/2023 4:00	Normal	0.0	
8/30/2023 5:00	Normal	0.0	
8/30/2023 6:00	Normal	0.0	
8/30/2023 7:00	Normal	0.0	
8/30/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
8/30/2023 9:00	Normal	0.0	
8/30/2023 10:00	Normal	0.0	
8/30/2023 11:00	Normal	0.0	
8/30/2023 12:00	Normal	0.0	
8/30/2023 13:00	Normal	0.0	
8/30/2023 14:00	Normal	0.0	
8/30/2023 15:00	Normal	0.0	
8/30/2023 16:00	Normal	0.0	
8/30/2023 17:00	Normal	0.0	
8/30/2023 18:00	Normal	0.0	
8/30/2023 19:00	Normal	0.0	
8/30/2023 20:00	Normal	0.0	
8/30/2023 21:00	Normal	0.0	
8/30/2023 22:00	Normal	0.0	
8/30/2023 23:00	Normal	0.0	0.8
8/31/2023 0:00	Normal	0.0	
8/31/2023 1:00	Normal	0.0	
8/31/2023 2:00	Normal	0.0	
8/31/2023 3:00	Normal	0.0	
8/31/2023 4:00	Normal	0.0	
8/31/2023 5:00	Normal	0.0	
8/31/2023 6:00	Normal	0.0	
8/31/2023 7:00	Normal	0.0	
8/31/2023 8:00	Normal	0.0	
8/31/2023 9:00	Normal	0.0	
8/31/2023 10:00	Normal	0.0	
8/31/2023 11:00	Normal	0.0	
8/31/2023 12:00	Normal	0.0	
8/31/2023 13:00	Normal	0.0	
8/31/2023 14:00	Normal	0.0	
8/31/2023 15:00	Normal	0.0	
8/31/2023 16:00	Normal	0.0	
8/31/2023 17:00	Normal	0.0	
8/31/2023 18:00	Normal	0.0	
8/31/2023 19:00	Normal	0.0	
8/31/2023 20:00	Normal	0.0	
8/31/2023 21:00	Normal	0.0	
8/31/2023 22:00	Normal	0.0	
8/31/2023 23:00	Normal	0.0	0.6
9/1/2023 0:00	Normal	0.0	
9/1/2023 1:00	Normal	0.0	
9/1/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/1/2023 3:00	Normal	0.0	
9/1/2023 4:00	Normal	0.0	
9/1/2023 5:00	Normal	0.0	
9/1/2023 6:00	Normal	0.0	
9/1/2023 7:00	Normal	0.0	
9/1/2023 8:00	Normal	0.0	
9/1/2023 9:00	Normal	0.0	
9/1/2023 10:00	Normal	0.0	
9/1/2023 11:00	Normal	0.0	
9/1/2023 12:00	Normal	0.0	
9/1/2023 13:00	Normal	0.0	
9/1/2023 14:00	Normal	0.0	
9/1/2023 15:00	Normal	0.0	
9/1/2023 16:00	Normal	0.0	
9/1/2023 17:00	Normal	0.0	
9/1/2023 18:00	Normal	0.0	
9/1/2023 19:00	Normal	0.0	
9/1/2023 20:00	Normal	0.0	
9/1/2023 21:00	Normal	0.0	
9/1/2023 22:00	Normal	0.0	
9/1/2023 23:00	Normal	0.0	0.6
9/2/2023 0:00	Normal	0.0	
9/2/2023 1:00	Normal	0.0	
9/2/2023 2:00	Normal	0.0	
9/2/2023 3:00	Normal	0.0	
9/2/2023 4:00	Normal	0.0	
9/2/2023 5:00	Normal	0.0	
9/2/2023 6:00	Normal	0.0	
9/2/2023 7:00	Normal	0.0	
9/2/2023 8:00	Normal	0.0	
9/2/2023 9:00	Normal	0.0	
9/2/2023 10:00	Normal	0.0	
9/2/2023 11:00	Normal	0.0	
9/2/2023 12:00	Normal	0.0	
9/2/2023 13:00	Normal	0.0	
9/2/2023 14:00	Normal	0.0	
9/2/2023 15:00	Normal	0.0	
9/2/2023 16:00	Normal	0.0	
9/2/2023 17:00	Normal	0.0	
9/2/2023 18:00	Normal	0.0	
9/2/2023 19:00	Normal	0.0	
9/2/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/2/2023 21:00	Normal	0.0	
9/2/2023 22:00	Normal	0.0	
9/2/2023 23:00	Normal	0.0	0.3
9/3/2023 0:00	Normal	0.0	
9/3/2023 1:00	Normal	0.0	
9/3/2023 2:00	Normal	0.0	
9/3/2023 3:00	Normal	0.0	
9/3/2023 4:00	Normal	0.0	
9/3/2023 5:00	Normal	0.0	
9/3/2023 6:00	Normal	0.0	
9/3/2023 7:00	Normal	0.0	
9/3/2023 8:00	Normal	0.0	
9/3/2023 9:00	Normal	0.0	
9/3/2023 10:00	Normal	0.0	
9/3/2023 11:00	Normal	0.0	
9/3/2023 12:00	Normal	0.0	
9/3/2023 13:00	Normal	0.0	
9/3/2023 14:00	Normal	0.0	
9/3/2023 15:00	Normal	0.0	
9/3/2023 16:00	Normal	0.0	
9/3/2023 17:00	Normal	0.0	
9/3/2023 18:00	Normal	0.0	
9/3/2023 19:00	Normal	0.0	
9/3/2023 20:00	Normal	0.0	
9/3/2023 21:00	Normal	0.0	
9/3/2023 22:00	Normal	0.0	
9/3/2023 23:00	Normal	0.0	0.3
9/4/2023 0:00	Normal	0.0	
9/4/2023 1:00	Normal	0.0	
9/4/2023 2:00	Normal	0.0	
9/4/2023 3:00	Normal	0.0	
9/4/2023 4:00	Normal	0.0	
9/4/2023 5:00	Normal	0.0	
9/4/2023 6:00	Normal	0.0	
9/4/2023 7:00	Normal	0.0	
9/4/2023 8:00	Normal	0.0	
9/4/2023 9:00	Normal	0.0	
9/4/2023 10:00	Normal	0.0	
9/4/2023 11:00	Normal	0.0	
9/4/2023 12:00	Normal	0.0	
9/4/2023 13:00	Normal	0.0	
9/4/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/4/2023 15:00	Normal	0.0	
9/4/2023 16:00	Normal	0.0	
9/4/2023 17:00	Normal	0.0	
9/4/2023 18:00	Normal	0.0	
9/4/2023 19:00	Normal	0.0	
9/4/2023 20:00	Normal	0.0	
9/4/2023 21:00	Normal	0.0	
9/4/2023 22:00	Normal	0.0	
9/4/2023 23:00	Normal	0.0	0.3
9/5/2023 0:00	Normal	0.0	
9/5/2023 1:00	Normal	0.0	
9/5/2023 2:00	Normal	0.0	
9/5/2023 3:00	Normal	0.0	
9/5/2023 4:00	Normal	0.0	
9/5/2023 5:00	Normal	0.0	
9/5/2023 6:00	Normal	0.0	
9/5/2023 7:00	Normal	0.0	
9/5/2023 8:00	Normal	0.0	
9/5/2023 9:00	Normal	0.0	
9/5/2023 10:00	Normal	0.0	
9/5/2023 11:00	Normal	0.0	
9/5/2023 12:00	Normal	0.0	
9/5/2023 13:00	Normal	0.0	
9/5/2023 14:00	Normal	0.0	
9/5/2023 15:00	Normal	0.0	
9/5/2023 16:00	Normal	0.0	
9/5/2023 17:00	Normal	0.0	
9/5/2023 18:00	Normal	0.0	
9/5/2023 19:00	Normal	0.0	
9/5/2023 20:00	Normal	0.0	
9/5/2023 21:00	Normal	0.0	
9/5/2023 22:00	Normal	0.0	
9/5/2023 23:00	Normal	0.0	0.3
9/6/2023 0:00	Normal	0.0	
9/6/2023 1:00	Normal	0.0	
9/6/2023 2:00	Normal	0.0	
9/6/2023 3:00	Normal	0.0	
9/6/2023 4:00	Normal	0.0	
9/6/2023 5:00	Normal	0.0	
9/6/2023 6:00	Normal	0.0	
9/6/2023 7:00	Normal	0.0	
9/6/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/6/2023 9:00	Normal	0.0	
9/6/2023 10:00	Normal	0.0	
9/6/2023 11:00	Normal	0.0	
9/6/2023 12:00	Normal	0.0	
9/6/2023 13:00	Normal	0.0	
9/6/2023 14:00	Normal	0.0	
9/6/2023 15:00	Normal	0.0	
9/6/2023 16:00	Normal	0.0	
9/6/2023 17:00	Normal	0.0	
9/6/2023 18:00	Normal	0.0	
9/6/2023 19:00	Normal	0.0	
9/6/2023 20:00	Normal	0.0	
9/6/2023 21:00	Normal	0.0	
9/6/2023 22:00	Normal	0.0	
9/6/2023 23:00	Normal	0.0	0.3
9/7/2023 0:00	Normal	0.0	
9/7/2023 1:00	Normal	0.0	
9/7/2023 2:00	Normal	0.0	
9/7/2023 3:00	Normal	0.0	
9/7/2023 4:00	Normal	0.0	
9/7/2023 5:00	Normal	0.0	
9/7/2023 6:00	Normal	0.0	
9/7/2023 7:00	Normal	0.0	
9/7/2023 8:00	Normal	0.0	
9/7/2023 9:00	Normal	0.0	
9/7/2023 10:00	Normal	0.0	
9/7/2023 11:00	Normal	0.0	
9/7/2023 12:00	Normal	0.0	
9/7/2023 13:00	Normal	0.0	
9/7/2023 14:00	Normal	0.0	
9/7/2023 15:00	Normal	0.0	
9/7/2023 16:00	Normal	0.0	
9/7/2023 17:00	Normal	0.0	
9/7/2023 18:00	Normal	0.0	
9/7/2023 19:00	Normal	0.0	
9/7/2023 20:00	Normal	0.0	
9/7/2023 21:00	Normal	0.0	
9/7/2023 22:00	Normal	0.0	
9/7/2023 23:00	Normal	0.0	0.3
9/8/2023 0:00	Normal	0.0	
9/8/2023 1:00	Normal	0.0	
9/8/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/8/2023 3:00	Normal	0.0	
9/8/2023 4:00	Normal	0.0	
9/8/2023 5:00	Normal	0.0	
9/8/2023 6:00	Normal	0.0	
9/8/2023 7:00	Normal	0.0	
9/8/2023 8:00	Normal	0.0	
9/8/2023 9:00	Normal	0.0	
9/8/2023 10:00	Normal	0.0	
9/8/2023 11:00	Normal	0.0	
9/8/2023 12:00	Normal	0.0	
9/8/2023 13:00	Normal	0.0	
9/8/2023 14:00	Normal	0.0	
9/8/2023 15:00	Normal	0.0	
9/8/2023 16:00	Normal	0.0	
9/8/2023 17:00	Normal	0.0	
9/8/2023 18:00	Normal	0.0	
9/8/2023 19:00	Normal	0.0	
9/8/2023 20:00	Normal	0.0	
9/8/2023 21:00	Normal	0.0	
9/8/2023 22:00	Normal	0.0	
9/8/2023 23:00	Normal	0.0	0.3
9/9/2023 0:00	Normal	0.0	
9/9/2023 1:00	Normal	0.0	
9/9/2023 2:00	Normal	0.0	
9/9/2023 3:00	Normal	0.0	
9/9/2023 4:00	Normal	0.0	
9/9/2023 5:00	Normal	0.0	
9/9/2023 6:00	Normal	0.0	
9/9/2023 7:00	Normal	0.0	
9/9/2023 8:00	Normal	0.0	
9/9/2023 9:00	Normal	0.0	
9/9/2023 10:00	Normal	0.0	
9/9/2023 11:00	Normal	0.0	
9/9/2023 12:00	Normal	0.0	
9/9/2023 13:00	Normal	0.0	
9/9/2023 14:00	Normal	0.0	
9/9/2023 15:00	Normal	0.0	
9/9/2023 16:00	Normal	0.0	
9/9/2023 17:00	Normal	0.0	
9/9/2023 18:00	Normal	0.0	
9/9/2023 19:00	Normal	0.0	
9/9/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/9/2023 21:00	Normal	0.0	
9/9/2023 22:00	Normal	0.0	
9/9/2023 23:00	Normal	0.0	0.3
9/10/2023 0:00	Normal	0.0	
9/10/2023 1:00	Normal	0.0	
9/10/2023 2:00	Normal	0.0	
9/10/2023 3:00	Normal	0.0	
9/10/2023 4:00	Normal	0.0	
9/10/2023 5:00	Normal	0.0	
9/10/2023 6:00	Normal	0.0	
9/10/2023 7:00	Normal	0.0	
9/10/2023 8:00	Normal	0.0	
9/10/2023 9:00	Normal	0.0	
9/10/2023 10:00	Normal	0.0	
9/10/2023 11:00	Normal	0.0	
9/10/2023 12:00	Normal	0.0	
9/10/2023 13:00	Normal	0.0	
9/10/2023 14:00	Normal	0.0	
9/10/2023 15:00	Normal	0.0	
9/10/2023 16:00	Normal	0.0	
9/10/2023 17:00	Normal	0.0	
9/10/2023 18:00	Normal	0.0	
9/10/2023 19:00	Normal	0.0	
9/10/2023 20:00	Normal	0.0	
9/10/2023 21:00	Normal	0.0	
9/10/2023 22:00	Normal	0.0	
9/10/2023 23:00	Normal	0.0	0.3
9/11/2023 0:00	Normal	0.0	
9/11/2023 1:00	Normal	0.0	
9/11/2023 2:00	Normal	0.0	
9/11/2023 3:00	Normal	0.0	
9/11/2023 4:00	Normal	0.0	
9/11/2023 5:00	Normal	0.0	
9/11/2023 6:00	Normal	0.0	
9/11/2023 7:00	Normal	0.0	
9/11/2023 8:00	Normal	0.0	
9/11/2023 9:00	Normal	0.0	
9/11/2023 10:00	Normal	0.0	
9/11/2023 11:00	Normal	0.0	
9/11/2023 12:00	Normal	0.0	
9/11/2023 13:00	Normal	0.0	
9/11/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/11/2023 15:00	Normal	0.0	
9/11/2023 16:00	Normal	0.0	
9/11/2023 17:00	Normal	0.0	
9/11/2023 18:00	Normal	0.0	
9/11/2023 19:00	Normal	0.0	
9/11/2023 20:00	Normal	0.0	
9/11/2023 21:00	Normal	0.0	
9/11/2023 22:00	Normal	0.0	
9/11/2023 23:00	Normal	0.0	0.3
9/12/2023 0:00	Normal	0.0	
9/12/2023 1:00	Normal	0.0	
9/12/2023 2:00	Normal	0.0	
9/12/2023 3:00	Normal	0.0	
9/12/2023 4:00	Normal	0.0	
9/12/2023 5:00	Normal	0.0	
9/12/2023 6:00	Normal	0.0	
9/12/2023 7:00	Normal	0.0	
9/12/2023 8:00	Normal	0.0	
9/12/2023 9:00	Normal	0.0	
9/12/2023 10:00	Normal	0.0	
9/12/2023 11:00	Normal	0.0	
9/12/2023 12:00	Normal	0.0	
9/12/2023 13:00	Normal	0.0	
9/12/2023 14:00	Normal	0.0	
9/12/2023 15:00	Normal	0.0	
9/12/2023 16:00	Normal	0.0	
9/12/2023 17:00	Normal	0.0	
9/12/2023 18:00	Normal	0.0	
9/12/2023 19:00	Normal	0.0	
9/12/2023 20:00	Normal	0.0	
9/12/2023 21:00	Normal	0.0	
9/12/2023 22:00	Normal	0.0	
9/12/2023 23:00	Normal	0.0	0.3
9/13/2023 0:00	Normal	0.0	
9/13/2023 1:00	Normal	0.0	
9/13/2023 2:00	Normal	0.0	
9/13/2023 3:00	Normal	0.0	
9/13/2023 4:00	Normal	0.0	
9/13/2023 5:00	Normal	0.0	
9/13/2023 6:00	Normal	0.0	
9/13/2023 7:00	Normal	0.0	
9/13/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/13/2023 9:00	Normal	0.0	
9/13/2023 10:00	Normal	0.0	
9/13/2023 11:00	Normal	0.0	
9/13/2023 12:00	Normal	0.0	
9/13/2023 13:00	Normal	0.0	
9/13/2023 14:00	Normal	0.0	
9/13/2023 15:00	Normal	0.0	
9/13/2023 16:00	Normal	0.0	
9/13/2023 17:00	Normal	0.0	
9/13/2023 18:00	Normal	0.0	
9/13/2023 19:00	Normal	0.0	
9/13/2023 20:00	Normal	0.0	
9/13/2023 21:00	Normal	0.0	
9/13/2023 22:00	Normal	0.0	
9/13/2023 23:00	Normal	0.0	0.3
9/14/2023 0:00	Normal	0.0	
9/14/2023 1:00	Normal	0.0	
9/14/2023 2:00	Normal	0.0	
9/14/2023 3:00	Normal	0.0	
9/14/2023 4:00	Normal	0.0	
9/14/2023 5:00	Normal	0.0	
9/14/2023 6:00	Normal	0.0	
9/14/2023 7:00	Normal	0.0	
9/14/2023 8:00	Normal	0.0	
9/14/2023 9:00	Normal	0.0	
9/14/2023 10:00	Normal	0.0	
9/14/2023 11:00	Normal	0.0	
9/14/2023 12:00	Normal	0.0	
9/14/2023 13:00	Normal	0.0	
9/14/2023 14:00	Normal	0.0	
9/14/2023 15:00	Normal	0.0	
9/14/2023 16:00	Normal	0.0	
9/14/2023 17:00	Normal	0.0	
9/14/2023 18:00	Normal	0.0	
9/14/2023 19:00	Normal	0.0	
9/14/2023 20:00	Normal	0.0	
9/14/2023 21:00	Normal	0.0	
9/14/2023 22:00	Normal	0.0	
9/14/2023 23:00	Normal	0.0	0.3
9/15/2023 0:00	Normal	0.0	
9/15/2023 1:00	Normal	0.0	
9/15/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/15/2023 3:00	Normal	0.0	
9/15/2023 4:00	Normal	0.0	
9/15/2023 5:00	Normal	0.0	
9/15/2023 6:00	Normal	0.0	
9/15/2023 7:00	Normal	0.0	
9/15/2023 8:00	Normal	0.0	
9/15/2023 9:00	Normal	0.0	
9/15/2023 10:00	Normal	0.0	
9/15/2023 11:00	Normal	0.0	
9/15/2023 12:00	Normal	0.0	
9/15/2023 13:00	Normal	0.0	
9/15/2023 14:00	Normal	0.0	
9/15/2023 15:00	Normal	0.0	
9/15/2023 16:00	Normal	0.0	
9/15/2023 17:00	Normal	0.0	
9/15/2023 18:00	Normal	0.0	
9/15/2023 19:00	Normal	0.0	
9/15/2023 20:00	Normal	0.0	
9/15/2023 21:00	Normal	0.0	
9/15/2023 22:00	Normal	0.0	
9/15/2023 23:00	Normal	0.0	0.3
9/16/2023 0:00	Normal	0.0	
9/16/2023 1:00	Normal	0.0	
9/16/2023 2:00	Normal	0.0	
9/16/2023 3:00	Normal	0.0	
9/16/2023 4:00	Normal	0.0	
9/16/2023 5:00	Normal	0.0	
9/16/2023 6:00	Normal	0.0	
9/16/2023 7:00	Normal	0.0	
9/16/2023 8:00	Normal	0.0	
9/16/2023 9:00	Normal	0.0	
9/16/2023 10:00	Normal	0.0	
9/16/2023 11:00	Normal	0.0	
9/16/2023 12:00	Normal	0.0	
9/16/2023 13:00	Normal	0.0	
9/16/2023 14:00	Normal	0.0	
9/16/2023 15:00	Normal	0.0	
9/16/2023 16:00	Normal	0.0	
9/16/2023 17:00	Normal	0.0	
9/16/2023 18:00	Normal	0.0	
9/16/2023 19:00	Normal	0.0	
9/16/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/16/2023 21:00	Normal	0.0	
9/16/2023 22:00	Normal	0.0	
9/16/2023 23:00	Normal	0.0	0.3
9/17/2023 0:00	Normal	0.0	
9/17/2023 1:00	Normal	0.0	
9/17/2023 2:00	Normal	0.0	
9/17/2023 3:00	Normal	0.0	
9/17/2023 4:00	Normal	0.0	
9/17/2023 5:00	Normal	0.0	
9/17/2023 6:00	Normal	0.0	
9/17/2023 7:00	Normal	0.0	
9/17/2023 8:00	Normal	0.0	
9/17/2023 9:00	Normal	0.0	
9/17/2023 10:00	Normal	0.0	
9/17/2023 11:00	Normal	0.0	
9/17/2023 12:00	Normal	0.0	
9/17/2023 13:00	Normal	0.0	
9/17/2023 14:00	Normal	0.0	
9/17/2023 15:00	Normal	0.0	
9/17/2023 16:00	Normal	0.0	
9/17/2023 17:00	Normal	0.0	
9/17/2023 18:00	Normal	0.0	
9/17/2023 19:00	Normal	0.0	
9/17/2023 20:00	Normal	0.0	
9/17/2023 21:00	Normal	0.0	
9/17/2023 22:00	Normal	0.0	
9/17/2023 23:00	Normal	0.0	0.3
9/18/2023 0:00	Normal	0.0	
9/18/2023 1:00	Normal	0.0	
9/18/2023 2:00	Normal	0.0	
9/18/2023 3:00	Normal	0.0	
9/18/2023 4:00	Normal	0.0	
9/18/2023 5:00	Normal	0.0	
9/18/2023 6:00	Normal	0.0	
9/18/2023 7:00	Normal	0.0	
9/18/2023 8:00	Normal	0.0	
9/18/2023 9:00	Normal	0.0	
9/18/2023 10:00	Normal	0.0	
9/18/2023 11:00	Normal	0.0	
9/18/2023 12:00	Normal	0.0	
9/18/2023 13:00	Normal	0.0	
9/18/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/18/2023 15:00	Normal	0.0	
9/18/2023 16:00	Normal	0.0	
9/18/2023 17:00	Normal	0.0	
9/18/2023 18:00	Normal	0.0	
9/18/2023 19:00	Normal	0.0	
9/18/2023 20:00	Normal	0.0	
9/18/2023 21:00	Normal	0.0	
9/18/2023 22:00	Normal	0.0	
9/18/2023 23:00	Normal	0.0	0.3
9/19/2023 0:00	Normal	0.0	
9/19/2023 1:00	Normal	0.0	
9/19/2023 2:00	Normal	0.0	
9/19/2023 3:00	Normal	0.0	
9/19/2023 4:00	Normal	0.0	
9/19/2023 5:00	Normal	0.0	
9/19/2023 6:00	Normal	0.0	
9/19/2023 7:00	Normal	0.0	
9/19/2023 8:00	Normal	0.0	
9/19/2023 9:00	Normal	0.0	
9/19/2023 10:00	Normal	0.0	
9/19/2023 11:00	Normal	0.0	
9/19/2023 12:00	Normal	0.0	
9/19/2023 13:00	Normal	0.0	
9/19/2023 14:00	Normal	0.0	
9/19/2023 15:00	Normal	0.0	
9/19/2023 16:00	Normal	0.0	
9/19/2023 17:00	Normal	0.0	
9/19/2023 18:00	Normal	0.0	
9/19/2023 19:00	Normal	0.0	
9/19/2023 20:00	Normal	0.0	
9/19/2023 21:00	Normal	0.0	
9/19/2023 22:00	Normal	0.0	
9/19/2023 23:00	Normal	0.0	0.3
9/20/2023 0:00	Normal	0.0	
9/20/2023 1:00	Normal	0.0	
9/20/2023 2:00	Normal	0.0	
9/20/2023 3:00	Normal	0.0	
9/20/2023 4:00	Normal	0.0	
9/20/2023 5:00	Normal	0.0	
9/20/2023 6:00	Normal	0.0	
9/20/2023 7:00	Normal	0.0	
9/20/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/20/2023 9:00	Normal	0.0	
9/20/2023 10:00	Normal	0.0	
9/20/2023 11:00	Normal	0.0	
9/20/2023 12:00	Normal	0.0	
9/20/2023 13:00	Normal	0.0	
9/20/2023 14:00	Normal	0.0	
9/20/2023 15:00	Normal	0.0	
9/20/2023 16:00	Normal	0.0	
9/20/2023 17:00	Normal	0.0	
9/20/2023 18:00	Normal	0.0	
9/20/2023 19:00	Normal	0.0	
9/20/2023 20:00	Normal	0.0	
9/20/2023 21:00	Normal	0.0	
9/20/2023 22:00	Normal	0.0	
9/20/2023 23:00	Normal	0.0	0.3
9/21/2023 0:00	Normal	0.0	
9/21/2023 1:00	Normal	0.0	
9/21/2023 2:00	Normal	0.0	
9/21/2023 3:00	Normal	0.0	
9/21/2023 4:00	Normal	0.0	
9/21/2023 5:00	Normal	0.0	
9/21/2023 6:00	Normal	0.0	
9/21/2023 7:00	Normal	0.0	
9/21/2023 8:00	Normal	0.0	
9/21/2023 9:00	Normal	0.0	
9/21/2023 10:00	Normal	0.0	
9/21/2023 11:00	Normal	0.0	
9/21/2023 12:00	Normal	0.0	
9/21/2023 13:00	Normal	0.0	
9/21/2023 14:00	Normal	0.0	
9/21/2023 15:00	Normal	0.0	
9/21/2023 16:00	Normal	0.0	
9/21/2023 17:00	Normal	0.0	
9/21/2023 18:00	Normal	0.0	
9/21/2023 19:00	Normal	0.0	
9/21/2023 20:00	Normal	0.0	
9/21/2023 21:00	Normal	0.0	
9/21/2023 22:00	Normal	0.0	
9/21/2023 23:00	Normal	0.0	0.3
9/22/2023 0:00	Normal	0.0	
9/22/2023 1:00	Normal	0.0	
9/22/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/22/2023 3:00	Normal	0.0	
9/22/2023 4:00	Normal	0.0	
9/22/2023 5:00	Normal	0.0	
9/22/2023 6:00	Normal	0.0	
9/22/2023 7:00	Normal	0.0	
9/22/2023 8:00	Normal	0.0	
9/22/2023 9:00	Normal	0.0	
9/22/2023 10:00	Normal	0.0	
9/22/2023 11:00	Normal	0.0	
9/22/2023 12:00	Normal	0.0	
9/22/2023 13:00	Normal	0.0	
9/22/2023 14:00	Normal	0.0	
9/22/2023 15:00	Normal	0.0	
9/22/2023 16:00	Normal	0.0	
9/22/2023 17:00	Normal	0.0	
9/22/2023 18:00	Normal	0.0	
9/22/2023 19:00	Normal	0.0	
9/22/2023 20:00	Normal	0.0	
9/22/2023 21:00	Normal	0.0	
9/22/2023 22:00	Normal	0.0	
9/22/2023 23:00	Normal	0.0	0.3
9/23/2023 0:00	Normal	0.0	
9/23/2023 1:00	Normal	0.0	
9/23/2023 2:00	Normal	0.0	
9/23/2023 3:00	Normal	0.0	
9/23/2023 4:00	Normal	0.0	
9/23/2023 5:00	Normal	0.0	
9/23/2023 6:00	Normal	0.0	
9/23/2023 7:00	Normal	0.0	
9/23/2023 8:00	Normal	0.0	
9/23/2023 9:00	Normal	0.0	
9/23/2023 10:00	Normal	0.0	
9/23/2023 11:00	Normal	0.0	
9/23/2023 12:00	Normal	0.0	
9/23/2023 13:00	Normal	0.0	
9/23/2023 14:00	Normal	0.0	
9/23/2023 15:00	Normal	0.0	
9/23/2023 16:00	Normal	0.0	
9/23/2023 17:00	Normal	0.0	
9/23/2023 18:00	Normal	0.0	
9/23/2023 19:00	Normal	0.0	
9/23/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/23/2023 21:00	Normal	0.0	
9/23/2023 22:00	Normal	0.0	
9/23/2023 23:00	Normal	0.0	0.3
9/24/2023 0:00	Normal	0.0	
9/24/2023 1:00	Normal	0.0	
9/24/2023 2:00	Normal	0.0	
9/24/2023 3:00	Normal	0.0	
9/24/2023 4:00	Normal	0.0	
9/24/2023 5:00	Normal	0.0	
9/24/2023 6:00	Normal	0.0	
9/24/2023 7:00	Normal	0.0	
9/24/2023 8:00	Normal	0.0	
9/24/2023 9:00	Normal	0.0	
9/24/2023 10:00	Normal	0.0	
9/24/2023 11:00	Normal	0.0	
9/24/2023 12:00	Normal	0.0	
9/24/2023 13:00	Normal	0.0	
9/24/2023 14:00	Normal	0.0	
9/24/2023 15:00	Normal	0.0	
9/24/2023 16:00	Normal	0.0	
9/24/2023 17:00	Normal	0.0	
9/24/2023 18:00	Normal	0.0	
9/24/2023 19:00	Normal	0.0	
9/24/2023 20:00	Normal	0.0	
9/24/2023 21:00	Normal	0.0	
9/24/2023 22:00	Normal	0.0	
9/24/2023 23:00	Normal	0.0	0.3
9/25/2023 0:00	Shutdown		
9/25/2023 1:00	Shutdown		
9/25/2023 2:00	Shutdown		
9/25/2023 3:00	Shutdown		
9/25/2023 4:00	Shutdown		
9/25/2023 5:00	Shutdown		
9/25/2023 6:00	Shutdown		
9/25/2023 7:00	Shutdown		
9/25/2023 8:00	Shutdown		
9/25/2023 9:00	Shutdown		
9/25/2023 10:00	Shutdown		
9/25/2023 11:00	Shutdown		
9/25/2023 12:00	Startup	0.0	
9/25/2023 13:00	Startup	0.0	
9/25/2023 14:00	Startup	1.8	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/25/2023 15:00	Startup	0.0	
9/25/2023 16:00	Startup	0.0	
9/25/2023 17:00	Startup	0.0	
9/25/2023 18:00	Startup	0.0	
9/25/2023 19:00	Startup	0.0	
9/25/2023 20:00	Startup	58.8	
9/25/2023 21:00	Startup	90.2	
9/25/2023 22:00	Startup	0.0	
9/25/2023 23:00	Startup	0.0	0.6
9/26/2023 0:00	Startup	0.0	
9/26/2023 1:00	Startup	0.0	
9/26/2023 2:00	Startup	0.0	
9/26/2023 3:00	Normal	0.0	
9/26/2023 4:00	Normal	0.0	
9/26/2023 5:00	Normal	0.0	
9/26/2023 6:00	Normal	0.0	
9/26/2023 7:00	Normal	0.0	
9/26/2023 8:00	Normal	0.0	
9/26/2023 9:00	Normal	0.0	
9/26/2023 10:00	Normal	0.0	
9/26/2023 11:00	Normal	0.0	
9/26/2023 12:00	Normal	0.0	
9/26/2023 13:00	Normal	0.0	
9/26/2023 14:00	Normal	0.0	
9/26/2023 15:00	Normal	0.0	
9/26/2023 16:00	Normal	0.0	
9/26/2023 17:00	Normal	0.0	
9/26/2023 18:00	Normal	0.0	
9/26/2023 19:00	Normal	0.0	
9/26/2023 20:00	Normal	0.0	
9/26/2023 21:00	Normal	0.0	
9/26/2023 22:00	Normal	0.0	
9/26/2023 23:00	Normal	0.0	0.6
9/27/2023 0:00	Normal	0.0	
9/27/2023 1:00	Normal	0.0	
9/27/2023 2:00	Normal	0.0	
9/27/2023 3:00	Normal	0.0	
9/27/2023 4:00	Normal	0.0	
9/27/2023 5:00	Normal	0.0	
9/27/2023 6:00	Normal	0.0	
9/27/2023 7:00	Normal	0.0	
9/27/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/27/2023 9:00	Normal	0.0	
9/27/2023 10:00	Normal	0.0	
9/27/2023 11:00	Normal	0.0	
9/27/2023 12:00	Normal	0.0	
9/27/2023 13:00	Normal	0.0	
9/27/2023 14:00	Normal	0.0	
9/27/2023 15:00	Normal	0.0	
9/27/2023 16:00	Normal	0.0	
9/27/2023 17:00	Normal	0.0	
9/27/2023 18:00	Normal	0.0	
9/27/2023 19:00	Normal	0.0	
9/27/2023 20:00	Shutdown	123.3	
9/27/2023 21:00	Shutdown	210.3	
9/27/2023 22:00	Shutdown	4.8	
9/27/2023 23:00	Shutdown		0.9
9/28/2023 0:00	Startup	11.2	
9/28/2023 1:00	Startup	0.0	
9/28/2023 2:00	Startup	12.7	
9/28/2023 3:00	Startup	10.7	
9/28/2023 4:00	Startup	0.0	
9/28/2023 5:00	Startup	0.0	
9/28/2023 6:00	Startup	0.0	
9/28/2023 7:00	Malfunction	2.8	
9/28/2023 8:00	Malfunction	5.4	
9/28/2023 9:00	Malfunction	17.8	
9/28/2023 10:00	Malfunction	11.4	
9/28/2023 11:00	Normal	0.0	
9/28/2023 12:00	Normal	0.0	
9/28/2023 13:00	Normal	0.0	
9/28/2023 14:00	Normal	0.0	
9/28/2023 15:00	Normal	0.0	
9/28/2023 16:00	Normal	0.0	
9/28/2023 17:00	Normal	0.0	
9/28/2023 18:00	Normal	0.0	
9/28/2023 19:00	Normal	0.0	
9/28/2023 20:00	Normal	0.0	
9/28/2023 21:00	Normal	0.0	
9/28/2023 22:00	Normal	0.0	
9/28/2023 23:00	Normal	0.0	0.8
9/29/2023 0:00	Normal	0.0	
9/29/2023 1:00	Normal	0.0	
9/29/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/29/2023 3:00	Normal	0.0	
9/29/2023 4:00	Normal	0.0	
9/29/2023 5:00	Normal	0.0	
9/29/2023 6:00	Normal	0.0	
9/29/2023 7:00	Normal	0.0	
9/29/2023 8:00	Normal	0.0	
9/29/2023 9:00	Normal	0.0	
9/29/2023 10:00	Normal	0.0	
9/29/2023 11:00	Normal	0.0	
9/29/2023 12:00	Normal	0.0	
9/29/2023 13:00	Normal	0.0	
9/29/2023 14:00	Normal	0.0	
9/29/2023 15:00	Normal	0.0	
9/29/2023 16:00	Normal	0.0	
9/29/2023 17:00	Normal	0.0	
9/29/2023 18:00	Normal	0.0	
9/29/2023 19:00	Normal	0.0	
9/29/2023 20:00	Normal	0.0	
9/29/2023 21:00	Normal	0.0	
9/29/2023 22:00	Normal	0.0	
9/29/2023 23:00	Normal	0.0	0.8
9/30/2023 0:00	Normal	0.0	
9/30/2023 1:00	Normal	0.0	
9/30/2023 2:00	Normal	0.0	
9/30/2023 3:00	Normal	0.0	
9/30/2023 4:00	Normal	0.0	
9/30/2023 5:00	Normal	0.0	
9/30/2023 6:00	Normal	0.0	
9/30/2023 7:00	Normal	0.0	
9/30/2023 8:00	Normal	0.0	
9/30/2023 9:00	Normal	0.0	
9/30/2023 10:00	Normal	0.0	
9/30/2023 11:00	Normal	0.0	
9/30/2023 12:00	Normal	0.0	
9/30/2023 13:00	Normal	0.0	
9/30/2023 14:00	Normal	0.0	
9/30/2023 15:00	Normal	0.0	
9/30/2023 16:00	Normal	0.0	
9/30/2023 17:00	Normal	0.0	
9/30/2023 18:00	Normal	0.0	
9/30/2023 19:00	Normal	0.0	
9/30/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
9/30/2023 21:00	Normal	0.0	
9/30/2023 22:00	Normal	0.0	
9/30/2023 23:00	Normal	0.0	0.8
10/1/2023 0:00	Normal	0.0	
10/1/2023 1:00	Normal	0.0	
10/1/2023 2:00	Normal	0.0	
10/1/2023 3:00	Normal	0.0	
10/1/2023 4:00	Normal	0.0	
10/1/2023 5:00	Normal	0.0	
10/1/2023 6:00	Normal	0.0	
10/1/2023 7:00	Normal	0.0	
10/1/2023 8:00	Normal	0.0	
10/1/2023 9:00	Normal	0.0	
10/1/2023 10:00	Normal	0.0	
10/1/2023 11:00	Normal	0.0	
10/1/2023 12:00	Normal	0.0	
10/1/2023 13:00	Normal	0.0	
10/1/2023 14:00	Normal	0.0	
10/1/2023 15:00	Normal	0.0	
10/1/2023 16:00	Normal	0.0	
10/1/2023 17:00	Normal	0.0	
10/1/2023 18:00	Normal	0.0	
10/1/2023 19:00	Normal	0.0	
10/1/2023 20:00	Normal	0.0	
10/1/2023 21:00	Normal	0.0	
10/1/2023 22:00	Normal	0.0	
10/1/2023 23:00	Normal	0.0	0.8
10/2/2023 0:00	Normal	0.0	
10/2/2023 1:00	Normal	0.0	
10/2/2023 2:00	Normal	0.0	
10/2/2023 3:00	Normal	0.0	
10/2/2023 4:00	Normal	0.0	
10/2/2023 5:00	Normal	0.0	
10/2/2023 6:00	Normal	0.0	
10/2/2023 7:00	Normal	0.0	
10/2/2023 8:00	Normal	0.0	
10/2/2023 9:00	Normal	0.0	
10/2/2023 10:00	Normal	0.0	
10/2/2023 11:00	Normal	0.0	
10/2/2023 12:00	Normal	0.0	
10/2/2023 13:00	Normal	0.0	
10/2/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/2/2023 15:00	Normal	0.0	
10/2/2023 16:00	Normal	0.0	
10/2/2023 17:00	Normal	0.0	
10/2/2023 18:00	Normal	0.0	
10/2/2023 19:00	Normal	0.0	
10/2/2023 20:00	Normal	0.0	
10/2/2023 21:00	Normal	0.0	
10/2/2023 22:00	Normal	0.0	
10/2/2023 23:00	Normal	0.0	0.8
10/3/2023 0:00	Normal	0.0	
10/3/2023 1:00	Normal	0.0	
10/3/2023 2:00	Normal	0.0	
10/3/2023 3:00	Normal	0.0	
10/3/2023 4:00	Normal	0.0	
10/3/2023 5:00	Normal	0.0	
10/3/2023 6:00	Normal	0.0	
10/3/2023 7:00	Normal	0.0	
10/3/2023 8:00	Normal	0.0	
10/3/2023 9:00	Normal	0.0	
10/3/2023 10:00	Normal	0.0	
10/3/2023 11:00	Normal	0.0	
10/3/2023 12:00	Normal	0.0	
10/3/2023 13:00	Normal	0.0	
10/3/2023 14:00	Normal	0.0	
10/3/2023 15:00	Normal	0.0	
10/3/2023 16:00	Normal	0.0	
10/3/2023 17:00	Normal	0.0	
10/3/2023 18:00	Normal	0.0	
10/3/2023 19:00	Normal	0.0	
10/3/2023 20:00	Normal	0.0	
10/3/2023 21:00	Normal	0.0	
10/3/2023 22:00	Normal	0.0	
10/3/2023 23:00	Normal	0.0	0.8
10/4/2023 0:00	Normal	0.0	
10/4/2023 1:00	Normal	0.0	
10/4/2023 2:00	Normal	0.0	
10/4/2023 3:00	Normal	0.0	
10/4/2023 4:00	Normal	0.0	
10/4/2023 5:00	Normal	0.0	
10/4/2023 6:00	Normal	0.0	
10/4/2023 7:00	Normal	0.0	
10/4/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/4/2023 9:00	Normal	0.0	
10/4/2023 10:00	Normal	0.0	
10/4/2023 11:00	Normal	0.0	
10/4/2023 12:00	Normal	0.0	
10/4/2023 13:00	Normal	0.0	
10/4/2023 14:00	Normal	0.0	
10/4/2023 15:00	Normal	0.0	
10/4/2023 16:00	Normal	0.0	
10/4/2023 17:00	Normal	0.0	
10/4/2023 18:00	Normal	0.0	
10/4/2023 19:00	Normal	0.0	
10/4/2023 20:00	Normal	0.0	
10/4/2023 21:00	Normal	0.0	
10/4/2023 22:00	Normal	0.0	
10/4/2023 23:00	Normal	0.0	0.8
10/5/2023 0:00	Normal	0.0	
10/5/2023 1:00	Normal	0.0	
10/5/2023 2:00	Normal	0.0	
10/5/2023 3:00	Normal	0.0	
10/5/2023 4:00	Normal	0.0	
10/5/2023 5:00	Normal	0.0	
10/5/2023 6:00	Normal	0.0	
10/5/2023 7:00	Normal	0.0	
10/5/2023 8:00	Normal	0.0	
10/5/2023 9:00	Normal	0.0	
10/5/2023 10:00	Normal	0.0	
10/5/2023 11:00	Normal	0.0	
10/5/2023 12:00	Normal	0.0	
10/5/2023 13:00	Normal	0.0	
10/5/2023 14:00	Normal	0.0	
10/5/2023 15:00	Normal	0.0	
10/5/2023 16:00	Normal	0.0	
10/5/2023 17:00	Normal	0.0	
10/5/2023 18:00	Normal	0.0	
10/5/2023 19:00	Normal	0.0	
10/5/2023 20:00	Normal	0.0	
10/5/2023 21:00	Normal	0.0	
10/5/2023 22:00	Normal	0.0	
10/5/2023 23:00	Normal	0.0	0.8
10/6/2023 0:00	Normal	0.0	
10/6/2023 1:00	Normal	0.0	
10/6/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/6/2023 3:00	Normal	0.0	
10/6/2023 4:00	Normal	0.0	
10/6/2023 5:00	Normal	0.0	
10/6/2023 6:00	Normal	0.0	
10/6/2023 7:00	Normal	0.0	
10/6/2023 8:00	Normal	0.0	
10/6/2023 9:00	Normal	0.0	
10/6/2023 10:00	Normal	0.0	
10/6/2023 11:00	Normal	0.0	
10/6/2023 12:00	Normal	0.0	
10/6/2023 13:00	Normal	0.0	
10/6/2023 14:00	Normal	0.0	
10/6/2023 15:00	Normal	0.0	
10/6/2023 16:00	Normal	0.0	
10/6/2023 17:00	Normal	0.0	
10/6/2023 18:00	Normal	0.0	
10/6/2023 19:00	Normal	0.0	
10/6/2023 20:00	Normal	0.0	
10/6/2023 21:00	Normal	0.0	
10/6/2023 22:00	Normal	0.0	
10/6/2023 23:00	Normal	0.0	0.8
10/7/2023 0:00	Normal	0.0	
10/7/2023 1:00	Normal	0.0	
10/7/2023 2:00	Normal	0.0	
10/7/2023 3:00	Normal	0.0	
10/7/2023 4:00	Normal	0.0	
10/7/2023 5:00	Normal	0.0	
10/7/2023 6:00	Normal	0.0	
10/7/2023 7:00	Normal	0.0	
10/7/2023 8:00	Normal	0.0	
10/7/2023 9:00	Normal	0.0	
10/7/2023 10:00	Normal	0.0	
10/7/2023 11:00	Normal	0.0	
10/7/2023 12:00	Normal	0.0	
10/7/2023 13:00	Normal	0.0	
10/7/2023 14:00	Normal	0.0	
10/7/2023 15:00	Normal	0.0	
10/7/2023 16:00	Normal	0.0	
10/7/2023 17:00	Normal	0.0	
10/7/2023 18:00	Normal	0.0	
10/7/2023 19:00	Normal	0.0	
10/7/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/7/2023 21:00	Normal	0.0	
10/7/2023 22:00	Normal	0.0	
10/7/2023 23:00	Normal	0.0	0.8
10/8/2023 0:00	Normal	0.0	
10/8/2023 1:00	Normal	0.0	
10/8/2023 2:00	Normal	0.0	
10/8/2023 3:00	Normal	0.0	
10/8/2023 4:00	Normal	0.0	
10/8/2023 5:00	Normal	0.0	
10/8/2023 6:00	Normal	0.0	
10/8/2023 7:00	Normal	0.0	
10/8/2023 8:00	Normal	0.0	
10/8/2023 9:00	Normal	0.0	
10/8/2023 10:00	Normal	0.0	
10/8/2023 11:00	Normal	0.0	
10/8/2023 12:00	Normal	0.0	
10/8/2023 13:00	Normal	0.0	
10/8/2023 14:00	Normal	0.0	
10/8/2023 15:00	Normal	0.0	
10/8/2023 16:00	Normal	0.0	
10/8/2023 17:00	Normal	0.0	
10/8/2023 18:00	Normal	0.0	
10/8/2023 19:00	Normal	0.0	
10/8/2023 20:00	Normal	0.0	
10/8/2023 21:00	Normal	0.0	
10/8/2023 22:00	Normal	0.0	
10/8/2023 23:00	Normal	0.0	0.8
10/9/2023 0:00	Normal	0.0	
10/9/2023 1:00	Normal	0.0	
10/9/2023 2:00	Normal	0.0	
10/9/2023 3:00	Normal	0.0	
10/9/2023 4:00	Normal	0.0	
10/9/2023 5:00	Normal	0.0	
10/9/2023 6:00	Normal	0.0	
10/9/2023 7:00	Normal	0.0	
10/9/2023 8:00	Normal	0.0	
10/9/2023 9:00	Normal	0.0	
10/9/2023 10:00	Normal	0.0	
10/9/2023 11:00	Normal	0.0	
10/9/2023 12:00	Normal	0.0	
10/9/2023 13:00	Normal	0.0	
10/9/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/9/2023 15:00	Normal	0.0	
10/9/2023 16:00	Normal	0.0	
10/9/2023 17:00	Normal	0.0	
10/9/2023 18:00	Normal	0.0	
10/9/2023 19:00	Normal	0.0	
10/9/2023 20:00	Normal	0.0	
10/9/2023 21:00	Normal	0.0	
10/9/2023 22:00	Normal	0.0	
10/9/2023 23:00	Normal	0.0	0.8
10/10/2023 0:00	Normal	0.0	
10/10/2023 1:00	Normal	0.0	
10/10/2023 2:00	Normal	0.0	
10/10/2023 3:00	Normal	0.0	
10/10/2023 4:00	Normal	0.0	
10/10/2023 5:00	Normal	0.0	
10/10/2023 6:00	Normal	0.0	
10/10/2023 7:00	Normal	0.0	
10/10/2023 8:00	Normal	0.0	
10/10/2023 9:00	Normal	0.0	
10/10/2023 10:00	Normal	0.0	
10/10/2023 11:00	Normal	0.0	
10/10/2023 12:00	Normal	0.0	
10/10/2023 13:00	Normal	0.0	
10/10/2023 14:00	Normal	0.0	
10/10/2023 15:00	Normal	0.0	
10/10/2023 16:00	Normal	0.0	
10/10/2023 17:00	Normal	0.0	
10/10/2023 18:00	Normal	0.0	
10/10/2023 19:00	Normal	0.0	
10/10/2023 20:00	Normal	0.0	
10/10/2023 21:00	Normal	0.0	
10/10/2023 22:00	Normal	0.0	
10/10/2023 23:00	Normal	0.0	0.8
10/11/2023 0:00	Normal	0.0	
10/11/2023 1:00	Normal	0.0	
10/11/2023 2:00	Normal	0.0	
10/11/2023 3:00	Normal	0.0	
10/11/2023 4:00	Normal	0.0	
10/11/2023 5:00	Normal	0.0	
10/11/2023 6:00	Normal	0.0	
10/11/2023 7:00	Normal	0.0	
10/11/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/11/2023 9:00	Normal	0.0	
10/11/2023 10:00	Normal	0.0	
10/11/2023 11:00	Normal	0.0	
10/11/2023 12:00	Normal	0.0	
10/11/2023 13:00	Normal	0.0	
10/11/2023 14:00	Normal	0.0	
10/11/2023 15:00	Normal	0.0	
10/11/2023 16:00	Normal	0.0	
10/11/2023 17:00	Normal	0.0	
10/11/2023 18:00	Normal	0.0	
10/11/2023 19:00	Normal	0.0	
10/11/2023 20:00	Normal	0.0	
10/11/2023 21:00	Normal	0.0	
10/11/2023 22:00	Normal	0.0	
10/11/2023 23:00	Normal	0.0	0.8
10/12/2023 0:00	Normal	0.0	
10/12/2023 1:00	Normal	0.0	
10/12/2023 2:00	Normal	0.0	
10/12/2023 3:00	Normal	0.0	
10/12/2023 4:00	Normal	0.0	
10/12/2023 5:00	Normal	0.0	
10/12/2023 6:00	Normal	0.0	
10/12/2023 7:00	Normal	0.0	
10/12/2023 8:00	Normal	0.0	
10/12/2023 9:00	Normal	0.0	
10/12/2023 10:00	Normal	0.0	
10/12/2023 11:00	Normal	0.0	
10/12/2023 12:00	Normal	0.0	
10/12/2023 13:00	Normal	0.0	
10/12/2023 14:00	Normal	0.0	
10/12/2023 15:00	Normal	0.0	
10/12/2023 16:00	Normal	0.0	
10/12/2023 17:00	Normal	0.0	
10/12/2023 18:00	Normal	0.0	
10/12/2023 19:00	Normal	0.0	
10/12/2023 20:00	Normal	0.0	
10/12/2023 21:00	Normal	0.0	
10/12/2023 22:00	Normal	0.0	
10/12/2023 23:00	Normal	0.0	0.8
10/13/2023 0:00	Normal	0.0	
10/13/2023 1:00	Normal	0.0	
10/13/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/13/2023 3:00	Normal	0.0	
10/13/2023 4:00	Normal	0.0	
10/13/2023 5:00	Normal	0.0	
10/13/2023 6:00	Normal	0.0	
10/13/2023 7:00	Normal	0.0	
10/13/2023 8:00	Normal	0.0	
10/13/2023 9:00	Normal	0.0	
10/13/2023 10:00	Normal	0.0	
10/13/2023 11:00	Normal	0.0	
10/13/2023 12:00	Normal	0.0	
10/13/2023 13:00	Normal	0.0	
10/13/2023 14:00	Normal	0.0	
10/13/2023 15:00	Normal	0.0	
10/13/2023 16:00	Normal	0.0	
10/13/2023 17:00	Normal	0.0	
10/13/2023 18:00	Normal	0.0	
10/13/2023 19:00	Normal	0.0	
10/13/2023 20:00	Normal	0.0	
10/13/2023 21:00	Normal	0.0	
10/13/2023 22:00	Normal	0.0	
10/13/2023 23:00	Normal	0.0	0.8
10/14/2023 0:00	Normal	0.0	
10/14/2023 1:00	Normal	0.0	
10/14/2023 2:00	Normal	0.0	
10/14/2023 3:00	Normal	0.0	
10/14/2023 4:00	Normal	0.0	
10/14/2023 5:00	Normal	0.0	
10/14/2023 6:00	Normal	0.0	
10/14/2023 7:00	Normal	0.0	
10/14/2023 8:00	Normal	0.0	
10/14/2023 9:00	Normal	0.0	
10/14/2023 10:00	Normal	0.0	
10/14/2023 11:00	Normal	0.0	
10/14/2023 12:00	Normal	0.0	
10/14/2023 13:00	Normal	0.0	
10/14/2023 14:00	Normal	0.0	
10/14/2023 15:00	Normal	0.0	
10/14/2023 16:00	Normal	0.0	
10/14/2023 17:00	Normal	0.0	
10/14/2023 18:00	Normal	0.0	
10/14/2023 19:00	Normal	0.0	
10/14/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/14/2023 21:00	Normal	0.0	
10/14/2023 22:00	Normal	0.0	
10/14/2023 23:00	Normal	0.0	0.8
10/15/2023 0:00	Normal	0.0	
10/15/2023 1:00	Normal	0.0	
10/15/2023 2:00	Normal	0.0	
10/15/2023 3:00	Normal	0.0	
10/15/2023 4:00	Normal	0.0	
10/15/2023 5:00	Normal	0.0	
10/15/2023 6:00	Normal	0.0	
10/15/2023 7:00	Normal	0.0	
10/15/2023 8:00	Normal	0.0	
10/15/2023 9:00	Normal	0.0	
10/15/2023 10:00	Normal	0.0	
10/15/2023 11:00	Normal	0.0	
10/15/2023 12:00	Normal	0.0	
10/15/2023 13:00	Normal	0.0	
10/15/2023 14:00	Normal	0.0	
10/15/2023 15:00	Normal	0.0	
10/15/2023 16:00	Normal	0.0	
10/15/2023 17:00	Normal	0.0	
10/15/2023 18:00	Normal	0.0	
10/15/2023 19:00	Normal	0.0	
10/15/2023 20:00	Normal	0.0	
10/15/2023 21:00	Normal	0.0	
10/15/2023 22:00	Normal	0.0	
10/15/2023 23:00	Normal	0.0	0.8
10/16/2023 0:00	Normal	0.0	
10/16/2023 1:00	Normal	0.0	
10/16/2023 2:00	Normal	0.0	
10/16/2023 3:00	Normal	0.0	
10/16/2023 4:00	Normal	0.0	
10/16/2023 5:00	Normal	0.0	
10/16/2023 6:00	Normal	0.0	
10/16/2023 7:00	Normal	0.0	
10/16/2023 8:00	Normal	0.0	
10/16/2023 9:00	Normal	0.0	
10/16/2023 10:00	Normal	0.0	
10/16/2023 11:00	Normal	0.0	
10/16/2023 12:00	Normal	0.0	
10/16/2023 13:00	Normal	0.0	
10/16/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/16/2023 15:00	Normal	0.0	
10/16/2023 16:00	Normal	0.0	
10/16/2023 17:00	Normal	0.0	
10/16/2023 18:00	Normal	0.0	
10/16/2023 19:00	Normal	0.0	
10/16/2023 20:00	Normal	0.0	
10/16/2023 21:00	Normal	0.0	
10/16/2023 22:00	Normal	0.0	
10/16/2023 23:00	Normal	0.0	0.8
10/17/2023 0:00	Normal	0.0	
10/17/2023 1:00	Normal	0.0	
10/17/2023 2:00	Normal	0.0	
10/17/2023 3:00	Normal	0.0	
10/17/2023 4:00	Normal	0.0	
10/17/2023 5:00	Normal	0.0	
10/17/2023 6:00	Normal	0.0	
10/17/2023 7:00	Normal	0.0	
10/17/2023 8:00	Normal	0.0	
10/17/2023 9:00	Normal	0.0	
10/17/2023 10:00	Normal	0.0	
10/17/2023 11:00	Normal	0.0	
10/17/2023 12:00	Normal	0.0	
10/17/2023 13:00	Normal	0.0	
10/17/2023 14:00	Normal	0.0	
10/17/2023 15:00	Normal	0.0	
10/17/2023 16:00	Normal	0.0	
10/17/2023 17:00	Normal	0.0	
10/17/2023 18:00	Normal	0.0	
10/17/2023 19:00	Normal	0.0	
10/17/2023 20:00	Normal	0.0	
10/17/2023 21:00	Normal	0.0	
10/17/2023 22:00	Normal	0.0	
10/17/2023 23:00	Normal	0.0	0.8
10/18/2023 0:00	Normal	0.0	
10/18/2023 1:00	Normal	0.0	
10/18/2023 2:00	Normal	0.0	
10/18/2023 3:00	Normal	0.0	
10/18/2023 4:00	Normal	0.0	
10/18/2023 5:00	Normal	0.0	
10/18/2023 6:00	Normal	0.0	
10/18/2023 7:00	Normal	0.0	
10/18/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/18/2023 9:00	Normal	0.0	
10/18/2023 10:00	Normal	0.0	
10/18/2023 11:00	Normal	0.0	
10/18/2023 12:00	Normal	0.0	
10/18/2023 13:00	Normal	0.0	
10/18/2023 14:00	Normal	0.0	
10/18/2023 15:00	Normal	0.0	
10/18/2023 16:00	Normal	0.0	
10/18/2023 17:00	Normal	0.0	
10/18/2023 18:00	Normal	0.0	
10/18/2023 19:00	Normal	0.0	
10/18/2023 20:00	Normal	0.0	
10/18/2023 21:00	Normal	0.0	
10/18/2023 22:00	Normal	0.0	
10/18/2023 23:00	Normal	0.0	0.8
10/19/2023 0:00	Normal	0.0	
10/19/2023 1:00	Malfunction	937.0	
10/19/2023 2:00	Malfunction	269.2	
10/19/2023 3:00	Normal	0.0	
10/19/2023 4:00	Normal	0.0	
10/19/2023 5:00	Normal	0.0	
10/19/2023 6:00	Normal	0.0	
10/19/2023 7:00	Normal	0.0	
10/19/2023 8:00	Normal	0.0	
10/19/2023 9:00	Normal	0.0	
10/19/2023 10:00	Normal	0.0	
10/19/2023 11:00	Normal	0.0	
10/19/2023 12:00	Normal	0.0	
10/19/2023 13:00	Normal	0.0	
10/19/2023 14:00	Normal	0.0	
10/19/2023 15:00	Normal	0.0	
10/19/2023 16:00	Normal	0.0	
10/19/2023 17:00	Normal	0.0	
10/19/2023 18:00	Normal	0.0	
10/19/2023 19:00	Normal	0.0	
10/19/2023 20:00	Normal	0.0	
10/19/2023 21:00	Normal	0.0	
10/19/2023 22:00	Normal	0.0	
10/19/2023 23:00	Normal	0.0	2.5
10/20/2023 0:00	Normal	0.0	
10/20/2023 1:00	Normal	0.0	
10/20/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/20/2023 3:00	Normal	0.0	
10/20/2023 4:00	Normal	0.0	
10/20/2023 5:00	Normal	0.0	
10/20/2023 6:00	Normal	0.0	
10/20/2023 7:00	Normal	0.0	
10/20/2023 8:00	Normal	0.0	
10/20/2023 9:00	Normal	0.0	
10/20/2023 10:00	Normal	0.0	
10/20/2023 11:00	Normal	0.0	
10/20/2023 12:00	Normal	0.0	
10/20/2023 13:00	Normal	0.0	
10/20/2023 14:00	Normal	0.0	
10/20/2023 15:00	Normal	0.0	
10/20/2023 16:00	Normal	0.0	
10/20/2023 17:00	Normal	0.0	
10/20/2023 18:00	Normal	0.0	
10/20/2023 19:00	Normal	0.0	
10/20/2023 20:00	Normal	0.0	
10/20/2023 21:00	Normal	0.0	
10/20/2023 22:00	Normal	0.0	
10/20/2023 23:00	Normal	0.0	2.5
10/21/2023 0:00	Normal	0.0	
10/21/2023 1:00	Normal	0.0	
10/21/2023 2:00	Normal	0.0	
10/21/2023 3:00	Normal	0.0	
10/21/2023 4:00	Normal	0.0	
10/21/2023 5:00	Normal	0.0	
10/21/2023 6:00	Normal	0.0	
10/21/2023 7:00	Normal	0.0	
10/21/2023 8:00	Normal	0.0	
10/21/2023 9:00	Normal	0.0	
10/21/2023 10:00	Normal	0.0	
10/21/2023 11:00	Normal	0.0	
10/21/2023 12:00	Normal	0.0	
10/21/2023 13:00	Normal	0.0	
10/21/2023 14:00	Normal	0.0	
10/21/2023 15:00	Normal	0.0	
10/21/2023 16:00	Normal	0.0	
10/21/2023 17:00	Normal	0.0	
10/21/2023 18:00	Normal	0.0	
10/21/2023 19:00	Normal	0.0	
10/21/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/21/2023 21:00	Normal	0.0	
10/21/2023 22:00	Normal	0.0	
10/21/2023 23:00	Normal	0.0	2.5
10/22/2023 0:00	Normal	0.0	
10/22/2023 1:00	Normal	0.0	
10/22/2023 2:00	Normal	0.0	
10/22/2023 3:00	Normal	0.0	
10/22/2023 4:00	Normal	0.0	
10/22/2023 5:00	Normal	0.0	
10/22/2023 6:00	Normal	0.0	
10/22/2023 7:00	Normal	0.0	
10/22/2023 8:00	Normal	0.0	
10/22/2023 9:00	Normal	0.0	
10/22/2023 10:00	Normal	0.0	
10/22/2023 11:00	Normal	0.0	
10/22/2023 12:00	Normal	0.0	
10/22/2023 13:00	Normal	0.0	
10/22/2023 14:00	Normal	0.0	
10/22/2023 15:00	Normal	0.0	
10/22/2023 16:00	Normal	0.0	
10/22/2023 17:00	Normal	0.0	
10/22/2023 18:00	Normal	0.0	
10/22/2023 19:00	Normal	0.0	
10/22/2023 20:00	Normal	0.0	
10/22/2023 21:00	Normal	0.0	
10/22/2023 22:00	Normal	0.0	
10/22/2023 23:00	Normal	0.0	2.5
10/23/2023 0:00	Normal	0.0	
10/23/2023 1:00	Normal	0.0	
10/23/2023 2:00	Normal	0.0	
10/23/2023 3:00	Normal	0.0	
10/23/2023 4:00	Normal	0.0	
10/23/2023 5:00	Normal	0.0	
10/23/2023 6:00	Normal	0.0	
10/23/2023 7:00	Normal	0.0	
10/23/2023 8:00	Normal	0.0	
10/23/2023 9:00	Normal	0.0	
10/23/2023 10:00	Normal	0.0	
10/23/2023 11:00	Normal	0.0	
10/23/2023 12:00	Normal	0.0	
10/23/2023 13:00	Normal	0.0	
10/23/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/23/2023 15:00	Normal	0.0	
10/23/2023 16:00	Normal	0.0	
10/23/2023 17:00	Normal	0.0	
10/23/2023 18:00	Normal	0.0	
10/23/2023 19:00	Normal	0.0	
10/23/2023 20:00	Normal	0.0	
10/23/2023 21:00	Normal	0.0	
10/23/2023 22:00	Normal	0.0	
10/23/2023 23:00	Normal	0.0	2.5
10/24/2023 0:00	Normal	0.0	
10/24/2023 1:00	Normal	0.0	
10/24/2023 2:00	Normal	0.0	
10/24/2023 3:00	Normal	0.0	
10/24/2023 4:00	Normal	0.0	
10/24/2023 5:00	Normal	0.0	
10/24/2023 6:00	Normal	0.0	
10/24/2023 7:00	Normal	0.0	
10/24/2023 8:00	Normal	0.0	
10/24/2023 9:00	Normal	0.0	
10/24/2023 10:00	Normal	0.0	
10/24/2023 11:00	Normal	0.0	
10/24/2023 12:00	Normal	0.0	
10/24/2023 13:00	Normal	0.0	
10/24/2023 14:00	Normal	0.0	
10/24/2023 15:00	Normal	0.0	
10/24/2023 16:00	Normal	0.0	
10/24/2023 17:00	Normal	0.0	
10/24/2023 18:00	Normal	0.0	
10/24/2023 19:00	Normal	0.0	
10/24/2023 20:00	Normal	0.0	
10/24/2023 21:00	Normal	0.0	
10/24/2023 22:00	Normal	0.0	
10/24/2023 23:00	Normal	0.0	2.5
10/25/2023 0:00	Normal	0.0	
10/25/2023 1:00	Normal	0.0	
10/25/2023 2:00	Normal	0.0	
10/25/2023 3:00	Normal	0.0	
10/25/2023 4:00	Normal	0.0	
10/25/2023 5:00	Normal	0.0	
10/25/2023 6:00	Normal	0.0	
10/25/2023 7:00	Normal	0.0	
10/25/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/25/2023 9:00	Normal	0.0	
10/25/2023 10:00	Normal	0.0	
10/25/2023 11:00	Normal	0.0	
10/25/2023 12:00	Normal	0.0	
10/25/2023 13:00	Normal	0.0	
10/25/2023 14:00	Normal	0.0	
10/25/2023 15:00	Normal	0.0	
10/25/2023 16:00	Normal	0.0	
10/25/2023 17:00	Normal	0.0	
10/25/2023 18:00	Normal	0.0	
10/25/2023 19:00	Normal	0.0	
10/25/2023 20:00	Normal	0.0	
10/25/2023 21:00	Normal	0.0	
10/25/2023 22:00	Normal	0.0	
10/25/2023 23:00	Normal	0.0	2.2
10/26/2023 0:00	Normal	0.0	
10/26/2023 1:00	Normal	0.0	
10/26/2023 2:00	Normal	0.0	
10/26/2023 3:00	Normal	0.0	
10/26/2023 4:00	Normal	0.0	
10/26/2023 5:00	Normal	0.0	
10/26/2023 6:00	Normal	0.0	
10/26/2023 7:00	Normal	0.0	
10/26/2023 8:00	Normal	0.0	
10/26/2023 9:00	Normal	0.0	
10/26/2023 10:00	Normal	0.0	
10/26/2023 11:00	Normal	0.0	
10/26/2023 12:00	Normal	0.0	
10/26/2023 13:00	Normal	0.0	
10/26/2023 14:00	Normal	0.0	
10/26/2023 15:00	Normal	0.0	
10/26/2023 16:00	Normal	0.0	
10/26/2023 17:00	Normal	0.0	
10/26/2023 18:00	Normal	0.0	
10/26/2023 19:00	Normal	0.0	
10/26/2023 20:00	Normal	0.0	
10/26/2023 21:00	Normal	0.0	
10/26/2023 22:00	Normal	0.0	
10/26/2023 23:00	Normal	0.0	2.2
10/27/2023 0:00	Normal	0.0	
10/27/2023 1:00	Normal	0.0	
10/27/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/27/2023 3:00	Normal	0.0	
10/27/2023 4:00	Normal	0.0	
10/27/2023 5:00	Normal	0.0	
10/27/2023 6:00	Normal	0.0	
10/27/2023 7:00	Normal	0.0	
10/27/2023 8:00	Normal	0.0	
10/27/2023 9:00	Normal	0.0	
10/27/2023 10:00	Normal	0.0	
10/27/2023 11:00	Normal	0.0	
10/27/2023 12:00	Normal	0.0	
10/27/2023 13:00	Normal	0.0	
10/27/2023 14:00	Normal	0.0	
10/27/2023 15:00	Normal	0.0	
10/27/2023 16:00	Normal	0.0	
10/27/2023 17:00	Normal	0.0	
10/27/2023 18:00	Normal	0.0	
10/27/2023 19:00	Normal	0.0	
10/27/2023 20:00	Normal	0.0	
10/27/2023 21:00	Normal	0.0	
10/27/2023 22:00	Normal	0.0	
10/27/2023 23:00	Normal	0.0	1.8
10/28/2023 0:00	Normal	0.0	
10/28/2023 1:00	Normal	0.0	
10/28/2023 2:00	Normal	0.0	
10/28/2023 3:00	Normal	0.0	
10/28/2023 4:00	Normal	0.0	
10/28/2023 5:00	Normal	0.0	
10/28/2023 6:00	Normal	0.0	
10/28/2023 7:00	Normal	0.0	
10/28/2023 8:00	Normal	0.0	
10/28/2023 9:00	Normal	0.0	
10/28/2023 10:00	Normal	0.0	
10/28/2023 11:00	Normal	0.0	
10/28/2023 12:00	Normal	0.0	
10/28/2023 13:00	Normal	0.0	
10/28/2023 14:00	Normal	0.0	
10/28/2023 15:00	Normal	0.0	
10/28/2023 16:00	Normal	0.0	
10/28/2023 17:00	Normal	0.0	
10/28/2023 18:00	Normal	0.0	
10/28/2023 19:00	Normal	0.0	
10/28/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/28/2023 21:00	Normal	0.0	
10/28/2023 22:00	Normal	0.0	
10/28/2023 23:00	Normal	0.0	1.7
10/29/2023 0:00	Normal	0.0	
10/29/2023 1:00	Normal	0.0	
10/29/2023 2:00	Normal	0.0	
10/29/2023 3:00	Normal	0.0	
10/29/2023 4:00	Normal	0.0	
10/29/2023 5:00	Normal	0.0	
10/29/2023 6:00	Normal	0.0	
10/29/2023 7:00	Normal	0.0	
10/29/2023 8:00	Normal	0.0	
10/29/2023 9:00	Normal	0.0	
10/29/2023 10:00	Normal	0.0	
10/29/2023 11:00	Normal	0.0	
10/29/2023 12:00	Normal	0.0	
10/29/2023 13:00	Normal	0.0	
10/29/2023 14:00	Normal	0.0	
10/29/2023 15:00	Normal	0.0	
10/29/2023 16:00	Normal	0.0	
10/29/2023 17:00	Normal	0.0	
10/29/2023 18:00	Normal	0.0	
10/29/2023 19:00	Normal	0.0	
10/29/2023 20:00	Normal	0.0	
10/29/2023 21:00	Normal	0.0	
10/29/2023 22:00	Normal	0.0	
10/29/2023 23:00	Normal	0.0	1.7
10/30/2023 0:00	Normal	0.0	
10/30/2023 1:00	Normal	0.0	
10/30/2023 2:00	Normal	0.0	
10/30/2023 3:00	Normal	0.0	
10/30/2023 4:00	Normal	0.0	
10/30/2023 5:00	Normal	0.0	
10/30/2023 6:00	Normal	0.0	
10/30/2023 7:00	Normal	0.0	
10/30/2023 8:00	Normal	0.0	
10/30/2023 9:00	Normal	0.0	
10/30/2023 10:00	Normal	0.0	
10/30/2023 11:00	Normal	0.0	
10/30/2023 12:00	Normal	0.0	
10/30/2023 13:00	Normal	0.0	
10/30/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
10/30/2023 15:00	Normal	0.0	
10/30/2023 16:00	Normal	0.0	
10/30/2023 17:00	Normal	0.0	
10/30/2023 18:00	Normal	0.0	
10/30/2023 19:00	Normal	0.0	
10/30/2023 20:00	Normal	0.0	
10/30/2023 21:00	Normal	0.0	
10/30/2023 22:00	Normal	0.0	
10/30/2023 23:00	Normal	0.0	1.7
10/31/2023 0:00	Normal	0.0	
10/31/2023 1:00	Normal	0.0	
10/31/2023 2:00	Normal	0.0	
10/31/2023 3:00	Normal	0.0	
10/31/2023 4:00	Normal	0.0	
10/31/2023 5:00	Normal	0.0	
10/31/2023 6:00	Normal	0.0	
10/31/2023 7:00	Normal	0.0	
10/31/2023 8:00	Normal	0.0	
10/31/2023 9:00	Normal	0.0	
10/31/2023 10:00	Normal	0.0	
10/31/2023 11:00	Normal	0.0	
10/31/2023 12:00	Normal	0.0	
10/31/2023 13:00	Normal	0.0	
10/31/2023 14:00	Normal	0.0	
10/31/2023 15:00	Normal	0.0	
10/31/2023 16:00	Normal	0.0	
10/31/2023 17:00	Normal	0.0	
10/31/2023 18:00	Normal	0.0	
10/31/2023 19:00	Normal	0.0	
10/31/2023 20:00	Normal	0.0	
10/31/2023 21:00	Normal	0.0	
10/31/2023 22:00	Normal	0.0	
10/31/2023 23:00	Normal	0.0	1.7
11/1/2023 0:00	Normal	0.0	
11/1/2023 1:00	Normal	0.0	
11/1/2023 2:00	Normal	0.0	
11/1/2023 3:00	Normal	0.0	
11/1/2023 4:00	Normal	0.0	
11/1/2023 5:00	Normal	0.0	
11/1/2023 6:00	Normal	0.0	
11/1/2023 7:00	Normal	0.0	
11/1/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/1/2023 9:00	Normal	0.0	
11/1/2023 10:00	Normal	0.0	
11/1/2023 11:00	Normal	0.0	
11/1/2023 12:00	Normal	0.0	
11/1/2023 13:00	Normal	0.0	
11/1/2023 14:00	Normal	0.0	
11/1/2023 15:00	Normal	0.0	
11/1/2023 16:00	Normal	0.0	
11/1/2023 17:00	Normal	0.0	
11/1/2023 18:00	Normal	0.0	
11/1/2023 19:00	Normal	0.0	
11/1/2023 20:00	Normal	0.0	
11/1/2023 21:00	Normal	0.0	
11/1/2023 22:00	Normal	0.0	
11/1/2023 23:00	Normal	0.0	1.7
11/2/2023 0:00	Normal	0.0	
11/2/2023 1:00	Normal	0.0	
11/2/2023 2:00	Normal	0.0	
11/2/2023 3:00	Normal	0.0	
11/2/2023 4:00	Normal	0.0	
11/2/2023 5:00	Normal	0.0	
11/2/2023 6:00	Normal	0.0	
11/2/2023 7:00	Normal	0.0	
11/2/2023 8:00	Normal	0.0	
11/2/2023 9:00	Normal	0.0	
11/2/2023 10:00	Normal	0.0	
11/2/2023 11:00	Normal	0.0	
11/2/2023 12:00	Normal	0.0	
11/2/2023 13:00	Normal	0.0	
11/2/2023 14:00	Normal	0.0	
11/2/2023 15:00	Normal	0.0	
11/2/2023 16:00	Normal	0.0	
11/2/2023 17:00	Normal	0.0	
11/2/2023 18:00	Normal	0.0	
11/2/2023 19:00	Normal	0.0	
11/2/2023 20:00	Normal	0.0	
11/2/2023 21:00	Normal	0.0	
11/2/2023 22:00	Normal	0.0	
11/2/2023 23:00	Normal	0.0	1.7
11/3/2023 0:00	Normal	0.0	
11/3/2023 1:00	Normal	0.0	
11/3/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/3/2023 3:00	Normal	0.0	
11/3/2023 4:00	Normal	0.0	
11/3/2023 5:00	Normal	0.0	
11/3/2023 6:00	Normal	0.0	
11/3/2023 7:00	Normal	0.0	
11/3/2023 8:00	Normal	0.0	
11/3/2023 9:00	Normal	0.0	
11/3/2023 10:00	Normal	0.0	
11/3/2023 11:00	Normal	0.0	
11/3/2023 12:00	Normal	0.0	
11/3/2023 13:00	Normal	0.0	
11/3/2023 14:00	Normal	0.0	
11/3/2023 15:00	Normal	0.0	
11/3/2023 16:00	Normal	0.0	
11/3/2023 17:00	Normal	0.0	
11/3/2023 18:00	Normal	0.0	
11/3/2023 19:00	Normal	0.0	
11/3/2023 20:00	Normal	0.0	
11/3/2023 21:00	Normal	0.0	
11/3/2023 22:00	Normal	0.0	
11/3/2023 23:00	Normal	0.0	1.7
11/4/2023 0:00	Normal	0.0	
11/4/2023 1:00	Normal	0.0	
11/4/2023 2:00	Normal	0.0	
11/4/2023 3:00	Normal	0.0	
11/4/2023 4:00	Normal	0.0	
11/4/2023 5:00	Normal	0.0	
11/4/2023 6:00	Normal	0.0	
11/4/2023 7:00	Normal	0.0	
11/4/2023 8:00	Normal	0.0	
11/4/2023 9:00	Normal	0.0	
11/4/2023 10:00	Normal	0.0	
11/4/2023 11:00	Normal	0.0	
11/4/2023 12:00	Normal	0.0	
11/4/2023 13:00	Normal	0.0	
11/4/2023 14:00	Normal	0.0	
11/4/2023 15:00	Normal	0.0	
11/4/2023 16:00	Normal	0.0	
11/4/2023 17:00	Normal	0.0	
11/4/2023 18:00	Normal	0.0	
11/4/2023 19:00	Normal	0.0	
11/4/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/4/2023 21:00	Normal	0.0	
11/4/2023 22:00	Normal	0.0	
11/4/2023 23:00	Normal	0.0	1.7
11/5/2023 0:00	Normal	0.0	
11/5/2023 1:00	Normal	0.0	
11/5/2023 2:00	Normal	0.0	
11/5/2023 3:00	Normal	0.0	
11/5/2023 4:00	Normal	0.0	
11/5/2023 5:00	Normal	0.0	
11/5/2023 6:00	Normal	0.0	
11/5/2023 7:00	Normal	0.0	
11/5/2023 8:00	Normal	0.0	
11/5/2023 9:00	Normal	0.0	
11/5/2023 10:00	Normal	0.0	
11/5/2023 11:00	Normal	0.0	
11/5/2023 12:00	Normal	0.0	
11/5/2023 13:00	Normal	0.0	
11/5/2023 14:00	Normal	0.0	
11/5/2023 15:00	Normal	0.0	
11/5/2023 16:00	Normal	0.0	
11/5/2023 17:00	Normal	0.0	
11/5/2023 18:00	Normal	0.0	
11/5/2023 19:00	Normal	0.0	
11/5/2023 20:00	Normal	0.0	
11/5/2023 21:00	Normal	0.0	
11/5/2023 22:00	Normal	0.0	
11/5/2023 23:00	Normal	0.0	1.7
11/6/2023 0:00	Normal	0.0	
11/6/2023 1:00	Normal	0.0	
11/6/2023 2:00	Normal	0.0	
11/6/2023 3:00	Normal	0.0	
11/6/2023 4:00	Normal	0.0	
11/6/2023 5:00	Normal	0.0	
11/6/2023 6:00	Normal	0.0	
11/6/2023 7:00	Normal	0.0	
11/6/2023 8:00	Normal	0.0	
11/6/2023 9:00	Normal	0.0	
11/6/2023 10:00	Normal	0.0	
11/6/2023 11:00	Normal	0.0	
11/6/2023 12:00	Normal	0.0	
11/6/2023 13:00	Normal	0.0	
11/6/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/6/2023 15:00	Normal	0.0	
11/6/2023 16:00	Normal	0.0	
11/6/2023 17:00	Normal	0.0	
11/6/2023 18:00	Normal	0.0	
11/6/2023 19:00	Normal	0.0	
11/6/2023 20:00	Normal	0.0	
11/6/2023 21:00	Normal	0.0	
11/6/2023 22:00	Normal	0.0	
11/6/2023 23:00	Normal	0.0	1.7
11/7/2023 0:00	Normal	0.0	
11/7/2023 1:00	Normal	0.0	
11/7/2023 2:00	Normal	0.0	
11/7/2023 3:00	Normal	0.0	
11/7/2023 4:00	Normal	0.0	
11/7/2023 5:00	Normal	0.0	
11/7/2023 6:00	Normal	0.0	
11/7/2023 7:00	Normal	0.0	
11/7/2023 8:00	Normal	0.0	
11/7/2023 9:00	Normal	0.0	
11/7/2023 10:00	Normal	0.0	
11/7/2023 11:00	Normal	0.0	
11/7/2023 12:00	Normal	0.0	
11/7/2023 13:00	Normal	0.0	
11/7/2023 14:00	Normal	0.0	
11/7/2023 15:00	Normal	0.0	
11/7/2023 16:00	Normal	0.0	
11/7/2023 17:00	Normal	0.0	
11/7/2023 18:00	Normal	0.0	
11/7/2023 19:00	Normal	0.0	
11/7/2023 20:00	Normal	0.0	
11/7/2023 21:00	Normal	0.0	
11/7/2023 22:00	Normal	0.0	
11/7/2023 23:00	Normal	0.0	1.7
11/8/2023 0:00	Normal	0.0	
11/8/2023 1:00	Normal	0.0	
11/8/2023 2:00	Normal	0.0	
11/8/2023 3:00	Normal	0.0	
11/8/2023 4:00	Normal	0.0	
11/8/2023 5:00	Normal	0.0	
11/8/2023 6:00	Normal	0.0	
11/8/2023 7:00	Normal	0.0	
11/8/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/8/2023 9:00	Normal	0.0	
11/8/2023 10:00	Normal	0.0	
11/8/2023 11:00	Normal	0.0	
11/8/2023 12:00	Normal	0.0	
11/8/2023 13:00	Normal	0.0	
11/8/2023 14:00	Normal	0.0	
11/8/2023 15:00	Normal	0.0	
11/8/2023 16:00	Normal	0.0	
11/8/2023 17:00	Normal	0.0	
11/8/2023 18:00	Normal	0.0	
11/8/2023 19:00	Normal	0.0	
11/8/2023 20:00	Normal	0.0	
11/8/2023 21:00	Normal	0.0	
11/8/2023 22:00	Normal	0.0	
11/8/2023 23:00	Normal	0.0	1.7
11/9/2023 0:00	Normal	0.0	
11/9/2023 1:00	Normal	0.0	
11/9/2023 2:00	Normal	0.0	
11/9/2023 3:00	Normal	0.0	
11/9/2023 4:00	Normal	0.0	
11/9/2023 5:00	Normal	0.0	
11/9/2023 6:00	Normal	0.0	
11/9/2023 7:00	Normal	0.0	
11/9/2023 8:00	Normal	0.0	
11/9/2023 9:00	Normal	0.0	
11/9/2023 10:00	Normal	0.0	
11/9/2023 11:00	Normal	0.0	
11/9/2023 12:00	Normal	0.0	
11/9/2023 13:00	Normal	0.0	
11/9/2023 14:00	Normal	0.0	
11/9/2023 15:00	Normal	0.0	
11/9/2023 16:00	Normal	0.0	
11/9/2023 17:00	Normal	0.0	
11/9/2023 18:00	Normal	0.0	
11/9/2023 19:00	Normal	0.0	
11/9/2023 20:00	Normal	0.0	
11/9/2023 21:00	Normal	0.0	
11/9/2023 22:00	Normal	0.0	
11/9/2023 23:00	Normal	0.0	1.7
11/10/2023 0:00	Normal	0.0	
11/10/2023 1:00	Normal	0.0	
11/10/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/10/2023 3:00	Normal	0.0	
11/10/2023 4:00	Normal	0.0	
11/10/2023 5:00	Normal	0.0	
11/10/2023 6:00	Normal	0.0	
11/10/2023 7:00	Normal	0.0	
11/10/2023 8:00	Normal	0.0	
11/10/2023 9:00	Normal	0.0	
11/10/2023 10:00	Normal	0.0	
11/10/2023 11:00	Normal	0.0	
11/10/2023 12:00	Normal	0.0	
11/10/2023 13:00	Normal	0.0	
11/10/2023 14:00	Normal	0.0	
11/10/2023 15:00	Normal	0.0	
11/10/2023 16:00	Normal	0.0	
11/10/2023 17:00	Normal	0.0	
11/10/2023 18:00	Normal	0.0	
11/10/2023 19:00	Normal	0.0	
11/10/2023 20:00	Normal	0.0	
11/10/2023 21:00	Normal	0.0	
11/10/2023 22:00	Normal	0.0	
11/10/2023 23:00	Normal	0.0	1.7
11/11/2023 0:00	Normal	0.0	
11/11/2023 1:00	Normal	0.0	
11/11/2023 2:00	Normal	0.0	
11/11/2023 3:00	Normal	0.0	
11/11/2023 4:00	Normal	0.0	
11/11/2023 5:00	Normal	0.0	
11/11/2023 6:00	Normal	0.0	
11/11/2023 7:00	Normal	0.0	
11/11/2023 8:00	Normal	0.0	
11/11/2023 9:00	Normal	0.0	
11/11/2023 10:00	Normal	0.0	
11/11/2023 11:00	Normal	0.0	
11/11/2023 12:00	Normal	0.0	
11/11/2023 13:00	Normal	0.0	
11/11/2023 14:00	Normal	0.0	
11/11/2023 15:00	Normal	0.0	
11/11/2023 16:00	Normal	0.0	
11/11/2023 17:00	Normal	0.0	
11/11/2023 18:00	Normal	0.0	
11/11/2023 19:00	Normal	0.0	
11/11/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/11/2023 21:00	Normal	0.0	
11/11/2023 22:00	Normal	0.0	
11/11/2023 23:00	Normal	0.0	1.7
11/12/2023 0:00	Normal	0.0	
11/12/2023 1:00	Normal	0.0	
11/12/2023 2:00	Normal	0.0	
11/12/2023 3:00	Normal	0.0	
11/12/2023 4:00	Normal	0.0	
11/12/2023 5:00	Normal	0.0	
11/12/2023 6:00	Normal	0.0	
11/12/2023 7:00	Normal	0.0	
11/12/2023 8:00	Normal	0.0	
11/12/2023 9:00	Normal	0.0	
11/12/2023 10:00	Normal	0.0	
11/12/2023 11:00	Normal	0.0	
11/12/2023 12:00	Normal	0.0	
11/12/2023 13:00	Normal	0.0	
11/12/2023 14:00	Normal	0.0	
11/12/2023 15:00	Normal	0.0	
11/12/2023 16:00	Normal	0.0	
11/12/2023 17:00	Normal	0.0	
11/12/2023 18:00	Normal	0.0	
11/12/2023 19:00	Normal	0.0	
11/12/2023 20:00	Normal	0.0	
11/12/2023 21:00	Normal	0.0	
11/12/2023 22:00	Normal	0.0	
11/12/2023 23:00	Normal	0.0	1.7
11/13/2023 0:00	Normal	0.0	
11/13/2023 1:00	Normal	0.0	
11/13/2023 2:00	Normal	0.0	
11/13/2023 3:00	Normal	0.0	
11/13/2023 4:00	Normal	0.0	
11/13/2023 5:00	Normal	0.0	
11/13/2023 6:00	Normal	0.0	
11/13/2023 7:00	Normal	0.0	
11/13/2023 8:00	Malfunction	362.0	
11/13/2023 9:00	Malfunction	1633.9	
11/13/2023 10:00	Malfunction	1278.0	
11/13/2023 11:00	Malfunction	3.7	
11/13/2023 12:00	Normal	0.0	
11/13/2023 13:00	Normal	0.0	
11/13/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/13/2023 15:00	Normal	0.0	
11/13/2023 16:00	Normal	0.0	
11/13/2023 17:00	Normal	0.0	
11/13/2023 18:00	Normal	0.0	
11/13/2023 19:00	Normal	0.0	
11/13/2023 20:00	Normal	0.0	
11/13/2023 21:00	Normal	0.0	
11/13/2023 22:00	Normal	0.0	
11/13/2023 23:00	Normal	0.0	6.2
11/14/2023 0:00	Normal	0.0	
11/14/2023 1:00	Normal	0.0	
11/14/2023 2:00	Normal	0.0	
11/14/2023 3:00	Normal	0.0	
11/14/2023 4:00	Normal	0.0	
11/14/2023 5:00	Normal	0.0	
11/14/2023 6:00	Normal	0.0	
11/14/2023 7:00	Normal	0.0	
11/14/2023 8:00	Normal	0.0	
11/14/2023 9:00	Normal	0.0	
11/14/2023 10:00	Normal	0.0	
11/14/2023 11:00	Normal	0.0	
11/14/2023 12:00	Normal	0.0	
11/14/2023 13:00	Normal	0.0	
11/14/2023 14:00	Normal	0.0	
11/14/2023 15:00	Normal	0.0	
11/14/2023 16:00	Normal	0.0	
11/14/2023 17:00	Normal	0.0	
11/14/2023 18:00	Normal	0.0	
11/14/2023 19:00	Normal	0.0	
11/14/2023 20:00	Normal	0.0	
11/14/2023 21:00	Normal	0.0	
11/14/2023 22:00	Normal	0.0	
11/14/2023 23:00	Normal	0.0	6.2
11/15/2023 0:00	Normal	0.0	
11/15/2023 1:00	Normal	0.0	
11/15/2023 2:00	Normal	0.0	
11/15/2023 3:00	Normal	0.0	
11/15/2023 4:00	Normal	0.0	
11/15/2023 5:00	Normal	0.0	
11/15/2023 6:00	Normal	0.0	
11/15/2023 7:00	Normal	0.0	
11/15/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/15/2023 9:00	Normal	0.0	
11/15/2023 10:00	Normal	0.0	
11/15/2023 11:00	Normal	0.0	
11/15/2023 12:00	Normal	0.0	
11/15/2023 13:00	Normal	0.0	
11/15/2023 14:00	Normal	0.0	
11/15/2023 15:00	Normal	0.0	
11/15/2023 16:00	Normal	0.0	
11/15/2023 17:00	Normal	0.0	
11/15/2023 18:00	Normal	0.0	
11/15/2023 19:00	Normal	0.0	
11/15/2023 20:00	Normal	0.0	
11/15/2023 21:00	Normal	0.0	
11/15/2023 22:00	Normal	0.0	
11/15/2023 23:00	Normal	0.0	6.2
11/16/2023 0:00	Normal	0.0	
11/16/2023 1:00	Normal	0.0	
11/16/2023 2:00	Normal	0.0	
11/16/2023 3:00	Normal	0.0	
11/16/2023 4:00	Normal	0.0	
11/16/2023 5:00	Normal	0.0	
11/16/2023 6:00	Normal	0.0	
11/16/2023 7:00	Normal	0.0	
11/16/2023 8:00	Normal	0.0	
11/16/2023 9:00	Normal	0.0	
11/16/2023 10:00	Normal	0.0	
11/16/2023 11:00	Normal	0.0	
11/16/2023 12:00	Normal	0.0	
11/16/2023 13:00	Normal	0.0	
11/16/2023 14:00	Normal	0.0	
11/16/2023 15:00	Normal	0.0	
11/16/2023 16:00	Normal	0.0	
11/16/2023 17:00	Normal	0.0	
11/16/2023 18:00	Normal	0.0	
11/16/2023 19:00	Normal	0.0	
11/16/2023 20:00	Normal	0.0	
11/16/2023 21:00	Normal	0.0	
11/16/2023 22:00	Normal	0.0	
11/16/2023 23:00	Normal	0.0	6.2
11/17/2023 0:00	Normal	0.0	
11/17/2023 1:00	Normal	0.0	
11/17/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/17/2023 3:00	Normal	0.0	
11/17/2023 4:00	Normal	0.0	
11/17/2023 5:00	Normal	0.0	
11/17/2023 6:00	Normal	0.0	
11/17/2023 7:00	Normal	0.0	
11/17/2023 8:00	Normal	0.0	
11/17/2023 9:00	Normal	0.0	
11/17/2023 10:00	Normal	0.0	
11/17/2023 11:00	Normal	0.0	
11/17/2023 12:00	Normal	0.0	
11/17/2023 13:00	Normal	0.0	
11/17/2023 14:00	Normal	0.0	
11/17/2023 15:00	Normal	0.0	
11/17/2023 16:00	Normal	0.0	
11/17/2023 17:00	Normal	0.0	
11/17/2023 18:00	Normal	0.0	
11/17/2023 19:00	Normal	0.0	
11/17/2023 20:00	Normal	0.0	
11/17/2023 21:00	Normal	0.0	
11/17/2023 22:00	Normal	0.0	
11/17/2023 23:00	Normal	0.0	6.2
11/18/2023 0:00	Normal	0.0	
11/18/2023 1:00	Normal	0.0	
11/18/2023 2:00	Normal	0.0	
11/18/2023 3:00	Normal	0.0	
11/18/2023 4:00	Normal	0.0	
11/18/2023 5:00	Normal	0.0	
11/18/2023 6:00	Normal	0.0	
11/18/2023 7:00	Normal	0.0	
11/18/2023 8:00	Normal	0.0	
11/18/2023 9:00	Normal	0.0	
11/18/2023 10:00	Normal	0.0	
11/18/2023 11:00	Normal	0.0	
11/18/2023 12:00	Normal	0.0	
11/18/2023 13:00	Normal	0.0	
11/18/2023 14:00	Normal	0.0	
11/18/2023 15:00	Normal	0.0	
11/18/2023 16:00	Normal	0.0	
11/18/2023 17:00	Normal	0.0	
11/18/2023 18:00	Normal	0.0	
11/18/2023 19:00	Normal	0.0	
11/18/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/18/2023 21:00	Normal	0.0	
11/18/2023 22:00	Normal	0.0	
11/18/2023 23:00	Normal	0.0	4.6
11/19/2023 0:00	Normal	0.0	
11/19/2023 1:00	Normal	0.0	
11/19/2023 2:00	Normal	0.0	
11/19/2023 3:00	Normal	0.0	
11/19/2023 4:00	Normal	0.0	
11/19/2023 5:00	Normal	0.0	
11/19/2023 6:00	Normal	0.0	
11/19/2023 7:00	Normal	0.0	
11/19/2023 8:00	Normal	0.0	
11/19/2023 9:00	Normal	0.0	
11/19/2023 10:00	Normal	0.0	
11/19/2023 11:00	Normal	0.0	
11/19/2023 12:00	Normal	0.0	
11/19/2023 13:00	Normal	0.0	
11/19/2023 14:00	Normal	0.0	
11/19/2023 15:00	Normal	0.0	
11/19/2023 16:00	Normal	0.0	
11/19/2023 17:00	Normal	0.0	
11/19/2023 18:00	Normal	0.0	
11/19/2023 19:00	Normal	0.0	
11/19/2023 20:00	Normal	0.0	
11/19/2023 21:00	Normal	0.0	
11/19/2023 22:00	Normal	0.0	
11/19/2023 23:00	Normal	0.0	4.6
11/20/2023 0:00	Normal	0.0	
11/20/2023 1:00	Normal	0.0	
11/20/2023 2:00	Normal	0.0	
11/20/2023 3:00	Normal	0.0	
11/20/2023 4:00	Normal	0.0	
11/20/2023 5:00	Normal	0.0	
11/20/2023 6:00	Normal	0.0	
11/20/2023 7:00	Normal	0.0	
11/20/2023 8:00	Normal	0.0	
11/20/2023 9:00	Normal	0.0	
11/20/2023 10:00	Normal	0.0	
11/20/2023 11:00	Normal	0.0	
11/20/2023 12:00	Normal	0.0	
11/20/2023 13:00	Normal	0.0	
11/20/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/20/2023 15:00	Normal	0.0	
11/20/2023 16:00	Normal	0.0	
11/20/2023 17:00	Normal	0.0	
11/20/2023 18:00	Normal	0.0	
11/20/2023 19:00	Normal	0.0	
11/20/2023 20:00	Normal	0.0	
11/20/2023 21:00	Normal	0.0	
11/20/2023 22:00	Normal	0.0	
11/20/2023 23:00	Normal	0.0	4.6
11/21/2023 0:00	Normal	0.0	
11/21/2023 1:00	Normal	0.0	
11/21/2023 2:00	Normal	0.0	
11/21/2023 3:00	Normal	0.0	
11/21/2023 4:00	Normal	0.0	
11/21/2023 5:00	Normal	0.0	
11/21/2023 6:00	Normal	0.0	
11/21/2023 7:00	Normal	0.0	
11/21/2023 8:00	Normal	0.0	
11/21/2023 9:00	Normal	0.0	
11/21/2023 10:00	Normal	0.0	
11/21/2023 11:00	Normal	0.0	
11/21/2023 12:00	Normal	0.0	
11/21/2023 13:00	Normal	0.0	
11/21/2023 14:00	Normal	0.0	
11/21/2023 15:00	Normal	0.0	
11/21/2023 16:00	Normal	0.0	
11/21/2023 17:00	Normal	0.0	
11/21/2023 18:00	Normal	0.0	
11/21/2023 19:00	Normal	0.0	
11/21/2023 20:00	Normal	0.0	
11/21/2023 21:00	Normal	0.0	
11/21/2023 22:00	Normal	0.0	
11/21/2023 23:00	Normal	0.0	4.6
11/22/2023 0:00	Normal	0.0	
11/22/2023 1:00	Normal	0.0	
11/22/2023 2:00	Normal	0.0	
11/22/2023 3:00	Normal	0.0	
11/22/2023 4:00	Normal	0.0	
11/22/2023 5:00	Normal	0.0	
11/22/2023 6:00	Normal	0.0	
11/22/2023 7:00	Normal	0.0	
11/22/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/22/2023 9:00	Normal	0.0	
11/22/2023 10:00	Normal	0.0	
11/22/2023 11:00	Normal	0.0	
11/22/2023 12:00	Normal	0.0	
11/22/2023 13:00	Normal	0.0	
11/22/2023 14:00	Normal	0.0	
11/22/2023 15:00	Normal	0.0	
11/22/2023 16:00	Normal	0.0	
11/22/2023 17:00	Normal	0.0	
11/22/2023 18:00	Normal	0.0	
11/22/2023 19:00	Normal	0.0	
11/22/2023 20:00	Normal	0.0	
11/22/2023 21:00	Normal	0.0	
11/22/2023 22:00	Normal	0.0	
11/22/2023 23:00	Normal	0.0	4.6
11/23/2023 0:00	Normal	0.0	
11/23/2023 1:00	Normal	0.0	
11/23/2023 2:00	Normal	0.0	
11/23/2023 3:00	Normal	0.0	
11/23/2023 4:00	Normal	0.0	
11/23/2023 5:00	Normal	0.0	
11/23/2023 6:00	Normal	0.0	
11/23/2023 7:00	Normal	0.0	
11/23/2023 8:00	Normal	0.0	
11/23/2023 9:00	Normal	0.0	
11/23/2023 10:00	Normal	0.0	
11/23/2023 11:00	Normal	0.0	
11/23/2023 12:00	Normal	0.0	
11/23/2023 13:00	Normal	0.0	
11/23/2023 14:00	Normal	0.0	
11/23/2023 15:00	Normal	0.0	
11/23/2023 16:00	Normal	0.0	
11/23/2023 17:00	Normal	0.0	
11/23/2023 18:00	Normal	0.0	
11/23/2023 19:00	Normal	0.0	
11/23/2023 20:00	Normal	0.0	
11/23/2023 21:00	Normal	0.0	
11/23/2023 22:00	Normal	0.0	
11/23/2023 23:00	Normal	0.0	4.6
11/24/2023 0:00	Normal	0.0	
11/24/2023 1:00	Normal	0.0	
11/24/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/24/2023 3:00	Normal	0.0	
11/24/2023 4:00	Normal	0.0	
11/24/2023 5:00	Normal	0.0	
11/24/2023 6:00	Normal	0.0	
11/24/2023 7:00	Normal	0.0	
11/24/2023 8:00	Normal	0.0	
11/24/2023 9:00	Normal	0.0	
11/24/2023 10:00	Normal	0.0	
11/24/2023 11:00	Normal	0.0	
11/24/2023 12:00	Normal	0.0	
11/24/2023 13:00	Normal	0.0	
11/24/2023 14:00	Normal	0.0	
11/24/2023 15:00	Normal	0.0	
11/24/2023 16:00	Normal	0.0	
11/24/2023 17:00	Normal	0.0	
11/24/2023 18:00	Normal	0.0	
11/24/2023 19:00	Normal	0.0	
11/24/2023 20:00	Normal	0.0	
11/24/2023 21:00	Normal	8.4	
11/24/2023 22:00	Normal	0.0	
11/24/2023 23:00	Normal	0.0	4.6
11/25/2023 0:00	Normal	0.0	
11/25/2023 1:00	Normal	0.0	
11/25/2023 2:00	Normal	0.0	
11/25/2023 3:00	Normal	0.0	
11/25/2023 4:00	Normal	0.0	
11/25/2023 5:00	Normal	0.0	
11/25/2023 6:00	Normal	0.0	
11/25/2023 7:00	Normal	0.0	
11/25/2023 8:00	Normal	0.0	
11/25/2023 9:00	Normal	0.0	
11/25/2023 10:00	Normal	0.0	
11/25/2023 11:00	Normal	0.0	
11/25/2023 12:00	Normal	0.0	
11/25/2023 13:00	Normal	0.0	
11/25/2023 14:00	Normal	0.0	
11/25/2023 15:00	Normal	0.0	
11/25/2023 16:00	Normal	0.0	
11/25/2023 17:00	Normal	0.0	
11/25/2023 18:00	Normal	0.0	
11/25/2023 19:00	Normal	0.0	
11/25/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/25/2023 21:00	Normal	0.0	
11/25/2023 22:00	Normal	0.0	
11/25/2023 23:00	Normal	0.0	4.6
11/26/2023 0:00	Normal	0.0	
11/26/2023 1:00	Normal	0.0	
11/26/2023 2:00	Normal	0.0	
11/26/2023 3:00	Normal	0.0	
11/26/2023 4:00	Normal	0.0	
11/26/2023 5:00	Normal	0.0	
11/26/2023 6:00	Normal	0.0	
11/26/2023 7:00	Normal	0.0	
11/26/2023 8:00	Normal	0.0	
11/26/2023 9:00	Normal	0.0	
11/26/2023 10:00	Normal	0.0	
11/26/2023 11:00	Normal	0.0	
11/26/2023 12:00	Normal	0.0	
11/26/2023 13:00	Normal	0.0	
11/26/2023 14:00	Normal	0.0	
11/26/2023 15:00	Normal	0.0	
11/26/2023 16:00	Normal	0.0	
11/26/2023 17:00	Normal	0.0	
11/26/2023 18:00	Normal	0.0	
11/26/2023 19:00	Normal	0.0	
11/26/2023 20:00	Normal	0.0	
11/26/2023 21:00	Normal	0.0	
11/26/2023 22:00	Normal	0.0	
11/26/2023 23:00	Normal	0.0	4.6
11/27/2023 0:00	Normal	0.0	
11/27/2023 1:00	Normal	0.0	
11/27/2023 2:00	Normal	0.0	
11/27/2023 3:00	Normal	0.0	
11/27/2023 4:00	Normal	0.0	
11/27/2023 5:00	Normal	0.0	
11/27/2023 6:00	Normal	0.0	
11/27/2023 7:00	Normal	0.0	
11/27/2023 8:00	Normal	0.0	
11/27/2023 9:00	Normal	0.0	
11/27/2023 10:00	Normal	0.0	
11/27/2023 11:00	Normal	0.0	
11/27/2023 12:00	Normal	0.0	
11/27/2023 13:00	Normal	0.0	
11/27/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/27/2023 15:00	Normal	0.0	
11/27/2023 16:00	Normal	0.0	
11/27/2023 17:00	Normal	0.0	
11/27/2023 18:00	Normal	0.0	
11/27/2023 19:00	Normal	0.0	
11/27/2023 20:00	Normal	0.0	
11/27/2023 21:00	Normal	0.0	
11/27/2023 22:00	Normal	0.0	
11/27/2023 23:00	Normal	0.0	4.6
11/28/2023 0:00	Normal	0.0	
11/28/2023 1:00	Normal	0.0	
11/28/2023 2:00	Normal	0.0	
11/28/2023 3:00	Normal	0.0	
11/28/2023 4:00	Normal	0.0	
11/28/2023 5:00	Normal	0.0	
11/28/2023 6:00	Normal	0.0	
11/28/2023 7:00	Normal	0.0	
11/28/2023 8:00	Normal	0.0	
11/28/2023 9:00	Normal	0.0	
11/28/2023 10:00	Normal	0.0	
11/28/2023 11:00	Normal	0.0	
11/28/2023 12:00	Normal	0.0	
11/28/2023 13:00	Normal	0.0	
11/28/2023 14:00	Normal	0.0	
11/28/2023 15:00	Normal	0.0	
11/28/2023 16:00	Normal	0.0	
11/28/2023 17:00	Normal	0.0	
11/28/2023 18:00	Normal	0.0	
11/28/2023 19:00	Normal	0.0	
11/28/2023 20:00	Normal	0.0	
11/28/2023 21:00	Normal	0.0	
11/28/2023 22:00	Normal	0.0	
11/28/2023 23:00	Normal	0.0	4.6
11/29/2023 0:00	Normal	0.0	
11/29/2023 1:00	Normal	0.0	
11/29/2023 2:00	Normal	0.0	
11/29/2023 3:00	Normal	0.0	
11/29/2023 4:00	Normal	0.0	
11/29/2023 5:00	Normal	0.0	
11/29/2023 6:00	Normal	0.0	
11/29/2023 7:00	Normal	0.0	
11/29/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
11/29/2023 9:00	Normal	0.0	
11/29/2023 10:00	Normal	0.0	
11/29/2023 11:00	Normal	0.0	
11/29/2023 12:00	Normal	0.0	
11/29/2023 13:00	Normal	0.0	
11/29/2023 14:00	Normal	0.0	
11/29/2023 15:00	Normal	0.0	
11/29/2023 16:00	Normal	0.0	
11/29/2023 17:00	Normal	0.0	
11/29/2023 18:00	Normal	0.0	
11/29/2023 19:00	Normal	0.0	
11/29/2023 20:00	Normal	0.0	
11/29/2023 21:00	Normal	0.0	
11/29/2023 22:00	Normal	0.0	
11/29/2023 23:00	Normal	0.0	4.6
11/30/2023 0:00	Normal	0.0	
11/30/2023 1:00	Normal	0.0	
11/30/2023 2:00	Normal	0.0	
11/30/2023 3:00	Normal	0.0	
11/30/2023 4:00	Normal	0.0	
11/30/2023 5:00	Normal	0.0	
11/30/2023 6:00	Normal	0.0	
11/30/2023 7:00	Normal	0.0	
11/30/2023 8:00	Normal	0.0	
11/30/2023 9:00	Normal	0.0	
11/30/2023 10:00	Normal	0.0	
11/30/2023 11:00	Normal	0.0	
11/30/2023 12:00	Normal	0.0	
11/30/2023 13:00	Normal	0.0	
11/30/2023 14:00	Normal	0.0	
11/30/2023 15:00	Normal	0.0	
11/30/2023 16:00	Normal	0.0	
11/30/2023 17:00	Normal	0.0	
11/30/2023 18:00	Normal	0.0	
11/30/2023 19:00	Normal	0.0	
11/30/2023 20:00	Normal	0.0	
11/30/2023 21:00	Normal	0.0	
11/30/2023 22:00	Normal	0.0	
11/30/2023 23:00	Normal	0.0	4.6
12/1/2023 0:00	Normal	0.0	
12/1/2023 1:00	Normal	0.0	
12/1/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/1/2023 3:00	Normal	0.0	
12/1/2023 4:00	Normal	0.0	
12/1/2023 5:00	Normal	0.0	
12/1/2023 6:00	Normal	0.0	
12/1/2023 7:00	Normal	0.0	
12/1/2023 8:00	Normal	0.0	
12/1/2023 9:00	Normal	0.0	
12/1/2023 10:00	Normal	0.0	
12/1/2023 11:00	Normal	0.0	
12/1/2023 12:00	Normal	0.0	
12/1/2023 13:00	Normal	0.0	
12/1/2023 14:00	Normal	0.0	
12/1/2023 15:00	Normal	0.0	
12/1/2023 16:00	Normal	0.0	
12/1/2023 17:00	Normal	0.0	
12/1/2023 18:00	Normal	0.0	
12/1/2023 19:00	Normal	0.0	
12/1/2023 20:00	Normal	0.0	
12/1/2023 21:00	Normal	0.0	
12/1/2023 22:00	Normal	0.0	
12/1/2023 23:00	Normal	0.0	4.6
12/2/2023 0:00	Normal	0.0	
12/2/2023 1:00	Normal	0.0	
12/2/2023 2:00	Normal	0.0	
12/2/2023 3:00	Normal	0.0	
12/2/2023 4:00	Normal	0.0	
12/2/2023 5:00	Normal	0.0	
12/2/2023 6:00	Normal	0.0	
12/2/2023 7:00	Normal	0.0	
12/2/2023 8:00	Normal	0.0	
12/2/2023 9:00	Normal	0.0	
12/2/2023 10:00	Normal	0.0	
12/2/2023 11:00	Normal	0.0	
12/2/2023 12:00	Normal	0.0	
12/2/2023 13:00	Normal	0.0	
12/2/2023 14:00	Normal	0.0	
12/2/2023 15:00	Normal	0.0	
12/2/2023 16:00	Normal	0.0	
12/2/2023 17:00	Normal	0.0	
12/2/2023 18:00	Normal	0.0	
12/2/2023 19:00	Normal	0.0	
12/2/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/2/2023 21:00	Normal	0.0	
12/2/2023 22:00	Normal	0.0	
12/2/2023 23:00	Normal	0.0	4.6
12/3/2023 0:00	Normal	0.0	
12/3/2023 1:00	Normal	0.0	
12/3/2023 2:00	Normal	0.0	
12/3/2023 3:00	Normal	0.0	
12/3/2023 4:00	Normal	0.0	
12/3/2023 5:00	Normal	0.0	
12/3/2023 6:00	Normal	0.0	
12/3/2023 7:00	Normal	0.0	
12/3/2023 8:00	Normal	0.0	
12/3/2023 9:00	Normal	0.0	
12/3/2023 10:00	Normal	0.0	
12/3/2023 11:00	Normal	0.0	
12/3/2023 12:00	Normal	0.0	
12/3/2023 13:00	Normal	0.0	
12/3/2023 14:00	Normal	0.0	
12/3/2023 15:00	Normal	0.0	
12/3/2023 16:00	Normal	0.0	
12/3/2023 17:00	Normal	0.0	
12/3/2023 18:00	Normal	0.0	
12/3/2023 19:00	Normal	0.0	
12/3/2023 20:00	Normal	0.0	
12/3/2023 21:00	Normal	0.0	
12/3/2023 22:00	Normal	0.0	
12/3/2023 23:00	Normal	0.0	4.6
12/4/2023 0:00	Normal	0.0	
12/4/2023 1:00	Normal	0.0	
12/4/2023 2:00	Normal	0.0	
12/4/2023 3:00	Normal	0.0	
12/4/2023 4:00	Normal	0.0	
12/4/2023 5:00	Normal	0.0	
12/4/2023 6:00	Normal	0.0	
12/4/2023 7:00	Normal	0.0	
12/4/2023 8:00	Normal	0.0	
12/4/2023 9:00	Normal	0.0	
12/4/2023 10:00	Normal	0.0	
12/4/2023 11:00	Normal	0.0	
12/4/2023 12:00	Normal	0.0	
12/4/2023 13:00	Normal	0.0	
12/4/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/4/2023 15:00	Normal	0.0	
12/4/2023 16:00	Malfunction	969.5	
12/4/2023 17:00	Malfunction	1133.6	
12/4/2023 18:00	Malfunction	1209.6	
12/4/2023 19:00	Malfunction	423.1	
12/4/2023 20:00	Normal	0.0	
12/4/2023 21:00	Normal	0.0	
12/4/2023 22:00	Normal	0.0	
12/4/2023 23:00	Normal	0.0	9.8
12/5/2023 0:00	Normal	0.0	
12/5/2023 1:00	Normal	0.0	
12/5/2023 2:00	Normal	0.0	
12/5/2023 3:00	Normal	0.0	
12/5/2023 4:00	Normal	0.0	
12/5/2023 5:00	Normal	0.0	
12/5/2023 6:00	Normal	0.0	
12/5/2023 7:00	Normal	0.0	
12/5/2023 8:00	Normal	0.0	
12/5/2023 9:00	Normal	0.0	
12/5/2023 10:00	Normal	0.0	
12/5/2023 11:00	Normal	0.0	
12/5/2023 12:00	Normal	0.0	
12/5/2023 13:00	Normal	0.0	
12/5/2023 14:00	Normal	0.0	
12/5/2023 15:00	Normal	0.0	
12/5/2023 16:00	Normal	0.0	
12/5/2023 17:00	Normal	0.0	
12/5/2023 18:00	Normal	0.0	
12/5/2023 19:00	Normal	0.0	
12/5/2023 20:00	Normal	0.0	
12/5/2023 21:00	Normal	0.0	
12/5/2023 22:00	Normal	0.0	
12/5/2023 23:00	Normal	0.0	9.8
12/6/2023 0:00	Normal	0.0	
12/6/2023 1:00	Normal	0.0	
12/6/2023 2:00	Normal	0.0	
12/6/2023 3:00	Normal	0.0	
12/6/2023 4:00	Normal	0.0	
12/6/2023 5:00	Normal	0.0	
12/6/2023 6:00	Normal	0.0	
12/6/2023 7:00	Normal	0.0	
12/6/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/6/2023 9:00	Normal	0.0	
12/6/2023 10:00	Normal	0.0	
12/6/2023 11:00	Normal	0.0	
12/6/2023 12:00	Normal	0.0	
12/6/2023 13:00	Normal	0.0	
12/6/2023 14:00	Normal	0.0	
12/6/2023 15:00	Normal	0.0	
12/6/2023 16:00	Normal	0.0	
12/6/2023 17:00	Normal	0.0	
12/6/2023 18:00	Normal	0.0	
12/6/2023 19:00	Normal	0.0	
12/6/2023 20:00	Normal	0.0	
12/6/2023 21:00	Normal	0.0	
12/6/2023 22:00	Normal	0.0	
12/6/2023 23:00	Normal	0.0	9.8
12/7/2023 0:00	Normal	0.0	
12/7/2023 1:00	Normal	0.0	
12/7/2023 2:00	Normal	0.0	
12/7/2023 3:00	Normal	0.0	
12/7/2023 4:00	Normal	0.0	
12/7/2023 5:00	Normal	0.0	
12/7/2023 6:00	Normal	0.0	
12/7/2023 7:00	Normal	0.0	
12/7/2023 8:00	Normal	0.0	
12/7/2023 9:00	Normal	0.0	
12/7/2023 10:00	Normal	0.0	
12/7/2023 11:00	Normal	0.0	
12/7/2023 12:00	Shutdown	305.8	
12/7/2023 13:00	Shutdown	480.5	
12/7/2023 14:00	Shutdown		
12/7/2023 15:00	Shutdown		
12/7/2023 16:00	Shutdown		
12/7/2023 17:00	Shutdown		
12/7/2023 18:00	Startup	2.2	
12/7/2023 19:00	Startup	0.0	
12/7/2023 20:00	Startup	0.0	
12/7/2023 21:00	Startup	0.0	
12/7/2023 22:00	Startup	0.0	
12/7/2023 23:00	Startup	0.0	10.9
12/8/2023 0:00	Startup	0.0	
12/8/2023 1:00	Startup	0.0	
12/8/2023 2:00	Startup	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/8/2023 3:00	Startup	0.0	
12/8/2023 4:00	Startup	0.0	
12/8/2023 5:00	Startup	12.9	
12/8/2023 6:00	Normal	0.0	
12/8/2023 7:00	Normal	0.0	
12/8/2023 8:00	Normal	0.0	
12/8/2023 9:00	Normal	0.0	
12/8/2023 10:00	Normal	0.0	
12/8/2023 11:00	Normal	0.0	
12/8/2023 12:00	Normal	0.0	
12/8/2023 13:00	Normal	0.0	
12/8/2023 14:00	Normal	0.0	
12/8/2023 15:00	Normal	0.0	
12/8/2023 16:00	Normal	0.0	
12/8/2023 17:00	Normal	0.0	
12/8/2023 18:00	Normal	0.0	
12/8/2023 19:00	Normal	0.0	
12/8/2023 20:00	Normal	0.0	
12/8/2023 21:00	Normal	0.0	
12/8/2023 22:00	Normal	0.0	
12/8/2023 23:00	Normal	0.0	10.9
12/9/2023 0:00	Normal	0.0	
12/9/2023 1:00	Normal	0.0	
12/9/2023 2:00	Normal	0.0	
12/9/2023 3:00	Normal	0.0	
12/9/2023 4:00	Normal	0.0	
12/9/2023 5:00	Normal	0.0	
12/9/2023 6:00	Normal	0.0	
12/9/2023 7:00	Normal	0.0	
12/9/2023 8:00	Normal	0.0	
12/9/2023 9:00	Normal	0.0	
12/9/2023 10:00	Normal	0.0	
12/9/2023 11:00	Normal	0.0	
12/9/2023 12:00	Normal	0.0	
12/9/2023 13:00	Normal	0.0	
12/9/2023 14:00	Normal	0.0	
12/9/2023 15:00	Normal	0.0	
12/9/2023 16:00	Normal	0.0	
12/9/2023 17:00	Normal	0.0	
12/9/2023 18:00	Normal	0.0	
12/9/2023 19:00	Normal	0.0	
12/9/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/9/2023 21:00	Normal	0.0	
12/9/2023 22:00	Normal	0.0	
12/9/2023 23:00	Normal	0.0	10.9
12/10/2023 0:00	Normal	0.0	
12/10/2023 1:00	Normal	0.0	
12/10/2023 2:00	Normal	0.0	
12/10/2023 3:00	Normal	0.0	
12/10/2023 4:00	Normal	0.0	
12/10/2023 5:00	Normal	0.0	
12/10/2023 6:00	Normal	0.0	
12/10/2023 7:00	Normal	0.0	
12/10/2023 8:00	Normal	0.0	
12/10/2023 9:00	Normal	0.0	
12/10/2023 10:00	Normal	0.0	
12/10/2023 11:00	Normal	0.0	
12/10/2023 12:00	Normal	0.0	
12/10/2023 13:00	Normal	0.0	
12/10/2023 14:00	Normal	0.0	
12/10/2023 15:00	Normal	0.0	
12/10/2023 16:00	Normal	0.0	
12/10/2023 17:00	Normal	0.0	
12/10/2023 18:00	Normal	0.0	
12/10/2023 19:00	Normal	0.0	
12/10/2023 20:00	Normal	0.0	
12/10/2023 21:00	Normal	0.0	
12/10/2023 22:00	Normal	0.0	
12/10/2023 23:00	Normal	0.0	10.9
12/11/2023 0:00	Normal	0.0	
12/11/2023 1:00	Normal	0.0	
12/11/2023 2:00	Normal	0.0	
12/11/2023 3:00	Normal	0.0	
12/11/2023 4:00	Normal	0.0	
12/11/2023 5:00	Normal	0.0	
12/11/2023 6:00	Normal	0.0	
12/11/2023 7:00	Normal	0.0	
12/11/2023 8:00	Normal	0.0	
12/11/2023 9:00	Normal	0.0	
12/11/2023 10:00	Normal	0.0	
12/11/2023 11:00	Normal	0.0	
12/11/2023 12:00	Normal	0.0	
12/11/2023 13:00	Normal	0.0	
12/11/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/11/2023 15:00	Normal	0.0	
12/11/2023 16:00	Normal	0.0	
12/11/2023 17:00	Normal	0.0	
12/11/2023 18:00	Normal	0.0	
12/11/2023 19:00	Normal	0.0	
12/11/2023 20:00	Normal	0.0	
12/11/2023 21:00	Normal	0.0	
12/11/2023 22:00	Normal	0.0	
12/11/2023 23:00	Normal	0.0	10.9
12/12/2023 0:00	Normal	0.0	
12/12/2023 1:00	Normal	0.0	
12/12/2023 2:00	Normal	0.0	
12/12/2023 3:00	Normal	0.0	
12/12/2023 4:00	Normal	0.0	
12/12/2023 5:00	Normal	0.0	
12/12/2023 6:00	Normal	0.0	
12/12/2023 7:00	Normal	0.0	
12/12/2023 8:00	Normal	0.0	
12/12/2023 9:00	Normal	0.0	
12/12/2023 10:00	Normal	0.0	
12/12/2023 11:00	Normal	0.0	
12/12/2023 12:00	Normal	0.0	
12/12/2023 13:00	Normal	0.0	
12/12/2023 14:00	Normal	0.0	
12/12/2023 15:00	Normal	0.0	
12/12/2023 16:00	Normal	0.0	
12/12/2023 17:00	Normal	0.0	
12/12/2023 18:00	Normal	0.0	
12/12/2023 19:00	Normal	0.0	
12/12/2023 20:00	Normal	0.0	
12/12/2023 21:00	Normal	0.0	
12/12/2023 22:00	Normal	8.8	
12/12/2023 23:00	Normal	15.7	11.0
12/13/2023 0:00	Normal	0.0	
12/13/2023 1:00	Normal	0.0	
12/13/2023 2:00	Normal	0.0	
12/13/2023 3:00	Normal	0.0	
12/13/2023 4:00	Normal	0.0	
12/13/2023 5:00	Normal	0.0	
12/13/2023 6:00	Normal	0.0	
12/13/2023 7:00	Normal	0.0	
12/13/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/13/2023 9:00	Normal	0.0	
12/13/2023 10:00	Normal	0.0	
12/13/2023 11:00	Normal	0.0	
12/13/2023 12:00	Normal	0.0	
12/13/2023 13:00	Normal	0.0	
12/13/2023 14:00	Normal	0.0	
12/13/2023 15:00	Normal	0.0	
12/13/2023 16:00	Normal	0.0	
12/13/2023 17:00	Normal	0.0	
12/13/2023 18:00	Normal	0.0	
12/13/2023 19:00	Normal	0.0	
12/13/2023 20:00	Normal	0.0	
12/13/2023 21:00	Normal	0.0	
12/13/2023 22:00	Normal	0.0	
12/13/2023 23:00	Normal	0.0	6.4
12/14/2023 0:00	Normal	0.0	
12/14/2023 1:00	Normal	0.0	
12/14/2023 2:00	Normal	0.0	
12/14/2023 3:00	Normal	0.0	
12/14/2023 4:00	Normal	0.0	
12/14/2023 5:00	Normal	0.0	
12/14/2023 6:00	Normal	0.0	
12/14/2023 7:00	Normal	0.0	
12/14/2023 8:00	Normal	0.0	
12/14/2023 9:00	Normal	0.0	
12/14/2023 10:00	Normal	0.0	
12/14/2023 11:00	Normal	0.0	
12/14/2023 12:00	Normal	0.0	
12/14/2023 13:00	Normal	0.0	
12/14/2023 14:00	Normal	0.0	
12/14/2023 15:00	Normal	0.0	
12/14/2023 16:00	Normal	0.0	
12/14/2023 17:00	Normal	0.0	
12/14/2023 18:00	Normal	0.0	
12/14/2023 19:00	Normal	0.0	
12/14/2023 20:00	Normal	0.0	
12/14/2023 21:00	Normal	0.0	
12/14/2023 22:00	Normal	0.0	
12/14/2023 23:00	Normal	0.0	6.4
12/15/2023 0:00	Normal	0.0	
12/15/2023 1:00	Normal	0.0	
12/15/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/15/2023 3:00	Normal	0.0	
12/15/2023 4:00	Normal	0.0	
12/15/2023 5:00	Normal	0.0	
12/15/2023 6:00	Normal	0.0	
12/15/2023 7:00	Normal	0.0	
12/15/2023 8:00	Normal	0.0	
12/15/2023 9:00	Normal	0.0	
12/15/2023 10:00	Normal	0.0	
12/15/2023 11:00	Normal	0.0	
12/15/2023 12:00	Normal	0.0	
12/15/2023 13:00	Normal	0.0	
12/15/2023 14:00	Normal	0.0	
12/15/2023 15:00	Normal	0.0	
12/15/2023 16:00	Normal	0.0	
12/15/2023 17:00	Normal	0.0	
12/15/2023 18:00	Normal	0.0	
12/15/2023 19:00	Normal	0.0	
12/15/2023 20:00	Normal	0.0	
12/15/2023 21:00	Normal	0.0	
12/15/2023 22:00	Normal	0.0	
12/15/2023 23:00	Normal	0.0	6.4
12/16/2023 0:00	Normal	0.0	
12/16/2023 1:00	Normal	0.0	
12/16/2023 2:00	Normal	0.0	
12/16/2023 3:00	Normal	0.0	
12/16/2023 4:00	Normal	0.0	
12/16/2023 5:00	Normal	0.0	
12/16/2023 6:00	Normal	0.0	
12/16/2023 7:00	Normal	0.0	
12/16/2023 8:00	Normal	0.0	
12/16/2023 9:00	Normal	0.0	
12/16/2023 10:00	Normal	0.0	
12/16/2023 11:00	Normal	0.0	
12/16/2023 12:00	Normal	0.0	
12/16/2023 13:00	Normal	0.0	
12/16/2023 14:00	Normal	0.0	
12/16/2023 15:00	Normal	0.0	
12/16/2023 16:00	Normal	0.0	
12/16/2023 17:00	Normal	0.0	
12/16/2023 18:00	Normal	0.0	
12/16/2023 19:00	Normal	0.0	
12/16/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/16/2023 21:00	Normal	0.0	
12/16/2023 22:00	Normal	0.0	
12/16/2023 23:00	Normal	0.0	6.4
12/17/2023 0:00	Normal	0.0	
12/17/2023 1:00	Normal	0.0	
12/17/2023 2:00	Normal	0.0	
12/17/2023 3:00	Normal	0.0	
12/17/2023 4:00	Normal	0.0	
12/17/2023 5:00	Normal	0.0	
12/17/2023 6:00	Normal	0.0	
12/17/2023 7:00	Normal	0.0	
12/17/2023 8:00	Normal	0.0	
12/17/2023 9:00	Normal	0.0	
12/17/2023 10:00	Normal	0.0	
12/17/2023 11:00	Normal	0.0	
12/17/2023 12:00	Normal	0.0	
12/17/2023 13:00	Normal	0.0	
12/17/2023 14:00	Normal	0.0	
12/17/2023 15:00	Normal	0.0	
12/17/2023 16:00	Normal	0.0	
12/17/2023 17:00	Normal	0.0	
12/17/2023 18:00	Normal	0.0	
12/17/2023 19:00	Normal	0.0	
12/17/2023 20:00	Normal	0.0	
12/17/2023 21:00	Normal	0.0	
12/17/2023 22:00	Normal	0.0	
12/17/2023 23:00	Normal	0.0	6.4
12/18/2023 0:00	Normal	0.0	
12/18/2023 1:00	Normal	0.0	
12/18/2023 2:00	Normal	0.0	
12/18/2023 3:00	Normal	0.0	
12/18/2023 4:00	Normal	0.0	
12/18/2023 5:00	Normal	0.0	
12/18/2023 6:00	Normal	0.0	
12/18/2023 7:00	Normal	0.0	
12/18/2023 8:00	Normal	0.0	
12/18/2023 9:00	Normal	0.0	
12/18/2023 10:00	Normal	0.0	
12/18/2023 11:00	Normal	0.0	
12/18/2023 12:00	Normal	0.0	
12/18/2023 13:00	Normal	0.0	
12/18/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/18/2023 15:00	Normal	0.0	
12/18/2023 16:00	Normal	0.0	
12/18/2023 17:00	Normal	0.0	
12/18/2023 18:00	Normal	0.0	
12/18/2023 19:00	Normal	0.0	
12/18/2023 20:00	Normal	0.0	
12/18/2023 21:00	Normal	0.0	
12/18/2023 22:00	Normal	0.0	
12/18/2023 23:00	Normal	0.0	6.4
12/19/2023 0:00	Normal	0.0	
12/19/2023 1:00	Normal	0.0	
12/19/2023 2:00	Normal	0.0	
12/19/2023 3:00	Normal	0.0	
12/19/2023 4:00	Normal	0.0	
12/19/2023 5:00	Normal	0.0	
12/19/2023 6:00	Normal	0.0	
12/19/2023 7:00	Normal	0.0	
12/19/2023 8:00	Normal	0.0	
12/19/2023 9:00	Normal	0.0	
12/19/2023 10:00	Normal	0.0	
12/19/2023 11:00	Normal	0.0	
12/19/2023 12:00	Normal	0.0	
12/19/2023 13:00	Normal	0.0	
12/19/2023 14:00	Normal	0.0	
12/19/2023 15:00	Normal	0.0	
12/19/2023 16:00	Normal	0.0	
12/19/2023 17:00	Normal	0.0	
12/19/2023 18:00	Normal	0.0	
12/19/2023 19:00	Normal	0.0	
12/19/2023 20:00	Normal	0.0	
12/19/2023 21:00	Normal	0.0	
12/19/2023 22:00	Normal	0.0	
12/19/2023 23:00	Normal	0.0	6.4
12/20/2023 0:00	Normal	0.0	
12/20/2023 1:00	Normal	0.0	
12/20/2023 2:00	Normal	0.0	
12/20/2023 3:00	Normal	0.0	
12/20/2023 4:00	Normal	0.0	
12/20/2023 5:00	Normal	0.0	
12/20/2023 6:00	Normal	0.0	
12/20/2023 7:00	Normal	0.0	
12/20/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/20/2023 9:00	Normal	0.0	
12/20/2023 10:00	Normal	0.0	
12/20/2023 11:00	Normal	0.0	
12/20/2023 12:00	Normal	0.0	
12/20/2023 13:00	Normal	0.0	
12/20/2023 14:00	Normal	0.0	
12/20/2023 15:00	Normal	0.0	
12/20/2023 16:00	Normal	0.0	
12/20/2023 17:00	Normal	0.0	
12/20/2023 18:00	Normal	0.0	
12/20/2023 19:00	Normal	0.0	
12/20/2023 20:00	Normal	0.0	
12/20/2023 21:00	Normal	0.0	
12/20/2023 22:00	Normal	0.0	
12/20/2023 23:00	Normal	0.0	6.4
12/21/2023 0:00	Normal	0.0	
12/21/2023 1:00	Normal	0.0	
12/21/2023 2:00	Normal	0.0	
12/21/2023 3:00	Normal	0.0	
12/21/2023 4:00	Normal	0.0	
12/21/2023 5:00	Normal	0.0	
12/21/2023 6:00	Normal	0.0	
12/21/2023 7:00	Normal	0.0	
12/21/2023 8:00	Normal	0.0	
12/21/2023 9:00	Normal	0.0	
12/21/2023 10:00	Normal	0.0	
12/21/2023 11:00	Normal	0.0	
12/21/2023 12:00	Normal	0.0	
12/21/2023 13:00	Malfunction	80.6	
12/21/2023 14:00	Normal	0.0	
12/21/2023 15:00	Normal	0.0	
12/21/2023 16:00	Normal	0.0	
12/21/2023 17:00	Normal	0.0	
12/21/2023 18:00	Normal	0.0	
12/21/2023 19:00	Normal	0.0	
12/21/2023 20:00	Normal	0.0	
12/21/2023 21:00	Normal	0.0	
12/21/2023 22:00	Normal	0.0	
12/21/2023 23:00	Normal	0.0	6.5
12/22/2023 0:00	Normal	0.0	
12/22/2023 1:00	Normal	0.0	
12/22/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/22/2023 3:00	Normal	0.0	
12/22/2023 4:00	Normal	0.0	
12/22/2023 5:00	Normal	0.0	
12/22/2023 6:00	Normal	0.0	
12/22/2023 7:00	Normal	0.0	
12/22/2023 8:00	Normal	0.0	
12/22/2023 9:00	Normal	0.0	
12/22/2023 10:00	Normal	0.0	
12/22/2023 11:00	Normal	0.0	
12/22/2023 12:00	Normal	0.0	
12/22/2023 13:00	Normal	0.0	
12/22/2023 14:00	Normal	0.0	
12/22/2023 15:00	Normal	0.0	
12/22/2023 16:00	Normal	0.0	
12/22/2023 17:00	Normal	0.0	
12/22/2023 18:00	Normal	0.0	
12/22/2023 19:00	Normal	0.0	
12/22/2023 20:00	Normal	0.0	
12/22/2023 21:00	Normal	0.0	
12/22/2023 22:00	Normal	0.0	
12/22/2023 23:00	Normal	0.0	6.5
12/23/2023 0:00	Normal	0.0	
12/23/2023 1:00	Normal	0.0	
12/23/2023 2:00	Normal	0.0	
12/23/2023 3:00	Normal	0.0	
12/23/2023 4:00	Normal	0.0	
12/23/2023 5:00	Normal	0.0	
12/23/2023 6:00	Normal	0.0	
12/23/2023 7:00	Normal	0.0	
12/23/2023 8:00	Normal	0.0	
12/23/2023 9:00	Normal	0.0	
12/23/2023 10:00	Normal	0.0	
12/23/2023 11:00	Normal	0.0	
12/23/2023 12:00	Normal	0.0	
12/23/2023 13:00	Normal	0.0	
12/23/2023 14:00	Normal	0.0	
12/23/2023 15:00	Normal	0.0	
12/23/2023 16:00	Normal	0.0	
12/23/2023 17:00	Normal	0.0	
12/23/2023 18:00	Normal	0.0	
12/23/2023 19:00	Normal	0.0	
12/23/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/23/2023 21:00	Normal	0.0	
12/23/2023 22:00	Normal	0.0	
12/23/2023 23:00	Normal	0.0	6.5
12/24/2023 0:00	Normal	0.0	
12/24/2023 1:00	Normal	0.0	
12/24/2023 2:00	Normal	0.0	
12/24/2023 3:00	Normal	0.0	
12/24/2023 4:00	Normal	0.0	
12/24/2023 5:00	Normal	0.0	
12/24/2023 6:00	Normal	0.0	
12/24/2023 7:00	Normal	0.0	
12/24/2023 8:00	Normal	0.0	
12/24/2023 9:00	Normal	0.0	
12/24/2023 10:00	Normal	0.0	
12/24/2023 11:00	Normal	0.0	
12/24/2023 12:00	Normal	0.0	
12/24/2023 13:00	Normal	0.0	
12/24/2023 14:00	Normal	0.0	
12/24/2023 15:00	Normal	0.0	
12/24/2023 16:00	Normal	0.0	
12/24/2023 17:00	Normal	0.0	
12/24/2023 18:00	Normal	0.0	
12/24/2023 19:00	Normal	0.0	
12/24/2023 20:00	Normal	0.0	
12/24/2023 21:00	Normal	0.0	
12/24/2023 22:00	Normal	0.0	
12/24/2023 23:00	Normal	0.0	6.5
12/25/2023 0:00	Normal	0.0	
12/25/2023 1:00	Normal	0.0	
12/25/2023 2:00	Normal	0.0	
12/25/2023 3:00	Normal	0.0	
12/25/2023 4:00	Normal	0.0	
12/25/2023 5:00	Normal	0.0	
12/25/2023 6:00	Normal	0.0	
12/25/2023 7:00	Normal	0.0	
12/25/2023 8:00	Normal	0.0	
12/25/2023 9:00	Normal	0.0	
12/25/2023 10:00	Normal	0.0	
12/25/2023 11:00	Normal	0.0	
12/25/2023 12:00	Normal	0.0	
12/25/2023 13:00	Normal	0.0	
12/25/2023 14:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/25/2023 15:00	Normal	0.0	
12/25/2023 16:00	Normal	0.0	
12/25/2023 17:00	Normal	0.0	
12/25/2023 18:00	Normal	0.0	
12/25/2023 19:00	Normal	0.0	
12/25/2023 20:00	Normal	0.0	
12/25/2023 21:00	Normal	0.0	
12/25/2023 22:00	Normal	0.0	
12/25/2023 23:00	Normal	0.0	6.5
12/26/2023 0:00	Normal	0.0	
12/26/2023 1:00	Normal	0.0	
12/26/2023 2:00	Normal	0.0	
12/26/2023 3:00	Normal	0.0	
12/26/2023 4:00	Normal	0.0	
12/26/2023 5:00	Normal	0.0	
12/26/2023 6:00	Normal	0.0	
12/26/2023 7:00	Normal	0.0	
12/26/2023 8:00	Normal	0.0	
12/26/2023 9:00	Normal	0.0	
12/26/2023 10:00	Normal	0.0	
12/26/2023 11:00	Normal	0.0	
12/26/2023 12:00	Normal	0.0	
12/26/2023 13:00	Normal	0.0	
12/26/2023 14:00	Normal	0.0	
12/26/2023 15:00	Normal	0.0	
12/26/2023 16:00	Normal	0.0	
12/26/2023 17:00	Normal	0.0	
12/26/2023 18:00	Normal	0.0	
12/26/2023 19:00	Normal	0.0	
12/26/2023 20:00	Normal	0.0	
12/26/2023 21:00	Normal	0.0	
12/26/2023 22:00	Normal	0.0	
12/26/2023 23:00	Normal	0.0	6.5
12/27/2023 0:00	Normal	0.0	
12/27/2023 1:00	Normal	0.0	
12/27/2023 2:00	Normal	0.0	
12/27/2023 3:00	Normal	0.0	
12/27/2023 4:00	Normal	0.0	
12/27/2023 5:00	Normal	0.0	
12/27/2023 6:00	Normal	0.0	
12/27/2023 7:00	Normal	0.0	
12/27/2023 8:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/27/2023 9:00	Normal	0.0	
12/27/2023 10:00	Normal	0.0	
12/27/2023 11:00	Normal	0.0	
12/27/2023 12:00	Normal	0.0	
12/27/2023 13:00	Normal	0.0	
12/27/2023 14:00	Normal	0.0	
12/27/2023 15:00	Normal	0.0	
12/27/2023 16:00	Normal	0.0	
12/27/2023 17:00	Normal	0.0	
12/27/2023 18:00	Normal	0.0	
12/27/2023 19:00	Normal	0.0	
12/27/2023 20:00	Normal	0.0	
12/27/2023 21:00	Normal	0.0	
12/27/2023 22:00	Normal	0.0	
12/27/2023 23:00	Normal	0.0	6.5
12/28/2023 0:00	Normal	0.0	
12/28/2023 1:00	Normal	0.0	
12/28/2023 2:00	Normal	0.0	
12/28/2023 3:00	Normal	0.0	
12/28/2023 4:00	Normal	0.0	
12/28/2023 5:00	Normal	0.0	
12/28/2023 6:00	Normal	0.0	
12/28/2023 7:00	Normal	0.0	
12/28/2023 8:00	Normal	0.0	
12/28/2023 9:00	Normal	0.0	
12/28/2023 10:00	Normal	0.0	
12/28/2023 11:00	Normal	0.0	
12/28/2023 12:00	Normal	0.0	
12/28/2023 13:00	Normal	0.0	
12/28/2023 14:00	Normal	0.0	
12/28/2023 15:00	Normal	0.0	
12/28/2023 16:00	Normal	0.0	
12/28/2023 17:00	Normal	0.0	
12/28/2023 18:00	Normal	0.0	
12/28/2023 19:00	Normal	0.0	
12/28/2023 20:00	Normal	0.0	
12/28/2023 21:00	Normal	0.0	
12/28/2023 22:00	Normal	0.0	
12/28/2023 23:00	Normal	0.0	6.5
12/29/2023 0:00	Normal	0.0	
12/29/2023 1:00	Normal	0.0	
12/29/2023 2:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/29/2023 3:00	Normal	0.0	
12/29/2023 4:00	Normal	0.0	
12/29/2023 5:00	Normal	0.0	
12/29/2023 6:00	Normal	0.0	
12/29/2023 7:00	Normal	0.0	
12/29/2023 8:00	Normal	0.0	
12/29/2023 9:00	Normal	0.0	
12/29/2023 10:00	Normal	0.0	
12/29/2023 11:00	Normal	0.0	
12/29/2023 12:00	Normal	0.0	
12/29/2023 13:00	Normal	0.0	
12/29/2023 14:00	Normal	0.0	
12/29/2023 15:00	Normal	0.0	
12/29/2023 16:00	Normal	0.0	
12/29/2023 17:00	Normal	0.0	
12/29/2023 18:00	Normal	0.0	
12/29/2023 19:00	Normal	0.0	
12/29/2023 20:00	Normal	0.0	
12/29/2023 21:00	Normal	0.0	
12/29/2023 22:00	Normal	0.0	
12/29/2023 23:00	Normal	0.0	6.5
12/30/2023 0:00	Normal	0.0	
12/30/2023 1:00	Normal	0.0	
12/30/2023 2:00	Normal	0.0	
12/30/2023 3:00	Normal	0.0	
12/30/2023 4:00	Normal	0.0	
12/30/2023 5:00	Normal	0.0	
12/30/2023 6:00	Normal	0.0	
12/30/2023 7:00	Normal	0.0	
12/30/2023 8:00	Normal	0.0	
12/30/2023 9:00	Normal	0.0	
12/30/2023 10:00	Normal	0.0	
12/30/2023 11:00	Normal	0.0	
12/30/2023 12:00	Normal	0.0	
12/30/2023 13:00	Normal	0.0	
12/30/2023 14:00	Normal	0.0	
12/30/2023 15:00	Normal	0.0	
12/30/2023 16:00	Normal	0.0	
12/30/2023 17:00	Normal	0.0	
12/30/2023 18:00	Normal	0.0	
12/30/2023 19:00	Normal	0.0	
12/30/2023 20:00	Normal	0.0	

Excludes all shutdown hours with zero emissions

Date	Operating Mode	Hourly SO_2 Emission Rate (lb/hr)	30-Day Rolling Avg. SO_2 Emission Rate (lb/hr)
12/30/2023 21:00	Normal	0.0	
12/30/2023 22:00	Normal	0.0	
12/30/2023 23:00	Normal	0.0	6.5
12/31/2023 0:00	Normal	0.0	
12/31/2023 1:00	Normal	0.0	
12/31/2023 2:00	Normal	0.0	
12/31/2023 3:00	Normal	0.0	
12/31/2023 4:00	Normal	0.0	
12/31/2023 5:00	Normal	0.0	
12/31/2023 6:00	Normal	0.0	
12/31/2023 7:00	Normal	0.0	
12/31/2023 8:00	Normal	0.0	
12/31/2023 9:00	Normal	0.0	
12/31/2023 10:00	Normal	0.0	
12/31/2023 11:00	Normal	0.0	
12/31/2023 12:00	Normal	0.0	
12/31/2023 13:00	Normal	0.0	
12/31/2023 14:00	Normal	0.0	
12/31/2023 15:00	Normal	0.0	
12/31/2023 16:00	Normal	0.0	
12/31/2023 17:00	Normal	0.0	
12/31/2023 18:00	Normal	0.0	
12/31/2023 19:00	Normal	0.0	
12/31/2023 20:00	Normal	0.0	
12/31/2023 21:00	Normal	0.0	
12/31/2023 22:00	Normal	0.0	
12/31/2023 23:00	Normal	0.0	6.5

99th percentile	**30.4**	**41.6**
Compliance Ratio		**1.4**
30-Day RA Limit		**22.3**

Attachment I3

Calculation of Background Concentrations for Flare Modeling

To account for regional background concentrations for modeling of the flare, Tennessee calculated the most recent three years (2019-2021) of the hourly varying "season-by-hours-of-day" background dataset using hourly ambient SO_2 concentrations measured by the monitor located at Mammoth Cave National Park in Kentucky (AQS ID 21-061-0501). Hourly ambient SO_2 concentrations[1] were tabulated from the raw data, and for each month and year, the maximum concentration for each hour was extracted from the raw data (**Attachments I4, I5, and I6**). Seasonal hourly values were calculated for each year using the highest value for each hour of the day for winter (December, January, and February), spring (March, April, and May), summer (June, July, and August), and fall (September, October, and November) as the maximum value for each hour, and the annual values were averaged to determine the "season-by-hours-of-day" as the average of 2019, 2020, and 2021 (**Attachment I7**).

During review of the calculations, an error was discovered in the modeling file, in which the values for 2021 were not included in multiple hours. The background concentrations were recalculated and compared to the modeled values (**Attachment I8**), and the modeled background concentrations varied from a minimum of minus 0.28 ppb (monitor background concentration minus modeled value) to a maximum of 1.03 ppb (i. e., for the worst-case error, the monitored background was 1.03 ppb higher than the modeled value). Tennessee reviewed the flare modeling and determined that the error does not affect the validity of the model results, because an increase in the modeled impact of 1.03 ppb does not affect the outcome of the flare modeling described in Attachment I1: the area continued to attain the standard when flare emissions were below the proposed limit (see **Table I3-1** for corrected model results).

Table I3-1: Corrected Model Results (Updated Table I1-1)

Year	Number of 30-day Rolling Averages > 16.28 lb/hr	Number of Hours > 16.28 lb/hr	Modeled Impact (ppb)	Corrected Modeled Impact (ppb)[2]
2017	30	320	67.12	68.15
2018	30	72	75.14	76.17
2019	0	31	67.12	68.15
2020	0	88	67.12	68.15
2021	0	55	67.12	68.15
2022	37	226	80.29	81.32
2023	30	72	80.93	81.96

[1] Hours in the spreadsheets included in this attachment are "hour beginning", meaning that from midnight to 1:00 AM is hour zero, 1:00 AM to 2:00 AM is hour one, etc.

[2] The actual modeled concentrations could be lower, because the worst-case correction was applied to all results, regardless of season or hour of the day.

Attachment I4: 2019 SO_2 Concentrations by Hour

Mammoth Cave National Park (AQS ID #21-061-0501)

Ambient SO2 Concentration by Hour of the Day (ppb)
AQS Monitor ID 21-061-0501 (Mammoth Cave)

	Ambient SO_2 Concentration (ppb)																						
Date	**0:00**	**1:00**	**2:00**	**3:00**	**4:00**	**5:00**	**6:00**	**7:00**	**8:00**	**9:00**	**10:00**	**11:00**	**12:00**	**13:00**	**14:00**	**15:00**	**16:00**	**17:00**	**18:00**	**19:00**	**20:00**	**21:00**	**22:00**	**23:00**
1/1/2019	0.3			0.4	0.8	0.8	0.8	0.7	0.6	0.7	0.5	0.4	0.4	0.3	0.3	0.2	0.3	0.3	0.2	0.2	0.3	0.3	0.3	0.3
1/2/2019	0.3			0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
1/3/2019	0.5			1.5	1.4	1.7	1.7	0.9	0.8	1.2	1.4	1.2	1	0.8	0.8	0.9	0.9	0.7	0.6	0.6	0.5	0.4		0.4
1/4/2019	0.3			0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.5	0.5	0.3
1/5/2019	0.3			0.5	0.5	0.5	0.5	0.6	0.7	0.8	0.9	1.1	0.8	0.9	1	0.9	0.7	0.8	0.9	1.2	1.2	1.1	1	0.9
1/6/2019	0.8			0.5	0.4	0.4	0.3	0.4	0.5	0.5	0.6	0.8	0.8	1.2	1.1	1.1	0.9	0.8	0.7	0.7	1.1	1.2		1.1
1/7/2019	0.9			0.6	0.5	0.4	0.4	0.5	0.6	0.7	0.8	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.4
1/8/2019	0.3			0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.3	0.3	0.4	0.4	0.5	0.5	0.8	0.4	0.3	0.3	0.3	0.4	1	0.6
1/9/2019	0.4			0.3	0.3	0.3	0.4	0.5	0.5	0.3	0.3	0.3	0.4		0.3	0.3	0.2	0.4	0.8	1.2	1.9	0.9		0.6
1/10/2019	0.5			0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.4	0.6	0.7	0.6	0.6	0.5	0.5	0.5	0.3	0.4	0.5	0.4	0.4
1/11/2019	0.4			0.5	0.3	0.4	0.3	0.2	0.3	0.4	0.6	0.7	0.6	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.2	0.2
1/12/2019	0.3			0.3	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2		0.3
1/13/2019	0.2			0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.6	0.6	0.7	0.5	0.4	0.4	0.3
1/14/2019	0.3			0.2	0.2	0.2	0.2	0.2	0.5	0.4	0.4	0.7	1.2	1.2	0.9	1	0.7	0.6	0.8	0.9	1.2	1.5	1.2	0.7
1/15/2019	0.8			0.4	0.9	1.3	0.7	0.9	0.3	0.2	0.2						0.3	0.4	0.6	0.5	0.4	0.3		0.3
1/16/2019	0.3			0.3	0.3	0.4	0.4	0.4	0.4	0.5	0.7	0.7	0.6	0.9	1.1	1	0.9	0.8	0.9	0.7	0.7	0.5	0.5	0.4
1/17/2019	0.4			0.3	0.2	0.2	0.2	0.2	0.2	0.2		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.8	0.9
1/18/2019	0.9			1.4	2	2.5	1.7	1.2	0.9	0.8	1.6	1.6				0.5	0.4	0.3	0.3	0.2	0.2	0.2		0.3
1/19/2019	0.3			0.3	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.4	0.5
1/20/2019	0.5			0.2	0.3	0.3	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.2
1/21/2019	0.2			0.2	0.2	0.2	0.3	0.3	0.5	0.7	1.1			0.8	0.8				0.4	0.3	0.3	0.3		0.3
1/22/2019	0.3			0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.4	0.4
1/23/2019	0.4			0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.6	0.9	0.6	0.4	1.5	2.4
1/24/2019	0.9			1	0.9	0.3	0.3	0.3	0.5	1	1	0.8	0.6	0.3	0.3	0.3	0.3	0.6	0.9	1.3	0.7	0.4		0.3
1/25/2019	0.5			0.3	0.7	1.2	1.1	0.7	0.3	0.3	0.7	0.6	0.8	0.9	0.9	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4
1/26/2019	0.5			0.3	0.3	0.3	0.3	0.3	0.9	0.9	0.7	0.6	0.8	0.4	0.4	0.5	0.4	0.4	0.3	0.4	0.4	0.4	0.4	0.4
1/27/2019	0.5			0.6	0.6	0.5	0.6	0.8	1.6	1.6	0.9	0.7	0.6	0.7	0.5	0.5	0.7	1.2	1	0.9	0.7	0.5		0.4
1/28/2019	0.4			0.3	0.3	0.3	0.4	0.4	0.4	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.6	0.6	0.3	0.2	0.3	0.3	0.4	0.4
1/29/2019	0.5			0.4	0.3	0.2	0.4	0.3	0.5	0.6	0.4	0.5	0.6	0.5	0.4	0.5	0.5	0.3	0.5	0.5	0.5	0.6	0.4	0.3
1/30/2019	0.5			0.8	1	0.7	1	1.1	1.5	0.8	0.5	0.7	0.6	0.4	0.4	0.5	0.6	0.6	0.3	0.2	0.3	0.4		0.8
1/31/2019	0.8			1.1	0.8	0.9	1.1	1.2	1.4	1.3	1	0.8	0.7						0.3	0.3	0.3	0.3	0.3	0.3
2/1/2019	0.3			0.4	0.4	0.4	0.4	0.5	0.6	0.5	0.6	0.6	0.6	0.5	0.6	0.4	0.4	0.5	0.6	0.4	0.4	0.3	0.3	0.3
2/2/2019	0.2			0.3	0.3	0.2	0.3	0.3	0.4	0.4	0.4	0.5	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.6	0.6	0.7		0.6
2/3/2019	0.5			0.5	0.4	0.4	0.4	0.4	0.5	0.6	0.9	0.7	0.5	0.5	0.5	0.5	0.5	0.4	0.3	0.3	0.3	0.3	0.3	0.3
2/4/2019	0.3			0.3	0.3	0.3	0.4	0.4	0.4	0.5	0.4	0.3	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.3	0.2
2/5/2019	0.3			0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.3	0.3	0.3	0.2	0.3	0.3		0.4
2/6/2019	0.3			0.3	0.3	0.2	0.2	0.2	0.3	0.2	0.4	0.4	0.4	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2
2/7/2019	0.2			0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.6	0.6	0.8	0.8
2/8/2019	0.7			1	1.2	0.8	1.3	0.9	0.4	0.4	0.6	1	1.2	0.3	0.4	0.4	0.4	0.5	0.7	1.1	1	1.9		0.6
2/9/2019	0.7			0.4	0.4	0.3	0.4	0.4	0.5	0.4	0.6	1.1	0.9	0.6	0.7	0.6	0.5	0.4	0.4	0.3	0.3	0.3	0.3	0.3
2/10/2019	0.3			0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2

Ambient SO2 Concentration by Hour of the Day (ppb)
AQS Monitor ID 21-061-0501 (Mammoth Cave)

	Ambient SO_2 Concentration (ppb)																						
Date	**0:00**	**1:00**	**2:00**	**3:00**	**4:00**	**5:00**	**6:00**	**7:00**	**8:00**	**9:00**	**10:00**	**11:00**	**12:00**	**13:00**	**14:00**	**15:00**	**16:00**	**17:00**	**18:00**	**19:00**	**20:00**	**21:00**	**22:00**	**23:00**
2/11/2019	0.3			0.3	0.3	0.2	0.3	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.3		0.3
2/12/2019	0.2			0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.5	0.8	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3
2/13/2019	0.3			0.4	0.3	0.3	0.3	0.4	0.4	0.6	0.6	0.6	0.6	0.5	0.5	0.4	0.5	0.5	0.5	0.4	0.4	0.4	0.4	0.3
2/14/2019	0.3			0.2	0.2	0.3	0.2	0.3	0.3	0.4	0.4	0.4	0.5	0.4	0.4	0.5	0.5	0.5	0.5	0.4	0.4	0.4		0.4
2/15/2019	0.4			0.4	0.4	0.4	0.5	0.6	0.7	0.6	0.3	0.3	0.3	0.3	0.2	0.3	0.5	0.5	0.4	0.3	0.3	0.2	0.3	0.3
2/16/2019	0.3			0.3	0.4	0.4	0.4	0.5	0.7	0.8	1	0.9	0.7	0.5	0.5	0.5	0.4	0.3	0.3	0.2	0.2	0.3	0.3	0.2
2/17/2019	0.3			0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.4	0.9		0.7
2/18/2019	0.6			0.7	0.8	0.7	1	1	1.1	1	0.7	0.5	0.6	0.8	0.9	0.5	0.4	0.6	0.9	1.2	1	0.5	0.3	0.3
2/19/2019	0.3			0.4	0.4	0.3	0.3	0.3	0.4	0.5	0.5	0.5	0.5		0.5	0.5	0.4	0.4	0.3	0.3	0.2	0.2	0.2	0.2
2/20/2019	0.2			0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.2	0.2	0.2		0.8
2/21/2019	0.7			0.4	0.4	0.5	0.5	0.4	0.6	0.8	0.7	0.6	0.6	0.5	0.4	0.4	0.4	0.4	0.5	0.4	0.3	0.3	0.3	0.3
2/22/2019	0.2			0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2
2/23/2019	0.3			0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2		0.3
2/24/2019	0.3			0.3	0.3	0.3	0.3	0.4	0.2	0.2	0.2	0.3	0.2	0.3	0.3	0.3	0.4	0.4	0.4	0.4	1	1.4	0.8	0.4
2/25/2019	0.6			0.7	0.5	0.6	0.6	1.6	2.7	2.2				0.9	0.8	0.9	1	0.9	0.8	0.8	0.6	0.5	0.4	0.4
2/26/2019	0.4			0.4	0.4	0.3	0.3	0.3	0.3	1.3	0.7	0.4	0.4		0.4	0.5	0.5	0.5	0.4	0.4	0.4	0.4		0.4
2/27/2019	0.4			0.3	0.3	0.4	0.4	0.3	0.4	0.5	0.6	0.7	0.9	1.2	1.1	0.7	0.6	1	1.1	1.6	2	1.8	1.6	1.1
2/28/2019	0.8			0.5	0.5	0.6	0.4	0.5	0.4	0.4	0.4	0.4	0.4	0.3	0.4		0.3	0.2	0.2	0.2	0.2	0.2	0.3	0.3
3/1/2019	0.2			0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2		0.3
3/2/2019	0.3			0.3	0.4	0.6	0.6	0.3	0.5	0.8	0.7	0.7	1	1.2	1.3	1.6	1.1	0.5	0.4	0.3	0.3	0.3	0.3	0.3
3/3/2019	0.3			0.3	0.3	0.4	0.5	0.5	0.5	0.4	0.3	0.3	0.3	0.5	0.4	0.4	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.3
3/4/2019	0.5			0.4	0.5	0.6	0.6	0.5	0.7	0.9	2	1.4	1.4	1.5	0.9	0.5	0.3	0.5	0.4	0.5	0.5	0.6		0.7
3/5/2019	0.8			0.5	0.3	0.3	0.3	1.4	1.7	1.1	0.7	0.6	0.5	0.3	0.3	0.3	0.3	0.5	0.7	0.7	0.6	0.6	0.6	0.9
3/6/2019	1			0.3	0.4	0.6	0.5	1.3	2.1	1.2	1.1	0.8	0.8	0.5	0.6	0.6	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
3/7/2019	0.3			0.3	0.3	0.2	0.3	0.3	1.6	1.5	1.5	1.6	1.6	1.5	1.3	1.2	0.9	0.7	0.6	0.6	0.5	0.5		0.5
3/8/2019	0.4			0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2
3/9/2019	0.2			0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.3	0.2	0.3	0.3	0.3	0.3
3/10/2019	0.4			0.3	0.3	0.3	0.3	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.4	0.5	0.7	1.1	0.6	0.6		1.6
3/11/2019	1			0.5	0.7	0.8	0.7	0.6	0.6	0.5	0.5	0.5	0.4	0.5	0.4	0.4	0.4	0.7	0.7	0.3	0.3	0.3	0.4	0.5
3/12/2019	0.5			0.4	0.6	0.9	0.7	0.5	0.6	0.5	0.5	0.5	0.5		0.5	0.5	0.6	0.6	0.5	0.8	0.7	0.5	0.5	0.4
3/13/2019	0.4			0.4	0.3	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.4	0.5	0.5	0.5	0.5	0.5	0.5	0.5		0.5
3/14/2019	0.5			0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.3	0.3	0.3
3/15/2019	0.3			0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.3	0.5	0.5	0.5	0.5	0.5	0.5	0.5
3/16/2019	0.6			0.5	0.7	0.6	0.6	0.9	0.8	0.7	0.8	0.6	0.3	0.5	0.6	0.6	0.7	0.6	0.6	0.6	0.9	1.1		0.8
3/17/2019	0.7			0.6	0.6	0.6	0.5	0.5	0.5	0.4	0.4	0.5	0.7	0.7	0.4	0.6	0.6	0.5	0.4	0.6	0.5	0.5	0.4	0.3
3/18/2019	0.3			0.2	0.2	0.2	0.2	0.5	0.4	0.4	0.4	0.4	0.4	0.3	0.2	0.3	0.3	0.2	0.2	0.2	0.2	0.3	0.3	0.3
3/19/2019	0.3			0.5	0.6	0.5	0.6	0.7	0.7	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.4		0.4
3/20/2019	0.4			0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.4	0.4	0.4	0.3	0.3	0.4	0.3	0.4	0.4	0.6	0.5	0.5	0.4	0.4
3/21/2019	0.3			0.2	0.2	0.3	0.3	0.3	0.3	0.2	0.3	0.4	0.6	0.9	0.6	0.6	0.6	0.8	0.8	0.6	0.7	1	1.2	1.2
3/22/2019	1			0.6	0.5	0.3	0.3	0.5	0.6	0.6	0.5	1	1.1	0.8	1	1.4	1.3	0.7	0.6	0.4	0.3	0.3		0.4
3/23/2019	0.4			0.4	0.4	0.4	0.5	1	0.7	0.5	0.5	0.4	0.5	0.4	0.3	0.3	0.3	0.4	0.4	0.4	0.4	0.3	0.4	0.4

Ambient SO2 Concentration by Hour of the Day (ppb)
AQS Monitor ID 21-061-0501 (Mammoth Cave)

	Ambient SO_2 Concentration (ppb)																					
Date	**0:00**	**1:00**	**2:00**	**3:00**	**4:00**	**5:00**	**6:00**	**7:00**	**8:00**	**9:00**	**10:00**	**11:00**	**12:00**	**13:00**	**14:00**	**15:00**	**16:00**	**17:00**	**18:00**	**19:00**	**20:00**	**21:00**	**22:00**	**23:00**
3/24/2019	0.4			0.3	0.3	0.3	0.3	0.3	0.4	0.5	0.6	0.6	0.5	0.5	0.5	0.6	0.6	0.7	0.7	0.7	0.6	0.6	0.7	0.7
3/25/2019	0.7			0.3	0.2	0.3	0.3	0.3					0.9	0.6	0.3	0.4	0.3	0.2	0.3	0.4	0.4	0.6		0.5
3/26/2019	0.5			0.9	0.8	0.7	0.6	0.5	0.5	0.5	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.5	0.6	0.5	0.4	0.4	0.3	0.3
3/27/2019	0.3			0.3	0.3	0.3	0.3													0.3	0.3	0.3	0.3	0.3
3/28/2019	0.2			0.2	0.2	0.2												0.2			0.2	0.2		0.5
3/29/2019				0.3	0.3	0.3	0.1	0	0.1	0.2	0.2	0.2	0.2	0.3	0.2					0.1	0.1	0.1	0.1	0.1
3/30/2019	0.1			0.1	0.1	0.2	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0	0	0	0	0	0
3/31/2019	0.1			0.1	0	0	0	0.1	0.1	0.1	0	0	0	0.2	0.1	0.4	0.5	0.4	0.8	0.3	0.1	0		0.1
4/1/2019	0.9			0.3	0.3	0.2	0.1	0.1	0.1	0.1		0.1	0	0.1			0.1	0	0	0	0.1	0.1	0.1	0.1
4/2/2019	0.1			0	0	0.1	0.1	0.1	0.1			0.4	0.4	0.2	0.2	0.2	0.2	0.8	0.6	0.4	0.5	0.4	0.4	0.3
4/3/2019	0.4			0.3	0.2	0.2	0.3	0.5	0.5	0.7	0.6	0.7	0.9	0.5	0.5	0.6	0.5	0.4	0.3	0.4	0.4	0.4		0.4
4/4/2019	0.4			0.3	0.3	0.2	0.2	0.1	0.2	0.3	0.3				0.3	0.3	0.2	0.2	0.2	0.1	0	0	0	0
4/5/2019	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4/6/2019	0			0	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0.1	0	0	0	0		0.1
4/7/2019	0			0	0	0	0	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0
4/8/2019	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4/9/2019	0			0	0	0	0	0.2	1	0.6	0.4	0.5	0.6	0.4	0.3	0.4	0.3	0.3	0.3	0.3	0.5	0.5		0.3
4/10/2019	0.2			0.1	0.2	0.2	0.1	0.2	0.3	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1
4/11/2019	0.1			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0	0	0	0	0.1	0.1	0.1
4/12/2019	0.1			0.1	0	0	0	0	0	0	0	0.1	0.1	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.2		0.3
4/13/2019	0.2			0.1	0.1	0.1	0	0.1	0.1	0.2	0.1	0.1	0.1	0	0.1	0.1	0	0.1	0	0	0	0	0	0
4/14/2019	0			0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4/15/2019	0.1			0.1	0	0	0.1	0.3	1.1	1.7	0.6	0.2	0.2	0.2	0.3	0.3	0.3	0.5	0.4	0.4	0.3	0.2		0.2
4/16/2019	0.1			0.1	0.1	0.1	0.1	0.2	0.3	0.2	0.4	0.3	0.2		0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.3
4/17/2019	0.3			0.3	0.2	0.2	0.3	0.3	0.3	0.3	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.4	0.2	0.2	0.3
4/18/2019	0.4			0.5	0.4	0.3	0.3	0.3	0.3	0.2	0.1	0.1	0	0	0	0	0	0	0	0	0	0		0.2
4/19/2019	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4/20/2019	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
4/21/2019	0			0	0	0	0	0	0	0.1	0.2	0.3	0.5	0.4	0.3	0.3	0.2	0.2	0.2	0.1	0.2	0.2		0.2
4/22/2019	0.2			0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.1	0.1
4/23/2019	0.2			0.2	0.2	0.2	0.3	0.3	0.3	0.7	0.6	0.4	0.6	0.6	0.6	0.5	0.5	0.6	0.7	0.6	0.5	0.3	0.3	0.3
4/24/2019	0.3			0.3	0.2	0.1	0.1	0.2					0.2	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1		0.1
4/25/2019	0			0	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0	0	0.1	0.1	0.1	0.1	0	0	0	0	0
4/26/2019	0			0	0	0	0	0.1	0.2	0.1	0.1	0.1	0.1	0.4	0.3	0.3	0.2	0.4	0.3	0.1	0.1	0.2	0.4	0.3
4/27/2019	0.2			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.3	0.2	0.2	0.2	0.1	0.1	0.2	0.1	0.1	0.1		0.2
4/28/2019	0.1			0.1	0	0	0	0.2	0.2	0.1	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0
4/29/2019	0			0	0	0	0	0	0	0.1	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.1	0.2	0.2	0.3	0.3	0.2
4/30/2019	0.2			0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.2			0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.2	0.2		0.2
5/1/2019	0.1			0.1	0.1	0.1	0.2	0.3	0.2	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0	0	0	0	0	0	0	0
5/2/2019	0			0	0.1	0	0	0.2	0.3	0.2	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0
5/3/2019	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	0.1	0	0	0		0

Ambient SO2 Concentration by Hour of the Day (ppb)
AQS Monitor ID 21-061-0501 (Mammoth Cave)

	Ambient SO_2 Concentration (ppb)																						
Date	**0:00**	**1:00**	**2:00**	**3:00**	**4:00**	**5:00**	**6:00**	**7:00**	**8:00**	**9:00**	**10:00**	**11:00**	**12:00**	**13:00**	**14:00**	**15:00**	**16:00**	**17:00**	**18:00**	**19:00**	**20:00**	**21:00**	**22:00**	**23:00**
5/4/2019	0			0	0	0	0	0.1	0.1	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0
5/5/2019	0			0.1	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5/6/2019	0			0	0	0	0	0.1	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0		0.1
5/7/2019	0.1			0	0	0	0	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0	0	0.1
5/8/2019	0.1			0	0	0	0	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0	0	0.1
5/9/2019	0			0.1	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0		0.1
5/10/2019	0			0	0	0	0	0	0	0	0.1	0.1	0	0	0	0	0	0.1	0.2	0.1	0	0	0.1	0.1
5/11/2019	0.1			0	0.1	0.2	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0	0	0	0	0	0
5/12/2019	0			0.3	0	0.1	0.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0			0.1
5/13/2019	0			0.1	0.1	0.1	0.4	0.2	0.1	0.4	0.4	0.4	0.5	0.3	0.3	0.2	0.2	0.2	0.2	0.3	0.2	0	0	0
5/14/2019	0			0	0	0	0.1	1.8	1.3	0.4	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
5/15/2019	0.1			0.1	0	0.1	0.1	0	0	0.1	0.5	0.4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1
5/16/2019	0			0.1	0	0	0	0.1	0.1	0.1	0.1	0.2	0.3	0.4	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
5/17/2019	0.1			0.3	0.2	0.2	0.3	0.5	0.5	0.6	0.5	0.3	0.2	0.1	0.1	0.2	0.2	0.2	0.4	0.5	0.3	0.2	0.1	0.1
5/18/2019	0.1			0	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.2	0.1	0.1	0		0.1
5/19/2019	0			0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.4	0.1	0	0.2	0.1	0	0	0.1	0.1	0	0
5/20/2019	0			0	0	0.1	0.1	0.2	0.3	0.2	0.3	0.4	0.4	0.3	0.2	0.4	0.5	0.2	0.2	0.6	0.4	0.5	0.5	0.4
5/21/2019	0.4			0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0.1		0.1
5/22/2019	0.1			0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0.1	0	0.1	0.4
5/23/2019	0.5			0.3	0.4	0.3	0.3	0.4	0.4	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1
5/24/2019	0.1			0	0	0	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0	0	0	0	0.1	0	0	0.4	0.2		0.2
5/25/2019	0.1			0	0	0	0	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.4	0.1	0.1	0.1	0.1	0.5	1	0.8	0.4	0.2
5/26/2019	0.1			0	0	0	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0	0	0	0	0	0	0	0
5/27/2019	0			0	0	0	0	0	0.1	0.5	0.4	0.2	0.1	0.1	0.3	0.4	0.1	0	0	0	0	0		0.1
5/28/2019	0			0	0	0	0.1	0.2	0.3	0.2	0.1	0.1	0.1	0	0	0	0	0	0	0	0	0	0	0
5/29/2019	0			0	0	0.1	0	0.2	0.2	0.1	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0.1
5/30/2019	0.2			0.1	0	0.1	0	0.1	0.1	0	0	0	0	0	0	0	0	0	0.1	0.2	0	0		0
5/31/2019	0			0.1	0.1	0.1	0.2	0.3	1	0.6	0.4	0	0	0	0.1	0.3	0.3	0.2	0.2	0	0	0	0	0
6/1/2019	0			0	0	0	0	0.1	0.4	0.4	0.3	0.2	0.2	0.1	0.3	0.4	0.5	0.2	0.1	0.1	0.1	0.1	0.1	0.1
6/2/2019	0.2			0.1	0.1	0.1	0.2	0.3	0.4	0.2	0.3	0.5	0.2	0.3	0.3	0.2	0.1	0.2	0.2	0.3	0.2	0.1		0.1
6/3/2019	0.1			1	1	0.8	0.5	0.1	0.1	0	0	0	0	0	0.1	0.1	0.1	0.1	0.1	0	0	0.1	0	0
6/4/2019	0			0.1	0	0	0	0	0.1	0.1	0.1	0.1	0.1	0.1		0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.1
6/5/2019	0.1			0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.2	0.1	0.1	0.1	0.1	0.2	0	0	0		0
6/6/2019	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/7/2019	0			0.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/8/2019	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
6/9/2019	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/10/2019	0			0.1	0	0	0	0.1	0.1	0	0	0	0	0	0	0.1	0.1	0.1	0.1	0	0	0	0	0.1
6/11/2019	0.1			0	0	0	0.1	0.1	0.1	0.1	0.1	0.1		0	0.1	0.1	0	0.1	0	0	0	0		0.1
6/12/2019	0			0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.6	0.1	0.5	0.4	0.6	0.4	0.5	0.4
6/13/2019	0.3			0.4	0.3	0.2	0.2	0.2	0.1	0.1	0.2				0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1

Ambient SO2 Concentration by Hour of the Day (ppb)
AQS Monitor ID 21-061-0501 (Mammoth Cave)

	Ambient SO_2 Concentration (ppb)																						
Date	**0:00**	**1:00**	**2:00**	**3:00**	**4:00**	**5:00**	**6:00**	**7:00**	**8:00**	**9:00**	**10:00**	**11:00**	**12:00**	**13:00**	**14:00**	**15:00**	**16:00**	**17:00**	**18:00**	**19:00**	**20:00**	**21:00**	**22:00**	**23:00**
6/14/2019	0			0	0	0	0	0.1	0.1	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1		0.1
6/15/2019	0.1			0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0	0.1	0.1	0	0.1	0.1	0	0.1	0	0
6/16/2019	0.1			0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0	0	0	0	0	0	0.1
6/17/2019	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0.1
6/18/2019	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/19/2019	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/20/2019	0			0	0	0	0	0	0	0	0	0	0.1	0.2	0.2	0.5	0.7	0	0	0	0	0		0.1
6/21/2019	0.1			0	0	0	0	0.3	0.7	0.6	0.3	0.2	0.2	0.2	0.1	0	0	0	0	0	0	0	0	0
6/22/2019	0			0	0	0	0.1	0	0	0	0	0	0	0	0.1	0.1	0	0	0.1	0	0	0	0	0
6/23/2019	0			0	0	0	0	0	0	0.1	0.1	0.1	0.1	0	0	0	0	0	0	0	0	0		0
6/24/2019	0			0	0	0	0	0	0	0	0	0	0	0.2	0	0	0.1	0	0	0	0	0.1	0.1	0.1
6/25/2019	0.1			0	0	0	0.1	0.6	0.5	0.3	0.3	0.3		0.2	0.4	0.4	0.2	0.1	0.1	0	0	0	0	0
6/26/2019	0			0	0	0	0	0	0.1	0	0	0	0	0	0.1	0	0	0.1	0.1	0	0	0		0
6/27/2019	0			0	0	0	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0	0	0	0	0	0
6/28/2019	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/29/2019	0			0	0	0	0	0.3	0.4	0.2	0.1	0.1	0.1	0	0.1	0.1	0.1	0	0	0	0	0		0
6/30/2019	0			0	0	0	0	0	0.8	1.2	0.5	0.6	0.6	0.5	0.6	0.4	0.5	0.6	0.5	0.6	0.1	0	0	0
7/1/2019	0			0	0	0	0	0.1	0.2	0.1	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.6	0.5	0.4	0.2
7/2/2019	0.1			0	0	0	0	0.1	0.2	0.3	0.2	0.2	0.2				0	0			0	0		0
7/3/2019					0	0			0.1	0.3	0.2	0.3			0	0	0	0			0	0	0	0
7/4/2019					0	0			0	0	0.1	0			0	0	0	0			0	0	0	0
7/5/2019					0	0			0.5	1.1	0.6	0.4	0.1	0	0	0	0	0	0	0	0	0		0
7/6/2019	0			0	0	0	0	0	0.1	0.2	0.2	0.2	0.1	0	0.1	0.1	0	0	0	0	0	0	0	0
7/7/2019	0			0	0	0	0.3	0.2	0.1	0.1	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0
7/8/2019	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
7/9/2019	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/10/2019	0			0	0	0	0	0	0	0	0.2	0.3	0.4	0.1	0	0	0	0	0	0	0	0	0	0
7/11/2019	0			0	0	0	0.1	0.1	0.2	0.2	0.2	0.2	0.3	0.3	0.2	0.6	0.5	0.4	0.7	0.4	0.4	0.2		0.1
7/12/2019	0			0	0	0	0	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0	0
7/13/2019	0			0	0	0	0	0.2	0.3	0.3	0.2	0.1	0.1	0.1	0	0	0	0	0	0	0	0	0	0
7/14/2019	0			0	0	0	0	0	0	0	0	0.1	0.1	0.2	0.2	0	0	0	0	0	0	0		0
7/15/2019	0			0	0	0	0	0.6						0.1	0.1	0	0	0	0	0	0	0	0	0
7/16/2019	0			0	0	0	0.1	0.1	0.1	0	0	0.1	0.1	0	0.1	0.1	0	0	0	0	0	0	0	0
7/17/2019	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0.3
7/18/2019	0.1			0	0.2	0.1	0.1	0.1	0.2	0.2	0.3	0.6	0.6	0.4	0.4	0.3	0.2	0	0	0	0	0	0	0
7/19/2019	0			0	0	0	0.1	0.1	0.1	0.3	0.7	0.5	0.4	0.4	0.3	0.2	0.3	0.2	0.1	0.1	0.1	0.1	0	0
7/20/2019	0			0	0	0	0	0.4	0.1	0.3	0.4	0.1	0	0	0	0	0	0	0	0	0	0		0
7/21/2019	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	0.1	0.1	0
7/22/2019	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	0.1
7/23/2019	0.1			0.1	0.1	0	0.2	0.3	0.2	0.2	0.2	0.2	0.3	0.2	0.3	0.1	0	0	0	0	0	0		0
7/24/2019	0			0	0.1	0	0.1	0.1	0	0.1	0	0	0.1	0	0	0.1	0.1	0.1	0.1	0	0	0	0	0

Ambient SO2 Concentration by Hour of the Day (ppb)
AQS Monitor ID 21-061-0501 (Mammoth Cave)

	Ambient SO_2 Concentration (ppb)																						
Date	**0:00**	**1:00**	**2:00**	**3:00**	**4:00**	**5:00**	**6:00**	**7:00**	**8:00**	**9:00**	**10:00**	**11:00**	**12:00**	**13:00**	**14:00**	**15:00**	**16:00**	**17:00**	**18:00**	**19:00**	**20:00**	**21:00**	**22:00**	**23:00**
7/25/2019	0			0.1	0.1	0.3	0.4	0.2	0	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0
7/26/2019	0			0	0	0	0	0	0	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0		0
7/27/2019	0			0	0	0	0	0	0	0.1	0.3	0	0	0	0	0	0.1	0	0	0	0	0	0	0
7/28/2019	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/29/2019	0			0	0	0	0	0	0	0	0	0.1	0.1	0.1	0	0	0	0	0	0	0	0		0.1
7/30/2019	0			0	0	0	0	0.1	0.2	0.2	0.2	0.2	0.1	0	0	0	0	0	0	0	0	0	0	0	0
7/31/2019	0			0	0	0	0	0.2	0.2	0.4	1.8	1.7	1.4	1.7	0.4	0.1	0.2	0.6	0.6	0.2	0.1	0.1	0	0
8/1/2019	0			0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0	0.1	0.1	0.1	0	0.1	0		0
8/2/2019	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/3/2019	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/4/2019	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
8/5/2019	0			0.1	0	0	0	0	0.5	0.7	0.5	0.4	0.4	0.3	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0	0	0
8/6/2019	0			0	0	0	0	0	0	0	0.1	0	0	0.1	0.1	0.2	0.3	0.2		0	0	0	0	0
8/7/2019	0			0	0	0	0	0	0	0.1	0.2	0.1	0.1	0	0.1	0.1	0.2	0.7	0.8	0.2	0.2	0.3		0
8/8/2019	0			0	0	0	0	0.3	0.7	0.1	0.2	1.2	1.5	1.6	1.4	1	0.3	0.3	0.4	0.2	0.2	0.1	0.1	0
8/9/2019	0			0	0	0	0	0.7	0.3	0.3	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.3	0.3	0.1	0	0	0.1	0.1
8/10/2019	0			0	0	0	0	0.1	0.1	0.1	0.3	0.2	0.3	0.2	0.2	0.3	0.3	0.3	0.2	0.1	0	0		0.2
8/11/2019	0.1			0	0	0	0	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0
8/12/2019	0			0	0	0	0	0	0	0	0.1	0.5	0.6	0.3	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0	0
8/13/2019	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0.3	0.1	0	0	0	0		0
8/14/2019	0			0.1	0.1	0.1	0.1	0.3	0.2	0	0.1	0	0.1	0	0.2	0.5	0.3	0.3	0.4	0.8	0.8	0.6	0.4	0.4
8/15/2019	0.4			0.1	0	0	0.1	0.6	0.8	1.3	0.7	0.2	0.2	0.5	0.3	0.1	0.2	0.2	0.2	0.1	0	0.1	0	0
8/16/2019	0			0	0	0.1	0.1	0.4	0.4	0.3	0.3	0.3	0.5	0.5	0.4	0.3	0.3	0.2	0.2	0.1	0.1	0.1		0.2
8/17/2019	0.1			0	0	0	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0
8/18/2019	0			0	0	0	0	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0	0	0	0.1	0
8/19/2019	0			0	0	0	0	0.1	1	1	0.8	0.7	0.4	0.2	0.1	0.1	0.1	0.2	0.2	0.2	0	0		0.1
8/20/2019	0			0	0	0	0	0.2	0.3	0.2	0.1	0.5	0.5	0.1	0.1	0.1	0	0	0	0	0	0	0	0
8/21/2019	0			0	0	0	0	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0	0	0	0.1	0.3
8/22/2019	0.2			0.1	0	0	0	0	0	0	0	0.1	0.1	0	0	0	0	0	0	0	0	0		0.1
8/23/2019	0.2			0.5	0.5	0.3	0.4	0.4	0.4	0.3	0.2					0	0	0	0	0	0	0	0	0
8/24/2019	0		0.1	0	0	0.1	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
8/25/2019	0.1	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0.1
8/26/2019	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/27/2019	0	0	0.1	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0		0	0	0.1	0.1
8/28/2019	0.1	0	0	0.1	0	0	0	0.2	0.3	0.4	0.5	0.3	0.5	0.4	0.9	0.6	0.6	0.7	0.6	0.3	0.2	0.1	0.2	0
8/29/2019	0	0	0	0	0	0	0	0.3	0.6	0.8	0.5	0.4	0.5	0.4	0.5	0.6	0.5	0.4	0.3	0.1	0.1	0.1	0.1	0.1
8/30/2019	0.1	0	0	0.1	0	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0
8/31/2019	0		0	0	0	0	0	0.1	0.3	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0
9/1/2019	0	0	0	0	0	0	0	0	0.1	0.1	0.1	0.1	0	0	0.1	0	0.1	0.1	0.1	0	0	0		0.1
9/2/2019	0	0	0	0	0	0	0	0.5	0.2	0.5	0.2	0.1	0	0	0	0	0	0	0	0	0	0	0	0
9/3/2019	0	0	0	0	0	0	0	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0	0	0	0

Ambient SO2 Concentration by Hour of the Day (ppb)
AQS Monitor ID 21-061-0501 (Mammoth Cave)

	Ambient SO_2 Concentration (ppb)																						
Date	**0:00**	**1:00**	**2:00**	**3:00**	**4:00**	**5:00**	**6:00**	**7:00**	**8:00**	**9:00**	**10:00**	**11:00**	**12:00**	**13:00**	**14:00**	**15:00**	**16:00**	**17:00**	**18:00**	**19:00**	**20:00**	**21:00**	**22:00**	**23:00**
9/4/2019	0	0	0.1	0	0	0	0	0.3	0.5	1	0.8	0.3	0.2	0.1	0.2	0.2	0.4	0.2	0.1	0.1	0.1	0.1	0.1	0.2
9/5/2019	0.2	0.1	0	0.1	0.1	0.2	0.2	0.1	0.3	0.4	0.2	0.2	0.2	0.2	0.6	0.3	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0
9/6/2019	0			0	0	0	0	0.2	0.6	0.5	0.4	0.4	0.4	0.6	0.5	0.5	0.4	0.2	0.1	0.2	0.5	0.4	0.1	0
9/7/2019	0		0	0	0	0	0	0	0	0	0	0.1	0	0	0	0	0	0.1	0	0	0.1	0.1	0.1	0
9/8/2019	0	0	0	0	0	0	0	0.1	0.3	0.2	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0	0	0	0	0
9/9/2019	0	0	0	0	0	0	0	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0	0	0.1	0.1	0	0	0	0	0	0
9/10/2019	0	0	0	0	0	0	0	0.1	0.2	0.5	0.4	0.4			0.2	0.2	0.2	0.3	0.3	0	0	0	0	0
9/11/2019	0			0	0	0	0	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0	0		0
9/12/2019	0.1		0	0	0	0	0	0	0.1	0.2	0	0.1	0.1	0.1	0.2	0.2	0.1	0	0	0	0.1	0	0	0
9/13/2019	0	0	0.4	0	0	0	0	0	0.1	0.4	0.4	0.2	0.1	0.1	0.2	0	0.1	0.1	0.2	0.1	0.1	0.3	0.3	0.8
9/14/2019	0.7	0.4	0.1	0.3	0.3	0.2	0.2	0.3	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.1	0.1	0.1	0.2	0.2
9/15/2019	0.2	0.1	0	0.2	0.4	0.3	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0
9/16/2019	0			0	0	0	0	0	0.2	1.6	1.6	1.5	0.7	0.7	0.7	0.6	1.1	1.1	0.8	0.4	0.3	0.3	0.1	0.1
9/17/2019	0.1		0	0.1	0.1	0	0.1	0.1	0.1	0.2	0.5	0.3	0.2	0	0.1	0	0.1	0.1	0.1	0	0	0	0	0
9/18/2019	0	0	0	0	0.1	0.1	0.1	0.5	0.8	0.6	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.1	0.1	0.1	0	0	0.1	0
9/19/2019	0.1	0	0.1	0	0	0	0	0	0	0.1	0.1	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1
9/20/2019	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.7	0.6	0.4	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1
9/21/2019	0			0.2	0.2	0.1	0.1	0.3	0.5	0.5	0.4	0.4	0.4	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1		0.1
9/22/2019	0.1		0.1	0.1	0.1	0.1	0.1	0.3	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
9/23/2019	0.1	0	0.1	0.1	0.1	0.1	0.1	0	0	0.2	0.2	0.2	0.1	0.1	0.2	0.3	0.3	0.5	0.8	1.3	0.5	0.3	0.2	0.1
9/24/2019	0.1	0.1	0	0.2	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0	0.1	0	0	0
9/25/2019	0	0	0.3	0.1	0	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.4	0.8	0.7	0.4	0.2	0.1	0.2	0.5	0.9
9/26/2019	0.8			0.2	0.1	0.1	0.1	0.4	0.5	0.4	0.3	0.2	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.1	0	0.1	0	0.1
9/27/2019	0.1		0.1	0.1	0.2	0.1	0.1	0	0.1	0.2	0.2	0.2	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0	0	0	0
9/28/2019	0	0	0.1	0.1	0.1	0	0	0.1	0.2	0.4	0.4	0.3	0.2	0.2	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
9/29/2019	0.1	0.1	0	0.1	0	0	0	0.1	0.3	0.2	0.1	0.1	0.1	0	0	0.1	0.1	0.1	0.1	0	0	0	0	0
9/30/2019	0	0	0.1	0	0	0.1	0.1	0.1	0.1	0.1	0.4	0.2	0.2	0.1	0.2	0.2	0.2	0.3	0.3	0.2	0.4	0.4	0.3	0.2
10/1/2019	0.2			0.1	0.1	0	0	0.1	0.1	0.2	0.1	0.1		0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2		0.1
10/2/2019	0.1		0.3	0.6	0.5	0.2	0.2	0.1	0.1	0.1	0.3	0.8	0.3	0.3	0.3	0.3	0.5	0.5	0.6	0.4	0.3	0.3	0.2	0.3
10/3/2019	0.3			0.3	0.3	0.3	0.3	0.4	0.9	1.3	0.7	0.6	0.5	0.8	0.4	0.2	0.2	0.5	0.6	0.5	0.4	0.4	0.2	0.1
10/4/2019	0.1		0.1	0.1	0.1	0.1	0.2	0.4	0.3	0.2			0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.4	0.3		0.1
10/5/2019	0.1			0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0
10/6/2019	0.1		0	0	0	0	0	0.1	0	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0
10/7/2019	0		0.1	0	0	0	0	0	0	0	0	0	0.1	0.1	0.1	0.2	0.3	0.3	0.3	0.2	0.2	0.1		0
10/8/2019	0		0.1	0	0	0		0	0.1	0.3	0.4	0.4	0.4	0.3	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1
10/9/2019	0.1		0.2	0.1	0	0	0	0	0	0	0	0	0	0	0	0.1	0.1	0	0	0	0	0	0.1	0.1
10/10/2019	0		0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.3
10/11/2019	0.1		0.4	0.1	0.1	0.2	0.3	0.5	0.5	0.3	0.2	0.3	0.3	0.4	0.2	0.3	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1
10/12/2019	0.1		0.1	0.4	0.2	0.1	0.1	0.4	0.3	0.6	0.8	0.5	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0
10/13/2019	0.1		0.4	0.1	0	0	0	0	0.1	0.1	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.2		0.7
10/14/2019	0.4		0.1	0.3	0.2	0.1	0.1	0.1	0.4	0.8	0.6	0.6	0.5	0.4	0.4	0.4	0.3	0.3	0.2	0.2	0.1	0.1	0.1	0.1

Ambient SO2 Concentration by Hour of the Day (ppb)
AQS Monitor ID 21-061-0501 (Mammoth Cave)

	Ambient SO_2 Concentration (ppb)																						
Date	**0:00**	**1:00**	**2:00**	**3:00**	**4:00**	**5:00**	**6:00**	**7:00**	**8:00**	**9:00**	**10:00**	**11:00**	**12:00**	**13:00**	**14:00**	**15:00**	**16:00**	**17:00**	**18:00**	**19:00**	**20:00**	**21:00**	**22:00**	**23:00**
10/15/2019	0.1		0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.2		0.1	0.1	0.2	0.2	0.1	0.2	0.2	0.1	0.1	0.1	0.1
10/16/2019	0.1		0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.1					0.4	0.3	0.2	0.1	0.1	0.1		0.1
10/17/2019	0		0.2	0	0	0	0	0	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1
10/18/2019	0.1		0.1	0.1	0.1	0.1	0	0.1	0.2	0.3	0.3	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2
10/19/2019	0.1		0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0		0.1
10/20/2019	0		0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0
10/21/2019	0.1		0	0	0	0.1	0.1	0.1	0.2	0.2	0.1	0.2	0.1	0.1	0	0	0.1	0.1	0	0	0	0	0	0
10/22/2019	0.1	0	0.1	0.1	0	0	0.1	0.1	0.3		0.3	0.3	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.2		0.2
10/23/2019	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1							0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.1
10/24/2019	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.3	0.6	0.2	0.1	0.2	0.2	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.4	0.4
10/25/2019	0.5	0.4	0.1	0.2	0.2	0.2	0.1	0.1	0.1			0.1	0.1	0.1	0.1	0	0	0	0	0	0	0		0
10/26/2019	0	0.2	0	0.4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0	0.1	0	0
10/27/2019	0.1	0	0	0	0	0	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0	0	0.1
10/28/2019	0	0	0.1	0.2	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0	0	0		0.1
10/29/2019	0	0.3	0.1	0.6	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1
10/30/2019	0.1	0.1	0	0.1	0.1	0.1	0	0	0	0	0	0.1	0	0	0	0	0	0	0.1	0	0	0	0	0
10/31/2019	0	0	0	0.4	0.2	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0	0	0	0.1	0	0.1	0	0	0		0.1
11/1/2019	0.1	0.1	0	0.1	0	0	0	0	0.3	0.5	0.5	0.6	0.5	0.4	0.3	0.3	0.3	0.3	0.2	0.1	0.1	0	0	0
11/2/2019	0	0	0	0.1	0	0	0	0.1	0.3	0.5	0.7	0.6	0.6	0.3	0.3	0.1	0.1	0.4	0.5	0.5	0.3	0.2	0.2	0.2
11/3/2019	0.1	0.1	0.1	0.1	0.1	0	0	0.1	0.3	0.5	0.4	0.3	0.2	0.3	0.3	0.2	0.2	0.2	0.1	0.1	0.1	0.1		0.1
11/4/2019	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.4	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.3	0.3	0.5	0.2	0.2	0.2	0.2	0.2
11/5/2019	0.2	0.2	0.1	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.3	0.4	0.3	0.2	0.1	0.1			0.3		0.3	0.1	0.1	0.1
11/6/2019	0.1	0.1	0.1	0.4	0.2	0.1	0.2													0.1	0.1	0.1		0.1
11/7/2019		0.1	0.1	0.1	0.1	0.1	0.1		0.1	0.1	0.1							0.1	0.1	0	0	0	0.1	0.1
11/8/2019	0.2	0.1	0	0.2	0.1	0.1	0.2	0.3	0.4	0.4				0.5	0.4	0.3	0.3	0.3	0.3	0.2	0.1	0.1	0.1	0.1
11/9/2019	0.1	0.1	0.2	0.1	0.1	0.1	0	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1		0.1
11/10/2019	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.8	0.5	0.4	0.3	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1
11/11/2019	0.1	0.1	0	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.3	0.4	0.4	0.5	0.7	0.3	0.2	0.1	0.1	0	0.1	0.1	0.2	0.1
11/12/2019	0.1	0	0	0	0	0	0	0.1	0.1	0.1	0	0	0	0	0.1	0	0	0	0	0	0	0		0
11/13/2019	0	0	0.1	0.1	0	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0	0.1
11/14/2019	0.1	0.1	1	0.1	0.1	0.1	0.2	0.2	0.2	0.3	0.3	0.2	0.2	0.3	0.5	0.6	0.9	0.9	1	0.7	0.5	0.8	1.9	1.7
11/15/2019	1.6	1.2		0.6	0.5	0.4	0.4	0.3	0.3	0.6	0.7	0.6	0.4	0.5	0.8	0.2	0.1				0.2	0.4		0.3
11/16/2019					0.3	0.2			0.3	0.4	0.4	0.3			0.3	0.4	0.4	0.5			0.2	0.1	0.1	0.1
11/17/2019					0.1	0.1			0.3	0.4	0.4	0.3			0.3	0.3	0.3	0.2			0.1	0.2	0.2	0.2
11/18/2019			0.1		0.2	0.2			0.7	0.9	1.2	0.3	0.3	0.1	0.3	0.6	0.7	0.7	0.4	0.4	0.3	0.1		0.1
11/19/2019	0.1	0.1	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.7	0.9	0.5	0.2	0.3	0.3	0.4	0.2	0.2	0.2	0.2	0.5	0.5	0.6
11/20/2019	0.7	0.5	0.1	0.2	0.1	0.1	0	0.1	0.1	0.1	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1
11/21/2019	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.3	0.3	0.3	0.3	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3		0.2
11/22/2019	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1	0.1	0	0	0.1	0.1	0	0.1
11/23/2019	0.1	0	0.3	0.1	0	0.1	0.1	0	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.2	0.4	0.3	0.5	0.7	0.5	0.4	0.4
11/24/2019	0.5	0.3	0.1	0.8	0.7	0.4	0.3	0.2	0.3	0.5	1	0.8	0.6	0.3	0.2	0.1	0.1	0.2	0.2	0.2	0.1	0.1		0.1

Ambient SO2 Concentration by Hour of the Day (ppb)
AQS Monitor ID 21-061-0501 (Mammoth Cave)

	Ambient SO_2 Concentration (ppb)																						
Date	**0:00**	**1:00**	**2:00**	**3:00**	**4:00**	**5:00**	**6:00**	**7:00**	**8:00**	**9:00**	**10:00**	**11:00**	**12:00**	**13:00**	**14:00**	**15:00**	**16:00**	**17:00**	**18:00**	**19:00**	**20:00**	**21:00**	**22:00**	**23:00**
11/25/2019	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.5	0.4	0.2	0.2	0.6		0.3	0.3	0.3	0.3	0.3	0.3	0.2
11/26/2019	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
11/27/2019	0.1	0.1	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.2	0.3	0.3	0.3	0.2	0.2	0.7	0.6		0.3
11/28/2019	0.1	0.4	0	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1
11/29/2019	0.1	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0.1	0.1	0.1
11/30/2019	0.1	0	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1
12/1/2019	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0.1	0	0.1	0.2	0.1	0.1
12/2/2019	0.1	0.1	0.9	0.2	0.1	0.1	0.1	0.2	0.3	0.2	0.3	0.6	0.6	0.3	0.5	0.4	0.2	0.2	0.1	0	0.1	0.5	0.8	1
12/3/2019	1.3	0.9	0.2	0.7	0.7	0.3	0.4	0.8	0.8	0.4	0.8	1.2	1	0.9	0.8	0.7	0.6	0.6	0.5	0.3	0.3	0.3		0.2
12/4/2019	0.2	0.2	0.8	0.3	0.3	0.3	0.3	0.3	0.6	0.8	0.5	0.3	0.3	0.3	0.3	0.6	0.6	0.4	0.5	0.4	0.6	1.1	1.5	1.5
12/5/2019	1.3	0.9	0.2	0.8	0.7	0.5	0.3	0.3	0.5	0.9	0.9	0.7	0.5	0.5	0.4	0.3	0.4	0.5	0.7	0.6	0.4	0.3	0.3	0.2
12/6/2019	0.2	0.2	0.4	0.3	0.4	0.4	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.2	0.2	0.2	0.1	0.3	0.2		0.3
12/7/2019	0.3	0.5	0.1	0.4	0.3	0.2	0.2	0.2	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
12/8/2019	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.3	0.3	0.4	0.4	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2
12/9/2019	0.2	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1
12/10/2019	0.1	0.1	0.6	0.1	0	0.1	0.2	0.2	0.2	0.2	0.2	0.2		0.2	0.3				1	1.3	1.4	1.1	1.3	1.5
12/11/2019	1	0.8	0.2	0.5	0.5	0.4	0.4	0.7	0.7	1.2	2.1	1.5	0.7	0.5	0.5	0.6	0.6	0.7	0.6	0.5	0.6	0.4	0.3	0.3
12/12/2019	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.2
12/13/2019	0.2	0.1	0	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0.1	0.1	0.1	0.1	0	0.1	0	0	0.1
12/14/2019	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.6	0.7	0.8	0.9	1.4	1	0.8	0.9	0.8	0.9	1.1	0.9	0.3
12/15/2019	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1		0.1
12/16/2019	0	0.1	0.3	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0	0.1	0	0.1	0.1
12/17/2019	0.1	0.3	0.6	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.2	0.3	0.5	0.5
12/18/2019	0.7	0.5	0.1	0.6	0.3	0.7	0.7	0.6	0.5	0.5	0.4	0.3	0.2	0.4	0.3	0.3	0.2	0.2	0.2	0.2	0.1	0.1		0.1
12/19/2019	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.2	0.3	0.3	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.2
12/20/2019	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.2	0.2	0.2
12/21/2019	0.2	0.2	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.2	0.3	0.4	0.3	0.2	0.2	0.3	0.4	0.4	0.5	0.4	0.3	0.2		0.1
12/22/2019	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
12/23/2019	0.1	0.1	1.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.4	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.5	0.5	0.8
12/24/2019	0.7	1	0.2	1	0.8	0.8	1.4	1	1.3	1.8	1.2	0.6	0.6	0.6	0.6	0.5	0.5	0.5	0.5	0.6	0.7	0.7		0.5
12/25/2019	0.3	0.2	0.2	0.3	0.2	0.1	0.1	0.1	0.1	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.2
12/26/2019	0.2	0.1	0.1	0.2	0.2	0.1	0.2	0.1	0.2	0.2	0.2	0.2	0.3	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
12/27/2019	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1			0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1
12/28/2019	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
12/29/2019	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0	0.1	0	0.1
12/30/2019	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.3
12/31/2019	0.1	0		0.1	0	0	0.1	0.1	0.1	0.1	0.1	0	0.1	0	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.2	0.4	0.2

Ambient SO2 Concentration by Hour of the Day (ppb)
AQS Monitor ID 21-061-0501 (Mammoth Cave)

Date	Ambient SO_2 Concentration (ppb)																							
	0:00	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
	2019 Max. Value by Hour (ppb)																							
	0:00	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
January	0.9	1.2	1.2	1.5	2.0	2.5	1.7	1.2	1.6	1.6	1.6	1.6	1.2	1.2	1.1	1.1	0.9	1.2	1.0	1.3	1.9	1.5	1.5	2.4
February	0.8	0.9	0.9	1.0	1.2	0.8	1.3	1.6	2.7	2.2	1.0	1.1	1.2	1.2	1.1	0.9	1.0	1.0	1.1	1.6	2.0	1.9	1.6	1.1
December	1.3	1.0	1.2	1.0	0.8	0.8	1.4	1.0	1.3	1.8	2.1	1.5	1.0	0.9	0.9	1.4	1.0	0.8	1.0	1.3	1.4	1.1	1.5	1.5
March	1.0	1.0	1.0	0.9	0.8	0.9	0.7	1.4	2.1	1.5	2.0	1.6	1.6	1.5	1.3	1.6	1.3	0.8	0.8	1.1	0.9	1.1	1.2	1.6
April	0.9	0.7	0.7	0.5	0.4	0.3	0.3	0.5	1.1	1.7	0.6	0.7	0.9	0.6	0.6	0.6	0.5	0.8	0.7	0.6	0.5	0.5	0.4	0.4
May	0.5	0.4	0.4	0.3	0.4	0.3	0.5	1.8	1.3	0.6	0.5	0.4	0.5	0.4	0.4	0.4	0.5	0.2	0.4	0.6	1.0	0.8	0.5	0.4
June	0.3	0.7	0.7	1.0	1.0	0.8	0.5	0.6	0.8	1.2	0.5	0.6	0.6	0.5	0.6	0.5	0.7	0.6	0.5	0.6	0.6	0.4	0.5	0.4
July	0.1	0.1	0.1	0.1	0.2	0.3	0.4	0.6	0.5	1.1	1.8	1.7	1.4	1.7	0.4	0.6	0.5	0.6	0.7	0.4	0.6	0.5	0.4	0.3
August	0.4	0.1	0.1	0.5	0.5	0.3	0.4	0.7	1.0	1.3	0.8	1.2	1.5	1.6	1.4	1.0	0.6	0.7	0.8	0.8	0.8	0.6	0.4	0.4
September	0.8	0.4	0.4	0.3	0.4	0.3	0.2	0.5	0.8	1.6	1.6	1.5	0.7	0.7	0.7	0.6	1.1	1.1	0.8	1.3	0.5	0.4	0.5	0.9
October	0.5	0.4	0.4	0.6	0.5	0.3	0.3	0.5	0.9	1.3	0.8	0.8	0.5	0.8	0.4	0.4	0.5	0.5	0.6	0.5	0.4	0.4	0.4	0.7
November	1.6	1.2	1.0	0.8	0.7	0.4	0.4	0.3	0.7	0.9	1.2	0.9	0.6	0.5	0.8	0.6	0.9	0.9	1.0	0.7	0.7	0.8	1.9	1.7

Note: values in red are averages betweeen preceding and following hours for missing hours.

Attachment I5: 2020 SO_2 Concentrations by Hour

Mammoth Cave National Park (AQS ID #21-061-0501)

Ambient SO2 Concentration by Hour of the Day (ppb)
AQS Monitor ID 21-061-0501 (Mammoth Cave)

	Ambient SO_2 Concentration (ppb)																							
	0:00	**1:00**	**2:00**	**3:00**	**4:00**	**5:00**	**6:00**	**7:00**	**8:00**	**9:00**	**10:00**	**11:00**	**12:00**	**13:00**	**14:00**	**15:00**	**16:00**	**17:00**	**18:00**	**19:00**	**20:00**	**21:00**	**22:00**	**23:00**
1/1/2020	0.2	0.1	0.2	0.2	0.2	0.3	0.3	0.2	0.3	0.4	0.3	0.2	0.2	0.3	0.3	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.2
1/2/2020	0.2	0.1	0.2	0.3	0.2	0.2	0.2	0.3	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1		0.1
1/3/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.4	0.4	0.5	1.2	1
1/4/2020	0.6	0.1	0.2	0.1	0.1	0.1	0.2	0.2	0.2	0.4	0.5	0.2	0.2	0.2	0.4	0.2	0.4	0.4	0.1	0.2	0.8	0.8	0.3	0.1
1/5/2020	0.1	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.2	0.2	0.2		0.3
1/6/2020	0.4	0.4	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.2
1/7/2020	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.3	1.4	1.6	2.4	1.8	1.1	0.9	0.7	0.3	0.3	0.3	0.4	0.6	0.9	0.5	0.4
1/8/2020	0.5	0.4	0.3	0.3	0.3	0.3	0.2	0.3	0.7	1	0.7	0.5	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.4	0.4		0.3
1/9/2020	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3
1/10/2020	0.3	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
1/11/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1
1/12/2020	0.1	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.4	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
1/13/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
1/14/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.2	0.2	0.1	0.1	0.1		0.1
1/15/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.8	0.2	0.5	0.6	0.4	0.3
1/16/2020	0.2	0.9	0.7	0.3	0.1	0.1	0.1	0.3	0.2	0.4	0.4		0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.2
1/17/2020	0.2	0.2	0.2	0.3	0.4	0.3	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.2
1/18/2020	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.4	0.6	0.8	0.6	0.3	0.7
1/19/2020	1.1	0.6	0.5	0.6	0.6	0.7	0.7	0.6	0.4	0.4	0.5	0.2	0.3	0.2	0.3	0.2	0.3	0.7	0.5	0.8	0.6	0.2	0.2	0.2
1/20/2020	0.1	0	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.4	0.2	0.3		0.3
1/21/2020	0.4	0.4	0.4	0.6	0.7	0.5	0.5	0.3	0.2	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1
1/22/2020	0.1	0.1	0.2	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.2						0.3	0.3	0.2	0.1	0.1	0.1	0.1	0.1
1/23/2020	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1
1/24/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.2
1/25/2020	0.2	0.2	0.4	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1
1/26/2020	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1		0.1
1/27/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.2	0.5	0.9	1.2	2.1	2.2	2	1.8	1.6	1.7			0.8	0.3	0.2	0.1	0.1
1/28/2020					0	0.1			0.1	0	0.1	0.1	0.1		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
1/29/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2		0.1
1/30/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
1/31/2020	0.3	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
2/1/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.5	0.3	0.2	0.5	0.4	0.3	0.3	0.2	0.2	0.2	0.3	0.2	0.1		0.1
2/2/2020	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.2	0.2	0.3	0.3	0.4	0.3	0.3	0.4	0.4	0.4	0.3	0.2	0.2	0.2	0.3	0.3
2/3/2020	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.4	0.3	0.3	0.3	0.3	0.2
2/4/2020	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1
2/5/2020	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1
2/6/2020	0.1	0	0.1	0.1	0.1	0.1	0.1	0.4	0.4	0.3	0.2	0.1		0.2	0.2	0.3	0.4	0.3	0.2	0.2	0.1	0.2	0.4	0.3
2/7/2020	0.3	0.2	0.3	0.3	0.4	0.4	0.4	0.4	0.2	0.2	0.1	0.2	0.3	0.3	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2		0.1
2/8/2020	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.3	0.6	0.3	0.2	0.3	0.4	0.2	0.4	0.4	0.3	0.1	0.1	0.1	0.1	0.1
2/9/2020	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
2/10/2020	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1
2/11/2020	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.3	0.5	0.6	0.4	0.3		0.1	0.1				0.5	0.7	0.7	0.4	0.3	0.2
2/12/2020	0.1	0.2	0.3	0.3	0.2	0.2	0.3	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1

Ambient SO2 Concentration by Hour of the Day (ppb)
AQS Monitor ID 21-061-0501 (Mammoth Cave)

	Ambient SO_2 Concentration (ppb)																						
	0:00	**1:00**	**2:00**	**3:00**	**4:00**	**5:00**	**6:00**	**7:00**	**8:00**	**9:00**	**10:00**	**11:00**	**12:00**	**13:00**	**14:00**	**15:00**	**16:00**	**17:00**	**18:00**	**19:00**	**20:00**	**21:00**	**22:00**	**23:00**
2/13/2020	0.1	0.1	0.1	0.1	0.3	0.4	0.5	0.2	0.2	0.5	0.4	0.3	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.4		0.7
2/14/2020	0.3	0.2	0.3	0.4	0.5	0.5	0.3	0	0	0	0.1	0	0.1	0	0	0	0	0.1	0	0	0.1	0.1	0.1	0.1
2/15/2020	0.1	0.1	0.1	0.1	0.1	0	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3
2/16/2020	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.4	0.4	0.4	0.4	0.5	0.4	0.4	0.3	0.3	0.3	0.2		0.3
2/17/2020	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1
2/18/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
2/19/2020	0.1	0.1	0.1	0.2	0.2	0.3	0.3	0.5	0.7	0.9	0.9	0.6	0.5	0.5	0.5	0.5	0.6	0.4	0.4	0.6	0.8	0.7		0.6
2/20/2020	0.6	0.8	0.8	0.8	0.6	0.6	0.5	1.1	1	1.2	1	1.1	1.4	1	0.5	0.8	0.7	0.3	0.1	0.1	0.6	0.2	0.2	0.2
2/21/2020	0.3	0.2	0.3	0.4	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.3	0.6	0.6	0.5	0.3	0.3	0.4	0.3	0.3
2/22/2020	0.3	0.3	0.2	0.2	0.1	0.1	0.1	0.2	0.2	0.6	2.2	1.8	1	2	2	1.2	0.4	0.2	0.2	0.1	0.2	0.3		0.3
2/23/2020	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.2	0.2	0.1	0.1	0.2
2/24/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
2/25/2020	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.2	0.2	0.3	0.2	0.1	0.1		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.3
2/26/2020	0.4	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.3	0.2	0.2	0.2	0.1	0.1	0.2	0.4	0.3
2/27/2020	0.3	0.4	0.3	0.3	0.2	0.2	0.1	0.4	0.3	0.2	0.5	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.3	0.2	0.3	0.2
2/28/2020	0.2	0.5	1.1	0.6	0.5	0.4	0.3	0.3	0.6	0.5	0.4	0.3	0.5	0.8	0.2	0.1	0.1	0.6	0.5	0.2	0.2	0.2		0.4
2/29/2020	0.3	0	0.1	0.3	0.2	0.3	0.3	0.3	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1
3/1/2020	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.4	0.3	0.4	0.4	0.4	0.4	0.5	0.5	0.6	0.6	0.5	0.5	0.5
3/2/2020	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1
3/3/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.4	0.5	0.3	0.2	0.2	0.4	0.4	0.2	0.2	0.2	0.3	0.3	0.4	0.3
3/4/2020	0.3	0.2	0.4	0.4	0.3	0.2	0.2	0.2	0.9	1	0.8	0.9	1.4	0.3	0.3	0.4	0.4	0.3	0.3	0.3	0.4	0.3	0.2	0.2
3/5/2020	0.3	0.4	0.6	0.5	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.3	0.4		0.3
3/6/2020	0.2	0.1	0.1	0.3	0.5	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.3	0.2	0.1	0.1	0.1	0	0.1
3/7/2020	0.1	0	0.1	0.1	0.1	0.1	0.1	0.2	0.4	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.2
3/8/2020	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.2		0.2
3/9/2020	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.4	0.3	0.2	0.2	0.2	0.2	0.2	0.2		0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
3/10/2020	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2		0.2	0.1			0.1	0.1	0.1	0.1	0.1	0.1	0.1
3/11/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1
3/12/2020	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1	0.1	0.1	0.3	0.4
3/13/2020	0.1	0.2	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.2			0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.4	0.3	0.3
3/14/2020	0.3	0.4	0.3	0.5	0.5	0.5	0.6	0.8	0.6	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1
3/15/2020	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
3/16/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
3/17/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.8	0.3	0.5	0.5	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1
3/18/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
3/19/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2
3/20/2020	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.4	1.3	0.9	0.4	0.3	0.3	0.3		0.1
3/21/2020	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.2	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1
3/22/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
3/23/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.5	0.5	0.5	0.5	0.5	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1		0.1
3/24/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2
3/25/2020	0.4	0.4	0.4	0.3	0.3	0.3	0.2	0.4	0.5	0.5	0.4	0.3	0.3	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1
3/26/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.3	0.3	0.3		0.3

Ambient SO2 Concentration by Hour of the Day (ppb)
AQS Monitor ID 21-061-0501 (Mammoth Cave)

	Ambient SO_2 Concentration (ppb)																						
	0:00	**1:00**	**2:00**	**3:00**	**4:00**	**5:00**	**6:00**	**7:00**	**8:00**	**9:00**	**10:00**	**11:00**	**12:00**	**13:00**	**14:00**	**15:00**	**16:00**	**17:00**	**18:00**	**19:00**	**20:00**	**21:00**	**22:00**	**23:00**
3/27/2020	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.3	0.3	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2
3/28/2020	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1
3/29/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.1		0.2
3/30/2020	0.2	0.4	0.4	0.4	0.3	0.3	0.3	0.5	0.3	0.3	0.4	0.8	0.7	0.6	0.4	0.5	0.8	0.6	0.5	0.4	0.4	0.4	0.4	0.8
3/31/2020	0.6	0.5	0.5	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1
4/1/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1
4/2/2020	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.3	0.4	0.6	0.5	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2
4/3/2020	0.2	0.2	0.2	0.1	0.1	0.2	0.1	0.1	0.3	0.3	0.3	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
4/4/2020	0.4	0.3	0.3	0.2	0.2	0.2	0.1	0.3	1	1.6	0.9	0.7	0.6	0.6	0.6	0.6	0.5	0.5	0.6	1.1	1	0.6		0.3
4/5/2020	0.2	0.2	0.1	0.1	0.1	0.2	0.1	0.2	0.3	0.4	0.6	0.6	0.4	0.3	0.2	0.2	0.2	0.4	0.3	0.2	0.3	0.4	0.4	0.3
4/6/2020	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.3	0.4	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.3
4/7/2020	0.2	0.2	0.2	0.3	0.2	0.3	0.3	0.2	0.3	0.3				0.2	0.2	0.2	0.2	0.3	0.2	0.1	0.1	0.1		0.1
4/8/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1
4/9/2020	0.1	0.1	0.3	0.3	0.3	0.2	0.5	0.6	0.4	0.2	0.5	0.3	0.4	0.2	0.3	0.2	0.2	0.3	0.3	0.4	0.4	0.4	0.5	0.1
4/10/2020	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.2	0.2	0.2	0.6	0.5	0.3	0.5	0.6	0.4	0.4	0.3	0.3	0.2		0.2
4/11/2020	0.3	0.9	0.6	0.3	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
4/12/2020	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1
4/13/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2		0.5
4/14/2020	0.2	0.1	0.1	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2		0.2	0.3	0.3	0.4	0.3	0.3	0.2	0.2	0.2	0.3	0.2
4/15/2020	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.9	0.6	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.1	0.6	0.5	0.2	0.1	0.2
4/16/2020	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2		0.2	0.2	0.2	0.1	0.1	0.2		0.2
4/17/2020	0.1	0.1	0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.2						0.2	0.2	0.3	0.3	0.1	0.1	0.2	0.2	0.1
4/18/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1
4/19/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1
4/20/2020	0.1	0.1	0.1	0.2	0.3	0.3	0.3	0.3	0.4	0.5	0.6	0.6	0.7	0.4	0.7	0.5	0.4	0.4	0.3	0.3	0.2	0.2	0.2	0.2
4/21/2020	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.3	0.8	0.3	0.4	0.3	0.4	0.3	0.3	0.2	0.2	0.2	0.3	0.3	0.3	0.2	0.2	0.2
4/22/2020	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2		0.1
4/23/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.4	0.3	0.6	0.3
4/24/2020	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1
4/25/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1
4/26/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.4
4/27/2020	0.4	0.2	0.3	0.2	0.1	0.1	0.2	0.3	0.4	0.3	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2
4/28/2020	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.3	0.3		0.3
4/29/2020	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
4/30/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
5/1/2020	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.3	0.7	0.6	0.5	0.4	0.4	0.4	0.4	0.4	0.5	0.5	0.6	0.5	0.4	0.4		0.4
5/2/2020	0.4	0.4	0.3	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
5/3/2020	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1
5/4/2020	0.1	0.1	0.2	0.2	0.2	0.2	0.3	0.3	0.7	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.3	0.1	0.1	0.2		0.1
5/5/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1			0.1	0.1	0.2	0.2	0.2	0.2	0.1
5/6/2020	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.2	0.3
5/7/2020	0.3	0.3	0.2	0.2	0.2	0.2	0.5	1	0.6	0.3	0.3	0.1	0.1	0.1	0.1		0.1	0.2	0.4	0.3	0.3	0.2		0.2
5/8/2020	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.2

Ambient SO2 Concentration by Hour of the Day (ppb)
AQS Monitor ID 21-061-0501 (Mammoth Cave)

	Ambient SO_2 Concentration (ppb)																							
	0:00	**1:00**	**2:00**	**3:00**	**4:00**	**5:00**	**6:00**	**7:00**	**8:00**	**9:00**	**10:00**	**11:00**	**12:00**	**13:00**	**14:00**	**15:00**	**16:00**	**17:00**	**18:00**	**19:00**	**20:00**	**21:00**	**22:00**	**23:00**
5/9/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.3	0.4	0.3	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.2	0.2	0.2
5/10/2020	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.2	0.1	0.1		0.4
5/11/2020	0.4	0.3	0.2	0.3	0.2	0.2	0.4	0.3	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.1
5/12/2020	0.2	0.1	0.2	0.1	0.2	0.2	0.2	0.2	0.5	0.5	0.3	0.2	0.2	0.2	0.2	0.2	0.4	0.2	0.2	0.2	0.2	0.2	0.2	0.1
5/13/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1
5/14/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.1	0.1
5/15/2020	0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.1	0.2	0.1	0.1
5/16/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2													0	0		0
5/17/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5/18/2020	0	0	0	0	0	0	0	-0.1	0	0	0	0	0.1	-0.1	0	0	0	0	0	0	0	0	0	0
5/19/2020	0	0	0.1	0.1	0.1	0.1	0.3	1.1	1	0.5	0	0	0	0	0	0	0	0	0	0	0	0		0
5/20/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5/21/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5/22/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
5/23/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5/24/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0
5/25/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
5/26/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5/27/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	-0.1	0	0	0	0	0	0	0	-0.1	0	0
5/28/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	-0.1	0	0	0	0	0	0	0	0		0
5/29/2020	0	0	0	0	0	0	0	0.1	0.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5/30/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	0	0	0	0	0	0	0	0
5/31/2020	0	0	0	0	0	0.2	0.1	0	0.2	0.1	0	0	0	0	0	0.1	0.1	0.1	0.1	0	0	0		0
6/1/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			0	0	0	0	0	0	0
6/2/2020	0	0	0	0	0	0	0	0	0	0.1	0	0	0.1	0.1	0.2	0	0	0	0	0	0	0.1	0.1	0.1
6/3/2020	0.2	0	0	0	0	0	0	0.3	0.6	0.7	0.2	0.1	0.1	0	0	0	0	0	0.2	0	0	0		0
6/4/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-0.1	0	0	0	0
6/5/2020	0	0	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/6/2020	0	0	0	0	0	0	0	0	0	0.3	0.5	0.4	0.4	0.4	0.3	0.1	0.1	0	0	0	0	0		0
6/7/2020	0	0	0	0	0	0.3	0.3	0.3	0.2	0.1	0.1	0.1	0	0	0	0	0	0	0.1	0	0.1	0.1	0.1	0
6/8/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0
6/9/2020	0	0	0	-0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
6/10/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/11/2020	0.3	0.2	0	0	0	0.1	0.3	0.5	0.2	0	0	0	0	0	0	0.1	0.1	0.1	0.1	0.1	0	0	0	0
6/12/2020	0	0	0	0	0	0	0	0.1	0.3	0.2	0.1	0	0	0	0	0	0	0	0.1	0	0	0		0
6/13/2020	0	0	0	0	0	0	0	0	0	0	0.1	0.1	0	0	0	0	0	0	0	0	0	0	0	0
6/14/2020	0	0	0	0	0	0	0	0.1	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/15/2020	0	0	0	0	0	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0		0
6/16/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/17/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0.3	0.2	0.1	0.1	0.1	0.1	0	0.1	0	0	0
6/18/2020	0	0	0	0	0	0	0	0	0.1	0.1	0	0.2	0.2	0.1	0	0	0.1	0	0	0	0	0		0
6/19/2020	0	0	0	0	0	0	0	0	0	0	0	0.1	0.1	0	0	0	0.1	0.2	0.2	0	0	0	0	0
6/20/2020	0	0	0	0	0	0	0	0	0	0.6	1.7	1.5	0.7	0.3	0.2	0.2	0.2	0.1	0	0	0	0	0	0

Ambient SO2 Concentration by Hour of the Day (ppb)
AQS Monitor ID 21-061-0501 (Mammoth Cave)

	Ambient SO_2 Concentration (ppb)																							
	0:00	**1:00**	**2:00**	**3:00**	**4:00**	**5:00**	**6:00**	**7:00**	**8:00**	**9:00**	**10:00**	**11:00**	**12:00**	**13:00**	**14:00**	**15:00**	**16:00**	**17:00**	**18:00**	**19:00**	**20:00**	**21:00**	**22:00**	**23:00**
6/21/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0.1
6/22/2020	0	0	0	0	0	0	0	0.1	0.2	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/23/2020	0	0	0	0	0	0	0	0	0	0	0	0	0				0.1	0.1	0.1	0.1	0.3	1.3	0.2	0.1
6/24/2020	0.1	0.1	0.1	0.1	0	0	0	0.2	0.3	0.3	0.4	0.4	0.3	0.1	0.1	0.1	0.1	0.4	0.5	0.3	0.3	0.1		0.1
6/25/2020	0	0.1	0	0	0	0	0.1	0.6	1.5	0.6	0.3	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.2
6/26/2020	0.1	0.2	0.2	0.1	0	0.1	0.1	0.1	0.1	0.1	0	0	0.1	0.1	0.1	0	0	0	0	0	0	0	0	0
6/27/2020	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0.1	0	0.1	0.1	0	0	0	0.1	0		0.2
6/28/2020	0	0.1	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6/29/2020	0	0	0	0	0	0	0	0	0.1	0.1	0	0.1	0.1	0	0	0	0	0	0	0	0	0	0	0
6/30/2020	0	0	0	0	0	0	0	0	0.1	0	0	0		0	0	0	0	0	0	0	0	0		0
7/1/2020	0	0	0	0	0	0	0	0.1	0.2	0.3	0.3	0.1	0.1	0	0	0	0	0	0	0	0	0	0	0
7/2/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/3/2020	0	0	0	0	0	0	0	0.1	0.2	0.4	0.4	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0	0		0.1
7/4/2020	0	0	0	0.1	0	0	0	0.1	0	0	0.1	0.1	0	0	0	0	0	0	0	0	0	0	0	0
7/5/2020	0	0	0.1	0	0	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0	0	0	0	0	0	0
7/6/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
7/7/2020	0	0	0	0	0	0	0	0	0	0	0	0	0				0	0	0	0	0	0	0	0
7/8/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/9/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-0.1	0	0		0
7/10/2020	0	0	0	0	0	0	0.1	0.4	0.9	0.6	0.2	0.1	0	0.6	0.4	0.3	0.4	0.5	0.2	0.4	0.4	0.4	0.3	0.3
7/11/2020	0.4	0.5	0.4	0.1	0.1	0.1	0.3	0.7	0.5	0.3	0.3	0.2	0.2	0.2	0.3	0.4	0.3	0.4	0.8	0.4	0.3	0	0	0
7/12/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
7/13/2020	0	0	0	0	0	0		0.1	0.4	0.4		0.4	0.1	0	0	0.1	0.2	0.2	0.2	0.1	0.1	0	0	0
7/14/2020	0	0	0	0	0	0	0	0	0	0	0.3	0.2	0.2		0	0	0	0.1	0	0	0	0	0	0
7/15/2020	0	0	0	0	0	0	0	0									0	0	0	0	0	0		0
7/16/2020	0	0	0	0.1	0.1	0.1	0	0	0.1	0.1	0.1	0.1	0	0	0	0	0	0	0	0	0	0	0	0
7/17/2020	0	0	0	0	0	0	0	0.2	0.4	0	0	0			0	0	0	0	0	0	0	0	0	0
7/18/2020	0	0	0	0	0	0	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0	0	0	0		0
7/19/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1
7/20/2020	0.1	0.1	0.1	0	0	0	0	0.1	0	0	0.1	0	0	0	0	0	0	0	0	0	0.1	0.2	0.1	0
7/21/2020	0	0	0	0	0	0	0	0.1	0.1	0.3	0.4	0.2	0.1	0	0	0.1	0	0	0	0	0	0		0
7/22/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7/23/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	0.1	0	0	0	0	0	0
7/24/2020	0.1	0	0	0	0	0	0	0.1	0.1	0.3	1	0.4	0.2	0	0	0	0	0	0	0	0	0		0
7/25/2020	0	0	0	0	0	0	0	0	0.3	0.6	0.3	0.5	0.3	0	0	0	0	0	0	0	0	0	0	0
7/26/2020	0	0	0	0	0	0	0	0.1	0.2	0.1	0.1	0.1	0.1	0	0	0	0	0	0	0	0	0	0	0
7/27/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
7/28/2020	0	0	0	0	0.1	0.2	0.4	0.9	0.6	0.2	0.1	0.1	0.1	0.1			0	0	0.1	0	0	0	0	0
7/29/2020	0	0	0	0.1	0	0	0	0	0	0.1	0.1	0	0	0	0.1	0.1	0.1	0	0	0	0	0	0	0
7/30/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
7/31/2020	0	0	0	0	0	0	0	0	0	0.4	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/1/2020	0	0	0	0.4	0.1	0	0	0	0	0	0	0	0	0	0	0	0.1	0.1	0	0	0	0	0	0
8/2/2020	0	0	0	0	0	0.1	0.1	0.1	0.2	0.5	0.4	0.3	0.3	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1		0.1

Ambient SO2 Concentration by Hour of the Day (ppb)
AQS Monitor ID 21-061-0501 (Mammoth Cave)

	Ambient SO_2 Concentration (ppb)																						
	0:00	**1:00**	**2:00**	**3:00**	**4:00**	**5:00**	**6:00**	**7:00**	**8:00**	**9:00**	**10:00**	**11:00**	**12:00**	**13:00**	**14:00**	**15:00**	**16:00**	**17:00**	**18:00**	**19:00**	**20:00**	**21:00**	**22:00**	**23:00**
8/3/2020	0.1	0.1	0	0.1	0	0	0	0	0.1	1.1	0.2	0.1	0.1	0.1	0.1	0	0	0	0	0	0	0	0	0
8/4/2020	0	0	0	0.1	0	0	0	0	0	0	0	0		0	0	0	0.1	0.3	0.4	0.2	0.1	0.1	0.1	0
8/5/2020	0	0	0	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.2	0.1	0.1	0.1	0.1	0.1		0	0.1	0	0	0.1		0.1
8/6/2020	0.1	0.1	0.1	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.4	0.5	0.3	0.2	0.1	0.1	0	0	0.1	0	0
8/7/2020	0.1	0.1	0.1	0	0	0.1	0.2	0.1	0.1	0.2	0.6	0.5	0.3	0.2	0.4	0.7	0.6	0.5	0.5	0.4	0.3	0.3	0.3	0.3
8/8/2020	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.9	0.6	0.5	0.9	1.1	0.9	0.8	0.8	0.7	0.6	0.5	0.4	0.3	0.3	0.3		0.3
8/9/2020	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2
8/10/2020	0.2	0.2	0.2	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.2	0.2	0.2	0.2	0.2
8/11/2020	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.3	0.4	0.8	0.8	0.7			0.3	0.3	0.3	0.3	0.2	0.3	0.2		0.3
8/12/2020	0.2	0.3	0.2	0.3	0.2	0.2	0.2	0.3	0.3				0	0	0	0	0	0	0	0	0	0	0	0
8/13/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/14/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
8/15/2020	0.1	0	0.4	0.3	0.3	0.3	0.4	0.5	0.4	0.2	0.2	0.1	0.1	0	0	0	0	0	0	0	0	0	0.1	0
8/16/2020	0	0	0	0	0	0	0.1	1.5	0.6	0.7	1.4	1.1	0.4	0.1	0	0.1	0.3	0.1	0	0	0	0	0	0
8/17/2020	0	0	0	0	0	0	0	0	0.1	0.6	0.5	0.4	0.4	0.2	0.2			0.2	0.1	0.1	0	0.1		0.1
8/18/2020	0	0	0	0	0	0	0	0	0	0.5	0.8	0.6	0.8	0.5	0.3	0.2	0.2	0	0	0	0	0	0	0
8/19/2020	0	0	0	0	0	0	0	0	0	0	0							0	0	0	0	0	0	0
8/20/2020	0	0	0	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0	0	0	0	0		0
8/21/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/22/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/23/2020	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
8/24/2020	0	0	0	0	0	0	0	0	0	0.1	0.1	0.1	0.1	0	0.1	0	0	0	0	0	0	0	0	0
8/25/2020	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0
8/26/2020	0	0	0	0	0	0	0	0	0	0.2	0.3	0.4	0.2	0	0	0	0	0	0	0	0	0		0
8/27/2020	0	0	0	0	0	0	0	0	0.1	0.1	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0
8/28/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/29/2020	0	0	0.2	0.3	0.2	0.2	0.9	0.2	0	0.1	0.2	0.5	0.6	0.1	0.1	0.2	0	0	0	0	0	0		0
8/30/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8/31/2020	0	0	0	0	0	0	0	0	0	0	0.1	0.1	0.1	0	0	0	0	0	0	0	0	0	0	0
9/1/2020	0	0	0	0	0	0	0	0	0.1	0	0	0	0	0	0	0	0	0.1	0.1	0	0	0		0
9/2/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9/3/2020	0	0	0	0	0	0	0	0.2	0.1	0	0.1	0	0	0	0	0.1	0	0	0	0	0	0	0	0
9/4/2020	0	0	0	0.1	0	0	0	0	0	0	0	0.1	0.1	0.1	0.1	0.2	0.8	0.8	0.3	0.3	0.2	0.1		0.1
9/5/2020	0	0	0	0	0	0	0.2	0.5	0.4	0.3	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0	0
9/6/2020	0	0	0	0	0	0	0	0	0	0.1	0.1	0.1	0	0	0.1	0	0	0	0	0	0	0	0	0
9/7/2020	0	0	0	0	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0	0	0	0		0
9/8/2020	0	0	0	0	0	0	0	0	0.1	0.2	0.4	0.5	0.7	0.5	0.3	0.4	0.3	0.2	0.1	0	0	0	0	0
9/9/2020	0	0	0	0	0	0	0	0	0	0.2	0.3	0.2	0.1	0.1	0	0	0	0	0	0	0	0	0	0
9/10/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1		0.1
9/11/2020	0.2	0.2	0.9	0.1	0	0	0	0	0	0.2	0.4	0.4	0.3	0.1	0			0	0	0	0	0	0	0
9/12/2020	0	0	0	0	0	0		0	0	0	0.2	0	0	0	0	0	0	0	0	0	0	0	0	0
9/13/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
9/14/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Ambient SO2 Concentration by Hour of the Day (ppb)
AQS Monitor ID 21-061-0501 (Mammoth Cave)

	Ambient SO_2 Concentration (ppb)																						
	0:00	**1:00**	**2:00**	**3:00**	**4:00**	**5:00**	**6:00**	**7:00**	**8:00**	**9:00**	**10:00**	**11:00**	**12:00**	**13:00**	**14:00**	**15:00**	**16:00**	**17:00**	**18:00**	**19:00**	**20:00**	**21:00**	**22:00**	**23:00**
9/15/2020	0	0	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0
9/16/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0		0
9/17/2020	0	0	0	0	0	0	0	0	0.2	0.2	0.4	0.4	0.3	0.2	0.2	0.4	0.8	0.4	0.4	0.3	0.4	0.2	0.3	0.4
9/18/2020	0.5	0.3	0.2	0.2	0.2	0.1	0	0	0.1	0.1	0.2	0.2	0.2	0.3	0.4	0.3	0.2	0.2	0.2	0.1	0.1	0.2	0.4	0.4
9/19/2020	0.1	0	0	0	0	0	0	0	0.1	0.1	0.1	0.1	0.1	0	0	0	0.1	0.1	0	0	0	0		0
9/20/2020	0.1	0	0	0	0	0	0	0	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0
9/21/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9/22/2020	0	0	0	0	0	0	0	0	0	0	0.1	0.1	0	0	0	0	0	0	0	0	0	0		0
9/23/2020	0	0	0	0	0	0	0	0	0	0.1	0.4	0.4	0.4	0.5	0.4	0.2	0.2	0.1	0.1	0	0	0	0	0
9/24/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9/25/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
9/26/2020	0	0	0	0.1	0	0	0	0	0	0	0.1	0.1	0.1	0.1	0	0	0	0	0	0	0	0	0	0
9/27/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9/28/2020	0	0	0	0	0	0	0	0	0	0	0	0	0.1	0	0.1	0.1	0.4	0.2	0.1	0	0	0		0
9/29/2020	0	0	0	0.1	0	0	0	0.3	0.4	0.6	0.6	0.5		0.2	0.1	0	0	0	0	0.1	0.4	0.4	0.1	0
9/30/2020	0	0	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1
10/1/2020	0	0	0	0	0	0	0	0	0	0.5	0.4	0.2	0.1	0.1	0.1	0.3	0.4	0.2	0.1	0	0.1	0.1		0
10/2/2020	0	0	0	0	0	0.1	0.1	0.3	0.2	0.2	0.1	0.1	0	0	0	0.2	0.1	0.2	0.2	0	0	0	0	0
10/3/2020	0	0	0	0	0	0	0	0.1	0.2	0.2	0.1	0.1	0.1	0	0	0	0	0	0	0	0	0	0	0
10/4/2020	0	0	0	0	0	0	0	0.1	0.1	0.1	0.2	0.4	0.3	0.2	0.5	0.2	0.1	0	0.1	0.1	0	0		0
10/5/2020	0	0	0	0	0	0	0	0.1	0.1	0.1	0	0	0.1	0.1	0.1			0	0	0	0	0	0	0
10/6/2020	0	0	0	0.1	0	0	0	0	0	0.1	0.2	0.3	0.3	0.3	0.1	0.1	0.1	0	0.1	0	0.1	0.1	0.1	0.2
10/7/2020	0.1	0	0	0	0	0	0	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.4	0.3	0.5	0.8		0.2
10/8/2020	0.1	0.1	0.1	0.1	0.1	0	0	0.1	0.3	0.5	0.5	0.6	0.6	0.5	0.5	0.5	0.3	0.2	0.1	0	0	0	0	0
10/9/2020	0.1	0	0.1	0	0	0	0	0	0.1	0.1	0.2	0.3	0.3	0.2	0.2	0.1	0	0	0	0	0	0	0	0
10/10/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
10/11/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10/12/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	0.1	0.1	0	0	0.2	0	0	0	0
10/13/2020	0	0	0	0	0	0	0	0.1	0.2	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1		0.7
10/14/2020	0	0.1	0	1.6	0.1	0.1	0	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1
10/15/2020	0.1	0.1	0.1	0.5	0.1	0.1	0.1	0.1	0.2			3.3	0.6	0.3	0.3	0.3	0.1	0.1	0.3	0.2	0.1	0.2	0.1	0.2
10/16/2020	0.2	0.1	0.1	1.6	0.1	0.1	0	0.2	0.2	0.1	0.1	0.1	0.1	0.1		0.2	0.4	0.4	0.2	0.2	0.2	0.1		0.1
10/17/2020	0	0.1	0	0	0	0	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.1	0.1
10/18/2020	0.1	0.1	0.1	0.1	0	0	0.1	0	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0
10/19/2020	0	0	0	0	0	0	0.1	0.1	0.2						0	0	0	0			0	0		0.1
10/20/2020					0.1	0.1			0	0.1	0.1	0.1	0.2		0.2	0.1	0.1	0.1	0.1	0	0	0	0	0
10/21/2020	0	0	0	0.1	0.1	0	0	0.1	0.1	0.2	0.1	0.1	0.1	0	0	0.1	0.1	0	0	0	0	0	0	0
10/22/2020	0	0	0	0	0	0	0	0	0.1	0.2	0.3	0.4	0.3	0.2	0.1	0	0	0	0	0	0	0		0
10/23/2020	0	0	0	0	0	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0	0	0	0	0	0.1	0.1
10/24/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10/25/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
10/26/2020	0	0	0	0.1	0	0.1	0	0.2	0.3	0.6	0.4	0.1	0.5	1.4	1.3	0.7	0.3	0.2	0.1	0	0	0.1	0.1	0
10/27/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Ambient SO2 Concentration by Hour of the Day (ppb)
AQS Monitor ID 21-061-0501 (Mammoth Cave)

	Ambient SO_2 Concentration (ppb)																						
	0:00	**1:00**	**2:00**	**3:00**	**4:00**	**5:00**	**6:00**	**7:00**	**8:00**	**9:00**	**10:00**	**11:00**	**12:00**	**13:00**	**14:00**	**15:00**	**16:00**	**17:00**	**18:00**	**19:00**	**20:00**	**21:00**	**22:00**	**23:00**
10/28/2020	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
10/29/2020	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	0.2
10/30/2020	0.1	0	0	0	0	0.1	0.1	0	0	0	0	0	0	0	0	0.2	0.2	0.2	0.1	0	0	0	0.1	0
10/31/2020	0	0	0	0	0	0	0	0	0.1	0	0	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0	0.1	0		0.1
11/1/2020	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.4	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.6	0.4	0.2	0.3	0.3
11/2/2020	0.2	0.2	0.1	0.1	0	0	0	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.2	0.3	0.3	0.3	0.5	0.5
11/3/2020	0.6	0.8	0.6	0.3	0.2	0.2	0.3	0.6	0.7	0.8	0.8			0.6	0.6	0.4	0.3	0.3	0.2	0.3	0.3	0.2		0.2
11/4/2020	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.3	0.3	0.5	0.4	0.3	0.3	0.3	0.3	0.3	0.4	0.5	0.4	0.3	0.2	0.2	0.2
11/5/2020	0.2	0.1	0.2	0.1	0.1	0.1	0.3	0.3	0.4	0.4	0.5	0.6	0.7	0.6	0.5	0.4	0.4	0.3	0.4	0.4	0.3	0.3	0.3	0.3
11/6/2020	0.3	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.3	0.3	0.5					0.2	0.2	0.2	0.1		0.1
11/7/2020	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.3	0.4	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1
11/8/2020	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0	0	0.1	0.1	0	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1
11/9/2020	0.1	0	0.1	0.1	0	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1										
11/10/2020											0	0	0	0	0	0	0	0	0	0	0	0	0	0
11/11/2020	0	0.1	0.1	0	0	0	0	0	0	0	0	0.1	0.1	0.1	0	0	0.1	0	0.1	0	0	0.1	0.2	0.5
11/12/2020	0.3	0.3	0.2	0.3	0.4	0.5	0.6	0.4	0.2	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0	0.1		0.1
11/13/2020	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.3	0.9	1.1	1.1	1	0.9	0.9	0.7	0.6	0.7	0.8	1.1	0.7	0.6	0.5	0.3	0.3
11/14/2020	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.2
11/15/2020	0.2	0.2	0.2	0.2	0.2	0.2	0	0	0	0.1	0.1	0	0	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1
11/16/2020	0.1	0.1	0.2	0.2	0.3	0.4	0.5	0.3	0.7	0.8	0.3	0.2	0.2	0.1	0.1	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
11/17/2020	0.2	0.3	0.4	0.6	0.5	0.7	0.5	0.2	0.3	0.2	0.2	0.1	0.3	0.5	0.3	0.2	0.3	0.4	0.4	0.4	0.2	0.1	0.1	0.1
11/18/2020	0.1	0.1	0.1	0.2	0.3	0.3	0.2	1	0.5	0.7	0.7	0.5	0.4	0.3	0.3	0.3	0.2		0.2	0.2	0.2	0.2		0.1
11/19/2020	0.1	0.1	0.1	0.1	0	0.1	0.1	0.3	0.4	0.3	0.3	0.4						0.1	0.1	0.1	0.1	0.2	0.2	0.2
11/20/2020	0.2	0.2	0.2	0.3	0.4	0.4	0.5	0.6	0.4	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.2	0.2
11/21/2020	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1		0.1
11/22/2020	0.1	0.1	0.1	0.1	0.1	0.3	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.5	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
11/23/2020	0.1	0.1	0.1	0.1	0	0	0	0	0.1	0.7		0.4	0.3	0.5	0.5	0.3	0.2	0.2	0.2	0.1	0.1	0.1	0.2	0.1
11/24/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.2		0.2
11/25/2020	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.1	0.1	0.1			0.1	0	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1
11/26/2020	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0.1	0	0.1	0.1	0	0	0	0.1	0.1
11/27/2020	0	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	1.4		1.4
11/28/2020	1.1	0.8	0.6	0.2	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
11/29/2020	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.4	0.3	0.1
11/30/2020	0.1	0	0.1	0.3	0.3	0.1	0	0	0	0	0.1	0	0.1	0.1	0.1	0.1	0.1	0	0	0.6	0.7	0.7		0.2
12/1/2020	0.5	1.1	0.6	0.4	0.4	0.8	0.7	0.7	0.7	0.5	0.5			0	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2
12/2/2020	0.3	0.3	0.3	0.3	0.4	0.4	0.3	0.2	0.3	0.7	0.7	0.6	0.6	0.5	0.4	0.4	0.4	0.3	0.4	0.3	0.2	0.2	0.2	0.2
12/3/2020	0.1	0.1	0.2	0.3	0.2	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.5	0.5	0.3	0.3	0.3	0.2		0.1
12/4/2020	0.1	0.1	0	0	0.1	0.1	0.1	0	0	0.1	0	0.1	0.1	0	0.1	0.4	0.8	0.7	0.4	0.4	0.5	0.6	0.6	0.4
12/5/2020	0.3	0.3	0.3	0.3	0.2	0.1	0.1	0.1	0.1	0.3	0.5	0.5	0.6	0.5	0.5	0.6	0.6	0.5	0.5	0.3	0.2	0.1	0.1	0.1
12/6/2020	0	0.1	0	0.1	0.1	0.1	0.1	0	0	0.1	0.2	0.4	1.4	1.1	0.3	0.4	0.6	0.4	0.5	0.3	0.2	0.2		0.4
12/7/2020	0.4	0.3	0.2	0.2	0.1	0.1	0.1	0	0.1	0.1	0.1	0	0	0	0.1	0	0	0	0.1	0	0	0	0.1	0.1
12/8/2020	0.1	0	0	0	0	0	0	0.1	0.1	0.1	0.1	0.4	0.4	0.7	1.1	0.6	0.4	0.3	0.2	0.2	0.2	0.2	0.2	0.2
12/9/2020	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.4	0.5	0.7	0.8	0.7	0.6	0.4	0.3	0.5	0.6	0.5	0.5	0.6		0.5

Ambient SO2 Concentration by Hour of the Day (ppb)
AQS Monitor ID 21-061-0501 (Mammoth Cave)

	Ambient SO_2 Concentration (ppb)																							
	0:00	**1:00**	**2:00**	**3:00**	**4:00**	**5:00**	**6:00**	**7:00**	**8:00**	**9:00**	**10:00**	**11:00**	**12:00**	**13:00**	**14:00**	**15:00**	**16:00**	**17:00**	**18:00**	**19:00**	**20:00**	**21:00**	**22:00**	**23:00**
12/10/2020	0.3	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.4	0.8	0.3	0.2	0.3	0.2	0.3	0.2	0.2	0.2	0.3	0.3	0.4	0.6
12/11/2020	0.6	0.6	0.6	0.6	0.6	0.7	0.6	0.5	0.5	0.6	0.8	0.9	0.8	0.6	0.6	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.7	0.8
12/12/2020	0.7	0.4	0.3	0.3	0.2	0.2	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.3	0.2		0.1
12/13/2020	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.4	0.4	0.2	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1
12/14/2020	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0	0.1	0.1	0.1
12/15/2020	0	0	0	0	0.1	0.2	0.1	0.1	0.1	0	0.1	0.1		0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.1		0.1
12/16/2020	0.1	0	0	0	0	0.1	0.1	0	0	0.1	0.1	0.1	0.1	0	0.1	0.7	1.6	0.7	1.5	1.9	1.8	1.9	1.2	0.3
12/17/2020	0.7	0.9	0.8	0.8	0.4	0.4	0.5	0.7	0.5	0.5	0.5	0.5	0.5	0.4	0.8	1.5	1.5	1.3	1.1	0.8	0.7	0.6	0.7	0.4
12/18/2020	0.4	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.5	0.6	0.4	0.4	0.4	0.3	0.3	0.3	0.2	0.2	0.2		0.2
12/19/2020	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2	0.3	0.2	0.1	0.1	0.1	0.1
12/20/2020	0.1	0.1	0.1	0.1	0.1	0	0.1	0	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0	0.1	0	0	0
12/21/2020	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.3	0.3	0.3	0.3	0.2	0.2	0.4		0.3
12/22/2020	0.6	0.3	0.2	0.1	0.3	0.4	0.7	0.5	0.8	0.8	0.4	0.3	0.3	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.1	0.1	0.1
12/23/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.4	0.4	0.3	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.1	0.1	0.1	0.1
12/24/2020	0.1	0	0	0.4	0.3	0.5	0.4	0.4	0.2	0.3	0.3	0.5	0.8	0.8	0.3	0.4	0.4	0.3	0.3	0.3	0.3	0.2		0.7
12/25/2020	0.8	0.7	0.3	0.2	0.7	0.4	1.2	0.5	1	0.8	0.6	0.4	0.4	0.3	0.2	0.2	0.2	0.1	0.1	0	0	0	0	0
12/26/2020	0	0.1	0.1	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
12/27/2020	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.5	0.8	0.8	0.5	0.5	0.4	0.3	0.2	0.2	0.3	0.3	0.4		0.4
12/28/2020	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.3	0.3	0.5	0.7	0.4	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.4	0.4	0.3	0.3
12/29/2020	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
12/30/2020	0.2	0.4	0.5	0.6	0.5	0.4	0.4	0.3	0.3	0.2	0.3	0.3	0.3	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1		0.1
12/31/2020	0	0.1	0.1	0.1	0.1	0.1	0	0	0.1	0.1	0.1	0.1	0	0	0	0.1	0.1	0	0.1	0	0	0	0	0.1

	2020 Max. Value by Hour (ppb)																							
	0:00	**1:00**	**2:00**	**3:00**	**4:00**	**5:00**	**6:00**	**7:00**	**8:00**	**9:00**	**10:00**	**11:00**	**12:00**	**13:00**	**14:00**	**15:00**	**16:00**	**17:00**	**18:00**	**19:00**	**20:00**	**21:00**	**22:00**	**23:00**
January	1.1	0.9	0.7	0.6	0.7	0.7	0.7	0.6	0.7	1.4	1.6	2.4	2.2	2.0	1.8	1.6	1.7	0.7	0.8	0.8	0.8	0.9	1.2	1.0
February	0.6	0.8	1.1	0.8	0.6	0.6	0.5	1.1	1.0	1.2	2.2	1.8	1.4	2.0	2.0	1.2	0.7	0.6	0.5	0.7	0.8	0.7	0.4	0.7
December	0.8	1.1	0.8	0.8	0.7	0.8	1.2	0.7	1.0	0.8	0.8	0.9	1.4	1.1	1.1	1.5	1.6	1.3	1.5	1.9	1.8	1.9	1.2	0.8
March	0.6	0.5	0.6	0.5	0.5	0.5	0.8	0.8	0.9	1.0	0.8	0.9	1.4	0.6	0.4	0.5	1.3	0.9	0.5	0.6	0.6	0.5	0.5	0.8
April	0.4	0.9	0.6	0.3	0.3	0.3	0.5	0.6	1.0	1.6	0.9	0.7	0.7	0.6	0.7	0.6	0.6	0.5	0.6	1.1	1.0	0.6	0.6	0.5
May	0.4	0.4	0.3	0.3	0.2	0.2	0.5	1.1	1.0	0.6	0.5	0.4	0.4	0.4	0.4	0.4	0.5	0.5	0.6	0.5	0.4	0.4	0.3	0.4
June	0.3	0.2	0.2	0.1	0.0	0.3	0.3	0.6	1.5	0.7	1.7	1.5	0.7	0.4	0.3	0.2	0.2	0.4	0.5	0.3	0.3	1.3	0.2	0.2
July	0.4	0.5	0.4	0.1	0.1	0.2	0.4	0.9	0.9	0.6	1.0	0.5	0.3	0.6	0.4	0.4	0.4	0.5	0.8	0.4	0.4	0.4	0.3	0.3
August	0.3	0.3	0.4	0.4	0.3	0.3	0.9	1.5	0.6	1.1	1.4	1.1	0.9	0.8	0.8	0.7	0.6	0.5	0.5	0.4	0.3	0.3	0.3	0.3
September	0.5	0.3	0.9	0.2	0.2	0.1	0.2	0.5	0.4	0.6	0.6	0.5	0.7	0.5	0.4	0.4	0.8	0.8	0.4	0.3	0.4	0.4	0.4	0.4
October	0.2	0.1	0.1	1.6	0.1	0.1	0.1	0.3	0.3	0.6	0.5	3.3	0.6	1.4	1.3	0.7	0.4	0.4	0.4	0.3	0.5	0.8	0.1	0.7
November	0.2	0.1	0.1	1.6	0.1	0.1	0.1	0.3	0.3	0.6	0.5	3.3	0.6	1.4	1.3	0.7	0.4	0.4	0.4	0.3	0.5	0.8	0.1	0.7

Attachment I6: 2021 SO_2 Concentrations by Hour

Mammoth Cave National Park (AQS ID #21-061-0501)

Ambient SO2 Concentration by Hour of the Day (ppb)
AQS Monitor ID 21-061-0501 (Mammoth Cave)

	Ambient SO_2 Concentration (ppb)																							
	0:00	**1:00**	**2:00**	**3:00**	**4:00**	**5:00**	**6:00**	**7:00**	**8:00**	**9:00**	**10:00**	**11:00**	**12:00**	**13:00**	**14:00**	**15:00**	**16:00**	**17:00**	**18:00**	**19:00**	**20:00**	**21:00**	**22:00**	**23:00**
1/1/2021	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1
1/2/2021	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1
1/3/2021	0.1	0.2	0.1	0.2	0.3	0.4	0.2	0.1	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
1/4/2021	0	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.2	0.2	0.3	0.3	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3
1/5/2021	0.4	0.6	0.9	1.9	1.2	0.6	0.4	0.4	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.3			0.1	0.2	0.2	0.1		0.2
1/6/2021	0	0.1	0.1	0.1	0.1	0	0.1	0	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0	0.1	0	0	0	0	0
1/7/2021	0.1	0	0	0	0	0.1	0	0	0	0.1	0.2	0.2	0.3	0.2	0.3	0.3	0.3	0.4	0.6	1.2	0.9	0.4	0.3	0.3
1/8/2021	0.3	0.4	0.5	0.5	0.5	0.4	0.3	0.2	0.2	0.3	0.6	0.6	0.6	0.3	0.4	0.1	0.1	0	0	0	0.1	0.1		0.1
1/9/2021	0.1	0.1	0.1	0	0	0.1	0.2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1
1/10/2021	0.1	0.1	0.1	0.2	0.2	0.2	0.3	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0	0	0.1	0	0	0	0.1	0
1/11/2021	0.1	0.1	0.4	0.4	0.4	0.4	0.5	0.5	0.5	0.6	1	1.2	0.9	1	1	0.8	0.5	0.4	0.4	0.4	0.4	0.5		0.3
1/12/2021	0.1	0.1	0.1	0.9	1.5	1	0.8	0.4	0.4	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.2	0.2
1/13/2021	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.2								0.4	0.4	0.5	0.3	0.2	0.2	0.2	0.2
1/14/2021	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.5	0.7	0.6	0.5	0.4	0.3	0.3	0.3	0.3	0.2	0.2		0.1
1/15/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0	0.1	0.1
1/16/2021	0.1	0.1	0	0.1	0	0	0.1	0.4	0.2	0.3	0.4	0.3	0.1	0.1	0	0.1	0.4	0.2	0.1	0.1	0.1	0.1	0.2	0.1
1/17/2021	0.1	0.2	0.3	0.1	0.1	0.2	0.2	0.4	0.4	0.5	0.3	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1		0.1
1/18/2021	0.1	0.1	0.2	0.3	0.4	0.3	0.2	0.2	0.3	0.3	0.6	1.2	1.1	0.5	0.1		0.1	0.2	0.3	0.2	0.2	0.1	0.2	0.2
1/19/2021	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.1	0.1	0.2	0.3	0.4	0.6	0.6	0.5	0.6	0.6	1	1.6	1.2	1.1	1.2	0.9	1
1/20/2021	1	1.8	2	0.5	0.7	0.8	0.7	0.5	0.4	0.3	0.2	0.3	0.4	0.7	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.4		0.2
1/21/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.4	0.3	0.2	0.2	0.2	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1
1/22/2021	0.1	0.2	0.3	0.4	0.2	0.2	0.2	0.3	0.7	0.7	0.6	0.8	0.6	0.3	0.4	0.4	0.8	1	1.3	0.8	0.6	0.4	0.2	0.1
1/23/2021	0.1	0.1	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1
1/24/2021	0.1	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
1/25/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
1/26/2021	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.2	0.1	0.1	0.4	0.7	0.3	0.1	0.1	0.1	0.1	0.2	0.2	0.6	0.4	0.5		0.4
1/27/2021	0.3	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1
1/28/2021	0	0	0	0.1	0	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.6	0.4	0.1	0.1	0	0.1
1/29/2021	0.1	0	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1		0.1
1/30/2021	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1
1/31/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.2	0.2	0.2	0.1	0.6	0.4	0.7	0.7	0.6
2/1/2021	0.6	0.4	0.3	0.2	0.3	0.3	0.3	0.2	0.2	0.1	0.3	0.4	0.2	0.2	0.1	0.1	0.2	0.3	0.2	0.3	0.4	0.3		0.2
2/2/2021	0.3	0.4	0.3	0.2	0.2	0.5	0.6	0.6	0.7	0.6	0.6	0.5	0.2	0.2	0.3	0.2			0.2	0.3	0.6	0.5	0.2	0
2/3/2021	0	0	0	0.3	0.3	0.4	0.5	0.4	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
2/4/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.3	0.3	0.2	0.1	0.1	0.2		0.2
2/5/2021	0.3	0.1	0.2	0.3	0.3	0.2	0.2	0.2	0.4	0.3	0.4	0.3	0.3	0.2	0.2			0.1	0.1	0.1	0.1	0.2	0.2	0.2
2/6/2021	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.4	0.5	0.6	0.8	0.6	0.4	0.3	0.3	0.2	0.3	0.3	0.2	0.2
2/7/2021	0.1	0.1	0.1	0.1	0	0	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.3	0.3	0.2	0.1	0.1	0.1		0.1
2/8/2021	0	0.1	0.3	0.3	0.3	0.3	0.2	0.2	0.1	0.1	0.1	0	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1
2/9/2021	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1												0.2	0.2	0.3	0.4	0.4
2/10/2021	0.3	0.1	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0	0		0
2/11/2021	0	0.1	0.2	0.4	0.5	0.6	0.5	1.1	1.5	0.7	0.2	0.1	0.1	0.1	0.1	0.2	0.3	0.4	0.3	0.2	0.3	0.4	0.4	0.4
2/12/2021	0.5	0.5	0.4	0.3	0.3	0.6	1.1	1.6	1.6	1.5	0.8	0.7	0.7	0.8	0.9	1.4	1.1	1	0.8	0.7	0.7	0.5	0.4	0.4

Ambient SO2 Concentration by Hour of the Day (ppb)
AQS Monitor ID 21-061-0501 (Mammoth Cave)

	Ambient SO_2 Concentration (ppb)																						
	0:00	**1:00**	**2:00**	**3:00**	**4:00**	**5:00**	**6:00**	**7:00**	**8:00**	**9:00**	**10:00**	**11:00**	**12:00**	**13:00**	**14:00**	**15:00**	**16:00**	**17:00**	**18:00**	**19:00**	**20:00**	**21:00**	**22:00**	**23:00**
2/13/2021	0.5	0.5	0.6	0.7	0.8	0.8	1	1.1	1.1	1.3	1.2	1.1	0.8	0.5	0.4	0.6	0.5	0.3	0.6	1.1	1.1	1.1		1.1
2/14/2021	0.4	0.3	0.2	0.2	0.1	0.1	0.1	0.2	0.2	0.3	0.4	0.5	0.4	0.2	0.3	0.3	0.3	0.2	0.2	0.8	0.6	0.8	0.6	0.4
2/15/2021	0.4	0.6	0.5	0.4	0.4	0.4	0.4	0.3	0.4	0.3	0.1	0	0	0.1	0.2	0.2	0.1	0.1	0.1	1.1	0.6	0.4	0.4	0.3
2/16/2021	0.4	0.8	1	0.5	0.2	0.3	0.3	0.7	0.5	0.3	0.2	0.2	0.1	0.1	0.1	0.4	0.3	0.3	0.1	0.1	0.1	0		0
2/17/2021	0	0	0	0.1	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.2				0.2	0.2	0.1	0.1	0.1	0	0	0	0
2/18/2021	0	0	0	0	0	0	0	0	0.1	0.2	0.4	0.3	1		1.4	1.5	1.5	1	0.9	1	1.2	2.7	2.5	1.3
2/19/2021	1.2	1.1	1.2	1.3	1.7	1.3	1	1.2	1	1.3	1.3	1.5	1.8		0.8	0.7	0.7	1.5	2.2	2.4	2.8	2.2		1.7
2/20/2021	1.7	0.7	0.7	0.7	0.6	0.8	1.2	1.4	1.8	1.6	1.2	0.6	0.6	0.6	0.6	0.6	0.7	0.7	0.4	0.3	0.2	0.2	0.2	0.2
2/21/2021	0.2	0.1	0.1	0.1	0	0	0.1	0.1	0.1	0.1	0.1	0.1		0.6	0.8	0.8	0.4	0.3	0.4	0.3	0.2	0.2	0.2	0.1
2/22/2021	0.1	0.2	0.1	0	0	0	0	0	0	0.1	0	0.1	0.1	0.1	0.4	0.3	0.1	0.1	0.1	0.1	0.1	0.1		0.4
2/23/2021	0.3	0.8	0.6	0.8	0.6	0.6	0.6	0.7	0.6	0.5	0.6	0.6	0.6	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.2
2/24/2021	0.2	0.1	0.2	0.2	0.3	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.2	0.2	0.4	1	0.6	0.4	0.1	0.1
2/25/2021	0.1	0.1	0.2	0.2	0.2	0.1	0.3	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.5	0.4	0.4	0.5	0.3		0.1
2/26/2021	0.3	0.4	0.4	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0	0	0	0	0	0	0
2/27/2021	0	0	0	0.1	0	0	0.1	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0	0	0	0
2/28/2021	0.1	0	0	0.1	0.1	0.1	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0
3/1/2021	0	0	0.2	0.3	0.1	0	0	0	0	0	0.1	0.3	0.4	0.1	0.2	0.3	0.4	0.3	0.3	0.5	0.4	0.3	0.2	0.1
3/2/2021	0.1	0.1	0.1	0.1	0	0.1	0.1	0.3	0.4	0.2			0.1	0.1	0	0	0.1	0.1	0.1	0	0	0	0.1	0
3/3/2021	0	0	0	0	0	0.1	0	0.1	0.3	1.1	1.2	0.9	0.9	0.6	0.5	0.5	0.4	0.3	0.3	0.4	0.3	0.3		0.2
3/4/2021	0.2	0.2	0.3	0.2	0.2	0.2	0.3	0.7	1.3	2.1	1.1	0.7	0.5	0.3	0.2	0.3	0.1	0.1	0.1	0.1	0.3	0.2	0.1	0.1
3/5/2021	0.3	0.3	0.2	0.5	0.5	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0	0.1	0.1	0.1	0.2	0.3	0.3	0.3	0.3
3/6/2021	0.3	0.2	0.2	0.1	0.2	0.3	0.3	0.6	0.6	0.3	0.1	0.1	0.1	0.2	0.2	0.4	0.3	0.1	0.1	0.1	0.1	0.1		0.2
3/7/2021	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.9	1	0.6	0.5	0.5	0.5	0.4	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
3/8/2021	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.4	0.5	0.5	0.7	1.4	0.7	0.4	0.3	0.3	0.4	0.4	0.4	0.5	0.3
3/9/2021	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.4	0.6	0.6	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.4		0.5
3/10/2021	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.5	0.6	0.4	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.4	0.2	0.2	0.2	0.2
3/11/2021	0.2	0.3	0.3	0.3	0.4	0.3	0.3	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.1	0.1
3/12/2021	0.1	0	0.1	0.1	0.1	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	0.1		0.2
3/13/2021	0.2	0.2	0.1	0.1	0.3	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2
3/14/2021	0.2	0.2	0.1	0.1	0.2	0.2	0.4	0.4	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
3/15/2021	0.1	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.2	0.1	0.1	0.1	0	0	0.1	0.1	0.1	0.1	0.1	0	0.1	0		0.1
3/16/2021	0.1	0	0	0	0	0	0	0.1	0.1	0.1	0.2	0.4	0.4	0.3	0.3	0.3	0.3	0.2	0.4	0.4	0.4	0.4	0.3	0.2
3/17/2021	0.2	0.2	0.3	0.4	0.4	0.3	0.2	0.1	0.1	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0
3/18/2021	0	0	0	0	0	0	0	0	0	0.1	0.1	0.1	0.2	0	0	0	0	0	0	0	0	0		0.2
3/19/2021	0.2	0.2	0.2	0.2	0.2	0.4	0.4	0.4	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1
3/20/2021	0.1	0.1	0.1	0.2	0.4	0.5	0.5	0.6	0.6	0.4	0.3	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1
3/21/2021	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0.1		0.1
3/22/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0	0.1	0.1	0.1	0	0	0.1	0.1	0.1
3/23/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2		0.1	0.2		0.1	0.1	0.1	0	0	0.1	0	0	0.1	0	0.1
3/24/2021	0.1	0	0	0	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.2	0.2		0.3
3/25/2021	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0	0				0	0	0	0	0	0	0	0	0	0	0	0.1
3/26/2021	0	0	0.1	0	0	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1
3/27/2021	0.1	0	0.1	0.1	0.1	0	0.1	0.1	0.1	0	0.1	0.1	0	0	0	0	0	0	0	0	0	0		0

Ambient SO2 Concentration by Hour of the Day (ppb)
AQS Monitor ID 21-061-0501 (Mammoth Cave)

	Ambient SO_2 Concentration (ppb)																							
	0:00	**1:00**	**2:00**	**3:00**	**4:00**	**5:00**	**6:00**	**7:00**	**8:00**	**9:00**	**10:00**	**11:00**	**12:00**	**13:00**	**14:00**	**15:00**	**16:00**	**17:00**	**18:00**	**19:00**	**20:00**	**21:00**	**22:00**	**23:00**
3/28/2021	0	0	0	0.1	0	0	0	0.1	0.2	0	0	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
3/29/2021	0.1	0.1	0	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
3/30/2021	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.1		0.1
3/31/2021	0.1	0.1	0	0.1	0.1	0	0.1	0	0.1	0	0	0	0	0.2	0.3	0.2	0.1	0.1	0.4	0.2	0.2	0.1	0.4	0.2
4/1/2021	0.2	0.1	0.1	0.2	0.1	0.2	0.1	0.3	0.4	0.3	0.1	0.1	0	0	0	0	0.1	0	0	0	0	0	0	0.1
4/2/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.6	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1		0.1
4/3/2021	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.2	0.2
4/4/2021	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.4	0.4	0.3	0.5	0.5	0.5	0.4	0.4	0.4	0.5	0.4	0.4	0.3	0.3	0.3	0.3	0.2
4/5/2021	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.4	0.5	0.4	0.6	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2		0.3
4/6/2021	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.6			0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.2	0.3	0.4
4/7/2021	0.4	0.4	0.4	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1
4/8/2021	0.1	0	0	0	0	0	0	0	0	0		0	0	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1
4/9/2021	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.2	0.3	0.4	0.4	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
4/10/2021	0	0	0.1	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2	0	0	0	0	0	0
4/11/2021	0.1	0	0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.2		0.1
4/12/2021	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.3	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.2	0.3	0.4	0.5	0.5	0.3	0.3	0.3	0.2
4/13/2021	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.3	0.2	0.5	0.9				0.3	0.3	0.3	0.7	0.5	0.3	0.3	0.2	0.1	0.2
4/14/2021	0.3	0.5	0.5	0.4	0.4	0.4	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1
4/15/2021	0.1	0.2	0.3	0.2	0.1	0.1	0.1	0	0	0	0.2	0.4	0.6	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.4	0.3	0.2	0.1
4/16/2021	0.1	0.1	0.1	0	0	0	0.1	0.2	0.3	0.3	0.4	0.4	0.3	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
4/17/2021	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.2	0.1	0.2	0.3	0.5	1	0.6	0.7	0.5	0.3	0.5	0.3	0.3	0.1		0.1
4/18/2021	0	0.1	0	0.1	0	0	0	0.4	1.2	0.6	0.4	0.3	0.3	0.2	0.3	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1
4/19/2021	0.1	0	0	0.1	0	0	0.1	0.1	0.2	0.7	0.5	0.3	0.3	0.3	0.2	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1
4/20/2021	0.2	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.3	0.7	0.5	0.3	0.2	0.2	0.2	0.3	0.2	0.4	1	0.4	0.2	0.1		0.1
4/21/2021	0	0	0	0.1	0.1	0.1	0.1	0.2	0.4	0.4	0.1	0.1	0.1	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.2	0.1
4/22/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.2								0	0	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2
4/23/2021	0.3	0.3	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.3	0.2	0.2		0.1
4/24/2021	0.2	0.1	0.2	0.2	0.2	0.1	0.1	0	0	0	0	0	0.1	0	0	0	0	0	0	0	0.1	0.1	0.1	0.2
4/25/2021	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1
4/26/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.2		0.2
4/27/2021	0.2	0.3	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.2	0.3
4/28/2021	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0	0	0
4/29/2021	0	0	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0	0	0.1	0	0.1	0	0.1	0.2	0	0	0.1		0
4/30/2021	0	0.1	0	0.2	0.1	0.1	0.1	0.4	0.3	0.2	0.1	0.2	0.2	0.2	0.3	0.4	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.1
5/1/2021	0.1	0.3	0.4	0.1	0.3	0.3	0.3	0.2	0.2	0.1	0.2	0.1	0.1	0.1	0.2	0.2	0.3	0.4	0.4	0.3	0.3	0.3	0.4	0.4
5/2/2021	0.3	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1		0
5/3/2021	0	0.1	0	0.1	0	0	0	0	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.2	0.3	0.4	0.3	0.1	0.1	0.1	0	0
5/4/2021	0	0	0	0.1	0	0	0	0	0			0		0	0	0.1	0.1	0.1	0	0	0	0	0	0
5/5/2021	0	0	0	0	0	0	0	0	0.1	0	0	0	0	0	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1		0.1
5/6/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2		0.1	0.1		0.1	0	0	0	0	0	0.1	0.2
5/7/2021	0.2	0.1	0.2	0.2	0.1	0	0.1	0.4	0.4	0.4	0.5	0.1	0.2	0.4	0.3	0.2	0.2	0.3	0.4	0.1	0.1	0.1	0.1	0.1
5/8/2021	0.1	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1
5/9/2021	0.1	0.1	0.1	0.2	0.2	0.3	0.3	0.4	0.2	0.2	0.1	0.1	0	0	0	0.1	0.5	0.2	0.1	0.1	0	0	0	0

Ambient SO2 Concentration by Hour of the Day (ppb)
AQS Monitor ID 21-061-0501 (Mammoth Cave)

	Ambient SO_2 Concentration (ppb)																						
	0:00	**1:00**	**2:00**	**3:00**	**4:00**	**5:00**	**6:00**	**7:00**	**8:00**	**9:00**	**10:00**	**11:00**	**12:00**	**13:00**	**14:00**	**15:00**	**16:00**	**17:00**	**18:00**	**19:00**	**20:00**	**21:00**	**22:00**	**23:00**
5/10/2021	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0	0	0	0.1	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.2
5/11/2021	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.2	0.3	0.4	0.4	0.3	0.2	0.1									
5/12/2021									0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1
5/13/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0	0	0.1	0.1	0.1
5/14/2021	0.1	0.1	0.1	0.1	0.2	0.4	0.5	0.2	0.4	0.6	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.1	0.1		0.2
5/15/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.2	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
5/16/2021	0.1	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1
5/17/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.3	0.2	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1
5/18/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.2
5/19/2021	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
5/20/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1		0.1
5/21/2021	0.1	0	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
5/22/2021	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0.1	0.1	0.1
5/23/2021	0	0	0	0	0	0	0.1	1.4	0.3	0.3	0.4	0.4	0.3	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.1	0.1		0.1
5/24/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
5/25/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
5/26/2021	0.1	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.1	0.1	0	0	0.1	0	0	0	0	0	0	0
5/27/2021	0	0	0	0	0	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
5/28/2021	0	0	0	0	0	0.1	0.1	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	0.2	0.1
5/29/2021	0	0.1	0	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
5/30/2021	0.1	0.1	0.1	0.1	0.1	0.2	0.4	0.4	0.4	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.1
5/31/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
6/1/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1
6/2/2021	0.1	0	0.1	0.1	0.1	0.1	0	0.1	0.1	0	0	0.1	0	0.1		0.1	0.1	0.1	0.1	0	0.1	0	0.1	0.2
6/3/2021	0.1	0.1	0.1	0.2	0.1	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1		0.7	0.1	0.1	0.1	0.1	0.1	0.1
6/4/2021	0.1	0.1	0	0.1	0	0.1	0.1	0.1	0.3	0.4	0.6	0.5	0.5	0.7	0.6	0.4	0.3	0.2	0.2	0.1	0.1	0.1		0.1
6/5/2021	0.1	0.1	0	0.1	0	0	0.1	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
6/6/2021	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0	0	0.1	0	0.1	0	0	0	0	0	0	0
6/7/2021	0	0	0	0.1	0	0.1	0.1	0.1	0.1	0.1	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1		0.1
6/8/2021	0	0	0	0.1	0	0	0.1	0.1	0.1	0	0.1	0.2	0.1	0.1	0	0	0	0.1	0.2	0.1	0	0	0	0
6/9/2021	0	0.1	0.1	0.2	0.1	0	0.1	0	0	0	0	0	0.1	0.3	0.4	0.4	0.1	0	0	0.1	0	0	0	0
6/10/2021	0	0		0.1	0	0	0	0	0	0	0	0	0	0	0	0	0.1	0	0	0	0	0		0
6/11/2021	0	0	0	0.1	0	0	0	0	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.4	0.4	0.1	0	0	0	0
6/12/2021	0	0			0	0	0.1	0.3	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0	0.1
6/13/2021	0	0.1	0	0	0	0	0	0.1	0.1	0.3	0.4	0.4	0.4	0.2	0.2	0.1	0	0	0	0	0	0		0
6/14/2021	0.1	0.2	0.2	0.1	0.1	0.2	0.3	0.7	0.7	0.9	0.4	0.3	0.1	0.2	0.2	0.5	1.9	1	0.4	0.2	0.2	0.3	0.2	0.1
6/15/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.6	0.5	0.3	0.2	0.1	0.1	0.1	0.1		0	0.1	0.1	0.1	0	0.1	0.1	0.1
6/16/2021	0	0	0.1	0	0	0	0.1	0.5	0.4	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1		0.1
6/17/2021	0	0	0	0.1	0	0	0.1	0.1	0.2	0.5	0.6	0.5	0.4	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1
6/18/2021	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.2	0.3	0.2	0.2	0.2	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
6/19/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.4	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.1	0.1	0.1	0.1	0	0.1		0.1
6/20/2021	0	0		0	0	0	0	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0	0.1
6/21/2021	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.1	0	0	0	0	0.1	0	0	0.1	0.1	0.2	0.1

Ambient SO2 Concentration by Hour of the Day (ppb)
AQS Monitor ID 21-061-0501 (Mammoth Cave)

	Ambient SO_2 Concentration (ppb)																						
	0:00	**1:00**	**2:00**	**3:00**	**4:00**	**5:00**	**6:00**	**7:00**	**8:00**	**9:00**	**10:00**	**11:00**	**12:00**	**13:00**	**14:00**	**15:00**	**16:00**	**17:00**	**18:00**	**19:00**	**20:00**	**21:00**	**22:00**	**23:00**
6/22/2021	0.2	0.2	0.1	0.2	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.2	0.1	0.1	0	0.1	0.5	0.3	0.1	0	0	0		0.1
6/23/2021	0	0.1	0.1	0.2	0.1	0.1	0.2	0.2											0.1	0.1	0.1	0.1	0.1	0.1
6/24/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1					0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1
6/25/2021	0.1	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1
6/26/2021	0.1	0.1	0.3	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
6/27/2021	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
6/28/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.5	0.5	0.3	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0		0.1
6/29/2021	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0.1	0.1	0.1	0.1
6/30/2021	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
7/1/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.4	0.4	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0	0.1	0		0.1
7/2/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.7	0.6	0.4	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.2	0.1	0.1	0.2
7/3/2021	0.2	0.1	0.1	0.1	0.1	0.2	0.4	0.5	2.6	0.6	0.4	0.4	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
7/4/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.7	1.1	0.7	0.7	0.5	0.4	0.4	0.3	0.4	0.4	0.4	0.3	0.3	0.2	0.2		0.1
7/5/2021	0.1	0.3	0.2	0.2	0.1	0.1	0.2	0.9	1.4	0.8	0.8	0.5	0.3	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1
7/6/2021	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1
7/7/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	1.2	0.2		0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2		0.2
7/8/2021	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1							0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.2
7/9/2021	0.3	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.6	1	0.5	0.3	0.3	0.2	0.2	0.3	0.2	0.1	0.1	0.1	0.1
7/10/2021	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0	0	0	0.1	0		0.1
7/11/2021	0	0.1	0.1	0.1	0	0.1	0	0	0.1	0	0	0.1	0.1	0.2	0.1	0.1	0.1	0	0	0	0	0	0	0.1
7/12/2021	0.1	0.1	0.1	0.1	0.1	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1			0.1	0	0.1	0	0	0.1
7/13/2021	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0	0.1	0	0.1	0	0	0.1		0	0.1	0	0.1	0		0.1
7/14/2021	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1
7/15/2021	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.2	0.1	0.1	0.1	0.1	0.1
7/16/2021	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0		0.1
7/17/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0.1
7/18/2021	0.1	0	0	0.1	0	0	0	0	0.1	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
7/19/2021	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.2	0.2	0.3	0.4	0.4	0.3	0.2	0.3	0.3	0.3	0.2	0.2	0.2	0.3	0.3		0.3
7/20/2021	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.7	1.3	0.9	0.9	0.6	0.4	0.3	0.4	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1
7/21/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	1.3	0.7	0.4	0.3	0.3		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2
7/22/2021	0.1	0.2	0.2	0.3	0.1	0.2	0.2	0.2	0.2	0.3	0.3	0.2	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0		0.1
7/23/2021	0.1	0.1	0	0.1	0	0.1	0.1	0.2	0.4	0.3	0.4	0.4	0.4	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1
7/24/2021	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.4	0.5	0.3	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2
7/25/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	1.1	0.3	0.4	0.2	0.1	0.1	0.1	0.1	0	0	0.1	0.1	0		0
7/26/2021	0	0.1	0.1	0.1	0.1	0	0.1	0.2	0.3	0.2	0.4	0.4	0.3	0.2	0.3	0.2	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1
7/27/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1
7/28/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.3	0.6	0.6	0.6	0.6	0.5	0.6	0.6	0.5	0.5	0.5	0.4	0.2	0.1		0.1
7/29/2021	0	0.1	0.1	0.1	0.1	0	0.1	0.5	0.6	0.8	1.4	1.7	2.1	0.9	0.4	0.2	0.1	0	0	0	0	0.2	0.6	0.3
7/30/2021	0.2	0.2	0.3	0.7	0.5	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.1
7/31/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.5	0.5	0.3	0.4	0.3	0.3	0.3	0.2	0.1	0.1	0.2	0.1	0.1		0.1
8/1/2021	0	0.1	0.1	0.1	0.2	0.1	0.3	0.2	0.3	0.3	0.4	0.3	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1
8/2/2021	0.2	0.1	0.1	0.2	0.2	0.3	0.6	0.6	0.4	0.3	0.3	0.2	0.2			0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1
8/3/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3				0.5	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.4	0.6		0.5

Ambient SO2 Concentration by Hour of the Day (ppb)
AQS Monitor ID 21-061-0501 (Mammoth Cave)

	Ambient SO_2 Concentration (ppb)																						
	0:00	**1:00**	**2:00**	**3:00**	**4:00**	**5:00**	**6:00**	**7:00**	**8:00**	**9:00**	**10:00**	**11:00**	**12:00**	**13:00**	**14:00**	**15:00**	**16:00**	**17:00**	**18:00**	**19:00**	**20:00**	**21:00**	**22:00**	**23:00**
8/4/2021	0.4	0.5	0.4	0.4	0.4	0.3	0.4	0.4	0.7	0.4	0.3	0.3	0.2	0.2	0.2	0.3	0.3	0.4	0.4	0.3	0.2	0.1	0.1	0.1
8/5/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.5			0.5	0.5	0.4	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.1	0.1	0.2	0.2
8/6/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1		0.1
8/7/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
8/8/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
8/9/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1
8/10/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.3	0.3		0.5	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1
8/11/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.7	0.5	0.3	0.3					0.2	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1
8/12/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.3	0.4	0.4	0.2	0.3	0.3	0.2	0.2	0.2	0.2	0.1	0.1		0.1
8/13/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.1	0.1	0	0.1	0.1	0.1	0	0	0.1	0.1
8/14/2021	0.1	0	0.1	0.1	0.1	0.1	0.3	0.6	0.6	0.4	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0	0.1	0	0	0	0.1	0.1
8/15/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1		0.1
8/16/2021	0.1	0.1	0	0.1	0	0.1	0.1	0.1	0.1	0.3	0.2	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1
8/17/2021	0	0	0	0.1	0.1	0.1	0.1	0.1	0.1		0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0
8/18/2021	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0	0.1	0	0		0.1
8/19/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0	0.1	0.1	0.1	0	0	0	0.1	0.1	0.1	0	0	0	0
8/20/2021	0.1	0.1	0	0.1	0.1	0.1	0	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
8/21/2021	0.1	0	0.1	0.1	0.1	0	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0		0.1
8/22/2021	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
8/23/2021	0.1	0	0.1	0.1	0.1	0	0.2	0.3	0.2	0.5	0.5	0.5	0.4	0.3	0.2	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0
8/24/2021	0.1	0	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1
8/25/2021	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1
8/26/2021	0	0.1	0	0.1	0.1	0	0	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1
8/27/2021	0	0	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.5	0.4	0.1	0	0	0.1	0.1	0.1	0.1	0	0	0	0		0.1
8/28/2021	0	0.1	0.1	0.1	0.1	0	0.1	0.1	0.2	0.4	0.2	0.1	0.1	0.1	0.1	0	0	0	0	0	0	0.1	0	0
8/29/2021	0	0	0.1	0	0	0.1	0	0.1	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0	0.1	0	0.1
8/30/2021	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.2	0.2	0.1	0.2	0.3	0.2	0.2	0.1	0.1	0	0	0	0.1	0		0.1
8/31/2021	0	0.1	0	0.1	0.1	0	0	0	0.1	0	0	0	0	0.1	0	0	0	0	0	0	0	0	0	0
9/1/2021	0	0.2	0.4	0.3		0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1
9/2/2021	0.4	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.6	0.8	0.3	0.1	0.1			0.2	0.2	0.2	0.1	0.1	0.1	0.1		0.1
9/3/2021	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
9/4/2021	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
9/5/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1		0.1
9/6/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0	0.1	0.1
9/7/2021	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.3	0.2	0.2	0.2	0.2	0.1
9/8/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.4	0.6	0.4	0.2	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1		0.1
9/9/2021	0.1	0.1	0.1	0.2	0.1	0.2	0.3	0.5	0.4	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1
9/10/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
9/11/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.5	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.4	0.3	0.2		0.2
9/12/2021	0.1	0.2	0.1	0.2	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.3	0.3	0.2	0.1	0.1	0.1	0.1	0.1
9/13/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1
9/14/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1		0.1
9/15/2021	0.1	0.1	0.1	0.1	0.1	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1

Ambient SO2 Concentration by Hour of the Day (ppb)
AQS Monitor ID 21-061-0501 (Mammoth Cave)

	Ambient SO_2 Concentration (ppb)																						
	0:00	**1:00**	**2:00**	**3:00**	**4:00**	**5:00**	**6:00**	**7:00**	**8:00**	**9:00**	**10:00**	**11:00**	**12:00**	**13:00**	**14:00**	**15:00**	**16:00**	**17:00**	**18:00**	**19:00**	**20:00**	**21:00**	**22:00**	**23:00**
9/16/2021	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0	0	0.1	0.1
9/17/2021	0.1	0.1	0	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0	0.1	0.1	0		0.1
9/18/2021	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0	0.1	0.1	0	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0	0	0	0
9/19/2021	0.1	0.1	0	0.1	0.1	0.1	0	0.1	0	0	0.1	0.1	0.1	0.1	0	0	0.1	0.1	0	0	0.1	0.1	0	0.1
9/20/2021	0.1	0.1	0	0.1	0	0.1	0	0.1	0.1	0.1	0.1	0.1	0	0.1	0	0.1	0	0	0	0	0.1	0		0.1
9/21/2021	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.2	0.1	0.1		0	0.1			0.1	0.1	0	0	0	0.1	0.1
9/22/2021	0.1	0	0.1	0.1	0	0	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
9/23/2021	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.5	0.6	0.4	0.4	0.4	0.4	0.7	1.2	1	1	0.8	0.5	0.3	0.1	0.1		0.2
9/24/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.2	0.2	0.2
9/25/2021	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1
9/26/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.5	0.5	0.4	0.4	0.4	0.3	0.3	0.2	0.2	0.2	0.2	0.2		0.1
9/27/2021	0.1	0.1	0.1																					
9/28/2021														0.4	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.2	0.2	0.1
9/29/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	1.9	2.4	0.3	0.6	0.7	0.5	0.4	0.4	0.1	0.1	0.1	0.1	0.1		0.1
9/30/2021	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.2	0.2	0.4	0.4	0.4	0.4	0.4	0.3	0.1	0.1	0.1	0.1	0.2	0.2	0.2
10/1/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2			0.2	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
10/2/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0		0.1
10/3/2021	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1		0	0	0.1	0.1	0	0.1	0.1	0.1	0	0	0	0.1	0.1	0
10/4/2021	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
10/5/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1		0.1
10/6/2021	0	0.1	0.1	0.1	0	0	0.1	0	0.1	0	0.1	0.1	0	0	0.1	0.1	0.1	0	0	0	0.1	0.1	0.1	0.1
10/7/2021	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0	0	0	0.1	0	0	0.1
10/8/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.4	0.5	0.3	0.4	0.5	0.4	0.3	0.2	0.1	0.1	0.1		0.1
10/9/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.4	0.4	0.4	0.3	0.3	0.4	0.4	0.3	0.2	0.1	0.1	0.1	0.1	0.1
10/10/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1
10/11/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0		0.1
10/12/2021	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.4	0.6	0.5	0.3	0.3	0.3	0.3	0.1	0.1	0.1	0.1	0.1	0	0.1
10/13/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0
10/14/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1						0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1		0.2
10/15/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
10/16/2021	0.2	0.1	0.1	0.2	0.2	0.1	0.2	0.3	0.3	0.2	0.2	0.1	0.3	0.4	0.2	0.2	0.2	0.1	0.2	1.1	0.2	0.1	0.1	0.1
10/17/2021	0.1	0.1	0.1	0.1	0.2	0.3	0.3	0.5	0.8	0.6	0.5	0.8	0.3	0.3	0.4	0.6	0.8	0.8	0.8	0.7	0.3	0.2		0.2
10/18/2021	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.3	3.5	2.1	1.3	0.8	0.6	0.4	0.4	0.5	0.3	0.2	0.2	0.1	0.1	0.1	0.1
10/19/2021	0.1	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.3	0.4	0.4			0.5	0.4	0.4	0.4	0.4	0.3	0.3	0.2	0.2	0.2
10/20/2021	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.3	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.2	0.2	0.4	0.4	0.2		0.3
10/21/2021	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.3	0.3	0.4	0.5	0.2	0.2	0.2	0.2
10/22/2021	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.2	0.6	0.5	0.5	0.5	0.3	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1
10/23/2021	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.1	0.1		0.2
10/24/2021	0.1	0.2	0.1	0.1	0.2	0.2	0.3	0.4	0.5	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2
10/25/2021	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.6	0.2	0.3	0.4	0.2	0.1	0.2	0.1	0.1	0.2	0.2	0.2
10/26/2021	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2		0.1	0.1	0.1	0.1	0.1		0.2
10/27/2021	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1
10/28/2021	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1

Ambient SO2 Concentration by Hour of the Day (ppb)
AQS Monitor ID 21-061-0501 (Mammoth Cave)

	Ambient SO_2 Concentration (ppb)																						
	0:00	**1:00**	**2:00**	**3:00**	**4:00**	**5:00**	**6:00**	**7:00**	**8:00**	**9:00**	**10:00**	**11:00**	**12:00**	**13:00**	**14:00**	**15:00**	**16:00**	**17:00**	**18:00**	**19:00**	**20:00**	**21:00**	**22:00**	**23:00**
10/29/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.2
10/30/2021	0.2	0.3	0.3	0.2	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.2	0.2	0.2	0.2
10/31/2021	0.2	0.2	0.3	0.4	0.3	0.3	0.2	0.5	0.6	0.6	0.6	1.1	0.5	0.2	0.2	0.5	0.7	0.4	0.2	0.4	0.2	0.1	0.2	0.2
11/1/2021	0.2	0.2	0.1	0.2	0.1	0.1	0.1	0.2	0.1	0.3	0.2	0.2	0.2	0.2	0.3	0.4	0.3	0.2	0.4	0.3	0.2	0.3		0.2
11/2/2021	0.2	0.1	0.2	0.2	0.2	0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1
11/3/2021	0.1	0.2	0.1	0.2	0.2	0.1	0.1	0.2	0.2	0.4	0.5	0.7	0.8	0.9	0.6	0.6	0.5	0.3	0.2	0.2	0.1	0.1	0.1	0.1
11/4/2021	0.1	0.1	0.1	0.3	0.2	0.2	0.2	0.3	0.3	0.4	0.5	0.5	0.5	0.6	0.5	0.4	0.4	0.4	0.3	0.2	0.2	0.3		0.4
11/5/2021	0.5	0.5	0.5	0.5	0.5	0.5	0.4	0.4	0.4	0.6	0.8	0.6	0.6	0.6	0.5	0.5	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.3
11/6/2021	0.3	0.2	0.1	0.2	0.2	0.1	0.1	0.1	0.2	0.4	0.3	0.3	0.3	0.3	0.2	0.3	0.2	0.3	0.2	0.2	0.1	0.2	0.2	0.2
11/7/2021	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.7	1.3	1.3	1.3	1.2	1.1	1	1	0.8	0.7	0.4	0.4	0.3		0.4
11/8/2021	0.3	0.3	0.2	0.4	0.4	0.4	0.3	0.3	0.4	0.4	0.5	2.1	3.9	2.2	0.6	0.7	0.7	0.6	0.7	0.5	0.5	0.8	0.8	0.6
11/9/2021	0.5	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.3		0.3	0.3	0.3	0.3	0.3	0.3	0.4
11/10/2021	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.3	0.6	0.7	0.7	0.4	0.3	0.3	0.2	0.2	0.3	0.3	0.3	0.2		0.3
11/11/2021	0.2	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.1	0.1	0.1	0.2	0.2	0.2	0.3	0.2	0.1	0.1	0.1	0.2
11/12/2021	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.3	0.3	0.4	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
11/13/2021	0.2	0.3	0.3	0.3	0.3	0.2	0.2	0.3	0.3	0.8	0.5	0.2	0.2	0.3	0.3	0.4	0.4	0.5	0.5	0.4	0.3	0.2		0.2
11/14/2021	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.5	0.3	0.2	0.3	0.3	0.4	0.3	0.2	0.2	0.3	0.3	0.3	0.2	0.2	0.3	0.3	0.3
11/15/2021	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.5	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
11/16/2021	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.5	0.4	0.4	0.4			0.3	0.3	0.2	0.2	0.2	0.2	0.2		0.3
11/17/2021	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.3	0.3	0.4	0.3
11/18/2021	0.4	0.2	0.2	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.4	0.3	0.3	0.5	0.6	1.3	0.3	0.2	0.2	0.5	0.7	0.7	0.7	0.7
11/19/2021	0.6	0.5	0.4	0.3	0.2	0.2	0.2	0.2	0.2	0.4	0.3	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.2		0.2
11/20/2021	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.4	0.7	0.2	0.2	0.3	0.2	0.4	0.6	0.3	0.2	0.2	0.2	0.2	0.2
11/21/2021	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.1	0.2	0.3	0.3	0.4	0.3	0.3
11/22/2021	0.4	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.4	0.2	0.3	0.3	0.5	0.9	1		0.6
11/23/2021	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.3	2	0.6	0.3	0.2	0.2	0.3
11/24/2021	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.3	0.3	0.4	0.6	0.7	0.5	0.6	0.7	0.5	0.3	0.2	0.2	0.2	0.3	0.2	0.5	0.7
11/25/2021	0.8	0.9	0.8	0.8	0.7	0.6	0.7	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.1	0.1	0.1		0.2
11/26/2021	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.6	0.4	0.3
11/27/2021	0.3	0.2	0.2	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.3	0.3	0.2	0.2
11/28/2021	0.3	0.4	0.4	0.5	0.4	0.5	0.6	0.8	0.9	0.7	0.6	0.4	0.3	0.2	0.4	0.8	0.4	0.6	0.6	0.4	0.5	0.4		0.3
11/29/2021	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.1	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
11/30/2021	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.5	0.7	0.8	0.8	0.8	0.7	0.6		0.6	0.6	0.6	0.5	0.6	0.7	0.6
12/1/2021	0.5	0.4	0.5	0.6	0.6	0.5	0.4	0.4	0.4	0.5	0.5	0.6	0.6	0.6	0.6	0.5				0.5	0.4	0.3		0.3
12/2/2021	0.3	0.3	0.3	0.4	0.3	0.2	0.2	0.2							0.7	0.4	0.5	0.4	0.2	0.3	0.3	0.3	0.4	0.5
12/3/2021	0.3	0.3	0.3	0.2	0.2	0.2	0.1	0.1	0.2	0.4	0.7	0.5		0.3	0.2	0.2	0.3	0.3	0.4	0.4	0.4	0.3	0.3	0.4
12/4/2021	0.4	0.3	0.3	0.2	0.2	0.1	0.1	0.1	0.9	0.9	0.9	1.1	1.3	1.9	1.4	1	1	0.6	0.3	0.1	0.1	0.1		0.2
12/5/2021	0.2	0.1	0.2	0.3	0.3	0.3	0.3	0.3	0.4	0.3	0.2	0.1	0	0.3	0.4	0.2	0.1	0.1	0	0	0	0.1	0	0
12/6/2021	0	0	0	0	0	0	0	0	0	0	0	0.1	0.1	0	0	0	0	0.1	0	0	0	0.4	0.4	0.2
12/7/2021	0.2	0.2	0.2	0.1	0.1	0.1	0	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0		0.1
12/8/2021	0.1	0.1	0.1	0.1	0.1	0	0	0	0.1	0.1	0.3	0.5	0.5	0.4	0.4	0.4	0.3	0.3	0.4	0.3	0.2	0.2	0.3	0.3
12/9/2021	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0	0	0	0	0	0.1	0.2	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1
12/10/2021	0.1	0.1	0.1	0.2	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0

Ambient SO2 Concentration by Hour of the Day (ppb)
AQS Monitor ID 21-061-0501 (Mammoth Cave)

Ambient SO_2 Concentration (ppb)

	0:00	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
12/11/2021	0	0	0	0	0	0	0	0	0	0	0.1	0.1	0.1	0.1	0	0.1	0.2	0	0	0	0.2	0.3	0.6	0.3
12/12/2021	0.1	0	0	0	0	0	0	0	0	0.1	1.2	0.4	0.3	0.2	0.2	0.1	0	0	0	0	0	0	0	0
12/13/2021	0	0	0	0	0	0.1	0.1	0.1	0.1	0.2	0.3	0.3	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		0.1
12/14/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0.1	0.1	0.2	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.1
12/15/2021	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0	0
12/16/2021	0	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0.1	0	0	0	0	0	0	0	0		0.2
12/17/2021	0.1	0.1	0.1	0.1	0.1	0	0.1	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1
12/18/2021	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2	0.3	0.4	0.1	0	0.1	0	0	0	0
12/19/2021	0	0	0	0.1	0.1	0.1	0.1	0.2	0.3	0.3	0.2	0.2	0.1	0.1	0	0	0	0	0	0.2	0	0		0
12/20/2021	0	0	0	0	0	0	0	0	0	0			0.2	0	0	0	0	0	0	0	0	0	0	0
12/21/2021	0	0	0	0	0	0	0	0	0	0	0.1	0.2	0.4	0.3	0.1	0.1	0	0	0	0	0	0.1	0.3	0.5
12/22/2021	0.4	0.7	0.7	0.6	0.4	0.4	0.4	0.5	0.6	0.4	0.3	0.3	0.2	0.3	0.3	0.3	0.2	0.2	0.1	0.1	0.1	0.1		0.2
12/23/2021	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
12/24/2021	0.2	0.2	0.2	0.3	0.3	0.4	0.4	0.5	0.5	0.3	0.2	0.1	0.1	0.1	0.1	0	0	0.1	0	0	0	0	0	0
12/25/2021	0.1	0	0	0.1	0	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	0.1	0.4		0.3
12/26/2021	0.2	0.3	0.2	0.2	0.1	0	0	0	0	0	0	0	0	0	0	0.1	0	0	0	0	0	0	0	0
12/27/2021	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.3	0.2	0.2	0.3
12/28/2021	0.2	0.1	0.1	0	0	0	0	0	0	0	0	0	0		0	0		0	0	0	0	0		0
12/29/2021	0	0	0	0	0	0	0	0	0	0	0	0.1	0.1	0.1	0	0	0	0	0	0	0	0	0	0
12/30/2021	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	0	0	0	0	0	0	0
12/31/2021	0	0	0	0.1	0	0	0	0	0.1	0.1	0.1	0.1	0.1	0.1	0	0	0	0	0	0.1	0	0		0

2021 Max. Value by Hour (ppb)

	0:00	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
January	1.0	1.8	2.0	1.9	1.5	1.0	0.8	0.5	0.7	0.7	1.0	1.2	1.1	1.0	1.0	0.8	0.8	1.0	1.6	1.2	1.1	1.2	0.9	1.0
February	1.7	1.1	1.2	1.3	1.7	1.3	1.2	1.6	1.8	1.6	1.3	1.5	1.8	0.8	1.4	1.5	1.5	1.5	2.2	2.4	2.8	2.7	2.5	1.7
December	0.5	0.7	0.7	0.6	0.6	0.5	0.4	0.5	0.9	0.9	1.2	1.1	1.3	1.9	1.4	1.0	1.0	0.6	0.4	0.5	0.4	0.4	0.6	0.5
March	0.4	0.4	0.4	0.5	0.5	0.5	0.5	0.7	1.3	2.1	1.2	0.9	0.9	0.7	1.4	0.7	0.4	0.4	0.4	0.5	0.4	0.4	0.5	0.5
April	0.4	0.5	0.5	0.4	0.4	0.4	0.3	0.6	1.2	0.7	0.9	0.6	0.6	1.0	0.6	0.7	0.5	0.7	1.0	0.5	0.4	0.3	0.3	0.4
May	0.3	0.3	0.4	0.2	0.3	0.4	0.5	1.4	0.4	0.6	0.5	0.4	0.3	0.4	0.3	0.2	0.5	0.4	0.4	0.3	0.3	0.3	0.4	0.4
June	0.2	0.3	0.3	0.2	0.2	0.2	0.3	0.7	0.7	0.9	0.6	0.5	0.5	0.7	0.6	0.5	1.9	1.0	0.4	0.2	0.2	0.3	0.2	0.2
July	0.3	0.3	0.3	0.7	0.5	0.2	0.4	0.9	2.6	1.3	1.4	1.7	2.1	0.9	0.6	0.6	0.5	0.5	0.5	0.4	0.3	0.3	0.6	0.3
August	0.4	0.5	0.4	0.4	0.4	0.3	0.6	0.7	0.7	0.5	0.5	0.5	0.5	0.5	0.3	0.3	0.3	0.4	0.4	0.3	0.4	0.6	0.2	0.5
September	0.4	0.3	0.4	0.3	0.2	0.3	0.3	0.5	0.6	1.9	2.4	0.5	0.6	0.7	1.2	1.0	1.0	0.8	0.5	0.4	0.4	0.2	0.2	0.2
October	0.3	0.3	0.3	0.4	0.3	0.3	0.3	0.5	0.8	3.5	2.1	1.3	0.8	0.6	0.5	0.6	0.8	0.8	0.8	1.1	0.4	0.2	0.2	0.3
November	0.8	0.9	0.8	0.8	0.7	0.6	0.7	0.8	0.9	0.8	1.3	2.1	3.9	2.2	1.1	1.3	1.0	0.8	2.0	0.6	0.9	1.0	0.8	0.7

Attachment I7: Seasonal Averages by Hour

Seasonal Average SO2 Concentration by Hour of the Day (ppb)
AQS Monitor ID 21-061-0501 (Mammoth Cave)

Winter Ambient SO_2 Concentration: December, January, February (ppb)

	0:00	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
2019	1.30	1.20	1.20	1.50	2.00	2.50	1.70	1.60	2.70	2.20	2.10	1.60	1.20	1.20	1.10	1.40	1.00	1.20	1.10	1.60	2.00	1.90	1.60	2.40
2020	1.10	1.10	1.10	0.80	0.70	0.80	1.20	1.10	1.00	1.40	2.20	2.40	2.20	2.00	2.00	1.60	1.70	1.30	1.50	1.90	1.80	1.90	1.20	1.00
2021	1.70	1.80	2.00	1.90	1.70	1.30	1.20	1.60	1.80	1.60	1.30	1.50	1.80	1.90	1.40	1.50	1.50	1.50	2.20	2.40	2.80	2.70	2.50	1.70
Average	1.37	1.37	1.43	1.40	1.47	1.53	1.37	1.43	1.83	1.73	1.87	1.83	1.73	1.70	1.50	1.50	1.40	1.33	1.60	1.97	2.20	2.17	1.77	1.70

Spring Ambient SO_2 Concentration: March, April, May (ppb)

	0:00	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
2019	1.00	0.95	0.95	0.90	0.80	0.90	0.70	1.80	2.10	1.70	2.00	1.60	1.60	1.50	1.30	1.60	1.30	0.80	0.80	1.10	1.00	1.10	1.20	1.60
2020	0.60	0.90	0.60	0.50	0.50	0.50	0.80	1.10	1.00	1.60	0.90	0.90	1.40	0.60	0.70	0.60	1.30	0.90	0.60	1.10	1.00	0.60	0.60	0.80
2021	0.40	0.50	0.50	0.50	0.50	0.50	0.50	1.40	1.30	2.10	1.20	0.90	0.90	1.00	1.40	0.70	0.50	0.70	1.00	0.50	0.40	0.40	0.50	0.50
Average	0.67	0.78	0.68	0.63	0.60	0.63	0.67	1.43	1.47	1.80	1.37	1.13	1.30	1.03	1.13	0.97	1.03	0.80	0.80	0.90	0.80	0.70	0.77	0.97

Summer Ambient SO_2 Concentration: June, July, August (ppb)

	0:00	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
2019	0.40	0.65	0.65	1.00	1.00	0.80	0.50	0.70	1.00	1.30	1.80	1.70	1.50	1.70	1.40	1.00	0.70	0.70	0.80	0.80	0.80	0.60	0.50	0.40
2020	0.40	0.50	0.40	0.40	0.30	0.30	0.90	1.50	1.50	1.10	1.70	1.50	0.90	0.80	0.80	0.70	0.60	0.50	0.80	0.40	0.40	1.30	0.30	0.30
2021	0.40	0.50	0.40	0.70	0.50	0.30	0.60	0.90	2.60	1.30	1.40	1.70	2.10	0.90	0.60	0.60	1.90	1.00	0.50	0.40	0.40	0.60	0.60	0.50
Average	0.40	0.55	0.48	0.70	0.60	0.47	0.67	1.03	1.70	1.23	1.63	1.63	1.50	1.13	0.93	0.77	1.07	0.73	0.70	0.53	0.53	0.83	0.47	0.40

Fall Ambient SO_2 Concentration: September, October, November (ppb)

	0:00	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
2019	1.60	1.20	1.00	0.80	0.70	0.40	0.40	0.50	0.90	1.60	1.60	1.50	0.70	0.80	0.80	0.60	1.10	1.10	1.00	1.30	0.70	0.80	1.90	1.70
2020	1.10	0.80	0.90	1.60	0.50	0.70	0.60	1.00	0.90	1.10	1.10	3.30	0.90	1.40	1.30	0.70	0.80	0.80	1.10	0.70	0.70	1.40	0.50	1.40
2021	0.80	0.90	0.80	0.80	0.70	0.60	0.70	0.80	0.90	3.50	2.40	2.10	3.90	2.20	1.20	1.30	1.00	0.80	2.00	1.10	0.90	1.00	0.80	0.70
Average	1.17	0.97	0.90	1.07	0.63	0.57	0.57	0.77	0.90	2.07	1.70	2.30	1.83	1.47	1.10	0.87	0.97	0.90	1.37	1.03	0.77	1.07	1.07	1.27

Seasonal Ambient SO_2 Concentration by Hour (ppb)

	0:00	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
Winter	1.37	1.37	1.43	1.40	1.47	1.53	1.37	1.43	1.83	1.73	1.87	1.83	1.73	1.70	1.50	1.50	1.40	1.33	1.60	1.97	2.20	2.17	1.77	1.70
Spring	0.67	0.78	0.68	0.63	0.60	0.63	0.67	1.43	1.47	1.80	1.37	1.13	1.30	1.03	1.13	0.97	1.03	0.80	0.80	0.90	0.80	0.70	0.77	0.97
Summer	0.40	0.55	0.48	0.70	0.60	0.47	0.67	1.03	1.70	1.23	1.63	1.63	1.50	1.13	0.93	0.77	1.07	0.73	0.70	0.53	0.53	0.83	0.47	0.40
Fall	1.17	0.97	0.90	1.07	0.63	0.57	0.57	0.77	0.90	2.07	1.70	2.30	1.83	1.47	1.10	0.87	0.97	0.90	1.37	1.03	0.77	1.07	1.07	1.27

Attachment I8: Review of Modeled Background Concentrations

Monitor Seasonal Ambient SO_2 Concentration by Hour (ppb)

	0:00	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
Winter	1.37	1.37	1.43	1.40	1.47	1.53	1.37	1.43	1.83	1.73	1.87	1.83	1.73	1.70	1.50	1.50	1.40	1.33	1.60	1.97	2.20	2.17	1.77	1.70
Spring	0.67	0.78	0.68	0.63	0.60	0.63	0.67	1.43	1.47	1.80	1.37	1.13	1.30	1.03	1.13	0.97	1.03	0.80	0.80	0.90	0.80	0.70	0.77	0.97
Summer	0.40	0.55	0.48	0.70	0.60	0.47	0.67	1.03	1.70	1.23	1.63	1.63	1.50	1.13	0.93	0.77	1.07	0.73	0.70	0.53	0.53	0.83	0.47	0.40
Fall	1.17	0.97	0.90	1.07	0.63	0.57	0.57	0.77	0.90	2.07	1.70	2.30	1.83	1.47	1.10	0.87	0.97	0.90	1.37	1.03	0.77	1.07	1.07	1.27

Modeled Seasonal Ambient SO_2 Concentration by Hour (ppb)

	0:00	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
Winter	1.20	1.13	1.15	1.15	1.35	1.65	1.45	1.35	1.85	1.80	2.15	2.00	1.70	1.60	1.55	1.50	1.35	1.25	1.30	1.75	1.90	1.90	1.40	1.70
Spring	0.80	0.80	0.80	0.70	0.65	0.70	0.75	1.45	1.55	1.65	1.45	1.25	1.50	1.05	1.00	1.10	1.30	0.85	0.70	1.10	1.00	0.85	0.90	1.20
Summer	0.40	0.57	0.55	0.70	0.65	0.55	0.70	1.10	1.25	1.20	1.75	1.60	1.20	1.25	1.10	0.85	0.65	0.60	0.80	0.60	0.60	0.95	0.40	0.35
Fall	1.35	0.97	0.95	1.20	0.60	0.55	0.50	0.75	0.90	1.35	1.35	2.40	0.80	1.10	1.05	0.65	0.95	0.95	1.05	1.00	0.70	1.10	1.20	1.55

Difference in Monitor and Modeled Seasonal Ambient SO_2 Concentration by Hour, Monitor Value Minus Modeled Value (ppb)

	0:00	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
Winter	0.17	0.23	0.28	0.25	0.12	(0.12)	(0.08)	0.08	(0.02)	(0.07)	(0.28)	(0.17)	0.03	0.10	(0.05)	0.00	0.05	0.08	0.30	0.22	0.30	0.27	0.37	0.00
Spring	(0.13)	(0.02)	(0.12)	(0.07)	(0.05)	(0.07)	(0.08)	(0.02)	(0.08)	0.15	(0.08)	(0.12)	(0.20)	(0.02)	0.13	(0.13)	(0.27)	(0.05)	0.10	(0.20)	(0.20)	(0.15)	(0.13)	(0.23)
Summer	0.00	(0.02)	(0.07)	0.00	(0.05)	(0.08)	(0.03)	(0.07)	0.45	0.03	(0.12)	0.03	0.30	(0.12)	(0.17)	(0.08)	0.42	0.13	(0.10)	(0.07)	(0.07)	(0.12)	0.07	0.05
Fall	(0.18)	0.00	(0.05)	(0.13)	0.03	0.02	0.07	0.02	0.00	0.72	0.35	(0.10)	1.03	0.37	0.05	0.22	0.02	(0.05)	0.32	0.03	0.07	(0.03)	(0.13)	(0.28)
	0.17	0.23	0.28	0.25	0.12	0.02	0.07	0.08	0.45	0.72	0.35	0.03	1.03	0.37	0.13	0.22	0.42	0.13	0.32	0.22	0.30	0.27	0.37	0.05

Attachment J
Permits

Table of Contents for Attachment J

Attachment J1	SIP Permit 082237 (Eastman Chemical Company)
Attachment J2	Regional Haze Permit 066116H (Eastman Chemical Company)
Attachment J3	PSD Construction Permit 966859 (Eastman Chemical Company)
Attachment J4	Title V Operating Permit 574994 (Primester)
Attachment J5	PSD Construction Permit 955272F (Eastman Chemical Company)

Attachment J1

SIP Permit 082237
(Eastman Chemical Company)

STATE OF TENNESSEE
AIR POLLUTION CONTROL BOARD
DEPARTMENT OF ENVIRONMENT AND CONSERVATION
NASHVILLE, TENNESSEE

PERMIT TO OPERATE AIR CONTAMINANT SOURCE(S)

Permit Number: 082237

Facility (Permittee): Eastman Chemical Company

Facility ID: 82-0003

Facility Address: 200 South Wilcox Drive, Kingsport
Sullivan County

Facility Classification: Title V

Federal Requirements: SIP

Facility Description: Emission Sources Identified in Section I of this Permit

Operating Permit 082237, consisting of 16 pages, is hereby issued June 11, 2025, pursuant to the Tennessee Air Quality Act and by the Technical Secretary, Tennessee Air Pollution Control Board, Department of Environment and Conservation. The holder of this permit shall comply with the conditions contained in this permit as well as all applicable provisions of the Tennessee Air Pollution Control Regulations (TAPCR).

Michelle W. Owenby
Technical Secretary
Tennessee Air Pollution Control Board

No Authority is Granted by this Permit to Operate, Construct, or Maintain any Installation in Violation of any Law, Statute, Code, Ordinance, Rule, or Regulation of the State of Tennessee or any of its Political Subdivisions.

Section I – Sources Included in this Operating Permit

FACILITY DESCRIPTION			
Source Number	**Source Description**	**Status**	**Control Device/Equipment**
01	Boilers 18-24 (MSOP-02, PES B-83-1)	Active	Dry Sorbent Injection (Boilers 23 and 24)
131	Boilers 30-31 (MSOP-26, PES B-325-1)	Active	Spray Dryer Absorber and ESP (Boiler 30), Spray Dryer Absorber and Baghouse (Boiler 31)
168	Tail Gas Incinerator (MSOP-17, PES B-334-1)	Active	N/A
171	Cold and Warm Flares (MSOP-17, PES B-351-5)	Active	N/A
224	Organic Acids & Anhydrides Manufacturing, Vents B, C, E, I, and K (MSOP-23, PES B-55-1)	Active	N/A
282	Solid/Liquid Chemical Waste Incinerators (MSOP-32, PES B-248-1)	Active	Rod Scrubber
283	Liquid Chemical Waste Incinerator (MSOP-32, PES B-248-2)	Active	Rod Scrubber

Section II – Permit Record

Permit Type	Description of Permit Action	Issue Date
Initial	Initial SIP permit issuance	June 11, 2025

Section III - General Permit Conditions

G1. Reserved.

G2. General Recordkeeping Requirements

The information contained in logs, records, and submittals required by this permit shall be kept at the facility's address, unless otherwise noted, and provided to the Technical Secretary or a Division representative upon request. Computer-generated logs are acceptable. Compliance is assured by retaining the logs, records, and submittals specified in this permit for a period of not less than five years at the facility's address.

TAPCR 1200-03-10-.02(2)(a)

G3. Submittals

Unless otherwise specified within this permit, the permittee shall submit, preferably via email and in Adobe Portable Document format (PDF), all applicable plans, checklists, certifications, notifications, test protocols, reports, and applications to the attention of the following Division Programs at the email addresses indicated in the table below:

Permitting Program	Compliance Validation Program	Field Services Program
• Notifications • Startup certifications • Applications • NSPS reports • MACT/GACT/NESHAP reports • Emission statements • Construction permit extension requests	• Test protocols • Emission test reports • Visible emission evaluation reports	• Semiannual reports • Annual compliance certifications/status reports
Division of Air Pollution Control Davy Crockett Tower, 7th Floor 500 James Robertson Parkway Nashville, TN 37243 Air.Pollution.Control@tn.gov		

The permittee shall submit the information identified above as requested in this permit. In lieu of submitting this information to the email addresses above, the permittee may submit the information to the attention of the respective Division Programs at the mailing addresses listed above.

TAPCR 1200-03-09-.03(8)

G4. Contingency Measures

Upon notification by the Technical Secretary that a reference monitor for the area has registered four validated ambient SO_2 concentrations in excess of the standard (75 parts per billion, 99th percentile of daily maximum one-hour average concentrations determined in accordance with 40 CFR 50, Appendix T) during any maintenance period approved pursuant to CAA §§175a(a) and (b), the permittee shall undertake a full system audit of all emissions units subject to control under this plan. The permittee must submit a written system audit report within 30 days of the notification. The system audit report must detail the operating parameters of all emissions units, including modeled emission units that were excluded from the SIP, for four 10-day periods up to and including the date upon which the reference monitor registered each exceedance, together with recommended provisional SO_2 emission control strategies for each affected unit and evidence that these control strategies have been deployed, as appropriate. Upon consultation with the Technical Secretary, the permittee shall develop and implement operational changes as necessary to prevent future monitored violations of the standard. These changes may include fuel switching, physical or operational reduction of production capacity, or other changes as appropriate. If a permit modification is deemed necessary, any changes to existing permit conditions shall follow the applicable procedures of TAPCR 1200-03-09. If an emission source is found to be noncompliant with a SIP emission limit, the Technical Secretary will, in addition to conducting enforcement proceedings to bring the source into compliance with its SIP limit, determine whether additional limits must be added to the SIP to meet the requirements of section 172(c)(9) of the Clean Air Act.

TAPCR 1200-03-09-.03(8)

Section IV - Source Specific Permit Conditions

Source Number	Source Description
01	Boilers 18-24 (MSOP-02, PES B-83-1)
131	Boilers 30-31 (MSOP-26, PES B-325-1)

S1-1. Emission Limitation(s)

On and after September 1, 2023, sulfur dioxide (SO_2) emitted from this source shall not exceed 1,248 lb/hr (combined limit for all boilers, 30-day rolling average).

TAPCR 1200-03-09-.03(8), 40 CFR §§51.110 – 51.112, Condition 1 of SIP permit 080222.

Compliance Method: Compliance with this condition shall be assured as specified in Appendix 1.

S1-2. Operation of Dry Sorbent Injection

On and after March 1, 2023, the permittee shall operate and maintain a dry sorbent injection (DSI) system to reduce SO_2 emissions from B-83 Boilers 23 and 24. The permittee shall operate, maintain and repair the control device as required to maintain and assure compliance with the specified emission limits. All periods of nonoperation of the DSI and records of all repair and maintenance activities shall be recorded in a suitable permanent form and kept available for inspection by the Technical Secretary or an authorized representative. These records must be retained for a period of not less than five years. Periods of nonoperation of the DSI and the date each maintenance and repair activity began shall be entered in the log no later than seven days following the start of the period of nonoperation or maintenance and repair maintenance activity, and the completion date shall be entered in the log no later than seven days after activity completion.

TAPCR 1200-03-09-.03(8), 40 CFR §§51.110 – 51.112, Condition 2 of SIP permit 080222.

S1-3. Periodic Reporting

On and after the issue date of this permit, the permittee shall submit reports of any monitoring or recordkeeping required by this permit with the semiannual reports required by the applicable Title V Operating Permit. Periodic reports shall include the following information:

A. 30-day average SO_2 emission rate for each day in the reporting period. A summary report[1] of this data is acceptable provided there is sufficient information to enable the Technical Secretary to evaluate compliance.

B. All instances of deviations from these permit requirements must be clearly identified in the reports. Deviation reports shall include a description of the deviation; the duration of the event; the explanation or probable cause; and identification of corrective actions or preventative measures undertaken to correct the deviation.

C. The owner or operator shall submit CEMS downtime reports in accordance with Rule 1200-03-10-.02(2). If there are no excess emissions or CEMS downtime during the reporting period, the owner or operator shall submit a report to that effect.

This report must be certified by a responsible official consistent with TAPCR 1200-03-09-.02(11)(d)4.

[1] For all emissions reporting requirements identified in this permit, the minimum requirements for summary reporting are the highest measured emission rate, the date on which the measurement occurred, and either a report of all deviations or a statement that no deviations occurred during the reporting period. For reports of parametric monitoring, the minimum requirements for summary reporting are the highest or lowest measured value, as applicable, the date on which the measurement occurred, and either a report of all deviations or a statement that no deviations occurred during the reporting period.

TAPCR 1200-03-09-.03(8) and 1200-03-10-.02(1)(a)

Source Number	Source Description
168	Tail Gas Incinerator (MSOP-17, PES B-334-1)

S2-1. Emission Limitation(s)

On and after September 1, 2023, SO_2 emitted from this source shall not exceed 21.8 lb/hr (24-hour block average).

TAPCR 1200-03-09-.03(8), 40 CFR §§51.110 – 51.112, Condition 1 of SIP permit 080222.

Compliance Method: Compliance with this condition shall be assured as specified in Appendix 2.

S2-2. Periodic Reporting

On and after the issue date of this permit, the permittee shall submit reports of any monitoring or recordkeeping required by this permit with the semiannual reports required by the applicable Title V Operating Permit. Periodic reports shall include the following information:

A. 24-hour average SO_2 emission rate for each day in the reporting period. A summary report of this data is acceptable provided there is sufficient information to enable the Technical Secretary to evaluate compliance.

B. All instances of deviations from these permit requirements must be clearly identified in the reports. Deviation reports shall include a description of the deviation; the duration of the event; the explanation or probable cause; and identification of corrective actions or preventative measures undertaken to correct the deviation.

C. The owner or operator shall submit CEMS downtime reports in accordance with Rule 1200-03-10-.02(2). If there are no excess emissions or CEMS downtime during the reporting period, the owner or operator shall submit a report to that effect.

This report must be certified by a responsible official consistent with TAPCR 1200-03-09-.02(11)(d)4.

TAPCR 1200-03-09-.03(8) and 1200-03-10-.02(1)(a)

Source Number	Source Description
171	Cold Flare and Warm Flare for South Production Areas (MSOP-17, PES B-351-5)

S3-1. Emission Limitation(s)

A. On and after *****30 days following permit issue date****, SO_2 emitted from this source shall not exceed 16.28 lb/hr (30-day rolling average).

B. On and after *****12 months following permit issue date****, SO_2 emitted from this source shall not exceed 48 tons during any period of 12 consecutive months.

TAPCR 1200-03-09-.03(8), 40 CFR §§51.110 – 51.112

Compliance Method: Compliance with this condition shall be assured as follows:

A. Compliance with the hourly emission limit shall be assured as specified in Appendix 3 of this permit.

B. The permittee shall calculate actual emissions of sulfur dioxide emitted during each period of 12 consecutive months and maintain records of the emissions in the format shown in Appendix 4 of this permit.

TAPCR 1200-03-10-.02(1)(a), 1200-03-10-.02(2)(a)

S3-2. Periodic Reporting

On and after the issue date of this permit, the permittee shall submit reports of any monitoring or recordkeeping required by this permit with the semiannual reports required by the applicable Title V Operating Permit. Periodic reports shall include the following information:

A. 30-day average SO_2 emission rate for each day in the reporting period. A summary report of this data is acceptable provided there is sufficient information to enable the Technical Secretary to evaluate compliance.

B. 12-month rolling total SO_2 emissions for each month in the reporting period. A summary report of this data is acceptable provided there is sufficient information to enable the Technical Secretary to evaluate compliance.

C. All instances of deviations from these permit requirements must be clearly identified in the reports. Deviation reports shall include a description of the deviation; the duration of the event; the explanation or probable cause; and identification of corrective actions or preventative measures undertaken to correct the deviation.

This report must be certified by a responsible official consistent with TAPCR 1200-03-09-.02(11)(d)4.

TAPCR 1200-03-09-.03(8) and 1200-03-10-.02(1)(a)

S3-3. This emission limits and other requirements established by this permit supersede the limits previously established in SIP permit 080222.

TAPCR 1200-03-09-.03(8)

Source Number	Source Description
224	Organic Acids & Anhydrides Manufacturing, Vents B, C, E, I, and K (MSOP-23, PES B-55-1)

S4-1. Emission Limitation(s)

On and after March 8, 2026, SO_2 emitted from this source shall not exceed 6.74 lb/hr (one-hour average).

TAPCR 1200-03-09-.03(8), 40 CFR §§51.110 – 51.112

Compliance Method: Compliance with this condition shall be assured as follows:

A. The permittee shall conduct or have conducted performance tests to determine the amount of sulfur dioxide emitted from this source. The initial performance test shall be completed no later than June 6, 2026. For Vent E (not in service as of the issue date of this permit), an initial performance test shall be conducted no later than 180 days following any restart of the associated process. The permittee shall provide, at no expense to the Technical Secretary:

a) Sampling ports adequate for test methods applicable to such facility.
b) Safe sampling platform(s)
c) Safe access to sampling platform(s)
d) Utilities for sampling and testing equipment

TAPCR 1200-03-10-.01

B. For Vent B, the performance test shall consist of at least three test runs. For each test run, reference method test data shall be collected every 15 minutes over the entire batch cycle. The test data shall be used to generate an emissions curve that is representative of the SO_2 emission rate in lb/hr over the duration of the batch cycle.

C. For Vents C, E, I, and K, each performance test shall consist of three separate one-hour runs using the applicable test method. For the purpose of determining compliance with the applicable standard, the arithmetic means of the results of the three runs shall apply. In the event that a sample is accidentally lost or conditions occur in which one of the three runs must be discontinued because of a forced shutdown, failure of an irreplaceable portion of the sample train, extreme meteorological conditions, or other circumstances beyond the owner or operator's control, compliance may, upon the Technical Secretary's approval, be determined using the arithmetic mean of the results of the two other runs.

TAPCR 1200-03-10-.01(1)(a), (b), and (c)

D. The permittee shall notify the Technical Secretary in writing of their intention to conduct the performance test at least 30 days before the performance test is initially scheduled to begin to allow the Technical Secretary to have an observer(s) present during the test.

In the event the permittee is unable to conduct the performance test on the date specified in the notification requirement in this condition, the permittee must notify the Technical Secretary as soon as practical prior to the scheduled performance test date and specify the date when the performance test is rescheduled. This notification of delay in conducting the performance test shall not relieve the permittee of legal responsibility for compliance with any other applicable provisions of any other applicable Federal, State, or local requirement, nor will it prevent the Technical Secretary from implementing or enforcing the terms of this permit.

TAPCR 1200-03-10-.01 and 1200-03-10-.02(c)

E. The permittee shall develop and submit a site-specific test plan for approval to the Technical Secretary at least 30 calendar days before the performance test is scheduled to take place, simultaneously with the notification of intent to conduct a performance test. The site-specific test plan shall include a test program summary, the test schedule, data quality objectives (i. e., the pretest expectations of precision, accuracy, and completeness of data), and an internal and external quality assurance (QA) program.

TAPCR 1200-03-10-.01

F. The performance test shall be conducted, and data reduced in accordance with the methods and procedures specified in 40 CFR part 60 Appendix A.

TAPCR 1200-03-10-.01

G. The permittee shall report the results of the performance test to the Technical Secretary within 60 days following the completion of the performance test. The report shall include the relevant process data (material input rate, production rate, etc., as appropriate) recorded during the test.

TAPCR 1200-03-10-.01

H. Upon submittal of the test report, the permittee shall calculate hourly emissions from the performance test results and batch data using the plant's distributed control system.

TAPCR 1200-03-10-.01

I. The permittee shall conduct subsequent performance tests no later than 180 days following any process change that would increase emissions from any vent[2]. If there are no process changes that would increase SO_2 emissions, subsequent performance tests shall be conducted no later than 60 calendar months after the previous test.

TAPCR 1200-03-10-.01

S4-2. Periodic Reporting

On and after August 5, 2026, the permittee shall submit reports of any monitoring or recordkeeping required by this permit with the semiannual reports required by the applicable Title V Operating Permit. Periodic reports shall include the following information:

A. SO_2 emission rate (lb/hr) for each day of the reporting period. A summary report of this data is acceptable provided there is sufficient information to enable the Technical Secretary to evaluate compliance.

B. A description of any process changes that would increase SO_2 emissions, or a statement that there were no process changes during the reporting period that would increase SO_2 emissions from the source.

C. All instances of deviations from these permit requirements must be clearly identified in the reports. Deviation reports shall include a description of the deviation; the duration of the event; the explanation or probable cause; and identification of corrective actions or preventative measures undertaken to correct the deviation.

This report must be certified by a responsible official consistent with TAPCR 1200-03-09-.02(11)(d)4.

TAPCR 1200-03-09-.03(8) and 1200-03-10-.02(1)(a)

Source Number	Source Description
282	Solid/Liquid Chemical Waste Incinerators (MSOP-32, PES B-248-1)

S5-1. Emission Limitation(s)

On and after September 1, 2023, SO_2 emitted from this source shall not exceed 15.2 lb/hr (combined limit for both rotary kilns, 30-day rolling average).

TAPCR 1200-03-09-.03(8), 40 CFR §§51.110 – 51.112, Condition 1 of SIP permit 080222.

Compliance Method: Compliance with this condition shall be assured as specified in Appendix 5.

S5-2. Periodic Reporting

On and after the issue date of this permit, the permittee shall submit reports of any monitoring or recordkeeping required by this permit with the semiannual reports required by the applicable Title V Operating Permit. Periodic reports shall include the following information:

[2] If a process change increases emissions from the batch reactors, then all vents must be tested to ensure that SO_2 emissions do not increase in other areas of the process. For other changes, Eastman must specify which vents will be tested in the site-specific test plan.

A. 30-day average SO_2 emission rate for each day in the reporting period. A summary report of this data is acceptable provided there is sufficient information to enable the Technical Secretary to evaluate compliance.

B. All instances of deviations from these permit requirements must be clearly identified in the reports. Deviation reports shall include a description of the deviation; the duration of the event; the explanation or probable cause; and identification of corrective actions or preventative measures undertaken to correct the deviation.

This report must be certified by a responsible official consistent with TAPCR 1200-03-09-.02(11)(d)4.

TAPCR 1200-03-09-.03(8) and 1200-03-10-.02(1)(a)

Source Number	Source Description
283	Liquid Chemical Waste Incinerator (MSOP-32, PES B-248-2)

S6-1. Emission Limitation(s)

On and after September 1, 2023, SO_2 emitted from this source shall not exceed 2.0 lb/hr (30-day rolling average).

TAPCR 1200-03-09-.03(8), 40 CFR §§51.110 – 51.112, Condition 1 of SIP permit 080222

Compliance Method: Compliance with this condition shall be assured as specified in Appendix 5.

S6-2. Periodic Reporting

On and after the issue date of this permit, the permittee shall submit reports of any monitoring or recordkeeping required by this permit with the semiannual reports required by the applicable Title V Operating Permit. Periodic reports shall include the following information:

A. 30-day average SO_2 emission rate for each day in the reporting period. A summary report of this data is acceptable provided there is sufficient information to enable the Technical Secretary to evaluate compliance.

B. All instances of deviations from these permit requirements must be clearly identified in the reports. Deviation reports shall include a description of the deviation; the duration of the event; the explanation or probable cause; and identification of corrective actions or preventative measures undertaken to correct the deviation.

This report must be certified by a responsible official consistent with TAPCR 1200-03-09-.02(11)(d)4.

TAPCR 1200-03-09-.03(8) and 1200-03-10-.02(1)(a)

(end of conditions)

Appendix 1: B-83 and B-325 SO_2 Monitoring

Stack or Flow Diagram Points	PES B-83-1, Boilers 18 through 24 PES B-325-1, Boilers 30 and 31
Pollutants	SO_2 (combined total emissions for all boilers)
Description of Monitoring Protocol	The source owner or operator shall install, maintain, operate, and submit reports of sulfur dioxide emissions from continuous in-stack monitoring systems for sulfur dioxide (SO_2) and either oxygen (O_2) or carbon dioxide as the diluent gas. The sensors of these monitoring systems shall be located in representative areas of the effluent gas stream of the boiler. Electronic signal combining systems shall be installed to convert the output of the pollutant monitors into units of the applicable emission standards. The in-stack sulfur dioxide monitoring systems shall meet all the requirements of 40 CFR Part 60 Appendix B Performance Specification 2 or 40 CFR Part 75 Appendix A. SO_2 emission rates in lb/hr shall be calculated as follows: **Boilers 23-24 and 30-31**: The source owner or operator shall install, certify, operate, and maintain a SO_2 continuous emission monitoring system and a flow monitoring system with an automated data acquisition and handling system for measuring and recording SO_2 concentration (in parts per million), volumetric gas flow (in standard cubic feet per hour), and SO_2 mass emissions (in lb/hr) discharged to the atmosphere. The in-stack flow monitoring systems shall meet all the requirements of 40 CFR Part 60 Appendix B Performance Specification 6 or 40 CFR Part 75 Appendix A. **Boilers 18-22:** 40 CFR 60 Appendix A, Method 19 shall be used to determine hourly average emissions of sulfur dioxide expressed as pounds per million Btu heat input. Hourly average emissions of sulfur dioxide expressed as pounds per hour shall be determined by multiplying each hourly average sulfur dioxide emission rate expressed as pounds per million Btu by the respective hourly average heat input. The heat input for Boilers 18-22 will be computed by determining the energy rise of the steam across the individual boiler. The energy rise will be calculated as the difference in the energy of the output steam and the energy of the feedwater input. Boiler outlet pressure, temperature and flow along with the inlet feedwater temperature and flow will be used to determine the total energy change across the boiler. The energy of the outlet steam will be approximated by multiplying the boiler outlet steam flow by steam enthalpy. Enthalpy for the outlet steam conditions shall be determined using the ASME International Steam Tables for Industrial Use at the steam outlet pressure and temperature. Boiler outlet energy will be adjusted for an assumed boiler efficiency of 85%. The feedwater energy will be calculated by multiplying the inlet feedwater flow by the inlet feedwater enthalpy. The feedwater enthalpy will be determined using the enthalpy of saturated water from the ASME Steam Tables at the boiler economizer inlet feedwater temperature. The boiler heat will be determined by subtracting the boiler inlet energy form the boiler outlet energy. This heat input will be transmitted to the SO_2 CEMS data acquisition and control system (DAHS) to use for computation of the sulfur dioxide mass emission rate in pounds per hour. Missing emissions data shall be addressed as follows: Data is considered missing if there are fewer than two valid 15-minute averages during the hour. Data shall be substituted for the duration of each missing data period by using the higher value of: 1) the last valid hourly emission rate before, or 2) the first valid hourly emission rate after, the period of missing data.

Calculation of 30-day rolling average	Compliance will be determined on a 30 boiler operating day rolling average basis. All 30-day rolling averages shall be calculated as specified in 40 CFR §63.10021(b) and Equation 8: $$Boiler\ operating\ day\ average = \frac{\sum_{i=1}^{n} Her_i}{n}\ (Eq.\ 8)$$ Where Her_i is the hourly emissions rate for hour i (combined total emissions for all boilers) and n is the number of hourly emissions rate values collected over 30 boiler operating days. **Note**: "Boiler operating day" means a 24-hour period that begins at midnight and ends the following midnight during which any fuel is combusted at any time in any of the boilers. It is not necessary for the fuel to be combusted the entire 24-hour period.
Operational requirements for Sulfur Dioxide (SO_2) Monitoring Systems	For each boiler to demonstrate continual compliance with the applicable sulfur dioxide emissions limitations, the in-stack sulfur dioxide monitoring systems shall be fully operational for at least 95% of the operational time of the monitored boiler during any calendar quarter. An operational availability of less than this amount may be considered the basis for declaring the source to be in noncompliance with the applicable monitoring requirements, unless the reasons for the failure to maintain this level of operational availability are accepted by this division as being legitimate malfunctions of the instruments.

Appendix 2: PES B-334-1 SO_2 Monitoring

Stack or Flow Diagram Points	Tail Gas Incinerator (Vent B)
Description of Monitoring Protocol	An extractive sampling system or equivalent monitor shall continuously measure the H_2S composition in the Shell Claus Off-gas Treatment (SCOT) process overhead stream entering the Tail Gas Incinerator. The gas flow rate into the incinerator shall be continuously monitored, and the distributed control system shall use the H_2S composition and the flow rate (differential pressure or equivalent device) to calculate the SO_2 emission rate in lb/hr for a 24-hour block average. Process operational time does not include periods of Sulfur Recovery Plant outages. Monitoring data recorded during periods of monitoring system breakdown, repairs, calibration checks, zero and span adjustments, shall not be included in the data averages. In the event of an analyzer outage or Claus unit upset requiring direct venting to the incinerator, engineering evaluation and calculations will determine the lb/hr SO_2 emissions using actual operational data from the Claus and SCOT units.
Equipment and Installation	Hydrogen sulfide analyzer and flow meter located at the inlet to the tail gas incinerator.
Measurement Frequency	Continuous (at least once every 15 minutes)
Minimum Data Availability	The SO_2 monitoring system shall be fully operational for at least 95% of the operational time of the incinerator during each semiannual reporting period.
QA/QC Practices	Calibrate and maintain all monitoring equipment in accordance with manufacturer's specifications.

Appendix 3: PES B-351-5 SO_2 Monitoring

Stack or Flow Diagram Points	Cold Flare (Vent B) and Warm Flare (Vent C)
Description of Monitoring Protocol	Excess gas which cannot be safely utilized in the Coal Gasification Process is relieved to one of two vent header systems, where that gas is then routed to one of two corresponding natural gas assisted flares for combustion, i.e., Cold Flare and Warm Flare. Hourly SO_2 emissions from the flares are calculated during these events by using the following protocol: 1. Control valve operating positions (percentage valve open) and control valve upstream pressures are used to calculate volumetric flow rate of the gas stream routed to the flare(s). 2. Known plant gas stream compositions are used to calculate sulfur content of the gas stream routed to the flare(s). 3. Total conversion (100%) of sulfur in the gas stream routed to the flare(s) to SO_2 after combustion is used to determine final SO_2 emissions from the flare(s).
Equipment and Installation	Control valves and pressure transmitters located upstream of each flare.
Measurement Frequency	Continuous (at least once every 15 minutes)
Calculation of 30-day rolling average	Compliance will be determined on a 30 operating day rolling average basis. All 30-day rolling averages shall be calculated as specified in the following equation: $$30\ operating\ day\ average = \frac{\sum_{i=1}^{n} Her_i}{n}$$ Where Her_i is the hourly emissions rate for hour *i* (combined total emissions for cold and warm flares) and *n* is the number of hourly emissions rate values (including periods with no SO_2 emissions) collected over 30 operating days. "Operating day" means a 24-hour period that begins at midnight and ends the following midnight during which any synthesis gas is produced by the gasifiers. It is not necessary for synthesis gas to be produced during the entire 24-hour period.
Minimum Data Availability	The SO_2 monitoring system shall be fully operational for at least 95% of the operational time of the incinerator during each semiannual reporting period.
QA/QC Practices	**Valve operating positions**: An annual field review will be completed for each control valve. Each flare valve will be verified either during process-related opening or by conducting a manual valve calibration check. Either (1) the process-related verification is completed by verifying the DCS-indicated percent open matches the field-observed percent open; or (2) a manual verification is completed by isolating the selected valve using manual valves as available (the isolated control valve will be given a DCS command to open to a set percentage, and a field operator will visually verify that the correct valve position is achieved). **Valve upstream pressures**: the pressure transmitters are used as input parameters to critical process control loops. Normal and ongoing operations, in conjunction with operators' experience, will ensure proper operation of the pressure transmitters. Any abnormal function in these devices would require corrective action as part of normal plant operations.

Appendix 4: PES B-351-5 Annual Emissions

	SO_2 Emissions (tons)	SO_2 Emissions (tons), 12-Month Rolling Total
January		
February		
March		
April		
May		
June		
July		
August		
September		
October		
November		
December		

Appendix 5: PES B-248-1 and 248-2 SO_2 Monitoring

Stack or Flow Diagram Points	PES B-248-1: Vents D (Rotary Kiln #1) and E (Rotary Kiln #2) PES B-248-2: Vent A (Liquid Chemical Incinerator)
Pollutants	SO_2
Control Equipment	SO_2 emissions from the solid/liquid chemical waste incinerators (82-0003-282, PES-B-248-1) and liquid chemical waste incinerator (82-0003-283, PES B-248-2) shall be continuously controlled by wet scrubbers (Croll-Reynolds Clean Air Technologies multi-rod scrubber for each emission point).
Description of Monitoring Protocol	1. Continuous Monitoring of Rod Scrubber Underflow pH A pH sensor and transmitter are installed in either the rod scrubber underflow line or the sump (which receives the rod scrubber underflow) before any caustic or additional water is added in the recycle loop. The distributed control system (DCS) will receive pH values from the transmitter, and a data archival system shall record the pH reading four or more times equally spaced over the hour. The permittee shall operate and maintain continuous monitoring systems (CMS) for scrubbing liquid pH and shall operate all CMS to document compliance with the applicable operating parameter limits under this section as follows: (a) The permittee shall install and operate the CMS in compliance with the manufacturer's written specifications or recommendations for installation, operation, and calibration. (b) The CMS must sample the regulated parameter without interruption and evaluate the detector response at least once each 15 seconds, and compute and record the average values at least every 60 seconds. (c) The span of the CMS detector shall not be exceeded. (d) Each parameter shall be monitored, and the permittee shall calculate SO_2 emissions from the sulfur feed rate and rod scrubber underflow pH. (e) The permittee shall perform inspections and maintenance of the scrubbers as recommended by the manufacturer. 2. Determination of Sulfur Dioxide Removal Efficiency A series of computer simulations using a commercially available software package (ASPEN®) have been conducted to establish the rod scrubber underflow pH as the key process variable that indicates sulfur dioxide control efficiency. Computer simulations were conducted at varying sulfur loading conditions and correlation curves relating pH and scrubber control efficiency were derived. The correlation curve for the highest sulfur feed modeled was used to develop the relationship programmed into the DCS. The DCS relationship is programmed as a series of straight lines plotted between the following points:

Point	Rod Scrubber Underflow pH	Sulfur Dioxide Removal Efficiency (%)
1	0.00	0.0
2	4.13	0.0
3	4.20	67.2
4	4.42	82.8
5	4.74	90.6
6	5.64	98.1
7	14.00	98.1

	3. Determination of Sulfur Feed Rates Waste stream sulfur concentrations are determined either from process knowledge or from analysis using ASTM method D4239 or equivalent and are entered into the Environmental Management Information System (EMIS). EMIS provides information to the DCS regulating the feed of waste. As waste streams are burned, sulfur feed rates are calculated by the DCS using waste and fuel mass flow sensors that are required by 40 CFR 60 Subpart EEE.
Description of Monitoring Protocol (Continued)	4. Calculation of Stack Gas SO_2 Concentration

	At a minimum of four equally spaced intervals in each hour, the DCS shall calculate the SO_2 emissions concentration using the stack gas flow rate (obtained from sensors required by 40 CFR 63 Subpart EEE), assuming all sulfur from Step #3 is converted to SO_2 and using the SO_2 control efficiency determined in Step #2. The hourly SO_2 concentration and annual emission rate are calculated using the following assumptions and equations: Assumptions: 1. Standard conditions are 68° F and 1 atm; 2. Mole weights: sulfur (S) = 32.06, sulfur dioxide (SO_2) = 64.06; 3. SO_2 removal is based on the relationship established in Step #2; 4. All sulfur feeds react completely to SO_2; 5. Density of SO_2 gas at standard conditions = 0.1662 lb/ft^3. **SO_2 emission rate (lb/hr)** = sulfur feed rate (lb/hr) x (64.06 lb SO_2/32.06 lb S) x (1-SO_2 removal) 30-day rolling average SO_2 emission rates will be calculated from hourly emission rates.
Averaging	One-hour averages shall be calculated from four or more equally spaced data averages over each one-hour period, except during periods of monitoring system breakdown, monitoring system repairs, and periods of non-operation of the source. During these periods, a valid one-hour average shall consist of at least two 15-minute averages. Data collected during periods of monitoring system breakdown, monitoring system repairs, required quality assurance or control periods, and periods of non-operation of the source shall not be included in the data averages. Compliance will be based on a 30-day rolling average basis. 30-day rolling averages shall be calculated as the arithmetic average of all valid one-hour averages over each 30-day period, beginning on midnight of the first day and ending at midnight on the 30th day. For a given 30-day averaging period, a valid average must include at least 75% percent of the measured values within the averaging period.
Monitoring Downtime Incidents	During periods of pH monitoring downtime, the sulfur dioxide removal efficiency shall be assumed to be zero in Step #2 above. Therefore, and pH monitoring system downtime incidents do not need to be reported as required by 40 CFR §64.9(a)(2)(ii). Any monitoring downtime incidents shall be reported in the semiannual reports, unless, in the case of a feed rate flow sensor, the feed line block valve is closed during the incident.
Minimum Data Availability	The SO_2 monitoring system shall be fully operational for at least 95% of the operational time of the incinerator during each semiannual reporting period.
QA/QC Practices	The pH sensors shall be calibrated once per month.
Reference	Operating Plan in the Title V application dated May 24, 2019, PES B-248-1, pages 25 and 26. Operating Plan in the Title V application dated September 28, 2017, PES B-248-2, pages 12 and 13.

Attachment J2

Regional Haze Permit 066116H
(Eastman Chemical Company)

TENNESSEE AIR POLLUTION CONTROL BOARD
DEPARTMENT OF ENVIRONMENT AND CONSERVATION
NASHVILLE, TENNESSEE 37243-1531

OPERATING PERMIT Issued Pursuant to Tennessee Air Quality Act

Date Issued:	May 9, 2012		Permit Number:
Date Amended:	May 22, 2012	AMENDMENT #1	066116H
Date Expires:	December 31, 2018		

Issued To:	Installation Address:
Eastman Chemical Company Tennessee Operations (MSOP-02)	South Eastman Road Kingsport

Installation Description:	Emission Source Reference No.
Powerhouse B-253-1, Boilers #25-#29	82-0003-00 BART

The holder of this permit shall comply with the conditions contained in this permit as well as all applicable provisions of the Tennessee Air Pollution Control Regulations.

CONDITIONS:

1. In accordance with the requirements of 40 CFR 51.308 (BART), the following emission limitation is established:

   Sulfur dioxide (SO_2) emissions from Boilers 25-29 shall comply with the less stringent of the following limits:

   (a) 0.20 pounds of SO_2 per million British Thermal Units (lb/MMBtu) of heat input; or

   (b) Reduce uncontrolled SO_2 emissions by 92%.

   Compliance with these emission limits shall be determined on a thirty (30) calendar day rolling average basis as the average emission rate, or average SO_2 reduction, from either each boiler individually while combusting coal, or averaged across all of the boilers that are combusting coal.

(conditions continued on next page)

Barry R. Stephens
TECHNICAL SECRETARY

No Authority is Granted by this Permit to Operate, Construct, or Maintain any Installation in Violation of any Law, Statute, Code, Ordinance, Rule, or Regulation of the State of Tennessee or any of its Political Subdivisions.

NON-TRANSFERABLE

POST AT INSTALLATION ADDRESS

2. **Monitoring Requirements**:

Measurement of SO_2 emissions: SO_2 emissions shall be measured through the use of continuous in-stack monitoring for sulfur dioxide, as specified below:

The source owner or operator shall install, maintain, operate, and submit quarterly reports of excess emissions and sulfur dioxide (SO_2) removal efficiency (if applicable) from continuous in-stack monitoring systems for sulfur dioxide (SO_2). The sulfur dioxide monitoring systems shall meet all the requirements of 40 CFR 60 Appendices A and B, or 40 CFR Part 75 Appendices A and F.

Compliance will be determined on a 30 calendar day rolling average basis. Each 30 calendar day average shall be the average of the valid daily averages during the previous thirty (30) calendar days

Operational requirements for Sulfur Dioxide (SO_2) Monitoring Systems: For this fuel burning installation to demonstrate continual compliance with the BART sulfur dioxide emission limitation, each sulfur dioxide monitoring system for boilers #25-#29 shall be fully operational for at least ninety five percent (95%) of the operational time (during which coal is combusted) of the monitored units during each calendar quarter. Operational availability levels of less than these amounts may be considered the basis for declaring the fuel burning installation in noncompliance with the applicable monitoring requirements, unless the reasons for the failure to maintain these levels of operational availability are accepted by the Technical Secretary as being legitimate malfunctions of the instruments. Data recorded during periods of monitoring system breakdown, repairs, calibration checks, and zero and span adjustments shall not be included in the data averages.

Quality Assurance requirements for the Sulfur Dioxide (SO_2) Monitoring Systems: The continuous in-stack sulfur dioxide monitoring systems shall meet all of the requirements of 40 CFR Part 60 Appendix B (Performance Specification 2) and 40 CFR Part 60 Appendix F; or 40 CFR Part 75 Appendices A and B.

Monitoring Plan: Monitoring shall be conducted as specified in an approved site-specific monitoring plan. The monitoring plan must be submitted to the Technical Secretary at least ninety (90) days prior to the startup of the control device.

Recordkeeping: All records required to demonstrate compliance with this condition shall be maintained at the source location and kept available for inspection by the Technical Secretary or his representative. Records shall be maintained for five (5) years.

3. **Compliance Schedule**: Except as otherwise allowed by **Condition 4** of this permit, Eastman Chemical Company shall comply with **Conditions 1 and 2** of this permit no later than April 30, 2017.

4. **Alternative BART Requirements**: In lieu of complying with BART as specified in **Conditions 1, 2, and 3** of this permit, the permittee may choose to implement Alternative BART, as indicated in paragraphs (a) through (f) of this condition. The permittee shall fully implement BART as described in **Conditions 1 and 2** of this permit no later than April 30, 2017, unless Eastman has notified the Technical Secretary and EPA in writing by that date it has elected to implement the Alternative BART.

(a) The permittee shall submit written quarterly progress reports to the Technical Secretary and to the U. S. Environmental Protection Agency (EPA), Region 4 Office. The initial report shall be submitted no later than July 1, 2012. Subsequent reports shall be submitted within one calendar quarter of the previous report.

(i) The reports shall summarize the permittee's acquisition of site-specific meteorological data at the permittee's Kingsport Meadowview site and the modeling results obtained from the data. Only the modeling analyses that are used to determine whether the BART requirements specified in **Conditions 1 and 2** of this permit will be sufficient to attain and maintain the one hour sulfur dioxide NAAQS need be addressed in the submittals. If the permittee concludes that compliance with **Conditions 1 and 2** of this permit are not sufficient to demonstrate attainment and maintenance of the one hour sulfur dioxide NAAQS, the permittee shall include summaries of modeling results showing the predicted ambient impacts of repowering the B-253 Powerhouse to natural gas (and other boilers at the facility, if needed to comply with the one hour sulfur dioxide NAAQS) with the quarterly progress reports.

(ii) If the permittee determines to repower its boilers at its Kingsport, Tennessee facility, the quarterly written report submitted according to the schedule in **Condition 4(a)** shall contact the natural gas supplier for the

area and summarize what the permittee knows regarding the progress on the project to modify the third-party natural gas pipeline to provide sufficient natural gas to the permittee's facility.

(b) The permittee shall submit applications for any construction permit(s) as needed to establish emission limits and other applicable requirements to repower the boilers.

(c) If the permittee determines that Alternative BART is not feasible for this facility, the permittee shall provide written notification to the Technical Secretary and the EPA Region 4 Office no later than April 30, 2017.

(d) The permittee is placed on notice that the issuance of this permit does not excuse it from any other applicable air pollution control requirements that may become applicable as a result of repowering to natural gas.

(e) If the permittee elects to repower its B-253 Powerhouse boilers to natural gas, the permittee shall begin actual construction (as defined in Rule 1200-03-09-.01(4) of the Tennessee Air Pollution Control Regulations) on the conversion no later than April 30, 2017. The permittee shall provide written notice to the Technical Secretary no later than thirty (30) days following the start of actual construction.

(f) If the permittee elects to repower its B-253 Powerhouse boilers to natural gas, the conversion shall be accomplished (or else an unconverted boiler not operated until converted) no later than the earlier of:

(i) The compliance deadline for the one-hour sulfur dioxide NAAQS, or

(ii) December 31, 2018, or the end of the period of the first long term strategy for regional haze as determined by U. S. EPA, whichever is earlier.

5. This permit contains requirements that Eastman Chemical Company must meet in addition to the requirements of Title V Operating Permit 557888.

6. This permit shall remain valid until Title V Operating Permit 557888 is reopened to include the requirements of this permit.

(end of conditions)

Amendment #1: This permit was amended to clarify the requirement to fully implement BART, or to begin actual construction of Alternative BART no later than April 30, 2017.

Attachment J3

PSD Construction Permit 966859
(Eastman Chemical Company)

STATE OF TENNESSEE
AIR POLLUTION CONTROL BOARD
DEPARTMENT OF ENVIRONMENT AND CONSERVATION
NASHVILLE, TENNESSEE 37243-1531

Permit to Construct or Modify an Air Contaminant Source Issued Pursuant to Tennessee Air Quality Act

Date Issued: June 5, 2013

Permit Number:
966859F

Date Expires: December 31, 2018

Issued To:
Eastman Chemical Company

Installation Address:
South Eastman Road
Kingsport

Installation Description:
Boilers 25-29

Emission Source Reference No.
82-0003-01 (PES B-253-1)
PSD, MACT

The holder of this permit shall comply with the conditions contained in this permit as well as all applicable provisions of the Tennessee Air Pollution Control Regulations.

CONDITIONS:

1. The application that was utilized in the preparation of this permit is dated January 16, 2013, and is signed by John G. Perdue, Utilities Division Superintendent for the permitted facility. If this person terminates employment or is reassigned different duties and is no longer the responsible person to represent and bind the facility in environmental permitting affairs, the owner or operator of this air contaminant source shall notify the Technical Secretary of the change. Said notification shall be in writing and submitted within thirty (30) days of the change. The notification shall include the name and title of the new person assigned by the source owner or operator to represent and bind the facility in environmental permitting affairs. All representations, agreement to terms and conditions and covenants made by the former responsible person that were used in the establishment of limiting permit conditions on this permit will continue to be binding on the facility until such time that a revision to this permit is obtained that would change said representations, agreements and covenants.

(conditions continued on next page)

Barry R. Stephens
TECHNICAL SECRETARY

No Authority is Granted by this Permit to Operate, Construct, or Maintain any Installation in Violation of any Law, Statute, Code, Ordinance, Rule, or Regulation of the State of Tennessee or any of its Political Subdivisions.

NON-TRANSFERABLE

POST AT INSTALLATION ADDRESS

2. This emission source consists of an existing fuel burning installation (currently permitted as 82-0003-01, PES B-83-1 and B-253-1). This permit will allow the modification of the PES B-253-1, Boilers 25, 26, 27, 28, and 29 to convert the affected boilers from coal-fired to natural gas-fired operation. This modification is subject to the Prevention of Significant Deterioration (PSD) review provisions of Tennessee Air Pollution Control Regulations (TAPCR) Rule 1200-03-09-.01(4) for significant emissions increases of carbon monoxide and volatile organic compounds (VOC) associated with the proposed project. This source shall operate in accordance with the terms of this permit and the information submitted in the approved permit application. TAPCR 1200-03-09-.01(1)(d) and the application dated January 16, 2013, TAPCR 1200-03-09-.01(4)

3. Approval to construct shall become invalid if construction is not commenced within 18 months after the issue date of this permit, if construction is discontinued for a period of 18 months or more, or if construction is not completed within 18 months of the completion date specified on the construction permit application (December 31, 2018). The Tennessee Air Pollution Control Board may grant an extension to complete construction of the source, provided that adequate justification is presented. An extension shall not exceed 18 months in time. TAPCR 1200-03-09-.01(4)(a)4.

4. The following recordkeeping requirements shall apply to this source:

   (a) For all monthly logs, all data, including all required calculations, must be entered in the log no later than thirty (30) days from the end of the month for which the data is required.

   (b) For all weekly logs, all data, including all required calculations, must be entered in the log no later than fourteen (14) days from the end of the week for which the data is required.

   (c) For all daily logs, all data, including all required calculations, must be entered in the log no later than fourteen (14) days from the end of the day for which the data is required.

   TAPCR 1200-03-10-.02(2)(a)

5. The total heat input for this modified source PES B-253-1 shall not exceed 35.04 trillion British Thermal Units (TBtu) during any period of twelve consecutive months. TAPCR 1200-03-09-.01(1)(d) and the application dated January 16, 2013, TAPCR 1200-03-09-.01(4)

6. On and after the startup date of each modified boiler in this fuel-burning installation, only natural gas shall be used as fuel for each modified boiler. TAPCR 1200-03-09-.01(1)(d) and the application dated January 16, 2013, TAPCR 1200-03-09-.01(4)

7. A monthly log of the heat input, which readily shows compliance with **Condition 5**, must be maintained at the source location and kept available for inspection by the Technical Secretary or his representative. This log shall start upon startup of the first modified boiler and include each successive modified boiler as it commences startup. This log must be retained for a period of not less than five (5) years. TAPCR 1200-03-10-.02(2)(a)

8. On and after the startup date of each modified boiler in this fuel-burning installation, carbon monoxide (CO) emissions from each modified boiler shall not exceed 100 parts per million by dry volume (ppmdv), corrected to 3% oxygen (average of three one-hour test runs). This emission limit shall not apply during periods of startup and shutdown. TAPCR 1200-03-09-.01(4)(j)3.

   Compliance Method: Upon startup of each modified boiler in this fuel-burning installation, the permittee shall comply with the work practice standards (periodic tune-ups) found in Table 3 to 40 CFR 63 Subpart DDDDD (National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers and Process Heaters) applicable to existing boilers operated with a continuous oxygen trim system that maintains an optimum air-to-fuel ratio.

(conditions continued on next page)

9. On and after the startup date of each modified boiler in this fuel-burning installation, volatile organic compounds (VOC) emissions from each modified boiler shall not exceed 10 ppmdv, corrected to 3% oxygen (average of three one-hour test runs). This emission limit shall not apply during periods of startup and shutdown. TAPCR 1200-03-09-.01(4)(j)3.

Compliance Method: Upon startup of each modified boiler in this fuel-burning installation, the permittee shall comply with the work practice standards (periodic tune-ups) found in Table 3 to 40 CFR 63 Subpart DDDDD (National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers and Process Heaters) applicable to existing boilers operated with a continuous oxygen trim system that maintains an optimum air-to-fuel ratio.

10. Particulate matter (TSP) emissions shall not exceed 0.0917 pounds per million British Thermal Units (lb/MMBtu) of heat input (average emission rate for all boilers on B-83-1 and B-253-1). TAPCR 1200-3-19-.05(2)

Compliance Method: Compliance assurance for the particulate matter standard stated in this condition is the use of natural gas. After the shutdown of each boiler for conversion to natural gas combustion, the permittee shall not be required to conduct periodic source testing for particulate matter as required by Condition E3-2 of Title V Operating Permit 557888,.

11. This fuel burning installation shall comply with the applicable provisions of the CAIR NO_X Ozone Season Trading Program. TAPCR 1200-03-27-.11

12. Visible emissions from this source shall not exhibit greater than twenty percent (20%) opacity (six-minute average) except for one six-minute period per one (1) hour of not more than forty (40) percent opacity. Visible emissions from this source shall be determined by EPA Method 9, as published in 40 CFR 60, Appendix A (six-minute average). TAPCR 1200-03-05-.01(1) and 1200-03-05-.03(6)

13. Consistent with the requirements of TAPCR 1200-03-20, due allowance may be made for excess visible emissions that are necessary or unavoidable due to routine startup and shutdown conditions. The permittee shall maintain a continuous, current log of all excess visible emissions showing the time at which such conditions began and ended and that such record shall be available to the Technical Secretary or his representative upon his request. TAPCR 1200-03-05-.02(1)

14. No later than 180 days after initial start-up of each modified boiler in this fuel-burning installation, the owner or operator shall furnish the Technical Secretary a written report of the results of an emissions performance test to demonstrate compliance with the CO and VOC emission limit for Boilers 25, 26, 27, 28, and 29 (see **Conditions 8 and 9** of this permit). The source test shall be conducted and data reduced in accordance with methodology allowed by the Tennessee Division of Air Pollution Control. At least 30 days prior to the actual test date, the Technical Secretary shall be notified of the official test date and shall be in receipt of a test protocol detailing test methods to be used and any operational parameters to be monitored to assure continual compliance.

15. The permittee shall comply with the applicable provisions of 40 CFR 63 Subpart DDDDD (National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers and Process Heaters). Compliance with this rule is required by January 31, 2016, except as provided in §63.6(i). TAPCR 1200-03-09-.03(8) and 40 CFR 63 Subpart DDDDD

16. Prior to the startup date of each modified boiler in this fuel-burning installation, the existing fuel-burning installation shall comply with the requirements of Title V Operating Permit 557888 (MSOP-02, PES B-253-1) and with subsequent modifications/renewals to that permit. On and after the startup date of this modified source, this construction permit will supersede any previously issued permit(s) for each modified boiler in this fuel-burning installation. TAPCR 1200-03-09-.01(1)(d)

17. The permittee shall apply for a Title V Significant Modification for this fuel-burning installation within 360 days of startup of all five modified boilers. TAPCR 1200-03-09-.02(11)(d)1.(i)(II)

18. This permit shall serve as a temporary operating permit from initial start-up of the modified source to the receipt of a Title V Significant Modification, provided that the conditions of this permit and any applicable emission standards are met. TAPCR 1200-03-09-.02(2)

(conditions continued on next page)

19. The permittee shall certify the start-up date of the modified air contaminant source regulated by this permit by submitting A COPY OF ALL PAGES OF THIS PERMIT, with the information required in A), B), and C) of this condition completed, to the Technical Secretary's representatives listed below. **The permittee shall comply with this condition and submit one copy of this form for each boiler modified by this permit (PES B-253-1, Boilers 25, 26, 27, 28, and 29).**

A) Boiler ID: _____

B) DATE OF START-UP: _____/____/_____
month day year

C) Anticipated operating rate: ____ percent of maximum rated capacity

For the purpose of complying with this condition, "start-up" of the air contaminant source shall be the date of the setting in operation of the source for the production of product for sale or use as raw materials or steam or heat production.

The undersigned represents that he/she has the full authority to represent and bind the permittee in environmental permitting affairs. The undersigned further represents that the above provided information is true to the best of his/her knowledge and belief.

Signature		Date
Signer's name (type or print)	Title	Phone (with area code)

Note: This certification is not an application for an operating permit. At a minimum, the appropriate application form(s) must be submitted requesting an operating permit. The application must be submitted in accordance with the requirements of this permit.

The completed certification shall be delivered to the East Tennessee Permit Program, Compliance Validation Program, and the Johnson City Environmental Field Office at the addresses listed below, no later than thirty (30) days after the air contaminant source is started-up.

Compliance Validation Program
Division of Air Pollution Control
9th Floor, L & C Annex
401 Church Street
Nashville, TN 37243-1531

East Tennessee Permit Program
Division of Air Pollution Control
9th Floor, L & C Annex
401 Church Street
Nashville, TN 37243-1531

Johnson City Environmental Field Office
Division of Air Pollution Control
2305 Silverdale Road
Johnson City, TN 37601-2162

TAPCR 1200-03-09-.02(3)(b)

(end of conditions)

The permit application gives the location of this source as 4042367 N UTM Vertical and 362547 E UTM Horizontal.

Attachment J4

Title V Operating Permit 574994
(Primester)

STATE OF TENNESSEE
AIR POLLUTION CONTROL BOARD
DEPARTMENT OF ENVIRONMENT AND CONSERVATION
NASHVILLE, TENNESSEE 37243

ADMINISTRATIVE AMENDMENT #1 TO
OPERATING PERMIT (TITLE V) Issued Pursuant to Tennessee Air Quality Act

This permit fulfills the requirements of Title V of the Federal Clean Air Act (42 U.S.C. 7661a-7661e) and the federal regulations promulgated thereunder at 40 CFR Part 70. (FR Vol. 57, No. 140, Tuesday, July 21, 1992 p.32295-32312). This permit is issued in accordance with the provisions of Tennessee Air Pollution Control Regulations (TAPCR) 1200-03-09-.02(11). The permittee has been granted permission to operate an air contaminant source in accordance with emissions limitations and monitoring requirements set forth herein.

Issue Date: **January 1, 2020** Permit Number: **574994**

Modification Date: **September 9, 2020**

Expiration Date: **December 31, 2024**

Issued To:
Primester GP

Installation Address:
1801 Warrick Drive
Kingsport

Installation Description: **Chemical Manufacturing**

ESRN	Description
82-0510-01	Ester Production (B-440-1)
82-0510-02	Acid Recovery Process (B-441-1)
82-0510-03	Cellulose Scrap Recovery Process (B-441-2)
82-0510-04	Tank Farm (B-442-1)
82-0510-05	Cooling Tower (B-447-1)

Emission Source Reference No.: **82-0510**

Renewal Application Due Date: **Between April 5, 2024 and July 4, 2024** Primary SIC: 28

Information Relied Upon: **Title V renewal application dated September 20, 2018.**

(continued on the next page)

Michelle W. Owenby
TECHNICAL SECRETARY

No Authority is Granted by this Permit to Operate, Construct, or Maintain any Installation in Violation of any Law, Statute, Code, Ordinance, Rule, or Regulation of the State of Tennessee or any of its Political Subdivisions.

POST AT INSTALLATION ADDRESS

CONTENTS

SECTION A
GENERAL PERMIT CONDITIONS

A1.	**Definitions**	**1**
A2.	**Compliance requirement**	**1**
A3.	**Need to halt or reduce activity**	**1**
A4.	**The permit**	**1**
A5.	**Property rights**	**1**
A6.	**Submittal of requested information**	**1**
A7.	**Severability clause**	**2**
A8.	**Fee payment**	**2**
A9.	**Permit revision not required**	**3**
A10.	**Inspection and entry**	**3**
A11.	**Permit shield**	**3**
A12.	**Permit renewal and expiration**	**4**
A13.	**Reopening for cause**	**4**
A14.	**Permit transference**	**5**
A15.	**Air pollution alert**	**5**
A16.	**Construction permit required**	**5**
A17.	**Notification of changes**	**5**
A18.	**Schedule of compliance**	**5**
A19.	**Title VI**	**6**
A20.	**112 (r)**	**6**

SECTION B
GENERAL CONDITIONS for MONITORING, REPORTING, and ENFORCEMENT

B1.	**Recordkeeping**	**7**
B2.	**Retention of monitoring data**	**7**
B3.	**Reporting**	**7**
B4.	**Certification**	**7**
B5.	**Annual compliance certification**	**7**
B6.	**Submission of compliance certification**	**8**
B7.	**Emergency provisions**	**8**
B8.	**Excess emissions reporting**	**9**
B9.	**Malfunctions, startups and shutdowns - reasonable measures required**	**9**
B10.	**Reserved.**	**10**
B11.	**Report required upon the issuance of notice of violation**	**10**

CONTENTS

SECTION C
PERMIT CHANGES

C1. Operational flexibility changes 11
C2. Section 502(b)(10) changes 11
C3. Administrative amendment 12
C4. Minor permit modifications 12
C5. Significant permit modifications 12
C6. New construction or modifications 12

SECTION D
GENERAL APPLICABLE REQUIREMENTS

D1. Visible emissions 13
D2. General provisions and applicability for non-process gaseous emissions 13
D3. Non-process emission 13
D4. General provisions and applicability for process gaseous emissions 13
D5. Particulate emissions from process emission sources 13
D6. Sulfur dioxide emission standards 13
D7. Fugitive dust 13
D8. Open burning 14
D9. Asbestos 14
D10. Annual certification of compliance 14
D11. National Emission Standards for Hazardous Air Pollutants 14
D12. Standards of Performance for New Stationary Sources 14
D13. Gasoline Dispensing Facilities 14
D14. Internal Combustion Engines 14

CONTENTS

SECTION E

SOURCE SPECIFIC EMISSION STANDARDS, OPERATING LIMITATIONS, and MONITORING, RECORDKEEPING and REPORTING REQUIREMENTS

E1.	**Fee payment**	**15**
E2-1.	**Reporting requirements** **(a) Semiannual reports** **(b) Annual compliance certification**	**17**
E2-2.	**Conservation Vent Maintenance**	**19**
E2-3.	**Identification of Responsible Official, Technical Contact, and Billing Contact**	**19**
E2-4.	**Recordkeeping: Data Entry Requirements**	**20**
E2-5.	**Opacity Limits, Visible Emissions Evaluation**	**20**
E2-6	**Quarterly and Annual Leak Inspection**	**20**
E2-7.	**New Source Performance Standards**	**22**
E2-8.	**National Emission Standards for Hazardous Air Pollutants for Source Categories**	**23**
E2-9.	**Annual Certification of Compliance**	**23**
E2-10.	**Periodic Monitoring Methods - General Requirements**	**23**
E2-11.	**Excursions**	**24**
E2-12.	**General Requirements for Quarterly, Semiannual, and Annual Periodic Monitoring**	**25**
E2-13	**Reference Test Methods**	**25**
E3-1.	**Ester Production (82-0510-01)**	**26**
E4-1.	**Acid Recovery Process (82-0510-02)**	**28**
E5-1.	**Cellulose Scrap Recovery Process (82-0510-03)**	**29**
E6-1.	**Tank Farm (82-0510-04)**	**30**
E7-1.	**Cooling Tower (82-0510-05)**	**31**

END OF ADMINISTRATIVE AMENDMENT #1 TO PERMIT NUMBER 574994

ATTACHMENT 1	**Opacity Matrix Decision Tree for Visible Emission Evaluation Method 9 Dated September 11, 2013.**
ATTACHMENT 2	**Specific Applicability Determinations for 40 CFR 60 (NSPS) and 40 CFR 63 (MACT)**
ATTACHMENT 3	**Compliance Assurance Monitoring (CAM) Plans**
ATTACHMENT 4	**EPA Approval of NSPS VV Alternative Monitoring**
ATTACHMENT 5	**Process Flow Diagrams**
ATTACHMENT 6	**Title V Fee Selection Form APC 36 (CN-1583)**

SECTION A
GENERAL PERMIT CONDITIONS

A permit issued under the provisions of paragraph 1200-03-09-.02(11) is a permit issued pursuant to the requirements of Title V of the Federal Act and its implementing Federal regulations promulgated at 40 CFR, Part 70.

A1. **Definitions.** Terms not otherwise defined in the permit shall have the meaning assigned to such terms in the referenced regulation.

TAPCR 1200-03

A2. **Compliance requirement.** All terms and conditions in a permit issued pursuant to paragraph 1200-03-09-.02(11) including any provisions designed to limit a source's potential to emit, are enforceable by the Administrator and citizens under the Federal Act.

The permittee shall comply with all conditions of its permit. Except for requirements specifically designated herein as not being federally enforceable (State Only), non-compliance with the permit requirements is a violation of the Federal Act and the Tennessee Air Quality Act and is grounds for enforcement action; for a permit termination, revocation and reissuance, or modification; or for denial of a permit renewal application. Non-compliance with permit conditions specifically designated herein as not being federally enforceable (State Only) is a violation of the Tennessee Air Quality Act and may be grounds for these actions.

TAPCR 1200-03-09-.02(11)(e)2(i) and 1200-03-09-.02(11)(e)1(vi)(I)

A3. **Need to halt or reduce activity.** The need to halt or reduce activity is not a defense for noncompliance. It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit. However, nothing in this item shall be construed as precluding consideration of a need to halt or reduce activity as a mitigating factor in assessing penalties for noncompliance if the health, safety or environmental impacts of halting or reducing operations would be more serious than the impacts of continuing operations.

TAPCR 1200-03-09-.02(11)(e)1(vi)(II)

A4. **The permit.** The permit may be modified, revoked, reopened, and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition.

TAPCR 1200-03-09-.02(11)(e)1(vi)(III)

A5. **Property rights.** The permit does not convey any property rights of any sort, or any exclusive privilege.

TAPCR 1200-03-09-.02(11)(e)1(vi)(IV)

A6. **Submittal of requested information.** The permittee shall furnish to the Technical Secretary, within a reasonable time, any information that the Technical Secretary may request in writing to determine whether cause exists for modifying, revoking and reissuing, or termination of the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the Technical Secretary copies of records required to be kept by the permit. If the permittee claims that such information is confidential, the Technical Secretary may review that claim and hold the information in protected status until such time that the Board can hear any contested proceedings regarding confidentiality disputes. If the information is desired by EPA, the permittee may mail the information directly to EPA. Any claims of confidentiality for federal purposes will be determined by EPA.

TAPCR 1200-03-09-.02(11)(e)1(vi)(V)

A7. **Severability clause.** The requirements of this permit are severable. A dispute regarding one or more requirements of this permit does not invalidate or otherwise excuse the permittee from their duty to comply with the remaining portion of the permit.

TAPCR 1200-03-09.02(11)(e)1(v)

A8. **Fee payment.**

(a) The permittee shall pay an annual Title V emission fee based upon the responsible official's choice of actual emissions, allowable emissions, or a combination of actual and allowable emissions; and on the responsible official's choice of annual accounting period. An emission cap of 4,000 tons per year per regulated pollutant per major source SIC Code shall apply to actual or allowable based emission fees. A Title V annual emission fee will not be charged for emissions in excess of the cap. Title V annual emission fees will not be charged for carbon monoxide or for greenhouse gas pollutants solely because they are greenhouse gases.

(b) Title V sources shall pay allowable based emission fees until the beginning of the next annual accounting period following receipt of their initial Title V operating permit. At that time, the permittee shall begin paying their Title V fee based upon their choice of actual or allowable based fees, or mixed actual and allowable based fees. Once permitted, the Responsible Official may revise their existing fee choice by submitting a written request to the Division no later than December 31 of the annual accounting period for which the fee is due.

(c) **W**hen paying annual Title V emission fees, the permittee shall comply with all provisions of 1200-03-26-.02 and 1200-03-09-.02(11) applicable to such fees.

(d) Where more than one allowable emission limit is applicable to a regulated pollutant, the allowable emissions for the regulated pollutants shall not be double counted. Major sources subject to the provisions of paragraph 1200-03-26-.02(9) shall apportion their emissions as follows to ensure that their fees are not double counted.

1. Sources that are subject to federally promulgated hazardous air pollutant under 40 CFR 60, 61, or 63 will place such regulated emissions in the regulated hazardous air pollutant (HAP) category.

2. A category of miscellaneous HAPs shall be used for hazardous air pollutants listed at part 1200-03-26-.02(2)(i)12 that are not subject to federally promulgated hazardous air pollutant standards under 40 CFR 60, 61, or 63.

3. HAPs that are also in the family of volatile organic compounds, particulate matter, or PM_{10} shall not be placed in either the regulated HAP category or miscellaneous HAP category.

4. Sources that are subject to a provision of chapter 1200-03-16 New Source Performance Standards (NSPS) or chapter 0400-30-39 Standards of Performance for New Stationary Sources for pollutants that are neither particulate matter, PM_{10}, sulfur dioxide (SO_2), volatile organic compounds (VOC), nitrogen oxides (NO_x), or hazardous air pollutants (HAPs) will place such regulated emissions in an NSPS pollutant category.

5. The regulated HAP category, the miscellaneous HAP category, and the NSPS pollutant category are each subject to the 4,000 ton cap provisions of subparagraph 1200-03-26-.02(2)(i).

6. Major sources that wish to pay annual emission fees for PM_{10} on an allowable emission basis may do so if they have a specific PM_{10} allowable emission standard. If a major source has a total particulate emission standard, but wishes to pay annual emission fees on an actual PM_{10} emission basis, it may do so if the PM_{10} actual emission levels are proven to the satisfaction of the Technical Secretary. The method to demonstrate the actual PM_{10} emission levels must be made as part of the source's major source operating permit in advance in order to exercise this option. The PM_{10} emissions reported under these options shall not be subject to fees under the family of particulate emissions. The 4,000 ton cap provisions of subparagraph 1200-03-26-.02(2)(i) shall also apply to PM_{10} emissions.

TAPCR 1200-03-26-.02 and 1200-03-09-.02(11)(e)1(vii)

A9. **Permit revision not required.** A permit revision will not be required under any approved economic incentives, marketable permits, emissions trading and other similar programs or process for changes that are provided for in the permit.

TAPCR 1200-03-09-.02(11)(e)1(viii)

A10. **Inspection and entry.** Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Technical Secretary or an authorized representative to perform the following for the purposes of determining compliance with the permit applicable requirements:

(a) Enter upon, at reasonable times, the permittee's premises where a source is located or emissions-related activity is conducted, or where records must be kept under the conditions of the permit;

(b) Have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit;

(c) Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under the permit; and

(d) As authorized by the Clean Air Act and TAPCR 1200-03-10, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit or applicable requirements.

(e) "Reasonable times" shall be considered to be customary business hours unless reasonable cause exists to suspect noncompliance with the Act, TAPCR 1200-03 or any permit issued pursuant thereto and the Technical Secretary specifically authorizes an inspector to inspect a facility at any other time.

TAPCR 1200-03-09-.02(11)(e)3.(ii)

A11. **Permit shield.**

(a) Compliance with the conditions of this permit shall be deemed compliance with all applicable requirements as of the date of permit issuance, provided that:

1. Such applicable requirements are included and are specifically identified in the permit; or

2. The Technical Secretary, in acting on the permit application or revision, determines in writing that other requirements specifically identified are not applicable to the source, and the permit includes the determination or a concise summary thereof.

(b) Nothing in this permit shall alter or affect the following:

1. The provisions of section 303 of the Federal Act (emergency orders), including the authority of the Administrator under that section. Similarly, the provisions of T.C.A. §68-201-109 (emergency orders) including the authority of the Governor under the section;

2. The liability of an owner or operator of a source for any violation of applicable requirements prior to or at the time of permit issuance;

3. The applicable requirements of the acid rain program, consistent with section 408(a) of the Federal Act; or

4. The ability of EPA to obtain information from a source pursuant to section 114 of the Federal Act.

(c) Permit shield is granted to the permittee.

TAPCR 1200-03-09-.02(11)(e)6

A12. Permit renewal and expiration.

(a) An application for permit renewal must be submitted at least 180 days, but no more than 270 days prior to the expiration of this permit. Permit expiration terminates the source's right to operate unless a timely and complete renewal application has been submitted.

(b) If the permittee submits a timely and complete application for permit renewal the source will not be considered to be operating without a permit until the Technical Secretary takes final action on the permit application, except as otherwise noted in paragraph 1200-03-09-.02(11).

(c) This permit, its shield provided in Condition A11, and its conditions will be extended and effective after its expiration date provided that the source has submitted a timely, complete renewal application to the Technical Secretary.

TAPCR 1200-03-09-.02(11)(f)2 and 3, 1200-03-09-.02(11)(d)1(i)(III), and 1200-03-09-.02(11)(a)2

A13. Reopening for cause.

(a) A permit shall be reopened and revised prior to the expiration of the permit under any of the circumstances listed below:

1. Additional applicable requirements under the Federal Act become applicable to the sources contained in this permit provided the permit has a remaining term of three or more years. Such a reopening shall be completed not later than 18 months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the permit expiration date of this permit, unless the original has been extended pursuant to 1200-03-09-.02(11)(a)2.

2. Additional requirements become applicable to an affected source under the acid rain program.

3. The Technical Secretary or EPA determines that the permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of the permit.

4. The Technical Secretary or EPA determines that the permit must be revised or revoked to assure compliance with the applicable requirements.

(b) Proceedings to reopen and issue a permit shall follow the same proceedings as apply to initial permit issuance and shall affect only those parts of the permit for which cause to reopen exists, and not the entire permit. Such reopening shall be made as expeditiously as practicable.

(c) Reopenings for cause shall not be initiated before a notice of such intent is provided to the permittee by the Technical Secretary at least 30 days in advance of the date that the permit is to be reopened except that the Technical Secretary may provide a shorter time period in the case of an emergency. An emergency shall be established by the criteria of T.C.A. 68-201-109 or other compelling reasons that public welfare is being adversely affected by the operation of a source that is in compliance with its permit requirements.

(d) If the Administrator finds that cause exists to terminate, modify, or revoke and reissue a permit as identified in A13, he is required under federal rules to notify the Technical Secretary and the permittee of such findings in writing. Upon receipt of such notification, the Technical Secretary shall investigate the matter in order to determine if he agrees or disagrees with the Administrator's findings. If he agrees with the Administrator's findings, the Technical Secretary shall conduct the reopening in the following manner:

1. The Technical Secretary shall, within 90 days after receipt of such notification, forward to EPA a proposed determination of termination, modification, or revocation and reissuance, as appropriate. If the Administrator grants additional time to secure permit applications or additional information from the permittee, the Technical Secretary shall have the additional time period added to the standard 90 day time period.

2. EPA will evaluate the Technical Secretary's proposed revisions and respond as to their evaluation.

3. If EPA agrees with the proposed revisions, the Technical Secretary shall proceed with the reopening in the same manner prescribed under Condition A13 (b) and Condition A13 (c).

4. If the Technical Secretary disagrees with either the findings or the Administrator that a permit should be reopened or an objection of the Administrator to a proposed revision to a permit submitted pursuant to Condition A13(d), he shall bring the matter to the Board at its next regularly scheduled meeting for instructions as to how he should proceed. The permittee shall be required to file a written brief expressing their position relative to the Administrator's objection and have a responsible official present at the meeting to answer questions for the Board. If the Board agrees that EPA is wrong in their demand for a permit revision, they shall instruct the Technical Secretary to conform to EPA's demand, but to issue the permit under protest preserving all rights available for litigation against EPA.

TAPCR 1200-03-09-.02(11)(f)6 and 7.

A14. **Permit transference.** An administrative permit amendment allows for a change of ownership or operational control of a source where the Technical Secretary determines that no other change in the permit is necessary, provided that the following requirements are met:

(a) Transfer of ownership permit application is filed consistent with the provisions of 1200-03-09-.03(6), and

(b) written agreement containing a specific date for transfer of permit responsibility, coverage, and liability between the current and new permittee has been submitted to the Technical Secretary.

TAPCR 1200-03-09-.02(11)(f)4(i)(IV) and 1200-03-09-.03(6)

A15. **Air pollution alert.** When the Technical Secretary has declared that an air pollution alert, an air pollution warning, or an air pollution emergency exists, the permittee must follow the requirements for that episode level as outlined in TAPCR 1200-03-09-.03(1) and 1200-03-15-.03.

A16. **Construction permit required.** Except as exempted in TAPCR 1200-03-09-.04, or excluded in TAPCR 1200-03-02-.01(1)(aa) or 1200-03-02-.01(1)(cc), this facility shall not begin the construction of a new air contaminant source or the modification of an air contaminant source which may result in the discharge of air contaminants without first having applied for and received from the Technical Secretary a construction permit for the construction or modification of such air contaminant source.

TAPCR 1200-03-09-.01(1)(a)

A17. **Notification of changes.** The permittee shall notify the Technical Secretary 30 days prior to commencement of any of the following changes to an air contaminant source which would not be a modification requiring a construction permit.
(a) change in air pollution control equipment
(b) change in stack height or diameter
(c) change in exit velocity of more than 25 percent or exit temperature of more than 15 percent based on absolute temperature.

TAPCR 1200-03-09-.02(7)

A18. **Schedule of compliance.** The permittee will comply with any applicable requirement that becomes effective during the permit term on a timely basis. If the permittee is not in compliance the permittee must submit a schedule for coming into compliance which must include a schedule of remedial measure(s), including an enforceable set of deadlines for specific actions.

TAPCR 1200-03-09-.02(11)(d)3 and 40 CFR Part 70.5(c)

A19. **Title VI.**

(a) The permittee shall comply with the standards for recycling and emissions reduction pursuant to 40 CFR, Part 82, Subpart F, except as provided for motor vehicle air conditioners (MVACs) in Subpart B:

1. Persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices pursuant to Section 82.156.

2. Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment pursuant to Section 82.158.

3. Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to Section 82.161.

(b) If the permittee performs a service on motor (fleet) vehicles when this service involves ozone depleting substance refrigerant in the motor vehicle air conditioner (MVAC), the permittee is subject to all the applicable requirements as specified in 40 CFR, Part 82, Subpart B, Servicing of Motor Vehicle Air Conditioners.

(c) The permittee shall be allowed to switch from any ozone-depleting substance to any alternative that is listed in the Significant New Alternatives Program (SNAP) promulgated pursuant to 40 CFR, Part 82, Subpart G, Significant New Alternatives Policy Program.

A20. **112 (r).** Sources which are subject to the provisions of Section 112(r) of the federal Clean Air Act or any federal regulations promulgated thereunder, shall annually certify in writing to the Technical Secretary that they are properly following their accidental release plan. The annual certification is due in the office of the Technical Secretary no later than January 31 of each year. Said certification will be for the preceding calendar year.

TAPCR 1200-03-32-.03(3)

SECTION B
GENERAL CONDITIONS for MONITORING, REPORTING, and ENFORCEMENT

B1. **Recordkeeping.** Monitoring and related record keeping shall be performed in accordance with the requirements specified in the permit conditions for each individual permit unit. In no case shall reports of any required monitoring and record keeping be submitted less frequently than every six months.

(a) Where applicable, records of required monitoring information include the following:

1. The date, place as defined in the permit, and time of sampling or measurements;
2. The date(s) analyses were performed;
3. The company or entity that performed the analysis;
4. The analytical techniques or methods used;
5. The results of such analyses; and
6. The operating conditions as existing at the time of sampling or measurement.

(b) Digital data accumulation which utilizes valid data compression techniques shall be acceptable for compliance determination as long as such compression does not violate an applicable requirement and its use has been approved in advance by the Technical Secretary.

TAPCR 1200-03-09-.02(11)(e)1(iii)

B2. **Retention of monitoring data.** The permittee shall retain records of all required monitoring data and support information for a period of at least five years from the date of the monitoring sample, measurement, report, or application. Support information includes all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation, and copies of all reports required by the permit.

TAPCR 1200-03-09-.02(11)(e)1(iii)(II)II

B3. **Reporting.** Reports of any required monitoring and record keeping shall be submitted to the Technical Secretary in accordance with the frequencies specified in the permit conditions for each individual permit unit. Reports shall be submitted within 60 days of the close of the reporting period unless otherwise noted. All instances of deviations from permit requirements must be clearly identified in such reports. All required reports must be certified by a responsible official. Reports required under "State only requirements" are not required to be certified by a responsible official.

TAPCR 1200-03-09-.02(11)(e)1(iii)

B4. **Certification.** Except for reports required under “State Only” requirements, any application form, report or compliance certification submitted pursuant to the requirements of this permit shall contain certification by a responsible official of truth, accuracy and completeness. This certification shall state that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate and complete.

TAPCR 1200-03-09-.02(11)(d)4

B5. **Annual compliance certification.** The permittee shall submit annually compliance certifications with terms and conditions contained in Sections A, B, D and E of this permit, including emission limitations, standards, or work practices. This compliance certification shall include all of the following (provided that the identification of applicable information may cross-reference the permit or previous reports, as applicable):

(a) The identification of each term or condition of the permit that is the basis of the certification;

(b) The identification of the method(s) or other means used by the owner or operator for determining the compliance status with each term and condition during the certification period; such methods and other means shall include, at a minimum, the methods and means required by this permit. If necessary, the owner or operator also shall identify any

other material information that must be included in the certification to comply with section 113(c)(2) of the Federal Act, which prohibits knowingly making a false certification or omitting material information;

(c) The status of compliance with the terms and conditions of the permit for the period covered by the certification, including whether compliance during the period was continuous or intermittent. The certification shall be based on the method or means designated in B5(b) above. The certification shall identify each deviation and take it into account in the compliance certification. The certification shall also identify as possible exceptions to compliance any periods during which compliance is required and in which an excursion* or exceedance** as defined below occurred; and

(d) Such other facts as the Technical Secretary may require to determine the compliance status of the source.

* "Excursion" shall mean a departure from an indicator range established for monitoring under this paragraph, consistent with any averaging period specified for averaging the results of the monitoring.

** "Exceedance" shall mean a condition that is detected by monitoring that provides data in terms of an emission limitation or standard and that indicates that emissions (or opacity) are greater than the applicable emission limitation or standard (or less than the applicable standard in the case of a percent reduction requirement) consistent with any averaging period specified for averaging the results of the monitoring.

40 CFR Part 70.6(c)(5)(iii) as amended in the Federal Register Vol. 79, No.144, July 28, 2014, pages 43661 through 43667

B6 (AA1). **Submission of compliance certification.** The compliance certification shall be submitted to:

The Tennessee Department of Environment and Conservation Office specified in Section E of this permit	and	Air Enforcement Branch U. S. EPA Region IV 61 Forsyth Street, SW Atlanta, Georgia 30303

TAPCR 1200-03-09-.02(11)(e)3(v)(IV)

B7. **Emergency provisions.** An emergency constitutes an affirmative defense to an enforcement action brought against this source for noncompliance with a technology based emission limitation due to unavoidable increases in emissions attributable to the emergency. An emergency shall not include noncompliance to the extent caused by improperly designed equipment, lack of preventative maintenance, careless or improper operation, or operator error.

(a) The affirmative defense of the emergency shall be demonstrated through properly signed, contemporaneous operating logs, or other relevant evidence that:

1. An emergency occurred and that the permittee can identify the probable cause(s) of the emergency. "Probable" must be supported by a credible investigation into the incident that seeks to identify the causes and results in an explanation supported by generally accepted engineering or scientific principles.

2. The permitted source was at the time being properly operated. In determining whether or not a source was being properly operated, the Technical Secretary shall examine the source's written standard operating procedures which were in effect at the time of the noncompliance and any other code as detailed below that would be relevant to preventing the noncompliance. Adherence to the source's standard operating procedures will be the test of adequate preventative maintenance, careless operation, improper operation or operator error to the extent that such adherence would prevent noncompliance. The source's failure to follow recognized standards of practice to the extent that adherence to such a standard would have prevented noncompliance will disqualify the source from any claim of an emergency and an affirmative defense.

3. During the period of the emergency, the permittee took all reasonable steps to minimize levels of emissions that exceeded the emission standards, or other requirements in the permit.

4. The permittee submitted notice of the emergency to the Technical Secretary according to the notification criteria for malfunctions in rule 1200-03-20-.03. For the purposes of this condition, "emergency" shall be substituted for "malfunction(s)" in rule 1200-03-20-.03 to determine the relevant notification threshold. The

notice shall include a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken.

(b) In any enforcement proceeding the permittee seeking to establish the occurrence of an emergency has the burden of proof.

(c) The provisions of this condition are in addition to any emergency, malfunction or upset requirement contained in Division 1200-03 or other applicable requirement.

TAPCR 1200-03-09-.02(11)(e)7

B8. **Excess emissions reporting.**

(a) The permittee shall promptly notify the Technical Secretary when any emission source, air pollution control equipment, or related facility breaks down in such a manner to cause the emission of air contaminants in excess of the applicable emission standards contained in Division 1200-03 or any permit issued thereto, or of sufficient duration to cause damage to property or public health. The permittee must provide the Technical Secretary with a statement giving all pertinent facts, including the estimated duration of the breakdown. Violations of the visible emission standard which occur for less than 20 minutes in one day (midnight to midnight) need not be reported. Prompt notification will be within 24 hours of the malfunction and shall be provided by telephone to the Division's Nashville office. The Technical Secretary shall be notified when the condition causing the failure or breakdown has been corrected. In attainment and unclassified areas if emissions other than from sources designated as significantly impacting on a nonattainment area in excess of the standards will not and do not occur over more than a 24-hour period (or will not recur over more than a 24-hour period) and no damage to property and or public health is anticipated, notification is not required.

(b) Any malfunction that creates an imminent hazard to health must be reported by telephone immediately to the Division's Nashville office at (615) 532-0554 and to the State Civil Defense.

(c) A log of all malfunctions, startups, and shutdowns resulting in emissions in excess of the standards in Division 1200-03 or any permit issued thereto must be kept at the plant. All information shall be entered in the log no later than 24 hours after the startup or shutdown is complete, or the malfunction has ceased or has been corrected. Any later discovered corrections can be added in the log as footnotes with the reason given for the change. This log must record at least the following:

1. Stack or emission point involved
2. Time malfunction, startup, or shutdown began and/or when first noticed
3. Type of malfunction and/or reason for shutdown
4. Time startup or shutdown was complete or time the air contaminant source returned to normal operation
5. The company employee making entry on the log must sign, date, and indicate the time of each log entry

The information under items 1. and 2. must be entered into the log by the end of the shift during which the malfunction or startup began. For any source utilizing continuous emission(s) monitoring, continuous emission(s) monitoring collection satisfies the above log keeping requirement.

TAPCR 1200-03-20-.03 and .04

B9. **Malfunctions, startups and shutdowns - reasonable measures required.** The permittee must take all reasonable measures to keep emissions to a minimum during startups, shutdowns, and malfunctions. These measures may include installation and use of alternate control systems, changes in operating methods or procedures, cessation of operation until the process equipment and/or air pollution control equipment is repaired, maintaining sufficient spare parts, use of overtime labor, use of outside consultants and contractors, and other appropriate means. Failures that are caused by poor maintenance, careless operation or any other preventable upset condition or preventable equipment breakdown shall not be considered malfunctions. This provision does not apply to standards found in 40 CFR, Parts 60(Standards of performance for new stationary sources), 61(National emission standards for hazardous air pollutants) and 63(National emission standards for hazardous air pollutants for source categories). TAPCR 1200-03-20-.02

B10. Reserved.

B11. **Report required upon the issuance of a notice of violation for excess emissions.** The permittee must submit within 20 days after receipt of the notice of violation, the data required below. If this data has previously been available to the Technical Secretary prior to the issuance of the notice of violation no further action is required of the violating source. However, if the source desires to submit additional information, then this must be submitted within the same 20-day time period. The minimum data requirements are:

(a) The identity of the stack and/or other emission point where the excess emission(s) occurred;

(b) The magnitude of the excess emissions expressed in pounds per hour and the units of the applicable emission limitation and the operating data and calculations used in determining the magnitude of the excess emissions;

(c) The time and duration of the emissions;

(d) The nature and cause of such emissions;

(e) For malfunctions, the steps taken to correct the situation and the action taken or planned to prevent the recurrence of such malfunctions;

(f) The steps taken to limit the excess emissions during the occurrence reported, and

(g) If applicable, documentation that the air pollution control equipment, process equipment, or processes were at all times maintained and operated in a manner consistent with good operating practices for minimizing emissions.

Failure to submit the required report within the 20-day period specified shall preclude the admissibility of the data for determination of potential enforcement action.

TAPCR 1200-03-20-.06(2), (3) and (4)

SECTION C
PERMIT CHANGES

C1. **Operational flexibility changes.** The source may make operational flexibility changes that are not addressed or prohibited by the permit without a permit revision subject to the following requirements:

(a) The change cannot be subject to a requirement of Title IV of the Federal Act or Chapter 1200-03-30.

(b) The change cannot be a modification under any provision of Title I of the federal Act or Division 1200-03.

(c) Each change shall meet all applicable requirements and shall not violate any existing permit term or condition.

(d) The source must provide contemporaneous written notice to the Technical Secretary and EPA of each such change, except for changes that are below the threshold of levels that are specified in Rule 1200-03-09-.04.

(e) Each change shall be described in the notice including the date, any change in emissions, pollutants emitted, and any applicable requirements that would apply as a result of the change.

(f) The change shall not qualify for a permit shield under the provisions of part 1200-03-09-.02(11)(e)6.

(g) The permittee shall keep a record describing the changes made at the source that result in emissions of a regulated air pollutant subject to an applicable requirement, but not otherwise regulated under the permit, and the emissions resulting from those changes. The records shall be retained until the changes are incorporated into subsequently issued permits.

TAPCR 1200-03-09-.02(11)(a)4 (ii)

C2. **Section 502(b)(10) changes.**

(a) The permittee can make certain changes without requiring a permit revision, if the changes are not modifications under Title I of the Federal Act or Division 1200-03 and the changes do not exceed the emissions allowable under the permit. The permittee must, however, provide the Administrator and Technical Secretary with written notification within a minimum of seven days in advance of the proposed changes. The Technical Secretary may waive the seven-day advance notice in instances where the source demonstrates in writing that an emergency necessitates the change. Emergency shall be demonstrated by the criteria of TAPCR 1200-03-09-.02(11)(e)7 and in no way shall it include changes solely to take advantages of an unforeseen business opportunity. The Technical Secretary and EPA shall attach each such notice to their copy of the relevant permit.

(b) The written notification must be signed by a facility Title V responsible official and include the following:

1. a brief description of the change within the permitted facility;
2. the date on which the change will occur;
3. a declaration and quantification of any change in emissions;
4. a declaration of any permit term or condition that is no longer applicable as a result of the change; and
5. a declaration that the requested change is not a Title I modification and will not exceed allowable emissions under the permit.

(c) The permit shield provisions of TAPCR 1200-03-09-.02(11)(e)6 shall not apply to Section 502(b)(10) changes.

TAPCR 1200-03-09-.02(11)(a)4 (i)

C3. Administrative amendment.

(a) Administrative permit amendments to this permit shall be in accordance with 1200-03-09-.02(11)(f)4. The source may implement the changes addressed in the request for an administrative amendment immediately upon submittal of the request.

(b) The permit shield shall be extended as part of an administrative permit amendment revision consistent with the provisions of TAPCR 1200-03-09-.02(11)(e)6 for such revisions made pursuant to item (c) of this condition which meet the relevant requirements of TAPCR 1200-03-09-.02(11)(e), 1200-03-09-.02(11)(f), and 1200-03-09-.02(11)(g) for significant permit modifications.

(c) Proceedings to review and grant administrative permit amendments shall be limited to only those parts of the permit for which cause to amend exists, and not the entire permit.

TAPCR 1200-03-09-.02(11)(f)4

C4. Minor permit modifications.

(a) The permittee may submit an application for a minor permit modification in accordance with TAPCR 1200-03-09-.02(11)(f)5(ii).

(b) The permittee may make the change proposed in its minor permit modification immediately after an application is filed with the Technical Secretary.

(c) Proceedings to review and modify permits shall be limited to only those parts of the permit for which cause to modify exists, and not the entire permit.

(d) Minor permit modifications do not qualify for a permit shield.

TAPCR 1200-03-09-.02(11)(f)5(ii)

C5. Significant permit modifications.

(a) The permittee may submit an application for a significant modification in accordance with TAPCR 1200-03-09-.02(11)(f)5(iv).

(b) Proceedings to review and modify permits shall be limited to only those parts of the permit for which cause to modify exists, and not the entire permit.

TAPCR 1200-03-09-.02(11)(f)5(iv)

C6. New construction or modifications. Future construction at this facility that is subject to the provisions of TAPCR 1200-03-09-.01 shall be governed by the following:

(a) The permittee shall designate in their construction permit application the route that they desire to follow for the purposes of incorporating the newly constructed or modified sources into their existing operating permit. The Technical Secretary shall use that information to prepare the operating permit application submittal deadlines in their construction permit.

(b) Sources desiring the permit shield shall choose the administrative amendment route of TAPCR 1200-03-09-.02(11)(f)4 or the significant modification route of TAPCR 1200-03-09-.02(11)(f)5(iv).

(c) Sources desiring expediency instead of the permit shield shall choose the minor permit modification procedure route of TAPCR 1200-03-09-.02(11)(f)5(ii) or group processing of minor modifications under the provisions of TAPCR 1200-03-09-.02(11)(f)5(iii) as applicable to the magnitude of their construction.

TAPCR 1200-03-09-.02(11)(d) 1(i)(V)

SECTION D
GENERAL APPLICABLE REQUIREMENTS

D1. **Visible emissions.** With the exception of air emission sources exempt from the requirements of TAPCR 1200-03-05 and air emission sources for which a different opacity standard is specifically provided elsewhere in this permit, the permittee shall not cause, suffer, allow or permit discharge of a visible emission from any air contaminant source with an opacity in excess of 20% for an aggregate of more than five minutes in any one hour or more than 20 minutes in any 24-hour period; provided, however, that for fuel burning installations with fuel burning equipment of input capacity greater than 600 million Btu per hour, the permittee shall not cause, suffer, allow, or permit discharge of a visible emission from any fuel burning installation with an opacity in excess of 20% (six-minute average) except for one six-minute period per one hour of not more than 40% percent opacity. Sources constructed or modified after July 7, 1992 shall utilize six-minute averaging.

Consistent with the requirements of TAPCR 1200-03-20, due allowance may be made for visible emissions in excess of that permitted under TAPCR 1200-03-05 which are necessary or unavoidable due to routine startup and shutdown conditions. The facility shall maintain a continuous, current log of all excess visible emissions showing the time at which such conditions began and ended and that such record shall be available to the Technical Secretary or an authorized representative upon request.

TAPCR 1200-03-05-.01(1), 1200-03-05-.03(6), and 1200-03-05-.02(1)

D2. **General provisions and applicability for non-process gaseous emissions.** Any person constructing or otherwise establishing a non-portable air contaminant source emitting gaseous air contaminants after April 3, 1972, or relocating an air contaminant source more than 1.0 km from the previous position after November 6, 1988, shall install and utilize the best equipment and technology currently available for controlling such gaseous emissions.

TAPCR 1200-03-06-.03(2)

D3. **Non-process emission standards.** The permittee shall not cause, suffer, allow, or permit particulate emissions from non-process sources in excess of the standards in TAPCR 1200-03-06.

D4. **General provisions and applicability for process gaseous emissions.** Any person constructing or otherwise establishing an air contaminant source emitting gaseous air contaminants after April 3, 1972, or relocating an air contaminant source more than 1.0 km from the previous position after November 6, 1988, shall install and utilize equipment and technology which is deemed reasonable and proper by the Technical Secretary.

TAPCR 1200-03-07-.07(2)

D5. **Particulate emissions from process emission sources.** The permittee shall not cause, suffer, allow, or permit particulate emissions from process sources in excess of the standards in TAPCR 1200-03-07.

D6. **Sulfur dioxide emission standards.** The permittee shall not cause, suffer, allow, or permit Sulfur dioxide emissions from process and non-process sources in excess of the standards in TAPCR 1200-03-14. Regardless of the specific emission standard, new process sources shall utilize the best available control technology as deemed appropriate by the Technical Secretary of the Tennessee Air Pollution Control Board.

D7. **Fugitive Dust.**

(a) The permittee shall not cause, suffer, allow, or permit any materials to be handled, transported, or stored; or a building, its appurtenances, or a road to be used, constructed, altered, repaired, or demolished without taking reasonable precautions to prevent particulate matter from becoming airborne. Such reasonable precautions shall include, but not be limited to, the following:

1. Use, where possible, of water or chemicals for control of dust in demolition of existing buildings or structures, construction operations, grading of roads, or the clearing of land;

2. Application of asphalt, water, or suitable chemicals on dirt roads, material stock piles, and other surfaces which can create airborne dusts;

3. Installation and use of hoods, fans, and fabric filters to enclose and vent the handling of dusty materials. Adequate containment methods shall be employed during sandblasting or other similar operations.

(b) The permittee shall not cause, suffer, allow, or permit fugitive dust to be emitted in such manner to exceed five minutes per hour or 20 minutes per day as to produce a visible emission beyond the property line of the property on which the emission originates, excluding malfunction of equipment as provided in TAPCR 1200-03-20.

TAPCR 1200-03-08

D8. **Open burning.** The permittee shall comply with the TAPCR 1200-03-04 for all open burning activities at the facility.

TAPCR 1200-03-04

D9. **Asbestos.** Where applicable, the permittee shall comply with the requirements of TAPCR 1200-03-11-.02(2)(d) when conducting any renovation or demolition activities at the facility.

TAPCR 1200-03-11-.02(2)(d) and 40 CFR, Part 61

D10. **Annual certification of compliance.** The generally applicable requirements set forth in Section D of this permit are intended to apply to activities and sources that are not subject to source-specific applicable requirements contained in State of Tennessee and U.S. EPA regulations. By annual certification of compliance, the permittee shall be considered to meet the monitoring and related record keeping and reporting requirements of TAPCR 1200-03-09-.02(11)(e)1.(iii) and 1200-03-10-.04(2)(b)1 and compliance requirements of TAPCR 1200-03-09-.02(11)(e)3.(i). The permittee shall submit compliance certification for these conditions annually.

D11. **Emission Standards for Hazardous Air Pollutants.** When applicable, the permittee shall comply with the TAPCR 0400-30-38 for all emission sources subject to a requirement contained therein.

TAPCR 0400-30-38

D12. **Standards of Performance for New Stationary Sources.** When applicable, the permittee shall comply with the TAPCR 0400-30-39 for all emission sources subject to a requirement contained therein.

D13. **Gasoline Dispensing Facilities.** When applicable, the permittee shall comply with the TAPCR 1200-03-18-.24 for all emission sources subject to a requirement contained therein.

D14. **Internal Combustion Engines.**

(a) All stationary reciprocating internal combustion engines, including engines deemed insignificant activities and insignificant emission units, shall comply with the applicable provisions of TAPCR 0400-30-38-.01.

(b) All stationary compression ignition internal combustion engines, including engines deemed insignificant activities and insignificant emission units, shall comply with the applicable provisions of TAPCR 0400-30-39-.01.

(c) All stationary spark ignition internal combustion engines, including engines deemed insignificant activities and insignificant emission units, shall comply with the applicable provisions of TAPCR 0400-30-39-.02.

TAPCR 0400-30-38 and 39

SECTION E

SOURCE SPECIFIC EMISSION STANDARDS, OPERATING LIMITATIONS, and MONITORING, RECORDKEEPING and REPORTING REQUIREMENTS

82-0510	**Facility Description:**	Production of cellulose esters, acid recovery process, cellulose scrap recovery process, and associated storage tanks.

Conditions E1 through E2-13 apply to all sources in Section E of this permit unless otherwise noted.

E1 (AA1). **Fee payment**

FEE EMISSIONS SUMMARY TABLE FOR MAJOR SOURCE 82-0510			
REGULATED POLLUTANTS	**ALLOWABLE EMISSIONS (tons per AAP)**	**ACTUAL EMISSIONS (tons per AAP)**	**COMMENTS**
PARTICULATE MATTER (PM)	**7.1**	**AEAR**	**Includes all fee emissions.**
PM_{10}	**N/A**	**N/A**	
SO_2	**1.1**	**AEAR**	**Includes all fee emissions.**
VOC	**45.35**	**AEAR**	**Does not include VOC HAP with a standard.**
NO_X	**N/A**	**N/A**	
CATEGORY OF MISCELLANEOUS HAZARDOUS AIR POLLUTANTS (HAPs WITHOUT A STANDARD)*			
VOC FAMILY GROUP	**N/A**	**N/A**	
NON-VOC GASEOUS GROUP	**N/A**	**N/A**	
PM FAMILY GROUP	**N/A**	**N/A**	
CATEGORY OF SPECIFIC HAZARDOUS AIR POLLUTANTS (HAPs WITH A STANDARD)**			
VOC FAMILY GROUP **Acetaldehyde** **Ethylene Glycol**	 **1.85** **Neg.**	 **AEAR** **AEAR**	**NESHAP (40 CFR Part 63 Subpart FFFF). Fee emissions are not included in VOC above.**
NON-VOC GASEOUS GROUP	**N/A**	**N/A**	
PM FAMILY GROUP	**N/A**	**N/A**	
CATEGORY OF NSPS POLLUTANTS NOT LISTED ABOVE***			
EACH NSPS POLLUTANT NOT LISTED ABOVE	**N/A**	**N/A**	

NOTES

AAP The **Annual Accounting Period** (**AAP**) is a twelve (12) consecutive month period that **either (a) begins each July 1st and ends June 30th of the following year when fees are paid on a fiscal year basis, or (b) begins January 1st and ends December 31st of the same year when paying on a calendar year basis.** The **Annual Accounting Period** at the time of permit renewal issuance **began July 1, 2020 and ends June 30, 2021.** The next Annual Accounting Period begins **July 1, 2021** and ends **June 30, 2022,** unless a request to change the annual accounting period is submitted by the responsible official as required by subparagraph 1200-03-26-.02(9)(b) and approved by the Technical Secretary**.** If the permittee wishes to revise their annual accounting period or their annual emission fee basis as allowed by subparagraph 1200-03-26-.02(9)(b), the responsible official must submit the request to the Division in writing on or before December 31 of the annual accounting period for which the fee is due. If a change in fee basis from allowable emissions to actual emissions for any pollutant is requested, the request from the responsible official must include the methods that will be used to determine actual emissions. Changes in fee bases must be made using the Title V Fee Selection form, form number APC 36 (CN-1583), included as Attachment 5 to this permit and available on the Division of Air Pollution Control's website.

N/A **N/A** indicates that no emissions are specified for fee computation.

AEAR If the permittee is paying annual emission fees on an actual emissions basis, **AEAR** indicates that an **A**ctual **E**missions **A**nalysis is **R**equired to determine the actual emissions of:

(1) **each regulated pollutant** (Particulate matter, SO_2, VOC, NO_X and so forth. See TAPCR 1200-03-26-.02(2)(i) for the definition of a regulated pollutant.),
(2) **each pollutant group** (VOC Family, Non-VOC Gaseous, and Particulate Family),
(3) the **Miscellaneous HAP Category,**
(4) the **Specific HAP Category**, and
(5) the **NSPS Category**

under consideration during the **Annual Accounting Period**.

* **Category Of Miscellaneous HAP (HAP Without A Standard):** This category is made-up of hazardous air pollutants that do not have a federal or state standard. Each HAP is classified into one of three groups, the **VOC Family** group**, the Non-VOC Gaseous** group**,** or the **Particulate (PM) Family** group**. For fee computation**, the **Miscellaneous HAP Category** is subject to the 4,000 ton cap provisions of subparagraph 1200-03-26-.02(2)(i).

** **Category Of Specific HAP (HAP With A Standard):** This category is made-up of hazardous air pollutants (HAP) that are subject to Federally promulgated Hazardous Air Pollutant Standards that can be imposed under Chapter 1200-03-11 or Chapter 1200-03-31. Each individual hazardous air pollutant is classified into one of three groups, the **VOC Family** group**, the Non-VOC Gaseous** group**,** or the **Particulate (PM) Family** group**. For fee computation**, each individual hazardous air pollutant of the **Specific HAP Category** is subject to the 4,000 ton cap provisions of subparagraph 1200-03-26-.02(2)(I).

*** **Category Of NSPS Pollutants Not Listed Above:** This category is made-up of each **N**ew **S**ource **P**erformance **S**tandard (**NSPS**) pollutant whose emissions are not included in the **PM**, **SO_2, VOC** or **NO_X** emissions from each source in this permit. **For fee computation**, each **NSPS pollutant not listed above** is subject to the 4,000 ton cap provisions of subparagraph 1200-03-26-.02(2)(i).

END NOTES

The permittee shall:

(1) Pay Title V **annual emission fees**, on the emissions and year bases requested by the responsible official and approved by the Technical Secretary, for each annual accounting period (AAP) by the payment deadline(s) established in TAPCR 1200-03-26-.02(9)(g). Fees may be paid on an **actual**, **allowable**, or **mixed** emissions basis; and on either a **state fiscal year** or a **calendar year**, provided the requirements of 1200-03-26-.02(9)(b) are met. If any part of any fee imposed under TAPCR 1200-03-26-.02 is not paid within fifteen (15) days of the due date, penalties shall at once accrue as specified in TAPCR 1200-03-26-.02(8).

(2) Sources paying annual emissions fees on an allowable emissions basis: pay annual allowable based emission fees for each annual accounting period pursuant to TAPCR 1200-03-26-.02(9)(d).

(3) Sources paying annual emissions fees on an actual emissions basis: prepare an **actual emissions analysis** for each AAP and pay **actual based emission fees** pursuant to TAPCR 1200-03-26-.02(9)(d). The **actual emissions analysis** shall include:
(a) the completed **Fee Emissions Summary Table**,
(b) each **actual emissions analysis** required**,** and
(c) the actual emission records for each pollutant and each source as required for actual emission fee determination, or a summary of the actual emission records required for fee determination, as specified by the Technical Secretary or the Technical Secretary's representative. These calculations must be based on the annual fee basis approved by the Technical Secretary (a state fiscal year [July 1 through June 30] or a calendar year [January 1 through December 31]). These records shall be used to complete the **actual emissions analyses** required by the above **Fee Emissions Summary Table**.

(4) Sources paying annual emissions fees on a mixed emissions basis: for all pollutants and all sources for which the permittee has chosen an actual emissions basis, prepare an **actual emissions analysis** for each AAP and pay **actual based emission fees** pursuant to TAPCR 1200-03-26-.02(9)(d). The **actual emissions analysis** shall include:

(a) the completed **Fee Emissions Summary Table**,
(b) each **actual emissions analysis** required**,** and
(c) the actual emission records for each pollutant and each source as required for actual emission fee determination, or a summary of the actual emission records required for fee determination, as specified by the Technical Secretary or the Technical Secretary's representative. These calculations must be based on the fee bases approved by the Technical Secretary (payment on an actual or mixed emissions basis) and payment on a state fiscal year (July 1 through June 30) or a calendar year (January 1 through December 31). These records shall be used to complete the **actual emissions analysis**.

For all pollutants and all sources for which the permittee has chosen an allowable emissions basis, pay allowable based emission fees pursuant to TAPCR 1200-03-26-.02(9)(d).

(5) When paying on an actual or mixed emissions basis, submit the **actual emissions analyses** at the time the fees are paid in full.

The annual emission fee due dates are specified in TAPCR 1200-03-26-.02(g) and are dependent on the Responsible Official's choice of fee bases as described above. If any part of any fee imposed under TAPCR 1200-03-26-.02 is not paid within 15 days of the due date, penalties shall at once accrue as specified in TAPCR 1200-03-26-.02(8). Emissions for regulated pollutants shall not be double counted as specified in Condition A8(d) of this permit.

Payment of the fee due and the actual emissions analysis (if required) shall be submitted to The Technical Secretary at the following address:

Payment of Fee to:
The Tennessee Department of Environment and Conservation
Division of Fiscal Services
Consolidated Fee Section – APC
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 10th Floor
Nashville, Tennessee 37243

and

Actual Emissions Analyses to:
The Tennessee Department of Environment and Conservation
Division of Air Pollution Control
East Tennessee Permit Program
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, Tennessee 37243
or
An electronic copy (PDF) of actual emissions analysis can also be submitted to: apc.inventory@tn.gov

E2. General Facility Requirements

E2-1. Reporting requirements.

(a) **Semiannual reports.** Semiannual reports shall cover the six-month periods from **January 1** through **June 30** of each calendar year and **July 1** through **December 31** of each calendar year and shall be submitted within 60 days after the end of each six-month period. The first semiannual reports following issuance of this permit shall cover the following permits and reporting periods:

Permit Number	Reporting Period	Information Required
567676	July 1 through December 31, 2019	See Condition E2-1(a) of permit 567676
574994	January 1 through June 30, 2020	See below

Semiannual reports of this facility (***82-0510***) shall include:

(1) Any monitoring and recordkeeping required by Conditions ***E3-3, E3-4, E3-5, E4-1, E4-2, E5-1, E5-2, E5-4, E6-1, and E6-2*** of this permit. A summary report of this data is acceptable, provided there is sufficient information to enable the Technical Secretary to evaluate compliance.

(2) The MACT reports required by 40 CFR 63 Subparts A and FFFF (Condition ***E2-8***).

(3) The NSPS reports required by 40 CFR 60 Subparts A, Kb, VV, NNN, and RRR (Condition ***E2-7***).

Note to Condition E2-1(a)(3): Report the results of alternative monitoring (quarterly audible, visual, or olfactory inspections) with the NSPS VV report.

(4) Per the opacity matrix dated September 11, 2013 (Attachment 1), no visible emissions evaluation readings are required by Condition ***E2-5*** of this permit.

(5) Identification of all instances of deviations from **ALL PERMIT REQUIREMENTS**.

These reports must be certified by a responsible official consistent with condition B4 of this permit and shall be submitted to The Technical Secretary at the address in Condition E2(b) of this permit.

TAPCR 1200-03-09-.02(11)(e)1.(iii)

(b) **Annual compliance certification.** The permittee shall submit annually compliance certifications with each term or condition contained in Sections A, B, D and E of this permit, including emission limitations, standards, or work practices. This compliance certification shall include all of the following (provided that the identification of applicable information may cross-reference the permit or previous reports, as applicable):

(1) The identification of each term or condition of the permit that is the basis of the certification;

(2) The identification of the method(s) or other means used by the owner or operator for determining the compliance status with each term and condition during the certification period; Such methods and other means shall include, at a minimum, the methods and means required by this permit. If necessary, the owner or operator also shall identify any other material information that must be included in the certification to comply with section 113(c)(2) of the Federal Act, which prohibits knowingly making a false certification or omitting material information;

(3) The status of compliance with each term or condition of the permit for the period covered by the certification, including whether compliance during the period was continuous or intermittent. The certification shall be based on the method or means designated in E2(b)2 above. The certification shall identify each deviation and take it into account in the compliance certification. The certification shall also identify as possible exceptions to compliance any periods during which compliance is required and in which an excursion* or exceedance** as defined below occurred; and

(4) Such other facts as the Technical Secretary may require to determine the compliance status of the source.

* "Excursion" shall mean a departure from an indicator range established for monitoring under this paragraph, consistent with any averaging period specified for averaging the results of the monitoring.

** "Exceedance" shall mean a condition that is detected by monitoring that provides data in terms of an emission limitation or standard and that indicates that emissions (or opacity) are greater than the applicable emission limitation or standard (or less than the applicable standard in the case of a percent reduction requirement) consistent with any averaging period specified for averaging the results of the monitoring.

Annual compliance certifications shall cover the 12-month period from **July 1** of each calendar year to **June 30** of the following calendar year and shall be submitted within 60 days after the end of each 12-month period. The first annual compliance certification following issuance of this permit shall cover the following permits and reporting periods:

Permit Number	Reporting Period
567676	July 1 through December 31, 2019
574994	January 1 through June 30, 2020

These certifications shall be submitted to: **TN APCD** and **EPA**

The Technical Secretary
Division of Air Pollution Control
East Tennessee Permit Program

And

Air Enforcement and Toxics Branch
U. S. EPA Region 4
61 Forsyth Street, SW

William R. Snodgrass Tennessee Tower **Atlanta, Georgia 30303**
312 Rosa L Parks Avenue, 15th Floor
Nashville, TN 37243
e-mail (PDF): Air.Pollution.Control@tn.gov

40 CFR Part 70.6(c)(5)(iii) as amended in the Federal Register Vol.79, No. 144, July 28, 2014, pages 43661 through 43667
TAPCR 1200-03-09-.02(11)(e)3.(v)

(c) **Retention of Records** All records required by any condition in Section E of this permit must be retained for a period of not less than five years. Additionally, these records shall be kept available for inspection by the Technical Secretary or the authorized representative.

TAPCR 1200-03-09-.02(11)(e)1.(iii)(II)II

E2-2. Conservation Vent Maintenance:

For storage or process vessels subject to emission limitations based upon TAPCR 1200-03-07-.07(2):

Where removal of a pressure relief device such as a conservation vent from a storage or process vessel would otherwise result in excess emissions, the owner or operator is permitted to remove the pressure relief device provided the following applicable conditions are met:

For vessels which under normal operating conditions vent to a downstream piece of process or control equipment, a pressure relief device may be removed for up to a five (5) day period of time for maintenance, replacement, calibration, or inspection, under the following conditions:

(a) Upward level movement of liquid within the vessel is restricted to ten percent of the vessel height during the period in which the pressure relief device is removed, or

(b) Emissions of air contaminants due to working losses and inert gas purge losses are restricted to 100 pounds per day as determined by standard engineering estimation methods during the period in which the pressure relief device is removed.

Emissions occurring during the period of time the pressure relief device is removed shall not be considered excess emissions.

E2-3. Identification of Responsible Official, Technical Contact, and Billing Contact

(a) The application that was utilized in the preparation of this renewal permit is dated September 20, 2018 and is signed by Arnaud Thermoz-Lorciere, Managing Director, Primester GP. If this person terminates employment or is assigned different duties and is no longer a Responsible Official for this facility as defined in TAPCR 1200-03-09-.02(11)(b)21, the owner or operator of this air contaminant source shall notify the Technical Secretary of the change. Said notification must be in writing and must be submitted within 30 days of the change. The notification shall include the name and title of the new Responsible Official and certification of truth and accuracy. All representations, agreement to terms and conditions, and covenants made by the former Responsible Official that were used in the establishment of the permit terms and conditions will continue to be binding on the facility until such time that a revision to this permit is obtained that would change said representations, agreements, and/or covenants.

(b) The application that was utilized in the preparation of this renewal permit is dated September 20, 2018 and identifies Bret Beach as the Principal Technical Contact for the permitted facility. If this person terminates employment or is assigned different duties and is no longer the Principal Technical Contact for this facility, the owner or operator of this air contaminant source shall notify the Technical Secretary of the change. Said notification must be in writing and must be submitted within 30 days of the change. The notification shall include the name and title of the new Principal Technical Contact and certification of truth and accuracy.

(c) The application that was utilized in the preparation of this renewal permit is dated September 20, 2018 and identifies Dawn Warren as the Billing Contact for the permitted facility. If this person terminates employment or is assigned different duties and is no longer the Billing Contact for this facility, the owner or operator of this air contaminant source shall notify the Technical Secretary of the change. Said notification must be in writing and must be submitted

within 30 days of the change. The notification shall include the name and title of the new Billing Contact and certification of truth and accuracy.

E2-4. Recordkeeping: Data Entry Requirements

(a) For monthly recordkeeping, all data, including results of all calculations, must be entered into the log no later than 30 days from the end of the month for which the data is required.

(b) For weekly recordkeeping, all data, including results of all calculations, must be entered into the log no later than 14 days from the end of the week for which the data is required.

(c) For daily recordkeeping, all data, including results of all calculations, must be entered into the log no later than 14 days from the end of the day for which the data is required.

TAPCR 1200-03-10-.02(1)(a)

E2-5. Opacity Limits, Visible Emissions Evaluation

Visible emissions all emission sources subject to this permit shall not exceed 20% opacity except for one six-minute period in any one hour and for no more than four six-minute periods in any 24-hour period as per TAPCR 1200-03-05-.03(6) and 1200-03-05-.01(1). Visible emissions shall be determined by EPA Method 9 as set forth in the current 40 CFR 60, Appendix A, (six-minute average)

Compliance Method: Compliance with this condition shall be assured by the procedures of the Opacity Matrix Decision Tree for Visible Emission Evaluation, amended September 11, 2013 (Attachment 1). Visible emissions evaluations are not required for the following sources (**Table E2-4**):

Table E2-4: Sources not Requiring a Visible Emission Reading per the Opacity Matrix

Source Number	Description	Opacity Matrix Exemption
82-0510-01	B-440-1 Ester Production	Allowable emissions ≤ 10 tons/year for all pollutants
82-0510-02	B-441-1 Acid Recovery Process	Allowable emissions ≤ 10 tons/year for all pollutants
82-0510-03	B-441-2 Cellulose Scrap Recovery Process	Allowable emissions > 10 tons/year for colorless pollutants only (CO)
82-0510-04	B-442-1 Tank Farm	Allowable emissions ≤ 10 tons/year for all pollutants
82-0510-05	B-447-1 Cooling Towers	Allowable emissions ≤ 10 tons/year for all pollutants

For all emission sources that use opacity matrix decision trees (Attachment 1) to comply with any visible emissions requirement, including emission sources for which visible emissions are not required by the opacity matrix, if the magnitude and frequency of excursions reported by the permittee in the periodic monitoring for emissions is unsatisfactory to the Technical Secretary, this permit may be reopened to impose additional opacity monitoring requirements.

TAPCR 1200-03-05-.03(6) and 1200-03-05-.01(1), TAPCR 1200-03-10-.02(1)(a)

E2-6. Quarterly and Annual Leak Inspection

Quarterly or annual leak inspections shall be performed as follows:

(a) (1) **Quarterly Leak Inspection:** A leak inspection of all equipment in air contaminant service (contains or contacts a process fluid that is at least 10% air contaminant by weight) that is not "in heavy liquid service" or "in vacuum service" shall be performed once per calendar quarter. For this inspection, detection methods incorporating sight (e.g. looking for drips), sound (e.g. hissing sounds indicative of a leak), or smell (e.g. strong odors traceable to piping leaks) shall be used as appropriate. "Equipment" includes piping, pumps,

compressors, pressure relief devices, sampling connection systems, open-ended valves or lines, valves, and flanges. "In heavy liquid service" means when less than 20 weight percent of the process fluid consists of air contaminants having pure component vapor pressures greater than 0.044 psia at 68 degrees F, and the process fluid is not in the gaseous state at operating conditions. "In vacuum service" means equipment that is operating at an internal pressure that is at least 0.7 psia below ambient pressure. Equipment that is covered by insulation or obstructed from sight when standing on existing floors or walkways is exempt from this inspection. Equipment that is subject to a federally required work practice standard (e.g. 40 CFR Part 60, Subpart VV, 40 CFR Part 63, Subpart H, 40 CFR Part 265, Subpart BB) is exempt from this inspection. Equipment that is in air contaminant service less than 300 hours in a calendar quarter is exempt from this inspection for that quarter.

(2) **Annual Leak Inspection**: A leak inspection of all equipment in air contaminant service (contains or contacts a process fluid that is at least 10% air contaminant by weight) that is not "in heavy liquid service" or "in vacuum service" shall be performed once per calendar year. For this inspection, detection methods incorporating sight (e.g. looking for drips), sound (e.g. hissing sounds indicative of a leak), or smell (e.g. strong odors traceable to piping leaks) shall be used as appropriate. "Equipment" includes piping, pumps, compressors, pressure relief devices, sampling connection systems, open-ended valves or lines, valves, and flanges. "In heavy liquid service" means when less than 20 weight percent of the process fluid consists of air contaminants having pure component vapor pressures greater than 0.044 psia at 68 degrees F, and the process fluid is not in the gaseous state at operating conditions. "In vacuum service" means equipment that is operating at an internal pressure which is at least 0.7 psia below ambient pressure. Equipment that is covered by insulation or obstructed from sight when standing on existing floors or walkways is exempt from this inspection. Equipment that is subject to a federally required work practice standard (e.g. 40 CFR Part 60, Subpart VV, 40 CFR Part 63, Subpart H, 40 CFR Part 265, Subpart BB) is exempt from this inspection. Equipment that is in air contaminant service less than 720 hours in a calendar year is exempt from this inspection for that year.

(b) When a leak is detected, an initial attempt at repair shall be made no later than 10 calendar days after the leak is detected. Repair or replacement of leaking equipment shall be completed within 30 calendar days after detection of each leak, except as provided in paragraph (c) below.

(c) (1) Delay of repair of leaking equipment will be allowed if the repair is technically infeasible without a process unit shutdown or if repair personnel would be exposed to an immediate danger if attempting a repair without a process shutdown. Repair of this equipment shall occur by the end of the next process unit shutdown.

(2) Delay of repair of equipment for which leaks have been detected is allowed for equipment that is isolated from the process and that does not remain in air contaminant service.

(3) Delay of repair for valves, connectors, and agitators is also allowed if the owner or operator determines that emissions of purged material resulting from immediate repair would be greater than the fugitive emissions likely to result from delay of repair.

(4) Delay of repair beyond a process unit shutdown will be allowed for a valve if valve assembly replacement is necessary during the process unit shutdown, valve assembly supplies have been depleted, and valve assembly supplies had been sufficiently stocked before the supplies were depleted. Delay of repair beyond the second process unit shutdown will not be allowed unless the third process unit shutdown occurs sooner than 6 months after the first process unit shutdown.

(5) Delay of repair of pumps for up to six months after leak detection is allowed if the pump is replaced with (i) a dual mechanical seal system, (ii) a pump with no externally actuated shaft penetrating the pump housing, or (iii) a new system that the permittee has determined will provide better performance.

(d) Recordkeeping Requirements

(1) Records must be maintained that identify piping systems or process areas subject to this plan.

(2) Records of all inspections must be kept documenting the inspection was conducted and the date of the inspection. If no leaks are detected during the inspection, the record must indicate this result.

(3) When a leak is detected, the following information shall be recorded:

(i) Component identifier or description of location and operator name, initials, or identification number.

(ii) The date the leak was detected.

(iii) The date the initial attempt at repair is made.

(iv) The date of successful repair of the leak. "Successful repair" means the leak is no longer detected using the inspection procedure outlined in item 10(a).

(v) "Repair delayed" and the reason for the delay if a leak is not repaired within 30 days after discovery of the leak.

TAPCR 1200-03-07-.07(2)

E2-7 (AA1). New Source Performance Standards (40 CFR Part 60)

This emission source is subject to the NSPS standards identified in **Table E2-7**:

Table E2-7: New Source Performance Standards (40 CFR Part 60)

NSPS Subpart	Rule	Applies to:
A	NSPS General Provisions	82-0510-01 82-0510-02 82-0510-03 82-0510-04
Kb	Standards of Performance for Volatile Organic Liquid Storage Vessels	82-0510-03 82-0510-04
VV	Standards of Performance for Equipment Leaks of VOC in the Synthetic Organic Chemicals Manufacturing Industry (SOCMI)	82-0510-01 82-0510-02 82-0510-03 82-0510-04
NNN	Standards of Performance for Volatile Organic Compound Emissions from Synthetic Organic Chemical Manufacturing Industry Distillation Operations	82-0510-01 82-0510-02 82-0510-03
RRR	Standards of Performance for Volatile Organic Compound Emissions from Synthetic Organic Chemical Manufacturing Industry Reactor Processes	82-0510-01 82-0510-02 82-0510-03

Compliance Method: A listing of specific applicability determinations for 40 CFR Parts 60 and 63 in effect as of the issuance date of this permit is found in Attachment 2. Compliance with this condition shall be assured by compliance with the specific requirements listed in Attachment 2. Changes that result in a change of applicability shall follow the applicable procedures in Section C of this permit and shall include an update to Attachment 2. The permittee shall comply with the applicable portions of the NSPS General Provisions as specified in 40 CFR 60 Subpart A.

TAPCR 1200-03-09-.03(8)

E2-8. National Emission Standards for Hazardous Air Pollutants for Source Categories (40 CFR Part 63)

This emission source is subject to the MACT standards identified in **Table E2-8**:

Table E2-8: MACT Standards (40 CFR Part 63)		
MACT Subpart	**Rule**	**Applies to:**
A	MACT General Provisions	82-0510-01 82-0510-04
FFFF	National Emission Standards for Hazardous Air Pollutants: Miscellaneous Organic Chemical Manufacturing	82-0510-01 82-0510-04

Compliance Method: A listing of specific applicability determinations for 40 CFR Parts 60 and 63 in effect as of the issuance date of this permit is found in Attachment 2. Compliance with this condition shall be assured by compliance with the specific requirements listed in Attachment 2. Changes that result in a change of applicability shall follow the applicable procedures in Section C of this permit and shall include an update to Attachment 2. The permittee shall comply with the applicable portions of the MACT General Provisions as specified in 40 CFR 63 Subpart A and/or the referencing Subparts.

TAPCR 1200-03-09-.03(8)

E2-9. Annual Certification of Compliance

Any emission unit or activity which is a subset of a process emission source, fuel burning installation, or incinerator, and which has a potential to emit less than 5 tons per year of a regulated air pollutant, by annual certification of compliance as required in item 1200-03-09-.02(11)(d)1.(ii)(I), shall be considered to meet the monitoring and related recordkeeping and reporting requirements of subpart 1200-03-09-.02(11)(e)1.(iii) and 1200-03-10-.04(2)(b)(1), and the compliance requirements of subpart 1200-03-09-.02(11)(e)3.(i) for that regulated air pollutant except where generally applicable requirements of the state implementation plan specifically impose monitoring and related record keeping and reporting requirements, or except where any applicable procedures and methods are required pursuant to rule 1200-03-10-.04. This provision shall not apply to emissions unit or activity that is subject to monitoring and related recordkeeping and reporting requirements under Chapters 1200-03-11 and 1200-03-31, and subparagraph 1200-03-02-.01(1)(dd).

E2-10. Periodic Monitoring Methods - General Requirements

(a) Includes all of the following:

(1) All emissions monitoring and analysis procedures or test methods required under the applicable requirements, including any procedures and methods promulgated pursuant to sections 114(a)(3) or 504(b) of the Federal Act.

(2) Those monitoring, recordkeeping, and reporting requirements prescribed by the Technical Secretary in accordance with the powers granted by TAPCR 1200-03-10.

(3) Where the applicable requirement does not require periodic testing or instrumental or noninstrumental monitoring (which may consist of recordkeeping designed to serve as monitoring), periodic monitoring sufficient to yield reliable data from the relevant time period that are representative of the source's compliance with the permit. These requirements assure use of such terms, test methods, units, averaging periods, and other statistical conventions consistent with the applicable requirements.

(4) Requirements concerning the use, maintenance, and installation of monitoring equipment or methods.

(b) No monitoring or recordkeeping is required during periods during which the source is not in operation.

(c) When the approved operating plan utilizes continuous parametric monitoring systems (CPMS), the permittee may use manual readings of the applicable parameter taken once per operating shift as a backup during periods of CPMS breakdown.

(d) For continuous monitoring systems, the following shall apply;

(1) The monitoring system shall measure data values at least once every 15 minutes.

(2) The owner or operator shall record either:

(A) Each measured value; or

(B) At least one measured value every 15 minutes; or

(C) Block average values for 15-minute or shorter periods calculated from all measured data values during each period or at least one measured data value per minute if measured more frequently than once per minute.

(e) Where the permit requires block averages or block totals for each continuously monitored parameter, the average or total shall be calculated as follows:

(i) 24-hour blocks shall begin at midnight of each day and end at midnight of the following day;

(ii) "Plant day" blocks shall begin at 6:30 AM of each day and end at 6:30 AM of the following day;

Averages shall be calculated as either the average of all values for a monitored parameter recorded during the 24 hour period or as the average of all valid one-hour averages for a monitored parameter recorded during the 24 hour period. If one-hour averages are used, they shall be calculated from four or more equally spaced data averages over each one-hour period, except during periods of monitoring system breakdown, monitoring system repairs, and periods of non-operation of the source. During these periods, a valid one-hour average shall consist of at least two 15-minute averages.

(f) Except as noted in **Condition E2-10(e)** (data requirements for valid one-hour averages), for a given averaging period, a valid average must include at least 75% percent of the measured values within the averaging period.

(g) Data recorded during periods of monitoring system breakdown, monitoring system repairs, and periods of non-operation of the source shall not be included in the data averages. Records of the times and durations of all such periods and any other periods during process or control device operation when monitors are not operating shall be retained at the source location and kept available for inspection by the Technical Secretary or authorized representative.

(h) If all valid measurements taken during an averaging period are within the applicable range for the parameter, calculation of an average value is not mandatory.

TAPCR 1200-03-09-.02(11)(e)(iii)(I), 1200-03-10-.02(1)(a)

E2-11. Excursions

(a) An excursion means a departure from an indicator range established for monitoring by this Title V permit, consistent with any averaging period specified for averaging the results of the monitoring, or,

(b) Operation of each air contaminant source shall be in accordance with the provisions and stipulations set forth in the operating permit, all provisions of TAPCR 1200-03 and 0400-30, and all provisions of the Tennessee Air Quality Act. Some excursions, as defined under TAPCR1200-03-09-.02(11)(b)31 or in the operating permit and which occur during periodic monitoring for compliance assurance, may be excused by the Technical Secretary. This authority is not extended to excursions that demonstrate noncompliance with an applicable emission limitation.

(c) Monitoring methods must have at least a 95% operational availability during each semiannual reporting period. Missing data in excess of these levels shall be grounds for enforcement action. Each operational availability of less

than 100%, and each missing or invalid averaging period, must be identified in the semiannual report required by **Condition E2-1** of this permit**.**

TAPCR 1200-03-09-.02(6), 1200-03-09-.02(11)(e)(iii)(I), 1200-03-10-.02(1)(a), 1200-03-10-.04(2)(a)

E2-12. General Requirements for Quarterly, Semiannual, and Annual Periodic Monitoring

Except as specifically indicated otherwise within this permit (or by an applicable requirement referenced within this permit), the following requirements shall apply to periodic monitoring, recordkeeping, or testing.

(a) Quarterly monitoring shall be completed at least once during each calendar quarter (January 1 through March 31 of each calendar year, April 1 through June 30 of each calendar year, July 1 through September 30 of each calendar year, and October 1 through December 31 of each calendar year).

(b) Semiannual monitoring shall be completed at least once during each calendar semiannual period corresponding to the semi-annual reporting periods specified in **Condition E2-1(a)** of this permit.

(c) Annual monitoring shall be completed at least once per each 12-month period corresponding to the annual reporting period specified in **Condition E2-1(b)** of this permit.

(d) Periodic monitoring may be delayed for equipment that is out of service for an extended period, as follows:

(1) For quarterly periodic monitoring, if equipment is out of service for at least 45 consecutive days during the calendar quarter, periodic monitoring must be completed within 90 operating days of the previous monitoring event.

(2) For semiannual periodic monitoring, if equipment is out of service for at least 90 consecutive days during the calendar semiannual period, periodic monitoring must be completed within 180 operating days of the previous monitoring event.

(3) For annual periodic monitoring, if equipment is out of service for at least 180 consecutive days during the calendar year, periodic monitoring must be completed within 365 operating days of the previous monitoring event.

TAPCR 1200-03-09-.02(11)(e)(iii)(I), 1200-03-10-.02(1)(a)

E2-13. Reference Test Methods

(a) If required by an applicable requirement or requested by the Technical Secretary pursuant to TAPCR 1200-10-.01(2), compliance with emission limits shall be determined by performance testing in accordance with the appropriate EPA test methods, as published in the current 40 CFR 60, Appendix A, or as otherwise specified in the applicable requirement.

(b) Performance tests shall be conducted and data reduced in accordance with the test methods and procedures listed in paragraph (a), unless the Technical Secretary approves the use of an equivalent or alternative method, or approves shorter sampling times and smaller sample volumes when necessitated by process variables or other factors.

(c) Performance tests shall be conducted under such conditions as the Technical Secretary shall specify to the plant operator based on representative performance of the affected facility. The owner or operator shall make available to the Technical Secretary such records as may be necessary to determine the conditions of the performance tests. Operations during periods of startup, shutdown, and malfunction shall not constitute representative conditions for the purpose of a performance test.

(d) The owner or operator of an affected facility shall provide the Technical Secretary at least 30 days prior notice of any performance test to afford the Technical Secretary the opportunity to have an observer present. The Technical Secretary may waive the right to such prior notice.

(e) The owner or operator of an affected facility shall provide, or cause to be provided, performance testing facilities as follows:

(1) Sampling ports adequate for test methods applicable to such facility. This includes (i) constructing the air pollution control system such that volumetric flow rates and pollutant emission rates can be accurately determined by applicable test methods and procedures and (ii) providing a stack or duct free of cyclonic flow during performance tests, as demonstrated by applicable test methods and procedures.

(2) Safe sampling platform(s).

(3) Safe access to sampling platform(s).

(4) Utilities for sampling and testing equipment.

(f) Unless otherwise specified in the applicable requirement, each performance test shall consist of three separate runs using the applicable test method. For the purpose of determining compliance with an applicable standard, the arithmetic means of results of the three runs shall apply. In the event that a sample is accidentally lost or conditions occur in which one of the three runs must be discontinued because of forced shutdown, failure of an irreplaceable portion of the sample train, extreme meteorological conditions, or other circumstances, beyond the owner or operator's control, compliance may, upon the Technical Secretary's approval, be determined using the arithmetic mean of the results of the two other runs.

(g) Where performance testing is technically infeasible or otherwise not specified by the permit, an engineering assessment, consisting of material or energy balances, emission factors, vapor-liquid equilibria, or other appropriate calculations, may be used to calculate emissions from an emission source or vent.

TAPCR 1200-03-10-.01

E2-14. Confidential Business Information: The application dated September 2, 2018 includes confidential business information. A copy of all confidential business information shall be maintained at the source location and made available for inspection by the Technical Secretary or the authorized representative.

E2-15. Emissions Inventory Requirements (State-Only): The permittee shall submit emissions inventories in accordance with Rule 1200-03-10-.05.

82-0510-01	**B-440-1 Ester Production:** B-440-1 consists of hammermill, activation, acetylation, hydrolysis, and precipitation/maturation operations, and associated storage and process tanks. Acetic acid, acetic anhydride, sulfuric acid, and cellulose are introduced at different points in the process to convert cellulose to cellulose acetate. The manufacturing process is continuous. This process also results in cellulose sludge that is recovered for degradation at Source 82-0510-03 to a wastewater that is transported offsite for further treatment and disposal. Particulate matter emissions are controlled by two baghouses (ACY-15 and ACY-25), and VOC emissions are controlled by six wet scrubbers (ACC-10, ACC-12, CHC-13, FPC-12, UTD-30, and UTD-40). Fugitive VOC emissions from piping component leaks occur at this source (Flow Diagram Point F).

Conditions E3-1 through E3-6 apply to 82-0510-01

E3-1. Particulate matter emitted from this source shall not exceed the following limits:

(a) Particulate matter emitted from Vents B, C, G, and H shall not exceed 0.13 pounds per hour.

(b) Particulate matter emitted from this source shall not exceed 1.6 tons during any period of twelve consecutive months.

Compliance Method: Annual certification of compliance in accordance with **Condition E2-9**.

TAPCR 1200-03-07-.01(5), Condition 7 of permit number 741379P, letter dated May 18, 2016

E3-2. Carbon monoxide (CO) emitted from Vent C shall not exceed 0.21 pounds per hour.

Compliance Method: Annual certification of compliance in accordance with **Condition E2-9**.

TAPCR 1200-03-07-.07(2), Condition 12 of permit 741379P

E3-3. Volatile organic compounds (VOC) emitted from this source shall not exceed the following limits:

(a) VOC emitted from Vents A, B, C, D, E, and N shall not exceed 1.85 pounds per hour (24-hour block average).

(b) VOC emitted from Vent Q (Tank CAD-40) shall not exceed 0.04 tons during any period of twelve consecutive months.

(c) VOC emitted from this source (entire source, excluding fugitive equipment leaks) shall not exceed 8.1 tons during any period of twelve consecutive months.

Compliance Method: Compliance with this condition shall be assured as shown in **Table E3-3**.

Table E3-3: Compliance Methods for VOC Emission Limit

Vent ID	Compliance Method
A, B, C, D, E, and N	The daily production rate of cellulose acetate (24-hour plant day total) shall not exceed the rate specified in the application dated September 20, 2018, page B-25. The production rate shall be calculated from the total cellulose consumption for each plant day.
A	A minimum scrubber flow rate of 1.5 gallons per minute (24-hour block average) shall be maintained for Scrubber ACC-10. The scrubber water flow rate shall be continuously monitored and recorded.
B	A minimum scrubber flow rate of 1.5 gallons per minute (24-hour block average) shall be maintained for Scrubber ACC-12. The scrubber water flow rate shall be continuously monitored and recorded.
C	A minimum scrubber flow rate of 5 gallons per minute (24-hour block average) shall be maintained for Scrubber CHC-13. The scrubber water flow rate shall be continuously monitored and recorded.

Table E3-3: Compliance Methods for VOC Emission Limit	
Vent ID	**Compliance Method**
D and E	A minimum scrubber pH of 7.0 (24-hour block average) shall be maintained for Scrubbers UTD-30 (Vent D) and UTD-40 (Vent E). The pH of each scrubber shall be continuously monitored and recorded when in use.
N	Comply with **Condition E3-5** (Compliance Assurance Monitoring).
Q	Annual certification of compliance in accordance with **Condition E2-9**.

TAPCR 1200-03-07-.07(2), Condition 9 of permit 741379P

E3-4 (AA1). The permittee shall perform annual leak inspections for Flow Diagram Point F (fugitive equipment leaks) in accordance with **Condition E2-6** of this permit. Fugitive VOC emissions from pumps, valves, flanges, closed vent systems, and control devices are estimated at 2.7 tons/year.

TAPCR 1200-03-07-.07(2)

E3-5. This emission source is subject to 40 CFR Part 64 (Compliance Assurance Monitoring) as indicated in **Table E3-5**:

Table E3-5: Compliance Assurance Monitoring (40 CFR Part 64)	
NSPS Subpart	**Rule**
C	Exempt per §64.2(b)(1)(i) (exempt emission limitations or standards proposed by the Administrator after November 15, 1990 – Vent subject to Group 1 MACT control requirements).
N	See Attachment 3.

Compliance Method: Compliance with this condition shall be assured by compliance with the specific requirements listed in Attachment 3.

E3-6. **State-only condition:** Halogenated refrigerant emissions from equipment leaks (Flow Diagram Point F) shall not exceed 4.0 tons during any period of twelve consecutive months.

Compliance Method: Not Applicable - this condition does not implement relevant requirements of the Federal Act and therefore is not an applicable requirement under the Federal Act.

82-0510-02	**B-441-1 Acid Recovery Process:** B-441-1 consists of extractors, distillation columns, decanters, and solvent storage and process vessels used to recover acetic acid. Acid is processed in solvent extractors to migrate acetic acid from the spent solution into the extractor solvent. The acetic acid is then separated from the extraction solvent by an azeotropic distillation column. A two-scrubber system (Scrubbers ARC-11 and ARC-12) is used to control VOC for the acid recovery source. Scrubber ARC-11's scrubbing medium is approximately 30% acetic acid. ARC-11 exhausts directly into Scrubber ARC-12 which is a water scrubber. ARC-12 exits through emission point A. Fugitive VOC emissions from piping components occur at this source (Flow Diagram Point B).

Conditions E4-1 and E4-2 apply to 82-0510-02

E4-1. Volatile organic compounds (VOC) emitted from this source shall not exceed the following limits:

(a) VOC emitted from Vent A shall not exceed 0.1 pounds per hour (24-hour block average).

(b) VOC emitted from Vent D shall not exceed 2.36 tons during any period of twelve consecutive months.

(c) VOC emitted from this source (entire source, excluding fugitive equipment leaks) shall not exceed 2.8 tons during any period of twelve consecutive months.

Compliance Method: Compliance with this condition shall be assured as shown in **Table E4-1**.

Table E4-1: Compliance Methods for VOC Emission Limit	
Vent ID	**Compliance Method**
A, B, C, D, E, and N	The daily production rate of acetic acid (24-hour block total) shall not exceed the rate specified in the application dated September 20, 2018, page B-90. The production rate shall be continuously monitored and recorded.
A	A minimum scrubber flow rate (30% solution of acetic acid) of 10 gallons per minute shall be maintained for Scrubber ARC-11, and a minimum scrubber flow rate (water) of 0.8 gallons per minute shall be maintained for Scrubber ARC-12 (24-hour block average for each scrubber). The scrubber flow rates shall be continuously monitored and recorded.
C	Annual certification of compliance in accordance with **Condition E2-9**.
D	A log will be maintained of the time that Vent D (bypass stack for Vent A) operates while the process continues to operate. The bypass vent shall be operated no more than 48 hours per year.

TAPCR 1200-03-07-.07(2), construction permits 738842P and 955108P

E4-2 (AA1). The permittee shall perform quarterly leak inspections for Flow Diagram Point B (fugitive equipment leaks) in accordance with **Condition E2-6** of this permit. Fugitive VOC emissions from pumps, valves, flanges, closed vent systems, and control devices are estimated at 9.1 tons/year.

TAPCR 1200-03-07-.07(2)

82-0510-03	**B-441-2 Cellulose Scrap Recovery Process:** Reject dope from various points in the acetylation operation at ESRN 82-0510-01 is processed at this source for recovery of cellulose sludge. Materials are recovered from this stream at the distillation columns for reuse at the plant. Once the recoverable materials are removed from the cellulose sludge, it is processed in heated and pressurized reactors in the presence of sulfuric acid to degrade the sludge into smaller solids for subsequent management offsite at an NPDES wastewater treatment plant. VOC and sulfur dioxide are emitted from the equipment and conveyors at this source. This source uses Scrubber SRC-23 to control VOC. The scrubber exhausts through emission point C (Scrubber SRC-23). Among the controlled equipment are Storage Tanks SRD-40 & SRD-70. The scrubbing medium used in SRC-23 is a water solution with caustic added. Fugitive VOC emissions from piping components occur at this source (Flow Diagram Point B).

Conditions E5-1 through E5-4 apply to 82-0510-03

E5-1. Sulfur dioxide (SO_2) emitted from Vent C shall not exceed the following limits:

(a) 1,000 parts per million, 0.10 percent by volume, dry basis (one hour average); and

(b) 0.25 pounds per hour (three-hour average).

Compliance Method: A minimum scrubber flow rate of 1.0 gallons per minute (3-hour moving average) and a minimum scrubber pH of 6.0 (24-hour block average) shall be maintained for Scrubber SRC-23. The scrubber flow rate and pH shall be continuously monitored and recorded.

TAPCR 1200-03-14-.03(5) and 1200-03-14-.03(2)

E5-2. Carbon monoxide (CO) emitted from this source (entire source, excluding fugitive equipment leaks) shall not exceed 8.76 pounds per hour (24-hour block average) and 38.4 tons during any period of twelve consecutive months.

Compliance Method: The process material input rate for this source (cellulose sludge) shall not exceed the rate specified in the application dated September 20, 2018, page B-116 (24-hour plant day total). The process material input rate shall be continuously monitored and recorded.

TAPCR 1200-03-07-.07(2), construction permit 952963P

E5-3. Volatile organic compounds (VOC) emitted from this source shall not exceed the following limits:

(a) VOC emitted from Vent C shall not exceed 0.14 pounds per hour.

(b) VOC emitted from this source (entire source, excluding fugitive equipment leaks) shall not exceed 0.6 tons during any period of twelve consecutive months.

Compliance Method: Annual certification of compliance in accordance with **Condition E2-9**.

TAPCR 1200-03-07-.07(2), construction permit 952963P

E5-4 (AA1). The permittee shall perform quarterly leak inspections for Flow Diagram Point B (fugitive equipment leaks) in accordance with **Condition E2-6** of this permit. Fugitive VOC emissions from pumps, valves, flanges, closed vent systems, and control devices are estimated at 10.44 tons/year.

TAPCR 1200-03-07-.07(2), construction permits 952963P and 955108P

82-0510-04	**B-442-1 Tank Farm:** VOC emissions from storage tanks are vented to water Scrubber CAC-15 or to acid Scrubber CAC-14, which vents to Scrubber CAC-15. The acid scrubber uses approximately a 30% acetic acid solution as a scrubbing medium. Storage Tank CAD-30 which contains a strong acid is uncontrolled. CHD-60 (caustic solution) is also uncontrolled. Fugitive VOC emissions from transfer rack and piping component leaks occur at this source (Flow Diagram Point B).

Conditions E6-1 and E6-2 apply to 82-0510-04

E6-1. Volatile organic compounds (VOC) emitted from this source shall not exceed the following limits:

(a) VOC emitted from Vent A shall not exceed 3.9 tons during any period of twelve consecutive months.

(b) The VOC scrubbers associated with Vent A (water scrubber CAC-15 or combination of acid scrubber CAC-14 and water scrubber CAC-15) shall maintain a 97% control efficiency at the control device design ratings.

Compliance Method: A minimum scrubber flow rate (30% solution of acetic acid) of 4 gallons per minute shall be maintained for Scrubber CAC-14, and a minimum scrubber flow rate (water) of 1.8 gallons per minute shall be maintained for Scrubber CAC-15 (24-hour block average for each scrubber). The scrubber flow rates shall be continuously monitored and recorded.

During Acid Recovery shutdowns, the acid flow to Scrubber CAC-14 will be turned off, but the water flow to Scrubber CAC-15 will continue to absorb acetic acid vapors. Although the process will not be operating during these periods, the tanks will continue to store inventory. Therefore, there will be minimal emissions from breathing and purge losses from tanks SVD-02 and SVD-04 during these periods. Scrubber CAC-14 and/or CAC-15 may also be bypassed for up to 200 hours per calendar year with the process operating for scrubber cleaning or maintenance. These events when scrubber flows must be terminated or scrubbers bypassed shall not be considered parameter excursions as defined in **Condition E2-11**. A record of bypass hours for Scrubbers CAC-14 and CAC-15 shall be maintained at the source location and made available for inspection by the Technical Secretary or the authorized representative.

TAPCR 1200-03-07-.07(2), operating permit 038920, and construction permits 954289P and 955108P

E6-2 (AA1). The permittee shall perform quarterly leak inspections for Flow Diagram Point B (fugitive equipment leaks) in accordance with **Condition E2-6** of this permit. Fugitive VOC emissions from pumps, valves, flanges, closed vent systems, and control devices are estimated at 9.4 tons/year.

TAPCR 1200-03-07-.07(2), construction permits 952963P and 955108P

82-0510-05	**B-447-1 Cooling Towers:** A cooling tower is used to cool water for 82-0510-01, 82-0510-02, and 82-0510-03. Sulfuric acid, a water treatment chemical is stored in a 2,115 gallon storage tank and added to the water supply to the cooling towers. The cooling towers are a source of particulate matter from primarily dissolved solids naturally occurring in the water supply and water treatment chemicals. Sulfuric acid is a water additive, as is bleach and de-scaler that is mixed with the water en route to the cooling tower.

Conditions E7-1 and E7-2 apply to 82-0510-04

E7-1. Particulate matter emitted from this source shall not exceed the following limits:

(a) 1.62 pounds per hour; and

(b) 5.5 tons during any period of twelve consecutive months.

Compliance Method: Annual certification of compliance in accordance with **Condition E2-9**.

TAPCR 1200-03-07-.01(5), construction permit 952404P, letter dated May 18, 2016

E7-2. Volatile organic compounds (VOC) emitted from this source shall not exceed 0.2 tons during any period of twelve consecutive months.

Compliance Method: Annual certification of compliance in accordance with **Condition E2-9**.

TAPCR 1200-03-07-.07(2), construction permit 952404P

END OF ADMINISTRATIVE AMENDMENT #1 TO PERMIT NUMBER 574994

ATTACHMENT 1

OPACITY MATRIX DECISION TREE FOR VISIBLE EMISSION EVALUATION METHOD 9 DATED SEPTEMBER 11, 2013

Decision Tree PM for Opacity for Sources Utilizing EPA Method 9*

Notes:

PM = Periodic Monitoring required by 1200-03-09-.02(11)(e)(iii).

This Decision Tree outlines the criteria by which major sources can meet the periodic monitoring and testing requirements of Title V for demonstrating compliance with the visible emission standards set forth in the permit. It is not intended to determine compliance requirements for EPA's Compliance Assurance Monitoring (CAM) Rule (formerly referred to as Enhanced Monitoring – Proposed 40 CFR 64).

Examine each emission unit using this Decision Tree to determine the PM required.*

Use of continuous emission monitoring systems eliminates the need to do any additional periodic monitoring.

Visible Emission Evaluations (VEEs) are to be conducted utilizing EPA Method 9. The observer must be properly certified to conduct valid evaluations.

Typical Pollutants
Particulates, VOC, CO, SO_2, NO_x, HCl, HF, HBr, Ammonia, and Methane.

Initial observations are to be repeated within 90 days of startup of a modified source, if a new construction permit is issued for modification of the source.

A VEE conducted by TAPCD personnel after the Title V permit is issued will also constitute an initial reading.

Reader Error
EPA Method 9, Non-NSPS or NESHAPS stipulated opacity standards:
The TAPCD guidance is to declares non-compliance when the highest six-minute average** exceeds the standard plus 6.8% opacity (e.g. 26.8% for a 20% standard).

EPA Method 9, NSPS or NESHAPS stipulate opacity standards:
EPA guidance is to allow only engineering round. No allowance for reader error is given.

*Not applicable to Asbestos manufacturing subject to 40 CFR 61.142

**Or second highest six-minute average, if the source has an exemption period stipulated in either the regulations or in the permit.

Dated June 18, 1996
Amended September 11, 2013



ATTACHMENT 2

SPECIFIC APPLICABILITY DETERMINATIONS FOR 40 CFR 60 (NSPS) AND 40 CFR 63 (MACT)

40 CFR Part 60 - Specific Applicability Determinations for 82-0510-01		
Identification	**Category**	**Rule Citation**
Subpart Kb – Storage Vessels		
Not applicable		
Subpart VV – Equipment Leaks		
Portions of Flow Diagram Point F	Work practice standards for pumps, compressors, pressure relief devices, sampling connection systems, open-ended valves or lines, etc.	40 CFR 60.482, 60.483
Portions of Flow Diagram Point F	Alternative monitoring for equipment in acetic acid service (letter from Beverly Banister, EPA Region 4, to Barry Stephens, TDAPC, January 23, 2004).*	40 CFR 60.60.13(i)
VV subject points as applicable	Recordkeeping and reporting	40 CFR 60.486, 60.487
Subpart III – Air Oxidation		
Not applicable		
Subpart NNN – Distillation		
Columns DCC-80/DCC-90, Column DCC-70, Column DCC-30	TRE less than or equal to 1.0 (Reduce TOC by 98% or to 20 ppmv)	40 CFR 60.662(a)
NNN subject points as applicable	Monitoring, recordkeeping, and reporting	40 CFR 60.663, 60.665
Subpart RRR – Reactors		
Reactors CAC-01, CAC-02, CAC-03, CAC-04, CHC-10, CHC-20, CHC-30, CHC-40, CHC-50 (Vent B)	Low Flow Exemption	40 CFR 60.700(c)(4)
RRR subject points as applicable	Monitoring, recordkeeping, and reporting	40 CFR 60.703, 60.705

* See Appendix E of the Title V renewal application dated September 20, 2018, for the Alternative Monitoring Plan for equipment in acetic acid service.

40 CFR Part 63 Subpart FFFF (MON) – Specific Applicability Determinations for 82-0510-01		
Identification	**Category**	**Rule Citation**
Continuous Process Vents		
Columns DCC-80/DCC-90, Column DCC-70, Column DCC-30	Group 1 Continuous Process Vent and Applicable Monitoring	§63.2455
Process Vents Emitting Hydrogen Halide or Halogen HAPs, Batch Process Vents, Storage Vessels, Transfer Operations		
Not applicable		
Equipment Leaks		
Flow Diagram Point F	Equipment in OHAP service complying with 40 CFR 63 Subpart H.	§63.2480(a)
Process Wastewater		
Underflow from Scrubber CHC-13 at the Hydrolysis Operation	Group 2 wastewater stream	§63.2485
Emissions averaging		
Not applicable		
Recordkeeping and Reporting		
MON Subpart FFFF points as applicable	Recordkeeping and reporting applicable MON emission points	§63.2520, §63.2525

MON Overlap Provisions – Specific Applicability Determinations for 82-0510-01				
Identification	**MON Category**	**Overlap**	**Compliance Requirement**	**Rule Citation**
Δ2 (Columns DCC-80/DCC-90), Δ1 (Column DCC-70), Δ3 (Column DCC-30)	MON Group 1 Process Vent	NSPS Subpart NNN	Comply with MON Group 1 process vent provisions, but must apply to TOC, not just HAP.	§63.2535(h)
Flow Diagram Point F	MON equipment subject to leak detection and repair	NSPS Subpart VV or NESHAP (Part 61) Subpart V	Comply with MON Leak Detection and Repair provisions, but must apply to TOC, not just HAP	§63.2535(k)

40 CFR 60 – Specific Applicability Determinations for 82-0510-02		
Identification	**Category**	**Rule Citation**
Subpart Kb – Storage Vessels		
Not applicable		
Subpart VV – Equipment Leaks		
Portions of Flow Diagram Point B	Work practice standards for pumps, compressors, pressure relief devices, sampling connection systems, open-ended valves or lines, etc.	§60.482, §60.483
Portions of Flow Diagram Point B	Alternative monitoring for equipment in acetic acid service (letter from Beverly Banister, EPA Region 4, to Barry Stephens, TDAPC, January 23, 2004).*	§60.13(i)
VV subject points as applicable	Recordkeeping and reporting	§60.486, §60.487
Subpart III – Air Oxidation		
Not applicable		

40 CFR 60 – Specific Applicability Determinations for 82-0510-02		
Identification	**Category**	**Rule Citation**
Subpart NNN – Distillation		
Vent A (ARC-40, -90, -100; SVC-10, -20, -30)	Low Flow Exemption	§60.660(c)(6)
NNN subject points as applicable	Monitoring, recordkeeping, and reporting	§60.663, §60.665
Subpart RRR – Reactors		
Vent A (ARC-100)	Routed to distillation unit subject to subpart NNN except for a pressure relief valve	§60.700(c)(5)
RRR subject points as applicable	Monitoring, recordkeeping, and reporting	§60.703, §60.705

* See Appendix E of the Title V renewal application dated September 20, 2018, for the Alternative Monitoring Plan for equipment in acetic acid service.

40 CFR 60 – Specific Applicability Determinations for 82-0510-03		
Identification	**Category**	**Rule Citation**
Subpart Kb – Storage Vessels		
Tank SRD-70 (Vent C)*	Storage Vessels storing a VOL having a maximum true vapor pressure less than 76.7 kPa and must meet standards.	§60.112b(a)
Tank SRD-40 (Vent C)	Storage Vessels that are not required to meet standards.	§60.110b
Kb subject points as applicable	Monitoring, recordkeeping, and reporting	§60.115b, §60.116b
Subpart VV – Equipment Leaks		
Not applicable	Work practice standards for pumps, compressors, pressure relief devices, sampling connection systems, open-ended valves or lines, valves, closed vent systems and control devices.	§60.482, §60.483
Portions of Flow Diagram Point B	Alternative monitoring for equipment in acetic acid service (letter from Beverly Banister, EPA Region 4, to Barry Stephens, TDAPC, January 23, 2004)**	§60.13(i)
VV subject points as applicable	Recordkeeping and reporting	§60.486, §60.487
Subpart III – Air Oxidation		
Not applicable		
Subpart NNN – Distillation		
SRC-10, SRC-42, and SRC-60	Low Flow Exemption	§60.660(c)(6)
NNN subject points as applicable	Monitoring, recordkeeping, and reporting	§60.663, §60.665
Subpart RRR – Reactors		
SRC-40 and SRC-41 (Δ1)***	TRE less than or equal to 1.0 (Reduce TOC by 98% or to 20 ppmv)	§60.702(a)
RRR subject points as applicable	Monitoring, recordkeeping, and reporting	§60.703, §60.705

* See Appendix G of the Title V renewal application dated September 20, 2018 for the operating plan for Tank SRD-70.

** See Appendix E of the Title V renewal application dated September 20, 2018 for the Alternative Monitoring Plan for equipment in acetic acid service (Attachment 4 of this permit).

*** See Appendix F of the Title V renewal application dated September 20, 2018 for the NSPS RRR alternative monitoring plan.

40 CFR Part 63 Subpart FFFF (MON) – Specific Applicability Determinations for 82-0510-04		
Identification	**Category**	**Rule Citation**
Continuous Process Vents, Process Vents Emitting Hydrogen Halide or Halogen HAPs, Batch Process Vents, Storage Vessels, Process Wastewater, Emissions Averaging		
Not applicable		
Transfer Operations		
Flow Diagram Point D	Group 2 transfer rack	
Equipment Leaks		
Portions of Equipment in Flow Diagram Point D	Equipment in OHAP service complying with 40 CFR 63 Subpart H.	§63.2480(a)
Recordkeeping and Reporting		
MON Subpart FFFF points as applicable	Recordkeeping and reporting applicable MON emission points	§63.2520, §63.2525

MON Overlap Provisions – Specific Applicability Determinations for 82-0510-04				
Identification	**MON Category**	**Overlap**	**Compliance Requirement**	**Rule Citation**
Flow Diagram Point D	MON equipment subject to leak detection and repair	RCRA Part 264 Subpart BB or Part 265 Subpart BB	Comply with MON Leak Detection and Repair, OR	§63.2535(b)(2)

40 CFR 60 – Specific Applicability Determinations for 82-0510-04		
Identification	**Category**	**Rule Citation**
Subpart Kb – Storage Vessels		
Vent A: Tanks ARD-07A, ARD-07B, and ARD-08	Storage Vessels that are not required to meet standards.	§60.110b
Kb subject points as applicable	Monitoring, recordkeeping, and reporting	§60.115b, §60.116b
Subpart VV – Equipment Leaks		
Portions of equipment in Flow Diagram Point B.	Work practice standards for pumps, compressors, pressure relief devices, sampling connection systems, open-ended valves or lines, etc.	§60.482, §60.483
VV subject points as applicable	Recordkeeping and reporting	§60.486, §60.487
Subpart III – Air Oxidation		
Not applicable		
Subpart NNN – Distillation		
Not applicable		
Subpart RRR – Reactors		
Vent A (ARC-100)	Routed to distillation unit subject to subpart NNN except for a pressure relief valve	§60.700(c)(5)
RRR subject points as applicable	Monitoring, recordkeeping, and reporting	§60.703, §60.705

Pursuant to TAPCR 1200-03-09-.02(11)(e)6(i)(II), the Technical Secretary has determined that the requirements of 40 CFR 60 Subpart Kb do not apply to the following tanks: SVD-01, SVD-02, and SVD-04. These vessels were previously included as affected equipment in the Title V Operating Permit. SVD-02 and SVD-04 are exempt pursuant to §60.111b ("storage tanks", as defined by Subpart Kb, do not include process vessels). SVD-01 is exempt pursuant to §60.110b(b) (storage vessels with a capacity greater than or equal to 151 m^3 storing a liquid with a maximum true vapor pressure less than 3.5 kPa).

ATTACHMENT 3
COMPLIANCE ASSURANCE MONITORING (CAM) PLANS

Compliance Assurance Monitoring General Requirements

Identification	Requirement	Rule Citation
Operation of Approved Monitoring		
82-0510-01, Vent N	Commencement of monitoring upon permit issuance	§64.7(a)
	Commencement of monitoring by date specified in the permit pursuant to §64.6(d).	§64.7(a)
82-0510-01, Vent N	Proper maintenance	§64.7(b)
	Continued operation	§64.7(c)
	Response to excursions or exceedances	§64.7(d)
	Documentation of need for improved monitoring	§64.7(e)
Data Availability		
82-0510-01, Vent N Comply with the data availability requirements specified in **Condition E2-7(a)(2)**, or with specific requirements established in TAPCR 1200-03 and 0400-30, 40 CFR, or other permit conditions.	Minimum Data Availability	§64.6(c)(4)
Quality Improvement Plan (QIP)		
82-0510-01, Vent N	Requirement to submit QIP	§64.8(a)
	QIP elements	§64.8(b)
	Deadline for QIP development	§64.8(c)
	Reasonable changes to QIP	§64.8(d)
	QIP implementation	§64.8(e)
Reporting and Recordkeeping Requirements		
82-0510-01, Vent N	Reporting requirements	§64.9(a)
	Recordkeeping requirements	§64.9(b)

Compliance Assurance Monitoring (CAM) Plan – 40 CFR 64
82-0510-01

<table>
<tr><td>Stack or Flow Diagram Point</td><td>Vent N</td></tr>
<tr><td>Pollutant</td><td>VOC</td></tr>
<tr><td>Description of Monitoring Protocol (§64.4(a)(1), §64.4(b))</td><td>Monitor scrubber water flow rate and daily production rate.</td></tr>
<tr><td>Parametric Relationship (§64.4(a)(2))</td><td>An engineering analysis of the system was performed using the SDIST computer simulation program and data from the process. This demonstrated that the emissions from the scrubber would be less than the permit limit whenever the fresh water flow rate to the scrubbers is not less than the values specified below. Compliance with the scrubber water flow rate will be based on a 24-hour block average.

<table><tr><th>Vent</th><th>Minimum Scrubber Flow Rate (gallons/minute)</th></tr><tr><td>N</td><td>1.5</td></tr></table>
The daily production rate will not exceed the rate specified in the application dated September 20, 2018, page B-25 (see note).

Note: The application dated September 2, 2018 includes confidential business information. A copy of all confidential business information shall be maintained at the source location and made available for inspection by the Technical Secretary or the authorized representative.</td></tr>
<tr><td>Measurement Frequency (§64.4(a)(3))</td><td>Continuous (once every 15 minutes)</td></tr>
<tr><td>QA/QC Practices (§64.4(a)(3))</td><td>Flow meters will be calibrated once per calendar year. Flow meters are self-checking and notify operating personnel if there is an electrical problem. Alarm limits also notify personnel if the flow meter signal drifts or drops out of the expected range. Instrument mechanics are available.</td></tr>
<tr><td>Reference</td><td>Operating Plan in the Title V Application dated September 20, 2018, page B-81.</td></tr>
</table>

ATTACHMENT 4
EPA APPROVAL OF NSPS VV ALTERNATIVE MONITORING

FILE
82-0003-G8 M50P-01

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 4
ATLANTA FEDERAL CENTER
61 FORSYTH STREET
ATLANTA, GEORGIA 30303-8960

JAN 23 2004

4APT-ATMB

Barry R. Stephens, P.E., Director
Division of Air Pollution Control
Tennessee Department of Environment &
Conservation
Division of Air Pollution Control
9th Floor, L&C Annex
401 Church Street
Nashville, Tennessee 37243-1531

Dear Mr. Stephens:

The purpose of this letter is to provide you with a determination regarding an alternative monitoring approach proposed by the Eastman Chemical Company (Eastman) in the enclosed letter dated December 4, 2003. Eastman's proposal is for equipment that is subject to 40 CFR Part 60, Subpart VV (Standards of Performance for Equipment Leaks of Volatile Organic Compounds (VOC) in the Synthetic Organic Chemicals Manufacturing Industry) at the company's Kingsport, Tennessee plant. In its plan, Eastman proposed to use sensory means (i.e., sight, sound, and smell) as an alternative to the U.S. Environmental Protection Agency (EPA) Method 21 for identifying leaks from equipment that is in acetic acid service. Based upon our review of monitoring results provided by Eastman, we concluded that leaks from equipment in acetic acid service at the company's Kingsport plant can be more easily identified through sensory methods than by using Method 21. Therefore, the company's alternative monitoring proposal is acceptable to Region 4. It will be necessary, however, for the company to increase the monitoring frequency for light liquid pumps covered by its proposal. Details regarding Eastman's proposal and the basis for our determination are provided in the remainder of this letter.

The types of equipment covered by the leak detection and repair standards in Subpart VV are pumps, compressors, pressure relief devices, sampling connection systems, open-ended valves or lines, and connectors. Under this regulation, owners/operators are required to periodically monitor equipment in VOC service. When leaks are detected, a first attempt at repair must be initiated within five days, and repairs must be completed within 15 days. The two primary methods of detecting leaks under Subpart VV are either using an instrumental analyzer that satisfies performance requirements in EPA Method 21 or using sensory methods that identify leaks through visual, audible, or olfactory means. In its alternative monitoring plan, Eastman proposed to use sensory methods to identify leaks for some types of equipment (pumps and valves) in acetic acid service where Subpart VV requires the use of EPA Method 21. Under Eastman's proposal, equipment that contains or contacts a process fluid that is at least ten percent

Internet Address (URL) • http://www.epa.gov
Recycled/Recyclable • Printed with Vegetable Oil Based Inks on Recycled Paper (Minimum 25% Postconsumer)

acetic acid by weight while having a VOC content of less than ten percent for all other organic compounds would be classified as being in acetic acid service.

Included with Eastman's request for approval of its alternative monitoring approach was a summary of leaks that were detected for equipment in acetic acid service in the cellulose acetate production facility at the company's Kingsport plant. Between May 2002 and July 2003, there were four occasions when the VOC concentration measured with a Method 21 analyzer exceeded the 10,000 part per million threshold used for defining leaks under Subpart VV. In all four of these cases, the leaks detected using Method 21 were also detectable using sensory methods. During this same May 2002 through July 2003 time period, 51 additional leaks from equipment in acetic acid service at Eastman were detected through sensory methods even though Method 21 analyzer readings for the corresponding leaks were less than 10,000 ppm. Based upon the data that Eastman supplied, significantly more leaks for equipment in acetic acid service were detected through sensory techniques than by EPA Method 21. Since all four of the leaks identified using Method 21 between May 2002 and July 2033 would have also been detected through sensory techniques, using sensory techniques alone for equipment in acetic acid service would not have caused Eastman to miss any of the leaks found using an instrumental analyzer. Therefore, Eastman's proposal to use only sensory techniques to detect leaks from equipment in acetic acid service at its Kingsport plant is acceptable to EPA Region 4.

Leaks for the equipment covered by Eastman's alternative monitoring proposal are detected more readily with sensory techniques than with Method 21 due to the physical properties of acetic acid and the process conditions at the Kingsport plant. Among the physical properties that make it easier to detect leaks using sensory techniques are acetic acid's high boiling point (118 °C), its high corrosivity, and its low odor threshold. Because the operating temperature for the majority of the equipment covered by Eastman's alternative monitoring proposal is lower than the boiling point of acetic acid, leaks that do occur are typically present in the form of liquid drips that can be detected visually. Such drips tend to cause staining or rusting of metal components because of acetic acid's corrosivity, and this is another factor that allows operators to detect leaks visually. The low odor threshold for acetic acid also makes it possible for operators to readily identify and locate leaks using olfactory techniques.

Although using sensory techniques will be an acceptable alternative to using EPA Method 21 for detecting leaks from equipment in acetic acid leaks at Eastman, the proposed monitoring frequency for pumps in light liquid service must be increased. According to the alternative monitoring plan submitted by Eastman, all of the equipment subject to Subpart VV would be monitored for leaks using sensory techniques on a quarterly basis. Since Subpart VV requires that pumps in light liquid service be monitored visually on a weekly basis, changing to a quarterly monitoring frequency for this type of equipment would constitute a significant relaxation in the standard for pumps. Therefore, one condition for approval of Eastman's alternative monitoring plan is that it be revised to require that monitoring for pumps in light liquid service be conducted on at least a weekly basis.

If you have any questions about the determination provided in this letter, please contact Mr. David McNeal of the EPA Region 4 staff at (404) 562-9102.

Sincerely,

Carol L. Kemker for

Beverly H. Banister
Director
Air, Pesticides and Toxics
Management Division

Enclosure

(1) Eastman alternative monitoring proposal for equipment in acetic acid service

cc: Stephen R. Gossett
Senior Environmental Associate
Eastman Chemical Company
P.O. Box 511
Kingsport, Tennessee 37662

EASTMAN

Eastman Chemical Company
P.O. Box 511
Kingsport, Tennessee 37662

December 4, 2003

CERTIFIED MAIL

DAVE

Doug Neeley, Chief
Air Toxics and Monitoring Branch
U.S. EPA Region IV
61 Forsyth Street, SW
Atlanta, Georgia 30303

Subject: NSPS Equivalence of Means for Equipment Leaks in Acetic Acid Service

Dear Mr. Neeley:

Please find enclosed an application for determination of equivalence of means of emission limitation submitted by Eastman Chemical Company (Eastman) pursuant to the provisions of 40 CFR 60.484.

Approval of this application would establish an alternative to certain work practices found in 40 CFR Part 60 Subpart VV that apply to equipment in acetic acid service at Eastman's Tennessee Operations site in Kingsport, Tennessee.

If there are any questions, concerning this application, please contact me at (423)229-2327.

Sincerely,

Stephen R. Gossett

Stephen R. Gossett
Senior Environmental Associate

Enclosure

DEC 0 8 2003

cc: David McNeal (Region 4), Barry Stephens (TDAPC)

Responsible Care:® A Public Commitment

Eastman Chemical Company
Application for Determination of Equivalence

For

Certain New Source Performance Standards
Leak Detection and Repair Program
for Equipment in Acetic Acid Service

Background

Eastman Chemical Company (Eastman) operates a chemical manufacturing facility in Kingsport, Tennessee (hereinafter referred to as "Tennessee Operations"). At this facility, several chemical manufacturing process units have triggered and comply with 40 CFR Part 60 Subpart VV, Standards of Performance for Equipment Leaks of VOC in the Synthetic Organic Chemicals Manufacturing Industry ("Subpart VV").

Several of the provisions of Subpart VV require equipment leak detection and repair programs for pumps, valves, and connectors. The specific sections are 40 CFR Sections 60.482-2, 60.482-4, 60.482-7, and 60-482-8 along with the applicable recordkeeping and reporting requirements of Sections 60.486 and 60.487. These provisions require leak detection for pumps in light liquid service and valves in gas/vapor or light liquid service to be done using an instrument known as Method 21 (see Section 60.485) to detect VOC. Method 21 is also required to verify that pressure relief devices are not leaking after a pressure release and to verify a leak and the successful leak repair of a pump or valve in heavy liquid service or a pressure relief device or connector found to be leaking by sensory methods (see 60.482-8). Subpart VV also requires weekly visual inspections of pumps and subsequent repair of any pump seals found dripping.

Eastman's experience applying these provisions to equipment in acetic acid service is that no leaks are detected using Method 21 that are not also observed using sensory methods (sight, sound, smell) to be leaking. In fact, most leaks we find using sensory methods do not meet the Subpart VV leak definition based on Method 21 readings. Subsequently, we believe a program based solely on sensory inspections will actually yield equivalent or superior emission reductions when compared to the Subpart VV program.

Therefore, Eastman requests the Administrator approve this application for a determination of equivalence of means of emission limitation pursuant to the provisions of 40 CFR Section 60.484.

Proposed Equivalent Work Practices

Eastman proposes as an alternative to the work practices required by 40 CFR Section 60.482-2, 40 CFR Section 60.482-4, 40 CFR Section 60.482-7, and 40 CFR Section 60.482-8, that all regulated equipment at any NSPS Subpart VV affected facility in "acetic acid service" at Eastman's Tennessee Operations site comply with a leak detection and repair program that identifies leaks using sensory (sight, sound, smell) methods. By acetic acid service we mean that the alternative work practice standard would apply to all regulated equipment otherwise subject to NSPS Subpart VV that contains or contacts a process fluid that is at least 10 percent acetic acid by weight but is comprised of less than 10 percent by weight of all other VOCs.

Eastman complies with sensory monitoring as part of its Title V permit compliance for process units not subject to a federally required equipment leak standard. For consistency at our site, we would propose these same work practice standards as the equivalent means of emission limitation. The detailed provisions found in our Title V permits are included as Attachment 1.

Demonstration of Equivalence (40 CFR Sections 60.484(c)(1), (2), and (3))

To support our proposal, we have collected data from our Cellulose Acetate production unit (PES B-440-1) and associated acetic acid recovery operations (PES B-441-1 and B-441-2), which are subject to Subpart VV. This data is shown in Attachment 2. From May 2002 through July 2003, each leak found either using sensory methods or by using Method 21was logged. This includes required weekly pump visual inspections as well as any leak found using sensory methods during this time period, whether it was a required NSPS inspection or not. Note that NSPS Subpart VV does not require repair of valves in gas-vapor or light liquid service found leaking using visual observation.

Each leak found using sensory methods was monitored using Method 21 to determine its leak concentration. Using correlation equations found in Table 2 of EPA's Protocol for Equipment Leak Emission Estimates (June 1993), equivalent kg/hr leak rates were determined for each leak.

This data shows that, for this population of equipment in acetic acid service, only 16% of the leak rate (0.089 kg/hr out of 0.542 kg/hr) was from equipment found leaking using Method 21. Every leak found using Method 21 was also observed to be leaking either visually or using olfactory methods. All the rest of the detected leaks were observed to be leaking using sensory methods, but did not meet the leak definition (10,000 ppm) using Method 21. This demonstrates that no additional emission reductions are derived from the Method 21 inspections of pumps and valves.

Additionally, Attachment 2 shows that leaks from valves found using sensory methods totaled 0.111 kg/hr (the difference between 0.653 kg/hr and 0.542 kg/hr in the spreadsheet totals). This data demonstrates that a work practice program of sensory inspections and repair of all equipment in acetic acid service will likely yield greater emission reductions than the applicable NSPS work practice program.

While Eastman believes that this conclusion may hold true for other chemicals, this application is restricted to equipment in acetic acid service (>10 percent by weight with other VOCs less than 10 percent by weight). The sensory methods work particularly well with acetic acid because of its physical properties. Due to acetic acid's low odor threshold, leaks are readily noticed by personnel in the operating area. Often, the leak can be pinpointed by tracing the odor to the source. The boiling point of acetic acid is 118 degrees Centigrade and, since the majority of the process equipment is handling process fluids below this temperature, most of the leaks will manifest themselves as a liquid drip. Also, because of its high corrosivity, acetic acid leaks often stain or rust the metal components of the leaking fitting. Finally, in the case of cellulose acetate manufacturing, the process fluid may contain cellulose acetate. When the process fluid leaks, the cellulose acetate component leaves a precipitate residue indicative of a leak.

The data we have supplied is from our Cellulose Acetate production area. However, we have other processing areas with equipment in the same service (primarily acetic acid) to which we request this equivalence of means determination apply. Due to the physical properties of acetic acid, we believe the conclusion demonstrated that a sensory based program is equivalent (or better) than the program required by NSPS Subpart VV applies to any Subpart VV affected facility in acetic acid service.

Written Commitment to Work Practice (40 CFR Section 60.484(c)(4))

Upon approval of this application by the Administrator as an alternative but equivalent means of compliance with 40 CFR Section 60.482-2, 40 CFR Section 60.482-4, 40 CFR Section 60.482-7, and 40 Section CFR 60.482-8 for equipment in acetic acid service (defined as equipment that contains or contacts a process fluid that is greater than 10 percent by weight acetic acid and less than 10 percent other VOCs) at its Tennessee Operations, Eastman commits to comply with the alternative equipment leak detection and repair program prescribed in Attachment 1 or as conditioned by the Administrator in the approval notice.

Jerry Repass — 12/4/03

Jerry R. Repass,
Vice-President and General Manager,
Tennessee and Arkansas Operations

Date

Attachment 1

Quarterly Leak Inspection and Repair

(a) A leak inspection of all equipment in air contaminant service (contains or contacts a process fluid that is at least 10% air contaminant by weight) that is not "in heavy liquid service" or "in vacuum service" shall be performed once per calendar quarter. For this inspection, detection methods incorporating sight (e.g. looking for drips), sound (e.g. hissing sounds indicative of a leak), or smell (e.g. strong odors traceable to piping leaks) shall be used as appropriate. "Equipment" includes piping, pumps, compressors, pressure relief devices, sampling connection systems, open-ended valves or lines, valves, and flanges. "In heavy liquid service" means when less than 20 weight percent of the process fluid consists of air contaminants having pure component vapor pressures greater than 0.044 psia at 68 degrees F, and the process fluid is not in the gaseous state at operating conditions. "In vacuum service" means equipment that is operating at an internal pressure which is at least 0.7 psia below ambient pressure. Equipment that is covered by insulation or obstructed from sight when standing on existing floors or walkways is exempt from this inspection. Equipment that is in air contaminant service less than 300 hours in a calendar quarter is exempt from this inspection for that quarter.

(b) When a leak is detected, an initial attempt at repair shall be made no later than 5 calendar days after the leak is detected. Repair or replacement of leaking equipment shall be completed within 15 calendar days after detection of each leak, except as provided in paragraph (c) below.

(c) (1) Delay of repair of leaking equipment will be allowed if the repair is technically infeasible without a process unit shutdown or if repair personnel would be exposed to an immediate danger if attempting a repair without a process shutdown. Repair of this equipment shall occur by the end of the next process unit shutdown.

(2) Delay of repair of equipment for which leaks have been detected is allowed for equipment that is isolated from the process and that does not remain in air contaminant service.

(3) Delay of repair for valves, connectors, and agitators is also allowed if the owner or operator determines that emissions of purged material resulting from immediate repair would be greater than the fugitive emissions likely to result from delay of repair.

(4) Delay of repair beyond a process unit shutdown will be allowed for a valve if valve assembly replacement is necessary during the process unit shutdown, valve assembly supplies have been depleted, and valve assembly supplies had been sufficiently stocked before the supplies were depleted. Delay of repair beyond the second process unit shutdown will not be allowed unless the third process unit shutdown occurs sooner than 6 months after the first process unit shutdown.

(5) Delay of repair of pumps for up to 6 months after leak detection is allowed if the pump is replaced with (i) a dual mechanical seal system, (ii) a pump with no externally actuated shaft penetrating the pump housing, or (iii) a new system that the permittee has determined will provide better performance.

(d) Recordkeeping Requirements

(1) Records must be maintained that identify piping systems or process areas subject to this plan.

(2) Records of all inspections must be kept documenting the inspection was conducted and the date of the inspection. If no leaks are detected during the inspection, the record must indicate this result.

(3) When a leak is detected during the quarterly inspection, the following information shall be recorded:

(i) Component identifier or description of location and operator name, initials, or identification number.
(ii) The date the leak was detected.
(iii) The date the initial attempt at repair is made.
(iv) The date of successful repair of the leak. "Successful repair" means the leak is no longer detected using the inspection procedure outlined in item 10(a).
(v) "Repair delayed" and the reason for the delay if a leak is not repaired within 15 days after discovery of the leak.

Attachment 2

Cellulose Acetate Production
Summary of Leaks Detected - 2002-2003

Date	Equipment	Type	Acetic Acid Concentration Using Method 21 (ppm)	Leak Rate (kg/hr)	Leak Reduction Under NSPS Just Method 21 Leaks(kg/hr)	Leak Reduction Under NSPS - Method 21 and Sensory (kg/hr)	Leak Reduction Under Sensory Program (kg/hr)
May 2002	DCG-90B (Pump)	Light liquid pump	9,324	0.035		0.035	0.035
June 2002	CAG-007 (Pump)	Light liquid pump	7,270	0.029		0.029	0.029
	CHG-10A (Pump)	Light liquid pump	9,010	0.034		0.034	0.034
	DCG-82B (Pump)	Light liquid pump	9,890	0.037		0.037	0.037
July 2002	SRD-70 PRVSR-707	Light liquid valve	9,068	0.009			0.009
	SRC-10 FVSR-100	Light liquid valve	2,338	0.003			0.003
	SVE-33 PSVSV-361	Light liquid valve	19,999	0.017	0.017	0.017	0.017
	PSVCH-102	Light liquid valve	1,050	0.002			0.002
	CHC-70/71	Light liquid valve	1,050	0.002			0.002
	PSVDC-821	Light liquid valve	9,530	0.010			0.010
	DCG-80B (Pump)	Light liquid pump	6,264	0.026		0.026	0.026
	FPY-02A	Light liquid valve	<100				
	DCK-80B	Light liquid valve	<100				
	DCD-82 PSVDC-861	Light liquid valve	<100				
August 2002	Pumps	Light liquid pump	No Leaks	0.000		0.000	0.000
September 2002	Pumps	Light liquid pump	No Leaks	0.000		0.000	0.000
October 2002	PSVDC-821	Light liquid valve	5,402	0.006			0.006
	DCC-90 (Top Manway)	Connector	1,000	0.001		0.001	0.001
	DCK-80B (Flange)	Connector	1,500	0.002		0.002	0.002
	DCC-90 PSEDC-972	Light liquid valve	1,000	0.002			0.002
	DCD-81 (Flange)	Connector	3,089	0.004		0.004	0.004
	DCY-90B (Flange)	Connector	1,700	0.002		0.002	0.002
	DCC-90 PIDC-908	Light liquid valve	2,440	0.003			0.003
	CHC-12 PSVCH-102	Light liquid valve	862	0.001			0.001
	CAC-07 HVCA-073	Light liquid valve	<500				
	DCD-82 PSVDC-861	Light liquid valve	500	0.001			0.001
	DCD-81/83 PSVDC-834	Light liquid valve	1,000	0.002			0.002
	FPY-02 PIFP-027	Light liquid valve	<500				
	FPY-02 100% Gate Valve	Light liquid valve	1,150	0.002			0.002
	SVC-02 PDTSV-055	Light liquid valve	500	0.001			0.001
	SRD-70 PSVSR-707	Light liquid valve	2,195	0.003			0.003
	SRD-40 PSVSR-244	Light liquid valve	1,500	0.002			0.002

Eastman Chemical Company
Equivalence of Means Application
Data Summary

Page 1

Attachment 2

Cellulose Acetate Production
Summary of Leaks Detected - 2002-2003

Date	Equipment	Type	Acetic Acid Concentration Using Method 21 (ppm)	Leak Rate (kg/hr)	Leak Reduction Under NSPS Just Method 21 Leaks(kg/hr)	Leak Reduction Under NSPS - Method 21 and Sensory (kg/hr)	Leak Reduction Under Sensory Program (kg/hr)
November 2002	CAG-04A (Pump)	Light liquid pump	10,000	0.038	0.038	0.038	0.038
December 2002	DCG-81A (Pump)	Light liquid pump	6,010	0.025		0.025	0.025
	DCG-81B (Pump)	Light liquid pump	4,870	0.021		0.021	0.021
	DCG-30B (Pump)	Light liquid pump	<1000				
	CHG-12B (Pump)	Light liquid pump	7,550	0.030		0.030	0.030
January 2003	To DCC-80 From DCC-70	Light liquid valve	<1000				
	DCE-70 Flange	Connector	3,000	0.004		0.004	0.004
	DCC-70 PSEDC-702	Light liquid valve	4,000	0.005			0.005
	SVD-04 PSVSV-455	Light liquid valve	20,000	0.017	0.017	0.017	0.017
	ARC-100 FVAC-015	Light liquid valve	6,240	0.007			0.007
	ARC-100 KVAR-111	Light liquid valve	1,000	0.002			0.002
	CHG-30B (Pump)	Light liquid pump	8,679	0.033		0.033	0.033
	CAC-07 HVCA-073	Light liquid valve	3,244	0.004			0.004
	FPY-02 Flush	Light liquid valve	2,000	0.003			0.003
	FPY-03 Flush	Light liquid valve	1,500	0.002			0.002
	CHC-12 PSVCH-102	Light liquid valve	1,500	0.002			0.002
	FPC-14 Flange	Connector	<500				
	FPG-14A Stem Disc Valve (P	Light liquid pump	<500				
February 2003	No Leaks						
March 2003	CHG-20B	Light liquid valve	9,704	0.010			0.010
April 2003	CAC-07 HVCA-073	Light liquid valve	<500				
	SVG-20A Pump Seal (Pump)	Light liquid pump	10,137	0.038		0.038	0.038
	SRE-42 PSESR-227	Light liquid valve	2,500	0.003			0.003
May 2003	CHG-12B (Pump)	Light liquid pump	10,300	0.038		0.038	0.038
June 2003	ARG-40B (Pump)	Light liquid pump	20,000	0.066		0.066	0.066
	PSESR-411	Light liquid valve	<500				
	HVSR-257	Light liquid valve	3,400	0.004			0.004
	HVSR-851	Light liquid valve	3,000	0.004			0.004
July 2003	SVG-20A/B Valve	Light liquid valve	1,698	0.002			0.002
	HVSV-900	Light liquid valve	20,000	0.017	0.017	0.017	0.017
	CAC-14 LTCA-142	Light liquid valve	<500				
	DCC-90 Flange	Connector	3,000	0.004		0.004	0.004

Eastman Chemical Company
Equivalence of Means Application
Data Summary

Page 2

Attachment 2

Cellulose Acetate Production

Summary of Leaks Detected - 2002-2003

Date	Equipment	Type	Acetic Acid Concentration Using Method 21 (ppm)	Leak Rate (kg/hr)	Leak Reduction Under NSPS Just Method 21 Leaks(kg/hr)	Leak Reduction Under NSPS - Method 21 and Sensory (kg/hr)	Leak Reduction Under Sensory Program (kg/hr)
	PSEDC-972	Light liquid valve	1,000	0.002			0.002
	PSEDC-702	Light liquid valve	3,890	0.005			0.005
	SRC-41	Light liquid valve	1,000	0.002			0.002
	HVSR-257 SRC-11	Light liquid valve	4,250	0.005			0.005
	HVSR-851 SRC-11	Light liquid valve	2,850	0.004			0.004
	CHG-30B Seal (Pump)	Light liquid pump	5,421	0.023		0.023	0.023
				Total Leak rates eliminated (kg/hr)	0.089	0.542	0.653

Eastman Chemical Company
Equivalence of Means Application
Data Summary

Page 3

ATTACHMENT 5
PROCESS FLOW DIAGRAMS



Figure B-2
Emission Flow Diagram
Ester Production, ESRN: 82-0151-01, PES: B-440-1
Primester
1801 Warrick Drive
Kingsport, Tennessee



T:\DWG\AutoCAD\dwg\0452375\0452375_Overview_and_Emission_Sources_14sep2018.vsdx, 9/20/2018

Figure B-3
Emission Flow Diagram
Acid Recovery Process, ESRN: 82-0151-02, PES: B-441-1
Primester
1801 Warrick Drive
Kingsport, Tennessee

Environmetal Resources Management
www.erm.com
Page Number: B-8
Revision Number: N/A
Revision Date: N/A



T:\DWG\AutoCAD\dwg\0452379\0452379_Overview_and_Emission_Sources_20aug2018.vsdx, 8/20/2018

Figure B-4
Emission Flow Diagram
Cellulose Scrap Recovery Process, ESRN: 82-0151-03, PES: B-441-2
Primester
1801 Warrick Drive
Kingsport, Tennessee

Environmetal Resources Management
www.erm.com
Page Number: B-9
Revision Number: N/A
Revision Date: N/A



T:\DWG\AutoCAD\dwg\0452379\0452379_Overview_and_Emission_Sources_20aug2018.vsdx, 8/20/2018

Figure B-5
Emission Flow Diagram
Tank Farm, ESRN: 82-0151-04, PES: B-442-1
Primester
1801 Warrick Drive
Kingsport, Tennessee

Environmetal Resources Management
www.erm.com
Page Number: B-10
Revision Number: N/A
Revision Date: N/A



T:\DWG\AutoCAD\dwg\0452379\0452379_Overview_and_Emission_Sources_20aug2018.vdx, 8/20/2018

Figure B-6
Emission Flow Diagram
Cooling Tower, ESRN: 82-0151-05, PES: B-447-1
Primester
1801 Warrick Drive
Kingsport, Tennessee

Environmetal Resources Management
www.erm.com
ERM

Page Number: B-11
Revision Number: N/A
Revision Date: N/A

ATTACHMENT 6
TITLE V FEE SELECTION FORM APC 36 (CN-1583)

DEPARTMENT OF ENVIRONMENT AND CONSERVATION
DIVISION OF AIR POLLUTION CONTROL
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor, Nashville, TN 37243
Telephone: (615) 532-0554, Email: Air.Pollution.Control@TN.gov

TITLE V FEE SELECTION

Type or print and submit to the email address above.

FACILITY INFORMATION

1. Organization's legal name and SOS control number [as registered with the TN Secretary of State (SOS)]

2. Site name (if different from legal name)

3. Site address (St./Rd./Hwy.)	County name
City	Zip code

4. Emission source reference number	**5.** Title V permit number

FEE SELECTION

This fee selection is effective beginning January 1, _____. When approved, this selection will be effective until a new Fee Selection form is submitted. Fee Selection forms must be submitted on or before December 31 of the annual accounting period.

6. Payment Schedule (choose one):

Calendar Year Basis (January 1 – December 31) ☐ Fiscal Year Basis (July 1 – June 30) ☐

7. Payment Basis (choose one):

Actual Emissions Basis ☐ Allowable Emissions Basis ☐ Combination of Actual and Allowable Emissions Basis ☐

8. If Payment Basis is "Actual Emissions" or "Combination of Actual and Allowable Emissions", complete the following table for each permitted source and each pollutant for which fees are due for that source. See instructions for further details.

Source ID	Pollutant	Allowable or Actual Emissions	If allowable emissions: Specify condition number and limit. If actual emissions: Describe calculation method and provide example. Provide condition number that specifies method, if applicable.

8. (Continued)

Source ID	Pollutant	Allowable or Actual Emissions	If allowable emissions: Specify condition number and limit. If actual emissions: Describe calculation method and provide example. Provide condition number that specifies method, if applicable.

CONTACT INFORMATION (BILLING)

9. Billing contact			Phone number with area code
Mailing address (St./Rd./Hwy.)			Fax number with area code
City	State	Zip code	**Email address**

SIGNATURE BY RESPONSIBLE OFFICIAL

Based upon information and belief formed after reasonable inquiry, I, as the responsible person of the above mentioned facility, certify that the information contained in the submittal is accurate and true to the best of my knowledge. As specified in TCA Section 39-16-702(a)(4), this declaration is made under penalty of perjury.

10. Signature		Date
Signer's name (type or print)	**Title**	Phone number with area code

Attachment J5

PSD Construction Permit 955272F
(Eastman Chemical Company)

TENNESSEE AIR POLLUTION CONTROL BOARD
DEPARTMENT OF ENVIRONMENT AND CONSERVATION
NASHVILLE, TENNESSEE 37243-1531

Co. File s

Permit to Construct or Modify an Air Contaminant Source Issued Pursuant to Tennessee Air Quality Act

Date Issued: April 8, 2002

Permit Number:
955272F

Date Amended: September 27, 2002 [AMENDMENT]

Date Expires: June 1, 2003

Issued To:
Eastman Chemical Company

Installation Address:
South Eastman Road
Kingsport

Installation Description:
B-325-1
Coal-Fired Boilers 30 and 31
Modification: Installation of Low NOx Burners

Emission Source Reference No.
82-1010-15
PSD-NSPS-BACT

The holder of this permit shall comply with the conditions contained in this permit as well as all applicable provisions of the Tennessee Air Pollution Control Regulations.

CONDITIONS:

1. The application that was utilized in the preparation of this permit is dated February 1, 2002 (with February 11, 2002 update) and signed by W. Darrell Corpening of the permitted facility. If this person terminates his/her employment or is reassigned different duties such that he/she is no longer the responsible person to represent and bind the facility in environmental permitting affairs, the owner or operator of this air contaminant source shall notify the Technical Secretary of the change. Said notification shall be in writing and submitted within thirty (30) days of the change. The notification shall include the name and title of the new person assigned by the source owner or operator to represent and bind the facility in environmental permitting affairs. All representations, agreement to terms and conditions and covenants made by the former responsible person that were used in the establishment of limiting permit conditions on this permit will continue to be binding on the facility until such time that a revision to this permit is obtained that would change said representations, agreements and covenants.

(continued on next page)

Tony K. Stegalone
TECHNICAL SECRETARY

No Authority is Granted by this Permit to Operate, Construct, or Maintain any Installation in Violation of any Law, Statute, Code, Ordinance, Rule, or Regulation of the State of Tennessee or any of its Political Subdivisions.

NON TRANSFERABLE

POST AT INSTALLATION ADDRESS

2. Heat input to boilers #30 and #31 shall not exceed 780 and 880 Million British Thermal Units per hour (MMBTU/HR), respectively, on a 30 calendar day rolling average basis.

3. Particulate matter emitted from boiler #30 (Vent A) shall not exceed 14.0 pounds per hour (lb/hr). Particulate matter emitted from boiler #31 (Vent A) shall not exceed 15.8 pounds per hour (lb/hr).

4. Sulfur dioxide (SO_2) emitted from boiler #31 shall not exceed 293 lb/hr. Sulfur dioxide emissions from boiler #30 shall not exceed 317 lb/hr. Compliance will be determined on a 30 calendar day rolling average basis. Each 30 day average shall be the average of all hourly averages determined by the continuous monitoring system during the 30 day period. 40 CFR 60 Appendix A, Method 19 shall be used to determine hourly average emissions of sulfur dioxide expressed as pounds per million Btu heat input. Hourly average emissions of sulfur dioxide expressed as pounds per hour shall be determined by multiplying each hourly average sulfur dioxide emission rate expressed as pounds per million Btu by the respective hourly average heat input. Periods of non-operation of the source are included in the hourly averages and the 30 day rolling averages.

5. The spray dryer that serves boiler #31 shall have a minimum removal efficiency of 90% while burning coal or oil as required by 40 CFR 60 Subpart Db.

6. Volatile Organic Compounds (VOCs) emitted from boiler #30 (Vent A) shall not exceed 9.87 lb/hr. Volatile Organic Compounds (VOCs) emitted from boiler #31 (Vent A) shall not exceed 8.8 lb/hr.

7. Nitrogen oxides (NO_x) emitted from boiler #30 shall not exceed 0.6 lb/MMBtu heat input.

8. Nitrogen oxides (NO_x) emitted from boiler #31 shall not exceed 0.4 lb/MMBtu heat input. To demonstrate compliance with this emission limit, the procedures outline in 40 CFR 60.46b and 40 CFR 60.48b shall be utilized.

9. Carbon monoxide (CO) emitted from boiler #30 (Vent A) shall not exceed 170 lb/hr. Carbon monoxide (CO) emitted from boiler #31(Vent A) shall not exceed 176.0 lb/hr.

10. Fluorides (F) emitted from boilers #30 and #31 combined (Vent A) shall not exceed 5.0 lb/hr.

11. Hydrogen Chloride (HCl) emitted from boilers #30 and #31 combined (Vent A) shall not exceed 53.2 lb/hr.

12. Particulate matter emitted from boiler #30 coal bunker ventilation system (Vent C) shall not exceed 1.06 lb/hr.

13. Particulate matter emitted from boiler #31 coal bunker ventilation system (Vent E) shall not exceed 0.26 lb/hr.

14. Particulate matter emitted from the lime silo (Vent F) shall not exceed 0.09 lb/hr.

15. Particulate matter emitted from lime slakers and slurry storage tank (Vent G) shall not exceed 0.22 lb/hr.

16. Particulate matter emitted form Recycle ash silo (Vent H) shall not exceed 0.09 lb/hr.

17. Particulate matter emitted from lime silo (Vent I) shall not exceed 0.09 lb/hr.

(continued on next page)

18. Particulate matter emitted from boiler #30 and #31 flyash silo(Vent B) shall not exceed 0.3 lb/hr.

19. Particulate matter emitted from boilers #30 and #31 bottom ash silo(Vent D) shall not exceed 0.11 lb/hr.

20. Beryllium (Be) emitted from boiler #31 shall not exceed 0.004 lb/hr.

21. The source owner or operator shall maintain an Annual Leak Detection and Repair Program as described in Attachment A. (Fugitive VOCs and CO emitted from pumps, valves, etc. (Vent J) associated with boilers #30 and #31 are estimated at1.17 tons per year (ton/yr) and 0.4 tons per year, respectively.)

22. Fugitive particulate matter emitted from ash truck loading and lime truck unloading (Vent K) shall not exceed 0.4 ton/yr.

23. Operating time shall not exceed 8,568 hours per year for boiler #30.

24. A log of the operating hours for boiler #30 must be maintained at the source location and kept available for inspection by the Technical Secretary or his representative. This log must be retained for a period of not less than two years.

25. Visible emissions from boilers #30 and #31 (Vent A) shall not exceed 20 percent or greater opacity (6 minute average), except for one 6 minute period per hour of not more than 27 percent opacity as determined by 40 CFR Part 60 Appendix A Method 9.

26. The source owner or operator shall install, maintain, operate, and submit reports of excess emissions and sulfur dioxide (SO_2) removal efficiency [boiler #31] from continuous in-stack monitoring systems for sulfur dioxide (SO_2), [boiler #30 and #31] and nitrogen oxides (NO_x) [boiler #31] and either oxygen (O_2) or carbon dioxide as the diluent gas. The sensors of these monitoring systems shall be located in representative areas of the effluent gas stream of the boiler. Electronic signal combining systems shall be installed to convert the output of the pollutant monitors into units of the applicable emission standards. The in-stack sulfur dioxide monitoring systems shall meet all the requirements of 40 CFR Part 60 Appendix B Performance Specification 2 or 40 CFR Part 75 Appendix A. The in-stack nitrogen oxides and diluent gas monitoring systems for boiler #31 shall meet all the applicable requirements of 40 CFR Part 60 Appendix B or 40 CFR Part 75 Appendix A. The in-stack diluent gas monitoring system for boiler #30 shall meet all the applicable requirements of 40 CFR Part 60 Appendix B or 40 CFR Part 75 Appendix A.

27. Operational condition for Sulfur Dioxide (SO_2) and Nitrogen Oxides (NO_x) Monitoring Systems

    The use of continuous in-stack monitoring for sulfur dioxide [boilers #30 and #31] and nitrogen oxides [boiler #31] and the monitoring of the sulfur dioxide input to the control device [boiler #31] is the method by which these boilers prove continual compliance with the applicable sulfur dioxide and nitrogen oxides emissions limitations and sulfur dioxide emission reduction requirement. Therefore, for each boiler to demonstrate continual compliance with the applicable sulfur dioxide and nitrogen oxides emissions limitations, the in-stack nitrogen oxides and/or sulfur dioxide monitoring systems shall each be fully operational for at least eighty-five (85) percent of the operational time of the monitored boiler during each month of the calendar quarter. An operational availability of less than this amount may be considered the basis for declaring the source to be non-compliance with the applicable monitoring requirements, unless the reasons for the failure to maintain this level of operational availability are accepted by this division as being legitimate malfunctions of the instruments.

(continued on next page)

28. Quality Assurance Condition for the Sulfur Dioxide (SO_2) and Nitrogen Oxides (NO_x) Monitoring Systems. The continuous in-stack sulfur dioxide monitoring systems shall meet all of the requirements of 40 CFR Part 60 Appendix F or 40 CFR Part 75 Appendix B. The continuous in-stack nitrogen oxides and diluent gas monitoring systems for boiler #31 shall meet all the applicable requirements of 40 CFR Part 60 Appendix F or 40 CFR Part 75 Appendix B. The in-stack diluent gas monitoring system for boiler #30 shall meet all the applicable requirements of 40 CFR Part 60 Appendix F or 40 CFR Part 75 Appendix B.

29. The owner or operator shall submit excess emission reports and CEMS downtime reports to this Division for each calendar quarter in accordance with Rule 1200-3-10-.02(2). If there are no excess emissions or CEMS downtime during this quarter, the owner or operator shall submit a report to that effect.

30. For the pollutants with emission limitations placed on this permit, the emission measuring test methods and procedures are as follows:

Pollutant	Testing Methodology
Particulates	EPA Method 5 as published in 42 FR 41776 and subsequent amendments.
Fluorides (F)	EPA Method 13 as published in 45 FR 41852 and subsequent amendments.
Sulfur dioxide (SO_2)	See permit condition #4
Nitrogen Oxides (NO_x)	See permit condition #8
Hydrogen Chloride (HCl)	EPA Method 26 as published in 56 FR 5770
Beryllium (Be)	EPA Method 104 as published in 40 CFR 61, Appendix B
Carbon monoxide (CO)	EPA Method 10 as published in 39 FR 9319
Volatile Organic Compounds (VOCs)	EPA Method 25 as published in 45 FR 65959

31. The source owner or operator shall install, calibrate, operate, and submit reports of excess emissions from an in-stack continuous opacity monitoring system located on the common stack serving both boilers #30 and #31. Therefore, for this fuel burning installation to demonstrate continual compliance with the applicable opacity limitation, the in-stack opacity monitor shall be fully operational for at least ninety-five (95) percent of the operational time of the monitored units during any calendar quarter. An operational availability of less than this amount may be considered the basis for declaring the fuel burning installation to be in noncompliance with the applicable monitoring requirements, unless the reasons for the failure to maintain this level of operational availability are accepted by the Division as being legitimate malfunctions of the instrument. In the event of a disparity between the instrument's reading versus that of a qualified visible emission evaluator, the Technical Secretary may require the source to conduct any necessary testing or investigations needed to resolve the disparity.

    On-stack quality assurance audits shall be performed on the opacity monitor on a semiannual basis. These on-stack quality assurance audits shall be conducted in a manner prescribed by the Technical Secretary, and written reports of these audits shall be submitted to the Technical Secretary.

    Furthermore, within ninety (90) days of each major modification, or major repair of the opacity monitor, a repeat of the performance test shall be conducted and a written report of it submitted to the Technical Secretary as proof of the continuous operation of the opacity monitor within acceptable accuracy limits.

32. No hazardous waste shall be burned in boiler #31.

(continued on the next page)

33. The permittee shall revise their submitted Title V operating permit application within thirty (30) days of the publication date of the initial Title V public notice for this facility.

34. The permittee shall certify the start-up date of the modified air contaminant source regulated by this permit by submitting

A COPY OF ALL PAGES OF THIS PERMIT,

with the information required in A) and B) of this condition completed, to the Technical Secretary's representatives listed below:

A) DATE OF START-UP: _____ / ____ / _____
month day year

B) Anticipated operating rate: ____ percent of maximum rated capacity

For the purpose of complying with this condition, "start-up" of the modified air contaminant source shall be the date of the setting in operation of the modified source for the production of product for sale or use as raw materials or steam or heat production.

The undersigned represents that he/she has the full authority to represent and bind the permittee in environmental permitting affairs. The undersigned further represents that the above provided information is true to the best of his/her knowledge and belief.

Signature		Date
Signer's name (type or print)	Title	Phone (with area code)

Note: This certification is not an application for an operating permit. At a minimum, the appropriate application form(s) must be submitted requesting an operating permit. The application must be submitted in accordance with the requirements of this permit.

The completed certification shall be delivered to the Compliance Validation Program and the Environmental Assistance Center at the addresses listed below, no later than thirty (30) days after the modified air contaminant source is started-up.

Compliance Validation Program
Division of Air Pollution Control
9th Floor, L & C Annex
401 Church Street
Nashville, TN 37243-1531

Johnson City Environmental Assistance Center
Division of Air Pollution Control
2305 Silverdale Road
Johnson City, TN 37601-2162

(end of conditions)

This permit was amended by making the following changes, in accordance with permittee request dated August 27, 2002:

1. In condition 5, deleted the second sentence.
2. In condition 26, added at the end of the fourth sentence "or 40 CFR Part 75 Appendix A"
3. In condition 28, added at the end of the second sentence "or 40 CFR Part 75 Appendix B"
4. In condition 27, deleted "measured as per 40 CFR 60 47b".
5. Division of Air Pollution Control made corrections of typographical errors in the permit.

Attachment K

Documentation of Design Heat Input and Maximum Uncontrolled Hourly Emissions

Table of Contents for Attachment K

Attachment K1	Natural Gas-Fired Fuel-Burning and Process Emission Sources
Attachment K2	No. 2 Oil-Fired Emergency Engines
Attachment K3	Other Process Emission Sources
Attachment K4	Documentation of Maximum Uncontrolled Hourly Emission Rates

Attachment K Summary of Emissions

	Number of Sources	Maximum Uncontrolled Hourly Emission Rate (lb/hr)
Natural gas (non-CBI)	37	3.48
Natural gas (CBI)	8	0.34
Natural Gas (total)	45	3.83
#2 Oil	8	0.021
Process Emission Sources	2	0.34
		4.19

Attachment K1

Natural Gas-Fired Fuel Burning and Process Emission Sources

For pipeline natural gas combustion sources, Tennessee calculated SO_2 emissions using an emission factor of 0.6 lb SO_2/MMSCF of natural gas combusted[1]. EPA's emission factor states, "*Emissions of SO_2 from natural gas-fired boilers are low because pipeline quality natural gas typically has sulfur levels of 2,000 grains per million cubic feet. However, sulfur-containing odorants are added to natural gas for detecting leaks, leading to small amounts of SO_2 emissions. Boilers combusting unprocessed natural gas may have higher SO_2 emissions due to higher levels of sulfur in the natural gas. For these units, a sulfur mass balance should be used to determine SO_2 emissions.*"

[1] U. S. EPA, *AP-42, Fifth Edition, Volume I Chapter 1: External Combustion Sources*, Table 1.4-2 (Emission Factors for Criteria Pollutants and Greenhouse Gases from Natural Gas Combustion).

MSOP	PES	Description	Design Heat Input (MMBtu/hr)	Fuel	Emission Factor (lb/MMscf)	Max. Uncontrolled SO_2 Emission Rate (lb/hr)	Max. Uncontrolled SO_2 Emission Rate (g/s)	Permit	Application Date	Application Pages
02	B-83-11	Boiler 32	249	Natural Gas	0.6	0.146	1.85E-02	979100	6/2/2021	
02	B-83-11	Boiler 33	249	Natural Gas	0.6	0.146	1.85E-02	979100	6/2/2021	
02	B-83-11	Boiler 34	249	Natural Gas	0.6	0.146	1.85E-02	979100	6/2/2021	2, 3, 4, 5, 6, 7
03	B-338-3	Catalyst Recovery Process Vent	2.75	Natural Gas and Tar	0.6	0.002	2.04E-04	573862	2/23/2018	2, 4, C-3
11	B-227-2,3	HTM Furnace #3 (Vent A)	14	Natural Gas	0.6	0.008	1.04E-03	573592	11/2/2021	
11	B-227-2,3	HTM Furnace #4 (Vent B)	21.5	Natural Gas	0.6	0.013	1.59E-03	573592	11/2/2021	2, 3, 4, 5
11	B-256-1, 2, 3	HTM Furnace 5	20	Natural Gas	0.6	0.012	1.48E-03	573592	11/2/2021	
11	B-256-1, 2, 3	HTM Furnace 6	20	Natural Gas	0.6	0.012	1.48E-03	573592	11/2/2021	
11	B-256-1, 2, 3	HTM Furnace 8	20	Natural Gas	0.6	0.012	1.48E-03	573592	11/2/2021	2, 3, 4, 5, 6, 7
11	B-272-1, 2, 3	HTM Furnace 7	20	Natural Gas	0.6	0.012	1.48E-03	573592	11/2/2021	
11	B-272-1, 2, 3	HTM Furnace 9	20	Natural Gas	0.6	0.012	1.48E-03	573592	11/2/2021	
11	B-272-1, 2, 3	HTM Furnace 10	20	Natural Gas	0.6	0.012	1.48E-03	573592	11/2/2021	2, 3, 4, 5, 6, 7
16	B-6C-1	Cracking Furnace #27	25	Natural Gas & Chemical Fuel	0.6	0.015	1.85E-03	576946	5/28/2019	
16	B-6C-1	Cracking Furnace #28	25	Natural Gas & Chemical Fuel	0.6	0.015	1.85E-03	576946	5/28/2019	2, 3, 4, 5, 6
16	B-7R-1	Cracking Furnaces #5-16 and #19-24	191.8	Natural Gas	0.6	0.113	1.42E-02	576946	5/28/2019	2, 3, 4, 5, 6, 7
16	B-7RC-1	Cracking Furnace #25	17	Natural Gas	0.6	0.010	1.26E-03	576946	5/28/2019	
16	B-7RC-1	Cracking Furnace #26	13.5	Natural Gas	0.6	0.008	1.00E-03	576946	5/28/2019	2, 3, 4, 5, 6
16	Area A-B7	Ketene Furnaces	40	Natural Gas	0.6	0.024	2.96E-03	576946	5/28/2019	2, 3, 4, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16
16	Area A-B7	Thermal Oxidizer	7.4	Natural Gas	0.6	0.004	5.48E-04	576946	5/28/2019	2, 3, 5, 43
19	B-545-1	Process Heater FA-F-01	24.5	Natural Gas	0.6	0.014	1.82E-03	575805	12/5/2018	
19	B-545-1	Process Heater FB-F-01	24.5	Natural Gas	0.6	0.014	1.82E-03	575805	12/5/2018	3, 4, 5, 7, 8, 9, 18,
19	B-545-1	Vapor Incinerator	22	Natural Gas	0.6	0.013	1.63E-03	575805	12/5/2018	C6
26	B-423-1	Boiler A	226	Natural Gas	0.6	0.133	1.68E-02	576501	2/14/2020	
26	B-423-1	Boiler B	226	Natural Gas	0.6	0.133	1.68E-02	576501	2/14/2020	
26	B-423-1	Boiler C	226	Natural Gas	0.6	0.133	1.68E-02	576501	2/14/2020	2, 3, 4, 5, 6, 7
27	B-190-1	Burnout Oven	0.35	Natural Gas	0.6	2.06E-04	2.59E-05	574985	9/19/2018	2, 3, 9, 15, C-12, C-20, C-21
31	B-265B-1	SM-01 Furnace	4.9	Natural Gas	0.6	2.88E-03	3.63E-04	576485	10/11/2019	
31	B-265B-1	SM-02 Furnace	6.2	Natural Gas	0.6	3.65E-03	4.60E-04	576485	10/11/2019	4, 5, 6, 7
34	B-232-1	Vent UA Catalytic Oxidizer	3.26	Natural Gas	0.6	0.002	2.42E-04	576931	4/14/2022	
34	B-232-1	Vent UB Regenerative Thermal Oxidizer	13.57	Natural Gas	0.6	0.008	1.01E-03	576931	4/14/2022	18, 19, 20, 39, 40,
34	B-232-1	Vent UC Catalytic Oxidizer	3.26	Natural Gas	0.6	0.002	2.42E-04	576931	4/14/2022	41
36	B-655-1	Methanolysis Plant Furnace FR-01	169	Natural Gas	0.6	0.099	1.25E-02	981591	8/3/2023	2, 3, 4

Eastman Chemical Company's Title V applications are submitted by Major Source Operating Permit (MSOP) and are subdivided by Permitted Emission Source (PES). The numbering of each section restarts with the first page. For example, the information for gas-fired boilers 32, 33, and 34 may be found in the application for MSOP-02 dated June 2, 2021, section PES B-83-11, pages 2 through 7. Each PES is further subdivided into application forms and supporting calculations. Pages numbered with Arabic numerals indicate application forms, while pages numbered as "C-1, C-2, etc." refer to the calculations section of the PES.

Pursuant to Tennessee Code Annotated 68-201-105(b)(2)[1], Eastman Chemical Company has requested protection of certain items as confidential business information (CBI). The following information will be submitted directly to EPA in accordance with the Agency's policies for handling of CBI.

Emission Source Reference Number	Description
82-0003-247 (MSOP-24)	PES B-238-1, description of maximum heat input and fuel usage
82-0003-305 (MSOP-24)	PES H2 Plants, description of maximum heat input and fuel usage

[1] The department has the power and duty to... Require that any person furnish the department information required by it in discharge of its duties under this part, if the department has reason to believe such person is, or may be about to, causing or contributing to air pollution; provided, that no such person shall be required to disclose any secret formulae, processes or methods used in any manufacturing operation carried on by such person or under such person's direction. The composition of air contaminants shall not be considered secret unless so declared by the department, and the department shall have the power to issue protection orders to prevent public dissemination;

MSOP	PES	Description	Design Heat Input (MMBtu/hr)	Fuel	Emission Factor (lb/MMscf)	Max. Uncontrolled SO_2 Emission Rate (lb/hr)	Max. Uncontrolled SO_2 Emission Rate (g/s)	Permit	Application Date
24	B-238-1	MF-01 Furnace	**Redacted - the permittee has requested protection of this information as Confidential Business Information.**			0.012	1.48E-03	576162	1/18/2019
24	B-238-1	MG-01 Furnace				0.012	1.48E-03	576162	1/18/2019
24	B-238-1	MK-01 Furnace				0.044	5.48E-03	576162	1/18/2019
24	B-238-1	ML-01 Furnace				0.058	7.35E-03	576162	1/18/2019
24	H2 Plants	Hydrogen Plant #3				0.034	4.22E-03	576162	1/18/2019
24	H2 Plants	Hydrogen Plant #4				0.034	4.28E-03	576162	1/18/2019
24	H2 Plants	Hydrogen Plant #5				0.075	9.49E-03	576162	1/18/2019
24	H2 Plants	Hydrogen Plant #6				0.076	9.56E-03	576162	1/18/2019

Eastman Chemical Company, MSOP-02
PES B-83-11 (Gas-Fired Boilers 32, 33, 34)

EASTMAN
Tennessee Operations
200 South Wilcox Dr
Kingsport, TN 37660
Telephone: (423) 229-2000

Title V Operating Permit Application

Application Forms

MSOP-02

PES B-83-11

Natural Gas-Fired Boilers 32 through 34

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
   Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):
   D

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).

   Natural Gas Fired Boilers 32, 33, 34

4. Fuel burning equipment identification number:
   Boiler 32

5. Fuel burning equipment description:

   Natural Gas Boiler

6. Year of installation or last modification of fuel burning equipment:
   2022

7. Furnace type:
   D-type, water cooled package boiler furnace with firing parallel to drums

8. Manufacturer model number (if available):

   TBD

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 362146 N UTM Horizontal: 4042791 E

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)

    249

12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
    N/A

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas	N/A	N/A	N/A
Actual yearly consumption	2,138 MMscf	N/A	N/A	N/A

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control:
    Low NOx Burner

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring:
    NOx CEMS

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).
    N/A

17. Page number: 2 of 21 Revision number: R3-1 CP-1 Date of revision: **June 2, 2021**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):
E

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).

Natural Gas Fired Boilers 32, 33, 34

4. Fuel burning equipment identification number:
Boiler 33

5. Fuel burning equipment description:

Natural Gas Boiler

6. Year of installation or last modification of fuel burning equipment:
2023

7. Furnace type:
D-type, water cooled package boiler furnace with firing parallel to drums

8. Manufacturer model number (if available):

TBD

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 362146 N UTM Horizontal: 4042791 E

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)

249

12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
N/A

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas	N/A	N/A	N/A
Actual yearly consumption	2,138 MMscf	N/A	N/A	N/A

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control:
Low NOx Burner

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring:
NOx CEMS

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).
N/A

17. Page number: 3 of 21 Revision number: R3-1 CP-1 Date of revision: **June 2, 2021**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):
F

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).

Natural Gas Fired Boilers 32, 33, 34

4. Fuel burning equipment identification number:
Boiler 34

5. Fuel burning equipment description:

Natural Gas Boiler

6. Year of installation or last modification of fuel burning equipment:
2024

7. Furnace type:
D-type, water cooled package boiler furnace with firing parallel to drums

8. Manufacturer model number (if available):

TBD

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 362146 N UTM Horizontal: 4042791 E

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)

249

12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
N/A

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas	N/A	N/A	N/A
Actual yearly consumption	2,138 MMscf	N/A	N/A	N/A

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control:
Low NOx Burner

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring:
NOx CEMS

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).
N/A

17. Page number: 4 of 21 Revision number: R3-1 CP-1 Date of revision: **June 2, 2021**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
   Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
   B-83-11

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
   D

4. Stack height above grade in feet:
   167

5. Velocity (data at exit conditions):
   56 (Actual feet per second)

6. Inside dimensions at outlet in feet:
   5.5

7. Exhaust flow rate at exit conditions (ACFM):
   80,000

8. Flow rate at standard conditions (DSCFM):
   40,167

9. Exhaust temperature:

   360 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

    19 Percent N/A Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

    N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?

    NOx

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13. Do you have a bypass stack? ☐ Yes ☒ No

    If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number: 5 of 21 | Revision number: R3-1 CP-1 | Date of revision: **June 2, 2021**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
B-83-11

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
E

4. Stack height above grade in feet:
167

5. Velocity (data at exit conditions):
56 (Actual feet per second)

6. Inside dimensions at outlet in feet:
5.5

7. Exhaust flow rate at exit conditions (ACFM):
80,000

8. Flow rate at standard conditions (DSCFM):
40,167

9. Exhaust temperature:

360 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

19 Percent N/A Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?

NOx

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13. Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number: 6 of 21 | Revision number: R3-1 CP-1 | Date of revision: **June 2, 2021**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
B-83-11

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
F

4. Stack height above grade in feet:
167

5. Velocity (data at exit conditions):
56 (Actual feet per second)

6. Inside dimensions at outlet in feet:
5.5

7. Exhaust flow rate at exit conditions (ACFM):
80,000

8. Flow rate at standard conditions (DSCFM):
40,167

9. Exhaust temperature:

360 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

19 Percent N/A Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?

NOx

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13. Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number:	Revision number:	Date of revision:
7 of 21	R3-1 CP-1	**June 2, 2021**

Eastman Chemical Company, MSOP-03
PES B-338-3
(Catalyst Recovery Process Vent)

EASTMAN
Tennessee Operations
100 Eastman Rd
Kingsport, TN 37662
Telephone: (423) 229-2000

Title V Operating Permit Application

Application Forms

MSOP-03

PES B-338-3

Recovery of Carbonylation Reactor Catalyst

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

MSOP-03
Tennessee Eastman Major Source Operating
Permit Application Identification

TITLE V PERMIT APPLICATION
MISCELLANEOUS PROCESSES

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Process emission source (identify):
B-338-3

3. Stack ID or flow diagram point identification (s):
See APC 10 Attachment

4. Year of construction or last modification:
1995

If the emissions are controlled for compliance, attach an appropriate Air Pollution Control system form.

5. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

6. Location of this process emission source in UTM coordinates: UTM Vertical: 4042400N UTM Horizontal: 361600E

7. Describe this process (Please attach a flow diagram of this process) and check one of the following:
☐ Batch ✓ Continuous

PROCESS MATERIAL INPUT AND OUTPUT

8. List the types and amounts of raw materials input to this process:

Material	Storage/Material handling process	Average usage (units)	Maximum usage (units)
1. Crude Catalyst	closed pipe	CBI	CBI
2. Iodine	closed pipe	CBI	CBI
3. Methyl Acetate	closed pipe	CBI	CBI
4. Acetic Acid	closed pipe	CBI	CBI
5. Resin	closed pipe	CBI	CBI
6. Catalyst	closed pipe	CBI	CBI
7. Lithium	closed pipe	CBI	CBI
8. Ketone	closed pipe	CBI	CBI
9. Natural Gas	closed pipe	CBI	CBI
10. Air	closed pipe	CBI	CBI
11. Crude Methyl Iodide	closed pipe	CBI	CBI
12. Hydrogen	closed pipe	CBI	CBI
13. Water	closed pipe	CBI	CBI

9. List the types and amounts of primary products produced by this process:

Material	Storage/Material handling process	Average ~~usage~~ Amount Produced (units)	Maximum ~~usage~~ Amount Produced (units)
Catalyst	closed pipe	CBI	CBI

10. Process fuel usage:

Type of fuel	Max heat input (10^6 BTU/Hr.)	Average usage (units)	Maximum usage (units)
Natural Gas	2.75	2750 SCUFT/HR	2750 SCUFT/HR
Tar	2.36	315 LB/HR	315 LB/HR

11. List any solvents, cleaners, etc., associated with this process:
Ester, acid and alcohol for cleaning process equipment and lines

If the emissions and/or operations of this process are monitored for compliance, please attach the appropriate Compliance Demonstration form.

12. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, open air sand blasting, material handling operations, etc. (please attach a separate sheet if necessary).
Equipment leaks such as pumps, valves, and flanges.

13. Page number: 2 of 16 | Revision number: R3-0 Renewal | Date of revision: **February 23, 2018**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

MSOP-03
Tennessee Eastman Major Source Operating
Permit Application Identification

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
B-338-3

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
A

4. Stack height above grade in feet:
90

5. Velocity (data at exit conditions):

72 (Actual feet per second)

6. Inside dimensions at outlet in feet:
0.5

7. Exhaust flow rate at exit conditions (ACFM):
848

8. Flow rate at standard conditions (DSCFM):
990

9. Exhaust temperature:

100 Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

1.5 Percent

N/A Grains per dry standard cubic foot (gr./dscf.)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_x, etc.)?

N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13. Do you have a bypass stack?

☐ Yes X No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number:	Revision number:	Date of revision:
4 of 16	R3-0 Renewal	**February 23, 2018**

Application Attachment

Calculations

Calculation Documentation Form A2: General Information for Uncontrolled Emissions

PES # B-338-3 Vent ID A

Process Catalyst Recovery Division Chemicals Manufacturing Department AA

Scheduling Basis for Emissions:

8760 hrs/yr X Operating hrs/yr _____ or Number of batches/year _____

Type of Emission: X Uncontrolled Process Vent with No Recovery Device

_____ Other Emission Not Otherwise Captured (such as emissions not captured from open vessels, filters, conveyors, and material handling operations)

Special Physical Property Notes:

None

Assumptions Used:

None

Describe the Calculation Method Used:

Engineering judgment and expected operating conditions used in conjunction with AP-42 emissions factors (for combustion of natural gas and fuel oil). Stack tests from previous operating scenarios also taken into consideration in developing revised emissions estimates.

CO2e estimated using emissions estimates and CO2e factors.

Results:

Component	Average Lb/Hr	Maximum Lb/Hr	Tons/Yr**
VOC		0.06	0.13
Carbon Monoxide		0.29	1.08
Sulfur Dioxide		0.10	0.44
Nitrogen Oxides		1.8	4.40
CO2e			3608
TSP (assumed to be all PM2.5 and PM10)		0.31	0.9
Iodine		<= 0.36	1.60
Particulate HAP *		Negligible	Negligible

* AP-42 5th Edition section 1.4, table 1.4-4, emission factors for metals from natural gas combustion
** Source is unable to operate at maximum rates on a continual basis. Tons/yr determined based on maximum annual average operating conditions.

Eastman Chemical Company, MSOP-11
PES B-227-2, 3 (Heat Transfer Media Heaters 3 and 4)

EASTMAN
Tennessee Operations
200 South Wilcox Drive
Kingsport, TN 37660
Telephone: (423) 229-2000

Title V Operating Permit Application

Application Forms

MSOP-11

PES B-227-2,3

Heat Transfer Media Heaters No. 3 and 4

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
   Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):
   A

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).
   Heater No. 3
   Heater No. 4

4. Fuel burning equipment identification number:
   Heater No. 3

5. Fuel burning equipment description:
   Natural gas fired heat transfer media furnace

6. Year of installation or last modification of fuel burning equipment:
   1959

7. Furnace type:
   Direct fired, radiant/convection heater

8. Manufacturer model number (if available):
   Struther Wells

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 4042200 N UTM Horizontal: 362500 E

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)
    14

12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
    N/A

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas	N/A	N/A	N/A
Actual yearly consumption	126 MMscf	N/A	N/A	N/A

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control:
    N/A

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring:
    N/A

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).
    N/A

17. Page number: 2 of 13 Revision number: R3-3 SM1 Date of revision: **November 2, 2021**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
   Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):
   B

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).
   Heater No. 3
   Heater No. 4

4. Fuel burning equipment identification number:
   Heater No. 4

5. Fuel burning equipment description:
   Natural gas fired heat transfer media furnace

6. Year of installation or last modification of fuel burning equipment:
   1964

7. Furnace type:
   Direct fired, radiant/convection heater

8. Manufacturer model number (if available):
   Struther Wells

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 4042200 N UTM Horizontal: 362500 E

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)
    21.5

12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
    N/A

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas	N/A	N/A	N/A
Actual yearly consumption	194 MMscf	N/A	N/A	N/A

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control:
    N/A

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring:
    N/A

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).
    N/A

17. Page number: 3 of 13 Revision number: R3-3 SM1 Date of revision: **November 2, 2021**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
   Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
   B-227-2

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
   A

4. Stack height above grade in feet:
   64

5. Velocity (data at exit conditions):
   6.6 (Actual feet per second)

6. Inside dimensions at outlet in feet:
   3.4

7. Exhaust flow rate at exit conditions (ACFM):
   3,611

8. Flow rate at standard conditions (DSCFM):
   1,906

9. Exhaust temperature:

   350 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

    16.8 Percent N/A Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

    N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
    N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13. Do you have a bypass stack? ☐ Yes ☒ No

    If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number: 4 of 13 | Revision number: R3-3 SM1 | Date of revision: **November 2, 2021**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
   Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
   B-227-3

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
   B

4. Stack height above grade in feet:
   64

5. Velocity (data at exit conditions):
   13.2 (Actual feet per second)

6. Inside dimensions at outlet in feet:
   3

7. Exhaust flow rate at exit conditions (ACFM):
   5,585

8. Flow rate at standard conditions (DSCFM):
   2,948

9. Exhaust temperature:

   350 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

    16.8 Percent N/A Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

    N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
    N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13. Do you have a bypass stack? ☐ Yes ☒ No

    If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number: 5 of 13 | Revision number: R3-3 SM1 | Date of revision: **November 2, 2021**

Eastman Chemical Company, MSOP-11
PES B-256-1, 2, 3
(Heat Transfer Media Heaters 5, 6, and 8)

EASTMAN
Tennessee Operations
200 South Wilcox Drive
Kingsport, TN 37660
Telephone: (423) 229-2000

Title V Operating Permit Application

Application Forms

MSOP-11

PES B-256-1,2,3

Heat Transfer Media Heaters No. 5, 6, and 8

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
   Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):
   A

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).
   Heater No. 5
   Heater No. 6
   Heater No. 8

4. Fuel burning equipment identification number:
   Heater No. 5

5. Fuel burning equipment description:
   Natural gas fired heat transfer media furnace

6. Year of installation or last modification of fuel burning equipment:
   1965

7. Furnace type:
   Direct fired, radiant/convection heater

8. Manufacturer model number (if available):
   Struther Wells

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 4042100 N UTM Horizontal: 362500 E

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)
    20

12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
    N/A

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas	N/A	N/A	N/A
Actual yearly consumption	181 MMscf	N/A	N/A	N/A

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control:
    N/A

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring:
    N/A

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).
    N/A

17. Page number: 2 of 15 Revision number: R3-3 SM1 Date of revision: **November 2, 2021**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
   Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):
   B

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).
   Heater No. 5
   Heater No. 6
   Heater No. 8

4. Fuel burning equipment identification number:
   Heater No. 6

5. Fuel burning equipment description:
   Natural gas fired heat transfer media furnace

6. Year of installation or last modification of fuel burning equipment:
   1965

7. Furnace type:
   Direct fired, radiant/convection heater

8. Manufacturer model number (if available):
   Struther Wells

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 4042100 N UTM Horizontal: 362500 E

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)
    20

12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
    N/A

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas	N/A	N/A	N/A
Actual yearly consumption	181 MMscf	N/A	N/A	N/A

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control:
    N/A

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring:
    N/A

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).
    N/A

17. Page number: 3 of 15 Revision number: R3-3 SM1 Date of revision: **November 2, 2021**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
   Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):
   C

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).
   Heater No. 5
   Heater No. 6
   Heater No. 8

4. Fuel burning equipment identification number:
   Heater No. 8

5. Fuel burning equipment description:
   Natural gas fired heat transfer media furnace

6. Year of installation or last modification of fuel burning equipment:
   1965

7. Furnace type:
   Direct fired, radiant/convection heater

8. Manufacturer model number (if available):
   Struther Wells

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 4042100 N UTM Horizontal: 362500 E

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)
    20

12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
    N/A

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas	N/A	N/A	N/A
Actual yearly consumption	181 MMscf	N/A	N/A	N/A

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control:
    N/A

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring:
    N/A

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).
    N/A

17. Page number: 4 of 15 Revision number: R3-3 SM1 Date of revision: **November 2, 2021**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
B-256-1

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
A

4. Stack height above grade in feet:
75

5. Velocity (data at exit conditions):
13.2 (Actual feet per second)

6. Inside dimensions at outlet in feet:
3

7. Exhaust flow rate at exit conditions (ACFM):
5,585

8. Flow rate at standard conditions (DSCFM):
2,948

9. Exhaust temperature:

350 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

16.8 Percent N/A Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13. Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number: 5 of 15 | Revision number: R3-3 SM1 | Date of revision: **November 2, 2021**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
B-256-2

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
B

4. Stack height above grade in feet:
75

5. Velocity (data at exit conditions):
13.2 (Actual feet per second)

6. Inside dimensions at outlet in feet:
3

7. Exhaust flow rate at exit conditions (ACFM):
5,585

8. Flow rate at standard conditions (DSCFM):
2,948

9. Exhaust temperature:

350 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

16.8 Percent

N/A Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13. Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number: 6 of 15 | Revision number: R3-3 SM1 | Date of revision: **November 2, 2021**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
B-256-3

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
C

4. Stack height above grade in feet:
75

5. Velocity (data at exit conditions):
13.2 (Actual feet per second)

6. Inside dimensions at outlet in feet:
3

7. Exhaust flow rate at exit conditions (ACFM):
5,585

8. Flow rate at standard conditions (DSCFM):
2,948

9. Exhaust temperature:

350 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

16.8 Percent N/A Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13. Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number: 7 of 15 | Revision number: R3-3 SM1 | Date of revision: **November 2, 2021**

Eastman Chemical Company, MSOP-11
PES B-272-1, 2, 3
(Heat Transfer Media Heaters 7, 9, and 10)

EASTMAN
Tennessee Operations
200 South Wilcox Drive
Kingsport, TN 37660
Telephone: (423) 229-2000

Title V Operating Permit Application

Application Forms

MSOP-11

PES B-272-1,2,3

Heat Transfer Media Heaters No. 7, 9, and 10

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
   Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):
   A

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).
   Heater No. 7
   Heater No. 9
   Heater No. 10

4. Fuel burning equipment identification number:
   Heater No. 7

5. Fuel burning equipment description:
   Natural gas fired heat transfer media furnace

6. Year of installation or last modification of fuel burning equipment:
   1965

7. Furnace type:
   Direct fired, radiant/convection heater

8. Manufacturer model number (if available):
   Struther Wells

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 4042000 N UTM Horizontal: 362500 E

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)
    20

12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
    N/A

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas	N/A	N/A	N/A
Actual yearly consumption	181 MMscf	N/A	N/A	N/A

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control:
    N/A

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring:
    N/A

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).
    N/A

17. Page number: 2 of 15 Revision number: R3-3 SM1 Date of revision: **November 2, 2021**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
   Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):
   B

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).
   Heater No. 7
   Heater No. 9
   Heater No. 10

4. Fuel burning equipment identification number:
   Heater No. 9

5. Fuel burning equipment description:
   Natural gas fired heat transfer media furnace

6. Year of installation or last modification of fuel burning equipment:
   1965

7. Furnace type:
   Direct fired, radiant/convection heater

8. Manufacturer model number (if available):
   Struther Wells

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 4042100 N UTM Horizontal: 362500 E

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)
    20

12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
    N/A

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas	N/A	N/A	N/A
Actual yearly consumption	181 MMscf	N/A	N/A	N/A

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control:
    N/A

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring:
    N/A

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).
    N/A

17. Page number: 3 of 15 Revision number: R3-3 SM1 Date of revision: **November 2, 2021**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
   Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):
   C

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).
   Heater No. 7
   Heater No. 9
   Heater No. 10

4. Fuel burning equipment identification number:
   Heater No. 10

5. Fuel burning equipment description:
   Natural gas fired heat transfer media furnace

6. Year of installation or last modification of fuel burning equipment:
   1970

7. Furnace type:
   Direct fired, radiant/convection heater

8. Manufacturer model number (if available):
   Struther Wells

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 4042100 N UTM Horizontal: 362500 E

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)
    20

12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
    N/A

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas	N/A	N/A	N/A
Actual yearly consumption	181 MMscf	N/A	N/A	N/A

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control:
    N/A

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring:
    N/A

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).
    N/A

17. Page number: 4 of 15 Revision number: R3-3 SM1 Date of revision: **November 2, 2021**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
B-272-1

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
A

4. Stack height above grade in feet:
75

5. Velocity (data at exit conditions):
13.2 (Actual feet per second)

6. Inside dimensions at outlet in feet:
3

7. Exhaust flow rate at exit conditions (ACFM):
5,585

8. Flow rate at standard conditions (DSCFM):
2,948

9. Exhaust temperature:

350 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

16.8 Percent N/A Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13. Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number: 5 of 15 | Revision number: R3-3 SM1 | Date of revision: **November 2, 2021**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
B-272-2

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
B

4. Stack height above grade in feet:
75

5. Velocity (data at exit conditions):
13.2 (Actual feet per second)

6. Inside dimensions at outlet in feet:
3

7. Exhaust flow rate at exit conditions (ACFM):
5,585

8. Flow rate at standard conditions (DSCFM):
2,948

9. Exhaust temperature:

350 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

16.8 Percent N/A Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13. Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number: 6 of 15 | Revision number: R3-3 SM1 | Date of revision: **November 2, 2021**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
B-272-3

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
C

4. Stack height above grade in feet:
75

5. Velocity (data at exit conditions):
13.2 (Actual feet per second)

6. Inside dimensions at outlet in feet:
3

7. Exhaust flow rate at exit conditions (ACFM):
5,585

8. Flow rate at standard conditions (DSCFM):
2,948

9. Exhaust temperature:

350 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

16.8 Percent N/A Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13. Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number: 7 of 15 | Revision number: R3-3 SM1 | Date of revision: **November 2, 2021**

Eastman Chemical Company, MSOP-16
PES B-6C-1 (Cracking Furnaces 27 and 28)

EASTMAN
Tennessee Operations
100 Eastman Rd
Kingsport, TN 37662
Telephone: (423) 229-2000

Title V Operating Permit Application

Application Forms

MSOP-16

PES B-6C-1

Cracking Furnaces 27 and 28

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
   Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s): A

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).
   Furnace 27

4. Fuel burning equipment identification number: 27

5. Fuel burning equipment description: Cracking Furnace

6. Year of installation or last modification of fuel burning equipment: 1986

7. Furnace type:
   Bottom Fired / Box-type

8. Manufacturer model number (if available):
   John Zink

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 4043100 N UTM Horizontal: 361700 E

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)
    25 MMBtu/hr

12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
    Not Applicable

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas/Chemical Fuel	Not Applicable	Not Applicable	Not Applicable
Actual yearly consumption	285,000 / 223,400	Not Applicable	Not Applicable	Not Applicable

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control: None

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring: None

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary). Equipment leaks from pumps, valves, flanges, etc are on PES B-7R-3

17. Page number: 2 of 17 | Revision number: R3-0 Renewal | Date of revision: **May 28, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s): B

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).

Furnace 28

4. Fuel burning equipment identification number: 28

5. Fuel burning equipment description:

Cracking Furnace

6. Year of installation or last modification of fuel burning equipment: 1986

7. Furnace type:	8. Manufacturer model number (if available):
Side Fired / Box type	Selas

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 4043100 N UTM Horizontal: 361700 E

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)	12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
25 MM BTU/Hour	Not Applicable

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas/Chemical Fuel	Not Applicable	Not Applicable	Not Applicable
Actual yearly consumption	285,000 /223,400 KSCF	Not Applicable	Not Applicable	Not Applicable

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control: None

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring: None

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).
Equipment leaks from pumps, valves, flanges, etc. are on PES B-7R-3

17. Page number:	Revision number:	Date of revision:
3 of 17	R3-0 Renewal	**May 28, 2019**

Eastman Chemical Company
Tennessee Operations
100 Eastman Rd
Kingsport, TN 37662
Telephone: (423) 229-2000

TITLE V PERMIT APPLICATION
MISCELLANEOUS PROCESSES

(Continued from Items 3 and 7 of APC 10)

PES: B-6C-1



State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify): B-6C-1

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification): A

4. Stack height above grade in feet: 130

5. Velocity (data at exit conditions):
39.7 (Actual feet per second)

6. Inside dimensions at outlet in feet:
3

7. Exhaust flow rate at exit conditions (ACFM):
16,800

8. Flow rate at standard conditions (DSCFM):
6,785

9. Exhaust temperature:
700 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):
10 Percent N/A Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):
Not Applicable (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)? None

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13. Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number:	Revision number:	Date of revision:
5 of 17	R3-0 Renewal	**May 28, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify): B-6C-1

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification): B

4. Stack height above grade in feet: 130

5. Velocity (data at exit conditions):
39.7 (Actual feet per second)

6. Inside dimensions at outlet in feet:
3

7. Exhaust flow rate at exit conditions (ACFM):
16,800

8. Flow rate at standard conditions (DSCFM):
6,785

9. Exhaust temperature:
700 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):
10 Percent N/A Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):
Not Applicable (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)? None

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13. Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number:	Revision number:	Date of revision:
6 of 17	R3-0 Renewal	**May 28, 2019**

Eastman Chemical Company, MSOP-16
PES B-7R-1 (Cracking Furnaces 5-16 and 19-24)

EASTMAN
Tennessee Operations
100 Eastman Rd
Kingsport, TN 37662
Telephone: (423) 229-2000

Title V Operating Permit Application

Application Forms

MSOP-16

PES B-7R-1

Cracking Furnaces 5-16 and 19-24

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):
See APC 4 Attachment

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).
See APC 4 Attachment

4. Fuel burning equipment identification number:
See APC 4 Attachment

5. Fuel burning equipment description:
See APC 4 Attachment

6. Year of installation or last modification of fuel burning equipment:
See APC 4 Attachment

7. Furnace type:
See APC 4 Attachment

8. Manufacturer model number (if available):
See APC 4 Attachment

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 4043100 N UTM Horizontal: 361700 E

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)
See APC 4 Attachment

12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
N/A

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	See APC 4 Attachment	N/A	N/A	N/A
Actual yearly consumption	See APC 4 Attachment	N/A	N/A	N/A

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control:
N/A

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring:
N/A

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).
N/A

17. Page number: 2 of 15 | Revision number: R3-0 Renewal | Date of revision: **May 28, 2019**

Eastman Chemical Company
Tennessee Operations
100 Eastman Rd
Kingsport, TN 37662
Telephone: (423) 229-2000

EASTMAN

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

(Continued from Items 3 through 9, 11, and 13 of APC 4)

Unit ID	Stack ID	Description/Furnace Type	Year of Installation or Last Modification	Manufacturer/Model Number (if available)	Heat Input Capacity (MMBtu/hr)	Primary Fuel
Furnace #5	A or B	Process Heater/Side Fired	1933-1954	Manufacturer: N/A Model Number: N/A	9.9	Fuel Name: Natural Gas Annual Consumption: 85,024 Kscf/yr
Furnace #6	A or B	Process Heater/Side Fired	1933-1954	Manufacturer: N/A Model Number: N/A	9.9	Fuel Name: Natural Gas Annual Consumption: 85,024 Kscf/yr
Furnace #7	A or B	Process Heater/Side Fired	1933-1954	Manufacturer: N/A Model Number: N/A	9.9	Fuel Name: Natural Gas Annual Consumption: 85,024 Kscf/yr
Furnace #8	A or B	Process Heater/Side Fired	1933-1954	Manufacturer: N/A Model Number: N/A	9.9	Fuel Name: Natural Gas Annual Consumption: 85,024 Kscf/yr
Furnace #9	A or B	Process Heater/Side Fired	1933-1954	Manufacturer: N/A Model Number: N/A	9.9	Fuel Name: Natural Gas Annual Consumption: 85,024 Kscf/yr
Furnace #10	A or B	Process Heater/Side Fired	1962	Manufacturer: N/A Model Number: N/A	9.9	Fuel Name: Natural Gas Annual Consumption: 85,024 Kscf/yr
Furnace #11	A or B	Process Heater/Side Fired	1933-1954	Manufacturer: N/A Model Number: N/A	9.9	Fuel Name: Natural Gas Annual Consumption: 85,024 Kscf/yr
Furnace #12	A or B	Process Heater/Side Fired	1933-1954	Manufacturer: N/A Model Number: N/A	9.9	Fuel Name: Natural Gas Annual Consumption: 85,024 Kscf/yr
Furnace #13	A or B	Process Heater/Side Fired	1933-1954	Manufacturer: N/A Model Number: N/A	9.9	Fuel Name: Natural Gas Annual Consumption: 85,024 Kscf/yr
Furnace #14	A or B	Process Heater/Side Fired	1933-1954	Manufacturer: N/A Model Number: N/A	9.9	Fuel Name: Natural Gas Annual Consumption: 85,024 Kscf/yr
Furnace #15	A or B	Process Heater/Side Fired	1933-1954	Manufacturer: N/A Model Number: N/A	9.9	Fuel Name: Natural Gas Annual Consumption: 85,024 Kscf/yr
Furnace #16	A or B	Process Heater/Side Fired	1933-1954	Manufacturer: N/A Model Number: N/A	9.9	Fuel Name: Natural Gas Annual Consumption: 85,024 Kscf/yr
Furnace #19	A or B	Process Heater/Side Fired	1962	Manufacturer: N/A Model Number: N/A	9.9	Fuel Name: Natural Gas Annual Consumption: 85,024 Kscf/yr
Furnace #20	A or B	Process Heater/Side Fired	1933-1954	Manufacturer: N/A Model Number: N/A	9.9	Fuel Name: Natural Gas Annual Consumption: 85,024 Kscf/yr

Eastman Chemical Company
Tennessee Operations
100 Eastman Rd
Kingsport, TN 37662
Telephone: (423) 229-2000

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

(Continued from Items 3 through 9, 11, and 13 of APC 4)

Unit ID	Stack ID	Description/Furnace Type	Year of Installation or Last Modification	Manufacturer/Model Number (if available)	Heat Input Capacity (MMBtu/hr)	Primary Fuel
Furnace #21	A or B	Process Heater/Side Fired	1969-1970	Manufacturer: N/A Model Number: N/A	13.3	Fuel Name: Natural Gas Annual Consumption: 114,224 Kscf/yr
Furnace #22	A or B	Process Heater/Side Fired	1969-1970	Manufacturer: N/A Model Number: N/A	13.3	Fuel Name: Natural Gas Annual Consumption: 114,224 Kscf/yr
Furnace #23	A or B	Process Heater/Side Fired	1969-1970	Manufacturer: N/A Model Number: N/A	13.3	Fuel Name: Natural Gas Annual Consumption: 114,224 Kscf/yr
Furnace #24	A or B	Process Heater/Side Fired	1969-1970	Manufacturer: N/A Model Number: N/A	13.3	Fuel Name: Natural Gas Annual Consumption: 114,224 Kscf/yr

TITLE V PERMIT APPLICATION
MISCELLANEOUS PROCESSES

PES B-7R-1



Fugitive emissions from equipment leaks are included in B-7R-3

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
PES B-7R-1

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
A

4. Stack height above grade in feet:
96

5. Velocity (data at exit conditions):
21.9 (Actual feet per second)

6. Inside dimensions at outlet in feet:
8

7. Exhaust flow rate at exit conditions (ACFM):
49,635

8. Flow rate at standard conditions (DSCFM):
17,963

9. Exhaust temperature:

700 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

20 Percent

Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

Not Applicable (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
None

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13 .Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number:	Revision number:	Date of revision:
6 of 15	R3-0 Renewal	**May 28, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
   Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
   PES B-7R-1

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
   B

4. Stack height above grade in feet:
   100

5. Velocity (data at exit conditions):
   21.9 (Actual feet per second)

6. Inside dimensions at outlet in feet:
   8

7. Exhaust flow rate at exit conditions (ACFM):
   49,635

8. Flow rate at standard conditions (DSCFM):
   17,962

9. Exhaust temperature:
   700 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):
    20 Percent
    none — Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):
    Not Applicable (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
    None

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13. Do you have a bypass stack? ☐ Yes ☒ No

    If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number:	Revision number:	Date of revision:
7 of 15	R3-0 Renewal	**May 28, 2019**

Eastman Chemical Company, MSOP-16
PES B-7RC-1 (Cracking Furnaces 25 and 26)

EASTMAN
Tennessee Operations
100 Eastman Rd
Kingsport, TN 37662
Telephone: (423) 229-2000

Title V Operating Permit Application

Application Forms

MSOP-16

PES B-7RC-1

Cracking Furnaces 25 and 26

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
   Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):
   A

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).
   Furnace 25

4. Fuel burning equipment identification number:
   Furnace 25

5. Fuel burning equipment description:
   Cracking Furnace

6. Year of installation or last modification of fuel burning equipment:
   1986

7. Furnace type:
   Side Fired / Box type

8. Manufacturer model number (if available):
   Selas

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 4043100 N UTM Horizontal: 361700 E

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)
    17 Million BTU/Hour

12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
    Not Applicable

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas	Not Applicable	Not Applicable	Not Applicable
Actual yearly consumption	144,540 KSCF	Not Applicable	Not Applicable	Not Applicable

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control:
    None

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring:
    None

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).
    Equipment leaks from pumps, valves, flanges, etc.

17. Page number: 2 of 14 Revision number: R3-0 Renewal Date of revision: **May 28, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
   Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):
   B

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).

   Furnace 26

4. Fuel burning equipment identification number:
   Furnace 26

5. Fuel burning equipment description:

   Cracking Furnace

6. Year of installation or last modification of fuel burning equipment:
   1986

7. Furnace type:

   Side Fired / Box type

8. Manufacturer model number (if available):

   Selas

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 4043100 N UTM Horizontal: 361700 E

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)

    13.5 Million BTU/Hour

12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
    Not Applicable

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas	Not Applicable	Not Applicable	Not Applicable
Actual yearly consumption	144,540 KSCF	Not Applicable	Not Applicable	Not Applicable

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control:

    None

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring:
    None

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).
    Equipment leaks from pumps, valves, flanges, etc.

17. Page number: 3 of 14 | Revision number: R3-0 Renewal | Date of revision: **May 28, 2019**

Eastman Chemical Company
Tennessee Operations
100 Eastman Rd
Kingsport, TN 37662
Telephone: (423) 229-2000

TITLE V PERMIT APPLICATION
MISCELLANEOUS PROCESSES

(Continued from Items 3 and 7 of APC 10)

PES B-7RC-1



Fugitive emissions from equipment leaks are included in B-7R-3

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
PES B-7RC-1

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
A

4. Stack height above grade in feet:
68

5. Velocity (data at exit conditions):
17.9 (Actual feet per second)

6. Inside dimensions at outlet in feet:
3.1

7. Exhaust flow rate at exit conditions (ACFM):
8090

8. Flow rate at standard conditions (DSCFM):
2930

9. Exhaust temperature:

700 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

20 Percent

Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

Not Applicable (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
None

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13 .Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number:	Revision number:	Date of revision:
5 of 14	R3-0 Renewal	**May 28, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
PES B-7RC-1

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
B

4. Stack height above grade in feet:
68

5. Velocity (data at exit conditions):
17.9(Actual feet per second)

6. Inside dimensions at outlet in feet:
3.1

7. Exhaust flow rate at exit conditions (ACFM):
8090

8. Flow rate at standard conditions (DSCFM):
2930

9. Exhaust temperature:

700 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

20 Percent none Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

Not Applicable (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
None

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13 .Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number:	Revision number:	Date of revision:
6 of 14	R3-0 Renewal	**May 28, 2019**

Eastman Chemical Company, MSOP-16
PES B-Area A-B7
(Crude Acetic Anhydride Manufacture)

EASTMAN
Tennessee Operations
100 Eastman Rd
Kingsport, TN 37662
Telephone: (423) 229-2000

Title V Operating Permit Application

Application Forms

MSOP-16

PES B-Area A-B7

Crude Acetic Anhydride Manufacture

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

MSOP-16
Tennessee Eastman Major Source Operating
Permit Application Identification

TITLE V PERMIT APPLICATION
MISCELLANEOUS PROCESSES

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Process emission source (identify):
Area A – B7

3. Stack ID or flow diagram point identification (s):
See APC 10 Attachment

4. Year of construction or last modification:
2018

If the emissions are controlled for compliance, attach an appropriate Air Pollution Control system form.

5. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

6. Location of this process emission source in UTM coordinates: UTM Vertical: 17 4043547 UTM Horizontal: 361301

7. Describe this process (Please attach a flow diagram of this process) and check one of the following:
☐ Batch ✓ Continuous

PROCESS MATERIAL INPUT AND OUTPUT

8. List the types and amounts of raw materials input to this process:

	Material	Storage/Material handling process	Average usage (units)	Maximum usage (units)
1	Glacial Acetic Acid	Rail Car/Tank/ Closed Pipe	CBI	CBI
2	Water	Tank/Closed Pipe	CBI	CBI
3	Catalyst	Tank/Closed Pipe	CBI	CBI

9. List the types and amounts of primary products produced by this process:

Material	Storage/Material handling process	Average ~~usage~~ Amount Produced (units)	Maximum ~~usage~~ Amount Produced (units)
Crude Acetic Anhydride	Tank/Closed Pipe/Rail Car	CBI	CBI
Weak Acetic Acid	Tank/Tank Trailer	CBI	CBI

10. Process fuel usage:

Type of fuel	Max heat input (10^6 BTU/Hr.)	Average usage (units)	Maximum usage (units)
Natural Gas	47.4	46,471 scf/hr	46,471 scf/hr

11. List any solvents, cleaners, etc., associated with this process:

N/A

If the emissions and/or operations of this process are monitored for compliance, please attach the appropriate Compliance Demonstration form.

12. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, open air sand blasting, material handling operations, etc. (please attach a separate sheet if necessary).

N/A

13. Page number: 2 of 60 | Revision number: R3-0 Renewal | Date of revision: **May 28, 2019**

TITLE V PERMIT APPLICATION
MISCELLANEOUS PROCESSES

(Continued from Items 3 and 7 of APC 10)



Note 1: 2 furnaces share a common condenser, scrubber, and vacuum system.

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

MSOP-16
Tennessee Eastman Major Source Operating
Permit Application Identification

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
B-Area A-B7

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):

Vent A

4. Stack height above grade in feet:

110

5. Velocity (data at exit conditions):

5.19 (Actual feet per second)

6. Inside dimensions at outlet in feet:

8

7. Exhaust flow rate at exit conditions (ACFM):

15,625

8. Flow rate at standard conditions (DSCFM):

7500

9. Exhaust temperature:

450 Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

20 Percent _____ Grains per dry standard cubic foot (gr./dscf.)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_x, etc.)?

N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13. Do you have a bypass stack?

☐ Yes X No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number:	Revision number:	Date of revision:
4 of 60	R3-0 Renewal	**May 28, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

MSOP-16
Tennessee Eastman Major Source Operating
Permit Application Identification

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
B-Area A-B7

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):

Vent B

4. Stack height above grade in feet:

30

5. Velocity (data at exit conditions):

10.3 (Actual feet per second)

6. Inside dimensions at outlet in feet:
3.6

7. Exhaust flow rate at exit conditions (ACFM):
6,250

8. Flow rate at standard conditions (DSCFM):
5,750

9. Exhaust temperature:

1600 Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

8 Percent _____ Grains per dry standard cubic foot (gr./dscf.)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_x, etc.)?

N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13. Do you have a bypass stack?

X Yes ☐ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

Vent B1 - Bypass will occur during periods when the thermal oxidizer associated with Vent B is not in operation.

14. Page number:	Revision number:	Date of revision:
5 of 60	R3-0 Renewal	**May 28, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

MSOP-16
Tennessee Eastman Major Source Operating
Permit Application Identification

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):

A

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).

Ketene Cracking Furnace

4. Fuel burning equipment identification number: Furnace 17

5. Fuel burning equipment description:

Process heater for manufacturing of acetic anhydride.

6. Year of installation or last modification of fuel burning equipment: 1993

7. Furnace type:	8. Manufacturer model number (if available):
Ketene Cracking Furnace	N/A

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 17 4043547 UTM Horizontal: 361301

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)	12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
4.0 MMBtu/hr	N/A

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas			
Actual yearly consumption	34.35 MMscf			

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control:
N/A

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring:
N/A

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).
N/A

17. Page number:	Revision number:	Date of revision:
7 of 60	R3-0 Renewal	**May 28, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

MSOP-16
Tennessee Eastman Major Source Operating
Permit Application Identification

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):

A

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).

Ketene Cracking Furnace

4. Fuel burning equipment identification number: Furnace 18

5. Fuel burning equipment description:

Process heater for manufacturing of acetic anhydride.

6. Year of installation or last modification of fuel burning equipment: 1993

7. Furnace type:	8. Manufacturer model number (if available):
Ketene Cracking Furnace	N/A

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 17 4043547 UTM Horizontal: 361301

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)	12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
4.0 MMBtu/hr	N/A

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas			
Actual yearly consumption	34.35 MMscf			

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control:
N/A

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring:
N/A

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).
N/A

17. Page number:	Revision number:	Date of revision:
8 of 60	R3-0 Renewal	**May 28, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

MSOP-16
Tennessee Eastman Major Source Operating
Permit Application Identification

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):

A

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).

Ketene Cracking Furnace

4. Fuel burning equipment identification number: Furnace 19

5. Fuel burning equipment description:

Process heater for manufacturing of acetic anhydride.

6. Year of installation or last modification of fuel burning equipment: 1993

7. Furnace type:

Ketene Cracking Furnace

8. Manufacturer model number (if available):

N/A

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 17 4043547 UTM Horizontal: 361301

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)

4.0 MMBtu/hr

12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
N/A

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas			
Actual yearly consumption	34.35 MMscf			

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control:
N/A

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring:
N/A

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).
N/A

17. Page number:
9 of 60

Revision number:
R3-0 Renewal

Date of revision:
May 28, 2019

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):

A

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).

Ketene Cracking Furnace

4. Fuel burning equipment identification number: Furnace 20

5. Fuel burning equipment description:

Process heater for manufacturing of acetic anhydride.

6. Year of installation or last modification of fuel burning equipment: 1993

7. Furnace type:

Ketene Cracking Furnace

8. Manufacturer model number (if available):

N/A

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 17 4043547 UTM Horizontal: 361301

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)

4.0 MMBtu/hr

12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
N/A

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas			
Actual yearly consumption	34.35 MMscf			

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control:
N/A

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring:
N/A

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).
N/A

17. Page number: 10 of 60 | Revision number: R3-0 Renewal | Date of revision: **May 28, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

MSOP-16
Tennessee Eastman Major Source Operating
Permit Application Identification

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):

A

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).

Ketene Cracking Furnace

4. Fuel burning equipment identification number: Furnace 21

5. Fuel burning equipment description:

Process heater for manufacturing of acetic anhydride.

6. Year of installation or last modification of fuel burning equipment: 1993

7. Furnace type:	8. Manufacturer model number (if available):
Ketene Cracking Furnace	N/A

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 17 4043547 UTM Horizontal: 361301

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)	12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
4.0 MMBtu/hr	N/A

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas			
Actual yearly consumption	34.35 MMscf			

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control:
N/A

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring:
N/A

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).
N/A

17. Page number:	Revision number:	Date of revision:
11 of 60	R3-0 Renewal	**May 28, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

MSOP-16
Tennessee Eastman Major Source Operating
Permit Application Identification

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):

A

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).

Ketene Cracking Furnace

4. Fuel burning equipment identification number: Furnace 22

5. Fuel burning equipment description:

Process heater for manufacturing of acetic anhydride.

6. Year of installation or last modification of fuel burning equipment: 1993

7. Furnace type:

Ketene Cracking Furnace

8. Manufacturer model number (if available):

N/A

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 17 4043547 UTM Horizontal: 361301

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)

4.0 MMBtu/hr

12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
N/A

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas			
Actual yearly consumption	34.35 MMscf			

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control:
N/A

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring:
N/A

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).
N/A

17. Page number: 12 of 60 | Revision number: R3-0 Renewal | Date of revision: **May 28, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

MSOP-16
Tennessee Eastman Major Source Operating
Permit Application Identification

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):

A

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).

Ketene Cracking Furnace

4. Fuel burning equipment identification number: Furnace 23

5. Fuel burning equipment description:

Process heater for manufacturing of acetic anhydride.

6. Year of installation or last modification of fuel burning equipment: 1993

7. Furnace type:	8. Manufacturer model number (if available):
Ketene Cracking Furnace	N/A

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 17 4043547 UTM Horizontal: 361301

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)	12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
4.0 MMBtu/hr	N/A

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas			
Actual yearly consumption	34.35 MMscf			

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control:
N/A

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring:
N/A

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).
N/A

17. Page number:	Revision number:	Date of revision:
13 of 60	R3-0 Renewal	**May 28, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):

A

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).

Ketene Cracking Furnace

4. Fuel burning equipment identification number: Furnace 24

5. Fuel burning equipment description:

Process heater for manufacturing of acetic anhydride.

6. Year of installation or last modification of fuel burning equipment: 1993

7. Furnace type:

Ketene Cracking Furnace

8. Manufacturer model number (if available):

N/A

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 17 4043547 UTM Horizontal: 361301

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)

4.0 MMBtu/hr

12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
N/A

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas			
Actual yearly consumption	34.35 MMscf			

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control:
N/A

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring:
N/A

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).
N/A

17. Page number: 14 of 60 | Revision number: R3-0 Renewal | Date of revision: **May 28, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

MSOP-16
Tennessee Eastman Major Source Operating
Permit Application Identification

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):

A

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).

Ketene Cracking Furnace

4. Fuel burning equipment identification number: Furnace 25

5. Fuel burning equipment description:

Process heater for manufacturing of acetic anhydride.

6. Year of installation or last modification of fuel burning equipment: 1993

7. Furnace type:	8. Manufacturer model number (if available):
Ketene Cracking Furnace	N/A

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 17 4043547 UTM Horizontal: 361301

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)	12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
4.0 MMBtu/hr	N/A

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas			
Actual yearly consumption	34.35 MMscf			

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control:
N/A

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring:
N/A

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).
N/A

17. Page number:	Revision number:	Date of revision:
15 of 60	R3-0 Renewal	**May 28, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

MSOP-16
Tennessee Eastman Major Source Operating
Permit Application Identification

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):

A

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).

Ketene Cracking Furnace

4. Fuel burning equipment identification number: Furnace 26

5. Fuel burning equipment description:

Process heater for manufacturing of acetic anhydride.

6. Year of installation or last modification of fuel burning equipment: 1993

7. Furnace type:	8. Manufacturer model number (if available):
Ketene Cracking Furnace	N/A

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 17 4043547 UTM Horizontal: 361301

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)	12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
4.0 MMBtu/hr	N/A

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas			
Actual yearly consumption	34.35 MMscf			

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control:
N/A

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring:
N/A

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).
N/A

17. Page number:	Revision number:	Date of revision:
16 of 60	R3-0 Renewal	**May 28, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
CONTROL EQUIPMENT - CATALYTIC OR THERMAL OXIDATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:	2. Emission source (identify):
Eastman Chemical Company, Tennessee Operations	B-Area A-B7

3. Stack ID or flow diagram point identification (s):

B

OXIDIZER DESCRIPTION

4. Describe the oxidation system in use. List the key operating parameters of this device and their normal operating range.

Thermal oxidizer.

Key Operating Parameter: Firebox Temperature
Operating Range: 1600 to 1800 ºF

5. Manufacturer and model number (if available):	6. Year of installation:	7. Type (check one):
Zeeco	2018	Catalytic oxidizer ☐ Thermal oxidizer ✓

8. List of pollutant (s) to be controlled and the expected control efficiency for each pollutant.

Pollutant	Efficiency (%)	Source of data
VOC	99	Vendor Data
CO	98	Vendor Data

9. If applicable, discuss how spent catalyst is handled for reuse or disposal:

N/A

10. Equipment specifications:

Catalytic oxidation	Thermal oxidation
10A. Minimum operating temperature (°F):	10B. Minimum operating temperature (°F): 1600
11A. Type of fuel used:	11B. Type of fuel used: Natural Gas
12. Type of catalyst used and volume of catalyst used ($Ft.^3$):	12. Not applicable.
13A. Maximum fuel use:	13B. Maximum fuel use: 7.4 MMBtu/hr
14A. Residence time (sec.):	14B. Residence time (sec.): 2.9 sec

15. If this control equipment is in series with some other control equipment, state and specify the overall efficiency:

N/A

16. Page number:	Revision number:	Date of revision:
43 of 60	R3-0 Renewal	**May 28, 2019**

Eastman Chemical Company, MSOP-19
PES B-545-1
(Process Heaters FA-F-01 and FB-F-01, Vapor Incinerator)

EASTMAN
Tennessee Operations
100 Eastman Rd
Kingsport, TN 37662
Telephone: (423) 229-2000

Title V Operating Permit Application

Application Forms

MSOP-19

PES B-545-1

Copolyester Monomer Manufacturing

Eastman Chemical Company
Tennessee Operations
100 Eastman Rd
Kingsport, TN 37662
Telephone: (423) 229-2000

EASTMAN

TITLE V PERMIT APPLICATION
MISCELLANEOUS PROCESSES

(Continued from Items 3 and 7 of APC 10)

B-545-1



State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
PES B-545-1

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
B

4. Stack height above grade in feet:
150

5. Velocity (data at exit conditions):
56.5 (Actual feet per second)

6. Inside dimensions at outlet in feet:
2

7. Exhaust flow rate at exit conditions (ACFM):
10,644

8. Flow rate at standard conditions (DSCFM):
8,728

9. Exhaust temperature:

768 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

18 Percent _____ Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?

N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13 .Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

N/A

14. Page number:	Revision number:	Date of revision:
4 of 38	R3-0 Renewal	**December 5, 2018**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
   Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
   PES B-545-1

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
   C

4. Stack height above grade in feet:
   192

5. Velocity (data at exit conditions):
   7.75 (Actual feet per second)

6. Inside dimensions at outlet in feet:
   4.5

7. Exhaust flow rate at exit conditions (ACFM):
   7,390

8. Flow rate at standard conditions (DSCFM):
   1,910

9. Exhaust temperature:

   1,500 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

    0.5 Percent _____ Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

    N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?

    N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13 .Do you have a bypass stack? ☒ Yes ☐ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

Vent I is the bypass stack for Vent C. Vent I is used during times of planned maintenance and/or malfunctions associated with Vent C. Emissions during planned maintenance shall be limited to emissions from continuous purge losses and tank breathing only.

14. Page number:	Revision number:	Date of revision:
5 of 38	R3-0 Renewal	**December 5, 2018**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
PES B-545-1

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
Q

4. Stack height above grade in feet:
155

5. Velocity (data at exit conditions):
32.8 (Actual feet per second)

6. Inside dimensions at outlet in feet:
3.625

7. Exhaust flow rate at exit conditions (ACFM):
10,644

8. Flow rate at standard conditions (DSCFM):
8,728

9. Exhaust temperature:

767 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

18 Percent ____ Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?

N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13 .Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

N/A

14. Page number:	Revision number:	Date of revision:
7 of 38	R3-0 Renewal	**December 5, 2018**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
   Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):
   B

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).
   Process Heater FA-F-01

4. Fuel burning equipment identification number:
   FA-F-01

5. Fuel burning equipment description:
   Process heater

6. Year of installation or last modification of fuel burning equipment:
   2009

7. Furnace type:
   Box heater with horizontal tubes

8. Manufacturer model number (if available):
   Kinetics Technology International

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 4043000 N UTM Horizontal: 361600 E

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)
    24.5

12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
    N/A

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas			
Actual yearly consumption	210 MMscf			

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control:
    N/A

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring:
    N/A

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).
    N/A

17. Page number: 8 of 38 | Revision number: R3-0 Renewal | Date of revision: **December 5, 2018**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):
Q

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).

Process Heater FB-F-01

4. Fuel burning equipment identification number:
FB-F-01

5. Fuel burning equipment description:

Process heater

6. Year of installation or last modification of fuel burning equipment:
2018

7. Furnace type:

Box heater with horizontal tubes

8. Manufacturer model number (if available):

Broach Process Heaters

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 4043300 N UTM Horizontal: 361600 E

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)

24.5

12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
N/A

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas			
Actual yearly consumption	210 MMscf			

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control:
N/A

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring:
N/A

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).
N/A

17. Page number: 9 of 38 | Revision number: R3-0 Renewal | Date of revision: **December 5, 2018**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
CONTROL EQUIPMENT – MISCELLANEOUS

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
PES B-545-1

3. Stack ID or flow diagram point identification(s):
C

CONTROL EQUIPMENT DESCRIPTION

4. Describe the device in use. List the key operating parameters of this device and their normal operating range (e.g. pressure drop, gas flow rate, temperature):

Device Description:	Vapor Incinerator
Key Operating Parameter(s):	Fire Box Temperature
Normal Operating Range(s):	≥790ºC

5. Manufacturer and model number (if available):
Process Combustion Corporation

6. Year of installation:
2009

7. List of pollutant(s) to be controlled by this equipment and the expected control efficiency for each pollutant.

Pollutant	Efficiency (%)	Source of data
VOC	99	Performance Test
CO	98	Performance Test

8. Discuss how collected material is handled for reuse or disposal.
N/A

9. If this control equipment is in series with other control equipment, state and specify the overall efficiency:
N/A

10. Page number: 18 of 38 | Revision number: R3-0 Renewal | Date of revision: **December 5, 2018**

Application Attachment

Calculations

Calculation Documentation Form: Control or Recovery Device

PES # B-545-1 Vent ID C

Additional control or recovery device data (include vendor guarantees):

Special Physical Property Notes:

Assumptions Used:

Vapor incinerator is rated at 18 MMBtu/hr but calculations are being performed at 22 MMBtu/hr.

Process Inlet:

The process inlet to the vapor incinerator associated with Vent C has been calculated based upon the maximum vapor flow and composition determined in the process heat and material balance. The maximum lb/hr emissions along with the CBI production limit were used to determine the annual emissions.

The vapor incinerator is assumed to provide 99% destruction of VOC and Other Organics and 98% destruction of CO.

The process gas is assumed to produce the same emissions as natural gas for PM2.5, PM10, PM, and NOx. The process inlet should not contain any amounts of SO2, Lead, Mercury, or Beryllium. CO2 emissions are calculated assuming that all of the organics in the process inlet are combusted.

Natural Gas:

Heating value of natural gas = 1020 BTU/scf

AP-42 factors were used as basis for all pollutants except for NOx and CO. NOx emissions are based on a factor of 0.05 lb/MMBtu. CO emissions are based on an exit gas concentration of 50 ppmv.

Describe the method used to estimate control or recovery device efficiency:

Equipment Specification / Performance Test.

Eastman Chemical Company, MSOP-24
PES B-238-1 (HTM Furnaces)
Redacted Application Pages

EASTMAN
Tennessee Operations
100 Eastman Rd
Kingsport, TN 37662
Telephone: (423) 229-2000

Title V Operating Permit Application

Application Forms

MSOP-24

PES B-238-1

HTM Furnaces

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
MISCELLANEOUS PROCESSES

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Process emission source (identify):
PES B-238-1

3. Stack ID or flow diagram point identification(s):
See APC 10 Attachment

4. Year of construction or last modification:
2018

If the emissions are controlled for compliance, attach an appropriate Air Pollution Control system form.

5. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

6. Location of this process emission source in UTM coordinates: UTM Vertical: 4042900N UTM Horizontal: 362300E

7. Describe this process (Please attach a flow diagram of this process) and check one of the following:
☐ Batch ☒ Continuous

PROCESS MATERIAL INPUT AND OUTPUT

8. List the types and amounts of raw materials input to this process:

Material	Storage/Material handling process	Average usage (units)	Maximum usage (units)
N/A	N/A	N/A	N/A

9. List the types and amounts of primary products produced by this process:

Material	Storage/Material handling process	Average ~~usage~~ Amount Produced (units)	Maximum ~~usage~~ Amount Produced (units)
N/A	N/A	N/A	N/A

10. Process fuel usage:

Type of fuel	Max heat input (10^6 BTU/Hr.)	Average usage (units)	Maximum usage (units)
Natural Gas (1)	CBI	CBI	CBI
Fuel Gas (2)	CBI	CBI	CBI

11. List any solvents, cleaners, etc., associated with this process:
N/A

If the emissions and/or operations of this process are monitored for compliance, please attach the appropriate Compliance Demonstration form.

12. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, open air sand blasting, material handling operations, etc. (please attach a separate sheet if necessary).
Fugitive emissions associated with this process contain fugitive emissions from pumps, valves, flanges, etc.

13. Page Number: 2 of 22 | Revision Number: R3-0 Renewal | Date of Revision: **January 18, 2019**

Eastman Chemical Company
Tennessee Operations
100 Eastman Rd
Kingsport, TN 37662
Telephone: (423) 229-2000

TITLE V PERMIT APPLICATION
MISCELLANEOUS PROCESSES

(Continued from Items 3 and 7 of APC 10)

B-238-1



State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
PES B-238-1

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
F

4. Stack height above grade in feet:
73

5. Velocity (data at exit conditions):
12.5 (Actual feet per second)

6. Inside dimensions at outlet in feet:
3.5

7. Exhaust flow rate at exit conditions (ACFM):
7,192

8. Flow rate at standard conditions (DSCFM):
3,600

9. Exhaust temperature:

400 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

19 Percent

Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

___ (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13 .Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number:	Revision number:	Date of revision:
4 of 22	R3-0 Renewal	**January 18, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
PES B-238-1

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
G

4. Stack height above grade in feet:
73

5. Velocity (data at exit conditions):
12.5 (Actual feet per second)

6. Inside dimensions at outlet in feet:
3.5

7. Exhaust flow rate at exit conditions (ACFM):
7,192

8. Flow rate at standard conditions (DSCFM):
3,600

9. Exhaust temperature:

400 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

19 Percent

Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

___ (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13 .Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number:	Revision number:	Date of revision:
5 of 22	R3-0 Renewal	**January 18, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
PES B-238-1

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
K

4. Stack height above grade in feet:
105

5. Velocity (data at exit conditions):
32.2 (Actual feet per second)

6. Inside dimensions at outlet in feet:
3.96

7. Exhaust flow rate at exit conditions (ACFM):
23,825

8. Flow rate at standard conditions (DSCFM):
12,010

9. Exhaust temperature:

390 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

19 Percent

Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

___ (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13 .Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number:	Revision number:	Date of revision:
6 of 22	R3-0 Renewal	**January 18, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
PES B-238-1

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
L

4. Stack height above grade in feet:
150

5. Velocity (data at exit conditions):
20.0 (Actual feet per second)

6. Inside dimensions at outlet in feet:
6.625

7. Exhaust flow rate at exit conditions (ACFM):
13,132

8. Flow rate at standard conditions (DSCFM):
7076

9. Exhaust temperature:

505 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

15 Percent

Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

___ (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13 .Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number:	Revision number:	Date of revision:
7 of 22	R3-0 Renewal	**January 18, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):
F

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).

Heat Transfer Fluid Furnace

4. Fuel burning equipment identification number:
MF-01 Furnace

5. Fuel burning equipment description:

Natural Gas Fired Heat Transfer Fluid Furnace

6. Year of installation or last modification of fuel burning equipment:
2000

7. Furnace type:	8. Manufacturer model number (if available):
Natural Gas	Struthers-Wells

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 4042800N UTM Horizontal: 362300E

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)	12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
CBI	

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas			
Actual yearly consumption	CBI			

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control:
N/A

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring:
N/A

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).
N/A

17. Page number:	Revision number:	Date of revision:
8 of 22	R3-0 Renewal	**January 18, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):
G

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).

Heat Transfer Fluid Furnace

4. Fuel burning equipment identification number:
MG-01 Furnace

5. Fuel burning equipment description:

Natural Gas Fired Heat Transfer Fluid Furnace

6. Year of installation or last modification of fuel burning equipment:
2000

7. Furnace type:	8. Manufacturer model number (if available):
Natural Gas	Struthers-Wells

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 4042800N UTM Horizontal: 362300E

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)	12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
CBI	

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas			
Actual yearly consumption	CBI			

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control:
N/A

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring:
N/A

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).
N/A

17. Page number:	Revision number:	Date of revision:
9 of 22	R3-0 Renewal	**January 18, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):
K

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).

Heat Transfer Fluid Furnace

4. Fuel burning equipment identification number:
MK-01 Furnace

5. Fuel burning equipment description:

Natural Gas and Fuel Gas Fired Heat Transfer Fluid Furnace

6. Year of installation or last modification of fuel burning equipment:
2004

7. Furnace type:	8. Manufacturer model number (if available):
Natural Gas and Fuel Gas	Struthers-Wells

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 4042900N UTM Horizontal: 362300E

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)	12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
CBI	

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas and Fuel Gas			
Actual yearly consumption	CBI			

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control:
N/A

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring:
N/A

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).
N/A

17. Page number:	Revision number:	Date of revision:
10 of 22	R3-0 Renewal	**January 18, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):
L

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).

Heat Transfer Fluid Furnace

4. Fuel burning equipment identification number:
ML-01 Furnace

5. Fuel burning equipment description:

Natural Gas and Fuel Gas Fired Heat Transfer Fluid Furnace

6. Year of installation or last modification of fuel burning equipment:
2018

7. Furnace type:	8. Manufacturer model number (if available):
Natural Gas and Fuel Gas	OPF of Oklahoma

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 4042945 UTM Horizontal: 362356

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)	12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
CBI	

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas and Fuel Gas			
Actual yearly consumption	CBI			

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control:
N/A

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring:
N/A

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).
N/A

17. Page number:	Revision number:	Date of revision:
11 of 22	R3-0 Renewal	**January 18, 2019**

Eastman Chemical Company, MSOP-24
PES H2 Plants (Hydrogen Plants 3, 4, 5, and 6)
Redacted Application Pages

EASTMAN
Tennessee Operations
100 Eastman Rd
Kingsport, TN 37662
Telephone: (423) 229-2000

Title V Operating Permit Application

Application Forms

MSOP-24

PES H2 Plants

Hydrogen Plants 3, 4, 5, and 6

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
MISCELLANEOUS PROCESSES

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Process emission source (identify):
PES H2 Plants

3. Stack ID or flow diagram point identification(s):
See APC 10 Attachment

4. Year of construction or last modification:
2018

If the emissions are controlled for compliance, attach an appropriate Air Pollution Control system form.

5. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

6. Location of this process emission source in UTM coordinates: UTM Vertical: 4043089 N UTM Horizontal: 362427 E

7. Describe this process (Please attach a flow diagram of this process) and check one of the following:
☐ Batch ☒ Continuous

PROCESS MATERIAL INPUT AND OUTPUT

8. List the types and amounts of raw materials input to this process:

Material	Storage/Material handling process	Average usage (units)	Maximum usage (units)
Natural Gas (1)	Hard Piped	CBI	CBI
Steam (2)	Hard Piped	CBI	CBI
Process Gas (3)	Hard Piped	CBI	CBI

9. List the types and amounts of primary products produced by this process:

Material	Storage/Material handling process	Average ~~usage~~ Amount Produced (units)	Maximum ~~usage~~ Amount Produced (units)
Hydrogen (4)	Tanks/Hard Piped	CBI	CBI

10. Process fuel usage:

Type of fuel	Max heat input (10^6 BTU/Hr.)	Average usage (units)	Maximum usage (units)
Natural Gas (5)	CBI	CBI	CBI
Fuel Gas (6)	CBI	CBI	CBI

11. List any solvents, cleaners, etc., associated with this process:

N/A

If the emissions and/or operations of this process are monitored for compliance, please attach the appropriate Compliance Demonstration form.

12. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, open air sand blasting, material handling operations, etc. (please attach a separate sheet if necessary).

Equipment leaks, such as pumps, valves, flanges, etc.

13. Page Number: 2 of 29 | Revision Number: R3-0 Renewal | Date of Revision: **January 18, 2019**

TITLE V PERMIT APPLICATION
MISCELLANEOUS PROCESSES

(Continued from Items 3 and 7 of APC 10)

PES H2 Plants



State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
PES H2 Plants

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
3A

4. Stack height above grade in feet:
110

5. Velocity (data at exit conditions):
51 (Actual feet per second)

6. Inside dimensions at outlet in feet:
1.8x3.4

7. Exhaust flow rate at exit conditions (ACFM):
19,000

8. Flow rate at standard conditions (DSCFM):
10,837

9. Exhaust temperature:

500 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

20 Percent

Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13 .Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number:	Revision Number:	Date of Revision:
4 of 29	R3-0 Renewal	**January 18, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
   Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
   PES H2 Plants

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
   3B

4. Stack height above grade in feet:
   110

5. Velocity (data at exit conditions):
   51.9 (Actual feet per second)

6. Inside dimensions at outlet in feet:
   1.0

7. Exhaust flow rate at exit conditions (ACFM):
   2,447

8. Flow rate at standard conditions (DSCFM):
   2,340

9. Exhaust temperature:
   70 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):
    1 Percent
    Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):
    N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
    N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13 .Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number:	Revision Number:	Date of Revision:
5 of 29	R3-0 Renewal	**January 18, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
   Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
   PES H2 Plants

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
   4A

4. Stack height above grade in feet:
   110

5. Velocity (data at exit conditions):
   51 (Actual feet per second)

6. Inside dimensions at outlet in feet:
   1.8x3.4

7. Exhaust flow rate at exit conditions (ACFM):
   19,500

8. Flow rate at standard conditions (DSCFM):
   10,833

9. Exhaust temperature:
   500 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):
    20 Percent
    Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):
    N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
    N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13 .Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number:	Revision Number:	Date of Revision:
6 of 29	R3-0 Renewal	**January 18, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
   Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
   PES H2 Plants

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
   4B

4. Stack height above grade in feet:
   110

5. Velocity (data at exit conditions):
   51.9 (Actual feet per second)

6. Inside dimensions at outlet in feet:
   1.0

7. Exhaust flow rate at exit conditions (ACFM):
   2,447

8. Flow rate at standard conditions (DSCFM):
   2,340

9. Exhaust temperature:
   70 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):
    1 Percent
    Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):
    N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
    N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13 .Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number:	Revision Number:	Date of Revision:
7 of 29	R3-0 Renewal	**January 18, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
PES H2 Plants

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
5A

4. Stack height above grade in feet:
75

5. Velocity (data at exit conditions):
87 (Actual feet per second)

6. Inside dimensions at outlet in feet:
3.46

7. Exhaust flow rate at exit conditions (ACFM):
49,058

8. Flow rate at standard conditions (DSCFM):
25,140

9. Exhaust temperature:
431 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):
19 Percent
Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):
N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13 .Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number: 8 of 29
Revision Number: R3-0 Renewal
Date of Revision: **January 18, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
   Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
   PES H2 Plants

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
   5B

4. Stack height above grade in feet:
   98.9

5. Velocity (data at exit conditions):
   373 (Actual feet per second)

6. Inside dimensions at outlet in feet:
   1.03

7. Exhaust flow rate at exit conditions (ACFM):
   18,815

8. Flow rate at standard conditions (DSCFM):
   14,765

9. Exhaust temperature:

   100 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

    0.4 Percent

    Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

    N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
    N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13 .Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number:	Revision Number:	Date of Revision:
9 of 29	R3-0 Renewal	**January 18, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
PES H2 Plants

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
6A

4. Stack height above grade in feet:
75

5. Velocity (data at exit conditions):
87 (Actual feet per second)

6. Inside dimensions at outlet in feet:
3.46

7. Exhaust flow rate at exit conditions (ACFM):
49,058

8. Flow rate at standard conditions (DSCFM):
25,140

9. Exhaust temperature:
431 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):
19 Percent
Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):
N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13 .Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number:	Revision number:	Date of revision:
10 of 29	R3-0 Renewal	**January 18, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
PES H2 Plants

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
6B

4. Stack height above grade in feet:
98.9

5. Velocity (data at exit conditions):
373 (Actual feet per second)

6. Inside dimensions at outlet in feet:
1.03

7. Exhaust flow rate at exit conditions (ACFM):
18,815

8. Flow rate at standard conditions (DSCFM):
14,765

9. Exhaust temperature:
100 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):
0.4 Percent
Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):
N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13 .Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number:	Revision number:	Date of revision:
11 of 29	R3-0 Renewal	**January 18, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):
3A

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).

#3 Hydrogen Plant

4. Fuel burning equipment identification number:
#3 Reformer

5. Fuel burning equipment description:

Gas Fired Burner

6. Year of installation or last modification of fuel burning equipment:
1988

7. Furnace type:

Down Flow

8. Manufacturer model number (if available):

Lotepro Corporation

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 4042700N UTM Horizontal: 362400E

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)

CBI

12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas and Fuel Gas			
Actual yearly consumption	Natural Gas: CBI Fuel Gas: CBI			

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control: N/A

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring: N/A

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary). N/A

17. Page number: 12 of 29 | Revision Number: R3-0 Renewal | Date of Revision: **January 18, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
   Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):
   4A

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).
   #4 Hydrogen Plant

4. Fuel burning equipment identification number:
   #4 Reformer

5. Fuel burning equipment description:
   Gas Fired Burner

6. Year of installation or last modification of fuel burning equipment:
   1988

7. Furnace type:	8. Manufacturer model number (if available):
Down Flow	Lotepro Corporation

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 4042700N UTM Horizontal: 362400E

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)	12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
CBI	

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas and Fuel Gas			
Actual yearly consumption	Natural Gas: CBI Fuel Gas: CBI			

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control: N/A

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring: N/A

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary). N/A

17. Page number:	Revision Number:	Date of Revision:
13 of 29	R3-0 Renewal	**January 18, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):
5A

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).

#5 Hydrogen Plant

4. Fuel burning equipment identification number:
#5 Reformer

5. Fuel burning equipment description:

Gas Fired Burner

6. Year of installation or last modification of fuel burning equipment:
2006

7. Furnace type:	8. Manufacturer model number (if available):
Up Flow	HydroChem

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 4042900N UTM Horizontal: 362300E

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)	12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
CBI	

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas and Fuel Gas			
Actual yearly consumption	Natural Gas: CBI Fuel Gas: CBI			

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control: N/A

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring: N/A

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary). N/A

17. Page number:	Revision Number:	Date of Revision:
14 of 29	R3-0 Renewal	**January 18, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
   Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):
   6A

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).
   #6 Reformer

4. Fuel burning equipment identification number:
   #6 Reformer

5. Fuel burning equipment description:
   Process Heater

6. Year of installation or last modification of fuel burning equipment:
   2018

7. Furnace type:
   Up Flow

8. Manufacturer model number (if available):
   HydroChem

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 4043134 N UTM Horizontal: 362401 E

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)
    CBI

12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas and Fuel Gas			
Actual yearly consumption	Natural Gas: CBI Fuel Gas: CBI			

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control: N/A

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring: N/A

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary). N/A

17. Page number: 15 of 29 | Revision Number: R3-0 Renewal | Date of Revision: **January 18, 2019**

Eastman Chemical Company, MSOP-26
PES B-423-1 (Gas-Fired Boilers A, B, and C)

EASTMAN
Tennessee Operations
100 Eastman Rd
Kingsport, TN 37662
Telephone: (423) 229-2000

Title V Operating Permit Application

Application Forms

MSOP-26

PES B-423-1

B-423 NATURAL GAS-FIRED POWERHOUSE

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):
A

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).

Boiler A

4. Fuel burning equipment identification number:
22640

5. Fuel burning equipment description:

Natural Gas Wall-Fired Boiler A

6. Year of installation or last modification of fuel burning equipment:
1991

7. Furnace type:

Package "A" Type

8. Manufacturer model number (if available):

Holman/Combustion Engineering 35-A-14

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 4042600 N UTM Horizontal: 361600 E

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)

226

12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
N/A

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas	N/A	N/A	N/A
Actual yearly consumption	2,041 MMSCF (Maximum)	N/A	N/A	N/A

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control:
Low-NOx burner

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring:
NOx CEMS

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).
N/A

17. Page number: **2** of **18** | Revision number: R3-0 Renewal Rev 1 | Date of revision: **February 14, 2020**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
   Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):
   B

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).
   Boiler B

4. Fuel burning equipment identification number:
   273

5. Fuel burning equipment description:
   Natural Gas Wall-Fired Boiler B

6. Year of installation or last modification of fuel burning equipment:
   1991

7. Furnace type:
   Package "A" Type

8. Manufacturer model number (if available):
   Holman/Combustion Engineering 35-A-14

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 4042600 N UTM Horizontal: 361600 E

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)
    226

12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
    N/A

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas	N/A	N/A	N/A
Actual yearly consumption	2,041 MMSCF (Maximum)	N/A	N/A	N/A

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control:
    Low-NOx burner

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring:
    NOx CEMS

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).
    N/A

17. Page number: **3** of **18** | Revision number: R3-0 Renewal Rev 1 | Date of revision: **February 14, 2020**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
   Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):
   C

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).
   Boiler C

4. Fuel burning equipment identification number:
   274

5. Fuel burning equipment description:
   Natural Gas Wall-Fired Boiler C

6. Year of installation or last modification of fuel burning equipment:
   1991

7. Furnace type:
   Package "A" Type

8. Manufacturer model number (if available):
   Holman/Combustion Engineering 35-A-14

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 4042600 N UTM Horizontal: 361600 E

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)
    226

12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.
    N/A

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas	N/A	N/A	N/A
Actual yearly consumption	2,041 MMSCF (Maximum)	N/A	N/A	N/A

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control:
    Low-NOx burner

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring:
    NOx CEMS

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).
    N/A

17. Page number: **4** of **18** | Revision number: R3-0 Renewal Rev 1 | Date of revision: **February 14, 2020**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
PES B-423-1

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
A

4. Stack height above grade in feet:
69

5. Velocity (data at exit conditions):
49.7 (Actual feet per second)

6. Inside dimensions at outlet in feet:
6

7. Exhaust flow rate at exit conditions (ACFM):
84,100

8. Flow rate at standard conditions (DSCFM):
42,900

9. Exhaust temperature:

390 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

15.1 Percent N/A Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
NOx

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13 .Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number: **5** of **18** | Revision number: R3-0 Renewal Rev 1 | Date of revision: **February 14, 2020**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
PES B-423-1

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
B

4. Stack height above grade in feet:
69

5. Velocity (data at exit conditions):
49.7 (Actual feet per second)

6. Inside dimensions at outlet in feet:
6

7. Exhaust flow rate at exit conditions (ACFM):
84,100

8. Flow rate at standard conditions (DSCFM):
42,900

9. Exhaust temperature:

390 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

15.1 Percent N/A Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
NOx

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13 .Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number:	Revision number:	Date of revision:
6 of **18**	R3-0 Renewal Rev 1	**February 14, 2020**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
PES B-423-1

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
C

4. Stack height above grade in feet:
69

5. Velocity (data at exit conditions):
49.7 (Actual feet per second)

6. Inside dimensions at outlet in feet:
6

7. Exhaust flow rate at exit conditions (ACFM):
84,100

8. Flow rate at standard conditions (DSCFM):
42,900

9. Exhaust temperature:

390 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

15.1 Percent N/A Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
NOx

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13 .Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number:	Revision number:	Date of revision:
7 of **18**	R3-0 Renewal Rev 1	**February 14, 2020**

Eastman Chemical Company, MSOP-27
PES B-190-1 (Parts Cleaning Oven)

EASTMAN
Tennessee Operations
100 Eastman Rd
Kingsport, TN 37662
Telephone: (423) 229-2000

Title V Operating Permit Application

Application Forms

MSOP-27

PES B-190-1

Plastics Compounding Facility

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
MISCELLANEOUS PROCESSES

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Process emission source (identify):
PES B-190-1

3. Stack ID or flow diagram point identification(s):
See APC 10 Attachment

4. Year of construction or last modification:
1996

If the emissions are controlled for compliance, attach an appropriate Air Pollution Control system form.

5. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

6. Location of this process emission source in UTM coordinates: UTM Vertical: 4043100 N UTM Horizontal: 362000 E

7. Describe this process (Please attach a flow diagram of this process) and check one of the following:
☐ Batch ☒ Continuous

PROCESS MATERIAL INPUT AND OUTPUT

8. List the types and amounts of raw materials input to this process:

Material	Storage/Material handling process	Average usage (units)	Maximum usage (units)
Plastic pellets and miscellaneous dye / additive blends	Bins, silos, bulk-sacks, & tote-boxes / closed pipe airvey systems & forklifts	CBI	CBI
Compounding polymer plastics	N/A	CBI	CBI

9. List the types and amounts of primary products produced by this process:

Material	Storage/Material handling process	Average ~~usage~~ Amount Produced (units)	Maximum ~~usage~~ Amount Produced (units)
Compound plastics & miscellaneous blends	Bins, silos, & tote-boxes / closed pipe airvey systems & forklifts	CBI	CBI

10. Process fuel usage:

Type of fuel	Max heat input (10^6 BTU/Hr.)	Average usage (units)	Maximum usage (units)
Natural Gas	0.35 MMBTU/hr	N/A	700 cf/hr

11. List any solvents, cleaners, etc., associated with this process:
N/A

If the emissions and/or operations of this process are monitored for compliance, please attach the appropriate Compliance Demonstration form.

12. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, open air sand blasting, material handling operations, etc. (please attach a separate sheet if necessary).
N/A

13. Page Number: 2 of 31 | Revision Number: R3-0 Renewal | Date of Revision: **September 19, 2018**

Eastman Chemical Company
Tennessee Operations
100 Eastman Rd
Kingsport, TN 37662
Telephone: (423) 229-2000

TITLE V PERMIT APPLICATION
MISCELLANEOUS PROCESSES

(Continued from Items 3 and 7 of APC 10)

B-190-1



State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
PES B-190-1

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
F

4. Stack height above grade in feet:
77

5. Velocity (data at exit conditions):
7.3 (Actual feet per second)

6. Inside dimensions at outlet in feet:
0.83

7. Exhaust flow rate at exit conditions (ACFM):
236

8. Flow rate at standard conditions (DSCFM):
51

9. Exhaust temperature:

1400 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

21 Percent N/A Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13 .Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number:	Revision number:	Date of revision:
9 of 31	R3-0 Renewal	**September 19, 2018**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

APC 3

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
PES B-190-1

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
L

4. Stack height above grade in feet:
94

5. Velocity (data at exit conditions):
25 (Actual feet per second)

6. Inside dimensions at outlet in feet:
1.49

7. Exhaust flow rate at exit conditions (ACFM):
2580

8. Flow rate at standard conditions (DSCFM):
2305

9. Exhaust temperature:

85 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

4.2 Percent N/A Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13 .Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number: 15 of 31 | Revision number: R3-0 RENEWAL | Date of revision: **September 19, 2018**

Application Attachment

Calculations

Calculation Documentation Form C: Control Device and General Information

PES # B-190-1 Vent ID F

Process Pyrolysis Division Cellulose Esters and Specialty Plastics Department Manuf. B-190

Scheduling Basis for Emissions: 8760 hrs/yr

Control Device Information:

Description:	Direct flame afterburner thermal oxidation unit
Manufacturer:	Pollution Control Products Co.
Model:	SCTR 15
Minimum Operating Temperature:	1300° F
Maximum Operating Temperature:	1500° F
Normal Operating Temperature:	1400° F – 1500° F

The secondary chamber is an integral part of the furnace, built into the unit and wired so the unit cannot operate without the secondary chamber being in operation.

Special Physical Property Notes:
Emissions estimates from pyrolysis parts cleaning oven based on vendor provided source testing data generated while processing similar materials.
Carbon dioxide equivalents were estimated using 40CFR subpart 98 Table A-1 factors.

Assumptions Used:
Conservatively, assume all TSP is PM10 and PM 2.5.
The natural gas used to fire the oven and afterburner contains no more sulfur containing compounds (odorizers for leak detection) than that used in operation at the time the referenced source testing was performed.
All emissions of sulfur oxides are sulfur dioxide.

Describe the method used to estimate control device efficiency:
Source testing to quantify emissions of particulate matter, nitrogen oxides, hydrocarbons, sulfur oxides, and carbon monoxide has been performed by an independent laboratory at the request of the pyrolysis cleaning furnace manufacturer. The testing was conducted on an identical unit while processing similar materials at the maximum design processing rate. The air contaminant emissions and afterburner control efficiency were based exclusively on the vendor provided source testing data and a full-time operating schedule.

Emissions:

Pollutant	Average (lb/hr)	Maximum (lb/hr)	TPY
Particulates	0.013	0.013	0.06
Sulfur Dioxide (SO2)	0.002	0.002	0.01
Nitrogen Oxides (NOx)	0.027	0.027	0.12
VOC	0.017	0.017	0.08
Carbon Monoxide (CO)	0.05	0.05	0.22
Carbon Dioxide Equivalents (CO_2e)	8.4	8.4	36.90
PM10*	0.013	0.013	0.06
PM2.5*	0.013	0.013	0.06

*PM10 and PM 2.5 emissions are included with particulate (TSP) emissions and should not be counted as additional emissions.

Calculation Documentation Form A: General Information

PES # B-190-1 Vent ID L

Process DC 24 Division Cellulose Esters and Specialty Plastics Department Manuf. B-190

Scheduling Basis for Emissions:

8760 hrs/yr X Operating hrs/yr _____ or Number of batches/year _____

Sketch the equipment for which emissions calculations were performed, showing its configuration. Include equipment data on the sketch and lb/hr flows below:

Conditions Shown are: Max ____ Avg. ____



Stream Flows, lb/hr:

Component	S1	S2	S3	S4	S5	tons/yr
Air	11610	0	11610			
Particulates	44	43.56	0.44			1.93
VOC	1.09	0	1.09			4.77
Carbon Monoxide	0.25	0	0.25			1.1
Nitrogen Oxides	Negligible	0	Negligible			Negligible
Sulfur Dioxide	0.002	0	0.002			0.01
PM10**	7.92	7.48	0.44			1.93
PM2.5**	7.92	7.48	0.44			1.93
CO2e	3.1	0	3.1			12.4
Total	11654.52	12.87	11610.96			
Pressure (units?)	14.1 psi	14.1 psi	14.1 psi			
Temp (units?)	85° F	85°F	85° F			

*The Bag House is considered inherent to the process since the baghouse is part of the dust control system that is in place for the safe operation of the plant.

**PM10 and PM 2.5 emissions are included with particulate emissions (TSP) and should not be counted as additional emissions.

Calculation Documentation Form C: Control or Recovery Device

PES # B-190-1 Vent ID L

Most control device data should be shown on Form A: General Information.
Additional control device data (include vendor guarantees):

Description:	Bag House
Manufacturer:	Ultra Industries
Model #:	BW-144-144
Filter Bag Size:	5.75" OD x 144" L
Filter Bag Material:	14 oz. Nomex or equivalent

Special Physical Property Notes:

Emissions estimates from parts cleaning oven based on factors generated from various source testing data.
Assumed 18% of TSP loading is <PM10 based on data analysis.
Conservatively assume all TSP emissions are PM10 and PM2.5.

Assumptions Used:

Assumed a 99% particulate removal efficiency based on the filtered particle size distribution and fabric filter vendor provided information.

Particulate emissions from this unit do not exceed 0.02 grains per dry std. cu. ft. of flow.

Exit flow does not exceed 2480 DSCFM.

Describe the method used to estimate control device efficiency:
(and the calculation method used)

Filter Bags:

Assumed a minimum 99% removal efficiency for all suspended particulates and a maximum exit stream particulate concentration of 0.02 grains/DSCF, based on fabric filter vendor provided information.

Cleaning Oven:

Source for testing for particulates, organic compounds, carbon monoxide, and nitrogen oxides has been performed at the discharge of an identical unit, while processing specific materials and batch sizes. The results of additional source testing for particulates and organic compounds, while processing other materials with a specific batch size, has been provided by the equipment manufacturer. From this data, emission factors were generated, as a function of batch size, for each material with the potential to be processed in the oven. These emission factors were used, in conjunction with the estimated maximum batch size for the unit, to arrive at a final estimate for the maximum hourly emissions at the stack.

CO2e emissions were calculated used 40 CFR 98 subpart A Table A-1 factors.

Eastman Chemical Company, MSOP-31
PES B-265B-1 (HTM Furnaces SM-01 and SM-02)

EASTMAN
Tennessee Operations
100 Eastman Rd
Kingsport, TN 37662
Telephone: (423) 229-2000

Title V Operating Permit Application

Application Forms

MSOP-31

PES B-265B-1

HTM Furnaces

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
PES B-265B-1

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
A

4. Stack height above grade in feet:
35

5. Velocity (data at exit conditions):
19 (Actual feet per second)

6. Inside dimensions at outlet in feet:
1.75

7. Exhaust flow rate at exit conditions (ACFM):
2725

8. Flow rate at standard conditions (DSCFM):
1325

9. Exhaust temperature:
630 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):
16 Percent
Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):
__ (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13 .Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number: 4 of 17
Revision number: R3-0 Renewal Rev 1
Date of revision: **October 11, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
PES B-265B-1

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
C

4. Stack height above grade in feet:
40

5. Velocity (data at exit conditions):
9 (Actual feet per second)

6. Inside dimensions at outlet in feet:
2.5

7. Exhaust flow rate at exit conditions (ACFM):
2710

8. Flow rate at standard conditions (DSCFM):
1294

9. Exhaust temperature:
650 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):
16 Percent
Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):
__ (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13 .Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number: 5 of 17
Revision number: R3-0 Renewal Rev 1
Date of revision: **October 11, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):
A

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).
SM-01 Furnace

4. Fuel burning equipment identification number:
SM-01

5. Fuel burning equipment description:
SM-01 is a heat transfer fluid furnace.

6. Year of installation or last modification of fuel burning equipment:
1986

7. Furnace type:
Natural Gas

8. Manufacturer model number (if available):
Boiler Seriral Number 9410

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 4042500 N UTM Horizontal: 362400 E

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)
4.9

12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas			
Actual yearly consumption	42 MMscf			

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control:
N/A

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring:
N/A

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).

17. Page number: 6 of 17 Revision number: R3-0 Renewal Rev 1 Date of revision: **October 11, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
FUEL BURNING NON-PROCESS EQUIPMENT

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification (s):
C

FUEL BURNING EQUIPMENT DESCRIPTION

3. List all fuel burning equipment that is at this fuel burning installation (please complete an APC 4 form for each piece of fuel burning equipment).

SM-02 Furnace

4. Fuel burning equipment identification number:
SM-02

5. Fuel burning equipment description:

SM-02 is a heat transfer fluid furnace.

6. Year of installation or last modification of fuel burning equipment:
1957

7. Furnace type:

Natural Gas

8. Manufacturer model number (if available):

Boiler Seriral Number 7309

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 4042600 N UTM Horizontal: 362400 E

10. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

FUELS, CONTROLS, AND MONITORING DESCRIPTION

11. Maximum rated heat input capacity (in million BTU/Hour)

6.2

12. If wood is used as a fuel, specify the amount of wood used as a fraction of total heat input.

13. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Natural Gas			
Actual yearly consumption	53 MMscf			

14. If emissions from this fuel burning equipment are controlled for compliance, please specify the type of control:
N/A

15. If emissions from this fuel burning equipment are monitored for compliance, please specify the type of monitoring:
N/A

16. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, material handling operations, etc. (please attach a separate sheet if necessary).

17. Page number: 7 of 17 | Revision number: R3-0 Renewal Rev 1 | Date of revision: **October 11, 2019**

Eastman Chemical Company, MSOP-34
PES B-232-1
(Vent UA Catalytic Oxidizer, Vent UB Regenerative Thermal Oxidizer, and Vent UC Catalytic Oxidizer)

EASTMAN
Tennessee Operations
200 South Wilcox Dr
Kingsport, TN 37660
Telephone: (423) 229-2000

Title V Operating Permit Application

Application Forms

MSOP-34

PES B-232-1

Manufacture of Aromatic Acids

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
PES B-232-1

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
UA

4. Stack height above grade in feet:
58

5. Velocity (data at exit conditions):
24 (Actual feet per second)

6. Inside dimensions at outlet in feet:
6

7. Exhaust flow rate at exit conditions (ACFM):
40,534

8. Flow rate at standard conditions (DSCFM):
30,139

9. Exhaust temperature:

122 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

14.7 Percent

Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13. Do you have a bypass stack? ☒ Yes ☐ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

Vent HA is the bypass stack for Vent UA. Vent HA is used during times of planned maintenance and /or malfunctions associated with Vent UA.

14. Page number:	Revision number:	Date of revision:
18 of 82	R3-3 MM3	**April 14, 2022**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
   Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
   PES B-232-1

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
   UB

4. Stack height above grade in feet:
   37

5. Velocity (data at exit conditions):
   108 (Actual feet per second)

6. Inside dimensions at outlet in feet:
   5.0

7. Exhaust flow rate at exit conditions (ACFM):
   127,742

8. Flow rate at standard conditions (DSCFM):
   80,238

9. Exhaust temperature:

   147 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

    25 Percent

    Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

    N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13. Do you have a bypass stack? ☒ Yes ☐ No

    If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

    Vent TB is the bypass stack for Vent UB. Vent TB is used during times of planned maintenance and/or malfunctions of the RTO associated with Vent UB.

14. Page number:	Revision number:	Date of revision:
19 of 82	R3-3 MM3	**April 14, 2022**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
PES B-232-1

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
UC

4. Stack height above grade in feet:
58

5. Velocity (data at exit conditions):
23 (Actual feet per second)

6. Inside dimensions at outlet in feet:
6

7. Exhaust flow rate at exit conditions (ACFM):
38,702

8. Flow rate at standard conditions (DSCFM):
28,552

9. Exhaust temperature:

122 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

15.0 Percent

Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13. Do you have a bypass stack? ☒ Yes ☐ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

Vents A and B are bypass stacks for Vent UC. Vents A and B are used during times of planned maintenance and/or malfunctions associated with Vent UC

14. Page number: 20 of 82 | Revision number: R3-3 MM3 | Date of revision: **April 14, 2022**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
CONTROL EQUIPMENT – CATALYTIC OR THERMAL OXIDATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name: Eastman Chemical Company, Tennessee Operations

2. Emission source (identify): PES B-232-1

3. Stack ID or flow diagram point identification(s): UA

OXIDIZER DESCRIPTION

4. Describe the oxidation system in use. List the key operating parameters of this device and their normal operating range.

Device Description:	Catalytic Oxidizer (CI-F-101)
Key Operating Parameter(s):	Inlet temperature; Outlet temperature
Normal Operating Range(s):	Inlet temperature: 320 – 360ºC; Outlet temperature: 400 – 475ºC

5. Manufacturer and model number (if available):
Manufacturer: Anguil
Model Number: 300 CNM

6. Year of installation: 2000

7. Type (check one):
Catalytic oxidizer ☒
Thermal oxidizer ☐

8. List of pollutant(s) to be controlled and the expected control efficiency for each pollutant.

Pollutant	Efficiency (%)	Source of data
CO	98	Vendor Guarantee
VOC	98	Vendor Guarantee

9. If applicable, discuss how spent catalyst is handled for reuse or disposal:
Returned to vendor for credit

10. Equipment specifications:

Catalytic oxidation	Thermal oxidation
10A. Minimum operating temperature (ºF): 608	10B. Minimum operating temperature (ºF):
11A. Type of fuel used: Natural Gas	11B. Type of fuel used:
12A. Type of catalyst used and volume of catalyst used ($Ft.^3$): Platinum based, 116	12B. Not applicable.
13A. Maximum fuel use: 28 MMSCF/yr	13B. Maximum fuel use:
14A. Residence time (sec.): 2.7 x 10^-8	14B. Residence time (sec.):

15. If this control equipment is in series with some other control equipment, state and specify the overall efficiency:
Caustic scrubber follows the catalytic oxidizer. No additional removal efficiency of CO is added by the caustic scrubber. The total removal efficiency for the combined control system is represented in Item 8.

16. Page number: 39 of 82 | Revision number: R3-3 MM3 | Date of revision: **April 14, 2022**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
CONTROL EQUIPMENT – CATALYTIC OR THERMAL OXIDATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name: Eastman Chemical Company, Tennessee Operations

2. Emission source (identify): PES B-232-1

3. Stack ID or flow diagram point identification(s): UB

OXIDIZER DESCRIPTION

4. Describe the oxidation system in use. List the key operating parameters of this device and their normal operating range.

Device Description:	Regenerative thermal oxidizer (CI-F-201A)
Key Operating Parameter(s):	Combustion chamber temperature
Normal Operating Range(s):	Greater than 1600 ºF

5. Manufacturer and model number (if available):
Manufacturer: Durr Ecopur
Model Number: RI.80

6. Year of installation: 2019

7. Type (check one):
Catalytic oxidizer ☐
Thermal oxidizer ☒

8. List of pollutant(s) to be controlled and the expected control efficiency for each pollutant.

Pollutant	Efficiency (%)	Source of data
CO	98	Vendor Guarantee
VOC	98	Vendor Guarantee

9. If applicable, discuss how spent catalyst is handled for reuse or disposal: N/A

10. Equipment specifications:

Catalytic oxidation	Thermal oxidation
10A. Minimum operating temperature (ºF): N/A	10B. Minimum operating temperature (ºF): 1600
11A. Type of fuel used: N/A	11B. Type of fuel used: Natural Gas
12A. Type of catalyst used and volume of catalyst used ($Ft.^3$): N/A	12B. Not applicable.
13A. Maximum fuel use: N/A	13B. Maximum fuel use: 13,300 scfh
14A. Residence time (sec.): N/A	14B. Residence time (sec.): 1.15

15. If this control equipment is in series with some other control equipment, state and specify the overall efficiency:
Caustic scrubber follows the regenerative thermal oxidizer. No additional removal efficiency of CO is added by the caustic scrubber. The total removal efficiency for VOC by the combined control system is represented in Item 8.

16. Page number: 40 of 82 | Revision number: R3-3 MM3 | Date of revision: **April 14, 2022**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
CONTROL EQUIPMENT – CATALYTIC OR THERMAL OXIDATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name: Eastman Chemical Company, Tennessee Operations

2. Emission source (identify): PES B-232-1

3. Stack ID or flow diagram point identification(s): UC

OXIDIZER DESCRIPTION

4. Describe the oxidation system in use. List the key operating parameters of this device and their normal operating range.

Device Description:	Catalytic Oxidizer (CI-F-301)
Key Operating Parameter(s):	Inlet temperature; Outlet temperature
Normal Operating Range(s):	Inlet temperature: 320 – 360ºC; Outlet temperature: 400 – 475ºC

5. Manufacturer and model number (if available):
Manufacturer: Anguil
Model Number: 300 CNM

6. Year of installation: 1999

7. Type (check one):
Catalytic oxidizer ☒
Thermal oxidizer ☐

8. List of pollutant(s) to be controlled and the expected control efficiency for each pollutant.

Pollutant	Efficiency (%)	Source of data
CO	98	Vendor Guarantee
VOC	98	Vendor Guarantee

9. If applicable, discuss how spent catalyst is handled for reuse or disposal:
Returned to vendor for credit

10. Equipment specifications:

Catalytic oxidation	Thermal oxidation
10A. Minimum operating temperature (ºF): 608	10B. Minimum operating temperature (ºF):
11A. Type of fuel used: Natural Gas	11B. Type of fuel used:
12A. Type of catalyst used and volume of catalyst used ($Ft.^3$): Platinum based, 116	12B. Not applicable.
13A. Maximum fuel use: 28 MMSCF/yr	13B. Maximum fuel use:
14A. Residence time (sec.): 2.7 x 10^-8	14B. Residence time (sec.):

15. If this control equipment is in series with some other control equipment, state and specify the overall efficiency:
Caustic scrubber follows catalytic oxidizer. No additional removal efficiency of CO is added by the caustic scrubber. The total removal efficiency for the combined control system is represented in Item 8.

16. Page number: 41 of 82 | Revision number: R3-3 MM3 | Date of revision: **April 14, 2022**

Eastman Chemical Company, MSOP-36
PES B-655-1 (Methanolysis Plant Furnace FR-01)

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
MISCELLANEOUS PROCESSES

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Process emission source (identify):
B-655-1

3. Stack ID or flow diagram point identification(s):
See APC 10 Attachment

4. Year of construction or last modification:
2021

If the emissions are controlled for compliance, attach an appropriate Air Pollution Control system form.

5. Normal operating schedule: 24 Hrs./Day 7 Days/Wk. 365 Days/Yr.

6. Location of this process emission source in UTM coordinates: UTM Vertical: 4042122 N UTM Horizontal: 362398 E

7. Describe this process (Please attach a flow diagram of this process) and check one of the following:
☐ Batch ☒ Continuous

PROCESS MATERIAL INPUT AND OUTPUT

8. List the types and amounts of raw materials input to this process:

Material	Storage/Material handling process	Average usage (units)	Maximum usage (units)
Mixed Plastics	None/Covered dump trucks, to a closed conveyor, to a closed air convey system	CBI	CBI
Methanol	Tanks/Closed Pipe	CBI	CBI
Sodium Hydroxide	Tanks/Closed Pipe	CBI	CBI
Catalyst	Tanks/Closed Pipe	CBI	CBI

9. List the types and amounts of primary products produced by this process:

Material	Storage/Material handling process	Average ~~usage~~ Amount Produced (units)	Maximum ~~usage~~ Amount Produced (units)
Dimethyl terephthalate	Tanks/Closed Pipe	CBI	CBI
Ethylene Glycol	Tanks/Closed Pipe	CBI	CBI
Co-Product	Tanks/Trailers	CBI	CBI

10. Process fuel usage:

Type of fuel	Max heat input (10^6 BTU/Hr.)	Average usage (units)	Maximum usage (units)
Natural Gas	169	165,687 (SCFH)	165,687 (SCFH)

11. List any solvents, cleaners, etc., associated with this process:
Not applicable.

If the emissions and/or operations of this process are monitored for compliance, please attach the appropriate Compliance Demonstration form.

12. Describe any fugitive emissions associated with this process, such as outdoor storage piles, open conveyors, open air sand blasting, material handling operations, etc. (please attach a separate sheet if necessary).
Fugitive emissions associated with this process include the following:
- Equipment leaks, such as pumps, valves, flanges, etc.
- Storage pile of chunks of plastic waste (IEU)

13. Page Number: 2 of 35 | Revision Number: R0-4 CP3 Rev 1 | Date of Revision: **August 3, 2023**

Eastman Chemical Company
Tennessee Operations
200 South Wilcox Dr
Kingsport, TN 37660
Telephone: (423) 229-2000

TITLE V PERMIT APPLICATION
MISCELLANEOUS PROCESSES

(Continued from Items 3 and 7 of APC 10)

B-655-1



State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
B-655-1

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
A

4. Stack height above grade in feet:
165

5. Velocity (data at exit conditions):
18.2 (Actual feet per second)

6. Inside dimensions at outlet in feet:
8

7. Exhaust flow rate at exit conditions (ACFM):
54,953

8. Flow rate at standard conditions (DSCFM):
33,433

9. Exhaust temperature:

370 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

0.3 Percent N/A Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?

NOx, VOC

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13. Do you have a bypass stack? ☒ Yes ☐ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

If the furnace fails, the process gas vents will be diverted to the West Vent Stack. The high oxygen streams which normally enter the furnace through the combustion air fans will be diverted to Vent C (West Vent Stack).

14. Page number: 4 of 35 | Revision number: R0-4 CP3 Rev 1 | Date of revision: **August 3, 2023**

Attachment K2

No. 2 Oil-Fired Emergency Engines

#2 Oil Heating Value (MMBtu/lb) 19,750
From Babcock & Wilcox. *Steam - Its Generation and Use* . Chapter 8, page 15.

$$SO_2 \text{ emission rate (lb/hr)} = \frac{(\text{Heat input in Btu/hr})(15\times10^{-6} \text{ lb S/lb})(32 \text{ lb/lb-mol } SO_2)}{(\text{Fuel heating value in Btu/lb})(16 \text{ lb/lb-mol S})}$$

MSOP	PES	Description	Design Heat Input (MMBtu/hr)	Fuel	Max. Uncontrolled SO_2 Emission Rate (lb/hr)	Max. Uncontrolled SO_2 Emission Rate (g/s)	Permit	Application Date	Application Pages
11	RICE-2	B-63 Fire Pump	1.78	ULSD	2.70E-03	3.41E-04	573592	8/27/2018	
11	RICE-2	B-269 Fire Pump	1.3	ULSD	1.97E-03	2.49E-04	573592	8/27/2018	2, 3, 4, 5
29	RICE-1	B-456 Emergency Engine (Vent A)	3.79	ULSD	5.76E-03	7.25E-04	574111	12/18/2019	
29	RICE-1	B-310 Emergency Engine (Vent H)	1.18	ULSD	1.79E-03	2.26E-04	574111	12/18/2019	
29	RICE-1	B-300 Emergency Engine (Vent I)	0.09	ULSD	1.37E-04	1.72E-05	574111	12/18/2019	
29	RICE-1	B-54D Emergency Engine (Vent K)	2.21	ULSD	3.36E-03	4.23E-04	574111	12/18/2019	2, 8, 9, 11, 15, 21, 22,
29	RICE-1	B-280 Emergency Engine (Vent P)	0.55	ULSD	8.35E-04	1.05E-04	574111	12/18/2019	24, 27
32	RICE-3	B-427 Emergency Engine	2.79	ULSD	4.24E-03	5.34E-04	576926	5/24/2019	2, 3

Eastman Chemical Company's Title V applications are submitted by Major Source Operating Permit (MSOP) and are subdivided by Permitted Emission Source (PES). The numbering of each section restarts with the first page. For example, the information for gas-fired boilers 32, 33, and 34 may be found in the application for MSOP-02 dated June 2, 2021, section PES B-83-11, pages 2 through 7. Each PES is further subdivided into application forms and supporting calculations. Pages numbered with Arabic numerals indicate application forms, while pages numbered as "C-1, C-2, etc." refer to the calculations section of the PES.

Eastman Chemical Company, MSOP-11
PES RICE-2
(B-63 Fire Pump, B-269 Fire Pump)

EASTMAN
Tennessee Operations
100 Eastman Rd
Kingsport, TN 37662
Telephone: (423) 229-2000

Title V Operating Permit Application

Application Forms

MSOP-11

PES RICE-2

Emergency Engines

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
PES RICE-2

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
Vent A

4. Stack height above grade in feet:
12

5. Velocity (data at exit conditions):
176 (Actual feet per second)

6. Inside dimensions at outlet in feet:
0.67

7. Exhaust flow rate at exit conditions (ACFM):
3727

8. Flow rate at standard conditions (DSCFM):
1399

9. Exhaust temperature:

850 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

67 Percent N/A Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

850 (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13 .Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number:	Revision number:	Date of revision:
2 of 16	R3-1 MM1	**August 27, 2018**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
   Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
   PES RICE 2

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
   Vent B

4. Stack height above grade in feet:
   14

5. Velocity (data at exit conditions):
   150 (Actual feet per second)

6. Inside dimensions at outlet in feet:
   0.67

7. Exhaust flow rate at exit conditions (ACFM):
   3146

8. Flow rate at standard conditions (DSCFM):
   2667

9. Exhaust temperature:
   959 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):
    67 Percent N/A Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):
    828 (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
    N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13 .Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number:	Revision number:	Date of revision:
3 of 16	R3-1 MM1	**August 27, 2018**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STATIONARY GAS TURBINE OR INTERNAL COMBUSTION ENGINE

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
   Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification(s):
   Vent A

GAS TURBINE OR INTERNAL COMBUSTION ENGINE DESCRIPTION

3. List all gas turbines and internal combustion engines at this facility on a separate sheet, and please complete an APC 5 form for each piece of equipment.
   See Item APC 5 Attachment

4. Manufacturer and model number:
   Caterpillar C18 ACERT Diesel

5. Equipment description:
   B-63 Emergency Fire Water Pump

6. Date of installation or last modification of equipment:
   2016

7. Rated heat input capacity (in million BTU/Hour) and rated horsepower:

   1.78 MILLION BTU/HOUR
   700 HORSEPOWER

   State which heating value was utilized:

   ☐ Higher heating value

   ☒ Lower heating value

8. If equipment is a gas turbine, list type:

   ☐ Simple cycle

   ☐ Regenerative cycle

   ☐ Combined cycle

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 361856 E UTM Horizontal: 4042791 N

10. Normal operating schedule: 0.5 Hrs./Day 1 Days/Wk. 52 Days/Yr.

FUEL DESCRIPTION

11. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Diesel Fuel	N/A	N/A	N/A
Actual yearly consumption	2,386 Gallons	N/A	N/A	N/A

12. (For NSPS turbines only) Manufacturer's rated heat rate at manufacturer's rated peak load (kilojoules per watt hour), or actual measured heat rate based on lower heating value of fuel as measured at actual peak load for the unit:
    N/A

13. Page Number: 4 of 16 | Revision Number: R3-1 MM1 | Date of Revision: **August 27, 2018**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STATIONARY GAS TURBINE OR INTERNAL COMBUSTION ENGINE

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
   Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification(s):
   Vent B

GAS TURBINE OR INTERNAL COMBUSTION ENGINE DESCRIPTION

3. List all gas turbines and internal combustion engines at this facility on a separate sheet, and please complete an APC 5 form for each piece of equipment.
   See Item APC 5 Attachment

4. Manufacturer and model number:
   Caterpillar Diesel, Model #3408

5. Equipment description:
   B-269 Emergency Fire Water Pump

6. Date of installation or last modification of equipment:
   2001

7. Rated heat input capacity (in million BTU/Hour) and rated horsepower:

   1.3 MILLION BTU/HOUR
   510 HORSEPOWER

   State which heating value was utilized:

   ☐ Higher heating value

   ☒ Lower heating value

8. If equipment is a gas turbine, list type:

   ☐ Simple cycle

   ☐ Regenerative cycle

   ☐ Combined cycle

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 362529 E UTM Horizontal: 4041781 N

10. Normal operating schedule: 0.5 Hrs./Day 1 Days/Wk. 52 Days/Yr.

FUEL DESCRIPTION

11. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Diesel Fuel	N/A	N/A	N/A
Actual yearly consumption	2,234 Gallons	N/A	N/A	N/A

12. (For NSPS turbines only) Manufacturer's rated heat rate at manufacturer's rated peak load (kilojoules per watt hour), or actual measured heat rate based on lower heating value of fuel as measured at actual peak load for the unit:
    N/A

13. Page Number: 5 of 16 | Revision Number: R3-1 MM1 | Date of Revision: **August 27, 2018**

Eastman Chemical Company, MSOP-29
PES RICE-1
(B-456 Emergency Engine, B-310 Emergency Engine, B-300 Emergency Engine, B-54D Emergency Engine, and B-280 Emergency Engine)

EASTMAN
Tennessee Operations
100 Eastman Rd
Kingsport, TN 37662
Telephone: (423) 229-2000

Title V Operating Permit Application

Application Forms

MSOP-29

PES RICE-1

Emergency Engines

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
PES RICE-1

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
Vent A (B-456 Emergency Engine)

4. Stack height above grade in feet:
12

5. Velocity (data at exit conditions):
259 (Actual feet per second)

6. Inside dimensions at outlet in feet:
0.67

7. Exhaust flow rate at exit conditions (ACFM):
8,137

8. Flow rate at standard conditions (DSCFM):
2,667

9. Exhaust temperature:

892 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

67 Percent N/A Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13 .Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number: 2 of 39 | Revision number: R3-1 SM1 | Date of revision: **December 18, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
PES RICE-1

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
Vent H (B-310 Emergency Engine)

4. Stack height above grade in feet:
10

5. Velocity (data at exit conditions):
235 (Actual feet per second)

6. Inside dimensions at outlet in feet:
0.5

7. Exhaust flow rate at exit conditions (ACFM):
2763

8. Flow rate at standard conditions (DSCFM):
2135

9. Exhaust temperature:

955 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

67 Percent N/A Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13 .Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number: 8 of 39 | Revision number: R3-1 SM1 | Date of revision: **December 18, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
PES RICE-1

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
Vent I (B-300 Emergency Engine)

4. Stack height above grade in feet:
10

5. Velocity (data at exit conditions):
69 (Actual feet per second)

6. Inside dimensions at outlet in feet:
0.25

7. Exhaust flow rate at exit conditions (ACFM):
203

8. Flow rate at standard conditions (DSCFM):
163

9. Exhaust temperature:

882 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

67 Percent | N/A | Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13 .Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number: 9 of 39 | Revision number: R3-1 SM1 | Date of revision: **December 18, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
PES RICE-1

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
Vent K (B-54D Emergency Engine)

4. Stack height above grade in feet:
12

5. Velocity (data at exit conditions):
201 (Actual feet per second)

6. Inside dimensions at outlet in feet:
1.0

7. Exhaust flow rate at exit conditions (ACFM):
9485

8. Flow rate at standard conditions (DSCFM):
7330

9. Exhaust temperature:

725 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

67 Percent N/A Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13 .Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number: 11 of 39 | Revision number: R3-1 SM1 | Date of revision: **December 18, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STATIONARY GAS TURBINE OR INTERNAL COMBUSTION ENGINE

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:

   Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification(s):

   Vent A

GAS TURBINE OR INTERNAL COMBUSTION ENGINE DESCRIPTION

3. List all gas turbines and internal combustion engines at this facility on a separate sheet, and please complete an APC 5 form for each piece of equipment.

   See Application Attachments for list of all turbines and engines in this PES

4. Manufacturer and model number:
   Cummins/ONAN; 1000.0DQFAD

5. Equipment description:
   B-456 Emergency Engine

6. Date of installation or last modification of equipment:
   August 2010

7. Rated heat input capacity (in million BTU/Hour) and rated horsepower:

   3.79 MMBtu/hr and 1,490 HP

   State which heating value was utilized:

   ☒ Higher heating value

   ☐ Lower heating value

8. If equipment is a gas turbine, list type: N/A

   ☐ Simple cycle

   ☐ Regenerative cycle

   ☐ Combined cycle

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 4044650.2 UTM Horizontal: 361167.3

10. Normal operating schedule: 1 Hrs./Day 1 Days/Wk. 52 Days/Yr.

FUEL DESCRIPTION

11. Fuels:

	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Diesel	NA	NA	NA
Actual yearly consumption	1,869 gallons	NA	NA	NA

12. (For NSPS turbines only) Manufacturer's rated heat rate at manufacturer's rated peak load (kilojoules per watt hour), or actual measured heat rate based on lower heating value of fuel as measured at actual peak load for the unit:

    N/A

13. Page Number: 15 of 39 | Revision Number: R3-1 SM1 | Date of Revision: **December 18, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STATIONARY GAS TURBINE OR INTERNAL COMBUSTION ENGINE

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:

   Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification(s):

   Vent H

GAS TURBINE OR INTERNAL COMBUSTION ENGINE DESCRIPTION

3. List all gas turbines and internal combustion engines at this facility on a separate sheet, and please complete an APC 5 form for each piece of equipment.

   See Application Attachments for list of all turbines and engines in this PES

4. Manufacturer and model number:

   Inan 300 DFML

5. Equipment description:

   B-310 Emergency Engine

6. Date of installation or last modification of equipment:

   July 1988

7. Rated heat input capacity (in million BTU/Hour) and rated horsepower:

   1.18 MMBtu/hr and 465 HP

   State which heating value was utilized:

   ☒ Higher heating value

   ☐ Lower heating value

8. If equipment is a gas turbine, list type:

   ☐ Simple cycle

   ☐ Regenerative cycle

   ☐ Combined cycle

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 4044211.3 N UTM Horizontal: 360933.0 E

10. Normal operating schedule: 0.5 Hrs./Day 1 Days/Wk. 52 Days/Yr.

FUEL DESCRIPTION

11. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Diesel	N/A	N/A	N/A
Actual yearly consumption	1,950 Gallons	N/A	N/A	N/A

12. (For NSPS turbines only) Manufacturer's rated heat rate at manufacturer's rated peak load (kilojoules per watt hour), or actual measured heat rate based on lower heating value of fuel as measured at actual peak load for the unit:

    N/A

13. Page Number: 21 of 39 | Revision Number: R3-1 SM1 | Date of Revision: **December 18, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STATIONARY GAS TURBINE OR INTERNAL COMBUSTION ENGINE

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:

   Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification(s):

   Vent I

GAS TURBINE OR INTERNAL COMBUSTION ENGINE DESCRIPTION

3. List all gas turbines and internal combustion engines at this facility on a separate sheet, and please complete an APC 5 form for each piece of equipment.

   See Application Attachments for list of all turbines and engines in this PES

4. Manufacturer and model number:

   Onan 20DL4

5. Equipment description:

   B-300 Emergency Engine

6. Date of installation or last modification of equipment:

   July 1997

7. Rated heat input capacity (in million BTU/Hour) and rated horsepower:

   0.09 MMBtu/hr and 34 HP

   State which heating value was utilized:

   ☒ Higher heating value

   ☐ Lower heating value

8. If equipment is a gas turbine, list type:

   ☐ Simple cycle

   ☐ Regenerative cycle

   ☐ Combined cycle

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 4043081.9 N UTM Horizontal: 361316.5 E

10. Normal operating schedule: 0.5 Hrs./Day 1 Days/Wk. 52 Days/Yr.

FUEL DESCRIPTION

11. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Diesel	N/A	N/A	N/A
Actual yearly consumption	51 Gallons	N/A	N/A	N/A

12. (For NSPS turbines only) Manufacturer's rated heat rate at manufacturer's rated peak load (kilojoules per watt hour), or actual measured heat rate based on lower heating value of fuel as measured at actual peak load for the unit:

    N/A

13. Page Number: 22 of 39 | Revision Number: R3-1 SM1 | Date of Revision: **December 18, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STATIONARY GAS TURBINE OR INTERNAL COMBUSTION ENGINE

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:

   Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification(s):

   Vent K

GAS TURBINE OR INTERNAL COMBUSTION ENGINE DESCRIPTION

3. List all gas turbines and internal combustion engines at this facility on a separate sheet, and please complete an APC 5 form for each piece of equipment.

   See Application Attachments for list of all turbines and engines in this PES

4. Manufacturer and model number:

   Kohler 750ROZD

5. Equipment description:

   B-54D Emergency Engine

6. Date of installation or last modification of equipment:

   February 1992

7. Rated heat input capacity (in million BTU/Hour) and rated horsepower:

   2.21 MMBtu/hr and 870 HP

   State which heating value was utilized:

   ☒ Higher heating value

   ☐ Lower heating value

8. If equipment is a gas turbine, list type:

   ☐ Simple cycle

   ☐ Regenerative cycle

   ☐ Combined cycle

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 4042926.9 N UTM Horizontal: 361965.7 E

10. Normal operating schedule: 0.5 Hrs./Day 1 Days/Wk. 52 Days/Yr.

FUEL DESCRIPTION

11. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Diesel	N/A	N/A	N/A
Actual yearly consumption	1,482 Gallons	N/A	N/A	N/A

12. (For NSPS turbines only) Manufacturer's rated heat rate at manufacturer's rated peak load (kilojoules per watt hour), or actual measured heat rate based on lower heating value of fuel as measured at actual peak load for the unit:

    N/A

13. Page Number: 24 of 39 | Revision Number: R3-1 SM1 | Date of Revision: **December 18, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STATIONARY GAS TURBINE OR INTERNAL COMBUSTION ENGINE

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:

   Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification(s):

   Vent P

GAS TURBINE OR INTERNAL COMBUSTION ENGINE DESCRIPTION

3. List all gas turbines and internal combustion engines at this facility on a separate sheet, and please complete an APC 5 form for each piece of equipment.

   See Application Attachments for list of all turbines and engines in this PES

4. Manufacturer and model number:

   Olympian Model D125-6

5. Equipment description:

   B-280 Building Emergency Engine

6. Date of installation or last modification of equipment:

   2018

7. Rated heat input capacity (in million BTU/Hour) and rated horsepower:

   0.55 MMBtu/hr and 217 HP

   State which heating value was utilized:

   ☒ Higher heating value

   ☐ Lower heating value

8. If equipment is a gas turbine, list type:

   ☐ Simple cycle

   ☐ Regenerative cycle

   ☐ Combined cycle

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 4043150.8 N UTM Horizontal: 362250.3 E

10. Normal operating schedule: 0.5 Hrs./Day 1 Days/Wk. 52 Days/Yr.

FUEL DESCRIPTION

11. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Diesel	N/A	N/A	N/A
Actual yearly consumption	278 Gallons	N/A	N/A	N/A

12. (For NSPS turbines only) Manufacturer's rated heat rate at manufacturer's rated peak load (kilojoules per watt hour), or actual measured heat rate based on lower heating value of fuel as measured at actual peak load for the unit:

    N/A

13. Page Number: 27 of 39 | Revision Number: R3-1 SM1 | Date of Revision: **December 18, 2019**

Eastman Chemical Company, MSOP-32
PES RICE-3 (B-427 Emergency Engine)

EASTMAN
Tennessee Operations
100 Eastman Rd
Kingsport, TN 37662
Telephone: (423) 229-2000

Title V Operating Permit Application

Application Forms

MSOP-32

PES RICE-3

Emergency Engine

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
PES RICE-3

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
Vent A

4. Stack height above grade in feet:
11

5. Velocity (data at exit conditions):
137 (Actual feet per second)

6. Inside dimensions at outlet in feet:
1.0

7. Exhaust flow rate at exit conditions (ACFM):
6,460

8. Flow rate at standard conditions (DSCFM):
2,283

9. Exhaust temperature:

825 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

12 Percent N/A Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13 .Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number: 2 of 12 | Revision number: R3-0 RENEWAL | Date of revision: **May 24, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STATIONARY GAS TURBINE OR INTERNAL COMBUSTION ENGINE

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
   Eastman Chemical Company, Tennessee Operations

2. Stack ID or flow diagram point identification(s):
   RICE-3

GAS TURBINE OR INTERNAL COMBUSTION ENGINE DESCRIPTION

3. List all gas turbines and internal combustion engines at this facility on a separate sheet, and please complete an APC 5 form for each piece of equipment.
   B-427 Emergency Diesel Generator

4. Manufacturer and model number:
   Detroil Diesel, Model #81637405

5. Equipment description:
   B-427 Emergency Diesel Generator

6. Date of installation or last modification of equipment:
   1985

7. Rated heat input capacity (in million BTU/Hour) and rated horsepower:

   2.79 mmBTU/Hr - 1095 HP

   State which heating value was utilized:

   ☐ Higher heating value

   ☒ Lower heating value

8. If equipment is a gas turbine, list type:

   ☐ Simple cycle

   ☐ Regenerative cycle

   ☐ Combined cycle

9. Location of this fuel burning installation in UTM coordinates: UTM Vertical: 361401 E UTM Horizontal: 4043572 N

10. Normal operating schedule: 1.25 Hrs./Day 1 Days/Wk. 52 Days/Yr.

FUEL DESCRIPTION

11. Fuels:	Primary fuel	Backup fuel #1	Backup fuel #2	Backup fuel #3
Fuel name	Diesel Fuel	N/A	N/A	N/A
Actual yearly consumption	6,555 Gallons	N/A	N/A	N/A

12. (For NSPS turbines only) Manufacturer's rated heat rate at manufacturer's rated peak load (kilojoules per watt hour), or actual measured heat rate based on lower heating value of fuel as measured at actual peak load for the unit:

    N/A

13. Page Number:	Revision Number:	Date of Revision:
3 of 12	R3-0 RENEWAL	**May 24, 2019**

Attachment K3

Other Process Emission Sources

MSOP	Source #	PES	Source Description	Vent ID	Max. Uncontrolled SO_2 Emission Rate (lb/hr)	Max. Uncontrolled SO_2 Emission Rate (g/s)	Permit	Application Date	Application Pages
10	82-0003-120	B-90-7	TBHQ Production	C, E	0.03	3.78E-03	573610	9/13/2019	6, 8, C-5, C-6, C-7, C-8, C-9
10	82-0003-121	B-90B-1	BHA Production	A1	0.31	3.91E-02	573610	12/19/2017	4, C-3

Eastman Chemical Company's Title V applications are submitted by Major Source Operating Permit (MSOP) and are subdivided by Permitted Emission Source (PES). The numbering of each section restarts with the first page. For example, the information for gas-fired boilers 32, 33, and 34 may be found in the application for MSOP-02 dated June 2, 2021, section PES B-83-11, pages 2 through 7. Each PES is further subdivided into application forms and supporting calculations. Pages numbered with Arabic numerals indicate application forms, while pages numbered as "C-1, C-2, etc." refer to the calculations section of the PES.

Eastman Chemical Company, MSOP-10
PES B-90-7 (TBHQ Production Process Vents)

EASTMAN
Tennessee Operations
100 Eastman Rd
Kingsport, TN 37662
Telephone: (423) 229-2000

Title V Operating Permit Application

Application Forms

MSOP-10

PES B-90-7

TBHQ Production

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
   Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
   PES B-90-7

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
   C

4. Stack height above grade in feet:
   5

5. Velocity (data at exit conditions):
   142 (Actual feet per second)

6. Inside dimensions at outlet in feet:
   0.67

7. Exhaust flow rate at exit conditions (ACFM):
   3000

8. Flow rate at standard conditions (DSCFM):
   2755

9. Exhaust temperature:
   77 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):
    3 Percent
    Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):
    N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
    N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13. .Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number: 6 of 20
    Revision number: R3-2 MM2
    Date of revision: **September 13, 2019**

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
   Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
   PES B-90-7

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):
   E

4. Stack height above grade in feet:
   75

5. Velocity (data at exit conditions):
   0.3 (Actual feet per second)

6. Inside dimensions at outlet in feet:
   0.25

7. Exhaust flow rate at exit conditions (ACFM):
   0.86

8. Flow rate at standard conditions (DSCFM):
   0.75

9. Exhaust temperature:
   77 (Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):
    3 Percent
    Grains per dry standard cubic foot (gr./dscf)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):
    N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_2, etc.)?
    N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13. .Do you have a bypass stack? ☐ Yes ☒ No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number:	Revision number:	Date of revision:
8 of 20	R3-2 MM2	**September 13, 2019**

Application Attachment

Calculations

Calculation Documentation Form: No Control or Recovery Device

PES # B-90-7 Vent ID E

Emissions Unit Description: Crystallizers and Process Water Tanks

Scheduling Basis for Emissions: 8760 hrs/yr

Conditions Shown: Maximum

Special Physical Property Notes:
VOC activity coefficients estimated from Wilson parameter fit of vapor-liquid equilibrium data.

Assumptions Used:
VOC

Assumed no daily temperature fluctuations for continuous process.

Daily level fluctuations assumed to be 80% of total vessel volume.

100% Hazardous Air Pollutants.

SO2

Assumed that addition of SO_2 well below the solubility limit of SO_2 in water will provide sufficient time and mixing for the SO_2 to react completely, leaving no excess SO_2 in solution.

Describe the method used to calculate emissions:
VOC

Emissions from process vessels were estimated using the AP-42 Method for liquid storage tanks.

Emissions of hazardous air pollutants estimated using the projected typical liquid composition in the vessels.

SO2

Emissions were estimated based on the addition of stoichiometric amount of SO_2 (no excess) to the process. The amount of SO_2 added to the process is calculated based on the current production rate.

Component	Emissions (lbs/hr)	Emissions (TPY)
VOC	Negligible	Negligible
SO2	0.01	0.04

Calculation Documentation Form: Control or Recovery Device

PES # B-90-7 Vent ID C

Emissions Unit Description: Product Convey, Drying, and MC-Y-05
Scheduling Basis for Emissions: 8760 hrs/yr
Conditions Shown: Maximum
Inherent Process Equipment? Yes



Component	S1 (lb/hr)	S2 (lb/hr)	S3 (lb/hr)	S4 (lb/hr)	S5 (lb/hr)	Emissions tons/yr
Particulates	5.55	5.1	Negligible	Negligible	0.45	1.97
VOC	0.02	---	Negligible	Negligible	0.02	0.09
SO_2	0.02	---	---	---	0.02	0.09

Calculation Documentation Form: Control or Recovery Device

PES # B-90-7 Vent ID C (Stream S1)

Additional control or recovery device data (include vendor guarantees):

DESCRIPTION:	BAG HOUSE
MANUFACTURER:	MAC FLOWTRONICS
MODEL NUMBER:	96RT28, STYLE III
FILTER BAGS:	28 BAGS, 16 OZ. POLYESTER FELT OR EQUIVALENT
TOTAL FILTER AREA:	369 FT2

Special Physical Property Notes:
Assumed all particulate matter being emitted is less than or equal to 10 microns in diameter.

Particle size distribution shows >92% of particulate matter fed to bag house consists of particles with a diameter ≥ 2 microns.

The volatile organic compound present has an insignificant vapor pressure under normal conditions.

Assumptions Used:
Assumed 99.9% particulate removal efficiency for particles with a diameter ≥ 2 microns, based on vendor provided information.

Particle size distribution and vendor efficiency information results in a 92% weighted average efficiency.

Assumed vent temperature of 77°F.

Assumed that addition of SO2 (or compounds that could liberate SO2) is well below the solubility limit of SO2 in water. In addition, process knowledge suggests there is more than adequate mixing and reaction time such that no excess SO2 remains in solution.

No removal of SO2 or VOC was assumed in the bag house.

Describe the method used to estimate control or recovery device efficiency:
Vendor Information

Describe the method used to calculate emissions:
Particulate emissions from bag house estimated based on the particulate physical property notes and the vendor guarantee.

Emissions were estimated based on the addition of a stoichiometric amount of SO2 (or SO2 liberating compounds) to the process. The amount of SO2 added to the process is calculated based on the current production rate.

VOC emissions were estimated based on engineering judgment and the physical property notes.

Calculation Documentation Form: No Control or Recovery Device

PES # B-90-7 Vent ID C (Stream S3)

Emissions Unit Description: Dryer System

Special Physical Property Notes:
N/A

Assumptions Used:
Assumed all particulate matter being emitted is less than or equal to 10 microns in diameter.

Describe the method used to calculate emissions:
Emissions estimated based on engineering judgment.

Calculation Documentation Form: No Control or Recovery Device

PES # B-90-7 Vent ID C (Stream S4)

Emissions Unit Description: MC-Y-05

Special Physical Property Notes:
Activity coefficients estimated from Wilson parameter fit of vapor-liquid equilibrium data.

Assumptions Used:
Assumed an average vent temperature of 77°F.

Assumed a liquid temperature leaving the vacuum source of 77°F.

Assumed a slurry temperature fed to the nutsche of 183°F.

Based on knowledge of process, assumed a negligible amount of particulate emissions.

Describe the method used to calculate emissions:
VOC emissions were estimated using Raoult's Law, in conjunction with the composition of the liquid ring in the vacuum source and the rated flow capacity of the unit.

TSP emissions were estimated using engineering judgment and the assumptions.

EASTMAN
Tennessee Operations
100 Eastman Rd
Kingsport, TN 37662
Telephone: (423) 229-2000

Title V Operating Permit Application

Application Forms

MSOP-10

PES B-90B-1

BHA Production

State of Tennessee
Department of Environment and Conservation
Division of Air Pollution Control
William R. Snodgrass Tennessee Tower
312 Rosa L. Parks Avenue, 15th Floor
Nashville, TN 37243
Telephone: (615) 532-0554

MSOP - 10
Tennessee Eastman Major Source Operating
Permit Application Identification

TITLE V PERMIT APPLICATION
STACK IDENTIFICATION

GENERAL IDENTIFICATION AND DESCRIPTION

1. Facility name:
Eastman Chemical Company, Tennessee Operations

2. Emission source (identify):
PES B-90B-1

STACK DESCRIPTION

3. Stack ID (or flow diagram point identification):

A1

4. Stack height above grade in feet:

75

5. Velocity (data at exit conditions):

20.0 (Actual feet per second)

6. Inside dimensions at outlet in feet:

2.167

7. Exhaust flow rate at exit conditions (ACFM):

4419

8. Flow rate at standard conditions (DSCFM):

3813

9. Exhaust temperature:

70 Degrees Fahrenheit (°F)

10. Moisture content (data at exit conditions):

3 Percent N/A Grains per dry standard cubic foot (gr./dscf.)

11. Exhaust temperature that is equaled or exceeded during ninety (90) percent or more of the operating time (for stacks subject to diffusion equation only):

N/A (°F)

12. If this stack is equipped with continuous pollutant monitoring equipment required for compliance, what pollutant(s) does this equipment monitor (e.g., Opacity, SO_2, NO_x, etc.)?

N/A

Complete the appropriate APC form(s) 4, 5, 7, 8, 9, or 10 for each source exhausting through this stack.

BYPASS STACK DESCRIPTION

13. Do you have a bypass stack?

☐ Yes X No

If yes, describe the conditions which require its use & complete APC form 4 for the bypass stack. Please identify the stack number(s) of flow diagram point number(s) exhausting through this bypass stack.

14. Page number: 4 of 24 | Revision number: R3-0 Renewal | Date of revision: **December 19, 2017**

Application Attachment

Calculations

Calculation Documentation Form A2: General Information for Uncontrolled Emissions

PES # B-90B-1 Vent ID A1

Process Production Division CMD Department SOC

Scheduling Basis for Emissions: Maximum annual emissions based on the maximum usage of each specific piece of equipment within the boundaries of the emission source.

Type of Emission:

X Uncontrolled Process Vent with No Recovery Device

____ Other Emission Not Otherwise Captured (such as emissions not captured from open vessels, filters, conveyors, and material handling operations)

Special Physical Property Notes:

A specific molecular weight was consistently used throughout the VOC emission calculations for the system. This value was the average molecular weight of the two most volatile components in the system.

Assumptions Used:

Based on ambient air industrial hygiene VOC testing data, the discharge stream from any given unit does not exceed 10 ppmv.

Assumed a specific particulate concentration of the discharge stream from each unit, based on engineering judgment and knowledge of the process.

Assumed solubility of SO_2 in water at 55°C to be negligible based on engineering judgment and knowledge of process.

Describe the Calculation Method Used:

The aforementioned assumptions were used in conjunction with discharge stream flow rates to estimate the VOC and particulate emissions to the atmosphere.

There are no known emissions of Hazardous Air Pollutants.

The aforementioned assumptions were used in conjunction with batch production procedures to estimate the SO_2 emissions to the atmosphere.

Emissions:

Pollutant	Average lb/hr	Maximum lb/hr	TPY
VOC	0.59	1.1	2.60
Particulates	0.28	0.36	1.21
SO_2	Negligible	0.31	Negligible

EASTMAN
Tennessee Operations
200 South Wilcox Dr.
Kingsport, TN 37660
Telephone: (423) 229-2000

Title V Operating Permit Application

Application Forms

MSOP-17

PES B-334-1

Acid Gas Removal and Sulfur Recovery Plants

Equipment Leak Estimation Worksheet

PES Identification: B-334-1 PES Description: Acid Gas Removal and Sulfur Recovery Plants Date: 01/13/2022

Process Unit Description (if subset of PES): Fugitive Emissions from the Coal Gasification Plant (Sheet 12-Process Gas System SO2 Emissions-Plt 16)

Block Flow Diagram Point: D

Regulated Air Pollutant (Check One): ____ VOC ____ CO X Other (Specify) SO2

Equipment Type	Service	Count (# of Points)	Factor (TPY/Point)	Factor Basis	Emission Rate (TPY)
Pumps	LLS	0	0.15000	TNO	0.00
Pumps	HLS	0	0.00230	TNO	0.00
Valves	G/V	166	0.00410	TNO	0.69
Valves	LLS	0	0.00160	TNO	0.00
Valves	HLS	0	0.00051	TNO	0.00
Connectors	G/V or LLS	780	0.00140	TNO	1.10
Connectors	HLS	0	0.00021	TNO	0.00
PRVs	All	0	0.12000	TNO	0.00
PRVs	GVS	0	0.12000	TNO	0.00
PRVs	LLS	0	0.01642	SOCMI	0.00
PRVs	HLS	0	0.01642	SOCMI	0.00
Agitators	G/V	0	0.19216	SOCMI	0.00
Agitators	LLS	0	0.12000	TNO	0.00
Agitators	HLS	0	0.00230	TNO	0.00
Compressors	G/V	1	2.20162	SOCMI	2.21
Sampling Connections	All	0	0.01100	TNO	0.00
Open-Ended Lines	All	4	0.01642	SOCMI	0.07
Total Annual Emissions (at 100% SO2)					**4.07**
Total Annual Emissions (at 32.3% H2S)					**1.31**
Other Fugitive Emissions (e.g. estimates from material balance)					**0.13**
Total Annual Emissions					**1.45**

G/V Gas/vapor service: process material in gaseous state at operating conditions

LLS Light liquid service: fluid vapor pressure greater than 0.044 psi (2.25 torr) @ 20ºC.

HLS Heavy liquid service: fluid vapor pressure less than or equal to 0.044 psi (2.25 torr) @ 20ºC

TNO Factors for use at TNO developed from a 1994/1995 screening study based on EPA Method 21 screening and correlation equation methodology (EPA-453/R-93-026, "Protocol for Equipment Leak Emission Estimates", June 1993)

VOC Breakdown by Hazardous Air Pollutant (if applicable):

HAP	Emission Rate (TPY)

HAP	Emission Rate (TPY)

Attachment K4

Documentation of Maximum Uncontrolled Hourly Emission Rates

Documentation of Maximum Uncontrolled Hourly Emission Rates

I. Introduction

For State Implementation Plans which provide for implementation, maintenance, and enforcement of a NAAQS, CAA §110(a)(2)(A) states that each implementation plan shall include enforceable emission limitations and other control measures, means, or techniques (including economic incentives such as fees, marketable permits, and auctions of emissions rights), as well as schedules and timetables for compliance, "as may be necessary or appropriate" to meet the applicable requirements of the Act. Because Eastman Chemical Company's Tennessee Operations includes a number of fuel-burning sources with low modeled impacts within the nonattainment area, Tennessee reviewed these emission rates to determine whether adoption of enforceable limits into the SIP was necessary or appropriate to provide for attainment of the NAAQS based on review of the following factors:

1. Hourly and annual emission rates;
2. Modeled impact;
3. Design capacity, ability of the source to increase its emission rate through changes in design capacity or burning of alternate fuels;

Collectively, SO_2 emissions from all small natural gas and oil-fired emission sources are summarized in **Table 1**:

Table 1: Summary of Emissions		
	Number of Sources	**Maximum Uncontrolled Hourly Emission Rate (lb/hr)**
Natural Gas (total)	45	3.83
#2 Oil	8	0.021
Other Process Emission Sources	2	0.34

For pipeline natural gas combustion sources, Tennessee calculated SO_2 emissions using an emission factor of 0.6 lb SO_2/MMSCF of natural gas combusted[1]. EPA's emission factor states, "*Emissions of SO_2 from natural gas-fired boilers are low because pipeline quality natural gas typically has sulfur levels of 2,000 grains per million cubic feet. However, sulfur-containing odorants are added to natural gas for detecting leaks, leading to small amounts of SO_2 emissions. Boilers combusting unprocessed natural gas may have higher SO_2 emissions due to higher levels of sulfur in the natural gas. For these units, a sulfur mass balance should be used to determine SO_2 emissions.*"

[1] U. S. EPA, *AP-42, Fifth Edition, Volume I Chapter 1: External Combustion Sources*, Table 1.4-2 (Emission Factors for Criteria Pollutants and Greenhouse Gases from Natural Gas Combustion).

II. Modifications to Increase Heat Input or Burn Alternative Fuels, Natural Gas-Fired Fuel Burning Sources

A common feature of process emission sources is the use of natural gas combustion for heat input[2]. For any process emission source, the design heat input is generally limited by the number and size of burners. Tennessee assumed that there is sufficient natural gas capacity for all process emission sources, and fuel supplies were not considered as a limiting factor. SO_2 emissions from natural gas combustion (excluding sources whose emissions are covered by a SIP limit and sources whose heat input is confidential business information) are 5.6 tons/year (the actual number would be higher, but not appreciably so, if confidential heat inputs were included). A doubling of heat input to all sources would double the SO_2 emission rate to 11.2 tons/year, but Eastman cannot simply install new burners or open a valve on the natural gas supply – a large increase in the heat input of a given would likely require rebuilding or replacement of the entire source. Large-scale increases in heat input would more likely to result from the construction of new fuel burning equipment or process emission sources, which would be subject to Nonattainment NSR (prior to redesignation), PSD (after redesignation of the area to attainment), or Tennessee's minor source preconstruction review.

It is possible, in theory, to increase emissions at a given source by burning alternative fuels, but Tennessee considers this an impractical alternative. Total fuel burning capacity at the facility (excluding sources whose emissions are covered by a SIP permit and sources whose heat input is confidential business information) is about 2,174 MMBtu/hr. If all natural gas combustion were replaced with No. 2 fuel oil containing no more than 15.5 parts per million by weight of sulfur, then SO_2 emissions from the facility would increase by 8.9 tons/year (the actual number would be higher, but not appreciably so, if confidential heat inputs were included). If the heat input remained unchanged, Eastman would need to receive and store 16,023 gallons per hour of fuel oil and deliver this oil to the individual processes. Delivery of No. 2 oil to sources that currently burn only natural gas would require the installation of an entirely new piping network because there is no large-scale ability to deliver fuel oil throughout the plant. Furthermore, Eastman would need to store sufficient fuel oil at the site to keep the plant operating, and the facility would need to construct a 400,000 gallon storage tank for 24 hours of storage capacity. By contrast, the facility has an existing infrastructure to deliver natural gas to the facility's process units, and no storage capacity is required, since natural gas largely operates on a just-in-time delivery basis. While No. 2 oil might be useful as a backup fuel for certain sources (e. g., natural gas-fired boilers), no such capacity currently exists at those sources.

In conclusion, while modification of an existing source would not be prohibited in the absence of individual SIP limits for small fuel burning or process emission sources, small modifications (e. g., physical changes that produces nominal increases in the design heat input rate) would have a negligible impact on SO_2 emission rates, and large-scale changes (fuel switching or plantwide increases in heat input capacity) appear impractical and/or not cost effective. Large-scale modifications are more likely to occur through the addition of new emission sources, which would be addressed through preconstruction review. In general, adoption of enforceable limits for these sources into the SIP is not necessary or appropriate to address future modifications of these sources.

[2] Some processes will use off-gas from another process (typically referred to as "fuel gas", "process gas", or "chemical fuel") where available. When process gas was identified as a fuel, Tennessee contacted Eastman and/or reviewed the fuel characteristics to confirm that the fuel contained no more sulfur than natural gas.

III. Natural Gas-Fired Fuel Burning Sources, Process Emission Sources, and Ovens

MSOP-02 Boilers 32, 33, and 34

Boilers 32, 33, and 34 were initially permitted in 2021 and are currently under construction. These boilers will replace the capacity of three coal-fired boilers (18, 19, and 20), but Tennessee did not count on these reductions to demonstrate attainment of the NAAQS.

Application Information: Construction permit 979100, application dated June 2, 2021, pages 2, 3, 4, 5, 6, and 7 of section PES B-83-11[3].

Hourly and Annual Emission Rates: Collectively, these three boilers have a maximum uncontrolled emission rate of 0.438 lb/hr, which is 0.026% of the hourly emission rate modeled in run 2022-0129-7 (1694.95 lb/hr). The hourly emission rate corresponds to annual emissions of 1.92 tons/year at unlimited operation, which is 0.057% of the 2022 facility emissions (3,368.1 tons/year) and 0.027% of the facility's projected 2037 emissions (7,339.1 tons/year). Compliance with this emission rate is based upon the design heat input capacity of the boilers and fuel usage restrictions[4], and no controls are used to limit SO_2 emissions from the boilers.

Modeled Impact: The modeled impact of Boilers 32, 33, and 34 was assessed using the worst-case run (2022-0927-07), and the overall impact (0.170 μg/m^3) was low (0.090%) relative to the overall impact (all modeled sources) of 189.3 μg/m^3. The modeled impact was also low relative to the NAAQS (75 ppb, calculated for modeling purposes as 196.5 μg/m^3), with a modeled impact of only 0.086% of the NAAQS. As an additional check on the impact of this source, Tennessee considered the impact of the source on modeled receptors where the overall impact was greater than 75% of the NAAQS (i. e., all receptors where the modeled impact of all emission sources was greater than 147.38 μg/m^3)[5], and the modeled impact of the boilers remained unchanged at 0.086% of the NAAQS.

Design capacity, ability of the source to increase its emission rate through changes in design capacity or burning of alternate fuels: The design heat input of each boiler is 249 MMBtu/hr, and the application for these sources indicates that natural gas is the only fuel burned. The boilers are not permitted to burn alternative fuels, and the application indicates no capacity to store, feed, or burn other fuels (e. g., there are no fuel oil storage tanks associated with the boilers). The application indicates that these units are package boilers, which follow a standard design, and the maximum heat input capacity would be limited by design of the burners, boiler tubes, and associated equipment (e. g., steam drum and mud drum).

---

[3] Eastman Chemical Company's Title V applications are submitted by Major Source Operating Permit (MSOP) and are subdivided by Permitted Emission Source (PES). The numbering of each section restarts with the first page. For example, the information for gas-fired boilers 32, 33, and 34 may be found in the application for MSOP-02 dated June 2, 2021, section PES B-83-11, pages 2 through 7. Each PES is further subdivided into application forms and supporting calculations. Pages numbered with Arabic numerals indicate application forms, while pages numbered as "C-1, C-2, etc." refer to the calculations section of the PES.

[4] A fuel usage restriction may be an enforceable limitation in the permit, or it may be a logical result of the design and construction of the source. For example, a natural gas-fired boiler that contains no infrastructure to burn No. 2 oil is limited to natural gas combustion based on the design of the source, and a permit condition is not required to prohibit the use of alternative fuels. Tennessee's preconstruction program (TAPCR 1200-03-09-.01) would prohibit the modification of the emission source without preconstruction review to ensure that the modification will not cause or contribute to a violation of the NAAQS.

[5] Tennessee reviewed the impact of each source on modeled receptors greater than 75% of the NAAQS because the effect of SO_2 emissions is not uniform throughout the nonattainment area, and a small emission source may need to be included in the SIP if it's air quality impact occurs disproportionately in areas with higher concentrations of SO_2 in the ambient air.

Tennessee concludes that adoption of enforceable limits for these sources into the SIP is not necessary or appropriate to meet the applicable requirements of the Act for redesignation based upon the minimal SO_2 emissions from the boilers, the negligible impact of the boilers upon modeled attainment, and the inability of the facility to modify the sources in a manner that would increase SO_2 emissions through increases in the design capacity or combustion of alternative fuels.

MSOP-03 Catalyst Recovery Process Vent (PES B-338-3 Plant 23 Incinerator)

The incinerator in PES-338 has a design heat input capacity of 8 MMBtu/hr. There are three feeds into the incinerator – air, natural gas, and a confidential mixture of tar produced in the PES 337 and PES 352 acetic anhydride plants. The incinerator is designed to convert the tar to ash and to produce iodine. The natural gas fed to the incinerator is limited to a 24-hour average < 121 lb/hr. The flue gas goes through a heat exchanger for cooling, then a series of dust collectors and finally a recovery scrubber before venting to Vent A. The recovery scrubber prior to Vent A controls iodine production from the tar mixture. The only sulfur present in the flue gas is attributed to the natural gas sent to the incinerator, and there should be no sulfur compounds present in the tar mixture.

Application Information: Title V Operating Permit 573862, application dated February 23, 2018, pages 2, 4, and C-3 of section PES B-338-3.

Hourly and Annual Emission Rates: The catalyst recovery process has a maximum uncontrolled emission rate of 0.002 lb/hr, which is 0.00012%of the hourly emission rate modeled in run 2022-0129-7 (1694.95 lb/hr). The hourly emission rate corresponds to annual emissions of 0.00876tons/year at unlimited operation, which is 0.00026% of the 2022 facility emissions (3,368.1 tons/year) and 0.00012% of the facility's projected 2037 emissions (7,339.1 tons/year). No controls are used to limit SO_2 emissions from the process.

Modeled Impact: The modeled impact of the catalyst recovery process vent was assessed using the worst-case run (2022-0927-07), and the overall impact (0.149 $\mu g/m^3$) was low (0.080%) relative to the overall impact (all modeled sources) of 189.3 $\mu g/m^3$. The modeled impact was also low relative to the NAAQS (75 ppb, calculated for modeling purposes as 196.5 $\mu g/m^3$), with a modeled impact of only 0.076% of the NAAQS. As an additional check on the impact of this source, Tennessee considered the impact of the source on modeled receptors where the overall impact was greater than 75% of the NAAQS (i. e., all receptors where the modeled impact of all emission sources was greater than 147.38 $\mu g/m^3$), and the modeled impact of the source remained unchanged at 0.076% of the NAAQS.

Design capacity, ability of the source to increase its emission rate through changes in design capacity or burning of alternate fuels: The design heat input capacity for the recovery process is 2.75 MMBtu/hr, and the unit only burns natural gas for fuel and "tar" (a process stream from the coal gasification plant) to recover material from the stream. There is no sulfur in the tar, and SO_2 emissions are solely from natural gas combustion. Natural gas is burned during startup and to periodically clean the unit, but the emission calculations for this source assumed that natural gas is burned at all times. The catalyst recovery process is not permitted to burn alternative fuels, and the application indicates no capacity to store, feed, or burn other fuels.

Tennessee concludes that adoption of enforceable limits for this source into the SIP is not necessary or appropriate to meet the applicable requirements of the Act for redesignation based upon the minimal SO_2

emissions from the catalyst recovery process, the negligible impact of the process upon modeled attainment, and the inability of the facility to modify the source in a manner that would increase SO_2 emissions through increases in the design capacity or combustion of alternative fuels. The fuel usage and design capacity restrictions identified in this section are inherent to the design of the source, and the permit imposes no additional restrictions that would limit the source's maximum hourly emission rate.

MSOP-11 and MSOP-24 Heat Transfer Media (HTM) Furnaces

Eastman Chemical Company's Heat Transfer Media (HTM) furnaces use natural gas to heat a circulating heat transfer fluid (e. g., Dowtherm) for circulation through the facility's manufacturing. The MSOP-11 furnaces were installed in 1959 (Furnaces 3 and 4) and 1965 (Furnaces 5, 6, 7, 8, 9, and 10), and the MSOP-24 furnaces were installed in 2000 (Furnaces MF-01 and MG-01), 2004 (Furnace MK-01), and 2018 (Furnace ML-01).

Application Information (MSOP-11): Title V Operating Permit 573592, application dated November 2, 2021, pages 2, 3, 4, 5, 6, and 7 of section PES B-256-1,2,3. Title V Operating Permit 573592, application dated November 2, 2021, pages 2, 3, 4, 5, 6, and 7 of section PES B-272-1,2,3.

Application Information (MSOP-24): Title V Operating Permit 576162, application dated January 18, 2019, pages 2, 3, 4, 5, 6, 7, 8, 9, 10, and 11 of section PES B-238-1.

Hourly and Annual Emission Rates: Collectively, the MSOP-11 furnaces have a maximum uncontrolled emission rate of 0.091 lb/hr, which is 0.0054% of the hourly emission rate modeled in run 2022-0129-7 (1694.95 lb/hr). The hourly emission rate corresponds to annual emissions of 0.40 tons/year at unlimited operation, which is 0.012% of the 2022 facility emissions (3,368.1 tons/year) and 0.0054% of the facility's projected 2037 emissions (7,339.1 tons/year). The MSOP-24 furnaces have a maximum uncontrolled emission rate of 0.125 lb/hr, which is 0.0074% of the hourly emission rate modeled in run 2022-0129-7 (1694.95 lb/hr). The hourly emission rate corresponds to annual emissions of 0.55 tons/year at unlimited operation, which is 0.016% of the 2022 facility emissions (3,368.1 tons/year) and 0.0075% of the facility's projected 2037 emissions (7,339.1 tons/year). Compliance with these emission rates is based upon the design heat input capacity of the furnaces and fuel usage restrictions, and no controls are used to limit SO_2 emissions from the furnaces.

Modeled Impact: The modeled impact of the HTM furnaces was assessed using the worst-case run (2022-0927-07), and the overall impact (0.694 $\mu g/m^3$) was low (0.37%) relative to the overall impact (all modeled sources) of 189.3 $\mu g/m^3$. The modeled impact was also low relative to the NAAQS (75 ppb, calculated for modeling purposes as 196.5 $\mu g/m^3$), with a modeled impact of only 0.35% of the NAAQS. As an additional check on the impact of this source, Tennessee considered the impact of the source on modeled receptors where the overall impact was greater than 75% of the NAAQS (i. e., all receptors where the modeled impact of all emission sources was greater than 147.38 $\mu g/m^3$), and the modeled impact of the HTM furnaces remained unchanged at 0.35% of the NAAQS.

Design capacity, ability of the source to increase its emission rate through changes in design capacity or burning of alternate fuels: The design heat input of each HTM furnace in MSOP-11 ranges from 14 MMBtu/hr to 21.5 MMBtu/hr, and collectively, the design heat input of all MSOP-11 furnaces is 155.5 MMBtu/hr. The heat input capacities of the MSOP-24 furnaces are protected as confidential business information, and the design heat input capacities were submitted to U. S. EPA for direct review. The HTM furnaces are not permitted to burn alternative fuels, and the application indicates no capacity to store, feed, or burn other fuels.

Tennessee concludes that adoption of enforceable limits for these sources into the SIP is not necessary or appropriate to meet the applicable requirements of the Act for redesignation based upon the minimal SO_2 emissions from the furnaces, the negligible impact of these sources upon modeled attainment, and the inability of the facility to modify the sources in a manner that would increase SO_2 emissions through increases in the design capacity or combustion of alternative fuels. The fuel usage and design capacity restrictions identified in this section are inherent to the design of the source, and the permit imposes no additional restrictions that would limit the source's maximum hourly emission rate.

MSOP-16 Cracking Furnaces

Eastman operates 22 cracking furnaces, which were installed between 1933 and 1986 (**Table 2**). These furnaces produce ketene (an intermediate step in the production of acetic anhydride) via thermal cracking of acetic acid. These furnaces burn natural gas and chemical fuel (which contains no sulfur) as fuels.

Table 2: MSOP-16 Cracking Furnaces

PES	Description	Year of Construction/Installation	Design Heat Input (MMBtu/hr)
B-6C-1	Cracking Furnace #27	1986	25
B-6C-1	Cracking Furnace #28	1986	25
B-7R-1	Cracking Furnace #5	1933-1954	9.9
B-7R-1	Cracking Furnace #6	1933-1954	9.9
B-7R-1	Cracking Furnace #7	1933-1954	9.9
B-7R-1	Cracking Furnace #8	1933-1954	9.9
B-7R-1	Cracking Furnace #9	1933-1954	9.9
B-7R-1	Cracking Furnace #10	1962	9.9
B-7R-1	Cracking Furnace #11	1933-1954	9.9
B-7R-1	Cracking Furnace #12	1933-1954	9.9
B-7R-1	Cracking Furnace #13	1933-1954	9.9
B-7R-1	Cracking Furnace #14	1933-1954	9.9
B-7R-1	Cracking Furnace #15	1933-1954	9.9
B-7R-1	Cracking Furnace #16	1933-1954	9.9
B-7R-1	Cracking Furnace #19	1962	9.9
B-7R-1	Cracking Furnace #20	1933-1954	9.9
B-7R-1	Cracking Furnace #21	1969-1970	13.3
B-7R-1	Cracking Furnace #22	1969-1970	13.3
B-7R-1	Cracking Furnace #23	1969-1970	13.3
B-7R-1	Cracking Furnace #24	1969-1970	13.3
B-7RC-1	Cracking Furnace #25	1986	17
B-7RC-1	Cracking Furnace #26	1986	13.5

Application Information: Title V Operating Permit 576946, application dated May 28, 2019, pages 2, 3, 4, 5, and 6 of section PES B-6C-1. Title V Operating Permit 576946, application dated May 28, 2019, pages 2, 3, 4, 5, 6, and 7 of section PES B-7R-1. Title V Operating Permit 576946, application dated May 28, 2019, pages 2, 3, 4, 5, and 6 of section PES B-7RC-1.

Hourly and Annual Emission Rates: Furnace emissions are shown in **Table 3**. Collectively, the MSOP-16 cracking furnaces have a maximum uncontrolled emission rate of 0.169 lb/hr, which is 0.010% of the hourly emission rate modeled in run 2022-0129-7 (1694.95 lb/hr). The hourly emission rate corresponds to annual emissions of 0.74 tons/year at unlimited operation, which is 0.022% of the 2022 facility emissions (3,368.1 tons/year) and 0.010% of the facility's projected 2037 emissions (7,339.1 tons/year). Compliance with these emission rates is based upon the design heat input capacity of the furnaces and fuel usage restrictions, and no controls are used to limit SO_2 emissions from the furnaces.

Table 3: Review of MSOP-16 Cracking Furnace Emissions					
Description	**Max. Uncontrolled Emission Rate (lb/hr)**	**% of Modeled Total**	**Annual Emissions (tons/year)**	**% of 2022 Inventory Total**	**% of 2037 Inventory Total**
Cracking Furnaces #27 and #28	0.03	0.0018%	0.13	0.0039%	0.0018%
Cracking Furnaces #5-16 and #19-24	0.113	0.0067%	0.49	0.0147%	0.0067%
Cracking Furnaces #25 and #26	0.018	0.0011%	0.079	0.0023%	0.0011%
Cracking Furnace #26	0.008	0.0005%	0.035	0.0010%	0.0005%
All Sources	**0.169**	**0.010%**	**0.74**	**0.022%**	**0.010%**

Modeled Impact: The modeled impact of the cracking furnaces was assessed using the worst-case run (2022-0927-07), and the overall impact (0.078 $\mu g/m^3$) was low (0.041%) relative to the overall impact (all modeled sources) of 189.3 $\mu g/m^3$. The modeled impact was also low relative to the NAAQS (75 ppb, calculated for modeling purposes as 196.5 $\mu g/m^3$), with a modeled impact of only 0.040% of the NAAQS. As an additional check on the impact of this source, Tennessee considered the impact of the source on modeled receptors where the overall impact was greater than 75% of the NAAQS (i. e., all receptors where the modeled impact of all emission sources was greater than 147.38 $\mu g/m^3$), and the modeled impact of the HTM furnaces remained unchanged at 0.040% of the NAAQS.

Design capacity, ability of the source to increase its emission rate through changes in design capacity or burning of alternate fuels: The design heat input of each cracking furnace in MSOP-16 ranges from 9.9 MMBtu/hr to 25 MMBtu/hr, and collectively, the design heat input of all cracking furnaces is 272.3 MMBtu/hr. The cracking furnaces are not permitted to burn alternative fuels, and the application indicates no capacity to store, feed, or burn other fuels.

Tennessee concludes that adoption of enforceable limits for these sources into the SIP is not necessary or appropriate to meet the applicable requirements of the Act for redesignation based upon the minimal SO_2 emissions from the furnaces, the negligible impact of these sources upon modeled attainment, and the inability of the facility to modify the sources in a manner that would increase SO_2 emissions through increases in the design capacity or combustion of alternative fuels. The fuel usage and design capacity restrictions identified in this section are inherent to the design of the source, and the permit imposes no additional restrictions that would limit the source's maximum hourly emission rate.

MSOP-16 Diketene Furnaces and Thermal Oxidizer (PES Area A-B7)

The diketene furnaces designated as PES Area A-B7 were last modified in 1993 and were owned/operated by Holston Army Ammunition Plant until 2016. These furnaces were idled until 2016, when Eastman Chemical Company took over operation of the source. These furnaces produce diketene produced by cracking of

purchased acetic acid for conversion to acetic anhydride. There are ten furnaces (Furnaces #17 through #26) with a design heat input capacity of 4.0 MMBtu/hr each, and natural gas is the only fuel burned by the furnaces. Area A-B7 also includes a natural gas-fired thermal oxidizer with a maximum design heat input capacity of 7.4 MMBtu/hr to control VOC and carbon monoxide emissions from the process.

Application Information: Title V Operating Permit 576946, application dated May 28, 2019, pages 2, 3, 4, 7, 8, 9, 10, 11, 12, 13, 14, 15, and 16 of PES Area A-B7 (ketene furnaces) and pages 2, 3, 5, and 43 of PES Area A-B7 (thermal oxidizer).

Hourly and Annual Emission Rates: The diketene furnaces and thermal oxidizer have a maximum uncontrolled emission rate of 0.028 lb/hr, which is 0.002% of the hourly emission rate modeled in run 2022-0129-7 (1694.95 lb/hr). The hourly emission rate corresponds to annual emissions of 0.12 tons/year at unlimited operation, which is 0.004% of the 2022 facility emissions (3,368.1 tons/year) and 0.002% of the facility's projected 2037 emissions (7,339.1 tons/year). Compliance with these emission rates is based upon the design heat input capacity of the furnaces and fuel usage restrictions, and no controls are used to limit SO_2 emissions from the furnaces.

Modeled Impact: The modeled impact of the diketene furnaces and thermal oxidizer was assessed using the worst-case run (2022-0927-07), and the overall impact (0.021 $\mu g/m^3$) was low (0.011%) relative to the overall impact (all modeled sources) of 189.3 $\mu g/m^3$. The modeled impact was also low relative to the NAAQS (75 ppb, calculated for modeling purposes as 196.5 $\mu g/m^3$), with a modeled impact of only 0.010% of the NAAQS. As an additional check on the impact of this source, Tennessee considered the impact of the source on modeled receptors where the overall impact was greater than 75% of the NAAQS (i. e., all receptors where the modeled impact of all emission sources was greater than 147.38 $\mu g/m^3$), and the modeled impact of the HTM furnaces remained unchanged at 0.010% of the NAAQS.

Design capacity, ability of the source to increase its emission rate through changes in design capacity or burning of alternate fuels: The design heat input of each diketene furnace in MSOP-16 is 4.0 MMBtu/hr, and the design heat input of the source (10 furnaces and thermal oxidizer) is 47.4 MMBtu/hr. The furnaces and thermal oxidizer are not permitted to burn alternative fuels, and the application indicates no capacity to store, feed, or burn other fuels.

Tennessee concludes that adoption of enforceable limits for these sources into the SIP is not necessary or appropriate to meet the applicable requirements of the Act for redesignation based upon the minimal SO_2 emissions from the furnaces, the negligible impact of these sources upon modeled attainment, and the inability of the facility to modify the sources in a manner that would increase SO_2 emissions through increases in the design capacity or combustion of alternative fuels. The fuel usage and design capacity restrictions identified in this section are inherent to the design of the source, and the permit imposes no additional restrictions that would limit the source's maximum hourly emission rate.

MSOP-19 Copolyester Monomer Manufacturing (PES B-545-1)

PES B-545-1 is a process unit that manufactures monomers for downstream copolyester manufacturing. The process includes two process heaters (FA-F-01 and FB-F-01), which are rated at 24.5 MMBtu/hr each, and emissions from the source are controlled by a 22 MMBtu/hr vapor incinerator. Natural gas is the only fuel used for the process heaters and control device, and there no add-on controls are used to reduce SO_2 emissions.

Application Information: Title V Operating Permit 575805, application dated December 5, 2018, pages 3, 4, 5, 7, 8, 9, 18, and C-6 of section PES B-545-1.

Hourly and Annual Emission Rates: The process heaters and vapor incinerator have a maximum uncontrolled emission rate of 0.041 lb/hr, which is 0.002% of the hourly emission rate modeled in run 2022-0129-7 (1694.95 lb/hr). The hourly emission rate corresponds to annual emissions of 0.18 tons/year at unlimited operation, which is 0.005% of the 2022 facility emissions (3,368.1 tons/year) and 0.002% of the facility's projected 2037 emissions (7,339.1 tons/year). Compliance with these emission rates is based upon the design heat input capacity of the process heaters and control device and on fuel usage restrictions, and no controls are used to limit SO_2 emissions from the furnaces.

Modeled Impact: The modeled impact of the diketene furnaces and thermal oxidizer was assessed using the worst-case run (2022-0927-07), and the overall impact (0.040 µg/m^3) was low (0.021%) relative to the overall impact (all modeled sources) of 189.3 µg/m^3. The modeled impact was also low relative to the NAAQS (75 ppb, calculated for modeling purposes as 196.5 µg/m^3), with a modeled impact of only 0.020% of the NAAQS. As an additional check on the impact of this source, Tennessee considered the impact of the source on modeled receptors where the overall impact was greater than 75% of the NAAQS (i. e., all receptors where the modeled impact of all emission sources was greater than 147.38 µg/m^3), and the modeled impact of the HTM furnaces remained unchanged at 0.020% of the NAAQS.

Design capacity, ability of the source to increase its emission rate through changes in design capacity or burning of alternate fuels: The design heat input of each process heater is 24.5 MMBtu/hr, and the design heat input of the vapor incinerator is 22 MMBtu/hr. The process heaters and vapor incinerator are not permitted to burn alternative fuels, and the application indicates no capacity to store, feed, or burn other fuels.

Tennessee concludes that adoption of enforceable limits for these sources into the SIP is not necessary or appropriate to meet the applicable requirements of the Act for redesignation based upon the minimal SO_2 emissions from the process heaters and control device, the negligible impact of the process heaters upon modeled attainment, and the inability of the facility to modify the sources in a manner that would increase SO_2 emissions through increases in the design capacity or combustion of alternative fuels. The fuel usage and design capacity restrictions identified in this section are inherent to the design of the source, and the permit imposes no additional restrictions that would limit the source's maximum hourly emission rate.

MSOP-24 Hydrogen Plants 3, 4, 5 and 6 (PES H2 Plants)

Eastman's hydrogen plants produce hydrogen gas via steam reforming of methane. Natural gas and steam are fed to each reactor, and hydrogen is produced by the following reactions:

$$CH_4 + H_2O \rightarrow CO + 3H_2$$
$$CO + H_2O \rightarrow CO_2 + H_2$$

Natural gas and fuel gas (a mixture of methane, methanol, and other VOCs) are burned to supply heat to the reactors, and a small quantity of SO_2 is emitted as a result of fuel combustion. No add-on controls are used to reduce SO_2 emissions.

Application Information: Title V Operating Permit 576162, application dated January 18, 2019, pages 2, 3, 4, 5, 7, 8, 9, 10, 11, 12, 13, 14, and 15 of section PES H2 Plants.

Hourly and Annual Emission Rates: The hydrogen plants have a maximum uncontrolled emission rate of 0.219 lb/hr, which is 0.013% of the hourly emission rate modeled in run 2022-0129-7 (1694.95 lb/hr). The hourly emission rate corresponds to annual emissions of 0.96 tons/year at unlimited operation, which is 0.028% of the 2022 facility emissions (3,368.1 tons/year) and 0.013% of the facility's projected 2037 emissions (7,339.1 tons/year). Compliance with these emission rates is based upon the design heat input capacity of the hydrogen plants and on fuel usage restrictions, and no controls are used to limit SO_2 emissions from the source.

Modeled Impact: Hydrogen Plants 3, 4, and 5 were modeled separately from Hydrogen Plant 6. The modeled impact of Hydrogen Plants 3, 4, and 5 was assessed using the worst-case run (2022-0927-07), and the overall impact (0.072 μg/m^3) was low (0.038%) relative to the overall impact (all modeled sources) of 189.3 μg/m^3. The modeled impact was also low relative to the NAAQS (75 ppb, calculated for modeling purposes as 196.5 μg/m^3), with a modeled impact of only 0.038% of the NAAQS. As an additional check on the impact of this source, Tennessee considered the impact of the source on modeled receptors where the overall impact was greater than 75% of the NAAQS (i. e., all receptors where the modeled impact of all emission sources was greater than 147.38 μg/m^3), and the modeled impact of the Hydrogen Plants 3, 4, and 5 was slightly lower at 0.037% of the NAAQS.

The modeled impact of the Hydrogen Plant 6 was assessed using the worst-case run (2022-0927-07), and the overall impact (0.019 μg/m^3) was low (0.010%) relative to the overall impact (all modeled sources) of 189.3 μg/m^3. The modeled impact was also low relative to the NAAQS (75 ppb, calculated for modeling purposes as 196.5 μg/m^3), with a modeled impact of only 0.010% of the NAAQS. As an additional check on the impact of this source, Tennessee considered the impact of the source on modeled receptors where the overall impact was greater than 75% of the NAAQS (i. e., all receptors where the modeled impact of all emission sources was greater than 147.38 μg/m^3), and the modeled impact of Hydrogen Plant 6 remained unchanged at 0.010% of the NAAQS.

Design capacity, ability of the source to increase its emission rate through changes in design capacity or burning of alternate fuels: The design heat input of capacities of Hydrogen Plants 3, 4, 5, and 6 are protected as confidential business information, and the design heat input capacities were submitted to U. S. EPA for direct review. The hydrogen plants are not permitted to burn alternative fuels, and the application indicates no capacity to store, feed, or burn other fuels.

Tennessee concludes that adoption of enforceable limits for these sources into the SIP is not necessary or appropriate to meet the applicable requirements of the Act for redesignation based upon the minimal SO_2 emissions from the hydrogen plants, the negligible impact of the hydrogen plants upon modeled attainment, and the inability of the facility to modify the sources in a manner that would increase SO_2 emissions through increases in the design capacity or combustion of alternative fuels. The fuel usage and design capacity restrictions identified in this section are inherent to the design of the source, and the permit imposes no additional restrictions that would limit the source's maximum hourly emission rate.

MSOP-26 Gas-Fired Auxiliary Boilers (PES B-423-1)

Boilers 32, 33, and 34 were constructed in 1991 and are used as backup units to generate steam during planned or unplanned outages of the B-83, B-253, or B-325 powerhouses. Condition 13 of PSD construction permit 955445F (issued June 1, 2002) allows only natural gas to be used as fuel for the boilers. No add-on controls are used to reduce SO_2 emissions.

Application Information: Title V Operating Permit 576501, application dated February 14, 2020, pages 2, 3, 4, 5, 6, and 7 of section PES B-423-1.

Hourly and Annual Emission Rates: Collectively, these three boilers have a maximum uncontrolled emission rate of 0.399 lb/hr (0.133 lb/hr for each boiler), which is 0.024% of the hourly emission rate modeled in run 2022-0129-7 (1694.95 lb/hr). The hourly emission rate corresponds to annual emissions of 1.75 tons/year at unlimited operation, which is 0.052% of the 2022 facility emissions (3,368.1 tons/year) and 0.024% of the facility's projected 2037 emissions (7,339.1 tons/year). Compliance with this emission rate is based upon the design heat input capacity of the boilers and fuel usage restrictions, and no controls are used to limit SO_2 emissions from the boilers.

Modeled Impact: The modeled impact of Boilers 32, 33, and 34 was assessed using the worst-case run (2022-0927-07), and the overall impact (1.38 $\mu g/m^3$) was low (0.73%) relative to the overall impact (all modeled sources) of 189.3 $\mu g/m^3$. The modeled impact was also low relative to the NAAQS (75 ppb, calculated for modeling purposes as 196.5 $\mu g/m^3$), with a modeled impact of only 0.70% of the NAAQS. As an additional check on the impact of this source, Tennessee considered the impact of the source on modeled receptors where the overall impact was greater than 75% of the NAAQS (i. e., all receptors where the modeled impact of all emission sources was greater than 147.38 $\mu g/m^3$), and the modeled impact of the boilers remained unchanged at 0.70% of the NAAQS.

Design capacity, ability of the source to increase its emission rate through changes in design capacity or burning of alternate fuels: The design heat input of each boiler is 226 MMBtu/hr, and the PSD construction permit allows only natural gas to be burned as fuel for the source.

Tennessee concludes that adoption of enforceable limits for these sources into the SIP is not necessary or appropriate to meet the applicable requirements of the Act for redesignation based upon the minimal SO_2 emissions from the boilers, the negligible impact of the boilers upon modeled attainment, and the inability of the facility to modify the sources in a manner that would increase SO_2 emissions through increases in the design capacity or combustion of alternative fuels. The fuel usage and design capacity restrictions identified in this section are inherent to the design of the source, and the permit imposes no additional restrictions that would limit the source's maximum hourly emission rate.

MSOP-27 Burnout Oven (PES B-190-1)

Eastman's plastics compounding facility (B-190-1) includes a dual-chamber oven, which is used for cleaning of metal parts. Natural gas is the only fuel used for the oven, and no add-on controls are used to reduce SO_2 emissions.

Application Information: Title V Operating Permit 574985, application dated September 19, 2018, pages 2, 3, 9, 15, C-12, C-20, C-21 of section PES B-190-1.

Hourly and Annual Emission Rates: The oven has a maximum uncontrolled emission rate of 0.00021 lb/hr, which is 0.00001% of the hourly emission rate modeled in run 2022-0129-7 (1694.95 lb/hr). The hourly emission rate corresponds to annual emissions of 0.00090 tons/year at unlimited operation, which is 0.0003% of the 2022 facility emissions (3,368.1 tons/year) and 0.002% of the facility's projected 2037 emissions (7,339.1 tons/year). Compliance with these emission rates is based upon the design heat input capacity of the process heaters and control device and on fuel usage restrictions, and no controls are used to limit SO_2 emissions from the furnaces.

Modeled Impact: The modeled impact of the parts cleaning oven was assessed using the worst-case run (2022-0927-07), and the overall impact (0.20 µg/m^3) was low (0.11%) relative to the overall impact (all modeled sources) of 189.3 µg/m^3. The modeled impact was also low relative to the NAAQS (75 ppb, calculated for modeling purposes as 196.5 µg/m^3), with a modeled impact of only 0.10% of the NAAQS. As an additional check on the impact of this source, Tennessee considered the impact of the source on modeled receptors where the overall impact was greater than 75% of the NAAQS (i. e., all receptors where the modeled impact of all emission sources was greater than 147.38 µg/m^3), and the modeled impact of the HTM furnaces remained unchanged at 0.10% of the NAAQS.

Design capacity, ability of the source to increase its emission rate through changes in design capacity or burning of alternate fuels: The design heat input of the oven is 0.35 MMBtu/hr. The oven is not permitted to burn alternative fuels, and the application indicates no capacity to store, feed, or burn other fuels.

Tennessee concludes that adoption of enforceable limits for this source into the SIP is not necessary or appropriate to meet the applicable requirements of the Act for redesignation based upon the minimal SO_2 emissions from the oven, the negligible impact of the oven upon modeled attainment, and the inability of the facility to modify the sources in a manner that would increase SO_2 emissions through increases in the design capacity or combustion of alternative fuels. The fuel usage and design capacity restrictions identified in this section are inherent to the design of the source, and the permit imposes no additional restrictions that would limit the source's maximum hourly emission rate.

MSOP-31 HTM Furnaces (PES B-265B-1)

Eastman Chemical Company's Heat Transfer Media (HTM) furnaces use natural gas to heat a circulating heat transfer fluid (e. g., Dowtherm) for circulation through the facility's manufacturing processes. These furnaces were installed in 1957 (Furnace SM-02) and 1986 (Furnace SM-01).

Application Information: Title V Operating Permit 576485, application dated October 11, 2019, pages 4, 5, 6, and 7 of section PES B-265B-1.

Hourly and Annual Emission Rates: The MSOP-31 furnaces have a maximum uncontrolled emission rate of 0.0065 lb/hr (combined total for both furnaces), which is 0.00039% of the hourly emission rate modeled in run 2022-0129-7 (1694.95 lb/hr). The hourly emission rate corresponds to annual emissions of 0.029 tons/year at unlimited operation, which is 0.0085% of the 2022 facility emissions (3,368.1 tons/year) and 0.00039% of the facility's projected 2037 emissions (7,339.1 tons/year). Compliance with these emission rates is based upon the design heat input capacity of the furnaces and fuel usage restrictions, and no controls are used to limit SO_2 emissions from the furnaces.

Modeled Impact: The modeled impact of the HTM furnaces was assessed using the worst-case run (2022-0927-07), and the overall impact (0.020 µg/m^3) was low (0.011%) relative to the overall impact (all modeled sources) of 189.3 µg/m^3. The modeled impact was also low relative to the NAAQS (75 ppb, calculated for modeling purposes as 196.5 µg/m^3), with a modeled impact of only 0.010% of the NAAQS. As an additional check on the impact of this source, Tennessee considered the impact of the source on modeled receptors where the overall impact was greater than 75% of the NAAQS (i. e., all receptors where the modeled impact of all emission sources was greater than 147.38 µg/m^3), and the modeled impact of the HTM furnaces remained unchanged at 0.010% of the NAAQS.

Design capacity, ability of the source to increase its emission rate through changes in design capacity or burning of alternate fuels: The design heat input of Furnace SM-01 is 4.9 MMBtu/hr, and the design heat input of Furnace SM-02 is 6.2 MMBtu/hr. The HTM furnaces are not permitted to burn alternative fuels, and the application indicates no capacity to store, feed, or burn other fuels.

Tennessee concludes that adoption of enforceable limits for these sources into the SIP is not necessary or appropriate to meet the applicable requirements of the Act for redesignation based upon the minimal SO_2 emissions from the furnaces, the negligible impact of these sources upon modeled attainment, and the inability of the facility to modify the sources in a manner that would increase SO_2 emissions through increases in the design capacity or combustion of alternative fuels. The fuel usage and design capacity restrictions identified in this section are inherent to the design of the source, and the permit imposes no additional restrictions that would limit the source's maximum hourly emission rate.

MSOP-34 Control Devices for TPA/IPA Production (PES B-232-1)

Eastman's organic acids process unit produces terephthalic acid (TPA) and isophthalic acid (IPA) via the oxidation of para-xylene and meta-xylene, respectively. The process vents are subject to the requirements of 40 CFR 63 Subpart G (National Emission Standards for Hazardous Air Pollutants From the Synthetic Organic Chemical Manufacturing Industry for Process Vents, Storage Vessels, Transfer Operations, and Wastewater), and the process contains halogenated Group 1 process vents (reduce organic HAP emissions by 98% or to an outlet concentration of 20 ppmv, reduce emissions of halogens and hydrogen halides by 95% or to less than 0.45 kg/hr (**Table 4**). The VOC/HAP control devices burn natural gas as fuel. While all three process vents use a wet scrubber as the final control device, SO_2 emissions were based on the pre-control emission rate, and no SO_2 removal was assumed for the scrubbers.

Table 4: Control Devices for TPA/IPA Process Unit (MSOP-32)

Vent ID	VOC/HAP Control Device	Halogen Control Device
UA	Catalytic Oxidizer	Wet Scrubber
UB	Regenerative Thermal Oxidizer	Wet Scrubber
UC	Catalytic Oxidizer	Wet Scrubber

Application Information: Title V Operating Permit 576931, application dated April 14, 2022, pages 18, 19, 20, 39, 40, and 41 of section PES B-232-1.

Hourly and Annual Emission Rates: The MSOP-34 control devices have a maximum uncontrolled emission rate of 0.012 lb/hr (combined total for all three control devices), which is 0.00071% of the hourly emission rate modeled in run 2022-0129-7 (1694.95 lb/hr). The hourly emission rate corresponds to annual emissions of

0.053 tons/year at unlimited operation, which is 0.0016% of the 2022 facility emissions (3,368.1 tons/year) and 0.00072% of the facility's projected 2037 emissions (7,339.1 tons/year). Compliance with these emission rates is based upon the design heat input capacities of the control devices and fuel usage restrictions. While some SO_2 removal occurs in the wet scrubbers, the modeling of these sources assumed that no controls are used to limit SO_2 emissions from the process vents.

Modeled Impact: The modeled impact of the HTM furnaces was assessed using the worst-case run (2022-0927-07), and the overall impact (0.0085 µg/m^3) was low (0.005%) relative to the overall impact (all modeled sources) of 189.3 µg/m^3. The modeled impact was also low relative to the NAAQS (75 ppb, calculated for modeling purposes as 196.5 µg/m^3), with a modeled impact of only 0.005% of the NAAQS. As an additional check on the impact of this source, Tennessee considered the impact of the source on modeled receptors where the overall impact was greater than 75% of the NAAQS (i. e., all receptors where the modeled impact of all emission sources was greater than 147.38 µg/m^3), and the modeled impact of the control devices was slightly lower at 0.004% of the NAAQS.

Design capacity, ability of the source to increase its emission rate through changes in design capacity or burning of alternate fuels: The design heat input of each control device is shown in **Table 5**. The MSOP-34 control devices are not permitted to burn alternative fuels, and the application indicates no capacity to store, feed, or burn other fuels.

Table 5: Design Heat Input of MSOP-34 Control Devices

Description	Design Heat Input (MMBtu/hr)
Vent UA Catalytic Oxidizer	3.26
Vent UB Regenerative Thermal Oxidizer	13.57
Vent UC Catalytic Oxidizer	3.26

Tennessee concludes that adoption of enforceable limits for these sources into the SIP is not necessary or appropriate to meet the applicable requirements of the Act for redesignation based upon the minimal SO_2 emissions from the catalytic oxidizers and regenerative thermal oxidizer, the negligible impact of these sources upon modeled attainment, and the inability of the facility to modify the sources in a manner that would increase SO_2 emissions through increases in the design capacity or combustion of alternative fuels. The fuel usage and design capacity restrictions identified in this section are inherent to the design of the source, and the permit imposes no additional restrictions that would limit the source's maximum hourly emission rate.

MSOP-36 Methanolysis Plant Furnace (PES B-655-1)

Eastman's methanolysis plant processes polyethylene terephthalate (PET) waste from an upstream process unit to recover the corresponding monomers (dimethyl terephthalate and ethylene glycol). The source includes a natural gas-fired HTM furnace, which is also used to control VOC and organic HAP emissions from the process unit.

Application Information: Construction permit 981591, application dated August 3, 2023, pages 2, 3, and 4 of section PES B-655-1.

Hourly and Annual Emission Rates: The methanolysis plant furnace has a maximum uncontrolled emission rate of 0.099 lb/hr, which is 0.00058% of the hourly emission rate modeled in run 2022-0129-7 (1694.95 lb/hr). The hourly emission rate corresponds to annual emissions of 0.029 tons/year at unlimited operation, which is 0.013% of the 2022 facility emissions (3,368.1 tons/year) and 0.0059% of the facility's projected 2037 emissions (7,339.1 tons/year). Compliance with these emission rates is based upon the design heat input capacity of the furnaces and fuel usage restrictions, and no controls are used to limit SO_2 emissions from the furnace.

Modeled Impact: The modeled impact of the methanolysis plant furnace was assessed using the worst-case run (2022-0927-07), and the impact (0.067 µg/m^3) was low (0.035%) relative to the overall impact (all modeled sources) of 189.3 µg/m^3. The modeled impact was also low relative to the NAAQS (75 ppb, calculated for modeling purposes as 196.5 µg/m^3), with a modeled impact of only 0.034% of the NAAQS. As an additional check on the impact of this source, Tennessee considered the impact of the source on modeled receptors where the overall impact was greater than 75% of the NAAQS (i. e., all receptors where the modeled impact of all emission sources was greater than 147.38 µg/m^3), and the modeled impact of the HTM furnaces remained unchanged at 0.034% of the NAAQS.

Design capacity, ability of the source to increase its emission rate through changes in design capacity or burning of alternate fuels: The design heat input of the furnace is 169 MMBtu/hr. The methanolysis plant furnace is not permitted to burn alternative fuels, and the application indicates no capacity to store, feed, or burn other fuels.

Tennessee concludes that adoption of enforceable limits for this source into the SIP is not necessary or appropriate to meet the applicable requirements of the Act for redesignation based upon the minimal SO_2 emissions from the furnaces, the negligible impact of these sources upon modeled attainment, and the inability of the facility to modify the sources in a manner that would increase SO_2 emissions through increases in the design capacity or combustion of alternative fuels. The fuel usage and design capacity restrictions identified in this section are inherent to the design of the source, and the permit imposes no additional restrictions that would limit the source's maximum hourly emission rate.

IV. Other Process Emission Sources

MSOP-10 TBHQ Production (PES B-90-7)

MSOP-10 includes a process for the manufacture of t-butyl hydroquinone (TBHQ) by the reaction of hydroquinone with proprietary ingredients, and a small quantity of SO_2 is produced by the reaction. The application states that a stoichiometric amount of SO_2 is added to the process[6], and the SO_2 emission rate is based on the current production rate.

Application Information: Title V Operating Permit 573610, application dated September 13, 2019, pages 6, 8, C-5, C-6, C-7, C-8, and C-9 of section PES B-90-7.

Hourly and Annual Emission Rates: The TBHQ process has a maximum uncontrolled emission rate of 0.03 lb/hr, which is 0.00018% of the hourly emission rate modeled in run 2022-0129-7 (1694.95 lb/hr). The hourly

[6] SO2 is not added directly but is generated *in situ* by the addition of another reagent.

emission rate corresponds to annual emissions of 0.13 tons/year at unlimited operation, which is 0.004% of the 2022 facility emissions (3,368.1 tons/year) and 0.0018% of the facility's projected 2037 emissions (7,339.1 tons/year). Compliance with emission rates is based upon the maximum TBHQ production rate and the addition of stoichiometric quantity of SO_2 to the reaction mixture (i. e., all of the added sulfur dioxide is reacted rather than emitted).

Modeled Impact: The modeled impact of the TBHQ process was assessed using the worst-case run (2022-0927-07), and the impact (0.31 µg/m^3) was low (0.17%) relative to the overall impact (all modeled sources) of 189.3 µg/m^3. The modeled impact was also low relative to the NAAQS (75 ppb, calculated for modeling purposes as 196.5 µg/m^3), with a modeled impact of only 0.16% of the NAAQS. As an additional check on the impact of this source, Tennessee considered the impact of the source on modeled receptors where the overall impact was greater than 75% of the NAAQS (i. e., all receptors where the modeled impact of all emission sources was greater than 147.38 µg/m^3), and the modeled impact of the HTM furnaces remained unchanged at 0.16% of the NAAQS.

Design capacity, ability of the source to increase its emission rate: The design capacity of the TBHQ process is protected as confidential business information, and the supporting information was submitted to U. S. EPA for direct review. As noted above, the emission rate is based on stoichiometric addition of SO_2 to the process and the allowance of sufficient mixing time to ensure that all SO_2 is reacted.

Tennessee concludes that adoption of enforceable limits for this source into the SIP is not necessary or appropriate to meet the applicable requirements of the Act for redesignation based upon the minimal SO_2 emissions from the furnaces, the negligible impact of these sources upon modeled attainment, and the inability of the facility to modify the sources in a manner that would increase SO_2 emissions. The fuel usage and design capacity restrictions identified in this section are inherent to the design of the source, and the permit imposes no additional restrictions that would limit the source's maximum hourly emission rate.

MSOP-10 BHA Production (PES B-90B-1)

The current Title V permit for MSOP-10 (573610) includes a process for the manufacture of butylated hydroxyanisole (BHA), but Eastman submitted a Title V renewal application (581022) dated January 10, 2023, which indicates that BHA is no longer in production. This source will be removed in the facility's next Title V renewal.

MSOP-17 Fugitive Equipment Leaks, Acid Gas Removal and Sulfur Recovery (PES B-334-1)

Title V Operating Permit 572407 (MSOP-17) requires a leak inspection of all equipment in sulfur dioxide service (piping, pumps, compressors, pressure relief devices, sampling connection systems, open-ended valves or lines, valves, and flanges that contain or contact a process fluid that is at least 10% SO_2 by weight, excluding equipment in heavy liquid service[7] or in vacuum service[8]) to be performed once per calendar year using audible, visual, and olfactory (AVO) methods as appropriate. Eastman's permit application estimates 1.30

[7] "In heavy liquid service" means when less than 20 weight percent of the process fluid consists of air contaminants having pure component vapor pressures greater than 0.044 psia at 68 degrees F, and the process fluid is not in the gaseous state at operating conditions.

[8] "In vacuum service" means equipment that is operating at an internal pressure which is at least 0.7 psia below ambient pressure.

tons/year of fugitive SO_2 emissions, and the annual emissions are estimated based on average emission factors developed by U. S. EPA or site-specific factors developed by Eastman Chemical Company, and on the equipment counts for different release points in SO_2 service (**Table 6**).

Table 6: MSOP-17 Fugitive Emission Sources (PES B-334-1)	
Equipment Type	**Equipment Count**
Valves in gas/vapor service	166
Connectors in gas/vapor or light liquid service	780
Compressors in gas/vapor service	1
Open-ended lines	4

Application Information: Title V Operating Permit 572407, application dated May 5, 2022, page C-19 of section PES B-334-1.

Hourly and Annual Emission Rates: Annual SO_2 emissions from fugitive equipment leaks are estimated as 1.45 tons/year based on emission factors developed by Eastman Chemical Company[9]. Estimated annual emissions from fugitive equipment leaks equate to an hourly emission rate of 0.33 lb/hr (0.042 g/s)[10].

Modeled Impact: The modeled impact of the coal gasification fugitive emissions was assessed using the worst-case run (2022-0927-07), and the impact (1.35 µg/m^3) was low (0.71%) relative to the overall impact (all modeled sources) of 189.3 µg/m^3. The modeled impact was also low relative to the NAAQS (75 ppb, calculated for modeling purposes as 196.5 µg/m^3), with a modeled impact of only 0.69% of the NAAQS. As an additional check on the impact of this source, Tennessee considered the impact of the source on modeled receptors where the overall impact was greater than 75% of the NAAQS (i. e., all receptors where the modeled impact of all emission sources was greater than 147.38 µg/m^3), and the modeled impact of the HTM furnaces remained unchanged at 0.69% of the NAAQS.

Design capacity, ability of the source to increase its emission rate: Fugitive equipment leaks are quantified in the modeling because even a well-maintained process unit can experience leaking through pumps, valves, flanges, compressors, and other equipment, but fugitive equipment leaks cannot be quantified through traditional design capacity methods – when fugitive emission points are added to the process, the equipment leak rate will vary from zero (well-maintained, regularly monitored equipment) to a high emission rate (excess emissions due to a serious malfunction event).

Tennessee reviewed the last five years of equipment leak inspections, as summarized in Eastman's Title V semiannual reports (**Table 7**) and found that Eastman had identified no leaking equipment in the acid gas removal and sulfur recovery processes during that period. Tennessee concludes that adoption of enforceable limits for this source into the SIP is not necessary or appropriate to meet the applicable requirements of the Act for redesignation based upon the minimal SO_2 emissions from the furnaces, the negligible impact of these

[9] The application states that these emission factors were developed from a 1994/1995 screening study based on EPA Method 21 screening and correlation equation methodology (EPA-453/R-93-026, "Protocol for Equipment Leak Emission Estimates", June 1993).

[10] Fugitive equipment leaks are modeled as a rectangular area source with length X of 1353.312 m, Length Y of 1792.224 m, and a rotation angle of 89 degrees relative to north-south orientation, and AERMOD modeled an emission rate of 1.72 x 10^{-8} g/s per square meter of area (0.042 g/s divided by the area dimensions).

sources upon modeled attainment, and the inability of the facility to modify the sources in a manner that would increase SO_2 emissions.

Table 7: MSOP-17 Summary of Equipment Leak Monitoring	
Semiannual Reporting Period	**Number of Leaks Identified**
July 1 through December 31, 2024	0
January 1 through June 30, 2024	0
July 1 through December 31, 2023	0
January 1 through June 30, 2023	0
July 1 through December 31, 2022	0
January 1 through June 30, 2022	0
July 1 through December 31, 2021	0
January 1 through June 30, 2021	0
July 1 through December 31, 2020	0
January 1 through June 30, 2020	0

V. #2 Oil-Fired Emergency Engines (MSOP-11, MSOP-29, MSOP-32)

Eastman operates two fire pump engines and six emergency engines that are fueled by No. 2 fuel oil and are used in different locations throughout the plant for backup power or emergency response (**Table 8**).

Table 8: No. 2 Oil-Fired Engines				
MSOP	**PES**	**Description**	**Design Heat Input (MMBtu/hr)**	**Max. Uncontrolled SO_2 Emission Rate (lb/hr)**
11	RICE-2	B-63 Fire Pump	1.78	2.70E-03
11	RICE-2	B-269 Fire Pump	1.3	1.97E-03
29	RICE-1	B-456 Emergency Engine (Vent A)	3.79	5.76E-03
29	RICE-1	B-310 Emergency Engine (Vent H)	1.18	1.79E-03
29	RICE-1	B-300 Emergency Engine (Vent I)	0.09	1.37E-04
29	RICE-1	B-54D Emergency Engine (Vent K)	2.21	3.36E-03
29	RICE-1	B-280 Emergency Engine (Vent P)	0.55	8.35E-04
32	RICE-3	B-427 Emergency Engine	2.79	4.24E-03

Application Information (MSOP-11): Title V Operating Permit 573592, application dated August 27, 2018, pages 2, 3, 4, and 5 of section PES-RICE-2.

Application Information (MSOP-29): Title V Operating Permit 574111, application dated December 18, 2019, pages 2, 8, 9, 11, 15, 21, 22, 24, and 27 of section PES-RICE-1.

Application Information (MSOP-32): Title V Operating Permit 576926, application dated May 24, 2019, pages 2 and 3 of section PES-RICE-3.

Hourly and Annual Emission Rates: Collectively, these engines have a maximum uncontrolled emission rate of 0.021 lb/hr, which is 0.0012% of the hourly emission rate modeled in run 2022-0129-7 (1694.95 lb/hr). The

hourly emission rate corresponds to annual emissions of 0.092 tons/year at unlimited operation, which is 0.0027% of the 2022 facility emissions (3,368.1 tons/year) and 0.027% of the facility's projected 2037 emissions (7,339.1 tons/year). Compliance with this emission rate is based upon the design heat input capacity of the engines and fuel usage restrictions[11], and no controls are used to limit SO_2 emissions from the boilers.

Modeled Impact: The modeled impact of the engines was assessed using the worst-case run (2022-0927-07), and the overall impacts (0.00928 μg/m^3 for the fire pump engines and 0.00972 μg/m^3 for the emergency engines) were low (0.005% for both the fire pump engines and the emergency engines) relative to the overall impact (all modeled sources) of 189.3 μg/m^3. The modeled impact was also low relative to the NAAQS (75 ppb, calculated for modeling purposes as 196.5 μg/m^3), with a modeled impact of only 0.005% of the NAAQS for both the fire pump engines and emergency engines. As an additional check on the impact of this source, Tennessee considered the impact of the source on modeled receptors where the overall impact was greater than 75% of the NAAQS (i. e., all receptors where the modeled impact of all emission sources was greater than 147.38 μg/m^3)[12], and the modeled impact of the boilers remained unchanged at 0.005% of the NAAQS (both sources).

Design capacity, ability of the source to increase its emission rate through changes in design capacity or burning of alternate fuels: Stationary engines are package units that are not easily modified (you would buy a new unit rather than increase the capacity of an existing unit). Compression ignition (CI) engines ignite the fuel via the heat generated from compression of the combustion air rather than from an external source (e. g., a spark plug) and are generally designed to burn No. 2 oil rather than residual oil (No. 4, 5, or 6 fuel oils) or lighter hydrocarbons (natural gas, gasoline, or No. 1 fuel oil). Beginning in 2006, EPA phased in new sulfur content requirements for onroad and nonroad diesel fuel, and after 2014, all onroad and nonroad diesel sold in the United States must be ultra-low sulfur diesel (15 parts per million by weight)[13].

Tennessee concludes that adoption of enforceable limits for these sources into the SIP is not necessary or appropriate to meet the applicable requirements of the Act for redesignation based upon the minimal SO_2 emissions from the boilers, the negligible impact of the boilers upon modeled attainment, and the inability of the facility to modify the engines in a manner that would increase SO_2 emissions through increases in the design capacity or combustion of alternative fuels. The fuel usage and design capacity restrictions identified in this section are inherent to the design of the source, and the permit imposes no additional restrictions that would limit the source's maximum hourly emission rate.

[11] 40 CFR §1090.305 requires diesel fuel to meet the ultra-low sulfur diesel per-gallon standards, including a maximum sulfur content of 15 ppm.

[12] Tennessee reviewed the impact of each source on modeled receptors greater than 75% of the NAAQS because the effect of SO_2 emissions is not uniform throughout the nonattainment area, and a small emission source may need to be included in the SIP if it's air quality impact occurs disproportionately in areas with higher concentrations of SO_2 in the ambient air.

[13] See 40 CFR §1090.305.

Attachment L
Public Participation

Table of Contents for Attachment L

Attachment L1	Public Hearing Notice
Attachment L2	Public Participation E-mails
Attachment L3	Public Hearing Sign-In Sheet
Attachment L4	Public Hearing Presentation
Attachment L5	Public Hearing Transcript

Attachment L1
Public Hearing Notice

NOTICE OF HEARING

TENNESSEE DEPARTMENT OF ENVIRONMENT AND CONSERVATION
DIVISION OF AIR POLLUTION CONTROL
DAVY CROCKETT TOWER
500 JAMES ROBERSTON PARKWAY, 7th FLOOR
NASHVILLE, TENNESSEE 37243
PHONE: (615) 532-0554 FAX: (615) 532-0614

NOTICE IS HEREBY GIVEN, the Division of Air Pollution Control will hold a public hearing pursuant to Tennessee Code Annotated, Section 68-201-105

Location: Davy Crockett Tower, 7th Floor Conference Room D, 500 James Robertson Parkway, Nashville, Tennessee

Date: March 26, 2025

Public Hearing: 10:00 AM Central Time

There will be a public hearing before the Technical Secretary of the Tennessee Air Pollution Control Board to consider a proposed State Implementation Plan (SIP) revision under the authority of Tennessee Code Annotated, Section 68-201-105. Tennessee is proposing a SIP revision to request the redesignation of the portion of Sullivan County encompassing a circle having its center at coordinates 36.5186 N; 82.5350 W (B-253 powerhouse, Eastman Chemical Company), and having a three-kilometer radius from nonattainment to attainment for the one-hour sulfur dioxide (SO_2) National Ambient Air Quality Standard (NAAQS).

Tennessee proposes to demonstrate in the SIP revision that the area has attained the SO_2 NAAQS based on permanent and enforceable emission reductions resulting from implementation of the applicable implementation plan and applicable Federal air pollutant control regulations and other permanent and enforceable reductions. Tennessee has also prepared an emissions inventory, which indicates declining SO_2 emissions and demonstrates that the region is likely to remain in attainment of the NAAQS in the future. The redesignation request includes contingency measures that may be put into place to correct NAAQS exceedances that could occur after redesignation of the area to attainment.

HEARING INFORMATION

The hearing will take place at the location, date, and time indicated above. All persons interested in the air quality of the State of Tennessee are urged to attend and will be afforded the opportunity to present testimony to the hearing officer regarding the draft general permit. Anyone desiring to make oral comments at this public hearing is requested to prepare a written copy of their comments to be submitted to the hearing officer at the public hearing. The hearing officer may limit the length of oral comments in order to allow all parties an opportunity to speak, and will require that all comments be relevant to the draft general permit.

Written statements not presented at the hearing will only be considered part of the record if received by close of business on **March 26, 2025**, at the office of the Technical Secretary, Tennessee Division of Air Pollution Control, 312 Rosa L. Parks Avenue, 15th Floor, William R. Snodgrass Tennessee Tower, Nashville, TN 37243. To assure that written comments are received and addressed in a timely manner, written comments must be submitted using one of the following methods:

1. **Mail, private carrier, or hand delivery:** Address written comments to Michelle Owenby, Division of Air Pollution Control, William R. Snodgrass Tennessee Tower, 312 Rosa L. Parks Avenue 15th Floor, Nashville, Tennessee 37243.

2. **E-mail**: Submit electronic comments to air.pollution.control@tn.gov.

A final determination will be made after weighing all relevant comments.

Individuals with disabilities who wish to participate in these proceedings (or review the file record) should contact TDEC to discuss any auxiliary aids or services needed to facilitate such participation. Contact may be in person, by writing, telephone, or other means, and should be made no less than ten working days prior to **March 26, 2025**, to allow time to provide such aid or services. Contact the ADA Coordinator (1-866-253-5827) for further information. Hearing impaired callers may use the Tennessee Relay Service (1-800-848-0298). If you have any questions about the draft general permit, you may contact Mr. Travis Blake by phone at (615) 306-1990 or by e-mail at travis.blake@tn.gov.

HEARING OPTIONS

This is a hybrid hearing. You may attend the hearing in person at the following location: **Davy Crockett Tower, 7th Floor Conference Room D, 500 James Robertson Parkway, Nashville, Tennessee**

Or you may attend online via Microsoft Teams (see log-in and call-in information below):

Microsoft Teams Need help?
Join the meeting now
Meeting ID: 215 071 637 166
Passcode: i6S8eq37

Dial in by phone
+1 629-209-4396,,483127615# United States, Triune
Find a local number
Phone conference ID: 483 127 615#
Join on a video conferencing device
Tenant key: stateoftn@m.webex.com
Video ID: 112 015 701 5
More info
For organizers: Meeting options | Reset dial-in PIN

Attachment L2
Public Participation E-mails

Travis Blake

From: Donna F. Brown
Sent: Thursday, February 13, 2025 7:55 AM
To: Jimmy West; Chunrong Jia (cjia); Hawkins, Shawn; Amy Spann; ketheridge@packagingcorp.com; Caitlin Roberts Jennings; Larry Waters; Cindy Hattingh; JOHN BENITEZ; JOHN BENITEZ; Ken Moore; mike.haverstick@nissan-usa.com; Larry Waters; Kalyn Helton; Tara Pedraza; Dr. Joshua Fu; stephenmoore; ramosnicholas@bfusa.com
Cc: Travis Blake; Daina L. Burks
Subject: FW: Notification to APC Board - Sullivan County Redesignation

Good morning APC Board members,

There will be a public hearing before the Technical Secretary of the Tennessee Air Pollution Control Board to consider a proposed State Implementation Plan (SIP) revision under the authority of Tennessee Code Annotated, Section 68-201-105. Tennessee is proposing a SIP revision to request the redesignation of the portion of Sullivan County encompassing a circle having its center at coordinates 36.5186 N; 82.5350 W (B-253 powerhouse, Eastman Chemical Company), and having a three-kilometer radius from nonattainment to attainment for the one-hour sulfur dioxide (SO_2) National Ambient Air Quality Standard (NAAQS). Tennessee proposes to petition the U. S. EPA for redesignation of the Sullivan County one-hour sulfur dioxide nonattainment area to attainment based on an attaining three-year design value for the period 2020-2022 and upon air dispersion modeling that demonstrates future maintenance of the NAAQS.

A copy of the redesignation request is available for review at the following link: https://www.tn.gov/content/dam/tn/environment/air/documents/publicnotices/apc_ppo-sullivan-county-so2-redesignation.pdf. If you have any questions about this document, please contact Travis Blake at (615) 306-1990 or via e-mail at travis.blake@tn.gov.

Travis J. Blake | Environmental Fellow
Division of Air Pollution Control
Davy Crockett Tower, 7th Floor
500 James Robertson Parkway, Nashville, TN 37243
I have a new number: (615) 306-1990
travis.blake@tn.gov
tn.gov/environment

We value your opinion. Please take a few minutes to complete our customer satisfaction survey.

Travis Blake

From: Travis Blake
Sent: Tuesday, February 11, 2025 7:41 PM
To: Stephen D Moore; MCNEIL, Brad
Subject: Notice of Public Hearing - Redesignation Request for Sullivan County SO2 Nonattainment Area

There will be a public hearing before the Technical Secretary of the Tennessee Air Pollution Control Board to consider a proposed State Implementation Plan (SIP) revision under the authority of Tennessee Code Annotated, Section 68-201-105. Tennessee is proposing a SIP revision to request the redesignation of the portion of Sullivan County encompassing a circle having its center at coordinates 36.5186 N; 82.5350 W (B-253 powerhouse, Eastman Chemical Company), and having a three-kilometer radius from nonattainment to attainment for the one-hour sulfur dioxide (SO_2) National Ambient Air Quality Standard (NAAQS). Tennessee proposes to petition the U. S. EPA for redesignation of the Sullivan County one-hour sulfur dioxide nonattainment area to attainment based on an attaining three-year design value for the period 2020-2022 and upon air dispersion modeling that demonstrates future maintenance of the NAAQS.

A copy of the redesignation request is available for review at the following link: https://www.tn.gov/content/dam/tn/environment/air/documents/publicnotices/apc_ppo-sullivan-county-so2-redesignation.pdf. Please contact me if you have any questions about this submittal.

Travis J. Blake | Environmental Fellow
Division of Air Pollution Control
Davy Crockett Tower, 7th Floor
500 James Robertson Parkway, Nashville, TN 37243
I have a new number: (615) 306-1990
travis.blake@tn.gov
tn.gov/environment

We value your opinion. Please take a few minutes to complete our customer satisfaction survey.

Travis Blake

From: Travis Blake
Sent: Tuesday, February 11, 2025 8:40 PM
To: Kennedy, Michael (EEC); michael.dowd@deq.virginia.gov; Abraczinskas, Michael
Subject: Notice of Public Hearing - Redesignation Request for Sullivan County SO2 Nonattainment Area (Affected State Notification)

There will be a public hearing before the Technical Secretary of the Tennessee Air Pollution Control Board to consider a proposed State Implementation Plan (SIP) revision under the authority of Tennessee Code Annotated, Section 68-201-105. Tennessee is proposing a SIP revision to request the redesignation of the portion of Sullivan County encompassing a circle having its center at coordinates 36.5186 N; 82.5350 W (B-253 powerhouse, Eastman Chemical Company), and having a three-kilometer radius from nonattainment to attainment for the one-hour sulfur dioxide (SO_2) National Ambient Air Quality Standard (NAAQS). Tennessee proposes to petition the U. S. EPA for redesignation of the Sullivan County one-hour sulfur dioxide nonattainment area to attainment based on an attaining three-year design value for the period 2020-2022 and upon air dispersion modeling that demonstrates future maintenance of the NAAQS.

A copy of the redesignation request is available for review at the following link: https://www.tn.gov/content/dam/tn/environment/air/documents/publicnotices/apc_ppo-sullivan-county-so2-redesignation.pdf. Please contact me if you have any questions about this submittal.

Travis J. Blake| Environmental Fellow
Division of Air Pollution Control
Davy Crockett Tower, 7th Floor
500 James Robertson Parkway, Nashville, TN 37243
I have a new number: (615) 306-1990
travis.blake@tn.gov
tn.gov/environment

We value your opinion. Please take a few minutes to complete our customer satisfaction survey.

Attachment L3
Public Hearing Sign-In Sheet

NAME	Representing (Indicate organization name or private citizen)	Email Address	I Wish to Comment (✓)	Send Me the Response to Comments (✓)
STEVE MOORE	EASTMAN	stephenmoore@eastman.com		X

Please Print

Attachment L4
Public Hearing Presentation

Department of Environment & Conservation

Public Hearing
Proposed SO2 Redesignation
Division of Air Pollution Control

March 20, 2025

Introductions

- Moderator: Jan Compton, Regional Director
  Office of External Affairs - Johnson City
- Technical Staff: Travis Blake
  Division of Air Pollution Control
- Virtual Host: Christian Black
  Johnson City Environmental Field Office

Agenda

Environment & Conservation

Division of Air Pollution Control
Public Hearing Agenda
March 20, 2025

TN Division of Air Pollution Control (TDAPC) will hold a public hearing pursuant to Tennessee Code Annotated, Section 68-201-105.

Tennessee is proposing a SIP revision to request the redesignation of the portion of Sullivan County encompassing a circle having its center at coordinates 36.5186 N; 82.5350 W (B-253 powerhouse, Eastman Chemical Company), and having a three-kilometer radius from nonattainment to attainment for the one-hour sulfur dioxide (SO2) National Ambient Air Quality Standard (NAAQS).

Print your name and e-mail address on the Registration Sheet as you enter. If you wish to make comments, please place a checkmark (✓) in the "I Wish to Comment" column.

I. Welcome and Agenda
Jan Compton, Division of Stakeholder Engagement, Office of External Affairs

II. Informational Session, Travis Blake, Division of Air Pollution Control

III. Public Hearing Comments Received (On Site & Virtual)

III. Closing

Note: If you signed up to comment, you will be called to the microphone and asked to state your name and present your comments related to this specific SIP revision. A written copy of your comments would be appreciated, if available. Questions will not be answered during the formal hearing but a Response to Comments will be issued with the final permit decision.

The meeting moderator may limit the length of oral comments in order to allow all parties an opportunity to speak.

Submitting a Comment: Written statements not presented at the hearing will only be considered part of the record if received by Close of Business March 20, 2025, via e-mail at air.pollution.control@tn.gov.

TDEC thanks you for your participation and attendance at today's hearing

Sign-in and MS Teams



- Information on how to join the online meeting is available at tn.gov/environment
  Public Participation on the main menu
  Air Notices and Hearings
  Links for the public meeting with today's date: 3/20/2025

- You may also call into the meeting by dialing 629-209-4396
  Conference ID: 588 659 248#
  Callers can mute and un-mute by dialing *6

- For technical difficulties, call 423-823-8077
  (This number is for Christian Black, our virtual host)

Q&A

- Information Session: Presentation and Q & A
- During this time, staff can respond to questions
- In-person participants will visit with staff at information stations throughout the room
- Virtual participants: Use the raise hand icon or enter your name or question in the chat box.
- If you have called in to the meeting, you may un-mute your device by dialing *6 when we recognize callers' time for questions.

Department of Environment & Conservation

STATE OF TENNESSEE

Redesignation Request for the Sullivan County SO_2 Nonattainment Area

March 20, 2025

Background

- The Kingsport SO_2 nonattainment area includes the portion of Sullivan County encompassing a 3-km circle centered at Eastman Chemical Company's B-253 powerhouse.

- Between 2008 and 2010, air quality monitoring indicated that ambient SO_2 concentrations in the area exceeded the 75 ppb one-hour SO_2 National Ambient Air Quality Standard (NAAQS), and EPA designated the area as nonattainment for the SO_2 NAAQS, on October 4, 2013.

- Tennessee submitted attainment demonstrations in 2017 and 2023 and projected that the area would attain the NAAQS based on SO_2 reductions achieved by repowering of one Eastman powerhouse from coal to natural gas and from the installation of dry sorbent injection (DSI) controls on Eastman's largest remaining uncontrolled boilers.

Sullivan County Nonattainment Area

Overview of Redesignation Request

- Tennessee is petitioning EPA for redesignation of the Sullivan County nonattainment area to attainment for SO_2 NAAQS, based on an attaining design value for 2020-2022 (three-year design value less than 75 ppb) at each monitor in the nonattainment area.

- This petition demonstrates that area has attained the NAAQS and that the observed reduction in SO_2 levels is due to permanent and enforceable emission reductions.

Eastman Source-Specific Limits

Source Description	SO_2 Emission Limit
B-83 and B-325 Coal-Fired Boilers	1,248 lb/hr (combined limit for all boilers, 30-day rolling average)
B-253 Boilers	Only natural gas may be used as fuel
B-325 Boiler 30	317 lb/hr (30-day rolling average)
B-325 Boiler 31	293 lb/hr (30-day rolling average)
Coal Gasification Tail Gas Incinerator	21.8 lb/hr (24-hour block average)
Coal Gasification Cold and Warm Flares	16.28 lb/hr (30-day rolling average) and 48 tons during any period of 12 consecutive months
B-55 Organic Acids & Anhydrides Manufacturing	6.74 lb/hr
B-248 Solid/Liquid Chemical Waste Incinerators	15.2 lb/hr (combined limit for both rotary kilns, 30-day rolling average)
B-248 Liquid Chemical Waste Incinerator	2.0 lb/hr (30-day rolling average)

Primester Source-Specific Limit

- The redesignation request establishes a source-specific limit of 0.25 lb/hr (three-hour rolling average) for Primester's Organic Acids & Anhydrides Process Unit (similar to Eastman B-55 process unit).

EPA Review and Public Participation

- A prehearing draft of the redesignation request was made available to the public and submitted to U. S. EPA on February 11, 2025.

- Formal public participation includes a 30-day public comment period, in which members of the public and EPA may submit formal comments.

- A final redesignation request will be submitted to the Tennessee Air Pollution Control Board for approval once the comment period has closed and all comments have been addressed.

THANK YOU

Department of Environment & Conservation

Public Hearing
Proposed SO2 Redesignation

Division of Air Pollution Control

March 20, 2025

Introductions

- Moderator: Jan Compton, Regional Director
  Office of External Affairs - Johnson City
- Technical Staff: Travis Blake
  Division of Air Pollution Control
- Virtual Host: Christian Black
  Johnson City Environmental Field Office

Sign-in and MS Teams



- Information on how to join the online meeting is available at tn.gov/environment
  Public Participation on the main menu
  Air Notices and Hearings
  Links for the public meeting with today's date: 3/20/2025

- You may also call into the meeting by dialing 629-209-4396
  Conference ID: 588 659 248#
  Callers can mute and un-mute by dialing *6

- For technical difficulties, call 423-823-8077
  (This number is for Christian Black, our virtual host)

Procedural Overview

- If you do not wish to comment but you do want to be notified of the response to comments, send a written request for this to one of the addresses below for submitting written comments.
  - Written comments may be submitted until **March 20, 2025.**
  - Email written comments to air.pollution.control@tn.gov
  - Mail written comments to Tennessee Department of Environment & Conservation, Division of Air Pollution Control,500 James Robertson Pkwy, 7th Floor, Nashville, TN 37243
- To ensure everyone wanting to comment has a chance to do so this afternoon, each speaker will be limited to **5 minutes**.
- Public comments and questions will be addressed through the Department's Response to Comments.

Comments?

- Before sharing comments, please clearly state your name, affiliation, and, if you are a virtual participant or have called into the hearing, your physical location.
- Please limit your oral comments to 5 **minutes**.
- In-person comments first, then virtual hands raised or names typed into the chatbox. Phone-in users will also have an opportunity to comment.

Additional Comments?

- If you have written comments which you wish to have entered into the hearing record by **March 20, 2025** submit them by email to air.pollution.control@tn.gov or mail to:

  TN Department of Environment & Conservation
  Division of Air Pollution Control
  Davy Crockett Tower, 7th Floor
  500 James Robertson Parkway, 9th Floor
  Nashville, TN 37243

- These instructions are also available in the public notice and agenda.

Thank you!

TDEC thanks you for your participation and attendance at today's hearing.

Attachment L5
Public Hearing Transcript

Transcript of Public Hearing
March 20, 2025

The following text is an AI-generated transcript, as reviewed and corrected by Travis Blake. A copy of the audio file is available upon request.

Christian Black: started transcription

Jan Compton: "Good afternoon, everyone. Welcome. Welcome to the Tennessee Department of Environment Conservation's Air Pollution Control Public hearing. We are... We have received information session and a presentation by Travis that was very informative, and this this afternoon's recording will be... our hearing will be recorded on Microsoft Teams. The technical staff will not be answering questions during this portion of the meeting. Public comments and questions will be addressed to the Department's response to comments and all public comments will be considered. As we go into this, we'll let you know, my name is Jan Compton, I'm with the Tennessee Department of Environment and Conservation's division of stakeholder engagement, also in the Office of External Affairs, and I have several staff today, co-workers with the department that are joining me with the technical staff. First, we have Travis Blake, who is working on the project for this SIP potential change. We have Michelle Oaks with us from Nashville as well., thank you for joining us in person, and online, we have a number of staff as well. We have Chelsea meadows, who is out of Nashville, we have our air pollution control manager, Amanda Davis. And then we also have Matt Hayes, who is with the division of Air Pollution Control out of the Johnson City office. I have a couple of admin staff from Johnson City helping me in person, Debbie England, and online, Christian Black and I appreciate you so much. We are hosting this meeting online, there are folks online that Christian is taking care of, and in person we have guests here. So we are able to offer this and let many people participate by offering this online portion."

"Okay, so just to give you a little bit of a history about what we're doing, there is... There is a public hearing before the Technical Secretary of the Tennessee Air Pollution Control Board to consider a proposed State Implementation plan or a SIP, which it's often called, a revision under the authority of Tennessee Code Annotated section 68-201-105 Tennessee is proposing a SIP revision to request the recent redesignation of the portion of Sullivan County, which we are in tonight, encompassing a circle having its center at coordinates 36.5186 N 82.535 to the West, B-253 powerhouse Eastman Chemical Company and having a three kilometer radius, from nonattainment to attainment for the one hour sulfur dioxide, or SO_2, national ambient air quality standard. So Tennessee proposes to petition the U. S. EPA for redesignation of the Sullivan County, one-hour sulfur dioxide nonattainment area to attainment based on the attaining three-year design value for the period 2020 through 2022 and upon air dispersion modeling that demonstrates future maintenance of the ambient air quality standards. Tennessee proposes to demonstrate in the SIP revision that the area has attained the SO_2 national ambient air quality standard based on permanent and enforceable emission reductions resulting from implementation of the applicable implementation plan and federal air pollution control regulations, as well as other permanent and enforceable reductions. Tennessee has also prepared an emissions inventory, which indicates declining SO2 emissions and demonstrates that the region is likely to remain entertainment of the National Ambient Air Quality Standard in the future. The redesignation request includes contingency measures that may be put into place to correct National Ambient Air Quality Standards exceedances that could occur after redesignation of the area to attainment. So a copy of the redesignation request is available online, as Travis mentioned earlier,

if you need a copy of that, please see me and I'm happy to do that or request that in the chat, and we're happy to give that to you. So thankfully we have these staff attending today who will, who have helped us with this presentation. We are going to get into the public comments now."

"I think everybody already has the codes on how to get into Microsoft Teams, how to ask questions if you have them and how to submit official public comments. So, I will start tonight with the comment methodology: how do we do this? So, the overview is that if you don't wish to comment but you want to be notified of the response to comments, then you can send a written request for this to be to one of the addresses below for submitting written comments. So written comments are submitted by March 20th, 2025. e-mail written comments to air dot pollution dot control at TN dot gov, and you can mail written comments to the Tennessee Department of Environment and Conservation, Division of Air Pollution Control 500 James Robertson Parkway on the 7th floor of Nashville, TN 37243 so to ensure everyone wanting to comment has a chance to do so, we always ask our folks to be limited to 5 minutes, but tonight if you have a comment, you're welcome to take a little more time. So public comments and questions will be addressed through the department's response to comments. Again, technical staff can't answer questions, during this public hearing. So next we'll move into comments: is there anyone in person that would like to give a comment? Steve, I think you said no? OK, we have no one in person wishing to do comments. Trish or Christian, do you have folks there that would like to comment or is there anybody other than TDEC on there?"

Christian Black: "No, we have nobody here who wants to comment."

Jan Compton: "Okay. No one on the phone either. Okay. So, if there's no one online or in person who wants to make official comments at this time, we will declare this an official public hearing which gave the public a chance to participate in person, online, or even by calling in. So, if you have any written comments that you haven't entered already and you want to have them entered again, you need to do that by March 20th 2025, which is like today. So, you would, again, and send this to air.pollution.tn.gov. You can mail them to Travis, or you can mail them to the Tennessee Department of Environment Conservation's Air Pollution Control if you're doing the US Postal Service, where the Davy Crockett Tower on the 7th floor, 500 James Robertson Parkway... I'm sorry, you're the ninth floor, right?

Michelle Oakes: "Seventh floor."

Jan Compton: "Sorry, I actually just did one for water too. I thought it was on the ninth... so we're going to send them to the 7th floor, thank you. And these instructions are also available in the public notice and the agenda which alerted you to the meeting tonight, so there's plenty of ways to participate in this public participation opportunity. So again, I'm Jan Compton. I'm happy to serve for the facilitator today and TDEC thanks you for your participation and attendance at today's hearing. The public participation process is very important to us, and we thank you. Christian, you can stop recording."

Christian Black: Stopped transcription.

Attachment M
Response to Comments

Table of Contents for Attachment M

Attachment M1	Comments Received from Eastman Chemical Company
Attachment M2	Comments Received from U. S. EPA
Attachment M3	Response to Comments

Attachment M1
Comments Received from Eastman Chemical Company

From: Steve Moore (US)
To: Travis Blake
Cc: Michelle Oakes
Subject: [EXTERNAL] Eastman Comment on Permit 082237
Date: Thursday, March 20, 2025 7:47:16 AM

This Message Is From an External Sender
This message came from outside your organization.
Please exercise caution. DO NOT open attachments or click links from unknown senders or unexpected email - STS-Security

Travis,

As we discussed yesterday, preliminary screening data for SO_2 emissions from the Acid Con Sludge Recovery Process (Source Number 224 in Permit 082237) shows that additional control of SO_2 emissions from the batch reactors and/or sludge handling belt may be required to meet the emissions limitation specified in S4-1 of Permit 082237 under maximum operating conditions.

Eastman is currently preparing a construction permit application to authorize the installation of a new, fiberglass caustic scrubber to achieve safe, reliable, and effective reduction of SO_2 emissions from this process. The application will also include a temporary mitigating action to add a caustic supply to the existing scrubber on the batch reactors (largest source of SO_2 emissions from this process). Process modeling/simulation predicts that this addition will be at most 40% effective at reducing SO_2 in the vent stream from the batch reactors. However, this temporary system could serve as a "bridge" to the more robust emissions control system, i.e., new, permanent caustic scrubber. This is a similar approach that was taken with B-83 Powerhouse on Boilers 23 and 24 where a temporary DSI (Dry Sorbent Injection) system was operated in the interim period while a permanent system was designed and installed.

Initial responses from vendors indicate that a fiberglass scrubber could take 6 to 9 months for delivery. Consequently, Eastman would like to request that TDEC include additional time in Permit 082237, Section S4-1 after permit issuance for this emissions control project to be executed. As stated previously, this is contingent on the emissions testing being conducted on this process in April and May indicating that additional emission controls are required to meet the hourly emissions limitation. Eastman would provide TDEC with routine updates, at TDEC's discretion on frequency, as to the status of the project until the project is completed, or such time that Eastman determines, based on required emissions testing results, that the project is not needed for compliance.

Thank you for your time and consideration in this matter.

Attachment M2
Comments Received from U. S. EPA

The U.S. Environmental Protection Agency Preliminary Comments on the Tennessee Department of Environment and Conservation (TDEC), Division of Air Pollution Control's Prehearing Submission Regarding the Redesignation Request and Maintenance plan for the Sullivan County Sulfur Dioxide (SO_2) Area

The comments provided herein are based on historical policy interpretation respecting the redesignation and maintenance plan criteria for the 2010, SO_2 national ambient air quality standards (NAAQS) prior to the Agency's January 21, 2025, transition. As such any policy considerations supporting these comments will need further vetting and are subject to change.

1. **The EPA offers the following comments respecting Clean Air Action (CAA) § 107(d)3(E)i redesignation criteria that the Sullivan County Area has attained the 2010 1-hour sulfur dioxide (SO_2) national ambient air quality standard:**

   A. Air Quality Monitoring
   - To ensure TDEC's redesignation is based on the most current air quality monitoring data, the EPA recommends TDEC include the complete and certified 2023 SO_2 monitoring data and the preliminary 2024 monitoring data as part of the final redesignation/maintenance state implementation plan (SIP) submission. If the final SIP package is submitted after May 1, 2025, the EPA recommends TDEC include the final, certified 2024 monitoring data.

   B. Air Dispersion Modeling
   - ***Table 2-6: Other Modeled SO_2 Emission Sources:*** For several of the Emissions Sources, the "Modeled SO_2 Emission Rate grams per second (g/s)" provided in the 5th column of the table is different than the emissions rates included in the actual AERMOD modeling files available to EPA at the time of review (Runs 2023-0120) that were provided for review. The following table summarizes the sources where there are differences between the values listed in Table 2-6 and what is included in the modeling files:

Unit ID	Description	Table 2-6 Emission Rate (g/s)	AERMOD Modeling Files Emission Rate (g/s)	Difference (g/s)
B265B1A	NG-Fired Heat Transfer Furnace	3.63E-04	2.88E-04	0.75
B265B1C	NG-Fired Heat Transfer Furnace	4.60E-04	5.75E-04	-1.15
B256_5	HTM Furnace 5	1.00E-02	1.68E-03	8.32E-03
B256_5	HTM Furnace	1.00E-02	1.68E-03	8.32E-03

DRAFT

	5			
B256_6	HTM Furnace 6	1.00E-02	1.68E-03	8.32E-03
B256_7	HTM Furnace 7	1.00E-02	1.68E-03	8.32E-03
B256_8	HTM Furnace 8	1.00E-02	1.68E-03	8.32E-03
B256_9	HTM Furnace 9	1.00E-02	1.68E-03	8.32E-03
B256_10	HTM Furnace 10	1.00E-02	1.68E-03	8.32E-03
B55_1B	Organic Acids & Anhydrides Manufacturing	0.756	0.672	0.084

The EPA recommends that the AERMOD Modeling runs be revised to ensure that all the emissions limits that listed in Table 2-6 correspond to the emissions rates included in the actual modeling runs. Alternatively, if a separate modeling run corresponds to the numbers in the table, the EPA requests the updated inputs for review as soon as practicable.

- **Attachment H1b, TDEC-APC Modeling Analysis for the Sullivan County, TN SO_2 Nonattainment Area, Section 4.0 SO_2 Ambient Background Concentrations:** The information contained in the spreadsheets included with the AERMOD modeling files does not provide all the information needed to reproduce the calculation of the Season-by-Hour of Day Background Concentrations presented in Table H9-4. Please consider providing the raw hourly ambient concentration data for 2019-2021 from the Mammoth Cave National Park Monitor in Kentucky (AQS ID 21-061-0501). The EPA also recommends that all the steps in the calculations be included in the spreadsheets to allow verification of the calculations. Note that the EPA's March 1, 2011, Guidance provides more information on the procedures that the EPA is using for this evaluation.

- The redesignation and maintenance plan criteria at CAA §107(d)3 and 175A of the CAA are standalone submissions separate from the CAA §172(c) attainment SIP requirements for nonattainment areas. The EPA recommends TDEC review the final redesignation submission to remove all references to the air agency's February 2023 attainment SIP from the final redesignation submission except for SIP narrative at section 2.0 that addressed the state's compliance with 110 and part D SIP redesignation requirements of §107(d)3(E)v of the CAA.

- The EPA suggests TDEC revise the statement in section 2.2 – Air Quality modeling to read as follows: *The second component of Tennessee's analysis relies upon air quality modeling* ***of SO_2 emitting sources in the Area including enforceable control measures*** *to demonstrate that the area has attained the NAAQS pursuant to CAA §107(d).*

DRAFT

2. **CAA §107(d)3(E)iii - The EPA has determined that the improvement in air quality is due to permanent and enforceable reductions in emissions.**

   A. Enforceable control measures proposed for adoption into the Tennessee SIP

   - The EPA recommends TDEC include in Table 4-4 the requirement to operate the dry sorbent injection (DSI) controls for B-83 boilers 23 and 24 from Permit #082237, condition S1-2 as one of the enforceable measures proposed for adoption into the Tennessee SIP.

   - Footnote #34 states "SIP permit 082237, which is included with this redesignation request, incorporates the emission limits and monitoring requirements of permit 080222 for most sources and adds periodic reporting requirements." This includes the B-83 and B-325 combined SO_2 emission limit of 1,248 lb/hr 30-day rolling average that Tennessee requested the EPA adopt into the SIP through the February 2023 attainment SIP to address regional haze obligations. The EPA recommends TDEC consider the interaction with the state's regional haze obligations and the Eastman combined limits for Boiler house 83 and 325.

   - The EPA suggests air agency's redesignation request include quantitative information about emission reductions achieved by relevant measures to demonstrate that the improvement in air quality is attributed to permanent and enforceable measures. Where possible, the EPA recommends TDEC quantify the SO_2 emission reductions (or percent in reductions) in tons from the control measures listed Table 4-4.

   B. Sources modeled at the maximum uncontrolled hourly SO_2 emission rate.

   The EPA appreciates the permit application documentation TDEC provided in Attachment K of the redesignation request and maintenance plan prehearing. As a follow-up to previous discussions, the EPA recommends TDEC draft a brief narrative for each relevant emission unit that supports the State's assertion that the modeled SO_2 emission limits for certain sources represent the maximum uncontrolled hourly emission limit (i.e. unrestricted by permit conditions requiring the operation of control devices, limits on heat input or raw material input, or other restrictions).

   The EPA supports TDEC's draft summary for MSOP-02, Boilers 32, 33, and capacities (including the potential to increase emission rate through changes in design capacity or burning alternative fuels) and recommends the state utilize this narrative format for all other modeled emission sources. Additionally, the EPA suggests TDEC's summaries identify the applications listed in

DRAFT

Attachment K (i.e., cite to the relevant permit application citation listed in Attachment K including the application date, the corresponding permit number associated with the application and page number where this specific information can be found).

Lastly, it would be helpful if the summaries clarified whether any of the fuel usage restrictions are in addition to the inherent restrictions on these emission units due to their size and design.

The EPA suggests further discussion on whether to include a summary of the modeled impacts for each emission unit as the EPA has not established a threshold for modeled contribution impacts.

C. **Coal Gasification Cold and Warm Flare:** The revised SO_2 emissions permit limit for the PES B-351-5, Coal Gasification Cold and Warm Flares (82-0003-171, MSOP-17) does not ensure that the flare emissions will not contribute to a violation of the 1-hour SO_2 NAAQS. The revised permit limit of 16.28 lb/hr, 30 calendar day rolling average is identical to the 1-hour Critical Emission Value (CEV) that was included in the air modeling demonstration showing attainment of the NAAQS.

As discussed in Section V.D.2. and Appendix B of EPA's April 23, 2014 "Guidance for 1-Hour SO_2 Nonattainment Area SIP Submissions," longer term average limits (e.g., 30-day rolling average) may be justifiable, so long as they are of at least comparable stringency to a 1-hour limit at the CEV. When setting a longer-term average limit such as the 30-day rolling average limit for the flares, EPA expects that a downward adjustment of the numerical limit would be needed from the 1-hour CEV to compensate for the loss of stringency inherent in applying the longer-term average limit versus a 1-hour limit. Therefore, EPA recommends that TDEC revise the 30-day rolling average limit to provide for a comparably stringent limit to a 1-hour limit established at the CEV to ensure no violations of the NAAQS will reasonably be expected to occur. This may require operational changes to the coal gasification process or installation of additional control equipment to reduce the magnitude and frequency of emissions from the flare unit. The EPA is available to discuss this issue further upon request.

D. **Parametric monitoring**: The EPA is available for further discussions on the enforceable parameters to ensure practical enforceability for the B-248 and Primester monitoring parameters.

3. CAA 107(d)3(E)iv - The EPA has fully approved a maintenance plan, including a contingency plan, for the area under section 175A of the Act.

A. **2022 Emission and Attainment Inventory:** The EPA offers the following comments on the development of the 2022 emission inventory:

DRAFT

- Please include a table summarizing total SO_2 emissions for each data source category.
- The prehearing submission includes a link to the EPA's 2016v1 and 2016v2 inventory, but no emission file names were included. Please provide the name of the EPA's emission modeling files used to calculate the area source emissions.
- For footnote 44, please explain why the emission value are different from the emissions reported to the emission inventory system (EIS) for the 2017 Eastman Facility wide emissions.
- Please explain why the 2022 emissions in Table 5-1 are different from Attachment A and the emissions reported to EIS for the 2017/2022 Eastman Facility wide emissions.
- Table 5-3 has a typo for 2037 emissions. Based on the Attachment, it should be 7,337 tons per year.
- In Table A-1, Footnote 2, TDEC mentions that the 2022 national emission inventory (NEI) value for Eastman emission unit, B-334-1 is incorrect in the EIS. EPA recommends TDEC submit an update to the 2022 NEI to correct the emissions data for emission unit B-334-1.

B. Maintenance demonstration
    - The redesignation request and maintenance plan are standalone SIP submissions. The EPA recommends TN remove the following attainment SIP reference in section 6.0 – Maintenance plan: *Tennessee submitted a modeled attainment demonstration on February 9, 2023, which demonstrated that the area would attain the NAAQS at the maximum allowable emission rate (or, for some small sources, the maximum uncontrolled hourly emission rate), for all modeled emission sources*. This statement suggests where a state has submitted an attainment plan, the plan in some cases serve as a maintenance plan for the area. However, this statement refers to an attainment SIP approved by the EPA. It also indicates in certain cases that the attainment SIP modeling reflects all enforceable measures needed to attain the standard and demonstrate maintenance.

- Any future growth, operational changes and/or emission reductions measures accounted for in the projected inventory should be reflected in the air model analysis to show attainment of the 1-hour standard and demonstrate maintenance through 2037. The prehearing modeling files appears to exclude the plastics processing plant. It is unclear what future growth and emission reduction measures support the modeled maintenance demonstration. Alternatively, if a separate modeling run includes this information, the EPA requests the updated inputs for review as soon as practicable.

  Considering TDEC's maintenance demonstration is based on air dispersion modeling analysis rather than a comparison of attainment and

DRAFT

projected actual emissions, the EPA recommends the final redesignation and maintenance demonstration rely on one modeling analysis that reflects existing enforceable control measures and the future growth and operational changes to ensure compliance with the redesignation and maintenance criteria at section 107(d)3(E)(i), (E)(iii) and E(iv) (i.e., demonstrates the area has attained the SO_2 standard based on permanent and enforceable emission reduction/control measures and maintenance through 2037.

- The EPA recommends TDEC explain the purpose or benefit of relying on projected allowable emissions rather than projected actuals.

- Section 5.0: The EPA recommends TDEC replace the phrase "nonattainment area's control strategy" with "demonstrating maintenance with the 2010 SO_2 NAAQS**."**

- The EPA recommends TDEC revise the following statement in section 6.0: *As discussed in Section 4.0, attainment of the NAAQS is based on ~~permanent and~~ enforceable emission reductions implemented for Eastman Chemical Company's coal-fired boilers,* ***and other SO_2 emitting sources at the facility*** *~~as well as other federally enforceable emission limits~~* ***and made permanent in the Tennessee SIP*** *~~as to ensure that other existing sources will not cause or contribute to nonattainment.~~*

C. Monitoring network:
   - The EPA recommends TDEC revise the following statement: *Should Tennessee petition to discontinue the operation of any monitor* in the area, *the Tennessee Department of Environment and Conservation's…"*

   - Should a request from TDEC to discontinue any monitor in the Area be approved, the EPA recommend the State commit to revise the maintenance plan accordingly to reflect future changes to the Area's monitoring network.

D. Verification of continued attainment
   - The EPA suggests the maintenance plan show how the air agency will track maintenance progress in the Area regardless of how the maintenance demonstration is determined. The EPA recommends TDEC revise the following statement to read: Tennessee will track the ~~*Tracking of progress*~~ continued attainment and ~~*of the*~~ *maintenance* progress ~~*plan is not required because all of the*~~ through air quality monitoring pursuant to 40 CFR part 58 and enforcement of the SIP and control measures ~~*proposed control measures have been installed and are operating. Tennessee will track continued attainment and maintenance of the NAAQS through air quality monitoring*~~

DRAFT

E. Contingency measures:

- The contingency measures for an attainment SIP (pursuant to section 172(c) of the Act) are established to address when an area does not meet reasonable further progress towards attainment or attain the NAAQS by the statutory attainment date. Contingency measures for a maintenance plan are established to address a NAAQS exceedance or violation after an Area has been legally redesignated to attainment. For these reasons, the EPA recommends TDEC remove the calendar years 2024 thru 2027 and 2028 as part of the maintenance plan triggered event.

- The EPA recommends TDEC clarify when the air agency intends to notify the EPA of a triggered event.

- The EPA recommend the contingency measures system audit consider sources outside the Area.

- The EPA recommends TDEC remove all references to the 2023 attainment SIP.

- The EPA suggests TDEC apply the contingency measures comments for the maintenance plan to the draft contingency measure in operating permit #082337, condition G4.

DRAFT

Attachment M3
Response to Comments

Response to Comments

I. EPA Comments

The following comments were received from U. S. EPA's Region 4 Office on March 14, 2025.

Comment #1A: *To ensure TDEC's redesignation is based on the most current air quality monitoring data, the EPA recommends TDEC include the complete and certified 2023 SO_2 monitoring data and the preliminary 2024 monitoring data as part of the final redesignation/maintenance state implementation plan (SIP) submission. If the final SIP package is submitted after May 1, 2025, the EPA recommends TDEC include the final, certified 2024 monitoring data.*

Response: Tennessee updated Tables 2-2 and 2-3 to add 2024 final data.

Comment #1B (Part 1): Table 2-6: Other Modeled SO_2 Emission Sources: *For several of the Emissions Sources, the "Modeled SO_2 Emission Rate grams per second (g/s)" provided in the 5th column of the table is different than the emissions rates included in the actual AERMOD modeling files available to EPA at the time of review (Runs 2023-0120) that were provided for review. The following table summarizes the sources where there are differences between the values listed in Table 2-6 and what is included in the modeling files:*

Unit ID	***Description***	***Table 2-6 Emission Rate (g/s)***	***AERMOD Modeling Files Emission Rate (g/s)***	***Difference (g/s)***
B265B1A	*NG-Fired Heat Transfer Furnace*	*3.63E-04*	*2.88E-04*	*0.75*
B265B1C	*NG-Fired Heat Transfer Furnace*	*4.60E-04*	*5.75E-04*	*-1.15*
B256_5	*HTM Furnace 5*	*1.00E-02*	*1.68E-03*	*8.32E-03*
B256_6	*HTM Furnace 6*	*1.00E-02*	*1.68E-03*	*8.32E-03*
B256_7	*HTM Furnace 7*	*1.00E-02*	*1.68E-03*	*8.32E-03*
B256_8	*HTM Furnace 8*	*1.00E-02*	*1.68E-03*	*8.32E-03*
B256_9	*HTM Furnace 9*	*1.00E-02*	*1.68E-03*	*8.32E-03*
B256_10	*HTM Furnace 10*	*1.00E-02*	*1.68E-03*	*8.32E-03*
B55_1B	*Organic Acids & Anhydrides Manufacturing*	*0.756*	*0.672*	*0.084*

The EPA recommends that the AERMOD Modeling runs be revised to ensure that all the emissions limits that listed in Table 2-6 correspond to the emissions rates included in the actual modeling runs. Alternatively, if a separate modeling run corresponds to the numbers in the table, the EPA requests the updated inputs for review as soon as practicable.

Response: Table 2-6 was updated/corrected as indicated below:

- **MSOP-31, PES B-265B-1 (Model Tags B265B1A and B265B1C):** Table 2-7 was updated to match the modeled emission rates. Tennessee did find an error in the model inputs, because one furnace was

modeled at slightly above the maximum uncontrolled hourly emission rate, while the second furnace was modeled at slightly lower than the maximum uncontrolled hourly emission rate. Tennessee believes that it is not necessary to update the model because the two furnace stacks are co-located and because the combined modeled emission rate (total for both furnaces) is higher than the combined maximum hourly emission rate for both furnaces.

Source	Modeled Emission Rate (g/s)	Max. Uncontrolled Hourly Emission Rate (g/s)
SM-01 Furnace	2.88×10^{-4}	3.63×10^{-4}
SM-02 Furnace	5.75×10^{-4}	4.60×10^{-4}
Total	**8.63×10^{-4}**	**8.23×10^{-4}**

- **MSOP-11 HTM furnaces (Model Tags B256_5, B256_6, B256_7, B256_8, B256_9, and B256_10):** Tennessee corrected the modeled emission rate of each furnace in Table 2-6 from 1.00×10^{-2} g/s to 1.68×10^{-3} g/s. The modeled emission rate for each furnace is greater than its maximum uncontrolled hourly emission rate at the design heat input (1.48×10^{-3} g/s).

- **MSOP-23 PES B-55-1, Vent B (Model Tag B55_1B):** The Vent B modeled emission rate was corrected in Table 2-6 from 0.756 g/s to 0.672 g/s, which corresponds to the uncontrolled emission rate of 5.33 lb/hr for this vent. Modeled emissions from all vents in PES B-55-1 correspond to the emission rate that Tennessee has requested for adoption into the SIP (6.74 lb/hr).

Comment #1B (Part 2): Attachment H1b, TDEC-APC Modeling Analysis for the Sullivan County, TN SO_2 Nonattainment Area, Section 4.0 SO_2 Ambient Background Concentrations: *The information contained in the spreadsheets included with the AERMOD modeling files does not provide all the information needed to reproduce the calculation of the Season-by-Hour of Day Background Concentrations presented in Table H9-4. Please consider providing the raw hourly ambient concentration data for 2019-2021 from the Mammoth Cave National Park Monitor in Kentucky (AQS ID 21-061-0501). The EPA also recommends that all the steps in the calculations be included in the spreadsheets to allow verification of the calculations. Note that the EPA's March 1, 2011, Guidance provides more information on the procedures that the EPA is using for this evaluation.*

Response: See new Attachments I3 through I8.

Comment #1B (Part 3): *The redesignation and maintenance plan criteria at CAA §107(d)3 and 175A of the CAA are standalone submissions separate from the CAA §172(c) attainment SIP requirements for nonattainment areas. The EPA recommends TDEC review the final redesignation submission to remove all references to the air agency's February 2023 attainment SIP from the final redesignation submission except for SIP narrative at section 2.0 that addressed the state's compliance with 110 and part D SIP redesignation requirements of §107(d)3(E)v of the CAA.*

Response: Tennessee deleted the references to the attainment demonstration except for Section 3.0 (the reference to "section 2.0" was an error in EPA's comment, which was confirmed by a follow-up call to EPA).

Comment #1B (Part 4): *The EPA suggests TDEC revise the statement in section 2.2 – Air Quality modeling to read as follows: "The second component of Tennessee's analysis relies upon air quality modeling* ***of SO_2 emitting sources in the Area including enforceable control measures*** *to demonstrate that the area has attained the NAAQS pursuant to CAA §107(d)."*

Response: Tennessee added the requested statement with minor edits.

EPA Comment #2A (Part 1): *The EPA recommends TDEC include in Table 4-4 the requirement to operate the dry sorbent injection (DSI) controls for B-83 boilers 23 and 24 from Permit #082237, condition S1-2 as one of the enforceable measures proposed for adoption into the Tennessee SIP.*

Response: Tennessee added a requirement to operate the DSI controls as one of the enforceable measures listed in Table 4-4.

EPA Comment #2A (Part 2): *Footnote #34 states "SIP permit 082237, which is included with this redesignation request, incorporates the emission limits and monitoring requirements of permit 080222 for most sources and adds periodic reporting requirements." This includes the B-83 and B-325 combined SO_2 emission limit of 1,248 lb/hr 30-day rolling average that Tennessee requested the EPA adopt into the SIP through the February 2023 attainment SIP to address regional haze obligations. The EPA recommends TDEC consider the interaction with the state's regional haze obligations and the Eastman combined limits for Boiler house 83 and 325.*

Response: Tennessee updated SIP permit 082237 to remove condition G1, which stated, "This [sic.] emission limits and other requirements established by this permit supersede the limits previously established in SIP permit 080222." Because Tennessee's Regional Haze SIP includes permit 080222, we agree that it is not appropriate to supersede the older permit with respect to Eastman's coal-fired boilers (permits 080222 and 082237 include the same requirements for the boilers). Because the emission limits were changed for Eastman's cold and warm flares (MSOP-17, PES B-351-5), Tennessee added condition S3-3, which establishes that permit 082237 supersedes permit 080222 for that emission source only.

EPA Comment #2A (Part 3): *The EPA suggests air agency's redesignation request include quantitative information about emission reductions achieved by relevant measures to demonstrate that the improvement in air quality is attributed to permanent and enforceable measures. Where possible, the EPA recommends TDEC quantify the SO_2 emission reductions (or percent in reductions) in tons from the control measures listed Table 4-4.*

Response: Tennessee updated Section 4.3 of the narrative to quantify the SO2 reductions associated with the measures in Table 4-4:

- B-253 boiler emissions decreased from 14,897 tons/year in 2011 (all boilers burning coal) to 4,779 tons/year in 2017 (includes both coal and gas boilers) and 7.37 tons/year in 2022 (all boilers converted to gas operation).

- B-83 Boiler decreased from 5,686 tons/year in 2011 to 4,447 tons/year in 2017 and 2,227 tons/year in 2022.

- SO_2 emissions from the solid/liquid chemical waste incinerators (PES B-248-1) decreased from 6.5 tons/year in 2011 and 11.7 tons/year in 2017 to 3.44 tons/year in 2022.

- SO_2 emissions from the liquid chemical waste incinerator (PES B-248-2) decreased from 0.8 tons/year in 2011 and 2.96 tons/year in 2017 to 0.46 tons/year in 2022. The decreased in emissions from Eastman's incinerators were primarily the result of the sale of Eastman's adhesive resins business (the source of sulfur-containing waste in the incinerator feed) in 2022, and the emissions limits will ensure that SO_2 emissions from the incinerators do not interfere with the attainment or maintenance of the

SO_2 NAAQS in the future.

EPA Comment #2B: *The EPA appreciates the permit application documentation TDEC provided in Attachment K of the redesignation request and maintenance plan prehearing. As a follow-up to previous discussions, the EPA recommends TDEC draft a brief narrative for each relevant emission unit that supports the State's assertion that the modeled SO_2 emission limits for certain sources represent the maximum uncontrolled hourly emission limit (i.e. unrestricted by permit conditions requiring the operation of control devices, limits on heat input or raw material input, or other restrictions).*

The EPA supports TDEC's draft summary for MSOP-02, Boilers 32, 33, and capacities (including the potential to increase emission rate through changes in design capacity or burning alternative fuels) and recommends the state utilize this narrative format for all other modeled emission sources. Additionally, the EPA suggests TDEC's summaries identify the applications listed in Attachment K (i.e., cite to the relevant permit application citation listed in Attachment K including the application date, the corresponding permit number associated with the application and page number where this specific information can be found).

Lastly, it would be helpful if the summaries clarified whether any of the fuel usage restrictions are in addition to the inherent restrictions on these emission units due to their size and design.

The EPA suggests further discussion on whether to include a summary of the modeled impacts for each emission unit as the EPA has not established a threshold for modeled contribution impacts.

Response: Attachment K was revised to provide additional documentation of maximum uncontrolled hourly emission rates, and Tennessee incorporated EPA's comments into the documentation. Tennessee elected to retain the summary of modeled impacts for each source. The modeled impacts provide additional weight of evidence in favor of exclusion of small SO_2 sources from the SIP, but the final decision is based on multiple factors, including emissions, modeled impacts, and operating capacity.

EPA Comment #2C: Coal Gasification Cold and Warm Flare: *The revised SO_2 emissions permit limit for the PES B-351-5, Coal Gasification Cold and Warm Flares (82-0003- 171, MSOP-17) does not ensure that the flare emissions will not contribute to a violation of the 1-hour SO_2 NAAQS. The revised permit limit of 16.28 lb/hr, 30 calendar day rolling average is identical to the 1-hour Critical Emission Value (CEV) that was included in the air modeling demonstration showing attainment of the NAAQS.*

As discussed in Section V.D.2. and Appendix B of EPA's April 23, 2014 "Guidance for 1-Hour SO_2 Nonattainment Area SIP Submissions," longer term average limits (e.g., 30-day rolling average) may be justifiable, so long as they are of at least comparable stringency to a 1-hour limit at the CEV. When setting a longer-term average limit such as the 30-day rolling average limit for the flares, EPA expects that a downward adjustment of the numerical limit would be needed from the 1-hour CEV to compensate for the loss of stringency inherent in applying the longer-term average limit versus a 1-hour limit. Therefore, EPA recommends that TDEC revise the 30-day rolling average limit to provide for a comparably stringent limit to a 1-hour limit established at the CEV to ensure no violations of the NAAQS will reasonably be expected to occur. This may require operational changes to the coal gasification process or installation of additional control equipment to reduce the magnitude and frequency of emissions from the flare unit. The EPA is available to discuss this issue further upon request.

Response: The 30-day rolling average limit was adjusted downward from 16.28 lb/hr to 14.6 lb/hr (highest 30-day rolling average from CY 2020, and the highest 30-day RA observed during all modeled years with no

modeled exceedances of the NAAQS). While we agree with the concept that a 30-day rolling average should be of comparable stringency to the CEV, calculating a comparable value is difficult in practice because most hourly emission rates from the flare is zero, use of EPA's compliance ratio methodology produces a 30-day rolling average that is higher than the CEV, and there is no alternative calculation of comparable stringency for sources that operate only intermittently. Tennessee used EPA's compliance ratio method and adjusted the result downward to ensure that the 30-day rolling average was not higher than the CEV, and when we consider how the flare typically operates, we believe that this limit would be comparably stringent to the CEV. However, in acknowledgement of EPA's concerns, we made a final adjustment to the limit based on the model outputs.

EPA Comment #2D: Parametric monitoring*: The EPA is available for further discussions on the enforceable parameters to ensure practical enforceability for the B-248 and Primester monitoring parameters.*

Response: The limits for both Eastman's hazardous waste incinerators and Primester's cellulose scrap recovery process are practicably enforceable because each permit specifies the specific monitoring, recordkeeping, and reporting, including requirements for data collection (e. g., collect at least one data point every 15 minutes whenever the source is in operation); averaging periods and calculation of averages; and missing data procedures. For Eastman's hazardous waste combustors, these procedures are included in Appendix 5 of SIP permit 082237. For Primester, these procedures are specified in the facility's Title V permit[1].

EPA Comment 3A: 202 Emission and Attainment Inventory: *The EPA offers the following comments on the development of the 2022 emission inventory:*

- *Please include a table summarizing total SO_2 emissions for each data source category.*

  Response: SO_2 emissions for each data source category are summarized in Table 5-9. Tennessee updated the table by combining Eastman and Primester to show total point source emissions instead of breaking point source emissions down by facility.

- *The prehearing submission includes a link to the EPA's 2016v1 and 2016v2 inventory, but no emission file names were included. Please provide the name of the EPA's emission modeling files used to calculate the area source emissions.*

  Response: Updated to add file names and pathways.

- *For footnote 44, please explain why the emission value are different from the emissions reported to the emission inventory system (EIS) for the 2017 Eastman Facility wide emissions.*

  Response: 2017 Boiler emissions in Table 5-1 were corrected from 10,624 tons to 10, 566 tons.

- *Please explain why the 2022 emissions in Table 5-1 are different from Attachment A and the emissions reported to EIS for the 2017/2022 Eastman Facility wide emissions.*

  Response: 2022 Boiler emissions in Table 5-1 were corrected from 3,375 tons to 3,334 tons.

1 The emission limit and monitoring requirements of Title V permit were adopted into the SIP based on the model outputs and discussions with EPA. Primester's general monitoring requirements (see Conditions E2-10, E2-11 and E2-12 of Title V Operating Permit 574994) were not adopted into the SIP but are necessary for compliance with 40 CFR §70.6(a)(3).

- *Table 5-3 has a typo for 2037 emissions. Based on the Attachment, it should be 7,337 tons per year.*

  Response: The value in Table 5-3 was corrected in the final submittal.

- *In Table A-1, Footnote 2, TDEC mentions that the 2022 national emission inventory (NEI) value for Eastman emission unit, B-334-1 is incorrect in the EIS. EPA recommends TDEC submit an update to the 2022 NEI to correct the emissions data for emission unit B-334-1.*

  Response: TDEC's Emission Inventory group will follow up on this issue.

EPA Comment 3B: Maintenance Demonstration:

- *The redesignation request and maintenance plan are standalone SIP submissions. The EPA recommends TN remove the following attainment SIP reference in section 6.0 – Maintenance plan: Tennessee submitted a modeled attainment demonstration on February 9, 2023, which demonstrated that the area would attain the NAAQS at the maximum allowable emission rate (or, for some small sources, the maximum uncontrolled hourly emission rate), for all modeled emission sources. This statement suggests where a state has submitted an attainment plan, the plan in some cases serve as a maintenance plan for the area. However, this statement refers to an attainment SIP approved by the EPA. It also indicates in certain cases that the attainment SIP modeling reflects all enforceable measures needed to attain the standard and demonstrate maintenance.*

  Response: The underlined statement was removed from the redesignation request.

- *Any future growth, operational changes and/or emission reductions measures accounted for in the projected inventory should be reflected in the air model analysis to show attainment of the 1-hour standard and demonstrate maintenance through 2037. The prehearing modeling files appears to exclude the plastics processing plant. It is unclear what future growth and emission reduction measures support the modeled maintenance demonstration. Alternatively, if a separate modeling run includes this information, the EPA requests the updated inputs for review as soon as practicable.*

  Considering TDEC's maintenance demonstration is based on air dispersion modeling analysis rather than a comparison of attainment and projected actual emissions, the EPA recommends the final redesignation and maintenance demonstration rely on one modeling analysis that reflects existing enforceable control measures and the future growth and operational changes to ensure compliance with the redesignation and maintenance criteria at section 107(d)3(E)(i), (E)(iii) and E(iv) (i.e., demonstrates the area has attained the SO2 standard based on permanent and enforceable emission reduction/control measures and maintenance through 2037.

  Response: Section 5.2.1.1 of the redesignation request states, "The maintenance year inventory also reflects the addition of three natural gas boilers and a proposed plastics processing operation and methanolysis plant." The plastics processing operation and methanolysis plant are part of a single project in which plastic waste and unprocessed polyethylene terephthalate (PET) are converted into feedstock for the methanolysis plant, which produces processes PET waste from recycled plastic into its corresponding monomers (dimethyl terephthalate and ethylene glycol) using methanol, sodium hydroxide. There are no SO_2 emissions from the plastics processing operation, and the redesignation request was updated to remove it.

- *The EPA recommends TDEC explain the purpose or benefit of relying on projected allowable emissions rather than projected actuals.*

  Response: Section 5.2.1.1 of the SIP narrative explains the benefit of relying upon projected allowable emissions rather than projected actuals. State plans may generally demonstrate that the plan will provide for maintenance of the NAAQS by either showing that future emissions will not exceed the level of the attainment inventory, or by modeling to show that the future mix of sources and emission rates will not cause a violation of the NAAQS. The 2037 point source emissions are higher than the base year because Tennessee developed the projection using the same ambient air quality modeling used to demonstrate attainment of the NAAQS. For example, the model accounts for expected growth at Eastman Chemical Company during the 10-year maintenance period (i.e., the construction and startup of three new natural gas-fired boilers and the methanolysis plant). The model also assumes that the remaining coal-fired boilers (B-83 and B-325 powerhouses) continuously operate at their maximum allowable hourly emission rate for the entire year, while the base year inventory is representative of actual boiler operation at submaximal emission rates. Finally, the future year inventory does not consider reductions that were not relied upon to demonstrate attainment and maintenance of the NAAQS, such as the requirement to shut down B-83 Boilers 18, 19, and 20 for compliance with Tennessee's Regional Haze SIP. To summarize, the future year inventory includes a mix of operational changes and projected growth at Eastman that is accounted for the in the air quality modeling and that, notwithstanding the higher annual emissions, will not cause or contribute to a NAAQS violation.

- *Section 5.0: The EPA recommends TDEC replace the phrase "nonattainment area's control strategy" with "demonstrating maintenance with the 2010 SO2 NAAQS."*

  Response: Section 5.0 was updated in accordance with EPA's comment.

- *The EPA recommends TDEC revise the following statement in section 6.0: "As discussed in Section 4.0, attainment of the NAAQS is based on ~~permanent and~~ enforceable emission reductions implemented for Eastman Chemical Company's coal-fired boilers, and other SO_2 emitting sources at the facility ~~as well as other federally enforceable emission limits~~ and made permanent in the Tennessee SIP ~~as to ensure that other existing sources will not cause or contribute to nonattainment~~."*

  Response: Section 6.0 was updated in accordance with EPA's comment.

EPA Comment 3C: Monitoring Network:

- *The EPA recommends TDEC revise the following statement: "Should Tennessee petition to discontinue the operation of any monitor in the area, the Tennessee Department of Environment and Conservation's…"*

  Response: Section 6.0 was updated in accordance with EPA's comment.

- *Should a request from TDEC to discontinue any monitor in the Area be approved, the EPA recommend the State commit to revise the maintenance plan accordingly to reflect future changes to the Area's monitoring network.*

Response: Tennessee commits to the continued operation of a monitoring network, and we will work with EPA to ensure that all regulatory requirements and guidelines are met if we elect to discontinue the operation of an ambient monitor in the area. However, it is unclear if a revised maintenance plan would be required under all foreseeable circumstances, so an explicit commitment to revise the maintenance plan was not included in the final redesignation request.

EPA Comment 3D: Verification of Continued Attainment:

- *The EPA suggests the maintenance plan show how the air agency will track maintenance progress in the Area regardless of how the maintenance demonstration is determined. The EPA recommends TDEC revise the following statement to read: "Tennessee will track the ~~Tracking of progress~~ continued attainment and ~~of the~~ maintenance progress ~~plan is not required because all of the~~ through air quality monitoring pursuant to 40 CFR part 58 and enforcement of the SIP and control measures ~~proposed control measures have been installed and are operating. Tennessee will track continued attainment and maintenance of the NAAQS through air quality monitoring.~~"*

  Response: Section 6.0 was updated in accordance with EPA's comment.

EPA Comment 3E: Contingency Measures:

- *The contingency measures for an attainment SIP (pursuant to section 172(c) of the Act) are established to address when an area does not meet reasonable further progress towards attainment or attain the NAAQS by the statutory attainment date. Contingency measures for a maintenance plan are established to address a NAAQS exceedance or violation after an Area has been legally redesignated to attainment. For these reasons, the EPA recommends TDEC remove the calendar years 2024 thru 2027 and 2028 as part of the maintenance plan triggered event.*

  Response: Tennessee deleted the specific calendar years and added "during any maintenance period approved pursuant to CAA §§175a(a) and (b)…" in the SIP narrative and in permit 082223. We agree broadly with EPA's comment, but since the SIP permit does not expire, it was necessary to add language to clarify that the contingency measures would be required beyond the end of the 20-year maintenance period.

- *The EPA recommends TDEC clarify when the air agency intends to notify the EPA of a triggered event.*

  Response: The SIP narrative was updated to state that Tennessee will notify EPA of any triggering event. SIP permit 082223 was not updated to add this requirement because the permit imposes requirements upon Eastman and not upon the permitting authority.

- *The EPA recommends the contingency measures system audit consider sources outside the Area.*

  Response: Tennessee updated the narrative to commit to a review of sources outside of the nonattainment area, as appropriate, in its trigger-level response. Tennessee also revised the narrative to remove a reference to the coal gasification flare, since the response would not be limited to a single emission source. SIP permit 082223 was not updated because the contingency measures required by the permit require a system audit for all SO_2 emission sources at Eastman Chemical Company (i. e., the system audit was not limited to the flare) and because the SIP permit does not impose

requirements upon other sources within the nonattainment or nearby sources that could cause or contribute to a NAAQS exceedance.

- *The EPA recommends TDEC remove all references to the 2023 attainment SIP.*

  Response: Tennessee updated the narrative to remove all references to the 2023 attainment demonstration.

- *The EPA suggests TDEC apply the contingency measures comments for the maintenance plan to the draft contingency measure in operating permit #082337, condition G4.*

  Response: Permit 082237 was revised to match the SIP narrative.

II. Eastman Chemical Company

The following comment was received from Eastman Chemical Company on March 20, 2025.

As we discussed yesterday, preliminary screening data for SO_2 emissions from the Acid Con Sludge Recovery Process (Source Number 224 in Permit 082237) shows that additional control of SO_2 emissions from the batch reactors and/or sludge handling belt may be required to meet the emissions limitation specified in S4-1 of Permit 082237 under maximum operating conditions.

Eastman is currently preparing a construction permit application to authorize the installation of a new, fiberglass caustic scrubber to achieve safe, reliable, and effective reduction of SO_2 emissions from this process. The application will also include a temporary mitigating action to add a caustic supply to the existing scrubber on the batch reactors (largest source of SO_2 emissions from this process). Process modeling/simulation predicts that this addition will be at most 40% effective at reducing SO_2 in the vent stream from the batch reactors. However, this temporary system could serve as a "bridge" to the more robust emissions control system, i.e., new, permanent caustic scrubber. This is a similar approach that was taken with B-83 Powerhouse on Boilers 23 and 24 where a temporary DSI (Dry Sorbent Injection) system was operated in the interim period while a permanent system was designed and installed.

Initial responses from vendors indicate that a fiberglass scrubber could take 6 to 9 months for delivery. Consequently, Eastman would like to request that TDEC include additional time in Permit 082237, Section S4-1 after permit issuance for this emissions control project to be executed. As stated previously, this is contingent on the emissions testing being conducted on this process in April and May indicating that additional emission controls are required to meet the hourly emissions limitation. Eastman would provide TDEC with routine updates, at TDEC's discretion on frequency, as to the status of the project until the project is completed, or such time that Eastman determines, based on required emissions testing results, that the project is not needed for compliance.

Response: Condition S4-1 of SIP permit 082223 was revised to state that the emission limit for PES B-55-1 will become effective 270 days after permit issuance and that performance testing must be completed 360 days after permit issuance (i. e., the compliance date plus 90 days). Condition S4-2 of SIP permit 082223 was revised to state that the source-specific reporting requirements will become effective 420 days after permit issuance (i. e., the performance test date plus 60 days).

Attachment N
Board Order 25-012

STATE OF TENNESSEE
AIR POLLUTION CONTROL BOARD

IN THE MATTER OF:	)	
	)	
PROPOSED STATE IMPLEMENTAITON PLAN	)	ORDER NO. 25-012
AMENDMENT TO REQUEST REDESIGNATION	)	
OF THE SULLIVAN COUNTY ONE-HOUR SO_2	)	
NONATTAINMENT AREA TO ATTAINMENT	)	

BOARD ORDER

The Sullivan County, Tennessee sulfur dioxide (SO_2) nonattainment area includes the portion of Sullivan County encompassing a circle having its center at coordinates 36.5186 N; 82.5350 W (B-253 powerhouse, Eastman Chemical Company), and having a three-kilometer radius. Between 2008 and 2010, air quality monitoring at one monitor within this region indicated that the annual average SO_2 concentrations exceeded the 75 ppb National Ambient Air Quality Standard (NAAQS), and EPA designated the area as nonattainment for the one-hour SO_2 NAAQS, effective October 4, 2013.

The Tennessee Air Pollution Control Board finds that the Sullivan County Nonattainment Area has attained the 2010 one-hour SO_2 NAAQS based on an attaining three-year design value for the period 2020-2022 and upon air dispersion modeling that demonstrates future maintenance of the NAAQS. The Board approves the submittal of a redesignation request and maintenance plan to redesignate the area to attainment pursuant to §107(d)(3) of the Clean Air Act.

Approved on June 11, 2025, by the members of the Tennessee Air Pollution Control Board as follows:

_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____
_____	_____