Event Details

PeopleSoft Strategic Sourcing

Event ID	Format	Туре	Page
32701-0000013343	Sell	RFx	1
Event Round	Version		
1	2		
Event Name			
Rad Health Calibra	tion Servic	es	
Start Time		Finish Time	
05/10/2024 08:00:0	0 CDT	06/05/2024 14:30:00 CDT	

Event Currency: Bids allowed in other currency: No

US Dollar

Bidder:	PUBLIC EVENT DETAILS
Submit To: Contact: Phone: Email:	Environment & Consv Call for Shipping Information United States Kyle Villagomez 615/532-1339 kyle.villagomez@tn.gov

Event Description

UPDATE* This event has been updated with an extended bid deadline. This new deadline is June 5, 2024.

This solicitation is to bid for a twenty-four (24) month contract with renewal options up to sixty (60) months for calibration services for radiation detection instruments for Tennessee Department of Environment and Conservation. Please refer to the solicitation documents for information regarding questions and comments due date. Specifications and terms & conditions are attached.

Agency Contact: Kyle Villagomez 615-532-1339 Kyle.Villagomez@tn.gov

READ THE ENTIRE BID, including the Event Details, Specifications, and Terms and Conditions and any other attachments.

If the Review and bid on this event link included in the e-mail notification does not work, please go to https://sso.edison.tn.gov/psp/paprd/SUPPLIER/SUPP/h/?tab=PAPP GUEST Log in with your vendor ID and password in order to search bid opportunities.

NOTE: Need help with EDISON? Call the Edison HELP Desk at 866-376-0104 or 615-741-4357

Please do not wait until the last day to POST YOUR BID. The Edison system will sign you out after 30 minutes of inactivity. Your password expires EVERY 90 DAYS. It is the responsibility of the Edison User (bidder/vendor) to maintain their own profile information (Email address, phone numbers, address or contacts) and to continue to keep it current by logging into the Supplier Portal and making changes as needed.

Supplier Portal link: https://sso.edison.tn.gov/oaam server/oamLoginPage.jsp (Maintain supplier information)

Central Procurement Office Website: https://www.tn.gov/generalservices/procurement.html

The website is constantly being updated with information to assist the agencies and vendors; you are encouraged to visit the website frequently.

General Questions

Question	UOM	Best	Worst	Response
I (we) agree to strictly abide by all the statutes and				-
terms contained in the rules of the Department of				
General Services, Central Procurement Office, which are				
by reference made a part hereof, in addition to the				
special terms, conditions and specifications embodied				
in the invitation to bid.				
IMPORTANT: By Selecting YES, the bidder certifies				
compliance with the above and further certifies that				
this bid is made without collusion or fraud.		Yes		
Required: Yes Mandatory Response:Yes				
Required: Yes Mandatory Response:Yes		res		

PeopleSoft Strategic Sourcing

Event ID	F	ormat	Туре	•	Page
32701-00000	013343 S	ell	RFx		2
Event Round	V	ersion			
1	2				
Event Name					
Rad Health	Calibration	Services			
Start Time			Finish Time		
05/10/2024	08:00:00 CD	Т	06/05/2024	14:30:00	CDT

US Dollar

Bidder: PUBLIC EVENT DETAILS

Submit To: **Environment & Consv** Call for Shipping Information United States Kyle Villagomez Contact: Phone: 615/532-1339 kyle.villagomez@tn.gov Email:

Response	Comments

Event Currency: US Bids allowed in other currency: No

Question	UOM	Best	Worst	Response
Please answer yes or no to the following. If YES, describe using additional pages and attach to the Response including any relevant details:				
(a) is the Respondent presently debarred, suspended, proposed for debarment, or voluntarily excluded from covered transactions by any federal or state department or agency;				
(b) has the Respondent within the past three (3) years, been convicted of, or had a civil judgment rendered against the contracting party from commission of fraud, or a criminal offence in connection with obtaining, attempting to obtain, or performing a public (federal, state, or local) transaction or grant under a public transaction; violation of federal or state antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;				
(c) is the Respondent presently indicted or otherwise criminally or civilly charged by a government entity (federal, state, or local) with commission of any of the offenses detailed above; and				
(d) has the Respondent within a three (3) year period preceding the contract had one or more public transactions (federal, state, or local) terminated for cause or default.				
Required: Yes Mandatory ResponseNo				
Response Comments				

Please list the following information:

List the Contract Administrator's Name

List the Contract Administrator's Address

List the Contract Administrator's Phone Number

List the Respondent's Toll Free Phone Number

List the Contract Administrator's Pager or Cell Number List the Contract Administrator's Email Address

List the Respondent's Website

Required: Yes Mandatory ResponseNo

PeopleSoft Strategic Sourcing

Event ID	Format	Туре	9	Page
32701-00000)13343 Sell	RFx		3
Event Round	Version			
1	2			
Event Name				
Rad Health	Calibration Services	3		
Start Time		Finish Time		
05/10/2024	08:00:00 CDT	06/05/2024	14:30:00 CDT	

Bidder: PUBLIC EVENT DETAILS

Submit To:	Environment & Consv Call for Shipping Information United States		
Contact:	Kyle Villagomez		
Phone:	615/532-1339		
Email:	kyle.villagomez@tn.gov		

Event Currency: US Bids allowed in other currency: No

US Dollar

ЦОМ	Best	Worst	Response
		Worst	
		UOM Best	UOM Best Worst

Required: Yes Mandatory Response No

PeopleSoft Strategic Sourcing Event ID Format Туре Page 32<u>701-0000013343</u> Sel: RF≽ 4 Event Round Version 2 **Event Name** Rad Health Calibration Services Start Time **Finish Time** 05/10/2024 08:00:00 CDT 06/05/2024 14:30:00 CDT US Dollar **Event Currency:** Bids allowed in other currency: No

Bidder: PUBLIC EVENT DETAILS

Submit To:	Environment & Consv
	Call for Shipping Information
	United States
Contact:	Kyle Villagomez
Phone:	615/532-1339
Email:	kyle.villagomez@tn.gov

uestion	UOM	Best	Worst	Response
The respondent shall indicate whether or not they plan o sub-contract:				
No: The respondent does not anticipate using a sub-contractor at this time and agrees to submit a request to subcontract during the contract period prior to using a subcontractor.				
Yes: The bidder shall list the subcontractor(s):				
Attach list of additional subcontractors to the bid, including the following for each subcontractor. List the Sub-Contractor's Name List the Sub-Contractor's Address List the Sub-Contractor's Contact Person List the Sub-Contractor's Phone Number				
Required: Yes Mandatory ResponseNo				
Response Comments				

The Contractor shall not assign this Contract or enter into a subcontract for any of the goods or services provided under this Contract without obtaining the prior written approval of the Central Procurement Office. Notwithstanding any use of approved subcontractors, the Contractor shall be the prime contractor and shall be responsible for all work provided.

The Respondent affirms the following statement, as required by the Iran Divestment Act Tenn. Code Ann. § 12-12-111: "By submission of this response, each Respondent and each person signing on behalf of any Respondent certifies, and in the case of a joint response each party thereto certifies as to its own organization, under penalty of perjury, that to the best of its knowledge and belief that each Respondent is not on the list created pursuant to Tenn. Code Ann. § 12-12-106." For reference purposes, the list is currently available online at: https://www.tn.gov/generalservices/procurement/central-procurement-office--cpo-/library-/public-information-library.html

Required: Yes Mandatory ResponseNo

PeopleSoft Strategic Sourcing

Event Currency: US Bids allowed in other currency: No

Event ID	F	ormat	Туре	e	Page
32701-00000)13343 S	ell	RFx		5
Event Round	v	ersion			
1	2				
Event Name					
Rad Health	Calibration	Services			
Start Time			Finish Time		
05/10/2024	08:00:00 CD	Т	06/05/2024	14:30:00	CDT

US Dollar

Bidder: PUBLIC EVENT DETAILS

Submit To:Environment & Consv
Call for Shipping Information
United StatesContact:Kyle VillagomezPhone:615/532-1339Email:kyle.villagomez@tn.gov

uestion	UOM	Best	Worst	Response
We ask that you take a few short minutes to complete his survey. The purpose of this survey is to capture Respondents' assessments of CPO procurement processes. four responses will remain anonymous, and will have no bearing or consideration on contract award.				
https://www.surveymonkey.com/r/stateoftncpocustomer				
Required: No Mandatory ResponseNo				
Response Comments				
/endor must be located within a 30-mile radius of the Nashville Radiation Environmental Monitoring central office. Please provide the address for your service center.				
Required: Yes Mandatory ResponseNo				
Response Comments				

PeopleSoft Strategic Sourcing

Event ID	Format	Туре	Page
32701-00000)13343 Sell	RFx	6
Event Round	Version		
1	2		
Event Name			
Rad Health	Calibration Services	3	
Start Time		Finish Time	
05/10/2024	08:00:00 CDT	06/05/2024 14:30:00	CDT

Event Currency: US Dollar Bids allowed in other currency: No

Bidder: PUBLIC EVENT DETAILS

Submit To:	Environment & Consv Call for Shipping Information United States
Contact:	Kyle Villagomez
Phone:	615/532-1339
Email:	kyle.villagomez@tn.gov

Line Details

Line: 1 Item ID: Required: Yes Reserve Price: No	Line Qty:	8	UOM: Each		Bid Qty:	8
Description: Radcal System AGT-P-AG wit Calibration	h AGMS-D+ Sy	stem with Addit	ional Diagnostic Poir	nt Multimeter		
Question		UOM	Best	Worst		Response
What is the unit price of this item?						
Required: Yes Mandatory Respons	e: No					
Response Comments						
Line: 2 Item ID: Required: Yes Reserve Price: No	Line Qty:	2	UOM: Each		Bid Qty:	2
·						
Description: Calibration, Radiation Detection	on Equipment, (Of Ludlum 2241	-2 With 2 Probes			
Question		UOM	Best	Worst		Response
What is the unit price of this item?						
Required: Yes Mandatory Respons	e: No					
Response Comments						
Line: 3 Item ID: Required: Yes Reserve Price: No	Line Qty:	16	UOM: Each		Bid Qty:	16
Description: Calibration, Radiation Detection	on Equipment, (Of Ludlum 2241	-3 With 4 Probes			
Question		UOM	Best	Worst		Response
What is the unit price of this item?						
Required: Yes Mandatory Respons	e: No					
Response Comments						

pleSoft Strate	Format	Туре	Page	•	Bidder:	PUBLIC EVENT DETAILS	
01-0000013343 nt Round	Sell Version	RFx	7	1	Submit To:	Environment & Consv	
nt Name	2			_		Call for Shipping Information United States	
nt Name Health Calibrat:	ion Service	S			Contact:	Kyle Villagomez	
t Time		Finish Time		7	Phone:	615/532-1339	
10/2024 08:00:00	CDT	06/05/2024 14:30):00 CDT		Email:	kyle.villagomez@tn.gov	
nt Currency: s allowed in other		US Dollar No					
ne: 4 Item ID: equired: Yes Rese	rve Price: N	Line Qty:	16	UOM	: Each	Bid Qty:	16
escription: Calibrat	ion, Radiation	Detection Equipment, C	Of Ludlum 19				
Question			UOM	Best	W	lorst	Response
What is the unit price	e of this item?		-				
Required: Yes	Mandatory R	Response: No					L
Response Comme	nts						
ne: 5 Item ID: equired: Yes Rese			20 26 June 2010	UOM	: Each	Bid Qty:	20
equired: Yes Rese escription: Calibrat			Of Ludlum 3019				
equired: Yes Rese escription: Calibrat Question	ion, Radiation	0	-	UOM: Best		Bid Qty: /orst	20 Response
equired: Yes Rese escription: Calibrat Question What is the unit price	ion, Radiation e of this item?	o Detection Equipment, C	Of Ludlum 3019				
equired: Yes Rese escription: Calibrat Question	ion, Radiation e of this item?	o Detection Equipment, C	Of Ludlum 3019				
equired: Yes Rese escription: Calibrat Question What is the unit price Required: Yes	ion, Radiation e of this item? Mandatory R	o Detection Equipment, C	Of Ludlum 3019				
equired: Yes Rese escription: Calibrat Question What is the unit price	ion, Radiation e of this item? Mandatory R	o Detection Equipment, C	Of Ludlum 3019				
equired: Yes Rese escription: Calibrat Question What is the unit price Required: Yes	ion, Radiation e of this item? Mandatory R	o Detection Equipment, C	Df Ludlum 3019				
equired: Yes Rese escription: Calibrat Question What is the unit price Required: Yes	ion, Radiation e of this item? Mandatory R	o Detection Equipment, C	Df Ludlum 3019				
equired: Yes Rese escription: Calibrat Question What is the unit price Required: Yes	ion, Radiation e of this item? Mandatory R	o Detection Equipment, C	Df Ludlum 3019				
equired: Yes Rese escription: Calibrat Question What is the unit price Required: Yes Response Commen	ion, Radiation e of this item? Mandatory R	o Detection Equipment, C Response: No	Df Ludlum 3019 UOM	Best	W	lorst	Response
equired: Yes Rese escription: Calibrat Question What is the unit price Required: Yes	ion, Radiation e of this item? Mandatory R nts	Detection Equipment, C Response: No	Df Ludlum 3019	Best			Response
equired: Yes Rese escription: Calibrat Question What is the unit price Required: Yes Response Commen	ion, Radiation e of this item? Mandatory R nts rve Price: N	Detection Equipment, C Response: No Line Qty:	Df Ludlum 3019 UOM 18	Best	W	lorst	Response
equired: Yes Rese escription: Calibrat Question What is the unit price Required: Yes Response Commen Ene: 6 Item ID: equired: Yes Rese escription: Calibrat	ion, Radiation e of this item? Mandatory R nts rve Price: N	Detection Equipment, C Response: No	Df Ludlum 3019 UOM 18 Aodel Ludlum 25	Best UOM:	w : Each	lorst Bid Qty:	Response
equired: Yes Rese escription: Calibrat Question What is the unit price Required: Yes Response Commen	ion, Radiation e of this item? Mandatory R nts rve Price: N ion, Radiation	Detection Equipment, C Response: No Line Qty:	Df Ludlum 3019 UOM 18	Best	w : Each	lorst	Response
equired: Yes Rese escription: Calibrat Question What is the unit price Required: Yes Response Commen Material States escription: Calibrat Question What is the unit price	ion, Radiation e of this item? Mandatory R nts rve Price: N ion, Radiation e of this item?	Detection Equipment, C Response: No Line Qty: Detection Equipment, N	Df Ludlum 3019 UOM 18 Aodel Ludlum 25	Best UOM:	w : Each	lorst Bid Qty:	Response
equired: Yes Rese escription: Calibrat Question What is the unit price Required: Yes Response Commen equired: Yes Rese escription: Calibrat Question	ion, Radiation e of this item? Mandatory R nts rve Price: N ion, Radiation e of this item?	Detection Equipment, C Response: No Line Qty: Detection Equipment, N	Df Ludlum 3019 UOM 18 Aodel Ludlum 25	Best UOM:	w : Each	lorst Bid Qty:	Response
equired: Yes Rese escription: Calibrat Question What is the unit price Required: Yes Response Commen Material States escription: Calibrat Question What is the unit price	ion, Radiation e of this item? Mandatory R nts rve Price: N ion, Radiation e of this item? Mandatory R	Detection Equipment, C Response: No Line Qty: Detection Equipment, N	Df Ludlum 3019 UOM 18 Aodel Ludlum 25	Best UOM:	w : Each	lorst Bid Qty:	Response

pleSoft Strat			-				
nt ID 01-0000013343	Format Sell	Type RFx	Pag	9 8	Bidder:	PUBLIC EVENT DETAILS	
nt Round	Version 2	ILL A			Submit To:	Environment & Consv Call for Shipping Information	
nt Name	tion Couries	-			Contact:	United States	
<u>Health Calibra</u> T t Time	tion Service	S Finish Time		_	Phone:	Kyle Villagomez 615/532-1339	
10/2024 08:00:0	0 CDT	06/05/2024 14:30):00 CDT		Email:	kyle.villagomez@tn.gov	
ent Currency: s allowed in othe		US Dollar No					
ine: 7 Item ID: equired: Yes Res	erve Price: N	Line Qty:	38	UOM	: Each	Bid Qty:	38
escription: Calibra	ation, Radiation	Detection Equipment, M	lodel Ludlum 26	1			
Question			UOM	Best	W	orst	Response
What is the unit pri	ce of this item?						
ine: 8 Item ID: equired: Yes Res	erve Price: N	Line Qty:	6	UOM	: Each	Bid Qty:	6
equired: Yes Res		Line Qty: o Detection Equipment, M		UOM	: Each	Bid Qty:	6
equired: Yes Res escription: Calibra Question	ation, Radiation	0		UOM Best		Bid Qty:	6 Response
equired: Yes Res escription: Calibra Question What is the unit pri	ation, Radiation	o Detection Equipment, M	Nodel Ludlum 5				
equired: Yes Res escription: Calibra Question What is the unit pri	ation, Radiation ice of this item? s Mandatory R	o Detection Equipment, M	Nodel Ludlum 5				
equired: Yes Res escription: Calibra Question What is the unit pri Required: Ye <u>Response Comm</u>	ation, Radiation ice of this item? s Mandatory R ents	o Detection Equipment, M Response: No	Nodel Ludlum 5	Best			Response
equired: Yes Res escription: Calibra <u>Question</u> What is the unit pri Required: Ye <u>Response Comm</u> ine: 9 Item ID: equired: Yes Res	ation, Radiation ice of this item? s Mandatory R ents eerve Price: N	o Detection Equipment, M Response: No	Aodel Ludlum 5 UOM	Best	w	lorst	Response
equired: Yes Res escription: Calibra <u>Question</u> What is the unit pri Required: Ye <u>Response Comm</u> ine: 9 Item ID: equired: Yes Res	ation, Radiation ice of this item? s Mandatory R ents eerve Price: N ation, Radiation	o Detection Equipment, M Response: No Line Qty: 0	Aodel Ludlum 5 UOM	Best	w	lorst	Response
equired: Yes Res escription: Calibra Question What is the unit pri Required: Ye Response Comm 	ation, Radiation ice of this item? s Mandatory R ents eerve Price: N ation, Radiation	o Detection Equipment, M Response: No Line Qty: O Detection Equipment, M	Nodel Ludlum 5 UOM 22 Nodel Ludlum 9-3	UOM	w	lorst Bid Qty:	Response
equired: Yes Res escription: Calibra Question What is the unit pri Required: Ye Response Comm 	ation, Radiation ice of this item? s Mandatory R ents eerve Price: N ation, Radiation ice of this item? s Mandatory R	o Detection Equipment, M Response: No Line Qty: O Detection Equipment, M	Nodel Ludlum 5 UOM 22 Nodel Ludlum 9-3	UOM	w	lorst Bid Qty:	Response

opleSoft Strat			_				
nt ID 01-0000013343	Format Sell	Type RFx	Pag	e B 9	idder:	PUBLIC EVENT DETAILS	
ent Round	Version 2	ILL A			ubmit To:	Environment & Consv Call for Shipping Information	
nt Name						United States	
<u>l Health Calibrat</u> rt Time	ion Service	s Finish Time			ontact: hone:	Kyle Villagomez 615/532-1339	
10/2024 08:00:00	CDT	06/05/2024 14:30):00 CDT		mail:	kyle.villagomez@tn.gov	
ent Currency: Is allowed in other		JS Dollar No					
ine: 10 Item ID: lequired: Yes Res	erve Price: No	Line Qty:	14	UOM: E	Each	Bid Qty:	14
escription: Calibra	tion, Radiation I	Detection Equipment, M	Nodel Bicron Micr	o Rem			
Question			UOM	Best	W	lorst	Response
What is the unit price	ce of this item?						
Response Comme							
ine: 11 Item ID: lequired: Yes Res	erve Price: N	Line Qty:	6	UOM: E	Each	Bid Qty:	6
ine: 11 Item ID: equired: Yes Rese			<i>l</i> lodel Thermo Ele			Bid Qty:	6
ine: 11 Item ID: lequired: Yes Rese Description: Calibra Question	tion, Radiation I	0			m	Bid Qty:	6 Response
ine: 11 Item ID: Required: Yes Reso Description: Calibra Question What is the unit prio	tion, Radiation I	o Detection Equipment, M	<i>l</i> lodel Thermo Ele	c Micro Re	m		
ine: 11 Item ID: lequired: Yes Rese Description: Calibra Question	tion, Radiation I ce of this item? Mandatory R	o Detection Equipment, M	<i>l</i> lodel Thermo Ele	c Micro Re	m		
ine: 11 Item ID: Required: Yes Reso Description: Calibra Question What is the unit prio Required: Yes	tion, Radiation I ce of this item? Mandatory R	o Detection Equipment, M	<i>l</i> lodel Thermo Ele	c Micro Re	m		
ine: 11 Item ID: Required: Yes Rese Description: Calibra Question What is the unit price Required: Yes Response Comme Ine: 12 Item ID:	tion, Radiation I ce of this item? Mandatory R ents	o Detection Equipment, M esponse: No Line Qty:	<i>l</i> lodel Thermo Ele	c Micro Re	m 		
ine: 11 Item ID: Required: Yes Resc Description: Calibra Question What is the unit price Required: Yes Response Comme ine: 12 Item ID: Required: Yes Resc	tion, Radiation I ce of this item? Mandatory R ents	o Detection Equipment, M esponse: No Line Qty:	Nodel Thermo Ele	UOM: E	m v	lorst	Response
ine: 11 Item ID: Required: Yes Resc Description: Calibra What is the unit prior Required: Yes Response Comme ine: 12 Item ID: Required: Yes Resc Description: Calibra Question	tion, Radiation I ce of this item? Mandatory R ents erve Price: No tion, Radiation I	o Detection Equipment, M esponse: No Line Qty: 0	Nodel Thermo Ele	UOM: E	m v	lorst	Response
ine: 11 Item ID: Required: Yes Rese Description: Calibra Question What is the unit prio Required: Yes Response Comme ine: 12 Item ID: Required: Yes Rese Description: Calibra	tion, Radiation I ce of this item? Mandatory R ents erve Price: No tion, Radiation I ce of this item?	o Detection Equipment, M esponse: No Line Qty: o Detection Equipment, M	Nodel Thermo Ele UOM 6 Nodel Ludium 193	UOM: E	m v	lorst Bid Qty:	Response
ine: 11 Item ID: Required: Yes Rese Description: Calibra Question What is the unit prior Required: Yes Response Comme ine: 12 Item ID: Required: Yes Rese Description: Calibra Question What is the unit prior	tion, Radiation I ce of this item? Mandatory R ents erve Price: No tion, Radiation I ce of this item?	o Detection Equipment, M esponse: No Line Qty: o Detection Equipment, M	Nodel Thermo Ele UOM 6 Nodel Ludium 193	UOM: E	m v	lorst Bid Qty:	Response

pleSoft Strat						
nt ID	Format	Туре	Page		PUBLIC EVENT DETAILS	
01-0000013343 nt Round	Sell Version 2	RFx	10	Submit To:	Environment & Consv Call for Shipping Information	
nt Name					United States	
<u>Health Calibra</u> r t Time		inich Time		Contact: Phone:	Kyle Villagomez 615/532-1339	
10/2024 08:00:00		inish Time 6/05/2024 14:30):00 CDT	Email:	kyle.villagomez@tn.gov	
ent Currency: s allowed in othe		Dollar				
ine: 13 Item ID: equired: Yes Res	erve Price: No	Line Qty:	22	UOM: Each	Bid Qty:	22
escription: Calibra	ation, Radiation Det	ection Equipment, N	lodel Ludlum 3 W	th 1 Probe		
Question			UOM	Best W	lorst	Response
What is the unit pri	ce of this item?					
ine: 14 Item ID:		Line Otv:	22	LIOM: Fach	Bid Otv-	22
ine: 14 Item ID: equired: Yes Res escription: Calibra		Line Qty:	22 1odel Unfors Xi W	UOM: Each	Bid Qty:	22
equired: Yes Res escription: Calibra		-	lodel Unfors Xi W	th 2 Probes		
equired: Yes Res	ation, Radiation Det	-		th 2 Probes	Bid Qty: Vorst	22 Response
equired: Yes Res escription: Calibra Question What is the unit pri	ation, Radiation Det	ection Equipment, N	lodel Unfors Xi W	th 2 Probes		
equired: Yes Res escription: Calibra Question What is the unit pri	ation, Radiation Det ce of this item? s Mandatory Resp	ection Equipment, N	lodel Unfors Xi W	th 2 Probes		
equired: Yes Res escription: Calibra <u>Question</u> What is the unit pri Required: Yes	ation, Radiation Det ce of this item? s Mandatory Resp ents	ection Equipment, N	lodel Unfors Xi W	th 2 Probes		
equired: Yes Res escription: Calibra Question What is the unit pri Required: Yes Response Comme 	ation, Radiation Det ce of this item? s Mandatory Resp ents erve Price: No	ection Equipment, M bonse: No Line Qty:	Nodel Unfors Xi Wi	th 2 Probes Best W UOM: Each	lorst	Response
equired: Yes Res escription: Calibra Question What is the unit pri Required: Yes Response Comme ine: 15 Item ID: equired: Yes Res escription: Calibra Question	ation, Radiation Det ce of this item? s Mandatory Resp ents erve Price: No ation, Radiation Det	ection Equipment, M bonse: No Line Qty:	Nodel Unfors Xi Wi	th 2 Probes Best W UOM: Each	lorst Bid Qty:	Response
equired: Yes Res escription: Calibra Question What is the unit pri Required: Yes Response Commu- ine: 15 Item ID: equired: Yes Res escription: Calibra	ation, Radiation Det ce of this item? s Mandatory Resp ents erve Price: No ation, Radiation Det	ection Equipment, M bonse: No Line Qty:	Nodel Unfors Xi Wi UOM 30 Nodel Raysafe Thi	th 2 Probes Best W UOM: Each	lorst Bid Qty:	Response
equired: Yes Res escription: Calibra Question What is the unit pri Required: Yes Response Comme ine: 15 Item ID: equired: Yes Res rescription: Calibra Question What is the unit pri	ation, Radiation Det ce of this item? s Mandatory Resp ents erve Price: No ation, Radiation Det	ection Equipment, M bonse: No Line Qty: ection Equipment, M	Nodel Unfors Xi Wi UOM 30 Nodel Raysafe Thi	th 2 Probes Best W UOM: Each	lorst Bid Qty:	Response
equired: Yes Res escription: Calibra Question What is the unit pri Required: Yes Response Comme ine: 15 Item ID: equired: Yes Res rescription: Calibra Question What is the unit pri	erve Price: No tition, Radiation Det Mandatory Resp ents erve Price: No tition, Radiation Det ce of this item? s Mandatory Resp	ection Equipment, M bonse: No Line Qty: ection Equipment, M	Nodel Unfors Xi Wi UOM 30 Nodel Raysafe Thi	th 2 Probes Best W UOM: Each	lorst Bid Qty:	Response

PeopleSoft Strategic Sourcing

Event ID	Format	Туре	Page
32701-0000013343	Sell	RFx	11
Event Round	Version		
1	2		
Event Name			
Rad Health Calibrat	ion Service	es	
Start Time		Finish Time	
05/10/2024 08:00:00	CDT	06/05/2024 14:30:00 CDT	

Event Currency: US Bids allowed in other currency: No

US Dollar

Bidder: PUBLIC EVENT DETAILS

Submit To:Environment & Consv
Call for Shipping Information
United StatesContact:Kyle VillagomezPhone:615/532-1339Email:kyle.villagomez@tn.gov

Bidder Information

Firm Name:		
Name:	Signature:	Date:
Phone #:	Fax #:	
Street Address:		
City & State:	Zip Code:	
Email:		

PeopleSoft Strategic Sourcing

Event ID	Format	Туре	Page
32701-0000013343	Sell	RFx	12
Event Round	Version		
1	2		
Event Name			
Rad Health Calibrat	tion Servic	es	
Start Time		Finish Time	
05/10/2024 08:00:00) CDT	06/05/2024 14:30:00 CDT	

Event Currency: Bids allowed in other currency: No

US Dollar

Bidder: PUBLIC EVENT DETAILS

Submit To: **Environment & Consv** Call for Shipping Information United States Kyle Villagomez Contact: Phone: 615/532-1339 kyle.villagomez@tn.gov Email:

Appendix A - Line Specifications

Line: 1 UOM: Each Description: Radcal System AGT-P-AG with AGMS-D+ System with Additional Diagnostic Point Multimeter Calibration

tem Specification Manufacturer: Mfg Item ID: Item Length: Item Width: Item Volume: Item Weight: Item Size:	0 0 0 0	Item Height: Dimension UOM: Volume UOM: Weight UOM: Item Color:	0	
Shipping Informat	ion			
Schedule:	1	Ship To:	RADIOLOGICAL HEALTH	
Quantity:	8		DEPARTMENT OF ENVIRONMENT & CON\$EF	RVATIO
Due Date:	06/03/2024		312 ROSA L PARKS AVE	
Freight Terms:			TN TOWER 15TH FLOOR	
Ship Via:	Best Option Available		NASHVILLE TN 37243 United States	

Line: 2 Item ID: Line Qty: 2 UOM: Each Description: Calibration, Radiation Detection Equipment, Of Ludlum 2241-2 With 2 Probes

em Specification	IS	
Manufacturer:		
Mfg Item ID:		
Item Length:	0	Item Height: 0
Item Width:	0	Dimension UOM:
Item Volume:	0	Volume UOM:
Item Weight:	0	Weight UOM:
Item Size:		Item Color:

Shipping Information

Schedule:	1	Ship To:	RADIOLOGICAL HEALTH
Quantity:	2	•	DEPARTMENT OF ENVIRONMENT & CONSERVATION
Due Date:	06/03/2024		312 ROSA L PARKS AVE
Freight Terms:			TN TOWER 15TH FLOOR
Ship Via:	Best Option Available		NASHVILLE TN 37243
•			United States

Line: 3 Item ID: Line Qty: 16 UOM: Each Description: Calibration, Radiation Detection Equipment, Of Ludlum 2241-3 With 4 Probes

PeopleSoft Strategic Sourcing

Event Currency: US Bids allowed in other currency: No

Item Size:

Shipping Information

Event ID	Fo	rmat	Туре	;	Page
32701-00000	013343 Se	11	RFx		13
Event Round	Ve	rsion			
1	2				
Event Name					
Rad Health	Calibration	Services			
Start Time			Finish Time		
05/10/2024	08:00:00 CDT	1	06/05/2024	14:30:00	CDT

US Dollar

Bidder:	PUBLIC EVENT DETAILS
Submit To:	Environment & Consv Call for Shipping Information United States
Contact: Phone: Email:	Kyle Villagomez 615/532-1339 kyle.villagomez@tn.gov

	Manufacturer:			
	Mfg Item ID:			
	Item Length:	0		0
	Item Width:	0	Dimension UOM:	
	Item Volume:	0	Volume UOM:	
	Item Weight:	0	Weight UOM:	
	Item Size:		Item Color:	
Ship	ping Informat	ion		
	Schedule:	1	Ship To:	RADIOLOGICAL HEALTH
	Quantity:	16	•p	DEPARTMENT OF ENVIRONMENT & CONSERVATION
	Due Date:	06/03/2024		312 ROSA L PARKS AVE
	Freight Terms:			TN TOWER 15TH FLOOR
	Ship Via:	Best Option Available		NASHVILLE TN 37243
				United States
ine: 4	Item ID:	Line Ot ur 16	UOM: Each	
		Line Qty: 16 Idiation Detection Equipment, Of Ludlum 19	UOM: Each	
Item	Specification	S		
	Manufacturer:			
	Mfg Item ID:			
	Item Length:	0	Item Height:	0
	Item Width:	0	Dimension UOM:	
	Item Volume:	0	Volume UOM:	
	Item Weight:	0	Weight UOM:	

Schedule:	1	Ship To: RADIOLOGICAL HEALTH	
Quantity:	16	DEPARTMENT OF ENVIRONMENT & CONS	ERVATION
Due Date:	06/03/2024	312 ROSA L PARKS AVE	
Freight Terms:		TN TOWER 15TH FLOOR	
Ship Via:	Best Option Available	NASHVILLE TN 37243	
•	•	United States	

Item Color:

Line:5Item ID:Line Qty:20Description:Calibration, Radiation Detection Equipment, Of Ludlum 3019 UOM: Each

Item Specifications Manufacturer: Mfg Item ID: Item Length: 0 Item Height: 0 Item Width: Dimension UOM: 0 Item Volume: 0 Volume UOM: Item Weight: Weight UOM: 0 Item Size: Item Color:

PeopleSoft Strategic Sourcing

Event ID	Format	Туре	Page		
32701-0000013343	Sell	RFx	14		
Event Round	Version				
1	2				
Event Name					
Rad Health Calibrat	ion Service	S			
Start Time Finish Time					
05/10/2024 08:00:00) CDT	06/05/2024 14:30:00 CDT			

Event Currency: US Dollar Bids allowed in other currency: No

Bidder: PUBLIC EVENT DETAILS

Submit To:	Environment & Consv Call for Shipping Information United States
Contact:	Kyle Villagomez
Phone:	615/532-1339
Email:	kyle.villagomez@tn.gov

Shipping Informat	tion		
Schedule: Quantity: Due Date:	1 20 06/03/2024	Ship To:	RADIOLOGICAL HEALTH DEPARTMENT OF ENVIRONMENT & CONSERVATION 312 ROSA L PARKS AVE
Freight Terms: Ship Via:	Best Option Available		TN TOWER 15TH FLOOR NASHVILLE TN 37243 United States

 Line:
 6
 Item ID:
 Line Qty:
 18
 UOM:
 Each

 Description:
 Calibration, Radiation Detection Equipment, Model Ludlum 25
 Compared to the second second

Manufacturer:		
Mfg Item ID:		
Item Length: 0	Item Height: 0	
Item Width: 0	Dimension UOM:	
Item Volume: 0	Volume UOM:	
Item Weight: 0	Weight UOM:	
Item Size:	Item Color:	

Γ	Shipping Information			
	Schedule:	1	Ship To:	RADIOLOGICAL HEALTH
	Quantity:	18	•	DEPARTMENT OF ENVIRONMENT & CONSERVATION
	Due Date:	06/03/2024		312 ROSA L PARKS AVE
	Freight Terms:			TN TOWER 15TH FLOOR
	Ship Via:	Best Option Available		NASHVILLE TN 37243
				United States

 Line:
 7
 Item ID:
 Line Qty:
 38
 UOM:
 Each

 Description:
 Calibration, Radiation Detection Equipment, Model Ludlum 26-1

Item Specification	IS			
Manufacturer:				
Mfg Item ID:				
Item Length:	0	Item Height:	0	
Item Width:	0	Dimension UOM:		
Item Volume:	0	Volume UOM:		
Item Weight:	0	Weight UOM:		
Item Size:		Item Color:		
Shipping Informat	tion			
Schedule:	1	Ship To:	RADIOLOGICAL HEALTH	
Quantity:	38		DEPARTMENT OF ENVIRONMENT & CON\$EI	RVATION
Due Date:	06/03/2024		312 ROSA L PARKS AVE	
Freight Terms:			TN TOWER 15TH FLOOR	
Ship Via:	Best Option Available		NASHVILLE TN 37243 United States	

UOM: Each

PeopleSoft Strategic Sourcing

Event ID	F	ormat	Туре	;	Page
32701-00000)13343 s	ell	RFx		15
Event Round	v	/ersion			
1	2				
Event Name					
Rad Health	Calibratior	n Services			
Start Time			Finish Time		
05/10/2024	08:00:00 CE	DΤ	06/05/2024	14:30:00 CDT	

Event Currency: US Bids allowed in other currency: No

US Dollar

Bidder: PUBLIC EVENT DETAILS

Submit To:	Environment & Consv Call for Shipping Information United States
Contact:	Kyle Villagomez
Phone:	615/532-1339
Email:	kyle.villagomez@tn.gov

Line: 8 Item ID: Line Qty: 6 Description: Calibration, Radiation Detection Equipment, Model Ludlum 5

Manufacturer:	
Mfg Item ID:	
Item Length: 0	Item Height: 0
Item Width: 0	Dimension UOM:
Item Volume: 0	Volume UOM:
Item Weight: 0	Weight UOM:
Item Size:	Item Color:

Schedule: Ship To: RADIOLOGICAL HEALTH 1 DEPARTMENT OF ENVIRONMENT & CONSERVATION Quantity: 6 Due Date: 06/03/2024 312 ROSA L PARKS AVE Freight Terms: TN TOWER 15TH FLOOR Ship Via: **Best Option Available** NASHVILLE TN 37243 United States

Line: 9 Item ID: Line Qty: 22 UOM: Each Description: Calibration, Radiation Detection Equipment, Model Ludlum 9-3

Manufacturer:			
Mfg Item ID:			
Item Length:	0	Item Height:	0
Item Width:	0	Dimension UOM:	
Item Volume:	0	Volume UOM:	
Item Weight:	0	Weight UOM:	
Item Size:		Item Color:	
Shipping Informa	tion		
Shipping Informa Schedule:	tion 1	Ship To:	RADIOLOGICAL HEALTH
	tion 1 22	Ship To:	RADIOLOGICAL HEALTH DEPARTMENT OF ENVIRONMENT & CONSERVATIO
Schedule:	1	Ship To:	
Schedule: Quantity:	1 22 06/03/2024	Ship To:	DEPARTMENT OF ENVIRONMENT & CONSERVATION
Schedule: Quantity: Due Date:	1 22 06/03/2024	Ship To:	DEPARTMENT OF ENVIRONMENT & CONSERVATION 312 ROSA L PARKS AVE

Line: 10 Item ID: Line Qty: 14 UOM: Each Description: Calibration, Radiation Detection Equipment, Model Bicron Micro Rem

PeopleSoft Strategic Sourcing

Bids allowed in other currency: No

Ship Via:

Shipping Information

Event Currency:

Event ID	Format	Туре	Page
32701-00000)13343 Sell	RFx	16
Event Round	Version		
1	2		
Event Name			
Rad Health	Calibration Services	5	
Start Time		Finish Time	
05/10/2024	08:00:00 CDT	06/05/2024 14:30	:00 CDT

US Dollar

Bidder: PUBLIC EVENT DETAILS

Submit To:	Environment & Consv Call for Shipping Information United States
Contact:	Kyle Villagomez
Phone:	615/532-1339
Email:	kyle.villagomez@tn.gov

NASHVILLE TN 37243

United States

Item Specification	S		
Manufacturer:			
Mfg Item ID:			
Item Length:	0	Item Height:	0
Item Width:	0	Dimension UOM:	
Item Volume:	0	Volume UOM:	
Item Weight:	0	Weight UOM:	
Item Size:		Item Color:	
Shipping Informat	ion		
Schedule:	1	Ship To:	RADIOLOGICAL HEALTH
Quantity:	14	•	DEPARTMENT OF ENVIRONMENT & CONSERVATION
Due Date:	06/03/2024		312 ROSA L PARKS AVE
Freight Terms:			TN TOWER 15TH FLOOR

Line: 11 Item ID: Line Qty: 6 UOM: Each Description: Calibration, Radiation Detection Equipment, Model Thermo Elec Micro Rem

Best Option Available

m Specifications	
Manufacturer:	
Mfg Item ID:	
Item Length: 0	Item Height: 0
Item Width: 0	Dimension UOM:
Item Volume: 0	Volume UOM:
Item Weight: 0	Weight UOM:
Item Size:	Item Color:

Schedule: 1 Ship To: RADIOLOGICAL HEALTH Quantity: DEPARTMENT OF ENVIRONMENT & CONSERVATION 6 Due Date: 06/03/2024 312 ROSA L PARKS AVE Freight Terms: TN TOWER 15TH FLOOR NASHVILLE TN 37243 Ship Via: **Best Option Available United States**

Line: 12 Item ID: Line Qty: 6 UOM: Each Description: Calibration, Radiation Detection Equipment, Model Ludlum 193-6 With 1 Probe

Item Specifications	
Manufacturer:	
Mfg Item ID:	
Item Length: 0	Item Height: 0
Item Width: 0	Dimension UOM:
Item Volume: 0	Volume UOM:
Item Weight: 0	Weight UOM:
Item Size:	Item Color:

PeopleSoft Strategic Sourcing

Event ID	Format	Туре	Page
32701-0000013343	Sell	RFx	17
Event Round	Version		
1	2		
Event Name			
Rad Health Calibra	tion Service	es	
Start Time		Finish Time	
05/10/2024 08:00:0	0 CDT	06/05/2024 14:30:00 CDT	

Event Currency: US Dollar Bids allowed in other currency: No Bidder: PUBLIC EVENT DETAILS

Submit To:Environment & Consv
Call for Shipping Information
United StatesContact:Kyle VillagomezPhone:615/532-1339Email:kyle.villagomez@tn.gov

Shipping Informat	tion			
Schedule:	1	Ship To:	RADIOLOGICAL HEALTH	
Quantity:	6		DEPARTMENT OF ENVIRONMENT & CONS	ERVATION
Due Date:	06/03/2024		312 ROSA L PARKS AVE	
Freight Terms:			TN TOWER 15TH FLOOR	
Ship Via:	Best Option Available		NASHVILLE TN 37243	
•	·		United States	

Line:13Item ID:Line Qty:22UOM: EachDescription:Calibration, Radiation Detection Equipment, Model Ludlum 3 With 1 Probe

n Specifications		
Manufacturer:		
Mfg Item ID:		
Item Length: 0	Item Height: 0	
Item Width: 0	Dimension UOM:	
Item Volume: 0	Volume UOM:	
Item Weight: 0	Weight UOM:	
Item Size:	Item Color:	

Shipping Informa	tion		
Schedule:	1	Ship To:	RADIOLOGICAL HEALTH
Quantity:	22	•	DEPARTMENT OF ENVIRONMENT & CONSERVATION
Due Date:	06/03/2024		312 ROSA L PARKS AVE
Freight Terms:			TN TOWER 15TH FLOOR
Ship Via:	Best Option Available		NASHVILLE TN 37243
•			United States

Line: 14	Item ID:	Line	e Qty: 22	UOM: Each
Description:	: Calibration,	Radiation Detection Equ	uipment, Model	Unfors Xi With 2 Probes

tem Specificatior	IS		
Manufacturer:			
Mfg Item ID:			
Item Length:	0	Item Height:	0
Item Width:	0	Dimension UOM:	
Item Volume:	0	Volume UOM:	
Item Weight:	0	Weight UOM:	
Item Size:		Item Color:	
Shipping Informa	tion		
Schedule:	1	Ship To:	RADIOLOGICAL HEALTH
Quantity:	22	-	DEPARTMENT OF ENVIRONMENT & CON\$ERVA
Due Date:	06/03/2024		312 ROSA L PARKS AVE
Freight Terms:			TN TOWER 15TH FLOOR
Ship Via:	Best Option Available		NASHVILLE TN 37243

PeopleSoft Strategic Sourcing

Event ID	Fo	ormat	Туре	•	Page
32701-00000	013343 Se	ell	RFx		18
Event Round	Ve	ersion			
1	2				
Event Name					
Rad Health	Calibration	Services			
Start Time			Finish Time		
05/10/2024	08:00:00 CD	Г	06/05/2024	14:30:00	CDT

Event Currency: US Bids allowed in other currency: No

US Dollar

PUBLIC EVENT DETAILS **Bidder:**

Environment & Consv Call for Shipping Information United States Kyle Villagomez 615/532-1339 kyle.villagomez@tn.gov Submit To: Contact: Phone: Email:

Line: 15 Item ID: Line Qty: 30 UOM: Each Description: Calibration, Radiation Detection Equipment, Model Raysafe Thinx

Manufacturer: Mfg Item ID:			
Item Length:	0	Item Height:	0
Item Width:	0	Dimension UOM:	0
Item Volume:	9	Volume UOM:	
Item Weight:	0	Weight UOM:	
Item Size:	-	Item Color:	
Shipping Informa	tion		
Shipping Informa Schedule:	tion 1	Ship To:	RADIOLOGICAL HEALTH
Schedule:		Ship To:	RADIOLOGICAL HEALTH DEPARTMENT OF ENVIRONMENT & CONSERVATIO
	1	Ship To:	
Schedule: Quantity:	1 30 06/03/2024	Ship To:	DEPARTMENT OF ENVIRONMENT & CONSERVATIO
Schedule: Quantity: Due Date:	1 30 06/03/2024	Ship To:	DEPARTMENT OF ENVIRONMENT & CONSERVATIO 312 ROSA L PARKS AVE

PeopleSoft Strategic Sourcing

Event ID	Format	Туре	Page
32701-00000	13343 Sell	RFx	19
Event Round	Version		
1	2		
Event Name			
Rad Health (Calibration Service:	S	
Start Time		Finish Time	
05/10/2024	08:00:00 CDT	06/05/2024 14:30:00 CD	т

Event Currency: US Bids allowed in other currency: No

US Dollar

Bidder: PUBLIC EVENT DETAILS

Submit To:Environment & Consv
Call for Shipping Information
United StatesContact:Kyle VillagomezPhone:615/532-1339Email:kyle.villagomez@tn.gov

Appendix B - Terms & Conditions

- 1. The undersigned acknowledges that all submitted information and documentation will become the property of the state of Tennessee. The undersigned also affirms that the information given above is true, accurate, and includes pertinent information necessary to identify and explain the operation of this organization to the best of my knowledge and is in no way misleading.
- 2. Should any data change in the future, the Supplier agrees to immediately submit the correct information electronically through the State's Supplier Portal.

If the information will be submitted in writing please mail to the following address:

Department of Finance and Administration 312 Rosa L. Parks Ave. 21st Floor Tennessee Tower ATTN: Supplier Maintenance Nashville, TN 37243

3. No person on the grounds of handicap or disability, age, race, color, religion, sex, national origin, creed, or any other classification protected by Federal and/or Tennessee State constitutional and/or statutory law shall be excluded from participation in, or denied benefits of, or be otherwise subjected to discrimination in the performance of the Contract or in the employment practices of the Contractor. The Contractor shall, upon request, show proof of such non-discrimination, and shall post in conspicuous places, available to employees and applicants, notices of non-discrimination.

Last Updated: 08/30/2016