

STIHL BATTERY SYSTEM

AI Series

Blowers

Chain Saws

Edgers

Trimmers

Kombi

Hedge Trimmers

Extended Hedge Trimmers

Pole Pruners

Lawn Mowers

Shredders & Cut-Off

ACCESSORIES

Accessories For BGAs

Accessories for FSAs

GTA 26 Accessories

AK Batteries

AP Batteries

AR Batteries

Chargers



BATTERY | AI SERIES PRUNING SAW

GTA 26





Weight: 1.2 kg (2.7 lbs.)
Weight w/ Battery: 1.4 kg (3.1 lbs.)
Run Time: Up to 25 minutes

Recommended Battery: AS 2 Recommended Charger: AL 1

	Part Number			Bar Length	Lavel 1	Level 2	Level :	3 Level 4	Level 5	Level 6	SRP
	GA01 011 6926 US			4"	\$143,99	\$145.99	\$145.99	\$145.99	\$145,99	\$147.594	\$179.99
	GA01 011 6901 US			4"	\$11000	\$11000	\$119.99	\$119.99	\$119.99	\$122.99	\$149.99
31A 20 Ettilium-ion Gar Only	uen Fruner Onic	4"	4"	3007 003 0	101 0000	792 9164	71 PM3 28	3670 005 002	8 GA010	11 6901 US	\$149.99

HSA 26



Run Time: Up to 110 minutes

Weight (w/hedge shear attachment): 0.7 kg (1.5 lbs)

Weight w/ AS 2 battery & hedge shear attachment: 1.0 kg (2.2 lbs)

Shrub Shear Length: 200 mm (7.9")

Grass Shear Width: 120 mm (4.7")

Recommended Battery: AS 2 Recommended Charger: AL 1

Part Number	Level 1 Level 2	Level 3	Level 4	Level 5 Level 6	SRP
HA03 011 3501 US	47000 \$7000	\$7000	\$79.99	\$79.99 \$81.97	\$99.99
HA03 011 3507 US	\$11000 \$11000	\$119.99	\$119/99	\$119.99 \$122.00	\$149.99

SEA 20







Weight: 1.09 kg (2.4 lbs.)

Weight w/ Battery: 1.32 kg (2.9 lbs.)

Run Time: Up to 14 minutes

Vacuum Performance: 36 CFM

Suction: Max 80 mbar (8 kPa)

Recommended Battery: AS 2 Recommended Charger: AL 1

Part Number	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP		
SA03 011 7301 US	879.77	\$7000	\$7999	\$79.99	\$79.09	\$8100	\$99.99		
SA03 011 7311 US	\$12799	\$12799	\$12799	\$12700	\$127.99	\$17110	\$159.99		



BATTERY | AI SERIES HEDGE TRIMMERS

HSA 30.0



21377



Weight w/o Battery (Powerhead Only): 2 kg (4.45 lbs.) Weight w/ recommended AS 2: 2.2 kg (4.85 lbs.) Run Time w/ recommended AS 2: Up to 50 minutes Blade Length: 45 cm (18") Strokes per minute: 2,800

Recommended Battery: AS 2 Recommended Charger: AL 1

Part Number	Level 1	Level 2	Level 3	Level 4 Level	5 Level 6	SRP
HA08 011 3502 US	10590	\$95.00	\$95.99	495.99 \$95.99	108.30	\$119.99
HA08 011 3509 US	\$11000	\$117.00	\$119.99	\$119.99 \$119.99	\$122.99	\$149.99

HSA 40.0







Weight w/o Battery (Powerhead Only): 2.1 kg (4.62 lbs.)

Weight w/ recommended AS 2: 2.3 kg (5.07 lbs.)

Run Time w/ recommended AS 2: Up to 80 minutes with two AS2 Batteries Blade Length: $50\ cm\ (20")$

Strokes per minute: 2,800

Recommended Battery: AS 2 Recommended Charger: AL 1

Part Number	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
HA08 011 3522 US	\$12700	\$127.99	\$127.99	\$12799	\$127/99	\$151.19	\$159.99
HA08 011 3529 US	\$15100	\$151.00	\$151.99	\$151.99	\$151.99		\$189.99



BATTERY | BLOWERS

BGA 45



Weight w/Integrated Battery: 2.0 kg (4.4 lbs.)
Charge Time: 300 minutes (5 hours)
Run Time: Up to 10 minutes
Blowing Force*: 5 Newtons
Max Air Velocity: 44 m/sec. (98 mph)
Air Volume at Nozzle: 420m³/h (247 cfm)

	THE RESERVE OF THE RE	ANY DESCRIPTION OF THE PARTY OF	MARKAGON PROPERTY AND ADDRESS OF THE PARTY O	AND DESCRIPTION OF THE PARTY OF
Part Number Leve	rel 1 Level 2	Level 3 Level 4 Le	evel 5 Level 6	SRP
4513 011 5902 US	100	AWAGA	11100 611-770-	\$139.99

RGA 57



Weight w/o Battery: 2.3 kg (5.1 lbs.)
Weight w/ recommended AK 20: 3.5 kg (7.8 lbs.)
Run Time w/ recommended AK 20: (144 Wh) Up to 22 minutes
Blowing Force*: 9 Newtons
Max Air Velocity: 55 m/sec. (123 mph)
Air Volume at Nozzle: 620 m³/h (365 cfm)

Recommended Battery: AK 20 Recommended Charger: AL 101

	Part Number	Level 1	Level 2	Level 3	Level 4	Level 5 Level 6	SRP
	4523 011 5991 US	£15000	\$16909	\$159.99	\$159,99	\$159.90 \$143.99	\$199.99
BGA 57 set w/ AK 20 Batte	ery and AL 101 Charger					4523 011 5991 US	\$199.99

^{*}Newton is the force needed to accelerate I kg of mass at the rate of I m/sec2.



BATTERY | BLOWERS

BGA 60





Weight w/o Battery: 2.27 kg (5.0 lbs.)
Weight w/ recommended AK 30: 3.58 kg (7.9 lbs.)
Run Time w/ recommended AK 30: Up to 16 minutes
Blowing Force*: 13 Newtons
Max Air Velocity: 69 m/sec. (154 mph)
Air Volume at Nozzle: 780 m³/h (459 cfm)

Recommended Battery: AK 30 Recommended Charger: AL 101

Part Number	Level 1	Level 2	Level 3	Level 4	Level 5 Level 6		SRP
BAO4 011 5901 US	\$15000	\$15900	\$159,99	\$159.99	\$159.00 \$163.00	• \$	199.99
BAO4 011 5941 US	\$23000	\$23000	\$237.99	\$239.99	\$25999 \$215.04	• \$	299.99

^{*}Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec2.

BGA 86



WWeight w/o Battery: 2.8 kg (6.2 lbs.) Weight w/ recommended AP 300: 4.5 kg (10 lbs.)

Run Time w/ recommended AP 300: Up to 21 minutes

Blowing Force*: 15 Newtons

Max Air Velocity: 69 m/sec. (154 mph)

Air Volume at Nozzle: 780 m³/h (459 cfm)

Sound Pressure Rating: 58 dB(A)

Recommended Battery: AP 300

Recommended Charger: AL 101/ AL 300/ AL 500

Part Number	Level 1	Level 2 L	evel 3	Level 4	Level 5	Level 6	SRP
BA02 011 5901 US	\$210.51	\$223.99	22200	\$223.99	\$223.79	\$227.59	\$279.99

^{*}Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec2

BGA 100



Weight w/o Battery: 2.5 kg (5.5 lbs.)

Run Time w/ recommended AR 3000 L: Up to 510 minutes

Blowing Force*: 17 Newtons on boost mode

Max Air Velocity: 75 m/sec. (168 mph)

Air Volume at Nozzle: 840 m3/h (494 cfm)

Sound Pressure Rating: 56 dB(A)

Recommended Battery: AR 3000 L Recommended Charger: AL 301/ AL 500

Part Number	Level 1	Level 2 Level 3	Level 4 L	evel 5 Level 6	SRP
		Million of the beautiful to		CONTRACTOR PRODUCTION OF THE PARTY OF	
	-				* 10000
4866 011 5901 US	(0021/40	20X10A 70X1AA	202/46	DZ444 3000140	\$409.99

^{*}Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec2.



BATTERY | BLOWERS

BGA 200



Weight w/o Battery: 3.2 kg (7.1 lbs.)
Run Time w/ AR 3000 L: Up to 500 Minutes
Blowing Force*: 21 Newtons on boost mode
Max Air Velocity: 84 m/sec. (188 mph)
Air Volume at Nozzle: 940 m³/h (553 cfm)
Requires either an AR backpack battery or special accessory to operate with AP battery.

Recommended Battery: AR 3000 L Recommended Charger: AL 301/ AL 500

Part Number	Level 1	Level 2	Level 3	Level 4	Level 5 Level 6	SRP
BA01 011 5901 US	\$355.10	\$350,00	\$364.79	4574.30	\$885.99 \$393.593	\$479.99

^{*}Newton is the force needed to accelerate I kg of mass at the rate of I m/sec2.

BGA 300.0



Weight w/o Battery: 7.48 kg (16.5 lbs.)
Run Time w/ AR 3000 L: Up to 140 Minutes
Blowing Force*: 26 Newtons on boost mode
Max Air Velocity: 85.8 m/sec. (192 mph)
Air Volume at Nozzle: 970 m³/h (571 cfm)
Sound Pressure Rating: 59 dB(A)

Requires either an AR backpack to operate.

Recommended Battery: AR 3000 L Recommended Charger: AL 301-4/ AL 500

	Part Number	Level 1	Level 2 Level 3	Level 4 Level 5 Level 6	SRP
ETCUS NORMANIES					
	BA03 011 5901 US	\$548,79	\$559.99 \$559.99	\$55977 \$55900 \$575.790	\$699.99

^{*}Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec2.

BATTERY | CHAIN SAWS

MSA 60.0 C-B







Weight w/o Battery: 2.7 kg (6.0 lbs)

Weight w/ recommended AK 20: 3.95 kg (8.7 lbs)

Run Time w/ recommended AK 20 battery: (144 Wh) Up to 40 minutes

Chain Oil Capacity: 109cc (3.7 oz.)

Chain Type: 1/4" STIHL PICCO™

Recommended Battery: AK 20 Recommended Charger: AL 101

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
MAO4 011 5801 US	12*	\$225.77	\$223.99	\$223.99	\$223.99	\$225.99	\$229.59	\$279.99
MA04 011 5867 US	12*	\$23000	\$23999	\$239.99	\$23000	\$23999	\$23000	\$299.99

MSA 70.0 C-B



#:17#77)



Weight w/o Battery: 2.7 kg (6.0 lbs)

Weight w/ recommended AK 30 Battery: 4.0 kg (8.9 lbs)

Run Time w/ recommended AK 30: up to 45 minutes

Chain Oil Capacity: 109cc (3.7 oz.)

Chain Type: 1/4" STIHL PICCO™

Recommended Battery: AK 30 Recommended Charger: AL 101

Part Number	Bar Length	Lovel 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
MAO4 011 5817 US	12"	\$255,99	\$255.99	\$255.99	\$255.99	\$255,99	\$262.39	\$319.99
MAO4 011 5883 US	12"	\$295,99	\$295.99	\$295.99	\$295.99	\$295.99	\$295 9	\$369.99

MSA 160.0 C-B



731-777



Weight w/o Battery: 3.1 Kg (6.8 lbs.)

Weight w/ recommended AP 300 S: 4.9 kg (10.8 lbs.)

Run Time w/ recommended AP 300 S: Up to 62 minutes

Chain Oil Capacity: 210 cc (7.1 oz.)

Guide Bar Length: 25 to 35 cm (10-14") STIHL LIGHT 01

Recommended Battery: AP 300 S

Recommended Charger: AL 301/ AL 301-4/ AL 500

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
MA03 200 0002	12" (\$263.99	\$263.99	\$263.99	\$263.99	\$263.99	\$270.59	\$329.99



BATTERY | CHAIN SAWS

MSA 161 T



Weight (Powerhead only): 2.1 kg (4.6 lbs)
Weight w/ recommended AP 200: 3.4 kg (7.5 lbs)
Run Time w/ recommended AP 200: Up to 42 minutes
Chain Oil Capacity: 105 cc (3.55 oz)
Chain Type: 1/4" STIHL PICCO™

For in-tree or professional use only

Chain Type: 3/8" STIHL PICCO™

Recommended Battery: AP 200 Recommended Charger: AL 101/ AL 301/ AL 500

Part Number	Bar Length Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1252 200 0048	12" \$352.79	\$359.99	\$359.99	\$359.99	\$35999	\$368.99	\$449.99

MSA 200.0 C-B

112//



Weight (Powerhead only): 3.1 Kg (6.8 lbs.)
Weight w/ recommended AP 300 S: 4.9 kg (10.8 lbs)
Run Time w/ recommended AP 300 S: Up to 50 minutes
Chain Oil Capacity: 210 cc (7.1 oz.)

Recommended Battery: AP 300 S Recommended Charger: AL 301/ AL 301-4/ AL 500

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
MA03 200 0008	12"	\$295.99	\$295.99	\$295.99	\$295.99	\$295,99	\$303,39	\$369.99
MA03 200 0007	14"	\$303.99	\$303.99	\$303.99	\$303.99	\$303.99	\$311.59	\$379.99



BATTERY | CHAIN SAWS

MSA 220.0 TC-0



Weight (Powerhead only): 2.7 kg (5.95 lb.)
Weight w/ recommended AP 300 S: 4.54 kg (10.01 lb.)
Run Time w/ recommended AP 300 S: up to 29 mins.
Chain Type: 3/8" PS3Guide Bar Length: 12" -16" Light PO4
Chain Oil Capacity: 7.4 oz.
Chain Type: 3/8" PS3

Recommended Battery: AP 300 S Recommended Charger: AL 301-4, AL 500

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
MA01 200 0033	12"	\$470.39	\$479.99	\$479,99	\$479.99	\$479.99	\$491,90	\$599.99
MA01 200 0014	14"	479.23	\$487.99	\$487.99	\$487.99	\$487,99	\$500.19	\$609.99
MA01 200 0016	16"	\$486.07	\$495.99	\$495.99	\$495.99	\$495.99	\$508.39	\$619.99

MSA 300 C-0




Weight (Powerhead only): 4.5 kg (9.92 lb.)
Weight w/ recommended AP 500 S: 6.4 kg (14.11 lb.)
Run Time with recommended AP 500 S: up to 44 minutes
Chain Oil Capacity: 10.5 oz.
Chain Type: .325" RS3 chain

Recommended Battery: AP 500 S Only Recommended Charger: AL 301-4, AL 500

		EDITE:					
Part Number	Bar Length	Level 1	Level 2 Leve	i 3 Level 4	Level 5	Level 6	SRP
MA02 200 0058	16"	3627.19	\$639.99 \$639	99\$63999	\$639.99	\$655.99	\$799.99



BATTERY | EDGERS







Weight w/Integrated Battery: 2.3 kg (5.1 lbs.)
Run Time with STIHL PolyCut™: Up to 20 minutes
Run Time with Line: Up to 12 minutes
Cutting Width: 23 cm (9")
Charge Time: 210 minutes (3.5 hours)

Part Number Level 1
4512 011 5702 US 3111.99

vel 1 Level 2 Level 3 Level 4 Level 5 Level 6

\$139.99

FSA 57

AK Series/ Series 4522



Weight w/o Battery: 2.7 kg (5.95 lbs.)

Weight w/ recommended AK 10: 2.7 kg (5.95 lbs)

Run Time w/ recommended AK 10: 72 (wh) Up to 25 minutes

Cutting Width: 280 mm (11")

Accessory Compatibility:

AutoCut® 2-2 (for serial numbers starting with 9) (4008 710 2103)

Replacement pre wound spool for AutoCut 2-2 (for serial numbers starting with 9) (4008 710 4302)[®]

3 Pack of pre-wound spools AutoCut® C3-2 (for serial numbers starting with 5) (4009 710 4306)

Replacement pre wound spool for AutoCut $^{\odot}$ C3-2 (for serial numbers starting with 5 (4009 710 4305)

STIHL PolyCut™ 3-2 (for serial numbers starting with 5) (4009 710 2104)

PLEASE NOTE: All FSA 57s with a serial number starting with "9", will use AutoCut® 2-2 heads. All FSA 57's with serial numbers starting with "5" will use AutoCut® C3-2 heads. THEY CAN NOT INTERCHANGE.

Recommended Battery: AK 10 Recommended Charger: AL 101

Part Number	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
4522 011 5761 US	\$127,99	\$12799	\$127.99	\$127.99	\$12799	\$131.19	\$159.99
4522 011 5771 US	\$159.99	\$159.99	\$159.99	\$159.99	\$159.99	\$163,00	\$199.99
4522 011 5773 US	\$183.99	\$183.99	\$183.99	\$183.99	\$183.99	\$188.59)	\$229.99





Weight w/o Battery: 3.22 kg (7.1 lbs.)
Weight w/ recommended AK 20: 4.44 kg (9.8 lbs.)
Run Time w/ recommended AK 20: up to 25 minutes
Cutting Width: 35 cm (13.8")

Recommended Battery: AK 20 Recommended Charger: AL 101


Part Number	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
FA04 011 5741 US	\$259,99	\$239.99	\$23999	\$239.99	\$239.99	\$245.99	\$299.99
FA04 011 5701 US	\$183.99	\$183.99	\$183.99	\$183.99	\$183.99	\$188,59	\$229.99




Weight w/o Battery: 5 kg / 11.1 lbs. Weight w/ recommended AK 20: 6.2 kg / 13.7 lbs. Run Time w/ recommended AK 20: up to 25 min. Cutting Width: 38 cm / 14.96 in.

Recommended Battery: AK 20 Recommended Charger: AL 101, AL 301


Part Number		Lavel 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
FA08 011 5711 US		\$319.99	\$319,99	\$319.99	\$319.99	\$319.99	\$32799	\$399.99
FA08 011 5701 US		\$311.99	\$311.99	\$311.99	\$311.99	\$311.99	\$319.79	\$389.99












FA01 200 0006 US

\$499.99







KMA 80 R





Weight w/o Battery: 3.1 kg / 6.8 lbs.

Weight w/ recommended AK 30: 4.4 kg / 9.7 lbs.

Run Time w/ recommended AK 30: Varies based on attachment and battery used.

Recommended Battery: AK 30 Recommended Charger: AL 101

Part Number	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
FA08 011 6801 US	\$255,99	\$255,99	\$255.99	\$255.99	\$255.99	\$262.39%	\$319.99
FAO8 011 6810 US	\$319.99	\$319.99	\$319.99	\$31999	\$319.99	\$32799	\$399.99
FA08 011 6811 US	\$359.99	\$359.99	\$359.99	\$359.99	\$359,99	1368.99	\$449.99

KMA 120.0 R





Weight w/o Battery: 3.4 kg / 7.5 lbs.

Weight w/ recommended AP 300 S: 5.2 kg / 11.5 lbs.

Run Time w/ recommended AP 300 S: Varies based on attachment and battery used

Recommended Battery: AP 300 S Recommended Charger: AL 101

Part Number	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
FA08 011 6821 US	\$203.99	\$263.99	\$263.99	\$263.99	\$263.99	\$270.59	\$329.99



BATTERY | KOMBI

KMA 130 R



Weight w/o Battery: 3.2 kg (7.1 lbs.)

Run Time: Varies based on attachment and battery used

Compatible with all current KM attachments (excludes FSB curved shaft trimmer)

Harness Kit (0000 007 1045) Required when operating an FS-KM Kombi tool mounted w/ a metal cutting attachment

Requires either an AR Backpack Battery or special accessories to operate $\ensuremath{\mathsf{w}}\xspace/$ AP battery

Recommended Battery: AR 3000 L Recommended Charger: AL 301/ AL 500

Part Number Level 1 Level 2 Level 3 Level 4 Level 5 Level 6 SRP

4867 011 6821 US \$315.59 \$319.99 \$319.99 \$319.99 \$319.99 \$327.99 \$399.99

KMA 135 R



Weight w/o Battery: 3.4 kg (7.5 lbs.)

Weight w/ recommended AP 300 S battery: 5.2 kg (11.5 lbs.)

Run Time: Varies based on attachment and battery used

Compatible with all current KM attachments (excludes FSB curved shaft trimmer).

Recommended Battery: AP 300 S Recommended Charger: AL 101/ AL 301/ AL 500

Part Number Level 1 Level 2 Level 3 Level 4 Level 5 Level 6 SRP

FA02 011 6801 US \$274.39 \$279.99 \$279.99 \$279.99 \$286.99 \$349.99







Weight w/Integrated Battery: 2.3 kg (5.1 lbs.) Run Time: Up to 40 minutes Charge Time: 210 minutes (3.5 hours) Blade Length: 50 cm (20") Strokes per minute: 2,500

Pert Number Level 1 Level 2 Level 3 Level 4 Level 5 Level 6 SRP
4511 011 3502 US \$111.99 \$111.99 \$111.99 \$111.99 \$111.99 \$139.99

HSA 50



FITT 17



Weight w/o Battery (Powerhead Only): 2.9 kg (6.4 lbs.)
Weight w/ recommended AK 10: 3.7 kg (8.2 lbs.)
Run Time w/ recommended AK 10: (72 Wh) Up to 50 minutes
Blade Length: 50 cm (20")
Strokes per minute: 2,800

Recommended Battery: AK 10 Recommended Charger: AL 101

Part Number	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
4521 011 3511 US	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
HSA 50 set w/ AK 10 Battery and AL 101 Charger					4521 0	11 3541 US	\$209.99

Part Number	Level 1 Level 2 Level 3 Level 4 Level 5 Level 6 SRP
4521 011 3531 US	\$159.99 \$159.99 \$159.99 \$159.99 \$163.99 \$199.99
4521 011 3541 US	\$16799 \$16799 \$16799 \$16799 \$16799 \$172.19 \$209.99



HSA 60



Weight w/o Battery (Powerhead Only): 3.49 kg (7.7 lbs.) Weight w/ recommended AK 10: 4.3 kg (9.5 lbs.)

Run Time w/ recommended AK 10: Up to 60 minutes

Blade Length: 60 cm (24")

Strokes per minute: 3,000

Recommended Battery: AK 10 Recommended Charger: AL 101

		E. Carrie			The state of the state of		
Part Number	Level 1	Level 2	Level 3	Leve 4	Level 5	Level 6	SRP
particular transfer of the first of the control of	Constant of the last		Chiroles a said		California de la California		
		THE RESERVE	NOME THE PROPERTY AND IN		- THE RESERVE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN	AND DESCRIPTION OF THE PERSON NAMED IN COLUMN 1	
HA06 011 3511 US	\$271.99	\$271.99	\$271.99	\$271.99	\$271.99	\$278.79	\$339.99

HSA 60.1



ETT I



Weight w/o Battery (Powerhead Only): 3.49 kg (7.7 lbs.) Weight w/ recommended AK 10: 4.3 kg (9.5 lbs.)

Run Time w/ recommended AK 10: Up to 60 minutes

Blade Length: 60 cm (24")

Strokes per minute: 3,000

Recommended Battery: AK 10 Recommended Charger: AL 101

Part Number	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
HAO6 011 3501 US	\$215,99	\$215.99	\$215.99	\$215.99	\$215,99	\$221.39	\$269.99

HSA 94 R



Weight w/o Battery: 4.1 kg (9.0 lbs.)

Run Time w/ recommended AR 2000 L Battery: Up to 550 minutes Blade Length: 60.0 cm (24")

Stroke Per Minute (Levels 1, 2, 3): 2,800/ 3,000/ 3,200

No onboard battery slot - requires either an AR backpack battery or special accessories to operate with AP battery.

Recommended Battery: AR 2000 L Recommended Charger: AL 301/ AL 500

Part Number	Level	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
	STREET, STREET		A SHOW AND A SHOW	No. Post Line of the last		Management and	
4869 011 3505 US	C 2 47110	\$ 47000	e 2000	1.47000	£47000	\$450.99	\$549.99
4869 011 3303 03	SHOMA	D410444	P42777	かいコインイイ	D4134543	343077	\$549.99



HSA 100



Weight w/o Battery: 3.5 kg (7.7 lbs.)

Run Time w/ recommended AP 200 Battery: Up to 150 minutes

Blade Length: 60 cm (24")

Stroke Per Minute: 3,000

Recommended Battery: AP 200

Recommended Charger: AL 101/ AL 301/ AL 500

Part Number	Level 1 Level 2	Level 3 Level 4	Level 5 Level 6	SRP
HA07 011 3501 US	\$266.55 \$271.99	\$271.99 \$271.99	\$271.99 \$278.79	\$339.99

HSA 130 T

AP Series / Series 4869

21:17

Weight w/o Battery: 3.9 kg (8.6 lbs.)

Run Time w/ recommended AR 2000 L Battery: up to 690 minutes

Blade Length: 60 cm (24")

Stroke Per Minute: 4,400 / 4,700 / 5,000

Recommended Battery: AR 2000 L


Recommended Charger: AL 301-4 / AL 301 / AL 500




Part Number	Leve	al 1 Level 2 Level 3	Level 4	Level 5	Level 6	SRP
4869 OII 3568 US	30.0	00 \$0,00 \$0,00	\$0.00	\$0,00	\$0.00	\$0.00



BATTERY | EXTENDED HEDGE TRIMMERS











BATTERY | POLE PRUNERS






BATTERY | POLE PRUNERS









BATTERY | LAWN MOWERS

RMA 460



Weight w/o Battery:: 25 kg. (55.1 lbs.)

Weight w/ recommended AK 30: 25 kg. (55.1 lbs.)

Area Mowed:: approx. 2,852 sq. ft.

Deck Width: 48.0 cm (19"): Cutting Width: 46.0 cm (18.1")

Cutting Height: 1.4"- 3.9": Grass Catcher Capacity: 60.0 L (15.85 gal.)

Recommended Battery: Ak 30 Recommended Charger: AL 101

Part Number	Level 1 Level 2 Level 3 Level 4 Level 5 Level 6	SRP
6368 011 1400 US	\$19999 \$19999 \$19999 \$19999 \$20400	\$249.99
6368 200 0034	\$27000 \$27000 \$27000 \$27000 \$27000 \$28600	\$349.99
יידוא 400 kit wy את 50 pattery מ אב זיטו Charger ncludes: bagger, mulch plug and side discharge chute	6368 200 0034	\$349.99

RMA 460 V SELF- PROPELLED



Weight w/o Battery: 28 kg (61.7 lbs.): Weight w/ recommended AK 30: 29.2 kg (64.4 lbs.)

Area Mowed: approx. 2,368 sq. ft.

Deck Width: 48 cm (19")

Cutting Width: 46 cm (18.1"): Cutting Height: 1.0"- 3.9"

Grass Catcher Capacity: 60.0 L (15.85 ga.): Self-Propelled Mower Speed: 0.6 mph to 2.8 mph

Recommended Battery: AK 30 Recommended Charger: AL 101

	Part Number	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
	6368 200 0035	\$43999	\$439.99	\$439.99	\$439.99	\$439.99	\$450.99	\$549.99
	6368 011 1410 US	\$367.99	\$367,99	\$367.99	\$367.99	\$567.99	\$377.19	\$459.99
ncludes: bagger, mulc	h plug and side discharge chute			- The second second		6368	011 1410 US	\$459.99



BATTERY | LAWN MOWERS

RMA 510



Weight w/o Battery: 28.1 kg (62.0 lbs.)
Weight w/ recommended AP 300 S: 28.8 KG (63.5 lbs.)
Area Mowed: TBD: 53.3 cm (21")
Cutting Width: 51.0 cm (20")
Cutting Height: 1.375"-3.75"

Recommended Battery: AP 300 Recommended Charger: AL 101/ AL 301/ AL 500

Part Number	Level 1 Level 2 Level 3 Level 4 Level 5 Level 6	SRP
6372 011 1400 US	\$235.09 \$23599 \$23099 \$23099 \$23099 \$245.09	\$299.99
6372 200 0047	\$39999 \$39999 \$39999 \$39999 \$3 99 99 \$40999	\$549.99
IMA DIO SELW/ AP DOO'S battery and AL DOI Charger	03/2 200 004/	47.740

RMA 510 V SELF- PROPELLED





Weight w/o Battery: 29 kg (63.9 lbs.): Weight w/ Recommended AP 300: 30.7 kg (67.7 lbs.)

Weight w/ recommended AP 300 S: 30.8 kg (67.9 lbs.) Cutting Width: 51.0 cm (20"): Cutting Height: 1.0"-3.9" Grass Catcher Capacity: 75.0 L (19.8 gal.) Self- Propelled Mower Speed: 0.6 mph to 2.8 mph

Recommended Battery: AP 300 S Recommended Charger: AL 101/ AL 301/ AL 500

Part Number	Level 1 Level 2 Level 3 Level 4 Level 5 Level 6 SI	RP
6372 011 1410 US	\$39999 \$39999 \$39999 \$39999 \$39999 \$40099	9.99
6372 200 0048	\$55999 \$55999 \$55999 \$55999 \$55999 \$57399 \$74	19.99
hing kit and side discharge chute	6372 200 0048 \$74	19.99

Part Number

6392 011 1405



BATTERY | SHREDDERS & CUT-OFF

SHA 56







Weight w/o Battery (Shredder mode): 4.2 kg (9.3 lbs.), Weight w/ recommended AK 20 battery (Shredder mode): 5.4 kg (12.0 lbs.), Run time w/ recommended AK 20 battery (Shredder mode): Up to 25 minutes

Blowing Force*: 8 N

Max Air Velocity:: 56 m/s (125 MPH)

Air Volume at Nozzle:: 560 m3/h (328 CFM)

Sound Pressure Rating:: 62 dB(A)

Bag Capacity:: 1.41 cubic feet

Recommended Battery: AK 20 Recommended Charger: AL 101

Part Number	Level 1 Level 2 Level 3 Level 4 Level 5 Level 6	SRP
SA02 011 7101 US	\$20799 \$20799 \$20799 \$20799 \$20799 \$20799	\$259.99
SA02 200 0011	\$335,90 \$335,90 \$335,90 \$335,90 \$3344.59	\$419.99

^{*}Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec2.

TSA 230



Weight (Powerhead Only): 3.9 kg (8.6 lbs.)

Weight w/ recommended AP 300 S: 5.7 Kg (12.6 lbs.)

Run Time w/ recommended AP 300: Up to 22 minutes

Cutting Depth: 7 cm (2.75")

Wheel Diameter: 22.9 cm (9")

Recommended Battery: AP 300 S

Recommended Charger: AL 101/ AL 301/ AL 500

Description					Wheel	Part Number	SRP
SA 230 Unit only					9"	4864 011 6601 US ,	\$499.99
	Part Number	Level 1	Level 2	Level 3	Level 4	Lavel 5 Level 6	SRP
	4864 011 6601 US	\$391,99	\$399,99	\$399,99	\$300,90	39999 340999	\$499.99