



## CHAIN SAWS

---

MS 151 C-E	MS 261
MS 151 T C-E	MS 271 FARM BOSS®
MS 162	MS 291
MS 170	MS 311
MS 171	MS 362
MS 172 C-E	MS 362 R
MS 180	MS 362 C-M
MS 180 C-BE	MS 362 R C-M
MS 181 C-BE	MS 391
MS 182	MS 400 C-M
MS 182 C-BE	MS 462
MS 194 T	MS 462 R C-M
MS 194 C-E	MS 462 R C-M Rescue
MS 201 C-EM	MS 500i
MS 201 T C-M	MS 500i R
MS 211	MS 661 MAGNUM®
MS 212 C-BE	MS 661 R MAGNUM®
MS 250	MS 881 MAGNUM®
MS 251 WOOD BOSS®	MS 881 R MAGNUM®
MS 251 C-BE	

## ACCESSORIES

---

FILES, TOOLS, ETC.

BARS & ACCESSORIES

SAW CHAIN- CARBIDE

SAW CHAIN- CUT CHAIN LOOPS

SAW CHAIN- REELS

SPROCKETS



## CHAIN SAW | GASOLINE POWERED

### MS 151 C-E



1.44 cu. in. (23.6 cc), 1.5 bhp (1.1 kW), 2.8 kg (6.2 lbs.)

Fuel Capacity: 200 cc (6.8 oz.)

Chain Oil Capacity: 150 cc (5.1 oz.)

Guide Bar Length: 25 to 30 cm (10" to 12") STIHL ROLLOMATIC® E Mini

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1146 200 0063	12"	<del>\$517.99</del>	<del>\$524.99</del>	<del>\$531.99</del>	<del>\$545.99</del>	<del>\$554.99</del>	<del>\$573.99</del>	\$699.99

### MS 151 T C-E



1.44 cu. in. (23.6 cc), 1.3 bhp (1.0 kW), 2.6 kg (5.7 lbs.)

Fuel Capacity: 200 cc (6.8 oz.)

Chain Oil Capacity: 150 cc (5.07 oz.)

Guide Bar Lengths: 25 to 30 cm (10" to 12") STIHL ROLLOMATIC® E Mini

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1146 200 0061	12"	<del>\$480.99</del>	<del>\$487.49</del>	<del>\$493.99</del>	<del>\$506.99</del>	<del>\$519.99</del>	<del>\$532.99</del>	\$649.99

### MS 162

NEW



Packaged 2 per box

1.8 cu. in. (30.1 cc), 1.6 bhp (1.2 kW), 4.5 kg (9.9 lbs.)

Fuel Capacity: 400 cc (13.5 oz.)

Chain Oil Capacity: 280 cc (9.5 oz.)

Guide Bar Length: 16" LIGHT, 3/8" PICCO™

Note: When ordering a replacement guide bar, order PN: 3005 003 3913

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1148 200 0212 US	16"	<del>\$143.99</del>	<del>\$143.99</del>	<del>\$143.99</del>	<del>\$143.99</del>	<del>\$143.99</del>	<del>\$147.50</del>	\$179.99

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake. STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



## CHAIN SAW | GASOLINE POWERED

### MS 170



Packaged 2 per box  
1.8 cu. in. (30.1 cc), 1.7 bhp (1.3 kW), 3.9 kg (8.6 lbs.)  
Fuel Capacity: 250 cc (8.5 oz.)  
Chain Oil Capacity: 145 cc (4.9 oz.)  
Guide Bar Lengths: 30 to 40 cm (12" to 16") STIHL ROLLOMATIC® Mini

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1130 200 0370 US	16"	<del>\$143.99</del>	<del>\$143.99</del>	<del>\$143.99</del>	<del>\$143.99</del>	<del>\$143.99</del>	<del>\$147.59</del>	\$179.99

Service Kit for MS 170

1130 007 1800

\$21.99

\* California only part number 1130 200 0371

### MS 171



Packaged 2 per box  
1.9 cu. in. (31.8 cc), 1.7 bhp (1.3 kW), 4.3 kg (9.5 lbs.)  
Fuel Capacity: 270 cc (9.1 oz.)  
Chain Oil Capacity: 265 cc (9.0 oz.)  
Guide Bar Lengths: 30 to 40 cm (12" to 16") STIHL ROLLOMATIC® E

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1139 200 0246 US	16"	<del>\$175.99</del>	<del>\$175.99</del>	<del>\$175.99</del>	<del>\$175.99</del>	<del>\$175.99</del>	<del>\$180.39</del>	\$219.99

Service Kit for MS 171

1139 007 1800

\$21.99

### MS 172 C-E

NEW



Packaged 2 per box  
1.9 cu. in. (31.8 cc), 1.9 bhp (1.4 kW), 4.7 kg (10.4 lbs.)  
Fuel Capacity: 400 cc (13.5 oz.)  
Chain Oil Capacity: 280 cc (9.5 oz.)  
Guide Bar Lengths: 16" LIGHT 01, 3/8" PICCO™

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1148 200 0213 US	16"	<del>\$175.99</del>	<del>\$175.99</del>	<del>\$175.99</del>	<del>\$175.99</del>	<del>\$175.99</del>	<del>\$180.39</del>	\$219.99


WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake. STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.





## CHAIN SAW | GASOLINE POWERED

### MS 180




Packaged 2 per box  
1.9 cu. in. (31.8 cc), 2.0 bhp (1.5 kW), 8.6 lbs. (3.9 kg)  
Fuel Capacity: 250 cc (8.5 oz.)  
Chain Oil Capacity: 145 cc (4.9 oz.)  
Guide Bar Lengths: 30 to 40 cm (12" to 16") STIHL ROLLOMATIC®

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1130 200 0448 US	16"	<del>\$191.99</del>	<del>\$191.99</del>	<del>\$191.99</del>	<del>\$191.99</del>	<del>\$191.99</del>	<del>\$196.79</del>	\$239.99
Service Kit for MS 180								1130 007 1800 \$21.99

\* California only part number 1130 200 0449 (will be discontinued in December 2023)


### MS 180 C-BE



Packaged 2 per box  
1.9 cu. in. (31.8 cc), 2.0 bhp (1.5 kW), 4.2 kg (9.3 lbs.)  
Fuel Capacity: 250 cc (8.5 oz.)  
Chain Oil Capacity: 145 cc (4.9 oz.)  
Guide Bar Lengths: 30 to 40 cm (12" to 16") STIHL ROLLOMATIC®

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1130 200 0372 US	16"	<del>\$223.99</del>	<del>\$223.99</del>	<del>\$223.99</del>	<del>\$223.99</del>	<del>\$223.99</del>	<del>\$229.99</del>	\$279.99
Service Kit for MS 180 C-BE								1130 007 1800 \$21.99

### MS 181 C-BE



Packaged 2 per box  
1.9 cu. in. (31.8 cc), 2.0 bhp (1.5 kW), 4.6 kg (10.1 lbs.)  
Fuel Capacity: 270 cc (9.1 oz.)  
Chain Oil Capacity: 265 cc (9.0 oz.)  
Guide Bar Lengths: 30 to 40 cm (12" to 16") STIHL ROLLOMATIC® E

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1139 200 0204 US	16"	<del>\$250.87</del>	<del>\$255.99</del>	<del>\$255.99</del>	<del>\$255.99</del>	<del>\$255.99</del>	<del>\$262.39</del>	\$319.99
Service Kit for MS 181 C-BE								1139 007 1800 \$21.99


WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake. STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



## CHAIN SAW | GASOLINE POWERED

### MS 182

NEW



Packaged 2 per box

2.2 cu. in. (35.8 cc), 2.1 bhp (1.6 kW), 4.6 kg (10.1 lbs.)

Fuel Capacity: 400 cc (13.5 oz.)


Chain Oil Capacity: 280 cc (9.5 oz.)

Guide Bar Lengths: 16" Light 04, 3/8" PICCO™

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1148 200 0216 US	16"	\$191.99	\$191.99	\$191.99	\$191.99	\$191.99	\$196.70	\$239.99

### MS 182 C-BE

NEW



Packaged 2 per box

2.2 cu. in. (35.8 cc), 2.1 bhp (1.6 kW), 4.9 kg (10.8 lbs.)

Fuel Capacity: 400 cc (13.5 oz.)

Chain Oil Capacity: 280 cc (9.5 oz.)

Guide Bar Lengths: 16" LIGHT 04, 3/8" PICCO™

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1148 200 0215 US	16"	\$223.99	\$223.99	\$223.99	\$223.99	\$223.99	\$229.99	\$279.99

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



## CHAIN SAW | GASOLINE POWERED- TOP HANDLE

### MS 194 T



194 cu. in. (38.1 cc), 1.88 bhp (1.4 kW), 3.3 kg (7.28 lbs)

Fuel Capacity: 270 cc (9.1 oz.)

Chain Oil Capacity: 220 cc (7.4 oz.)

Guide Bar Lengths: 35 cm (14") STIHL ROLLOMATIC® E

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1137 200 0361	14"	\$340.59	\$344.99	\$349.59	\$358.70	\$367.99	\$377.19	\$459.99
1137 200 0343	16"	\$347.79	\$352.49	\$357.19	\$366.59	\$375.99	\$385.39	\$469.99
1137 200 0348	12"	\$352.99	\$357.49	\$361.99	\$369.99	\$379.99	\$389.99	\$449.99
1137 200 0353	14" Lightweight	\$362.59	\$367.49	\$372.39	\$382.19	\$391.99	\$401.79	\$489.99

For in-tree professional use only!

### MS 194 C-E



194 cu. in. (31.8 cc), 1.88bhp (1.4kW), 3.45 kg (7.6 lbs.)

Fuel Capacity: 270 cc (9.1 oz.)

Chain Oil Capacity: 220 cc (7.4 oz.)

Guide Bar Lengths: 30 to 40 cm (12" to 16") STIHL ROLLOMATIC® E

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1137 200 0357	14"	\$377.39	\$382.49	\$387.59	\$397.79	\$407.99	\$418.19	\$509.99
1137 200 0359	16"	\$384.79	\$389.99	\$395.19	\$405.59	\$415.99	\$426.39	\$519.99
1137 200 0354	12"	\$369.99	\$374.99	\$379.99	\$389.99	\$399.99	\$409.99	\$499.99

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake. STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



## CHAIN SAW | GASOLINE POWERED

### MS 201 C-EM



2.15 cu. in. (35.2 cc), 2.41 bhp (1.8 kW), 4.1 kg (9.0 lbs.)

Fuel Capacity: 310 cc (10.5 oz.)

Chain Oil Capacity: 220 cc (7.4 oz.)

Guide Bar Lengths: 30 to 40 cm (12" to 16") STIHL ROLLOMATIC® E or STIHL ROLLOMATIC® E Light

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1145 200 0288	12"	<del>\$658.59</del>	<del>\$667.49</del>	<del>\$676.39</del>	<del>\$694.19</del>	<del>\$711.99</del>	<del>\$729.79</del>	\$889.99
1145 200 0291	14"	<del>\$665.99</del>	<del>\$674.99</del>	<del>\$683.99</del>	<del>\$701.99</del>	<del>\$719.99</del>	<del>\$737.99</del>	\$899.99
1145 200 0285	16"	<del>\$673.59</del>	<del>\$682.49</del>	<del>\$691.59</del>	<del>\$709.79</del>	<del>\$727.99</del>	<del>\$746.19</del>	\$909.99

### MS 201 T C-M



2.15 cu. in. (35.2 cc), 2.41 bhp (1.8 kW), 3.71 kg (8.16 lbs.)

Fuel Capacity: 310 cc (10.5 oz.)

Chain Oil Capacity: 220 cc (7.4 oz.)

Guide Bar Lengths: 30 to 40 cm (12" to 16") STIHL ROLLOMATIC® E or STIHL ROLLOMATIC® E Light

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1145 200 0296	12"	<del>\$621.59</del>	<del>\$629.99</del>	<del>\$638.39</del>	<del>\$655.19</del>	<del>\$671.99</del>	<del>\$688.79</del>	\$839.99
1145 200 0299	14"	<del>\$628.99</del>	<del>\$637.49</del>	<del>\$645.99</del>	<del>\$662.99</del>	<del>\$679.99</del>	<del>\$696.99</del>	\$849.99
1145 200 0303	14" L	<del>\$651.19</del>	<del>\$659.99</del>	<del>\$668.79</del>	<del>\$686.39</del>	<del>\$703.99</del>	<del>\$721.59</del>	\$879.99
1145 200 0308	16"	<del>\$636.39</del>	<del>\$644.99</del>	<del>\$653.59</del>	<del>\$670.79</del>	<del>\$687.99</del>	<del>\$705.19</del>	\$859.99

NOTE: For in-tree professional use only.

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake. STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.





## CHAIN SAW | GASOLINE POWERED

### MS 211



Packaged 2 per box  
2.15 cu. in. (35.2 cc), 2.3 bhp (1.7 kW), 4.3 kg (9.5 lbs.)  
Fuel Capacity: 270 cc (9.1 oz.)  
Chain Oil Capacity: 265 cc (9.0 oz.)  
Guide Bar Lengths: 30 to 45 cm (12" to 18") STIHL ROLLOMATIC®

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1139 200 0355 US	18"	<del>\$255.99</del>	<del>\$255.99</del>	<del>\$255.99</del>	<del>\$255.99</del>	<del>\$255.99</del>	<del>\$262.39</del>	\$319.99
Service Kit for MS 211						1139 007 1800		\$21.99

### MS 211 C-BE



Packaged 2 per box  
2.15 cu. in. (35.2 cc), 2.3 bhp (1.7 kW), 4.6 kg (10.1 lbs.)  
Fuel Capacity: 270 cc (9.1 oz.)  
Chain Oil Capacity: 265 cc (9.0 oz.)  
Guide Bar Lengths: 30 to 45 cm (12" to 18") STIHL ROLLOMATIC®

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1139 200 0356 US	18"	<del>\$287.99</del>	<del>\$287.99</del>	<del>\$287.99</del>	<del>\$287.99</del>	<del>\$287.99</del>	<del>\$295.19</del>	\$359.99
Service Kit for MS 211 C-BE						1139 007 1800		\$21.99

### MS 212 C-BE

NEW



Packaged 2 per box  
2.4 cu. in. (38.6 cc), 2.4 bhp (1.8 kW), 4.9 kg (10.8 lbs.)  
Fuel Capacity: 400 cc (13.5 oz.)  
Chain Oil Capacity: 280 cc (9.5 oz.)  
Guide Bar Lengths: 18" LIGHT 04, 3/8" PICCO™

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1148 200 0214 US	18"	<del>\$287.99</del>	<del>\$287.99</del>	<del>\$287.99</del>	<del>\$287.99</del>	<del>\$287.99</del>	<del>\$295.19</del>	\$359.99


WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake. STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.





## CHAIN SAW | GASOLINE POWERED

### MS 250



Packaged 2 per box

2.77 cu. in. (45.4 cc), 3.0 bhp (2.2 kW), 4.9 kg (10.1 lbs.)

Fuel Capacity: 470 cc (15.9 oz.)

Chain Oil Capacity: 200 cc (6.8 oz.)

Guide Bar Lengths: 40 to 45 cm (16" to 18") STIHL LIGHT 04

MS 250 18 23RM3

Picture shown with optional Lightweight Guide Bar.

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1123 200 0881 US	18"	<del>\$319.99</del>	<del>\$319.99</del>	<del>\$319.99</del>	<del>\$319.99</del>	<del>\$319.99</del>	<del>\$327.99</del>	\$399.99
Service Kit for MS 250						1123 007 1800		\$17.99

### MS 251 WOOD BOSS®



Packaged 2 per box

2.78 cu. in. (45.6 cc), 3.0 bhp (2.2 kW), 4.9 kg (11.0 lbs.)


Fuel Capacity: 390 cc (13.2 oz.)

Chain Oil Capacity: 200 cc (6.7 oz.)

Guide Bar Lengths: 40 to 45 cm (16" to 18") STIHL WOOD BOSS®

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1143 200 0700 US	18"	<del>\$303.99</del>	<del>\$303.99</del>	<del>\$303.99</del>	<del>\$303.99</del>	<del>\$303.99</del>	<del>\$311.59</del>	\$379.99

### MS 251 C-BE



Packaged 2 per box

2.78 cu. in. (45.6 cc), 3.0 bhp (2.2 kW), 5.2 kg (11.5 lbs.)

Fuel Capacity: 390 cc (13.2 oz.)

Chain Oil Capacity: 200 cc (6.7 oz.)

Guide Bar Lengths: 40 to 45 cm (16" to 18") STIHL LIGHT 04

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1143 200 0699 US	18"	<del>\$335.99</del>	<del>\$335.99</del>	<del>\$335.99</del>	<del>\$335.99</del>	<del>\$335.99</del>	<del>\$344.39</del>	\$419.99

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake. STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



## CHAIN SAW | GASOLINE POWERED

### MS 261



3.06 cu. In. (50.2 cc), 4.0 bhp (3.0kW), 4.9 kg (10.8 lbs.)  
Fuel Capacity: 500 cc (16.9 oz.)  
Chain Oil Capacity: 270 cc (9.13 oz.)  
Guide Bar Lengths: 40 to 50 cm (16" to 20") STIHL LIGHT 04

Picture shown with optional Lightweight Guide Bar.

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1141 200 0601	16"	<del>\$503.19</del>	<del>\$509.99</del>	<del>\$516.79</del>	<del>\$530.39</del>	<del>\$543.99</del>	<del>\$557.59</del>	\$679.99
1141 200 0587	18"	<del>\$510.59</del>	<del>\$517.49</del>	<del>\$524.39</del>	<del>\$538.19</del>	<del>\$551.99</del>	<del>\$565.79</del>	\$689.99
1141 200 0588	20"	<del>\$517.99</del>	<del>\$524.99</del>	<del>\$531.99</del>	<del>\$545.99</del>	<del>\$559.99</del>	<del>\$573.99</del>	\$699.99
Service Kit for MS 261					1141 007 1800			\$25.99

### MS 261 C-M



3.06 cu. in. (50.2 cc), 4.0 bhp (3.0 kW), 4.9 kg (10.8 lbs.)  
Fuel Capacity: 500 cc (16.9 oz.)  
Chain Oil Capacity: 270 cc (9.13 oz.)  
Guide Bar Lengths: 40 to 50 cm (16" to 20") STIHL LIGHT 04

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1141 200 0676	18"	<del>\$510.59</del>	<del>\$517.49</del>	<del>\$524.39</del>	<del>\$538.19</del>	<del>\$551.99</del>	<del>\$565.79</del>	\$689.99
1141 200 0677	20"	<del>\$517.99</del>	<del>\$524.99</del>	<del>\$531.99</del>	<del>\$545.99</del>	<del>\$559.99</del>	<del>\$573.99</del>	\$699.99

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake. STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



## CHAIN SAW | GASOLINE POWERED

### MS 271 FARM BOSS®



Packaged 2 per box

3.06 cu. in. (50.2 cc), 3.49 bhp (2.6 kW), 5.6 kg (12.3 lbs.)

Fuel Capacity: 500 cc (16.9 oz.)

Chain Oil Capacity: 240 cc (8.12 oz.)

Guide Bar Lengths: Guide Bar Lengths: 40 to 50 cm (16" to 20") STIHL FARM BOSS®

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1141 200 0681 US	18"	\$362.59	\$367.49	\$372.39	\$382.19	\$391.99	\$401.79	\$489.99
1141 200 0682 US	20"	\$369.99	\$374.99	\$379.99	\$389.99	\$399.99	\$409.99	\$499.99

### MS 291



Packaged 2 per box

3.39 cu. in. (55.5 cc), 3.76 bhp (2.8 kW), 5.6 kg (12.3 lbs.)

Fuel Capacity: 500 cc (16.9 oz.)

Chain Oil Capacity: 240 cc (8.12 oz.)

Guide Bar Lengths: Guide Bar Lengths: 40 to 50 cm (16" to 20") STIHL LIGHT 04

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1141 200 0673 US	18"	\$421.79	\$427.49	\$433.19	\$444.59	\$455.99	\$467.39	\$569.99
1141 200 0674 US	20"	\$429.19	\$434.99	\$440.79	\$452.39	\$463.99	\$475.59	\$579.99

Service Kit for MS 291

1141 007 1800

14.99

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake. STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.





## CHAIN SAW | GASOLINE POWERED

### MS 311



3.6 cu. in. (59.0 cc), 4.2 bhp (3.1 kW), 6.2 kg (13.67 lbs.)

Fuel Capacity: 600 cc (20.3 oz.)

Chain Oil Capacity: 350 cc (11.8 oz.)

Guide Bar Lengths: Guide Bar Lengths: 40 to 63 cm (16" to 25") STIHL LIGHT 04

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1140 200 0626	16"	\$480.99	\$487.49	\$493.99	\$506.99	\$519.99	\$532.99	\$649.99
1140 200 0594	18"	\$488.39	\$494.99	\$501.39	\$514.79	\$527.99	\$541.19	\$659.99
1140 200 0595	20"	\$495.79	\$502.49	\$509.19	\$522.59	\$535.99	\$549.39	\$669.99
Service Kit for MS 311 (with Round Air Filter)					1140 007 1800	14.99		

### MS 362



3.6 cu. in. (59.0 cc), 4.6 bhp (3.4 kW), 5.6 kg (12.3 lbs.)

Fuel Capacity: 600 cc (20.3 oz.)

Chain Oil Capacity: 325 cc (11.0 oz.)

Guide Bar Lengths: 40 to 63 cm (16" to 25") STIHL ROLLOMATIC®

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1140 200 0641	18"	\$695.59	\$704.99	\$714.39	\$733.19	\$751.99	\$770.79	\$939.99
1140 200 0642	20"	\$707.99	\$712.49	\$721.99	\$740.99	\$759.99	\$778.99	\$949.99
1140 200 0790	25"	\$710.39	\$719.99	\$729.59	\$748.79	\$767.99	\$787.19	\$959.99
Service Kit for MS 362 (with Round Air Filter)					1140 007 1800	14.99		


WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake. STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



## CHAIN SAW | GASOLINE POWERED

### MS 362 R

Series 1140



3.6 cu. in. (59.0 cc), 4.6 bhp (3.4 kW), 6.0 kg (13.2 lbs.)


Fuel Capacity: 600 cc (20.3 oz.)

Chain Oil Capacity: 325 cc (11.0 oz.)

Guide Bar Length: Guide Bar Length: 40 to 63 cm (16" to 25") STIHL LIGHT 04

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1140 200 0633	20"	\$739.99	\$749.99	\$759.99	\$779.99	\$799.99	\$819.99	\$999.99

### MS 362 C-M



3.6 cu. in. (59.0 cc), 4.7 bhp (3.5 kW), 5.6 kg (12.3 lbs.)

Fuel Capacity: 600 cc (20.3 oz.)

Chain Oil Capacity: 325 cc (11.0 oz.)

Guide Bar Lengths: Guide Bar Lengths: 40 to 63 cm (16" to 25") STIHL LIGHT 04

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1140 200 0714	16"	\$688.19	\$697.49	\$706.79	\$725.39	\$743.99	\$762.59	\$929.99
1140 200 0629	20"	\$702.99	\$712.49	\$721.99	\$740.99	\$759.99	\$778.99	\$949.99
1140 200 0628	18"	\$695.59	\$704.99	\$714.39	\$733.19	\$751.99	\$770.79	\$939.99
1140 200 0694	25"	\$710.39	\$719.99	\$729.59	\$748.79	\$767.99	\$787.19	\$959.99

Service Kit for MS 362

1141 007 1800


14.99

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



CHAIN SAW | GASOLINE POWERED

MS 362 R C-M



3.6 cu. in. (59.0 cc), 4.7 bhp (3.5 kW), 6.0 kg (13.2 lbs.)  
Fuel Capacity: 600 cc (20.3 oz.)  
Chain Oil Capacity: 325 cc (11.0 oz.)  
Guide Bar Lengths: 40 to 63 cm (16" to 25") STIHL ROLLOMATIC®

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1140 200 0637	20"	\$739.99	\$749.99	\$759.99	\$779.99	\$799.99	\$819.99	\$999.99
1140 200 0657	25"	\$747.39	\$757.49	\$767.59	\$787.79	\$807.99	\$828.19	\$1,009.99
Service Kit for MS 362					1141 007 1800			14.99


WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake. STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.





## CHAIN SAW | GASOLINE POWERED

### MS 391



3.9 cu. in. (64.1 cc), 4.4 bhp (3.3 kW), 6.2 kg (13.67 lbs.)

Fuel Capacity: 600 cc (20.3 oz.)

Chain Oil Capacity: 350 cc (11.8 oz.)

Guide Bar Lengths: Guide Bar Lengths: 40 to 63 cm (16" to 25") STIHL LIGHT 04

Picture shown with optional Lightweight Guide Bar.

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1140 200 0625	16"	\$525.39	\$532.49	\$539.59	\$553.79	\$567.99	\$582.19	\$709.99
1140 200 0590	18"	\$532.79	\$539.99	\$547.19	\$561.59	\$575.99	\$590.39	\$719.99
1140 200 0591	20"	\$540.19	\$547.49	\$554.79	\$569.39	\$583.99	\$598.59	\$729.99
1140 200 0600	25"	\$600.00	\$600.00	\$600.00	\$600.00	\$600.00	\$600.00	\$0.00
Service Kit for MS 391 (with Round Air Filter)					1140 007 1800		14.99	

### MS 400 C-M



4.1 cu. in. (66.8 cc), 5.4 bhp, 5.8 kg (12.8 lbs.)

Fuel Capacity: 20.3 oz. (600 cc)

Chain Oil Capacity: 11.0 oz (325 cc)

Guide Bar Lengths: 40 cm to 63 cm (16" to 25")

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1140 200 0707	20" L	\$828.79	\$839.99	\$851.19	\$873.59	\$895.99	\$918.39	\$1,119.99
1140 200 0728	25" L	\$836.19	\$847.49	\$858.79	\$881.39	\$903.99	\$926.59	\$1,129.99
1140 200 0704	16"	\$776.99	\$787.49	\$797.99	\$818.99	\$839.99	\$860.99	\$1,049.99
1140 200 0705	18"	\$784.39	\$794.99	\$805.59	\$826.79	\$847.99	\$869.19	\$1,059.99
1140 200 0796	20"	\$791.79	\$802.49	\$813.19	\$834.59	\$855.99	\$877.39	\$1,069.99
Service Kit for MS 391 (with Round Air Filter)					1140 007 1800		14.99	

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake. STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



## CHAIN SAW | GASOLINE POWERED

### MS 462



4.41 cu. in. (72.2 cc), 5.9 bhp (4.4 kW), 6.0 kg (13.2 lbs.)

Fuel Capacity: 24.3 oz (720 cc)

Chain Oil Capacity: 11.5 oz (340 cc)

Recommended Guide Bar Lengths: 16" to 28" (40 cm to 71 cm) STIHL ROLLOMATIC® E Super

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1142 200 0192	16"	\$1,021.19	\$1,034.99	\$1,048.79	\$1,076.39	\$1,103.99	\$1,131.59	\$1,379.99
1142 200 0193	18"	\$1,028.59	\$1,042.49	\$1,056.39	\$1,084.19	\$1,111.99	\$1,139.79	\$1,389.99
1142 200 0274	20"	\$1,035.99	\$1,049.99	\$1,063.99	\$1,091.99	\$1,119.99	\$1,147.99	\$1,399.99
1142 200 0276	25"	\$1,043.39	\$1,057.49	\$1,071.59	\$1,099.79	\$1,127.99	\$1,156.19	\$1,409.99
1142 200 0198	28"	\$1,050.79	\$1,064.99	\$1,079.19	\$1,107.59	\$1,135.99	\$1,164.39	\$1,419.99
1142 200 0201	32"	\$1,058.19	\$1,072.49	\$1,086.79	\$1,115.39	\$1,143.99	\$1,172.59	\$1,429.99

### MS 462 C-M



4.41 cu. in. (72.2 cc), 5.9 bhp (4.4 kW), 6.0 kg (13.2 lbs.)

Fuel Capacity: 24.3 oz (720 cc)

Chain Oil Capacity: 11.5 oz (340 cc)

Recommended Guide Bar Lengths: 16" to 28" (40 cm to 71 cm)

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1142 200 0134	16"	\$1,021.19	\$1,034.99	\$1,048.79	\$1,076.39	\$1,103.99	\$1,131.59	\$1,379.99
1142 200 0135	18"	\$1,028.59	\$1,042.49	\$1,056.39	\$1,084.19	\$1,111.99	\$1,139.79	\$1,389.99
1142 200 0269	20"	\$1,035.99	\$1,049.99	\$1,063.99	\$1,091.99	\$1,119.99	\$1,147.99	\$1,399.99
1142 200 0271	25"	\$1,043.39	\$1,057.49	\$1,071.59	\$1,099.79	\$1,127.99	\$1,156.19	\$1,409.99
1142 200 0130	25" L	\$1,080.39	\$1,094.99	\$1,109.59	\$1,138.79	\$1,167.99	\$1,197.19	\$1,459.99
1142 200 0131	28" L	\$1,087.79	\$1,102.49	\$1,117.19	\$1,146.59	\$1,175.99	\$1,205.39	\$1,469.99
1142 200 0178	32" L	\$1,050.79	\$1,064.99	\$1,079.19	\$1,107.59	\$1,135.99	\$1,164.39	\$1,419.99

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



## CHAIN SAW | GASOLINE POWERED


### MS 462 R C-M



4.41 cu. in. (72.2 cc), 5.9 bhp (4.4 kW), 6.3 kg (13.9 lbs.)  
Fuel Capacity: 24.3 oz (720 cc)  
Chain Oil Capacity: 11.5 oz (340 cc)  
Recommended Guide Bar Lengths: 16" to 28" (40 cm to 71 cm)

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1142 200 0142	16"	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1142 200 0273	20"	\$1,065.59	\$1,079.99	\$1,094.39	\$1,123.19	\$1,151.99	\$1,180.79	\$1,439.99
1142 200 0272	25"	\$1,072.99	\$1,087.49	\$1,101.99	\$1,130.99	\$1,159.99	\$1,188.99	\$1,449.99
1142 200 0149	25" L	\$1,109.99	\$1,124.99	\$1,139.99	\$1,169.99	\$1,199.99	\$1,229.99	\$1,499.99
1142 200 0159	28"	\$1,080.39	\$1,094.99	\$1,109.59	\$1,138.79	\$1,167.99	\$1,197.19	\$1,459.99

### MS 462 R C-M RESCUE



4.41 cu. in. (72.2 cc), 6.0 bhp (4.4 kW), 6.5 kg (14.3 lbs.)  
Fuel Capacity: 24.3 oz (720 cc)  
Chain Oil Capacity: 11.5 oz. (340 cc)  
Dimensions for Complete Rescue Saw: Length 1080 mm / 42.6 in. Width 300 mm / 11.8 in. Height 320 mm / 12.6 in. Volume 103.7 L / 3.7 cu. ft.

Bar Length	Guide Bar	Scabbard	Chain	Chain PN	Part Number	SRP				
Part Number			Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1142 200 0148			20"	\$1,183.99	\$1,199.99	\$1,215.99	\$1,247.99	\$1,279.99	\$1,311.99	\$1,599.99
1142 200 0156			20"	\$1,331.99	\$1,349.99	\$1,367.99	\$1,403.99	\$1,439.99	\$1,475.99	\$1,799.99

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.





## CHAIN SAW | GASOLINE POWERED

### MS 500I



4.83 cu. in. (79.2 cc), 6.71 bhp (5.0 kW), 6.3 kg (13.9 lbs.)  
Fuel Capacity: 26.5 oz. (785 cc)  
Chain Oil Capacity: 11.0 oz. (325 cc)  
Guide Bar Lengths: 16" to 25" (40 cm to 63 cm) and Lightweight Guide Bars

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1147 200 0032	25" L	\$1,243.19	\$1,259.99	\$1,276.79	\$1,310.39	\$1,343.99	\$1,377.59	\$1,679.99
1147 200 0033	28"	\$1,213.59	\$1,229.99	\$1,246.39	\$1,279.19	\$1,311.99	\$1,344.79	\$1,639.99
1147 200 0034	28" L	\$1,250.59	\$1,267.49	\$1,284.39	\$1,318.19	\$1,351.99	\$1,385.79	\$1,689.99
1147 200 0036	32" L	\$1,257.99	\$1,274.99	\$1,291.99	\$1,325.99	\$1,359.99	\$1,393.99	\$1,699.99
1147 200 0037	36" L	\$1,265.39	\$1,282.49	\$1,299.59	\$1,333.79	\$1,367.99	\$1,402.19	\$1,709.99

### MS 500I R



4.83 cu. in. (79.2 cc), 6.71 bhp (5.0 kW), 6.7 kg (14.8 lbs.)  
Fuel Capacity: 26.5 oz. (785 cc)  
Chain Oil Capacity: 11.0 oz. (325 cc)  
Guide Bar Lengths: 16" to 25" (40 cm to 63 cm) and Lightweight Guide Bars

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1147 200 0106	20"	\$1,228.39	\$1,244.99	\$1,261.59	\$1,294.79	\$1,327.99	\$1,361.19	\$1,659.99
1147 200 0107	25"	\$1,235.79	\$1,252.49	\$1,269.19	\$1,302.59	\$1,335.99	\$1,369.39	\$1,669.99
1147 200 0050	25" L	\$1,272.79	\$1,289.99	\$1,307.19	\$1,341.59	\$1,375.99	\$1,410.39	\$1,719.99

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



## CHAIN SAW | GASOLINE POWERED

### MS 661 MAGNUM®



5.56 cu. in. (91.1 cc), 7.2 bhp (5.4 kW), 7.5 kg (16.5 lbs.)


Fuel Capacity: 28.7 oz. (850 cc)

Chain Oil Capacity: 13.5 oz. (400 cc)

Guide Bar Lengths: 16" to 36" (40 cm to 80 cm) STIHL ROLLOMATIC® E Super

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1144 200 0509	20"	\$1,183.99	\$1,199.99	\$1,215.99	\$1,247.99	\$1,279.99	\$1,311.99	\$1,599.99
1144 200 0510	25"	\$1,191.39	\$1,207.49	\$1,223.59	\$1,255.79	\$1,287.99	\$1,320.19	\$1,609.99
1144 200 0381	28" L	\$1,235.79	\$1,252.49	\$1,269.19	\$1,302.59	\$1,335.99	\$1,369.39	\$1,669.99
1144 200 0382	32" L	\$1,243.19	\$1,259.99	\$1,276.79	\$1,310.39	\$1,343.99	\$1,377.59	\$1,679.99
1144 200 0383	36" L	\$1,250.59	\$1,267.49	\$1,284.39	\$1,318.19	\$1,351.99	\$1,385.79	\$1,689.99
1144 200 0421	28"	\$1,198.79	\$1,214.99	\$1,231.19	\$1,263.59	\$1,295.99	\$1,328.39	\$1,619.99
1144 200 0422	32"	\$1,206.19	\$1,222.49	\$1,238.79	\$1,271.39	\$1,303.99	\$1,336.59	\$1,629.99
1144 200 0423	36"	\$1,213.59	\$1,229.99	\$1,246.39	\$1,279.19	\$1,311.99	\$1,344.79	\$1,639.99

### MS 661 C-M MAGNUM®



5.56 cu. in. (91.1 cc), 7.2 bhp (5.4 kW), 7.6 kg (16.8 lbs.)

Fuel Capacity: 850 cc (28.7 oz.)

Chain Oil Capacity: 400 cc (13.5 oz.)

Guide Bar Length: 40 to 80 cm (16" to 36") STIHL ROLLOMATIC® E Super

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1144 200 0513	20"	\$1,183.99	\$1,199.99	\$1,215.99	\$1,247.99	\$1,279.99	\$1,311.99	\$1,599.99
1144 200 0508	25"	\$1,191.39	\$1,207.49	\$1,223.59	\$1,255.79	\$1,287.99	\$1,320.19	\$1,609.99
1144 200 0339	28"	\$1,198.79	\$1,214.99	\$1,231.19	\$1,263.59	\$1,295.99	\$1,328.39	\$1,619.99
1144 200 0405	32" L	\$1,243.19	\$1,259.99	\$1,276.79	\$1,310.39	\$1,343.99	\$1,377.59	\$1,679.99
1144 200 0406	36" L	\$1,250.59	\$1,267.49	\$1,284.39	\$1,318.19	\$1,351.99	\$1,385.79	\$1,689.99
1144 200 0404	28" L	\$1,235.79	\$1,252.49	\$1,269.19	\$1,302.59	\$1,335.99	\$1,369.39	\$1,669.99

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B 175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake. STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.



## CHAIN SAW | GASOLINE POWERED

### MS 661 R C-M MAGNUM®



5.56 cu. in. (91.1 cc), 7.2 bhp (5.4 kW), Wrap-Handle: 7.6 kg (16.8 lbs.)

Fuel Capacity: 850 cc (28.7 oz.)

Chain Oil Capacity: 400 cc (13.5 oz.)

Guide Bar Length: 40 to 80 cm (16" to 36") STIHL ROLLOMATIC® E Super

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1144 200 0514	20"	<del>\$1,213.59</del>	<del>\$1,229.99</del>	<del>\$1,246.39</del>	<del>\$1,279.19</del>	<del>\$1,311.99</del>	<del>\$1,344.79</del>	\$1,639.99
1144 200 0515	25"	<del>\$1,220.99</del>	<del>\$1,237.49</del>	<del>\$1,253.99</del>	<del>\$1,286.99</del>	<del>\$1,319.99</del>	<del>\$1,352.99</del>	\$1,649.99
1144 200 0420	28"	<del>\$1,228.39</del>	<del>\$1,244.99</del>	<del>\$1,261.59</del>	<del>\$1,294.79</del>	<del>\$1,327.99</del>	<del>\$1,361.19</del>	\$1,659.99
1144 200 0340	36"	<del>\$1,243.19</del>	<del>\$1,259.99</del>	<del>\$1,276.79</del>	<del>\$1,310.39</del>	<del>\$1,343.99</del>	<del>\$1,377.59</del>	\$1,679.99

### MS 661 R MAGNUM®



5.56 cu. in. (91.1 cc), 7.2 bhp (5.4 kW), Flush Cut (Shown): 7.6 kg (16.75 lbs.)

Fuel Capacity: 279 oz. (825 cc)

Chain Oil Capacity: 12.2 oz. (360 cc)

Guide Bar Lengths: 16" to 36" (40 cm to 80 cm) STIHL ROLLOMATIC® E Super

Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1144 200 0511	20"	<del>\$1,213.59</del>	<del>\$1,229.99</del>	<del>\$1,246.39</del>	<del>\$1,279.19</del>	<del>\$1,311.99</del>	<del>\$1,344.79</del>	\$1,639.99
1144 200 0512	25"	<del>\$1,220.99</del>	<del>\$1,237.49</del>	<del>\$1,253.99</del>	<del>\$1,286.99</del>	<del>\$1,319.99</del>	<del>\$1,352.99</del>	\$1,649.99
1144 200 0389	28" L	<del>\$1,265.39</del>	<del>\$1,282.49</del>	<del>\$1,299.59</del>	<del>\$1,333.79</del>	<del>\$1,367.99</del>	<del>\$1,402.19</del>	\$1,709.99
1144 200 0424	28"	<del>\$1,228.39</del>	<del>\$1,244.99</del>	<del>\$1,261.59</del>	<del>\$1,294.79</del>	<del>\$1,327.99</del>	<del>\$1,361.19</del>	\$1,659.99

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake, STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.





CHAIN SAW | GASOLINE POWERED

MS 881 MAGNUM®

7.42 cu. in. (121.6 cc), 8.6 bhp (6.4 kW), 9.9 kg (21.8 lbs.)  
Fuel Capacity: 1300 cc (44.0 oz.)  
Chain Oil Capacity: 700 cc (23.7 oz.)  
Guide Bar Length: 53 to 105 cm (25" to 41") STIHL ROLLOMATIC®



Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1124 200 0221	25"	\$1,701.99	\$1,724.99	\$1,747.99	\$1,793.99	\$1,839.99	\$1,885.99	\$2,299.99
1124 200 0211	36"	\$1,716.79	\$1,739.99	\$1,763.19	\$1,809.59	\$1,855.99	\$1,902.39	\$2,319.99
1124 200 0218	41"	\$1,724.19	\$1,747.49	\$1,770.79	\$1,817.39	\$1,863.99	\$1,910.59	\$2,329.99

MS 881 R MAGNUM®

7.42 cu. in. (121.6 cc), 8.6 bhp (6.4 kW), 10.0 kg (22.0 lbs.)  
Fuel Capacity: 1300 cc (44.0 oz.)  
Chain Oil Capacity: 700 cc (23.7 oz.)  
Guide Bar Length: 53 to 105 cm (25" to 41") STIHL ROLLOMATIC®



Part Number	Bar Length	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
1124 200 0219	36"	\$1,746.39	\$1,769.99	\$1,793.59	\$1,840.79	\$1,887.99	\$1,935.19	\$2,359.99

WARNING! The occurrence called "kickback" can cause serious or fatal injury. Always read the instruction manual before using your saw. STIHL has developed a color code system using green and yellow to help you select a powerhead, bar and chain combination that complies with the kickback requirements of ANSI Standard B175.1. Your instruction manual contains safe operating procedures and advantages of using the STIHL Quickstop® chain brake. STIHL reduced kickback bars and STIHL low kickback chains. STIHL recommends the use of reduced kickback bars and low kickback chains on all STIHL chain saws.