

## SPRAYERS & BLOWERS

---

BR 200	SG 51
BR 350	SG 71
BR 430	SR 200
BR 450	SR 430
BR 500	SR 450
BR 600	
BR 700	
BR 700 X	
BR 800 C-E MAGNUM®	
BR 800 X MAGNUM®	
BG 50	
BG 56 C-E	
BG 66 L	
BG 86	
BG 86 C-E	
SH 56 C-E	
SH 86 C-E	
SG 11	
SG 20	
SG 31	

## ACCESSORIES

---

BG Vacuum Kit

Handheld Blower Gutter Kit

BR 350, BR 430, SR 450 Hip/ Lap Belt

BR 500, BR 550, BR 600, BR 700 Accessories

SG 20 Spraying Bell

SR 430/450 Accessories

SG 20 Control Valve

SR 200 Accessories



## SPRAYERS, BLOWERS & VAC | BACKPACK BLOWERS

### BR 200



27.2 cc (1.66 cu. in.), 0.8 kW (1.07 bhp), 5.7 kg (12.6 lbs.- dry weight)

Fuel Capacity: 1050 cc (35.5 oz.)

Blowing Force\*: 12 Newtons

Max Air Velocity: 67 m/sec. (150 mph)

Air Volume at Nozzle\*\*: 680 m<sup>3</sup>/h (400 cfm)

Sound Pressure Rating\*\*: 70 dB(A)

Part Number	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
4241 011 1606 US	\$263.99	\$263.99	\$263.99	\$263.99	\$263.99	\$270.59	\$329.99
Utilizes BR 420 style tubes BR 350 style controls for ease of use Wide arc elbow for comfortable use							4241 011 1606 US \$329.99

### BR 350



63.3 cc (3.86 cu. in.), 2.1 kW (2.8 bhp), 10.0 kg (22.0 lbs.- dry weight)

Fuel Capacity: 1700 cc (57.5 oz.)

Blowing Force\*: 17 Newtons

Max Air Velocity: 90 m/sec. (201 mph)

Air Volume at Nozzle\*\*: 740 m<sup>3</sup>/h (436 cfm)

Sound Pressure Rating\*\*: 74 dB(A)

Part Number	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
4244 011 1608 US	\$318.19	\$322.49	\$326.79	\$335.39	\$343.99	\$352.59	\$429.99
Small Diameter tubes similar to the BR 300							

### BR 430



63.3 cc (3.86 cu. in.), 2.9 kW (3.9 bhp), 10.1 kg (22.3 lbs.-dry weight)

Fuel Capacity: 1700 cc (57.5 oz.)

Blowing Force\*: 26 Newtons

Max Air Velocity: 98 m/sec. (219 mph)

Air Volume at Nozzle\*\*: 850 m<sup>3</sup>/h (500 cfm)

Sound Pressure Rating\*\*: 76 dB(A)

Part Number	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
4244 011 1621 US	\$332.99	\$337.49	\$341.99	\$350.99	\$359.99	\$368.99	\$449.99
Large Diameter tubes similar to the BR 500 for increased air volume							

WARNING! Improper use of any power tool may cause serious or fatal injury. Read, understand and follow carefully the operating and safety instructions in your instruction manual before using such products.



## SPRAYERS, BLOWERS &amp; VAC | BACKPACK BLOWERS

## BR 450



63.3 cc (3.86 cu. in.), 2.9 kW (3.9 bhp), 10.6 kg (23.4 lbs.- dry weight)

Fuel Capacity: 1700 cc (57.5 oz.)

Blowing Force\*: 28 Newtons

Max Air Velocity: 98 m/sec. (219 mph)

Air Volume at Nozzle\*\*: 1090 m<sup>3</sup>/h (642 cfm)

Sound Pressure Rating\*\*: 77 dB(A)


Part Number	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
4244 011 1634 US	\$369.99	\$374.99	\$379.99	\$389.99	\$399.99	\$409.99	\$499.99

Reduced Vibration Levels

\*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec<sup>2</sup>.

\*\*As measured per ANSI B 175.2 standard.

## BR 500



64.8 cc (3.95 cu. in.), 2.0 kW (2.7 bhp), 10.1 kg (22.3 lbs.- dry weight)

Fuel Capacity: 1400 cc (47.3 oz.)

Blowing Force\*: 22 Newtons

Max Air Velocity: 93 m/sec. (207 mph)

Air Volume at Nozzle\*\*: 925 m<sup>3</sup>/h (544 cfm)

Sound Pressure Rating\*\*: 65 dB(A)

Part Number	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
4282 011 1633 US	\$414.39	\$419.99	\$425.59	\$436.79	\$447.99	\$459.19	\$559.99

Reduced vibration and noise levels

\*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec<sup>2</sup>.

\*\*As measured per ANSI B 175.2 standard.

## BR 600



64.8 cc (3.95 cu. in.), 2.8 kW (3.8 bhp), 9.8 kg (21.6 lbs.- dry weight)

Fuel Capacity: 1400 cc (47.3 oz.)

Blowing Force\*: 32 Newtons

Max Air Velocity: 106 m/sec. (238 mph)

Air Volume at Nozzle\*\*: 1150 m<sup>3</sup>/h (677 cfm)

Sound Pressure Rating\*\*: 75 dB(A)

Part Number	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
4282 011 1632 US	\$369.99	\$374.99	\$379.99	\$389.99	\$399.99	\$409.99	\$549.99

3 Position Adjustment Length Tube  
Reduced Vibration Levels

BR 600 Service Kit

4282 007 1801

\$25.99

\*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec<sup>2</sup>.

\*\*As measured per ANSI B 175.2 standard.

WARNING! Improper use of any power tool may cause serious or fatal injury. Read, understand and follow carefully the operating and safety instructions in your instruction manual before using such products.





## SPRAYERS, BLOWERS & VAC | BACKPACK BLOWERS

### BR 700



64.8 cc (3.95 cu. in.), 64.8 cc (3.95 cu. in.), 10.6 kg (23.4 lbs. - dry weight)  
Fuel Capacity: 1400 cc (47.3 oz.)  
Blowing Force\*: 35 Newtons  
Max Air Velocity: 88 m/sec. (197 mph)  
Air Volume at Nozzle\*\*: 1550 m<sup>3</sup>/h (912 cfm)  
Sound Pressure Rating\*\*: 75 dB(A)

Part Number	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
4282 011 1638 US	414.39	419.99	425.59	436.79	447.99	459.19	\$619.99
telescopic blower tube Reduced Vibration Levels						468.00 1030.03	\$619.99

### BR 700 X



64.8 cc (4.0 cu. in.), 2.8 kW (3.8 bhp), 10.4 kg (23.0 lbs- dry weight)  
Fuel Capacity: 1400 cc (47.3 fl. oz)  
Blowing Force\*: 34 Newtons  
Max Air Velocity: 86 m/sec (193 mph)  
Air Volume at Nozzle\*\*: 1,530 m<sup>3</sup>/h (901 cfm)  
Sound Pressure Rating\*\*: 75 dB(A)

Part Number	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
4282 011 1641 US	458.79	464.99	471.19	483.59	495.99	508.39	\$619.99
included Reduce Vibration Levels						4282 011 1641 US	\$619.99

Lighter weight tube for more efficient blowing as compared to BR 700

\*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec<sup>2</sup>.

\*\*As measured per ANSI B 175.2 standard.



## SPRAYERS, BLOWERS & VAC | BACKPACK BLOWERS

### BR 800 C-E MAGNUM®



799 cc (4.9 cu. in.), 3.2 kW (4.4 bhp), 11.7 kg (25.8 lbs)  
Fuel Capacity: 2000 cc (67.6 fl. oz)  
Blowing Force\*: 41 Newtons  
Max Air Velocity: 107 m/sec (239 mph)  
Air Volume\*\*: 1,550 m<sup>3</sup>/h (912 cfm)  
Sound Pressure Rating\*\*: 78 dB(A)

Part Number	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
4283 011 1600 US	<del>\$517.99</del>	<del>\$524.99</del>	<del>\$531.99</del>	<del>\$545.99</del>	<del>\$559.99</del>	<del>\$573.99</del>	\$699.99
High quality dual harness adjustments Hip belt and chest strap included Telescopic blower tube Stowaway hook for blower tube						4283 011 1600 US	\$699.99

\*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec<sup>2</sup>.  
\*\*As measured per ANSI B 175.2 standard.

### BR 800 X MAGNUM®




799 cc (4.9 cu. in.), 3.2 kW (4.4 bhp), 10.5 kg (23 lbs)  
Fuel Capacity: 2000 cc (67.6 fl. oz)  
Blowing Force\*: 41 Newtons  
Max Air Velocity: 107 m/sec (239 mph)  
Air Volume\*\*: 1,550 m<sup>3</sup>/h (912 cfm)  
Sound Pressure Rating\*\*: 78 dB(A)

Part Number	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
4283 011 1610 US	<del>\$480.99</del>	<del>\$487.49</del>	<del>\$493.99</del>	<del>\$506.99</del>	<del>\$519.99</del>	<del>\$532.99</del>	\$649.99
Lightweight blower tube for best work progress Stowaway hook for blower tube						4283 011 1610 US	\$649.99



## SPRAYERS, BLOWERS & VAC | HANDHELD BLOWERS

### BG 50



Packaged 2 per box  
27.2 cc (1.66 cu. in.), 0.7 kW (0.9 bhp), 3.6 kg (7.9 lbs.- dry weight)  
Fuel Capacity: 430 cc (14.5 oz.)  
Blowing Force\*: 13 Newtons  
Max Air Velocity: 71 m/sec (159 mph)  
Air Volume at Nozzle\*\*: 700 m<sup>3</sup>/h (412 cfm)  
Sound Pressure Rating\*\*: 70 dB(A)

Part Number	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
4229 011 1722 US	\$119.99	\$119.99	\$119.99	\$119.99	\$119.99	\$122.99	\$149.99

\*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec<sup>2</sup>.

\*\*As measured per ANSI B 175.2 standard.

### BG 56 C-E



27.2 cc (1.66 cu. in.), 0.7 kW (0.9 bhp), 4.2 kg (9.3 lbs.- dry weight)  
Fuel Capacity: 540 cc (18.3 oz.)  
Blowing Force\*: 13 Newtons  
Max Air Velocity: 71 m/sec (159 mph)  
Air Volume at Nozzle\*\*: 700 m<sup>3</sup>/h (412 cfm)  
Sound Pressure Rating\*\*: 70 dB(A)

Part Number	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
4241 011 1755 US	\$159.99	\$159.99	\$159.99	\$159.99	\$159.99	\$161.99	\$199.99

Service Kit for BG 56 C-E

4241 007 1800 \$19.99

\*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec<sup>2</sup>.

\*\*As measured per ANSI B 175.2 standard.



## SPRAYERS, BLOWERS & VAC | HANDHELD BLOWERS

### BG 66 L



27.2 cc (1.66 cu. in.), 0.6 kW (0.8 bhp), 4.4 kg (9.7 lbs.- dry weight)  
 Fuel Capacity: 540 cc (18.3 oz.)  
 Blowing Force\*: 10 Newtons  
 Max Air Velocity: 62 m/sec (139 mph)  
 Air Volume at Nozzle\*\*: 630 m<sup>3</sup>/h (371 cfm)  
 Sound Pressure Rating\*\*: 65 dB(A)

Part Number	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
4241 011 1759 US	\$184.99	\$187.49	\$189.99	\$194.99	\$199.99	\$204.99	\$249.99
Service Kit for BG 66 L						4241 007 1800	\$19.99

\*Newton is the force needed to accelerate 1 kg of mass at the rate of 1 m/sec<sup>2</sup>.

\*\*As measured per ANSI B 175.2 standard.

### BG 86



27.2 cc (1.66 cu. in.), 0.8 kW (1.07 bhp), 4.4 kg (9.7 lbs.- dry weight)  
 Fuel Capacity: 440 cc (14.9 oz.)  
 Blowing Force\*: 15 Newtons  
 Max Air Velocity: Flat: 85 m/sec. (190 mph); Round: 69 m/sec. (154 mph)  
 Air Volume at Nozzle\*\*: Flat: 620 m<sup>3</sup>/h (365 cfm); Round: 755 m<sup>3</sup>/h (444 cfm)  
 Sound Pressure Rating\*\*: 70 dB(A)

Part Number	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
4241 011 1763 US	\$214.59	\$217.49	\$220.39	\$226.19	\$231.99	\$237.79	\$289.99





## SPRAYERS, BLOWERS &amp; VAC | HANDHELD BLOWERS

## BG 86 C-E



27.2 cc (1.66 cu. in.), 0.8 kW (1.07 bhp), 4.5 kg (9.9 lbs.- dry weight)  
Fuel Capacity: 440 cc (14.9 oz.)  
Blowing Force\*: 15 Newtons  
Max Air Velocity: Flat: 85 m/sec. (190 mph); Round: 69 m/sec. (154 mph)  
Air Volume at Nozzle\*\*: Flat: 620 m<sup>3</sup>/h (365 cfm); Round: 755 m<sup>3</sup>/h (444 cfm)  
Sound Pressure Rating\*\*: 70 dB(A)

Part Number	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
4241 011 1764 US	<del>\$221.99</del>	<del>\$224.99</del>	<del>\$227.99</del>	<del>\$233.99</del>	<del>\$239.99</del>	<del>\$245.99</del>	\$299.99

## SH 56 C-E




27.2 cc (1.66 cu. in.), 0.7 kW (0.9 bhp), 5.2 kg (11.5 lbs.- dry weight)  
Fuel Capacity: 540 cc (18.3 oz.)  
Blowing Force\*: 13 Newtons  
Max Air Velocity: 71 m/sec. (159 mph)  
Air Volume at Nozzle\*\*: 700 m<sup>3</sup>/h (412 cfm)  
Sound Pressure Rating\*\*: 70 dB(A)

Part Number	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
4241 011 0934 US	<del>\$191.99</del>	<del>\$191.99</del>	<del>\$191.99</del>	<del>\$191.99</del>	<del>\$191.99</del>	<del>\$196.79</del>	\$239.99

Service Kit for SH 56 C-E

4241 007 1800 \$19.99

## SH 86 C-E



27.2 cc (1.66 cu. in.), 0.8 kW (1.07 bhp), 5.6 kg (12.3 lbs.- dry weight)  
Fuel Capacity: 440 cc (14.9 oz.)  
Blowing Force\*: 15 Newtons  
Max Air Velocity: 76 m/sec. (170 mph)  
Air Volume at Nozzle\*\*: 755 m<sup>3</sup>/h (444 cfm)  
Sound Pressure Rating\*\*: 70 dB(A)

Part Number	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
4241 011 0939 US	<del>\$251.59</del>	<del>\$254.99</del>	<del>\$258.39</del>	<del>\$265.19</del>	<del>\$271.99</del>	<del>\$278.79</del>	\$339.99





## SPRAYERS, BLOWERS & VAC | SPRAYERS

### SG 11



Packaged 6 per box  
Tank Capacity: 1.5 L (0.4 gals.)  
Working Pressure: 29 psi +/- 10%  
Weight w/o Liquid: 0.46 kg (1.0 lbs.)

Part Number	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
4255 019 4911	\$17.49	\$17.49	\$17.49	\$17.49	\$17.49	\$17.49	\$24.99

SG 11 sprayers are sold by the case. 12/04 = 0

### SG 20



Tank Capacity: 18.0 L (4.75 gals.)  
Working Pressure: 40 psi +/- 10%  
Weight w/o Liquid: 5.1 kg (11.2 lbs.)

Part Number	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
4247 019 4902	\$99.55	\$99.55	\$99.55	\$99.55	\$99.55	\$99.55	\$139.99



## SPRAYERS, BLOWERS &amp; VAC | SPRAYERS

**SG 31**

Tank Capacity: 5.0 L (1.32 gals.)  
Working Pressure: 29 psi +/- 10%  
Weight w/o Liquid: 1.8 kg (4.0 lbs.)

Part Number	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
4255 019 4931	\$48.99	\$48.99	\$48.99	\$48.99	\$48.99	\$48.99	\$69.99

**SG 51**

Series 4255  
Professional



Tank Capacity: 12L (3.2 gals.)  
Working Pressure: 40 psi +/- 10%  
Weight w/o Liquid: 9.9 lbs

Part Number	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
4255 019 4951	\$90.99	\$90.99	\$90.99	\$90.99	\$90.99	\$90.99	\$129.99

Separate from 3.2 Gallon tank with adjustable brass nozzle

**SG 71**

Series 4255



Tank Capacity: 18.0 L (4.75 gals.)  
Working Pressure: 40 psi +/- 10%  
Weight w/o Liquid: 10.6 lbs

Part Number	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
4255 019 4971	\$116.99	\$116.99	\$116.99	\$116.99	\$116.99	\$116.99	\$144.99

Separate from 4.75 Gallon tank with adjustable brass nozzle



## SPRAYERS, BLOWERS & VAC | SPRAYERS

### SR 200



27.2 cc (1.66 cu. in.)  
0.8 kW (1.07 bhp)  
8.5 kg (18.7 lbs.)

Fuel Capacity: 1,079 cc (36.5 oz.)

Container Capacity: 10.0 L (2.1 gals.)

Air Velocity: 81 m/sec. (181 mph)

Air Volume: With tubes: 580 m<sup>3</sup>/h (391 cfm)

Spray Range: (Maximum): Horz.: 9 m (29.5 ft.), Vert.: 5.5 m (18.0 ft.)

Part Number	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
4241 011 2602 US	\$340.39	\$344.99	\$349.59	\$358.79	\$367.99	\$377.19	\$459.99

Liquid Only Unit

The pressure pump kit is recommended for applications in which the spray tube is held at an upward angle of more than 30 degrees in order to maintain a consistent discharge rate.



## SPRAYERS, BLOWERS & VAC | SPRAYERS

### SR 430



63.3 cc (3.86 cu. in.), 2.9 kW (3.9 bhp), 12.4 kg (27.3 lbs.)  
Fuel Capacity: 1700 cc (57.5 oz.)  
Container Capacity: 14.0 L (3.7 gals.)  
Air Velocity: 90 m/sec. (201 mph)  
Air Volume: 920 m<sup>3</sup>/h (542 cfm)  
Spray Range: (Maximum): Horz.: 14.5 m (48.0 ft.), Vert.: 13.0 m (43.0 ft.)

Part Number	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
4244 011 2601 US	\$517.99	\$524.99	\$531.99	\$545.99	\$559.99	\$573.99	\$699.99
Liquid Only unit Includes: Pressure Pump						4244 011 2601 US	\$699.99

### SR 450



63.3 cc (3.86 cu. in.), 2.9 kW (3.9 bhp), 12.8 kg (28.2 lbs.- dry weight)  
Fuel Capacity: 1700 cc (57.5 oz.)  
Container Capacity: 14.0 L (3.7 gals.)  
Air Velocity: 90 m/sec. (201 mph)  
Air Volume: With tubes: 920 m<sup>3</sup>/h (542 cfm)  
Spray Range: (Maximum): Horz.: 14.5 m (48.0 ft.), Vert.: 13.0 m (43.0 ft.)

Part Number	Level 1	Level 2	Level 3	Level 4	Level 5	Level 6	SRP
4244 011 2643 US	\$554.99	\$562.49	\$569.99	\$584.99	\$599.99	\$614.99	\$749.99





## SPRAYERS, BLOWERS & VAC ACCESSORIES

### BG VACUUM KIT



Description	Part Number	Order Index 1	SRP
Vacuum Kit for BG 55, BG 65, BG 85	4229 007 1000	D32C89	\$46.99
Vacuum Kit for BG 56, BG 86	4241 700 2200	D41C29	\$58.99

### HANDHELD BLOWER GUTTER KIT



Description	Part Number	Order Index 1	SRP
Over 10 feet of extensions make it easy to clean rain gutters. Fits BG 56, BG 86, BGE 61 & BGE 71.	4241 007 1003	D32C89	\$46.99

### BR 350 OPTIONAL NOZZLE



Description	Part Number	Order Index 1	SRP
Flat Curved Nozzle	4203 701 8300	D6C59	\$10.99
Round Curved Nozzle	4203 708 6300	D6C29	\$10.49

### BR 350, BR 430, SR 450 HIP/ LAP BELT



Description	Part Number	Order Index 1	SRP
Hip/ Lap Belt	4203 710 9102	D38C09	\$63.49

WARNING! Improper use of any power tool may cause serious or fatal injury. Read, understand and follow carefully the operating and safety instructions in your instruction manual before using such products.