



W36M Commercial Walk Behind Mower with Hydraulic Transaxle

Code	Description	List price
2601TC	<p>W36M Commercial Walk Behind Mower with Hydraulic Transaxle</p> <p>ENGINE: 14.5 HP* (10.8 kW) Displacement (603cc, 36.8 cu. in) Vertical-Shaft, V-twin Air Cooled Full Pressure Lubrication System with Replaceable Oil Filter Recoil Start Dual Element Air Cleaner</p> <p>DRIVE SYSTEM: Integrated Hydro-Gear ZT2800 Transaxles 0-6.5 mph (10.5 km/h) Forward 0-3 mph (4.8 km/h) Reverse</p> <p>CONTROLS: Ergonomic Pistol Style Steering Controls (2) Independent Operator Presence Levers Spring loaded neutral locks Handle Activated Internal Park Brake</p> <p>MOWER DECK: 36 In. Commercial Side Discharge Floating Mower Deck 10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements Aluminum Spindles 1.5-4.5 In. Height of Cut with 7 Cutting Positions High Lift Blades</p> <p>FUEL SYSTEM: 5.4 U.S. Gallon (20.4 L) Fuel Capacity</p> <p>TIRES: 18x6.5-8 4-Ply Pneumatic Rear Tires 9x3.5-4 Semi-Pneumatic Caster Tires</p> <p>ELECTRICAL: Electric PTO Clutch Digital Hour Meter English/Spanish Operator's Safety Video and Labels ANSI Certified B71.4 for Safety</p>	



W36M Commercial Walk Behind Mower with Hydraulic Transaxle

Code	Description	List price
	*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.	
	BASE MACHINE	
	<i>Not Available in California</i>	
	<i>Base Machine Suggested List Price Does Not Include \$200 USD Destination Charge.</i>	
2601TC	W36M Commercial Walk Behind Mower with Hydraulic Transaxle	USD \$6,649.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	United States / Canada <i>Not Available in California.</i>	In Base Price
	MOWER DECK	
	ATTACHMENTS FOR FIELD CONVERSION	
	MULCH KITS	
BUC10042	36 in. (914.4 mm) Mulch Kit	See Parts
	MISCELLANEOUS	
LP68164	3.5 bu. Grass Catcher <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	See Parts
BUC10676	Striping Kit with Adjustable Rubber Flap <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	See Parts
	MISCELLANEOUS	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
A-B1MS32	Dual Wheel Sulky with 18 in. Arm <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	See Parts
A-B1MS31	Single Wheel Sulky with 18 in. Arm <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	See Parts
LP70220	Utility Bags (12 pack)	See Parts
AM108146	Spark Arrester Screen for Muffler	See Parts
	WEIGHTS AND BALLASTING	



W36M Commercial Walk Behind Mower with Hydraulic Transaxle

Code	Description	List price
ATTACHMENTS FOR FIELD CONVERSION WEIGHTS		
BUC10052	Weight Kit	See Parts



W48M Commercial Walk Behind Mower with Hydraulic Transaxle

Code	Description	List price
2611TC	<p>W48M Commercial Walk Behind Mower with Hydraulic Transaxle</p> <p>ENGINE: 14.5 HP* (10.8 kW) Displacement (603cc, 36.8 cu. in) Vertical-Shaft, V-twin Air Cooled Full Pressure Lubrication System with Replaceable Oil Filter Recoil Start Dual Element Air Cleaner</p> <p>DRIVE SYSTEM: Integrated Hydro-Gear ZT2800 Transaxles 0-6.5 mph (10.5 km/h) Forward 0-3 mph (4.8 km/h) Reverse</p> <p>CONTROLS: Ergonomic Pistol Style Steering Controls (2) Independent Operator Presence Levers Spring loaded neutral locks Handle Activated Internal Park Brake</p> <p>MOWER DECK: 48 In. Commercial Side Discharge Floating Mower Deck 10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements Aluminum Spindles 1.5-4.5 In. Height of Cut with 7 Cutting Positions High Lift Blades</p> <p>FUEL SYSTEM: 5.4 U.S. Gallon (20.4 L) Fuel Capacity</p> <p>TIRES: 18x8.5-8 4-Ply Pneumatic Rear Tires 9x3.5-4 Semi-Pneumatic Caster Tires</p> <p>ELECTRICAL: Electric PTO Clutch Digital Hour Meter English/Spanish Operator's Safety Video and Labels ANSI Certified B71.4 for Safety</p>	



W48M Commercial Walk Behind Mower with Hydraulic Transaxle

Code	Description	List price
	*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.	
	BASE MACHINE	
	<i>Not Available in California</i>	
	<i>Base Machine Suggested List Price Does Not Include \$200 USD Destination Charge.</i>	
2611TC	W48M Commercial Walk Behind Mower with Hydraulic Transaxle	USD \$7,009.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	United States / Canada <i>Not Available in California.</i>	In Base Price
	MOWER DECK	
	ATTACHMENTS FOR FIELD CONVERSION	
	MULCH KITS	
BUC10043	48 in. (1219.2 mm) Mulch Kit	See Parts
	MISCELLANEOUS	
LP68164	3.5 bu. Grass Catcher <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	See Parts
BUC10676	Striping Kit with Adjustable Rubber Flap <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	See Parts
	MISCELLANEOUS	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
A-B1MS31	Single Wheel Sulky with 18 in. Arm <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	See Parts
A-B1MS32	Dual Wheel Sulky with 18 in. Arm <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	See Parts
LP70220	Utility Bags (12 pack)	See Parts
AM108146	Spark Arrester Screen for Muffler	See Parts
	WEIGHTS AND BALLASTING	



W48M Commercial Walk Behind Mower with Hydraulic Transaxle

Code	Description	List price
ATTACHMENTS FOR FIELD CONVERSION WEIGHTS		
BUC10052	Weight Kit	See Parts



W36R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price
2622TC	<p>W36R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive</p> <p>Engine 15.5HP* (11.6 kW) Displacement (603cc, 36.8 cu. in) Vertical-Shaft, V-twin Air Cooled Full Pressure Lubrication System with Replaceable Oil Filter Electric Start Canister-type, dry replaceable, Heavy-duty Air Cleaner DRIVE SYSTEM: Pumps, Hydro-Gear 10 cc Wheel Motor, Danfoss 12 cu in. Forward speed, 0-7.5 mph (12.1 km/h) Reverse speed, 0-3 mph (4.8 km/h) CONTROLS: Ergonomic Pistol Style Steering Controls (2) Independent Operator Presence Levers Spring loaded neutral locks Handle Activated Internal Park Brake MOWER DECK: 36 In. Commercial Side Discharge Floating Mower Deck 10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements Aluminum Spindles 1.5-4.5 In. Height of Cut with 7 Cutting Positions High Lift Blades FUEL SYSTEM: 5.4 U.S. Gallon (20.4 L) Fuel Capacity TIRES: 18x6.5-8 4-Ply Pneumatic Rear Tires 9x3.5-4 Semi-Pneumatic Caster Tires ELECTRICAL: Battery 300 CCA Electric PTO Clutch Digital Hour Meter</p>	



W36R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price
	<p>English/Spanish Operator's Safety Video and Labels ANSI Certified B71.4 for Safety *The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.</p>	
	BASE MACHINE	
	<i>Not Available in California</i>	
	<i>Base Machine Suggested List Price Does Not Include \$200 USD Destination Charge.</i>	
2622TC	W36R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive	USD \$8,529.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	United States / Canada <i>Not Available in California.</i>	In Base Price
	MOWER DECK	
	ATTACHMENTS FOR FIELD CONVERSION	
	MULCH KITS	
BUC10042	36 in. (914.4 mm) Mulch Kit	See Parts
	MISCELLANEOUS	
LP68164	3.5 bu. Grass Catcher <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	See Parts
BUC10676	Striping Kit with Adjustable Rubber Flap <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	See Parts
	MISCELLANEOUS	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
AM108146	Spark Arrester Screen for Muffler	See Parts
A-B1MS33	Single Wheel Sulky with Latch <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	See Parts
A-B1MS34	Dual Wheel Sulky with Latch	See Parts



W36R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price
LP70220	<i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i> Utility Bags (12 pack)	See Parts
	WEIGHTS AND BALLASTING ATTACHMENTS FOR FIELD CONVERSION WEIGHTS	
BUC10052	Weight Kit	See Parts



W48R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price
2632TC	<p>W48R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive</p> <p>Engine 19HP* (14.2 kW) Displacement (603cc, 36.8 cu. in) Vertical-Shaft, V-twin Air Cooled Full Pressure Lubrication System with Replaceable Oil Filter Electric Start Canister-type, dry replaceable, Heavy-duty Air Cleaner DRIVE SYSTEM: Pumps, Hydro-Gear 10 cc Wheel Motor, Danfoss 12 cu in. Forward speed, 0-7.5 mph (12.1 km/h) Reverse speed, 0-3 mph (4.8 km/h) CONTROLS: Ergonomic Pistol Style Steering Controls (2) Independent Operator Presence Levers Spring loaded neutral locks Handle Activated Internal Park Brake MOWER DECK: 48 In. Commercial Side Discharge Floating Mower Deck 10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements Aluminum Spindles 1.5-4.5 In. Height of Cut with 7 Cutting Positions High Lift Blades FUEL SYSTEM: 5.4 U.S. Gallon (20.4 L) Fuel Capacity TIRES: 18x8.5-8 4-Ply Pneumatic Rear Tires 9x3.5-4 Semi-Pneumatic Caster Tires ELECTRICAL: Battery 300 CCA Electric PTO Clutch Digital Hour Meter</p>	



W48R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price
	<p>English/Spanish Operator's Safety Video and Labels ANSI Certified B71.4 for Safety *The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.</p>	
	BASE MACHINE	
	<i>Not Available in California</i>	
	<i>Base Machine Suggested List Price Does Not Include \$200 USD Destination Charge.</i>	
2632TC	W48R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive	USD \$9,519.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	United States / Canada <i>Not Available in California.</i>	In Base Price
	MOWER DECK	
	ATTACHMENTS FOR FIELD CONVERSION	
	MULCH KITS	
BUC10043	48 in. (1219.2 mm) Mulch Kit	See Parts
	MISCELLANEOUS	
LP68164	3.5 bu. Grass Catcher <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	See Parts
BUC10676	Striping Kit with Adjustable Rubber Flap <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	See Parts
	MISCELLANEOUS	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
AM108146	Spark Arrester Screen for Muffler	See Parts
A-B1MS34	Dual Wheel Sulky with Latch <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	See Parts
A-B1MS33	Single Wheel Sulky with Latch	See Parts



W48R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price
LP70220	<i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i> Utility Bags (12 pack)	See Parts
	WEIGHTS AND BALLASTING ATTACHMENTS FOR FIELD CONVERSION WEIGHTS	
BUC10052	Weight Kit	See Parts



W52R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price
2641TC	<p>W52R Commercial Walk Behind Mower with Pump/ Motor Hydraulic Drive</p> <p>Engine 19HP* (14.2 kW) Displacement (603cc, 36.8 cu. in) Vertical-Shaft, V-twin Air Cooled Full Pressure Lubrication System with Replaceable Oil Filter Electric Start Canister-type, dry replaceable, Heavy-duty Air Cleaner DRIVE SYSTEM: Pumps, Hydro-Gear 10 cc Wheel Motor, Danfoss 12 cu in. Forward speed, 0-7.5 mph (12.1 km/h) Reverse speed, 0-3 mph (4.8 km/h) CONTROLS: Ergonomic Pistol Style Steering Controls (2) Independent Operator Presence Levers Spring loaded neutral locks Handle Activated Internal Park Brake MOWER DECK: 52 In. Commercial Side Discharge Floating Mower Deck 10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements Aluminum Spindles 1.5-4.5 In. Height of Cut with 7 Cutting Positions High Lift Blades FUEL SYSTEM: 5.4 U.S. Gallon (20.4 L) Fuel Capacity TIRES: 18x8.5-8 4-Ply Pneumatic Rear Tires 9x3.5-4 Semi-Pneumatic Caster Tires ELECTRICAL: Battery 300 CCA Electric PTO Clutch Digital Hour Meter</p>	



W52R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price
	<p>English/Spanish Operator's Safety Video and Labels ANSI Certified B71.4 for Safety *The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.</p>	
	BASE MACHINE	
	<i>Not Available in California</i>	
	<i>Base Machine Suggested List Price Does Not Include \$200 USD Destination Charge.</i>	
2641TC	W52R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive	USD \$10,039.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	United States / Canada <i>Not Available in California.</i>	In Base Price
	MOWER DECK	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
LP68164	3.5 bu. Grass Catcher <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	See Parts
BUC10676	Striping Kit with Adjustable Rubber Flap <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	See Parts
	MULCH KITS	
BUC10044	52 in. (1320.8 mm) Mulch Kit	See Parts
	MISCELLANEOUS	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
AM108146	Spark Arrester Screen for Muffler	See Parts
A-B1MS34	Dual Wheel Sulky with Latch <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	See Parts
A-B1MS33	Single Wheel Sulky with Latch	See Parts



W52R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price
LP70220	<i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i> Utility Bags (12 pack)	See Parts
	WEIGHTS AND BALLASTING ATTACHMENTS FOR FIELD CONVERSION WEIGHTS	
BUC10052	Weight Kit	See Parts



W61R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price
2651TC	<p>W61R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive</p> <p>Engine 23.5HP* (17.5 kW) Displacement (726cc, 44.3 cu. in) Vertical-Shaft, V-twin Air Cooled Full Pressure Lubrication System with Replaceable Oil Filter Electric Start Heavy Duty Canister Air Cleaner w/ Precleaner DRIVE SYSTEM: Pumps, Hydro-Gear 10 cc Wheel Motor, Danfoss 12 cu in. Forward speed, 0-7.5 mph (12.1 km/h) Reverse speed, 0-3 mph (4.8 km/h) CONTROLS: Ergonomic Pistol Style Steering Controls (2) Independent Operator Presence Levers Spring loaded neutral locks Handle Activated Internal Park Brake MOWER DECK: 61 In. Commercial Side Discharge Floating Mower Deck 10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements Aluminum Spindles 1.5-4.5 In. Height of Cut with 7 Cutting Positions High Lift Blades FUEL SYSTEM: 5.4 U.S. Gallon (20.4 L) Fuel Capacity TIRES: 18x8.5-8 4-Ply Pneumatic Rear Tires 9x3.5-4 Semi-Pneumatic Caster Tires ELECTRICAL: Battery 300 CCA Electric PTO Clutch Digital Hour Meter English/Spanish Operator's</p>	



W61R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price
	<p>Safety Video and Labels ANSI Certified B71.4 for Safety *The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.</p>	
	<p>BASE MACHINE <i>Not Available in California</i> <i>Base Machine Suggested List Price Does Not Include \$200 USD Destination Charge.</i></p>	
2651TC	W61R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive	USD \$11,689.00
	<p>DESTINATION AND LANGUAGE Basic Factory Options DESTINATION</p>	
001A	<p>United States / Canada <i>Not Available in California.</i></p>	In Base Price
	<p>MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS</p>	
AM108146	Spark Arrester Screen for Muffler	See Parts
A-B1MS34	<p>Dual Wheel Sulky with Latch <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i></p>	See Parts
A-B1MS33	<p>Single Wheel Sulky with Latch <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i></p>	See Parts
LP70220	Utility Bags (12 pack)	See Parts
	<p>MOWER DECK ATTACHMENTS FOR FIELD CONVERSION MULCH KITS</p>	
BUC10045	61 in. (1549.4 mm) Mulch Kit	See Parts
	<p>MISCELLANEOUS</p>	
BUC10677	<p>Striping Kit with Adjustable Rubber Flap <i>Compatible with 61 inch mower deck.</i></p>	See Parts



W61R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price
BUC10052	WEIGHTS AND BALLASTING ATTACHMENTS FOR FIELD CONVERSION WEIGHTS Weight Kit	See Parts