



W36M Commercial Walk Behind Mower with Hydraulic Transaxle

Code	Description	List price
2601TC	<p>W36M Commercial Walk Behind Mower with Hydraulic Transaxle</p> <p>ENGINE: 14.5 HP* (10.8 kW) Displacement (603cc, 36.8 cu. in) Vertical-Shaft, V-twin Air Cooled Full Pressure Lubrication System with Replaceable Oil Filter Recoil Start Dual Element Air Cleaner</p> <p>DRIVE SYSTEM: Integrated Hydro-Gear ZT2800 Transaxles 0-6.5 mph (10.5 km/h) Forward 0-3 mph (4.8 km/h) Reverse</p> <p>CONTROLS: Ergonomic Pistol Style Steering Controls (2) Independent Operator Presence Levers Spring loaded neutral locks Handle Activated Internal Park Brake</p> <p>MOWER DECK: 36 In. Commercial Side Discharge Floating Mower Deck 10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements Aluminum Spindles 1.5-4.5 In. Height of Cut with 7 Cutting Positions High Lift Blades</p> <p>FUEL SYSTEM: 5.4 U.S. Gallon (20.4 L) Fuel Capacity</p> <p>TIRES: 18x6.5-8 4-Ply Pneumatic Rear Tires 9x3.5-4 Semi-Pneumatic Caster Tires</p> <p>ELECTRICAL: Electric PTO Clutch Digital Hour Meter English/Spanish Operator's Safety Video and Labels ANSI Certified B71.4 for Safety</p>	



W36M Commercial Walk Behind Mower with Hydraulic Transaxle

Code	Description	List price
	*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.	
	BASE MACHINE	
	<i>Not Available in California</i>	
	<i>Base Machine Suggested List Price Does Not Include \$200 USD Destination Charge.</i>	
2601TC	W36M Commercial Walk Behind Mower with Hydraulic Transaxle	USD \$6,782.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	United States / Canada <i>Not Available in California.</i>	In Base Price
	MISCELLANEOUS	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
LP70220	Utility Bags (12 pack)	See Parts
BUC10676	Striping Kit with Adjustable Rubber Flap <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	See Parts
LP68164	3.5 bu. Grass Catcher <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	See Parts
A-B1MS32	Dual Wheel Sulky with 18 in. Arm <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	See Parts
A-B1MS31	Single Wheel Sulky with 18 in. Arm <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	See Parts
AM108146	Spark Arrester Screen for Muffler	See Parts
	WEIGHTS AND BALLASTING	
	ATTACHMENTS FOR FIELD CONVERSION	
	WEIGHTS	
BUC10052	Weight Kit	See Parts
	MOWER DECK	
	ATTACHMENTS FOR FIELD CONVERSION	



W36M Commercial Walk Behind Mower with Hydraulic Transaxle

Code	Description	List price
MULCH KITS		
BUC10042	36 in. (914.4 mm) Mulch Kit	See Parts



W48M Commercial Walk Behind Mower with Hydraulic Transaxle

Code	Description	List price
2611TC	<p>W48M Commercial Walk Behind Mower with Hydraulic Transaxle</p> <p>ENGINE: 14.5 HP* (10.8 kW) Displacement (603cc, 36.8 cu. in) Vertical-Shaft, V-twin Air Cooled Full Pressure Lubrication System with Replaceable Oil Filter Recoil Start Dual Element Air Cleaner</p> <p>DRIVE SYSTEM: Integrated Hydro-Gear ZT2800 Transaxles 0-6.5 mph (10.5 km/h) Forward 0-3 mph (4.8 km/h) Reverse</p> <p>CONTROLS: Ergonomic Pistol Style Steering Controls (2) Independent Operator Presence Levers Spring loaded neutral locks Handle Activated Internal Park Brake</p> <p>MOWER DECK: 48 In. Commercial Side Discharge Floating Mower Deck 10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements Aluminum Spindles 1.5-4.5 In. Height of Cut with 7 Cutting Positions High Lift Blades</p> <p>FUEL SYSTEM: 5.4 U.S. Gallon (20.4 L) Fuel Capacity</p> <p>TIRES: 18x8.5-8 4-Ply Pneumatic Rear Tires 9x3.5-4 Semi-Pneumatic Caster Tires</p> <p>ELECTRICAL: Electric PTO Clutch Digital Hour Meter English/Spanish Operator's Safety Video and Labels ANSI Certified B71.4 for Safety</p>	



W48M Commercial Walk Behind Mower with Hydraulic Transaxle

Code	Description	List price
	*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.	
	BASE MACHINE	
	<i>Not Available in California</i>	
	<i>Base Machine Suggested List Price Does Not Include \$200 USD Destination Charge.</i>	
2611TC	W48M Commercial Walk Behind Mower with Hydraulic Transaxle	USD \$7,149.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	United States / Canada <i>Not Available in California.</i>	In Base Price
	MISCELLANEOUS	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
LP70220	Utility Bags (12 pack)	See Parts
BUC10676	Striping Kit with Adjustable Rubber Flap <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	See Parts
LP68164	3.5 bu. Grass Catcher <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	See Parts
A-B1MS31	Single Wheel Sulky with 18 in. Arm <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	See Parts
A-B1MS32	Dual Wheel Sulky with 18 in. Arm <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	See Parts
AM108146	Spark Arrester Screen for Muffler	See Parts
	WEIGHTS AND BALLASTING	
	ATTACHMENTS FOR FIELD CONVERSION	
	WEIGHTS	
BUC10052	Weight Kit	See Parts
	MOWER DECK	
	ATTACHMENTS FOR FIELD CONVERSION	



W48M Commercial Walk Behind Mower with Hydraulic Transaxle

Code	Description	List price
MULCH KITS		
BUC10043	48 in. (1219.2 mm) Mulch Kit	See Parts



W36R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price
2623TC	<p>W36R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive</p> <p>Engine15.5HP* (11.6 kW)Displacement (603cc, 36.8 cu. in)Vertical-Shaft, V-twin Air CooledFull Pressure LubricationSystem with Replaceable Oil FilterElectric StartCanister-type, dry replaceable,Heavy-duty Air CleanerDRIVE SYSTEM:Pumps, Hydro-Gear 10 ccWheel Motor, Danfoss 12 cu in.Forward speed, 0-7.5 mph (12.1 km/h)Reverse speed, 0-3 mph (4.8 km/h)CONTROLS:Ergonomic Pistol Style Steering Controls(2) Independent Operator Presence LeversSpring loaded neutral locksHand Actuated Park BrakeMOWER DECK:36 In. Commercial Side DischargeFloating Mower Deck10-gauge 0.135 in. (3.42 mm) topwith 0.26 in. (6.8 mm) spindle pocket reinforcementsAluminum Spindles1.5-4.5 In. Height of Cut with7 Cutting PositionsHigh Lift BladesFUEL SYSTEM:5.4 U.S. Gallon (20.4 L) Fuel CapacityTIRES:18x6.5-8 4-Ply Pneumatic Rear Tires9x3.5-4 Semi-Pneumatic Caster TiresELECTRICAL:Battery 300 CCAElectric PTO ClutchDigital Hour MeterEnglish/Spanish Operator'sSafety Video and LabelsANSI Certified B71.4 for Safety*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.</p>	
2623TC	<p>BASE MACHINE</p> <p><i>Not available in California</i></p> <p><i>Base Machine Suggested List Price Does Not Include \$200 USD Destination Charge.</i></p> <p>W36R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive</p>	USD \$8,700.00
001A	<p>DESTINATION AND LANGUAGE</p> <p>Basic Factory Options</p> <p>DESTINATION</p> <p>United States / Canada</p> <p><i>Not Available in California.</i></p>	In Base Price
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	



W36R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price
LP70220	Utility Bags (12 pack)	See Parts
LP68164	3.5 bu. Grass Catcher <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	See Parts
BUC10676	Striping Kit with Adjustable Rubber Flap <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	See Parts
A-B1MS34	Dual Wheel Sulky with Latch <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	See Parts
A-B1MS33	Single Wheel Sulky with Latch <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	See Parts
AM108146	Spark Arrester Screen for Muffler	See Parts
	WEIGHTS AND BALLASTING ATTACHMENTS FOR FIELD CONVERSION WEIGHTS	
BUC10052	Weight Kit	See Parts
	MOWER DECK ATTACHMENTS FOR FIELD CONVERSION MULCH KITS	
BUC10042	36 in. (914.4 mm) Mulch Kit	See Parts



W48R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price
2632TC	<p>W48R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive</p> <p>Engine 19HP* (14.2 kW) Displacement (603cc, 36.8 cu. in) Vertical-Shaft, V-twin Air Cooled Full Pressure Lubrication System with Replaceable Oil Filter Electric Start Canister-type, dry replaceable, Heavy-duty Air Cleaner DRIVE SYSTEM: Pumps, Hydro-Gear 10 cc Wheel Motor, Danfoss 12 cu in. Forward speed, 0-7.5 mph (12.1 km/h) Reverse speed, 0-3 mph (4.8 km/h) CONTROLS: Ergonomic Pistol Style Steering Controls (2) Independent Operator Presence Levers Spring loaded neutral locks Hand Actuated Park Brake MOWER DECK: 48 In. Commercial Side Discharge Floating Mower Deck 10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements Aluminum Spindles 1.5-4.5 In. Height of Cut with 7 Cutting Positions High Lift Blades FUEL SYSTEM: 5.4 U.S. Gallon (20.4 L) Fuel Capacity TIRES: 18x8.5-8 4-Ply Pneumatic Rear Tires 9x3.5-4 Semi-Pneumatic Caster Tires ELECTRICAL: Battery 300 CCA Electric PTO Clutch Digital Hour Meter</p>	



W48R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price
	<p>English/Spanish Operator's Safety Video and Labels ANSI Certified B71.4 for Safety *The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.</p>	
	BASE MACHINE	
	<i>Not Available in California</i>	
	<i>Base Machine Suggested List Price Does Not Include \$200 USD Destination Charge.</i>	
2632TC	W48R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive	USD \$9,519.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	United States / Canada <i>Not Available in California.</i>	In Base Price
	MISCELLANEOUS	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
LP70220	Utility Bags (12 pack)	See Parts
LP68164	3.5 bu. Grass Catcher <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	See Parts
BUC10676	Striping Kit with Adjustable Rubber Flap <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	See Parts
A-B1MS34	Dual Wheel Sulky with Latch <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	See Parts
A-B1MS33	Single Wheel Sulky with Latch <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	See Parts
AM108146	Spark Arrester Screen for Muffler	See Parts
	WEIGHTS AND BALLASTING	
	ATTACHMENTS FOR FIELD CONVERSION	
	WEIGHTS	



W48R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price
BUC10052	Weight Kit	See Parts
	MOWER DECK ATTACHMENTS FOR FIELD CONVERSION MULCH KITS	
BUC10043	48 in. (1219.2 mm) Mulch Kit	See Parts



W52R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price
2641TC	<p>W52R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive</p> <p>Engine 19HP* (14.2 kW) Displacement (603cc, 36.8 cu. in) Vertical-Shaft, V-twin Air Cooled Full Pressure Lubrication System with Replaceable Oil Filter Electric Start Canister-type, dry replaceable, Heavy-duty Air Cleaner DRIVE SYSTEM: Pumps, Hydro-Gear 10 cc Wheel Motor, Danfoss 12 cu in. Forward speed, 0-7.5 mph (12.1 km/h) Reverse speed, 0-3 mph (4.8 km/h) CONTROLS: Ergonomic Pistol Style Steering Controls (2) Independent Operator Presence Levers Spring loaded neutral locks Hand Actuated Park Brake MOWER DECK: 52 In. Commercial Side Discharge Floating Mower Deck 10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements Aluminum Spindles 1.5-4.5 In. Height of Cut with 7 Cutting Positions High Lift Blades FUEL SYSTEM: 5.4 U.S. Gallon (20.4 L) Fuel Capacity TIRES: 18x8.5-8 4-Ply Pneumatic Rear Tires 9x3.5-4 Semi-Pneumatic Caster Tires ELECTRICAL: Battery 300 CCA Electric PTO Clutch Digital Hour Meter</p>	



W52R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price
	<p>English/Spanish Operator's Safety Video and Labels ANSI Certified B71.4 for Safety *The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.</p>	
	BASE MACHINE	
	<i>Not Available in California</i>	
	<i>Base Machine Suggested List Price Does Not Include \$200 USD Destination Charge.</i>	
2641TC	W52R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive	USD \$10,039.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	United States / Canada <i>Not Available in California.</i>	In Base Price
	MISCELLANEOUS	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
LP70220	Utility Bags (12 pack)	See Parts
BUC10676	Striping Kit with Adjustable Rubber Flap <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	See Parts
LP68164	3.5 bu. Grass Catcher <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	See Parts
A-B1MS34	Dual Wheel Sulky with Latch <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	See Parts
A-B1MS33	Single Wheel Sulky with Latch <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	See Parts
AM108146	Spark Arrester Screen for Muffler	See Parts
	WEIGHTS AND BALLASTING	
	ATTACHMENTS FOR FIELD CONVERSION	
	WEIGHTS	



W52R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price
BUC10052	Weight Kit	See Parts
	MOWER DECK ATTACHMENTS FOR FIELD CONVERSION MULCH KITS	
BUC10044	52 in. (1320.8 mm) Mulch Kit	See Parts



W61R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price
2651TC	<p>W61R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive</p> <p>Engine 23.5HP* (17.5 kW) Displacement (726cc, 44.3 cu. in) Vertical-Shaft, V-twin Air Cooled Full Pressure Lubrication System with Replaceable Oil Filter Electric Start Heavy Duty Canister Air Cleaner w/ Precleaner</p> <p>DRIVE SYSTEM: Pumps, Hydro-Gear 10 cc Wheel Motor, Danfoss 12 cu in. Forward speed, 0-7.5 mph (12.1 km/h) Reverse speed, 0-3 mph (4.8 km/h)</p> <p>CONTROLS: Ergonomic Pistol Style Steering Controls (2) Independent Operator Presence Levers Spring loaded neutral locks Hand Actuated Park Brake</p> <p>MOWER DECK: 61 In. Commercial Side Discharge Floating Mower Deck 10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements Aluminum Spindles 1.5-4.5 In. Height of Cut with 7 Cutting Positions High Lift Blades</p> <p>FUEL SYSTEM: 5.4 U.S. Gallon (20.4 L) Fuel Capacity</p> <p>TIRES: 18x8.5-8 4-Ply Pneumatic Rear Tires 9x3.5-4 Semi-Pneumatic Caster Tires</p> <p>ELECTRICAL: Battery 300 CCA Electric PTO Clutch Digital Hour Meter English/Spanish Operator's</p>	



W61R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price
	<p>Safety Video and Labels ANSI Certified B71.4 for Safety *The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.</p>	
	BASE MACHINE	
	<i>Not Available in California</i>	
	<i>Base Machine Suggested List Price Does Not Include \$200 USD Destination Charge.</i>	
2651TC	W61R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive	USD \$11,689.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	United States / Canada <i>Not Available in California.</i>	In Base Price
	MISCELLANEOUS	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
LP70220	Utility Bags (12 pack)	See Parts
BUC10677	Striping Kit with Adjustable Rubber Flap <i>Compatible with 61 inch mower deck.</i>	See Parts
A-B1MS34	Dual Wheel Sulky with Latch <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	See Parts
A-B1MS33	Single Wheel Sulky with Latch <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	See Parts
AM108146	Spark Arrester Screen for Muffler	See Parts
	WEIGHTS AND BALLASTING	
	ATTACHMENTS FOR FIELD CONVERSION	
	WEIGHTS	
BUC10052	Weight Kit	See Parts
	MOWER DECK	



W61R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price
ATTACHMENTS FOR FIELD CONVERSION MULCH KITS		
BUC10045	61 in. (1549.4 mm) Mulch Kit	See Parts