

**JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS**

**3025D Compact Utility Tractor  
Equipment for Base Machine**

<p><b>ENGINE:</b> Yanmar Liquid Cooled Diesel Engine Tier IV EPA Emissions Certified Engine HP 24.7 (18.2 kW)** Rated Speed 2400 RPM **Engine HP (kW), gross SAE J1995: 24.7 (18.2) @ 2400 rpm, PS Displacement, cu in. (L): 100.20 (1.642)</p> <p><b>TRANSMISSION:</b> 4-Wheel Drive Gear Transmission 8F/8R Differential Lock</p> <p><b>HYDRAULICS:</b> 8.5 GPM (32 LPM) Total Flow</p>	<p>5.0 GPM (19 LPM) Implement Pump 3.5 GPM (13 LPM) Steering Pump</p> <p><b>PTO:</b> Independent 540 RPM Rear PTO Mechanically Engaged Wet Clutch</p> <p><b>ELECTRICAL:</b> 12-Volt System 55 Amp Alternator Key Ignition Starter with Accessory and Pre-Heat Position Maintenance Free Battery with 600 Cold Cranking Amps</p> <p><b>OPERATOR PROTECTIVE STRUCTURE:</b> Adjustable Vinyl Seat without suspension Folding ROPS Meets ASABE S478.1 and OSHA</p>	<p>1928.5l ROPS Certification Standards Retractable Seat Belt Operator Presence with Safety Interlock System</p> <p><b>BASE MACHINE (4WD):</b> 11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels &amp; Tires 7-14 (6PR, R1 Bar, 2 Position) Front Wheels &amp; Tires</p>
---	--	---

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Grovetown, Georgia*

1680LV	3025D Compact Utility Tractor	401K3618	17,023.00
--------	-------------------------------	----------	-----------

**DESTINATION**

0184	Canada		No Added Cost
0202	United States		In Base Price
0205	Quebec		No Added Cost

**OPERATOR'S MANUAL**

0437	Spanish North American Operators Manual and Decal Kit		No Added Cost
0409	English North American Operators Manual and Decal Kit		In Base Price
0413	French Canadian Operators Manual and Decal Kit		No Added Cost

**LOADERS**

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3025D Compact Utility Tractor**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>LOADERS Continued...</b>				
1701		Factory Installed Loader with Bucket <i>Pricing includes loader installation charge and 300E loader with the following options:</i>  61 In. (1550 mm) Quick Change Materials Bucket Mounting Frame Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit Hood Guard  Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.	253K935	5,247.00
1750		Factory Installed Loader less Bucket <i>Pricing includes loader installation charge and 300E loader with the following options:</i>  Mounting Frame Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit Hood Guard  Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.	253K344	4,459.00
1795		Less Loader		In Base Price
<b>DRAFT LINK</b>				
4110		Draft Links - Flat Bar (Standard)		In Base Price
4120		Draft Links - Telescoping	602K61	327.00
<b>THREE-POINT HITCH</b>				
4060		iMatch Quick Hitch (Category 1) Includes 1 set of bushings Not compatible with Telescoping Draft Links	802K44	306.00
4061		Less iMatch Quick Hitch		In Base Price
<b>DRAWBAR AND TRAILER HITCH</b>				
4310		Rear Drawbar Includes support bracket and retention pin.		No Added Cost
<b>REAR WHEELS AND TIRES</b>				
5210		15-19.5 6PR R4 Industrial 1 Position	001K24	155.00
5211		11.20-24 6PR R1 Bar 1 Position		In Base Price

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3025D Compact Utility Tractor**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>REAR WHEELS AND TIRES Continued...</b>				
5213		41x14-20 4PR R3 Turf 1 Position	001K6	20.00
<b>FRONT WHEELS AND TIRES</b>				
6210		25x8.50-14 6PR R4 Industrial 2 Position	004K8	60.00
6211		7-14 6PR R1 Bar 2 Position		In Base Price
6213		27x8.50-15 6PR R3 Turf 2 Position	005K6	70.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>				
<b>Accessories</b>				
LP25001		3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	001K04	139.00
LP95233		Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	951K9	29.99
RE19428		Safety Chain Support Kit	768K3	158.04
<b>Ballast</b>				
BW15073		Ballast Box	752K11	302.50
BW15074		Ballast Box Extension	101K00	143.00
<b>Draft Link</b>				
BLV10908		Telescoping Draft Links <i>Not compatible with iMatch Quick Hitch.</i>	982K87	411.40
<b>Drawbar</b>				
BLV10904		Rear Drawbar Kit	341K09	156.20
<b>Engine</b>				
BLV10640		Engine Coolant Heater Kit (110 Volt)	204K6	66.00
BLV10906		Radiator Clean Out Screen <i>Removable screen which helps to maintain good air flow and easy clean out.</i>	952K6	38.50

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3025D Compact Utility Tractor**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>				
		<b>Exhaust</b>		
BLV11105		Spark Arrester Screen	011K64	234.30
		<b>Front Weights</b>		
BLV11045		Front Weight Bracket Extension <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i>	521K35	193.60
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) BLV11045.</i>	306K9	99.00
		<b>Front Wheels And Tires</b>		
BLV10851		25 x 8.50 - 14 (6 PR, R4 Industrial, 2 Position) Front Wheels & Tires	464K60	657.80
BLV10849		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	934K68	669.90
BLV10860		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	104K08	583.00
		<b>Hydraulics</b>		
BLV10901		Rear Hydraulic Kit	046K56	937.20
		<b>Lighting</b>		
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546).</i>	974K6	67.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	088K0	114.40
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation. Requires Warning Light Brush Guard Kit (BLV10400).</i>	302K23	319.00
BLV10400		Warning Light Brush Guard Kit (Two Guards)	295K9	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	295K9	84.70
		<b>Open Operator's Station</b>		
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	423K43	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	675K4	78.10
BLV11094		Rear License Plate Kit (Include Light)	744K7	68.20

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3025D Compact Utility Tractor**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>				
		<b>Rear Power Take-off (Pto)</b>		
BLV10953		John Deere Quik Knect PTO receiver <i>At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Value Selling Navigator.</i>	441K32	189.20
		<b>Rear Wheel Weights</b>		
BM19951		Attaching Hardware for Rear Wheel Weight <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	166K	8.80
BM19938		Attaching Hardware for Starter Rear Wheel Weight, 60 lb for 16 in. and 19.5 in. Wheel <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	707K	11.00
BM17965		Rear Wheel Weight, 60 lb (27.2 kg) <i>Starter and Additional Weight for use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) Tires. If being used as Starter Weight: Requires BM19938 (Attaching Hardware). If being used as Additional Weight: Requires BM19951 (Attaching Hardware). Maximum 3 Weights per Wheel. Order per wheel.</i>	569K8	140.80
		<b>Rear Wheels And Tires</b>		
BLV10937		11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires	061K138	1,625.80
BLV10936		15-19.5 (6PR, R4 Industrial, 1 Position) Rear Wheels and Tires	351K274	1,820.50
BLV10942		41x14-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	771K155	1,651.10
TY4453		Tire Chains <i>For use with 11.2-24 (R1) and 15-19.5 (R4) Rear Tires.</i>	422K43	333.45
TY4457		Tire Chains <i>For use with 41x14.0-20 (R3) Rear Tires.</i>	082K55	349.42
		<b>Three-point Hitch</b>		
LVU12858		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	441K6	24.54
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook	732K68	383.90
		<b>Weights</b>		
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1) BLV11045.</i>	694K2	60.99

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

---

**3025D Compact Utility Tractor**  
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>				
	BLV10985	<b>Wheel Tread Width</b> Wheel Spacer Kit	392K36	337.70

**JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS**

**3035D Compact Utility Tractor  
Equipment for Base Machine**

**ENGINE:**  
Yanmar Liquid Cooled Diesel  
Engine  
Tier IV EPA Emissions Certified  
Engine HP 34.7 (25.5 kW)\*\*  
Rated Speed 2800 RPM  
\*\*Engine HP (kW), gross SAE  
J1995: 34.7 (25.5) @ 2800 rpm,  
PS  
Displacement, cu in. (L): 100.20  
(1.642)

**TRANSMISSION:**  
4-Wheel Drive  
Gear Transmission  
8F/8R  
Differential Lock

**HYDRAULICS:**  
8.5 GPM (32.0 LPM) Total Flow  
5.0 GPM (19.0 LPM) Implement

Pump  
3.5 GPM (13.0 LPM) Steering Pump

**PTO:**  
Independent 540 RPM Rear PTO  
Mechanically Engaged Wet Clutch

**ELECTRICAL:**  
12-Volt System  
55 Amp Alternator  
Key Ignition Starter with  
Accessory and Pre-Heat Position  
Maintenance Free Battery with  
600 Cold Cranking Amps

**OPERATOR PROTECTIVE STRUCTURE:**  
Adjustable Vinyl Seat without  
suspension  
Folding ROPS  
Meets ASABE S478.1 and OSHA  
1928.51 ROPS Certification

**Standards**  
Retractable Seat Belt  
Operator Presence with Safety  
Interlock System

**BASE MACHINE (4WD):**  
11.20-24 (6PR, R1 Bar, 1  
Position) Rear Wheels & Tires  
7-14 (6PR, R1 Bar, 2 Position)  
Front Wheels & Tires

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Grovetown, Georgia*

1690LV		3035D Compact Utility Tractor	401K6806	21,008.00
--------	--	-------------------------------	----------	-----------

**DESTINATION**

0184		Canada		No Added Cost
0202		United States		In Base Price
0205		Quebec		No Added Cost

**OPERATOR'S MANUAL**

0437		Spanish North American Operators Manual and Decal Kit		No Added Cost
0409		English North American Operators Manual and Decal Kit		In Base Price
0413		French Canadian Operators Manual and Decal Kit		No Added Cost

**LOADERS**

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3035D Compact Utility Tractor**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>LOADERS Continued...</b>				
1701		Factory Installed Loader with Bucket <i>Pricing includes loader installation charge and 300E loader with the following options:</i>  61 In. (1550 mm) Quick Change Materials Bucket Mounting Frame Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit Hood Guard  Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.	253K935	5,247.00
1750		Factory Installed Loader less Bucket <i>Pricing includes loader installation charge and 300E loader with the following options:</i>  Mounting Frame Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit Hood Guard  Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.	253K344	4,459.00
1795		Less Loader		In Base Price
<b>DRAFT LINK</b>				
4110		Draft Links - Flat Bar (Standard)		In Base Price
4120		Draft Links - Telescoping	602K61	327.00
<b>THREE-POINT HITCH</b>				
4060		iMatch Quick Hitch (Category 1) Includes 1 set of bushings Not compatible with Telescoping Draft Links	802K44	306.00
4061		Less iMatch Quick Hitch		In Base Price
<b>DRAWBAR AND TRAILER HITCH</b>				
4310		Rear Drawbar Includes support bracket and retention pin.		No Added Cost
<b>REAR WHEELS AND TIRES</b>				
5210		15-19.5 6PR R4 Industrial 1 Position	001K24	155.00
5211		11.20-24 6PR R1 Bar 1 Position		In Base Price

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3035D Compact Utility Tractor**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>REAR WHEELS AND TIRES Continued...</b>				
5213		41x14-20 4PR R3 Turf 1 Position	001K6	20.00
<b>FRONT WHEELS AND TIRES</b>				
6210		25x8.50-14 6PR R4 Industrial 2 Position	004K8	60.00
6211		7-14 6PR R1 Bar 2 Position		In Base Price
6213		27x8.50-15 6PR R3 Turf 2 Position	005K6	70.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>				
<b>Accessories</b>				
LP25001		3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	001K04	139.00
LP95233		Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	951K9	29.99
RE19428		Safety Chain Support Kit	768K3	158.04
<b>Ballast</b>				
BW15073		Ballast Box	752K11	302.50
BW15074		Ballast Box Extension	101K00	143.00
<b>Draft Link</b>				
BLV10908		Telescoping Draft Links <i>Not compatible with iMatch Quick Hitch.</i>	982K87	411.40
<b>Drawbar</b>				
BLV10904		Rear Drawbar Kit	341K09	156.20
<b>Engine</b>				
BLV10640		Engine Coolant Heater Kit (110 Volt)	204K6	66.00
BLV10906		Radiator Clean Out Screen <i>Removable screen which helps to maintain good air flow and easy clean out.</i>	952K6	38.50

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3035D Compact Utility Tractor**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>				
		<b>Exhaust</b>		
BLV11105		Spark Arrester Screen	011K64	234.30
		<b>Front Weights</b>		
BLV11045		Front Weight Bracket Extension <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i>	521K35	193.60
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) BLV11045.</i>	306K9	99.00
		<b>Front Wheels And Tires</b>		
BLV10851		25 x 8.50 - 14 (6 PR, R4 Industrial, 2 Position) Front Wheels & Tires	464K60	657.80
BLV10849		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	934K68	669.90
BLV10860		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	104K08	583.00
		<b>Hydraulics</b>		
BLV10901		Rear Hydraulic Kit	046K56	937.20
		<b>Lighting</b>		
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546).</i>	974K6	67.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	088K0	114.40
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation. Requires Warning Light Brush Guard Kit (BLV10400).</i>	302K23	319.00
BLV10400		Warning Light Brush Guard Kit (Two Guards)	295K9	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	295K9	84.70
		<b>Open Operator's Station</b>		
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	423K43	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	675K4	78.10
BLV11094		Rear License Plate Kit (Include Light)	744K7	68.20

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3035D Compact Utility Tractor**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>				
		<b>Rear Power Take-off (Pto)</b>		
BLV10953		John Deere Quik Knect PTO receiver <i>At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Value Selling Navigator.</i>	441K32	189.20
		<b>Rear Wheel Weights</b>		
BM19951		Attaching Hardware for Rear Wheel Weight <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	166K	8.80
BM19938		Attaching Hardware for Starter Rear Wheel Weight, 60 lb for 16 in. and 19.5 in. Wheel <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	707K	11.00
BM17965		Rear Wheel Weight, 60 lb (27.2 kg) <i>Starter and Additional Weight for use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) Tires. If being used as Starter Weight: Requires BM19938 (Attaching Hardware). If being used as Additional Weight: Requires BM19951 (Attaching Hardware). Maximum 3 Weights per Wheel. Order per wheel.</i>	569K8	140.80
		<b>Rear Wheels And Tires</b>		
BLV10937		11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires	061K138	1,625.80
BLV10936		15-19.5 (6PR, R4 Industrial, 1 Position) Rear Wheels and Tires	351K274	1,820.50
BLV10942		41x14-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	771K155	1,651.10
TY4453		Tire Chains <i>For use with 11.2-24 (R1) and 15-19.5 (R4) Rear Tires.</i>	422K43	333.45
TY4457		Tire Chains <i>For use with 41x14.0-20 (R3) Rear Tires.</i>	082K55	349.42
		<b>Three-point Hitch</b>		
LVU12858		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	441K6	24.54
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook	732K68	383.90
		<b>Weights</b>		
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1) BLV11045.</i>	694K2	60.99

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

---

**3035D Compact Utility Tractor**  
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>				
	BLV10985	<b>Wheel Tread Width</b> Wheel Spacer Kit	392K36	337.70

**JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS**

**3043D Compact Utility Tractor  
Equipment for Base Machine**

**ENGINE:**  
Yanmar Liquid Cooled Diesel  
Engine  
Tier IV EPA Emissions Certified  
Engine HP 42.2 (31 kW)\*\*  
Rated Speed 2800 RPM  
\*\*Engine HP (kW), gross SAE  
J1995: 42.2 (31) @ 2800 rpm, PS  
Displacement, cu in. (L): 95.69  
(1.568)

**TRANSMISSION:**  
4-Wheel Drive  
Gear Transmission  
8F/8R  
Differential Lock

**HYDRAULICS:**  
8.5 GPM (32 LPM) Total Flow  
5.0 GPM (19 LPM) Implement Pump

3.5 GPM (13 LPM) Steering Pump  
  
PTO:  
Independent 540 RPM Rear PTO  
Mechanically Engaged Wet Clutch

**ELECTRICAL:**  
12-Volt System  
55 Amp Alternator  
Key Ignition Starter with  
Accessory and Pre-Heat Position  
Maintenance Free Battery with  
600 Cold Cranking Amps

**OPERATOR PROTECTIVE STRUCTURE:**  
Adjustable Vinyl Seat without  
suspension  
Folding ROPS  
Meets ASABE S478.1 and OSHA  
1928.51 ROPS Certification

**Standards**  
Retractable Seat Belt  
Operator Presence with Safety  
Interlock System

**BASE MACHINE (4WD):**  
11.20-24 (6PR, R1 Bar, 1  
Position) Rear Wheels & Tires  
7-14 (6PR, R1 Bar, 2 Position)  
Front Wheels & Tires

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Grovetown, Georgia*

16A0LV		3043D Compact Utility Tractor	001K9356	24,195.00
--------	--	-------------------------------	----------	-----------

**DESTINATION**

0184		Canada		No Added Cost
0202		United States		In Base Price
0205		Quebec		No Added Cost

**OPERATOR'S MANUAL**

0437		Spanish North American Operators Manual and Decal Kit		No Added Cost
0409		English North American Operators Manual and Decal Kit		In Base Price
0413		French Canadian Operators Manual and Decal Kit		No Added Cost

**LOADERS**

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3043D Compact Utility Tractor**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>LOADERS Continued...</b>				
1701		Factory Installed Loader with Bucket <i>Pricing includes loader installation charge and 300E loader with the following options:</i>  61 In. (1550 mm) Quick Change Materials Bucket Mounting Frame Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit Hood Guard  Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.	253K935	5,247.00
1750		Factory Installed Loader less Bucket <i>Pricing includes loader installation charge and 300E loader with the following options:</i>  Mounting Frame Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit Hood Guard  Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.	253K344	4,459.00
1795		Less Loader		In Base Price
<b>DRAFT LINK</b>				
4110		Draft Links - Flat Bar (Standard)		In Base Price
4120		Draft Links - Telescoping	602K61	327.00
<b>THREE-POINT HITCH</b>				
4060		iMatch Quick Hitch (Category 1) Includes 1 set of bushings Not compatible with Telescoping Draft Links	802K44	306.00
4061		Less iMatch Quick Hitch		In Base Price
<b>DRAWBAR AND TRAILER HITCH</b>				
4310		Rear Drawbar Includes support bracket and retention pin.		No Added Cost
<b>REAR WHEELS AND TIRES</b>				
5210		15-19.5 6PR R4 Industrial 1 Position	001K24	155.00
5211		11.20-24 6PR R1 Bar 1 Position		In Base Price

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3043D Compact Utility Tractor**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>REAR WHEELS AND TIRES Continued...</b>				
5213		41x14-20 4PR R3 Turf 1 Position	001K6	20.00
<b>FRONT WHEELS AND TIRES</b>				
6210		25x8.50-14 6PR R4 Industrial 2 Position	004K8	60.00
6211		7-14 6PR R1 Bar 2 Position		In Base Price
6213		27x8.50-15 6PR R3 Turf 2 Position	005K6	70.00
<b>ATTACHMENTS FOR FIELD CONVERSION</b>				
<b>Accessories</b>				
LP25001		3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	001K04	139.00
LP95233		Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	951K9	29.99
RE19428		Safety Chain Support Kit	768K3	158.04
<b>Ballast</b>				
BW15073		Ballast Box	752K11	302.50
BW15074		Ballast Box Extension	101K00	143.00
<b>Draft Link</b>				
BLV10908		Telescoping Draft Links <i>Not compatible with iMatch Quick Hitch.</i>	982K87	411.40
<b>Drawbar</b>				
BLV10904		Rear Drawbar Kit	341K09	156.20
<b>Engine</b>				
BLV10640		Engine Coolant Heater Kit (110 Volt)	204K6	66.00
BLV10906		Radiator Clean Out Screen <i>Removable screen which helps to maintain good air flow and easy clean out.</i>	952K6	38.50

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3043D Compact Utility Tractor**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>				
		<b>Exhaust</b>		
BLV11105		Spark Arrester Screen	011K64	234.30
		<b>Front Weights</b>		
BLV11045		Front Weight Bracket Extension <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.</i>	521K35	193.60
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) BLV11045.</i>	306K9	99.00
		<b>Front Wheels And Tires</b>		
BLV10851		25 x 8.50 - 14 (6 PR, R4 Industrial, 2 Position) Front Wheels & Tires	464K60	657.80
BLV10849		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	934K68	669.90
BLV10860		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	104K08	583.00
		<b>Hydraulics</b>		
BLV10901		Rear Hydraulic Kit	046K56	937.20
		<b>Lighting</b>		
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546).</i>	974K6	67.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	088K0	114.40
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation. Requires Warning Light Brush Guard Kit (BLV10400).</i>	302K23	319.00
BLV10400		Warning Light Brush Guard Kit (Two Guards)	295K9	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	295K9	84.70
		<b>Open Operator's Station</b>		
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	423K43	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	675K4	78.10
BLV11094		Rear License Plate Kit (Include Light)	744K7	68.20

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3043D Compact Utility Tractor**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>				
		<b>Rear Power Take-off (Pto)</b>		
BLV10953		John Deere Quik Knect PTO receiver <i>At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Value Selling Navigator.</i>	441K32	189.20
		<b>Rear Wheel Weights</b>		
BM19951		Attaching Hardware for Rear Wheel Weight <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	166K	8.80
BM19938		Attaching Hardware for Starter Rear Wheel Weight, 60 lb for 16 in. and 19.5 in. Wheel <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	707K	11.00
BM17965		Rear Wheel Weight, 60 lb (27.2 kg) <i>Starter and Additional Weight for use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) Tires. If being used as Starter Weight: Requires BM19938 (Attaching Hardware). If being used as Additional Weight: Requires BM19951 (Attaching Hardware). Maximum 3 Weights per Wheel. Order per wheel.</i>	569K8	140.80
		<b>Rear Wheels And Tires</b>		
BLV10937		11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires	061K138	1,625.80
BLV10936		15-19.5 (6PR, R4 Industrial, 1 Position) Rear Wheels and Tires	351K274	1,820.50
BLV10942		41x14-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	771K155	1,651.10
TY4453		Tire Chains <i>For use with 11.2-24 (R1) and 15-19.5 (R4) Rear Tires.</i>	422K43	333.45
TY4457		Tire Chains <i>For use with 41x14.0-20 (R3) Rear Tires.</i>	082K55	349.42
		<b>Three-point Hitch</b>		
LVU12858		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	441K6	24.54
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook	732K68	383.90
		<b>Weights</b>		
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1) BLV11045.</i>	694K2	60.99

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

---

**3043D Compact Utility Tractor**  
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>				
	BLV10985	<b>Wheel Tread Width</b> Wheel Spacer Kit	392K36	337.70

**JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS**

**3025E Compact Utility Tractor  
Equipment for Base Machine**

**ENGINE:**  
Yanmar Liquid Cooled Diesel  
Engine  
Tier IV EPA Emissions Certified  
Engine HP 24.7 (18.2 kW)\*\*  
PTO HP 19.4 (14.4 kW) HST  
Rated Speed 2500 RPM  
\*\*Engine HP (kW), gross SAE  
J1995: 24.7 (18.2) @ 2500 rpm,  
PS Displacement, cu in. (L):  
100.20 (1.642)

**TRANSMISSION:**  
4-Wheel Drive  
HST Transmission  
2 Ranges  
Differential Lock (Control  
Integrated with Brake Pedal)

**HYDRAULICS:**  
9.3 GPM (35.2 LPM) Total Flow  
5.3 GPM (20.1 LPM) Implement

Pump  
4.0 GPM (15.1 LPM) Steering Pump

**ROCKSHAFT, HITCH AND DRAWBAR:**  
Drawbar  
PTO: Independent 540 RPM Rear  
PTO  
Electronically Engaged Wet  
Clutch

**ELECTRICAL:**  
12-Volt System  
55 Amp Alternator  
Key Ignition Starter with  
Accessory and Pre-Heat Position  
Maintenance Free Battery with  
500 Cold Cranking Amps

**OPERATOR PROTECTIVE STRUCTURE:**  
Adjustable Vinyl Seat without  
suspension  
Folding ROPS

Meets ASABE S478.1 and OSHA  
1928.51 ROPS Certification  
Standards  
Retractable Seat Belt  
Operator Presence with Safety  
Interlock System

**BASE MACHINE (4WD):**  
11.20-24 (6PR, R1 Bar, 1  
Position) Rear Wheels & Tires  
7-14 (6PR, R1 Bar, 2 Position)  
Front Wheels & Tires

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Grovetown, Georgia*

1359LV		3025E Compact Utility Tractor	001K4664	18,330.00
--------	--	-------------------------------	----------	-----------

**DESTINATION**

0202	<b>North America</b> United States			In Base Price
0184	Canada			No Added Cost
0205	Quebec			No Added Cost
024H	<b>Oceania</b> United States Minor Outlying Islands			No Added Cost

**OPERATOR'S MANUAL**

0409	English Operator's Manual and Decal Kit			In Base Price
0413	French Operator's Manual and Decal Kit			No Added Cost

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3025E Compact Utility Tractor**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>OPERATOR'S MANUAL Continued...</b>				
0437		Spanish Operator's Manual and Decal Kit		No Added Cost
<b>THREE-POINT HITCH</b>				
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings Not compatible with telescoping draft links</i>	802K44	306.00
4061		Less iMatch Quick Hitch Category 1		In Base Price
<b>DRAFT LINK</b>				
4110		Draft Links - Flat Bar (Standard)		In Base Price
4120		Draft Links - Telescoping	602K61	327.00
<b>REAR WHEELS AND TIRES</b>				
<i>All tires offered are of bias ply construction.</i>				
5210		15-19.5 6PR R4 Industrial <i>1 Position</i>	001K24	155.00
5213		41x14-20 4PR R3 Turf <i>1 Position</i>	001K6	20.00
5211		11.20-24 6PR R1 Bar <i>1 Position</i>		In Base Price
5214		43x16-20 6PR R4 Industrial <i>1 Position</i>	601K41	177.00
<b>FRONT WHEELS AND TIRES</b>				
<i>All tires offered are of bias ply construction.</i>				
6210		25x8.50-14 6PR R4 Industrial <i>2 Position</i>	004K8	60.00
6213		27x8.50-15 6PR R3 Turf <i>2 Position</i>	005K6	70.00
6211		7-14 6PR R1 Bar <i>2 Position</i>		In Base Price
6214		27x8.50-15 6PR R4 Industrial <i>2 Position</i>	001K08	135.00
<b>LOADERS</b>				

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3025E Compact Utility Tractor**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>LOADERS Continued...</b>				
1701		<p>Factory Installed Loader with Bucket <i>Pricing includes 300E Loader and loader installation charge with the following options:</i></p> <p><i>Compact Utility Tractor Carrier 61 In. (1550 mm) Quick Change Materials Bucket Mounting Frame Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit Hood Guard</i></p> <p><i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i></p>	253K935	5,247.00
1750		<p>Factory Installed Loader less Bucket <i>Pricing includes 300E Loader and loader installation charge with the following options:</i></p> <p><i>Compact Utility Tractor Carrier Mounting Frame Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit Hood Guard</i></p> <p><i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i></p>	253K344	4,459.00
1795		Less Loader		In Base Price

**ATTACHMENTS FOR FIELD CONVERSION**

LP25001		<p><b>Accessories</b> 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i></p>	001K04	139.00
LP95233		<p>Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i></p>	951K9	29.99
RE19428		Safety Chain Support Kit	768K3	158.04
LP95637		<p>Tractor Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1, 2 and 3 Family open station tractors.</i></p>	001K12	159.99
BW15073		<p><b>Ballast</b> Ballast Box</p>	752K11	302.50
BW15074		Ballast Box Extension	101K00	143.00

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3025E Compact Utility Tractor**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>				
		<b>Draft Link</b>		
BLV10919		Telescoping Draft Links <i>Not compatible with iMatch Quick Hitch.</i>	982K87	411.40
		<b>Drawbar</b>		
LP63768		Magnetic hitch pin	901K0	18.99
BLV10918		Rear Drawbar Kit <i>Includes support bracket and retention pin.</i>	731K14	163.90
		<b>Engine</b>		
BLV10640		Engine Coolant Heater Kit (110 Volt) <i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>	204K6	66.00
BLV11022		Radiator Clean Out Screen <i>Removable screen which helps to maintain good air flow and easy clean out. It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>	952K6	38.50
		<b>Exhaust</b>		
BLV11104		Spark Arrester Screen <i>For MY18 and newer Tractors.</i>	011K64	234.30
		<b>Front Weights</b>		
BLV10443		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.  Green in Color.</i>	521K35	193.60
LUV32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) BLV10443.</i>	306K9	99.00
		<b>Front Wheels And Tires</b>		
BLV10851		25 x 8.50 - 14 (6 PR, R4 Industrial, 2 Position) Front Wheels & Tires	464K60	657.80
BLV10862		27x8.5-15 (6PR R4 Industrial 2 Position) Front Wheels & Tires	685K26	752.40
BLV10849		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	934K68	669.90
BLV10860		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	104K08	583.00
		<b>Hydraulics</b>		
BLV10903		Dual Rear Selective Control Valve <i>For MY18 and newer Tractors. Not Compatible with Power Beyond Kit (BLV11068)</i>	046K56	937.20

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3025E Compact Utility Tractor**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>		
BLV11068		Power Beyond Kit <i>Not Compatible with Dual Rear Selective Control Valve Kit (BLV10903) Includes Rear Mounted Hydraulic Couplers and Hoses. For use with Backhoe on 3025E-3038E Open Station Tractors</i>	923K04	435.60
		<b>Lighting</b>		
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546).</i>	974K6	67.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	088K0	114.40
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation. Requires Warning Light Brush Guard Kit (BLV10400).</i>	302K23	319.00
BLV10400		Warning Light Brush Guard Kit (Two Guards)	295K9	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	295K9	84.70
		<b>Open Operator's Station</b>		
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	423K43	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	675K4	78.10
BLV11034		Left Hand Mirror Kit	911K40	201.30
BLV10924		Rear License Plate Kit (Includes Light) <i>For MY18 and newer Tractors.</i>	744K7	68.20
BLV11035		Right Hand Mirror Kit	911K40	201.30
TY25324		Weather Protection Umbrella	158K6	114.87
		<b>Rear Power Take-off (Pto)</b>		
BLV10953		John Deere Quik Knect PTO receiver	441K32	189.20
		<b>Rear Wheel Weights</b>		
BM19951		Attaching Hardware for Rear Wheel Weight <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	166K	8.80
BM19938		Attaching Hardware for Starter Rear Wheel Weight, 60 lb for 16 in. and 19.5 in. Wheel <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	707K	11.00

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3025E Compact Utility Tractor**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>		
BM17965		Rear Wheel Weight, 60 lb (27.2 kg) <i>Starter and Additional Weight for use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) Tires. If being used as Starter Weight: Requires BM19938 (Attaching Hardware). If being use as Additional Weight: Requires BM19951 (Attaching Hardware). Maximum 3 Weights per Wheel. Order per wheel.</i>	569K8	140.80
		<b>Rear Wheels And Tires</b>		
BLV10854		11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires	061K138	1,625.80
BLV10852		15-19.5 (6PR, R4 Industrial, 1 Position) Rear Wheels & Tires	351K274	1,820.50
BLV10850		41x14-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	771K155	1,651.10
BLV10988		43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	141K295	1,850.20
TY4453		Tire Chains <i>For use with 11.2-24 (R1) and 15-19.5 (R4) Rear Tires.</i>	422K43	333.45
TY4457		Tire Chains <i>For use with 41x14.0-20 (R3) Rear Tires.</i>	082K55	349.42
		<b>Three-point Hitch</b>		
LVU12858		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	441K6	24.54
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	732K68	383.90
		<b>Transmission</b>		
BLV10898		Cruise Control Kit <i>For MY18 and newer Tractors. It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>	801K84	264.00
BLV10641		Transmission Oil Heater <i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>	606K1	88.00
		<b>Weights</b>		
LVB24952		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.  Black in Color.</i>	521K35	193.60
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1) BLV10443 or LVB24952.</i>	694K2	60.99

**JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS**

**3032E Compact Utility Tractor  
Equipment for Base Machine**

**ENGINE:**  
Yanmar Liquid Cooled Diesel  
Engine  
Tier IV EPA Emissions Certified  
Engine HP 31.1 (22.3 kW)\*  
PTO HP 25.0 (18.6 kW) HST  
Rated Speed 2500 RPM  
\*\*Engine HP (kW), gross SAE  
J1995: 31.1 (22.3) @ 2500 rpm,  
PS  
Displacement, cu in. (L): 100.20  
(1.642)

**TRANSMISSION:**  
4-Wheel Drive  
HST Transmission  
2 Ranges  
Differential Lock (Control  
Integrated with Brake Pedal)

**HYDRAULICS:**  
9.3 GPM (35.2 LPM) Total Flow

5.3 GPM (20.1 LPM) Implement  
Pump  
4.0 GPM (15.1 LPM) Steering Pump  
**ROCKSHAFT, HITCH AND DRAWBAR:**  
Drawbar

**PTO:**  
Independent 540 RPM Rear PTO  
Electronically Engaged Wet  
Clutch

**ELECTRICAL:**  
12-Volt System  
55 Amp Alternator  
Key Ignition Starter with  
Pre-Heat While Cranking  
Maintenance Free Battery with  
500 Cold Cranking Amps

**OPERATOR PROTECTIVE STRUCTURE:**  
Adjustable Vinyl Seat without  
suspension

**Folding ROPS**  
Meets ASABE S478.1 and OSHA  
1928.51 ROPS Certification  
Standards  
Retractable Seat Belt  
Operator Presence with Safety  
Interlock System

**BASE MACHINE (4WD):**  
11.20-24 (6PR, R1 Bar, 1  
Position) Rear Wheels & Tires  
7-14 (6PR, R1 Bar, 2 Position)  
Front Wheels & Tires

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Grovetown, Georgia*

1479LV		3032E Compact Utility Tractor	201K6575	20,719.00
--------	--	-------------------------------	----------	-----------

**DESTINATION**

0202	<b>North America</b> United States			In Base Price
0184	Canada			No Added Cost
0205	Quebec			No Added Cost
024H	<b>Oceania</b> United States Minor Outlying Islands			No Added Cost

**OPERATOR'S MANUAL**

0409	English Operator's Manual and Decal Kit			In Base Price
0413	French Operator's Manual and Decal Kit			No Added Cost

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3032E Compact Utility Tractor**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>OPERATOR'S MANUAL Continued...</b>				
0437		Spanish Operator's Manual and Decal Kit		No Added Cost
<b>THREE-POINT HITCH</b>				
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings Not compatible with telescoping draft links</i>	802K44	306.00
4061		Less iMatch Quick Hitch Category 1		In Base Price
<b>DRAFT LINK</b>				
4110		Draft Links - Flat Bar (Standard)		In Base Price
4120		Draft Links - Telescoping	602K61	327.00
<b>REAR WHEELS AND TIRES</b>				
<i>All tires offered are of bias ply construction.</i>				
5210		15-19.5 6PR R4 Industrial <i>1 Position</i>	001K24	155.00
5213		41x14-20 4PR R3 Turf <i>1 Position</i>	001K6	20.00
5211		11.20-24 6PR R1 Bar <i>1 Position</i>		In Base Price
5214		43x16-20 6PR R4 Industrial <i>1 Position</i>	601K41	177.00
<b>FRONT WHEELS AND TIRES</b>				
<i>All tires offered are of bias ply construction.</i>				
6210		25x8.50-14 6PR R4 Industrial <i>2 Position</i>	004K8	60.00
6213		27x8.50-15 6PR R3 Turf <i>2 Position</i>	005K6	70.00
6211		7-14 6PR R1 Bar <i>2 Position</i>		In Base Price
6214		27x8.50-15 6PR R4 Industrial <i>2 Position</i>	001K08	135.00
<b>LOADERS</b>				

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3032E Compact Utility Tractor**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>LOADERS Continued...</b>				
1701		<p>Factory Installed Loader with Bucket Pricing includes 300E Loader and loader installation charge with the following options:</p> <p>Compact Utility Tractor Carrier 61 In. (1550 mm) Quick Change Materials Bucket Mounting Frame Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit Hood Guard</p> <p>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</p>	253K935	5,247.00
1750		<p>Factory Installed Loader less Bucket Pricing includes 300E Loader and loader installation charge with the following options:</p> <p>Compact Utility Tractor Carrier Mounting Frame Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit Hood Guard</p> <p>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</p>	253K344	4,459.00
1795		Less Loader		In Base Price

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Accessories</b>			
LP25001	3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	001K04		139.00
LP95233	Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	951K9		29.99
RE19428	Safety Chain Support Kit	768K3		158.04
LP95637	Tractor Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1, 2 and 3 Family open station tractors.</i>	001K12		159.99
	<b>Ballast</b>			
BW15073	Ballast Box	752K11		302.50
BW15074	Ballast Box Extension	101K00		143.00

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3032E Compact Utility Tractor**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>				
		<b>Draft Link</b>		
BLV10919		Telescoping Draft Links <i>Not compatible with iMatch Quick Hitch.</i>	982K87	411.40
		<b>Drawbar</b>		
LP63768		Magnetic hitch pin	901K0	18.99
BLV10918		Rear Drawbar Kit <i>Includes support bracket and retention pin.</i>	731K14	163.90
		<b>Engine</b>		
BLV10640		Engine Coolant Heater Kit (110 Volt) <i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>	204K6	66.00
BLV11022		Radiator Clean Out Screen <i>Removable screen which helps to maintain good air flow and easy clean out. It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>	952K6	38.50
		<b>Front Weights</b>		
BLV10443		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.  Green in Color.</i>	521K35	193.60
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) BLV10443.</i>	306K9	99.00
		<b>Front Wheels And Tires</b>		
BLV10851		25 x 8.50 - 14 (6 PR, R4 Industrial, 2 Position) Front Wheels & Tires	464K60	657.80
BLV10862		27x8.5-15 (6PR R4 Industrial 2 Position) Front Wheels & Tires	685K26	752.40
BLV10849		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	934K68	669.90
BLV10860		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	104K08	583.00
		<b>Hydraulics</b>		
BLV10903		Dual Rear Selective Control Valve <i>For MY18 and newer Tractors. Not Compatible with Power Beyond Kit (BLV11068)</i>	046K56	937.20
BLV11068		Power Beyond Kit <i>Not Compatible with Dual Rear Selective Control Valve Kit (BLV10903) Includes Rear Mounted Hydraulic Couplers and Hoses. For use with Backhoe on 3025E-3038E Open Station Tractors</i>	923K04	435.60

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3032E Compact Utility Tractor**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>				
		<b>Lighting</b>		
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546).</i>	974K6	67.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	088K0	114.40
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation. Requires Warning Light Brush Guard Kit (BLV10400).</i>	302K23	319.00
BLV10400		Warning Light Brush Guard Kit (Two Guards)	295K9	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	295K9	84.70
		<b>Open Operator's Station</b>		
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	423K43	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	675K4	78.10
BLV11034		Left Hand Mirror Kit	911K40	201.30
BLV10924		Rear License Plate Kit (Includes Light) <i>For MY18 and newer Tractors.</i>	744K7	68.20
BLV11035		Right Hand Mirror Kit	911K40	201.30
TY25324		Weather Protection Umbrella	158K6	114.87
		<b>Rear Power Take-off (Pto)</b>		
BLV10953		John Deere Quik Knect PTO receiver	441K32	189.20
		<b>Rear Wheel Weights</b>		
BM19951		Attaching Hardware for Rear Wheel Weight <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	166K	8.80
BM19938		Attaching Hardware for Starter Rear Wheel Weight, 60 lb for 16 in. and 19.5 in. Wheel <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	707K	11.00

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3032E Compact Utility Tractor**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>		
BM17965		Rear Wheel Weight, 60 lb (27.2 kg) <i>Starter and Additional Weight for use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) Tires. If being used as Starter Weight: Requires BM19938 (Attaching Hardware). If being use as Additional Weight: Requires BM19951 (Attaching Hardware). Maximum 3 Weights per Wheel. Order per wheel.</i>	569K8	140.80
		<b>Rear Wheels And Tires</b>		
BLV10854		11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires	061K138	1,625.80
BLV10852		15-19.5 (6PR, R4 Industrial, 1 Position) Rear Wheels & Tires	351K274	1,820.50
BLV10850		41x14-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	771K155	1,651.10
BLV10988		43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	141K295	1,850.20
TY4453		Tire Chains <i>For use with 11.2-24 (R1) and 15-19.5 (R4) Rear Tires.</i>	422K43	333.45
TY4457		Tire Chains <i>For use with 41x14.0-20 (R3) Rear Tires.</i>	082K55	349.42
		<b>Three-point Hitch</b>		
LVU12858		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	441K6	24.54
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	732K68	383.90
		<b>Transmission</b>		
BLV10898		Cruise Control Kit <i>For MY18 and newer Tractors. It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>	801K84	264.00
BLV10641		Transmission Oil Heater <i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>	606K1	88.00
		<b>Weights</b>		
LVB24952		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.  Black in Color.</i>	521K35	193.60
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1) BLV10443 or LVB24952.</i>	694K2	60.99

**JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS**

**3038E Compact Utility Tractor  
Equipment for Base Machine**

**ENGINE:**  
Yanmar Liquid Cooled Diesel  
Engine  
Tier IV EPA Emissions Certified  
Engine HP 37.3 (27.4 kW)\*  
PTO HP 30.0 (22.4 kW) HST  
Rated Speed 2500 RPM  
\*\*Engine HP (kW), gross SAE  
J1995: 37.3 (27.4) @ 2500 rpm,  
PS  
Displacement, cu in. (L): 95.68  
(1.568)

**TRANSMISSION:**  
4-Wheel Drive  
HST Transmission  
2 Ranges  
Differential Lock (Control  
Integrated with Brake Pedal)

**HYDRAULICS:**  
9.3 GPM (35.2 LPM) Total Flow

5.3 GPM (20.1 LPM) Implement  
Pump  
4.0 GPM (15.1 LPM) Steering Pump  
**ROCKSHAFT, HITCH AND DRAWBAR:**  
Drawbar

**PTO:**  
Independent 540 RPM Rear PTO  
Electronically Engaged Wet  
Clutch

**ELECTRICAL:**  
12-Volt System  
55 Amp Alternator  
Key Ignition Starter with  
Accessory and Pre-Heat Position  
Maintenance Free Battery with  
500 Cold Cranking Amps

**OPERATOR PROTECTIVE STRUCTURE:**  
Adjustable Vinyl Seat without  
suspension

Folding ROPS  
Meets ASABE S478.1 and OSHA  
1928.51 ROPS Certification  
Standards  
Retractable Seat Belt  
Operator Presence with Safety  
Interlock System

**BASE MACHINE (4WD):**  
11.20-24 (6PR, R1 Bar, 1  
Position) Rear Wheels & Tires  
7-14 (6PR, R1 Bar, 2 Position)  
Front Wheels & Tires

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Grovetown, Georgia*

1489LV		3038E Compact Utility Tractor	401K8486	23,108.00
--------	--	-------------------------------	----------	-----------

**DESTINATION**

0202	<b>North America</b> United States			In Base Price
0184	Canada			No Added Cost
0205	Quebec			No Added Cost
024H	<b>Oceania</b> United States Minor Outlying Islands			No Added Cost

**OPERATOR'S MANUAL**

0409	English Operator's Manual and Decal Kit			In Base Price
0413	French Operator's Manual and Decal Kit			No Added Cost

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3038E Compact Utility Tractor**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>OPERATOR'S MANUAL Continued...</b>				
0437		Spanish Operator's Manual and Decal Kit		No Added Cost
<b>THREE-POINT HITCH</b>				
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings Not compatible with telescoping draft links</i>	802K44	306.00
4061		Less iMatch Quick Hitch Category 1		In Base Price
<b>DRAFT LINK</b>				
4110		Draft Links - Flat Bar (Standard)		In Base Price
4120		Draft Links - Telescoping	602K61	327.00
<b>REAR WHEELS AND TIRES</b>				
<i>All tires offered are of bias ply construction.</i>				
5210		15-19.5 6PR R4 Industrial <i>1 Position</i>	001K24	155.00
5213		41x14-20 4PR R3 Turf <i>1 Position</i>	001K6	20.00
5211		11.20-24 6PR R1 Bar <i>1 Position</i>		In Base Price
5214		43x16-20 6PR R4 Industrial <i>1 Position</i>	601K41	177.00
<b>FRONT WHEELS AND TIRES</b>				
<i>All tires offered are of bias ply construction.</i>				
6210		25x8.50-14 6PR R4 Industrial <i>2 Position</i>	004K8	60.00
6213		27x8.50-15 6PR R3 Turf <i>2 Position</i>	005K6	70.00
6211		7-14 6PR R1 Bar <i>2 Position</i>		In Base Price
6214		27x8.50-15 6PR R4 Industrial <i>2 Position</i>	001K08	135.00
<b>LOADERS</b>				

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3038E Compact Utility Tractor**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>LOADERS Continued...</b>				
1701		<p>Factory Installed Loader with Bucket Pricing includes 300E Loader and loader installation charge with the following options:</p> <p>Compact Utility Tractor Carrier 61 In. (1550 mm) Quick Change Materials Bucket Mounting Frame Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit Hood Guard</p> <p>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</p>	253K935	5,247.00
1750		<p>Factory Installed Loader less Bucket Pricing includes 300E Loader and loader installation charge with the following options:</p> <p>Compact Utility Tractor Carrier Mounting Frame Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit Hood Guard</p> <p>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</p>	253K344	4,459.00
1795		Less Loader		In Base Price

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Accessories</b>			
LP25001	3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	001K04	139.00	
LP95233	Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	951K9	29.99	
RE19428	Safety Chain Support Kit	768K3	158.04	
LP95637	Tractor Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1, 2 and 3 Family open station tractors.</i>	001K12	159.99	
	<b>Ballast</b>			
BW15073	Ballast Box	752K11	302.50	
BW15074	Ballast Box Extension	101K00	143.00	

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3038E Compact Utility Tractor**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>				
		<b>Draft Link</b>		
BLV10919		Telescoping Draft Links <i>Not compatible with iMatch Quick Hitch.</i>	982K87	411.40
		<b>Drawbar</b>		
LP63768		Magnetic hitch pin	901K0	18.99
BLV10918		Rear Drawbar Kit <i>Includes support bracket and retention pin.</i>	731K14	163.90
		<b>Engine</b>		
BLV10640		Engine Coolant Heater Kit (110 Volt) <i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>	204K6	66.00
BLV11022		Radiator Clean Out Screen <i>Removable screen which helps to maintain good air flow and easy clean out. It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>	952K6	38.50
		<b>Front Weights</b>		
BLV10443		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.  Green in Color.</i>	521K35	193.60
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires (1) BLV10443.</i>	306K9	99.00
		<b>Front Wheels And Tires</b>		
BLV10851		25 x 8.50 - 14 (6 PR, R4 Industrial, 2 Position) Front Wheels & Tires	464K60	657.80
BLV10862		27x8.5-15 (6PR R4 Industrial 2 Position) Front Wheels & Tires	685K26	752.40
BLV10849		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	934K68	669.90
BLV10860		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	104K08	583.00
		<b>Hydraulics</b>		
BLV10903		Dual Rear Selective Control Valve <i>For MY18 and newer Tractors. Not Compatible with Power Beyond Kit (BLV11068)</i>	046K56	937.20
BLV11068		Power Beyond Kit <i>Not Compatible with Dual Rear Selective Control Valve Kit (BLV10903) Includes Rear Mounted Hydraulic Couplers and Hoses. For use with Backhoe on 3025E-3038E Open Station Tractors</i>	923K04	435.60

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3038E Compact Utility Tractor**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>				
		<b>Lighting</b>		
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546).</i>	974K6	67.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).</i>	088K0	114.40
BLV10497		LED Work Light Kit <i>Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation. Requires Warning Light Brush Guard Kit (BLV10400).</i>	302K23	319.00
BLV10400		Warning Light Brush Guard Kit (Two Guards)	295K9	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).</i>	295K9	84.70
		<b>Open Operator's Station</b>		
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	423K43	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	675K4	78.10
BLV11034		Left Hand Mirror Kit	911K40	201.30
BLV10924		Rear License Plate Kit (Includes Light) <i>For MY18 and newer Tractors.</i>	744K7	68.20
BLV11035		Right Hand Mirror Kit	911K40	201.30
TY25324		Weather Protection Umbrella	158K6	114.87
		<b>Rear Power Take-off (Pto)</b>		
BLV10953		John Deere Quik Knect PTO receiver	441K32	189.20
		<b>Rear Wheel Weights</b>		
BM19951		Attaching Hardware for Rear Wheel Weight <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	166K	8.80
BM19938		Attaching Hardware for Starter Rear Wheel Weight, 60 lb for 16 in. and 19.5 in. Wheel <i>For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.</i>	707K	11.00

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3038E Compact Utility Tractor**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>		
BM17965		Rear Wheel Weight, 60 lb (27.2 kg) <i>Starter and Additional Weight for use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) Tires. If being used as Starter Weight: Requires BM19938 (Attaching Hardware). If being use as Additional Weight: Requires BM19951 (Attaching Hardware). Maximum 3 Weights per Wheel. Order per wheel.</i>	569K8	140.80
		<b>Rear Wheels And Tires</b>		
BLV10854		11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires	061K138	1,625.80
BLV10852		15-19.5 (6PR, R4 Industrial, 1 Position) Rear Wheels & Tires	351K274	1,820.50
BLV10850		41x14-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	771K155	1,651.10
BLV10988		43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	141K295	1,850.20
TY4453		Tire Chains <i>For use with 11.2-24 (R1) and 15-19.5 (R4) Rear Tires.</i>	422K43	333.45
TY4457		Tire Chains <i>For use with 41x14.0-20 (R3) Rear Tires.</i>	082K55	349.42
		<b>Three-point Hitch</b>		
LVU12858		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).</i>	441K6	24.54
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	732K68	383.90
		<b>Transmission</b>		
BLV10898		Cruise Control Kit <i>For MY18 and newer Tractors. It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>	801K84	264.00
BLV10641		Transmission Oil Heater <i>It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).</i>	606K1	88.00
		<b>Weights</b>		
LVB24952		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.  Black in Color.</i>	521K35	193.60
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires (1) BLV10443 or LVB24952.</i>	694K2	60.99

**JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS**

**3033R Compact Utility Tractor (24 PTO hp)  
Equipment for Base Machine**

**ENGINE:**  
Yanmar Liquid Cooled Diesel  
Engine Tier IV EPA Emissions Certified  
Engine HP 32.2 (23.7 kW)  
PTO HP 24.8 (18.5 kW) PRT  
PTO HP 24.3 (18.1 kW) HST  
Engine HP (kW), Gross SAE J1995: 32.2 (23.7) @ 2600 rpm, PS  
Displacement, L: 1.642

**TRANSMISSION:**  
4-Wheel Drive  
PRT Transmission  
Differential Lock  
**HYDRAULICS:**  
Dual Mid Selective Control Valve with Joystick Control Lever, Float, Regenerative Function, and SCV and Regenerative Lockout

**PTO:**  
Independent 540 RPM Rear PTO  
Electronically Engaged with Mechanical Mid-Both-Rear Selector  
**ELECTRICAL:** 12-Volt Electrical System  
75 Amp Alternator  
Key Ignition Starter with Accessory and Pre-Heat Position

Maintenance Free Battery with 770 Cold Cranking Amps  
**OPERATOR PROTECTIVE STRUCTURE:**  
Deluxe Adjustable Vinyl Seat with Retractable Seat Belt  
Folding ROPS (Roll-Over Protective Structure) meets SAE J2194 and OSHA 1928 ROPS Certification Standards  
Isolated Foot Rest

**CAB (OPTIONAL):**  
12-Volt Auxiliary Power Outlet  
Air Conditioning and Heater  
Cell Phone Holder  
Deluxe Fabric Covered Seat with Retractable Seat Belt  
Armrests  
Dual Forward Work Lights  
Exclusive Raised Header Bar  
Two-Speed Front Windshield  
Wiper/Washer  
Fully Isolated Cab  
High Impact Polymer Fenders with Integrated Tail Lights  
Radio Preparation (with antenna, speakers, wiring, media player storage slot)  
Molded Rubber Floor Mat  
Operator Manual Holder

Rearview Mirror (Inside)  
Monitor Mounting Bosses (2 sets)  
Right Hand and Left Hand Console Storage  
Right Hand Control Center  
Sealed Quiet Cabin  
Sun Visor Swing-Out Rear Window with removable rear plug for monitor or controller wiring harnesses  
Tilt Steering  
Two Front/Two Rear Roof Mounted Warning Lights  
Operator Presence with Safety Interlock System  
Reverse Implement Option (RIO)  
**BASE MACHINE (4WD):**  
11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires  
7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Grovetown, Georgia*

1369LV		3033R Compact Utility Tractor (24 PTO hp)	601K9713	24,642.00
--------	--	---	----------	-----------

**DESTINATION**

0184	<b>North America</b> Canada			No Added Cost
0202	United States			In Base Price
0205	Quebec			No Added Cost
024H	<b>Oceania</b> United States Minor Outlying Islands			No Added Cost

**OPERATOR'S MANUAL**

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3033R Compact Utility Tractor (24 PTO hp)**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>OPERATOR'S MANUAL Continued...</b>				
0409		English Operator's Manual and Decal Kit		In Base Price
0413		French Operator's Manual and Decal Kit		No Added Cost
0437		Spanish Operator's Manual and Decal Kit		No Added Cost
<hr/> <b>TRANSMISSION</b> <hr/>				
1381		12F/12R PowrReverser <i>Requires Operators Station 2000, SCV 3320, and PTO 3400</i>		In Base Price
1520		eHydro <i>3 Range Electronic Controlled Hydrostatic Transmission (featuring LoadMatch, SpeedMatch, and MotionMatch)</i>	401K114	1,393.00
<hr/> <b>OPERATOR'S STATION</b> <hr/>				
2000		Open Station with Standard Seat <i>If ordering transmission option 1520 (eHydro) the following set of options are required: 3330 (Dual Mid &amp; Single EH Rear SCV) and 3420 (Mid PTO) OR 3320 (Dual Mid SCV) and 3400 (Less Mid PTO).  If ordering transmission option 1381 (PowrReverser) the following set of options are required: 3320 (Dual Mid SCV) and 3400 (Less Mid PTO).</i>		In Base Price
2050		Cab with Standard Seat <i>The following set of options are required: 1520 (eHydro), 3320 (Dual Mid SCV), and 3400 (Less Mid PTO)</i>	206K967	8,709.00
2051		Snow Cab with Standard Seat <i>The following set of options are required: 1520 (eHydro), 3400 (Less Mid PTO), and 3330 (Dual Mid &amp; Single EH rear SCV)</i>	207K571	9,464.00
<hr/> <b>RADIO</b> <hr/>				
2660		Factory Installed Stereo <i>Jensen Stereo with AM/FM, and Weatherband. SIRIUS Satellite ready. Customer will have to purchase an XM receiver separately.  Available ONLY on Cab configurations.</i>	003K96	495.00
2650		Less Radio		In Base Price
<hr/> <b>MID POWER TAKE-OFF (PTO)</b> <hr/>				

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3033R Compact Utility Tractor (24 PTO hp)**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>MID POWER TAKE-OFF (PTO) Continued...</b>				
3420		Mid PTO <i>Requires option 3330 (Dual Mid &amp; Single EH Rear SCV)</i>	606K05	757.00
		<i>Available only as Dealer-installed option on 3033R Cab Tractors and 3039R Cab with Standard Seat Tractors.</i>		
		<i>Mid PTO is not offered on PRT configurations.</i>		
3400		Less Mid PTO <i>Requires SCV option 3320 (Dual Mid SCV).</i>		In Base Price
<hr/>				
<b>THREE-POINT HITCH</b>				
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings</i> <i>Not compatible with telescoping draft links</i>	802K44	306.00
4061		Less iMatch Quick Hitch Category 1		In Base Price
<hr/>				
<b>SELECTIVE CONTROL VALVES</b>				
3320		Dual Mid Selective Control Valve		In Base Price
3330		Dual Mid & Single Electrohydraulic Rear SCV <i>Available only as Dealer-installed option on Cab with Standard Seat configuration (option code 2050).</i>	008K28	1,035.00
<hr/>				
<b>REAR WHEELS AND TIRES</b>				
<i>All tires offered are of bias ply construction.</i>				
5211		11.2-24 (6PR, R1 Bar, 5 Position)		In Base Price
5223		41x14-20 (4PR, R3 Turf, 2 Position)	601K85	-232.00
5233		41LLx18-16.1 (6PR, R3 Turf Special, 1 Position)	404K38	548.00
5220		15-19.5 (6PR, R4 Industrial, 2 Position)	607K7	-97.00
5230		43x16-20 (4PR, R4 Industrial, 2 Position)	006K0	-75.00
<hr/>				
<b>FRONT WHEELS AND TIRES</b>				
<i>All tires offered are of bias ply construction.</i>				

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3033R Compact Utility Tractor (24 PTO hp)**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>FRONT WHEELS AND TIRES Continued...</b>				
6211		180/95 - 14 (6PR, R1 Bar, 2 Position) <i>Standard Measurement: 7 -14 (6PR, R1 Bar, 2 Position)</i>		In Base Price
6223		27x8.5-15 (6PR, R3 Turf, 2 Position)	005K6	70.00
6233		25/10.50LLx15 (6PR, R3 Turf Special, 2 Position)	001K08	135.00
6220		25x8.50-14 (6PR, R4 Industrial, 2 Position)	004K8	60.00
6230		27x8.50-15 (6PR, R4 Industrial, 2 Position)	001K08	135.00
<hr/>				
<b>LOADERS</b>				
1701		Factory Installed Loader with Bucket <i>Pricing includes 320R Loader and loader installation charge with the following options:</i>  <i>61 In. (1550mm) Quick Change Materials Bucket Compact Utility Tractor Carrier Mounting Frame Hood Guard</i>  <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	254K607	6,143.00
1750		Factory Installed Loader less Bucket <i>Pricing includes 320R Loader and loader installation charge with the following options:</i>  <i>Compact Utility Tractor Carrier Mounting Frame Hood Guard</i>  <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	254K016	5,355.00
1795		Less Loader		In Base Price

**ATTACHMENTS FOR FIELD CONVERSION**

LP25001	<b>Accessories</b> 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD dealer.</i>	001K04	139.00
BLV10359	Horn Kit	894K3	62.70
LVB24851	Horn Kit (Cab Only) <i>Horn Kit (Cab Only)</i>	423K5	50.60

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3033R Compact Utility Tractor (24 PTO hp)**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>		
	LP95233	Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	951K9	29.99
	LVB24930	Tool Box Kit <i>Compatible with cab tractors only</i>	434K5	64.90
	LP95637	Tractor Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1, 2 and 3 Family open station tractors.</i>	001K12	159.99
		<b>Backup Alarm</b>		
	BLV10358	Back-up Alarm Kit <i>For open operator station tractors</i>	029K7	138.60
	BLV10648	Back-up Alarm Kit <i>For cab tractors</i>	029K7	138.60
		<b>Ballast</b>		
	BW15073	Ballast Box	752K11	302.50
	BW15074	Ballast Box Extension	101K00	143.00
		<b>Cab Operator's Station</b>		
	RE343680	Accessory Mounting Bracket	864K1	55.81
	LVB24983	Air Seat Suspension Kit (Cab Only)	375K24	749.10
	BRE10015	Cell Phone Mount Kit	974K6	67.10
	LVB24856	Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built prior to March 15, 2017</i>	111K87	267.30
	BLV11052	Rear License Plate Kit (Cab Only) (Includes Light) <i>For MY18 and newer tractors</i>	744K7	68.20
	BLV10938	Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built after March 15, 2017</i>	111K87	267.30
	BRE10152	Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Compatible with cab models only.</i>	204K6	66.00
	SWJHD1630	Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option code 8244 when configuring tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	541K84	246.05

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3033R Compact Utility Tractor (24 PTO hp)**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>				
LVB25308		<b>Draft Link</b> Telescoping Draft Links <i>For use on tractors equipped with Horizontal-Bar Stabilizers CAT 1 balls</i>	642K55	365.20
LP63768		<b>Drawbar</b> Magnetic hitch pin	901K0	18.99
BLV10640		<b>Engine</b> Engine Coolant Heater Kit (110 Volt)	204K6	66.00
BLV10606		<b>Exhaust</b> Vertical Exhaust Kit (Non Turbo) <i>If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU31058 Left-hand Side Panel through Parts</i>	203K54	506.00
BLV10895		<b>Front Fenders</b> Turnable Front Fender Kit (Cab Only)	804K15	594.00
BLV10475		<b>Front Power Take-off (Pto)</b> 2000 RPM Front PTO (model year 2013-2016 2032R, 2520, 2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements Requires BLV10439 (Front Three-Point Hitch).</i>	952K23	319.93
BLV10452		Front Power Take-Off (PTO) Bracket (3120-3720, 3033R-3046R) <i>Requires BLV10439 (Front Three-Point Hitch).</i>	536K8	97.90
BLV10439		<b>Front Quick-hitch</b> Front Three-Point Hitch (3033R-3046R) <i>Requires BLV10452 (Front PTO Bracket)</i>	851K004	1,435.50
LVB25705		<b>Front Weights</b> Front Quik-Tatch Weight Kit <i>Includes rod and spring pins for Front Quik-Tatch Weights</i>	343K2	46.20
BLV10442		Front Weight Bracket Extension Kit <i>Includes extension bracket and all hardware, including rod and spring pins, to hold up to ten front Quik-Tatch weights</i>	481K72	246.40
BLV10441		Front Weight Bracket Extension Kit <i>Includes extension bracket and all hardware, including rod and spring pins, to hold up to twelve front Quik-Tatch weights</i>	031K84	262.90
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires, (1) LVBM19607, Front Quik-Tatch Weight Kit, and BLV10442 or BLV10441 (Front Weight Bracket Extension Kit)</i>	306K9	99.00

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3033R Compact Utility Tractor (24 PTO hp)**  
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>				
<b>Front Wheels And Tires</b>				
BLV10868		25x10.50LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	675K16	738.10
BLV10864		25x8.50-14 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	224K51	644.60
BLV10862		27x8.5-15 (6PR R4 Industrial 2 Position) Front Wheels & Tires	685K26	752.40
BLV10866		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	694K59	656.70
BLV10860		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	104K08	583.00
TY15651		Tire Chains <i>For use with 25x8.50-14 (R4) Front Tires. Not for use with Front Fender Kit.</i>	658K4	115.96
TY15649		Tire Chains <i>For use with 27x8.50-15 (R3) Front Tires. Not for use with Front Fender Kit.</i>	598K3	114.51
<b>Hood Guards</b>				
BW16585		Deluxe Hood Guard Attachment	552K42	346.50
BW15219		Hood Guard	661K98	283.80
<b>Hydraulics</b>				
BLV10500		EH Third SCV (OOS Only) <i>For MY15 and newer tractors</i>	606K77	968.00
		<i>Includes: Rear mounted couplers Hydraulic lines SCV lever</i>		
		<i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>		
BLV10961		EH Third SCV (Cab Only) <i>For MY18 and newer tractors</i>	606K77	968.00
		<i>Includes: Rear mounted couplers Hydraulic lines SCV lever</i>		
		<i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>		

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3033R Compact Utility Tractor (24 PTO hp)**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>		
	BLV10649	Electric Diverter Kit (Cab Only) <i>Includes:</i> Diverter valve Electric diverter switch Hydraulic lines Two SCV couplers  <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering details</i>	191K114	1,591.70
	BLV10983	Electric Diverter Kit (OOS Only) <i>For MY18 and newer tractors</i>  <i>Includes:</i> Diverter valve Electric diverter switch Hydraulic lines Two SCV couplers  <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	841K071	1,531.20
	BLV10962	Power Beyond Kit <i>For MY18 and newer tractors</i> <i>For use with 3rd SCV</i>  <i>Includes:</i> Rear mounted hydraulic couplers and hose  <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	923K04	435.60
	BLV10964	Power Beyond Kit (Cab Only) <i>For MY18 and newer tractors</i>  <i>Includes:</i> Rear mounted hydraulic couplers and hose  <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	923K04	435.60
	BLV11010	Power Beyond Kit (OOS Only) <i>For MY18 and newer tractors</i> <i>For use with 3rd SCV</i>  <i>Includes:</i> Rear mounted hydraulic couplers and hoses for use with backhoe  <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) or ordering details</i>	923K04	435.60
	BLV10650	Top and Tilt Field Kit <i>Requires Electric Diverter Kit</i>	369K76	1,394.80
	LVB24852	<b>Lighting</b> Beacon Light Kit (Cab Only)	491K82	260.70
	LVB24853	Rear Work Light Kit (2 Lights) (Cab Only) <i>Cab is pre-wired</i>	191K13	161.70

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3033R Compact Utility Tractor (24 PTO hp)**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>				
		<b>Lighting</b>		
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness</i> <i>Not compatible with Forward Lighting Kit (LVB25546)</i> <i>Not available on cab tractors</i>	974K6	67.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620)</i> <i>Not compatible with Rear Work Light Kit (LVB25547)</i>	088K0	114.40
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10620)</i> <i>Includes two ROPS mounted LED lights</i> <i>Each light has 360 degree rotation</i>	302K23	319.00
BLV10620		Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes two guards</i>	295K9	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes two guards</i> <i>Requires Premium Warning Light Brush Guard Kit (BLV10620)</i>	295K9	84.70
		<b>Lighting Equipment</b>		
BLV10174		7-Pin Trailer Connector (OOS Only)	237K6	108.90
BLV11095		7-Pin Trailer Connector Connector (Cab Only)	489K5	136.40
		<b>Maintenance</b>		
LVA21038		Filter Pak	951K22	195.16
		<b>Mid power Take-off (Pto)</b>		
BLV10848		Mid PTO Control Kit (Cab Only) <i>Not compatible with PRT configurations.</i>	731K14	163.90
LVB25537		Mid Power Take-Off (PTO) Kit <i>Not compatible with PRT configurations.</i> <i>For Installation of Mid-Mount Mower on Cab Tractor, Must also Order (1) LVA14927, (3) 19M7785 and (1)19M7788 Through Parts.</i> <i>Cab Tractor also Requires BLV10848, Mid PTO Controls.</i>	095K52	788.70
		<b>Mirrors</b>		
LVB24844		External Mirror Kit (Cab Only)	451K42	203.50
		<b>Open Operator's Station</b>		
LVB25688		Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension only. Used with seat that ships with tractor.</i>	634K76	680.90
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	423K43	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	675K4	78.10

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3033R Compact Utility Tractor (24 PTO hp)**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>		
	BLV11034	Left Hand Mirror Kit	911K40	201.30
	BLV10924	Rear License Plate Kit (Includes Light) <i>For MY18 and newer tractors</i>	744K7	68.20
	BLV11035	Right Hand Mirror Kit	911K40	201.30
	TY25324	Weather Protection Umbrella	158K6	114.87
		<b>Operator's Station</b>		
	RE566705	Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Compatible with cab models only.</i>	391K7	25.96
		<b>Rear Fenders</b>		
	BLV10892	Rear Fender Extension Kit (Cab Only)	942K47	354.20
	BLV10893	Rear Fender Extension Kit (OOS Only)	121K97	281.60
		<b>Rear Power Take-off (Pto)</b>		
	BLV10953	John Deere Quik Knect PTO receiver <i>At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Value Selling Navigator.</i>	441K32	189.20
		<b>Rear Wheel Weights</b>		
	BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 lb	478K	12.10
	BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb (50 kg)	952K6	38.50
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 lb (25 kg)	503K8	55.00
	BM19940	Attaching Hardware for Additional Rear Wheel Weight, 110 lb (50 kg)	249K	13.20
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 lb (25 kg)	707K	11.00
	BM17968	Rear Wheel Weight, 48.5 lb <i>Starter and additional weight for 19.5 and 20 in. wheels</i>	569K8	140.80
	T19293	Weight, Rear Wheel 106 lb (48 kg) <i>Starter and additional weight for 24 in. wheels. Requires attaching hardware for each of 03H1605 (Bolt) and 14H1039 (Nut) for starter weight and BM19940 for additional weight. Starter and additional weight for 24 and 28 in. wheels.</i>	121K20	171.60
		<b>Rear Wheels And Tires</b>		
	BLV10861	11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires	641K333	1,905.20
	BLV10865	15-19.5 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	711K249	1,785.30

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3033R Compact Utility Tractor (24 PTO hp)**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>		
BLV10867		41x14-20 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires	441K133	1,619.20
BLV10869		41x18LL-16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	421K806	2,580.60
BLV10863		43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	731K269	1,813.90
TY4453		Tire Chains <i>For use with 15-19.5 In. 6PR (R4) and 11.2-24 In. 6PR (R1) Rear Tires. For OOS tractors only.</i>	422K43	333.45
TY4457		Tire Chains <i>For use with 41x14.0-20 In. 4PR (R3) Rear Tires.</i>	082K55	349.42
		<b>Three-point Hitch</b>		
LVU12858		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in)</i>	441K6	24.54
LVU15507		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1). Length 50 mm (1.97 in)</i>	421K7	26.00
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507)</i>	732K68	383.90
BW15056		iMatch/Quik-Coupler Brushing Kit <i>Includes: Two lower side sleeve shoulder bushings (Cat. 3 to Cat. 2) Two lower reducer bushings (Cat. 2 to Cat. 1) Two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins  This kit converts your Cat. 1 implement or attachment up to either a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch.</i>	157K3	104.50
		<b>Transmission</b>		
LVB26139		PRT Oil Cooler Kit	142K17	310.20
BLV10641		Transmission Oil Heater <i>HST models only</i>	606K1	88.00
		<b>Weights</b>		
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires, (1) LVBM19607, Front Quik-Tatch Weight Kit, and BLV10442 or BLV10441 (Front Weight Bracket Extension Kit)</i>	694K2	60.99

**JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS**

**3039R Compact Utility Tractor (31 PTO hp)  
Equipment for Base Machine**

**ENGINE:**

Yanmar Liquid Cooled Diesel  
Engine Tier IV EPA Emissions  
Certified

Engine HP 38.7 (28.5 kW)  
PTO HP 31.1 (23.2 kW) HST  
PTO HP 31.6 (23.6 kW) PRT  
Engine HP (kW), Gross SAE J1995:  
38.7 (28.5) @ 2600 rpm, PS  
Displacement, L: 1.496

**TRANSMISSION:**

4-Wheel Drive  
PRT Transmission  
Differential Lock

**HYDRAULICS:**

Dual Mid Selective Control Valve  
with Joystick Control Lever,  
Float, Regenerative Function,  
and SCV and Regenerative Lockout

**PTO:**

Independent 540 RPM Rear PTO  
Electronically Engaged with  
Mechanical Mid-Both-Rear  
Selector

**ELECTRICAL:**

12-Volt Electrical System  
75 Amp Alternator  
Key Ignition Starter with

Accessory and Pre-Heat Position  
Maintenance Free Battery with  
770 Cold Cranking Amps

**OPERATOR PROTECTIVE STRUCTURE:**

Deluxe Adjustable Vinyl Seat  
with Retractable Seat Belt  
Folding ROPS (Roll-Over  
Protective Structure) meets SAE  
J2194 and OSHA 1928 ROPS  
Certification Standards  
Isolated Foot Rest

**COMFORTGARD CAB (OPTIONAL):**

12-Volt Auxiliary Power Outlet  
Air Conditioning and Heater  
Cell Phone Holder  
Deluxe Fabric Covered Seat with  
Retractable Seat Belt  
Armrests  
Dual Forward Work Lights  
Exclusive Raised Header Bar  
Two-Speed Front Windshield  
Wiper/Washer  
Fully Isolated Cab  
High Impact Polymer Fenders with  
Integrated Tail Lights  
Radio Preparation (with antenna,  
speakers, wiring, media player  
storage slot)  
Molded Rubber Floormat  
Operator Manual Holder

Rearview Mirror (Inside)  
Monitor Mounting Bosses (2 sets)  
Right Hand and Left Hand Console  
Storage  
Right Hand Control Center  
Sealed Quiet Cabin  
Sun Visor  
Swing-Out Rear Window with  
removable rear plug for monitor  
or controller wiring harnesses  
Tilt Steering  
Two Front/Two Rear Roof Mounted  
Warning Lights  
Operator Presence with Safety  
Interlock System Reverse  
Implement Option (RIO)

**BASE MACHINE (4WD):**

11.20-24 (6PR, R1 Bar, 5  
Position) Rear Wheels & Tires  
7-14 (6PR, R1 Bar, 2 Position)  
Front Wheels & Tires

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Grovetown, Georgia*

1389LV		3039R Compact Utility Tractor (31 PTO hp)	602K1777	27,222.00
--------	--	---	----------	-----------

**DESTINATION**

		<b>North America</b>		
0184		Canada		No Added Cost
0202		United States		In Base Price
0205		Quebec		No Added Cost
		<b>Oceania</b>		
024H		United States Minor Outlying Islands		No Added Cost

**OPERATOR'S MANUAL**

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3039R Compact Utility Tractor (31 PTO hp)**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>OPERATOR'S MANUAL Continued...</b>				
0409		English Operator's Manual and Decal Kit		In Base Price
0413		French Operator's Manual and Decal Kit		No Added Cost
0437		Spanish Operator's Manual and Decal Kit		No Added Cost
<hr/> <b>TRANSMISSION</b> <hr/>				
1381		12F/12R PowrReverser <i>Requires Operators Station 2000, SCV 3320, and PTO 3400</i>		In Base Price
1520		eHydro <i>3 Range Electronic Controlled Hydrostatic Transmission (featuring LoadMatch, SpeedMatch, and MotionMatch)</i>	401K114	1,393.00
<hr/> <b>OPERATOR'S STATION</b> <hr/>				
2000		Open Station with Standard Seat <i>If ordering transmission option 1520 (eHydro) the following set of options are required: 3330 (Dual Mid &amp; Single EH Rear SCV) and 3420 (Mid PTO) OR 3320 (Dual Mid SCV) and 3400 (Less Mid PTO).</i>  <i>If ordering transmission option 1381 (PowrReverser) the following set of options are required: 3320 (Dual Mid SCV) and 3400 (Less Mid PTO).</i>		In Base Price
2050		Cab with Standard Seat <i>The following set of options are required: 1520 (eHydro), 3320 (Dual Mid SCV), and 3400 (Less Mid PTO)</i>	206K967	8,709.00
2060		Deluxe Cab with Air Ride Seat <i>Includes Rear Wiper and Rear Work Light.</i>  <i>The following set of options are required: 1520 (eHydro), 3330 (Mid DSCV and Single Electrohydraulic Rear SCV), and 3420 (Mid PTO)</i>	007K704	9,630.00
2051		Snow Cab with Standard Seat <i>The following set of options are required: 1520 (eHydro), 3400 (Less Mid PTO), and 3330 (Dual Mid &amp; Single EH rear SCV)</i>	207K571	9,464.00
<hr/> <b>RADIO</b> <hr/>				
2660		Factory Installed Stereo <i>Jensen Stereo with AM/FM, and Weatherband. SIRIUS Satellite ready. Customer will have to purchase an XM receiver separately.</i>  <i>Available ONLY on Cab configurations.</i>	003K96	495.00

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3039R Compact Utility Tractor (31 PTO hp)**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>RADIO Continued...</b>				
2650		Less Radio		In Base Price
<b>MID POWER TAKE-OFF (PTO)</b>				
3420		Mid PTO <i>Requires option 3330 (Dual Mid &amp; Single EH Rear SCV)</i>	606K05	757.00
<i>Available only as Dealer-installed option on 3033R Cab Tractors and 3039R Cab with Standard Seat Tractors.</i>				
<i>Mid PTO is not offered on PRT configurations.</i>				
3400		Less Mid PTO <i>Requires SCV option 3320 (Dual Mid SCV).</i>		In Base Price
<b>THREE-POINT HITCH</b>				
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings Not compatible with telescoping draft links</i>	802K44	306.00
4061		Less iMatch Quick Hitch Category 1		In Base Price
<b>SELECTIVE CONTROL VALVES</b>				
3320		Dual Mid Selective Control Valve		In Base Price
3330		Dual Mid & Single Electrohydraulic Rear SCV <i>Available only as Dealer-installed option on Cab with Standard Seat configuration (option code 2050).</i>	008K28	1,035.00
<b>REAR WHEELS AND TIRES</b>				
<i>All tires offered are of bias ply construction.</i>				
5211		11.2-24 (6PR, R1 Bar, 5 Position)		In Base Price
5223		41x14-20 (4PR, R3 Turf, 2 Position)	601K85	-232.00
5233		41LLx18-16.1 (6PR, R3 Turf Special, 1 Position)	404K38	548.00
5220		15-19.5 (6PR, R4 Industrial, 2 Position)	607K7	-97.00
5230		43x16-20 (4PR, R4 Industrial, 2 Position)	006K0	-75.00
<b>FRONT WHEELS AND TIRES</b>				

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3039R Compact Utility Tractor (31 PTO hp)**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>FRONT WHEELS AND TIRES Continued...</b>				
<i>All tires offered are of bias ply construction.</i>				
6211		180/95 - 14 (6PR, R1 Bar, 2 Position) Standard Measurement: 7 -14 (6PR, R1 Bar, 2 Position)		In Base Price
6223		27x8.5-15 (6PR, R3 Turf, 2 Position)	005K6	70.00
6233		25/10.50LLx15 (6PR, R3 Turf Special, 2 Position)	001K08	135.00
6220		25x8.50-14 (6PR, R4 Industrial, 2 Position)	004K8	60.00
6230		27x8.50-15 (6PR, R4 Industrial, 2 Position)	001K08	135.00
<hr/>				
<b>LOADERS</b>				
1701		Factory Installed Loader with Bucket <i>Pricing includes 320R Loader and loader installation charge with the following options:</i>  61 In. (1550mm) Quick Change Materials Bucket Compact Utility Tractor Carrier Mounting Frame Hood Guard  <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	254K607	6,143.00
1750		Factory Installed Loader less Bucket <i>Pricing includes 320R Loader and loader installation charge with the following options:</i>  Compact Utility Tractor Carrier Mounting Frame Hood Guard  <i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i>	254K016	5,355.00
1795		Less Loader		In Base Price

**ATTACHMENTS FOR FIELD CONVERSION**

LP25001	<b>Accessories</b> 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD dealer.</i>	001K04	139.00
BLV10359	Horn Kit	894K3	62.70

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3039R Compact Utility Tractor (31 PTO hp)**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>		
	LVB24851	Horn Kit (Cab Only) <i>Horn Kit (Cab Only)</i>	423K5	50.60
	LP95233	Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i>	951K9	29.99
	LVB24930	Tool Box Kit <i>Compatible with cab tractors only</i>	434K5	64.90
	LP95637	Tractor Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1, 2 and 3 Family open station tractors.</i>	001K12	159.99
		<b>Backup Alarm</b>		
	BLV10358	Back-up Alarm Kit <i>For open operator station tractors</i>	029K7	138.60
	BLV10648	Back-up Alarm Kit <i>For cab tractors</i>	029K7	138.60
		<b>Ballast</b>		
	BW15073	Ballast Box	752K11	302.50
	BW15074	Ballast Box Extension	101K00	143.00
		<b>Cab Operator's Station</b>		
	RE343680	Accessory Mounting Bracket	864K1	55.81
	LVB24983	Air Seat Suspension Kit (Cab Only)	375K24	749.10
	BRE10015	Cell Phone Mount Kit	974K6	67.10
	LVB24856	Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built prior to March 15, 2017</i>	111K87	267.30
	BLV11052	Rear License Plate Kit (Cab Only) (Includes Light) <i>For MY18 and newer tractors</i>	744K7	68.20
	BLV10938	Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built after March 15, 2017</i>	111K87	267.30
	BRE10152	Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Compatible with cab models only.</i>	204K6	66.00
	SWJHD1630	Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option code 8244 when configuring tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	541K84	246.05

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3039R Compact Utility Tractor (31 PTO hp)**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>				
LVB25308		<b>Draft Link</b> Telescoping Draft Links <i>For use on tractors equipped with Horizontal-Bar Stabilizers CAT 1 balls</i>	642K55	365.20
LP63768		<b>Drawbar</b> Magnetic hitch pin	901K0	18.99
BLV10640		<b>Engine</b> Engine Coolant Heater Kit (110 Volt)	204K6	66.00
BLV10605		<b>Exhaust</b> Turbo Vertical Exhaust Kit <i>If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU31058 Left-hand Side Panel through Parts</i>	203K54	506.00
BLV10895		<b>Front Fenders</b> Turnable Front Fender Kit (Cab Only)	804K15	594.00
BLV10475		<b>Front Power Take-off (Pto)</b> 2000 RPM Front PTO (model year 2013-2016 2032R, 2520, 2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements Requires BLV10439 (Front Three-Point Hitch).</i>	952K23	319.93
BLV10452		Front Power Take-Off (PTO) Bracket (3120-3720, 3033R-3046R) <i>Requires BLV10439 (Front Three-Point Hitch).</i>	536K8	97.90
BLV10439		<b>Front Quick-hitch</b> Front Three-Point Hitch (3033R-3046R) <i>Requires BLV10452 (Front PTO Bracket)</i>	851K004	1,435.50
LVB25705		<b>Front Weights</b> Front Quik-Tatch Weight Kit <i>Includes rod and spring pins for Front Quik-Tatch Weights</i>	343K2	46.20
BLV10442		Front Weight Bracket Extension Kit <i>Includes extension bracket and all hardware, including rod and spring pins, to hold up to ten front Quik-Tatch weights</i>	481K72	246.40
BLV10441		Front Weight Bracket Extension Kit <i>Includes extension bracket and all hardware, including rod and spring pins, to hold up to twelve front Quik-Tatch weights</i>	031K84	262.90
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires, (1) LVBM19607, Front Quik-Tatch Weight Kit, and BLV10442 or BLV10441 (Front Weight Bracket Extension Kit)</i>	306K9	99.00

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3039R Compact Utility Tractor (31 PTO hp)**  
Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>				
<b>Front Wheels And Tires</b>				
BLV10868		25x10.50LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	675K16	738.10
BLV10864		25x8.50-14 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	224K51	644.60
BLV10862		27x8.5-15 (6PR R4 Industrial 2 Position) Front Wheels & Tires	685K26	752.40
BLV10866		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	694K59	656.70
BLV10860		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	104K08	583.00
TY15651		Tire Chains <i>For use with 25x8.50-14 (R4) Front Tires. Not for use with Front Fender Kit.</i>	658K4	115.96
TY15649		Tire Chains <i>For use with 27x8.50-15 (R3) Front Tires. Not for use with Front Fender Kit.</i>	598K3	114.51
<b>Hood Guards</b>				
BW16585		Deluxe Hood Guard Attachment	552K42	346.50
BW15219		Hood Guard	661K98	283.80
<b>Hydraulics</b>				
BLV10500		EH Third SCV (OOS Only) <i>For MY15 and newer tractors</i>	606K77	968.00
		<i>Includes: Rear mounted couplers Hydraulic lines SCV lever</i>		
		<i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>		
BLV10961		EH Third SCV (Cab Only) <i>For MY18 and newer tractors</i>	606K77	968.00
		<i>Includes: Rear mounted couplers Hydraulic lines SCV lever</i>		
		<i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>		

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3039R Compact Utility Tractor (31 PTO hp)**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>		
	BLV10649	Electric Diverter Kit (Cab Only) <i>Includes:</i> Diverter valve Electric diverter switch Hydraulic lines Two SCV couplers  <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering details</i>	191K114	1,591.70
	BLV10983	Electric Diverter Kit (OOS Only) <i>For MY18 and newer tractors</i>  <i>Includes:</i> Diverter valve Electric diverter switch Hydraulic lines Two SCV couplers  <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	841K071	1,531.20
	BLV10962	Power Beyond Kit <i>For MY18 and newer tractors</i> <i>For use with 3rd SCV</i>  <i>Includes:</i> Rear mounted hydraulic couplers and hose  <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	923K04	435.60
	BLV10964	Power Beyond Kit (Cab Only) <i>For MY18 and newer tractors</i>  <i>Includes:</i> Rear mounted hydraulic couplers and hose  <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	923K04	435.60
	BLV11010	Power Beyond Kit (OOS Only) <i>For MY18 and newer tractors</i> <i>For use with 3rd SCV</i>  <i>Includes:</i> Rear mounted hydraulic couplers and hoses for use with backhoe  <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) or ordering details</i>	923K04	435.60
	BLV10650	Top and Tilt Field Kit <i>Requires Electric Diverter Kit</i>	369K76	1,394.80
	LVB24852	<b>Lighting</b> Beacon Light Kit (Cab Only)	491K82	260.70
	LVB24853	Rear Work Light Kit (2 Lights) (Cab Only) <i>Cab is pre-wired</i>	191K13	161.70

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3039R Compact Utility Tractor (31 PTO hp)**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>				
		<b>Lighting</b>		
LVB25547		Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness</i> <i>Not compatible with Forward Lighting Kit (LVB25546)</i> <i>Not available on cab tractors</i>	974K6	67.10
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620)</i> <i>Not compatible with Rear Work Light Kit (LVB25547)</i>	088K0	114.40
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10620)</i> <i>Includes two ROPS mounted LED lights</i> <i>Each light has 360 degree rotation</i>	302K23	319.00
BLV10620		Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes two guards</i>	295K9	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes two guards</i> <i>Requires Premium Warning Light Brush Guard Kit (BLV10620)</i>	295K9	84.70
		<b>Lighting Equipment</b>		
BLV10174		7-Pin Trailer Connector (OOS Only)	237K6	108.90
BLV11095		7-Pin Trailer Connector Connector (Cab Only)	489K5	136.40
		<b>Maintenance</b>		
LVA21038		Filter Pak	951K22	195.16
		<b>Mid power Take-off (Pto)</b>		
BLV10848		Mid PTO Control Kit (Cab Only) <i>Not compatible with PRT configurations.</i>	731K14	163.90
LVB25537		Mid Power Take-Off (PTO) Kit <i>Not compatible with PRT configurations.</i> <i>For Installation of Mid-Mount Mower on Cab Tractor, Must also Order (1) LVA14927, (3) 19M7785 and (1)19M7788 Through Parts.</i> <i>Cab Tractor also Requires BLV10848, Mid PTO Controls.</i>	095K52	788.70
		<b>Mirrors</b>		
LVB24844		External Mirror Kit (Cab Only)	451K42	203.50
		<b>Open Operator's Station</b>		
LVB25688		Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension only. Used with seat that ships with tractor.</i>	634K76	680.90
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	423K43	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	675K4	78.10

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3039R Compact Utility Tractor (31 PTO hp)**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>		
	BLV11034	Left Hand Mirror Kit	911K40	201.30
	BLV10924	Rear License Plate Kit (Includes Light) <i>For MY18 and newer tractors</i>	744K7	68.20
	BLV11035	Right Hand Mirror Kit	911K40	201.30
	TY25324	Weather Protection Umbrella	158K6	114.87
		<b>Operator's Station</b>		
	RE566705	Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Compatible with cab models only.</i>	391K7	25.96
		<b>Rear Fenders</b>		
	BLV10892	Rear Fender Extension Kit (Cab Only)	942K47	354.20
	BLV10893	Rear Fender Extension Kit (OOS Only)	121K97	281.60
		<b>Rear Power Take-off (Pto)</b>		
	BLV10953	John Deere Quik Knect PTO receiver <i>At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Value Selling Navigator.</i>	441K32	189.20
		<b>Rear Wheel Weights</b>		
	BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 lb	478K	12.10
	BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb (50 kg)	952K6	38.50
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 lb (25 kg)	503K8	55.00
	BM19940	Attaching Hardware for Additional Rear Wheel Weight, 110 lb (50 kg)	249K	13.20
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 lb (25 kg)	707K	11.00
	BM17968	Rear Wheel Weight, 48.5 lb <i>Starter and additional weight for 19.5 and 20 in. wheels</i>	569K8	140.80
	T19293	Weight, Rear Wheel 106 lb (48 kg) <i>Starter and additional weight for 24 in. wheels. Requires attaching hardware for each of 03H1605 (Bolt) and 14H1039 (Nut) for starter weight and BM19940 for additional weight. Starter and additional weight for 24 and 28 in. wheels.</i>	121K20	171.60
		<b>Rear Wheels And Tires</b>		
	BLV10861	11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires	641K333	1,905.20
	BLV10865	15-19.5 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	711K249	1,785.30

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3039R Compact Utility Tractor (31 PTO hp)**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>		
BLV10867		41x14-20 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires	441K133	1,619.20
BLV10869		41x18LL-16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	421K806	2,580.60
BLV10863		43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	731K269	1,813.90
TY4453		Tire Chains <i>For use with 15-19.5 In. 6PR (R4) and 11.2-24 In. 6PR (R1) Rear Tires. For OOS tractors only.</i>	422K43	333.45
TY4457		Tire Chains <i>For use with 41x14.0-20 In. 4PR (R3) Rear Tires.</i>	082K55	349.42
		<b>Three-point Hitch</b>		
LVU12858		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in)</i>	441K6	24.54
LVU15507		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1). Length 50 mm (1.97 in)</i>	421K7	26.00
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507)</i>	732K68	383.90
BW15056		iMatch/Quik-Coupler Brushing Kit <i>Includes: Two lower side sleeve shoulder bushings (Cat. 3 to Cat. 2) Two lower reducer bushings (Cat. 2 to Cat. 1) Two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins  This kit converts your Cat. 1 implement or attachment up to either a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch.</i>	157K3	104.50
		<b>Transmission</b>		
LVB26139		PRT Oil Cooler Kit	142K17	310.20
BLV10641		Transmission Oil Heater <i>HST models only</i>	606K1	88.00
		<b>Weights</b>		
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires, (1) LVBM19607, Front Quik-Tatch Weight Kit, and BLV10442 or BLV10441 (Front Weight Bracket Extension Kit)</i>	694K2	60.99

**JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS**

**3046R Compact Utility Tractor (34 PTO hp)  
Equipment for Base Machine**

**ENGINE:**  
Yanmar Liquid Cooled Diesel  
Engine Tier IV EPA Emissions  
Certified  
Engine HP 45.3 (33.3 kW)  
PTO HP 34.1 (25.4 kW) HST  
Engine HP (kW), Gross SAE J1995:  
45.3 (33.3) @ 2600 rpm, PS  
Displacement, L: 1.496

**TRANSMISSION:**  
4-Wheel Drive  
HST Transmission  
Differential Lock  
Cruise Control  
eThrottle  
Load Match  
Speed Match  
Motion Match

**HYDRAULICS:**  
Dual Mid Selective Control Valve  
with Joystick Control Lever,  
Float, Regenerative Function,  
and SCV and Regenerative Lockout

**PTO:**  
Independent 540 RPM Rear PTO  
Electronically Engaged with  
Mechanical Mid-Both-Rear  
Selector

**ELECTRICAL:**

12-Volt Electrical System  
75 Amp Alternator  
Key Ignition Starter with  
Accessory and Pre-Heat Position  
Maintenance Free Battery with  
770 Cold Cranking Amps

**OPERATOR PROTECTIVE STRUCTURE:**  
Deluxe Adjustable Vinyl Seat  
with Retractable Seat Belt  
Folding ROPS (Roll-Over  
Protective Structure) meets SAE  
J2194 and OSHA 1928 ROPS  
Certification Standards  
Isolated Foot Rest

**COMFORTGARD CAB (OPTIONAL):**  
12-Volt Auxiliary Power Outlet  
Air Conditioning and Heater  
Cell Phone Holder  
Deluxe Fabric Covered Seat with  
Retractable Seat Belt  
Armrests  
Dual Forward Work Lights  
Exclusive Raised Header Bar  
Two-Speed Front Windshield  
Wiper/Washer  
Fully Isolated Cab  
High Impact Polymer Fenders with  
Integrated Tail Lights  
Radio Preparation (with antenna,  
speakers, wiring, media player  
storage slot)

Molded Rubber Floormat  
Operator Manual Holder  
Rearview Mirror (Inside)  
Monitor Mounting Bosses (2 sets)  
Right Hand and Left Hand Console  
Storage  
Right Hand Control Center  
Sealed Quiet Cabin  
Sun Visor  
Swing-Out Rear Window with  
removable rear plug for monitor  
or controller wiring harnesses  
Tilt Steering  
Two Front/Two Rear Roof Mounted  
Warning Lights  
Operator Presence with Safety  
Interlock System Reverse  
Implement Option (RIO)

**BASE MACHINE (4WD):**  
11.20-24 (6PR, R1 Bar, 5  
Position) Rear Wheels & Tires  
7-14 (6PR, R1 Bar, 2 Position)  
Front Wheels & Tires

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
------	-----------------------	-------------	------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Grovetown, Georgia*

0299LV		3046R Compact Utility Tractor (34 PTO hp)	602K5297	31,622.00
--------	--	---	----------	-----------

**DESTINATION**

0184	<b>North America</b> Canada			No Added Cost
0202	United States			In Base Price
0205	Quebec			No Added Cost
024H	<b>Oceania</b> United States Minor Outlying Islands			No Added Cost

**OPERATOR'S MANUAL**

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3046R Compact Utility Tractor (34 PTO hp)**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>OPERATOR'S MANUAL Continued...</b>				
0409		English Operator's Manual and Decal Kit		In Base Price
0413		French Operator's Manual and Decal Kit		No Added Cost
0437		Spanish Operator's Manual and Decal Kit		No Added Cost
<hr/> <b>TRANSMISSION</b> <hr/>				
1520		eHydro 3 Range Electronic Controlled Hydrostatic Transmission (featuring LoadMatch, SpeedMatch, and MotionMatch)		In Base Price
<hr/> <b>OPERATOR'S STATION</b> <hr/>				
2000		Open Station with Standard Seat <i>If ordering transmission option 1520 (eHydro) the following set of options are required: 3320 (Dual Mid SCV) and 3400 (Less Mid PTO).</i>		In Base Price
2005		Open Station with Air Ride Seat <i>The following set of options are required: 1520 (eHydro), 3330 (Dual Mid &amp; Single EH Rear SCV), and 3420 (Mid PTO).</i>	004K16	520.00
2050		Cab with Standard Seat <i>The following set of options are required: 1520 (eHydro), 3320 (Dual Mid SCV), and 3400 (Less Mid PTO)</i>	206K967	8,709.00
2060		Deluxe Cab with Air Ride Seat <i>Includes Rear Wiper and Rear Work Light.</i>  <i>The following set of options are required: 1520 (eHydro), 3330 (Mid DSCV and Single Electrohydraulic Rear SCV), and 3420 (Mid PTO)</i>	007K704	9,630.00
2051		Snow Cab with Standard Seat <i>The following set of options are required: 1520 (eHydro), 3400 (Less Mid PTO), and 3330 (Dual Mid &amp; Single EH rear SCV)</i>	207K571	9,464.00
<hr/> <b>RADIO</b> <hr/>				
2660		Factory Installed Stereo <i>Jensen Stereo with AM/FM, and Weatherband. SIRIUS Satellite ready. Customer will have to purchase an XM receiver separately.</i>  <i>Available ONLY on Cab configurations.</i>	003K96	495.00
2650		Less Radio		In Base Price

**MID POWER TAKE-OFF (PTO)**

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3046R Compact Utility Tractor (34 PTO hp)**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>MID POWER TAKE-OFF (PTO) Continued...</b>				
3420		Mid PTO <i>Requires SCV option 3330 (Dual Mid &amp; Single EH Rear SCV).</i>	606K05	757.00
3400		Less Mid PTO <i>Requires SCV option 3320 (Dual Mid SCV).</i>		In Base Price
<b>THREE-POINT HITCH</b>				
4060		iMatch Quick Hitch Category 1 <i>Includes one set of bushings Not compatible with telescoping draft links</i>	802K44	306.00
4061		Less iMatch Quick Hitch Category 1		In Base Price
<b>SELECTIVE CONTROL VALVES</b>				
3320		Dual Mid Selective Control Valve		In Base Price
3330		Dual Mid & Single Electrohydraulic Rear SCV <i>Available only as Dealer-installed option on Cab with Standard Seat configuration (option code 2050).</i>	008K28	1,035.00
<b>REAR WHEELS AND TIRES</b>				
<i>All tires offered are of bias ply construction.</i>				
5211		11.2-24 (6PR, R1 Bar, 5 Position)		In Base Price
5223		41x14-20 (4PR, R3 Turf, 2 Position)	601K85	-232.00
5233		41LLx18-16.1 (6PR, R3 Turf Special, 1 Position)	404K38	548.00
5220		15-19.5 (6PR, R4 Industrial, 2 Position)	607K7	-97.00
5230		43x16-20 (4PR, R4 Industrial, 2 Position)	006K0	-75.00
<b>FRONT WHEELS AND TIRES</b>				
<i>All tires offered are of bias ply construction.</i>				
6211		180/95 - 14 (6PR, R1 Bar, 2 Position) <i>Standard Measurement: 7 - 14 (6PR, R1 Bar, 2 Position)</i>		In Base Price
6223		27x8.5-15 (6PR, R3 Turf, 2 Position)	005K6	70.00

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3046R Compact Utility Tractor (34 PTO hp)**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>FRONT WHEELS AND TIRES Continued...</b>				
6233		25/10.50LLx15 (6PR, R3 Turf Special, 2 Position)	001K08	135.00
6220		25x8.50-14 (6PR, R4 Industrial, 2 Position)	004K8	60.00
6230		27x8.50-15 (6PR, R4 Industrial, 2 Position)	001K08	135.00

**LOADERS**

1701		<p>Factory Installed Loader with Bucket <i>Pricing includes 320R Loader and loader installation charge with the following options:</i></p> <p><i>61 In. (1550mm) Quick Change Materials Bucket Compact Utility Tractor Carrier Mounting Frame Hood Guard</i></p> <p><i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i></p>	254K607	6,143.00
1750		<p>Factory Installed Loader less Bucket <i>Pricing includes 320R Loader and loader installation charge with the following options:</i></p> <p><i>Compact Utility Tractor Carrier Mounting Frame Hood Guard</i></p> <p><i>Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.</i></p>	254K016	5,355.00
1795		Less Loader		In Base Price

**ATTACHMENTS FOR FIELD CONVERSION**

LP25001		<p><b>Accessories</b> 3-Point Hitch Tractor Receiver Hitch <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD dealer.</i></p>	001K04	139.00
BLV10359		Horn Kit	894K3	62.70
LVB24851		Horn Kit (Cab Only) <i>Horn Kit (Cab Only)</i>	423K5	50.60
LP95233		<p>Large Seat Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.</i></p>	951K9	29.99

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3046R Compact Utility Tractor (34 PTO hp)**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>		
	LVB24930	Tool Box Kit <i>Compatible with cab tractors only</i>	434K5	64.90
	LP95637	Tractor Cover <i>For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts &amp; Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1, 2 and 3 Family open station tractors.</i>	001K12	159.99
		<b>Backup Alarm</b>		
	BLV10358	Back-up Alarm Kit <i>For open operator station tractors</i>	029K7	138.60
	BLV10648	Back-up Alarm Kit <i>For cab tractors</i>	029K7	138.60
		<b>Ballast</b>		
	BW15073	Ballast Box	752K11	302.50
	BW15074	Ballast Box Extension	101K00	143.00
		<b>Cab Operator's Station</b>		
	RE343680	Accessory Mounting Bracket	864K1	55.81
	LVB24983	Air Seat Suspension Kit (Cab Only)	375K24	749.10
	BRE10015	Cell Phone Mount Kit	974K6	67.10
	LVB24856	Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built prior to March 15, 2017</i>	111K87	267.30
	BLV11052	Rear License Plate Kit (Cab Only) (Includes Light) <i>For MY18 and newer tractors</i>	744K7	68.20
	BLV10938	Rear Wiper Kit (Cab Only) <i>Compatible with cab tractors built after March 15, 2017</i>	111K87	267.30
	BRE10152	Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Compatible with cab models only.</i>	204K6	66.00
	SWJHD1630	Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready <i>Stereo included with option code 8244 when configuring tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio.</i>	541K84	246.05
		<b>Draft Link</b>		
	LVB25308	Telescoping Draft Links <i>For use on tractors equipped with Horizontal-Bar Stabilizers CAT 1 balls</i>	642K55	365.20

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3046R Compact Utility Tractor (34 PTO hp)**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>				
		<b>Drawbar</b>		
LP63768		Magnetic hitch pin	901K0	18.99
		<b>Engine</b>		
BLV10640		Engine Coolant Heater Kit (110 Volt)	204K6	66.00
		<b>Exhaust</b>		
BLV10605		Turbo Vertical Exhaust Kit <i>If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU31058 Left-hand Side Panel through Parts</i>	203K54	506.00
		<b>Front Fenders</b>		
BLV10895		Turnable Front Fender Kit (Cab Only)	804K15	594.00
		<b>Front Power Take-off (Pto)</b>		
BLV10475		2000 RPM Front PTO (model year 2013-2016 2032R, 2520, 2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements Requires BLV10439 (Front Three-Point Hitch).</i>	952K23	319.93
BLV10452		Front Power Take-Off (PTO) Bracket (3120-3720, 3033R-3046R) <i>Requires BLV10439 (Front Three-Point Hitch).</i>	536K8	97.90
		<b>Front Quick-hitch</b>		
BLV10439		Front Three-Point Hitch (3033R-3046R) <i>Requires BLV10452 (Front PTO Bracket)</i>	851K004	1,435.50
		<b>Front Weights</b>		
LVB25705		Front Quik-Tatch Weight Kit <i>Includes rod and spring pins for Front Quik-Tatch Weights</i>	343K2	46.20
BLV10442		Front Weight Bracket Extension Kit <i>Includes extension bracket and all hardware, including rod and spring pins, to hold up to ten front Quik-Tatch weights</i>	481K72	246.40
BLV10441		Front Weight Bracket Extension Kit <i>Includes extension bracket and all hardware, including rod and spring pins, to hold up to twelve front Quik-Tatch weights</i>	031K84	262.90
LVU32113		Quik-Tatch Weight, 70 lb (32 kg) <i>Requires, (1) LVBM19607, Front Quik-Tatch Weight Kit, and BLV10442 or BLV10441 (Front Weight Bracket Extension Kit)</i>	306K9	99.00
		<b>Front Wheels And Tires</b>		
BLV10868		25x10.50LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	675K16	738.10
BLV10864		25x8.50-14 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	224K51	644.60

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3046R Compact Utility Tractor (34 PTO hp)**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>		
BLV10862		27x8.5-15 (6PR R4 Industrial 2 Position) Front Wheels & Tires	685K26	752.40
BLV10866		27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	694K59	656.70
BLV10860		7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	104K08	583.00
TY15651		Tire Chains <i>For use with 25x8.50-14 (R4) Front Tires. Not for use with Front Fender Kit.</i>	658K4	115.96
TY15649		Tire Chains <i>For use with 27x8.50-15 (R3) Front Tires. Not for use with Front Fender Kit.</i>	598K3	114.51
		<b>Hood Guards</b>		
BW16585		Deluxe Hood Guard Attachment	552K42	346.50
BW15219		Hood Guard	661K98	283.80
		<b>Hydraulics</b>		
BLV10500		EH Third SCV (OOS Only) <i>For MY15 and newer tractors</i>	606K77	968.00
		<i>Includes: Rear mounted couplers Hydraulic lines SCV lever</i>		
		<i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>		
BLV10961		EH Third SCV (Cab Only) <i>For MY18 and newer tractors</i>	606K77	968.00
		<i>Includes: Rear mounted couplers Hydraulic lines SCV lever</i>		
		<i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>		
BLV10649		Electric Diverter Kit (Cab Only) <i>Includes: Diverter valve Electric diverter switch Hydraulic lines Two SCV couplers</i>	191K114	1,591.70
		<i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering details</i>		

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3046R Compact Utility Tractor (34 PTO hp)**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>		
	BLV10983	Electric Diverter Kit (OOS Only) <i>For MY18 and newer tractors</i>  <i>Includes:</i> <i>Diverter valve</i> <i>Electric diverter switch</i> <i>Hydraulic lines</i> <i>Two SCV couplers</i>  <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	841K071	1,531.20
	BLV10962	Power Beyond Kit <i>For MY18 and newer tractors</i> <i>For use with 3rd SCV</i>  <i>Includes:</i> <i>Rear mounted hydraulic couplers and hose</i>  <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	923K04	435.60
	BLV10964	Power Beyond Kit (Cab Only) <i>For MY18 and newer tractors</i>  <i>Includes:</i> <i>Rear mounted hydraulic couplers and hose</i>  <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) for ordering information</i>	923K04	435.60
	BLV11010	Power Beyond Kit (OOS Only) <i>For MY18 and newer tractors</i> <i>For use with 3rd SCV</i>  <i>Includes:</i> <i>Rear mounted hydraulic couplers and hoses for use with backhoe</i>  <i>See Value Selling Navigator (3R Hydraulics Ordering Guide) or ordering details</i>	923K04	435.60
	BLV10650	Top and Tilt Field Kit <i>Requires Electric Diverter Kit</i>	369K76	1,394.80
	LVB24852	<b>Lighting</b> Beacon Light Kit (Cab Only)	491K82	260.70
	LVB24853	Rear Work Light Kit (2 Lights) (Cab Only) <i>Cab is pre-wired</i>	191K13	161.70
	LVB25547	<b>Lighting</b> Auxiliary Rear Work Light Kit (1 Light) <i>Includes Wiring Harness</i> <i>Not compatible with Forward Lighting Kit (LVB25546)</i> <i>Not available on cab tractors</i>	974K6	67.10

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3046R Compact Utility Tractor (34 PTO hp)**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>		
LVB25546		Forward Lighting Kit (2 Lights) <i>Requires Premium Warning Light Brush Guard Kit (BLV10620)</i> <i>Not compatible with Rear Work Light Kit (LVB25547)</i>	088K0	114.40
BLV10497		LED Work Light Kit <i>Requires Warning Light Brush Guard Kit (BLV10620)</i> <i>Includes two ROPS mounted LED lights</i> <i>Each light has 360 degree rotation</i>	302K23	319.00
BLV10620		Premium Warning Light Brush Guard Kit (OOS Only) <i>Includes two guards</i>	295K9	84.70
BLV10399		Work Light Brush Guard Kit (OOS Only) <i>Includes two guards</i> <i>Requires Premium Warning Light Brush Guard Kit (BLV10620)</i>	295K9	84.70
		<b>Lighting Equipment</b>		
BLV10174		7-Pin Trailer Connector (OOS Only)	237K6	108.90
BLV11095		7-Pin Trailer Connector Connector (Cab Only)	489K5	136.40
		<b>Maintenance</b>		
LVA21038		Filter Pak	951K22	195.16
		<b>Mid power Take-off (Pto)</b>		
BLV10848		Mid PTO Control Kit (Cab Only) <i>Not compatible with PRT configurations.</i>	731K14	163.90
LVB25537		Mid Power Take-Off (PTO) Kit <i>Not compatible with PRT configurations.</i> <i>For Installation of Mid-Mount Mower on Cab Tractor, Must also Order (1) LVA14927, (3) 19M7785 and (1)19M7788 Through Parts.</i> <i>Cab Tractor also Requires BLV10848, Mid PTO Controls.</i>	095K52	788.70
		<b>Mirrors</b>		
LVB24844		External Mirror Kit (Cab Only)	451K42	203.50
		<b>Open Operator's Station</b>		
LVB25688		Air Seat Suspension Kit (OOS Only) <i>Includes Air Ride Suspension only. Used with seat that ships with tractor.</i>	634K76	680.90
LVB25334		Canopy - Standard <i>Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.</i>	423K43	490.60
LVB25332		Canopy Mounting Bracket and Hardware Kit	675K4	78.10
BLV11034		Left Hand Mirror Kit	911K40	201.30
BLV10924		Rear License Plate Kit (Includes Light) <i>For MY18 and newer tractors</i>	744K7	68.20
BLV11035		Right Hand Mirror Kit	911K40	201.30

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3046R Compact Utility Tractor (34 PTO hp)**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>		
	TY25324	Weather Protection Umbrella	158K6	114.87
	RE566705	<b>Operator's Station</b> Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Compatible with cab models only.</i>	391K7	25.96
		<b>Rear Fenders</b>		
	BLV10892	Rear Fender Extension Kit (Cab Only)	942K47	354.20
	BLV10893	Rear Fender Extension Kit (OOS Only)	121K97	281.60
		<b>Rear Power Take-off (Pto)</b>		
	BLV10953	John Deere Quik Knect PTO receiver <i>At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Value Selling Navigator.</i>	441K32	189.20
		<b>Rear Wheel Weights</b>		
	BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 lb	478K	12.10
	BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb (50 kg)	952K6	38.50
	LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 lb (25 kg)	503K8	55.00
	BM19940	Attaching Hardware for Additional Rear Wheel Weight, 110 lb (50 kg)	249K	13.20
	BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 lb (25 kg)	707K	11.00
	BM17968	Rear Wheel Weight, 48.5 lb <i>Starter and additional weight for 19.5 and 20 in. wheels</i>	569K8	140.80
	T19293	Weight, Rear Wheel 106 lb (48 kg) <i>Starter and additional weight for 24 in. wheels. Requires attaching hardware for each of 03H1605 (Bolt) and 14H1039 (Nut) for starter weight and BM19940 for additional weight. Starter and additional weight for 24 and 28 in. wheels.</i>	121K20	171.60
		<b>Rear Wheels And Tires</b>		
	BLV10861	11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires	641K333	1,905.20
	BLV10865	15-19.5 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	711K249	1,785.30
	BLV10867	41x14-20 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires	441K133	1,619.20
	BLV10869	41x18LL-16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	421K806	2,580.60
	BLV10863	43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	731K269	1,813.90

JOHN DEERE COMMERCIAL PRODUCTS  
COMPACT UTILITY TRACTORS

**3046R Compact Utility Tractor (34 PTO hp)**

Continued

Code	Attachment Identifier	Description	Ref.	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>		
TY4453		Tire Chains <i>For use with 15-19.5 In. 6PR (R4) and 11.2-24 In. 6PR (R1) Rear Tires. For OOS tractors only.</i>	422K43	333.45
TY4457		Tire Chains <i>For use with 41x14.0-20 In. 4PR (R3) Rear Tires.</i>	082K55	349.42
		<b>Three-point Hitch</b>		
LVU12858		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in)</i>	441K6	24.54
LVU15507		iMatch Quick Hitch Bushings <i>Includes one lower bushing (Cat. 3 to Cat. 1). Length 50 mm (1.97 in)</i>	421K7	26.00
LVB25976		iMatch Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507)</i>	732K68	383.90
BW15056		iMatch/Quik-Coupler Brushing Kit <i>Includes: Two lower side sleeve shoulder bushings (Cat. 3 to Cat. 2) Two lower reducer bushings (Cat. 2 to Cat. 1) Two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins</i>  <i>This kit converts your Cat. 1 implement or attachment up to either a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch.</i>	157K3	104.50
		<b>Transmission</b>		
BLV10641		Transmission Oil Heater <i>HST models only</i>	606K1	88.00
		<b>Weights</b>		
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Requires, (1) LVBM19607, Front Quik-Tatch Weight Kit, and BLV10442 or BLV10441 (Front Weight Bracket Extension Kit)</i>	694K2	60.99