

Whole Goods Pricing US Superintendent

Effective Nov 1, 2018 to Oct 31, 2019

Progressive Turf Equipment Inc.

United States

Superintendent Series

Wholegoods Price List

2019

Pro-Flex 120B Rotary Contour Finishing Mower

<u>Part No.</u>	<u>Description</u>	<u>List Price US \$</u>
601205B	RED Pro-Flex 120B Contour Finishing Mower	\$22,650.00
602711B	GREEN Pro-Flex 120B Contour Finishing Mower	\$22,650.00
<u>Green Pro-Flex's are available on a SPECIAL ORDER BASIS, and are subject to a 6 to 8 week shipping lead time Color must be specified at time of order</u>		
Primary Use:	Golf Courses. Suited for rolling, uneven landscape.	
Cutting Width:	10 Feet, (16" uncut circle).	
Cutting Heights:	Easy cutting height adjustment from 1" to 3¼".	
Capacity:	Cuts up to 6.5 acres/hr at speeds up to 6 mile/hr.	
Tractor Specifications:	Recommended PTO HP: 30-40 @ 540 RPM. 1 double acting outlet, all hoses supplied to tractor, hose ends included.	
<u>Standard Features:</u>	<u>Some Assembly Required</u>	
	5 Independent floating 28" diameter decks to follow all contours. Quick adjust swivel hitch, allows mower to follow contours without interference from tractor. Heavy-duty construction, open rear-discharge with adjustable deflectors. Rubber damped, automatic belt tensioners on all belts. Pro Lift-N-Turn™ allows the operator to temporarily raise the decks slightly off the ground without stopping and with the PTO still engaged. Ideal for crossing cart paths or when engaging the PTO. Puncture proof tires, 10" dia x 4" wide (4 per deck) mounted on greaseable tapered roller bearings. Deck shock absorbers, able to cut at high speeds yet maintain consistent quality cut. Able to cut while backing up, this allows cutting in corners and other hard to reach areas. CV input shaft system for easy connection to any tractor. Maintenance free blade spindle assemblies for reduced maintenance. High lift blades for superior cut. Blade tip Speed 18,600 FPM. Anti-Scalp Rollers on front and back of each deck. Anti-Scalp Skids on both sides of each deck.	
<u>Optional Equipment:</u>	<u>Spare Parts Program Pricing Applies</u>	
606501	Mulch Kit complete with mulching blades not installed	
606502	Mulch shut off plate kit (No mulch blades included) not installed	
600526	Mulch Blade Kit (Four black left hand and one red right hand blades)	
600517	High Lift Blade Kit (Four black left hand and one red right hand blades)	
600524	Pro-Flex Belt Kit – for the complete mower	
Prices and specifications subject to change without notice. See 2019 Parts Price List. All wholegoods, options and parts are offered FCA Seaforth, Canada.		

Model TD65-2B Tri-Deck Finishing Mower

<u>Part No.</u>	<u>Description</u>	<u>List Price US \$</u>
526512B	Model TD65-2B Tri-Deck Finishing Mower	\$18,750.00
Primary Use:	Golf course roughs and fairways.	
Cutting Width:	12 Feet. (24" uncut circle).	
Cutting Height:	Easy cutting height adjustment from 1" to 5".	
Capacity:	Cuts up to 8.7 acres/hr at speeds up to 6 mile/hr.	
Tractor Specifications:	Recommended PTO HP: 25-40 @ 540 RPM. 1 double acting outlet, all hoses supplied to tractor, hose ends included.	
<u>Standard Features:</u>	<u>Some Assembly Required</u> Heavy-duty construction, open rear-discharge, easy cutting height adjustment. Heavy-duty gauge wheel tires with tapered roller bearings. Maintenance free blade spindle assemblies for reduced maintenance. High lift blades for superior cut. Blade tip speed 18,287 FPM. Anti-Scalp Rollers, ten in total. CV input shaft system for easy connection to the tractor	
<hr/>		
<u>Blades</u> - Choose one of the following, included in base price		
<input type="checkbox"/> High Lift Fixed Blade <input type="checkbox"/> Low Lift Fixed Blade		
<hr/>		
<u>Optional Equipment:</u>	<u>Spare Parts Program Pricing Applies</u>	
522311	Heavy Duty Transport Tires (in lieu of standard tire factory installed)	
521811	Spare - Heavy Duty Transport Tire (20.5 x 8 -4 ply) (must order 2 if replacing standard tire – requires corner pin p/n 521811)	
522604	High Lift Blade Kit (replacement set of 7 fixed blades)	
522607	Low Lift Blade Kit (replacement set of 7 fixed blades)	
522506	Mulching Kit – (Requires 522612 Mulch Blade Kit) not installed	
522612	Mulch Blade Kit (set of 7 blades)	
<p>Prices and specifications subject to change without notice. See 2019 Parts Price List. All wholegoods, options and parts are offered FCA Seaforth, Canada.</p>		

TDR-12B Tri-Deck Roller Finishing Mower

<u>Part No.</u>	<u>Description</u>	<u>List Price US\$</u>
528712B	Model TDR-12B Tri-Deck Roller Mower	\$24,250.00
Primary Use:	Golf course roughs and fairways.	
Cutting Width:	12 Feet.	
Cutting height:	Easy cutting height adjustment from 1/2" to 4".	
Capacity:	Cuts up to 8.7 acres/hr at speeds up to 6 mile/hr.	
Tractor Specifications:	Recommended PTO HP: 25 to 40 @ 540 RPM. 1 double acting outlet, all hoses supplied to tractor, hose ends included.	
<u>Standard Features:</u>	Some Assembly Required Heavy-duty construction, open rear-discharge, easy cutting height adjustment. Heavy-duty 6" dia. rollers supported by 2 - 1.25" ductile flange bearings. Maintenance free blade spindle assemblies for reduced maintenance. High lift blades for superior cut. Blade tip speed 18,287 FPM. Transport tires: P275/60 SR15. CV input shaft system for easy connection to any tractor	
<hr/>		
<u>Optional Equipment:</u>	<u>Spare Parts Program Pricing Applies</u>	
522615	High Lift Blade Kit (replacement set of 7 fixed blades) (Five black left hand and two red right hand blades)	
Prices and specifications subject to change without notice. See 2019 Parts Price List. All wholegoods, options and parts are offered FCA Seaforth, Canada.		

SDR-65 Three Point Hitch Finishing Mower

<u>Part No.</u>	<u>Description</u>	<u>List Price US\$</u>
531965	Model SDR-65 Three Point Hitch Roller Mower	\$5,450.00
Primary Use:	Golf Courses.	
Cutting Width:	65"	
Cutting Height:	½" to 4 inches with infinite number of adjusting heights.	
Weight:	975 pounds	
Tractor Specifications:	Required PTO HP: 25 – 40 at 540 RPM	
	Note: Front weights will be required depending on tractor used.	
	We recommend 30 to 40 H.P. tractor be used, due to the weight of the mower	
<u>Standard Features: Some Assembly Required.</u>		
	Heavy-duty construction, open rear discharge, easy cutting height adjustment.	
	Heavy duty 6" dia. rollers supported by 2 - 1.25" ductile flange HEX bearings	
	Maintenance free blade spindle assemblies for reduced maintenance.	
	High lift blades for superior cut.	
	Blade tip speed 18,287 FPM	
<hr/>		
<u>Blades</u> - Choose one of the following, included in base price		
	<input type="checkbox"/> High Lift Fixed Blade	<input type="checkbox"/> Low Lift Fixed Blade
<hr/>		
<u>Optional Equipment :</u>		<u>Spare Parts Program Pricing Applies</u>
522361	23" Low Lift Blade (three required)	
522360	23" High Lift Blade (three required)	
Prices and specifications subject to change without notice. See 2019 Parts Price List.		
All wholegoods, options and parts are offered FCA Seaforth, Canada.		

SDR-90 Three Point Hitch Finishing Roller Mower

<u>Part No:</u>	<u>Description</u>	<u>List Price US\$</u>
531990	Model SDR-90 Three Point Hitch Roller Mower	\$7,075.00
Primary Use:	Golf courses.	
Cutting Width:	90".	
Cutting Height:	½" to 4" with infinite number of adjusting heights.	
Weight:	1400 pounds	
Tractor Specifications:	Required PTO HP: 35 – 50 @ 540 RPM Note: Front weights on tractor may be required. We recommend that a 40 to 50 H.P tractor be used because of the weight of the mower.	
<u>Standard Features:</u>	Some Assembly Required Heavy-duty construction, open rear discharge, easy cutting height adjustment Heavy-duty 6" dia. rollers supported by 2 - 1.25" ductile HEX bearings. Maintenance free blade spindle assemblies for reduced maintenance. High lift blades for superior cut. Blade tip speed 18300 FPM.	
<hr/>		
<u>Blades</u>	- Choose one of the following, included in base price	
	<input type="checkbox"/> High Lift Fixed Blade	<input type="checkbox"/> Low Lift Fixed Blade
<hr/>		
<u>Optional Equipment:</u>	<u>Spare Parts Program Pricing Applies</u>	
522365	24" Low Lift Blade (four required)	
522364	24" High Lift Blade (four required)	
<p>Prices and specifications subject to change without notice. See 2019 Parts Price List. All wholegoods, options and parts are offered FCA Seaforth, Canada.</p>		

Whole Goods Pricing US Groundskeeper

Effective Nov 1, 2018 to Oct 31, 2019

Progressive Turf Equipment Inc.

United States

Groundskeeper Series

Wholegoods Price List

2019

Model TD65-2B Tri-Deck Finishing Mower

<u>Part No.</u>	<u>Description</u>	<u>List Price US \$</u>
526512B	Model TD65-2B Tri-Deck Finishing Mower	\$ 18,750.00
Primary Use:	Parks and Recreation, Schools, Industrial Sites.	
Cutting Width:	12 Feet. (24" uncut circle).	
Cutting Height:	Easy cutting height adjustment from 1" to 5".	
Capacity:	Cuts up to 8.7 acres/hr at speeds up to 6 mile/hr.	
Tractor Specifications:	Recommended PTO HP: 25-40 @ 540 RPM. 1 double acting outlet, all hoses supplied to tractor, hose ends included.	
<u>Standard Features:</u>	Some Assembly Required Heavy-duty construction, open rear-discharge, easy cutting height adjustment. Heavy-duty gauge wheel tires with tapered roller bearings. Maintenance free blade spindle assemblies for reduced maintenance. High lift blades for superior cut. Blade tip speed 18,287 FPM. Anti-Scalp Rollers, ten in total. CV input shaft system for easy connection to the tractor	
<hr/>		
<u>Blades</u>	- Choose one of the following, included in base price	
	<input type="checkbox"/> High Lift Fixed Blade <input type="checkbox"/> Low Lift Fixed Blade	
<hr/>		
<u>Optional Equipment:</u>	<u>Spare Parts Program Pricing Applies</u>	
522311	Heavy Duty Transport Tires (in lieu of standard tire factory installed)	
521811	Spare - Heavy Duty Transport Tire (20.5 x 8 -4 ply) (must order 2 if replacing standard tire – requires corner pin p/n 521811)	each
522604	High Lift Blade Kit (replacement set of 7 fixed blades)	
522607	Low Lift Blade Kit (replacement set of 7 fixed blades)	
522506	Mulching Kit – (Requires 522612 Mulch Blade Kit) not installed	
522612	Mulch Blade Kit (set of 7 blades)	
<p>Prices and specifications subject to change without notice. See 2019 Parts Price List. All wholegoods, options and parts are offered FCA Seaforth, Canada.</p>		

Model TD65B Tri-Deck Finishing Mower

<u>Part No.</u>	<u>Description</u>	<u>List Price US \$</u>
526515B	Model TD65B Tri-Deck Finishing Mower	\$ 20,450.00
Primary Use:	Parks and Recreation, Schools, Industrial Sites. Sod producers under 100 acres.	
Cutting Width:	15 ½ Feet. (Zero turning radius).	
Cutting Height:	Easy cutting height adjustment from 1" to 5".	
Capacity:	Cuts up to 11.3 acres/hr at speeds up to 6 mile/hr.	
Tractor Specifications:	Recommended PTO HP: 30-50 @ 540 RPM. 1 double acting outlet, all hoses supplied to tractor, hose ends included.	
<u>Standard Features:</u>	Some Assembly Required Heavy-duty construction, open rear-discharge, easy cutting height adjustment. Heavy-duty gauge wheel tires with tapered roller bearings. Maintenance free blade spindle assemblies for reduced maintenance. High lift blades for superior cut. Blade tip speed 18,287 FPM. Anti-Scalp Rollers, twelve in total. CV input shaft system for easy connection to any tractor	
<u>Blades</u>	- Choose one of the following, included in base price <input type="checkbox"/> High Lift Fixed Blade <input type="checkbox"/> Low Lift Fixed Blade	
<u>Optional Equipment:</u>		<u>Spare Parts Program Pricing Applies</u>
522311	Heavy Duty Transport Tires (in lieu of standard tire factory installed)	
521811	Spare - Heavy Duty Transport Tire (20.5 x 8 -4 ply) (must order 2 if replacing standard tire – requires corner pin p/n 521811)	each
522603	High Lift Blade Kit (replacement set of 9 fixed blades)	
522606	Low Lift Blade Kit (replacement set of 9 fixed blades)	
522507	Mulching Kit – (Requires 522611 Mulch Blade Kit) not installed	
522611	Mulch Blade Kit (set of 9 blades)	
Prices and specifications subject to change without notice. See 2019 Parts Price List. All wholegoods, options and parts are offered FCA Seaforth, Canada.		

TDR-12B Tri-Deck Roller Finishing Mower

<u>Part No.</u>	<u>Description</u>	<u>List Price US \$</u>
528712B	Model TDR-12B Tri-Deck Roller Mower	\$24,250.00
Primary Use:	Playing Fields, Parks, Sports Facilities, Polo Fields.	
Cutting Width:	12 Feet.	
Cutting height:	Easy cutting height adjustment from 1/2" to 4".	
Capacity:	Cuts up to 8.7 acres/hr at speeds up to 6 mile/hr.	
Tractor Specifications:	Recommended PTO HP: 25 to 40 @ 540 RPM. 1 double acting outlet, all hoses supplied to tractor, hose ends included.	
<u>Standard Features:</u>	Some Assembly Required Heavy-duty construction, open rear-discharge, easy cutting height adjustment. Heavy-duty 6" dia. rollers supported by 2 - 1.25" ductile flange bearings. Maintenance free blade spindle assemblies for reduced maintenance. High lift blades for superior cut. Blade tip speed 18,287 FPM. Transport tires: P275/60 SR15. CV input shaft system for easy connection to any tractor	
<hr/>		
<u>Optional Equipment:</u>	<u>Spare Parts Program Pricing Applies</u>	
528153	Fender kit (both sides), with provision to mount lights	
522615	High Lift Blade Kit (replacement set of 7 fixed blades) (Five black left hand and two red right hand blades)	
Prices and specifications subject to change without notice. See 2019 Parts Price List. All wholegoods, options and parts are offered FCA Seaforth, Canada.		

TDR-15B Tri-Deck Roller Finishing Mower

<u>Part No.</u>	<u>Description</u>	<u>List Price US \$</u>
528750B	Model TDR-15B Tri-Deck Roller Mower	\$25,200.00
Primary Use:	Sod Producers, Playing Fields, Parks, Sports Facilities, Polo Fields.	
Cutting Width:	15.5 Feet.	
Cutting height:	Easy cutting height adjustment from 1/2" to 4".	
Capacity:	Cuts up to 11.3 acres/hr at speeds up to 6 mile/hr.	
Tractor Specifications:	Recommended PTO HP: 35 to 50 @ 540 RPM. 1 double acting outlet, all hoses supplied to tractor, hose ends included.	
<u>Standard Features:</u>	Some Assembly Required Heavy-duty construction, open rear-discharge, easy cutting height adjustment. Heavy-duty 6" dia. rollers supported by 2 - 1.25" ductile flange bearings. Maintenance free blade spindle assemblies for reduced maintenance. High lift blades for superior cut. Blade tip speed 18,287 FPM. Transport tires: P275/60 SR15. CV input shaft system for easy connection to any tractor	
<hr/>		
<u>Optional Equipment:</u>	<u>Spare Parts Program Pricing Applies</u>	
528153	Fender kit (both sides), with provision to mount lights	
522619	High Lift Blade Kit (replacement set of 9 fixed blades) (Six black left hand and three red right hand blades)	
Prices and specifications subject to change without notice. See 2019 Parts Price List. All wholegoods, options and parts are offered FCA Seaforth, Canada.		

SDR-65 Three Point Hitch Finishing Roller Mower

<u>Part No.</u>	<u>Description</u>	<u>List Price US\$</u>
531965	Model SDR-65 Three Point Hitch Roller Mower	\$5,450.00
Primary Use:	Parks and Recreation, Schools, Playing Fields.	
Cutting Width:	65"	
Cutting Height:	½" to 4 inches with infinite number of adjusting heights.	
Weight:	975 pounds	
Tractor Specifications:	Required PTO HP: 25 - 40 at 540 RPM	
	Note: Front weights will be required depending on tractor used.	
	We recommend 30 to 40 H.P. tractor be used, due to the weight of the mower	
<u>Standard Features: Some Assembly Required.</u>		
	Heavy-duty construction, open rear discharge, easy cutting height adjustment.	
	Heavy duty 6" dia. rollers supported by 2 - 1.25" ductile flange HEX bearings	
	Maintenance free blade spindle assemblies for reduced maintenance.	
	High lift blades for superior cut.	
	Blade tip speed 18,287 FPM	
<hr/>		
<u>Blades</u> - Choose one of the following, included in base price		
	<input type="checkbox"/> High Lift Fixed Blade	<input type="checkbox"/> Low Lift Fixed Blade
<hr/>		
<u>Optional Equipment :</u>		<u>Spare Parts Program Pricing Applies</u>
522361	23" Low Lift Blade (three required)	
522360	23" High Lift Blade (three required)	
Prices and specifications subject to change without notice. See 2019 Parts Price List.		
All wholegoods, options and parts are offered FCA Seaforth, Canada.		

SDR-90 Three Point Hitch Finishing Roller Mower

<u>Part No:</u>	<u>Description</u>	<u>List Price US\$</u>
531990	Model SDR-90 Three Point Hitch Roller Mower	\$7,075.00
Primary Use:	Parks and Recreation Areas, Playing Fields.	
Cutting Width:	90".	
Cutting Height:	½" to 4" with infinite number of adjusting heights.	
Weight:	1400 pounds	
Tractor Specifications:	Required PTO HP: 35 – 50 @ 540 RPM Note: Front weights on tractor may be required. We recommend that a 40 to 50 H.P tractor be used because of the weight of the mower.	
<u>Standard Features:</u>	<u>Some Assembly Required</u> Heavy-duty construction, open rear discharge, easy cutting height adjustment Heavy-duty 6" dia. rollers supported by 2 - 1.25" ductile HEX bearings. Maintenance free blade spindle assemblies for reduced maintenance. High lift blades for superior cut. Blade tip speed 18300 FPM.	
<hr/>		
<u>Blades</u> - Choose one of the following, included in base price	<input type="checkbox"/> High Lift Fixed Blade <input type="checkbox"/> Low Lift Fixed Blade	
<hr/>		
<u>Optional Equipment:</u>	<u>Spare Parts Program Pricing Applies</u>	
522365	24" Low Lift Blade (four required)	
522364	24" High Lift Blade (four required)	
Prices and specifications subject to change without notice. See 2019 Parts Price List. All wholegoods, options and parts are offered FCA Seaforth, Canada.		