



W36M Commercial Walk Behind Mower with Hydraulic Transaxle

Code	Description	List price
2600TC	<p>W36M Commercial Walk Behind Mower with Hydraulic Transaxle</p> <p>ENGINE: 14.5 HP* (10.8 kW) Displacement (603cc, 36.8 cu. in) Vertical-Shaft, V-twin Air Cooled Full Pressure Lubrication System with Replaceable Oil Filter Recoil Start Dual Element Air Cleaner</p> <p>DRIVE SYSTEM: Integrated Hydro-Gear ZT2800 Transaxles 0-6.5 mph (10.5 km/h) Forward 0-3 mph (4.8 km/h) Reverse</p> <p>CONTROLS: Ergonomic Pistol Style Steering Controls (2) Independent Operator Presence Levers Spring loaded neutral locks Handle Activated Internal Park Brake</p> <p>MOWER DECK: 36 In. Commercial Side Discharge Floating Mower Deck 10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements Aluminum Spindles 1.5-4.5 In. Height of Cut with 7 Cutting Positions High Lift Blades</p> <p>FUEL SYSTEM: 5.4 U.S. Gallon (20.4 L) Fuel Capacity</p> <p>TIRES: 18x6.5-8 4-Ply Pneumatic Rear Tires 9x3.5-4 Semi-Pneumatic Caster Tires</p> <p>ELECTRICAL: Electric PTO Clutch Digital Hour Meter English/Spanish Operator's Safety Video and Labels ANSI Certified B71.4 for Safety</p>	



W36M Commercial Walk Behind Mower with Hydraulic Transaxle

Code	Description	List price
	*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.	
	BASE MACHINE	
2600TC	<i>Not available in California</i> W36M Commercial Walk Behind Mower with Hydraulic Transaxle	USD \$6,154.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	United States / Canada <i>Not Available in California.</i>	In Base Price
	MISCELLANEOUS	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
AM108146	Spark Arrester Screen for Muffler	See Parts
A-B1MS31	Single Wheel Sulky with 18 in. Arm <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	See Parts
A-B1MS32	Dual Wheel Sulky with 18 in. Arm <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	See Parts
LP70220	Utility Bags (12 pack)	See Parts
	MOWER DECK	
	ATTACHMENTS FOR FIELD CONVERSION	
	MULCH KITS	
BUC10042	36 in. (914.4 mm) Mulch Kit	See Parts
	MISCELLANEOUS	
BUC10676	Striping Kit with Adjustable Rubber Flap <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	See Parts
LP68164	3.5 bu. Grass Catcher <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	See Parts
	WEIGHTS AND BALLASTING	
	ATTACHMENTS FOR FIELD CONVERSION	
	WEIGHTS	



W36M Commercial Walk Behind Mower with Hydraulic Transaxle

Code	Description	List price
BUC10052	Weight Kit	See Parts



W48M Commercial Walk Behind Mower with Hydraulic Transaxle

Code	Description	List price
2610TC	<p>W48M Commercial Walk Behind Mower with Hydraulic Transaxle</p> <p>ENGINE: 14.5 HP* (10.8 kW) Displacement (603cc, 36.8 cu. in) Vertical-Shaft, V-twin Air Cooled Full Pressure Lubrication System with Replaceable Oil Filter Recoil Start Dual Element Air Cleaner</p> <p>DRIVE SYSTEM: Integrated Hydro-Gear ZT2800 Transaxles 0-6.5 mph (10.5 km/h) Forward 0-3 mph (4.8 km/h) Reverse</p> <p>CONTROLS: Ergonomic Pistol Style Steering Controls (2) Independent Operator Presence Levers Spring loaded neutral locks Handle Activated Internal Park Brake</p> <p>MOWER DECK: 48 In. Commercial Side Discharge Floating Mower Deck 10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements Aluminum Spindles 1.5-4.5 In. Height of Cut with 7 Cutting Positions High Lift Blades</p> <p>FUEL SYSTEM: 5.4 U.S. Gallon (20.4 L) Fuel Capacity</p> <p>TIRES: 18x8.5-8 4-Ply Pneumatic Rear Tires 9x3.5-4 Semi-Pneumatic Caster Tires</p> <p>ELECTRICAL: Electric PTO Clutch Digital Hour Meter English/Spanish Operator's Safety Video and Labels ANSI Certified B71.4 for Safety</p>	



W48M Commercial Walk Behind Mower with Hydraulic Transaxle

Code	Description	List price
	*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.	
	BASE MACHINE	
2610TC	<i>Not available in California</i> W48M Commercial Walk Behind Mower with Hydraulic Transaxle	USD \$6,489.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	United States / Canada <i>Not Available in California.</i>	In Base Price
	MISCELLANEOUS	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
AM108146	Spark Arrester Screen for Muffler	See Parts
A-B1MS31	Single Wheel Sulky with 18 in. Arm <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	See Parts
A-B1MS32	Dual Wheel Sulky with 18 in. Arm <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	See Parts
LP70220	Utility Bags (12 pack)	See Parts
	MOWER DECK	
	ATTACHMENTS FOR FIELD CONVERSION	
	MULCH KITS	
BUC10043	48 in. (1219.2 mm) Mulch Kit	See Parts
	MISCELLANEOUS	
BUC10676	Striping Kit with Adjustable Rubber Flap <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	See Parts
LP68164	3.5 bu. Grass Catcher <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	See Parts
	WEIGHTS AND BALLASTING	
	ATTACHMENTS FOR FIELD CONVERSION	
	WEIGHTS	



W48M Commercial Walk Behind Mower with Hydraulic Transaxle

Code	Description	List price
BUC10052	Weight Kit	See Parts



W36R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price
2620TC	<p>W36R Commercial Walk Behind Mower with Pump/ Motor Hydraulic Drive</p> <p>ENGINE: 14.5 HP* (10.8 kW) Displacement (603cc, 36.8 cu. in) Vertical-Shaft, V-twin Air Cooled Full Pressure Lubrication System with Replaceable Oil Filter Electric Start Dual Element Air Cleaner</p> <p>DRIVE SYSTEM: Pumps, Hydro-Gear 10 cc Wheel Motor, Danfoss 12 cu in. Forward speed, 0-7.5 mph (12.1 km/h) Reverse speed, 0-3 mph (4.8 km/h)</p> <p>CONTROLS: Ergonomic Pistol Style Steering Controls (2) Independent Operator Presence Levers Spring loaded neutral locks Handle Activated Internal Park Brake</p> <p>MOWER DECK: 36 In. Commercial Side Discharge Floating Mower Deck 10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements Aluminum Spindles 1.5-4.5 In. Height of Cut with 7 Cutting Positions High Lift Blades</p> <p>FUEL SYSTEM: 5.4 U.S. Gallon (20.4 L) Fuel Capacity</p> <p>TIRES: 18x6.5-8 4-Ply Pneumatic Rear Tires 9x3.5-4 Semi-Pneumatic Caster Tires</p> <p>ELECTRICAL: Battery 300 CCA Electric PTO Clutch Digital Hour Meter English/Spanish Operator's</p>	



W36R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price
	<p>Safety Video and Labels ANSI Certified B71.4 for Safety *The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.</p>	
	BASE MACHINE	
2620TC	<p><i>Not Available in California</i> W36R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive</p>	USD \$7,609.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	<p>United States / Canada <i>Not Available in California.</i></p>	In Base Price
	MISCELLANEOUS	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
AM108146	Spark Arrester Screen for Muffler	See Parts
A-B1MS33	<p>Single Wheel Sulky with Latch <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i></p>	See Parts
A-B1MS34	<p>Dual Wheel Sulky with Latch <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i></p>	See Parts
LP70220	Utility Bags (12 pack)	See Parts
	MOWER DECK	
	ATTACHMENTS FOR FIELD CONVERSION	
	MULCH KITS	
BUC10042	36 in. (914.4 mm) Mulch Kit	See Parts
	MISCELLANEOUS	
BUC10676	<p>Striping Kit with Adjustable Rubber Flap <i>Compatible with 36 / 48 / 52 inch mower decks.</i></p>	See Parts
LP68164	<p>3.5 bu. Grass Catcher <i>Compatible with 36 / 48 / 52 inch mower decks.</i></p>	See Parts
	WEIGHTS AND BALLASTING	



W36R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price
ATTACHMENTS FOR FIELD CONVERSION WEIGHTS		
BUC10052	Weight Kit	See Parts



W52R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price
2640TC	<p>W52R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive</p> <p>ENGINE: 18.5 HP* (13.8 kW) Displacement (603cc, 36.8 cu. in) Vertical-Shaft, V-twin Air Cooled Full Pressure Lubrication System with Replaceable Oil Filter Electric Start Dual Element Air Cleaner</p> <p>DRIVE SYSTEM: Pumps, Hydro-Gear 10 cc Wheel Motor, Danfoss 12 cu in. Forward speed, 0-7.5 mph (12.1 km/h) Reverse speed, 0-3 mph (4.8 km/h)</p> <p>CONTROLS: Ergonomic Pistol Style Steering Controls (2) Independent Operator Presence Levers Spring loaded neutral locks Handle Activated Internal Park Brake</p> <p>MOWER DECK: 52 In. Commercial Side Discharge Floating Mower Deck 10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements Aluminum Spindles 1.5-4.5 In. Height of Cut with 7 Cutting Positions High Lift Blades</p> <p>FUEL SYSTEM: 5.4 U.S. Gallon (20.4 L) Fuel Capacity</p> <p>TIRES: 18x8.5-8 4-Ply Pneumatic Rear Tires 9x3.5-4 Semi-Pneumatic Caster Tires</p> <p>ELECTRICAL: Battery 300 CCA Electric PTO Clutch Digital Hour Meter English/Spanish Operator's</p>	



W52R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price
	<p>Safety Video and Labels ANSI Certified B71.4 for Safety *The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.</p>	
	BASE MACHINE	
2640TC	<p><i>Not Available in California</i> W52R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive</p>	USD \$8,959.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	<p>United States / Canada <i>Not Available in California.</i></p>	In Base Price
	MISCELLANEOUS	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
AM108146	Spark Arrester Screen for Muffler	See Parts
A-B1MS33	<p>Single Wheel Sulky with Latch <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i></p>	See Parts
A-B1MS34	<p>Dual Wheel Sulky with Latch <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i></p>	See Parts
LP70220	Utility Bags (12 pack)	See Parts
	MOWER DECK	
	ATTACHMENTS FOR FIELD CONVERSION	
	MULCH KITS	
BUC10044	52 in. (1320.8 mm) Mulch Kit	See Parts
	MISCELLANEOUS	
BUC10676	<p>Striping Kit with Adjustable Rubber Flap <i>Compatible with 36 / 48 / 52 inch mower decks.</i></p>	See Parts
LP68164	<p>3.5 bu. Grass Catcher <i>Compatible with 36 / 48 / 52 inch mower decks.</i></p>	See Parts
	WEIGHTS AND BALLASTING	



W52R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price
ATTACHMENTS FOR FIELD CONVERSION WEIGHTS		
BUC10052	Weight Kit	See Parts



W61R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price
2650TC	<p>W61R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive</p> <p>ENGINE: 25 HP* (18.6 kW) Displacement (747cc, 45.6 cu. in) Vertical-Shaft, V-twin Air Cooled Closed Loop Electronic Fuel Injection Full Pressure Lubrication System with Replaceable Oil Filter Electric Start Heavy Duty Canister Air Cleaner w/ Precleaner</p> <p>DRIVE SYSTEM: Pumps, Hydro-Gear 10 cc Wheel Motor, Danfoss 12 cu in. Forward speed, 0-7.5 mph (12.1 km/h) Reverse speed, 0-3 mph (4.8 km/h)</p> <p>CONTROLS: Ergonomic Pistol Style Steering Controls (2) Independent Operator Presence Levers Spring loaded neutral locks Handle Activated Internal Park Brake</p> <p>MOWER DECK: 61 In. Commercial Side Discharge Floating Mower Deck 10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements Aluminum Spindles 1.5-4.5 In. Height of Cut with 7 Cutting Positions High Lift Blades</p> <p>FUEL SYSTEM: 5.4 U.S. Gallon (20.4 L) Fuel Capacity</p> <p>TIRES: 18x8.5-8 4-Ply Pneumatic Rear Tires 9x3.5-4 Semi-Pneumatic Caster Tires</p> <p>ELECTRICAL: Battery 300 CCA Electric PTO Clutch Digital Hour Meter</p>	



W61R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price
	<p>English/Spanish Operator's Safety Video and Labels ANSI Certified B71.4 for Safety *The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.</p>	
	BASE MACHINE	
2650TC	<p><i>Not Available in California</i> W61R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive</p>	USD \$10,629.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	<p>United States / Canada <i>Not Available in California.</i></p>	In Base Price
	MISCELLANEOUS	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
AM108146	Spark Arrester Screen for Muffler	See Parts
A-B1MS34	Dual Wheel Sulky with Latch <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	See Parts
A-B1MS33	Single Wheel Sulky with Latch <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	See Parts
LP70220	Utility Bags (12 pack)	See Parts
	MOWER DECK	
	ATTACHMENTS FOR FIELD CONVERSION	
	MULCH KITS	
BUC10045	61 in. (1549.4 mm) Mulch Kit	See Parts
	MISCELLANEOUS	
BUC10677	Striping Kit with Adjustable Rubber Flap <i>Compatible with 61 inch mower deck.</i>	See Parts
	WEIGHTS AND BALLASTING	
	ATTACHMENTS FOR FIELD CONVERSION	



W61R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price
WEIGHTS		
BUC10052	Weight Kit	See Parts