

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL WALK-BEHIND MOWERS**

**WHP52A - 18.5 HP\* Pistol Grip Control Commercial Hydrostatic Drive Walk-Behind  
Mower with 52 In. Deck  
Equipment for Base Machine**

18.5 HP\*  
Vertical-Shaft Air Cooled  
Engine (603cc, 36.8 cu. in)  
Full Pressure Lubrication  
System with Replaceable Oil  
Filter  
Dual Element Air Cleaner  
Electric Start  
Operator Presence System  
Dual Hydrostatic Wheel Drive  
6-Position Hydrostatic  
Adjustment  
10cc Hydro-Gear Pumps  
Parker-Ross Wheel Motors  
7 MPH Forward Speed  
3 MPH Reverse Speed  
52 In. Fully Floating  
Commercial Side Discharge Mower

Deck  
7-Gauge Fabricated Steel Mower  
Deck  
Aluminum Spindle Housings  
1.5-5.0 In. Height of Cut with  
7 Cut Height Settings  
Pistol Grip Direction Control  
Adjustable Height Operator  
Station  
5.4 U.S. Gallon Fuel Capacity  
16x7.5-8 Rear Tires  
9x3.5-4 Front Caster Tires  
Electric PTO Clutch  
Tire Engaging Park Brake  
English/Spanish Operator's  
Safety Video and Labels  
\*The engine horsepower and  
torque information are provided

by the engine manufacturer to be  
used for comparison purposes  
only. Actual operating  
horsepower and torque will be  
less. Refer to the engine  
manufacturer's web site for  
additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Fuquay Varina, North Carolina.*

1285TC		WHP52A - 18.5 HP* Pistol Grip Control Commercial Hydrostatic Drive Walk-Behind Mower with 52 In. Deck <i>Not Available in California</i>	7,699.00
--------	--	---	----------

**DESTINATION**

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

		<b>Miscellaneous</b>	
TCB11744		Sulky	623.81
		<b>Miscellaneous</b>	
BTC10643		Grass Collector, 0.0283168 m <sup>3</sup> (3 cu ft)	376.64
		<b>Mulch Kits</b>	
TCB11741		1320.8-mm (52-in.) Mulch Kit	293.19
		<b>Weights</b>	
BTC10484		Weight Kit <i>(Model Year 2013 and newer)</i>	125.19

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL WALK-BEHIND MOWERS**

**WH61A - 23 HP\* Twin Loop Control Commercial Hydrostatic Drive Walk-Behind  
Mower with 61 In. Deck  
Equipment for Base Machine**

23 HP\*  
Vertical-Shaft Air Cooled  
Engine (726cc 44.3 cu. in)  
Full Pressure Lubrication  
System with Replaceable Oil  
Filter  
Dual Element Air Cleaner  
Electric Start  
Operator Presence System  
Dual Hydrostatic Wheel Drive  
6-Position Hydrostatic  
Adjustment  
10cc Hydro-Gear Pumps  
Parker-Ross Wheel Motors  
7 MPH Forward Speed  
3 MPH Reverse Speed  
61 In. Fully Floating  
Commercial Side Discharge Mower

Deck  
7-Gauge Fabricated Steel Mower  
Deck  
Aluminum Spindle Housings  
1.5-5.0 In. Height of Cut with  
7 Cut Height Settings  
Twin Loop Controls with  
Speed Index Bar and  
Reverse Index Bar  
Adjustable Height Operator  
Station  
5.4 U.S. Gallon Fuel Capacity  
16x8.5-8 Rear Tires  
9x3.5-4 Front Caster Tires  
Electric PTO Clutch  
Tire Engaging Park Brake  
English/Spanish Operator's  
Safety Video and Labels

\*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Fuquay Varina, North Carolina.*

0711TC		WH61A - 23 HP* Twin Loop Control Commercial Hydrostatic Drive Walk-Behind Mower with 61 In. Deck <i>Not Available in California</i>	8,829.00
--------	--	--	----------

**DESTINATION**

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Miscellaneous</b>			
TCB11744		Sulky	623.81
<b>Mulch Kits</b>			
BTC10636		1549.4-mm (61-in.) Mulch Kit	306.01
<b>Weights</b>			
BTC10484		Weight Kit <i>(Model Year 2013 and newer)</i>	125.19

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL WALK-BEHIND MOWERS**

**WHP61A - 23 HP\* Pistol Grip Control Commercial Hydrostatic Drive Walk-Behind  
Mower with 61 In. Deck  
Equipment for Base Machine**

23 HP\*  
Vertical-Shaft Air Cooled  
Engine (726cc 44.3 cu. in)  
Full Pressure Lubrication  
System with Replaceable Oil  
Filter  
Dual Element Air Cleaner  
Electric Start  
Operator Presence System  
Dual Hydrostatic Wheel Drive  
6-Position Hydrostatic  
Adjustment  
10cc Hydro-Gear Pumps  
Parker-Ross Wheel Motors  
7 MPH Forward Speed  
3 MPH Reverse Speed  
61 In. Fully Floating  
Commercial Side Discharge Mower

Deck  
7-Gauge Fabricated Steel Mower  
Deck  
Aluminum Spindle Housings  
1.5-5.0 In. Height of Cut with  
7 Cut Height Settings  
Pistol Grip Direction Control  
Adjustable Height Operator  
Station  
5.4 U.S. Gallon Fuel Capacity  
16x8.5-8 Rear Tires  
9x3.5-4 Front Caster Tires  
Electric PTO Clutch  
Tire Engaging Park Brake  
English/Spanish Operator's  
Safety Video and Labels  
\*The engine horsepower and  
torque information are provided

by the engine manufacturer to be  
used for comparison purposes  
only. Actual operating  
horsepower and torque will be  
less. Refer to the engine  
manufacturer's web site for  
additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Fuquay Varina, North Carolina.*

0721TC		WHP61A - 23 HP* Pistol Grip Control Commercial Hydrostatic Drive Walk-Behind Mower with 61 In. Deck <i>Not Available in California</i>	8,829.00
--------	--	---	----------

**DESTINATION**

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

		<b>Miscellaneous</b>		
TCB11744		Sulky		623.81
		<b>Mulch Kits</b>		
BTC10636		1549.4-mm (61-in.) Mulch Kit		306.01
		<b>Weights</b>		
BTC10484		Weight Kit <i>(Model Year 2013 and newer)</i>		125.19

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL WALK-BEHIND MOWERS**

**W36M Commercial Walk Behind Mower with Hydraulic Transaxle  
Equipment for Base Machine**

<p><b>ENGINE:</b> 14.5 HP* (10.8 kW) Displacement (603cc, 36.8 cu. in) Vertical-Shaft, V-twin Air Cooled Full Pressure Lubrication System with Replaceable Oil Filter Recoil Start Dual Element Air Cleaner</p> <p><b>DRIVE SYSTEM:</b> Integrated Hydro-Gear ZT2800 Transaxles 0-6.5 mph (10.5 km/h) Forward 0-3 mph (4.8 km/h) Reverse</p> <p><b>CONTROLS:</b> Ergonomic Pistol Style Steering Controls (2) Independent Operator Presence Levers Spring loaded neutral locks Handle Activated Internal Park</p>	<p><b>Brake</b> <b>MOWER DECK:</b> 36 In. Commercial Side Discharge Floating Mower Deck 10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements Aluminum Spindles 1.5-4.5 In. Height of Cut with 7 Cutting Positions High Lift Blades</p> <p><b>FUEL SYSTEM:</b> 5.4 U.S. Gallon (20.4 L) Fuel Capacity</p> <p><b>TIRES:</b> 18x6.5-8 4-Ply Pneumatic Rear Tires 9x3.5-4 Semi-Pneumatic Caster Tires</p> <p><b>ELECTRICAL:</b> Electric PTO Clutch</p>	<p>Digital Hour Meter English/Spanish Operator's Safety Video and Labels ANSI Certified B71.4 for Safety</p> <p>*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.</p>
---	--	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

2600TC	W36M Commercial Walk Behind Mower with Hydraulic Transaxle <i>Not available in California</i>	5,499.00
--------	--	----------

**DESTINATION**

001A	United States / Canada <i>Not Available in California.</i>	In Base Price
------	---	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Miscellaneous</b>		
B1MS32	Dual Wheel Sulky with 18 in. Arm <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	Price On Request
B1MS31	Single Wheel Sulky with 18 in. Arm <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	Price On Request
<b>Mulch Kits</b>		
BUC10042	36 in. (914.4 mm) Mulch Kit	225.77
<b>Order Zone</b>		
LP68164	3.5 bu. Grass Catcher <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	430.00
LP70220	Utility Bags (12 pack)	15.99
<b>Spark Arrester</b>		
AM108146	Spark Arrester Screen for Muffler	31.90

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL WALK-BEHIND MOWERS

---

**W36M Commercial Walk Behind Mower with Hydraulic Transaxle**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Striping Kits</b>	
	BUC10676	Striping Kit with Adjustable Rubber Flap <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	175.49
		<b>Weights</b>	
	BUC10052	Weight Kit	125.19

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL WALK-BEHIND MOWERS**

**W48M Commercial Walk Behind Mower with Hydraulic Transaxle  
Equipment for Base Machine**

ENGINE:  
14.5 HP\* (10.8 kW)  
Displacement (603cc, 36.8 cu. in)  
Vertical-Shaft, V-twin Air Cooled  
Full Pressure Lubrication System with Replaceable Oil Filter  
Recoil Start  
Dual Element Air Cleaner  
DRIVE SYSTEM:  
Integrated Hydro-Gear ZT2800 Transaxles  
0-6.5 mph (10.5 km/h) Forward  
0-3 mph (4.8 km/h) Reverse  
CONTROLS:  
Ergonomic Pistol Style Steering Controls  
(2) Independent Operator Presence Levers  
Spring loaded neutral locks

Handle Activated Internal Park Brake  
MOWER DECK:  
48 In. Commercial Side Discharge Floating Mower Deck  
10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements  
Aluminum Spindles  
1.5-4.5 In. Height of Cut with 7 Cutting Positions  
High Lift Blades  
FUEL SYSTEM:  
5.4 U.S. Gallon (20.4 L) Fuel Capacity  
TIRES:  
18x8.5-8 4-Ply Pneumatic Rear Tires  
9x3.5-4 Semi-Pneumatic Caster Tires  
ELECTRICAL:  
Electric PTO Clutch

Digital Hour Meter  
English/Spanish Operator's Safety Video and Labels  
ANSI Certified B71.4 for Safety  
\*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

2610TC		W48M Commercial Walk Behind Mower with Hydraulic Transaxle <i>Not available in California</i>	5,799.00
--------	--	--	----------

**DESTINATION**

001A		United States / Canada <i>Not Available in California.</i>	In Base Price
------	--	---	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Miscellaneous</b>			
B1MS32		Dual Wheel Sulky with 18 in. Arm <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	Price On Request
B1MS31		Single Wheel Sulky with 18 in. Arm <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	Price On Request
<b>Mulch Kits</b>			
BUC10043		48 in. (1219.2 mm) Mulch Kit	270.71
<b>Order Zone</b>			
LP68164		3.5 bu. Grass Catcher <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	430.00
LP70220		Utility Bags (12 pack)	15.99
<b>Spark Arrester</b>			
AM108146		Spark Arrester Screen for Muffler	31.90

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL WALK-BEHIND MOWERS

---

**W48M Commercial Walk Behind Mower with Hydraulic Transaxle**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Striping Kits</b>	
	BUC10676	Striping Kit with Adjustable Rubber Flap <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	175.49
		<b>Weights</b>	
	BUC10052	Weight Kit	125.19

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL WALK-BEHIND MOWERS**

**W36R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive  
Equipment for Base Machine**

ENGINE:  
14.5 HP\* (10.8 kW)  
Displacement (603cc, 36.8 cu. in)  
Vertical-Shaft, V-twin Air Cooled  
Full Pressure Lubrication System with Replaceable Oil Filter  
Electric Start  
Dual Element Air Cleaner  
DRIVE SYSTEM:  
Pumps, Hydro-Gear 10 cc Wheel Motor, Danfoss 12 cu in.  
Forward speed, 0-7.5 mph (12.1 km/h)  
Reverse speed, 0-3 mph (4.8 km/h)  
CONTROLS:  
Ergonomic Pistol Style Steering Controls  
(2) Independent Operator Presence Levers

Spring loaded neutral locks  
Handle Activated Internal Park Brake  
MOWER DECK:  
36 In. Commercial Side Discharge Floating Mower Deck  
10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements  
Aluminum Spindles  
1.5-4.5 In. Height of Cut with 7 Cutting Positions  
High Lift Blades  
FUEL SYSTEM:  
5.4 U.S. Gallon (20.4 L) Fuel Capacity  
TIRES:  
18x6.5-8 4-Ply Pneumatic Rear Tires  
9x3.5-4 Semi-Pneumatic Caster Tires  
ELECTRICAL:  
Battery 300 CCA

Electric PTO Clutch  
Digital Hour Meter  
English/Spanish Operator's Safety Video and Labels  
ANSI Certified B71.4 for Safety  
\*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

2620TC	W36R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive <i>Not Available in California</i>	6,799.00
--------	---	----------

**DESTINATION**

001A	United States / Canada <i>Not Available in California.</i>	In Base Price
------	---	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Miscellaneous</b>		
B1MS34	Dual Wheel Sulky with Latch <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	Price On Request
B1MS33	Single Wheel Sulky with Latch <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	Price On Request
<b>Mulch Kits</b>		
BUC10042	36 in. (914.4 mm) Mulch Kit	225.77
<b>Order Zone</b>		
LP68164	3.5 bu. Grass Catcher <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	430.00
LP70220	Utility Bags (12 pack)	15.99
<b>Spark Arrester</b>		
AM108146	Spark Arrester Screen for Muffler	31.90

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL WALK-BEHIND MOWERS

---

**W36R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Striping Kits</b>	
	BUC10676	Striping Kit with Adjustable Rubber Flap <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	175.49
		<b>Weights</b>	
	BUC10052	Weight Kit	125.19

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL WALK-BEHIND MOWERS**

**W48R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive  
Equipment for Base Machine**

ENGINE:  
18.5 HP\* (13.8 kW)  
Displacement (603cc, 36.8 cu. in)  
Vertical-Shaft, V-twin Air Cooled  
Full Pressure Lubrication System with Replaceable Oil Filter  
Electric Start  
Dual Element Air Cleaner  
DRIVE SYSTEM:  
Pumps, Hydro-Gear 10 cc  
Wheel Motor, Danfoss 12 cu in.  
Forward speed, 0-7.5 mph (12.1 km/h)  
Reverse speed, 0-3 mph (4.8 km/h)  
CONTROLS:  
Ergonomic Pistol Style Steering Controls  
(2) Independent Operator Presence Levers

Spring loaded neutral locks  
Handle Activated Internal Park Brake  
MOWER DECK:  
48 In. Commercial Side Discharge Floating Mower Deck  
10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements  
Aluminum Spindles  
1.5-4.5 In. Height of Cut with 7 Cutting Positions  
High Lift Blades  
FUEL SYSTEM:  
5.4 U.S. Gallon (20.4 L) Fuel Capacity  
TIRES:  
18x8.5-8 4-Ply Pneumatic Rear Tires  
9x3.5-4 Semi-Pneumatic Caster Tires  
ELECTRICAL:  
Battery 300 CCA

Electric PTO Clutch  
Digital Hour Meter  
English/Spanish Operator's Safety Video and Labels  
ANSI Certified B71.4 for Safety  
\*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

2630TC	W48R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive <i>Not Available in California</i>	7,599.00
--------	---	----------

**DESTINATION**

001A	United States / Canada <i>Not Available in California.</i>	In Base Price
------	---	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Miscellaneous</b>		
B1MS34	Dual Wheel Sulky with Latch <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	Price On Request
B1MS33	Single Wheel Sulky with Latch <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	Price On Request
<b>Mulch Kits</b>		
BUC10043	48 in. (1219.2 mm) Mulch Kit	270.71
<b>Order Zone</b>		
LP68164	3.5 bu. Grass Catcher <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	430.00
LP70220	Utility Bags (12 pack)	15.99
<b>Spark Arrester</b>		
AM108146	Spark Arrester Screen for Muffler	31.90

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL WALK-BEHIND MOWERS

---

**W48R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Striping Kits</b>	
	BUC10676	Striping Kit with Adjustable Rubber Flap <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	175.49
		<b>Weights</b>	
	BUC10052	Weight Kit	125.19

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL WALK-BEHIND MOWERS**

**W52R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive  
Equipment for Base Machine**

ENGINE:  
18.5 HP\* (13.8 kW)  
Displacement (603cc, 36.8 cu. in)  
Vertical-Shaft, V-twin Air Cooled  
Full Pressure Lubrication System with Replaceable Oil Filter  
Electric Start  
Dual Element Air Cleaner  
DRIVE SYSTEM:  
Pumps, Hydro-Gear 10 cc  
Wheel Motor, Danfoss 12 cu in.  
Forward speed, 0-7.5 mph (12.1 km/h)  
Reverse speed, 0-3 mph (4.8 km/h)  
CONTROLS:  
Ergonomic Pistol Style Steering Controls  
(2) Independent Operator Presence Levers

Spring loaded neutral locks  
Handle Activated Internal Park Brake  
MOWER DECK:  
52 In. Commercial Side Discharge Floating Mower Deck  
10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements  
Aluminum Spindles  
1.5-4.5 In. Height of Cut with 7 Cutting Positions  
High Lift Blades  
FUEL SYSTEM:  
5.4 U.S. Gallon (20.4 L) Fuel Capacity  
TIRES:  
18x8.5-8 4-Ply Pneumatic Rear Tires  
9x3.5-4 Semi-Pneumatic Caster Tires  
ELECTRICAL:  
Battery 300 CCA

Electric PTO Clutch  
Digital Hour Meter  
English/Spanish Operator's Safety Video and Labels  
ANSI Certified B71.4 for Safety  
\*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

2640TC	W52R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive <i>Not Available in California</i>	7,999.00
--------	---	----------

**DESTINATION**

001A	United States / Canada <i>Not Available in California.</i>	In Base Price
------	---	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>Miscellaneous</b>			
B1MS34		Dual Wheel Sulky with Latch <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	Price On Request
B1MS33		Single Wheel Sulky with Latch <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	Price On Request
<b>Mulch Kits</b>			
BUC10044		52 in. (1320.8 mm) Mulch Kit	344.54
<b>Order Zone</b>			
LP68164		3.5 bu. Grass Catcher <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	430.00
LP70220		Utility Bags (12 pack)	15.99
<b>Spark Arrester</b>			
AM108146		Spark Arrester Screen for Muffler	31.90

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL WALK-BEHIND MOWERS

---

**W52R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Striping Kits</b>	
	BUC10676	Striping Kit with Adjustable Rubber Flap <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	175.49
		<b>Weights</b>	
	BUC10052	Weight Kit	125.19

**JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL WALK-BEHIND MOWERS**

**W61R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive  
Equipment for Base Machine**

ENGINE:  
25 HP\* (18.6 kW)  
Displacement (747cc, 45.6 cu. in)  
Vertical-Shaft, V-twin Air Cooled  
Closed Loop Electronic Fuel Injection  
Full Pressure Lubrication System with Replaceable Oil Filter  
Electric Start  
Heavy Duty Canister Air Cleaner w/ Precleaner  
DRIVE SYSTEM:  
Pumps, Hydro-Gear 10 cc Wheel Motor, Danfoss 12 cu in. Forward speed, 0-7.5 mph (12.1 km/h)  
Reverse speed, 0-3 mph (4.8 km/h)  
CONTROLS:  
Ergonomic Pistol Style Steering Controls

(2) Independent Operator Presence Levers  
Spring loaded neutral locks  
Handle Activated Internal Park Brake  
MOWER DECK:  
61 In. Commercial Side Discharge Floating Mower Deck  
10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements  
Aluminum Spindles  
1.5-4.5 In. Height of Cut with 7 Cutting Positions  
High Lift Blades  
FUEL SYSTEM:  
5.4 U.S. Gallon (20.4 L) Fuel Capacity  
TIRES:  
18x8.5-8 4-Ply Pneumatic Rear Tires  
9x3.5-4 Semi-Pneumatic Caster Tires  
ELECTRICAL:

Battery 300 CCA  
Electric PTO Clutch  
Digital Hour Meter  
English/Spanish Operator's Safety Video and Labels  
ANSI Certified B71.4 for Safety  
\*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

2650TC	W61R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive <i>Not Available in California</i>		9,499.00
--------	---	--	----------

**DESTINATION**

001A	United States / Canada <i>Not Available in California.</i>		In Base Price
------	---	--	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Miscellaneous</b>		
B1MS34	Dual Wheel Sulky with Latch <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>		Price On Request
B1MS33	Single Wheel Sulky with Latch <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>		Price On Request
	<b>Mulch Kits</b>		
BUC10045	61 in. (1549.4 mm) Mulch Kit		354.17
	<b>Order Zone</b>		
LP70220	Utility Bags (12 pack)		15.99
	<b>Spark Arrester</b>		
AM108146	Spark Arrester Screen for Muffler		31.90

JOHN DEERE TURF & UTILITY PRODUCTS  
COMMERCIAL WALK-BEHIND MOWERS

---

**W61R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive**  
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
		<b>Striping Kits</b>	
	BUC10677	Striping Kit with Adjustable Rubber Flap <i>Compatible with 61 inch mower deck.</i>	209.71
		<b>Weights</b>	
	BUC10052	Weight Kit	125.19