

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2012**

TENNESSEE

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	1,803	14.9
NOT MARRIED	9,291	76.6
UNKNOWN	1,028	8.5
TOTAL	12,122	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	6,854	56.5
1	2,937	24.2
2	1,258	10.4
3	493	4.1
4+	302	2.5
UNKNOWN	278	2.3
TOTAL	12,122	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	4,604	38.0
7-8	3,571	29.5
9-10	1,733	14.3
11-12	1,139	9.4
13-14	561	4.6
15-16	169	1.4
17-20	32	0.3
UNKNOWN	313	2.6
TOTAL	12,122	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	12,019	1,489,864	8.1	5,376	1,129,200	4.8	6,294	360,664	17.5
10-14	57	206,543	0.3	26	153,376	0.2	28	53,167	0.5
15-17	438	121,665	3.6	194	89,041	2.2	233	32,624	7.1
18-19	962	83,615	11.5	439	61,305	7.2	492	22,310	22.1
20-24	4,174	226,889	18.4	1,815	168,535	10.8	2,243	58,354	38.4
25-29	3,123	212,715	14.7	1,408	162,096	8.7	1,619	50,619	32.0
30-34	1,975	213,221	9.3	860	162,370	5.3	1,058	50,851	20.8
35-39	980	203,576	4.8	456	157,825	2.9	500	45,751	10.9
40-44	310	221,640	1.4	178	174,652	1.0	121	46,988	2.6

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	12,019	80,100	150.0	5,376	60,729	88.5	6,294	18,754	335.6
10-14	57	89	640.4	26	52	500.0	28	37	756.8
15-17	438	2,117	206.9	194	1,403	138.3	233	704	331.0
18-19	962	5,772	166.7	439	3,995	109.9	492	1,755	280.3
20-24	4,174	23,153	180.3	1,815	16,466	110.2	2,243	6,497	345.2
25-29	3,123	23,139	135.0	1,408	18,207	77.3	1,619	4,758	340.3
30-34	1,975	17,373	113.7	860	13,948	61.7	1,058	3,274	323.2
35-39	980	6,991	140.2	456	5,537	82.4	500	1,401	356.9
40-44	310	1,466	211.5	178	1,121	158.8	121	328	368.9

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state. The total number of recorded induced terminations of pregnancy in Tennessee were 15,859.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2012**

EAST TENNESSEE

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	129	19.2
NOT MARRIED	519	77.2
UNKNOWN	24	3.6
TOTAL	672	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	451	67.1
1	148	22.0
2	42	6.3
3	10	1.5
4+	4	0.6
UNKNOWN	17	2.5
TOTAL	672	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	242	36.0
7-8	216	32.1
9-10	81	12.1
11-12	63	9.4
13-14	37	5.5
15-16	7	1.0
17-20	1	0.1
UNKNOWN	25	3.7
TOTAL	672	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	670	155,174	4.3	600	146,954	4.1	55	8,220	6.7
10-14	5	23,012	0.2	5	21,505	0.2	0	1,507	0.0
15-17	37	13,208	2.8	33	12,351	2.7	3	857	3.5
18-19	59	8,736	6.8	55	8,195	6.7	3	541	5.5
20-24	224	22,076	10.1	199	20,858	9.5	23	1,218	18.9
25-29	151	19,529	7.7	137	18,560	7.4	9	969	9.3
30-34	109	20,990	5.2	90	19,915	4.5	14	1,075	13.0
35-39	67	21,999	3.0	63	20,993	3.0	3	1,006	3.0
40-44	18	25,624	0.7	18	24,577	0.7	0	1,047	0.0

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	670	7,969	84.1	600	7,649	78.4	55	249	220.9
10-14	5	14	357.1	5	13	384.6	0	1	0.0
15-17	37	274	135.0	33	266	124.1	3	8	375.0
18-19	59	698	84.5	55	676	81.4	3	18	166.7
20-24	224	2,702	82.9	199	2,599	76.6	23	70	328.6
25-29	151	2,259	66.8	137	2,178	62.9	9	62	145.2
30-34	109	1,378	79.1	90	1,312	68.6	14	56	250.0
35-39	67	529	126.7	63	493	127.8	3	32	93.8
40-44	18	115	156.5	18	112	160.7	0	2	0.0

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2012**

NORTHEAST TN

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	19	15.2
NOT MARRIED	104	83.2
UNKNOWN	2	1.6
TOTAL	125	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	89	71.2
1	21	16.8
2	6	4.8
3	3	2.4
4+	2	1.6
UNKNOWN	4	3.2
TOTAL	125	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	43	34.4
7-8	34	27.2
9-10	18	14.4
11-12	9	7.2
13-14	10	8.0
15-16	3	2.4
17-20	2	1.6
UNKNOWN	6	4.8
TOTAL	125	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	124	74,759	1.7	107	70,790	1.5	16	3,969	4.0
10-14	0	10,156	0.0	0	9,513	0.0	0	643	0.0
15-17	5	6,141	0.8	5	5,741	0.9	0	400	0.0
18-19	11	4,279	2.6	11	3,997	2.8	0	282	0.0
20-24	47	11,749	4.0	39	10,982	3.6	8	767	10.4
25-29	29	10,061	2.9	24	9,560	2.5	5	501	10.0
30-34	10	9,887	1.0	9	9,418	1.0	0	469	0.0
35-39	17	10,537	1.6	14	10,125	1.4	3	412	7.3
40-44	5	11,949	0.4	5	11,454	0.4	0	495	0.0

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	124	3,460	35.8	107	3,291	32.5	16	142	112.7
10-14	0	2	0.0	0	2	0.0	0	0	-
15-17	5	101	49.5	5	98	51.0	0	3	0.0
18-19	11	309	35.6	11	303	36.3	0	6	0.0
20-24	47	1,043	45.1	39	1,000	39.0	8	37	216.2
25-29	29	1,003	28.9	24	945	25.4	5	44	113.6
30-34	10	668	15.0	9	628	14.3	0	35	0.0
35-39	17	275	61.8	14	259	54.1	3	14	214.3
40-44	5	59	84.7	5	56	89.3	0	3	0.0

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2012**

MID-CUMBERLAND

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	410	22.6
NOT MARRIED	1,126	62.0
UNKNOWN	279	15.4
TOTAL	1,815	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	1,085	59.8
1	389	21.4
2	155	8.5
3	64	3.5
4+	40	2.2
UNKNOWN	82	4.5
TOTAL	1,815	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	796	43.9
7-8	473	26.1
9-10	228	12.6
11-12	123	6.8
13-14	74	4.1
15-16	26	1.4
17-20	10	0.6
UNKNOWN	85	4.7
TOTAL	1,815	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	1,802	277,392	6.5	1,166	231,877	5.0	555	45,515	12.2
10-14	7	41,493	0.2	5	34,299	0.1	1	7,194	0.1
15-17	63	22,981	2.7	35	18,793	1.9	25	4,188	6.0
18-19	164	15,048	10.9	98	12,306	8.0	59	2,742	21.5
20-24	632	38,001	16.6	417	31,365	13.3	189	6,636	28.5
25-29	448	37,593	11.9	302	31,666	9.5	122	5,927	20.6
30-34	287	39,622	7.2	182	33,174	5.5	93	6,448	14.4
35-39	153	39,688	3.9	92	33,403	2.8	56	6,285	8.9
40-44	48	42,966	1.1	35	36,871	0.9	10	6,095	1.6

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	1,802	14,901	120.9	1,166	12,699	91.8	555	2,100	264.3
10-14	7	6	1,166.7	5	4	1,250.0	1	2	500.0
15-17	63	272	231.6	35	220	159.1	25	50	500.0
18-19	164	806	203.5	98	651	150.5	59	152	388.2
20-24	632	3,788	166.8	417	3,158	132.0	189	605	312.4
25-29	448	4,529	98.9	302	3,932	76.8	122	566	215.5
30-34	287	3,636	78.9	182	3,139	58.0	93	469	198.3
35-39	153	1,543	99.2	92	1,321	69.6	56	213	262.9
40-44	48	321	149.5	35	274	127.7	10	43	232.6

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2012**

SOUTH CENTRAL

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	86	21.6
NOT MARRIED	273	68.4
UNKNOWN	40	10.0
TOTAL	399	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	241	60.4
1	84	21.1
2	36	9.0
3	14	3.5
4+	7	1.8
UNKNOWN	17	4.3
TOTAL	399	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	149	37.3
7-8	94	23.6
9-10	55	13.8
11-12	31	7.8
13-14	20	5.0
15-16	15	3.8
17-20	4	1.0
UNKNOWN	31	7.8
TOTAL	399	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	392	82,088	4.8	315	73,894	4.3	71	8,194	8.7
10-14	5	12,646	0.4	4	11,197	0.4	0	1,449	0.0
15-17	19	6,733	2.8	16	5,922	2.7	2	811	2.5
18-19	39	4,427	8.8	35	3,912	8.9	4	515	7.8
20-24	126	11,647	10.8	98	10,441	9.4	26	1,206	21.6
25-29	85	10,990	7.7	64	9,900	6.5	20	1,090	18.3
30-34	66	11,644	5.7	55	10,600	5.2	10	1,044	9.6
35-39	39	11,430	3.4	31	10,433	3.0	8	997	8.0
40-44	13	12,571	1.0	12	11,489	1.0	1	1,082	0.9

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	392	4,617	84.9	315	4,148	75.9	71	330	215.2
10-14	5	6	833.3	4	5	800.0	0	1	0.0
15-17	19	132	143.9	16	115	139.1	2	15	133.3
18-19	39	358	108.9	35	333	105.1	4	23	173.9
20-24	126	1,523	82.7	98	1,366	71.7	26	130	200.0
25-29	85	1,375	61.8	64	1,243	51.5	20	89	224.7
30-34	66	833	79.2	55	740	74.3	10	46	217.4
35-39	39	320	121.9	31	288	107.6	8	19	421.1
40-44	13	70	185.7	12	58	206.9	1	7	142.9

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2012**

SOUTHEAST

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	43	19.9
NOT MARRIED	163	75.5
UNKNOWN	10	4.6
TOTAL	216	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	150	69.4
1	48	22.2
2	10	4.6
3	5	2.3
4+	1	0.5
UNKNOWN	2	0.9
TOTAL	216	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	81	37.5
7-8	69	31.9
9-10	24	11.1
11-12	16	7.4
13-14	13	6.0
15-16	3	1.4
17-20	0	0.0
UNKNOWN	10	4.6
TOTAL	216	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	214	70,178	3.0	191	65,507	2.9	19	4,671	4.1
10-14	1	10,494	0.1	1	9,665	0.1	0	829	0.0
15-17	8	6,126	1.3	6	5,643	1.1	2	483	4.1
18-19	14	4,131	3.4	14	3,815	3.7	0	316	0.0
20-24	79	10,807	7.3	71	10,042	7.1	6	765	7.8
25-29	55	8,546	6.4	50	7,989	6.3	4	557	7.2
30-34	35	9,457	3.7	29	8,875	3.3	5	582	8.6
35-39	16	9,892	1.6	14	9,316	1.5	2	576	3.5
40-44	6	10,725	0.6	6	10,162	0.6	0	563	0.0

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	214	3,410	62.8	191	3,245	58.9	19	154	123.4
10-14	1	3	333.3	1	3	333.3	0	0	-
15-17	8	106	75.5	6	105	57.1	2	1	2,000.0
18-19	14	335	41.8	14	318	44.0	0	16	0.0
20-24	79	1,175	67.2	71	1,127	63.0	6	45	133.3
25-29	55	920	59.8	50	882	56.7	4	38	105.3
30-34	35	607	57.7	29	563	51.5	5	39	128.2
35-39	16	217	73.7	14	203	69.0	2	14	142.9
40-44	6	47	127.7	6	44	136.4	0	1	0.0

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2012**

UPPER CUMBERLAND

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	46	19.2
NOT MARRIED	168	70.3
UNKNOWN	25	10.5
TOTAL	239	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	159	66.5
1	57	23.8
2	9	3.8
3	5	2.1
4+	5	2.1
UNKNOWN	4	1.7
TOTAL	239	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	93	38.9
7-8	68	28.5
9-10	32	13.4
11-12	17	7.1
13-14	17	7.1
15-16	3	1.3
17-20	3	1.3
UNKNOWN	6	2.5
TOTAL	239	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	238	70,621	3.4	219	67,740	3.2	11	2,881	3.8
10-14	3	10,351	0.3	3	9,825	0.3	0	526	0.0
15-17	15	6,048	2.5	14	5,752	2.4	1	296	3.4
18-19	22	4,136	5.3	20	3,945	5.1	1	191	5.2
20-24	82	11,119	7.4	73	10,676	6.8	6	443	13.5
25-29	62	9,044	6.9	59	8,662	6.8	2	382	5.2
30-34	25	9,386	2.7	23	9,032	2.5	0	354	0.0
35-39	19	9,661	2.0	18	9,282	1.9	1	379	2.6
40-44	10	10,876	0.9	9	10,566	0.9	0	310	0.0

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	238	3,820	62.3	219	3,731	58.7	11	80	137.5
10-14	3	4	750.0	3	4	750.0	0	0	-
15-17	15	120	125.0	14	118	118.6	1	2	500.0
18-19	22	343	64.1	20	337	59.3	1	6	166.7
20-24	82	1,282	64.0	73	1,245	58.6	6	32	187.5
25-29	62	1,112	55.8	59	1,098	53.7	2	13	153.8
30-34	25	641	39.0	23	624	36.9	0	14	0.0
35-39	19	263	72.2	18	253	71.1	1	10	100.0
40-44	10	55	181.8	9	52	173.1	0	3	0.0

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2012**

NORTHWEST

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	48	18.6
NOT MARRIED	198	76.7
UNKNOWN	12	4.7
TOTAL	258	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	170	65.9
1	52	20.2
2	24	9.3
3	6	2.3
4+	4	1.6
UNKNOWN	2	0.8
TOTAL	258	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	114	44.2
7-8	59	22.9
9-10	43	16.7
11-12	24	9.3
13-14	14	5.4
15-16	1	0.4
17-20	0	0.0
UNKNOWN	3	1.2
TOTAL	258	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	258	54,202	4.8	185	45,435	4.1	68	8,767	7.8
10-14	2	8,162	0.2	2	6,767	0.3	0	1,395	0.0
15-17	17	4,858	3.5	11	3,939	2.8	5	919	5.4
18-19	17	3,266	5.2	10	2,648	3.8	5	618	8.1
20-24	89	8,390	10.6	65	6,894	9.4	22	1,496	14.7
25-29	67	6,853	9.8	52	5,810	9.0	15	1,043	14.4
30-34	39	7,282	5.4	21	6,192	3.4	18	1,090	16.5
35-39	20	7,246	2.8	17	6,179	2.8	3	1,067	2.8
40-44	7	8,145	0.9	7	7,006	1.0	0	1,139	0.0

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	258	2,890	89.3	185	2,426	76.3	68	423	160.8
10-14	2	8	250.0	2	5	400.0	0	3	0.0
15-17	17	108	157.4	11	90	122.2	5	18	277.8
18-19	17	260	65.4	10	211	47.4	5	49	102.0
20-24	89	990	89.9	65	820	79.3	22	157	140.1
25-29	67	829	80.8	52	720	72.2	15	97	154.6
30-34	39	484	80.6	21	404	52.0	18	67	268.7
35-39	20	176	113.6	17	150	113.3	3	24	125.0
40-44	7	35	200.0	7	26	269.2	0	8	0.0

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2012**

SOUTHWEST

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	59	15.8
NOT MARRIED	308	82.4
UNKNOWN	7	1.9
TOTAL	374	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	225	60.2
1	93	24.9
2	32	8.6
3	15	4.0
4+	6	1.6
UNKNOWN	3	0.8
TOTAL	374	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	155	41.4
7-8	116	31.0
9-10	60	16.0
11-12	30	8.0
13-14	9	2.4
15-16	1	0.3
17-20	1	0.3
UNKNOWN	2	0.5
TOTAL	374	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	373	60,161	6.2	186	45,118	4.1	185	15,043	12.3
10-14	1	9,385	0.1	1	6,827	0.1	0	2,558	0.0
15-17	13	5,406	2.4	7	3,939	1.8	6	1,467	4.1
18-19	37	3,501	10.6	23	2,564	9.0	14	937	14.9
20-24	126	8,381	15.0	61	6,208	9.8	64	2,173	29.5
25-29	99	7,435	13.3	48	5,600	8.6	51	1,835	27.8
30-34	58	8,490	6.8	23	6,334	3.6	34	2,156	15.8
35-39	31	8,322	3.7	17	6,450	2.6	14	1,872	7.5
40-44	8	9,241	0.9	6	7,196	0.8	2	2,045	1.0

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	373	3,131	119.1	186	2,344	79.4	185	740	250.0
10-14	1	4	250.0	1	2	500.0	0	2	0.0
15-17	13	90	144.4	7	62	112.9	6	25	240.0
18-19	37	266	139.1	23	181	127.1	14	85	164.7
20-24	126	1,064	118.4	61	762	80.1	64	293	218.4
25-29	99	902	109.8	48	689	69.7	51	194	262.9
30-34	58	582	99.7	23	474	48.5	34	98	346.9
35-39	31	191	162.3	17	148	114.9	14	37	378.4
40-44	8	32	250.0	6	26	230.8	2	6	333.3

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2012**

SHELBY

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	401	9.0
NOT MARRIED	3,942	88.6
UNKNOWN	107	2.4
TOTAL	4,450	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	2,231	50.1
1	1,190	26.7
2	619	13.9
3	236	5.3
4+	146	3.3
UNKNOWN	28	0.6
TOTAL	4,450	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	1,446	32.5
7-8	1,441	32.4
9-10	751	16.9
11-12	553	12.4
13-14	194	4.4
15-16	50	1.1
17-20	1	0.0
UNKNOWN	14	0.3
TOTAL	4,450	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	4,418	236,153	18.7	712	87,348	8.2	3,650	148,805	24.5
10-14	19	33,226	0.6	2	11,437	0.2	17	21,789	0.8
15-17	152	20,186	7.5	13	6,829	1.9	137	13,357	10.3
18-19	335	13,788	24.3	54	4,674	11.6	275	9,114	30.2
20-24	1,510	36,223	41.7	222	12,466	17.8	1,276	23,757	53.7
25-29	1,192	34,817	34.2	205	13,922	14.7	965	20,895	46.2
30-34	772	33,929	22.8	138	13,051	10.6	626	20,878	30.0
35-39	345	30,885	11.2	54	11,847	4.6	288	19,038	15.1
40-44	93	33,099	2.8	24	13,122	1.8	66	19,977	3.3

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	4,418	13,879	318.3	712	4,958	143.6	3,650	8,805	414.5
10-14	19	24	791.7	2	4	500.0	17	20	850.0
15-17	152	457	332.6	13	73	178.1	137	381	359.6
18-19	335	1,142	293.3	54	204	264.7	275	928	296.3
20-24	1,510	4,211	358.6	222	929	239.0	1,276	3,229	395.2
25-29	1,192	3,728	319.7	205	1,543	132.9	965	2,163	446.1
30-34	772	2,879	268.1	138	1,469	93.9	626	1,390	450.4
35-39	345	1,184	291.4	54	622	86.8	288	556	518.0
40-44	93	254	366.1	24	114	210.5	66	138	478.3

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2012**

DAVIDSON

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	360	16.1
NOT MARRIED	1,408	63.0
UNKNOWN	467	20.9
TOTAL	2,235	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	1,212	54.2
1	525	23.5
2	223	10.0
3	111	5.0
4+	69	3.1
UNKNOWN	95	4.3
TOTAL	2,235	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	993	44.4
7-8	575	25.7
9-10	277	12.4
11-12	161	7.2
13-14	103	4.6
15-16	36	1.6
17-20	10	0.4
UNKNOWN	80	3.6
TOTAL	2,235	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	2,202	169,217	13.0	846	105,302	8.0	1,215	63,915	19.0
10-14	8	17,251	0.5	0	9,102	0.0	7	8,149	0.9
15-17	60	10,596	5.7	23	5,456	4.2	35	5,140	6.8
18-19	152	8,212	18.5	52	4,509	11.5	86	3,703	23.2
20-24	760	27,341	27.8	269	16,657	16.1	438	10,684	41.0
25-29	612	33,601	18.2	249	22,947	10.9	333	10,654	31.3
30-34	366	28,706	12.7	150	18,886	7.9	192	9,820	19.6
35-39	172	22,220	7.7	70	14,283	4.9	89	7,937	11.2
40-44	72	21,290	3.4	33	13,462	2.5	35	7,828	4.5

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	2,202	9,706	226.9	846	6,402	132.1	1,215	3,281	370.3
10-14	8	7	1,142.9	0	2	0.0	7	5	1,400.0
15-17	60	167	359.3	23	76	302.6	35	91	384.6
18-19	152	464	327.6	52	221	235.3	86	243	353.9
20-24	760	2,192	346.7	269	1,159	232.1	438	1,027	426.5
25-29	612	2,812	217.6	249	1,928	129.1	333	878	379.3
30-34	366	2,726	134.3	150	2,063	72.7	192	657	292.2
35-39	172	1,098	156.6	70	790	88.6	89	304	292.8
40-44	72	240	300.0	33	163	202.5	35	76	460.5

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2012**

KNOX

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	132	16.4
NOT MARRIED	643	79.8
UNKNOWN	31	3.8
TOTAL	806	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	512	63.5
1	197	24.4
2	62	7.7
3	14	1.7
4+	7	0.9
UNKNOWN	14	1.7
TOTAL	806	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	306	38.0
7-8	270	33.5
9-10	98	12.2
11-12	55	6.8
13-14	38	4.7
15-16	14	1.7
17-20	0	0.0
UNKNOWN	25	3.1
TOTAL	806	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	799	105,916	7.5	577	89,642	6.4	199	16,274	12.2
10-14	3	12,792	0.2	2	10,532	0.2	1	2,260	0.4
15-17	28	8,301	3.4	20	6,843	2.9	7	1,458	4.8
18-19	58	6,296	9.2	38	5,230	7.3	20	1,066	18.8
20-24	283	19,749	14.3	200	16,616	12.0	72	3,133	23.0
25-29	204	15,318	13.3	152	13,148	11.6	44	2,170	20.3
30-34	128	14,978	8.5	98	12,750	7.7	29	2,228	13.0
35-39	76	13,748	5.5	52	11,709	4.4	22	2,039	10.8
40-44	19	14,734	1.3	15	12,814	1.2	4	1,920	2.1

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	799	5,273	151.5	577	4,559	126.6	199	701	283.9
10-14	3	4	750.0	2	4	500.0	1	0	-
15-17	28	104	269.2	20	74	270.3	7	30	233.3
18-19	58	265	218.9	38	198	191.9	20	66	303.0
20-24	283	1,216	232.7	200	998	200.4	72	215	334.9
25-29	204	1,610	126.7	152	1,433	106.1	44	174	252.9
30-34	128	1,405	91.1	98	1,264	77.5	29	138	210.1
35-39	76	557	136.4	52	490	106.1	22	64	343.8
40-44	19	112	169.6	15	98	153.1	4	14	285.7

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2012**

HAMILTON

MARITAL STATUS		
	FREQ	PCNT
MARRIED	44	14.3
NOT MARRIED	245	79.8
UNKNOWN	18	5.9
TOTAL	307	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	192	62.5
1	73	23.8
2	22	7.2
3	4	1.3
4+	7	2.3
UNKNOWN	9	2.9
TOTAL	307	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	109	35.5
7-8	86	28.0
9-10	32	10.4
11-12	32	10.4
13-14	18	5.9
15-16	8	2.6
17-20	0	0.0
UNKNOWN	22	7.2
TOTAL	307	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	303	78,718	3.8	190	56,809	3.3	106	21,909	4.8
10-14	0	9,854	0.0	0	6,789	0.0	0	3,065	0.0
15-17	11	6,317	1.7	5	4,307	1.2	6	2,010	3.0
18-19	31	4,525	6.9	20	3,110	6.4	11	1,415	7.8
20-24	123	12,806	9.6	76	8,995	8.4	45	3,811	11.8
25-29	71	11,734	6.1	48	8,692	5.5	19	3,042	6.2
30-34	49	11,381	4.3	30	8,312	3.6	18	3,069	5.9
35-39	12	10,466	1.1	7	7,860	0.9	5	2,606	1.9
40-44	6	11,635	0.5	4	8,744	0.5	2	2,891	0.7

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	303	4,165	72.7	190	3,042	62.5	106	1,119	94.7
10-14	0	2	0.0	0	1	0.0	0	1	0.0
15-17	11	107	102.8	5	54	92.6	6	53	113.2
18-19	31	271	114.4	20	172	116.3	11	99	111.1
20-24	123	1,076	114.3	76	675	112.6	45	400	112.5
25-29	71	1,220	58.2	48	941	51.0	19	279	68.1
30-34	49	973	50.4	30	778	38.6	18	194	92.8
35-39	12	429	28.0	7	352	19.9	5	76	65.8
40-44	6	87	69.0	4	69	58.0	2	17	117.6

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2012**

MADISON

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	22	11.3
NOT MARRIED	169	86.7
UNKNOWN	4	2.1
TOTAL	195	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	118	60.5
1	54	27.7
2	15	7.7
3	4	2.1
4+	3	1.5
UNKNOWN	1	0.5
TOTAL	195	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	67	34.4
7-8	62	31.8
9-10	31	15.9
11-12	19	9.7
13-14	10	5.1
15-16	2	1.0
17-20	0	0.0
UNKNOWN	4	2.1
TOTAL	195	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	195	23531	8.3	54	12,593	4.3	141	10,938	12.9
10-14	2	3087	0.6	0	1,566	0.0	2	1,521	1.3
15-17	9	2158	4.2	5	1,083	4.6	4	1,075	3.7
18-19	21	1544	13.6	8	780	10.3	13	764	17.0
20-24	84	4164	20.2	17	2,154	7.9	67	2,010	33.3
25-29	39	3195	12.2	9	1,839	4.9	30	1,356	22.1
30-34	25	3160	7.9	7	1,719	4.1	18	1,441	12.5
35-39	10	2963	3.4	4	1,594	2.5	6	1,369	4.4
40-44	5	3260	1.5	4	1,858	2.2	1	1,402	0.7

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	195	1,290	151.2	54	714	75.6	141	573	246.1
10-14	2	2	1,000.0	0	0	-	2	2	1,000.0
15-17	9	32	281.3	5	7	714.3	4	25	160.0
18-19	21	106	198.1	8	45	177.8	13	60	216.7
20-24	84	415	202.4	17	175	97.1	67	238	281.5
25-29	39	383	101.8	9	239	37.7	30	144	208.3
30-34	25	234	106.8	7	171	40.9	18	63	285.7
35-39	10	104	96.2	4	70	57.1	6	34	176.5
40-44	5	14	357.1	4	7	571.4	1	7	142.9

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2012**

SULLIVAN

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	4	12.9
NOT MARRIED	25	80.6
UNKNOWN	2	6.5
TOTAL	31	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	19	61.3
1	6	19.4
2	3	9.7
3	2	6.5
4+	1	3.2
UNKNOWN	0	0.0
TOTAL	31	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	10	32.3
7-8	8	25.8
9-10	3	9.7
11-12	6	19.4
13-14	4	12.9
15-16	0	0.0
17-20	0	0.0
UNKNOWN	0	0.0
TOTAL	31	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	31	31,754	1.0	28	30,191	0.9	3	1,563	1.9
10-14	1	4,634	0.2	1	4,352	0.2	0	282	0.0
15-17	1	2,606	0.4	1	2,443	0.4	0	163	0.0
18-19	2	1,726	1.2	1	1,620	0.6	1	106	9.4
20-24	9	4,436	2.0	8	4,181	1.9	1	255	3.9
25-29	9	3,999	2.3	9	3,801	2.4	0	198	0.0
30-34	6	4,309	1.4	5	4,112	1.2	1	197	5.1
35-39	3	4,519	0.7	3	4,351	0.7	0	168	0.0
40-44	0	5,525	0.0	0	5,331	0.0	0	194	0.0

*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	31	1,589	19.5	28	1,521	18.4	3	57	52.6
10-14	1	3	333.3	1	3	333.3	0	0	-
15-17	1	47	21.3	1	45	22.2	0	2	0.0
18-19	2	149	13.4	1	145	6.9	1	4	250.0
20-24	9	476	18.9	8	453	17.7	1	19	52.6
25-29	9	457	19.7	9	436	20.6	0	17	0.0
30-34	6	327	18.3	5	319	15.7	1	8	125.0
35-39	3	105	28.6	3	98	30.6	0	4	0.0
40-44	0	25	0.0	0	22	0.0	0	3	0.0

**Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.