

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2013**

**TENNESSEE**

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	1,532	13.8
NOT MARRIED	8,943	80.3
UNKNOWN	659	5.9
TOTAL	11,134	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	6,310	56.7
1	2,770	24.9
2	1,047	9.4
3	415	3.7
4+	276	2.5
UNKNOWN	316	2.8
TOTAL	11,134	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	4,083	36.7
7-8	3,461	31.1
9-10	1,636	14.7
11-12	1,038	9.3
13-14	540	4.9
15-16	132	1.2
17-20	35	0.3
UNKNOWN	209	1.9
TOTAL	11,134	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	10,906	1,493,977	7.3	5,045	1,130,564	4.5	5,497	363,413	15.1
10-14	46	206,805	0.2	19	153,624	0.1	25	53,181	0.5
15-17	338	121,107	2.8	161	89,023	1.8	170	32,084	5.3
18-19	823	83,533	9.9	426	61,391	6.9	371	22,142	16.8
20-24	3,696	229,461	16.1	1,711	169,595	10.1	1,860	59,866	31.1
25-29	2,913	212,690	13.7	1,297	161,325	8.0	1,515	51,365	29.5
30-34	1,851	215,051	8.6	845	163,743	5.2	948	51,308	18.5
35-39	892	203,127	4.4	403	157,085	2.6	455	46,042	9.9
40-44	347	222,203	1.6	183	174,778	1.0	153	47,425	3.2

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	10,906	79,875	136.5	5,045	60,892	82.9	5,497	18,921	290.5
10-14	46	88	522.7	19	43	441.9	25	45	555.6
15-17	338	1,855	182.2	161	1,216	132.4	170	637	266.9
18-19	823	5,246	156.9	426	3,668	116.1	371	1,575	235.6
20-24	3,696	22,544	163.9	1,711	16,086	106.4	1,860	6,445	288.6
25-29	2,913	23,435	124.3	1,297	18,406	70.5	1,515	5,019	301.9
30-34	1,851	18,051	102.5	845	14,550	58.1	948	3,483	272.2
35-39	892	7,147	124.8	403	5,755	70.0	455	1,382	329.2
40-44	347	1,509	230.0	183	1,168	156.7	153	335	456.7

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state. The total number of recorded induced terminations of pregnancy in Tennessee was 14,216.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2013**

**EAST TENNESSEE**

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	142	20.5
NOT MARRIED	532	76.7
UNKNOWN	20	2.9
TOTAL	694	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	466	67.1
1	165	23.8
2	41	5.9
3	5	0.7
4+	8	1.2
UNKNOWN	9	1.3
TOTAL	694	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	252	36.3
7-8	222	32.0
9-10	85	12.2
11-12	75	10.8
13-14	41	5.9
15-16	4	0.6
17-20	0	0.0
UNKNOWN	15	2.2
TOTAL	694	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	692	154,540	4.5	612	146,119	4.2	70	8,421	8.3
10-14	7	22,925	0.3	7	21,337	0.3	0	1,588	0.0
15-17	24	13,034	1.8	23	12,186	1.9	0	848	0.0
18-19	64	8,634	7.4	57	8,105	7.0	7	529	13.2
20-24	230	22,066	10.4	209	20,820	10.0	18	1,246	14.4
25-29	179	19,804	9.0	159	18,796	8.5	19	1,008	18.8
30-34	117	20,823	5.6	95	19,673	4.8	19	1,150	16.5
35-39	44	21,706	2.0	36	20,709	1.7	7	997	7.0
40-44	27	25,548	1.1	26	24,493	1.1	0	1,055	0.0

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	692	7,894	87.7	612	7,638	80.1	70	250	280.0
10-14	7	6	1,166.7	7	6	1,166.7	0	0	-
15-17	24	217	110.6	23	209	110.0	0	7	0.0
18-19	64	694	92.2	57	673	84.7	7	20	350.0
20-24	230	2,619	87.8	209	2,554	81.8	18	64	281.3
25-29	179	2,265	79.0	159	2,194	72.5	19	71	267.6
30-34	117	1,412	82.9	95	1,348	70.5	19	61	311.5
35-39	44	562	78.3	36	542	66.4	7	20	350.0
40-44	27	119	226.9	26	112	232.1	0	7	0.0

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2013**

**NORTHEAST TN**

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	20	16.3
NOT MARRIED	101	82.1
UNKNOWN	2	1.6
TOTAL	123	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	86	69.9
1	24	19.5
2	8	6.5
3	0	0.0
4+	3	2.4
UNKNOWN	2	1.6
TOTAL	123	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	37	30.1
7-8	39	31.7
9-10	19	15.4
11-12	11	8.9
13-14	12	9.8
15-16	1	0.8
17-20	1	0.8
UNKNOWN	3	2.4
TOTAL	123	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	122	74,585	1.6	113	70,451	1.6	8	4,134	1.9
10-14	0	10,059	0.0	0	9,390	0.0	0	669	0.0
15-17	7	6,186	1.1	7	5,763	1.2	0	423	0.0
18-19	15	4,380	3.4	14	4,073	3.4	1	307	3.3
20-24	41	12,375	3.3	40	11,472	3.5	0	903	0.0
25-29	27	9,698	2.8	25	9,224	2.7	2	474	4.2
30-34	18	9,796	1.8	15	9,337	1.6	3	459	6.5
35-39	9	10,112	0.9	7	9,675	0.7	2	437	4.6
40-44	5	11,979	0.4	5	11,517	0.4	0	462	0.0

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	122	3,363	36.3	113	3,220	35.1	8	142	56.3
10-14	0	3	0.0	0	2	0.0	0	1	0.0
15-17	7	78	89.7	7	78	89.7	0	0	-
18-19	15	241	62.2	14	233	60.1	1	8	125.0
20-24	41	1,035	39.6	40	997	40.1	0	38	0.0
25-29	27	1,010	26.7	25	970	25.8	2	40	50.0
30-34	18	672	26.8	15	633	23.7	3	38	78.9
35-39	9	275	32.7	7	259	27.0	2	16	125.0
40-44	5	49	102.0	5	48	104.2	0	1	0.0

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2013**

**MID-CUMBERLAND**

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	343	19.6
NOT MARRIED	1,275	73.0
UNKNOWN	128	7.3
TOTAL	1,746	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	1,065	61.0
1	400	22.9
2	147	8.4
3	57	3.3
4+	41	2.3
UNKNOWN	36	2.1
TOTAL	1,746	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	734	42.0
7-8	513	29.4
9-10	205	11.7
11-12	127	7.3
13-14	70	4.0
15-16	34	1.9
17-20	10	0.6
UNKNOWN	53	3.0
TOTAL	1,746	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	1,719	280,977	6.1	1,117	233,915	4.8	506	47,062	10.8
10-14	4	42,474	0.1	1	34,920	0.0	2	7,554	0.3
15-17	61	23,459	2.6	42	19,152	2.2	16	4,307	3.7
18-19	159	15,482	10.3	110	12,612	8.7	40	2,870	13.9
20-24	622	39,990	15.6	396	32,558	12.2	188	7,432	25.3
25-29	366	36,411	10.1	245	30,725	8.0	102	5,686	17.9
30-34	299	40,180	7.4	194	33,593	5.8	90	6,587	13.7
35-39	148	39,555	3.7	91	33,173	2.7	50	6,382	7.8
40-44	60	43,426	1.4	38	37,182	1.0	18	6,244	2.9

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	1,719	14,827	115.9	1,117	12,770	87.5	506	2,046	247.3
10-14	4	4	1,000.0	1	3	333.3	2	1	2,000.0
15-17	61	232	262.9	42	189	222.2	16	43	372.1
18-19	159	718	221.4	110	608	180.9	40	110	363.6
20-24	622	3,617	172.0	396	3,053	129.7	188	561	335.1
25-29	366	4,503	81.3	245	3,909	62.7	102	591	172.6
30-34	299	3,881	77.0	194	3,398	57.1	90	481	187.1
35-39	148	1,544	95.9	91	1,330	68.4	50	213	234.7
40-44	60	328	182.9	38	280	135.7	18	46	391.3

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2013**

**SOUTH CENTRAL**

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	68	16.5
NOT MARRIED	320	77.9
UNKNOWN	23	5.6
TOTAL	411	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	263	64.0
1	90	21.9
2	32	7.8
3	11	2.7
4+	8	1.9
UNKNOWN	7	1.7
TOTAL	411	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	171	41.6
7-8	125	30.4
9-10	46	11.2
11-12	29	7.1
13-14	16	3.9
15-16	8	1.9
17-20	3	0.7
UNKNOWN	13	3.2
TOTAL	411	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	405	82,341	4.9	314	73,935	4.2	77	8,406	9.2
10-14	1	12,578	0.1	0	11,147	0.0	0	1,431	0.0
15-17	15	6,796	2.2	11	5,928	1.9	3	868	3.5
18-19	47	4,465	10.5	38	3,917	9.7	6	548	10.9
20-24	112	11,615	9.6	90	10,413	8.6	19	1,202	15.8
25-29	111	11,144	10.0	82	9,990	8.2	26	1,154	22.5
30-34	65	11,620	5.6	50	10,523	4.8	14	1,097	12.8
35-39	40	11,561	3.5	31	10,515	2.9	7	1,046	6.7
40-44	14	12,562	1.1	12	11,502	1.0	2	1,060	1.9

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	405	4,559	88.8	314	4,225	74.3	77	329	234.0
10-14	1	4	250.0	0	3	0.0	0	1	0.0
15-17	15	98	153.1	11	88	125.0	3	10	300.0
18-19	47	358	131.3	38	328	115.9	6	30	200.0
20-24	112	1,517	73.8	90	1,410	63.8	19	107	177.6
25-29	111	1,340	82.8	82	1,237	66.3	26	102	254.9
30-34	65	873	74.5	50	812	61.6	14	58	241.4
35-39	40	308	129.9	31	287	108.0	7	20	350.0
40-44	14	61	229.5	12	60	200.0	2	1	2,000.0

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2013**

**SOUTHEAST**

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	44	23.2
NOT MARRIED	141	74.2
UNKNOWN	5	2.6
TOTAL	190	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	134	70.5
1	37	19.5
2	16	8.4
3	1	0.5
4+	0	0.0
UNKNOWN	2	1.1
TOTAL	190	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	74	38.9
7-8	59	31.1
9-10	23	12.1
11-12	14	7.4
13-14	12	6.3
15-16	3	1.6
17-20	1	0.5
UNKNOWN	4	2.1
TOTAL	190	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	189	70,204	2.7	163	65,365	2.5	21	4,839	4.3
10-14	3	10,460	0.3	2	9,585	0.2	1	875	1.1
15-17	6	6,158	1.0	6	5,673	1.1	0	485	0.0
18-19	18	4,152	4.3	17	3,836	4.4	1	316	3.2
20-24	55	10,823	5.1	50	10,033	5.0	3	790	3.8
25-29	51	8,694	5.9	42	8,111	5.2	8	583	13.7
30-34	39	9,403	4.1	33	8,791	3.8	5	612	8.2
35-39	12	9,666	1.2	9	9,106	1.0	2	560	3.6
40-44	5	10,848	0.5	4	10,230	0.4	1	618	1.6

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	189	3,705	51.0	163	3,525	46.2	21	180	116.7
10-14	3	4	750.0	2	4	500.0	1	0	-
15-17	6	95	63.2	6	92	65.2	0	3	0.0
18-19	18	310	58.1	17	293	58.0	1	17	58.8
20-24	55	1,253	43.9	50	1,195	41.8	3	58	51.7
25-29	51	1,084	47.0	42	1,031	40.7	8	53	150.9
30-34	39	657	59.4	33	625	52.8	5	32	156.3
35-39	12	242	49.6	9	229	39.3	2	13	153.8
40-44	5	60	83.3	4	56	71.4	1	4	250.0

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2013**

**UPPER CUMBERLAND**

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	44	17.1
NOT MARRIED	198	77.0
UNKNOWN	15	5.8
TOTAL	257	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	180	70.0
1	46	17.9
2	16	6.2
3	6	2.3
4+	2	0.8
UNKNOWN	7	2.7
TOTAL	257	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	92	35.8
7-8	79	30.7
9-10	34	13.2
11-12	17	6.6
13-14	23	8.9
15-16	4	1.6
17-20	1	0.4
UNKNOWN	7	2.7
TOTAL	257	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	255	70,382	3.6	227	67,376	3.4	17	3,006	5.7
10-14	2	10,292	0.2	2	9,688	0.2	0	604	0.0
15-17	9	6,029	1.5	9	5,722	1.6	0	307	0.0
18-19	23	4,139	5.6	22	3,946	5.6	0	193	0.0
20-24	97	11,217	8.6	83	10,763	7.7	10	454	22.0
25-29	51	8,998	5.7	46	8,628	5.3	2	370	5.4
30-34	35	9,374	3.7	33	9,000	3.7	1	374	2.7
35-39	30	9,558	3.1	24	9,201	2.6	4	357	11.2
40-44	8	10,775	0.7	8	10,428	0.8	0	347	0.0

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	255	3,797	67.2	227	3,695	61.4	17	101	168.3
10-14	2	4	500.0	2	4	500.0	0	0	-
15-17	9	113	79.6	9	111	81.1	0	2	0.0
18-19	23	335	68.7	22	326	67.5	0	9	0.0
20-24	97	1,282	75.7	83	1,249	66.5	10	33	303.0
25-29	51	1,089	46.8	46	1,059	43.4	2	30	66.7
30-34	35	681	51.4	33	657	50.2	1	23	43.5
35-39	30	222	135.1	24	218	110.1	4	4	1,000.0
40-44	8	71	112.7	8	71	112.7	0	0	-

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2013**

**NORTHWEST**

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	25	11.4
NOT MARRIED	181	82.6
UNKNOWN	13	5.9
TOTAL	219	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	144	65.8
1	46	21.0
2	21	9.6
3	3	1.4
4+	2	0.9
UNKNOWN	3	1.4
TOTAL	219	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	72	32.9
7-8	73	33.3
9-10	38	17.4
11-12	25	11.4
13-14	10	4.6
15-16	1	0.5
17-20	0	0.0
UNKNOWN	0	0.0
TOTAL	219	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	213	53,741	4.0	135	45,056	3.0	72	8,685	8.3
10-14	1	8,042	0.1	0	6,641	0.0	1	1,401	0.7
15-17	9	4,751	1.9	6	3,881	1.5	3	870	3.4
18-19	18	3,221	5.6	11	2,627	4.2	6	594	10.1
20-24	77	8,479	9.1	48	6,934	6.9	27	1,545	17.5
25-29	51	6,728	7.6	32	5,722	5.6	19	1,006	18.9
30-34	37	7,253	5.1	23	6,149	3.7	11	1,104	10.0
35-39	14	7,107	2.0	11	6,069	1.8	3	1,038	2.9
40-44	6	8,160	0.7	4	7,033	0.6	2	1,127	1.8

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	213	2,798	76.1	135	2,397	56.3	72	398	180.9
10-14	1	7	142.9	0	5	0.0	1	2	500.0
15-17	9	99	90.9	6	71	84.5	3	28	107.1
18-19	18	245	73.5	11	206	53.4	6	39	153.8
20-24	77	898	85.7	48	750	64.0	27	145	186.2
25-29	51	851	59.9	32	756	42.3	19	95	200.0
30-34	37	495	74.7	23	435	52.9	11	60	183.3
35-39	14	174	80.5	11	148	74.3	3	26	115.4
40-44	6	29	206.9	4	26	153.8	2	3	666.7

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.



**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2013**

**SOUTHWEST**

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	36	10.8
NOT MARRIED	289	87.0
UNKNOWN	7	2.1
TOTAL	332	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	196	59.0
1	87	26.2
2	34	10.2
3	7	2.1
4+	7	2.1
UNKNOWN	1	0.3
TOTAL	332	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	119	35.8
7-8	98	29.5
9-10	58	17.5
11-12	35	10.5
13-14	15	4.5
15-16	3	0.9
17-20	1	0.3
UNKNOWN	3	0.9
TOTAL	332	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	331	59,894	5.5	155	44,795	3.5	176	15,099	11.7
10-14	3	9,289	0.3	2	6,801	0.3	1	2,488	0.4
15-17	12	5,338	2.2	7	3,861	1.8	5	1,477	3.4
18-19	21	3,481	6.0	13	2,523	5.2	8	958	8.4
20-24	104	8,509	12.2	49	6,253	7.8	55	2,256	24.4
25-29	88	7,507	11.7	36	5,580	6.5	52	1,927	27.0
30-34	62	8,324	7.4	30	6,281	4.8	32	2,043	15.7
35-39	29	8,432	3.4	10	6,406	1.6	19	2,026	9.4
40-44	12	9,014	1.3	8	7,090	1.1	4	1,924	2.1

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	331	3,177	104.2	155	2,364	65.6	176	811	217.0
10-14	3	3	1,000.0	2	2	1,000.0	1	1	1,000.0
15-17	12	82	146.3	7	51	137.3	5	31	161.3
18-19	21	257	81.7	13	173	75.1	8	84	95.2
20-24	104	1,060	98.1	49	734	66.8	55	325	169.2
25-29	88	961	91.6	36	753	47.8	52	208	250.0
30-34	62	562	110.3	30	463	64.8	32	99	323.2
35-39	29	202	143.6	10	151	66.2	19	51	372.5
40-44	12	50	240.0	8	37	216.2	4	12	333.3

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2013**

**SHELBY**

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	323	8.4
NOT MARRIED	3,305	85.9
UNKNOWN	221	5.7
TOTAL	3,849	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	1,874	48.7
1	1,065	27.7
2	442	11.5
3	195	5.1
4+	123	3.2
UNKNOWN	150	3.9
TOTAL	3,849	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	1,178	30.6
7-8	1,216	31.6
9-10	736	19.1
11-12	467	12.1
13-14	192	5.0
15-16	22	0.6
17-20	2	0.1
UNKNOWN	36	0.9
TOTAL	3,849	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	3,698	234,230	15.8	591	86,112	6.9	3,035	148,118	20.5
10-14	21	32,767	0.6	4	11,479	0.3	17	21,288	0.8
15-17	110	19,436	5.7	11	6,632	1.7	99	12,804	7.7
18-19	249	13,377	18.6	42	4,512	9.3	199	8,865	22.4
20-24	1,235	36,284	34.0	184	12,128	15.2	1,029	24,156	42.6
25-29	1,032	34,904	29.6	165	13,596	12.1	843	21,308	39.6
30-34	653	33,876	19.3	111	13,115	8.5	531	20,761	25.6
35-39	296	30,664	9.7	54	11,796	4.6	235	18,868	12.5
40-44	102	32,922	3.1	20	12,854	1.6	82	20,068	4.1

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	3,698	13,749	269.0	591	4,998	118.2	3,035	8,733	347.5
10-14	21	34	617.6	4	4	1,000.0	17	30	566.7
15-17	110	413	266.3	11	65	169.2	99	347	285.3
18-19	249	1,001	248.8	42	173	242.8	199	827	240.6
20-24	1,235	4,057	304.4	184	876	210.0	1,029	3,178	323.8
25-29	1,032	3,796	271.9	165	1,569	105.2	843	2,224	379.0
30-34	653	2,960	220.6	111	1,527	72.7	531	1,428	371.8
35-39	296	1,216	243.4	54	653	82.7	235	560	419.6
40-44	102	272	375.0	20	131	152.7	82	139	589.9

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2013**

**DAVIDSON**

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	306	14.7
NOT MARRIED	1,579	75.9
UNKNOWN	196	9.4
TOTAL	2,081	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	1,106	53.1
1	498	23.9
2	215	10.3
3	110	5.3
4+	69	3.3
UNKNOWN	83	4.0
TOTAL	2,081	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	847	40.7
7-8	640	30.8
9-10	263	12.6
11-12	149	7.2
13-14	84	4.0
15-16	33	1.6
17-20	14	0.7
UNKNOWN	51	2.5
TOTAL	2,081	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	2,051	171,936	11.9	797	107,444	7.4	1,122	64,492	17.4
10-14	2	17,424	0.1	0	9,331	0.0	2	8,093	0.2
15-17	55	10,481	5.2	21	5,435	3.9	32	5,046	6.3
18-19	106	8,067	13.1	32	4,427	7.2	71	3,640	19.5
20-24	680	26,805	25.4	250	16,214	15.4	385	10,591	36.4
25-29	628	34,392	18.3	260	23,450	11.1	323	10,942	29.5
30-34	343	29,969	11.4	133	19,857	6.7	190	10,112	18.8
35-39	176	22,973	7.7	73	14,947	4.9	91	8,026	11.3
40-44	61	21,825	2.8	28	13,783	2.0	28	8,042	3.5

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	2,051	9,895	207.3	797	6,433	123.9	1,122	3,456	324.7
10-14	2	7	285.7	0	3	0.0	2	4	500.0
15-17	55	164	335.4	21	84	250.0	32	80	400.0
18-19	106	424	250.0	32	202	158.4	71	221	321.3
20-24	680	2,127	319.7	250	1,078	231.9	385	1,048	367.4
25-29	628	2,916	215.4	260	1,939	134.1	323	976	330.9
30-34	343	2,824	121.5	133	2,058	64.6	190	765	248.4
35-39	176	1,189	148.0	73	907	80.5	91	280	325.0
40-44	61	244	250.0	28	162	172.8	28	82	341.5

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2013**

**KNOX**

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	115	15.1
NOT MARRIED	628	82.5
UNKNOWN	18	2.4
TOTAL	761	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	506	66.5
1	183	24.0
2	44	5.8
3	12	1.6
4+	6	0.8
UNKNOWN	10	1.3
TOTAL	761	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	307	40.3
7-8	250	32.9
9-10	72	9.5
11-12	55	7.2
13-14	46	6.0
15-16	12	1.6
17-20	2	0.3
UNKNOWN	17	2.2
TOTAL	761	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	761	106,693	7.1	545	90,232	6.0	204	16,461	12.4
10-14	2	13,020	0.2	1	10,669	0.1	1	2,351	0.4
15-17	20	8,328	2.4	13	6,886	1.9	7	1,442	4.9
18-19	63	6,330	10.0	44	5,271	8.3	18	1,059	17.0
20-24	289	20,047	14.4	214	16,837	12.7	73	3,210	22.7
25-29	192	15,073	12.7	133	12,917	10.3	54	2,156	25.0
30-34	112	15,323	7.3	86	13,064	6.6	24	2,259	10.6
35-39	54	13,748	3.9	36	11,697	3.1	17	2,051	8.3
40-44	29	14,824	2.0	18	12,891	1.4	10	1,933	5.2

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	761	5,106	149.0	545	4,415	123.4	204	686	297.4
10-14	2	1	2,000.0	1	0	-	1	1	1,000.0
15-17	20	92	217.4	13	65	200.0	7	27	259.3
18-19	63	224	281.3	44	177	248.6	18	47	383.0
20-24	289	1,116	259.0	214	897	238.6	73	218	334.9
25-29	192	1,566	122.6	133	1,396	95.3	54	169	319.5
30-34	112	1,451	77.2	86	1,297	66.3	24	152	157.9
35-39	54	561	96.3	36	501	71.9	17	59	288.1
40-44	29	95	305.3	18	82	219.5	10	13	769.2

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2013**

**HAMILTON**

MARITAL STATUS		
	FREQ	PCNT
MARRIED	41	15.9
NOT MARRIED	209	81.0
UNKNOWN	8	3.1
TOTAL	258	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	159	61.6
1	76	29.5
2	13	5.0
3	5	1.9
4+	2	0.8
UNKNOWN	3	1.2
TOTAL	258	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	113	43.8
7-8	81	31.4
9-10	28	10.9
11-12	14	5.4
13-14	11	4.3
15-16	5	1.9
17-20	0	0.0
UNKNOWN	6	2.3
TOTAL	258	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	257	79,422	3.2	188	57,318	3.3	66	22,104	3.0
10-14	0	9,861	0.0	0	6,838	0.0	0	3,023	0.0
15-17	3	6,410	0.5	1	4,425	0.2	2	1,985	1.0
18-19	16	4,569	3.5	12	3,163	3.8	4	1,406	2.8
20-24	90	12,696	7.1	68	8,864	7.7	20	3,832	5.2
25-29	73	11,941	6.1	53	8,792	6.0	20	3,149	6.4
30-34	40	11,591	3.5	30	8,519	3.5	10	3,072	3.3
35-39	26	10,698	2.4	16	7,984	2.0	9	2,714	3.3
40-44	9	11,656	0.8	8	8,733	0.9	1	2,923	0.3

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	257	4,164	61.7	188	3,024	62.2	66	1,137	58.0
10-14	0	6	0.0	0	4	0.0	0	2	0.0
15-17	3	88	34.1	1	54	18.5	2	34	58.8
18-19	16	227	70.5	12	121	99.2	4	106	37.7
20-24	90	1,059	85.0	68	640	106.3	20	419	47.7
25-29	73	1,249	58.4	53	955	55.5	20	294	68.0
30-34	40	1,016	39.4	30	828	36.2	10	188	53.2
35-39	26	433	60.0	16	353	45.3	9	78	115.4
40-44	9	86	104.7	8	69	115.9	1	16	62.5

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2013**

**MADISON**

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	20	11.0
NOT MARRIED	160	87.9
UNKNOWN	2	1.1
TOTAL	182	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	107	58.8
1	48	26.4
2	17	9.3
3	3	1.6
4+	4	2.2
UNKNOWN	3	1.6
TOTAL	182	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	76	41.8
7-8	54	29.7
9-10	28	15.4
11-12	18	9.9
13-14	4	2.2
15-16	2	1.1
17-20	0	0.0
UNKNOWN	0	0.0
TOTAL	182	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	182	23405	7.8	58	12,452	4.7	122	10,953	11.1
10-14	0	3079	0.0	0	1,542	0.0	0	1,537	0.0
15-17	7	2120	3.3	4	1,057	3.8	3	1,063	2.8
18-19	20	1509	13.3	11	756	14.6	9	753	12.0
20-24	48	4052	11.8	14	2,058	6.8	33	1,994	16.5
25-29	60	3289	18.2	15	1,891	7.9	45	1,398	32.2
30-34	27	3206	8.4	8	1,764	4.5	18	1,442	12.5
35-39	14	2941	4.8	5	1,595	3.1	9	1,346	6.7
40-44	6	3209	1.9	1	1,789	0.6	5	1,420	3.5

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	182	1,255	145.0	58	661	87.7	122	594	205.4
10-14	0	2	0.0	0	0	-	0	2	0.0
15-17	7	37	189.2	4	12	333.3	3	25	120.0
18-19	20	89	224.7	11	36	305.6	9	53	169.8
20-24	48	419	114.6	14	184	76.1	33	235	140.4
25-29	60	344	174.4	15	193	77.7	45	151	298.0
30-34	27	257	105.1	8	174	46.0	18	83	216.9
35-39	14	92	152.2	5	56	89.3	9	36	250.0
40-44	6	15	400.0	1	6	166.7	5	9	555.6

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.

**SELECTED INDUCED TERMINATION OF PREGNANCY (ITOP) DATA, ACCORDING TO AGE AND RACE OF WOMAN,  
TENNESSEE AND DEPARTMENT OF HEALTH REGIONS, RESIDENT DATA, 2013**

**SULLIVAN**

MARITAL STATUS		
	NUMBER	PCNT
MARRIED	5	16.1
NOT MARRIED	25	80.6
UNKNOWN	1	3.2
TOTAL	31	100.0

NUMBER OF PREVIOUS ITOPs		
NUMBER	FREQ	PCNT
0	24	77.4
1	5	16.1
2	1	3.2
3	0	0.0
4+	1	3.2
UNKNOWN	0	0.0
TOTAL	31	100.0

GESTATIONAL AGE		
WEEKS	NUMBER	PCNT
LT. 7	11	35.5
7-8	12	38.7
9-10	1	3.2
11-12	2	6.5
13-14	4	12.9
15-16	0	0.0
17-20	0	0.0
UNKNOWN	1	3.2
TOTAL	31	100.0

INDUCED TERMINATION OF PREGNANCY PER 1,000 FEMALE POPULATION, BY AGE AND RACE									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	POP	RATE*	ITOPs	POP	RATE*	ITOPs	POP	RATE*
10-44	31	31,627	1.0	30	29,994	1.0	1	1,633	0.6
10-14	0	4,535	0.0	0	4,256	0.0	0	279	0.0
15-17	0	2,581	0.0	0	2,422	0.0	0	159	0.0
18-19	4	1,727	2.3	3	1,623	1.8	1	104	9.6
20-24	16	4,503	3.6	16	4,248	3.8	0	255	0.0
25-29	4	4,107	1.0	4	3,903	1.0	0	204	0.0
30-34	4	4,313	0.9	4	4,077	1.0	0	236	0.0
35-39	0	4,406	0.0	0	4,212	0.0	0	194	0.0
40-44	3	5,455	0.5	3	5,253	0.6	0	202	0.0

\*Per 1,000 population.

INDUCED TERMINATION OF PREGNANCY PER 1,000 LIVE BIRTHS, BY AGE AND RACE OF WOMAN									
AGE	ALL RACES			WHITES			NONWHITES		
	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**	ITOPs	BIRTHS	RATIO**
10-44	31	1,586	19.5	30	1,527	19.6	1	58	17.2
10-14	0	3	0.0	0	3	0.0	0	0	-
15-17	0	47	0.0	0	47	0.0	0	0	-
18-19	4	123	32.5	3	119	25.2	1	4	250.0
20-24	16	485	33.0	16	469	34.1	0	16	0.0
25-29	4	461	8.7	4	445	9.0	0	15	0.0
30-34	4	310	12.9	4	295	13.6	0	15	0.0
35-39	0	127	0.0	0	121	0.0	0	6	0.0
40-44	3	30	100.0	3	28	107.1	0	2	0.0

\*\*Number of ITOPs per 1,000 live births.

The above information reflects only the residence of the woman at the time of the ITOPs; the procedure could have been performed in any TN county or another state.