

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2011**

COUNTY=ALL COUNTIES

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	549,758	29,803
1	MALIGNANT NEOPLASMS	116,565	8,393
2	DISEASES OF HEART	93,090	6,170
3	ACCIDENTS AND ADVERSE EFFECTS	82,218	2,582
4	SUICIDE	26,106	877
5	CHRONIC LOWER RESPIRATORY DISEASES	18,680	1,669
6	CERTAIN PERINATAL CONDITIONS	18,418	250
7	ASSAULT (HOMICIDE)	17,246	425
8	CEREBROVASCULAR DISEASE	15,731	1,094
9	DIABETES MELLITUS	14,459	967
10	CONGENITAL ANOMALIES	13,609	238

COUNTY=ANDERSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	6,296	370
1	MALIGNANT NEOPLASMS	1,556	112
2	DISEASES OF HEART	1,045	79
3	ACCIDENTS AND ADVERSE EFFECTS	753	26
4	SUICIDE	472	13
5	CONGENITAL ANOMALIES	307	5
6	CHRONIC LOWER RESPIRATORY DISEASES	283	26
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	190	9
8	CEREBROVASCULAR DISEASE	167	14
9	DIABETES MELLITUS	136	12
10	PNEUMONIA AND INFLUENZA	73	6

COUNTY=BEDFORD

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,439	233
1	MALIGNANT NEOPLASMS	914	64
2	ACCIDENTS AND ADVERSE EFFECTS	694	19
3	DISEASES OF HEART	641	42
4	SUICIDE	362	13
5	CHRONIC LOWER RESPIRATORY DISEASES	252	24
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	129	7
7	CEREBROVASCULAR DISEASE	109	7
8	NUTRITIONAL DEFICIENCIES	72	4

COUNTY=BENTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,779	123
1	MALIGNANT NEOPLASMS	542	44
2	DISEASES OF HEART	489	38
3	ACCIDENTS AND ADVERSE EFFECTS	189	7
4	DIABETES MELLITUS	83	6
5	CEREBROVASCULAR DISEASE	68	5
6	HYPERTENSION AND RENAL DISEASE	42	4

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2011**

COUNTY=BLED SOE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,412	73
1	MALIGNANT NEOPLASMS	359	18
2	ACCIDENTS AND ADVERSE EFFECTS	341	11
3	DISEASES OF HEART	192	13
4	CHRONIC LOWER RESPIRATORY DISEASES	84	8
5	CEREBROVASCULAR DISEASE	42	4

COUNTY=BLOUNT

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	9,877	565
1	MALIGNANT NEOPLASMS	2,282	164
2	ACCIDENTS AND ADVERSE EFFECTS	1,438	47
3	DISEASES OF HEART	914	77
4	CONGENITAL ANOMALIES	513	10
5	CEREBROVASCULAR DISEASE	344	28
6	SUICIDE	343	15
7	DIABETES MELLITUS	253	15
8	CHRONIC LOWER RESPIRATORY DISEASES	239	27
9	VIRAL HEPATITIS	220	9
10	CHRONIC LIVER DISEASE AND CIRRHOSIS	212	13

COUNTY=BRADLEY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	8,413	484
1	MALIGNANT NEOPLASMS	1,974	148
2	ACCIDENTS AND ADVERSE EFFECTS	1,449	42
3	DISEASES OF HEART	1,317	103
4	CONGENITAL ANOMALIES	427	7
5	SUICIDE	295	10
6	DIABETES MELLITUS	255	19
7	CHRONIC LOWER RESPIRATORY DISEASES	239	27
8	CEREBROVASCULAR DISEASE	182	13
9	PNEUMONIA AND INFLUENZA	164	8
10	NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	136	12

COUNTY=CAMPBELL

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,478	260
1	DISEASES OF HEART	906	52
2	MALIGNANT NEOPLASMS	875	70
3	ACCIDENTS AND ADVERSE EFFECTS	869	27
4	DIABETES MELLITUS	287	14
5	CHRONIC LOWER RESPIRATORY DISEASES	234	17
6	SUICIDE	138	5
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	99	7
8	VIRAL HEPATITIS	98	5
9	CEREBROVASCULAR DISEASE	83	6
10	OTHER DISEASES OF RESPIRATORY SYSTEM	82	4

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2011**

COUNTY=CANNON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,287	75
1	MALIGNANT NEOPLASMS	380	29
2	ACCIDENTS AND ADVERSE EFFECTS	344	13
3	DISEASES OF HEART	161	11
4	PNEUMONIA AND INFLUENZA	114	4
5	OTHER DISEASES OF RESPIRATORY SYSTEM	42	4

COUNTY=CARROLL

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,174	196
1	MALIGNANT NEOPLASMS	707	54
2	DISEASES OF HEART	691	51
3	ACCIDENTS AND ADVERSE EFFECTS	589	20
4	SUICIDE	193	6
5	CEREBROVASCULAR DISEASE	165	10
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	103	6
7	DIABETES MELLITUS	73	6
8	CHRONIC LOWER RESPIRATORY DISEASES	48	5

COUNTY=CARTER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,927	300
1	MALIGNANT NEOPLASMS	1,067	83
2	ACCIDENTS AND ADVERSE EFFECTS	722	26
3	DISEASES OF HEART	560	49
4	CHRONIC LOWER RESPIRATORY DISEASES	222	24
5	PNEUMONIA AND INFLUENZA	217	14
6	DIABETES MELLITUS	216	12
7	SUICIDE	198	5
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	159	7
9	EVENTS OF UNDETERMINED INTENT	122	4
10	SEPTICEMIA	113	6

COUNTY=CHEATHAM

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,792	200
1	MALIGNANT NEOPLASMS	854	57
2	ACCIDENTS AND ADVERSE EFFECTS	837	30
3	DISEASES OF HEART	672	44
4	SUICIDE	270	9
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	88	5
6	CHRONIC LOWER RESPIRATORY DISEASES	80	9
7	DIABETES MELLITUS	72	4
8	CEREBROVASCULAR DISEASE	69	7

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2011**

COUNTY=CHESTER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,413	75
1	MALIGNANT NEOPLASMS	310	20
2	DISEASES OF HEART	274	17
3	ACCIDENTS AND ADVERSE EFFECTS	124	8
4	CHRONIC LOWER RESPIRATORY DISEASES	72	4

COUNTY=CLAIBORNE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,977	236
1	MALIGNANT NEOPLASMS	1,049	67
2	ACCIDENTS AND ADVERSE EFFECTS	864	26
3	DISEASES OF HEART	799	58
4	CHRONIC LOWER RESPIRATORY DISEASES	215	19
5	SUICIDE	190	9
6	PNEUMONIA AND INFLUENZA	159	9
7	DIABETES MELLITUS	103	6
8	NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	52	4
9	CEREBROVASCULAR DISEASE	49	7

COUNTY=CLAY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,104	68
1	ACCIDENTS AND ADVERSE EFFECTS	254	8
2	DISEASES OF HEART	228	16
3	MALIGNANT NEOPLASMS	188	16
4	CHRONIC LOWER RESPIRATORY DISEASES	72	4

COUNTY=COCKE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,613	248
1	DISEASES OF HEART	938	56
2	MALIGNANT NEOPLASMS	925	70
3	ACCIDENTS AND ADVERSE EFFECTS	711	22
4	DIABETES MELLITUS	196	12
5	CEREBROVASCULAR DISEASE	191	11
6	SUICIDE	138	5
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	133	6
8	CHRONIC LOWER RESPIRATORY DISEASES	133	15
9	PNEUMONIA AND INFLUENZA	99	7
10	OTHER DISEASES OF CIRCULATORY SYSTEM	82	4

COUNTY=COFFEE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,164	286
1	DISEASES OF HEART	1,084	68
2	MALIGNANT NEOPLASMS	891	71
3	ACCIDENTS AND ADVERSE EFFECTS	856	28
4	CHRONIC LOWER RESPIRATORY DISEASES	335	26

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2011**

COUNTY=COFFEE

Rank	Cause	YPLL	Deaths
5	SUICIDE	241	11
6	DIABETES MELLITUS	155	10
7	PNEUMONIA AND INFLUENZA	133	6
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	129	7
9	CEREBROVASCULAR DISEASE	113	6
10	SEPTICEMIA	109	7

COUNTY=CROCKETT

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,263	82
1	DISEASES OF HEART	343	26
2	MALIGNANT NEOPLASMS	291	22
3	ACCIDENTS AND ADVERSE EFFECTS	215	10
4	CHRONIC LIVER DISEASE AND CIRRHOSIS	72	4

COUNTY=CUMBERLAND

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,832	334
1	DISEASES OF HEART	1,355	90
2	MALIGNANT NEOPLASMS	1,293	95
3	ACCIDENTS AND ADVERSE EFFECTS	963	28
4	CHRONIC LOWER RESPIRATORY DISEASES	297	19
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	215	10
6	SUICIDE	142	4
7	OTHER DISEASES OF RESPIRATORY SYSTEM	107	5
8	SEPTICEMIA	88	5
9	CEREBROVASCULAR DISEASE	59	7
10	PNEUMONIA AND INFLUENZA	53	6

COUNTY=DAVIDSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	48,458	2,425
1	MALIGNANT NEOPLASMS	9,941	703
2	DISEASES OF HEART	7,385	441
3	ACCIDENTS AND ADVERSE EFFECTS	6,862	221
4	CERTAIN PERINATAL CONDITIONS	2,086	28
5	SUICIDE	2,064	68
6	ASSAULT (HOMICIDE)	2,018	47
7	CHRONIC LOWER RESPIRATORY DISEASES	1,665	130
8	DIABETES MELLITUS	1,623	95
9	CONGENITAL ANOMALIES	1,607	26
10	CHRONIC LIVER DISEASE AND CIRRHOSIS	1,206	61

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2011**

COUNTY=DECATUR

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,109	76
1	MALIGNANT NEOPLASMS	338	21
2	DISEASES OF HEART	281	22
3	ACCIDENTS AND ADVERSE EFFECTS	113	6
4	CEREBROVASCULAR DISEASE	83	6
5	CHRONIC LOWER RESPIRATORY DISEASES	22	4

COUNTY=DEKALB

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,091	113
1	DISEASES OF HEART	459	27
2	MALIGNANT NEOPLASMS	428	25
3	ACCIDENTS AND ADVERSE EFFECTS	210	9
4	CHRONIC LOWER RESPIRATORY DISEASES	130	9
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	118	5
6	SUICIDE	78	5
7	DIABETES MELLITUS	62	4
8	CEREBROVASCULAR DISEASE	42	4

COUNTY=DICKSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,447	261
1	MALIGNANT NEOPLASMS	1,128	72
2	DISEASES OF HEART	1,023	66
3	ACCIDENTS AND ADVERSE EFFECTS	639	27
4	SUICIDE	325	10
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	262	13
6	CHRONIC LOWER RESPIRATORY DISEASES	193	15
7	CEREBROVASCULAR DISEASE	156	12
8	DIABETES MELLITUS	78	5

COUNTY=DYER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,464	227
1	MALIGNANT NEOPLASMS	796	52
2	ACCIDENTS AND ADVERSE EFFECTS	781	18
3	DISEASES OF HEART	693	46
4	CHRONIC LOWER RESPIRATORY DISEASES	235	19
5	CEREBROVASCULAR DISEASE	197	10
6	SUICIDE	169	7
7	DIABETES MELLITUS	123	6
8	PNEUMONIA AND INFLUENZA	58	5

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2011**

COUNTY=FAYETTE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,987	165
1	MALIGNANT NEOPLASMS	687	54
2	DISEASES OF HEART	608	45
3	ACCIDENTS AND ADVERSE EFFECTS	566	12
4	SUICIDE	132	4
5	SEPTICEMIA	102	4
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	88	5
7	CEREBROVASCULAR DISEASE	58	5
8	CHRONIC LOWER RESPIRATORY DISEASES	53	6

COUNTY=FENTRESS

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,305	128
1	MALIGNANT NEOPLASMS	343	26
2	ACCIDENTS AND ADVERSE EFFECTS	332	13
3	DISEASES OF HEART	262	24
4	CHRONIC LOWER RESPIRATORY DISEASES	146	12
5	SUICIDE	108	5
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	102	4
7	CEREBROVASCULAR DISEASE	79	7
8	PNEUMONIA AND INFLUENZA	72	4
9	DIABETES MELLITUS	52	4

COUNTY=FRANKLIN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,542	210
1	MALIGNANT NEOPLASMS	718	56
2	DISEASES OF HEART	710	49
3	ACCIDENTS AND ADVERSE EFFECTS	530	20
4	SUICIDE	233	6
5	CHRONIC LOWER RESPIRATORY DISEASES	153	15
6	DIABETES MELLITUS	99	7
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	88	5
8	CEREBROVASCULAR DISEASE	79	7
9	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	42	4

COUNTY=GIBSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	6,092	317
1	MALIGNANT NEOPLASMS	1,257	90
2	DISEASES OF HEART	1,056	72
3	ACCIDENTS AND ADVERSE EFFECTS	990	29
4	CEREBROVASCULAR DISEASE	380	20
5	CERTAIN PERINATAL CONDITIONS	373	5
6	SUICIDE	264	8
7	ASSAULT (HOMICIDE)	204	4
8	DIABETES MELLITUS	161	11

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2011**

COUNTY=GIBSON

Rank	Cause	YPLL	Deaths
9	CHRONIC LIVER DISEASE AND CIRRHOSIS	108	5
10	OTHER DISEASES OF RESPIRATORY SYSTEM	92	4

COUNTY=GILES

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,100	178
1	DISEASES OF HEART	732	44
2	MALIGNANT NEOPLASMS	547	43
3	ACCIDENTS AND ADVERSE EFFECTS	526	17
4	SUICIDE	174	8
5	CHRONIC LOWER RESPIRATORY DISEASES	135	10
6	CEREBROVASCULAR DISEASE	103	6
7	PNEUMONIA AND INFLUENZA	52	4

COUNTY=GRAINGER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,904	136
1	MALIGNANT NEOPLASMS	538	36
2	ACCIDENTS AND ADVERSE EFFECTS	478	16
3	DISEASES OF HEART	329	18
4	SUICIDE	249	7
5	CEREBROVASCULAR DISEASE	149	7
6	CHRONIC LOWER RESPIRATORY DISEASES	64	8

COUNTY=GREENE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	7,529	431
1	MALIGNANT NEOPLASMS	1,590	116
2	ACCIDENTS AND ADVERSE EFFECTS	1,313	46
3	DISEASES OF HEART	1,217	83
4	CHRONIC LOWER RESPIRATORY DISEASES	407	34
5	SUICIDE	265	10
6	DIABETES MELLITUS	233	15
7	CEREBROVASCULAR DISEASE	204	17
8	PNEUMONIA AND INFLUENZA	195	10
9	CHRONIC LIVER DISEASE AND CIRRHOSIS	181	11
10	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	119	7

COUNTY=GRUNDY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,129	109
1	ACCIDENTS AND ADVERSE EFFECTS	626	21
2	MALIGNANT NEOPLASMS	376	21
3	DISEASES OF HEART	305	19
4	SUICIDE	163	6
5	CHRONIC LOWER RESPIRATORY DISEASES	140	9
6	DIABETES MELLITUS	48	5

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2011**

COUNTY=HAMBLEN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,915	331
1	MALIGNANT NEOPLASMS	1,273	95
2	ACCIDENTS AND ADVERSE EFFECTS	1,269	40
3	DISEASES OF HEART	957	63
4	SUICIDE	336	12
5	DIABETES MELLITUS	274	17
6	CHRONIC LOWER RESPIRATORY DISEASES	191	22
7	VIRAL HEPATITIS	123	6
8	CEREBROVASCULAR DISEASE	111	11
9	CHRONIC LIVER DISEASE AND CIRRHOSIS	88	5
10	PNEUMONIA AND INFLUENZA	79	7

COUNTY=HAMILTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	28,930	1,460
1	MALIGNANT NEOPLASMS	6,124	400
2	DISEASES OF HEART	4,512	271
3	ACCIDENTS AND ADVERSE EFFECTS	3,767	112
4	SUICIDE	1,674	48
5	ASSAULT (HOMICIDE)	1,540	36
6	CERTAIN PERINATAL CONDITIONS	1,118	15
7	CEREBROVASCULAR DISEASE	970	60
8	DIABETES MELLITUS	923	75
9	CHRONIC LOWER RESPIRATORY DISEASES	888	72
10	CHRONIC LIVER DISEASE AND CIRRHOSIS	685	39

COUNTY=HANCOCK

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,038	61
1	MALIGNANT NEOPLASMS	236	17
2	DISEASES OF HEART	217	14
3	SUICIDE	178	5
4	ACCIDENTS AND ADVERSE EFFECTS	153	6
5	CHRONIC LOWER RESPIRATORY DISEASES	48	5

COUNTY=HARDEMAN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,228	153
1	ACCIDENTS AND ADVERSE EFFECTS	671	20
2	MALIGNANT NEOPLASMS	656	41
3	DISEASES OF HEART	572	33
4	CERTAIN PERINATAL CONDITIONS	373	5
5	ASSAULT (HOMICIDE)	192	4
6	CHRONIC LOWER RESPIRATORY DISEASES	110	9
7	CEREBROVASCULAR DISEASE	104	8
8	SUICIDE	98	5

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2011**

COUNTY=HARDIN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,962	172
1	ACCIDENTS AND ADVERSE EFFECTS	821	23
2	MALIGNANT NEOPLASMS	680	45
3	DISEASES OF HEART	491	42
4	CHRONIC LOWER RESPIRATORY DISEASES	145	10
5	SUICIDE	122	4
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	62	4
7	CEREBROVASCULAR DISEASE	58	5
8	PNEUMONIA AND INFLUENZA	32	4

COUNTY=HAWKINS

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,892	334
1	MALIGNANT NEOPLASMS	1,181	91
2	ACCIDENTS AND ADVERSE EFFECTS	1,015	30
3	DISEASES OF HEART	836	61
4	SUICIDE	377	14
5	CERTAIN PERINATAL CONDITIONS	373	5
6	CHRONIC LOWER RESPIRATORY DISEASES	181	22
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	174	8
8	DIABETES MELLITUS	166	12
9	CEREBROVASCULAR DISEASE	152	13
10	PNEUMONIA AND INFLUENZA	92	4

COUNTY=HAYWOOD

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,961	102
1	MALIGNANT NEOPLASMS	456	32
2	DISEASES OF HEART	307	23
3	ACCIDENTS AND ADVERSE EFFECTS	198	5
4	DIABETES MELLITUS	112	4
5	CEREBROVASCULAR DISEASE	69	7

COUNTY=HENDERSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,951	159
1	MALIGNANT NEOPLASMS	643	46
2	DISEASES OF HEART	491	31
3	ACCIDENTS AND ADVERSE EFFECTS	280	9
4	CEREBROVASCULAR DISEASE	190	9
5	SUICIDE	138	5
6	DIABETES MELLITUS	124	8
7	PNEUMONIA AND INFLUENZA	123	6
8	CHRONIC LOWER RESPIRATORY DISEASES	69	7

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2011**

COUNTY=HENRY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,462	204
1	MALIGNANT NEOPLASMS	862	64
2	DISEASES OF HEART	547	43
3	ACCIDENTS AND ADVERSE EFFECTS	471	18
4	SUICIDE	337	10
5	CHRONIC LOWER RESPIRATORY DISEASES	131	11
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	88	5
7	CEREBROVASCULAR DISEASE	48	5
8	DIABETES MELLITUS	38	5

COUNTY=HICKMAN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,495	154
1	MALIGNANT NEOPLASMS	547	43
2	ACCIDENTS AND ADVERSE EFFECTS	540	20
3	DISEASES OF HEART	317	23
4	SUICIDE	109	7
5	CHRONIC LOWER RESPIRATORY DISEASES	105	10
6	CEREBROVASCULAR DISEASE	70	9
7	DIABETES MELLITUS	68	5
8	VIRAL HEPATITIS	62	4

COUNTY=HOUSTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	915	54
1	MALIGNANT NEOPLASMS	311	22
2	DISEASES OF HEART	141	11
3	ACCIDENTS AND ADVERSE EFFECTS	132	4

COUNTY=HUMPHREYS

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,894	121
1	MALIGNANT NEOPLASMS	417	34
2	DISEASES OF HEART	317	23
3	ACCIDENTS AND ADVERSE EFFECTS	181	11
4	CEREBROVASCULAR DISEASE	109	7
5	CHRONIC LOWER RESPIRATORY DISEASES	91	11
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	52	4

COUNTY=JACKSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,090	69
1	DISEASES OF HEART	239	18
2	ACCIDENTS AND ADVERSE EFFECTS	234	8
3	MALIGNANT NEOPLASMS	195	19
4	SUICIDE	102	4
5	CHRONIC LOWER RESPIRATORY DISEASES	52	4

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2011**

COUNTY=JEFFERSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,311	299
1	DISEASES OF HEART	1,096	72
2	MALIGNANT NEOPLASMS	1,025	75
3	ACCIDENTS AND ADVERSE EFFECTS	679	23
4	SUICIDE	281	11
5	CHRONIC LOWER RESPIRATORY DISEASES	194	17
6	PNEUMONIA AND INFLUENZA	149	7
7	DIABETES MELLITUS	111	11
8	CEREBROVASCULAR DISEASE	89	7
9	CHRONIC LIVER DISEASE AND CIRRHOSIS	62	4
10	OTHER DISEASES OF RESPIRATORY SYSTEM	52	4

COUNTY=JOHNSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,620	84
1	MALIGNANT NEOPLASMS	357	23
2	ACCIDENTS AND ADVERSE EFFECTS	294	8
3	DISEASES OF HEART	162	13
4	CHRONIC LOWER RESPIRATORY DISEASES	54	8

COUNTY=KNOX

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	33,662	1,842
1	MALIGNANT NEOPLASMS	6,692	509
2	DISEASES OF HEART	5,824	397
3	ACCIDENTS AND ADVERSE EFFECTS	4,817	152
4	SUICIDE	2,164	68
5	CHRONIC LOWER RESPIRATORY DISEASES	1,272	113
6	CONGENITAL ANOMALIES	1,119	19
7	ASSAULT (HOMICIDE)	1,013	27
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	912	44
9	DIABETES MELLITUS	814	48
10	CEREBROVASCULAR DISEASE	762	53

COUNTY=LAKE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	868	56
1	DISEASES OF HEART	288	16
2	MALIGNANT NEOPLASMS	151	11
3	CHRONIC LOWER RESPIRATORY DISEASES	43	6
4	CEREBROVASCULAR DISEASE	42	4

COUNTY=LAUDERDALE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,095	158
1	DISEASES OF HEART	741	42
2	MALIGNANT NEOPLASMS	597	43
3	ACCIDENTS AND ADVERSE EFFECTS	417	14

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2011**

COUNTY=LAUDERDALE

Rank	Cause	YPLL	Deaths
4	ASSAULT (HOMICIDE)	267	5
5	SUICIDE	168	5
6	PNEUMONIA AND INFLUENZA	131	4
7	CHRONIC LOWER RESPIRATORY DISEASES	93	6
8	DIABETES MELLITUS	68	5

COUNTY=LAWRENCE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,931	233
1	MALIGNANT NEOPLASMS	765	59
2	ACCIDENTS AND ADVERSE EFFECTS	740	22
3	DISEASES OF HEART	579	47
4	SUICIDE	235	10
5	CHRONIC LOWER RESPIRATORY DISEASES	168	16
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	164	8
7	CEREBROVASCULAR DISEASE	110	9
8	DIABETES MELLITUS	103	6
9	PNEUMONIA AND INFLUENZA	68	5
10	OTHER DISEASES OF RESPIRATORY SYSTEM	58	5

COUNTY=LEWIS

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,001	71
1	MALIGNANT NEOPLASMS	241	22
2	DISEASES OF HEART	135	10
3	ACCIDENTS AND ADVERSE EFFECTS	132	4
4	DIABETES MELLITUS	62	4
5	CHRONIC LOWER RESPIRATORY DISEASES	53	6

COUNTY=LINCOLN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,004	174
1	MALIGNANT NEOPLASMS	642	53
2	DISEASES OF HEART	539	38
3	ACCIDENTS AND ADVERSE EFFECTS	394	13
4	CHRONIC LIVER DISEASE AND CIRRHOSIS	153	6
5	CEREBROVASCULAR DISEASE	142	13
6	DIABETES MELLITUS	122	4
7	ATHEROSCLEROSIS	72	4
8	CHRONIC LOWER RESPIRATORY DISEASES	48	5
9	NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	42	4

COUNTY=LOUDON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,140	246
1	MALIGNANT NEOPLASMS	896	72
2	ACCIDENTS AND ADVERSE EFFECTS	803	26
3	DISEASES OF HEART	578	45

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2011**

COUNTY=LOUDON

Rank	Cause	YPLL	Deaths
4	CEREBROVASCULAR DISEASE	162	13
5	SUICIDE	148	5
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	109	7
7	CHRONIC LOWER RESPIRATORY DISEASES	105	10
8	VIRAL HEPATITIS	98	5
9	NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	68	5
10	OTHER DISEASES OF RESPIRATORY SYSTEM	58	5

COUNTY=MCMINN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,484	319
1	MALIGNANT NEOPLASMS	1,412	104
2	DISEASES OF HEART	998	56
3	ACCIDENTS AND ADVERSE EFFECTS	822	26
4	SUICIDE	241	11
5	ASSAULT (HOMICIDE)	187	5
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	185	10
7	CHRONIC LOWER RESPIRATORY DISEASES	179	18
8	CEREBROVASCULAR DISEASE	145	10
9	VIRAL HEPATITIS	78	5
10	ATHEROSCLEROSIS	72	4

COUNTY=MCAIRY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,481	153
1	MALIGNANT NEOPLASMS	601	42
2	DISEASES OF HEART	374	28
3	ACCIDENTS AND ADVERSE EFFECTS	310	9
4	SUICIDE	254	8
5	DIABETES MELLITUS	144	8
6	CHRONIC LOWER RESPIRATORY DISEASES	106	12
7	CEREBROVASCULAR DISEASE	63	6
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	52	4

COUNTY=MACON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,183	122
1	MALIGNANT NEOPLASMS	446	32
2	DISEASES OF HEART	368	25
3	ACCIDENTS AND ADVERSE EFFECTS	311	11
4	SUICIDE	133	6
5	CEREBROVASCULAR DISEASE	58	5
6	CHRONIC LOWER RESPIRATORY DISEASES	38	5

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2011**

COUNTY=MADISON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	7,953	407
1	DISEASES OF HEART	1,612	113
2	MALIGNANT NEOPLASMS	1,549	110
3	ACCIDENTS AND ADVERSE EFFECTS	1,282	36
4	CERTAIN PERINATAL CONDITIONS	522	7
5	ASSAULT (HOMICIDE)	430	9
6	SUICIDE	361	11
7	DIABETES MELLITUS	267	14
8	CEREBROVASCULAR DISEASE	258	16
9	CHRONIC LOWER RESPIRATORY DISEASES	141	11
10	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	119	7

COUNTY=MARION

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,230	183
1	ACCIDENTS AND ADVERSE EFFECTS	704	24
2	MALIGNANT NEOPLASMS	597	43
3	DISEASES OF HEART	559	38
4	SUICIDE	224	8
5	DIABETES MELLITUS	165	10
6	CHRONIC LOWER RESPIRATORY DISEASES	161	11
7	CEREBROVASCULAR DISEASE	78	5
8	ALZHEIMER'S DISEASE	38	5

COUNTY=MARSHALL

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,119	178
1	MALIGNANT NEOPLASMS	858	65
2	DISEASES OF HEART	675	39
3	ACCIDENTS AND ADVERSE EFFECTS	501	18
4	SUICIDE	163	6
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	150	9
6	CEREBROVASCULAR DISEASE	99	7
7	CHRONIC LOWER RESPIRATORY DISEASES	28	5

COUNTY=MAURY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,700	352
1	MALIGNANT NEOPLASMS	1,467	103
2	DISEASES OF HEART	972	73
3	ACCIDENTS AND ADVERSE EFFECTS	817	22
4	PNEUMONIA AND INFLUENZA	212	13
5	ASSAULT (HOMICIDE)	208	5
6	CHRONIC LOWER RESPIRATORY DISEASES	190	20
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	185	10
8	CEREBROVASCULAR DISEASE	182	13
9	DIABETES MELLITUS	166	12
10	SUICIDE	149	7

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2011**

COUNTY=MEIGS

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,361	82
1	MALIGNANT NEOPLASMS	373	26
2	ACCIDENTS AND ADVERSE EFFECTS	274	8
3	DISEASES OF HEART	266	21

COUNTY=MONROE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,072	275
1	DISEASES OF HEART	1,048	65
2	MALIGNANT NEOPLASMS	951	71
3	ACCIDENTS AND ADVERSE EFFECTS	723	24
4	SUICIDE	304	8
5	DIABETES MELLITUS	129	7
6	CEREBROVASCULAR DISEASE	126	12
7	ASSAULT (HOMICIDE)	122	4
8	PNEUMONIA AND INFLUENZA	118	5
9	NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	111	11
10	CHRONIC LIVER DISEASE AND CIRRHOSIS	103	6

COUNTY=MONTGOMERY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	11,109	541
1	MALIGNANT NEOPLASMS	1,976	144
2	DISEASES OF HEART	1,751	111
3	ACCIDENTS AND ADVERSE EFFECTS	1,662	49
4	CERTAIN PERINATAL CONDITIONS	820	11
5	SUICIDE	675	19
6	CEREBROVASCULAR DISEASE	414	28
7	CHRONIC LOWER RESPIRATORY DISEASES	391	31
8	ASSAULT (HOMICIDE)	390	9
9	DIABETES MELLITUS	341	22
10	CONGENITAL ANOMALIES	279	4

COUNTY=MOORE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	486	32
1	DISEASES OF HEART	161	11
2	ACCIDENTS AND ADVERSE EFFECTS	132	4
3	MALIGNANT NEOPLASMS	53	6
4	CHRONIC LOWER RESPIRATORY DISEASES	38	5

COUNTY=MORGAN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,882	106
1	DISEASES OF HEART	358	25
2	ACCIDENTS AND ADVERSE EFFECTS	348	12
3	MALIGNANT NEOPLASMS	287	23

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2011**

COUNTY=MORGAN

Rank	Cause	YPLL	Deaths
4	SUICIDE	178	5
5	CHRONIC LOWER RESPIRATORY DISEASES	94	8

COUNTY=OBION

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,989	175
1	MALIGNANT NEOPLASMS	709	58
2	ACCIDENTS AND ADVERSE EFFECTS	514	12
3	DISEASES OF HEART	496	32
4	CEREBROVASCULAR DISEASE	110	9
5	PNEUMONIA AND INFLUENZA	99	7
6	CHRONIC LOWER RESPIRATORY DISEASES	96	12
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	92	4
8	DIABETES MELLITUS	53	6

COUNTY=OVERTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,508	138
1	ACCIDENTS AND ADVERSE EFFECTS	681	22
2	DISEASES OF HEART	557	34
3	MALIGNANT NEOPLASMS	480	40
4	VIRAL HEPATITIS	153	6
5	CHRONIC LOWER RESPIRATORY DISEASES	43	6

COUNTY=PERRY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	813	55
1	DISEASES OF HEART	197	14
2	MALIGNANT NEOPLASMS	162	13
3	CHRONIC LOWER RESPIRATORY DISEASES	68	5

COUNTY=PICKETT

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	443	35
1	MALIGNANT NEOPLASMS	105	10
2	ACCIDENTS AND ADVERSE EFFECTS	92	4
3	DISEASES OF HEART	39	7

COUNTY=POLK

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,026	114
1	MALIGNANT NEOPLASMS	453	35
2	ACCIDENTS AND ADVERSE EFFECTS	449	14
3	DISEASES OF HEART	278	16
4	CEREBROVASCULAR DISEASE	83	6
5	DIABETES MELLITUS	62	4
6	CHRONIC LOWER RESPIRATORY DISEASES	54	8

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2011**

COUNTY=PUTNAM

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,679	302
1	MALIGNANT NEOPLASMS	1,149	80
2	DISEASES OF HEART	1,012	65
3	ACCIDENTS AND ADVERSE EFFECTS	981	31
4	SUICIDE	230	9
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	180	9
6	PNEUMONIA AND INFLUENZA	169	7
7	CHRONIC LOWER RESPIRATORY DISEASES	142	13
8	DIABETES MELLITUS	134	8
9	OTHER DISEASES OF RESPIRATORY SYSTEM	109	7
10	CEREBROVASCULAR DISEASE	49	7

COUNTY=RHEA

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,237	167
1	MALIGNANT NEOPLASMS	739	47
2	DISEASES OF HEART	481	33
3	ACCIDENTS AND ADVERSE EFFECTS	434	13
4	CHRONIC LOWER RESPIRATORY DISEASES	157	14
5	SUICIDE	143	6
6	PNEUMONIA AND INFLUENZA	117	5
7	CEREBROVASCULAR DISEASE	104	8
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	82	4
9	DIABETES MELLITUS	62	4
10	OTHER DISEASES OF RESPIRATORY SYSTEM	62	4

COUNTY=ROANE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	6,046	332
1	ACCIDENTS AND ADVERSE EFFECTS	1,406	44
2	MALIGNANT NEOPLASMS	1,144	97
3	DISEASES OF HEART	1,038	65
4	SUICIDE	346	12
5	CONGENITAL ANOMALIES	336	7
6	CHRONIC LOWER RESPIRATORY DISEASES	255	19
7	DIABETES MELLITUS	155	10
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	134	8
9	PNEUMONIA AND INFLUENZA	119	7
10	OTHER DISEASES OF CIRCULATORY SYSTEM	98	5

COUNTY=ROBERTSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,985	316
1	MALIGNANT NEOPLASMS	1,470	100
2	DISEASES OF HEART	945	70
3	ACCIDENTS AND ADVERSE EFFECTS	944	28
4	SUICIDE	391	11
5	ASSAULT (HOMICIDE)	390	7

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2011**

COUNTY=ROBERTSON

Rank	Cause	YPLL	Deaths
6	CHRONIC LOWER RESPIRATORY DISEASES	215	19
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	192	6
8	NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	123	6
9	PNEUMONIA AND INFLUENZA	119	7
10	DIABETES MELLITUS	99	7

COUNTY=RUTHERFORD

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	15,306	824
1	MALIGNANT NEOPLASMS	3,492	240
2	DISEASES OF HEART	2,657	174
3	ACCIDENTS AND ADVERSE EFFECTS	1,746	55
4	SUICIDE	798	25
5	CONGENITAL ANOMALIES	608	9
6	CERTAIN PERINATAL CONDITIONS	596	8
7	CHRONIC LOWER RESPIRATORY DISEASES	438	45
8	CEREBROVASCULAR DISEASE	412	24
9	DIABETES MELLITUS	397	23
10	ASSAULT (HOMICIDE)	344	8

COUNTY=SCOTT

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,263	161
1	MALIGNANT NEOPLASMS	803	55
2	DISEASES OF HEART	484	28
3	ACCIDENTS AND ADVERSE EFFECTS	476	12
4	CHRONIC LOWER RESPIRATORY DISEASES	227	14
5	SUICIDE	168	5
6	DIABETES MELLITUS	83	6
7	CEREBROVASCULAR DISEASE	79	7

COUNTY=SEQUATCHIE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,440	82
1	MALIGNANT NEOPLASMS	359	27
2	ACCIDENTS AND ADVERSE EFFECTS	280	9
3	DISEASES OF HEART	219	18
4	CHRONIC LOWER RESPIRATORY DISEASES	32	4

COUNTY=SEVIER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	7,495	441
1	MALIGNANT NEOPLASMS	1,836	141
2	DISEASES OF HEART	1,430	89
3	ACCIDENTS AND ADVERSE EFFECTS	1,080	36
4	CHRONIC LOWER RESPIRATORY DISEASES	403	35
5	CERTAIN PERINATAL CONDITIONS	298	4
6	SUICIDE	255	10

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2011**

COUNTY=SEVIER

Rank	Cause	YPLL	Deaths
7	CEREBROVASCULAR DISEASE	214	17
8	VIRAL HEPATITIS	133	6
9	OTHER DISEASES OF RESPIRATORY SYSTEM	113	6
10	PNEUMONIA AND INFLUENZA	99	7

COUNTY=SHELBY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	81,773	3,942
1	MALIGNANT NEOPLASMS	15,437	1,046
2	DISEASES OF HEART	12,685	790
3	ACCIDENTS AND ADVERSE EFFECTS	9,173	266
4	ASSAULT (HOMICIDE)	6,385	153
5	CERTAIN PERINATAL CONDITIONS	4,655	63
6	CEREBROVASCULAR DISEASE	3,399	187
7	SUICIDE	2,502	84
8	CONGENITAL ANOMALIES	2,222	38
9	DIABETES MELLITUS	2,200	149
10	CHRONIC LOWER RESPIRATORY DISEASES	1,742	136

COUNTY=SMITH

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,888	105
1	MALIGNANT NEOPLASMS	453	26
2	ACCIDENTS AND ADVERSE EFFECTS	427	14
3	DISEASES OF HEART	261	22
4	DIABETES MELLITUS	130	9
5	CHRONIC LOWER RESPIRATORY DISEASES	120	9

COUNTY=STEWART

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,478	98
1	MALIGNANT NEOPLASMS	426	32
2	ACCIDENTS AND ADVERSE EFFECTS	303	8
3	DISEASES OF HEART	292	24
4	SUICIDE	152	4
5	CHRONIC LOWER RESPIRATORY DISEASES	110	9

COUNTY=SULLIVAN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	13,366	810
1	MALIGNANT NEOPLASMS	2,957	223
2	DISEASES OF HEART	2,466	168
3	ACCIDENTS AND ADVERSE EFFECTS	1,427	51
4	CHRONIC LOWER RESPIRATORY DISEASES	532	53
5	DIABETES MELLITUS	483	35
6	SUICIDE	458	16
7	CERTAIN PERINATAL CONDITIONS	447	6
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	384	17

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2011**

COUNTY=SULLIVAN

Rank	Cause	YPLL	Deaths
9	CEREBROVASCULAR DISEASE	286	21
10	OTHER DISEASES OF RESPIRATORY SYSTEM	241	13

COUNTY=SUMNER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	12,145	637
1	ACCIDENTS AND ADVERSE EFFECTS	2,324	68
2	DISEASES OF HEART	2,173	135
3	MALIGNANT NEOPLASMS	2,086	161
4	CONGENITAL ANOMALIES	699	10
5	SUICIDE	519	18
6	CHRONIC LOWER RESPIRATORY DISEASES	409	38
7	ASSAULT (HOMICIDE)	307	7
8	DIABETES MELLITUS	270	20
9	PNEUMONIA AND INFLUENZA	256	12
10	CHRONIC LIVER DISEASE AND CIRRHOSIS	253	15

COUNTY=TIPTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,667	282
1	MALIGNANT NEOPLASMS	1,146	92
2	DISEASES OF HEART	981	62
3	ACCIDENTS AND ADVERSE EFFECTS	771	23
4	CHRONIC LOWER RESPIRATORY DISEASES	217	23
5	SUICIDE	163	6
6	SEPTICEMIA	130	5
7	CEREBROVASCULAR DISEASE	101	11
8	DIABETES MELLITUS	89	7

COUNTY=TROUSDALE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	801	38
1	ACCIDENTS AND ADVERSE EFFECTS	356	8
2	MALIGNANT NEOPLASMS	154	8
3	DISEASES OF HEART	89	7

COUNTY=UNICOI

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,005	128
1	MALIGNANT NEOPLASMS	497	43
2	ACCIDENTS AND ADVERSE EFFECTS	483	11
3	DISEASES OF HEART	369	27
4	CHRONIC LOWER RESPIRATORY DISEASES	101	11

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2011**

COUNTY=UNION

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,220	120
1	MALIGNANT NEOPLASMS	572	33
2	DISEASES OF HEART	473	35
3	ACCIDENTS AND ADVERSE EFFECTS	214	8
4	SUICIDE	172	4
5	CHRONIC LOWER RESPIRATORY DISEASES	105	10
6	PNEUMONIA AND INFLUENZA	62	4
7	CEREBROVASCULAR DISEASE	48	5

COUNTY=VAN BUREN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	749	40
1	ACCIDENTS AND ADVERSE EFFECTS	188	5
2	MALIGNANT NEOPLASMS	152	13
3	SEPTICEMIA	92	4
4	DISEASES OF HEART	38	5

COUNTY=WARREN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,104	242
1	MALIGNANT NEOPLASMS	1,013	75
2	DISEASES OF HEART	840	60
3	ACCIDENTS AND ADVERSE EFFECTS	517	23
4	CERTAIN PERINATAL CONDITIONS	447	6
5	SUICIDE	152	4
6	CHRONIC LOWER RESPIRATORY DISEASES	141	11
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	124	8
8	DIABETES MELLITUS	110	9
9	PNEUMONIA AND INFLUENZA	88	5
10	CEREBROVASCULAR DISEASE	80	9

COUNTY=WASHINGTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	10,407	607
1	DISEASES OF HEART	2,333	155
2	MALIGNANT NEOPLASMS	2,166	161
3	ACCIDENTS AND ADVERSE EFFECTS	1,346	44
4	SUICIDE	514	17
5	CHRONIC LOWER RESPIRATORY DISEASES	409	38
6	PNEUMONIA AND INFLUENZA	296	17
7	CEREBROVASCULAR DISEASE	275	19
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	262	13
9	DIABETES MELLITUS	202	13
10	SEPTICEMIA	139	7

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2011**

COUNTY=WAYNE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,442	95
1	MALIGNANT NEOPLASMS	425	30
2	DISEASES OF HEART	225	19
3	ACCIDENTS AND ADVERSE EFFECTS	169	7
4	SUICIDE	102	4
5	CHRONIC LOWER RESPIRATORY DISEASES	74	8

COUNTY=WEEKLEY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,116	179
1	MALIGNANT NEOPLASMS	856	61
2	ACCIDENTS AND ADVERSE EFFECTS	597	15
3	DISEASES OF HEART	383	26
4	SUICIDE	149	7
5	CEREBROVASCULAR DISEASE	124	8
6	CHRONIC LOWER RESPIRATORY DISEASES	111	11
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	103	6
8	SEPTICEMIA	68	5
9	PNEUMONIA AND INFLUENZA	62	4

COUNTY=WHITE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,327	196
1	DISEASES OF HEART	785	50
2	MALIGNANT NEOPLASMS	654	48
3	SUICIDE	381	11
4	ACCIDENTS AND ADVERSE EFFECTS	371	11
5	DIABETES MELLITUS	114	8
6	CHRONIC LOWER RESPIRATORY DISEASES	85	10
7	CEREBROVASCULAR DISEASE	74	8

COUNTY=WILLIAMSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	6,639	378
1	MALIGNANT NEOPLASMS	1,935	139
2	ACCIDENTS AND ADVERSE EFFECTS	943	27
3	DISEASES OF HEART	657	54
4	SUICIDE	499	18
5	CONGENITAL ANOMALIES	344	5
6	CHRONIC LOWER RESPIRATORY DISEASES	241	22
7	DIABETES MELLITUS	166	12
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	161	11
9	CEREBROVASCULAR DISEASE	136	12
10	OTHER DISEASES OF RESPIRATORY SYSTEM	68	5

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2011**

COUNTY=WILSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	8,599	493
1	MALIGNANT NEOPLASMS	2,097	155
2	DISEASES OF HEART	1,535	99
3	ACCIDENTS AND ADVERSE EFFECTS	1,289	43
4	CEREBROVASCULAR DISEASE	312	24
5	CHRONIC LOWER RESPIRATORY DISEASES	290	29
6	DIABETES MELLITUS	269	18
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	241	11
8	SUICIDE	234	8
9	PNEUMONIA AND INFLUENZA	225	10
10	CONGENITAL ANOMALIES	170	4

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment