

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2013**

COUNTY=ALL COUNTIES

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	558,341	31,611
1	MALIGNANT NEOPLASMS	116,577	8,703
2	DISEASES OF HEART	97,146	6,601
3	ACCIDENTS AND ADVERSE EFFECTS	81,183	2,633
4	SUICIDE	28,222	941
5	CHRONIC LOWER RESPIRATORY DISEASES	19,362	1,825
6	CERTAIN PERINATAL CONDITIONS	17,359	233
7	ASSAULT (HOMICIDE)	16,359	402
8	DIABETES MELLITUS	15,369	1,039
9	CEREBROVASCULAR DISEASE	13,958	1,074
10	CHRONIC LIVER DISEASE AND CIRRHOSIS	13,190	720

COUNTY=ANDERSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	7,635	433
1	MALIGNANT NEOPLASMS	1,634	120
2	ACCIDENTS AND ADVERSE EFFECTS	1,366	43
3	DISEASES OF HEART	1,183	86
4	SUICIDE	579	18
5	CHRONIC LOWER RESPIRATORY DISEASES	241	22
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	207	14
7	DIABETES MELLITUS	181	11
8	CEREBROVASCULAR DISEASE	166	12
9	PNEUMONIA AND INFLUENZA	140	9
10	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	90	9

COUNTY=BEDFORD

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,146	226
1	ACCIDENTS AND ADVERSE EFFECTS	1,139	32
2	DISEASES OF HEART	827	54
3	MALIGNANT NEOPLASMS	674	57
4	CHRONIC LOWER RESPIRATORY DISEASES	147	14
5	SUICIDE	142	4
6	CEREBROVASCULAR DISEASE	94	8
7	DIABETES MELLITUS	68	5
8	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	58	5

COUNTY=BENTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,154	128
1	ACCIDENTS AND ADVERSE EFFECTS	676	21
2	MALIGNANT NEOPLASMS	475	30
3	DISEASES OF HEART	416	32
4	SUICIDE	72	4
5	CHRONIC LOWER RESPIRATORY DISEASES	70	9

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2013**

COUNTY=BLED SOE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,364	77
1	DISEASES OF HEART	329	18
2	MALIGNANT NEOPLASMS	305	19
3	ACCIDENTS AND ADVERSE EFFECTS	169	7
4	CHRONIC LOWER RESPIRATORY DISEASES	99	7
5	SUICIDE	92	4
6	PNEUMONIA AND INFLUENZA	52	4
7	DIABETES MELLITUS	32	4

COUNTY=BLOUNT

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	11,027	635
1	MALIGNANT NEOPLASMS	2,489	174
2	ACCIDENTS AND ADVERSE EFFECTS	1,498	54
3	DISEASES OF HEART	1,293	86
4	SUICIDE	530	20
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	446	21
6	CHRONIC LOWER RESPIRATORY DISEASES	400	40
7	SEPTICEMIA	229	9
8	DIABETES MELLITUS	221	22
9	CEREBROVASCULAR DISEASE	205	19
10	PNEUMONIA AND INFLUENZA	151	11

COUNTY=BRADLEY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	7,899	459
1	DISEASES OF HEART	1,658	116
2	MALIGNANT NEOPLASMS	1,496	121
3	ACCIDENTS AND ADVERSE EFFECTS	1,183	35
4	CHRONIC LOWER RESPIRATORY DISEASES	471	42
5	SUICIDE	366	12
6	CERTAIN PERINATAL CONDITIONS	298	4
7	DIABETES MELLITUS	268	16
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	257	14
9	SEPTICEMIA	152	6
10	CEREBROVASCULAR DISEASE	136	12

COUNTY=CAMPBELL

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,149	314
1	MALIGNANT NEOPLASMS	1,126	88
2	DISEASES OF HEART	984	68
3	ACCIDENTS AND ADVERSE EFFECTS	918	32
4	SUICIDE	249	7
5	CHRONIC LOWER RESPIRATORY DISEASES	145	19
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	133	6
7	DIABETES MELLITUS	130	9
8	CEREBROVASCULAR DISEASE	73	6

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2013**

COUNTY=CAMPBELL

Rank	Cause	YPLL	Deaths
9	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	63	6
10	OTHER DISEASES OF CIRCULATORY SYSTEM	42	4

COUNTY=CANNON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,299	78
1	ACCIDENTS AND ADVERSE EFFECTS	307	10
2	MALIGNANT NEOPLASMS	265	19
3	DISEASES OF HEART	168	16
4	DIABETES MELLITUS	68	5
5	CHRONIC LOWER RESPIRATORY DISEASES	48	5
6	CEREBROVASCULAR DISEASE	42	4

COUNTY=CARROLL

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,710	173
1	DISEASES OF HEART	688	45
2	MALIGNANT NEOPLASMS	574	48
3	ACCIDENTS AND ADVERSE EFFECTS	493	17
4	SUICIDE	118	5
5	CHRONIC LOWER RESPIRATORY DISEASES	106	12
6	DIABETES MELLITUS	82	4
7	CEREBROVASCULAR DISEASE	69	7
8	PNEUMONIA AND INFLUENZA	48	5

COUNTY=CARTER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,396	353
1	MALIGNANT NEOPLASMS	1,410	109
2	DISEASES OF HEART	812	60
3	ACCIDENTS AND ADVERSE EFFECTS	450	16
4	SUICIDE	302	13
5	CHRONIC LOWER RESPIRATORY DISEASES	292	24
6	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	165	10
7	DIABETES MELLITUS	156	12
8	SEPTICEMIA	123	6
9	EVENTS OF UNDETERMINED INTENT	122	4
10	CEREBROVASCULAR DISEASE	121	11

COUNTY=CHEATHAM

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,723	210
1	MALIGNANT NEOPLASMS	890	65
2	DISEASES OF HEART	711	42
3	ACCIDENTS AND ADVERSE EFFECTS	536	21
4	CEREBROVASCULAR DISEASE	144	8
5	VIRAL HEPATITIS	143	6
6	CHRONIC LOWER RESPIRATORY DISEASES	111	11

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2013**

COUNTY=CHEATHAM

Rank	Cause	YPLL	Deaths
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	82	4
8	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	52	4

COUNTY=CHESTER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,096	77
1	MALIGNANT NEOPLASMS	342	24
2	ACCIDENTS AND ADVERSE EFFECTS	240	9
3	DISEASES OF HEART	116	12
4	DIABETES MELLITUS	59	7
5	CHRONIC LOWER RESPIRATORY DISEASES	49	7

COUNTY=CLAIBORNE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,172	260
1	DISEASES OF HEART	988	65
2	MALIGNANT NEOPLASMS	973	75
3	ACCIDENTS AND ADVERSE EFFECTS	576	21
4	SUICIDE	285	10
5	CEREBROVASCULAR DISEASE	126	12
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	123	6
7	PNEUMONIA AND INFLUENZA	121	11
8	CHRONIC LOWER RESPIRATORY DISEASES	117	14
9	OTHER DISEASES OF CIRCULATORY SYSTEM	82	4
10	DIABETES MELLITUS	42	4

COUNTY=CLAY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	742	53
1	MALIGNANT NEOPLASMS	194	17
2	DISEASES OF HEART	144	8
3	ACCIDENTS AND ADVERSE EFFECTS	92	4
4	CHRONIC LOWER RESPIRATORY DISEASES	69	7
5	CEREBROVASCULAR DISEASE	62	4

COUNTY=COCKE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,215	293
1	DISEASES OF HEART	1,034	68
2	ACCIDENTS AND ADVERSE EFFECTS	968	22
3	MALIGNANT NEOPLASMS	921	71
4	CHRONIC LOWER RESPIRATORY DISEASES	258	25
5	SUICIDE	223	6
6	CEREBROVASCULAR DISEASE	118	16
7	HYPERTENSION AND RENAL DISEASE	92	4
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	82	4
9	SEPTICEMIA	62	4
10	ALZHEIMER'S DISEASE	43	6

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2013**

COUNTY=COFFEE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,222	316
1	DISEASES OF HEART	1,158	76
2	MALIGNANT NEOPLASMS	962	73
3	ACCIDENTS AND ADVERSE EFFECTS	772	22
4	SUICIDE	425	15
5	CHRONIC LOWER RESPIRATORY DISEASES	227	23
6	DIABETES MELLITUS	217	14
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	200	9
8	CEREBROVASCULAR DISEASE	110	9
9	NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	63	6
10	OTHER DISEASES OF CIRCULATORY SYSTEM	52	4

COUNTY=CROCKETT

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,413	86
1	DISEASES OF HEART	344	28
2	ACCIDENTS AND ADVERSE EFFECTS	253	6
3	MALIGNANT NEOPLASMS	235	19

COUNTY=CUMBERLAND

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,345	352
1	MALIGNANT NEOPLASMS	1,209	107
2	DISEASES OF HEART	962	69
3	ACCIDENTS AND ADVERSE EFFECTS	762	29
4	ASSAULT (HOMICIDE)	368	7
5	CHRONIC LOWER RESPIRATORY DISEASES	280	29
6	DIABETES MELLITUS	195	19
7	SEPTICEMIA	144	8
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	119	7
9	CEREBROVASCULAR DISEASE	79	7
10	SUICIDE	53	6

COUNTY=DAVIDSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	50,485	2,615
1	MALIGNANT NEOPLASMS	10,106	713
2	DISEASES OF HEART	8,143	524
3	ACCIDENTS AND ADVERSE EFFECTS	7,648	258
4	CERTAIN PERINATAL CONDITIONS	3,204	43
5	SUICIDE	2,825	86
6	ASSAULT (HOMICIDE)	1,704	40
7	CONGENITAL ANOMALIES	1,600	26
8	DIABETES MELLITUS	1,381	91
9	CEREBROVASCULAR DISEASE	1,252	93
10	CHRONIC LIVER DISEASE AND CIRRHOSIS	1,136	61

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2013**

COUNTY=DECATUR

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	993	68
1	MALIGNANT NEOPLASMS	204	17
2	DISEASES OF HEART	147	14
3	ACCIDENTS AND ADVERSE EFFECTS	92	4
4	CHRONIC LOWER RESPIRATORY DISEASES	38	5

COUNTY=DEKALB

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,184	122
1	DISEASES OF HEART	470	29
2	MALIGNANT NEOPLASMS	389	27
3	ACCIDENTS AND ADVERSE EFFECTS	375	15
4	CHRONIC LOWER RESPIRATORY DISEASES	105	10
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	78	5

COUNTY=DICKSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,831	259
1	MALIGNANT NEOPLASMS	1,071	78
2	DISEASES OF HEART	835	59
3	ACCIDENTS AND ADVERSE EFFECTS	727	19
4	SUICIDE	423	15
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	252	13
6	CHRONIC LOWER RESPIRATORY DISEASES	213	15
7	OTHER DISEASES OF RESPIRATORY SYSTEM	130	5
8	DIABETES MELLITUS	93	6
9	PNEUMONIA AND INFLUENZA	78	5
10	CEREBROVASCULAR DISEASE	63	6

COUNTY=DYER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,083	249
1	MALIGNANT NEOPLASMS	968	65
2	DISEASES OF HEART	760	60
3	ACCIDENTS AND ADVERSE EFFECTS	433	11
4	SUICIDE	271	7
5	CHRONIC LOWER RESPIRATORY DISEASES	195	19
6	SEPTICEMIA	163	6
7	DIABETES MELLITUS	150	9
8	EVENTS OF UNDETERMINED INTENT	112	4
9	CEREBROVASCULAR DISEASE	80	9
10	PNEUMONIA AND INFLUENZA	78	5

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2013**

COUNTY=FAYETTE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,210	188
1	MALIGNANT NEOPLASMS	792	53
2	DISEASES OF HEART	561	42
3	ACCIDENTS AND ADVERSE EFFECTS	257	10
4	CHRONIC LOWER RESPIRATORY DISEASES	214	9
5	SUICIDE	213	6
6	CEREBROVASCULAR DISEASE	115	10
7	SEPTICEMIA	93	6
8	DIABETES MELLITUS	73	6
9	CHRONIC LIVER DISEASE AND CIRRHOSIS	42	4

COUNTY=FENTRESS

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,330	139
1	MALIGNANT NEOPLASMS	515	39
2	DISEASES OF HEART	434	28
3	DIABETES MELLITUS	164	8
4	CHRONIC LOWER RESPIRATORY DISEASES	106	12
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	103	6
6	ACCIDENTS AND ADVERSE EFFECTS	88	5
7	OTHER DISEASES OF RESPIRATORY SYSTEM	22	4

COUNTY=FRANKLIN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,767	250
1	DISEASES OF HEART	792	64
2	MALIGNANT NEOPLASMS	718	65
3	ACCIDENTS AND ADVERSE EFFECTS	687	23
4	SUICIDE	240	9
5	DIABETES MELLITUS	155	10
6	CHRONIC LOWER RESPIRATORY DISEASES	140	9
7	OTHER DISEASES OF RESPIRATORY SYSTEM	121	7
8	CEREBROVASCULAR DISEASE	120	9
9	PNEUMONIA AND INFLUENZA	88	5
10	CHRONIC LIVER DISEASE AND CIRRHOSIS	42	4

COUNTY=GIBSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,847	277
1	DISEASES OF HEART	1,028	65
2	MALIGNANT NEOPLASMS	854	68
3	ACCIDENTS AND ADVERSE EFFECTS	474	17
4	CONGENITAL ANOMALIES	405	8
5	SUICIDE	266	8
6	ASSAULT (HOMICIDE)	235	6
7	CEREBROVASCULAR DISEASE	195	19
8	CHRONIC LOWER RESPIRATORY DISEASES	163	15

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2013**

COUNTY=GIBSON

Rank	Cause	YPLL	Deaths
9	CHRONIC LIVER DISEASE AND CIRRHOSIS	154	8
10	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	92	4

COUNTY=GILES

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,035	188
1	MALIGNANT NEOPLASMS	777	59
2	DISEASES OF HEART	739	47
3	ACCIDENTS AND ADVERSE EFFECTS	624	19
4	SUICIDE	225	10
5	CHRONIC LOWER RESPIRATORY DISEASES	102	13
6	CEREBROVASCULAR DISEASE	48	5

COUNTY=GRAINGER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,707	168
1	MALIGNANT NEOPLASMS	566	52
2	DISEASES OF HEART	388	25
3	ACCIDENTS AND ADVERSE EFFECTS	348	12
4	CHRONIC LOWER RESPIRATORY DISEASES	144	17
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	82	4
6	CEREBROVASCULAR DISEASE	78	5
7	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	62	4

COUNTY=GREENE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	6,108	399
1	MALIGNANT NEOPLASMS	1,392	113
2	DISEASES OF HEART	1,275	90
3	ACCIDENTS AND ADVERSE EFFECTS	730	29
4	CHRONIC LOWER RESPIRATORY DISEASES	341	31
5	SUICIDE	337	14
6	CEREBROVASCULAR DISEASE	154	17
7	EVENTS OF UNDETERMINED INTENT	147	5
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	140	9
9	PNEUMONIA AND INFLUENZA	103	6
10	SEPTICEMIA	72	4

COUNTY=GRUNDY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,926	117
1	ACCIDENTS AND ADVERSE EFFECTS	470	16
2	MALIGNANT NEOPLASMS	401	31
3	DISEASES OF HEART	327	23
4	CEREBROVASCULAR DISEASE	98	5
5	CHRONIC LOWER RESPIRATORY DISEASES	91	11
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	72	4

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2013**

COUNTY=HAMBLEN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	6,253	379
1	MALIGNANT NEOPLASMS	1,132	104
2	DISEASES OF HEART	1,008	65
3	ACCIDENTS AND ADVERSE EFFECTS	997	30
4	SUICIDE	403	15
5	CHRONIC LOWER RESPIRATORY DISEASES	330	29
6	DIABETES MELLITUS	258	16
7	CONGENITAL ANOMALIES	210	4
8	CEREBROVASCULAR DISEASE	207	14
9	CHRONIC LIVER DISEASE AND CIRRHOSIS	191	11
10	PNEUMONIA AND INFLUENZA	160	9

COUNTY=HAMILTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	26,909	1,574
1	MALIGNANT NEOPLASMS	5,900	460
2	DISEASES OF HEART	4,424	310
3	ACCIDENTS AND ADVERSE EFFECTS	4,120	133
4	SUICIDE	1,263	46
5	DIABETES MELLITUS	1,021	62
6	ASSAULT (HOMICIDE)	881	22
7	CHRONIC LOWER RESPIRATORY DISEASES	830	89
8	CERTAIN PERINATAL CONDITIONS	745	10
9	CEREBROVASCULAR DISEASE	730	51
10	CONGENITAL ANOMALIES	683	11

COUNTY=HANCOCK

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	735	59
1	MALIGNANT NEOPLASMS	122	13
2	PNEUMONIA AND INFLUENZA	73	6
3	CHRONIC LOWER RESPIRATORY DISEASES	64	8
4	DISEASES OF HEART	49	7

COUNTY=HARDEMAN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,584	145
1	MALIGNANT NEOPLASMS	576	41
2	DISEASES OF HEART	407	23
3	ACCIDENTS AND ADVERSE EFFECTS	270	9
4	CONGENITAL ANOMALIES	235	5
5	CHRONIC LOWER RESPIRATORY DISEASES	100	9
6	DIABETES MELLITUS	99	7
7	PNEUMONIA AND INFLUENZA	73	6
8	CEREBROVASCULAR DISEASE	32	4
9	PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	32	4

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2013**

COUNTY=HARDIN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,417	192
1	ACCIDENTS AND ADVERSE EFFECTS	722	24
2	MALIGNANT NEOPLASMS	671	47
3	DISEASES OF HEART	651	51
4	SUICIDE	224	8
5	ASSAULT (HOMICIDE)	148	5
6	CHRONIC LOWER RESPIRATORY DISEASES	101	11
7	CEREBROVASCULAR DISEASE	58	5
8	DIABETES MELLITUS	48	5

COUNTY=HAWKINS

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	6,232	354
1	MALIGNANT NEOPLASMS	1,313	106
2	DISEASES OF HEART	1,055	79
3	ACCIDENTS AND ADVERSE EFFECTS	810	22
4	SUICIDE	346	12
5	CHRONIC LOWER RESPIRATORY DISEASES	236	21
6	EVENTS OF UNDETERMINED INTENT	153	6
7	DIABETES MELLITUS	143	6
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	139	7
9	OTHER DISEASES OF RESPIRATORY SYSTEM	134	4
10	CEREBROVASCULAR DISEASE	125	10

COUNTY=HAYWOOD

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,681	86
1	MALIGNANT NEOPLASMS	409	27
2	ACCIDENTS AND ADVERSE EFFECTS	257	5
3	DISEASES OF HEART	212	13
4	CEREBROVASCULAR DISEASE	103	6
5	CHRONIC LOWER RESPIRATORY DISEASES	59	7

COUNTY=HENDERSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,700	160
1	MALIGNANT NEOPLASMS	641	47
2	ACCIDENTS AND ADVERSE EFFECTS	468	14
3	DISEASES OF HEART	282	24
4	SUICIDE	158	5
5	CHRONIC LOWER RESPIRATORY DISEASES	153	15
6	CEREBROVASCULAR DISEASE	103	6
7	DIABETES MELLITUS	94	8

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2013**

COUNTY=HENRY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,192	209
1	MALIGNANT NEOPLASMS	697	54
2	DISEASES OF HEART	605	46
3	ACCIDENTS AND ADVERSE EFFECTS	447	16
4	SUICIDE	214	8
5	CHRONIC LOWER RESPIRATORY DISEASES	188	12
6	CEREBROVASCULAR DISEASE	156	12
7	ASSAULT (HOMICIDE)	92	4
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	58	5
9	DIABETES MELLITUS	38	5
10	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	38	5

COUNTY=HICKMAN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,451	138
1	MALIGNANT NEOPLASMS	567	39
2	ACCIDENTS AND ADVERSE EFFECTS	378	12
3	DISEASES OF HEART	234	17
4	SUICIDE	102	4
5	OTHER DISEASES OF RESPIRATORY SYSTEM	88	5
6	CHRONIC LOWER RESPIRATORY DISEASES	53	6

COUNTY=HOUSTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,001	62
1	MALIGNANT NEOPLASMS	229	18
2	DISEASES OF HEART	135	10
3	ACCIDENTS AND ADVERSE EFFECTS	128	5
4	CHRONIC LOWER RESPIRATORY DISEASES	84	8

COUNTY=HUMPHREYS

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,080	124
1	MALIGNANT NEOPLASMS	468	36
2	ACCIDENTS AND ADVERSE EFFECTS	250	9
3	DISEASES OF HEART	237	23
4	OTHER DISEASES OF RESPIRATORY SYSTEM	108	5
5	SUICIDE	102	4
6	CHRONIC LOWER RESPIRATORY DISEASES	99	7
7	PNEUMONIA AND INFLUENZA	58	5
8	CEREBROVASCULAR DISEASE	48	5
9	DIABETES MELLITUS	42	4

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2013**

COUNTY=JACKSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,335	79
1	MALIGNANT NEOPLASMS	307	23
2	DISEASES OF HEART	241	11
3	ACCIDENTS AND ADVERSE EFFECTS	174	8
4	CHRONIC LOWER RESPIRATORY DISEASES	130	9

COUNTY=JEFFERSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,433	267
1	MALIGNANT NEOPLASMS	986	81
2	DISEASES OF HEART	864	53
3	ACCIDENTS AND ADVERSE EFFECTS	719	21
4	CHRONIC LIVER DISEASE AND CIRRHOSIS	174	8
5	CEREBROVASCULAR DISEASE	143	6
6	SUICIDE	142	4
7	CHRONIC LOWER RESPIRATORY DISEASES	138	16
8	PNEUMONIA AND INFLUENZA	118	5
9	DIABETES MELLITUS	101	11
10	OTHER DISEASES OF RESPIRATORY SYSTEM	48	5

COUNTY=JOHNSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,722	104
1	MALIGNANT NEOPLASMS	341	31
2	ACCIDENTS AND ADVERSE EFFECTS	250	9
3	SUICIDE	188	5
4	DISEASES OF HEART	136	12
5	DIABETES MELLITUS	119	7
6	SEPTICEMIA	63	6
7	CHRONIC LOWER RESPIRATORY DISEASES	58	5

COUNTY=KNOX

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	33,261	1,880
1	MALIGNANT NEOPLASMS	7,560	530
2	DISEASES OF HEART	5,718	385
3	ACCIDENTS AND ADVERSE EFFECTS	5,505	176
4	SUICIDE	1,523	51
5	CHRONIC LOWER RESPIRATORY DISEASES	1,142	113
6	ASSAULT (HOMICIDE)	889	20
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	824	48
8	DIABETES MELLITUS	766	52
9	CONGENITAL ANOMALIES	763	16
10	CEREBROVASCULAR DISEASE	684	53

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2013**

COUNTY=LAKE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	956	50
1	MALIGNANT NEOPLASMS	210	20
2	DISEASES OF HEART	165	10
3	ACCIDENTS AND ADVERSE EFFECTS	148	5

COUNTY=LAUDERDALE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,900	155
1	MALIGNANT NEOPLASMS	625	39
2	DISEASES OF HEART	498	36
3	ACCIDENTS AND ADVERSE EFFECTS	464	17
4	CHRONIC LOWER RESPIRATORY DISEASES	121	11
5	DIABETES MELLITUS	109	7
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	98	5
7	CEREBROVASCULAR DISEASE	93	6

COUNTY=LAWRENCE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,510	228
1	MALIGNANT NEOPLASMS	873	66
2	DISEASES OF HEART	849	58
3	ACCIDENTS AND ADVERSE EFFECTS	271	11
4	SUICIDE	213	6
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	155	10
6	CHRONIC LOWER RESPIRATORY DISEASES	153	15
7	DIABETES MELLITUS	99	7
8	OTHER DISEASES OF RESPIRATORY SYSTEM	89	7
9	PNEUMONIA AND INFLUENZA	72	4
10	PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	52	4

COUNTY=LEWIS

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,308	80
1	MALIGNANT NEOPLASMS	310	20
2	DISEASES OF HEART	206	21
3	SUICIDE	148	5
4	ACCIDENTS AND ADVERSE EFFECTS	112	4
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	72	4

COUNTY=LINCOLN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,375	146
1	MALIGNANT NEOPLASMS	612	40
2	DISEASES OF HEART	598	36
3	ACCIDENTS AND ADVERSE EFFECTS	363	15
4	CHRONIC LOWER RESPIRATORY DISEASES	70	9
5	CEREBROVASCULAR DISEASE	59	7

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2013**

COUNTY=LOUDON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,309	273
1	MALIGNANT NEOPLASMS	1,073	86
2	ACCIDENTS AND ADVERSE EFFECTS	629	22
3	DISEASES OF HEART	485	39
4	CHRONIC LOWER RESPIRATORY DISEASES	205	19
5	DIABETES MELLITUS	180	9
6	EVENTS OF UNDETERMINED INTENT	171	4
7	SUICIDE	133	6
8	CEREBROVASCULAR DISEASE	126	12
9	SEPTICEMIA	89	7
10	CHRONIC LIVER DISEASE AND CIRRHOSIS	88	5

COUNTY=MCMINN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,186	332
1	MALIGNANT NEOPLASMS	1,059	78
2	DISEASES OF HEART	1,019	78
3	ACCIDENTS AND ADVERSE EFFECTS	477	14
4	SUICIDE	305	10
5	CHRONIC LOWER RESPIRATORY DISEASES	289	27
6	CONGENITAL ANOMALIES	211	6
7	DIABETES MELLITUS	198	12
8	CEREBROVASCULAR DISEASE	136	12
9	HYPERTENSION AND RENAL DISEASE	133	6
10	VIRAL HEPATITIS	123	6

COUNTY=MCAIRY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,996	175
1	ACCIDENTS AND ADVERSE EFFECTS	608	17
2	DISEASES OF HEART	539	38
3	MALIGNANT NEOPLASMS	474	48
4	PNEUMONIA AND INFLUENZA	210	9
5	SUICIDE	204	8
6	DIABETES MELLITUS	113	6
7	CHRONIC LOWER RESPIRATORY DISEASES	110	9
8	CEREBROVASCULAR DISEASE	43	6

COUNTY=MACON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,593	159
1	DISEASES OF HEART	636	41
2	MALIGNANT NEOPLASMS	525	39
3	ACCIDENTS AND ADVERSE EFFECTS	449	18
4	SUICIDE	148	5
5	CEREBROVASCULAR DISEASE	63	6
6	CHRONIC LOWER RESPIRATORY DISEASES	49	7
7	DIABETES MELLITUS	38	5

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2013**

COUNTY=MADISON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	7,867	418
1	MALIGNANT NEOPLASMS	1,672	113
2	DISEASES OF HEART	1,191	82
3	ACCIDENTS AND ADVERSE EFFECTS	954	30
4	ASSAULT (HOMICIDE)	589	14
5	SUICIDE	341	11
6	SEPTICEMIA	308	14
7	DIABETES MELLITUS	284	17
8	CEREBROVASCULAR DISEASE	187	14
9	CHRONIC LOWER RESPIRATORY DISEASES	156	8
10	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	140	9

COUNTY=MARION

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,489	231
1	MALIGNANT NEOPLASMS	830	69
2	DISEASES OF HEART	757	54
3	ACCIDENTS AND ADVERSE EFFECTS	413	15
4	SUICIDE	214	8
5	DIABETES MELLITUS	131	11
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	108	5
7	CHRONIC LOWER RESPIRATORY DISEASES	96	12
8	SEPTICEMIA	82	4
9	VIRAL HEPATITIS	82	4
10	CEREBROVASCULAR DISEASE	80	9

COUNTY=MARSHALL

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,816	178
1	MALIGNANT NEOPLASMS	650	49
2	ACCIDENTS AND ADVERSE EFFECTS	426	12
3	DISEASES OF HEART	417	34
4	PNEUMONIA AND INFLUENZA	150	9
5	SUICIDE	128	5
6	CHRONIC LOWER RESPIRATORY DISEASES	118	16
7	CEREBROVASCULAR DISEASE	73	6
8	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	42	4

COUNTY=MAURY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	6,936	396
1	MALIGNANT NEOPLASMS	1,512	109
2	DISEASES OF HEART	1,261	82
3	ACCIDENTS AND ADVERSE EFFECTS	1,077	36
4	SUICIDE	446	12
5	CHRONIC LOWER RESPIRATORY DISEASES	310	29
6	CEREBROVASCULAR DISEASE	237	14
7	DIABETES MELLITUS	206	12

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2013**

COUNTY=MAURY

Rank	Cause	YPLL	Deaths
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	206	12
9	VIRAL HEPATITIS	62	4
10	PNEUMONIA AND INFLUENZA	58	5

COUNTY=MEIGS

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,536	99
1	MALIGNANT NEOPLASMS	304	28
2	DISEASES OF HEART	218	16
3	ACCIDENTS AND ADVERSE EFFECTS	160	5
4	CHRONIC LOWER RESPIRATORY DISEASES	85	10
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	72	4

COUNTY=MONROE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,075	256
1	MALIGNANT NEOPLASMS	930	80
2	DISEASES OF HEART	832	55
3	ACCIDENTS AND ADVERSE EFFECTS	574	17
4	SUICIDE	233	6
5	CHRONIC LOWER RESPIRATORY DISEASES	173	15
6	DIABETES MELLITUS	135	10
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	123	6
8	CEREBROVASCULAR DISEASE	73	6
9	PARKINSON'S DISEASE	42	4
10	NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	28	5

COUNTY=MONTGOMERY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	12,257	599
1	MALIGNANT NEOPLASMS	2,111	147
2	ACCIDENTS AND ADVERSE EFFECTS	1,808	52
3	DISEASES OF HEART	1,672	100
4	SUICIDE	700	20
5	CONGENITAL ANOMALIES	566	9
6	DIABETES MELLITUS	475	30
7	ASSAULT (HOMICIDE)	416	10
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	400	20
9	CERTAIN PERINATAL CONDITIONS	373	5
10	CHRONIC LOWER RESPIRATORY DISEASES	341	31

COUNTY=MOORE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	494	30
1	MALIGNANT NEOPLASMS	115	10
2	DISEASES OF HEART	52	4

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2013**

COUNTY=MORGAN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,868	121
1	MALIGNANT NEOPLASMS	397	34
2	DISEASES OF HEART	369	27
3	ACCIDENTS AND ADVERSE EFFECTS	229	7
4	CHRONIC LOWER RESPIRATORY DISEASES	157	14
5	DIABETES MELLITUS	82	4

COUNTY=OBION

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,106	188
1	MALIGNANT NEOPLASMS	718	56
2	DISEASES OF HEART	672	44
3	ACCIDENTS AND ADVERSE EFFECTS	559	19
4	SUICIDE	173	6
5	CHRONIC LOWER RESPIRATORY DISEASES	172	13
6	CEREBROVASCULAR DISEASE	120	9
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	103	6
8	DIABETES MELLITUS	58	5
9	OTHER DISEASES OF CIRCULATORY SYSTEM	32	4

COUNTY=OVERTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,702	169
1	DISEASES OF HEART	636	41
2	MALIGNANT NEOPLASMS	575	50
3	ACCIDENTS AND ADVERSE EFFECTS	443	15
4	SUICIDE	214	8
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	133	6
6	CHRONIC LOWER RESPIRATORY DISEASES	122	13
7	PNEUMONIA AND INFLUENZA	58	5
8	CEREBROVASCULAR DISEASE	32	4

COUNTY=PERRY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	942	64
1	MALIGNANT NEOPLASMS	292	24
2	DISEASES OF HEART	177	14
3	ACCIDENTS AND ADVERSE EFFECTS	92	4
4	CEREBROVASCULAR DISEASE	72	4
5	DIABETES MELLITUS	42	4

COUNTY=PICKETT

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	522	33
1	MALIGNANT NEOPLASMS	79	7
2	CHRONIC LOWER RESPIRATORY DISEASES	38	5

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2013**

COUNTY=POLK

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,202	132
1	ACCIDENTS AND ADVERSE EFFECTS	683	19
2	MALIGNANT NEOPLASMS	429	38
3	DISEASES OF HEART	299	27
4	CHRONIC LOWER RESPIRATORY DISEASES	84	8
5	SEPTICEMIA	52	4
6	PNEUMONIA AND INFLUENZA	52	4
7	CEREBROVASCULAR DISEASE	32	4

COUNTY=PUTNAM

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	6,604	387
1	DISEASES OF HEART	1,276	81
2	MALIGNANT NEOPLASMS	1,232	104
3	ACCIDENTS AND ADVERSE EFFECTS	1,043	35
4	CERTAIN PERINATAL CONDITIONS	298	4
5	CHRONIC LOWER RESPIRATORY DISEASES	236	21
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	230	9
7	SUICIDE	225	10
8	DIABETES MELLITUS	187	14
9	CEREBROVASCULAR DISEASE	187	14
10	PNEUMONIA AND INFLUENZA	159	9

COUNTY=RHEA

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,236	190
1	MALIGNANT NEOPLASMS	591	51
2	DISEASES OF HEART	553	37
3	ACCIDENTS AND ADVERSE EFFECTS	491	14
4	DIABETES MELLITUS	166	12
5	SUICIDE	123	6
6	HYPERTENSION AND RENAL DISEASE	93	6
7	CHRONIC LOWER RESPIRATORY DISEASES	80	9
8	PNEUMONIA AND INFLUENZA	62	4
9	CEREBROVASCULAR DISEASE	43	6

COUNTY=ROANE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,855	370
1	MALIGNANT NEOPLASMS	1,221	102
2	ACCIDENTS AND ADVERSE EFFECTS	898	36
3	DISEASES OF HEART	861	71
4	SUICIDE	396	12
5	CERTAIN PERINATAL CONDITIONS	298	4
6	DIABETES MELLITUS	269	18
7	CHRONIC LOWER RESPIRATORY DISEASES	254	28
8	VIRAL HEPATITIS	174	8

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2013**

COUNTY=ROANE

Rank	Cause	YPLL	Deaths
9	CHRONIC LIVER DISEASE AND CIRRHOSIS	124	8
10	OTHER DISEASES OF RESPIRATORY SYSTEM	120	5

COUNTY=ROBERTSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,531	314
1	DISEASES OF HEART	1,218	78
2	MALIGNANT NEOPLASMS	1,077	79
3	ACCIDENTS AND ADVERSE EFFECTS	832	25
4	SUICIDE	352	13
5	CHRONIC LOWER RESPIRATORY DISEASES	186	21
6	CEREBROVASCULAR DISEASE	142	13
7	PNEUMONIA AND INFLUENZA	115	6
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	113	6
9	OTHER DISEASES OF RESPIRATORY SYSTEM	108	5
10	DIABETES MELLITUS	101	11

COUNTY=RUTHERFORD

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	16,076	859
1	MALIGNANT NEOPLASMS	3,381	242
2	ACCIDENTS AND ADVERSE EFFECTS	2,662	81
3	DISEASES OF HEART	2,505	179
4	SUICIDE	832	24
5	CONGENITAL ANOMALIES	761	12
6	CHRONIC LOWER RESPIRATORY DISEASES	515	50
7	DIABETES MELLITUS	495	30
8	CEREBROVASCULAR DISEASE	432	33
9	CHRONIC LIVER DISEASE AND CIRRHOSIS	419	18
10	PNEUMONIA AND INFLUENZA	390	20

COUNTY=SCOTT

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,880	153
1	DISEASES OF HEART	591	31
2	MALIGNANT NEOPLASMS	508	36
3	ACCIDENTS AND ADVERSE EFFECTS	365	10
4	DIABETES MELLITUS	236	12
5	CHRONIC LOWER RESPIRATORY DISEASES	162	13
6	CEREBROVASCULAR DISEASE	68	5

COUNTY=SEQUATCHIE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,352	82
1	MALIGNANT NEOPLASMS	334	24
2	DISEASES OF HEART	295	19
3	ACCIDENTS AND ADVERSE EFFECTS	199	7

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2013**

COUNTY=SEQUATCHIE

Rank	Cause	YPLL	Deaths
4	CHRONIC LIVER DISEASE AND CIRRHOSIS	122	4
5	CHRONIC LOWER RESPIRATORY DISEASES	89	7

COUNTY=SEVIER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	8,323	482
1	MALIGNANT NEOPLASMS	1,806	141
2	DISEASES OF HEART	1,493	106
3	ACCIDENTS AND ADVERSE EFFECTS	1,270	44
4	CERTAIN PERINATAL CONDITIONS	522	7
5	SUICIDE	463	15
6	CEREBROVASCULAR DISEASE	259	18
7	CHRONIC LOWER RESPIRATORY DISEASES	211	22
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	201	11
9	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	130	9
10	PNEUMONIA AND INFLUENZA	109	7

COUNTY=SHELBY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	88,782	4,366
1	MALIGNANT NEOPLASMS	16,974	1,128
2	DISEASES OF HEART	14,389	918
3	ACCIDENTS AND ADVERSE EFFECTS	10,226	321
4	ASSAULT (HOMICIDE)	6,970	160
5	CERTAIN PERINATAL CONDITIONS	4,992	67
6	CEREBROVASCULAR DISEASE	3,073	195
7	SUICIDE	2,702	84
8	DIABETES MELLITUS	2,520	160
9	CHRONIC LOWER RESPIRATORY DISEASES	1,907	151
10	HUMAN IMMUNODEFICIENCY VIRUS (HIV) DIS	1,840	69

COUNTY=SMITH

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,938	108
1	ACCIDENTS AND ADVERSE EFFECTS	471	14
2	DISEASES OF HEART	341	22
3	MALIGNANT NEOPLASMS	276	21
4	SUICIDE	208	5
5	CHRONIC LOWER RESPIRATORY DISEASES	74	8
6	DIABETES MELLITUS	58	5
7	PNEUMONIA AND INFLUENZA	52	4

COUNTY=STEWART

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,215	79
1	ACCIDENTS AND ADVERSE EFFECTS	284	8
2	DISEASES OF HEART	284	17
3	MALIGNANT NEOPLASMS	246	21

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2013**

COUNTY=STEWART

Rank	Cause	YPLL	Deaths
4	SUICIDE	128	5
5	CHRONIC LOWER RESPIRATORY DISEASES	64	8

COUNTY=SULLIVAN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	14,552	892
1	DISEASES OF HEART	2,968	216
2	MALIGNANT NEOPLASMS	2,757	216
3	ACCIDENTS AND ADVERSE EFFECTS	2,044	69
4	SUICIDE	768	25
5	CHRONIC LOWER RESPIRATORY DISEASES	574	57
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	540	29
7	DIABETES MELLITUS	324	28
8	CERTAIN PERINATAL CONDITIONS	298	4
9	SEPTICEMIA	266	14
10	VIRAL HEPATITIS	266	12

COUNTY=SUMNER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	11,387	670
1	MALIGNANT NEOPLASMS	2,473	195
2	DISEASES OF HEART	2,134	137
3	ACCIDENTS AND ADVERSE EFFECTS	1,383	46
4	SUICIDE	896	32
5	CHRONIC LOWER RESPIRATORY DISEASES	448	45
6	CERTAIN PERINATAL CONDITIONS	447	6
7	CONGENITAL ANOMALIES	329	6
8	PNEUMONIA AND INFLUENZA	266	17
9	CHRONIC LIVER DISEASE AND CIRRHOSIS	232	13
10	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	226	12

COUNTY=TIPTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,209	300
1	MALIGNANT NEOPLASMS	1,386	97
2	ACCIDENTS AND ADVERSE EFFECTS	903	27
3	DISEASES OF HEART	895	55
4	CHRONIC LOWER RESPIRATORY DISEASES	237	23
5	SUICIDE	224	8
6	ASSAULT (HOMICIDE)	223	6
7	DIABETES MELLITUS	129	7
8	CEREBROVASCULAR DISEASE	111	11
9	CHRONIC LIVER DISEASE AND CIRRHOSIS	103	6
10	OTHER DISEASES OF RESPIRATORY SYSTEM	78	5

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2013**

COUNTY=TROUSDALE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	773	39
1	ACCIDENTS AND ADVERSE EFFECTS	168	5
2	MALIGNANT NEOPLASMS	110	9
3	CHRONIC LOWER RESPIRATORY DISEASES	53	6
4	DISEASES OF HEART	22	4

COUNTY=UNICOI

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,146	133
1	DISEASES OF HEART	481	42
2	MALIGNANT NEOPLASMS	335	30
3	ACCIDENTS AND ADVERSE EFFECTS	163	6
4	SUICIDE	132	4
5	PNEUMONIA AND INFLUENZA	89	7
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	88	5
7	CHRONIC LOWER RESPIRATORY DISEASES	74	8
8	CEREBROVASCULAR DISEASE	62	4

COUNTY=UNION

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,811	107
1	DISEASES OF HEART	399	27
2	MALIGNANT NEOPLASMS	350	29
3	ACCIDENTS AND ADVERSE EFFECTS	315	10
4	SUICIDE	118	5
5	DIABETES MELLITUS	83	6
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	72	4
7	CHRONIC LOWER RESPIRATORY DISEASES	69	7

COUNTY=VAN BUREN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	730	45
1	MALIGNANT NEOPLASMS	156	12
2	DISEASES OF HEART	131	11

COUNTY=WARREN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,723	243
1	ACCIDENTS AND ADVERSE EFFECTS	1,139	27
2	DISEASES OF HEART	990	58
3	MALIGNANT NEOPLASMS	828	65
4	DIABETES MELLITUS	191	11
5	SUICIDE	183	6
6	CHRONIC LOWER RESPIRATORY DISEASES	162	13
7	OTHER DISEASES OF RESPIRATORY SYSTEM	111	4
8	CEREBROVASCULAR DISEASE	100	9
9	NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	62	4

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2013**

COUNTY=WASHINGTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	10,605	629
1	DISEASES OF HEART	2,163	155
2	MALIGNANT NEOPLASMS	1,950	160
3	ACCIDENTS AND ADVERSE EFFECTS	1,034	39
4	CERTAIN PERINATAL CONDITIONS	522	7
5	SUICIDE	478	16
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	386	21
7	CHRONIC LOWER RESPIRATORY DISEASES	320	29
8	DIABETES MELLITUS	254	17
9	EVENTS OF UNDETERMINED INTENT	244	8
10	CEREBROVASCULAR DISEASE	229	18

COUNTY=WAYNE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,709	104
1	MALIGNANT NEOPLASMS	411	31
2	DISEASES OF HEART	372	24
3	ACCIDENTS AND ADVERSE EFFECTS	150	9
4	CHRONIC LOWER RESPIRATORY DISEASES	84	8
5	OTHER DISEASES OF CIRCULATORY SYSTEM	72	4
6	CEREBROVASCULAR DISEASE	22	4

COUNTY=WEAKLEY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,530	171
1	DISEASES OF HEART	722	44
2	MALIGNANT NEOPLASMS	647	54
3	ACCIDENTS AND ADVERSE EFFECTS	265	10
4	SUICIDE	180	9
5	DIABETES MELLITUS	102	4
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	102	4
7	CHRONIC LOWER RESPIRATORY DISEASES	100	9
8	CEREBROVASCULAR DISEASE	48	5
9	OTHER DISEASES OF RESPIRATORY SYSTEM	22	4

COUNTY=WHITE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,619	158
1	DISEASES OF HEART	502	33
2	MALIGNANT NEOPLASMS	408	36
3	ACCIDENTS AND ADVERSE EFFECTS	306	12
4	SUICIDE	290	9
5	CHRONIC LOWER RESPIRATORY DISEASES	173	15
6	CEREBROVASCULAR DISEASE	103	6
7	DIABETES MELLITUS	93	6
8	PNEUMONIA AND INFLUENZA	92	4

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2013**

COUNTY=WILLIAMSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	6,682	371
1	MALIGNANT NEOPLASMS	2,015	150
2	ACCIDENTS AND ADVERSE EFFECTS	844	28
3	SUICIDE	734	24
4	DISEASES OF HEART	720	49
5	CONGENITAL ANOMALIES	238	5
6	PNEUMONIA AND INFLUENZA	225	6
7	DIABETES MELLITUS	218	12
8	CEREBROVASCULAR DISEASE	145	10
9	CHRONIC LOWER RESPIRATORY DISEASES	126	12
10	OTHER DISEASES OF RESPIRATORY SYSTEM	103	6

COUNTY=WILSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	7,951	473
1	MALIGNANT NEOPLASMS	1,909	147
2	ACCIDENTS AND ADVERSE EFFECTS	1,614	53
3	DISEASES OF HEART	1,285	99
4	CHRONIC LOWER RESPIRATORY DISEASES	333	26
5	SUICIDE	241	11
6	PNEUMONIA AND INFLUENZA	165	6
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	155	10
8	NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	153	6
9	CEREBROVASCULAR DISEASE	147	14
10	SEPTICEMIA	144	8