

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2014**

COUNTY=ALL COUNTIES

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	579,813	32,731
1	MALIGNANT NEOPLASMS	118,569	8,842
2	DISEASES OF HEART	104,669	7,065
3	ACCIDENTS AND ADVERSE EFFECTS	86,382	2,848
4	SUICIDE	26,433	870
5	CHRONIC LOWER RESPIRATORY DISEASES	21,924	1,960
6	CERTAIN PERINATAL CONDITIONS	19,140	257
7	CEREBROVASCULAR DISEASE	16,357	1,173
8	ASSAULT (HOMICIDE)	15,377	368
9	DIABETES MELLITUS	14,967	979
10	CHRONIC LIVER DISEASE AND CIRRHOSIS	13,670	760

COUNTY=ANDERSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	7,588	446
1	MALIGNANT NEOPLASMS	1,378	105
2	DISEASES OF HEART	1,375	99
3	ACCIDENTS AND ADVERSE EFFECTS	1,248	44
4	CHRONIC LOWER RESPIRATORY DISEASES	367	34
5	CEREBROVASCULAR DISEASE	298	16
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	221	11
7	SUICIDE	209	7
8	PNEUMONIA AND INFLUENZA	190	9
9	CONGENITAL ANOMALIES	176	4
10	DIABETES MELLITUS	111	11

COUNTY=BEDFORD

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,313	220
1	ACCIDENTS AND ADVERSE EFFECTS	1,134	33
2	DISEASES OF HEART	802	53
3	MALIGNANT NEOPLASMS	551	42
4	SUICIDE	203	6
5	NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	137	5
6	CEREBROVASCULAR DISEASE	131	11
7	DIABETES MELLITUS	113	6
8	CHRONIC LOWER RESPIRATORY DISEASES	101	11
9	CHRONIC LIVER DISEASE AND CIRRHOSIS	98	5
10	PNEUMONIA AND INFLUENZA	84	4

COUNTY=BENTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,290	146
1	ACCIDENTS AND ADVERSE EFFECTS	571	22
2	MALIGNANT NEOPLASMS	521	42
3	DISEASES OF HEART	355	30
4	SUICIDE	92	4
5	CEREBROVASCULAR DISEASE	78	5

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2014**

COUNTY=BENTON

Rank	Cause	YPLL	Deaths
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	62	4
7	CHRONIC LOWER RESPIRATORY DISEASES	53	6
8	PNEUMONIA AND INFLUENZA	52	4

COUNTY=BLED SOE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,010	67
1	DISEASES OF HEART	266	21
2	MALIGNANT NEOPLASMS	134	17
3	ACCIDENTS AND ADVERSE EFFECTS	130	5
4	DIABETES MELLITUS	72	4
5	CHRONIC LOWER RESPIRATORY DISEASES	62	4

COUNTY=BLOUNT

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	10,290	644
1	MALIGNANT NEOPLASMS	2,047	163
2	ACCIDENTS AND ADVERSE EFFECTS	1,508	48
3	DISEASES OF HEART	1,127	83
4	CHRONIC LOWER RESPIRATORY DISEASES	418	45
5	SUICIDE	407	14
6	CONGENITAL ANOMALIES	387	7
7	CERTAIN PERINATAL CONDITIONS	373	5
8	PNEUMONIA AND INFLUENZA	269	18
9	CHRONIC LIVER DISEASE AND CIRRHOSIS	254	17
10	SEPTICEMIA	231	22

COUNTY=BRADLEY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	9,150	524
1	DISEASES OF HEART	2,072	140
2	MALIGNANT NEOPLASMS	1,920	145
3	ACCIDENTS AND ADVERSE EFFECTS	1,498	47
4	SUICIDE	314	8
5	CONGENITAL ANOMALIES	298	4
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	286	12
7	CEREBROVASCULAR DISEASE	265	19
8	CHRONIC LOWER RESPIRATORY DISEASES	234	28
9	PNEUMONIA AND INFLUENZA	159	7
10	DIABETES MELLITUS	123	6

COUNTY=CAMPBELL

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,350	311
1	DISEASES OF HEART	1,061	62
2	ACCIDENTS AND ADVERSE EFFECTS	1,043	33
3	MALIGNANT NEOPLASMS	1,010	80
4	CHRONIC LOWER RESPIRATORY DISEASES	285	30

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2014**

COUNTY=CAMPBELL

Rank	Cause	YPLL	Deaths
5	DIABETES MELLITUS	212	13
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	139	7
7	SUICIDE	113	6
8	CEREBROVASCULAR DISEASE	84	8
9	HYPERTENSION AND RENAL DISEASE	78	5
10	PNEUMONIA AND INFLUENZA	73	6

COUNTY=CANNON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,797	98
1	DISEASES OF HEART	511	31
2	ACCIDENTS AND ADVERSE EFFECTS	385	10
3	MALIGNANT NEOPLASMS	226	21
4	CHRONIC LOWER RESPIRATORY DISEASES	83	6
5	CEREBROVASCULAR DISEASE	28	5

COUNTY=CARROLL

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,140	205
1	MALIGNANT NEOPLASMS	747	59
2	DISEASES OF HEART	673	55
3	ACCIDENTS AND ADVERSE EFFECTS	443	15
4	SUICIDE	241	7
5	CHRONIC LOWER RESPIRATORY DISEASES	81	11
6	PNEUMONIA AND INFLUENZA	68	5
7	CEREBROVASCULAR DISEASE	53	6
8	PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	52	4

COUNTY=CARTER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,242	350
1	DISEASES OF HEART	1,090	82
2	MALIGNANT NEOPLASMS	1,080	89
3	ACCIDENTS AND ADVERSE EFFECTS	540	20
4	CHRONIC LOWER RESPIRATORY DISEASES	292	24
5	PNEUMONIA AND INFLUENZA	292	15
6	SUICIDE	179	7
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	176	12
8	DIABETES MELLITUS	100	9
9	NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	100	9
10	CEREBROVASCULAR DISEASE	75	10

COUNTY=CHEATHAM

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,174	183
1	ACCIDENTS AND ADVERSE EFFECTS	739	27
2	MALIGNANT NEOPLASMS	647	54
3	DISEASES OF HEART	516	32

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2014**

COUNTY=CHEATHAM

Rank	Cause	YPLL	Deaths
4	SUICIDE	204	8
5	CHRONIC LOWER RESPIRATORY DISEASES	125	10
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	108	5
7	DIABETES MELLITUS	63	6
8	OTHER DISEASES OF RESPIRATORY SYSTEM	42	4
9	CEREBROVASCULAR DISEASE	32	4

COUNTY=CHESTER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,730	105
1	MALIGNANT NEOPLASMS	445	30
2	DISEASES OF HEART	393	26
3	ACCIDENTS AND ADVERSE EFFECTS	241	7
4	DIABETES MELLITUS	89	7
5	CHRONIC LOWER RESPIRATORY DISEASES	78	5
6	CEREBROVASCULAR DISEASE	63	6

COUNTY=CLAIBORNE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,019	234
1	ACCIDENTS AND ADVERSE EFFECTS	912	29
2	MALIGNANT NEOPLASMS	765	59
3	DISEASES OF HEART	575	50
4	CHRONIC LOWER RESPIRATORY DISEASES	241	22
5	SUICIDE	179	7
6	PNEUMONIA AND INFLUENZA	137	14
7	DIABETES MELLITUS	123	6
8	CEREBROVASCULAR DISEASE	113	6
9	CHRONIC LIVER DISEASE AND CIRRHOSIS	88	5

COUNTY=CLAY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	830	49
1	DISEASES OF HEART	208	16
2	ACCIDENTS AND ADVERSE EFFECTS	193	6
3	MALIGNANT NEOPLASMS	69	7

COUNTY=COCKE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,490	271
1	DISEASES OF HEART	1,101	71
2	MALIGNANT NEOPLASMS	961	71
3	ACCIDENTS AND ADVERSE EFFECTS	610	20
4	CHRONIC LOWER RESPIRATORY DISEASES	240	20
5	SUICIDE	189	7
6	CEREBROVASCULAR DISEASE	140	9
7	DIABETES MELLITUS	130	9
8	VIRAL HEPATITIS	102	4

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2014**

COUNTY=COCKE

Rank	Cause	YPLL	Deaths
9	SEPTICEMIA	99	7
10	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	99	7

COUNTY=COFFEE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,634	336
1	DISEASES OF HEART	1,280	89
2	MALIGNANT NEOPLASMS	1,104	77
3	ACCIDENTS AND ADVERSE EFFECTS	867	34
4	CHRONIC LOWER RESPIRATORY DISEASES	375	30
5	SUICIDE	229	7
6	DIABETES MELLITUS	178	16
7	VIRAL HEPATITIS	154	8
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	129	7
9	CEREBROVASCULAR DISEASE	113	6
10	OTHER DISEASES OF RESPIRATORY SYSTEM	62	4

COUNTY=CROCKETT

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,544	77
1	DISEASES OF HEART	367	23
2	ACCIDENTS AND ADVERSE EFFECTS	270	9
3	MALIGNANT NEOPLASMS	151	11
4	OTHER DISEASES OF RESPIRATORY SYSTEM	114	4
5	CHRONIC LOWER RESPIRATORY DISEASES	58	5

COUNTY=CUMBERLAND

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	6,024	354
1	MALIGNANT NEOPLASMS	1,091	91
2	ACCIDENTS AND ADVERSE EFFECTS	903	28
3	DISEASES OF HEART	884	68
4	SUICIDE	381	11
5	CHRONIC LOWER RESPIRATORY DISEASES	296	32
6	DIABETES MELLITUS	188	16
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	181	11
8	CEREBROVASCULAR DISEASE	135	10
9	PNEUMONIA AND INFLUENZA	122	4
10	VIRAL HEPATITIS	88	5

COUNTY=DAVIDSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	51,231	2,682
1	MALIGNANT NEOPLASMS	10,226	740
2	DISEASES OF HEART	8,370	531
3	ACCIDENTS AND ADVERSE EFFECTS	7,389	271
4	CERTAIN PERINATAL CONDITIONS	2,533	34
5	SUICIDE	2,363	82

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2014**

COUNTY=DAVIDSON

Rank	Cause	YPLL	Deaths
6	ASSAULT (HOMICIDE)	1,871	42
7	CHRONIC LOWER RESPIRATORY DISEASES	1,583	114
8	CONGENITAL ANOMALIES	1,512	28
9	DIABETES MELLITUS	1,381	87
10	CEREBROVASCULAR DISEASE	1,366	97

COUNTY=DECATUR

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,241	86
1	MALIGNANT NEOPLASMS	302	24
2	DISEASES OF HEART	225	19
3	ACCIDENTS AND ADVERSE EFFECTS	133	6
4	CHRONIC LOWER RESPIRATORY DISEASES	79	7

COUNTY=DEKALB

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,176	123
1	DISEASES OF HEART	594	37
2	ACCIDENTS AND ADVERSE EFFECTS	529	18
3	MALIGNANT NEOPLASMS	340	29
4	CEREBROVASCULAR DISEASE	83	6
5	DIABETES MELLITUS	72	4
6	CHRONIC LOWER RESPIRATORY DISEASES	68	5

COUNTY=DICKSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,368	256
1	MALIGNANT NEOPLASMS	1,086	72
2	ACCIDENTS AND ADVERSE EFFECTS	913	26
3	DISEASES OF HEART	689	58
4	SUICIDE	264	8
5	CHRONIC LOWER RESPIRATORY DISEASES	205	19
6	CEREBROVASCULAR DISEASE	152	13
7	NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	92	4
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	68	5
9	BENIGN NEOPLASMS	52	4
10	SEPTICEMIA	42	4

COUNTY=DYER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,533	205
1	MALIGNANT NEOPLASMS	613	46
2	DISEASES OF HEART	488	36
3	ACCIDENTS AND ADVERSE EFFECTS	438	16
4	CHRONIC LOWER RESPIRATORY DISEASES	235	19
5	DIABETES MELLITUS	154	8
6	OTHER DISEASES OF RESPIRATORY SYSTEM	142	4
7	SEPTICEMIA	79	7

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2014**

COUNTY=DYER

Rank	Cause	YPLL	Deaths
8	HYPERTENSION AND RENAL DISEASE	62	4
9	CEREBROVASCULAR DISEASE	43	6
10	PNEUMONIA AND INFLUENZA	28	5

COUNTY=FAYETTE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,506	199
1	DISEASES OF HEART	784	48
2	MALIGNANT NEOPLASMS	777	54
3	ACCIDENTS AND ADVERSE EFFECTS	592	20
4	SUICIDE	189	7
5	DIABETES MELLITUS	125	10
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	93	6
7	CHRONIC LOWER RESPIRATORY DISEASES	80	9
8	PNEUMONIA AND INFLUENZA	52	4
9	CEREBROVASCULAR DISEASE	48	5
10	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	48	5

COUNTY=FENTRESS

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,725	102
1	MALIGNANT NEOPLASMS	406	24
2	DISEASES OF HEART	384	28
3	ACCIDENTS AND ADVERSE EFFECTS	113	6
4	PNEUMONIA AND INFLUENZA	82	4
5	CHRONIC LOWER RESPIRATORY DISEASES	63	6

COUNTY=FRANKLIN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,871	225
1	MALIGNANT NEOPLASMS	1,091	67
2	ACCIDENTS AND ADVERSE EFFECTS	819	23
3	DISEASES OF HEART	693	55
4	CHRONIC LOWER RESPIRATORY DISEASES	178	16
5	DIABETES MELLITUS	154	8
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	88	5
7	CEREBROVASCULAR DISEASE	32	4
8	ALZHEIMER'S DISEASE	28	5

COUNTY=GIBSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,280	302
1	DISEASES OF HEART	1,238	76
2	MALIGNANT NEOPLASMS	1,078	76
3	ACCIDENTS AND ADVERSE EFFECTS	545	19
4	CEREBROVASCULAR DISEASE	258	16
5	SUICIDE	251	7
6	CHRONIC LOWER RESPIRATORY DISEASES	199	18

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2014**

COUNTY=GIBSON

Rank	Cause	YPLL	Deaths
7	DIABETES MELLITUS	164	8
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	144	8
9	PNEUMONIA AND INFLUENZA	113	6
10	OTHER DISEASES OF RESPIRATORY SYSTEM	113	6

COUNTY=GILES

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,968	161
1	MALIGNANT NEOPLASMS	785	50
2	DISEASES OF HEART	656	41
3	ACCIDENTS AND ADVERSE EFFECTS	566	17
4	SUICIDE	158	5
5	DIABETES MELLITUS	102	4
6	CHRONIC LOWER RESPIRATORY DISEASES	59	7

COUNTY=GRAINGER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,978	147
1	DISEASES OF HEART	592	33
2	MALIGNANT NEOPLASMS	498	45
3	ACCIDENTS AND ADVERSE EFFECTS	492	14
4	SUICIDE	198	5
5	CHRONIC LOWER RESPIRATORY DISEASES	152	13
6	CEREBROVASCULAR DISEASE	52	4
7	PNEUMONIA AND INFLUENZA	32	4

COUNTY=GREENE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	7,292	422
1	MALIGNANT NEOPLASMS	1,341	107
2	DISEASES OF HEART	1,232	93
3	ACCIDENTS AND ADVERSE EFFECTS	1,073	35
4	CHRONIC LOWER RESPIRATORY DISEASES	381	31
5	SUICIDE	331	11
6	PNEUMONIA AND INFLUENZA	324	13
7	ASSAULT (HOMICIDE)	260	7
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	215	10
9	DIABETES MELLITUS	187	14
10	ALL OTHER INFECTIOUS AND PARASITIC DIS	174	6

COUNTY=GRUNDY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,044	101
1	ACCIDENTS AND ADVERSE EFFECTS	483	15
2	MALIGNANT NEOPLASMS	399	27
3	DISEASES OF HEART	392	24
4	CEREBROVASCULAR DISEASE	72	4
5	CHRONIC LOWER RESPIRATORY DISEASES	63	6

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2014**

COUNTY=HAMBLEN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	6,697	421
1	ACCIDENTS AND ADVERSE EFFECTS	1,309	40
2	DISEASES OF HEART	1,278	85
3	MALIGNANT NEOPLASMS	1,234	108
4	CHRONIC LOWER RESPIRATORY DISEASES	433	46
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	333	15
6	PNEUMONIA AND INFLUENZA	173	15
7	SEPTICEMIA	135	10
8	SUICIDE	122	4
9	DIABETES MELLITUS	111	11
10	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	105	10

COUNTY=HAMILTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	27,521	1,592
1	DISEASES OF HEART	5,347	369
2	MALIGNANT NEOPLASMS	5,317	414
3	ACCIDENTS AND ADVERSE EFFECTS	3,563	119
4	ASSAULT (HOMICIDE)	1,427	31
5	DIABETES MELLITUS	1,067	63
6	SUICIDE	1,027	34
7	CHRONIC LOWER RESPIRATORY DISEASES	981	91
8	CEREBROVASCULAR DISEASE	761	58
9	CERTAIN PERINATAL CONDITIONS	738	10
10	CHRONIC LIVER DISEASE AND CIRRHOSIS	564	37

COUNTY=HANCOCK

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,091	62
1	MALIGNANT NEOPLASMS	330	20
2	ACCIDENTS AND ADVERSE EFFECTS	193	6
3	DISEASES OF HEART	191	11
4	CHRONIC LOWER RESPIRATORY DISEASES	109	7

COUNTY=HARDEMAN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,721	147
1	MALIGNANT NEOPLASMS	589	43
2	DISEASES OF HEART	490	29
3	ACCIDENTS AND ADVERSE EFFECTS	475	15
4	DIABETES MELLITUS	131	11
5	CEREBROVASCULAR DISEASE	109	7
6	CHRONIC LOWER RESPIRATORY DISEASES	58	5

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2014**

COUNTY=HARDIN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,310	201
1	DISEASES OF HEART	796	52
2	MALIGNANT NEOPLASMS	716	61
3	ACCIDENTS AND ADVERSE EFFECTS	658	21
4	CHRONIC LIVER DISEASE AND CIRRHOSIS	174	8
5	PNEUMONIA AND INFLUENZA	108	5
6	SUICIDE	98	5
7	CHRONIC LOWER RESPIRATORY DISEASES	95	10
8	CEREBROVASCULAR DISEASE	52	4
9	DIABETES MELLITUS	42	4

COUNTY=HAWKINS

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	6,766	389
1	MALIGNANT NEOPLASMS	1,404	97
2	DISEASES OF HEART	1,358	96
3	ACCIDENTS AND ADVERSE EFFECTS	799	27
4	CHRONIC LIVER DISEASE AND CIRRHOSIS	288	16
5	DIABETES MELLITUS	257	14
6	SUICIDE	223	6
7	CEREBROVASCULAR DISEASE	193	15
8	CHRONIC LOWER RESPIRATORY DISEASES	165	19
9	NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	139	7
10	SEPTICEMIA	130	5

COUNTY=HAYWOOD

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,181	112
1	MALIGNANT NEOPLASMS	469	38
2	DISEASES OF HEART	428	25
3	ACCIDENTS AND ADVERSE EFFECTS	249	7
4	CHRONIC LOWER RESPIRATORY DISEASES	54	8
5	CEREBROVASCULAR DISEASE	32	4

COUNTY=HENDERSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,718	171
1	MALIGNANT NEOPLASMS	730	60
2	DISEASES OF HEART	426	32
3	ACCIDENTS AND ADVERSE EFFECTS	341	11
4	CHRONIC LIVER DISEASE AND CIRRHOSIS	164	8
5	DIABETES MELLITUS	130	9
6	CHRONIC LOWER RESPIRATORY DISEASES	125	10
7	PNEUMONIA AND INFLUENZA	62	4
8	CEREBROVASCULAR DISEASE	52	4

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2014**

COUNTY=HENRY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,002	204
1	MALIGNANT NEOPLASMS	759	67
2	ACCIDENTS AND ADVERSE EFFECTS	566	17
3	DISEASES OF HEART	489	38
4	SUICIDE	224	8
5	CHRONIC LOWER RESPIRATORY DISEASES	133	15
6	DIABETES MELLITUS	119	7
7	CEREBROVASCULAR DISEASE	73	6
8	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	58	5

COUNTY=HICKMAN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,487	148
1	MALIGNANT NEOPLASMS	616	41
2	ACCIDENTS AND ADVERSE EFFECTS	486	13
3	DISEASES OF HEART	444	28
4	CHRONIC LOWER RESPIRATORY DISEASES	90	9

COUNTY=HOUSTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	667	36
1	MALIGNANT NEOPLASMS	217	14
2	ACCIDENTS AND ADVERSE EFFECTS	193	6
3	DISEASES OF HEART	94	8

COUNTY=HUMPHREYS

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,747	114
1	DISEASES OF HEART	386	23
2	MALIGNANT NEOPLASMS	347	34
3	ACCIDENTS AND ADVERSE EFFECTS	336	12
4	CHRONIC LOWER RESPIRATORY DISEASES	105	10

COUNTY=JACKSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,511	93
1	DISEASES OF HEART	400	29
2	ACCIDENTS AND ADVERSE EFFECTS	310	9
3	MALIGNANT NEOPLASMS	270	20
4	SUICIDE	122	4
5	CHRONIC LOWER RESPIRATORY DISEASES	63	6

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2014**

COUNTY=JEFFERSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,156	262
1	MALIGNANT NEOPLASMS	809	67
2	DISEASES OF HEART	784	57
3	ACCIDENTS AND ADVERSE EFFECTS	584	19
4	CHRONIC LOWER RESPIRATORY DISEASES	277	23
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	191	11
6	CEREBROVASCULAR DISEASE	156	12
7	SUICIDE	152	4
8	DIABETES MELLITUS	134	8
9	NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	53	6
10	PNEUMONIA AND INFLUENZA	52	4

COUNTY=JOHNSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,978	118
1	MALIGNANT NEOPLASMS	436	32
2	DISEASES OF HEART	259	18
3	ACCIDENTS AND ADVERSE EFFECTS	189	7
4	SUICIDE	183	6
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	92	4
6	DIABETES MELLITUS	59	7
7	CHRONIC LOWER RESPIRATORY DISEASES	58	5

COUNTY=KNOX

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	39,018	2,165
1	MALIGNANT NEOPLASMS	7,689	555
2	ACCIDENTS AND ADVERSE EFFECTS	6,598	225
3	DISEASES OF HEART	6,313	417
4	SUICIDE	1,877	63
5	CHRONIC LOWER RESPIRATORY DISEASES	1,597	139
6	CERTAIN PERINATAL CONDITIONS	1,267	17
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	1,070	60
8	DIABETES MELLITUS	926	52
9	PNEUMONIA AND INFLUENZA	925	62
10	CEREBROVASCULAR DISEASE	883	66

COUNTY=LAKE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	798	52
1	DISEASES OF HEART	162	13
2	MALIGNANT NEOPLASMS	136	12
3	ACCIDENTS AND ADVERSE EFFECTS	123	6
4	CHRONIC LOWER RESPIRATORY DISEASES	62	4

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2014**

COUNTY=LAUDERDALE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,366	157
1	MALIGNANT NEOPLASMS	730	49
2	ACCIDENTS AND ADVERSE EFFECTS	625	14
3	DISEASES OF HEART	562	33
4	SUICIDE	239	7
5	CEREBROVASCULAR DISEASE	134	8
6	CHRONIC LOWER RESPIRATORY DISEASES	89	7
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	52	4

COUNTY=LAWRENCE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,416	266
1	DISEASES OF HEART	876	57
2	MALIGNANT NEOPLASMS	855	70
3	ACCIDENTS AND ADVERSE EFFECTS	600	18
4	CHRONIC LOWER RESPIRATORY DISEASES	235	19
5	CEREBROVASCULAR DISEASE	222	13
6	SUICIDE	199	7
7	NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	113	6
8	DIABETES MELLITUS	100	9
9	SEPTICEMIA	98	5
10	OTHER DISEASES OF RESPIRATORY SYSTEM	62	4

COUNTY=LEWIS

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,145	72
1	DISEASES OF HEART	326	21
2	MALIGNANT NEOPLASMS	281	22

COUNTY=LINCOLN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,084	190
1	MALIGNANT NEOPLASMS	785	59
2	DISEASES OF HEART	596	41
3	ACCIDENTS AND ADVERSE EFFECTS	513	15
4	SUICIDE	152	4
5	PNEUMONIA AND INFLUENZA	139	7
6	CHRONIC LOWER RESPIRATORY DISEASES	91	11
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	62	4
8	CEREBROVASCULAR DISEASE	53	6

COUNTY=LOUDON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,220	277
1	MALIGNANT NEOPLASMS	1,064	89
2	ACCIDENTS AND ADVERSE EFFECTS	696	28
3	DISEASES OF HEART	688	45
4	SUICIDE	261	11

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2014**

COUNTY=LOUDON

Rank	Cause	YPLL	Deaths
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	174	8
6	CHRONIC LOWER RESPIRATORY DISEASES	167	14
7	CEREBROVASCULAR DISEASE	120	9
8	EVENTS OF UNDETERMINED INTENT	102	4
9	DIABETES MELLITUS	101	11
10	OTHER DISEASES OF RESPIRATORY SYSTEM	48	5

COUNTY=MCMINN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,670	349
1	DISEASES OF HEART	1,161	82
2	ACCIDENTS AND ADVERSE EFFECTS	1,054	28
3	MALIGNANT NEOPLASMS	1,036	81
4	CHRONIC LOWER RESPIRATORY DISEASES	309	27
5	SUICIDE	240	9
6	CEREBROVASCULAR DISEASE	208	16
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	145	10
8	DIABETES MELLITUS	120	9
9	NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	102	6
10	PNEUMONIA AND INFLUENZA	78	5

COUNTY=MCNAIRY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,575	186
1	DISEASES OF HEART	763	55
2	MALIGNANT NEOPLASMS	665	59
3	ACCIDENTS AND ADVERSE EFFECTS	333	11
4	SUICIDE	98	5
5	OTHER DISORDERS OF CIRCULATORY SYSTEM	92	4
6	PNEUMONIA AND INFLUENZA	52	4
7	CHRONIC LOWER RESPIRATORY DISEASES	49	7
8	CEREBROVASCULAR DISEASE	22	4

COUNTY=MACON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,533	157
1	DISEASES OF HEART	828	45
2	MALIGNANT NEOPLASMS	593	46
3	ACCIDENTS AND ADVERSE EFFECTS	240	9
4	CHRONIC LOWER RESPIRATORY DISEASES	219	18
5	PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	68	5
6	OTHER DISEASES OF RESPIRATORY SYSTEM	52	4
7	PNEUMONIA AND INFLUENZA	32	4

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2014**

COUNTY=MADISON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	9,021	466
1	DISEASES OF HEART	1,852	109
2	MALIGNANT NEOPLASMS	1,688	121
3	ACCIDENTS AND ADVERSE EFFECTS	974	30
4	ASSAULT (HOMICIDE)	547	14
5	DIABETES MELLITUS	389	18
6	CERTAIN PERINATAL CONDITIONS	298	4
7	CEREBROVASCULAR DISEASE	268	16
8	CONGENITAL ANOMALIES	242	4
9	SUICIDE	241	11
10	OTHER DISEASES OF RESPIRATORY SYSTEM	178	7

COUNTY=MARION

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,271	209
1	MALIGNANT NEOPLASMS	805	70
2	ACCIDENTS AND ADVERSE EFFECTS	688	21
3	DISEASES OF HEART	432	33
4	SUICIDE	208	5
5	DIABETES MELLITUS	154	8
6	CHRONIC LOWER RESPIRATORY DISEASES	127	14
7	CEREBROVASCULAR DISEASE	121	11
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	72	4
9	NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	68	5
10	PNEUMONIA AND INFLUENZA	42	4

COUNTY=MARSHALL

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,950	164
1	DISEASES OF HEART	600	49
2	MALIGNANT NEOPLASMS	550	40
3	ACCIDENTS AND ADVERSE EFFECTS	366	12
4	SUICIDE	218	5
5	CONGENITAL ANOMALIES	183	4
6	CEREBROVASCULAR DISEASE	100	9
7	CHRONIC LOWER RESPIRATORY DISEASES	63	6
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	58	5

COUNTY=MAURY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	7,553	438
1	MALIGNANT NEOPLASMS	1,791	131
2	ACCIDENTS AND ADVERSE EFFECTS	1,196	41
3	DISEASES OF HEART	1,189	78
4	SUICIDE	382	13
5	CHRONIC LOWER RESPIRATORY DISEASES	366	28
6	CEREBROVASCULAR DISEASE	281	22
7	CONGENITAL ANOMALIES	229	4

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2014**

COUNTY=MAURY

Rank	Cause	YPLL	Deaths
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	184	8
9	DIABETES MELLITUS	151	11
10	OTHER DISEASES OF CIRCULATORY SYSTEM	103	6

COUNTY=MEIGS

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,502	84
1	ACCIDENTS AND ADVERSE EFFECTS	350	9
2	MALIGNANT NEOPLASMS	209	18
3	DISEASES OF HEART	201	11
4	CEREBROVASCULAR DISEASE	52	4
5	CHRONIC LOWER RESPIRATORY DISEASES	38	5

COUNTY=MONROE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,706	285
1	DISEASES OF HEART	936	57
2	MALIGNANT NEOPLASMS	802	73
3	ACCIDENTS AND ADVERSE EFFECTS	647	23
4	CERTAIN PERINATAL CONDITIONS	298	4
5	SUICIDE	193	6
6	CHRONIC LOWER RESPIRATORY DISEASES	164	17
7	DIABETES MELLITUS	161	11
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	141	11
9	CEREBROVASCULAR DISEASE	107	14
10	PNEUMONIA AND INFLUENZA	99	7

COUNTY=MONTGOMERY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	12,337	654
1	MALIGNANT NEOPLASMS	2,656	188
2	ACCIDENTS AND ADVERSE EFFECTS	2,086	64
3	DISEASES OF HEART	1,601	111
4	SUICIDE	1,240	36
5	CERTAIN PERINATAL CONDITIONS	522	7
6	CHRONIC LOWER RESPIRATORY DISEASES	489	47
7	CONGENITAL ANOMALIES	334	5
8	CEREBROVASCULAR DISEASE	333	26
9	ASSAULT (HOMICIDE)	301	7
10	PNEUMONIA AND INFLUENZA	277	10

COUNTY=MOORE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	440	29
1	MALIGNANT NEOPLASMS	58	5
2	DISEASES OF HEART	50	9

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2014**

COUNTY=MORGAN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,885	117
1	MALIGNANT NEOPLASMS	427	34
2	DISEASES OF HEART	379	27
3	CHRONIC LOWER RESPIRATORY DISEASES	223	15
4	ACCIDENTS AND ADVERSE EFFECTS	189	7
5	SEPTICEMIA	108	5
6	CEREBROVASCULAR DISEASE	78	5

COUNTY=OBION

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,867	189
1	DISEASES OF HEART	954	57
2	MALIGNANT NEOPLASMS	694	57
3	ACCIDENTS AND ADVERSE EFFECTS	153	6
4	CHRONIC LOWER RESPIRATORY DISEASES	111	11
5	CEREBROVASCULAR DISEASE	90	9
6	SEPTICEMIA	52	4
7	OTHER DISEASES OF RESPIRATORY SYSTEM	32	4

COUNTY=OVERTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,148	138
1	MALIGNANT NEOPLASMS	578	36
2	DISEASES OF HEART	412	33
3	ACCIDENTS AND ADVERSE EFFECTS	204	8
4	CEREBROVASCULAR DISEASE	140	9
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	134	8
6	CHRONIC LOWER RESPIRATORY DISEASES	111	11

COUNTY=PERRY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,051	62
1	DISEASES OF HEART	228	16
2	ACCIDENTS AND ADVERSE EFFECTS	158	5
3	SUICIDE	128	5
4	MALIGNANT NEOPLASMS	105	10
5	CHRONIC LOWER RESPIRATORY DISEASES	43	6

COUNTY=PICKETT

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	449	27
1	DISEASES OF HEART	113	6
2	MALIGNANT NEOPLASMS	79	7

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2014**

COUNTY=POLK

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,537	94
1	MALIGNANT NEOPLASMS	363	26
2	DISEASES OF HEART	230	20
3	CHRONIC LOWER RESPIRATORY DISEASES	136	8
4	ACCIDENTS AND ADVERSE EFFECTS	132	4
5	PNEUMONIA AND INFLUENZA	72	4
6	OTHER DISEASES OF RESPIRATORY SYSTEM	72	4

COUNTY=PUTNAM

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,730	358
1	MALIGNANT NEOPLASMS	1,574	117
2	DISEASES OF HEART	1,048	76
3	ACCIDENTS AND ADVERSE EFFECTS	884	33
4	SUICIDE	271	11
5	CHRONIC LOWER RESPIRATORY DISEASES	263	26
6	ASSAULT (HOMICIDE)	248	5
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	222	13
8	DIABETES MELLITUS	109	7
9	CEREBROVASCULAR DISEASE	109	7
10	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	99	7

COUNTY=RHEA

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,616	223
1	MALIGNANT NEOPLASMS	790	60
2	DISEASES OF HEART	680	51
3	ACCIDENTS AND ADVERSE EFFECTS	549	16
4	SUICIDE	254	8
5	CHRONIC LOWER RESPIRATORY DISEASES	205	19
6	DIABETES MELLITUS	192	13
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	113	6
8	CEREBROVASCULAR DISEASE	89	7

COUNTY=ROANE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,774	347
1	MALIGNANT NEOPLASMS	1,133	95
2	ACCIDENTS AND ADVERSE EFFECTS	1,065	39
3	DISEASES OF HEART	839	67
4	CHRONIC LOWER RESPIRATORY DISEASES	319	27
5	CONGENITAL ANOMALIES	206	4
6	PNEUMONIA AND INFLUENZA	186	12
7	SUICIDE	183	6
8	DIABETES MELLITUS	180	9
9	CEREBROVASCULAR DISEASE	151	11
10	VIRAL HEPATITIS	102	4

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2014**

COUNTY=ROBERTSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	6,479	346
1	MALIGNANT NEOPLASMS	1,134	88
2	DISEASES OF HEART	1,036	72
3	ACCIDENTS AND ADVERSE EFFECTS	692	20
4	SUICIDE	472	13
5	CHRONIC LOWER RESPIRATORY DISEASES	402	33
6	CERTAIN PERINATAL CONDITIONS	373	5
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	266	12
8	ASSAULT (HOMICIDE)	248	5
9	CEREBROVASCULAR DISEASE	212	13
10	CONGENITAL ANOMALIES	160	4

COUNTY=RUTHERFORD

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	17,788	930
1	MALIGNANT NEOPLASMS	3,723	262
2	ACCIDENTS AND ADVERSE EFFECTS	2,761	85
3	DISEASES OF HEART	2,716	192
4	SUICIDE	1,370	40
5	CERTAIN PERINATAL CONDITIONS	671	9
6	CHRONIC LOWER RESPIRATORY DISEASES	529	43
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	492	24
8	CEREBROVASCULAR DISEASE	484	28
9	CONGENITAL ANOMALIES	405	7
10	PNEUMONIA AND INFLUENZA	378	18

COUNTY=SCOTT

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,816	163
1	MALIGNANT NEOPLASMS	604	48
2	DISEASES OF HEART	338	25
3	ACCIDENTS AND ADVERSE EFFECTS	325	10
4	DIABETES MELLITUS	201	11
5	SUICIDE	178	5
6	CHRONIC LOWER RESPIRATORY DISEASES	148	16
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	118	5
8	CEREBROVASCULAR DISEASE	68	5
9	SEPTICEMIA	58	5
10	PNEUMONIA AND INFLUENZA	42	4

COUNTY=SEQUATCHIE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,714	99
1	MALIGNANT NEOPLASMS	451	31
2	SUICIDE	223	6
3	DISEASES OF HEART	209	18
4	ACCIDENTS AND ADVERSE EFFECTS	198	5
5	CHRONIC LOWER RESPIRATORY DISEASES	69	7

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2014**

COUNTY=SEVIER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	8,811	540
1	DISEASES OF HEART	2,186	141
2	MALIGNANT NEOPLASMS	1,887	143
3	ACCIDENTS AND ADVERSE EFFECTS	1,075	35
4	SUICIDE	429	18
5	CEREBROVASCULAR DISEASE	348	25
6	CHRONIC LOWER RESPIRATORY DISEASES	329	38
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	283	15
8	DIABETES MELLITUS	232	13
9	PNEUMONIA AND INFLUENZA	150	9
10	SEPTICEMIA	129	7

COUNTY=SHELBY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	88,778	4,347
1	MALIGNANT NEOPLASMS	16,765	1,138
2	DISEASES OF HEART	14,163	900
3	ACCIDENTS AND ADVERSE EFFECTS	11,523	353
4	ASSAULT (HOMICIDE)	6,603	151
5	CERTAIN PERINATAL CONDITIONS	4,694	63
6	CEREBROVASCULAR DISEASE	3,050	200
7	CONGENITAL ANOMALIES	2,610	40
8	SUICIDE	2,565	79
9	DIABETES MELLITUS	2,403	155
10	HUMAN IMMUNODEFICIENCY VIRUS (HIV) DIS	1,864	68

COUNTY=SMITH

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,903	113
1	ACCIDENTS AND ADVERSE EFFECTS	382	13
2	MALIGNANT NEOPLASMS	371	31
3	DISEASES OF HEART	243	15
4	CONGENITAL ANOMALIES	207	5
5	CHRONIC LOWER RESPIRATORY DISEASES	80	9
6	DIABETES MELLITUS	73	6
7	PNEUMONIA AND INFLUENZA	58	5

COUNTY=STEWART

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,554	99
1	MALIGNANT NEOPLASMS	394	28
2	DISEASES OF HEART	241	22
3	SUICIDE	153	6
4	ACCIDENTS AND ADVERSE EFFECTS	144	8
5	CHRONIC LOWER RESPIRATORY DISEASES	80	9
6	DIABETES MELLITUS	72	4

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2014**

COUNTY=SULLIVAN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	14,360	953
1	DISEASES OF HEART	3,141	231
2	MALIGNANT NEOPLASMS	2,836	252
3	ACCIDENTS AND ADVERSE EFFECTS	2,124	76
4	SUICIDE	696	21
5	CHRONIC LOWER RESPIRATORY DISEASES	623	55
6	DIABETES MELLITUS	435	30
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	420	20
8	CEREBROVASCULAR DISEASE	342	24
9	PNEUMONIA AND INFLUENZA	292	20
10	SEPTICEMIA	275	19

COUNTY=SUMNER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	12,661	710
1	MALIGNANT NEOPLASMS	3,086	221
2	DISEASES OF HEART	2,419	151
3	ACCIDENTS AND ADVERSE EFFECTS	2,042	66
4	SUICIDE	599	18
5	CHRONIC LOWER RESPIRATORY DISEASES	541	42
6	CERTAIN PERINATAL CONDITIONS	373	5
7	CONGENITAL ANOMALIES	338	7
8	CEREBROVASCULAR DISEASE	264	17
9	CHRONIC LIVER DISEASE AND CIRRHOSIS	264	17
10	PNEUMONIA AND INFLUENZA	249	14

COUNTY=TIPTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,996	334
1	MALIGNANT NEOPLASMS	1,461	98
2	DISEASES OF HEART	1,281	82
3	ACCIDENTS AND ADVERSE EFFECTS	825	30
4	CHRONIC LOWER RESPIRATORY DISEASES	334	28
5	SUICIDE	244	8
6	DIABETES MELLITUS	237	14
7	CEREBROVASCULAR DISEASE	237	14
8	PNEUMONIA AND INFLUENZA	153	6
9	CHRONIC LIVER DISEASE AND CIRRHOSIS	139	7
10	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	52	4

COUNTY=TROUSDALE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	885	59
1	MALIGNANT NEOPLASMS	250	20
2	DISEASES OF HEART	170	9
3	CHRONIC LOWER RESPIRATORY DISEASES	63	6

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2014**

COUNTY=UNICOI

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,583	115
1	MALIGNANT NEOPLASMS	377	34
2	ACCIDENTS AND ADVERSE EFFECTS	346	12
3	DISEASES OF HEART	345	30
4	CHRONIC LIVER DISEASE AND CIRRHOSIS	108	5
5	CEREBROVASCULAR DISEASE	72	4
6	CHRONIC LOWER RESPIRATORY DISEASES	32	4
7	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	32	4

COUNTY=UNION

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,392	146
1	ACCIDENTS AND ADVERSE EFFECTS	514	17
2	MALIGNANT NEOPLASMS	479	38
3	DISEASES OF HEART	388	25
4	SUICIDE	162	4
5	CHRONIC LOWER RESPIRATORY DISEASES	153	15
6	DIABETES MELLITUS	98	5
7	PNEUMONIA AND INFLUENZA	98	5

COUNTY=VAN BUREN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	689	40
1	DISEASES OF HEART	175	10
2	MALIGNANT NEOPLASMS	124	8
3	CHRONIC LOWER RESPIRATORY DISEASES	58	5

COUNTY=WARREN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,859	233
1	DISEASES OF HEART	968	76
2	MALIGNANT NEOPLASMS	697	54
3	ACCIDENTS AND ADVERSE EFFECTS	427	14
4	SUICIDE	310	9
5	CEREBROVASCULAR DISEASE	192	13
6	CHRONIC LOWER RESPIRATORY DISEASES	121	11
7	OTHER DISEASES OF CIRCULATORY SYSTEM	52	4
8	DIABETES MELLITUS	49	7
9	ALZHEIMER'S DISEASE	38	5

COUNTY=WASHINGTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	10,852	632
1	MALIGNANT NEOPLASMS	2,313	182
2	DISEASES OF HEART	2,182	144
3	ACCIDENTS AND ADVERSE EFFECTS	1,217	43
4	CERTAIN PERINATAL CONDITIONS	820	11
5	CHRONIC LOWER RESPIRATORY DISEASES	439	38

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2014**

COUNTY=WASHINGTON

Rank	Cause	YPLL	Deaths
6	PNEUMONIA AND INFLUENZA	420	25
7	SUICIDE	397	14
8	CEREBROVASCULAR DISEASE	377	25
9	CHRONIC LIVER DISEASE AND CIRRHOSIS	243	15
10	OTHER DISEASES OF RESPIRATORY SYSTEM	230	12

COUNTY=WAYNE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,746	103
1	DISEASES OF HEART	433	26
2	MALIGNANT NEOPLASMS	292	24
3	ACCIDENTS AND ADVERSE EFFECTS	271	11
4	CEREBROVASCULAR DISEASE	139	7
5	CHRONIC LOWER RESPIRATORY DISEASES	32	4

COUNTY=WEAKLEY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,684	159
1	DISEASES OF HEART	614	37
2	MALIGNANT NEOPLASMS	526	32
3	ACCIDENTS AND ADVERSE EFFECTS	165	10
4	DIABETES MELLITUS	155	10
5	SUICIDE	153	6
6	CHRONIC LOWER RESPIRATORY DISEASES	124	8
7	CEREBROVASCULAR DISEASE	90	9
8	NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	52	4

COUNTY=WHITE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,602	195
1	MALIGNANT NEOPLASMS	630	49
2	ACCIDENTS AND ADVERSE EFFECTS	571	18
3	DISEASES OF HEART	569	38
4	CEREBROVASCULAR DISEASE	222	13
5	SUICIDE	189	7
6	CHRONIC LOWER RESPIRATORY DISEASES	156	12
7	DIABETES MELLITUS	119	7
8	PNEUMONIA AND INFLUENZA	82	4
9	SEPTICEMIA	42	4

COUNTY=WILLIAMSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	7,449	421
1	MALIGNANT NEOPLASMS	2,091	147
2	ACCIDENTS AND ADVERSE EFFECTS	1,179	38
3	DISEASES OF HEART	1,073	75
4	SUICIDE	576	21
5	CONGENITAL ANOMALIES	265	5

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2014**

COUNTY=WILLIAMSON

Rank	Cause	YPLL	Deaths
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	226	12
7	CHRONIC LOWER RESPIRATORY DISEASES	169	18
8	ASSAULT (HOMICIDE)	168	5
9	CEREBROVASCULAR DISEASE	149	14
10	DIABETES MELLITUS	139	7

COUNTY=WILSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	9,192	538
1	MALIGNANT NEOPLASMS	1,932	144
2	DISEASES OF HEART	1,624	117
3	ACCIDENTS AND ADVERSE EFFECTS	1,299	47
4	SUICIDE	711	22
5	CONGENITAL ANOMALIES	490	8
6	CHRONIC LOWER RESPIRATORY DISEASES	394	37
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	345	19
8	SEPTICEMIA	158	7
9	DIABETES MELLITUS	152	13
10	CEREBROVASCULAR DISEASE	151	11