

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2015**

COUNTY=ALL COUNTIES

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	588,344	33,570
1	MALIGNANT NEOPLASMS	118,156	8,893
2	DISEASES OF HEART	104,614	7,260
3	ACCIDENTS AND ADVERSE EFFECTS	90,332	2,964
4	SUICIDE	29,640	960
5	CHRONIC LOWER RESPIRATORY DISEASES	22,287	2,024
6	ASSAULT (HOMICIDE)	18,423	447
7	CERTAIN PERINATAL CONDITIONS	17,575	236
8	CEREBROVASCULAR DISEASE	15,941	1,219
9	DIABETES MELLITUS	15,572	1,038
10	CHRONIC LIVER DISEASE AND CIRRHOSIS	14,326	812

COUNTY=ANDERSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	6,828	422
1	MALIGNANT NEOPLASMS	1,382	105
2	DISEASES OF HEART	1,190	89
3	ACCIDENTS AND ADVERSE EFFECTS	1,009	34
4	SUICIDE	364	13
5	CHRONIC LOWER RESPIRATORY DISEASES	303	26
6	CERTAIN PERINATAL CONDITIONS	298	4
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	242	13
8	DIABETES MELLITUS	192	13
9	CEREBROVASCULAR DISEASE	188	16
10	VIRAL HEPATITIS	112	4

COUNTY=BEDFORD

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,246	225
1	ACCIDENTS AND ADVERSE EFFECTS	792	26
2	DISEASES OF HEART	748	45
3	MALIGNANT NEOPLASMS	676	52
4	SUICIDE	301	7
5	CHRONIC LOWER RESPIRATORY DISEASES	157	14
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	155	10
7	CEREBROVASCULAR DISEASE	121	11
8	HYPERTENSION AND RENAL DISEASE	112	4
9	DIABETES MELLITUS	52	4

COUNTY=BENTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,962	129
1	ACCIDENTS AND ADVERSE EFFECTS	465	15
2	MALIGNANT NEOPLASMS	410	40
3	DISEASES OF HEART	251	22
4	SUICIDE	172	4
5	PNEUMONIA AND INFLUENZA	138	5

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2015**

COUNTY=BENTON

Rank	Cause	YPLL	Deaths
6	CEREBROVASCULAR DISEASE	68	5
7	CHRONIC LOWER RESPIRATORY DISEASES	65	10

COUNTY=BLED SOE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,291	91
1	MALIGNANT NEOPLASMS	320	29
2	DISEASES OF HEART	286	21
3	ACCIDENTS AND ADVERSE EFFECTS	173	6
4	SUICIDE	159	7
5	CHRONIC LOWER RESPIRATORY DISEASES	83	6

COUNTY=BLOUNT

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	10,350	612
1	MALIGNANT NEOPLASMS	2,166	181
2	ACCIDENTS AND ADVERSE EFFECTS	1,707	59
3	DISEASES OF HEART	1,463	95
4	CHRONIC LOWER RESPIRATORY DISEASES	411	42
5	SUICIDE	402	13
6	CERTAIN PERINATAL CONDITIONS	373	5
7	CONGENITAL ANOMALIES	233	4
8	DIABETES MELLITUS	199	18
9	CHRONIC LIVER DISEASE AND CIRRHOSIS	196	12
10	NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	161	11

COUNTY=BRADLEY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	8,630	534
1	DISEASES OF HEART	2,118	145
2	MALIGNANT NEOPLASMS	1,685	135
3	ACCIDENTS AND ADVERSE EFFECTS	1,524	55
4	SUICIDE	457	14
5	ASSAULT (HOMICIDE)	245	6
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	223	15
7	CHRONIC LOWER RESPIRATORY DISEASES	217	23
8	DIABETES MELLITUS	215	10
9	CEREBROVASCULAR DISEASE	184	17
10	PNEUMONIA AND INFLUENZA	125	10

COUNTY=CAMPBELL

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,316	339
1	ACCIDENTS AND ADVERSE EFFECTS	1,111	38
2	MALIGNANT NEOPLASMS	1,101	91
3	DISEASES OF HEART	1,029	67
4	CHRONIC LOWER RESPIRATORY DISEASES	455	39
5	DIABETES MELLITUS	160	9

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2015**

COUNTY=CAMPBELL

Rank	Cause	YPLL	Deaths
6	SUICIDE	148	5
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	140	9
8	CEREBROVASCULAR DISEASE	105	10
9	PNEUMONIA AND INFLUENZA	99	7
10	SEPTICEMIA	94	8

COUNTY=CANNON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,571	102
1	DISEASES OF HEART	312	24
2	ACCIDENTS AND ADVERSE EFFECTS	312	13
3	MALIGNANT NEOPLASMS	292	24
4	DIABETES MELLITUS	103	6
5	CHRONIC LOWER RESPIRATORY DISEASES	80	9
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	72	4
7	CEREBROVASCULAR DISEASE	62	4

COUNTY=CARROLL

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,943	246
1	DISEASES OF HEART	923	71
2	MALIGNANT NEOPLASMS	776	61
3	ACCIDENTS AND ADVERSE EFFECTS	328	16
4	SUICIDE	305	10
5	PNEUMONIA AND INFLUENZA	192	6
6	CHRONIC LOWER RESPIRATORY DISEASES	116	12
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	102	4
8	CEREBROVASCULAR DISEASE	95	10
9	DIABETES MELLITUS	58	5
10	SEPTICEMIA	52	4

COUNTY=CARTER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,695	346
1	DISEASES OF HEART	1,232	84
2	MALIGNANT NEOPLASMS	922	73
3	ACCIDENTS AND ADVERSE EFFECTS	691	27
4	CHRONIC LOWER RESPIRATORY DISEASES	445	39
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	263	15
6	SUICIDE	253	6
7	PNEUMONIA AND INFLUENZA	178	16
8	DIABETES MELLITUS	161	11
9	CEREBROVASCULAR DISEASE	101	11
10	OTHER DISEASES OF RESPIRATORY SYSTEM	72	4

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2015**

COUNTY=CHEATHAM

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,456	256
1	MALIGNANT NEOPLASMS	985	79
2	ACCIDENTS AND ADVERSE EFFECTS	870	29
3	DISEASES OF HEART	660	49
4	SUICIDE	363	15
5	CHRONIC LOWER RESPIRATORY DISEASES	189	18
6	PNEUMONIA AND INFLUENZA	179	5
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	144	8
8	CEREBROVASCULAR DISEASE	136	12
9	DIABETES MELLITUS	115	10
10	ALZHEIMER'S DISEASE	22	4

COUNTY=CHESTER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,337	77
1	ACCIDENTS AND ADVERSE EFFECTS	316	8
2	DISEASES OF HEART	188	16
3	MALIGNANT NEOPLASMS	175	19
4	DIABETES MELLITUS	103	6
5	CHRONIC LOWER RESPIRATORY DISEASES	99	7

COUNTY=CLAIBORNE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,685	232
1	DISEASES OF HEART	991	71
2	MALIGNANT NEOPLASMS	773	66
3	ACCIDENTS AND ADVERSE EFFECTS	657	21
4	SUICIDE	219	7
5	CHRONIC LOWER RESPIRATORY DISEASES	157	14
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	108	5
7	DIABETES MELLITUS	98	5
8	CEREBROVASCULAR DISEASE	62	4

COUNTY=CLAY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	971	71
1	MALIGNANT NEOPLASMS	184	17
2	DISEASES OF HEART	171	11
3	SUICIDE	122	4
4	CHRONIC LOWER RESPIRATORY DISEASES	111	11
5	ASSAULT (HOMICIDE)	92	4
6	ACCIDENTS AND ADVERSE EFFECTS	82	4
7	SEPTICEMIA	32	4

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2015**

COUNTY=COCKE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,675	274
1	DISEASES OF HEART	1,167	83
2	MALIGNANT NEOPLASMS	858	65
3	ACCIDENTS AND ADVERSE EFFECTS	525	19
4	SUICIDE	285	10
5	CHRONIC LOWER RESPIRATORY DISEASES	215	19
6	CEREBROVASCULAR DISEASE	191	11
7	SEPTICEMIA	103	6
8	OTHER DISEASES OF RESPIRATORY SYSTEM	101	4
9	VIRAL HEPATITIS	72	4
10	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	63	6

COUNTY=COFFEE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,852	347
1	DISEASES OF HEART	1,351	91
2	ACCIDENTS AND ADVERSE EFFECTS	976	30
3	MALIGNANT NEOPLASMS	955	75
4	SUICIDE	412	13
5	CHRONIC LOWER RESPIRATORY DISEASES	274	28
6	CEREBROVASCULAR DISEASE	204	13
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	195	10
8	DIABETES MELLITUS	187	14
9	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	117	5
10	PNEUMONIA AND INFLUENZA	82	4

COUNTY=CROCKETT

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	838	61
1	MALIGNANT NEOPLASMS	231	18
2	ACCIDENTS AND ADVERSE EFFECTS	163	6
3	DISEASES OF HEART	101	11
4	CHRONIC LOWER RESPIRATORY DISEASES	48	5

COUNTY=CUMBERLAND

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,538	369
1	MALIGNANT NEOPLASMS	1,247	94
2	DISEASES OF HEART	1,241	91
3	ACCIDENTS AND ADVERSE EFFECTS	927	34
4	CHRONIC LOWER RESPIRATORY DISEASES	287	23
5	SUICIDE	271	11
6	DIABETES MELLITUS	217	14
7	CEREBROVASCULAR DISEASE	183	15
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	109	7
9	PNEUMONIA AND INFLUENZA	74	8
10	OTHER DISEASES OF RESPIRATORY SYSTEM	63	6

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2015**

COUNTY=DAVIDSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	54,088	2,710
1	MALIGNANT NEOPLASMS	10,326	735
2	ACCIDENTS AND ADVERSE EFFECTS	8,831	278
3	DISEASES OF HEART	8,202	505
4	ASSAULT (HOMICIDE)	3,256	71
5	SUICIDE	2,683	82
6	CERTAIN PERINATAL CONDITIONS	2,303	31
7	CHRONIC LOWER RESPIRATORY DISEASES	1,897	159
8	CEREBROVASCULAR DISEASE	1,339	98
9	CONGENITAL ANOMALIES	1,235	20
10	DIABETES MELLITUS	1,230	85

COUNTY=DECATUR

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,168	69
1	DISEASES OF HEART	314	17
2	MALIGNANT NEOPLASMS	312	24
3	ACCIDENTS AND ADVERSE EFFECTS	109	7

COUNTY=DEKALB

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,133	120
1	DISEASES OF HEART	507	34
2	MALIGNANT NEOPLASMS	410	29
3	ACCIDENTS AND ADVERSE EFFECTS	266	8
4	CHRONIC LOWER RESPIRATORY DISEASES	95	10
5	SUICIDE	78	5

COUNTY=DICKSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,685	302
1	ACCIDENTS AND ADVERSE EFFECTS	1,479	43
2	MALIGNANT NEOPLASMS	1,114	84
3	DISEASES OF HEART	977	63
4	SUICIDE	302	9
5	ASSAULT (HOMICIDE)	188	5
6	CHRONIC LOWER RESPIRATORY DISEASES	179	18
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	179	7
8	CEREBROVASCULAR DISEASE	106	12
9	ALZHEIMER'S DISEASE	28	5

COUNTY=DYER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,224	219
1	MALIGNANT NEOPLASMS	812	64
2	DISEASES OF HEART	601	51
3	ACCIDENTS AND ADVERSE EFFECTS	281	11
4	SUICIDE	188	5

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2015**

COUNTY=DYER

Rank	Cause	YPLL	Deaths
5	DIABETES MELLITUS	130	9
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	112	4
7	CHRONIC LOWER RESPIRATORY DISEASES	87	14
8	OTHER DISEASES OF RESPIRATORY SYSTEM	68	5
9	CEREBROVASCULAR DISEASE	62	4
10	PNEUMONIA AND INFLUENZA	62	4

COUNTY=FAYETTE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,229	190
1	DISEASES OF HEART	755	55
2	MALIGNANT NEOPLASMS	655	50
3	ACCIDENTS AND ADVERSE EFFECTS	584	15
4	SUICIDE	189	7
5	CHRONIC LOWER RESPIRATORY DISEASES	105	10
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	98	5
7	NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	82	4
8	SEPTICEMIA	68	5
9	CEREBROVASCULAR DISEASE	22	4

COUNTY=FENTRESS

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,292	141
1	MALIGNANT NEOPLASMS	540	40
2	DISEASES OF HEART	349	27
3	CHRONIC LOWER RESPIRATORY DISEASES	202	13
4	ACCIDENTS AND ADVERSE EFFECTS	184	8
5	DIABETES MELLITUS	88	5
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	62	4

COUNTY=FRANKLIN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,027	223
1	ACCIDENTS AND ADVERSE EFFECTS	762	29
2	MALIGNANT NEOPLASMS	713	55
3	DISEASES OF HEART	685	50
4	CHRONIC LOWER RESPIRATORY DISEASES	187	14
5	SUICIDE	163	6
6	DIABETES MELLITUS	113	6
7	CEREBROVASCULAR DISEASE	110	9
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	98	5

COUNTY=GIBSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,992	311
1	MALIGNANT NEOPLASMS	1,077	83
2	ACCIDENTS AND ADVERSE EFFECTS	899	27
3	DISEASES OF HEART	872	64

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2015**

COUNTY=GIBSON

Rank	Cause	YPLL	Deaths
4	CEREBROVASCULAR DISEASE	250	20
5	SUICIDE	223	6
6	CHRONIC LOWER RESPIRATORY DISEASES	205	19
7	OTHER DISEASES OF RESPIRATORY SYSTEM	127	5
8	PNEUMONIA AND INFLUENZA	120	5
9	DIABETES MELLITUS	100	9
10	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	92	4

COUNTY=GILES

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,033	166
1	ACCIDENTS AND ADVERSE EFFECTS	833	24
2	MALIGNANT NEOPLASMS	559	38
3	DISEASES OF HEART	529	38
4	CHRONIC LIVER DISEASE AND CIRRHOSIS	149	7
5	SUICIDE	142	4
6	CHRONIC LOWER RESPIRATORY DISEASES	120	9
7	PNEUMONIA AND INFLUENZA	84	8

COUNTY=GRAINGER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,814	163
1	MALIGNANT NEOPLASMS	825	50
2	DISEASES OF HEART	373	35
3	ACCIDENTS AND ADVERSE EFFECTS	301	11
4	CHRONIC LOWER RESPIRATORY DISEASES	142	13
5	DIABETES MELLITUS	78	5
6	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	68	5
7	CEREBROVASCULAR DISEASE	48	5

COUNTY=GREENE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	6,739	447
1	DISEASES OF HEART	1,621	111
2	MALIGNANT NEOPLASMS	1,352	113
3	ACCIDENTS AND ADVERSE EFFECTS	502	24
4	CHRONIC LOWER RESPIRATORY DISEASES	367	34
5	CERTAIN PERINATAL CONDITIONS	298	4
6	SUICIDE	259	7
7	DIABETES MELLITUS	253	15
8	SEPTICEMIA	146	12
9	PNEUMONIA AND INFLUENZA	146	12
10	CEREBROVASCULAR DISEASE	138	16

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2015**

COUNTY=GRUNDY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,642	95
1	DISEASES OF HEART	429	27
2	MALIGNANT NEOPLASMS	204	17
3	ACCIDENTS AND ADVERSE EFFECTS	174	8
4	CHRONIC LOWER RESPIRATORY DISEASES	104	8
5	DIABETES MELLITUS	48	5

COUNTY=HAMBLEN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	6,521	377
1	MALIGNANT NEOPLASMS	1,286	88
2	ACCIDENTS AND ADVERSE EFFECTS	1,105	34
3	DISEASES OF HEART	856	61
4	SUICIDE	443	15
5	CHRONIC LOWER RESPIRATORY DISEASES	323	35
6	CERTAIN PERINATAL CONDITIONS	298	4
7	DIABETES MELLITUS	207	14
8	CEREBROVASCULAR DISEASE	136	12
9	CHRONIC LIVER DISEASE AND CIRRHOSIS	118	5
10	SEPTICEMIA	94	8

COUNTY=HAMILTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	26,463	1,584
1	MALIGNANT NEOPLASMS	5,640	421
2	DISEASES OF HEART	4,562	324
3	ACCIDENTS AND ADVERSE EFFECTS	3,194	120
4	SUICIDE	1,213	46
5	CERTAIN PERINATAL CONDITIONS	1,192	16
6	CHRONIC LOWER RESPIRATORY DISEASES	1,153	115
7	ASSAULT (HOMICIDE)	1,068	25
8	CEREBROVASCULAR DISEASE	867	70
9	DIABETES MELLITUS	854	57
10	CHRONIC LIVER DISEASE AND CIRRHOSIS	523	35

COUNTY=HANCOCK

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	890	60
1	MALIGNANT NEOPLASMS	269	18
2	DISEASES OF HEART	150	9
3	CHRONIC LOWER RESPIRATORY DISEASES	58	5
4	CEREBROVASCULAR DISEASE	52	4

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2015**

COUNTY=HARDEMAN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,143	144
1	MALIGNANT NEOPLASMS	627	43
2	DISEASES OF HEART	433	35
3	ACCIDENTS AND ADVERSE EFFECTS	149	7
4	CHRONIC LOWER RESPIRATORY DISEASES	116	12
5	DIABETES MELLITUS	109	7
6	OTHER DISEASES OF RESPIRATORY SYSTEM	94	4
7	CEREBROVASCULAR DISEASE	62	4
8	SEPTICEMIA	32	4

COUNTY=HARDIN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,060	190
1	DISEASES OF HEART	783	66
2	MALIGNANT NEOPLASMS	662	44
3	ACCIDENTS AND ADVERSE EFFECTS	639	19
4	CHRONIC LIVER DISEASE AND CIRRHOSIS	134	8
5	DIABETES MELLITUS	88	5
6	CHRONIC LOWER RESPIRATORY DISEASES	80	9
7	SEPTICEMIA	68	5
8	PNEUMONIA AND INFLUENZA	32	4

COUNTY=HAWKINS

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	6,065	375
1	DISEASES OF HEART	1,173	95
2	MALIGNANT NEOPLASMS	1,150	89
3	ACCIDENTS AND ADVERSE EFFECTS	831	31
4	CHRONIC LOWER RESPIRATORY DISEASES	325	30
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	302	13
6	CONGENITAL ANOMALIES	278	5
7	SUICIDE	225	10
8	DIABETES MELLITUS	135	10
9	NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	104	8
10	CEREBROVASCULAR DISEASE	94	8

COUNTY=HAYWOOD

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,875	106
1	DISEASES OF HEART	664	37
2	MALIGNANT NEOPLASMS	269	18
3	ACCIDENTS AND ADVERSE EFFECTS	139	7
4	CHRONIC LOWER RESPIRATORY DISEASES	89	7
5	NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	52	4
6	CEREBROVASCULAR DISEASE	42	4

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2015**

COUNTY=HENDERSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,832	204
1	DISEASES OF HEART	861	51
2	MALIGNANT NEOPLASMS	608	45
3	ACCIDENTS AND ADVERSE EFFECTS	506	17
4	SUICIDE	320	9
5	DIABETES MELLITUS	171	11
6	OTHER DISEASES OF RESPIRATORY SYSTEM	118	5
7	CHRONIC LOWER RESPIRATORY DISEASES	101	11
8	CEREBROVASCULAR DISEASE	42	4

COUNTY=HENRY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,680	238
1	MALIGNANT NEOPLASMS	575	50
2	DISEASES OF HEART	509	47
3	ACCIDENTS AND ADVERSE EFFECTS	470	22
4	SUICIDE	371	11
5	CONGENITAL ANOMALIES	216	5
6	CEREBROVASCULAR DISEASE	198	12
7	CHRONIC LOWER RESPIRATORY DISEASES	136	12
8	DIABETES MELLITUS	131	11
9	PNEUMONIA AND INFLUENZA	121	7
10	CHRONIC LIVER DISEASE AND CIRRHOSIS	110	9

COUNTY=HICKMAN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,848	162
1	MALIGNANT NEOPLASMS	630	40
2	DISEASES OF HEART	398	25
3	ACCIDENTS AND ADVERSE EFFECTS	394	17
4	DIABETES MELLITUS	93	6
5	CHRONIC LOWER RESPIRATORY DISEASES	53	6
6	CEREBROVASCULAR DISEASE	42	4

COUNTY=HOUSTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	996	57
1	MALIGNANT NEOPLASMS	270	20
2	DISEASES OF HEART	233	15
3	ACCIDENTS AND ADVERSE EFFECTS	220	5

COUNTY=HUMPHREYS

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,999	129
1	ACCIDENTS AND ADVERSE EFFECTS	586	14
2	DISEASES OF HEART	410	29
3	MALIGNANT NEOPLASMS	351	31
4	DIABETES MELLITUS	104	8

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2015**

COUNTY=HUMPHREYS

Rank	Cause	YPLL	Deaths
5	VIRAL HEPATITIS	72	4
6	CHRONIC LOWER RESPIRATORY DISEASES	64	8
7	CEREBROVASCULAR DISEASE	63	6

COUNTY=JACKSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,508	98
1	DISEASES OF HEART	369	27
2	MALIGNANT NEOPLASMS	333	26
3	ACCIDENTS AND ADVERSE EFFECTS	248	7
4	CEREBROVASCULAR DISEASE	68	5
5	CHRONIC LOWER RESPIRATORY DISEASES	60	9

COUNTY=JEFFERSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,153	316
1	DISEASES OF HEART	1,098	76
2	MALIGNANT NEOPLASMS	1,050	80
3	ACCIDENTS AND ADVERSE EFFECTS	557	16
4	CHRONIC LOWER RESPIRATORY DISEASES	321	22
5	PNEUMONIA AND INFLUENZA	213	15
6	DIABETES MELLITUS	134	8
7	SUICIDE	123	6
8	VIRAL HEPATITIS	102	4
9	HYPERTENSION AND RENAL DISEASE	82	4
10	SEPTICEMIA	72	4

COUNTY=JOHNSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,285	137
1	ACCIDENTS AND ADVERSE EFFECTS	609	16
2	MALIGNANT NEOPLASMS	466	41
3	DISEASES OF HEART	408	25
4	SUICIDE	158	5
5	CHRONIC LOWER RESPIRATORY DISEASES	100	9
6	OTHER DISEASES OF RESPIRATORY SYSTEM	32	4

COUNTY=KNOX

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	38,001	2,097
1	MALIGNANT NEOPLASMS	7,800	552
2	ACCIDENTS AND ADVERSE EFFECTS	7,214	235
3	DISEASES OF HEART	5,884	408
4	SUICIDE	1,828	61
5	CERTAIN PERINATAL CONDITIONS	1,416	19
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	1,386	72
7	CHRONIC LOWER RESPIRATORY DISEASES	1,248	116
8	DIABETES MELLITUS	978	65

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2015**

COUNTY=KNOX

Rank	Cause	YPLL	Deaths
9	CONGENITAL ANOMALIES	933	17
10	CEREBROVASCULAR DISEASE	928	67

COUNTY=LAKE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,006	63
1	DISEASES OF HEART	218	16
2	MALIGNANT NEOPLASMS	147	14
3	DIABETES MELLITUS	118	5
4	CHRONIC LOWER RESPIRATORY DISEASES	48	5

COUNTY=LAUDERDALE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,688	156
1	MALIGNANT NEOPLASMS	686	41
2	DISEASES OF HEART	463	35
3	ACCIDENTS AND ADVERSE EFFECTS	199	7
4	CEREBROVASCULAR DISEASE	140	9
5	SEPTICEMIA	137	5
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	133	6
7	CHRONIC LOWER RESPIRATORY DISEASES	120	9
8	DIABETES MELLITUS	73	6
9	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	58	5

COUNTY=LAWRENCE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,927	264
1	DISEASES OF HEART	827	63
2	MALIGNANT NEOPLASMS	685	59
3	CERTAIN PERINATAL CONDITIONS	373	5
4	ACCIDENTS AND ADVERSE EFFECTS	334	17
5	SUICIDE	194	8
6	CHRONIC LOWER RESPIRATORY DISEASES	134	17
7	CEREBROVASCULAR DISEASE	115	10
8	SEPTICEMIA	102	4
9	CHRONIC LIVER DISEASE AND CIRRHOSIS	98	5
10	OTHER DISEASES OF RESPIRATORY SYSTEM	93	6

COUNTY=LEWIS

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,321	83
1	MALIGNANT NEOPLASMS	400	29
2	DISEASES OF HEART	226	12
3	ACCIDENTS AND ADVERSE EFFECTS	160	5
4	CHRONIC LIVER DISEASE AND CIRRHOSIS	72	4
5	DIABETES MELLITUS	42	4
6	CHRONIC LOWER RESPIRATORY DISEASES	32	4
7	PNEUMONIA AND INFLUENZA	22	4

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2015**

COUNTY=LINCOLN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,334	198
1	DISEASES OF HEART	714	57
2	MALIGNANT NEOPLASMS	677	45
3	ACCIDENTS AND ADVERSE EFFECTS	377	14
4	SUICIDE	281	11
5	CEREBROVASCULAR DISEASE	111	11
6	CHRONIC LOWER RESPIRATORY DISEASES	90	9
7	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	88	5
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	72	4

COUNTY=LOUDON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,013	295
1	MALIGNANT NEOPLASMS	1,144	97
2	DISEASES OF HEART	826	52
3	ACCIDENTS AND ADVERSE EFFECTS	655	18
4	SUICIDE	315	10
5	CONGENITAL ANOMALIES	186	5
6	CHRONIC LOWER RESPIRATORY DISEASES	134	17
7	DIABETES MELLITUS	100	9
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	93	6
9	CEREBROVASCULAR DISEASE	68	5
10	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	68	5

COUNTY=MCMINN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,400	322
1	MALIGNANT NEOPLASMS	1,058	85
2	DISEASES OF HEART	1,035	70
3	ACCIDENTS AND ADVERSE EFFECTS	883	31
4	CHRONIC LOWER RESPIRATORY DISEASES	264	28
5	ASSAULT (HOMICIDE)	208	5
6	ATHEROSCLEROSIS	151	11
7	SUICIDE	128	5
8	HYPERTENSION AND RENAL DISEASE	124	8
9	CEREBROVASCULAR DISEASE	124	8
10	OTHER DISEASES OF RESPIRATORY SYSTEM	121	4

COUNTY=MCAIRY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,825	172
1	ACCIDENTS AND ADVERSE EFFECTS	711	22
2	DISEASES OF HEART	602	44
3	MALIGNANT NEOPLASMS	445	39
4	SUICIDE	122	4
5	DIABETES MELLITUS	99	7
6	CHRONIC LOWER RESPIRATORY DISEASES	63	6

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2015**

COUNTY=MCNAIRY

Rank	Cause	YPLL	Deaths
7	CEREBROVASCULAR DISEASE	58	5
8	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	48	5

COUNTY=MACON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,529	149
1	MALIGNANT NEOPLASMS	528	41
2	DISEASES OF HEART	478	36
3	ACCIDENTS AND ADVERSE EFFECTS	356	12
4	SUICIDE	173	6
5	CHRONIC LOWER RESPIRATORY DISEASES	157	14
6	PNEUMONIA AND INFLUENZA	88	5
7	DIABETES MELLITUS	78	5
8	CEREBROVASCULAR DISEASE	72	4
9	CHRONIC LIVER DISEASE AND CIRRHOSIS	52	4

COUNTY=MADISON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	9,608	495
1	DISEASES OF HEART	1,923	126
2	MALIGNANT NEOPLASMS	1,496	112
3	ACCIDENTS AND ADVERSE EFFECTS	1,052	33
4	CONGENITAL ANOMALIES	615	9
5	CERTAIN PERINATAL CONDITIONS	596	8
6	CEREBROVASCULAR DISEASE	408	25
7	ASSAULT (HOMICIDE)	385	10
8	SUICIDE	377	14
9	CHRONIC LOWER RESPIRATORY DISEASES	280	22
10	DIABETES MELLITUS	220	20

COUNTY=MARION

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,109	246
1	ACCIDENTS AND ADVERSE EFFECTS	921	27
2	MALIGNANT NEOPLASMS	824	68
3	DISEASES OF HEART	782	53
4	CEREBROVASCULAR DISEASE	228	16
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	170	9
6	CHRONIC LOWER RESPIRATORY DISEASES	142	13
7	DIABETES MELLITUS	93	6
8	SEPTICEMIA	72	4
9	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	72	4
10	PNEUMONIA AND INFLUENZA	52	4

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2015**

COUNTY=MARSHALL

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,183	192
1	MALIGNANT NEOPLASMS	730	49
2	DISEASES OF HEART	628	45
3	ACCIDENTS AND ADVERSE EFFECTS	342	13
4	SUICIDE	225	6
5	CHRONIC LOWER RESPIRATORY DISEASES	133	15
6	DIABETES MELLITUS	101	4
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	72	4
8	CEREBROVASCULAR DISEASE	53	6
9	SEPTICEMIA	42	4

COUNTY=MAURY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	7,046	416
1	MALIGNANT NEOPLASMS	1,319	118
2	ACCIDENTS AND ADVERSE EFFECTS	1,084	31
3	DISEASES OF HEART	1,059	78
4	SUICIDE	366	12
5	CHRONIC LOWER RESPIRATORY DISEASES	311	22
6	CEREBROVASCULAR DISEASE	285	19
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	277	14
8	OTHER DISEASES OF RESPIRATORY SYSTEM	213	8
9	PNEUMONIA AND INFLUENZA	134	8
10	SEPTICEMIA	93	6

COUNTY=MEIGS

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,854	99
1	MALIGNANT NEOPLASMS	369	27
2	ACCIDENTS AND ADVERSE EFFECTS	292	13
3	DISEASES OF HEART	247	14
4	CHRONIC LOWER RESPIRATORY DISEASES	144	8

COUNTY=MONROE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,083	310
1	MALIGNANT NEOPLASMS	1,162	93
2	DISEASES OF HEART	1,048	67
3	ACCIDENTS AND ADVERSE EFFECTS	602	24
4	DIABETES MELLITUS	227	14
5	CHRONIC LOWER RESPIRATORY DISEASES	215	19
6	SUICIDE	210	9
7	SEPTICEMIA	149	7
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	114	8
9	CEREBROVASCULAR DISEASE	75	10
10	PNEUMONIA AND INFLUENZA	62	4

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2015**

COUNTY=MONTGOMERY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	14,975	728
1	ACCIDENTS AND ADVERSE EFFECTS	2,421	69
2	MALIGNANT NEOPLASMS	2,156	168
3	DISEASES OF HEART	2,099	134
4	SUICIDE	1,375	35
5	ASSAULT (HOMICIDE)	765	15
6	CHRONIC LOWER RESPIRATORY DISEASES	646	52
7	CERTAIN PERINATAL CONDITIONS	522	7
8	DIABETES MELLITUS	511	31
9	CHRONIC LIVER DISEASE AND CIRRHOSIS	437	23
10	CEREBROVASCULAR DISEASE	334	28

COUNTY=MOORE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	544	39
1	DISEASES OF HEART	110	9
2	MALIGNANT NEOPLASMS	85	10
3	CHRONIC LOWER RESPIRATORY DISEASES	58	5

COUNTY=MORGAN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,046	148
1	ACCIDENTS AND ADVERSE EFFECTS	982	29
2	MALIGNANT NEOPLASMS	533	35
3	DISEASES OF HEART	398	36
4	SUICIDE	193	6
5	CHRONIC LOWER RESPIRATORY DISEASES	103	6
6	CEREBROVASCULAR DISEASE	93	6
7	PNEUMONIA AND INFLUENZA	82	4
8	OTHER DISEASES OF RESPIRATORY SYSTEM	82	4
9	DIABETES MELLITUS	62	4

COUNTY=OBION

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,994	181
1	MALIGNANT NEOPLASMS	759	58
2	DISEASES OF HEART	570	40
3	ACCIDENTS AND ADVERSE EFFECTS	241	7
4	DIABETES MELLITUS	170	9
5	CHRONIC LOWER RESPIRATORY DISEASES	156	12
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	82	4
7	NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS	58	5
8	CEREBROVASCULAR DISEASE	42	4
9	PNEUMONIA AND INFLUENZA	42	4

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2015**

COUNTY=OVERTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,418	149
1	MALIGNANT NEOPLASMS	570	49
2	DISEASES OF HEART	542	33
3	ACCIDENTS AND ADVERSE EFFECTS	416	12
4	CHRONIC LOWER RESPIRATORY DISEASES	116	12
5	CEREBROVASCULAR DISEASE	89	7
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	62	4

COUNTY=PERRY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,113	77
1	DISEASES OF HEART	297	23
2	MALIGNANT NEOPLASMS	225	19
3	ACCIDENTS AND ADVERSE EFFECTS	108	5
4	PNEUMONIA AND INFLUENZA	72	4
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	52	4
6	CHRONIC LOWER RESPIRATORY DISEASES	42	4

COUNTY=PICKETT

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	367	23
1	DISEASES OF HEART	114	8
2	CHRONIC LOWER RESPIRATORY DISEASES	58	5
3	MALIGNANT NEOPLASMS	52	4

COUNTY=POLK

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,887	125
1	DISEASES OF HEART	395	30
2	MALIGNANT NEOPLASMS	394	28
3	SUICIDE	249	7
4	ACCIDENTS AND ADVERSE EFFECTS	184	8
5	CHRONIC LOWER RESPIRATORY DISEASES	135	10
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	82	4
7	DIABETES MELLITUS	60	9
8	CEREBROVASCULAR DISEASE	48	5

COUNTY=PUTNAM

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	6,952	406
1	MALIGNANT NEOPLASMS	1,481	111
2	DISEASES OF HEART	1,324	97
3	ACCIDENTS AND ADVERSE EFFECTS	918	29
4	SUICIDE	313	15
5	DIABETES MELLITUS	201	11
6	CEREBROVASCULAR DISEASE	178	16
7	PNEUMONIA AND INFLUENZA	160	9
8	SEPTICEMIA	139	7

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2015**

COUNTY=PUTNAM

Rank	Cause	YPLL	Deaths
9	CHRONIC LOWER RESPIRATORY DISEASES	129	18
10	OTHER DISEASES OF RESPIRATORY SYSTEM	114	8

COUNTY=RHEA

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,625	216
1	MALIGNANT NEOPLASMS	859	67
2	DISEASES OF HEART	603	46
3	ACCIDENTS AND ADVERSE EFFECTS	598	16
4	SUICIDE	269	7
5	CONGENITAL ANOMALIES	206	5
6	CHRONIC LOWER RESPIRATORY DISEASES	117	14
7	HYPERTENSION AND RENAL DISEASE	98	5
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	88	5
9	SEPTICEMIA	52	4
10	DIABETES MELLITUS	52	4

COUNTY=ROANE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,904	377
1	DISEASES OF HEART	1,136	81
2	MALIGNANT NEOPLASMS	1,120	100
3	ACCIDENTS AND ADVERSE EFFECTS	889	34
4	SUICIDE	452	13
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	293	15
6	CHRONIC LOWER RESPIRATORY DISEASES	269	27
7	CEREBROVASCULAR DISEASE	213	15
8	DIABETES MELLITUS	135	10
9	OTHER DISEASES OF RESPIRATORY SYSTEM	114	8
10	SEPTICEMIA	69	7

COUNTY=ROBERTSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	5,961	325
1	MALIGNANT NEOPLASMS	1,269	83
2	ACCIDENTS AND ADVERSE EFFECTS	1,207	35
3	DISEASES OF HEART	806	61
4	SUICIDE	483	15
5	CEREBROVASCULAR DISEASE	292	24
6	CHRONIC LOWER RESPIRATORY DISEASES	277	23
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	231	11
8	DIABETES MELLITUS	135	10
9	PNEUMONIA AND INFLUENZA	120	9
10	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	83	6

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2015**

COUNTY=RUTHERFORD

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	18,571	991
1	MALIGNANT NEOPLASMS	3,707	263
2	ACCIDENTS AND ADVERSE EFFECTS	3,290	100
3	DISEASES OF HEART	3,249	234
4	SUICIDE	1,003	31
5	CERTAIN PERINATAL CONDITIONS	894	12
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	538	25
7	CEREBROVASCULAR DISEASE	509	38
8	CONGENITAL ANOMALIES	433	6
9	CHRONIC LOWER RESPIRATORY DISEASES	417	43
10	ASSAULT (HOMICIDE)	340	9

COUNTY=SCOTT

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,743	139
1	MALIGNANT NEOPLASMS	563	42
2	DISEASES OF HEART	366	21
3	ACCIDENTS AND ADVERSE EFFECTS	326	12
4	DIABETES MELLITUS	175	10
5	SUICIDE	134	4
6	CHRONIC LOWER RESPIRATORY DISEASES	110	9
7	CEREBROVASCULAR DISEASE	88	5
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	62	4

COUNTY=SEQUATCHIE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,427	90
1	MALIGNANT NEOPLASMS	395	30
2	DISEASES OF HEART	218	16
3	ACCIDENTS AND ADVERSE EFFECTS	160	5
4	CHRONIC LOWER RESPIRATORY DISEASES	115	10
5	SUICIDE	92	4
6	CEREBROVASCULAR DISEASE	42	4
7	DIABETES MELLITUS	32	4

COUNTY=SEVIER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	8,432	523
1	MALIGNANT NEOPLASMS	2,178	165
2	DISEASES OF HEART	1,548	116
3	ACCIDENTS AND ADVERSE EFFECTS	1,308	45
4	SUICIDE	468	16
5	CHRONIC LOWER RESPIRATORY DISEASES	365	30
6	CERTAIN PERINATAL CONDITIONS	298	4
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	263	15
8	SEPTICEMIA	175	10
9	CONGENITAL ANOMALIES	171	4
10	CEREBROVASCULAR DISEASE	157	14

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2015**

COUNTY=SHELBY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	87,682	4,496
1	MALIGNANT NEOPLASMS	15,829	1,131
2	DISEASES OF HEART	14,420	982
3	ACCIDENTS AND ADVERSE EFFECTS	12,151	377
4	ASSAULT (HOMICIDE)	6,835	161
5	CERTAIN PERINATAL CONDITIONS	3,651	49
6	CEREBROVASCULAR DISEASE	2,946	192
7	DIABETES MELLITUS	2,557	163
8	SUICIDE	2,494	80
9	CHRONIC LOWER RESPIRATORY DISEASES	2,217	155
10	CONGENITAL ANOMALIES	2,097	35

COUNTY=SMITH

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,468	105
1	MALIGNANT NEOPLASMS	346	32
2	DISEASES OF HEART	330	20
3	ACCIDENTS AND ADVERSE EFFECTS	277	14
4	PNEUMONIA AND INFLUENZA	112	4
5	DIABETES MELLITUS	84	8
6	CHRONIC LOWER RESPIRATORY DISEASES	53	6
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	32	4

COUNTY=STEWART

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,304	79
1	MALIGNANT NEOPLASMS	312	24
2	SUICIDE	243	6
3	DISEASES OF HEART	178	16
4	ACCIDENTS AND ADVERSE EFFECTS	128	5
5	CEREBROVASCULAR DISEASE	32	4

COUNTY=SULLIVAN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	15,072	956
1	DISEASES OF HEART	3,304	237
2	MALIGNANT NEOPLASMS	3,226	261
3	ACCIDENTS AND ADVERSE EFFECTS	1,932	64
4	SUICIDE	681	22
5	CHRONIC LOWER RESPIRATORY DISEASES	582	64
6	CEREBROVASCULAR DISEASE	479	29
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	473	26
8	CERTAIN PERINATAL CONDITIONS	447	6
9	DIABETES MELLITUS	291	22
10	PNEUMONIA AND INFLUENZA	263	15

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2015**

COUNTY=SUMNER

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	12,127	698
1	MALIGNANT NEOPLASMS	2,837	203
2	DISEASES OF HEART	2,264	148
3	ACCIDENTS AND ADVERSE EFFECTS	1,817	54
4	SUICIDE	527	19
5	CHRONIC LOWER RESPIRATORY DISEASES	509	47
6	ASSAULT (HOMICIDE)	348	7
7	CEREBROVASCULAR DISEASE	339	27
8	DIABETES MELLITUS	279	18
9	CHRONIC LIVER DISEASE AND CIRRHOSIS	243	15
10	OTHER DISEASES OF RESPIRATORY SYSTEM	193	8

COUNTY=TIPTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	6,162	343
1	MALIGNANT NEOPLASMS	1,598	105
2	DISEASES OF HEART	1,192	73
3	ACCIDENTS AND ADVERSE EFFECTS	852	24
4	SUICIDE	306	12
5	CERTAIN PERINATAL CONDITIONS	298	4
6	CHRONIC LOWER RESPIRATORY DISEASES	217	23
7	DIABETES MELLITUS	165	10
8	PNEUMONIA AND INFLUENZA	150	9
9	CEREBROVASCULAR DISEASE	141	11
10	PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	108	5

COUNTY=TROUSDALE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	789	47
1	DISEASES OF HEART	216	12
2	MALIGNANT NEOPLASMS	207	14
3	CHRONIC LOWER RESPIRATORY DISEASES	52	4

COUNTY=UNICOI

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,808	127
1	MALIGNANT NEOPLASMS	479	38
2	ACCIDENTS AND ADVERSE EFFECTS	314	10
3	DISEASES OF HEART	257	23
4	CHRONIC LIVER DISEASE AND CIRRHOSIS	104	8
5	CHRONIC LOWER RESPIRATORY DISEASES	89	7
6	PNEUMONIA AND INFLUENZA	88	5
7	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	52	4

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2015**

COUNTY=UNION

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,246	137
1	DISEASES OF HEART	542	33
2	MALIGNANT NEOPLASMS	390	29
3	ACCIDENTS AND ADVERSE EFFECTS	312	13
4	SUICIDE	154	4
5	CHRONIC LIVER DISEASE AND CIRRHOSIS	128	5
6	CHRONIC LOWER RESPIRATORY DISEASES	111	11
7	CEREBROVASCULAR DISEASE	79	7
8	OTHER DISEASES OF RESPIRATORY SYSTEM	72	4

COUNTY=VAN BUREN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	737	45
1	MALIGNANT NEOPLASMS	167	14
2	DISEASES OF HEART	100	9
3	CHRONIC LOWER RESPIRATORY DISEASES	68	5

COUNTY=WARREN

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	4,071	256
1	MALIGNANT NEOPLASMS	858	65
2	DISEASES OF HEART	760	60
3	ACCIDENTS AND ADVERSE EFFECTS	417	16
4	DIABETES MELLITUS	252	13
5	CHRONIC LOWER RESPIRATORY DISEASES	239	18
6	SUICIDE	219	7
7	CEREBROVASCULAR DISEASE	177	10
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	113	6
9	ASSAULT (HOMICIDE)	112	4
10	PNEUMONIA AND INFLUENZA	72	4

COUNTY=WASHINGTON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	10,914	684
1	MALIGNANT NEOPLASMS	2,345	190
2	DISEASES OF HEART	1,894	124
3	ACCIDENTS AND ADVERSE EFFECTS	1,323	55
4	SUICIDE	427	14
5	CHRONIC LOWER RESPIRATORY DISEASES	406	41
6	PNEUMONIA AND INFLUENZA	367	23
7	CONGENITAL ANOMALIES	295	5
8	CHRONIC LIVER DISEASE AND CIRRHOSIS	294	17
9	ASSAULT (HOMICIDE)	280	9
10	DIABETES MELLITUS	276	21

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2015**

COUNTY=WAYNE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	1,528	112
1	MALIGNANT NEOPLASMS	380	40
2	DISEASES OF HEART	343	22
3	ACCIDENTS AND ADVERSE EFFECTS	244	8
4	SUICIDE	112	4
5	CHRONIC LOWER RESPIRATORY DISEASES	68	5

COUNTY=WEAKLEY

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	2,814	170
1	DISEASES OF HEART	611	42
2	MALIGNANT NEOPLASMS	583	46
3	ACCIDENTS AND ADVERSE EFFECTS	366	12
4	SUICIDE	239	7
5	DIABETES MELLITUS	125	10
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	68	5
7	CHRONIC LOWER RESPIRATORY DISEASES	64	8
8	CEREBROVASCULAR DISEASE	28	5
9	HYPERTENSION AND RENAL DISEASE	22	4

COUNTY=WHITE

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	3,014	190
1	DISEASES OF HEART	575	39
2	MALIGNANT NEOPLASMS	538	45
3	ACCIDENTS AND ADVERSE EFFECTS	428	16
4	SUICIDE	163	6
5	DIABETES MELLITUS	161	11
6	CEREBROVASCULAR DISEASE	104	8
7	CHRONIC LIVER DISEASE AND CIRRHOSIS	99	7
8	CHRONIC LOWER RESPIRATORY DISEASES	94	8
9	SEPTICEMIA	72	4
10	PNEUMONIA AND INFLUENZA	68	5

COUNTY=WILLIAMSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	8,358	461
1	ACCIDENTS AND ADVERSE EFFECTS	1,972	61
2	MALIGNANT NEOPLASMS	1,904	140
3	SUICIDE	964	28
4	DISEASES OF HEART	917	74
5	CONGENITAL ANOMALIES	424	7
6	CERTAIN PERINATAL CONDITIONS	298	4
7	CHRONIC LOWER RESPIRATORY DISEASES	221	22
8	CEREBROVASCULAR DISEASE	189	18
9	DIABETES MELLITUS	123	6
10	ALZHEIMER'S DISEASE	44	8

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2015**

COUNTY=WILSON

Rank	Cause	YPLL	Deaths
0	ALL CAUSES	8,795	503
1	MALIGNANT NEOPLASMS	2,143	155
2	ACCIDENTS AND ADVERSE EFFECTS	1,561	47
3	DISEASES OF HEART	1,460	100
4	SUICIDE	910	29
5	CEREBROVASCULAR DISEASE	320	20
6	CHRONIC LIVER DISEASE AND CIRRHOSIS	313	15
7	CHRONIC LOWER RESPIRATORY DISEASES	266	32
8	ASSAULT (HOMICIDE)	246	8
9	DIABETES MELLITUS	213	11
10	NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS	109	7

Source: Tennessee Department of Health, Division of Policy, Planning and Assessment