

TENNESSEE

2020 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

May 28, 2021



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2020

MODULE 6: E-CIGARETTES CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2020
MODULE 6: E-CIGARETTES**

TABLE 1: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes	
	TOTAL	WEIGHTED		%	C.I. (95%)
TOTAL	3702	4,156,097	955	29.8	27.6-32.0
Male	1630	1,951,324	460	32.4	29.1-35.7
Female	2072	2,204,773	495	27.4	24.7-30.1
White/Non-Hisp	3051	3,200,779	784	30.0	27.6-32.4
Black or Afr. Am./Non-Hisp	348	556,321	71	24.2	17.7-30.7
Oth. Race/Non-Hisp.	89	85,795	26	25.6	14.4-36.8
MultiRacial/Non-Hisp.	61	51,458	25	37.5	22.6-52.4
Hispanic	94	180,313	38	43.4	28.9-57.9
18-24	243	415,261	133	59.2	51.0-67.4
25-34	427	667,335	192	45.4	39.1-51.7
35-44	504	660,066	197	40.0	34.3-45.7
45-54	617	667,058	175	25.3	20.8-29.8
55-64	718	737,924	143	20.9	16.8-25.0
65+	1193	1,008,452	115	10.1	07.7-12.5
Less Than H.S.	306	540,150	95	34.4	26.2-42.6
H.S. or G.E.D.	1161	1,370,380	334	31.4	27.9-34.9
Some Post-H.S.	942	1,199,467	289	33.9	29.8-38.0
College Graduate	1246	988,986	232	21.1	18.0-24.2
Less than \$15,000	340	402,079	109	36.0	27.6-44.4
\$15,000- 24,999	533	591,086	174	36.0	29.9-42.1
\$25,000- 34,999	321	353,990	91	32.9	25.5-40.3
\$35,000- 49,999	446	508,288	130	36.1	29.8-42.4
\$50,000- 74,999	488	579,577	123	29.1	23.2-35.0
\$75,000+	963	1,080,523	220	26.1	22.4-29.8

Data was weighted using _LLCPWT.

No			7			9		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
2741	70.0	67.8-72.2	5	0.1	00.0-00.3	1	0.0	00.0-00.0
1169	67.5	64.2-70.8	1	0.1	00.0-00.3			
1572	72.3	69.6-75.0	4	0.2	00.0-00.4	1	0.1	00.0-00.3
2264	69.9	67.5-72.3	3	0.1	00.0-00.3			
275	75.2	68.7-81.7	2	0.6	00.0-01.6			
63	74.4	63.2-85.6						
36	62.5	47.6-77.4						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2020
 MODULE 6: E-CIGARETTES**

TABLE 1: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

No			7			9		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
56	56.6	42.1-71.1						
110	40.8	32.6-49.0						
235	54.6	48.3-60.9						
305	59.5	53.8-65.2	2	0.5	00.0-01.3			
442	74.7	70.2-79.2						
574	79.0	74.9-83.1	1	0.1	00.0-00.3			
1075	89.5	87.1-91.9	2	0.3	00.0-00.7	1	0.1	00.0-00.3
211	65.6	57.4-73.8						
825	68.5	65.0-72.0	2	0.1	00.0-00.3			
651	65.8	61.7-69.9	1	0.2	00.0-00.6	1	0.1	00.0-00.3
1012	78.7	75.6-81.8	2	0.2	00.0-00.4			
230	63.4	55.0-71.8	1	0.6	00.0-01.8			
359	64.0	57.9-70.1						
230	67.1	59.7-74.5						
315	63.7	57.4-70.0	1	0.1	00.0-00.3			
365	70.9	65.0-76.8						
742	73.8	70.1-77.5	1	0.1	00.0-00.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2020
MODULE 6: E-CIGARETTES**

TABLE 2: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes	
	TOTAL	WEIGHTED		%	C.I. (95%)
Male	1630	1,951,324	460	32.4	29.3-35.5
White/Non-Hisp	1360	1,491,914	370	30.6	27.3-33.9
Black or Afr. Am./Non-Hisp	120	231,097	30	30.8	19.8-41.8
18-24	129	222,453	75	62.6	52.2-73.0
25-34	196	318,502	102	50.5	40.9-60.1
35-44	225	325,782	95	43.5	34.7-52.3
45-54	276	313,317	85	24.8	18.5-31.1
55-64	315	341,571	58	19.8	13.5-26.1
65+	489	429,699	45	10.6	07.1-14.1
Less Than H.S.	139	261,628	45	37.3	26.1-48.5
H.S. or G.E.D.	515	665,456	168	35.4	29.7-41.1
Some Post-H.S.	400	534,396	128	33.8	27.5-40.1
College Graduate	555	459,535	118	25.7	20.6-30.8
Less than \$15,000	121	145,001	40	36.4	23.9-48.9
\$15,000- 24,999	202	258,743	67	36.8	27.2-46.4
\$25,000- 34,999	129	150,020	39	33.2	21.8-44.6
\$35,000- 49,999	203	258,931	67	35.7	26.7-44.7
\$50,000- 74,999	231	297,530	69	38.3	29.1-47.5
\$75,000+	500	576,661	132	28.6	23.3-33.9

Data was weighted using _LLCPWT.

N	No			7		
	%	C.I. (95%)	N	%	C.I. (95%)	
1169	67.5	64.4-70.6	1	0.1	00.0-00.3	
989	69.3	66.0-72.6	1	0.1	00.0-00.3	
90	69.2	58.2-80.2				
54	37.4	27.0-47.8				
94	49.5	39.9-59.1				
130	56.5	47.7-65.3				
191	75.2	68.9-81.5				
257	80.2	73.9-86.5				
443	89.0	85.5-92.5	1	0.4	00.0-01.0	
94	62.7	51.5-73.9				
346	64.4	58.7-70.1	1	0.2	00.0-00.6	
272	66.2	59.9-72.5				

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2020
MODULE 6: E-CIGARETTES**

TABLE 2: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

No			7		
N	%	C.I. (95%)	N	%	C.I. (95%)
437	74.3	69.2-79.4			
81	63.6	51.1-76.1			
135	63.2	53.6-72.8			
90	66.8	55.4-78.2			
136	64.3	55.3-73.3			
162	61.7	52.5-70.9			
368	71.4	66.1-76.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2020
MODULE 6: E-CIGARETTES**

TABLE 3: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes	
	TOTAL	WEIGHTED		%	C.I. (95%)
Female	2072	2,204,773	495	27.4	24.7-30.1
White/Non-Hisp	1691	1,708,865	414	29.6	26.5-32.7
Black or Afr. Am./Non-Hisp	228	325,223	41	19.5	12.1-26.9
18-24	114	192,808	58	55.3	42.2-68.4
25-34	231	348,833	90	40.8	32.6-49.0
35-44	279	334,284	102	36.6	29.3-43.9
45-54	341	353,742	90	25.8	19.5-32.1
55-64	403	396,354	85	21.8	16.7-26.9
65+	704	578,753	70	9.7	06.8-12.6
Less Than H.S.	167	278,521	50	31.7	19.7-43.7
H.S. or G.E.D.	646	704,923	166	27.5	23.0-32.0
Some Post-H.S.	542	665,072	161	34.0	28.7-39.3
College Graduate	691	529,451	114	17.2	13.5-20.9
Less than \$15,000	219	257,078	69	35.7	24.7-46.7
\$15,000- 24,999	331	332,342	107	35.3	27.5-43.1
\$25,000- 34,999	192	203,970	52	32.6	22.8-42.4
\$35,000- 49,999	243	249,357	63	36.5	27.9-45.1
\$50,000- 74,999	257	282,048	54	19.3	13.6-25.0
\$75,000+	463	503,862	88	23.1	18.0-28.2

Data was weighted using _LLCPWT.

N	No			7			9		
	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
1572	72.3	69.6-75.0	4	0.2	00.0-00.4	1	0.1	00.0-00.3	
1275	70.3	67.2-73.4	2	0.1	00.0-00.3				
185	79.5	72.1-86.9	2	0.9	00.0-02.5				
56	44.7	31.6-57.8							
141	59.2	51.0-67.4							
175	62.5	55.2-69.8	2	0.9	00.0-02.5				
251	74.2	67.9-80.5							
317	78.1	73.0-83.2	1	0.1	00.0-00.3				
632	89.8	86.9-92.7	1	0.2	00.0-00.6	1	0.2	00.0-00.6	
117	68.3	56.3-80.3							
479	72.4	67.9-76.9	1	0.1	00.0-00.3				
379	65.4	60.1-70.7	1	0.4	00.0-01.2	1	0.2	00.0-00.6	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2020
 MODULE 6: E-CIGARETTES**

TABLE 3: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC VAPING PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

No			7			9		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
575	82.5	78.8-86.2	2	0.3	00.0-00.7			
149	63.3	52.3-74.3	1	1.0	00.0-03.0			
224	64.7	56.9-72.5						
140	67.4	57.6-77.2						
179	63.2	54.6-71.8	1	0.2	00.0-00.6			
203	80.7	75.0-86.4						
374	76.7	71.6-81.8	1	0.2	00.0-00.6			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2020
MODULE 6: E-CIGARETTES**

TABLE 4: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	953	1,236,435	90	11.5	08.0-15.0	111	11.8	08.9-14.7	752	76.7	72.6-80.8
Male	459	631,807	53	13.5	08.8-18.2	56	11.3	07.8-14.8	350	75.2	69.9-80.5
Female	494	604,628	37	9.5	04.4-14.6	55	12.2	07.3-17.1	402	78.3	71.8-84.8
White/Non-Hisp	783	960,692	79	12.3	08.4-16.2	87	12.6	09.1-16.1	617	75.1	70.4-79.8
Black or Afr. Am./Non-Hisp	70	134,321	6	12.6	01.0-24.2	6	4.4	00.7-08.1	58	83.0	71.0-95.0
18-24	133	245,907	20	21.1	08.6-33.6	38	28.1	16.9-39.3	75	50.8	38.1-63.5
25-34	191	302,114	17	9.0	03.7-14.3	22	9.6	04.5-14.7	152	81.4	74.3-88.5
35-44	197	264,058	23	11.5	05.6-17.4	19	7.4	03.7-11.1	155	81.1	74.4-87.8
45-54	174	168,214	17	9.7	03.6-15.8	14	6.0	02.3-09.7	143	84.2	77.3-91.1
55-64	143	154,215	6	5.4	00.3-10.5	15	9.9	04.0-15.8	122	84.8	77.4-92.2
65+	115	101,926	7	7.9	01.2-14.6	3	2.4	00.0-05.9	105	89.6	82.2-97.0
Less Than H.S.	95	185,851	6	14.7	00.0-29.8	14	18.1	05.2-31.0	75	67.2	50.5-83.9
H.S. or G.E.D.	333	429,174	33	13.8	07.9-19.7	44	13.5	08.8-18.2	256	72.7	66.0-79.4
Some Post-H.S.	288	405,743	26	8.9	05.0-12.8	23	7.5	03.6-11.4	239	83.6	78.3-88.9
College Graduate	232	208,796	24	8.9	04.4-13.4	30	11.1	06.6-15.6	178	79.9	73.6-86.2
Less than \$15,000	109	144,672	5	13.8	00.0-31.6	14	11.3	03.7-18.9	90	74.9	57.7-92.1
\$15,000- 24,999	174	212,729	14	9.0	03.3-14.7	26	17.9	07.3-28.5	134	73.1	62.1-84.1
\$25,000- 34,999	91	116,376	5	5.7	00.0-11.6	6	3.9	00.2-07.6	80	90.4	83.5-97.3
\$35,000- 49,999	130	183,685	10	12.6	04.2-21.0	21	18.9	09.7-28.1	99	68.5	57.3-79.7
\$50,000- 74,999	123	168,401	10	14.8	03.8-25.8	10	5.6	01.3-09.9	103	79.6	68.2-91.0
\$75,000+	219	280,601	36	12.6	07.9-17.3	22	9.5	04.8-14.2	161	77.9	71.4-84.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2020
MODULE 6: E-CIGARETTES**

TABLE 5: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	459	631,807	53	13.5	08.8-18.2	56	11.3	07.8-14.8	350	75.2	69.7-80.7
White/Non-Hisp	369	455,097	44	13.5	08.4-18.6	40	11.9	07.6-16.2	285	74.6	68.5-80.7
18-24	75	139,271	11	20.9	07.4-34.4	22	24.8	13.0-36.6	42	54.3	39.2-69.4
25-34	101	159,900	14	13.5	04.5-22.5	12	8.9	02.6-15.2	75	77.6	67.2-88.0
35-44	95	141,788	15	15.3	05.7-24.9	11	8.9	03.0-14.8	69	75.8	64.8-86.8
45-54	85	77,559	9	13.0	03.2-22.8	6	6.5	00.6-12.4	70	80.5	69.5-91.5
55-64	58	67,704	3	3.3	00.0-07.4	3	4.0	00.0-08.9	52	92.7	86.2-99.2
H.S. or G.E.D.	168	235,602	23	20.1	10.5-29.7	17	8.5	04.0-13.0	128	71.4	61.6-81.2
Some Post-H.S.	127	179,754	12	7.2	02.3-12.1	12	10.1	03.0-17.2	103	82.7	74.5-90.9
College Graduate	118	117,883	14	12.3	04.7-19.9	19	15.2	07.8-22.6	85	72.5	62.5-82.5
\$15,000- 24,999	67	95,269	6	9.2	00.0-18.6	11	14.6	05.0-24.2	50	76.2	63.5-88.9
\$35,000- 49,999	67	92,563	8	22.1	07.4-36.8	11	17.7	05.2-30.2	48	60.2	44.1-76.3
\$50,000- 74,999	69	114,075	9	21.5	05.8-37.2	5	3.8	00.1-07.5	55	74.7	59.0-90.4
\$75,000+	131	164,155	21	12.0	06.1-17.9	16	12.3	05.2-19.4	94	75.6	67.0-84.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2020
MODULE 6: E-CIGARETTES**

TABLE 6: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC VAPING PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	494	604,628	37	9.5	04.2-14.8	55	12.2	07.3-17.1	402	78.3	71.8-84.8
White/Non-Hisp	414	505,595	35	11.2	05.1-17.3	47	13.2	07.5-18.9	332	75.5	68.1-82.9
18-24	58	106,637	9	21.4	00.0-44.5	16	32.4	11.8-53.0	33	46.2	25.6-66.8
25-34	90	142,213	3	4.0	00.0-08.5	10	10.3	02.1-18.5	77	85.7	76.7-94.7
35-44	102	122,270	8	7.2	01.5-12.9	8	5.7	01.0-10.4	86	87.2	79.9-94.5
45-54	89	90,655	8	7.0	00.0-14.4	8	5.6	00.9-10.3	73	87.4	78.8-96.0
55-64	85	86,510	3	7.0	00.0-15.2	12	14.5	05.1-23.9	70	78.6	67.0-90.2
65+	70	56,342	6	13.6	02.0-25.2	1	0.1	00.0-00.3	63	86.3	74.7-97.9
Less Than H.S.	50	88,196	2	19.3	00.0-47.3	6	20.6	00.0-43.9	42	60.1	32.5-87.7
H.S. or G.E.D.	165	193,572	10	6.2	01.9-10.5	27	19.6	11.4-27.8	128	74.2	65.6-82.8
Some Post-H.S.	161	225,989	14	10.3	04.6-16.0	11	5.4	01.3-09.5	136	84.3	77.4-91.2
College Graduate	114	90,912	10	4.6	00.9-08.3	11	5.9	01.8-10.0	93	89.5	84.0-95.0
Less than \$15,000	69	91,859	3	20.0	00.0-46.1	10	11.9	01.7-22.1	56	68.1	44.0-92.2
\$15,000- 24,999	107	117,460	8	8.8	01.5-16.1	15	20.6	03.5-37.7	84	70.6	53.9-87.3
\$25,000- 34,999	52	66,568	4	8.8	00.0-18.8	4	4.9	00.0-11.0	44	86.3	74.7-97.9
\$35,000- 49,999	63	91,122	2	2.9	00.0-08.0	10	20.1	06.6-33.6	51	77.0	63.1-90.9
\$50,000- 74,999	54	54,327	1	0.8	00.0-02.4	5	9.4	00.0-19.6	48	89.8	79.4-0100
\$75,000+	88	116,446	15	13.5	05.7-21.3	6	5.5	00.0-11.0	67	81.0	71.8-90.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2020

MODULE 09: MARIJUANA USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)	
1	MALES AND FEMALES	10
2	MALES ONLY	11
3	FEMALES ONLY	12
	DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU... (USEMRJN2)	
4	MALES AND FEMALES	13
5	MALES ONLY	14
6	FEMALES ONLY	15
	WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN1)	
7	MALES AND FEMALES	16
8	MALES ONLY	17
9	FEMALES ONLY	18

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2020
MODULE 09: MARIJUANA USE**

**TABLE 1: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3666	4,107,278	3385	90.7	89.1-92.3	25	0.9	00.3-01.5	71	2.3	01.3-03.3	33	1.0	00.6-01.4	35	1.1	00.7-01.5	117	4.0	03.0-05.0
Male	1611	1,923,489	1447	88.4	86.2-90.6	14	1.0	00.2-01.8	40	2.7	01.5-03.9	23	1.4	00.6-02.2	14	1.1	00.3-01.9	73	5.4	03.8-07.0
Female	2055	2,183,789	1938	92.7	90.7-94.7	11	0.8	00.2-01.4	31	2.0	00.4-03.6	10	0.6	00.0-01.2	21	1.1	00.5-01.7	44	2.8	01.6-04.0
White/Non-Hisp	3022	3,168,178	2817	92.3	90.7-93.9	18	0.8	00.2-01.4	54	2.1	00.9-03.3	19	0.5	00.1-00.9	24	1.0	00.6-01.4	90	3.2	02.4-04.0
Black or Afr. Am./Non-Hisp	343	541,895	304	84.0	78.3-89.7	4	1.6	00.0-03.8	12	4.3	01.4-07.2	5	1.8	00.0-03.8	5	0.7	00.0-01.5	13	7.6	03.3-11.9
Oth. Race/Non-Hisp.	88	84,273	79	89.9	82.1-97.7	1	0.6	00.0-02.0	1	0.8	00.0-02.4	1	1.0	00.0-03.0	1	0.7	00.0-02.1	5	7.0	00.0-14.3
MultiRacial/Non-Hisp.	60	51,188	49	76.3	61.6-91.0				1	0.8	00.0-02.4	1	0.2	00.0-00.6	2	2.4	00.0-06.1	7	20.3	05.8-34.8
Hispanic	94	180,313	82	88.3	80.3-96.3	2	2.0	00.0-04.9	2	1.1	00.0-02.9	5	3.1	00.0-06.4	2	3.1	00.0-08.4	1	2.3	00.0-06.8
18-24	238	403,079	202	82.6	74.4-90.8	2	0.8	00.0-02.0	8	5.1	00.0-12.2	7	2.8	00.0-05.9	6	1.4	00.2-02.6	13	7.3	02.8-11.8
25-34	421	659,000	353	82.8	78.1-87.5	8	2.2	00.2-04.2	14	3.6	01.4-05.8	9	1.7	00.1-03.3	8	1.3	00.3-02.3	29	8.5	05.0-12.0
35-44	496	651,696	445	87.4	83.1-91.7	7	2.0	00.0-04.2	11	3.7	01.0-06.4	5	1.7	00.1-03.3	6	1.4	00.0-03.0	22	3.8	01.8-05.8
45-54	611	660,051	562	91.3	88.2-94.4	3	0.3	00.0-00.7	16	1.6	00.6-02.6	2	0.1	00.0-00.3	7	2.1	00.3-03.9	21	4.6	02.1-07.1
55-64	713	733,637	667	94.5	92.3-96.7	3	0.4	00.0-01.0	15	1.8	00.6-03.0	5	0.6	00.0-01.2	4	0.6	00.0-01.2	19	2.0	00.6-03.4
65+	1187	999,815	1156	98.0	97.2-98.8	2	0.2	00.0-00.4	7	0.3	00.1-00.5	5	0.3	00.1-00.5	4	0.3	00.0-00.7	13	0.9	00.3-01.5
Less Than H.S.	301	534,999	272	86.7	80.0-93.4				6	5.3	00.0-11.2	5	1.2	00.0-02.4	4	0.7	00.0-01.5	14	6.2	02.7-09.7
H.S. or G.E.D.	1146	1,339,227	1048	90.1	87.7-92.5	7	0.6	00.2-01.0	26	2.7	01.3-04.1	15	1.5	00.5-02.5	12	1.2	00.2-02.2	38	4.0	02.4-05.6
Some Post-H.S.	935	1,194,449	858	90.3	87.6-93.0	9	1.4	00.2-02.6	17	1.3	00.5-02.1	4	0.6	00.0-01.6	12	1.5	00.5-02.5	35	4.9	02.9-06.9
College Graduate	1239	982,209	1164	93.9	92.1-95.7	9	1.4	00.2-02.6	21	1.4	00.6-02.2	9	0.7	00.1-01.3	6	0.6	00.0-01.2	30	2.1	01.1-03.1
Less than \$15,000	336	397,325	297	84.5	76.5-92.5	2	0.4	00.0-01.0	11	7.7	00.3-15.1	5	1.0	00.0-02.2	5	1.0	00.0-02.0	16	5.5	01.8-09.2
\$15,000- 24,999	524	578,256	472	90.3	87.0-93.6	4	0.9	00.0-01.9	15	1.6	00.6-02.6	5	1.4	00.0-03.0	4	0.9	00.0-02.1	24	4.9	02.5-07.3
\$25,000- 34,999	318	344,401	289	89.9	85.2-94.6	2	1.7	00.0-04.8	5	1.4	00.0-03.2	3	0.4	00.0-01.0	4	1.1	00.0-02.3	15	5.4	02.3-08.5
\$35,000- 49,999	444	507,017	400	86.5	81.6-91.4	3	1.3	00.0-03.5	10	2.5	00.3-04.7	2	0.3	00.0-00.9	6	1.9	00.0-04.1	23	7.4	03.7-11.1
\$50,000- 74,999	486	578,337	454	91.4	87.7-95.1	4	0.7	00.0-01.5	7	1.3	00.1-02.5	4	0.5	00.0-01.1	7	1.3	00.3-02.3	10	4.8	01.3-08.3
\$75,000+	955	1,071,928	897	93.6	91.4-95.8	10	1.3	00.3-02.3	15	1.5	00.5-02.5	8	0.9	00.1-01.7	3	0.5	00.0-01.3	22	2.2	01.0-03.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2020
MODULE 09: MARIJUANA USE**

TABLE 2: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1611	1,923,489	1447	88.4	86.2-90.6	14	1.0	00.2-01.8	40	2.7	01.5-03.9	23	1.4	00.6-02.2	14	1.1	00.3-01.9	73	5.4	03.8-07.0
White/Non-Hisp	1346	1,479,962	1226	91.0	89.0-93.0	10	0.7	00.1-01.3	29	2.2	01.2-03.2	14	0.7	00.3-01.1	9	0.7	00.1-01.3	58	4.7	03.1-06.3
Black or Afr. Am./Non-Hisp	116	216,736	97	77.2	66.6-87.8	2	3.5	00.0-08.6	8	7.5	01.0-14.0	3	3.1	00.0-07.2	1	0.6	00.0-01.8	5	8.1	00.8-15.4
18-24	126	213,483	105	81.3	72.1-90.5	1	0.6	00.0-01.8	5	2.0	00.2-03.8	6	5.3	00.0-11.0				9	10.9	03.3-18.5
25-34	193	312,412	150	78.3	71.0-85.6	5	2.2	00.0-04.4	9	4.2	01.1-07.3	7	3.0	00.1-05.9	3	0.9	00.0-02.1	19	11.4	05.7-17.1
35-44	221	323,032	189	83.3	76.2-90.4	4	2.4	00.0-05.7	8	6.2	01.1-11.3	1	0.4	00.0-01.2	5	2.6	00.0-05.7	14	5.1	01.6-08.6
45-54	273	310,384	244	90.2	85.5-94.9	2	0.5	00.0-01.3	8	1.9	00.1-03.7	2	0.3	00.0-00.9	1	1.1	00.0-03.3	16	6.0	02.1-09.9
55-64	312	339,914	287	93.9	91.0-96.8	2	0.7	00.0-01.9	9	2.4	00.4-04.4	3	0.6	00.0-01.4	2	0.8	00.0-02.0	9	1.5	00.3-02.7
65+	486	424,263	472	97.6	96.0-99.2				1	0.1	00.0-00.3	4	0.5	00.0-01.1	3	0.7	00.0-01.5	6	1.1	00.0-02.3
Less Than H.S.	137	259,938	115	83.5	75.5-91.5				5	5.2	00.0-11.1	4	1.4	00.0-02.8	2	0.7	00.0-01.9	11	9.2	03.3-15.1
H.S. or G.E.D.	507	647,636	448	87.3	83.4-91.2	3	0.5	00.0-01.1	17	3.6	01.6-05.6	10	1.9	00.3-03.5	5	1.4	00.0-03.0	24	5.4	02.7-08.1
Some Post-H.S.	396	531,103	354	88.5	84.2-92.8	5	1.1	00.0-02.3	8	1.3	00.3-02.3	4	1.4	00.0-03.6	6	1.7	00.1-03.3	19	6.0	02.7-09.3
College Graduate	551	454,797	511	92.3	89.0-95.6	6	2.3	00.0-04.8	9	1.4	00.2-02.6	5	0.8	00.0-01.6	1	0.1	00.0-00.3	19	3.0	01.4-04.6
Less than \$15,000	118	140,311	98	83.9	74.5-93.3	1	0.6	00.0-01.8	8	9.4	00.8-18.0	2	0.7	00.0-01.7	2	1.7	00.0-04.2	7	3.7	00.0-07.6
\$15,000- 24,999	200	254,154	174	87.1	81.0-93.2	1	0.8	00.0-02.4	6	1.3	00.0-02.7	4	2.7	00.0-06.2	3	1.9	00.0-04.6	12	6.2	02.1-10.3
\$25,000- 34,999	127	143,139	112	87.7	80.3-95.1	1	0.3	00.0-00.9	3	3.0	00.0-07.3	3	1.1	00.0-02.5	1	0.9	00.0-02.7	7	7.1	01.2-13.0
\$35,000- 49,999	202	258,245	174	81.9	74.1-89.7	1	2.1	00.0-06.2	7	2.1	00.3-03.9	2	0.7	00.0-01.7	3	2.5	00.0-06.2	15	10.7	04.6-16.8
\$50,000- 74,999	229	296,290	206	86.9	80.4-93.4	4	1.5	00.0-03.1	4	1.8	00.0-03.8	3	0.8	00.0-01.8	4	1.6	00.0-03.4	8	7.4	01.5-13.3
\$75,000+	496	571,663	462	93.9	91.5-96.3	6	1.2	00.0-02.4	5	1.1	00.0-02.3	5	0.9	00.1-01.7				18	3.0	01.4-04.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2020
MODULE 09: MARIJUANA USE**

**TABLE 3: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2055	2,183,789	1938	92.7	90.7-94.7	11	0.8	00.2-01.4	31	2.0	00.4-03.6	10	0.6	00.0-01.2	21	1.1	00.5-01.7	44	2.8	01.6-04.0
White/Non-Hisp	1676	1,688,216	1591	93.5	91.1-95.9	8	0.9	00.1-01.7	25	2.1	00.3-03.9	5	0.4	00.0-00.8	15	1.2	00.4-02.0	32	2.0	01.2-02.8
Black or Afr. Am./Non-Hisp	227	325,159	207	88.5	82.4-94.6	2	0.3	00.0-00.7	4	2.2	00.0-04.7	2	0.9	00.0-02.3	4	0.8	00.0-01.6	8	7.3	01.8-12.8
18-24	112	189,596	97	84.1	70.0-98.2	1	1.1	00.0-03.3	3	8.5	00.0-22.6	1	0.1	00.0-00.3	6	2.9	00.4-05.4	4	3.2	00.0-06.5
25-34	228	346,588	203	86.9	80.6-93.2	3	2.1	00.0-05.2	5	2.9	00.0-06.2	2	0.5	00.0-01.3	5	1.6	00.0-03.2	10	5.8	01.5-10.1
35-44	275	328,664	256	91.5	87.0-96.0	3	1.7	00.0-04.1	3	1.2	00.0-03.2	4	2.9	00.0-05.8	1	0.2	00.0-00.6	8	2.5	00.7-04.3
45-54	338	349,667	318	92.2	87.7-96.7	1	0.1	00.0-00.3	8	1.3	00.3-02.3	6	2.9	00.2-05.6	5	3.4	00.0-06.9	5	3.4	00.0-06.9
55-64	401	393,723	380	95.1	92.2-98.0	1	0.1	00.0-00.3	6	1.3	00.0-02.7	2	0.6	00.0-01.6	2	0.5	00.0-01.3	10	2.5	00.1-04.9
65+	701	575,552	684	98.3	97.3-99.3	2	0.3	00.0-00.7	6	0.5	00.1-00.9	1	0.1	00.0-00.3	1	0.0	00.0-00.0	7	0.8	00.0-01.6
Less Than H.S.	164	275,061	157	89.7	79.1-0100				1	5.4	00.0-15.4	1	0.9	00.0-02.7	2	0.7	00.0-01.7	3	3.3	00.0-07.4
H.S. or G.E.D.	639	691,591	600	92.7	89.8-95.6	4	0.6	00.0-01.2	9	1.8	00.0-03.6	5	1.2	00.0-02.6	7	1.1	00.1-02.1	14	2.7	00.9-04.5
Some Post-H.S.	539	663,347	504	91.8	88.3-95.3	4	1.6	00.0-03.6	9	1.3	00.1-02.5				6	1.3	00.0-02.7	16	4.1	01.6-06.6
College Graduate	688	527,413	653	95.2	93.4-97.0	3	0.6	00.0-01.4	12	1.4	00.6-02.2	4	0.7	00.0-01.5	5	0.9	00.0-01.9	11	1.2	00.4-02.0
Less than \$15,000	218	257,014	199	84.8	73.6-96.0	1	0.2	00.0-00.6	3	6.7	00.0-17.5	3	1.2	00.0-03.0	3	0.6	00.0-01.4	9	6.5	01.0-12.0
\$15,000- 24,999	324	324,102	298	92.9	89.6-96.2	3	1.0	00.0-02.4	9	1.8	00.4-03.2	1	0.4	00.0-01.2	1	0.1	00.0-00.3	12	3.9	01.4-06.4
\$25,000- 34,999	191	201,261	177	91.5	85.2-97.8	1	2.8	00.0-08.1	2	0.3	00.0-00.7	3	1.1	00.0-02.7	8	4.3	01.0-07.6	8	4.3	01.0-07.6
\$35,000- 49,999	242	248,772	226	91.3	85.6-97.0	2	0.4	00.0-01.0	3	2.9	00.0-07.0				3	1.3	00.0-02.9	8	4.1	00.2-08.0
\$50,000- 74,999	257	282,048	248	96.2	92.9-99.5				3	0.7	00.0-01.5	1	0.1	00.0-00.3	3	0.9	00.0-02.1	2	2.1	00.0-05.2
\$75,000+	459	500,265	435	93.2	89.7-96.7	4	1.5	00.0-03.3	10	2.0	00.4-03.6	3	1.0	00.0-02.6	3	1.1	00.0-02.7	4	1.3	00.0-03.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2020
MODULE 09: MARIJUANA USE**

TABLE 4: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU... (USEMRJN2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke It			Eat It			Drink It			Vaporize It			Dab It			Used some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	273	373,921	201	75.3	68.4-82.2	25	8.4	04.1-12.7	6	2.1	00.0-04.3	16	3.7	01.3-06.1	10	3.6	00.7-06.5	15	7.0	02.9-11.1
Male	158	216,868	116	72.6	63.2-82.0	12	5.8	02.1-09.5	4	3.3	00.0-06.8	12	5.0	01.5-08.5	9	6.2	01.3-11.1	5	7.1	00.2-14.0
Female	115	157,053	85	79.0	69.2-88.8	13	11.9	03.1-20.7	2	0.4	00.0-01.0	4	1.8	00.0-04.2	1	0.2	00.0-00.6	10	6.7	04.2-09.2
White/Non-Hisp	200	238,170	146	74.0	65.4-82.6	21	10.6	04.3-16.9	4	1.7	00.0-04.1	12	3.9	01.2-06.6	9	4.0	00.9-07.1	8	5.8	01.5-10.1
25-34	67	112,106	50	73.1	59.2-87.0	10	13.7	03.1-24.3	1	2.5	00.0-07.4	2	2.4	00.0-05.9	2	2.7	00.0-06.6	2	5.6	00.0-13.8
H.S. or G.E.D.	94	128,604	77	85.1	77.3-92.9	4	3.8	00.0-07.7	2	2.3	00.0-06.2	5	3.4	00.1-06.7	5	4.4	00.0-09.1	1	1.0	00.0-03.0
Some Post-H.S.	76	114,654	53	60.6	45.5-75.7	7	12.2	01.0-23.4	3	4.0	00.0-09.3	2	2.8	00.0-06.7	2	2.7	00.0-06.4	9	17.7	05.5-29.9
College Graduate	73	59,063	45	65.3	52.0-78.6	13	20.0	08.2-31.8	1	0.5	00.0-01.5	8	6.2	01.1-11.3	1	0.5	00.0-01.5	5	7.5	03.2-11.8
\$15,000- 24,999	51	54,975	42	92.2	86.3-98.1	3	4.5	00.0-09.8				1	0.6	00.0-01.8	3	1.6	00.0-03.2	2	1.2	00.0-02.8
\$75,000+	57	67,967	35	60.7	44.0-77.4	9	19.0	05.1-32.9	1	4.1	00.0-11.9	7	8.5	00.3-16.7	2	5.1	00.0-12.2	3	2.5	00.0-06.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2020
MODULE 09: MARIJUANA USE**

**TABLE 5: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU...
(USEMRJN2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke It			Eat It			Drink It			Vaporize It			Dab It			Used some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	158	216,868	116	72.6	63.2-82.0	12	5.8	02.1-09.5	4	3.3	00.0-07.0	12	5.0	01.5-08.5	9	6.2	01.3-11.1	5	7.1	00.2-14.0
White/Non-Hisp	116	128,692	86	73.3	62.3-84.3	9	5.9	01.8-10.0	2	2.5	00.0-06.8	8	5.0	00.7-09.3	8	7.1	01.6-12.6	3	6.1	00.0-13.7
H.S. or G.E.D.	56	78,645	45	82.6	71.4-93.8	2	3.1	00.0-07.6	1	3.2	00.0-09.5	3	2.5	00.0-05.6	4	6.9	00.0-14.5	1	1.6	00.0-04.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2020
MODULE 09: MARIJUANA USE**

**TABLE 6: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY... PLEASE SELECT ONE. DID YOU...
(USEMRJN2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke It			Eat It			Drink It			Vaporize It			Dab It			Used some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	115	157,053	85	79.0	69.4-88.6	13	11.9	03.1-20.7	2	0.4	00.0-01.0	4	1.8	01.0-02.6	1	0.2	00.0-00.6	10	6.7	04.5-08.9
White/Non-Hisp	84	109,479	60	74.9	61.6-88.2	12	16.2	03.9-28.5	2	0.6	00.0-01.6	4	2.6	01.2-04.0	1	0.2	00.0-00.6	5	5.5	03.5-07.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2020
MODULE 09: MARIJUANA USE**

**TABLE 7: WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		For medical reasons (like to treat or decrease symptoms)			For non-medical reasons (like to have fun or fit in)			For both medical and non-medical reasons		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	276	377,413	86	29.6	22.2-37.0	83	32.6	23.8-41.4	107	37.9	29.7-46.1
Male	160	217,762	35	21.9	13.1-30.7	55	34.6	24.4-44.8	70	43.5	33.1-53.9
Female	116	159,650	51	40.0	27.3-52.7	28	29.8	13.9-45.7	37	30.2	17.9-42.5
White/Non-Hisp	200	237,374	60	27.8	19.4-36.2	66	37.8	26.4-49.2	74	34.3	25.1-43.5
25-34	67	110,257	17	25.7	12.4-39.0	18	25.4	11.9-38.9	32	48.9	33.2-64.6
35-44	50	81,530	14	27.4	10.5-44.3	17	33.7	16.1-51.3	19	39.0	20.8-57.2
H.S. or G.E.D.	97	132,363	26	23.6	13.0-34.2	37	42.3	29.4-55.2	34	34.1	21.8-46.4
Some Post-H.S.	75	111,840	35	45.1	30.2-60.0	14	16.9	05.3-28.5	26	38.0	23.1-52.9
College Graduate	73	59,012	20	31.9	16.0-47.8	22	29.9	17.0-42.8	31	38.2	23.9-52.5
\$15,000- 24,999	52	55,939	22	29.5	15.4-43.6	9	19.5	06.0-33.0	21	51.0	33.4-68.6
\$75,000+	55	64,888	12	25.3	09.2-41.4	22	33.5	18.4-48.6	21	41.2	23.6-58.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2020
MODULE 09: MARIJUANA USE**

TABLE 8: WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		For medical reasons (like to treat or decrease symptoms)			For non-medical reasons (like to have fun or fit in)			For both medical and non-medical reasons		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	160	217,762	35	21.9	13.1-30.7	55	34.6	24.4-44.8	70	43.5	33.3-53.7
White/Non-Hisp	116	127,895	27	25.0	14.0-36.0	42	36.1	24.1-48.1	47	38.9	27.9-49.9
H.S. or G.E.D.	59	82,404	11	13.4	03.8-23.0	26	53.5	37.6-69.4	22	33.1	18.6-47.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2020
 MODULE 09: MARIJUANA USE**

TABLE 9: WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN1)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		For medical reasons (like to treat or decrease symptoms)			For non-medical reasons (like to have fun or fit in)			For both medical and non-medical reasons		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	116	159,650	51	40.0	27.7-52.3	28	29.8	13.7-45.9	37	30.2	17.9-42.5
White/Non-Hisp	84	109,479	33	31.2	17.9-44.5	24	39.8	20.0-59.6	27	29.0	14.9-43.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2020**

End of Module Data Report