

TENNESSEE

2023 Calculated Variables Report

Behavioral Risk Factor Surveillance System

July 8, 2024



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023

SECTION 1: HEALTH STATUS CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 1: HEALTH STATUS**

**TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (\_RFHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5626	5,616,906	4266	76.6	75.0-78.2	1360	23.4	21.8-25.0
Male	2699	2,698,242	2064	78.0	75.8-80.2	635	22.0	19.8-24.2
Female	2927	2,918,665	2202	75.3	73.1-77.5	725	24.7	22.5-26.9
White/Non-Hisp	4408	3,981,849	3372	77.9	76.3-79.5	1036	22.1	20.5-23.7
Black or Afr. Am./Non-Hisp	662	820,461	480	72.7	68.0-77.4	182	27.3	22.6-32.0
Oth. Race/Non-Hisp.	153	207,326	120	77.4	66.4-88.4	33	22.6	11.6-33.6
MultiRacial/Non-Hisp.	123	140,161	79	63.1	51.7-74.5	44	36.9	25.5-48.3
Hispanic	174	357,677	138	75.6	67.4-83.8	36	24.4	16.2-32.6
18-24	387	678,350	341	87.0	82.3-91.7	46	13.0	8.3-17.7
25-34	670	933,692	583	86.2	82.7-89.7	87	13.8	10.3-17.3
35-44	765	892,500	631	80.3	75.8-84.8	134	19.7	15.2-24.2
45-54	914	860,217	726	80.1	76.8-83.4	188	19.9	16.6-23.2
55-64	1031	904,443	712	69.6	65.9-73.3	319	30.4	26.7-34.1
65+	1859	1,347,705	1273	64.7	61.4-68.0	586	35.3	32.0-38.6
Less Than H.S.	411	639,291	192	52.4	45.7-59.1	219	47.6	40.9-54.3
H.S. or G.E.D.	1674	1,817,939	1171	74.2	71.5-76.9	503	25.8	23.1-28.5
Some Post-H.S.	1482	1,638,773	1103	77.2	74.3-80.1	379	22.8	19.9-25.7
College Graduate	2033	1,497,856	1782	89.1	87.3-90.9	251	10.9	9.1-12.7
Less than \$15,000	315	299,284	142	54.0	46.2-61.8	173	46.0	38.2-53.8
\$15,000-24,999	469	431,885	251	51.5	45.0-58.0	218	48.5	42.0-55.0
\$25,000-34,999	517	477,606	336	69.5	64.4-74.6	181	30.5	25.4-35.6
\$35,000-49,999	741	759,917	553	72.7	68.0-77.4	188	27.3	22.6-32.0
\$50,000-99,999	1347	1,326,294	1123	84.3	81.6-87.0	224	15.7	13.0-18.4
\$100,000-199,999	844	838,608	781	91.9	89.4-94.4	63	8.1	5.6-10.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 1: HEALTH STATUS**

**TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (\_RFHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2699	2,698,242	2064	78.0	75.8-80.2	635	22.0	19.8-24.2
White/Non-Hisp	2122	1,915,889	1633	78.5	76.1-80.9	489	21.5	19.1-23.9
Black or Afr. Am./Non-Hisp	260	316,636	190	78.4	72.3-84.5	70	21.6	15.5-27.7
Oth. Race/Non-Hisp.	87	102,429	73	87.2	79.2-95.2	14	12.8	4.8-20.8
MultiRacial/Non-Hisp.	63	77,729	42	65.3	51.4-79.2	21	34.7	20.8-48.6
Hispanic	107	222,684	85	74.9	64.9-84.9	22	25.1	15.1-35.1
18-24	200	342,680	178	88.6	82.9-94.3	22	11.4	5.7-17.1
25-34	349	462,260	309	89.2	84.7-93.7	40	10.8	6.3-15.3
35-44	356	436,749	308	84.3	78.0-90.6	48	15.7	9.4-22.0
45-54	452	421,400	366	81.7	77.0-86.4	86	18.3	13.6-23.0
55-64	507	433,786	347	67.7	62.2-73.2	160	32.3	26.8-37.8
65+	835	601,366	556	63.6	58.9-68.3	279	36.4	31.7-41.1
Less Than H.S.	203	302,122	95	54.1	44.5-63.7	108	45.9	36.3-55.5
H.S. or G.E.D.	835	915,416	590	74.6	70.7-78.5	245	25.4	21.5-29.3
Some Post-H.S.	669	748,634	512	80.2	76.7-83.7	157	19.8	16.3-23.3
College Graduate	974	715,831	854	90.0	87.5-92.5	120	10.0	7.5-12.5
Less than \$15,000	110	92,562	44	45.5	32.4-58.6	66	54.5	41.4-67.6
\$15,000- 24,999	198	184,827	99	53.5	43.3-63.7	99	46.5	36.3-56.7
\$25,000- 34,999	216	207,685	147	75.5	68.4-82.6	69	24.5	17.4-31.6
\$35,000- 49,999	341	349,362	241	67.2	59.8-74.6	100	32.8	25.4-40.2
\$50,000- 99,999	704	698,717	584	84.7	81.2-88.2	120	15.3	11.8-18.8
\$100,000 - 199,999	472	472,652	432	91.8	88.5-95.1	40	8.2	4.9-11.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 1: HEALTH STATUS**

**TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (\_RFHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2927	2,918,665	2202	75.3	73.1-77.5	725	24.7	22.5-26.9
White/Non-Hisp	2286	2,065,960	1739	77.3	74.9-79.7	547	22.7	20.3-25.1
Black or Afr. Am./Non-Hisp	402	503,825	290	69.1	62.6-75.6	112	30.9	24.4-37.4
Oth. Race/Non-Hisp.	66	104,897	47	67.7	48.9-86.5	19	32.3	13.5-51.1
MultiRacial/Non-Hisp.	60	62,432	37	60.3	44.6-76.0	23	39.7	24.0-55.4
Hispanic	67	134,992	53	76.7	64.2-89.2	14	23.3	10.8-35.8
18-24	187	335,670	163	85.3	77.9-92.7	24	14.7	7.3-22.1
25-34	321	471,432	274	83.3	78.0-88.6	47	16.7	11.4-22.0
35-44	409	455,751	323	76.4	70.3-82.5	86	23.6	17.5-29.7
45-54	462	438,816	360	78.5	73.6-83.4	102	21.5	16.6-26.4
55-64	524	470,657	365	71.3	66.2-76.4	159	28.7	23.6-33.8
65+	1024	746,339	717	65.6	61.3-69.9	307	34.4	30.1-38.7
Less Than H.S.	208	337,169	97	50.9	41.5-60.3	111	49.1	39.7-58.5
H.S. or G.E.D.	839	902,523	581	73.7	70.0-77.4	258	26.3	22.6-30.0
Some Post-H.S.	813	890,140	591	74.8	70.5-79.1	222	25.2	20.9-29.5
College Graduate	1059	782,025	928	88.2	85.7-90.7	131	11.8	9.3-14.3
Less than \$15,000	205	206,722	98	57.9	48.3-67.5	107	42.1	32.5-51.7
\$15,000- 24,999	271	247,059	152	50.0	41.8-58.2	119	50.0	41.8-58.2
\$25,000- 34,999	301	269,921	189	64.9	58.0-71.8	112	35.1	28.2-42.0
\$35,000- 49,999	400	410,555	312	77.4	71.9-82.9	88	22.6	17.1-28.1
\$50,000- 99,999	643	627,577	539	83.9	80.2-87.6	104	16.1	12.4-19.8
\$100,000 - 199,999	372	365,956	349	92.1	88.0-96.2	23	7.9	3.8-12.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023

SECTION 2: HEALTHY DAYS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9
	3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)	
4	MALES AND FEMALES	10
5	MALES ONLY	11
6	FEMALES ONLY	12

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 2: HEALTHY DAYS**

**TABLE 1: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (\_PHYS14D)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5473	5,446,923	3099	56.6	54.8-58.4	1457	28.0	26.2-29.8	917	15.4	14.0-16.8
Male	2641	2,639,408	1616	61.8	59.3-64.3	634	25.5	23.1-27.9	391	12.7	11.1-14.3
Female	2832	2,807,516	1483	51.8	49.3-54.3	823	30.3	27.9-32.7	526	17.9	15.9-19.9
White/Non-Hisp	4302	3,879,454	2417	56.2	54.2-58.2	1157	28.2	26.4-30.0	728	15.6	14.2-17.0
Black or Afr. Am./Non-Hisp	636	787,108	383	59.2	53.9-64.5	166	27.6	22.7-32.5	87	13.2	9.7-16.7
Oth. Race/Non-Hisp.	149	204,659	90	55.9	43.7-68.1	34	23.4	14.0-32.8	25	20.7	8.5-32.9
MultiRacial/Non-Hisp.	117	129,106	51	45.8	34.2-57.4	27	21.4	12.0-30.8	39	32.8	21.6-44.0
Hispanic	168	341,065	99	59.6	50.2-69.0	51	33.1	23.9-42.3	18	7.3	3.2-11.4
18-24	379	663,640	216	55.8	49.7-61.9	137	37.0	30.9-43.1	26	7.2	4.1-10.3
25-34	655	901,051	394	60.6	55.9-65.3	204	30.2	25.9-34.5	57	9.2	6.5-11.9
35-44	744	868,896	428	55.3	50.4-60.2	218	31.5	26.8-36.2	98	13.2	9.5-16.9
45-54	896	848,918	521	60.4	56.1-64.7	249	27.4	23.5-31.3	126	12.1	9.6-14.6
55-64	1007	878,251	517	52.6	48.3-56.9	255	23.4	19.7-27.1	235	24.0	20.5-27.5
65+	1792	1,286,167	1023	55.3	52.0-58.6	394	23.0	20.3-25.7	375	21.6	18.9-24.3
Less Than H.S.	378	594,696	161	44.1	37.0-51.2	91	28.9	22.0-35.8	126	27.0	21.1-32.9
H.S. or G.E.D.	1611	1,747,909	873	55.3	52.0-58.6	407	28.1	25.0-31.2	331	16.6	14.4-18.8
Some Post-H.S.	1449	1,596,264	757	53.8	50.5-57.1	421	29.4	26.3-32.5	271	16.8	14.1-19.5
College Graduate	2012	1,488,351	1292	65.9	63.2-68.6	534	26.2	23.7-28.7	186	7.8	6.4- 9.2
Less than \$15,000	300	285,401	108	42.5	34.1-50.9	71	23.6	16.2-31.0	121	33.9	26.6-41.2
\$15,000-24,999	452	419,463	166	35.9	29.8-42.0	137	33.9	27.4-40.4	149	30.2	24.1-36.3
\$25,000-34,999	508	468,839	250	49.5	43.6-55.4	123	26.5	21.2-31.8	135	23.9	19.2-28.6
\$35,000-49,999	728	744,776	395	52.9	48.0-57.8	220	33.1	28.2-38.0	113	14.1	10.8-17.4
\$50,000-99,999	1322	1,300,481	811	60.4	56.7-64.1	370	29.7	26.2-33.2	141	9.9	7.7-12.1
\$100,000-199,999	837	824,290	554	65.1	61.0-69.2	229	29.2	25.3-33.1	54	5.7	3.7- 7.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 2: HEALTHY DAYS**

**TABLE 2: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (\_PHYS14D)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2641	2,639,408	1616	61.8	59.3-64.3	634	25.5	23.1-27.9	391	12.7	11.1-14.3
White/Non-Hisp	2080	1,872,385	1270	60.9	58.2-63.6	502	26.1	23.6-28.6	308	13.0	11.2-14.8
Black or Afr. Am./Non-Hisp	251	309,432	157	63.7	56.1-71.3	60	23.6	17.1-30.1	34	12.7	7.2-18.2
Oth. Race/Non-Hisp.	85	101,676	60	78.4	68.2-88.6	15	16.3	6.7-25.9	10	5.3	1.2- 9.4
MultiRacial/Non-Hisp.	60	70,783	28	48.2	32.9-63.5	14	18.9	7.7-30.1	18	32.9	18.6-47.2
Hispanic	106	222,076	66	63.4	51.1-75.7	28	29.6	17.6-41.6	12	7.0	1.7-12.3
18-24	197	336,166	128	66.5	59.1-73.9	60	29.1	21.8-36.4	9	4.4	1.3- 7.5
25-34	345	457,459	229	67.8	61.5-74.1	91	24.7	19.0-30.4	25	7.5	3.8-11.2
35-44	345	425,476	222	60.2	52.9-67.5	87	30.6	23.3-37.9	36	9.1	5.4-12.8
45-54	443	418,062	285	65.3	59.6-71.0	108	26.1	20.6-31.6	50	8.6	5.9-11.3
55-64	498	423,090	262	52.2	46.5-57.9	129	24.8	19.7-29.9	107	23.0	17.9-28.1
65+	813	579,156	490	59.8	55.1-64.5	159	20.5	16.6-24.4	164	19.7	16.0-23.4
Less Than H.S.	188	284,977	85	46.9	36.9-56.9	46	31.0	21.0-41.0	57	22.1	14.7-29.5
H.S. or G.E.D.	818	898,020	473	60.7	56.2-65.2	189	24.4	20.5-28.3	156	14.9	12.0-17.8
Some Post-H.S.	660	733,715	385	60.4	55.7-65.1	180	27.8	23.5-32.1	95	11.8	9.1-14.5
College Graduate	960	708,571	662	70.1	66.4-73.8	217	22.7	19.2-26.2	81	7.2	5.2- 9.2
Less than \$15,000	109	91,655	48	49.2	36.3-62.1	26	23.4	14.0-32.8	35	27.4	17.0-37.8
\$15,000- 24,999	189	177,743	67	34.8	25.4-44.2	59	36.8	26.4-47.2	63	28.5	19.5-37.5
\$25,000- 34,999	212	204,553	118	59.1	50.1-68.1	45	23.3	15.1-31.5	49	17.5	11.6-23.4
\$35,000- 49,999	338	345,914	193	56.3	48.9-63.7	88	28.6	21.3-35.9	57	15.0	10.3-19.7
\$50,000- 99,999	690	682,662	444	63.8	58.7-68.9	176	26.8	22.1-31.5	70	9.5	6.4-12.6
\$100,000 - 199,999	468	466,561	323	67.0	61.5-72.5	113	27.7	22.4-33.0	32	5.3	2.9- 7.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 2: HEALTHY DAYS**

**TABLE 3: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (\_PHYS14D)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2832	2,807,516	1483	51.8	49.3-54.3	823	30.3	27.9-32.7	526	17.9	15.9-19.9
White/Non-Hisp	2222	2,007,069	1147	51.8	48.9-54.7	655	30.1	27.6-32.6	420	18.1	15.9-20.3
Black or Afr. Am./Non-Hisp	385	477,676	226	56.3	49.2-63.4	106	30.2	23.5-36.9	53	13.5	8.8-18.2
Oth. Race/Non-Hisp.	64	102,982	30	33.7	18.2-49.2	19	30.4	14.1-46.7	15	36.0	15.8-56.2
MultiRacial/Non-Hisp.	57	58,323	23	42.9	28.2-57.6	13	24.5	9.6-39.4	21	32.6	18.5-46.7
Hispanic	62	118,989	33	52.6	37.9-67.3	23	39.5	25.0-54.0	6	7.8	0.7-14.9
18-24	182	327,474	88	44.8	35.8-53.8	77	45.1	35.9-54.3	17	10.1	4.6-15.6
25-34	310	443,592	165	53.1	46.2-60.0	113	35.9	29.4-42.4	32	10.9	6.8-15.0
35-44	399	443,420	206	50.6	43.9-57.3	131	32.3	26.4-38.2	62	17.1	10.8-23.4
45-54	453	430,856	236	55.7	49.6-61.8	141	28.7	23.2-34.2	76	15.6	11.5-19.7
55-64	509	455,161	255	53.0	46.9-59.1	126	22.1	17.0-27.2	128	24.9	19.8-30.0
65+	979	707,011	533	51.7	47.2-56.2	235	25.1	21.2-29.0	211	23.3	19.4-27.2
Less Than H.S.	190	309,719	76	41.6	31.6-51.6	45	27.0	18.0-36.0	69	31.4	22.6-40.2
H.S. or G.E.D.	793	849,889	400	49.6	44.9-54.3	218	31.9	27.2-36.6	175	18.5	15.2-21.8
Some Post-H.S.	789	862,548	372	48.2	43.5-52.9	241	30.8	26.5-35.1	176	21.1	17.0-25.2
College Graduate	1052	779,781	630	62.2	58.5-65.9	317	29.4	25.9-32.9	105	8.4	6.2-10.6
Less than \$15,000	191	193,746	60	39.3	28.5-50.1	45	23.7	13.9-33.5	86	37.0	27.6-46.4
\$15,000- 24,999	263	241,720	99	36.7	28.9-44.5	78	31.8	23.6-40.0	86	31.5	23.7-39.3
\$25,000- 34,999	296	264,286	132	42.1	34.8-49.4	78	29.0	22.1-35.9	86	28.9	22.0-35.8
\$35,000- 49,999	390	398,862	202	49.8	43.3-56.3	132	37.0	30.7-43.3	56	13.2	8.7-17.7
\$50,000- 99,999	632	617,819	367	56.6	51.3-61.9	194	32.9	27.6-38.2	71	10.5	7.4-13.6
\$100,000 - 199,999	369	357,729	231	62.7	56.2-69.2	116	31.0	24.7-37.3	22	6.2	2.9- 9.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 2: HEALTHY DAYS**

**TABLE 4: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (\_MENT14D)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5519	5,500,764	3033	52.2	50.4-54.0	1489	28.2	26.6-29.8	997	19.6	18.0-21.2
Male	2649	2,647,335	1637	59.4	56.9-61.9	641	25.7	23.3-28.1	371	14.9	12.9-16.9
Female	2870	2,853,429	1396	45.4	42.9-47.9	848	30.6	28.2-33.0	626	24.0	21.8-26.2
White/Non-Hisp	4324	3,903,087	2424	52.9	50.9-54.9	1168	28.8	26.8-30.8	732	18.4	16.8-20.0
Black or Afr. Am./Non-Hisp	652	808,789	346	52.2	47.1-57.3	180	28.0	23.5-32.5	126	19.7	15.6-23.8
Oth. Race/Non-Hisp.	149	203,681	76	46.4	34.8-58.0	39	25.1	16.1-34.1	34	28.5	16.0-41.0
MultiRacial/Non-Hisp.	120	136,912	46	41.1	29.5-52.7	31	21.5	12.9-30.1	43	37.5	26.1-48.9
Hispanic	168	341,320	85	51.5	42.3-60.7	48	28.6	20.2-37.0	35	19.9	12.3-27.5
18-24	379	668,237	115	33.2	27.3-39.1	164	42.1	36.0-48.2	100	24.7	19.6-29.8
25-34	660	909,702	239	36.9	32.4-41.4	266	38.3	33.6-43.0	155	24.8	20.7-28.9
35-44	755	882,551	308	42.9	38.2-47.6	260	31.9	27.4-36.4	187	25.2	20.9-29.5
45-54	898	844,519	472	53.4	49.1-57.7	255	26.4	22.5-30.3	171	20.2	16.7-23.7
55-64	1018	894,191	591	59.6	55.5-63.7	226	21.5	18.2-24.8	201	18.9	15.6-22.2
65+	1809	1,301,565	1308	72.9	70.0-75.8	318	17.4	14.9-19.9	183	9.7	7.7-11.7
Less Than H.S.	390	611,167	217	54.6	47.7-61.5	73	21.9	16.0-27.8	100	23.5	18.0-29.0
H.S. or G.E.D.	1627	1,759,189	887	51.7	48.4-55.0	394	26.1	23.2-29.0	346	22.2	19.5-24.9
Some Post-H.S.	1463	1,622,966	751	49.6	46.3-52.9	396	28.8	25.7-31.9	316	21.7	18.8-24.6
College Graduate	2014	1,486,192	1161	54.2	51.3-57.1	624	33.1	30.4-35.8	229	12.6	10.6-14.6
Less than \$15,000	311	297,396	127	36.6	28.8-44.4	74	26.2	18.8-33.6	110	37.2	29.4-45.0
\$15,000-24,999	451	415,463	214	44.9	38.2-51.6	108	27.1	20.8-33.4	129	28.0	22.1-33.9
\$25,000-34,999	509	466,636	266	54.1	48.2-60.0	123	21.6	17.1-26.1	120	24.3	19.4-29.2
\$35,000-49,999	737	756,343	359	45.6	40.7-50.5	225	32.3	27.4-37.2	153	22.1	18.2-26.0
\$50,000-99,999	1329	1,312,255	753	51.6	47.9-55.3	375	31.1	27.6-34.6	201	17.3	14.4-20.2
\$100,000-199,999	837	833,014	485	55.0	50.5-59.5	254	30.4	26.3-34.5	98	14.6	11.3-17.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 2: HEALTHY DAYS**

**TABLE 5: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (\_MENT14D)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2649	2,647,335	1637	59.4	56.9-61.9	641	25.7	23.3-28.1	371	14.9	12.9-16.9
White/Non-Hisp	2081	1,879,410	1307	59.7	56.8-62.6	510	26.9	24.2-29.6	264	13.4	11.4-15.4
Black or Afr. Am./Non-Hisp	256	313,348	157	59.6	52.0-67.2	60	24.7	18.0-31.4	39	15.7	9.6-21.8
Oth. Race/Non-Hisp.	86	100,556	48	65.2	52.7-77.7	22	24.2	13.2-35.2	16	10.6	3.9-17.3
MultiRacial/Non-Hisp.	61	75,132	30	52.0	36.7-67.3	13	14.8	5.8-23.8	18	33.2	17.7-48.7
Hispanic	103	214,401	57	55.0	43.2-66.8	26	24.3	13.7-34.9	20	20.7	9.7-31.7
18-24	197	339,742	75	42.1	33.9-50.3	79	38.1	30.1-46.1	43	19.8	13.5-26.1
25-34	343	449,171	146	46.4	39.7-53.1	128	32.5	26.4-38.6	69	21.1	15.2-27.0
35-44	351	432,539	172	51.5	44.2-58.8	111	30.7	23.8-37.6	68	17.8	12.5-23.1
45-54	440	411,200	270	61.9	56.0-67.8	107	24.0	18.7-29.3	63	14.1	10.0-18.2
55-64	501	427,573	329	64.6	59.1-70.1	106	21.4	16.7-26.1	66	14.0	9.7-18.3
65+	817	587,111	645	79.8	76.1-83.5	110	13.9	10.6-17.2	62	6.3	4.3- 8.3
Less Than H.S.	191	289,473	116	61.1	51.3-70.9	34	20.3	11.9-28.7	41	18.6	11.2-26.0
H.S. or G.E.D.	820	895,527	506	58.4	53.7-63.1	175	23.4	19.3-27.5	139	18.2	14.5-21.9
Some Post-H.S.	658	737,761	386	58.0	53.1-62.9	168	26.8	22.3-31.3	104	15.2	11.7-18.7
College Graduate	963	708,903	616	61.2	57.3-65.1	262	30.1	26.4-33.8	85	8.7	6.5-10.9
Less than \$15,000	110	92,577	55	40.8	28.8-52.8	29	36.8	23.7-49.9	26	22.4	12.6-32.2
\$15,000- 24,999	191	174,822	101	50.6	40.2-61.0	39	22.1	13.9-30.3	51	27.3	17.3-37.3
\$25,000- 34,999	213	202,858	128	63.9	55.5-72.3	48	20.9	14.0-27.8	37	15.3	9.2-21.4
\$35,000- 49,999	338	347,004	189	51.5	43.9-59.1	86	28.3	20.7-35.9	63	20.1	14.6-25.6
\$50,000- 99,999	692	686,997	430	58.7	53.6-63.8	179	27.0	22.5-31.5	83	14.4	10.3-18.5
\$100,000 - 199,999	466	467,370	298	61.7	56.0-67.4	122	27.0	21.9-32.1	46	11.3	7.6-15.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 2: HEALTHY DAYS**

**TABLE 6: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (\_MENT14D)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2870	2,853,429	1396	45.4	42.9-47.9	848	30.6	28.2-33.0	626	24.0	21.8-26.2
White/Non-Hisp	2243	2,023,677	1117	46.5	43.8-49.2	658	30.5	27.8-33.2	468	23.0	20.6-25.4
Black or Afr. Am./Non-Hisp	396	495,441	189	47.6	40.7-54.5	120	30.1	24.0-36.2	87	22.2	16.7-27.7
Oth. Race/Non-Hisp.	63	103,125	28	28.0	14.1-41.9	17	26.0	11.5-40.5	18	45.9	26.5-65.3
MultiRacial/Non-Hisp.	59	61,779	16	27.8	14.1-41.5	18	29.6	16.9-42.3	25	42.6	27.1-58.1
Hispanic	65	126,919	28	45.5	31.2-59.8	22	36.0	22.5-49.5	15	18.5	8.7-28.3
18-24	182	328,495	40	24.0	15.6-32.4	85	46.2	37.0-55.4	57	29.8	22.0-37.6
25-34	317	460,531	93	27.7	21.8-33.6	138	43.9	37.0-50.8	86	28.4	22.3-34.5
35-44	404	450,011	136	34.6	28.5-40.7	149	33.0	27.3-38.7	119	32.4	25.9-38.9
45-54	458	433,320	202	45.3	39.0-51.6	148	28.6	23.1-34.1	108	26.1	20.6-31.6
55-64	517	466,618	262	55.1	49.2-61.0	120	21.5	16.8-26.2	135	23.4	18.3-28.5
65+	992	714,454	663	67.2	62.9-71.5	208	20.3	16.6-24.0	121	12.5	9.6-15.4
Less Than H.S.	199	321,694	101	48.7	38.9-58.5	39	23.4	15.0-31.8	59	27.9	19.9-35.9
H.S. or G.E.D.	807	863,662	381	44.9	40.4-49.4	219	28.8	24.5-33.1	207	26.3	22.2-30.4
Some Post-H.S.	805	885,205	365	42.5	38.0-47.0	228	30.4	26.1-34.7	212	27.1	22.8-31.4
College Graduate	1051	777,290	545	47.9	43.8-52.0	362	35.9	32.0-39.8	144	16.3	13.2-19.4
Less than \$15,000	201	204,819	72	34.7	24.7-44.7	45	21.5	13.3-29.7	84	43.8	33.6-54.0
\$15,000- 24,999	260	240,640	113	40.7	32.3-49.1	69	30.7	22.3-39.1	78	28.6	21.5-35.7
\$25,000- 34,999	296	263,778	138	46.5	39.1-53.9	75	22.1	16.2-28.0	83	31.3	24.2-38.4
\$35,000- 49,999	399	409,340	170	40.6	34.3-46.9	139	35.6	29.3-41.9	90	23.8	18.1-29.5
\$50,000- 99,999	637	625,258	323	43.9	38.6-49.2	196	35.6	30.3-40.9	118	20.5	16.2-24.8
\$100,000 - 199,999	371	365,644	187	46.4	39.7-53.1	132	34.7	28.2-41.2	52	18.9	13.2-24.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023

SECTION 3: HEALTH CARE ACCESS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (_HLTHPL1)	
1	MALES AND FEMALES	14
2	MALES ONLY	15
3	FEMALES ONLY	16
	RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (_HCVU653)	
4	MALES AND FEMALES	17
5	MALES ONLY	18
6	FEMALES ONLY	19

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
 SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (\_HLTHPL1)  
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5290	5,206,694	4873	90.8	89.6-92.0	417	9.2	8.0-10.4
Male	2535	2,483,914	2297	89.9	88.3-91.5	238	10.1	8.5-11.7
Female	2755	2,722,779	2576	91.6	90.0-93.2	179	8.4	6.8-10.0
White/Non-Hisp	4169	3,704,562	3874	91.7	90.5-92.9	295	8.3	7.1- 9.5
Black or Afr. Am./Non-Hisp	624	768,911	586	94.1	91.9-96.3	38	5.9	3.7- 8.1
Oth. Race/Non-Hisp.	140	187,940	117	83.2	74.2-92.2	23	16.8	7.8-25.8
MultiRacial/Non-Hisp.	115	130,220	101	90.4	84.5-96.3	14	9.6	3.7-15.5
Hispanic	157	325,400	119	76.4	68.2-84.6	38	23.6	15.4-31.8
18-24	313	543,009	268	86.1	81.8-90.4	45	13.9	9.6-18.2
25-34	634	880,726	536	85.9	82.8-89.0	98	14.1	11.0-17.2
35-44	740	848,964	652	87.5	84.0-91.0	88	12.5	9.0-16.0
45-54	865	819,474	777	89.2	86.5-91.9	88	10.8	8.1-13.5
55-64	980	849,415	902	92.4	89.9-94.9	78	7.6	5.1-10.1
65+	1758	1,265,106	1738	98.3	97.3-99.3	20	1.7	0.7- 2.7
Less Than H.S.	360	573,519	311	82.2	76.3-88.1	49	17.8	11.9-23.7
H.S. or G.E.D.	1538	1,631,662	1359	87.7	85.5-89.9	179	12.3	10.1-14.5
Some Post-H.S.	1409	1,539,501	1287	91.6	89.8-93.4	122	8.4	6.6-10.2
College Graduate	1966	1,444,999	1903	96.7	95.7-97.7	63	3.3	2.3- 4.3
Less than \$15,000	298	286,068	254	82.0	74.7-89.3	44	18.0	10.7-25.3
\$15,000-24,999	438	403,036	386	88.3	84.4-92.2	52	11.7	7.8-15.6
\$25,000-34,999	499	456,912	447	88.3	84.8-91.8	52	11.7	8.2-15.2
\$35,000-49,999	704	705,703	628	87.3	84.0-90.6	76	12.7	9.4-16.0
\$50,000-99,999	1312	1,290,804	1239	94.0	92.2-95.8	73	6.0	4.2- 7.8
\$100,000-199,999	827	802,338	803	95.2	93.0-97.4	24	4.8	2.6- 7.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 2: ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (\_HLTHPL1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2535	2,483,914	2297	89.9	88.3-91.5	238	10.1	8.5-11.7
White/Non-Hisp	2016	1,784,219	1846	90.8	89.2-92.4	170	9.2	7.6-10.8
Black or Afr. Am./Non-Hisp	242	291,686	224	92.5	88.6-96.4	18	7.5	3.6-11.4
Oth. Race/Non-Hisp.	77	88,415	65	86.7	78.1-95.3	12	13.3	4.7-21.9
MultiRacial/Non-Hisp.	58	70,529	50	89.4	81.0-97.8	8	10.6	2.2-19.0
Hispanic	95	198,403	71	79.5	69.5-89.5	24	20.5	10.5-30.5
18-24	164	279,819	142	86.9	81.0-92.8	22	13.1	7.2-19.0
25-34	332	433,856	273	84.3	80.0-88.6	59	15.7	11.4-20.0
35-44	343	411,407	294	86.7	81.8-91.6	49	13.3	8.4-18.2
45-54	428	403,332	376	87.9	84.2-91.6	52	12.1	8.4-15.8
55-64	480	397,949	437	92.0	88.9-95.1	43	8.0	4.9-11.1
65+	788	557,552	775	97.9	96.5-99.3	13	2.1	0.7- 3.5
Less Than H.S.	175	261,105	142	80.0	72.0-88.0	33	20.0	12.0-28.0
H.S. or G.E.D.	764	806,242	657	86.0	82.9-89.1	107	14.0	10.9-17.1
Some Post-H.S.	642	714,432	580	91.2	88.7-93.7	62	8.8	6.3-11.3
College Graduate	943	689,387	909	96.6	95.2-98.0	34	3.4	2.0- 4.8
Less than \$15,000	108	90,957	87	83.5	75.7-91.3	21	16.5	8.7-24.3
\$15,000- 24,999	183	166,220	152	84.2	77.7-90.7	31	15.8	9.3-22.3
\$25,000- 34,999	208	199,132	178	83.0	76.3-89.7	30	17.0	10.3-23.7
\$35,000- 49,999	324	322,988	284	87.4	82.7-92.1	40	12.6	7.9-17.3
\$50,000- 99,999	684	674,410	639	93.1	90.7-95.5	45	6.9	4.5- 9.3
\$100,000 - 199,999	463	454,991	445	93.3	89.8-96.8	18	6.7	3.2-10.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 3: ADULTS WHO HAD SOME FORM OF HEALTH INSURANCE (\_HLTHPL1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2755	2,722,779	2576	91.6	90.0-93.2	179	8.4	6.8-10.0
White/Non-Hisp	2153	1,920,343	2028	92.6	91.0-94.2	125	7.4	5.8- 9.0
Black or Afr. Am./Non-Hisp	382	477,225	362	95.0	92.5-97.5	20	5.0	2.5- 7.5
Oth. Race/Non-Hisp.	63	99,524	52	80.0	64.9-95.1	11	20.0	4.9-35.1
MultiRacial/Non-Hisp.	57	59,691	51	91.6	84.0-99.2	6	8.4	0.8-16.0
Hispanic	62	126,997	48	71.6	57.7-85.5	14	28.4	14.5-42.3
18-24	149	263,190	126	85.3	79.0-91.6	23	14.7	8.4-21.0
25-34	302	446,870	263	87.4	82.9-91.9	39	12.6	8.1-17.1
35-44	397	437,557	358	88.2	83.3-93.1	39	11.8	6.9-16.7
45-54	437	416,142	401	90.5	86.6-94.4	36	9.5	5.6-13.4
55-64	500	451,466	465	92.7	88.6-96.8	35	7.3	3.2-11.4
65+	970	707,554	963	98.6	97.2- 100	7	1.4	0.0- 2.8
Less Than H.S.	185	312,414	169	84.1	75.5-92.7	16	15.9	7.3-24.5
H.S. or G.E.D.	774	825,420	702	89.4	86.7-92.1	72	10.6	7.9-13.3
Some Post-H.S.	767	825,070	707	92.0	89.5-94.5	60	8.0	5.5-10.5
College Graduate	1023	755,613	994	96.8	95.4-98.2	29	3.2	1.8- 4.6
Less than \$15,000	190	195,110	167	81.4	71.4-91.4	23	18.6	8.6-28.6
\$15,000- 24,999	255	236,816	234	91.1	86.4-95.8	21	8.9	4.2-13.6
\$25,000- 34,999	291	257,780	269	92.3	88.6-96.0	22	7.7	4.0-11.4
\$35,000- 49,999	380	382,716	344	87.3	82.6-92.0	36	12.7	8.0-17.4
\$50,000- 99,999	628	616,394	600	95.0	92.6-97.4	28	5.0	2.6- 7.4
\$100,000 - 199,999	364	347,348	358	97.8	95.8-99.8	6	2.2	0.2- 4.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 4: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (\_HCVU653)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3479	3,888,668	3085	88.3	86.9-89.7	394	11.7	10.3-13.1
Male	1718	1,898,372	1495	87.5	85.5-89.5	223	12.5	10.5-14.5
Female	1761	1,990,296	1590	89.0	86.8-91.2	171	11.0	8.8-13.2
White/Non-Hisp	2632	2,672,480	2350	89.1	87.5-90.7	282	10.9	9.3-12.5
Black or Afr. Am./Non-Hisp	457	591,931	420	92.3	89.4-95.2	37	7.7	4.8-10.6
Oth. Race/Non-Hisp.	108	160,666	88	82.2	72.0-92.4	20	17.8	7.6-28.0
MultiRacial/Non-Hisp.	87	101,632	73	87.7	80.3-95.1	14	12.3	4.9-19.7
Hispanic	148	310,250	110	75.3	66.7-83.9	38	24.7	16.1-33.3
18-24	313	543,009	268	86.1	81.8-90.4	45	13.9	9.6-18.2
25-34	633	877,895	535	85.9	82.8-89.0	98	14.1	11.0-17.2
35-44	738	845,273	650	87.5	84.0-91.0	88	12.5	9.0-16.0
45-54	819	776,177	733	88.8	86.1-91.5	86	11.2	8.5-13.9
55-64	976	846,313	899	92.4	89.9-94.9	77	7.6	5.1-10.1
Less Than H.S.	201	376,338	156	74.4	66.0-82.8	45	25.6	17.2-34.0
H.S. or G.E.D.	995	1,216,887	825	84.3	81.6-87.0	170	15.7	13.0-18.4
Some Post-H.S.	939	1,170,574	823	89.6	87.2-92.0	116	10.4	8.0-12.8
College Graduate	1337	1,118,030	1277	95.9	94.7-97.1	60	4.1	2.9- 5.3
Less than \$15,000	208	229,525	168	80.7	72.5-88.9	40	19.3	11.1-27.5
\$15,000-24,999	232	228,971	185	80.7	74.2-87.2	47	19.3	12.8-25.8
\$25,000-34,999	264	296,121	215	83.1	77.8-88.4	49	16.9	11.6-22.2
\$35,000-49,999	450	519,573	376	83.2	78.9-87.5	74	16.8	12.5-21.1
\$50,000-99,999	890	1,013,173	818	92.4	90.2-94.6	72	7.6	5.4- 9.8
\$100,000-199,999	668	701,421	644	94.5	92.0-97.0	24	5.5	3.0- 8.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 5: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (\_HCVU653)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1718	1,898,372	1495	87.5	85.5-89.5	223	12.5	10.5-14.5
White/Non-Hisp	1322	1,329,608	1159	88.1	85.9-90.3	163	11.9	9.7-14.1
Black or Afr. Am./Non-Hisp	175	226,690	158	90.4	85.3-95.5	17	9.6	4.5-14.7
Oth. Race/Non-Hisp.	61	70,559	51	86.4	76.8-96.0	10	13.6	4.0-23.2
Hispanic	89	188,528	65	78.5	68.1-88.9	24	21.5	11.1-31.9
18-24	164	279,819	142	86.9	81.0-92.8	22	13.1	7.2-19.0
25-34	331	431,026	272	84.2	79.7-88.7	59	15.8	11.3-20.3
35-44	341	407,715	292	86.6	81.7-91.5	49	13.4	8.5-18.3
45-54	403	382,500	353	87.7	83.8-91.6	50	12.3	8.4-16.2
55-64	479	397,312	436	92.0	88.9-95.1	43	8.0	4.9-11.1
Less Than H.S.	102	174,549	71	71.6	60.2-83.0	31	28.4	17.0-39.8
H.S. or G.E.D.	533	637,107	434	83.6	79.9-87.3	99	16.4	12.7-20.1
Some Post-H.S.	436	549,623	376	88.8	85.5-92.1	60	11.2	7.9-14.5
College Graduate	643	532,581	611	95.8	94.0-97.6	32	4.2	2.4- 6.0
Less than \$15,000	77	71,937	57	79.8	69.8-89.8	20	20.2	10.2-30.2
\$15,000- 24,999	112	113,601	85	79.4	70.4-88.4	27	20.6	11.6-29.6
\$25,000- 34,999	112	130,708	84	76.2	66.8-85.6	28	23.8	14.4-33.2
\$35,000- 49,999	198	230,352	158	82.3	75.8-88.8	40	17.7	11.2-24.2
\$50,000- 99,999	469	529,368	425	91.2	88.1-94.3	44	8.8	5.7-11.9
\$100,000 - 199,999	369	394,741	351	92.2	88.1-96.3	18	7.8	3.7-11.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 6: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH INSURANCE (\_HCVU653)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have some form of insurance			Do not have some form of insurance		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1761	1,990,296	1590	89.0	86.8-91.2	171	11.0	8.8-13.2
White/Non-Hisp	1310	1,342,873	1191	90.1	87.7-92.5	119	9.9	7.5-12.3
Black or Afr. Am./Non-Hisp	282	365,241	262	93.5	90.0-97.0	20	6.5	3.0-10.0
Hispanic	59	121,723	45	70.4	55.9-84.9	14	29.6	15.1-44.1
18-24	149	263,190	126	85.3	79.0-91.6	23	14.7	8.4-21.0
25-34	302	446,870	263	87.4	82.9-91.9	39	12.6	8.1-17.1
35-44	397	437,557	358	88.2	83.3-93.1	39	11.8	6.9-16.7
45-54	416	393,677	380	89.9	85.8-94.0	36	10.1	6.0-14.2
55-64	497	449,002	463	92.7	88.6-96.8	34	7.3	3.2-11.4
Less Than H.S.	99	201,789	85	76.8	64.5-89.1	14	23.2	10.9-35.5
H.S. or G.E.D.	462	579,780	391	85.0	81.1-88.9	71	15.0	11.1-18.9
Some Post-H.S.	503	620,951	447	90.3	87.2-93.4	56	9.7	6.6-12.8
College Graduate	694	585,450	666	95.9	94.3-97.5	28	4.1	2.5- 5.7
Less than \$15,000	131	157,589	111	81.1	69.9-92.3	20	18.9	7.7-30.1
\$15,000- 24,999	120	115,370	100	82.0	72.8-91.2	20	18.0	8.8-27.2
\$25,000- 34,999	152	165,413	131	88.6	83.1-94.1	21	11.4	5.9-16.9
\$35,000- 49,999	252	289,221	218	83.8	77.7-89.9	34	16.2	10.1-22.3
\$50,000- 99,999	421	483,805	393	93.7	90.8-96.6	28	6.3	3.4- 9.2
\$100,000 - 199,999	299	306,680	293	97.5	95.3-99.7	6	2.5	0.3- 4.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023**

**SECTION 4: EXERCISE CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1 MALES AND FEMALES	21
2 MALES ONLY	22
3 FEMALES ONLY	23
5	
4 MALES AND FEMALES	24
5 MALES ONLY	25
6 FEMALES ONLY	26
9	
7 MALES AND FEMALES	27
8 MALES ONLY	28
9 FEMALES ONLY	29
13	
10 MALES AND FEMALES	30
11 MALES ONLY	31
12 FEMALES ONLY	32
17	
13 MALES AND FEMALES	33
14 MALES ONLY	34
15 FEMALES ONLY	35
21	
16 MALES AND FEMALES	36
17 MALES ONLY	37
18 FEMALES ONLY	38

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 4: EXERCISE**

**TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5623	5,612,761	4093	74.0	72.4-75.6	1530	26.0	24.4-27.6
Male	2697	2,696,123	2048	78.8	76.8-80.8	649	21.2	19.2-23.2
Female	2926	2,916,637	2045	69.6	67.2-72.0	881	30.4	28.0-32.8
White/Non-Hisp	4406	3,980,250	3237	74.7	72.9-76.5	1169	25.3	23.5-27.1
Black or Afr. Am./Non-Hisp	664	821,094	457	69.4	64.7-74.1	207	30.6	25.9-35.3
Oth. Race/Non-Hisp.	151	206,020	114	76.9	66.3-87.5	37	23.1	12.5-33.7
MultiRacial/Non-Hisp.	123	140,161	88	76.8	67.4-86.2	35	23.2	13.8-32.6
Hispanic	174	357,677	130	76.2	68.4-84.0	44	23.8	16.0-31.6
18-24	387	678,350	318	82.0	77.3-86.7	69	18.0	13.3-22.7
25-34	670	934,220	560	82.1	78.4-85.8	110	17.9	14.2-21.6
35-44	763	890,986	618	78.4	74.1-82.7	145	21.6	17.3-25.9
45-54	915	860,351	701	77.6	73.9-81.3	214	22.4	18.7-26.1
55-64	1031	903,813	698	68.2	64.5-71.9	333	31.8	28.1-35.5
65+	1857	1,345,041	1198	63.1	60.0-66.2	659	36.9	33.8-40.0
Less Than H.S.	408	635,500	216	56.4	49.7-63.1	192	43.6	36.9-50.3
H.S. or G.E.D.	1675	1,818,207	1064	68.5	65.6-71.4	611	31.5	28.6-34.4
Some Post-H.S.	1478	1,637,237	1053	75.5	72.6-78.4	425	24.5	21.6-27.4
College Graduate	2037	1,500,820	1746	86.7	84.7-88.7	291	13.3	11.3-15.3
Less than \$15,000	317	299,958	165	57.5	49.7-65.3	152	42.5	34.7-50.3
\$15,000-24,999	465	429,932	261	56.0	49.5-62.5	204	44.0	37.5-50.5
\$25,000-34,999	521	480,051	307	62.4	56.7-68.1	214	37.6	31.9-43.3
\$35,000-49,999	742	759,669	530	74.2	70.1-78.3	212	25.8	21.7-29.9
\$50,000-99,999	1346	1,326,411	1059	79.6	76.7-82.5	287	20.4	17.5-23.3
\$100,000-199,999	844	838,520	731	86.8	83.9-89.7	113	13.2	10.3-16.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 4: EXERCISE**

**TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2697	2,696,123	2048	78.8	76.8-80.8	649	21.2	19.2-23.2
White/Non-Hisp	2118	1,913,225	1618	78.6	76.4-80.8	500	21.4	19.2-23.6
Black or Afr. Am./Non-Hisp	261	316,970	196	78.8	72.7-84.9	65	21.2	15.1-27.3
Oth. Race/Non-Hisp.	86	101,459	64	79.6	69.8-89.4	22	20.4	10.6-30.2
MultiRacial/Non-Hisp.	63	77,729	45	77.5	65.0-90.0	18	22.5	10.0-35.0
Hispanic	107	222,684	84	83.8	75.2-92.4	23	16.2	7.6-24.8
18-24	200	342,680	168	86.3	81.0-91.6	32	13.7	8.4-19.0
25-34	349	462,788	311	88.2	84.1-92.3	38	11.8	7.7-15.9
35-44	355	435,638	296	84.2	78.7-89.7	59	15.8	10.3-21.3
45-54	451	421,045	355	82.0	77.9-86.1	96	18.0	13.9-22.1
55-64	509	434,196	350	68.8	63.5-74.1	159	31.2	25.9-36.5
65+	833	599,775	568	68.1	63.8-72.4	265	31.9	27.6-36.2
Less Than H.S.	201	299,485	109	62.2	53.2-71.2	92	37.8	28.8-46.8
H.S. or G.E.D.	837	916,307	561	72.7	69.0-76.4	276	27.3	23.6-31.0
Some Post-H.S.	665	746,831	511	82.2	78.9-85.5	154	17.8	14.5-21.1
College Graduate	976	717,261	855	89.8	87.4-92.2	121	10.2	7.8-12.6
Less than \$15,000	112	93,236	63	64.8	53.8-75.8	49	35.2	24.2-46.2
\$15,000- 24,999	195	183,204	109	63.9	54.7-73.1	86	36.1	26.9-45.3
\$25,000- 34,999	218	208,926	133	66.8	58.4-75.2	85	33.2	24.8-41.6
\$35,000- 49,999	340	348,292	248	78.9	73.6-84.2	92	21.1	15.8-26.4
\$50,000- 99,999	704	699,170	562	80.9	77.0-84.8	142	19.1	15.2-23.0
\$100,000 - 199,999	472	472,564	414	88.7	85.2-92.2	58	11.3	7.8-14.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 4: EXERCISE**

**TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2926	2,916,637	2045	69.6	67.2-72.0	881	30.4	28.0-32.8
White/Non-Hisp	2288	2,067,025	1619	71.2	68.7-73.7	669	28.8	26.3-31.3
Black or Afr. Am./Non-Hisp	403	504,124	261	63.5	57.0-70.0	142	36.5	30.0-43.0
Oth. Race/Non-Hisp.	65	104,561	50	74.3	55.9-92.7	15	25.7	7.3-44.1
MultiRacial/Non-Hisp.	60	62,432	43	75.8	62.3-89.3	17	24.2	10.7-37.7
Hispanic	67	134,992	46	63.7	49.4-78.0	21	36.3	22.0-50.6
18-24	187	335,670	150	77.6	70.0-85.2	37	22.4	14.8-30.0
25-34	321	471,432	249	76.1	70.2-82.0	72	23.9	18.0-29.8
35-44	408	455,348	322	72.8	66.3-79.3	86	27.2	20.7-33.7
45-54	464	439,306	346	73.4	67.7-79.1	118	26.6	20.9-32.3
55-64	522	469,617	348	67.6	62.3-72.9	174	32.4	27.1-37.7
65+	1024	745,265	630	59.1	54.8-63.4	394	40.9	36.6-45.2
Less Than H.S.	207	336,014	107	51.2	41.8-60.6	100	48.8	39.4-58.2
H.S. or G.E.D.	838	901,900	503	64.1	59.8-68.4	335	35.9	31.6-40.2
Some Post-H.S.	813	890,406	542	69.8	65.5-74.1	271	30.2	25.9-34.5
College Graduate	1061	783,560	891	83.9	81.0-86.8	170	16.1	13.2-19.0
Less than \$15,000	205	206,722	102	54.2	44.2-64.2	103	45.8	35.8-55.8
\$15,000- 24,999	270	246,727	152	50.2	42.0-58.4	118	49.8	41.6-58.0
\$25,000- 34,999	303	271,124	174	59.1	51.8-66.4	129	40.9	33.6-48.2
\$35,000- 49,999	402	411,377	282	70.2	64.3-76.1	120	29.8	23.9-35.7
\$50,000- 99,999	642	627,240	497	78.3	73.8-82.8	145	21.7	17.2-26.2
\$100,000 - 199,999	372	365,956	317	84.2	79.3-89.1	55	15.8	10.9-20.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023

SECTION 5: HYPERTENSION AWARENESS CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE6)	
1	MALES AND FEMALES	109
2	MALES ONLY	110
3	FEMALES ONLY	111

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 5: HYPERTENSION AWARENESS**

**TABLE 1. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (\_RFHYPE6)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5625	5,597,469	3053	59.3	57.5-61.1	2572	40.7	38.9-42.5
Male	2698	2,690,684	1394	56.1	53.6-58.6	1304	43.9	41.4-46.4
Female	2927	2,906,785	1659	62.2	59.8-64.6	1268	37.8	35.4-40.2
White/Non-Hisp	4415	3,981,733	2419	60.0	58.0-62.0	1996	40.0	38.0-42.0
Black or Afr. Am./Non-Hisp	662	819,615	300	48.6	43.5-53.7	362	51.4	46.3-56.5
Oth. Race/Non-Hisp.	153	207,326	100	70.1	60.3-79.9	53	29.9	20.1-39.7
MultiRacial/Non-Hisp.	123	140,161	61	45.4	34.2-56.6	62	54.6	43.4-65.8
Hispanic	170	343,090	124	76.3	68.3-84.3	46	23.7	15.7-31.7
18-24	384	671,533	343	89.2	85.5-92.9	41	10.8	7.1-14.5
25-34	670	926,651	548	80.6	76.9-84.3	122	19.4	15.7-23.1
35-44	765	891,816	552	72.9	68.8-77.0	213	27.1	23.0-31.2
45-54	912	856,752	527	56.0	51.7-60.3	385	44.0	39.7-48.3
55-64	1034	904,710	462	45.9	41.8-50.0	572	54.1	50.0-58.2
65+	1860	1,346,007	621	31.7	28.6-34.8	1239	68.3	65.2-71.4
Less Than H.S.	409	636,714	153	48.2	41.3-55.1	256	51.8	44.9-58.7
H.S. or G.E.D.	1673	1,802,826	842	57.7	54.6-60.8	831	42.3	39.2-45.4
Some Post-H.S.	1484	1,638,919	800	60.5	57.4-63.6	684	39.5	36.4-42.6
College Graduate	2036	1,498,908	1248	64.7	62.0-67.4	788	35.3	32.6-38.0
Less than \$15,000	317	299,958	136	47.1	38.9-55.3	181	52.9	44.7-61.1
\$15,000-24,999	469	431,885	180	43.7	37.2-50.2	289	56.3	49.8-62.8
\$25,000-34,999	521	478,926	244	53.7	48.0-59.4	277	46.3	40.6-52.0
\$35,000-49,999	744	760,910	408	60.3	55.6-65.0	336	39.7	35.0-44.4
\$50,000-99,999	1346	1,325,893	764	63.2	59.9-66.5	582	36.8	33.5-40.1
\$100,000-199,999	845	838,959	535	63.8	59.5-68.1	310	36.2	31.9-40.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 5: HYPERTENSION AWARENESS**

**TABLE 2. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (\_RFHYPE6)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2698	2,690,684	1394	56.1	53.6-58.6	1304	43.9	41.4-46.4
White/Non-Hisp	2125	1,915,299	1096	56.6	53.9-59.3	1029	43.4	40.7-46.1
Black or Afr. Am./Non-Hisp	260	316,286	113	44.3	36.7-51.9	147	55.7	48.1-63.3
Oth. Race/Non-Hisp.	87	102,429	56	60.4	46.1-74.7	31	39.6	25.3-53.9
MultiRacial/Non-Hisp.	63	77,729	30	41.7	26.8-56.6	33	58.3	43.4-73.2
Hispanic	105	217,412	71	71.3	60.3-82.3	34	28.7	17.7-39.7
18-24	198	337,407	173	88.7	83.6-93.8	25	11.3	6.2-16.4
25-34	350	462,988	267	75.1	69.6-80.6	83	24.9	19.4-30.4
35-44	356	436,065	234	65.3	58.6-72.0	122	34.7	28.0-41.4
45-54	449	417,727	253	54.9	48.8-61.0	196	45.1	39.0-51.2
55-64	510	434,635	213	41.1	35.6-46.6	297	58.9	53.4-64.4
65+	835	601,862	254	28.3	24.2-32.4	581	71.7	67.6-75.8
Less Than H.S.	202	300,700	75	44.9	35.1-54.7	127	55.1	45.3-64.9
H.S. or G.E.D.	835	909,317	422	57.6	53.1-62.1	413	42.4	37.9-46.9
Some Post-H.S.	670	749,700	340	55.7	51.0-60.4	330	44.3	39.6-49.0
College Graduate	975	715,622	551	59.7	55.8-63.6	424	40.3	36.4-44.2
Less than \$15,000	112	93,236	40	39.1	26.2-52.0	72	60.9	48.0-73.8
\$15,000- 24,999	198	184,827	75	42.6	32.6-52.6	123	57.4	47.4-67.4
\$25,000- 34,999	217	207,676	102	51.5	42.3-60.7	115	48.5	39.3-57.7
\$35,000- 49,999	341	348,679	166	55.6	48.3-62.9	175	44.4	37.1-51.7
\$50,000- 99,999	704	698,717	369	59.1	54.2-64.0	335	40.9	36.0-45.8
\$100,000 - 199,999	473	473,003	278	59.5	53.8-65.2	195	40.5	34.8-46.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 5: HYPERTENSION AWARENESS**

**TABLE 3. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (\_RFHYPE6)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2927	2,906,785	1659	62.2	59.8-64.6	1268	37.8	35.4-40.2
White/Non-Hisp	2290	2,066,434	1323	63.2	60.7-65.7	967	36.8	34.3-39.3
Black or Afr. Am./Non-Hisp	402	503,329	187	51.4	44.7-58.1	215	48.6	41.9-55.3
Oth. Race/Non-Hisp.	66	104,897	44	79.6	68.8-90.4	22	20.4	9.6-31.2
MultiRacial/Non-Hisp.	60	62,432	31	50.1	35.0-65.2	29	49.9	34.8-65.0
Hispanic	65	125,679	53	84.8	75.0-94.6	12	15.2	5.4-25.0
18-24	186	334,126	170	89.7	84.0-95.4	16	10.3	4.6-16.0
25-34	320	463,663	281	86.0	81.1-90.9	39	14.0	9.1-18.9
35-44	409	455,751	318	80.2	75.7-84.7	91	19.8	15.3-24.3
45-54	463	439,025	274	57.0	50.9-63.1	189	43.0	36.9-49.1
55-64	524	470,075	249	50.3	44.2-56.4	275	49.7	43.6-55.8
65+	1025	744,145	367	34.5	30.4-38.6	658	65.5	61.4-69.6
Less Than H.S.	207	336,014	78	51.1	41.7-60.5	129	48.9	39.5-58.3
H.S. or G.E.D.	838	893,508	420	57.7	53.2-62.2	418	42.3	37.8-46.8
Some Post-H.S.	814	889,220	460	64.5	60.2-68.8	354	35.5	31.2-39.8
College Graduate	1061	783,285	697	69.3	65.6-73.0	364	30.7	27.0-34.4
Less than \$15,000	205	206,722	96	50.7	40.5-60.9	109	49.3	39.1-59.5
\$15,000- 24,999	271	247,059	105	44.6	36.2-53.0	166	55.4	47.0-63.8
\$25,000- 34,999	304	271,251	142	55.4	48.1-62.7	162	44.6	37.3-51.9
\$35,000- 49,999	403	412,231	242	64.2	58.1-70.3	161	35.8	29.7-41.9
\$50,000- 99,999	642	627,176	395	67.9	63.2-72.6	247	32.1	27.4-36.8
\$100,000 - 199,999	372	365,956	257	69.4	62.9-75.9	115	30.6	24.1-37.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023

SECTION 6: CHOLESTEROL AWARENESS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCH3)	
1	MALES AND FEMALES	113
2	MALES ONLY	114
3	FEMALES ONLY	115
	ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL3)	
4	MALES AND FEMALES	116
5	MALES ONLY	117
6	FEMALES ONLY	118

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
 SECTION 6: CHOLESTEROL AWARENESS**

**TABLE 1: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (\_CHOLCH3)  
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5241	5,124,543	4771	88.8	87.6-90.0	185	3.9	3.1- 4.7	285	7.3	6.3- 8.3
Male	2500	2,440,354	2201	85.7	83.7-87.7	113	4.9	3.7- 6.1	186	9.5	7.9-11.1
Female	2741	2,684,189	2570	91.6	90.0-93.2	72	3.1	1.9- 4.3	99	5.3	4.1- 6.5
White/Non-Hisp	4137	3,671,302	3809	90.3	89.1-91.5	138	3.2	2.4- 4.0	190	6.5	5.3- 7.7
Black or Afr. Am./Non-Hisp	609	735,596	559	89.6	85.7-93.5	15	4.8	1.5- 8.1	35	5.6	3.4- 7.8
Oth. Race/Non-Hisp.	139	188,845	111	78.0	68.2-87.8	9	5.0	0.5- 9.5	19	17.0	7.8-26.2
MultiRacial/Non-Hisp.	114	128,245	102	90.0	83.7-96.3	4	2.1	0.0- 4.5	8	7.9	2.0-13.8
Hispanic	150	306,219	112	76.2	68.2-84.2	13	9.8	3.9-15.7	25	14.0	7.7-20.3
18-24	284	500,846	197	68.3	61.4-75.2	15	7.9	2.8-13.0	72	23.8	18.1-29.5
25-34	584	807,260	466	81.4	77.7-85.1	27	4.5	2.3- 6.7	91	14.1	11.0-17.2
35-44	699	816,041	602	86.3	82.8-89.8	44	4.5	2.7- 6.3	53	9.1	6.0-12.2
45-54	870	826,383	796	90.8	88.1-93.5	46	5.3	3.1- 7.5	28	3.8	1.8- 5.8
55-64	1002	876,683	944	94.2	92.4-96.0	35	3.2	1.8- 4.6	23	2.6	1.4- 3.8
65+	1802	1,297,330	1766	97.8	96.8-98.8	18	1.3	0.3- 2.3	18	0.9	0.3- 1.5
Less Than H.S.	357	558,329	318	84.8	78.9-90.7	14	6.6	2.1-11.1	25	8.6	4.3-12.9
H.S. or G.E.D.	1516	1,588,055	1331	85.2	82.7-87.7	69	4.9	3.3- 6.5	116	9.9	7.9-11.9
Some Post-H.S.	1403	1,530,406	1276	90.0	87.8-92.2	49	3.2	2.0- 4.4	78	6.8	5.0- 8.6
College Graduate	1944	1,430,719	1826	92.9	91.3-94.5	52	2.7	1.7- 3.7	66	4.4	3.2- 5.6
Less than \$15,000	284	268,136	256	88.6	83.5-93.7	10	3.8	0.9- 6.7	18	7.5	3.2-11.8
\$15,000-24,999	436	402,856	405	92.0	88.7-95.3	10	1.2	0.0- 2.4	21	6.8	3.7- 9.9
\$25,000-34,999	487	434,079	440	88.5	85.0-92.0	20	4.5	2.3- 6.7	27	7.0	4.1- 9.9
\$35,000-49,999	701	702,511	618	85.3	81.6-89.0	33	5.0	2.6- 7.4	50	9.7	6.6-12.8
\$50,000-99,999	1266	1,221,366	1165	90.5	88.1-92.9	40	3.1	1.9- 4.3	61	6.4	4.4- 8.4
\$100,000-199,999	808	789,326	755	92.3	89.9-94.7	22	2.5	1.1- 3.9	31	5.2	3.2- 7.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 6: CHOLESTEROL AWARENESS**

**TABLE 2: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (\_CHOLCH3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2500	2,440,354	2201	85.7	83.7-87.7	113	4.9	3.7- 6.1	186	9.5	7.9-11.1
White/Non-Hisp	1980	1,749,189	1777	87.8	85.8-89.8	82	3.9	2.9- 4.9	121	8.3	6.5-10.1
Black or Afr. Am./Non-Hisp	242	283,376	215	88.7	83.6-93.8	8	4.5	0.8- 8.2	19	6.8	3.1-10.5
Oth. Race/Non-Hisp.	78	90,050	58	70.8	57.9-83.7	7	8.3	0.0-16.9	13	20.8	9.8-31.8
MultiRacial/Non-Hisp.	57	72,465	49	88.0	78.8-97.2	2	0.8	0.0- 2.2	6	11.2	2.2-20.2
Hispanic	92	191,610	62	70.7	59.5-81.9	11	13.0	4.6-21.4	19	16.4	8.0-24.8
18-24	142	242,830	95	65.8	56.6-75.0	7	5.5	1.0-10.0	40	28.7	19.9-37.5
25-34	300	397,599	217	74.4	68.5-80.3	18	6.2	2.5- 9.9	65	19.4	14.3-24.5
35-44	325	400,655	264	83.2	77.9-88.5	29	5.7	3.2- 8.2	32	11.0	6.3-15.7
45-54	427	401,997	379	89.0	85.1-92.9	29	7.0	3.5-10.5	19	4.0	1.8- 6.2
55-64	491	415,765	458	91.8	88.5-95.1	19	4.9	2.2- 7.6	14	3.3	1.1- 5.5
65+	815	581,508	788	96.6	94.8-98.4	11	1.6	0.2- 3.0	16	1.8	0.8- 2.8
Less Than H.S.	172	260,905	152	86.1	79.0-93.2	5	3.2	0.0- 6.5	15	10.7	4.2-17.2
H.S. or G.E.D.	752	786,416	629	80.6	76.7-84.5	45	6.5	4.0- 9.0	78	12.9	9.6-16.2
Some Post-H.S.	633	699,820	558	87.2	83.9-90.5	29	4.7	2.5- 6.9	46	8.1	5.4-10.8
College Graduate	928	680,442	847	89.5	87.0-92.0	34	3.9	2.1- 5.7	47	6.6	4.4- 8.8
Less than \$15,000	101	81,135	89	88.4	81.0-95.8	4	3.2	0.0- 6.5	8	8.4	1.7-15.1
\$15,000- 24,999	185	171,862	164	87.5	81.2-93.8	5	0.9	0.0- 1.9	16	11.6	5.5-17.7
\$25,000- 34,999	197	181,530	169	82.8	76.1-89.5	13	7.5	3.0-12.0	15	9.7	4.4-15.0
\$35,000- 49,999	314	312,356	269	82.5	76.6-88.4	15	5.2	1.9- 8.5	30	12.3	7.2-17.4
\$50,000- 99,999	655	635,813	582	87.5	84.0-91.0	28	3.7	1.9- 5.5	45	8.8	5.5-12.1
\$100,000 - 199,999	450	437,643	411	90.2	86.7-93.7	17	3.3	1.1- 5.5	22	6.6	3.7- 9.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 6: CHOLESTEROL AWARENESS**

**TABLE 3: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (\_CHOLCH3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2741	2,684,189	2570	91.6	90.0-93.2	72	3.1	1.9- 4.3	99	5.3	4.1- 6.5
White/Non-Hisp	2157	1,922,112	2032	92.5	90.9-94.1	56	2.6	1.8- 3.4	69	4.9	3.5- 6.3
Black or Afr. Am./Non-Hisp	367	452,220	344	90.2	84.7-95.7	7	5.0	0.1- 9.9	16	4.8	2.1- 7.5
Oth. Race/Non-Hisp.	61	98,795	53	84.5	69.8-99.2	2	2.0	0.0- 4.9	6	13.5	0.0-28.0
MultiRacial/Non-Hisp.	57	55,780	53	92.5	84.5- 100	2	3.8	0.0- 8.9	2	3.7	0.0-10.2
Hispanic	58	114,609	50	85.5	74.7-96.3	2	4.5	0.0-10.8	6	10.0	0.8-19.2
18-24	142	258,016	102	70.6	60.6-80.6	8	10.2	1.6-18.8	32	19.2	11.9-26.5
25-34	284	409,661	249	88.1	83.8-92.4	9	2.9	0.7- 5.1	26	9.0	5.3-12.7
35-44	374	415,386	338	89.3	84.6-94.0	15	3.4	1.0- 5.8	21	7.3	3.0-11.6
45-54	443	424,385	417	92.6	88.9-96.3	17	3.8	1.3- 6.3	9	3.7	0.8- 6.6
55-64	511	460,918	486	96.4	94.6-98.2	16	1.6	0.6- 2.6	9	1.9	0.3- 3.5
65+	987	715,822	978	98.8	98.2-99.4	7	1.0	0.6- 1.4	2	0.2	0.0- 0.4
Less Than H.S.	185	297,424	166	83.8	74.8-92.8	9	9.6	1.8-17.4	10	6.7	1.2-12.2
H.S. or G.E.D.	764	801,639	702	89.7	87.0-92.4	24	3.3	1.7- 4.9	38	7.0	4.6- 9.4
Some Post-H.S.	770	830,586	718	92.3	89.8-94.8	20	1.9	0.9- 2.9	32	5.8	3.4- 8.2
College Graduate	1016	750,277	979	95.9	94.3-97.5	18	1.6	0.8- 2.4	19	2.5	1.3- 3.7
Less than \$15,000	183	187,001	167	88.7	82.2-95.2	6	4.1	0.2- 8.0	10	7.2	1.9-12.5
\$15,000- 24,999	251	230,994	241	95.3	91.8-98.8	5	1.5	0.0- 3.3	5	3.2	0.3- 6.1
\$25,000- 34,999	290	252,549	271	92.6	88.7-96.5	7	2.4	0.2- 4.6	12	5.0	1.7- 8.3
\$35,000- 49,999	387	390,155	349	87.6	82.9-92.3	18	4.8	1.7- 7.9	20	7.6	3.9-11.3
\$50,000- 99,999	611	585,553	583	93.8	91.4-96.2	12	2.3	1.1- 3.5	16	3.9	1.7- 6.1
\$100,000 - 199,999	358	351,683	344	95.1	92.0-98.2	5	1.5	0.0- 3.3	9	3.5	1.0- 6.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 6: CHOLESTEROL AWARENESS**

**TABLE 4: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (\_RFCHOL3)**

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4901	4,697,981	2772	59.4	57.4-61.4	2129	40.6	38.6-42.6
Male	2284	2,184,214	1266	57.8	55.1-60.5	1018	42.2	39.5-44.9
Female	2617	2,513,767	1506	60.8	58.3-63.3	1111	39.2	36.7-41.7
White/Non-Hisp	3904	3,392,275	2170	58.6	56.4-60.8	1734	41.4	39.2-43.6
Black or Afr. Am./Non-Hisp	565	684,820	341	60.7	55.4-66.0	224	39.3	34.0-44.6
Oth. Race/Non-Hisp.	119	155,124	69	59.0	45.7-72.3	50	41.0	27.7-54.3
MultiRacial/Non-Hisp.	106	118,072	67	64.8	52.8-76.8	39	35.2	23.2-47.2
Hispanic	125	263,373	81	64.6	54.2-75.0	44	35.4	25.0-45.8
18-24	212	381,628	181	85.1	79.4-90.8	31	14.9	9.2-20.6
25-34	489	683,643	380	77.3	72.6-82.0	109	22.7	18.0-27.4
35-44	642	739,012	467	71.5	66.8-76.2	175	28.5	23.8-33.2
45-54	837	789,731	530	61.1	56.6-65.6	307	38.9	34.4-43.4
55-64	973	849,379	483	46.7	42.4-51.0	490	53.3	49.0-57.6
65+	1748	1,254,589	731	42.3	39.0-45.6	1017	57.7	54.4-61.0
Less Than H.S.	325	501,441	142	51.9	44.3-59.5	183	48.1	40.5-55.7
H.S. or G.E.D.	1382	1,413,976	755	59.1	55.6-62.6	627	40.9	37.4-44.4
Some Post-H.S.	1307	1,403,784	747	60.2	56.7-63.7	560	39.8	36.3-43.3
College Graduate	1866	1,361,747	1118	62.1	59.2-65.0	748	37.9	35.0-40.8
Less than \$15,000	263	244,707	120	47.6	38.4-56.8	143	52.4	43.2-61.6
\$15,000-24,999	408	370,135	189	47.4	40.1-54.7	219	52.6	45.3-59.9
\$25,000-34,999	453	397,406	227	55.0	48.7-61.3	226	45.0	38.7-51.3
\$35,000-49,999	643	623,547	384	64.9	60.0-69.8	259	35.1	30.2-40.0
\$50,000-99,999	1196	1,132,440	689	60.6	56.7-64.5	507	39.4	35.5-43.3
\$100,000-199,999	773	746,426	483	63.5	59.2-67.8	290	36.5	32.2-40.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 6: CHOLESTEROL AWARENESS**

**TABLE 5: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (\_RFCHOL3)**

Denominator excludes: Respondents who reported not having their blood cholesterol checked  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2284	2,184,214	1266	57.8	55.1-60.5	1018	42.2	39.5-44.9
White/Non-Hisp	1838	1,587,396	1016	58.1	55.2-61.0	822	41.9	39.0-44.8
Black or Afr. Am./Non-Hisp	216	257,275	118	57.7	49.5-65.9	98	42.3	34.1-50.5
Oth. Race/Non-Hisp.	65	71,277	34	49.9	32.7-67.1	31	50.1	32.9-67.3
MultiRacial/Non-Hisp.	51	64,382	33	65.9	50.8-81.0	18	34.1	19.0-49.2
Hispanic	73	160,240	44	54.9	40.4-69.4	29	45.1	30.6-59.6
18-24	102	173,105	89	87.4	80.3-94.5	13	12.6	5.5-19.7
25-34	233	318,507	175	72.6	65.0-80.2	58	27.4	19.8-35.0
35-44	291	355,869	204	67.1	59.5-74.7	87	32.9	25.3-40.5
45-54	407	384,564	255	62.9	56.8-69.0	152	37.1	31.0-43.2
55-64	473	398,994	236	46.0	40.1-51.9	237	54.0	48.1-59.9
65+	778	553,174	307	39.1	34.2-44.0	471	60.9	56.0-65.8
Less Than H.S.	152	228,835	72	52.4	41.0-63.8	80	47.6	36.2-59.0
H.S. or G.E.D.	666	679,066	367	59.4	54.3-64.5	299	40.6	35.5-45.7
Some Post-H.S.	577	632,244	321	58.9	53.8-64.0	256	41.1	36.0-46.2
College Graduate	874	631,297	500	57.8	53.5-62.1	374	42.2	37.9-46.5
Less than \$15,000	91	73,343	43	48.1	33.6-62.6	48	51.9	37.4-66.4
\$15,000- 24,999	166	149,471	84	55.3	43.7-66.9	82	44.7	33.1-56.3
\$25,000- 34,999	176	159,329	85	54.5	44.1-64.9	91	45.5	35.1-55.9
\$35,000- 49,999	280	270,507	158	63.4	56.0-70.8	122	36.6	29.2-44.0
\$50,000- 99,999	605	572,059	328	56.5	51.2-61.8	277	43.5	38.2-48.8
\$100,000 - 199,999	425	407,556	248	59.7	53.6-65.8	177	40.3	34.2-46.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 6: CHOLESTEROL AWARENESS**

**TABLE 6: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (\_RFCHOL3)**

Denominator excludes: Respondents who reported not having their blood cholesterol checked  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2617	2,513,767	1506	60.8	58.3-63.3	1111	39.2	36.7-41.7
White/Non-Hisp	2066	1,804,879	1154	59.1	56.2-62.0	912	40.9	38.0-43.8
Black or Afr. Am./Non-Hisp	349	427,545	223	62.4	55.5-69.3	126	37.6	30.7-44.5
Oth. Race/Non-Hisp.	54	83,847	35	66.7	47.5-85.9	19	33.3	14.1-52.5
MultiRacial/Non-Hisp.	55	53,691	34	63.4	47.5-79.3	21	36.6	20.7-52.5
Hispanic	52	103,133	37	79.6	68.6-90.6	15	20.4	9.4-31.4
18-24	110	208,523	92	83.2	74.6-91.8	18	16.8	8.2-25.4
25-34	256	365,136	205	81.3	75.8-86.8	51	18.7	13.2-24.2
35-44	351	383,143	263	75.6	69.9-81.3	88	24.4	18.7-30.1
45-54	430	405,166	275	59.5	53.0-66.0	155	40.5	34.0-47.0
55-64	500	450,385	247	47.3	41.2-53.4	253	52.7	46.6-58.8
65+	970	701,414	424	44.9	40.4-49.4	546	55.1	50.6-59.6
Less Than H.S.	173	272,606	70	51.5	40.9-62.1	103	48.5	37.9-59.1
H.S. or G.E.D.	716	734,910	388	58.9	54.0-63.8	328	41.1	36.2-46.0
Some Post-H.S.	730	771,539	426	61.2	56.5-65.9	304	38.8	34.1-43.5
College Graduate	992	730,449	618	65.8	61.9-69.7	374	34.2	30.3-38.1
Less than \$15,000	172	171,364	77	47.4	36.0-58.8	95	52.6	41.2-64.0
\$15,000- 24,999	242	220,663	105	42.0	33.2-50.8	137	58.0	49.2-66.8
\$25,000- 34,999	277	238,076	142	55.3	47.7-62.9	135	44.7	37.1-52.3
\$35,000- 49,999	363	353,040	226	66.1	59.8-72.4	137	33.9	27.6-40.2
\$50,000- 99,999	591	560,382	361	64.8	59.5-70.1	230	35.2	29.9-40.5
\$100,000 - 199,999	348	338,870	235	68.2	61.9-74.5	113	31.8	25.5-38.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023**

**SECTION 7: CHRONIC HEALTH CONDITIONS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)	
1 MALES AND FEMALES	120
2 MALES ONLY	121
3 FEMALES ONLY	122
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
4 MALES AND FEMALES	123
5 MALES ONLY	124
6 FEMALES ONLY	125
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
7 MALES AND FEMALES	126
8 MALES ONLY	127
9 FEMALES ONLY	128
COMPUTED ASTHMA STATUS (_ASTHMS1)	
10 MALES AND FEMALES	129
11 MALES ONLY	130
12 FEMALES ONLY	131
RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR2)	
13 MALES AND FEMALES	132
14 MALES ONLY	133
15 FEMALES ONLY	134

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 1: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (\_MICH)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5557	5,544,250	563	8.7	7.7- 9.7	4994	91.3	90.3-92.3
Male	2659	2,647,628	333	10.0	8.4-11.6	2326	90.0	88.4-91.6
Female	2898	2,896,623	230	7.5	6.1- 8.9	2668	92.5	91.1-93.9
White/Non-Hisp	4356	3,937,154	452	9.0	7.8-10.2	3904	91.0	89.8-92.2
Black or Afr. Am./Non-Hisp	660	814,491	54	7.4	4.7-10.1	606	92.6	89.9-95.3
Oth. Race/Non-Hisp.	151	204,515	13	10.3	2.7-17.9	138	89.7	82.1-97.3
MultiRacial/Non-Hisp.	117	132,217	19	13.9	5.3-22.5	98	86.1	77.5-94.7
Hispanic	169	350,153	13	5.4	1.9- 8.9	156	94.6	91.1-98.1
18-24	386	678,117	2	1.0	0.0- 2.6	384	99.0	97.4- 100
25-34	667	923,409	14	2.1	0.7- 3.5	653	97.9	96.5-99.3
35-44	758	882,373	14	2.9	0.9- 4.9	744	97.1	95.1-99.1
45-54	906	851,601	63	6.2	4.4- 8.0	843	93.8	92.0-95.6
55-64	1023	889,973	121	12.5	9.6-15.4	902	87.5	84.6-90.4
65+	1817	1,318,778	349	20.2	17.5-22.9	1468	79.8	77.1-82.5
Less Than H.S.	393	610,925	82	19.1	13.8-24.4	311	80.9	75.6-86.2
H.S. or G.E.D.	1650	1,795,102	200	8.8	7.2-10.4	1450	91.2	89.6-92.8
Some Post-H.S.	1466	1,625,594	150	8.4	6.6-10.2	1316	91.6	89.8-93.4
College Graduate	2024	1,492,127	127	4.6	3.6- 5.6	1897	95.4	94.4-96.4
Less than \$15,000	310	286,511	62	21.2	13.8-28.6	248	78.8	71.4-86.2
\$15,000-24,999	460	426,229	78	13.9	9.6-18.2	382	86.1	81.8-90.4
\$25,000-34,999	516	472,665	67	12.3	8.4-16.2	449	87.7	83.8-91.6
\$35,000-49,999	732	750,070	80	9.4	6.7-12.1	652	90.6	87.9-93.3
\$50,000-99,999	1334	1,316,009	90	5.8	4.0- 7.6	1244	94.2	92.4-96.0
\$100,000-199,999	841	837,335	47	4.5	2.7- 6.3	794	95.5	93.7-97.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 2: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (\_MICHD)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2659	2,647,628	333	10.0	8.6-11.4	2326	90.0	88.6-91.4
White/Non-Hisp	2087	1,879,941	269	10.6	9.0-12.2	1818	89.4	87.8-91.0
Black or Afr. Am./Non-Hisp	258	311,518	26	7.2	3.7-10.7	232	92.8	89.3-96.3
Oth. Race/Non-Hisp.	85	99,618	8	12.7	1.3-24.1	77	87.3	75.9-98.7
MultiRacial/Non-Hisp.	62	73,695	9	12.3	6.6-18.0	53	87.7	82.0-93.4
Hispanic	106	220,193	10	5.9	1.4-10.4	96	94.1	89.6-98.6
18-24	200	342,680	1	0.5	0.0- 1.5	199	99.5	98.5- 100
25-34	348	454,095	9	2.4	0.2- 4.6	339	97.6	95.4-99.8
35-44	354	431,486	8	3.5	0.8- 6.2	346	96.5	93.8-99.2
45-54	446	414,583	28	5.8	3.4- 8.2	418	94.2	91.8-96.6
55-64	502	421,546	77	15.0	10.9-19.1	425	85.0	80.9-89.1
65+	809	583,239	210	25.8	21.5-30.1	599	74.2	69.9-78.5
Less Than H.S.	190	280,978	48	20.0	12.4-27.6	142	80.0	72.4-87.6
H.S. or G.E.D.	824	900,537	121	10.4	8.0-12.8	703	89.6	87.2-92.0
Some Post-H.S.	661	739,075	79	9.0	6.8-11.2	582	91.0	88.8-93.2
College Graduate	966	710,799	81	6.6	4.6- 8.6	885	93.4	91.4-95.4
Less than \$15,000	110	85,475	29	23.9	13.7-34.1	81	76.1	65.9-86.3
\$15,000- 24,999	193	182,133	43	12.7	7.6-17.8	150	87.3	82.2-92.4
\$25,000- 34,999	216	205,500	36	15.2	8.5-21.9	180	84.8	78.1-91.5
\$35,000- 49,999	336	341,988	54	14.5	9.6-19.4	282	85.5	80.6-90.4
\$50,000- 99,999	692	688,734	62	7.4	5.0- 9.8	630	92.6	90.2-95.0
\$100,000 - 199,999	472	472,329	31	5.7	3.2- 8.2	441	94.3	91.8-96.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 3: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (\_MICHD)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2898	2,896,623	230	7.5	6.1- 8.9	2668	92.5	91.1-93.9
White/Non-Hisp	2269	2,057,214	183	7.6	6.0- 9.2	2086	92.4	90.8-94.0
Black or Afr. Am./Non-Hisp	402	502,973	28	7.5	3.8-11.2	374	92.5	88.8-96.2
Oth. Race/Non-Hisp.	66	104,897	5	8.1	0.0-17.9	61	91.9	82.1- 100
MultiRacial/Non-Hisp.	55	58,522	10	15.8	3.6-28.0	45	84.2	72.0-96.4
Hispanic	63	129,960	3	4.5	0.0-10.4	60	95.5	89.6- 100
18-24	186	335,437	1	1.5	0.0- 4.4	185	98.5	95.6- 100
25-34	319	469,314	5	1.8	0.0- 3.6	314	98.2	96.4- 100
35-44	404	450,887	6	2.4	0.0- 4.9	398	97.6	95.1- 100
45-54	460	437,018	35	6.6	3.9- 9.3	425	93.4	90.7-96.1
55-64	521	468,427	44	10.3	5.8-14.8	477	89.7	85.2-94.2
65+	1008	735,539	139	15.8	12.5-19.1	869	84.2	80.9-87.5
Less Than H.S.	203	329,947	34	18.4	11.0-25.8	169	81.6	74.2-89.0
H.S. or G.E.D.	826	894,565	79	7.2	5.0- 9.4	747	92.8	90.6-95.0
Some Post-H.S.	805	886,519	71	8.0	5.5-10.5	734	92.0	89.5-94.5
College Graduate	1058	781,328	46	2.8	1.8- 3.8	1012	97.2	96.2-98.2
Less than \$15,000	200	201,036	33	20.1	10.3-29.9	167	79.9	70.1-89.7
\$15,000- 24,999	267	244,096	35	14.8	8.9-20.7	232	85.2	79.3-91.1
\$25,000- 34,999	300	267,165	31	10.1	5.8-14.4	269	89.9	85.6-94.2
\$35,000- 49,999	396	408,082	26	5.2	2.7- 7.7	370	94.8	92.3-97.3
\$50,000- 99,999	642	627,275	28	4.0	1.8- 6.2	614	96.0	93.8-98.2
\$100,000 - 199,999	369	365,006	16	3.0	1.0- 5.0	353	97.0	95.0-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTH1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5617	5,601,996	4662	82.9	81.5-84.3	955	17.1	15.7-18.5
Male	2698	2,693,372	2325	86.1	84.3-87.9	373	13.9	12.1-15.7
Female	2919	2,908,624	2337	79.9	77.9-81.9	582	20.1	18.1-22.1
White/Non-Hisp	4404	3,971,683	3677	83.3	81.7-84.9	727	16.7	15.1-18.3
Black or Afr. Am./Non-Hisp	662	820,645	556	83.5	79.6-87.4	106	16.5	12.6-20.4
Oth. Race/Non-Hisp.	153	207,326	121	83.6	75.4-91.8	32	16.4	8.2-24.6
MultiRacial/Non-Hisp.	122	139,572	85	70.4	60.6-80.2	37	29.6	19.8-39.4
Hispanic	173	356,913	139	81.4	74.0-88.8	34	18.6	11.2-26.0
18-24	383	672,996	304	83.0	78.9-87.1	79	17.0	12.9-21.1
25-34	669	933,032	539	82.0	78.3-85.7	130	18.0	14.3-21.7
35-44	763	890,643	622	79.5	75.4-83.6	141	20.5	16.4-24.6
45-54	915	859,000	759	83.8	80.7-86.9	156	16.2	13.1-19.3
55-64	1032	904,097	844	82.5	79.4-85.6	188	17.5	14.4-20.6
65+	1855	1,342,229	1594	85.4	83.0-87.8	261	14.6	12.2-17.0
Less Than H.S.	408	636,950	308	77.3	71.8-82.8	100	22.7	17.2-28.2
H.S. or G.E.D.	1669	1,809,842	1389	84.0	81.6-86.4	280	16.0	13.6-18.4
Some Post-H.S.	1482	1,636,905	1204	82.0	79.5-84.5	278	18.0	15.5-20.5
College Graduate	2033	1,497,304	1738	84.6	82.2-87.0	295	15.4	13.0-17.8
Less than \$15,000	313	297,745	224	73.3	66.4-80.2	89	26.7	19.8-33.6
\$15,000-24,999	468	431,340	366	78.0	72.3-83.7	102	22.0	16.3-27.7
\$25,000-34,999	516	476,452	423	80.4	75.9-84.9	93	19.6	15.1-24.1
\$35,000-49,999	744	761,583	612	81.3	77.6-85.0	132	18.7	15.0-22.4
\$50,000-99,999	1345	1,324,175	1140	84.1	81.4-86.8	205	15.9	13.2-18.6
\$100,000-199,999	844	838,548	737	86.3	83.2-89.4	107	13.7	10.6-16.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 5: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTH1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2698	2,693,372	2325	86.1	84.3-87.9	373	13.9	12.1-15.7
White/Non-Hisp	2121	1,911,836	1842	86.4	84.4-88.4	279	13.6	11.6-15.6
Black or Afr. Am./Non-Hisp	260	316,620	226	88.4	83.9-92.9	34	11.6	7.1-16.1
Oth. Race/Non-Hisp.	87	102,429	70	90.3	84.6-96.0	17	9.7	4.0-15.4
MultiRacial/Non-Hisp.	62	77,140	47	75.3	62.8-87.8	15	24.7	12.2-37.2
Hispanic	107	222,684	89	79.7	69.1-90.3	18	20.3	9.7-30.9
18-24	198	340,672	162	86.3	81.4-91.2	36	13.7	8.8-18.6
25-34	348	461,600	287	83.4	78.1-88.7	61	16.6	11.3-21.9
35-44	355	436,136	294	81.0	75.3-86.7	61	19.0	13.3-24.7
45-54	452	421,184	388	86.9	83.2-90.6	64	13.1	9.4-16.8
55-64	509	434,046	443	87.5	83.6-91.4	66	12.5	8.6-16.4
65+	836	599,732	751	90.0	87.3-92.7	85	10.0	7.3-12.7
Less Than H.S.	203	302,122	165	82.8	75.9-89.7	38	17.2	10.3-24.1
H.S. or G.E.D.	831	909,185	710	85.5	82.4-88.6	121	14.5	11.4-17.6
Some Post-H.S.	670	749,519	580	86.0	82.5-89.5	90	14.0	10.5-17.5
College Graduate	976	716,307	853	87.9	85.4-90.4	123	12.1	9.6-14.6
Less than \$15,000	110	91,886	87	77.7	67.9-87.5	23	22.3	12.5-32.1
\$15,000- 24,999	198	184,827	158	77.7	68.5-86.9	40	22.3	13.1-31.5
\$25,000- 34,999	215	207,605	181	85.7	79.6-91.8	34	14.3	8.2-20.4
\$35,000- 49,999	341	349,352	295	83.3	77.6-89.0	46	16.7	11.0-22.4
\$50,000- 99,999	704	698,659	609	86.1	82.4-89.8	95	13.9	10.2-17.6
\$100,000 - 199,999	473	473,003	426	89.3	85.6-93.0	47	10.7	7.0-14.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 6: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTH1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2919	2,908,624	2337	79.9	77.9-81.9	582	20.1	18.1-22.1
White/Non-Hisp	2283	2,059,847	1835	80.3	78.1-82.5	448	19.7	17.5-21.9
Black or Afr. Am./Non-Hisp	402	504,025	330	80.4	74.9-85.9	72	19.6	14.1-25.1
Oth. Race/Non-Hisp.	66	104,897	51	77.2	62.3-92.1	15	22.8	7.9-37.7
MultiRacial/Non-Hisp.	60	62,432	38	64.4	50.3-78.5	22	35.6	21.5-49.7
Hispanic	66	134,228	50	84.2	74.8-93.6	16	15.8	6.4-25.2
18-24	185	332,324	142	79.5	72.8-86.2	43	20.5	13.8-27.2
25-34	321	471,432	252	80.7	75.4-86.0	69	19.3	14.0-24.6
35-44	408	454,506	328	77.9	72.2-83.6	80	22.1	16.4-27.8
45-54	463	437,815	371	80.8	75.9-85.7	92	19.2	14.3-24.1
55-64	523	470,051	401	77.8	73.1-82.5	122	22.2	17.5-26.9
65+	1019	742,496	843	81.7	78.4-85.0	176	18.3	15.0-21.6
Less Than H.S.	205	334,828	143	72.2	64.0-80.4	62	27.8	19.6-36.0
H.S. or G.E.D.	838	900,656	679	82.6	79.5-85.7	159	17.4	14.3-20.5
Some Post-H.S.	812	887,386	624	78.7	75.2-82.2	188	21.3	17.8-24.8
College Graduate	1057	780,997	885	81.6	78.1-85.1	172	18.4	14.9-21.9
Less than \$15,000	203	205,860	137	71.4	62.6-80.2	66	28.6	19.8-37.4
\$15,000- 24,999	270	246,513	208	78.2	71.3-85.1	62	21.8	14.9-28.7
\$25,000- 34,999	301	268,847	242	76.3	70.0-82.6	59	23.7	17.4-30.0
\$35,000- 49,999	403	412,231	317	79.6	74.7-84.5	86	20.4	15.5-25.3
\$50,000- 99,999	641	625,516	531	81.8	77.9-85.7	110	18.2	14.3-22.1
\$100,000 - 199,999	371	365,545	311	82.4	76.9-87.9	60	17.6	12.1-23.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 7: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHM1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5578	5,570,098	4979	89.0	87.8-90.2	599	11.0	9.8-12.2
Male	2679	2,674,486	2480	92.2	90.8-93.6	199	7.8	6.4- 9.2
Female	2899	2,895,612	2499	86.0	84.2-87.8	400	14.0	12.2-15.8
White/Non-Hisp	4372	3,948,613	3916	89.2	88.0-90.4	456	10.8	9.6-12.0
Black or Afr. Am./Non-Hisp	659	815,094	585	88.2	84.7-91.7	74	11.8	8.3-15.3
Oth. Race/Non-Hisp.	152	206,479	135	92.7	88.4-97.0	17	7.3	3.0-11.6
MultiRacial/Non-Hisp.	122	139,572	99	80.6	72.4-88.8	23	19.4	11.2-27.6
Hispanic	172	355,958	155	90.5	84.8-96.2	17	9.5	3.8-15.2
18-24	382	672,080	345	91.4	88.3-94.5	37	8.6	5.5-11.7
25-34	667	931,909	597	88.3	85.0-91.6	70	11.7	8.4-15.0
35-44	752	878,668	672	88.1	85.0-91.2	80	11.9	8.8-15.0
45-54	905	851,884	803	89.0	86.3-91.7	102	11.0	8.3-13.7
55-64	1026	900,508	887	87.5	85.0-90.0	139	12.5	10.0-15.0
65+	1846	1,335,050	1675	89.7	87.5-91.9	171	10.3	8.1-12.5
Less Than H.S.	407	636,532	339	86.4	82.3-90.5	68	13.6	9.5-17.7
H.S. or G.E.D.	1658	1,796,102	1471	89.2	87.2-91.2	187	10.8	8.8-12.8
Some Post-H.S.	1470	1,630,176	1294	88.2	86.0-90.4	176	11.8	9.6-14.0
College Graduate	2018	1,486,291	1852	90.5	88.5-92.5	166	9.5	7.5-11.5
Less than \$15,000	312	297,146	245	78.9	72.4-85.4	67	21.1	14.6-27.6
\$15,000-24,999	463	427,435	389	84.6	79.9-89.3	74	15.4	10.7-20.1
\$25,000-34,999	511	474,595	446	85.2	81.1-89.3	65	14.8	10.7-18.9
\$35,000-49,999	738	756,266	665	89.0	85.9-92.1	73	11.0	7.9-14.1
\$50,000-99,999	1336	1,317,800	1218	90.1	87.7-92.5	118	9.9	7.5-12.3
\$100,000-199,999	842	836,886	776	91.5	88.8-94.2	66	8.5	5.8-11.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 8: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHM1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2679	2,674,486	2480	92.2	90.8-93.6	199	7.8	6.4- 9.2
White/Non-Hisp	2108	1,900,820	1964	92.4	90.8-94.0	144	7.6	6.0- 9.2
Black or Afr. Am./Non-Hisp	258	312,027	235	92.5	88.8-96.2	23	7.5	3.8-11.2
Oth. Race/Non-Hisp.	86	101,582	77	95.2	91.3-99.1	9	4.8	0.9- 8.7
MultiRacial/Non-Hisp.	62	77,140	54	86.7	77.1-96.3	8	13.3	3.7-22.9
Hispanic	106	221,730	96	89.2	81.0-97.4	10	10.8	2.6-19.0
18-24	198	340,672	183	95.0	92.1-97.9	15	5.0	2.1- 7.9
25-34	346	460,477	323	90.7	86.0-95.4	23	9.3	4.6-14.0
35-44	349	429,534	324	91.0	86.9-95.1	25	9.0	4.9-13.1
45-54	448	417,119	411	92.1	89.0-95.2	37	7.9	4.8-11.0
55-64	506	432,005	464	92.0	88.7-95.3	42	8.0	4.7-11.3
65+	832	594,679	775	92.9	90.7-95.1	57	7.1	4.9- 9.3
Less Than H.S.	203	302,122	179	91.4	87.1-95.7	24	8.6	4.3-12.9
H.S. or G.E.D.	825	899,321	755	91.4	88.7-94.1	70	8.6	5.9-11.3
Some Post-H.S.	665	746,840	618	91.6	88.7-94.5	47	8.4	5.5-11.3
College Graduate	968	709,965	911	94.0	91.8-96.2	57	6.0	3.8- 8.2
Less than \$15,000	110	91,886	96	86.3	78.1-94.5	14	13.7	5.5-21.9
\$15,000- 24,999	197	183,727	166	85.2	77.9-92.5	31	14.8	7.5-22.1
\$25,000- 34,999	211	206,446	190	90.4	85.1-95.7	21	9.6	4.3-14.9
\$35,000- 49,999	337	345,260	317	91.4	86.9-95.9	20	8.6	4.1-13.1
\$50,000- 99,999	700	695,514	655	92.3	89.4-95.2	45	7.7	4.8-10.6
\$100,000 - 199,999	472	471,742	449	94.5	91.4-97.6	23	5.5	2.4- 8.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 9: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHM1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2899	2,895,612	2499	86.0	84.2-87.8	400	14.0	12.2-15.8
White/Non-Hisp	2264	2,047,793	1952	86.1	84.1-88.1	312	13.9	11.9-15.9
Black or Afr. Am./Non-Hisp	401	503,067	350	85.5	80.4-90.6	51	14.5	9.4-19.6
Oth. Race/Non-Hisp.	66	104,897	58	90.3	82.9-97.7	8	9.7	2.3-17.1
MultiRacial/Non-Hisp.	60	62,432	45	73.0	59.7-86.3	15	27.0	13.7-40.3
Hispanic	66	134,228	59	92.7	86.2-99.2	7	7.3	0.8-13.8
18-24	184	331,408	162	87.6	82.1-93.1	22	12.4	6.9-17.9
25-34	321	471,432	274	86.0	81.1-90.9	47	14.0	9.1-18.9
35-44	403	449,134	348	85.3	80.6-90.0	55	14.7	10.0-19.4
45-54	457	434,765	392	86.1	81.6-90.6	65	13.9	9.4-18.4
55-64	520	468,502	423	83.4	79.5-87.3	97	16.6	12.7-20.5
65+	1014	740,371	900	87.2	84.1-90.3	114	12.8	9.7-15.9
Less Than H.S.	204	334,411	160	81.8	75.3-88.3	44	18.2	11.7-24.7
H.S. or G.E.D.	833	896,781	716	87.0	84.3-89.7	117	13.0	10.3-15.7
Some Post-H.S.	805	883,337	676	85.3	82.2-88.4	129	14.7	11.6-17.8
College Graduate	1050	776,326	941	87.3	84.0-90.6	109	12.7	9.4-16.0
Less than \$15,000	202	205,260	149	75.5	67.1-83.9	53	24.5	16.1-32.9
\$15,000- 24,999	266	243,708	223	84.2	77.9-90.5	43	15.8	9.5-22.1
\$25,000- 34,999	300	268,149	256	81.2	75.3-87.1	44	18.8	12.9-24.7
\$35,000- 49,999	401	411,006	348	87.0	82.7-91.3	53	13.0	8.7-17.3
\$50,000- 99,999	636	622,285	563	87.7	84.4-91.0	73	12.3	9.0-15.6
\$100,000 - 199,999	370	365,144	327	87.6	82.9-92.3	43	12.4	7.7-17.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
 SECTION 7: CHRONIC HEALTH CONDITIONS  
 TABLE 10: COMPUTED ASTHMA STATUS (\_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma  
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5578	5,570,098	599	11.0	9.8-12.2	317	5.6	4.8- 6.4	4662	83.3	81.9-84.7
Male	2679	2,674,486	199	7.8	6.4- 9.2	155	5.5	4.3- 6.7	2325	86.7	84.9-88.5
Female	2899	2,895,612	400	14.0	12.2-15.8	162	5.7	4.5- 6.9	2337	80.3	78.3-82.3
White/Non-Hisp	4372	3,948,613	456	10.8	9.6-12.0	239	5.4	4.6- 6.2	3677	83.7	82.1-85.3
Black or Afr. Am./Non-Hisp	659	815,094	74	11.8	8.3-15.3	29	4.1	2.1- 6.1	556	84.1	80.4-87.8
Oth. Race/Non-Hisp.	152	206,479	17	7.3	3.0-11.6	14	8.7	1.3-16.1	121	84.0	75.8-92.2
MultiRacial/Non-Hisp.	122	139,572	23	19.4	11.2-27.6	14	10.1	3.8-16.4	85	70.4	60.6-80.2
Hispanic	172	355,958	17	9.5	3.8-15.2	16	8.9	3.4-14.4	139	81.6	74.2-89.0
18-24	382	672,080	37	8.6	5.5-11.7	41	8.3	5.4-11.2	304	83.1	79.0-87.2
25-34	667	931,909	70	11.7	8.4-15.0	58	6.2	4.4- 8.0	539	82.1	78.4-85.8
35-44	752	878,668	80	11.9	8.8-15.0	50	7.5	4.6-10.4	622	80.5	76.4-84.6
45-54	905	851,884	102	11.0	8.3-13.7	44	4.5	2.7- 6.3	759	84.5	81.4-87.6
55-64	1026	900,508	139	12.5	10.0-15.0	43	4.7	2.7- 6.7	844	82.8	79.7-85.9
65+	1846	1,335,050	171	10.3	8.1-12.5	81	3.9	2.7- 5.1	1594	85.8	83.4-88.2
Less Than H.S.	407	636,532	68	13.6	9.5-17.7	31	9.1	5.0-13.2	308	77.3	71.8-82.8
H.S. or G.E.D.	1658	1,796,102	187	10.8	8.8-12.8	82	4.6	3.4- 5.8	1389	84.7	82.5-86.9
Some Post-H.S.	1470	1,630,176	176	11.8	9.6-14.0	90	5.8	4.2- 7.4	1204	82.4	79.9-84.9
College Graduate	2018	1,486,291	166	9.5	7.5-11.5	114	5.3	4.1- 6.5	1738	85.2	83.0-87.4
Less than \$15,000	312	297,146	67	21.1	14.6-27.6	21	5.4	2.7- 8.1	224	73.5	66.6-80.4
\$15,000-24,999	463	427,435	74	15.4	10.7-20.1	23	5.9	2.2- 9.6	366	78.7	73.0-84.4
\$25,000-34,999	511	474,595	65	14.8	10.7-18.9	23	4.5	2.3- 6.7	423	80.7	76.2-85.2
\$35,000-49,999	738	756,266	73	11.0	7.9-14.1	53	7.1	4.7- 9.5	612	81.9	78.2-85.6
\$50,000-99,999	1336	1,317,800	118	9.9	7.5-12.3	78	5.6	4.0- 7.2	1140	84.5	81.8-87.2
\$100,000-199,999	842	836,886	66	8.5	5.8-11.2	39	5.0	3.0- 7.0	737	86.5	83.4-89.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
 SECTION 7: CHRONIC HEALTH CONDITIONS  
 TABLE 11: COMPUTED ASTHMA STATUS (\_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2679	2,674,486	199	7.8	6.4- 9.2	155	5.5	4.3- 6.7	2325	86.7	84.9-88.5
White/Non-Hisp	2108	1,900,820	144	7.6	6.0- 9.2	122	5.5	4.3- 6.7	1842	86.9	84.9-88.9
Black or Afr. Am./Non-Hisp	258	312,027	23	7.5	3.8-11.2	9	2.7	0.7- 4.7	226	89.7	85.6-93.8
Oth. Race/Non-Hisp.	86	101,582	9	4.8	0.9- 8.7	7	4.2	0.3- 8.1	70	91.0	85.5-96.5
MultiRacial/Non-Hisp.	62	77,140	8	13.3	3.7-22.9	7	11.4	2.0-20.8	47	75.3	62.8-87.8
Hispanic	106	221,730	10	10.8	2.6-19.0	7	9.2	1.4-17.0	89	80.0	69.4-90.6
18-24	198	340,672	15	5.0	2.1- 7.9	21	8.7	4.6-12.8	162	86.3	81.4-91.2
25-34	346	460,477	23	9.3	4.6-14.0	36	7.1	4.4- 9.8	287	83.6	78.3-88.9
35-44	349	429,534	25	9.0	4.9-13.1	30	8.7	4.4-13.0	294	82.3	76.6-88.0
45-54	448	417,119	37	7.9	4.8-11.0	23	4.3	2.1- 6.5	388	87.8	84.1-91.5
55-64	506	432,005	42	8.0	4.7-11.3	21	4.1	1.7- 6.5	443	87.9	84.0-91.8
65+	832	594,679	57	7.1	4.9- 9.3	24	2.1	0.9- 3.3	751	90.7	88.2-93.2
Less Than H.S.	203	302,122	24	8.6	4.3-12.9	14	8.6	2.9-14.3	165	82.8	75.9-89.7
H.S. or G.E.D.	825	899,321	70	8.6	5.9-11.3	45	5.0	3.2- 6.8	710	86.4	83.3-89.5
Some Post-H.S.	665	746,840	47	8.4	5.5-11.3	38	5.2	3.0- 7.4	580	86.3	82.8-89.8
College Graduate	968	709,965	57	6.0	3.8- 8.2	58	5.3	3.7- 6.9	853	88.7	86.2-91.2
Less than \$15,000	110	91,886	14	13.7	5.5-21.9	9	8.6	2.5-14.7	87	77.7	67.9-87.5
\$15,000- 24,999	197	183,727	31	14.8	7.5-22.1	8	7.0	0.0-14.3	158	78.2	68.8-87.6
\$25,000- 34,999	211	206,446	21	9.6	4.3-14.9	9	4.2	0.9- 7.5	181	86.2	80.1-92.3
\$35,000- 49,999	337	345,260	20	8.6	4.1-13.1	22	7.1	3.4-10.8	295	84.3	78.8-89.8
\$50,000- 99,999	700	695,514	45	7.7	4.8-10.6	46	5.8	3.4- 8.2	609	86.5	82.8-90.2
\$100,000 - 199,999	472	471,742	23	5.5	2.4- 8.6	23	4.9	2.5- 7.3	426	89.6	85.9-93.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
 SECTION 7: CHRONIC HEALTH CONDITIONS  
 TABLE 12: COMPUTED ASTHMA STATUS (\_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma  
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2899	2,895,612	400	14.0	12.2-15.8	162	5.7	4.5- 6.9	2337	80.3	78.3-82.3
White/Non-Hisp	2264	2,047,793	312	13.9	11.9-15.9	117	5.3	4.1- 6.5	1835	80.8	78.6-83.0
Black or Afr. Am./Non-Hisp	401	503,067	51	14.5	9.4-19.6	20	5.0	2.3- 7.7	330	80.5	75.0-86.0
Oth. Race/Non-Hisp.	66	104,897	8	9.7	2.3-17.1	7	13.1	0.0-26.8	51	77.2	62.3-92.1
MultiRacial/Non-Hisp.	60	62,432	15	27.0	13.7-40.3	7	8.6	1.2-16.0	38	64.4	50.3-78.5
Hispanic	66	134,228	7	7.3	0.8-13.8	9	8.5	1.4-15.6	50	84.2	74.8-93.6
18-24	184	331,408	22	12.4	6.9-17.9	20	7.9	3.8-12.0	142	79.8	73.1-86.5
25-34	321	471,432	47	14.0	9.1-18.9	22	5.3	2.8- 7.8	252	80.7	75.4-86.0
35-44	403	449,134	55	14.7	10.0-19.4	20	6.4	2.3-10.5	328	78.9	73.2-84.6
45-54	457	434,765	65	13.9	9.4-18.4	21	4.8	2.3- 7.3	371	81.3	76.4-86.2
55-64	520	468,502	97	16.6	12.7-20.5	22	5.3	2.6- 8.0	401	78.1	73.4-82.8
65+	1014	740,371	114	12.8	9.7-15.9	57	5.3	3.5- 7.1	843	81.9	78.6-85.2
Less Than H.S.	204	334,411	44	18.2	11.7-24.7	17	9.5	3.6-15.4	143	72.3	64.1-80.5
H.S. or G.E.D.	833	896,781	117	13.0	10.3-15.7	37	4.1	2.3- 5.9	679	82.9	79.8-86.0
Some Post-H.S.	805	883,337	129	14.7	11.6-17.8	52	6.3	4.3- 8.3	624	79.0	75.5-82.5
College Graduate	1050	776,326	109	12.7	9.4-16.0	56	5.2	3.4- 7.0	885	82.0	78.5-85.5
Less than \$15,000	202	205,260	53	24.5	16.1-32.9	12	3.9	1.2- 6.6	137	71.6	62.8-80.4
\$15,000- 24,999	266	243,708	43	15.8	9.5-22.1	15	5.1	1.6- 8.6	208	79.1	72.2-86.0
\$25,000- 34,999	300	268,149	44	18.8	12.9-24.7	14	4.7	1.8- 7.6	242	76.5	70.2-82.8
\$35,000- 49,999	401	411,006	53	13.0	8.7-17.3	31	7.1	4.0-10.2	317	79.9	75.0-84.8
\$50,000- 99,999	636	622,285	73	12.3	9.0-15.6	32	5.5	3.1- 7.9	531	82.2	78.3-86.1
\$100,000 - 199,999	370	365,144	43	12.4	7.7-17.1	16	5.1	2.0- 8.2	311	82.5	77.0-88.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 13: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (\_DRDXAR2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5611	5,594,320	2106	33.2	31.6-34.8	3505	66.8	65.2-68.4
Male	2692	2,688,146	870	29.0	26.6-31.4	1822	71.0	68.6-73.4
Female	2919	2,906,175	1236	37.0	34.6-39.4	1683	63.0	60.6-65.4
White/Non-Hisp	4401	3,974,709	1720	34.9	33.1-36.7	2681	65.1	63.3-66.9
Black or Afr. Am./Non-Hisp	657	810,726	213	30.8	26.1-35.5	444	69.2	64.5-73.9
Oth. Race/Non-Hisp.	152	206,636	46	34.4	21.9-46.9	106	65.6	53.1-78.1
MultiRacial/Non-Hisp.	123	140,161	59	46.2	34.8-57.6	64	53.8	42.4-65.2
Hispanic	173	355,412	29	13.6	7.3-19.9	144	86.4	80.1-92.7
18-24	386	677,208	19	4.6	2.2-7.0	367	95.4	93.0-97.8
25-34	670	933,721	70	10.8	7.9-13.7	600	89.2	86.3-92.1
35-44	759	886,072	160	24.5	19.8-29.2	599	75.5	70.8-80.2
45-54	910	855,124	313	34.0	29.9-38.1	597	66.0	61.9-70.1
55-64	1031	900,953	479	46.5	42.4-50.6	552	53.5	49.4-57.6
65+	1855	1,341,243	1065	59.4	56.3-62.5	790	40.6	37.5-43.7
Less Than H.S.	409	633,388	216	47.8	41.1-54.5	193	52.2	45.5-58.9
H.S. or G.E.D.	1669	1,811,050	665	32.2	29.3-35.1	1004	67.8	64.9-70.7
Some Post-H.S.	1478	1,635,470	618	36.8	33.7-39.9	860	63.2	60.1-66.3
College Graduate	2030	1,493,416	597	24.3	21.9-26.7	1433	75.7	73.3-78.1
Less than \$15,000	314	298,807	169	46.7	38.7-54.7	145	53.3	45.3-61.3
\$15,000-24,999	466	429,920	241	47.8	41.3-54.3	225	52.2	45.7-58.7
\$25,000-34,999	519	476,497	253	44.5	38.8-50.2	266	55.5	49.8-61.2
\$35,000-49,999	742	759,813	302	38.2	33.5-42.9	440	61.8	57.1-66.5
\$50,000-99,999	1344	1,321,927	455	27.8	24.7-30.9	889	72.2	69.1-75.3
\$100,000-199,999	844	837,534	221	24.9	21.0-28.8	623	75.1	71.2-79.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 14: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (\_DRDXAR2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2692	2,688,146	870	29.0	26.8-31.2	1822	71.0	68.8-73.2
White/Non-Hisp	2116	1,909,894	713	31.1	28.6-33.6	1403	68.9	66.4-71.4
Black or Afr. Am./Non-Hisp	259	313,437	73	26.5	19.4-33.6	186	73.5	66.4-80.6
Oth. Race/Non-Hisp.	86	101,738	23	23.9	11.6-36.2	63	76.1	63.8-88.4
MultiRacial/Non-Hisp.	63	77,729	25	41.8	27.1-56.5	38	58.2	43.5-72.9
Hispanic	107	222,684	18	13.7	5.3-22.1	89	86.3	77.9-94.7
18-24	200	342,680	8	3.7	1.0- 6.4	192	96.3	93.6-99.0
25-34	350	462,988	24	8.0	4.5-11.5	326	92.0	88.5-95.5
35-44	352	433,305	64	22.0	15.3-28.7	288	78.0	71.3-84.7
45-54	449	418,813	137	29.1	23.8-34.4	312	70.9	65.6-76.2
55-64	506	430,083	203	42.3	36.6-48.0	303	57.7	52.0-63.4
65+	835	600,277	434	55.1	50.4-59.8	401	44.9	40.2-49.6
Less Than H.S.	203	302,122	99	47.9	38.5-57.3	104	52.1	42.7-61.5
H.S. or G.E.D.	835	912,547	294	28.0	24.3-31.7	541	72.0	68.3-75.7
Some Post-H.S.	666	745,854	220	28.8	24.7-32.9	446	71.2	67.1-75.3
College Graduate	970	711,384	251	22.7	19.4-26.0	719	77.3	74.0-80.6
Less than \$15,000	111	92,659	54	47.0	34.5-59.5	57	53.0	40.5-65.5
\$15,000- 24,999	198	184,827	89	39.2	29.4-49.0	109	60.8	51.0-70.6
\$25,000- 34,999	217	208,108	85	33.6	25.2-42.0	132	66.4	58.0-74.8
\$35,000- 49,999	339	347,582	128	38.4	31.1-45.7	211	61.6	54.3-68.9
\$50,000- 99,999	701	694,350	212	24.7	20.8-28.6	489	75.3	71.4-79.2
\$100,000 - 199,999	472	471,578	113	22.0	17.3-26.7	359	78.0	73.3-82.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 15: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (\_DRDXAR2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2919	2,906,175	1236	37.0	34.6-39.4	1683	63.0	60.6-65.4
White/Non-Hisp	2285	2,064,815	1007	38.4	35.9-40.9	1278	61.6	59.1-64.1
Black or Afr. Am./Non-Hisp	398	497,289	140	33.5	27.2-39.8	258	66.5	60.2-72.8
Oth. Race/Non-Hisp.	66	104,897	23	44.6	25.4-63.8	43	55.4	36.2-74.6
MultiRacial/Non-Hisp.	60	62,432	34	51.7	36.6-66.8	26	48.3	33.2-63.4
Hispanic	66	132,728	11	13.4	4.6-22.2	55	86.6	77.8-95.4
18-24	186	334,528	11	5.6	1.9-9.3	175	94.4	90.7-98.1
25-34	320	470,733	46	13.7	9.4-18.0	274	86.3	82.0-90.6
35-44	407	452,767	96	26.9	20.4-33.4	311	73.1	66.6-79.6
45-54	461	436,311	176	38.7	32.6-44.8	285	61.3	55.2-67.4
55-64	525	470,870	276	50.4	44.3-56.5	249	49.6	43.5-55.7
65+	1020	740,966	631	62.8	58.5-67.1	389	37.2	32.9-41.5
Less Than H.S.	206	331,267	117	47.8	38.4-57.2	89	52.2	42.8-61.6
H.S. or G.E.D.	834	898,502	371	36.4	32.1-40.7	463	63.6	59.3-67.9
Some Post-H.S.	812	889,616	398	43.4	38.9-47.9	414	56.6	52.1-61.1
College Graduate	1060	782,032	346	25.7	22.4-29.0	714	74.3	71.0-77.6
Less than \$15,000	203	206,148	115	46.5	36.5-56.5	88	53.5	43.5-63.5
\$15,000- 24,999	268	245,093	152	54.3	46.1-62.5	116	45.7	37.5-53.9
\$25,000- 34,999	302	268,389	168	53.0	45.6-60.4	134	47.0	39.6-54.4
\$35,000- 49,999	403	412,231	174	38.1	32.0-44.2	229	61.9	55.8-68.0
\$50,000- 99,999	643	627,577	243	31.3	26.8-35.8	400	68.7	64.2-73.2
\$100,000 - 199,999	372	365,956	108	28.5	22.2-34.8	264	71.5	65.2-77.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023

SECTION 11: TOBACCO USE CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	136
2	MALES ONLY	137
3	FEMALES ONLY	138
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	139
5	MALES ONLY	140
6	FEMALES ONLY	141
	ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECI2)	
7	MALES AND FEMALES	142
8	MALES ONLY	143
9	FEMALES ONLY	144

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 11: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5304	5,263,598	663	11.7	10.5-12.9	235	5.2	4.2- 6.2	1428	24.9	23.3-26.5	2978	58.1	56.3-59.9
Male	2542	2,523,722	313	11.7	9.9-13.5	127	6.5	4.9- 8.1	800	29.3	26.9-31.7	1302	52.4	49.7-55.1
Female	2762	2,739,876	350	11.8	10.2-13.4	108	4.1	3.1- 5.1	628	20.9	18.9-22.9	1676	63.3	60.8-65.8
White/Non-Hisp	4189	3,772,469	519	12.1	10.7-13.5	166	4.6	3.6- 5.6	1228	28.1	26.3-29.9	2276	55.2	53.2-57.2
Black or Afr. Am./Non-Hisp	594	723,837	60	8.8	6.1-11.5	39	7.6	4.5-10.7	96	14.9	11.2-18.6	399	68.7	63.8-73.6
Oth. Race/Non-Hisp.	143	193,778	25	15.0	7.9-22.1	9	8.6	0.4-16.8	28	17.2	8.6-25.8	81	59.2	47.4-71.0
MultiRacial/Non-Hisp.	121	139,381	27	22.0	11.8-32.2	7	3.8	0.7- 6.9	22	21.1	11.1-31.1	65	53.2	41.6-64.8
Hispanic	168	344,758	14	5.9	1.4-10.4	13	7.0	1.9-12.1	32	17.9	10.8-25.0	109	69.2	60.4-78.0
18-24	363	628,974	12	2.4	0.8- 4.0	17	4.4	2.2- 6.6	29	9.4	5.5-13.3	305	83.8	79.3-88.3
25-34	629	874,626	54	8.7	6.2-11.2	35	5.6	3.2- 8.0	131	20.8	16.9-24.7	409	64.9	60.4-69.4
35-44	721	848,615	112	16.0	12.1-19.9	54	9.4	5.9-12.9	188	24.7	20.8-28.6	367	50.0	45.1-54.9
45-54	860	807,753	154	17.4	14.1-20.7	39	4.5	2.7- 6.3	194	22.4	18.9-25.9	473	55.7	51.4-60.0
55-64	959	833,179	162	16.4	12.9-19.9	47	5.5	3.5- 7.5	272	29.6	25.7-33.5	478	48.6	44.3-52.9
65+	1772	1,270,451	169	9.0	7.0-11.0	43	3.0	1.6- 4.4	614	34.2	31.1-37.3	946	53.8	50.5-57.1
Less Than H.S.	384	593,350	111	26.7	20.4-33.0	31	10.0	5.3-14.7	97	20.6	15.7-25.5	145	42.6	35.7-49.5
H.S. or G.E.D.	1554	1,677,755	263	13.9	11.7-16.1	100	6.9	5.1- 8.7	432	25.5	22.6-28.4	759	53.7	50.4-57.0
Some Post-H.S.	1425	1,571,254	202	11.1	9.1-13.1	70	4.8	3.2- 6.4	431	28.8	25.9-31.7	722	55.3	52.0-58.6
College Graduate	1923	1,404,937	86	3.7	2.7- 4.7	34	1.8	1.0- 2.6	464	21.9	19.5-24.3	1339	72.6	70.1-75.1
Less than \$15,000	307	289,050	87	25.7	18.4-33.0	36	11.6	6.7-16.5	74	22.0	15.9-28.1	110	40.8	32.4-49.2
\$15,000-24,999	457	423,899	101	16.5	12.2-20.8	33	11.4	6.1-16.7	129	24.9	19.4-30.4	194	47.3	40.6-54.0
\$25,000-34,999	503	452,889	85	16.9	12.8-21.0	28	5.2	2.8- 7.6	133	25.9	20.6-31.2	257	52.0	46.1-57.9
\$35,000-49,999	726	742,666	110	16.9	12.6-21.2	29	6.0	3.1- 8.9	199	24.2	20.1-28.3	388	52.9	48.0-57.8
\$50,000-99,999	1301	1,281,490	127	9.8	7.4-12.2	55	5.5	3.5- 7.5	375	26.1	23.0-29.2	744	58.6	54.9-62.3
\$100,000-199,999	820	815,905	43	4.7	2.9- 6.5	14	1.5	0.5- 2.5	224	27.4	23.5-31.3	539	66.5	62.4-70.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 11: TOBACCO USE**

**TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2542	2,523,722	313	11.7	9.9-13.5	127	6.5	4.9- 8.1	800	29.3	26.9-31.7	1302	52.4	49.7-55.1
White/Non-Hisp	2018	1,814,406	232	11.2	9.2-13.2	84	5.3	3.7- 6.9	689	32.7	30.0-35.4	1013	50.9	48.0-53.8
Black or Afr. Am./Non-Hisp	228	275,173	35	12.6	7.7-17.5	24	14.1	7.6-20.6	46	18.1	11.8-24.4	123	55.2	47.0-63.4
Oth. Race/Non-Hisp.	80	92,568	12	14.7	4.5-24.9	5	6.7	0.0-14.5	18	21.7	9.0-34.4	45	56.9	42.0-71.8
MultiRacial/Non-Hisp.	62	77,188	13	23.6	11.4-35.8	4	4.0	0.0- 8.3	12	21.3	7.4-35.2	33	51.2	35.9-66.5
Hispanic	103	215,545	9	5.5	0.0-11.2	9	9.4	1.6-17.2	23	23.4	13.0-33.8	62	61.6	49.6-73.6
18-24	183	309,471	3	1.1	0.0- 2.5	11	5.7	2.2- 9.2	18	13.7	6.8-20.6	151	79.5	72.1-86.9
25-34	323	432,522	22	6.7	3.6- 9.8	27	9.2	4.9-13.5	77	22.6	17.1-28.1	197	61.5	54.8-68.2
35-44	336	417,318	59	17.9	11.6-24.2	28	11.8	5.9-17.7	105	29.8	23.5-36.1	144	40.5	33.4-47.6
45-54	423	399,191	70	16.8	12.1-21.5	17	3.5	1.5- 5.5	110	26.1	20.6-31.6	226	53.7	47.4-60.0
55-64	477	398,223	75	15.1	11.0-19.2	21	6.5	3.0-10.0	136	29.9	24.4-35.4	245	48.5	42.6-54.4
65+	800	566,997	84	10.8	8.1-13.5	23	3.3	1.9- 4.7	354	44.5	39.6-49.4	339	41.4	36.7-46.1
Less Than H.S.	191	283,888	61	31.5	22.1-40.9	19	13.4	5.8-21.0	56	23.3	15.7-30.9	55	31.8	22.6-41.0
H.S. or G.E.D.	776	839,926	135	13.3	10.6-16.0	52	8.1	5.4-10.8	256	30.0	25.7-34.3	333	48.5	43.8-53.2
Some Post-H.S.	641	721,482	75	9.4	6.7-12.1	36	6.1	3.4- 8.8	226	34.7	30.0-39.4	304	49.7	44.6-54.8
College Graduate	921	666,033	41	3.9	2.5- 5.3	20	2.1	0.9- 3.3	259	25.5	22.0-29.0	601	68.5	64.8-72.2
Less than \$15,000	107	88,762	33	30.4	19.8-41.0	13	12.1	3.5-20.7	29	23.9	13.9-33.9	32	33.5	19.6-47.4
\$15,000- 24,999	196	184,123	49	18.7	12.2-25.2	15	15.1	5.5-24.7	60	30.8	21.4-40.2	72	35.4	26.0-44.8
\$25,000- 34,999	207	192,049	42	19.9	13.0-26.8	15	5.6	2.5- 8.7	63	29.0	20.0-38.0	87	45.5	36.1-54.9
\$35,000- 49,999	335	343,224	47	17.0	10.3-23.7	19	9.8	4.3-15.3	115	28.8	22.3-35.3	154	44.5	37.1-51.9
\$50,000- 99,999	679	676,313	69	10.0	6.7-13.3	37	7.9	4.8-11.0	227	29.7	25.2-34.2	346	52.5	47.4-57.6
\$100,000 - 199,999	457	460,805	27	6.0	3.3- 8.7	9	1.8	0.4- 3.2	143	31.7	26.2-37.2	278	60.6	54.9-66.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 11: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2762	2,739,876	350	11.8	10.2-13.4	108	4.1	3.1- 5.1	628	20.9	18.9-22.9	1676	63.3	60.9-65.7
White/Non-Hisp	2171	1,958,064	287	13.0	11.0-15.0	82	4.0	3.0- 5.0	539	23.8	21.4-26.2	1263	59.2	56.5-61.9
Black or Afr. Am./Non-Hisp	366	448,664	25	6.5	3.4- 9.6	15	3.6	1.1- 6.1	50	13.0	8.5-17.5	276	77.0	71.3-82.7
Oth. Race/Non-Hisp.	63	101,210	13	15.2	5.6-24.8	4	10.4	0.0-24.3	10	13.2	2.0-24.4	36	61.3	43.7-78.9
MultiRacial/Non-Hisp.	59	62,193	14	20.0	7.1-32.9	3	3.4	0.0- 7.7	10	20.8	7.3-34.3	32	55.7	40.4-71.0
Hispanic	65	129,214	5	6.5	0.0-13.6	4	3.0	0.0- 6.1	9	8.6	2.3-14.9	47	81.9	72.3-91.5
18-24	180	319,502	9	3.7	1.0- 6.4	6	3.1	0.6- 5.6	11	5.3	1.8- 8.8	154	87.9	82.8-93.0
25-34	306	442,104	32	10.6	6.5-14.7	8	2.0	0.6- 3.4	54	19.2	13.7-24.7	212	68.2	61.9-74.5
35-44	385	431,297	53	14.1	9.6-18.6	26	7.2	3.3-11.1	83	19.7	14.8-24.6	223	59.1	52.6-65.6
45-54	437	408,563	84	18.1	13.6-22.6	22	5.4	2.7- 8.1	84	18.7	14.0-23.4	247	57.8	51.7-63.9
55-64	482	434,955	87	17.5	12.0-23.0	26	4.6	2.4- 6.8	136	29.3	23.8-34.8	233	48.7	42.4-55.0
65+	972	703,454	85	7.5	5.1- 9.9	20	2.7	0.9- 4.5	260	26.0	22.1-29.9	607	63.8	59.5-68.1
Less Than H.S.	193	309,462	50	22.4	14.4-30.4	12	7.0	1.5-12.5	41	18.1	11.6-24.6	90	52.5	42.9-62.1
H.S. or G.E.D.	778	837,829	128	14.5	11.4-17.6	48	5.6	3.6- 7.6	176	21.0	17.3-24.7	426	58.8	54.3-63.3
Some Post-H.S.	784	849,771	127	12.4	9.7-15.1	34	3.7	2.1- 5.3	205	23.8	19.9-27.7	418	60.0	55.5-64.5
College Graduate	1002	738,904	45	3.5	2.1- 4.9	14	1.5	0.5- 2.5	205	18.7	15.8-21.6	738	76.3	73.0-79.6
Less than \$15,000	200	200,288	54	23.6	14.4-32.8	23	11.3	5.4-17.2	45	21.1	13.5-28.7	78	44.0	33.6-54.4
\$15,000- 24,999	261	239,776	52	14.8	8.9-20.7	18	8.5	3.4-13.6	69	20.4	14.1-26.7	122	56.3	47.9-64.7
\$25,000- 34,999	296	260,841	43	14.7	9.6-19.8	13	5.0	1.9- 8.1	70	23.6	17.1-30.1	170	56.7	49.3-64.1
\$35,000- 49,999	391	399,442	63	16.8	11.5-22.1	10	2.8	0.6- 5.0	84	20.2	15.1-25.3	234	60.1	53.6-66.6
\$50,000- 99,999	622	605,177	58	9.7	6.8-12.6	18	2.9	1.3- 4.5	148	22.0	17.7-26.3	398	65.3	60.4-70.2
\$100,000 - 199,999	363	355,100	16	3.0	1.2- 4.8	5	1.1	0.1- 2.1	81	21.9	16.4-27.4	261	74.1	68.4-79.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 11: TOBACCO USE**

**TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5304	5,263,598	4406	83.0	81.6-84.4	898	17.0	15.6-18.4
Male	2542	2,523,722	2102	81.8	79.6-84.0	440	18.2	16.0-20.4
Female	2762	2,739,876	2304	84.2	82.2-86.2	458	15.8	13.8-17.8
White/Non-Hisp	4189	3,772,469	3504	83.3	81.7-84.9	685	16.7	15.1-18.3
Black or Afr. Am./Non-Hisp	594	723,837	495	83.6	79.7-87.5	99	16.4	12.5-20.3
Oth. Race/Non-Hisp.	143	193,778	109	76.4	66.4-86.4	34	23.6	13.6-33.6
MultiRacial/Non-Hisp.	121	139,381	87	74.3	63.9-84.7	34	25.7	15.3-36.1
Hispanic	168	344,758	141	87.1	80.6-93.6	27	12.9	6.4-19.4
18-24	363	628,974	334	93.2	90.5-95.9	29	6.8	4.1- 9.5
25-34	629	874,626	540	85.7	82.4-89.0	89	14.3	11.0-17.6
35-44	721	848,615	555	74.6	69.9-79.3	166	25.4	20.7-30.1
45-54	860	807,753	667	78.1	74.6-81.6	193	21.9	18.4-25.4
55-64	959	833,179	750	78.2	74.5-81.9	209	21.8	18.1-25.5
65+	1772	1,270,451	1560	88.0	85.6-90.4	212	12.0	9.6-14.4
Less Than H.S.	384	593,350	242	63.2	56.3-70.1	142	36.8	29.9-43.7
H.S. or G.E.D.	1554	1,677,755	1191	79.2	76.7-81.7	363	20.8	18.3-23.3
Some Post-H.S.	1425	1,571,254	1153	84.1	81.6-86.6	272	15.9	13.4-18.4
College Graduate	1923	1,404,937	1803	94.5	93.3-95.7	120	5.5	4.3- 6.7
Less than \$15,000	307	289,050	184	62.7	54.9-70.5	123	37.3	29.5-45.1
\$15,000-24,999	457	423,899	323	72.1	66.0-78.2	134	27.9	21.8-34.0
\$25,000-34,999	503	452,889	390	77.8	73.3-82.3	113	22.2	17.7-26.7
\$35,000-49,999	726	742,666	587	77.1	72.4-81.8	139	22.9	18.2-27.6
\$50,000-99,999	1301	1,281,490	1119	84.6	81.9-87.3	182	15.4	12.7-18.1
\$100,000-199,999	820	815,905	763	93.9	91.9-95.9	57	6.1	4.1- 8.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 11: TOBACCO USE**

**TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2542	2,523,722	2102	81.8	79.6-84.0	440	18.2	16.0-20.4
White/Non-Hisp	2018	1,814,406	1702	83.6	81.2-86.0	316	16.4	14.0-18.8
Black or Afr. Am./Non-Hisp	228	275,173	169	73.3	65.9-80.7	59	26.7	19.3-34.1
Oth. Race/Non-Hisp.	80	92,568	63	78.5	66.3-90.7	17	21.5	9.3-33.7
MultiRacial/Non-Hisp.	62	77,188	45	72.4	59.7-85.1	17	27.6	14.9-40.3
Hispanic	103	215,545	85	85.0	75.8-94.2	18	15.0	5.8-24.2
18-24	183	309,471	169	93.2	89.5-96.9	14	6.8	3.1-10.5
25-34	323	432,522	274	84.1	79.0-89.2	49	15.9	10.8-21.0
35-44	336	417,318	249	70.4	63.0-77.8	87	29.6	22.2-37.0
45-54	423	399,191	336	79.7	74.8-84.6	87	20.3	15.4-25.2
55-64	477	398,223	381	78.4	73.3-83.5	96	21.6	16.5-26.7
65+	800	566,997	693	85.9	83.0-88.8	107	14.1	11.2-17.0
Less Than H.S.	191	283,888	111	55.1	45.1-65.1	80	44.9	34.9-54.9
H.S. or G.E.D.	776	839,926	589	78.5	74.8-82.2	187	21.5	17.8-25.2
Some Post-H.S.	641	721,482	530	84.5	80.8-88.2	111	15.5	11.8-19.2
College Graduate	921	666,033	860	94.0	92.2-95.8	61	6.0	4.2- 7.8
Less than \$15,000	107	88,762	61	57.4	45.1-69.7	46	42.6	30.3-54.9
\$15,000- 24,999	196	184,123	132	66.2	56.2-76.2	64	33.8	23.8-43.8
\$25,000- 34,999	207	192,049	150	74.5	67.1-81.9	57	25.5	18.1-32.9
\$35,000- 49,999	335	343,224	269	73.3	65.7-80.9	66	26.7	19.1-34.3
\$50,000- 99,999	679	676,313	573	82.2	77.9-86.5	106	17.8	13.5-22.1
\$100,000 - 199,999	457	460,805	421	92.2	89.3-95.1	36	7.8	4.9-10.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 11: TOBACCO USE**

**TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2762	2,739,876	2304	84.2	82.2-86.2	458	15.8	13.8-17.8
White/Non-Hisp	2171	1,958,064	1802	83.0	80.8-85.2	369	17.0	14.8-19.2
Black or Afr. Am./Non-Hisp	366	448,664	326	89.9	85.8-94.0	40	10.1	6.0-14.2
Oth. Race/Non-Hisp.	63	101,210	46	74.4	58.7-90.1	17	25.6	9.9-41.3
MultiRacial/Non-Hisp.	59	62,193	42	76.6	63.3-89.9	17	23.4	10.1-36.7
Hispanic	65	129,214	56	90.6	83.0-98.2	9	9.4	1.8-17.0
18-24	180	319,502	165	93.2	89.5-96.9	15	6.8	3.1-10.5
25-34	306	442,104	266	87.3	83.0-91.6	40	12.7	8.4-17.0
35-44	385	431,297	306	78.7	73.0-84.4	79	21.3	15.6-27.0
45-54	437	408,563	331	76.5	71.4-81.6	106	23.5	18.4-28.6
55-64	482	434,955	369	77.9	72.2-83.6	113	22.1	16.4-27.8
65+	972	703,454	867	89.7	86.8-92.6	105	10.3	7.4-13.2
Less Than H.S.	193	309,462	131	70.7	61.7-79.7	62	29.3	20.3-38.3
H.S. or G.E.D.	778	837,829	602	79.9	76.2-83.6	176	20.1	16.4-23.8
Some Post-H.S.	784	849,771	623	83.8	80.7-86.9	161	16.2	13.1-19.3
College Graduate	1002	738,904	943	95.0	93.4-96.6	59	5.0	3.4- 6.6
Less than \$15,000	200	200,288	123	65.1	55.1-75.1	77	34.9	24.9-44.9
\$15,000- 24,999	261	239,776	191	76.7	69.4-84.0	70	23.3	16.0-30.6
\$25,000- 34,999	296	260,841	240	80.3	74.6-86.0	56	19.7	14.0-25.4
\$35,000- 49,999	391	399,442	318	80.3	74.8-85.8	73	19.7	14.2-25.2
\$50,000- 99,999	622	605,177	546	87.4	84.1-90.7	76	12.6	9.3-15.9
\$100,000 - 199,999	363	355,100	342	96.0	93.8-98.2	21	4.0	1.8- 6.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 11: TOBACCO USE**

**TABLE 7: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (\_CURECI2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5318	5,284,852	4881	89.8	88.6-91.0	437	10.2	9.0-11.4
Male	2551	2,542,610	2322	89.0	87.2-90.8	229	11.0	9.2-12.8
Female	2767	2,742,242	2559	90.7	89.1-92.3	208	9.3	7.7-10.9
White/Non-Hisp	4201	3,778,574	3848	89.3	87.9-90.7	353	10.7	9.3-12.1
Black or Afr. Am./Non-Hisp	595	738,551	569	94.6	92.1-97.1	26	5.4	2.9- 7.9
Oth. Race/Non-Hisp.	143	193,366	127	84.5	74.5-94.5	16	15.5	5.5-25.5
MultiRacial/Non-Hisp.	121	139,381	108	89.8	83.9-95.7	13	10.2	4.3-16.1
Hispanic	168	345,476	146	87.8	81.3-94.3	22	12.2	5.7-18.7
18-24	362	633,516	281	79.2	74.3-84.1	81	20.8	15.9-25.7
25-34	633	881,253	525	83.4	79.9-86.9	108	16.6	13.1-20.1
35-44	718	844,594	612	84.3	80.6-88.0	106	15.7	12.0-19.4
45-54	861	812,736	797	92.3	89.9-94.7	64	7.7	5.3-10.1
55-64	961	837,396	916	94.7	92.3-97.1	45	5.3	2.9- 7.7
65+	1783	1,275,357	1750	98.5	97.7-99.3	33	1.5	0.7- 2.3
Less Than H.S.	391	606,210	359	89.5	84.8-94.2	32	10.5	5.8-15.2
H.S. or G.E.D.	1559	1,686,518	1379	86.6	84.2-89.0	180	13.4	11.0-15.8
Some Post-H.S.	1428	1,572,522	1290	88.8	86.4-91.2	138	11.2	8.8-13.6
College Graduate	1923	1,404,767	1837	95.0	93.8-96.2	86	5.0	3.8- 6.2
Less than \$15,000	310	287,078	271	86.2	79.7-92.7	39	13.8	7.3-20.3
\$15,000-24,999	458	423,995	421	92.3	89.2-95.4	37	7.7	4.6-10.8
\$25,000-34,999	506	456,363	466	88.7	84.2-93.2	40	11.3	6.8-15.8
\$35,000-49,999	727	746,145	651	87.0	83.7-90.3	76	13.0	9.7-16.3
\$50,000-99,999	1309	1,297,297	1197	88.5	86.0-91.0	112	11.5	9.0-14.0
\$100,000-199,999	814	809,881	757	91.8	89.4-94.2	57	8.2	5.8-10.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 11: TOBACCO USE**

**TABLE 8: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (\_CURECI2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2551	2,542,610	2322	89.0	87.2-90.8	229	11.0	9.2-12.8
White/Non-Hisp	2022	1,827,545	1845	89.1	87.3-90.9	177	10.9	9.1-12.7
Black or Afr. Am./Non-Hisp	231	278,784	217	91.7	86.2-97.2	14	8.3	2.8-13.8
Oth. Race/Non-Hisp.	81	93,759	70	86.9	75.9-97.9	11	13.1	2.1-24.1
MultiRacial/Non-Hisp.	62	77,188	57	90.3	81.7-98.9	5	9.7	1.1-18.3
Hispanic	104	216,491	86	83.1	73.3-92.9	18	16.9	7.1-26.7
18-24	184	316,311	135	76.3	69.0-83.6	49	23.7	16.4-31.0
25-34	326	436,144	267	82.3	77.2-87.4	59	17.7	12.6-22.8
35-44	336	419,418	274	83.4	78.3-88.5	62	16.6	11.5-21.7
45-54	423	398,483	393	91.1	87.0-95.2	30	8.9	4.8-13.0
55-64	480	402,994	465	96.0	93.6-98.4	15	4.0	1.6- 6.4
65+	802	569,259	788	98.7	97.9-99.5	14	1.3	0.5- 2.1
Less Than H.S.	196	289,015	183	92.3	87.2-97.4	13	7.7	2.6-12.8
H.S. or G.E.D.	782	852,399	689	86.0	82.7-89.3	93	14.0	10.7-17.3
Some Post-H.S.	640	719,539	572	87.0	83.3-90.7	68	13.0	9.3-16.7
College Graduate	920	669,265	866	93.3	91.3-95.3	54	6.7	4.7- 8.7
Less than \$15,000	110	91,240	101	92.2	86.9-97.5	9	7.8	2.5-13.1
\$15,000- 24,999	194	183,291	174	89.7	84.2-95.2	20	10.3	4.8-15.8
\$25,000- 34,999	210	194,595	196	89.6	82.0-97.2	14	10.4	2.8-18.0
\$35,000- 49,999	336	343,719	297	86.2	81.5-90.9	39	13.8	9.1-18.5
\$50,000- 99,999	682	682,429	602	84.8	80.7-88.9	80	15.2	11.1-19.3
\$100,000 - 199,999	454	457,887	421	91.1	87.6-94.6	33	8.9	5.4-12.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 11: TOBACCO USE**

**TABLE 9: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (\_CURECI2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2767	2,742,242	2559	90.7	89.1-92.3	208	9.3	7.7-10.9
White/Non-Hisp	2179	1,951,030	2003	89.4	87.4-91.4	176	10.6	8.6-12.6
Black or Afr. Am./Non-Hisp	364	459,767	352	96.4	94.0-98.8	12	3.6	1.2- 6.0
Oth. Race/Non-Hisp.	62	99,608	57	82.3	65.8-98.8	5	17.7	1.2-34.2
MultiRacial/Non-Hisp.	59	62,193	51	89.1	81.3-96.9	8	10.9	3.1-18.7
Hispanic	64	128,986	60	95.9	91.6- 100	4	4.1	0.0- 8.4
18-24	178	317,205	146	82.0	75.5-88.5	32	18.0	11.5-24.5
25-34	307	445,109	258	84.4	79.7-89.1	49	15.6	10.9-20.3
35-44	382	425,176	338	85.2	79.7-90.7	44	14.8	9.3-20.3
45-54	438	414,254	404	93.5	90.8-96.2	34	6.5	3.8- 9.2
55-64	481	434,402	451	93.5	89.4-97.6	30	6.5	2.4-10.6
65+	981	706,097	962	98.4	97.2-99.6	19	1.6	0.4- 2.8
Less Than H.S.	195	317,195	176	87.0	79.4-94.6	19	13.0	5.4-20.6
H.S. or G.E.D.	777	834,120	690	87.2	84.1-90.3	87	12.8	9.7-15.9
Some Post-H.S.	788	852,982	718	90.3	87.6-93.0	70	9.7	7.0-12.4
College Graduate	1003	735,502	971	96.5	94.9-98.1	32	3.5	1.9- 5.1
Less than \$15,000	200	195,838	170	83.5	74.7-92.3	30	16.5	7.7-25.3
\$15,000- 24,999	264	240,704	247	94.4	91.1-97.7	17	5.6	2.3- 8.9
\$25,000- 34,999	296	261,768	270	88.1	82.8-93.4	26	11.9	6.6-17.2
\$35,000- 49,999	391	402,426	354	87.7	83.0-92.4	37	12.3	7.6-17.0
\$50,000- 99,999	627	614,868	595	92.7	89.6-95.8	32	7.3	4.2-10.4
\$100,000 - 199,999	360	351,994	336	92.6	89.3-95.9	24	7.4	4.1-10.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023**

**SECTION 12: ALCOHOL CONSUMPTION CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY6)	
1 MALES AND FEMALES	146
2 MALES ONLY	147
3 FEMALES ONLY	148
DRINK-OCCASIONS-PER-DAY (DROCDY4_)	
4 MALES AND FEMALES	149
5 MALES ONLY	150
6 FEMALES ONLY	151
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING6)	
7 MALES AND FEMALES	152
8 MALES ONLY	153
9 FEMALES ONLY	154
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWK2)	
10 MALES AND FEMALES	155
11 MALES ONLY	156
12 FEMALES ONLY	157
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV8)	
13 MALES AND FEMALES	158
14 MALES ONLY	159
15 FEMALES ONLY	160

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY6)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5243	5,216,298	2410	47.7	45.9-49.5	2833	52.3	50.5-54.1
Male	2505	2,496,701	1316	54.5	51.8-57.2	1189	45.5	42.8-48.2
Female	2738	2,719,597	1094	41.5	39.0-44.0	1644	58.5	56.0-61.0
White/Non-Hisp	4144	3,740,649	1867	46.1	44.1-48.1	2277	53.9	51.9-55.9
Black or Afr. Am./Non-Hisp	582	720,190	291	53.4	48.1-58.7	291	46.6	41.3-51.9
Oth. Race/Non-Hisp.	142	185,655	70	45.0	33.2-56.8	72	55.0	43.2-66.8
MultiRacial/Non-Hisp.	118	135,153	49	41.9	30.7-53.1	69	58.1	46.9-69.3
Hispanic	168	345,476	93	57.4	48.2-66.6	75	42.6	33.4-51.8
18-24	357	623,194	181	48.0	41.5-54.5	176	52.0	45.5-58.5
25-34	625	873,341	378	58.4	53.5-63.3	247	41.6	36.7-46.5
35-44	713	835,041	422	61.5	56.6-66.4	291	38.5	33.6-43.4
45-54	847	801,979	434	53.9	49.4-58.4	413	46.1	41.6-50.6
55-64	953	830,784	431	44.4	40.1-48.7	522	55.6	51.3-59.9
65+	1748	1,251,958	564	29.1	26.2-32.0	1184	70.9	68.0-73.8
Less Than H.S.	380	582,573	89	26.7	20.2-33.2	291	73.3	66.8-79.8
H.S. or G.E.D.	1530	1,664,595	537	38.8	35.5-42.1	993	61.2	57.9-64.5
Some Post-H.S.	1414	1,558,661	651	50.5	47.0-54.0	763	49.5	46.0-53.0
College Graduate	1903	1,395,058	1129	64.1	61.4-66.8	774	35.9	33.2-38.6
Less than \$15,000	308	287,467	81	26.9	19.8-34.0	227	73.1	66.0-80.2
\$15,000-24,999	448	415,142	143	34.6	28.3-40.9	305	65.4	59.1-71.7
\$25,000-34,999	499	452,385	167	35.7	30.0-41.4	332	64.3	58.6-70.0
\$35,000-49,999	720	737,400	281	42.7	37.8-47.6	439	57.3	52.4-62.2
\$50,000-99,999	1298	1,288,552	684	53.8	50.1-57.5	614	46.2	42.5-49.9
\$100,000-199,999	810	805,106	528	67.4	63.3-71.5	282	32.6	28.5-36.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY6)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2505	2,496,701	1316	54.5	52.0-57.0	1189	45.5	43.0-48.0
White/Non-Hisp	1988	1,800,323	1021	52.0	49.1-54.9	967	48.0	45.1-50.9
Black or Afr. Am./Non-Hisp	222	265,136	128	61.6	53.6-69.6	94	38.4	30.4-46.4
Oth. Race/Non-Hisp.	80	91,920	42	48.4	33.5-63.3	38	51.6	36.7-66.5
MultiRacial/Non-Hisp.	61	74,314	33	51.8	36.5-67.1	28	48.2	32.9-63.5
Hispanic	104	216,491	68	70.5	59.9-81.1	36	29.5	18.9-40.1
18-24	182	313,003	101	53.0	44.4-61.6	81	47.0	38.4-55.6
25-34	319	429,680	217	65.6	58.9-72.3	102	34.4	27.7-41.1
35-44	333	414,406	222	67.2	60.1-74.3	111	32.8	25.7-39.9
45-54	414	390,523	226	56.9	50.6-63.2	188	43.1	36.8-49.4
55-64	474	398,883	230	49.5	43.6-55.4	244	50.5	44.6-56.4
65+	783	550,207	320	39.0	34.3-43.7	463	61.0	56.3-65.7
Less Than H.S.	187	276,101	61	38.3	28.3-48.3	126	61.7	51.7-71.7
H.S. or G.E.D.	766	835,863	331	46.7	42.0-51.4	435	53.3	48.6-58.0
Some Post-H.S.	635	713,683	342	57.3	52.4-62.2	293	42.7	37.8-47.6
College Graduate	906	659,553	579	68.2	64.5-71.9	327	31.8	28.1-35.5
Less than \$15,000	107	87,315	39	36.4	24.6-48.2	68	63.6	51.8-75.4
\$15,000- 24,999	189	179,363	77	46.5	36.1-56.9	112	53.5	43.1-63.9
\$25,000- 34,999	206	191,078	79	40.1	30.7-49.5	127	59.9	50.5-69.3
\$35,000- 49,999	333	340,620	142	45.8	38.2-53.4	191	54.2	46.6-61.8
\$50,000- 99,999	678	678,644	390	58.2	53.3-63.1	288	41.8	36.9-46.7
\$100,000 - 199,999	450	451,984	305	70.5	65.4-75.6	145	29.5	24.4-34.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY6)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2738	2,719,597	1094	41.5	39.0-44.0	1644	58.5	56.0-61.0
White/Non-Hisp	2156	1,940,326	846	40.6	37.9-43.3	1310	59.4	56.7-62.1
Black or Afr. Am./Non-Hisp	360	455,053	163	48.7	41.6-55.8	197	51.3	44.2-58.4
Oth. Race/Non-Hisp.	62	93,735	28	41.8	24.2-59.4	34	58.2	40.6-75.8
MultiRacial/Non-Hisp.	57	60,838	16	29.8	17.1-42.5	41	70.2	57.5-82.9
Hispanic	64	128,986	25	35.5	22.0-49.0	39	64.5	51.0-78.0
18-24	175	310,191	80	42.9	33.5-52.3	95	57.1	47.7-66.5
25-34	306	443,661	161	51.5	44.4-58.6	145	48.5	41.4-55.6
35-44	380	420,635	200	55.9	49.2-62.6	180	44.1	37.4-50.8
45-54	433	411,457	208	51.1	44.8-57.4	225	48.9	42.6-55.2
55-64	479	431,901	201	39.8	33.9-45.7	278	60.2	54.3-66.1
65+	965	701,751	244	21.4	18.1-24.7	721	78.6	75.3-81.9
Less Than H.S.	193	306,473	28	16.4	8.0-24.8	165	83.6	75.2-92.0
H.S. or G.E.D.	764	828,732	206	30.9	26.4-35.4	558	69.1	64.6-73.6
Some Post-H.S.	779	844,978	309	44.7	40.0-49.4	470	55.3	50.6-60.0
College Graduate	997	735,505	550	60.4	56.5-64.3	447	39.6	35.7-43.5
Less than \$15,000	201	200,152	42	22.8	14.0-31.6	159	77.2	68.4-86.0
\$15,000- 24,999	259	235,779	66	25.6	18.5-32.7	193	74.4	67.3-81.5
\$25,000- 34,999	293	261,308	88	32.4	25.5-39.3	205	67.6	60.7-74.5
\$35,000- 49,999	387	396,780	139	39.9	33.4-46.4	248	60.1	53.6-66.6
\$50,000- 99,999	620	609,908	294	48.9	43.4-54.4	326	51.1	45.6-56.6
\$100,000 - 199,999	360	353,123	223	63.5	57.0-70.0	137	36.5	30.0-43.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
 SECTION 12: ALCOHOL CONSUMPTION  
 TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY4\_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5243	5,216,298	1380	28.3	26.5-30.1	553	10.8	9.6-12.0	198	3.6	3.0- 4.2	279	5.0	4.2- 5.8	2833	52.3	50.5-54.1
Male	2505	2,496,701	678	29.4	26.9-31.9	306	12.6	10.8-14.4	133	5.4	4.2- 6.6	199	7.1	5.9- 8.3	1189	45.5	42.8-48.2
Female	2738	2,719,597	702	27.4	25.0-29.8	247	9.2	7.8-10.6	65	1.9	1.3- 2.5	80	3.1	2.1- 4.1	1644	58.5	56.0-61.0
White/Non-Hisp	4144	3,740,649	1045	26.0	24.2-27.8	435	11.0	9.6-12.4	161	3.8	3.0- 4.6	226	5.3	4.3- 6.3	2277	53.9	51.9-55.9
Black or Afr. Am./Non-Hisp	582	720,190	181	33.8	28.5-39.1	70	12.4	8.9-15.9	14	2.6	1.0- 4.2	26	4.6	1.5- 7.7	291	46.6	41.3-51.9
Oth. Race/Non-Hisp.	142	185,655	39	31.7	20.9-42.5	13	7.1	2.0-12.2	10	4.0	0.9- 7.1	8	2.3	0.5- 4.1	72	55.0	43.2-66.8
MultiRacial/Non-Hisp.	118	135,153	34	28.7	18.7-38.7	7	5.4	1.3- 9.5	3	2.0	0.0- 4.4	5	5.9	0.0-12.6	69	58.1	46.9-69.3
Hispanic	168	345,476	57	40.5	31.1-49.9	21	9.6	4.5-14.7	8	3.7	0.4- 7.0	7	3.6	0.7- 6.5	75	42.6	33.4-51.8
18-24	357	623,194	108	28.4	22.7-34.1	45	10.8	6.9-14.7	18	4.6	2.1- 7.1	10	4.2	0.5- 7.9	176	52.0	45.5-58.5
25-34	625	873,341	243	38.7	33.8-43.6	101	15.3	11.8-18.8	22	2.1	1.1- 3.1	12	2.3	0.7- 3.9	247	41.6	36.7-46.5
35-44	713	835,041	261	38.1	33.2-43.0	90	13.5	10.4-16.6	30	5.2	2.7- 7.7	41	4.7	2.9- 6.5	291	38.5	33.6-43.4
45-54	847	801,979	248	33.4	28.9-37.9	104	11.4	8.5-14.3	37	3.8	2.4- 5.2	45	5.4	3.6- 7.2	413	46.1	41.6-50.6
55-64	953	830,784	250	25.7	22.0-29.4	90	8.5	6.3-10.7	32	3.5	1.9- 5.1	59	6.7	4.5- 8.9	522	55.6	51.3-59.9
65+	1748	1,251,958	270	13.0	11.0-15.0	123	7.1	5.3- 8.9	59	3.0	2.0- 4.0	112	6.0	4.4- 7.6	1184	70.9	68.0-73.8
Less Than H.S.	380	582,573	53	16.1	10.6-21.6	11	3.7	1.0- 6.4	7	1.4	0.0- 2.8	18	5.6	1.7- 9.5	291	73.3	66.8-79.8
H.S. or G.E.D.	1530	1,664,595	308	23.6	20.7-26.5	116	8.1	6.1-10.1	40	2.7	1.5- 3.9	73	4.4	3.0- 5.8	993	61.2	57.9-64.5
Some Post-H.S.	1414	1,558,661	380	29.6	26.5-32.7	135	11.3	8.9-13.7	60	4.6	3.0- 6.2	76	4.9	3.3- 6.5	763	49.5	46.0-53.0
College Graduate	1903	1,395,058	636	37.7	34.8-40.6	290	16.4	14.2-18.6	91	4.4	3.4- 5.4	112	5.5	4.3- 6.7	774	35.9	33.2-38.6
Less than \$15,000	308	287,467	52	16.5	10.8-22.2	12	6.1	1.4-10.8	5	1.4	0.0- 2.8	12	2.9	0.9- 4.9	227	73.1	66.0-80.2
\$15,000-24,999	448	415,142	81	20.9	15.4-26.4	22	4.8	2.4- 7.2	13	2.9	0.9- 4.9	27	6.0	2.5- 9.5	305	65.4	59.1-71.7
\$25,000-34,999	499	452,385	85	18.2	13.3-23.1	47	10.5	7.0-14.0	10	1.9	0.5- 3.3	25	5.1	2.7- 7.5	332	64.3	58.6-70.0
\$35,000-49,999	720	737,400	174	27.3	22.8-31.8	66	9.1	6.6-11.6	20	4.3	1.6- 7.0	21	2.0	1.0- 3.0	439	57.3	52.4-62.2
\$50,000-99,999	1298	1,288,552	416	35.2	31.5-38.9	141	10.7	8.3-13.1	52	3.2	2.0- 4.4	75	4.7	3.3- 6.1	614	46.2	42.5-49.9
\$100,000-199,999	810	805,106	294	39.0	34.5-43.5	135	16.2	13.1-19.3	47	5.9	3.7- 8.1	52	6.3	4.1- 8.5	282	32.6	28.5-36.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
 SECTION 12: ALCOHOL CONSUMPTION  
 TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY4\_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2505	2,496,701	678	29.4	26.9-31.9	306	12.6	10.8-14.4	133	5.4	4.2- 6.6	199	7.1	5.9- 8.3	1189	45.5	43.0-48.0
White/Non-Hisp	1988	1,800,323	515	26.1	23.6-28.6	238	12.5	10.5-14.5	106	5.6	4.2- 7.0	162	7.7	6.1- 9.3	967	48.0	45.1-50.9
Black or Afr. Am./Non-Hisp	222	265,136	71	35.8	27.6-44.0	35	16.3	10.2-22.4	8	4.6	1.1- 8.1	14	4.9	1.8- 8.0	94	38.4	30.4-46.4
Oth. Race/Non-Hisp.	80	91,920	19	30.1	15.6-44.6	8	9.1	1.7-16.5	8	5.5	0.4-10.6	7	3.8	0.7- 6.9	38	51.6	36.7-66.5
MultiRacial/Non-Hisp.	61	74,314	23	33.8	19.9-47.7	3	4.8	0.0-10.5	2	2.5	0.0- 6.0	5	10.7	0.0-22.5	28	48.2	32.9-63.5
Hispanic	104	216,491	37	46.9	34.9-58.9	18	12.8	5.4-20.2	7	5.6	0.3-10.9	6	5.1	0.4- 9.8	36	29.5	18.9-40.1
18-24	182	313,003	52	29.2	21.2-37.2	27	12.8	6.9-18.7	13	6.1	2.2-10.0	9	5.0	0.9- 9.1	81	47.0	38.4-55.6
25-34	319	429,680	126	38.1	31.2-45.0	68	21.1	15.4-26.8	15	3.2	1.4- 5.0	8	3.3	0.8- 5.8	102	34.4	27.7-41.1
35-44	333	414,406	124	38.9	31.6-46.2	43	12.0	7.9-16.1	23	8.6	3.7-13.5	32	7.7	4.4-11.0	111	32.8	25.7-39.9
45-54	414	390,523	120	31.8	25.5-38.1	53	12.3	8.4-16.2	21	4.4	2.2- 6.6	32	8.3	5.2-11.4	188	43.1	36.8-49.4
55-64	474	398,883	117	25.8	20.7-30.9	49	9.3	6.4-12.2	22	5.3	2.6- 8.0	42	9.2	5.7-12.7	244	50.5	44.6-56.4
65+	783	550,207	139	16.4	12.9-19.9	66	9.1	6.0-12.2	39	5.1	3.1- 7.1	76	8.3	5.9-10.7	463	61.0	56.3-65.7
Less Than H.S.	187	276,101	31	21.3	12.5-30.1	9	6.9	1.4-12.4	6	2.8	0.1- 5.5	15	7.2	2.9-11.5	126	61.7	51.7-71.7
H.S. or G.E.D.	766	835,863	174	27.2	22.7-31.7	69	8.3	5.8-10.8	30	4.2	2.2- 6.2	58	7.0	4.6- 9.4	435	53.3	48.6-58.0
Some Post-H.S.	635	713,683	175	28.1	23.6-32.6	78	15.1	11.2-19.0	41	7.3	4.4-10.2	48	6.7	4.2- 9.2	293	42.7	37.8-47.6
College Graduate	906	659,553	296	37.2	33.1-41.3	149	17.5	14.4-20.6	56	5.9	4.1- 7.7	78	7.6	5.6- 9.6	327	31.8	28.1-35.5
Less than \$15,000	107	87,315	21	21.5	11.7-31.3	5	4.3	0.2- 8.4	5	4.5	0.2- 8.8	8	6.2	1.3-11.1	68	63.6	51.8-75.4
\$15,000- 24,999	189	179,363	37	24.5	15.3-33.7	9	4.9	1.4- 8.4	9	4.7	0.8- 8.6	22	12.4	4.8-20.0	112	53.5	43.1-63.9
\$25,000- 34,999	206	191,078	37	20.8	12.0-29.6	23	10.9	5.8-16.0	3	1.4	0.0- 3.2	16	7.0	3.1-10.9	127	59.9	50.5-69.3
\$35,000- 49,999	333	340,620	81	24.9	18.8-31.0	33	10.5	6.2-14.8	13	7.1	1.8-12.4	15	3.3	1.3- 5.3	191	54.2	46.6-61.8
\$50,000- 99,999	678	678,644	221	36.5	31.4-41.6	82	12.1	9.0-15.2	34	4.0	2.2- 5.8	53	5.6	3.8- 7.4	288	41.8	36.9-46.7
\$100,000 - 199,999	450	451,984	151	36.5	30.6-42.4	79	16.5	12.4-20.6	35	8.1	4.8-11.4	40	9.4	5.9-12.9	145	29.5	24.4-34.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
 SECTION 12: ALCOHOL CONSUMPTION  
 TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY4\_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2738	2,719,597	702	27.4	25.0-29.8	247	9.2	7.8-10.6	65	1.9	1.3- 2.5	80	3.1	2.1- 4.1	1644	58.5	56.0-61.0
White/Non-Hisp	2156	1,940,326	530	25.9	23.4-28.4	197	9.5	7.9-11.1	55	2.1	1.3- 2.9	64	3.0	2.0- 4.0	1310	59.4	56.7-62.1
Black or Afr. Am./Non-Hisp	360	455,053	110	32.6	25.9-39.3	35	10.1	5.8-14.4	6	1.5	0.1- 2.9	12	4.4	0.0- 9.1	197	51.3	44.2-58.4
Oth. Race/Non-Hisp.	62	93,735	20	33.2	16.9-49.5	5	5.1	0.0-12.0	2	2.6	0.0- 6.3	1	0.9	0.0- 2.7	34	58.2	40.6-75.8
MultiRacial/Non-Hisp.	57	60,838	11	22.4	11.0-33.8	4	6.0	0.0-12.1	1	1.4	0.0- 4.1				41	70.2	57.5-82.9
Hispanic	64	128,986	20	29.8	16.9-42.7	3	4.3	0.0- 9.6	1	0.5	0.0- 1.5	1	0.9	0.0- 2.7	39	64.5	51.0-78.0
18-24	175	310,191	56	27.6	19.8-35.4	18	8.8	3.9-13.7	5	3.1	0.2- 6.0	1	3.4	0.0- 9.9	95	57.1	47.7-66.5
25-34	306	443,661	117	39.4	32.5-46.3	33	9.7	5.8-13.6	7	1.1	0.1- 2.1	4	1.3	0.0- 2.7	145	48.5	41.4-55.6
35-44	380	420,635	137	37.3	30.8-43.8	47	14.9	10.4-19.4	7	1.9	0.3- 3.5	9	1.7	0.3- 3.1	180	44.1	37.4-50.8
45-54	433	411,457	128	34.8	28.3-41.3	51	10.6	6.3-14.9	16	3.1	1.3- 4.9	13	2.6	0.8- 4.4	225	48.9	42.6-55.2
55-64	479	431,901	133	25.7	20.4-31.0	41	7.8	4.9-10.7	10	1.8	0.6- 3.0	17	4.5	1.8- 7.2	278	60.2	54.3-66.1
65+	965	701,751	131	10.3	8.1-12.5	57	5.5	3.5- 7.5	20	1.3	0.5- 2.1	36	4.3	2.3- 6.3	721	78.6	75.3-81.9
Less Than H.S.	193	306,473	22	11.4	5.1-17.7	2	0.7	0.0- 1.7	1	0.2	0.0- 0.6	3	4.1	0.0-10.6	165	83.6	75.2-92.0
H.S. or G.E.D.	764	828,732	134	19.9	16.0-23.8	47	8.0	5.1-10.9	10	1.2	0.2- 2.2	15	1.8	0.6- 3.0	558	69.1	64.6-73.6
Some Post-H.S.	779	844,978	205	30.9	26.4-35.4	57	8.0	5.5-10.5	19	2.3	1.1- 3.5	28	3.4	1.6- 5.2	470	55.3	50.6-60.0
College Graduate	997	735,505	340	38.3	34.2-42.4	141	15.3	12.4-18.2	35	3.1	1.9- 4.3	34	3.7	2.1- 5.3	447	39.6	35.7-43.5
Less than \$15,000	201	200,152	31	14.3	7.6-21.0	7	7.0	0.3-13.7				4	1.5	0.0- 3.3	159	77.2	68.4-86.0
\$15,000- 24,999	259	235,779	44	18.2	11.7-24.7	13	4.6	1.5- 7.7	4	1.6	0.0- 3.4	5	1.1	0.0- 2.3	193	74.4	67.3-81.5
\$25,000- 34,999	293	261,308	48	16.3	11.0-21.6	24	10.2	5.3-15.1	7	2.2	0.4- 4.0	9	3.7	1.0- 6.4	205	67.6	60.7-74.5
\$35,000- 49,999	387	396,780	93	29.3	23.0-35.6	33	7.8	4.7-10.9	7	1.9	0.1- 3.7	6	0.8	0.0- 1.6	248	60.1	53.6-66.6
\$50,000- 99,999	620	609,908	195	33.7	28.4-39.0	59	9.3	6.0-12.6	18	2.2	0.8- 3.6	22	3.7	1.5- 5.9	326	51.1	45.6-56.6
\$100,000 - 199,999	360	353,123	143	42.3	35.4-49.2	56	15.7	11.0-20.4	12	3.2	1.0- 5.4	12	2.3	0.7- 3.9	137	36.5	30.0-43.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING6)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5200	5,159,218	4574	86.4	85.0-87.8	626	13.6	12.2-15.0
Male	2480	2,464,316	2083	82.9	80.9-84.9	397	17.1	15.1-19.1
Female	2720	2,694,903	2491	89.6	87.8-91.4	229	10.4	8.6-12.2
White/Non-Hisp	4117	3,710,349	3638	86.7	85.3-88.1	479	13.3	11.9-14.7
Black or Afr. Am./Non-Hisp	568	701,429	508	86.9	82.4-91.4	60	13.1	8.6-17.6
Oth. Race/Non-Hisp.	141	185,175	116	85.8	78.2-93.4	25	14.2	6.6-21.8
MultiRacial/Non-Hisp.	118	135,153	103	89.0	82.9-95.1	15	11.0	4.9-17.1
Hispanic	167	337,936	132	81.4	74.5-88.3	35	18.6	11.7-25.5
18-24	353	617,343	268	77.7	72.4-83.0	85	22.3	17.0-27.6
25-34	623	871,390	472	78.6	74.9-82.3	151	21.4	17.7-25.1
35-44	706	813,859	575	81.4	77.7-85.1	131	18.6	14.9-22.3
45-54	838	792,784	720	85.6	82.3-88.9	118	14.4	11.1-17.7
55-64	941	817,710	854	91.1	88.7-93.5	87	8.9	6.5-11.3
65+	1739	1,246,133	1685	97.0	96.0-98.0	54	3.0	2.0- 4.0
Less Than H.S.	371	564,555	338	87.9	82.4-93.4	33	12.1	6.6-17.6
H.S. or G.E.D.	1518	1,651,439	1343	87.0	84.6-89.4	175	13.0	10.6-15.4
Some Post-H.S.	1404	1,540,442	1232	86.3	83.9-88.7	172	13.7	11.3-16.1
College Graduate	1891	1,387,371	1645	85.1	82.9-87.3	246	14.9	12.7-17.1
Less than \$15,000	304	283,581	281	89.0	83.1-94.9	23	11.0	5.1-16.9
\$15,000-24,999	447	413,987	398	86.5	81.8-91.2	49	13.5	8.8-18.2
\$25,000-34,999	497	451,320	448	89.1	85.8-92.4	49	10.9	7.6-14.2
\$35,000-49,999	717	731,288	651	88.9	85.8-92.0	66	11.1	8.0-14.2
\$50,000-99,999	1286	1,273,571	1105	84.3	81.6-87.0	181	15.7	13.0-18.4
\$100,000-199,999	803	795,619	670	81.7	78.2-85.2	133	18.3	14.8-21.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING6)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2480	2,464,316	2083	82.9	80.9-84.9	397	17.1	15.1-19.1
White/Non-Hisp	1970	1,781,547	1664	82.7	80.5-84.9	306	17.3	15.1-19.5
Black or Afr. Am./Non-Hisp	217	259,547	186	87.3	82.2-92.4	31	12.7	7.6-17.8
Oth. Race/Non-Hisp.	79	91,441	62	80.7	68.5-92.9	17	19.3	7.1-31.5
MultiRacial/Non-Hisp.	61	74,314	52	89.0	81.2-96.8	9	11.0	3.2-18.8
Hispanic	103	208,951	76	77.2	67.8-86.6	27	22.8	13.4-32.2
18-24	181	311,698	128	77.3	70.8-83.8	53	22.7	16.2-29.2
25-34	317	427,729	227	74.9	69.2-80.6	90	25.1	19.4-30.8
35-44	329	400,814	244	76.0	69.9-82.1	85	24.0	17.9-30.1
45-54	410	387,579	334	81.4	76.5-86.3	76	18.6	13.7-23.5
55-64	466	390,931	413	88.4	84.5-92.3	53	11.6	7.7-15.5
65+	777	545,565	737	94.5	92.3-96.7	40	5.5	3.3- 7.7
Less Than H.S.	179	259,917	154	84.4	77.3-91.5	25	15.6	8.5-22.7
H.S. or G.E.D.	761	831,668	637	83.0	79.5-86.5	124	17.0	13.5-20.5
Some Post-H.S.	630	706,942	521	82.2	78.5-85.9	109	17.8	14.1-21.5
College Graduate	899	654,288	760	82.6	79.3-85.9	139	17.4	14.1-20.7
Less than \$15,000	103	83,428	88	87.5	80.4-94.6	15	12.5	5.4-19.6
\$15,000- 24,999	189	179,363	157	79.3	70.5-88.1	32	20.7	11.9-29.5
\$25,000- 34,999	205	190,093	174	83.8	77.3-90.3	31	16.2	9.7-22.7
\$35,000- 49,999	332	339,260	287	84.5	79.2-89.8	45	15.5	10.2-20.8
\$50,000- 99,999	673	674,973	562	83.0	79.3-86.7	111	17.0	13.3-20.7
\$100,000 - 199,999	444	444,113	356	77.1	71.8-82.4	88	22.9	17.6-28.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING6)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2720	2,694,903	2491	89.6	87.8-91.4	229	10.4	8.6-12.2
White/Non-Hisp	2147	1,928,802	1974	90.5	88.7-92.3	173	9.5	7.7-11.3
Black or Afr. Am./Non-Hisp	351	441,882	322	86.6	80.1-93.1	29	13.4	6.9-19.9
Oth. Race/Non-Hisp.	62	93,735	54	90.7	82.1-99.3	8	9.3	0.7-17.9
MultiRacial/Non-Hisp.	57	60,838	51	89.0	79.6-98.4	6	11.0	1.6-20.4
Hispanic	64	128,986	56	88.1	79.3-96.9	8	11.9	3.1-20.7
18-24	172	305,644	140	78.2	69.6-86.8	32	21.8	13.2-30.4
25-34	306	443,661	245	82.0	76.9-87.1	61	18.0	12.9-23.1
35-44	377	413,045	331	86.6	82.1-91.1	46	13.4	8.9-17.9
45-54	428	405,205	386	89.7	85.2-94.2	42	10.3	5.8-14.8
55-64	475	426,779	441	93.5	90.8-96.2	34	6.5	3.8- 9.2
65+	962	700,568	948	98.8	98.0-99.6	14	1.2	0.4- 2.0
Less Than H.S.	192	304,638	184	90.8	82.6-99.0	8	9.2	1.0-17.4
H.S. or G.E.D.	757	819,770	706	91.0	88.1-93.9	51	9.0	6.1-11.9
Some Post-H.S.	774	833,501	711	89.8	86.9-92.7	63	10.2	7.3-13.1
College Graduate	992	733,083	885	87.3	84.6-90.0	107	12.7	10.0-15.4
Less than \$15,000	201	200,152	193	89.6	82.0-97.2	8	10.4	2.8-18.0
\$15,000- 24,999	258	234,624	241	91.9	87.6-96.2	17	8.1	3.8-12.4
\$25,000- 34,999	292	261,227	274	92.9	89.4-96.4	18	7.1	3.6-10.6
\$35,000- 49,999	385	392,029	364	92.6	88.9-96.3	21	7.4	3.7-11.1
\$50,000- 99,999	613	598,597	543	85.8	81.5-90.1	70	14.2	9.9-18.5
\$100,000 - 199,999	359	351,506	314	87.4	82.9-91.9	45	12.6	8.1-17.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (\_DRNKWK2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5208	5,181,499	845	17.2	15.8-18.6	335	7.1	6.1- 8.1	470	9.0	8.0-10.0	378	7.1	6.1- 8.1	333	6.8	5.8- 7.8	2847	52.8	51.0-54.6
Male	2483	2,477,287	388	16.8	14.8-18.8	166	7.6	6.0- 9.2	239	9.6	8.0-11.2	240	9.3	7.9-10.7	258	10.7	9.1-12.3	1192	46.0	43.3-48.7
Female	2725	2,704,212	457	17.5	15.5-19.5	169	6.6	5.4- 7.8	231	8.5	7.1- 9.9	138	5.1	3.9- 6.3	75	3.2	2.2- 4.2	1655	59.1	56.6-61.6
White/Non-Hisp	4126	3,725,162	639	15.8	14.2-17.4	259	6.3	5.3- 7.3	366	8.7	7.5- 9.9	309	7.7	6.5- 8.9	266	7.0	6.0- 8.0	2287	54.3	52.3-56.3
Black or Afr. Am./Non-Hisp	570	710,675	114	21.8	17.1-26.5	48	9.3	6.2-12.4	53	9.5	6.4-12.6	32	5.7	3.2- 8.2	30	6.5	3.2- 9.8	293	47.3	41.8-52.8
Oth. Race/Non-Hisp.	140	182,195	24	19.8	10.6-29.0	8	8.1	1.4-14.8	10	5.1	0.6- 9.6	12	4.4	1.3- 7.5	13	5.7	2.0- 9.4	73	56.8	45.0-68.6
MultiRacial/Non-Hisp.	117	133,473	21	20.8	11.8-29.8	7	4.8	0.7- 8.9	8	5.6	1.1-10.1	7	7.0	0.1-13.9	4	2.8	0.0- 5.7	70	59.0	47.6-70.4
Hispanic	166	340,818	29	18.8	11.2-26.4	9	9.8	2.4-17.2	26	15.2	8.3-22.1	14	5.4	2.3- 8.5	13	7.7	3.0-12.4	75	43.2	33.8-52.6
18-24	354	617,981	56	15.8	11.3-20.3	28	6.5	3.4- 9.6	34	8.6	4.9-12.3	26	6.6	3.7- 9.5	33	9.9	5.6-14.2	177	52.6	46.1-59.1
25-34	622	867,579	119	19.8	15.9-23.7	50	7.8	5.1-10.5	95	15.0	11.5-18.5	61	8.7	6.2-11.2	48	6.5	4.3- 8.7	249	42.1	37.2-47.0
35-44	705	827,797	154	21.6	17.7-25.5	67	11.9	8.4-15.4	72	9.8	7.1-12.5	52	7.1	4.7- 9.5	68	10.6	7.5-13.7	292	38.9	34.0-43.8
45-54	840	795,141	150	21.5	17.2-25.8	65	8.2	5.8-10.6	86	9.7	7.0-12.4	69	7.9	5.5-10.3	54	6.1	4.1- 8.1	416	46.6	42.1-51.1
55-64	944	823,959	166	18.1	14.8-21.4	65	6.5	4.5- 8.5	76	6.8	4.8- 8.8	63	6.7	4.7- 8.7	52	5.8	3.6- 8.0	522	56.0	51.7-60.3
65+	1743	1,249,041	200	9.7	7.9-11.5	60	3.2	2.2- 4.2	107	5.6	4.2- 7.0	107	6.1	4.5- 7.7	78	4.1	2.9- 5.3	1191	71.4	68.5-74.3
Less Than H.S.	372	576,149	31	9.3	5.2-13.4	12	4.6	1.1- 8.1	9	2.9	0.5- 5.3	9	2.7	0.5- 4.9	18	6.2	2.1-10.3	293	74.4	67.7-81.1
H.S. or G.E.D.	1520	1,652,526	183	13.5	11.1-15.9	71	5.4	3.6- 7.2	93	7.3	5.3- 9.3	69	4.9	3.3- 6.5	107	7.2	5.4- 9.0	997	61.7	58.4-65.0
Some Post-H.S.	1406	1,550,298	228	18.4	15.7-21.1	97	8.0	6.0-10.0	113	8.1	6.1-10.1	103	8.0	6.0-10.0	99	7.5	5.5- 9.5	766	49.9	46.4-53.4
College Graduate	1894	1,387,115	400	23.4	20.7-26.1	154	8.8	7.2-10.4	255	14.8	12.6-17.0	197	10.8	9.0-12.6	109	5.8	4.4- 7.2	779	36.4	33.7-39.1
Less than \$15,000	304	284,711	28	9.6	5.1-14.1	14	3.4	1.2- 5.6	10	4.7	0.8- 8.6	14	5.2	1.3- 9.1	10	3.3	0.8- 5.8	228	73.8	66.7-80.9
\$15,000-24,999	444	412,921	44	11.9	7.2-16.6	24	6.1	3.0- 9.2	19	4.3	1.9- 6.7	16	3.7	1.2- 6.2	33	7.7	4.2-11.2	308	66.3	60.0-72.6
\$25,000-34,999	496	449,309	58	11.5	8.0-15.0	20	5.5	2.0- 9.0	32	7.0	4.1- 9.9	29	6.1	3.4- 8.8	25	5.1	2.7- 7.5	332	64.8	59.1-70.5
\$35,000-49,999	715	730,453	120	17.7	14.0-21.4	32	5.6	3.2- 8.0	48	6.5	4.0- 9.0	36	5.6	3.4- 7.8	38	6.5	3.6- 9.4	441	58.2	53.3-63.1
\$50,000-99,999	1292	1,279,966	248	20.8	17.7-23.9	100	8.6	6.2-11.0	129	9.6	7.2-12.0	110	7.9	5.7-10.1	88	6.5	4.9- 8.1	617	46.6	42.9-50.3
\$100,000-199,999	808	803,326	182	23.6	19.5-27.7	66	8.9	6.4-11.4	123	15.0	11.9-18.1	85	10.4	7.9-12.9	68	9.4	6.7-12.1	284	32.7	28.6-36.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (\_DRNKWK2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2483	2,477,287	388	16.8	14.8-18.8	166	7.6	6.0-9.2	239	9.6	8.0-11.2	240	9.3	7.9-10.7	258	10.7	9.1-12.3	1192	46.0	43.5-48.5
White/Non-Hisp	1975	1,789,784	291	15.1	12.9-17.3	130	6.3	4.9-7.7	177	8.5	6.7-10.3	198	10.0	8.2-11.8	210	11.6	9.6-13.6	969	48.4	45.5-51.3
Black or Afr. Am./Non-Hisp	216	259,615	44	22.8	15.7-29.9	15	8.5	3.0-14.0	31	14.4	8.3-20.5	14	7.7	3.0-12.4	18	7.4	3.5-11.3	94	39.2	31.0-47.4
Oth. Race/Non-Hisp.	79	91,692	11	15.7	4.3-27.1	5	11.6	0.0-23.2	6	5.1	0.0-10.6	9	7.4	1.5-13.3	10	8.4	2.1-14.7	38	51.7	36.8-66.6
MultiRacial/Non-Hisp.	60	72,634	13	24.5	11.6-37.4	6	7.4	0.5-14.3	3	2.4	0.0-5.3	6	12.1	0.1-24.1	3	4.0	0.0-9.1	29	49.5	34.0-65.0
Hispanic	103	215,045	18	20.2	10.0-30.4	8	14.4	3.0-25.8	19	18.4	8.4-28.4	11	6.3	2.2-10.4	11	10.9	3.6-18.2	36	29.7	18.9-40.5
18-24	181	311,323	24	15.9	9.4-22.4	15	8.1	2.8-13.4	14	7.0	1.7-12.3	17	7.3	3.2-11.4	29	14.1	8.4-19.8	82	47.5	38.9-56.1
25-34	317	427,150	57	17.3	12.2-22.4	27	8.6	4.1-13.1	55	17.1	11.6-22.6	40	12.4	8.1-16.7	36	10.0	6.3-13.7	102	34.6	27.7-41.5
35-44	329	411,707	65	19.3	14.0-24.6	32	11.6	6.1-17.1	32	9.0	5.1-12.9	34	9.8	5.7-13.9	55	17.3	11.6-23.0	111	33.1	25.8-40.4
45-54	409	385,236	66	18.6	13.1-24.1	34	8.9	5.4-12.4	43	10.6	6.3-14.9	39	9.3	6.2-12.4	38	9.0	5.7-12.3	189	43.7	37.4-50.0
55-64	469	394,581	78	19.2	14.5-23.9	26	5.4	2.7-8.1	42	7.4	4.7-10.1	39	8.5	5.4-11.6	40	8.5	5.2-11.8	244	51.0	45.1-56.9
65+	778	547,289	98	12.1	9.0-15.2	32	4.2	2.2-6.2	53	6.6	4.4-8.8	71	8.4	5.7-11.1	60	7.3	4.9-9.7	464	61.5	56.8-66.2
Less Than H.S.	179	269,677	16	10.9	4.6-17.2	8	8.3	1.0-15.6	6	4.0	0.3-7.7	7	4.8	0.3-9.3	15	8.6	3.5-13.7	127	63.5	53.5-73.5
H.S. or G.E.D.	762	830,750	100	16.2	12.5-19.9	45	6.3	3.6-9.0	41	5.3	2.8-7.8	48	6.4	4.2-8.6	92	12.0	9.1-14.9	436	53.7	49.0-58.4
Some Post-H.S.	631	712,007	98	16.1	12.4-19.8	46	8.4	5.3-11.5	64	10.3	7.2-13.4	62	11.0	7.9-14.1	68	11.5	8.0-15.0	293	42.8	37.9-47.7
College Graduate	900	653,353	172	20.9	17.4-24.4	66	7.6	5.4-9.8	128	16.8	13.3-20.3	123	13.3	10.6-16.0	83	9.3	7.1-11.5	328	32.1	28.4-35.8
Less than \$15,000	103	84,559	9	12.3	3.9-20.7	7	5.6	0.7-10.5	4	4.2	0.1-8.3	8	7.1	1.8-12.4	7	5.2	0.9-9.5	68	65.7	53.9-77.5
\$15,000- 24,999	187	178,547	19	14.9	6.5-23.3	11	6.7	2.0-11.4	5	1.8	0.0-3.6	12	7.5	1.8-13.2	27	14.9	7.5-22.3	113	54.2	43.8-64.6
\$25,000- 34,999	204	188,082	23	11.5	5.4-17.6	7	5.0	0.0-12.1	14	8.1	2.8-13.4	16	7.7	3.4-12.0	17	6.9	3.0-10.8	127	60.8	51.4-70.2
\$35,000- 49,999	331	338,195	52	16.5	11.2-21.8	16	5.9	2.6-9.2	25	4.9	2.5-7.3	17	6.4	2.9-9.9	29	11.4	5.7-17.1	192	54.8	47.2-62.4
\$50,000- 99,999	675	676,496	123	20.0	15.7-24.3	54	9.5	6.0-13.0	73	10.6	7.3-13.9	70	9.1	6.4-11.8	67	8.9	6.5-11.3	288	41.9	36.8-47.0
\$100,000 - 199,999	448	450,203	86	20.6	15.5-25.7	35	7.7	4.6-10.8	65	14.0	9.7-18.3	58	12.8	9.1-16.5	58	15.3	10.8-19.8	146	29.6	24.3-34.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (\_DRNKWK2)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2725	2,704,212	457	17.5	15.5-19.5	169	6.6	5.4- 7.8	231	8.5	7.1- 9.9	138	5.1	3.9- 6.3	75	3.2	2.2- 4.2	1655	59.1	56.6-61.6
White/Non-Hisp	2151	1,935,378	348	16.5	14.3-18.7	129	6.4	5.0- 7.8	189	8.9	7.3-10.5	111	5.6	4.2- 7.0	56	2.7	1.7- 3.7	1318	59.8	57.1-62.5
Black or Afr. Am./Non-Hisp	354	451,061	70	21.2	15.1-27.3	33	9.7	6.0-13.4	22	6.7	3.4-10.0	18	4.6	1.5- 7.7	12	5.9	1.0-10.8	199	52.0	44.9-59.1
Oth. Race/Non-Hisp.	61	90,503	13	23.9	9.2-38.6	3	4.6	0.0-10.1	4	5.1	0.0-12.2	3	1.5	0.0- 3.5	3	3.0	0.0- 6.9	35	61.9	44.7-79.1
MultiRacial/Non-Hisp.	57	60,838	8	16.5	7.5-25.5	1	1.7	0.0- 5.0	5	9.3	0.3-18.3	1	0.9	0.0- 2.7	1	1.4	0.0- 4.1	41	70.2	57.5-82.9
Hispanic	63	125,773	11	16.6	5.8-27.4	1	1.8	0.0- 5.3	7	9.7	2.3-17.1	3	3.7	0.0- 8.8	2	2.1	0.0- 5.0	39	66.2	52.9-79.5
18-24	173	306,658	32	15.7	9.6-21.8	13	4.9	2.0- 7.8	20	10.2	4.9-15.5	9	6.0	1.5-10.5	4	5.5	0.0-12.2	95	57.8	48.4-67.2
25-34	305	440,429	62	22.2	16.1-28.3	23	7.1	3.6-10.6	40	13.0	8.3-17.7	21	5.2	2.3- 8.1	12	3.2	1.2- 5.2	147	49.4	42.3-56.5
35-44	376	416,090	89	23.9	18.4-29.4	35	12.2	7.5-16.9	40	10.7	6.8-14.6	18	4.5	2.0- 7.0	13	4.0	1.5- 6.5	181	44.8	38.1-51.5
45-54	431	409,905	84	24.3	18.0-30.6	31	7.5	4.2-10.8	43	8.9	5.8-12.0	30	6.6	2.9-10.3	16	3.5	1.5- 5.5	227	49.2	42.7-55.7
55-64	475	429,378	88	17.2	12.7-21.7	39	7.5	4.6-10.4	34	6.3	3.6- 9.0	24	5.1	2.6- 7.6	12	3.3	0.9- 5.7	278	60.6	54.7-66.5
65+	965	701,751	102	7.8	5.8- 9.8	28	2.5	1.3- 3.7	54	4.8	3.0- 6.6	36	4.2	2.2- 6.2	18	1.6	0.8- 2.4	727	79.1	75.8-82.4
Less Than H.S.	193	306,473	15	7.9	2.2-13.6	4	1.3	0.0- 2.7	3	1.9	0.0- 4.8	2	0.8	0.0- 2.0	3	4.1	0.0-10.6	166	83.9	75.5-92.3
H.S. or G.E.D.	758	821,776	83	10.8	7.9-13.7	26	4.4	2.4- 6.4	52	9.3	6.4-12.2	21	3.2	1.0- 5.4	15	2.4	1.0- 3.8	561	69.8	65.3-74.3
Some Post-H.S.	775	838,292	130	20.3	16.4-24.2	51	7.7	5.2-10.2	49	6.3	4.1- 8.5	41	5.6	3.2- 8.0	31	4.1	2.3- 5.9	473	56.0	51.3-60.7
College Graduate	994	733,762	228	25.7	21.8-29.6	88	9.9	7.4-12.4	127	13.0	10.5-15.5	74	8.5	6.1-10.9	26	2.7	1.3- 4.1	451	40.2	36.3-44.1
Less than \$15,000	201	200,152	19	8.5	3.4-13.6	7	2.5	0.3- 4.7	6	4.9	0.0-10.2	6	4.4	0.0- 9.7	3	2.5	0.0- 5.6	160	77.2	68.4-86.0
\$15,000- 24,999	257	234,375	25	9.6	4.9-14.3	13	5.7	1.4-10.0	14	6.1	2.2-10.0	4	0.8	0.0- 2.0	6	2.3	0.3- 4.3	195	75.5	68.4-82.6
\$25,000- 34,999	292	261,227	35	11.6	7.1-16.1	13	5.8	2.1- 9.5	18	6.2	2.9- 9.5	13	4.9	1.4- 8.4	8	3.9	1.2- 6.6	205	67.6	60.7-74.5
\$35,000- 49,999	384	392,258	68	18.7	13.4-24.0	16	5.4	2.3- 8.5	23	7.8	3.9-11.7	19	4.9	2.4- 7.4	9	2.2	0.2- 4.2	249	61.0	54.5-67.5
\$50,000- 99,999	617	603,471	125	21.8	17.1-26.5	46	7.6	4.9-10.3	56	8.4	5.5-11.3	40	6.6	3.5- 9.7	21	3.7	1.7- 5.7	329	51.9	46.4-57.4
\$100,000 - 199,999	360	353,123	96	27.3	20.8-33.8	31	10.3	6.0-14.6	58	16.3	11.4-21.2	27	7.4	3.9-10.9	10	2.0	0.6- 3.4	138	36.7	30.2-43.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (\_RFDRHV8)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5208	5,181,499	4936	94.3	93.3-95.3	272	5.7	4.7- 6.7
Male	2483	2,477,287	2332	93.4	92.0-94.8	151	6.6	5.2- 8.0
Female	2725	2,704,212	2604	95.0	93.6-96.4	121	5.0	3.6- 6.4
White/Non-Hisp	4126	3,725,162	3908	94.0	93.0-95.0	218	6.0	5.0- 7.0
Black or Afr. Am./Non-Hisp	570	710,675	545	94.2	90.9-97.5	25	5.8	2.5- 9.1
Oth. Race/Non-Hisp.	140	182,195	131	96.2	93.5-98.9	9	3.8	1.1- 6.5
MultiRacial/Non-Hisp.	117	133,473	113	97.2	94.3- 100	4	2.8	0.0- 5.7
Hispanic	166	340,818	155	94.6	90.9-98.3	11	5.4	1.7- 9.1
18-24	354	617,981	330	91.6	87.3-95.9	24	8.4	4.1-12.7
25-34	622	867,579	583	94.8	92.8-96.8	39	5.2	3.2- 7.2
35-44	705	827,797	649	91.5	88.6-94.4	56	8.5	5.6-11.4
45-54	840	795,141	783	93.3	90.9-95.7	57	6.7	4.3- 9.1
55-64	944	823,959	893	94.3	92.3-96.3	51	5.7	3.7- 7.7
65+	1743	1,249,041	1698	97.7	96.7-98.7	45	2.3	1.3- 3.3
Less Than H.S.	372	576,149	353	93.6	89.5-97.7	19	6.4	2.3-10.5
H.S. or G.E.D.	1520	1,652,526	1446	94.4	92.8-96.0	74	5.6	4.0- 7.2
Some Post-H.S.	1406	1,550,298	1318	93.6	91.8-95.4	88	6.4	4.6- 8.2
College Graduate	1894	1,387,115	1803	95.1	93.9-96.3	91	4.9	3.7- 6.1
Less than \$15,000	304	284,711	295	96.6	94.1-99.1	9	3.4	0.9- 5.9
\$15,000-24,999	444	412,921	417	93.5	90.2-96.8	27	6.5	3.2- 9.8
\$25,000-34,999	496	449,309	473	94.5	92.0-97.0	23	5.5	3.0- 8.0
\$35,000-49,999	715	730,453	684	94.9	92.2-97.6	31	5.1	2.4- 7.8
\$50,000-99,999	1292	1,279,966	1218	94.0	92.2-95.8	74	6.0	4.2- 7.8
\$100,000-199,999	808	803,326	756	92.8	90.4-95.2	52	7.2	4.8- 9.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (\_RFDRHV8)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2483	2,477,287	2332	93.4	92.0-94.8	151	6.6	5.2- 8.0
White/Non-Hisp	1975	1,789,784	1852	92.8	91.0-94.6	123	7.2	5.4- 9.0
Black or Afr. Am./Non-Hisp	216	259,615	208	96.4	93.3-99.5	8	3.6	0.5- 6.7
Oth. Race/Non-Hisp.	79	91,692	74	95.8	91.9-99.7	5	4.2	0.3- 8.1
MultiRacial/Non-Hisp.	60	72,634	57	96.0	90.9- 100	3	4.0	0.0- 9.1
Hispanic	103	215,045	95	92.9	87.4-98.4	8	7.1	1.6-12.6
18-24	181	311,323	165	91.1	86.4-95.8	16	8.9	4.2-13.6
25-34	317	427,150	298	94.2	91.3-97.1	19	5.8	2.9- 8.7
35-44	329	411,707	293	88.7	83.6-93.8	36	11.3	6.2-16.4
45-54	409	385,236	382	94.1	91.4-96.8	27	5.9	3.2- 8.6
55-64	469	394,581	438	93.8	90.9-96.7	31	6.2	3.3- 9.1
65+	778	547,289	756	97.0	95.2-98.8	22	3.0	1.2- 4.8
Less Than H.S.	179	269,677	164	91.4	86.3-96.5	15	8.6	3.5-13.7
H.S. or G.E.D.	762	830,750	707	92.3	89.8-94.8	55	7.7	5.2-10.2
Some Post-H.S.	631	712,007	589	93.2	90.3-96.1	42	6.8	3.9- 9.7
College Graduate	900	653,353	861	95.8	94.2-97.4	39	4.2	2.6- 5.8
Less than \$15,000	103	84,559	98	95.7	91.4- 100	5	4.3	0.0- 8.6
\$15,000- 24,999	187	178,547	169	89.0	82.1-95.9	18	11.0	4.1-17.9
\$25,000- 34,999	204	188,082	194	95.6	92.5-98.7	10	4.4	1.3- 7.5
\$35,000- 49,999	331	338,195	315	92.6	87.3-97.9	16	7.4	2.1-12.7
\$50,000- 99,999	675	676,496	638	94.9	92.9-96.9	37	5.1	3.1- 7.1
\$100,000 - 199,999	448	450,203	412	90.0	86.1-93.9	36	10.0	6.1-13.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 12: ALCOHOL CONSUMPTION**

**TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (\_RFDRHV8)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2725	2,704,212	2604	95.0	93.8-96.2	121	5.0	3.8- 6.2
White/Non-Hisp	2151	1,935,378	2056	95.1	93.7-96.5	95	4.9	3.5- 6.3
Black or Afr. Am./Non-Hisp	354	451,061	337	93.0	88.1-97.9	17	7.0	2.1-11.9
Oth. Race/Non-Hisp.	61	90,503	57	96.7	92.8- 100	4	3.3	0.0- 7.2
MultiRacial/Non-Hisp.	57	60,838	56	98.6	95.9- 100	1	1.4	0.0- 4.1
Hispanic	63	125,773	60	97.4	94.3- 100	3	2.6	0.0- 5.7
18-24	173	306,658	165	92.1	85.0-99.2	8	7.9	0.8-15.0
25-34	305	440,429	285	95.5	93.1-97.9	20	4.5	2.1- 6.9
35-44	376	416,090	356	94.3	91.4-97.2	20	5.7	2.8- 8.6
45-54	431	409,905	401	92.5	88.6-96.4	30	7.5	3.6-11.4
55-64	475	429,378	455	94.8	92.1-97.5	20	5.2	2.5- 7.9
65+	965	701,751	942	98.2	97.2-99.2	23	1.8	0.8- 2.8
Less Than H.S.	193	306,473	189	95.5	89.0- 100	4	4.5	0.0-11.0
H.S. or G.E.D.	758	821,776	739	96.5	94.3-98.7	19	3.5	1.3- 5.7
Some Post-H.S.	775	838,292	729	94.0	91.8-96.2	46	6.0	3.8- 8.2
College Graduate	994	733,762	942	94.4	92.4-96.4	52	5.6	3.6- 7.6
Less than \$15,000	201	200,152	197	96.9	93.6- 100	4	3.1	0.0- 6.4
\$15,000- 24,999	257	234,375	248	97.0	94.6-99.4	9	3.0	0.6- 5.4
\$25,000- 34,999	292	261,227	279	93.8	89.9-97.7	13	6.2	2.3-10.1
\$35,000- 49,999	384	392,258	369	96.8	94.6-99.0	15	3.2	1.0- 5.4
\$50,000- 99,999	617	603,471	580	93.0	89.9-96.1	37	7.0	3.9-10.1
\$100,000 - 199,999	360	353,123	344	96.5	94.5-98.5	16	3.5	1.5- 5.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023

SECTION 13: IMMUNIZATION CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT7)	
1	MALES AND FEMALES	162
2	MALES ONLY	163
3	FEMALES ONLY	164
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)	
4	MALES AND FEMALES	165
5	MALES ONLY	166
6	FEMALES ONLY	167

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 13: IMMUNIZATION**

**TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT7)**  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1738	1,234,467	1028	59.5	56.2-62.8	710	40.5	37.2-43.8
Male	785	549,778	465	58.8	53.9-63.7	320	41.2	36.3-46.1
Female	953	684,689	563	60.1	55.6-64.6	390	39.9	35.4-44.4
White/Non-Hisp	1494	996,749	909	61.2	57.7-64.7	585	38.8	35.3-42.3
Black or Afr. Am./Non-Hisp	153	149,000	80	59.8	49.0-70.6	73	40.2	29.4-51.0
65+	1738	1,234,467	1028	59.5	56.2-62.8	710	40.5	37.2-43.8
Less Than H.S.	170	203,314	81	49.0	38.4-59.6	89	51.0	40.4-61.6
H.S. or G.E.D.	519	384,863	295	58.1	52.2-64.0	224	41.9	36.0-47.8
Some Post-H.S.	453	349,645	252	57.0	50.9-63.1	201	43.0	36.9-49.1
College Graduate	591	289,402	398	72.7	68.4-77.0	193	27.3	23.0-31.6
Less than \$15,000	93	56,282	46	45.0	30.5-59.5	47	55.0	40.5-69.5
\$15,000-24,999	209	174,938	100	47.4	37.6-57.2	109	52.6	42.8-62.4
\$25,000-34,999	233	154,406	130	51.7	42.3-61.1	103	48.3	38.9-57.7
\$35,000-49,999	253	187,076	158	63.1	55.3-70.9	95	36.9	29.1-44.7
\$50,000-99,999	409	270,459	261	67.7	61.6-73.8	148	32.3	26.2-38.4
\$100,000-199,999	146	92,335	107	75.6	66.8-84.4	39	24.4	15.6-33.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 13: IMMUNIZATION**

**TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT7)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	785	549,778	465	58.8	54.1-63.5	320	41.2	36.5-45.9
White/Non-Hisp	678	448,622	412	60.8	56.1-65.5	266	39.2	34.5-43.9
Black or Afr. Am./Non-Hisp	61	53,685	35	57.7	41.2-74.2	26	42.3	25.8-58.8
65+	785	549,778	465	58.8	54.1-63.5	320	41.2	36.5-45.9
Less Than H.S.	81	94,755	40	50.6	35.5-65.7	41	49.4	34.3-64.5
H.S. or G.E.D.	220	153,939	130	61.2	53.4-69.0	90	38.8	31.0-46.6
Some Post-H.S.	197	157,490	101	51.5	42.9-60.1	96	48.5	39.9-57.1
College Graduate	283	137,808	192	71.5	65.0-78.0	91	28.5	22.0-35.0
\$15,000- 24,999	75	56,142	36	42.5	28.6-56.4	39	57.5	43.6-71.4
\$25,000- 34,999	95	61,756	51	38.7	25.2-52.2	44	61.3	47.8-74.8
\$35,000- 49,999	124	90,360	77	63.6	52.8-74.4	47	36.4	25.6-47.2
\$50,000- 99,999	207	139,490	128	67.8	60.0-75.6	79	32.2	24.4-40.0
\$100,000 - 199,999	84	54,419	64	75.1	63.3-86.9	20	24.9	13.1-36.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 13: IMMUNIZATION**

**TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT7)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	953	684,689	563	60.1	55.6-64.6	390	39.9	35.4-44.4
White/Non-Hisp	816	548,127	497	61.6	56.9-66.3	319	38.4	33.7-43.1
Black or Afr. Am./Non-Hisp	92	95,315	45	61.0	46.7-75.3	47	39.0	24.7-53.3
65+	953	684,689	563	60.1	55.6-64.6	390	39.9	35.4-44.4
Less Than H.S.	89	108,559	41	47.7	33.2-62.2	48	52.3	37.8-66.8
H.S. or G.E.D.	299	230,924	165	56.0	48.4-63.6	134	44.0	36.4-51.6
Some Post-H.S.	256	192,155	151	61.6	53.8-69.4	105	38.4	30.6-46.2
College Graduate	308	151,595	206	73.8	67.9-79.7	102	26.2	20.3-32.1
Less than \$15,000	63	38,466	31	40.1	22.5-57.7	32	59.9	42.3-77.5
\$15,000- 24,999	134	118,796	64	49.7	37.2-62.2	70	50.3	37.8-62.8
\$25,000- 34,999	138	92,650	79	60.3	48.7-71.9	59	39.7	28.1-51.3
\$35,000- 49,999	129	96,717	81	62.8	52.4-73.2	48	37.2	26.8-47.6
\$50,000- 99,999	202	130,969	133	67.7	59.5-75.9	69	32.3	24.1-40.5
\$100,000 - 199,999	62	37,917	43	76.2	63.5-88.9	19	23.8	11.1-36.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 13: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO3)**  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1692	1,196,178	1207	69.0	65.9-72.1	485	31.0	27.9-34.1
Male	746	516,739	509	66.7	62.2-71.2	237	33.3	28.8-37.8
Female	946	679,440	698	70.6	66.3-74.9	248	29.4	25.1-33.7
White/Non-Hisp	1455	965,108	1065	70.8	67.5-74.1	390	29.2	25.9-32.5
Black or Afr. Am./Non-Hisp	150	149,626	87	61.4	50.6-72.2	63	38.6	27.8-49.4
65+	1692	1,196,178	1207	69.0	65.9-72.1	485	31.0	27.9-34.1
Less Than H.S.	164	189,906	104	61.0	50.6-71.4	60	39.0	28.6-49.4
H.S. or G.E.D.	513	381,267	348	67.8	62.3-73.3	165	32.2	26.7-37.7
Some Post-H.S.	439	339,544	310	68.0	62.1-73.9	129	32.0	26.1-37.9
College Graduate	571	278,218	441	76.9	72.2-81.6	130	23.1	18.4-27.8
Less than \$15,000	93	55,558	60	60.6	45.7-75.5	33	39.4	24.5-54.3
\$15,000-24,999	206	171,554	143	65.7	56.1-75.3	63	34.3	24.7-43.9
\$25,000-34,999	227	145,992	156	67.8	59.4-76.2	71	32.2	23.8-40.6
\$35,000-49,999	247	184,811	179	71.6	64.3-78.9	68	28.4	21.1-35.7
\$50,000-99,999	396	262,784	291	69.8	63.1-76.5	105	30.2	23.5-36.9
\$100,000-199,999	143	90,210	106	67.0	56.6-77.4	37	33.0	22.6-43.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 13: IMMUNIZATION**

**TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	746	516,739	509	66.7	62.2-71.2	237	33.3	28.8-37.8
White/Non-Hisp	644	421,751	449	68.7	64.2-73.2	195	31.3	26.8-35.8
Black or Afr. Am./Non-Hisp	59	53,351	33	52.5	35.3-69.7	26	47.5	30.3-64.7
65+	746	516,739	509	66.7	62.2-71.2	237	33.3	28.8-37.8
Less Than H.S.	75	80,478	47	60.9	46.6-75.2	28	39.1	24.8-53.4
H.S. or G.E.D.	215	151,015	131	62.7	54.3-71.1	84	37.3	28.9-45.7
Some Post-H.S.	185	148,394	119	63.6	55.0-72.2	66	36.4	27.8-45.0
College Graduate	267	131,066	208	77.0	70.3-83.7	59	23.0	16.3-29.7
\$15,000- 24,999	72	52,922	47	59.9	44.2-75.6	25	40.1	24.4-55.8
\$25,000- 34,999	91	54,505	57	63.9	51.0-76.8	34	36.1	23.2-49.0
\$35,000- 49,999	118	88,095	82	70.2	60.2-80.2	36	29.8	19.8-39.8
\$50,000- 99,999	197	133,928	136	66.4	57.4-75.4	61	33.6	24.6-42.6
\$100,000 - 199,999	83	53,740	60	64.8	51.5-78.1	23	35.2	21.9-48.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 13: IMMUNIZATION**

**TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	946	679,440	698	70.6	66.3-74.9	248	29.4	25.1-33.7
White/Non-Hisp	811	543,357	616	72.5	68.0-77.0	195	27.5	23.0-32.0
Black or Afr. Am./Non-Hisp	91	96,275	54	66.4	52.9-79.9	37	33.6	20.1-47.1
65+	946	679,440	698	70.6	66.3-74.9	248	29.4	25.1-33.7
Less Than H.S.	89	109,428	57	61.1	46.8-75.4	32	38.9	24.6-53.2
H.S. or G.E.D.	298	230,252	217	71.0	64.1-77.9	81	29.0	22.1-35.9
Some Post-H.S.	254	191,150	191	71.5	63.7-79.3	63	28.5	20.7-36.3
College Graduate	304	147,152	233	76.7	70.2-83.2	71	23.3	16.8-29.8
Less than \$15,000	64	38,745	42	62.5	43.1-81.9	22	37.5	18.1-56.9
\$15,000- 24,999	134	118,632	96	68.3	56.5-80.1	38	31.7	19.9-43.5
\$25,000- 34,999	136	91,487	99	70.2	58.8-81.6	37	29.8	18.4-41.2
\$35,000- 49,999	129	96,717	97	72.9	63.1-82.7	32	27.1	17.3-36.9
\$50,000- 99,999	199	128,856	155	73.3	64.9-81.7	44	26.7	18.3-35.1
\$100,000 - 199,999	60	36,470	46	70.1	53.2-87.0	14	29.9	13.0-46.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023

SECTION 14: HIV/AIDS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST4)	
1	MALES AND FEMALES	169
2	MALES ONLY	170
3	FEMALES ONLY	171

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 14: HIV/AIDS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (\_AIDTST4)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4911	4,897,471	1756	38.8	36.8-40.8	3155	61.2	59.2-63.2
Male	2352	2,351,131	838	38.0	35.3-40.7	1514	62.0	59.3-64.7
Female	2559	2,546,340	918	39.6	36.9-42.3	1641	60.4	57.7-63.1
White/Non-Hisp	3862	3,481,223	1239	34.3	32.1-36.5	2623	65.7	63.5-67.9
Black or Afr. Am./Non-Hisp	559	683,310	299	58.2	52.7-63.7	260	41.8	36.3-47.3
Oth. Race/Non-Hisp.	136	186,070	61	39.8	27.6-52.0	75	60.2	48.0-72.4
MultiRacial/Non-Hisp.	116	133,462	55	47.4	35.8-59.0	61	52.6	41.0-64.2
Hispanic	160	332,698	68	39.9	30.3-49.5	92	60.1	50.5-69.7
18-24	330	581,628	95	30.5	24.0-37.0	235	69.5	63.0-76.0
25-34	591	828,120	279	48.2	43.1-53.3	312	51.8	46.7-56.9
35-44	670	793,324	359	54.1	49.0-59.2	311	45.9	40.8-51.0
45-54	809	760,354	379	46.9	42.2-51.6	430	53.1	48.4-57.8
55-64	885	779,743	333	38.7	34.2-43.2	552	61.3	56.8-65.8
65+	1626	1,154,302	311	20.4	17.5-23.3	1315	79.6	76.7-82.5
Less Than H.S.	346	545,698	127	41.7	34.3-49.1	219	58.3	50.9-65.7
H.S. or G.E.D.	1428	1,552,134	472	34.8	31.5-38.1	956	65.2	61.9-68.5
Some Post-H.S.	1332	1,471,402	529	41.5	38.0-45.0	803	58.5	55.0-62.0
College Graduate	1788	1,313,403	623	39.2	36.3-42.1	1165	60.8	57.9-63.7
Less than \$15,000	294	278,786	154	58.2	50.0-66.4	140	41.8	33.6-50.0
\$15,000-24,999	424	381,535	163	38.4	31.7-45.1	261	61.6	54.9-68.3
\$25,000-34,999	469	420,421	153	37.9	31.8-44.0	316	62.1	56.0-68.2
\$35,000-49,999	676	700,075	270	43.6	38.3-48.9	406	56.4	51.1-61.7
\$50,000-99,999	1215	1,213,817	429	39.2	35.3-43.1	786	60.8	56.9-64.7
\$100,000-199,999	765	759,347	277	37.5	33.0-42.0	488	62.5	58.0-67.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 14: HIV/AIDS**

**TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (\_AIDTST4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2352	2,351,131	838	38.0	35.3-40.7	1514	62.0	59.3-64.7
White/Non-Hisp	1861	1,682,658	595	33.8	30.9-36.7	1266	66.2	63.3-69.1
Black or Afr. Am./Non-Hisp	214	253,661	129	62.7	54.5-70.9	85	37.3	29.1-45.5
Oth. Race/Non-Hisp.	75	86,799	35	38.7	24.0-53.4	40	61.3	46.6-76.0
MultiRacial/Non-Hisp.	60	76,735	25	39.7	24.6-54.8	35	60.3	45.2-75.4
Hispanic	100	208,615	38	38.4	25.3-51.5	62	61.6	48.5-74.7
18-24	164	284,790	33	22.0	13.8-30.2	131	78.0	69.8-86.2
25-34	308	414,834	137	45.8	38.5-53.1	171	54.2	46.9-61.5
35-44	313	391,913	158	51.0	43.4-58.6	155	49.0	41.4-56.6
45-54	402	372,733	182	46.2	39.7-52.7	220	53.8	47.3-60.3
55-64	442	370,348	175	41.0	34.9-47.1	267	59.0	52.9-65.1
65+	723	516,514	153	22.5	18.2-26.8	570	77.5	73.2-81.8
Less Than H.S.	170	262,322	66	43.4	32.8-54.0	104	56.6	46.0-67.2
H.S. or G.E.D.	716	781,538	245	34.6	29.7-39.5	471	65.4	60.5-70.3
Some Post-H.S.	592	673,220	228	38.8	33.7-43.9	364	61.2	56.1-66.3
College Graduate	861	621,659	295	38.7	34.4-43.0	566	61.3	57.0-65.6
Less than \$15,000	100	83,239	59	55.3	41.4-69.2	41	44.7	30.8-58.6
\$15,000- 24,999	181	167,775	80	40.6	30.2-51.0	101	59.4	49.0-69.8
\$25,000- 34,999	194	177,316	64	39.5	29.9-49.1	130	60.5	50.9-70.1
\$35,000- 49,999	314	326,393	122	43.5	35.5-51.5	192	56.5	48.5-64.5
\$50,000- 99,999	632	635,638	228	38.7	33.4-44.0	404	61.3	56.0-66.6
\$100,000 - 199,999	424	427,782	145	34.1	28.4-39.8	279	65.9	60.2-71.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 14: HIV/AIDS**

**TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (\_AIDTST4)**  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2559	2,546,340	918	39.6	36.9-42.3	1641	60.4	57.7-63.1
White/Non-Hisp	2001	1,798,565	644	34.7	31.8-37.6	1357	65.3	62.4-68.2
Black or Afr. Am./Non-Hisp	345	429,649	170	55.5	48.4-62.6	175	44.5	37.4-51.6
Oth. Race/Non-Hisp.	61	99,272	26	40.8	22.0-59.6	35	59.2	40.4-78.0
MultiRacial/Non-Hisp.	56	56,727	30	57.6	42.3-72.9	26	42.4	27.1-57.7
Hispanic	60	124,084	30	42.5	28.0-57.0	30	57.5	43.0-72.0
18-24	166	296,838	62	38.7	29.1-48.3	104	61.3	51.7-70.9
25-34	283	413,286	142	50.6	43.3-57.9	141	49.4	42.1-56.7
35-44	357	401,412	201	57.2	50.1-64.3	156	42.8	35.7-49.9
45-54	407	387,621	197	47.5	40.8-54.2	210	52.5	45.8-59.2
55-64	443	409,396	158	36.7	30.2-43.2	285	63.3	56.8-69.8
65+	903	637,788	158	18.7	14.8-22.6	745	81.3	77.4-85.2
Less Than H.S.	176	283,376	61	40.1	29.5-50.7	115	59.9	49.3-70.5
H.S. or G.E.D.	712	770,596	227	34.9	30.2-39.6	485	65.1	60.4-69.8
Some Post-H.S.	740	798,182	301	43.7	39.0-48.4	439	56.3	51.6-61.0
College Graduate	927	691,744	328	39.7	35.4-44.0	599	60.3	56.0-64.6
Less than \$15,000	194	195,547	95	59.3	49.5-69.1	99	40.7	30.9-50.5
\$15,000- 24,999	243	213,760	83	36.6	28.0-45.2	160	63.4	54.8-72.0
\$25,000- 34,999	275	243,105	89	36.7	29.3-44.1	186	63.3	55.9-70.7
\$35,000- 49,999	362	373,682	148	43.7	37.0-50.4	214	56.3	49.6-63.0
\$50,000- 99,999	583	578,179	201	39.7	34.2-45.2	382	60.3	54.8-65.8
\$100,000 - 199,999	341	331,564	132	41.8	34.9-48.7	209	58.2	51.3-65.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023

SECTION 15: SEATBELT USE CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	173
2	MALES ONLY	174
3	FEMALES ONLY	175
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	176
5	MALES ONLY	177
6	FEMALES ONLY	178
	DRINKING AND DRIVING (_DRNKDRV)	
7	MALES AND FEMALES	179
8	MALES ONLY	180
9	FEMALES ONLY	181

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 15: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5246	5,206,566	4925	93.0	91.8-94.2	321	7.0	5.8- 8.2
Male	2511	2,495,316	2293	90.4	88.8-92.0	218	9.6	8.0-11.2
Female	2735	2,711,250	2632	95.5	94.1-96.9	103	4.5	3.1- 5.9
White/Non-Hisp	4150	3,732,482	3907	93.8	92.8-94.8	243	6.2	5.2- 7.2
Black or Afr. Am./Non-Hisp	578	709,331	533	90.1	86.0-94.2	45	9.9	5.8-14.0
Oth. Race/Non-Hisp.	141	192,588	130	88.5	79.9-97.1	11	11.5	2.9-20.1
MultiRacial/Non-Hisp.	121	139,381	116	96.9	93.8- 100	5	3.1	0.0- 6.2
Hispanic	168	345,476	154	90.5	84.0-97.0	14	9.5	3.0-16.0
18-24	352	615,878	331	93.0	88.9-97.1	21	7.0	2.9-11.1
25-34	622	868,982	575	90.6	87.3-93.9	47	9.4	6.1-12.7
35-44	710	834,589	646	90.7	88.0-93.4	64	9.3	6.6-12.0
45-54	854	803,198	807	95.4	93.4-97.4	47	4.6	2.6- 6.6
55-64	947	825,146	899	93.9	91.4-96.4	48	6.1	3.6- 8.6
65+	1761	1,258,772	1667	94.2	92.6-95.8	94	5.8	4.2- 7.4
Less Than H.S.	381	595,139	343	87.5	82.2-92.8	38	12.5	7.2-17.8
H.S. or G.E.D.	1535	1,660,546	1398	90.6	88.4-92.8	137	9.4	7.2-11.6
Some Post-H.S.	1415	1,547,934	1334	94.1	92.3-95.9	81	5.9	4.1- 7.7
College Graduate	1898	1,387,845	1834	97.0	96.0-98.0	64	3.0	2.0- 4.0
Less than \$15,000	308	287,724	277	88.7	82.4-95.0	31	11.3	5.0-17.6
\$15,000-24,999	452	416,460	420	92.1	88.8-95.4	32	7.9	4.6-11.2
\$25,000-34,999	495	445,677	463	94.5	92.3-96.7	32	5.5	3.3- 7.7
\$35,000-49,999	717	731,735	666	91.6	88.7-94.5	51	8.4	5.5-11.3
\$50,000-99,999	1292	1,280,088	1222	93.2	91.0-95.4	70	6.8	4.6- 9.0
\$100,000-199,999	808	796,493	766	94.6	92.4-96.8	42	5.4	3.2- 7.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 15: SEATBELT USE**

**TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2511	2,495,316	2293	90.4	88.8-92.0	218	9.6	8.0-11.2
White/Non-Hisp	1995	1,801,907	1823	90.6	88.8-92.4	172	9.4	7.6-11.2
Black or Afr. Am./Non-Hisp	222	261,750	198	87.4	81.1-93.7	24	12.6	6.3-18.9
Oth. Race/Non-Hisp.	79	91,598	72	88.8	79.4-98.2	7	11.2	1.8-20.6
MultiRacial/Non-Hisp.	62	77,188	61	98.5	95.6- 100	1	1.5	0.0- 4.4
Hispanic	104	216,491	92	88.7	80.9-96.5	12	11.3	3.5-19.1
18-24	178	307,631	165	93.0	88.5-97.5	13	7.0	2.5-11.5
25-34	322	431,387	289	88.0	83.1-92.9	33	12.0	7.1-16.9
35-44	331	412,338	285	86.4	81.7-91.1	46	13.6	8.9-18.3
45-54	421	392,598	390	92.9	89.4-96.4	31	7.1	3.6-10.6
55-64	471	394,538	438	92.1	89.2-95.0	33	7.9	5.0-10.8
65+	788	556,824	726	90.7	87.8-93.6	62	9.3	6.4-12.2
Less Than H.S.	190	282,510	164	82.7	74.7-90.7	26	17.3	9.3-25.3
H.S. or G.E.D.	768	834,066	667	87.0	84.1-89.9	101	13.0	10.1-15.9
Some Post-H.S.	635	710,918	587	92.4	89.7-95.1	48	7.6	4.9-10.3
College Graduate	905	655,430	863	95.6	94.0-97.2	42	4.4	2.8- 6.0
Less than \$15,000	108	88,125	95	90.6	84.7-96.5	13	9.4	3.5-15.3
\$15,000- 24,999	193	182,069	175	90.1	84.8-95.4	18	9.9	4.6-15.2
\$25,000- 34,999	203	185,369	181	89.4	84.7-94.1	22	10.6	5.9-15.3
\$35,000- 49,999	331	338,403	298	88.4	83.7-93.1	33	11.6	6.9-16.3
\$50,000- 99,999	672	674,635	613	88.7	85.0-92.4	59	11.3	7.6-15.0
\$100,000 - 199,999	449	448,584	417	92.3	89.0-95.6	32	7.7	4.4-11.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 15: SEATBELT USE**

**TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2735	2,711,250	2632	95.5	94.1-96.9	103	4.5	3.1- 5.9
White/Non-Hisp	2155	1,930,575	2084	96.8	95.8-97.8	71	3.2	2.2- 4.2
Black or Afr. Am./Non-Hisp	356	447,581	335	91.7	86.2-97.2	21	8.3	2.8-13.8
Oth. Race/Non-Hisp.	62	100,990	58	88.2	74.3- 100	4	11.8	0.0-25.7
MultiRacial/Non-Hisp.	59	62,193	55	95.0	89.1- 100	4	5.0	0.0-10.9
Hispanic	64	128,986	62	93.5	82.3- 100	2	6.5	0.0-17.7
18-24	174	308,247	166	93.0	85.9- 100	8	7.0	0.0-14.1
25-34	300	437,595	286	93.1	88.6-97.6	14	6.9	2.4-11.4
35-44	379	422,251	361	94.9	91.8-98.0	18	5.1	2.0- 8.2
45-54	433	410,600	417	97.9	96.7-99.1	16	2.1	0.9- 3.3
55-64	476	430,608	461	95.5	91.6-99.4	15	4.5	0.6- 8.4
65+	973	701,949	941	97.0	95.4-98.6	32	3.0	1.4- 4.6
Less Than H.S.	191	312,629	179	91.8	84.9-98.7	12	8.2	1.3-15.1
H.S. or G.E.D.	767	826,480	731	94.2	91.1-97.3	36	5.8	2.7- 8.9
Some Post-H.S.	780	837,016	747	95.6	93.6-97.6	33	4.4	2.4- 6.4
College Graduate	993	732,415	971	98.3	97.1-99.5	22	1.7	0.5- 2.9
Less than \$15,000	200	199,599	182	87.8	79.2-96.4	18	12.2	3.6-20.8
\$15,000- 24,999	259	234,391	245	93.7	89.4-98.0	14	6.3	2.0-10.6
\$25,000- 34,999	292	260,307	282	98.1	96.5-99.7	10	1.9	0.3- 3.5
\$35,000- 49,999	386	393,332	368	94.4	90.9-97.9	18	5.6	2.1- 9.1
\$50,000- 99,999	620	605,453	609	98.2	97.0-99.4	11	1.8	0.6- 3.0
\$100,000 - 199,999	359	347,909	349	97.5	95.3-99.7	10	2.5	0.3- 4.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023**

**SECTION 15: SEATBELT USE**

**TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5246	5,206,566	4537	85.7	84.3-87.1	709	14.3	12.9-15.7
Male	2511	2,495,316	2063	80.6	78.4-82.8	448	19.4	17.2-21.6
Female	2735	2,711,250	2474	90.4	88.6-92.2	261	9.6	7.8-11.4
White/Non-Hisp	4150	3,732,482	3605	86.2	84.8-87.6	545	13.8	12.4-15.2
Black or Afr. Am./Non-Hisp	578	709,331	480	81.3	76.4-86.2	98	18.7	13.8-23.6
Oth. Race/Non-Hisp.	141	192,588	122	85.5	76.9-94.1	19	14.5	5.9-23.1
MultiRacial/Non-Hisp.	121	139,381	105	86.8	79.2-94.4	16	13.2	5.6-20.8
Hispanic	168	345,476	149	88.5	81.8-95.2	19	11.5	4.8-18.2
18-24	352	615,878	293	82.4	77.1-87.7	59	17.6	12.3-22.9
25-34	622	868,982	516	81.6	77.5-85.7	106	18.4	14.3-22.5
35-44	710	834,589	586	83.9	80.6-87.2	124	16.1	12.8-19.4
45-54	854	803,198	738	87.9	85.2-90.6	116	12.1	9.4-14.8
55-64	947	825,146	837	87.0	83.7-90.3	110	13.0	9.7-16.3
65+	1761	1,258,772	1567	89.1	87.1-91.1	194	10.9	8.9-12.9
Less Than H.S.	381	595,139	321	82.9	77.4-88.4	60	17.1	11.6-22.6
H.S. or G.E.D.	1535	1,660,546	1265	81.7	79.0-84.4	270	18.3	15.6-21.0
Some Post-H.S.	1415	1,547,934	1214	85.8	83.4-88.2	201	14.2	11.8-16.6
College Graduate	1898	1,387,845	1723	91.7	90.1-93.3	175	8.3	6.7- 9.9
Less than \$15,000	308	287,724	258	80.7	73.3-88.1	50	19.3	11.9-26.7
\$15,000-24,999	452	416,460	381	83.5	78.8-88.2	71	16.5	11.8-21.2
\$25,000-34,999	495	445,677	425	86.0	82.1-89.9	70	14.0	10.1-17.9
\$35,000-49,999	717	731,735	611	85.3	82.0-88.6	106	14.7	11.4-18.0
\$50,000-99,999	1292	1,280,088	1130	86.1	83.4-88.8	162	13.9	11.2-16.6
\$100,000-199,999	808	796,493	706	86.1	83.0-89.2	102	13.9	10.8-17.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 15: SEATBELT USE**

**TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2511	2,495,316	2063	80.6	78.4-82.8	448	19.4	17.2-21.6
White/Non-Hisp	1995	1,801,907	1635	79.9	77.5-82.3	360	20.1	17.7-22.5
Black or Afr. Am./Non-Hisp	222	261,750	177	77.5	70.1-84.9	45	22.5	15.1-29.9
Oth. Race/Non-Hisp.	79	91,598	68	85.7	75.9-95.5	11	14.3	4.5-24.1
MultiRacial/Non-Hisp.	62	77,188	55	86.4	74.8-98.0	7	13.6	2.0-25.2
Hispanic	104	216,491	88	86.1	77.9-94.3	16	13.9	5.7-22.1
18-24	178	307,631	139	77.6	70.3-84.9	39	22.4	15.1-29.7
25-34	322	431,387	255	77.4	71.3-83.5	67	22.6	16.5-28.7
35-44	331	412,338	257	78.7	73.2-84.2	74	21.3	15.8-26.8
45-54	421	392,598	344	81.7	76.6-86.8	77	18.3	13.2-23.4
55-64	471	394,538	403	83.1	78.6-87.6	68	16.9	12.4-21.4
65+	788	556,824	665	83.7	80.2-87.2	123	16.3	12.8-19.8
Less Than H.S.	190	282,510	151	77.3	68.9-85.7	39	22.7	14.3-31.1
H.S. or G.E.D.	768	834,066	580	74.4	70.3-78.5	188	25.6	21.5-29.7
Some Post-H.S.	635	710,918	518	81.0	77.1-84.9	117	19.0	15.1-22.9
College Graduate	905	655,430	804	89.8	87.6-92.0	101	10.2	8.0-12.4
Less than \$15,000	108	88,125	89	82.8	73.8-91.8	19	17.2	8.2-26.2
\$15,000- 24,999	193	182,069	154	79.7	71.9-87.5	39	20.3	12.5-28.1
\$25,000- 34,999	203	185,369	166	80.9	73.8-88.0	37	19.1	12.0-26.2
\$35,000- 49,999	331	338,403	262	79.1	73.4-84.8	69	20.9	15.2-26.6
\$50,000- 99,999	672	674,635	552	78.6	74.1-83.1	120	21.4	16.9-25.9
\$100,000 - 199,999	449	448,584	377	82.4	77.7-87.1	72	17.6	12.9-22.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
SECTION 15: SEATBELT USE**

**TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2735	2,711,250	2474	90.4	88.6-92.2	261	9.6	7.8-11.4
White/Non-Hisp	2155	1,930,575	1970	92.1	90.5-93.7	185	7.9	6.3- 9.5
Black or Afr. Am./Non-Hisp	356	447,581	303	83.6	77.3-89.9	53	16.4	10.1-22.7
Oth. Race/Non-Hisp.	62	100,990	54	85.4	71.5-99.3	8	14.6	0.7-28.5
MultiRacial/Non-Hisp.	59	62,193	50	87.3	78.1-96.5	9	12.7	3.5-21.9
Hispanic	64	128,986	61	92.7	81.5- 100	3	7.3	0.0-18.5
18-24	174	308,247	154	87.3	79.5-95.1	20	12.7	4.9-20.5
25-34	300	437,595	261	85.6	80.1-91.1	39	14.4	8.9-19.9
35-44	379	422,251	329	89.1	85.4-92.8	50	10.9	7.2-14.6
45-54	433	410,600	394	93.8	91.4-96.2	39	6.2	3.8- 8.6
55-64	476	430,608	434	90.6	86.3-94.9	42	9.4	5.1-13.7
65+	973	701,949	902	93.3	91.1-95.5	71	6.7	4.5- 8.9
Less Than H.S.	191	312,629	170	87.9	80.6-95.2	21	12.1	4.8-19.4
H.S. or G.E.D.	767	826,480	685	89.1	85.8-92.4	82	10.9	7.6-14.2
Some Post-H.S.	780	837,016	696	89.9	87.0-92.8	84	10.1	7.2-13.0
College Graduate	993	732,415	919	93.3	91.1-95.5	74	6.7	4.5- 8.9
Less than \$15,000	200	199,599	169	79.9	70.1-89.7	31	20.1	10.3-29.9
\$15,000- 24,999	259	234,391	227	86.4	80.5-92.3	32	13.6	7.7-19.5
\$25,000- 34,999	292	260,307	259	89.7	85.4-94.0	33	10.3	6.0-14.6
\$35,000- 49,999	386	393,332	349	90.7	86.6-94.8	37	9.3	5.2-13.4
\$50,000- 99,999	620	605,453	578	94.5	92.5-96.5	42	5.5	3.5- 7.5
\$100,000 - 199,999	359	347,909	329	90.9	87.0-94.8	30	9.1	5.2-13.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
 SECTION 15: SEATBELT USE**

**TABLE 7: DRINKING AND DRIVING (\_DRNKDRV)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2428	2,484,949	60	2.0	1.4- 2.6	2368	98.0	97.4-98.6
Male	1329	1,365,386	46	3.0	1.8- 4.2	1283	97.0	95.8-98.2
Female	1099	1,119,564	14	0.8	0.2- 1.4	1085	99.2	98.6-99.8
White/Non-Hisp	1882	1,719,951	45	2.2	1.4- 3.0	1837	97.8	97.0-98.6
Black or Afr. Am./Non-Hisp	291	378,747	6	1.4	0.0- 2.8	285	98.6	97.2- 100
Oth. Race/Non-Hisp.	70	85,281	3	1.7	0.0- 4.1	67	98.3	95.9- 100
MultiRacial/Non-Hisp.	52	60,851	2	3.7	0.0- 8.8	50	96.3	91.2- 100
Hispanic	93	198,371	2	1.5	0.0- 3.7	91	98.5	96.3- 100
18-24	177	292,245	3	1.0	0.0- 2.4	174	99.0	97.6- 100
25-34	377	506,939	16	3.6	1.2- 6.0	361	96.4	94.0-98.8
35-44	418	503,488	13	2.0	0.6- 3.4	405	98.0	96.6-99.4
45-54	440	434,679	13	2.4	0.8- 4.0	427	97.6	96.0-99.2
55-64	430	367,515	8	1.2	0.2- 2.2	422	98.8	97.8-99.8
65+	586	380,085	7	1.0	0.2- 1.8	579	99.0	98.2-99.8
Less Than H.S.	92	160,834	3	2.7	0.0- 5.8	89	97.3	94.2- 100
H.S. or G.E.D.	553	654,317	17	2.4	0.8- 4.0	536	97.6	96.0-99.2
Some Post-H.S.	652	773,831	12	1.6	0.6- 2.6	640	98.4	97.4-99.4
College Graduate	1127	890,639	28	2.0	1.0- 3.0	1099	98.0	97.0-99.0
Less than \$15,000	82	78,554				82	100.0	100.0- 100
\$15,000-24,999	150	147,243	4	0.9	0.0- 1.9	146	99.1	98.1- 100
\$25,000-34,999	166	159,135	9	6.0	1.9-10.1	157	94.0	89.9-98.1
\$35,000-49,999	280	309,743	10	2.2	0.4- 4.0	270	97.8	96.0-99.6
\$50,000-99,999	684	689,924	15	1.4	0.4- 2.4	669	98.6	97.6-99.6
\$100,000-199,999	523	529,153	15	3.3	1.1- 5.5	508	96.7	94.5-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
 SECTION 15: SEATBELT USE**

**TABLE 8: DRINKING AND DRIVING (\_DRNKDRV)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1329	1,365,386	46	3.0	1.8- 4.2	1283	97.0	95.8-98.2
White/Non-Hisp	1032	937,470	35	3.5	1.9- 5.1	997	96.5	94.9-98.1
Black or Afr. Am./Non-Hisp	129	163,213	3	1.2	0.0- 2.8	126	98.8	97.2- 100
Hispanic	68	152,620	2	2.0	0.0- 4.7	66	98.0	95.3- 100
18-24	97	160,945	2	1.3	0.0- 3.5	95	98.7	96.5- 100
25-34	220	282,747	13	5.5	1.6- 9.4	207	94.5	90.6-98.4
35-44	220	274,724	8	2.4	0.2- 4.6	212	97.6	95.4-99.8
45-54	233	227,741	11	4.2	1.3- 7.1	222	95.8	92.9-98.7
55-64	229	194,858	7	2.3	0.5- 4.1	222	97.7	95.9-99.5
65+	330	224,369	5	1.3	0.0- 2.7	325	98.7	97.3- 100
Less Than H.S.	64	110,668	3	4.0	0.0- 8.5	61	96.0	91.5- 100
H.S. or G.E.D.	341	398,082	14	3.4	0.9- 5.9	327	96.6	94.1-99.1
Some Post-H.S.	340	402,646	11	2.6	0.8- 4.4	329	97.4	95.6-99.2
College Graduate	580	448,662	18	2.8	1.2- 4.4	562	97.2	95.6-98.8
\$15,000- 24,999	82	87,169	3	1.0	0.0- 2.4	79	99.0	97.6- 100
\$25,000- 34,999	78	75,211	6	7.7	1.2-14.2	72	92.3	85.8-98.8
\$35,000- 49,999	141	154,428	6	2.8	0.0- 5.7	135	97.2	94.3- 100
\$50,000- 99,999	388	393,997	13	2.3	0.7- 3.9	375	97.7	96.1-99.3
\$100,000 - 199,999	302	310,733	11	5.1	1.4- 8.8	291	94.9	91.2-98.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023  
 SECTION 15: SEATBELT USE**

**TABLE 9: DRINKING AND DRIVING (\_DRNKDRV)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1			2		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1099	1,119,564	14	0.8	0.2- 1.4	1085	99.2	98.6-99.8
White/Non-Hisp	850	782,481	10	0.6	0.2- 1.0	840	99.4	99.0-99.8
Black or Afr. Am./Non-Hisp	162	215,534	3	1.5	0.0- 3.7	159	98.5	96.3- 100
18-24	80	131,300	1	0.8	0.0- 2.4	79	99.2	97.6- 100
25-34	157	224,191	3	1.2	0.0- 2.8	154	98.8	97.2- 100
35-44	198	228,763	5	1.6	0.0- 3.4	193	98.4	96.6- 100
45-54	207	206,937	2	0.5	0.0- 1.1	205	99.5	98.9- 100
55-64	201	172,657	1	0.1	0.0- 0.3	200	99.9	99.7- 100
65+	256	155,715	2	0.4	0.0- 1.0	254	99.6	99.0- 100
H.S. or G.E.D.	212	256,235	3	0.9	0.0- 2.1	209	99.1	97.9- 100
Some Post-H.S.	312	371,185	1	0.5	0.0- 1.5	311	99.5	98.5- 100
College Graduate	547	441,977	10	1.2	0.4- 2.0	537	98.8	98.0-99.6
\$15,000- 24,999	68	60,074	1	0.8	0.0- 2.4	67	99.2	97.6- 100
\$25,000- 34,999	88	83,924	3	4.4	0.0- 9.7	85	95.6	90.3- 100
\$35,000- 49,999	139	155,315	4	1.6	0.0- 3.4	135	98.4	96.6- 100
\$50,000- 99,999	296	295,927	2	0.3	0.0- 0.9	294	99.7	99.1- 100
\$100,000 - 199,999	221	218,420	4	0.7	0.0- 1.5	217	99.3	98.5- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2023**

End of Calculated Variable Data Report