

**2021 Reportable Diseases and Events, by Tennessee Health Region,
Year-to-Date and MMWR Week 18**

Reporting Period: 01/03/2021 - 05/08/2021

| | CHR | ETR | JMR | KKR | MCR | MSR | NDR | NER | SCR | SER | SUL | UCR | WTR | Total |
|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|
| Anaplasma phagocytophilum | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | 1 | | | | | | | | | 1 |
| Babesiosis | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Botulism, infant | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Brucellosis | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Campylobacteriosis | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 6 | 31 | 1 | 13 | 33 | 14 | 12 | 26 | 14 | 11 | 4 | 16 | 25 | 206 |
| New Confirmed/Probable | | | | | 1 | 1 | | 1 | | | 1 | 1 | 1 | 6 |
| New Suspect | | | | | | | | | | | | | | |
| Chagas Disease | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Colistin-Resistant (Plasmid) Gram Negative | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |

| | CHR | ETR | JMR | KKR | MCR | MSR | NDR | NER | SCR | SER | SUL | UCR | WTR | Total |
|---|-------|-------|------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|--------|
| COVID-19 | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 13011 | 28715 | 2429 | 15785 | 50787 | 27448 | 26496 | 11105 | 14899 | 13339 | 5148 | 11132 | 14194 | 234488 |
| New Confirmed/Probable | 133 | 127 | 39 | 67 | 402 | 338 | 191 | 97 | 120 | 64 | 76 | 70 | 109 | 1833 |
| New Suspect | | | | | | | | | | | | | | |
| Cryptosporidiosis | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 3 | 9 | 0 | 2 | 7 | 2 | 1 | 4 | 5 | 2 | 0 | 4 | 0 | 39 |
| New Confirmed/Probable | | | | | 1 | | | | | | | | | 1 |
| New Suspect | | | | | | | | | | | | | | |
| Cyclosporiasis | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Ehrlichiosis, chaffeensis | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 0 | 1 | 1 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 5 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | 2 | | | | | | | | | 2 |
| Ehrlichiosis/Anaplasmosis, undetermined | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Enterobacteriaceae, Carbapenem-resistant (CRE) | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 2 | 20 | 0 | 6 | 29 | 8 | 17 | 4 | 15 | 4 | 1 | 15 | 6 | 127 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| ESBL-Producing Bacteria | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 14 | 0 | 0 | 3 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 18 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |

| | CHR | ETR | JMR | KKR | MCR | MSR | NDR | NER | SCR | SER | SUL | UCR | WTR | Total |
|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|
| Group A Streptococcus, invasive | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 16 | 29 | 0 | 23 | 13 | 9 | 20 | 6 | 1 | 6 | 6 | 12 | 8 | 149 |
| New Confirmed/Probable | | | | | 1 | | 1 | | | | | | | 2 |
| New Suspect | | | | | | | 1 | | | | | | | 1 |
| Group B Streptococcus, invasive | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 7 | 22 | 1 | 14 | 27 | 18 | 23 | 4 | 10 | 6 | 3 | 16 | 16 | 167 |
| New Confirmed/Probable | | | | | | | 1 | | | | | | | 1 |
| New Suspect | | | | | | | | | | | | | | |
| Haemophilus influenzae, invasive | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 1 | 1 | 3 | 2 | 0 | 0 | 0 | 1 | 1 | 0 | 9 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Hemolytic uremic syndrome | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Hepatitis A, acute | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 2 | 0 | 2 | 1 | 2 | 0 | 0 | 6 | 0 | 0 | 0 | 2 | 15 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Hepatitis B Pos Preg | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 2 | 9 | 0 | 3 | 7 | 12 | 13 | 0 | 0 | 1 | 1 | 1 | 1 | 50 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Hepatitis B Positive Pregnant Female | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 1 | 6 | 0 | 3 | 5 | 9 | 9 | 0 | 0 | 1 | 1 | 1 | 1 | 37 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |

| | CHR | ETR | JMR | KKR | MCR | MSR | NDR | NER | SCR | SER | SUL | UCR | WTR | Total |
|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|
| Hepatitis B, acute | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 2 | 18 | 0 | 6 | 9 | 5 | 13 | 2 | 5 | 6 | 0 | 0 | 3 | 69 |
| New Confirmed/Probable | | | | | | | 1 | | | | | | | 1 |
| New Suspect | | | | | | | | | | | | | | |
| Hepatitis C Virus Infection, Chronic | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 242 | 784 | 59 | 410 | 525 | 511 | 426 | 324 | 318 | 616 | 145 | 195 | 402 | 4957 |
| New Confirmed/Probable | 1 | 20 | 2 | 5 | 25 | 10 | 13 | 10 | 16 | 21 | 3 | 3 | 7 | 136 |
| New Suspect | | | | | | | | | | | | | | |
| Hepatitis C, acute | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 6 | 19 | 0 | 9 | 2 | 1 | 12 | 3 | 6 | 9 | 1 | 8 | 1 | 77 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | 1 | | | | | | 1 |
| Hepatitis C, perinatal infection | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Hepatitis C, Positive Pregnant Female | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 12 | 122 | 5 | 29 | 51 | 21 | 18 | 27 | 21 | 30 | 19 | 39 | 25 | 419 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Highly Drug-Resistant: Other Organisms | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Influenza-associated pediatric mortality | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |

| | CHR | ETR | JMR | KKR | MCR | MSR | NDR | NER | SCR | SER | SUL | UCR | WTR | Total |
|--------------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|
| Latent Tuberculosis Infection | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 19 | 25 | 0 | 18 | 30 | 12 | 27 | 4 | 4 | 5 | 1 | 11 | 5 | 161 |
| New Confirmed/Probable | 2 | | | | 1 | | 1 | | | | | 2 | | 6 |
| New Suspect | | | | | | | | | | | | | | |
| Legionellosis | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 1 | 3 | 1 | 5 | 7 | 5 | 1 | 1 | 1 | 1 | 0 | 3 | 3 | 32 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Listeriosis | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 3 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Lyme disease | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 1 | 0 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 5 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | 1 | | 1 |
| Malaria | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 3 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Measles (Rubeola) | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Meningitis - Other Bacterial | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 6 | 0 | 3 | 4 | 0 | 1 | 0 | 0 | 1 | 0 | 1 | 1 | 17 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |

| | CHR | ETR | JMR | KKR | MCR | MSR | NDR | NER | SCR | SER | SUL | UCR | WTR | Total |
|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|
| Multisystem Inflammatory Syndrome in Children | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 4 | 17 | 1 | 5 | 13 | 16 | 7 | 3 | 7 | 3 | 1 | 4 | 6 | 87 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Mumps | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Neisseria meningitidis, invasive (Mening. disease) | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Pertussis | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 7 | 11 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Q fever, Acute | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Salmonellosis (excluding paratyphoid and typhoid) | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 7 | 19 | 2 | 12 | 25 | 16 | 13 | 14 | 5 | 8 | 7 | 8 | 14 | 150 |
| New Confirmed/Probable | 1 | | | | 1 | | | 1 | | | | | | 3 |
| New Suspect | | | | | | | | | | | | | | |
| Shiga toxin-producing Escherichia coli (STEC) | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 16 | 0 | 7 | 9 | 4 | 5 | 6 | 0 | 3 | 1 | 1 | 9 | 61 |
| New Confirmed/Probable | | | | | 1 | 1 | 1 | | | | | | 1 | 4 |
| New Suspect | | | | | | | | | | | | | | |

| | CHR | ETR | JMR | KKR | MCR | MSR | NDR | NER | SCR | SER | SUL | UCR | WTR | Total |
|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|
| Shigellosis | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 2 | 3 | 0 | 2 | 3 | 11 | 3 | 2 | 1 | 0 | 0 | 1 | 0 | 28 |
| New Confirmed/Probable | 1 | | | | | 1 | | | | | | | | 2 |
| New Suspect | | | | | | | | | | | | | | |
| Spotted Fever Rickettsiosis | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 2 | 0 | 0 | 3 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 7 |
| New Confirmed/Probable | | | | | 1 | | | | | | | | | 1 |
| New Suspect | | 3 | | | 5 | | 1 | | 4 | 1 | | 4 | 2 | 20 |
| Streptococcus pneumoniae, invasive disease (IPD) | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 3 | 29 | 1 | 13 | 14 | 12 | 7 | 5 | 5 | 8 | 6 | 12 | 11 | 126 |
| New Confirmed/Probable | | | | 1 | 1 | | | | | | | | | 2 |
| New Suspect | | | | | | | | | | | | | | |
| Tetanus | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Tuberculosis | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 1 | 0 | 3 | 6 | 9 | 5 | 0 | 0 | 4 | 1 | 0 | 1 | 30 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | 1 | | | | | | | | 1 |
| Tularemia | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Typhoid Fever (S. enterica typhi) | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |

| | CHR | ETR | JMR | KKR | MCR | MSR | NDR | NER | SCR | SER | SUL | UCR | WTR | Total |
|--|-------|-------|------|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|--------|
| Vibriosis (non-cholera Vibrio species infections) | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 2 | 2 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 7 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| VRE (Vancomycin-Resistant Enterococcus-Invasive) | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 7 | 1 | 4 | 10 | 16 | 3 | 2 | 0 | 5 | 4 | 3 | 8 | 63 |
| New Confirmed/Probable | | | | | | | | | | 1 | | | | 1 |
| New Suspect | | | | | | | | | | | | | | |
| VRSA (S.aureus, coagulase+, vancomycin-resist) | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Yersiniosis (non-pestis) | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 1 | 3 | 0 | 8 | 2 | 2 | 0 | 1 | 1 | 1 | 2 | 1 | 1 | 23 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| YTD - All Conditions | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 13350 | 29937 | 2501 | 16392 | 51635 | 28168 | 27141 | 11545 | 15329 | 14071 | 5353 | 11489 | 14751 | 241662 |
| YTD Total Investigations | 13901 | 31516 | 2965 | 17444 | 54438 | 29951 | 28958 | 12332 | 16361 | 14817 | 5520 | 12563 | 16452 | 257218 |
| New Confirmed/Probable Week 18 | 138 | 147 | 41 | 73 | 435 | 351 | 209 | 109 | 136 | 86 | 80 | 76 | 118 | 1999 |
| New Suspect Week 18 | | 3 | | | 8 | 1 | 2 | 1 | 4 | 1 | | 5 | 2 | 27 |

CHR - Chattanooga/ Hamilton County Region

ETR - East Tennessee Region (Anderson, Blount, Campbell, Claiborne, Cocke, Grainger, Hamblen, Jefferson, Loudon, Monroe, Morgan, Roane, Scott, Sevier, & Union Counties)

JMR - Jackson/Madison County Region

KKR - Knoxville/Knox County Region

MCR - Mid Cumberland Region (Cheatham, Dickson, Houston, Humphreys, Montgomery, Robertson, Rutherford, Stewart, Sumner, Trousdale, Williamson, & Wilson Counties)

MSR - Memphis/Shelby County Region

NDR - Nashville/Davidson County Region

NER - Northeast Region (Carter, Greene, Hancock, Hawkins, Johnson, Unicoi, & Washington counties)

SCR - South Central Region (Bedford, Coffee, Giles, Hickman, Lawrence, Lewis, Lincoln, Marshall, Maury, Moore, Perry, & Wayne Counties)

SER - Southeast Region (Bledsoe, Bradley, Franklin, Grundy, Marion, McMinn, Meigs, Polk, Rhea, & Sequatchie Counties)

SUL - Sullivan County

UCR - Upper Cumberland Region (Cannon, Clay, Cumberland, DeKalb, Fentress, Jackson, Macon, Overton, Pickett, Putnam, Smith, Van Buren, Warren, & White Counties)

WTR - West Tennessee Region (Benton, Carroll, Chester, Crockett, Decatur, Dyer, Fayette, Gibson, Hardeman, Hardin, Haywood, Henderson, Henry, Lake, Lauderdale, McNairy, Obion, Tipton, & Weakley Counties)