

**2025 Reportable Diseases and Events, by Tennessee Health Region,
Year-to-Date and MMWR Week 33**

Reporting Period: 12/29/2024 - 08/16/2025

| | CHR | ETR | JMR | KKR | MCR | MSR | NDR | NER | SCR | SER | SUL | UCR | WTR | Total |
|--|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|
| Anaplasma phagocytophilum | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 2 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 6 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Babesiosis | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | 1 | | | | 1 | | | | | | | | 2 |
| Botulism, infant | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 2 | 1 | 0 | 0 | 0 | 0 | 5 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Brucellosis | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Campylobacteriosis | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 44 | 149 | 8 | 78 | 180 | 70 | 86 | 82 | 75 | 69 | 31 | 72 | 79 | 1023 |
| New Confirmed/Probable | | 6 | | 1 | 1 | 1 | 1 | 2 | | 1 | | | 1 | 14 |
| New Suspect | | | | | | | | | | | | | | |
| Candida auris, clinical | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 2 | 9 | 15 | 14 | 17 | 132 | 12 | 2 | 2 | 0 | 2 | 4 | 20 | 231 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Candida auris, colonization/screening | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 6 | 9 | 5 | 6 | 62 | 0 | 2 | 1 | 1 | 15 | 1 | 44 | 152 |
| New Confirmed/Probable | | | | | | 1 | | | | | | | 2 | 3 |
| New Suspect | | | | | | | | | | | | | | |

| | CHR | ETR | JMR | KKR | MCR | MSR | NDR | NER | SCR | SER | SUL | UCR | WTR | Total |
|---|------|------|-----|------|------|------|------|-----|-----|-----|-----|-----|------|-------|
| Carbapenemase-producing organism (CPO), clinical | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 5 | 0 | 4 | 1 | 3 | 2 | 3 | 0 | 1 | 1 | 0 | 1 | 21 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Carbapenem-resistant Enterobacterales | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 2 | 0 | 26 | 5 | 1 | 0 | 0 | 2 | 0 | 0 | 3 | 5 | 44 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Carbon Monoxide Poisoning | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 2 | 4 | 1 | 2 | 21 | 2 | 5 | 7 | 0 | 3 | 1 | 2 | 9 | 59 |
| New Confirmed/Probable | | | | | 1 | | | | | | 1 | | | 2 |
| New Suspect | | | | | 1 | | | | | | | | | 1 |
| Chikungunya Virus | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Chlamydia trachomatis infection | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 1175 | 1031 | 496 | 1213 | 3157 | 5939 | 3381 | 484 | 768 | 487 | 210 | 475 | 1389 | 20205 |
| New Confirmed/Probable | 26 | 12 | 6 | 16 | 51 | 119 | 61 | 7 | 4 | 5 | 1 | 8 | 23 | 339 |
| New Suspect | | | | | | | | | | | | | | |
| Cryptosporidiosis | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 3 | 30 | 0 | 18 | 15 | 11 | 9 | 7 | 12 | 8 | 2 | 4 | 5 | 124 |
| New Confirmed/Probable | | | | | 1 | | | | 1 | | | | | 2 |
| New Suspect | | | | | | | | | | | | | | |
| Cyclosporiasis | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 3 | 1 | 1 | 9 | 3 | 5 | 1 | 1 | 2 | 0 | 1 | 1 | 28 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |

| | CHR | ETR | JMR | KKR | MCR | MSR | NDR | NER | SCR | SER | SUL | UCR | WTR | Total |
|--|-----|-----|-----|-----|-----|------|------|-----|-----|-----|-----|-----|-----|-------|
| Ehrlichia infection, other spp. or unspciated | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 2 | 1 | 0 | 0 | 56 | 3 | 12 | 2 | 6 | 2 | 0 | 7 | 1 | 92 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Ehrlichiosis, chaffeensis | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 1 | 2 | 1 | 2 | 2 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 8 | 19 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Gonorrhea | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 278 | 207 | 185 | 399 | 755 | 1768 | 1036 | 144 | 183 | 79 | 82 | 75 | 360 | 5551 |
| New Confirmed/Probable | 3 | | 1 | 6 | 5 | 5 | 1 | 2 | 2 | 2 | 1 | 1 | 1 | 30 |
| New Suspect | | | | | | | | | | | | | | |
| Group A Streptococcus, invasive | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 11 | 36 | 2 | 32 | 36 | 32 | 55 | 23 | 18 | 15 | 12 | 11 | 12 | 295 |
| New Confirmed/Probable | | 1 | | | | 1 | | | | | | | | 2 |
| New Suspect | | | | | | | | | | | | | | |
| Haemophilus influenzae, invasive disease | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 2 | 14 | 4 | 14 | 20 | 13 | 7 | 8 | 9 | 6 | 5 | 7 | 6 | 115 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Hansen disease (leprosy) | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Hemolytic uremic syndrome, post-diarrheal | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 5 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |

| | CHR | ETR | JMR | KKR | MCR | MSR | NDR | NER | SCR | SER | SUL | UCR | WTR | Total |
|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|
| Hepatitis A, acute | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 1 | 7 | 0 | 0 | 1 | 0 | 3 | 0 | 0 | 1 | 0 | 0 | 0 | 13 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Hepatitis B Pos Preg | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 2 | 0 | 1 | 6 | 15 | 15 | 13 | 2 | 1 | 1 | 1 | 4 | 0 | 61 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Hepatitis B Positive Pregnant Female | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 2 | 0 | 1 | 6 | 15 | 15 | 13 | 1 | 1 | 1 | 1 | 4 | 0 | 60 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Hepatitis B Viral Infection, Perinatal | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Hepatitis B, acute | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 1 | 8 | 0 | 5 | 9 | 11 | 6 | 1 | 5 | 4 | 0 | 2 | 1 | 53 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Hepatitis C Virus Infection, Chronic | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 199 | 695 | 38 | 352 | 465 | 481 | 382 | 350 | 244 | 354 | 92 | 250 | 343 | 4245 |
| New Confirmed/Probable | 9 | 18 | | 5 | 12 | 16 | 11 | 14 | 6 | 6 | 1 | 13 | 5 | 116 |
| New Suspect | | | | | | | | | | | | | | |
| Hepatitis C, acute | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 6 | 30 | 1 | 17 | 11 | 3 | 14 | 11 | 14 | 14 | 3 | 6 | 15 | 145 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |

| | CHR | ETR | JMR | KKR | MCR | MSR | NDR | NER | SCR | SER | SUL | UCR | WTR | Total |
|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|
| Hepatitis C, perinatal infection | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 1 | 0 | 2 | 1 | 0 | 0 | 1 | 0 | 1 | 3 | 1 | 2 | 12 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | 4 | | 2 | 1 | | 5 | 1 | | | 3 | 3 | 1 | 20 |
| Hepatitis C, Positive Pregnant Person | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 13 | 73 | 3 | 30 | 50 | 15 | 25 | 27 | 21 | 17 | 13 | 32 | 13 | 332 |
| New Confirmed/Probable | | 3 | | 2 | | | 6 | 1 | 1 | | 2 | 2 | 1 | 18 |
| New Suspect | | | | | | | | | | | | | | |
| HIV | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 31 | 24 | 10 | 32 | 72 | 195 | 103 | 14 | 10 | 9 | 6 | 2 | 33 | 541 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Influenza-associated pediatric mortality | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 1 | 2 | 1 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 6 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| LaCrosse virus neuroinvasive disease | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 4 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| LaCrosse virus non-neuroinvasive disease | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Legionellosis | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 1 | 18 | 0 | 6 | 4 | 36 | 6 | 7 | 3 | 7 | 1 | 7 | 7 | 103 |
| New Confirmed/Probable | | | | | | | | | | | | 1 | | 1 |
| New Suspect | | | | | | | | | | | | | | |

| | CHR | ETR | JMR | KKR | MCR | MSR | NDR | NER | SCR | SER | SUL | UCR | WTR | Total |
|-------------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|
| Listeriosis | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 0 | 2 | 2 | 3 | 1 | 0 | 4 | 0 | 1 | 1 | 14 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Lyme disease | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 2 | 0 | 1 | 8 | 1 | 0 | 17 | 0 | 0 | 7 | 2 | 0 | 38 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | 1 | | 3 | 1 | | | | | 5 |
| Malaria | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 2 | 0 | 0 | 0 | 4 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 9 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Measles | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 0 | 6 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Meningitis - Other Bacterial | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 1 | 6 | 0 | 7 | 3 | 1 | 3 | 0 | 1 | 3 | 1 | 0 | 3 | 29 |
| New Confirmed/Probable | | | | | | | | | | | | | 1 | 1 |
| New Suspect | | | | | | | | | | | | | | |
| Meningococcal disease | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 1 | 0 | 0 | 0 | 1 | 1 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 6 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Mpox | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 6 | 0 | 0 | 0 | 7 | 1 | 16 | 0 | 0 | 3 | 0 | 1 | 0 | 34 |
| New Confirmed/Probable | | | | | | | 1 | | | | | | | 1 |
| New Suspect | | | | | | | | | | | | | | |

| | CHR | ETR | JMR | KKR | MCR | MSR | NDR | NER | SCR | SER | SUL | UCR | WTR | Total | |
|--|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|--|
| Mumps | | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 1 | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 2 | 0 | 1 | 0 | 0 | 7 | |
| New Confirmed/Probable | | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | | |
| Nontuberculous Mycobacteria (extra-pulmonary) | | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 1 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | |
| New Confirmed/Probable | | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | | |
| Paratyphoid Fever (S. enterica paratyphi A/B/C) | | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | |
| New Confirmed/Probable | | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | | |
| Pertussis | | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 28 | 61 | 5 | 8 | 92 | 18 | 45 | 50 | 28 | 18 | 18 | 24 | 52 | 447 | |
| New Confirmed/Probable | 4 | 2 | | | 1 | | | 2 | 1 | | 1 | | 1 | 12 | |
| New Suspect | | | | | | | | | | | | | | | |
| Q fever, Acute | | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | |
| New Confirmed/Probable | | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | | |
| Q fever, Chronic | | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | |
| New Confirmed/Probable | | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | | |
| Salmonellosis (excluding paratyphoid and typhoid) | | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 25 | 62 | 15 | 36 | 89 | 73 | 52 | 39 | 30 | 31 | 12 | 30 | 73 | 567 | |
| New Confirmed/Probable | 1 | 1 | | | 1 | | 1 | 1 | | 1 | | 1 | 1 | 8 | |
| New Suspect | | | | | | | | | | | | | | | |

| | CHR | ETR | JMR | KKR | MCR | MSR | NDR | NER | SCR | SER | SUL | UCR | WTR | Total |
|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|
| Shiga toxin-producing Escherichia coli (STEC) | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 8 | 36 | 1 | 8 | 40 | 16 | 20 | 16 | 14 | 10 | 7 | 24 | 11 | 211 |
| New Confirmed/Probable | | | | | | | | | | | | 1 | | 1 |
| New Suspect | | | | | | | | | | | | | | |
| Shigellosis | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 5 | 9 | 5 | 9 | 17 | 29 | 16 | 1 | 6 | 3 | 3 | 3 | 6 | 112 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Spotted Fever Rickettsiosis | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 3 | 5 | 0 | 2 | 19 | 4 | 1 | 2 | 11 | 7 | 0 | 5 | 0 | 59 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | 2 | | | | | | | | | | | | 2 |
| Streptococcal disease, invasive, Group B | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 13 | 45 | 0 | 21 | 59 | 12 | 23 | 27 | 25 | 20 | 22 | 26 | 22 | 315 |
| New Confirmed/Probable | 1 | | | | | | | | | | | | 1 | 2 |
| New Suspect | | | | | | | | | | | | | | |
| Streptococcal toxic-shock syndrome | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Streptococcus pneumoniae, invasive disease (IPD) (| | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 27 | 65 | 2 | 42 | 86 | 52 | 44 | 41 | 33 | 28 | 15 | 41 | 49 | 525 |
| New Confirmed/Probable | | | | 1 | | | | | | | | | | 1 |
| New Suspect | | | | | | | | | | | | | | |
| Syphilis, Congenital | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 3 | 1 | 0 | 2 | 0 | 3 | 1 | 1 | 0 | 0 | 0 | 3 | 5 | 19 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |

| | CHR | ETR | JMR | KKR | MCR | MSR | NDR | NER | SCR | SER | SUL | UCR | WTR | Total |
|---|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|
| Syphilis, early non-primary, non-secondary | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 28 | 32 | 8 | 17 | 47 | 132 | 78 | 15 | 8 | 10 | 4 | 10 | 27 | 416 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Syphilis, primary | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 21 | 12 | 3 | 20 | 22 | 13 | 16 | 15 | 9 | 7 | 7 | 4 | 8 | 157 |
| New Confirmed/Probable | | | | | 1 | | | | | | | | | 1 |
| New Suspect | | | | | | | | | | | | | | |
| Syphilis, secondary | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 32 | 9 | 5 | 24 | 29 | 70 | 36 | 12 | 18 | 6 | 10 | 6 | 5 | 262 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Syphilis, unknown duration or late | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 41 | 66 | 11 | 86 | 77 | 272 | 161 | 15 | 25 | 33 | 4 | 37 | 33 | 861 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Tetanus | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Tuberculosis | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 3 | 9 | 1 | 3 | 14 | 23 | 21 | 2 | 2 | 3 | 1 | 5 | 3 | 90 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | 1 | | | | | | | | 1 |
| Tularemia | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |

| | CHR | ETR | JMR | KKR | MCR | MSR | NDR | NER | SCR | SER | SUL | UCR | WTR | Total |
|--|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------|
| Typhoid Fever (S. enterica typhi) | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Vibriosis (non-cholera Vibrio species infections) | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 2 | 7 | 0 | 3 | 4 | 3 | 2 | 1 | 2 | 0 | 1 | 5 | 1 | 31 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| VISA (S.aureus, vancomycin intermediate suscept.) | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| VRE (Vancomycin-Resistant Enterococcus-Invasive) | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 1 | 20 | 0 | 6 | 17 | 0 | 11 | 0 | 2 | 2 | 4 | 5 | 10 | 78 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| West Nile virus neuroinvasive disease | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| West Nile virus non-neuroinvasive disease | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |
| Yersiniosis (non-pestis) | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 4 | 12 | 0 | 12 | 23 | 13 | 14 | 7 | 8 | 2 | 1 | 5 | 8 | 109 |
| New Confirmed/Probable | | | | | | | | | | | | | | |
| New Suspect | | | | | | | | | | | | | | |

| | CHR | ETR | JMR | KKR | MCR | MSR | NDR | NER | SCR | SER | SUL | UCR | WTR | Total |
|---------------------------------|------|------|-----|------|------|-------|------|------|------|------|-----|------|------|-------|
| YTD - All Conditions | | | | | | | | | | | | | | |
| Year-to-Date Confirmed/Probable | 2004 | 2803 | 823 | 2544 | 5521 | 9363 | 5643 | 1434 | 1593 | 1263 | 593 | 1210 | 2643 | 37437 |
| YTD Total Investigations | 2314 | 4062 | 985 | 3066 | 6692 | 10179 | 6422 | 1977 | 2286 | 1644 | 815 | 1766 | 3365 | 45573 |
| New Confirmed/Probable Week 33 | 44 | 43 | 7 | 31 | 74 | 143 | 82 | 29 | 15 | 15 | 7 | 27 | 37 | 554 |
| New Suspect Week 33 | | 7 | | 2 | 2 | 3 | 5 | 4 | 1 | | 3 | 3 | 1 | 31 |

CHR - Chattanooga/ Hamilton County Region

ETR - East Tennessee Region (Anderson, Blount, Campbell, Claiborne, Cocke, Grainger, Hamblen, Jefferson, Loudon, Monroe, Morgan, Roane, Scott, Sevier, & Union Counties)

JMR - Jackson/Madison County Region

KKR - Knoxville/Knox County Region

MCR - Mid Cumberland Region (Cheatham, Dickson, Houston, Humphreys, Montgomery, Robertson, Rutherford, Stewart, Sumner, Trousdale, Williamson, & Wilson Counties)

MSR - Memphis/Shelby County Region

NDR - Nashville/Davidson County Region

NER - Northeast Region (Carter, Greene, Hancock, Hawkins, Johnson, Unicoi, & Washington counties)

SCR - South Central Region (Bedford, Coffee, Giles, Hickman, Lawrence, Lewis, Lincoln, Marshall, Maury, Moore, Perry, & Wayne Counties)

SER - Southeast Region (Bledsoe, Bradley, Franklin, Grundy, Marion, McMinn, Meigs, Polk, Rhea, & Sequatchie Counties)

SUL - Sullivan County

UCR - Upper Cumberland Region (Cannon, Clay, Cumberland, DeKalb, Fentress, Jackson, Macon, Overton, Pickett, Putnam, Smith, Van Buren, Warren, & White Counties)

WTR - West Tennessee Region (Benton, Carroll, Chester, Crockett, Decatur, Dyer, Fayette, Gibson, Hardeman, Hardin, Haywood, Henderson, Henry, Lake, Lauderdale, McNairy, Obion, Tipton, & Weakley Counties)