

# Sentinel Provider Influenza-Like Illness (ILI)<sup>1</sup> Surveillance Summary for the Week of March 17-23, 2019 (Week 12)

#### https://www.tn.gov/health/cedep/immunization-program/ip/flu-in-tennessee.html

|                               | # 0!!                | <b>T</b> - 4 - 1 | Total           | Total                |       | Compared              |   |
|-------------------------------|----------------------|------------------|-----------------|----------------------|-------|-----------------------|---|
| Summary for                   | # Sites<br>reporting | Total<br>Sites   | Regional<br>ILI | Regional<br>Patients | % ILI | to State <sup>2</sup> |   |
| Hamilton County (Chattanooga) | 4                    | 4                | 0               | 618                  |       | lower                 |   |
| East Tennessee Region         | 6                    | 9                | 64              | 1624                 | 3.9%  | higher                |   |
| Jackson-Madison County        | 1                    | 1                | 17              | 727                  | 2.3%  |                       | Influenza activity in Tennessee   |
| Knoxville-Knox County         | 1                    | 3                | 12              | 70                   | 17.1% | higher                | •   |
| Mid-Cumberland Region         | 9                    | 11               | 5               | 685                  |       | lower                 | <ul> <li>The percentage of outpatients with ILI visiting the state's Sentinel of</li> </ul> |
| Shelby County (Memphis)       | 5                    | 9                | 67              | 758                  | 8.8%  | higher                | sites was 2.67%. The CDC's baseline rate is 2.2%.   |
| Nashville-Davidson County     | 6                    | 11               | 18              | 1355                 | 1.3%  | lower                 | • 9.4% of specimens tested positive for influenza viruses.                                  |
| Northeast Region              | 4                    | 4                | 3               | 331                  | 0.9%  | lower                 | 43 of 95 Tennessee counties have had at least one confirmed influe                          |
| South Central Region          | 3                    | 3                | 0               | 121                  | 0.0%  | )                     |   |
| Southeast Region              | 3                    | 4                | 4               | 283                  | 1.4%  |                       | positive result in recent weeks.  |
| Sullivan County (Tri-Cities)  | 1                    | 2                | 0               | 245                  | 0.0%  | lower                 | • Influenza- related deaths reported in 2018-2019 season: 1 pediatric                       |
| Upper Cumberland Region       | 4                    | 4                | 0               | 275                  | 0.0%  | lower                 |   |
| West Tennessee Region         | 6                    | 6                | 1               | 67                   | 1.5%  | )                     |   |
| State of Tennessee            | 53                   | 71               | 191             | 7159                 | 2.67% | )                     | •   |

The percentage of patients with ILI reported in Week 12 was 2.67% as compared to 3.01% in Week 11. To date, 287 specimens for Week 12 have been tested by TDH Laboratory Services and one commercial laboratory that serves clinics across Tennessee; 27 were positive for influenza virus.


SPN sites should submit specimens year-round from ALL patients meeting the ILI case definition: Fever > 100°F (37.8°C) plus cough and/or sore throat, in the absence of a known cause (other than influenza). Case definition is not dependent on any test. If you have questions, contact your regional or state SPN representative. The TDH specimen submission form dated September 2015 should be used.

Specimens are critical to be able to track the geographic spread and intensity of seasonal influenza viruses, to detect the emergence of novel virus and/or antiviral resistance and provide data for vaccine strain selections.

| Month/Week | #   | Flu A<br>(H1N1) | Flu A (H3) | Unsub.<br>Flu A | Flu B | RSV A | RSV B | Paraflu 2 | Paraflu 3 | Rhino | Meta-<br>pneumo | Corona<br>OC43 | Corona<br>NL63 | Corona<br>229E |
|------------|-----|-----------------|------------|-----------------|-------|-------|-------|-----------|-----------|-------|-----------------|----------------|----------------|----------------|
| March      |     |                 |            |                 |       |       |       |           |           |       |                 |                |                |                |
| Current    | 287 | 5               | 11         | 11              | 0     | 0     | 0     | 0         | 0         | 0     | 1               | 0              | 0              | 0              |
| 11         | 301 | 10              | 15         | 7               | 0     | 0     | 0     | 0         | 0         | 2     | 0               | 0              | 0              | 1              |
| 10         | 292 | 5               | 9          | 8               | 1     | 0     | 0     | 0         | 1         | 1     | 1               | 0              | 0              | 0              |
| February   |     |                 |            |                 |       |       |       |           |           |       |                 |                |                |                |
| 9          | 312 | 6               | 10         | 19              | 0     | 0     | 0     | 0         | 0         | 0     | 0               | 0              | 1              | 0              |
| 8          | 333 | 7               | 13         | 23              | 1     | 1     | 0     | 0         | 0         | 0     | 1               | 2              | 0              | 0              |
| 7          | 401 | 15              | 21         | 37              | 0     | 0     | 1     | 1         | 0         | 1     | 1               | 1              | 1              | 0              |


## Respiratory Viral Panel Number of Positive Specimens, by week

### Percentage of Outpatient Visits Reported by the U.S. and Tennessee Outpatient Influenza-like Illness Surveillance Network (ILINet) as Influenza-like Illness, 2018-2019



# Influenza Positive Tests Submitted to TN Dept. of Health Laboratory Services Tennessee, 2018-2019

Updated: March 29, 2019



Week (March 25, 2018- March 23, 2019)

# **Reference Information for Sentinel Provider Network**

1 Influenza-like illness (ILI) is defined as fever > 100°F (37.8°C) plus cough and/or sore throat, in the absence of a known cause (other than influenza). Classification of ILI is based upon symptoms only and does not require any test.

2 The % of patients with ILI seen in each region is compared to the statewide average. Regions with % statistically-significantly different from the state average are noted as "higher" or "lower." The CDC reports that the percentage of patients visiting outpatient healthcare providers in the Sentinel Provider Network (SPN) with influenza-like-illness (ILI) when influenza viruses are not circulating is expected to fall at or below a specific SPN baseline [nationwide = 2.2%, East South Central region (AL, TN, MS, KY) = 2.3%]. When the percentage of patients with ILI exceeds this baseline, this suggests that influenza viruses may be circulating.

#### Important information for Sentinel Providers

Sentinel Providers report ILI by the end of Wednesday following the end of the reporting week (https://wwwn.cdc.gov/ilinet/) and collect and ship specimens from ILI cases Monday through Thursday (maximum 10/week per provider). All Sentinel Provider specimens MUST be accompanied by the Influenza and Respiratory Viral Panel Submission form or testing will not be done. The Respiratory Viral Panel is only validated for nasopharyngeal (NP) specimens. Specimens collected from other sites cannot be tested.


Additional laboratory supplies can be obtained by completing the lab order supply form. To ensure the order is filled, please include the CDC Provider ID Code.

Contact Information Submit weekly reports to: https://wwwn.cdc.gov/ilinet/ OR Fax 888-232-1322

State Lab: Bryan Mason (Virology, Respiratory Viral Panel) 615-262-6300

SPN Questions: State: Cassie Jones 800-404-3006 OR 615-741-7247 County/Region: Regional SPN Coordinator (see map)

## **Tennessee Sentinel Provider Network Coordinators**



| 1  | Shelby County               | 901-222-9239 |
|----|-----------------------------|--------------|
| 2  | West TN Region              | 731-421-6758 |
| 3  | Jackson-Madison County      | 731-927-8535 |
| 4  | Mid-Cumberland Region       | 615-650-7000 |
| 5  | Nashville-Davidson County   | 615-340-5350 |
| 6  | South Central Region        | 931-380-2532 |
| 7  | Upper Cumberland Region     | 931-646-7505 |
| 8  | Southeast Region            | 423-634-6065 |
| 9  | Chattanooga-Hamilton County | 423-209-8067 |
| 10 | Knoxville-Knox County       | 865-215-5084 |
| 11 | East TN Region              | 865-549-5287 |
| 12 | Northeast Region            | 423-979-3200 |
| 13 | Sullivan County             | 423-279-2868 |

The Tennessee Department of Health Mission: To protect, promote and improve the health and prosperity of people in Tennessee. Our Vision: A recognized and trusted leader, partnering and engaging to accelerate Tennessee to one of the nation's ten healthiest states.

13