

2016

DRIVE YOUR COUNTY TO THE
TOP TEN

INFORMING • CONNECTING • ACCELERATING


Washington County

TN

Department of
Health


Demographics

Population:	126,242	<18 YOA:	19.78%	65+ YOA:	16.95%	% Rural:	26.40%
Unemployment:	6.35%	% Females:	51.10%	% Males:	48.90%	Graduation Rate:	90.88%
Single parent households:	30.82%	MHI:	\$43,212				




Top Third

Measure	Value
Primary Care Physicians	618:1
Mental Health Providers	334:1
Some College	67.49%
Teen Births	30.85
Long Commute - Driving Alone	21.40%
Air Pollution - Particulate Matter	13.07
Diabetic Monitoring	89.75%
Injury Deaths	70.04
Dentists	1857:1
Children in Poverty	22.00%



Middle Third

Measure	Value
Adult Smoking	22.60%
Children in Single-Parent Households	30.82%
Low Birthweight	8.47%
Adult Obesity	32.40%
Alcohol-Impaired Driving Deaths	30.61%
High School Graduation	90.88%
Food Environment Index	7.00
Violent Crime	414.82



Bottom Third

Measure	Value
Income Inequality	4.94
Excessive Drinking	11.90%
Severe Housing Problems	15.21%
Driving Alone to Work	86.00%



Tennessee's Big 3 + 1

Why were these charts selected? The "Big 3 + 1" directly influences at least six of the top ten leading causes of death in Tennessee, and also directly influence other public health threats, such as heart disease, cancer, and diabetes. Overall, the Big Three plus One influences two-thirds of the factors that contribute to Tennessee's overall rank.

Comparative Counties:

Each graph provides the Tennessee county with its respective region and three non-Tennessee comparative counties from around the US based on county-level demographics. The vertical lines represent: the TN Average, the US Average, Top US Performers (top 10%) and the Healthy People 2020 (HP) Goal. For all measures a decrease (shift left) in percentage represents improvement.

YOA: Years of Age. MHI: Median Household Income. HP 2020: Healthy People 2020 Goal. Adult Smoking: Percentage of adults who are current smokers. Source: Behavioral Risk Factor Surveillance System; 2006-2012. Adult Obesity: Percentage of adults that report a BMI of 30 or more. Source: CDC Diabetes Interactive Atlas; 2011. Physical Inactivity: Percentage of adults aged 20 and over reporting no leisure-time physical activity. Source: CDC Diabetes Interactive Atlas; 2011. Prepared by the Division of Administrative Services, Tennessee Department of Health. Nashville, TN. admin.health@tn.gov or 615-741-5001.

Health Outcomes	Length of Life	Premature Death									
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value	
		22	Knox	8555.20	7735.80	819.40	↑Bad ↓Good	6,600.00	Penobscot, ME	7165.40	
		For every 100 people in the county, 1 people in the county need to live one year closer to age 75.							Marion, WV	7883.10	
		Source		National Center for Health Statistics - Mortality files			Year(s)	2011-2013	Genesee, NY	6476.90	
Health Outcomes	Quality of Life	Poor or Fair Health*									
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value	
		23	Rutherford	21.00%	19.60%	1.40%	↑Bad ↓Good	18.00%	Penobscot, ME	13.50%	
		Improve the health of 2 out of every 100 people in the county who, in general, report being in poor or fair health.							Marion, WV	20.50%	
		Source		Behavioral Risk Factor Surveillance System			Year(s)	2014	Genesee, NY	11.80%	
		Percentage of adults reporting fair or poor health (age-adjusted)									
	Quality of Life	Poor Physical Health Days*									
		Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value	
		16	Knox	4.50	4.30	0.20	↑Bad ↓Good	3.8	Penobscot, ME	3.80	
		Engage people in the county on ways to reduce number of poor physical health days reported by residents by 1 days per month.							Marion, WV	4.50	
		Source		Behavioral Risk Factor Surveillance System			Year(s)	2014	Genesee, NY	3.30	
		Average number of physically unhealthy days reported in past 30 days (age-adjusted)									
Quality of Life	Poor Mental Health Days*										
	Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
	16	Williamson	4.50	3.80	0.70	↑Bad ↓Good	2.8	Penobscot, ME	4.00		
	Engage people in the county on ways to reduce number of poor physical health days reported by residents by 1 days per month.							Marion, WV	4.40		
	Source		Behavioral Risk Factor Surveillance System			Year(s)	2014	Genesee, NY	3.60		
	Average number of mentally unhealthy days reported in past 30 days (age-adjusted)										
Quality of Life	Low Birthweight										
	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
	36	Pickett	8.47%	7.24%	1.22%	↑Bad ↓Good	8.00%	Penobscot, ME	6.62%		
	Reduce the number of low birth weight babies by 2 for every 100 live births.							Marion, WV	9.17%		
	Source		National Center for Health Statistics - Natality files			Year(s)	2007-2013	Genesee, NY	5.81%		
	Percentage of live births with low birthweight (< 2500 grams)										
Health Factors	Health Behaviors	Adult Smoking*									
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value	
		32	Humphreys	22.60%	21.10%	1.50%	↑Bad ↓Good	17.00%	Penobscot, ME	17.00%	
	Get 7 out of every 100 current adult smokers in the county to quit smoking.							Marion, WV	22.70%		
	Source		Behavioral Risk Factor Surveillance System			Year(s)	2014	Genesee, NY	14.90%		
	Percentage of adults who are current smokers										
	Health Behaviors	Adult Obesity									
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value	
		41	Hamilton	32.40%	29.90%	2.50%	↑Bad ↓Good	27.00%	Penobscot, ME	31.00%	
Get 8 out of every 100 current obese adults in the county to reduce their BMI below 30.							Marion, WV	34.40%			
Source		CDC Diabetes Interactive Atlas			Year(s)	2012	Genesee, NY	29.50%			
Percentage of adults that report a BMI of 30 or more											
Health Behaviors	Food Environment Index										
	Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
	52	Cannon	7.00	7.9	0.9	↑Good ↓Bad	7.20	Penobscot, ME	6.90		
Increase the county's food index score by 0.9.							Marion, WV	7.60			
Source		USDA Food Environment Atlas, Map the Meal Gap			Year(s)	2013	Genesee, NY	8.30			
Index of factors that contribute to a healthy food environment, 0 (worst) to 10 (best)											

Prepared by the Division of Administrative Services, Tennessee Department of Health, Nashville, TN. May 2016. admin.health@tn.gov or 615-741-9398. The full report can be accessed at: <http://tn.gov/health/topic/specialreports>. All data is from the University of Wisconsin Population Health Institute and Robert Wood Johnson Foundation's, 2015 County Health Rankings and Roadmaps report. Difference statements represent the absolute value using the following formula: ["Value" - "10th Ranked Value"]. *The action statements are based on the assumption that no new additional cases occur. **Data should not be compared with prior years due to changes in definition/methods. All rankings and action statements presented in this report must be interpreted with caution due to various limitations of each measurement. Further information with regards to the strengths and limitations of each measurement may be found by clicking the hyperlink found in the description of each measurement.

Health Factors	Health Behaviors	Physical Inactivity	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		Percentage of adults aged 20 and over reporting no leisure-time physical activity	18	Shelby	32.60%	30.20%	2.40%	↑Bad ↓Good	23.00%	Penobscot, ME	24.50%
		Get 8 out of every 100 currently physically inactive adults to exercise during leisure time.							Marion, WV	30.00%	
		Source	CDC Diabetes Interactive Atlas				Year(s)	2012	Genesee, NY	25.80%	
Health Behaviors	Access to Exercise Opportunities	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value	
		Percentage of population with adequate access to locations for physical activity	19	Loudon	71.98%	78.48%	6.50%	↑Good ↓Bad	84.00%	Penobscot, ME	58.41%
		Consider how to remove barriers to access exercise locations to reach an additional 6.5 percent of the county's population.							Marion, WV	62.91%	
		Source	Business Analyst, Delorme, ESRI, & US Census Tigerline Files				Year(s)	2010 & 2014	Genesee, NY	67.37%	
Health Behaviors	Excessive Drinking	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value	
		Percentage of adults reporting binge or heavy drinking	69	Benton	11.90%	10.60%	1.30%	↑Bad ↓Good	17.00%	Penobscot, ME	19.00%
		Get 11 out of every 100 adults in the county that currently drink to excess (binge and heavy drinkers) to stop drinking more than one (women) or two (men) drinks per day on average.							Marion, WV	11.50%	
		Source	Behavioral Risk Factor Surveillance System				Year(s)	2014	Genesee, NY	19.10%	
Health Behaviors	Alcohol-Impaired Driving Deaths	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value	
		Percentage of driving deaths with alcohol involvement	51	Sullivan	30.61%	19.17%	11.45%	↑Bad ↓Good	31.00%	Penobscot, ME	37.50%
		Reduce the number of alcohol related driving deaths by 11.45 percent.							Marion, WV	36.84%	
		Source	Fatality Analysis Reporting System				Year(s)	2010-2014	Genesee, NY	30.23%	
Health Behaviors	Sexually Transmitted Infections	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value	
		Number of newly diagnosed chlamydia cases per 100,000 population	29	Overton	237.42	153.22	84.20	↑Bad ↓Good	446.60	Penobscot, ME	292.69
		Consider ways to educate 4 out of every 10 persons self-reporting to be involved in any sexual contact to commit to using safe sex practices to prevent the infection of Chlamydia.							Marion, WV	354.63	
		Source	National Center for HIV/AIDS, Viral Hepatitis, STD, & TB Prevention				Year(s)	2013	Genesee, NY	321.79	
Health Behaviors	Teen Births	Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value	
		Teen birth rate per 1,000 female population, ages 15-19	4	Williamson	30.85	10.96	19.89	↑Bad ↓Good	35.00	Penobscot, ME	19.83
		For every 100 teenage females (ages 15 to 19 years) in the county, consider ways to prevent 65 teen(s) from becoming pregnant.							Marion, WV	36.92	
		Source	National Center for Health Statistics - Natality files				Year(s)	2007-2013	Genesee, NY	22.33	
Clinical Care	Uninsured	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value	
		Percentage of population under age 65 without health insurance	24	Cheatham	15.48%	14.54%	0.94%	↑Bad ↓Good	17.00%	Penobscot, ME	14.27%
		Get 7 out of every 100 currently uninsured adults ages 18-64 to obtain health insurance.							Marion, WV	16.52%	
		Source	Small Area Health Insurance Estimates				Year(s)	2013	Genesee, NY	10.02%	
Clinical Care	Primary Care Physicians	Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value	
		Ratio of population to primary care physicians	1	Washington	618:1	618:1	0	↑Bad ↓Good	1320:1	Penobscot, ME	791:1
		No action required.							Marion, WV	1580:1	
		Source	Area Health Resource File/American Medical Association				Year(s)	2013	Genesee, NY	2585:1	
Clinical Care	Dentists	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value	
		Ratio of population to dentists	14	Dickson	1857:1	1744:1	113	↑Bad ↓Good	1540:1	Penobscot, ME	1358:1
		To reach a population-to-provider ratio at or exceeding that of the 10th ranking county, 5 dental care providers would need to be recruited to the county. More importantly, if the county's value is greater than 5,000, this county would be considered a Health Professional Shortage Area.							Marion, WV	1893:1	
		Source	Area Health Resource File/National Provider Identification file				Year(s)	2014	Genesee, NY	2817:1	

Health Factors	Clinical Care	Mental Health Providers		Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		Ratio of population to mental health providers		2	Knox	334:1	303:1	31	↑Bad ↓Good	490:1	Penobscot, ME	217:1
		To reach a population-to-provider ratio at or exceeding that of the 1st ranking county, 38 mental health providers would need to be recruited to the county. More importantly, if the county's value is greater than 30,000, this county would be considered a Health Professional Shortage Area.								Marion, WV	1033:1	
		Source	CMS, National Provider Identification file			Year(s)	2015		Genesec, NY	749:1		
		Preventable Hospital Stays		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
Number of hospital stays for ambulatory-care sensitive conditions per 1,000 Medicare enrollees		25	Anderson	64.26	50.27	13.99	↑Bad ↓Good	54.00	Penobscot, ME	71.57		
		For every 100 Medicare enrollees, prevent 1 Medicare enrollees from being hospitalized for ambulatory-care sensitive conditions.								Marion, WV	71.47	
		Source	Dartmouth Atlas of Health Care			Year(s)	2013		Genesec, NY	63.45		
		Diabetic Monitoring		Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
Percentage of diabetic Medicare enrollees ages 65-75 that receive HbA1c monitoring		7	Lake	89.75%	90.16%	0.41%	↑Good ↓Bad	63.00%	Penobscot, ME	89.19%		
		For every 100 diabetic Medicare enrollees, get 1 additional Medicare enrollees to receive HbA1c screening.								Marion, WV	81.75%	
		Source	Dartmouth Atlas of Health Care			Year(s)	2013		Genesec, NY	82.07%		
		Mammography Screening		Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
Percentage of female Medicare enrollees ages 67-69 that receive mammography screening		19	Cumberland	63.00%	71.00%	8.00%	↑Good ↓Bad	63.00%	Penobscot, ME	69.00%		
		For every 100 female Medicare enrollees, get 8 additional Medicare enrollees to receive their mammography screening.								Marion, WV	57.00%	
		Source	Dartmouth Atlas of Health Care			Year(s)	2013		Genesec, NY	55.00%		
		High School Graduation		Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
Percentage of ninth-grade cohort that graduates in four years		51	Tipton	90.88%	98.00%	7.12%	↑Good ↓Bad	82.00%	Penobscot, ME	87.13%		
		For every 100 ninth graders, assist 8 additional ninth graders to graduate within four years.								Marion, WV	83.00%	
		Source	EDFacts			Year(s)	2012-2013		Genesec, NY	85.04%		
		Some College		Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
Percentage of adults ages 25-44 years with some post-secondary education		3	Williamson	67.49%	82.51%	15.02%	↑Good ↓Bad	64.00%	Penobscot, ME	64.96%		
		For every 100 adults between 25-44 years of age, assist 16 additional adults to complete some coursework at the collegiate level.								Marion, WV	57.75%	
		Source	American Community Survey			Year(s)	2010-2014		Genesec, NY	63.98%		
		Unemployment		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
Percentage of population ages 16 and older unemployed but seeking work		21	Robertson	6.35%	5.69%	0.66%	↑Bad ↓Good	6.20%	Penobscot, ME	6.22%		
		For every 100 persons ages 16 years and older, help 1 persons successfully find employment.								Marion, WV	5.93%	
		Source	Bureau of Labor Statistics			Year(s)	2014		Genesec, NY	5.52%		
		Children in Poverty		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
Percentage of children under age 18 in poverty		14	Dickson	22.00%	21.10%	0.90%	↑Bad ↓Good	22.00%	Penobscot, ME	21.90%		
		For every 100 children (under 18 years) in poverty, help 5 children to find assistance to get out of poverty.								Marion, WV	23.30%	
		Source	Small Area Income and Poverty Estimates			Year(s)	2014		Genesec, NY	17.10%		
		Income Inequality		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
Ratio of household income at the 80th percentile to income at the 20th percentile		77	Houston	4.94	4.11	0.83	↑Bad ↓Good	4.70	Penobscot, ME	4.66		
		To reach a household income ratio at or below that of the 10th ranking county reduce the gap between the 80th percentile and 20th percentile by 1 household(s).								Marion, WV	4.73	
		Source	American Community Survey			Year(s)	2010-2014		Genesec, NY	4.01		

Health Factors	Social & Economic Factors	Children in Single-Parent Households								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		35	Lawrence	30.82%	23.36%	7.46%	↑Bad ↓Good	34.00%	Penobscot, ME	30.86%
		For every 100 single parent households in the county, investigate ways to encourage 25 households to be a multi-parent household.							Marion, WV	35.62%
		Source		American Community Survey		Year(s)		2010-2014	Genesee, NY	27.97%
		Percentage of children that live in a household headed by single parent								
Health Factors	Social & Economic Factors	Social Associations								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		25	Johnson	13.94	16.13	2.19	↑Good ↓Bad	9.00	Penobscot, ME	10.63
		For every 100 people in the county, increase the number of membership associations by 1.							Marion, WV	18.11
		Source		County Business Patterns		Year(s)		2013	Genesee, NY	13.96
		Number of membership associations per 10,000 population								
Health Factors	Social & Economic Factors	Violent Crime								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		63	Carter	414.82	206.33	208.49	↑Bad ↓Good	392.00	Penobscot, ME	79.05
		For every 100 persons in the county, prevent 51 people from committing a violent crime.							Marion, WV	223.77
		Source		Uniform Crime Reporting - FBI		Year(s)		2010-2012	Genesee, NY	172.07
		Number of reported violent crime offenses per 100,000 population								
Health Factors	Social & Economic Factors	Injury Deaths								
		Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		10	Madison	70.04	63.25	6.78	↑Bad ↓Good	60.00	Penobscot, ME	58.29
		For every 1,000 population consider ways to prevent 97 deaths as a result of intentional and unintentional injury.							Marion, WV	70.68
		Source		CDC WONDER mortality data		Year(s)		2009-2013	Genesee, NY	55.10
		Number of deaths due to injury per 100,000 population								
Health Factors	Social & Economic Factors	Air Pollution - Particulate Matter								
		Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		6	Sullivan	13.07	13.04	0.03	↑Bad ↓Good	11.40	Penobscot, ME	10.15
		Reduce the average daily measure of fine particulate matter by 0.03 micrograms per cubic meter (PM2.5).							Marion, WV	13.55
		Source		CDC WONDER Environmental data		Year(s)		2011	Genesee, NY	12.67
		Average daily density of fine particulate matter in micrograms per cubic meter (PM2.5)								
Health Factors	Physical Environment	Drinking Water Violations								
		Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		No Rank	NA	No	No	NA	NA	NA	Penobscot, ME	Yes
		There were no health-based drinking water violations.							Marion, WV	Yes
		Source		Safe Drinking Water Information System		Year(s)		FY2013-14	Genesee, NY	No
		Percentage of population potentially exposed to water exceeding a violation limit during the past year								
Health Factors	Physical Environment	Severe Housing Problems								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		69	Unicoi	15.21%	11.70%	3.50%	↑Bad ↓Good	19.00%	Penobscot, ME	16.79%
		For every 100 persons in the county experiencing housing problems, help 24 person(s) to find housing assistance.							Marion, WV	10.96%
		Source		Comprehensive Housing Affordability Strategy (CHAS) data		Year(s)		2008-2012	Genesee, NY	12.98%
		Percentage of households with at least 1 of 4 housing problems: overcrowding, high housing costs, or lack of kitchen or plumbing facilities								
Health Factors	Physical Environment	Driving Alone to Work								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		66	Grundy	86.00%	80.27%	5.74%	↑Bad ↓Good	76.00%	Penobscot, ME	80.26%
		For every 100 persons that currently drive alone to work, convince 7 to carpool or take mass-transportation.							Marion, WV	83.81%
		Source		American Community Survey		Year(s)		2010-2014	Genesee, NY	83.84%
		Percentage of the workforce that drives alone to work								
Health Factors	Physical Environment	Long Commute - Driving Alone								
		Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		4	Madison	21.40%	14.70%	6.70%	↑Bad ↓Good	31.00%	Penobscot, ME	24.60%
		For every 100 persons that currently drive more than 30 minutes alone to work, convince 32 to carpool or take mass-transportation.							Marion, WV	35.90%
		Source		American Community Survey		Year(s)		2010-2014	Genesee, NY	30.10%
		Among workers who commute in their car alone, the percentage that commute more than 30 minutes								