

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2017**

COUNTY=ALL COUNTIES

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|---------|--------|
| 0 | ALL CAUSES | 598,229 | 34,164 |
| 1 | MALIGNANT NEOPLASMS | 108,186 | 8,465 |
| 2 | DISEASES OF HEART | 100,425 | 7,125 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 97,310 | 3,181 |
| 4 | SUICIDE | 30,900 | 1,016 |
| 5 | CHRONIC LOWER RESPIRATORY DISEASES | 23,991 | 2,162 |
| 6 | ASSAULT (HOMICIDE) | 21,929 | 520 |
| 7 | CERTAIN PERINATAL CONDITIONS | 19,933 | 268 |
| 8 | DIABETES MELLITUS | 16,486 | 1,093 |
| 9 | CEREBROVASCULAR DISEASE | 16,120 | 1,230 |
| 10 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 14,524 | 848 |

COUNTY=ANDERSON

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|-------|--------|
| 0 | ALL CAUSES | 7,488 | 449 |
| 1 | ACCIDENTS AND ADVERSE EFFECTS | 1,751 | 62 |
| 2 | MALIGNANT NEOPLASMS | 1,142 | 93 |
| 3 | DISEASES OF HEART | 1,067 | 83 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES | 367 | 34 |
| 5 | DIABETES MELLITUS | 326 | 21 |
| 6 | SUICIDE | 305 | 10 |
| 7 | PNEUMONIA AND INFLUENZA | 220 | 9 |
| 8 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 205 | 10 |
| 9 | CONGENITAL ANOMALIES | 183 | 4 |
| 10 | CEREBROVASCULAR DISEASE | 168 | 16 |

COUNTY=BEDFORD

| Rank | Cause | YPLL | Deaths |
|------|--|-------|--------|
| 0 | ALL CAUSES | 4,290 | 267 |
| 1 | MALIGNANT NEOPLASMS | 971 | 71 |
| 2 | DISEASES OF HEART | 749 | 58 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 570 | 14 |
| 4 | SUICIDE | 271 | 11 |
| 5 | CHRONIC LOWER RESPIRATORY DISEASES | 184 | 17 |
| 6 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 180 | 9 |
| 7 | CEREBROVASCULAR DISEASE | 115 | 10 |
| 8 | PNEUMONIA AND INFLUENZA | 99 | 7 |
| 9 | NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS | 79 | 7 |
| 10 | DIABETES MELLITUS | 68 | 5 |

COUNTY=BENTON

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|-------|--------|
| 0 | ALL CAUSES | 1,873 | 119 |
| 1 | DISEASES OF HEART | 485 | 39 |
| 2 | ACCIDENTS AND ADVERSE EFFECTS | 351 | 11 |
| 3 | MALIGNANT NEOPLASMS | 204 | 17 |
| 4 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 93 | 6 |
| 5 | CHRONIC LOWER RESPIRATORY DISEASES | 90 | 9 |

SOURCE: TENNESSEE DEPARTMENT OF HEALTH, DIVISION OF VITAL RECORDS AND STATISTICS

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2017**

COUNTY=BENTON

| Rank | Cause | YPLL | Deaths |
|------|-------------------------|------|--------|
| 6 | CEREBROVASCULAR DISEASE | 62 | 4 |
| 7 | DIABETES MELLITUS | 58 | 5 |

COUNTY=BLED SOE

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------|-------|--------|
| 0 | ALL CAUSES | 1,398 | 78 |
| 1 | MALIGNANT NEOPLASMS | 362 | 24 |
| 2 | ACCIDENTS AND ADVERSE EFFECTS | 239 | 7 |
| 3 | DISEASES OF HEART | 213 | 15 |
| 4 | CEREBROVASCULAR DISEASE | 58 | 5 |

COUNTY=BLOUNT

| Rank | Cause | YPLL | Deaths |
|------|--------------------------------------|--------|--------|
| 0 | ALL CAUSES | 10,757 | 633 |
| 1 | ACCIDENTS AND ADVERSE EFFECTS | 2,158 | 67 |
| 2 | MALIGNANT NEOPLASMS | 1,742 | 149 |
| 3 | DISEASES OF HEART | 1,155 | 86 |
| 4 | SUICIDE | 689 | 23 |
| 5 | CHRONIC LOWER RESPIRATORY DISEASES | 389 | 38 |
| 6 | CERTAIN PERINATAL CONDITIONS | 279 | 4 |
| 7 | PNEUMONIA AND INFLUENZA | 249 | 14 |
| 8 | DIABETES MELLITUS | 224 | 17 |
| 9 | OTHER DISEASES OF RESPIRATORY SYSTEM | 223 | 15 |
| 10 | CEREBROVASCULAR DISEASE | 172 | 13 |

COUNTY=BRADLEY

| Rank | Cause | YPLL | Deaths |
|------|--------------------------------------|-------|--------|
| 0 | ALL CAUSES | 9,056 | 532 |
| 1 | DISEASES OF HEART | 1,809 | 138 |
| 2 | MALIGNANT NEOPLASMS | 1,609 | 118 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 1,542 | 49 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES | 495 | 46 |
| 5 | SUICIDE | 366 | 12 |
| 6 | DIABETES MELLITUS | 221 | 11 |
| 7 | CEREBROVASCULAR DISEASE | 210 | 20 |
| 8 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 150 | 9 |
| 9 | PNEUMONIA AND INFLUENZA | 125 | 10 |
| 10 | OTHER DISEASES OF CIRCULATORY SYSTEM | 92 | 4 |

COUNTY=CAMPBELL

| Rank | Cause | YPLL | Deaths |
|------|------------------------------------|-------|--------|
| 0 | ALL CAUSES | 5,397 | 334 |
| 1 | DISEASES OF HEART | 1,146 | 72 |
| 2 | MALIGNANT NEOPLASMS | 772 | 73 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 706 | 21 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES | 502 | 44 |
| 5 | SUICIDE | 274 | 8 |
| 6 | CEREBROVASCULAR DISEASE | 237 | 14 |

SOURCE: TENNESSEE DEPARTMENT OF HEALTH, DIVISION OF VITAL RECORDS AND STATISTICS

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2017**

COUNTY=CAMPBELL

| Rank | Cause | YPLL | Deaths |
|------|--|------|--------|
| 7 | DIABETES MELLITUS | 203 | 15 |
| 8 | NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS | 113 | 6 |
| 9 | PNEUMONIA AND INFLUENZA | 95 | 6 |
| 10 | SEPTICEMIA | 82 | 4 |

COUNTY=CANNON

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|-------|--------|
| 0 | ALL CAUSES | 1,577 | 96 |
| 1 | ACCIDENTS AND ADVERSE EFFECTS | 324 | 10 |
| 2 | MALIGNANT NEOPLASMS | 266 | 21 |
| 3 | DISEASES OF HEART | 204 | 17 |
| 4 | SUICIDE | 168 | 5 |
| 5 | DIABETES MELLITUS | 78 | 5 |
| 6 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 78 | 5 |
| 7 | CEREBROVASCULAR DISEASE | 52 | 4 |
| 8 | CHRONIC LOWER RESPIRATORY DISEASES | 32 | 4 |

COUNTY=CARROLL

| Rank | Cause | YPLL | Deaths |
|------|------------------------------------|-------|--------|
| 0 | ALL CAUSES | 2,625 | 179 |
| 1 | DISEASES OF HEART | 776 | 52 |
| 2 | MALIGNANT NEOPLASMS | 552 | 53 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 256 | 12 |
| 4 | PNEUMONIA AND INFLUENZA | 103 | 6 |
| 5 | CEREBROVASCULAR DISEASE | 94 | 8 |
| 6 | CHRONIC LOWER RESPIRATORY DISEASES | 63 | 6 |
| 7 | SEPTICEMIA | 42 | 4 |

COUNTY=CARTER

| Rank | Cause | YPLL | Deaths |
|------|--------------------------------------|-------|--------|
| 0 | ALL CAUSES | 5,381 | 347 |
| 1 | MALIGNANT NEOPLASMS | 1,057 | 83 |
| 2 | DISEASES OF HEART | 866 | 72 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 691 | 27 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES | 385 | 30 |
| 5 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 254 | 17 |
| 6 | SUICIDE | 198 | 5 |
| 7 | PNEUMONIA AND INFLUENZA | 168 | 16 |
| 8 | DIABETES MELLITUS | 150 | 9 |
| 9 | CEREBROVASCULAR DISEASE | 125 | 10 |
| 10 | OTHER DISEASES OF RESPIRATORY SYSTEM | 64 | 8 |

COUNTY=CHEATHAM

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------|-------|--------|
| 0 | ALL CAUSES | 3,618 | 216 |
| 1 | ACCIDENTS AND ADVERSE EFFECTS | 846 | 32 |
| 2 | MALIGNANT NEOPLASMS | 795 | 59 |
| 3 | DISEASES OF HEART | 585 | 39 |

SOURCE: TENNESSEE DEPARTMENT OF HEALTH, DIVISION OF VITAL RECORDS AND STATISTICS

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2017**

COUNTY=CHEATHAM

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|------|--------|
| 4 | SUICIDE | 255 | 10 |
| 5 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 159 | 7 |
| 6 | CEREBROVASCULAR DISEASE | 145 | 10 |
| 7 | CHRONIC LOWER RESPIRATORY DISEASES | 106 | 12 |
| 8 | DIABETES MELLITUS | 58 | 5 |

COUNTY=CHESTER

| Rank | Cause | YPLL | Deaths |
|------|------------------------------------|-------|--------|
| 0 | ALL CAUSES | 1,203 | 91 |
| 1 | ACCIDENTS AND ADVERSE EFFECTS | 388 | 12 |
| 2 | DISEASES OF HEART | 258 | 25 |
| 3 | MALIGNANT NEOPLASMS | 248 | 25 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES | 54 | 8 |
| 5 | DIABETES MELLITUS | 48 | 5 |

COUNTY=CLAIBORNE

| Rank | Cause | YPLL | Deaths |
|------|--|-------|--------|
| 0 | ALL CAUSES | 2,995 | 192 |
| 1 | DISEASES OF HEART | 731 | 51 |
| 2 | MALIGNANT NEOPLASMS | 599 | 47 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 316 | 12 |
| 4 | SUICIDE | 193 | 6 |
| 5 | CEREBROVASCULAR DISEASE | 172 | 13 |
| 6 | CHRONIC LOWER RESPIRATORY DISEASES | 95 | 10 |
| 7 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 78 | 5 |
| 8 | DIABETES MELLITUS | 69 | 7 |
| 9 | NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS | 52 | 4 |

COUNTY=CLAY

| Rank | Cause | YPLL | Deaths |
|------|------------------------------------|------|--------|
| 0 | ALL CAUSES | 933 | 57 |
| 1 | MALIGNANT NEOPLASMS | 152 | 13 |
| 2 | SUICIDE | 142 | 4 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 108 | 5 |
| 4 | DISEASES OF HEART | 74 | 8 |
| 5 | CHRONIC LOWER RESPIRATORY DISEASES | 53 | 6 |

COUNTY=COCKE

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|-------|--------|
| 0 | ALL CAUSES | 5,425 | 306 |
| 1 | DISEASES OF HEART | 1,623 | 106 |
| 2 | ACCIDENTS AND ADVERSE EFFECTS | 961 | 28 |
| 3 | MALIGNANT NEOPLASMS | 693 | 55 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES | 291 | 27 |
| 5 | SUICIDE | 193 | 6 |
| 6 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 129 | 7 |
| 7 | PNEUMONIA AND INFLUENZA | 110 | 9 |

SOURCE: TENNESSEE DEPARTMENT OF HEALTH, DIVISION OF VITAL RECORDS AND STATISTICS

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2017**

COUNTY=COCKE

| Rank | Cause | YPLL | Deaths |
|------|-------------------------|------|--------|
| 8 | DIABETES MELLITUS | 89 | 7 |
| 9 | CEREBROVASCULAR DISEASE | 83 | 6 |

COUNTY=COFFEE

| Rank | Cause | YPLL | Deaths |
|------|--------------------------------------|-------|--------|
| 0 | ALL CAUSES | 5,850 | 351 |
| 1 | DISEASES OF HEART | 1,507 | 103 |
| 2 | MALIGNANT NEOPLASMS | 1,202 | 84 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 752 | 26 |
| 4 | SUICIDE | 300 | 9 |
| 5 | CHRONIC LOWER RESPIRATORY DISEASES | 236 | 21 |
| 6 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 170 | 9 |
| 7 | DIABETES MELLITUS | 134 | 8 |
| 8 | CEREBROVASCULAR DISEASE | 115 | 10 |
| 9 | OTHER DISEASES OF CIRCULATORY SYSTEM | 102 | 4 |
| 10 | SEPTICEMIA | 98 | 5 |

COUNTY=CROCKETT

| Rank | Cause | YPLL | Deaths |
|------|------------------------------------|-------|--------|
| 0 | ALL CAUSES | 1,557 | 103 |
| 1 | DISEASES OF HEART | 486 | 32 |
| 2 | MALIGNANT NEOPLASMS | 319 | 27 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 132 | 4 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES | 48 | 5 |
| 5 | CEREBROVASCULAR DISEASE | 42 | 4 |

COUNTY=CUMBERLAND

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|-------|--------|
| 0 | ALL CAUSES | 5,137 | 341 |
| 1 | MALIGNANT NEOPLASMS | 959 | 87 |
| 2 | ACCIDENTS AND ADVERSE EFFECTS | 802 | 25 |
| 3 | DISEASES OF HEART | 644 | 48 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES | 385 | 30 |
| 5 | DIABETES MELLITUS | 234 | 17 |
| 6 | SUICIDE | 215 | 10 |
| 7 | CEREBROVASCULAR DISEASE | 167 | 14 |
| 8 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 160 | 9 |
| 9 | HYPERTENSION AND RENAL DISEASE | 141 | 11 |
| 10 | PNEUMONIA AND INFLUENZA | 73 | 6 |

COUNTY=DAVIDSON

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------|--------|--------|
| 0 | ALL CAUSES | 56,812 | 2,868 |
| 1 | ACCIDENTS AND ADVERSE EFFECTS | 11,139 | 366 |
| 2 | MALIGNANT NEOPLASMS | 9,873 | 703 |
| 3 | DISEASES OF HEART | 7,796 | 532 |
| 4 | ASSAULT (HOMICIDE) | 4,876 | 104 |
| 5 | CERTAIN PERINATAL CONDITIONS | 2,757 | 37 |

SOURCE: TENNESSEE DEPARTMENT OF HEALTH, DIVISION OF VITAL RECORDS AND STATISTICS

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2017**

COUNTY=DAVIDSON

| Rank | Cause | YPLL | Deaths |
|------|------------------------------------|-------|--------|
| 6 | SUICIDE | 2,349 | 83 |
| 7 | CHRONIC LOWER RESPIRATORY DISEASES | 1,598 | 136 |
| 8 | DIABETES MELLITUS | 1,582 | 104 |
| 9 | CEREBROVASCULAR DISEASE | 1,390 | 102 |
| 10 | CONGENITAL ANOMALIES | 1,338 | 22 |

COUNTY=DECATUR

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|-------|--------|
| 0 | ALL CAUSES | 1,258 | 81 |
| 1 | DISEASES OF HEART | 401 | 22 |
| 2 | MALIGNANT NEOPLASMS | 236 | 21 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 158 | 5 |
| 4 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 98 | 5 |
| 5 | CHRONIC LOWER RESPIRATORY DISEASES | 33 | 6 |

COUNTY=DEKALB

| Rank | Cause | YPLL | Deaths |
|------|------------------------------------|-------|--------|
| 0 | ALL CAUSES | 2,406 | 136 |
| 1 | MALIGNANT NEOPLASMS | 452 | 33 |
| 2 | DISEASES OF HEART | 400 | 29 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 345 | 12 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES | 134 | 8 |
| 5 | CEREBROVASCULAR DISEASE | 32 | 4 |

COUNTY=DICKSON

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|-------|--------|
| 0 | ALL CAUSES | 5,333 | 297 |
| 1 | MALIGNANT NEOPLASMS | 1,097 | 79 |
| 2 | DISEASES OF HEART | 969 | 67 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 936 | 34 |
| 4 | SUICIDE | 396 | 12 |
| 5 | CONGENITAL ANOMALIES | 223 | 4 |
| 6 | CHRONIC LOWER RESPIRATORY DISEASES | 211 | 22 |
| 7 | CEREBROVASCULAR DISEASE | 162 | 13 |
| 8 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 104 | 8 |
| 9 | PNEUMONIA AND INFLUENZA | 73 | 6 |
| 10 | DIABETES MELLITUS | 52 | 4 |

COUNTY=DYER

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|-------|--------|
| 0 | ALL CAUSES | 4,557 | 269 |
| 1 | DISEASES OF HEART | 929 | 78 |
| 2 | MALIGNANT NEOPLASMS | 841 | 62 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 338 | 12 |
| 4 | SUICIDE | 290 | 9 |
| 5 | DIABETES MELLITUS | 206 | 12 |
| 6 | CHRONIC LOWER RESPIRATORY DISEASES | 178 | 16 |
| 7 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 104 | 8 |

SOURCE: TENNESSEE DEPARTMENT OF HEALTH, DIVISION OF VITAL RECORDS AND STATISTICS

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2017**

COUNTY=DYER

| Rank | Cause | YPLL | Deaths |
|------|--|------|--------|
| 8 | PNEUMONIA AND INFLUENZA | 58 | 5 |
| 9 | NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS | 52 | 4 |
| 10 | CEREBROVASCULAR DISEASE | 43 | 6 |

COUNTY=FAYETTE

| Rank | Cause | YPLL | Deaths |
|------|--------------------------------------|-------|--------|
| 0 | ALL CAUSES | 3,215 | 199 |
| 1 | DISEASES OF HEART | 890 | 60 |
| 2 | MALIGNANT NEOPLASMS | 649 | 58 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 363 | 11 |
| 4 | OTHER DISEASES OF RESPIRATORY SYSTEM | 141 | 4 |
| 5 | CEREBROVASCULAR DISEASE | 128 | 5 |
| 6 | PNEUMONIA AND INFLUENZA | 119 | 7 |
| 7 | SUICIDE | 102 | 4 |
| 8 | ASSAULT (HOMICIDE) | 102 | 4 |
| 9 | CHRONIC LOWER RESPIRATORY DISEASES | 75 | 10 |
| 10 | DIABETES MELLITUS | 62 | 4 |

COUNTY=FENTRESS

| Rank | Cause | YPLL | Deaths |
|------|------------------------------------|-------|--------|
| 0 | ALL CAUSES | 1,944 | 137 |
| 1 | DISEASES OF HEART | 454 | 28 |
| 2 | MALIGNANT NEOPLASMS | 367 | 34 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 282 | 13 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES | 169 | 18 |

COUNTY=FRANKLIN

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|-------|--------|
| 0 | ALL CAUSES | 3,485 | 239 |
| 1 | MALIGNANT NEOPLASMS | 793 | 66 |
| 2 | DISEASES OF HEART | 745 | 59 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 422 | 16 |
| 4 | SUICIDE | 184 | 8 |
| 5 | CEREBROVASCULAR DISEASE | 177 | 14 |
| 6 | DIABETES MELLITUS | 119 | 7 |
| 7 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 114 | 8 |
| 8 | CHRONIC LOWER RESPIRATORY DISEASES | 76 | 12 |
| 9 | SEPTICEMIA | 58 | 5 |

COUNTY=GIBSON

| Rank | Cause | YPLL | Deaths |
|------|------------------------------------|-------|--------|
| 0 | ALL CAUSES | 5,097 | 308 |
| 1 | DISEASES OF HEART | 1,281 | 91 |
| 2 | MALIGNANT NEOPLASMS | 796 | 72 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 461 | 18 |
| 4 | SUICIDE | 422 | 9 |
| 5 | CHRONIC LOWER RESPIRATORY DISEASES | 189 | 18 |
| 6 | DIABETES MELLITUS | 140 | 9 |

SOURCE: TENNESSEE DEPARTMENT OF HEALTH, DIVISION OF VITAL RECORDS AND STATISTICS

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2017**

COUNTY=GIBSON

| Rank | Cause | YPLL | Deaths |
|------|-------------------------|------|--------|
| 7 | PNEUMONIA AND INFLUENZA | 90 | 9 |
| 8 | CEREBROVASCULAR DISEASE | 74 | 8 |
| 9 | ALZHEIMER'S DISEASE | 70 | 9 |
| 10 | SEPTICEMIA | 38 | 5 |

COUNTY=GILES

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|-------|--------|
| 0 | ALL CAUSES | 2,832 | 180 |
| 1 | ACCIDENTS AND ADVERSE EFFECTS | 600 | 20 |
| 2 | DISEASES OF HEART | 572 | 44 |
| 3 | MALIGNANT NEOPLASMS | 500 | 40 |
| 4 | SUICIDE | 194 | 8 |
| 5 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 93 | 6 |
| 6 | CEREBROVASCULAR DISEASE | 90 | 9 |
| 7 | CHRONIC LOWER RESPIRATORY DISEASES | 90 | 9 |
| 8 | PNEUMONIA AND INFLUENZA | 79 | 7 |
| 9 | DIABETES MELLITUS | 43 | 6 |
| 10 | ALZHEIMER'S DISEASE | 32 | 4 |

COUNTY=GRAINGER

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|-------|--------|
| 0 | ALL CAUSES | 2,554 | 153 |
| 1 | MALIGNANT NEOPLASMS | 702 | 49 |
| 2 | DISEASES OF HEART | 319 | 27 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 289 | 7 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES | 136 | 12 |
| 5 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 108 | 5 |
| 6 | DIABETES MELLITUS | 92 | 4 |
| 7 | CEREBROVASCULAR DISEASE | 84 | 8 |
| 8 | PNEUMONIA AND INFLUENZA | 72 | 4 |

COUNTY=GREENE

| Rank | Cause | YPLL | Deaths |
|------|--|-------|--------|
| 0 | ALL CAUSES | 6,997 | 452 |
| 1 | MALIGNANT NEOPLASMS | 1,383 | 115 |
| 2 | DISEASES OF HEART | 1,281 | 91 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 1,088 | 41 |
| 4 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 390 | 20 |
| 5 | CHRONIC LOWER RESPIRATORY DISEASES | 378 | 36 |
| 6 | SUICIDE | 332 | 13 |
| 7 | NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS | 145 | 10 |
| 8 | DIABETES MELLITUS | 131 | 11 |
| 9 | CEREBROVASCULAR DISEASE | 124 | 8 |
| 10 | OTHER DISEASES OF RESPIRATORY SYSTEM | 123 | 6 |

SOURCE: TENNESSEE DEPARTMENT OF HEALTH, DIVISION OF VITAL RECORDS AND STATISTICS

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2017**

COUNTY=GRUNDY

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|-------|--------|
| 0 | ALL CAUSES | 1,837 | 117 |
| 1 | MALIGNANT NEOPLASMS | 433 | 35 |
| 2 | DISEASES OF HEART | 348 | 21 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 174 | 8 |
| 4 | CEREBROVASCULAR DISEASE | 98 | 5 |
| 5 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 92 | 4 |
| 6 | CHRONIC LOWER RESPIRATORY DISEASES | 90 | 9 |
| 7 | DIABETES MELLITUS | 73 | 6 |
| 8 | HYPERTENSION AND RENAL DISEASE | 42 | 4 |

COUNTY=HAMBLEN

| Rank | Cause | YPLL | Deaths |
|------|--|-------|--------|
| 0 | ALL CAUSES | 6,094 | 397 |
| 1 | MALIGNANT NEOPLASMS | 1,159 | 98 |
| 2 | DISEASES OF HEART | 922 | 73 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 792 | 33 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES | 452 | 33 |
| 5 | DIABETES MELLITUS | 230 | 20 |
| 6 | SUICIDE | 204 | 8 |
| 7 | CEREBROVASCULAR DISEASE | 204 | 17 |
| 8 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 182 | 13 |
| 9 | PNEUMONIA AND INFLUENZA | 139 | 7 |
| 10 | NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS | 130 | 9 |

COUNTY=HAMILTON

| Rank | Cause | YPLL | Deaths |
|------|------------------------------------|--------|--------|
| 0 | ALL CAUSES | 30,410 | 1,722 |
| 1 | DISEASES OF HEART | 5,599 | 372 |
| 2 | MALIGNANT NEOPLASMS | 5,470 | 416 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 3,774 | 128 |
| 4 | SUICIDE | 1,796 | 61 |
| 5 | ASSAULT (HOMICIDE) | 1,367 | 30 |
| 6 | CHRONIC LOWER RESPIRATORY DISEASES | 1,263 | 106 |
| 7 | CERTAIN PERINATAL CONDITIONS | 1,260 | 17 |
| 8 | DIABETES MELLITUS | 1,102 | 60 |
| 9 | CONGENITAL ANOMALIES | 1,071 | 19 |
| 10 | CEREBROVASCULAR DISEASE | 939 | 78 |

COUNTY=HANCOCK

| Rank | Cause | YPLL | Deaths |
|------|------------------------------------|-------|--------|
| 0 | ALL CAUSES | 1,156 | 57 |
| 1 | ACCIDENTS AND ADVERSE EFFECTS | 299 | 7 |
| 2 | MALIGNANT NEOPLASMS | 207 | 14 |
| 3 | DISEASES OF HEART | 134 | 8 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES | 84 | 8 |
| 5 | DIABETES MELLITUS | 78 | 5 |

SOURCE: TENNESSEE DEPARTMENT OF HEALTH, DIVISION OF VITAL RECORDS AND STATISTICS

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2017**

COUNTY=HARDEMAN

| Rank | Cause | YPLL | Deaths |
|------|------------------------------------|-------|--------|
| 0 | ALL CAUSES | 2,603 | 152 |
| 1 | ACCIDENTS AND ADVERSE EFFECTS | 438 | 12 |
| 2 | MALIGNANT NEOPLASMS | 386 | 32 |
| 3 | DISEASES OF HEART | 357 | 34 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES | 131 | 11 |
| 5 | SUICIDE | 108 | 5 |
| 6 | CEREBROVASCULAR DISEASE | 64 | 8 |
| 7 | DIABETES MELLITUS | 38 | 5 |

COUNTY=HARDIN

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|-------|--------|
| 0 | ALL CAUSES | 3,000 | 198 |
| 1 | DISEASES OF HEART | 796 | 57 |
| 2 | MALIGNANT NEOPLASMS | 572 | 53 |
| 3 | SUICIDE | 270 | 9 |
| 4 | ACCIDENTS AND ADVERSE EFFECTS | 245 | 10 |
| 5 | PNEUMONIA AND INFLUENZA | 184 | 8 |
| 6 | SEPTICEMIA | 147 | 5 |
| 7 | CEREBROVASCULAR DISEASE | 134 | 8 |
| 8 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 113 | 6 |
| 9 | CHRONIC LOWER RESPIRATORY DISEASES | 95 | 10 |
| 10 | DIABETES MELLITUS | 62 | 4 |

COUNTY=HAWKINS

| Rank | Cause | YPLL | Deaths |
|------|--|-------|--------|
| 0 | ALL CAUSES | 5,869 | 366 |
| 1 | MALIGNANT NEOPLASMS | 1,144 | 97 |
| 2 | DISEASES OF HEART | 1,111 | 91 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 1,015 | 32 |
| 4 | CERTAIN PERINATAL CONDITIONS | 298 | 4 |
| 5 | CHRONIC LOWER RESPIRATORY DISEASES | 294 | 28 |
| 6 | CEREBROVASCULAR DISEASE | 205 | 12 |
| 7 | SUICIDE | 159 | 7 |
| 8 | NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS | 104 | 8 |
| 9 | DIABETES MELLITUS | 94 | 8 |
| 10 | OTHER DISEASES OF RESPIRATORY SYSTEM | 92 | 4 |

COUNTY=HAYWOOD

| Rank | Cause | YPLL | Deaths |
|------|------------------------------------|-------|--------|
| 0 | ALL CAUSES | 2,097 | 119 |
| 1 | DISEASES OF HEART | 435 | 30 |
| 2 | ACCIDENTS AND ADVERSE EFFECTS | 373 | 7 |
| 3 | MALIGNANT NEOPLASMS | 263 | 26 |
| 4 | DIABETES MELLITUS | 78 | 5 |
| 5 | CHRONIC LOWER RESPIRATORY DISEASES | 78 | 5 |
| 6 | CEREBROVASCULAR DISEASE | 53 | 6 |

SOURCE: TENNESSEE DEPARTMENT OF HEALTH, DIVISION OF VITAL RECORDS AND STATISTICS

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2017**

COUNTY=HENDERSON

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|-------|--------|
| 0 | ALL CAUSES | 2,766 | 170 |
| 1 | MALIGNANT NEOPLASMS | 566 | 41 |
| 2 | ACCIDENTS AND ADVERSE EFFECTS | 465 | 19 |
| 3 | DISEASES OF HEART | 425 | 30 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES | 173 | 15 |
| 5 | ASSAULT (HOMICIDE) | 162 | 4 |
| 6 | CEREBROVASCULAR DISEASE | 114 | 8 |
| 7 | DIABETES MELLITUS | 88 | 5 |
| 8 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 79 | 7 |
| 9 | PNEUMONIA AND INFLUENZA | 52 | 4 |

COUNTY=HENRY

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|-------|--------|
| 0 | ALL CAUSES | 3,519 | 216 |
| 1 | ACCIDENTS AND ADVERSE EFFECTS | 844 | 25 |
| 2 | DISEASES OF HEART | 789 | 54 |
| 3 | MALIGNANT NEOPLASMS | 577 | 54 |
| 4 | SUICIDE | 184 | 8 |
| 5 | CHRONIC LOWER RESPIRATORY DISEASES | 178 | 16 |
| 6 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 92 | 4 |
| 7 | PNEUMONIA AND INFLUENZA | 58 | 5 |
| 8 | DIABETES MELLITUS | 53 | 6 |
| 9 | CEREBROVASCULAR DISEASE | 53 | 6 |

COUNTY=HICKMAN

| Rank | Cause | YPLL | Deaths |
|------|--------------------------------------|-------|--------|
| 0 | ALL CAUSES | 2,432 | 155 |
| 1 | MALIGNANT NEOPLASMS | 597 | 43 |
| 2 | ACCIDENTS AND ADVERSE EFFECTS | 423 | 15 |
| 3 | DISEASES OF HEART | 240 | 20 |
| 4 | SUICIDE | 219 | 7 |
| 5 | CEREBROVASCULAR DISEASE | 99 | 7 |
| 6 | CHRONIC LOWER RESPIRATORY DISEASES | 64 | 8 |
| 7 | OTHER DISEASES OF RESPIRATORY SYSTEM | 28 | 5 |

COUNTY=HOUSTON

| Rank | Cause | YPLL | Deaths |
|------|------------------------------------|------|--------|
| 0 | ALL CAUSES | 695 | 46 |
| 1 | MALIGNANT NEOPLASMS | 167 | 14 |
| 2 | DISEASES OF HEART | 141 | 11 |
| 3 | CHRONIC LOWER RESPIRATORY DISEASES | 38 | 5 |

COUNTY=HUMPHREYS

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------|-------|--------|
| 0 | ALL CAUSES | 2,327 | 131 |
| 1 | DISEASES OF HEART | 529 | 38 |
| 2 | ACCIDENTS AND ADVERSE EFFECTS | 489 | 18 |
| 3 | MALIGNANT NEOPLASMS | 216 | 21 |

SOURCE: TENNESSEE DEPARTMENT OF HEALTH, DIVISION OF VITAL RECORDS AND STATISTICS

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2017**

COUNTY=HUMPHREYS

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|------|--------|
| 4 | CHRONIC LOWER RESPIRATORY DISEASES | 115 | 10 |
| 5 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 82 | 4 |
| 6 | DIABETES MELLITUS | 42 | 4 |

COUNTY=JACKSON

| Rank | Cause | YPLL | Deaths |
|------|------------------------------------|-------|--------|
| 0 | ALL CAUSES | 1,068 | 78 |
| 1 | MALIGNANT NEOPLASMS | 241 | 22 |
| 2 | DISEASES OF HEART | 177 | 14 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 88 | 5 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES | 79 | 7 |

COUNTY=JEFFERSON

| Rank | Cause | YPLL | Deaths |
|------|--|-------|--------|
| 0 | ALL CAUSES | 5,318 | 326 |
| 1 | MALIGNANT NEOPLASMS | 1,073 | 82 |
| 2 | DISEASES OF HEART | 927 | 63 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 787 | 26 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES | 274 | 28 |
| 5 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 266 | 12 |
| 6 | DIABETES MELLITUS | 201 | 11 |
| 7 | SUICIDE | 181 | 7 |
| 8 | NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS | 89 | 7 |
| 9 | SEPTICEMIA | 79 | 7 |
| 10 | PNEUMONIA AND INFLUENZA | 74 | 8 |

COUNTY=JOHNSON

| Rank | Cause | YPLL | Deaths |
|------|------------------------------------|-------|--------|
| 0 | ALL CAUSES | 2,099 | 120 |
| 1 | MALIGNANT NEOPLASMS | 318 | 25 |
| 2 | ACCIDENTS AND ADVERSE EFFECTS | 239 | 7 |
| 3 | DISEASES OF HEART | 216 | 21 |
| 4 | SUICIDE | 128 | 5 |
| 5 | PNEUMONIA AND INFLUENZA | 111 | 4 |
| 6 | CHRONIC LOWER RESPIRATORY DISEASES | 85 | 10 |
| 7 | CEREBROVASCULAR DISEASE | 68 | 5 |

COUNTY=KNOX

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|--------|--------|
| 0 | ALL CAUSES | 39,995 | 2,203 |
| 1 | ACCIDENTS AND ADVERSE EFFECTS | 9,114 | 299 |
| 2 | MALIGNANT NEOPLASMS | 7,120 | 536 |
| 3 | DISEASES OF HEART | 5,288 | 385 |
| 4 | SUICIDE | 2,206 | 72 |
| 5 | CERTAIN PERINATAL CONDITIONS | 1,788 | 24 |
| 6 | CHRONIC LOWER RESPIRATORY DISEASES | 1,404 | 137 |
| 7 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 1,238 | 65 |
| 8 | ASSAULT (HOMICIDE) | 1,124 | 30 |

SOURCE: TENNESSEE DEPARTMENT OF HEALTH, DIVISION OF VITAL RECORDS AND STATISTICS

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2017**

COUNTY=KNOX

| Rank | Cause | YPLL | Deaths |
|------|-------------------------|------|--------|
| 9 | DIABETES MELLITUS | 886 | 61 |
| 10 | CEREBROVASCULAR DISEASE | 586 | 52 |

COUNTY=LAKE

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------|------|--------|
| 0 | ALL CAUSES | 789 | 47 |
| 1 | ACCIDENTS AND ADVERSE EFFECTS | 122 | 4 |
| 2 | DISEASES OF HEART | 104 | 8 |
| 3 | MALIGNANT NEOPLASMS | 95 | 10 |
| 4 | PNEUMONIA AND INFLUENZA | 52 | 4 |

COUNTY=LAUDERDALE

| Rank | Cause | YPLL | Deaths |
|------|--|-------|--------|
| 0 | ALL CAUSES | 3,055 | 175 |
| 1 | MALIGNANT NEOPLASMS | 641 | 47 |
| 2 | DISEASES OF HEART | 522 | 40 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 459 | 14 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES | 188 | 16 |
| 5 | CEREBROVASCULAR DISEASE | 170 | 9 |
| 6 | NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS | 52 | 4 |
| 7 | DIABETES MELLITUS | 32 | 4 |

COUNTY=LAWRENCE

| Rank | Cause | YPLL | Deaths |
|------|------------------------------------|-------|--------|
| 0 | ALL CAUSES | 4,488 | 264 |
| 1 | MALIGNANT NEOPLASMS | 792 | 73 |
| 2 | DISEASES OF HEART | 694 | 48 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 617 | 19 |
| 4 | CERTAIN PERINATAL CONDITIONS | 447 | 6 |
| 5 | CONGENITAL ANOMALIES | 256 | 5 |
| 6 | CHRONIC LOWER RESPIRATORY DISEASES | 230 | 20 |
| 7 | SUICIDE | 173 | 6 |
| 8 | DIABETES MELLITUS | 166 | 12 |
| 9 | PNEUMONIA AND INFLUENZA | 156 | 8 |
| 10 | ASSAULT (HOMICIDE) | 152 | 4 |

COUNTY=LEWIS

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|-------|--------|
| 0 | ALL CAUSES | 1,675 | 88 |
| 1 | ACCIDENTS AND ADVERSE EFFECTS | 388 | 12 |
| 2 | DISEASES OF HEART | 270 | 20 |
| 3 | MALIGNANT NEOPLASMS | 235 | 19 |
| 4 | SUICIDE | 128 | 5 |
| 5 | DIABETES MELLITUS | 82 | 4 |
| 6 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 72 | 4 |
| 7 | CHRONIC LOWER RESPIRATORY DISEASES | 63 | 6 |

SOURCE: TENNESSEE DEPARTMENT OF HEALTH, DIVISION OF VITAL RECORDS AND STATISTICS

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2017**

COUNTY=LINCOLN

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|-------|--------|
| 0 | ALL CAUSES | 3,003 | 175 |
| 1 | DISEASES OF HEART | 643 | 46 |
| 2 | ACCIDENTS AND ADVERSE EFFECTS | 498 | 14 |
| 3 | MALIGNANT NEOPLASMS | 473 | 46 |
| 4 | SUICIDE | 350 | 9 |
| 5 | CHRONIC LOWER RESPIRATORY DISEASES | 105 | 10 |
| 6 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 52 | 4 |
| 7 | CEREBROVASCULAR DISEASE | 48 | 5 |

COUNTY=LOUDON

| Rank | Cause | YPLL | Deaths |
|------|--|-------|--------|
| 0 | ALL CAUSES | 4,532 | 319 |
| 1 | ACCIDENTS AND ADVERSE EFFECTS | 931 | 33 |
| 2 | MALIGNANT NEOPLASMS | 734 | 77 |
| 3 | DISEASES OF HEART | 618 | 56 |
| 4 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 207 | 14 |
| 5 | CHRONIC LOWER RESPIRATORY DISEASES | 200 | 20 |
| 6 | SUICIDE | 113 | 6 |
| 7 | DIABETES MELLITUS | 100 | 9 |
| 8 | CEREBROVASCULAR DISEASE | 85 | 10 |
| 9 | NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS | 53 | 6 |
| 10 | OTHER DISEASES OF RESPIRATORY SYSTEM | 32 | 4 |

COUNTY=MCMINN

| Rank | Cause | YPLL | Deaths |
|------|--------------------------------------|-------|--------|
| 0 | ALL CAUSES | 5,531 | 331 |
| 1 | ACCIDENTS AND ADVERSE EFFECTS | 1,125 | 35 |
| 2 | DISEASES OF HEART | 1,011 | 71 |
| 3 | MALIGNANT NEOPLASMS | 922 | 73 |
| 4 | SUICIDE | 382 | 13 |
| 5 | DIABETES MELLITUS | 208 | 16 |
| 6 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 206 | 12 |
| 7 | CHRONIC LOWER RESPIRATORY DISEASES | 176 | 21 |
| 8 | CEREBROVASCULAR DISEASE | 167 | 14 |
| 9 | OTHER DISEASES OF RESPIRATORY SYSTEM | 131 | 4 |
| 10 | PNEUMONIA AND INFLUENZA | 113 | 6 |

COUNTY=MCAIRY

| Rank | Cause | YPLL | Deaths |
|------|------------------------------------|-------|--------|
| 0 | ALL CAUSES | 2,360 | 164 |
| 1 | MALIGNANT NEOPLASMS | 626 | 52 |
| 2 | DISEASES OF HEART | 465 | 39 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 256 | 12 |
| 4 | DIABETES MELLITUS | 130 | 9 |
| 5 | SUICIDE | 128 | 5 |
| 6 | CHRONIC LOWER RESPIRATORY DISEASES | 65 | 10 |
| 7 | CEREBROVASCULAR DISEASE | 58 | 5 |

SOURCE: TENNESSEE DEPARTMENT OF HEALTH, DIVISION OF VITAL RECORDS AND STATISTICS

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2017**

COUNTY=MACON

| Rank | Cause | YPLL | Deaths |
|------|------------------------------------|-------|--------|
| 0 | ALL CAUSES | 2,974 | 154 |
| 1 | ACCIDENTS AND ADVERSE EFFECTS | 644 | 19 |
| 2 | MALIGNANT NEOPLASMS | 484 | 37 |
| 3 | DISEASES OF HEART | 484 | 33 |
| 4 | SUICIDE | 183 | 6 |
| 5 | CHRONIC LOWER RESPIRATORY DISEASES | 165 | 10 |
| 6 | CEREBROVASCULAR DISEASE | 135 | 10 |
| 7 | DIABETES MELLITUS | 109 | 7 |
| 8 | PNEUMONIA AND INFLUENZA | 62 | 4 |

COUNTY=MADISON

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|-------|--------|
| 0 | ALL CAUSES | 9,456 | 540 |
| 1 | MALIGNANT NEOPLASMS | 1,748 | 136 |
| 2 | DISEASES OF HEART | 1,678 | 118 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 1,050 | 36 |
| 4 | SUICIDE | 642 | 20 |
| 5 | CEREBROVASCULAR DISEASE | 311 | 22 |
| 6 | CERTAIN PERINATAL CONDITIONS | 298 | 4 |
| 7 | ASSAULT (HOMICIDE) | 294 | 8 |
| 8 | DIABETES MELLITUS | 274 | 17 |
| 9 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 246 | 12 |
| 10 | CHRONIC LOWER RESPIRATORY DISEASES | 210 | 20 |

COUNTY=MARION

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|-------|--------|
| 0 | ALL CAUSES | 3,052 | 197 |
| 1 | DISEASES OF HEART | 761 | 51 |
| 2 | MALIGNANT NEOPLASMS | 446 | 41 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 327 | 14 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES | 243 | 26 |
| 5 | DIABETES MELLITUS | 139 | 7 |
| 6 | CEREBROVASCULAR DISEASE | 129 | 7 |
| 7 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 82 | 4 |
| 8 | SEPTICEMIA | 78 | 5 |

COUNTY=MARSHALL

| Rank | Cause | YPLL | Deaths |
|------|------------------------------------|-------|--------|
| 0 | ALL CAUSES | 2,954 | 179 |
| 1 | DISEASES OF HEART | 617 | 43 |
| 2 | ACCIDENTS AND ADVERSE EFFECTS | 558 | 18 |
| 3 | MALIGNANT NEOPLASMS | 493 | 46 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES | 172 | 13 |
| 5 | SUICIDE | 122 | 4 |
| 6 | CEREBROVASCULAR DISEASE | 94 | 8 |
| 7 | PNEUMONIA AND INFLUENZA | 84 | 8 |

SOURCE: TENNESSEE DEPARTMENT OF HEALTH, DIVISION OF VITAL RECORDS AND STATISTICS

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2017**

COUNTY=MAURY

| Rank | Cause | YPLL | Deaths |
|------|--|-------|--------|
| 0 | ALL CAUSES | 7,712 | 449 |
| 1 | MALIGNANT NEOPLASMS | 1,342 | 113 |
| 2 | DISEASES OF HEART | 1,297 | 83 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 1,210 | 33 |
| 4 | SUICIDE | 456 | 12 |
| 5 | CONGENITAL ANOMALIES | 401 | 6 |
| 6 | CHRONIC LOWER RESPIRATORY DISEASES | 382 | 33 |
| 7 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 215 | 10 |
| 8 | CEREBROVASCULAR DISEASE | 180 | 20 |
| 9 | DIABETES MELLITUS | 174 | 17 |
| 10 | NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS | 110 | 9 |

COUNTY=MEIGS

| Rank | Cause | YPLL | Deaths |
|------|------------------------------------|-------|--------|
| 0 | ALL CAUSES | 1,350 | 89 |
| 1 | ACCIDENTS AND ADVERSE EFFECTS | 305 | 10 |
| 2 | MALIGNANT NEOPLASMS | 284 | 28 |
| 3 | DISEASES OF HEART | 251 | 22 |
| 4 | CEREBROVASCULAR DISEASE | 68 | 5 |
| 5 | CHRONIC LOWER RESPIRATORY DISEASES | 68 | 5 |

COUNTY=MONROE

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|-------|--------|
| 0 | ALL CAUSES | 4,241 | 271 |
| 1 | MALIGNANT NEOPLASMS | 1,036 | 81 |
| 2 | ACCIDENTS AND ADVERSE EFFECTS | 781 | 27 |
| 3 | DISEASES OF HEART | 748 | 47 |
| 4 | SUICIDE | 239 | 7 |
| 5 | CHRONIC LOWER RESPIRATORY DISEASES | 219 | 18 |
| 6 | DIABETES MELLITUS | 125 | 10 |
| 7 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 120 | 9 |
| 8 | CEREBROVASCULAR DISEASE | 79 | 7 |
| 9 | PARKINSON'S DISEASE | 22 | 4 |

COUNTY=MONTGOMERY

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|--------|--------|
| 0 | ALL CAUSES | 16,086 | 740 |
| 1 | MALIGNANT NEOPLASMS | 2,964 | 176 |
| 2 | ACCIDENTS AND ADVERSE EFFECTS | 2,737 | 84 |
| 3 | DISEASES OF HEART | 1,701 | 107 |
| 4 | SUICIDE | 1,301 | 38 |
| 5 | CERTAIN PERINATAL CONDITIONS | 894 | 12 |
| 6 | CONGENITAL ANOMALIES | 799 | 12 |
| 7 | ASSAULT (HOMICIDE) | 707 | 14 |
| 8 | CHRONIC LOWER RESPIRATORY DISEASES | 679 | 58 |
| 9 | DIABETES MELLITUS | 648 | 36 |
| 10 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 540 | 29 |

SOURCE: TENNESSEE DEPARTMENT OF HEALTH, DIVISION OF VITAL RECORDS AND STATISTICS

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2017**

COUNTY=MOORE

| Rank | Cause | YPLL | Deaths |
|------|------------------------------------|------|--------|
| 0 | ALL CAUSES | 593 | 38 |
| 1 | ACCIDENTS AND ADVERSE EFFECTS | 212 | 5 |
| 2 | MALIGNANT NEOPLASMS | 116 | 12 |
| 3 | DISEASES OF HEART | 83 | 6 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES | 48 | 5 |

COUNTY=MORGAN

| Rank | Cause | YPLL | Deaths |
|------|--|-------|--------|
| 0 | ALL CAUSES | 2,715 | 144 |
| 1 | MALIGNANT NEOPLASMS | 539 | 38 |
| 2 | DISEASES OF HEART | 459 | 27 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 383 | 11 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES | 166 | 12 |
| 5 | CEREBROVASCULAR DISEASE | 155 | 6 |
| 6 | NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS | 92 | 4 |
| 7 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 78 | 5 |
| 8 | DIABETES MELLITUS | 69 | 7 |

COUNTY=OBION

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|-------|--------|
| 0 | ALL CAUSES | 2,593 | 171 |
| 1 | MALIGNANT NEOPLASMS | 567 | 43 |
| 2 | DISEASES OF HEART | 509 | 38 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 201 | 7 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES | 189 | 18 |
| 5 | DIABETES MELLITUS | 185 | 10 |
| 6 | CEREBROVASCULAR DISEASE | 74 | 8 |
| 7 | SEPTICEMIA | 52 | 4 |
| 8 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 38 | 5 |

COUNTY=OVERTON

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|-------|--------|
| 0 | ALL CAUSES | 2,121 | 153 |
| 1 | MALIGNANT NEOPLASMS | 500 | 40 |
| 2 | DISEASES OF HEART | 244 | 28 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 231 | 11 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES | 157 | 14 |
| 5 | SUICIDE | 142 | 4 |
| 6 | PNEUMONIA AND INFLUENZA | 109 | 7 |
| 7 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 78 | 5 |
| 8 | DIABETES MELLITUS | 73 | 6 |
| 9 | ALZHEIMER'S DISEASE | 22 | 4 |

SOURCE: TENNESSEE DEPARTMENT OF HEALTH, DIVISION OF VITAL RECORDS AND STATISTICS

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2017**

COUNTY=PERRY

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|-------|--------|
| 0 | ALL CAUSES | 1,069 | 60 |
| 1 | DISEASES OF HEART | 244 | 17 |
| 2 | MALIGNANT NEOPLASMS | 202 | 13 |
| 3 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 129 | 7 |
| 4 | ACCIDENTS AND ADVERSE EFFECTS | 129 | 7 |

COUNTY=PICKETT

| Rank | Cause | YPLL | Deaths |
|------|---------------------|------|--------|
| 0 | ALL CAUSES | 432 | 33 |
| 1 | MALIGNANT NEOPLASMS | 146 | 12 |
| 2 | DISEASES OF HEART | 130 | 9 |

COUNTY=POLK

| Rank | Cause | YPLL | Deaths |
|------|------------------------------------|-------|--------|
| 0 | ALL CAUSES | 2,175 | 129 |
| 1 | ACCIDENTS AND ADVERSE EFFECTS | 435 | 11 |
| 2 | MALIGNANT NEOPLASMS | 392 | 33 |
| 3 | DISEASES OF HEART | 342 | 24 |
| 4 | SUICIDE | 152 | 4 |
| 5 | CHRONIC LOWER RESPIRATORY DISEASES | 96 | 12 |
| 6 | CEREBROVASCULAR DISEASE | 73 | 6 |

COUNTY=PUTNAM

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|-------|--------|
| 0 | ALL CAUSES | 5,945 | 350 |
| 1 | DISEASES OF HEART | 1,109 | 78 |
| 2 | MALIGNANT NEOPLASMS | 1,070 | 85 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 572 | 24 |
| 4 | SUICIDE | 341 | 11 |
| 5 | CONGENITAL ANOMALIES | 334 | 5 |
| 6 | CHRONIC LOWER RESPIRATORY DISEASES | 319 | 27 |
| 7 | CEREBROVASCULAR DISEASE | 261 | 14 |
| 8 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 144 | 8 |
| 9 | PNEUMONIA AND INFLUENZA | 136 | 12 |
| 10 | DIABETES MELLITUS | 99 | 7 |

COUNTY=RHEA

| Rank | Cause | YPLL | Deaths |
|------|--|-------|--------|
| 0 | ALL CAUSES | 3,341 | 213 |
| 1 | DISEASES OF HEART | 636 | 52 |
| 2 | ACCIDENTS AND ADVERSE EFFECTS | 515 | 15 |
| 3 | MALIGNANT NEOPLASMS | 388 | 45 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES | 279 | 27 |
| 5 | DIABETES MELLITUS | 205 | 10 |
| 6 | NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS | 72 | 4 |
| 7 | ALZHEIMER'S DISEASE | 49 | 7 |
| 8 | HYPERTENSION AND RENAL DISEASE | 22 | 4 |

SOURCE: TENNESSEE DEPARTMENT OF HEALTH, DIVISION OF VITAL RECORDS AND STATISTICS

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2017**

COUNTY=ROANE

| Rank | Cause | YPLL | Deaths |
|------|--|-------|--------|
| 0 | ALL CAUSES | 5,838 | 376 |
| 1 | ACCIDENTS AND ADVERSE EFFECTS | 1,162 | 40 |
| 2 | DISEASES OF HEART | 1,148 | 87 |
| 3 | MALIGNANT NEOPLASMS | 1,140 | 100 |
| 4 | SUICIDE | 468 | 16 |
| 5 | CHRONIC LOWER RESPIRATORY DISEASES | 298 | 25 |
| 6 | DIABETES MELLITUS | 201 | 11 |
| 7 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 160 | 9 |
| 8 | CEREBROVASCULAR DISEASE | 156 | 12 |
| 9 | NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS | 129 | 7 |
| 10 | PNEUMONIA AND INFLUENZA | 82 | 4 |

COUNTY=ROBERTSON

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|-------|--------|
| 0 | ALL CAUSES | 5,905 | 354 |
| 1 | MALIGNANT NEOPLASMS | 1,215 | 90 |
| 2 | DISEASES OF HEART | 1,184 | 88 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 882 | 29 |
| 4 | SUICIDE | 432 | 13 |
| 5 | CHRONIC LOWER RESPIRATORY DISEASES | 283 | 26 |
| 6 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 202 | 13 |
| 7 | ASSAULT (HOMICIDE) | 182 | 4 |
| 8 | DIABETES MELLITUS | 160 | 9 |
| 9 | CEREBROVASCULAR DISEASE | 121 | 11 |
| 10 | SEPTICEMIA | 109 | 7 |

COUNTY=RUTHERFORD

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|--------|--------|
| 0 | ALL CAUSES | 21,934 | 1,118 |
| 1 | ACCIDENTS AND ADVERSE EFFECTS | 4,112 | 121 |
| 2 | MALIGNANT NEOPLASMS | 4,056 | 265 |
| 3 | DISEASES OF HEART | 3,574 | 217 |
| 4 | SUICIDE | 1,692 | 49 |
| 5 | CONGENITAL ANOMALIES | 823 | 18 |
| 6 | CHRONIC LOWER RESPIRATORY DISEASES | 782 | 64 |
| 7 | ASSAULT (HOMICIDE) | 727 | 16 |
| 8 | CERTAIN PERINATAL CONDITIONS | 671 | 9 |
| 9 | CEREBROVASCULAR DISEASE | 518 | 45 |
| 10 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 475 | 30 |

COUNTY=SCOTT

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------|-------|--------|
| 0 | ALL CAUSES | 2,960 | 173 |
| 1 | MALIGNANT NEOPLASMS | 482 | 44 |
| 2 | DISEASES OF HEART | 452 | 33 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 386 | 12 |
| 4 | DIABETES MELLITUS | 230 | 9 |
| 5 | SUICIDE | 229 | 7 |

SOURCE: TENNESSEE DEPARTMENT OF HEALTH, DIVISION OF VITAL RECORDS AND STATISTICS

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2017**

COUNTY=SCOTT

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|------|--------|
| 6 | CHRONIC LOWER RESPIRATORY DISEASES | 225 | 19 |
| 7 | CEREBROVASCULAR DISEASE | 144 | 8 |
| 8 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 88 | 5 |

COUNTY=SEQUATCHIE

| Rank | Cause | YPLL | Deaths |
|------|------------------------------------|-------|--------|
| 0 | ALL CAUSES | 1,244 | 77 |
| 1 | DISEASES OF HEART | 307 | 23 |
| 2 | ACCIDENTS AND ADVERSE EFFECTS | 274 | 8 |
| 3 | MALIGNANT NEOPLASMS | 116 | 12 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES | 103 | 6 |
| 5 | CEREBROVASCULAR DISEASE | 72 | 4 |

COUNTY=SEVIER

| Rank | Cause | YPLL | Deaths |
|------|--|-------|--------|
| 0 | ALL CAUSES | 9,099 | 527 |
| 1 | ACCIDENTS AND ADVERSE EFFECTS | 1,791 | 58 |
| 2 | MALIGNANT NEOPLASMS | 1,740 | 149 |
| 3 | DISEASES OF HEART | 1,642 | 113 |
| 4 | SUICIDE | 793 | 26 |
| 5 | CHRONIC LOWER RESPIRATORY DISEASES | 335 | 30 |
| 6 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 328 | 16 |
| 7 | EVENTS OF UNDETERMINED INTENT | 229 | 5 |
| 8 | CEREBROVASCULAR DISEASE | 130 | 9 |
| 9 | NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS | 103 | 6 |
| 10 | OTHER DISEASES OF CIRCULATORY SYSTEM | 99 | 7 |

COUNTY=SHELBY

| Rank | Cause | YPLL | Deaths |
|------|------------------------------------|--------|--------|
| 0 | ALL CAUSES | 87,446 | 4,388 |
| 1 | DISEASES OF HEART | 13,590 | 912 |
| 2 | MALIGNANT NEOPLASMS | 13,036 | 993 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 12,664 | 383 |
| 4 | ASSAULT (HOMICIDE) | 7,569 | 183 |
| 5 | CERTAIN PERINATAL CONDITIONS | 4,396 | 59 |
| 6 | CEREBROVASCULAR DISEASE | 3,254 | 215 |
| 7 | DIABETES MELLITUS | 2,779 | 163 |
| 8 | SUICIDE | 2,616 | 77 |
| 9 | CONGENITAL ANOMALIES | 2,223 | 35 |
| 10 | CHRONIC LOWER RESPIRATORY DISEASES | 2,066 | 164 |

COUNTY=SMITH

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------|-------|--------|
| 0 | ALL CAUSES | 1,730 | 104 |
| 1 | MALIGNANT NEOPLASMS | 303 | 26 |
| 2 | DISEASES OF HEART | 296 | 21 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 290 | 9 |
| 4 | DIABETES MELLITUS | 103 | 6 |

SOURCE: TENNESSEE DEPARTMENT OF HEALTH, DIVISION OF VITAL RECORDS AND STATISTICS

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2017**

COUNTY=SMITH

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|------|--------|
| 5 | CHRONIC LOWER RESPIRATORY DISEASES | 65 | 10 |
| 6 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 52 | 4 |

COUNTY=STEWART

| Rank | Cause | YPLL | Deaths |
|------|------------------------------------|-------|--------|
| 0 | ALL CAUSES | 1,061 | 73 |
| 1 | MALIGNANT NEOPLASMS | 417 | 34 |
| 2 | DISEASES OF HEART | 162 | 13 |
| 3 | CHRONIC LOWER RESPIRATORY DISEASES | 42 | 4 |

COUNTY=SULLIVAN

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|--------|--------|
| 0 | ALL CAUSES | 14,882 | 951 |
| 1 | MALIGNANT NEOPLASMS | 3,179 | 242 |
| 2 | DISEASES OF HEART | 2,811 | 224 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 1,954 | 70 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES | 855 | 75 |
| 5 | SUICIDE | 622 | 24 |
| 6 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 509 | 27 |
| 7 | CERTAIN PERINATAL CONDITIONS | 440 | 6 |
| 8 | PNEUMONIA AND INFLUENZA | 421 | 31 |
| 9 | SEPTICEMIA | 376 | 21 |
| 10 | CEREBROVASCULAR DISEASE | 328 | 25 |

COUNTY=SUMNER

| Rank | Cause | YPLL | Deaths |
|------|--|--------|--------|
| 0 | ALL CAUSES | 13,636 | 838 |
| 1 | MALIGNANT NEOPLASMS | 3,100 | 240 |
| 2 | DISEASES OF HEART | 2,740 | 189 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 2,320 | 67 |
| 4 | SUICIDE | 1,119 | 34 |
| 5 | CHRONIC LOWER RESPIRATORY DISEASES | 406 | 41 |
| 6 | CEREBROVASCULAR DISEASE | 377 | 34 |
| 7 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 235 | 19 |
| 8 | ASSAULT (HOMICIDE) | 193 | 6 |
| 9 | NEPHRITIS,NEPHROTIC SYNDROME,NEPHROSIS | 165 | 19 |
| 10 | SEPTICEMIA | 161 | 11 |

COUNTY=TIPTON

| Rank | Cause | YPLL | Deaths |
|------|------------------------------------|-------|--------|
| 0 | ALL CAUSES | 5,358 | 313 |
| 1 | MALIGNANT NEOPLASMS | 1,122 | 84 |
| 2 | DISEASES OF HEART | 932 | 73 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 877 | 30 |
| 4 | SUICIDE | 305 | 10 |
| 5 | DIABETES MELLITUS | 229 | 18 |
| 6 | EVENTS OF UNDETERMINED INTENT | 168 | 5 |
| 7 | CHRONIC LOWER RESPIRATORY DISEASES | 133 | 15 |

SOURCE: TENNESSEE DEPARTMENT OF HEALTH, DIVISION OF VITAL RECORDS AND STATISTICS

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2017**

COUNTY=TIPTON

| Rank | Cause | YPLL | Deaths |
|------|-------------------------|------|--------|
| 8 | CEREBROVASCULAR DISEASE | 89 | 7 |
| 9 | PNEUMONIA AND INFLUENZA | 78 | 5 |
| 10 | SEPTICEMIA | 68 | 5 |

COUNTY=TROUSDALE

| Rank | Cause | YPLL | Deaths |
|------|---------------------|------|--------|
| 0 | ALL CAUSES | 920 | 51 |
| 1 | DISEASES OF HEART | 135 | 10 |
| 2 | MALIGNANT NEOPLASMS | 115 | 10 |
| 3 | SEPTICEMIA | 62 | 4 |

COUNTY=UNICOI

| Rank | Cause | YPLL | Deaths |
|------|--------------------------------------|-------|--------|
| 0 | ALL CAUSES | 2,038 | 124 |
| 1 | MALIGNANT NEOPLASMS | 375 | 30 |
| 2 | ACCIDENTS AND ADVERSE EFFECTS | 343 | 15 |
| 3 | DISEASES OF HEART | 268 | 16 |
| 4 | PNEUMONIA AND INFLUENZA | 98 | 5 |
| 5 | CHRONIC LOWER RESPIRATORY DISEASES | 69 | 7 |
| 6 | DIABETES MELLITUS | 62 | 4 |
| 7 | OTHER DISEASES OF CIRCULATORY SYSTEM | 28 | 5 |

COUNTY=UNION

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|-------|--------|
| 0 | ALL CAUSES | 2,355 | 134 |
| 1 | DISEASES OF HEART | 598 | 36 |
| 2 | ACCIDENTS AND ADVERSE EFFECTS | 401 | 13 |
| 3 | MALIGNANT NEOPLASMS | 278 | 25 |
| 4 | ASSAULT (HOMICIDE) | 161 | 4 |
| 5 | CHRONIC LOWER RESPIRATORY DISEASES | 147 | 14 |
| 6 | SUICIDE | 122 | 4 |
| 7 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 103 | 6 |
| 8 | PNEUMONIA AND INFLUENZA | 52 | 4 |

COUNTY=VAN BUREN

| Rank | Cause | YPLL | Deaths |
|------|---------------------|------|--------|
| 0 | ALL CAUSES | 450 | 31 |
| 1 | DISEASES OF HEART | 93 | 6 |
| 2 | MALIGNANT NEOPLASMS | 63 | 6 |
| 3 | DIABETES MELLITUS | 32 | 4 |

COUNTY=WARREN

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------|-------|--------|
| 0 | ALL CAUSES | 3,567 | 221 |
| 1 | ACCIDENTS AND ADVERSE EFFECTS | 682 | 24 |
| 2 | DISEASES OF HEART | 680 | 40 |
| 3 | MALIGNANT NEOPLASMS | 628 | 56 |

SOURCE: TENNESSEE DEPARTMENT OF HEALTH, DIVISION OF VITAL RECORDS AND STATISTICS

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2017**

COUNTY=WARREN

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|------|--------|
| 4 | CHRONIC LOWER RESPIRATORY DISEASES | 228 | 16 |
| 5 | ASSAULT (HOMICIDE) | 142 | 4 |
| 6 | DIABETES MELLITUS | 135 | 10 |
| 7 | SUICIDE | 103 | 6 |
| 8 | CEREBROVASCULAR DISEASE | 100 | 9 |
| 9 | PNEUMONIA AND INFLUENZA | 83 | 6 |
| 10 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 63 | 6 |

COUNTY=WASHINGTON

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|--------|--------|
| 0 | ALL CAUSES | 11,654 | 707 |
| 1 | MALIGNANT NEOPLASMS | 2,066 | 181 |
| 2 | DISEASES OF HEART | 1,699 | 127 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 1,156 | 48 |
| 4 | CERTAIN PERINATAL CONDITIONS | 671 | 9 |
| 5 | SUICIDE | 617 | 23 |
| 6 | CHRONIC LOWER RESPIRATORY DISEASES | 498 | 45 |
| 7 | CEREBROVASCULAR DISEASE | 441 | 31 |
| 8 | DIABETES MELLITUS | 316 | 21 |
| 9 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 314 | 17 |
| 10 | ASSAULT (HOMICIDE) | 275 | 6 |

COUNTY=WAYNE

| Rank | Cause | YPLL | Deaths |
|------|------------------------------------|-------|--------|
| 0 | ALL CAUSES | 1,401 | 91 |
| 1 | DISEASES OF HEART | 323 | 26 |
| 2 | MALIGNANT NEOPLASMS | 308 | 25 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 113 | 6 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES | 62 | 4 |
| 5 | PNEUMONIA AND INFLUENZA | 42 | 4 |

COUNTY=WEAKLEY

| Rank | Cause | YPLL | Deaths |
|------|---------------------------------------|-------|--------|
| 0 | ALL CAUSES | 2,788 | 181 |
| 1 | MALIGNANT NEOPLASMS | 631 | 51 |
| 2 | DISEASES OF HEART | 457 | 34 |
| 3 | CHRONIC LOWER RESPIRATORY DISEASES | 242 | 24 |
| 4 | ACCIDENTS AND ADVERSE EFFECTS | 234 | 9 |
| 5 | PNEUMONITIS DUE TO SOLIDS AND LIQUIDS | 102 | 4 |
| 6 | SUICIDE | 98 | 5 |
| 7 | DIABETES MELLITUS | 74 | 8 |
| 8 | HYPERTENSION AND RENAL DISEASE | 58 | 5 |
| 9 | CEREBROVASCULAR DISEASE | 48 | 5 |

SOURCE: TENNESSEE DEPARTMENT OF HEALTH, DIVISION OF VITAL RECORDS AND STATISTICS

**LEADING CAUSES OF DEATH BASED ON YEARS OF POTENTIAL LIFE LOST (YPLL)
PRIOR TO AGE 75 YEARS, BY COUNTY, TENNESSEE RESIDENT DATA, 2017**

COUNTY=WHITE

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|-------|--------|
| 0 | ALL CAUSES | 2,760 | 176 |
| 1 | MALIGNANT NEOPLASMS | 639 | 47 |
| 2 | DISEASES OF HEART | 345 | 30 |
| 3 | ACCIDENTS AND ADVERSE EFFECTS | 323 | 11 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES | 145 | 10 |
| 5 | PNEUMONIA AND INFLUENZA | 120 | 9 |
| 6 | SUICIDE | 112 | 4 |
| 7 | DIABETES MELLITUS | 104 | 8 |
| 8 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 78 | 5 |
| 9 | CEREBROVASCULAR DISEASE | 69 | 7 |

COUNTY=WILLIAMSON

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|-------|--------|
| 0 | ALL CAUSES | 8,384 | 513 |
| 1 | MALIGNANT NEOPLASMS | 2,206 | 181 |
| 2 | ACCIDENTS AND ADVERSE EFFECTS | 1,696 | 52 |
| 3 | DISEASES OF HEART | 1,035 | 90 |
| 4 | SUICIDE | 779 | 27 |
| 5 | CONGENITAL ANOMALIES | 349 | 6 |
| 6 | ASSAULT (HOMICIDE) | 208 | 5 |
| 7 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 171 | 11 |
| 8 | CHRONIC LOWER RESPIRATORY DISEASES | 148 | 16 |
| 9 | DIABETES MELLITUS | 134 | 8 |
| 10 | CEREBROVASCULAR DISEASE | 117 | 14 |

COUNTY=WILSON

| Rank | Cause | YPLL | Deaths |
|------|-------------------------------------|--------|--------|
| 0 | ALL CAUSES | 10,084 | 577 |
| 1 | MALIGNANT NEOPLASMS | 1,919 | 158 |
| 2 | ACCIDENTS AND ADVERSE EFFECTS | 1,787 | 59 |
| 3 | DISEASES OF HEART | 1,485 | 110 |
| 4 | SUICIDE | 600 | 20 |
| 5 | CERTAIN PERINATAL CONDITIONS | 447 | 6 |
| 6 | CHRONIC LOWER RESPIRATORY DISEASES | 388 | 36 |
| 7 | CONGENITAL ANOMALIES | 347 | 5 |
| 8 | CEREBROVASCULAR DISEASE | 266 | 21 |
| 9 | CHRONIC LIVER DISEASE AND CIRRHOSIS | 243 | 15 |
| 10 | DIABETES MELLITUS | 192 | 13 |

SOURCE: TENNESSEE DEPARTMENT OF HEALTH, DIVISION OF VITAL RECORDS AND STATISTICS