

# Ebola PPE Comparison

Please refer to CDC links for specific information when preparing your facility – this is only meant to be a general overview

**IMPORTANT: All PPE listed below must be single-use (disposable) except PAPR**

	<b>Stable/Dry PUI</b>	<b>Unstable/Wet PUI</b>
<b>Garment/Gown</b>	Fluid resistant gown that passes ANSI/AAMI PB70 Level 3 requirements that extends to at least mid-calf <b>OR</b> Fluid resistant coveralls that passes: AATCC 42, ASTM F1670, or ISO 16603	Impermeable surgical or isolation gown that passes ANSI/AAMI PB70 Level 4 requirements that extends to at least mid-calf <b>OR</b> Coverall made with fabric and seams/closures that passes: ASTM F1671 or ISO 16604
<b>Respiratory, head, and face protection</b>	Full face shield <b>AND</b> Facemask	NIOSH approved PAPR and hood with fabric and seams/closures that passes: ASTM F1671 or ISO 16604 <b>OR</b> N95 respirator or higher in combination with a surgical hood with fabric and seams/closures that passes: ASTM F1671 or ISO 16604 that extending to shoulders and full face shield
<b>Gloves</b>	Gloves with extended cuffs. Two pairs of gloves should be worn. At a minimum, outer gloves should have extended cuffs.	Gloves with extended cuffs. Two pairs of gloves should be worn. At a minimum, outer gloves should have extended cuffs.
<b>Feet</b>	N/A	Boot covers that extend to at least mid-calf with fabric and seams/closures that passes: ASTM F1671 or ISO 16604
<b>Apron</b>	N/A	Apron that covers the torso to the level of the mid-calf with fabric and seams/closures that passes: ASTM F1671 or ISO 16604
<b>CDC Links</b>	<a href="#">Guidance for Clinically Stable PUIs</a>   <a href="#">Personal Protective Equipment (PPE)</a>   <a href="#">Public Health Planners</a>   <a href="#">Ebola (Ebola Virus Disease)</a>   <a href="#">CDC</a>	<a href="#">Guidance on Personal Protective Equipment (PPE)</a>   <a href="#">Personal Protective Equipment (PPE)</a>   <a href="#">Public Health Planners</a>   <a href="#">Ebola (Ebola Virus Disease)</a>   <a href="#">CDC</a>