Sentinel Provider Influenza-Like Illness (ILI)¹ Surveillance Summary (health.state.tn.us/TNflu_report_archive.htm) for the Week of December 29 - January 4, 2014 (Week 1)

Corrected 01/16/14

			Total	Total			
	# Sites	Total	Regional	Regional		Compared	
Summary for	reporting	Sites	ILI	Patients	% ILI	to State ²	
Iamilton County (Chattanooga)	4	4	13	462	2.8%	lower	Erratum (01/16/2014):
ast Tennessee Region	7	8	242	2209	11.0%	higher	Correction of Sentinel Provider Report Laboratory Data:
ackson-Madison County	2	2	22	336	6.6%		A system error was identified that misclassified some specimens resulted as 1
(noxville-Knox County	4	4	15	627	2.4%	lower	A(H1N1) by the Tennessee Public Health Laboratory as Type A(H3) in this wee
Iid-Cumberland Region	8	10	5	256	2.0%	lower	report, primarily during week 52 and week 1. The table has been corrected. T
helby County (Memphis)	0	5	0	0	0.0%	n/a	were zero A(H3) specimens in December 2013 and 2 of 52 positive influenza s
lashville-Davidson County	3	6	13	192	6.8%		in Week 1 of 2014.
Iortheast Region	3	3	3	83	3.6%		IN WEEK 1 01 2014.
South Central Region	3	3	0	123		lower	
Southeast Region	5	5	36	363	9.9%	higher	For Sentinel Providers - Use Current Specimen Form:
Sullivan County (Tri-Cities)	2	2	3	215		lower	Sentinel Providers are reminded to submit a specimen for every patient meet
Jpper Cumberland Region	4	4	0	269		lower	ILI case definition (up to 10 per week). It is important to use the current TDH
Vest Tennessee Region	6	6	2	186	1.1%	lower	specimen submission form <u>dated September 2013</u> . If you have questions, con
State of Tennessee	51	62	354	5321	6.65%)	specificit susmission form <u>acced september 2015</u> . If you have questions, com

The percentage of patients with ILI reported in Week 1 was 6.65% as compared to 7.34% in Week 52. To date, 199 specimens from Week 1 have been tested; 52 (26.1%) were positive for influenza viruses, mostly A(H1N1). Both H1N1 and H3N2 type A strains are in the vaccine.


People who are still unvaccinated are at the highest risk of contracting influenza; it is not too late to benefit from influenza vaccination. Vaccine takes about 2 weeks to work: do not delay. Increased seasonal influenza activity may be seen over the next 3 months or more. Persons, including pregnant women, at high risk of complications from influenza infection who develop influenza symptoms should consult their healthcare provider promptly and take antiviral medication, if prescribed.

Respiratory Viral Panel Number of Positive Specimens, by week

Month/Week	#	Flu A (H1N1)	Flu A (H3)	Flu B	RSV A	RSV B	Paraflu 1	Paraflu 3	Paraflu 4	Rhino	Metapne umo	Adeno B	Adeno C	Adeno E	Corona OC43	Corona NL63	Corona HKU1
January																	
Current	199	50	2	0	6	11	2	0	0	13	1	0	1	0	1	0	2
December																	
52	211	78	0	0	6	11	2	0	0	16	3	1	3	0	2	1	3
51	178	76	0	0	1	10	1	0	0	12	0	0	1	0	1	0	0
50	124	37	0	0	3	6	0	0	0	10	1	1	2	0	0	1	2
49	112	31	0	1	1	8	3	0	1	10	0	0	1	0	1	0	1
November																	
48	58	7	0	0	2	3	1	1	0	4	0	1	0	1	0	0	0


Percentage of Outpatient Visits Reported by the U.S. and Tennessee Outpatient Influenza-like Illness Surveillance Network (ILINet) as Influenza-like Illness, 2013-2014

Updated: January 16, 2014



Influenza Positive Tests Submitted to TN Dept. of Health Laboratory Services Tennessee, 2013-2014

Updated: January 16, 2014



Week (January 20, 2013 - January 11, 2014)


Influenza Confirmed by Culture or PCR in Tennessee from Specimens Collected by Any Source within the Past 6 Weeks


November 24, 2013 - January 4, 2014

- Strains are reported by county of case residence.

- Counties where influenza sentinel providers are located are identified with bold boundary lines.

- Stars mark counties with large metropolitan populations (Memphis, Jackson, Nashville, Chattanooga, Knoxville, and the Tri-Cities area).





Reference Information for Sentinel Provider Network

1 Influenza-like illness (ILI) is defined as fever > 100°F (37.8°C) plus cough and/or sore throat, in the absence of a known cause (other than influenza). Classification of ILI is based upon symptoms only and does not require any test.

2 The % of patients with ILI seen in each region is compared to the statewide average. Regions with % statistically-significantly different from the state average are noted as "higher" or "lower." The CDC reports that the percentage of patients visiting outpatient healthcare providers in the Sentinel Provider Network (SPN) with influenza-like-illness (ILI) when influenza viruses are not circulating is expected to fall at or below a specific SPN baseline [nationwide = 2.2%, East South Central region (AL, TN, MS, KY) = 2.3%]. When the percentage of patients with ILI exceeds this baseline, this suggests that influenza viruses may be circulating.

Important information for Sentinel Providers

Sentinel Providers report ILI by the end of Tuesday following the end of the reporting week (www2a.cdc.gov/ilinet) and collect and ship specimens from ILI cases Monday through Thursday (maximum 10/week per provider). All Sentinel Provider specimens MUST be accompanied by the Influenza and Respiratory Viral Panel Submission form or testing will not be done. The Respiratory Viral Panel is only validated for nasopharyngeal (NP) specimens. Specimens collected from other sites cannot be tested.


Additional laboratory supplies can be obtained by completing the lab order supply form. To ensure the order is filled, please include the CDC Provider ID Code.

Contact Information Submit weekly reports to: http://www2a.cdc.gov/ilinet/ OR Fax 888-232-1322

State Lab: Susan McCool 615-262-6351

SPN Questions: State: Robb Garman 800-404-3006 OR 615-741-7247 County/Region: Regional SPN Coordinator (see map)

TENNESSEE SENTINEL PROVIDER NETWORK COORDINATORS



1	Shelby County	901-222-9239
2	West TN Region	731-421-6758
3	Jackson-Madison County	731-927-8540
4	Mid-Cumberland Region	615-650-7000
5	Nashville-Davidson County	615-340-0551
6	South Central Region	931-380-2532
7	Upper Cumberland Region	931-646-7505
8	Southeast Region	423-634-6065
9	Chattanooga-Hamilton County	423-209-8063
10	Knoxville-Knox County	865-215-5084
11	East TN Region	865-549-5287
12	Northeast Region	423-979-3200
13	Sullivan County	423-279-7545