Sentinel Provider Influenza-Like Illness (ILI)¹ Surveillance Summary (health.state.tn.us/TNflu_report_archive.htm) for the Week of March 23-29, 2014 (Week 13)

			Total	Total		
	# Sites	Total	Regional	Regional		Compared
Summary for	reporting	Sites	ILI	Patients	% ILI	to State ²
Hamilton County (Chattanooga)	3	4	0	461	0.0%	lower
East Tennessee Region	7	8	84	2192	3.8%	higher
Jackson-Madison County	1	2	6	520	1.2%	
Knoxville-Knox County	3	4	4	1373	0.3%	lower
Mid-Cumberland Region	9	10	11	985	1.1%	
Shelby County (Memphis)	0	5	0	0	0.0%	n/a
Nashville-Davidson County	3	5	2	523	0.4%	
Northeast Region	3	3	2	269	0.7%	
South Central Region	3	3	0	237	0.0%	
Southeast Region	5	5	1	780	0.1%	lower
Sullivan County (Tri-Cities)	1	2	0	366	0.0%	lower
Upper Cumberland Region	4	4	1	535	0.2%	lower
West Tennessee Region	6	6	0	351	0.0%	lower
State of Tennessee	48	61	111	8592	1.29%	·

Flu activity is low and declining

Though flu viruses continue to cause illness, activity is low and declining across the U.S. Vaccination is still recommended as long as viruses are circulating.

Vaccine still offers protection against circulating strains (H1N1, H3N2 and B types) of the flu and its potentially serious complications. A CDC report shows a 60% reduction in a vaccinated person's need for medical care, compared to the unvaccinated: www.cdc.gov/mmwr/preview/mmwrhtml/mm6307a1.htm

Sentinel Providers - Use Current (9/13) Specimen Form

If you have questions, contact your regional or state SPN representative.

The percentage of patients with ILI reported in Week 13 was 1.29% as compared to 1.15% in Week 12. To date, 31 specimens from Week 13 have been tested; three (9.7%) tested positive for influenza: one A(H1N1) and two B viruses.


Influenza viruses are still circulating in Tennessee. Sentinel Providers are reminded to submit a specimen for EVERY patient meeting the ILI case definition (up to 10 per week). It is important to use the current TDH specimen submission form dated September 2013. If you have questions, contact your regional or state SPN representative.

Respiratory Viral Panel Number of Positive Specimens, by week


Month/Week	#	Flu A (H1N1)	Flu A (H3)	Flu B	RSV A	RSV B	Paraflu 1	Paraflu 2	Paraflu 3	Paraflu 4	Rhino	Meta- pneumo		Adeno C	Corona OC43	Corona NL63	Corona 229E	Corona HKU1
March																		
Current	31	1	0	2	0	0	0	0	2	0	2	2	0	0	0	0	2	1
12	42	1	2	0	0	1	0	0	0	0	2	1	0	1	1	1	0	1
11	50	2	0	3	0	1	0	0	1	0	2	7	0	1	6	1	0	0
10	64	0	1	3	1	2	0	0	1	0	2	5	0	0	4	3	0	5
February																		
9	75	5	0	2	0	4	0	0	0	1	3	3	2	0	3	3	3	2
8	88	4	1	2	1	1	1	1	1	2	7	3	0	2	9	4	3	7

Percentage of Outpatient Visits Reported by the U.S. and Tennessee Outpatient Influenza-like Illness Surveillance Network (ILINet) as Influenza-like Illness, 2013-2014

Updated: April 3, 2014



Influenza Positive Tests Submitted to TN Dept. of Health Laboratory Services Tennessee, 2013-2014




Week (March 31, 2013 - March 29, 2014)

Influenza Confirmed by Culture or PCR in Tennessee from Specimens Collected by Any Source within the Past 6 Weeks

February 16 through March 29, 2014

- Strains are reported by county of case residence.
- Counties where influenza sentinel providers are located are identified with bold boundary lines.
- Stars mark counties with large metropolitan populations (Memphis, Jackson, Nashville, Chattanooga, Knoxville, and the Tri-Cities area).



Reference Information for Sentinel Provider Network

1 Influenza-like illness (ILI) is defined as fever > 100°F (37.8°C) plus cough and/or sore throat, in the absence of a known cause (other than influenza). Classification of ILI is based upon symptoms only and does not require any test.

2 The % of patients with ILI seen in each region is compared to the statewide average. Regions with % statistically-significantly different from the state average are noted as "higher" or "lower." The CDC reports that the percentage of patients visiting outpatient healthcare providers in the Sentinel Provider Network (SPN) with influenza-like-illness (ILI) when influenza viruses are not circulating is expected to fall at or below a specific SPN baseline [nationwide = 2.2%, East South Central region (AL, TN, MS, KY) = 2.3%]. When the percentage of patients with ILI exceeds this baseline, this suggests that influenza viruses may be circulating.

Important information for Sentinel Providers

Sentinel Providers report ILI by the end of Tuesday following the end of the reporting week (www2a.cdc.gov/ilinet) and collect and ship specimens from ILI cases Monday through Thursday (maximum 10/week per provider). All Sentinel Provider specimens MUST be accompanied by the Influenza and Respiratory Viral Panel Submission form or testing will not be done. The Respiratory Viral Panel is only validated for nasopharyngeal (NP) specimens. Specimens collected from other sites cannot be tested.

Additional laboratory supplies can be obtained by completing the lab order supply form. To ensure the order is filled, please include the CDC Provider ID Code.

Contact Information


Submit weekly reports to: http://www2a.cdc.gov/ilinet/ OR Fax 888-232-1322

State Lab: Susan McCool 615-262-6351

SPN Questions:

State: Robb Garman 800-404-3006 OR 615-741-7247 County/Region: Regional SPN Coordinator (see map)

TENNESSEE SENTINEL PROVIDER NETWORK COORDINATORS



1	Shelby County	901-222-9239
2	West TN Region	731-421-6758
3	Jackson-Madison County	731-927-8540
4	Mid-Cumberland Region	615-650-7000
5	Nashville-Davidson County	615-340-0551
6	South Central Region	931-380-2532
7	Upper Cumberland Region	931-646-7505
8	Southeast Region	423-634-6065
9	Chattanooga-Hamilton County	423-209-8063
10	Knoxville-Knox County	865-215-5084
11	East TN Region	865-549-5287
12	Northeast Region	423-979-3200
13	Sullivan County	423-279-7545