## Sentinel Provider Influenza-Like Illness (ILI) Surveillance Summary For the Week of July 11-17, 2010 (Week 28)

				Total		
	# Providers	Total	Total	Regional		Comparison
Summary for	reporting	Providers	Regional ILI	Patients	% ILI	to State*
Chattanooga-Hamilton County	3	5	0	403	0.0%	
East Tennessee Region	4	7	0	679	0.0%	
Jackson-Madison County	0	1	0	0	0.0%	
Knoxville-Knox County	2	4	0	426	0.0%	
Mid-Cumberland Region	6	11	0	506	0.0%	
Memphis-Shelby County	3	6	1	715	0.1%	
Nashville-Davidson County	3	6	0	798	0.0%	
Northeast Region	2	3	0	305	0.0%	
South Central Region	3	3	0	265	0.0%	
Southeast Region	4	4	1	414	0.2%	higher
Sullivan County	1	2	0	273	0.0%	
Upper Cumberland Region	5	5	0	635	0.0%	
West Tennessee Region	5	6	0	351	0.0%	
State of Tennessee	41	63	2	5770	0.03%	


## The percentage of patients with ILI reported by the TN SPN in Week 28 was 0.03% as compared to 0.06% in Week 27. Neither of the two specimens received during Week 27 were positive for influenza viruses. No Tennessee counties have had a positive PCR result in the past 14 weeks.

ILI is defined as fever > 100°F (37.8°C) plus cough and/or sore throat, in the absence of a known cause (other than influenza). Classification of ILI is based upon symptoms only and does not require any test. The SPN Protocol (eff. Sept 1, 2009): SPs report ILI by the end of Tuesday following the end of the reporting week; collect and ship specimens from ILI cases on Mondays, Tuesdays and Wednesdays (maximum 10/wk) using the SPN Specimen Collection Form dated 8/21/09. Complete the lab supply order form to receive new specimen collection supplies.

The CDC reports that the percentage of patients visiting outpatient healthcare providers in the Sentinel Provider Network (SPN) with influenza-like-illness (ILI) when influenza viruses are not circulating is expected to fall at or below a specific SPN baseline [nationwide = 2.2%, East South Central region (AL, TN, MS, KY) = 2.4%]. When the percentage of patients with ILI exceeds this baseline, this suggests that influenza viruses may be circulating.

\*The percentage of influenza-like-illness patients seen in each region is compared to the statewide average. Regions with percentages statistically-significantly different from the state average are noted as "higher" or "lower."

Percentage of Outpatient Visits Reported by the U.S. and Tennessee Outpatient Influenza-like Illness Surveillance Network (ILINet) as Influenza-like Illness,



Week (Aug 2, 2009-July 17, 2010)

## State Public Health Laboratory

Influenza PCR - specimens from all sources

Month 2009	Report Week	# Recd	Pan H1N1	A (H1)	A (H3)	В
Мау	21	6	0	0	0	0
	22	5	0	0	0	0
Jun.	23	5	0	0	0	0
	24	6	0	0	0	0
	25	3	0	0	0	0
	26	3	0	0	0	0
Jul.	27	2	0	0	0	0
	28	2	0	0	0	0
	29					

Laboratory testing is done specifically for Seasonal A (H1) A(H3) & B virus subtypes, in addition to Pandemic A (H1). Non-subtyped and non-subtypable results are not reported in this chart or on the state map.

All Sentinel Provider specimens MUST be accompanied by the SPN Influenza Submission form dated 8/21/2009, or testing will not be done.

This table shows all specimens tested by the State Lab. The state lab policy for influenza testing is at http://health.state.tn.us/H1N1.htm#hcp.

Important In	formation
<u>www.cdc.gov</u> A	ND http://health.state.tn.us/H1N1.htm
Submit weekly http://www2a.co	<u>/ reports to:</u> dc.gov/ilinet/_or Fax 888-232-1322
<ul> <li>SPN Question</li> <li>Regional SPN</li> </ul>	ol 615-262-6351 <u>s:</u> I Coordinator (see map) n or Robert Taylor 800-404-3006 or 615-741-

## TENNESSEE SENTINEL PROVIDER NETWORK

