Sentinel Provider Influenza-Like Illness (ILI)¹ Surveillance Summary (health.state.tn.us/TNflu_report_archive.htm)

| Summary for | # Providers reporting | Total Providers | Total Region ILI | Total al Regional Patients | % ILI | Comparison to State ² | |
|-------------------------------|--------------------------|--------------------|------------------------|----------------------------------|-------|----------------------------------|--|
| Hamilton County (Chattanooga) | 3 | 4 | 0 | 544 | 0.0% | | Note to Continel Drovideres |
| East Tennessee Region | 8 | 9 | 20 | 3235 | 0.6% | higher | Note to Sentinel Providers: |
| Jackson-Madison County | 0 | 1 | 0 | C | 0.0% | | Sentinel Providers are reminded to submit |
| Knoxville-Knox County | 4 | 4 | 2 | 1781 | 0.1% | | specimens on all patients meeting the ILI case |
| Mid-Cumberland Region | 7 | 10 | 7 | 1142 | 0.6% | | definition (up to 10 per week). |
| Shelby County (Memphis) | 3 | 10 | 1 | 883 | 0.1% | | |
| Nashville-Davidson County | 5 | 6 | 8 | 1743 | 0.5% | | Please use the new TDH specimen submission |
| Northeast Region | 2 | 3 | 0 | 215 | 0.0% | | form. |
| South Central Region | 3 | 3 | 1 | 267 | 0.4% | | |
| Southeast Region | 4 | 4 | 2 | 829 | 0.2% | | |
| Sullivan County (Tri-Cities) | 2 | 2 | 0 | 558 | 0.0% | | |
| Upper Cumberland Region | 3 | 5 | 0 | 498 | 0.0% | | |
| West Tennessee Region | 5 | 6 | 0 | 273 | 0.0% | | |
| State of Tennessee | 49 | 67 | 41 | 11968 | 0.34% |) | - |

For the Week of Sep. 23-29, 2012 (Week 39) revised 10/12/2012

The percentage of patients with ILI reported in Week 39 was 0.34%, compared with 0.28% in Week 38. To date, 18 specimens from Week 39 have been tested; 1 was positive for influenza B virus. No cases of novel influenza A/H3N2v have been detected in Tennessee to date. CDC reported no new cases this week. For information see: www.cdc.gov/flu/swineflu/influenza-variant-viruses-h3n2v.htm . A clinician with a patient with ILI and recent swine contact or contact with a confirmed H3N2v case should collect an appropriate nasopharyngeal specimen for viral testing and contact public health.


State Public Health Laboratory Respiratory Viral Panel Number of Positive Specimens, by week

| Month | Sep | | | | Aug |
|-------------------------------|---------|----|----|----|-----|
| Week | Current | 38 | 37 | 36 | 35 |
| Total specimens tested | 18 | 21 | 12 | 18 | 23 |
| Influenza A 2009 H1N1 | 0 | 0 | 0 | 0 | 0 |
| Influenza A H3N2 | 0 | 0 | 0 | 0 | 0 |
| Influenza B | 1 | 0 | 0 | 0 | 0 |
| Respiratory Syncitial Virus A | 0 | 0 | 0 | 0 | 0 |
| Respiratory Syncitial Virus B | 0 | 0 | 0 | 0 | 0 |
| Parainfluenza 1 | 0 | 0 | 0 | 0 | 0 |
| Parainfluenza 2 | 0 | 0 | 0 | 0 | 0 |
| Parainfluenza 3 | 0 | 0 | 0 | 0 | 0 |
| Rhinovirus | 0 | 0 | 0 | 0 | 0 |
| Metapneumovirus | 0 | 0 | 0 | 0 | 0 |
| Adenovirus | 0 | 0 | 0 | 0 | 0 |


Correction:


The surveillance report for Week 38 (Sep. 22-29, 2012), three specimens were classified as influenza positive, but were later confirmed as negative. The corrected copies of Weeks 38 and 39 reports will be posted at health.state.tn.us/TNflu_report_archive.htm.

Percentage of Outpatient Visits Reported by the U.S. and Tennessee Outpatient Influenza-like Illness Surveillance Network (ILINet) as Influenza-like Illness, 2011-2012



Week (Oct. 2, 2011 - Sep. 29, 2012)





Week (Oct. 2, 2011 - Sep. 29, 2012)

Reference Information for Sentinel Provider Network

1 Influenza-like illness (ILI) is defined as fever > 100°F (37.8°C) plus cough and/or sore throat, in the absence of a known cause (other than influenza). Classification of ILI is based upon symptoms only and does not require any test.

2 The % of patients with ILI seen in each region is compared to the statewide average. Regions with % statistically-significantly different from the state average are noted as "higher" or "lower." The CDC reports that the percentage of patients visiting outpatient healthcare providers in the Sentinel Provider Network (SPN) with influenza-like-illness (ILI) when influenza viruses are not circulating is expected to fall at or below a specific SPN baseline [nationwide = 2.2%, East South Central region (AL, TN, MS, KY) = 2.3%]. When the percentage of patients with ILI exceeds this baseline, this suggests that influenza viruses may be circulating.

Important information for Sentinel Providers

Sentinel Providers report ILI by the end of Tuesday following the end of the reporting week (www2a.cdc.gov/ilinet) and collect and ship specimens from ILI cases Monday through Thursday (maximum 10/week per provider). All Sentinel Provider specimens MUST be accompanied by the Influenza and Respiratory Viral Panel Submission form or testing will not be done. The Respiratory Viral Panel is only validated for nasopharyngeal (NP) specimens. Specimens collected from other sites cannot be tested.


Additional laboratory supplies can be obtained by completing the lab order supply form. To ensure the order is filled, please include the CDC Provider ID Code.

Contact Information Submit weekly reports to: http://www2a.cdc.gov/ilinet/ OR Fax 888-232-1322

State Lab: Susan McCool 615-262-6351

SPN Questions:

State: Robb Garman 800-404-3006 OR 615-741-7247 County/Region: Regional SPN Coordinator (see map)



| 1 | Shelby County | 901-222-9239 |
|----|-----------------------------|--------------|
| 2 | West TN Region | 731-421-6758 |
| 3 | Jackson-Madison County | 731-927-8540 |
| 4 | Mid-Cumberland Region | 615-650-7000 |
| 5 | Nashville-Davidson County | 615-340-0551 |
| 6 | South Central Region | 931-380-2532 |
| 7 | Upper Cumberland Region | 931-646-7505 |
| 8 | Southeast Region | 423-634-6065 |
| 9 | Chattanooga-Hamilton County | 423-209-8063 |
| 10 | Knoxville-Knox County | 865-215-5084 |
| 11 | East TN Region | 865-549-5287 |
| 12 | Northeast Region | 423-979-3200 |
| 13 | Sullivan County | 423-279-7545 |

TENNESSEE SENTINEL PROVIDER NETWORK COORDINATORS