

## Sentinel Provider Influenza-Like Illness (ILI)<sup>1</sup> Surveillance Summary (health.state.tn.us/TNflu\_report\_archive.htm) for the Week of Nov. 30-Dec. 6, 2014 (Week 49)

|                               |           |       | Total    | Total    |       |                       |
|-------------------------------|-----------|-------|----------|----------|-------|-----------------------|
|                               | # Sites   | Total | Regional | Regional |       | Compared              |
| Summary for                   | reporting | Sites | ILI      | Patients | % ILI | to State <sup>2</sup> |
| Hamilton County (Chattanooga) | 3         | 4     | 8        | 788      | 1.0%  |                       |
| East Tennessee Region         | 6         | 7     | 68       | 1756     | 3.9%  | higher                |
| Jackson-Madison County        | 1         | 1     | 10       | 553      | 1.8%  |                       |
| Knoxville-Knox County         | 2         | 4     | 14       | 1664     |       | lower                 |
| Mid-Cumberland Region         | 8         | 10    | 37       | 1062     | 3.5%  | higher                |
| Shelby County (Memphis)       | 1         | 3     | 8        | 45       | 17.8% | higher                |
| Nashville-Davidson County     | 4         | 5     | 20       | 1097     | 1.8%  |                       |
| Northeast Region              | 3         | 3     | 2        | 284      | 0.7%  |                       |
| South Central Region          | 3         | 3     | 0        | 178      | 0.0%  |                       |
| Southeast Region              | 5         | 5     | 8        | 854      | 0.9%  | lower                 |
| Sullivan County (Tri-Cities)  | 1         | 2     | 0        | 434      | 0.0%  | lower                 |
| Upper Cumberland Region       | 4         | 4     | 3        | 424      | 0.7%  |                       |
| West Tennessee Region         | 6         | 6     | 1        | 327      | 0.3%  | lower                 |
| State of Tennessee            | 47        | 57    | 179      | 9466     | 1.89% |                       |

### CDC Health Advisory: Drifted Influenza A(H3N2) Viruses

A CDC Health Advisory (http://emergency.cdc.gov/han/han00374.asp) issued December 3 indicated that 52% of influenza A (H3N2) viruses analyzed in the U.S. were antigenically different from the H3N2 vaccine virus. This cchange does not change current recommendations for vaccination.

#### Points of emphasis include:

- Vaccine may offers some protection and reduce the risk of severe outcomes
- Treatment with oseltamivir and zanamivir, initiated soon after illness onset, can shorten the duration of symptoms, reduce the risk of complications and reduce the risk of death in hospitalized patients.
- Other preventative measures, like hand washing, cough etiquette, and staying home when ill, can decrease spread of influenza.

The percentage of patients with ILI reported in Week 49 was 1.89% as compared to 1.19% in Week 48. For the second week, a significant proportion of specimens tested positive for influenza viruses. To date, 68 specimens from Week 49 have been tested: 16 (23.5%) were positive for influenza viruses; all Flu A(H3).

SPN sites should submit specimens year-round from ALL patients meeting the ILI case definition: Fever > 100°F (37.8°C) plus cough and/or sore throat, in the absence of a known cause (other than influenza). Case definition is not dependent on any test. If you have questions, contact your regional or state SPN representative. The TDH specimen submission form dated Oct 2014 should be used.


Specimens are critical to be able to track the geographic spread and intensity of seasonal influenza viruses, to detect the emergence of novel virus and/or antiviral resistance and provide data for vaccine strain selections.

### Respiratory Viral Panel Number of Positive Specimens, by week

| Month/Week | #  | Flu A (H3) | Flu B | RSV A | RSV B | Paraflu 2 | Paraflu 4 | Rhino | Meta-<br>pneumo | Adeno B<br>or E | Adeno C | Corona<br>OC43 |
|------------|----|------------|-------|-------|-------|-----------|-----------|-------|-----------------|-----------------|---------|----------------|
| December   |    |            |       |       |       |           |           |       |                 |                 |         |                |
| Current    | 68 | 16         | 0     | 0     | 1     | 2         | 0         | 5     | 1               | 2               | 0       | 1              |
| November   |    |            |       |       |       |           |           |       |                 |                 |         |                |
| 48         | 59 | 13         | 0     | 0     | 2     | 2         | 1         | 5     | 0               | 0               | 1       | 0              |
| 47         | 51 | 3          | 0     | 1     | 0     | 0         | 0         | 8     | 0               | 3               | 0       | 0              |
| 46         | 55 | 2          | 0     | 0     | 0     | 3         | 1         | 12    | 0               | 3               | 0       | 0              |
| 45         | 49 | 2          | 0     | 0     | 0     | 0         | 1         | 6     | 0               | 2               | 0       | 1              |
| October    | •  |            |       |       |       |           |           |       |                 |                 |         |                |
| 44         | 50 | 2          | 1     | 0     | 0     | 4         | 1         | 8     | 0               | 2               | 0       | 0              |

### Percentage of Outpatient Visits Reported by the U.S. and Tennessee Outpatient Influenza-like Illness Surveillance Network (ILINet) as Influenza-like Illness, 2014-2015


Updated: December 11, 2014



### .....**,**\_\_.,

### Influenza Positive Tests Submitted to TN Dept. of Health Laboratory Services Tennessee, 2014-2015

Updated: December 11, 2014




Week (Dec 8, 2013 - Dec 6, 2014)

# Influenza Confirmed by Culture or PCR in Tennessee from Specimens Collected by Any Source within the Past 6 Weeks

October 26 - December 6, 2014

- Strains are reported by county of case residence.
- Counties where influenza sentinel providers are located are identified with bold boundary lines.
- Stars mark counties with large metropolitan populations (Memphis, Jackson, Nashville, Chattanooga, Knoxville, and the Tri-Cities area).



#### Reference Information for Sentinel Provider Network

1 Influenza-like illness (ILI) is defined as fever > 100°F (37.8°C) plus cough and/or sore throat, in the absence of a known cause (other than influenza). Classification of ILI is based upon symptoms only and does not require any test.

2 The % of patients with ILI seen in each region is compared to the statewide average. Regions with % statistically-significantly different from the state average are noted as "higher" or "lower." The CDC reports that the percentage of patients visiting outpatient healthcare providers in the Sentinel Provider Network (SPN) with influenza-like-illness (ILI) when influenza viruses are not circulating is expected to fall at or below a specific SPN baseline [nationwide = 2.2%, East South Central region (AL, TN, MS, KY) = 2.3%]. When the percentage of patients with ILI exceeds this baseline, this suggests that influenza viruses may be circulating.

#### Important information for Sentinel Providers

Sentinel Providers report ILI by the end of Tuesday following the end of the reporting week (www2a.cdc.gov/ilinet) and collect and ship specimens from ILI cases Monday through Thursday (maximum 10/week per provider). All Sentinel Provider specimens MUST be accompanied by the Influenza and Respiratory Viral Panel Submission form or testing will not be done. The Respiratory Viral Panel is only validated for nasopharyngeal (NP) specimens. Specimens collected from other sites cannot be tested.

Additional laboratory supplies can be obtained by completing the lab order supply form. To ensure the order is filled, please include the CDC Provider ID Code.

### **Contact Information**

Submit weekly reports to: http://www2a.cdc.gov/ilinet/ OR Fax 888-232-1322

State Lab: Dr. Amy Woron (Molecular Biology, PCR) 615-262-6362

Jim Gibson (Virology, Respiratory Viral Panel) 615-262-6300

SPN Questions:

State: Robb Garman 800-404-3006 OR 615-741-7247 County/Region: Regional SPN Coordinator (see map)



| 1  | Shelby County               | 901-222-9239 |
|----|-----------------------------|--------------|
| 2  | West TN Region              | 731-421-6758 |
| 3  | Jackson-Madison County      | 731-927-8540 |
| 4  | Mid-Cumberland Region       | 615-650-7000 |
| 5  | Nashville-Davidson County   | 615-340-0551 |
| 6  | South Central Region        | 931-380-2532 |
| 7  | Upper Cumberland Region     | 931-646-7505 |
| 8  | Southeast Region            | 423-634-6065 |
| 9  | Chattanooga-Hamilton County | 423-209-8063 |
| 10 | Knoxville-Knox County       | 865-215-5084 |
| 11 | East TN Region              | 865-549-5287 |
| 12 | Northeast Region            | 423-979-3200 |
| 13 | Sullivan County             | 423-279-7545 |

The Tennessee Department of Health Mission: To protect, promote and improve the health and prosperity of people in Tennessee.

Our Vision: A recognized and trusted leader, partnering and engaging to accelerate Tennessee to one of the nation's ten healthiest states.