

**2026 Reportable Diseases and Events, by Tennessee Health Region,
Year-to-Date and MMWR Week 27**

Reporting Period: 01/04/2026 - 07/11/2026

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Anaplasma phagocytophilum														
Year-to-Date Confirmed/Probable	0	0	1	0	3	0	0	0	2	1	0	3	0	10
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Babesiosis														
Year-to-Date Confirmed/Probable	0	1	0	0	0	1	0	0	0	0	0	0	0	2
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Botulism, infant														
Year-to-Date Confirmed/Probable	0	0	0	0	0	0	0	1	0	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Brucellosis														
Year-to-Date Confirmed/Probable	0	0	0	0	0	0	0	0	0	0	0	0	0	0
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Campylobacteriosis														
Year-to-Date Confirmed/Probable	54	110	8	50	102	63	73	53	62	39	27	42	48	731
New Confirmed/Probable	1	2	.	1	2	.	1	1	1	.	1	1	2	13
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Candida auris, clinical														
Year-to-Date Confirmed/Probable	3	10	8	4	16	147	15	8	8	3	0	9	17	248
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Candida auris, colonization/screening														
Year-to-Date Confirmed/Probable	0	2	5	1	0	13	0	1	1	0	16	0	9	48
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Carbapenemase-producing organism (CPO), clinical														
Year-to-Date Confirmed/Probable	0	8	0	1	9	12	2	0	0	0	0	0	2	34
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carbapenemase-producing organism (CPO), screening														
Year-to-Date Confirmed/Probable	1	0	0	0	0	0	0	0	0	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carbapenem-resistant Enterobacterales														
Year-to-Date Confirmed/Probable	0	1	1	21	4	4	3	1	0	0	0	2	1	38
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carbon Monoxide Poisoning														
Year-to-Date Confirmed/Probable	5	10	2	3	17	2	72	43	4	4	24	9	40	235
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chikungunya Virus														
Year-to-Date Confirmed/Probable	0	0	0	0	0	0	0	0	0	0	0	0	0	0
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chlamydia trachomatis infection														
Year-to-Date Confirmed/Probable	972	870	378	899	2412	3936	2762	336	495	393	174	381	998	15006
New Confirmed/Probable	17	10	11	16	52	82	57	4	4	6	1	9	35	304
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cryptosporidiosis														
Year-to-Date Confirmed/Probable	3	11	1	5	12	14	2	7	4	3	1	8	2	73
New Confirmed/Probable	.	.	.	.	1	.	.	.	.	1	.	.	.	2
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Cyclosporiasis														
Year-to-Date Confirmed/Probable	1	2	13	2	9	4	5	0	1	0	1	0	6	44
New Confirmed/Probable	.	.	1	.	1	1	.	.	.	.	.	.	2	5
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dengue														
Year-to-Date Confirmed/Probable	1	0	0	0	1	0	1	0	0	0	0	0	0	3
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ehrlichia infection, other spp. or unspciated														
Year-to-Date Confirmed/Probable	0	0	0	1	30	1	4	0	6	1	0	5	2	50
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ehrlichiosis, chaffeensis														
Year-to-Date Confirmed/Probable	0	3	4	0	2	3	2	0	0	1	0	0	6	21
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Ehrlichiosis, ewingii														
Year-to-Date Confirmed/Probable	0	0	0	0	0	0	0	0	0	0	0	0	1	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ESBL-Producing Bacteria														
Year-to-Date Confirmed/Probable	0	0	0	0	0	0	0	0	4	0	0	0	0	4
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gonorrhea														
Year-to-Date Confirmed/Probable	344	146	109	289	692	1403	1244	84	112	70	50	48	166	4757
New Confirmed/Probable	6	1	4	1	12	32	35	2	.	.	.	1	2	96
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Group A Streptococcus, invasive														
Year-to-Date Confirmed/Probable	10	24	7	47	40	30	28	19	14	10	14	15	6	264
New Confirmed/Probable	.	.	.	.	.	.	.	1	.	.	.	.	.	1
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Haemophilus influenzae, invasive disease														
Year-to-Date Confirmed/Probable	9	15	0	5	20	10	13	5	4	9	2	6	14	112
New Confirmed/Probable	.	.	.	1	.	.	.	1	.	.	.	.	.	2
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hemolytic uremic syndrome, post-diarrheal														
Year-to-Date Confirmed/Probable	3	0	0	0	2	0	1	0	0	1	0	1	0	8
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hepatitis A, acute														
Year-to-Date Confirmed/Probable	2	0	0	0	0	1	0	0	1	0	0	0	0	4
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hepatitis B Pos Preg														
Year-to-Date Confirmed/Probable	2	0	0	1	5	6	7	0	0	0	0	0	1	22
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hepatitis B Positive Pregnant Female														
Year-to-Date Confirmed/Probable	2	0	0	1	6	6	7	0	0	0	0	0	0	22
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hepatitis B, acute														
Year-to-Date Confirmed/Probable	0	3	1	3	8	13	5	0	1	5	1	1	2	43
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Hepatitis C Virus Infection, Chronic														
Year-to-Date Confirmed/Probable	119	410	21	203	267	331	258	214	111	244	89	174	196	2637
New Confirmed/Probable	7	7	1	8	17	11	11	6	6	2	6	4	7	93
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hepatitis C, acute														
Year-to-Date Confirmed/Probable	6	14	1	9	8	3	5	4	7	14	1	1	6	79
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hepatitis C, perinatal infection														
Year-to-Date Confirmed/Probable	0	1	0	0	2	1	2	2	0	0	1	1	0	10
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	5	.	.	6	1	1	1	1	.	.	2	.	17
Hepatitis C, Positive Pregnant Person														
Year-to-Date Confirmed/Probable	5	50	1	13	24	11	13	14	6	10	3	21	2	173
New Confirmed/Probable	.	4	.	.	5	1	1	1	1	1	.	2	.	16
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
HIV														
Year-to-Date Confirmed/Probable	21	17	14	22	45	122	81	11	9	7	2	6	28	385
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza-associated pediatric mortality														
Year-to-Date Confirmed/Probable	0	0	0	0	0	2	0	0	0	0	0	0	0	2
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LaCrosse virus neuroinvasive disease														
Year-to-Date Confirmed/Probable	0	1	0	0	0	0	0	0	0	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Legionellosis														
Year-to-Date Confirmed/Probable	5	11	0	9	2	26	5	5	5	3	5	2	9	87
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Listeriosis														
Year-to-Date Confirmed/Probable	0	1	0	0	2	0	1	0	3	2	0	0	0	9
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lyme disease														
Year-to-Date Confirmed/Probable	4	1	0	2	5	0	0	9	1	0	5	0	0	27
New Confirmed/Probable	.	.	.	.	.	.	.	1	.	.	.	.	.	1
New Suspect	.	1	.	.	.	.	.	1	.	.	.	.	.	2
Malaria														
Year-to-Date Confirmed/Probable	0	0	0	1	0	1	2	0	0	0	0	0	0	4
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles														
Year-to-Date Confirmed/Probable	0	0	0	0	1	0	0	0	0	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Meningitis - Other Bacterial														
Year-to-Date Confirmed/Probable	0	6	0	4	6	0	2	1	1	1	0	0	2	23
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Meningococcal disease														
Year-to-Date Confirmed/Probable	0	1	0	2	1	0	0	0	0	1	0	0	0	5
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Mpox														
Year-to-Date Confirmed/Probable	0	0	0	0	2	0	2	0	0	0	0	0	0	4
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Mumps														
Year-to-Date Confirmed/Probable	0	0	0	0	2	1	0	0	0	1	1	0	1	6
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Nontuberculous Mycobacteria (extra-pulmonary)														
Year-to-Date Confirmed/Probable	0	0	0	1	0	0	0	0	0	0	1	0	0	2
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pertussis														
Year-to-Date Confirmed/Probable	6	36	1	13	56	4	3	9	27	10	8	7	3	183
New Confirmed/Probable	.	.	.	.	.	.	.	.	1	.	.	.	.	1
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Possible HCV Reinfection or Treatment Failure														
Year-to-Date Confirmed/Probable	0	0	0	0	1	0	0	0	0	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Q fever, Acute														
Year-to-Date Confirmed/Probable	0	0	0	0	0	0	0	0	1	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Salmonellosis (excluding paratyphoid and typhoid)														
Year-to-Date Confirmed/Probable	25	83	12	53	75	57	43	22	37	24	18	26	66	541
New Confirmed/Probable	2	.	.	3	.	.	1	1	1	.	.	.	2	10
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Shiga toxin-producing Escherichia coli (STEC)														
Year-to-Date Confirmed/Probable	10	36	1	11	32	7	22	16	9	12	8	13	14	191
New Confirmed/Probable	.	1	.	.	1	.	.	.	.	.	1	.	.	3
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Shigellosis														
Year-to-Date Confirmed/Probable	6	9	0	7	13	27	29	3	7	1	3	2	3	110
New Confirmed/Probable	.	2	.	.	.	.	2	.	.	.	.	.	.	4
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Spotted Fever Rickettsiosis														
Year-to-Date Confirmed/Probable	1	4	0	1	12	0	0	3	6	3	0	7	0	37
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Streptococcal disease, invasive, Group B														
Year-to-Date Confirmed/Probable	15	36	8	15	42	10	27	27	26	22	15	20	24	287
New Confirmed/Probable	.	.	.	.	.	.	.	.	1	.	.	.	.	1
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Streptococcal toxic-shock syndrome														
Year-to-Date Confirmed/Probable	0	0	0	0	0	0	0	0	0	0	0	0	0	0
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Streptococcus pneumoniae, invasive disease (IPD) (														
Year-to-Date Confirmed/Probable	20	54	6	34	63	35	47	24	26	32	13	23	32	409
New Confirmed/Probable	.	.	.	.	1	.	.	1	.	.	.	.	.	2
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Syphilis, Congenital														
Year-to-Date Confirmed/Probable	0	2	0	1	2	16	1	2	2	0	1	3	1	31
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Syphilis, early non-primary, non-secondary														
Year-to-Date Confirmed/Probable	17	15	5	20	31	137	64	10	5	11	0	9	19	343
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Syphilis, primary														
Year-to-Date Confirmed/Probable	12	5	1	11	7	20	11	1	7	3	0	3	7	88
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Syphilis, secondary														
Year-to-Date Confirmed/Probable	16	8	2	14	21	54	37	7	10	4	3	6	7	189
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Syphilis, unknown duration or late														
Year-to-Date Confirmed/Probable	36	32	12	81	46	265	123	11	16	27	6	24	37	716
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis														
Year-to-Date Confirmed/Probable	5	6	1	3	8	17	19	0	2	0	0	1	2	64
New Confirmed/Probable	.	.	.	.	.	1	.	.	.	.	.	.	.	1
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tularemia														
Year-to-Date Confirmed/Probable	0	0	0	0	0	0	1	0	0	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vibriosis (non-cholera Vibrio species infections)														
Year-to-Date Confirmed/Probable	0	3	1	1	2	3	3	2	2	1	0	1	2	21
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
VRE (Vancomycin-Resistant Enterococcus-Invasive)														
Year-to-Date Confirmed/Probable	1	14	0	13	9	1	7	2	1	0	1	4	6	59
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
West Nile virus neuroinvasive disease														
Year-to-Date Confirmed/Probable	0	0	0	0	0	2	0	0	0	0	0	0	0	2
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
West Nile virus non-neuroinvasive disease														
Year-to-Date Confirmed/Probable	0	0	0	0	0	1	0	0	0	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Yersiniosis (non-pestis)														
Year-to-Date Confirmed/Probable	5	11	1	6	17	13	5	13	4	3	7	8	6	99
New Confirmed/Probable	.	.	.	1	.	.	.	.	.	.	1	.	.	2
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
YTD - All Conditions														
Year-to-Date Confirmed/Probable	1726	2070	612	1861	4248	6714	4979	959	1041	969	500	886	1766	28331
YTD Total Investigations	1964	3139	721	2307	5262	8121	5644	1319	1481	1320	627	1465	2412	35782
New Confirmed/Probable Week 27	33	27	17	31	92	128	108	19	15	10	10	17	50	557
New Suspect Week 27	.	7	.	.	6	1	1	2	2	.	.	2	.	21

CHR - Chattanooga/ Hamilton County Region

ETR - East Tennessee Region (Anderson, Blount, Campbell, Claiborne, Cocke, Grainger, Hamblen, Jefferson, Loudon, Monroe, Morgan, Roane, Scott, Sevier, & Union Counties)

JMR - Jackson/Madison County Region

KKR - Knoxville/Knox County Region

MCR - Mid Cumberland Region (Cheatham, Dickson, Houston, Humphreys, Montgomery, Robertson, Rutherford, Stewart, Sumner, Trousdale, Williamson, & Wilson Counties)

MSR - Memphis/Shelby County Region

NDR - Nashville/Davidson County Region

NER - Northeast Region (Carter, Greene, Hancock, Hawkins, Johnson, Unicoi, & Washington counties)

SCR - South Central Region (Bedford, Coffee, Giles, Hickman, Lawrence, Lewis, Lincoln, Marshall, Maury, Moore, Perry, & Wayne Counties)

SER - Southeast Region (Bledsoe, Bradley, Franklin, Grundy, Marion, McMinn, Meigs, Polk, Rhea, & Sequatchie Counties)

SUL - Sullivan County

UCR - Upper Cumberland Region (Cannon, Clay, Cumberland, DeKalb, Fentress, Jackson, Macon, Overton, Pickett, Putnam, Smith, Van Buren, Warren, & White Counties)

WTR - West Tennessee Region (Benton, Carroll, Chester, Crockett, Decatur, Dyer, Fayette, Gibson, Hardeman, Hardin, Haywood, Henderson, Henry, Lake, Lauderdale, McNairy, Obion, Tipton, & Weakley Counties)