

**2026 Reportable Diseases and Events, by Tennessee Health Region,
Year-to-Date and MMWR Week 30**

Reporting Period: 01/04/2026 - 08/01/2026

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Anaplasma phagocytophilum														
Year-to-Date Confirmed/Probable	0	0	1	0	5	0	0	0	2	1	0	3	0	12
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Babesiosis														
Year-to-Date Confirmed/Probable	0	1	0	0	0	1	0	0	0	0	0	0	0	2
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Botulism, infant														
Year-to-Date Confirmed/Probable	0	0	0	0	0	0	0	1	0	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Brucellosis														
Year-to-Date Confirmed/Probable	0	0	0	0	0	0	0	0	0	0	0	0	0	0
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Campylobacteriosis														
Year-to-Date Confirmed/Probable	66	133	9	63	122	72	84	69	72	49	38	47	64	888
New Confirmed/Probable	2	2	.	1	2	1	1	3	2	2	4	.	4	24
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Candida auris, clinical														
Year-to-Date Confirmed/Probable	3	10	8	4	17	163	17	8	8	3	0	10	18	269
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Candida auris, colonization/screening														
Year-to-Date Confirmed/Probable	0	5	5	1	0	15	0	1	1	0	19	1	9	57
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	2	.	.	2
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Carbapenemase-producing organism (CPO), clinical														
Year-to-Date Confirmed/Probable	0	11	0	1	10	12	2	1	0	0	1	0	2	40
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carbapenemase-producing organism (CPO), screening														
Year-to-Date Confirmed/Probable	1	0	0	0	0	0	0	0	0	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carbapenem-resistant Enterobacterales														
Year-to-Date Confirmed/Probable	0	0	1	23	4	4	3	0	0	0	0	2	2	39
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carbon Monoxide Poisoning														
Year-to-Date Confirmed/Probable	5	10	2	3	20	2	76	45	4	4	24	10	41	246
New Confirmed/Probable	.	.	.	.	.	.	1	.	.	.	.	1	.	2
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chikungunya Virus														
Year-to-Date Confirmed/Probable	0	0	0	0	1	0	0	0	0	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chlamydia trachomatis infection														
Year-to-Date Confirmed/Probable	1090	983	432	1011	2756	4468	3142	375	565	431	198	419	1115	16985
New Confirmed/Probable	27	9	6	21	55	105	52	2	8	2	2	9	28	326
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cryptosporidiosis														
Year-to-Date Confirmed/Probable	3	19	1	7	21	16	5	14	7	4	3	11	4	115
New Confirmed/Probable	.	3	.	.	.	.	1	2	.	.	.	.	.	6
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Cyclosporiasis														
Year-to-Date Confirmed/Probable	3	12	29	11	33	14	20	4	7	4	3	3	20	163
New Confirmed/Probable	.	1	.	5	1	1	1	.	.	.	.	.	2	11
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dengue														
Year-to-Date Confirmed/Probable	1	0	0	0	1	0	1	0	0	0	0	0	0	3
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ehrlichia infection, other spp. or unspeciated														
Year-to-Date Confirmed/Probable	1	0	0	1	43	1	6	1	6	4	0	9	2	74
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	1	.	.	.	1
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ehrlichiosis, chaffeensis														
Year-to-Date Confirmed/Probable	0	7	4	0	2	6	2	0	0	1	0	0	9	31
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ehrlichiosis, ewingii														
Year-to-Date Confirmed/Probable	0	1	0	0	1	0	0	0	0	0	0	0	1	3
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ESBL-Producing Bacteria														
Year-to-Date Confirmed/Probable	0	0	0	0	0	0	0	0	6	0	0	0	0	6
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gonorrhea														
Year-to-Date Confirmed/Probable	376	169	117	314	808	1625	1402	94	127	82	58	55	199	5426
New Confirmed/Probable	9	1	.	3	23	35	29	.	2	.	1	.	3	106
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Group A Streptococcus, invasive														
Year-to-Date Confirmed/Probable	11	25	7	51	42	32	30	19	14	12	14	15	6	278
New Confirmed/Probable	.	.	.	1	.	1	.	.	.	.	.	.	.	2
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Haemophilus influenzae, invasive disease														
Year-to-Date Confirmed/Probable	12	15	0	6	21	11	12	8	4	8	3	6	16	122
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hemolytic uremic syndrome, post-diarrheal														
Year-to-Date Confirmed/Probable	4	0	0	0	2	0	1	0	0	1	0	1	0	9
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hepatitis A, acute														
Year-to-Date Confirmed/Probable	2	0	0	0	0	2	0	0	1	0	0	0	0	5
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hepatitis B Pos Preg														
Year-to-Date Confirmed/Probable	2	0	0	1	5	7	7	0	0	0	0	0	1	23
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hepatitis B Positive Pregnant Female														
Year-to-Date Confirmed/Probable	2	0	0	1	6	7	7	0	0	0	0	0	0	23
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hepatitis B, acute														
Year-to-Date Confirmed/Probable	0	3	1	3	9	15	5	0	1	5	1	1	2	46
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Hepatitis C Virus Infection, Chronic														
Year-to-Date Confirmed/Probable	127	452	28	234	301	348	272	216	142	247	104	193	212	2876
New Confirmed/Probable	7	18	4	11	14	14	6	2	6	6	5	14	5	112
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hepatitis C, acute														
Year-to-Date Confirmed/Probable	7	15	1	10	11	3	6	5	7	16	1	1	6	89
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hepatitis C, perinatal infection														
Year-to-Date Confirmed/Probable	0	1	0	0	2	1	2	2	0	0	1	1	0	10
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	1	3	.	.	1	.	.	.	.	2	1	.	.	8
Hepatitis C, Positive Pregnant Person														
Year-to-Date Confirmed/Probable	6	59	1	17	26	11	14	14	6	11	4	22	2	193
New Confirmed/Probable	1	2	.	.	1	.	.	.	.	1	1	.	.	6
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
HIV														
Year-to-Date Confirmed/Probable	22	19	15	27	50	143	92	11	11	7	4	7	28	436
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza-associated pediatric mortality														
Year-to-Date Confirmed/Probable	0	0	0	0	0	2	0	0	0	0	0	0	0	2
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LaCrosse virus neuroinvasive disease														
Year-to-Date Confirmed/Probable	0	2	0	0	0	0	0	0	0	0	0	0	0	2
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Legionellosis														
Year-to-Date Confirmed/Probable	6	14	0	12	3	33	6	5	5	3	5	3	9	104
New Confirmed/Probable	.	1	.	2	.	1	1	.	.	.	.	.	.	5
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Listeriosis														
Year-to-Date Confirmed/Probable	0	2	0	0	2	0	1	0	3	2	0	0	0	10
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lyme disease														
Year-to-Date Confirmed/Probable	4	2	0	4	4	0	0	14	1	0	6	1	0	36
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Malaria														
Year-to-Date Confirmed/Probable	0	0	0	1	1	2	2	0	0	0	0	0	0	6
New Confirmed/Probable	.	.	.	.	1	.	.	.	.	.	.	.	.	1
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles														
Year-to-Date Confirmed/Probable	0	0	0	0	1	1	1	0	0	0	0	0	0	3
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Meningitis - Other Bacterial														
Year-to-Date Confirmed/Probable	0	7	0	5	7	0	2	1	1	2	0	0	2	27
New Confirmed/Probable	.	1	.	.	.	.	.	.	.	.	.	.	.	1
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Meningococcal disease														
Year-to-Date Confirmed/Probable	0	1	0	2	1	0	0	0	0	1	0	0	0	5
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Mpox														
Year-to-Date Confirmed/Probable	0	0	0	0	3	0	2	0	0	0	0	0	0	5
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Mumps														
Year-to-Date Confirmed/Probable	0	0	0	0	2	1	0	0	0	1	1	0	1	6
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Nontuberculous Mycobacteria (extra-pulmonary)														
Year-to-Date Confirmed/Probable	0	0	0	2	0	0	0	0	0	0	1	0	0	3
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pertussis														
Year-to-Date Confirmed/Probable	6	40	3	13	60	4	5	9	29	10	8	8	4	199
New Confirmed/Probable	.	.	.	.	1	.	.	.	.	.	.	.	.	1
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Possible HCV Reinfection or Treatment Failure														
Year-to-Date Confirmed/Probable	0	0	0	0	1	0	0	0	0	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Q fever, Acute														
Year-to-Date Confirmed/Probable	0	0	0	0	0	0	0	0	1	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Salmonellosis (excluding paratyphoid and typhoid)														
Year-to-Date Confirmed/Probable	36	94	16	65	94	79	52	30	42	28	21	34	102	693
New Confirmed/Probable	1	3	.	1	2	3	2	.	.	.	.	2	1	15
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Shiga toxin-producing Escherichia coli (STEC)														
Year-to-Date Confirmed/Probable	13	50	1	15	41	11	28	18	13	14	9	15	15	243
New Confirmed/Probable	.	2	.	.	.	.	.	.	.	1	1	.	.	4
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Shigellosis														
Year-to-Date Confirmed/Probable	6	11	1	9	19	28	30	3	7	1	3	2	8	128
New Confirmed/Probable	.	1	.	.	.	1	.	.	.	.	.	.	3	5
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Spotted Fever Rickettsiosis														
Year-to-Date Confirmed/Probable	1	4	0	2	14	1	0	3	8	5	0	9	0	47
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Streptococcal disease, invasive, Group B														
Year-to-Date Confirmed/Probable	16	39	8	19	47	12	28	29	27	22	17	21	27	312
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Streptococcus pneumoniae, invasive disease (IPD) (														
Year-to-Date Confirmed/Probable	20	54	6	36	66	36	49	25	27	33	13	24	33	422
New Confirmed/Probable	.	.	.	.	1	.	.	.	.	.	.	.	.	1
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Syphilis, Congenital														
Year-to-Date Confirmed/Probable	2	2	0	2	2	21	1	2	2	0	1	4	1	40
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Syphilis, early non-primary, non-secondary														
Year-to-Date Confirmed/Probable	18	18	5	20	35	153	68	12	6	9	0	9	19	372
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Syphilis, primary														
Year-to-Date Confirmed/Probable	15	5	1	14	8	22	15	1	8	5	0	3	7	104
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Syphilis, secondary														
Year-to-Date Confirmed/Probable	19	11	2	15	22	61	42	7	14	4	5	7	7	216
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Syphilis, unknown duration or late														
Year-to-Date Confirmed/Probable	36	35	14	92	52	305	160	14	20	32	6	30	40	836
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis														
Year-to-Date Confirmed/Probable	6	6	2	4	8	21	19	0	2	0	1	2	3	74
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tularemia														
Year-to-Date Confirmed/Probable	0	0	0	0	0	0	1	0	0	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vibriosis (non-cholera Vibrio species infections)														
Year-to-Date Confirmed/Probable	0	4	2	2	2	3	6	2	2	4	0	1	2	30
New Confirmed/Probable	.	.	.	.	.	.	1	.	.	.	.	.	.	1
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VRE (Vancomycin-Resistant Enterococcus-Invasive)														
Year-to-Date Confirmed/Probable	1	15	0	13	9	1	7	2	1	0	1	4	6	60
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
West Nile virus neuroinvasive disease														
Year-to-Date Confirmed/Probable	0	0	0	0	0	2	0	0	0	0	0	0	0	2
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
West Nile virus non-neuroinvasive disease														
Year-to-Date Confirmed/Probable	0	0	0	0	0	1	0	0	0	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Yersiniosis (non-pestis)														
Year-to-Date Confirmed/Probable	5	13	1	7	18	14	6	15	7	3	8	9	6	112
New Confirmed/Probable	.	.	.	.	1	.	.	.	.	.	.	.	.	1
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
YTD - All Conditions														
Year-to-Date Confirmed/Probable	1932	2365	709	2116	4892	7650	5648	1069	1206	1062	579	997	2023	32248
YTD Total Investigations	2204	3591	839	2624	6039	9184	6418	1480	1722	1466	731	1695	2754	40747
New Confirmed/Probable Week 30	47	45	10	45	102	162	95	9	18	13	16	26	46	634
New Suspect Week 30	1	4	.	.	1	.	.	.	.	2	1	.	1	10

CHR - Chattanooga/ Hamilton County Region

ETR - East Tennessee Region (Anderson, Blount, Campbell, Claiborne, Cocke, Grainger, Hamblen, Jefferson, Loudon, Monroe, Morgan, Roane, Scott, Sevier, & Union Counties)

JMR - Jackson/Madison County Region

KKR - Knoxville/Knox County Region

MCR - Mid Cumberland Region (Cheatham, Dickson, Houston, Humphreys, Montgomery, Robertson, Rutherford, Stewart, Sumner, Trousdale, Williamson, & Wilson Counties)

MSR - Memphis/Shelby County Region

NDR - Nashville/Davidson County Region

NER - Northeast Region (Carter, Greene, Hancock, Hawkins, Johnson, Unicoi, & Washington counties)

SCR - South Central Region (Bedford, Coffee, Giles, Hickman, Lawrence, Lewis, Lincoln, Marshall, Maury, Moore, Perry, & Wayne Counties)

SER - Southeast Region (Bledsoe, Bradley, Franklin, Grundy, Marion, McMinn, Meigs, Polk, Rhea, & Sequatchie Counties)

SUL - Sullivan County

UCR - Upper Cumberland Region (Cannon, Clay, Cumberland, DeKalb, Fentress, Jackson, Macon, Overton, Pickett, Putnam, Smith, Van Buren, Warren, & White Counties)

WTR - West Tennessee Region (Benton, Carroll, Chester, Crockett, Decatur, Dyer, Fayette, Gibson, Hardeman, Hardin, Haywood, Henderson, Henry, Lake, Lauderdale, McNairy, Obion, Tipton, & Weakley Counties)