

**2026 Reportable Diseases and Events, by Tennessee Health Region,
Year-to-Date and MMWR Week 32**

Reporting Period: 01/04/2026 - 08/15/2026

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Anaplasma phagocytophilum														
Year-to-Date Confirmed/Probable	0	0	2	0	5	0	0	0	4	1	0	3	1	16
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Babesiosis														
Year-to-Date Confirmed/Probable	0	1	0	0	0	1	0	0	0	0	0	0	0	2
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Botulism, infant														
Year-to-Date Confirmed/Probable	0	0	0	0	0	0	0	1	0	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Brucellosis														
Year-to-Date Confirmed/Probable	0	0	0	0	0	0	0	0	0	0	0	0	0	0
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Campylobacteriosis														
Year-to-Date Confirmed/Probable	68	146	10	83	137	77	88	76	83	61	44	57	73	1003
New Confirmed/Probable	.	3	.	3	.	.	2	2	2	.	4	1	1	18
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Candida auris, clinical														
Year-to-Date Confirmed/Probable	4	10	8	6	21	175	21	8	8	3	0	10	20	294
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Candida auris, colonization/screening														
Year-to-Date Confirmed/Probable	0	6	5	2	0	15	1	1	1	0	20	1	9	61
New Confirmed/Probable	.	.	.	.	.	.	1	.	.	.	.	.	.	1
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Carbapenemase-producing organism (CPO), clinical														
Year-to-Date Confirmed/Probable	0	15	0	4	18	27	2	9	2	3	4	2	4	90
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carbapenemase-producing organism (CPO), screening														
Year-to-Date Confirmed/Probable	1	0	0	0	0	0	0	0	0	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carbapenem-resistant Enterobacterales														
Year-to-Date Confirmed/Probable	0	0	1	27	4	4	3	0	0	0	0	2	2	43
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carbon Monoxide Poisoning														
Year-to-Date Confirmed/Probable	5	12	2	3	23	2	76	46	6	7	24	10	41	257
New Confirmed/Probable	.	.	.	.	1	.	.	.	1	.	.	.	.	2
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chikungunya Virus														
Year-to-Date Confirmed/Probable	0	0	0	0	1	0	0	0	0	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chlamydia trachomatis infection														
Year-to-Date Confirmed/Probable	1162	1056	460	1092	2991	4797	3404	420	621	461	203	451	1205	18323
New Confirmed/Probable	15	14	2	19	50	82	68	9	7	3	.	5	26	300
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cryptosporidiosis														
Year-to-Date Confirmed/Probable	4	23	1	10	24	17	6	15	6	7	5	12	6	136
New Confirmed/Probable	.	1	.	.	1	1	.	.	.	.	.	.	1	4
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Cyclosporiasis														
Year-to-Date Confirmed/Probable	3	15	31	11	52	17	25	6	13	6	3	5	21	208
New Confirmed/Probable	.	.	1	.	1	.	.	.	.	.	.	.	.	2
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dengue														
Year-to-Date Confirmed/Probable	1	0	0	0	1	0	1	0	0	0	0	0	0	3
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ehrlichia infection, other spp. or unspeciated														
Year-to-Date Confirmed/Probable	1	2	0	1	45	1	7	1	7	4	0	11	3	83
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ehrlichiosis, chaffeensis														
Year-to-Date Confirmed/Probable	0	7	5	0	2	6	2	0	0	1	0	0	14	37
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Ehrlichiosis, ewingii														
Year-to-Date Confirmed/Probable	0	1	0	0	1	0	0	0	0	0	0	0	1	3
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ESBL-Producing Bacteria														
Year-to-Date Confirmed/Probable	0	0	0	0	0	0	0	0	6	0	0	0	0	6
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gonorrhea														
Year-to-Date Confirmed/Probable	404	175	128	335	850	1754	1500	100	135	87	59	60	213	5800
New Confirmed/Probable	10	2	1	7	12	41	23	.	1	.	.	1	5	103
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Group A Streptococcus, invasive														
Year-to-Date Confirmed/Probable	11	26	7	53	43	33	32	21	14	12	15	15	6	288
New Confirmed/Probable	.	1	.	.	1	.	1	.	.	.	.	.	.	3
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Haemophilus influenzae, invasive disease														
Year-to-Date Confirmed/Probable	12	15	0	7	21	12	15	9	4	8	4	6	17	130
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	1	.	.	1
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hemolytic uremic syndrome, post-diarrheal														
Year-to-Date Confirmed/Probable	4	1	0	0	2	0	1	0	0	1	0	1	0	10
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hepatitis A, acute														
Year-to-Date Confirmed/Probable	2	0	0	0	0	2	0	0	1	0	0	0	0	5
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hepatitis B Pos Preg														
Year-to-Date Confirmed/Probable	2	1	1	1	5	8	10	0	0	0	0	0	1	29
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hepatitis B Positive Pregnant Female														
Year-to-Date Confirmed/Probable	2	1	1	1	6	8	10	0	0	0	0	0	0	29
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hepatitis B, acute														
Year-to-Date Confirmed/Probable	0	3	1	3	9	15	5	0	1	5	1	3	2	48
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Hepatitis C Virus Infection, Chronic														
Year-to-Date Confirmed/Probable	144	501	29	269	325	395	295	236	152	259	114	204	225	3148
New Confirmed/Probable	6	20	.	7	9	16	9	8	5	7	3	5	3	98
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hepatitis C, acute														
Year-to-Date Confirmed/Probable	6	20	1	10	11	3	7	5	8	18	1	2	7	99
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hepatitis C, perinatal infection														
Year-to-Date Confirmed/Probable	0	1	0	0	3	1	2	2	0	0	1	1	0	11
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Hepatitis C, Positive Pregnant Person														
Year-to-Date Confirmed/Probable	6	60	1	18	28	11	16	14	6	12	5	22	2	201
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
HIV														
Year-to-Date Confirmed/Probable	24	20	15	30	58	155	97	11	12	7	3	7	33	472
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza-associated pediatric mortality														
Year-to-Date Confirmed/Probable	0	0	0	0	0	2	0	0	0	0	0	0	0	2
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LaCrosse virus neuroinvasive disease														
Year-to-Date Confirmed/Probable	0	3	0	1	0	0	0	0	0	0	0	0	0	4
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
LaCrosse virus non-neuroinvasive disease														
Year-to-Date Confirmed/Probable	0	0	0	1	0	0	0	0	0	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Legionellosis														
Year-to-Date Confirmed/Probable	6	14	0	13	4	35	6	6	5	3	5	3	10	110
New Confirmed/Probable	.	.	.	1	.	.	.	.	.	.	.	.	.	1
New Suspect	.	.	1	.	.	.	.	.	.	.	.	.	.	1
Listeriosis														
Year-to-Date Confirmed/Probable	1	2	0	0	2	0	2	0	3	2	0	0	0	12
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lyme disease														
Year-to-Date Confirmed/Probable	4	2	0	4	5	0	0	16	1	0	6	2	0	40
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	3	.	.	.	.	.	.	.	.	.	.	.	3
Malaria														
Year-to-Date Confirmed/Probable	0	0	0	1	1	2	2	0	0	0	0	0	0	6
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles														
Year-to-Date Confirmed/Probable	0	0	0	0	1	1	1	0	0	0	0	0	0	3
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Meningitis - Other Bacterial														
Year-to-Date Confirmed/Probable	0	7	0	5	7	0	3	1	1	2	0	0	2	28
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Meningococcal disease														
Year-to-Date Confirmed/Probable	0	1	0	2	1	0	0	0	0	1	0	0	0	5
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Mpox														
Year-to-Date Confirmed/Probable	0	0	0	0	3	0	3	0	0	0	0	0	0	6
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Mumps														
Year-to-Date Confirmed/Probable	0	0	0	0	2	1	0	0	0	1	1	0	1	6
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Nontuberculous Mycobacteria (extra-pulmonary)														
Year-to-Date Confirmed/Probable	0	0	0	2	0	0	0	0	0	0	1	0	0	3
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pertussis														
Year-to-Date Confirmed/Probable	7	42	3	15	65	5	8	9	30	11	8	9	5	217
New Confirmed/Probable	.	.	.	.	.	1	3	.	.	1	.	1	.	6
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Possible HCV Reinfection or Treatment Failure														
Year-to-Date Confirmed/Probable	0	0	0	0	1	0	0	0	0	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Q fever, Acute														
Year-to-Date Confirmed/Probable	0	0	0	0	0	0	0	0	1	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	1	.	.	.	1

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Salmonellosis (excluding paratyphoid and typhoid)														
Year-to-Date Confirmed/Probable	41	101	19	68	108	87	61	35	50	34	24	38	122	788
New Confirmed/Probable	2	2	.	.	2	1	2	.	1	1	.	1	2	14
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Shiga toxin-producing Escherichia coli (STEC)														
Year-to-Date Confirmed/Probable	15	55	2	18	46	13	31	23	15	16	12	16	18	280
New Confirmed/Probable	1	.	.	.	.	.	.	1	.	.	3	.	1	6
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Shigellosis														
Year-to-Date Confirmed/Probable	7	16	1	9	19	28	35	3	7	1	3	2	10	141
New Confirmed/Probable	1	1	.	.	.	.	2	.	.	.	.	.	1	5
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Spotted Fever Rickettsiosis														
Year-to-Date Confirmed/Probable	1	4	0	2	16	1	0	3	11	5	0	11	6	60
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	1	.	1	.	2
Streptococcal disease, invasive, Group B														
Year-to-Date Confirmed/Probable	17	43	8	22	52	13	30	30	27	22	17	23	29	333
New Confirmed/Probable	.	3	.	1	.	.	.	1	.	.	.	2	.	7
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Streptococcus pneumoniae, invasive disease (IPD) (														
Year-to-Date Confirmed/Probable	20	54	6	37	67	37	50	25	28	33	13	24	34	428
New Confirmed/Probable	.	.	.	1	.	1	.	.	.	.	.	.	.	2
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Syphilis, Congenital														
Year-to-Date Confirmed/Probable	2	2	0	2	2	22	1	3	2	0	1	5	1	43
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Syphilis, early non-primary, non-secondary														
Year-to-Date Confirmed/Probable	22	19	5	21	39	181	75	13	7	10	0	10	19	421
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Syphilis, primary														
Year-to-Date Confirmed/Probable	17	5	1	14	10	25	19	2	11	6	0	3	9	122
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Syphilis, secondary														
Year-to-Date Confirmed/Probable	19	13	2	16	25	69	48	8	15	5	5	9	8	242
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Syphilis, unknown duration or late														
Year-to-Date Confirmed/Probable	42	37	16	98	58	358	184	16	21	35	7	32	46	950
New Confirmed/Probable	.	.	.	1	.	.	.	.	.	.	.	.	.	1
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis														
Year-to-Date Confirmed/Probable	7	6	3	3	8	25	20	0	2	0	1	2	3	80
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tularemia														
Year-to-Date Confirmed/Probable	0	0	0	0	1	0	1	0	0	0	0	0	0	2
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vibriosis (non-cholera Vibrio species infections)														
Year-to-Date Confirmed/Probable	0	5	2	3	2	3	8	3	2	4	0	1	2	35
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
VRE (Vancomycin-Resistant Enterococcus-Invasive)														
Year-to-Date Confirmed/Probable	1	17	0	13	10	1	7	2	1	0	1	4	9	66
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
West Nile virus neuroinvasive disease														
Year-to-Date Confirmed/Probable	0	0	0	0	0	2	0	0	0	0	0	0	0	2
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
West Nile virus non-neuroinvasive disease														
Year-to-Date Confirmed/Probable	0	0	0	0	0	1	0	0	0	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Yersiniosis (non-pestis)														
Year-to-Date Confirmed/Probable	5	13	1	8	20	14	6	15	7	4	10	9	6	118
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	1	.	.	1
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
YTD - All Conditions														
Year-to-Date Confirmed/Probable	2076	2564	763	2314	5305	8307	6130	1183	1325	1151	619	1082	2213	35032
YTD Total Investigations	2368	3848	902	2849	6498	9929	6952	1628	1931	1582	777	1806	2980	44050
New Confirmed/Probable Week 32	35	47	4	40	77	143	111	21	17	12	12	16	40	575
New Suspect Week 32	.	4	1	.	.	.	.	1	.	2	.	1	.	9

CHR - Chattanooga/ Hamilton County Region

ETR - East Tennessee Region (Anderson, Blount, Campbell, Claiborne, Cocke, Grainger, Hamblen, Jefferson, Loudon, Monroe, Morgan, Roane, Scott, Sevier, & Union Counties)

JMR - Jackson/Madison County Region

KKR - Knoxville/Knox County Region

MCR - Mid Cumberland Region (Cheatham, Dickson, Houston, Humphreys, Montgomery, Robertson, Rutherford, Stewart, Sumner, Trousdale, Williamson, & Wilson Counties)

MSR - Memphis/Shelby County Region

NDR - Nashville/Davidson County Region

NER - Northeast Region (Carter, Greene, Hancock, Hawkins, Johnson, Unicoi, & Washington counties)

SCR - South Central Region (Bedford, Coffee, Giles, Hickman, Lawrence, Lewis, Lincoln, Marshall, Maury, Moore, Perry, & Wayne Counties)

SER - Southeast Region (Bledsoe, Bradley, Franklin, Grundy, Marion, McMinn, Meigs, Polk, Rhea, & Sequatchie Counties)

SUL - Sullivan County

UCR - Upper Cumberland Region (Cannon, Clay, Cumberland, DeKalb, Fentress, Jackson, Macon, Overton, Pickett, Putnam, Smith, Van Buren, Warren, & White Counties)

WTR - West Tennessee Region (Benton, Carroll, Chester, Crockett, Decatur, Dyer, Fayette, Gibson, Hardeman, Hardin, Haywood, Henderson, Henry, Lake, Lauderdale, McNairy, Obion, Tipton, & Weakley Counties)