

**2026 Reportable Diseases and Events, by Tennessee Health Region,
Year-to-Date and MMWR Week 34**

Reporting Period: 01/04/2026 - 08/29/2026

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Anaplasma phagocytophilum														
Year-to-Date Confirmed/Probable	0	0	2	0	5	0	0	0	4	1	0	3	1	16
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Babesiosis														
Year-to-Date Confirmed/Probable	0	1	0	0	0	1	0	0	0	0	0	0	0	2
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Botulism, infant														
Year-to-Date Confirmed/Probable	0	0	0	0	0	0	0	1	0	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Brucellosis														
Year-to-Date Confirmed/Probable	0	0	0	0	0	0	0	0	0	0	0	0	0	0
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Campylobacteriosis														
Year-to-Date Confirmed/Probable	72	157	11	92	167	82	98	79	93	71	54	60	79	1115
New Confirmed/Probable	.	.	.	.	3	.	4	.	1	3	1	.	.	12
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Candida auris, clinical														
Year-to-Date Confirmed/Probable	5	11	10	6	22	191	23	10	10	3	1	15	21	328
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Candida auris, colonization/screening														
Year-to-Date Confirmed/Probable	0	6	5	2	0	15	1	1	3	0	23	1	10	67
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	1	1
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Carbapenemase-producing organism (CPO), clinical														
Year-to-Date Confirmed/Probable	0	15	0	4	18	27	2	9	2	3	4	2	4	90
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carbapenemase-producing organism (CPO), screening														
Year-to-Date Confirmed/Probable	1	0	0	0	0	0	0	0	0	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carbapenem-resistant Enterobacterales														
Year-to-Date Confirmed/Probable	0	0	1	30	4	4	3	0	0	0	0	2	3	47
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carbon Monoxide Poisoning														
Year-to-Date Confirmed/Probable	5	12	2	3	26	2	76	46	6	7	24	10	45	264
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chikungunya Virus														
Year-to-Date Confirmed/Probable	0	0	0	0	1	0	0	0	0	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chlamydia trachomatis infection														
Year-to-Date Confirmed/Probable	1242	1111	508	1163	3207	5139	3685	457	667	485	225	482	1305	19676
New Confirmed/Probable	19	14	11	17	60	89	63	6	7	3	4	7	26	326
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cryptosporidiosis														
Year-to-Date Confirmed/Probable	5	26	1	10	31	20	8	17	7	9	5	14	6	159
New Confirmed/Probable	.	.	.	.	1	.	1	.	.	.	.	.	.	2
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Cyclosporiasis														
Year-to-Date Confirmed/Probable	3	17	33	11	58	19	27	6	16	6	3	5	21	225
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dengue														
Year-to-Date Confirmed/Probable	1	0	0	0	1	0	1	0	0	0	0	0	0	3
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ehrlichia infection, other spp. or unspeciated														
Year-to-Date Confirmed/Probable	1	2	0	1	51	1	7	2	8	4	0	10	3	90
New Confirmed/Probable	.	.	.	.	1	.	.	.	.	.	.	.	.	1
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ehrlichiosis, chaffeensis														
Year-to-Date Confirmed/Probable	1	7	5	0	4	6	2	0	0	1	0	1	14	41
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ehrlichiosis, ewingii														
Year-to-Date Confirmed/Probable	0	1	0	0	1	0	0	0	0	0	0	0	1	3
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ESBL-Producing Bacteria														
Year-to-Date Confirmed/Probable	0	0	0	0	0	0	0	0	6	0	0	0	0	6
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gonorrhea														
Year-to-Date Confirmed/Probable	434	182	135	337	923	1902	1609	111	140	89	64	67	228	6221
New Confirmed/Probable	7	1	1	4	13	33	28	3	.	.	.	3	4	97
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Group A Streptococcus, invasive														
Year-to-Date Confirmed/Probable	11	28	7	53	45	33	33	21	14	13	15	15	6	294
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Haemophilus influenzae, invasive disease														
Year-to-Date Confirmed/Probable	12	16	0	8	25	12	15	10	4	8	4	6	17	137
New Confirmed/Probable	.	.	.	.	2	.	.	1	.	.	.	.	.	3
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hemolytic uremic syndrome, post-diarrheal														
Year-to-Date Confirmed/Probable	4	1	0	0	2	0	1	0	0	1	0	2	0	11
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hepatitis A, acute														
Year-to-Date Confirmed/Probable	2	0	0	0	0	2	0	1	1	0	0	0	0	6
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Hepatitis B Pos Preg														
Year-to-Date Confirmed/Probable	2	1	1	2	6	8	11	0	1	0	0	0	2	34
New Confirmed/Probable	.	.	.	.	1	.	.	.	.	.	.	.	.	1
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hepatitis B Positive Pregnant Female														
Year-to-Date Confirmed/Probable	2	1	1	2	7	8	11	0	1	0	0	0	1	34
New Confirmed/Probable	.	.	.	.	1	.	.	.	.	.	.	.	.	1
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hepatitis B, acute														
Year-to-Date Confirmed/Probable	0	4	1	3	9	15	5	0	1	5	1	3	2	49
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Hepatitis C Virus Infection, Chronic														
Year-to-Date Confirmed/Probable	156	565	36	296	364	421	352	261	171	303	123	234	245	3527
New Confirmed/Probable	5	18	2	9	11	14	11	8	2	7	4	10	5	106
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hepatitis C, acute														
Year-to-Date Confirmed/Probable	6	23	1	10	11	3	7	6	8	18	1	2	7	103
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hepatitis C, perinatal infection														
Year-to-Date Confirmed/Probable	0	1	0	0	3	1	2	2	0	0	1	1	0	11
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	1	4	.	5	.	1	2	2	1	1	1	1	.	19
Hepatitis C, Positive Pregnant Person														
Year-to-Date Confirmed/Probable	7	64	1	22	28	12	18	16	7	13	6	24	2	220
New Confirmed/Probable	1	4	.	4	.	1	2	2	1	1	1	2	.	19
New Suspect	.	.	.	1	.	.	.	.	.	.	.	.	.	1
HIV														
Year-to-Date Confirmed/Probable	27	21	18	31	59	161	101	11	14	7	3	7	34	494
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza-associated pediatric mortality														
Year-to-Date Confirmed/Probable	0	0	0	0	0	2	0	0	0	0	0	0	0	2
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LaCrosse virus neuroinvasive disease														
Year-to-Date Confirmed/Probable	0	3	0	2	0	0	0	0	0	0	1	1	0	7
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
LaCrosse virus non-neuroinvasive disease														
Year-to-Date Confirmed/Probable	0	0	0	1	0	0	0	0	0	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Legionellosis														
Year-to-Date Confirmed/Probable	6	14	1	14	6	36	8	7	5	3	5	3	11	119
New Confirmed/Probable	.	.	.	1	.	.	.	.	.	.	.	.	.	1
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Listeriosis														
Year-to-Date Confirmed/Probable	1	2	0	0	2	0	2	1	3	2	0	0	0	13
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lyme disease														
Year-to-Date Confirmed/Probable	4	2	0	5	6	0	0	18	1	0	6	2	0	44
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Malaria														
Year-to-Date Confirmed/Probable	0	0	0	2	2	2	2	0	0	0	0	0	0	8
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles														
Year-to-Date Confirmed/Probable	0	1	0	0	1	1	1	0	0	0	0	0	0	4
New Confirmed/Probable	.	1	.	.	.	.	.	.	.	.	.	.	.	1
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Meningitis - Other Bacterial														
Year-to-Date Confirmed/Probable	0	7	0	6	9	0	4	1	1	2	0	0	2	32
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Meningococcal disease														
Year-to-Date Confirmed/Probable	0	1	0	2	1	0	0	0	0	1	0	0	0	5
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Mpox														
Year-to-Date Confirmed/Probable	0	0	0	0	3	0	3	0	0	0	0	0	0	6
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Mumps														
Year-to-Date Confirmed/Probable	0	0	0	0	2	1	0	0	0	1	1	0	1	6
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Nontuberculous Mycobacteria (extra-pulmonary)														
Year-to-Date Confirmed/Probable	0	0	0	2	0	0	0	0	0	0	1	0	0	3
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pertussis														
Year-to-Date Confirmed/Probable	7	46	3	18	67	5	8	9	33	12	11	10	5	234
New Confirmed/Probable	.	2	.	.	.	.	.	.	2	.	1	.	.	5
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Possible HCV Reinfection or Treatment Failure														
Year-to-Date Confirmed/Probable	0	0	0	0	1	0	0	0	0	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Q fever, Acute														
Year-to-Date Confirmed/Probable	0	0	0	0	0	0	0	0	1	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Salmonellosis (excluding paratyphoid and typhoid)														
Year-to-Date Confirmed/Probable	43	108	20	71	117	98	69	38	51	37	24	38	136	850
New Confirmed/Probable	.	2	1	1	.	.	1	.	.	.	.	.	5	10
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Shiga toxin-producing Escherichia coli (STEC)														
Year-to-Date Confirmed/Probable	15	56	2	19	51	15	32	27	17	19	12	20	21	306
New Confirmed/Probable	.	1	.	.	1	1	.	.	.	.	.	1	.	4
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Shigellosis														
Year-to-Date Confirmed/Probable	7	18	1	9	22	30	39	4	9	1	3	3	10	156
New Confirmed/Probable	.	.	.	.	.	.	1	.	.	.	.	.	.	1
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Spotted Fever Rickettsiosis														
Year-to-Date Confirmed/Probable	1	4	0	2	20	2	0	4	12	5	0	11	6	67
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Streptococcal disease, invasive, Group B														
Year-to-Date Confirmed/Probable	18	47	8	22	57	14	30	32	30	22	18	25	29	352
New Confirmed/Probable	.	1	.	.	.	.	.	.	2	.	.	.	.	3
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Streptococcus pneumoniae, invasive disease (IPD) (														
Year-to-Date Confirmed/Probable	21	54	7	37	67	37	51	26	30	34	13	24	34	435
New Confirmed/Probable	.	.	1	.	.	.	.	.	1	.	.	.	.	2
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Syphilis, Congenital														
Year-to-Date Confirmed/Probable	3	2	0	2	2	22	1	3	2	0	1	5	2	45
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Syphilis, early non-primary, non-secondary														
Year-to-Date Confirmed/Probable	25	20	5	22	42	197	79	16	7	9	0	10	21	453
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Syphilis, primary														
Year-to-Date Confirmed/Probable	21	5	1	16	10	28	23	3	11	6	0	3	9	136
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Syphilis, secondary														
Year-to-Date Confirmed/Probable	20	13	2	17	27	73	53	8	16	5	5	9	10	258
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Syphilis, unknown duration or late														
Year-to-Date Confirmed/Probable	48	39	19	104	60	386	193	17	23	37	7	32	48	1013
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis														
Year-to-Date Confirmed/Probable	7	6	3	3	8	26	20	0	2	0	1	2	4	82
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tularemia														
Year-to-Date Confirmed/Probable	0	0	0	0	1	0	1	0	0	0	0	0	0	2
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhoid Fever (S. enterica typhi)														
Year-to-Date Confirmed/Probable	0	0	0	0	0	1	0	0	0	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Vibriosis (non-cholera Vibrio species infections)														
Year-to-Date Confirmed/Probable	0	6	2	3	3	3	8	3	3	4	0	2	2	39
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VRE (Vancomycin-Resistant Enterococcus-Invasive)														
Year-to-Date Confirmed/Probable	1	17	0	13	11	1	7	2	1	0	1	4	10	68
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
West Nile virus neuroinvasive disease														
Year-to-Date Confirmed/Probable	0	1	0	0	0	4	0	0	0	1	0	0	0	6
New Confirmed/Probable	.	.	.	.	.	1	.	.	.	.	.	.	.	1
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
West Nile virus non-neuroinvasive disease														
Year-to-Date Confirmed/Probable	0	0	0	0	0	1	0	0	0	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Yersiniosis (non-pestis)														
Year-to-Date Confirmed/Probable	5	15	1	8	21	15	6	16	8	6	10	11	6	128
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	1	.	1
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
YTD - All Conditions														
Year-to-Date Confirmed/Probable	2225	2746	836	2455	5742	8924	6637	1291	1436	1248	675	1179	2391	37785
YTD Total Investigations	2526	4108	983	3009	6997	10610	7515	1766	2082	1708	843	1950	3203	47300
New Confirmed/Probable Week 34	32	44	16	36	94	139	111	20	16	14	11	24	41	598
New Suspect Week 34	1	5	.	6	.	1	2	2	1	1	1	2	1	23

CHR - Chattanooga/ Hamilton County Region

ETR - East Tennessee Region (Anderson, Blount, Campbell, Claiborne, Cocke, Grainger, Hamblen, Jefferson, Loudon, Monroe, Morgan, Roane, Scott, Sevier, & Union Counties)

JMR - Jackson/Madison County Region

KKR - Knoxville/Knox County Region

MCR - Mid Cumberland Region (Cheatham, Dickson, Houston, Humphreys, Montgomery, Robertson, Rutherford, Stewart, Sumner, Trousdale, Williamson, & Wilson Counties)

MSR - Memphis/Shelby County Region

NDR - Nashville/Davidson County Region

NER - Northeast Region (Carter, Greene, Hancock, Hawkins, Johnson, Unicoi, & Washington counties)

SCR - South Central Region (Bedford, Coffee, Giles, Hickman, Lawrence, Lewis, Lincoln, Marshall, Maury, Moore, Perry, & Wayne Counties)

SER - Southeast Region (Bledsoe, Bradley, Franklin, Grundy, Marion, McMinn, Meigs, Polk, Rhea, & Sequatchie Counties)

SUL - Sullivan County

UCR - Upper Cumberland Region (Cannon, Clay, Cumberland, DeKalb, Fentress, Jackson, Macon, Overton, Pickett, Putnam, Smith, Van Buren, Warren, & White Counties)

WTR - West Tennessee Region (Benton, Carroll, Chester, Crockett, Decatur, Dyer, Fayette, Gibson, Hardeman, Hardin, Haywood, Henderson, Henry, Lake, Lauderdale, McNairy, Obion, Tipton, & Weakley Counties)