

**2026 Reportable Diseases and Events, by Tennessee Health Region,
Year-to-Date and MMWR Week 36**

Reporting Period: 01/04/2026 - 09/12/2026

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Anaplasma phagocytophilum														
Year-to-Date Confirmed/Probable	0	0	2	0	8	0	0	0	5	1	0	3	1	20
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Babesiosis														
Year-to-Date Confirmed/Probable	0	1	0	0	0	1	0	0	0	0	0	0	0	2
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Botulism, infant														
Year-to-Date Confirmed/Probable	0	0	0	0	0	0	0	1	0	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Brucellosis														
Year-to-Date Confirmed/Probable	0	0	0	0	0	0	0	0	0	0	0	0	0	0
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Campylobacteriosis														
Year-to-Date Confirmed/Probable	80	173	11	104	177	86	106	92	98	78	56	65	88	1214
New Confirmed/Probable	.	1	.	1	2	.	2	3	2	2	1	.	.	14
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Candida auris, clinical														
Year-to-Date Confirmed/Probable	5	12	10	6	22	203	24	10	10	3	1	16	21	343
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Candida auris, colonization/screening														
Year-to-Date Confirmed/Probable	0	8	5	4	1	15	1	1	3	0	23	1	10	72
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Carbapenemase-producing organism (CPO), clinical														
Year-to-Date Confirmed/Probable	0	15	0	4	18	27	2	9	2	3	4	2	4	90
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carbapenemase-producing organism (CPO), screening														
Year-to-Date Confirmed/Probable	1	0	0	0	0	0	0	0	0	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carbapenem-resistant Enterobacterales														
Year-to-Date Confirmed/Probable	0	0	1	32	4	4	3	0	0	0	0	2	3	49
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Carbon Monoxide Poisoning														
Year-to-Date Confirmed/Probable	5	12	2	3	26	2	77	47	6	7	26	10	46	269
New Confirmed/Probable	.	.	.	.	.	.	.	1	.	.	2	.	1	4
New Suspect	.	.	.	.	.	.	.	.	.	.	.	1	.	1
Chikungunya Virus														
Year-to-Date Confirmed/Probable	0	0	0	0	1	0	0	0	0	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Chlamydia trachomatis infection														
Year-to-Date Confirmed/Probable	1289	1186	523	1235	3406	5439	3898	493	702	515	239	500	1385	20810
New Confirmed/Probable	12	12	2	18	39	74	47	1	5	4	.	3	15	232
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cryptosporidiosis														
Year-to-Date Confirmed/Probable	6	32	1	14	33	21	9	21	9	9	5	14	8	182
New Confirmed/Probable	.	.	.	2	.	.	.	.	1	.	.	.	.	3
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Cyclosporiasis														
Year-to-Date Confirmed/Probable	3	18	33	12	58	19	27	7	16	6	3	5	21	228
New Confirmed/Probable	.	1	.	.	.	.	.	.	.	.	.	.	.	1
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dengue														
Year-to-Date Confirmed/Probable	1	0	0	0	1	0	1	0	0	0	0	0	0	3
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ehrlichia infection, other spp. or unspeciated														
Year-to-Date Confirmed/Probable	3	2	0	1	51	1	7	2	10	4	0	10	3	94
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ehrlichiosis, chaffeensis														
Year-to-Date Confirmed/Probable	0	7	5	0	3	6	2	0	0	1	0	1	14	39
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ehrlichiosis, ewingii														
Year-to-Date Confirmed/Probable	0	1	0	0	1	0	0	0	0	0	0	0	1	3
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
ESBL-Producing Bacteria														
Year-to-Date Confirmed/Probable	0	0	0	0	0	0	0	0	6	0	0	0	0	6
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Gonorrhea														
Year-to-Date Confirmed/Probable	467	197	137	345	986	2002	1689	114	146	95	67	73	244	6562
New Confirmed/Probable	7	.	.	5	14	24	15	.	1	.	.	2	.	68
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Group A Streptococcus, invasive														
Year-to-Date Confirmed/Probable	12	29	7	58	45	34	34	21	15	13	16	15	7	306
New Confirmed/Probable	.	.	.	2	.	.	.	.	1	.	.	.	.	3
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Haemophilus influenzae, invasive disease														
Year-to-Date Confirmed/Probable	12	16	0	8	25	13	15	12	5	8	4	7	18	143
New Confirmed/Probable	.	.	.	.	.	.	.	1	.	.	.	.	.	1
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hemolytic uremic syndrome, post-diarrheal														
Year-to-Date Confirmed/Probable	4	1	0	0	2	0	1	1	0	1	0	2	0	12
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hepatitis A, acute														
Year-to-Date Confirmed/Probable	2	0	0	0	1	2	0	1	1	0	0	0	0	7
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hepatitis B Pos Preg														
Year-to-Date Confirmed/Probable	2	1	1	2	6	8	11	0	1	0	0	0	2	34
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hepatitis B Positive Pregnant Female														
Year-to-Date Confirmed/Probable	2	1	1	2	7	8	11	0	1	0	0	0	1	34
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hepatitis B, acute														
Year-to-Date Confirmed/Probable	0	4	1	3	10	16	6	0	1	5	1	3	3	53
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Hepatitis C Virus Infection, Chronic														
Year-to-Date Confirmed/Probable	173	620	38	329	394	456	385	286	179	318	128	252	257	3815
New Confirmed/Probable	7	5	1	8	8	11	7	6	5	3	1	6	5	73
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hepatitis C, acute														
Year-to-Date Confirmed/Probable	6	23	1	10	12	4	9	10	8	19	1	3	8	114
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hepatitis C, perinatal infection														
Year-to-Date Confirmed/Probable	0	1	0	0	3	1	2	2	0	0	1	1	0	11
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Hepatitis C, Positive Pregnant Person														
Year-to-Date Confirmed/Probable	7	64	1	22	28	12	18	16	7	13	6	24	2	220
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
HIV														
Year-to-Date Confirmed/Probable	28	20	18	33	63	177	105	11	14	9	3	7	35	523
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza-associated pediatric mortality														
Year-to-Date Confirmed/Probable	0	0	0	0	0	2	0	0	0	0	0	0	0	2
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LaCrosse virus neuroinvasive disease														
Year-to-Date Confirmed/Probable	0	3	0	3	0	0	0	0	0	0	1	1	0	8
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
LaCrosse virus non-neuroinvasive disease														
Year-to-Date Confirmed/Probable	0	0	0	1	0	0	0	0	0	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Legionellosis														
Year-to-Date Confirmed/Probable	6	17	1	15	8	37	8	9	6	3	5	3	11	129
New Confirmed/Probable	.	.	.	1	.	.	.	.	1	.	.	.	.	2
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Listeriosis														
Year-to-Date Confirmed/Probable	1	2	0	0	2	0	2	1	3	3	0	0	0	14
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Lyme disease														
Year-to-Date Confirmed/Probable	4	2	0	5	6	0	0	18	1	0	6	2	0	44
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Malaria														
Year-to-Date Confirmed/Probable	0	0	0	2	2	2	2	0	0	0	0	0	0	8
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles														
Year-to-Date Confirmed/Probable	0	6	0	0	1	1	1	0	0	0	0	0	0	9
New Confirmed/Probable	.	3	.	.	.	.	.	.	.	.	.	.	.	3
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Meningitis - Other Bacterial														
Year-to-Date Confirmed/Probable	0	9	0	7	11	0	4	1	1	2	0	0	2	37
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Meningococcal disease														
Year-to-Date Confirmed/Probable	0	1	0	2	1	0	0	0	0	1	0	0	0	5
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Mpox														
Year-to-Date Confirmed/Probable	0	0	0	0	4	0	4	0	0	0	0	0	0	8
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Mumps														
Year-to-Date Confirmed/Probable	0	0	0	0	2	1	0	0	0	1	1	0	1	6
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Nontuberculous Mycobacteria (extra-pulmonary)														
Year-to-Date Confirmed/Probable	0	0	0	2	0	0	0	0	0	0	1	0	0	3
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pertussis														
Year-to-Date Confirmed/Probable	7	49	3	19	73	5	9	11	38	13	12	10	5	254
New Confirmed/Probable	.	.	.	1	1	.	.	.	1	.	1	.	.	4
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Possible HCV Reinfection or Treatment Failure														
Year-to-Date Confirmed/Probable	0	1	0	0	1	0	0	0	0	0	0	0	0	2
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Q fever, Acute														
Year-to-Date Confirmed/Probable	0	0	0	0	0	0	0	0	1	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Salmonellosis (excluding paratyphoid and typhoid)														
Year-to-Date Confirmed/Probable	48	116	22	78	132	108	71	42	58	45	24	42	152	938
New Confirmed/Probable	1	3	.	.	1	1	.	2	.	3	.	.	2	13
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Shiga toxin-producing Escherichia coli (STEC)														
Year-to-Date Confirmed/Probable	15	60	2	20	54	15	33	36	19	20	12	20	21	327
New Confirmed/Probable	.	1	.	.	1	.	1	1	.	.	.	.	.	4
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Shigellosis														
Year-to-Date Confirmed/Probable	7	19	1	11	24	31	39	4	9	1	3	3	11	163
New Confirmed/Probable	.	1	.	1	.	.	.	.	.	.	.	.	.	2
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Spotted Fever Rickettsiosis														
Year-to-Date Confirmed/Probable	1	4	0	2	21	3	0	5	15	6	0	11	6	74
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	1	.	.	.	.	.	.	.	1
Streptococcal disease, invasive, Group B														
Year-to-Date Confirmed/Probable	18	49	8	24	62	14	30	32	31	24	20	26	32	370
New Confirmed/Probable	.	.	.	1	1	.	.	.	.	.	.	.	1	3
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Streptococcus pneumoniae, invasive disease (IPD) (														
Year-to-Date Confirmed/Probable	23	55	7	39	69	38	55	28	30	34	14	25	36	453
New Confirmed/Probable	1	1	.	.	1	.	2	2	.	.	1	.	1	9
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Syphilis, Congenital														
Year-to-Date Confirmed/Probable	3	2	0	2	2	22	1	3	2	0	1	5	2	45
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Syphilis, early non-primary, non-secondary														
Year-to-Date Confirmed/Probable	26	21	6	26	45	206	79	16	7	10	0	10	22	474
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Syphilis, primary														
Year-to-Date Confirmed/Probable	22	7	1	17	13	29	25	3	12	6	0	3	9	147
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Syphilis, secondary														
Year-to-Date Confirmed/Probable	21	14	2	20	26	78	59	9	17	5	5	9	11	276
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Syphilis, unknown duration or late														
Year-to-Date Confirmed/Probable	48	41	20	106	65	415	213	18	24	42	7	32	51	1082
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis														
Year-to-Date Confirmed/Probable	7	6	3	3	9	27	22	0	2	0	1	2	4	86
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tularemia														
Year-to-Date Confirmed/Probable	0	0	0	0	1	1	1	0	0	0	0	0	0	3
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhoid Fever (S. enterica typhi)														
Year-to-Date Confirmed/Probable	0	0	0	0	0	1	0	0	0	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.

	CHR	ETR	JMR	KKR	MCR	MSR	NDR	NER	SCR	SER	SUL	UCR	WTR	Total
Vibriosis (non-cholera Vibrio species infections)														
Year-to-Date Confirmed/Probable	0	6	2	3	4	3	8	3	3	4	0	2	2	40
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VRE (Vancomycin-Resistant Enterococcus-Invasive)														
Year-to-Date Confirmed/Probable	1	18	0	13	11	1	7	2	1	1	1	4	10	70
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
West Nile virus neuroinvasive disease														
Year-to-Date Confirmed/Probable	0	1	0	0	0	5	0	0	0	1	0	0	1	8
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
West Nile virus non-neuroinvasive disease														
Year-to-Date Confirmed/Probable	0	0	0	0	0	1	0	0	0	0	0	0	0	1
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Yersiniosis (non-pestis)														
Year-to-Date Confirmed/Probable	6	15	2	8	21	16	7	17	8	7	10	11	8	136
New Confirmed/Probable	.	.	.	.	.	.	.	.	.	.	.	.	.	.
New Suspect	.	.	.	.	.	.	.	.	.	.	.	.	.	.
YTD - All Conditions														
Year-to-Date Confirmed/Probable	2344	2956	860	2622	6104	9442	7018	1404	1519	1329	706	1235	2545	40084
YTD Total Investigations	2661	4369	1012	3194	7406	11198	7950	1893	2192	1804	879	2028	3382	49968
New Confirmed/Probable Week 36	28	28	3	40	68	110	74	17	17	12	6	11	25	439
New Suspect Week 36	.	.	.	.	.	1	.	1	.	.	.	1	1	4

CHR - Chattanooga/ Hamilton County Region

ETR - East Tennessee Region (Anderson, Blount, Campbell, Claiborne, Cocke, Grainger, Hamblen, Jefferson, Loudon, Monroe, Morgan, Roane, Scott, Sevier, & Union Counties)

JMR - Jackson/Madison County Region

KKR - Knoxville/Knox County Region

MCR - Mid Cumberland Region (Cheatham, Dickson, Houston, Humphreys, Montgomery, Robertson, Rutherford, Stewart, Sumner, Trousdale, Williamson, & Wilson Counties)

MSR - Memphis/Shelby County Region

NDR - Nashville/Davidson County Region

NER - Northeast Region (Carter, Greene, Hancock, Hawkins, Johnson, Unicoi, & Washington counties)

SCR - South Central Region (Bedford, Coffee, Giles, Hickman, Lawrence, Lewis, Lincoln, Marshall, Maury, Moore, Perry, & Wayne Counties)

SER - Southeast Region (Bledsoe, Bradley, Franklin, Grundy, Marion, McMinn, Meigs, Polk, Rhea, & Sequatchie Counties)

SUL - Sullivan County

UCR - Upper Cumberland Region (Cannon, Clay, Cumberland, DeKalb, Fentress, Jackson, Macon, Overton, Pickett, Putnam, Smith, Van Buren, Warren, & White Counties)

WTR - West Tennessee Region (Benton, Carroll, Chester, Crockett, Decatur, Dyer, Fayette, Gibson, Hardeman, Hardin, Haywood, Henderson, Henry, Lake, Lauderdale, McNairy, Obion, Tipton, & Weakley Counties)