Please mark your answers. Follow the directions included with the questions. If no directions are presented, check the box next to your answer or fill in the blanks. Because not all questions will apply to everyone, you may be asked to skip certain questions.

BEFORE PREGNANCY

First, we would like to ask a few questions about *you* and the time <u>before</u> you got pregnant with your new baby.

1. At any time during the 12 months before you got pregnant with your new baby, did you do any of the following things? For each item, circle Y (Yes) if you did it or circle N (No) if you did not.

	N	lo	Yes
a.	I was dieting (changing my eating		
	habits) to lose weight	N	Y
b.	I was exercising 3 or more days		
	of the week	N	Y
c.	I was regularly taking prescription		
	medicines other than birth control I	N	Y
d.	I visited a health care worker to		
	be checked or treated for diabetes 1	N	Y
e.	I visited a health care worker to		
	be checked or treated for high		
	blood pressure	N	Y
f.	I visited a health care worker to		
	be checked or treated for depression		
	or anxiety	N	Y
g.	I talked to a health care worker		
_	about my family medical history l	N	Y
h.	I had my teeth cleaned by a dentist		
	or dental hygienist	N	Y

2.	witl	ring the <i>month before</i> you got pregnant in your new baby, were you covered by of these health insurance plans?
		Check <u>all</u> that apply
		Health insurance from your job or the job of your husband, partner, or parents
		Health insurance that you or someone else paid for (not from a job) Medicaid
		TRICARE or other military health care TennCare CoverKids CoverTN Other source(s)
	_	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
		I did not have any health insurance before I got pregnant
3.	witl wee	ring the <i>month before</i> you got pregnant n your new baby, how many times a k did you take a multivitamin, a natal vitamin, or a folic acid vitamin?
		I didn't take a multivitamin, prenatal vitamin, or folic acid vitamin at all 1 to 3 times a week 4 to 6 times a week Every day of the week
4.		t before you got pregnant with your new y, how much did you weigh?
		Pounds OR Kilos
5.	Hov	v tall are you without shoes?
		Feet Inches
		OR Meters

2 6. What is your date of birth? 12. Was the baby *just before* your new one born more than 3 weeks before his or her due date? \square No Month Day Year ☐ Yes 7. Would you say that, in general, your health 13. When your new baby was born, how old was the child born just before your new baby? ☐ Excellent \Box 0 to 12 months ☐ Very good ☐ 13 to 18 months ☐ Good ☐ Fair ☐ 19 to 24 months ☐ More than 2 years but less than 3 years ☐ Poor \Box 3 to 5 years ☐ More than 5 years 8. *Before* you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk with you about how to The next questions are about the time when prepare for a healthy pregnancy and baby? you got pregnant with your new baby. No ☐ Yes 14. Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? 9. Before you got pregnant with your new baby, were you ever told by a doctor, nurse, Check one answer or other health care worker that you had **Type 1 or Type 2 diabetes?** This is <u>not</u> the ☐ I wanted to be pregnant sooner same as gestational diabetes or diabetes that ☐ I wanted to be pregnant later starts during pregnancy. ☐ I wanted to be pregnant then ☐ I didn't want to be pregnant then ☐ No or at any time in the future ☐ Yes If you wanted to be pregnant later, answer 10. Before you got pregnant with your new Question 15. Otherwise, go to Question 16. baby, did you ever have any other babies who were born alive? 15. How much later did you want to become pregnant? No Go to Question 14 Yes Less than 1 year ☐ 1 year to less than 2 years 11. Did the baby born just before your new 2 years to less than 3 years one weigh more than 5 pounds, 8 ounces ☐ 3 years to less than 4 years (2.5 kilos) at birth? 4 years or more ☐ No ☐ Yes

16. When you got pregnant with your new baby, were you trying to get pregnant?

Yes —	Go to Page 4, Question 20

17. When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant? (Some things people do to keep from getting pregnant include not having sex at certain times [natural family planning or rhythm] or withdrawal, and using birth control methods such as the pill, condoms, vaginal ring, IUD, having their tubes tied, or their partner having a vasectomy.)

- 🔲	No		
	Yes	 -	Go to Question 19

18. What were your reasons or your husband's or partner's reasons for not doing anything to keep from getting pregnant?

Check all that apply

- ☐ I didn't mind if I got pregnant
- ☐ I thought I could not get pregnant at that time
- ☐ I had side effects from the birth control method I was using
- ☐ I had problems getting birth control when I needed it
- ☐ I thought my husband or partner or I was sterile (could not get pregnant at all)
- ☐ My husband or partner didn't want to use anything
- ☐ Other Please tell us:

If you or your husband or partner was <u>not</u> <u>doing</u> anything to keep from getting pregnant, go to Page 4, Question 20.

19. When you got pregnant with your new baby, what were you or your husband or partner using to keep from getting pregnant?

Check all that apply

Ш	Tubes tied or closed (female sterilization)
	Vasectomy (male sterilization)

- ☐ Pill
- ☐ Condoms
- Injection once every 3 months (Depo-Provera[®])
- ☐ Contraceptive implant (Implanon[®])
- ☐ Contraceptive patch (OrthoEvra[®])
- Diaphragm, cervical cap, or sponge
- Vaginal ring (NuvaRing^(R))
- ☐ IUD (including Mirena[®])☐ Rhythm method or natural family
- planning
 Withdrawal (pulling out)
- Not having sex (abstinence)
- Emergency contraception
 - (The "morning-after" pill)
- ☐ Other Please tell us:

4

DURING PREGNANCY

The next questions are about the prenatal care you received during your most recent pregnancy. Prenatal care includes visits to a doctor, nurse, or other health care worker before your baby was born to get checkups and advice about pregnancy. (It may help to look at the calendar when you answer these questions.)

20.	How many weeks or months pregnant were
	you when you were sure you were pregnant?
	(For example, you had a pregnancy test or a
	doctor or nurse said you were pregnant.)

____ Weeks OR ____ Months

☐ I don't remember

21. How many weeks or months pregnant were you when you had your first visit for prenatal care? Do not count a visit that was only for a pregnancy test or only for WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children).

{	Weeks OR		Months
	I didn't go for prenatal		
\downarrow	care —	-> [Go to Question 23
Go to (Question 22		

22. Did you get prenatal care as early in your pregnancy as you wanted?

No	
Yes —	► Go to Question 24

23. Did any of these things keep you from getting prenatal care at all or as early as you wanted? For each item, circle T (True) if it was a reason that you didn't get prenatal care when you wanted or circle F (False) if it was not a reason for you or if something does not apply to you.

	True	False
a.	I couldn't get an appointment	
	when I wanted one T	F
b.	I didn't have enough money or	
	insurance to pay for my visits T	F
c.	I had no transportation to get to	
	the clinic or doctor's office T	F
d.	The doctor or my health plan	_
۵.	would not start care as early	
	as I wanted T	F
e.	I had too many other things	1
C.	going on	F
f.	I couldn't take time off from work	Г
1.		E
	or schoolT	F
g.	I didn't have my Tenncare/	
	CoverKids/CoverTN/	
	Medicaid cardT	F
h.	I had no one to take care of my	
	childrenT	F
i.	I didn't know that I was pregnant T	F
j.	I didn't want anyone else to know	
	I was pregnant T	F
k.	I didn't want prenatal care T	F
	•	

If you did not go for prenatal care, go to Page 6, Question 26.

24. Did any of these health insurance plans help you pay for your *prenatal care*?

Check all that apply

Health insurance from your job
or the job of your husband, partner, or
parents
Health insurance that you or someone else
paid for (not from a job)
Medicaid
TRICARE or other military health care
TennCare
CoverKids
CoverTN
Other source(s) — Please tell us:

☐ I did not have health insurance to help pay for my prenatal care

25. During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? Please count only discussions, not reading materials or videos. For each item, circle Y (Yes) if someone talked with you about it or circle N (No) if no one talked with you about it.

	jou doodt in	
	No	Yes
a.	How smoking during pregnancy	
	could affect my babyN	Y
b.	Breastfeeding my baby N	Y
c.	How drinking alcohol during	
	pregnancy could affect my babyN	Y
d.	Using a seat belt during my	
	pregnancy N	Y
e.	Medicines that are safe to take	
	during my pregnancy N	Y
f.	How using illegal drugs could	
	affect my babyN	Y
g.	Doing tests to screen for birth defects	
	or diseases that run in my family \dots N	Y
h.	The signs and symptoms of preterm	
	labor (labor more than 3 weeks before	
	the baby is due)N	Y
i.	What to do if my labor starts early N	Y
j.	Getting tested for HIV (the virus	
	that causes AIDS) N	Y
k.	What to do if I feel depressed during	
	my pregnancy or after my baby	
	is born	Y
1.	Physical abuse to women by their	
	husbands or partners N	Y

6 26. At any time during your most recent 31. During your most recent pregnancy, were pregnancy or delivery, did you have a test you on WIC (the Special Supplemental for HIV (the virus that causes AIDS)? **Nutrition Program for Women, Infants,** and Children)? No ☐ No Yes Go to Question 28 ☐ Yes I don't know 32. During your most recent pregnancy, were 27. Were you offered an HIV test during your you told by a doctor, nurse, or other health most recent pregnancy or delivery? care worker that you had gestational diabetes (diabetes that started during this No pregnancy)? ☐ Yes ☐ No ☐ Yes 28. Have you ever heard or read that taking a vitamin with folic acid can help prevent some birth defects? 33. Did you have any of the following problems during your most recent pregnancy? For Go to Ouestion 30 each item, circle Y (Yes) if you had the Yes problem or circle N (No) if you did not. No Yes 29. Have you ever heard about folic acid from Vaginal bleeding N Y any of the following? b. Kidney or bladder (urinary tract) Check <u>all</u> that apply infection N Y c. **Severe** nausea, vomiting, or ☐ Magazine or newspaper article dehydration N Y ☐ Radio or television d. Cervix had to be sewn shut Doctor, nurse, or other health care worker (cerclage for incompetent cervix)....N ☐ Book e. High blood pressure, hypertension (including pregnancy-induced ☐ Family or friends hypertension [PIH]), preeclampsia, Other -➤ Please tell us: Y Problems with the placenta (such as abruptio placentae or placenta previa).. N Y Labor pains more than 3 weeks 30. Did you get a flu vaccination during your before my baby was due (preterm most recent pregnancy? or early labor) N Y Water broke more than 3 weeks ☐ No before my baby was due (premature ☐ Yes rupture of membranes [PROM])....N Y I had to have a blood transfusion N Y I was hurt in a car accident N Y

37. How many cigarettes do you smoke on an average day *now*? (A pack has 20 cigarettes.)

The next questions are about smoking cigarettes around the time of pregnancy (before, during, and after).

crore, during, and arter).	☐ 41 cigarettes or more☐ 21 to 40 cigarettes
2 years? ☐ No → Go to Question 38 ☐ Yes	☐ 11 to 20 cigarettes ☐ 6 to 10 cigarettes ☐ 1 to 5 cigarettes ☐ Less than 1 cigarette ☐ I don't smoke now
In the 3 months before you got pregnant, how many cigarettes did you smoke on an average day? (A pack has 20 cigarettes.)	38. Which of the following statements best describes the rules about smoking <i>inside</i> your home <i>now</i> ?
☐ 41 cigarettes or more ☐ 21 to 40 cigarettes ☐ 11 to 20 cigarettes ☐ 6 to 10 cigarettes ☐ 1 to 5 cigarettes ☐ Less than 1 cigarette ☐ I didn't smoke then	Check one answer ☐ No one is allowed to smoke anywhere inside my home ☐ Smoking is allowed in some rooms or at some times ☐ Smoking is permitted anywhere inside my home
In the <u>last 3</u> months of your pregnancy, how many cigarettes did you smoke on an average day? (A pack has 20 cigarettes.)	The next questions are about drinking alcohol around the time of pregnancy (before, during, and after).
☐ 41 cigarettes or more ☐ 21 to 40 cigarettes ☐ 11 to 20 cigarettes ☐ 6 to 10 cigarettes ☐ 1 to 5 cigarettes ☐ Less than 1 cigarette ☐ I didn't smoke then	39. Have you had any alcoholic drinks in the past 2 years? A drink is 1 glass of wine, wincooler, can or bottle of beer, shot of liquor, or mixed drink. Go to Page 8, Question 42 Go to Page 8, Question 40a
	Have you smoked any cigarettes in the past 2 years? No Go to Question 38 In the 3 months before you got pregnant, how many cigarettes did you smoke on an average day? (A pack has 20 cigarettes.) 41 cigarettes or more 21 to 40 cigarettes 11 to 20 cigarettes 10 to 5 cigarettes 11 to 5 cigarettes 12 Less than 1 cigarette 13 In the last 3 months of your pregnancy, how many cigarettes did you smoke on an average day? (A pack has 20 cigarettes.) 41 cigarettes or more 41 cigarettes or more 41 cigarettes 11 to 20 cigarettes 11 to 20 cigarettes 11 to 5 cigarettes 11 to 5 cigarettes 12 Less than 1 cigarettes 13 Less than 1 cigarettes 14 Less than 1 cigarettes 15 Less than 1 cigarettes 16 Less than 1 cigarettes

40a. During the 3 months before you got pregnant, how many alcoholic drinks did you have in an average week?	Pregnancy can be a difficult time for some women. The next questions are about things that may have happened <u>before</u> and
14 drinks or more a week 7 to 13 drinks a week 4 to 6 drinks a week 1 to 3 drinks a week Less than 1 drink a week I didn't drink then Go to Question 41a	 42. This question is about things that may have happened during the 12 months before your new baby was born. For each item, circle Y (Yes) if it happened to you or circle N (No) if it did not. (It may help to look at the calendar when you answer these questions.)
40b. During the 3 months before you got pregnant, how many times did you drink 4 alcoholic drinks or more in one sitting? A sitting is a two hour time span.	a. A close family member was very sick and had to go into the hospital N Y
☐ 6 or more times ☐ 4 to 5 times ☐ 2 to 3 times ☐ 1 time ☐ I didn't have 4 drinks or more in 1 sitting	b. I got separated or divorced from my husband or partner
41a. During the <u>last 3</u> months of your pregnancy, how many alcoholic drinks did you have in an average week?	g. I argued with my husband or partner more than usual
14 drinks or more a week 7 to 13 drinks a week 4 to 6 drinks a week 1 to 3 drinks a week Less than 1 drink a week I didn't drink then Go to Question 42	didn't want me to be pregnant
41b. During the <u>last 3</u> months of your pregnancy, how many times did you drink 4 alcoholic drinks or more in one sitting? A sitting is a two hour time span.	43. During the 12 months before your new baby was born, did you ever eat less than you felt you should because there wasn't enough money to buy food?
 ☐ 6 or more times ☐ 4 to 5 times ☐ 2 to 3 times ☐ 1 time ☐ I didn't have 4 drinks or more in 1 sitting 	□ No □ Yes

44.	During the 12 months before your new baby was born, how often did you feel unsafe in the neighborhood where you lived?	The next questions are about your labor and delivery. (It may help to look at the calendar when you answer these questions.)
	Always	
	☐ Often ☐ Sometimes	48. When was your baby due?
	☐ Rarely	/ / 20
	☐ Never	$\frac{1}{\text{Month}} / \frac{1}{\text{Day}} / \frac{20}{\text{Year}}$
45.	During the 12 months before your new baby	Wolfin Day Teal
		49. When did you go into the hospital to have
		your baby?
		/ / 20
	□ No □ Yes	$\frac{1}{\text{Month}} / \frac{1}{\text{Day}} / \frac{20}{\text{Year}}$
16		☐ I didn't have my baby in a hospital
		T then t have my baby in a nospital
40.	husband or partner push, hit, slap, kick,	50. When was your baby born?
		/ / 20
	choke, or physically hurt you in any other way?	$\frac{1}{\text{Month}} / \frac{1}{\text{Day}} / \frac{20}{\text{Year}}$
	□ No	Monui Day Tear
	☐ Yes	51. When were you discharged from the
		hospital after your baby was born?
47.	During <i>your most recent</i> pregnancy, did your husband or partner push, hit, slap,	/ / 20
	kick, choke, or physically hurt you in any	$\frac{1}{\text{Month}} / \frac{1}{\text{Day}} / \frac{20}{\text{Year}}$
	other way?	☐ I didn't have my baby in a hospital
	☐ No	T than t have my baby in a nospital
	☐ Yes	

10

52.		any of these health insurance plans help pay for the <i>delivery</i> of your new baby?	55. I	s yo	our baby alive nov	w?
	you	Check all that apply			No → Go to Yes	Page 12, Question 69
		Health insurance from your job or the job of your husband, partner, or parents Health insurance that you or someone else paid for (not from a job) Medicaid TRICARE or other military health care TennCare CoverKids CoverTN Other source(s)	57. II n e	Did Did milk even	you ever breastfed to feed your new for a short period No Yes	ed or pump breast baby after delivery, d of time? Go to Question 59 ons for not
		I did not have health insurance to help pay for my delivery	b	orea	stfeeding your ne	w baby? Check <u>all</u> that apply
you	ir no Aft	AFTER PREGNANCY xt questions are about the time since ew baby was born. er your baby was born, was he or she in an intensive care unit?			My baby was sick breastfeed I was sick or on m I had other childre I had too many hou I didn't like breast I tried but it was to	n to take care of usehold duties feeding
		No Yes I don't know			I didn't want to I was embarrassed I went back to wor I wanted my body Other	k or school
54.		er your baby was born, how long did he she stay in the hospital?				
		Less than 24 hours (less than 1 day) 24 to 48 hours (1 to 2 days) 3 to 5 days 6 to 14 days More than 14 days My baby was not born in a hospital My baby is still in the hospital Go to Question 57	9. A	Are Dum	on 62b.	eastfeeding or feeding new baby? Go to Question 62a
Go	to (Question 55	Got		uestion 60	30 to Question 02a

60.	How many weeks or months did you breastfeed or pump milk to feed your baby?	62b. How old was your new baby the first time he or she ate food (such as baby cereal, baby food, or any other food)?
61.	Weeks OR Months ☐ Less than 1 week What were your reasons for stopping	 Weeks OR Months My baby was less than 1 week old My baby has not eaten any foods
	breastfeeding? Check <u>all</u> that apply	If your baby is still in the hospital, go to Page 12, Question 67.
	 □ My baby had difficulty latching or nursing □ Breast milk alone did not satisfy my baby □ I thought my baby was not gaining 	63. In which <i>one</i> position do you <u>most often</u> lay your baby down to sleep now?
	enough weight	Check <u>one</u> answer
	 My nipples were sore, cracked, or bleeding It was too hard, painful, or too time consuming I thought I was not producing enough 	On his or her side On his or her back On his or her stomach
	milk ☐ I had too many other household duties	64. How often does your new baby sleep in the same bed with you or anyone else?
	I felt it was the right time to stop breastfeeding I got sick and was not able to breastfeed I went back to work or school My baby was jaundiced (yellowing of the skin or whites of the eyes)	Always Often Sometimes Rarely Never
		65. Was your new baby seen by a doctor, nurse, or other health care worker for a <i>one week check-up</i> after he or she was born?
62a	. How old was your new baby the first time he or she drank liquids other than breast milk (such as formula, water, juice, tea, or	□ No □ Yes
	cow's milk)? Weeks OR Months	66. Has your new baby had a well-baby checkup? (A well-baby checkup is a regular health visit for your baby usually at 1, 2, 4, and 6 months of age.)
	 My baby was less than 1 week old My baby has not had any liquids other than breast milk 	□ No □ Yes

12

67.	Ten	you have health insurance, Medicaid, nCare, CoverKids, or CoverTN for your baby?	70. What are your reasons or your husband's or partner's reasons for not doing anything to keep from getting pregnant now?		
		No ──── Go to Question 69		Check <u>all</u> that app	oly
68.		Yes at health insurance plan is your new y covered by? Check all that apply		I am not having sex I want to get pregnant I don't want to use birth control My husband or partner doesn't want to use anything I don't think I can get pregnant (sterile	
		Health insurance from your job or the job of your husband, partner, or parents Health insurance that you or someone else paid for (not from a job)		I can't pay for birth control I am pregnant now Other → Please tell us	:
		Medicaid TRICARE or other military health care TennCare CoverKids CoverTN	anyth go to	If you or your husband or partner is <u>not doing</u> anything to keep from getting pregnant <i>now</i> , go to Question 72.	
		Other source(s) — Please tell us:	hus	hat kind of birth control are you or yo sband or partner using now to keep from the pregnant? Check all that app	om
		I do not have health insurance for my new baby		Tubes tied or closed (female sterilization) Vasectomy (male sterilization)	on)
	any pres from at co rhyt met ring part	thing now to keep from getting gnant? (Some things people do to keep in getting pregnant include not having sex certain times [natural family planning or hm] or withdrawal, and using birth control hods such as the pill, condoms, vaginal in, IUD, having their tubes tied, or their iner having a vasectomy.) No Yes Go to Question 71 Question 70		Contraceptive patch (OrthoEvra [®]) Diaphragm, cervical cap, or sponge Vaginal ring (NuvaRing [®]) IUD (including Mirena [®])	18:

72. Since your new baby was born, have you had a postpartum checkup for yourself? (A postpartum checkup is the regular checkup	75. Which of the following statements best describes you during the <i>3 months before</i> you got pregnant with your new baby?
a woman has about 6 weeks after she gives birth.)	Check one answer
No Yes 73. Below is a list of feelings and experiences that women sometimes have after childbirth. Read each item to determine how well it describes your feelings and experiences. Then, write on the line the number of the choice that best describes	 ☐ I was trying to get pregnant ☐ I was trying to keep from getting pregnant but was not trying very hard ☐ I was trying hard to keep from getting pregnant 76. Did you use any of these drugs when you were pregnant? For each item, circle Y (Yes) if you used it or circle N (No) if you did not.
how often you have felt or experienced things this way <i>since your new baby was born</i> . Use the scale when answering:	a. Prescription drugs
1 2 3 4 5 Never Rarely Sometimes Often Always a. I felt down, depressed, or sad b. I felt hopeless c. I felt slowed down OTHER EXPERIENCES The next questions are on a variety of topics.	b. Marijuana (pot, bud) or Hashish (Hash)
74. During the 3 months before you got pregnant with your new baby, how often did you participate in any physical activities or exercise for 30 minutes or more? (For	77. This question is about the care of your teeth during your most recent pregnancy. For each item, circle Y (Yes) if it is true or circle N (No) if it is not true.
example, walking for exercise, swimming, cycling, dancing, or gardening.) Less than 1 day per week 1 to 2 days per week 3 to 4 days per week 5 or more days per week I was told by a doctor, nurse, or other health care worker not to exercise	a. I needed to see a dentist for a problem

If your baby is not alive or is not living with you, go to Question 81.

78.	Listed below are some statements about safety. For each thing, circle Y (Yes) if it applies to you or circle N (No) if it does not	ot.
	No	Yes
a. b.	My baby was brought home from the hospital in an infant car seat N My baby always or almost always	Y
о. c.	rides in an infant car seat	Y
d.	alarm	Y
	other firearms in my home N	Y
79.	When your new baby rides in a car, truc or van, how often does he or she ride in infant car seat?	
	□ Always□ Often□ Sometimes□ Rarely□ Never	
80.	About how many hours a day, on average your new baby in the same room or vehi with someone who is smoking?	
	Hours Less than 1 hour a day My baby is never in the same room o vehicle with someone who is smokin	
81.	Are you currently in school or working outside the home?	
	No, I don't work or go to schoolNo, I'm on maternity leave, but plan to return to work	0
	☐ Yes	

The last questions are about the time during the <u>12 months before</u> your new baby was born.

	During the 12 months before your new baby was born, what was your yearly total household income before taxes? Include your income, your husband's or partner's income, and any other income you may have received. (All information will be kept private and will not affect any services you are now getting.)
	□ Less than \$8,000 □ \$8,000 to \$9,999 □ \$10,000 to \$14,999 □ \$15,000 to \$19,999 □ \$20,000 to \$24,999 □ \$25,000 to \$34,999 □ \$35,000 to \$49,999 □ \$50,000 or more
83.	During the 12 months before your new baby was born, how many people, including yourself, depended on this income? People
84.	What is today's date?
	Month Day / 20 Year

Please use this space for any additional comments you would like to make about the health of mothers and babies in Tennessee.

Thanks for answering our questions!

Your answers will help us work to make Tennessee mothers and babies healthier.