

CRAFFT

The CRAFFT Screening Interview

It is suggested that the clinician start with: **“I’m going to ask you a few questions that I ask all my patients. Please be honest.”** (Then ask the following opening questions.)

Part A

- **During the PAST 12 MONTHS, did you:**
 - 1. Drink any alcohol (more than a few sips)? (Do not count sips of alcohol taken during family or religious events.) YES NO
 - 2. Smoke any marijuana or hashish? YES NO
 - 3. Use anything else to get high? (“anything else” includes over the counter and prescription drugs, illegal drugs, and things that you sniff or “huff”) YES NO

If the adolescent answers “**YES**” to any of the opening questions, *administer all six questions in Part B below*. If the adolescent answers “**NO**” to any of the opening questions, *administer only the first of the six questions in Part B below*.

Part B

	Yes	No
1. C - Have you ever ridden in a CAR driven by someone (including yourself) who was "high" or had been using alcohol or drugs?	___	___
2. R - Do you ever use alcohol or drugs to RELAX , feel better about yourself, or fit in?	___	___
3. A - Do you ever use alcohol/drugs while you are by yourself, ALONE ?	___	___
4. F - Do you ever FORGET things you did while using alcohol or drugs?	___	___
5. F - Do your FAMILY or FRIENDS ever tell you that you should cut down on your drinking or drug use?	___	___
6. T - Have you ever gotten into TROUBLE while you were using alcohol or drugs?	___	___

© Boston Children’s Hospital, 2012, all rights reserved. Reproduced with permission, February 2013. CRAFFT cards can be requested from <http://www.ceasar.org/about/CRAFFT%20Card%20Request%20Form.pdf>. For more information, visit <http://www.ceasar.org/CRAFFT/index.php>.

Self Administration and Scoring of the CRAFFT

A self-administered version of the CRAFFT is available at http://www.ceasar.org/CRAFFT/pdf/CRAFFT_SA_English.pdf. Both the screener (on the previous page and the self-administered version should be scored using the same criteria. ***It should be noted that Part A items and responses determine which of the Part B items should be administered.***

Responses to Part B items are used as the primary screening results. Scoring follows the pattern below:

- ***Each “YES” response should receive a score of 1.***
- ***Two or more “YES” responses are indicative of a positive screen and suggest the probability of a significant problem involving substances.***

Any score of at least 2 indicates a need for additional assessment.

© Boston Children’s Hospital, 2012, all rights reserved. Reproduced with permission, February 2013. For more information, visit <http://www.ceasar.org/CRAFFT/index.php>.

*This page
was intentionally
left blank*