

Robert	son Co	ount	у	Publish	ed 1/2021
Demographics	Robertson (	County Rate	Tennessee Rate	County Rate as a percentage of State Rate	County Rank
Total population (state comparison is number not rate)	71,014	NA	6,769,975	1.0%	19
Population under 18 years of age	16,770	23.6%	22.2%	106.4%	13
	Robertson		22.270		10
Economic Well-Being	Number	Rate	Tennessee Rate	County Rate as a percentage of State Rate	County Rank
Youth unemployment	215	12.8%	11.2%	114.3%	54
Per capita personal income (state is dollars not rate)	\$42,104	NA	\$46,900	89.8%	17
Median home sales price (state is dollars not rate)	\$206,000	NA	\$146,000	141.1%	10
Children receiving Families First grants (TANF)	354	2.1%	2.7%	78.0%	23
Children receiving SNAP	4,275	25.5%	28.2%	90.5%	21
Children under five receiving WIC	932	21.1%	30.6%	68.8%	6
Education	Robertson ( Number	County Rate	Tennessee Rate	County Rate as a percentage of State Rate	County Rank
School age special education services	1,487	13.4%	12.3%	108.9%	54
TEIS participation (per 1,000 in age group)	50	18.92	27.9	67.8%	11
Cohort high school dropouts	32	3.9%	8.3%	47.0%	39
Event high school dropouts	18	0.5%	2.2%	22.7%	15
Economically disadvantaged students	6,612	59.8%	65.1%	91.9%	24
School expulsions (per 1,000 students)	0	0.0	2.0	0.0%	1
Chronic absenteeism	1,233	11.0%	13.3%	82.7%	31
Young adult college enrollment/completion rate	NA	60.9%	62.5%	97.4%	44
	Robertson		02.070		
Health			Tennessee Rate	County Rate as a percentage of	County Rank
	Numbor	Pato		State Rate	rtanit
Neonatal abstinence syndrome (per 1 000 live births)	Number	Rate	11 5		
Neonatal abstinence syndrome (per 1,000 live births)	10	11.25	11.5	98.0%	30
Births to mothers who smoked during pregnancy	10 111	11.25 12.5%	12.1%	98.0% 103.3%	30 14
Births to mothers who smoked during pregnancy Children on TennCare (Medicaid)	10 111 7,931	11.25 12.5% 41.0%	12.1% 44.7%	98.0% 103.3% 91.7%	30 14 15
Births to mothers who smoked during pregnancy Children on TennCare (Medicaid) Total TennCare (Medicaid) enrollees	10 111 7,931 12,512	11.25 12.5% 41.0% 17.6%	12.1% 44.7% 19.9%	98.0% 103.3% 91.7% 88.5%	30 14 15 15
Births to mothers who smoked during pregnancy Children on TennCare (Medicaid) Total TennCare (Medicaid) enrollees Births covered by TennCare (Medicaid)	10 111 7,931 12,512 560	11.25 12.5% 41.0% 17.6% 63.0%	12.1% 44.7% 19.9% 65.5%	98.0% 103.3% 91.7% 88.5% 96.2%	30 14 15 15 10
Births to mothers who smoked during pregnancy Children on TennCare (Medicaid) Total TennCare (Medicaid) enrollees Births covered by TennCare (Medicaid) Children qualified for Medicaid/CHIP but uninsured	10 111 7,931 12,512 560 710	11.25 12.5% 41.0% 17.6% 63.0% 8.0%	12.1% 44.7% 19.9% 65.5% 6.5%	98.0% 103.3% 91.7% 88.5% 96.2% 123.1%	30 14 15 15 10 89
Births to mothers who smoked during pregnancy Children on TennCare (Medicaid) Total TennCare (Medicaid) enrollees Births covered by TennCare (Medicaid) Children qualified for Medicaid/CHIP but uninsured Infant mortality (per 1,000 live births)	10 111 7,931 12,512 560 710 8	11.25 12.5% 41.0% 17.6% 63.0% 8.0% 9.00	12.1% 44.7% 19.9% 65.5% 6.5% 6.9	98.0% 103.3% 91.7% 88.5% 96.2% 123.1% 130.4%	30 14 15 15 10 89 71
Births to mothers who smoked during pregnancy Children on TennCare (Medicaid) Total TennCare (Medicaid) enrollees Births covered by TennCare (Medicaid) Children qualified for Medicaid/CHIP but uninsured Infant mortality (per 1,000 live births) Neonatal death (per 1,000 live births)	10 111 7,931 12,512 560 710 8 6	11.25 12.5% 41.0% 17.6% 63.0% 8.0% 9.00 6.70	12.1% 44.7% 19.9% 65.5% 6.5% 6.9 4.4	98.0% 103.3% 91.7% 88.5% 96.2% 123.1% 130.4% 152.3%	30 14 15 15 10 89 71 78
Births to mothers who smoked during pregnancy Children on TennCare (Medicaid) Total TennCare (Medicaid) enrollees Births covered by TennCare (Medicaid) Children qualified for Medicaid/CHIP but uninsured Infant mortality (per 1,000 live births) Neonatal death (per 1,000 live births) Child deaths (per 100,000 children age 1 to 14)	10 111 7,931 12,512 560 710 8 6 0	11.25 12.5% 41.0% 17.6% 63.0% 8.0% 9.00 6.70 0.00	12.1% 44.7% 19.9% 65.5% 6.5% 6.9 4.4 20.5	98.0% 103.3% 91.7% 88.5% 96.2% 123.1% 130.4% 152.3% 0.0%	30 14 15 15 10 89 71 78 1
Births to mothers who smoked during pregnancy Children on TennCare (Medicaid) Total TennCare (Medicaid) enrollees Births covered by TennCare (Medicaid) Children qualified for Medicaid/CHIP but uninsured Infant mortality (per 1,000 live births) Neonatal death (per 1,000 live births) Child deaths (per 100,000 children age 1 to 14) Teen violent deaths (per 100,000 children age 15 to 19)	10 111 7,931 12,512 560 710 8 6 0 2	11.25 12.5% 41.0% 17.6% 63.0% 8.0% 9.00 6.70 0.00 43.90	12.1% 44.7% 19.9% 65.5% 6.5% 6.9 4.4 20.5 55.7	98.0% 103.3% 91.7% 88.5% 96.2% 123.1% 130.4% 152.3% 0.0% 78.8%	30 14 15 15 10 89 71 78 1 54
Births to mothers who smoked during pregnancy Children on TennCare (Medicaid) Total TennCare (Medicaid) enrollees Births covered by TennCare (Medicaid) Children qualified for Medicaid/CHIP but uninsured Infant mortality (per 1,000 live births) Neonatal death (per 1,000 live births) Child deaths (per 100,000 children age 1 to 14) Teen violent deaths (per 100,000 children age 15 to 19) Adequate prenatal care	10 111 7,931 12,512 560 710 8 6 0 2 2 560	11.25 12.5% 41.0% 17.6% 63.0% 8.0% 9.00 6.70 0.00 43.90 63.0%	12.1% 44.7% 19.9% 65.5% 6.5% 6.9 4.4 20.5 55.7 58.8%	98.0% 103.3% 91.7% 88.5% 96.2% 123.1% 130.4% 152.3% 0.0% 78.8% 107.1%	30 14 15 15 10 89 71 78 1 54 45
Births to mothers who smoked during pregnancy Children on TennCare (Medicaid) Total TennCare (Medicaid) enrollees Births covered by TennCare (Medicaid) Children qualified for Medicaid/CHIP but uninsured Infant mortality (per 1,000 live births) Neonatal death (per 1,000 live births) Child deaths (per 100,000 children age 1 to 14) Teen violent deaths (per 100,000 children age 15 to 19) Adequate prenatal care Children under age six screened for lead poisoning	10 111 7,931 12,512 560 710 8 6 0 2 560 937	11.25 12.5% 41.0% 17.6% 63.0% 8.0% 9.00 6.70 0.00 43.90 63.0% 17.6%	12.1% 44.7% 19.9% 65.5% 6.5% 6.9 4.4 20.5 55.7 58.8% 17.1%	98.0% 103.3% 91.7% 88.5% 96.2% 123.1% 130.4% 152.3% 0.0% 78.8% 107.1% 102.7%	30 14 15 15 10 89 71 78 78 1 54 45 45
Births to mothers who smoked during pregnancy Children on TennCare (Medicaid) Total TennCare (Medicaid) enrollees Births covered by TennCare (Medicaid) Children qualified for Medicaid/CHIP but uninsured Infant mortality (per 1,000 live births) Neonatal death (per 1,000 live births) Child deaths (per 100,000 children age 1 to 14) Teen violent deaths (per 100,000 children age 15 to 19) Adequate prenatal care Children under age six screened for lead poisoning Public school students measured as overweight/obese	10 111 7,931 12,512 560 710 8 6 0 2 560 937 NA	11.25 12.5% 41.0% 17.6% 63.0% 9.00 6.70 0.00 43.90 63.0% 17.6% 42.0%	12.1% 44.7% 19.9% 65.5% 6.5% 6.9 4.4 20.5 55.7 58.8% 17.1% 39.3%	98.0%     103.3%     91.7%     88.5%     96.2%     123.1%     130.4%     152.3%     0.0%     78.8%     107.1%     102.7%     106.9%	30 14 15 15 10 89 71 78 1 54 45 45 40
Births to mothers who smoked during pregnancy Children on TennCare (Medicaid) Total TennCare (Medicaid) enrollees Births covered by TennCare (Medicaid) Children qualified for Medicaid/CHIP but uninsured Infant mortality (per 1,000 live births) Neonatal death (per 1,000 live births) Child deaths (per 1,000 children age 1 to 14) Teen violent deaths (per 100,000 children age 1 to 14) Teen violent deaths (per 100,000 children age 15 to 19) Adequate prenatal care Children under age six screened for lead poisoning Public school students measured as overweight/obese Teens with STDs (per 1,000 children age 15 to 17)	10 111 7,931 12,512 560 710 8 6 0 2 560 937 NA 32	11.25 12.5% 41.0% 17.6% 63.0% 9.00 6.70 0.00 43.90 63.0% 17.6% 42.0% 11.4	12.1% 44.7% 19.9% 65.5% 6.5% 6.9 4.4 20.5 55.7 58.8% 17.1% 39.3% 19.0	98.0% 103.3% 91.7% 88.5% 96.2% 123.1% 130.4% 152.3% 0.0% 78.8% 107.1% 102.7% 106.9% 60.1%	30 14 15 15 10 89 71 78 1 54 45 45 45 40 37
Births to mothers who smoked during pregnancy Children on TennCare (Medicaid) Total TennCare (Medicaid) enrollees Births covered by TennCare (Medicaid) Children qualified for Medicaid/CHIP but uninsured Infant mortality (per 1,000 live births) Neonatal death (per 1,000 live births) Child deaths (per 100,000 children age 1 to 14) Teen violent deaths (per 100,000 children age 15 to 19) Adequate prenatal care Children under age six screened for lead poisoning Public school students measured as overweight/obese Teens with STDs (per 1,000 children age 15 to 17) Medical doctors by county (per 100,000 residents)	10 111 7,931 12,512 560 710 8 6 0 2 560 937 NA 32 36	11.25     12.5%     41.0%     17.6%     63.0%     9.00     6.70     0.00     43.90     63.0%     17.6%     42.0%     11.4     50.7	12.1% 44.7% 19.9% 65.5% 6.5% 6.9 4.4 20.5 55.7 58.8% 17.1% 39.3% 19.0 229.1	98.0%     103.3%     91.7%     88.5%     96.2%     123.1%     130.4%     152.3%     0.0%     78.8%     107.1%     102.7%     106.9%     60.1%     22.1%	30 14 15 15 10 89 71 78 1 54 45 45 45 40 37 44
Births to mothers who smoked during pregnancy Children on TennCare (Medicaid) Total TennCare (Medicaid) enrollees Births covered by TennCare (Medicaid) Children qualified for Medicaid/CHIP but uninsured Infant mortality (per 1,000 live births) Neonatal death (per 1,000 live births) Child deaths (per 1,000 children age 1 to 14) Teen violent deaths (per 100,000 children age 1 to 14) Teen violent deaths (per 100,000 children age 15 to 19) Adequate prenatal care Children under age six screened for lead poisoning Public school students measured as overweight/obese Teens with STDs (per 1,000 children age 15 to 17)	10 111 7,931 12,512 560 710 8 6 0 2 560 937 NA 32 36 14	11.25     12.5%     41.0%     17.6%     63.0%     9.00     6.70     0.00     43.90     63.0%     17.6%     43.90     63.0%     17.6%     42.0%     11.4     50.7     19.7	12.1% 44.7% 19.9% 65.5% 6.5% 6.9 4.4 20.5 55.7 58.8% 17.1% 39.3% 19.0	98.0%     103.3%     91.7%     88.5%     96.2%     123.1%     130.4%     152.3%     0.0%     78.8%     107.1%     102.7%     106.9%     60.1%     22.1%     39.4%	30 14 15 15 10 89 71 78 1 54 45 45 45 40 37
Births to mothers who smoked during pregnancy Children on TennCare (Medicaid) Total TennCare (Medicaid) enrollees Births covered by TennCare (Medicaid) Children qualified for Medicaid/CHIP but uninsured Infant mortality (per 1,000 live births) Neonatal death (per 1,000 live births) Child deaths (per 100,000 children age 1 to 14) Teen violent deaths (per 100,000 children age 15 to 19) Adequate prenatal care Children under age six screened for lead poisoning Public school students measured as overweight/obese Teens with STDs (per 1,000 children age 15 to 17) Medical doctors by county (per 100,000 residents)	10 111 7,931 12,512 560 710 8 6 0 2 560 937 NA 32 36	11.25     12.5%     41.0%     17.6%     63.0%     9.00     6.70     0.00     43.90     63.0%     17.6%     43.90     63.0%     17.6%     42.0%     11.4     50.7     19.7	12.1% 44.7% 19.9% 65.5% 6.5% 6.9 4.4 20.5 55.7 58.8% 17.1% 39.3% 19.0 229.1	98.0%     103.3%     91.7%     88.5%     96.2%     123.1%     130.4%     152.3%     0.0%     78.8%     107.1%     102.7%     106.9%     60.1%     22.1%	30 14 15 15 10 89 71 78 1 54 45 45 45 40 37 44
Births to mothers who smoked during pregnancy Children on TennCare (Medicaid) Total TennCare (Medicaid) enrollees Births covered by TennCare (Medicaid) Children qualified for Medicaid/CHIP but uninsured Infant mortality (per 1,000 live births) Neonatal death (per 1,000 live births) Child deaths (per 100,000 children age 1 to 14) Teen violent deaths (per 100,000 children age 15 to 19) Adequate prenatal care Children under age six screened for lead poisoning Public school students measured as overweight/obese Teens with STDs (per 1,000 children age 15 to 17) Medical doctors by county (per 100,000 residents) Dentists by county (per 100,000 residents)	10 111 7,931 12,512 560 710 8 6 0 2 560 937 NA 32 36 14 Robertson	11.25 12.5% 41.0% 17.6% 63.0% 9.00 6.70 0.00 43.90 63.0% 17.6% 42.0% 11.4 50.7 19.7 County	12.1% 44.7% 19.9% 65.5% 6.5% 6.9 4.4 20.5 55.7 58.8% 17.1% 39.3% 19.0 229.1 50.1 Tennessee	98.0% 103.3% 91.7% 88.5% 96.2% 123.1% 130.4% 152.3% 0.0% 78.8% 107.1% 102.7% 106.9% 60.1% 22.1% 39.4% County Rate as a percentage of	30 14 15 15 10 89 71 78 1 54 45 45 45 45 40 37 44 62 County
Births to mothers who smoked during pregnancy   Children on TennCare (Medicaid)   Total TennCare (Medicaid) enrollees   Births covered by TennCare (Medicaid)   Children qualified for Medicaid/CHIP but uninsured   Infant mortality (per 1,000 live births)   Neonatal death (per 1,000 live births)   Child deaths (per 100,000 children age 1 to 14)   Teen violent deaths (per 100,000 children age 15 to 19)   Adequate prenatal care   Children under age six screened for lead poisoning   Public school students measured as overweight/obese   Teens with STDs (per 1,000 children age 15 to 17)   Medical doctors by county (per 100,000 residents)   Dentists by county (per 100,000 residents)	10 111 7,931 12,512 560 710 8 6 0 2 560 937 NA 32 36 14 <b>Robertson</b>	11.25   12.5%   41.0%   17.6%   63.0%   9.00   6.70   0.00   43.90   63.0%   17.6%   42.0%   11.4   50.7   19.7   County   Rate	12.1% 44.7% 19.9% 65.5% 6.5% 6.9 4.4 20.5 55.7 58.8% 17.1% 39.3% 19.0 229.1 50.1 Tennessee Rate	98.0% 103.3% 91.7% 88.5% 96.2% 123.1% 130.4% 152.3% 0.0% 78.8% 107.1% 102.7% 106.9% 60.1% 22.1% 39.4% County Rate as a percentage of State Rate	30 14 15 15 10 89 71 78 1 54 45 45 45 45 40 37 44 62 County Rank
Births to mothers who smoked during pregnancy   Children on TennCare (Medicaid)   Total TennCare (Medicaid) enrollees   Births covered by TennCare (Medicaid)   Children qualified for Medicaid/CHIP but uninsured   Infant mortality (per 1,000 live births)   Neonatal death (per 1,000 live births)   Child deaths (per 100,000 children age 1 to 14)   Teen violent deaths (per 100,000 children age 15 to 19)   Adequate prenatal care   Children under age six screened for lead poisoning   Public school students measured as overweight/obese   Teens with STDs (per 1,000 children age 15 to 17)   Medical doctors by county (per 100,000 residents)   Dentists by county (per 100,000 residents)   Reported child abuse cases	10 111 7,931 12,512 560 710 8 6 0 2 560 937 NA 32 36 14 <b>Robertson</b> <b>Number</b> 945	11.25   12.5%   41.0%   17.6%   63.0%   9.00   6.70   0.00   43.90   63.0%   17.6%   42.0%   11.4   50.7   19.7   County   Rate   5.6%	12.1% 44.7% 19.9% 65.5% 6.5% 6.9 4.4 20.5 55.7 58.8% 17.1% 39.3% 19.0 229.1 50.1 Tennessee Rate 4.7%	98.0% 103.3% 91.7% 88.5% 96.2% 123.1% 130.4% 152.3% 0.0% 78.8% 107.1% 102.7% 106.9% 60.1% 22.1% 39.4% County Rate as a percentage of State Rate 120.8%	30 14 15 15 10 89 71 78 1 54 45 45 45 45 40 37 44 62 County Rank 53
Births to mothers who smoked during pregnancy   Children on TennCare (Medicaid)   Total TennCare (Medicaid) enrollees   Births covered by TennCare (Medicaid)   Children qualified for Medicaid/CHIP but uninsured   Infant mortality (per 1,000 live births)   Neonatal death (per 1,000 live births)   Child deaths (per 100,000 children age 1 to 14)   Teen violent deaths (per 100,000 children age 15 to 19)   Adequate prenatal care   Children under age six screened for lead poisoning   Public school students measured as overweight/obese   Teens with STDs (per 1,000 children age 15 to 17)   Medical doctors by county (per 100,000 residents)   Dentists by county (per 100,000 residents)   Reported child abuse cases   Commitment to state custody (per 1,000 children)   Remaining in state custody (per 1,000 children)   Juvenile court referrals	10 111 7,931 12,512 560 710 8 6 0 2 2 560 937 NA 32 36 14 <b>Robertson</b> <b>Number</b> 945 50	11.25   12.5%   41.0%   17.6%   63.0%   9.00   6.70   0.00   43.90   63.0%   17.6%   42.0%   11.4   50.7   19.7   County   Rate   5.6%   2.7	12.1% 44.7% 19.9% 65.5% 6.5% 6.9 4.4 20.5 55.7 58.8% 17.1% 39.3% 19.0 229.1 50.1 Tennessee Rate 4.7% 4.1	98.0% 103.3% 91.7% 88.5% 96.2% 123.1% 130.4% 152.3% 0.0% 78.8% 107.1% 102.7% 106.9% 60.1% 22.1% 39.4% County Rate as a percentage of State Rate 120.8% 66.4%	30 14 15 15 10 89 71 78 1 54 45 45 45 45 40 37 44 62 County Rank 53 13
Births to mothers who smoked during pregnancy   Children on TennCare (Medicaid)   Total TennCare (Medicaid) enrollees   Births covered by TennCare (Medicaid)   Children qualified for Medicaid/CHIP but uninsured   Infant mortality (per 1,000 live births)   Neonatal death (per 1,000 live births)   Child deaths (per 100,000 children age 1 to 14)   Teen violent deaths (per 100,000 children age 15 to 19)   Adequate prenatal care   Children under age six screened for lead poisoning   Public school students measured as overweight/obese   Teens with STDs (per 1,000 children age 15 to 17)   Medical doctors by county (per 100,000 residents)   Dentists by county (per 100,000 residents)   Reported child abuse cases   Commitment to state custody (per 1,000 children)   Remaining in state custody (per 1,000 children)	10 111 7,931 12,512 560 710 8 6 0 2 560 937 NA 32 36 14 <b>Robertson</b> <b>Number</b> 945 50 60	11.25   12.5%   41.0%   17.6%   63.0%   9.00   6.70   0.00   43.90   63.0%   17.6%   42.0%   11.4   50.7   19.7   County   Rate   5.6%   2.7   3.2	12.1% 44.7% 19.9% 65.5% 6.5% 6.9 4.4 20.5 55.7 58.8% 17.1% 39.3% 19.0 229.1 50.1 Tennessee Rate 4.7% 4.1 5.2	98.0% 103.3% 91.7% 88.5% 96.2% 123.1% 130.4% 152.3% 0.0% 78.8% 107.1% 102.7% 106.9% 60.1% 22.1% 39.4% County Rate as a percentage of State Rate 120.8% 66.4% 62.4%	30 14 15 15 10 89 71 78 1 54 45 45 45 45 45 40 37 44 62 County Rank 53 13 13 17

## Robertson County

At 55<sup>th</sup>, Robertson County ranks in the bottom half of Tennessee counties in child wellbeing. Some of the county's strongest rankings include no child or teen deaths in 2018 and a high median household income. The county's biggest opportunities for improvement include high housing costs and a high percentage of children without health insurance.

Additional strengths include an above-average high school graduation rate and a relatively low rate of child poverty (at 15.4 percent, Robertson County's child poverty rate is still too high, but it is among the lowest in the state.)

Additional challenges include above-average rates of babies born at a low birth weight and pregnancy among girls age 15-17.

*Policy/Practice/Program Options to Improve Outcomes.* Many of these policies have multiple models for delivery, including public-private partnership and non-profit leadership.

- Pro-active housing policy that helps ensure affordable housing is available for people to live where they work can improve negative outcomes related to high housing costs
- Most uninsured children in Tennessee qualify for either TennCare or CoverKids, so high rates of uninsured children can be improved with outreach to make sure that families are aware of these insurance opportunities. According to Census Bureau estimates, Robertson County has over 700 children who qualify for these health insurance programs but who nonetheless lack insurance.
- Low birth weight is a persistent and difficult problem, but improvements can occur when care is made available for chronic physical and mental health and substance abuse conditions for women of childbearing age, as well as improving outreach to those who may qualify to receive SNAP, WIC and/or TennCare benefits to be sure they are aware of these services. Additionally, nutrition programs that provide food for school-age children to take home can contribute to nutritionally sound diets for women in their childbearing years. Expanding services through Family Resource Centers can help reach these vulnerable populations.
- Comprehensive sex education classes that include both encouragement of abstinence and information on birth control have been shown to reduce the number of teen pregnancies.

