

Estimated Quantities -- Letting December 07, 2018

Quantities shown are for information only and should not be used for bidding purposes. The official bid files should be obtained from www.bidx.com

Contract ID CNS944 - BLOUNT & LOUDON

Item No.	Description	Quantity	Units
705-04.21	GUARDRAIL DELINEATION ENHANCEMENT	150.000	L.F.
705-80.01	LONGITUDINAL CABLE BARRIER	42,440.000	L.F.
705-80.18	CABLE BARRIER TERMINAL	76.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
713-02.21	SIGN POST DELINEATION ENHANCEMENT	354.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	1,502.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	1,342.000	LB.
713-11.21	P POST SLIP BASE	11.000	EACH
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	216.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	465.000	S.F.
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	29.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	270.000	L.F.
716-03.07	PLASTIC WORD PAVEMENT MARKING (STOP)	2.000	EACH
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	0.800	L.M.
716-13.04	SPRAY THERMO PVMT MRKNG (60 mil) (4IN DOTTED LINE)	325.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS943 - COFFEE

Item No.	Description	Quantity	Units
705-80.01	LONGITUDINAL CABLE BARRIER	7,360.000	L.F.
705-80.18	CABLE BARRIER TERMINAL	4.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	24.000	S.F.
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	4.000	EACH
717-01	MOBILIZATION	(1)	LS

Contract ID CNS945 - DAVIDSON , MONTGOMERY, ETC.

Item No.	Description	Quantity	Units
603-05.40	CONTAINMENT & DISPOSAL OF WASTE(LOCATION & DESCRP) (DAVIDSON CO BRIDGE CLEANING)	14,000.000	GAL.
611-07.10	CLEAN DRAIN (TRENCH DRAIN)	3,000.000	L.F.
611-07.11	CLEAN DRAIN(WITH GRATE)	9,193.000	EACH
611-07.12	CLEAN DRAIN(WALL DRAIN)	1,195.000	EACH
611-07.13	PIPE CLEANING (<18IN DIA.)	3,400.000	L.F.
611-07.14	PIPE CLEANING (>OR=18IN DIA.)	150.000	L.F.
712-01.02	LANE CLOSURE	70.000	EACH
712-01.56	MAINTENANCE OF TRAFFIC () (BRIDGE CLEANING)	7.000	EACH
719-01	SWEEPING	20,934.000	L.M.
719-01.21	STRUCTURE AND SITE CLEANING(LOCATION) (I-40@CHARLOTTE AVE)	(1)	LS
719-01.23	STRUCTURE AND SITE CLEANING(LOCATION) (I-40@40TH STREET)	(1)	LS
719-01.24	STRUCTURE AND SITE CLEANING(LOCATION) (I-40@BATAVIA STREET)	(1)	LS
719-01.25	STRUCTURE AND SITE CLEANING(LOCATION) (I-40@CLIFTON STREET)	(1)	LS
719-01.26	STRUCTURE AND SITE CLEANING(LOCATION) (I-40@CLIFTON STREET #2)	(1)	LS
719-01.27	STRUCTURE AND SITE CLEANING(LOCATION) (I-40@28TH AVENUE)	(1)	LS
719-01.28	STRUCTURE AND SITE CLEANING(LOCATION) (I-40@21ST AVENUE)	(1)	LS

Contract ID CNS946 - FAYETTE

Item No.	Description	Quantity	Units
209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	200.000	L.F.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	690.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	259.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	0.300	TON
411-03.10	ACS MIX(PG76-22) GRADING D	144.000	TON
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	450.000	S.Y.
604-10.05	CONCRETE	35.000	S.F.
604-10.30	BRIDGE DECK REPAIRS (FULL DEPTH OF SLAB)	50.000	S.Y.
604-10.44	EXPANSION JOINT REPAIRS	94.000	L.F.
604-10.50	BRIDGE DECK REPAIRS (PARTIAL DEPTH OF SLAB)	50.000	S.Y.
604-10.51	SCARIFYING	216.000	S.Y.
604-10.54	CONCRETE REPAIRS	76.000	S.F.
604-10.69	PRESTRESSING STRAND SPLICE	3.000	EACH
604-10.83	COMPOSITE FIBER ENCASMENT	515.000	S.F.
606-03.03	STEEL PILES (12 INCH)	480.000	L.F.
617-04.01	TYPE 1 THIN EPOXY OVERLAY (EPOXY-URETHANE)	1,512.000	S.Y.
705-20.25	TEMPORARY CRASH CUSHION (MASH TL-3)	1.000	EACH
707-08.11	HIGH-VISIBILITY CONSTRUCTION FENCE	200.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	812.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	34.000	EACH
712-04.50	BARRIER RAIL DELINEATOR	27.000	EACH
712-06	SIGNS (CONSTRUCTION)	157.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	1.000	EACH
712-09.01	REMOVABLE PAVEMENT MARKING LINE	5,838.000	L.F.
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
716-01.23	SNOWPLOWABLE RAISED PAVEMENT MARKERS (BI-DIR)(2 COLOR)	5.000	EACH

Contract ID CNS946 - FAYETTE

Item No.	Description	Quantity	Units
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	5.000	EACH
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	0.200	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS922 - MONROE

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
201-01	CLEARING AND GRUBBING	(1)	LS
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	1,327.000	C.Y.
203-02.01	BORROW EXCAVATION (GRADED SOLID ROCK)	1,205.000	TON
203-06	WATER	17.000	M.G.
204-08	FOUNDATION FILL MATERIAL	778.000	C.Y.
209-05	SEDIMENT REMOVAL	5.000	C.Y.
209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	415.000	L.F.
209-09.03	SEDIMENT FILTER BAG (15' X 15')	2.000	EACH
209-13.04	TURBIDITY CURTAIN(DESCRIPTION) ()	400.000	L.F.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	350.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	44.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	33.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	22.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	1.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	1.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	149.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON- CONTINUOUS) (8IN WIDTH)	0.220	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	2,054.000	S.Y.
604-32	LEVELING CONCRETE	778.000	C.Y.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	4.000	EACH
705-06.02	W BEAM GR (TYPE 2) MASH TL3 (LONG POST)	160.000	L.F.
705-20.25	TEMPORARY CRASH CUSHION (MASH TL-3)	2.000	EACH
706-01	GUARDRAIL REMOVED	160.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	510.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	20.000	EACH

Contract ID CNS922 - MONROE

Item No.	Description	Quantity	Units
712-04.50	BARRIER RAIL DELINEATOR	26.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	857.000	S.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	48.000	L.F.
712-09.01	REMOVABLE PAVEMENT MARKING LINE	2,000.000	L.F.
712-09.02	REMOVABLE PAVEMENT MARKING (8" BARRIER LINE)	825.000	L.F.
712-09.04	REMOVABLE PAVEMENT MARKING (STOP LINE)	24.000	L.F.
713-15	REMOVAL OF SIGNS, POSTS AND FOOTINGS	(1)	LS
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
713-16.20	SIGNS (DESCRIPTION) (24"x30",W1-8L)	2.000	EACH
713-16.21	SIGNS (DESCRIPTION) (24"x30",W1-8R)	2.000	EACH
716-01.21	SNOWPLOWABLE RAISED PAVMENT MARKERS (BI-DIR) (1 COLOR)	9.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	0.600	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	0.280	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	0.280	L.M.
717-01	MOBILIZATION	(1)	LS
730-40	TEMPORARY TRAFFIC SIGNAL SYSTEM	2.000	EACH
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	222.000	S.Y.
740-10.04	GEOTEXTILE (TYPE IV)(STABILIZATION)	295.000	S.Y.
607-50.04	PRECAST CONCRETE BOX CULVERT (10' X 4')	82.000	L.F.

Contract ID CNS357 - ANDERSON , BLOUNT, ETC.

Item No.	Description	Quantity	Units
502-02	HOLES	10.000	EACH
502-03.25	FULL DEPTH PCC PAVEMENT REPAIR HIGH EARLY	1,500.000	C.Y.
502-03.26	PARTIAL DEPTH PCC PAVEMENT REPAIR HIGH EARLY	500.000	S.Y.
502-04.01	SAWING CONCRETE PAVEMENT (FULL DEPTH)	8,000.000	L.F.
502-04.02	LOAD TRANSFER DOWELS	2,500.000	EACH
502-04.03	TRANSVERSE TIE-BARS	750.000	EACH
502-08	PRE-ROLLING	200.000	S.Y.
502-08.02	RESEALING JOINTS (SILICONE SEALANT)	5,000.000	L.F.
502-08.03	SEALING SHOULDER JOINTS	4,000.000	L.F.
502-08.07	SEALING RANDOM CRACKS (SILICONE SEALANT)	1,200.000	L.F.
502-10	CEMENT-FLY ASH GROUT	100.000	C.F.
502-25	SAWING CONCRETE JOINTS	2,000.000	L.F.
503-01	GRINDING CONCRETE PAVEMENT	1,500.000	S.Y.
503-60	RETROFIT DOWEL BAR	140.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-01.02	LANE CLOSURE	20.000	EACH
712-01.03	LANE CLOSURE(NIGHT WORK)	20.000	EACH
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	150.000	EACH
712-06	SIGNS (CONSTRUCTION)	400.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
712-08.20	TRUCK MOUNTED ATTENUATOR W/MSSAGE BOARD	20.000	DAY
712-09.01	REMOVABLE PAVEMENT MARKING LINE	500.000	L.F.
716-01.10	SNOWPLOWABLE REFLECTIVE MARKER	10.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	10.000	EACH
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	2.000	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	500.000	L.F.

Contract ID CNS357 - ANDERSON , BLOUNT, ETC.

Item No.	Description	Quantity	Units
717-01.04	MOBILIZATION (DESCRIPTION) (WORK ORDER)	10.000	EACH

Contract ID CNS359 - BEDFORD , CHEATHAM, ETC.

Item No.	Description	Quantity	Units
502-02	HOLES	10.000	EACH
502-03.25	FULL DEPTH PCC PAVEMENT REPAIR HIGH EARLY	1,500.000	C.Y.
502-03.26	PARTIAL DEPTH PCC PAVEMENT REPAIR HIGH EARLY	150.000	S.Y.
502-04.01	SAWING CONCRETE PAVEMENT (FULL DEPTH)	8,460.000	L.F.
502-04.02	LOAD TRANSFER DOWELS	4,210.000	EACH
502-04.03	TRANSVERSE TIE-BARS	1,800.000	EACH
502-08	PRE-ROLLING	15.000	S.Y.
502-08.02	RESEALING JOINTS (SILICONE SEALANT)	5,000.000	L.F.
502-08.03	SEALING SHOULDER JOINTS	1,500.000	L.F.
502-08.07	SEALING RANDOM CRACKS (SILICONE SEALANT)	1,000.000	L.F.
502-10	CEMENT-FLY ASH GROUT	80.000	C.F.
502-25	SAWING CONCRETE JOINTS	1,500.000	L.F.
503-01	GRINDING CONCRETE PAVEMENT	1,500.000	S.Y.
503-60	RETROFIT DOWEL BAR	120.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-01.02	LANE CLOSURE	20.000	EACH
712-01.03	LANE CLOSURE(NIGHT WORK)	20.000	EACH
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	150.000	EACH
712-06	SIGNS (CONSTRUCTION)	300.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
712-08.20	TRUCK MOUNTED ATTENUATOR W/MSSAGE BOARD	20.000	DAY
712-09.01	REMOVABLE PAVEMENT MARKING LINE	500.000	L.F.
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	4.000	EACH
716-01.10	SNOWPLOWABLE REFLECTIVE MARKER	15.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	15.000	EACH
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	2.000	L.M.

Contract ID CNS359 - BEDFORD , CHEATHAM, ETC.

Item No.	Description	Quantity	Units
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	1,000.000	L.F.
717-01.04	MOBILIZATION (DESCRIPTION) (WORK ORDER)	10.000	EACH

Contract ID CNS360 - BENTON , CARROLL, ETC.

Item No.	Description	Quantity	Units
502-03.25	FULL DEPTH PCC PAVEMENT REPAIR HIGH EARLY	1,500.000	C.Y.
502-03.26	PARTIAL DEPTH PCC PAVEMENT REPAIR HIGH EARLY	150.000	S.Y.
502-04.01	SAWING CONCRETE PAVEMENT (FULL DEPTH)	9,000.000	L.F.
502-04.02	LOAD TRANSFER DOWELS	3,000.000	EACH
502-04.03	TRANSVERSE TIE-BARS	1,000.000	EACH
502-08.02	RESEALING JOINTS (SILICONE SEALANT)	8,000.000	L.F.
502-08.03	SEALING SHOULDER JOINTS	4,000.000	L.F.
502-08.07	SEALING RANDOM CRACKS (SILICONE SEALANT)	1,000.000	L.F.
502-25	SAWING CONCRETE JOINTS	2,000.000	L.F.
503-01	GRINDING CONCRETE PAVEMENT	1,500.000	S.Y.
503-60	RETROFIT DOWEL BAR	50.000	EACH
706-10.74	CONCRETE BARRIER WALL REPAIR	10.000	C.Y.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	150.000	EACH
712-06	SIGNS (CONSTRUCTION)	350.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
712-08.20	TRUCK MOUNTED ATTENUATOR W/MSSAGE BOARD	20.000	DAY
712-09.01	REMOVABLE PAVEMENT MARKING LINE	500.000	L.F.
716-01.10	SNOWPLOWABLE REFLECTIVE MARKER	10.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	10.000	EACH
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	2.000	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	750.000	L.F.
717-01.04	MOBILIZATION (DESCRIPTION) (WORK ORDER)	10.000	EACH

Contract ID CNS705 - BENTON , CARROLL, ETC.

Item No.	Description	Quantity	Units
719-02	REMOVAL AND DISPOSAL OF LITTER	2,112.000	L.M.
806-01	MOWING	15,689.000	ACRE

Contract ID CNS365 - BENTON , CHEATHAM, ETC.

Item No.	Description	Quantity	Units
202-01.02	REMOVAL OF ASBESTOS	(1)	LS
712-01.02	LANE CLOSURE	54.000	EACH
712-01.03	LANE CLOSURE(NIGHT WORK)	34.000	EACH
712-08.20	TRUCK MOUNTED ATTENUATOR W/MSSAGE BOARD	23.000	DAY
713-14	EXTRUDED ALUMINUM PANEL SIGNS	3,104.000	S.F.
713-17.50	SIGN MOUNTED ON BRIDGE PARAPET	88.000	EACH
717-01	MOBILIZATION	(1)	LS

Contract ID CNS358 - BLEDSOE , BRADLEY, ETC.

Item No.	Description	Quantity	Units
502-02	HOLES	10.000	EACH
502-03.25	FULL DEPTH PCC PAVEMENT REPAIR HIGH EARLY	1,500.000	C.Y.
502-03.26	PARTIAL DEPTH PCC PAVEMENT REPAIR HIGH EARLY	500.000	S.Y.
502-04.01	SAWING CONCRETE PAVEMENT (FULL DEPTH)	8,000.000	L.F.
502-04.02	LOAD TRANSFER DOWELS	3,000.000	EACH
502-04.03	TRANSVERSE TIE-BARS	1,000.000	EACH
502-08	PRE-ROLLING	10.000	S.Y.
502-08.02	RESEALING JOINTS (SILICONE SEALANT)	8,000.000	L.F.
502-08.03	SEALING SHOULDER JOINTS	5,000.000	L.F.
502-08.07	SEALING RANDOM CRACKS (SILICONE SEALANT)	750.000	L.F.
502-10	CEMENT-FLY ASH GROUT	100.000	C.F.
502-25	SAWING CONCRETE JOINTS	2,500.000	L.F.
503-01	GRINDING CONCRETE PAVEMENT	1,500.000	S.Y.
503-60	RETROFIT DOWEL BAR	100.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-01.02	LANE CLOSURE	20.000	EACH
712-01.03	LANE CLOSURE(NIGHT WORK)	20.000	EACH
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	150.000	EACH
712-06	SIGNS (CONSTRUCTION)	400.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
712-08.20	TRUCK MOUNTED ATTENUATOR W/MSSAGE BOARD	20.000	DAY
712-09.01	REMOVABLE PAVEMENT MARKING LINE	500.000	L.F.
716-01.10	SNOWPLOWABLE REFLECTIVE MARKER	5.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	5.000	EACH
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	2.000	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	500.000	L.F.

Contract ID CNS358 - BLEDSOE , BRADLEY, ETC.

Item No.	Description	Quantity	Units
717-01.04	MOBILIZATION (DESCRIPTION) (WORK ORDER)	10.000	EACH

Contract ID CNS272 - BLOUNT

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
109-10.01	TRAINEE	6,200.000	HOUR
201-01	CLEARING AND GRUBBING	(1)	LS
202-01.56	REMOVAL OF STRUCTURES & OBSTRUCTIONS (DESCRIPTION) (SEE PLANS)	(1)	LS
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	584,684.000	C.Y.
203-02.01	BORROW EXCAVATION (GRADED SOLID ROCK)	11,750.000	TON
203-03.51	BORROW EXCAVATION (UNCLASSIFIED)	7,750.000	C.Y.
203-04	PLACING AND SPREADING TOPSOIL	19,181.000	C.Y.
203-05	UNDERCUTTING	15,100.000	C.Y.
203-06	WATER	1,802.000	M.G.
203-07	FURNISHING & SPREADING TOPSOIL	969.000	C.Y.
204-08	FOUNDATION FILL MATERIAL	25.100	C.Y.
209-02.03	8" TEMPORARY SLOPE DRAIN	630.000	L.F.
209-02.04	10" TEMPORARY SLOPE DRAIN	137.000	L.F.
209-02.05	12" TEMPORARY SLOPE DRAIN	314.000	L.F.
209-02.07	18" TEMPORARY SLOPE DRAIN	1,496.000	L.F.
209-03.22	FILTER SOCK (18 INCH)	9,259.000	L.F.
209-05	SEDIMENT REMOVAL	6,361.000	C.Y.
209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	14,916.000	L.F.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	27,060.000	L.F.
209-08.07	ROCK CHECK DAM PER	345.000	EACH
209-08.08	ENHANCED ROCK CHECK DAM	101.000	EACH
209-09.01	SANDBAGS	8,162.000	BAG
209-09.03	SEDIMENT FILTER BAG (15' X 15')	2.000	EACH
209-09.43	CURB INLET PROTECTION (TYPE 4)	58.000	EACH
209-10.20	TEMPORARY SEDIMENT TRAP	2,559.000	C.Y.
209-40.30	CATCH BASIN PROTECTION (TYPE A)	5.000	EACH
209-40.31	CATCH BASIN PROTECTION (TYPE B)	4.000	EACH

Contract ID CNS272 - BLOUNT

Item No.	Description	Quantity	Units
209-40.32	CATCH BASIN PROTECTION (TYPE C)	2.000	EACH
209-40.33	CATCH BASIN PROTECTION (TYPE D)	40.000	EACH
209-40.34	CATCH BASIN PROTECTION (TYPE E)	4.000	EACH
209-40.41	CATCH BASIN FILTER ASSEMBLY(TYPE 1)	6.000	EACH
209-40.42	CATCH BASIN FILTER ASSEMBLY(TYPE 2)	15.000	EACH
209-40.43	CATCH BASIN FILTER ASSEMBLY(TYPE 3)	22.000	EACH
209-40.44	CATCH BASIN FILTER ASSEMBLY(TYPE 4)	8.000	EACH
209-40.45	CATCH BASIN FILTER ASSEMBLY(TYPE 5)	2.000	EACH
209-40.46	CATCH BASIN FILTER ASSEMBLY(TYPE 6)	10.000	EACH
209-40.48	CATCH BASIN FILTER ASSEMBLY(TYPE 8)	17.000	EACH
209-65.03	TEMPORARY DIVERSION CHANNEL	790.000	L.F.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	130,627.000	TON
303-01.01	GRANULAR BACKFILL (ROADWAY)	472.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	3,846.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	8,178.000	TON
307-01.21	ASP. CONC. MIX(PG70-22) (BPMB-HM) GR. A-S	7,475.000	TON
307-02.01	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING A	15,710.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	10,023.000	TON
313-03	TREATED PERMEABLE BASE	4,236.000	S.Y.
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	202.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	125.000	TON
407-20.05	SAW CUTTING ASPHALT PAVEMENT	7,054.000	L.F.
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	2,535.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	2,108.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	6,427.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	4.940	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	1,241.000	TON

Contract ID CNS272 - BLOUNT

Item No.	Description	Quantity	Units
501-01	PORTLAND CEMENT CONCRETE PAVEMENT(REPLACEMENT)	3,789.000	S.Y.
604-01.01	CLASS A CONCRETE (ROADWAY)	81.880	C.Y.
604-01.02	STEEL BAR REINFORCEMENT (ROADWAY)	18,127.000	LB.
604-01.20	BOX TUBE SAFETY RAIL	1,348.000	L.F.
604-03.07	CLASS A CONCRETE (DESCRIPTION) (CONCRETE FOOTING)	33.000	C.Y.
604-07.01	RETAINING WALL (DESCRIPTION) (WALL NO. 1)	872.000	S.F.
604-07.02	RETAINING WALL (DESCRIPTION) (WALL NO. 2)	353.000	S.F.
604-07.03	RETAINING WALL (DESCRIPTION) (WALL NO. 3)	854.000	S.F.
604-07.04	RETAINING WALL (DESCRIPTION) (WALL NO. 4)	1,064.000	S.F.
607-03.02	18" CONCRETE PIPE CULVERT (CLASS III)	4,724.000	L.F.
607-05.02	24" CONCRETE PIPE CULVERT (CLASS III)	1,119.000	L.F.
607-06.02	30" CONCRETE PIPE CULVERT (CLASS III)	947.000	L.F.
607-07.02	36" CONCRETE PIPE CULVERT (CLASS III)	587.000	L.F.
607-09.02	48" CONCRETE PIPE CULVERT (CLASS III)	156.000	L.F.
607-16.04	38"X 24" HORIZONTAL OVAL CONCRETE PIPE CULVERT	546.000	L.F.
607-39.02	18" PIPE CULVERT (SIDE DRAIN)	69.000	L.F.
610-07.03	18" PIPE DRAIN (BRIDGE DRAIN)	461.000	L.F.
611-01.02	MANHOLES, > 4' - 8' DEPTH	2.000	EACH
611-01.03	MANHOLES, > 8' - 12' DEPTH	1.000	EACH
611-07.01	CLASS A CONCRETE (PIPE ENDWALLS)	3.030	C.Y.
611-07.02	STEEL BAR REINFORCEMENT (PIPE ENDWALLS)	337.000	LB.
611-07.03	STRUCTURAL STEEL (PIPE ENDWALLS)	167.000	LB.
611-07.31	18IN ENDWALL (SIDE DRAIN)	1.000	EACH
611-07.54	18IN ENDWALL (CROSS DRAIN) 3:1	3.000	EACH
611-07.55	18IN ENDWALL (CROSS DRAIN) 4:1	1.000	EACH
611-07.56	18IN ENDWALL (CROSS DRAIN) 6:1	6.000	EACH
611-07.57	24IN ENDWALL (CROSS DRAIN) 3:1	1.000	EACH
611-07.59	24IN ENDWALL (CROSS DRAIN) 6:1	2.000	EACH

Contract ID CNS272 - BLOUNT

Item No.	Description	Quantity	Units
611-07.63	36IN ENDWALL (CROSS DRAIN) 3:1	3.000	EACH
611-07.65	36IN ENDWALL (CROSS DRAIN) 6:1	1.000	EACH
611-07.69	48IN ENDWALL (CROSS DRAIN) 3:1	1.000	EACH
611-12.01	CATCH BASINS, TYPE 12, 0' - 4' DEPTH	6.000	EACH
611-12.02	CATCH BASINS, TYPE 12, > 4' - 8' DEPTH	17.000	EACH
611-12.03	CATCH BASINS, TYPE 12, > 8' - 12' DEPTH	3.000	EACH
611-12.05	CATCH BASINS, TYPE 12, > 16' - 20' DEPTH	1.000	EACH
611-14.02	CATCH BASINS, TYPE 14, > 4' - 8' DEPTH	2.000	EACH
611-16.02	CATCH BASINS, TYPE 16, > 4' - 8' DEPTH	8.000	EACH
611-16.03	CATCH BASINS, TYPE 16, > 8' - 12' DEPTH	2.000	EACH
611-31.02	CATCH BASINS, TYPE 31, > 4' - 8' DEPTH	3.000	EACH
611-31.04	CATCH BASINS, TYPE 31, > 12' - 16' DEPTH	1.000	EACH
611-38.01	CATCH BASINS, TYPE 38, 0' - 4' DEPTH	5.000	EACH
611-38.02	CATCH BASINS, TYPE 38, > 4' - 8' DEPTH	5.000	EACH
611-38.03	CATCH BASINS, TYPE 38, > 8' - 12' DEPTH	1.000	EACH
611-39.01	CATCH BASINS, TYPE 39, 0' - 4' DEPTH	1.000	EACH
611-41.01	CATCH BASINS, TYPE 41, 0' - 4' DEPTH	4.000	EACH
611-41.04	CATCH BASINS, TYPE 41, > 12' - 16' DEPTH	1.000	EACH
611-42.01	CATCH BASINS, TYPE 42, 0' - 4' DEPTH	8.000	EACH
611-42.02	CATCH BASINS, TYPE 42, > 4' - 8' DEPTH	4.000	EACH
611-42.03	CATCH BASINS, TYPE 42, > 8' - 12' DEPTH	2.000	EACH
621-03.02	18" TEMPORARY DRAINAGE PIPE	972.000	L.F.
621-03.03	24" TEMPORARY DRAINAGE PIPE	193.000	L.F.
621-03.04	30" TEMPORARY DRAINAGE PIPE	461.000	L.F.
621-03.05	36" TEMPORARY DRAINAGE PIPE	842.000	L.F.
701-01.01	CONCRETE SIDEWALK (4 ")	9,999.150	S.F.
701-02	CONCRETE DRIVEWAY	265.000	S.F.
701-02.03	CONCRETE CURB RAMP	1,644.300	S.F.
701-03	CONCRETE MEDIAN PAVEMENT	24.320	C.Y.
702-01	CONCRETE CURB	45.000	C.Y.

Contract ID CNS272 - BLOUNT

Item No.	Description	Quantity	Units
702-03	CONCRETE COMBINED CURB & GUTTER	473.000	C.Y.
703-01	PORTLAND CEMENT CONCRETE DITCH PAVING	40.000	C.Y.
705-01.01	GUARDRAIL AT BRIDGE ENDS	216.000	L.F.
705-06.01	W BEAM GR (TYPE 2) MASH TL3	3,421.000	L.F.
705-06.10	GR TERMINALTRAILING END (TYPE 13) MASH TL3	6.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	8.000	EACH
705-06.30	GR TERMINAL (ENERGY ABSORBING) MASH TL2	1.000	EACH
705-17.84	200 LB (PLASTIC DRUM W/SAND)	6.000	EACH
705-17.85	400 LB (PLASTIC DRUM W/SAND)	12.000	EACH
705-17.86	700 LB (PLASTIC DRUM W/SAND)	6.000	EACH
705-17.87	1400 LB (PLASTIC DRUM W/SAND)	12.000	EACH
705-17.88	2100 LB (PLASTIC DRUM W/SAND)	6.000	EACH
705-20.25	TEMPORARY CRASH CUSHION (MASH TL-3)	11.000	EACH
705-80.01	LONGITUDINAL CABLE BARRIER	815.000	L.F.
705-80.18	CABLE BARRIER TERMINAL	2.000	EACH
707-03.01	STOCK FENCE	9,502.000	L.F.
707-03.02	END, BRACED LINE, CORNER POST ASSEMBLY(STOCK FENCE)	60.000	EACH
707-03.20	DRIVE GATE (STOCK FENCE) (DESCRIPTION)	1.000	EACH
707-08.11	HIGH-VISIBILITY CONSTRUCTION FENCE	5,345.000	L.F.
708-02.01	MARKERS (CONCRETE R.O.W. POSTS)	72.000	EACH
709-01.01	RUBBLE STONE RIP-RAP	20.800	C.Y.
709-05.05	MACHINED RIP-RAP (CLASS A-3)	1,944.000	TON
709-05.06	MACHINED RIP-RAP (CLASS A-1)	3,030.800	TON
709-05.08	MACHINED RIP-RAP (CLASS B)	3,086.000	TON
710-02	AGGREGATE UNDERDRAINS (WITH PIPE)	22,479.000	L.F.
710-05	LATERAL UNDERDRAIN	3,043.000	L.F.
710-06.11	LATERAL UNDERDRAIN ENDWALL (2:1)	6.000	EACH
710-06.12	LATERAL UNDERDRAIN ENDWALL (3:1)	7.000	EACH
710-06.13	LATERAL UNDERDRAIN ENDWALL (4:1)	11.000	EACH

Contract ID CNS272 - BLOUNT

Item No.	Description	Quantity	Units
710-06.14	LATERAL UNDERDRAIN ENDWALL (5:1)	3.000	EACH
710-06.15	LATERAL UNDERDRAIN ENDWALL (6:1)	71.000	EACH
711-05.70	32IN SINGLE SLOPE CONCRETE BARRIER WALL	677.000	L.F.
711-05.71	51IN SINGLE SLOPE CONCRETE BARRIER WALL	5,081.000	L.F.
711-05.77	FLARED S/S CONCRETE MEDIAN BARRIER WALL	198.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	25,714.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	967.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	24.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,719.000	S.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	492.000	L.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
712-09.04	REMOVABLE PAVEMENT MARKING (STOP LINE)	115.000	L.F.
712-09.21	REMOVABLE WET REFLECTIVE PAVEMENT MARKING TAPE	4,000.000	L.F.
713-01.01	CLASS A CONCRETE (FOUNDATION FOR SIGN SUPPORTS)	2.200	C.Y.
713-01.02	STEEL BAR REINFORCEMENT(FOUNDATION FOR SIGN SUPPORTS)	599.000	LB.
713-02.04	DELINEATOR (MILE MARKER) & STEEL POST	2.000	EACH
713-02.14	FLEXIBLE DELINEATOR (WHITE)	100.000	EACH
713-02.15	FLEXIBLE DELINEATOR (YELLOW)	24.000	EACH
713-02.27	CONCRETE BARRIER/PARAPET DELINEATOR (BI-DIRECTIONAL)	2,572.000	EACH
713-02.30	FLEXIBLE TUBULAR DELINEATOR	135.000	EACH
713-06	STEEL I-BEAMS & WF-BEAMS(BREAKAWAY) SIGN SUPPORT	2,271.000	LB.
713-09.01	STEEL OVERHEAD SIGN STRUCTURE (SPAN____) (SPAN 111')	1.000	EACH
713-09.02	STEEL OVERHEAD SIGN STRUCTURE (SPAN____) (SPAN 77')	1.000	EACH
713-09.03	STEEL OVERHEAD SIGN STRUCTURE (SPAN____) (SPAN 64')	1.000	EACH

Contract ID CNS272 - BLOUNT

Item No.	Description	Quantity	Units
713-09.04	STEEL OVERHEAD SIGN STRUCTURE (SPAN____) (SPAN 95')	1.000	EACH
713-09.05	STEEL OVERHEAD SIGN STRUCTURE (SPAN____) (SPAN 47')	1.000	EACH
713-09.06	STEEL OVERHEAD SIGN STRUCTURE (SPAN____) (SPAN 67')	1.000	EACH
713-10.01	STEEL CANTILEVER SIGN STRUCTURE (SIGN NO.) (SIGN NO. P-8)	1.000	EACH
713-10.02	STEEL CANTILEVER SIGN STRUCTURE (SIGN NO.) (SIGN NO. P-9)	1.000	EACH
713-10.03	STEEL CANTILEVER SIGN STRUCTURE (SIGN NO.) (SIGN NO. P-10)	1.000	EACH
713-11.01	"U" SECTION STEEL POSTS	849.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	6,081.000	LB.
713-11.21	P POST SLIP BASE	133.000	EACH
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	326.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	735.000	S.F.
713-14	EXTRUDED ALUMINUM PANEL SIGNS	5,025.000	S.F.
713-14.21	STREET NAME SIGN (RIGID 0.100IN THICK	152.000	S.F.
713-15	REMOVAL OF SIGNS, POSTS AND FOOTINGS	(1)	LS
713-15.07	SUSPENDED FLAT SHEET ALUMINUM SIGN (0.080" THICK)	12.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	6.000	EACH
713-17.02	INSTALL AUXILIARY SUPPORT FOR EXIT NUMBER PANEL	6.000	EACH
713-30.10	BARRIER MOUNTED SIGN SUPPORT (PERF/KNOCKOUT) (PERF/KNOCKOUT)	3.000	EACH
714-01.37	LIGHT STANDARDS (PEDESTRIAN/STREET LIGHT)	21.000	EACH
714-02.02	ENCASED CONDUIT (2" PVC, SCHEDULE 40)	2,538.000	L.F.
714-03	JACKED OR BORED CONDUIT	726.000	L.F.
714-03.01	DIRECT BURIAL CONDUIT (2" PVC, SCHEDULE 40)	20,832.000	L.F.
714-04.03	CONDUIT (DESCRIPTION) (STRUCTURES - 3/4" RGS)	256.000	L.F.
714-04.04	CONDUIT (DESCRIPTION) (STRUCTURES - 2" PVC, SCHEDULE 40)	767.000	L.F.

Contract ID CNS272 - BLOUNT

Item No.	Description	Quantity	Units
714-05.04	PULL BOXES (TYPE C)	55.000	EACH
714-05.05	PULL BOXES (DESCRIPTION) (BARRIER EMBBEDED)	23.000	EACH
714-05.06	PULL BOXES (DESCRIPTION) (SURFACE MOUNT)	5.000	EACH
714-06.03	CABLE (1/C # 10 AWG)	1,024.000	L.F.
714-06.04	CABLE (1/C # 8 AWG)	23,531.000	L.F.
714-06.05	CABLE (1/C # 6 AWG)	77,447.000	L.F.
714-06.06	CABLE (1/C # 4 AWG)	3,465.000	L.F.
714-06.07	CABLE (1/C # 2 AWG)	11,184.000	L.F.
714-08.08	LIGHT STANDARDS (NEW MEDIAN BARRIER MOUNTED)	9.000	EACH
714-08.09	LIGHT STANDARDS (DESCRIPTION) (ALUMINUM 45' MH OFFSET)	78.000	EACH
714-08.10	LIGHT STANDARDS (DESCRIPTION) (ALUMINUM 35' MH 15' ARM)	9.000	EACH
714-08.11	LIGHT STANDARDS (DESCRIPTION) (HIGH MAST 120' MH)	5.000	EACH
714-08.12	LIGHT STANDARDS (DESCRIPTION) (ALUMINUM 35' MH 8' ARM)	3.000	EACH
714-08.32	REMOVAL OF LIGHT STANDARD & FOUNDATION	61.000	EACH
714-09.09	LUMINAIRES (DESCRIPTION) (210 WATT LED - OFFSET)	95.000	EACH
714-09.10	LUMINAIRES (DESCRIPTION) (129 WATT LED - ROADWAY)	15.000	EACH
714-09.11	LUMINAIRES (DESCRIPTION) (79 WATT LED - UNDERPASS)	7.000	EACH
714-09.12	LUMINAIRES (DESCRIPTION) (49 WATT LED - PEDESTRIAN)	21.000	EACH
714-09.13	LUMINAIRES (DESCRIPTION) (475 WATT LED - HIGH MAST)	34.000	EACH
714-12.01	CONTROL CENTER (NO. 1)	(1)	LS
714-12.02	CONTROL CENTER (NO. 2)	(1)	LS
714-12.03	CONTROL CENTER (NO. 3)	(1)	LS
714-12.04	CONTROL CENTER (NO. 4)	(1)	LS
714-25	ELECTRICAL CONNECTION	4.000	EACH

Contract ID CNS272 - BLOUNT

Item No.	Description	Quantity	Units
714-26.05	TEMPORARY ROADWAY LIGHTING	(1)	LS
716-01.06	TEMPORARY RAISED PAVEMENT MARKER,WHITE	1,031.000	EACH
716-01.07	TEMPORARY RAISED PAVEMENT MARKER,YELLOW	537.000	EACH
716-01.21	SNOWPLOWABLE RAISED PAVMENT MARKERS (BI-DIR) (1 COLOR)	244.000	EACH
716-01.22	SNOWPLOWABLE RAISED PAVMENT MARKERS (MONO-DIR)(1 COLOR)	293.000	EACH
716-01.23	SNOWPLOWABLE RAISED PAVEMENT MARKERS (BI-DIR)(2 COLOR)	592.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	714.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	677.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	48.000	EACH
716-02.07	PLASTIC PAVEMENT MARKING (24" BARRIER LINE)	843.000	L.F.
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	661.000	L.F.
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	10.000	EACH
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	4.000	EACH
716-03.09	PLASTIC WORD PAVEMENT MARKING (YIELD)	1.000	EACH
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	3.000	EACH
716-04.04	PLASTIC PAVEMENT MARKING (TRANSVERSE SHOULDER)	153.000	L.F.
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	2.000	EACH
716-04.06	PLASTIC PAVEMENT MARKING (WRONG WAY ARROW)	2.000	EACH
716-04.07	PLASTIC PAVEMENT MARKING (EXIT ONLY ARROW)	7.000	EACH
716-04.08	PLASTIC PAVEMENT MARKING (OPTION LANE ARROW)	5.000	EACH
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	20.000	S.F.
716-04.14	PLASTIC PAVEMENT MARKING (LANE REDUCTION ARROW)	4.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	7.000	L.M.

Contract ID CNS272 - BLOUNT

Item No.	Description	Quantity	Units
716-05.02	PAINTED PAVEMENT MARKING (8" BARRIER LINE)	57,534.000	L.F.
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	9.000	L.M.
716-12.01	ENHANCED FLATLINE THERMO PVMT MRKNG (4IN LINE)	6.300	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	8.990	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	5,193.000	L.F.
716-12.09	ENHANCED FLAT LINE THERMO (12IN LINE)	2,136.000	L.F.
717-01	MOBILIZATION	(1)	LS
725-10.85	CONDUIT & PULL BOX NETWORK	(1)	LS
725-21.07	PORTABLE SMART WORK ZONE SYSTEM	1,826.000	DAY
725-24.55	AS-BUILT PLANS	(1)	LS
730-01.02	REMOVAL OF SIGNAL EQUIPMENT	1.000	EACH
730-02.08	SIGNAL HEAD ASSEMBLY (130 POLE MOUNTED)	1.000	EACH
730-02.09	SIGNAL HEAD ASSEMBLY (130 WITH BACKPLATE)	18.000	EACH
730-02.17	SIGNAL HEAD ASSEMBLY (150 A2H WITH BACKPLATE)	7.000	EACH
730-02.30	SIGNAL HEAD ASSEMBLY (DESCRIPTION) (130 A2 WITH BACKPLATE)	3.000	EACH
730-02.31	SIGNAL HEAD ASSEMBLY (DESCRIPTION) (130 A3 WITH BACKPLATE)	8.000	EACH
730-03.21	INSTALL PULL BOX (TYPE B)	13.000	EACH
730-03.24	INSTALL PULL BOX (FIBER OPTIC-TYPE B)	7.000	EACH
730-05.01	ELECTRICAL SERVICE CONNECTION	4.000	EACH
730-08.01	SIGNAL CABLE - 3 CONDUCTOR	1,747.000	L.F.
730-08.02	SIGNAL CABLE - 5 CONDUCTOR	3,566.000	L.F.
730-08.03	SIGNAL CABLE - 7 CONDUCTOR	3,176.000	L.F.
730-08.40	INTERCONNECT CABLE - FIBER OPTIC (DESCRIPTION) (12-SM CABLE)	2,145.000	L.F.
730-08.41	INTERCONNECT CABLE - FIBER OPTIC (DESCRIPTION) (6-SM DROP CABLE)	111.000	L.F.
730-12.02	CONDUIT 2" DIAMETER (PVC)	2,305.000	L.F.

Contract ID CNS272 - BLOUNT

Item No.	Description	Quantity	Units
730-12.16	CONDUIT (DESCRIPTION) (2" C SCHEDULE 80)	2,176.000	L.F.
730-13.02	VEHICLE DETECTOR (VIDEO)	13.000	EACH
730-15.07	CABINET (DESCRIPTION) (BACKUP POWER CABINET)	4.000	EACH
730-15.32	CABINET (EIGHT PHASE BASE MOUNTED)	4.000	EACH
730-16.02	EIGHT PHASE ACTUATED CONTROLLER	4.000	EACH
730-23.30	PEDESTAL POLE (DESCRIPTION) (10 FT. PEDESTRIAN)	8.000	EACH
730-23.36	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (1 ARM @ 40' & 1 @ 50')	1.000	EACH
730-23.37	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (1 ARM @ 50')	2.000	EACH
730-23.38	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (1 ARM @ 55')	1.000	EACH
730-23.39	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (1 ARM @ 60')	1.000	EACH
730-23.80	CANTILEVER SIGNAL SUPPORT (1 ARM @ 40')	1.000	EACH
730-23.88	CANTILEVER SIGNAL SUPPORT (1 ARM @ 45')	1.000	EACH
730-23.97	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (1 ARM @ 65')	1.000	EACH
730-23.98	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (1 ARM @ 76')	1.000	EACH
730-23.99	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (1 ARM @ 80')	2.000	EACH
730-24.41	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (1 ARM @ 85')	1.000	EACH
730-26.11	COUNTDOWN PED SGNL HEAD W/AUDIBLE PUSH BUTTON & 15IN SIGN	16.000	EACH
730-35.06	BATTERY BACK-UP AND POWER CONDITIONER	4.000	EACH
730-40	TEMPORARY TRAFFIC SIGNAL SYSTEM	1.000	EACH
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	4,008.200	S.Y.
740-10.04	GEOTEXTILE (TYPE IV)(STABILIZATION)	12,100.000	S.Y.
740-11.03	TEMPORARY SEDIMENT TUBE 18IN	8,536.000	L.F.
801-01	SEEDING (WITH MULCH)	1,481.000	UNIT
801-01.07	TEMPORARY SEEDING (WITH MULCH)	709.000	UNIT

Contract ID CNS272 - BLOUNT

Item No.	Description	Quantity	Units
801-02.15	FERTILIZER	19.000	TON
801-03	WATER (SEEDING & SODDING)	190.000	M.G.
802-01.10	TREES (DESCRIPTION) (CERCIS CANADENSIS 1 GAL)	16.000	EACH
802-01.11	TREES (DESCRIPTION) (TSUGA CANADENSIS 1 GAL)	9.000	EACH
802-01.12	TREES (DESCRIPTION) (BETULA NIGRA 1 GAL)	9.000	EACH
802-01.13	TREES (DESCRIPTION) (NYSSA SYLVATICA 1.5 - 2" CAL B&B)	7.000	EACH
802-01.14	TREES (DESCRIPTION) (ILEX OPACA - 1 GAL)	4.000	EACH
802-01.15	TREES (DESCRIPTION) (PIN OAK 1.5 - 2" CAL. B&B)	2.000	EACH
802-01.16	TREES (DESCRIPTION) (CARYA OVATA 1.5 - 2" CAL. B&B)	1.000	EACH
803-01	SODDING (NEW SOD)	12,176.000	S.Y.
805-01.01	TURF REINFORCEMENT MAT (CLASS I)	32,603.000	S.Y.
805-12.01	EROSION CONTROL BLANKET (TYPE I)	196,589.000	S.Y.
805-12.02	EROSION CONTROL BLANKET (TYPE II)	434.000	S.Y.
806-02.03	PROJECT MOWING	9.000	CYCL
202-01.02	REMOVAL OF ASBESTOS	(1)	LS
202-04.01	REMOVAL OF STRUCTURES (DESCRIPTION, STA.) (BRIDGE NO. 05-SR335-07.77)	(1)	LS
204-02.01	DRY EXCAVATION (BRIDGES)	2,933.000	C.Y.
204-02.10	DRILLED CAISSON - EARTH (DESCRIPTION) (42" DIA)	1,235.000	L.F.
204-02.11	DRILLED CAISSON - EARTH (DESCRIPTION) (48" DIA.)	75.000	L.F.
204-02.20	DRILLED CAISSON - ROCK (DESCRIPTION) (42" DIA.)	59.000	L.F.
204-02.21	DRILLED CAISSON - ROCK (DESCRIPTION) (48" DIA.)	16.000	L.F.
204-04.01	ROCK EXCAVATION (BRIDGES)	64.000	C.Y.
204-05	ROCK DRILLING (BRIDGES)	72.000	L.F.
303-01.02	GRANULAR BACKFILL (BRIDGES)	141.000	TON
604-02.03	EPOXY COATED REINFORCING STEEL	633,139.000	LB.
604-03.01	CLASS A CONCRETE (BRIDGES)	2,054.000	C.Y.

Contract ID CNS272 - BLOUNT

Item No.	Description	Quantity	Units
604-03.02	STEEL BAR REINFORCEMENT (BRIDGES)	453,851.000	LB.
604-03.04	PAVEMENT @ BRIDGE ENDS	1,037.000	S.Y.
604-03.32	CLASS DS CONCRETE (BRIDGE DECK)	1,910.000	C.Y.
604-04.01	APPLIED TEXTURE FINISH (NEW STRUCTURES)	19,106.000	S.Y.
604-04.41	THREE STAR STATE EMBLEM	8.000	EACH
604-05.31	BRIDGE DECK GROOVING (MECHANICAL)	6,690.000	S.Y.
606-02.03	STEEL PILES (10 INCH)	12,106.000	L.F.
606-02.06	PILE TIPS (STEEL PILES, 10 INCH)	331.000	EACH
615-01.11	PRESTRESSED CONCRETE BULB TEE BEAM (6" WEB)(BT-63)	8,052.000	L.F.
620-05	CONCRETE PARAPET WITH STRUCTURAL TUBING	534.000	L.F.
620-05.01	CONC PARAPET SINGLE SLOPE (STD-1-1SS)	1,014.000	L.F.
625-02.40	DRILLED SHAFT (SH-SCC) CONCRETE	385.000	C.Y.
709-04	REINFORCED CONCRETE SLOPE PAVEMENT	335.000	C.Y.
710-09.01	6" PERFORATED PIPE WITH VERTICAL DRAIN SYSTEM	556.000	L.F.
710-09.02	6" PIPE UNDERDRAIN	74.000	L.F.
711-02.03	REINFORCED CONCRETE MEDIAN BARRIER (BRIDGES)	792.000	L.F.
714-01	STRUCTURAL LIGHTING	(1)	LS
714-01.01	STRUCTURAL LIGHTING (BRIDGE NO.) (BRIDGE NO. 1)	(1)	LS
714-01.02	STRUCTURAL LIGHTING (BRIDGE NO.) (BRIDGE NO. 2)	(1)	LS
718-01.01	NOISE BARRIER (DESCRIPTION) (NOISE BARRIER NO. 1)	50,195.000	S.F.
790-04.06	POLE 45FT CLASS 1 METAL	17.000	EACH
790-05.07	POLE 50FT CLASS H1 METAL	11.000	EACH
790-06.07	POLE 55FT CLASS H1 METAL	2.000	EACH
790-09.05	POLE 70FT CLASS H2 METAL	1.000	EACH
790-25.07	3PH CROSSARM DBL LRG COND 15KV	7.000	EACH
790-25.11	3PH CROSSARM DBL PRIM SUP LRG COND 15KV	4.000	EACH
790-25.15	3PH VERTICAL 15KV	1.000	EACH

Contract ID CNS272 - BLOUNT

Item No.	Description	Quantity	Units
790-25.19	3PH VERTICAL DEADEND 15KV	8.000	EACH
790-25.23	3PH CROSSARM DDE 15KV	6.000	EACH
790-25.33	3PH COVERED AERIAL CBL TANGET BRKT 15KV	3.000	EACH
790-25.35	3PH COVERED AERIAL CBL ANGLE ASSMBLY 15KV	3.000	EACH
790-25.36	3PH COVERED AERIAL CBL DE ASSEMBLY 15KV	1.000	EACH
790-25.37	3PH 8FT FIBERGLASS CROSSARM DEADEND 15kV	1.000	EACH
790-25.38	3PH 10FT FIBERGLASS CROSSARM DEADEND 15kV	2.000	EACH
790-25.39	3PH 8FT FIBERGLASS DOUBLE DEADEND 15kV	1.000	EACH
790-30.03	SECONDARY ASSEMBLIES DEADEND	3.000	EACH
790-30.04	SECONDARY ASSEMBLIES MISC	3.000	EACH
790-30.06	SECONDARY CONDUCTOR 6 AL DUPLEX	530.000	L.F.
790-31.02	SERVICE ASSEMBLY-POLE TYPE	3.000	EACH
790-31.11	SERVICE CONDUCTOR 2 AL TRIPLEX	80.000	L.F.
790-32.01	DOWN GUY - THROUGH BOLT TYPE	49.000	EACH
790-32.07	OH GUY - THROUGH BOLT TYPE	4.000	EACH
790-33.21	ANCHOR TWIN EYE POWER INSTALLED	25.000	EACH
790-36.06	TRANSFER LIGHT	5.000	EACH
790-36.14	TRANSFER CONDUCTOR	4.000	EACH
790-40.46	OH COND 556.5 19 AAC DAHLIA	3,760.000	L.F.
790-40.49	OH COND 795 37 AAC ARBUTUS	11,280.000	L.F.
790-40.73	OH PRI COND _____ (795MCM AL AERIAL SPACER CABLE 15KV)	4,800.000	L.F.
790-40.74	OH PRI COND _____ (.052 AERIAL SPACER MESSENGER CABLE)	1,600.000	L.F.
790-41.06	UG PRI COND 4/0 AL 15KV	1,900.000	L.F.
790-41.45	UG SEC COND 2 AL TPLX	120.000	L.F.
790-42.08	2IN DIA PVC PIPE	120.000	L.F.
790-42.10	4IN DIA PVC PIPE	2,600.000	L.F.
790-42.19	4 DUCT BANK @ 36IN-48IN DEPTH	500.000	L.F.
790-42.26	__ DUCT BANK @ __IN-__IN DEPTH (ENCASED)	134.000	L.F.
790-43.38	PAD MTD SW 4-600A 15KV	1.000	EACH

Contract ID CNS272 - BLOUNT

Item No.	Description	Quantity	Units
790-43.47	PRIMARY PULLBOX	6.000	EACH
790-43.50	SECONDARY RISER W/ 2IN CONDUIT	2.000	EACH
790-43.60	PRIMARY RISER (DESCRIPTION) (W/ 4IN CONDUIT)	1.000	EACH
790-46.02	1PH TRANSFORMER CONV W/POLE MTD FUSE & LA	4.000	EACH
790-58.03	CUTOUT KNIFE SWITCH, SNGL LOADBREAK 15KV	1.000	EACH
790-58.05	GOLB SWITCH 15KV	3.000	EACH
790-60.01	1PH FUSE CUTOUT XARM MOUNT 15KV	6.000	EACH
790-60.02	1PH FUSE CUTOUT BRKT MOUNT 15KV	7.000	EACH
790-65.04	LIGHTNING ARRESTER POLE MTD 9 KV	4.000	EACH
790-68.01	POLE GROUND ROD TYPE	31.000	EACH
790-68.13	SGL PHASE MOUNTING BRACKET - FIBERGLASS	4.000	EACH
790-69.27	EXTENSION LINK - EPOXY -4FT	26.000	EACH
790-98.01	REMOVE WIRE	31,460.000	L.F.
790-98.02	REMOVE POLES	20.000	EACH
790-98.03	REMOVE FRAMING/ASSOCIATED APPARATUS	230.000	EACH
791-03.02	2IN HDPE GAS MAIN	1,153.000	L.F.
791-03.04	4IN HDPE GAS MAIN	2,150.000	L.F.
791-03.05	6IN HDPE GAS MAIN	4,302.000	L.F.
791-04.05	HDD 6IN PE PIPE - UNCONSOLIDATED	577.000	L.F.
791-04.06	HDD 8IN PE PIPE - UNCONSOLIDATED	59.000	L.F.
791-06.02	CONNECT TO 2IN EX. PE MAIN	2.000	EACH
791-06.03	CONNECT TO 4IN EX. PE MAIN	1.000	EACH
791-06.23	CONNECT TO 2IN EX. PE MAIN	1.000	EACH
791-06.24	CONNECT TO 4IN EX. PE MAIN	2.000	EACH
791-07.01	2IN PE GAS VALVE ASSEMBLY	3.000	EACH
791-07.02	4IN PE GAS VALVE ASSEMBLY	3.000	EACH
791-07.03	6IN PE GAS VALVE ASSEMBLY	1.000	EACH
791-08.01	1/2IN SERVICE ASSEMBLY	2.000	EACH
791-08.02	3/4IN SERVICE ASSEMBLY	7.000	EACH
791-08.05	2IN SERVICE ASSEMBLY	1.000	EACH

Contract ID CNS272 - BLOUNT

Item No.	Description	Quantity	Units
791-08.06	1/2IN PE SERVICE PIPE	142.000	L.F.
791-08.07	3/4IN PE SERVICE PIPE	190.000	L.F.
791-08.10	2IN PE SERVICE PIPE	53.000	L.F.
791-09.04	REGULATOR STATION	1.000	EACH
791-09.08	REMOVE REGULATOR STATION	1.000	EACH
791-10.10	RETIRE GAS MAIN	(1)	LS
793-01.42	ANCHOR 1 1/4IN	4.000	EACH
793-11.25	CONCRETE HANDHOLE 4FT X 4FT X 4FT	7.000	EACH
793-12.01	DIG SPLICE PIT 80 C.F.	3.000	EACH
793-13.12	1 DUCT FORMATION @ 36IN DEPTH	110.000	L.F.
793-13.17	2 DUCT FORMATION @ 36IN DEPTH	450.000	L.F.
793-13.27	4 DUCT FORMATION @ 36IN DEPTH	4,200.000	L.F.
793-13.32	6 DUCT FORMATION @ 36IN DEPTH	8,700.000	L.F.
793-14.02	CONCRETE ENCASEMENT PER DUCT	69,000.000	L.F.
793-14.05	MH PRECAST 4-FT W X 8-FT L X 6-FT H	8.000	EACH
793-14.10	4IN CORE DRILL INTO MANHOLE	15.000	EACH
793-14.14	MULTI DUCT	13,357.000	L.F.
793-14.20	PLACE MANHOLE OVER EXISTING CABLE	1.000	EACH
793-16.01	MH(RETIRE/REMOVE/GRAVEL BACKFILL)	7.000	EACH
793-16.21	ADJUST MANHOLE LID	3.000	EACH
793-16.23	BORE/JACK 18IN CASING - UNCONSOLIDATED	343.000	L.F.
793-98.04	REMOVE POLES ALL SIZES	2.000	EACH
795-01.03	6IN DIP RESTRAINED JOINT WATER LINE	55.000	L.F.
795-01.05	8IN DIP RESTRAINED JOINT WATER LINE	378.000	L.F.
795-01.07	10IN DIP RESTRAINED JOINT WATER LINE	15.000	L.F.
795-01.09	12IN DIP RESTRAINED JOINT WATER LINE	4,172.000	L.F.
795-05.68	BORE/JACK 24IN STEEL CASING PIPE-UNCON.	30.000	L.F.
795-06.04	CONNECT TO 6IN WATER LINE	3.000	EACH
795-06.05	CONNECT TO 8IN WATER LINE	1.000	EACH
795-06.06	CONNECT TO 10IN WATER LINE	1.000	EACH

Contract ID CNS272 - BLOUNT

Item No.	Description	Quantity	Units
795-06.07	CONNECT TO 12IN WATER LINE	4.000	EACH
795-06.33	CUT AND CAP 6IN WATERLINE	1.000	EACH
795-07.03	6IN X 6IN TAPPING SLEEVE AND VALVE	1.000	EACH
795-07.15	12IN X 12IN TAPPING SLEEVE AND VALVE	4.000	EACH
795-08.05	8IN GATE VALVE ASSEMBLY	4.000	EACH
795-08.08	12IN BUTTERFLY VALVE ASSEMBLY	4.000	EACH
795-09.10	SAMPLE TAP	10.000	EACH
795-09.28	3/4IN COPPER SERVICE PIPE	285.000	L.F.
795-09.51	RECONNECT SERVICE ASSEMBLY	11.000	EACH
795-10.05	2IN AUTO AIR RELEASE VALVE ASSEMBLY	5.000	EACH
795-11.02	FIRE HYDRANT ASSEMBLY	2.000	EACH
795-11.12	RETIRE IN PLACE EXISTING WATER MAIN	2,000.000	L.F.
795-11.40	RESTORE ASPHALT	15.000	S.Y.
795-12.01	REMOVE FIRE HYDRANT	2.000	EACH
795-12.02	REMOVAL OF EXISTING LINE	(1)	LS
795-12.08	REMOVE WATER METER	3.000	EACH
795-12.20	ADJUST EXISTING VALVE BOXES	10.000	EACH
795-13.01	DI FITTINGS	15,000.000	LB.
795-15.07	24IN STEEL CASING PIPE OPEN CUT METHOD	105.000	L.F.

Contract ID CNS341 - BRADLEY & MCMINN

Item No.	Description	Quantity	Units
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	6.100	L.M.
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	1.000	EACH
705-04.21	GUARDRAIL DELINEATION ENHANCEMENT	1,900.000	L.F.
705-06.01	W BEAM GR (TYPE 2) MASH TL3	50.000	L.F.
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	1.000	EACH
706-01	GUARDRAIL REMOVED	50.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	410.000	S.F.
713-02.14	FLEXIBLE DELINEATOR (WHITE)	112.000	EACH
713-02.20	ROADSIDE OBSTACLE DELINEATION	40.000	S.F.
713-02.21	SIGN POST DELINEATION ENHANCEMENT	703.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	2,236.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	4,581.000	LB.
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	329.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	832.000	S.F.
713-13.14	FLORESCENT YELLOW SIGN SHEETING	543.000	S.F.
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	70.000	EACH
713-15.41	SIGN REMOVAL (DESCRIPTION)	(1)	LS
716-01.21	SNOWPLOWABLE RAISED PAVMENT MARKERS (BI-DIR) (1 COLOR)	300.000	EACH
716-01.40	REMOVE AND REPLACE LENS ON SNOWPLOWABLE REFLECTIVE MARKER	512.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	485.000	L.F.
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	1.000	EACH
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	25.420	L.M.
716-13.04	SPRAY THERMO PVMT MRKNG (60 mil) (4IN DOTTED LINE)	430.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS371 - CAMPBELL

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	2,183.000	TON
307-01.15	ASC MIX (PG64-22) (BPMLC-HM) GRADING CS	825.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	64.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	13,393.000	TON
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	336.000	S.Y.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	1,212.000	S.F.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	32.000	L.F.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	66.000	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS342 - CHEATHAM

Item No.	Description	Quantity	Units
602-10.19	JACKING STEEL SPANS	(1)	LS
602-10.32	STRUCTURAL STEEL (REPAIRS)	90.000	LB.
602-10.81	HEAT STRAIGHTENING	(1)	LS
603-02.20	SPOT PAINTING EXISTING STEEL STRUCTURES	500.000	S.F.
603-05.20	CONTAINMENT & DISPOSAL OF WASTE(LOCATION & DESCRP) (BR. NO. 01-SR061-15.67)	(1)	LS
705-08.51	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	1.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-01.05	FLAGMAN	75.000	HOUR
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	25.000	EACH
712-06	SIGNS (CONSTRUCTION)	294.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	1.000	EACH
712-09.02	REMOVABLE PAVEMENT MARKING (8" BARRIER LINE)	3,058.000	L.F.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	1.000	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS714 - CHESTER , HARDEMAN, ETC.

Item No.	Description	Quantity	Units
719-02	REMOVAL AND DISPOSAL OF LITTER	1,643.000	L.M.
806-01	MOWING	12,108.000	ACRE

Contract ID CNS332 - COFFEE

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	2,843.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	5,697.000	TON
307-03.08	ASPHALT CONCRETE MIX (PG76-22) (BPMB-HM) GRADING B-M2	15,589.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	144.000	TON
407-07.01	INTELLIGENT COMPACTION EQUIPMENT	(1)	LS
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	3,246.000	TON
411-03.10	ACS MIX(PG76-22) GRADING D	9,559.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	13.700	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	190,563.000	S.Y.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	160.000	EACH
712-05.03	WARNING LIGHTS (TYPE C)	24.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,748.000	S.F.
712-06.16	SIGNS (CONSTRUCTION)(REDUCED SPEED WARNING)	5.000	EACH
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
712-08.10	MOBILE MESSAGE SIGN UNIT W/ATTENUATOR	1,100.000	HOUR
713-02.14	FLEXIBLE DELINEATOR (WHITE)	100.000	EACH
713-02.15	FLEXIBLE DELINEATOR (YELLOW)	100.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
716-01.23	SNOWPLOWABLE RAISED PAVEMENT MARKERS (BI-DIR)(2 COLOR)	550.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	550.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	130.000	S.Y.
716-02.12	PLASTIC PAVEMENT MARKING (8IN LINE)	0.200	L.M.
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	21.000	L.M.
716-08.01	REMOVAL OF PAVEMENT MARKING (LINE)	7,290.000	L.F.

Contract ID CNS332 - COFFEE

Item No.	Description	Quantity	Units
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	17.300	L.M.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	765.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-03.20	INSTALL PULL BOX (TYPE A)	2.000	EACH
730-12.02	CONDUIT 2" DIAMETER (PVC)	20.000	L.F.
730-14.02	SAW SLOT	500.000	L.F.
730-14.03	LOOP WIRE	1,700.000	L.F.
604-10.34	CONCRETE OVERLAYED BRIDGE DECK REPAIR (FULL DEPTH)	125.000	S.Y.
604-10.56	CONCRETE OVERLAYED BRIDGE DECK REPAIR (PARTIAL DEPTH)	20.000	S.Y.
617-04.01	TYPE 1 THIN EPOXY OVERLAY (EPOXY-URETHANE)	2,362.000	S.Y.

Contract ID CNS325 - CUMBERLAND

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	3,358.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	84.000	TON
403-01.10	High Performance Fog Seals	75,557.000	S.Y.
407-07.01	INTELLIGENT COMPACTION EQUIPMENT	(1)	LS
411-03.10	ACS MIX(PG76-22) GRADING D	12,812.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	9.500	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	185,418.000	S.Y.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	160.000	EACH
712-05.03	WARNING LIGHTS (TYPE C)	24.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,748.000	S.F.
712-06.16	SIGNS (CONSTRUCTION)(REDUCED SPEED WARNING)	5.000	EACH
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
712-08.09	DIGITAL SPEED LIMIT SIGN ASSEMBLY	6.000	EACH
712-08.10	MOBILE MESSAGE SIGN UNIT W/ATTENUATOR	1,000.000	HOUR
713-02.14	FLEXIBLE DELINEATOR (WHITE)	172.000	EACH
713-02.15	FLEXIBLE DELINEATOR (YELLOW)	31.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
716-01.23	SNOWPLOWABLE RAISED PAVEMENT MARKERS (BI-DIR)(2 COLOR)	864.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	864.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	170.000	L.F.
716-02.07	PLASTIC PAVEMENT MARKING (24" BARRIER LINE)	2,820.000	L.F.
716-02.12	PLASTIC PAVEMENT MARKING (8IN LINE)	0.900	L.M.
716-04.04	PLASTIC PAVEMENT MARKING (TRANSVERSE SHOULDER)	1,917.000	L.F.
716-04.06	PLASTIC PAVEMENT MARKING (WRONG WAY ARROW)	4.000	EACH

Contract ID CNS325 - CUMBERLAND

Item No.	Description	Quantity	Units
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	26.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	23.000	L.M.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	1,005.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	280.000	L.F.
730-14.03	LOOP WIRE	1,280.000	L.F.

Contract ID CNS303 - DAVIDSON

Item No.	Description	Quantity	Units
201-01	CLEARING AND GRUBBING	(1)	LS
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	10.000	L.M.
604-04.20	PAINTING CONCRETE SURFACES	525.000	S.F.
701-03	CONCRETE MEDIAN PAVEMENT	10.000	C.Y.
702-01	CONCRETE CURB	4.000	C.Y.
712-01	TRAFFIC CONTROL	(1)	LS
713-02.20	ROADSIDE OBSTACLE DELINEATION	10.000	S.F.
713-02.21	SIGN POST DELINEATION ENHANCEMENT	174.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	39.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	398.000	LB.
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	11.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	116.000	S.F.
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	2.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	10.000	S.Y.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	10.000	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS336 - DAVIDSON

Item No.	Description	Quantity	Units
208-01.05	BROOMING & DEGRASSING SHOULDERS	14.600	L.M.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	1,934.000	TON
307-03.08	ASPHALT CONCRETE MIX (PG76-22) (BPMB-HM) GRADING B-M2	1,000.000	TON
307-03.10	ASPHALT CONC MIX (PG76-22)(BPMB-HM) GR CS	5,375.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	121.000	TON
407-07.01	INTELLIGENT COMPACTION EQUIPMENT	(1)	LS
411-03.23	ACS MIX (PG76-22) OGFC	9,095.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	14.600	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	10,852.000	TON
501-01.13	PORTLAND CEMENT CONCRETE PAVEMENT (PLAIN) 10" FAST TRACK	14.600	S.Y.
502-04.01	SAWING CONCRETE PAVEMENT (FULL DEPTH)	60.000	L.F.
502-04.02	LOAD TRANSFER DOWELS	16.000	EACH
502-08.07	SEALING RANDOM CRACKS (SILICONE SEALANT)	60.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	200.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,613.000	S.F.
712-06.16	SIGNS (CONSTRUCTION)(REDUCED SPEED WARNING)	4.000	EACH
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
712-08.09	DIGITAL SPEED LIMIT SIGN ASSEMBLY	6.000	EACH
712-08.10	MOBILE MESSAGE SIGN UNIT W/ATTENUATOR	900.000	HOUR
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	4.000	EACH
716-01.23	SNOWPLOWABLE RAISED PAVEMENT MARKERS (BI-DIR)(2 COLOR)	485.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	485.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	40.000	L.F.
716-02.07	PLASTIC PAVEMENT MARKING (24" BARRIER LINE)	1,371.000	L.F.

Contract ID CNS336 - DAVIDSON

Item No.	Description	Quantity	Units
716-04.14	PLASTIC PAVEMENT MARKING (LANE REDUCTION ARROW)	1.000	EACH
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	34.000	L.M.
716-05.21	PAINTED PAVEMENT MARKING(4"DOTTED LINE)	450.000	L.F.
716-08.30	HYDROBLAST REMOVAL OF PAVEMENT MARKING (LINE)	2.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	19.000	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	3,021.000	L.F.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	810.000	L.F.
716-12.06	ENHANCED FLAT LINE THERMO (8IN LINE)	500.000	L.F.
716-12.07	ENHANCED FLAT LINE THERMO (8IN BROKEN LN)	7,000.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-03.25	INSTALL PULL BOX (DESCRIPTION) (29" X 21")	2.000	EACH
730-12.02	CONDUIT 2" DIAMETER (PVC)	40.000	L.F.
730-14.02	SAW SLOT	500.000	L.F.
730-14.03	LOOP WIRE	1,500.000	L.F.
730-15.07	CABINET (DESCRIPTION) (41" TALL X 25" WIDE X 18" DEEP)	2.000	EACH

Contract ID CNS726 - FAYETTE , LAUDERDALE, ETC.

Item No.	Description	Quantity	Units
717-10.01	INVOLUNTARY WORK SUSPENSION (DESCRIPTION) (BY THE DAY)	6.000	DAY
719-02	REMOVAL AND DISPOSAL OF LITTER	2,327.000	L.M.
806-01	MOWING	18,021.000	ACRE

Contract ID CNS350 - GREENE

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
201-01	CLEARING AND GRUBBING	(1)	LS
202-02.01	REMOVAL OF PIPE (SIZE ,STA.) (14" CMP ,507+50.00)	67.000	L.F.
202-02.02	REMOVAL OF PIPE (SIZE ,STA.) (15" CMP ,519+05.00)	20.000	L.F.
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	2,970.000	C.Y.
203-04	PLACING AND SPREADING TOPSOIL	441.000	C.Y.
203-06	WATER	28.000	M.G.
203-07	FURNISHING & SPREADING TOPSOIL	156.000	C.Y.
204-08.01	BACKFILL MATERIAL (FLOWABLE FILL)	7.500	C.Y.
209-05	SEDIMENT REMOVAL	55.000	C.Y.
209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	722.000	L.F.
209-08.07	ROCK CHECK DAM PER	1.000	EACH
209-08.08	ENHANCED ROCK CHECK DAM	1.000	EACH
209-40.30	CATCH BASIN PROTECTION (TYPE A)	4.000	EACH
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	2,650.000	TON
303-01.01	GRANULAR BACKFILL (ROADWAY)	26.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	134.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	60.000	TON
307-02.01	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING A	758.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	248.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	4.700	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	1.100	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	51.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	40.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	179.000	TON
607-03.02	18" CONCRETE PIPE CULVERT (CLASS III)	296.000	L.F.
607-39.02	18" PIPE CULVERT (SIDE DRAIN)	155.000	L.F.

Contract ID CNS350 - GREENE

Item No.	Description	Quantity	Units
611-07.73	18IN ENDWALL (MEDIAN DRAIN)	2.000	EACH
611-09.03	CAPPING EXISTING CATCHBASIN	1.000	EACH
611-38.01	CATCH BASINS, TYPE 38, 0' - 4' DEPTH	2.000	EACH
703-01	PORTLAND CEMENT CONCRETE DITCH PAVING	74.000	C.Y.
705-04.21	GUARDRAIL DELINEATION ENHANCEMENT	490.000	L.F.
705-06.30	GR TERMINAL (ENERGY ABSORBING) MASH TL2	2.000	EACH
705-20.25	TEMPORARY CRASH CUSHION (MASH TL-3)	17.000	EACH
707-08.11	HIGH-VISIBILITY CONSTRUCTION FENCE	200.000	L.F.
709-05.05	MACHINED RIP-RAP (CLASS A-3)	100.000	TON
709-05.06	MACHINED RIP-RAP (CLASS A-1)	4.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	4,233.000	L.F.
712-02.36	REMOVE AND RELOCATE PORTABLE BARRIER RAIL	520.000	L.F.
712-04.02	FLEXIBLE DRUMS (CHANNELIZATION)	100.000	EACH
712-04.50	BARRIER RAIL DELINEATOR	121.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	8.000	EACH
712-06	SIGNS (CONSTRUCTION)	610.000	S.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	48.000	L.F.
712-09.02	REMOVABLE PAVEMENT MARKING (8" BARRIER LINE)	8,000.000	L.F.
712-09.30	REMOVABLE BLACK-OUT TAPE (6")	8,000.000	L.F.
713-01.01	CLASS A CONCRETE (FOUNDATION FOR SIGN SUPPORTS)	2.000	C.Y.
713-01.02	STEEL BAR REINFORCEMENT(FOUNDATION FOR SIGN SUPPORTS)	225.000	LB.
713-02.21	SIGN POST DELINEATION ENHANCEMENT	36.000	L.F.
713-05	STEEL HOLLOW SQUARE POST (BREAKAWAY) SIGN SUPPORTS	458.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	2,430.000	LB.
713-11.03	2 1/2" DIA ROUND STEEL TUBE SIGN POST	595.000	LB.
713-11.23	ROUND POST SLIP BASE	12.000	EACH
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	177.000	S.F.

Contract ID CNS350 - GREENE

Item No.	Description	Quantity	Units
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	340.000	S.F.
713-15	REMOVAL OF SIGNS, POSTS AND FOOTINGS	(1)	LS
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	19.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	118.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	8.000	EACH
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	114.000	S.F.
716-04.14	PLASTIC PAVEMENT MARKING (LANE REDUCTION ARROW)	4.000	EACH
716-05.02	PAINTED PAVEMENT MARKING (8" BARRIER LINE)	5,000.000	L.F.
716-05.11	PAINTED PAVEMENT MARKING(STRAIGHT ARROW)	1.000	EACH
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	2,409.000	L.F.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	2.000	L.M.
717-01	MOBILIZATION	(1)	LS
740-06.01	GEOMEMBRANE	849.000	S.Y.
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	178.000	S.Y.
740-11.02	TEMPORARY SEDIMENT TUBE 12IN	325.000	L.F.
801-01.07	TEMPORARY SEEDING (WITH MULCH)	157.000	UNIT
801-02	SEEDING (WITHOUT MULCH)	79.000	UNIT
801-03	WATER (SEEDING & SODDING)	7.000	M.G.
803-01	SODDING (NEW SOD)	116.000	S.Y.
805-12.01	EROSION CONTROL BLANKET (TYPE I)	8,377.000	S.Y.

Contract ID CNS364 - GREENE

Item No.	Description	Quantity	Units
705-08.51	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	2.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	400.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	60.000	EACH
712-04.50	BARRIER RAIL DELINEATOR	20.000	EACH
712-08.10	MOBILE MESSAGE SIGN UNIT W/ATTENUATOR	50.000	HOUR
713-09.20	STEEL OVERHEAD SIGN STRUCTURE (SPAN 85'+/-)	1.000	EACH
713-14	EXTRUDED ALUMINUM PANEL SIGNS	153.000	S.F.
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	2.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
717-01	MOBILIZATION	(1)	LS

Contract ID CNS347 - HAWKINS

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	760.000	C.Y.
203-06	WATER	5.000	M.G.
203-07	FURNISHING & SPREADING TOPSOIL	220.000	C.Y.
209-03.23	FILTER SOCK (24 INCH)	220.000	L.F.
209-05	SEDIMENT REMOVAL	10.000	C.Y.
209-08.08	ENHANCED ROCK CHECK DAM	2.000	EACH
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	246.300	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	35.000	TON
307-02.01	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING A	51.100	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	44.300	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	0.600	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	1.900	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	0.200	TON
403-02	ASPHALT CEMENT FOR TACK COAT (TC)	0.100	TON
411-02.10	ACS MIX(PG70-22) GRADING D	22.600	TON
411-02.11	ACS MIX(PG70-22) GRADING E RWDY	5.200	TON
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	0.040	L.M.
701-99.91	RAISED CONCRETE MEDIAN	(1)	LS
709-05.05	MACHINED RIP-RAP (CLASS A-3)	84.000	TON
709-05.06	MACHINED RIP-RAP (CLASS A-1)	2,400.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	850.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	36.000	EACH
712-06	SIGNS (CONSTRUCTION)	708.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
712-09.08	REMOVABLE PAVEMENT MARKING (6" line)	2,500.000	L.F.

Contract ID CNS347 - HAWKINS

Item No.	Description	Quantity	Units
713-14.22	STREET NAME SIGN (SUSPENDED 0.100IN THICK)	39.000	S.F.
713-15	REMOVAL OF SIGNS, POSTS AND FOOTINGS	(1)	LS
713-16.20	SIGNS (DESCRIPTION) (R1-1, 36"x36")	6.000	EACH
713-16.21	SIGNS (DESCRIPTION) (R1-3P, 18"x6")	3.000	EACH
713-16.22	SIGNS (DESCRIPTION) (R3-4, 36"x36")	1.000	EACH
713-16.23	SIGNS (DESCRIPTION) (R3-5R, 30"x36")	1.000	EACH
713-16.24	SIGNS (DESCRIPTION) (R5-1, 36"x36")	4.000	EACH
713-16.25	SIGNS (DESCRIPTION) (R10-7, 24"x30")	1.000	EACH
713-16.26	SIGNS (DESCRIPTION) (R10-12, 30"x36")	2.000	EACH
713-16.27	SIGNS (DESCRIPTION) (W3-1, 30"x30")	2.000	EACH
713-16.28	SIGNS (DESCRIPTION) (W3-3, 30"x30")	3.000	EACH
713-16.29	SIGNS (DESCRIPTION) (W4-4P, 24"x12")	2.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	260.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	11.000	EACH
716-02.08	PLASTIC PAVEMENT MARKING (8" DOTTED LINE)	120.000	L.F.
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	1.000	EACH
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	1.000	EACH
716-04.02	PLASTIC PAVEMENT MARKING(DOUBLE TURNING ARROW)	1.000	EACH
716-04.04	PLASTIC PAVEMENT MARKING (TRANSVERSE SHOULDER)	750.000	L.F.
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	1.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	0.400	L.M.
716-05.02	PAINTED PAVEMENT MARKING (8" BARRIER LINE)	7,800.000	L.F.
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	0.400	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	1.300	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	0.240	L.M.
717-01	MOBILIZATION	(1)	LS
730-02.09	SIGNAL HEAD ASSEMBLY (130 WITH BACKPLATE)	8.000	EACH

Contract ID CNS347 - HAWKINS

Item No.	Description	Quantity	Units
730-02.17	SIGNAL HEAD ASSEMBLY (150 A2H WITH BACKPLATE)	2.000	EACH
730-03.21	INSTALL PULL BOX (TYPE B)	9.000	EACH
730-05.01	ELECTRICAL SERVICE CONNECTION	1.000	EACH
730-05.02	SERVICE CABLE (2 CONDUCTOR, # 8 AWG)	300.000	L.F.
730-08.03	SIGNAL CABLE - 7 CONDUCTOR	1,200.000	L.F.
730-09.20	SPAN WIRE ASSEMBLY	590.000	L.F.
730-10.01	TETHER WIRE ASSEMBLY - 1/4" DIAMETER	590.000	L.F.
730-11.01	STEEL CONDUIT RISER ASSEMBLY	1.000	EACH
730-12.01	CONDUIT 1" DIAMETER (PVC)	900.000	L.F.
730-12.02	CONDUIT 2" DIAMETER (PVC)	75.000	L.F.
730-12.03	CONDUIT 3" DIAMETER (PVC)	30.000	L.F.
730-13.03	VEHICLE DETECTOR (4 - CHANNEL, RACK MOUNT)	3.000	EACH
730-14.01	SHIELDED DETECTOR CABLE	3,300.000	L.F.
730-14.02	SAW SLOT	1,000.000	L.F.
730-14.03	LOOP WIRE	2,875.000	L.F.
730-15.32	CABINET (EIGHT PHASE BASE MOUNTED)	1.000	EACH
730-16.02	EIGHT PHASE ACTUATED CONTROLLER	1.000	EACH
730-23.01	STEEL STRAIN POLE (SIGNAL SUPPORT)	4.000	EACH
730-50.10	SOLAR POWERED FLASHING ASSEMBLY	2.000	EACH
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	2,400.000	S.Y.
801-03	WATER (SEEDING & SODDING)	14.300	M.G.
803-01	SODDING (NEW SOD)	1,325.000	S.Y.

Contract ID CNS356 - KNOX

Item No.	Description	Quantity	Units
201-01	CLEARING AND GRUBBING	(1)	LS
208-01	SHOULDERS AND DITCHES	27.120	L.M.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	1,000.000	L.F.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	897.000	TON
307-03.08	ASPHALT CONCRETE MIX (PG76-22) (BPMB-HM) GRADING B-M2	37,793.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	369.000	TON
407-07.01	INTELLIGENT COMPACTION EQUIPMENT	(1)	LS
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	12,276.000	TON
411-03.10	ACS MIX(PG76-22) GRADING D	23,149.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	27.120	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	72,534.000	TON
502-08.01	RESEALING JOINTS (HOT POURED ELASTIC)	11,236.000	L.F.
705-08.51	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	1.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	358.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	101.000	EACH
712-04.50	BARRIER RAIL DELINEATOR	18.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	51.000	EACH
712-06	SIGNS (CONSTRUCTION)	5,449.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
712-08.10	MOBILE MESSAGE SIGN UNIT W/ATTENUATOR	1,900.000	HOUR
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	6.000	EACH
716-01.23	SNOWPLOWABLE RAISED PAVEMENT MARKERS (BI-DIR)(2 COLOR)	2,762.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	2,762.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	125.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	60.000	L.F.

Contract ID CNS356 - KNOX

Item No.	Description	Quantity	Units
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	6.000	EACH
716-02.07	PLASTIC PAVEMENT MARKING (24" BARRIER LINE)	3,810.000	L.F.
716-04.06	PLASTIC PAVEMENT MARKING (WRONG WAY ARROW)	3.000	EACH
716-04.07	PLASTIC PAVEMENT MARKING (EXIT ONLY ARROW)	25.000	EACH
716-04.08	PLASTIC PAVEMENT MARKING (OPTION LANE ARROW)	2.000	EACH
716-05.02	PAINTED PAVEMENT MARKING (8" BARRIER LINE)	25,932.000	L.F.
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	87.400	L.M.
716-05.51	PAINTED PAVEMENT MARKINGS(12" LINE)	11,455.000	L.F.
716-10.50	PREFORMED PLASTIC PAVEMENT MARKING (INTERSTATE SHIELD)	9.000	EACH
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	27.120	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	10,430.000	L.F.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	6,880.000	L.F.
716-12.08	ENHANCED FLAT LINE THERMO (12IN BARRIER LINE)	12,760.000	L.F.
716-12.10	ENHANCED FLAT LINE THERMO (12IN DOTTED)	12,100.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	2,000.000	L.F.
730-14.03	LOOP WIRE	4,000.000	L.F.
604-10.44	EXPANSION JOINT REPAIRS	1,564.000	L.F.
604-10.50	BRIDGE DECK REPAIRS (PARTIAL DEPTH OF SLAB)	1,385.000	S.Y.
604-10.53	CONCRETE REPAIRS	5.000	S.Y.
604-10.70	EXPANSION JOINT REPAIRS	436.000	L.F.
617-01	BRIDGE DECK SEALANT	27,460.000	S.Y.

Contract ID CNS362 - KNOX

Item No.	Description	Quantity	Units
201-01	CLEARING AND GRUBBING	(1)	LS
202-03.01	REMOVAL OF ASPHALT PAVEMENT	5,755.000	S.Y.
208-01	SHOULDERS AND DITCHES	20.300	L.M.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	2,000.000	L.F.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	112.000	TON
307-03.08	ASPHALT CONCRETE MIX (PG76-22) (BPMB-HM) GRADING B-M2	27,630.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	195.000	TON
407-07.01	INTELLIGENT COMPACTION EQUIPMENT	(1)	LS
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	8,590.000	TON
411-03.10	ACS MIX(PG76-22) GRADING D	15,299.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	20.300	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	51,519.000	TON
502-08.01	RESEALING JOINTS (HOT POURED ELASTIC)	8,632.000	L.F.
705-04.50	PORTABLE BARRIER RAIL DELINEATOR	163.000	EACH
705-08.51	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	6.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	3,260.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	387.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	97.000	EACH
712-06	SIGNS (CONSTRUCTION)	5,624.000	S.F.
712-06.16	SIGNS (CONSTRUCTION)(REDUCED SPEED WARNING)	14.000	EACH
712-08.03	ARROW BOARD (TYPE C)	8.000	EACH
712-08.09	DIGITAL SPEED LIMIT SIGN ASSEMBLY	12.000	EACH
712-08.10	MOBILE MESSAGE SIGN UNIT W/ATTENUATOR	2,893.000	HOUR
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	8.000	EACH
716-01.23	SNOWPLOWABLE RAISED PAVEMENT MARKERS (BI-DIR)(2 COLOR)	2,139.000	EACH

Contract ID CNS362 - KNOX

Item No.	Description	Quantity	Units
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	2,139.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	24.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	6.000	EACH
716-02.07	PLASTIC PAVEMENT MARKING (24" BARRIER LINE)	2,723.000	L.F.
716-04.04	PLASTIC PAVEMENT MARKING (TRANSVERSE SHOULDER)	33.000	L.F.
716-04.06	PLASTIC PAVEMENT MARKING (WRONG WAY ARROW)	2.000	EACH
716-04.07	PLASTIC PAVEMENT MARKING (EXIT ONLY ARROW)	9.000	EACH
716-04.08	PLASTIC PAVEMENT MARKING (OPTION LANE ARROW)	2.000	EACH
716-05.02	PAINTED PAVEMENT MARKING (8" BARRIER LINE)	25,324.000	L.F.
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	25.000	L.M.
716-05.49	PAINTED PAVEMENT MARKINGS(8" LINE)	22.000	L.M.
716-05.51	PAINTED PAVEMENT MARKINGS(12" LINE)	1,240.000	L.F.
716-10.50	PREFORMED PLASTIC PAVEMENT MARKING (INTERSTATE SHIELD)	2.000	EACH
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	34.000	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	8,740.000	L.F.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	3,660.000	L.F.
716-12.08	ENHANCED FLAT LINE THERMO (12IN BARRIER LINE)	3,900.000	L.F.
716-12.10	ENHANCED FLAT LINE THERMO (12IN DOTTED)	4,780.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	1,000.000	L.F.
730-14.03	LOOP WIRE	2,000.000	L.F.
604-10.30	BRIDGE DECK REPAIRS (FULL DEPTH OF SLAB)	175.000	S.Y.
604-10.44	EXPANSION JOINT REPAIRS	675.000	L.F.
604-10.50	BRIDGE DECK REPAIRS (PARTIAL DEPTH OF SLAB)	720.000	S.Y.

Contract ID CNS362 - KNOX

Item No.	Description	Quantity	Units
617-01	BRIDGE DECK SEALANT	6,007.000	S.Y.

Contract ID CNS323 - KNOX

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
202-03.02	REMOVAL OF RIGID PAVEMENT	30.000	C.Y.
202-08.10	REMOVAL OF CURB (DESCRIPTION) (N. PETERS ROAD, EXECUTIVE PARK DR.,)	807.000	L.F.
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	1,153.000	C.Y.
203-04	PLACING AND SPREADING TOPSOIL	122.000	C.Y.
203-06	WATER	19.000	M.G.
203-07	FURNISHING & SPREADING TOPSOIL	143.000	C.Y.
209-03.20	FILTER SOCK (8 INCH)	48.000	L.F.
209-05	SEDIMENT REMOVAL	23.000	C.Y.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	210.000	L.F.
209-09.43	CURB INLET PROTECTION (TYPE 4)	19.000	EACH
209-40.33	CATCH BASIN PROTECTION (TYPE D)	6.000	EACH
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	392.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	4.000	TON
307-01.21	ASP. CONC. MIX(PG70-22) (BPMB-HM) GR. A-S	78.000	TON
307-02.01	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING A	146.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	97.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	2.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	5.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	5.000	TON
403-02	ASPHALT CEMENT FOR TACK COAT (TC)	2.200	TON
407-20.05	SAW CUTTING ASPHALT PAVEMENT	1,365.000	L.F.
411-02.10	ACS MIX(PG70-22) GRADING D	704.000	TON
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	9,780.000	S.Y.
607-03.02	18" CONCRETE PIPE CULVERT (CLASS III)	61.000	L.F.
611-01.20	ADJUSTMENT OF EXISTING MANHOLE	2.000	EACH
611-09.03	CAPPING EXISTING CATCHBASIN	3.000	EACH

Contract ID CNS323 - KNOX

Item No.	Description	Quantity	Units
611-12.01	CATCH BASINS, TYPE 12, 0' - 4' DEPTH	1.000	EACH
611-12.03	CATCH BASINS, TYPE 12, > 8' - 12' DEPTH	1.000	EACH
611-25.02	CATCH BASINS, TYPE 25, > 4' - 8' DEPTH	2.000	EACH
701-01.01	CONCRETE SIDEWALK (4 ")	8,851.000	S.F.
701-02.01	CONCRETE CURB RAMP (RETROFIT)	82.000	S.F.
701-02.03	CONCRETE CURB RAMP	1,148.000	S.F.
701-03	CONCRETE MEDIAN PAVEMENT	38.000	C.Y.
702-01	CONCRETE CURB	83.000	C.Y.
702-01.01	EXTRUDED SLOPING CURB	81.000	L.F.
702-03	CONCRETE COMBINED CURB & GUTTER	34.000	C.Y.
705-20.25	TEMPORARY CRASH CUSHION (MASH TL-3)	11.000	EACH
707-06.03	REMOVAL AND RESET FENCE (DESCRIPTION) (4' CHAIN LINK FENCE)	120.000	L.F.
709-05.05	MACHINED RIP-RAP (CLASS A-3)	100.000	TON
710-02	AGGREGATE UNDERDRAINS (WITH PIPE)	909.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-01.05	FLAGMAN	80.000	HOUR
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	2,140.000	L.F.
712-02.36	REMOVE AND RELOCATE PORTABLE BARRIER RAIL	1,100.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	124.000	EACH
712-04.50	BARRIER RAIL DELINEATOR	216.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	63.000	EACH
712-05.03	WARNING LIGHTS (TYPE C)	44.000	EACH
712-06	SIGNS (CONSTRUCTION)	564.000	S.F.
712-07.01	TEMPORARY BARRICADES (TYPE I)	8.000	L.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	6.000	L.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
712-09.09	REMOVABLE PAVEMENT MARKING (4" line)	7,707.000	L.F.
712-09.30	REMOVABLE BLACK-OUT TAPE (6")	735.000	L.F.
713-02.21	SIGN POST DELINEATION ENHANCEMENT	24.000	L.F.

Contract ID CNS323 - KNOX

Item No.	Description	Quantity	Units
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	198.000	LB.
713-11.23	ROUND POST SLIP BASE	3.000	EACH
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	28.300	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	37.500	S.F.
713-15	REMOVAL OF SIGNS, POSTS AND FOOTINGS	(1)	LS
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	4.000	EACH
716-01.05	TEMPORARY RAISED PAVEMENT MARKER	35.000	EACH
716-01.22	SNOWPLOWABLE RAISED PAVMENT MARKERS (MONO-DIR)(1 COLOR)	90.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	296.000	L.F.
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	53.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	221.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	19.000	EACH
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	329.000	L.F.
716-02.23	PLASTIC PAVEMENT MARKING (12IN BARRIER LINE)	150.000	L.F.
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	18.000	EACH
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	5.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	2.000	L.M.
716-05.04	PAINTED PAVEMENT MARKING (CHANNELIZATION STRIPING)	53.000	S.Y.
716-05.05	PAINTED PAVEMENT MARKING (STOP LINE)	221.000	L.F.
716-05.06	PAINTED PAVEMENT MARKING (TURN LANE ARROW)	19.000	EACH
716-05.09	PAINTED PAVEMENT MARKING(STRAIGHT-TURN ARROW)	5.000	EACH
716-08.04	REMOVAL OF PAVEMENT MARKING (CHANNELIZATION STRIPING)	13.000	S.Y.
716-08.32	HYDROBLAST REMOVAL OF PAVEMENT MARKING (DESCRIPTION) (4" LINE)	250.000	L.F.
716-08.33	HYDROBLAST REMOVAL OF PAVEMENT MARKING (DESCRIPTION) (TURN ARROW)	4.000	EACH

Contract ID CNS323 - KNOX

Item No.	Description	Quantity	Units
716-09.86	CONTRAST PAVEMENT MARKING 6"	0.050	L.M.
716-09.87	CONTRAST PAVEMENT MARKINGS WORDS AND SYMBOLS	6.000	EACH
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	0.546	L.M.
717-01	MOBILIZATION	(1)	LS
730-01.03	MODIFICATION OF EXISTING TRAFFIC SIGNAL EQUIPMENT	2.000	EACH
730-03.20	INSTALL PULL BOX (TYPE A)	4.000	EACH
730-08.01	SIGNAL CABLE - 3 CONDUCTOR	1,401.000	L.F.
730-08.02	SIGNAL CABLE - 5 CONDUCTOR	1,425.000	L.F.
730-12.02	CONDUIT 2" DIAMETER (PVC)	351.000	L.F.
730-14.02	SAW SLOT	754.000	L.F.
730-14.03	LOOP WIRE	1,756.000	L.F.
730-23.30	PEDESTAL POLE (DESCRIPTION) (PEDESTRIAN)	4.000	EACH
730-26.11	COUNTDOWN PED SGNL HEAD W/AUDIBLE PUSH BUTTON & 15IN SIGN	4.000	EACH
730-40	TEMPORARY TRAFFIC SIGNAL SYSTEM	2.000	EACH
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	236.000	S.Y.
740-11.01	TEMPORARY SEDIMENT TUBE 8IN	2,103.000	L.F.
801-01.07	TEMPORARY SEEDING (WITH MULCH)	13.000	UNIT
801-02.15	FERTILIZER	1.000	TON
801-03	WATER (SEEDING & SODDING)	15.000	M.G.
803-01	SODDING (NEW SOD)	1,410.000	S.Y.

Contract ID CNS258 - KNOX

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
201-01	CLEARING AND GRUBBING	(1)	LS
202-01	REMOVAL OF STRUCTURES AND OBSTRUCTIONS	(1)	LS
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	23,536.000	C.Y.
203-03	BORROW EXCAVATION (UNCLASSIFIED)	10,334.000	C.Y.
203-04	PLACING AND SPREADING TOPSOIL	3,092.000	C.Y.
203-05	UNDERCUTTING	4,000.000	C.Y.
203-06	WATER	500.000	M.G.
203-08	CHANNEL EXCAVATION (UNCLASSIFIED)	292.000	C.Y.
204-08	FOUNDATION FILL MATERIAL	132.000	C.Y.
204-08.01	BACKFILL MATERIAL (FLOWABLE FILL)	20.000	C.Y.
209-02.07	18" TEMPORARY SLOPE DRAIN	671.000	L.F.
209-05	SEDIMENT REMOVAL	355.000	C.Y.
209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	7,908.000	L.F.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	5,255.000	L.F.
209-08.07	ROCK CHECK DAM PER	72.000	EACH
209-08.08	ENHANCED ROCK CHECK DAM	18.000	EACH
209-08.09	FILTER SOCK CHECK DAM	90.000	EACH
209-09.01	SANDBAGS	10,000.000	BAG
209-09.03	SEDIMENT FILTER BAG (15' X 15')	3.000	EACH
209-20.03	POLYETHYLENE SHEETING (6 MIL. MINIMUM)	82.000	S.Y.
209-40.33	CATCH BASIN PROTECTION (TYPE D)	7.000	EACH
209-65.03	TEMPORARY DIVERSION CHANNEL	295.000	L.F.
209-65.04	TEMPORARY IN STREAM DIVERSION	230.000	L.F.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	11,413.000	TON
303-01.01	GRANULAR BACKFILL (ROADWAY)	2,500.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	148.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	1,167.000	TON

Contract ID CNS258 - KNOX

Item No.	Description	Quantity	Units
307-02.01	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING A	1,392.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	934.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	9.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	36.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	8.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	202.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	577.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	401.000	TON
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	0.500	L.M.
604-01.01	CLASS A CONCRETE (ROADWAY)	254.000	C.Y.
604-01.02	STEEL BAR REINFORCEMENT (ROADWAY)	44,954.000	LB.
607-05.30	24" PIPE CULVERT	394.000	L.F.
607-06.30	30" PIPE CULVERT	41.000	L.F.
607-07.30	36" PIPE CULVERT	110.000	L.F.
607-39.02	18" PIPE CULVERT (SIDE DRAIN)	47.000	L.F.
607-39.03	24" PIPE CULVERT (SIDE DRAIN)	117.000	L.F.
611-07.57	24IN ENDWALL (CROSS DRAIN) 3:1	2.000	EACH
611-07.60	30IN ENDWALL (CROSS DRAIN) 3:1	2.000	EACH
611-07.63	36IN ENDWALL (CROSS DRAIN) 3:1	2.000	EACH
611-10.02	CATCH BASINS, TYPE 10, > 4' - 8' DEPTH	2.000	EACH
611-38.02	CATCH BASINS, TYPE 38, > 4' - 8' DEPTH	2.000	EACH
621-03.02	18" TEMPORARY DRAINAGE PIPE	53.000	L.F.
702-01	CONCRETE CURB	10.000	C.Y.
702-01.01	EXTRUDED SLOPING CURB	400.000	L.F.
705-01.01	GUARDRAIL AT BRIDGE ENDS	54.000	L.F.
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	5.000	EACH
705-04.10	EARTH PAD FOR GUARD RAIL END TREATMENT	4.000	EACH
705-06.01	W BEAM GR (TYPE 2) MASH TL3	838.000	L.F.

Contract ID CNS258 - KNOX

Item No.	Description	Quantity	Units
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	5.000	EACH
705-06.30	GR TERMINAL (ENERGY ABSORBING) MASH TL2	4.000	EACH
705-08.51	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	1.000	EACH
707-08.11	HIGH-VISIBILITY CONSTRUCTION FENCE	2,000.000	L.F.
708-02.01	MARKERS (CONCRETE R.O.W. POSTS)	59.000	EACH
709-05.05	MACHINED RIP-RAP (CLASS A-3)	500.000	TON
709-05.06	MACHINED RIP-RAP (CLASS A-1)	1,282.000	TON
709-05.08	MACHINED RIP-RAP (CLASS B)	1,026.000	TON
709-05.09	MACHINED RIP-RAP (CLASS C)	117.000	TON
711-05.72	SINGLE SLOPE HALF CONCRETE BARRIER WALL	245.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	3,800.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	100.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	40.000	EACH
712-05.03	WARNING LIGHTS (TYPE C)	50.000	EACH
712-06	SIGNS (CONSTRUCTION)	620.000	S.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	200.000	L.F.
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
713-02.27	CONCRETE BARRIER/PARAPET DELINEATOR (BI-DIRECTIONAL)	95.000	EACH
713-15	REMOVAL OF SIGNS, POSTS AND FOOTINGS	(1)	LS
713-15.07	SUSPENDED FLAT SHEET ALUMINUM SIGN (0.080" THICK)	4.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	4.000	EACH
713-16.20	SIGNS (DESCRIPTION) (SIGNAL AHEAD; W3-3)	4.000	EACH
713-16.21	SIGNS (DESCRIPTION) (PEDESTRIAN SYMBOL; W11-2)	4.000	EACH
713-16.22	SIGNS (DESCRIPTION) (DIAGONAL ARROW DOWN; W16-7P)	3.000	EACH
713-16.23	SIGNS (DESCRIPTION) (LANE MOVEMENT ARROWS; R3-8)	3.000	EACH
713-16.24	SIGNS (DESCRIPTION) (PROTECTED AREA)	6.000	EACH

Contract ID CNS258 - KNOX

Item No.	Description	Quantity	Units
716-01.21	SNOWPLOWABLE RAISED PAVMENT MARKERS (BI-DIR) (1 COLOR)	75.000	EACH
716-01.22	SNOWPLOWABLE RAISED PAVMENT MARKERS (MONO-DIR)(1 COLOR)	8.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	55.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	156.000	L.F.
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	38.000	L.F.
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	3.000	EACH
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	1.000	EACH
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	4.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	1.000	L.M.
716-05.06	PAINTED PAVEMENT MARKING (TURN LANE ARROW)	10.000	EACH
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	1.600	L.M.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	360.000	L.F.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	4.900	L.M.
716-13.04	SPRAY THERMO PVMT MRKNG (60 mil) (4IN DOTTED LINE)	250.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-02.09	SIGNAL HEAD ASSEMBLY (130 WITH BACKPLATE)	8.000	EACH
730-02.30	SIGNAL HEAD ASSEMBLY (DESCRIPTION) (140 AF WITH BACKPLATE)	4.000	EACH
730-03.20	INSTALL PULL BOX (TYPE A)	6.000	EACH
730-03.21	INSTALL PULL BOX (TYPE B)	4.000	EACH
730-05.01	ELECTRICAL SERVICE CONNECTION	1.000	EACH
730-08.03	SIGNAL CABLE - 7 CONDUCTOR	810.000	L.F.
730-09.01	SPAN WIRE ASSEMBLY(____LBS.MIN.BRK STRENGTH) (16,500 LBS.MIN.BRK STRENGTH)	450.000	L.F.
730-10.01	TETHER WIRE ASSEMBLY - 1/4" DIAMETER	450.000	L.F.
730-12.01	CONDUIT 1" DIAMETER (PVC)	750.000	L.F.

Contract ID CNS258 - KNOX

Item No.	Description	Quantity	Units
730-12.02	CONDUIT 2" DIAMETER (PVC)	20.000	L.F.
730-14.01	SHIELDED DETECTOR CABLE	690.000	L.F.
730-14.02	SAW SLOT	1,680.000	L.F.
730-14.03	LOOP WIRE	3,400.000	L.F.
730-15.32	CABINET (EIGHT PHASE BASE MOUNTED)	1.000	EACH
730-16.02	EIGHT PHASE ACTUATED CONTROLLER	1.000	EACH
730-23.01	STEEL STRAIN POLE (SIGNAL SUPPORT)	4.000	EACH
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	3,520.000	S.Y.
740-11.02	TEMPORARY SEDIMENT TUBE 12IN	2,350.000	L.F.
740-11.03	TEMPORARY SEDIMENT TUBE 18IN	8,945.000	L.F.
801-01.07	TEMPORARY SEEDING (WITH MULCH)	455.000	UNIT
801-02	SEEDING (WITHOUT MULCH)	190.000	UNIT
801-03	WATER (SEEDING & SODDING)	50.000	M.G.
802-02.30	CUTTINGS: SALIX NIGRA (18IN-24IN LENGTH)	58.000	EACH
802-02.33	CUTTINGS: SAMBUCUS CANADENSIS (18IN-24IN)	56.000	EACH
802-02.35	CUTTINGS: CEPHALANTHUS OCCIDENTALIS (18IN-24IN)	56.000	EACH
802-11.14	DIOSPYROS VIRGINIANA (PERSIMMON 2-5FT CNTNR GRWN)	6.000	EACH
802-11.19	LIRIODENDRON TULIPIFERA (TULIP POPLAR 2-5FT CNTNR GRWN)	14.000	EACH
802-12.02	ACER RUBRUM (RED MAPLE SEEDLNG B.R.)	13.000	EACH
802-12.18	LIQUIDAMBER STYRACIFLUA (SWEETGUM SEEDLNG B.R.)	13.000	EACH
802-12.61	ALNUS SERRULATA (HAZEL ALDER SEEDLING B.R.)	9.000	EACH
802-13.02	CALYCANTHUS FLORIDUS (SWEETSHRUB 2-5FT CNTNR GRWN)	4.000	EACH
802-13.03	CEPHALANTHUS OCCIDENTALIS (BUTTONBUSH 2-5FT CNTNR GRWN)	4.000	EACH
802-13.06	HYDRANGEA QUERCIFOLIA (OAKLF HYDRANGEA 2-5FT CNTNR GRWN)	4.000	EACH
802-13.09	LINDERA BENZOIN (SPICEBUSH 2-5FT CNTNR GRWN)	4.000	EACH

Contract ID CNS258 - KNOX

Item No.	Description	Quantity	Units
802-13.16	CORYLUS AMERICANA (HAZELNUT) 2-5FT C.G.	3.000	EACH
802-13.31	RHODODENDRON MAXIMUM (RHODODENDRON 2-5 FT CNTNR GRWN)	4.000	EACH
802-15.01	ELEOCHARIS ACICULARIS (SLENDER SPIKERUSH)	66.000	EACH
802-15.04	JUNCUS EFFUSUS (SOFT RUSH)	66.000	EACH
803-01	SODDING (NEW SOD)	415.000	S.Y.
805-12.02	EROSION CONTROL BLANKET (TYPE II)	19,392.000	S.Y.
717-01.10	MOBILIZATION (DESCRIPTION) (GAS)	1.000	EACH
791-02.04	4IN MDPE GAS MAIN	320.000	L.F.
791-02.06	8IN MDPE GAS MAIN	1,640.000	L.F.
791-04.04	HDD 4IN PE PIPE - UNCONSOLIDATED	220.000	L.F.
791-04.06	HDD 8IN PE PIPE - UNCONSOLIDATED	250.000	L.F.
791-06.24	CONNECT TO 4IN EX. PE MAIN	3.000	EACH
791-06.26	CONNECT TO 8IN EX. PE MAIN	5.000	EACH
791-07.02	4IN PE GAS VALVE ASSEMBLY	1.000	EACH
791-07.04	8IN PE GAS VALVE ASSEMBLY	1.000	EACH
791-08.01	1/2IN SERVICE ASSEMBLY	1.000	EACH
791-10.04	RETIRE IN PLACE 2IN SERV CUT & PLUG	1.000	EACH
791-10.05	RETIRE IN PLACE 4IN SERV CUT & PLUG	2.000	EACH
791-10.07	RETIRE IN PLACE 8IN SERV CUT & PLUG	3.000	EACH

Contract ID CNS368 - LINCOLN

Item No.	Description	Quantity	Units
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	1.300	L.M.
712-01	TRAFFIC CONTROL	(1)	LS
713-02.14	FLEXIBLE DELINEATOR (WHITE)	6.000	EACH
713-02.20	ROADSIDE OBSTACLE DELINEATION	24.000	S.F.
713-02.21	SIGN POST DELINEATION ENHANCEMENT	114.000	L.F.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	294.304	LB.
713-11.21	P POST SLIP BASE	2.000	EACH
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	24.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	45.000	S.F.
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	9.000	EACH
716-01.21	SNOWPLOWABLE RAISED PAVMENT MARKERS (BI-DIR) (1 COLOR)	103.000	EACH
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	4.900	L.M.
716-13.04	SPRAY THERMO PVMT MRKNG (60 mil) (4IN DOTTED LINE)	195.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-50.10	SOLAR POWERED FLASHING ASSEMBLY	2.000	EACH

Contract ID CNS340 - LINCOLN

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
201-01	CLEARING AND GRUBBING	(1)	LS
202-01.50	REMOVAL OF STRUCTURES AND OBSTRUCTIONS	2.000	EACH
202-08.15	REMOVAL OF CURB AND GUTTER (DESCRIPTION) ((PEPSI DR. STA 0+54.44 TO 1+58.58, CHENAULT FORD ROAD STA. 130+81.22 TO 131+64.93))	244.000	L.F.
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	827.000	C.Y.
203-03	BORROW EXCAVATION (UNCLASSIFIED)	507.000	C.Y.
203-04	PLACING AND SPREADING TOPSOIL	125.000	C.Y.
203-06	WATER	15.000	M.G.
204-08	FOUNDATION FILL MATERIAL	22.000	C.Y.
204-08.01	BACKFILL MATERIAL (FLOWABLE FILL)	32.000	C.Y.
208-01.05	BROOMING & DEGRASSING SHOULDERS	0.700	L.M.
209-05	SEDIMENT REMOVAL	17.000	C.Y.
209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	405.000	L.F.
209-08.08	ENHANCED ROCK CHECK DAM	10.000	EACH
209-09.01	SANDBAGS	320.000	BAG
209-09.03	SEDIMENT FILTER BAG (15' X 15')	2.000	EACH
209-20.03	POLYETHYLENE SHEETING (6 MIL. MINIMUM)	23.000	S.Y.
209-40.33	CATCH BASIN PROTECTION (TYPE D)	1.000	EACH
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	932.000	TON
303-01.01	GRANULAR BACKFILL (ROADWAY)	284.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	27.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	208.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	136.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	1.700	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	6.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	2.400	TON

Contract ID CNS340 - LINCOLN

Item No.	Description	Quantity	Units
411-01.10	ACS MIX(PG64-22) GRADING D	365.000	TON
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	4,296.000	S.Y.
607-05.02	24" CONCRETE PIPE CULVERT (CLASS III)	49.000	L.F.
611-02.11	JUNCTION BOX, TYPE 2	1.000	EACH
611-12.02	CATCH BASINS, TYPE 12, > 4' - 8' DEPTH	1.000	EACH
621-03.02	18" TEMPORARY DRAINAGE PIPE	50.000	L.F.
621-03.05	36" TEMPORARY DRAINAGE PIPE	220.000	L.F.
702-03	CONCRETE COMBINED CURB & GUTTER	15.500	C.Y.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	1.000	EACH
705-06.30	GR TERMINAL (ENERGY ABSORBING) MASH TL2	1.000	EACH
705-08.11	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	1.000	EACH
706-01	GUARDRAIL REMOVED	129.000	L.F.
709-05.05	MACHINED RIP-RAP (CLASS A-3)	185.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	500.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	43.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	14.000	EACH
712-06	SIGNS (CONSTRUCTION)	237.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	1.000	EACH
713-02.26	CONCRETE BARRIER/PARAPET DELINEATOR	25.000	EACH
713-15.02	REMOVAL & RELOCATION OF SIGN & SUPPORT	4.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	1.000	EACH
713-16.21	SIGNS (DESCRIPTION) (NO TRUCKS R5-2)	2.000	EACH
713-16.22	SIGNS (DESCRIPTION) (ADVANCE ARROW M5-1)	2.000	EACH
713-16.23	SIGNS (DESCRIPTION) (TRUCK W11-10)	2.000	EACH
713-16.24	SIGNS (DESCRIPTION) (TO SUPPLEMENTAL M4-5)	1.000	EACH
713-16.25	SIGNS (DESCRIPTION) (US HIGHWAY - 2 DIGITS M1-4)	1.000	EACH
713-16.26	SIGNS (DESCRIPTION) (DIRECTIONAL ARROW RIGHT M6-1R)	1.000	EACH

Contract ID CNS340 - LINCOLN

Item No.	Description	Quantity	Units
713-16.27	SIGNS (DESCRIPTION) (CHENAULT FORD SUPPLEMENTAL)	2.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	130.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	2.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	0.500	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	0.500	L.M.
717-01	MOBILIZATION	(1)	LS
730-26.07	FLASHING WARNING BEACON (DESCRIPTION)	2.000	EACH
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	458.000	S.Y.
740-11.02	TEMPORARY SEDIMENT TUBE 12IN	580.000	L.F.
801-01.65	TEMPORARY MULCH	6.900	UNIT
801-03	WATER (SEEDING & SODDING)	8.000	M.G.
801-08	FERTILIZER (SUPPLEMENTAL APPLICATION)	2.000	TON
803-01	SODDING (NEW SOD)	767.000	S.Y.
604-02.01	CLASS A CONCRETE (BOX BRIDGES)	37.000	C.Y.
604-02.02	STEEL BAR REINFORCEMENT (BOX BRIDGES)	8,409.000	LB.

Contract ID CNS367 - MADISON

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
201-01	CLEARING AND GRUBBING	(1)	LS
202-02.01	REMOVAL OF PIPE (SIZE ,STA.) (18", STA. 78+80.79)	30.000	L.F.
202-02.02	REMOVAL OF PIPE (SIZE ,STA.) (18", STA. 82+32.27)	112.000	L.F.
202-02.03	REMOVAL OF PIPE (SIZE ,STA.) (18", STA. 84+93.24)	50.000	L.F.
202-02.04	REMOVAL OF PIPE (SIZE ,STA.) (16", STA. 87+51.24)	98.000	L.F.
202-02.05	REMOVAL OF PIPE (SIZE ,STA.) (16", STA. 88+93.98)	50.000	L.F.
202-02.06	REMOVAL OF PIPE (SIZE ,STA.) (12" ,STA. 16+12.03; 12", STA. 106+59.41)	97.000	L.F.
202-03.01	REMOVAL OF ASPHALT PAVEMENT	2,929.000	S.Y.
202-03.02	REMOVAL OF RIGID PAVEMENT	65.000	C.Y.
202-04.50	REMOVAL OF STRUCTURES (DESCRIPTION, STA.) (2'X2' BOX CULVERT, STA. 110+95.07)	(1)	LS
202-04.51	REMOVAL OF STRUCTURES (DESCRIPTION, STA.) (3'X3' BOX CULVERT, STA. 123+46.91)	(1)	LS
202-08.15	REMOVAL OF CURB AND GUTTER (DESCRIPTION) (VARIOUS LOCATIONS, SEE PLANS)	515.000	L.F.
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	11,916.000	C.Y.
203-03.05	BORROW EXCAVATION (SELECT MATERIAL)	726.000	TON
203-04	PLACING AND SPREADING TOPSOIL	1,430.000	C.Y.
203-05	UNDERCUTTING	315.000	C.Y.
203-06	WATER	139.000	M.G.
203-07	FURNISHING & SPREADING TOPSOIL	938.000	C.Y.
203-10.15	WASTE MATERIAL	315.000	C.Y.
204-08.01	BACKFILL MATERIAL (FLOWABLE FILL)	3.000	C.Y.
208-01.05	BROOMING & DEGRASSING SHOULDERS	9.760	L.M.
209-05	SEDIMENT REMOVAL	199.000	C.Y.
209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	240.000	L.F.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	2,334.000	L.F.
209-08.07	ROCK CHECK DAM PER	9.000	EACH

Contract ID CNS367 - MADISON

Item No.	Description	Quantity	Units
209-08.08	ENHANCED ROCK CHECK DAM	17.000	EACH
209-09.01	SANDBAGS	350.000	BAG
209-09.03	SEDIMENT FILTER BAG (15' X 15')	2.000	EACH
209-09.40	CURB INLET PROTECTION (TYPE 1)	5.000	EACH
209-20.03	POLYETHYLENE SHEETING (6 MIL. MINIMUM)	300.000	S.Y.
209-20.04	POLYETHYLENE SHEETING (10 MIL.)	200.000	S.Y.
209-40.33	CATCH BASIN PROTECTION (TYPE D)	1.000	EACH
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	12,528.000	TON
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) (D)	150.000	TON
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) (GRADING C OR D)	3,285.000	TON
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) (SEE PLANS)	150.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	51.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	2,724.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	2,145.000	TON
311-03.04	HOT IN PLACE RECYCLING OF ASPHALT PAVEMENT (2.00IN)	97,335.000	S.Y.
311-03.10	Asphalt Rejuvenating Agent	58,401.000	GAL.
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	23.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	78.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	77.000	TON
407-07.01	INTELLIGENT COMPACTION EQUIPMENT	(1)	LS
411-01.10	ACS MIX(PG64-22) GRADING D	959.000	TON
411-03.14	ACS MIX(PG76-22) THIN LIFT D ASPHALT	6,893.000	TON
411-03.24	ACS MIX(PG64-22) THIN LIFT E ASPHALT	2,370.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	2.790	L.M.
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	4.870	L.M.

Contract ID CNS367 - MADISON

Item No.	Description	Quantity	Units
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	0.345	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	22,771.000	S.Y.
502-03.25	FULL DEPTH PCC PAVEMENT REPAIR HIGH EARLY	9.000	C.Y.
502-04.01	SAWING CONCRETE PAVEMENT (FULL DEPTH)	68.000	L.F.
502-04.02	LOAD TRANSFER DOWELS	24.000	EACH
502-04.03	TRANSVERSE TIE-BARS	6.000	EACH
604-36	SCARIFYING	1,103.000	S.Y.
607-03.30	18" PIPE CULVERT	440.000	L.F.
607-07.30	36" PIPE CULVERT	71.000	L.F.
607-09.30	48" PIPE CULVERT	48.000	L.F.
607-39.02	18" PIPE CULVERT (SIDE DRAIN)	330.000	L.F.
607-57.01	REINFORCED CONCRETE PIPE ARCH (22" X 13")	30.000	L.F.
611-07.31	18IN ENDWALL (SIDE DRAIN)	10.000	EACH
611-07.32	24IN ENDWALL (SIDE DRAIN)	1.000	EACH
611-07.54	18IN ENDWALL (CROSS DRAIN) 3:1	2.000	EACH
611-07.58	24IN ENDWALL (CROSS DRAIN) 4:1	1.000	EACH
611-07.63	36IN ENDWALL (CROSS DRAIN) 3:1	2.000	EACH
611-07.69	48IN ENDWALL (CROSS DRAIN) 3:1	2.000	EACH
611-07.73	18IN ENDWALL (MEDIAN DRAIN)	2.000	EACH
621-03.02	18" TEMPORARY DRAINAGE PIPE	106.000	L.F.
621-03.05	36" TEMPORARY DRAINAGE PIPE	60.000	L.F.
701-02	CONCRETE DRIVEWAY	3,473.000	S.F.
702-03	CONCRETE COMBINED CURB & GUTTER	40.000	C.Y.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	6.000	EACH
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	1.000	EACH
705-06.01	W BEAM GR (TYPE 2) MASH TL3	188.000	L.F.
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	6.000	EACH
705-06.30	GR TERMINAL (ENERGY ABSORBING) MASH TL2	2.000	EACH
705-08.11	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	2.000	EACH

Contract ID CNS367 - MADISON

Item No.	Description	Quantity	Units
707-08.11	HIGH-VISIBILITY CONSTRUCTION FENCE	100.000	L.F.
708-02.01	MARKERS (CONCRETE R.O.W. POSTS)	7.000	EACH
709-05.05	MACHINED RIP-RAP (CLASS A-3)	350.000	TON
709-05.06	MACHINED RIP-RAP (CLASS A-1)	612.000	TON
709-05.09	MACHINED RIP-RAP (CLASS C)	100.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	1,700.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	300.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	26.000	EACH
712-05.03	WARNING LIGHTS (TYPE C)	44.000	EACH
712-06	SIGNS (CONSTRUCTION)	3,096.000	S.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	348.000	L.F.
712-08.03	ARROW BOARD (TYPE C)	7.000	EACH
713-02.26	CONCRETE BARRIER/PARAPET DELINEATOR	20.000	EACH
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	990.000	LB.
713-15.35	METAL BARRICADE (TYPE III)	2.000	EACH
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	7.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	7.000	EACH
713-16.20	SIGNS (DESCRIPTION) (R1-1, STOP)	9.000	EACH
713-16.20	SIGNS (DESCRIPTION) (R1-6, STOP)	1.000	EACH
713-16.21	SIGNS (DESCRIPTION) (JAMES LAWRENCE RD)	1.000	EACH
713-16.22	SIGNS (DESCRIPTION) (W14-1, DEAD END)	2.000	EACH
713-16.23	SIGNS (DESCRIPTION) (R2-1, SPEED LIMIT 45)	1.000	EACH
713-16.24	SIGNS (DESCRIPTION) (R4-7, KEEP RIGHT)	2.000	EACH
713-16.25	SIGNS (DESCRIPTION) (R6-3, DIVIDED HIGHWAY)	1.000	EACH
713-16.26	SIGNS (DESCRIPTION) (R5-1, DO NOT ENTER)	2.000	EACH
713-16.27	SIGNS (DESCRIPTION) (R5-1A, WRONG WAY)	2.000	EACH
713-16.28	SIGNS (DESCRIPTION) (R1-2, YIELD)	2.000	EACH
713-16.29	SIGNS (DESCRIPTION) (OM4-1, OBJECT MARKER)	2.000	EACH
713-16.30	SIGNS (DESCRIPTION) (R11-2, ROAD CLOSED)	1.000	EACH

Contract ID CNS367 - MADISON

Item No.	Description	Quantity	Units
713-16.31	SIGNS (DESCRIPTION) (LAGER LANE)	2.000	EACH
713-16.32	SIGNS (DESCRIPTION) (W1-3, STOP AHEAD)	2.000	EACH
713-16.33	SIGNS (DESCRIPTION) (R6-1L, ONE WAY)	2.000	EACH
713-16.34	SIGNS (DESCRIPTION) (R6-1R, ONE WAY)	1.000	EACH
716-01.21	SNOWPLOWABLE RAISED PAVMENT MARKERS (BI-DIR) (1 COLOR)	587.000	EACH
716-01.22	SNOWPLOWABLE RAISED PAVMENT MARKERS (MONO-DIR)(1 COLOR)	36.000	EACH
716-01.23	SNOWPLOWABLE RAISED PAVEMENT MARKERS (BI-DIR)(2 COLOR)	530.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	601.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	738.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	62.000	EACH
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	11.000	EACH
716-03.06	PLASTIC WORD PAVEMENT MARKING (SIGNAL AHEAD)	4.000	EACH
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	2.000	EACH
716-04.02	PLASTIC PAVEMENT MARKING(DOUBLE TURNING ARROW)	5.000	EACH
716-04.04	PLASTIC PAVEMENT MARKING (TRANSVERSE SHOULDER)	598.000	L.F.
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	10.000	EACH
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	17.000	S.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	20.459	L.M.
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	4.114	L.M.
716-08.01	REMOVAL OF PAVEMENT MARKING (LINE)	3.130	L.F.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	18.542	L.M.
716-13.05	SPRAY THERMO PVMT MRKNG (60 mil) (6IN DOTTED LINE)	904.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-12.01	CONDUIT 1" DIAMETER (PVC)	50.000	L.F.

Contract ID CNS367 - MADISON

Item No.	Description	Quantity	Units
730-14.01	SHIELDED DETECTOR CABLE	50.000	L.F.
730-14.02	SAW SLOT	1,616.000	L.F.
730-14.03	LOOP WIRE	3,616.000	L.F.
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	1,303.000	S.Y.
740-10.04	GEOTEXTILE (TYPE IV)(STABILIZATION)	2,001.000	S.Y.
740-11.04	TEMPORARY SEDIMENT TUBE 20IN	1,400.000	L.F.
740-11.05	TEMPORARY SEDIMENT TUBE 24IN	280.000	L.F.
801-01.07	TEMPORARY SEEDING (WITH MULCH)	122.000	UNIT
801-03	WATER (SEEDING & SODDING)	143.000	M.G.
803-01	SODDING (NEW SOD)	13,094.000	S.Y.
604-10.44	EXPANSION JOINT REPAIRS	24.000	L.F.
604-10.53	CONCRETE REPAIRS	20.000	S.Y.
617-04.01	TYPE 1 THIN EPOXY OVERLAY (EPOXY-URETHANE)	1,600.000	S.Y.

Contract ID CNS330 - MCMINN

Item No.	Description	Quantity	Units
204-08.01	BACKFILL MATERIAL (FLOWABLE FILL)	288.800	C.Y.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	1,494.000	TON
307-01.15	ASC MIX (PG64-22) (BPMLC-HM) GRADING CS	1,802.000	TON
307-01.20	ASP. CONC. MIX(PG64-22) (BPMB-HM) GR. A-S	1,929.000	TON
307-03.10	ASPHALT CONC MIX (PG76-22)(BPMB-HM) GR CS	5,045.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	145.000	TON
407-07.01	INTELLIGENT COMPACTION EQUIPMENT	(1)	LS
411-01.10	ACS MIX(PG64-22) GRADING D	552.000	TON
411-03.23	ACS MIX (PG76-22) OGFC	9,912.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	18.000	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	14,137.000	TON
710-04	FILTER CLOTH UNDERDRAIN (WITH PIPE)	31,996.000	L.F.
710-05	LATERAL UNDERDRAIN	4,212.000	L.F.
710-06.12	LATERAL UNDERDRAIN ENDWALL (3:1)	95.000	EACH
710-06.15	LATERAL UNDERDRAIN ENDWALL (6:1)	67.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	328.000	EACH
712-05.03	WARNING LIGHTS (TYPE C)	120.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,796.000	S.F.
712-06.16	SIGNS (CONSTRUCTION)(REDUCED SPEED WARNING)	4.000	EACH
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
712-08.10	MOBILE MESSAGE SIGN UNIT W/ATTENUATOR	1,000.000	HOUR
713-02.14	FLEXIBLE DELINEATOR (WHITE)	1,321.000	EACH
713-02.15	FLEXIBLE DELINEATOR (YELLOW)	57.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
716-01.23	SNOWPLOWABLE RAISED PAVEMENT MARKERS (BI-DIR)(2 COLOR)	1,365.000	EACH

Contract ID CNS330 - MCMINN

Item No.	Description	Quantity	Units
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	1,365.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	1,100.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	40.000	L.F.
716-02.12	PLASTIC PAVEMENT MARKING (8IN LINE)	2.400	L.M.
716-04.06	PLASTIC PAVEMENT MARKING (WRONG WAY ARROW)	2.000	EACH
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	60.000	S.F.
716-05.02	PAINTED PAVEMENT MARKING (8" BARRIER LINE)	6,190.000	L.F.
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	22.600	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	22.600	L.M.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	2,620.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-03.20	INSTALL PULL BOX (TYPE A)	2.000	EACH
730-12.02	CONDUIT 2" DIAMETER (PVC)	20.000	L.F.
730-14.02	SAW SLOT	500.000	L.F.
730-14.03	LOOP WIRE	1,200.000	L.F.

Contract ID CNS334 - POLK

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
201-01	CLEARING AND GRUBBING	(1)	LS
202-01.56	REMOVAL OF STRUCTURES & OBSTRUCTIONS (DESCRIPTION) (EXIST. CB AND PIPE)	(1)	LS
202-03	REMOVAL OF RIGID PAVEMENT, SIDEWALK, ETC.	33.000	S.Y.
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	25.000	C.Y.
203-03	BORROW EXCAVATION (UNCLASSIFIED)	81.000	C.Y.
203-04	PLACING AND SPREADING TOPSOIL	3.500	C.Y.
203-06	WATER	3.000	M.G.
203-08	CHANNEL EXCAVATION (UNCLASSIFIED)	330.000	C.Y.
209-05	SEDIMENT REMOVAL	72.000	C.Y.
209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	550.000	L.F.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	350.000	L.F.
209-08.08	ENHANCED ROCK CHECK DAM	2.000	EACH
209-09.04	SEDIMENT FILTER BAG(15' X 10')	2.000	EACH
209-40.33	CATCH BASIN PROTECTION (TYPE D)	1.000	EACH
209-65.04	TEMPORARY IN STREAM DIVERSION	230.000	L.F.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	315.000	TON
303-01.01	GRANULAR BACKFILL (ROADWAY)	203.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	66.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	55.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	1.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	4.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	1.000	TON
407-20.05	SAW CUTTING ASPHALT PAVEMENT	140.000	L.F.
411-01.10	ACS MIX(PG64-22) GRADING D	85.000	TON
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	393.000	S.Y.
607-03.02	18" CONCRETE PIPE CULVERT (CLASS III)	72.000	L.F.

Contract ID CNS334 - POLK

Item No.	Description	Quantity	Units
611-42.02	CATCH BASINS, TYPE 42, > 4' - 8' DEPTH	1.000	EACH
701-01.02	CONCRETE SIDEWALK (6 ")	195.000	S.F.
701-02	CONCRETE DRIVEWAY	945.000	S.F.
701-02.03	CONCRETE CURB RAMP	200.000	S.F.
702-01	CONCRETE CURB	3.000	C.Y.
705-01.05	GUARDRAIL AT BRIDGE ENDS LOW VOLUME	4.000	EACH
705-06.01	W BEAM GR (TYPE 2) MASH TL3	25.000	L.F.
705-06.11	GR TERMINAL (IN-INLINE) MASH TL3	2.000	EACH
705-06.30	GR TERMINAL (ENERGY ABSORBING) MASH TL2	2.000	EACH
706-01	GUARDRAIL REMOVED	139.000	L.F.
706-10.26	ROUNDED END ELEMENT	2.000	EACH
707-08.11	HIGH-VISIBILITY CONSTRUCTION FENCE	180.000	L.F.
709-05.05	MACHINED RIP-RAP (CLASS A-3)	100.000	TON
709-05.08	MACHINED RIP-RAP (CLASS B)	236.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-05.01	WARNING LIGHTS (TYPE A)	12.000	EACH
712-06	SIGNS (CONSTRUCTION)	166.000	S.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	96.000	L.F.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	0.300	L.M.
717-01	MOBILIZATION	(1)	LS
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	338.000	S.Y.
801-03	WATER (SEEDING & SODDING)	1.000	M.G.
803-01	SODDING (NEW SOD)	21.000	S.Y.
202-04.01	REMOVAL OF STRUCTURES (DESCRIPTION, STA.) (STEEL I-BEAM BRIDGE, STA. 52+32.87)	(1)	LS
204-08	FOUNDATION FILL MATERIAL	25.000	C.Y.
604-02.01	CLASS A CONCRETE (BOX BRIDGES)	165.000	C.Y.
604-02.02	STEEL BAR REINFORCEMENT (BOX BRIDGES)	32,333.000	LB.
620-05	CONCRETE PARAPET WITH STRUCTURAL TUBING	112.000	L.F.

Contract ID CNS328 - PUTNAM

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	4,906.000	TON
307-03.08	ASPHALT CONCRETE MIX (PG76-22) (BPMB-HM) GRADING B-M2	400.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	42.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	101.000	TON
407-07.01	INTELLIGENT COMPACTION EQUIPMENT	(1)	LS
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	4,159.000	TON
411-03.10	ACS MIX(PG76-22) GRADING D	11,044.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	18.800	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	15,180.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	160.000	EACH
712-05.03	WARNING LIGHTS (TYPE C)	24.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,454.000	S.F.
712-06.16	SIGNS (CONSTRUCTION)(REDUCED SPEED WARNING)	5.000	EACH
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
712-08.10	MOBILE MESSAGE SIGN UNIT W/ATTENUATOR	1,000.000	HOUR
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
716-01.23	SNOWPLOWABLE RAISED PAVEMENT MARKERS (BI-DIR)(2 COLOR)	711.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	711.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	16.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	25.000	L.F.
716-02.07	PLASTIC PAVEMENT MARKING (24" BARRIER LINE)	775.000	L.F.
716-02.12	PLASTIC PAVEMENT MARKING (8IN LINE)	0.500	L.M.
716-04.04	PLASTIC PAVEMENT MARKING (TRANSVERSE SHOULDER)	120.000	L.F.
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	26.800	L.M.

Contract ID CNS328 - PUTNAM

Item No.	Description	Quantity	Units
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	22.800	L.M.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	150.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-03.25	INSTALL PULL BOX (DESCRIPTION) (29 X 21)	1.000	EACH
730-12.02	CONDUIT 2" DIAMETER (PVC)	20.000	L.F.
730-14.02	SAW SLOT	250.000	L.F.
730-14.03	LOOP WIRE	700.000	L.F.
730-15.07	CABINET (DESCRIPTION) (SOLAR)	1.000	EACH
617-04.01	TYPE 1 THIN EPOXY OVERLAY (EPOXY-URETHANE)	1,110.000	S.Y.

Contract ID CNS355 - PUTNAM

Item No.	Description	Quantity	Units
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	219.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	4.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	4.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	181.000	TON
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	1,090.000	S.Y.
604-02.03	EPOXY COATED REINFORCING STEEL	13,148.000	LB.
604-03.09	CLASS D CONCRETE (BRIDGE DECK)	12.000	C.Y.
604-04.01	APPLIED TEXTURE FINISH (NEW STRUCTURES)	625.000	S.Y.
604-04.02	APPLIED TEXTURE FINISH (EXISTING STRUCTURES)	3,306.000	S.Y.
604-04.41	THREE STAR STATE EMBLEM	8.000	EACH
604-10.05	CONCRETE	83.000	S.F.
604-10.30	BRIDGE DECK REPAIRS (FULL DEPTH OF SLAB)	50.000	S.Y.
604-10.47	EXPANSION JOINT REPAIRS (TYPE H)	25.000	L.F.
604-10.48	EXPANSION JOINT REPAIRS (TYPE J)	25.000	L.F.
604-10.50	BRIDGE DECK REPAIRS (PARTIAL DEPTH OF SLAB)	175.000	S.Y.
604-10.54	CONCRETE REPAIRS	696.000	S.F.
604-10.58	EPOXY INJECTION (INJECTION)	2.000	GAL.
604-10.62	EPOXY INJECTION REPAIR (COMPLETE AND IN PLACE)	85.000	L.F.
604-10.83	COMPOSITE FIBER ENCASEMENT	6,470.000	S.F.
617-01	BRIDGE DECK SEALANT	1,298.000	S.Y.
620-09	REMOVAL & REPLACEMENT OF EXISTING BRIDGE RAIL	937.000	L.F.
705-01.01	GUARDRAIL AT BRIDGE ENDS	108.000	L.F.
705-04.50	PORTABLE BARRIER RAIL DELINEATOR	246.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	4.000	EACH
705-08.11	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	12.000	EACH
705-11.11	TAN ENERGY ABSORB TERMINAL (NCHRP 350, TL 3)(POWDER COATED)	4.000	EACH

Contract ID CNS355 - PUTNAM

Item No.	Description	Quantity	Units
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	4,854.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	216.000	EACH
712-06	SIGNS (CONSTRUCTION)	2,217.000	S.F.
712-08.01	UNIFORMED POLICE OFFICER	1,000.000	DOLL
712-08.10	MOBILE MESSAGE SIGN UNIT W/ATTENUATOR	500.000	HOUR
712-09.01	REMOVABLE PAVEMENT MARKING LINE	23,805.000	L.F.
712-09.04	REMOVABLE PAVEMENT MARKING (STOP LINE)	54.000	L.F.
713-16.50	REMOVE AND REPLACE SIGN (DESCRIPTION) (DESCRIPTION)	4.000	EACH
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	1.520	L.M.
717-01	MOBILIZATION	(1)	LS
719-01.08	CLEAN DRAIN	4.000	EACH
725-03.02	DYNAMIC MESSAGE SIGN	4.000	EACH
730-05.01	ELECTRICAL SERVICE CONNECTION	2.000	EACH
730-40	TEMPORARY TRAFFIC SIGNAL SYSTEM	2.000	EACH

Contract ID CNS343 - ROANE

Item No.	Description	Quantity	Units
201-01	CLEARING AND GRUBBING	(1)	LS
202-03.01	REMOVAL OF ASPHALT PAVEMENT	6,417.000	S.Y.
208-01	SHOULDERS AND DITCHES	30.000	L.M.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	1,000.000	L.F.
307-03.09	ASPHALT CONCRETE MIX (PG76-22) (BPMB-HM) GRADING C	16,763.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	158.000	TON
403-05.01	BITUMINOUS MATERIAL (FOG SEAL) SHOULDER	19.000	TON
407-07.01	INTELLIGENT COMPACTION EQUIPMENT	(1)	LS
411-03.23	ACS MIX (PG76-22) OGFC	13,145.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	30.000	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	14,478.000	TON
502-08.01	RESEALING JOINTS (HOT POURED ELASTIC)	3,015.000	L.F.
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	7.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	7.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	314.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	157.000	EACH
712-06	SIGNS (CONSTRUCTION)	3,942.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
712-08.10	MOBILE MESSAGE SIGN UNIT W/ATTENUATOR	300.000	HOUR
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
716-01.23	SNOWPLOWABLE RAISED PAVEMENT MARKERS (BI-DIR)(2 COLOR)	1,772.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	886.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	65.000	L.F.
716-05.49	PAINTED PAVEMENT MARKINGS(8" LINE)	90.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	30.000	L.M.

Contract ID CNS343 - ROANE

Item No.	Description	Quantity	Units
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	650.000	L.F.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	500.000	L.F.
717-01	MOBILIZATION	(1)	LS
604-10.30	BRIDGE DECK REPAIRS (FULL DEPTH OF SLAB)	100.000	S.Y.
604-10.50	BRIDGE DECK REPAIRS (PARTIAL DEPTH OF SLAB)	160.000	S.Y.
617-01	BRIDGE DECK SEALANT	807.000	S.Y.

Contract ID CNS369 - ROBERTSON

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
203-30.01	ROADWAY APPROACHES	(1)	LS
209-05	SEDIMENT REMOVAL	22.000	C.Y.
209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	1,570.000	L.F.
209-08.08	ENHANCED ROCK CHECK DAM	8.000	EACH
209-09.04	SEDIMENT FILTER BAG(15' X 10')	2.000	EACH
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	98.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	21.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	29.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	1.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	74.000	TON
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	992.000	S.Y.
705-01.01	GUARDRAIL AT BRIDGE ENDS	215.170	L.F.
705-02.02	SINGLE GUARDRAIL (TYPE 2)	149.000	L.F.
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	7.000	EACH
706-01	GUARDRAIL REMOVED	946.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	96.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	68.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	48.000	EACH
712-06	SIGNS (CONSTRUCTION)	236.000	S.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	96.000	L.F.
712-09.01	REMOVABLE PAVEMENT MARKING LINE	2,100.000	L.F.
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	4.000	EACH
716-01.11	RAISED PVMT MARKERS (BI-DIRECTIONAL) (1 COLOR LENS)	8.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	1.000	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	1.000	L.M.

Contract ID CNS369 - ROBERTSON

Item No.	Description	Quantity	Units
717-01	MOBILIZATION	(1)	LS
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	105.000	S.Y.
202-04.01	REMOVAL OF STRUCTURES (DESCRIPTION, STA.) (PARTIAL, BRIDGE NOS. 74-SR049-03.52 AND 74-SR049-04.93)	(1)	LS
204-04.10	STRUCTURE EXCAVATION UNCLASSIFIED	104.000	C.Y.
303-01.02	GRANULAR BACKFILL (BRIDGES)	54.000	TON
602-02.10	STRUCTURAL STEEL (LOCATION & DESCRIPTION) (SHIMS - BRIDGE NO. 74-SR049-03.52 AND 74-SR049-04.93)	(1)	LS
604-02.03	EPOXY COATED REINFORCING STEEL	6,790.000	LB.
604-03.02	STEEL BAR REINFORCEMENT (BRIDGES)	28,629.000	LB.
604-03.04	PAVEMENT @ BRIDGE ENDS	227.000	S.Y.
604-03.07	CLASS A CONCRETE (DESCRIPTION) (HIGH-EARLY STRENGTH)	192.000	C.Y.
604-03.09	CLASS D CONCRETE (BRIDGE DECK)	29.000	C.Y.
604-04.02	APPLIED TEXTURE FINISH (EXISTING STRUCTURES)	687.000	S.Y.
604-05.32	BRIDGE DECK GRINDING AND GROOVING	343.000	S.Y.
604-10.14	REMOVE EXISTING WEARING SURFACE	(1)	LS
604-10.58	EPOXY INJECTION (INJECTION)	1.000	GAL.
604-10.59	CLOSURE POUR MATERIAL (ACCELERATED STRENGTH)	755.000	C.F.
604-10.62	EPOXY INJECTION REPAIR (COMPLETE AND IN PLACE)	25.000	L.F.
615-02.03	PRESTRESSED CONCRETE BOX BEAM (21" X 36")	380.000	L.F.
615-04.04	FULL DEPTH PRECAST DECK PANEL (5000 PSI)	246.000	S.Y.
615-04.10	NON-SHRINK GROUT	83.000	C.F.
615-04.30	PRECAST BRIDGE ABUTMENT WALL	32.000	C.Y.
617-01	BRIDGE DECK SEALANT	371.000	S.Y.
620-05.01	CONC PARAPET SINGLE SLOPE (STD-1-1SS)	196.000	L.F.
712-02.47	BRIDGE MOUNTED INTERCONNECTED PORTABLE BARRIER RAIL	196.000	L.F.

Contract ID CNS349 - RUTHERFORD

Item No.	Description	Quantity	Units
201-01	CLEARING AND GRUBBING	(1)	LS
712-01	TRAFFIC CONTROL	(1)	LS
713-02.21	SIGN POST DELINEATION ENHANCEMENT	18.000	L.F.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	91.000	LB.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	27.000	S.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	4.000	EACH
716-12.01	ENHANCED FLATLINE THERMO PVMT MRKNG (4IN LINE)	1.000	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS329 - RUTHERFORD

Item No.	Description	Quantity	Units
208-01.05	BROOMING & DEGRASSING SHOULDERS	21.000	L.M.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	1,879.000	TON
307-03.08	ASPHALT CONCRETE MIX (PG76-22) (BPMB-HM) GRADING B-M2	2,500.000	TON
307-03.10	ASPHALT CONC MIX (PG76-22)(BPMB-HM) GR CS	14,536.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	355.000	TON
407-07.01	INTELLIGENT COMPACTION EQUIPMENT	(1)	LS
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	237.000	TON
411-03.10	ACS MIX(PG76-22) GRADING D	1,116.000	TON
411-03.23	ACS MIX (PG76-22) OGFC	24,599.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	21.000	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	30,817.000	TON
501-01.13	PORTLAND CEMENT CONCRETE PAVEMENT (PLAIN) 10" FAST TRACK	1,445.000	S.Y.
502-04.01	SAWING CONCRETE PAVEMENT (FULL DEPTH)	5,893.000	L.F.
502-04.02	LOAD TRANSFER DOWELS	1,190.000	EACH
502-04.03	TRANSVERSE TIE-BARS	481.000	EACH
502-08.07	SEALING RANDOM CRACKS (SILICONE SEALANT)	800.000	L.F.
705-08.11	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	4.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	2,220.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	270.000	EACH
712-04.50	BARRIER RAIL DELINEATOR	10.000	EACH
712-06	SIGNS (CONSTRUCTION)	2,864.000	S.F.
712-06.16	SIGNS (CONSTRUCTION)(REDUCED SPEED WARNING)	4.000	EACH
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
712-08.10	MOBILE MESSAGE SIGN UNIT W/ATTENUATOR	1,250.000	HOUR
712-09.02	REMOVABLE PAVEMENT MARKING (8" BARRIER LINE)	16,668.000	L.F.

Contract ID CNS329 - RUTHERFORD

Item No.	Description	Quantity	Units
713-02.14	FLEXIBLE DELINEATOR (WHITE)	219.000	EACH
713-02.15	FLEXIBLE DELINEATOR (YELLOW)	86.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	4.000	EACH
716-01.22	SNOWPLOWABLE RAISED PAVMENT MARKERS (MONO-DIR)(1 COLOR)	750.000	EACH
716-01.23	SNOWPLOWABLE RAISED PAVEMENT MARKERS (BI-DIR)(2 COLOR)	3,022.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	4,120.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	135.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	51.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	2.000	EACH
716-02.07	PLASTIC PAVEMENT MARKING (24" BARRIER LINE)	3,700.000	L.F.
716-04.04	PLASTIC PAVEMENT MARKING (TRANSVERSE SHOULDER)	625.000	L.F.
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	3.000	EACH
716-04.09	PLASTIC PAVEMENT MARKING (H.O.V. DIAMOND)	42.000	EACH
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	18.000	S.F.
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	73.000	L.M.
716-08.30	HYDROBLAST REMOVAL OF PAVEMENT MARKING (LINE)	1.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	30.000	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	8,850.000	L.F.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	1,765.000	L.F.
716-12.09	ENHANCED FLAT LINE THERMO (12IN LINE)	27,460.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	550.000	L.F.
730-14.03	LOOP WIRE	1,350.000	L.F.
604-10.11	CONCRETE SLAB REPAIRS	25.000	S.Y.

Contract ID CNS329 - RUTHERFORD

Item No.	Description	Quantity	Units
604-10.34	CONCRETE OVERLAYED BRIDGE DECK REPAIR (FULL DEPTH)	25.000	S.Y.
604-10.44	EXPANSION JOINT REPAIRS	326.000	L.F.
604-10.50	BRIDGE DECK REPAIRS (PARTIAL DEPTH OF SLAB)	5.000	S.Y.
604-10.53	CONCRETE REPAIRS	5.000	S.Y.
604-10.56	CONCRETE OVERLAYED BRIDGE DECK REPAIR (PARTIAL DEPTH)	5.000	S.Y.
617-04.01	TYPE 1 THIN EPOXY OVERLAY (EPOXY-URETHANE)	3,800.000	S.Y.

Contract ID CNS344 - SHELBY

Item No.	Description	Quantity	Units
202-03.01	REMOVAL OF ASPHALT PAVEMENT	1,087.000	S.Y.
203-06	WATER	11.000	M.G.
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) (C OR D)	1,371.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	500.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	114.000	TON
407-07.01	INTELLIGENT COMPACTION EQUIPMENT	(1)	LS
411-03.10	ACS MIX(PG76-22) GRADING D	19,312.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	15.400	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	19,268.000	TON
502-01	CLEANING AND SEALING JOINTS	1,398.000	L.F.
502-03.25	FULL DEPTH PCC PAVEMENT REPAIR HIGH EARLY	243.000	C.Y.
502-04.01	SAWING CONCRETE PAVEMENT (FULL DEPTH)	1,398.000	L.F.
502-04.02	LOAD TRANSFER DOWELS	480.000	EACH
502-04.03	TRANSVERSE TIE-BARS	384.000	EACH
502-08.03	SEALING SHOULDER JOINTS	4,078.000	L.F.
502-08.07	SEALING RANDOM CRACKS (SILICONE SEALANT)	400.000	L.F.
503-01	GRINDING CONCRETE PAVEMENT	728.000	S.Y.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	14.000	EACH
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	14.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	14.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	550.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	20.000	EACH
712-05.03	WARNING LIGHTS (TYPE C)	550.000	EACH
712-06	SIGNS (CONSTRUCTION)	2,250.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	6.000	EACH
712-08.10	MOBILE MESSAGE SIGN UNIT W/ATTENUATOR	275.000	HOUR

Contract ID CNS344 - SHELBY

Item No.	Description	Quantity	Units
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	4.000	EACH
716-01.23	SNOWPLOWABLE RAISED PAVEMENT MARKERS (BI-DIR)(2 COLOR)	1,162.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	993.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	1,476.000	S.Y.
716-04.14	PLASTIC PAVEMENT MARKING (LANE REDUCTION ARROW)	1.000	EACH
716-05.02	PAINTED PAVEMENT MARKING (8" BARRIER LINE)	2,852.000	L.F.
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	20.624	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	20.624	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	2,852.000	L.F.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	3,869.000	L.F.
716-12.09	ENHANCED FLAT LINE THERMO (12IN LINE)	425.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-12.02	CONDUIT 2" DIAMETER (PVC)	40.000	L.F.
730-14.02	SAW SLOT	600.000	L.F.
730-14.03	LOOP WIRE	3,000.000	L.F.
604-10.50	BRIDGE DECK REPAIRS (PARTIAL DEPTH OF SLAB)	25.000	S.Y.
617-04.01	TYPE 1 THIN EPOXY OVERLAY (EPOXY-URETHANE)	10,340.000	S.Y.

Contract ID CNS361 - SHELBY

Item No.	Description	Quantity	Units
202-03.01	REMOVAL OF ASPHALT PAVEMENT	2,500.000	S.Y.
203-06	WATER	7.000	M.G.
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) (C OR D)	1,742.000	TON
307-03.08	ASPHALT CONCRETE MIX (PG76-22) (BPMB-HM) GRADING B-M2	1,130.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	161.000	TON
407-07.01	INTELLIGENT COMPACTION EQUIPMENT	(1)	LS
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	6,770.000	TON
411-03.10	ACS MIX(PG76-22) GRADING D	21,312.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	14.000	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	328,757.000	S.Y.
502-08.03	SEALING SHOULDER JOINTS	3,700.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	256.000	EACH
712-06	SIGNS (CONSTRUCTION)	2,154.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	6.000	EACH
712-08.09	DIGITAL SPEED LIMIT SIGN ASSEMBLY	6.000	EACH
712-08.10	MOBILE MESSAGE SIGN UNIT W/ATTENUATOR	480.000	HOUR
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	4.000	EACH
716-01.22	SNOWPLOWABLE RAISED PAVMENT MARKERS (MONO-DIR)(1 COLOR)	500.000	EACH
716-01.23	SNOWPLOWABLE RAISED PAVEMENT MARKERS (BI-DIR)(2 COLOR)	5,375.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	120.000	L.F.
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	1,650.000	S.Y.
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	2.000	EACH
716-04.07	PLASTIC PAVEMENT MARKING (EXIT ONLY ARROW)	6.000	EACH
716-04.08	PLASTIC PAVEMENT MARKING (OPTION LANE ARROW)	6.000	EACH

Contract ID CNS361 - SHELBY

Item No.	Description	Quantity	Units
716-04.09	PLASTIC PAVEMENT MARKING (H.O.V. DIAMOND)	26.000	EACH
716-04.14	PLASTIC PAVEMENT MARKING (LANE REDUCTION ARROW)	6.000	EACH
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	20.499	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMR MRKNG (6IN LINE)	20.499	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMR MRKNG (8IN BARRIER LINE)	6,500.000	L.F.
716-12.05	ENHANCED FLATLINE THERMO PVMR MRKNG (6IN DOTTED LINE)	13,300.000	L.F.
716-12.09	ENHANCED FLAT LINE THERMO (12IN LINE)	19,297.000	L.F.
716-12.10	ENHANCED FLAT LINE THERMO (12IN DOTTED)	1,500.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-03.25	INSTALL PULL BOX (DESCRIPTION) (29' X 22")	2.000	EACH
730-12.02	CONDUIT 2" DIAMETER (PVC)	50.000	L.F.
730-14.02	SAW SLOT	750.000	L.F.
730-14.03	LOOP WIRE	3,800.000	L.F.
730-15.07	CABINET (DESCRIPTION) (41"H X 25"W X 18"D)	2.000	EACH
604-10.50	BRIDGE DECK REPAIRS (PARTIAL DEPTH OF SLAB)	40.000	S.Y.
604-10.53	CONCRETE REPAIRS	20.000	S.Y.
617-04.01	TYPE 1 THIN EPOXY OVERLAY (EPOXY-URETHANE)	8,985.000	S.Y.

Contract ID CNS277 - SHELBY

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
109-10.01	TRAINEE	6,280.000	HOUR
201-01	CLEARING AND GRUBBING	(1)	LS
202-02	REMOVAL OF STRUCTURE COMPONENTS & OBSTRUCTIONS	(1)	LS
202-02.01	REMOVAL OF PIPE (SIZE ,STA.) (18" RCP, S.R. 14 - 405+82.68)	74.000	L.F.
202-02.02	REMOVAL OF PIPE (SIZE ,STA.) (24" CMP, RICKS RD. RT. - 13+50+/- RT)	88.000	L.F.
202-02.03	REMOVAL OF PIPE (SIZE ,STA.) (18" RCP, S.R. 14 - 409+83.21)	75.000	L.F.
202-02.04	REMOVAL OF PIPE (SIZE ,STA.) (30" RCP, S.R. 14 - 447+33.40)	67.000	L.F.
202-02.05	REMOVAL OF PIPE (SIZE ,STA.) (24" RCP, MILLINGTON/ARLINGTON RD LT - 29+81.91)	90.000	L.F.
202-02.06	REMOVAL OF PIPE (SIZE ,STA.) (36" RCP, S.R. 14 - 462+10.79)	66.000	L.F.
202-02.07	REMOVAL OF PIPE (SIZE ,STA.) (30" RCP, S.R. 14 - 479+75.68)	61.000	L.F.
202-02.08	REMOVAL OF PIPE (SIZE ,STA.) (30" RCP, S.R. 14 - 488+40.41)	67.000	L.F.
202-02.09	REMOVAL OF PIPE (SIZE ,STA.) (30" RCP, S.R. 14 - 499+42.67)	67.000	L.F.
202-02.10	REMOVAL OF PIPE (SIZE ,STA.) (18" CMP, S.R. 14 - 516+00.00 RT)	30.000	L.F.
202-02.11	REMOVAL OF PIPE (SIZE ,STA.) (36" RCP, S.R. 14 - 523+71.26)	98.000	L.F.
202-02.12	REMOVAL OF PIPE (SIZE ,STA.) (18" CMP, McCALA RD TURNAROUND - 199+57.39)	30.000	L.F.
202-02.13	REMOVAL OF PIPE (SIZE ,STA.) (24" RCP, S.R. 14 - 542+56.02)	61.000	L.F.
202-02.14	REMOVAL OF PIPE (SIZE ,STA.) (15" RCP, S.R. 14 - 545+53.83 LT)	61.000	L.F.
202-02.15	REMOVAL OF PIPE (SIZE ,STA.) (4' X 3' RCBC, S.R. 14 - 551+81.56)	71.000	L.F.

Contract ID CNS277 - SHELBY

Item No.	Description	Quantity	Units
202-02.17	REMOVAL OF PIPE (SIZE ,STA.) (30" RCP, S.R. 14 - 559+04.96)	67.000	L.F.
202-04.01	REMOVAL OF STRUCTURES (DESCRIPTION, STA.) (4' X 14' FOOTBRIDGE, S.R. 14 - 454+23.13 RT)	(1)	LS
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	119,832.000	C.Y.
203-03	BORROW EXCAVATION (UNCLASSIFIED)	784,050.000	C.Y.
203-03.10	SELECT GRANULAR MATERIAL	74,300.000	TON
203-04	PLACING AND SPREADING TOPSOIL	44,155.000	C.Y.
203-05	UNDERCUTTING	34,601.000	C.Y.
203-50	CONSTRUCTION OF HAUL ROAD	(1)	LS
204-08	FOUNDATION FILL MATERIAL	59.190	C.Y.
204-08.01	BACKFILL MATERIAL (FLOWABLE FILL)	73.000	C.Y.
209-02.07	18" TEMPORARY SLOPE DRAIN	479.000	L.F.
209-03.23	FILTER SOCK (24 INCH)	246.000	L.F.
209-03.31	STREAM MITIGATION-COCONUT FIBER ROLLS	160.000	L.F.
209-05	SEDIMENT REMOVAL	5,854.000	C.Y.
209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	53,985.000	L.F.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	31,068.000	L.F.
209-08.07	ROCK CHECK DAM PER	57.000	EACH
209-08.08	ENHANCED ROCK CHECK DAM	168.000	EACH
209-08.09	FILTER SOCK CHECK DAM	8.000	EACH
209-09.01	SANDBAGS	2,656.000	BAG
209-09.03	SEDIMENT FILTER BAG (15' X 15')	2.000	EACH
209-09.04	SEDIMENT FILTER BAG(15' X 10')	2.000	EACH
209-10.20	TEMPORARY SEDIMENT TRAP	254.000	C.Y.
209-20.03	POLYETHYLENE SHEETING (6 MIL. MINIMUM)	258.000	S.Y.
209-20.04	POLYETHYLENE SHEETING (10 MIL.)	27.000	S.Y.
209-40.33	CATCH BASIN PROTECTION (TYPE D)	19.000	EACH
209-40.41	CATCH BASIN FILTER ASSEMBLY(TYPE 1)	40.000	EACH
209-40.42	CATCH BASIN FILTER ASSEMBLY(TYPE 2)	7.000	EACH
209-40.44	CATCH BASIN FILTER ASSEMBLY(TYPE 4)	2.000	EACH

Contract ID CNS277 - SHELBY

Item No.	Description	Quantity	Units
209-65.03	TEMPORARY DIVERSION CHANNEL	312.000	L.F.
209-65.04	TEMPORARY IN STREAM DIVERSION	439.000	L.F.
302-01.01	HYDRATED LIME	6,625.000	TON
303-01.01	GRANULAR BACKFILL (ROADWAY)	1,123.700	TON
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) (MAINTENANCE OF TRAFFIC)	4,310.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	1,969.000	TON
303-10.02	MINERAL AGGREGATE (SIZE 2)	35.000	TON
303-10.03	MINERAL AGGREGATE (SIZE 68)	35.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	9,463.000	TON
307-01.20	ASP. CONC. MIX(PG64-22) (BPMB-HM) GR. A-S	199.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	4,247.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	2,112.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	10.000	L.M.
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	10.000	L.M.
411-12.03	SCORING FOR RUMBLE STRIPE (NON- CONTINUOUS) (8IN WIDTH)	1.000	L.M.
604-01.01	CLASS A CONCRETE (ROADWAY)	217.000	C.Y.
604-01.02	STEEL BAR REINFORCEMENT (ROADWAY)	42,737.800	LB.
606-24.12	TEMPORARY SHEET PILES	1,283.000	S.F.
607-03.02	18" CONCRETE PIPE CULVERT (CLASS III)	3,476.000	L.F.
607-05.02	24" CONCRETE PIPE CULVERT (CLASS III)	390.000	L.F.
607-06.02	30" CONCRETE PIPE CULVERT (CLASS III)	849.000	L.F.
607-06.07	36" PIPE CULVERT (JACKED-IN-PLACE)	338.000	L.F.
607-07.02	36" CONCRETE PIPE CULVERT (CLASS III)	770.000	L.F.
607-08.02	42" CONCRETE PIPE CULVERT (CLASS III)	94.000	L.F.
607-09.02	48" CONCRETE PIPE CULVERT (CLASS III)	164.000	L.F.
607-16.01	23"X 14" HORIZONTAL OVAL CONCRETE PIPE CULVERT	24.000	L.F.

Contract ID CNS277 - SHELBY

Item No.	Description	Quantity	Units
607-16.06	45"X 29" HORIZONTAL OVAL CONCRETE PIPE CULVERT	146.000	L.F.
607-39.02	18" PIPE CULVERT (SIDE DRAIN)	1,978.000	L.F.
607-39.03	24" PIPE CULVERT (SIDE DRAIN)	526.000	L.F.
607-39.04	30" PIPE CULVERT (SIDE DRAIN)	136.000	L.F.
607-39.05	36" PIPE CULVERT (SIDE DRAIN)	60.000	L.F.
610-07.03	18" PIPE DRAIN (BRIDGE DRAIN)	134.000	L.F.
611-02.10	JUNCTION BOX, TYPE 1	2.000	EACH
611-02.11	JUNCTION BOX, TYPE 2	5.000	EACH
611-02.12	JUNCTION BOX, TYPE 3	2.000	EACH
611-07.01	CLASS A CONCRETE (PIPE ENDWALLS)	2.000	C.Y.
611-07.02	STEEL BAR REINFORCEMENT (PIPE ENDWALLS)	90.000	LB.
611-07.31	18IN ENDWALL (SIDE DRAIN)	2.000	EACH
611-07.32	24IN ENDWALL (SIDE DRAIN)	2.000	EACH
611-07.34	36IN ENDWALL (SIDE DRAIN)	2.000	EACH
611-07.54	18IN ENDWALL (CROSS DRAIN) 3:1	7.000	EACH
611-07.55	18IN ENDWALL (CROSS DRAIN) 4:1	15.000	EACH
611-07.56	18IN ENDWALL (CROSS DRAIN) 6:1	3.000	EACH
611-07.57	24IN ENDWALL (CROSS DRAIN) 3:1	1.000	EACH
611-07.58	24IN ENDWALL (CROSS DRAIN) 4:1	3.000	EACH
611-07.59	24IN ENDWALL (CROSS DRAIN) 6:1	1.000	EACH
611-07.60	30IN ENDWALL (CROSS DRAIN) 3:1	4.000	EACH
611-07.61	30IN ENDWALL (CROSS DRAIN) 4:1	5.000	EACH
611-07.62	30IN ENDWALL (CROSS DRAIN) 6:1	1.000	EACH
611-07.63	36IN ENDWALL (CROSS DRAIN) 3:1	2.000	EACH
611-07.64	36IN ENDWALL (CROSS DRAIN) 4:1	12.000	EACH
611-07.65	36IN ENDWALL (CROSS DRAIN) 6:1	3.000	EACH
611-07.67	42IN ENDWALL (CROSS DRAIN) 4:1	1.000	EACH
611-07.68	42IN ENDWALL (CROSS DRAIN) 6:1	1.000	EACH
611-07.70	48IN ENDWALL (CROSS DRAIN) 4:1	2.000	EACH

Contract ID CNS277 - SHELBY

Item No.	Description	Quantity	Units
611-07.71	48IN ENDWALL (CROSS DRAIN) 6:1	2.000	EACH
611-07.73	18IN ENDWALL (MEDIAN DRAIN)	16.000	EACH
611-38.01	CATCH BASINS, TYPE 38, 0' - 4' DEPTH	21.000	EACH
611-38.02	CATCH BASINS, TYPE 38, > 4' - 8' DEPTH	1.000	EACH
611-39.01	CATCH BASINS, TYPE 39, 0' - 4' DEPTH	5.000	EACH
611-39.02	CATCH BASINS, TYPE 39, > 4' - 8' DEPTH	2.000	EACH
611-39.03	CATCH BASINS, TYPE 39, > 8' - 12' DEPTH	1.000	EACH
621-03.02	18" TEMPORARY DRAINAGE PIPE	104.000	L.F.
621-03.03	24" TEMPORARY DRAINAGE PIPE	24.000	L.F.
621-03.04	30" TEMPORARY DRAINAGE PIPE	104.000	L.F.
621-03.05	36" TEMPORARY DRAINAGE PIPE	14.000	L.F.
621-03.06	42" TEMPORARY DRAINAGE PIPE	30.000	L.F.
701-02	CONCRETE DRIVEWAY	19,480.000	S.F.
703-01	PORTLAND CEMENT CONCRETE DITCH PAVING	64.000	C.Y.
705-01.01	GUARDRAIL AT BRIDGE ENDS	269.000	L.F.
705-06.01	W BEAM GR (TYPE 2) MASH TL3	3,018.750	L.F.
705-06.10	GR TERMINALTRAILING END (TYPE 13) MASH TL3	4.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	12.000	EACH
705-06.30	GR TERMINAL (ENERGY ABSORBING) MASH TL2	2.000	EACH
705-08.51	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	39.000	EACH
706-01	GUARDRAIL REMOVED	1,218.000	L.F.
707-03.01	STOCK FENCE	4,284.000	L.F.
707-03.02	END, BRACED LINE, CORNER POST ASSEMBLY(STOCK FENCE)	16.000	EACH
707-08.11	HIGH-VISIBILITY CONSTRUCTION FENCE	21,551.000	L.F.
708-02.01	MARKERS (CONCRETE R.O.W. POSTS)	86.000	EACH
709-01.01	RUBBLE STONE RIP-RAP	13.000	C.Y.
709-05.05	MACHINED RIP-RAP (CLASS A-3)	3,400.000	TON
709-05.06	MACHINED RIP-RAP (CLASS A-1)	6,192.500	TON
709-05.08	MACHINED RIP-RAP (CLASS B)	4,807.300	TON

Contract ID CNS277 - SHELBY

Item No.	Description	Quantity	Units
709-05.09	MACHINED RIP-RAP (CLASS C)	248.900	TON
709-05.81	ROCK RIFFLES	(1)	LS
710-02	AGGREGATE UNDERDRAINS (WITH PIPE)	53,219.000	L.F.
710-05	LATERAL UNDERDRAIN	6,942.000	L.F.
710-06.11	LATERAL UNDERDRAIN ENDWALL (2:1)	1.000	EACH
710-06.12	LATERAL UNDERDRAIN ENDWALL (3:1)	42.000	EACH
710-06.13	LATERAL UNDERDRAIN ENDWALL (4:1)	117.000	EACH
710-06.15	LATERAL UNDERDRAIN ENDWALL (6:1)	107.000	EACH
710-10.02	6" PERFORATED PLASTIC PIPE	79.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	50,145.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	107.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	94.000	EACH
712-05.03	WARNING LIGHTS (TYPE C)	50.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,666.500	S.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	164.000	L.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
713-01.01	CLASS A CONCRETE (FOUNDATION FOR SIGN SUPPORTS)	1.000	C.Y.
713-01.02	STEEL BAR REINFORCEMENT(FOUNDATION FOR SIGN SUPPORTS)	101.000	LB.
713-02.04	DELINEATOR (MILE MARKER) & STEEL POST	12.000	EACH
713-02.15	FLEXIBLE DELINEATOR (YELLOW)	42.000	EACH
713-02.26	CONCRETE BARRIER/PARAPET DELINEATOR	566.000	EACH
713-02.27	CONCRETE BARRIER/PARAPET DELINEATOR (BI-DIRECTIONAL)	514.000	EACH
713-05	STEEL HOLLOW SQUARE POST (BREAKAWAY) SIGN SUPPORTS	149.000	LB.
713-11.01	"U" SECTION STEEL POSTS	2,656.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	9,126.000	LB.
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	2,835.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	518.750	S.F.

Contract ID CNS277 - SHELBY

Item No.	Description	Quantity	Units
713-14	EXTRUDED ALUMINUM PANEL SIGNS	35.000	S.F.
713-14.21	STREET NAME SIGN (RIGID 0.100IN THICK	123.000	S.F.
713-15	REMOVAL OF SIGNS, POSTS AND FOOTINGS	(1)	LS
713-15.07	SUSPENDED FLAT SHEET ALUMINUM SIGN (0.080" THICK)	6.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	4.000	EACH
713-16.20	SIGNS (DESCRIPTION) (PROTECTED AREA)	3.000	EACH
716-01.07	TEMPORARY RAISED PAVEMENT MARKER, YELLOW	44.000	EACH
716-01.21	SNOWPLOWABLE RAISED PAVMENT MARKERS (BI-DIR) (1 COLOR)	126.000	EACH
716-01.22	SNOWPLOWABLE RAISED PAVMENT MARKERS (MONO-DIR)(1 COLOR)	59.000	EACH
716-01.23	SNOWPLOWABLE RAISED PAVEMENT MARKERS (BI-DIR)(2 COLOR)	740.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	336.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	1,140.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	579.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	20.000	EACH
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	12.000	EACH
716-04.04	PLASTIC PAVEMENT MARKING (TRANSVERSE SHOULDER)	456.000	L.F.
716-04.14	PLASTIC PAVEMENT MARKING (LANE REDUCTION ARROW)	2.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	5.000	L.M.
716-05.02	PAINTED PAVEMENT MARKING (8" BARRIER LINE)	30,448.000	L.F.
716-05.05	PAINTED PAVEMENT MARKING (STOP LINE)	531.000	L.F.
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	16.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	31.000	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	1,975.000	L.F.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	3.000	L.M.

Contract ID CNS277 - SHELBY

Item No.	Description	Quantity	Units
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	1.150	L.M.
717-01	MOBILIZATION	(1)	LS
730-01.02	REMOVAL OF SIGNAL EQUIPMENT	2.000	EACH
730-02.09	SIGNAL HEAD ASSEMBLY (130 WITH BACKPLATE)	18.000	EACH
730-02.17	SIGNAL HEAD ASSEMBLY (150 A2H WITH BACKPLATE)	2.000	EACH
730-02.30	SIGNAL HEAD ASSEMBLY (DESCRIPTION) (130 A3 WITH BACKPLATE)	4.000	EACH
730-02.31	SIGNAL HEAD ASSEMBLY (DESCRIPTION) (130 POLE MOUNTED)	6.000	EACH
730-02.32	SIGNAL HEAD ASSEMBLY (DESCRIPTION) (130 A3 POLE MOUNTED)	4.000	EACH
730-02.33	SIGNAL HEAD ASSEMBLY (DESCRIPTION) (150 A2V POLE MOUNTED)	2.000	EACH
730-03.21	INSTALL PULL BOX (TYPE B)	14.000	EACH
730-03.24	INSTALL PULL BOX (FIBER OPTIC-TYPE B)	3.000	EACH
730-05.01	ELECTRICAL SERVICE CONNECTION	3.000	EACH
730-08.02	SIGNAL CABLE - 5 CONDUCTOR	2,403.000	L.F.
730-08.03	SIGNAL CABLE - 7 CONDUCTOR	4,605.000	L.F.
730-08.40	INTERCONNECT CABLE - FIBER OPTIC (DESCRIPTION) (12 STRAND SM)	480.000	L.F.
730-08.41	INTERCONNECT CABLE - FIBER OPTIC (DESCRIPTION) (6 STRAND SM)	33.000	L.F.
730-12.02	CONDUIT 2" DIAMETER (PVC)	534.000	L.F.
730-12.03	CONDUIT 3" DIAMETER (PVC)	893.000	L.F.
730-12.16	CONDUIT (DESCRIPTION) (3"C SCHEDULE 80)	909.000	L.F.
730-13.08	VEHICLE DETECTOR (DESCRIPTION) (VIDEO IMAGING AND RADAR SYSTEM)	10.000	EACH
730-13.09	VEHICLE DETECTOR (DESCRIPTION) (EMERGENCY PREEMPTION)	10.000	EACH
730-15.32	CABINET (EIGHT PHASE BASE MOUNTED)	3.000	EACH
730-16.02	EIGHT PHASE ACTUATED CONTROLLER	3.000	EACH
730-18.01	MASTER CONTROLLER	1.000	EACH
730-23.30	PEDESTAL POLE (DESCRIPTION) (17' SIGNAL POLE)	2.000	EACH

Contract ID CNS277 - SHELBY

Item No.	Description	Quantity	Units
730-23.36	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (1 ARM @ 42')	1.000	EACH
730-23.37	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (1 ARM @ 50')	1.000	EACH
730-23.38	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (1 ARM @ 75')	1.000	EACH
730-23.39	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (1 ARM @ 78')	2.000	EACH
730-23.96	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (1 ARM @ 85')	3.000	EACH
730-23.97	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (1 ARM @ 88')	1.000	EACH
730-23.98	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (1 ARM @ 90')	1.000	EACH
730-40	TEMPORARY TRAFFIC SIGNAL SYSTEM	3.000	EACH
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	10,989.900	S.Y.
740-10.04	GEOTEXTILE (TYPE IV)(STABILIZATION)	104,500.000	S.Y.
740-11.04	TEMPORARY SEDIMENT TUBE 20IN	115,863.800	L.F.
801-01	SEEDING (WITH MULCH)	1,220.000	UNIT
801-01.07	TEMPORARY SEEDING (WITH MULCH)	4,779.000	UNIT
801-01.30	COVER CROP SEED MIX (RIPZN/FLPL) W/MULCH	26.000	UNIT
801-02	SEEDING (WITHOUT MULCH)	336.000	UNIT
801-03	WATER (SEEDING & SODDING)	3,260.000	M.G.
801-07	SEED (SUPPLEMENTAL APPLICATION)	275.000	LB.
801-08	FERTILIZER (SUPPLEMENTAL APPLICATION)	2.000	TON
802-02.30	CUTTINGS: SALIX NIGRA (18IN-24IN LENGTH)	146.000	EACH
802-02.31	CUTTINGS: SALIX SERICEA (18IN-24IN)	146.000	EACH
802-11.01	ACER NEGUNDO (BOX ELDER 2-5FT CNTNR GRWN)	17.000	EACH
802-11.16	FRAXINUS PENNSYLVANICA (GREEN ASH 2-5FT CNTNR GRWN)	17.000	EACH
802-11.18	LIQUIDAMBER STYRACIFLUA (SWEETGUM 2-5FT CNTNR GRWN)	17.000	EACH
802-11.39	QUERCUS RUBRA (NORTHERN RED OAK 2-5FT CNTNR GRWN)	17.000	EACH

Contract ID CNS277 - SHELBY

Item No.	Description	Quantity	Units
802-11.44	ULMUS AMERICANA (AMERICAN ELM 2-5FT CNTNR GRWN)	44.000	EACH
803-01	SODDING (NEW SOD)	266,076.000	S.Y.
805-01.03	TURF REINFORCEMENT MAT (CLASS III)	4,845.900	S.Y.
805-12.01	EROSION CONTROL BLANKET (TYPE I)	29,799.000	S.Y.
805-12.08	700 GRAM COIR FIBER EROSION BLANKET	2,804.000	S.Y.
806-02.03	PROJECT MOWING	10.000	CYCL
202-01.02	REMOVAL OF ASBESTOS	(1)	LS
202-04.01	REMOVAL OF STRUCTURES (DESCRIPTION, STA.) (BRIDGE NO. 79-SR014-30.27)	(1)	LS
202-04.02	REMOVAL OF STRUCTURES (DESCRIPTION, STA.) (BRIDGE NO. 79-SR14-31.20)	(1)	LS
204-02.01	DRY EXCAVATION (BRIDGES)	774.000	C.Y.
303-01.02	GRANULAR BACKFILL (BRIDGES)	172.000	TON
604-02.03	EPOXY COATED REINFORCING STEEL	284,391.000	LB.
604-03.01	CLASS A CONCRETE (BRIDGES)	362.000	C.Y.
604-03.02	STEEL BAR REINFORCEMENT (BRIDGES)	132,008.000	LB.
604-03.04	PAVEMENT @ BRIDGE ENDS	866.000	S.Y.
604-03.32	CLASS DS CONCRETE	1,022.000	C.Y.
604-03.74	CLASS X CONCRETE	600.000	C.Y.
604-04.01	APPLIED TEXTURE FINISH (NEW STRUCTURES)	4,273.000	S.Y.
604-04.41	THREE STAR STATE EMBLEM	16.000	EACH
604-05.31	BRIDGE DECK GROOVING (MECHANICAL)	4,357.000	S.Y.
606-19.01	TEST PILES (STEEL PIPE PILES, 16-INCH)	380.000	L.F.
606-19.02	LOADING TEST (STEEL PIPE PILES, 16-INCH)	2.000	EACH
606-19.03	STEEL PIPE PILES (16-INCH)	2,680.000	L.F.
606-20.10	TEST PILES (STEEL PIPE PILES, SIZE)	1,224.000	L.F.
606-20.20	LOADING TEST (STEEL PIPE PILES, SIZE)	2.000	EACH
606-20.30	STEEL PIPE PILES (SIZE) (20 INCH)	12,085.000	L.F.
615-01.02	PRESTRESSED CONCRETE I-BEAM (TYPE II)	3,857.000	L.F.
620-05.01	CONC PARAPET SINGLE SLOPE (STD-1-1SS)	1,830.000	L.F.

Contract ID CNS277 - SHELBY

Item No.	Description	Quantity	Units
710-09.01	6" PERFORATED PIPE WITH VERTICAL DRAIN SYSTEM	594.000	L.F.
710-09.02	6" PIPE UNDERDRAIN	132.000	L.F.
740-07.03	GEOGRID REINFORCEMENT TYPE 1	1,804.000	S.Y.
203-06	WATER	4,970.000	M.G.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	342,963.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	2,039.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	9,692.000	TON
307-01.21	ASP. CONC. MIX(PG70-22) (BPMB-HM) GR. A-S	26,982.000	TON
307-02.01	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING A	39,757.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	21,570.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	413.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	1,475.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	179.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	4,247.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	12,041.000	TON
203-06	WATER	4,435.000	M.G.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	134,661.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	9,692.000	TON
307-01.21	ASP. CONC. MIX(PG70-22) (BPMB-HM) GR. A-S	26,982.000	TON
307-02.01	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING A	39,757.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	21,570.000	TON
309-01.01	MINERAL AGGREGATE (A-CBC)	64,809.000	TON
309-01.02	PORTLAND CEMENT (A-CBC)	2,502.000	TON
309-02	BITUMINOUS MATERIAL (A-CBC)	174.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	413.000	TON

Contract ID CNS277 - SHELBY

Item No.	Description	Quantity	Units
402-02	AGGREGATE FOR COVER MATERIAL (PC)	1,475.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	179.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	4,247.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	12,041.000	TON
203-06	WATER	4,588.000	M.G.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	193,831.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	12,409.000	TON
309-01.01	MINERAL AGGREGATE (A-CBC)	46,435.000	TON
309-01.02	PORTLAND CEMENT (A-CBC)	1,793.000	TON
309-02	BITUMINOUS MATERIAL (A-CBC)	124.000	TON
313-03	TREATED PERMEABLE BASE	143,200.000	S.Y.
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	164.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	620.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	57.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	5,746.000	TON
501-01.02	PORTLAND CEMENT CONCRETE PAVEMENT (PLAIN) 9"	143,200.000	S.Y.
203-06	WATER	5,243.000	M.G.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	379,606.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	12,409.000	TON
313-03	TREATED PERMEABLE BASE	143,200.000	S.Y.
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	164.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	620.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	57.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	5,746.000	TON
501-01.02	PORTLAND CEMENT CONCRETE PAVEMENT (PLAIN) 9"	143,200.000	S.Y.

Contract ID CNS366 - SUMNER

Item No.	Description	Quantity	Units
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	1.000	EACH
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	1.000	EACH
705-04.21	GUARDRAIL DELINEATION ENHANCEMENT	565.000	L.F.
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	1.000	EACH
706-01	GUARDRAIL REMOVED	50.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
713-02.20	ROADSIDE OBSTACLE DELINEATION	5.000	S.F.
713-02.21	SIGN POST DELINEATION ENHANCEMENT	192.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	85.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	975.000	LB.
713-11.21	P POST SLIP BASE	2.000	EACH
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	155.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	146.000	S.F.
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	28.000	EACH
716-01.21	SNOWPLOWABLE RAISED PAVMENT MARKERS (BI-DIR) (1 COLOR)	94.000	EACH
716-01.40	REMOVE AND REPLACE LENS ON SNOWPLOWABLE REFLECTIVE MARKER	7.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	45.000	L.F.
716-02.08	PLASTIC PAVEMENT MARKING (8" DOTTED LINE)	175.000	L.F.
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	1.000	EACH
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	3.000	L.M.
716-13.04	SPRAY THERMO PVMT MRKNG (60 mil) (4IN DOTTED LINE)	350.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-02.01	SIGNAL HEAD ASSEMBLY (110)	8.000	EACH
730-26.08	FLASHING WARNING BEACON (DESCRIPTION)	2.000	EACH

Contract ID CNS331 - WILLIAMSON

Item No.	Description	Quantity	Units
208-01.05	BROOMING & DEGRASSING SHOULDERS	9.000	L.M.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	1,093.000	TON
307-03.08	ASPHALT CONCRETE MIX (PG76-22) (BPMB-HM) GRADING B-M2	500.000	TON
307-03.10	ASPHALT CONC MIX (PG76-22)(BPMB-HM) GR CS	13,016.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	304.000	TON
407-07.01	INTELLIGENT COMPACTION EQUIPMENT	(1)	LS
411-03.23	ACS MIX (PG76-22) OGFC	22,028.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	16.600	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	26,283.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	265.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	20.000	EACH
712-06	SIGNS (CONSTRUCTION)	2,959.000	S.F.
712-06.16	SIGNS (CONSTRUCTION)(REDUCED SPEED WARNING)	4.000	EACH
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
712-08.10	MOBILE MESSAGE SIGN UNIT W/ATTENUATOR	1,250.000	HOUR
713-02.14	FLEXIBLE DELINEATOR (WHITE)	42.000	EACH
713-02.15	FLEXIBLE DELINEATOR (YELLOW)	10.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	6.000	EACH
716-01.23	SNOWPLOWABLE RAISED PAVEMENT MARKERS (BI-DIR)(2 COLOR)	3,307.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	3,307.000	EACH
716-02.07	PLASTIC PAVEMENT MARKING (24" BARRIER LINE)	4,510.000	L.F.
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	5.000	EACH
716-04.04	PLASTIC PAVEMENT MARKING (TRANSVERSE SHOULDER)	1,280.000	L.F.
716-04.09	PLASTIC PAVEMENT MARKING (H.O.V. DIAMOND)	33.000	EACH

Contract ID CNS331 - WILLIAMSON

Item No.	Description	Quantity	Units
716-04.14	PLASTIC PAVEMENT MARKING (LANE REDUCTION ARROW)	14.000	EACH
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	41.400	L.M.
716-08.30	HYDROBLAST REMOVAL OF PAVEMENT MARKING (LINE)	1.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	31.900	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	13,730.000	L.F.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	1,550.000	L.F.
716-12.08	ENHANCED FLAT LINE THERMO (12IN BARRIER LINE)	26,030.400	L.F.
716-12.10	ENHANCED FLAT LINE THERMO (12IN DOTTED)	13,200.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS327 - WILLIAMSON

Item No.	Description	Quantity	Units
208-01.05	BROOMING & DEGRASSING SHOULDERS	28.200	L.M.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	3,732.000	TON
307-03.08	ASPHALT CONCRETE MIX (PG76-22) (BPMB-HM) GRADING B-M2	500.000	TON
307-03.10	ASPHALT CONC MIX (PG76-22)(BPMB-HM) GR CS	10,540.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	227.000	TON
407-07.01	INTELLIGENT COMPACTION EQUIPMENT	(1)	LS
411-03.23	ACS MIX (PG76-22) OGFC	17,836.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	28.200	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	21,281.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	200.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,906.000	S.F.
712-06.16	SIGNS (CONSTRUCTION)(REDUCED SPEED WARNING)	4.000	EACH
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
712-08.10	MOBILE MESSAGE SIGN UNIT W/ATTENUATOR	1,800.000	HOUR
713-02.14	FLEXIBLE DELINEATOR (WHITE)	10.000	EACH
713-02.15	FLEXIBLE DELINEATOR (YELLOW)	10.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
716-01.23	SNOWPLOWABLE RAISED PAVEMENT MARKERS (BI-DIR)(2 COLOR)	1,089.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	1,089.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	120.000	L.F.
716-02.07	PLASTIC PAVEMENT MARKING (24" BARRIER LINE)	4,550.000	L.F.
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	73.200	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	33.800	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	10,290.000	L.F.

Contract ID CNS327 - WILLIAMSON

Item No.	Description	Quantity	Units
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	4,420.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-03.20	INSTALL PULL BOX (TYPE A)	2.000	EACH
730-12.02	CONDUIT 2" DIAMETER (PVC)	20.000	L.F.
730-14.02	SAW SLOT	500.000	L.F.
730-14.03	LOOP WIRE	1,700.000	L.F.
604-10.44	EXPANSION JOINT REPAIRS	740.000	L.F.
604-10.50	BRIDGE DECK REPAIRS (PARTIAL DEPTH OF SLAB)	40.000	S.Y.
604-10.53	CONCRETE REPAIRS	25.000	S.Y.
617-04.01	TYPE 1 THIN EPOXY OVERLAY (EPOXY-URETHANE)	10,865.000	S.Y.

Contract ID CNS060 - WILLIAMSON

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
109-10.01	TRAINEE	6,640.000	HOUR
201-01	CLEARING AND GRUBBING	(1)	LS
202-03.01	REMOVAL OF ASPHALT PAVEMENT	110.000	S.Y.
202-06.01	REMOVAL OF BUILDINGS (TRACT NO.) (TRACT NO. 1)	(1)	LS
202-06.02	REMOVAL OF BUILDINGS (TRACT NO.) (TRACT NO. 79)	(1)	LS
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	271,069.000	C.Y.
203-02.01	BORROW EXCAVATION (GRADED SOLID ROCK)	15,443.000	TON
203-04	PLACING AND SPREADING TOPSOIL	13,374.000	C.Y.
203-06	WATER	254.000	M.G.
203-08	CHANNEL EXCAVATION (UNCLASSIFIED)	60.000	C.Y.
204-01	CULVERT EXCAVATION (UNCLASSIFIED)	1,863.000	C.Y.
204-08	FOUNDATION FILL MATERIAL	589.000	C.Y.
204-08.01	BACKFILL MATERIAL (FLOWABLE FILL)	50.000	C.Y.
207-20.01	ROADWAY SUBGRADE TIMBER MAT(TEMP)	34.000	L.F.
208-01.04	ENGINEERED AGGREGATE-TOPSOIL (EAT) MIX	20,579.000	S.Y.
209-02.05	12" TEMPORARY SLOPE DRAIN	433.000	L.F.
209-02.06	15" TEMPORARY SLOPE DRAIN	65.000	L.F.
209-02.07	18" TEMPORARY SLOPE DRAIN	50.000	L.F.
209-03.20	FILTER SOCK (8 INCH)	1,000.000	L.F.
209-03.23	FILTER SOCK (24 INCH)	4,000.000	L.F.
209-05	SEDIMENT REMOVAL	821.000	C.Y.
209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	22,654.000	L.F.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	32,762.000	L.F.
209-08.07	ROCK CHECK DAM PER	154.000	EACH
209-08.08	ENHANCED ROCK CHECK DAM	56.000	EACH
209-08.09	FILTER SOCK CHECK DAM	83.000	EACH

Contract ID CNS060 - WILLIAMSON

Item No.	Description	Quantity	Units
209-09.01	SANDBAGS	500.000	BAG
209-09.03	SEDIMENT FILTER BAG (15' X 15')	5.000	EACH
209-09.40	CURB INLET PROTECTION (TYPE 1)	25.000	EACH
209-09.41	CURB INLET PROTECTION (TYPE 2)	25.000	EACH
209-09.42	CURB INLET PROTECTION (TYPE 3)	10.000	EACH
209-09.43	CURB INLET PROTECTION (TYPE 4)	159.000	EACH
209-10.20	TEMPORARY SEDIMENT TRAP	2,774.000	C.Y.
209-20.03	POLYETHYLENE SHEETING (6 MIL. MINIMUM)	33.000	S.Y.
209-40.33	CATCH BASIN PROTECTION (TYPE D)	30.000	EACH
209-40.41	CATCH BASIN FILTER ASSEMBLY(TYPE 1)	5.000	EACH
209-40.44	CATCH BASIN FILTER ASSEMBLY(TYPE 4)	6.000	EACH
209-40.46	CATCH BASIN FILTER ASSEMBLY(TYPE 6)	99.000	EACH
209-65.03	TEMPORARY DIVERSION CHANNEL	1,126.000	L.F.
209-65.04	TEMPORARY IN STREAM DIVERSION	365.000	L.F.
303-01.01	GRANULAR BACKFILL (ROADWAY)	2,799.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	410.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	1,796.000	TON
307-01.20	ASP. CONC. MIX(PG64-22) (BPMB-HM) GR. A-S	1,171.000	TON
307-01.21	ASP. CONC. MIX(PG70-22) (BPMB-HM) GR. A-S	11,628.000	TON
307-02.01	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING A	14,858.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	9,733.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	72.000	TON
407-20.05	SAW CUTTING ASPHALT PAVEMENT	6,375.000	L.F.
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	561.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	1,386.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	7,908.000	TON
411-12.04	SCORING FOR RUMBLE STRIPE (NON- CONTINUOUS) (4IN WIDTH)	8.300	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	2,181.000	TON

Contract ID CNS060 - WILLIAMSON

Item No.	Description	Quantity	Units
604-01.20	BOX TUBE SAFETY RAIL	3,177.000	L.F.
604-02.01	CLASS A CONCRETE (BOX BRIDGES)	1,416.000	C.Y.
604-02.02	STEEL BAR REINFORCEMENT (BOX BRIDGES)	286,193.000	LB.
606-24.12	TEMPORARY SHEET PILES	3,000.000	S.F.
607-03.02	18" CONCRETE PIPE CULVERT (CLASS III)	3,810.000	L.F.
607-05.02	24" CONCRETE PIPE CULVERT (CLASS III)	2,427.000	L.F.
607-06.02	30" CONCRETE PIPE CULVERT (CLASS III)	531.000	L.F.
607-07.02	36" CONCRETE PIPE CULVERT (CLASS III)	170.000	L.F.
607-08.02	42" CONCRETE PIPE CULVERT (CLASS III)	177.000	L.F.
607-09.02	48" CONCRETE PIPE CULVERT (CLASS III)	380.000	L.F.
607-10.02	54" CONCRETE PIPE CULVERT (CLASS III)	264.000	L.F.
607-11.02	60" CONCRETE PIPE CULVERT (CLASS II)	163.000	L.F.
610-07.03	18" PIPE DRAIN (BRIDGE DRAIN)	184.000	L.F.
611-01.02	MANHOLES, > 4' - 8' DEPTH	1.000	EACH
611-07.01	CLASS A CONCRETE (PIPE ENDWALLS)	87.000	C.Y.
611-07.02	STEEL BAR REINFORCEMENT (PIPE ENDWALLS)	1,795.000	LB.
611-07.54	18IN ENDWALL (CROSS DRAIN) 3:1	4.000	EACH
611-07.55	18IN ENDWALL (CROSS DRAIN) 4:1	2.000	EACH
611-07.57	24IN ENDWALL (CROSS DRAIN) 3:1	2.000	EACH
611-07.58	24IN ENDWALL (CROSS DRAIN) 4:1	1.000	EACH
611-07.60	30IN ENDWALL (CROSS DRAIN) 3:1	2.000	EACH
611-09.02	REWORK CATCHBASIN	5.000	EACH
611-09.03	CAPPING EXISTING CATCHBASIN	3.000	EACH
611-12.01	CATCH BASINS, TYPE 12, 0' - 4' DEPTH	16.000	EACH
611-12.02	CATCH BASINS, TYPE 12, > 4' - 8' DEPTH	51.000	EACH
611-12.03	CATCH BASINS, TYPE 12, > 8' - 12' DEPTH	10.000	EACH
611-12.04	CATCH BASINS, TYPE 12, > 12' - 16' DEPTH	4.000	EACH
611-14.02	CATCH BASINS, TYPE 14, > 4' - 8' DEPTH	9.000	EACH
611-14.03	CATCH BASINS, TYPE 14, > 8' - 12' DEPTH	2.000	EACH
611-14.04	CATCH BASINS, TYPE 14, > 12' - 16' DEPTH	1.000	EACH

Contract ID CNS060 - WILLIAMSON

Item No.	Description	Quantity	Units
611-25.01	CATCH BASINS, TYPE 25, 0' - 4' DEPTH	1.000	EACH
611-25.02	CATCH BASINS, TYPE 25, > 4' - 8' DEPTH	4.000	EACH
611-25.04	CATCH BASINS, TYPE 25, > 12' - 16' DEPTH	1.000	EACH
611-42.01	CATCH BASINS, TYPE 42, 0' - 4' DEPTH	9.000	EACH
611-42.02	CATCH BASINS, TYPE 42, > 4' - 8' DEPTH	2.000	EACH
611-42.03	CATCH BASINS, TYPE 42, > 8' - 12' DEPTH	2.000	EACH
611-43.02	CATCH BASINS, TYPE 43, > 4' - 8' DEPTH	2.000	EACH
621-05.02	TEMPORARY SHORING	(1)	LS
701-01.01	CONCRETE SIDEWALK (4 ")	183,300.000	S.F.
701-01.02	CONCRETE SIDEWALK (6 ")	2,117.000	S.F.
701-02.03	CONCRETE CURB RAMP	3,579.000	S.F.
701-03	CONCRETE MEDIAN PAVEMENT	28.000	C.Y.
702-01	CONCRETE CURB	42.000	C.Y.
702-03	CONCRETE COMBINED CURB & GUTTER	2,072.000	C.Y.
705-08.10	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-2	3.000	EACH
705-11.01	GUARDRAIL AT BRIDGE ENDS (POWDER COATED)	4.000	L.F.
705-11.03	SINGLE GUARDRAIL (TYPE 2) (POWDER COATED)	2,744.000	L.F.
705-11.08	GUARDRAIL TERMINAL (TYPE 13) (POWDER COATED)	4.000	EACH
705-11.11	TAN ENERGY ABSORB TERMINAL (NCHRP 350, TL 3)(POWDER COATED)	10.000	EACH
707-02.01	CHAIN-LINK FENCE (4') (VINYL COATED)	21,491.000	L.F.
707-02.02	END & CORNER POST ASSEMBLIES (4' VINYL COATED)	66.000	EACH
707-03.03	STOCK FENCE GATE (DESCRIPTION) (PAINTED 2 IN. TUBE GATE, 10 T.)	3.000	EACH
707-03.08	TEMPORARY STOCK FENCE	567.000	L.F.
707-08.01	FENCE (DESCRIPTION) (FOUR BOARD)	992.000	L.F.
707-08.11	HIGH-VISIBILITY CONSTRUCTION FENCE	4,106.000	L.F.
708-02.01	MARKERS (CONCRETE R.O.W. POSTS)	97.000	EACH
709-05.05	MACHINED RIP-RAP (CLASS A-3)	33,563.000	TON
709-05.06	MACHINED RIP-RAP (CLASS A-1)	7,034.000	TON

Contract ID CNS060 - WILLIAMSON

Item No.	Description	Quantity	Units
710-04	FILTER CLOTH UNDERDRAIN (WITH PIPE)	29,523.000	L.F.
710-06.12	LATERAL UNDERDRAIN ENDWALL (3:1)	19.000	EACH
710-06.13	LATERAL UNDERDRAIN ENDWALL (4:1)	71.000	EACH
710-06.15	LATERAL UNDERDRAIN ENDWALL (6:1)	6.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	4,925.000	L.F.
712-02.36	REMOVE AND RELOCATE PORTABLE BARRIER RAIL	4,850.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	237.000	EACH
712-04.50	BARRIER RAIL DELINEATOR	70.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	20.000	EACH
712-05.03	WARNING LIGHTS (TYPE C)	25.000	EACH
712-06	SIGNS (CONSTRUCTION)	938.000	S.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	168.000	L.F.
712-08.10	MOBILE MESSAGE SIGN UNIT W/ATTENUATOR	4.000	HOUR
713-01.01	CLASS A CONCRETE (FOUNDATION FOR SIGN SUPPORTS)	1.000	C.Y.
713-01.02	STEEL BAR REINFORCEMENT(FOUNDATION FOR SIGN SUPPORTS)	200.000	LB.
713-06	STEEL I-BEAMS & WF-BEAMS(BREAKAWAY) SIGN SUPPORT	1,344.000	LB.
713-11.01	"U" SECTION STEEL POSTS	740.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	5,120.000	LB.
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	329.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	962.000	S.F.
713-14	EXTRUDED ALUMINUM PANEL SIGNS	150.000	S.F.
713-16.06	DEAD END SIGN AND SUPPORT	10.000	EACH
713-16.07	END OF ROADWAY SIGN AND SUPPORT	2.000	EACH
713-16.20	SIGNS (DESCRIPTION) (INTERNALLY ILLUMINATED STREET NAME SIGN)	15.000	EACH
713-16.21	SIGNS (DESCRIPTION) (R3-5, 30"x36")	1.000	EACH
713-16.22	SIGNS (DESCRIPTION) (R3-TO TN SR 397, 30"x42")	1.000	EACH
713-16.23	SIGNS (DESCRIPTION) (R10-11A, 36"x48")	1.000	EACH

Contract ID CNS060 - WILLIAMSON

Item No.	Description	Quantity	Units
714-01.38	LIGHT POLE RELOCATION	6.000	EACH
714-02.02	ENCASED CONDUIT (2" PVC, SCHEDULE 40)	240.000	L.F.
714-02.03	ENCASED CONDUIT (3" PVC, SCHEDULE 40)	70.000	L.F.
714-03.01	DIRECT BURIAL CONDUIT (2" PVC, SCHEDULE 40)	3,945.000	L.F.
714-03.02	DIRECT BURIAL CONDUIT (3" PVC, SCHEDULE 40)	2,640.000	L.F.
714-05.02	PULL BOXES (TYPE A)	29.000	EACH
714-05.03	PULL BOXES (TYPE B)	19.000	EACH
714-06.04	CABLE (1/C # 8 AWG)	6,715.000	L.F.
714-06.05	CABLE (1/C # 6 AWG)	3,965.000	L.F.
714-06.06	CABLE (1/C # 4 AWG)	6,630.000	L.F.
714-06.07	CABLE (1/C # 2 AWG)	400.000	L.F.
714-08.09	LIGHT STANDARDS (DESCRIPTION) (ALUMINUM, 45')	30.000	EACH
714-08.20	FOUNDATION (ONLY) FOR LIGHT STANDARD	30.000	EACH
714-08.28	FOUNDATION FOR LIGHT STANDARDS - ROADWAY (DESCRIPTION) (ROADWAY)	30.000	EACH
714-09.04	LUMINAIRES (400 WATT)	32.000	EACH
714-12	CONTROL CENTER	(1)	LS
714-25	ELECTRICAL CONNECTION	4.000	EACH
714-25.22	INSTALL SVC RISER (DESCRIPTION) ()	4.000	EACH
716-01.22	SNOWPLOWABLE RAISED PAVMENT MARKERS (MONO-DIR)(1 COLOR)	365.000	EACH
716-01.23	SNOWPLOWABLE RAISED PAVEMENT MARKERS (BI-DIR)(2 COLOR)	984.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	2,673.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	776.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	82.000	EACH
716-02.07	PLASTIC PAVEMENT MARKING (24" BARRIER LINE)	108.000	L.F.
716-02.08	PLASTIC PAVEMENT MARKING (8" DOTTED LINE)	2,046.000	L.F.
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	1,638.000	L.F.
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	4.000	EACH

Contract ID CNS060 - WILLIAMSON

Item No.	Description	Quantity	Units
716-03.05	PLASTIC WORD PAVEMENT MARKING (BIKE LANE)	12.000	EACH
716-04.04	PLASTIC PAVEMENT MARKING (TRANSVERSE SHOULDER)	4,855.000	L.F.
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	43.000	EACH
716-04.13	PLASTIC PAVEMENT MARKING (BIKELANE SYMBOL & ARROW)	8.000	EACH
716-04.14	PLASTIC PAVEMENT MARKING (LANE REDUCTION ARROW)	2.000	EACH
716-04.15	PLASTIC PAVEMENT MARKING-BIKE SYMBOL/ARROW SHARED	15.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	16.000	L.M.
716-05.05	PAINTED PAVEMENT MARKING (STOP LINE)	576.000	L.F.
716-05.06	PAINTED PAVEMENT MARKING (TURN LANE ARROW)	30.000	EACH
716-05.21	PAINTED PAVEMENT MARKING(4"DOTTED LINE)	466.000	L.F.
716-05.50	PAINTED PAVEMENT MARKINGS(8" LINE)	22,295.000	L.F.
716-08.01	REMOVAL OF PAVEMENT MARKING (LINE)	15,357.000	L.F.
716-08.04	REMOVAL OF PAVEMENT MARKING (CHANNELIZATION STRIPING)	116.000	S.Y.
716-08.06	REMOVAL OF PAVEMENT MARKING (TURN LANE ARROW)	17.000	EACH
716-10.30	TRUNCATED DOME DETECTABLE WARNING MAT	27.000	S.F.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	21.000	L.M.
717-01	MOBILIZATION	(1)	LS
725-02.79	FIBER SPLICE ENCLOSURE(DESCRIPTION) (UNDERGROUND 60 COUNT)	4.000	EACH
725-05.02	FIBER OPTIC CABLE (60 STRAND SINGLE MODE)	1,497.000	L.F.
730-01.02	REMOVAL OF SIGNAL EQUIPMENT	2.000	EACH
730-02.09	SIGNAL HEAD ASSEMBLY (130 WITH BACKPLATE)	34.000	EACH
730-02.17	SIGNAL HEAD ASSEMBLY (150 A2H WITH BACKPLATE)	1.000	EACH
730-02.18	SIGNAL HEAD ASSEMBLY (150 A2V)	20.000	EACH
730-02.30	SIGNAL HEAD ASSEMBLY (DESCRIPTION) (130 A3 WITH BACKPLATE)	21.000	EACH

Contract ID CNS060 - WILLIAMSON

Item No.	Description	Quantity	Units
730-02.31	SIGNAL HEAD ASSEMBLY (DESCRIPTION) (130 A1)	1.000	EACH
730-03.21	INSTALL PULL BOX (TYPE B)	31.000	EACH
730-03.23	INSTALL PULL BOX (FIBER OPTIC-TYPE A)	3.000	EACH
730-03.24	INSTALL PULL BOX (FIBER OPTIC-TYPE B)	5.000	EACH
730-03.25	INSTALL PULL BOX (DESCRIPTION) (TYPE C)	2.000	EACH
730-05.01	ELECTRICAL SERVICE CONNECTION	4.000	EACH
730-05.03	SERVICE CABLE (DESCRIPTION) (RADAR DETECTION CABLE)	10,451.000	L.F.
730-08.01	SIGNAL CABLE - 3 CONDUCTOR	13,572.000	L.F.
730-08.02	SIGNAL CABLE - 5 CONDUCTOR	12,236.000	L.F.
730-08.03	SIGNAL CABLE - 7 CONDUCTOR	21,580.000	L.F.
730-08.10	SIGNAL CABLE - (DESCRIPTION) (PRE-EMPTION CABLE MODEL 13)	9,240.000	L.F.
730-08.31	INTERCONNECT CABLE (12 FIBER MULTI-MODE)	825.000	L.F.
730-12.01	CONDUIT 1" DIAMETER (PVC)	489.000	L.F.
730-12.02	CONDUIT 2" DIAMETER (PVC)	5,430.000	L.F.
730-12.03	CONDUIT 3" DIAMETER (PVC)	676.000	L.F.
730-12.08	CONDUIT 2" DIAMETER (RGS)	5,427.000	L.F.
730-12.09	CONDUIT 3" DIAMETER (RGS)	1,662.000	L.F.
730-12.16	CONDUIT (DESCRIPTION) (3" WITH 2-1" INTERDUCT)	1,400.000	L.F.
730-12.30	TRENCHING	6,994.000	L.F.
730-13.06	VEHICLE DETECTOR (OPTICALLY ACTIVATED PRIORITY CONTROL)	15.000	EACH
730-13.08	VEHICLE DETECTOR (DESCRIPTION) (RADIO/GPS ACTIVATED PRIORITY CONTROL)	15.000	EACH
730-13.13	VEHICLE DETECTOR (RADAR)	28.000	EACH
730-15.32	CABINET (EIGHT PHASE BASE MOUNTED)	4.000	EACH
730-16.02	EIGHT PHASE ACTUATED CONTROLLER	4.000	EACH
730-23.02	STEEL STRAIN POLE (DESCRIPTION) (26' HEIGHT)	13.000	EACH
730-23.30	PEDESTAL POLE (DESCRIPTION) (15' HEIGHT)	21.000	EACH
730-23.36	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (1 ARM @ 60)	1.000	EACH

Contract ID CNS060 - WILLIAMSON

Item No.	Description	Quantity	Units
730-23.37	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (1 ARM @ 55)	3.000	EACH
730-23.96	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (1 ARM @ 50)	2.000	EACH
730-23.97	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (1 ARM @ 65)	4.000	EACH
730-23.98	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (1 ARM @ 70)	4.000	EACH
730-23.99	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (2 @ 60 & 55)	1.000	EACH
730-26.06	PEDESTRIAN PUSHBUTTON POST	6.000	EACH
730-26.11	COUNTDOWN PED SGNL HEAD W/AUDIBLE PUSH BUTTON & 15IN SIGN	48.000	EACH
740-07.01	GEO GRID REINFORCEMENT	210.000	S.Y.
740-08.01	CELLULAR CONFINEMENT SYSTEM (DESCRIPTION) (GRASS SHOULDERS)	20,579.000	S.Y.
740-10.02	GEOTEXTILE (TYPE II)(SEDIMENT CONTROL)	20,579.000	S.Y.
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	26,166.000	S.Y.
740-10.04	GEOTEXTILE (TYPE IV)(STABILIZATION)	5,354.000	S.Y.
740-11.02	TEMPORARY SEDIMENT TUBE 12IN	14,433.000	L.F.
740-11.03	TEMPORARY SEDIMENT TUBE 18IN	5,323.000	L.F.
801-01	SEEDING (WITH MULCH)	2,037.000	UNIT
801-01.07	TEMPORARY SEEDING (WITH MULCH)	2,750.000	UNIT
801-01.65	TEMPORARY MULCH	2,750.000	UNIT
801-03	WATER (SEEDING & SODDING)	1,138.000	M.G.
801-07	SEED (SUPPLEMENTAL APPLICATION)	459.000	LB.
801-08	FERTILIZER (SUPPLEMENTAL APPLICATION)	4.000	TON
802-02.30	CUTTINGS: SALIX NIGRA (18IN-24IN LENGTH)	25.000	EACH
802-02.32	CUTTINGS: CORNUS AMOMUM (18IN-24IN)	25.000	EACH
802-11.02	ACER RUBRUM (RED MAPLE 2-5FT CNTNR GRWN)	12.000	EACH
802-11.11	CERCIS CANADENSIS (REDBUD 2-5FT CNTNR GRWN)	12.000	EACH
802-11.12	CORNUS FLORIDA (FLOWERING DOGWOOD 2-5FT CNTNR GRWN)	11.000	EACH

Contract ID CNS060 - WILLIAMSON

Item No.	Description	Quantity	Units
802-11.13	CRATAEGUS PHAENOPYRUM (WSHNGTN HAWTHORN 2-5FT CNTNR GRWN)	11.000	EACH
802-11.41	SASSAFRAS ALBIDUM (SASSAFRAS 2-5FT CNTNR GRWN)	11.000	EACH
802-12.02	ACER RUBRUM (RED MAPLE SEEDLNG B.R.)	22.000	EACH
802-12.11	CERCIS CANADENSIS (REDBUD SEEDLNG B.R.)	22.000	EACH
802-12.12	CORNUS FLORIDA (FLOWERING DOGWOOD SEEDLNG B.R.)	22.000	EACH
802-12.13	CRATAEGUS PHAENOPYRUM (WSHNGTN HAWTHORN SEEDLNG B.R.)	22.000	EACH
802-12.41	SASSAFRAS ALBIDUM (SASSAFRAS SEEDLNG B.R.)	22.000	EACH
802-13.54	CORNUS AMOMUM (SILKY DOGWOOD SDLNG BARE ROOT)	21.000	EACH
802-13.56	HYDRANGEA QUERCIFOLIA (OAKLF HYDRANGEA SDLNG BARE ROOT)	21.000	EACH
802-13.58	ITEA VIRGINICA (VIRGINIA SWEETSPIRE SDLNG BARE ROOT)	21.000	EACH
802-13.60	SAMBUCUS CANADENSIS (ELDERBERRY SDLNG BARE ROOT)	20.000	EACH
803-01	SODDING (NEW SOD)	65,915.000	S.Y.
805-01.01	TURF REINFORCEMENT MAT (CLASS I)	3,800.000	S.Y.
806-02.03	PROJECT MOWING	25.000	CYCL
204-02.01	DRY EXCAVATION (BRIDGES)	198.000	C.Y.
204-05	ROCK DRILLING (BRIDGES)	160.000	L.F.
204-14	CORE DRILLING FOR PILES(ROCK)	257.000	L.F.
204-15	CORE DRILLING FOR PILES(SOIL)	555.000	L.F.
303-01.02	GRANULAR BACKFILL (BRIDGES)	38.000	TON
602-04.03	STEEL STRUCTURES (LOCATION & DESCRIPTION) (EASTBOUND, UNIT 1)	(1)	LS
602-04.04	STEEL STRUCTURES (LOCATION & DESCRIPTION) (EASTBOUND, UNIT 3)	(1)	LS
604-02.03	EPOXY COATED REINFORCING STEEL	1,250,719.000	LB.
604-03.01	CLASS A CONCRETE (BRIDGES)	1,607.000	C.Y.
604-03.02	STEEL BAR REINFORCEMENT (BRIDGES)	396,340.000	LB.

Contract ID CNS060 - WILLIAMSON

Item No.	Description	Quantity	Units
604-03.04	PAVEMENT @ BRIDGE ENDS	279.000	S.Y.
604-03.09	CLASS D CONCRETE (BRIDGE DECK)	3,865.000	C.Y.
604-04.01	APPLIED TEXTURE FINISH (NEW STRUCTURES)	13,244.000	S.Y.
604-05.31	BRIDGE DECK GROOVING (MECHANICAL)	8,728.000	S.Y.
604-07.01	RETAINING WALL (DESCRIPTION) (STA. 926+45.00)	664.000	S.F.
604-07.02	RETAINING WALL (DESCRIPTION) (STA. 24+69.41)	2,838.000	S.F.
604-10.90	MISCELLANEOUS BRIDGE ITEMS (VERTICAL STRUCTURES)	(1)	LS
604-11.01	EXPANSION DEVICE (DESCRIPTION) (MODULAR JOINT, 8" TOTAL MOVEMENT)	86.000	L.F.
604-11.02	EXPANSION DEVICE (DESCRIPTION) (STRIP SEAL JOINT, 5" TOTAL MOVEMENT)	43.000	L.F.
606-02.03	STEEL PILES (10 INCH)	830.000	L.F.
606-02.06	PILE TIPS (STEEL PILES, 10 INCH)	12.000	EACH
615-01.12	PRESTRESSED CONCRETE BULB TEE BEAM (6" WEB)(BT-72)	8,882.000	L.F.
620-03.11	CONCRETE PARAPET (DESCRIPTION) (PEDESTRIAN RAILING)	2,819.000	L.F.
620-05.01	CONC PARAPET SINGLE SLOPE (STD-1-1SS)	3,233.000	L.F.
621-01.01	TEMPORARY STRUCTURE (DESCRIPTION - STATION) (STREAM CROSSING)	(1)	LS
625-02.01	DRILLED SHAFT-SOIL (DIA.) (78" DIA)	197.000	V.F.
625-02.02	DRILLED SHAFT-SOIL (DIA.) (90" DIA.)	47.000	V.F.
625-02.13	DRILLED SHAFT-ROCK (DIA.) (72" DIA)	80.000	V.F.
625-02.14	DRILLED SHAFT-ROCK (DIA.) (78" DIA)	197.000	V.F.
625-02.15	DRILLED SHAFT-ROCK (DIA.) (84" DIA)	20.000	V.F.
625-02.16	DRILLED SHAFT-ROCK (DIA.) (90" DIA)	46.000	V.F.
625-02.25	DRILLED SHAFT CASING-PERMANENT (DIA.) (78" DIA)	100.000	V.F.
625-02.40	DRILLED SHAFT (SH-SCC) CONCRETE	696.000	C.Y.
625-02.44	DRILLED SHAFT REINFORCING STEEL	217,819.000	LB.
625-02.46	SONIC LOGGING TESTING	20.000	EACH

Contract ID CNS060 - WILLIAMSON

Item No.	Description	Quantity	Units
710-09.01	6" PERFORATED PIPE WITH VERTICAL DRAIN SYSTEM	162.000	L.F.
710-09.02	6" PIPE UNDERDRAIN	53.000	L.F.
712-02.47	BRIDGE MOUNTED INTERCONNECTED PORTABLE BARRIER RAIL	2,833.000	L.F.
714-01.01	STRUCTURAL LIGHTING (BRIDGE NO.) (BRIDGE NO. 1)	(1)	LS
908-21.01	BEARINGS (DESCRIPTION) (EXPANSION)	31.000	EACH
908-21.02	BEARINGS (DESCRIPTION) (FIXED)	20.000	EACH
209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	140.000	L.F.
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	338.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	1.000	TON
407-02.14	ASPHALT PAVEMENT REPAIR	35.000	S.Y.
411-02.10	ACS MIX(PG70-22) GRADING D	12.000	TON
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	2,635.000	S.Y.
701-01.01	CONCRETE SIDEWALK (4 ")	10.000	S.F.
790-02.01	POLE 35FT CLASS 2 WOOD	2.000	EACH
790-03.01	POLE 40FT CLASS 2 WOOD	3.000	EACH
790-04.02	POLE 45FT CLASS 2 WOOD	6.000	EACH
790-04.04	POLE 45FT CLASS 4 WOOD	1.000	EACH
790-04.09	POLE 45FT CLASS H2 METAL	1.000	EACH
790-05.02	POLE 50FT CLASS 2 WOOD	17.000	EACH
790-05.08	POLE 50FT CLASS H2 METAL	2.000	EACH
790-06.02	POLE 55FT CLASS 2 WOOD	7.000	EACH
790-07.08	POLE 60FT CLASS H2 METAL	2.000	EACH
790-22.07	1PH DBL PTS ANGLE 25KV	1.000	EACH
790-22.13	1PH DEAD END 25KV	1.000	EACH
790-22.15	1PH DEAD END TAP W/ EXTENSION 25KV	3.000	EACH
790-26.02	3PH CROSSARM DBL LRG COND 25KV	8.000	EACH
790-26.03	3PH CROSSARM SGL LRG COND 25KV	5.000	EACH
790-26.07	3PH CROSSARM SGL LRG COND ON ST PL 25KV	2.000	EACH

Contract ID CNS060 - WILLIAMSON

Item No.	Description	Quantity	Units
790-26.15	3PH XARM DBL 10FT LRG COND SM ANGLE 25KV	7.000	EACH
790-26.22	3PH VERTICAL DDE ANGLE LRG COND 25KV	2.000	EACH
790-26.24	3PH VERTICAL DEAD END LRG COND 25KV	6.000	EACH
790-26.26	3PH CROSSARM DEAD END 25KV	4.000	EACH
790-26.27	3PH CROSSARM DBL DDE 25KV	4.000	EACH
790-26.29	3PH DDE UNBALANCED LOAD 25KV	1.000	EACH
790-26.37	3PH XARM DBL 10FT LG COND NOX SM ANG 25KV	1.000	EACH
790-30.03	SECONDARY ASSEMBLIES DEADEND	5.000	EACH
790-30.04	SECONDARY ASSEMBLIES MISC	1.000	EACH
790-30.07	SECONDARY CONDUCTOR 4 AL DUPLEX	120.000	L.F.
790-31.02	SERVICE ASSEMBLY-POLE TYPE	6.000	EACH
790-31.12	SERVICE CONDUCTOR 1/0 AL TRIPLEX	130.000	L.F.
790-32.01	DOWN GUY - THROUGH BOLT TYPE	34.000	EACH
790-32.03	DOWN GUY - THROUGH BOLT ST PL	5.000	EACH
790-32.06	DOWN GUY - INSULATED	4.000	EACH
790-32.07	OH GUY - THROUGH BOLT TYPE	7.000	EACH
790-32.19	DN GUY HVY CONST - 1 PREFORM	25.000	EACH
790-32.21	OH GUY HVY CONST -THROUGH BOLT TYPE	13.000	EACH
790-33.19	ROCK ANCHOR TRIPLE EYE 53IN EXPANDING	2.000	EACH
790-33.20	ANCHOR TRIPLE EYE POWER INSTALLED	1.000	EACH
790-33.21	ANCHOR TWIN EYE POWER INSTALLED	33.000	EACH
790-40.01	OH COND 4 7/1 ACSR SWANATE	868.000	L.F.
790-40.02	OH COND 2 7/1 ACSR SPARATE	4,187.000	L.F.
790-40.03	OH COND 1/0 6/1 ACSR RAVEN	9,933.000	L.F.
790-40.05	OH COND 3/0 6/1 ACSR PIGEON	3,417.000	L.F.
790-40.49	OH COND 795 37 AAC ARBUTUS	10,251.000	L.F.
790-42.12	CONDUIT - POLE MTD - 2IN SCH 80 PVC	200.000	L.F.
790-46.01	1PH TRANSFORMER	2.000	EACH
790-61.01	1PH FUSE CUTOFF XARM MOUNT 25KV	14.000	EACH
790-61.10	3PH SECTLR OR RECL W/ BYPASS SW 25KV	1.000	EACH

Contract ID CNS060 - WILLIAMSON

Item No.	Description	Quantity	Units
790-61.11	3PH SECTLR OR RECL W/ BYP SW ELECTC 25KV	1.000	EACH
790-65.05	LIGHTNING ARRESTER ARM MTD 18 KV	15.000	EACH
790-65.17	3PH CAPACITOR ASSEMBLY 25KV	2.000	EACH
790-65.18	CAPACITOR RADIO SWITCH	2.000	EACH
790-68.13	SGL PHASE MOUNTING BRACKET - FIBERGLASS	3.000	EACH
790-69.03	10FT DBL CROSSARM	2.000	EACH
790-69.06	HARDWARE FOR SGL PH CONV TRANS	7.000	EACH
790-69.08	GROUND-GROUND ROD	30.000	EACH
790-69.11	GROUND-GROUND ROD FOR ST POLE	5.000	EACH
790-69.28	EXTENSION LINK - EPOXY -6FT	13.000	EACH
790-70.20	STREET LIGHT (DESCRIPTION) (DESCRIPTION)	6.000	EACH
790-98.01	REMOVE WIRE	30,098.000	L.F.
790-98.02	REMOVE POLES	35.000	EACH
790-98.03	REMOVE FRAMING/ASSOCIATED APPARATUS	208.000	EACH
790-98.20	TREE AND BRUSH REMOVAL OFF ROW	(1)	LS
791-01.04	4IN STEEL GAS MAIN	37.000	L.F.
791-01.06	8IN STEEL GAS MAIN	13,241.000	L.F.
791-03.02	2IN HDPE GAS MAIN	402.000	L.F.
791-03.04	4IN HDPE GAS MAIN	2,035.000	L.F.
791-03.05	6IN HDPE GAS MAIN	1,997.000	L.F.
791-04.02	HDD 2IN PE PIPE - UNCONSOLIDATED	50.000	L.F.
791-04.14	HDD 6IN PE PIPE - ROCK	279.000	L.F.
791-04.33	HDD 8IN STEEL PIPE - ROCK	2,235.000	L.F.
791-06.02	CONNECT TO 2IN EX. PE MAIN	1.000	EACH
791-06.03	CONNECT TO 4IN EX. PE MAIN	4.000	EACH
791-06.04	CONNECT TO 6IN EX. PE MAIN	1.000	EACH
791-06.12	CONNECT TO 6IN EX. STL MAIN	1.000	EACH
791-06.33	CONNECT TO 6IN EX. STL MAIN W/ STOPPLE	1.000	EACH
791-07.03	6IN PE GAS VALVE ASSEMBLY	2.000	EACH
791-07.10	4IN STEEL GAS VALVE ASSEMBLY	1.000	EACH

Contract ID CNS060 - WILLIAMSON

Item No.	Description	Quantity	Units
791-07.12	8IN STEEL GAS VALVE ASSEMBLY	4.000	EACH
791-08.02	3/4IN SERVICE ASSEMBLY	7.000	EACH
791-08.07	3/4IN PE SERVICE PIPE	480.000	L.F.
791-08.17	HDD 3/4IN PE SERVICE PIPE	50.000	L.F.
791-09.02	3-WIRE CATHODIC PROTECTION STATION	16.000	EACH
791-09.03	17LB MAGNESIUM ANODES	10.000	EACH
791-09.04	REGULATOR STATION	1.000	EACH
791-09.05	RESTORE ASPHALT	50.000	S.Y.
791-09.06	RESTORE CONCRETE	10.000	S.Y.
791-09.07	RESTORE GRAVEL	20.000	S.Y.
791-09.08	REMOVE REGULATOR STATION	1.000	EACH
791-10.01	RETIRE IN PLACE 3/4IN SERV CUT & PLUG	6.000	EACH
791-10.05	RETIRE IN PLACE 4IN SERV CUT & PLUG	2.000	EACH
791-10.06	RETIRE IN PLACE 6IN SERV CUT & PLUG	1.000	EACH
793-01.41	ANCHOR 1IN	12.000	EACH
793-13.07	4IN SCHEDULE 40 PVC	192.000	L.F.
793-13.11	1 DUCT FORMATION @ 24IN DEPTH	192.000	L.F.
793-98.04	REMOVE POLES ALL SIZES	2.000	EACH
795-01.03	6IN DIP RESTRAINED JOINT WATER LINE	40.000	L.F.
795-01.15	18IN DIP RESTRAINED JOINT WATER LINE	1,675.000	L.F.
795-01.16	18IN DIP SLIP JOINT WATER LINE	925.000	L.F.
795-01.19	24IN DIP RESTRAINED JOINT WATER LINE	475.000	L.F.
795-05.70	BORE/JACK 36IN STEEL CASING PIPE-UNCON.	150.000	L.F.
795-06.04	CONNECT TO 6IN WATER LINE	2.000	EACH
795-06.10	CONNECT TO 18IN WATER LINE	1.000	EACH
795-06.11	CONNECT TO 20IN WATER LINE	1.000	EACH
795-06.12	CONNECT TO 24IN WATER LINE	2.000	EACH
795-06.30	CUT/CAP EXISTING LINES (ALL SIZES)	6.000	EACH
795-08.04	6IN GATE VALVE ASSEMBLY	2.000	EACH
795-08.15	18IN BUTTERFLY VALVE ASSEMBLY	5.000	EACH

Contract ID CNS060 - WILLIAMSON

Item No.	Description	Quantity	Units
795-08.19	24IN BUTTERFLY VALVE ASSEMBLY	2.000	EACH
795-09.01	3/4IN WATER SERVICE METER ASSEMBLY	2.000	EACH
795-09.04	2IN WATER SERVICE METER ASSEMBLY	1.000	EACH
795-09.09	RELOCATE/RECONNECT SERVICE ASSEMBLY	4.000	EACH
795-09.12	2IN COPPER SERVICE PIPE	75.000	L.F.
795-09.17	2IN HDPE SERVICE PIPE	75.000	L.F.
795-09.28	3/4IN COPPER SERVICE PIPE	50.000	L.F.
795-10.05	2IN AUTO AIR RELEASE VALVE ASSEMBLY	2.000	EACH
795-11.02	FIRE HYDRANT ASSEMBLY	1.000	EACH
795-12.02	REMOVAL OF EXISTING LINE	(1)	LS
795-13.01	DI FITTINGS	15,910.000	LB.
795-14.05	CONCRETE ENCASMENT	20.000	L.F.
795-14.06	CONCRETE PIERS	2.000	EACH
795-15.12	42IN STEEL CASING PIPE OPEN CUT METHOD	195.000	L.F.
797-01.07	16IN DIP FORCE MAIN	940.000	L.F.
797-01.16	12IN EPOXY COATED DIP FORCE MAIN	960.000	L.F.
797-05.10	12IN DIP GRAVITY SEWER 6FT-12FT DEPTH	290.000	L.F.
797-05.19	18IN DIP GRAVITY SEWER 12FT-18FT DEPTH	255.000	L.F.
797-05.51	8IN PVC GRAVITY SEWER 0FT-6FT DEPTH	540.000	L.F.
797-05.52	8IN PVC GRAVITY SEWER 6FT-12FT DEPTH	855.000	L.F.
797-05.60	12IN PVC GRAVITY SEWER 6FT-12FT DEPTH	215.000	L.F.
797-06.90	OPEN CUT 16IN STEEL CASING PIPE	80.000	L.F.
797-06.93	OPEN CUT 24IN STEEL CASING PIPE	565.000	L.F.
797-06.94	OPEN CUT 30IN STEEL CASING PIPE	350.000	L.F.
797-06.95	OPEN CUT 36IN STEEL CASING PIPE	160.000	L.F.
797-07.01	48IN MANHOLE 0FT-4FT DEPTH	1.000	EACH
797-07.02	48IN MANHOLE 4FT-6FT DEPTH	4.000	EACH
797-07.03	48IN MANHOLE 6FT-8FT DEPTH	4.000	EACH
797-07.04	48IN MANHOLE 8FT-10FT DEPTH	4.000	EACH
797-07.05	48IN MANHOLE 10FT-12FT DEPTH	1.000	EACH

Contract ID CNS060 - WILLIAMSON

Item No.	Description	Quantity	Units
797-07.13	60IN MANHOLE 4FT-6FT DEPTH	1.000	EACH
797-07.15	60IN MANHOLE 8FT-10FT DEPTH	1.000	EACH
797-07.18	60IN MANHOLE 14FT-16FT DEPTH	1.000	EACH
797-07.80	REMOVE SEWER MANHOLE	4.000	EACH
797-08.01	DI FITTINGS	6,700.000	LB.
797-08.05	6IN PVC PIPE FOR SERVICE LATERAL	475.000	L.F.
797-08.08	6IN CLEAN OUT ASSEMBLY	15.000	EACH
797-09.10	12IN PLUG VALVE ASSEMBLY	4.000	EACH
797-10.03	CONNECT 10-18IN SEWER TO EXIST. MANHOLE	1.000	EACH
797-10.06	CONNECT 6IN LATERAL TO SEWER LINE	15.000	EACH
797-10.09	CONNECT EX. 8IN SEWER TO NEW MANHOLE	3.000	EACH
797-10.10	CONNECT EX.10-18IN SEWER TO NEW MANHOLE	2.000	EACH
797-10.20	CONNECT TO 12IN FORCE MAIN	2.000	EACH
797-10.21	CONNECT TO 16IN FORCE MAIN	2.000	EACH
797-11.25	RETIRED IN PLACE 48IN MANHOLE	7.000	EACH
797-11.35	REMOVE EXISTING SEWER 8IN-14IN	820.000	L.F.
797-11.36	REMOVE EXISTING SEWER 15IN-24IN	1,015.000	L.F.
797-11.38	BY-PASS PUMPING	(1)	LS
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	81,409.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	167.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	551.000	TON
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	62,252.000	TON
309-01.01	MINERAL AGGREGATE (A-CBC)	18,361.000	TON
309-01.02	PORTLAND CEMENT (A-CBC)	709.000	TON
309-02	BITUMINOUS MATERIAL (A-CBC)	59.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	58.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	191.000	TON

Contract ID CNS354 - WILSON

Item No.	Description	Quantity	Units
705-01.01	GUARDRAIL AT BRIDGE ENDS	55.000	L.F.
705-02.03	SINGLE GUARDRAIL (TYPE 2) LONG POST	1,825.000	L.F.
705-04.04	GUARDRAIL TERMINAL (TYPE 21)	1.000	EACH
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	14.000	EACH
705-04.21	GUARDRAIL DELINEATION ENHANCEMENT	3,695.000	L.F.
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	14.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-10.01	TEMPORARY PORTABLE RUMBLE STRIPS	6.000	EACH
713-02.14	FLEXIBLE DELINEATOR (WHITE)	56.000	EACH
713-02.21	SIGN POST DELINEATION ENHANCEMENT	180.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	215.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	1,022.000	LB.
713-11.21	P POST SLIP BASE	3.000	EACH
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	86.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	243.000	S.F.
713-15.41	SIGN REMOVAL (DESCRIPTION)	(1)	LS
716-01.40	REMOVE AND REPLACE LENS ON SNOWPLOWABLE REFLECTIVE MARKER	200.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	455.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	170.000	L.F.
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	1.000	EACH
716-03.07	PLASTIC WORD PAVEMENT MARKING (STOP)	1.000	EACH
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	9.100	L.M.
717-01	MOBILIZATION	(1)	LS
730-26.07	FLASHING WARNING BEACON (DESCRIPTION)	2.000	EACH

Contract ID CNS337 - WILSON

Item No.	Description	Quantity	Units
208-01.05	BROOMING & DEGRASSING SHOULDERS	9.000	L.M.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	1,197.000	TON
307-03.10	ASPHALT CONC MIX (PG76-22)(BPMB-HM) GR CS	7,050.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	153.000	TON
407-07.01	INTELLIGENT COMPACTION EQUIPMENT	(1)	LS
411-03.10	ACS MIX(PG76-22) GRADING D	140.000	TON
411-03.23	ACS MIX (PG76-22) OGFC	10,936.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	18.000	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	13,049.000	TON
502-08.07	SEALING RANDOM CRACKS (SILICONE SEALANT)	400.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	260.000	EACH
712-06	SIGNS (CONSTRUCTION)	2,756.000	S.F.
712-06.16	SIGNS (CONSTRUCTION)(REDUCED SPEED WARNING)	4.000	EACH
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
712-08.10	MOBILE MESSAGE SIGN UNIT W/ATTENUATOR	1,250.000	HOURL
713-02.14	FLEXIBLE DELINEATOR (WHITE)	128.000	EACH
713-02.15	FLEXIBLE DELINEATOR (YELLOW)	36.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	4.000	EACH
716-01.23	SNOWPLOWABLE RAISED PAVEMENT MARKERS (BI-DIR)(2 COLOR)	800.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	800.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	208.000	S.Y.
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	41.000	L.M.
716-08.30	HYDROBLAST REMOVAL OF PAVEMENT MARKING (LINE)	1.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	28.000	L.M.

Contract ID CNS337 - WILSON

Item No.	Description	Quantity	Units
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	8,430.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-03.20	INSTALL PULL BOX (TYPE A)	2.000	EACH
730-03.25	INSTALL PULL BOX (DESCRIPTION) (29" X 21")	2.000	EACH
730-12.02	CONDUIT 2" DIAMETER (PVC)	60.000	L.F.
730-14.02	SAW SLOT	1,000.000	L.F.
730-14.03	LOOP WIRE	2,720.000	L.F.
730-15.07	CABINET (DESCRIPTION) (41" x 25" x 18")	2.000	EACH
604-10.50	BRIDGE DECK REPAIRS (PARTIAL DEPTH OF SLAB)	20.000	S.Y.
617-04.01	TYPE 1 THIN EPOXY OVERLAY (EPOXY-URETHANE)	2,880.000	S.Y.

Contract ID CNS338 - WILSON

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
109-10.01	TRAINEE	6,160.000	HOUR
201-01	CLEARING AND GRUBBING	(1)	LS
202-01	REMOVAL OF STRUCTURES AND OBSTRUCTIONS	(1)	LS
202-02.01	REMOVAL OF PIPE (SIZE ,STA.) (15" CMP ,STA. 542+78)	42.000	L.F.
202-02.02	REMOVAL OF PIPE (SIZE ,STA.) (15" CMP ,STA. 564+00)	20.000	L.F.
202-03	REMOVAL OF RIGID PAVEMENT, SIDEWALK, ETC.	3,320.000	S.Y.
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	224,866.000	C.Y.
203-03	BORROW EXCAVATION (UNCLASSIFIED)	30,000.000	C.Y.
203-04	PLACING AND SPREADING TOPSOIL	38,777.000	C.Y.
203-06	WATER	2,262.000	M.G.
203-07	FURNISHING & SPREADING TOPSOIL	6,900.000	C.Y.
203-50	CONSTRUCTION OF HAUL ROAD	(1)	LS
204-06.01	FLOWABLE FILL (GENERAL)	250.000	C.Y.
204-08	FOUNDATION FILL MATERIAL	281.000	C.Y.
204-08.01	BACKFILL MATERIAL (FLOWABLE FILL)	115.000	C.Y.
209-02.05	12" TEMPORARY SLOPE DRAIN	223.000	L.F.
209-02.06	15" TEMPORARY SLOPE DRAIN	194.000	L.F.
209-05	SEDIMENT REMOVAL	1,940.000	C.Y.
209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	14,232.000	L.F.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	34,648.000	L.F.
209-08.07	ROCK CHECK DAM PER	201.000	EACH
209-08.08	ENHANCED ROCK CHECK DAM	58.000	EACH
209-09.04	SEDIMENT FILTER BAG(15' X 10')	7.000	EACH
209-09.43	CURB INLET PROTECTION (TYPE 4)	142.000	EACH
209-40.30	CATCH BASIN PROTECTION (TYPE A)	13.000	EACH
209-40.33	CATCH BASIN PROTECTION (TYPE D)	19.000	EACH

Contract ID CNS338 - WILSON

Item No.	Description	Quantity	Units
209-40.43	CATCH BASIN FILTER ASSEMBLY(TYPE 3)	1.000	EACH
209-40.44	CATCH BASIN FILTER ASSEMBLY(TYPE 4)	55.000	EACH
209-40.45	CATCH BASIN FILTER ASSEMBLY(TYPE 5)	1.000	EACH
209-65.04	TEMPORARY IN STREAM DIVERSION	460.000	L.F.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	272,969.000	TON
303-01.01	GRANULAR BACKFILL (ROADWAY)	2,253.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	112.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	5,095.000	TON
307-01.22	ASP. CONC. MIX(PG76-22) (BPMB-HM) GR. A-S	29,442.000	TON
307-03.01	ASPHALT CONCRETE MIX (PG76-22) (BPMB-HM) GRADING A	64,417.000	TON
307-03.08	ASPHALT CONCRETE MIX (PG76-22) (BPMB-HM) GRADING B-M2	22,408.000	TON
307-03.10	ASPHALT CONC MIX (PG76-22)(BPMB-HM) GR CS	4,302.000	TON
313-03	TREATED PERMEABLE BASE	3,942.000	S.Y.
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	349.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	1,237.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	304.000	TON
407-20.05	SAW CUTTING ASPHALT PAVEMENT	76,970.000	L.F.
411-03.10	ACS MIX(PG76-22) GRADING D	2,191.000	TON
411-03.23	ACS MIX (PG76-22) OGFC	19,346.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	14.300	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	9,002.000	TON
501-01.03	PORTLAND CEMENT CONCRETE PAVEMENT (PLAIN) 10"	3,942.000	S.Y.
604-02.01	CLASS A CONCRETE (BOX BRIDGES)	658.000	C.Y.
604-02.02	STEEL BAR REINFORCEMENT (BOX BRIDGES)	138,548.000	LB.
604-10.02	CONCRETE REPAIRS	20.000	C.Y.
604-10.42	CONCRETE REPAIRS	30.000	C.F.
607-03.02	18" CONCRETE PIPE CULVERT (CLASS III)	7,731.000	L.F.

Contract ID CNS338 - WILSON

Item No.	Description	Quantity	Units
607-03.05	18" CONCRETE PIPE CULVERT(CLASS IV)JACKED-IN-PLACE	263.000	L.F.
607-05.02	24" CONCRETE PIPE CULVERT (CLASS III)	3,280.000	L.F.
607-06.02	30" CONCRETE PIPE CULVERT (CLASS III)	974.000	L.F.
607-07.02	36" CONCRETE PIPE CULVERT (CLASS III)	229.000	L.F.
607-37.01	15" CORRUGATED METAL PIPE CULVERT	100.000	L.F.
607-37.04	30" CORRUGATED METAL PIPE CULVERT	36.000	L.F.
607-37.06	42" CORRUGATED METAL PIPE CULVERT	10.000	L.F.
607-37.11	72" CORRUGATED METAL PIPE CULVERT	20.000	L.F.
607-45.01	15" SLOTTED DRAIN PIPE	240.000	L.F.
607-65.65	24" MINIMUM ID PIPE TO SLIP LINE 30" PIPE	274.000	L.F.
607-65.67	33" MINIMUM ID PIPE TO SLIP LINE 42" PIPE	506.000	L.F.
607-65.69	42" MINIMUM ID PIPE TO SLIP LINE 54" PIPE	386.000	L.F.
607-65.71	60" MINIMUM ID PIPE TO SLIP LINE 72" PIPE	258.000	L.F.
611-07.01	CLASS A CONCRETE (PIPE ENDWALLS)	35.000	C.Y.
611-07.02	STEEL BAR REINFORCEMENT (PIPE ENDWALLS)	2,009.000	LB.
611-07.03	STRUCTURAL STEEL (PIPE ENDWALLS)	940.000	LB.
611-07.53	15IN ENDWALL (CROSS DRAIN) 6:1	4.000	EACH
611-07.56	18IN ENDWALL (CROSS DRAIN) 6:1	2.000	EACH
611-07.62	30IN ENDWALL (CROSS DRAIN) 6:1	2.000	EACH
611-07.68	42IN ENDWALL (CROSS DRAIN) 6:1	3.000	EACH
611-31.02	CATCH BASINS, TYPE 31, > 4' - 8' DEPTH	47.000	EACH
611-31.03	CATCH BASINS, TYPE 31, > 8' - 12' DEPTH	6.000	EACH
611-31.04	CATCH BASINS, TYPE 31, > 12' - 16' DEPTH	1.000	EACH
611-31.05	CATCH BASINS, TYPE 31, > 16' - 20' DEPTH	1.000	EACH
611-40.02	CATCH BASINS, TYPE 40, > 4' - 8' DEPTH	1.000	EACH
611-42.01	CATCH BASINS, TYPE 42, 0' - 4' DEPTH	1.000	EACH
621-03.01	15" TEMPORARY DRAINAGE PIPE	976.000	L.F.
705-01.01	GUARDRAIL AT BRIDGE ENDS	54.000	L.F.
705-04.02	GUARDRAIL TERMINAL (TYPE 12)	3.000	EACH

Contract ID CNS338 - WILSON

Item No.	Description	Quantity	Units
705-04.50	PORTABLE BARRIER RAIL DELINEATOR	1,686.000	EACH
705-06.01	W BEAM GR (TYPE 2) MASH TL3	5,511.000	L.F.
705-06.10	GR TERMINALTRAILING END (TYPE 13) MASH TL3	19.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	18.000	EACH
705-08.51	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	10.000	EACH
706-01	GUARDRAIL REMOVED	4,164.000	L.F.
706-80.18	CABLE BARRIER TERMINAL (REMOVAL)	8.000	EACH
706-80.19	CABLE BARRIER (REMOVAL)	15,288.000	L.F.
707-01.11	CHAIN LINK FENCE (6 FOOT)	33,117.000	L.F.
707-01.12	END & CORNER POST ASSEMBLY(CHAIN-LINK FENCE 6')	61.000	EACH
707-06.01	REMOVAL OF FENCE (DESCRIPTION) (EXISTING C.A. FENCE)	33,117.000	L.F.
707-08.11	HIGH-VISIBILITY CONSTRUCTION FENCE	14,050.000	L.F.
709-05.05	MACHINED RIP-RAP (CLASS A-3)	2,128.000	TON
709-05.06	MACHINED RIP-RAP (CLASS A-1)	437.000	TON
709-05.08	MACHINED RIP-RAP (CLASS B)	281.000	TON
709-05.09	MACHINED RIP-RAP (CLASS C)	192.000	TON
710-02	AGGREGATE UNDERDRAINS (WITH PIPE)	57,775.000	L.F.
710-05	LATERAL UNDERDRAIN	5,882.000	L.F.
710-06.11	LATERAL UNDERDRAIN ENDWALL (2:1)	9.000	EACH
710-06.12	LATERAL UNDERDRAIN ENDWALL (3:1)	6.000	EACH
710-06.13	LATERAL UNDERDRAIN ENDWALL (4:1)	28.000	EACH
710-06.15	LATERAL UNDERDRAIN ENDWALL (6:1)	154.000	EACH
711-05.71	51IN SINGLE SLOPE CONCRETE BARRIER WALL	16,439.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-01.51	PORTABLE BARRIER RAIL DELINEATOR (DOUBLE)	72.000	EACH
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	36,060.000	L.F.
712-02.36	REMOVE AND RELOCATE PORTABLE BARRIER RAIL	34,150.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	720.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	485.000	EACH

Contract ID CNS338 - WILSON

Item No.	Description	Quantity	Units
712-06	SIGNS (CONSTRUCTION)	1,685.000	S.F.
712-06.16	SIGNS (CONSTRUCTION)(REDUCED SPEED WARNING)	6.000	EACH
712-07.03	TEMPORARY BARRICADES (TYPE III)	100.000	L.F.
712-08.03	ARROW BOARD (TYPE C)	10.000	EACH
712-08.10	MOBILE MESSAGE SIGN UNIT W/ATTENUATOR	2,000.000	HOURL
713-01.01	CLASS A CONCRETE (FOUNDATION FOR SIGN SUPPORTS)	12.000	C.Y.
713-01.02	STEEL BAR REINFORCEMENT(FOUNDATION FOR SIGN SUPPORTS)	3,350.000	LB.
713-02.04	DELINEATOR (MILE MARKER) & STEEL POST	6.000	EACH
713-02.14	FLEXIBLE DELINEATOR (WHITE)	133.000	EACH
713-02.15	FLEXIBLE DELINEATOR (YELLOW)	32.000	EACH
713-06	STEEL I-BEAMS & WF-BEAMS(BREAKAWAY) SIGN SUPPORT	10,875.000	LB.
713-09.01	STEEL OVERHEAD SIGN STRUCTURE (SPAN____) (SPAN 80'-0")	1.000	EACH
713-09.02	STEEL OVERHEAD SIGN STRUCTURE (SPAN____) (SPAN 80'-0")	1.000	EACH
713-09.03	STEEL OVERHEAD SIGN STRUCTURE (SPAN____) (SPAN 80'-0")	1.000	EACH
713-09.04	STEEL OVERHEAD SIGN STRUCTURE (SPAN____) (SPAN 80'-0")	1.000	EACH
713-09.05	STEEL OVERHEAD SIGN STRUCTURE (SPAN____) (SPAN 80'-0")	1.000	EACH
713-09.06	STEEL OVERHEAD SIGN STRUCTURE (SPAN____) (SPAN 80'-0")	1.000	EACH
713-09.07	STEEL OVERHEAD SIGN STRUCTURE (SPAN____) (SPAN 80'-0")	1.000	EACH
713-09.08	STEEL OVERHEAD SIGN STRUCTURE (SPAN____) (SPAN 80'-0")	1.000	EACH
713-09.09	STEEL OVERHEAD SIGN STRUCTURE (SPAN____) (SPAN 92'-0")	1.000	EACH
713-09.10	STEEL OVERHEAD SIGN STRUCTURE (SPAN____) (SPAN 92'-0")	1.000	EACH

Contract ID CNS338 - WILSON

Item No.	Description	Quantity	Units
713-09.11	STEEL OVERHEAD SIGN STRUCTURE (SPAN____) (SPAN 92'-0")	1.000	EACH
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	127.000	LB.
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	228.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	412.000	S.F.
713-14	EXTRUDED ALUMINUM PANEL SIGNS	3,507.000	S.F.
713-15	REMOVAL OF SIGNS, POSTS AND FOOTINGS	(1)	LS
713-15.02	REMOVAL & RELOCATION OF SIGN & SUPPORT	10.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	6.000	EACH
713-17.02	INSTALL AUXILIARY SUPPORT FOR EXIT NUMBER PANEL	9.000	EACH
713-17.60	SIGN MOUNTED ON CONCRETE MEDIAN BARRIER (_____) (W4-2L)	1.000	EACH
713-17.61	SIGN MOUNTED ON CONCRETE MEDIAN BARRIER (_____) (TN-60D)	2.000	EACH
713-17.62	SIGN MOUNTED ON CONCRETE MEDIAN BARRIER (_____) (TN-60F)	1.000	EACH
713-17.63	SIGN MOUNTED ON CONCRETE MEDIAN BARRIER (_____) (TN-60B)	1.000	EACH
713-30.09	BARRIER MOUNTED SIGN SUPPORT (TN-45a)	16.000	EACH
716-01.05	TEMPORARY RAISED PAVEMENT MARKER	348.000	EACH
716-01.14	RAISED PAVEMENT MARKER REMOVAL	348.000	EACH
716-01.23	SNOWPLOWABLE RAISED PAVEMENT MARKERS (BI-DIR)(2 COLOR)	4,145.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	3,056.000	EACH
716-02.07	PLASTIC PAVEMENT MARKING (24" BARRIER LINE)	1,650.000	L.F.
716-04.07	PLASTIC PAVEMENT MARKING (EXIT ONLY ARROW)	6.000	EACH
716-04.08	PLASTIC PAVEMENT MARKING (OPTION LANE ARROW)	3.000	EACH
716-04.14	PLASTIC PAVEMENT MARKING (LANE REDUCTION ARROW)	4.000	EACH
716-05.02	PAINTED PAVEMENT MARKING (8" BARRIER LINE)	80,020.000	L.F.
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	6.000	L.M.

Contract ID CNS338 - WILSON

Item No.	Description	Quantity	Units
716-08.30	HYDROBLAST REMOVAL OF PAVEMENT MARKING (LINE)	17.000	L.M.
716-08.32	HYDROBLAST REMOVAL OF PAVEMENT MARKING (DESCRIPTION) (LANE REDUCTION ARROW)	6.000	L.F.
716-08.33	HYDROBLAST REMOVAL OF PAVEMENT MARKING (DESCRIPTION) (TRANSVERSE SHOULDER)	4,800.000	EACH
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	21.800	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	2,570.000	L.F.
716-12.09	ENHANCED FLAT LINE THERMO (12IN LINE)	4,660.000	L.F.
716-12.10	ENHANCED FLAT LINE THERMO (12IN DOTTED)	1,455.000	L.F.
717-01	MOBILIZATION	(1)	LS
725-03.02	DYNAMIC MESSAGE SIGN	2.000	EACH
725-20.24	STEEL OVERHEAD SIGN STRUCTURE (SPANS 91FT TO 110FT) (SPANS 91FT TO 110FT)	2.000	EACH
725-20.43	PULL BOX (TYPE C)	65.000	EACH
725-20.44	PULL BOX (TYPE D)	30.000	EACH
725-20.45	PULL BOX (TYPE E)	1.000	EACH
725-22.24	CONDUIT BANK (TYPE 4)	14,475.000	L.F.
725-22.34	CONDUIT BANK BORED (TYPE 4)	1,460.000	L.F.
725-22.64	STRUCTURE CONDUIT BANK (TYPE 4)	250.000	L.F.
725-22.71	2IN CONDUIT	14,475.000	L.F.
725-22.72	2IN CONDUIT BORED	1,460.000	L.F.
725-22.73	2IN STRUCTURE CONDUIT	250.000	L.F.
725-23.01	ITS CABLE MARKER	67.000	EACH
725-24.55	AS-BUILT PLANS	(1)	LS
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	2,668.000	S.Y.
740-11.02	TEMPORARY SEDIMENT TUBE 12IN	43,613.000	L.F.
740-11.03	TEMPORARY SEDIMENT TUBE 18IN	9,183.000	L.F.
801-01	SEEDING (WITH MULCH)	110.000	UNIT
801-01.07	TEMPORARY SEEDING (WITH MULCH)	3,144.000	UNIT
801-02	SEEDING (WITHOUT MULCH)	1,572.000	UNIT

Contract ID CNS338 - WILSON

Item No.	Description	Quantity	Units
801-03	WATER (SEEDING & SODDING)	484.000	M.G.
801-07	SEED (SUPPLEMENTAL APPLICATION)	200.000	LB.
801-08	FERTILIZER (SUPPLEMENTAL APPLICATION)	2.000	TON
802-02.30	CUTTINGS: SALIX NIGRA (18IN-24IN LENGTH)	11.000	EACH
802-02.31	CUTTINGS: SALIX SERICEA (18IN-24IN)	11.000	EACH
802-02.32	CUTTINGS: CORNUS AMOMUM (18IN-24IN)	11.000	EACH
802-02.33	CUTTINGS: SAMBUCUS CANADENSIS (18IN-24IN)	11.000	EACH
802-02.34	CUTTINGS: SALIX INTERIOR (18IN-24IN)	11.000	EACH
802-02.35	CUTTINGS: CEPHALANTHUS OCCIDENTALIS (18IN-24IN)	11.000	EACH
803-01	SODDING (NEW SOD)	1,050.000	S.Y.
805-12.03	EROSION CONTROL BLANKET (TYPE III)	174,595.000	S.Y.
806-02.03	PROJECT MOWING	9.000	CYCL
202-01.02	REMOVAL OF ASBESTOS	(1)	LS
202-04.01	REMOVAL OF STRUCTURES (DESCRIPTION, STA.) (EX. BR. NO. 95-I40-12.94)	(1)	LS
204-02.01	DRY EXCAVATION (BRIDGES)	194.000	C.Y.
204-03.01	WET EXCAVATION (BRIDGES)	58.000	C.Y.
204-04.01	ROCK EXCAVATION (BRIDGES)	74.000	C.Y.
204-05	ROCK DRILLING (BRIDGES)	48.000	L.F.
204-10.01	FOUNDATION PREPARATION(PR NO. ,STA) (PIER NO. 1 - STA. 678+03.13)	(1)	LS
204-10.02	FOUNDATION PREPARATION(PR NO. ,STA) (PIER NO. 2 - STA. 678+46.88)	(1)	LS
204-14	CORE DRILLING FOR PILES(ROCK)	204.000	L.F.
204-15	CORE DRILLING FOR PILES(SOIL)	136.000	L.F.
303-01.02	GRANULAR BACKFILL (BRIDGES)	46.000	TON
604-02.03	EPOXY COATED REINFORCING STEEL	168,083.000	LB.
604-03.01	CLASS A CONCRETE (BRIDGES)	461.000	C.Y.
604-03.02	STEEL BAR REINFORCEMENT (BRIDGES)	57,425.000	LB.
604-03.04	PAVEMENT @ BRIDGE ENDS	908.000	S.Y.
604-03.32	CLASS DS CONCRETE	542.000	C.Y.

Contract ID CNS338 - WILSON

Item No.	Description	Quantity	Units
604-04.01	APPLIED TEXTURE FINISH (NEW STRUCTURES)	564.000	S.Y.
604-05.31	BRIDGE DECK GROOVING (MECHANICAL)	3,069.000	S.Y.
604-07.01	RETAINING WALL (DESCRIPTION) (WALL NO. 1)	13,465.000	S.F.
604-07.02	RETAINING WALL (DESCRIPTION) (WALL NO. 2)	8,256.000	S.F.
604-07.03	RETAINING WALL (DESCRIPTION) (WALL NO. 3)	3,516.000	S.F.
604-07.04	RETAINING WALL (DESCRIPTION) (WALL NO. 4)	2,741.000	S.F.
604-07.05	RETAINING WALL (DESCRIPTION) (WALL NO. 5)	2,267.000	S.F.
606-02.03	STEEL PILES (10 INCH)	340.000	L.F.
606-02.06	PILE TIPS (STEEL PILES, 10 INCH)	34.000	EACH
610-10.45	DECK DRAINS (DESCRIPTION) (GRATE TYPE 2)	28.000	EACH
615-01.01	PRESTRESSED CONCRETE I-BEAM (TYPE I)	1,324.000	L.F.
617-02	BRIDGE DECK CRACK SEALING	327.000	L.F.
617-05	SEALANT (DESCRIPTION) (HMWM)	2.000	GAL.
620-05.01	CONC PARAPET SINGLE SLOPE (STD-1-1SS)	286.000	L.F.
710-09.01	6" PERFORATED PIPE WITH VERTICAL DRAIN SYSTEM	488.000	L.F.
710-09.02	6" PIPE UNDERDRAIN	26.000	L.F.
711-05.74	CONC MEDIAN BARR SING SLOPE (STD-1-3SS)	164.000	L.F.

Contract ID CNS947 - BEDFORD , RUTHERFORD, ETC.

Item No.	Description	Quantity	Units
717-10.01	INVOLUNTARY WORK SUSPENSION (DESCRIPTION) (BY THE DAY)	5.000	DAY
719-02	REMOVAL AND DISPOSAL OF LITTER	558.000	L.M.
806-01	MOWING	4,588.000	ACRE
806-02.13	SWATH MOWING	6,451.000	ACRE

Contract ID CNS948 - DICKSON , HICKMAN, ETC.

Item No.	Description	Quantity	Units
719-02	REMOVAL AND DISPOSAL OF LITTER	527.000	L.M.
806-01	MOWING	2,972.000	ACRE

Contract ID CNS949 - MAURY

Item No.	Description	Quantity	Units
719-02	REMOVAL AND DISPOSAL OF LITTER	249.000	L.M.
806-01	MOWING	3,195.000	ACRE