

Estimated Quantities -- Letting June 24, 2016

Quantities shown are for information only and should not be used for bidding purposes. The official bid files should be obtained from www.bidx.com

Contract ID CNQ925 - FRANKLIN

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
201-01	CLEARING AND GRUBBING	(1)	LS
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	2,233.000	C.Y.
203-02.01	BORROW EXCAVATION (GRADED SOLID ROCK)	850.000	TON
203-03	BORROW EXCAVATION (UNCLASSIFIED)	241.000	C.Y.
203-06	WATER	23.000	M.G.
203-10.15	WASTE MATERIAL	1,084.000	C.Y.
209-03.20	FILTER SOCK (8 INCH)	40.000	L.F.
209-05	SEDIMENT REMOVAL	96.000	C.Y.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	1,500.000	L.F.
209-08.07	ROCK CHECK DAM PER	5.000	EACH
209-40.42	CATCH BASIN FILTER ASSEMBLY(TYPE 2)	3.000	EACH
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	2,485.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	120.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	414.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	6.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	22.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	0.800	TON
411-01.10	ACS MIX(PG64-22) GRADING D	205.300	TON
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	1.000	L.M.
607-05.02	24" CONCRETE PIPE CULVERT (CLASS III)	69.000	L.F.
607-39.02	18" PIPE CULVERT (SIDE DRAIN)	309.000	L.F.
611-07.55	18IN ENDWALL (CROSS DRAIN) 4:1	1.000	EACH
611-07.58	24IN ENDWALL (CROSS DRAIN) 4:1	2.000	EACH

Contract ID CNQ925 - FRANKLIN

Item No.	Description	Quantity	Units
611-42.01	CATCH BASINS, TYPE 42, 0' - 4' DEPTH	1.000	EACH
611-42.02	CATCH BASINS, TYPE 42, > 4' - 8' DEPTH	2.000	EACH
621-03.02	18" TEMPORARY DRAINAGE PIPE	34.000	L.F.
703-01	CEMENT CONCRETE DITCH PAVING	3.000	C.Y.
708-02.01	MARKERS (CONCRETE R.O.W. POSTS)	16.000	EACH
709-05.05	MACHINED RIP-RAP (CLASS A-3)	40.000	TON
709-05.06	MACHINED RIP-RAP (CLASS A-1)	118.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	75.000	EACH
712-06	SIGNS (CONSTRUCTION)	407.000	S.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	40.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	497.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	357.000	LB.
713-11.21	P POST SLIP BASE	2.000	EACH
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	121.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	36.000	S.F.
713-15	REMOVAL OF SIGNS, POSTS AND FOOTINGS	(1)	LS
716-01.05	TEMPORARY RAISED PAVEMENT MARKER	56.000	EACH
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	56.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	21.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	14.000	L.F.
716-04.04	PLASTIC PAVEMENT MARKING (TRANSVERSE SHOULDER)	208.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	1.000	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	1.000	L.M.
717-01	MOBILIZATION	(1)	LS
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	370.000	S.Y.
801-01.07	TEMPORARY SEEDING (WITH MULCH)	22.000	UNIT
801-03	WATER (SEEDING & SODDING)	22.000	M.G.
803-01	SODDING (NEW SOD)	1,950.000	S.Y.

Contract ID CNQ925 - FRANKLIN

Contract ID CNQ239 - BENTON , CARROLL, ETC.

Item No.	Description	Quantity	Units
707-01.11	CHAIN LINK FENCE (6 FOOT)	1,685.000	L.F.
707-01.12	END & CORNER POST ASSEMBLY(CHAIN-LINK FENCE 6')	20.000	EACH
707-03.01	STOCK FENCE	29,500.000	L.F.
707-03.02	END, BRACED LINE, CORNER POST ASSEMBLY(STOCK FENCE)	233.000	EACH
707-15.51	MOBILIZATION	7.000	EACH
707-15.55	REMOVAL & SITE PREPARATION (STOCK FENCE)	29,500.000	L.F.
707-15.56	REMOVAL & SITE PREPARATION (CHAIN LINK FENCE)	1,685.000	L.F.

Contract ID CNQ161 - BLOUNT

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	53.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	8,089.000	TON
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	7,848.000	TON
701-02.01	CONCRETE CURB RAMP (RETROFIT)	6,088.000	S.F.
705-01.01	GUARDRAIL AT BRIDGE ENDS	27.000	L.F.
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	3.000	EACH
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	3.000	EACH
705-08.51	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	4.000	EACH
706-01	GUARDRAIL REMOVED	88.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	1,638.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	260.000	EACH
712-04.50	PORTABLE BARRIER RAIL DELINEATOR	88.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	130.000	EACH
712-06	SIGNS (CONSTRUCTION)	912.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
713-16.20	SIGNS (DESCRIPTION) (SEE PLANS)	2.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	71.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	1,641.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	31.000	EACH
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	30.000	L.F.
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	4.000	EACH
716-03.02	PLASTIC WORD PAVEMENT MARKING (RXR)	4.000	EACH
716-04.03	PLASTIC PAVEMENT MARKING (4" DOTTED LINE)	60.000	L.F.
716-04.14	PLASTIC PAVEMENT MARKING (LANE REDUCTION ARROW)	4.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	14.000	L.M.

Contract ID CNQ161 - BLOUNT

Item No.	Description	Quantity	Units
716-12.01	ENHANCED FLATLINE THERMO PVMT MRKNG (4IN LINE)	14.000	L.M.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	31,000.000	L.F.
730-14.03	LOOP WIRE	62,000.000	L.F.
604-10.50	BRIDGE DECK REPAIRS (PARTIAL DEPTH OF SLAB)	5.000	S.Y.
617-04.01	TYPE 1 THIN EPOXY OVERLAY (EPOXY-URETHANE)	2,713.000	S.Y.

Contract ID CNQ173 - BRADLEY

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	300.000	TON
307-02.01	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING A	237.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	1,355.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	96.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	15,472.000	TON
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	200,695.000	S.Y.
502-03.13	CONCRETE PAVEMENT REMOVAL	1,375.000	S.Y.
604-01.01	CLASS A CONCRETE (ROADWAY)	3.000	C.Y.
611-09.01	ADJUSTMENT OF EXISTING CATCHBASIN	1.000	EACH
701-02.01	CONCRETE CURB RAMP (RETROFIT)	3,300.000	S.F.
705-02.02	SINGLE GUARDRAIL (TYPE 2)	200.000	L.F.
705-04.05	GUARDRAIL TERMINAL (TYPE-IN-LINE)	1.000	EACH
706-01	GUARDRAIL REMOVED	200.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.02	FLEXIBLE DRUMS (CHANNELIZATION)	321.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	21.000	EACH
712-05.03	WARNING LIGHTS (TYPE C)	300.000	EACH
712-06	SIGNS (CONSTRUCTION)	927.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
713-02.14	FLEXIBLE DELINEATOR (WHITE)	36.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
713-16.20	SIGNS (DESCRIPTION) (SEE PLANS)	1.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	281.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	274.000	EACH
716-01.23	Snwplwble Pvmt Mrkrs (Bi-Dir)(2 Color)	729.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	375.000	L.F.
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	240.000	S.Y.

Contract ID CNQ173 - BRADLEY

Item No.	Description	Quantity	Units
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	730.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	114.000	EACH
716-02.07	PLASTIC PAVEMENT MARKING (24" BARRIER LINE)	208.000	L.F.
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	4.000	EACH
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	45.000	EACH
716-04.13	PLASTIC PAVEMENT MARKING (BIKELANE SYMBOL & ARROW)	38.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	38.300	L.M.
716-10.30	TRUNCATED DOME DETECTABLE WARNING MAT	200.000	S.F.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	27.800	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	399.000	L.F.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	2,730.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	25,417.000	L.F.
730-14.03	LOOP WIRE	87,118.000	L.F.

Contract ID CNQ154 - CAMPBELL

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	45.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	6,871.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	8.400	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	6,799.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	118.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	59.000	EACH
712-06	SIGNS (CONSTRUCTION)	496.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	453.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	24.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	135.000	L.F.
716-04.14	PLASTIC PAVEMENT MARKING (LANE REDUCTION ARROW)	4.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	23.000	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	23.000	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ105 - CANNON

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	40.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	20.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	2,857.000	TON
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	5.700	L.M.
705-02.02	SINGLE GUARDRAIL (TYPE 2)	50.000	L.F.
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	2.000	EACH
706-01	GUARDRAIL REMOVED	50.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.02	FLEXIBLE DRUMS (CHANNELIZATION)	2.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	2.000	EACH
712-06	SIGNS (CONSTRUCTION)	230.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	245.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	5.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	90.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	1.000	EACH
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	1.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	7.200	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	14.300	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ186 - CANNON

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	10.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	2,064.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	3.000	L.M.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	302.000	S.F.
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	125.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	60.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	3.300	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	7.200	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ233 - CARROLL

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
201-01	CLEARING AND GRUBBING	(1)	LS
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	2,217.000	C.Y.
203-02.01	BORROW EXCAVATION (GRADED SOLID ROCK)	2,877.000	TON
203-03	BORROW EXCAVATION (UNCLASSIFIED)	4,834.000	C.Y.
203-06	WATER	13.000	M.G.
203-50	CONSTRUCTION OF HAUL ROAD	(1)	LS
209-05	SEDIMENT REMOVAL	66.000	C.Y.
209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	1,875.000	L.F.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	1,875.000	L.F.
209-08.07	ROCK CHECK DAM PER	2.000	EACH
209-08.08	ENHANCED ROCK CHECK DAM	2.000	EACH
209-09.01	SANDBAGS	200.000	BAG
209-09.03	SEDIMENT FILTER BAG (15' X 15')	2.000	EACH
209-20.04	POLYETHYLENE SHEETING (10 MIL.)	200.000	S.Y.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	1,158.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	25.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	247.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	206.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	3.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	9.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	2.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	155.000	TON
607-37.07	48" CORRUGATED METAL PIPE CULVERT	32.000	L.F.
607-39.02	18" PIPE CULVERT (SIDE DRAIN)	32.000	L.F.
610-07.03	18" PIPE DRAIN (BRIDGE DRAIN)	180.000	L.F.
611-07.36	48IN ENDWALL (SIDE DRAIN)	2.000	EACH

Contract ID CNQ233 - CARROLL

Item No.	Description	Quantity	Units
621-03.02	18" TEMPORARY DRAINAGE PIPE	72.000	L.F.
705-01.01	GUARDRAIL AT BRIDGE ENDS	108.000	L.F.
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	4.000	EACH
705-08.51	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	2.000	EACH
707-08.11	HIGH-VISIBILITY CONSTRUCTION FENCE	1,168.000	L.F.
708-02.01	MARKERS (CONCRETE R.O.W. POSTS)	13.000	EACH
709-01.01	RUBBLE STONE RIP-RAP	11.000	C.Y.
709-05.05	MACHINED RIP-RAP (CLASS A-3)	200.000	TON
709-05.06	MACHINED RIP-RAP (CLASS A-1)	1,244.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	330.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	21.000	EACH
712-04.50	PORTABLE BARRIER RAIL DELINEATOR	16.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-05.03	WARNING LIGHTS (TYPE C)	21.000	EACH
712-06	SIGNS (CONSTRUCTION)	434.000	S.F.
712-09.02	REMOVABLE PAVEMENT MARKING (8" BARRIER LINE)	5,500.000	L.F.
712-09.04	REMOVABLE PAVEMENT MARKING (STOP LINE)	22.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	1.136	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	0.284	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	0.284	L.M.
717-01	MOBILIZATION	(1)	LS
730-40	TEMPORARY TRAFFIC SIGNAL SYSTEM	1.000	EACH
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	1,555.000	S.Y.
740-11.02	TEMPORARY SEDIMENT TUBE 12IN (DESCRIPTION) (EROSION CONTROL)	200.000	L.F.
801-01.07	TEMPORARY SEEDING (WITH MULCH)	87.000	UNIT
801-03	WATER (SEEDING & SODDING)	118.000	M.G.
803-01	SODDING (NEW SOD)	10,000.000	S.Y.

Contract ID CNQ233 - CARROLL

Item No.	Description	Quantity	Units
202-01.02	REMOVAL OF ASBESTOS	(1)	LS
202-04.01	REMOVAL OF STRUCTURES (DESCRIPTION, STA.) (EXISTING BRIDGE NO. 09-SR424-11.61)	(1)	LS
204-02.01	DRY EXCAVATION (BRIDGES)	102.000	C.Y.
303-01.02	GRANULAR BACKFILL (BRIDGES)	26.000	TON
604-02.03	EPOXY COATED REINFORCING STEEL	26,485.000	LB.
604-03.01	CLASS A CONCRETE (BRIDGES)	88.000	C.Y.
604-03.02	STEEL BAR REINFORCEMENT (BRIDGES)	9,796.000	LB.
604-03.04	PAVEMENT @ BRIDGE ENDS	150.000	S.Y.
604-03.09	CLASS D CONCRETE (BRIDGE DECK)	116.000	C.Y.
604-04.01	APPLIED TEXTURE FINISH (NEW STRUCTURES)	709.000	S.Y.
604-05.31	BRIDGE DECK GROOVING (MECHANICAL)	495.000	S.Y.
606-09.01	TEST PILES (PRECAST CONCRETE, SIZE 1)	140.000	L.F.
606-09.02	LOADING TEST (PRECAST CONCRETE, SIZE 1)	1.000	EACH
606-09.03	PRECAST CONCRETE PILES (SIZE 1)	1,560.000	L.F.
606-12.01	PILE ANCHORAGE SYSTEM (SEISMIC)	20.000	EACH
615-01.11	PRESTRESSED CONCRETE BULB TEE BEAM (6" WEB)(BT-63)	460.000	L.F.
620-05.01	CONC PARAPET SINGLE SLOPE (STD-1-1SS)	305.000	L.F.
710-09.01	6" PERFORATED PIPE WITH VERTICAL DRAIN SYSTEM	118.000	L.F.
710-09.02	6" PIPE UNDERDRAIN	36.000	L.F.
712-12.47	BRIDGE MOUNTED INTERCONNECTED PORTABLE BARRIER RAIL	332.000	L.F.

Contract ID CNQ176 - CHEATHAM

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	2,156.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	500.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	59.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	5,690.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	10.000	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	5,272.000	TON
502-08.02	RESEALING JOINTS (SILICONE SEALANT)	150.000	L.F.
611-01.20	ADJUSTMENT OF EXISTING MANHOLE	25.000	EACH
611-09.01	ADJUSTMENT OF EXISTING CATCHBASIN	25.000	EACH
701-02	CONCRETE DRIVEWAY	200.000	S.F.
701-02.01	CONCRETE CURB RAMP (RETROFIT)	210.000	S.F.
705-02.02	SINGLE GUARDRAIL (TYPE 2)	2,650.000	L.F.
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	8.000	EACH
706-01	GUARDRAIL REMOVED	2,850.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	25.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,392.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	609.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	208.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	412.000	L.F.
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	1,421.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	396.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	16.000	EACH
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	7.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	28.000	L.M.

Contract ID CNQ176 - CHEATHAM

Item No.	Description	Quantity	Units
716-10.30	TRUNCATED DOME DETECTABLE WARNING MAT	32.000	S.F.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	9.600	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	175.000	L.F.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	8.200	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	9.600	L.M.
716-13.04	SPRAY THERMO PVMT MRKNG (60 mil) (4IN DOTTED LINE)	280.000	L.F.
716-13.05	SPRAY THERMO PVMT MRKNG (60 mil) (6IN DOTTED LINE)	350.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	6,550.000	L.F.
730-14.03	LOOP WIRE	14,000.000	L.F.

Contract ID CNQ235 - CLAY

Item No.	Description	Quantity	Units
705-02.02	SINGLE GUARDRAIL (TYPE 2)	1,738.000	L.F.
705-02.03	SINGLE GUARDRAIL (TYPE 2) LONG POST	375.000	L.F.
705-04.04	GUARDRAIL TERMINAL (TYPE 21)	4.000	EACH
705-04.10	EARTH PAD FOR GUARD RAIL END TREATMENT	4.000	EACH
705-04.24	GUARDRAIL END TERMINAL DELINEATION SHEETING	82.000	S.F.
706-01	GUARDRAIL REMOVED	938.000	L.F.
706-10.26	ROUNDED END ELEMENT	63.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
713-02.14	FLEXIBLE DELINEATOR (WHITE)	37.000	EACH
713-02.20	ROADSIDE OBSTACLE DELINEATION	2.000	S.F.
713-02.21	SIGN POST DELINEATION ENHANCEMENT	805.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	12,432.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	8,487.000	LB.
713-11.21	P POST SLIP BASE	193.000	EACH
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	1,846.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	1,514.000	S.F.
713-15.01	REMOVAL OF EXISTING SIGN POST	130.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	225.000	L.F.
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	2.000	EACH
716-04.16	PLASTIC PAVEMENT MARKING (NOISE STRIP)	108.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	79.600	L.M.
716-50.01	ROADWAY CLEANING FOR PAVEMENT MARKING	31.900	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ155 - COCKE

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	2,065.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	43.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	1,241.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	8,431.000	TON
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	12.000	L.M.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	582.000	S.F.
713-16.20	SIGNS (DESCRIPTION) (W11-3)	2.000	EACH
713-16.21	SIGNS (DESCRIPTION) (OM-3)	16.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	588.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	188.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	50.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	8.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	31.000	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ240 - COFFEE

Item No.	Description	Quantity	Units
712-01	TRAFFIC CONTROL	(1)	LS
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	1.000	EACH
713-16.20	SIGNS (DESCRIPTION) (S1-1)	1.000	EACH
713-16.21	SIGNS (DESCRIPTION) (TN-9)	1.000	EACH
717-01	MOBILIZATION	(1)	LS
730-01.08	SCHOOL SPEED LIMIT FLASHING SIGNAL INSTALLED	2.000	EACH
730-01.12	SOLAR PANEL & POWER SYSTEM UNIT	2.000	EACH
730-23.40	CANTILEVER SIGNAL SUPPORT (1 ARM @ 15')	2.000	EACH
740-11.01	TEMPORARY SEDIMENT TUBE 8IN (DESCRIPTION) (8 INCH)	100.000	L.F.

Contract ID CNQ187 - COFFEE

Item No.	Description	Quantity	Units
403-02.01	TRACKLESS TACK COAT	43.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	6,531.000	TON
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	90,703.000	S.Y.
701-02.01	CONCRETE CURB RAMP (RETROFIT)	600.000	S.F.
701-02.03	CONCRETE CURB RAMP	4,800.000	S.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	698.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	308.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	392.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	1,052.000	L.F.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	1,140.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	27.000	EACH
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	1.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	23.100	L.M.
716-12.01	ENHANCED FLATLINE THERMO PVMT MRKNG (4IN LINE)	13.900	L.M.
716-12.04	ENHANCED FLATLINE THERMO PVMT MRKNG (4IN DOTTED LINE)	240.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	10,800.000	L.F.
730-14.03	LOOP WIRE	21,600.000	L.F.

Contract ID CNQ234 - DAVIDSON

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
109-10.01	TRAINEE	580.000	HOUR
201-01	CLEARING AND GRUBBING	(1)	LS
202-01	REMOVAL OF STRUCTURES AND OBSTRUCTIONS	(1)	LS
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	26,118.000	C.Y.
203-01.11	PRESPLITTING OF ROCK EXCAVATION	2,202.000	S.Y.
203-06	WATER	54.000	M.G.
204-08.01	BACKFILL MATERIAL (FLOWABLE FILL)	12.000	C.Y.
209-02.05	12" TEMPORARY SLOPE DRAIN	30.000	L.F.
209-05	SEDIMENT REMOVAL	136.000	C.Y.
209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	320.000	L.F.
209-08.07	ROCK CHECK DAM PER	14.000	EACH
209-08.08	ENHANCED ROCK CHECK DAM	3.000	EACH
209-09.01	SANDBAGS	6.000	BAG
209-20.03	POLYETHYLENE SHEETING (6 MIL. MINIMUM)	800.000	S.Y.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	7,882.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	9.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	268.000	TON
307-03.01	ASPHALT CONCRETE MIX (PG76-22) (BPMB-HM) GRADING A	1,718.000	TON
307-03.02	PERF. GRADE ASPH. CEMENT(PG76-22)GRADING AS	7.000	TON
307-03.03	AGGREGATE(BPMB-HM) GRADING AS	207.000	TON
307-03.08	ASPHALT CONCRETE MIX (PG76-22) (BPMB-HM) GRADING B-M2	322.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	9.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	32.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	3.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	153.000	TON

Contract ID CNQ234 - DAVIDSON

Item No.	Description	Quantity	Units
411-03.10	ACS MIX(PG76-22) GRADING D	1,289.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	1.000	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	15,000.000	S.Y.
607-06.02	30" CONCRETE PIPE CULVERT (CLASS III)	15.000	L.F.
611-07.01	CLASS A CONCRETE (PIPE ENDWALLS)	6.000	C.Y.
611-07.02	STEEL BAR REINFORCEMENT (PIPE ENDWALLS)	198.000	LB.
621-03.02	18" TEMPORARY DRAINAGE PIPE	34.000	L.F.
705-02.02	SINGLE GUARDRAIL (TYPE 2)	725.000	L.F.
705-04.03	GUARDRAIL TERMINAL (TYPE 13)	1.000	EACH
705-08.51	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	2.000	EACH
706-01	GUARDRAIL REMOVED	708.000	L.F.
707-01.01	CHAIN-LINK FENCE (4-FOOT)	1,720.000	L.F.
707-01.02	END & CORNER POST ASSEMBLY(CHAIN-LINK FENCE 4')	19.000	EACH
707-06.01	REMOVAL OF FENCE (DESCRIPTION) (DESCRIPTION)	1,600.000	L.F.
707-08.11	HIGH-VISIBILITY CONSTRUCTION FENCE	3,830.000	L.F.
708-02.01	MARKERS (CONCRETE R.O.W. POSTS)	9.000	EACH
709-05.05	MACHINED RIP-RAP (CLASS A-3)	50.000	TON
709-05.06	MACHINED RIP-RAP (CLASS A-1)	83.000	TON
709-05.08	MACHINED RIP-RAP (CLASS B)	62.000	TON
710-02	AGGREGATE UNDERDRAINS (WITH PIPE)	1,051.000	L.F.
710-05	LATERAL UNDERDRAIN	216.000	L.F.
710-06.15	LATERAL UNDERDRAIN ENDWALL (6:1)	5.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	1,700.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	20.000	EACH
712-04.50	PORTABLE BARRIER RAIL DELINEATOR	119.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	10.000	EACH
712-05.03	WARNING LIGHTS (TYPE C)	20.000	EACH

Contract ID CNQ234 - DAVIDSON

Item No.	Description	Quantity	Units
712-06	SIGNS (CONSTRUCTION)	665.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
712-08.10	MOBILE MESSAGE SIGN UNIT W/ATTENUATOR	32.000	HOUR
712-09.02	REMOVABLE PAVEMENT MARKING (8" BARRIER LINE)	1,700.000	L.F.
713-01.01	CLASS A CONCRETE (FOUNDATION FOR SIGN SUPPORTS)	1.000	C.Y.
713-01.02	STEEL BAR REINFORCEMENT(FOUNDATION FOR SIGN SUPPORTS)	100.000	LB.
713-02.14	FLEXIBLE DELINEATOR (WHITE)	65.000	EACH
713-06	STEEL I-BEAMS & WF-BEAMS(BREAKAWAY) SIGN SUPPORT	180.000	LB.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	45.000	S.F.
713-14	EXTRUDED ALUMINUM PANEL SIGNS	212.000	S.F.
713-15	REMOVAL OF SIGNS, POSTS AND FOOTINGS	(1)	LS
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
714-03.01	DIRECT BURIAL CONDUIT (2" PVC, SCHEDULE 40)	2,100.000	L.F.
714-05.04	PULL BOXES (TYPE C)	2.000	EACH
714-06.06	CABLE (1/C # 4 AWG)	4,410.000	L.F.
714-06.08	CABLE (DESCRIPTION) (# 6 COPPER SOFT DRAWN BARE)	2,205.000	L.F.
714-08.09	LIGHT STANDARDS (DESCRIPTION) (45')	1.000	EACH
714-08.20	FOUNDATION (ONLY) FOR LIGHT STANDARD	10.000	EACH
714-08.30	REMOVE & RELOCATE LIGHT STANDARD	9.000	EACH
714-09.03	LUMINAIRES (250 WATT)	10.000	EACH
716-01.07	TEMPORARY RAISED PAVEMENT MARKER, YELLOW	281.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	27.000	EACH
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	2.000	L.M.
717-01	MOBILIZATION	(1)	LS
725-20.23	STEEL OVERHEAD SIGN STRUCTURE (SPANS 71FT TO 90FT) (SPANS 71FT TO 90FT)	1.000	EACH
725-20.43	PULL BOX (TYPE C)	2.000	EACH

Contract ID CNQ234 - DAVIDSON

Item No.	Description	Quantity	Units
725-20.44	PULL BOX (TYPE D)	3.000	EACH
725-20.45	PULL BOX (TYPE E)	1.000	EACH
725-20.56	CABLE (1/C #4 AWG.)	1,620.000	L.F.
725-21.05	DYNAMIC MESSAGE SIGN REMOVE & REPLACE	1.000	EACH
725-22.24	CONDUIT BANK (TYPE 4)	2,477.000	L.F.
725-22.50	DMS CONDUIT BANK	75.000	L.F.
725-23.01	ITS CABLE MARKER	8.000	EACH
725-23.10	FIBER OPTIC CABLE (72 F)	2,712.000	L.F.
725-23.21	FIBER OPTIC DROP CABLE (12 F)	635.000	L.F.
725-23.27	FIBER OPTIC CLOSURE (DESCRIPTION) (96F)	1.000	EACH
725-23.28	FIBER OPTIC SPLICE FUSION	1.000	EACH
725-24.41	BURN-IN PERIOD	(1)	LS
725-24.51	SYSTEM INTEGRATION	(1)	LS
725-24.55	AS-BUILT PLANS	(1)	LS
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	227.000	S.Y.
740-11.02	TEMPORARY SEDIMENT TUBE 12IN (DESCRIPTION) (EROSION CONTROL)	2,660.000	L.F.
740-11.03	TEMPORARY SEDIMENT TUBE 18IN (DESCRIPTION) (SEE PLANS)	1,772.000	L.F.
801-01	SEEDING (WITH MULCH)	16.000	UNIT
801-01.07	TEMPORARY SEEDING (WITH MULCH)	62.000	UNIT
801-03	WATER (SEEDING & SODDING)	67.000	M.G.
802-13.11	ARONIA MELANOCARPA (BLCK CHOKEBERRY 2-5FT C.G.)	13.000	EACH
802-13.15	PHYSOCARPUS OPULIFOLIUS (NINEBARK) 2-5FT C.G.	13.000	EACH
803-01	SODDING (NEW SOD)	4,000.000	S.Y.
795-01.03	6IN DIP RESTRAINED JOINT WATER LINE	183.000	L.F.
795-06.04	CONNECT TO 6IN WATER LINE	2.000	EACH
795-09.01	3/4IN WATER SERVICE METER ASSEMBLY	3.000	EACH
795-09.09	RELOCATE/RECONNECT SERVICE ASSEMBLY	3.000	EACH
795-09.28	3/4IN COPPER SERVICE PIPE	50.000	L.F.

Contract ID CNQ234 - DAVIDSON

Item No.	Description	Quantity	Units
795-13.01	DI FITTINGS	1,000.000	LB.
797-05.01	8IN DIP GRAVITY SEWER 0FT-6FT DEPTH	455.000	L.F.
797-07.02	48IN MANHOLE 4FT-6FT DEPTH	8.000	EACH
797-08.04	4IN PVC PIPE FOR SERVICE LATERAL	50.000	L.F.
797-08.05	6IN PVC PIPE FOR SERVICE LATERAL	50.000	L.F.
797-08.07	4IN CLEAN OUT ASSEMBLY	5.000	EACH
797-08.08	6IN CLEAN OUT ASSEMBLY	5.000	EACH
797-10.06	CONNECT 6IN LATERAL TO SEWER LINE	5.000	EACH
797-10.09	CONNECT EX. 8IN SEWER TO NEW MANHOLE	2.000	EACH
797-11.25	RETIREIN PLACE 48IN MANHOLE	5.000	EACH
797-11.30	RETIREIN PLACE EXISTING SEWER <8IN	538.000	L.F.
797-11.40	RESTORE ASPHALT	500.000	S.Y.
797-11.42	RESTORE GRAVEL	500.000	S.Y.

Contract ID CNQ185 - DAVIDSON

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	475.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	1,000.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	50.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	7,646.000	TON
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	7,574.000	TON
611-01.20	ADJUSTMENT OF EXISTING MANHOLE	1.000	EACH
611-09.01	ADJUSTMENT OF EXISTING CATCHBASIN	21.000	EACH
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	5.000	EACH
706-01	GUARDRAIL REMOVED	250.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	200.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,304.000	S.F.
713-02.14	FLEXIBLE DELINEATOR (WHITE)	70.000	EACH
713-11.01	"U" SECTION STEEL POSTS	1,505.000	LB.
713-16.09	RAILROAD ADVANCE WARNING SIGN AND SUPPORT	4.000	EACH
713-16.20	SIGNS (DESCRIPTION) (R3-17)	14.000	EACH
713-16.21	SIGNS (DESCRIPTION) (R4-4)	11.000	EACH
713-16.22	SIGNS (DESCRIPTION) (R3-17bP)	3.000	EACH
713-16.23	SIGNS (DESCRIPTION) (W16-18P "FYG")	24.000	EACH
713-16.24	SIGNS (DESCRIPTION) (R4-11)	8.000	EACH
713-16.25	SIGNS (DESCRIPTION) (R5-6)	1.000	EACH
713-16.26	SIGNS (DESCRIPTION) (R5-10b)	1.000	EACH
713-16.27	SIGNS (DESCRIPTION) (R10-15)	1.000	EACH
713-16.28	SIGNS (DESCRIPTION) (R5-10b)	1.000	EACH
713-16.29	SIGNS (DESCRIPTION) (D11-1)	3.000	EACH
713-16.30	SIGNS (DESCRIPTION) (M6-4)	1.000	EACH

Contract ID CNQ185 - DAVIDSON

Item No.	Description	Quantity	Units
713-16.31	SIGNS (DESCRIPTION) (M6-6R)	1.000	EACH
713-16.32	SIGNS (DESCRIPTION) (M6-2L)	1.000	EACH
713-16.33	SIGNS (DESCRIPTION) (R5-3)	5.000	EACH
713-16.37	SIGNS (DESCRIPTION) (W10-12)	2.000	EACH
713-16.38	SIGNS (DESCRIPTION) (W16-2P)	2.000	EACH
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	40.000	EACH
716-01.22	Snwplwble Pvmt Mrks (Mono-Dir)(1 Color)	48.000	EACH
716-01.23	Snwplwble Pvmt Mrks (Bi-Dir)(2 Color)	455.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	1,715.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	2,602.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	134.000	EACH
716-02.08	PLASTIC PAVEMENT MARKING (8" DOTTED LINE)	2,465.000	L.F.
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	600.000	L.F.
716-02.13	PLASTIC PAVEMENT MARKING (CROSSWALK)	580.000	S.F.
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	4.000	EACH
716-03.02	PLASTIC WORD PAVEMENT MARKING (RXR)	10.000	EACH
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	1.000	EACH
716-03.07	PLASTIC WORD PAVEMENT MARKING (STOP)	1.000	EACH
716-03.09	PLASTIC WORD PAVEMENT MARKING () (BIKE-XING)	2.000	EACH
716-03.10	PLASTIC WORD PAVEMENT MARKING () (YIELD)	2.000	EACH
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	1.000	EACH
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	22.100	S.F.
716-04.13	PLASTIC PAVEMENT MARKING (BIKELANE SYMBOL & ARROW)	125.000	EACH
716-04.21	GREEN TEXTURED BIKE LANE	308.000	S.Y.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	25.600	L.M.
716-10.30	TRUNCATED DOME DETECTABLE WARNING MAT	48.000	S.F.

Contract ID CNQ185 - DAVIDSON

Item No.	Description	Quantity	Units
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	11.200	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	1,490.000	L.F.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	22,150.000	L.F.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	7.100	L.M.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	18,000.000	L.F.
730-14.03	LOOP WIRE	39,500.000	L.F.

Contract ID CNQ227 - DAVIDSON

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	444.000	C.Y.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	750.000	L.F.
209-40.33	CATCH BASIN PROTECTION (TYPE D)	1.000	EACH
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	469.000	TON
307-02.01	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING A	337.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	111.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	2.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	6.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	2.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	234.000	TON
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	0.200	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	2,485.000	S.Y.
705-02.02	SINGLE GUARDRAIL (TYPE 2)	280.000	L.F.
705-04.03	GUARDRAIL TERMINAL (TYPE 13)	1.000	EACH
705-08.51	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	3.000	EACH
706-01	GUARDRAIL REMOVED	210.000	L.F.
709-05.06	MACHINED RIP-RAP (CLASS A-1)	50.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	600.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	50.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	10.000	EACH
712-06	SIGNS (CONSTRUCTION)	330.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	288.000	LB.
713-11.21	P POST SLIP BASE	4.000	EACH
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	9.000	S.F.

Contract ID CNQ227 - DAVIDSON

Item No.	Description	Quantity	Units
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	109.000	S.F.
713-15	REMOVAL OF SIGNS, POSTS AND FOOTINGS	(1)	LS
716-01.23	Snwplwble Pvmt Mrks (Bi-Dir)(2 Color)	20.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	15.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	34.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	4.000	EACH
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	3.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	1.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	1.000	L.M.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	600.000	L.F.
730-14.03	LOOP WIRE	1,200.000	L.F.
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	107.000	S.Y.
801-03	WATER (SEEDING & SODDING)	1.000	M.G.
803-01	SODDING (NEW SOD)	200.000	S.Y.

Contract ID CNQ215 - DAVIDSON

Item No.	Description	Quantity	Units
705-08.11	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	2.000	EACH
711-05.71	51IN SINGLE SLOPE CONCRETE BARRIER WALL	50.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	200.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	30.000	EACH
712-04.50	PORTABLE BARRIER RAIL DELINEATOR	10.000	EACH
712-08.10	MOBILE MESSAGE SIGN UNIT W/ATTENUATOR	50.000	HOUR
713-09.20	STEEL OVERHEAD SIGN STRUCTURE (SPAN 60'+/-)	1.000	EACH
713-14	EXTRUDED ALUMINUM PANEL SIGNS	158.000	S.F.
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ197 - FAYETTE

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
202-03	REMOVAL OF RIGID PAVEMENT, SIDEWALK, ETC.	254.000	S.Y.
202-03.01	REMOVAL OF ASPHALT PAVEMENT	440.000	S.Y.
203-06	WATER	6.000	M.G.
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) (C OR D)	769.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	203.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	13.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	850.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	7,239.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	1.520	L.M.
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	1.520	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	8,305.000	TON
607-39.02	18" PIPE CULVERT (SIDE DRAIN)	30.000	L.F.
701-01.01	CONCRETE SIDEWALK (4 ")	1,200.000	S.F.
701-02.01	CONCRETE CURB RAMP (RETROFIT)	2,280.000	S.F.
701-02.03	CONCRETE CURB RAMP	684.000	S.F.
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	3.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	40.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,748.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	8.000	EACH
713-01.01	CLASS A CONCRETE (FOUNDATION FOR SIGN SUPPORTS)	2.000	C.Y.
713-01.02	STEEL BAR REINFORCEMENT(FOUNDATION FOR SIGN SUPPORTS)	100.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	105.000	LB.
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	10.000	S.F.

Contract ID CNQ197 - FAYETTE

Item No.	Description	Quantity	Units
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	18.000	S.F.
713-15	REMOVAL OF SIGNS, POSTS AND FOOTINGS	(1)	LS
713-15.07	SUSPENDED FLAT SHEET ALUMINUM SIGN (0.080" THICK)	3.000	EACH
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	1.000	EACH
716-01.10	SNOWPLOWABLE REFLECTIVE MARKER	650.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	650.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	1,210.000	L.F.
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	105.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	575.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	54.000	EACH
716-02.08	PLASTIC PAVEMENT MARKING (8" DOTTED LINE)	80.000	L.F.
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	6.000	EACH
716-03.06	PLASTIC WORD PAVEMENT MARKING (SIGNAL AHEAD)	8.000	EACH
716-04.02	PLASTIC PAVEMENT MARKING(DOUBLE TURNING ARROW)	1.000	EACH
716-04.04	PLASTIC PAVEMENT MARKING (TRANSVERSE SHOULDER)	384.000	L.F.
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	14.120	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	14.120	L.M.
717-01	MOBILIZATION	(1)	LS
730-01.08	SCHOOL SPEED LIMIT FLASHING SIGNAL INSTALLED	2.000	EACH
730-02.30	SIGNAL HEAD ASSEMBLY (DESCRIPTION) (110)	2.000	EACH
730-02.31	SIGNAL HEAD ASSEMBLY (DESCRIPTION) (220)	3.000	EACH
730-05.01	ELECTRICAL SERVICE CONNECTION	3.000	EACH
730-05.02	SERVICE CABLE (2 CONDUCTOR, # 8 AWG)	294.000	L.F.
730-08.02	SIGNAL CABLE - 5 CONDUCTOR	400.000	L.F.

Contract ID CNQ197 - FAYETTE

Item No.	Description	Quantity	Units
730-09.01	SPAN WIRE ASSEMBLY(____LBS.MIN.BRK STRENGTH) (15,804 LBS.MIN.BRK STRENGTH)	200.000	L.F.
730-10.01	TETHER WIRE ASSEMBLY - 1/4" DIAMETER	200.000	L.F.
730-11.01	STEEL CONDUIT RISER ASSEMBLY	2.000	EACH
730-12.01	CONDUIT 1" DIAMETER (PVC)	50.000	L.F.
730-14.01	SHIELDED DETECTOR CABLE	50.000	L.F.
730-14.02	SAW SLOT	2,716.000	L.F.
730-14.03	LOOP WIRE	6,312.000	L.F.
730-15.07	CABINET (DESCRIPTION) (NEMA TYPE 3R FLASHING SIGNAL)	1.000	EACH
730-16.03	CONTROLLER (FLASHING BEACON)	1.000	EACH
730-23.01	STEEL STRAIN POLE (SIGNAL SUPPORT)	1.000	EACH
730-23.02	STEEL STRAIN POLE (DESCRIPTION) (SIGNAL SUPPORT)	1.000	EACH
740-11.01	TEMPORARY SEDIMENT TUBE 8IN (DESCRIPTION) (EPSC)	65.000	L.F.
790-69.08	GROUND-GROUND ROD	3.000	EACH
801-01	SEEDING (WITH MULCH)	2.000	UNIT
801-03	WATER (SEEDING & SODDING)	2.000	M.G.

Contract ID CNQ241 - FENTRESS & PICKETT

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	475.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	68.000	TON
411-03.07	ACS MIX(PG64-22) THIN LIFT ASPHALT	6,597.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	13.900	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	136,146.000	S.Y.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	7.000	EACH
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	7.000	EACH
705-04.21	GUARDRAIL DELINEATION ENHANCEMENT	1,782.000	L.F.
706-01	GUARDRAIL REMOVED	350.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	14.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	14.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,000.000	S.F.
713-02.14	FLEXIBLE DELINEATOR (WHITE)	32.000	EACH
713-02.21	SIGN POST DELINEATION ENHANCEMENT	45.000	L.F.
713-16.20	SIGNS (DESCRIPTION) (CHEVRONS, W1-8, POST AND INSTALLATION)	30.000	EACH
713-16.21	SIGNS (DESCRIPTION) (STOP SIGN, R1-1, POST AND INSTALLATION)	4.000	EACH
713-16.22	SIGNS (DESCRIPTION) (OBJECT MARKER (LEFT)	2.000	EACH
713-16.23	SIGNS (DESCRIPTION) (OBJECT MARKER (RIGHT)	2.000	EACH
713-16.24	SIGNS (DESCRIPTION) (WINDING ROAD, W1-5, POST AND INSTALLATION)	2.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	549.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	230.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	49.700	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	34.000	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ188 - FRANKLIN

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	100.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	62.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	9,482.000	TON
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	136,310.000	S.Y.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	5.000	EACH
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	5.000	EACH
706-01	GUARDRAIL REMOVED	250.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.02	FLEXIBLE DRUMS (CHANNELIZATION)	10.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	10.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,098.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
713-15.02	REMOVAL & RELOCATION OF SIGN & SUPPORT	1.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	482.000	EACH
716-01.22	Snwplwble Pvmt Mrks (Mono-Dir)(1 Color)	503.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	76.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	560.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	10.000	EACH
716-03.02	PLASTIC WORD PAVEMENT MARKING (RXR)	4.000	EACH
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	1.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	30.000	L.M.
716-12.01	ENHANCED FLATLINE THERMO PVMT MRKNG (4IN LINE)	19.000	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	200.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	5,850.000	L.F.

Contract ID CNQ188 - FRANKLIN

Item No.	Description	Quantity	Units
730-14.03	LOOP WIRE	10,850.000	L.F.

Contract ID CNQ195 - GIBSON

Item No.	Description	Quantity	Units
202-03.01	REMOVAL OF ASPHALT PAVEMENT	270.000	S.Y.
203-06	WATER	21.000	M.G.
208-01.02	SHOULDER PREPARATION	18.980	L.M.
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) (C OR D)	2,682.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	125.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	2,498.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	86.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	12,526.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	18.980	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	151,079.000	S.Y.
607-39.02	18" PIPE CULVERT (SIDE DRAIN)	1,320.000	L.F.
607-39.03	24" PIPE CULVERT (SIDE DRAIN)	190.000	L.F.
607-39.04	30" PIPE CULVERT (SIDE DRAIN)	24.000	L.F.
701-01.01	CONCRETE SIDEWALK (4 ")	50.000	S.F.
701-02.01	CONCRETE CURB RAMP (RETROFIT)	570.000	S.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	1,920.000	S.F.
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	1,255.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	1,222.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	460.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	33.931	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	12.491	L.M.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	27.000	L.F.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	18.980	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ195 - GIBSON

Contract ID CNQ193 - HAMILTON

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	40.000	TON
307-01.11	ASPHALT CEMENT (PG64-22) (BPMLC-HM) GRADING CS	2,308.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	22.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	89.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	8,497.000	TON
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	9,398.000	TON
611-01.20	ADJUSTMENT OF EXISTING MANHOLE	5.000	EACH
611-09.01	ADJUSTMENT OF EXISTING CATCHBASIN	4.000	EACH
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	1.000	EACH
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	1.000	EACH
706-01	GUARDRAIL REMOVED	50.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	161.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	11.000	EACH
712-05.03	WARNING LIGHTS (TYPE C)	150.000	EACH
712-06	SIGNS (CONSTRUCTION)	738.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	430.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	450.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	404.000	L.F.
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	188.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	1,202.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	59.000	EACH
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	4.000	EACH
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	7.000	EACH

Contract ID CNQ193 - HAMILTON

Item No.	Description	Quantity	Units
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	3.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	12.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVT MRKNG (6IN LINE)	12.000	L.M.
716-12.05	ENHANCED FLATLINE THERMO PVT MRKNG (6IN DOTTED LINE)	643.000	L.F.
716-12.07	ENHANCED FLAT LINE THERMO (8IN BROKEN LN)	180.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	11,612.000	L.F.
730-14.03	LOOP WIRE	70,047.000	L.F.

Contract ID CNQ192 - HAMILTON & MEIGS

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	225.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	44.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	6,503.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	8.300	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	88,776.000	S.Y.
705-02.02	SINGLE GUARDRAIL (TYPE 2)	350.000	L.F.
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	2.000	EACH
706-01	GUARDRAIL REMOVED	450.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	4.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	797.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	337.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	270.000	L.F.
716-03.09	PLASTIC WORD PAVEMENT MARKING () (SIGNAL)	1.000	EACH
716-03.10	PLASTIC WORD PAVEMENT MARKING () (AHEAD)	1.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	12.400	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	20.300	L.M.
716-13.03	SPRAY THERMO PVMT MRKNG (60 mil) (8IN BARRIER LINE)	40.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ242 - HANCOCK

Item No.	Description	Quantity	Units
705-02.02	SINGLE GUARDRAIL (TYPE 2)	50.000	L.F.
705-04.02	GUARDRAIL TERMINAL (TYPE 12)	1.000	EACH
705-04.04	GUARDRAIL TERMINAL (TYPE 21)	12.000	EACH
705-04.05	GUARDRAIL TERMINAL (TYPE-IN-LINE)	1.000	EACH
705-04.10	EARTH PAD FOR GUARD RAIL END TREATMENT	12.000	EACH
705-04.21	GUARDRAIL DELINEATION ENHANCEMENT	340.000	L.F.
706-01	GUARDRAIL REMOVED	25.000	L.F.
706-10.26	ROUNDED END ELEMENT	1.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
713-02.14	FLEXIBLE DELINEATOR (WHITE)	1,174.000	EACH
713-02.20	ROADSIDE OBSTACLE DELINEATION	38.000	S.F.
713-02.21	SIGN POST DELINEATION ENHANCEMENT	380.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	8,526.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	4,309.000	LB.
713-11.21	P POST SLIP BASE	98.000	EACH
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	913.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	700.000	S.F.
713-15.01	REMOVAL OF EXISTING SIGN POST	77.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	500.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	135.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	72.300	L.M.
716-13.06	SPRAY THERMO PVMT MRKNG (40 mil) (4IN LINE)	19.400	L.M.
716-50.01	ROADWAY CLEANING FOR PAVEMENT MARKING	40.700	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ226 - HAYWOOD

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
109-10.01	TRAINEE	520.000	HOUR
201-01	CLEARING AND GRUBBING	(1)	LS
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	1,340.000	C.Y.
203-02.02	BORROW EXCAVATION (GRADED SOLID ROCK)	4,330.000	C.Y.
203-03	BORROW EXCAVATION (UNCLASSIFIED)	12,100.000	C.Y.
203-06	WATER	59.000	M.G.
203-07	FURNISHING & SPREADING TOPSOIL	160.000	C.Y.
203-50	CONSTRUCTION OF HAUL ROAD	(1)	LS
209-05	SEDIMENT REMOVAL	137.000	C.Y.
209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	5,050.000	L.F.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	300.000	L.F.
209-08.07	ROCK CHECK DAM PER	4.000	EACH
209-08.08	ENHANCED ROCK CHECK DAM	2.000	EACH
209-09.01	SANDBAGS	500.000	BAG
209-09.03	SEDIMENT FILTER BAG (15' X 15')	2.000	EACH
209-20.04	POLYETHYLENE SHEETING (10 MIL.)	200.000	S.Y.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	3,416.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	100.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	299.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	300.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	5.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	18.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	3.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	267.000	TON
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	0.248	L.M.
610-07.03	18" PIPE DRAIN (BRIDGE DRAIN)	150.000	L.F.

Contract ID CNQ226 - HAYWOOD

Item No.	Description	Quantity	Units
621-03.02	18" TEMPORARY DRAINAGE PIPE	36.000	L.F.
705-01.01	GUARDRAIL AT BRIDGE ENDS	108.000	L.F.
705-02.02	SINGLE GUARDRAIL (TYPE 2)	371.000	L.F.
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	3.000	EACH
707-08.11	HIGH-VISIBILITY CONSTRUCTION FENCE	4,540.000	L.F.
708-02.01	MARKERS (CONCRETE R.O.W. POSTS)	8.000	EACH
709-01.01	RUBBLE STONE RIP-RAP	11.000	C.Y.
709-05.05	MACHINED RIP-RAP (CLASS A-3)	100.000	TON
709-05.08	MACHINED RIP-RAP (CLASS B)	1,240.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-05.03	WARNING LIGHTS (TYPE C)	25.000	EACH
712-06	SIGNS (CONSTRUCTION)	639.000	S.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	44.000	L.F.
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	14.000	EACH
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	0.820	L.M.
717-01	MOBILIZATION	(1)	LS
740-10.04	GEOTEXTILE (TYPE IV)(STABILIZATION)	1,715.000	S.Y.
740-11.04	TEMPORARY SEDIMENT TUBE 20IN (DESCRIPTION) (EROSION CONTROL)	265.000	L.F.
801-01.07	TEMPORARY SEEDING (WITH MULCH)	120.000	UNIT
801-03	WATER (SEEDING & SODDING)	145.000	M.G.
803-01	SODDING (NEW SOD)	13,140.000	S.Y.
805-12.02	EROSION CONTROL BLANKET (TYPE II)	6,570.000	S.Y.
202-01.02	REMOVAL OF ASBESTOS	(1)	LS
202-04.01	REMOVAL OF STRUCTURES (DESCRIPTION, STA.) (EX. BR. NO. 38-SR076-8.98)	(1)	LS
204-02.01	DRY EXCAVATION (BRIDGES)	899.000	C.Y.
204-03.01	WET EXCAVATION (BRIDGES) (BRIDGES)	430.000	C.Y.

Contract ID CNQ226 - HAYWOOD

Item No.	Description	Quantity	Units
204-10.01	FOUNDATION PREPARATION(PR NO. ,STA) (PR NO. 1, STA 155+85.00)	(1)	LS
204-10.02	FOUNDATION PREPARATION(PR NO. ,STA) (PR NO. 2, STA 156+85.00)	(1)	LS
204-10.03	FOUNDATION PREPARATION(PR NO. ,STA) (PR NO. 3, STA 158+25.00)	(1)	LS
303-01.02	GRANULAR BACKFILL (BRIDGES)	32.000	TON
604-02.03	EPOXY COATED REINFORCING STEEL	157,457.000	LB.
604-03.01	CLASS A CONCRETE (BRIDGES)	310.000	C.Y.
604-03.02	STEEL BAR REINFORCEMENT (BRIDGES)	124,049.000	LB.
604-03.04	PAVEMENT @ BRIDGE ENDS	225.000	S.Y.
604-03.09	CLASS D CONCRETE (BRIDGE DECK)	568.000	C.Y.
604-03.74	CLASS X CONCRETE	132.000	C.Y.
604-04.01	APPLIED TEXTURE FINISH (NEW STRUCTURES)	2,252.000	S.Y.
604-05.31	BRIDGE DECK GROOVING (MECHANICAL)	2,146.000	S.Y.
606-09.01	TEST PILES (PRECAST CONCRETE, SIZE 1)	265.000	L.F.
606-09.02	LOADING TEST (PRECAST CONCRETE, SIZE 1)	1.000	EACH
606-09.03	PRECAST CONCRETE PILES (SIZE 1)	5,270.000	L.F.
606-12.01	PILE ANCHORAGE SYSTEM (SEISMIC)	133.000	EACH
615-01.12	PRESTRESSED CONCRETE BULB TEE BEAM (6" WEB)(BT-72)	2,088.000	L.F.
620-05.01	CONC PARAPET SINGLE SLOPE (STD-1-1SS)	916.000	L.F.
710-09.01	6" PERFORATED PIPE WITH VERTICAL DRAIN SYSTEM	140.000	L.F.
710-09.02	6" PIPE UNDERDRAIN	40.000	L.F.
791-01.04	4IN STEEL GAS MAIN	40.000	L.F.
791-04.22	HDD 4IN STEEL PIPE - UNCONSOLIDATED	1,100.000	L.F.
791-06.32	CONNECT TO 4IN EX. STL MAIN W/ STOPPLE	2.000	EACH
791-10.05	RETIRE IN PLACE 4IN SERV CUT & PLUG	1.000	EACH

Contract ID CNQ229 - HUMPHREYS

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	1,723.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	7,660.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	4,035.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	0.300	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	1.300	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	53.609	TON
411-01.10	ACS MIX(PG64-22) GRADING D	2,366.000	TON
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	889.000	TON
701-02	CONCRETE DRIVEWAY	4,464.000	S.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	50.000	EACH
712-06	SIGNS (CONSTRUCTION)	295.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	36.000	L.F.
716-03.02	PLASTIC WORD PAVEMENT MARKING (RXR)	4.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	30.000	L.M.
716-05.04	PAINTED PAVEMENT MARKING (CHANNELIZATION STRIPING)	80.000	S.Y.
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ200 - JACKSON

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	2,218.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	2,855.000	TON
307-01.10	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING C-W	7,655.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	45.000	TON
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	12.800	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	23,219.000	S.Y.
705-01.04	METAL BEAM GUARD FENCE	188.000	L.F.
705-02.02	SINGLE GUARDRAIL (TYPE 2)	400.000	L.F.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	9.000	EACH
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	18.000	EACH
706-01	GUARDRAIL REMOVED	1,413.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	927.000	S.F.
713-16.20	SIGNS (DESCRIPTION) (SPEED LIMIT 45 MPH, R2-1, POST AND INSTALL)	1.000	EACH
713-16.21	SIGNS (DESCRIPTION) (SIDE ROAD LEFT, W2-2, POST AND INSTALL)	1.000	EACH
713-16.22	SIGNS (DESCRIPTION) (FALLEN ROCKS, W8-14, POST AND INSTALL)	2.000	EACH
713-16.23	SIGNS (DESCRIPTION) (STOP AHEAD SYMBOL, W3-1, POST AND INSTALL)	1.000	EACH
713-16.24	SIGNS (DESCRIPTION) (WINDING ROAD, W1-5, POST AND INSTALL)	2.000	EACH
713-16.25	SIGNS (DESCRIPTION) (OBJECT MARKER (LEFT)	1.000	EACH
713-16.26	SIGNS (DESCRIPTION) (CHEVRON, W1-8, POST AND INSTALL)	18.000	EACH
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	600.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	200.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	20.300	L.M.

Contract ID CNQ200 - JACKSON

Item No.	Description	Quantity	Units
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	32.300	L.M.
716-13.04	SPRAY THERMO PVMT MRKNG (60 mil) (4IN DOTTED LINE)	225.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ249 - KNOX

Item No.	Description	Quantity	Units
201-01	CLEARING AND GRUBBING	(1)	LS
208-01	SHOULDERS AND DITCHES	4.300	L.M.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	1,000.000	L.F.
307-03.09	ASPHALT CONCRETE MIX (PG76-22) (BPMB-HM) GRADING C	9,464.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	65.000	TON
403-02.02	HOT APPLIED TACK COAT	3.000	TON
403-05.01	BITUMINOUS MATERIAL (FOG SEAL) SHOULDER	7.000	TON
411-03.23	ACS MIX (PG76-22) OGFC	5,005.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	4.000	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	7,254.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	192.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	96.000	EACH
712-06	SIGNS (CONSTRUCTION)	2,147.000	S.F.
712-06.16	SIGNS (CONSTRUCTION)(REDUCED SPEED WARNING)	10.000	EACH
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
712-08.10	MOBILE MESSAGE SIGN UNIT W/ATTENUATOR	300.000	HOUR
713-02.04	DELINEATOR (MILE MARKER) & STEEL POST	4.000	EACH
713-02.14	FLEXIBLE DELINEATOR (WHITE)	30.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
716-01.23	Snowplowable Pvmr Mrkrs (Bi-Dir)(2 Color)	825.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	825.000	EACH
716-02.07	PLASTIC PAVEMENT MARKING (24" BARRIER LINE)	3,207.000	L.F.
716-04.07	PLASTIC PAVEMENT MARKING (EXIT ONLY ARROW)	19.000	EACH
716-04.08	PLASTIC PAVEMENT MARKING (OPTION LANE ARROW)	9.000	EACH
716-05.02	PAINTED PAVEMENT MARKING (8" BARRIER LINE)	7,338.000	L.F.

Contract ID CNQ249 - KNOX

Item No.	Description	Quantity	Units
716-05.49	PAINTED PAVEMENT MARKINGS(8" LINE)	15.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	22.000	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	11,007.000	L.F.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	1,665.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ156 - KNOX

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	14.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	3,050.000	TON
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	3,015.000	TON
701-02.01	CONCRETE CURB RAMP (RETROFIT)	56.000	S.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	142.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	71.000	EACH
712-06	SIGNS (CONSTRUCTION)	729.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	100.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	275.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	6.000	EACH
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	180.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	8.000	L.M.
716-12.01	ENHANCED FLATLINE THERMO PVMT MRKNG (4IN LINE)	8.000	L.M.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	1,500.000	L.F.
730-14.03	LOOP WIRE	3,000.000	L.F.

Contract ID CNQ190 - KNOX

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	31.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	4,803.000	TON
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	4,752.000	TON
701-02.01	CONCRETE CURB RAMP (RETROFIT)	192.000	S.F.
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	4.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	198.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	99.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,074.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
713-16.09	RAILROAD ADVANCE WARNING SIGN AND SUPPORT	4.000	EACH
713-16.20	SIGNS (DESCRIPTION) (D10-2)	1.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	500.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	400.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	45.000	EACH
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	600.000	L.F.
716-03.02	PLASTIC WORD PAVEMENT MARKING (RXR)	4.000	EACH
716-04.03	PLASTIC PAVEMENT MARKING (4" DOTTED LINE)	1,300.000	L.F.
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	4.000	EACH
716-04.14	PLASTIC PAVEMENT MARKING (LANE REDUCTION ARROW)	1.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	12.000	L.M.
716-12.01	ENHANCED FLATLINE THERMO PVMT MRKNG (4IN LINE)	12.000	L.M.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	3,875.000	L.F.
730-14.03	LOOP WIRE	7,750.000	L.F.

Contract ID CNQ190 - KNOX

Contract ID CNQ232 - LAKE

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
201-01	CLEARING AND GRUBBING	(1)	LS
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	322.000	C.Y.
203-02.01	BORROW EXCAVATION (GRADED SOLID ROCK)	1,414.000	TON
203-03	BORROW EXCAVATION (UNCLASSIFIED)	1,202.000	C.Y.
203-06	WATER	7.000	M.G.
209-05	SEDIMENT REMOVAL	64.000	C.Y.
209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	1,082.000	L.F.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	1,931.000	L.F.
209-08.08	ENHANCED ROCK CHECK DAM	5.000	EACH
209-09.03	SEDIMENT FILTER BAG (15' X 15')	2.000	EACH
209-65.04	TEMPORARY IN STREAM DIVERSION	630.000	L.F.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	1,400.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	30.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	134.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	3.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	11.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	1.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	110.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	1.000	L.M.
610-07.03	18" PIPE DRAIN (BRIDGE DRAIN)	216.000	L.F.
621-03.02	18" TEMPORARY DRAINAGE PIPE	80.000	L.F.
705-01.01	GUARDRAIL AT BRIDGE ENDS	108.000	L.F.
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	4.000	EACH
707-08.11	HIGH-VISIBILITY CONSTRUCTION FENCE	1,500.000	L.F.
708-02.01	MARKERS (CONCRETE R.O.W. POSTS)	12.000	EACH
709-01.01	RUBBLE STONE RIP-RAP	6.000	C.Y.

Contract ID CNQ232 - LAKE

Item No.	Description	Quantity	Units
709-05.05	MACHINED RIP-RAP (CLASS A-3)	96.000	TON
709-05.08	MACHINED RIP-RAP (CLASS B)	850.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	267.000	S.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	44.000	L.F.
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	9.000	EACH
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	1.000	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	1.000	L.M.
717-01	MOBILIZATION	(1)	LS
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	320.000	S.Y.
740-10.04	GEOTEXTILE (TYPE IV)(STABILIZATION)	11,500.000	S.Y.
740-11.02	TEMPORARY SEDIMENT TUBE 12IN (DESCRIPTION) (EROSION CONTROL)	1,170.000	L.F.
801-01.07	TEMPORARY SEEDING (WITH MULCH)	42.000	UNIT
801-03	WATER (SEEDING & SODDING)	27.000	M.G.
803-01	SODDING (NEW SOD)	2,350.000	S.Y.
202-04.01	REMOVAL OF STRUCTURES (DESCRIPTION, STA.) (BRIDGE I.D.NO. 48-SR21-1.20)	(1)	LS
204-02.01	DRY EXCAVATION (BRIDGES)	152.000	C.Y.
303-01.02	GRANULAR BACKFILL (BRIDGES)	56.000	TON
604-02.03	EPOXY COATED REINFORCING STEEL	38,779.000	LB.
604-03.01	CLASS A CONCRETE (BRIDGES)	131.000	C.Y.
604-03.02	STEEL BAR REINFORCEMENT (BRIDGES)	15,988.000	LB.
604-03.09	CLASS D CONCRETE (BRIDGE DECK)	92.000	C.Y.
604-04.01	APPLIED TEXTURE FINISH (NEW STRUCTURES)	525.000	S.Y.
604-05.31	BRIDGE DECK GROOVING (MECHANICAL)	320.000	S.Y.
606-22.01	STEEL PIPE PILES (20 IN)	850.000	L.F.
606-22.03	TEST PILES (STEEL PIPE PILES 20 IN)	105.000	L.F.
606-22.04	LOAD TESTING (STEEL PIPE PILES 20 IN)	1.000	EACH
606-22.13	STEEL PIPE PILES (24 IN)	360.000	L.F.

Contract ID CNQ232 - LAKE

Item No.	Description	Quantity	Units
606-22.15	TEST PILES (STEEL PIPE PILES 24 IN)	70.000	L.F.
606-22.16	LOAD TESTING (STEEL PIPE PILES 24 IN)	1.000	EACH
615-01.02	PRESTRESSED CONCRETE I-BEAM (TYPE II)	446.000	L.F.
620-05.01	CONC PARAPET SINGLE SLOPE (STD-1-1SS)	302.000	L.F.
710-09.01	6" PERFORATED PIPE WITH VERTICAL DRAIN SYSTEM	114.000	L.F.
710-09.02	6" PIPE UNDERDRAIN	28.000	L.F.

Contract ID CNQ223 - LINCOLN

Item No.	Description	Quantity	Units
712-01	TRAFFIC CONTROL	(1)	LS
713-02.21	SIGN POST DELINEATION ENHANCEMENT	260.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	9,536.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	7,983.000	LB.
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	791.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	2,093.000	S.F.
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	170.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	560.000	L.F.
716-13.06	SPRAY THERMO PVMT MRKNG (40 mil) (4IN LINE)	88.800	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ169 - LINCOLN

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	175.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	48.000	TON
403-05.01	BITUMINOUS MATERIAL (FOG SEAL) SHOULDER	22.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	7,462.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	7.500	L.M.
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	6.000	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	7,330.000	TON
705-02.02	SINGLE GUARDRAIL (TYPE 2)	12.500	L.F.
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	7.000	EACH
706-01	GUARDRAIL REMOVED	350.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	200.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	893.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	1.000	EACH
716-01.23	Snwplwble Pvmt Mrks (Bi-Dir)(2 Color)	520.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	520.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	240.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	6.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	16.800	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	16.800	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ162 - LINCOLN

Item No.	Description	Quantity	Units
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	889.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	16.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	2,067.000	TON
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	2,909.000	TON
611-09.01	ADJUSTMENT OF EXISTING CATCHBASIN	8.000	EACH
701-02.01	CONCRETE CURB RAMP (RETROFIT)	4,680.000	S.F.
705-02.02	SINGLE GUARDRAIL (TYPE 2)	12.500	L.F.
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	6.000	EACH
706-01	GUARDRAIL REMOVED	313.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	80.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	904.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	120.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	115.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	602.000	L.F.
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	13.900	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	385.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	8.000	EACH
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	2.000	EACH
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	1.000	EACH
716-04.03	PLASTIC PAVEMENT MARKING (4" DOTTED LINE)	1,520.000	L.F.
716-04.10	PLASTIC PAVEMENT MARKING (HANDICAP SYMBOL)	3.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	5.200	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	4.400	L.M.

Contract ID CNQ162 - LINCOLN

Item No.	Description	Quantity	Units
716-13.03	SPRAY THERMO PVMT MRKNG (60 mil) (8IN BARRIER LINE)	78.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	3,900.000	L.F.
730-14.03	LOOP WIRE	8,200.000	L.F.

Contract ID CNQ236 - LINCOLN

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
201-01	CLEARING AND GRUBBING	(1)	LS
202-01	REMOVAL OF STRUCTURES AND OBSTRUCTIONS	(1)	LS
202-01.13	REMOVAL OF PIPE (SIZE ,STA.) (24",SIA RD. STA. 115+87)	26.000	L.F.
202-03.01	REMOVAL OF ASPHALT PAVEMENT	1,590.000	S.Y.
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	3,668.000	C.Y.
203-01.79	EXCAVATION/BACKFILL	136.000	C.Y.
203-02.01	BORROW EXCAVATION (GRADED SOLID ROCK)	3,754.000	TON
203-03	BORROW EXCAVATION (UNCLASSIFIED)	7,981.000	C.Y.
203-05	UNDERCUTTING	2,200.000	C.Y.
203-06	WATER	13.500	M.G.
209-05	SEDIMENT REMOVAL	125.000	C.Y.
209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	4,237.000	L.F.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	4,137.000	L.F.
209-08.07	ROCK CHECK DAM PER	33.000	EACH
209-08.08	ENHANCED ROCK CHECK DAM	24.000	EACH
209-09.01	SANDBAGS	425.000	BAG
209-09.03	SEDIMENT FILTER BAG (15' X 15')	8.000	EACH
209-65.03	TEMPORARY DIVERSION CHANNEL	450.000	L.F.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	10,957.000	TON
303-01.01	GRANULAR BACKFILL (ROADWAY)	238.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	30.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	1,825.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	1,270.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	16.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	64.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	7.000	TON

Contract ID CNQ236 - LINCOLN

Item No.	Description	Quantity	Units
407-20.05	SAW CUTTING ASPHALT PAVEMENT	125.000	L.F.
411-01.10	ACS MIX(PG64-22) GRADING D	701.000	TON
607-03.30	18" PIPE CULVERT	7.500	L.F.
607-05.30	24" PIPE CULVERT	55.000	L.F.
607-06.30	30" PIPE CULVERT	132.000	L.F.
611-07.01	CLASS A CONCRETE (PIPE ENDWALLS)	14.000	C.Y.
611-07.02	STEEL BAR REINFORCEMENT (PIPE ENDWALLS)	428.000	LB.
611-07.54	18IN ENDWALL (CROSS DRAIN) 3:1	2.000	EACH
611-07.57	24IN ENDWALL (CROSS DRAIN) 3:1	1.000	EACH
621-03.02	18" TEMPORARY DRAINAGE PIPE	54.000	L.F.
705-01.04	METAL BEAM GUARD FENCE	63.000	L.F.
705-02.02	SINGLE GUARDRAIL (TYPE 2)	287.000	L.F.
705-04.04	GUARDRAIL TERMINAL (TYPE 21)	4.000	EACH
707-08.11	HIGH-VISIBILITY CONSTRUCTION FENCE	775.000	L.F.
709-05.05	MACHINED RIP-RAP (CLASS A-3)	150.000	TON
709-05.08	MACHINED RIP-RAP (CLASS B)	70.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	25.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	6.000	EACH
712-06	SIGNS (CONSTRUCTION)	170.000	S.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	72.000	L.F.
713-16.20	SIGNS (DESCRIPTION) (STOP R1-1)	3.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	36.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	3.000	L.M.
717-01	MOBILIZATION	(1)	LS
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	1,880.000	S.Y.
740-10.04	GEOTEXTILE (TYPE IV)(STABILIZATION)	3,806.000	S.Y.
740-11.04	TEMPORARY SEDIMENT TUBE 20IN (DESCRIPTION) (DITCHES)	575.000	L.F.
801-01.07	TEMPORARY SEEDING (WITH MULCH)	200.000	UNIT

Contract ID CNQ236 - LINCOLN

Item No.	Description	Quantity	Units
803-01	SODDING (NEW SOD)	6,539.000	S.Y.

Contract ID CNQ166 - LOUDON

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	54.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	741.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	10,959.000	TON
705-04.21	GUARDRAIL DELINEATION ENHANCEMENT	1,875.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	828.000	S.F.
713-02.21	SIGN POST DELINEATION ENHANCEMENT	648.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	566.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	3,314.000	LB.
713-11.21	P POST SLIP BASE	19.000	EACH
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	498.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	509.000	S.F.
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	52.000	EACH
713-16.05	RAILROAD CROSS-BUCK SIGN & SUPPORT	2.000	EACH
713-16.09	RAILROAD ADVANCE WARNING SIGN AND SUPPORT	2.000	EACH
713-16.21	SIGNS (DESCRIPTION) (W11-3)	8.000	EACH
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	649.000	EACH
716-01.22	Snwplwble Pvmt Mrks (Mono-Dir)(1 Color)	3.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	33.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	585.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	1.000	EACH
716-02.08	PLASTIC PAVEMENT MARKING (8" DOTTED LINE)	300.000	L.F.
716-03.02	PLASTIC WORD PAVEMENT MARKING (RXR)	2.000	EACH
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	1.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	10.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	40.000	L.M.

Contract ID CNQ166 - LOUDON

Item No.	Description	Quantity	Units
716-12.05	ENHANCED FLATLINE THERMO PVT MRKNG (6IN DOTTED LINE)	350.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	375.000	L.F.
730-14.03	LOOP WIRE	750.000	L.F.

Contract ID CNQ184 - MACON

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
201-01	CLEARING AND GRUBBING	(1)	LS
202-06.01	REMOVAL OF BUILDINGS (TRACT NO.) (TRACT NO. 5)	(1)	LS
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	1,550.000	C.Y.
203-01.11	PRESPLITTING OF ROCK EXCAVATION	133.000	S.Y.
203-06	WATER	1.000	M.G.
203-08	CHANNEL EXCAVATION (UNCLASSIFIED)	200.000	C.Y.
204-08	FOUNDATION FILL MATERIAL	105.000	C.Y.
209-05	SEDIMENT REMOVAL	110.000	C.Y.
209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	600.000	L.F.
209-08.07	ROCK CHECK DAM PER	4.000	EACH
209-08.08	ENHANCED ROCK CHECK DAM	2.000	EACH
209-09.03	SEDIMENT FILTER BAG (15' X 15')	2.000	EACH
209-65.04	TEMPORARY IN STREAM DIVERSION	120.000	L.F.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	1,032.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	14.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	149.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	2.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	9.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	1.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	30.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	70.000	TON
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	1.000	L.M.
705-01.04	METAL BEAM GUARD FENCE	100.000	L.F.
705-02.02	SINGLE GUARDRAIL (TYPE 2)	106.000	L.F.
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	4.000	EACH
705-04.50	PORTABLE BARRIER RAIL DELINEATOR	13.000	EACH

Contract ID CNQ184 - MACON

Item No.	Description	Quantity	Units
705-08.51	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	2.000	EACH
707-08.11	HIGH-VISIBILITY CONSTRUCTION FENCE	300.000	L.F.
708-02.01	MARKERS (CONCRETE R.O.W. POSTS)	10.000	EACH
709-05.05	MACHINED RIP-RAP (CLASS A-3)	100.000	TON
709-05.08	MACHINED RIP-RAP (CLASS B)	80.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	252.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	13.000	EACH
712-06	SIGNS (CONSTRUCTION)	345.000	S.F.
712-09.01	REMOVABLE PAVEMENT MARKING LINE	2,732.000	L.F.
712-09.04	REMOVABLE PAVEMENT MARKING (STOP LINE)	24.000	L.F.
713-15	REMOVAL OF SIGNS, POSTS AND FOOTINGS	(1)	LS
713-15.02	REMOVAL & RELOCATION OF SIGN & SUPPORT	1.000	EACH
713-16.20	SIGNS (DESCRIPTION) (STOP)	1.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	20.000	EACH
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	1.000	L.M.
717-01	MOBILIZATION	(1)	LS
730-40	TEMPORARY TRAFFIC SIGNAL SYSTEM	1.000	EACH
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	322.000	S.Y.
740-11.02	TEMPORARY SEDIMENT TUBE 12IN (DESCRIPTION) (FOR SLOPES)	300.000	L.F.
801-01.07	TEMPORARY SEEDING (WITH MULCH)	12.000	UNIT
801-03	WATER (SEEDING & SODDING)	3.000	M.G.
803-01	SODDING (NEW SOD)	230.000	S.Y.
202-04.51	REMOVAL OF STRUCTURES (DESCRIPTION, STA.) (Exist. Bridge Sta. 18+56.08)	(1)	LS
303-01.02	GRANULAR BACKFILL (BRIDGES)	318.000	TON
604-02.01	CLASS A CONCRETE (BOX BRIDGES)	139.000	C.Y.
604-02.02	STEEL BAR REINFORCEMENT (BOX BRIDGES)	32,060.000	LB.
790-05.02	POLE 50FT CLASS 2 WOOD	1.000	EACH
790-06.02	POLE 55FT CLASS 2 WOOD	2.000	EACH

Contract ID CNQ184 - MACON

Item No.	Description	Quantity	Units
790-21.09	1PH PRIMARY TAP 15KV	3.000	EACH
790-25.06	3PH CROSSARM DBL 15KV	1.000	EACH
790-25.17	3PH VERTICAL DEADEND LARGE ANGLE 15KV	1.000	EACH
790-25.21	3PH CROSSARM DEADEND SGL 15KV	1.000	EACH
790-25.27	3PH CROSSARM DDE 10FT ARMS LRG COND 15KV	1.000	EACH
790-30.01	SECONDARY ASSEMBLIES SMALL ANGLE	1.000	EACH
790-30.03	SECONDARY ASSEMBLIES DEADEND	5.000	EACH
790-31.11	SERVICE CONDUCTOR 2 AL TRIPLEX	124.000	L.F.
790-32.02	DOWN GUY - THROUGH BOLT TYPE HEAVY DUTY	7.000	EACH
790-32.23	GUY GUARD	4.000	EACH
790-32.25	ANCHOR (DESCRIPTION) (20,000POUND-TWIN 10" SCREW)	3.000	EACH
790-33.04	SCREW TYPE ANCHOR 10,000LB-12,000LB	1.000	EACH
790-40.02	OH COND 2 7/1 ACSR SPARATE	669.000	L.F.
790-40.03	OH COND 1/0 6/1 ACSR RAVEN	191.000	L.F.
790-40.05	OH COND 3/0 6/1 ACSR PIGEON	1,051.000	L.F.
790-40.09	OH COND 336.4 18/1 ACSR MERLIN	1,434.000	L.F.
790-41.51	UG SEC COND 350 AL TPLX	10.000	L.F.
790-42.13	CONDUIT - POLE MTD - 3IN SCH 80 PVC	40.000	L.F.
790-46.01	1PH TRANSFORMER	2.000	EACH
790-52.04	15KVA 1PH OH XFORMER 7.2KV 120/240	1.000	EACH
790-52.11	50KVA 1PH OH XFORMER 7.2KV 120/240	1.000	EACH
790-58.03	CUTOUT KNIFE SWITCH, SNGL LOADBREAK 15KV	3.000	EACH
790-68.01	POLE GROUND ROD TYPE	3.000	EACH
790-68.10	MISCELLANEOUS ASSEMBLIES	2.000	EACH
790-70.01	STREET LIGHT ON WOOD POLE	3.000	EACH
790-98.01	REMOVE WIRE	3,613.000	L.F.
790-98.02	REMOVE POLES	4.000	EACH
790-98.03	REMOVE FRAMING/ASSOCIATED APPARATUS	107.000	EACH
795-01.05	8IN DIP RESTRAINED JOINT WATER LINE	80.000	L.F.

Contract ID CNQ184 - MACON

Item No.	Description	Quantity	Units
795-03.05	6IN PVC WATER LINE	20.000	L.F.
795-03.06	8IN PVC WATER LINE	450.000	L.F.
795-06.33	CUT AND CAP 6IN WATERLINE	2.000	EACH
795-07.03	6IN X 6IN TAPPING SLEEVE AND VALVE	2.000	EACH
795-09.09	RELOCATE/RECONNECT SERVICE ASSEMBLY	1.000	EACH
795-09.28	3/4IN COPPER SERVICE PIPE	50.000	L.F.
795-10.03	1IN AUTO AIR RELEASE VALVE ASSEMBLY	1.000	EACH
795-11.01	BLOW-OFF ASSEMBLY	1.000	EACH
795-13.01	DI FITTINGS	750.000	LB.
795-13.05	CREEK CROSSING	(1)	LS
795-14.02	CLASS B CONCRETE	20.000	C.Y.
795-14.08	RESTORE ASPHALT	10.000	S.Y.
795-14.10	RESTORE GRAVEL	10.000	S.Y.
795-15.04	18IN STEEL CASING PIPE OPEN CUT METHOD	80.000	L.F.

Contract ID CNQ202 - MARION

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	50.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	7,419.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	9.100	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	104,433.000	S.Y.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	563.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	470.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	150.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	33.900	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	22.600	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ230 - MARSHALL

Item No.	Description	Quantity	Units
202-03	REMOVAL OF RIGID PAVEMENT, SIDEWALK, ETC.	60.000	S.Y.
202-03.01	REMOVAL OF ASPHALT PAVEMENT	1,550.000	S.Y.
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	550.000	C.Y.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	750.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	230.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	699.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	3.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	10.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	5.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	446.000	TON
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	5,175.000	S.Y.
604-04.20	PAINTING CONCRETE SURFACES	105.000	S.F.
701-03	CONCRETE MEDIAN PAVEMENT	13.000	C.Y.
702-01.01	EXTRUDED MOUNTABLE CURB	210.000	L.F.
705-02.02	SINGLE GUARDRAIL (TYPE 2)	1,025.000	L.F.
705-04.05	GUARDRAIL TERMINAL (TYPE-IN-LINE)	1.000	EACH
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	3.000	EACH
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	3.000	EACH
705-04.21	GUARDRAIL DELINEATION ENHANCEMENT	1,175.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	50.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	204.000	S.F.
713-02.21	SIGN POST DELINEATION ENHANCEMENT	54.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	260.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	506.000	LB.
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	70.000	S.F.

Contract ID CNQ230 - MARSHALL

Item No.	Description	Quantity	Units
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	93.000	S.F.
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	21.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	230.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	53.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	80.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	30.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	10.000	EACH
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	46.000	L.F.
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	21.000	S.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	3.000	L.M.
716-12.01	ENHANCED FLATLINE THERMO PVMT MRKNG (4IN LINE)	5.000	L.M.
716-12.04	ENHANCED FLATLINE THERMO PVMT MRKNG (4IN DOTTED LINE)	700.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-01.02	REMOVAL OF SIGNAL EQUIPMENT	2.000	EACH
730-01.08	SCHOOL SPEED LIMIT FLASHING SIGNAL INSTALLED	2.000	EACH
730-01.12	SOLAR PANEL & POWER SYSTEM UNIT	2.000	EACH
740-11.03	TEMPORARY SEDIMENT TUBE 18IN (DESCRIPTION) (SLOPE APPLICATION)	2,500.000	L.F.

Contract ID CNQ100 - MARSHALL

Item No.	Description	Quantity	Units
201-01	CLEARING AND GRUBBING	(1)	LS
202-02.21	REMOVAL OF PIPE (DESCRIPTION) (18")	48.000	L.F.
202-02.23	REMOVAL OF PIPE (DESCRIPTION) (36")	9.000	L.F.
202-03	REMOVAL OF RIGID PAVEMENT, SIDEWALK, ETC.	263.000	S.Y.
202-03.01	REMOVAL OF ASPHALT PAVEMENT	820.000	S.Y.
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	67.000	C.Y.
204-06.01	FLOWABLE FILL (GENERAL)	10.000	C.Y.
208-01.03	GRADE AND RESHAPE SHOULDERS	0.100	L.M.
209-05	SEDIMENT REMOVAL	6.000	C.Y.
209-08.08	ENHANCED ROCK CHECK DAM	5.000	EACH
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	71.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	132.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	0.500	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	1.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	0.500	TON
411-01.10	ACS MIX(PG64-22) GRADING D	78.000	TON
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	1,167.000	S.Y.
607-01.02	12" CONCRETE PIPE CULVERT (CLASS III)	30.000	L.F.
607-06.02	30" CONCRETE PIPE CULVERT (CLASS III)	170.000	L.F.
611-07.01	CLASS A CONCRETE (PIPE ENDWALLS)	13.000	C.Y.
611-07.02	STEEL BAR REINFORCEMENT (PIPE ENDWALLS)	390.000	LB.
621-03.02	18" TEMPORARY DRAINAGE PIPE	15.000	L.F.
709-05.05	MACHINED RIP-RAP (CLASS A-3)	50.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	25.000	EACH
712-06	SIGNS (CONSTRUCTION)	176.000	S.F.
713-16.50	REMOVE AND REPLACE SIGN (DESCRIPTION) (STOP SIGN)	7.000	EACH

Contract ID CNQ100 - MARSHALL

Item No.	Description	Quantity	Units
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	110.000	L.F.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	0.400	L.M.
717-01	MOBILIZATION	(1)	LS
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	448.000	S.Y.
740-11.01	TEMPORARY SEDIMENT TUBE 8IN (DESCRIPTION) (EPSC)	1,029.000	L.F.
801-03	WATER (SEEDING & SODDING)	8.000	M.G.
803-01	SODDING (NEW SOD)	763.000	S.Y.

Contract ID CNQ135 - MCMINN

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
109-10.01	TRAINEE	1,620.000	HOUR
201-01	CLEARING AND GRUBBING	(1)	LS
202-03	REMOVAL OF RIGID PAVEMENT, SIDEWALK, ETC.	6,572.000	S.Y.
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	21,456.000	C.Y.
203-06	WATER	138.000	M.G.
204-08	FOUNDATION FILL MATERIAL	123.000	C.Y.
209-02.03	8" TEMPORARY SLOPE DRAIN	939.000	L.F.
209-05	SEDIMENT REMOVAL	553.000	C.Y.
209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	5,366.000	L.F.
209-08.04	TEMPORARY ENHANCED SILT FENCE	3,497.000	L.F.
209-09.03	SEDIMENT FILTER BAG (15' X 15')	8.000	EACH
209-09.40	CURB INLET PROTECTION (TYPE 1)	6.000	EACH
209-09.42	CURB INLET PROTECTION (TYPE 3)	19.000	EACH
209-09.43	CURB INLET PROTECTION (TYPE 4)	15.000	EACH
303-01.01	GRANULAR BACKFILL (ROADWAY)	5,235.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	67.000	TON
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	2.424	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	2,823.000	S.Y.
604-01.01	CLASS A CONCRETE (ROADWAY)	449.000	C.Y.
604-01.02	STEEL BAR REINFORCEMENT (ROADWAY)	102,050.000	LB.
607-03.02	18" CONCRETE PIPE CULVERT (CLASS III)	6,816.000	L.F.
607-03.30	18" PIPE CULVERT	288.000	L.F.
607-05.02	24" CONCRETE PIPE CULVERT (CLASS III)	443.000	L.F.
611-07.54	18IN ENDWALL (CROSS DRAIN) 3:1	2.000	EACH
611-07.55	18IN ENDWALL (CROSS DRAIN) 4:1	1.000	EACH
202-04.50	REMOVAL OF STRUCTURES (DESCRIPTION, STA.) (400' OF 8'X10' BOX CULV., STA. 98+78)	(1)	LS

Contract ID CNQ135 - MCMINN

Item No.	Description	Quantity	Units
202-06.01	REMOVAL OF BUILDINGS (TRACT NO.) (TRACT 48)	(1)	LS
611-12.01	CATCH BASINS, TYPE 12, 0' - 4' DEPTH	1.000	EACH
611-12.02	CATCH BASINS, TYPE 12, > 4' - 8' DEPTH	11.000	EACH
611-12.03	CATCH BASINS, TYPE 12, > 8' - 12' DEPTH	2.000	EACH
611-13.01	CATCH BASINS, TYPE 13, 0' - 4' DEPTH	4.000	EACH
611-13.02	CATCH BASINS, TYPE 13, > 4' - 8' DEPTH	6.000	EACH
611-14.02	CATCH BASINS, TYPE 14, > 4' - 8' DEPTH	9.000	EACH
701-01.01	CONCRETE SIDEWALK (4 ")	51,876.000	S.F.
701-02	CONCRETE DRIVEWAY	10,550.000	S.F.
701-02.03	CONCRETE CURB RAMP	590.000	S.F.
702-03	CONCRETE COMBINED CURB & GUTTER	828.000	C.Y.
705-01.04	METAL BEAM GUARD FENCE	288.000	L.F.
705-02.02	SINGLE GUARDRAIL (TYPE 2)	2,411.000	L.F.
705-04.03	GUARDRAIL TERMINAL (TYPE 13)	1.000	EACH
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	5.000	EACH
705-08.51	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	24.000	EACH
707-08.11	HIGH-VISIBILITY CONSTRUCTION FENCE	1,200.000	L.F.
709-05.06	MACHINED RIP-RAP (CLASS A-1)	160.000	TON
710-02	AGGREGATE UNDERDRAINS (WITH PIPE)	12,030.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	4,463.000	L.F.
607-50.12	PRECAST CONCRETE BOX CULVERT (SIZE) (6'X6')	450.000	L.F.
611-01.04	MANHOLES, > 12' - 16' DEPTH	1.000	EACH
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	200.000	EACH
712-04.50	PORTABLE BARRIER RAIL DELINEATOR	400.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	8.000	EACH
712-05.03	WARNING LIGHTS (TYPE C)	50.000	EACH
712-06	SIGNS (CONSTRUCTION)	453.000	S.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	110.000	L.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH

Contract ID CNQ135 - MCMINN

Item No.	Description	Quantity	Units
712-09.01	REMOVABLE PAVEMENT MARKING LINE	500.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	328.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	1,546.000	LB.
713-11.21	P POST SLIP BASE	7.000	EACH
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	295.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	150.000	S.F.
713-14.22	STREET NAME SIGN (SUSPENDED 0.100IN THICK)	69.000	S.F.
713-15	REMOVAL OF SIGNS, POSTS AND FOOTINGS	(1)	LS
713-15.07	SUSPENDED FLAT SHEET ALUMINUM SIGN (0.080" THICK)	2.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
716-01.05	TEMPORARY RAISED PAVEMENT MARKER	40.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	178.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	193.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	463.000	L.F.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	84.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	5.000	EACH
716-02.11	PLASTIC PAVEMENT MARKING (6" DOTTED LINE)	25.000	L.F.
716-04.02	PLASTIC PAVEMENT MARKING(DOUBLE TURNING ARROW)	7.000	EACH
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	16.900	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	6.300	L.M.
717-01	MOBILIZATION	(1)	LS
730-01.02	REMOVAL OF SIGNAL EQUIPMENT	2.000	EACH
730-02.09	SIGNAL HEAD ASSEMBLY (130 WITH BACKPLATE)	9.000	EACH
730-02.17	SIGNAL HEAD ASSEMBLY (150 A2H WITH BACKPLATE)	5.000	EACH
730-03.20	INSTALL PULL BOX (TYPE A)	8.000	EACH
730-03.21	INSTALL PULL BOX (TYPE B)	3.000	EACH
730-05.01	ELECTRICAL SERVICE CONNECTION	2.000	EACH

Contract ID CNQ135 - MCMINN

Item No.	Description	Quantity	Units
730-08.01	SIGNAL CABLE - 3 CONDUCTOR	1,540.000	L.F.
730-08.02	SIGNAL CABLE - 5 CONDUCTOR	1,926.000	L.F.
730-08.03	SIGNAL CABLE - 7 CONDUCTOR	1,326.000	L.F.
730-09.01	SPAN WIRE ASSEMBLY(____LBS.MIN.BRK STRENGTH) (22,150 LBS.MIN.BRK STRENGTH)	480.000	L.F.
730-09.02	SPAN WIRE ASSEMBLY(____LBS.MIN.BRK STRENGTH) (20,550 LBS.MIN.BRK STRENGTH)	268.000	L.F.
730-10.01	TETHER WIRE ASSEMBLY - 1/4" DIAMETER	748.000	L.F.
730-12.01	CONDUIT 1" DIAMETER (PVC)	789.000	L.F.
730-12.02	CONDUIT 2" DIAMETER (PVC)	315.000	L.F.
730-13.01	VEHICLE LOOP DETECTOR (SHELF MOUNT)	16.000	EACH
730-14.01	SHIELDED DETECTOR CABLE	3,091.000	L.F.
730-14.02	SAW SLOT	3,216.000	L.F.
730-14.03	LOOP WIRE	8,238.000	L.F.
730-15.32	CABINET (EIGHT PHASE BASE MOUNTED)	2.000	EACH
730-16.02	EIGHT PHASE ACTUATED CONTROLLER	2.000	EACH
730-23.01	STEEL STRAIN POLE (SIGNAL SUPPORT)	3.000	EACH
730-23.02	STEEL STRAIN POLE (DESCRIPTION) (SIGNAL SUPPORT)	1.000	EACH
730-23.03	STEEL STRAIN POLE (DESCRIPTION) (SIGNAL SUPPORT)	1.000	EACH
730-23.04	STEEL STRAIN POLE (DESCRIPTION) (SIGNAL SUPPORT)	3.000	EACH
730-23.30	PEDESTAL POLE (DESCRIPTION) (PEDESTRIAN SIGNAL SUPPORT)	10.000	EACH
730-26.11	COUNTDOWN PED SGNL HEAD W/AUDIBLE PUSH BUTTON & 15IN SIGN	12.000	EACH
730-40	TEMPORARY TRAFFIC SIGNAL SYSTEM	2.000	EACH
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	417.000	S.Y.
801-01	SEEDING (WITH MULCH)	13.000	UNIT
801-02	SEEDING (WITHOUT MULCH)	12.000	UNIT
801-03	WATER (SEEDING & SODDING)	102.000	M.G.
803-01	SODDING (NEW SOD)	29,830.000	S.Y.

Contract ID CNQ135 - MCMINN

Item No.	Description	Quantity	Units
805-12.01	EROSION CONTROL BLANKET (TYPE I)	10,872.000	S.Y.
806-02.03	PROJECT MOWING	3.000	CYCL
920-08.22	TEMPORARY SHORING	2,340.000	S.F.
791-01.02	2IN STEEL GAS MAIN	980.000	L.F.
791-02.04	4IN MDPE GAS MAIN	1,840.000	L.F.
791-04.04	HDD 4IN PE PIPE - UNCONSOLIDATED	50.000	L.F.
791-04.20	HDD 2IN STEEL PIPE - UNCONSOLIDATED	200.000	L.F.
791-06.10	CONNECT TO 2IN EX. STL MAIN	2.000	EACH
791-06.12	CONNECT TO 6IN EX. STL MAIN	1.000	EACH
791-06.24	CONNECT TO 4IN EX. PE MAIN	1.000	EACH
791-06.31	CONNECT TO 2IN EX. STL MAIN W/ STOPPLE	2.000	EACH
791-07.02	4IN PE GAS VALVE ASSEMBLY	1.000	EACH
791-07.09	2IN STEEL GAS VALVE ASSEMBLY	1.000	EACH
791-08.02	3/4IN SERVICE ASSEMBLY	9.000	EACH
791-08.07	3/4IN PE SERVICE PIPE	320.000	L.F.
791-08.12	3/4IN STEEL SERVICE PIPE	10.000	L.F.
791-08.17	HDD 3/4IN PE SERVICE PIPE	700.000	L.F.
791-08.22	HDD 3/4IN STEEL SERVICE PIPE	200.000	L.F.
791-10.04	RETIRE IN PLACE 2IN SERV CUT & PLUG	2.000	EACH
793-01.12	POLE 40FT CLASS 4 WOOD	11.000	EACH
793-01.41	ANCHOR 1IN	2.000	EACH
793-13.07	4IN SCHEDULE 40 PVC	10,860.000	L.F.
793-13.32	6 DUCT FORMATION @ 36IN DEPTH	1,810.000	L.F.
793-14.03	MH PRECAST 6-FT W X 12-FT L X 7-FT H	3.000	EACH
793-16.01	MH(RETIRE/REMOVE/GRAVEL BACKFILL)	1.000	EACH
793-98.04	REMOVE POLES ALL SIZES	11.000	EACH
793-98.05	RETIRE BURIED FACILITIES IN PLACE	1,810.000	L.F.
793-98.08	REMOVE ANCHOR (ANY SIZE)	3.000	EACH
795-01.04	6IN DIP SLIP JOINT WATER LINE	250.000	L.F.
795-01.05	8IN DIP RESTRAINED JOINT WATER LINE	100.000	L.F.

Contract ID CNQ135 - MCMINN

Item No.	Description	Quantity	Units
795-01.06	8IN DIP SLIP JOINT WATER LINE	21.000	L.F.
795-01.09	12IN DIP RESTRAINED JOINT WATER LINE	120.000	L.F.
795-01.10	12IN DIP SLIP JOINT WATER LINE	5,475.000	L.F.
795-05.65	BORE/JACK 16IN STEEL CASING PIPE-UNCON.	50.000	L.F.
795-05.68	BORE/JACK 24IN STEEL CASING PIPE-UNCON.	108.000	L.F.
795-05.79	BORE/JACK 16IN STEEL CASING PIPE-ROCK.	50.000	L.F.
795-05.82	BORE/JACK 24IN STEEL CASING PIPE-ROCK.	107.000	L.F.
795-06.04	CONNECT TO 6IN WATER LINE	3.000	EACH
795-06.05	CONNECT TO 8IN WATER LINE	1.000	EACH
795-06.07	CONNECT TO 12IN WATER LINE	4.000	EACH
795-07.15	12IN X 12IN TAPPING SLEEVE AND VALVE	1.000	EACH
795-08.04	6IN GATE VALVE ASSEMBLY	12.000	EACH
795-08.05	8IN GATE VALVE ASSEMBLY	1.000	EACH
795-08.09	12IN GATE VALVE ASSEMBLY	6.000	EACH
795-09.01	3/4IN WATER SERVICE METER ASSEMBLY	25.000	EACH
795-09.02	1IN WATER SERVICE METER ASSEMBLY	5.000	EACH
795-09.04	2IN WATER SERVICE METER ASSEMBLY	1.000	EACH
795-09.09	RELOCATE/RECONNECT SERVICE ASSEMBLY	31.000	EACH
795-09.12	2IN COPPER SERVICE PIPE	15.000	L.F.
795-09.28	3/4IN COPPER SERVICE PIPE	375.000	L.F.
795-09.29	1IN COPPER SERVICE PIPE	75.000	L.F.
795-10.03	1IN AUTO AIR RELEASE VALVE ASSEMBLY	2.000	EACH
795-11.01	BLOW-OFF ASSEMBLY	1.000	EACH
795-11.02	FIRE HYDRANT ASSEMBLY	7.000	EACH
795-13.01	DI FITTINGS	7,375.000	LB.
795-14.05	CONCRETE ENCASEMENT	100.000	L.F.
795-14.08	RESTORE ASPHALT	1,487.000	S.Y.
795-21.02	RETIRE WATER VALVES AND HYDRANTS	(1)	LS
797-05.01	8IN DIP GRAVITY SEWER 0FT-6FT DEPTH	55.000	L.F.
797-05.02	8IN DIP GRAVITY SEWER 6FT-12FT DEPTH	214.000	L.F.

Contract ID CNQ135 - MCMINN

Item No.	Description	Quantity	Units
797-05.11	12IN DIP GRAVITY SEWER 12FT-18FT DEPTH	114.000	L.F.
797-05.12	12IN DIP GRAVITY SEWER >18FT DEPTH	59.000	L.F.
797-05.21	24IN DIP GRAVITY SEWER 0FT-6FT DEPTH	8.000	L.F.
797-05.22	24IN DIP GRAVITY SEWER 6FT-12FT DEPTH	43.000	L.F.
797-05.23	24IN DIP GRAVITY SEWER 12FT-18FT DEPTH	75.000	L.F.
797-05.24	24IN DIP GRAVITY SEWER >18FT DEPTH	106.000	L.F.
797-05.30	__IN DIP GRAVITY SEWER 6FT-12FT DEPTH (SEE PLANS)	20.000	L.F.
797-05.31	__IN DIP GRAVITY SEWER 12FT-18FT DEPTH (SEE PLANS)	20.000	L.F.
797-05.32	__IN DIP GRAVITY SEWER >18FT DEPTH (SEE PLANS)	175.000	L.F.
797-05.51	8IN PVC GRAVITY SEWER 0FT-6FT DEPTH	962.000	L.F.
797-05.52	8IN PVC GRAVITY SEWER 6FT-12FT DEPTH	470.000	L.F.
797-05.60	12IN PVC GRAVITY SEWER 6FT-12FT DEPTH	235.000	L.F.
797-05.61	12IN PVC GRAVITY SEWER 12FT-18FT DEPTH	16.000	L.F.
797-06.64	BORE/JACK 16IN STEEL CASING PIPE-UNCON.	53.000	L.F.
797-06.68	BORE/JACK 30IN STEEL CASING PIPE-UNCON.	84.000	L.F.
797-06.71	BORE/JACK __IN STEEL CASING PIPE-UNCON. (SEE PLANS)	105.000	L.F.
797-06.77	BORE/JACK 16IN STEEL CASING PIPE-ROCK.	53.000	L.F.
797-06.81	BORE/JACK 30IN STEEL CASING PIPE-ROCK.	84.000	L.F.
797-06.84	BORE/JACK __IN STEEL CASING PIPE-ROCK (SEE PLANS)	105.000	L.F.
797-07.01	48IN MANHOLE 0FT-4FT DEPTH	1.000	EACH
797-07.02	48IN MANHOLE 4FT-6FT DEPTH	6.000	EACH
797-07.03	48IN MANHOLE 6FT-8FT DEPTH	3.000	EACH
797-07.04	48IN MANHOLE 8FT-10FT DEPTH	1.000	EACH
797-07.05	48IN MANHOLE 10FT-12FT DEPTH	3.000	EACH
797-07.06	48IN MANHOLE 12FT-14FT DEPTH	3.000	EACH
797-07.09	48IN MANHOLE 20FT-24FT DEPTH	2.000	EACH
797-07.27	72IN MANHOLE 10FT-12FT DEPTH	2.000	EACH

Contract ID CNQ135 - MCMINN

Item No.	Description	Quantity	Units
797-07.28	72IN MANHOLE 12FT-14FT DEPTH	1.000	EACH
797-08.05	6IN PVC PIPE FOR SERVICE LATERAL	300.000	L.F.
797-08.08	6IN CLEAN OUT ASSEMBLY	15.000	EACH
797-08.20	CONNECT SERVICE LINES (ALL SIZES)	15.000	EACH
797-10.02	CONNECT 8IN SEWER TO EXIST. MANHOLE	1.000	EACH
797-10.09	CONNECT EX. 8IN SEWER TO NEW MANHOLE	5.000	EACH
797-10.10	CONNECT EX.10-18IN SEWER TO NEW MANHOLE	2.000	EACH
797-10.11	CONNECT EX. >18IN SEWER TO NEW MANHOLE	4.000	EACH
797-11.25	RETIREIN PLACE 48IN MANHOLE	8.000	EACH
797-11.38	BY-PASS PUMPING	(1)	LS
797-11.40	RESTORE ASPHALT	2,911.000	S.Y.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	32,996.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	115.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	278.000	TON
307-02.01	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING A	9,454.000	TON
307-02.02	ASPHALT CEMENT (PG70-22)(BPMB-HM) GRADING A-S	240.000	TON
307-02.03	AGGREGATE (BPMB-HM) GRADING A-S MIX	7,158.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	7,948.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	122.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	483.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	55.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	163.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	5,080.000	TON
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	19,582.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	115.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	278.000	TON

Contract ID CNQ135 - MCMINN

Item No.	Description	Quantity	Units
307-02.01	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING A	9,454.000	TON
307-02.02	ASPHALT CEMENT (PG70-22)(BPMB-HM) GRADING A-S	240.000	TON
307-02.03	AGGREGATE (BPMB-HM) GRADING A-S MIX	7,158.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	7,948.000	TON
309-01.01	MINERAL AGGREGATE (A-CBC)	14,809.000	TON
309-01.02	PORTLAND CEMENT (A-CBC)	572.000	TON
309-02	BITUMINOUS MATERIAL (A-CBC)	48.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	122.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	483.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	71.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	163.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	5,080.000	TON
202-02.01	REMOVAL OF PIPE (SIZE ,STA.) (18", STA. 73+50)	40.000	L.F.
202-02.02	REMOVAL OF PIPE (SIZE ,STA.) (18", STA. 74+80)	45.000	L.F.
202-02.03	REMOVAL OF PIPE (SIZE ,STA.) (15", STA. 78+00)	70.000	L.F.
202-02.04	REMOVAL OF PIPE (SIZE ,STA.) (18", STA. 78+40)	45.000	L.F.
202-02.05	REMOVAL OF PIPE (SIZE ,STA.) (18", STA. 78+40)	45.000	L.F.
202-02.06	REMOVAL OF PIPE (SIZE ,STA.) (15", STA. 82+50)	60.000	L.F.
202-02.07	REMOVAL OF PIPE (SIZE ,STA.) (15", STA. 82+50)	250.000	L.F.
202-02.08	REMOVAL OF PIPE (SIZE ,STA.) (15", STA. 89+45)	95.000	L.F.
202-02.09	REMOVAL OF PIPE (SIZE ,STA.) (18", STA. 89+55)	30.000	L.F.
202-02.10	REMOVAL OF PIPE (SIZE ,STA.) (15", STA. 100+00)	140.000	L.F.
202-02.11	REMOVAL OF PIPE (SIZE ,STA.) (36", STA. 101+40)	180.000	L.F.
202-02.12	REMOVAL OF PIPE (SIZE ,STA.) (18", STA. 101+00)	80.000	L.F.
202-02.13	REMOVAL OF PIPE (SIZE ,STA.) (18", STA. 101+75)	60.000	L.F.
202-02.14	REMOVAL OF PIPE (SIZE ,STA.) (15", STA. 102+10)	20.000	L.F.
202-02.15	REMOVAL OF PIPE (SIZE ,STA.) (18", STA. 104+15)	50.000	L.F.
202-02.16	REMOVAL OF BUILDINGS (TRACT NO.) (18", STA. 105+20)	(1)	LS

Contract ID CNQ135 - MCMINN

Item No.	Description	Quantity	Units
202-02.17	REMOVAL OF PIPE (SIZE ,STA.) (15", STA. 109+60)	45.000	L.F.
202-02.18	REMOVAL OF PIPE (SIZE ,STA.) (18", STA. 109+60)	45.000	L.F.
202-02.19	REMOVAL OF PIPE (SIZE ,STA.) (15", STA. 110+50)	70.000	L.F.
202-02.20	REMOVAL OF PIPE (SIZE ,STA.) (18", STA. 116+40)	40.000	L.F.
202-02.21	REMOVAL OF PIPE (DESCRIPTION) (18", STA. 119+90)	65.000	L.F.

Contract ID CNQ244 - MCMINN

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	404.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	800.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	33.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	4,558.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	6.000	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	62,515.000	S.Y.
701-02.01	CONCRETE CURB RAMP (RETROFIT)	1,000.000	S.F.
705-02.02	SINGLE GUARDRAIL (TYPE 2)	750.000	L.F.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	11.000	EACH
705-04.02	GUARDRAIL TERMINAL (TYPE 12)	1.000	EACH
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	12.000	EACH
705-04.21	GUARDRAIL DELINEATION ENHANCEMENT	6,725.000	L.F.
706-01	GUARDRAIL REMOVED	550.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.02	FLEXIBLE DRUMS (CHANNELIZATION)	26.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	26.000	EACH
712-06	SIGNS (CONSTRUCTION)	923.000	S.F.
713-02.22	BARRIER WALL DELINEATION ENHANCEMENT	400.000	L.F.
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	1.000	EACH
713-16.20	SIGNS (DESCRIPTION) (SEE PLANS)	1.000	EACH
713-16.21	SIGNS (DESCRIPTION) (SEE PLANS)	1.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	178.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	22.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	85.000	L.F.
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	380.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	95.000	L.F.

Contract ID CNQ244 - MCMINN

Item No.	Description	Quantity	Units
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	8.000	EACH
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	660.000	L.F.
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	1.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	8.700	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	8.600	L.M.
716-13.05	SPRAY THERMO PVMT MRKNG (60 mil) (6IN DOTTED LINE)	1,162.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	1,500.000	L.F.
730-14.03	LOOP WIRE	3,600.000	L.F.

Contract ID CNQ248 - MEIGS

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	20.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	15.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	2,057.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	302.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	165.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	5.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	50.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	163.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	2.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	13.000	L.M.
716-05.02	PAINTED PAVEMENT MARKING (8" BARRIER LINE)	96.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ247 - MONROE

Item No.	Description	Quantity	Units
201-01	CLEARING AND GRUBBING	(1)	LS
202-03.01	REMOVAL OF ASPHALT PAVEMENT	14,209.000	S.Y.
208-01	SHOULDERS AND DITCHES	26.000	L.M.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	500.000	L.F.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	1,356.000	TON
307-03.09	ASPHALT CONCRETE MIX (PG76-22) (BPMB-HM) GRADING C	17,407.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	164.000	TON
403-05.01	BITUMINOUS MATERIAL (FOG SEAL) SHOULDER	20.000	TON
411-03.23	ACS MIX (PG76-22) OGFC	14,753.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	26.000	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	15,265.000	TON
502-08.01	RESEALING JOINTS (HOT POURED ELASTIC)	19,674.000	L.F.
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	5.000	EACH
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	5.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	236.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	118.000	EACH
712-06	SIGNS (CONSTRUCTION)	4,782.000	S.F.
712-06.16	SIGNS (CONSTRUCTION)(REDUCED SPEED WARNING)	10.000	EACH
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
712-08.10	MOBILE MESSAGE SIGN UNIT W/ATTENUATOR	300.000	HOUR
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
716-01.23	Snwplwble Pvmt Mrkrs (Bi-Dir)(2 Color)	856.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	856.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	32.000	L.F.
716-02.07	PLASTIC PAVEMENT MARKING (24" BARRIER LINE)	1,860.000	L.F.

Contract ID CNQ247 - MONROE

Item No.	Description	Quantity	Units
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	26.000	L.M.
716-05.02	PAINTED PAVEMENT MARKING (8" BARRIER LINE)	6,614.000	L.F.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	26.000	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	6,614.000	L.F.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	830.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ157 - MONROE

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	38.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	5,748.000	TON
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	5,688.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	370.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	185.000	EACH
712-06	SIGNS (CONSTRUCTION)	531.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	44.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	216.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	11.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	9.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	9.000	L.M.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	3,000.000	L.F.
730-14.03	LOOP WIRE	6,000.000	L.F.

Contract ID CNQ191 - MONTGOMERY

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	17.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	500.000	TON
307-03.08	ASPHALT CONCRETE MIX (PG76-22) (BPMB-HM) GRADING B-M2	542.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	62.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	9,937.000	TON
411-03.10	ACS MIX(PG76-22) GRADING D	509.000	TON
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	9,587.000	TON
611-09.01	ADJUSTMENT OF EXISTING CATCHBASIN	16.000	EACH
701-02	CONCRETE DRIVEWAY	672.000	S.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	250.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,248.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
716-01.21	Snowplwble Pvmt Mrks (Bi-Dir)(1 Color)	494.000	EACH
716-01.22	Snowplwble Pvmt Mrks (Mono-Dir)(1 Color)	548.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	30.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	120.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	45.000	EACH
716-02.11	PLASTIC PAVEMENT MARKING (6" DOTTED LINE)	250.000	L.F.
716-02.23	PLASTIC PAVEMENT MARKING (12IN BARRIER LINE)	100.000	L.F.
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	1.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	26.400	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	18.900	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	7.500	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ191 - MONTGOMERY

Item No.	Description	Quantity	Units
730-14.02	SAW SLOT	4,200.000	L.F.
730-14.03	LOOP WIRE	9,000.000	L.F.

Contract ID CNQ047 - MORGAN

Item No.	Description	Quantity	Units
201-07.01	REMOVAL AND DISPOSAL OF BRUSH & TREES	(1)	LS
202-01.02	REMOVAL OF ASBESTOS	(1)	LS
209-03.22	FILTER SOCK (18 INCH)	242.000	L.F.
209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	968.000	L.F.
209-08.08	ENHANCED ROCK CHECK DAM	1.000	EACH
209-09.01	SANDBAGS	2,160.000	BAG
209-09.04	SEDIMENT FILTER BAG(15' X 10')	1.000	EACH
303-10.01	MINERAL AGGREGATE (SIZE 57)	145.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	425.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	490.000	TON
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	4,308.000	S.Y.
602-10.60	BEARING DEVICE (DESCRIPTION) (ELASTOMERIC)	12.000	EACH
604-02.03	EPOXY COATED REINFORCING STEEL	725.000	LB.
604-03.01	CLASS A CONCRETE (BRIDGES)	234.000	C.Y.
604-03.02	STEEL BAR REINFORCEMENT (BRIDGES)	13,875.000	LB.
604-04.02	APPLIED TEXTURE FINISH (EXISTING STRUCTURES)	4,145.000	S.Y.
604-10.05	CONCRETE	39.000	S.F.
604-10.14	REMOVE EXISTING WEARING SURFACE	(1)	LS
604-10.24	JACKING CONCRETE SPANS	(1)	LS
604-10.42	CONCRETE REPAIRS	8.000	C.F.
604-10.46	EXPANSION JOINT REPAIRS (TYPE G)	173.000	L.F.
604-10.50	BRIDGE DECK REPAIRS (PARTIAL DEPTH OF SLAB)	300.000	S.Y.
604-10.54	CONCRETE REPAIRS	39.000	S.F.
604-10.58	EPOXY INJECTION (INJECTION)	10.000	GAL.
604-10.62	EPOXY INJECTION REPAIR (COMPLETE AND IN PLACE)	96.000	L.F.
617-01	BRIDGE DECK SEALANT	2,036.000	S.Y.

Contract ID CNQ047 - MORGAN

Item No.	Description	Quantity	Units
620-09	REMOVAL & REPLACEMENT OF EXISTING BRIDGE RAIL	954.000	L.F.
621-03.03	24" TEMPORARY DRAINAGE PIPE	390.000	L.F.
705-04.50	PORTABLE BARRIER RAIL DELINEATOR	24.000	EACH
705-08.51	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	2.000	EACH
705-10.30	GUARDRAIL ATTACHMENT TO SLOPE FACE ENDPOST	103.000	L.F.
706-01	GUARDRAIL REMOVED	103.000	L.F.
707-07.01	CHAIN-LINK FENCE (BRIDGES)	1,172.000	S.F.
707-08.11	HIGH-VISIBILITY CONSTRUCTION FENCE	489.000	L.F.
709-01.01	RUBBLE STONE RIP-RAP	8.000	C.Y.
709-05.05	MACHINED RIP-RAP (CLASS A-3)	168.000	TON
709-05.06	MACHINED RIP-RAP (CLASS A-1)	745.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	600.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	17.000	EACH
712-06	SIGNS (CONSTRUCTION)	416.000	S.F.
712-09.02	REMOVABLE PAVEMENT MARKING (8" BARRIER LINE)	7,315.000	L.F.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	1.000	L.M.
717-01	MOBILIZATION	(1)	LS
730-40	TEMPORARY TRAFFIC SIGNAL SYSTEM	1.000	EACH
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	1,458.000	S.Y.
801-01.02	CROWN VETCH MIXTURE (WITH MULCH)	3.000	UNIT
801-02	SEEDING (WITHOUT MULCH)	18.000	UNIT

Contract ID CNQ224 - OBION

Item No.	Description	Quantity	Units
712-01	TRAFFIC CONTROL	(1)	LS
713-02.21	SIGN POST DELINEATION ENHANCEMENT	40.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	5,160.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	5,723.000	LB.
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	354.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	1,602.000	S.F.
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	79.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	320.000	L.F.
716-13.06	SPRAY THERMO PVMT MRKNG (40 mil) (4IN LINE)	104.500	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ245 - OVERTON & PUTNAM

Item No.	Description	Quantity	Units
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	33.150	L.M.
604-01.02	STEEL BAR REINFORCEMENT (ROADWAY)	23.000	LB.
604-04.20	PAINTING CONCRETE SURFACES	50.000	S.F.
702-01.01	EXTRUDED MOUNTABLE CURB	50.000	L.F.
705-04.21	GUARDRAIL DELINEATION ENHANCEMENT	5,650.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
713-02.14	FLEXIBLE DELINEATOR (WHITE)	1.000	EACH
713-02.20	ROADSIDE OBSTACLE DELINEATION	228.000	S.F.
713-02.21	SIGN POST DELINEATION ENHANCEMENT	1,254.000	L.F.
713-02.22	BARRIER WALL DELINEATION ENHANCEMENT	1,050.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	1,561.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	6,638.000	LB.
713-11.21	P POST SLIP BASE	15.000	EACH
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	898.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	1,262.000	S.F.
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	187.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	1,293.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	1,160.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	2.000	EACH
716-02.08	PLASTIC PAVEMENT MARKING (8" DOTTED LINE)	250.000	L.F.
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	1.000	EACH
716-03.07	PLASTIC WORD PAVEMENT MARKING (STOP)	1.000	EACH
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	9.000	EACH
716-04.04	PLASTIC PAVEMENT MARKING (TRANSVERSE SHOULDER)	84.000	L.F.
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	1.000	EACH
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	7.000	S.F.

Contract ID CNQ245 - OVERTON & PUTNAM

Item No.	Description	Quantity	Units
716-04.16	PLASTIC PAVEMENT MARKING (NOISE STRIP)	132.000	L.F.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	35.180	L.M.
716-13.04	SPRAY THERMO PVMT MRKNG (60 mil) (4IN DOTTED LINE)	575.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-02.27	SIGNAL HEAD ASSEMBLY (440)	2.000	EACH
730-02.41	SIGNAL HEAD MODIFICATION (DESCRIPTION) (BACKPLATE W/ REFLECTIVE BORDER)	9.000	EACH

Contract ID CNQ204 - PUTNAM

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	40.000	TON
403-02.01	TRACKLESS TACK COAT	62.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	9,674.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	7.000	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	110,753.000	S.Y.
611-01.20	ADJUSTMENT OF EXISTING MANHOLE	6.000	EACH
611-03.04	GRAY IRON CASTINGS (CATCHBASIN)	459.000	LB.
705-01.01	GUARDRAIL AT BRIDGE ENDS	27.000	L.F.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	1.000	EACH
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	2.000	EACH
706-01	GUARDRAIL REMOVED	127.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.02	FLEXIBLE DRUMS (CHANNELIZATION)	10.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	10.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,337.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	4.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	737.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	40.000	EACH
716-01.23	Snwplwble Pvmt Mrkrs (Bi-Dir)(2 Color)	58.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	199.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	628.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	19.000	EACH
716-02.08	PLASTIC PAVEMENT MARKING (8" DOTTED LINE)	100.000	L.F.
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	2.000	EACH
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	60.000	S.F.

Contract ID CNQ204 - PUTNAM

Item No.	Description	Quantity	Units
716-04.14	PLASTIC PAVEMENT MARKING (LANE REDUCTION ARROW)	6.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	40.700	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	25.200	L.M.
716-13.03	SPRAY THERMO PVMT MRKNG (60 mil) (8IN BARRIER LINE)	296.000	L.F.
716-13.05	SPRAY THERMO PVMT MRKNG (60 mil) (6IN DOTTED LINE)	342.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	2,530.000	L.F.
730-14.03	LOOP WIRE	12,650.000	L.F.

Contract ID CNQ205 - RHEA

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	2,069.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	62.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	2,455.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	7,343.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	5.000	L.M.
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	4.000	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	101,394.000	S.Y.
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	1.000	EACH
706-01	GUARDRAIL REMOVED	50.000	L.F.
706-05	GUARDRAIL ADJUSTMENT	2,650.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.02	FLEXIBLE DRUMS (CHANNELIZATION)	156.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	6.000	EACH
712-05.03	WARNING LIGHTS (TYPE C)	50.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,532.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
713-02.14	FLEXIBLE DELINEATOR (WHITE)	100.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
716-01.23	Snwplwble Pvmt Mrks (Bi-Dir)(2 Color)	450.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	210.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	16.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	16.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	16.000	L.M.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	1,000.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ179 - ROBERTSON

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	1,399.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	500.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	34.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	5,200.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	7.500	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	5,150.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	25.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	659.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	310.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	80.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	18.500	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	6.500	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	9.400	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ198 - RUTHERFORD

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	26.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	3,743.000	TON
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	0.100	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	3,704.000	TON
611-01.20	ADJUSTMENT OF EXISTING MANHOLE	1.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	200.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,679.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	357.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	267.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	37.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	310.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	18.000	EACH
716-02.12	PLASTIC PAVEMENT MARKING (8IN LINE)	0.100	L.M.
716-04.03	PLASTIC PAVEMENT MARKING (4" DOTTED LINE)	154.000	L.F.
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	80.000	S.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	6.700	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	6.700	L.M.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	700.000	L.F.
730-14.03	LOOP WIRE	1,550.000	L.F.
604-10.44	EXPANSION JOINT REPAIRS	156.000	L.F.
604-10.50	BRIDGE DECK REPAIRS (PARTIAL DEPTH OF SLAB)	5.000	S.Y.
617-04.01	TYPE 1 THIN EPOXY OVERLAY (EPOXY-URETHANE)	1,538.000	S.Y.

Contract ID CNQ222 - RUTHERFORD

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	1,217.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	200.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	32.000	TON
411-03.13	ACS MIX(PG70-22) THIN LIFT D ASPHALT	3,262.000	TON
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	0.500	L.M.
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	7.000	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	3,023.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	50.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	2.000	EACH
712-06	SIGNS (CONSTRUCTION)	712.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	380.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	15.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	395.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	334.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	66.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	5.000	EACH
716-02.07	PLASTIC PAVEMENT MARKING (24" BARRIER LINE)	228.000	L.F.
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	2.000	EACH
716-04.03	PLASTIC PAVEMENT MARKING (4" DOTTED LINE)	350.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	17.500	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	8.700	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	250.000	L.F.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	8.800	L.M.

Contract ID CNQ222 - RUTHERFORD

Item No.	Description	Quantity	Units
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	225.000	L.F.
730-14.03	LOOP WIRE	600.000	L.F.

Contract ID CNQ231 - SCOTT

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
201-01	CLEARING AND GRUBBING	(1)	LS
203-30.01	ROADWAY APPROACHES	(1)	LS
209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	1,663.000	L.F.
209-08.07	ROCK CHECK DAM PER	2.000	EACH
209-08.08	ENHANCED ROCK CHECK DAM	1.000	EACH
209-09.04	SEDIMENT FILTER BAG(15' X 10')	2.000	EACH
209-40.33	CATCH BASIN PROTECTION (TYPE D)	28.000	EACH
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	295.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	10.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	21.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	0.640	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	3.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	506.000	TON
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	6,987.000	S.Y.
610-07.03	18" PIPE DRAIN (BRIDGE DRAIN)	40.000	L.F.
611-09.02	REWORK CATCHBASIN	4.000	EACH
701-01.01	CONCRETE SIDEWALK (4 ")	8,095.000	S.F.
701-02	CONCRETE DRIVEWAY	1,275.000	S.F.
701-02.03	CONCRETE CURB RAMP	384.000	S.F.
702-03	CONCRETE COMBINED CURB & GUTTER	12.000	C.Y.
705-01.01	GUARDRAIL AT BRIDGE ENDS	108.000	L.F.
705-02.02	SINGLE GUARDRAIL (TYPE 2)	217.000	L.F.
705-04.03	GUARDRAIL TERMINAL (TYPE 13)	3.000	EACH
705-04.05	GUARDRAIL TERMINAL (TYPE-IN-LINE)	3.000	EACH
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	1.000	EACH
705-08.51	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	4.000	EACH
707-08.11	HIGH-VISIBILITY CONSTRUCTION FENCE	1,390.000	L.F.

Contract ID CNQ231 - SCOTT

Item No.	Description	Quantity	Units
708-02.01	MARKERS (CONCRETE R.O.W. POSTS)	2.000	EACH
709-05.05	MACHINED RIP-RAP (CLASS A-3)	100.000	TON
709-05.08	MACHINED RIP-RAP (CLASS B)	121.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	230.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	50.000	EACH
712-04.50	PORTABLE BARRIER RAIL DELINEATOR	10.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	10.000	EACH
712-06	SIGNS (CONSTRUCTION)	416.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
713-16.20	SIGNS (DESCRIPTION) (R1-1)	2.000	EACH
713-16.21	SIGNS (DESCRIPTION) (W3-1)	2.000	EACH
716-01.05	TEMPORARY RAISED PAVEMENT MARKER	82.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	27.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	27.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	110.000	L.F.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	25.000	L.F.
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	1.300	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	1.100	L.M.
717-01	MOBILIZATION	(1)	LS
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	364.000	S.Y.
740-11.02	TEMPORARY SEDIMENT TUBE 12IN (DESCRIPTION) (DESCRIPTION)	3,326.000	L.F.
801-01.07	TEMPORARY SEEDING (WITH MULCH)	9.000	UNIT
202-04.01	REMOVAL OF STRUCTURES (DESCRIPTION, STA.) (BRIDGE NO. 76-SR063-1.96)	(1)	LS
204-02.01	DRY EXCAVATION (BRIDGES)	174.000	C.Y.
204-03.01	WET EXCAVATION (BRIDGES) (BRIDGES)	89.000	C.Y.
204-04.01	ROCK EXCAVATION (BRIDGES)	18.000	C.Y.
204-05	ROCK DRILLING (BRIDGES)	24.000	L.F.

Contract ID CNQ231 - SCOTT

Item No.	Description	Quantity	Units
204-10.01	FOUNDATION PREPARATION(PR NO. ,STA) (ABUT. NO. 1, STA. 136+08.92)	(1)	LS
204-10.02	FOUNDATION PREPARATION(PR NO. ,STA) (ABUT. NO. 2, STA. 136+66.42)	(1)	LS
303-01.02	GRANULAR BACKFILL (BRIDGES)	163.000	TON
604-02.03	EPOXY COATED REINFORCING STEEL	14,155.000	LB.
604-03.01	CLASS A CONCRETE (BRIDGES)	151.000	C.Y.
604-03.02	STEEL BAR REINFORCEMENT (BRIDGES)	14,474.000	LB.
604-03.04	PAVEMENT @ BRIDGE ENDS	56.000	S.Y.
604-03.09	CLASS D CONCRETE (BRIDGE DECK)	49.000	C.Y.
604-04.01	APPLIED TEXTURE FINISH (NEW STRUCTURES)	328.000	S.Y.
615-01.02	PRESTRESSED CONCRETE I-BEAM (TYPE II)	102.000	L.F.
620-05	CONCRETE PARAPET WITH STRUCTURAL TUBING	208.000	L.F.
710-09.01	6" PERFORATED PIPE WITH VERTICAL DRAIN SYSTEM	108.000	L.F.
710-09.02	6" PIPE UNDERDRAIN	60.000	L.F.

Contract ID CNQ206 - SEQUATCHIE

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	40.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	541.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	53.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	7,617.000	TON
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	2.700	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	105,688.000	S.Y.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	2.000	EACH
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	2.000	EACH
706-01	GUARDRAIL REMOVED	100.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.02	FLEXIBLE DRUMS (CHANNELIZATION)	104.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-05.03	WARNING LIGHTS (TYPE C)	22.000	EACH
712-06	SIGNS (CONSTRUCTION)	648.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
713-16.20	SIGNS (DESCRIPTION) (R3-7R)	2.000	EACH
713-16.21	SIGNS (DESCRIPTION) (R3-17)	41.000	EACH
713-16.22	SIGNS (DESCRIPTION) (R3-17aP)	2.000	EACH
713-16.23	SIGNS (DESCRIPTION) (R3-17bP)	2.000	EACH
713-16.24	SIGNS (DESCRIPTION) (R4-4)	2.000	EACH
713-16.25	SIGNS (DESCRIPTION) (R4-11)	1.000	EACH
713-16.26	SIGNS (DESCRIPTION) (W11-1)	2.000	EACH
713-16.27	SIGNS (DESCRIPTION) (W16-1P)	2.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	620.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	778.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	140.000	L.F.

Contract ID CNQ206 - SEQUATCHIE

Item No.	Description	Quantity	Units
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	15.000	EACH
716-02.07	PLASTIC PAVEMENT MARKING (24" BARRIER LINE)	180.000	L.F.
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	130.000	L.F.
716-03.04	PLASTIC WORD PAVEMENT MARKING (SCHOOL)	2.000	EACH
716-03.09	PLASTIC WORD PAVEMENT MARKING () (YIELD)	1.000	EACH
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	2.000	EACH
716-04.13	PLASTIC PAVEMENT MARKING (BIKELANE SYMBOL & ARROW)	42.000	EACH
716-04.15	PLASTIC PAVEMENT MARKING-BIKE SYMBOL/ARROW SHARED	5.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	24.700	L.M.
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	6.300	L.M.
716-05.21	PAINTED PAVEMENT MARKING(4"DOTTED LINE)	209.000	L.F.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	12.700	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	187.000	L.F.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	264.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ238 - SHELBY

Item No.	Description	Quantity	Units
602-10.51	STRUCTURAL STEEL REPAIR(DESCRIPTION)	16.000	EACH
604-02.03	EPOXY COATED REINFORCING STEEL	6,750.000	LB.
604-03.01	CLASS A CONCRETE (BRIDGES)	58.000	C.Y.
604-10.42	CONCRETE REPAIRS	57.000	C.F.
604-12.15	DRILL & GROUT STEEL BARS	1,330.000	EACH
705-08.51	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	1.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	890.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	65.000	EACH
712-04.50	PORTABLE BARRIER RAIL DELINEATOR	37.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,012.250	S.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	24.000	L.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
712-09.01	REMOVABLE PAVEMENT MARKING LINE	9,741.000	L.F.
716-01.05	TEMPORARY RAISED PAVEMENT MARKER	53.000	EACH
718-01.18	NOISE BARRIER (DESCRIPTION)	2,500.000	S.F.

Contract ID CNQ243 - SULLIVAN

Item No.	Description	Quantity	Units
201-01	CLEARING AND GRUBBING	(1)	LS
202-03.01	REMOVAL OF ASPHALT PAVEMENT	5,970.000	S.Y.
208-01	SHOULDERS AND DITCHES	5.800	L.M.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	500.000	L.F.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	230.000	TON
307-03.09	ASPHALT CONCRETE MIX (PG76-22) (BPMB-HM) GRADING C	8,047.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	60.000	TON
403-05	BITUMINOUS MATERIAL(TC/FOG SEAL)(UNDILUTED)	8.000	TON
411-03.23	ACS MIX (PG76-22) OGFC	5,118.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	5.800	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	5,998.000	TON
502-08.01	RESEALING JOINTS (HOT POURED ELASTIC)	9,074.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	242.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	121.000	EACH
712-06	SIGNS (CONSTRUCTION)	2,291.000	S.F.
712-06.16	SIGNS (CONSTRUCTION)(REDUCED SPEED WARNING)	10.000	EACH
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
712-08.10	MOBILE MESSAGE SIGN UNIT W/ATTENUATOR	300.000	HOUR
713-02.04	DELINEATOR (MILE MARKER) & STEEL POST	2.000	EACH
713-02.14	FLEXIBLE DELINEATOR (WHITE)	100.000	EACH
713-02.15	FLEXIBLE DELINEATOR (YELLOW)	70.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
716-01.23	Snowplowable Pvmnt Mrkrs (Bi-Dir)(2 Color)	617.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	617.000	EACH
716-02.07	PLASTIC PAVEMENT MARKING (24" BARRIER LINE)	840.000	L.F.

Contract ID CNQ243 - SULLIVAN

Item No.	Description	Quantity	Units
716-04.14	PLASTIC PAVEMENT MARKING (LANE REDUCTION ARROW)	4.000	EACH
716-05.02	PAINTED PAVEMENT MARKING (8" BARRIER LINE)	5,272.000	L.F.
716-05.49	PAINTED PAVEMENT MARKINGS(8" LINE)	13.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	13.000	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	5,272.000	L.F.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	654.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ158 - SULLIVAN

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	53.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	8,119.000	TON
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	8,034.000	TON
701-02.01	CONCRETE CURB RAMP (RETROFIT)	2,300.000	S.F.
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	1.000	EACH
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	1.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	330.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	165.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,228.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
716-01.22	Snwplwble Pvmt Mrks (Mono-Dir)(1 Color)	407.000	EACH
716-01.23	Snwplwble Pvmt Mrks (Bi-Dir)(2 Color)	219.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	410.000	L.F.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	450.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	51.000	EACH
716-02.08	PLASTIC PAVEMENT MARKING (8" DOTTED LINE)	1,850.000	L.F.
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	420.000	L.F.
716-02.11	PLASTIC PAVEMENT MARKING (6" DOTTED LINE)	4,300.000	L.F.
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	18.000	EACH
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	6.000	EACH
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	2.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	15.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	15.000	L.M.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	11,500.000	L.F.

Contract ID CNQ158 - SULLIVAN

Item No.	Description	Quantity	Units
730-14.03	LOOP WIRE	23,000.000	L.F.
604-10.50	BRIDGE DECK REPAIRS (PARTIAL DEPTH OF SLAB)	5.000	S.Y.
604-10.53	CONCRETE REPAIRS	5.000	S.Y.
617-04.02	TYPE 2 THIN EPOXY OVERLAY (LOW-MOD EPOXY)	2,894.000	S.Y.

Contract ID CNQ182 - SUMNER

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	580.000	TON
307-01.15	ASC MIX (PG64-22) (BPMLC-HM) GRADING CS	250.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	37.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	7,965.000	TON
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	11.200	L.M.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	25.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	891.000	S.F.
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	464.000	EACH
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	13.800	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	14.100	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ251 - UNICOI

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
203-05	UNDERCUTTING	5,098.000	C.Y.
209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	500.000	L.F.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	1,500.000	L.F.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	6,919.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	1,564.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	1,875.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	20.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	7.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	1,025.000	TON
621-03.02	18" TEMPORARY DRAINAGE PIPE	100.000	L.F.
706-01	GUARDRAIL REMOVED	300.000	L.F.
707-08.11	HIGH-VISIBILITY CONSTRUCTION FENCE	500.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	100.000	EACH
712-05.03	WARNING LIGHTS (TYPE C)	50.000	EACH
712-06	SIGNS (CONSTRUCTION)	340.000	S.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	48.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	177.000	LB.
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	85.000	S.F.
713-15.02	REMOVAL & RELOCATION OF SIGN & SUPPORT	12.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	24.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	3.000	L.M.
716-05.05	PAINTED PAVEMENT MARKING (STOP LINE)	80.000	L.F.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	3.000	L.M.
717-01	MOBILIZATION	(1)	LS
730-40.01	PORTABLE TRAFFIC SIGNAL SYSTEM	2.000	EACH

Contract ID CNQ251 - UNICOI

Item No.	Description	Quantity	Units
801-01.07	TEMPORARY SEEDING (WITH MULCH)	340.000	UNIT
801-03	WATER (SEEDING & SODDING)	3.000	M.G.
803-01	SODDING (NEW SOD)	3,778.000	S.Y.
204-01	CULVERT EXCAVATION (UNCLASSIFIED)	4.000	C.Y.
204-08	FOUNDATION FILL MATERIAL	3.000	C.Y.
303-01.02	GRANULAR BACKFILL (BRIDGES)	119.000	TON
604-02.01	CLASS A CONCRETE (BOX BRIDGES)	11.000	C.Y.
604-02.02	STEEL BAR REINFORCEMENT (BOX BRIDGES)	2,002.000	LB.

Contract ID CNQ177 - WILLIAMSON

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	450.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	750.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	26.000	TON
403-05.01	BITUMINOUS MATERIAL (FOG SEAL) SHOULDER	12.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	3,852.000	TON
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	5.000	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	3,816.000	TON
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	18.000	EACH
706-01	GUARDRAIL REMOVED	450.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	25.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	594.000	S.F.
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	480.000	EACH
716-01.22	Snwplwble Pvmt Mrks (Mono-Dir)(1 Color)	211.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	280.000	S.Y.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	29.000	EACH
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	10.000	EACH
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	12.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	14.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	13.000	L.M.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	4,913.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	3,200.000	L.F.
730-14.03	LOOP WIRE	6,800.000	L.F.

Contract ID CNQ177 - WILLIAMSON

Contract ID CNQ165 - WILLIAMSON

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	700.000	TON
307-01.07	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M	500.000	TON
307-02.01	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING A	200.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	57.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	8,654.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	4.100	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	8,591.000	TON
701-02.01	CONCRETE CURB RAMP (RETROFIT)	1,068.000	S.F.
705-02.02	SINGLE GUARDRAIL (TYPE 2)	250.000	L.F.
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	8.000	EACH
706-01	GUARDRAIL REMOVED	400.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	50.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	8.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,216.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	1,100.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	70.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	415.000	L.F.
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	300.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	789.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	73.000	EACH
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	900.000	L.F.
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	2.000	EACH
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	15.000	EACH

Contract ID CNQ165 - WILLIAMSON

Item No.	Description	Quantity	Units
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	15.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	26.700	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVTM MRKNG (6IN LINE)	16.700	L.M.
716-12.05	ENHANCED FLATLINE THERMO PVTM MRKNG (6IN DOTTED LINE)	1,780.000	L.F.
716-13.02	SPRAY THERMO PVTM MRKNG (60 mil) (6IN LINE)	10.000	L.M.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	8,800.000	L.F.
730-14.03	LOOP WIRE	19,250.000	L.F.

Contract ID CNQ225 - WILLIAMSON

Item No.	Description	Quantity	Units
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	1,200.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	27.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	2,652.000	TON
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	2,458.000	TON
611-09.01	ADJUSTMENT OF EXISTING CATCHBASIN	12.000	EACH
701-02.01	CONCRETE CURB RAMP (RETROFIT)	356.000	S.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	25.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	904.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	292.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	27.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	80.000	L.F.
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	100.000	L.F.
716-04.03	PLASTIC PAVEMENT MARKING (4" DOTTED LINE)	400.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	12.700	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	12.700	L.M.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	2,720.000	L.F.
730-14.03	LOOP WIRE	5,820.000	L.F.

Contract ID CNQ221 - WILSON

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	326.000	TON
307-01.11	ASPHALT CEMENT (PG64-22) (BPMLC-HM) GRADING CS	250.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	24.000	TON
403-05.01	BITUMINOUS MATERIAL (FOG SEAL) SHOULDER	6.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	3,658.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	6.300	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	3,623.000	TON
705-08.51	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	4.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	900.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	50.000	EACH
712-04.50	PORTABLE BARRIER RAIL DELINEATOR	45.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	943.000	S.F.
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	260.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	6.100	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	7.100	L.M.
717-01	MOBILIZATION	(1)	LS
730-40.02	TEMPORARY TRAFFIC SIGNAL SYSTEM	(1)	LS
604-10.34	CONCRETE OVERLAYED BRIDGE DECK REPAIR (FULL DEPTH)	60.000	S.Y.
604-10.56	CONCRETE OVERLAYED BRIDGE DECK REPAIR (PARTIAL DEPTH)	10.000	S.Y.
617-04.02	TYPE 2 THIN EPOXY OVERLAY (LOW-MOD EPOXY)	1,705.000	S.Y.

Contract ID CNQ929 - GILES

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	350.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	44.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	5,035.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	1,665.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	7.500	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	6,636.000	TON
701-02.01	CONCRETE CURB RAMP (RETROFIT)	6,052.000	S.F.
705-01.01	GUARDRAIL AT BRIDGE ENDS	108.000	L.F.
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	14.000	EACH
706-01	GUARDRAIL REMOVED	500.000	L.F.
706-10.83	DRILL BR. PAR. WALL FOR MICHIGAN END SHOE	8.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	75.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	12.000	EACH
712-06	SIGNS (CONSTRUCTION)	2,244.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	386.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	21.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	147.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	1,359.000	L.F.
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	145.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	538.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	24.000	EACH
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	2.000	EACH
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	1.000	EACH
716-04.10	PLASTIC PAVEMENT MARKING (HANDICAP SYMBOL)	14.000	EACH

Contract ID CNQ929 - GILES

Item No.	Description	Quantity	Units
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	15.600	L.M.
716-05.08	PAINTED PAVEMENT MARKING (PARKING LINE)	6,450.000	L.F.
716-12.01	ENHANCED FLATLINE THERMO PVMT MRKNG (4IN LINE)	1.800	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	3.000	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	7.000	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	3.800	L.M.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	5,800.000	L.F.
730-14.03	LOOP WIRE	12,400.000	L.F.

Contract ID CNQ928 - HAMBLÉN & JEFFERSON

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
109-10.01	TRAINEE	1,180.000	HOUR
202-03	REMOVAL OF RIGID PAVEMENT, SIDEWALK, ETC.	5,100.000	S.Y.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	112,472.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	50.000	TON
307-02.01	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING A	15,751.000	TON
307-02.02	ASPHALT CEMENT (PG70-22)(BPMB-HM) GRADING A-S	329.000	TON
307-02.03	AGGREGATE (BPMB-HM) GRADING A-S MIX	12,141.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	10,172.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	329.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	656.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	83.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	1,360.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	30.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	12,361.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	7.000	L.M.
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	8.000	L.M.
621-03.02	18" TEMPORARY DRAINAGE PIPE	120.000	L.F.
705-02.02	SINGLE GUARDRAIL (TYPE 2)	7,265.000	L.F.
705-04.03	GUARDRAIL TERMINAL (TYPE 13)	7.000	EACH
705-04.07	TAN ENERGY ABSORBING TERM (NCHRP 350, TL3)	7.000	EACH
710-02	AGGREGATE UNDERDRAINS (WITH PIPE)	14,915.000	L.F.
710-05	LATERAL UNDERDRAIN	750.000	L.F.
710-06.11	LATERAL UNDERDRAIN ENDWALL (2:1)	12.000	EACH
710-06.12	LATERAL UNDERDRAIN ENDWALL (3:1)	12.000	EACH

Contract ID CNQ928 - HAMBLEN & JEFFERSON

Item No.	Description	Quantity	Units
710-06.13	LATERAL UNDERDRAIN ENDWALL (4:1)	12.000	EACH
710-06.15	LATERAL UNDERDRAIN ENDWALL (6:1)	12.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	38.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	38.000	EACH
712-05.03	WARNING LIGHTS (TYPE C)	36.000	EACH
712-06	SIGNS (CONSTRUCTION)	377.000	S.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	630.000	L.F.
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
713-02.15	FLEXIBLE DELINEATOR (YELLOW)	180.000	EACH
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	28.000	LB.
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	7.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	76.000	S.F.
713-14.22	STREET NAME SIGN (SUSPENDED 0.100IN THICK)	75.000	S.F.
713-15.07	SUSPENDED FLAT SHEET ALUMINUM SIGN (0.080" THICK)	2.000	EACH
713-16.04	CHANGEABLE MESSAGE SIGN UNIT (DESCRIPT)	4.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	468.000	EACH
716-01.23	Snwplwble Pvmt Mrkrs (Bi-Dir)(2 Color)	797.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	14.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	248.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	109.000	EACH
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	194.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	4.200	L.M.
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	0.200	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	27.100	L.M.
716-13.05	SPRAY THERMO PVMT MRKNG (60 mil) (6IN DOTTED LINE)	640.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNQ928 - HAMBLEN & JEFFERSON

Item No.	Description	Quantity	Units
730-02.09	SIGNAL HEAD ASSEMBLY (130 WITH BACKPLATE)	10.000	EACH
730-02.17	SIGNAL HEAD ASSEMBLY (150 A2H WITH BACKPLATE)	4.000	EACH
730-02.30	SIGNAL HEAD ASSEMBLY (DESCRIPTION) (130 A3 WITH BACKPLATE)	2.000	EACH
730-02.31	SIGNAL HEAD ASSEMBLY (DESCRIPTION) (130 AU3 WITH BACKPLATE)	2.000	EACH
730-03.20	INSTALL PULL BOX (TYPE A)	10.000	EACH
730-03.21	INSTALL PULL BOX (TYPE B)	8.000	EACH
730-03.23	INSTALL PULL BOX (FIBER OPTIC-TYPE A)	3.000	EACH
730-03.24	INSTALL PULL BOX (FIBER OPTIC-TYPE B)	2.000	EACH
730-05.01	ELECTRICAL SERVICE CONNECTION	2.000	EACH
730-08.02	SIGNAL CABLE - 5 CONDUCTOR	743.000	L.F.
730-08.04	SIGNAL CABLE - 9 CONDUCTOR	1,445.000	L.F.
730-08.40	INTERCONNECT CABLE - FIBER OPTIC (DESCRIPTION) (36 STRAND SM)	2,475.000	L.F.
730-08.41	INTERCONNECT CABLE - FIBER OPTIC (DESCRIPTION) (6 STRAND SM)	45.000	L.F.
730-09.01	SPAN WIRE ASSEMBLY(____LBS.MIN.BRK STRENGTH) (30,065 LBS. MIN. BRK STRENGTH)	1,079.000	L.F.
730-10.01	TETHER WIRE ASSEMBLY - 1/4" DIAMETER	868.000	L.F.
730-12.01	CONDUIT 1" DIAMETER (PVC)	1,872.000	L.F.
730-12.02	CONDUIT 2" DIAMETER (PVC)	2,636.000	L.F.
730-12.08	CONDUIT 2" DIAMETER (RGS)	113.000	L.F.
730-14.01	SHIELDED DETECTOR CABLE	4,784.000	L.F.
730-14.02	SAW SLOT	2,556.000	L.F.
730-14.03	LOOP WIRE	7,400.000	L.F.
730-15.32	CABINET (EIGHT PHASE BASE MOUNTED)	2.000	EACH
730-16.02	EIGHT PHASE ACTUATED CONTROLLER	2.000	EACH
730-18.01	MASTER CONTROLLER	1.000	EACH
730-23.02	STEEL STRAIN POLE (DESCRIPTION) (SIGNAL SUPPORT)	8.000	EACH

Contract ID CNQ927 - KNOX

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	1,102.000	C.Y.
203-05	UNDERCUTTING	952.000	C.Y.
203-06	WATER	1.000	M.G.
203-07	FURNISHING & SPREADING TOPSOIL	83.000	C.Y.
209-05	SEDIMENT REMOVAL	14.000	C.Y.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	254.000	L.F.
209-08.07	ROCK CHECK DAM PER	1.000	EACH
209-08.08	ENHANCED ROCK CHECK DAM	2.000	EACH
209-40.30	CATCH BASIN PROTECTION (TYPE A)	3.000	EACH
209-40.33	CATCH BASIN PROTECTION (TYPE D)	1.000	EACH
209-40.41	CATCH BASIN FILTER ASSEMBLY(TYPE 1)	1.000	EACH
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	465.000	TON
307-01.15	ASC MIX (PG64-22) (BPMLC-HM) GRADING CS	8.000	TON
313-03	TREATED PERMEABLE BASE	1,375.000	S.Y.
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	0.300	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	51.000	TON
411-03.10	ACS MIX(PG76-22) GRADING D	221.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	0.300	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	4,285.000	S.Y.
501-01.04	PORTLAND CEMENT CONCRETE PAVEMENT (PLAIN) 11"	1,375.000	S.Y.
502-03.13	CONCRETE PAVEMENT REMOVAL	1,375.000	S.Y.
611-42.02	CATCH BASINS, TYPE 42, > 4' - 8' DEPTH	1.000	EACH
705-08.51	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	1.000	EACH
709-05.05	MACHINED RIP-RAP (CLASS A-3)	50.000	TON
710-02	AGGREGATE UNDERDRAINS (WITH PIPE)	588.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS

Contract ID CNQ927 - KNOX

Item No.	Description	Quantity	Units
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	1,065.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	50.000	EACH
712-04.50	PORTABLE BARRIER RAIL DELINEATOR	54.000	EACH
712-06	SIGNS (CONSTRUCTION)	712.000	S.F.
712-08.10	MOBILE MESSAGE SIGN UNIT W/ATTENUATOR	400.000	HOUR
712-09.02	REMOVABLE PAVEMENT MARKING (8" BARRIER LINE)	6,120.000	L.F.
712-09.31	REMOVABLE BLACK-OUT TAPE (8IN)	6,120.000	L.F.
713-01.01	CLASS A CONCRETE (FOUNDATION FOR SIGN SUPPORTS)	4.000	C.Y.
713-01.02	STEEL BAR REINFORCEMENT(FOUNDATION FOR SIGN SUPPORTS)	1,103.000	LB.
713-02.14	FLEXIBLE DELINEATOR (WHITE)	20.000	EACH
713-02.21	SIGN POST DELINEATION ENHANCEMENT	144.000	L.F.
713-06	STEEL I-BEAMS & WF-BEAMS(BREAKAWAY) SIGN SUPPORT	3,154.000	LB.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	251.000	S.F.
713-14	EXTRUDED ALUMINUM PANEL SIGNS	315.000	S.F.
713-15	REMOVAL OF SIGNS, POSTS AND FOOTINGS	(1)	LS
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	3.000	EACH
714-02.04	ENCASED CONDUIT (DESCRIPTION) (1" PVC, SCHEDULE 80)	50.000	L.F.
714-03.03	DIRECT BURIAL CONDUIT (DESCRIPTION) (1" PVC, SCHEDULE 40)	1,850.000	L.F.
714-05.02	PULL BOXES (TYPE A)	8.000	EACH
716-01.05	TEMPORARY RAISED PAVEMENT MARKER	91.000	EACH
716-01.23	Snwplwble Pvmt Mrkrs (Bi-Dir)(2 Color)	9.000	EACH
716-02.07	PLASTIC PAVEMENT MARKING (24" BARRIER LINE)	27.000	L.F.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	1.000	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	204.000	L.F.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	805.000	L.F.

Contract ID CNQ927 - KNOX

Item No.	Description	Quantity	Units
717-01	MOBILIZATION	(1)	LS
730-08.02	SIGNAL CABLE - 5 CONDUCTOR	1,900.000	L.F.
730-16.03	CONTROLLER (FLASHING BEACON)	1.000	EACH
730-26.07	FLASHING WARNING BEACON (DESCRIPTION)	4.000	EACH
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	86.000	S.Y.
801-01.07	TEMPORARY SEEDING (WITH MULCH)	7.000	UNIT
801-02	SEEDING (WITHOUT MULCH)	7.000	UNIT
801-02.15	FERTILIZER	0.200	TON
801-03	WATER (SEEDING & SODDING)	1.000	M.G.
805-12.01	EROSION CONTROL BLANKET (TYPE I)	701.000	S.Y.
806-02.03	PROJECT MOWING	2.000	CYCL

